

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 26335 | 269.5 | 1.67 | 169.5 | 1.08 | | 22036 | 157.3 | 1.08 | 104.5 | 0.78 |
| Buccal Cavity & Pharynx | 463 | 4.6 | 0.21 | 3.1 | 0.15 | | 220 | 1.5 | 0.11 | 1.0 | 0.07 |
| Digestive System | 5451 | 55.4 | 0.76 | 35.3 | 0.49 | | 4845 | 33.0 | 0.48 | 20.4 | 0.33 |
| Esophagus | 691 | 6.8 | 0.26 | 4.7 | 0.19 | | 209 | 1.5 | 0.10 | 1.0 | 0.08 |
| Stomach | 560 | 5.7 | 0.24 | 3.6 | 0.16 | | 450 | 3.1 | 0.15 | 1.9 | 0.10 |
| Colon & Rectum | 2154 | 22.2 | 0.48 | 13.7 | 0.31 | | 2224 | 14.9 | 0.32 | 9.1 | 0.22 |
| Liver | 607 | 6.1 | 0.25 | 4.0 | 0.17 | | 364 | 2.6 | 0.14 | 1.7 | 0.10 |
| Pancreas | 1178 | 11.9 | 0.35 | 7.7 | 0.23 | | 1295 | 8.8 | 0.25 | 5.4 | 0.17 |
| Respiratory System | 9777 | 98.2 | 1.00 | 64.4 | 0.67 | | 5149 | 37.6 | 0.53 | 25.7 | 0.39 |
| Larynx | 279 | 2.8 | 0.17 | 1.9 | 0.12 | | 55 | 0.4 | 0.05 | 0.3 | 0.04 |
| Lung & bronchus | 9452 | 95.0 | 0.98 | 62.2 | 0.66 | | 5069 | 37.0 | 0.53 | 25.3 | 0.39 |
| Skin | 463 | 4.6 | 0.22 | 3.1 | 0.15 | | 288 | 2.1 | 0.13 | 1.4 | 0.09 |
| Melanomas of the skin | 348 | 3.5 | 0.19 | 2.4 | 0.13 | | 230 | 1.7 | 0.12 | 1.2 | 0.09 |
| Breast | 32 | 0.3 | 0.06 | 0.2 | 0.04 | | 3394 | 25.3 | 0.44 | 17.9 | 0.34 |
| Female Genital System | - | - | - | - | - | | 2226 | 16.2 | 0.35 | 10.9 | 0.25 |
| Cervix uteri | - | - | - | - | - | | 405 | 3.2 | 0.16 | 2.3 | 0.13 |
| Corpus & uterus, NOS | - | - | - | - | - | | 485 | 3.4 | 0.16 | 2.2 | 0.11 |
| Ovary | - | - | - | - | - | | 1220 | 8.8 | 0.26 | 5.9 | 0.19 |
| Male Genital System | 3157 | 35.0 | 0.63 | 17.5 | 0.32 | - | - | - | - | - | - |
| Prostate | 3122 | 34.7 | 0.63 | 17.3 | 0.32 | - | - | - | - | - | - |
| Testis | 18 | 0.2 | 0.04 | 0.1 | 0.03 | - | - | - | - | - | - |
| Urinary System | 1061 | 11.0 | 0.34 | 6.6 | 0.21 | | 608 | 4.1 | 0.17 | 2.5 | 0.12 |
| Bladder | 529 | 5.7 | 0.25 | 3.1 | 0.14 | | 263 | 1.7 | 0.11 | 1.0 | 0.07 |
| Kidney & renal pelvis | 515 | 5.2 | 0.23 | 3.4 | 0.16 | | 330 | 2.3 | 0.13 | 1.5 | 0.09 |
| Brain & Other Nervous System | 554 | 5.5 | 0.23 | 4.0 | 0.18 | | 493 | 3.7 | 0.17 | 2.8 | 0.14 |
| Endocrine System | 79 | 0.8 | 0.09 | 0.6 | 0.07 | | 97 | 0.7 | 0.07 | 0.6 | 0.07 |
| Thyroid gland | 44 | 0.5 | 0.07 | 0.3 | 0.04 | | 51 | 0.3 | 0.05 | 0.2 | 0.04 |
| Lymphomas | 938 | 9.5 | 0.31 | 6.3 | 0.21 | | 898 | 6.3 | 0.21 | 3.9 | 0.15 |
| Hodgkin Lymphoma | 62 | 0.6 | 0.08 | 0.5 | 0.06 | | 45 | 0.4 | 0.05 | 0.2 | 0.04 |
| Non-Hodgkin Lymphoma | 876 | 8.9 | 0.30 | 5.8 | 0.20 | | 853 | 5.9 | 0.21 | 3.7 | 0.14 |
| Multiple Myeloma | 491 | 5.0 | 0.23 | 3.1 | 0.14 | | 441 | 3.1 | 0.15 | 2.0 | 0.11 |
| Leukemias | 923 | 9.5 | 0.32 | 6.1 | 0.21 | | 804 | 5.6 | 0.20 | 3.7 | 0.15 |
| Other, Ill-defined & Unknown | 2946 | 30.0 | 0.56 | 19.2 | 0.37 | | 2573 | 18.1 | 0.36 | 11.8 | 0.26 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | S.E. | |
| All Sites | 1784 | 218.3 | 5.77 | 133.2 | 3.27 | | 1515 | 162.2 | 4.36 | 105.3 |
| Buccal Cavity & Pharynx | 53 | 5.8 | 0.89 | 3.7 | 0.53 | | 17 | 2.0 | 0.50 | 1.3 |
| Digestive System | 485 | 58.0 | 2.95 | 35.9 | 1.70 | | 337 | 37.9 | 2.14 | 23.5 |
| Esophagus | 64 | 7.2 | 0.98 | 4.7 | 0.60 | | 24 | 2.7 | 0.56 | 1.8 |
| Stomach | 70 | 8.5 | 1.15 | 5.2 | 0.65 | | 36 | 3.6 | 0.63 | 2.6 |
| Colon & Rectum | 170 | 21.7 | 1.88 | 12.5 | 1.00 | | 136 | 15.9 | 1.41 | 9.2 |
| Liver | 58 | 6.0 | 0.88 | 4.3 | 0.59 | | 22 | 2.6 | 0.58 | 1.5 |
| Pancreas | 99 | 11.5 | 1.28 | 7.4 | 0.77 | | 87 | 9.4 | 1.05 | 6.1 |
| Respiratory System | 581 | 70.0 | 3.16 | 44.4 | 1.90 | | 415 | 45.6 | 2.32 | 30.3 |
| Larynx | 16 | 2.0 | 0.56 | 1.2 | 0.31 | | - | - | - | - |
| Lung & bronchus | 561 | 67.4 | 3.10 | 42.8 | 1.87 | | 409 | 44.9 | 2.30 | 29.9 |
| Skin | 26 | 2.5 | 0.56 | 1.6 | 0.33 | | 18 | 1.6 | 0.39 | 1.2 |
| Melanomas of the skin | 21 | 1.9 | 0.50 | 1.2 | 0.29 | | 16 | 1.4 | 0.36 | 1.1 |
| Breast | - | - | - | - | - | | 239 | 22.6 | 1.55 | 15.6 |
| Female Genital System | - | - | - | - | - | | 141 | 14.5 | 1.29 | 9.6 |
| Cervix uteri | - | - | - | - | - | | 23 | 1.6 | 0.35 | 1.4 |
| Corpus & uterus, NOS | - | - | - | - | - | | 26 | 2.9 | 0.60 | 1.8 |
| Ovary | - | - | - | - | - | | 80 | 8.5 | 0.99 | 5.7 |
| Male Genital System | 137 | 22.2 | 2.06 | 11.6 | 1.02 | | - | - | - | - |
| Prostate | 131 | 21.9 | 2.06 | 11.3 | 1.01 | | - | - | - | - |
| Testis | - | - | - | - | - | | - | - | - | - |
| Urinary System | 98 | 13.6 | 1.52 | 7.3 | 0.76 | | 40 | 4.8 | 0.78 | 2.7 |
| Bladder | 43 | 7.1 | 1.16 | 3.3 | 0.52 | | 23 | 2.9 | 0.62 | 1.5 |
| Kidney & renal pelvis | 53 | 6.1 | 0.95 | 3.8 | 0.54 | | 16 | 1.8 | 0.46 | 1.1 |
| Brain & Other Nervous System | 51 | 4.8 | 0.75 | 3.4 | 0.50 | | 35 | 3.0 | 0.54 | 2.4 |
| Endocrine System | 6 | 0.7 | 0.31 | 0.5 | 0.19 | | - | - | - | - |
| Thyroid gland | - | - | - | - | - | | - | - | - | - |
| Lymphomas | 89 | 9.7 | 1.20 | 6.0 | 0.67 | | 54 | 6.0 | 0.85 | 3.6 |
| Hodgkin Lymphoma | 6 | 0.5 | 0.22 | 0.4 | 0.19 | | - | - | - | - |
| Non-Hodgkin Lymphoma | 83 | 9.2 | 1.18 | 5.6 | 0.64 | | 52 | 5.8 | 0.84 | 3.5 |
| Multiple Myeloma | 29 | 4.0 | 0.83 | 2.2 | 0.42 | | 30 | 3.6 | 0.67 | 2.3 |
| Leukemias | 64 | 7.7 | 1.10 | 4.8 | 0.62 | | 52 | 5.5 | 0.81 | 3.2 |
| Other, Ill-defined & Unknown | 164 | 19.4 | 1.71 | 11.7 | 0.95 | | 134 | 14.8 | 1.33 | 9.2 |
| | | | | | | | | | | 0.83 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 23406 | 196.6 | 1.29 | 123.0 | 0.86 | | 20739 | 140.9 | 0.99 | 92.0 | 0.71 |
| Buccal Cavity & Pharynx | 407 | 3.4 | 0.17 | 2.4 | 0.13 | | 194 | 1.3 | 0.10 | 0.8 | 0.07 |
| Digestive System | 5704 | 47.9 | 0.64 | 30.5 | 0.43 | | 4435 | 29.1 | 0.44 | 17.7 | 0.30 |
| Esophagus | 739 | 6.2 | 0.23 | 4.1 | 0.16 | | 217 | 1.4 | 0.10 | 0.9 | 0.07 |
| Stomach | 590 | 4.9 | 0.20 | 3.2 | 0.14 | | 372 | 2.5 | 0.13 | 1.6 | 0.09 |
| Colon & Rectum | 2273 | 19.2 | 0.41 | 11.8 | 0.26 | | 2042 | 13.2 | 0.30 | 7.8 | 0.20 |
| Liver | 563 | 4.7 | 0.20 | 3.1 | 0.14 | | 290 | 2.0 | 0.12 | 1.2 | 0.08 |
| Pancreas | 1193 | 10.0 | 0.29 | 6.4 | 0.20 | | 1131 | 7.4 | 0.22 | 4.6 | 0.15 |
| Respiratory System | 7249 | 60.2 | 0.71 | 38.5 | 0.48 | | 5360 | 36.5 | 0.50 | 23.9 | 0.36 |
| Larynx | 216 | 1.8 | 0.12 | 1.2 | 0.09 | | 62 | 0.4 | 0.06 | 0.3 | 0.04 |
| Lung & bronchus | 6988 | 58.1 | 0.70 | 37.1 | 0.47 | | 5265 | 35.8 | 0.50 | 23.4 | 0.36 |
| Skin | 604 | 5.1 | 0.21 | 3.4 | 0.15 | | 282 | 2.0 | 0.12 | 1.3 | 0.08 |
| Melanomas of the skin | 468 | 3.9 | 0.18 | 2.7 | 0.13 | | 222 | 1.6 | 0.11 | 1.0 | 0.08 |
| Breast | 38 | 0.3 | 0.05 | 0.2 | 0.03 | | 3371 | 23.9 | 0.42 | 16.7 | 0.31 |
| Female Genital System | - | - | - | - | - | | 1928 | 13.5 | 0.31 | 9.2 | 0.23 |
| Cervix uteri | - | - | - | - | - | | 320 | 2.5 | 0.14 | 1.9 | 0.11 |
| Corpus & uterus, NOS | - | - | - | - | - | | 407 | 2.8 | 0.14 | 1.8 | 0.10 |
| Ovary | - | - | - | - | - | | 1102 | 7.6 | 0.23 | 5.1 | 0.17 |
| Male Genital System | 2723 | 23.5 | 0.45 | 11.8 | 0.24 | - | - | - | - | - | - |
| Prostate | 2671 | 23.0 | 0.45 | 11.4 | 0.24 | - | - | - | - | - | - |
| Testis | 33 | 0.3 | 0.05 | 0.2 | 0.04 | - | - | - | - | - | - |
| Urinary System | 1381 | 11.7 | 0.32 | 7.1 | 0.20 | | 702 | 4.5 | 0.17 | 2.8 | 0.12 |
| Bladder | 741 | 6.3 | 0.23 | 3.5 | 0.14 | | 329 | 2.1 | 0.12 | 1.2 | 0.07 |
| Kidney & renal pelvis | 621 | 5.2 | 0.21 | 3.4 | 0.15 | | 347 | 2.3 | 0.13 | 1.5 | 0.09 |
| Brain & Other Nervous System | 570 | 4.7 | 0.20 | 3.5 | 0.16 | | 490 | 3.5 | 0.16 | 2.7 | 0.13 |
| Endocrine System | 93 | 0.8 | 0.08 | 0.6 | 0.06 | | 80 | 0.6 | 0.06 | 0.4 | 0.05 |
| Thyroid gland | 53 | 0.4 | 0.06 | 0.3 | 0.04 | | 44 | 0.3 | 0.05 | 0.2 | 0.03 |
| Lymphomas | 1122 | 9.4 | 0.28 | 6.1 | 0.19 | | 941 | 6.3 | 0.21 | 3.9 | 0.14 |
| Hodgkin Lymphoma | 67 | 0.6 | 0.07 | 0.4 | 0.05 | | 40 | 0.3 | 0.05 | 0.2 | 0.04 |
| Non-Hodgkin Lymphoma | 1055 | 8.9 | 0.27 | 5.7 | 0.19 | | 901 | 6.0 | 0.20 | 3.7 | 0.14 |
| Multiple Myeloma | 415 | 3.4 | 0.17 | 2.1 | 0.11 | | 344 | 2.3 | 0.12 | 1.4 | 0.09 |
| Leukemias | 960 | 8.0 | 0.26 | 5.1 | 0.18 | | 739 | 5.0 | 0.19 | 3.3 | 0.14 |
| Other, Ill-defined & Unknown | 2140 | 18.0 | 0.39 | 11.7 | 0.27 | | 1873 | 12.5 | 0.29 | 8.0 | 0.21 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | S.E. | | |
| All Sites | 16556 | 257.7 | 2.01 | 163.1 | 1.34 | | 13786 | 158.0 | 1.38 | 105.2 | 1.02 |
| Buccal Cavity & Pharynx | 280 | 4.3 | 0.26 | 3.0 | 0.19 | | 122 | 1.3 | 0.12 | 0.8 | 0.09 |
| Digestive System | 3578 | 55.5 | 0.93 | 35.8 | 0.63 | | 3204 | 34.8 | 0.63 | 21.7 | 0.44 |
| Esophagus | 412 | 6.3 | 0.31 | 4.5 | 0.23 | | 124 | 1.4 | 0.13 | 0.9 | 0.09 |
| Stomach | 324 | 5.1 | 0.28 | 3.2 | 0.18 | | 268 | 2.9 | 0.18 | 1.7 | 0.12 |
| Colon & Rectum | 1490 | 23.3 | 0.60 | 14.5 | 0.40 | | 1527 | 16.4 | 0.43 | 10.2 | 0.30 |
| Liver | 462 | 7.1 | 0.33 | 4.7 | 0.23 | | 311 | 3.4 | 0.20 | 2.1 | 0.14 |
| Pancreas | 730 | 11.3 | 0.42 | 7.4 | 0.29 | | 765 | 8.4 | 0.31 | 5.3 | 0.22 |
| Respiratory System | 6533 | 100.8 | 1.25 | 66.2 | 0.86 | | 3602 | 42.6 | 0.72 | 29.4 | 0.54 |
| Larynx | 124 | 1.9 | 0.17 | 1.3 | 0.12 | | 39 | 0.5 | 0.08 | 0.4 | 0.06 |
| Lung & bronchus | 6374 | 98.3 | 1.23 | 64.6 | 0.85 | | 3546 | 42.0 | 0.72 | 29.0 | 0.54 |
| Skin | 271 | 4.2 | 0.26 | 2.8 | 0.18 | | 203 | 2.3 | 0.17 | 1.5 | 0.12 |
| Melanomas of the skin | 219 | 3.4 | 0.23 | 2.3 | 0.16 | | 155 | 1.9 | 0.15 | 1.3 | 0.12 |
| Breast | 17 | 0.3 | 0.07 | 0.2 | 0.04 | | 1976 | 23.8 | 0.55 | 16.6 | 0.42 |
| Female Genital System | - | - | - | - | - | | 1329 | 15.9 | 0.45 | 10.9 | 0.33 |
| Cervix uteri | - | - | - | - | - | | 268 | 3.6 | 0.23 | 2.7 | 0.18 |
| Corpus & uterus, NOS | - | - | - | - | - | | 291 | 3.3 | 0.20 | 2.2 | 0.15 |
| Ovary | - | - | - | - | - | | 700 | 8.2 | 0.32 | 5.6 | 0.24 |
| Male Genital System | 1835 | 29.4 | 0.69 | 14.6 | 0.36 | - | - | - | - | - | - |
| Prostate | 1806 | 29.0 | 0.68 | 14.3 | 0.35 | - | - | - | - | - | - |
| Testis | 16 | 0.3 | 0.07 | 0.2 | 0.05 | - | - | - | - | - | - |
| Urinary System | 751 | 11.7 | 0.43 | 7.1 | 0.27 | | 453 | 4.8 | 0.23 | 3.0 | 0.16 |
| Bladder | 372 | 5.9 | 0.31 | 3.2 | 0.18 | | 186 | 1.9 | 0.14 | 1.1 | 0.09 |
| Kidney & renal pelvis | 372 | 5.7 | 0.30 | 3.8 | 0.21 | | 254 | 2.8 | 0.18 | 1.8 | 0.13 |
| Brain & Other Nervous System | 433 | 6.7 | 0.32 | 4.9 | 0.25 | | 363 | 4.5 | 0.24 | 3.4 | 0.20 |
| Endocrine System | 55 | 0.8 | 0.11 | 0.7 | 0.10 | | 58 | 0.7 | 0.09 | 0.5 | 0.08 |
| Thyroid gland | 30 | 0.5 | 0.08 | 0.3 | 0.06 | | 30 | 0.3 | 0.06 | 0.2 | 0.04 |
| Lymphomas | 692 | 10.8 | 0.41 | 6.9 | 0.28 | | 621 | 6.9 | 0.28 | 4.3 | 0.20 |
| Hodgkin Lymphoma | 26 | 0.4 | 0.09 | 0.3 | 0.06 | | 33 | 0.4 | 0.08 | 0.3 | 0.06 |
| Non-Hodgkin Lymphoma | 666 | 10.4 | 0.40 | 6.6 | 0.27 | | 588 | 6.5 | 0.27 | 4.0 | 0.19 |
| Multiple Myeloma | 298 | 4.6 | 0.27 | 2.8 | 0.17 | | 281 | 3.0 | 0.18 | 1.8 | 0.13 |
| Leukemias | 658 | 10.3 | 0.40 | 6.4 | 0.27 | | 507 | 5.6 | 0.26 | 3.6 | 0.19 |
| Other, Ill-defined & Unknown | 1155 | 18.1 | 0.53 | 11.6 | 0.36 | | 1067 | 11.9 | 0.38 | 7.5 | 0.27 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 134341 | 204.8 | 0.56 | 127.4 | 0.37 | | 129230 | 149.1 | 0.42 | 97.4 | 0.30 |
| Buccal Cavity & Pharynx | 2606 | 3.9 | 0.08 | 2.7 | 0.05 | | 1532 | 1.8 | 0.05 | 1.2 | 0.03 |
| Digestive System | 35404 | 53.7 | 0.29 | 34.1 | 0.19 | | 29841 | 33.4 | 0.20 | 20.5 | 0.13 |
| Esophagus | 4202 | 6.4 | 0.10 | 4.2 | 0.07 | | 1492 | 1.7 | 0.04 | 1.1 | 0.03 |
| Stomach | 4642 | 7.0 | 0.10 | 4.4 | 0.07 | | 3142 | 3.5 | 0.06 | 2.2 | 0.04 |
| Colon & Rectum | 12921 | 19.8 | 0.18 | 12.0 | 0.11 | | 12799 | 14.1 | 0.13 | 8.5 | 0.08 |
| Liver | 4485 | 6.6 | 0.10 | 4.6 | 0.07 | | 2146 | 2.5 | 0.05 | 1.6 | 0.04 |
| Pancreas | 6977 | 10.6 | 0.13 | 6.7 | 0.08 | | 7327 | 8.3 | 0.10 | 5.0 | 0.07 |
| Respiratory System | 39303 | 60.2 | 0.31 | 38.3 | 0.20 | | 31603 | 37.2 | 0.21 | 24.1 | 0.15 |
| Larynx | 1204 | 1.8 | 0.05 | 1.2 | 0.04 | | 372 | 0.5 | 0.02 | 0.3 | 0.02 |
| Lung & bronchus | 37740 | 57.9 | 0.30 | 36.7 | 0.20 | | 31039 | 36.5 | 0.21 | 23.6 | 0.15 |
| Skin | 3247 | 4.8 | 0.08 | 3.1 | 0.06 | | 1719 | 2.0 | 0.05 | 1.4 | 0.04 |
| Melanomas of the skin | 2507 | 3.7 | 0.07 | 2.4 | 0.05 | | 1399 | 1.6 | 0.04 | 1.1 | 0.03 |
| Breast | 163 | 0.2 | 0.02 | 0.2 | 0.01 | | 20712 | 24.4 | 0.17 | 17.1 | 0.13 |
| Female Genital System | - | - | - | - | - | | 13340 | 15.7 | 0.14 | 10.7 | 0.10 |
| Cervix uteri | - | - | - | - | - | | 2338 | 2.8 | 0.06 | 2.1 | 0.05 |
| Corpus & uterus, NOS | - | - | - | - | - | | 3112 | 3.6 | 0.07 | 2.3 | 0.05 |
| Ovary | - | - | - | - | - | | 7279 | 8.6 | 0.10 | 5.8 | 0.07 |
| Male Genital System | 15481 | 24.8 | 0.20 | 12.6 | 0.11 | - | - | - | - | - | - |
| Prostate | 15116 | 24.3 | 0.20 | 12.2 | 0.11 | - | - | - | - | - | - |
| Testis | 256 | 0.3 | 0.02 | 0.3 | 0.02 | - | - | - | - | - | - |
| Urinary System | 7575 | 11.7 | 0.14 | 7.0 | 0.08 | | 3908 | 4.3 | 0.07 | 2.6 | 0.05 |
| Bladder | 3971 | 6.3 | 0.10 | 3.4 | 0.06 | | 1802 | 1.9 | 0.05 | 1.1 | 0.03 |
| Kidney & renal pelvis | 3439 | 5.2 | 0.09 | 3.4 | 0.06 | | 1998 | 2.3 | 0.05 | 1.5 | 0.04 |
| Brain & Other Nervous System | 3898 | 5.5 | 0.09 | 4.1 | 0.07 | | 3050 | 3.6 | 0.07 | 2.7 | 0.05 |
| Endocrine System | 574 | 0.8 | 0.03 | 0.6 | 0.03 | | 631 | 0.7 | 0.03 | 0.5 | 0.02 |
| Thyroid gland | 294 | 0.4 | 0.03 | 0.3 | 0.02 | | 434 | 0.5 | 0.02 | 0.3 | 0.02 |
| Lymphomas | 6582 | 9.8 | 0.12 | 6.2 | 0.08 | | 5538 | 6.3 | 0.09 | 3.9 | 0.06 |
| Hodgkin Lymphoma | 404 | 0.6 | 0.03 | 0.4 | 0.02 | | 343 | 0.4 | 0.02 | 0.3 | 0.02 |
| Non-Hodgkin Lymphoma | 6178 | 9.2 | 0.12 | 5.8 | 0.08 | | 5195 | 5.9 | 0.08 | 3.6 | 0.06 |
| Multiple Myeloma | 2592 | 4.0 | 0.08 | 2.4 | 0.05 | | 2323 | 2.7 | 0.06 | 1.7 | 0.04 |
| Leukemias | 5976 | 8.9 | 0.12 | 5.7 | 0.08 | | 4547 | 5.1 | 0.08 | 3.5 | 0.06 |
| Other, Ill-defined & Unknown | 10940 | 16.5 | 0.16 | 10.5 | 0.11 | | 10486 | 11.9 | 0.12 | 7.7 | 0.08 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | World | | |
| All Sites | 25859 | 197.2 | 1.24 | 121.7 | 0.80 | | 25585 | 144.7 | 0.92 | 93.8 | 0.65 |
| Buccal Cavity & Pharynx | 544 | 4.0 | 0.17 | 2.7 | 0.12 | | 346 | 2.0 | 0.11 | 1.2 | 0.07 |
| Digestive System | 7159 | 54.1 | 0.65 | 34.3 | 0.43 | | 6132 | 33.6 | 0.44 | 20.4 | 0.30 |
| Esophagus | 768 | 5.8 | 0.21 | 3.8 | 0.14 | | 318 | 1.8 | 0.10 | 1.1 | 0.07 |
| Stomach | 948 | 7.2 | 0.24 | 4.5 | 0.15 | | 686 | 3.8 | 0.15 | 2.3 | 0.10 |
| Colon & Rectum | 2639 | 20.2 | 0.40 | 12.2 | 0.25 | | 2549 | 13.7 | 0.28 | 8.2 | 0.19 |
| Liver | 1031 | 7.5 | 0.23 | 5.3 | 0.17 | | 444 | 2.6 | 0.13 | 1.7 | 0.09 |
| Pancreas | 1337 | 10.2 | 0.28 | 6.4 | 0.18 | | 1534 | 8.4 | 0.22 | 5.0 | 0.14 |
| Respiratory System | 7160 | 54.9 | 0.65 | 34.5 | 0.43 | | 6133 | 35.6 | 0.46 | 22.9 | 0.32 |
| Larynx | 214 | 1.6 | 0.11 | 1.1 | 0.08 | | 64 | 0.4 | 0.05 | 0.3 | 0.04 |
| Lung & bronchus | 6894 | 52.9 | 0.64 | 33.2 | 0.42 | | 6030 | 35.0 | 0.46 | 22.5 | 0.32 |
| Skin | 585 | 4.3 | 0.18 | 2.7 | 0.12 | | 323 | 1.9 | 0.10 | 1.3 | 0.08 |
| Melanomas of the skin | 456 | 3.3 | 0.16 | 2.2 | 0.11 | | 274 | 1.6 | 0.10 | 1.1 | 0.07 |
| Breast | 27 | 0.2 | 0.04 | 0.1 | 0.02 | | 4106 | 23.6 | 0.37 | 16.5 | 0.28 |
| Female Genital System | - | - | - | - | - | | 2526 | 14.6 | 0.29 | 9.9 | 0.22 |
| Cervix uteri | - | - | - | - | - | | 333 | 2.0 | 0.11 | 1.4 | 0.08 |
| Corpus & uterus, NOS | - | - | - | - | - | | 661 | 3.8 | 0.15 | 2.4 | 0.11 |
| Ovary | - | - | - | - | - | | 1410 | 8.2 | 0.22 | 5.6 | 0.16 |
| Male Genital System | 2957 | 23.9 | 0.44 | 12.0 | 0.23 | - | - | - | - | - | |
| Prostate | 2899 | 23.6 | 0.44 | 11.7 | 0.23 | - | - | - | - | - | |
| Testis | 44 | 0.3 | 0.04 | 0.2 | 0.03 | - | - | - | - | - | |
| Urinary System | 1344 | 10.4 | 0.29 | 6.2 | 0.18 | | 730 | 3.9 | 0.15 | 2.3 | 0.10 |
| Bladder | 694 | 5.5 | 0.21 | 3.0 | 0.12 | | 364 | 1.9 | 0.10 | 1.0 | 0.06 |
| Kidney & renal pelvis | 619 | 4.6 | 0.19 | 3.1 | 0.13 | | 347 | 2.0 | 0.11 | 1.2 | 0.08 |
| Brain & Other Nervous System | 772 | 5.4 | 0.20 | 4.0 | 0.15 | | 525 | 3.1 | 0.14 | 2.3 | 0.11 |
| Endocrine System | 114 | 0.8 | 0.08 | 0.6 | 0.06 | | 116 | 0.7 | 0.06 | 0.5 | 0.05 |
| Thyroid gland | 60 | 0.5 | 0.06 | 0.3 | 0.04 | | 73 | 0.4 | 0.05 | 0.3 | 0.04 |
| Lymphomas | 1303 | 9.6 | 0.27 | 6.1 | 0.18 | | 1120 | 6.2 | 0.19 | 3.8 | 0.13 |
| Hodgkin Lymphoma | 80 | 0.6 | 0.06 | 0.4 | 0.04 | | 60 | 0.4 | 0.05 | 0.3 | 0.04 |
| Non-Hodgkin Lymphoma | 1223 | 9.1 | 0.26 | 5.7 | 0.17 | | 1060 | 5.8 | 0.18 | 3.5 | 0.12 |
| Multiple Myeloma | 520 | 4.0 | 0.18 | 2.4 | 0.11 | | 495 | 2.8 | 0.13 | 1.7 | 0.09 |
| Leukemias | 1132 | 8.5 | 0.26 | 5.4 | 0.17 | | 861 | 4.8 | 0.17 | 3.3 | 0.13 |
| Other, Ill-defined & Unknown | 2242 | 17.0 | 0.36 | 10.6 | 0.24 | | 2172 | 12.1 | 0.26 | 7.7 | 0.19 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 33640 | 199.8 | 1.10 | 125.0 | 0.71 | | 33407 | 145.6 | 0.81 | 95.4 | 0.57 |
| Buccal Cavity & Pharynx | 674 | 3.9 | 0.15 | 2.7 | 0.11 | | 379 | 1.7 | 0.09 | 1.1 | 0.06 |
| Digestive System | 9626 | 57.0 | 0.59 | 36.2 | 0.39 | | 8263 | 35.2 | 0.39 | 21.7 | 0.27 |
| Esophagus | 964 | 5.7 | 0.18 | 3.8 | 0.13 | | 387 | 1.7 | 0.09 | 1.0 | 0.06 |
| Stomach | 1517 | 8.9 | 0.23 | 5.6 | 0.15 | | 1050 | 4.5 | 0.14 | 2.8 | 0.10 |
| Colon & Rectum | 3388 | 20.3 | 0.35 | 12.4 | 0.22 | | 3393 | 14.2 | 0.25 | 8.6 | 0.16 |
| Liver | 1345 | 7.7 | 0.21 | 5.4 | 0.15 | | 676 | 3.0 | 0.12 | 2.0 | 0.08 |
| Pancreas | 1789 | 10.7 | 0.26 | 6.7 | 0.17 | | 1903 | 8.1 | 0.19 | 5.0 | 0.13 |
| Respiratory System | 9441 | 56.5 | 0.59 | 36.3 | 0.39 | | 7276 | 32.3 | 0.38 | 20.7 | 0.27 |
| Larynx | 373 | 2.2 | 0.11 | 1.5 | 0.08 | | 102 | 0.5 | 0.05 | 0.3 | 0.03 |
| Lung & bronchus | 8981 | 53.9 | 0.57 | 34.4 | 0.38 | | 7128 | 31.6 | 0.38 | 20.2 | 0.26 |
| Skin | 683 | 4.0 | 0.15 | 2.5 | 0.10 | | 342 | 1.5 | 0.08 | 1.0 | 0.06 |
| Melanomas of the skin | 497 | 2.8 | 0.13 | 1.9 | 0.09 | | 273 | 1.2 | 0.07 | 0.8 | 0.05 |
| Breast | 52 | 0.3 | 0.04 | 0.2 | 0.03 | | 5475 | 24.3 | 0.33 | 17.2 | 0.25 |
| Female Genital System | - | - | - | - | - | | 3749 | 16.7 | 0.27 | 11.5 | 0.20 |
| Cervix uteri | - | - | - | - | - | | 795 | 3.6 | 0.13 | 2.7 | 0.10 |
| Corpus & uterus, NOS | - | - | - | - | - | | 879 | 3.9 | 0.13 | 2.5 | 0.09 |
| Ovary | - | - | - | - | - | | 1910 | 8.5 | 0.20 | 5.8 | 0.14 |
| Male Genital System | 3763 | 23.7 | 0.39 | 12.2 | 0.21 | - | - | - | - | - | - |
| Prostate | 3657 | 23.2 | 0.38 | 11.8 | 0.21 | - | - | - | - | - | - |
| Testis | 72 | 0.3 | 0.04 | 0.3 | 0.03 | - | - | - | - | - | - |
| Urinary System | 1827 | 11.1 | 0.26 | 6.6 | 0.16 | | 1047 | 4.4 | 0.14 | 2.7 | 0.10 |
| Bladder | 937 | 5.9 | 0.19 | 3.2 | 0.11 | | 452 | 1.9 | 0.09 | 1.0 | 0.06 |
| Kidney & renal pelvis | 855 | 5.0 | 0.17 | 3.3 | 0.12 | | 561 | 2.4 | 0.10 | 1.6 | 0.08 |
| Brain & Other Nervous System | 921 | 4.9 | 0.17 | 3.7 | 0.13 | | 814 | 3.6 | 0.13 | 2.7 | 0.10 |
| Endocrine System | 160 | 0.9 | 0.07 | 0.6 | 0.05 | | 216 | 0.9 | 0.06 | 0.6 | 0.05 |
| Thyroid gland | 80 | 0.5 | 0.05 | 0.3 | 0.03 | | 158 | 0.7 | 0.05 | 0.4 | 0.04 |
| Lymphomas | 1679 | 9.6 | 0.24 | 6.2 | 0.16 | | 1406 | 6.0 | 0.16 | 3.8 | 0.11 |
| Hodgkin Lymphoma | 109 | 0.6 | 0.05 | 0.4 | 0.04 | | 88 | 0.4 | 0.04 | 0.3 | 0.03 |
| Non-Hodgkin Lymphoma | 1570 | 9.1 | 0.23 | 5.8 | 0.15 | | 1318 | 5.6 | 0.16 | 3.5 | 0.11 |
| Multiple Myeloma | 666 | 4.0 | 0.16 | 2.4 | 0.10 | | 627 | 2.7 | 0.11 | 1.7 | 0.08 |
| Leukemias | 1553 | 8.9 | 0.23 | 5.7 | 0.15 | | 1225 | 5.1 | 0.15 | 3.5 | 0.11 |
| Other, Ill-defined & Unknown | 2595 | 15.1 | 0.30 | 9.6 | 0.20 | | 2588 | 11.1 | 0.22 | 7.2 | 0.16 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------------------|------|--------------------|------|---------------------|-----------------------|------|--------------------|------|
| | Deaths | Adj. Rate 1996 Cdn | S.E. | Adj. Rate World | S.E. | Deaths | Adj. Rate 1996 Cdn | S.E. | Adj. Rate World | S.E. |
| All Sites | 14989 | 193.9 | 1.61 | 117.4 | 0.99 | 14402 | 138.4 | 1.17 | 89.7 | 0.82 |
| Buccal Cavity & Pharynx | 229 | 2.8 | 0.19 | 1.9 | 0.13 | 118 | 1.1 | 0.10 | 0.7 | 0.07 |
| Digestive System | 3828 | 48.8 | 0.80 | 30.4 | 0.51 | 3207 | 30.5 | 0.55 | 18.6 | 0.36 |
| Esophagus | 524 | 6.7 | 0.30 | 4.2 | 0.19 | 158 | 1.5 | 0.12 | 0.9 | 0.08 |
| Stomach | 384 | 4.8 | 0.25 | 3.1 | 0.16 | 265 | 2.5 | 0.16 | 1.5 | 0.10 |
| Colon & Rectum | 1551 | 20.1 | 0.52 | 12.2 | 0.32 | 1495 | 14.0 | 0.37 | 8.4 | 0.24 |
| Liver | 318 | 3.8 | 0.22 | 2.6 | 0.15 | 172 | 1.7 | 0.13 | 1.1 | 0.09 |
| Pancreas | 853 | 10.9 | 0.38 | 6.8 | 0.24 | 816 | 7.8 | 0.28 | 4.8 | 0.19 |
| Respiratory System | 4037 | 52.4 | 0.84 | 32.6 | 0.53 | 3196 | 32.0 | 0.57 | 21.0 | 0.40 |
| Larynx | 122 | 1.5 | 0.14 | 1.0 | 0.09 | 45 | 0.5 | 0.07 | 0.3 | 0.05 |
| Lung & bronchus | 3885 | 50.5 | 0.82 | 31.3 | 0.52 | 3132 | 31.3 | 0.57 | 20.5 | 0.40 |
| Skin | 459 | 5.6 | 0.27 | 3.6 | 0.17 | 231 | 2.2 | 0.15 | 1.5 | 0.11 |
| Melanomas of the skin | 358 | 4.3 | 0.23 | 2.9 | 0.16 | 200 | 1.9 | 0.14 | 1.3 | 0.10 |
| Breast | 15 | 0.2 | 0.05 | 0.1 | 0.03 | 2341 | 22.2 | 0.46 | 15.2 | 0.34 |
| Female Genital System | - | - | - | - | - | 1461 | 14.2 | 0.37 | 9.6 | 0.27 |
| Cervix uteri | - | - | - | - | - | 207 | 2.0 | 0.14 | 1.5 | 0.11 |
| Corpus & uterus, NOS | - | - | - | - | - | 310 | 2.9 | 0.17 | 1.8 | 0.12 |
| Ovary | - | - | - | - | - | 862 | 8.4 | 0.29 | 5.8 | 0.21 |
| Male Genital System | 1799 | 25.9 | 0.61 | 12.6 | 0.31 | - | - | - | - | - |
| Prostate | 1770 | 25.5 | 0.61 | 12.4 | 0.31 | - | - | - | - | - |
| Testis | 18 | 0.2 | 0.04 | 0.1 | 0.03 | - | - | - | - | - |
| Urinary System | 837 | 11.0 | 0.39 | 6.5 | 0.23 | 475 | 4.4 | 0.20 | 2.5 | 0.13 |
| Bladder | 397 | 5.4 | 0.28 | 2.9 | 0.15 | 212 | 1.9 | 0.13 | 1.0 | 0.08 |
| Kidney & renal pelvis | 421 | 5.3 | 0.26 | 3.4 | 0.17 | 244 | 2.3 | 0.15 | 1.4 | 0.10 |
| Brain & Other Nervous System | 462 | 5.2 | 0.25 | 3.9 | 0.19 | 359 | 3.5 | 0.19 | 2.6 | 0.15 |
| Endocrine System | 60 | 0.7 | 0.10 | 0.5 | 0.07 | 75 | 0.7 | 0.08 | 0.5 | 0.07 |
| Thyroid gland | 36 | 0.5 | 0.08 | 0.3 | 0.05 | 50 | 0.5 | 0.07 | 0.3 | 0.05 |
| Lymphomas | 750 | 9.3 | 0.35 | 5.8 | 0.22 | 694 | 6.6 | 0.25 | 4.1 | 0.17 |
| Hodgkin Lymphoma | 47 | 0.5 | 0.07 | 0.4 | 0.06 | 36 | 0.3 | 0.06 | 0.3 | 0.05 |
| Non-Hodgkin Lymphoma | 703 | 8.8 | 0.34 | 5.4 | 0.21 | 658 | 6.3 | 0.25 | 3.8 | 0.17 |
| Multiple Myeloma | 331 | 4.4 | 0.24 | 2.6 | 0.15 | 290 | 2.8 | 0.17 | 1.7 | 0.11 |
| Leukemias | 735 | 9.3 | 0.35 | 5.7 | 0.22 | 560 | 5.3 | 0.23 | 3.5 | 0.17 |
| Other, Ill-defined & Unknown | 1447 | 18.3 | 0.49 | 11.3 | 0.31 | 1395 | 13.1 | 0.36 | 8.2 | 0.24 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 17539 | 216.6 | 1.64 | 133.3 | 1.08 | | 17917 | 154.7 | 1.20 | 100.4 | 0.88 |
| Buccal Cavity & Pharynx | 285 | 3.5 | 0.21 | 2.4 | 0.15 | | 160 | 1.4 | 0.11 | 0.9 | 0.08 |
| Digestive System | 4641 | 57.2 | 0.84 | 35.5 | 0.56 | | 4213 | 34.4 | 0.55 | 20.9 | 0.39 |
| Esophagus | 625 | 7.7 | 0.31 | 5.2 | 0.22 | | 215 | 1.9 | 0.13 | 1.3 | 0.10 |
| Stomach | 586 | 7.2 | 0.30 | 4.3 | 0.19 | | 416 | 3.2 | 0.17 | 1.9 | 0.11 |
| Colon & Rectum | 1820 | 22.6 | 0.53 | 13.5 | 0.34 | | 2000 | 16.0 | 0.37 | 9.6 | 0.26 |
| Liver | 354 | 4.3 | 0.23 | 2.9 | 0.16 | | 164 | 1.4 | 0.12 | 1.0 | 0.09 |
| Pancreas | 954 | 11.7 | 0.38 | 7.4 | 0.26 | | 1071 | 9.0 | 0.29 | 5.5 | 0.20 |
| Respiratory System | 5230 | 64.8 | 0.90 | 41.5 | 0.61 | | 4306 | 39.0 | 0.61 | 26.1 | 0.45 |
| Larynx | 182 | 2.2 | 0.17 | 1.4 | 0.11 | | 64 | 0.6 | 0.08 | 0.4 | 0.06 |
| Lung & bronchus | 5014 | 62.1 | 0.88 | 39.8 | 0.60 | | 4226 | 38.3 | 0.61 | 25.6 | 0.45 |
| Skin | 344 | 4.2 | 0.23 | 2.8 | 0.16 | | 268 | 2.3 | 0.15 | 1.6 | 0.11 |
| Melanomas of the skin | 261 | 3.2 | 0.20 | 2.2 | 0.14 | | 208 | 1.9 | 0.13 | 1.3 | 0.10 |
| Breast | 29 | 0.4 | 0.07 | 0.2 | 0.04 | | 2868 | 25.7 | 0.50 | 17.6 | 0.37 |
| Female Genital System | - | - | - | - | - | | 1657 | 14.7 | 0.37 | 9.9 | 0.28 |
| Cervix uteri | - | - | - | - | - | | 186 | 1.9 | 0.14 | 1.4 | 0.11 |
| Corpus & uterus, NOS | - | - | - | - | - | | 433 | 3.6 | 0.18 | 2.2 | 0.13 |
| Ovary | - | - | - | - | - | | 923 | 8.3 | 0.28 | 5.6 | 0.21 |
| Male Genital System | 2024 | 25.2 | 0.56 | 12.6 | 0.30 | - | - | - | - | - | - |
| Prostate | 1989 | 24.8 | 0.56 | 12.3 | 0.30 | - | - | - | - | - | - |
| Testis | 15 | 0.2 | 0.05 | 0.2 | 0.04 | - | - | - | - | - | - |
| Urinary System | 1043 | 12.8 | 0.40 | 7.6 | 0.26 | | 558 | 4.5 | 0.20 | 2.7 | 0.14 |
| Bladder | 581 | 7.2 | 0.30 | 3.9 | 0.18 | | 291 | 2.2 | 0.13 | 1.2 | 0.09 |
| Kidney & renal pelvis | 446 | 5.4 | 0.26 | 3.6 | 0.18 | | 247 | 2.1 | 0.14 | 1.4 | 0.10 |
| Brain & Other Nervous System | 419 | 5.1 | 0.25 | 3.6 | 0.19 | | 348 | 3.3 | 0.18 | 2.4 | 0.15 |
| Endocrine System | 66 | 0.8 | 0.10 | 0.6 | 0.08 | | 70 | 0.7 | 0.08 | 0.5 | 0.07 |
| Thyroid gland | 42 | 0.5 | 0.08 | 0.3 | 0.05 | | 48 | 0.4 | 0.06 | 0.3 | 0.05 |
| Lymphomas | 821 | 10.1 | 0.35 | 6.3 | 0.24 | | 846 | 7.0 | 0.25 | 4.3 | 0.18 |
| Hodgkin Lymphoma | 49 | 0.6 | 0.09 | 0.5 | 0.07 | | 37 | 0.4 | 0.07 | 0.3 | 0.06 |
| Non-Hodgkin Lymphoma | 772 | 9.5 | 0.34 | 5.8 | 0.23 | | 809 | 6.7 | 0.24 | 4.0 | 0.17 |
| Multiple Myeloma | 298 | 3.7 | 0.21 | 2.2 | 0.13 | | 353 | 2.9 | 0.16 | 1.8 | 0.11 |
| Leukemias | 737 | 9.1 | 0.34 | 5.8 | 0.23 | | 616 | 5.2 | 0.22 | 3.5 | 0.17 |
| Other, Ill-defined & Unknown | 1602 | 19.8 | 0.50 | 12.3 | 0.33 | | 1654 | 13.6 | 0.35 | 8.4 | 0.25 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|-----------|------|---------------------|-----------|------|-----------|------|
| | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. |
| | | 1996 Cdn | | World | | | 1996 Cdn | | World | |
| All Sites | 4299 | 245.8 | 3.79 | 152.9 | 2.44 | 4153 | 174.8 | 2.74 | 114.0 | 1.96 |
| Buccal Cavity & Pharynx | 72 | 4.0 | 0.47 | 2.9 | 0.35 | 32 | 1.4 | 0.25 | 1.0 | 0.19 |
| Digestive System | 1003 | 56.9 | 1.82 | 36.0 | 1.18 | 915 | 37.2 | 1.25 | 22.7 | 0.84 |
| Esophagus | 152 | 8.4 | 0.69 | 5.8 | 0.49 | 49 | 2.0 | 0.29 | 1.3 | 0.20 |
| Stomach | 108 | 6.2 | 0.60 | 3.8 | 0.38 | 79 | 3.2 | 0.36 | 1.8 | 0.23 |
| Colon & Rectum | 405 | 23.2 | 1.16 | 14.2 | 0.73 | 436 | 17.6 | 0.85 | 10.6 | 0.57 |
| Liver | 74 | 4.1 | 0.48 | 2.8 | 0.34 | 44 | 1.7 | 0.26 | 1.0 | 0.17 |
| Pancreas | 217 | 12.3 | 0.84 | 7.7 | 0.55 | 223 | 9.2 | 0.62 | 5.8 | 0.44 |
| Respiratory System | 1507 | 84.3 | 2.19 | 54.8 | 1.47 | 1084 | 46.3 | 1.42 | 30.9 | 1.03 |
| Larynx | 43 | 2.3 | 0.36 | 1.5 | 0.24 | 12 | 0.5 | 0.16 | 0.4 | 0.12 |
| Lung & bronchus | 1446 | 80.9 | 2.14 | 52.6 | 1.44 | 1066 | 45.5 | 1.41 | 30.4 | 1.02 |
| Skin | 104 | 5.9 | 0.59 | 3.8 | 0.38 | 61 | 2.7 | 0.35 | 2.0 | 0.27 |
| Melanomas of the skin | 85 | 4.8 | 0.52 | 3.1 | 0.35 | 48 | 2.2 | 0.31 | 1.6 | 0.25 |
| Breast | - | - | - | - | - | 657 | 28.2 | 1.11 | 19.2 | 0.82 |
| Female Genital System | - | - | - | - | - | 436 | 18.8 | 0.91 | 13.0 | 0.68 |
| Cervix uteri | - | - | - | - | - | 94 | 4.4 | 0.46 | 3.3 | 0.36 |
| Corpus & uterus, NOS | - | - | - | - | - | 99 | 4.0 | 0.41 | 2.3 | 0.26 |
| Ovary | - | - | - | - | - | 216 | 9.4 | 0.64 | 6.6 | 0.49 |
| Male Genital System | 462 | 28.4 | 1.34 | 14.2 | 0.69 | - | - | - | - | - |
| Prostate | 456 | 28.1 | 1.34 | 14.0 | 0.68 | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 244 | 14.3 | 0.93 | 8.5 | 0.57 | 139 | 5.7 | 0.49 | 3.5 | 0.34 |
| Bladder | 143 | 8.6 | 0.73 | 4.8 | 0.42 | 68 | 2.7 | 0.33 | 1.5 | 0.21 |
| Kidney & renal pelvis | 97 | 5.5 | 0.57 | 3.5 | 0.37 | 66 | 2.8 | 0.35 | 1.9 | 0.26 |
| Brain & Other Nervous System | 90 | 4.9 | 0.52 | 3.6 | 0.39 | 86 | 3.9 | 0.42 | 2.9 | 0.35 |
| Endocrine System | 11 | 0.6 | 0.18 | 0.6 | 0.19 | 16 | 0.7 | 0.17 | 0.4 | 0.12 |
| Thyroid gland | - | - | - | - | - | 10 | 0.4 | 0.13 | 0.2 | 0.07 |
| Lymphomas | 175 | 9.9 | 0.75 | 6.4 | 0.51 | 171 | 7.0 | 0.54 | 4.3 | 0.37 |
| Hodgkin Lymphoma | 10 | 0.5 | 0.17 | 0.4 | 0.14 | 11 | 0.5 | 0.16 | 0.4 | 0.14 |
| Non-Hodgkin Lymphoma | 165 | 9.4 | 0.73 | 6.0 | 0.49 | 160 | 6.5 | 0.52 | 3.8 | 0.34 |
| Multiple Myeloma | 75 | 4.3 | 0.50 | 2.6 | 0.31 | 69 | 2.8 | 0.34 | 1.7 | 0.23 |
| Leukemias | 182 | 10.7 | 0.80 | 6.6 | 0.51 | 138 | 5.8 | 0.50 | 3.7 | 0.35 |
| Other, Ill-defined & Unknown | 370 | 21.3 | 1.12 | 12.9 | 0.70 | 349 | 14.3 | 0.77 | 8.7 | 0.53 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------------------|------|--------------------|------|---------------------|-----------------------|------|--------------------|------|
| | Deaths | Adj. Rate 1996 Cdn | | Adj. Rate World | S.E. | Deaths | Adj. Rate 1996 Cdn | | Adj. Rate World | S.E. |
| | | Adj. Rate 1996 Cdn | S.E. | | | | Adj. Rate World | S.E. | | |
| All Sites | 3378 | 289.2 | 5.00 | 186.5 | 3.35 | 3327 | 186.8 | 3.32 | 122.5 | 2.40 |
| Buccal Cavity & Pharynx | 111 | 8.9 | 0.85 | 7.0 | 0.68 | 34 | 2.0 | 0.35 | 1.5 | 0.28 |
| Digestive System | 929 | 79.2 | 2.61 | 52.1 | 1.78 | 862 | 46.2 | 1.61 | 28.2 | 1.10 |
| Esophagus | 156 | 12.9 | 1.04 | 9.6 | 0.79 | 69 | 4.1 | 0.50 | 2.8 | 0.37 |
| Stomach | 115 | 10.0 | 0.93 | 6.3 | 0.61 | 101 | 5.2 | 0.53 | 3.1 | 0.35 |
| Colon & Rectum | 340 | 29.4 | 1.60 | 18.3 | 1.04 | 395 | 21.1 | 1.09 | 12.9 | 0.74 |
| Liver | 110 | 9.1 | 0.87 | 6.4 | 0.63 | 47 | 2.6 | 0.38 | 1.5 | 0.25 |
| Pancreas | 168 | 14.5 | 1.12 | 9.3 | 0.75 | 195 | 10.2 | 0.75 | 6.0 | 0.50 |
| Respiratory System | 1003 | 85.0 | 2.70 | 57.7 | 1.89 | 728 | 41.9 | 1.58 | 27.8 | 1.15 |
| Larynx | 79 | 6.5 | 0.73 | 4.9 | 0.57 | 22 | 1.4 | 0.30 | 1.1 | 0.24 |
| Lung & bronchus | 917 | 77.9 | 2.58 | 52.3 | 1.79 | 701 | 40.2 | 1.55 | 26.5 | 1.12 |
| Skin | 50 | 4.2 | 0.59 | 2.7 | 0.39 | 22 | 1.2 | 0.25 | 0.6 | 0.16 |
| Melanomas of the skin | 29 | 2.4 | 0.46 | 1.6 | 0.30 | 15 | 0.8 | 0.20 | 0.4 | 0.12 |
| Breast | - | - | - | - | - | 605 | 35.5 | 1.48 | 24.7 | 1.10 |
| Female Genital System | - | - | - | - | - | 357 | 20.8 | 1.12 | 14.6 | 0.85 |
| Cervix uteri | - | - | - | - | - | 71 | 4.4 | 0.53 | 3.2 | 0.40 |
| Corpus & uterus, NOS | - | - | - | - | - | 118 | 6.8 | 0.64 | 4.8 | 0.49 |
| Ovary | - | - | - | - | - | 147 | 8.4 | 0.71 | 5.9 | 0.54 |
| Male Genital System | 490 | 44.4 | 2.01 | 22.7 | 1.07 | - | - | - | - | - |
| Prostate | 484 | 43.9 | 2.00 | 22.3 | 1.06 | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 124 | 10.7 | 0.96 | 6.4 | 0.61 | 96 | 5.0 | 0.53 | 3.0 | 0.35 |
| Bladder | 64 | 5.6 | 0.70 | 3.3 | 0.43 | 58 | 3.0 | 0.40 | 1.8 | 0.27 |
| Kidney & renal pelvis | 59 | 5.0 | 0.66 | 3.1 | 0.43 | 35 | 1.8 | 0.32 | 1.1 | 0.21 |
| Brain & Other Nervous System | 57 | 4.7 | 0.62 | 3.4 | 0.48 | 36 | 2.2 | 0.37 | 1.6 | 0.31 |
| Endocrine System | 11 | 0.9 | 0.28 | 0.7 | 0.24 | 11 | 0.7 | 0.21 | 0.5 | 0.15 |
| Thyroid gland | 8 | 0.7 | 0.24 | 0.5 | 0.18 | 8 | 0.5 | 0.18 | 0.4 | 0.14 |
| Lymphomas | 100 | 8.5 | 0.85 | 5.3 | 0.55 | 96 | 5.3 | 0.56 | 3.4 | 0.39 |
| Hodgkin Lymphoma | 10 | 0.8 | 0.27 | 0.6 | 0.19 | 11 | 0.7 | 0.21 | 0.5 | 0.16 |
| Non-Hodgkin Lymphoma | 90 | 7.7 | 0.81 | 4.7 | 0.52 | 85 | 4.6 | 0.51 | 2.9 | 0.36 |
| Multiple Myeloma | 73 | 6.3 | 0.75 | 3.9 | 0.48 | 106 | 5.8 | 0.58 | 3.6 | 0.39 |
| Leukemias | 97 | 8.5 | 0.86 | 5.6 | 0.61 | 77 | 4.1 | 0.48 | 2.5 | 0.35 |
| Other, Ill-defined & Unknown | 332 | 28.0 | 1.54 | 19.0 | 1.09 | 297 | 16.3 | 0.97 | 10.6 | 0.70 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | S.E. | | |
| All Sites | 104049 | 219.5 | 0.69 | 140.6 | 0.48 | | 88971 | 147.7 | 0.52 | 97.4 | 0.39 |
| Buccal Cavity & Pharynx | 2187 | 4.8 | 0.10 | 3.5 | 0.08 | | 1048 | 1.7 | 0.06 | 1.1 | 0.04 |
| Digestive System | 24893 | 52.6 | 0.34 | 33.9 | 0.24 | | 20417 | 31.8 | 0.23 | 19.6 | 0.16 |
| Esophagus | 3155 | 6.8 | 0.12 | 4.7 | 0.09 | | 1053 | 1.7 | 0.05 | 1.1 | 0.04 |
| Stomach | 2725 | 5.8 | 0.11 | 3.7 | 0.08 | | 1745 | 2.7 | 0.07 | 1.6 | 0.05 |
| Colon & Rectum | 10001 | 21.0 | 0.21 | 13.1 | 0.15 | | 9556 | 14.7 | 0.16 | 8.9 | 0.11 |
| Liver | 2464 | 5.4 | 0.11 | 3.7 | 0.08 | | 1143 | 1.8 | 0.06 | 1.2 | 0.04 |
| Pancreas | 5063 | 10.7 | 0.15 | 6.9 | 0.11 | | 5173 | 8.1 | 0.12 | 5.0 | 0.08 |
| Respiratory System | 35604 | 75.1 | 0.40 | 49.9 | 0.29 | | 24518 | 40.9 | 0.27 | 27.2 | 0.20 |
| Larynx | 1231 | 2.7 | 0.08 | 1.9 | 0.06 | | 305 | 0.5 | 0.03 | 0.4 | 0.02 |
| Lung & bronchus | 33990 | 71.6 | 0.39 | 47.4 | 0.28 | | 24058 | 40.1 | 0.27 | 26.7 | 0.20 |
| Skin | 2583 | 5.7 | 0.11 | 3.8 | 0.08 | | 1158 | 2.0 | 0.06 | 1.4 | 0.05 |
| Melanomas of the skin | 1843 | 4.1 | 0.10 | 2.8 | 0.07 | | 900 | 1.6 | 0.06 | 1.1 | 0.04 |
| Breast | 129 | 0.3 | 0.02 | 0.2 | 0.02 | | 13084 | 23.4 | 0.21 | 16.4 | 0.16 |
| Female Genital System | - | - | - | - | - | | 8641 | 15.2 | 0.17 | 10.5 | 0.13 |
| Cervix uteri | - | - | - | - | - | | 1461 | 3.2 | 0.09 | 2.5 | 0.07 |
| Corpus & uterus, NOS | - | - | - | - | - | | 2040 | 3.3 | 0.08 | 2.2 | 0.06 |
| Ovary | - | - | - | - | - | | 4664 | 7.9 | 0.12 | 5.4 | 0.09 |
| Male Genital System | 11900 | 23.9 | 0.22 | 12.3 | 0.12 | - | - | - | - | - | |
| Prostate | 11681 | 23.4 | 0.22 | 11.9 | 0.12 | - | - | - | - | - | |
| Testis | 130 | 0.3 | 0.03 | 0.3 | 0.03 | - | - | - | - | - | |
| Urinary System | 5687 | 11.8 | 0.16 | 7.1 | 0.10 | | 2785 | 4.3 | 0.08 | 2.6 | 0.06 |
| Bladder | 3256 | 6.6 | 0.12 | 3.7 | 0.07 | | 1355 | 2.0 | 0.06 | 1.1 | 0.04 |
| Kidney & renal pelvis | 2323 | 5.0 | 0.10 | 3.3 | 0.08 | | 1332 | 2.1 | 0.06 | 1.4 | 0.05 |
| Brain & Other Nervous System | 2468 | 5.6 | 0.11 | 4.2 | 0.09 | | 1886 | 3.6 | 0.09 | 2.7 | 0.07 |
| Endocrine System | 321 | 0.7 | 0.04 | 0.5 | 0.03 | | 393 | 0.7 | 0.04 | 0.5 | 0.03 |
| Thyroid gland | 182 | 0.4 | 0.03 | 0.3 | 0.02 | | 257 | 0.4 | 0.03 | 0.2 | 0.02 |
| Lymphomas | 4647 | 10.0 | 0.15 | 6.5 | 0.11 | | 3833 | 6.2 | 0.10 | 3.9 | 0.08 |
| Hodgkin Lymphoma | 241 | 0.6 | 0.04 | 0.4 | 0.03 | | 162 | 0.3 | 0.03 | 0.3 | 0.02 |
| Non-Hodgkin Lymphoma | 4406 | 9.4 | 0.14 | 6.1 | 0.10 | | 3671 | 5.8 | 0.10 | 3.6 | 0.07 |
| Multiple Myeloma | 1834 | 3.8 | 0.09 | 2.4 | 0.06 | | 1619 | 2.5 | 0.07 | 1.6 | 0.05 |
| Leukemias | 4288 | 9.1 | 0.14 | 5.9 | 0.10 | | 3132 | 5.1 | 0.10 | 3.3 | 0.08 |
| Other, Ill-defined & Unknown | 7508 | 16.0 | 0.19 | 10.5 | 0.14 | | 6457 | 10.3 | 0.13 | 6.6 | 0.10 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------------------|--------------------|-------|--------|-----------------------|--------------------|------|-------|------|
| | Deaths | Adj. Rate 1996 Cdn | Adj. Rate World | | Deaths | Adj. Rate 1996 Cdn | Adj. Rate World | | S.E. | |
| | | | S.E. | S.E. | | | S.E. | S.E. | | |
| All Sites | 35511 | 253.6 | 1.38 | 159.8 | 0.87 | 31377 | 154.6 | 0.88 | 102.3 | 0.63 |
| Buccal Cavity & Pharynx | 695 | 4.6 | 0.18 | 3.2 | 0.12 | 368 | 1.8 | 0.09 | 1.1 | 0.06 |
| Digestive System | 7701 | 53.9 | 0.63 | 34.7 | 0.41 | 6813 | 32.9 | 0.40 | 20.4 | 0.27 |
| Esophagus | 1154 | 7.6 | 0.23 | 5.4 | 0.16 | 378 | 1.9 | 0.10 | 1.2 | 0.07 |
| Stomach | 844 | 5.9 | 0.21 | 3.8 | 0.13 | 623 | 3.0 | 0.12 | 1.8 | 0.08 |
| Colon & Rectum | 2972 | 21.3 | 0.40 | 13.3 | 0.25 | 3185 | 15.2 | 0.27 | 9.4 | 0.18 |
| Liver | 699 | 4.8 | 0.18 | 3.2 | 0.12 | 379 | 1.8 | 0.10 | 1.1 | 0.07 |
| Pancreas | 1648 | 11.7 | 0.29 | 7.4 | 0.19 | 1722 | 8.3 | 0.20 | 5.1 | 0.14 |
| Respiratory System | 13122 | 92.4 | 0.82 | 60.4 | 0.54 | 7689 | 39.2 | 0.45 | 26.7 | 0.33 |
| Larynx | 426 | 2.9 | 0.14 | 2.0 | 0.10 | 93 | 0.5 | 0.05 | 0.3 | 0.04 |
| Lung & bronchus | 12633 | 89.1 | 0.81 | 58.1 | 0.53 | 7548 | 38.5 | 0.45 | 26.2 | 0.32 |
| Skin | 765 | 5.1 | 0.19 | 3.5 | 0.13 | 422 | 2.0 | 0.10 | 1.4 | 0.07 |
| Melanomas of the skin | 581 | 3.8 | 0.16 | 2.6 | 0.11 | 348 | 1.7 | 0.09 | 1.2 | 0.07 |
| Breast | 44 | 0.3 | 0.05 | 0.2 | 0.03 | 5125 | 25.2 | 0.36 | 17.8 | 0.26 |
| Female Genital System | - | - | - | - | - | 3158 | 15.7 | 0.28 | 10.6 | 0.20 |
| Cervix uteri | - | - | - | - | - | 603 | 3.0 | 0.12 | 2.2 | 0.09 |
| Corpus & uterus, NOS | - | - | - | - | - | 719 | 3.6 | 0.13 | 2.3 | 0.09 |
| Ovary | - | - | - | - | - | 1667 | 8.3 | 0.21 | 5.6 | 0.15 |
| Male Genital System | 4002 | 33.3 | 0.54 | 16.6 | 0.27 | - | - | - | - | - |
| Prostate | 3941 | 33.0 | 0.53 | 16.3 | 0.27 | - | - | - | - | - |
| Testis | 29 | 0.1 | 0.03 | 0.1 | 0.02 | - | - | - | - | - |
| Urinary System | 1613 | 11.7 | 0.30 | 7.1 | 0.18 | 943 | 4.5 | 0.15 | 2.7 | 0.10 |
| Bladder | 788 | 6.1 | 0.22 | 3.4 | 0.12 | 451 | 2.1 | 0.10 | 1.2 | 0.06 |
| Kidney & renal pelvis | 786 | 5.3 | 0.20 | 3.6 | 0.13 | 458 | 2.3 | 0.11 | 1.5 | 0.07 |
| Brain & Other Nervous System | 788 | 4.8 | 0.18 | 3.7 | 0.13 | 630 | 3.2 | 0.13 | 2.3 | 0.10 |
| Endocrine System | 114 | 0.7 | 0.07 | 0.6 | 0.05 | 129 | 0.6 | 0.06 | 0.5 | 0.05 |
| Thyroid gland | 54 | 0.4 | 0.05 | 0.3 | 0.04 | 78 | 0.4 | 0.04 | 0.2 | 0.03 |
| Lymphomas | 1323 | 9.1 | 0.26 | 5.9 | 0.17 | 1249 | 6.1 | 0.17 | 3.8 | 0.12 |
| Hodgkin Lymphoma | 103 | 0.6 | 0.06 | 0.5 | 0.05 | 66 | 0.3 | 0.04 | 0.2 | 0.03 |
| Non-Hodgkin Lymphoma | 1220 | 8.5 | 0.25 | 5.4 | 0.16 | 1183 | 5.7 | 0.17 | 3.5 | 0.11 |
| Multiple Myeloma | 707 | 5.1 | 0.20 | 3.2 | 0.12 | 688 | 3.4 | 0.13 | 2.1 | 0.09 |
| Leukemias | 1275 | 9.0 | 0.26 | 5.7 | 0.16 | 1084 | 5.2 | 0.16 | 3.4 | 0.11 |
| Other, Ill-defined & Unknown | 3362 | 23.4 | 0.42 | 15.2 | 0.27 | 3079 | 14.9 | 0.27 | 9.6 | 0.19 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | World | | |
| All Sites | 9215 | 232.3 | 2.54 | 144.9 | 1.56 | | 9162 | 155.0 | 1.65 | 101.5 | 1.14 |
| Buccal Cavity & Pharynx | 150 | 3.4 | 0.30 | 2.4 | 0.20 | | 90 | 1.5 | 0.16 | 0.9 | 0.11 |
| Digestive System | 2156 | 52.9 | 1.20 | 33.8 | 0.75 | | 1972 | 33.4 | 0.76 | 20.4 | 0.50 |
| Esophagus | 316 | 7.4 | 0.44 | 5.0 | 0.29 | | 127 | 2.2 | 0.20 | 1.4 | 0.13 |
| Stomach | 243 | 6.0 | 0.40 | 3.8 | 0.25 | | 186 | 3.1 | 0.23 | 1.9 | 0.15 |
| Colon & Rectum | 804 | 20.3 | 0.75 | 12.7 | 0.46 | | 921 | 15.4 | 0.52 | 9.4 | 0.34 |
| Liver | 219 | 4.9 | 0.35 | 3.4 | 0.23 | | 116 | 1.9 | 0.18 | 1.2 | 0.12 |
| Pancreas | 460 | 11.4 | 0.56 | 7.2 | 0.34 | | 473 | 8.1 | 0.38 | 4.9 | 0.25 |
| Respiratory System | 3076 | 77.6 | 1.46 | 49.7 | 0.92 | | 2140 | 37.9 | 0.83 | 25.2 | 0.58 |
| Larynx | 119 | 2.7 | 0.26 | 1.9 | 0.18 | | 25 | 0.4 | 0.09 | 0.3 | 0.06 |
| Lung & bronchus | 2941 | 74.5 | 1.43 | 47.6 | 0.90 | | 2099 | 37.2 | 0.83 | 24.8 | 0.58 |
| Skin | 211 | 4.6 | 0.34 | 3.2 | 0.23 | | 110 | 1.7 | 0.17 | 1.2 | 0.12 |
| Melanomas of the skin | 161 | 3.5 | 0.30 | 2.4 | 0.19 | | 89 | 1.4 | 0.15 | 1.0 | 0.12 |
| Breast | 10 | 0.2 | 0.08 | 0.1 | 0.05 | | 1658 | 26.9 | 0.67 | 19.0 | 0.50 |
| Female Genital System | - | - | - | - | - | | 903 | 15.3 | 0.52 | 10.1 | 0.36 |
| Cervix uteri | - | - | - | - | - | | 156 | 2.5 | 0.20 | 1.7 | 0.15 |
| Corpus & uterus, NOS | - | - | - | - | - | | 209 | 3.6 | 0.26 | 2.3 | 0.17 |
| Ovary | - | - | - | - | - | | 490 | 8.4 | 0.39 | 5.6 | 0.27 |
| Male Genital System | 1042 | 32.1 | 1.02 | 16.0 | 0.51 | | - | - | - | - | - |
| Prostate | 1024 | 31.7 | 1.01 | 15.8 | 0.51 | | - | - | - | - | - |
| Testis | 12 | 0.2 | 0.05 | 0.1 | 0.04 | | - | - | - | - | - |
| Urinary System | 449 | 11.8 | 0.58 | 7.0 | 0.34 | | 273 | 4.6 | 0.28 | 2.7 | 0.18 |
| Bladder | 225 | 6.6 | 0.45 | 3.5 | 0.24 | | 135 | 2.3 | 0.20 | 1.3 | 0.13 |
| Kidney & renal pelvis | 210 | 4.8 | 0.35 | 3.3 | 0.24 | | 127 | 2.1 | 0.19 | 1.3 | 0.13 |
| Brain & Other Nervous System | 240 | 4.7 | 0.32 | 3.6 | 0.24 | | 188 | 3.1 | 0.23 | 2.3 | 0.18 |
| Endocrine System | 38 | 0.7 | 0.13 | 0.6 | 0.10 | | 47 | 0.8 | 0.12 | 0.6 | 0.10 |
| Thyroid gland | 10 | 0.2 | 0.07 | 0.2 | 0.05 | | 25 | 0.4 | 0.09 | 0.3 | 0.06 |
| Lymphomas | 416 | 9.7 | 0.51 | 6.3 | 0.32 | | 357 | 6.0 | 0.32 | 3.7 | 0.21 |
| Hodgkin Lymphoma | 34 | 0.6 | 0.12 | 0.5 | 0.08 | | 19 | 0.3 | 0.07 | 0.2 | 0.05 |
| Non-Hodgkin Lymphoma | 382 | 9.1 | 0.49 | 5.8 | 0.31 | | 338 | 5.7 | 0.32 | 3.5 | 0.21 |
| Multiple Myeloma | 196 | 5.1 | 0.38 | 3.1 | 0.23 | | 219 | 3.8 | 0.26 | 2.4 | 0.18 |
| Leukemias | 365 | 9.1 | 0.50 | 5.6 | 0.30 | | 330 | 5.5 | 0.31 | 3.5 | 0.21 |
| Other, Ill-defined & Unknown | 866 | 20.4 | 0.73 | 13.5 | 0.47 | | 875 | 14.6 | 0.50 | 9.3 | 0.34 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------------------|------|--------------------|------|---------------------|-----------------------|------|--------------------|------|
| | Deaths | Adj. Rate 1996 Cdn | | Adj. Rate World | S.E. | Deaths | Adj. Rate 1996 Cdn | | Adj. Rate World | S.E. |
| | | Adj. Rate 1996 Cdn | S.E. | | | | Adj. Rate World | S.E. | | |
| All Sites | 5470 | 181.9 | 2.47 | 114.9 | 1.68 | 4229 | 119.8 | 1.86 | 79.6 | 1.36 |
| Buccal Cavity & Pharynx | 138 | 4.6 | 0.39 | 3.1 | 0.28 | 53 | 1.5 | 0.21 | 1.1 | 0.16 |
| Digestive System | 1713 | 57.0 | 1.38 | 36.4 | 0.94 | 1184 | 32.6 | 0.95 | 19.9 | 0.65 |
| Esophagus | 159 | 5.4 | 0.43 | 3.6 | 0.31 | 37 | 1.0 | 0.17 | 0.6 | 0.12 |
| Stomach | 334 | 11.1 | 0.61 | 6.7 | 0.40 | 216 | 5.9 | 0.40 | 3.4 | 0.26 |
| Colon & Rectum | 567 | 18.9 | 0.80 | 12.3 | 0.55 | 410 | 11.3 | 0.56 | 7.0 | 0.38 |
| Liver | 208 | 6.8 | 0.47 | 4.8 | 0.35 | 119 | 3.3 | 0.31 | 2.1 | 0.22 |
| Pancreas | 321 | 10.6 | 0.60 | 6.6 | 0.39 | 313 | 8.6 | 0.49 | 5.3 | 0.33 |
| Respiratory System | 1565 | 52.4 | 1.33 | 34.2 | 0.92 | 913 | 25.9 | 0.86 | 17.0 | 0.61 |
| Larynx | 46 | 1.5 | 0.22 | 1.0 | 0.16 | - | - | - | - | - |
| Lung & bronchus | 1501 | 50.3 | 1.30 | 32.8 | 0.91 | 906 | 25.7 | 0.86 | 16.8 | 0.61 |
| Skin | 88 | 2.9 | 0.31 | 2.0 | 0.22 | 52 | 1.5 | 0.21 | 1.0 | 0.15 |
| Melanomas of the skin | 58 | 1.9 | 0.25 | 1.4 | 0.19 | 35 | 1.0 | 0.18 | 0.8 | 0.14 |
| Breast | - | - | - | - | - | 640 | 18.9 | 0.75 | 13.9 | 0.59 |
| Female Genital System | - | - | - | - | - | 405 | 12.0 | 0.60 | 8.6 | 0.46 |
| Cervix uteri | - | - | - | - | - | 70 | 2.1 | 0.26 | 1.6 | 0.20 |
| Corpus & uterus, NOS | - | - | - | - | - | 114 | 3.3 | 0.31 | 2.4 | 0.24 |
| Ovary | - | - | - | - | - | 202 | 6.0 | 0.43 | 4.3 | 0.33 |
| Male Genital System | 563 | 18.5 | 0.78 | 9.2 | 0.42 | - | - | - | - | - |
| Prostate | 553 | 18.2 | 0.77 | 8.9 | 0.41 | - | - | - | - | - |
| Testis | 7 | 0.2 | 0.09 | 0.2 | 0.08 | - | - | - | - | - |
| Urinary System | 268 | 8.9 | 0.54 | 5.6 | 0.37 | 124 | 3.4 | 0.31 | 2.0 | 0.21 |
| Bladder | 122 | 4.1 | 0.37 | 2.3 | 0.23 | 54 | 1.4 | 0.20 | 0.8 | 0.13 |
| Kidney & renal pelvis | 140 | 4.6 | 0.39 | 3.2 | 0.29 | 65 | 1.8 | 0.23 | 1.2 | 0.16 |
| Brain & Other Nervous System | 92 | 3.1 | 0.33 | 2.3 | 0.25 | 73 | 2.2 | 0.26 | 1.7 | 0.23 |
| Endocrine System | 28 | 0.9 | 0.17 | 0.6 | 0.13 | 28 | 0.8 | 0.15 | 0.6 | 0.13 |
| Thyroid gland | 16 | 0.5 | 0.13 | 0.3 | 0.08 | 21 | 0.6 | 0.13 | 0.4 | 0.10 |
| Lymphomas | 262 | 8.6 | 0.53 | 5.3 | 0.35 | 182 | 5.0 | 0.38 | 3.1 | 0.26 |
| Hodgkin Lymphoma | 11 | 0.4 | 0.11 | 0.3 | 0.08 | 7 | 0.2 | 0.08 | 0.1 | 0.06 |
| Non-Hodgkin Lymphoma | 251 | 8.3 | 0.52 | 5.0 | 0.34 | 175 | 4.8 | 0.37 | 3.0 | 0.25 |
| Multiple Myeloma | 85 | 2.8 | 0.31 | 1.8 | 0.22 | 77 | 2.1 | 0.24 | 1.3 | 0.16 |
| Leukemias | 205 | 6.8 | 0.48 | 4.8 | 0.36 | 150 | 4.3 | 0.36 | 3.1 | 0.30 |
| Other, Ill-defined & Unknown | 458 | 15.2 | 0.71 | 9.5 | 0.48 | 348 | 9.7 | 0.52 | 6.2 | 0.38 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | S.E. | |
| All Sites | 5575 | 203.2 | 2.73 | 124.5 | 1.76 | | 4845 | 142.5 | 2.09 | 93.6 |
| Buccal Cavity & Pharynx | 91 | 3.2 | 0.34 | 2.3 | 0.25 | | 54 | 1.5 | 0.21 | 0.9 |
| Digestive System | 1271 | 46.1 | 1.30 | 29.3 | 0.86 | | 1029 | 28.9 | 0.92 | 17.7 |
| Esophagus | 195 | 6.9 | 0.50 | 4.8 | 0.36 | | 52 | 1.5 | 0.22 | 0.9 |
| Stomach | 96 | 3.5 | 0.36 | 2.1 | 0.23 | | 76 | 2.2 | 0.25 | 1.4 |
| Colon & Rectum | 544 | 20.0 | 0.86 | 12.1 | 0.54 | | 479 | 13.1 | 0.61 | 7.8 |
| Liver | 80 | 2.9 | 0.32 | 2.0 | 0.23 | | 44 | 1.2 | 0.19 | 0.8 |
| Pancreas | 260 | 9.4 | 0.58 | 6.1 | 0.40 | | 280 | 7.9 | 0.48 | 4.9 |
| Respiratory System | 1643 | 60.1 | 1.49 | 37.4 | 0.97 | | 1076 | 32.8 | 1.01 | 21.9 |
| Larynx | 52 | 1.8 | 0.25 | 1.2 | 0.18 | | 13 | 0.4 | 0.12 | 0.3 |
| Lung & bronchus | 1573 | 57.6 | 1.46 | 35.8 | 0.95 | | 1053 | 32.1 | 1.00 | 21.4 |
| Skin | 164 | 5.8 | 0.46 | 3.9 | 0.32 | | 72 | 2.1 | 0.25 | 1.3 |
| Melanomas of the skin | 122 | 4.3 | 0.39 | 3.0 | 0.28 | | 56 | 1.7 | 0.23 | 1.1 |
| Breast | 6 | 0.2 | 0.09 | 0.1 | 0.06 | | 804 | 24.2 | 0.87 | 16.8 |
| Female Genital System | - | - | - | - | - | | 536 | 16.1 | 0.71 | 10.8 |
| Cervix uteri | - | - | - | - | - | | 72 | 2.4 | 0.28 | 1.8 |
| Corpus & uterus, NOS | - | - | - | - | - | | 124 | 3.7 | 0.34 | 2.4 |
| Ovary | - | - | - | - | - | | 320 | 9.5 | 0.54 | 6.2 |
| Male Genital System | 751 | 28.2 | 1.03 | 13.9 | 0.54 | | - | - | - | - |
| Prostate | 739 | 27.8 | 1.03 | 13.6 | 0.53 | | - | - | - | - |
| Testis | 8 | 0.3 | 0.10 | 0.2 | 0.09 | | - | - | - | - |
| Urinary System | 350 | 12.8 | 0.68 | 7.7 | 0.43 | | 181 | 5.2 | 0.39 | 3.3 |
| Bladder | 185 | 6.8 | 0.50 | 3.8 | 0.30 | | 77 | 2.1 | 0.24 | 1.2 |
| Kidney & renal pelvis | 157 | 5.6 | 0.45 | 3.7 | 0.31 | | 102 | 3.1 | 0.31 | 2.1 |
| Brain & Other Nervous System | 204 | 7.1 | 0.50 | 5.3 | 0.38 | | 131 | 4.2 | 0.37 | 3.3 |
| Endocrine System | 15 | 0.5 | 0.13 | 0.4 | 0.11 | | 26 | 0.8 | 0.15 | 0.5 |
| Thyroid gland | 8 | 0.3 | 0.10 | 0.2 | 0.08 | | 12 | 0.3 | 0.10 | 0.2 |
| Lymphomas | 277 | 10.1 | 0.61 | 6.3 | 0.40 | | 249 | 7.2 | 0.46 | 4.5 |
| Hodgkin Lymphoma | 17 | 0.6 | 0.15 | 0.4 | 0.11 | | 12 | 0.3 | 0.10 | 0.2 |
| Non-Hodgkin Lymphoma | 260 | 9.4 | 0.59 | 5.9 | 0.38 | | 237 | 6.8 | 0.45 | 4.2 |
| Multiple Myeloma | 113 | 4.1 | 0.39 | 2.5 | 0.24 | | 84 | 2.4 | 0.26 | 1.4 |
| Leukemias | 268 | 9.7 | 0.59 | 6.0 | 0.39 | | 188 | 5.3 | 0.39 | 3.4 |
| Other, Ill-defined & Unknown | 422 | 15.2 | 0.74 | 9.4 | 0.49 | | 415 | 12.0 | 0.60 | 7.7 |
| | | | | | | | | | | 0.43 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 63418 | 244.4 | 0.97 | 152.6 | 0.64 | | 60866 | 164.8 | 0.68 | 108.4 | 0.50 |
| Buccal Cavity & Pharynx | 1126 | 4.2 | 0.13 | 3.0 | 0.09 | | 486 | 1.3 | 0.06 | 0.9 | 0.05 |
| Digestive System | 16106 | 61.9 | 0.49 | 39.1 | 0.32 | | 14543 | 37.4 | 0.32 | 23.0 | 0.22 |
| Esophagus | 2153 | 8.1 | 0.18 | 5.6 | 0.13 | | 670 | 1.8 | 0.07 | 1.2 | 0.05 |
| Stomach | 1734 | 6.7 | 0.16 | 4.2 | 0.11 | | 1243 | 3.2 | 0.09 | 1.9 | 0.06 |
| Colon & Rectum | 6760 | 26.3 | 0.32 | 15.9 | 0.20 | | 6983 | 17.6 | 0.22 | 10.7 | 0.15 |
| Liver | 1429 | 5.4 | 0.14 | 3.6 | 0.10 | | 853 | 2.3 | 0.08 | 1.4 | 0.06 |
| Pancreas | 3140 | 12.0 | 0.22 | 7.7 | 0.14 | | 3505 | 9.2 | 0.16 | 5.7 | 0.11 |
| Respiratory System | 20620 | 79.1 | 0.55 | 51.1 | 0.37 | | 14259 | 40.1 | 0.34 | 27.0 | 0.25 |
| Larynx | 702 | 2.6 | 0.10 | 1.8 | 0.07 | | 185 | 0.5 | 0.04 | 0.4 | 0.03 |
| Lung & bronchus | 19793 | 76.0 | 0.54 | 49.0 | 0.37 | | 13995 | 39.3 | 0.34 | 26.5 | 0.25 |
| Skin | 1123 | 4.3 | 0.13 | 2.8 | 0.09 | | 683 | 1.9 | 0.07 | 1.3 | 0.05 |
| Melanomas of the skin | 841 | 3.2 | 0.11 | 2.1 | 0.08 | | 540 | 1.5 | 0.07 | 1.1 | 0.05 |
| Breast | 101 | 0.4 | 0.04 | 0.2 | 0.02 | | 9915 | 27.6 | 0.28 | 19.1 | 0.21 |
| Female Genital System | - | - | - | - | - | | 6053 | 16.9 | 0.22 | 11.6 | 0.17 |
| Cervix uteri | - | - | - | - | - | | 1065 | 3.2 | 0.10 | 2.4 | 0.08 |
| Corpus & uterus, NOS | - | - | - | - | - | | 1592 | 4.3 | 0.11 | 2.8 | 0.08 |
| Ovary | - | - | - | - | - | | 3056 | 8.5 | 0.16 | 5.8 | 0.12 |
| Male Genital System | 7316 | 29.5 | 0.35 | 14.8 | 0.18 | - | - | - | - | - | - |
| Prostate | 7191 | 29.1 | 0.34 | 14.5 | 0.18 | - | - | - | - | - | - |
| Testis | 67 | 0.2 | 0.03 | 0.2 | 0.02 | - | - | - | - | - | - |
| Urinary System | 3397 | 13.2 | 0.23 | 7.9 | 0.14 | | 2050 | 5.2 | 0.12 | 3.2 | 0.08 |
| Bladder | 1730 | 6.9 | 0.17 | 3.7 | 0.10 | | 915 | 2.2 | 0.07 | 1.2 | 0.05 |
| Kidney & renal pelvis | 1604 | 6.1 | 0.15 | 4.0 | 0.11 | | 1085 | 2.9 | 0.09 | 1.9 | 0.07 |
| Brain & Other Nervous System | 1425 | 5.2 | 0.14 | 3.8 | 0.11 | | 1137 | 3.3 | 0.10 | 2.5 | 0.08 |
| Endocrine System | 218 | 0.8 | 0.05 | 0.6 | 0.05 | | 266 | 0.7 | 0.05 | 0.6 | 0.04 |
| Thyroid gland | 107 | 0.4 | 0.04 | 0.3 | 0.03 | | 154 | 0.4 | 0.03 | 0.2 | 0.02 |
| Lymphomas | 2864 | 10.9 | 0.20 | 7.0 | 0.14 | | 2539 | 6.7 | 0.14 | 4.1 | 0.09 |
| Hodgkin Lymphoma | 174 | 0.6 | 0.05 | 0.5 | 0.04 | | 119 | 0.3 | 0.03 | 0.3 | 0.03 |
| Non-Hodgkin Lymphoma | 2690 | 10.3 | 0.20 | 6.5 | 0.13 | | 2420 | 6.3 | 0.13 | 3.9 | 0.09 |
| Multiple Myeloma | 1149 | 4.5 | 0.13 | 2.8 | 0.09 | | 1237 | 3.3 | 0.10 | 2.0 | 0.07 |
| Leukemias | 2587 | 9.9 | 0.20 | 6.2 | 0.13 | | 2280 | 6.0 | 0.13 | 3.9 | 0.10 |
| Other, Ill-defined & Unknown | 5386 | 20.6 | 0.28 | 13.2 | 0.19 | | 5418 | 14.3 | 0.20 | 9.2 | 0.14 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 | Cdn | | S.E. | World | | 1996 | Cdn | | |
| All Sites | 33107 | 254.8 | 1.41 | 159.5 | 0.92 | | 30449 | 166.5 | 0.97 | 110.0 | 0.71 |
| Buccal Cavity & Pharynx | 455 | 3.4 | 0.16 | 2.4 | 0.12 | | 264 | 1.4 | 0.09 | 0.9 | 0.06 |
| Digestive System | 7557 | 57.9 | 0.67 | 36.5 | 0.44 | | 6781 | 35.2 | 0.44 | 21.7 | 0.30 |
| Esophagus | 1056 | 7.9 | 0.25 | 5.4 | 0.17 | | 304 | 1.6 | 0.10 | 1.0 | 0.07 |
| Stomach | 597 | 4.5 | 0.19 | 2.9 | 0.12 | | 453 | 2.4 | 0.11 | 1.5 | 0.08 |
| Colon & Rectum | 3288 | 25.5 | 0.45 | 15.4 | 0.28 | | 3511 | 17.9 | 0.31 | 10.8 | 0.21 |
| Liver | 674 | 5.1 | 0.20 | 3.3 | 0.13 | | 328 | 1.8 | 0.10 | 1.1 | 0.07 |
| Pancreas | 1550 | 11.8 | 0.30 | 7.6 | 0.20 | | 1598 | 8.5 | 0.22 | 5.3 | 0.15 |
| Respiratory System | 11949 | 91.2 | 0.84 | 59.2 | 0.56 | | 7900 | 44.8 | 0.51 | 30.5 | 0.38 |
| Larynx | 288 | 2.2 | 0.13 | 1.4 | 0.09 | | 71 | 0.4 | 0.05 | 0.3 | 0.04 |
| Lung & bronchus | 11610 | 88.6 | 0.83 | 57.6 | 0.56 | | 7791 | 44.2 | 0.51 | 30.1 | 0.38 |
| Skin | 697 | 5.2 | 0.20 | 3.5 | 0.14 | | 389 | 2.2 | 0.11 | 1.5 | 0.09 |
| Melanomas of the skin | 530 | 3.9 | 0.17 | 2.7 | 0.12 | | 305 | 1.8 | 0.10 | 1.3 | 0.08 |
| Breast | 66 | 0.5 | 0.06 | 0.3 | 0.04 | | 4626 | 25.9 | 0.39 | 18.0 | 0.29 |
| Female Genital System | - | - | - | - | - | | 3007 | 16.9 | 0.31 | 11.6 | 0.23 |
| Cervix uteri | - | - | - | - | - | | 461 | 2.8 | 0.13 | 2.1 | 0.10 |
| Corpus & uterus, NOS | - | - | - | - | - | | 768 | 4.2 | 0.16 | 2.8 | 0.11 |
| Ovary | - | - | - | - | - | | 1612 | 9.0 | 0.23 | 6.1 | 0.17 |
| Male Genital System | 3588 | 29.4 | 0.49 | 14.6 | 0.26 | - | - | - | - | - | |
| Prostate | 3537 | 29.0 | 0.49 | 14.4 | 0.25 | - | - | - | - | - | |
| Testis | 26 | 0.2 | 0.04 | 0.1 | 0.03 | - | - | - | - | - | |
| Urinary System | 1888 | 14.6 | 0.34 | 8.9 | 0.21 | | 1082 | 5.6 | 0.17 | 3.4 | 0.12 |
| Bladder | 913 | 7.3 | 0.24 | 4.0 | 0.14 | | 442 | 2.1 | 0.10 | 1.2 | 0.06 |
| Kidney & renal pelvis | 943 | 7.1 | 0.23 | 4.7 | 0.16 | | 602 | 3.3 | 0.14 | 2.1 | 0.10 |
| Brain & Other Nervous System | 774 | 5.6 | 0.20 | 4.2 | 0.16 | | 646 | 3.8 | 0.15 | 2.9 | 0.12 |
| Endocrine System | 115 | 0.9 | 0.08 | 0.6 | 0.06 | | 135 | 0.7 | 0.07 | 0.6 | 0.06 |
| Thyroid gland | 60 | 0.5 | 0.06 | 0.3 | 0.04 | | 93 | 0.5 | 0.05 | 0.3 | 0.04 |
| Lymphomas | 1495 | 11.4 | 0.30 | 7.2 | 0.19 | | 1388 | 7.3 | 0.20 | 4.5 | 0.14 |
| Hodgkin Lymphoma | 89 | 0.7 | 0.07 | 0.5 | 0.05 | | 60 | 0.3 | 0.05 | 0.2 | 0.04 |
| Non-Hodgkin Lymphoma | 1406 | 10.8 | 0.29 | 6.7 | 0.19 | | 1328 | 7.0 | 0.20 | 4.2 | 0.13 |
| Multiple Myeloma | 595 | 4.6 | 0.19 | 2.9 | 0.12 | | 612 | 3.3 | 0.13 | 2.0 | 0.09 |
| Leukemias | 1302 | 10.1 | 0.28 | 6.3 | 0.18 | | 1137 | 6.0 | 0.18 | 3.9 | 0.14 |
| Other, Ill-defined & Unknown | 2626 | 20.0 | 0.39 | 12.9 | 0.26 | | 2482 | 13.3 | 0.27 | 8.5 | 0.20 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 16612 | 223.4 | 1.74 | 137.9 | 1.16 | | 15347 | 148.0 | 1.26 | 97.3 | 0.94 |
| Buccal Cavity & Pharynx | 241 | 3.3 | 0.21 | 2.2 | 0.15 | | 128 | 1.2 | 0.11 | 0.8 | 0.08 |
| Digestive System | 4085 | 55.0 | 0.86 | 34.5 | 0.58 | | 3718 | 33.0 | 0.58 | 20.2 | 0.41 |
| Esophagus | 519 | 7.0 | 0.31 | 4.7 | 0.22 | | 166 | 1.6 | 0.13 | 1.0 | 0.09 |
| Stomach | 328 | 4.4 | 0.25 | 2.8 | 0.16 | | 196 | 1.7 | 0.13 | 1.0 | 0.09 |
| Colon & Rectum | 1868 | 25.0 | 0.58 | 15.0 | 0.38 | | 1973 | 17.1 | 0.41 | 10.4 | 0.29 |
| Liver | 245 | 3.3 | 0.21 | 2.2 | 0.15 | | 128 | 1.2 | 0.11 | 0.7 | 0.08 |
| Pancreas | 850 | 11.5 | 0.40 | 7.6 | 0.28 | | 867 | 7.9 | 0.28 | 4.9 | 0.20 |
| Respiratory System | 5414 | 73.2 | 1.00 | 46.8 | 0.68 | | 3423 | 35.2 | 0.62 | 23.9 | 0.47 |
| Larynx | 157 | 2.1 | 0.17 | 1.4 | 0.12 | | 41 | 0.4 | 0.07 | 0.3 | 0.06 |
| Lung & bronchus | 5204 | 70.4 | 0.98 | 45.0 | 0.67 | | 3357 | 34.5 | 0.62 | 23.4 | 0.46 |
| Skin | 357 | 4.9 | 0.26 | 3.3 | 0.19 | | 192 | 1.9 | 0.15 | 1.3 | 0.11 |
| Melanomas of the skin | 249 | 3.4 | 0.22 | 2.4 | 0.16 | | 147 | 1.6 | 0.14 | 1.2 | 0.11 |
| Breast | 18 | 0.2 | 0.06 | 0.2 | 0.04 | | 2384 | 24.0 | 0.52 | 16.5 | 0.40 |
| Female Genital System | - | - | - | - | - | | 1620 | 16.3 | 0.42 | 10.9 | 0.32 |
| Cervix uteri | - | - | - | - | - | | 193 | 2.3 | 0.17 | 1.8 | 0.14 |
| Corpus & uterus, NOS | - | - | - | - | - | | 400 | 3.8 | 0.20 | 2.5 | 0.15 |
| Ovary | - | - | - | - | - | | 910 | 9.1 | 0.32 | 6.1 | 0.24 |
| Male Genital System | 2090 | 27.4 | 0.60 | 13.4 | 0.32 | - | - | - | - | - | - |
| Prostate | 2057 | 26.9 | 0.59 | 13.1 | 0.31 | - | - | - | - | - | - |
| Testis | 22 | 0.3 | 0.07 | 0.3 | 0.06 | - | - | - | - | - | - |
| Urinary System | 982 | 13.1 | 0.42 | 7.8 | 0.27 | | 560 | 5.0 | 0.23 | 3.1 | 0.16 |
| Bladder | 455 | 6.0 | 0.28 | 3.3 | 0.17 | | 224 | 1.8 | 0.13 | 1.0 | 0.09 |
| Kidney & renal pelvis | 512 | 6.9 | 0.31 | 4.5 | 0.21 | | 316 | 3.0 | 0.18 | 2.0 | 0.13 |
| Brain & Other Nervous System | 456 | 6.3 | 0.30 | 4.7 | 0.23 | | 374 | 4.1 | 0.22 | 3.0 | 0.18 |
| Endocrine System | 51 | 0.7 | 0.10 | 0.6 | 0.09 | | 70 | 0.7 | 0.09 | 0.5 | 0.08 |
| Thyroid gland | 31 | 0.4 | 0.08 | 0.3 | 0.05 | | 41 | 0.4 | 0.06 | 0.2 | 0.04 |
| Lymphomas | 760 | 10.3 | 0.37 | 6.3 | 0.25 | | 770 | 7.2 | 0.28 | 4.5 | 0.20 |
| Hodgkin Lymphoma | 39 | 0.5 | 0.09 | 0.4 | 0.07 | | 27 | 0.3 | 0.06 | 0.2 | 0.05 |
| Non-Hodgkin Lymphoma | 721 | 9.7 | 0.36 | 5.9 | 0.24 | | 743 | 6.9 | 0.27 | 4.3 | 0.19 |
| Multiple Myeloma | 309 | 4.1 | 0.24 | 2.5 | 0.15 | | 333 | 2.9 | 0.17 | 1.7 | 0.11 |
| Leukemias | 785 | 10.5 | 0.38 | 6.5 | 0.26 | | 613 | 5.6 | 0.24 | 3.6 | 0.18 |
| Other, Ill-defined & Unknown | 1064 | 14.3 | 0.44 | 9.0 | 0.30 | | 1162 | 10.8 | 0.34 | 7.1 | 0.26 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | World | |
| All Sites | 13710 | 221.6 | 1.90 | 138.1 | 1.27 | | 12625 | 148.2 | 1.38 | 97.6 |
| Buccal Cavity & Pharynx | 212 | 3.4 | 0.23 | 2.3 | 0.17 | | 119 | 1.3 | 0.12 | 0.8 |
| Digestive System | 3164 | 51.2 | 0.91 | 32.5 | 0.62 | | 2840 | 31.2 | 0.62 | 19.4 |
| Esophagus | 412 | 6.7 | 0.33 | 4.5 | 0.23 | | 126 | 1.4 | 0.13 | 0.9 |
| Stomach | 289 | 4.7 | 0.27 | 3.0 | 0.19 | | 183 | 2.1 | 0.16 | 1.3 |
| Colon & Rectum | 1360 | 22.0 | 0.60 | 13.6 | 0.40 | | 1435 | 15.3 | 0.43 | 9.3 |
| Liver | 199 | 3.2 | 0.23 | 2.1 | 0.16 | | 130 | 1.5 | 0.14 | 1.0 |
| Pancreas | 704 | 11.4 | 0.43 | 7.3 | 0.29 | | 704 | 8.0 | 0.31 | 5.0 |
| Respiratory System | 4683 | 76.2 | 1.12 | 48.8 | 0.76 | | 2996 | 37.1 | 0.70 | 24.9 |
| Larynx | 119 | 1.9 | 0.18 | 1.3 | 0.13 | | 38 | 0.5 | 0.08 | 0.3 |
| Lung & bronchus | 4541 | 73.8 | 1.10 | 47.2 | 0.75 | | 2943 | 36.5 | 0.69 | 24.5 |
| Skin | 343 | 5.5 | 0.30 | 3.6 | 0.21 | | 190 | 2.3 | 0.17 | 1.5 |
| Melanomas of the skin | 244 | 3.9 | 0.25 | 2.6 | 0.18 | | 155 | 1.9 | 0.16 | 1.4 |
| Breast | 18 | 0.3 | 0.07 | 0.2 | 0.05 | | 1962 | 24.1 | 0.57 | 16.8 |
| Female Genital System | - | - | - | - | - | | 1275 | 15.5 | 0.45 | 10.4 |
| Cervix uteri | - | - | - | - | - | | 174 | 2.4 | 0.18 | 1.8 |
| Corpus & uterus, NOS | - | - | - | - | - | | 329 | 3.8 | 0.22 | 2.4 |
| Ovary | - | - | - | - | - | | 681 | 8.4 | 0.33 | 5.7 |
| Male Genital System | 1569 | 25.2 | 0.64 | 12.5 | 0.34 | - | - | - | - | - |
| Prostate | 1545 | 24.8 | 0.63 | 12.2 | 0.34 | - | - | - | - | - |
| Testis | 12 | 0.2 | 0.06 | 0.2 | 0.04 | - | - | - | - | - |
| Urinary System | 767 | 12.4 | 0.45 | 7.5 | 0.29 | | 454 | 4.9 | 0.24 | 3.0 |
| Bladder | 398 | 6.4 | 0.32 | 3.5 | 0.19 | | 184 | 1.8 | 0.14 | 1.0 |
| Kidney & renal pelvis | 349 | 5.6 | 0.30 | 3.8 | 0.22 | | 251 | 3.0 | 0.20 | 2.0 |
| Brain & Other Nervous System | 368 | 5.9 | 0.31 | 4.3 | 0.24 | | 304 | 4.0 | 0.23 | 2.9 |
| Endocrine System | 57 | 0.9 | 0.12 | 0.6 | 0.09 | | 67 | 0.8 | 0.10 | 0.6 |
| Thyroid gland | 37 | 0.6 | 0.10 | 0.4 | 0.07 | | 36 | 0.4 | 0.07 | 0.2 |
| Lymphomas | 670 | 10.8 | 0.42 | 6.8 | 0.28 | | 638 | 7.2 | 0.30 | 4.6 |
| Hodgkin Lymphoma | 36 | 0.6 | 0.10 | 0.4 | 0.07 | | 27 | 0.4 | 0.07 | 0.3 |
| Non-Hodgkin Lymphoma | 634 | 10.2 | 0.41 | 6.4 | 0.27 | | 611 | 6.9 | 0.29 | 4.3 |
| Multiple Myeloma | 244 | 4.0 | 0.25 | 2.3 | 0.16 | | 259 | 2.9 | 0.19 | 1.8 |
| Leukemias | 588 | 9.4 | 0.39 | 5.9 | 0.26 | | 525 | 5.9 | 0.27 | 3.8 |
| Other, Ill-defined & Unknown | 1027 | 16.5 | 0.52 | 10.7 | 0.36 | | 996 | 11.1 | 0.37 | 7.1 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 24443 | 278.8 | 1.80 | 176.7 | 1.17 | | 20893 | 170.6 | 1.20 | 113.8 | 0.87 |
| Buccal Cavity & Pharynx | 448 | 4.9 | 0.23 | 3.5 | 0.17 | | 194 | 1.5 | 0.11 | 1.0 | 0.08 |
| Digestive System | 5129 | 58.3 | 0.82 | 37.0 | 0.53 | | 4469 | 34.8 | 0.53 | 21.5 | 0.36 |
| Esophagus | 669 | 7.4 | 0.29 | 5.0 | 0.20 | | 182 | 1.4 | 0.11 | 0.9 | 0.07 |
| Stomach | 473 | 5.4 | 0.25 | 3.5 | 0.16 | | 369 | 2.9 | 0.15 | 1.8 | 0.11 |
| Colon & Rectum | 2266 | 26.1 | 0.55 | 15.9 | 0.35 | | 2278 | 17.6 | 0.38 | 10.7 | 0.25 |
| Liver | 431 | 4.8 | 0.23 | 3.2 | 0.16 | | 254 | 2.0 | 0.13 | 1.2 | 0.09 |
| Pancreas | 990 | 11.2 | 0.36 | 7.2 | 0.24 | | 1005 | 7.9 | 0.25 | 4.9 | 0.17 |
| Respiratory System | 10080 | 112.9 | 1.13 | 74.6 | 0.77 | | 6123 | 51.6 | 0.67 | 35.7 | 0.49 |
| Larynx | 295 | 3.3 | 0.19 | 2.2 | 0.13 | | 76 | 0.7 | 0.08 | 0.5 | 0.06 |
| Lung & bronchus | 9724 | 109.0 | 1.11 | 72.0 | 0.75 | | 6008 | 50.6 | 0.66 | 35.0 | 0.49 |
| Skin | 552 | 6.2 | 0.27 | 4.1 | 0.18 | | 299 | 2.4 | 0.14 | 1.7 | 0.11 |
| Melanomas of the skin | 400 | 4.4 | 0.22 | 3.0 | 0.15 | | 239 | 2.0 | 0.13 | 1.4 | 0.10 |
| Breast | 22 | 0.3 | 0.06 | 0.2 | 0.03 | | 3068 | 25.8 | 0.47 | 18.2 | 0.36 |
| Female Genital System | - | - | - | - | - | | 1914 | 15.8 | 0.37 | 10.7 | 0.27 |
| Cervix uteri | - | - | - | - | - | | 390 | 3.5 | 0.18 | 2.6 | 0.14 |
| Corpus & uterus, NOS | - | - | - | - | - | | 421 | 3.3 | 0.16 | 2.1 | 0.12 |
| Ovary | - | - | - | - | - | | 982 | 8.1 | 0.26 | 5.5 | 0.19 |
| Male Genital System | 2266 | 28.4 | 0.60 | 14.2 | 0.31 | - | - | - | - | - | - |
| Prostate | 2221 | 27.9 | 0.60 | 13.8 | 0.30 | - | - | - | - | - | - |
| Testis | 22 | 0.2 | 0.05 | 0.2 | 0.04 | - | - | - | - | - | - |
| Urinary System | 1237 | 14.3 | 0.41 | 8.7 | 0.26 | | 684 | 5.3 | 0.21 | 3.2 | 0.14 |
| Bladder | 590 | 7.0 | 0.29 | 3.9 | 0.17 | | 290 | 2.1 | 0.13 | 1.1 | 0.08 |
| Kidney & renal pelvis | 613 | 6.9 | 0.28 | 4.5 | 0.19 | | 371 | 3.0 | 0.16 | 1.9 | 0.11 |
| Brain & Other Nervous System | 553 | 6.0 | 0.26 | 4.3 | 0.19 | | 454 | 3.9 | 0.19 | 3.0 | 0.16 |
| Endocrine System | 78 | 0.9 | 0.10 | 0.6 | 0.08 | | 101 | 0.8 | 0.08 | 0.6 | 0.06 |
| Thyroid gland | 42 | 0.5 | 0.07 | 0.3 | 0.05 | | 70 | 0.5 | 0.07 | 0.3 | 0.04 |
| Lymphomas | 954 | 10.9 | 0.36 | 6.9 | 0.23 | | 864 | 7.0 | 0.24 | 4.5 | 0.17 |
| Hodgkin Lymphoma | 57 | 0.6 | 0.08 | 0.4 | 0.06 | | 39 | 0.3 | 0.06 | 0.2 | 0.04 |
| Non-Hodgkin Lymphoma | 897 | 10.3 | 0.35 | 6.5 | 0.22 | | 825 | 6.6 | 0.23 | 4.2 | 0.17 |
| Multiple Myeloma | 438 | 5.0 | 0.24 | 3.1 | 0.15 | | 378 | 3.0 | 0.16 | 1.8 | 0.10 |
| Leukemias | 879 | 10.1 | 0.35 | 6.4 | 0.23 | | 663 | 5.3 | 0.21 | 3.5 | 0.16 |
| Other, Ill-defined & Unknown | 1807 | 20.7 | 0.49 | 13.1 | 0.32 | | 1682 | 13.4 | 0.33 | 8.5 | 0.23 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 | Cdn | | S.E. | World | | 1996 | Cdn | | |
| All Sites | 25251 | 282.2 | 1.79 | 178.4 | 1.16 | | 21788 | 172.4 | 1.18 | 114.2 | 0.85 |
| Buccal Cavity & Pharynx | 524 | 5.6 | 0.25 | 3.9 | 0.18 | | 251 | 2.0 | 0.13 | 1.3 | 0.09 |
| Digestive System | 6119 | 67.9 | 0.88 | 43.6 | 0.58 | | 4972 | 37.9 | 0.55 | 23.5 | 0.37 |
| Esophagus | 700 | 7.6 | 0.29 | 5.2 | 0.20 | | 250 | 2.0 | 0.13 | 1.4 | 0.09 |
| Stomach | 693 | 7.7 | 0.29 | 4.9 | 0.19 | | 463 | 3.5 | 0.17 | 2.2 | 0.11 |
| Colon & Rectum | 2500 | 28.1 | 0.57 | 17.4 | 0.36 | | 2293 | 17.3 | 0.37 | 10.7 | 0.25 |
| Liver | 715 | 7.8 | 0.29 | 5.3 | 0.20 | | 377 | 2.9 | 0.15 | 1.9 | 0.11 |
| Pancreas | 1278 | 14.2 | 0.40 | 9.1 | 0.26 | | 1259 | 9.6 | 0.27 | 5.8 | 0.18 |
| Respiratory System | 9113 | 100.3 | 1.06 | 65.8 | 0.71 | | 5423 | 43.8 | 0.60 | 29.6 | 0.44 |
| Larynx | 339 | 3.6 | 0.20 | 2.6 | 0.14 | | 81 | 0.7 | 0.07 | 0.5 | 0.05 |
| Lung & bronchus | 8703 | 95.9 | 1.04 | 62.8 | 0.70 | | 5315 | 43.0 | 0.59 | 29.0 | 0.43 |
| Skin | 371 | 4.0 | 0.21 | 2.6 | 0.14 | | 236 | 1.9 | 0.12 | 1.3 | 0.09 |
| Melanomas of the skin | 269 | 2.9 | 0.18 | 2.0 | 0.12 | | 180 | 1.5 | 0.11 | 1.1 | 0.09 |
| Breast | 38 | 0.4 | 0.07 | 0.3 | 0.04 | | 3496 | 28.4 | 0.49 | 19.9 | 0.36 |
| Female Genital System | - | - | - | - | - | | 1946 | 15.8 | 0.36 | 10.9 | 0.27 |
| Cervix uteri | - | - | - | - | - | | 392 | 3.4 | 0.17 | 2.5 | 0.13 |
| Corpus & uterus, NOS | - | - | - | - | - | | 453 | 3.6 | 0.17 | 2.4 | 0.12 |
| Ovary | - | - | - | - | - | | 979 | 7.9 | 0.26 | 5.4 | 0.19 |
| Male Genital System | 2730 | 33.4 | 0.64 | 16.8 | 0.33 | - | - | - | - | - | |
| Prostate | 2694 | 33.0 | 0.64 | 16.6 | 0.33 | - | - | - | - | - | |
| Testis | 21 | 0.2 | 0.05 | 0.2 | 0.04 | - | - | - | - | - | |
| Urinary System | 1108 | 12.5 | 0.38 | 7.7 | 0.24 | | 731 | 5.5 | 0.21 | 3.4 | 0.14 |
| Bladder | 482 | 5.7 | 0.26 | 3.0 | 0.14 | | 286 | 2.1 | 0.12 | 1.1 | 0.08 |
| Kidney & renal pelvis | 602 | 6.5 | 0.27 | 4.5 | 0.19 | | 432 | 3.4 | 0.16 | 2.2 | 0.12 |
| Brain & Other Nervous System | 520 | 5.4 | 0.24 | 4.0 | 0.18 | | 441 | 3.6 | 0.17 | 2.7 | 0.14 |
| Endocrine System | 77 | 0.8 | 0.09 | 0.6 | 0.07 | | 111 | 0.9 | 0.08 | 0.6 | 0.06 |
| Thyroid gland | 40 | 0.4 | 0.07 | 0.3 | 0.05 | | 70 | 0.5 | 0.07 | 0.3 | 0.04 |
| Lymphomas | 933 | 10.3 | 0.34 | 6.7 | 0.23 | | 915 | 7.2 | 0.24 | 4.6 | 0.17 |
| Hodgkin Lymphoma | 50 | 0.5 | 0.07 | 0.4 | 0.06 | | 48 | 0.4 | 0.06 | 0.3 | 0.05 |
| Non-Hodgkin Lymphoma | 883 | 9.7 | 0.33 | 6.3 | 0.22 | | 867 | 6.8 | 0.23 | 4.3 | 0.16 |
| Multiple Myeloma | 451 | 5.1 | 0.24 | 3.2 | 0.15 | | 447 | 3.5 | 0.17 | 2.2 | 0.11 |
| Leukemias | 926 | 10.4 | 0.35 | 6.6 | 0.22 | | 772 | 5.9 | 0.22 | 3.8 | 0.15 |
| Other, Ill-defined & Unknown | 2341 | 26.1 | 0.54 | 16.7 | 0.36 | | 2047 | 16.0 | 0.36 | 10.4 | 0.26 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 7730 | 244.7 | 2.79 | 151.4 | 1.82 | | 7321 | 168.0 | 2.02 | 109.3 | 1.47 |
| Buccal Cavity & Pharynx | 136 | 4.3 | 0.37 | 3.0 | 0.26 | | 68 | 1.6 | 0.19 | 1.0 | 0.14 |
| Digestive System | 1898 | 59.8 | 1.38 | 37.4 | 0.90 | | 1682 | 36.2 | 0.91 | 21.8 | 0.62 |
| Esophagus | 285 | 8.8 | 0.52 | 6.0 | 0.37 | | 92 | 2.0 | 0.22 | 1.2 | 0.14 |
| Stomach | 209 | 6.7 | 0.46 | 4.0 | 0.29 | | 121 | 2.5 | 0.24 | 1.5 | 0.16 |
| Colon & Rectum | 776 | 24.7 | 0.89 | 14.9 | 0.56 | | 858 | 18.0 | 0.64 | 10.6 | 0.43 |
| Liver | 124 | 3.9 | 0.35 | 2.5 | 0.24 | | 61 | 1.4 | 0.18 | 0.9 | 0.14 |
| Pancreas | 389 | 12.2 | 0.62 | 7.7 | 0.41 | | 391 | 8.7 | 0.46 | 5.5 | 0.32 |
| Respiratory System | 2514 | 78.8 | 1.58 | 50.4 | 1.05 | | 1916 | 45.9 | 1.07 | 30.9 | 0.79 |
| Larynx | 73 | 2.3 | 0.26 | 1.6 | 0.20 | | 27 | 0.6 | 0.12 | 0.4 | 0.10 |
| Lung & bronchus | 2424 | 76.0 | 1.55 | 48.4 | 1.03 | | 1874 | 44.9 | 1.06 | 30.3 | 0.78 |
| Skin | 149 | 4.7 | 0.39 | 3.1 | 0.27 | | 102 | 2.4 | 0.25 | 1.6 | 0.19 |
| Melanomas of the skin | 115 | 3.6 | 0.34 | 2.5 | 0.24 | | 80 | 2.0 | 0.23 | 1.4 | 0.17 |
| Breast | 9 | 0.3 | 0.09 | 0.2 | 0.06 | | 1003 | 23.6 | 0.76 | 16.0 | 0.57 |
| Female Genital System | - | - | - | - | - | | 723 | 17.1 | 0.65 | 11.5 | 0.48 |
| Cervix uteri | - | - | - | - | - | | 86 | 2.3 | 0.25 | 1.7 | 0.20 |
| Corpus & uterus, NOS | - | - | - | - | - | | 184 | 4.1 | 0.31 | 2.5 | 0.21 |
| Ovary | - | - | - | - | - | | 390 | 9.3 | 0.48 | 6.4 | 0.36 |
| Male Genital System | 796 | 26.3 | 0.94 | 13.0 | 0.49 | - | - | - | - | - | - |
| Prostate | 784 | 25.9 | 0.93 | 12.7 | 0.48 | - | - | - | - | - | - |
| Testis | 8 | 0.3 | 0.10 | 0.3 | 0.10 | - | - | - | - | - | - |
| Urinary System | 512 | 16.3 | 0.72 | 10.0 | 0.47 | | 263 | 5.8 | 0.37 | 3.5 | 0.25 |
| Bladder | 295 | 9.5 | 0.56 | 5.4 | 0.33 | | 126 | 2.6 | 0.24 | 1.5 | 0.15 |
| Kidney & renal pelvis | 209 | 6.5 | 0.45 | 4.5 | 0.32 | | 133 | 3.1 | 0.27 | 2.0 | 0.20 |
| Brain & Other Nervous System | 196 | 6.0 | 0.43 | 4.5 | 0.34 | | 172 | 4.4 | 0.34 | 3.3 | 0.29 |
| Endocrine System | 28 | 0.9 | 0.17 | 0.6 | 0.14 | | 29 | 0.7 | 0.14 | 0.5 | 0.11 |
| Thyroid gland | 16 | 0.5 | 0.13 | 0.3 | 0.07 | | 19 | 0.4 | 0.10 | 0.3 | 0.08 |
| Lymphomas | 346 | 10.9 | 0.59 | 6.9 | 0.39 | | 312 | 7.0 | 0.41 | 4.5 | 0.30 |
| Hodgkin Lymphoma | 15 | 0.5 | 0.12 | 0.4 | 0.09 | | 14 | 0.4 | 0.10 | 0.3 | 0.08 |
| Non-Hodgkin Lymphoma | 331 | 10.5 | 0.58 | 6.5 | 0.38 | | 298 | 6.7 | 0.40 | 4.2 | 0.29 |
| Multiple Myeloma | 152 | 4.8 | 0.39 | 2.8 | 0.24 | | 148 | 3.3 | 0.28 | 2.0 | 0.19 |
| Leukemias | 262 | 8.4 | 0.52 | 5.3 | 0.37 | | 226 | 5.1 | 0.35 | 3.4 | 0.28 |
| Other, Ill-defined & Unknown | 732 | 23.2 | 0.86 | 14.2 | 0.56 | | 677 | 14.9 | 0.59 | 9.2 | 0.41 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------------------|------|--------------------|------|---------------------|-----------------------|------|--------------------|------|
| | Deaths | Adj. Rate 1996 Cdn | S.E. | Adj. Rate World | S.E. | Deaths | Adj. Rate 1996 Cdn | S.E. | Adj. Rate World | S.E. |
| All Sites | 26108 | 245.7 | 1.54 | 152.7 | 0.98 | 24976 | 165.9 | 1.06 | 107.9 | 0.76 |
| Buccal Cavity & Pharynx | 539 | 4.9 | 0.21 | 3.3 | 0.14 | 220 | 1.4 | 0.10 | 0.9 | 0.07 |
| Digestive System | 6533 | 61.0 | 0.76 | 38.3 | 0.49 | 5830 | 37.7 | 0.50 | 23.1 | 0.34 |
| Esophagus | 922 | 8.3 | 0.28 | 5.7 | 0.19 | 309 | 2.1 | 0.12 | 1.4 | 0.09 |
| Stomach | 649 | 6.1 | 0.24 | 3.7 | 0.15 | 526 | 3.4 | 0.15 | 2.1 | 0.10 |
| Colon & Rectum | 2698 | 25.6 | 0.50 | 15.4 | 0.31 | 2847 | 18.1 | 0.35 | 10.9 | 0.23 |
| Liver | 586 | 5.3 | 0.22 | 3.6 | 0.15 | 292 | 1.9 | 0.11 | 1.2 | 0.08 |
| Pancreas | 1315 | 12.3 | 0.34 | 7.8 | 0.22 | 1363 | 8.9 | 0.25 | 5.5 | 0.17 |
| Respiratory System | 8622 | 80.2 | 0.87 | 51.7 | 0.58 | 6366 | 43.5 | 0.55 | 28.5 | 0.39 |
| Larynx | 336 | 3.0 | 0.17 | 2.1 | 0.12 | 91 | 0.6 | 0.07 | 0.4 | 0.05 |
| Lung & bronchus | 8231 | 76.6 | 0.85 | 49.3 | 0.56 | 6248 | 42.6 | 0.55 | 28.0 | 0.39 |
| Skin | 508 | 4.6 | 0.21 | 3.0 | 0.14 | 308 | 2.0 | 0.12 | 1.3 | 0.09 |
| Melanomas of the skin | 386 | 3.4 | 0.18 | 2.3 | 0.12 | 235 | 1.6 | 0.10 | 1.1 | 0.08 |
| Breast | 43 | 0.4 | 0.06 | 0.3 | 0.04 | 4064 | 27.1 | 0.43 | 18.7 | 0.32 |
| Female Genital System | - | - | - | - | - | 2372 | 16.0 | 0.33 | 10.8 | 0.24 |
| Cervix uteri | - | - | - | - | - | 393 | 2.7 | 0.14 | 2.0 | 0.10 |
| Corpus & uterus, NOS | - | - | - | - | - | 602 | 4.0 | 0.16 | 2.6 | 0.11 |
| Ovary | - | - | - | - | - | 1244 | 8.4 | 0.24 | 5.7 | 0.18 |
| Male Genital System | 2943 | 30.4 | 0.57 | 15.3 | 0.29 | - | - | - | - | - |
| Prostate | 2889 | 30.0 | 0.56 | 14.9 | 0.29 | - | - | - | - | - |
| Testis | 32 | 0.3 | 0.04 | 0.2 | 0.04 | - | - | - | - | - |
| Urinary System | 1316 | 12.5 | 0.35 | 7.6 | 0.22 | 822 | 5.3 | 0.19 | 3.1 | 0.12 |
| Bladder | 697 | 6.9 | 0.27 | 3.8 | 0.15 | 412 | 2.6 | 0.13 | 1.4 | 0.08 |
| Kidney & renal pelvis | 594 | 5.4 | 0.22 | 3.7 | 0.16 | 377 | 2.5 | 0.13 | 1.6 | 0.09 |
| Brain & Other Nervous System | 599 | 5.2 | 0.21 | 3.8 | 0.16 | 455 | 3.1 | 0.15 | 2.4 | 0.12 |
| Endocrine System | 78 | 0.7 | 0.08 | 0.5 | 0.06 | 104 | 0.7 | 0.07 | 0.5 | 0.06 |
| Thyroid gland | 33 | 0.3 | 0.05 | 0.2 | 0.04 | 58 | 0.4 | 0.05 | 0.2 | 0.04 |
| Lymphomas | 1094 | 10.1 | 0.31 | 6.3 | 0.20 | 961 | 6.3 | 0.21 | 3.9 | 0.14 |
| Hodgkin Lymphoma | 69 | 0.6 | 0.07 | 0.4 | 0.06 | 61 | 0.4 | 0.05 | 0.3 | 0.04 |
| Non-Hodgkin Lymphoma | 1025 | 9.5 | 0.30 | 5.9 | 0.19 | 900 | 5.9 | 0.20 | 3.6 | 0.14 |
| Multiple Myeloma | 517 | 4.9 | 0.22 | 3.0 | 0.14 | 524 | 3.5 | 0.15 | 2.2 | 0.11 |
| Leukemias | 1028 | 9.6 | 0.31 | 6.0 | 0.20 | 823 | 5.4 | 0.19 | 3.6 | 0.14 |
| Other, Ill-defined & Unknown | 2288 | 21.2 | 0.45 | 13.5 | 0.29 | 2127 | 13.9 | 0.31 | 8.8 | 0.21 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 34421 | 238.5 | 1.29 | 146.8 | 0.85 | | 34709 | 162.5 | 0.91 | 105.2 | 0.66 |
| Buccal Cavity & Pharynx | 591 | 4.0 | 0.17 | 2.8 | 0.12 | | 339 | 1.6 | 0.09 | 1.0 | 0.07 |
| Digestive System | 8999 | 62.3 | 0.66 | 39.0 | 0.44 | | 8214 | 35.8 | 0.41 | 21.4 | 0.28 |
| Esophagus | 1290 | 8.9 | 0.25 | 6.0 | 0.18 | | 405 | 1.8 | 0.10 | 1.2 | 0.07 |
| Stomach | 1025 | 7.1 | 0.22 | 4.3 | 0.14 | | 757 | 3.2 | 0.12 | 1.9 | 0.08 |
| Colon & Rectum | 3704 | 25.8 | 0.43 | 15.4 | 0.27 | | 3986 | 16.9 | 0.28 | 9.9 | 0.19 |
| Liver | 822 | 5.6 | 0.20 | 3.9 | 0.14 | | 364 | 1.6 | 0.09 | 1.0 | 0.06 |
| Pancreas | 1700 | 11.7 | 0.28 | 7.5 | 0.19 | | 2061 | 9.3 | 0.21 | 5.7 | 0.15 |
| Respiratory System | 10405 | 72.0 | 0.71 | 45.9 | 0.48 | | 8552 | 42.1 | 0.47 | 28.1 | 0.35 |
| Larynx | 390 | 2.7 | 0.14 | 1.7 | 0.09 | | 104 | 0.5 | 0.05 | 0.4 | 0.04 |
| Lung & bronchus | 9965 | 69.0 | 0.69 | 44.0 | 0.47 | | 8410 | 41.4 | 0.47 | 27.7 | 0.35 |
| Skin | 811 | 5.6 | 0.20 | 3.7 | 0.14 | | 489 | 2.4 | 0.11 | 1.6 | 0.08 |
| Melanomas of the skin | 618 | 4.2 | 0.17 | 2.8 | 0.12 | | 401 | 2.0 | 0.10 | 1.4 | 0.08 |
| Breast | 37 | 0.3 | 0.04 | 0.2 | 0.03 | | 5377 | 26.2 | 0.37 | 18.0 | 0.28 |
| Female Genital System | - | - | - | - | - | | 3057 | 14.9 | 0.28 | 10.0 | 0.21 |
| Cervix uteri | - | - | - | - | - | | 368 | 2.0 | 0.10 | 1.4 | 0.08 |
| Corpus & uterus, NOS | - | - | - | - | - | | 812 | 3.8 | 0.14 | 2.4 | 0.10 |
| Ovary | - | - | - | - | - | | 1663 | 8.2 | 0.21 | 5.6 | 0.16 |
| Male Genital System | 3944 | 27.8 | 0.44 | 13.7 | 0.23 | - | - | - | - | - | - |
| Prostate | 3866 | 27.3 | 0.44 | 13.3 | 0.23 | - | - | - | - | - | - |
| Testis | 44 | 0.3 | 0.04 | 0.2 | 0.04 | - | - | - | - | - | - |
| Urinary System | 2011 | 14.0 | 0.31 | 8.2 | 0.20 | | 1135 | 5.0 | 0.15 | 3.0 | 0.11 |
| Bladder | 1153 | 8.1 | 0.24 | 4.4 | 0.14 | | 583 | 2.4 | 0.10 | 1.3 | 0.07 |
| Kidney & renal pelvis | 824 | 5.7 | 0.20 | 3.6 | 0.14 | | 525 | 2.4 | 0.11 | 1.6 | 0.08 |
| Brain & Other Nervous System | 804 | 5.4 | 0.19 | 4.0 | 0.15 | | 660 | 3.4 | 0.14 | 2.5 | 0.11 |
| Endocrine System | 118 | 0.8 | 0.07 | 0.6 | 0.06 | | 134 | 0.6 | 0.06 | 0.4 | 0.05 |
| Thyroid gland | 68 | 0.5 | 0.06 | 0.3 | 0.04 | | 90 | 0.4 | 0.04 | 0.2 | 0.03 |
| Lymphomas | 1470 | 10.1 | 0.26 | 6.4 | 0.18 | | 1565 | 7.1 | 0.19 | 4.3 | 0.13 |
| Hodgkin Lymphoma | 82 | 0.6 | 0.06 | 0.4 | 0.05 | | 93 | 0.5 | 0.05 | 0.4 | 0.04 |
| Non-Hodgkin Lymphoma | 1388 | 9.5 | 0.26 | 5.9 | 0.17 | | 1472 | 6.6 | 0.18 | 4.0 | 0.12 |
| Multiple Myeloma | 574 | 4.0 | 0.17 | 2.4 | 0.11 | | 600 | 2.8 | 0.12 | 1.7 | 0.08 |
| Leukemias | 1299 | 9.0 | 0.25 | 5.6 | 0.17 | | 1142 | 5.1 | 0.16 | 3.4 | 0.13 |
| Other, Ill-defined & Unknown | 3358 | 23.2 | 0.40 | 14.5 | 0.27 | | 3445 | 15.5 | 0.28 | 9.8 | 0.20 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | World | | |
| All Sites | 50840 | 237.2 | 1.06 | 147.9 | 0.69 | | 47400 | 161.4 | 0.76 | 106.7 | 0.55 |
| Buccal Cavity & Pharynx | 817 | 3.7 | 0.13 | 2.6 | 0.09 | | 456 | 1.5 | 0.07 | 1.0 | 0.05 |
| Digestive System | 12360 | 57.3 | 0.52 | 36.0 | 0.34 | | 10640 | 34.7 | 0.34 | 21.4 | 0.24 |
| Esophagus | 1796 | 8.1 | 0.19 | 5.5 | 0.13 | | 500 | 1.7 | 0.08 | 1.1 | 0.05 |
| Stomach | 1175 | 5.5 | 0.16 | 3.3 | 0.10 | | 880 | 2.8 | 0.10 | 1.6 | 0.06 |
| Colon & Rectum | 5000 | 23.6 | 0.34 | 14.1 | 0.21 | | 4962 | 15.9 | 0.23 | 9.6 | 0.16 |
| Liver | 1174 | 5.3 | 0.16 | 3.6 | 0.11 | | 595 | 2.0 | 0.08 | 1.3 | 0.06 |
| Pancreas | 2513 | 11.5 | 0.23 | 7.5 | 0.16 | | 2696 | 8.9 | 0.18 | 5.6 | 0.12 |
| Respiratory System | 16680 | 77.1 | 0.60 | 50.0 | 0.41 | | 11965 | 42.2 | 0.39 | 28.8 | 0.29 |
| Larynx | 562 | 2.6 | 0.11 | 1.8 | 0.08 | | 163 | 0.6 | 0.05 | 0.4 | 0.03 |
| Lung & bronchus | 16021 | 74.1 | 0.59 | 48.0 | 0.40 | | 11729 | 41.3 | 0.39 | 28.2 | 0.29 |
| Skin | 889 | 4.1 | 0.14 | 2.7 | 0.09 | | 537 | 1.8 | 0.08 | 1.2 | 0.06 |
| Melanomas of the skin | 710 | 3.2 | 0.12 | 2.2 | 0.08 | | 411 | 1.5 | 0.07 | 1.0 | 0.05 |
| Breast | 68 | 0.3 | 0.04 | 0.2 | 0.03 | | 7502 | 26.1 | 0.31 | 18.1 | 0.23 |
| Female Genital System | - | - | - | - | - | | 4652 | 16.1 | 0.24 | 10.9 | 0.18 |
| Cervix uteri | - | - | - | - | - | | 650 | 2.4 | 0.10 | 1.8 | 0.07 |
| Corpus & uterus, NOS | - | - | - | - | - | | 1177 | 4.0 | 0.12 | 2.6 | 0.08 |
| Ovary | - | - | - | - | - | | 2526 | 8.8 | 0.18 | 6.0 | 0.13 |
| Male Genital System | 5845 | 29.0 | 0.38 | 14.5 | 0.20 | - | - | - | - | - | |
| Prostate | 5736 | 28.5 | 0.38 | 14.2 | 0.20 | - | - | - | - | - | |
| Testis | 62 | 0.3 | 0.03 | 0.2 | 0.03 | - | - | - | - | - | |
| Urinary System | 2957 | 14.0 | 0.26 | 8.4 | 0.16 | | 1625 | 5.3 | 0.13 | 3.2 | 0.09 |
| Bladder | 1579 | 7.7 | 0.19 | 4.3 | 0.11 | | 675 | 2.1 | 0.08 | 1.1 | 0.05 |
| Kidney & renal pelvis | 1329 | 6.1 | 0.17 | 4.0 | 0.12 | | 890 | 3.0 | 0.10 | 2.0 | 0.08 |
| Brain & Other Nervous System | 1316 | 5.8 | 0.16 | 4.3 | 0.12 | | 1043 | 3.8 | 0.12 | 2.9 | 0.10 |
| Endocrine System | 172 | 0.8 | 0.06 | 0.6 | 0.05 | | 235 | 0.8 | 0.05 | 0.6 | 0.05 |
| Thyroid gland | 82 | 0.4 | 0.04 | 0.2 | 0.03 | | 148 | 0.5 | 0.04 | 0.3 | 0.03 |
| Lymphomas | 2411 | 11.1 | 0.23 | 7.1 | 0.15 | | 2230 | 7.4 | 0.16 | 4.7 | 0.11 |
| Hodgkin Lymphoma | 133 | 0.6 | 0.05 | 0.4 | 0.04 | | 128 | 0.5 | 0.04 | 0.3 | 0.03 |
| Non-Hodgkin Lymphoma | 2278 | 10.5 | 0.22 | 6.7 | 0.15 | | 2102 | 7.0 | 0.15 | 4.3 | 0.11 |
| Multiple Myeloma | 1045 | 4.9 | 0.15 | 3.0 | 0.10 | | 955 | 3.2 | 0.11 | 2.0 | 0.07 |
| Leukemias | 2107 | 9.9 | 0.22 | 6.2 | 0.14 | | 1746 | 5.8 | 0.14 | 3.7 | 0.10 |
| Other, Ill-defined & Unknown | 4173 | 19.3 | 0.30 | 12.3 | 0.20 | | 3814 | 12.8 | 0.21 | 8.3 | 0.15 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 20893 | 246.2 | 1.72 | 154.6 | 1.13 | | 20434 | 169.1 | 1.20 | 112.3 | 0.88 |
| Buccal Cavity & Pharynx | 365 | 4.1 | 0.22 | 2.9 | 0.16 | | 189 | 1.5 | 0.11 | 1.0 | 0.08 |
| Digestive System | 5296 | 61.9 | 0.86 | 39.1 | 0.57 | | 4762 | 37.9 | 0.56 | 23.6 | 0.39 |
| Esophagus | 716 | 8.2 | 0.31 | 5.5 | 0.21 | | 232 | 1.9 | 0.13 | 1.3 | 0.09 |
| Stomach | 561 | 6.6 | 0.28 | 4.0 | 0.18 | | 473 | 3.7 | 0.17 | 2.2 | 0.12 |
| Colon & Rectum | 2062 | 24.6 | 0.55 | 14.8 | 0.34 | | 2145 | 16.9 | 0.37 | 10.3 | 0.26 |
| Liver | 589 | 6.7 | 0.28 | 4.6 | 0.20 | | 293 | 2.4 | 0.14 | 1.5 | 0.10 |
| Pancreas | 1061 | 12.3 | 0.38 | 8.1 | 0.26 | | 1227 | 9.9 | 0.29 | 6.3 | 0.20 |
| Respiratory System | 6769 | 79.2 | 0.97 | 51.8 | 0.66 | | 5254 | 44.8 | 0.63 | 30.6 | 0.47 |
| Larynx | 271 | 3.1 | 0.19 | 2.1 | 0.14 | | 71 | 0.6 | 0.07 | 0.4 | 0.05 |
| Lung & bronchus | 6460 | 75.6 | 0.95 | 49.3 | 0.65 | | 5155 | 43.9 | 0.62 | 30.0 | 0.46 |
| Skin | 299 | 3.4 | 0.20 | 2.3 | 0.14 | | 193 | 1.6 | 0.12 | 1.1 | 0.09 |
| Melanomas of the skin | 241 | 2.7 | 0.18 | 1.9 | 0.13 | | 139 | 1.2 | 0.10 | 0.8 | 0.08 |
| Breast | 41 | 0.5 | 0.07 | 0.3 | 0.05 | | 3371 | 28.5 | 0.50 | 19.9 | 0.38 |
| Female Genital System | - | - | - | - | - | | 1877 | 15.7 | 0.37 | 10.7 | 0.27 |
| Cervix uteri | - | - | - | - | - | | 280 | 2.5 | 0.15 | 1.9 | 0.12 |
| Corpus & uterus, NOS | - | - | - | - | - | | 499 | 4.1 | 0.19 | 2.7 | 0.14 |
| Ovary | - | - | - | - | - | | 985 | 8.2 | 0.27 | 5.6 | 0.20 |
| Male Genital System | 2482 | 31.1 | 0.63 | 15.7 | 0.33 | - | - | - | - | - | - |
| Prostate | 2452 | 30.8 | 0.63 | 15.5 | 0.33 | - | - | - | - | - | - |
| Testis | 19 | 0.2 | 0.05 | 0.2 | 0.04 | - | - | - | - | - | - |
| Urinary System | 1130 | 13.4 | 0.40 | 8.3 | 0.26 | | 652 | 5.2 | 0.21 | 3.2 | 0.15 |
| Bladder | 578 | 7.1 | 0.30 | 4.0 | 0.18 | | 257 | 1.9 | 0.12 | 1.1 | 0.08 |
| Kidney & renal pelvis | 535 | 6.1 | 0.27 | 4.2 | 0.19 | | 369 | 3.0 | 0.16 | 2.0 | 0.12 |
| Brain & Other Nervous System | 476 | 5.3 | 0.24 | 3.9 | 0.19 | | 433 | 3.8 | 0.18 | 2.8 | 0.15 |
| Endocrine System | 68 | 0.8 | 0.10 | 0.6 | 0.07 | | 92 | 0.8 | 0.08 | 0.6 | 0.07 |
| Thyroid gland | 33 | 0.4 | 0.07 | 0.2 | 0.05 | | 52 | 0.4 | 0.06 | 0.3 | 0.04 |
| Lymphomas | 952 | 11.1 | 0.36 | 7.3 | 0.25 | | 856 | 7.0 | 0.24 | 4.4 | 0.17 |
| Hodgkin Lymphoma | 65 | 0.8 | 0.09 | 0.6 | 0.07 | | 58 | 0.5 | 0.07 | 0.4 | 0.06 |
| Non-Hodgkin Lymphoma | 887 | 10.3 | 0.35 | 6.7 | 0.24 | | 798 | 6.4 | 0.23 | 4.0 | 0.16 |
| Multiple Myeloma | 445 | 5.3 | 0.26 | 3.3 | 0.16 | | 443 | 3.6 | 0.18 | 2.4 | 0.13 |
| Leukemias | 849 | 10.0 | 0.35 | 6.2 | 0.23 | | 737 | 5.9 | 0.22 | 3.7 | 0.16 |
| Other, Ill-defined & Unknown | 1721 | 19.9 | 0.48 | 13.0 | 0.33 | | 1575 | 12.9 | 0.33 | 8.4 | 0.24 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | World | | |
| All Sites | 23001 | 216.1 | 1.43 | 132.5 | 0.93 | | 21651 | 147.8 | 1.04 | 96.2 | 0.76 |
| Buccal Cavity & Pharynx | 356 | 3.3 | 0.18 | 2.3 | 0.13 | | 205 | 1.4 | 0.10 | 1.0 | 0.08 |
| Digestive System | 5459 | 51.2 | 0.70 | 31.9 | 0.46 | | 5006 | 32.1 | 0.48 | 19.5 | 0.33 |
| Esophagus | 765 | 7.2 | 0.26 | 4.8 | 0.18 | | 234 | 1.5 | 0.11 | 0.9 | 0.07 |
| Stomach | 517 | 4.8 | 0.21 | 2.9 | 0.14 | | 360 | 2.3 | 0.13 | 1.4 | 0.09 |
| Colon & Rectum | 2202 | 20.7 | 0.44 | 12.4 | 0.28 | | 2388 | 15.1 | 0.32 | 9.1 | 0.22 |
| Liver | 415 | 3.8 | 0.19 | 2.5 | 0.13 | | 197 | 1.3 | 0.10 | 0.8 | 0.07 |
| Pancreas | 1206 | 11.3 | 0.33 | 7.2 | 0.22 | | 1292 | 8.3 | 0.24 | 5.0 | 0.17 |
| Respiratory System | 6577 | 62.1 | 0.77 | 39.8 | 0.52 | | 4752 | 34.9 | 0.52 | 23.6 | 0.38 |
| Larynx | 204 | 1.9 | 0.13 | 1.2 | 0.09 | | 46 | 0.3 | 0.05 | 0.2 | 0.04 |
| Lung & bronchus | 6304 | 59.6 | 0.75 | 38.2 | 0.51 | | 4674 | 34.3 | 0.52 | 23.2 | 0.38 |
| Skin | 466 | 4.3 | 0.20 | 2.8 | 0.14 | | 298 | 2.0 | 0.12 | 1.4 | 0.09 |
| Melanomas of the skin | 354 | 3.2 | 0.17 | 2.2 | 0.12 | | 245 | 1.7 | 0.11 | 1.2 | 0.08 |
| Breast | 38 | 0.4 | 0.06 | 0.2 | 0.04 | | 3489 | 24.5 | 0.43 | 16.8 | 0.32 |
| Female Genital System | - | - | - | - | - | | 2091 | 14.6 | 0.33 | 9.6 | 0.24 |
| Cervix uteri | - | - | - | - | - | | 207 | 1.5 | 0.11 | 1.2 | 0.09 |
| Corpus & uterus, NOS | - | - | - | - | - | | 542 | 3.7 | 0.16 | 2.4 | 0.12 |
| Ovary | - | - | - | - | - | | 1190 | 8.4 | 0.25 | 5.5 | 0.18 |
| Male Genital System | 3014 | 28.8 | 0.52 | 14.2 | 0.28 | - | - | - | - | - | |
| Prostate | 2965 | 28.3 | 0.52 | 13.9 | 0.27 | - | - | - | - | - | |
| Testis | 30 | 0.3 | 0.05 | 0.2 | 0.04 | - | - | - | - | - | |
| Urinary System | 1358 | 12.8 | 0.35 | 7.7 | 0.22 | | 789 | 4.9 | 0.18 | 2.9 | 0.13 |
| Bladder | 695 | 6.6 | 0.25 | 3.6 | 0.15 | | 331 | 1.8 | 0.11 | 1.0 | 0.07 |
| Kidney & renal pelvis | 628 | 5.8 | 0.23 | 3.9 | 0.16 | | 432 | 2.9 | 0.15 | 1.9 | 0.11 |
| Brain & Other Nervous System | 699 | 6.3 | 0.24 | 4.7 | 0.18 | | 504 | 3.8 | 0.17 | 2.9 | 0.14 |
| Endocrine System | 102 | 0.9 | 0.09 | 0.7 | 0.07 | | 98 | 0.7 | 0.07 | 0.5 | 0.06 |
| Thyroid gland | 50 | 0.5 | 0.07 | 0.3 | 0.04 | | 73 | 0.5 | 0.06 | 0.3 | 0.04 |
| Lymphomas | 1249 | 11.7 | 0.33 | 7.1 | 0.21 | | 1128 | 7.3 | 0.23 | 4.5 | 0.16 |
| Hodgkin Lymphoma | 75 | 0.7 | 0.08 | 0.5 | 0.06 | | 52 | 0.4 | 0.05 | 0.3 | 0.04 |
| Non-Hodgkin Lymphoma | 1174 | 11.0 | 0.32 | 6.7 | 0.21 | | 1076 | 7.0 | 0.22 | 4.2 | 0.15 |
| Multiple Myeloma | 471 | 4.5 | 0.21 | 2.6 | 0.13 | | 439 | 2.9 | 0.14 | 1.8 | 0.10 |
| Leukemias | 1112 | 10.4 | 0.31 | 6.3 | 0.20 | | 866 | 5.6 | 0.20 | 3.6 | 0.15 |
| Other, Ill-defined & Unknown | 2100 | 19.6 | 0.43 | 12.3 | 0.29 | | 1986 | 13.1 | 0.31 | 8.2 | 0.22 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 16636 | 285.3 | 2.22 | 181.0 | 1.45 | | 13346 | 159.7 | 1.41 | 106.9 | 1.03 |
| Buccal Cavity & Pharynx | 370 | 6.1 | 0.32 | 4.4 | 0.23 | | 141 | 1.7 | 0.14 | 1.1 | 0.11 |
| Digestive System | 3639 | 61.8 | 1.03 | 40.2 | 0.69 | | 3097 | 35.6 | 0.65 | 22.7 | 0.46 |
| Esophagus | 437 | 7.2 | 0.35 | 5.2 | 0.26 | | 97 | 1.2 | 0.12 | 0.8 | 0.09 |
| Stomach | 407 | 7.0 | 0.35 | 4.4 | 0.23 | | 275 | 3.2 | 0.20 | 2.1 | 0.14 |
| Colon & Rectum | 1440 | 24.7 | 0.65 | 15.6 | 0.43 | | 1472 | 16.7 | 0.45 | 10.5 | 0.31 |
| Liver | 425 | 7.2 | 0.35 | 4.7 | 0.24 | | 274 | 3.2 | 0.20 | 2.1 | 0.15 |
| Pancreas | 765 | 13.0 | 0.47 | 8.4 | 0.31 | | 793 | 9.1 | 0.33 | 5.7 | 0.23 |
| Respiratory System | 6428 | 109.1 | 1.37 | 71.9 | 0.93 | | 3304 | 40.6 | 0.71 | 27.6 | 0.52 |
| Larynx | 163 | 2.7 | 0.21 | 1.9 | 0.15 | | 31 | 0.4 | 0.07 | 0.3 | 0.05 |
| Lung & bronchus | 6214 | 105.5 | 1.34 | 69.4 | 0.91 | | 3257 | 40.0 | 0.71 | 27.2 | 0.52 |
| Skin | 288 | 4.8 | 0.29 | 3.3 | 0.20 | | 166 | 2.0 | 0.16 | 1.3 | 0.12 |
| Melanomas of the skin | 184 | 3.1 | 0.23 | 2.1 | 0.16 | | 135 | 1.7 | 0.15 | 1.2 | 0.11 |
| Breast | 14 | 0.2 | 0.06 | 0.1 | 0.04 | | 2159 | 27.0 | 0.59 | 19.2 | 0.45 |
| Female Genital System | - | - | - | - | - | | 1300 | 15.8 | 0.45 | 10.7 | 0.33 |
| Cervix uteri | - | - | - | - | - | | 280 | 3.7 | 0.22 | 2.7 | 0.17 |
| Corpus & uterus, NOS | - | - | - | - | - | | 291 | 3.4 | 0.21 | 2.2 | 0.14 |
| Ovary | - | - | - | - | - | | 667 | 8.0 | 0.32 | 5.3 | 0.23 |
| Male Genital System | 2059 | 37.8 | 0.84 | 18.8 | 0.43 | - | - | - | - | - | - |
| Prostate | 2026 | 37.3 | 0.83 | 18.4 | 0.43 | - | - | - | - | - | - |
| Testis | 16 | 0.3 | 0.06 | 0.2 | 0.05 | - | - | - | - | - | - |
| Urinary System | 678 | 11.7 | 0.45 | 7.3 | 0.29 | | 411 | 4.6 | 0.23 | 2.8 | 0.16 |
| Bladder | 305 | 5.4 | 0.31 | 3.0 | 0.18 | | 176 | 1.9 | 0.15 | 1.1 | 0.09 |
| Kidney & renal pelvis | 360 | 6.1 | 0.32 | 4.2 | 0.23 | | 226 | 2.6 | 0.18 | 1.7 | 0.13 |
| Brain & Other Nervous System | 425 | 7.0 | 0.34 | 5.0 | 0.25 | | 334 | 4.2 | 0.23 | 3.1 | 0.18 |
| Endocrine System | 46 | 0.8 | 0.12 | 0.5 | 0.08 | | 63 | 0.7 | 0.09 | 0.5 | 0.08 |
| Thyroid gland | 21 | 0.4 | 0.08 | 0.2 | 0.05 | | 42 | 0.5 | 0.07 | 0.3 | 0.05 |
| Lymphomas | 550 | 9.4 | 0.40 | 6.0 | 0.26 | | 506 | 6.0 | 0.27 | 3.9 | 0.19 |
| Hodgkin Lymphoma | 46 | 0.8 | 0.12 | 0.5 | 0.08 | | 37 | 0.5 | 0.08 | 0.4 | 0.06 |
| Non-Hodgkin Lymphoma | 504 | 8.7 | 0.39 | 5.4 | 0.25 | | 469 | 5.5 | 0.26 | 3.5 | 0.18 |
| Multiple Myeloma | 270 | 4.7 | 0.29 | 2.9 | 0.18 | | 279 | 3.3 | 0.20 | 2.1 | 0.14 |
| Leukemias | 569 | 9.7 | 0.41 | 6.3 | 0.27 | | 491 | 5.6 | 0.26 | 3.6 | 0.19 |
| Other, Ill-defined & Unknown | 1300 | 22.1 | 0.62 | 14.3 | 0.41 | | 1095 | 12.7 | 0.39 | 8.3 | 0.28 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | S.E. | | |
| All Sites | 31534 | 244.2 | 1.38 | 154.3 | 0.92 | | 29460 | 163.1 | 0.98 | 108.1 | 0.72 |
| Buccal Cavity & Pharynx | 484 | 3.7 | 0.17 | 2.6 | 0.12 | | 291 | 1.6 | 0.10 | 1.1 | 0.07 |
| Digestive System | 7115 | 55.0 | 0.65 | 35.0 | 0.44 | | 6568 | 34.2 | 0.44 | 21.1 | 0.30 |
| Esophagus | 863 | 6.6 | 0.22 | 4.5 | 0.16 | | 265 | 1.4 | 0.09 | 0.9 | 0.06 |
| Stomach | 665 | 5.1 | 0.20 | 3.2 | 0.13 | | 392 | 2.1 | 0.11 | 1.3 | 0.08 |
| Colon & Rectum | 3096 | 24.1 | 0.43 | 14.7 | 0.28 | | 3355 | 17.2 | 0.31 | 10.3 | 0.21 |
| Liver | 623 | 4.7 | 0.19 | 3.3 | 0.14 | | 337 | 1.8 | 0.10 | 1.1 | 0.07 |
| Pancreas | 1472 | 11.3 | 0.30 | 7.4 | 0.20 | | 1602 | 8.5 | 0.22 | 5.3 | 0.15 |
| Respiratory System | 11475 | 88.2 | 0.83 | 57.8 | 0.57 | | 7702 | 44.6 | 0.52 | 30.5 | 0.39 |
| Larynx | 330 | 2.5 | 0.14 | 1.7 | 0.10 | | 79 | 0.4 | 0.05 | 0.3 | 0.04 |
| Lung & bronchus | 11070 | 85.1 | 0.81 | 55.8 | 0.56 | | 7596 | 44.0 | 0.51 | 30.1 | 0.38 |
| Skin | 707 | 5.5 | 0.21 | 3.6 | 0.14 | | 390 | 2.1 | 0.11 | 1.5 | 0.08 |
| Melanomas of the skin | 541 | 4.2 | 0.18 | 2.8 | 0.13 | | 303 | 1.7 | 0.10 | 1.2 | 0.08 |
| Breast | 37 | 0.3 | 0.05 | 0.2 | 0.03 | | 4445 | 25.5 | 0.39 | 17.8 | 0.30 |
| Female Genital System | - | - | - | - | - | | 2800 | 15.8 | 0.31 | 10.6 | 0.23 |
| Cervix uteri | - | - | - | - | - | | 433 | 2.7 | 0.13 | 2.0 | 0.10 |
| Corpus & uterus, NOS | - | - | - | - | - | | 733 | 4.0 | 0.15 | 2.5 | 0.11 |
| Ovary | - | - | - | - | - | | 1491 | 8.4 | 0.22 | 5.6 | 0.16 |
| Male Genital System | 3216 | 25.8 | 0.46 | 12.9 | 0.24 | - | - | - | - | - | |
| Prostate | 3172 | 25.4 | 0.45 | 12.7 | 0.24 | - | - | - | - | - | |
| Testis | 21 | 0.2 | 0.04 | 0.1 | 0.03 | - | - | - | - | - | |
| Urinary System | 1603 | 12.5 | 0.31 | 7.6 | 0.20 | | 966 | 5.1 | 0.17 | 3.2 | 0.12 |
| Bladder | 787 | 6.2 | 0.22 | 3.4 | 0.13 | | 367 | 1.8 | 0.10 | 1.0 | 0.06 |
| Kidney & renal pelvis | 787 | 6.0 | 0.22 | 4.1 | 0.15 | | 570 | 3.2 | 0.14 | 2.1 | 0.10 |
| Brain & Other Nervous System | 746 | 5.7 | 0.21 | 4.2 | 0.16 | | 656 | 4.0 | 0.16 | 2.9 | 0.13 |
| Endocrine System | 111 | 0.8 | 0.08 | 0.6 | 0.06 | | 121 | 0.7 | 0.06 | 0.5 | 0.06 |
| Thyroid gland | 60 | 0.5 | 0.06 | 0.3 | 0.04 | | 69 | 0.3 | 0.04 | 0.2 | 0.03 |
| Lymphomas | 1380 | 10.7 | 0.29 | 6.9 | 0.20 | | 1342 | 7.1 | 0.20 | 4.5 | 0.14 |
| Hodgkin Lymphoma | 74 | 0.6 | 0.07 | 0.4 | 0.05 | | 67 | 0.4 | 0.05 | 0.3 | 0.04 |
| Non-Hodgkin Lymphoma | 1306 | 10.2 | 0.28 | 6.5 | 0.19 | | 1275 | 6.7 | 0.19 | 4.1 | 0.14 |
| Multiple Myeloma | 553 | 4.3 | 0.18 | 2.6 | 0.12 | | 554 | 3.0 | 0.13 | 1.8 | 0.09 |
| Leukemias | 1291 | 10.1 | 0.28 | 6.2 | 0.19 | | 1078 | 5.8 | 0.18 | 3.8 | 0.14 |
| Other, Ill-defined & Unknown | 2816 | 21.7 | 0.41 | 14.0 | 0.28 | | 2547 | 13.6 | 0.28 | 8.8 | 0.20 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 5015 | 224.4 | 3.18 | 135.0 | 2.03 | | 4275 | 151.3 | 2.38 | 98.4 | 1.72 |
| Buccal Cavity & Pharynx | 76 | 3.3 | 0.38 | 2.2 | 0.26 | | 43 | 1.6 | 0.25 | 1.0 | 0.18 |
| Digestive System | 1197 | 53.3 | 1.55 | 32.5 | 0.99 | | 859 | 29.1 | 1.02 | 18.1 | 0.72 |
| Esophagus | 182 | 8.1 | 0.60 | 5.4 | 0.42 | | 37 | 1.2 | 0.20 | 0.7 | 0.13 |
| Stomach | 101 | 4.5 | 0.45 | 2.6 | 0.27 | | 62 | 2.0 | 0.26 | 1.2 | 0.18 |
| Colon & Rectum | 502 | 22.5 | 1.01 | 13.4 | 0.63 | | 407 | 13.7 | 0.70 | 8.5 | 0.49 |
| Liver | 90 | 4.0 | 0.43 | 2.6 | 0.29 | | 38 | 1.3 | 0.21 | 0.8 | 0.16 |
| Pancreas | 244 | 10.8 | 0.69 | 6.5 | 0.45 | | 219 | 7.7 | 0.53 | 5.0 | 0.38 |
| Respiratory System | 1525 | 68.1 | 1.75 | 42.4 | 1.14 | | 1114 | 41.0 | 1.25 | 27.1 | 0.91 |
| Larynx | 37 | 1.6 | 0.27 | 1.0 | 0.18 | | 11 | 0.4 | 0.12 | 0.2 | 0.07 |
| Lung & bronchus | 1477 | 66.0 | 1.72 | 41.1 | 1.13 | | 1095 | 40.3 | 1.24 | 26.7 | 0.90 |
| Skin | 110 | 4.9 | 0.47 | 3.1 | 0.32 | | 56 | 2.0 | 0.28 | 1.4 | 0.22 |
| Melanomas of the skin | 92 | 4.1 | 0.43 | 2.7 | 0.30 | | 53 | 2.0 | 0.28 | 1.4 | 0.22 |
| Breast | 7 | 0.3 | 0.12 | 0.2 | 0.06 | | 612 | 22.4 | 0.93 | 15.4 | 0.69 |
| Female Genital System | - | - | - | - | - | | 444 | 15.4 | 0.75 | 9.9 | 0.54 |
| Cervix uteri | - | - | - | - | - | | 58 | 2.2 | 0.29 | 1.5 | 0.22 |
| Corpus & uterus, NOS | - | - | - | - | - | | 113 | 3.7 | 0.36 | 2.2 | 0.24 |
| Ovary | - | - | - | - | - | | 245 | 8.6 | 0.56 | 5.6 | 0.41 |
| Male Genital System | 654 | 29.8 | 1.17 | 14.5 | 0.60 | - | - | - | - | - | - |
| Prostate | 638 | 29.1 | 1.16 | 14.0 | 0.59 | - | - | - | - | - | - |
| Testis | 10 | 0.4 | 0.14 | 0.4 | 0.13 | - | - | - | - | - | - |
| Urinary System | 308 | 13.8 | 0.79 | 7.9 | 0.48 | | 151 | 5.1 | 0.43 | 3.1 | 0.30 |
| Bladder | 174 | 7.9 | 0.60 | 4.2 | 0.34 | | 71 | 2.3 | 0.28 | 1.3 | 0.18 |
| Kidney & renal pelvis | 127 | 5.6 | 0.50 | 3.6 | 0.33 | | 74 | 2.6 | 0.31 | 1.7 | 0.23 |
| Brain & Other Nervous System | 123 | 5.4 | 0.49 | 4.3 | 0.41 | | 109 | 4.3 | 0.42 | 3.2 | 0.34 |
| Endocrine System | 18 | 0.8 | 0.19 | 0.6 | 0.15 | | 19 | 0.6 | 0.15 | 0.4 | 0.11 |
| Thyroid gland | 10 | 0.4 | 0.14 | 0.3 | 0.10 | | 10 | 0.3 | 0.10 | 0.2 | 0.07 |
| Lymphomas | 229 | 10.2 | 0.68 | 6.1 | 0.43 | | 195 | 6.7 | 0.50 | 4.3 | 0.36 |
| Hodgkin Lymphoma | 7 | 0.3 | 0.12 | 0.2 | 0.08 | | 12 | 0.5 | 0.14 | 0.4 | 0.12 |
| Non-Hodgkin Lymphoma | 222 | 9.9 | 0.66 | 5.9 | 0.42 | | 183 | 6.3 | 0.48 | 3.9 | 0.33 |
| Multiple Myeloma | 100 | 4.4 | 0.45 | 2.6 | 0.28 | | 98 | 3.3 | 0.34 | 1.9 | 0.22 |
| Leukemias | 229 | 10.3 | 0.68 | 6.2 | 0.44 | | 167 | 5.7 | 0.46 | 3.7 | 0.35 |
| Other, Ill-defined & Unknown | 439 | 19.6 | 0.94 | 12.4 | 0.63 | | 408 | 14.0 | 0.72 | 8.6 | 0.50 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------------------|------|--------------------|------|---------------------|-----------------------|------|--------------------|------|
| | Deaths | Adj. Rate 1996 Cdn | S.E. | Adj. Rate World | S.E. | Deaths | Adj. Rate 1996 Cdn | S.E. | Adj. Rate World | S.E. |
| All Sites | 8648 | 214.8 | 2.31 | 133.0 | 1.53 | 8049 | 144.5 | 1.69 | 94.3 | 1.24 |
| Buccal Cavity & Pharynx | 108 | 2.7 | 0.26 | 1.8 | 0.19 | 71 | 1.2 | 0.15 | 0.7 | 0.10 |
| Digestive System | 2103 | 52.2 | 1.14 | 32.3 | 0.75 | 1920 | 32.0 | 0.77 | 19.6 | 0.54 |
| Esophagus | 287 | 7.1 | 0.42 | 4.8 | 0.30 | 75 | 1.2 | 0.15 | 0.7 | 0.10 |
| Stomach | 172 | 4.3 | 0.33 | 2.8 | 0.23 | 119 | 2.0 | 0.20 | 1.3 | 0.14 |
| Colon & Rectum | 968 | 24.0 | 0.77 | 14.2 | 0.49 | 1022 | 16.5 | 0.55 | 9.9 | 0.38 |
| Liver | 115 | 2.9 | 0.27 | 2.0 | 0.19 | 76 | 1.4 | 0.17 | 0.9 | 0.12 |
| Pancreas | 430 | 10.7 | 0.52 | 6.7 | 0.35 | 437 | 7.5 | 0.37 | 4.5 | 0.26 |
| Respiratory System | 2817 | 70.4 | 1.33 | 45.4 | 0.91 | 1765 | 33.7 | 0.83 | 22.8 | 0.62 |
| Larynx | 66 | 1.6 | 0.20 | 1.1 | 0.14 | 13 | 0.3 | 0.08 | 0.2 | 0.07 |
| Lung & bronchus | 2726 | 68.1 | 1.31 | 43.9 | 0.89 | 1740 | 33.2 | 0.82 | 22.4 | 0.61 |
| Skin | 201 | 4.9 | 0.35 | 3.2 | 0.24 | 102 | 1.9 | 0.20 | 1.3 | 0.15 |
| Melanomas of the skin | 159 | 3.9 | 0.31 | 2.6 | 0.22 | 76 | 1.5 | 0.18 | 1.1 | 0.14 |
| Breast | 13 | 0.3 | 0.09 | 0.2 | 0.06 | 1234 | 23.0 | 0.68 | 15.7 | 0.52 |
| Female Genital System | - | - | - | - | - | 827 | 15.5 | 0.56 | 10.4 | 0.42 |
| Cervix uteri | - | - | - | - | - | 103 | 2.3 | 0.23 | 1.7 | 0.18 |
| Corpus & uterus, NOS | - | - | - | - | - | 243 | 4.4 | 0.29 | 2.8 | 0.21 |
| Ovary | - | - | - | - | - | 435 | 8.1 | 0.40 | 5.5 | 0.30 |
| Male Genital System | 1026 | 25.3 | 0.79 | 12.6 | 0.42 | - | - | - | - | - |
| Prostate | 1006 | 24.9 | 0.78 | 12.3 | 0.41 | - | - | - | - | - |
| Testis | 9 | 0.2 | 0.07 | 0.2 | 0.06 | - | - | - | - | - |
| Urinary System | 493 | 12.2 | 0.55 | 7.6 | 0.37 | 271 | 4.5 | 0.29 | 2.8 | 0.20 |
| Bladder | 236 | 5.8 | 0.38 | 3.3 | 0.23 | 114 | 1.7 | 0.17 | 0.9 | 0.11 |
| Kidney & renal pelvis | 248 | 6.2 | 0.39 | 4.2 | 0.28 | 143 | 2.6 | 0.22 | 1.7 | 0.17 |
| Brain & Other Nervous System | 245 | 6.0 | 0.39 | 4.4 | 0.30 | 218 | 4.4 | 0.31 | 3.3 | 0.25 |
| Endocrine System | 34 | 0.8 | 0.14 | 0.6 | 0.11 | 33 | 0.7 | 0.12 | 0.6 | 0.12 |
| Thyroid gland | 17 | 0.4 | 0.10 | 0.3 | 0.07 | 22 | 0.4 | 0.09 | 0.3 | 0.07 |
| Lymphomas | 408 | 10.1 | 0.50 | 6.1 | 0.33 | 429 | 7.3 | 0.37 | 4.3 | 0.25 |
| Hodgkin Lymphoma | 29 | 0.7 | 0.14 | 0.5 | 0.10 | 31 | 0.6 | 0.11 | 0.4 | 0.08 |
| Non-Hodgkin Lymphoma | 379 | 9.4 | 0.48 | 5.6 | 0.31 | 398 | 6.7 | 0.35 | 3.9 | 0.24 |
| Multiple Myeloma | 173 | 4.3 | 0.33 | 2.6 | 0.21 | 151 | 2.7 | 0.22 | 1.6 | 0.15 |
| Leukemias | 389 | 9.6 | 0.49 | 5.8 | 0.32 | 348 | 5.8 | 0.33 | 3.7 | 0.25 |
| Other, Ill-defined & Unknown | 638 | 15.8 | 0.63 | 10.2 | 0.43 | 680 | 11.9 | 0.48 | 7.6 | 0.35 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 9685 | 231.3 | 2.43 | 143.6 | 1.50 | | 8151 | 168.0 | 1.86 | 108.8 | 1.27 |
| Buccal Cavity & Pharynx | 144 | 3.2 | 0.27 | 2.2 | 0.19 | | 83 | 1.7 | 0.19 | 1.1 | 0.12 |
| Digestive System | 2347 | 55.3 | 1.18 | 34.9 | 0.74 | | 1726 | 35.7 | 0.86 | 21.9 | 0.56 |
| Esophagus | 299 | 6.6 | 0.39 | 4.6 | 0.27 | | 90 | 1.8 | 0.19 | 1.2 | 0.13 |
| Stomach | 207 | 4.9 | 0.35 | 3.0 | 0.22 | | 124 | 2.6 | 0.23 | 1.6 | 0.15 |
| Colon & Rectum | 1056 | 25.5 | 0.81 | 15.5 | 0.49 | | 836 | 17.4 | 0.60 | 10.4 | 0.38 |
| Liver | 233 | 5.2 | 0.35 | 3.6 | 0.24 | | 123 | 2.5 | 0.23 | 1.6 | 0.16 |
| Pancreas | 429 | 10.0 | 0.50 | 6.5 | 0.32 | | 437 | 9.0 | 0.43 | 5.6 | 0.29 |
| Respiratory System | 3289 | 76.4 | 1.37 | 49.0 | 0.88 | | 2542 | 52.3 | 1.04 | 34.1 | 0.71 |
| Larynx | 95 | 2.1 | 0.23 | 1.4 | 0.15 | | 31 | 0.6 | 0.11 | 0.4 | 0.08 |
| Lung & bronchus | 3175 | 73.7 | 1.34 | 47.3 | 0.86 | | 2502 | 51.5 | 1.03 | 33.6 | 0.71 |
| Skin | 247 | 5.7 | 0.37 | 3.8 | 0.25 | | 107 | 2.2 | 0.21 | 1.5 | 0.16 |
| Melanomas of the skin | 185 | 4.2 | 0.32 | 2.8 | 0.21 | | 86 | 1.8 | 0.19 | 1.3 | 0.14 |
| Breast | 14 | 0.3 | 0.09 | 0.2 | 0.06 | | 1205 | 24.8 | 0.71 | 16.9 | 0.51 |
| Female Genital System | - | - | - | - | - | | 705 | 14.6 | 0.55 | 9.9 | 0.39 |
| Cervix uteri | - | - | - | - | - | | 142 | 3.0 | 0.25 | 2.2 | 0.19 |
| Corpus & uterus, NOS | - | - | - | - | - | | 137 | 2.8 | 0.24 | 1.8 | 0.16 |
| Ovary | - | - | - | - | - | | 385 | 7.9 | 0.41 | 5.3 | 0.29 |
| Male Genital System | 957 | 26.4 | 0.89 | 13.2 | 0.44 | - | - | - | - | - | - |
| Prostate | 936 | 25.9 | 0.88 | 12.8 | 0.43 | - | - | - | - | - | - |
| Testis | 17 | 0.4 | 0.09 | 0.3 | 0.06 | - | - | - | - | - | - |
| Urinary System | 538 | 13.2 | 0.59 | 7.9 | 0.35 | | 234 | 4.8 | 0.32 | 2.8 | 0.20 |
| Bladder | 292 | 7.6 | 0.46 | 4.2 | 0.25 | | 119 | 2.5 | 0.23 | 1.4 | 0.14 |
| Kidney & renal pelvis | 235 | 5.4 | 0.36 | 3.5 | 0.24 | | 106 | 2.2 | 0.21 | 1.3 | 0.14 |
| Brain & Other Nervous System | 212 | 4.7 | 0.33 | 3.4 | 0.24 | | 137 | 2.8 | 0.24 | 2.1 | 0.19 |
| Endocrine System | 28 | 0.7 | 0.13 | 0.4 | 0.09 | | 27 | 0.6 | 0.11 | 0.4 | 0.08 |
| Thyroid gland | 16 | 0.4 | 0.10 | 0.2 | 0.06 | | 14 | 0.3 | 0.08 | 0.2 | 0.05 |
| Lymphomas | 389 | 9.4 | 0.49 | 5.8 | 0.30 | | 270 | 5.6 | 0.34 | 3.5 | 0.23 |
| Hodgkin Lymphoma | 22 | 0.5 | 0.10 | 0.4 | 0.08 | | 16 | 0.3 | 0.09 | 0.3 | 0.07 |
| Non-Hodgkin Lymphoma | 367 | 8.9 | 0.48 | 5.4 | 0.29 | | 254 | 5.2 | 0.33 | 3.3 | 0.22 |
| Multiple Myeloma | 156 | 3.7 | 0.31 | 2.3 | 0.19 | | 109 | 2.2 | 0.21 | 1.4 | 0.14 |
| Leukemias | 397 | 9.5 | 0.49 | 6.0 | 0.31 | | 254 | 5.3 | 0.33 | 3.4 | 0.24 |
| Other, Ill-defined & Unknown | 967 | 22.8 | 0.76 | 14.6 | 0.48 | | 752 | 15.5 | 0.57 | 9.7 | 0.38 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|-----------|------|---------------------|-----------|------|-----------|------|
| | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. |
| | | 1996 Cdn | | World | | | 1996 Cdn | | World | |
| All Sites | 6295 | 237.1 | 3.02 | 145.8 | 1.92 | 5843 | 161.1 | 2.15 | 104.9 | 1.55 |
| Buccal Cavity & Pharynx | 128 | 4.7 | 0.42 | 3.1 | 0.28 | 64 | 1.8 | 0.23 | 1.2 | 0.17 |
| Digestive System | 1620 | 60.8 | 1.52 | 37.9 | 0.98 | 1342 | 35.6 | 0.99 | 21.5 | 0.67 |
| Esophagus | 239 | 8.7 | 0.57 | 5.9 | 0.40 | 79 | 2.1 | 0.25 | 1.3 | 0.17 |
| Stomach | 145 | 5.4 | 0.45 | 3.4 | 0.29 | 90 | 2.2 | 0.24 | 1.3 | 0.15 |
| Colon & Rectum | 669 | 25.5 | 0.99 | 15.1 | 0.61 | 671 | 17.6 | 0.70 | 10.7 | 0.47 |
| Liver | 136 | 5.0 | 0.44 | 3.3 | 0.29 | 54 | 1.4 | 0.20 | 0.9 | 0.15 |
| Pancreas | 326 | 12.1 | 0.68 | 7.8 | 0.45 | 342 | 9.3 | 0.51 | 5.6 | 0.34 |
| Respiratory System | 1929 | 71.9 | 1.65 | 45.8 | 1.09 | 1496 | 43.3 | 1.14 | 29.1 | 0.83 |
| Larynx | 60 | 2.2 | 0.29 | 1.5 | 0.19 | 19 | 0.6 | 0.13 | 0.4 | 0.09 |
| Lung & bronchus | 1851 | 69.0 | 1.62 | 43.9 | 1.06 | 1465 | 42.4 | 1.13 | 28.5 | 0.82 |
| Skin | 142 | 5.2 | 0.44 | 3.4 | 0.30 | 84 | 2.4 | 0.26 | 1.7 | 0.20 |
| Melanomas of the skin | 102 | 3.6 | 0.36 | 2.5 | 0.25 | 65 | 1.9 | 0.24 | 1.4 | 0.19 |
| Breast | 11 | 0.4 | 0.13 | 0.3 | 0.08 | 922 | 25.3 | 0.85 | 17.1 | 0.63 |
| Female Genital System | - | - | - | - | - | 545 | 15.2 | 0.66 | 10.1 | 0.48 |
| Cervix uteri | - | - | - | - | - | 75 | 2.2 | 0.25 | 1.6 | 0.19 |
| Corpus & uterus, NOS | - | - | - | - | - | 148 | 4.0 | 0.34 | 2.6 | 0.24 |
| Ovary | - | - | - | - | - | 279 | 7.9 | 0.48 | 5.3 | 0.35 |
| Male Genital System | 647 | 26.3 | 1.04 | 12.9 | 0.53 | - | - | - | - | - |
| Prostate | 631 | 25.8 | 1.03 | 12.4 | 0.52 | - | - | - | - | - |
| Testis | 12 | 0.4 | 0.12 | 0.4 | 0.11 | - | - | - | - | - |
| Urinary System | 372 | 14.2 | 0.74 | 8.3 | 0.45 | 231 | 5.9 | 0.40 | 3.5 | 0.27 |
| Bladder | 231 | 9.1 | 0.60 | 5.0 | 0.34 | 110 | 2.7 | 0.26 | 1.4 | 0.16 |
| Kidney & renal pelvis | 137 | 5.0 | 0.43 | 3.2 | 0.28 | 113 | 3.0 | 0.29 | 1.9 | 0.21 |
| Brain & Other Nervous System | 177 | 6.2 | 0.47 | 4.5 | 0.36 | 129 | 3.8 | 0.34 | 2.9 | 0.28 |
| Endocrine System | 22 | 0.8 | 0.17 | 0.6 | 0.12 | 28 | 0.8 | 0.16 | 0.6 | 0.13 |
| Thyroid gland | 9 | 0.3 | 0.11 | 0.2 | 0.07 | 17 | 0.5 | 0.11 | 0.3 | 0.08 |
| Lymphomas | 312 | 11.5 | 0.66 | 7.0 | 0.42 | 226 | 6.1 | 0.41 | 3.7 | 0.29 |
| Hodgkin Lymphoma | 23 | 0.8 | 0.18 | 0.5 | 0.11 | 10 | 0.3 | 0.10 | 0.2 | 0.09 |
| Non-Hodgkin Lymphoma | 289 | 10.7 | 0.64 | 6.5 | 0.40 | 216 | 5.8 | 0.40 | 3.5 | 0.27 |
| Multiple Myeloma | 111 | 4.2 | 0.40 | 2.6 | 0.25 | 84 | 2.2 | 0.25 | 1.3 | 0.16 |
| Leukemias | 258 | 9.7 | 0.61 | 6.1 | 0.40 | 182 | 5.1 | 0.38 | 3.4 | 0.30 |
| Other, Ill-defined & Unknown | 566 | 21.2 | 0.90 | 13.4 | 0.59 | 510 | 13.7 | 0.62 | 8.7 | 0.45 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 44781 | 236.0 | 1.12 | 146.2 | 0.73 | | 45825 | 168.2 | 0.80 | 109.3 | 0.58 |
| Buccal Cavity & Pharynx | 767 | 3.9 | 0.14 | 2.8 | 0.11 | | 391 | 1.4 | 0.07 | 0.9 | 0.05 |
| Digestive System | 11749 | 61.8 | 0.57 | 38.6 | 0.38 | | 10882 | 37.9 | 0.37 | 22.8 | 0.25 |
| Esophagus | 1458 | 7.6 | 0.20 | 5.1 | 0.14 | | 504 | 1.8 | 0.08 | 1.2 | 0.06 |
| Stomach | 1466 | 7.7 | 0.20 | 4.8 | 0.13 | | 1073 | 3.8 | 0.12 | 2.3 | 0.08 |
| Colon & Rectum | 4832 | 25.7 | 0.37 | 15.4 | 0.23 | | 5236 | 17.9 | 0.25 | 10.5 | 0.17 |
| Liver | 1060 | 5.5 | 0.17 | 3.7 | 0.12 | | 511 | 1.8 | 0.08 | 1.1 | 0.06 |
| Pancreas | 2257 | 11.8 | 0.25 | 7.5 | 0.17 | | 2643 | 9.4 | 0.19 | 5.8 | 0.13 |
| Respiratory System | 13728 | 71.9 | 0.62 | 46.0 | 0.41 | | 10601 | 40.1 | 0.40 | 26.6 | 0.29 |
| Larynx | 489 | 2.5 | 0.12 | 1.7 | 0.08 | | 143 | 0.6 | 0.05 | 0.4 | 0.04 |
| Lung & bronchus | 13130 | 68.8 | 0.60 | 43.9 | 0.40 | | 10395 | 39.3 | 0.39 | 26.1 | 0.29 |
| Skin | 973 | 5.1 | 0.16 | 3.3 | 0.11 | | 554 | 2.0 | 0.09 | 1.3 | 0.06 |
| Melanomas of the skin | 769 | 4.0 | 0.14 | 2.6 | 0.10 | | 465 | 1.7 | 0.08 | 1.2 | 0.06 |
| Breast | 76 | 0.4 | 0.05 | 0.3 | 0.03 | | 7583 | 28.8 | 0.34 | 19.8 | 0.25 |
| Female Genital System | - | - | - | - | - | | 4692 | 17.8 | 0.27 | 12.1 | 0.20 |
| Cervix uteri | - | - | - | - | - | | 723 | 3.0 | 0.11 | 2.2 | 0.09 |
| Corpus & uterus, NOS | - | - | - | - | - | | 1305 | 4.8 | 0.14 | 3.2 | 0.10 |
| Ovary | - | - | - | - | - | | 2401 | 9.1 | 0.19 | 6.2 | 0.14 |
| Male Genital System | 5065 | 27.7 | 0.39 | 14.1 | 0.21 | - | - | - | - | - | - |
| Prostate | 4995 | 27.3 | 0.39 | 13.8 | 0.21 | - | - | - | - | - | - |
| Testis | 38 | 0.2 | 0.03 | 0.2 | 0.03 | - | - | - | - | - | - |
| Urinary System | 2589 | 13.8 | 0.27 | 8.2 | 0.17 | | 1501 | 5.2 | 0.14 | 3.1 | 0.09 |
| Bladder | 1492 | 8.1 | 0.21 | 4.4 | 0.12 | | 749 | 2.4 | 0.09 | 1.3 | 0.06 |
| Kidney & renal pelvis | 1046 | 5.5 | 0.17 | 3.6 | 0.12 | | 716 | 2.6 | 0.10 | 1.7 | 0.07 |
| Brain & Other Nervous System | 906 | 4.6 | 0.15 | 3.4 | 0.12 | | 806 | 3.3 | 0.12 | 2.5 | 0.10 |
| Endocrine System | 149 | 0.8 | 0.06 | 0.6 | 0.05 | | 202 | 0.8 | 0.06 | 0.5 | 0.05 |
| Thyroid gland | 86 | 0.5 | 0.05 | 0.3 | 0.03 | | 142 | 0.5 | 0.04 | 0.3 | 0.03 |
| Lymphomas | 2115 | 11.0 | 0.24 | 7.0 | 0.16 | | 1987 | 7.2 | 0.17 | 4.5 | 0.12 |
| Hodgkin Lymphoma | 109 | 0.6 | 0.05 | 0.4 | 0.04 | | 116 | 0.5 | 0.05 | 0.4 | 0.04 |
| Non-Hodgkin Lymphoma | 2006 | 10.5 | 0.23 | 6.6 | 0.16 | | 1871 | 6.7 | 0.16 | 4.1 | 0.11 |
| Multiple Myeloma | 817 | 4.3 | 0.15 | 2.6 | 0.09 | | 892 | 3.2 | 0.11 | 1.9 | 0.07 |
| Leukemias | 1816 | 9.6 | 0.23 | 6.1 | 0.15 | | 1513 | 5.4 | 0.14 | 3.5 | 0.11 |
| Other, Ill-defined & Unknown | 4031 | 21.2 | 0.33 | 13.4 | 0.22 | | 4221 | 15.2 | 0.24 | 9.7 | 0.17 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. |
| | | 1996 | Cdn | | S.E. | World | | 1996 | Cdn | |
| All Sites | 7459 | 192.6 | 2.24 | 118.1 | 1.43 | | 6710 | 136.0 | 1.67 | 87.4 |
| Buccal Cavity & Pharynx | 122 | 3.0 | 0.28 | 2.1 | 0.20 | | 72 | 1.5 | 0.18 | 0.9 |
| Digestive System | 1978 | 50.6 | 1.14 | 32.0 | 0.75 | | 1613 | 32.1 | 0.81 | 19.4 |
| Esophagus | 216 | 5.5 | 0.38 | 3.5 | 0.25 | | 56 | 1.1 | 0.15 | 0.7 |
| Stomach | 253 | 6.5 | 0.41 | 4.0 | 0.27 | | 183 | 3.7 | 0.27 | 2.3 |
| Colon & Rectum | 748 | 19.3 | 0.71 | 11.9 | 0.45 | | 701 | 13.7 | 0.52 | 8.2 |
| Liver | 246 | 6.1 | 0.39 | 4.2 | 0.28 | | 121 | 2.4 | 0.22 | 1.5 |
| Pancreas | 395 | 10.0 | 0.51 | 6.5 | 0.34 | | 388 | 7.9 | 0.40 | 4.7 |
| Respiratory System | 1999 | 51.4 | 1.15 | 31.8 | 0.74 | | 1411 | 29.1 | 0.78 | 18.5 |
| Larynx | 74 | 1.9 | 0.22 | 1.1 | 0.14 | | 27 | 0.5 | 0.11 | 0.3 |
| Lung & bronchus | 1908 | 49.0 | 1.13 | 30.3 | 0.72 | | 1376 | 28.4 | 0.77 | 18.1 |
| Skin | 191 | 4.9 | 0.36 | 3.2 | 0.24 | | 96 | 1.9 | 0.20 | 1.3 |
| Melanomas of the skin | 130 | 3.3 | 0.29 | 2.2 | 0.20 | | 75 | 1.5 | 0.18 | 1.1 |
| Breast | 10 | 0.2 | 0.08 | 0.2 | 0.06 | | 1072 | 22.1 | 0.68 | 15.3 |
| Female Genital System | - | - | - | - | - | | 672 | 13.9 | 0.54 | 9.4 |
| Cervix uteri | - | - | - | - | - | | 118 | 2.5 | 0.23 | 1.9 |
| Corpus & uterus, NOS | - | - | - | - | - | | 165 | 3.3 | 0.26 | 2.0 |
| Ovary | - | - | - | - | - | | 363 | 7.5 | 0.40 | 5.2 |
| Male Genital System | 955 | 26.2 | 0.85 | 13.1 | 0.44 | | - | - | - | - |
| Prostate | 931 | 25.6 | 0.84 | 12.6 | 0.43 | | - | - | - | - |
| Testis | 12 | 0.3 | 0.09 | 0.2 | 0.07 | | - | - | - | - |
| Urinary System | 456 | 11.8 | 0.55 | 7.2 | 0.35 | | 220 | 4.3 | 0.29 | 2.6 |
| Bladder | 204 | 5.4 | 0.38 | 3.0 | 0.22 | | 97 | 1.8 | 0.19 | 1.0 |
| Kidney & renal pelvis | 244 | 6.2 | 0.40 | 4.1 | 0.27 | | 113 | 2.3 | 0.21 | 1.5 |
| Brain & Other Nervous System | 174 | 4.3 | 0.32 | 3.1 | 0.24 | | 148 | 3.1 | 0.25 | 2.3 |
| Endocrine System | 34 | 0.8 | 0.14 | 0.7 | 0.12 | | 36 | 0.7 | 0.12 | 0.5 |
| Thyroid gland | 19 | 0.5 | 0.11 | 0.3 | 0.08 | | 29 | 0.6 | 0.11 | 0.4 |
| Lymphomas | 313 | 8.0 | 0.45 | 5.1 | 0.30 | | 279 | 5.7 | 0.34 | 3.5 |
| Hodgkin Lymphoma | 17 | 0.4 | 0.10 | 0.3 | 0.08 | | 19 | 0.4 | 0.10 | 0.3 |
| Non-Hodgkin Lymphoma | 296 | 7.5 | 0.44 | 4.8 | 0.29 | | 260 | 5.2 | 0.33 | 3.2 |
| Multiple Myeloma | 148 | 3.8 | 0.31 | 2.3 | 0.20 | | 156 | 3.2 | 0.25 | 2.0 |
| Leukemias | 321 | 8.2 | 0.46 | 5.3 | 0.31 | | 226 | 4.5 | 0.30 | 2.8 |
| Other, Ill-defined & Unknown | 758 | 19.5 | 0.71 | 12.1 | 0.46 | | 709 | 14.1 | 0.54 | 8.8 |
| | | | | | | | | | | 0.36 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 91816 | 220.7 | 0.73 | 137.7 | 0.48 | | 94243 | 156.8 | 0.52 | 102.6 | 0.38 |
| Buccal Cavity & Pharynx | 1677 | 3.9 | 0.10 | 2.8 | 0.07 | | 839 | 1.4 | 0.05 | 0.9 | 0.04 |
| Digestive System | 25169 | 60.4 | 0.38 | 38.0 | 0.25 | | 23500 | 37.2 | 0.25 | 22.7 | 0.17 |
| Esophagus | 3089 | 7.3 | 0.13 | 5.0 | 0.09 | | 1130 | 1.8 | 0.06 | 1.2 | 0.04 |
| Stomach | 3062 | 7.4 | 0.13 | 4.6 | 0.09 | | 2408 | 3.8 | 0.08 | 2.3 | 0.06 |
| Colon & Rectum | 10281 | 24.9 | 0.25 | 15.0 | 0.16 | | 11039 | 17.2 | 0.17 | 10.3 | 0.11 |
| Liver | 2455 | 5.8 | 0.12 | 4.0 | 0.08 | | 1181 | 1.9 | 0.06 | 1.2 | 0.04 |
| Pancreas | 4997 | 12.0 | 0.17 | 7.5 | 0.11 | | 5737 | 9.2 | 0.12 | 5.6 | 0.08 |
| Respiratory System | 27874 | 66.6 | 0.40 | 43.0 | 0.27 | | 21629 | 37.0 | 0.26 | 24.6 | 0.19 |
| Larynx | 1129 | 2.7 | 0.08 | 1.8 | 0.06 | | 319 | 0.6 | 0.03 | 0.4 | 0.02 |
| Lung & bronchus | 26533 | 63.4 | 0.39 | 40.9 | 0.26 | | 21182 | 36.2 | 0.25 | 24.1 | 0.18 |
| Skin | 1782 | 4.2 | 0.10 | 2.8 | 0.07 | | 1056 | 1.8 | 0.06 | 1.2 | 0.04 |
| Melanomas of the skin | 1362 | 3.2 | 0.09 | 2.1 | 0.06 | | 837 | 1.5 | 0.05 | 1.0 | 0.04 |
| Breast | 182 | 0.4 | 0.03 | 0.3 | 0.02 | | 15919 | 27.3 | 0.22 | 18.8 | 0.17 |
| Female Genital System | - | - | - | - | - | | 9824 | 16.9 | 0.17 | 11.6 | 0.13 |
| Cervix uteri | - | - | - | - | - | | 1582 | 2.9 | 0.08 | 2.2 | 0.06 |
| Corpus & uterus, NOS | - | - | - | - | - | | 2676 | 4.5 | 0.09 | 3.0 | 0.06 |
| Ovary | - | - | - | - | - | | 5005 | 8.6 | 0.12 | 5.9 | 0.09 |
| Male Genital System | 10761 | 26.9 | 0.26 | 13.7 | 0.14 | - | - | - | - | - | - |
| Prostate | 10564 | 26.4 | 0.26 | 13.4 | 0.14 | - | - | - | - | - | - |
| Testis | 99 | 0.2 | 0.02 | 0.2 | 0.02 | - | - | - | - | - | - |
| Urinary System | 5324 | 12.9 | 0.18 | 7.6 | 0.11 | | 2960 | 4.7 | 0.09 | 2.8 | 0.06 |
| Bladder | 3110 | 7.7 | 0.14 | 4.2 | 0.08 | | 1509 | 2.3 | 0.06 | 1.3 | 0.04 |
| Kidney & renal pelvis | 2120 | 5.0 | 0.11 | 3.3 | 0.07 | | 1374 | 2.3 | 0.06 | 1.5 | 0.05 |
| Brain & Other Nervous System | 1942 | 4.5 | 0.10 | 3.4 | 0.08 | | 1739 | 3.1 | 0.08 | 2.3 | 0.06 |
| Endocrine System | 315 | 0.7 | 0.04 | 0.6 | 0.04 | | 462 | 0.8 | 0.04 | 0.6 | 0.03 |
| Thyroid gland | 167 | 0.4 | 0.03 | 0.3 | 0.02 | | 310 | 0.5 | 0.03 | 0.3 | 0.02 |
| Lymphomas | 4255 | 10.1 | 0.16 | 6.6 | 0.11 | | 4063 | 6.7 | 0.11 | 4.3 | 0.08 |
| Hodgkin Lymphoma | 263 | 0.6 | 0.04 | 0.5 | 0.03 | | 247 | 0.5 | 0.03 | 0.3 | 0.02 |
| Non-Hodgkin Lymphoma | 3992 | 9.5 | 0.15 | 6.1 | 0.10 | | 3816 | 6.2 | 0.10 | 3.9 | 0.07 |
| Multiple Myeloma | 1620 | 3.9 | 0.10 | 2.4 | 0.06 | | 1717 | 2.8 | 0.07 | 1.7 | 0.05 |
| Leukemias | 3756 | 9.0 | 0.15 | 5.8 | 0.10 | | 3189 | 5.2 | 0.10 | 3.4 | 0.07 |
| Other, Ill-defined & Unknown | 7159 | 17.1 | 0.20 | 10.9 | 0.14 | | 7346 | 12.0 | 0.14 | 7.8 | 0.10 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. |
| | | 1996 | Cdn | | S.E. | World | | 1996 | Cdn | |
| All Sites | 41789 | 253.0 | 1.26 | 158.8 | 0.80 | | 36407 | 153.8 | 0.82 | 101.7 |
| Buccal Cavity & Pharynx | 667 | 3.8 | 0.15 | 2.7 | 0.11 | | 411 | 1.7 | 0.08 | 1.0 |
| Digestive System | 9061 | 54.3 | 0.58 | 34.8 | 0.38 | | 8163 | 33.3 | 0.37 | 20.6 |
| Esophagus | 1201 | 6.9 | 0.20 | 4.8 | 0.14 | | 391 | 1.6 | 0.08 | 1.1 |
| Stomach | 907 | 5.5 | 0.18 | 3.4 | 0.12 | | 715 | 2.9 | 0.11 | 1.7 |
| Colon & Rectum | 3673 | 22.4 | 0.37 | 14.0 | 0.24 | | 3889 | 15.8 | 0.26 | 9.8 |
| Liver | 751 | 4.3 | 0.16 | 3.0 | 0.11 | | 354 | 1.5 | 0.08 | 0.9 |
| Pancreas | 1997 | 12.0 | 0.27 | 7.7 | 0.18 | | 2083 | 8.5 | 0.19 | 5.2 |
| Respiratory System | 15587 | 92.4 | 0.75 | 60.0 | 0.50 | | 8948 | 38.7 | 0.41 | 26.4 |
| Larynx | 478 | 2.8 | 0.13 | 1.9 | 0.09 | | 103 | 0.4 | 0.04 | 0.3 |
| Lung & bronchus | 15004 | 89.0 | 0.73 | 57.8 | 0.49 | | 8789 | 38.0 | 0.41 | 26.0 |
| Skin | 986 | 5.8 | 0.19 | 3.9 | 0.13 | | 538 | 2.3 | 0.10 | 1.5 |
| Melanomas of the skin | 710 | 4.1 | 0.16 | 2.8 | 0.11 | | 420 | 1.8 | 0.09 | 1.3 |
| Breast | 55 | 0.3 | 0.04 | 0.2 | 0.03 | | 5778 | 25.2 | 0.34 | 17.8 |
| Female Genital System | - | - | - | - | - | | 3643 | 15.6 | 0.26 | 10.5 |
| Cervix uteri | - | - | - | - | - | | 652 | 3.0 | 0.12 | 2.2 |
| Corpus & uterus, NOS | - | - | - | - | - | | 902 | 3.8 | 0.13 | 2.5 |
| Ovary | - | - | - | - | - | | 1866 | 7.9 | 0.19 | 5.3 |
| Male Genital System | 4806 | 32.5 | 0.48 | 16.2 | 0.24 | - | - | - | - | - |
| Prostate | 4720 | 31.9 | 0.47 | 15.9 | 0.24 | - | - | - | - | - |
| Testis | 40 | 0.2 | 0.04 | 0.2 | 0.03 | - | - | - | - | - |
| Urinary System | 2059 | 12.7 | 0.28 | 7.7 | 0.18 | | 1167 | 4.7 | 0.14 | 2.8 |
| Bladder | 939 | 6.1 | 0.20 | 3.3 | 0.11 | | 512 | 2.0 | 0.09 | 1.1 |
| Kidney & renal pelvis | 1067 | 6.3 | 0.20 | 4.2 | 0.13 | | 609 | 2.5 | 0.10 | 1.6 |
| Brain & Other Nervous System | 966 | 5.4 | 0.18 | 4.0 | 0.13 | | 878 | 3.9 | 0.13 | 3.0 |
| Endocrine System | 140 | 0.8 | 0.07 | 0.6 | 0.06 | | 127 | 0.6 | 0.05 | 0.4 |
| Thyroid gland | 78 | 0.5 | 0.05 | 0.3 | 0.04 | | 79 | 0.3 | 0.04 | 0.2 |
| Lymphomas | 1630 | 9.8 | 0.25 | 6.3 | 0.16 | | 1497 | 6.2 | 0.16 | 3.9 |
| Hodgkin Lymphoma | 85 | 0.5 | 0.05 | 0.4 | 0.04 | | 76 | 0.3 | 0.04 | 0.3 |
| Non-Hodgkin Lymphoma | 1545 | 9.3 | 0.24 | 5.9 | 0.16 | | 1421 | 5.9 | 0.16 | 3.6 |
| Multiple Myeloma | 825 | 5.1 | 0.18 | 3.1 | 0.11 | | 814 | 3.3 | 0.12 | 2.0 |
| Leukemias | 1528 | 9.3 | 0.24 | 5.9 | 0.16 | | 1287 | 5.3 | 0.15 | 3.5 |
| Other, Ill-defined & Unknown | 3479 | 20.9 | 0.36 | 13.3 | 0.23 | | 3156 | 13.1 | 0.24 | 8.3 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 3632 | 215.6 | 3.60 | 132.2 | 2.41 | | 3133 | 141.7 | 2.68 | 92.8 | 2.00 |
| Buccal Cavity & Pharynx | 73 | 4.4 | 0.52 | 2.9 | 0.37 | | 25 | 1.2 | 0.24 | 0.7 | 0.17 |
| Digestive System | 901 | 53.5 | 1.79 | 32.7 | 1.20 | | 781 | 32.1 | 1.23 | 19.3 | 0.86 |
| Esophagus | 111 | 6.7 | 0.64 | 4.4 | 0.45 | | 28 | 1.2 | 0.24 | 0.8 | 0.18 |
| Stomach | 107 | 6.4 | 0.62 | 3.9 | 0.42 | | 57 | 2.2 | 0.32 | 1.3 | 0.22 |
| Colon & Rectum | 377 | 22.3 | 1.15 | 13.6 | 0.77 | | 366 | 14.8 | 0.83 | 8.9 | 0.58 |
| Liver | 68 | 4.1 | 0.50 | 2.6 | 0.35 | | 34 | 1.4 | 0.25 | 0.8 | 0.18 |
| Pancreas | 169 | 10.0 | 0.78 | 5.9 | 0.50 | | 209 | 8.7 | 0.64 | 5.0 | 0.43 |
| Respiratory System | 1042 | 63.3 | 1.97 | 41.3 | 1.39 | | 623 | 31.0 | 1.29 | 21.8 | 0.99 |
| Larynx | 42 | 2.6 | 0.40 | 1.8 | 0.29 | | 14 | 0.7 | 0.21 | 0.6 | 0.16 |
| Lung & bronchus | 991 | 60.2 | 1.92 | 39.2 | 1.35 | | 608 | 30.2 | 1.27 | 21.1 | 0.98 |
| Skin | 48 | 2.9 | 0.42 | 2.0 | 0.31 | | 38 | 1.6 | 0.28 | 1.0 | 0.21 |
| Melanomas of the skin | 37 | 2.2 | 0.37 | 1.6 | 0.28 | | 27 | 1.2 | 0.24 | 0.8 | 0.19 |
| Breast | 10 | 0.6 | 0.19 | 0.3 | 0.11 | | 522 | 24.2 | 1.12 | 16.3 | 0.85 |
| Female Genital System | - | - | - | - | - | | 308 | 14.1 | 0.85 | 9.2 | 0.62 |
| Cervix uteri | - | - | - | - | - | | 46 | 2.5 | 0.39 | 1.9 | 0.31 |
| Corpus & uterus, NOS | - | - | - | - | - | | 70 | 2.7 | 0.35 | 1.5 | 0.23 |
| Ovary | - | - | - | - | - | | 169 | 7.9 | 0.64 | 5.1 | 0.46 |
| Male Genital System | 507 | 28.7 | 1.28 | 14.4 | 0.71 | - | - | - | - | - | - |
| Prostate | 496 | 28.0 | 1.26 | 13.9 | 0.69 | - | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 240 | 14.2 | 0.92 | 8.7 | 0.61 | | 117 | 5.1 | 0.50 | 3.2 | 0.36 |
| Bladder | 123 | 7.2 | 0.65 | 4.1 | 0.40 | | 45 | 1.8 | 0.28 | 1.0 | 0.18 |
| Kidney & renal pelvis | 112 | 6.7 | 0.64 | 4.4 | 0.45 | | 68 | 3.1 | 0.40 | 2.1 | 0.31 |
| Brain & Other Nervous System | 98 | 6.0 | 0.61 | 4.3 | 0.48 | | 99 | 5.4 | 0.56 | 4.4 | 0.51 |
| Endocrine System | 6 | 0.3 | 0.14 | 0.2 | 0.07 | | 17 | 0.7 | 0.19 | 0.4 | 0.13 |
| Thyroid gland | - | - | - | - | - | | 10 | 0.3 | 0.11 | 0.2 | 0.07 |
| Lymphomas | 185 | 11.1 | 0.82 | 7.0 | 0.56 | | 150 | 6.6 | 0.57 | 4.1 | 0.41 |
| Hodgkin Lymphoma | 9 | 0.6 | 0.19 | 0.4 | 0.15 | | 6 | 0.4 | 0.15 | 0.3 | 0.13 |
| Non-Hodgkin Lymphoma | 176 | 10.6 | 0.80 | 6.6 | 0.54 | | 144 | 6.3 | 0.55 | 3.8 | 0.39 |
| Multiple Myeloma | 62 | 3.7 | 0.47 | 2.2 | 0.31 | | 70 | 3.0 | 0.38 | 1.8 | 0.27 |
| Leukemias | 202 | 11.7 | 0.83 | 7.0 | 0.55 | | 130 | 5.7 | 0.52 | 3.5 | 0.38 |
| Other, Ill-defined & Unknown | 258 | 15.2 | 0.95 | 9.2 | 0.63 | | 253 | 11.1 | 0.75 | 7.1 | 0.55 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 | Cdn | | S.E. | World | | 1996 | Cdn | | |
| All Sites | 64174 | 250.1 | 0.99 | 156.4 | 0.65 | | 60496 | 166.2 | 0.69 | 109.0 | 0.50 |
| Buccal Cavity & Pharynx | 1044 | 4.0 | 0.12 | 2.8 | 0.09 | | 508 | 1.4 | 0.06 | 0.9 | 0.05 |
| Digestive System | 15150 | 58.9 | 0.48 | 37.0 | 0.32 | | 13485 | 35.2 | 0.31 | 21.5 | 0.21 |
| Esophagus | 2149 | 8.2 | 0.18 | 5.6 | 0.13 | | 654 | 1.8 | 0.07 | 1.1 | 0.05 |
| Stomach | 1461 | 5.7 | 0.15 | 3.5 | 0.10 | | 955 | 2.4 | 0.08 | 1.4 | 0.05 |
| Colon & Rectum | 6617 | 26.1 | 0.32 | 15.8 | 0.20 | | 7006 | 18.1 | 0.22 | 10.9 | 0.15 |
| Liver | 1163 | 4.4 | 0.13 | 3.0 | 0.09 | | 561 | 1.5 | 0.07 | 0.9 | 0.05 |
| Pancreas | 2904 | 11.2 | 0.21 | 7.2 | 0.14 | | 3117 | 8.2 | 0.15 | 5.0 | 0.10 |
| Respiratory System | 22149 | 85.4 | 0.58 | 55.6 | 0.39 | | 15153 | 43.0 | 0.36 | 29.1 | 0.26 |
| Larynx | 657 | 2.5 | 0.10 | 1.7 | 0.07 | | 205 | 0.6 | 0.04 | 0.4 | 0.03 |
| Lung & bronchus | 21348 | 82.3 | 0.57 | 53.5 | 0.38 | | 14856 | 42.2 | 0.35 | 28.5 | 0.26 |
| Skin | 1258 | 4.8 | 0.14 | 3.3 | 0.10 | | 724 | 2.1 | 0.08 | 1.4 | 0.06 |
| Melanomas of the skin | 975 | 3.7 | 0.12 | 2.6 | 0.09 | | 587 | 1.7 | 0.07 | 1.2 | 0.06 |
| Breast | 89 | 0.3 | 0.04 | 0.2 | 0.02 | | 9682 | 27.4 | 0.28 | 18.8 | 0.21 |
| Female Genital System | - | - | - | - | - | | 5763 | 16.3 | 0.22 | 11.0 | 0.16 |
| Cervix uteri | - | - | - | - | - | | 883 | 2.8 | 0.09 | 2.1 | 0.07 |
| Corpus & uterus, NOS | - | - | - | - | - | | 1560 | 4.3 | 0.11 | 2.8 | 0.08 |
| Ovary | - | - | - | - | - | | 2949 | 8.3 | 0.16 | 5.6 | 0.12 |
| Male Genital System | 6906 | 28.4 | 0.34 | 14.2 | 0.18 | - | - | - | - | - | |
| Prostate | 6771 | 27.9 | 0.34 | 13.9 | 0.18 | - | - | - | - | - | |
| Testis | 84 | 0.3 | 0.04 | 0.3 | 0.03 | - | - | - | - | - | |
| Urinary System | 3616 | 14.3 | 0.24 | 8.6 | 0.15 | | 2065 | 5.4 | 0.12 | 3.3 | 0.08 |
| Bladder | 1915 | 7.7 | 0.18 | 4.2 | 0.10 | | 911 | 2.2 | 0.08 | 1.2 | 0.05 |
| Kidney & renal pelvis | 1639 | 6.3 | 0.16 | 4.2 | 0.11 | | 1092 | 3.0 | 0.09 | 2.0 | 0.07 |
| Brain & Other Nervous System | 1485 | 5.6 | 0.15 | 4.2 | 0.11 | | 1166 | 3.5 | 0.10 | 2.6 | 0.09 |
| Endocrine System | 225 | 0.9 | 0.06 | 0.6 | 0.04 | | 241 | 0.7 | 0.04 | 0.5 | 0.04 |
| Thyroid gland | 119 | 0.5 | 0.04 | 0.3 | 0.03 | | 141 | 0.4 | 0.03 | 0.2 | 0.02 |
| Lymphomas | 2977 | 11.5 | 0.21 | 7.3 | 0.14 | | 2830 | 7.6 | 0.15 | 4.7 | 0.10 |
| Hodgkin Lymphoma | 154 | 0.6 | 0.05 | 0.4 | 0.04 | | 140 | 0.4 | 0.04 | 0.3 | 0.03 |
| Non-Hodgkin Lymphoma | 2823 | 10.9 | 0.21 | 6.9 | 0.14 | | 2690 | 7.1 | 0.14 | 4.4 | 0.10 |
| Multiple Myeloma | 1182 | 4.6 | 0.13 | 2.8 | 0.09 | | 1139 | 3.0 | 0.09 | 1.9 | 0.06 |
| Leukemias | 2511 | 9.8 | 0.20 | 6.2 | 0.13 | | 2158 | 5.8 | 0.13 | 3.7 | 0.10 |
| Other, Ill-defined & Unknown | 5582 | 21.7 | 0.29 | 13.7 | 0.19 | | 5582 | 15.0 | 0.21 | 9.6 | 0.15 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 19439 | 246.3 | 1.77 | 155.1 | 1.17 | | 17032 | 158.6 | 1.24 | 105.4 | 0.91 |
| Buccal Cavity & Pharynx | 296 | 3.6 | 0.21 | 2.6 | 0.16 | | 149 | 1.3 | 0.11 | 0.9 | 0.08 |
| Digestive System | 4225 | 53.4 | 0.82 | 33.9 | 0.55 | | 3613 | 31.9 | 0.55 | 19.7 | 0.38 |
| Esophagus | 540 | 6.7 | 0.29 | 4.5 | 0.20 | | 139 | 1.3 | 0.11 | 0.8 | 0.08 |
| Stomach | 354 | 4.5 | 0.24 | 2.9 | 0.16 | | 249 | 2.2 | 0.14 | 1.3 | 0.10 |
| Colon & Rectum | 1851 | 23.6 | 0.55 | 14.3 | 0.35 | | 1856 | 16.1 | 0.39 | 9.9 | 0.27 |
| Liver | 362 | 4.5 | 0.24 | 3.0 | 0.16 | | 205 | 1.8 | 0.13 | 1.1 | 0.09 |
| Pancreas | 890 | 11.2 | 0.38 | 7.3 | 0.25 | | 864 | 7.7 | 0.27 | 4.8 | 0.19 |
| Respiratory System | 7269 | 91.3 | 1.07 | 59.2 | 0.73 | | 4605 | 44.2 | 0.66 | 30.1 | 0.49 |
| Larynx | 191 | 2.4 | 0.17 | 1.6 | 0.12 | | 52 | 0.5 | 0.07 | 0.3 | 0.05 |
| Lung & bronchus | 7042 | 88.5 | 1.06 | 57.3 | 0.71 | | 4533 | 43.5 | 0.66 | 29.6 | 0.48 |
| Skin | 550 | 6.9 | 0.30 | 4.7 | 0.21 | | 286 | 2.7 | 0.16 | 1.8 | 0.12 |
| Melanomas of the skin | 388 | 4.8 | 0.25 | 3.4 | 0.18 | | 228 | 2.2 | 0.15 | 1.5 | 0.11 |
| Breast | 24 | 0.3 | 0.06 | 0.2 | 0.05 | | 2603 | 25.1 | 0.50 | 17.6 | 0.38 |
| Female Genital System | - | - | - | - | - | | 1557 | 14.9 | 0.39 | 10.1 | 0.29 |
| Cervix uteri | - | - | - | - | - | | 312 | 3.4 | 0.19 | 2.4 | 0.15 |
| Corpus & uterus, NOS | - | - | - | - | - | | 383 | 3.6 | 0.19 | 2.3 | 0.13 |
| Ovary | - | - | - | - | - | | 797 | 7.5 | 0.27 | 5.0 | 0.20 |
| Male Genital System | 1965 | 26.0 | 0.59 | 13.0 | 0.31 | - | - | - | - | - | - |
| Prostate | 1928 | 25.6 | 0.58 | 12.6 | 0.30 | - | - | - | - | - | - |
| Testis | 21 | 0.3 | 0.06 | 0.2 | 0.05 | - | - | - | - | - | - |
| Urinary System | 1050 | 13.4 | 0.41 | 8.1 | 0.26 | | 567 | 5.1 | 0.22 | 3.2 | 0.16 |
| Bladder | 496 | 6.5 | 0.29 | 3.5 | 0.17 | | 199 | 1.6 | 0.12 | 0.9 | 0.08 |
| Kidney & renal pelvis | 537 | 6.7 | 0.29 | 4.5 | 0.20 | | 352 | 3.3 | 0.18 | 2.2 | 0.14 |
| Brain & Other Nervous System | 457 | 5.6 | 0.26 | 4.2 | 0.21 | | 351 | 3.6 | 0.19 | 2.6 | 0.16 |
| Endocrine System | 52 | 0.6 | 0.09 | 0.5 | 0.07 | | 65 | 0.6 | 0.08 | 0.5 | 0.07 |
| Thyroid gland | 30 | 0.4 | 0.07 | 0.2 | 0.05 | | 34 | 0.3 | 0.06 | 0.2 | 0.04 |
| Lymphomas | 817 | 10.4 | 0.37 | 6.6 | 0.24 | | 807 | 7.2 | 0.26 | 4.5 | 0.18 |
| Hodgkin Lymphoma | 51 | 0.6 | 0.09 | 0.4 | 0.06 | | 34 | 0.4 | 0.06 | 0.3 | 0.05 |
| Non-Hodgkin Lymphoma | 766 | 9.7 | 0.35 | 6.2 | 0.23 | | 773 | 6.9 | 0.25 | 4.2 | 0.18 |
| Multiple Myeloma | 310 | 3.9 | 0.22 | 2.4 | 0.14 | | 300 | 2.7 | 0.16 | 1.8 | 0.11 |
| Leukemias | 802 | 10.2 | 0.36 | 6.5 | 0.24 | | 643 | 5.7 | 0.23 | 3.7 | 0.17 |
| Other, Ill-defined & Unknown | 1622 | 20.5 | 0.51 | 13.1 | 0.34 | | 1486 | 13.5 | 0.36 | 8.8 | 0.26 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 | Cdn | | S.E. | World | | 1996 | Cdn | | |
| All Sites | 17882 | 222.7 | 1.67 | 137.0 | 1.10 | | 16770 | 161.3 | 1.28 | 105.7 | 0.93 |
| Buccal Cavity & Pharynx | 310 | 3.8 | 0.22 | 2.6 | 0.16 | | 224 | 2.1 | 0.15 | 1.3 | 0.10 |
| Digestive System | 4108 | 51.0 | 0.80 | 32.0 | 0.53 | | 3494 | 31.8 | 0.56 | 19.5 | 0.39 |
| Esophagus | 658 | 8.1 | 0.32 | 5.4 | 0.22 | | 185 | 1.7 | 0.13 | 1.1 | 0.09 |
| Stomach | 376 | 4.7 | 0.24 | 2.8 | 0.16 | | 237 | 2.2 | 0.15 | 1.3 | 0.10 |
| Colon & Rectum | 1690 | 21.1 | 0.51 | 12.8 | 0.33 | | 1633 | 14.4 | 0.37 | 8.6 | 0.25 |
| Liver | 305 | 3.7 | 0.21 | 2.6 | 0.16 | | 154 | 1.5 | 0.13 | 1.1 | 0.10 |
| Pancreas | 845 | 10.5 | 0.36 | 6.6 | 0.24 | | 962 | 9.0 | 0.30 | 5.5 | 0.21 |
| Respiratory System | 5681 | 71.1 | 0.95 | 45.0 | 0.64 | | 4545 | 45.4 | 0.69 | 30.4 | 0.51 |
| Larynx | 135 | 1.7 | 0.15 | 1.0 | 0.10 | | 32 | 0.3 | 0.06 | 0.2 | 0.05 |
| Lung & bronchus | 5486 | 68.7 | 0.93 | 43.5 | 0.63 | | 4481 | 44.8 | 0.68 | 30.0 | 0.50 |
| Skin | 430 | 5.2 | 0.25 | 3.5 | 0.18 | | 229 | 2.3 | 0.16 | 1.6 | 0.12 |
| Melanomas of the skin | 349 | 4.2 | 0.22 | 2.9 | 0.16 | | 195 | 2.0 | 0.15 | 1.4 | 0.11 |
| Breast | 21 | 0.3 | 0.06 | 0.1 | 0.03 | | 2510 | 25.0 | 0.51 | 17.4 | 0.39 |
| Female Genital System | - | - | - | - | - | | 1671 | 16.5 | 0.41 | 11.1 | 0.30 |
| Cervix uteri | - | - | - | - | - | | 213 | 2.3 | 0.16 | 1.7 | 0.12 |
| Corpus & uterus, NOS | - | - | - | - | - | | 405 | 3.8 | 0.19 | 2.4 | 0.14 |
| Ovary | - | - | - | - | - | | 961 | 9.5 | 0.31 | 6.4 | 0.23 |
| Male Genital System | 2265 | 28.5 | 0.60 | 14.2 | 0.32 | - | - | - | - | - | |
| Prostate | 2226 | 28.0 | 0.60 | 13.8 | 0.31 | - | - | - | - | - | |
| Testis | 28 | 0.4 | 0.07 | 0.3 | 0.05 | - | - | - | - | - | |
| Urinary System | 1075 | 13.3 | 0.41 | 7.7 | 0.25 | | 507 | 4.6 | 0.21 | 2.8 | 0.15 |
| Bladder | 590 | 7.4 | 0.30 | 3.9 | 0.17 | | 233 | 2.0 | 0.13 | 1.1 | 0.09 |
| Kidney & renal pelvis | 447 | 5.5 | 0.26 | 3.5 | 0.18 | | 261 | 2.5 | 0.16 | 1.6 | 0.12 |
| Brain & Other Nervous System | 515 | 6.2 | 0.28 | 4.7 | 0.22 | | 387 | 4.0 | 0.21 | 3.1 | 0.17 |
| Endocrine System | 65 | 0.8 | 0.10 | 0.6 | 0.08 | | 86 | 0.9 | 0.10 | 0.6 | 0.07 |
| Thyroid gland | 23 | 0.3 | 0.06 | 0.2 | 0.04 | | 54 | 0.5 | 0.07 | 0.3 | 0.05 |
| Lymphomas | 844 | 10.4 | 0.36 | 6.4 | 0.24 | | 808 | 7.4 | 0.27 | 4.4 | 0.18 |
| Hodgkin Lymphoma | 49 | 0.6 | 0.09 | 0.5 | 0.07 | | 37 | 0.4 | 0.07 | 0.3 | 0.05 |
| Non-Hodgkin Lymphoma | 795 | 9.8 | 0.35 | 6.0 | 0.23 | | 771 | 7.0 | 0.26 | 4.1 | 0.17 |
| Multiple Myeloma | 385 | 4.8 | 0.25 | 2.9 | 0.16 | | 300 | 2.8 | 0.16 | 1.7 | 0.11 |
| Leukemias | 719 | 9.0 | 0.34 | 5.8 | 0.23 | | 613 | 5.6 | 0.23 | 3.6 | 0.18 |
| Other, Ill-defined & Unknown | 1464 | 18.1 | 0.48 | 11.3 | 0.32 | | 1396 | 12.9 | 0.36 | 8.1 | 0.25 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------------------|------|--------------------|------|---------------------|-----------------------|------|--------------------|------|
| | Deaths | Adj. Rate 1996 Cdn | | Adj. Rate World | S.E. | Deaths | Adj. Rate 1996 Cdn | | Adj. Rate World | S.E. |
| | | Adj. Rate 1996 Cdn | S.E. | | | | Adj. Rate World | S.E. | | |
| All Sites | 76354 | 241.7 | 0.88 | 150.7 | 0.59 | 74033 | 163.3 | 0.62 | 107.0 | 0.46 |
| Buccal Cavity & Pharynx | 1148 | 3.7 | 0.11 | 2.6 | 0.08 | 601 | 1.3 | 0.06 | 0.9 | 0.04 |
| Digestive System | 19075 | 60.3 | 0.44 | 37.9 | 0.29 | 17484 | 36.0 | 0.28 | 21.9 | 0.20 |
| Esophagus | 2532 | 8.0 | 0.16 | 5.5 | 0.12 | 809 | 1.7 | 0.06 | 1.1 | 0.05 |
| Stomach | 1952 | 6.2 | 0.14 | 3.7 | 0.09 | 1398 | 2.8 | 0.08 | 1.7 | 0.05 |
| Colon & Rectum | 8278 | 26.3 | 0.29 | 15.8 | 0.19 | 8939 | 18.1 | 0.20 | 10.9 | 0.14 |
| Liver | 1480 | 4.7 | 0.12 | 3.2 | 0.09 | 781 | 1.6 | 0.06 | 1.0 | 0.04 |
| Pancreas | 3737 | 11.8 | 0.19 | 7.5 | 0.13 | 4011 | 8.5 | 0.14 | 5.3 | 0.10 |
| Respiratory System | 24612 | 77.4 | 0.50 | 50.1 | 0.34 | 17111 | 39.0 | 0.31 | 26.2 | 0.23 |
| Larynx | 792 | 2.5 | 0.09 | 1.7 | 0.06 | 222 | 0.5 | 0.04 | 0.4 | 0.03 |
| Lung & bronchus | 23664 | 74.4 | 0.49 | 48.1 | 0.33 | 16802 | 38.3 | 0.30 | 25.7 | 0.23 |
| Skin | 1499 | 4.8 | 0.12 | 3.2 | 0.09 | 941 | 2.2 | 0.07 | 1.5 | 0.06 |
| Melanomas of the skin | 1151 | 3.7 | 0.11 | 2.5 | 0.08 | 760 | 1.8 | 0.07 | 1.3 | 0.05 |
| Breast | 107 | 0.3 | 0.03 | 0.2 | 0.02 | 11698 | 27.2 | 0.26 | 18.7 | 0.20 |
| Female Genital System | - | - | - | - | - | 7405 | 17.2 | 0.21 | 11.8 | 0.16 |
| Cervix uteri | - | - | - | - | - | 1046 | 2.8 | 0.09 | 2.1 | 0.07 |
| Corpus & uterus, NOS | - | - | - | - | - | 2007 | 4.4 | 0.10 | 2.9 | 0.08 |
| Ovary | - | - | - | - | - | 3909 | 9.1 | 0.15 | 6.2 | 0.11 |
| Male Genital System | 8742 | 27.9 | 0.30 | 14.0 | 0.16 | - | - | - | - | - |
| Prostate | 8614 | 27.5 | 0.30 | 13.7 | 0.16 | - | - | - | - | - |
| Testis | 80 | 0.3 | 0.03 | 0.2 | 0.03 | - | - | - | - | - |
| Urinary System | 4316 | 13.7 | 0.21 | 8.2 | 0.13 | 2422 | 4.9 | 0.10 | 3.0 | 0.07 |
| Bladder | 2382 | 7.6 | 0.16 | 4.1 | 0.09 | 1140 | 2.2 | 0.07 | 1.2 | 0.04 |
| Kidney & renal pelvis | 1856 | 5.9 | 0.14 | 3.9 | 0.10 | 1210 | 2.6 | 0.08 | 1.7 | 0.06 |
| Brain & Other Nervous System | 1615 | 5.2 | 0.13 | 3.9 | 0.10 | 1426 | 3.6 | 0.10 | 2.7 | 0.08 |
| Endocrine System | 241 | 0.8 | 0.05 | 0.6 | 0.04 | 327 | 0.8 | 0.04 | 0.5 | 0.04 |
| Thyroid gland | 125 | 0.4 | 0.04 | 0.3 | 0.02 | 221 | 0.5 | 0.03 | 0.3 | 0.02 |
| Lymphomas | 3458 | 11.0 | 0.19 | 6.9 | 0.13 | 3403 | 7.2 | 0.13 | 4.5 | 0.09 |
| Hodgkin Lymphoma | 207 | 0.7 | 0.05 | 0.5 | 0.04 | 185 | 0.5 | 0.04 | 0.4 | 0.03 |
| Non-Hodgkin Lymphoma | 3251 | 10.3 | 0.18 | 6.4 | 0.12 | 3218 | 6.7 | 0.12 | 4.2 | 0.09 |
| Multiple Myeloma | 1456 | 4.6 | 0.12 | 2.8 | 0.08 | 1435 | 3.0 | 0.08 | 1.8 | 0.06 |
| Leukemias | 3035 | 9.7 | 0.18 | 6.1 | 0.12 | 2595 | 5.6 | 0.12 | 3.7 | 0.09 |
| Other, Ill-defined & Unknown | 7050 | 22.4 | 0.27 | 14.2 | 0.18 | 7185 | 15.3 | 0.19 | 9.8 | 0.14 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 | Cdn | | S.E. | World | | 1996 | Cdn | | |
| All Sites | 6136 | 244.0 | 3.13 | 150.4 | 2.08 | | 6104 | 165.2 | 2.22 | 108.9 | 1.67 |
| Buccal Cavity & Pharynx | 85 | 3.4 | 0.37 | 2.3 | 0.27 | | 62 | 1.7 | 0.22 | 1.1 | 0.16 |
| Digestive System | 1556 | 62.0 | 1.58 | 38.8 | 1.06 | | 1531 | 38.3 | 1.04 | 23.3 | 0.73 |
| Esophagus | 193 | 7.7 | 0.56 | 5.3 | 0.41 | | 72 | 1.9 | 0.23 | 1.2 | 0.17 |
| Stomach | 201 | 7.9 | 0.56 | 4.7 | 0.36 | | 161 | 4.1 | 0.34 | 2.4 | 0.23 |
| Colon & Rectum | 598 | 23.9 | 0.98 | 14.2 | 0.63 | | 732 | 17.9 | 0.70 | 10.7 | 0.49 |
| Liver | 132 | 5.3 | 0.46 | 3.6 | 0.33 | | 57 | 1.4 | 0.20 | 0.8 | 0.15 |
| Pancreas | 325 | 13.0 | 0.72 | 8.6 | 0.51 | | 372 | 9.4 | 0.52 | 5.8 | 0.36 |
| Respiratory System | 2074 | 82.5 | 1.82 | 52.6 | 1.25 | | 1511 | 43.2 | 1.16 | 29.5 | 0.88 |
| Larynx | 85 | 3.4 | 0.37 | 2.3 | 0.26 | | 24 | 0.7 | 0.14 | 0.4 | 0.10 |
| Lung & bronchus | 1976 | 78.6 | 1.78 | 50.0 | 1.21 | | 1475 | 42.3 | 1.15 | 28.9 | 0.87 |
| Skin | 130 | 5.3 | 0.46 | 3.3 | 0.31 | | 110 | 3.0 | 0.30 | 2.0 | 0.23 |
| Melanomas of the skin | 88 | 3.5 | 0.38 | 2.3 | 0.26 | | 85 | 2.4 | 0.27 | 1.7 | 0.22 |
| Breast | - | - | - | - | - | | 910 | 25.6 | 0.89 | 17.4 | 0.67 |
| Female Genital System | - | - | - | - | - | | 513 | 14.7 | 0.68 | 10.4 | 0.53 |
| Cervix uteri | - | - | - | - | - | | 65 | 2.1 | 0.26 | 1.5 | 0.21 |
| Corpus & uterus, NOS | - | - | - | - | - | | 118 | 3.4 | 0.32 | 2.3 | 0.25 |
| Ovary | - | - | - | - | - | | 296 | 8.5 | 0.52 | 6.0 | 0.41 |
| Male Genital System | 709 | 28.1 | 1.06 | 13.8 | 0.56 | - | - | - | - | - | |
| Prostate | 699 | 27.7 | 1.05 | 13.5 | 0.55 | - | - | - | - | - | |
| Testis | 6 | 0.2 | 0.10 | 0.2 | 0.08 | - | - | - | - | - | |
| Urinary System | 350 | 13.9 | 0.75 | 8.1 | 0.47 | | 246 | 6.3 | 0.42 | 4.0 | 0.31 |
| Bladder | 202 | 8.0 | 0.57 | 4.4 | 0.33 | | 116 | 2.8 | 0.28 | 1.7 | 0.19 |
| Kidney & renal pelvis | 142 | 5.6 | 0.47 | 3.6 | 0.32 | | 119 | 3.2 | 0.31 | 2.2 | 0.24 |
| Brain & Other Nervous System | 142 | 5.6 | 0.47 | 4.1 | 0.37 | | 142 | 4.2 | 0.37 | 3.0 | 0.30 |
| Endocrine System | 19 | 0.7 | 0.17 | 0.6 | 0.14 | | 24 | 0.7 | 0.14 | 0.5 | 0.11 |
| Thyroid gland | 14 | 0.5 | 0.15 | 0.4 | 0.11 | | 14 | 0.4 | 0.10 | 0.2 | 0.07 |
| Lymphomas | 292 | 11.6 | 0.68 | 7.4 | 0.47 | | 289 | 7.3 | 0.45 | 4.4 | 0.32 |
| Hodgkin Lymphoma | 12 | 0.5 | 0.14 | 0.4 | 0.11 | | 14 | 0.4 | 0.11 | 0.3 | 0.09 |
| Non-Hodgkin Lymphoma | 280 | 11.1 | 0.67 | 7.0 | 0.45 | | 275 | 6.9 | 0.44 | 4.1 | 0.31 |
| Multiple Myeloma | 89 | 3.5 | 0.37 | 2.1 | 0.24 | | 96 | 2.6 | 0.28 | 1.7 | 0.20 |
| Leukemias | 239 | 9.5 | 0.62 | 6.1 | 0.43 | | 188 | 5.1 | 0.39 | 3.5 | 0.32 |
| Other, Ill-defined & Unknown | 446 | 17.7 | 0.84 | 11.1 | 0.57 | | 482 | 12.7 | 0.61 | 8.1 | 0.45 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 21740 | 260.9 | 1.80 | 164.8 | 1.15 | | 18218 | 155.0 | 1.16 | 102.9 | 0.83 |
| Buccal Cavity & Pharynx | 522 | 5.8 | 0.26 | 4.3 | 0.19 | | 211 | 1.8 | 0.12 | 1.2 | 0.09 |
| Digestive System | 5143 | 60.9 | 0.87 | 39.3 | 0.56 | | 4228 | 34.9 | 0.54 | 21.6 | 0.37 |
| Esophagus | 778 | 8.7 | 0.32 | 6.3 | 0.23 | | 227 | 1.9 | 0.13 | 1.3 | 0.09 |
| Stomach | 582 | 7.0 | 0.29 | 4.4 | 0.19 | | 388 | 3.1 | 0.16 | 1.9 | 0.11 |
| Colon & Rectum | 2027 | 24.5 | 0.56 | 15.3 | 0.35 | | 1943 | 16.0 | 0.37 | 9.8 | 0.25 |
| Liver | 444 | 5.1 | 0.25 | 3.4 | 0.17 | | 229 | 2.0 | 0.13 | 1.3 | 0.09 |
| Pancreas | 1071 | 12.7 | 0.39 | 8.1 | 0.25 | | 1114 | 9.2 | 0.28 | 5.7 | 0.19 |
| Respiratory System | 7837 | 91.2 | 1.04 | 60.4 | 0.70 | | 4375 | 37.9 | 0.58 | 25.9 | 0.42 |
| Larynx | 228 | 2.6 | 0.17 | 1.8 | 0.12 | | 66 | 0.6 | 0.07 | 0.4 | 0.05 |
| Lung & bronchus | 7554 | 87.9 | 1.03 | 58.2 | 0.69 | | 4285 | 37.1 | 0.57 | 25.4 | 0.42 |
| Skin | 443 | 5.2 | 0.25 | 3.4 | 0.17 | | 229 | 2.0 | 0.13 | 1.3 | 0.09 |
| Melanomas of the skin | 301 | 3.5 | 0.21 | 2.4 | 0.14 | | 168 | 1.5 | 0.12 | 1.0 | 0.09 |
| Breast | 30 | 0.4 | 0.07 | 0.2 | 0.04 | | 2989 | 26.1 | 0.48 | 18.3 | 0.36 |
| Female Genital System | - | - | - | - | - | | 1806 | 15.6 | 0.37 | 10.5 | 0.27 |
| Cervix uteri | - | - | - | - | - | | 376 | 3.5 | 0.18 | 2.6 | 0.14 |
| Corpus & uterus, NOS | - | - | - | - | - | | 433 | 3.7 | 0.18 | 2.4 | 0.13 |
| Ovary | - | - | - | - | - | | 884 | 7.5 | 0.25 | 5.0 | 0.18 |
| Male Genital System | 2599 | 35.3 | 0.71 | 17.7 | 0.36 | - | - | - | - | - | - |
| Prostate | 2550 | 34.8 | 0.70 | 17.2 | 0.35 | - | - | - | - | - | - |
| Testis | 30 | 0.3 | 0.06 | 0.3 | 0.05 | - | - | - | - | - | - |
| Urinary System | 1051 | 12.9 | 0.41 | 7.9 | 0.25 | | 559 | 4.6 | 0.20 | 2.8 | 0.13 |
| Bladder | 489 | 6.2 | 0.29 | 3.5 | 0.16 | | 238 | 1.9 | 0.12 | 1.0 | 0.08 |
| Kidney & renal pelvis | 537 | 6.3 | 0.28 | 4.2 | 0.19 | | 298 | 2.5 | 0.15 | 1.6 | 0.10 |
| Brain & Other Nervous System | 533 | 5.9 | 0.26 | 4.4 | 0.20 | | 440 | 3.9 | 0.19 | 2.9 | 0.15 |
| Endocrine System | 66 | 0.8 | 0.10 | 0.5 | 0.07 | | 82 | 0.7 | 0.08 | 0.5 | 0.07 |
| Thyroid gland | 35 | 0.4 | 0.07 | 0.3 | 0.05 | | 42 | 0.3 | 0.05 | 0.2 | 0.03 |
| Lymphomas | 742 | 8.9 | 0.33 | 5.5 | 0.21 | | 755 | 6.3 | 0.23 | 4.1 | 0.17 |
| Hodgkin Lymphoma | 35 | 0.4 | 0.07 | 0.3 | 0.05 | | 38 | 0.4 | 0.06 | 0.3 | 0.05 |
| Non-Hodgkin Lymphoma | 707 | 8.6 | 0.33 | 5.2 | 0.20 | | 717 | 6.0 | 0.23 | 3.8 | 0.16 |
| Multiple Myeloma | 434 | 5.3 | 0.26 | 3.3 | 0.16 | | 498 | 4.2 | 0.19 | 2.6 | 0.13 |
| Leukemias | 746 | 9.1 | 0.34 | 5.7 | 0.22 | | 655 | 5.5 | 0.22 | 3.6 | 0.16 |
| Other, Ill-defined & Unknown | 1594 | 19.1 | 0.49 | 12.2 | 0.32 | | 1391 | 11.7 | 0.32 | 7.6 | 0.23 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------------------|------|--------------------|------|---------------------|-----------------------|------|--------------------|------|
| | Deaths | Adj. Rate 1996 Cdn | S.E. | Adj. Rate World | S.E. | Deaths | Adj. Rate 1996 Cdn | S.E. | Adj. Rate World | S.E. |
| All Sites | 4251 | 224.3 | 3.45 | 138.3 | 2.31 | 3680 | 145.9 | 2.54 | 95.2 | 1.87 |
| Buccal Cavity & Pharynx | 60 | 3.2 | 0.42 | 2.2 | 0.30 | 43 | 1.7 | 0.28 | 1.1 | 0.21 |
| Digestive System | 1029 | 54.6 | 1.71 | 34.5 | 1.17 | 939 | 35.1 | 1.21 | 21.5 | 0.85 |
| Esophagus | 116 | 6.2 | 0.58 | 4.1 | 0.41 | 29 | 1.1 | 0.22 | 0.7 | 0.16 |
| Stomach | 89 | 4.7 | 0.50 | 2.8 | 0.33 | 67 | 2.6 | 0.34 | 1.7 | 0.25 |
| Colon & Rectum | 465 | 24.6 | 1.14 | 15.2 | 0.77 | 494 | 18.1 | 0.87 | 10.9 | 0.60 |
| Liver | 63 | 3.4 | 0.43 | 2.4 | 0.32 | 34 | 1.3 | 0.24 | 0.8 | 0.17 |
| Pancreas | 219 | 11.6 | 0.79 | 7.3 | 0.53 | 225 | 8.8 | 0.61 | 5.4 | 0.42 |
| Respiratory System | 1304 | 69.3 | 1.92 | 44.0 | 1.32 | 721 | 30.4 | 1.18 | 20.5 | 0.88 |
| Larynx | 39 | 2.1 | 0.34 | 1.5 | 0.25 | 8 | 0.3 | 0.12 | 0.2 | 0.09 |
| Lung & bronchus | 1258 | 66.8 | 1.89 | 42.3 | 1.29 | 709 | 29.9 | 1.17 | 20.1 | 0.87 |
| Skin | 95 | 5.0 | 0.52 | 3.2 | 0.35 | 50 | 2.4 | 0.35 | 1.8 | 0.28 |
| Melanomas of the skin | 62 | 3.3 | 0.42 | 2.2 | 0.30 | 41 | 2.0 | 0.33 | 1.6 | 0.27 |
| Breast | - | - | - | - | - | 536 | 21.9 | 1.00 | 14.9 | 0.76 |
| Female Genital System | - | - | - | - | - | 388 | 16.2 | 0.86 | 10.9 | 0.65 |
| Cervix uteri | - | - | - | - | - | 40 | 2.0 | 0.32 | 1.4 | 0.25 |
| Corpus & uterus, NOS | - | - | - | - | - | 93 | 3.8 | 0.41 | 2.5 | 0.31 |
| Ovary | - | - | - | - | - | 231 | 9.6 | 0.66 | 6.4 | 0.49 |
| Male Genital System | 548 | 28.1 | 1.20 | 14.3 | 0.67 | - | - | - | - | - |
| Prostate | 539 | 27.6 | 1.19 | 14.0 | 0.66 | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 250 | 13.1 | 0.83 | 8.0 | 0.55 | 102 | 3.7 | 0.39 | 2.3 | 0.28 |
| Bladder | 118 | 6.1 | 0.56 | 3.3 | 0.33 | 42 | 1.5 | 0.24 | 0.9 | 0.17 |
| Kidney & renal pelvis | 127 | 6.8 | 0.60 | 4.6 | 0.44 | 58 | 2.2 | 0.30 | 1.4 | 0.22 |
| Brain & Other Nervous System | 118 | 6.4 | 0.59 | 4.6 | 0.46 | 117 | 5.1 | 0.49 | 3.7 | 0.39 |
| Endocrine System | 15 | 0.9 | 0.22 | 0.7 | 0.19 | 15 | 0.6 | 0.17 | 0.4 | 0.14 |
| Thyroid gland | 8 | 0.4 | 0.16 | 0.3 | 0.12 | 10 | 0.3 | 0.12 | 0.2 | 0.08 |
| Lymphomas | 240 | 12.7 | 0.82 | 8.0 | 0.56 | 215 | 8.1 | 0.59 | 4.9 | 0.41 |
| Hodgkin Lymphoma | 9 | 0.5 | 0.16 | 0.4 | 0.13 | 11 | 0.5 | 0.16 | 0.4 | 0.13 |
| Non-Hodgkin Lymphoma | 231 | 12.2 | 0.81 | 7.6 | 0.55 | 204 | 7.6 | 0.56 | 4.5 | 0.39 |
| Multiple Myeloma | 87 | 4.6 | 0.49 | 2.8 | 0.32 | 83 | 3.2 | 0.37 | 2.0 | 0.26 |
| Leukemias | 202 | 10.5 | 0.74 | 6.3 | 0.50 | 147 | 5.6 | 0.49 | 3.7 | 0.38 |
| Other, Ill-defined & Unknown | 298 | 15.7 | 0.91 | 9.6 | 0.61 | 324 | 11.9 | 0.71 | 7.5 | 0.52 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 32513 | 267.7 | 1.50 | 169.8 | 0.97 | | 27848 | 161.7 | 0.98 | 107.7 | 0.71 |
| Buccal Cavity & Pharynx | 611 | 4.8 | 0.20 | 3.4 | 0.14 | | 300 | 1.7 | 0.10 | 1.1 | 0.07 |
| Digestive System | 6968 | 57.2 | 0.69 | 36.3 | 0.45 | | 6152 | 34.2 | 0.44 | 21.2 | 0.30 |
| Esophagus | 879 | 7.0 | 0.24 | 4.8 | 0.16 | | 266 | 1.5 | 0.10 | 1.0 | 0.07 |
| Stomach | 673 | 5.6 | 0.22 | 3.4 | 0.14 | | 482 | 2.7 | 0.13 | 1.7 | 0.09 |
| Colon & Rectum | 2935 | 24.3 | 0.45 | 15.1 | 0.29 | | 3039 | 16.8 | 0.31 | 10.3 | 0.21 |
| Liver | 592 | 4.7 | 0.20 | 3.2 | 0.14 | | 336 | 1.9 | 0.11 | 1.2 | 0.08 |
| Pancreas | 1519 | 12.4 | 0.32 | 7.9 | 0.21 | | 1521 | 8.5 | 0.22 | 5.2 | 0.15 |
| Respiratory System | 12907 | 104.2 | 0.92 | 69.0 | 0.62 | | 7113 | 42.5 | 0.51 | 29.3 | 0.38 |
| Larynx | 380 | 3.0 | 0.16 | 2.1 | 0.11 | | 108 | 0.7 | 0.06 | 0.5 | 0.05 |
| Lung & bronchus | 12419 | 100.3 | 0.91 | 66.3 | 0.61 | | 6954 | 41.6 | 0.50 | 28.7 | 0.37 |
| Skin | 695 | 5.6 | 0.22 | 3.7 | 0.14 | | 419 | 2.4 | 0.12 | 1.6 | 0.09 |
| Melanomas of the skin | 506 | 4.0 | 0.18 | 2.7 | 0.12 | | 324 | 1.9 | 0.11 | 1.4 | 0.08 |
| Breast | 31 | 0.2 | 0.05 | 0.2 | 0.03 | | 4277 | 25.4 | 0.39 | 17.8 | 0.30 |
| Female Genital System | - | - | - | - | - | | 2796 | 16.6 | 0.32 | 11.3 | 0.23 |
| Cervix uteri | - | - | - | - | - | | 560 | 3.5 | 0.15 | 2.7 | 0.12 |
| Corpus & uterus, NOS | - | - | - | - | - | | 623 | 3.6 | 0.15 | 2.4 | 0.10 |
| Ovary | - | - | - | - | - | | 1449 | 8.5 | 0.23 | 5.7 | 0.16 |
| Male Genital System | 3302 | 30.0 | 0.53 | 15.0 | 0.27 | - | - | - | - | - | - |
| Prostate | 3238 | 29.5 | 0.52 | 14.6 | 0.27 | - | - | - | - | - | - |
| Testis | 29 | 0.2 | 0.04 | 0.2 | 0.04 | - | - | - | - | - | - |
| Urinary System | 1533 | 12.8 | 0.33 | 7.7 | 0.20 | | 835 | 4.7 | 0.16 | 2.9 | 0.11 |
| Bladder | 734 | 6.3 | 0.24 | 3.5 | 0.14 | | 357 | 1.9 | 0.10 | 1.1 | 0.07 |
| Kidney & renal pelvis | 769 | 6.2 | 0.23 | 4.0 | 0.15 | | 435 | 2.5 | 0.12 | 1.7 | 0.09 |
| Brain & Other Nervous System | 813 | 6.3 | 0.22 | 4.7 | 0.17 | | 674 | 4.2 | 0.16 | 3.1 | 0.13 |
| Endocrine System | 89 | 0.7 | 0.07 | 0.6 | 0.06 | | 115 | 0.7 | 0.06 | 0.5 | 0.06 |
| Thyroid gland | 39 | 0.3 | 0.05 | 0.2 | 0.03 | | 72 | 0.4 | 0.05 | 0.2 | 0.03 |
| Lymphomas | 1335 | 11.0 | 0.30 | 7.0 | 0.20 | | 1234 | 6.9 | 0.20 | 4.3 | 0.14 |
| Hodgkin Lymphoma | 77 | 0.6 | 0.07 | 0.5 | 0.05 | | 58 | 0.3 | 0.05 | 0.2 | 0.03 |
| Non-Hodgkin Lymphoma | 1258 | 10.4 | 0.29 | 6.5 | 0.19 | | 1176 | 6.6 | 0.20 | 4.1 | 0.13 |
| Multiple Myeloma | 622 | 5.2 | 0.21 | 3.2 | 0.13 | | 614 | 3.5 | 0.14 | 2.2 | 0.10 |
| Leukemias | 1200 | 10.0 | 0.29 | 6.3 | 0.19 | | 1061 | 6.0 | 0.19 | 3.9 | 0.14 |
| Other, Ill-defined & Unknown | 2407 | 19.7 | 0.41 | 12.8 | 0.27 | | 2258 | 12.9 | 0.28 | 8.4 | 0.20 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | World | | |
| All Sites | 87205 | 233.6 | 0.80 | 145.9 | 0.51 | | 76849 | 150.8 | 0.55 | 99.0 | 0.39 |
| Buccal Cavity & Pharynx | 1806 | 4.6 | 0.11 | 3.2 | 0.08 | | 791 | 1.5 | 0.06 | 1.0 | 0.04 |
| Digestive System | 21574 | 57.1 | 0.39 | 36.4 | 0.26 | | 17665 | 33.8 | 0.26 | 20.9 | 0.17 |
| Esophagus | 2513 | 6.6 | 0.13 | 4.4 | 0.09 | | 737 | 1.5 | 0.05 | 0.9 | 0.04 |
| Stomach | 2393 | 6.4 | 0.13 | 4.0 | 0.08 | | 1765 | 3.4 | 0.08 | 2.2 | 0.06 |
| Colon & Rectum | 8357 | 22.5 | 0.25 | 13.9 | 0.16 | | 7909 | 14.9 | 0.17 | 9.0 | 0.11 |
| Liver | 2865 | 7.3 | 0.14 | 4.9 | 0.09 | | 1418 | 2.8 | 0.07 | 1.8 | 0.05 |
| Pancreas | 4236 | 11.2 | 0.17 | 7.2 | 0.11 | | 4190 | 8.1 | 0.13 | 5.0 | 0.09 |
| Respiratory System | 29673 | 79.2 | 0.46 | 50.8 | 0.30 | | 18942 | 38.3 | 0.28 | 25.3 | 0.20 |
| Larynx | 996 | 2.6 | 0.08 | 1.7 | 0.06 | | 230 | 0.5 | 0.03 | 0.3 | 0.02 |
| Lung & bronchus | 28442 | 76.0 | 0.45 | 48.7 | 0.30 | | 18571 | 37.5 | 0.28 | 24.8 | 0.20 |
| Skin | 2036 | 5.3 | 0.12 | 3.4 | 0.08 | | 1093 | 2.1 | 0.06 | 1.4 | 0.05 |
| Melanomas of the skin | 1445 | 3.7 | 0.10 | 2.4 | 0.07 | | 836 | 1.6 | 0.06 | 1.1 | 0.04 |
| Breast | 86 | 0.2 | 0.03 | 0.1 | 0.02 | | 12235 | 24.3 | 0.22 | 17.0 | 0.16 |
| Female Genital System | - | - | - | - | - | | 7667 | 15.2 | 0.18 | 10.3 | 0.13 |
| Cervix uteri | - | - | - | - | - | | 1643 | 3.3 | 0.08 | 2.4 | 0.06 |
| Corpus & uterus, NOS | - | - | - | - | - | | 1820 | 3.6 | 0.09 | 2.3 | 0.06 |
| Ovary | - | - | - | - | - | | 3815 | 7.6 | 0.12 | 5.1 | 0.09 |
| Male Genital System | 9255 | 27.4 | 0.29 | 13.7 | 0.15 | - | - | - | - | - | |
| Prostate | 9014 | 26.8 | 0.28 | 13.3 | 0.14 | - | - | - | - | - | |
| Testis | 139 | 0.3 | 0.02 | 0.2 | 0.02 | - | - | - | - | - | |
| Urinary System | 4646 | 12.6 | 0.19 | 7.7 | 0.12 | | 2562 | 4.9 | 0.10 | 3.0 | 0.07 |
| Bladder | 2013 | 5.7 | 0.13 | 3.2 | 0.07 | | 993 | 1.8 | 0.06 | 1.0 | 0.04 |
| Kidney & renal pelvis | 2538 | 6.6 | 0.13 | 4.4 | 0.09 | | 1488 | 2.9 | 0.08 | 1.9 | 0.06 |
| Brain & Other Nervous System | 2267 | 5.5 | 0.12 | 4.0 | 0.09 | | 1920 | 3.8 | 0.09 | 2.8 | 0.07 |
| Endocrine System | 292 | 0.7 | 0.04 | 0.5 | 0.03 | | 401 | 0.8 | 0.04 | 0.6 | 0.03 |
| Thyroid gland | 146 | 0.4 | 0.03 | 0.2 | 0.02 | | 230 | 0.4 | 0.03 | 0.3 | 0.02 |
| Lymphomas | 3771 | 9.9 | 0.16 | 6.3 | 0.11 | | 3425 | 6.6 | 0.11 | 4.1 | 0.08 |
| Hodgkin Lymphoma | 266 | 0.6 | 0.04 | 0.5 | 0.03 | | 181 | 0.4 | 0.03 | 0.3 | 0.02 |
| Non-Hodgkin Lymphoma | 3505 | 9.2 | 0.16 | 5.8 | 0.10 | | 3244 | 6.3 | 0.11 | 3.8 | 0.07 |
| Multiple Myeloma | 1676 | 4.6 | 0.11 | 2.8 | 0.07 | | 1666 | 3.2 | 0.08 | 2.0 | 0.05 |
| Leukemias | 3655 | 9.6 | 0.16 | 6.1 | 0.10 | | 2821 | 5.3 | 0.10 | 3.6 | 0.08 |
| Other, Ill-defined & Unknown | 6468 | 17.0 | 0.22 | 11.0 | 0.14 | | 5661 | 10.9 | 0.15 | 7.0 | 0.10 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 6159 | 171.5 | 2.20 | 103.8 | 1.39 | | 5408 | 118.1 | 1.63 | 76.8 | 1.15 |
| Buccal Cavity & Pharynx | 98 | 2.7 | 0.27 | 1.8 | 0.19 | | 44 | 1.0 | 0.15 | 0.6 | 0.10 |
| Digestive System | 1468 | 40.7 | 1.07 | 25.4 | 0.70 | | 1245 | 26.7 | 0.77 | 16.3 | 0.51 |
| Esophagus | 175 | 4.7 | 0.36 | 3.2 | 0.25 | | 31 | 0.7 | 0.12 | 0.4 | 0.09 |
| Stomach | 149 | 4.2 | 0.34 | 2.4 | 0.21 | | 122 | 2.6 | 0.24 | 1.6 | 0.16 |
| Colon & Rectum | 600 | 16.9 | 0.70 | 10.2 | 0.44 | | 615 | 13.0 | 0.53 | 7.8 | 0.35 |
| Liver | 126 | 3.4 | 0.30 | 2.2 | 0.20 | | 75 | 1.6 | 0.19 | 1.0 | 0.13 |
| Pancreas | 335 | 9.3 | 0.51 | 6.0 | 0.34 | | 278 | 6.1 | 0.37 | 3.8 | 0.25 |
| Respiratory System | 1279 | 35.7 | 1.00 | 22.4 | 0.66 | | 722 | 16.5 | 0.62 | 10.9 | 0.44 |
| Larynx | 36 | 1.0 | 0.17 | 0.6 | 0.11 | | 11 | 0.2 | 0.07 | 0.1 | 0.05 |
| Lung & bronchus | 1220 | 34.1 | 0.98 | 21.4 | 0.64 | | 701 | 16.0 | 0.61 | 10.7 | 0.44 |
| Skin | 205 | 5.5 | 0.39 | 3.5 | 0.26 | | 108 | 2.4 | 0.23 | 1.6 | 0.17 |
| Melanomas of the skin | 154 | 4.1 | 0.33 | 2.7 | 0.23 | | 89 | 2.0 | 0.21 | 1.4 | 0.16 |
| Breast | 6 | 0.2 | 0.06 | 0.1 | 0.04 | | 991 | 22.0 | 0.71 | 15.0 | 0.52 |
| Female Genital System | - | - | - | - | - | | 639 | 14.1 | 0.56 | 9.3 | 0.40 |
| Cervix uteri | - | - | - | - | - | | 75 | 1.6 | 0.19 | 1.3 | 0.15 |
| Corpus & uterus, NOS | - | - | - | - | - | | 174 | 3.8 | 0.29 | 2.4 | 0.20 |
| Ovary | - | - | - | - | - | | 361 | 8.0 | 0.43 | 5.3 | 0.31 |
| Male Genital System | 971 | 28.7 | 0.93 | 14.0 | 0.47 | - | - | - | - | - | - |
| Prostate | 951 | 28.3 | 0.92 | 13.6 | 0.46 | - | - | - | - | - | - |
| Testis | 11 | 0.2 | 0.07 | 0.2 | 0.05 | - | - | - | - | - | - |
| Urinary System | 343 | 9.7 | 0.53 | 5.8 | 0.33 | | 157 | 3.5 | 0.28 | 2.1 | 0.19 |
| Bladder | 195 | 5.6 | 0.41 | 3.2 | 0.24 | | 73 | 1.6 | 0.19 | 0.9 | 0.12 |
| Kidney & renal pelvis | 143 | 3.9 | 0.33 | 2.6 | 0.22 | | 80 | 1.8 | 0.20 | 1.2 | 0.14 |
| Brain & Other Nervous System | 210 | 5.2 | 0.37 | 4.0 | 0.28 | | 157 | 3.6 | 0.29 | 2.7 | 0.23 |
| Endocrine System | 33 | 0.8 | 0.14 | 0.6 | 0.10 | | 38 | 0.8 | 0.13 | 0.6 | 0.10 |
| Thyroid gland | 17 | 0.5 | 0.11 | 0.3 | 0.07 | | 24 | 0.5 | 0.10 | 0.3 | 0.07 |
| Lymphomas | 382 | 10.4 | 0.54 | 6.5 | 0.35 | | 298 | 6.4 | 0.38 | 3.9 | 0.25 |
| Hodgkin Lymphoma | 22 | 0.6 | 0.12 | 0.4 | 0.09 | | 15 | 0.3 | 0.08 | 0.2 | 0.06 |
| Non-Hodgkin Lymphoma | 360 | 9.8 | 0.52 | 6.1 | 0.34 | | 283 | 6.1 | 0.37 | 3.7 | 0.25 |
| Multiple Myeloma | 180 | 5.1 | 0.38 | 3.0 | 0.24 | | 153 | 3.4 | 0.28 | 2.0 | 0.18 |
| Leukemias | 341 | 9.1 | 0.50 | 5.7 | 0.32 | | 256 | 5.3 | 0.34 | 3.5 | 0.24 |
| Other, Ill-defined & Unknown | 643 | 17.6 | 0.70 | 11.0 | 0.45 | | 600 | 12.7 | 0.53 | 8.1 | 0.37 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | S.E. | |
| All Sites | 3182 | 231.2 | 4.13 | 142.4 | 2.64 | | 3005 | 158.6 | 2.97 | 102.7 |
| Buccal Cavity & Pharynx | 49 | 3.5 | 0.51 | 2.3 | 0.33 | | 28 | 1.5 | 0.29 | 1.0 |
| Digestive System | 750 | 54.6 | 2.01 | 33.9 | 1.29 | | 681 | 34.1 | 1.35 | 20.9 |
| Esophagus | 104 | 7.4 | 0.73 | 4.8 | 0.49 | | 38 | 1.9 | 0.32 | 1.2 |
| Stomach | 67 | 4.8 | 0.59 | 3.1 | 0.40 | | 46 | 2.2 | 0.34 | 1.3 |
| Colon & Rectum | 312 | 23.1 | 1.32 | 13.5 | 0.80 | | 366 | 18.0 | 0.97 | 10.9 |
| Liver | 48 | 3.5 | 0.51 | 2.2 | 0.33 | | 21 | 1.1 | 0.25 | 0.8 |
| Pancreas | 175 | 12.6 | 0.96 | 8.1 | 0.64 | | 157 | 8.1 | 0.67 | 5.0 |
| Respiratory System | 1063 | 76.4 | 2.36 | 49.4 | 1.57 | | 688 | 38.4 | 1.49 | 26.0 |
| Larynx | 35 | 2.4 | 0.41 | 1.8 | 0.31 | | 8 | 0.4 | 0.15 | 0.3 |
| Lung & bronchus | 1023 | 73.7 | 2.32 | 47.4 | 1.54 | | 678 | 37.9 | 1.48 | 25.7 |
| Skin | 76 | 5.2 | 0.60 | 3.5 | 0.42 | | 39 | 2.0 | 0.34 | 1.4 |
| Melanomas of the skin | 67 | 4.5 | 0.56 | 3.1 | 0.39 | | 28 | 1.5 | 0.30 | 1.1 |
| Breast | 6 | 0.4 | 0.18 | 0.2 | 0.10 | | 487 | 25.6 | 1.19 | 16.9 |
| Female Genital System | - | - | - | - | - | | 303 | 16.2 | 0.96 | 10.7 |
| Cervix uteri | - | - | - | - | - | | 51 | 2.8 | 0.41 | 1.9 |
| Corpus & uterus, NOS | - | - | - | - | - | | 88 | 4.5 | 0.50 | 2.8 |
| Ovary | - | - | - | - | - | | 148 | 8.1 | 0.68 | 5.6 |
| Male Genital System | 338 | 26.1 | 1.43 | 12.8 | 0.73 | | - | - | - | - |
| Prostate | 330 | 25.6 | 1.41 | 12.4 | 0.71 | | - | - | - | - |
| Testis | - | - | - | - | - | | - | - | - | - |
| Urinary System | 193 | 14.1 | 1.02 | 8.4 | 0.63 | | 104 | 5.1 | 0.52 | 3.0 |
| Bladder | 94 | 7.1 | 0.74 | 3.9 | 0.42 | | 64 | 3.1 | 0.40 | 1.7 |
| Kidney & renal pelvis | 93 | 6.6 | 0.69 | 4.3 | 0.46 | | 36 | 1.8 | 0.32 | 1.1 |
| Brain & Other Nervous System | 77 | 5.2 | 0.60 | 3.8 | 0.45 | | 59 | 3.4 | 0.45 | 2.5 |
| Endocrine System | 13 | 0.9 | 0.26 | 0.7 | 0.22 | | 18 | 1.1 | 0.26 | 1.0 |
| Thyroid gland | 8 | 0.6 | 0.20 | 0.3 | 0.12 | | 9 | 0.5 | 0.17 | 0.3 |
| Lymphomas | 151 | 11.1 | 0.91 | 6.8 | 0.58 | | 144 | 7.6 | 0.65 | 4.7 |
| Hodgkin Lymphoma | - | - | - | - | - | | 8 | 0.5 | 0.16 | 0.3 |
| Non-Hodgkin Lymphoma | 146 | 10.7 | 0.89 | 6.5 | 0.57 | | 136 | 7.2 | 0.63 | 4.4 |
| Multiple Myeloma | 48 | 3.4 | 0.50 | 2.2 | 0.33 | | 56 | 2.8 | 0.38 | 1.5 |
| Leukemias | 138 | 10.0 | 0.86 | 6.0 | 0.55 | | 101 | 5.5 | 0.56 | 3.6 |
| Other, Ill-defined & Unknown | 280 | 20.1 | 1.21 | 12.4 | 0.78 | | 297 | 15.3 | 0.91 | 9.5 |
| | | | | | | | | | | 0.64 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------------------|--------------------|-------|--------|-----------------------|--------------------|------|-------|------|
| | Deaths | Adj. Rate 1996 Cdn | Adj. Rate World | | Deaths | Adj. Rate 1996 Cdn | Adj. Rate World | | S.E. | |
| | | | S.E. | S.E. | | | S.E. | S.E. | | |
| All Sites | 34349 | 245.8 | 1.35 | 152.1 | 0.85 | 31706 | 160.8 | 0.91 | 105.1 | 0.65 |
| Buccal Cavity & Pharynx | 623 | 4.2 | 0.17 | 2.9 | 0.12 | 285 | 1.5 | 0.09 | 1.0 | 0.06 |
| Digestive System | 7975 | 56.2 | 0.64 | 35.6 | 0.41 | 7074 | 35.0 | 0.42 | 21.5 | 0.28 |
| Esophagus | 1087 | 7.3 | 0.23 | 5.0 | 0.16 | 351 | 1.8 | 0.10 | 1.1 | 0.07 |
| Stomach | 844 | 6.0 | 0.21 | 3.7 | 0.13 | 618 | 3.0 | 0.12 | 1.8 | 0.08 |
| Colon & Rectum | 3260 | 23.4 | 0.42 | 14.5 | 0.26 | 3442 | 16.8 | 0.29 | 10.3 | 0.20 |
| Liver | 685 | 4.7 | 0.18 | 3.1 | 0.12 | 362 | 1.8 | 0.10 | 1.1 | 0.07 |
| Pancreas | 1681 | 11.8 | 0.29 | 7.5 | 0.19 | 1678 | 8.4 | 0.21 | 5.2 | 0.14 |
| Respiratory System | 11782 | 83.0 | 0.78 | 53.1 | 0.50 | 7842 | 40.7 | 0.46 | 26.9 | 0.33 |
| Larynx | 394 | 2.7 | 0.14 | 1.8 | 0.09 | 106 | 0.6 | 0.05 | 0.4 | 0.04 |
| Lung & bronchus | 11321 | 79.8 | 0.76 | 51.0 | 0.49 | 7692 | 40.0 | 0.46 | 26.4 | 0.33 |
| Skin | 761 | 5.2 | 0.19 | 3.4 | 0.13 | 460 | 2.3 | 0.11 | 1.5 | 0.08 |
| Melanomas of the skin | 549 | 3.7 | 0.16 | 2.5 | 0.11 | 365 | 1.9 | 0.10 | 1.3 | 0.07 |
| Breast | 48 | 0.3 | 0.05 | 0.2 | 0.03 | 5239 | 26.9 | 0.38 | 18.9 | 0.28 |
| Female Genital System | - | - | - | - | - | 3088 | 15.8 | 0.29 | 10.7 | 0.21 |
| Cervix uteri | - | - | - | - | - | 499 | 2.6 | 0.12 | 1.9 | 0.09 |
| Corpus & uterus, NOS | - | - | - | - | - | 790 | 4.0 | 0.15 | 2.7 | 0.10 |
| Ovary | - | - | - | - | - | 1632 | 8.4 | 0.21 | 5.6 | 0.15 |
| Male Genital System | 3949 | 31.7 | 0.51 | 15.8 | 0.26 | - | - | - | - | - |
| Prostate | 3883 | 31.3 | 0.51 | 15.4 | 0.26 | - | - | - | - | - |
| Testis | 34 | 0.2 | 0.04 | 0.2 | 0.03 | - | - | - | - | - |
| Urinary System | 1724 | 12.7 | 0.31 | 7.6 | 0.19 | 971 | 4.7 | 0.15 | 2.8 | 0.10 |
| Bladder | 831 | 6.4 | 0.23 | 3.5 | 0.13 | 434 | 2.0 | 0.10 | 1.1 | 0.06 |
| Kidney & renal pelvis | 850 | 5.9 | 0.21 | 3.9 | 0.14 | 497 | 2.5 | 0.11 | 1.6 | 0.08 |
| Brain & Other Nervous System | 743 | 4.8 | 0.18 | 3.6 | 0.13 | 635 | 3.4 | 0.13 | 2.6 | 0.11 |
| Endocrine System | 100 | 0.7 | 0.07 | 0.5 | 0.05 | 148 | 0.8 | 0.06 | 0.5 | 0.05 |
| Thyroid gland | 42 | 0.3 | 0.04 | 0.2 | 0.03 | 90 | 0.4 | 0.05 | 0.3 | 0.03 |
| Lymphomas | 1436 | 10.1 | 0.27 | 6.3 | 0.17 | 1294 | 6.5 | 0.18 | 4.0 | 0.13 |
| Hodgkin Lymphoma | 106 | 0.7 | 0.07 | 0.5 | 0.05 | 65 | 0.3 | 0.04 | 0.3 | 0.03 |
| Non-Hodgkin Lymphoma | 1330 | 9.4 | 0.26 | 5.8 | 0.17 | 1229 | 6.1 | 0.18 | 3.8 | 0.12 |
| Multiple Myeloma | 748 | 5.4 | 0.20 | 3.2 | 0.12 | 709 | 3.5 | 0.13 | 2.1 | 0.09 |
| Leukemias | 1275 | 9.1 | 0.26 | 5.8 | 0.17 | 1059 | 5.3 | 0.16 | 3.5 | 0.12 |
| Other, Ill-defined & Unknown | 3185 | 22.6 | 0.41 | 14.2 | 0.26 | 2902 | 14.5 | 0.27 | 9.1 | 0.19 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 | Cdn | | S.E. | World | | 1996 | Cdn | | |
| All Sites | 27042 | 218.9 | 1.34 | 135.3 | 0.87 | | 25393 | 157.4 | 1.01 | 102.5 | 0.72 |
| Buccal Cavity & Pharynx | 502 | 3.9 | 0.18 | 2.7 | 0.13 | | 263 | 1.6 | 0.10 | 1.0 | 0.07 |
| Digestive System | 6707 | 53.8 | 0.66 | 33.9 | 0.44 | | 5480 | 32.7 | 0.45 | 20.1 | 0.31 |
| Esophagus | 995 | 8.0 | 0.26 | 5.3 | 0.17 | | 302 | 1.9 | 0.11 | 1.2 | 0.08 |
| Stomach | 646 | 5.2 | 0.21 | 3.2 | 0.13 | | 426 | 2.5 | 0.13 | 1.6 | 0.09 |
| Colon & Rectum | 2524 | 20.5 | 0.41 | 12.4 | 0.26 | | 2423 | 14.2 | 0.30 | 8.5 | 0.20 |
| Liver | 639 | 4.9 | 0.20 | 3.3 | 0.14 | | 286 | 1.8 | 0.11 | 1.1 | 0.08 |
| Pancreas | 1431 | 11.5 | 0.31 | 7.4 | 0.20 | | 1491 | 9.0 | 0.24 | 5.6 | 0.17 |
| Respiratory System | 8608 | 70.2 | 0.76 | 44.6 | 0.51 | | 6979 | 45.1 | 0.55 | 29.7 | 0.40 |
| Larynx | 224 | 1.8 | 0.12 | 1.2 | 0.08 | | 75 | 0.5 | 0.06 | 0.3 | 0.04 |
| Lung & bronchus | 8228 | 67.1 | 0.74 | 42.6 | 0.50 | | 6844 | 44.2 | 0.54 | 29.2 | 0.39 |
| Skin | 667 | 5.2 | 0.20 | 3.5 | 0.14 | | 404 | 2.5 | 0.13 | 1.7 | 0.09 |
| Melanomas of the skin | 519 | 4.0 | 0.18 | 2.7 | 0.13 | | 310 | 2.0 | 0.11 | 1.4 | 0.08 |
| Breast | 41 | 0.3 | 0.05 | 0.2 | 0.03 | | 3782 | 23.6 | 0.39 | 16.2 | 0.29 |
| Female Genital System | - | - | - | - | - | | 2598 | 16.3 | 0.33 | 10.8 | 0.24 |
| Cervix uteri | - | - | - | - | - | | 311 | 2.1 | 0.12 | 1.6 | 0.09 |
| Corpus & uterus, NOS | - | - | - | - | - | | 607 | 3.7 | 0.15 | 2.3 | 0.11 |
| Ovary | - | - | - | - | - | | 1545 | 9.8 | 0.25 | 6.5 | 0.18 |
| Male Genital System | 2992 | 25.2 | 0.46 | 12.5 | 0.24 | - | - | - | - | - | |
| Prostate | 2926 | 24.7 | 0.46 | 12.1 | 0.24 | - | - | - | - | - | |
| Testis | 49 | 0.4 | 0.05 | 0.3 | 0.04 | - | - | - | - | - | |
| Urinary System | 1640 | 13.3 | 0.33 | 8.0 | 0.21 | | 803 | 4.7 | 0.17 | 2.8 | 0.12 |
| Bladder | 846 | 7.0 | 0.24 | 3.9 | 0.14 | | 324 | 1.8 | 0.10 | 0.9 | 0.06 |
| Kidney & renal pelvis | 745 | 5.9 | 0.22 | 3.9 | 0.15 | | 445 | 2.7 | 0.13 | 1.8 | 0.10 |
| Brain & Other Nervous System | 903 | 6.8 | 0.23 | 5.1 | 0.18 | | 690 | 4.5 | 0.17 | 3.3 | 0.14 |
| Endocrine System | 99 | 0.8 | 0.08 | 0.6 | 0.07 | | 111 | 0.7 | 0.07 | 0.5 | 0.06 |
| Thyroid gland | 44 | 0.4 | 0.05 | 0.2 | 0.04 | | 63 | 0.4 | 0.05 | 0.2 | 0.03 |
| Lymphomas | 1343 | 10.7 | 0.29 | 6.7 | 0.19 | | 1156 | 7.0 | 0.21 | 4.3 | 0.15 |
| Hodgkin Lymphoma | 83 | 0.6 | 0.07 | 0.5 | 0.05 | | 55 | 0.4 | 0.05 | 0.2 | 0.04 |
| Non-Hodgkin Lymphoma | 1260 | 10.0 | 0.29 | 6.3 | 0.19 | | 1101 | 6.6 | 0.20 | 4.1 | 0.14 |
| Multiple Myeloma | 595 | 4.9 | 0.20 | 2.9 | 0.13 | | 502 | 3.1 | 0.14 | 1.8 | 0.09 |
| Leukemias | 1182 | 9.5 | 0.28 | 5.8 | 0.18 | | 923 | 5.6 | 0.19 | 3.7 | 0.14 |
| Other, Ill-defined & Unknown | 1763 | 14.2 | 0.34 | 8.8 | 0.22 | | 1702 | 10.1 | 0.25 | 6.4 | 0.18 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 18048 | 217.7 | 1.64 | 134.5 | 1.06 | | 17157 | 157.4 | 1.23 | 102.3 | 0.88 |
| Buccal Cavity & Pharynx | 360 | 4.2 | 0.22 | 2.9 | 0.16 | | 186 | 1.7 | 0.13 | 1.1 | 0.09 |
| Digestive System | 4507 | 53.9 | 0.81 | 33.9 | 0.53 | | 3693 | 32.8 | 0.55 | 20.1 | 0.38 |
| Esophagus | 679 | 8.1 | 0.31 | 5.3 | 0.22 | | 200 | 1.8 | 0.13 | 1.2 | 0.09 |
| Stomach | 445 | 5.3 | 0.26 | 3.3 | 0.17 | | 286 | 2.5 | 0.15 | 1.6 | 0.11 |
| Colon & Rectum | 1664 | 20.1 | 0.50 | 12.1 | 0.31 | | 1618 | 14.1 | 0.36 | 8.5 | 0.24 |
| Liver | 454 | 5.2 | 0.25 | 3.5 | 0.17 | | 194 | 1.8 | 0.13 | 1.1 | 0.09 |
| Pancreas | 953 | 11.4 | 0.37 | 7.4 | 0.25 | | 1013 | 9.1 | 0.29 | 5.6 | 0.20 |
| Respiratory System | 5682 | 69.0 | 0.92 | 43.9 | 0.61 | | 4691 | 44.9 | 0.67 | 29.6 | 0.48 |
| Larynx | 146 | 1.8 | 0.15 | 1.1 | 0.10 | | 53 | 0.5 | 0.07 | 0.3 | 0.05 |
| Lung & bronchus | 5418 | 65.8 | 0.90 | 41.9 | 0.60 | | 4591 | 43.9 | 0.66 | 29.0 | 0.47 |
| Skin | 451 | 5.2 | 0.25 | 3.4 | 0.17 | | 268 | 2.5 | 0.15 | 1.7 | 0.11 |
| Melanomas of the skin | 353 | 4.0 | 0.22 | 2.7 | 0.15 | | 211 | 2.0 | 0.14 | 1.4 | 0.11 |
| Breast | 26 | 0.3 | 0.06 | 0.2 | 0.04 | | 2588 | 23.8 | 0.48 | 16.3 | 0.35 |
| Female Genital System | - | - | - | - | - | | 1798 | 16.6 | 0.40 | 11.0 | 0.29 |
| Cervix uteri | - | - | - | - | - | | 225 | 2.2 | 0.15 | 1.6 | 0.11 |
| Corpus & uterus, NOS | - | - | - | - | - | | 413 | 3.7 | 0.19 | 2.3 | 0.13 |
| Ovary | - | - | - | - | - | | 1069 | 9.9 | 0.31 | 6.6 | 0.22 |
| Male Genital System | 1968 | 25.0 | 0.57 | 12.3 | 0.29 | - | - | - | - | - | - |
| Prostate | 1925 | 24.5 | 0.56 | 12.0 | 0.29 | - | - | - | - | - | - |
| Testis | 30 | 0.3 | 0.06 | 0.2 | 0.05 | - | - | - | - | - | - |
| Urinary System | 1080 | 13.0 | 0.40 | 7.9 | 0.26 | | 532 | 4.6 | 0.21 | 2.8 | 0.14 |
| Bladder | 553 | 6.8 | 0.29 | 3.8 | 0.17 | | 212 | 1.8 | 0.12 | 0.9 | 0.07 |
| Kidney & renal pelvis | 491 | 5.8 | 0.26 | 3.9 | 0.18 | | 299 | 2.7 | 0.16 | 1.8 | 0.12 |
| Brain & Other Nervous System | 626 | 7.0 | 0.28 | 5.2 | 0.22 | | 449 | 4.3 | 0.21 | 3.2 | 0.16 |
| Endocrine System | 68 | 0.8 | 0.10 | 0.6 | 0.08 | | 74 | 0.7 | 0.08 | 0.5 | 0.07 |
| Thyroid gland | 29 | 0.3 | 0.06 | 0.2 | 0.05 | | 42 | 0.4 | 0.06 | 0.2 | 0.04 |
| Lymphomas | 906 | 10.7 | 0.36 | 6.7 | 0.23 | | 758 | 6.8 | 0.25 | 4.1 | 0.17 |
| Hodgkin Lymphoma | 56 | 0.6 | 0.09 | 0.4 | 0.06 | | 36 | 0.3 | 0.06 | 0.2 | 0.04 |
| Non-Hodgkin Lymphoma | 850 | 10.1 | 0.35 | 6.2 | 0.23 | | 722 | 6.4 | 0.25 | 3.9 | 0.17 |
| Multiple Myeloma | 380 | 4.7 | 0.24 | 2.8 | 0.15 | | 344 | 3.1 | 0.17 | 1.9 | 0.12 |
| Leukemias | 803 | 9.6 | 0.34 | 5.9 | 0.22 | | 631 | 5.6 | 0.23 | 3.7 | 0.17 |
| Other, Ill-defined & Unknown | 1191 | 14.3 | 0.42 | 8.8 | 0.27 | | 1145 | 10.1 | 0.31 | 6.4 | 0.22 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|-------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | S.E. | |
| All Sites | 12325 | 263.0 | 2.38 | 165.3 | 1.57 | | 11356 | 175.5 | 1.69 | 116.5 |
| Buccal Cavity & Pharynx | 186 | 3.9 | 0.28 | 2.8 | 0.21 | | 87 | 1.3 | 0.14 | 0.9 |
| Digestive System | 2639 | 56.4 | 1.11 | 35.4 | 0.72 | | 2336 | 34.2 | 0.73 | 21.2 |
| Esophagus | 345 | 7.3 | 0.39 | 4.8 | 0.27 | | 98 | 1.4 | 0.15 | 0.9 |
| Stomach | 247 | 5.3 | 0.34 | 3.2 | 0.21 | | 169 | 2.4 | 0.19 | 1.5 |
| Colon & Rectum | 1195 | 25.7 | 0.75 | 15.7 | 0.48 | | 1289 | 18.7 | 0.54 | 11.5 |
| Liver | 214 | 4.5 | 0.31 | 3.0 | 0.21 | | 120 | 1.8 | 0.16 | 1.1 |
| Pancreas | 497 | 10.6 | 0.48 | 6.8 | 0.32 | | 466 | 7.0 | 0.33 | 4.5 |
| Respiratory System | 4803 | 100.8 | 1.46 | 65.7 | 0.99 | | 3278 | 51.5 | 0.91 | 34.7 |
| Larynx | 143 | 3.0 | 0.25 | 2.1 | 0.18 | | 53 | 0.8 | 0.12 | 0.6 |
| Lung & bronchus | 4641 | 97.4 | 1.44 | 63.3 | 0.97 | | 3207 | 50.4 | 0.91 | 34.0 |
| Skin | 256 | 5.5 | 0.35 | 3.7 | 0.24 | | 141 | 2.4 | 0.21 | 1.6 |
| Melanomas of the skin | 190 | 4.1 | 0.30 | 2.8 | 0.21 | | 119 | 2.1 | 0.20 | 1.4 |
| Breast | 15 | 0.3 | 0.08 | 0.2 | 0.05 | | 1608 | 25.9 | 0.66 | 18.1 |
| Female Genital System | - | - | - | - | - | | 1135 | 18.2 | 0.56 | 12.6 |
| Cervix uteri | - | - | - | - | - | | 208 | 3.8 | 0.27 | 2.9 |
| Corpus & uterus, NOS | - | - | - | - | - | | 265 | 4.1 | 0.25 | 2.6 |
| Ovary | - | - | - | - | - | | 583 | 9.2 | 0.39 | 6.3 |
| Male Genital System | 1192 | 26.7 | 0.78 | 13.4 | 0.41 | - | - | - | - | - |
| Prostate | 1162 | 26.1 | 0.77 | 12.9 | 0.39 | - | - | - | - | - |
| Testis | 13 | 0.3 | 0.09 | 0.3 | 0.08 | - | - | - | - | - |
| Urinary System | 606 | 13.1 | 0.54 | 7.6 | 0.33 | | 400 | 5.9 | 0.30 | 3.6 |
| Bladder | 316 | 7.0 | 0.40 | 3.6 | 0.21 | | 200 | 2.8 | 0.20 | 1.6 |
| Kidney & renal pelvis | 282 | 6.0 | 0.36 | 3.9 | 0.24 | | 188 | 2.9 | 0.21 | 1.9 |
| Brain & Other Nervous System | 221 | 4.7 | 0.32 | 3.6 | 0.26 | | 213 | 3.7 | 0.26 | 2.8 |
| Endocrine System | 47 | 1.0 | 0.15 | 0.8 | 0.13 | | 37 | 0.6 | 0.10 | 0.5 |
| Thyroid gland | 24 | 0.5 | 0.10 | 0.3 | 0.07 | | 28 | 0.4 | 0.08 | 0.3 |
| Lymphomas | 475 | 10.2 | 0.47 | 6.6 | 0.32 | | 490 | 7.3 | 0.34 | 4.7 |
| Hodgkin Lymphoma | 15 | 0.3 | 0.09 | 0.3 | 0.08 | | 23 | 0.4 | 0.09 | 0.4 |
| Non-Hodgkin Lymphoma | 460 | 9.9 | 0.46 | 6.3 | 0.31 | | 467 | 6.9 | 0.33 | 4.3 |
| Multiple Myeloma | 212 | 4.5 | 0.31 | 2.7 | 0.19 | | 183 | 2.7 | 0.20 | 1.7 |
| Leukemias | 480 | 10.3 | 0.47 | 6.6 | 0.33 | | 406 | 6.1 | 0.31 | 4.0 |
| Other, Ill-defined & Unknown | 1193 | 25.5 | 0.74 | 16.2 | 0.49 | | 1042 | 15.7 | 0.50 | 10.1 |
| | | | | | | | | | | 0.36 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 27951 | 226.1 | 1.36 | 139.4 | 0.89 | | 25706 | 152.2 | 0.98 | 99.6 | 0.72 |
| Buccal Cavity & Pharynx | 483 | 3.8 | 0.18 | 2.7 | 0.13 | | 270 | 1.6 | 0.10 | 1.1 | 0.08 |
| Digestive System | 7024 | 56.7 | 0.68 | 35.5 | 0.45 | | 5996 | 33.3 | 0.45 | 20.2 | 0.31 |
| Esophagus | 1083 | 8.7 | 0.27 | 5.8 | 0.19 | | 295 | 1.7 | 0.10 | 1.0 | 0.07 |
| Stomach | 668 | 5.4 | 0.21 | 3.3 | 0.13 | | 429 | 2.4 | 0.12 | 1.4 | 0.08 |
| Colon & Rectum | 2905 | 23.6 | 0.44 | 14.2 | 0.28 | | 2880 | 15.6 | 0.30 | 9.2 | 0.21 |
| Liver | 545 | 4.4 | 0.19 | 2.9 | 0.13 | | 252 | 1.5 | 0.10 | 0.9 | 0.07 |
| Pancreas | 1396 | 11.3 | 0.30 | 7.2 | 0.20 | | 1490 | 8.5 | 0.23 | 5.2 | 0.16 |
| Respiratory System | 8238 | 66.7 | 0.74 | 42.6 | 0.50 | | 5753 | 36.0 | 0.49 | 24.3 | 0.36 |
| Larynx | 263 | 2.1 | 0.13 | 1.4 | 0.09 | | 71 | 0.5 | 0.06 | 0.3 | 0.04 |
| Lung & bronchus | 7900 | 63.9 | 0.72 | 40.8 | 0.49 | | 5640 | 35.3 | 0.48 | 23.9 | 0.36 |
| Skin | 585 | 4.7 | 0.19 | 3.1 | 0.13 | | 316 | 1.9 | 0.11 | 1.3 | 0.08 |
| Melanomas of the skin | 440 | 3.5 | 0.17 | 2.4 | 0.12 | | 258 | 1.6 | 0.10 | 1.1 | 0.08 |
| Breast | 41 | 0.3 | 0.05 | 0.2 | 0.04 | | 4070 | 24.7 | 0.40 | 16.9 | 0.30 |
| Female Genital System | - | - | - | - | - | | 2603 | 16.0 | 0.32 | 10.8 | 0.24 |
| Cervix uteri | - | - | - | - | - | | 309 | 2.1 | 0.12 | 1.7 | 0.10 |
| Corpus & uterus, NOS | - | - | - | - | - | | 694 | 4.1 | 0.16 | 2.6 | 0.11 |
| Ovary | - | - | - | - | - | | 1403 | 8.7 | 0.24 | 5.9 | 0.18 |
| Male Genital System | 3469 | 28.5 | 0.48 | 14.1 | 0.26 | - | - | - | - | - | - |
| Prostate | 3412 | 28.0 | 0.48 | 13.8 | 0.25 | - | - | - | - | - | - |
| Testis | 38 | 0.3 | 0.05 | 0.3 | 0.04 | - | - | - | - | - | - |
| Urinary System | 1659 | 13.4 | 0.33 | 7.9 | 0.21 | | 877 | 4.9 | 0.17 | 3.0 | 0.12 |
| Bladder | 851 | 6.9 | 0.24 | 3.7 | 0.14 | | 411 | 2.2 | 0.11 | 1.2 | 0.07 |
| Kidney & renal pelvis | 765 | 6.1 | 0.22 | 4.0 | 0.15 | | 446 | 2.6 | 0.13 | 1.8 | 0.10 |
| Brain & Other Nervous System | 729 | 5.7 | 0.21 | 4.3 | 0.17 | | 620 | 4.1 | 0.17 | 3.0 | 0.14 |
| Endocrine System | 97 | 0.8 | 0.08 | 0.6 | 0.06 | | 126 | 0.7 | 0.07 | 0.5 | 0.06 |
| Thyroid gland | 53 | 0.4 | 0.06 | 0.3 | 0.04 | | 87 | 0.5 | 0.05 | 0.3 | 0.03 |
| Lymphomas | 1398 | 11.3 | 0.30 | 7.0 | 0.20 | | 1238 | 7.0 | 0.21 | 4.4 | 0.15 |
| Hodgkin Lymphoma | 68 | 0.5 | 0.07 | 0.4 | 0.05 | | 66 | 0.4 | 0.06 | 0.3 | 0.05 |
| Non-Hodgkin Lymphoma | 1330 | 10.7 | 0.29 | 6.7 | 0.19 | | 1172 | 6.6 | 0.20 | 4.0 | 0.14 |
| Multiple Myeloma | 520 | 4.2 | 0.19 | 2.5 | 0.12 | | 473 | 2.7 | 0.13 | 1.7 | 0.09 |
| Leukemias | 1283 | 10.4 | 0.29 | 6.5 | 0.20 | | 1082 | 6.2 | 0.20 | 4.1 | 0.15 |
| Other, Ill-defined & Unknown | 2425 | 19.6 | 0.40 | 12.3 | 0.27 | | 2282 | 13.1 | 0.28 | 8.4 | 0.21 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | S.E. | |
| All Sites | 2308 | 214.5 | 4.51 | 130.0 | 2.82 | | 2071 | 153.0 | 3.41 | 99.6 |
| Buccal Cavity & Pharynx | 31 | 2.7 | 0.49 | 1.8 | 0.33 | | 26 | 1.9 | 0.37 | 1.2 |
| Digestive System | 559 | 51.1 | 2.19 | 31.7 | 1.39 | | 492 | 35.0 | 1.61 | 20.8 |
| Esophagus | 75 | 6.7 | 0.79 | 4.0 | 0.48 | | 20 | 1.5 | 0.34 | 1.0 |
| Stomach | 47 | 4.3 | 0.63 | 2.7 | 0.41 | | 35 | 2.4 | 0.41 | 1.4 |
| Colon & Rectum | 238 | 22.0 | 1.44 | 13.4 | 0.90 | | 249 | 17.5 | 1.13 | 10.2 |
| Liver | 41 | 3.6 | 0.56 | 2.5 | 0.40 | | 29 | 2.1 | 0.40 | 1.2 |
| Pancreas | 117 | 10.7 | 1.00 | 6.9 | 0.66 | | 104 | 7.5 | 0.74 | 4.5 |
| Respiratory System | 681 | 62.9 | 2.43 | 39.5 | 1.57 | | 497 | 38.2 | 1.73 | 25.5 |
| Larynx | 23 | 2.2 | 0.45 | 1.4 | 0.29 | | 9 | 0.7 | 0.24 | 0.5 |
| Lung & bronchus | 651 | 60.1 | 2.38 | 37.7 | 1.53 | | 486 | 37.3 | 1.71 | 24.9 |
| Skin | 65 | 5.8 | 0.73 | 3.7 | 0.48 | | 29 | 2.1 | 0.41 | 1.5 |
| Melanomas of the skin | 48 | 4.2 | 0.61 | 2.9 | 0.43 | | 22 | 1.7 | 0.37 | 1.1 |
| Breast | - | - | - | - | - | | 319 | 23.7 | 1.35 | 16.1 |
| Female Genital System | - | - | - | - | - | | 207 | 15.3 | 1.08 | 10.1 |
| Cervix uteri | - | - | - | - | - | | 35 | 2.8 | 0.47 | 2.1 |
| Corpus & uterus, NOS | - | - | - | - | - | | 44 | 3.2 | 0.49 | 2.0 |
| Ovary | - | - | - | - | - | | 114 | 8.4 | 0.79 | 5.5 |
| Male Genital System | 323 | 32.3 | 1.81 | 16.2 | 0.94 | - | - | - | - | - |
| Prostate | 315 | 31.6 | 1.79 | 15.7 | 0.92 | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 131 | 12.2 | 1.08 | 7.0 | 0.63 | | 62 | 4.5 | 0.58 | 2.8 |
| Bladder | 67 | 6.5 | 0.81 | 3.4 | 0.43 | | 24 | 1.7 | 0.36 | 1.0 |
| Kidney & renal pelvis | 60 | 5.2 | 0.68 | 3.4 | 0.46 | | 34 | 2.5 | 0.43 | 1.6 |
| Brain & Other Nervous System | 64 | 5.5 | 0.70 | 4.2 | 0.53 | | 47 | 3.7 | 0.55 | 3.0 |
| Endocrine System | 15 | 1.3 | 0.33 | 1.0 | 0.29 | | 10 | 0.7 | 0.23 | 0.6 |
| Thyroid gland | - | - | - | - | - | | 7 | 0.5 | 0.19 | 0.4 |
| Lymphomas | 79 | 7.1 | 0.81 | 4.7 | 0.55 | | 72 | 5.3 | 0.64 | 3.3 |
| Hodgkin Lymphoma | 8 | 0.7 | 0.25 | 0.6 | 0.21 | - | - | - | - | - |
| Non-Hodgkin Lymphoma | 71 | 6.4 | 0.77 | 4.1 | 0.51 | | 68 | 5.0 | 0.62 | 3.2 |
| Multiple Myeloma | 45 | 4.3 | 0.65 | 2.5 | 0.38 | | 42 | 3.2 | 0.50 | 1.9 |
| Leukemias | 109 | 10.3 | 1.00 | 6.0 | 0.59 | | 77 | 5.4 | 0.63 | 3.7 |
| Other, Ill-defined & Unknown | 202 | 18.5 | 1.32 | 11.6 | 0.85 | | 191 | 13.9 | 1.02 | 9.0 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alberta, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 12038 | 215.4 | 1.99 | 130.7 | 1.23 | | 10762 | 152.2 | 1.48 | 98.7 | 1.03 |
| Buccal Cavity & Pharynx | 226 | 3.8 | 0.26 | 2.6 | 0.17 | | 121 | 1.7 | 0.15 | 1.0 | 0.10 |
| Digestive System | 3239 | 57.6 | 1.03 | 35.3 | 0.64 | | 2625 | 36.6 | 0.72 | 22.2 | 0.48 |
| Esophagus | 359 | 6.2 | 0.33 | 4.0 | 0.22 | | 151 | 2.1 | 0.17 | 1.2 | 0.11 |
| Stomach | 429 | 7.8 | 0.38 | 4.6 | 0.23 | | 297 | 4.1 | 0.24 | 2.5 | 0.16 |
| Colon & Rectum | 1435 | 25.8 | 0.69 | 15.6 | 0.42 | | 1201 | 16.6 | 0.48 | 9.8 | 0.31 |
| Liver | 242 | 4.1 | 0.27 | 2.7 | 0.18 | | 124 | 1.7 | 0.16 | 1.1 | 0.11 |
| Pancreas | 592 | 10.5 | 0.44 | 6.5 | 0.27 | | 589 | 8.4 | 0.35 | 5.1 | 0.23 |
| Respiratory System | 3297 | 58.3 | 1.03 | 36.6 | 0.66 | | 2312 | 33.7 | 0.70 | 22.6 | 0.50 |
| Larynx | 86 | 1.5 | 0.17 | 1.0 | 0.11 | | 29 | 0.4 | 0.08 | 0.3 | 0.05 |
| Lung & bronchus | 3180 | 56.2 | 1.01 | 35.2 | 0.64 | | 2267 | 33.1 | 0.70 | 22.2 | 0.50 |
| Skin | 191 | 3.2 | 0.23 | 2.1 | 0.16 | | 130 | 1.8 | 0.16 | 1.2 | 0.11 |
| Melanomas of the skin | 160 | 2.6 | 0.21 | 1.8 | 0.14 | | 110 | 1.5 | 0.15 | 1.0 | 0.11 |
| Breast | 18 | 0.3 | 0.08 | 0.2 | 0.05 | | 1890 | 26.7 | 0.62 | 18.4 | 0.45 |
| Female Genital System | - | - | - | - | - | | 1018 | 14.4 | 0.45 | 9.6 | 0.32 |
| Cervix uteri | - | - | - | - | - | | 192 | 2.7 | 0.19 | 1.9 | 0.15 |
| Corpus & uterus, NOS | - | - | - | - | - | | 245 | 3.4 | 0.22 | 2.1 | 0.15 |
| Ovary | - | - | - | - | - | | 517 | 7.4 | 0.33 | 5.1 | 0.24 |
| Male Genital System | 1640 | 32.4 | 0.81 | 16.3 | 0.41 | - | - | - | - | - | - |
| Prostate | 1607 | 31.9 | 0.80 | 15.9 | 0.41 | - | - | - | - | - | - |
| Testis | 19 | 0.3 | 0.07 | 0.2 | 0.05 | - | - | - | - | - | - |
| Urinary System | 718 | 13.1 | 0.50 | 7.7 | 0.30 | | 354 | 4.9 | 0.26 | 2.9 | 0.17 |
| Bladder | 372 | 7.0 | 0.37 | 3.9 | 0.21 | | 144 | 1.9 | 0.16 | 1.1 | 0.10 |
| Kidney & renal pelvis | 339 | 5.9 | 0.33 | 3.7 | 0.21 | | 200 | 2.8 | 0.20 | 1.8 | 0.14 |
| Brain & Other Nervous System | 335 | 5.2 | 0.29 | 3.9 | 0.22 | | 257 | 3.7 | 0.23 | 2.7 | 0.18 |
| Endocrine System | 43 | 0.7 | 0.11 | 0.5 | 0.08 | | 55 | 0.8 | 0.11 | 0.6 | 0.08 |
| Thyroid gland | 24 | 0.4 | 0.09 | 0.3 | 0.06 | | 33 | 0.5 | 0.08 | 0.3 | 0.05 |
| Lymphomas | 538 | 9.2 | 0.41 | 5.9 | 0.26 | | 420 | 5.9 | 0.29 | 3.7 | 0.20 |
| Hodgkin Lymphoma | 24 | 0.4 | 0.08 | 0.3 | 0.06 | | 14 | 0.2 | 0.05 | 0.1 | 0.04 |
| Non-Hodgkin Lymphoma | 514 | 8.8 | 0.40 | 5.6 | 0.26 | | 406 | 5.7 | 0.29 | 3.6 | 0.19 |
| Multiple Myeloma | 193 | 3.5 | 0.25 | 2.1 | 0.15 | | 178 | 2.5 | 0.19 | 1.5 | 0.12 |
| Leukemias | 501 | 8.8 | 0.40 | 5.5 | 0.25 | | 348 | 4.9 | 0.26 | 3.2 | 0.19 |
| Other, Ill-defined & Unknown | 1099 | 19.3 | 0.59 | 12.1 | 0.38 | | 1054 | 14.7 | 0.46 | 9.2 | 0.31 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
British Columbia, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | World | | |
| All Sites | 20067 | 208.8 | 1.48 | 127.2 | 0.94 | | 17814 | 147.5 | 1.12 | 95.6 | 0.80 |
| Buccal Cavity & Pharynx | 413 | 4.1 | 0.20 | 2.8 | 0.15 | | 210 | 1.8 | 0.12 | 1.2 | 0.09 |
| Digestive System | 5635 | 58.4 | 0.78 | 36.0 | 0.50 | | 4411 | 35.3 | 0.54 | 21.3 | 0.36 |
| Esophagus | 744 | 7.6 | 0.28 | 4.9 | 0.19 | | 264 | 2.1 | 0.13 | 1.3 | 0.09 |
| Stomach | 715 | 7.4 | 0.28 | 4.5 | 0.17 | | 411 | 3.3 | 0.17 | 2.1 | 0.11 |
| Colon & Rectum | 2300 | 24.0 | 0.50 | 14.4 | 0.31 | | 2082 | 16.5 | 0.37 | 9.9 | 0.25 |
| Liver | 486 | 4.9 | 0.22 | 3.3 | 0.16 | | 219 | 1.8 | 0.12 | 1.1 | 0.09 |
| Pancreas | 1023 | 10.6 | 0.33 | 6.6 | 0.22 | | 1048 | 8.4 | 0.26 | 5.0 | 0.18 |
| Respiratory System | 5860 | 60.3 | 0.79 | 37.9 | 0.52 | | 4396 | 37.3 | 0.57 | 24.9 | 0.41 |
| Larynx | 205 | 2.1 | 0.15 | 1.4 | 0.10 | | 37 | 0.3 | 0.05 | 0.2 | 0.04 |
| Lung & bronchus | 5612 | 57.8 | 0.77 | 36.2 | 0.50 | | 4336 | 36.8 | 0.56 | 24.5 | 0.41 |
| Skin | 384 | 3.9 | 0.20 | 2.6 | 0.14 | | 215 | 1.8 | 0.12 | 1.2 | 0.09 |
| Melanomas of the skin | 314 | 3.2 | 0.18 | 2.1 | 0.13 | | 184 | 1.6 | 0.12 | 1.1 | 0.08 |
| Breast | 19 | 0.2 | 0.04 | 0.1 | 0.03 | | 2930 | 24.8 | 0.46 | 17.0 | 0.34 |
| Female Genital System | - | - | - | - | - | | 1675 | 14.1 | 0.35 | 9.3 | 0.25 |
| Cervix uteri | - | - | - | - | - | | 235 | 2.1 | 0.14 | 1.5 | 0.10 |
| Corpus & uterus, NOS | - | - | - | - | - | | 361 | 3.0 | 0.16 | 1.8 | 0.11 |
| Ovary | - | - | - | - | - | | 995 | 8.4 | 0.27 | 5.6 | 0.19 |
| Male Genital System | 2473 | 27.1 | 0.55 | 13.5 | 0.28 | - | - | - | - | - | |
| Prostate | 2438 | 26.7 | 0.54 | 13.2 | 0.28 | - | - | - | - | - | |
| Testis | 22 | 0.2 | 0.05 | 0.2 | 0.04 | - | - | - | - | - | |
| Urinary System | 1183 | 12.5 | 0.36 | 7.3 | 0.22 | | 598 | 4.7 | 0.20 | 2.8 | 0.13 |
| Bladder | 649 | 7.0 | 0.27 | 3.8 | 0.15 | | 283 | 2.2 | 0.13 | 1.2 | 0.08 |
| Kidney & renal pelvis | 502 | 5.2 | 0.23 | 3.4 | 0.16 | | 289 | 2.4 | 0.14 | 1.5 | 0.10 |
| Brain & Other Nervous System | 536 | 5.3 | 0.23 | 4.0 | 0.18 | | 395 | 3.5 | 0.18 | 2.6 | 0.14 |
| Endocrine System | 66 | 0.7 | 0.08 | 0.5 | 0.06 | | 100 | 0.9 | 0.09 | 0.7 | 0.08 |
| Thyroid gland | 41 | 0.4 | 0.07 | 0.3 | 0.04 | | 61 | 0.5 | 0.06 | 0.3 | 0.04 |
| Lymphomas | 940 | 9.7 | 0.32 | 6.1 | 0.21 | | 712 | 5.8 | 0.22 | 3.5 | 0.15 |
| Hodgkin Lymphoma | 34 | 0.3 | 0.06 | 0.3 | 0.05 | | 25 | 0.2 | 0.04 | 0.2 | 0.03 |
| Non-Hodgkin Lymphoma | 906 | 9.4 | 0.31 | 5.9 | 0.20 | | 687 | 5.6 | 0.22 | 3.4 | 0.14 |
| Multiple Myeloma | 367 | 3.9 | 0.20 | 2.3 | 0.12 | | 293 | 2.4 | 0.14 | 1.4 | 0.09 |
| Leukemias | 742 | 7.8 | 0.29 | 4.8 | 0.19 | | 545 | 4.4 | 0.19 | 2.8 | 0.14 |
| Other, Ill-defined & Unknown | 1449 | 15.0 | 0.40 | 9.3 | 0.26 | | 1334 | 10.8 | 0.30 | 6.9 | 0.22 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Manitoba, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 6712 | 244.0 | 2.98 | 151.0 | 1.97 | | 5951 | 163.8 | 2.20 | 107.5 | 1.62 |
| Buccal Cavity & Pharynx | 119 | 4.3 | 0.40 | 2.9 | 0.28 | | 65 | 1.8 | 0.23 | 1.2 | 0.17 |
| Digestive System | 1813 | 66.0 | 1.55 | 41.7 | 1.04 | | 1525 | 39.4 | 1.05 | 24.0 | 0.73 |
| Esophagus | 217 | 7.8 | 0.53 | 5.2 | 0.37 | | 76 | 2.0 | 0.23 | 1.2 | 0.16 |
| Stomach | 227 | 8.2 | 0.54 | 4.8 | 0.34 | | 129 | 3.2 | 0.30 | 1.9 | 0.20 |
| Colon & Rectum | 853 | 31.1 | 1.07 | 19.3 | 0.70 | | 770 | 19.6 | 0.73 | 11.9 | 0.51 |
| Liver | 99 | 3.6 | 0.36 | 2.6 | 0.27 | | 62 | 1.7 | 0.22 | 1.1 | 0.16 |
| Pancreas | 290 | 10.6 | 0.62 | 7.0 | 0.43 | | 321 | 8.4 | 0.49 | 5.0 | 0.33 |
| Respiratory System | 1902 | 69.1 | 1.59 | 44.1 | 1.08 | | 1292 | 37.6 | 1.07 | 25.8 | 0.81 |
| Larynx | 56 | 2.0 | 0.27 | 1.3 | 0.18 | | 12 | 0.4 | 0.11 | 0.3 | 0.09 |
| Lung & bronchus | 1828 | 66.5 | 1.56 | 42.4 | 1.05 | | 1270 | 36.9 | 1.06 | 25.3 | 0.80 |
| Skin | 101 | 3.7 | 0.37 | 2.4 | 0.25 | | 70 | 1.8 | 0.23 | 1.1 | 0.16 |
| Melanomas of the skin | 76 | 2.8 | 0.32 | 1.8 | 0.22 | | 63 | 1.7 | 0.22 | 1.1 | 0.16 |
| Breast | 6 | 0.2 | 0.09 | 0.1 | 0.06 | | 993 | 28.5 | 0.93 | 19.9 | 0.71 |
| Female Genital System | - | - | - | - | - | | 531 | 14.9 | 0.67 | 10.0 | 0.50 |
| Cervix uteri | - | - | - | - | - | | 86 | 2.7 | 0.29 | 1.9 | 0.23 |
| Corpus & uterus, NOS | - | - | - | - | - | | 138 | 3.7 | 0.32 | 2.3 | 0.23 |
| Ovary | - | - | - | - | - | | 275 | 7.7 | 0.48 | 5.3 | 0.37 |
| Male Genital System | 870 | 31.7 | 1.08 | 15.8 | 0.57 | - | - | - | - | - | - |
| Prostate | 860 | 31.3 | 1.07 | 15.5 | 0.56 | - | - | - | - | - | - |
| Testis | 6 | 0.2 | 0.09 | 0.2 | 0.08 | - | - | - | - | - | - |
| Urinary System | 439 | 15.9 | 0.76 | 9.5 | 0.48 | | 209 | 5.3 | 0.38 | 3.2 | 0.26 |
| Bladder | 215 | 7.9 | 0.54 | 4.4 | 0.32 | | 82 | 1.9 | 0.22 | 1.0 | 0.13 |
| Kidney & renal pelvis | 214 | 7.7 | 0.53 | 4.9 | 0.36 | | 121 | 3.3 | 0.31 | 2.1 | 0.23 |
| Brain & Other Nervous System | 155 | 5.6 | 0.45 | 4.3 | 0.36 | | 115 | 3.5 | 0.33 | 2.6 | 0.28 |
| Endocrine System | 16 | 0.6 | 0.14 | 0.4 | 0.11 | | 32 | 0.8 | 0.15 | 0.5 | 0.11 |
| Thyroid gland | 9 | 0.3 | 0.11 | 0.2 | 0.07 | | 26 | 0.6 | 0.13 | 0.3 | 0.08 |
| Lymphomas | 361 | 13.1 | 0.69 | 8.5 | 0.47 | | 272 | 7.7 | 0.48 | 5.2 | 0.36 |
| Hodgkin Lymphoma | 16 | 0.6 | 0.15 | 0.5 | 0.12 | - | - | - | - | - | - |
| Non-Hodgkin Lymphoma | 345 | 12.5 | 0.67 | 8.0 | 0.46 | | 267 | 7.6 | 0.48 | 5.1 | 0.36 |
| Multiple Myeloma | 128 | 4.6 | 0.41 | 2.8 | 0.26 | | 101 | 2.6 | 0.27 | 1.6 | 0.19 |
| Leukemias | 241 | 8.7 | 0.56 | 5.7 | 0.39 | | 191 | 5.3 | 0.39 | 3.5 | 0.30 |
| Other, Ill-defined & Unknown | 561 | 20.4 | 0.86 | 13.0 | 0.58 | | 555 | 14.5 | 0.64 | 9.0 | 0.45 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Brunswick, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|-----------|------|---------------------|-----------|------|-----------|------|
| | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. |
| | | 1996 Cdn | | World | | | 1996 Cdn | | World | |
| All Sites | 4635 | 264.4 | 3.91 | 162.3 | 2.50 | 3698 | 158.2 | 2.65 | 102.9 | 1.91 |
| Buccal Cavity & Pharynx | 85 | 4.7 | 0.51 | 3.1 | 0.36 | 32 | 1.3 | 0.24 | 0.8 | 0.17 |
| Digestive System | 1148 | 65.4 | 1.94 | 40.6 | 1.26 | 951 | 38.7 | 1.28 | 23.3 | 0.87 |
| Esophagus | 121 | 6.6 | 0.61 | 4.6 | 0.43 | 51 | 2.1 | 0.29 | 1.2 | 0.20 |
| Stomach | 151 | 8.7 | 0.71 | 5.2 | 0.45 | 93 | 3.7 | 0.39 | 2.1 | 0.25 |
| Colon & Rectum | 534 | 30.7 | 1.33 | 18.5 | 0.84 | 510 | 20.7 | 0.94 | 12.5 | 0.64 |
| Liver | 63 | 3.5 | 0.45 | 2.4 | 0.32 | 28 | 1.2 | 0.22 | 0.7 | 0.16 |
| Pancreas | 208 | 11.9 | 0.83 | 7.5 | 0.54 | 210 | 8.8 | 0.62 | 5.4 | 0.43 |
| Respiratory System | 1643 | 92.7 | 2.30 | 58.7 | 1.51 | 827 | 37.2 | 1.31 | 25.5 | 0.97 |
| Larynx | 62 | 3.5 | 0.44 | 2.2 | 0.29 | 13 | 0.6 | 0.17 | 0.4 | 0.13 |
| Lung & bronchus | 1572 | 88.7 | 2.25 | 56.2 | 1.48 | 811 | 36.4 | 1.30 | 25.0 | 0.96 |
| Skin | 58 | 3.3 | 0.44 | 2.0 | 0.28 | 40 | 1.7 | 0.27 | 1.1 | 0.20 |
| Melanomas of the skin | 42 | 2.4 | 0.37 | 1.5 | 0.24 | 32 | 1.4 | 0.25 | 0.9 | 0.18 |
| Breast | 9 | 0.5 | 0.17 | 0.3 | 0.09 | 622 | 27.1 | 1.10 | 18.2 | 0.80 |
| Female Genital System | - | - | - | - | - | 338 | 14.9 | 0.82 | 10.0 | 0.60 |
| Cervix uteri | - | - | - | - | - | 56 | 2.6 | 0.35 | 1.9 | 0.27 |
| Corpus & uterus, NOS | - | - | - | - | - | 87 | 3.6 | 0.40 | 2.2 | 0.27 |
| Ovary | - | - | - | - | - | 181 | 8.0 | 0.60 | 5.5 | 0.45 |
| Male Genital System | 571 | 34.4 | 1.45 | 16.9 | 0.74 | - | - | - | - | - |
| Prostate | 557 | 33.7 | 1.43 | 16.4 | 0.73 | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 254 | 14.6 | 0.92 | 9.0 | 0.59 | 140 | 5.6 | 0.48 | 3.3 | 0.33 |
| Bladder | 130 | 7.7 | 0.68 | 4.3 | 0.39 | 51 | 1.9 | 0.27 | 1.0 | 0.17 |
| Kidney & renal pelvis | 116 | 6.5 | 0.61 | 4.5 | 0.43 | 86 | 3.6 | 0.39 | 2.2 | 0.28 |
| Brain & Other Nervous System | 96 | 5.2 | 0.53 | 4.1 | 0.44 | 81 | 3.8 | 0.43 | 3.0 | 0.37 |
| Endocrine System | 9 | 0.5 | 0.16 | 0.4 | 0.15 | 13 | 0.6 | 0.17 | 0.6 | 0.18 |
| Thyroid gland | 6 | 0.3 | 0.14 | 0.2 | 0.09 | 8 | 0.4 | 0.13 | 0.2 | 0.09 |
| Lymphomas | 210 | 11.6 | 0.81 | 7.8 | 0.56 | 173 | 7.2 | 0.55 | 4.4 | 0.38 |
| Hodgkin Lymphoma | 11 | 0.6 | 0.18 | 0.4 | 0.13 | - | - | - | - | - |
| Non-Hodgkin Lymphoma | 199 | 11.0 | 0.79 | 7.3 | 0.55 | 168 | 6.9 | 0.54 | 4.1 | 0.37 |
| Multiple Myeloma | 77 | 4.4 | 0.51 | 2.6 | 0.32 | 68 | 2.8 | 0.35 | 1.6 | 0.22 |
| Leukemias | 136 | 7.7 | 0.66 | 4.9 | 0.46 | 99 | 4.2 | 0.43 | 2.8 | 0.34 |
| Other, Ill-defined & Unknown | 339 | 19.4 | 1.06 | 11.7 | 0.67 | 314 | 13.1 | 0.75 | 8.3 | 0.53 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Newfoundland, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|-----------|------|---------------------|-----------|------|-----------|------|
| | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. |
| | | 1996 Cdn | | World | | | 1996 Cdn | | World | |
| All Sites | 3282 | 275.4 | 4.88 | 169.1 | 3.05 | 2430 | 164.4 | 3.36 | 108.8 | 2.39 |
| Buccal Cavity & Pharynx | 63 | 5.1 | 0.65 | 3.3 | 0.43 | 11 | 0.8 | 0.23 | 0.6 | 0.18 |
| Digestive System | 999 | 83.0 | 2.66 | 51.8 | 1.69 | 749 | 49.8 | 1.83 | 30.5 | 1.22 |
| Esophagus | 77 | 6.3 | 0.73 | 4.1 | 0.47 | 18 | 1.2 | 0.30 | 0.7 | 0.19 |
| Stomach | 219 | 18.2 | 1.25 | 11.4 | 0.80 | 133 | 8.8 | 0.77 | 5.1 | 0.49 |
| Colon & Rectum | 478 | 39.9 | 1.85 | 24.5 | 1.16 | 414 | 27.5 | 1.36 | 16.8 | 0.90 |
| Liver | 52 | 4.3 | 0.61 | 2.7 | 0.38 | 14 | 1.0 | 0.26 | 0.8 | 0.22 |
| Pancreas | 129 | 10.6 | 0.94 | 6.8 | 0.62 | 109 | 7.3 | 0.71 | 4.6 | 0.48 |
| Respiratory System | 1026 | 84.4 | 2.66 | 54.3 | 1.75 | 395 | 27.6 | 1.39 | 19.9 | 1.05 |
| Larynx | 40 | 3.3 | 0.52 | 2.2 | 0.36 | - | - | - | - | - |
| Lung & bronchus | 984 | 80.9 | 2.61 | 52.0 | 1.71 | 387 | 27.0 | 1.38 | 19.5 | 1.04 |
| Skin | 28 | 2.3 | 0.44 | 1.5 | 0.30 | 30 | 2.0 | 0.37 | 1.3 | 0.26 |
| Melanomas of the skin | 21 | 1.6 | 0.36 | 1.2 | 0.26 | 22 | 1.5 | 0.33 | 1.1 | 0.25 |
| Breast | - | - | - | - | - | 415 | 27.9 | 1.38 | 19.7 | 1.03 |
| Female Genital System | - | - | - | - | - | 241 | 16.5 | 1.07 | 11.0 | 0.76 |
| Cervix uteri | - | - | - | - | - | 59 | 4.1 | 0.53 | 3.0 | 0.40 |
| Corpus & uterus, NOS | - | - | - | - | - | 42 | 2.9 | 0.45 | 1.8 | 0.30 |
| Ovary | - | - | - | - | - | 124 | 8.6 | 0.77 | 5.7 | 0.55 |
| Male Genital System | 387 | 36.0 | 1.86 | 17.6 | 0.93 | - | - | - | - | - |
| Prostate | 380 | 35.5 | 1.85 | 17.2 | 0.91 | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 201 | 17.7 | 1.27 | 9.7 | 0.71 | 88 | 6.0 | 0.64 | 3.9 | 0.46 |
| Bladder | 117 | 10.8 | 1.01 | 5.4 | 0.52 | 36 | 2.3 | 0.39 | 1.2 | 0.23 |
| Kidney & renal pelvis | 83 | 6.9 | 0.77 | 4.2 | 0.48 | 51 | 3.6 | 0.50 | 2.6 | 0.39 |
| Brain & Other Nervous System | 95 | 7.0 | 0.73 | 5.5 | 0.58 | 56 | 4.0 | 0.54 | 3.0 | 0.43 |
| Endocrine System | 8 | 0.7 | 0.24 | 0.5 | 0.19 | 14 | 1.0 | 0.28 | 0.9 | 0.28 |
| Thyroid gland | 6 | 0.5 | 0.22 | 0.3 | 0.14 | 9 | 0.6 | 0.22 | 0.4 | 0.15 |
| Lymphomas | 76 | 5.9 | 0.69 | 4.1 | 0.48 | 71 | 4.8 | 0.57 | 3.1 | 0.40 |
| Hodgkin Lymphoma | - | - | - | - | - | - | - | - | - | - |
| Non-Hodgkin Lymphoma | 73 | 5.7 | 0.68 | 3.9 | 0.47 | 67 | 4.5 | 0.55 | 2.9 | 0.38 |
| Multiple Myeloma | 43 | 3.6 | 0.56 | 2.3 | 0.36 | 37 | 2.5 | 0.41 | 1.3 | 0.25 |
| Leukemias | 76 | 6.3 | 0.74 | 4.2 | 0.50 | 64 | 4.2 | 0.53 | 2.8 | 0.39 |
| Other, Ill-defined & Unknown | 276 | 23.1 | 1.41 | 14.2 | 0.88 | 259 | 17.3 | 1.08 | 10.7 | 0.73 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Northwest Territories, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|-------|--------|-----------|---------------------|--------|-----------|-------|-------|-------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | S.E. | | |
| All Sites | 111 | 249.1 | 25.81 | 158.6 | 15.71 | | 84 | 194.2 | 23.04 | 119.4 | 13.62 |
| Buccal Cavity & Pharynx | - | - | - | - | - | - | - | - | - | - | |
| Digestive System | 33 | 68.4 | 12.98 | 47.5 | 8.66 | | 28 | 65.0 | 13.39 | 37.1 | 7.30 |
| Esophagus | - | - | - | - | - | - | - | - | - | - | |
| Stomach | - | - | - | - | - | - | - | - | - | - | |
| Colon & Rectum | 18 | 36.7 | 9.34 | 26.7 | 6.56 | | 14 | 35.7 | 10.04 | 19.6 | 5.41 |
| Liver | - | - | - | - | - | - | - | - | - | - | |
| Pancreas | - | - | - | - | - | - | 7 | 18.7 | 7.57 | 10.6 | 4.10 |
| Respiratory System | 37 | 95.0 | 16.45 | 57.6 | 9.69 | | 17 | 40.5 | 10.38 | 28.3 | 7.01 |
| Larynx | - | - | - | - | - | - | - | - | - | - | |
| Lung & bronchus | 36 | 91.4 | 16.05 | 56.4 | 9.62 | | 17 | 40.5 | 10.38 | 28.3 | 7.01 |
| Skin | - | - | - | - | - | - | - | - | - | - | |
| Melanomas of the skin | - | - | - | - | - | - | - | - | - | - | |
| Breast | - | - | - | - | - | - | 10 | 20.3 | 7.18 | 13.1 | 4.37 |
| Female Genital System | - | - | - | - | - | - | - | - | - | - | |
| Cervix uteri | - | - | - | - | - | - | - | - | - | - | |
| Corpus & uterus, NOS | - | - | - | - | - | - | - | - | - | - | |
| Ovary | - | - | - | - | - | - | - | - | - | - | |
| Male Genital System | 13 | 33.8 | 9.96 | 19.8 | 5.67 | - | - | - | - | - | |
| Prostate | 12 | 32.8 | 9.92 | 19.0 | 5.61 | - | - | - | - | - | |
| Testis | - | - | - | - | - | - | - | - | - | - | |
| Urinary System | - | - | - | - | - | - | - | - | - | - | |
| Bladder | - | - | - | - | - | - | - | - | - | - | |
| Kidney & renal pelvis | - | - | - | - | - | - | - | - | - | - | |
| Brain & Other Nervous System | - | - | - | - | - | - | - | - | - | - | |
| Endocrine System | - | - | - | - | - | - | - | - | - | - | |
| Thyroid gland | - | - | - | - | - | - | - | - | - | - | |
| Lymphomas | - | - | - | - | - | - | - | - | - | - | |
| Hodgkin Lymphoma | - | - | - | - | - | - | - | - | - | - | |
| Non-Hodgkin Lymphoma | - | - | - | - | - | - | - | - | - | - | |
| Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | |
| Leukemias | - | - | - | - | - | - | - | - | - | - | |
| Other, Ill-defined & Unknown | 12 | 25.0 | 8.06 | 15.9 | 4.85 | | 13 | 27.9 | 8.86 | 17.0 | 5.03 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nova Scotia, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 6049 | 274.7 | 3.55 | 167.6 | 2.26 | | 5365 | 179.0 | 2.50 | 116.5 | 1.79 |
| Buccal Cavity & Pharynx | 139 | 6.2 | 0.53 | 4.1 | 0.36 | | 47 | 1.5 | 0.23 | 1.0 | 0.16 |
| Digestive System | 1532 | 69.3 | 1.78 | 42.1 | 1.12 | | 1388 | 44.3 | 1.22 | 26.7 | 0.82 |
| Esophagus | 199 | 8.7 | 0.62 | 5.8 | 0.43 | | 51 | 1.7 | 0.24 | 1.1 | 0.17 |
| Stomach | 182 | 8.4 | 0.63 | 4.8 | 0.38 | | 129 | 4.1 | 0.37 | 2.4 | 0.24 |
| Colon & Rectum | 717 | 32.7 | 1.23 | 19.2 | 0.75 | | 780 | 24.5 | 0.90 | 14.6 | 0.60 |
| Liver | 84 | 3.7 | 0.41 | 2.5 | 0.28 | | 51 | 1.6 | 0.23 | 1.0 | 0.17 |
| Pancreas | 273 | 12.3 | 0.75 | 7.7 | 0.49 | | 291 | 9.5 | 0.57 | 5.9 | 0.39 |
| Respiratory System | 2000 | 89.7 | 2.02 | 56.8 | 1.32 | | 1280 | 44.2 | 1.26 | 29.7 | 0.91 |
| Larynx | 70 | 3.1 | 0.37 | 2.0 | 0.25 | | 17 | 0.6 | 0.15 | 0.4 | 0.11 |
| Lung & bronchus | 1920 | 86.2 | 1.98 | 54.5 | 1.30 | | 1259 | 43.4 | 1.24 | 29.1 | 0.91 |
| Skin | 103 | 4.5 | 0.45 | 3.1 | 0.32 | | 55 | 1.8 | 0.26 | 1.2 | 0.18 |
| Melanomas of the skin | 82 | 3.5 | 0.39 | 2.5 | 0.29 | | 40 | 1.4 | 0.23 | 1.0 | 0.17 |
| Breast | - | - | - | - | - | | 910 | 30.9 | 1.05 | 21.2 | 0.78 |
| Female Genital System | - | - | - | - | - | | 469 | 15.9 | 0.75 | 10.7 | 0.55 |
| Cervix uteri | - | - | - | - | - | | 97 | 3.6 | 0.37 | 2.6 | 0.29 |
| Corpus & uterus, NOS | - | - | - | - | - | | 117 | 3.8 | 0.36 | 2.3 | 0.25 |
| Ovary | - | - | - | - | - | | 229 | 7.8 | 0.53 | 5.3 | 0.39 |
| Male Genital System | 716 | 34.4 | 1.29 | 17.1 | 0.67 | - | - | - | - | - | - |
| Prostate | 702 | 33.8 | 1.28 | 16.6 | 0.65 | - | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 358 | 16.5 | 0.88 | 9.5 | 0.52 | | 168 | 5.3 | 0.42 | 3.3 | 0.29 |
| Bladder | 192 | 9.1 | 0.66 | 4.8 | 0.36 | | 69 | 2.1 | 0.25 | 1.2 | 0.16 |
| Kidney & renal pelvis | 160 | 7.1 | 0.56 | 4.5 | 0.37 | | 98 | 3.2 | 0.33 | 2.1 | 0.23 |
| Brain & Other Nervous System | 148 | 6.4 | 0.53 | 4.7 | 0.41 | | 117 | 4.2 | 0.40 | 3.1 | 0.33 |
| Endocrine System | 23 | 1.0 | 0.21 | 0.9 | 0.21 | | 18 | 0.6 | 0.14 | 0.4 | 0.11 |
| Thyroid gland | 10 | 0.5 | 0.14 | 0.3 | 0.08 | | 10 | 0.3 | 0.09 | 0.1 | 0.05 |
| Lymphomas | 246 | 10.9 | 0.70 | 7.1 | 0.48 | | 192 | 6.5 | 0.48 | 4.3 | 0.35 |
| Hodgkin Lymphoma | 10 | 0.4 | 0.14 | 0.3 | 0.11 | - | - | - | - | - | - |
| Non-Hodgkin Lymphoma | 236 | 10.5 | 0.69 | 6.8 | 0.46 | | 190 | 6.4 | 0.48 | 4.3 | 0.35 |
| Multiple Myeloma | 109 | 5.0 | 0.49 | 2.9 | 0.29 | | 90 | 2.9 | 0.31 | 1.7 | 0.20 |
| Leukemias | 189 | 8.6 | 0.63 | 5.4 | 0.42 | | 142 | 4.6 | 0.40 | 2.9 | 0.29 |
| Other, Ill-defined & Unknown | 481 | 21.9 | 1.01 | 13.7 | 0.66 | | 489 | 16.2 | 0.75 | 10.3 | 0.53 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nunavut, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|-------|-----------|-------|---------------------|-----------|-------|-----------|-------|
| | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. |
| | | 1996 Cdn | | World | | | 1996 Cdn | | World | |
| All Sites | 78 | 352.4 | 46.90 | 233.7 | 27.80 | 82 | 403.6 | 54.53 | 286.3 | 33.68 |
| Buccal Cavity & Pharynx | - | - | - | - | - | - | - | - | - | - |
| Digestive System | 23 | 125.9 | 30.57 | 69.0 | 15.08 | 18 | 112.9 | 35.08 | 63.6 | 16.56 |
| Esophagus | - | - | - | - | - | - | - | - | - | - |
| Stomach | - | - | - | - | - | - | - | - | - | - |
| Colon & Rectum | 11 | 65.3 | 22.71 | 36.2 | 11.31 | 8 | 62.4 | 29.70 | 28.4 | 11.46 |
| Liver | - | - | - | - | - | - | - | - | - | - |
| Pancreas | - | - | - | - | - | - | - | - | - | - |
| Respiratory System | 39 | 176.5 | 32.45 | 123.3 | 20.48 | 40 | 217.0 | 38.35 | 158.1 | 25.65 |
| Larynx | - | - | - | - | - | - | - | - | - | - |
| Lung & bronchus | 36 | 168.7 | 32.12 | 116.4 | 20.05 | 40 | 217.0 | 38.35 | 158.1 | 25.65 |
| Skin | - | - | - | - | - | - | - | - | - | - |
| Melanomas of the skin | - | - | - | - | - | - | - | - | - | - |
| Breast | - | - | - | - | - | - | - | - | - | - |
| Female Genital System | - | - | - | - | - | - | - | - | - | - |
| Cervix uteri | - | - | - | - | - | - | - | - | - | - |
| Corpus & uterus, NOS | - | - | - | - | - | - | - | - | - | - |
| Ovary | - | - | - | - | - | - | - | - | - | - |
| Male Genital System | - | - | - | - | - | - | - | - | - | - |
| Prostate | - | - | - | - | - | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - |
| Urinary System | - | - | - | - | - | - | - | - | - | - |
| Bladder | - | - | - | - | - | - | - | - | - | - |
| Kidney & renal pelvis | - | - | - | - | - | - | - | - | - | - |
| Brain & Other Nervous System | - | - | - | - | - | - | - | - | - | - |
| Endocrine System | - | - | - | - | - | - | - | - | - | - |
| Thyroid gland | - | - | - | - | - | - | - | - | - | - |
| Lymphomas | - | - | - | - | - | - | - | - | - | - |
| Hodgkin Lymphoma | - | - | - | - | - | - | - | - | - | - |
| Non-Hodgkin Lymphoma | - | - | - | - | - | - | - | - | - | - |
| Multiple Myeloma | - | - | - | - | - | - | - | - | - | - |
| Leukemias | - | - | - | - | - | - | - | - | - | - |
| Other, Ill-defined & Unknown | - | - | - | - | - | 7 | 21.8 | 8.49 | 19.7 | 7.84 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ontario, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 59558 | 233.1 | 0.97 | 142.1 | 0.60 | | 53244 | 156.6 | 0.68 | 101.0 | 0.48 |
| Buccal Cavity & Pharynx | 1308 | 4.9 | 0.14 | 3.4 | 0.10 | | 627 | 1.9 | 0.07 | 1.2 | 0.05 |
| Digestive System | 16512 | 64.2 | 0.51 | 39.6 | 0.32 | | 13248 | 37.9 | 0.33 | 22.7 | 0.22 |
| Esophagus | 1989 | 7.5 | 0.17 | 4.9 | 0.11 | | 726 | 2.1 | 0.08 | 1.2 | 0.05 |
| Stomach | 2080 | 8.1 | 0.18 | 5.0 | 0.11 | | 1266 | 3.7 | 0.10 | 2.2 | 0.07 |
| Colon & Rectum | 7584 | 29.9 | 0.35 | 17.9 | 0.21 | | 6765 | 19.2 | 0.24 | 11.4 | 0.15 |
| Liver | 1243 | 4.7 | 0.13 | 3.1 | 0.09 | | 569 | 1.7 | 0.07 | 1.0 | 0.05 |
| Pancreas | 2675 | 10.3 | 0.20 | 6.5 | 0.13 | | 2763 | 7.9 | 0.15 | 4.8 | 0.10 |
| Respiratory System | 17421 | 66.7 | 0.51 | 42.2 | 0.33 | | 11557 | 34.6 | 0.32 | 23.1 | 0.23 |
| Larynx | 700 | 2.7 | 0.10 | 1.7 | 0.07 | | 130 | 0.4 | 0.03 | 0.3 | 0.03 |
| Lung & bronchus | 16578 | 63.5 | 0.50 | 40.1 | 0.32 | | 11350 | 34.0 | 0.32 | 22.7 | 0.23 |
| Skin | 1163 | 4.5 | 0.13 | 2.9 | 0.09 | | 732 | 2.2 | 0.08 | 1.4 | 0.06 |
| Melanomas of the skin | 955 | 3.6 | 0.12 | 2.4 | 0.08 | | 602 | 1.8 | 0.07 | 1.2 | 0.06 |
| Breast | 69 | 0.3 | 0.03 | 0.2 | 0.02 | | 9227 | 27.5 | 0.29 | 18.7 | 0.21 |
| Female Genital System | - | - | - | - | - | | 5039 | 15.1 | 0.21 | 10.1 | 0.15 |
| Cervix uteri | - | - | - | - | - | | 814 | 2.5 | 0.09 | 1.8 | 0.07 |
| Corpus & uterus, NOS | - | - | - | - | - | | 1201 | 3.5 | 0.10 | 2.2 | 0.07 |
| Ovary | - | - | - | - | - | | 2744 | 8.3 | 0.16 | 5.6 | 0.12 |
| Male Genital System | 6821 | 29.1 | 0.36 | 14.4 | 0.18 | - | - | - | - | - | - |
| Prostate | 6702 | 28.7 | 0.35 | 14.1 | 0.18 | - | - | - | - | - | - |
| Testis | 67 | 0.2 | 0.03 | 0.2 | 0.02 | - | - | - | - | - | - |
| Urinary System | 3427 | 13.8 | 0.24 | 7.9 | 0.14 | | 1609 | 4.6 | 0.12 | 2.7 | 0.08 |
| Bladder | 1980 | 8.3 | 0.19 | 4.4 | 0.10 | | 798 | 2.2 | 0.08 | 1.2 | 0.05 |
| Kidney & renal pelvis | 1375 | 5.3 | 0.14 | 3.4 | 0.09 | | 768 | 2.3 | 0.08 | 1.4 | 0.06 |
| Brain & Other Nervous System | 1502 | 5.4 | 0.14 | 4.2 | 0.11 | | 1161 | 3.6 | 0.11 | 2.8 | 0.09 |
| Endocrine System | 195 | 0.7 | 0.05 | 0.6 | 0.04 | | 219 | 0.6 | 0.04 | 0.5 | 0.04 |
| Thyroid gland | 93 | 0.3 | 0.04 | 0.2 | 0.02 | | 151 | 0.4 | 0.04 | 0.3 | 0.02 |
| Lymphomas | 2654 | 10.1 | 0.20 | 6.5 | 0.13 | | 2298 | 6.8 | 0.14 | 4.3 | 0.10 |
| Hodgkin Lymphoma | 160 | 0.6 | 0.05 | 0.4 | 0.04 | | 121 | 0.4 | 0.03 | 0.3 | 0.03 |
| Non-Hodgkin Lymphoma | 2494 | 9.5 | 0.19 | 6.1 | 0.13 | | 2177 | 6.4 | 0.14 | 4.0 | 0.10 |
| Multiple Myeloma | 1087 | 4.3 | 0.13 | 2.5 | 0.08 | | 983 | 2.8 | 0.09 | 1.7 | 0.06 |
| Leukemias | 2357 | 9.3 | 0.19 | 5.8 | 0.13 | | 1726 | 5.0 | 0.12 | 3.3 | 0.09 |
| Other, Ill-defined & Unknown | 5042 | 19.8 | 0.28 | 12.1 | 0.18 | | 4818 | 13.9 | 0.20 | 8.6 | 0.14 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Prince Edward Island, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | |
|------------------------------|-------------------|-----------|------|-----------|------|---------------------|-----------|------|-----------|------|
| | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. | Deaths | Adj. Rate | S.E. | Adj. Rate | S.E. |
| | | 1996 Cdn | | World | | | 1996 Cdn | | World | |
| All Sites | 807 | 247.6 | 8.74 | 152.7 | 5.63 | 668 | 155.4 | 6.18 | 103.9 | 4.58 |
| Buccal Cavity & Pharynx | 20 | 5.9 | 1.33 | 4.2 | 0.96 | - | - | - | - | - |
| Digestive System | 220 | 67.3 | 4.55 | 41.7 | 2.94 | 191 | 41.0 | 3.07 | 24.8 | 2.10 |
| Esophagus | 32 | 9.7 | 1.72 | 6.3 | 1.16 | 7 | 1.6 | 0.60 | 1.1 | 0.46 |
| Stomach | 22 | 6.8 | 1.45 | 4.5 | 0.99 | 11 | 2.3 | 0.72 | 1.3 | 0.47 |
| Colon & Rectum | 111 | 33.9 | 3.22 | 20.9 | 2.07 | 102 | 22.0 | 2.25 | 13.4 | 1.55 |
| Liver | 6 | 1.9 | 0.77 | 1.0 | 0.42 | 6 | 1.2 | 0.51 | 0.6 | 0.30 |
| Pancreas | 38 | 11.7 | 1.91 | 6.8 | 1.17 | 46 | 9.4 | 1.43 | 5.3 | 0.92 |
| Respiratory System | 278 | 84.6 | 5.09 | 55.5 | 3.46 | 162 | 40.3 | 3.21 | 28.2 | 2.42 |
| Larynx | 6 | 1.8 | 0.73 | 1.2 | 0.52 | - | - | - | - | - |
| Lung & bronchus | 271 | 82.5 | 5.03 | 54.1 | 3.42 | 159 | 39.6 | 3.19 | 27.8 | 2.41 |
| Skin | 12 | 3.8 | 1.09 | 2.2 | 0.65 | 8 | 1.9 | 0.69 | 1.2 | 0.48 |
| Melanomas of the skin | 10 | 3.2 | 1.00 | 1.8 | 0.59 | 8 | 1.9 | 0.69 | 1.2 | 0.48 |
| Breast | - | - | - | - | - | 122 | 29.8 | 2.76 | 21.3 | 2.11 |
| Female Genital System | - | - | - | - | - | 46 | 10.8 | 1.63 | 7.0 | 1.18 |
| Cervix uteri | - | - | - | - | - | 6 | 1.7 | 0.71 | 1.3 | 0.55 |
| Corpus & uterus, NOS | - | - | - | - | - | 7 | 1.5 | 0.57 | 0.7 | 0.30 |
| Ovary | - | - | - | - | - | 28 | 6.5 | 1.26 | 4.4 | 0.95 |
| Male Genital System | 105 | 33.4 | 3.26 | 16.4 | 1.68 | - | - | - | - | - |
| Prostate | 103 | 32.7 | 3.23 | 15.8 | 1.63 | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 46 | 14.4 | 2.13 | 8.0 | 1.24 | 13 | 3.0 | 0.85 | 1.9 | 0.62 |
| Bladder | 18 | 5.7 | 1.35 | 2.9 | 0.71 | - | - | - | - | - |
| Kidney & renal pelvis | 26 | 8.1 | 1.58 | 4.9 | 0.99 | 8 | 2.0 | 0.71 | 1.3 | 0.53 |
| Brain & Other Nervous System | 10 | 2.9 | 0.91 | 2.2 | 0.73 | 12 | 3.5 | 1.02 | 3.2 | 1.02 |
| Endocrine System | - | - | - | - | - | - | - | - | - | - |
| Thyroid gland | - | - | - | - | - | - | - | - | - | - |
| Lymphomas | 32 | 9.7 | 1.71 | 6.7 | 1.22 | 23 | 5.3 | 1.14 | 3.5 | 0.84 |
| Hodgkin Lymphoma | - | - | - | - | - | - | - | - | - | - |
| Non-Hodgkin Lymphoma | 31 | 9.3 | 1.68 | 6.3 | 1.17 | 21 | 4.8 | 1.08 | 3.2 | 0.80 |
| Multiple Myeloma | 17 | 5.3 | 1.28 | 3.0 | 0.75 | 9 | 1.9 | 0.67 | 1.3 | 0.52 |
| Leukemias | 24 | 7.3 | 1.50 | 4.8 | 1.03 | 24 | 5.0 | 1.07 | 3.2 | 0.80 |
| Other, Ill-defined & Unknown | 41 | 12.5 | 1.96 | 7.6 | 1.24 | 50 | 10.9 | 1.59 | 6.9 | 1.14 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Quebec, 1997-1999, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|--------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | |
| | | 1996 | Cdn | | S.E. | World | | S.E. | World | | |
| All Sites | 26527 | 283.1 | 1.79 | 173.6 | 1.09 | | 22257 | 168.7 | 1.14 | 109.7 | 0.80 |
| Buccal Cavity & Pharynx | 595 | 6.0 | 0.25 | 4.0 | 0.17 | | 240 | 1.8 | 0.12 | 1.2 | 0.08 |
| Digestive System | 7213 | 77.4 | 0.94 | 47.1 | 0.57 | | 6188 | 45.7 | 0.58 | 27.4 | 0.38 |
| Esophagus | 606 | 6.1 | 0.26 | 4.1 | 0.17 | | 201 | 1.5 | 0.10 | 0.9 | 0.07 |
| Stomach | 1098 | 11.8 | 0.37 | 7.0 | 0.22 | | 716 | 5.3 | 0.20 | 3.1 | 0.13 |
| Colon & Rectum | 3277 | 35.8 | 0.64 | 21.2 | 0.38 | | 3079 | 22.6 | 0.41 | 13.5 | 0.27 |
| Liver | 500 | 5.1 | 0.23 | 3.4 | 0.15 | | 256 | 1.9 | 0.12 | 1.2 | 0.08 |
| Pancreas | 1169 | 12.3 | 0.37 | 7.7 | 0.23 | | 1175 | 8.8 | 0.26 | 5.5 | 0.17 |
| Respiratory System | 10412 | 107.8 | 1.08 | 68.4 | 0.69 | | 5193 | 40.3 | 0.56 | 28.0 | 0.41 |
| Larynx | 442 | 4.5 | 0.22 | 3.0 | 0.14 | | 92 | 0.7 | 0.07 | 0.5 | 0.05 |
| Lung & bronchus | 9763 | 101.2 | 1.05 | 64.1 | 0.66 | | 5004 | 38.8 | 0.55 | 27.1 | 0.41 |
| Skin | 341 | 3.5 | 0.20 | 2.3 | 0.13 | | 227 | 1.8 | 0.12 | 1.2 | 0.08 |
| Melanomas of the skin | 218 | 2.1 | 0.15 | 1.5 | 0.10 | | 150 | 1.2 | 0.10 | 0.9 | 0.07 |
| Breast | 39 | 0.4 | 0.07 | 0.3 | 0.04 | | 3889 | 29.7 | 0.48 | 19.9 | 0.34 |
| Female Genital System | - | - | - | - | - | | 1976 | 15.1 | 0.34 | 9.9 | 0.24 |
| Cervix uteri | - | - | - | - | - | | 269 | 2.1 | 0.13 | 1.5 | 0.10 |
| Corpus & uterus, NOS | - | - | - | - | - | | 580 | 4.3 | 0.18 | 2.6 | 0.12 |
| Ovary | - | - | - | - | - | | 980 | 7.5 | 0.24 | 5.2 | 0.18 |
| Male Genital System | 2369 | 29.3 | 0.62 | 14.4 | 0.30 | - | - | - | - | - | - |
| Prostate | 2320 | 28.8 | 0.61 | 14.1 | 0.30 | - | - | - | - | - | - |
| Testis | 24 | 0.2 | 0.05 | 0.2 | 0.04 | - | - | - | - | - | - |
| Urinary System | 1374 | 15.5 | 0.43 | 8.9 | 0.24 | | 780 | 5.7 | 0.21 | 3.4 | 0.14 |
| Bladder | 717 | 8.5 | 0.33 | 4.5 | 0.17 | | 355 | 2.5 | 0.14 | 1.4 | 0.08 |
| Kidney & renal pelvis | 619 | 6.5 | 0.27 | 4.1 | 0.17 | | 395 | 3.0 | 0.15 | 1.9 | 0.11 |
| Brain & Other Nervous System | 742 | 7.2 | 0.27 | 5.3 | 0.20 | | 620 | 4.9 | 0.20 | 3.6 | 0.16 |
| Endocrine System | 78 | 0.8 | 0.09 | 0.6 | 0.07 | | 121 | 0.9 | 0.09 | 0.6 | 0.07 |
| Thyroid gland | 41 | 0.4 | 0.06 | 0.3 | 0.04 | | 80 | 0.6 | 0.07 | 0.3 | 0.04 |
| Lymphomas | 949 | 9.7 | 0.32 | 6.3 | 0.21 | | 833 | 6.3 | 0.22 | 4.1 | 0.16 |
| Hodgkin Lymphoma | 61 | 0.6 | 0.07 | 0.5 | 0.06 | | 45 | 0.4 | 0.05 | 0.3 | 0.04 |
| Non-Hodgkin Lymphoma | 888 | 9.2 | 0.32 | 5.9 | 0.20 | | 788 | 6.0 | 0.21 | 3.8 | 0.15 |
| Multiple Myeloma | 429 | 4.5 | 0.22 | 2.8 | 0.14 | | 367 | 2.7 | 0.14 | 1.7 | 0.10 |
| Leukemias | 827 | 8.7 | 0.31 | 5.6 | 0.20 | | 622 | 4.7 | 0.19 | 3.1 | 0.15 |
| Other, Ill-defined & Unknown | 1159 | 12.4 | 0.38 | 7.7 | 0.23 | | 1201 | 9.0 | 0.26 | 5.5 | 0.18 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Saskatchewan, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------|------|--------|-----------|---------------------|--------|-----------|-------|------|------|
| | Deaths | Adj. Rate | | Deaths | Adj. Rate | | Deaths | Adj. Rate | | S.E. | |
| | | 1996 Cdn | S.E. | | World | S.E. | | 1996 Cdn | World | | |
| All Sites | 6096 | 227.6 | 2.93 | 139.1 | 1.96 | | 4978 | 150.5 | 2.23 | 99.0 | 1.65 |
| Buccal Cavity & Pharynx | 80 | 3.1 | 0.34 | 2.1 | 0.25 | | 53 | 1.5 | 0.22 | 1.0 | 0.16 |
| Digestive System | 1537 | 57.6 | 1.48 | 35.7 | 0.99 | | 1319 | 36.9 | 1.07 | 22.4 | 0.75 |
| Esophagus | 161 | 6.2 | 0.49 | 4.3 | 0.37 | | 61 | 1.8 | 0.24 | 1.2 | 0.17 |
| Stomach | 207 | 7.7 | 0.54 | 4.7 | 0.36 | | 141 | 4.0 | 0.35 | 2.5 | 0.25 |
| Colon & Rectum | 747 | 27.8 | 1.02 | 16.8 | 0.67 | | 653 | 18.1 | 0.74 | 10.8 | 0.51 |
| Liver | 102 | 3.9 | 0.39 | 2.5 | 0.27 | | 55 | 1.5 | 0.22 | 1.0 | 0.16 |
| Pancreas | 241 | 9.0 | 0.58 | 5.7 | 0.40 | | 297 | 8.4 | 0.51 | 5.1 | 0.36 |
| Respiratory System | 1667 | 63.0 | 1.55 | 40.1 | 1.07 | | 1034 | 33.1 | 1.06 | 22.5 | 0.79 |
| Larynx | 59 | 2.3 | 0.30 | 1.5 | 0.22 | | 11 | 0.4 | 0.11 | 0.3 | 0.09 |
| Lung & bronchus | 1596 | 60.2 | 1.51 | 38.2 | 1.04 | | 1012 | 32.4 | 1.05 | 22.0 | 0.79 |
| Skin | 87 | 3.3 | 0.36 | 2.2 | 0.26 | | 51 | 1.5 | 0.23 | 1.0 | 0.17 |
| Melanomas of the skin | 63 | 2.5 | 0.31 | 1.7 | 0.23 | | 39 | 1.2 | 0.21 | 0.9 | 0.17 |
| Breast | - | - | - | - | - | | 771 | 24.5 | 0.92 | 16.9 | 0.70 |
| Female Genital System | - | - | - | - | - | | 478 | 15.1 | 0.72 | 10.2 | 0.54 |
| Cervix uteri | - | - | - | - | - | | 81 | 2.8 | 0.32 | 2.1 | 0.26 |
| Corpus & uterus, NOS | - | - | - | - | - | | 93 | 2.8 | 0.30 | 1.8 | 0.21 |
| Ovary | - | - | - | - | - | | 281 | 8.8 | 0.55 | 5.9 | 0.41 |
| Male Genital System | 1132 | 40.4 | 1.21 | 20.1 | 0.65 | - | - | - | - | - | |
| Prostate | 1121 | 40.0 | 1.20 | 19.8 | 0.65 | - | - | - | - | - | |
| Testis | - | - | - | - | - | - | - | - | - | - | |
| Urinary System | 359 | 13.3 | 0.70 | 7.8 | 0.46 | | 173 | 4.9 | 0.39 | 3.1 | 0.28 |
| Bladder | 214 | 7.8 | 0.53 | 4.2 | 0.32 | | 72 | 1.8 | 0.23 | 1.1 | 0.16 |
| Kidney & renal pelvis | 141 | 5.4 | 0.45 | 3.6 | 0.33 | | 100 | 3.0 | 0.31 | 2.0 | 0.23 |
| Brain & Other Nervous System | 148 | 5.8 | 0.48 | 4.4 | 0.39 | | 117 | 4.1 | 0.39 | 3.2 | 0.33 |
| Endocrine System | 19 | 0.7 | 0.17 | 0.6 | 0.15 | | 26 | 0.8 | 0.17 | 0.7 | 0.15 |
| Thyroid gland | 11 | 0.4 | 0.13 | 0.3 | 0.09 | | 17 | 0.5 | 0.12 | 0.3 | 0.10 |
| Lymphomas | 238 | 9.1 | 0.59 | 6.1 | 0.43 | | 227 | 6.9 | 0.47 | 4.5 | 0.36 |
| Hodgkin Lymphoma | 13 | 0.5 | 0.14 | 0.4 | 0.11 | | 13 | 0.5 | 0.14 | 0.4 | 0.12 |
| Non-Hodgkin Lymphoma | 225 | 8.6 | 0.58 | 5.7 | 0.41 | | 214 | 6.4 | 0.45 | 4.1 | 0.34 |
| Multiple Myeloma | 110 | 4.2 | 0.40 | 2.7 | 0.28 | | 93 | 2.6 | 0.28 | 1.5 | 0.18 |
| Leukemias | 243 | 9.2 | 0.59 | 6.0 | 0.43 | | 177 | 5.0 | 0.40 | 3.1 | 0.29 |
| Other, Ill-defined & Unknown | 471 | 17.7 | 0.82 | 11.1 | 0.56 | | 459 | 13.6 | 0.67 | 8.9 | 0.50 |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Yukon, 1997-2001, All Races

| SITES | MALES (ALL RACES) | | | | | | FEMALES (ALL RACES) | | | | | |
|------------------------------|-------------------|-----------------------|--------|--------------------|-------|--------|-----------------------|--------|--------------------|-------|--------------------|------|
| | Deaths | Adj. Rate 1996 Cdn | | Adj. Rate World | S.E. | Deaths | Adj. Rate 1996 Cdn | | Adj. Rate World | S.E. | Adj. Rate World | S.E. |
| | | S.E. | Deaths | | | | S.E. | Deaths | | | | |
| All Sites | 113 | 257.8 | 27.51 | 161.6 | 15.64 | 82 | 178.8 | 21.52 | 122.7 | 14.17 | | |
| Buccal Cavity & Pharynx | - | - | - | - | - | - | - | - | - | - | - | - |
| Digestive System | 26 | 54.8 | 12.56 | 33.5 | 6.81 | 13 | 34.8 | 10.17 | 21.7 | 6.23 | | |
| Esophagus | - | - | - | - | - | - | - | - | - | - | - | - |
| Stomach | 6 | 10.7 | 4.74 | 7.4 | 3.13 | - | - | - | - | - | - | - |
| Colon & Rectum | 10 | 25.6 | 9.20 | 13.5 | 4.40 | - | - | - | - | - | - | - |
| Liver | - | - | - | - | - | - | - | - | - | - | - | - |
| Pancreas | - | - | - | - | - | - | - | - | - | - | - | - |
| Respiratory System | 46 | 114.8 | 19.00 | 69.5 | 10.45 | 15 | 28.8 | 8.15 | 21.0 | 5.70 | | |
| Larynx | - | - | - | - | - | - | - | - | - | - | - | - |
| Lung & bronchus | 44 | 110.2 | 18.64 | 67.1 | 10.29 | 15 | 28.8 | 8.15 | 21.0 | 5.70 | | |
| Skin | - | - | - | - | - | - | - | - | - | - | - | - |
| Melanomas of the skin | - | - | - | - | - | - | - | - | - | - | - | - |
| Breast | - | - | - | - | - | 19 | 37.7 | 9.45 | 26.9 | 6.45 | | |
| Female Genital System | - | - | - | - | - | - | - | - | - | - | - | - |
| Cervix uteri | - | - | - | - | - | - | - | - | - | - | - | - |
| Corpus & uterus, NOS | - | - | - | - | - | - | - | - | - | - | - | - |
| Ovary | - | - | - | - | - | - | - | - | - | - | - | - |
| Male Genital System | 6 | 15.3 | 6.58 | 8.6 | 3.60 | - | - | - | - | - | - | - |
| Prostate | - | - | - | - | - | - | - | - | - | - | - | - |
| Testis | - | - | - | - | - | - | - | - | - | - | - | - |
| Urinary System | 7 | 14.8 | 6.02 | 9.5 | 3.68 | - | - | - | - | - | - | - |
| Bladder | - | - | - | - | - | - | - | - | - | - | - | - |
| Kidney & renal pelvis | - | - | - | - | - | - | - | - | - | - | - | - |
| Brain & Other Nervous System | 6 | 9.7 | 4.20 | 7.8 | 3.35 | - | - | - | - | - | - | - |
| Endocrine System | - | - | - | - | - | - | - | - | - | - | - | - |
| Thyroid gland | - | - | - | - | - | - | - | - | - | - | - | - |
| Lymphomas | - | - | - | - | - | - | - | - | - | - | - | - |
| Hodgkin Lymphoma | - | - | - | - | - | - | - | - | - | - | - | - |
| Non-Hodgkin Lymphoma | - | - | - | - | - | - | - | - | - | - | - | - |
| Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | - | - |
| Leukemias | - | - | - | - | - | - | - | - | - | - | - | - |
| Other, Ill-defined & Unknown | 9 | 28.0 | 10.24 | 15.2 | 5.14 | 16 | 39.9 | 10.61 | 25.4 | 6.53 | | |

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined