INDICATORS:	**U.S.**
Population-based Data Available	1995-99
Combined Population, 1995-99	
All Races	730,803,095
Whites	601,521,461
Blacks	84,373,662
Number of Cases in Combined 5-year Rates	
All Races	3,372,940
Whites	2,922,843
Blacks	301,244
Percent of U.S. Population Reflected in Rates	
All Races	54.6%
Whites	54.4%
Blacks	49.6%
NAACCR 1995-99 Estimate of Completeness	101.1%

SITE-SPECIFIC DATA QUALITY INDICATORS

	% DCOs	% Micro. Confirm	Inc/Mort All Races	Inc/Mort Whites	Inc/Mort Blacks
All Sites	1.6	93.5	2.34	2.36	1.92
Oral Cavity & Pharynx	0.8	97.5	3.82	3.95	2.82
Esophagus	1.9	94.7	1.12	1.10	1.15
Stomach	1.8	95.2	1.61	1.62	1.46
Colon & Rectum	1.2	96.1	2.60	2.62	2.12
Liver	5.2	74.9	1.13	1.09	1.04
Pancreas	4.5	73.1	1.04	1.03	1.05
Lung & Bronchus	2.7	88.3	1.26	1.26	1.19
Melanomas of the Skin	0.4	98.8	5.34	5.14	2.41
Female Breast (excl. *in situ*)	0.8	97.8	4.51	4.64	3.05
Uterus	0.6	98.2	4.88	5.23	2.68
Cervix uteri	0.7	97.7	3.45	3.54	2.55
Corpus uteri & Uterus, NOS	0.6	98.4	5.89	6.33	2.80
Ovary	1.5	93.5	1.85	1.85	1.63
Prostate	1.0	96.0	4.82	4.83	3.49
Testis	0.1	99.1	20.63	21.21	11.31
Bladder (incl. *in situ*)	0.6	98.1	4.85	4.97	2.88
Kidney & Renal Pelvis	1.4	90.2	2.75	2.73	2.87
Brain & Other Nervous System	2.2	86.6	1.47	1.45	1.54
Thyroid Gland	0.2	99.1	13.36	13.88	8.47
Hodgkin's Disease	0.4	98.9	5.45	5.54	4.53
Non-Hodgkin's Lymphoma	1.1	96.3	2.17	2.13	2.27
Multiple Myeloma	2.7	87.7	1.40	1.38	1.37
Leukemias	3.5	87.2	1.53	1.53	1.32
Breast *in situ*	0.0	100.0			

United States
All Races
1995-1999



Participating Registries

Populations For United States Combined

1995

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5572130	4432349	766677	5319509	4216768	745450
5-9	5391314	4280077	766298	5137120	4069570	742408
10-14	5255980	4190889	710380	5006045	3975209	688994
15-19	5092429	4070869	703395	4790496	3805282	678861
20-24	5008732	4010477	652088	4784778	3787382	662583
25-29	5285419	4295848	639446	5255359	4187313	689426
30-34	6045436	4992432	676401	6071798	4910657	757119
35-39	6160388	5136692	657091	6194838	5064253	741650
40-44	5526036	4651566	552366	5652672	4655512	645201
45-49	4693206	4006608	428242	4875724	4070604	517400
50-54	3615019	3106724	320376	3818823	3215284	398246
55-59	2884345	2480462	258402	3121796	2629623	330754
60-64	2540559	2210451	215680	2849483	2423651	285813
65-69	2413684	2123519	196639	2910164	2518990	264459
70-74	2051680	1835429	139918	2680261	2374863	207468
75-79	1459864	1317214	94523	2145127	1926414	155054
80-84	866849	787063	50806	1546280	1409088	100846
85+	564028	506863	37375	1434047	1313441	91847
Total	70427098	58435532	7866103	73594320	60553904	8703579

1996

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5474951	4356017	742329	5227971	4144601	721708
5-9	5496873	4356682	782593	5239945	4145470	757601
10-14	5293337	4212492	718743	5041745	3996865	696729
15-19	5223381	4171454	719664	4913028	3898995	692646
20-24	4867497	3892418	636243	4644964	3670098	644553
25-29	5256310	4258410	637987	5244016	4163286	689450
30-34	5889325	4841220	671385	5926874	4767822	750022
35-39	6220557	5178648	666102	6251980	5102982	750571
40-44	5664419	4759176	570002	5789874	4759973	662649
45-49	4948066	4213920	458277	5138020	4276878	553099
50-54	3682575	3159513	324617	3893071	3270320	405090
55-59	2947465	2530875	263399	3188062	2680051	338659
60-64	2520133	2185395	215684	2817952	2388065	286849
65-69	2407137	2111709	198576	2886744	2489047	267079
70-74	2039741	1819991	141604	2660819	2349591	208441
75-79	1510719	1360615	98668	2190239	1961857	159878
80-84	897649	815219	51774	1572247	1431442	101552
85+	586418	526211	38767	1473763	1346907	95344
Total	70926553	58749965	7936414	74101314	60844250	8781920

1997

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5382744	4286069	719818	5140353	4078107	698968
5-9	5585048	4420145	791707	5326590	4208746	766834
10-14	5309956	4214788	727232	5058363	4002528	703893
15-19	5333443	4256179	730841	5016541	3978563	701785
20-24	4865531	3893028	637385	4637440	3663935	643678
25-29	5191811	4185098	637811	5191454	4099092	688395
30-34	5725701	4687151	659974	5777646	4622770	737538
35-39	6235135	5179010	672762	6265475	5102101	755354
40-44	5811548	4868420	592523	5929276	4863846	683350
45-49	4951300	4191689	472008	5146357	4254617	570132
50-54	4004023	3447806	342061	4222740	3559160	426451
55-59	3043359	2610348	272317	3290400	2760883	351156
60-64	2531068	2188132	217145	2821537	2383158	289867
65-69	2374180	2075740	198538	2833341	2432593	267009
70-74	2032882	1808772	144035	2640351	2322687	210056
75-79	1562948	1405237	102383	2239507	2002095	163727
80-84	923703	838540	53021	1594123	1448732	103425
85+	612183	548419	40557	1510664	1378245	97988
Total	71476563	59104571	8012118	74642158	61161858	8859606

1998

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5309538	4229070	700509	5074252	4026502	680126
5-9	5623515	4447825	793054	5360515	4233588	767174
10-14	5340492	4225063	741289	5088734	4015154	717572
15-19	5435473	4331547	742144	5113151	4050927	710349
20-24	4926337	3946999	643756	4689781	3709834	647176
25-29	5102993	4098593	631582	5113053	4021385	681052
30-34	5574568	4546144	650021	5636269	4486367	726490
35-39	6225186	5152068	679700	6255722	5075326	760317
40-44	5952033	4974790	614151	6060280	4963034	702198
45-49	5054076	4266083	485950	5251851	4329629	585623
50-54	4147367	3558273	359289	4374067	3669385	448142
55-59	3210134	2761006	280122	3465307	2915275	362109
60-64	2580256	2226003	221866	2869044	2418747	296470
65-69	2331140	2028982	198701	2768119	2363631	267678
70-74	2050747	1821376	147493	2638399	2313472	212901
75-79	1601981	1436281	106070	2264534	2019182	166096
80-84	949339	861525	54286	1608263	1459937	103801
85+	642240	574242	42808	1553386	1413774	101886
Total	72057415	59485870	8092791	75184727	61485149	8937160

1999

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5269743	4196434	690476	5040387	3999041	668892
5-9	5623363	4449594	783323	5360839	4235817	757170
10-14	5424370	4275995	765918	5169171	4066008	740672
15-19	5487717	4370580	744894	5163812	4089082	711994
20-24	5031438	4033614	658036	4782605	3782200	660086
25-29	4986593	3978587	623046	4993665	3910109	673467
30-34	5457446	4429180	636050	5518800	4378701	710931
35-39	6194413	5107770	682278	6223682	5034040	760583
40-44	6057305	5051288	631548	6156304	5030959	718196
45-49	5184118	4367956	501887	5381519	4429568	602326
50-54	4333707	3708402	379139	4570433	3821167	472398
55-59	3324447	2859878	287262	3587809	3017578	372387
60-64	2637684	2272489	226829	2930189	2466378	304770
65-69	2297414	1992776	198220	2719547	2313226	267111
70-74	2052117	1816966	151291	2623400	2291159	215925
75-79	1635798	1465768	107006	2298652	2046021	168542
80-84	974822	883332	56460	1630290	1477647	104949
85+	672686	600706	44787	1596662	1450346	105122
Total	72645181	59861315	8168450	75747766	61839047	9015521

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
United States, 1995-1999, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*
All Sites	1715377	559.5	0.43	465.8	0.36	1657563	420.1	0.33	352.4	0.29
Buccal Cavity & Pharynx	51618	16.3	0.07	14.0	0.06	25374	6.4	0.04	5.5	0.04
Lip	5450	1.8	0.02	1.4	0.02	1473	0.4	0.01	0.3	0.01
Tongue	11689	3.7	0.03	3.2	0.03	5993	1.5	0.02	1.3	0.02
Major salivary gland	4767	1.6	0.02	1.3	0.02	3664	0.9	0.02	0.8	0.01
Floor of mouth	4334	1.4	0.02	1.2	0.02	2103	0.5	0.01	0.5	0.01
Gum and other mouth	7086	2.3	0.03	1.9	0.02	5646	1.4	0.02	1.2	0.02
Nasopharynx	3034	0.9	0.02	0.8	0.01	1434	0.4	0.01	0.3	0.01
Oropharynx	2088	0.7	0.01	0.6	0.01	776	0.2	0.01	0.2	0.01
Hypopharynx	5018	1.6	0.02	1.4	0.02	1430	0.4	0.01	0.3	0.01
Digestive System	343416	114.6	0.20	92.5	0.16	313234	76.3	0.14	60.6	0.11
Esophagus	25505	8.3	0.05	7.0	0.04	8919	2.2	0.02	1.8	0.02
Stomach	36620	12.3	0.07	9.8	0.05	23365	5.7	0.04	4.4	0.03
Small intestine	5960	1.9	0.03	1.6	0.02	5362	1.3	0.02	1.1	0.02
Colon excl. rectum	139860	47.5	0.13	37.5	0.10	153069	37.0	0.10	28.9	0.08
Rectum & rectosigmoid	60948	20.0	0.08	16.6	0.07	48585	12.0	0.05	9.8	0.05
Anus	3405	1.1	0.02	0.9	0.02	5326	1.4	0.02	1.1	0.02
Liver	19724	6.3	0.05	5.4	0.04	9007	2.2	0.02	1.8	0.02
Gallbladder	2617	0.9	0.02	0.7	0.01	6562	1.6	0.02	1.3	0.02
Pancreas	37825	12.6	0.07	10.2	0.05	40141	9.7	0.05	7.7	0.04
Respiratory System	314736	102.9	0.19	86.2	0.15	218399	54.8	0.12	46.9	0.10
Larynx	25845	8.3	0.05	7.2	0.05	6983	1.8	0.02	1.6	0.02
Lung & bronchus	279147	91.5	0.18	76.4	0.15	207400	52.0	0.11	44.4	0.10
Bones & Joints	3781	1.1	0.02	1.1	0.02	3154	0.8	0.02	0.8	0.02
Soft Tissue (incl. heart)	11190	3.5	0.03	3.0	0.03	9629	2.5	0.03	2.2	0.02
Skin (excl. basal and sq.)	69002	21.5	0.08	17.8	0.07	49480	12.8	0.06	10.8	0.05
Melanomas of the skin	56968	17.9	0.08	14.9	0.06	44392	11.5	0.06	9.8	0.05
Breast (excl. *in situ*)	3989	1.3	0.02	1.1	0.02	508838	131.9	0.19	111.8	0.16
Female Genital System	-	-	-	-	-	217206	56.2	0.12	48.1	0.11
Cervix uteri	-	-	-	-	-	39353	10.4	0.05	8.7	0.05
Corpus uteri	-	-	-	-	-	94837	24.5	0.08	21.4	0.07
Uterus, NOS	-	-	-	-	-	2841	0.7	0.01	0.6	0.01
Ovary	-	-	-	-	-	65090	16.8	0.07	14.4	0.06
Male Genital System	513663	167.0	0.24	141.7	0.20	-	-	-	-	-
Prostate	490511	160.6	0.23	136.1	0.20	-	-	-	-	-
Testis	19694	5.3	0.04	4.6	0.03	-	-	-	-	-
Penis	2623	0.9	0.02	0.7	0.01	-	-	-	-	-
Urinary System	166305	55.3	0.14	44.8	0.11	75441	18.7	0.07	15.4	0.06
Bladder (incl. *in situ*)	112552	38.0	0.12	30.2	0.09	40753	9.9	0.05	8.0	0.04
Kidney & renal pelvis	49709	15.9	0.07	13.5	0.06	32252	8.2	0.05	7.0	0.04
Ureter	2741	0.9	0.02	0.7	0.01	1746	0.4	0.01	0.3	0.01
Eye	3071	1.0	0.02	0.8	0.02	2689	0.7	0.01	0.6	0.01
Brain & Other Nervous System	26385	8.0	0.05	7.2	0.05	22156	5.7	0.04	5.2	0.04
Brain	24766	7.5	0.05	6.7	0.04	20451	5.3	0.04	4.8	0.04
Endocrine System	13960	4.1	0.04	3.7	0.03	36310	9.6	0.05	8.4	0.05
Thyroid gland	11394	3.4	0.03	2.9	0.03	34143	9.1	0.05	7.9	0.04
Lymphomas	83520	26.2	0.09	22.0	0.08	73138	18.4	0.07	15.6	0.06
Hodgkin's disease	11470	3.2	0.03	3.0	0.03	9607	2.5	0.03	2.4	0.03
Non-Hodgkin's lymphoma	72050	23.0	0.09	19.0	0.07	63531	15.9	0.06	13.2	0.05
Multiple Myeloma	20018	6.7	0.05	5.4	0.04	18197	4.5	0.03	3.7	0.03
Leukemias	48149	15.6	0.07	13.1	0.06	37315	9.3	0.05	8.0	0.04
Acute lymphocytic	5980	1.7	0.02	1.8	0.02	4518	1.2	0.02	1.4	0.02
Chronic lymphocytic	14270	4.8	0.04	3.9	0.03	10221	2.5	0.02	1.9	0.02
Acute myeloid	13656	4.4	0.04	3.7	0.03	12076	3.0	0.03	2.6	0.02
Chronic myeloid	6401	2.1	0.03	1.7	0.02	4809	1.2	0.02	1.0	0.01
Other	5700	1.9	0.03	1.5	0.02	4076	1.0	0.02	0.8	0.01
Ill-defined & Unknown	42574	14.4	0.07	11.4	0.06	47003	11.4	0.05	8.9	0.04
Breast *in situ* (not in All Sites)	482	0.2	0.01	0.1	0.01	92948	24.7	0.08	21.5	0.07

* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
United States, 1995-1999, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Inc.*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Inc.*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1715377	535.4	0.41	366.8	0.29	1657563	404.6	0.32	291.0	0.25
Buccal Cavity & Pharynx	51618	15.8	0.07	11.7	0.05	25374	6.2	0.04	4.5	0.03
Lip	5450	1.7	0.02	1.1	0.02	1473	0.3	0.01	0.2	0.01
Tongue	11689	3.6	0.03	2.7	0.03	5993	1.5	0.02	1.1	0.02
Major salivary gland	4767	1.5	0.02	1.0	0.02	3664	0.9	0.02	0.7	0.01
Floor of mouth	4334	1.3	0.02	1.0	0.02	2103	0.5	0.01	0.4	0.01
Gum and other mouth	7086	2.2	0.03	1.6	0.02	5646	1.3	0.02	0.9	0.01
Nasopharynx	3034	0.9	0.02	0.7	0.01	1434	0.4	0.01	0.3	0.01
Oropharynx	2088	0.6	0.01	0.5	0.01	776	0.2	0.01	0.1	0.01
Hypopharynx	5018	1.5	0.02	1.2	0.02	1430	0.4	0.01	0.3	0.01
Digestive System	343416	108.0	0.18	71.0	0.13	313234	71.5	0.13	46.0	0.09
Esophagus	25505	7.9	0.05	5.6	0.04	8919	2.1	0.02	1.4	0.02
Stomach	36620	11.5	0.06	7.5	0.04	23365	5.3	0.04	3.3	0.02
Small intestine	5960	1.8	0.02	1.3	0.02	5362	1.3	0.02	0.9	0.01
Colon excl. rectum	139860	44.3	0.12	28.0	0.08	153069	34.4	0.09	21.6	0.06
Rectum & rectosigmoid	60948	19.1	0.08	13.0	0.05	48585	11.4	0.05	7.7	0.04
Anus	3405	1.0	0.02	0.8	0.01	5326	1.3	0.02	0.9	0.01
Liver	19724	6.1	0.04	4.4	0.03	9007	2.1	0.02	1.5	0.02
Gallbladder	2617	0.8	0.02	0.5	0.01	6562	1.5	0.02	1.0	0.01
Pancreas	37825	11.9	0.06	7.8	0.04	40141	9.1	0.05	5.8	0.03
Respiratory System	314736	98.6	0.18	66.8	0.12	218399	53.0	0.11	37.1	0.09
Larynx	25845	8.0	0.05	5.8	0.04	6983	1.8	0.02	1.4	0.02
Lung & bronchus	279147	87.6	0.17	58.9	0.12	207400	50.2	0.11	35.1	0.08
Bones & Joints	3781	1.1	0.02	1.0	0.02	3154	0.8	0.01	0.8	0.01
Soft Tissue (incl. heart)	11190	3.4	0.03	2.6	0.03	9629	2.4	0.02	2.0	0.02
Skin (excl. basal and sq.)	69002	21.0	0.08	15.1	0.06	49480	12.7	0.06	9.7	0.05
Melanomas of the skin	56968	17.4	0.07	12.6	0.05	44392	11.5	0.06	8.8	0.04
Breast (excl. *in situ*)	3989	1.2	0.02	0.8	0.01	508838	127.7	0.18	94.6	0.14
Female Genital System	-	-	-	-	-	217206	54.9	0.12	41.3	0.09
Cervix uteri	-	-	-	-	-	39353	10.5	0.05	8.2	0.04
Corpus uteri	-	-	-	-	-	94837	23.8	0.08	17.8	0.06
Uterus, NOS	-	-	-	-	-	2841	0.7	0.01	0.5	0.01
Ovary	-	-	-	-	-	65090	16.4	0.06	12.3	0.05
Male Genital System	513663	161.4	0.23	110.7	0.16	-	-	-	-	-
Prostate	490511	154.7	0.22	105.1	0.16	-	-	-	-	-
Testis	19694	5.6	0.04	4.9	0.04	-	-	-	-	-
Penis	2623	0.8	0.02	0.5	0.01	-	-	-	-	-
Urinary System	166305	52.2	0.13	34.4	0.09	75441	17.8	0.07	12.2	0.05
Bladder (incl. *in situ*)	112552	35.6	0.11	22.6	0.07	40753	9.3	0.05	6.1	0.03
Kidney & renal pelvis	49709	15.3	0.07	11.0	0.05	32252	7.9	0.04	5.8	0.04
Ureter	2741	0.9	0.02	0.5	0.01	1746	0.4	0.01	0.2	0.01
Eye	3071	0.9	0.02	0.7	0.01	2689	0.7	0.01	0.6	0.01
Brain & Other Nervous System	26385	7.8	0.05	6.4	0.04	22156	5.6	0.04	4.7	0.04
Brain	24766	7.3	0.05	6.0	0.04	20451	5.2	0.04	4.3	0.03
Endocrine System	13960	4.1	0.03	3.4	0.03	36310	9.8	0.05	8.1	0.04
Thyroid gland	11394	3.4	0.03	2.7	0.03	34143	9.3	0.05	7.6	0.04
Lymphomas	83520	25.4	0.09	18.5	0.07	73138	17.8	0.07	13.0	0.05
Hodgkin's disease	11470	3.3	0.03	2.9	0.03	9607	2.6	0.03	2.4	0.03
Non-Hodgkin's lymphoma	72050	22.1	0.08	15.6	0.06	63531	15.2	0.06	10.6	0.05
Multiple Myeloma	20018	6.3	0.04	4.1	0.03	18197	4.2	0.03	2.8	0.02
Leukemias	48149	14.7	0.07	10.9	0.05	37315	8.8	0.05	6.8	0.04
Acute lymphocytic	5980	1.6	0.02	2.0	0.03	4518	1.2	0.02	1.5	0.02
Chronic lymphocytic	14270	4.5	0.04	2.9	0.03	10221	2.3	0.02	1.5	0.02
Acute myeloid	13656	4.2	0.04	3.0	0.03	12076	2.9	0.03	2.2	0.02
Chronic myeloid	6401	2.0	0.02	1.4	0.02	4809	1.1	0.02	0.8	0.01
Other	5700	1.8	0.02	1.2	0.02	4076	0.9	0.01	0.6	0.01
Ill-defined & Unknown	42574	13.4	0.07	8.6	0.04	47003	10.5	0.05	6.7	0.04
Breast *in situ* (not in All Sites)	482	0.1	0.01	0.1	0.01	92948	24.1	0.08	18.7	0.06

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, All Races, Males

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1715377**	**559.5**	**200808**	**67.5**	**279147**	**91.5**	**490511**	**160.6**	**112552**	**38.0**	**72050**	**23.0**
California	327284	526.3	35652	59.4	46884	77.0	94188	154.3	20174	34.0	14974	22.9
Greater Bay Area	66748	532.2	7370	60.9	8926	73.1	19402	158.8	3750	31.3	3523	26.2
Los Angeles	84992	518.4	9327	59.4	11297	70.8	25221	157.5	4844	31.3	4054	23.0
Colorado	38205	512.3	3976	56.3	4947	69.3	11528	156.9	2430	34.2	1638	20.7
Connecticut	44511	592.1	5262	71.5	6768	90.0	12511	165.6	3350	45.4	1923	25.3
Delaware	9551	597.4	1094	70.9	1803	112.0	2772	172.5	605	39.4	339	20.7
Georgia - Metropolitan Atlanta	22849	595.6	2129	59.5	3633	101.4	7043	192.6	1099	32.9	1040	23.6
Hawaii	13179	476.8	1837	67.0	1998	72.1	3402	124.1	586	21.6	538	19.4
Idaho	12746	503.6	1339	54.3	1776	70.9	3822	152.0	919	37.4	533	20.7
Illinois	140376	566.1	17060	71.0	24858	100.5	38028	154.2	9084	38.0	5764	22.7
Iowa	38227	557.5	5151	75.8	6606	95.8	10534	152.1	2605	38.3	1540	22.6
Kentucky	49123	593.7	5678	70.7	11815	141.3	11504	141.5	2914	36.2	1831	21.9
Louisiana	50537	597.9	5861	71.1	10134	119.4	14185	170.4	2696	33.4	1798	20.7
Michigan	121903	594.4	13104	66.0	20554	100.3	37560	183.3	7975	40.3	4618	22.0
Metropolitan Detroit	54239	637.6	5705	69.6	9036	106.2	17539	205.6	3370	41.4	1974	22.8
Minnesota	53924	544.1	6084	62.9	7311	74.1	17044	174.0	3564	37.1	2534	25.2
Nebraska	20388	546.6	2600	70.8	3337	89.2	6038	161.5	1267	34.6	864	23.1
New Jersey	111675	622.4	13743	78.6	16671	93.1	34052	188.8	7805	44.8	4699	25.8
New Mexico	16589	473.2	1778	51.7	2179	63.7	5149	147.0	918	27.0	636	17.8
New York	219372	557.5	28015	73.3	34835	88.8	59368	150.1	15140	39.8	9635	24.0
North Carolina	81361	522.4	8644	57.5	16643	106.8	22940	146.5	4869	33.2	2959	18.7
Pennsylvania	173857	591.1	22088	76.2	29258	98.3	50059	167.0	12858	44.5	6943	23.9
Rhode Island	14689	640.9	1725	76.1	2509	108.7	3984	172.2	1180	51.8	602	26.4
Utah	15937	468.3	1585	48.6	1400	42.6	5708	172.8	989	31.0	785	22.2
Seattle/Puget Sound	44269	568.4	4621	61.5	6730	88.0	12763	166.7	3084	41.4	2044	25.0
West Virginia	25248	569.2	3024	69.5	5721	126.8	6171	138.0	1747	40.3	931	21.2
Wisconsin	64192	557.9	8164	72.0	10029	87.3	18445	160.3	4325	38.6	2694	23.2
Wyoming	5385	527.6	594	60.2	748	74.2	1713	168.0	369	38.1	188	18.1

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, All Races, Males

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1715377**	**465.8**	**200808**	**54.1**	**279147**	**76.4**	**490511**	**136.1**	**112552**	**30.2**	**72050**	**19.0**
California	327284	437.8	35652	47.6	46884	63.8	94188	131.2	20174	26.9	14974	18.9
Greater Bay Area	66748	442.7	7370	48.7	8926	60.2	19402	135.0	3750	25.0	3523	21.8
Los Angeles	84992	431.3	9327	47.5	11297	58.8	25221	134.3	4844	24.7	4054	19.0
Colorado	38205	424.1	3976	44.6	4947	56.6	11528	133.6	2430	27.4	1638	17.1
Connecticut	44511	493.9	5262	56.7	6768	75.2	12511	141.6	3350	36.3	1923	20.9
Delaware	9551	501.4	1094	57.0	1803	94.6	2772	147.5	605	31.6	339	17.4
Georgia - Metropolitan Atlanta	22849	501.1	2129	48.2	3633	84.4	7043	166.9	1099	25.8	1040	19.3
Hawaii	13179	392.9	1837	55.2	1998	60.3	3402	100.1	586	17.1	538	15.7
Idaho	12746	417.7	1339	43.4	1776	58.7	3822	128.0	919	29.7	533	17.2
Illinois	140376	470.3	17060	56.5	24858	84.0	38028	130.1	9084	30.1	5764	18.7
Iowa	38227	461.2	5151	60.5	6606	79.6	10534	127.4	2605	30.2	1540	18.6
Kentucky	49123	492.6	5678	56.6	11815	119.4	11504	116.7	2914	29.1	1831	18.1
Louisiana	50537	495.7	5861	57.3	10134	100.3	14185	141.7	2696	26.4	1798	17.2
Michigan	121903	494.7	13104	52.7	20554	83.9	37560	155.1	7975	32.0	4618	18.3
Metropolitan Detroit	54239	529.0	5705	55.4	9036	88.6	17539	173.6	3370	32.6	1974	18.8
Minnesota	53924	455.4	6084	50.5	7311	62.8	17044	147.8	3564	29.6	2534	20.9
Nebraska	20388	454.1	2600	56.5	3337	75.0	6038	136.0	1267	27.2	864	18.9
New Jersey	111675	516.9	13743	62.8	16671	77.2	34052	159.5	7805	35.5	4699	21.4
New Mexico	16589	392.7	1778	42.1	2179	51.7	5149	124.1	918	21.7	636	14.8
New York	219372	463.8	28015	58.5	34835	73.9	59368	127.9	15140	31.6	9635	19.8
North Carolina	81361	441.0	8644	46.8	16643	90.6	22940	126.1	4869	26.4	2959	15.7
Pennsylvania	173857	494.4	22088	61.4	29258	82.7	50059	142.4	12858	35.6	6943	19.8
Rhode Island	14689	533.7	1725	60.7	2509	91.0	3984	147.3	1180	42.0	602	21.7
Utah	15937	390.1	1585	39.0	1400	35.2	5708	146.8	989	24.3	785	18.6
Seattle/Puget Sound	44269	471.3	4621	48.9	6730	72.8	12763	141.7	3084	32.7	2044	20.6
West Virginia	25248	470.6	3024	55.7	5721	106.2	6171	113.9	1747	32.0	931	17.5
Wisconsin	64192	464.7	8164	58.5	10029	72.9	18445	135.7	4325	30.5	2694	19.2
Wyoming	5385	434.6	594	47.7	748	60.9	1713	140.8	369	29.5	188	15.1

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, All Races, Females

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1657563**	**420.1**	**201654**	**49.0**	**207400**	**52.0**	**508838**	**131.9**	**39353**	**10.4**	**65090**	**16.8**
California	317341	411.4	34162	43.5	39091	50.6	100938	133.2	8381	10.7	12780	16.7
Greater Bay Area	66512	419.3	7169	44.3	7816	49.2	22055	141.2	1444	8.9	2640	16.7
Los Angeles	83245	391.1	9279	42.9	9283	43.8	25924	124.3	2753	12.7	3420	16.1
Colorado	37337	395.0	3874	41.9	3821	41.6	12656	132.6	831	8.3	1571	16.4
Connecticut	44449	457.1	5535	52.8	5657	57.1	13700	145.6	791	8.8	1532	16.4
Delaware	9187	458.7	1130	55.1	1344	66.2	2754	140.0	214	10.8	351	17.7
Georgia - Metropolitan Atlanta	22700	419.3	2351	46.2	2683	53.4	7773	139.7	691	10.8	874	15.9
Hawaii	11926	384.2	1396	44.5	1199	37.5	4026	130.0	302	10.1	464	15.1
Idaho	11604	391.1	1262	41.4	1283	43.1	3738	127.7	234	8.2	510	17.3
Illinois	139591	426.4	17744	51.7	17979	54.6	42495	133.1	3611	11.6	5337	16.7
Iowa	37046	420.7	5415	55.3	4243	47.3	11052	130.7	663	8.9	1508	18.1
Kentucky	46358	425.6	5863	52.2	7544	68.5	13060	122.2	1319	12.7	1442	13.3
Louisiana	44409	391.7	5492	47.8	6180	54.0	13446	120.2	1283	11.6	1391	12.3
Michigan	112583	427.2	12896	47.2	14998	56.5	33588	129.8	2435	9.5	4396	16.9
Metropolitan Detroit	49749	438.2	5772	49.3	6974	60.6	14676	131.5	1107	10.0	1907	17.0
Minnesota	50657	409.6	6139	46.7	5303	43.6	16539	136.6	907	7.6	2147	17.9
Nebraska	19128	405.2	2504	48.9	2097	43.9	5912	129.7	373	8.9	768	17.0
New Jersey	107154	455.9	13669	55.2	13285	55.4	31875	139.4	2516	11.4	4235	18.5
New Mexico	15350	363.3	1523	36.0	1580	37.2	5059	120.3	391	9.3	641	15.2
New York	228032	434.0	29656	53.6	28323	53.0	67658	132.4	5891	11.9	9030	17.7
North Carolina	75697	369.7	8847	42.0	9940	47.6	24525	122.0	1837	9.3	2961	14.6
Pennsylvania	164993	430.0	22624	53.9	20493	51.5	48563	131.3	3309	10.0	6581	18.1
Rhode Island	14480	470.3	1979	57.3	1970	63.6	4004	136.6	281	10.7	467	16.3
Utah	14089	344.6	1490	37.2	895	22.5	4664	116.9	314	7.3	686	16.6
Seattle/Puget Sound	43882	455.6	4428	45.3	5858	61.5	14243	149.1	750	7.5	1939	20.2
West Virginia	24462	424.0	3139	51.4	3941	65.5	6645	118.1	675	13.6	918	16.5
Wisconsin	60461	419.1	8012	52.1	7132	49.3	18483	131.7	1251	9.3	2373	16.9
Wyoming	4647	388.8	524	43.4	561	46.9	1442	120.9	103	8.9	188	15.8

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, All Races, Females

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1657563**	**352.4**	**201654**	**38.7**	**207400**	**44.4**	**508838**	**111.8**	**39353**	**8.7**	**65090**	**14.4**
California	317341	345.1	34162	34.3	39091	42.7	100938	113.4	8381	9.0	12780	14.3
Greater Bay Area	66512	352.1	7169	34.9	7816	41.3	22055	120.7	1444	7.5	2640	14.4
Los Angeles	83245	328.0	9279	33.9	9283	36.8	25924	106.0	2753	10.6	3420	13.9
Colorado	37337	328.9	3874	33.0	3821	35.1	12656	112.2	831	7.0	1571	13.8
Connecticut	44449	384.6	5535	41.7	5657	48.9	13700	123.6	791	7.4	1532	14.1
Delaware	9187	386.0	1130	43.2	1344	57.5	2754	119.3	214	9.1	351	15.4
Georgia - Metropolitan Atlanta	22700	352.8	2351	36.9	2683	45.7	7773	119.0	691	9.0	874	13.5
Hawaii	11926	322.0	1396	35.4	1199	31.2	4026	111.8	302	8.4	464	13.2
Idaho	11604	328.5	1262	32.5	1283	37.0	3738	108.6	234	6.8	510	14.6
Illinois	139591	357.2	17744	40.7	17979	46.8	42495	112.5	3611	9.7	5337	14.3
Iowa	37046	352.0	5415	43.6	4243	40.5	11052	110.0	663	7.4	1508	15.4
Kentucky	46358	357.0	5863	41.3	7544	59.6	13060	103.7	1319	10.5	1442	11.3
Louisiana	44409	325.7	5492	38.1	6180	46.1	13446	100.7	1283	9.7	1391	10.6
Michigan	112583	359.0	12896	37.4	14998	48.7	33588	110.1	2435	8.0	4396	14.4
Metropolitan Detroit	49749	367.1	5772	39.0	6974	51.8	14676	111.4	1107	8.4	1907	14.5
Minnesota	50657	346.5	6139	37.2	5303	38.1	16539	115.9	907	6.3	2147	15.4
Nebraska	19128	340.5	2504	38.7	2097	37.6	5912	109.7	373	7.5	768	14.6
New Jersey	107154	381.1	13669	43.4	13285	47.0	31875	118.0	2516	9.5	4235	15.9
New Mexico	15350	304.3	1523	28.7	1580	31.6	5059	101.8	391	7.8	641	13.0
New York	228032	363.7	29656	42.4	28323	44.9	67658	112.4	5891	10.1	9030	15.2
North Carolina	75697	312.6	8847	33.8	9940	41.3	24525	103.7	1837	7.8	2961	12.5
Pennsylvania	164993	361.3	22624	42.6	20493	44.2	48563	111.2	3309	8.3	6581	15.6
Rhode Island	14480	395.4	1979	45.0	1970	55.0	4004	115.5	281	8.8	467	14.2
Utah	14089	289.7	1490	29.5	895	19.3	4664	99.3	314	6.0	686	14.1
Seattle/Puget Sound	43882	383.7	4428	35.9	5858	52.5	14243	127.1	750	6.3	1939	17.2
West Virginia	24462	355.7	3139	41.2	3941	56.5	6645	99.5	675	11.3	918	14.1
Wisconsin	60461	352.5	8012	41.4	7132	42.6	18483	111.6	1251	7.9	2373	14.5
Wyoming	4647	326.7	524	34.2	561	40.2	1442	102.3	103	7.3	188	13.2

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

United States
Whites
1995-1999



Participating Registries

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
United States, 1995-1999, Whites

	MALES (WHITES)					FEMALES (WHITES)				
SITES	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*
All Sites	1476949	550.0	0.46	457.4	0.38	1445894	424.4	0.36	356.5	0.31
Buccal Cavity & Pharynx	43035	15.7	0.08	13.5	0.07	21553	6.3	0.04	5.3	0.04
Lip	5219	2.0	0.03	1.6	0.02	1373	0.4	0.01	0.3	0.01
Tongue	9974	3.6	0.04	3.1	0.03	5202	1.5	0.02	1.3	0.02
Major salivary gland	4229	1.6	0.03	1.3	0.02	3138	0.9	0.02	0.8	0.01
Floor of mouth	3584	1.3	0.02	1.1	0.02	1820	0.5	0.01	0.5	0.01
Gum and other mouth	5860	2.2	0.03	1.8	0.02	4850	1.4	0.02	1.1	0.02
Nasopharynx	1816	0.6	0.02	0.6	0.01	900	0.3	0.01	0.2	0.01
Oropharynx	1637	0.6	0.01	0.5	0.01	644	0.2	0.01	0.2	0.01
Hypopharynx	4015	1.5	0.02	1.3	0.02	1210	0.4	0.01	0.3	0.01
Digestive System	293034	111.4	0.21	89.7	0.17	267774	74.1	0.14	58.7	0.12
Esophagus	21153	7.9	0.05	6.6	0.05	7196	2.0	0.02	1.6	0.02
Stomach	29071	11.1	0.07	8.8	0.05	17813	4.9	0.04	3.8	0.03
Small intestine	5009	1.9	0.03	1.5	0.02	4455	1.3	0.02	1.1	0.02
Colon excl. rectum	122452	47.2	0.14	37.1	0.11	133205	36.5	0.10	28.4	0.08
Rectum & rectosigmoid	53768	20.1	0.09	16.7	0.07	42439	12.0	0.06	9.8	0.05
Anus	2905	1.1	0.02	0.9	0.02	4681	1.4	0.02	1.2	0.02
Liver	14338	5.3	0.04	4.5	0.04	6774	1.9	0.02	1.6	0.02
Gallbladder	2204	0.9	0.02	0.7	0.01	5626	1.6	0.02	1.2	0.02
Pancreas	32583	12.4	0.07	10.0	0.06	34186	9.4	0.05	7.4	0.04
Respiratory System	271722	101.1	0.20	84.6	0.16	193488	55.8	0.13	47.8	0.11
Larynx	21692	7.9	0.05	6.9	0.05	5850	1.8	0.02	1.6	0.02
Lung & bronchus	241317	89.9	0.18	75.0	0.15	184104	53.0	0.12	45.4	0.11
Bones & Joints	3249	1.1	0.02	1.1	0.02	2684	0.9	0.02	0.9	0.02
Soft Tissue (incl. heart)	9434	3.4	0.04	2.9	0.03	8067	2.4	0.03	2.2	0.03
Skin (excl. basal and sq.)	62876	22.8	0.09	18.8	0.08	45297	13.9	0.07	11.7	0.06
Melanomas of the skin	53440	19.4	0.08	16.2	0.07	41087	12.7	0.06	10.8	0.06
Breast (excl. *in situ*)	3424	1.3	0.02	1.1	0.02	444946	134.3	0.20	114.1	0.18
Female Genital System	-	-	-	-	-	188156	56.9	0.13	48.8	0.12
Cervix uteri	-	-	-	-	-	30163	9.5	0.06	8.0	0.05
Corpus uteri	-	-	-	-	-	84661	25.5	0.09	22.3	0.08
Uterus, NOS	-	-	-	-	-	2243	0.6	0.01	0.5	0.01
Ovary	-	-	-	-	-	57932	17.5	0.07	15.0	0.07
Male Genital System	429459	158.6	0.24	134.7	0.21	-	-	-	-	-
Prostate	408092	151.5	0.24	128.5	0.20	-	-	-	-	-
Testis	18427	6.0	0.04	5.3	0.04	-	-	-	-	-
Penis	2253	0.9	0.02	0.7	0.01	-	-	-	-	-
Urinary System	152723	57.8	0.15	46.8	0.12	67640	19.2	0.07	15.9	0.06
Bladder (incl. *in situ*)	105322	40.3	0.13	32.1	0.10	37265	10.4	0.05	8.4	0.05
Kidney & renal pelvis	43676	16.0	0.08	13.6	0.07	28235	8.3	0.05	7.1	0.04
Ureter	2596	1.0	0.02	0.8	0.02	1631	0.4	0.01	0.3	0.01
Eye	2796	1.0	0.02	0.9	0.02	2446	0.7	0.02	0.7	0.01
Brain & Other Nervous System	23909	8.5	0.06	7.6	0.05	19886	6.1	0.04	5.5	0.04
Brain	22534	8.0	0.05	7.2	0.05	18480	5.6	0.04	5.1	0.04
Endocrine System	12188	4.2	0.04	3.8	0.03	30938	9.9	0.06	8.7	0.05
Thyroid gland	10090	3.5	0.04	3.0	0.03	29167	9.3	0.06	8.1	0.05
Lymphomas	73312	26.7	0.10	22.4	0.08	65118	19.1	0.08	16.2	0.07
Hodgkin's disease	9956	3.4	0.03	3.2	0.03	8442	2.7	0.03	2.6	0.03
Non-Hodgkin's lymphoma	63356	23.3	0.09	19.2	0.08	56676	16.3	0.07	13.5	0.06
Multiple Myeloma	16368	6.2	0.05	5.0	0.04	14388	4.0	0.03	3.3	0.03
Leukemias	42810	16.0	0.08	13.5	0.07	32945	9.5	0.05	8.2	0.05
Acute lymphocytic	5141	1.7	0.02	2.0	0.03	3878	1.3	0.02	1.4	0.02
Chronic lymphocytic	12885	5.0	0.04	3.9	0.04	9284	2.6	0.03	2.0	0.02
Acute myeloid	12210	4.5	0.04	3.8	0.03	10611	3.1	0.03	2.6	0.03
Chronic myeloid	5548	2.1	0.03	1.7	0.02	4110	1.2	0.02	1.0	0.02
Other	5105	2.0	0.03	1.5	0.02	3630	1.0	0.02	0.8	0.01
Ill-defined & Unknown	36610	14.1	0.08	11.1	0.06	40568	11.1	0.06	8.7	0.05
Breast *in situ* (not in All Sites)	400	0.1	0.01	0.1	0.01	80155	25.1	0.09	21.8	0.08

* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, Whites, Males

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1476949**	**550.0**	**176220**	**67.3**	**241317**	**89.9**	**408092**	**151.5**	**105322**	**40.3**	**63356**	**23.3**
California	272524	522.2	29882	59.1	39388	76.8	74978	145.5	18455	36.7	12838	23.7
Greater Bay Area	50904	534.1	5677	61.6	6652	71.4	14307	153.2	3259	35.5	2792	27.6
Los Angeles	64725	509.6	7019	57.7	8304	67.3	18146	146.0	4197	34.7	3336	24.7
Colorado	36214	512.6	3774	56.3	4691	69.2	10831	155.3	2353	34.8	1567	21.1
Connecticut	40815	581.4	4927	71.2	6270	89.0	11158	157.5	3215	46.4	1778	25.3
Delaware	8053	585.5	943	70.5	1533	109.9	2226	159.8	565	42.2	295	21.2
Georgia - Metropolitan Atlanta	16104	550.7	1532	55.8	2518	91.9	4726	165.4	941	35.8	752	23.6
Hawaii	4168	634.0	449	70.3	547	85.6	1062	172.9	240	38.3	155	22.3
Idaho	12547	504.3	1319	54.4	1755	71.1	3763	152.0	902	37.3	526	20.8
Illinois	117518	545.3	14672	69.9	20715	96.1	30634	142.1	8329	39.7	5058	23.1
Iowa	37326	552.9	5090	75.9	6492	95.5	10190	149.2	2550	38.0	1509	22.5
Kentucky	44433	569.8	5297	70.0	11098	140.8	9549	124.2	2766	36.4	1690	21.6
Louisiana	36948	578.4	4440	71.3	7208	112.2	9893	154.7	2324	37.8	1452	22.6
Michigan	103161	571.2	11365	64.9	17439	96.4	30211	166.7	7450	42.6	4079	22.3
Metropolitan Detroit	40975	611.4	4466	69.1	6720	99.9	12356	182.7	3017	46.7	1598	23.7
Minnesota	51680	536.6	5880	62.3	7026	73.1	16357	171.1	3489	37.2	2411	24.8
Nebraska	19205	531.1	2513	70.3	3180	87.5	5589	153.6	1236	34.7	823	22.8
New Jersey	96518	618.4	12189	79.6	14374	91.8	28561	180.6	7395	48.2	4087	26.2
New Mexico	15771	485.1	1681	52.6	2085	65.3	4922	150.5	895	28.3	607	18.4
New York	181236	548.7	23976	74.0	29472	88.9	46221	138.0	14026	43.3	8002	24.2
North Carolina	65659	509.4	7155	57.4	13596	104.8	17452	133.2	4456	36.4	2509	19.5
Pennsylvania	155604	571.6	20335	75.6	26136	94.6	43489	156.3	12306	45.9	6321	23.6
Rhode Island	14252	646.5	1685	77.1	2432	109.2	3859	172.8	1169	53.1	585	26.8
Utah	15607	472.3	1548	48.7	1365	42.7	5616	174.5	984	31.7	765	22.4
Seattle/Puget Sound	41071	575.1	4255	61.6	6231	88.5	11884	168.3	2958	43.0	1884	25.3
West Virginia	24266	563.9	2909	68.8	5567	127.1	5819	134.0	1719	40.8	900	21.2
Wisconsin	60966	549.2	7816	71.3	9461	85.2	17413	156.3	4235	39.0	2578	23.2
Wyoming	5303	530.1	588	60.7	738	74.6	1689	168.6	364	38.4	185	18.2

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, Whites, Males

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1476949**	**457.4**	**176220**	**53.8**	**241317**	**75.0**	**408092**	**128.5**	**105322**	**32.1**	**63356**	**19.2**
California	272524	435.2	29882	47.3	39388	63.7	74978	124.6	18455	29.1	12838	19.6
Greater Bay Area	50904	446.6	5677	49.2	6652	59.0	14307	131.8	3259	28.5	2792	23.0
Los Angeles	64725	424.6	7019	45.9	8304	55.8	18146	125.4	4197	27.6	3336	20.4
Colorado	36214	424.0	3774	44.5	4691	56.5	10831	132.1	2353	27.9	1567	17.4
Connecticut	40815	484.2	4927	56.4	6270	74.2	11158	134.3	3215	37.1	1778	20.9
Delaware	8053	490.0	943	56.5	1533	92.8	2226	135.8	565	34.0	295	17.8
Georgia - Metropolitan Atlanta	16104	461.0	1532	45.0	2518	76.0	4726	143.0	941	28.2	752	19.3
Hawaii	4168	528.5	449	58.3	547	71.9	1062	143.5	240	30.5	155	18.3
Idaho	12547	418.1	1319	43.5	1755	58.9	3763	127.9	902	29.6	526	17.3
Illinois	117518	451.8	14672	55.4	20715	80.0	30634	119.7	8329	31.5	5058	19.0
Iowa	37326	457.4	5090	60.7	6492	79.3	10190	125.1	2550	29.9	1509	18.5
Kentucky	44433	472.9	5297	56.0	11098	118.8	9549	102.7	2766	29.3	1690	17.8
Louisiana	36948	478.9	4440	57.2	7208	93.6	9893	129.3	2324	30.0	1452	18.7
Michigan	103161	474.1	11365	51.7	17439	80.5	30211	140.7	7450	33.8	4079	18.5
Metropolitan Detroit	40975	503.8	4466	54.4	6720	82.8	12356	153.3	3017	36.8	1598	19.4
Minnesota	51680	449.0	5880	50.0	7026	61.9	16357	145.3	3489	29.7	2411	20.5
Nebraska	19205	441.3	2513	56.2	3180	73.5	5589	129.7	1236	27.3	823	18.7
New Jersey	96518	512.5	12189	63.3	14374	75.8	28561	152.2	7395	38.4	4087	21.7
New Mexico	15771	402.6	1681	42.8	2085	53.1	4922	127.2	895	22.7	607	15.4
New York	181236	455.6	23976	58.9	29472	73.9	46221	117.4	14026	34.5	8002	20.0
North Carolina	65659	429.6	7155	46.7	13596	88.9	17452	114.7	4456	29.0	2509	16.4
Pennsylvania	155604	476.9	20335	60.8	26136	79.4	43489	132.7	12306	36.7	6321	19.5
Rhode Island	14252	538.5	1685	61.6	2432	91.5	3859	147.8	1169	43.1	585	22.1
Utah	15607	393.5	1548	39.3	1365	35.3	5616	148.5	984	24.9	765	18.7
Seattle/Puget Sound	41071	476.7	4255	49.0	6231	73.2	11884	143.0	2958	33.9	1884.0	20.9
West Virginia	24266	466.0	2909	55.3	5567	106.4	5819	110.5	1719	32.4	900	17.4
Wisconsin	60966	457.0	7816	57.8	9461	71.0	17413	132.2	4235	30.9	2578	19.1
Wyoming	5303	436.6	588	48.0	738	61.2	1689	141.4	364	29.7	185	15.2

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, Whites, Females

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1445894**	**424.4**	**175644**	**48.5**	**184104**	**53.0**	**444946**	**134.3**	**30163**	**9.5**	**57932**	**17.5**
California	270616	424.9	28661	43.2	34464	53.5	86648	139.5	6601	10.6	11032	17.6
Greater Bay Area	52646	443.6	5559	44.5	6423	53.4	17844	154.3	968	8.3	2109	18.1
Los Angeles	65550	406.4	7029	41.8	7451	45.9	20378	130.4	2103	13.2	2757	17.4
Colorado	35620	398.6	3673	41.7	3646	41.8	12099	134.3	766	8.3	1516	16.8
Connecticut	41286	459.2	5146	52.1	5364	58.2	12703	146.9	662	8.2	1460	17.0
Delaware	7799	460.0	957	53.8	1147	65.9	2342	141.7	153	9.5	310	18.8
Georgia - Metropolitan Atlanta	16292	410.3	1613	41.9	2094	55.3	5553	138.0	383	8.5	672	16.8
Hawaii	3346	462.7	320	45.1	381	55.0	1126	154.9	70	8.8	143	19.5
Idaho	11432	392.7	1238	41.3	1269	43.3	3688	128.5	227	8.2	504	17.4
Illinois	118878	424.2	15117	50.3	15336	53.9	36211	133.4	2661	10.3	4704	17.4
Iowa	36372	420.0	5346	55.3	4172	47.2	10863	130.7	629	8.7	1480	18.1
Kentucky	42686	418.6	5422	51.3	7009	67.8	12121	121.2	1130	11.8	1346	13.3
Louisiana	32773	396.4	3968	46.5	4767	56.3	10036	123.5	702	9.3	1064	13.1
Michigan	97348	424.0	11044	45.8	13013	55.9	29187	129.9	1851	8.6	3913	17.5
Metropolitan Detroit	38867	440.3	4407	47.3	5502	60.8	11545	133.8	678	8.3	1557	18.2
Minnesota	48770	406.7	5966	46.4	5121	43.2	16038	136.8	802	7.0	2067	17.8
Nebraska	18207	400.0	2419	48.6	2000	43.2	5702	129.9	337	8.5	745	17.2
New Jersey	93998	466.9	12065	55.3	11835	56.9	27993	144.5	1882	10.5	3769	19.5
New Mexico	14470	375.2	1438	36.8	1528	39.0	4843	126.4	336	8.9	596	15.5
New York	190383	441.2	24928	53.3	24615	55.5	56393	136.2	3974	10.3	7675	18.5
North Carolina	61673	375.8	6952	40.6	8541	50.4	19965	124.1	1266	8.4	2512	15.6
Pennsylvania	149579	425.4	20713	53.3	18318	50.0	44191	130.6	2720	9.1	6098	18.5
Rhode Island	14060	476.7	1927	57.6	1914	64.3	3898	139.2	261	10.6	455	16.7
Utah	13804	349.2	1456	37.4	874	22.7	4591	119.0	300	7.3	676	16.9
Seattle/Puget Sound	40698	466.2	4088	45.4	5555	63.8	13235	153.5	627	7.2	1819	21.0
West Virginia	23556	422.8	3007	51.0	3804	65.4	6401	117.7	648	13.6	900	16.8
Wisconsin	57690	417.0	7666	51.4	6784	48.7	17697	131.9	1077	8.6	2293	17.2
Wyoming	4558	391.0	514	43.5	553	47.3	1422	122.2	98	8.7	183	15.8

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, Whites, Females

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1445894**	**356.5**	**175644**	**38.2**	**184104**	**45.4**	**444946**	**114.1**	**30163**	**8.0**	**57932**	**15.0**
California	270616	357.3	28661	34.0	34464	45.3	86648	119.1	6601	8.9	11032	15.1
Greater Bay Area	52646	374.8	5559	35.1	6423	45.1	17844	132.7	968	7.0	2109	15.6
Los Angeles	65550	341.6	7029	32.8	7451	38.6	20378	111.4	2103	11.1	2757	15.0
Colorado	35620	332.1	3673	32.8	3646	35.2	12099	113.8	766	6.9	1516	14.2
Connecticut	41286	386.6	5146	41.0	5364	49.8	12703	124.8	662	6.9	1460	14.6
Delaware	7799	387.2	957	42.0	1147	57.2	2342	120.8	153	8.1	310	16.3
Georgia - Metropolitan Atlanta	16292	345.1	1613	32.9	2094	47.2	5553	117.7	383	7.1	672	14.3
Hawaii	3346	388.6	320	34.4	381	46.6	1126	132.2	70	7.7	143	17.0
Idaho	11432	330.0	1238	32.3	1269	37.2	3688	109.3	227	6.8	504	14.7
Illinois	118878	355.7	15117	39.6	15336	46.2	36211	113.0	2661	8.6	4704	14.9
Iowa	36372	351.4	5346	43.6	4172	40.4	10863	110.0	629	7.2	1480	15.4
Kentucky	42686	351.2	5422	40.6	7009	59.0	12121	102.9	1130	9.7	1346	11.3
Louisiana	32773	330.2	3968	36.7	4767	48.2	10036	103.7	702	7.6	1064	11.3
Michigan	97348	356.6	11044	36.1	13013	48.3	29187	110.3	1851	7.2	3913	14.9
Metropolitan Detroit	38867	369.1	4407	37.1	5502	52.1	11545	113.4	678	7.0	1557	15.4
Minnesota	48770	343.9	5966	36.9	5121	37.8	16038	116.1	802	5.9	2067	15.3
Nebraska	18207	336.4	2419	38.5	2000	37.0	5702	110.0	337	7.1	745	14.8
New Jersey	93998	390.9	12065	43.3	11835	48.4	27993	122.4	1882	8.7	3769	16.8
New Mexico	14470	314.5	1438	29.4	1528	33.1	4843	106.9	336	7.6	596	13.3
New York	190383	370.3	24928	42.0	24615	47.1	56393	115.8	3974	8.7	7675	16.0
North Carolina	61673	318.2	6952	32.5	8541	43.9	19965	105.8	1266	7.0	2512	13.4
Pennsylvania	149579	357.5	20713	42.0	18318	42.9	44191	110.7	2720	7.6	6098	15.9
Rhode Island	14060	401.3	1927	45.4	1914	55.7	3898	117.7	261	8.7	455	14.5
Utah	13804	293.5	1456	29.6	874	19.4	4591	101.1	300	6.0	676	14.4
Seattle/Puget Sound	40698	393.2	4088	35.9	5555	54.6	13235	131.0	627	6.0	1819	17.9
West Virginia	23556	354.8	3007	40.8	3804	56.5	6401	99.3	648	11.3	900	14.3
Wisconsin	57690	350.7	7666	40.8	6784	42.0	17697	111.8	1077	7.3	2293	14.7
Wyoming	4558	328.8	514	34.3	553	40.5	1422	103.5	98	7.3	183	13.2

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

United States
Blacks
1995-1999



Participating Registries

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
United States, 1995-1999, Blacks

	MALES (BLACKS)					FEMALES (BLACKS)				
SITES	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*
All Sites	160356	652.1	1.70	552.0	1.40	140888	393.4	1.06	329.1	0.89
Buccal Cavity & Pharynx	5903	21.3	0.29	19.0	0.25	2397	6.5	0.13	5.7	0.12
Lip	30	0.1	0.02	0.1	0.02	29	0.1	0.02	0.1	0.01
Tongue	1239	4.5	0.13	4.0	0.12	474	1.3	0.06	1.1	0.05
Major salivary gland	332	1.2	0.07	1.0	0.06	326	0.8	0.05	0.7	0.04
Floor of mouth	627	2.2	0.09	2.0	0.08	221	0.6	0.04	0.5	0.04
Gum and other mouth	902	3.2	0.11	2.9	0.10	513	1.4	0.06	1.2	0.05
Nasopharynx	370	1.2	0.06	1.1	0.06	169	0.4	0.03	0.4	0.03
Oropharynx	392	1.4	0.07	1.3	0.07	118	0.3	0.03	0.3	0.03
Hypopharynx	825	3.1	0.11	2.8	0.10	181	0.5	0.04	0.5	0.03
Digestive System	32596	136.4	0.79	112.6	0.63	31837	93.0	0.52	74.8	0.43
Esophagus	3502	13.9	0.24	12.2	0.21	1464	4.2	0.11	3.6	0.10
Stomach	4532	19.6	0.31	15.7	0.24	3425	10.1	0.17	7.8	0.14
Small intestine	743	3.0	0.11	2.5	0.09	734	2.1	0.08	1.7	0.06
Colon excl. rectum	12069	52.3	0.50	42.4	0.39	14615	42.8	0.36	34.3	0.29
Rectum & rectosigmoid	4160	16.8	0.27	14.2	0.22	3970	11.4	0.18	9.4	0.15
Anus	384	1.3	0.07	1.1	0.06	472	1.3	0.06	1.1	0.05
Liver	2396	9.1	0.19	7.8	0.16	1096	3.2	0.10	2.6	0.08
Gallbladder	233	1.0	0.07	0.8	0.06	599	1.8	0.07	1.4	0.06
Pancreas	3855	16.3	0.27	13.5	0.22	4618	13.7	0.20	10.9	0.16
Respiratory System	33417	136.5	0.77	116.7	0.65	19405	55.3	0.40	47.7	0.35
Larynx	3398	13.2	0.23	11.7	0.20	980	2.7	0.09	2.5	0.08
Lung & bronchus	29366	120.8	0.73	102.9	0.61	18106	51.7	0.39	44.5	0.33
Bones & Joints	334	0.9	0.05	0.9	0.05	293	0.7	0.04	0.7	0.04
Soft Tissue (incl. heart)	1126	3.5	0.11	3.1	0.10	1050	2.7	0.08	2.4	0.07
Skin (excl. basal and sq.)	2029	5.9	0.14	4.7	0.11	833	2.1	0.08	1.8	0.06
Melanomas of the skin	299	1.2	0.07	1.0	0.06	327	0.9	0.05	0.7	0.04
Breast (excl. *in situ*)	427	1.9	0.10	1.5	0.07	41783	114.2	0.56	96.3	0.48
Female Genital System	-	-	-	-	-	18323	49.7	0.37	42.3	0.32
Cervix uteri	-	-	-	-	-	6012	15.5	0.20	12.9	0.17
Corpus uteri	-	-	-	-	-	6230	17.5	0.22	15.3	0.20
Uterus, NOS	-	-	-	-	-	471	1.3	0.06	1.1	0.05
Ovary	-	-	-	-	-	4333	11.8	0.18	10.0	0.16
Male Genital System	56800	239.8	1.04	204.9	0.86	-	-	-	-	-
Prostate	55979	237.3	1.04	202.8	0.86	-	-	-	-	-
Testis	523	1.3	0.06	1.1	0.05	-	-	-	-	-
Penis	233	1.0	0.07	0.8	0.05	-	-	-	-	-
Urinary System	8634	35.9	0.41	29.5	0.32	5631	16.2	0.22	13.2	0.18
Bladder (incl. *in situ*)	4056	18.4	0.30	14.4	0.23	2389	7.2	0.15	5.5	0.11
Kidney & renal pelvis	4403	16.7	0.26	14.5	0.22	3049	8.5	0.15	7.2	0.13
Ureter	58	0.3	0.04	0.2	0.03	58	0.2	0.02	0.1	0.02
Eye	110	0.3	0.03	0.3	0.03	97	0.2	0.02	0.2	0.02
Brain & Other Nervous System	1489	4.5	0.13	4.2	0.11	1452	3.7	0.10	3.4	0.09
Brain	1337	4.1	0.12	3.8	0.11	1259	3.2	0.09	3.0	0.08
Endocrine System	830	2.7	0.10	2.4	0.09	2410	6.0	0.12	5.2	0.11
Thyroid gland	554	1.9	0.08	1.6	0.07	2140	5.4	0.12	4.6	0.10
Lymphomas	6354	20.7	0.28	17.7	0.23	4832	12.7	0.19	10.8	0.16
Hodgkin's disease	1065	2.8	0.09	2.6	0.08	821	1.9	0.07	1.8	0.06
Non-Hodgkin's lymphoma	5289	17.9	0.26	15.0	0.22	4011	10.8	0.17	9.0	0.15
Multiple Myeloma	2866	12.1	0.24	10.0	0.19	3126	9.1	0.16	7.5	0.14
Leukemias	3158	11.8	0.23	10.0	0.18	2725	7.4	0.14	6.3	0.12
Acute lymphocytic	454	1.1	0.05	1.2	0.06	323	0.7	0.04	0.8	0.04
Chronic lymphocytic	837	3.7	0.13	3.0	0.10	587	1.7	0.07	1.4	0.06
Acute myeloid	862	3.3	0.12	2.7	0.10	955	2.6	0.08	2.2	0.07
Chronic myeloid	509	1.8	0.09	1.5	0.07	440	1.2	0.06	1.0	0.05
Other	368	1.4	0.08	1.2	0.06	308	0.9	0.05	0.7	0.04
Ill-defined & Unknown	4283	17.9	0.29	14.6	0.23	4694	13.8	0.20	10.8	0.16
Breast *in situ* (not in All Sites)	58	0.2	0.03	0.2	0.03	7357	20.2	0.24	17.5	0.21

* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, Blacks, Males

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**160356**	**652.1**	**16229**	**69.1**	**29366**	**120.8**	**55979**	**237.3**	**4056**	**18.4**	**5289**	**17.9**
California	22458	611.6	2311	66.2	3885	108.2	8060	226.5	589	17.8	778	17.3
Greater Bay Area	5399	587.3	531	61.0	970	108.3	1830	204.5	136	16.0	223	20.1
Los Angeles	10711	629.3	1139	69.9	1844	109.5	3966	236.7	291	19.1	342	17.3
Colorado	1235	509.1	129	55.6	183	82.2	435	180.9	31	16.6	45	15.0
Connecticut	2736	682.9	259	68.4	440	114.4	942	245.6	80	23.3	111	21.8
Delaware	1382	697.2	146	79.1	258	133.7	497	257.0	38	21.9	41	18.0
Georgia - Metropolitan Atlanta	6119	780.8	547	75.3	1055	142.8	2171	312.7	130	20.0	248	21.2
Hawaii	110	310.5	8	27.8	13	52.7	35	121.7	-	-	10	16.4
Idaho	28	414.3	-	-	-	-	10	151.1	-	-	-	-
Illinois	18429	694.2	1949	76.9	3727	140.5	5841	232.3	430	17.6	527	17.0
Iowa	498	713.9	44	68.8	92	135.6	176	269.4	13	24.0	21	22.3
Kentucky	2880	658.7	332	78.8	661	150.6	808	190.7	101	25.2	88	18.3
Louisiana	13234	673.0	1383	71.8	2883	145.9	4177	222.7	363	19.9	330	14.6
Michigan	15927	729.0	1544	73.3	2953	135.6	6047	283.5	403	19.8	447	17.8
Metropolitan Detroit	12357	744.7	1170	73.0	2240	135.6	4842	295.9	324	20.7	337	18.5
Minnesota	894	676.3	92	81.5	168	133.2	250	222.6	25	26.4	43	23.3
Nebraska	511	605.9	47	64.4	115	134.2	162	204.1	8	11.3	19	21.4
New Jersey	12385	708.9	1288	76.0	2037	118.5	4602	275.1	312	20.6	440	20.7
New Mexico	254	359.5	31	50.0	44	62.2	98	139.6	10	16.4	9	9.7
New York	27179	564.4	2779	61.6	4265	89.0	9753	212.0	632	15.2	1119	19.0
North Carolina	14678	597.6	1398	59.2	2895	118.9	5115	214.6	377	17.4	411	14.6
Pennsylvania	14601	754.7	1451	77.7	2774	144.9	5181	270.9	406	22.2	421	19.5
Rhode Island	355	612.2	30	56.7	69	119.2	116	213.0	7	12.5	13	20.7
Utah	97	492.7	7	46.3	10	37.8	38	228.4	-	-	7	18.9
Seattle/Puget Sound	1405	638.2	138	65.7	246	118.2	474	228.9	38	19.3	68	25.5
West Virginia	696	621.6	96	86.6	121	108.7	247	222.0	19	17.3	20	17.3
Wisconsin	2242	750.6	213	73.1	466	162.0	733	266.9	38	13.3	71	18.6
Wyoming	23	404.2	-	-	-	-	11	210.9	-	-	-	-

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, Blacks, Males

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**160356**	**552.0**	**16229**	**56.6**	**29366**	**102.9**	**55979**	**202.8**	**4056**	**14.4**	**5289**	**15.0**
California	22458	519.5	2311	54.1	3885	91.7	8060	196.8	589	14.2	778	14.6
Greater Bay Area	5399	493.2	531	49.1	970	89.7	1830	176.5	136	12.9	223	17.0
Los Angeles	10711	535.7	1139	57.5	1844	93.4	3966	205.8	291	14.9	342	14.6
Colorado	1235	433.3	129	46.3	183	68.8	435	160.2	31	12.0	45	12.1
Connecticut	2736	579.5	259	56.1	440	96.4	942	211.9	80	18.1	111	18.1
Delaware	1382	594.9	146	63.9	258	113.0	497	224.3	38	17.6	41	14.6
Georgia - Metropolitan Atlanta	6119	666.6	547	61.9	1055	120.7	2171	272.0	130	15.6	248	17.6
Hawaii	110	275.1	8	23.1	13	45.1	35	113.3	-	-	10	14.5
Idaho	28	369.4	-	-	-	-	10	137.6	-	-	-	-
Illinois	18429	585.8	1949	63.0	3727	120.1	5841	194.6	430	14.0	527	14.3
Iowa	498	595.3	44	53.4	92	115.2	176	224.9	13	16.6	21	19.1
Kentucky	2880	549.8	332	62.6	661	128.9	808	158.0	101	19.4	88	15.1
Louisiana	13234	561.7	1383	58.5	2883	124.8	4177	183.9	363	15.4	330	12.4
Michigan	15927	618.0	1544	59.8	2953	115.8	6047	242.7	403	15.6	447	15.1
Metropolitan Detroit	12357	633.3	1170	59.9	2240	115.9	4842	254.5	324	16.4	337	15.4
Minnesota	894	580.6	92	64.6	168	117.2	250	194.5	25	19.6	43	20.9
Nebraska	511	517.3	47	50.9	115	119.5	162	173.5	8	8.9	19	17.2
New Jersey	12385	601.7	1288	63.5	2037	100.8	4602	235.1	312	16.3	440	17.5
New Mexico	254	312.5	31	39.2	44	53.7	98	124.5	10	13.1	9	9.5
New York	27179	476.9	2779	50.2	4265	75.9	9753	181.0	632	11.8	1119	16.0
North Carolina	14678	508.1	1398	48.5	2895	101.2	5115	184.8	377	13.3	411	12.2
Pennsylvania	14601	645.6	1451	64.0	2774	124.0	5181	235.1	406	18.1	421	16.3
Rhode Island	355	511.5	30	44.5	69	100.1	116	182.1	7	11.0	13	14.6
Utah	97	392.4	7	33.3	10	34.6	38	176.2	-	-	7	15.8
Seattle/Puget Sound	1405	541.4	138	53.2	246	100.8	474	200.0	38	15.5	68	19.8
West Virginia	696	524.8	96	71.8	121	90.5	247	191.4	19	13.5	20	16.2
Wisconsin	2242	638.1	213	60.1	466	138.1	733	230.1	38	11.0	71	15.3
Wyoming	23	339.3	-	-	-	-	11	174.6	-	-	-	-

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, Blacks, Females

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**140888**	**393.4**	**18585**	**54.2**	**18106**	**51.7**	**41783**	**114.2**	**6012**	**15.5**	**4333**	**11.8**
California	18568	388.4	2432	53.8	2461	53.1	5711	116.0	606	11.4	592	11.9
Greater Bay Area	4295	367.8	535	48.3	605	52.6	1307	109.5	128	9.8	137	11.3
Los Angeles	9187	390.1	1256	55.0	1163	50.3	2809	117.2	301	11.9	280	11.5
Colorado	928	324.8	122	45.9	129	48.1	302	99.3	28	8.2	21	7.3
Connecticut	2325	393.6	326	58.4	259	45.5	709	115.7	89	13.8	42	6.7
Delaware	1264	456.3	160	62.8	186	71.0	374	128.8	52	17.0	34	11.5
Georgia - Metropolitan Atlanta	5775	447.5	692	61.8	558	48.0	2038	144.6	247	15.7	169	12.6
Hawaii	78	220.6	13	43.4	7	24.3	23	71.3	-	-	-	-
Idaho	10	110.9	-	-	-	-	-	-	-	-	-	-
Illinois	16868	433.9	2250	61.0	2409	62.5	4954	124.6	801	18.9	491	12.3
Iowa	400	431.5	50	57.5	58	65.8	137	148.3	15	13.1	10	10.5
Kentucky	2770	432.6	407	63.7	499	79.3	775	122.1	106	15.8	78	12.0
Louisiana	11331	383.1	1498	51.9	1388	48.1	3315	111.0	562	17.9	319	10.6
Michigan	12996	426.3	1672	56.6	1849	61.9	3723	120.4	472	14.4	417	13.4
Metropolitan Detroit	10085	429.4	1320	57.6	1414	61.1	2903	122.5	386	15.5	326	13.6
Minnesota	631	385.0	65	44.8	85	60.8	190	108.3	42	20.9	13	5.8
Nebraska	463	405.4	49	47.7	68	59.8	139	119.7	15	10.4	10	8.0
New Jersey	10542	418.7	1379	57.8	1293	52.7	3010	115.6	516	18.9	343	13.2
New Mexico	204	258.1	22	28.5	22	28.8	64	81.6	13	14.9	-	-
New York	26374	356.0	3509	49.8	2992	40.9	7507	99.0	1307	16.5	874	11.6
North Carolina	12988	346.7	1803	48.9	1307	35.6	4218	112.3	515	13.4	422	11.1
Pennsylvania	12478	435.2	1627	56.9	1969	68.5	3460	121.6	458	16.0	384	13.3
Rhode Island	313	423.7	38	62.7	50	66.8	82	103.4	9	9.9	6	7.0
Utah	47	233.4	10	53.6	-	-	9	47.4	-	-	-	-
Seattle/Puget Sound	995	403.8	114	52.3	126	57.3	314	118.3	20	6.4	37	15.8
West Virginia	671	391.5	115	64.3	111	64.0	180	110.5	21	13.0	16	9.4
Wisconsin	1847	433.3	228	60.7	275	66.4	539	120.2	109	18.8	43	9.7
Wyoming	22	367.7	-	-	-	-	6	101.7	-	-	-	-

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in the United States[2], 1995-1999, Blacks, Females

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**140888**	**329.1**	**18585**	**43.7**	**18106**	**44.5**	**41783**	**96.3**	**6012**	**12.9**	**4333**	**10.0**
California	18568	325.5	2432	43.1	2461	45.8	5711	98.3	606	9.4	592	10.1
Greater Bay Area	4295	305.8	535	38.1	605	45.4	1307	92.0	128	8.0	137	9.5
Los Angeles	9187	328.1	1256	44.4	1163	43.5	2809	99.9	301	9.8	280	9.8
Colorado	928	271.7	122	37.5	129	41.6	302	83.9	28	7.2	21	5.7
Connecticut	2325	331.5	326	48.1	259	39.2	709	97.9	89	11.5	42	6.0
Delaware	1264	385.1	160	50.0	186	62.5	374	109.8	52	14.2	34	10.3
Georgia - Metropolitan Atlanta	5775	378.0	692	50.9	558	42.0	2038	123.3	247	13.0	169	10.6
Hawaii	78	193.5	13	39.1	7	21.3	23	61.0	-	-	-	-
Idaho	10	90.0	-	-	-	-	-	-	-	-	-	-
Illinois	16868	361.1	2250	48.5	2409	54.0	4954	104.6	801	15.7	491	10.5
Iowa	400	365.8	50	46.6	58	56.7	137	125.1	15	11.0	10	8.2
Kentucky	2770	362.4	407	50.4	499	69.4	775	103.3	106	13.2	78	9.8
Louisiana	11331	317.6	1498	41.9	1388	40.9	3315	92.3	562	14.9	319	8.9
Michigan	12996	356.1	1672	45.5	1849	52.6	3723	101.8	472	12.0	417	11.5
Metropolitan Detroit	10085	359.1	1320	46.4	1414	52.0	2903	103.8	386	12.8	326	11.6
Minnesota	631	323.0	65	37.5	85	51.1	190	90.8	42	17.7	13	5.3
Nebraska	463	339.7	49	37.8	68	54.6	139	98.8	15	9.5	10	6.7
New Jersey	10542	348.8	1379	46.9	1293	44.6	3010	97.7	516	15.4	343	11.3
New Mexico	204	218.6	22	22.9	22	25.3	64	71.2	13	11.7	-	-
New York	26374	297.5	3509	39.9	2992	34.9	7507	83.6	1307	13.9	874	9.9
North Carolina	12988	291.6	1803	40.1	1307	30.6	4218	94.5	515	11.2	422	9.4
Pennsylvania	12478	366.1	1627	45.5	1969	59.4	3460	102.9	458	13.6	384	11.3
Rhode Island	313	336.2	38	42.7	50	56.5	82	86.5	9	8.3	6	6.1
Utah	47	195.8	10	46.1	-	-	9	34.4	-	-	-	-
Seattle/Puget Sound	995	339.7	114	41.6	126	49.8	314	100.8	20	5.5	37	13.0
West Virginia	671	328.9	115	53.5	111	54.9	180	91.1	21	11.5	16	8.7
Wisconsin	1847	361.3	228	48.2	275	59.0	539	99.7	109	15.5	43	8.2
Wyoming	22	285.1	-	-	-	-	6	84.8	-	-	-	-

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Top Five Most Commonly Diagnosed Cancers[1] in the U.S.
by Race/Ethnic Group, 1995-1999
Males

All Races (total cases = 1,715,377)		**White (total cases = 1,476,949)**	
Prostate	28.6%	Prostate	27.6%
Lung	16.3%	Lung	16.3%
Colon & Rectum	11.7%	Colon & Rectum	11.9%
Bladder	6.6%	Bladder	7.1%
Non-Hodgkin's Lymphoma	4.2%	Non-Hodgkin's Lymphoma	4.3%
African American (total cases = 160,356)		**Filipino (total cases = 8,900)**	
Prostate	34.9%	Prostate	28.7%
Lung	18.3%	Lung	18.7%
Colon & Rectum	10.1%	Colon & Rectum	12.7%
Non-Hodgkin's Lymphoma	3.3%	Non-Hodgkin's Lymphoma	4.9%
Stomach	2.8%	Liver	3.9%
Japanese (total cases = 7,648)		**Chinese (total cases = 10,719)**	
Prostate	25.9%	Prostate	19.3%
Colon & Rectum	18.7%	Lung	15.7%
Lung	13.1%	Colon & Rectum	15.3%
Stomach	7.5%	Liver	8.2%
Bladder	5.0%	Stomach	6.1%
Vietnamese (total cases = 2,902)		**Korean (total cases = 2,969)**	
Lung	18.2%	Lung	16.0%
Liver	15.0%	Stomach	15.6%
Prostate	11.7%	Colon & Rectum	13.6%
Colon & Rectum	10.2%	Prostate	11.0%
Stomach	7.0%	Liver	10.2%
American Indian/Alaskan Native (total cases = 2,717)		**Hispanic Ethnicity (of any race) (total cases = 75,237)**	
Prostate	22.6%	Prostate	26.6%
Lung	18.2%	Colon & Rectum	10.8%
Colon & Rectum	11.9%	Lung	10.7%
Kidney	6.0%	Non-Hodgkin's Lymphoma	6.1%
Non-Hodgkin's Lymphoma	3.8%	Stomach	3.9%

[1] Compiled by the Data Evaluation & Publication Committee of the North American Association of Central Cancer Registries, based on cases included in the combined rates of Cancer in the United States, 1995-1999

Top Five Most Commonly Diagnosed Cancers[1] in the U.S.
by Race/Ethnic Group, 1995-1999
Females

All Races (total cases = 1,657,563)		**White (total cases = 1,445,894)**	
Breast	30.7%	Breast	30.7%
Lung	12.5%	Lung	12.7%
Colon & Rectum	12.2%	Colon & Rectum	12.2%
Corpus & Uterus	5.9%	Corpus & Uterus	6.0%
Ovary	3.9%	Ovary	4.0%
African American (total cases = 140,888)		**Filipino (total cases = 9,364)**	
Breast	29.7%	Breast	35.9%
Colon & Rectum	13.2%	Colon & Rectum	9.5%
Lung	12.9%	Lung	7.5%
Corpus & Uterus	4.8%	Corpus & Uterus	6.5%
Cervix	4.3%	Thyroid	6.4%
Japanese (total cases = 8,407)		**Chinese (total cases = 9,994)**	
Breast	34.1%	Breast	28.2%
Colon & Rectum	16.3%	Colon & Rectum	14.0%
Lung	8.9%	Lung	10.9%
Corpus & Uterus	5.7%	Corpus & Uterus	4.7%
Stomach	5.1%	Ovary	4.4%
Vietnamese (total cases = 2,781)		**Korean (total cases = 3,293)**	
Breast	23.2%	Breast	22.8%
Colon & Rectum	9.7%	Colon & Rectum	12.2%
Cervix	9.3%	Stomach	10.0%
Lung	8.6%	Lung	8.3%
Thyroid	5.9%	Cervix	6.5%
American Indian/Alaskan Native (total cases = 2,761)		**Hispanic Ethnicity (of any race) (total cases = 76,810)**	
Breast	25.5%	Breast	29.1%
Lung	12.1%	Colon & Rectum	9.6%
Colon & Rectum	10.5%	Lung	7.0%
Corpus & Uterus	5.9%	Cervix	6.7%
Cervix	5.2%	Corpus & Uterus	5.3%

[1] Compiled by the Data Evaluation & Publication Committee of the North American Association of Central Cancer Registries, based on cases included in the combined rates of Cancer in the United States, 1995-1999

INDICATORS:	CANADA
Population-based Data Available	1995-99
Combined Population, 1995-99	
All Races	49,448,284
Whites	-
Blacks	-
Number of Cases in Combined 5-year Rates	
All Races	203,511
Whites	-
Blacks	-
Percent of Canadian Population Reflected in Rates	
All Races	33.0%
Whites	-
Blacks	-
NAACCR 1995-99 Estimate of Completeness	93.3%

SITE-SPECIFIC DATA QUALITY INDICATORS

	% DCOs	% Micro. Confirm	Inc/Mort All Races
All Sites	1.5	90.9	2.18
Oral Cavity & Pharynx	0.4	97.8	3.29
Esophagus	1.4	93.2	0.91
Stomach	1.8	92.8	1.48
Colon & Rectum	1.3	94.5	2.27
Liver	5.5	65.2	1.01
Pancreas	4.2	56.1	1.01
Lung & Bronchus	2.5	83.4	1.20
Melanomas of the Skin	0.1	99.7	5.64
Female Breast (excl. *in situ*)	0.4	98.1	3.98
Uterus	0.6	98.5	4.90
Cervix uteri	0.4	98.8	3.41
Corpus uteri & Uterus, NOS	0.7	98.4	6.00
Ovary	1.1	94.2	1.71
Prostate	0.7	95.1	3.83
Testis	0.0	99.2	20.34
Bladder (incl. *in situ*)	0.6	97.5	4.46
Kidney & Renal Pelvis	1.7	83.6	2.42
Brain & Other Nervous System	1.3	83.9	1.44
Thyroid Gland	0.2	99.2	10.40
Hodgkin's Disease	0.3	99.3	7.35
Non-Hodgkin's Lymphoma	0.6	96.8	2.10
Multiple Myeloma	2.0	85.0	1.37
Leukemias	2.6	78.7	1.69
Breast *in situ*	0.0	100.0	

Canada
All Races
1995-1999



Participating Registries

Populations For Canada Combined

1995

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	341277	-	-	323907	-	-
5-9	354663	-	-	337109	-	-
10-14	355063	-	-	336726	-	-
15-19	341306	-	-	321151	-	-
20-24	342717	-	-	326944	-	-
25-29	365215	-	-	351259	-	-
30-34	428547	-	-	417946	-	-
35-39	426657	-	-	418149	-	-
40-44	381933	-	-	374696	-	-
45-49	331632	-	-	324647	-	-
50-54	247447	-	-	243081	-	-
55-59	201715	-	-	200386	-	-
60-64	188094	-	-	186818	-	-
65-69	167268	-	-	179719	-	-
70-74	137883	-	-	169659	-	-
75-79	94526	-	-	130188	-	-
80-84	60617	-	-	95433	-	-
85+	38372	-	-	78199	-	-
Total	4804932	-	-	4816017	-	-

1996

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	338135	-	-	320494	-	-
5-9	355310	-	-	338389	-	-
10-14	359975	-	-	340838	-	-
15-19	350419	-	-	329677	-	-
20-24	345996	-	-	330989	-	-
25-29	368648	-	-	353790	-	-
30-34	420481	-	-	410452	-	-
35-39	434265	-	-	425813	-	-
40-44	396403	-	-	389173	-	-
45-49	347298	-	-	339784	-	-
50-54	258318	-	-	254180	-	-
55-59	207664	-	-	207358	-	-
60-64	188436	-	-	187618	-	-
65-69	170350	-	-	180482	-	-
70-74	139119	-	-	169300	-	-
75-79	97873	-	-	134986	-	-
80-84	62144	-	-	97893	-	-
85+	39603	-	-	81587	-	-
Total	4880437	-	-	4892803	-	-

1997

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	333591	-	-	315026	-	-
5-9	358310	-	-	340801	-	-
10-14	362996	-	-	343793	-	-
15-19	356133	-	-	335976	-	-
20-24	350349	-	-	335180	-	-
25-29	369938	-	-	356398	-	-
30-34	411619	-	-	400488	-	-
35-39	439513	-	-	432045	-	-
40-44	410541	-	-	403962	-	-
45-49	354452	-	-	346074	-	-
50-54	279843	-	-	275194	-	-
55-59	214407	-	-	214587	-	-
60-64	188031	-	-	188627	-	-
65-69	173672	-	-	181449	-	-
70-74	140384	-	-	168318	-	-
75-79	102188	-	-	140791	-	-
80-84	63405	-	-	100076	-	-
85+	40972	-	-	85188	-	-
Total	4950344	-	-	4963973	-	-

1998

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	327237	-	-	309715	-	-
5-9	359075	-	-	341335	-	-
10-14	363429	-	-	344654	-	-
15-19	361725	-	-	342156	-	-
20-24	354828	-	-	337972	-	-
25-29	369092	-	-	356295	-	-
30-34	398704	-	-	387450	-	-
35-39	443233	-	-	436264	-	-
40-44	421951	-	-	414859	-	-
45-49	363273	-	-	355249	-	-
50-54	297962	-	-	293059	-	-
55-59	223385	-	-	223673	-	-
60-64	189345	-	-	190825	-	-
65-69	175275	-	-	182065	-	-
70-74	142666	-	-	168372	-	-
75-79	106209	-	-	145651	-	-
80-84	63886	-	-	100945	-	-
85+	43051	-	-	89534	-	-
Total	5004326	-	-	5020073	-	-

1999

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	320249	-	-	303805	-	-
5-9	356642	-	-	338334	-	-
10-14	364010	-	-	344962	-	-
15-19	365687	-	-	347285	-	-
20-24	361152	-	-	343433	-	-
25-29	366034	-	-	354360	-	-
30-34	387779	-	-	376414	-	-
35-39	444184	-	-	437185	-	-
40-44	428582	-	-	422045	-	-
45-49	374845	-	-	367267	-	-
50-54	313774	-	-	309063	-	-
55-59	233015	-	-	233130	-	-
60-64	191707	-	-	194549	-	-
65-69	175846	-	-	181364	-	-
70-74	144657	-	-	168032	-	-
75-79	109969	-	-	149490	-	-
80-84	64379	-	-	102073	-	-
85+	45563	-	-	94514	-	-
Total	5048074	-	-	5067305	-	-

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Canada, 1995-1999, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*
All Sites	106948	505.6	1.58	414.5	1.28	96563	381.3	1.23	319.0	1.06
Buccal Cavity & Pharynx	3302	15.1	0.27	12.7	0.22	1486	5.9	0.15	4.9	0.13
Lip	851	4.1	0.14	3.2	0.11	175	0.7	0.05	0.5	0.04
Tongue	549	2.5	0.11	2.1	0.09	330	1.3	0.07	1.1	0.06
Major salivary gland	232	1.1	0.07	0.9	0.06	209	0.8	0.06	0.7	0.05
Floor of mouth	239	1.1	0.07	1.0	0.06	99	0.4	0.04	0.3	0.04
Gum and other mouth	369	1.7	0.09	1.4	0.08	321	1.3	0.07	1.0	0.06
Nasopharynx	272	1.1	0.07	1.0	0.06	109	0.4	0.04	0.4	0.04
Oropharynx	85	0.4	0.04	0.3	0.04	30	0.1	0.02	0.1	0.02
Hypopharynx	277	1.3	0.08	1.1	0.07	58	0.2	0.03	0.2	0.03
Digestive System	22706	109.3	0.74	87.7	0.59	18420	71.2	0.53	56.1	0.43
Esophagus	1375	6.5	0.18	5.4	0.15	567	2.2	0.09	1.7	0.08
Stomach	2780	13.6	0.26	10.7	0.20	1560	6.0	0.15	4.6	0.12
Small intestine	300	1.4	0.08	1.1	0.07	239	0.9	0.06	0.7	0.05
Colon excl. rectum	8460	41.2	0.46	32.6	0.36	8183	31.5	0.35	24.6	0.28
Rectum & rectosigmoid	5162	24.4	0.35	20.1	0.28	3313	13.0	0.23	10.6	0.19
Anus	209	1.0	0.07	0.8	0.06	318	1.3	0.07	1.0	0.06
Liver	1000	4.6	0.15	3.9	0.12	409	1.6	0.08	1.3	0.07
Gallbladder	203	1.0	0.07	0.8	0.06	424	1.6	0.08	1.3	0.06
Pancreas	2459	12.0	0.25	9.5	0.19	2471	9.5	0.19	7.4	0.15
Respiratory System	18686	88.7	0.66	73.0	0.54	12384	48.8	0.44	41.8	0.39
Larynx	1302	5.9	0.17	5.1	0.14	290	1.2	0.07	1.0	0.06
Lung & bronchus	16696	79.6	0.63	65.3	0.51	11848	46.7	0.43	39.9	0.38
Bones & Joints	211	0.9	0.06	0.9	0.06	175	0.7	0.05	0.7	0.06
Soft Tissue (incl. heart)	568	2.5	0.11	2.2	0.09	492	2.0	0.09	1.7	0.08
Skin (excl. basal and sq.)	3731	16.6	0.28	13.8	0.23	3316	13.1	0.23	11.0	0.20
Melanomas of the skin	3170	14.1	0.26	11.8	0.21	2984	11.8	0.22	10.0	0.19
Breast (excl. *in situ*)	199	1.0	0.07	0.8	0.06	28920	116.1	0.68	98.5	0.60
Female Genital System	-	-	-	-	-	12203	48.6	0.44	41.4	0.39
Cervix uteri	-	-	-	-	-	2251	8.9	0.19	7.3	0.16
Corpus uteri	-	-	-	-	-	5189	20.8	0.29	18.2	0.26
Uterus, NOS	-	-	-	-	-	97	0.4	0.04	0.3	0.03
Ovary	-	-	-	-	-	3797	15.1	0.25	12.8	0.21
Male Genital System	30941	146.6	0.85	120.8	0.69	-	-	-	-	-
Prostate	29352	140.3	0.83	115.4	0.68	-	-	-	-	-
Testis	1330	5.1	0.14	4.5	0.13	-	-	-	-	-
Penis	211	1.0	0.07	0.8	0.06	-	-	-	-	-
Urinary System	10707	51.4	0.51	41.3	0.40	4662	18.2	0.27	15.0	0.23
Bladder (incl. *in situ*)	7279	35.5	0.43	28.0	0.33	2561	10.0	0.20	8.1	0.17
Kidney & renal pelvis	3197	14.7	0.26	12.4	0.22	1965	7.8	0.18	6.6	0.15
Ureter	165	0.8	0.06	0.6	0.05	99	0.4	0.04	0.3	0.03
Eye	236	1.0	0.07	0.9	0.06	192	0.8	0.06	0.7	0.05
Brain & Other Nervous System	1870	8.1	0.19	7.3	0.17	1353	5.4	0.15	4.9	0.14
Brain	1789	7.7	0.19	7.0	0.17	1274	5.1	0.14	4.6	0.14
Endocrine System	756	3.2	0.12	2.8	0.11	1940	7.7	0.18	6.7	0.16
Thyroid gland	622	2.6	0.11	2.3	0.09	1809	7.2	0.17	6.2	0.15
Lymphomas	5054	22.8	0.33	19.2	0.27	4237	16.7	0.26	14.3	0.23
Hodgkin's disease	673	2.7	0.11	2.6	0.10	553	2.2	0.09	2.2	0.10
Non-Hodgkin's lymphoma	4381	20.1	0.31	16.6	0.25	3684	14.5	0.24	12.1	0.21
Multiple Myeloma	1273	6.1	0.17	4.9	0.14	1010	3.9	0.12	3.1	0.10
Leukemias	3260	15.3	0.27	12.8	0.23	2247	8.9	0.19	7.6	0.17
Acute lymphocytic	348	1.5	0.08	1.6	0.09	245	1.0	0.07	1.2	0.08
Chronic lymphocytic	1289	6.2	0.18	5.0	0.14	793	3.1	0.11	2.5	0.09
Acute myeloid	720	3.3	0.12	2.8	0.11	608	2.4	0.10	2.1	0.09
Chronic myeloid	401	1.9	0.10	1.5	0.08	297	1.2	0.07	0.9	0.06
Other	386	1.9	0.10	1.5	0.07	230	0.9	0.06	0.7	0.05
Ill-defined & Unknown	3448	16.9	0.29	13.2	0.23	3526	13.6	0.23	10.5	0.18
Breast *in situ* (not in All Sites)	29	0.1	0.03	0.1	0.02	3858	15.8	0.26	13.9	0.23

* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Canada, 1995-1999, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Inc.*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Inc.*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	106948	480.6	1.48	321.6	1.03	96563	366.3	1.19	262.9	0.92
Buccal Cavity & Pharynx	3302	14.5	0.25	10.4	0.19	1486	5.6	0.15	4.0	0.11
Lip	851	3.9	0.13	2.5	0.09	175	0.6	0.05	0.4	0.03
Tongue	549	2.4	0.10	1.8	0.08	330	1.3	0.07	0.9	0.05
Major salivary gland	232	1.0	0.07	0.7	0.05	209	0.8	0.06	0.6	0.04
Floor of mouth	239	1.0	0.07	0.8	0.05	99	0.4	0.04	0.3	0.03
Gum and other mouth	369	1.6	0.08	1.2	0.06	321	1.2	0.07	0.8	0.05
Nasopharynx	272	1.1	0.07	0.9	0.06	109	0.4	0.04	0.4	0.04
Oropharynx	85	0.4	0.04	0.3	0.03	30	0.1	0.02	0.1	0.02
Hypopharynx	277	1.2	0.07	0.9	0.05	58	0.2	0.03	0.2	0.02
Digestive System	22706	102.8	0.68	66.6	0.46	18420	66.4	0.50	42.4	0.35
Esophagus	1375	6.2	0.17	4.2	0.12	567	2.0	0.09	1.3	0.06
Stomach	2780	12.6	0.24	8.0	0.16	1560	5.6	0.14	3.5	0.10
Small intestine	300	1.3	0.08	0.9	0.05	239	0.9	0.06	0.6	0.04
Colon excl. rectum	8460	38.5	0.42	24.3	0.28	8183	29.3	0.33	18.3	0.23
Rectum & rectosigmoid	5162	23.2	0.32	15.5	0.22	3313	12.2	0.21	8.2	0.16
Anus	209	0.9	0.06	0.6	0.05	318	1.2	0.07	0.8	0.05
Liver	1000	4.4	0.14	3.2	0.10	409	1.5	0.07	1.0	0.06
Gallbladder	203	0.9	0.07	0.6	0.04	424	1.5	0.07	0.9	0.05
Pancreas	2459	11.2	0.23	7.2	0.15	2471	8.8	0.18	5.4	0.12
Respiratory System	18686	84.3	0.62	55.6	0.42	12384	47.1	0.43	33.2	0.32
Larynx	1302	5.8	0.16	4.1	0.12	290	1.1	0.07	0.8	0.05
Lung & bronchus	16696	75.5	0.59	49.4	0.40	11848	45.0	0.42	31.7	0.31
Bones & Joints	211	0.9	0.06	0.8	0.06	175	0.7	0.05	0.7	0.05
Soft Tissue (incl. heart)	568	2.4	0.10	1.9	0.08	492	1.9	0.09	1.6	0.08
Skin (excl. basal and sq.)	3731	16.1	0.27	11.7	0.20	3316	13.0	0.23	10.0	0.18
Melanomas of the skin	3170	13.7	0.24	10.1	0.18	2984	11.8	0.22	9.1	0.18
Breast (excl. *in situ*)	199	0.9	0.06	0.6	0.04	28920	112.2	0.66	83.3	0.52
Female Genital System	-	-	-	-	-	12203	47.4	0.43	35.4	0.34
Cervix uteri	-	-	-	-	-	2251	9.0	0.19	7.0	0.15
Corpus uteri	-	-	-	-	-	5189	20.1	0.28	15.0	0.22
Uterus, NOS	-	-	-	-	-	97	0.3	0.03	0.2	0.02
Ovary	-	-	-	-	-	3797	14.7	0.24	10.9	0.19
Male Genital System	30941	140.2	0.80	92.1	0.54	-	-	-	-	-
Prostate	29352	133.7	0.78	86.6	0.53	-	-	-	-	-
Testis	1330	5.4	0.15	4.7	0.13	-	-	-	-	-
Penis	211	0.9	0.07	0.6	0.05	-	-	-	-	-
Urinary System	10707	48.4	0.47	31.6	0.32	4662	17.3	0.26	11.9	0.19
Bladder (incl. *in situ*)	7279	33.2	0.39	20.9	0.26	2561	9.4	0.19	6.2	0.14
Kidney & renal pelvis	3197	14.1	0.25	10.0	0.18	1965	7.5	0.17	5.4	0.13
Ureter	165	0.8	0.06	0.5	0.04	99	0.3	0.04	0.2	0.02
Eye	236	1.0	0.07	0.9	0.06	192	0.7	0.05	0.6	0.05
Brain & Other Nervous System	1870	7.9	0.18	6.6	0.16	1353	5.3	0.14	4.5	0.13
Brain	1789	7.6	0.18	6.2	0.16	1274	5.0	0.14	4.2	0.13
Endocrine System	756	3.2	0.12	2.6	0.10	1940	7.8	0.18	6.4	0.15
Thyroid gland	622	2.6	0.11	2.1	0.08	1809	7.3	0.17	5.9	0.14
Lymphomas	5054	22.0	0.31	16.1	0.24	4237	16.2	0.25	12.0	0.20
Hodgkin's disease	673	2.8	0.11	2.5	0.10	553	2.2	0.10	2.1	0.09
Non-Hodgkin's lymphoma	4381	19.3	0.29	13.6	0.21	3684	13.9	0.23	9.9	0.18
Multiple Myeloma	1273	5.8	0.16	3.7	0.11	1010	3.7	0.12	2.3	0.08
Leukemias	3260	14.4	0.25	10.6	0.20	2247	8.4	0.18	6.5	0.16
Acute lymphocytic	348	1.4	0.08	1.8	0.10	245	1.0	0.06	1.4	0.09
Chronic lymphocytic	1289	5.8	0.16	3.8	0.11	793	2.9	0.10	1.9	0.07
Acute myeloid	720	3.1	0.12	2.3	0.09	608	2.3	0.10	1.8	0.08
Chronic myeloid	401	1.8	0.09	1.2	0.06	297	1.1	0.06	0.8	0.05
Other	386	1.8	0.09	1.1	0.06	230	0.8	0.05	0.5	0.04
Ill-defined & Unknown	3448	15.7	0.27	9.9	0.18	3526	12.5	0.21	7.9	0.15
Breast *in situ* (not in All Sites)	29	0.1	0.02	0.1	0.02	3858	15.4	0.25	12.2	0.20

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in Canada[2], 1995-1999, All Races, Males

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR Canadian Combined	**106948**	**505.6**	**13622**	**65.6**	**16696**	**79.6**	**29352**	**140.3**	**7279**	**35.5**	**4381**	**20.1**
Alberta	26352	502.3	3323	65.9	3871	75.9	7159	141.1	1730	34.4	1048	18.9
British Columbia	43864	497.2	5400	62.5	6605	75.3	12418	141.1	3130	36.9	1811	20.0
Manitoba	13469	523.4	1869	72.9	2207	85.9	3485	135.6	879	34.7	581	22.5
New Brunswick	9294	563.2	1134	69.4	1803	109.9	2489	152.8	626	39.2	386	22.3
Northwest Territories	284	437.3	66	107.9	72	117.1	26	46.6	10	17.5	15	18.0
Prince Edward Island	1682	553.6	237	80.3	289	94.6	452	149.7	97	32.4	69	22.0
Saskatchewan	12003	486.6	1593	64.9	1849	74.7	3323	133.0	807	32.9	471	19.2

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canada combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in Canada[2], 1995-1999, All Races, Males

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR Canadian Combined	**106948**	**480.6**	**13622**	**61.7**	**16696**	**75.5**	**29352**	**133.7**	**7279**	**33.2**	**4381**	**19.3**
Alberta	26352	477.5	3323	61.7	3871	71.9	7159	134.5	1730	32.3	1048	18.0
British Columbia	43864	472.1	5400	58.6	6605	71.3	12418	134.4	3130	34.3	1811	19.2
Manitoba	13469	499.1	1869	69.3	2207	81.9	3485	129.5	879	32.6	581	21.5
New Brunswick	9294	534.8	1134	65.4	1803	104.4	2489	145.0	626	36.6	386	21.6
Northwest Territories	284	416.3	66	102.7	72	112.8	26	45.2	10	16.2	15	17.5
Prince Edward Island	1682	525.0	237	74.4	289	90.5	452	142.0	97	30.3	69	21.2
Saskatchewan	12003	462.8	1593	61.4	1849	71.1	3323	126.1	807	30.8	471	18.5

1. Rates are per 100,000 and are adjusted to the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canada combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in Canada[2], 1995-1999, All Races, Females

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR Canadian Combined	**96563**	**381.3**	**11496**	**44.5**	**11848**	**46.7**	**28920**	**116.1**	**2251**	**8.9**	**3797**	**15.1**
Alberta	24426	385.7	2552	41.4	2696	43.6	7393	116.5	635	9.0	931	14.4
British Columbia	39285	373.8	4584	42.9	5077	47.8	12021	115.7	859	8.2	1602	15.3
Manitoba	12687	404.7	1657	49.8	1610	50.9	3673	121.9	272	9.4	487	16.0
New Brunswick	7932	386.8	1101	52.1	995	48.1	2314	114.9	196	9.8	277	13.7
Northwest Territories	275	408.6	46	83.7	59	104.9	60	85.5	8	11.9	12	16.2
Prince Edward Island	1506	403.4	254	64.4	223	60.3	436	120.5	36	10.2	50	13.9
Saskatchewan	10452	369.2	1302	42.9	1188	41.3	3023	111.6	245	9.8	438	15.9

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canada combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in Canada[2], 1995-1999, All Races, Females

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR Canadian Combined	**96563**	**366.3**	**11496**	**41.5**	**11848**	**45.0**	**28920**	**112.2**	**2251**	**9.0**	**3797**	**14.7**
Alberta	24426	370.5	2552	38.5	2696	42.1	7393	112.7	635	9.2	931	14.1
British Columbia	39285	358.6	4584	39.9	5077	45.9	12021	111.9	859	8.3	1602	14.9
Manitoba	12687	389.3	1657	46.7	1610	49.3	3673	117.9	272	9.6	487	15.6
New Brunswick	7932	371.4	1101	48.7	995	46.7	2314	110.8	196	9.9	277	13.4
Northwest Territories	275	388.1	46	75.3	59	101.1	60	79.8	8	12.3	12	15.2
Prince Edward Island	1506	388.3	254	60.0	223	58.8	436	117.2	36	10.5	50	13.5
Saskatchewan	10452	355.6	1302	40.3	1188	40.3	3023	107.7	245	10.1	438	15.4

1.. Rates are per 100,000 and are adjusted to the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canada combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

INDICATORS:	NORTH AMERICA
Population-based Data Available	1995-99
Combined Population, 1995-99	
All Races	780,251,379
Whites	-
Blacks	-
Number of Cases in Combined 5-year Rates	
All Races	3,576,451
Whites	-
Blacks	-
Percent of North American Population Reflected in Rates	
All Races	52.4%
Whites	-
Blacks	-
NAACCR 1995-99 Estimate of Completeness	100.3%

SITE-SPECIFIC DATA QUALITY INDICATORS

	% DCOs	% Micro. Confirm	Inc/Mort All Races
All Sites	1.6	93.3	2.33
Oral Cavity & Pharynx	0.8	97.5	3.78
Esophagus	1.9	94.6	1.10
Stomach	1.8	95.1	1.61
Colon & Rectum	1.2	96.1	2.58
Liver	5.2	74.4	1.12
Pancreas	4.5	72.1	1.04
Lung & Bronchus	2.7	88.1	1.25
Melanomas of the Skin	0.4	98.8	5.35
Female Breast (excl. *in situ*)	0.8	97.8	4.48
Uterus	0.6	98.2	4.88
Cervix uteri	0.7	97.7	3.44
Corpus uteri & Uterus, NOS	0.6	98.4	5.89
Ovary	1.5	93.5	1.84
Prostate	1.0	96.0	4.75
Testis	0.1	99.1	20.62
Bladder (incl. *in situ*)	0.6	98.1	4.82
Kidney & Renal Pelvis	1.4	89.8	2.73
Brain & Other Nervous System	2.2	86.4	1.47
Thyroid Gland	0.2	99.1	13.18
Hodgkin's Disease	0.4	99.0	5.53
Non-Hodgkin's Lymphoma	1.1	96.3	2.17
Multiple Myeloma	2.7	87.6	1.40
Leukemias	3.4	86.7	1.54
Breast *in situ*	0.0	100.0	

North America
All Races
1995-1999



Participating Registries

Populations For North America Combined

1995

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5913407	-	-	5643416	-	-
5-9	5745977	-	-	5474229	-	-
10-14	5611043	-	-	5342771	-	-
15-19	5433735	-	-	5111647	-	-
20-24	5351449	-	-	5111722	-	-
25-29	5650634	-	-	5606618	-	-
30-34	6473983	-	-	6489744	-	-
35-39	6587045	-	-	6612987	-	-
40-44	5907969	-	-	6027368	-	-
45-49	5024838	-	-	5200371	-	-
50-54	3862466	-	-	4061904	-	-
55-59	3086060	-	-	3322182	-	-
60-64	2728653	-	-	3036301	-	-
65-69	2580952	-	-	3089883	-	-
70-74	2189563	-	-	2849920	-	-
75-79	1554390	-	-	2275315	-	-
80-84	927466	-	-	1641713	-	-
85+	602400	-	-	1512246	-	-
Total	75232030	-	-	78410337	-	-

1996

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5813086	-	-	5548465	-	-
5-9	5852183	-	-	5578334	-	-
10-14	5653312	-	-	5382583	-	-
15-19	5573800	-	-	5242705	-	-
20-24	5213493	-	-	4975953	-	-
25-29	5624958	-	-	5597806	-	-
30-34	6309806	-	-	6337326	-	-
35-39	6654822	-	-	6677793	-	-
40-44	6060822	-	-	6179047	-	-
45-49	5295364	-	-	5477804	-	-
50-54	3940893	-	-	4147251	-	-
55-59	3155129	-	-	3395420	-	-
60-64	2708569	-	-	3005570	-	-
65-69	2577487	-	-	3067226	-	-
70-74	2178860	-	-	2830119	-	-
75-79	1608592	-	-	2325225	-	-
80-84	959793	-	-	1670140	-	-
85+	626021	-	-	1555350	-	-
Total	75806990	-	-	78994117	-	-

1997

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5716335	-	-	5455379	-	-
5-9	5943358	-	-	5667391	-	-
10-14	5672952	-	-	5402156	-	-
15-19	5689576	-	-	5352517	-	-
20-24	5215880	-	-	4972620	-	-
25-29	5561749	-	-	5547852	-	-
30-34	6137320	-	-	6178134	-	-
35-39	6674648	-	-	6697520	-	-
40-44	6222089	-	-	6333238	-	-
45-49	5305752	-	-	5492431	-	-
50-54	4283866	-	-	4497934	-	-
55-59	3257766	-	-	3504987	-	-
60-64	2719099	-	-	3010164	-	-
65-69	2547852	-	-	3014790	-	-
70-74	2173266	-	-	2808669	-	-
75-79	1665136	-	-	2380298	-	-
80-84	987108	-	-	1694199	-	-
85+	653155	-	-	1595852	-	-
Total	76426907	-	-	79606131	-	-

1998

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5636775	-	-	5383967	-	-
5-9	5982590	-	-	5701850	-	-
10-14	5703921	-	-	5433388	-	-
15-19	5797198	-	-	5455307	-	-
20-24	5281165	-	-	5027753	-	-
25-29	5472085	-	-	5469348	-	-
30-34	5973272	-	-	6023719	-	-
35-39	6668419	-	-	6691986	-	-
40-44	6373984	-	-	6475139	-	-
45-49	5417349	-	-	5607100	-	-
50-54	4445329	-	-	4667126	-	-
55-59	3433519	-	-	3688980	-	-
60-64	2769601	-	-	3059869	-	-
65-69	2506415	-	-	2950184	-	-
70-74	2193413	-	-	2806771	-	-
75-79	1708190	-	-	2410185	-	-
80-84	1013225	-	-	1709208	-	-
85+	685291	-	-	1642920	-	-
Total	77061741	-	-	80204800	-	-

1999

	Males			Females		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
0-4	5589992	-	-	5344192	-	-
5-9	5980005	-	-	5699173	-	-
10-14	5788380	-	-	5514133	-	-
15-19	5853404	-	-	5511097	-	-
20-24	5392590	-	-	5126038	-	-
25-29	5352627	-	-	5348025	-	-
30-34	5845225	-	-	5895214	-	-
35-39	6638597	-	-	6660867	-	-
40-44	6485887	-	-	6578349	-	-
45-49	5558963	-	-	5748786	-	-
50-54	4647481	-	-	4879496	-	-
55-59	3557462	-	-	3820939	-	-
60-64	2829391	-	-	3124738	-	-
65-69	2473260	-	-	2900911	-	-
70-74	2196774	-	-	2791432	-	-
75-79	1745767	-	-	2448142	-	-
80-84	1039201	-	-	1732363	-	-
85+	718249	-	-	1691176	-	-
Total	77693255	-	-	80815071	-	-

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North America, 1995-1999, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*	*Inc.*	*Adj. Rate 2000 US*	*S.E.*	*Adj. Rate 1970 US*	*S.E.*
All Sites	1822325	555.9	0.42	462.4	0.35	1754126	417.7	0.32	350.4	0.28
Buccal Cavity & Pharynx	54920	16.3	0.07	14.0	0.06	26860	6.4	0.04	5.4	0.03
Lip	6301	2.0	0.03	1.6	0.02	1648	0.4	0.01	0.3	0.01
Tongue	12238	3.6	0.03	3.1	0.03	6323	1.5	0.02	1.3	0.02
Major salivary gland	4999	1.5	0.02	1.2	0.02	3873	0.9	0.02	0.8	0.01
Floor of mouth	4573	1.3	0.02	1.2	0.02	2202	0.5	0.01	0.5	0.01
Gum and other mouth	7455	2.2	0.03	1.9	0.02	5967	1.4	0.02	1.1	0.02
Nasopharynx	3306	0.9	0.02	0.8	0.01	1543	0.4	0.01	0.3	0.01
Oropharynx	2173	0.6	0.01	0.6	0.01	806	0.2	0.01	0.2	0.01
Hypopharynx	5295	1.6	0.02	1.4	0.02	1488	0.4	0.01	0.3	0.01
Digestive System	366122	114.2	0.19	92.2	0.15	331654	76.0	0.13	60.3	0.11
Esophagus	26880	8.2	0.05	6.9	0.04	9486	2.2	0.02	1.8	0.02
Stomach	39400	12.4	0.06	9.8	0.05	24925	5.7	0.04	4.4	0.03
Small intestine	6260	1.9	0.02	1.6	0.02	5601	1.3	0.02	1.1	0.02
Colon excl. rectum	148320	47.0	0.12	37.1	0.10	161252	36.7	0.09	28.7	0.08
Rectum & rectosigmoid	66110	20.3	0.08	16.8	0.07	51898	12.1	0.05	9.9	0.05
Anus	3614	1.1	0.02	0.9	0.02	5644	1.4	0.02	1.1	0.02
Liver	20724	6.2	0.04	5.3	0.04	9416	2.2	0.02	1.8	0.02
Gallbladder	2820	0.9	0.02	0.7	0.01	6986	1.6	0.02	1.3	0.02
Pancreas	40284	12.6	0.06	10.2	0.05	42612	9.7	0.05	7.7	0.04
Respiratory System	333422	102.0	0.18	85.4	0.15	230783	54.4	0.11	46.6	0.10
Larynx	27147	8.1	0.05	7.1	0.04	7273	1.8	0.02	1.6	0.02
Lung & bronchus	295843	90.7	0.17	75.7	0.14	219248	51.7	0.11	44.2	0.10
Bones & Joints	3992	1.1	0.02	1.1	0.02	3329	0.8	0.01	0.8	0.02
Soft Tissue (incl. heart)	11758	3.4	0.03	2.9	0.03	10121	2.4	0.02	2.2	0.02
Skin (excl. basal and sq.)	72733	21.2	0.08	17.5	0.07	52796	12.8	0.06	10.8	0.05
Melanomas of the skin	60138	17.6	0.07	14.7	0.06	47376	11.6	0.05	9.8	0.05
Breast (excl. *in situ*)	4188	1.3	0.02	1.1	0.02	537758	130.9	0.18	111.0	0.16
Female Genital System	-	-	-	-	-	229409	55.7	0.12	47.7	0.10
Cervix uteri	-	-	-	-	-	41604	10.3	0.05	8.6	0.04
Corpus uteri	-	-	-	-	-	100026	24.3	0.08	21.2	0.07
Uterus, NOS	-	-	-	-	-	2938	0.7	0.01	0.6	0.01
Ovary	-	-	-	-	-	68887	16.7	0.06	14.3	0.06
Male Genital System	544604	165.6	0.23	140.3	0.19	-	-	-	-	-
Prostate	519863	159.2	0.22	134.7	0.19	-	-	-	-	-
Testis	21024	5.3	0.04	4.6	0.03	-	-	-	-	-
Penis	2834	0.9	0.02	0.7	0.01	-	-	-	-	-
Urinary System	177012	55.1	0.13	44.6	0.11	80103	18.7	0.07	15.4	0.06
Bladder (incl. *in situ*)	119831	37.9	0.11	30.1	0.09	43314	9.9	0.05	8.0	0.04
Kidney & renal pelvis	52906	15.8	0.07	13.5	0.06	34217	8.1	0.04	6.9	0.04
Ureter	2906	0.9	0.02	0.7	0.01	1845	0.4	0.01	0.3	0.01
Eye	3307	1.0	0.02	0.8	0.01	2881	0.7	0.01	0.6	0.01
Brain & Other Nervous System	28255	8.0	0.05	7.2	0.04	23509	5.7	0.04	5.2	0.04
Brain	26555	7.5	0.05	6.8	0.04	21725	5.3	0.04	4.8	0.03
Endocrine System	14716	4.1	0.03	3.6	0.03	38250	9.5	0.05	8.3	0.04
Thyroid gland	12016	3.3	0.03	2.9	0.03	35952	8.9	0.05	7.8	0.04
Lymphomas	88574	26.0	0.09	21.8	0.07	77375	18.3	0.07	15.5	0.06
Hodgkin's disease	12143	3.2	0.03	3.0	0.03	10160	2.5	0.03	2.4	0.03
Non-Hodgkin's lymphoma	76431	22.8	0.08	18.8	0.07	67215	15.8	0.06	13.1	0.05
Multiple Myeloma	21291	6.6	0.05	5.4	0.04	19207	4.5	0.03	3.6	0.03
Leukemias	51409	15.6	0.07	13.1	0.06	39562	9.3	0.05	7.9	0.04
Acute lymphocytic	6328	1.6	0.02	1.8	0.02	4763	1.2	0.02	1.4	0.02
Chronic lymphocytic	15559	4.9	0.04	3.9	0.03	11014	2.5	0.02	2.0	0.02
Acute myeloid	14376	4.3	0.04	3.6	0.03	12684	3.0	0.03	2.6	0.02
Chronic myeloid	6802	2.1	0.03	1.7	0.02	5106	1.2	0.02	1.0	0.01
Other	6086	1.9	0.03	1.5	0.02	4306	1.0	0.01	0.7	0.01
Ill-defined & Unknown	46022	14.6	0.07	11.5	0.05	50529	11.5	0.05	9.0	0.04
Breast *in situ* (not in All Sites)	511	0.2	0.01	0.1	0.01	96806	24.2	0.08	21.1	0.07

* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North America, 1995-1999, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Inc.*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Inc.*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1822325	531.8	0.40	363.8	0.28	1754126	402.2	0.31	289.3	0.24
Buccal Cavity & Pharynx	54920	15.7	0.07	11.6	0.05	26860	6.2	0.04	4.5	0.03
Lip	6301	1.8	0.02	1.2	0.02	1648	0.4	0.01	0.2	0.01
Tongue	12238	3.5	0.03	2.6	0.02	6323	1.5	0.02	1.1	0.01
Major salivary gland	4999	1.5	0.02	1.0	0.01	3873	0.9	0.01	0.7	0.01
Floor of mouth	4573	1.3	0.02	1.0	0.02	2202	0.5	0.01	0.4	0.01
Gum and other mouth	7455	2.1	0.02	1.6	0.02	5967	1.3	0.02	0.9	0.01
Nasopharynx	3306	0.9	0.02	0.7	0.01	1543	0.4	0.01	0.3	0.01
Oropharynx	2173	0.6	0.01	0.5	0.01	806	0.2	0.01	0.1	0.01
Hypopharynx	5295	1.5	0.02	1.1	0.02	1488	0.4	0.01	0.3	0.01
Digestive System	366122	107.7	0.18	70.7	0.12	331654	71.1	0.13	45.8	0.09
Esophagus	26880	7.8	0.05	5.5	0.03	9486	2.1	0.02	1.4	0.02
Stomach	39400	11.6	0.06	7.5	0.04	24925	5.3	0.03	3.3	0.02
Small intestine	6260	1.8	0.02	1.2	0.02	5601	1.3	0.02	0.9	0.01
Colon excl. rectum	148320	44.0	0.11	27.8	0.08	161252	34.1	0.09	21.4	0.06
Rectum & rectosigmoid	66110	19.3	0.08	13.2	0.05	51898	11.5	0.05	7.7	0.04
Anus	3614	1.0	0.02	0.7	0.01	5644	1.3	0.02	0.9	0.01
Liver	20724	6.0	0.04	4.3	0.03	9416	2.1	0.02	1.4	0.02
Gallbladder	2820	0.8	0.02	0.5	0.01	6986	1.5	0.02	1.0	0.01
Pancreas	40284	11.8	0.06	7.8	0.04	42612	9.1	0.04	5.7	0.03
Respiratory System	333422	97.7	0.17	66.1	0.12	230783	52.6	0.11	36.9	0.08
Larynx	27147	7.8	0.05	5.7	0.04	7273	1.7	0.02	1.3	0.02
Lung & bronchus	295843	86.8	0.16	58.3	0.11	219248	49.9	0.11	34.9	0.08
Bones & Joints	3992	1.1	0.02	1.0	0.02	3329	0.8	0.01	0.8	0.01
Soft Tissue (incl. heart)	11758	3.3	0.03	2.6	0.02	10121	2.4	0.02	1.9	0.02
Skin (excl. basal and sq.)	72733	20.7	0.08	14.9	0.06	52796	12.7	0.06	9.7	0.05
Melanomas of the skin	60138	17.1	0.07	12.4	0.05	47376	11.5	0.05	8.9	0.04
Breast (excl. *in situ*)	4188	1.2	0.02	0.8	0.01	537758	126.8	0.17	93.9	0.14
Female Genital System	-	-	-	-	-	229409	54.5	0.12	40.9	0.09
Cervix uteri	-	-	-	-	-	41604	10.4	0.05	8.1	0.04
Corpus uteri	-	-	-	-	-	100026	23.6	0.08	17.6	0.06
Uterus, NOS	-	-	-	-	-	2938	0.7	0.01	0.5	0.01
Ovary	-	-	-	-	-	68887	16.3	0.06	12.2	0.05
Male Genital System	544604	160.0	0.22	109.4	0.15	-	-	-	-	-
Prostate	519863	153.3	0.21	103.8	0.15	-	-	-	-	-
Testis	21024	5.6	0.04	4.9	0.03	-	-	-	-	-
Penis	2834	0.8	0.02	0.6	0.01	-	-	-	-	-
Urinary System	177012	52.0	0.12	34.2	0.09	80103	17.7	0.06	12.1	0.05
Bladder (incl. *in situ*)	119831	35.5	0.10	22.5	0.07	43314	9.4	0.05	6.1	0.03
Kidney & renal pelvis	52906	15.2	0.07	11.0	0.05	34217	7.8	0.04	5.7	0.03
Ureter	2906	0.9	0.02	0.5	0.01	1845	0.4	0.01	0.2	0.01
Eye	3307	0.9	0.02	0.8	0.01	2881	0.7	0.01	0.6	0.01
Brain & Other Nervous System	28255	7.8	0.05	6.5	0.04	23509	5.6	0.04	4.7	0.03
Brain	26555	7.4	0.05	6.0	0.04	21725	5.2	0.04	4.3	0.03
Endocrine System	14716	4.1	0.03	3.3	0.03	38250	9.7	0.05	8.0	0.04
Thyroid gland	12016	3.3	0.03	2.6	0.02	35952	9.1	0.05	7.5	0.04
Lymphomas	88574	25.2	0.08	18.3	0.06	77375	17.7	0.06	12.9	0.05
Hodgkin's disease	12143	3.3	0.03	2.9	0.03	10160	2.6	0.03	2.4	0.02
Non-Hodgkin's lymphoma	76431	21.9	0.08	15.4	0.06	67215	15.2	0.06	10.6	0.05
Multiple Myeloma	21291	6.3	0.04	4.1	0.03	19207	4.2	0.03	2.8	0.02
Leukemias	51409	14.7	0.07	10.8	0.05	39562	8.8	0.04	6.8	0.04
Acute lymphocytic	6328	1.6	0.02	2.0	0.03	4763	1.2	0.02	1.5	0.02
Chronic lymphocytic	15559	4.6	0.04	3.0	0.03	11014	2.3	0.02	1.5	0.02
Acute myeloid	14376	4.1	0.03	2.9	0.03	12684	2.9	0.03	2.2	0.02
Chronic myeloid	6802	2.0	0.02	1.3	0.02	5106	1.1	0.02	0.8	0.01
Other	6086	1.8	0.02	1.2	0.02	4306	0.9	0.01	0.6	0.01
Ill-defined & Unknown	46022	13.6	0.06	8.7	0.04	50529	10.7	0.05	6.8	0.03
Breast *in situ* (not in All Sites)	511	0.1	0.01	0.1	0.00	96806	23.6	0.08	18.3	0.06

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in North America[2], 1995-1999, All Races, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1715377**	**559.5**	**200808**	**67.5**	**279147**	**91.5**	**490511**	**160.6**	**112552**	**38.0**	**72050**	**23.0**
California	327284	526.3	35652	59.4	46884	77.0	94188	154.3	20174	34.0	14974	22.9
Greater Bay Area	66748	532.2	7370	60.9	8926	73.1	19402	158.8	3750	31.3	3523	26.2
Los Angeles	84992	518.4	9327	59.4	11297	70.8	25221	157.5	4844	31.3	4054	23.0
Colorado	38205	512.3	3976	56.3	4947	69.3	11528	156.9	2430	34.2	1638	20.7
Connecticut	44511	592.1	5262	71.5	6768	90.0	12511	165.6	3350	45.4	1923	25.3
Delaware	9551	597.4	1094	70.9	1803	112.0	2772	172.5	605	39.4	339	20.7
Georgia - Metropolitan Atlanta	22849	595.6	2129	59.5	3633	101.4	7043	192.6	1099	32.9	1040	23.6
Hawaii	13179	476.8	1837	67.0	1998	72.1	3402	124.1	586	21.6	538	19.4
Idaho	12746	503.6	1339	54.3	1776	70.9	3822	152.0	919	37.4	533	20.7
Illinois	140376	566.1	17060	71.0	24858	100.5	38028	154.2	9084	38.0	5764	22.7
Iowa	38227	557.5	5151	75.8	6606	95.8	10534	152.1	2605	38.3	1540	22.6
Kentucky	49123	593.7	5678	70.7	11815	141.3	11504	141.5	2914	36.2	1831	21.9
Louisiana	50537	597.9	5861	71.1	10134	119.4	14185	170.4	2696	33.4	1798	20.7
Michigan	121903	594.4	13104	66.0	20554	100.3	37560	183.3	7975	40.3	4618	22.0
Metropolitan Detroit	54239	637.6	5705	69.6	9036	106.2	17539	205.6	3370	41.4	1974	22.8
Minnesota	53924	544.1	6084	62.9	7311	74.1	17044	174.0	3564	37.1	2534	25.2
Nebraska	20388	546.6	2600	70.8	3337	89.2	6038	161.5	1267	34.6	864	23.1
New Jersey	111675	622.4	13743	78.6	16671	93.1	34052	188.8	7805	44.8	4699	25.8
New Mexico	16589	473.2	1778	51.7	2179	63.7	5149	147.0	918	27.0	636	17.8
New York	219372	557.5	28015	73.3	34835	88.8	59368	150.1	15140	39.8	9635	24.0
North Carolina	81361	522.4	8644	57.5	16643	106.8	22940	146.5	4869	33.2	2959	18.7
Pennsylvania	173857	591.1	22088	76.2	29258	98.3	50059	167.0	12858	44.5	6943	23.9
Rhode Island	14689	640.9	1725	76.1	2509	108.7	3984	172.2	1180	51.8	602	26.4
Utah	15937	468.3	1585	48.6	1400	42.6	5708	172.8	989	31.0	785	22.2
Seattle/Puget Sound	44269	568.4	4621	61.5	6730	88.0	12763	166.7	3084	41.4	2044	25.0
West Virginia	25248	569.2	3024	69.5	5721	126.8	6171	138.0	1747	40.3	931	21.2
Wisconsin	64192	557.9	8164	72.0	10029	87.3	18445	160.3	4325	38.6	2694	23.2
Wyoming	5385	527.6	594	60.2	748	74.2	1713	168.0	369	38.1	188	18.1

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in North America[2], 1995-1999, All Races, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR Canadian Combined	**106948**	**505.6**	**13622**	**65.6**	**16696**	**79.6**	**29352**	**140.3**	**7279**	**35.5**	**4381**	**20.1**
Alberta	26352	502.3	3323	65.9	3871	75.9	7159	141.1	1730	34.4	1048	18.9
British Columbia	43864	497.2	5400	62.5	6605	75.3	12418	141.1	3130	36.9	1811	20.0
Manitoba	13469	523.4	1869	72.9	2207	85.9	3485	135.6	879	34.7	581	22.5
New Brunswick	9294	563.2	1134	69.4	1803	109.9	2489	152.8	626	39.2	386	22.3
Northwest Territories	284	437.3	66	107.9	72	117.1	26	46.6	10	17.5	15	18.0
Prince Edward Island	1682	553.6	237	80.3	289	94.6	452	149.7	97	32.4	69	22.0
Saskatchewan	12003	486.6	1593	64.9	1849	74.7	3323	133.0	807	32.9	471	19.2
NAACCR N. America Combined	**1822325**	**555.9**	**214430**	**67.3**	**295843**	**90.7**	**519863**	**159.2**	**119831**	**37.9**	**76431**	**22.8**

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S., Canada and North America combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in North America[2], 1995-1999, All Races, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1715377**	**535.4**	**200808**	**63.4**	**279147**	**87.6**	**490511**	**154.7**	**112552**	**35.6**	**72050**	**22.1**
California	327284	503.4	35652	55.7	46884	73.4	94188	148.8	20174	31.8	14974	22.1
Greater Bay Area	66748	509.3	7370	57.1	8926	69.5	19402	153.1	3750	29.4	3523	25.3
Los Angeles	84992	495.9	9327	55.7	11297	67.6	25221	152.0	4844	29.2	4054	22.2
Colorado	38205	490.6	3976	52.8	4947	65.9	11528	151.7	2430	32.2	1638	20.0
Connecticut	44511	566.6	5262	67.0	6768	86.1	12511	159.9	3350	42.6	1923	24.3
Delaware	9551	573.1	1094	66.9	1803	107.8	2772	166.5	605	37.1	339	20.0
Georgia - Metropolitan Atlanta	22849	572.0	2129	56.1	3633	96.8	7043	186.9	1099	30.7	1040	22.8
Hawaii	13179	454.5	1837	63.6	1998	69.0	3402	117.2	586	20.2	538	18.5
Idaho	12746	482.5	1339	51.1	1776	67.9	3822	146.5	919	35.2	533	19.8
Illinois	140376	541.3	17060	66.5	24858	96.3	38028	148.4	9084	35.6	5764	21.8
Iowa	38227	531.8	5151	71.1	6606	91.4	10534	146.0	2605	35.9	1540	21.6
Kentucky	49123	567.2	5678	66.5	11815	135.8	11504	134.7	2914	34.2	1831	21.0
Louisiana	50537	571.3	5861	67.1	10134	114.6	14185	162.9	2696	31.2	1798	19.9
Michigan	121903	568.4	13104	62.0	20554	96.2	37560	176.3	7975	37.8	4618	21.2
Metropolitan Detroit	54239	608.8	5705	65.2	9036	101.6	17539	197.3	3370	38.7	1974	21.9
Minnesota	53924	522.9	6084	59.1	7311	71.5	17044	168.2	3564	34.8	2534	24.1
Nebraska	20388	523.3	2600	66.5	3337	85.7	6038	155.4	1267	32.3	864	22.2
New Jersey	111675	595.0	13743	73.8	16671	88.9	34052	181.8	7805	42.0	4699	24.8
New Mexico	16589	452.5	1778	48.9	2179	60.3	5149	141.4	918	25.4	636	17.1
New York	219372	533.4	28015	68.8	34835	84.8	59368	144.8	15140	37.3	9635	23.2
North Carolina	81361	502.0	8644	54.4	16643	102.8	22940	141.9	4869	31.1	2959	18.1
Pennsylvania	173857	566.6	22088	71.8	29258	94.5	50059	161.4	12858	41.8	6943	23.0
Rhode Island	14689	613.7	1725	71.6	2509	104.3	3984	166.4	1180	48.9	602	25.3
Utah	15937	449.5	1585	45.8	1400	40.7	5708	166.9	989	29.0	785	21.3
Seattle/Puget Sound	44269	543.2	4621	57.7	6730	84.0	12763	160.7	3084	38.7	2044	24.1
West Virginia	25248	543.5	3024	65.3	5721	121.6	6171	131.7	1747	37.8	931	20.3
Wisconsin	64192	534.4	8164	68.1	10029	83.6	18445	154.6	4325	36.1	2694	22.3
Wyoming	5385	502.6	594	56.3	748	70.5	1713	160.9	369	35.4	188	17.3

Total Cancer Cases and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in North America[2], 1995-1999, All Races, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR Canadian Combined	**106948**	**480.6**	**13622**	**61.7**	**16696**	**75.5**	**29352**	**133.7**	**7279**	**33.2**	**4381**	**19.3**
Alberta	26352	477.5	3323	61.7	3871	71.9	7159	134.5	1730	32.3	1048	18.0
British Columbia	43864	472.1	5400	58.6	6605	71.3	12418	134.4	3130	34.3	1811	19.2
Manitoba	13469	499.1	1869	69.3	2207	81.9	3485	129.5	879	32.6	581	21.5
New Brunswick	9294	534.8	1134	65.4	1803	104.4	2489	145.0	626	36.6	386	21.6
Northwest Territories	284	416.3	66	102.7	72	112.8	26	45.2	10	16.2	15	17.5
Prince Edward Island	1682	525.0	237	74.4	289	90.5	452	142.0	97	30.3	69	21.2
Saskatchewan	12003	462.8	1593	61.4	1849	71.1	3323	126.1	807	30.8	471	18.5
NAACCR N. America Combined	**1822325**	**531.8**	**214430**	**63.3**	**295843**	**86.8**	**519863**	**153.3**	**119831**	**35.5**	**76431**	**21.9**

1. Rates are per 100,000 and are adjusted to the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S., Canada and North America combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in North America[2], 1995-1999, All Races, Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1657563**	**420.1**	**201654**	**49.0**	**207400**	**52.0**	**508838**	**131.9**	**39353**	**10.4**	**65090**	**16.8**
California	317341	411.4	34162	43.5	39091	50.6	100938	133.2	8381	10.7	12780	16.7
Greater Bay Area	66512	419.3	7169	44.3	7816	49.2	22055	141.2	1444	8.9	2640	16.7
Los Angeles	83245	391.1	9279	42.9	9283	43.8	25924	124.3	2753	12.7	3420	16.1
Colorado	37337	395.0	3874	41.9	3821	41.6	12656	132.6	831	8.3	1571	16.4
Connecticut	44449	457.1	5535	52.8	5657	57.1	13700	145.6	791	8.8	1532	16.4
Delaware	9187	458.7	1130	55.1	1344	66.2	2754	140.0	214	10.8	351	17.7
Georgia - Metropolitan Atlanta	22700	419.3	2351	46.2	2683	53.4	7773	139.7	691	10.8	874	15.9
Hawaii	11926	384.2	1396	44.5	1199	37.5	4026	130.0	302	10.1	464	15.1
Idaho	11604	391.1	1262	41.4	1283	43.1	3738	127.7	234	8.2	510	17.3
Illinois	139591	426.4	17744	51.7	17979	54.6	42495	133.1	3611	11.6	5337	16.7
Iowa	37046	420.7	5415	55.3	4243	47.3	11052	130.7	663	8.9	1508	18.1
Kentucky	46358	425.6	5863	52.2	7544	68.5	13060	122.2	1319	12.7	1442	13.3
Louisiana	44409	391.7	5492	47.8	6180	54.0	13446	120.2	1283	11.6	1391	12.3
Michigan	112583	427.2	12896	47.2	14998	56.5	33588	129.8	2435	9.5	4396	16.9
Metropolitan Detroit	49749	438.2	5772	49.3	6974	60.6	14676	131.5	1107	10.0	1907	17.0
Minnesota	50657	409.6	6139	46.7	5303	43.6	16539	136.6	907	7.6	2147	17.9
Nebraska	19128	405.2	2504	48.9	2097	43.9	5912	129.7	373	8.9	768	17.0
New Jersey	107154	455.9	13669	55.2	13285	55.4	31875	139.4	2516	11.4	4235	18.5
New Mexico	15350	363.3	1523	36.0	1580	37.2	5059	120.3	391	9.3	641	15.2
New York	228032	434.0	29656	53.6	28323	53.0	67658	132.4	5891	11.9	9030	17.7
North Carolina	75697	369.7	8847	42.0	9940	47.6	24525	122.0	1837	9.3	2961	14.6
Pennsylvania	164993	430.0	22624	53.9	20493	51.5	48563	131.3	3309	10.0	6581	18.1
Rhode Island	14480	470.3	1979	57.3	1970	63.6	4004	136.6	281	10.7	467	16.3
Utah	14089	344.6	1490	37.2	895	22.5	4664	116.9	314	7.3	686	16.6
Seattle/Puget Sound	43882	455.6	4428	45.3	5858	61.5	14243	149.1	750	7.5	1939	20.2
West Virginia	24462	424.0	3139	51.4	3941	65.5	6645	118.1	675	13.6	918	16.5
Wisconsin	60461	419.1	8012	52.1	7132	49.3	18483	131.7	1251	9.3	2373	16.9
Wyoming	4647	388.8	524	43.4	561	46.9	1442	120.9	103	8.9	188	15.8

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in North America[2], 1995-1999, All Races, Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR Canadian Combined	**96563**	**381.3**	**11496**	**44.5**	**11848**	**46.7**	**28920**	**116.1**	**2251**	**8.9**	**3797**	**15.1**
Alberta	24426	385.7	2552	41.4	2696	43.6	7393	116.5	635	9.0	931	14.4
British Columbia	39285	373.8	4584	42.9	5077	47.8	12021	115.7	859	8.2	1602	15.3
Manitoba	12687	404.7	1657	49.8	1610	50.9	3673	121.9	272	9.4	487	16.0
New Brunswick	7932	386.8	1101	52.1	995	48.1	2314	114.9	196	9.8	277	13.7
Northwest Territories	275	408.6	46	83.7	59	104.9	60	85.5	8	11.9	12	16.2
Prince Edward Island	1506	403.4	254	64.4	223	60.3	436	120.5	36	10.2	50	13.9
Saskatchewan	10452	369.2	1302	42.9	1188	41.3	3023	111.6	245	9.8	438	15.9
NAACCR N. America Combined	**1754126**	**417.7**	**213150**	**48.8**	**219248**	**51.7**	**537758**	**130.9**	**41604**	**10.3**	**68887**	**16.7**

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S., Canada and North America combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.

Total Cancer Cases and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in North America[2], 1995-1999, All Races, Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR U.S. Combined	**1657563**	**404.6**	**201654**	**45.8**	**207400**	**50.2**	**508838**	**127.7**	**39353**	**10.5**	**65090**	**16.4**
California	317341	395.5	34162	40.6	39091	48.6	100938	128.9	8381	10.8	12780	16.2
Greater Bay Area	66512	402.4	7169	41.3	7816	47.1	22055	136.4	1444	9.0	2640	16.3
Los Angeles	83245	375.9	9279	40.1	9283	42.0	25924	120.3	2753	12.7	3420	15.7
Colorado	37337	380.9	3874	39.2	3821	40.1	12656	128.5	831	8.6	1571	16.0
Connecticut	44449	440.2	5535	49.3	5657	55.2	13700	141.0	791	8.9	1532	15.9
Delaware	9187	441.9	1130	51.2	1344	64.4	2754	135.7	214	11.1	351	17.3
Georgia - Metropolitan Atlanta	22700	404.1	2351	43.4	2683	51.6	7773	135.3	691	10.9	874	15.4
Hawaii	11926	370.4	1396	41.8	1199	35.9	4026	126.5	302	10.1	464	14.9
Idaho	11604	377.7	1262	38.5	1283	41.9	3738	123.9	234	8.5	510	16.7
Illinois	139591	410.4	17744	48.3	17979	52.8	42495	128.8	3611	11.7	5337	16.2
Iowa	37046	405.3	5415	51.7	4243	45.8	11052	126.3	663	9.2	1508	17.7
Kentucky	46358	410.9	5863	48.8	7544	66.7	13060	118.5	1319	12.9	1442	12.9
Louisiana	44409	377.0	5492	44.8	6180	52.2	13446	116.6	1283	11.8	1391	12.1
Michigan	112583	411.7	12896	44.2	14998	54.8	33588	125.7	2435	9.7	4396	16.5
Metropolitan Detroit	49749	421.9	5772	46.2	6974	58.6	14676	127.4	1107	10.1	1907	16.6
Minnesota	50657	395.7	6139	43.7	5303	42.5	16539	132.0	907	7.7	2147	17.5
Nebraska	19128	390.9	2504	45.7	2097	42.5	5912	125.2	373	9.2	768	16.7
New Jersey	107154	438.4	13669	51.5	13285	53.3	31875	135.1	2516	11.5	4235	18.0
New Mexico	15350	350.3	1523	33.8	1580	35.9	5059	116.6	391	9.4	641	14.8
New York	228032	417.5	29656	50.1	28323	50.9	67658	128.4	5891	12.0	9030	17.2
North Carolina	75697	357.6	8847	39.6	9940	46.3	24525	118.7	1837	9.4	2961	14.2
Pennsylvania	164993	414.5	22624	50.5	20493	49.9	48563	127.3	3309	10.1	6581	17.7
Rhode Island	14480	452.6	1979	53.4	1970	61.5	4004	132.0	281	10.9	467	15.8
Utah	14089	333.1	1490	34.7	895	21.8	4664	113.3	314	7.5	686	16.2
Seattle/Puget Sound	43882	438.8	4428	42.3	5858	59.4	14243	144.3	750	7.7	1939	19.5
West Virginia	24462	409.6	3139	48.4	3941	63.6	6645	114.6	675	13.9	918	16.1
Wisconsin	60461	404.0	8012	49.0	7132	47.8	18483	127.6	1251	9.6	2373	16.5
Wyoming	4647	376.5	524	40.7	561	45.7	1442	117.3	103	9.0	188	15.3

Total Cancer Cases and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Incidence Rates[1] for Selected Cancer Sites
Selected Areas in North America[2], 1995-1999, All Races, Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Total Inc.	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*	*Total Inc.*	*Rate*
NAACCR Canadian Combined	**96563**	**366.3**	**11496**	**41.5**	**11848**	**45.0**	**28920**	**112.2**	**2251**	**9.0**	**3797**	**14.7**
Alberta	24426	370.5	2552	38.5	2696	42.1	7393	112.7	635	9.2	931	14.1
British Columbia	39285	358.6	4584	39.9	5077	45.9	12021	111.9	859	8.3	1602	14.9
Manitoba	12687	389.3	1657	46.7	1610	49.3	3673	117.9	272	9.6	487	15.6
New Brunswick	7932	371.4	1101	48.7	995	46.7	2314	110.8	196	9.9	277	13.4
Northwest Territories	275	388.1	46	75.3	59	101.1	60	79.8	8	12.3	12	15.2
Prince Edward Island	1506	388.3	254	60.0	223	58.8	436	117.2	36	10.5	50	13.5
Saskatchewan	10452	355.6	1302	40.3	1188	40.3	3023	107.7	245	10.1	438	15.4
NAACCR N. America Combined	**1754126**	**402.2**	**213150**	**45.6**	**219248**	**49.9**	**537758**	**126.8**	**41604**	**10.4**	**68887**	**16.3**

1. Rates are per 100,000 and are adjusted to the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S., Canada and North America combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria in the combined rates.