Section IV

Cancer Mortality for the United States and Canada

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2003-2007, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,448,140	225.4	0.19	129.9	0.11	1,344,680	155.4	0.14	94.7	0.09
Oral Cavity & Pharynx	26,658	3.9	0.02	2.6	0.02	12,505	1.4	0.01	0.9	0.01
Digestive System	368,044	56.4	0.09	33.6	0.06	302,752	34.2	0.06	19.4	0.04
Esophagus	52,085	7.8	0.03	5.0	0.02	14,574	1.7	0.01	1.0	0.01
Stomach	34,175	5.3	0.03	3.1	0.02	24,041	2.7	0.02	1.6	0.01
Colon & Rectum	135,457	21.2	0.06	12.0	0.03	133,326	14.9	0.04	8.2	0.03
Liver	43,099	6.3	0.03	4.1	0.02	18,822	2.2	0.02	1.3	0.01
Pancreas	80,674	12.3	0.04	7.4	0.03	82,204	9.4	0.03	5.3	0.02
Respiratory System	464,916	71.5	0.11	42.8	0.07	350,889	41.2	0.07	25.6	0.05
Larynx	14,818	2.2	0.02	1.4	0.01	3,892	0.5	0.01	0.3	0.01
Lung & bronchus	447,192	68.8	0.10	41.1	0.06	345,303	40.6	0.07	25.2	0.05
Skin	35,355	5.4	0.03	3.2	0.02	18,496	2.1	0.02	1.3	0.01
Melanomas of the skin	26,354	4.0	0.02	2.5	0.02	14,663	1.7	0.01	1.1	0.01
Breast	1,876	0.3	0.01	0.2	0.00	205,107	24.0	0.05	15.7	0.04
Female Genital System	-	-	-	-	-	136,906	16.0	0.04	10.4	0.03
Cervix uteri	-	-	-	-	-	19,690	2.4	0.02	1.8	0.01
Corpus & uterus, NOS	-	-	-	-	-	35,825	4.1	0.02	2.6	0.02
Ovary	-	-	-	-	-	73,638	8.6	0.03	5.5	0.02
Male Genital System	148,042	25.2	0.07	11.1	0.03	-	-	-	-	-
Prostate	144,926	24.7	0.07	10.7	0.03	-	-	-	-	-
Testis	1,744	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	86,451	13.7	0.05	7.4	0.03	45,271	5.1	0.02	2.8	0.02
Bladder	45,817	7.5	0.04	3.7	0.02	20,266	2.2	0.02	1.1	0.01
Kidney & renal pelvis	38,753	5.9	0.03	3.6	0.02	23,445	2.7	0.02	1.6	0.01
Brain & Other Nervous System	36,026	5.2	0.03	3.7	0.02	28,976	3.5	0.02	2.5	0.02
Endocrine System	5,254	0.8	0.01	0.6	0.01	6,419	0.8	0.01	0.5	0.01
Thyroid gland	3,046	0.5	0.01	0.3	0.01	4,217	0.5	0.01	0.3	0.00
Lymphomas	59,137	9.3	0.04	5.3	0.02	51,763	5.9	0.03	3.3	0.02
Hodgkin Lymphoma	3,615	0.5	0.01	0.4	0.01	2,878	0.3	0.01	0.2	0.01
Non-Hodgkin Lymphoma	55,522	8.7	0.04	4.9	0.02	48,885	5.5	0.03	3.0	0.02
Multiple Myeloma	28,222	4.4	0.03	2.5	0.02	25,507	2.9	0.02	1.6	0.01
Leukemias	61,288	9.7	0.04	5.5	0.02	47,452	5.4	0.03	3.2	0.02
Other, Ill-defined & Unknown	126,871	19.7	0.06	11.5	0.03	112,637	12.9	0.04	7.6	0.03

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2003-2007, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Deaths*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,448,140	208.8	0.17	129.9	0.11	1,344,680	145.7	0.13	94.7	0.09
Oral Cavity & Pharynx	26,658	3.7	0.02	2.6	0.02	12,505	1.3	0.01	0.9	0.01
Digestive System	368,044	52.5	0.09	33.6	0.06	302,752	31.5	0.06	19.4	0.04
Esophagus	52,085	7.4	0.03	5.0	0.02	14,574	1.6	0.01	1.0	0.01
Stomach	34,175	4.9	0.03	3.1	0.02	24,041	2.5	0.02	1.6	0.01
Colon & Rectum	135,457	19.5	0.05	12.0	0.03	133,326	13.6	0.04	8.2	0.03
Liver	43,099	5.9	0.03	4.1	0.02	18,822	2.0	0.02	1.3	0.01
Pancreas	80,674	11.6	0.04	7.4	0.03	82,204	8.7	0.03	5.3	0.02
Respiratory System	464,916	67.3	0.10	42.8	0.07	350,889	39.2	0.07	25.6	0.05
Larynx	14,818	2.1	0.02	1.4	0.01	3,892	0.4	0.01	0.3	0.01
Lung & bronchus	447,192	64.8	0.10	41.1	0.06	345,303	38.5	0.07	25.2	0.05
Skin	35,355	5.0	0.03	3.2	0.02	18,496	2.0	0.02	1.3	0.01
Melanomas of the skin	26,354	3.7	0.02	2.5	0.02	14,663	1.6	0.01	1.1	0.01
Breast	1,876	0.3	0.01	0.2	0.00	205,107	22.7	0.05	15.7	0.04
Female Genital System	-	-	-	-	-	136,906	15.2	0.04	10.4	0.03
Cervix uteri	-	-	-	-	-	19,690	2.4	0.02	1.8	0.01
Corpus & uterus, NOS	-	-	-	-	-	35,825	3.9	0.02	2.6	0.02
Ovary	-	-	-	-	-	73,638	8.1	0.03	5.5	0.02
Male Genital System	148,042	21.9	0.06	11.1	0.03	-	-	-	-	-
Prostate	144,926	21.4	0.06	10.7	0.03	-	-	-	-	-
Testis	1,744	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	86,451	12.5	0.04	7.4	0.03	45,271	4.6	0.02	2.8	0.02
Bladder	45,817	6.7	0.03	3.7	0.02	20,266	2.0	0.01	1.1	0.01
Kidney & renal pelvis	38,753	5.5	0.03	3.6	0.02	23,445	2.5	0.02	1.6	0.01
Brain & Other Nervous System	36,026	5.0	0.03	3.7	0.02	28,976	3.4	0.02	2.5	0.02
Endocrine System	5,254	0.7	0.01	0.6	0.01	6,419	0.7	0.01	0.5	0.01
Thyroid gland	3,046	0.4	0.01	0.3	0.01	4,217	0.4	0.01	0.3	0.00
Lymphomas	59,137	8.5	0.04	5.3	0.02	51,763	5.4	0.02	3.3	0.02
Hodgkin Lymphoma	3,615	0.5	0.01	0.4	0.01	2,878	0.3	0.01	0.2	0.01
Non-Hodgkin Lymphoma	55,522	8.0	0.03	4.9	0.02	48,885	5.1	0.02	3.0	0.02
Multiple Myeloma	28,222	4.1	0.02	2.5	0.02	25,507	2.7	0.02	1.6	0.01
Leukemias	61,288	8.9	0.04	5.5	0.02	47,452	5.0	0.02	3.2	0.02
Other, Ill-defined & Unknown	126,871	18.2	0.05	11.5	0.03	112,637	11.9	0.04	7.6	0.03

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**1,448,140**	**225.4**	**135,457**	**21.2**	**447,192**	**68.8**	**144,926**	**24.7**	**45,817**	**7.5**	**55,522**	**8.7**
New England	**74,380**	**228.3**	**6,614**	**20.4**	**21,523**	**65.4**	**7,571**	**25.0**	**2,838**	**9.1**	**2,850**	**8.9**
Connecticut	17,512	218.2	1,507	18.8	4,816	59.6	1,941	25.5	664	8.6	697	8.8
Maine	8,126	245.0	685	20.8	2,602	76.9	760	25.4	319	10.0	305	9.4
Massachusetts	33,283	230.5	3,017	21.1	9,518	65.5	3,314	24.6	1,246	9.0	1,270	8.9
New Hampshire	6,510	227.2	591	21.0	1,929	65.5	657	26.2	233	8.7	240	8.7
Rhode Island	5,808	234.9	516	21.0	1,730	69.8	573	24.2	239	9.9	218	8.8
Vermont	3,141	215.3	298	20.5	928	61.8	326	25.2	137	9.8	120	8.5
Middle Atlantic	**204,910**	**220.7**	**20,505**	**22.3**	**59,209**	**63.1**	**20,911**	**24.1**	**7,147**	**8.0**	**8,096**	**8.7**
New Jersey	42,363	222.5	4,401	23.3	11,821	61.5	4,201	23.9	1,548	8.5	1,706	8.9
New York	87,670	206.0	8,786	20.8	24,824	57.7	9,223	23.5	3,053	7.5	3,400	8.0
Pennsylvania	74,877	239.6	7,318	23.6	22,564	71.4	7,487	25.0	2,546	8.4	2,990	9.6
South Atlantic	**295,360**	**227.7**	**26,656**	**20.6**	**96,776**	**73.6**	**29,195**	**24.4**	**8,922**	**7.2**	**10,590**	**8.2**
Delaware	4,680	241.4	434	22.3	1,511	76.4	457	26.1	182	9.8	174	9.2
District of Columbia	2,960	258.1	279	24.4	802	69.1	432	41.7	80	7.4	106	8.8
Florida	108,083	211.0	9,678	18.9	34,028	66.2	10,785	20.5	3,775	7.2	4,203	8.3
Georgia	38,001	241.1	3,368	21.3	13,141	81.6	3,690	28.9	965	6.9	1,276	8.2
Maryland	25,907	230.8	2,553	22.8	7,899	69.1	2,697	27.5	789	7.7	909	8.1
North Carolina	44,391	244.8	3,852	21.2	15,340	82.5	4,322	27.7	1,166	7.1	1,494	8.3
South Carolina	23,347	249.0	2,022	21.4	8,105	83.9	2,329	28.9	577	6.7	727	8.0
Virginia	35,759	235.7	3,286	21.7	11,564	74.5	3,539	27.3	1,048	7.6	1,235	8.2
West Virginia	12,232	259.4	1,184	25.3	4,386	91.0	944	22.3	340	7.5	466	10.0
East North Central	**238,617**	**238.7**	**22,484**	**22.7**	**75,482**	**74.4**	**23,329**	**25.8**	**7,811**	**8.3**	**9,376**	**9.5**
Illinois	61,336	235.4	6,164	23.9	18,776	71.1	6,213	26.2	1,904	7.7	2,352	9.2
Indiana	33,283	249.4	3,189	24.0	11,367	83.9	3,045	25.6	969	7.7	1,313	10.0
Michigan	51,367	232.8	4,616	21.1	16,225	72.5	4,733	23.9	1,720	8.3	2,095	9.6
Ohio	64,468	249.1	6,035	23.6	21,162	80.3	6,177	26.3	2,225	9.1	2,447	9.6
Wisconsin	28,163	223.5	2,480	19.9	7,952	62.3	3,161	27.1	993	8.3	1,169	9.3
East South Central	**103,059**	**268.4**	**9,136**	**24.0**	**38,436**	**97.6**	**9,488**	**28.6**	**2,522**	**7.1**	**3,434**	**9.1**
Alabama	26,854	263.8	2,375	23.6	9,636	92.2	2,685	30.1	633	6.7	865	8.6
Kentucky	25,041	275.0	2,247	25.2	9,863	105.2	2,016	25.8	661	7.8	846	9.6
Mississippi	16,658	276.3	1,512	24.9	6,103	99.4	1,696	32.1	358	6.5	500	8.3
Tennessee	34,506	264.0	3,002	23.1	12,834	95.7	3,091	27.6	870	7.3	1,223	9.5

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**102,718**	**226.7**	**9,646**	**21.4**	**32,319**	**70.8**	**10,480**	**24.5**	**3,248**	**7.4**	**4,139**	**9.2**
Iowa	16,560	225.4	1,621	22.1	5,226	70.8	1,857	25.9	553	7.6	696	9.5
Kansas	13,932	225.2	1,335	21.6	4,479	72.3	1,330	22.6	423	7.1	591	9.7
Minnesota	23,293	211.9	2,066	18.8	6,440	58.3	2,579	25.3	747	7.1	1,038	9.5
Missouri	32,437	245.7	2,930	22.5	11,315	84.3	2,842	23.6	977	7.8	1,148	8.9
Nebraska	8,786	218.8	927	23.1	2,643	65.6	941	24.5	260	6.7	360	9.1
North Dakota	3,417	210.8	349	21.3	939	58.6	429	26.4	130	7.9	135	8.4
South Dakota	4,293	220.3	418	21.4	1,277	65.5	502	26.0	158	8.2	171	8.8
West South Central	**152,742**	**234.5**	**14,482**	**22.2**	**49,840**	**75.7**	**13,895**	**24.4**	**3,992**	**6.6**	**5,542**	**8.6**
Arkansas	16,945	255.5	1,541	23.4	6,283	93.2	1,654	27.1	401	6.4	585	8.9
Louisiana	24,527	270.7	2,373	26.3	8,290	89.7	2,269	28.8	572	6.9	836	9.4
Oklahoma	19,897	246.0	1,861	23.1	6,998	85.0	1,736	23.6	545	7.1	748	9.3
Texas	91,373	221.3	8,707	21.0	28,269	68.3	8,236	23.1	2,474	6.6	3,373	8.3
Mountain	**71,255**	**190.0**	**6,781**	**18.1**	**18,648**	**49.5**	**8,106**	**23.7**	**2,394**	**6.7**	**2,985**	**8.0**
Arizona	26,373	190.6	2,548	18.5	7,547	54.1	2,762	21.0	898	6.7	1,065	7.7
Colorado	16,379	190.6	1,608	18.7	4,087	47.8	1,807	24.5	558	7.1	716	8.4
Idaho	6,165	202.3	520	17.2	1,630	53.4	767	27.5	217	7.4	260	8.4
Montana	4,971	211.2	427	18.1	1,443	60.7	612	27.8	176	7.7	199	8.7
New Mexico	8,309	194.8	822	19.2	1,984	46.1	993	25.4	228	5.5	313	7.4
Utah	6,672	161.7	625	15.1	1,304	31.4	938	25.7	245	6.3	338	8.1
Wyoming	2,386	204.6	231	20.1	653	55.6	227	21.8	72	6.5	94	8.3
Pacific	**205,099**	**203.3**	**19,153**	**19.0**	**54,959**	**54.6**	**21,951**	**23.8**	**6,943**	**7.3**	**8,510**	**8.4**
Alaska	2,093	213.0	191	21.0	644	64.8	143	20.6	63	8.1	72	7.4
California	138,443	198.7	13,089	18.8	35,540	51.4	15,028	23.6	4,647	7.1	5,825	8.3
Hawaii	5,973	187.3	636	19.9	1,627	51.2	538	17.1	136	4.3	240	7.5
Nevada	11,288	217.9	1,124	22.0	3,439	65.0	1,084	24.5	408	8.5	373	7.0
Oregon	18,800	219.9	1,653	19.3	5,509	64.2	2,083	26.0	672	8.1	807	9.5
Washington	28,502	214.0	2,460	18.3	8,200	61.5	3,075	25.4	1,017	8.1	1,193	9.0

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**1,448,140**	**129.9**	**135,457**	**12.0**	**447,192**	**41.1**	**144,926**	**10.7**	**45,817**	**3.7**	**55,522**	**4.9**
New England	**74,380**	**127.5**	**6,614**	**11.0**	**21,523**	**38.2**	**7,571**	**10.4**	**2,838**	**4.3**	**2,850**	**4.7**
Connecticut	17,512	120.9	1,507	10.0	4,816	34.6	1,941	10.7	664	4.0	697	4.7
Maine	8,126	138.0	685	11.4	2,602	45.0	760	10.6	319	4.9	305	5.2
Massachusetts	33,283	128.9	3,017	11.3	9,518	38.1	3,314	10.1	1,246	4.2	1,270	4.7
New Hampshire	6,510	127.2	591	11.4	1,929	39.0	657	10.6	233	4.1	240	4.6
Rhode Island	5,808	130.7	516	11.0	1,730	40.3	573	10.3	239	4.6	218	4.8
Vermont	3,141	120.6	298	11.4	928	36.9	326	10.3	137	4.9	120	4.6
Middle Atlantic	**204,910**	**126.0**	**20,505**	**12.2**	**59,209**	**37.3**	**20,911**	**10.5**	**7,147**	**3.9**	**8,096**	**5.0**
New Jersey	42,363	124.9	4,401	12.6	11,821	35.6	4,201	10.4	1,548	4.1	1,706	5.0
New York	87,670	118.3	8,786	11.5	24,824	34.3	9,223	10.3	3,053	3.6	3,400	4.6
Pennsylvania	74,877	137.6	7,318	13.0	22,564	42.6	7,487	10.9	2,546	4.1	2,990	5.4
South Atlantic	**295,360**	**134.2**	**26,656**	**12.0**	**96,776**	**45.0**	**29,195**	**10.8**	**8,922**	**3.6**	**10,590**	**4.8**
Delaware	4,680	139.8	434	13.0	1,511	45.6	457	11.5	182	5.0	174	5.0
District of Columbia	2,960	152.9	279	14.2	802	42.4	432	19.2	80	3.8	106	5.7
Florida	108,083	127.0	9,678	11.2	34,028	41.2	10,785	9.3	3,775	3.7	4,203	4.9
Georgia	38,001	139.8	3,368	12.3	13,141	49.2	3,690	12.5	965	3.4	1,276	4.7
Maryland	25,907	130.9	2,553	12.8	7,899	40.7	2,697	11.9	789	3.6	909	4.6
North Carolina	44,391	142.5	3,852	12.4	15,340	50.0	4,322	12.1	1,166	3.4	1,494	4.8
South Carolina	23,347	147.9	2,022	12.8	8,105	52.3	2,329	12.7	577	3.4	727	4.6
Virginia	35,759	134.1	3,286	12.3	11,564	44.2	3,539	11.6	1,048	3.7	1,235	4.6
West Virginia	12,232	152.6	1,184	14.5	4,386	55.2	944	9.7	340	3.9	466	5.8
East North Central	**238,617**	**136.4**	**22,484**	**12.6**	**75,482**	**44.3**	**23,329**	**11.1**	**7,811**	**4.0**	**9,376**	**5.2**
Illinois	61,336	133.7	6,164	13.1	18,776	42.3	6,213	11.3	1,904	3.8	2,352	5.0
Indiana	33,283	143.7	3,189	13.5	11,367	50.2	3,045	11.0	969	3.8	1,313	5.6
Michigan	51,367	133.5	4,616	11.8	16,225	43.1	4,733	10.3	1,720	4.0	2,095	5.3
Ohio	64,468	143.3	6,035	13.0	21,162	48.2	6,177	11.4	2,225	4.4	2,447	5.4
Wisconsin	28,163	125.2	2,480	10.8	7,952	36.5	3,161	11.4	993	3.8	1,169	5.1
East South Central	**103,059**	**158.5**	**9,136**	**13.9**	**38,436**	**60.1**	**9,488**	**12.4**	**2,522**	**3.5**	**3,434**	**5.2**
Alabama	26,854	156.3	2,375	13.7	9,636	57.0	2,685	13.1	633	3.3	865	5.1
Kentucky	25,041	161.2	2,247	14.2	9,863	64.9	2,016	11.0	661	3.9	846	5.3
Mississippi	16,658	165.9	1,512	15.2	6,103	61.7	1,696	14.2	358	3.1	500	5.0
Tennessee	34,506	155.2	3,002	13.3	12,834	58.5	3,091	12.0	870	3.6	1,223	5.4

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, All Races, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**102,718**	**129.1**	**9,646**	**11.9**	**32,319**	**42.1**	**10,480**	**10.5**	**3,248**	**3.6**	**4,139**	**5.0**
Iowa	16,560	128.6	1,621	12.1	5,226	42.4	1,857	11.4	553	3.6	696	5.3
Kansas	13,932	128.9	1,335	12.3	4,479	42.8	1,330	9.9	423	3.3	591	5.2
Minnesota	23,293	117.1	2,066	10.2	6,440	33.5	2,579	10.6	747	3.4	1,038	5.0
Missouri	32,437	143.4	2,930	12.7	11,315	51.4	2,842	10.2	977	3.9	1,148	4.9
Nebraska	8,786	123.4	927	12.7	2,643	38.8	941	10.4	260	3.1	360	4.7
North Dakota	3,417	117.8	349	11.5	939	34.4	429	11.1	130	3.8	135	4.8
South Dakota	4,293	123.9	418	11.9	1,277	37.7	502	10.9	158	4.0	171	4.8
West South Central	**152,742**	**137.0**	**14,482**	**12.9**	**49,840**	**45.5**	**13,895**	**10.7**	**3,992**	**3.3**	**5,542**	**4.9**
Arkansas	16,945	152.0	1,541	13.8	6,283	57.5	1,654	12.0	401	3.1	585	5.1
Louisiana	24,527	159.7	2,373	15.4	8,290	55.0	2,269	12.6	572	3.4	836	5.4
Oklahoma	19,897	146.0	1,861	13.5	6,998	52.3	1,736	10.4	545	3.6	748	5.4
Texas	91,373	128.2	8,707	12.1	28,269	40.4	8,236	10.2	2,474	3.2	3,373	4.6
Mountain	**71,255**	**108.3**	**6,781**	**10.3**	**18,648**	**28.8**	**8,106**	**10.2**	**2,394**	**3.3**	**2,985**	**4.5**
Arizona	26,373	111.7	2,548	10.7	7,547	32.6	2,762	9.2	898	3.3	1,065	4.4
Colorado	16,379	105.2	1,608	10.3	4,087	26.5	1,807	10.5	558	3.4	716	4.5
Idaho	6,165	113.0	520	9.5	1,630	30.4	767	11.4	217	3.6	260	4.8
Montana	4,971	117.5	427	10.1	1,443	34.6	612	11.7	176	3.6	199	4.6
New Mexico	8,309	112.0	822	11.1	1,984	26.8	993	11.0	228	2.9	313	4.1
Utah	6,672	92.3	625	8.7	1,304	19.1	938	10.7	245	3.0	338	4.6
Wyoming	2,386	116.5	231	11.3	653	32.2	227	9.3	72	3.2	94	4.4
Pacific	**205,099**	**115.2**	**19,153**	**10.7**	**54,959**	**31.5**	**21,951**	**10.3**	**6,943**	**3.5**	**8,510**	**4.7**
Alaska	2,093	119.2	191	10.9	644	37.5	143	8.5	63	3.9	72	3.9
California	138,443	112.5	13,089	10.6	35,540	29.4	15,028	10.2	4,647	3.4	5,825	4.7
Hawaii	5,973	110.8	636	12.2	1,627	30.9	538	7.6	136	2.1	240	4.2
Nevada	11,288	125.8	1,124	12.4	3,439	38.4	1,084	10.8	408	4.2	373	4.2
Oregon	18,800	123.8	1,653	10.7	5,509	37.3	2,083	11.2	672	3.9	807	5.2
Washington	28,502	120.0	2,460	10.3	8,200	35.3	3,075	10.9	1,017	3.9	1,193	4.9

[1] Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**1,344,680**	**155.4**	**133,326**	**14.9**	**345,303**	**40.6**	**205,107**	**24.0**	**19,690**	**2.4**	**73,638**	**8.6**
New England	**73,405**	**159.3**	**7,230**	**14.8**	**19,353**	**43.3**	**10,518**	**23.1**	**696**	**1.6**	**3,907**	**8.6**
Connecticut	17,715	154.7	1,711	14.2	4,464	40.1	2,652	23.7	177	1.7	963	8.6
Maine	7,537	169.5	755	16.3	2,130	48.7	991	22.6	81	1.9	351	8.0
Massachusetts	33,197	159.4	3,301	14.8	8,823	43.8	4,714	22.9	269	1.4	1,801	8.9
New Hampshire	6,221	162.2	593	14.8	1,670	44.7	891	23.1	86	2.3	321	8.4
Rhode Island	5,692	158.6	559	14.6	1,459	42.0	807	22.8	53	1.7	319	9.2
Vermont	3,043	156.7	311	15.4	807	42.5	463	23.5	30	1.6	152	8.0
Middle Atlantic	**207,420**	**157.6**	**21,739**	**15.7**	**49,853**	**38.5**	**32,351**	**25.1**	**2,909**	**2.4**	**11,468**	**8.9**
New Jersey	44,247	163.2	4,728	16.7	10,591	39.7	7,188	27.0	650	2.6	2,403	9.0
New York	90,991	150.5	9,474	15.0	21,845	36.7	14,235	23.9	1,423	2.5	5,106	8.6
Pennsylvania	72,182	164.0	7,537	16.1	17,417	40.4	10,928	25.6	836	2.2	3,959	9.3
South Atlantic	**262,724**	**153.4**	**25,434**	**14.5**	**70,594**	**41.5**	**40,172**	**23.9**	**4,002**	**2.5**	**14,037**	**8.3**
Delaware	4,297	168.4	419	16.0	1,285	50.4	617	24.6	54	2.3	225	8.9
District of Columbia	2,811	162.2	312	17.6	595	34.9	484	28.3	57	3.6	127	7.5
Florida	92,256	145.3	8,970	13.4	25,794	40.6	13,318	22.1	1,390	2.7	4,896	7.8
Georgia	34,159	153.0	3,297	14.7	8,725	39.7	5,493	23.9	628	2.7	1,940	8.7
Maryland	25,453	161.7	2,496	15.6	6,664	42.9	4,110	25.8	346	2.2	1,292	8.2
North Carolina	39,751	157.7	3,713	14.5	10,521	42.0	6,192	24.8	580	2.4	2,083	8.3
South Carolina	19,885	156.7	1,953	15.2	5,145	40.6	3,065	24.4	325	2.7	1,046	8.3
Virginia	33,120	158.0	3,122	14.7	8,728	42.1	5,404	25.6	451	2.2	1,868	8.9
West Virginia	10,992	175.8	1,152	17.9	3,137	50.5	1,489	24.3	171	3.2	560	9.1
East North Central	**225,542**	**164.0**	**22,835**	**15.9**	**58,760**	**43.7**	**34,019**	**25.0**	**3,017**	**2.4**	**12,030**	**8.9**
Illinois	59,863	163.4	6,299	16.5	15,068	42.2	9,144	25.2	926	2.7	3,158	8.7
Indiana	30,675	166.7	2,998	15.7	8,570	47.6	4,480	24.5	445	2.6	1,637	8.9
Michigan	48,372	163.1	4,733	15.4	12,836	44.1	7,214	24.5	554	2.0	2,624	9.0
Ohio	60,455	168.3	6,285	16.8	15,984	45.3	9,397	26.6	801	2.4	3,040	8.6
Wisconsin	26,177	154.5	2,520	14.0	6,302	38.5	3,784	22.6	291	1.9	1,571	9.5
East South Central	**88,125**	**166.8**	**8,769**	**16.2**	**24,785**	**47.3**	**13,062**	**25.0**	**1,515**	**3.1**	**4,572**	**8.7**
Alabama	22,551	159.9	2,176	15.1	5,846	41.7	3,423	24.8	397	3.0	1,315	9.3
Kentucky	22,087	177.6	2,249	17.6	6,897	56.0	2,992	24.2	331	2.9	1,051	8.5
Mississippi	13,587	162.0	1,448	16.9	3,578	43.0	2,127	25.8	312	4.0	640	7.6
Tennessee	29,900	167.1	2,896	15.9	8,464	47.5	4,520	25.4	475	2.8	1,566	8.8

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**94,982**	**154.9**	**9,876**	**15.1**	**23,958**	**40.6**	**14,149**	**23.4**	**1,162**	**2.1**	**5,150**	**8.5**
Iowa	15,437	153.3	1,739	15.8	3,763	39.1	2,174	22.0	195	2.3	895	9.1
Kansas	12,889	154.1	1,331	15.0	3,316	41.2	1,976	24.0	165	2.2	750	9.1
Minnesota	22,061	149.1	2,161	13.7	5,251	37.0	3,205	21.8	221	1.6	1,232	8.4
Missouri	29,681	164.9	2,958	15.6	8,188	46.6	4,583	25.8	434	2.7	1,446	8.1
Nebraska	8,087	148.0	928	15.7	1,858	35.6	1,197	22.4	83	1.7	444	8.4
North Dakota	3,135	147.9	346	14.8	700	35.1	460	22.4	31	1.7	168	8.4
South Dakota	3,692	145.7	413	15.1	882	36.5	554	22.3	33	1.5	215	8.8
West South Central	**133,789**	**154.3**	**12,922**	**14.6**	**34,881**	**40.8**	**20,877**	**24.0**	**2,606**	**3.1**	**6,951**	**8.1**
Arkansas	14,404	164.9	1,426	15.7	4,110	47.5	2,082	24.4	258	3.3	720	8.3
Louisiana	21,277	171.5	2,139	16.9	5,610	45.6	3,416	27.7	369	3.2	1,042	8.5
Oklahoma	17,374	162.6	1,662	15.0	4,977	47.1	2,605	24.7	260	2.7	908	8.4
Texas	80,734	147.3	7,695	13.9	20,184	37.5	12,774	23.0	1,719	3.1	4,281	7.8
Mountain	**64,024**	**137.2**	**6,193**	**13.0**	**15,020**	**32.6**	**10,095**	**21.6**	**888**	**2.0**	**4,021**	**8.6**
Arizona	22,741	135.4	2,148	12.5	5,864	34.9	3,516	21.3	316	2.1	1,433	8.6
Colorado	15,796	139.4	1,589	13.9	3,631	32.9	2,483	21.3	215	1.8	1,021	9.0
Idaho	5,462	146.6	522	13.7	1,296	35.4	805	21.6	67	1.9	315	8.5
Montana	4,563	156.5	432	14.3	1,233	43.3	620	21.4	53	1.9	267	9.1
New Mexico	7,353	138.0	714	13.3	1,588	29.9	1,175	22.1	134	2.6	430	8.1
Utah	5,924	116.3	558	10.9	877	17.6	1,168	22.8	78	1.5	422	8.3
Wyoming	2,185	155.2	230	16.0	531	38.4	328	23.4	25	1.9	133	9.4
Pacific	**194,669**	**148.6**	**18,328**	**13.6**	**48,099**	**37.3**	**29,864**	**22.8**	**2,895**	**2.3**	**11,502**	**8.8**
Alaska	1,731	156.0	143	13.8	474	44.4	289	22.7	28	2.1	76	6.2
California	133,456	145.2	12,705	13.5	31,208	34.5	20,954	22.8	2,122	2.4	7,880	8.6
Hawaii	4,802	122.6	459	11.4	1,086	27.7	671	17.9	73	2.1	262	6.9
Nevada	9,762	165.2	961	16.5	3,013	50.9	1,434	23.9	160	2.6	493	8.2
Oregon	17,696	161.7	1,674	14.8	4,875	45.5	2,543	23.2	180	1.8	1,069	9.8
Washington	27,222	158.5	2,386	13.4	7,443	44.3	3,973	23.0	332	2.0	1,722	10.1

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**1,344,680**	**94.7**	**133,326**	**8.2**	**345,303**	**25.2**	**205,107**	**15.7**	**19,690**	**1.8**	**73,638**	**5.5**
New England	**73,405**	**95.3**	**7,230**	**7.9**	**19,353**	**26.6**	**10,518**	**14.9**	**696**	**1.2**	**3,907**	**5.5**
Connecticut	17,715	91.7	1,711	7.6	4,464	24.2	2,652	15.1	177	1.2	963	5.5
Maine	7,537	101.8	755	8.8	2,130	30.1	991	14.8	81	1.4	351	5.0
Massachusetts	33,197	95.3	3,301	7.8	8,823	26.9	4,714	14.7	269	1.0	1,801	5.6
New Hampshire	6,221	97.2	593	7.7	1,670	27.8	891	15.0	86	1.6	321	5.2
Rhode Island	5,692	96.3	559	8.0	1,459	26.4	807	14.5	53	1.3	319	6.1
Vermont	3,043	95.0	311	8.1	807	26.9	463	15.5	30	1.2	152	5.0
Middle Atlantic	**207,420**	**95.3**	**21,739**	**8.5**	**49,853**	**23.8**	**32,351**	**16.2**	**2,909**	**1.8**	**11,468**	**5.7**
New Jersey	44,247	97.3	4,728	8.9	10,591	24.1	7,188	17.3	650	1.9	2,403	5.8
New York	90,991	91.4	9,474	8.2	21,845	22.6	14,235	15.5	1,423	1.8	5,106	5.6
Pennsylvania	72,182	99.7	7,537	8.8	17,417	25.2	10,928	16.5	836	1.7	3,959	6.0
South Atlantic	**262,724**	**94.6**	**25,434**	**8.2**	**70,594**	**25.9**	**40,172**	**15.9**	**4,002**	**1.9**	**14,037**	**5.3**
Delaware	4,297	102.7	419	8.7	1,285	31.5	617	15.9	54	1.7	225	5.8
District of Columbia	2,811	101.0	312	9.9	595	21.6	484	18.9	57	2.8	127	4.7
Florida	92,256	90.4	8,970	7.5	25,794	25.4	13,318	14.8	1,390	2.0	4,896	5.0
Georgia	34,159	94.3	3,297	8.5	8,725	24.9	5,493	15.9	628	2.0	1,940	5.5
Maryland	25,453	97.2	2,496	8.5	6,664	25.9	4,110	16.8	346	1.6	1,292	5.3
North Carolina	39,751	96.9	3,713	8.2	10,521	26.7	6,192	16.4	580	1.8	2,083	5.2
South Carolina	19,885	97.6	1,953	8.8	5,145	26.0	3,065	16.4	325	2.0	1,046	5.2
Virginia	33,120	95.9	3,122	8.2	8,728	25.7	5,404	16.9	451	1.5	1,868	5.6
West Virginia	10,992	108.9	1,152	10.2	3,137	32.2	1,489	16.0	171	2.4	560	6.0
East North Central	**225,542**	**100.0**	**22,835**	**8.7**	**58,760**	**27.5**	**34,019**	**16.2**	**3,017**	**1.7**	**12,030**	**5.6**
Illinois	59,863	99.3	6,299	9.0	15,068	26.4	9,144	16.5	926	2.0	3,158	5.5
Indiana	30,675	102.5	2,998	8.7	8,570	30.2	4,480	15.9	445	1.9	1,637	5.5
Michigan	48,372	99.6	4,733	8.4	12,836	27.7	7,214	15.9	554	1.5	2,624	5.7
Ohio	60,455	102.9	6,285	9.2	15,984	28.5	9,397	17.3	801	1.8	3,040	5.5
Wisconsin	26,177	93.1	2,520	7.4	6,302	24.1	3,784	14.6	291	1.4	1,571	6.0
East South Central	**88,125**	**104.1**	**8,769**	**9.3**	**24,785**	**30.7**	**13,062**	**16.6**	**1,515**	**2.2**	**4,572**	**5.5**
Alabama	22,551	99.5	2,176	8.8	5,846	26.8	3,423	16.5	397	2.1	1,315	5.9
Kentucky	22,087	110.6	2,249	10.0	6,897	36.6	2,992	15.8	331	2.1	1,051	5.5
Mississippi	13,587	102.6	1,448	9.9	3,578	27.9	2,127	17.5	312	2.9	640	4.9
Tennessee	29,900	104.0	2,896	8.9	8,464	30.8	4,520	16.8	475	2.1	1,566	5.5

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, All Races, Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**94,982**	**94.4**	**9,876**	**8.2**	**23,958**	**25.7**	**14,149**	**15.2**	**1,162**	**1.6**	**5,150**	**5.4**
Iowa	15,437	93.8	1,739	8.7	3,763	25.0	2,174	14.2	195	1.7	895	5.7
Kansas	12,889	93.9	1,331	8.3	3,316	26.1	1,976	15.5	165	1.6	750	5.6
Minnesota	22,061	89.6	2,161	7.4	5,251	23.0	3,205	14.0	221	1.2	1,232	5.3
Missouri	29,681	101.5	2,958	8.5	8,188	29.7	4,583	16.8	434	2.0	1,446	5.1
Nebraska	8,087	89.3	928	8.3	1,858	22.5	1,197	14.4	83	1.2	444	5.4
North Dakota	3,135	91.4	346	7.9	700	23.3	460	14.9	31	1.3	168	5.6
South Dakota	3,692	89.4	413	8.1	882	23.6	554	14.4	33	1.2	215	5.5
West South Central	**133,789**	**95.1**	**12,922**	**8.3**	**34,881**	**25.4**	**20,877**	**15.9**	**2,606**	**2.3**	**6,951**	**5.1**
Arkansas	14,404	103.3	1,426	9.1	4,110	30.8	2,082	16.3	258	2.4	720	5.4
Louisiana	21,277	106.5	2,139	9.8	5,610	28.7	3,416	18.3	369	2.4	1,042	5.3
Oklahoma	17,374	101.5	1,662	8.7	4,977	30.2	2,605	16.2	260	2.1	908	5.3
Texas	80,734	90.1	7,695	7.8	20,184	23.0	12,774	15.2	1,719	2.3	4,281	4.9
Mountain	**64,024**	**82.4**	**6,193**	**7.1**	**15,020**	**19.6**	**10,095**	**14.0**	**888**	**1.4**	**4,021**	**5.4**
Arizona	22,741	82.8	2,148	7.0	5,864	21.3	3,516	14.0	316	1.6	1,433	5.4
Colorado	15,796	82.2	1,589	7.3	3,631	19.5	2,483	13.8	215	1.3	1,021	5.6
Idaho	5,462	87.0	522	7.5	1,296	21.6	805	13.6	67	1.4	315	5.1
Montana	4,563	92.7	432	7.8	1,233	25.8	620	13.9	53	1.3	267	5.4
New Mexico	7,353	83.4	714	7.4	1,588	17.9	1,175	14.3	134	1.8	430	5.0
Utah	5,924	69.6	558	5.8	877	10.7	1,168	14.6	78	1.1	422	5.2
Wyoming	2,185	93.1	230	8.6	531	23.5	328	14.9	25	1.4	133	5.9
Pacific	**194,669**	**89.5**	**18,328**	**7.5**	**48,099**	**22.2**	**29,864**	**14.9**	**2,895**	**1.7**	**11,502**	**5.6**
Alaska	1,731	91.3	143	7.1	474	26.4	289	15.2	28	1.5	76	4.0
California	133,456	87.7	12,705	7.4	31,208	20.4	20,954	15.0	2,122	1.7	7,880	5.5
Hawaii	4,802	76.2	459	6.7	1,086	17.1	671	12.4	73	1.5	262	4.5
Nevada	9,762	98.8	961	9.1	3,013	30.3	1,434	15.0	160	1.9	493	5.3
Oregon	17,696	97.0	1,674	8.1	4,875	27.6	2,543	14.8	180	1.3	1,069	6.0
Washington	27,222	94.5	2,386	7.2	7,443	26.6	3,973	14.7	332	1.4	1,722	6.3

[1] Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2003-2007, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,249,331	222.5	0.20	127.5	0.12	1,158,973	155.0	0.15	94.1	0.10
Oral Cavity & Pharynx	21,674	3.7	0.03	2.4	0.02	10,725	1.4	0.01	0.8	0.01
Digestive System	309,389	54.4	0.10	32.1	0.06	253,018	32.8	0.07	18.4	0.04
Esophagus	45,780	7.9	0.04	5.0	0.02	12,148	1.6	0.01	0.9	0.01
Stomach	26,068	4.6	0.03	2.7	0.02	18,125	2.4	0.02	1.4	0.01
Colon & Rectum	115,232	20.6	0.06	11.6	0.04	112,571	14.4	0.04	7.9	0.03
Liver	33,085	5.6	0.03	3.6	0.02	14,736	1.9	0.02	1.1	0.01
Pancreas	69,749	12.2	0.05	7.3	0.03	69,761	9.1	0.04	5.2	0.02
Respiratory System	402,537	70.8	0.11	42.2	0.07	310,457	42.2	0.08	26.2	0.05
Larynx	11,870	2.0	0.02	1.3	0.01	3,253	0.4	0.01	0.3	0.01
Lung & bronchus	388,094	68.3	0.11	40.6	0.07	305,712	41.6	0.08	25.8	0.05
Skin	34,250	6.0	0.03	3.6	0.02	17,769	2.4	0.02	1.5	0.01
Melanomas of the skin	25,913	4.5	0.03	2.8	0.02	14,190	2.0	0.02	1.3	0.01
Breast	1,579	0.3	0.01	0.2	0.00	171,824	23.4	0.06	15.1	0.04
Female Genital System	-	-	-	-	-	116,614	15.9	0.05	10.2	0.03
Cervix uteri	-	-	-	-	-	14,885	2.2	0.02	1.6	0.01
Corpus & uterus, NOS	-	-	-	-	-	29,012	3.9	0.02	2.4	0.02
Ovary	-	-	-	-	-	65,831	8.9	0.04	5.7	0.02
Male Genital System	121,174	23.3	0.07	10.1	0.03	-	-	-	-	-
Prostate	118,423	22.8	0.07	9.7	0.03	-	-	-	-	-
Testis	1,567	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	78,699	14.2	0.05	7.7	0.03	39,862	5.1	0.03	2.8	0.02
Bladder	42,580	7.9	0.04	3.8	0.02	17,792	2.2	0.02	1.1	0.01
Kidney & renal pelvis	34,374	6.0	0.03	3.7	0.02	20,738	2.7	0.02	1.6	0.01
Brain & Other Nervous System	33,175	5.6	0.03	4.0	0.02	26,573	3.8	0.02	2.7	0.02
Endocrine System	4,588	0.8	0.01	0.6	0.01	5,359	0.7	0.01	0.5	0.01
Thyroid gland	2,742	0.5	0.01	0.3	0.01	3,548	0.5	0.01	0.3	0.01
Lymphomas	53,575	9.6	0.04	5.4	0.03	46,931	6.1	0.03	3.4	0.02
Hodgkin Lymphoma	3,154	0.5	0.01	0.4	0.01	2,532	0.4	0.01	0.2	0.01
Non-Hodgkin Lymphoma	50,421	9.1	0.04	5.0	0.02	44,399	5.7	0.03	3.1	0.02
Multiple Myeloma	23,306	4.2	0.03	2.3	0.02	20,256	2.7	0.02	1.5	0.01
Leukemias	55,141	10.0	0.04	5.7	0.03	42,176	5.6	0.03	3.3	0.02
Other, Ill-defined & Unknown	110,244	19.6	0.06	11.4	0.04	97,409	12.8	0.04	7.5	0.03

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**1,249,331**	**222.5**	**115,232**	**20.6**	**388,094**	**68.3**	**118,423**	**22.8**	**42,580**	**7.9**	**50,421**	**9.1**
New England	**70,694**	**229.4**	**6,303**	**20.6**	**20,516**	**65.9**	**7,127**	**24.6**	**2,778**	**9.3**	**2,733**	**9.0**
Connecticut	16,162	217.8	1,388	18.7	4,463	59.9	1,760	24.6	645	8.9	656	8.9
Maine	8,053	245.4	679	20.8	2,580	77.1	752	25.4	318	10.0	302	9.4
Massachusetts	31,349	232.2	2,855	21.3	8,975	66.0	3,096	24.3	1,213	9.3	1,206	9.1
New Hampshire	6,463	229.1	591	21.3	1,917	66.1	656	26.5	233	8.8	238	8.7
Rhode Island	5,546	235.6	495	21.2	1,654	70.1	543	23.8	234	10.1	212	9.0
Vermont	3,121	216.3	295	20.5	927	62.5	320	25.0	135	9.8	119	8.5
Middle Atlantic	**177,731**	**221.1**	**17,681**	**22.1**	**51,765**	**63.8**	**17,048**	**22.2**	**6,673**	**8.5**	**7,378**	**9.2**
New Jersey	36,475	223.1	3,796	23.4	10,246	62.1	3,388	21.9	1,448	9.1	1,535	9.4
New York	73,397	208.2	7,248	20.7	21,077	59.2	7,203	21.6	2,802	8.2	2,996	8.5
Pennsylvania	67,859	235.7	6,637	23.2	20,442	70.2	6,457	23.2	2,423	8.6	2,847	9.9
South Atlantic	**240,507**	**219.7**	**21,154**	**19.4**	**80,476**	**72.5**	**21,026**	**20.3**	**8,037**	**7.5**	**9,273**	**8.6**
Delaware	3,932	237.4	362	21.8	1,282	75.7	354	23.3	161	10.0	155	9.5
District of Columbia	715	176.1	51	12.6	181	45.1	93	25.8	26	7.0	37	9.0
Florida	97,259	208.9	8,552	18.3	30,974	66.4	9,091	18.6	3,594	7.5	3,907	8.4
Georgia	28,091	230.4	2,383	19.5	10,234	81.9	2,192	21.9	797	7.2	1,032	8.8
Maryland	18,906	222.9	1,803	21.3	5,809	67.5	1,765	22.9	685	8.5	743	8.8
North Carolina	34,916	233.6	2,969	19.9	12,375	80.6	2,862	22.1	1,019	7.4	1,288	8.7
South Carolina	16,957	231.7	1,388	18.9	6,176	81.7	1,354	21.5	510	7.4	598	8.5
Virginia	27,839	225.1	2,502	20.3	9,155	72.3	2,428	22.7	908	7.9	1,053	8.6
West Virginia	11,892	260.2	1,144	25.2	4,290	91.8	887	21.6	337	7.7	460	10.2
East North Central	**209,862**	**233.7**	**19,515**	**21.9**	**66,429**	**72.9**	**19,503**	**23.7**	**7,354**	**8.6**	**8,746**	**9.9**
Illinois	51,172	228.5	5,053	22.8	15,653	69.1	4,788	23.1	1,765	8.2	2,143	9.7
Indiana	30,647	246.7	2,926	23.7	10,527	83.4	2,681	24.1	930	7.9	1,253	10.3
Michigan	44,197	227.1	3,880	20.1	13,970	70.7	3,839	21.8	1,605	8.7	1,923	10.0
Ohio	57,193	244.1	5,304	22.9	18,833	79.0	5,173	24.2	2,079	9.3	2,284	9.9
Wisconsin	26,653	220.4	2,352	19.6	7,446	60.9	3,022	26.7	975	8.4	1,143	9.5
East South Central	**84,995**	**258.9**	**7,309**	**22.5**	**32,615**	**96.7**	**6,638**	**23.3**	**2,253**	**7.4**	**3,060**	**9.5**
Alabama	20,638	250.7	1,747	21.6	7,744	91.5	1,620	22.4	542	7.0	743	9.2
Kentucky	23,434	273.3	2,103	25.1	9,299	105.3	1,789	24.3	632	7.9	814	9.8
Mississippi	11,305	254.1	975	21.9	4,333	95.2	840	21.4	290	7.0	401	9.1
Tennessee	29,618	256.1	2,484	21.7	11,239	94.6	2,389	23.9	789	7.4	1,102	9.8

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**96,433**	**223.8**	**9,055**	**21.1**	**30,361**	**69.9**	**9,761**	**23.8**	**3,154**	**7.5**	**3,989**	**9.3**
Iowa	16,217	224.9	1,587	22.0	5,112	70.6	1,816	25.7	550	7.7	690	9.6
Kansas	13,045	222.9	1,236	21.1	4,213	71.9	1,203	21.4	411	7.3	568	9.8
Minnesota	22,331	210.7	1,987	18.8	6,182	57.9	2,496	25.1	739	7.2	1,009	9.6
Missouri	29,007	240.0	2,619	21.9	10,220	83.2	2,425	21.8	911	7.9	1,076	9.1
Nebraska	8,436	217.4	891	23.0	2,516	64.7	910	24.3	256	6.8	352	9.1
North Dakota	3,310	209.1	340	21.2	904	57.7	424	26.5	129	8.0	129	8.2
South Dakota	4,087	218.1	395	21.0	1,214	64.7	487	26.0	158	8.5	165	8.8
West South Central	**128,108**	**227.0**	**11,910**	**21.1**	**41,916**	**73.5**	**10,875**	**21.8**	**3,636**	**6.9**	**4,949**	**8.9**
Arkansas	14,647	247.5	1,311	22.3	5,516	91.7	1,293	23.5	376	6.6	546	9.3
Louisiana	17,038	249.6	1,642	24.2	5,850	83.9	1,311	21.8	475	7.4	685	10.2
Oklahoma	17,561	245.4	1,613	22.7	6,261	85.8	1,480	22.4	496	7.2	676	9.6
Texas	78,862	216.2	7,344	20.1	24,289	66.4	6,791	21.3	2,289	6.8	3,042	8.5
Mountain	**67,968**	**191.4**	**6,458**	**18.2**	**17,907**	**50.1**	**7,729**	**23.7**	**2,357**	**7.0**	**2,870**	**8.1**
Arizona	25,085	193.2	2,421	18.7	7,279	55.6	2,618	20.9	881	6.9	1,018	7.9
Colorado	15,477	190.6	1,523	18.7	3,859	47.7	1,697	24.1	548	7.3	683	8.4
Idaho	6,071	203.2	513	17.3	1,604	53.6	757	27.6	217	7.5	257	8.5
Montana	4,747	209.1	404	17.8	1,382	60.2	590	27.6	172	7.8	190	8.6
New Mexico	7,790	199.3	765	19.6	1,890	47.8	930	25.7	225	5.9	298	7.7
Utah	6,458	162.1	606	15.1	1,252	31.2	915	25.8	242	6.5	330	8.2
Wyoming	2,340	205.4	226	20.1	641	55.8	222	21.8	72	6.6	94	8.5
Pacific	**173,033**	**207.9**	**15,847**	**19.0**	**46,109**	**55.6**	**18,716**	**24.4**	**6,338**	**8.0**	**7,423**	**8.9**
Alaska	1,579	205.4	134	19.5	489	62.7	116	21.4	53	8.7	67	8.8
California	114,865	202.6	10,701	18.9	29,035	51.7	12,530	23.8	4,215	7.8	5,034	8.9
Hawaii	1,814	221.8	155	18.7	485	58.7	183	24.7	47	6.3	74	9.2
Nevada	10,193	223.5	1,005	22.4	3,123	67.0	970	24.7	384	9.0	344	7.4
Oregon	18,137	221.4	1,598	19.4	5,329	64.8	2,027	26.2	664	8.3	775	9.6
Washington	26,445	216.1	2,254	18.4	7,648	62.4	2,890	25.7	975	8.3	1,129	9.3

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**1,249,331**	**127.5**	**115,232**	**11.6**	**388,094**	**40.6**	**118,423**	**9.7**	**42,580**	**3.8**	**50,421**	**5.0**
New England	**70,694**	**127.9**	**6,303**	**11.1**	**20,516**	**38.5**	**7,127**	**10.2**	**2,778**	**4.4**	**2,733**	**4.8**
Connecticut	16,162	120.0	1,388	9.9	4,463	34.6	1,760	10.2	645	4.2	656	4.7
Maine	8,053	138.2	679	11.5	2,580	45.1	752	10.6	318	5.0	302	5.2
Massachusetts	31,349	129.8	2,855	11.4	8,975	38.5	3,096	9.9	1,213	4.4	1,206	4.8
New Hampshire	6,463	128.4	591	11.6	1,917	39.4	656	10.7	233	4.2	238	4.7
Rhode Island	5,546	131.3	495	11.1	1,654	40.6	543	10.1	234	4.7	212	4.9
Vermont	3,121	121.4	295	11.4	927	37.3	320	10.2	135	4.9	119	4.6
Middle Atlantic	**177,731**	**125.8**	**17,681**	**12.1**	**51,765**	**37.6**	**17,048**	**9.5**	**6,673**	**4.1**	**7,378**	**5.2**
New Jersey	36,475	124.9	3,796	12.6	10,246	35.9	3,388	9.3	1,448	4.4	1,535	5.2
New York	73,397	119.1	7,248	11.3	21,077	35.2	7,203	9.2	2,802	3.9	2,996	4.9
Pennsylvania	67,859	134.7	6,637	12.7	20,442	41.7	6,457	9.9	2,423	4.2	2,847	5.6
South Atlantic	**240,507**	**128.8**	**21,154**	**11.2**	**80,476**	**44.1**	**21,026**	**8.8**	**8,037**	**3.8**	**9,273**	**4.9**
Delaware	3,932	136.0	362	12.6	1,282	44.9	354	10.0	161	5.1	155	5.1
District of Columbia	715	92.7	51	6.7	181	23.6	93	10.6	26	3.0	37	4.9
Florida	97,259	125.7	8,552	10.8	30,974	41.2	9,091	8.3	3,594	3.9	3,907	4.9
Georgia	28,091	132.2	2,383	11.2	10,234	48.7	2,192	9.2	797	3.5	1,032	4.8
Maryland	18,906	125.0	1,803	11.8	5,809	39.2	1,765	9.6	685	4.0	743	4.9
North Carolina	34,916	134.7	2,969	11.4	12,375	48.4	2,862	9.4	1,019	3.6	1,288	5.0
South Carolina	16,957	135.9	1,388	11.1	6,176	50.2	1,354	9.0	510	3.8	598	4.7
Virginia	27,839	127.2	2,502	11.3	9,155	42.7	2,428	9.4	908	3.9	1,053	4.7
West Virginia	11,892	152.9	1,144	14.4	4,290	55.7	887	9.4	337	3.9	460	5.9
East North Central	**209,862**	**132.7**	**19,515**	**12.0**	**66,429**	**43.2**	**19,503**	**10.0**	**7,354**	**4.1**	**8,746**	**5.4**
Illinois	51,172	128.4	5,053	12.3	15,653	40.7	4,788	9.7	1,765	4.0	2,143	5.2
Indiana	30,647	141.9	2,926	13.3	10,527	49.8	2,681	10.2	930	3.9	1,253	5.7
Michigan	44,197	129.2	3,880	11.1	13,970	41.6	3,839	9.2	1,605	4.2	1,923	5.4
Ohio	57,193	139.8	5,304	12.6	18,833	47.2	5,173	10.3	2,079	4.5	2,284	5.5
Wisconsin	26,653	122.9	2,352	10.6	7,446	35.4	3,022	11.2	975	3.9	1,143	5.2
East South Central	**84,995**	**152.2**	**7,309**	**12.9**	**32,615**	**59.1**	**6,638**	**10.0**	**2,253**	**3.7**	**3,060**	**5.4**
Alabama	20,638	147.5	1,747	12.4	7,744	55.9	1,620	9.6	542	3.5	743	5.3
Kentucky	23,434	160.3	2,103	14.1	9,299	64.9	1,789	10.3	632	4.0	814	5.4
Mississippi	11,305	151.1	975	13.2	4,333	58.0	840	9.3	290	3.4	401	5.4
Tennessee	29,618	149.9	2,484	12.4	11,239	57.6	2,389	10.3	789	3.7	1,102	5.5

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, White, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**96,433**	**127.0**	**9,055**	**11.7**	**30,361**	**41.5**	**9,761**	**10.1**	**3,154**	**3.6**	**3,989**	**5.0**
Iowa	16,217	128.3	1,587	12.1	5,112	42.2	1,816	11.2	550	3.6	690	5.4
Kansas	13,045	127.5	1,236	12.1	4,213	42.6	1,203	9.3	411	3.4	568	5.3
Minnesota	22,331	116.0	1,987	10.2	6,182	33.2	2,496	10.5	739	3.5	1,009	5.0
Missouri	29,007	139.5	2,619	12.3	10,220	50.5	2,425	9.3	911	3.9	1,076	5.0
Nebraska	8,436	122.1	891	12.6	2,516	38.1	910	10.2	256	3.2	352	4.8
North Dakota	3,310	116.3	340	11.4	904	33.9	424	11.1	129	3.9	129	4.6
South Dakota	4,087	122.2	395	11.6	1,214	37.1	487	10.9	158	4.1	165	4.8
West South Central	**128,108**	**131.9**	**11,910**	**12.2**	**41,916**	**43.8**	**10,875**	**9.4**	**3,636**	**3.4**	**4,949**	**5.0**
Arkansas	14,647	146.6	1,311	13.1	5,516	56.0	1,293	10.4	376	3.2	546	5.3
Louisiana	17,038	145.0	1,642	14.0	5,850	50.5	1,311	9.2	475	3.7	685	5.7
Oklahoma	17,561	145.5	1,613	13.1	6,261	52.8	1,480	9.8	496	3.6	676	5.5
Texas	78,862	124.8	7,344	11.5	24,289	39.1	6,791	9.3	2,289	3.3	3,042	4.7
Mountain	**67,968**	**109.2**	**6,458**	**10.3**	**17,907**	**29.3**	**7,729**	**10.2**	**2,357**	**3.4**	**2,870**	**4.5**
Arizona	25,085	113.5	2,421	10.8	7,279	33.7	2,618	9.1	881	3.4	1,018	4.5
Colorado	15,477	105.1	1,523	10.3	3,859	26.4	1,697	10.3	548	3.5	683	4.6
Idaho	6,071	113.6	513	9.6	1,604	30.5	757	11.4	217	3.7	257	4.8
Montana	4,747	116.0	404	9.9	1,382	34.3	590	11.6	172	3.7	190	4.6
New Mexico	7,790	114.6	765	11.2	1,890	27.8	930	11.2	225	3.1	298	4.3
Utah	6,458	92.5	606	8.8	1,252	19.0	915	10.7	242	3.1	330	4.7
Wyoming	2,340	117.0	226	11.4	641	32.3	222	9.3	72	3.3	94	4.5
Pacific	**173,033**	**117.3**	**15,847**	**10.7**	**46,109**	**31.9**	**18,716**	**10.4**	**6,338**	**3.8**	**7,423**	**5.0**
Alaska	1,579	114.6	134	9.8	489	36.3	116	9.1	53	4.2	67	4.7
California	114,865	114.3	10,701	10.6	29,035	29.4	12,530	10.2	4,215	3.7	5,034	4.9
Hawaii	1,814	127.1	155	11.0	485	34.3	183	11.0	47	2.9	74	5.4
Nevada	10,193	128.7	1,005	12.5	3,123	39.3	970	10.8	384	4.5	344	4.4
Oregon	18,137	124.8	1,598	10.9	5,329	37.7	2,027	11.3	664	4.0	775	5.2
Washington	26,445	120.9	2,254	10.3	7,648	35.8	2,890	10.9	975	4.0	1,129	5.1

[1] Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**1,158,973**	**155.0**	**112,571**	**14.4**	**305,712**	**41.6**	**171,824**	**23.4**	**14,885**	**2.2**	**65,831**	**8.9**
New England	**69,990**	**160.7**	**6,879**	**14.8**	**18,659**	**44.2**	**9,951**	**23.3**	**637**	**1.6**	**3,776**	**8.9**
Connecticut	16,407	155.5	1,567	13.9	4,222	41.2	2,414	23.6	155	1.7	915	8.9
Maine	7,471	169.7	748	16.2	2,115	48.8	979	22.6	78	1.9	349	8.0
Massachusetts	31,444	161.4	3,127	14.9	8,456	44.9	4,427	23.2	243	1.4	1,737	9.2
New Hampshire	6,168	163.2	590	15.0	1,658	45.0	884	23.3	84	2.3	315	8.3
Rhode Island	5,472	160.0	538	14.6	1,404	42.6	785	23.4	47	1.6	309	9.4
Vermont	3,028	157.6	309	15.4	804	42.7	462	23.7	30	1.7	151	8.0
Middle Atlantic	**179,237**	**159.0**	**18,646**	**15.5**	**43,834**	**39.7**	**27,306**	**24.9**	**2,130**	**2.2**	**10,259**	**9.4**
New Jersey	38,094	164.6	4,044	16.5	9,311	41.0	6,044	26.8	470	2.3	2,134	9.5
New York	76,023	154.4	7,765	14.8	18,940	39.3	11,458	23.8	972	2.2	4,424	9.3
Pennsylvania	65,120	161.6	6,837	15.9	15,583	39.6	9,804	25.1	688	2.1	3,701	9.5
South Atlantic	**212,483**	**150.7**	**19,691**	**13.4**	**60,693**	**43.3**	**30,631**	**22.3**	**2,700**	**2.2**	**11,957**	**8.6**
Delaware	3,586	166.9	349	15.7	1,085	50.4	510	24.5	40	2.2	186	8.8
District of Columbia	661	122.5	57	10.5	127	24.4	125	22.9	8	1.4	48	9.6
Florida	82,580	144.9	7,865	12.9	24,058	42.2	11,461	21.3	1,088	2.5	4,497	8.1
Georgia	24,890	149.5	2,182	13.0	7,003	42.5	3,677	21.9	357	2.2	1,543	9.3
Maryland	18,458	159.2	1,710	14.2	5,120	44.9	2,784	24.2	187	1.7	1,015	8.9
North Carolina	31,222	153.8	2,776	13.3	8,869	44.0	4,537	22.7	380	2.0	1,742	8.6
South Carolina	14,501	151.4	1,330	13.6	4,187	43.8	2,082	22.1	168	2.0	818	8.6
Virginia	25,923	154.4	2,320	13.5	7,174	43.2	4,025	24.0	305	1.9	1,559	9.3
West Virginia	10,662	176.4	1,102	17.7	3,070	51.1	1,430	24.1	167	3.2	549	9.2
East North Central	**197,932**	**161.2**	**19,834**	**15.3**	**51,959**	**43.4**	**29,143**	**24.1**	**2,366**	**2.1**	**10,983**	**9.1**
Illinois	49,880	159.7	5,135	15.5	12,713	42.0	7,300	23.7	648	2.3	2,761	9.0
Indiana	28,216	165.3	2,734	15.4	7,933	47.6	4,043	23.9	393	2.5	1,546	9.0
Michigan	41,410	159.3	4,012	14.8	11,128	43.7	6,002	23.4	400	1.7	2,358	9.2
Ohio	53,600	165.9	5,558	16.4	14,231	45.0	8,201	25.8	680	2.4	2,795	8.8
Wisconsin	24,826	152.9	2,395	13.7	5,954	38.1	3,597	22.6	245	1.6	1,523	9.7
East South Central	**72,292**	**163.3**	**6,818**	**15.0**	**21,476**	**48.8**	**10,081**	**23.1**	**992**	**2.5**	**3,910**	**8.9**
Alabama	17,306	156.7	1,546	13.7	4,886	44.5	2,429	22.6	230	2.4	1,083	9.8
Kentucky	20,540	176.4	2,052	17.2	6,468	56.1	2,746	23.8	291	2.7	1,007	8.7
Mississippi	9,156	152.3	876	14.0	2,715	45.5	1,281	21.9	127	2.4	459	7.7
Tennessee	25,290	162.6	2,344	14.7	7,407	47.8	3,625	23.6	344	2.4	1,361	8.8

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, White, Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**89,208**	**153.4**	**9,274**	**14.8**	**22,509**	**40.3**	**13,194**	**23.1**	**996**	**2.0**	**4,950**	**8.7**
Iowa	15,164	153.4	1,714	15.8	3,695	39.2	2,133	22.0	188	2.2	888	9.2
Kansas	12,079	152.9	1,241	14.7	3,114	41.1	1,838	23.7	147	2.2	721	9.3
Minnesota	21,249	148.7	2,089	13.7	5,053	36.8	3,095	21.9	195	1.5	1,203	8.6
Missouri	26,468	162.4	2,608	15.0	7,400	46.6	4,009	25.0	340	2.4	1,339	8.3
Nebraska	7,746	147.0	887	15.5	1,776	35.4	1,146	22.2	77	1.7	427	8.4
North Dakota	3,000	144.9	335	14.6	647	33.2	440	22.0	26	1.5	163	8.4
South Dakota	3,502	144.0	400	15.1	824	35.6	533	22.5	23	1.1	209	9.0
West South Central	**112,030**	**151.1**	**10,404**	**13.7**	**30,211**	**41.2**	**16,762**	**22.7**	**1,985**	**2.8**	**6,065**	**8.2**
Arkansas	12,484	162.9	1,170	14.7	3,752	49.2	1,734	23.2	198	3.0	650	8.6
Louisiana	14,840	162.4	1,390	14.7	4,292	47.3	2,156	23.9	176	2.2	782	8.7
Oklahoma	15,290	163.0	1,449	14.8	4,437	47.8	2,280	24.8	215	2.6	832	8.8
Texas	69,416	144.9	6,395	13.1	17,730	37.6	10,592	22.0	1,396	3.0	3,801	8.0
Mountain	**60,953**	**138.6**	**5,917**	**13.2**	**14,461**	**33.2**	**9,634**	**22.0**	**800**	**1.9**	**3,840**	**8.8**
Arizona	21,441	137.0	2,049	12.7	5,657	36.1	3,296	21.5	273	2.0	1,346	8.7
Colorado	15,022	140.6	1,508	13.9	3,455	33.1	2,373	21.7	196	1.8	987	9.2
Idaho	5,400	148.1	516	13.8	1,282	35.8	798	22.0	66	1.9	312	8.6
Montana	4,346	154.9	413	14.2	1,180	43.1	596	21.5	47	1.8	264	9.3
New Mexico	6,855	141.6	659	13.5	1,536	31.8	1,109	23.1	120	2.6	388	8.1
Utah	5,746	116.9	545	11.0	837	17.4	1,138	23.1	73	1.5	411	8.4
Wyoming	2,143	156.0	227	16.2	514	38.1	324	23.8	25	1.9	132	9.6
Pacific	**164,848**	**153.8**	**15,108**	**13.6**	**41,910**	**39.8**	**25,122**	**23.6**	**2,279**	**2.2**	**10,091**	**9.5**
Alaska	1,248	151.6	92	12.2	341	42.3	218	23.4	18	1.8	61	6.5
California	111,133	149.8	10,250	13.3	26,655	36.6	17,284	23.5	1,652	2.3	6,834	9.3
Hawaii	1,389	151.7	124	12.9	366	40.5	209	23.1	21	2.4	80	8.9
Nevada	8,726	170.8	846	16.8	2,792	54.5	1,256	24.3	145	2.8	444	8.6
Oregon	17,111	163.8	1,612	14.8	4,742	46.3	2,467	23.6	159	1.7	1,045	10.0
Washington	25,241	161.1	2,184	13.4	7,014	45.8	3,688	23.5	284	1.9	1,627	10.5

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**1,158,973**	**94.1**	**112,571**	**7.9**	**305,712**	**25.8**	**171,824**	**15.1**	**14,885**	**1.6**	**65,831**	**5.7**
New England	**69,990**	**96.2**	**6,879**	**7.8**	**18,659**	**27.3**	**9,951**	**14.9**	**637**	**1.2**	**3,776**	**5.7**
Connecticut	16,407	92.1	1,567	7.4	4,222	24.9	2,414	15.0	155	1.2	915	5.8
Maine	7,471	101.9	748	8.7	2,115	30.2	979	14.8	78	1.3	349	5.0
Massachusetts	31,444	96.6	3,127	7.8	8,456	27.8	4,427	14.8	243	1.0	1,737	5.8
New Hampshire	6,168	97.8	590	7.8	1,658	28.0	884	15.1	84	1.6	315	5.2
Rhode Island	5,472	97.3	538	7.9	1,404	26.8	785	14.9	47	1.2	309	6.2
Vermont	3,028	95.5	309	8.2	804	27.1	462	15.7	30	1.2	151	5.0
Middle Atlantic	**179,237**	**95.9**	**18,646**	**8.3**	**43,834**	**24.5**	**27,306**	**15.9**	**2,130**	**1.6**	**10,259**	**6.1**
New Jersey	38,094	97.8	4,044	8.7	9,311	24.9	6,044	17.1	470	1.7	2,134	6.1
New York	76,023	93.5	7,765	8.0	18,940	24.3	11,458	15.3	972	1.6	4,424	6.0
Pennsylvania	65,120	97.8	6,837	8.6	15,583	24.6	9,804	16.1	688	1.5	3,701	6.2
South Atlantic	**212,483**	**92.3**	**19,691**	**7.4**	**60,693**	**27.0**	**30,631**	**14.7**	**2,700**	**1.6**	**11,957**	**5.5**
Delaware	3,586	101.2	349	8.5	1,085	31.5	510	15.6	40	1.6	186	5.7
District of Columbia	661	68.5	57	5.3	127	12.1	125	13.9	8	1.2	48	5.8
Florida	82,580	89.9	7,865	7.2	24,058	26.4	11,461	14.2	1,088	1.9	4,497	5.2
Georgia	24,890	91.0	2,182	7.2	7,003	26.6	3,677	14.3	357	1.7	1,543	5.8
Maryland	18,458	94.8	1,710	7.5	5,120	27.0	2,784	15.4	187	1.3	1,015	5.8
North Carolina	31,222	93.5	2,776	7.4	8,869	27.7	4,537	14.7	380	1.5	1,742	5.4
South Carolina	14,501	93.3	1,330	7.8	4,187	27.9	2,082	14.6	168	1.5	818	5.4
Virginia	25,923	93.2	2,320	7.4	7,174	26.3	4,025	15.7	305	1.4	1,559	5.9
West Virginia	10,662	109.3	1,102	10.1	3,070	32.6	1,430	15.8	167	2.5	549	6.1
East North Central	**197,932**	**97.8**	**19,834**	**8.3**	**51,959**	**27.2**	**29,143**	**15.5**	**2,366**	**1.6**	**10,983**	**5.8**
Illinois	49,880	96.3	5,135	8.3	12,713	26.2	7,300	15.3	648	1.7	2,761	5.8
Indiana	28,216	101.5	2,734	8.5	7,933	30.2	4,043	15.4	393	1.9	1,546	5.6
Michigan	41,410	96.5	4,012	8.0	11,128	27.4	6,002	15.0	400	1.3	2,358	5.9
Ohio	53,600	101.0	5,558	8.9	14,231	28.2	8,201	16.6	680	1.7	2,795	5.7
Wisconsin	24,826	91.9	2,395	7.2	5,954	23.8	3,597	14.5	245	1.2	1,523	6.1
East South Central	**72,292**	**101.5**	**6,818**	**8.5**	**21,476**	**31.7**	**10,081**	**15.1**	**992**	**1.8**	**3,910**	**5.7**
Alabama	17,306	97.0	1,546	7.8	4,886	28.6	2,429	14.8	230	1.8	1,083	6.2
Kentucky	20,540	109.9	2,052	9.7	6,468	36.8	2,746	15.5	291	2.0	1,007	5.6
Mississippi	9,156	95.5	876	8.0	2,715	29.4	1,281	14.5	127	1.8	459	5.0
Tennessee	25,290	100.9	2,344	8.2	7,407	31.1	3,625	15.4	344	1.8	1,361	5.5

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**89,208**	**93.4**	**9,274**	**8.0**	**22,509**	**25.6**	**13,194**	**14.9**	**996**	**1.5**	**4,950**	**5.5**
Iowa	15,164	93.9	1,714	8.7	3,695	25.1	2,133	14.2	188	1.7	888	5.8
Kansas	12,079	93.1	1,241	8.1	3,114	26.1	1,838	15.3	147	1.6	721	5.8
Minnesota	21,249	89.2	2,089	7.4	5,053	22.9	3,095	14.0	195	1.1	1,203	5.4
Missouri	26,468	99.8	2,608	8.1	7,400	29.8	4,009	16.3	340	1.8	1,339	5.2
Nebraska	7,746	88.7	887	8.2	1,776	22.4	1,146	14.3	77	1.2	427	5.4
North Dakota	3,000	89.5	335	7.8	647	22.0	440	14.6	26	1.2	163	5.6
South Dakota	3,502	88.1	400	8.0	824	22.9	533	14.5	23	0.9	209	5.6
West South Central	**112,030**	**92.6**	**10,404**	**7.7**	**30,211**	**25.6**	**16,762**	**14.9**	**1,985**	**2.1**	**6,065**	**5.2**
Arkansas	12,484	101.8	1,170	8.4	3,752	31.9	1,734	15.3	198	2.2	650	5.6
Louisiana	14,840	99.6	1,390	8.4	4,292	29.7	2,156	15.4	176	1.6	782	5.5
Oklahoma	15,290	101.7	1,449	8.6	4,437	30.6	2,280	16.3	215	2.0	832	5.6
Texas	69,416	88.3	6,395	7.3	17,730	23.0	10,592	14.5	1,396	2.2	3,801	5.0
Mountain	**60,953**	**83.2**	**5,917**	**7.2**	**14,461**	**20.1**	**9,634**	**14.3**	**800**	**1.4**	**3,840**	**5.5**
Arizona	21,441	83.8	2,049	7.1	5,657	22.0	3,296	14.2	273	1.5	1,346	5.5
Colorado	15,022	83.1	1,508	7.4	3,455	19.7	2,373	14.1	196	1.3	987	5.8
Idaho	5,400	87.9	516	7.5	1,282	21.9	798	13.8	66	1.4	312	5.2
Montana	4,346	91.4	413	7.7	1,180	25.6	596	14.0	47	1.2	264	5.6
New Mexico	6,855	85.7	659	7.5	1,536	19.1	1,109	15.0	120	1.9	388	5.0
Utah	5,746	69.9	545	5.9	837	10.5	1,138	14.8	73	1.1	411	5.3
Wyoming	2,143	93.5	227	8.7	514	23.4	324	15.1	25	1.4	132	6.0
Pacific	**164,848**	**92.5**	**15,108**	**7.4**	**41,910**	**23.7**	**25,122**	**15.3**	**2,279**	**1.7**	**10,091**	**6.0**
Alaska	1,248	87.0	92	6.1	341	24.9	218	15.2	18	1.2	61	4.0
California	111,133	90.3	10,250	7.3	26,655	21.6	17,284	15.3	1,652	1.8	6,834	6.0
Hawaii	1,389	95.1	124	7.7	366	24.8	209	15.8	21	1.8	80	5.9
Nevada	8,726	102.0	846	9.2	2,792	32.6	1,256	15.2	145	2.1	444	5.5
Oregon	17,111	98.4	1,612	8.1	4,742	28.2	2,467	15.1	159	1.2	1,045	6.2
Washington	25,241	96.0	2,184	7.1	7,014	27.5	3,688	15.0	284	1.4	1,627	6.5

[1] Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2003-2007, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	163,229	296.5	0.77	177.3	0.45	152,215	180.6	0.47	114.0	0.31
Oral Cavity & Pharynx	4,072	6.3	0.10	4.5	0.07	1,341	1.5	0.04	1.0	0.03
Digestive System	45,289	79.1	0.39	49.3	0.24	39,298	47.4	0.24	27.9	0.15
Esophagus	5,368	8.9	0.13	6.0	0.08	2,123	2.5	0.06	1.6	0.04
Stomach	5,825	10.7	0.15	6.3	0.08	4,137	5.0	0.08	2.8	0.05
Colon & Rectum	16,702	30.5	0.25	18.0	0.14	17,412	21.0	0.16	12.2	0.10
Liver	6,475	9.8	0.13	7.0	0.09	2,499	3.0	0.06	1.8	0.04
Pancreas	8,829	15.4	0.17	9.7	0.11	10,181	12.4	0.12	7.2	0.08
Respiratory System	52,468	92.5	0.42	58.5	0.26	33,603	40.5	0.22	25.9	0.15
Larynx	2,711	4.6	0.09	3.0	0.06	594	0.7	0.03	0.5	0.02
Lung & bronchus	49,505	87.5	0.41	55.2	0.25	32,849	39.6	0.22	25.3	0.15
Skin	841	1.4	0.05	0.9	0.03	542	0.6	0.03	0.4	0.02
Melanomas of the skin	289	0.5	0.03	0.3	0.02	337	0.4	0.02	0.2	0.01
Breast	274	0.5	0.03	0.3	0.02	28,530	32.4	0.19	22.1	0.14
Female Genital System	-	-	-	-	-	16,635	19.7	0.15	12.9	0.11
Cervix uteri	-	-	-	-	-	3,955	4.4	0.07	3.1	0.05
Corpus & uterus, NOS	-	-	-	-	-	5,936	7.2	0.09	4.7	0.06
Ovary	-	-	-	-	-	6,014	7.2	0.09	4.6	0.06
Male Genital System	24,424	54.6	0.36	25.0	0.16	-	-	-	-	-
Prostate	24,138	54.2	0.36	24.7	0.16	-	-	-	-	-
Testis	124	0.2	0.01	0.1	0.01	-	-	-	-	-
Urinary System	6,256	11.6	0.15	6.7	0.09	4,576	5.6	0.08	3.1	0.05
Bladder	2,649	5.4	0.11	2.8	0.06	2,180	2.7	0.06	1.4	0.03
Kidney & renal pelvis	3,513	6.0	0.11	3.8	0.07	2,209	2.7	0.06	1.6	0.04
Brain & Other Nervous System	2,109	3.1	0.07	2.3	0.05	1,816	2.0	0.05	1.5	0.04
Endocrine System	459	0.7	0.03	0.5	0.02	754	0.9	0.03	0.6	0.02
Thyroid gland	181	0.3	0.03	0.2	0.01	443	0.5	0.03	0.3	0.02
Lymphomas	4,108	6.5	0.11	4.4	0.07	3,601	4.2	0.07	2.7	0.05
Hodgkin Lymphoma	380	0.5	0.03	0.4	0.02	287	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,728	6.0	0.11	4.0	0.07	3,314	3.9	0.07	2.5	0.05
Multiple Myeloma	4,342	8.1	0.13	4.7	0.07	4,723	5.8	0.09	3.4	0.05
Leukemias	4,800	8.4	0.13	5.2	0.08	4,243	5.0	0.08	3.1	0.05
Other, Ill-defined & Unknown	13,787	23.7	0.21	14.9	0.13	12,553	14.9	0.13	9.3	0.09

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Black, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**163,229**	**296.5**	**16,702**	**30.5**	**49,505**	**87.5**	**24,138**	**54.2**	**2,649**	**5.4**	**3,728**	**6.0**
New England	**2,843**	**252.1**	**250**	**22.7**	**776**	**67.5**	**396**	**45.7**	**48**	**4.8**	**81**	**5.9**
Connecticut	1,194	248.2	111	24.3	319	64.9	170	43.9	15	3.3	30	4.8
Maine	21	169.5	-	-	6	50.1	-	-	-	-	-	-
Massachusetts	1,402	259.1	119	22.0	389	70.5	193	47.5	29	6.1	48	7.7
New Hampshire	22	143.4	-	-	6	30.3	-	-	-	-	-	-
Rhode Island	195	261.5	16	21.1	55	76.4	25	44.3	-	-	-	-
Vermont	9	209.6	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**23,019**	**254.7**	**2,413**	**27.1**	**6,355**	**68.4**	**3,650**	**48.8**	**404**	**5.0**	**564**	**5.5**
New Jersey	5,000	273.4	524	29.2	1,374	73.2	765	51.8	82	5.1	125	5.8
New York	11,439	222.6	1,241	24.7	2,983	55.7	1,882	44.7	205	4.5	314	5.3
Pennsylvania	6,580	317.2	648	31.4	1,998	95.5	1,003	56.0	117	6.1	125	5.6
South Atlantic	**51,998**	**294.8**	**5,242**	**29.7**	**15,491**	**85.0**	**7,994**	**57.1**	**842**	**5.5**	**1,222**	**6.0**
Delaware	711	279.7	69	26.8	215	83.9	99	50.1	20	9.4	18	6.2
District of Columbia	2,205	314.7	225	32.2	610	85.7	335	52.0	54	7.9	68	9.4
Florida	10,180	261.0	1,054	26.8	2,865	70.5	1,674	54.2	173	5.3	280	6.0
Georgia	9,556	296.3	950	29.4	2,819	84.6	1,475	61.2	162	5.8	234	6.1
Maryland	6,469	281.6	694	30.8	1,950	81.3	898	51.2	99	5.0	146	5.2
North Carolina	8,950	313.3	848	29.5	2,784	94.2	1,413	61.4	135	5.4	191	6.2
South Carolina	6,303	321.0	628	31.9	1,906	93.9	968	60.7	65	3.8	124	5.9
Virginia	7,294	317.4	735	31.6	2,249	95.7	1,076	57.0	131	6.4	155	6.2
West Virginia	330	283.5	39	34.9	93	78.3	56	55.3	-	-	6	4.6
East North Central	**26,801**	**316.9**	**2,785**	**33.5**	**8,501**	**98.1**	**3,708**	**52.5**	**430**	**5.7**	**550**	**6.1**
Illinois	9,271	323.7	1,028	36.2	2,856	96.1	1,377	58.9	129	5.2	172	5.6
Indiana	2,576	321.1	255	32.7	832	102.0	358	53.0	36	4.8	55	6.2
Michigan	6,666	296.1	686	31.1	2,106	92.2	857	45.0	110	5.5	154	6.3
Ohio	7,058	323.9	713	33.3	2,274	102.1	993	52.5	142	7.2	156	6.7
Wisconsin	1,230	340.5	103	28.6	433	117.8	123	48.4	13	3.6	13	2.7
East South Central	**17,704**	**337.6**	**1,793**	**34.0**	**5,727**	**106.3**	**2,831**	**65.3**	**265**	**5.7**	**359**	**6.2**
Alabama	6,141	330.9	622	33.3	1,868	97.2	1,061	68.0	90	5.4	114	5.7
Kentucky	1,530	329.1	140	30.8	548	115.2	222	56.5	29	7.1	29	5.5
Mississippi	5,283	343.8	531	34.0	1,749	111.7	855	66.1	67	5.0	98	5.8
Tennessee	4,750	342.7	500	36.2	1,562	109.7	693	63.3	79	6.4	118	7.8

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Black, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**5,030**	**326.4**	**467**	**32.1**	**1,584**	**100.2**	**649**	**52.7**	**81**	**5.7**	**107**	**6.5**
Iowa	269	331.8	27	38.4	98	116.2	38	60.5	-	-	-	-
Kansas	691	307.5	75	34.1	202	89.2	114	59.2	8	3.6	15	6.2
Minnesota	536	300.5	44	24.5	136	78.5	60	56.1	6	2.9	16	8.0
Missouri	3,254	341.5	292	32.3	1,045	105.8	410	52.5	61	7.0	65	6.5
Nebraska	267	287.0	29	35.3	99	108.2	26	35.0	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	9	109.8	-	-	-	-	-	-	-	-	-	-
West South Central	**22,020**	**327.6**	**2,326**	**34.7**	**7,188**	**104.7**	**2,853**	**53.0**	**315**	**5.2**	**480**	**6.5**
Arkansas	2,233	344.3	225	34.3	753	113.2	356	64.2	24	4.2	36	5.1
Louisiana	7,335	350.0	715	34.8	2,394	111.2	944	54.8	96	5.1	147	6.4
Oklahoma	1,192	308.3	137	35.5	388	98.8	165	52.3	23	5.9	26	5.8
Texas	11,260	314.1	1,249	34.7	3,653	100.7	1,388	49.5	172	5.5	271	7.0
Mountain	**1,518**	**223.2**	**162**	**23.4**	**409**	**62.6**	**188**	**37.2**	**17**	**2.7**	**49**	**6.0**
Arizona	644	213.3	74	23.8	177	62.1	75	32.9	9	2.7	23	5.6
Colorado	635	246.8	66	24.8	161	63.7	85	45.1	8	4.2	21	8.5
Idaho	18	192.6	-	-	7	76.3	-	-	-	-	-	-
Montana	9	165.2	-	-	-	-	-	-	-	-	-	-
New Mexico	146	194.7	13	16.4	39	53.6	20	35.1	-	-	-	-
Utah	54	199.5	6	30.0	19	71.7	-	-	-	-	-	-
Wyoming	12	219.0	-	-	-	-	-	-	-	-	-	-
Pacific	**12,296**	**270.2**	**1,264**	**27.7**	**3,474**	**74.9**	**1,869**	**50.3**	**247**	**6.0**	**316**	**6.0**
Alaska	57	258.5	-	-	17	66.4	7	45.5	-	-	-	-
California	10,514	277.3	1,065	28.1	2,961	76.7	1,635	52.3	209	6.0	266	6.1
Hawaii	52	125.5	-	-	11	25.4	8	25.3	-	-	-	-
Nevada	693	227.5	81	27.0	196	60.8	90	37.2	15	5.7	14	3.5
Oregon	243	255.4	22	24.2	84	86.3	31	42.3	-	-	10	9.8
Washington	737	244.8	87	26.6	205	67.7	98	40.6	18	6.9	22	6.7

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Black, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**163,229**	**177.3**	**16,702**	**18.0**	**49,505**	**55.2**	**24,138**	**24.7**	**2,649**	**2.8**	**3,728**	**4.0**
New England	**2,843**	**147.2**	**250**	**12.7**	**776**	**41.4**	**396**	**20.3**	**48**	**2.5**	**81**	**3.9**
Connecticut	1,194	150.6	111	13.4	319	41.5	170	21.2	15	1.9	30	3.5
Maine	21	98.6	-	-	6	34.3	-	-	-	-	-	-
Massachusetts	1,402	147.7	119	12.6	389	42.4	193	19.8	29	3.0	48	4.8
New Hampshire	22	89.9	-	-	6	18.7	-	-	-	-	-	-
Rhode Island	195	145.2	16	12.3	55	41.2	25	19.2	-	-	-	-
Vermont	9	103.4	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**23,019**	**152.1**	**2,413**	**15.8**	**6,355**	**42.9**	**3,650**	**22.8**	**404**	**2.6**	**564**	**3.7**
New Jersey	5,000	159.9	524	16.7	1,374	44.8	765	23.6	82	2.5	125	3.8
New York	11,439	133.6	1,241	14.3	2,983	35.5	1,882	21.1	205	2.3	314	3.7
Pennsylvania	6,580	192.1	648	18.9	1,998	59.8	1,003	26.3	117	3.2	125	3.7
South Atlantic	**51,998**	**176.2**	**5,242**	**17.7**	**15,491**	**53.8**	**7,994**	**26.0**	**842**	**2.7**	**1,222**	**4.1**
Delaware	711	172.3	69	16.3	215	53.0	99	22.8	20	4.7	18	4.0
District of Columbia	2,205	195.5	225	19.5	610	55.3	335	25.0	54	4.5	68	6.6
Florida	10,180	156.5	1,054	16.3	2,865	45.1	1,674	24.8	173	2.5	280	4.2
Georgia	9,556	177.0	950	17.2	2,819	53.9	1,475	27.6	162	2.9	234	4.1
Maryland	6,469	164.3	694	17.5	1,950	50.1	898	22.9	99	2.5	146	3.6
North Carolina	8,950	187.6	848	17.9	2,784	59.6	1,413	27.8	135	2.8	191	4.0
South Carolina	6,303	196.5	628	19.5	1,906	61.2	968	28.0	65	1.9	124	4.0
Virginia	7,294	186.6	735	19.1	2,249	59.0	1,076	25.7	131	3.0	155	3.9
West Virginia	330	174.9	39	21.7	93	49.8	56	25.4	-	-	6	3.0
East North Central	**26,801**	**190.8**	**2,785**	**19.6**	**8,501**	**62.2**	**3,708**	**24.3**	**430**	**2.9**	**550**	**3.9**
Illinois	9,271	195.3	1,028	21.5	2,856	61.8	1,377	26.7	129	2.6	172	3.7
Indiana	2,576	189.5	255	18.2	832	62.8	358	24.8	36	2.5	55	4.2
Michigan	6,666	179.9	686	18.1	2,106	58.7	857	21.0	110	2.7	154	4.1
Ohio	7,058	194.1	713	19.3	2,274	64.0	993	24.7	142	3.7	156	4.3
Wisconsin	1,230	203.9	103	17.1	433	73.2	123	21.9	13	2.1	13	1.9
East South Central	**17,704**	**203.7**	**1,793**	**20.5**	**5,727**	**68.4**	**2,831**	**29.2**	**265**	**2.8**	**359**	**4.1**
Alabama	6,141	200.2	622	20.2	1,868	63.3	1,061	30.4	90	2.7	114	3.7
Kentucky	1,530	192.9	140	17.4	548	71.8	222	24.9	29	3.4	29	3.7
Mississippi	5,283	209.5	531	21.2	1,749	72.4	855	29.9	67	2.3	98	4.0
Tennessee	4,750	206.0	500	21.3	1,562	69.7	693	28.1	79	3.2	118	4.9

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Black, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**5,030**	**193.3**	**467**	**17.8**	**1,584**	**63.1**	**649**	**23.9**	**81**	**3.1**	**107**	**4.0**
Iowa	269	190.3	27	18.9	98	73.0	38	27.7	-	-	-	-
Kansas	691	179.7	75	19.2	202	53.8	114	28.5	8	2.3	15	3.9
Minnesota	536	177.0	44	13.2	136	49.2	60	23.6	6	1.7	16	4.0
Missouri	3,254	203.8	292	18.2	1,045	67.6	410	23.6	61	3.6	65	4.1
Nebraska	267	172.2	29	18.1	99	65.8	26	17.0	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	9	85.7	-	-	-	-	-	-	-	-	-	-
West South Central	**22,020**	**197.0**	**2,326**	**20.6**	**7,188**	**66.4**	**2,853**	**24.0**	**315**	**2.8**	**480**	**4.2**
Arkansas	2,233	211.0	225	21.1	753	75.7	356	28.3	24	2.1	36	3.5
Louisiana	7,335	212.6	715	20.6	2,394	71.2	944	25.0	96	2.7	147	4.4
Oklahoma	1,192	182.8	137	20.7	388	61.3	165	23.6	23	3.4	26	4.0
Texas	11,260	187.5	1,249	20.6	3,653	62.8	1,388	22.5	172	2.9	271	4.4
Mountain	**1,518**	**130.8**	**162**	**14.1**	**409**	**36.5**	**188**	**16.7**	**17**	**1.4**	**49**	**4.0**
Arizona	644	126.5	74	14.8	177	36.1	75	14.9	9	1.6	23	4.3
Colorado	635	144.0	66	14.8	161	37.3	85	20.6	8	2.0	21	4.5
Idaho	18	123.3	-	-	7	50.0	-	-	-	-	-	-
Montana	9	99.0	-	-	-	-	-	-	-	-	-	-
New Mexico	146	111.1	13	10.7	39	29.8	20	13.5	-	-	-	-
Utah	54	111.9	6	11.9	19	45.9	-	-	-	-	-	-
Wyoming	12	115.2	-	-	-	-	-	-	-	-	-	-
Pacific	**12,296**	**159.5**	**1,264**	**16.4**	**3,474**	**46.2**	**1,869**	**23.4**	**247**	**3.1**	**316**	**4.1**
Alaska	57	131.7	-	-	17	38.2	7	17.3	-	-	-	-
California	10,514	163.7	1,065	16.6	2,961	47.2	1,635	24.3	209	3.2	266	4.1
Hawaii	52	85.0	-	-	11	18.3	8	14.8	-	-	-	-
Nevada	693	139.3	81	16.3	196	39.9	90	17.4	15	3.0	14	2.8
Oregon	243	143.1	22	13.0	84	51.0	31	18.7	-	-	10	6.1
Washington	737	144.9	87	16.9	205	42.6	98	19.5	18	3.9	22	4.4

[1] Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**152,215**	**180.6**	**17,412**	**21.0**	**32,849**	**39.6**	**28,530**	**32.4**	**3,955**	**4.4**	**6,014**	**7.2**
New England	**2,710**	**159.1**	**282**	**16.9**	**558**	**33.2**	**484**	**26.4**	**46**	**2.5**	**97**	**5.6**
Connecticut	1,160	159.8	132	18.6	221	30.1	209	27.4	19	2.5	39	5.2
Maine	10	94.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,347	161.3	133	16.3	284	35.0	249	27.3	22	2.3	49	5.9
New Hampshire	17	90.7	-	-	-	-	-	-	-	-	-	-
Rhode Island	167	151.6	16	13.8	46	43.2	18	15.3	-	-	9	8.1
Vermont	9	155.4	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**24,681**	**168.2**	**2,750**	**19.0**	**5,385**	**36.9**	**4,471**	**29.7**	**691**	**4.5**	**1,001**	**6.8**
New Jersey	5,284	182.9	616	22.0	1,135	39.5	975	32.4	162	5.3	217	7.3
New York	12,724	149.5	1,471	17.5	2,486	29.4	2,428	27.7	392	4.5	554	6.5
Pennsylvania	6,673	203.5	663	20.2	1,764	54.2	1,068	32.4	137	4.1	230	7.0
South Atlantic	**47,264**	**172.6**	**5,475**	**20.3**	**9,271**	**34.4**	**9,118**	**31.6**	**1,218**	**4.2**	**1,915**	**7.0**
Delaware	670	184.2	68	19.3	184	52.1	102	25.4	12	2.9	33	8.8
District of Columbia	2,124	185.6	252	21.2	462	40.8	353	31.8	48	4.9	79	6.9
Florida	8,924	158.4	1,036	18.9	1,564	28.1	1,768	29.7	279	4.6	362	6.4
Georgia	8,913	166.9	1,086	20.6	1,656	32.2	1,769	30.4	257	4.4	378	7.1
Maryland	6,512	178.8	744	21.1	1,457	40.7	1,259	31.8	149	3.7	250	6.6
North Carolina	8,024	177.3	885	19.7	1,531	34.1	1,570	33.7	186	3.9	322	7.1
South Carolina	5,270	173.8	615	20.4	925	30.7	970	31.2	154	5.0	223	7.5
Virginia	6,507	185.7	740	21.2	1,427	41.4	1,272	34.7	129	3.6	257	7.3
West Virginia	320	186.2	49	27.6	65	38.7	55	33.9	-	-	11	6.8
East North Central	**25,568**	**201.1**	**2,804**	**22.4**	**6,378**	**50.6**	**4,582**	**34.9**	**607**	**4.5**	**933**	**7.4**
Illinois	9,116	206.3	1,070	24.6	2,219	50.3	1,693	36.9	265	5.6	341	7.7
Indiana	2,370	200.1	255	22.0	613	52.5	429	35.1	49	3.9	86	7.3
Michigan	6,439	195.3	671	20.8	1,570	48.2	1,151	33.8	145	4.2	237	7.2
Ohio	6,599	201.0	708	21.7	1,703	52.3	1,155	34.5	114	3.4	231	7.0
Wisconsin	1,044	198.5	100	19.6	273	52.5	154	26.5	34	5.2	38	7.5
East South Central	**15,442**	**187.7**	**1,915**	**23.2**	**3,225**	**40.1**	**2,926**	**34.5**	**508**	**6.0**	**644**	**7.9**
Alabama	5,146	173.7	622	21.0	943	32.5	976	32.3	164	5.4	229	7.8
Kentucky	1,470	206.3	188	26.3	414	59.5	241	33.0	37	4.8	43	6.0
Mississippi	4,358	185.5	561	23.8	847	36.9	837	34.6	181	7.7	176	7.5
Tennessee	4,468	203.2	544	24.9	1,021	47.6	872	38.0	126	5.3	196	8.9

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**4,555**	**197.1**	**495**	**21.8**	**1,125**	**49.9**	**819**	**33.7**	**118**	**4.7**	**149**	**6.4**
Iowa	203	188.4	20	17.9	50	49.0	36	30.9	-	-	-	-
Kansas	636	195.9	75	23.1	146	46.4	112	33.3	14	4.0	24	7.2
Minnesota	422	179.1	34	16.1	108	48.0	78	28.0	9	3.8	17	7.3
Missouri	3,017	199.9	331	22.1	749	50.5	550	35.3	88	5.5	94	6.2
Nebraska	269	207.0	34	27.0	70	53.2	42	29.9	-	-	10	7.8
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-
West South Central	**19,294**	**190.9**	**2,260**	**22.8**	**4,079**	**41.3**	**3,796**	**35.6**	**547**	**5.0**	**762**	**7.7**
Arkansas	1,857	186.7	249	24.4	342	35.7	340	33.4	59	5.7	70	7.3
Louisiana	6,312	199.7	738	23.8	1,296	41.4	1,236	37.7	188	5.6	253	8.2
Oklahoma	1,034	185.7	100	17.8	249	46.0	188	32.7	23	3.7	31	5.7
Texas	10,091	187.4	1,173	22.4	2,192	41.9	2,032	35.3	277	4.7	408	7.7
Mountain	**1,172**	**142.6**	**123**	**15.4**	**274**	**34.7**	**201**	**22.6**	**24**	**2.7**	**54**	**6.4**
Arizona	562	153.6	57	15.6	134	37.6	108	27.3	11	2.8	26	7.0
Colorado	471	146.0	49	16.1	107	34.4	73	20.7	8	2.1	20	5.9
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	102	117.3	14	16.1	21	24.6	15	16.8	-	-	-	-
Utah	29	111.4	-	-	8	34.9	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	**11,529**	**183.3**	**1,308**	**21.2**	**2,554**	**41.5**	**2,133**	**32.1**	**196**	**2.8**	**459**	**7.4**
Alaska	38	124.5	-	-	11	41.9	7	14.5	-	-	-	-
California	10,095	187.0	1,149	21.6	2,223	41.9	1,893	33.4	172	2.9	397	7.4
Hawaii	23	60.4	-	-	6	17.7	6	13.2	-	-	-	-
Nevada	581	162.5	68	19.0	131	37.2	102	27.4	8	1.9	22	6.3
Oregon	182	152.9	16	13.8	43	38.4	26	19.9	-	-	9	7.4
Washington	610	178.3	69	21.3	140	43.6	99	25.7	12	2.7	29	8.6

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Black, Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**152,215**	**114.0**	**17,412**	**12.2**	**32,849**	**25.3**	**28,530**	**22.1**	**3,955**	**3.1**	**6,014**	**4.6**
New England	**2,710**	**97.6**	**282**	**9.7**	**558**	**20.9**	**484**	**17.5**	**46**	**1.7**	**97**	**3.6**
Connecticut	1,160	98.3	132	10.7	221	19.7	209	17.4	19	1.7	39	3.5
Maine	10	50.4	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,347	98.9	133	9.2	284	21.6	249	18.9	22	1.7	49	3.7
New Hampshire	17	59.3	-	-	-	-	-	-	-	-	-	-
Rhode Island	167	91.3	16	9.1	46	25.1	18	9.2	-	-	9	5.2
Vermont	9	115.1	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**24,681**	**106.3**	**2,750**	**11.0**	**5,385**	**23.6**	**4,471**	**20.2**	**691**	**3.3**	**1,001**	**4.5**
New Jersey	5,284	114.7	616	12.5	1,135	25.0	975	21.9	162	3.7	217	5.0
New York	12,724	95.0	1,471	10.3	2,486	18.7	2,428	18.9	392	3.2	554	4.3
Pennsylvania	6,673	129.1	663	11.6	1,764	35.6	1,068	21.9	137	3.1	230	4.6
South Atlantic	**47,264**	**109.2**	**5,475**	**11.9**	**9,271**	**22.1**	**9,118**	**21.7**	**1,218**	**2.9**	**1,915**	**4.6**
Delaware	670	114.4	68	10.3	184	32.8	102	17.9	12	1.9	33	5.9
District of Columbia	2,124	120.2	252	12.4	462	26.8	353	22.1	48	3.7	79	4.3
Florida	8,924	100.9	1,036	11.0	1,564	18.2	1,768	20.6	279	3.2	362	4.2
Georgia	8,913	106.5	1,086	12.4	1,656	20.6	1,769	20.7	257	3.1	378	4.7
Maryland	6,512	110.5	744	12.0	1,457	25.2	1,259	21.6	149	2.6	250	4.4
North Carolina	8,024	113.1	885	11.8	1,531	22.7	1,570	23.2	186	2.8	322	4.6
South Carolina	5,270	111.0	615	12.3	925	20.2	970	21.5	154	3.4	223	4.8
Virginia	6,507	115.6	740	12.2	1,427	26.1	1,272	23.9	129	2.4	257	4.7
West Virginia	320	120.2	49	16.7	65	24.9	55	24.7	-	-	11	5.0
East North Central	**25,568**	**127.1**	**2,804**	**13.0**	**6,378**	**32.5**	**4,582**	**23.8**	**607**	**3.2**	**933**	**4.7**
Illinois	9,116	130.1	1,070	14.5	2,219	32.3	1,693	25.2	265	4.1	341	4.9
Indiana	2,370	125.0	255	12.0	613	33.6	429	23.4	49	2.6	86	4.6
Michigan	6,439	124.8	671	11.9	1,570	31.0	1,151	23.2	145	3.0	237	4.7
Ohio	6,599	126.6	708	12.5	1,703	33.6	1,155	23.6	114	2.4	231	4.5
Wisconsin	1,044	124.0	100	11.7	273	33.2	154	18.1	34	3.8	38	4.5
East South Central	**15,442**	**119.1**	**1,915**	**13.7**	**3,225**	**25.9**	**2,926**	**23.6**	**508**	**4.2**	**644**	**5.0**
Alabama	5,146	110.0	622	12.6	943	21.1	976	22.1	164	3.5	229	5.0
Kentucky	1,470	130.1	188	14.5	414	37.7	241	22.3	37	3.5	43	3.9
Mississippi	4,358	119.3	561	14.4	847	24.3	837	24.2	181	5.3	176	4.7
Tennessee	4,468	127.6	544	14.2	1,021	30.2	872	25.4	126	4.0	196	5.7

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**4,555**	**122.3**	**495**	**12.5**	**1,125**	**31.3**	**819**	**22.1**	**118**	**3.4**	**149**	**4.2**
Iowa	203	117.3	20	11.5	50	29.9	36	22.2	-	-	-	-
Kansas	636	119.7	75	13.8	146	27.9	112	21.4	14	2.8	24	4.5
Minnesota	422	115.3	34	9.1	108	31.3	78	20.0	9	2.6	17	4.7
Missouri	3,017	124.4	331	12.8	749	31.9	550	22.8	88	4.1	94	4.1
Nebraska	269	123.8	34	13.3	70	32.9	42	21.8	-	-	10	5.3
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-
West South Central	**19,294**	**120.9**	**2,260**	**13.1**	**4,079**	**26.8**	**3,796**	**24.4**	**547**	**3.6**	**762**	**4.9**
Arkansas	1,857	119.5	249	14.4	342	23.7	340	23.3	59	4.0	70	4.7
Louisiana	6,312	126.9	738	13.9	1,296	26.9	1,236	25.7	188	4.2	253	5.0
Oklahoma	1,034	115.8	100	9.8	249	29.3	188	21.1	23	3.1	31	3.4
Texas	10,091	118.5	1,173	12.8	2,192	27.1	2,032	24.1	277	3.3	408	4.9
Mountain	**1,172**	**87.3**	**123**	**8.7**	**274**	**21.5**	**201**	**14.7**	**24**	**1.7**	**54**	**4.0**
Arizona	562	97.6	57	9.4	134	24.8	108	18.3	11	1.8	26	4.5
Colorado	471	86.5	49	8.3	107	20.7	73	12.9	8	1.3	20	3.9
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	102	66.8	14	10.5	21	11.9	15	9.6	-	-	-	-
Utah	29	69.3	-	-	8	19.8	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	**11,529**	**114.7**	**1,308**	**12.4**	**2,554**	**25.8**	**2,133**	**21.9**	**196**	**2.1**	**459**	**4.6**
Alaska	38	76.8	-	-	11	23.4	7	11.8	-	-	-	-
California	10,095	117.4	1,149	12.7	2,223	26.3	1,893	22.9	172	2.1	397	4.7
Hawaii	23	38.6	-	-	6	8.8	6	11.7	-	-	-	-
Nevada	581	100.8	68	11.8	131	22.6	102	17.8	8	1.4	22	3.7
Oregon	182	92.5	16	8.4	43	22.5	26	14.0	-	-	9	4.6
Washington	610	108.7	69	11.5	140	25.8	99	17.2	12	2.0	29	5.0

[1] Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2003-2007, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	29,388	134.2	0.82	75.7	0.45	27,665	94.1	0.58	56.6	0.36
Oral Cavity & Pharynx	778	3.1	0.12	2.0	0.07	375	1.2	0.07	0.8	0.04
Digestive System	11,436	50.6	0.50	29.6	0.28	8,966	31.5	0.34	17.7	0.20
Esophagus	714	3.2	0.13	1.9	0.07	232	0.8	0.06	0.4	0.03
Stomach	2,023	9.4	0.22	5.1	0.12	1,617	5.6	0.14	3.2	0.08
Colon & Rectum	2,892	13.2	0.26	7.4	0.14	2,825	9.9	0.19	5.5	0.11
Liver	3,184	12.8	0.24	8.4	0.15	1,413	5.0	0.14	2.9	0.08
Pancreas	1,771	8.2	0.20	4.6	0.11	1,931	6.9	0.16	3.8	0.09
Respiratory System	8,076	37.7	0.44	20.9	0.24	5,324	18.7	0.26	10.7	0.15
Larynx	166	0.8	0.06	0.4	0.03	27	0.1	0.02	0.1	0.01
Lung & bronchus	7,841	36.7	0.43	20.3	0.23	5,259	18.5	0.26	10.6	0.15
Skin	175	0.8	0.06	0.4	0.03	139	0.5	0.04	0.3	0.03
Melanomas of the skin	99	0.4	0.05	0.2	0.03	101	0.3	0.03	0.2	0.02
Breast	19	0.1	0.02	0.0	0.01	3,943	12.2	0.20	8.6	0.14
Female Genital System	-	-	-	-	-	3,061	9.8	0.18	6.5	0.12
Cervix uteri	-	-	-	-	-	696	2.1	0.08	1.5	0.06
Corpus & uterus, NOS	-	-	-	-	-	761	2.5	0.09	1.7	0.06
Ovary	-	-	-	-	-	1,501	4.9	0.13	3.2	0.09
Male Genital System	1,903	10.8	0.25	4.5	0.11	-	-	-	-	-
Prostate	1,844	10.6	0.25	4.3	0.10	-	-	-	-	-
Testis	42	0.1	0.02	0.1	0.02	-	-	-	-	-
Urinary System	1,107	5.3	0.17	2.9	0.09	629	2.3	0.09	1.2	0.05
Bladder	491	2.6	0.12	1.2	0.06	243	0.9	0.06	0.4	0.03
Kidney & renal pelvis	578	2.6	0.11	1.5	0.07	348	1.2	0.07	0.7	0.04
Brain & Other Nervous System	618	2.3	0.10	1.7	0.07	504	1.6	0.07	1.2	0.06
Endocrine System	182	0.8	0.06	0.5	0.04	281	0.9	0.06	0.6	0.04
Thyroid gland	109	0.5	0.05	0.3	0.03	210	0.7	0.05	0.4	0.03
Lymphomas	1,252	5.7	0.17	3.2	0.09	1,044	3.7	0.12	2.1	0.07
Hodgkin Lymphoma	64	0.2	0.03	0.2	0.02	51	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	1,188	5.5	0.17	3.0	0.09	993	3.5	0.11	1.9	0.06
Multiple Myeloma	436	2.0	0.10	1.1	0.06	404	1.4	0.07	0.8	0.04
Leukemias	1,135	4.9	0.15	3.0	0.09	866	2.9	0.10	1.9	0.07
Other, Ill-defined & Unknown	2,271	10.0	0.22	5.9	0.13	2,129	7.3	0.16	4.3	0.10

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Asian/Pacific Islander (API), Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**29,388**	**134.2**	**2,892**	**13.2**	**7,841**	**36.7**	**1,844**	**10.6**	**491**	**2.6**	**1,188**	**5.5**
New England	**741**	**121.1**	**50**	**7.2**	**201**	**35.2**	**40**	**10.0**	**9**	**1.6**	**33**	**4.8**
Connecticut	139	99.0	8	3.5	29	20.4	10	11.8	-	-	11	6.4
Maine	17	86.6	-	-	-	-	-	-	-	-	-	-
Massachusetts	504	128.4	39	9.0	145	40.6	23	8.8	-	-	15	3.6
New Hampshire	23	96.2	-	-	6	24.6	-	-	-	-	-	-
Rhode Island	53	163.1	-	-	18	49.3	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**3,946**	**117.3**	**384**	**11.6**	**1,021**	**32.3**	**191**	**7.9**	**63**	**2.2**	**152**	**4.3**
New Jersey	855	99.2	78	8.6	191	23.2	46	8.1	16	2.0	46	5.3
New York	2,694	126.2	279	13.4	719	36.1	123	7.7	41	2.3	89	3.9
Pennsylvania	397	108.2	27	7.7	111	29.5	22	8.4	6	1.8	17	4.7
South Atlantic	**2,232**	**105.0**	**211**	**9.5**	**575**	**27.7**	**114**	**7.8**	**32**	**1.9**	**82**	**3.8**
Delaware	28	101.5	-	-	10	43.5	-	-	-	-	-	-
District of Columbia	39	187.5	-	-	10	41.1	-	-	-	-	-	-
Florida	541	83.7	62	8.9	151	24.8	13	2.8	6	1.1	15	2.1
Georgia	300	101.6	29	9.3	69	23.8	21	11.3	6	2.7	8	2.7
Maryland	495	115.9	52	10.8	129	29.8	31	9.6	-	-	19	4.5
North Carolina	174	107.2	11	5.4	38	24.6	8	7.2	-	-	8	5.4
South Carolina	61	86.4	-	-	14	19.0	-	-	-	-	-	-
Virginia	590	128.6	46	10.9	154	34.4	32	11.0	9	1.9	26	5.4
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-
East North Central	**1,467**	**102.7**	**134**	**9.2**	**382**	**28.3**	**87**	**8.2**	**20**	**1.8**	**67**	**4.9**
Illinois	855	112.0	82	10.9	258	35.1	47	8.4	10	1.6	35	5.2
Indiana	47	55.9	-	-	-	-	-	-	-	-	-	-
Michigan	272	105.1	25	9.1	61	24.3	21	10.2	-	-	16	6.4
Ohio	187	85.5	15	6.4	41	20.0	10	5.9	-	-	7	2.6
Wisconsin	106	98.5	7	5.9	18	21.9	-	-	-	-	6	4.6
East South Central	**243**	**108.8**	**21**	**9.7**	**58**	**25.2**	**12**	**9.8**	**-**	**-**	**11**	**4.7**
Alabama	38	60.4	-	-	11	13.2	-	-	-	-	6	9.3
Kentucky	65	162.7	-	-	11	20.4	-	-	-	-	-	-
Mississippi	37	110.4	-	-	15	53.1	-	-	-	-	-	-
Tennessee	103	113.5	13	14.8	21	25.6	7	13.5	-	-	-	-

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Asian/Pacific Islander (API), Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**549**	**130.9**	**53**	**15.4**	**126**	**31.8**	**27**	**10.8**	**-**	**-**	**18**	**4.3**
Iowa	63	154.3	6	21.6	11	29.9	-	-	-	-	-	-
Kansas	91	133.2	13	22.2	22	39.6	6	15.5	-	-	-	-
Minnesota	240	148.0	18	12.7	53	34.0	12	12.4	-	-	7	3.8
Missouri	109	101.9	12	13.5	27	25.5	-	-	-	-	-	-
Nebraska	35	111.1	-	-	10	28.2	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	8	178.8	-	-	-	-	-	-	-	-	-	-
West South Central	**1,362**	**117.6**	**116**	**11.2**	**357**	**32.5**	**66**	**8.7**	**13**	**1.3**	**67**	**6.1**
Arkansas	34	129.2	-	-	6	24.9	-	-	-	-	-	-
Louisiana	106	121.4	9	9.1	35	43.0	7	14.3	-	-	-	-
Oklahoma	91	134.1	9	13.4	20	38.8	-	-	-	-	8	6.6
Texas	1,131	116.0	94	11.1	296	31.5	51	7.6	10	1.3	54	6.0
Mountain	**583**	**115.9**	**54**	**10.4**	**137**	**27.5**	**46**	**12.4**	**10**	**2.3**	**19**	**4.2**
Arizona	184	91.6	18	8.9	41	21.1	13	9.0	-	-	-	-
Colorado	204	137.8	14	10.0	49	32.6	16	14.2	-	-	10	7.4
Idaho	28	111.8	-	-	7	27.3	-	-	-	-	-	-
Montana	9	125.2	-	-	-	-	-	-	-	-	-	-
New Mexico	34	79.1	-	-	9	21.6	-	-	-	-	-	-
Utah	120	150.6	13	15.1	28	37.1	11	17.5	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	**18,265**	**150.3**	**1,869**	**15.3**	**4,984**	**41.4**	**1,261**	**11.9**	**337**	**3.0**	**739**	**6.1**
Alaska	64	142.0	6	12.4	17	44.2	-	-	-	-	-	-
California	12,412	144.1	1,246	14.5	3,381	39.8	814	11.2	214	2.7	511	6.0
Hawaii	4,098	177.7	477	20.8	1,128	49.1	346	14.6	89	3.8	162	6.9
Nevada	354	126.2	35	12.6	102	35.4	22	11.2	7	3.8	14	4.2
Oregon	292	150.2	16	8.5	71	37.8	12	8.1	-	-	18	9.8
Washington	1,045	158.6	89	12.7	285	44.0	65	13.1	20	3.2	33	5.6

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Asian/Pacific Islander (API), Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**29,388**	**75.7**	**2,892**	**7.4**	**7,841**	**20.3**	**1,844**	**4.3**	**491**	**1.2**	**1,188**	**3.0**
New England	**741**	**69.5**	**50**	**4.7**	**201**	**18.4**	**40**	**3.8**	**9**	**0.9**	**33**	**3.1**
Connecticut	139	56.9	8	3.0	29	11.6	10	4.4	-	-	11	4.8
Maine	17	68.0	-	-	-	-	-	-	-	-	-	-
Massachusetts	504	74.6	39	5.9	145	21.0	23	3.2	-	-	15	2.3
New Hampshire	23	51.7	-	-	6	12.1	-	-	-	-	-	-
Rhode Island	53	84.2	-	-	18	27.3	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**3,946**	**65.9**	**384**	**6.5**	**1,021**	**17.2**	**191**	**3.3**	**63**	**1.0**	**152**	**2.5**
New Jersey	855	55.4	78	5.0	191	12.5	46	3.2	16	1.0	46	2.9
New York	2,694	71.4	279	7.5	719	19.1	123	3.2	41	1.1	89	2.3
Pennsylvania	397	60.6	27	4.3	111	17.1	22	3.5	6	0.9	17	2.8
South Atlantic	**2,232**	**60.4**	**211**	**5.7**	**575**	**15.8**	**114**	**3.3**	**32**	**0.9**	**82**	**2.2**
Delaware	28	55.1	-	-	10	21.6	-	-	-	-	-	-
District of Columbia	39	97.4	-	-	10	27.1	-	-	-	-	-	-
Florida	541	50.7	62	5.9	151	14.2	13	1.2	6	0.5	15	1.4
Georgia	300	58.3	29	5.9	69	14.0	21	4.9	6	1.3	8	1.5
Maryland	495	64.9	52	6.6	129	17.3	31	3.9	-	-	19	2.4
North Carolina	174	60.5	11	3.4	38	13.7	8	3.3	-	-	8	2.6
South Carolina	61	54.1	-	-	14	11.3	-	-	-	-	-	-
Virginia	590	72.5	46	5.8	154	19.0	32	4.4	9	1.2	26	3.2
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-
East North Central	**1,467**	**57.4**	**134**	**5.3**	**382**	**15.2**	**87**	**3.5**	**20**	**0.8**	**67**	**2.6**
Illinois	855	62.5	82	6.1	258	19.1	47	3.4	10	0.7	35	2.6
Indiana	47	30.8	-	-	-	-	-	-	-	-	-	-
Michigan	272	56.9	25	5.4	61	12.9	21	4.6	-	-	16	3.1
Ohio	187	49.3	15	3.8	41	11.0	10	2.8	-	-	7	1.9
Wisconsin	106	58.0	7	3.9	18	10.1	-	-	-	-	6	3.0
East South Central	**243**	**63.8**	**21**	**5.4**	**58**	**15.4**	**12**	**3.5**	**-**	**-**	**11**	**2.7**
Alabama	38	41.1	-	-	11	11.6	-	-	-	-	6	6.3
Kentucky	65	84.1	-	-	11	14.0	-	-	-	-	-	-
Mississippi	37	72.1	-	-	15	29.8	-	-	-	-	-	-
Tennessee	103	65.5	13	8.0	21	13.8	7	4.6	-	-	-	-

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Asian/Pacific Islander (API), Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**549**	**74.1**	**53**	**7.2**	**126**	**17.8**	**27**	**4.0**	**-**	**-**	**18**	**2.5**
Iowa	63	80.3	6	7.9	11	14.9	-	-	-	-	-	-
Kansas	91	73.9	13	10.8	22	19.2	6	5.3	-	-	-	-
Minnesota	240	84.5	18	6.2	53	19.9	12	4.6	-	-	7	2.6
Missouri	109	59.1	12	6.5	27	14.5	-	-	-	-	-	-
Nebraska	35	66.1	-	-	10	20.0	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	8	90.9	-	-	-	-	-	-	-	-	-	-
West South Central	**1,362**	**65.6**	**116**	**5.7**	**357**	**17.7**	**66**	**3.6**	**13**	**0.7**	**67**	**3.3**
Arkansas	34	61.9	-	-	6	10.7	-	-	-	-	-	-
Louisiana	106	66.8	9	5.7	35	22.4	7	4.6	-	-	-	-
Oklahoma	91	78.1	9	7.6	20	19.1	-	-	-	-	8	5.8
Texas	1,131	64.8	94	5.5	296	17.5	51	3.3	10	0.6	54	3.2
Mountain	**583**	**63.0**	**54**	**5.6**	**137**	**15.1**	**46**	**4.7**	**10**	**1.0**	**19**	**2.0**
Arizona	184	52.6	18	5.1	41	11.7	13	3.9	-	-	-	-
Colorado	204	69.3	14	4.6	49	16.9	16	5.1	-	-	10	3.2
Idaho	28	57.0	-	-	7	17.0	-	-	-	-	-	-
Montana	9	61.7	-	-	-	-	-	-	-	-	-	-
New Mexico	34	53.8	-	-	9	15.3	-	-	-	-	-	-
Utah	120	84.1	13	7.9	28	20.0	11	7.0	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	**18,265**	**86.1**	**1,869**	**8.8**	**4,984**	**23.4**	**1,261**	**4.9**	**337**	**1.5**	**739**	**3.4**
Alaska	64	76.4	6	7.2	17	18.3	-	-	-	-	-	-
California	12,412	81.8	1,246	8.2	3,381	22.0	814	4.6	214	1.3	511	3.4
Hawaii	4,098	106.0	477	13.0	1,128	30.0	346	6.4	89	1.9	162	3.8
Nevada	354	74.9	35	7.3	102	22.1	22	4.4	7	1.5	14	3.0
Oregon	292	84.9	16	4.8	71	20.9	12	3.3	-	-	18	5.2
Washington	1,045	90.1	89	7.6	285	25.0	65	5.3	20	1.7	33	2.6

[1] Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Asian/Pacific Islander (API), Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**27,665**	**94.1**	**2,825**	**9.9**	**5,259**	**18.5**	**3,943**	**12.2**	**696**	**2.1**	**1,501**	**4.9**
New England	**613**	**84.1**	**61**	**8.6**	**111**	**16.7**	**72**	**8.3**	**10**	**1.0**	**29**	**3.3**
Connecticut	137	85.9	11	6.4	19	12.8	28	13.7	-	-	8	5.2
Maine	22	123.7	-	-	-	-	-	-	-	-	-	-
Massachusetts	384	83.3	40	8.9	77	18.1	36	6.9	-	-	13	2.1
New Hampshire	33	97.0	-	-	8	26.1	-	-	-	-	6	14.5
Rhode Island	35	81.6	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**3,291**	**77.1**	**327**	**8.2**	**571**	**14.5**	**539**	**10.9**	**85**	**1.8**	**197**	**4.2**
New Jersey	822	72.3	65	6.3	128	12.6	161	11.6	18	1.3	47	3.7
New York	2,101	78.9	225	9.0	378	15.1	325	10.8	56	1.9	125	4.4
Pennsylvania	368	77.8	37	7.8	65	15.2	53	9.9	11	2.0	25	4.4
South Atlantic	**2,459**	**83.8**	**221**	**7.9**	**490**	**17.6**	**333**	**9.5**	**74**	**2.0**	**138**	**4.4**
Delaware	30	62.3	-	-	11	23.3	-	-	-	-	-	-
District of Columbia	24	62.2	-	-	6	19.5	-	-	-	-	-	-
Florida	674	77.6	62	7.2	152	18.1	78	7.6	22	2.1	37	4.2
Georgia	305	77.0	26	5.4	55	14.8	35	8.0	13	3.0	15	3.5
Maryland	453	81.9	40	8.0	79	15.6	66	10.5	10	1.5	22	3.3
North Carolina	217	87.2	25	12.8	42	18.0	33	10.5	7	2.1	-	-
South Carolina	93	96.2	7	7.7	24	27.9	10	9.5	-	-	-	-
Virginia	658	98.4	56	8.6	120	18.9	101	11.8	17	2.0	51	7.4
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-
East North Central	**1,567**	**81.7**	**157**	**8.4**	**268**	**14.4**	**233**	**10.5**	**31**	**1.3**	**97**	**4.7**
Illinois	834	81.5	93	9.4	130	13.0	141	11.7	12	1.0	53	4.6
Indiana	79	66.2	7	6.8	22	19.3	6	4.8	-	-	-	-
Michigan	293	82.9	26	7.1	55	16.5	36	9.2	-	-	22	6.0
Ohio	228	78.0	16	5.3	43	15.6	38	11.7	-	-	11	3.7
Wisconsin	133	97.4	15	10.8	18	13.4	12	7.6	7	4.5	6	5.0
East South Central	**306**	**94.4**	**29**	**9.8**	**62**	**19.3**	**41**	**10.2**	**11**	**2.6**	**13**	**3.5**
Alabama	73	87.0	6	8.8	12	16.0	13	12.0	-	-	-	-
Kentucky	68	114.6	9	14.4	12	17.4	-	-	-	-	-	-
Mississippi	45	97.3	7	15.0	11	23.4	-	-	-	-	-	-
Tennessee	120	89.0	7	6.3	27	20.7	21	13.8	-	-	8	4.7

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Asian/Pacific Islander (API), Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**542**	**95.9**	**56**	**10.3**	**89**	**16.6**	**60**	**9.3**	**21**	**4.0**	**26**	**4.4**
Iowa	46	75.8	-	-	10	16.1	-	-	-	-	-	-
Kansas	81	83.4	7	6.4	17	19.3	15	13.8	-	-	-	-
Minnesota	227	105.3	26	12.4	29	14.6	22	9.7	10	5.0	8	3.2
Missouri	141	100.3	13	10.0	22	15.6	15	7.6	-	-	12	8.8
Nebraska	36	87.1	-	-	7	17.5	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	7	107.8	-	-	-	-	-	-	-	-	-	-
West South Central	**1,370**	**87.6**	**143**	**10.1**	**290**	**20.1**	**171**	**8.8**	**52**	**2.8**	**76**	**4.3**
Arkansas	38	77.9	-	-	8	19.9	-	-	-	-	-	-
Louisiana	97	88.7	6	6.6	15	15.2	21	17.2	-	-	6	5.1
Oklahoma	104	93.8	17	16.5	23	20.7	10	6.5	-	-	-	-
Texas	1,131	87.3	116	10.0	244	20.5	136	8.4	45	2.9	69	4.7
Mountain	**675**	**87.5**	**60**	**8.4**	**133**	**18.1**	**105**	**12.4**	**26**	**2.7**	**38**	**4.4**
Arizona	235	75.4	18	6.0	40	13.8	39	11.5	12	3.1	18	5.5
Colorado	227	96.2	23	10.7	48	20.3	26	10.6	10	3.4	13	4.8
Idaho	26	71.5	-	-	8	22.7	-	-	-	-	-	-
Montana	21	163.4	-	-	6	49.1	-	-	-	-	-	-
New Mexico	50	82.2	-	-	8	15.0	9	13.8	-	-	-	-
Utah	107	95.9	8	8.3	21	21.0	24	18.5	-	-	-	-
Wyoming	9	109.7	-	-	-	-	-	-	-	-	-	-
Pacific	**16,842**	**103.2**	**1,771**	**11.0**	**3,245**	**20.1**	**2,389**	**14.1**	**386**	**2.3**	**887**	**5.3**
Alaska	67	91.1	-	-	17	25.5	12	14.2	-	-	-	-
California	11,654	100.5	1,248	11.0	2,180	19.1	1,686	13.7	285	2.3	618	5.2
Hawaii	3,382	114.9	334	11.1	712	24.0	454	16.3	52	2.0	179	6.3
Nevada	399	96.8	44	12.0	77	18.6	63	14.1	7	1.3	26	6.1
Oregon	263	95.9	33	12.8	44	16.6	36	11.8	13	4.0	9	3.4
Washington	1,077	108.8	107	11.1	215	22.0	138	12.4	29	2.5	51	5.0

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Asian/Pacific Islander (API), Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
United States	**27,665**	**56.6**	**2,825**	**5.5**	**5,259**	**10.6**	**3,943**	**8.6**	**696**	**1.5**	**1,501**	**3.2**
New England	**613**	**48.7**	**61**	**4.7**	**111**	**8.6**	**72**	**5.8**	**10**	**0.8**	**29**	**2.3**
Connecticut	137	48.0	11	3.6	19	7.0	28	9.2	-	-	8	3.0
Maine	22	63.7	-	-	-	-	-	-	-	-	-	-
Massachusetts	384	48.8	40	5.0	77	9.4	36	4.8	-	-	13	1.6
New Hampshire	33	60.3	-	-	8	14.6	-	-	-	-	6	11.0
Rhode Island	35	47.9	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**3,291**	**45.9**	**327**	**4.4**	**571**	**8.0**	**539**	**7.7**	**85**	**1.1**	**197**	**2.8**
New Jersey	822	43.5	65	3.5	128	6.8	161	8.5	18	0.9	47	2.5
New York	2,101	47.1	225	4.8	378	8.4	325	7.6	56	1.2	125	2.9
Pennsylvania	368	45.6	37	4.5	65	8.3	53	6.3	11	1.3	25	3.1
South Atlantic	**2,459**	**50.8**	**221**	**4.6**	**490**	**10.2**	**333**	**6.6**	**74**	**1.4**	**138**	**2.9**
Delaware	30	45.9	-	-	11	16.5	-	-	-	-	-	-
District of Columbia	24	41.1	-	-	6	12.6	-	-	-	-	-	-
Florida	674	47.7	62	4.6	152	10.9	78	5.3	22	1.5	37	2.6
Georgia	305	47.8	26	3.7	55	8.8	35	5.1	13	1.8	15	2.6
Maryland	453	48.2	40	4.0	79	8.1	66	7.1	10	1.1	22	2.5
North Carolina	217	52.9	25	5.9	42	10.6	33	7.6	7	1.2	-	-
South Carolina	93	58.5	7	5.1	24	15.5	10	6.5	-	-	-	-
Virginia	658	58.8	56	5.0	120	10.8	101	8.7	17	1.4	51	4.4
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-
East North Central	**1,567**	**48.7**	**157**	**4.9**	**268**	**8.5**	**233**	**7.3**	**31**	**0.9**	**97**	**3.0**
Illinois	834	48.2	93	5.4	130	7.6	141	8.3	12	0.7	53	3.1
Indiana	79	40.3	7	3.3	22	11.2	6	3.0	-	-	-	-
Michigan	293	51.9	26	4.7	55	10.0	36	6.4	-	-	22	3.9
Ohio	228	45.8	16	3.3	43	8.6	38	7.8	-	-	11	2.1
Wisconsin	133	57.1	15	5.4	18	8.0	12	6.3	7	2.7	6	2.7
East South Central	**306**	**59.9**	**29**	**5.5**	**62**	**12.4**	**41**	**7.7**	**11**	**2.0**	**13**	**2.5**
Alabama	73	58.7	6	4.2	12	9.9	13	9.7	-	-	-	-
Kentucky	68	65.4	9	8.9	12	11.0	-	-	-	-	-	-
Mississippi	45	59.2	7	9.5	11	14.0	-	-	-	-	-	-
Tennessee	120	58.5	7	3.2	27	14.1	21	9.9	-	-	8	3.9

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates[1] for Selected Cancer Sites
United States, 2003-2007, Asian/Pacific Islander (API), Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
West North Central	**542**	**56.5**	**56**	**5.8**	**89**	**9.2**	**60**	**6.4**	**21**	**2.2**	**26**	**2.7**
Iowa	46	46.8	-	-	10	9.7	-	-	-	-	-	-
Kansas	81	52.6	7	4.6	17	11.4	15	9.9	-	-	-	-
Minnesota	227	62.1	26	6.6	29	8.0	22	6.6	10	2.7	8	2.4
Missouri	141	57.3	13	5.3	22	9.0	15	6.2	-	-	12	4.4
Nebraska	36	50.2	-	-	7	8.5	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	7	56.4	-	-	-	-	-	-	-	-	-	-
West South Central	**1,370**	**53.5**	**143**	**5.5**	**290**	**11.6**	**171**	**6.4**	**52**	**2.0**	**76**	**3.1**
Arkansas	38	44.3	-	-	8	9.9	-	-	-	-	-	-
Louisiana	97	51.4	6	2.9	15	8.1	21	12.1	-	-	6	3.2
Oklahoma	104	59.6	17	9.8	23	14.0	10	4.5	-	-	-	-
Texas	1,131	53.4	116	5.3	244	11.8	136	6.2	45	2.1	69	3.4
Mountain	**675**	**52.0**	**60**	**4.4**	**133**	**10.6**	**105**	**8.3**	**26**	**1.9**	**38**	**2.8**
Arizona	235	47.4	18	3.7	40	8.3	39	8.2	12	2.0	18	3.6
Colorado	227	53.1	23	4.7	48	12.1	26	6.4	10	2.5	13	2.9
Idaho	26	45.3	-	-	8	13.4	-	-	-	-	-	-
Montana	21	93.1	-	-	6	26.6	-	-	-	-	-	-
New Mexico	50	50.0	-	-	8	8.0	9	8.4	-	-	-	-
Utah	107	57.7	8	3.3	21	11.8	24	12.1	-	-	-	-
Wyoming	9	68.4	-	-	-	-	-	-	-	-	-	-
Pacific	**16,842**	**62.8**	**1,771**	**6.2**	**3,245**	**11.7**	**2,389**	**10.0**	**386**	**1.6**	**887**	**3.5**
Alaska	67	53.9	-	-	17	13.6	12	11.0	-	-	-	-
California	11,654	61.0	1,248	6.1	2,180	10.8	1,686	9.8	285	1.6	618	3.4
Hawaii	3,382	71.3	334	6.5	712	14.9	454	11.4	52	1.5	179	4.1
Nevada	399	62.2	44	6.7	77	11.8	63	9.8	7	1.1	26	3.9
Oregon	263	57.0	33	6.9	44	10.0	36	8.6	13	2.6	9	1.8
Washington	1,077	65.9	107	6.3	215	13.6	138	8.6	29	1.8	51	3.4

[1] Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2003-2007, American Indian/Alaskan Native (AI/AN)

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,192	145.1	2.00	85.9	1.11	5,827	107.7	1.46	66.5	0.90
Oral Cavity & Pharynx	134	2.9	0.27	1.9	0.16	64	1.2	0.16	0.7	0.10
Digestive System	1,930	43.4	1.08	26.6	0.62	1,470	28.0	0.75	16.4	0.44
Esophagus	223	4.8	0.35	3.1	0.21	71	1.3	0.16	0.8	0.10
Stomach	259	6.2	0.42	3.6	0.23	162	2.9	0.23	1.8	0.15
Colon & Rectum	631	14.7	0.64	8.7	0.36	518	9.8	0.45	5.7	0.26
Liver	355	7.0	0.41	4.7	0.26	174	3.4	0.26	1.9	0.15
Pancreas	325	7.4	0.45	4.5	0.26	331	6.4	0.36	3.8	0.21
Respiratory System	1,835	43.0	1.08	26.2	0.62	1,505	28.5	0.76	18.2	0.48
Larynx	71	1.6	0.20	1.0	0.12	18	0.3	0.08	0.2	0.05
Lung & bronchus	1,752	41.1	1.05	25.0	0.61	1,483	28.1	0.75	17.9	0.48
Skin	89	2.0	0.23	1.2	0.13	46	0.8	0.13	0.5	0.08
Melanomas of the skin	53	1.1	0.17	0.7	0.10	35	0.6	0.11	0.4	0.07
Breast	-	-	-	-	-	810	14.0	0.51	9.0	0.33
Female Genital System	-	-	-	-	-	596	10.4	0.44	6.7	0.28
Cervix uteri	-	-	-	-	-	154	2.4	0.20	1.7	0.14
Corpus & uterus, NOS	-	-	-	-	-	116	2.2	0.21	1.3	0.13
Ovary	-	-	-	-	-	292	5.3	0.32	3.3	0.20
Male Genital System	541	16.7	0.75	7.4	0.32	-	-	-	-	-
Prostate	521	16.3	0.75	7.1	0.32	-	-	-	-	-
Testis	11	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	389	9.3	0.51	5.4	0.28	204	3.8	0.27	2.3	0.17
Bladder	97	2.7	0.29	1.3	0.14	51	1.0	0.14	0.5	0.07
Kidney & renal pelvis	288	6.5	0.41	4.0	0.24	150	2.7	0.23	1.7	0.15
Brain & Other Nervous System	124	2.2	0.22	1.6	0.15	83	1.4	0.16	1.0	0.11
Endocrine System	25	0.5	0.11	0.3	0.06	25	0.5	0.10	0.3	0.06
Thyroid gland	14	0.3	0.09	0.2	0.05	16	0.3	0.08	0.2	0.04
Lymphomas	202	4.6	0.35	2.8	0.20	187	3.5	0.27	2.0	0.15
Hodgkin Lymphoma	17	0.3	0.08	0.2	0.05	8	0.2	0.06	0.1	0.03
Non-Hodgkin Lymphoma	185	4.3	0.34	2.6	0.20	179	3.4	0.26	2.0	0.15
Multiple Myeloma	138	3.3	0.30	1.9	0.16	124	2.3	0.22	1.5	0.14
Leukemias	212	4.2	0.32	2.8	0.20	167	3.1	0.25	1.8	0.15
Other, Ill-defined & Unknown	569	13.0	0.60	7.9	0.34	546	10.2	0.45	6.2	0.27

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2003-2007, Hispanic Ethnicity

	MALES (HISPANIC)					FEMALES (HISPANIC)				
SITES	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	67,915	150.4	0.62	86.3	0.34	61,120	102.2	0.42	62.0	0.26
Oral Cavity & Pharynx	1,222	2.5	0.08	1.6	0.05	449	0.8	0.04	0.4	0.02
Digestive System	23,222	49.9	0.35	29.9	0.20	17,767	31.1	0.24	17.7	0.14
Esophagus	1,871	4.0	0.10	2.5	0.06	472	0.8	0.04	0.5	0.02
Stomach	3,692	8.0	0.14	4.6	0.08	2,782	4.6	0.09	2.7	0.05
Colon & Rectum	6,984	15.6	0.20	8.9	0.11	5,997	10.5	0.14	5.8	0.08
Liver	5,013	9.9	0.15	6.5	0.09	2,155	3.8	0.08	2.2	0.05
Pancreas	4,134	9.1	0.15	5.4	0.09	4,174	7.5	0.12	4.2	0.07
Respiratory System	14,720	34.5	0.30	19.6	0.17	8,195	14.7	0.16	8.4	0.10
Larynx	799	1.8	0.07	1.1	0.04	80	0.1	0.02	0.1	0.01
Lung & bronchus	13,783	32.5	0.29	18.4	0.16	8,019	14.4	0.16	8.2	0.10
Skin	787	1.6	0.06	1.0	0.04	486	0.8	0.04	0.5	0.02
Melanomas of the skin	497	1.0	0.05	0.6	0.03	366	0.6	0.03	0.4	0.02
Breast	58	0.1	0.02	0.1	0.01	9,859	15.3	0.16	10.3	0.11
Female Genital System	-	-	-	-	-	8,015	12.8	0.15	8.4	0.10
Cervix uteri	-	-	-	-	-	2,206	3.1	0.07	2.2	0.05
Corpus & uterus, NOS	-	-	-	-	-	1,820	3.0	0.07	2.0	0.05
Ovary	-	-	-	-	-	3,604	6.0	0.10	3.8	0.07
Male Genital System	7,019	19.4	0.24	8.7	0.11	-	-	-	-	-
Prostate	6,562	18.8	0.24	8.3	0.11	-	-	-	-	-
Testis	276	0.3	0.02	0.2	0.01	-	-	-	-	-
Urinary System	3,976	9.2	0.16	5.1	0.08	2,094	3.7	0.08	2.1	0.05
Bladder	1,466	3.9	0.11	1.9	0.05	668	1.3	0.05	0.6	0.03
Kidney & renal pelvis	2,462	5.2	0.11	3.2	0.07	1,379	2.4	0.06	1.4	0.04
Brain & Other Nervous System	2,002	3.2	0.08	2.3	0.05	1,652	2.4	0.06	1.7	0.04
Endocrine System	430	0.8	0.04	0.5	0.03	515	0.8	0.04	0.5	0.02
Thyroid gland	252	0.6	0.04	0.3	0.02	344	0.6	0.03	0.4	0.02
Lymphomas	3,361	6.9	0.13	4.1	0.07	2,776	4.8	0.09	2.7	0.05
Hodgkin Lymphoma	314	0.5	0.03	0.4	0.02	226	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,047	6.3	0.13	3.7	0.07	2,550	4.4	0.09	2.5	0.05
Multiple Myeloma	1,458	3.3	0.09	1.9	0.05	1,427	2.5	0.07	1.5	0.04
Leukemias	3,459	6.0	0.12	3.9	0.07	2,657	3.9	0.08	2.6	0.05
Other, Ill-defined & Unknown	6,201	12.9	0.18	7.6	0.10	5,228	8.7	0.12	5.2	0.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2003-2007, Non-Hispanic Ethnicity

	MALES (NON-HISPANIC)					FEMALES (NON-HISPANIC)				
SITES	*Deaths*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,377,718	230.5	0.20	133.1	0.12	1,281,681	159.2	0.14	97.3	0.10
Oral Cavity & Pharynx	25,370	4.0	0.03	2.7	0.02	12,038	1.5	0.01	0.9	0.01
Digestive System	344,160	56.8	0.10	33.8	0.06	284,577	34.4	0.07	19.5	0.04
Esophagus	50,126	8.1	0.04	5.1	0.02	14,078	1.7	0.01	1.0	0.01
Stomach	30,425	5.1	0.03	2.9	0.02	21,226	2.6	0.02	1.5	0.01
Colon & Rectum	128,226	21.6	0.06	12.2	0.04	127,153	15.2	0.04	8.4	0.03
Liver	37,982	6.0	0.03	4.0	0.02	16,631	2.0	0.02	1.2	0.01
Pancreas	76,412	12.6	0.05	7.5	0.03	77,925	9.5	0.03	5.4	0.02
Respiratory System	449,331	74.1	0.11	44.6	0.07	342,220	43.2	0.07	26.9	0.05
Larynx	13,966	2.2	0.02	1.4	0.01	3,802	0.5	0.01	0.3	0.01
Lung & bronchus	432,607	71.4	0.11	42.9	0.07	336,821	42.5	0.07	26.5	0.05
Skin	34,516	5.7	0.03	3.4	0.02	17,990	2.3	0.02	1.4	0.01
Melanomas of the skin	25,823	4.2	0.03	2.6	0.02	14,284	1.8	0.02	1.2	0.01
Breast	1,815	0.3	0.01	0.2	0.00	194,932	24.6	0.06	16.1	0.04
Female Genital System	-	-	-	-	-	128,709	16.3	0.05	10.5	0.03
Cervix uteri	-	-	-	-	-	17,458	2.4	0.02	1.7	0.01
Corpus & uterus, NOS	-	-	-	-	-	33,943	4.2	0.02	2.6	0.02
Ovary	-	-	-	-	-	69,952	8.8	0.03	5.6	0.02
Male Genital System	140,792	25.5	0.07	11.2	0.03	-	-	-	-	-
Prostate	138,147	25.0	0.07	10.9	0.03	-	-	-	-	-
Testis	1,463	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	82,337	14.0	0.05	7.6	0.03	43,125	5.2	0.03	2.8	0.02
Bladder	44,280	7.8	0.04	3.8	0.02	19,573	2.3	0.02	1.1	0.01
Kidney & renal pelvis	36,227	5.9	0.03	3.6	0.02	22,040	2.7	0.02	1.6	0.01
Brain & Other Nervous System	33,982	5.4	0.03	3.9	0.02	27,280	3.6	0.02	2.6	0.02
Endocrine System	4,816	0.8	0.01	0.6	0.01	5,893	0.8	0.01	0.5	0.01
Thyroid gland	2,789	0.5	0.01	0.3	0.01	3,866	0.5	0.01	0.3	0.00
Lymphomas	55,697	9.4	0.04	5.4	0.02	48,911	5.9	0.03	3.3	0.02
Hodgkin Lymphoma	3,290	0.5	0.01	0.4	0.01	2,646	0.4	0.01	0.2	0.01
Non-Hodgkin Lymphoma	52,407	8.9	0.04	5.0	0.02	46,265	5.6	0.03	3.0	0.02
Multiple Myeloma	26,737	4.5	0.03	2.5	0.02	24,032	2.9	0.02	1.6	0.01
Leukemias	57,741	9.9	0.04	5.6	0.03	44,736	5.5	0.03	3.2	0.02
Other, Ill-defined & Unknown	120,424	20.1	0.06	11.8	0.04	107,238	13.1	0.04	7.8	0.03

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada (Excludes Quebec), 2002-2006, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	128,375	236.5	0.67	130.6	0.38	115,896	163.3	0.48	97.5	0.32
Oral Cavity & Pharynx	2,639	4.5	0.09	2.9	0.06	1,297	1.8	0.05	1.1	0.03
Digestive System	36,225	65.7	0.35	37.2	0.20	28,698	39.9	0.24	21.8	0.15
Esophagus	4,455	7.8	0.12	4.7	0.07	1,531	2.1	0.05	1.2	0.03
Stomach	4,201	7.7	0.12	4.3	0.07	2,706	3.8	0.07	2.1	0.05
Colon & Rectum	16,110	29.8	0.24	16.3	0.13	13,908	19.2	0.16	10.3	0.10
Liver	2,914	5.0	0.09	3.1	0.06	1,236	1.7	0.05	1.0	0.03
Pancreas	6,252	11.2	0.14	6.5	0.09	6,475	9.0	0.11	5.0	0.07
Respiratory System	36,121	64.6	0.35	37.4	0.21	27,073	38.6	0.24	24.2	0.16
Larynx	1,240	2.2	0.06	1.3	0.04	264	0.4	0.02	0.2	0.02
Lung & bronchus	34,626	62.0	0.34	35.8	0.20	26,683	38.1	0.23	23.8	0.16
Skin	2,542	4.6	0.09	2.7	0.06	1,566	2.2	0.06	1.4	0.04
Melanomas of the skin	1,992	3.5	0.08	2.2	0.05	1,261	1.8	0.05	1.2	0.04
Breast	168	0.3	0.02	0.2	0.01	18,365	26.0	0.19	16.5	0.13
Female Genital System	-	-	-	-	-	11,006	15.6	0.15	9.9	0.10
Cervix uteri	-	-	-	-	-	1,533	2.2	0.06	1.6	0.04
Corpus & uterus, NOS	-	-	-	-	-	2,638	3.7	0.07	2.2	0.05
Ovary	-	-	-	-	-	6,123	8.7	0.11	5.6	0.08
Male Genital System	14,732	30.6	0.26	12.9	0.11	-	-	-	-	-
Prostate	14,443	30.1	0.26	12.6	0.11	-	-	-	-	-
Testis	155	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	7,777	14.8	0.17	7.7	0.09	3,878	5.4	0.09	2.8	0.05
Bladder	4,314	8.5	0.13	4.0	0.06	1,810	2.5	0.06	1.2	0.03
Kidney & renal pelvis	3,296	5.9	0.11	3.5	0.06	1,948	2.7	0.06	1.6	0.04
Brain & Other Nervous System	3,295	5.5	0.10	4.0	0.07	2,414	3.6	0.07	2.6	0.06
Endocrine System	428	0.8	0.04	0.5	0.03	521	0.8	0.03	0.5	0.03
Thyroid gland	251	0.5	0.03	0.3	0.02	329	0.5	0.03	0.2	0.02
Lymphomas	5,443	9.8	0.14	5.7	0.08	4,568	6.4	0.10	3.7	0.06
Hodgkin Lymphoma	262	0.5	0.03	0.3	0.02	180	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	5,181	9.3	0.13	5.4	0.08	4,388	6.2	0.09	3.5	0.06
Multiple Myeloma	2,354	4.4	0.09	2.3	0.05	2,130	3.0	0.06	1.6	0.04
Leukemias	4,954	9.2	0.13	5.2	0.08	3,630	5.1	0.09	2.9	0.06
Other, Ill-defined & Unknown	11,697	21.7	0.21	11.9	0.12	10,750	15.0	0.15	8.5	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada (Excludes Quebec), 2003-2007, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Deaths*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Deaths*	*Adj. Rate 1996 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	128,375	216.8	0.61	130.6	0.38	115,896	152.1	0.46	97.5	0.32
Oral Cavity & Pharynx	2,639	4.3	0.08	2.9	0.06	1,297	1.7	0.05	1.1	0.03
Digestive System	36,225	60.6	0.32	37.2	0.20	28,698	36.4	0.22	21.8	0.15
Esophagus	4,455	7.3	0.11	4.7	0.07	1,531	2.0	0.05	1.2	0.03
Stomach	4,201	7.1	0.11	4.3	0.07	2,706	3.5	0.07	2.1	0.05
Colon & Rectum	16,110	27.2	0.22	16.3	0.13	13,908	17.4	0.15	10.3	0.10
Liver	2,914	4.7	0.09	3.1	0.06	1,236	1.6	0.05	1.0	0.03
Pancreas	6,252	10.4	0.13	6.5	0.09	6,475	8.3	0.11	5.0	0.07
Respiratory System	36,121	60.4	0.32	37.4	0.21	27,073	36.7	0.23	24.2	0.16
Larynx	1,240	2.1	0.06	1.3	0.04	264	0.4	0.02	0.2	0.02
Lung & bronchus	34,626	57.9	0.31	35.8	0.20	26,683	36.2	0.22	23.8	0.16
Skin	2,542	4.3	0.09	2.7	0.06	1,566	2.1	0.05	1.4	0.04
Melanomas of the skin	1,992	3.3	0.07	2.2	0.05	1,261	1.7	0.05	1.2	0.04
Breast	168	0.3	0.02	0.2	0.01	18,365	24.3	0.18	16.5	0.13
Female Genital System	-	-	-	-	-	11,006	14.8	0.14	9.9	0.10
Cervix uteri	-	-	-	-	-	1,533	2.2	0.06	1.6	0.04
Corpus & uterus, NOS	-	-	-	-	-	2,638	3.5	0.07	2.2	0.05
Ovary	-	-	-	-	-	6,123	8.2	0.11	5.6	0.08
Male Genital System	14,732	26.3	0.22	12.9	0.11	-	-	-	-	-
Prostate	14,443	25.8	0.22	12.6	0.11	-	-	-	-	-
Testis	155	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	7,777	13.3	0.15	7.7	0.09	3,878	4.9	0.08	2.8	0.05
Bladder	4,314	7.5	0.12	4.0	0.06	1,810	2.2	0.05	1.2	0.03
Kidney & renal pelvis	3,296	5.5	0.10	3.5	0.06	1,948	2.5	0.06	1.6	0.04
Brain & Other Nervous System	3,295	5.3	0.09	4.0	0.07	2,414	3.4	0.07	2.6	0.06
Endocrine System	428	0.7	0.03	0.5	0.03	521	0.7	0.03	0.5	0.03
Thyroid gland	251	0.4	0.03	0.3	0.02	329	0.4	0.02	0.2	0.02
Lymphomas	5,443	9.1	0.12	5.7	0.08	4,568	5.9	0.09	3.7	0.06
Hodgkin Lymphoma	262	0.4	0.03	0.3	0.02	180	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	5,181	8.6	0.12	5.4	0.08	4,388	5.7	0.09	3.5	0.06
Multiple Myeloma	2,354	4.0	0.08	2.3	0.05	2,130	2.8	0.06	1.6	0.04
Leukemias	4,954	8.5	0.12	5.2	0.08	3,630	4.7	0.08	2.9	0.06
Other, Ill-defined & Unknown	11,697	19.8	0.18	11.9	0.12	10,750	13.8	0.14	8.5	0.09

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
Canada[2] (Excludes Quebec), 2002-2006, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
Canada[2]	128,375	236.5	16,110	29.8	34,626	62.0	14,443	30.1	4,314	8.5	5,181	9.3
Alberta	13,725	224.7	1,589	26.2	3,516	56.3	1,735	33.1	430	7.5	544	8.7
British Columbia	21,740	213.4	2,563	25.2	5,736	55.0	2,429	26.4	804	8.4	962	9.3
Manitoba	6,748	248.1	853	31.4	1,731	62.7	850	33.3	242	9.2	306	11.1
New Brunswick	4,709	265.6	529	29.6	1,551	85.1	503	32.4	144	8.8	183	10.0
Newfoundland and Labrador	3,412	284.3	562	47.0	977	77.6	332	33.1	94	9.0	73	5.6
Northwest Territories	110	266.8	22	58.9	30	67.4	8	32.2	-	-	-	-
Nova Scotia	6,452	282.1	864	38.4	1,980	84.5	621	30.3	206	9.7	212	9.0
Nunavut	89	462.5	15	69.1	43	228.8	-	-	-	-	-	-
Ontario	64,308	238.1	8,262	30.8	17,246	61.7	6,813	28.9	2,159	8.7	2,616	9.5
Prince Edward Island	814	248.7	97	29.5	253	75.7	95	32.3	25	8.8	27	7.3
Saskatchewan	6,119	239.6	733	28.6	1,513	58.7	1,045	41.5	200	7.9	253	9.9
Yukon	149	317.8	21	49.5	50	105.6	11	33.7	-	-	-	-

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

[2] Table includes data from 2002 to 2006, with the exception of Quebec.

Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates[1] for Selected Cancer Sites
Canada[2] (Excludes Quebec), 2002-2006, All Races, Males

	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
Canada[2]	128,375	216.8	16,110	27.2	34,626	57.9	14,443	25.8	4,314	7.5	5,181	8.6
Alberta	13,725	205.9	1,589	23.9	3,516	52.5	1,735	28.5	430	6.7	544	8.0
British Columbia	21,740	195.2	2,563	23.0	5,736	51.2	2,429	22.7	804	7.4	962	8.6
Manitoba	6,748	227.2	853	28.6	1,731	58.4	850	28.6	242	8.2	306	10.3
New Brunswick	4,709	242.9	529	27.2	1,551	79.4	503	27.4	144	7.7	183	9.3
Newfoundland and Labrador	3,412	261.3	562	43.0	977	73.2	332	28.5	94	7.8	73	5.2
Northwest Territories	110	237.9	22	50.9	30	61.2	8	26.0	-	-	-	-
Nova Scotia	6,452	259.8	864	34.9	1,980	79.2	621	26.1	206	8.5	212	8.4
Nunavut	89	423.4	15	65.9	43	211.3	-	-	-	-	-	-
Ontario	64,308	218.3	8,262	28.2	17,246	57.7	6,813	24.8	2,159	7.6	2,616	8.7
Prince Edward Island	814	227.7	97	27.3	253	70.2	95	27.7	25	7.4	27	7.1
Saskatchewan	6,119	219.7	733	26.5	1,513	54.9	1,045	35.9	200	7.0	253	9.1
Yukon	149	293.6	21	44.0	50	100.6	11	29.3	-	-	-	-

[1] Rates are per 100,000 population and are age-adjusted using the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

[2] Table includes data from 2002 to 2006, with the exception of Quebec.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
Canada[2] (Excludes Quebec), 2002-2006, All Races, Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
Canada[2]	115,896	163.3	13,908	19.2	26,683	38.1	18,365	26.0	1,533	2.2	6,123	8.7
Alberta	12,304	158.2	1,320	16.9	2,836	37.0	1,938	24.5	204	2.5	648	8.3
British Columbia	19,784	155.0	2,285	17.5	4,904	38.9	2,931	23.1	226	1.8	1,113	8.8
Manitoba	6,336	173.0	766	19.9	1,487	41.8	1,043	28.6	74	2.2	333	9.4
New Brunswick	4,042	167.0	458	18.2	1,015	42.8	606	24.9	48	2.1	199	8.5
Newfoundland and Labrador	2,628	172.9	422	27.5	518	34.2	467	30.4	43	2.9	128	8.5
Northwest Territories	109	214.2	13	29.5	30	61.2	21	35.1	-	-	-	-
Nova Scotia	5,636	183.6	769	24.2	1,391	46.6	849	27.5	105	3.7	269	8.8
Nunavut	73	383.7	6	19.8	33	221.2	-	-	-	-	-	-
Ontario	58,908	164.1	7,092	19.5	13,078	36.6	9,563	26.8	766	2.2	3,131	8.8
Prince Edward Island	799	181.5	137	30.0	195	45.5	119	27.4	10	2.3	26	5.9
Saskatchewan	5,165	159.4	624	18.1	1,168	37.6	808	25.5	53	1.9	270	8.6
Yukon	112	227.1	16	31.8	28	56.0	15	25.0	-	-	6	9.0

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

[2] Table includes data from 2002 to 2006, with the exception of Quebec.

Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates[1] for Selected Cancer Sites
Canada[2] (Excludes Quebec), 2002-2006, All Races, Females

	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
Geographic Region	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*	*Deaths*	*Rate*
Canada[2]	115,896	152.1	13,908	17.4	26,683	36.2	18,365	24.3	1,533	2.2	6,123	8.2
Alberta	12,304	147.7	1,320	15.4	2,836	35.3	1,938	23.1	204	2.4	648	7.8
British Columbia	19,784	143.9	2,285	15.8	4,904	36.8	2,931	21.6	226	1.7	1,113	8.3
Manitoba	6,336	161.5	766	18.0	1,487	39.9	1,043	26.7	74	2.1	333	8.9
New Brunswick	4,042	155.0	458	16.2	1,015	40.8	606	23.0	48	2.0	199	8.1
Newfoundland and Labrador	2,628	161.9	422	25.2	518	33.0	467	28.6	43	2.8	128	8.2
Northwest Territories	109	205.1	13	25.8	30	61.2	21	32.8	-	-	-	-
Nova Scotia	5,636	171.0	769	21.9	1,391	44.4	849	25.7	105	3.6	269	8.3
Nunavut	73	368.1	6	19.4	33	210.3	-	-	-	-	-	-
Ontario	58,908	152.7	7,092	17.6	13,078	34.8	9,563	25.1	766	2.2	3,131	8.3
Prince Edward Island	799	169.6	137	27.1	195	43.6	119	25.6	10	2.2	26	5.5
Saskatchewan	5,165	149.5	624	16.5	1,168	36.0	808	24.1	53	1.9	270	8.2
Yukon	112	210.0	16	29.2	28	52.0	15	24.0	-	-	6	8.6

[1] Rates are per 100,000 population and are age-adjusted using the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

[2] Table includes data from 2002 to 2006, with the exception of Quebec.