Section IV

Average-annual Age-adjusted Cancer Incidence Rates for Selected Canadian Registries



Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in Canada[3], 2004-2008, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanomas of the Skin		
	Count	*Rate*	*S.E.*[4]	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*
Alberta	36,694	509.2	2.74	10,283	141.0	1.43	4,543	66.6	1.01	4,608	65.5	0.99	2,426	36.0	0.75	1,216	15.7	0.47
Manitoba	14,829	507.3	4.20	3,340	113.3	1.98	2,247	77.7	1.65	2,167	74.3	1.61	993	34.9	1.11	398	13.3	0.67
New Brunswick	11,720	582.7	5.50	3,530	167.4	2.87	1,944	99.0	2.29	1,423	72.3	1.96	711	36.8	1.41	362	18.0	0.97
Nova Scotia	14,998	591.8	4.93	4,010	151.8	2.44	2,367	94.6	1.98	2,120	85.5	1.90	946	38.9	1.29	563	21.8	0.94
Prince Edward Island	2,216	594.7	12.90	663	169.8	6.73	324	88.5	5.01	275	75.1	4.62	126	36.2	3.30	90	24.9	2.67
Saskatchewan	13,601	515.3	4.43	4,161	156.0	2.42	1,813	68.5	1.61	1,900	71.7	1.65	849	32.2	1.11	345	13.2	0.71

Total Cancer Cases and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Incidence Rates[2] for the Five Most Commonly Diagnosed Cancers
Selected Areas in Canada[3], 2004-2008, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanomas of the Skin		
	Count	*Rate*	*S.E.*[4]	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*
Alberta	36,694	484.3	2.58	10,283	135.9	1.37	4,543	62.6	0.94	4,608	61.7	0.93	2,426	33.5	0.69	1,216	15.2	0.45
Manitoba	14,829	482.5	4.00	3,340	109.0	1.90	2,247	73.7	1.57	2,167	69.8	1.51	993	32.3	1.03	398	12.7	0.64
New Brunswick	11,720	556.6	5.21	3,530	163.1	2.78	1,944	93.3	2.14	1,423	67.6	1.82	711	34.2	1.30	362	17.4	0.93
Nova Scotia	14,998	564.0	4.66	4,010	146.8	2.34	2,367	89.5	1.86	2,120	80.0	1.76	946	36.0	1.18	563	21.1	0.91
Prince Edward Island	2,216	568.3	12.21	663	164.4	6.45	324	83.7	4.68	275	70.8	4.31	126	33.2	2.98	90	23.4	2.50
Saskatchewan	13,601	492.7	4.27	4,161	151.0	2.36	1,813	64.8	1.53	1,900	67.9	1.57	849	30.2	1.05	345	12.7	0.70

1. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.
2. Rates are per 100,000 and are age-adjusted to the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.
3. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
4. Abbreviations: S.E. - Standard Error

Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in Canada[3], 2004-2008, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[4]			Non-Hodgkin Lymphoma		
	Count	*Rate*	*S.E.*[4]	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*
Alberta	33,303	397.1	2.19	9,547	112.5	1.16	4,126	50.5	0.79	3,607	43.6	0.73	1,918	22.4	0.52	1,289	15.5	0.43
Manitoba	14,677	415.4	3.49	4,052	117.2	1.87	2,050	57.0	1.28	1,869	50.3	1.19	922	26.8	0.89	614	17.1	0.70
New Brunswick	9,735	406.0	4.18	2,607	108.7	2.15	1,489	60.9	1.59	1,131	45.0	1.35	491	20.2	0.92	405	16.8	0.85
Nova Scotia	13,253	435.9	3.84	3,553	117.7	2.00	1,902	61.7	1.43	1,877	59.5	1.39	623	20.1	0.81	518	17.1	0.76
Prince Edward Island	1,802	410.4	9.82	480	110.8	5.13	260	57.6	3.61	254	56.2	3.59	95	20.9	2.17	65	15.0	1.89
Saskatchewan	11,909	389.6	3.65	3,323	112.4	1.99	1,615	51.8	1.31	1,525	46.4	1.22	672	22.8	0.89	479	15.7	0.74

Total Cancer Cases and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Incidence Rates[2] for the Five Most Commonly Diagnosed Cancers
Selected Areas in Canada[3], 2004-2008, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[4]			Non-Hodgkin Lymphoma		
	Count	*Rate*	*S.E.*[4]	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*	*Count*	*Rate*	*S.E.*
Alberta	33,303	382.2	2.13	9,547	109.0	1.13	4,126	48.5	0.77	3,607	40.9	0.69	1,918	21.9	0.51	1,289	14.9	0.42
Manitoba	14,677	399.3	3.42	4,052	113.4	1.84	2,050	54.8	1.24	1,869	47.1	1.14	922	26.1	0.88	614	16.3	0.68
New Brunswick	9,735	389.9	4.07	2,607	104.8	2.10	1,489	58.5	1.55	1,131	42.1	1.29	491	19.7	0.91	405	16.2	0.83
Nova Scotia	13,253	418.7	3.75	3,553	114.0	1.96	1,902	59.4	1.39	1,877	55.8	1.33	623	19.6	0.80	518	16.4	0.74
Prince Edward Island	1,802	395.5	9.61	480	107.6	5.03	260	55.6	3.52	254	52.9	3.44	95	20.2	2.11	65	14.4	1.82
Saskatchewan	11,909	375.2	3.59	3,323	109.1	1.96	1,615	50.1	1.29	1,525	43.7	1.18	672	22.2	0.88	479	15.1	0.72

1. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.
2. Rates are per 100,000 and are age-adjusted to the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.
3. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
4. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error