

CHAPTER VIII:

REQUIRED STATUS TABLE (ITEM # ORDER)

The following table presents Version 12 of the NAACCR required status summarizing the requirements and recommendations for collection of each item by standard-setting groups. Differences from Version 11.3 are marked “Revised,” “New,” or “Retired” in the “Note” column of the table.

NPCR	Refers to requirements and recommendations of the NPCR regarding data items that should be collected or computed by NPCR state registries. The NPCR transmit column in the Required Status Table has been removed with Version 11.2. Transmit instructions will be provided by NPCR. <i>Note: Patient identifying data items collected are not transmitted to CDC.</i>
CoC	Refers to requirements of CoC. CoC-approved cancer program registries are required to collect the indicated items in the “Collect” column and are required to report items indicated in the “Transmit” column to the NCDB. Facilities should refer to the CoC <i>FORDS</i> manual for further clarification of required fields. <i>Note: Patient identifying data items collected are not transmitted to the NCDB.</i>
SEER	Refers to requirements of NCI’s SEER Program. Central registries are required to collect the indicated items in the “Collect” column and are required to report the items indicated in the “Transmit” column to NCI-SEER. Facilities and central registries should refer to the <i>SEER Program Code Manual</i> for further clarification of required fields.
CCCR	Refers to requirements of Canadian Council of Cancer Registries Provincial/Territorial Cancer Registries should refer to the <i>Canadian Cancer Registry System Guide</i> for further clarification of fields. Items indicated in the “Collect” column are required to be collected at the registry level and items indicated in the “Transmit” column are required to be reported to the Canadian Cancer Registry. CCCR requirements have been added to the Required Status Table with Version 11.2.

Exchange Elements for Hospital to Central and Central to Central

The target audience for this set of requirements is comprised of the various designers of registry software, at the hospital, central registry, and national levels. In the Exchange Elements columns, data items marked are either required by key national organizations for cancer reporting or are of special importance in the unambiguous communication of reports and the proper linking of records. A clear distinction is made between items required for facilities reporting to central registries (labeled Hosp → Central), and those items that central registries should use when sending cases to other central registries (labeled Central → Central). “T” is used when the data are vital to a complete exchange record. If a data item is unknown, it should have the proper code for unknown assigned. It is not specified how registries should handle records that have empty T fields. “T*” means the vendor should convey the data if they are available for any of the cases; otherwise, they can leave the field empty. The receiving end (central registry) may, of course, ignore these items if they so choose. “TH” means only certain historical cases may require these fields. Some central registries have additional required data fields. For these, vendors should contact the central registry directly.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
10	Record Type	R	.	R	.	R	.	.	T	T	NAACCR	
20	Patient ID Number	R	.	.	R	R	R*	R*	.	T	Reporting Registry	Revised
21	Patient System ID-Hosp	T	.	NAACCR	
30	Registry Type	T	NAACCR	
35	FIN Coding System	R*	R*	.	.	NAACCR	Revised
37	Reserved 00											
40	Registry ID	R	.	.	R	R	.	.	T	T	NAACCR	
45	NPI--Registry ID	.	.	.	R*	CMS	
50	NAACCR Record Version	R	.	R	T	T	NAACCR	
60	Tumor Record Number	.	.	.	S	S	R*	R*	T	T	NAACCR	Revised
70	Addr at DX--City	R	R	R	R	.	R*	R*	T	T	CoC	Revised
80	Addr at DX--State	R	R	R	R	.	.	.	T	T	CoC	
90	County at DX	R	R	R	R	R	.	.	T	T	FIPS/SEER	
100	Addr at DX--Postal Code	R	R	R	R	.	R*	R*	T	T	CoC	Revised
110	Census Tract 1970/80/90	RH*	.	.	RH	RH	.	.	.	T*	SEER	
120	Census Cod Sys 1970/80/90	RH*	.	.	RH	RH	.	.	.	T*	SEER	
130	Census Tract 2000	R	.	.	R	R	.	.	.	T*	NAACCR	
140	Census Tract Cod Sys--Alt											Retired
150	Marital Status at DX	.	.	.	R	R	SEER	
160	Race 1	R	R	R	R	R	.	.	T	T	SEER/CoC	
161	Race 2	R	R	R	R	R	.	.	T	T	SEER/CoC	
162	Race 3	R	R	R	R	R	.	.	T	T	SEER/CoC	
163	Race 4	R	R	R	R	R	.	.	T	T	SEER/CoC	
164	Race 5	R	R	R	R	R	.	.	T	T	SEER/CoC	
170	Race Coding Sys--Current	.	R	R	T	T	NAACCR	
180	Race Coding Sys--Original	.	R	R	T	T	NAACCR	
190	Spanish/Hispanic Origin	R	R	R	R	R	.	.	T	T	SEER/CoC	
191	NHIA Derived Hisp Origin	D	.	.	D	R	NAACCR	
192	IHS Link	R*	.	.	.	R	NPCR	
193	Race--NAPIA (derived API)	R	.	.	D	R	NAACCR	Revised
200	Computed Ethnicity	R	.	.	D	R	SEER	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
210	Computed Ethnicity Source	R	.	.	R	R	SEER	
220	Sex	R	R	R	R	R	R*	R*	T	T	SEER/CoC	Revised
230	Age at Diagnosis	R	R	R	R	R	D	D	.	.	SEER/CoC	Revised
240	Date of Birth	R	R	R	R	R	R*	R*	T	T	SEER/CoC	Revised
241	Date of Birth Flag	R	R	R	R	R	.	.	T	T	NAACCR	New
250	Birthplace	R*	R	R	R	R	R*	R*	T*	T	SEER/CoC	Revised
260	Religion											Retired
270	Occupation Code--Census	R*	Census/NPCR	
280	Industry Code--Census	R*	Census/NPCR	
290	Occupation Source	R*	NPCR	
300	Industry Source	R*	NPCR	
310	Text--Usual Occupation	R*	T*	T*	NPCR	
320	Text--Usual Industry	R*	T*	T*	NPCR	
330	Occup/Ind Coding System	R*	NPCR	
340	Tobacco History											Retired
350	Alcohol History											Retired
360	Family History of Cancer											Retired
362	Census Block Group 2000	.	.	.	S	Census	
364	Census Tr Cert 1970/80/90	RH*	.	.	RH	RH	SEER	
365	Census Tr Certainty 2000	R	.	.	R	R	NAACCR	
366	GIS Coordinate Quality	R*	.	.	S	NAACCR	
368	CensusBlockGroup 70/80/90	.	.	.	S	Census	
370	Reserved 01											
380	Sequence Number--Central	R	.	.	R	R	D	D	.	T	SEER	Revised
390	Date of Diagnosis	R	R	R	R	R	R*	R*	T	T	SEER/CoC	Revised
391	Date of Diagnosis Flag	R	R	R	R	R	.	.	T	T	NAACCR	New
400	Primary Site	R	R	R	R	R	.	.	T	T	SEER/CoC	
410	Laterality	R	R	R	R	R	R*	R*	T	T	SEER/CoC	Revised
419	Morph--Type&Behav ICD-O-2		
420	Histology (92-00) ICD-O-2	RH	RH	RH	RH	RH	RH	RH	TH	TH	SEER/CoC	
430	Behavior (92-00) ICD-O-2	RH	RH	RH	RH	RH	RH	RH	TH	TH	SEER/CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
439	Date of Mult Tumors Flag	.	.	.	R	R	NAACCR	New
440	Grade	R	R	R	R	R	R*	R*	T	T	SEER/CoC	Revised
441	Grade Path Value	.	R	R	R	R	.	.	T*	T*	AJCC	New
442	Ambiguous Terminology DX	.	R	R	R	R	S	S	.	.	SEER	
443	Date of Conclusive DX	.	R	R	R	R	S	S	.	.	SEER	
444	Mult Tum Rpt as One Prim	.	R	R	R	R	S	S	.	.	SEER	
445	Date of Multiple Tumors	.	R	R	R	R	S	S	.	.	SEER	
446	Multiplicity Counter	.	R	R	R	R	S	S	.	.	SEER	
447	Number of Tumors/Hist										Retired	Retired
448	Date Conclusive DX Flag	.	R	R	R	R	NAACCR	New
449	Grade Path System	.	R	R	R	R	.	.	T*	T*	AJCC	New
450	Site Coding Sys--Current	R	R	R	T	T	NAACCR	
460	Site Coding Sys--Original	.	R	R	.	.	R*	R*	T	T	NAACCR	Revised
470	Morph Coding Sys--Current	R	R	R	T	T	NAACCR	
480	Morph Coding Sys--Originl	.	R	R	.	.	R*	R*	T	T	NAACCR	
490	Diagnostic Confirmation	R	R	R	R	R	.	.	T	T	SEER/CoC	
500	Type of Reporting Source	R	.	.	R	R	.	.	T	T	SEER	
501	Casefinding Source	T*	T*	NAACCR	
510	Screening Date											Retired
520	Screening Result											Retired
521	Morph--Type&Behav ICD-O-3				
522	Histologic Type ICD-O-3	R	R	R	R	R	R*	R*	T	T	SEER/CoC	Revised
523	Behavior Code ICD-O-3	R	R	R	R	R	R*	R*	T	T	SEER/CoC	Revised
530	Reserved 02								.	.		
538	Reporting Hospital FAN											Retired
540	Reporting Facility	R	R	R	R	.	.	.	T	.	CoC	
545	NPI--Reporting Facility	R*	R	R	R*	CMS	
550	Accession Number--Hosp	.	R	R	R	.	.	.	T*	.	CoC	
560	Sequence Number--Hospital	.	R	R	R	.	.	.	T	.	CoC	
570	Abstracted By	.	R	R	R	CoC	
580	Date of 1st Contact	R	R	R	T	.	CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
581	Date of 1st Contact Flag	R	R	R	T	.	NAACCR	New
590	Date of Inpatient Adm	NAACCR	
591	Date of Inpt Adm Flag	NAACCR	New
600	Date of Inpatient Disch	NAACCR	
601	Date of Inpt Disch Flag	NAACCR	New
605	Inpatient Status	NAACCR	New
610	Class of Case	R	R	R	RC	.	.	.	T	.	CoC	
620	Year First Seen This CA											Retired
630	Primary Payer at DX	R*	R	R	R	R	CoC	
640	Inpatient/Outpt Status											Retired
650	Presentation at CA Conf											Retired
660	Date of CA Conference											Retired
665	RX Hosp--ASA Class											
668	RX Hosp--Surg App 2010	.	R	R	T*	.	CoC	New
670	RX Hosp--Surg Prim Site	.	R	R	R	.	.	.	T*	.	CoC	
672	RX Hosp--Scope Reg LN Sur	.	R	R	R	.	.	.	T*	.	CoC	
674	RX Hosp--Surg Oth Reg/Dis	.	R	R	R	.	.	.	T*	.	CoC	
676	RX Hosp--Reg LN Removed	.	RH	RH	T*	.	CoC	Revised
678	RX Hosp--Surg Timing											
680	Reserved 03											
690	RX Hosp--Radiation	.	.	.	RH	.	.	.	TH*	.	SEER/CoC	
700	RX Hosp--Chemo	.	R	R	R	.	.	.	T*	.	CoC	
710	RX Hosp--Hormone	.	R	R	R	.	.	.	T*	.	CoC	
720	RX Hosp--BRM	.	R	R	R	.	.	.	T*	.	CoC	
730	RX Hosp--Other	.	R	R	R	.	.	.	T*	.	CoC	
740	RX Hosp--DX/Stg Proc	.	R	R	CoC	
742	RX Hosp--Screen/BX Proc1											Retired
743	RX Hosp--Screen/BX Proc2											Retired
744	RX Hosp--Screen/BX Proc3											Retired
745	RX Hosp--Screen/BX Proc4											Retired
746	RX Hosp--Surg Site 98-02	.	RH	RH	RH	.	.	.	TH*	.	CoC	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
747	RX Hosp--Scope Reg 98-02	.	RH	RH	RH	.	.	.	TH*	.	CoC	Revised
748	RX Hosp--Surg Oth 98-02	.	RH	RH	RH	.	.	.	TH*	.	CoC	Revised
750	Reserved 04											
759	SEER Summary Stage 2000	RH	RH	RH	.	S	.	.	TH*	TH*	SEER	
760	SEER Summary Stage 1977	RH	RH	RH	.	S	.	.	TH*	TH*	SEER	
770	Loc/Reg/Distant Stage											Retired
779	Extent of Disease 10-Dig				
780	EOD--Tumor Size	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	
790	EOD--Extension	.	.	.	RH	RH	.	.	TH*	TH*	SEER	
800	EOD--Extension Prost Path	.	.	.	RH	RH	.	.	TH*	TH*	SEER	
810	EOD--Lymph Node Involv	.	.	.	RH	RH	.	.	TH*	TH*	SEER	
820	Regional Nodes Positive	.	R	R	R	R	R*	R*	T*	T*	SEER/CoC	
830	Regional Nodes Examined	.	R	R	R	R	R*	R*	T*	T*	SEER/CoC	
840	EOD--Old 13 Digit	.	.	.	RH	RH	SEER	
850	EOD--Old 2 Digit	.	.	.	RH	RH	SEER	
860	EOD--Old 4 Digit	.	.	.	RH	RH	SEER	
870	Coding System for EOD	.	.	.	RH	RH	.	.	.	TH*	SEER	
880	TNM Path T	.	R*	R*	T*	T*	AJCC	
890	TNM Path N	.	R*	R*	T*	T*	AJCC	
900	TNM Path M	.	R*	R*	T*	T*	AJCC	
910	TNM Path Stage Group	.	R*	R*	T*	T*	AJCC	
920	TNM Path Descriptor	.	R*	R*	T*	T*	CoC	
930	TNM Path Staged By	.	R*	R*	T*	T*	CoC	
940	TNM Clin T	.	R	R	T*	T*	AJCC	
950	TNM Clin N	.	R	R	T*	T*	AJCC	
960	TNM Clin M	.	R	R	T*	T*	AJCC	
970	TNM Clin Stage Group	.	R	R	T*	T*	AJCC	
980	TNM Clin Descriptor	.	R	R	T*	T*	CoC	
990	TNM Clin Staged By	.	R	R	T*	T*	CoC	
1000	TNM Other T											Retired
1010	TNM Other N											Retired

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1020	TNM Other M											Retired
1030	TNM Other Stage Group											Retired
1040	TNM Other Staged By											Retired
1050	TNM Other Descriptor											Retired
1060	TNM Edition Number	.	R	R	T*	T*	CoC	
1070	Other Staging System											Retired
1080	Date of 1st Positive BX											Retired
1090	Site of Distant Met 1											Retired
1100	Site of Distant Met 2											Retired
1110	Site of Distant Met 3											Retired
1120	Pediatric Stage	CoC	
1130	Pediatric Staging System	CoC	
1140	Pediatric Staged By	CoC	
1150	Tumor Marker 1	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER	Revised
1160	Tumor Marker 2	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER	Revised
1170	Tumor Marker 3	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER	Revised
1180	Reserved 05											
1182	Lymph-vascular Invasion	.	R	R	RS	RS	AJCC	New
1190	Reserved 06											
1200	RX Date--Surgery	R*	R	R	S	S	.	.	T*	T*	CoC	Revised
1201	RX Date--Surgery Flag	R*	R	R	S	S	.	.	T*	T*	NAACCR	New
1210	RX Date--Radiation	R*	R	R	S	S	.	.	T*	T*	CoC	Revised
1211	RX Date--Radiation Flag	R*	R	R	S	S	.	.	T*	T*	NAACCR	New
1220	RX Date--Chemo	R*	R	R	TH*	TH*	CoC	Revised
1221	RX Date--Chemo Flag	R*	R	R	TH*	TH*	NAACCR	New
1230	RX Date--Hormone	R*	R	R	TH*	TH*	CoC	Revised
1231	RX Date--Hormone Flag	R*	R	R	TH*	TH*	NAACCR	New
1240	RX Date--BRM	R*	R	R	S	S	.	.	TH*	TH*	CoC	Revised
1241	RX Date--BRM Flag	R*	R	R	S	S	.	.	TH*	TH*	NAACCR	New
1250	RX Date--Other	R*	R	R	S	S	.	.	T*	T*	CoC	Revised
1251	RX Date--Other Flag	R*	R	R	S	S	.	.	T*	T*	NAACCR	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1260	Date of Initial RX--SEER	R#	.	.	R	R	.	.	T*	T*	SEER	
1261	Date of Initial RX Flag	R#	.	.	R	R	.	.	T*	T*	NAACCR	New
1270	Date of 1st Crs RX--CoC	R#	R	R	T*	T*	CoC	
1271	Date of 1st Crs Rx Flag	R#	R	R	T*	T*	NAACCR	New
1280	RX Date--DX/Stg Proc	.	R	R	CoC	
1281	RX Date--Dx/Stg Proc Flag	.	R	R	NAACCR	New
1285	RX Summ--Treatment Status	R#	R	R	R	R	SEER/CoC	New
1290	RX Summ--Surg Prim Site	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1292	RX Summ--Scope Reg LN Sur	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1294	RX Summ--Surg Oth Reg/Dis	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1296	RX Summ--Reg LN Examined	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	Revised
1300	Reserved 07											
1310	RX Summ--Surgical Approach	.	RH	RH	CoC	
1320	RX Summ--Surgical Margins	.	R	R	CoC	
1330	RX Summ--Reconstruct 1st	.	RH	RH	RH	RH	SEER	
1340	Reason for No Surgery	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1350	RX Summ--DX/Stg Proc	.	R	R	CoC	
1360	RX Summ--Radiation	D	.	.	R	R	.	.	TH*	TH*	SEER	
1370	RX Summ--Rad to CNS	.	.	.	R	R	SEER/CoC	
1380	RX Summ--Surg/Rad Seq	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1390	RX Summ--Chemo	R	R	R	R	R	.	.	T*	T*	SEER/CoC	
1400	RX Summ--Hormone	R	R	R	R	R	.	.	T*	T*	SEER/CoC	
1410	RX Summ--BRM	R	R	R	R	R	.	.	T*	T*	SEER/CoC	
1420	RX Summ--Other	R	R	R	R	R	.	.	T*	T*	SEER/CoC	
1430	Reason for No Radiation	.	R	R	CoC	
1440	Reason for No Chemo											Retired
1450	Reason for No Hormone											Retired
1460	RX Coding System--Current	R	R	R	.	RH	.	.	T*	T*	NAACCR	
1470	Protocol Eligibility Stat											Retired
1480	Protocol Participation											Retired
1490	Referral to Support Serv											Retired

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1500	First Course Calc Method	R	NAACCR	
1510	Rad--Regional Dose: CGY	.	R	R	T	.	CoC	
1520	Rad--No of Treatment Vol	.	R	R	T	.	CoC	
1530	Rad--Elapsed RX Days											Retired
1540	Rad--Treatment Volume	.	R	R	T	.	CoC	
1550	Rad--Location of RX	.	R	R	T	.	CoC	
1560	Rad--Intent of Treatment											Retired
1570	Rad--Regional RX Modality	R	R	R	RC	.	.	.	T	T*	CoC	
1580	Rad--RX Completion Status											Retired
1590	Rad--Local Control Status											Retired
1600	Chemotherapy Field 1											Retired
1610	Chemotherapy Field 2											Retired
1620	Chemotherapy Field 3											Retired
1630	Chemotherapy Field 4											Retired
1639	RX Summ--Systemic/Sur Seq	R	R	R	R	R	.	.	T	T	CoC	
1640	RX Summ--Surgery Type	.	.	.	RH	RH	.	.	TH*	TH*	SEER	
1642	RX Summ--Screen/BX Proc1											Retired
1643	RX Summ--Screen/BX Proc2											Retired
1644	RX Summ--Screen/BX Proc3											Retired
1645	RX Summ--Screen/BX Proc4											Retired
1646	RX Summ--Surg Site 98-02	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	
1647	RX Summ--Scope Reg 98-02	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	
1648	RX Summ--Surg Oth 98-02	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	
1650	Reserved 08											
1660	Subsq RX 2nd Course Date	CoC	
1661	Subsq RX 2ndCrS Date Flag	NAACCR	New
1670	Subsq RX 2nd Course Codes		
1671	Subsq RX 2nd Course Surg	CoC	
1672	Subsq RX 2nd Course Rad	CoC	
1673	Subsq RX 2nd Course Chemo	CoC	
1674	Subsq RX 2nd Course Horm	CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1675	Subsq RX 2nd Course BRM	CoC	
1676	Subsq RX 2nd Course Oth	CoC	
1677	Subsq RX 2nd--Scope LN SU	CoC	
1678	Subsq RX 2nd--Surg Oth	CoC	
1679	Subsq RX 2nd--Reg LN Rem	CoC	
1680	Subsq RX 3rd Course Date	CoC	
1681	Subsq RX 3rdCrS Date Flag	NAACCR	New
1690	Subsq RX 3rd Course Codes		
1691	Subsq RX 3rd Course Surg	CoC	
1692	Subsq RX 3rd Course Rad	CoC	
1693	Subsq RX 3rd Course Chemo	CoC	
1694	Subsq RX 3rd Course Horm	CoC	
1695	Subsq RX 3rd Course BRM	CoC	
1696	Subsq RX 3rd Course Oth	CoC	
1697	Subsq RX 3rd--Scope LN Su	CoC	
1698	Subsq RX 3rd--Surg Oth	CoC	
1699	Subsq RX 3rd--Reg LN Rem	CoC	
1700	Subsq RX 4th Course Date	CoC	
1701	Subsq RX 4thCrS Date Flag	NAACCR	New
1710	Subsq RX 4th Course Codes		
1711	Subsq RX 4th Course Surg	CoC	
1712	Subsq RX 4th Course Rad	CoC	
1713	Subsq RX 4th Course Chemo	CoC	
1714	Subsq RX 4th Course Horm	CoC	
1715	Subsq RX 4th Course BRM	CoC	
1716	Subsq RX 4th Course Oth	CoC	
1717	Subsq RX 4th--Scope LN Su	CoC	
1718	Subsq RX 4th--Surg Oth	CoC	
1719	Subsq RX 4th--Reg LN Rem	CoC	
1720	Subsq RX 5th Course Date											Retired
1730	Subsq RX 5th Course Codes											Retired

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1731	Subsq RX 5th Course Surg											Retired
1732	Subsq RX 5th Course Rad											Retired
1733	Subsq RX 5th Course Chemo											Retired
1734	Subsq RX 5th Course Horm											Retired
1735	Subsq RX 5th Course BRM											Retired
1736	Subsq RX 5th Course Oth											Retired
1737	Subsq RX 5th--Scope LN Su											Retired
1738	Subsq RX 5th--Surg Oth											Retired
1739	Subsq RX 5th--Reg LN Rem											Retired
1740	Reserved 09											
1741	Subsq RX--Reconstruct Del	CoC	
1750	Date of Last Contact	R	R	R	R	R	.	.	T	T	SEER/CoC	
1751	Date of Last Contact Flag	R	R	R	R	R	.	.	T	T	NAACCR	New
1755	Date of Death--Canada	R*	R*	.	.	CCCR	Revised
1756	Date of Death--CanadaFlag	NAACCR	New
1760	Vital Status	R	R	R	R	R	D	D	T	T	SEER/CoC	Revised
1770	Cancer Status	.	R	R	CoC	
1780	Quality of Survival	CoC	
1790	Follow-Up Source	R*	R	T*	.	CoC	
1791	Follow-up Source Central	R	T*	NAACCR	
1800	Next Follow-Up Source	.	R	CoC	
1810	Addr Current--City	.	R	.	R	.	.	.	T*	.	CoC	
1820	Addr Current--State	.	R	.	R	.	.	.	T*	.	CoC	
1830	Addr Current--Postal Code	.	R	.	R	.	.	.	T*	.	CoC	
1835	Reserved 10											
1840	County--Current	NAACCR	
1842	Follow-Up Contact--City	.	.	.	R	.	.	.	T*	.	SEER	
1844	Follow-Up Contact--State	.	.	.	R	.	.	.	T*	.	SEER	
1846	Follow-Up Contact--Postal	.	.	.	R	.	.	.	T*	.	SEER	
1850	Unusual Follow-Up Method	CoC	
1860	Recurrence Date--1st	.	R	R	RC	.	.	.	T*	.	CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1861	Recurrence Date--1st Flag	.	R	R	RC	.	.	.	T*	.	NAACCR	New
1870	Recurrence Distant Sites											Retired
1871	Recurrence Distant Site 1											Retired
1872	Recurrence Distant Site 2											Retired
1873	Recurrence Distant Site 3											Retired
1880	Recurrence Type--1st	.	R	R	RC	.	.	.	T*	.	CoC	
1890	Recurrence Type--1st--Oth											Retired
1900	Reserved 11											
1910	Cause of Death	R	.	.	R	R	R*	R*	.	T	SEER	Revised
1920	ICD Revision Number	R	.	.	R	R	.	.	.	T	SEER	
1930	Autopsy	R*	R*	.	.	NAACCR	Revised
1940	Place of Death	R	R*	R*	T*	T*	NPCR	Revised
1960	Site (73-91) ICD-O-1	.	.	.	RH	RH	SEER	
1970	Morph (73-91) ICD-O-1											
1971	Histology (73-91) ICD-O-1	.	.	.	RH	RH	SEER	
1972	Behavior (73-91) ICD-O-1	.	.	.	RH	RH	SEER	
1973	Grade (73-91) ICD-O-1	.	.	.	RH	RH	SEER	
1980	ICD-O-2 Conversion Flag	.	RH	RH	R	R	.	.	T*	T*	SEER	Revised
1981	Over-ride SS/NodesPos	T*	T*	NAACCR	
1982	Over-ride SS/TNM-N	T*	T*	NAACCR	
1983	Over-ride SS/TNM-M	T*	T*	NAACCR	
1984	Over-ride SS/DisMet1											Retired
1985	Over-ride Acsn/Class/Seq	.	R	R	T*	T*	CoC	
1986	Over-ride HospSeq/DxConf	.	R	R	T*	T*	CoC	
1987	Over-ride CoC-Site/Type	.	R	R	T*	T*	CoC	
1988	Over-ride HospSeq/Site	.	R	R	T*	T*	CoC	
1989	Over-ride Site/TNM-StgGrp	.	R	R	T*	T*	CoC	
1990	Over-ride Age/Site/Morph	R	R	R	R	R	.	.	T*	T*	SEER	
2000	Over-ride SeqNo/DxConf	R	.	.	R	R	.	.	T*	T*	SEER	
2010	Over-ride Site/Lat/SeqNo	R	.	.	R	R	.	.	T*	T*	SEER	
2020	Over-ride Surg/DxConf	R	R	R	R	R	.	.	T*	T*	SEER	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
2030	Over-ride Site/Type	R	R	R	R	R	.	.	T*	T*	SEER	
2040	Over-ride Histology	R	R	R	R	R	.	.	T*	T*	SEER	
2050	Over-ride Report Source	R	.	.	R	R	.	.	T*	T*	SEER	
2060	Over-ride Ill-define Site	R	.	.	R	R	.	.	T*	T*	SEER	
2070	Over-ride Leuk, Lymphoma	R	R	R	R	R	.	.	T*	T*	SEER	
2071	Over-ride Site/Behavior	R	R	R	R	R	.	.	T*	T*	SEER	
2072	Over-ride Site/EOD/DX Dt	.	.	.	R	R	.	.	T*	T*	SEER	
2073	Over-ride Site/Lat/EOD	.	.	.	R	R	.	.	T*	T*	SEER	
2074	Over-ride Site/Lat/Morph	R	R	R	R	R	.	.	T*	T*	SEER	
2080	Reserved 13											
2081	CRC CHECKSUM	.	.	.	S	S	NAACCR	
2085	Date Case Initiated	NAACCR	New
2090	Date Case Completed	NAACCR	Revised
2092	Date Case Completed--CoC	.	R	R	CoC	New
2100	Date Case Last Changed	NAACCR	
2110	Date Case Report Exported	R	T	.	NPCR	
2111	Date Case Report Received	R	NPCR	
2112	Date Case Report Loaded	R	NPCR	
2113	Date Tumor Record Availbl	R	NPCR	
2114	Future Use Timeliness 1											Retired
2115	Future Use Timeliness 2											Retired
2116	ICD-O-3 Conversion Flag	R	.	.	R	R	.	.	T	T	SEER/CoC	Revised
2120	SEER Coding Sys--Current	R	.	.	T*	T*	NAACCR	
2130	SEER Coding Sys--Original	R	.	.	T*	T*	NAACCR	
2140	CoC Coding Sys--Current	.	R	R	T*	T*	CoC	
2150	CoC Coding Sys--Original	.	R	R	T*	T*	CoC	
2160	Subsq Report for Primary											Retired
2170	Vendor Name	.	R	R	T	T	NAACCR	
2180	SEER Type of Follow-Up	.	.	.	R	R	SEER	
2190	SEER Record Number	R	SEER	
2200	Diagnostic Proc 73-87	.	.	.	RH	RH	SEER	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
2210	Reserved 14											
2220	State/Requestor Items	Varies	
2230	Name--Last	R	R	.	R	.	R*	R*	T	T	CoC	Revised
2240	Name--First	R	R	.	R	.	R*	R*	T	T	CoC	Revised
2250	Name--Middle	R	R	.	R	.	R*	R*	T*	T*	CoC	Revised
2260	Name--Prefix	CoC	
2270	Name--Suffix	.	.	.	R	.	.	.	T*	T*	CoC	
2280	Name--Alias	R	.	.	R	.	.	.	T*	T*	CoC	
2290	Name--Spouse/Parent	NAACCR	
2300	Medical Record Number	R	R	.	R	.	.	.	T	.	CoC	
2310	Military Record No Suffix	.	R	CoC	
2320	Social Security Number	R	R	.	R	.	.	.	T	T	CoC	
2330	Addr at DX--No & Street	R	R	.	R	.	.	.	T	T	CoC	
2335	Addr at DX--Supplementl	R	R*	.	R	.	.	.	T*	T*	CoC	Revised
2350	Addr Current--No & Street	.	R	.	R	.	.	.	T*	T*	CoC	
2352	Latitude	R*	.	.	S	NAACCR	
2354	Longitude	R*	.	.	S	NAACCR	
2355	Addr Current--Supplementl	.	R*	.	R	.	.	.	T*	.	CoC	Revised
2360	Telephone	.	R	.	R	.	.	.	T*	T*	CoC	
2370	DC State											Retired
2380	DC State File Number	R	.	.	R*	T*	State	
2390	Name--Maiden	R	.	.	R	.	.	.	T*	T*	CoC	
2392	Follow-Up Contact--No&St	.	.	.	R	SEER	
2393	Follow-Up Contact--Suppl	.	.	.	R	SEER	
2394	Follow-Up Contact--Name	.	.	.	R	SEER	
2410	Institution Referred From	.	R	T*	.	CoC	
2415	NPI--Inst Referred From	.	R	CMS	
2420	Institution Referred To	.	R	T*	.	CoC	
2425	NPI--Inst Referred To	.	R	CMS	
2430	Last Follow-Up Hospital											Retired
2440	Following Registry	.	.	.	R	CoC	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
2445	NPI--Following Registry	.	.	.	R*	CMS	
2460	Physician--Managing	NAACCR	
2465	NPI--Physician--Managing	.	R	CMS	Revised
2470	Physician--Follow-Up	.	R	.	R	.	.	.	T*	T*	CoC	
2475	NPI--Physician--Follow-Up	.	R	.	R*	CMS	Revised
2480	Physician--Primary Surg	.	R	CoC	
2485	NPI--Physician--Primary Surg	.	R	R	CMS	
2490	Physician 3	.	R	CoC	
2495	NPI--Physician 3	.	R	R	CMS	
2500	Physician 4	.	R	CoC	
2505	NPI--Physician 4	.	R	R	CMS	
2510	Reserved 12											
2520	Text--DX Proc--PE	R^	.	.	R	.	.	.	T*	T*	NPCR	
2530	Text--DX Proc--X-ray/Scan	R^	.	.	R	.	.	.	T*	T*	NPCR	
2540	Text--DX Proc--Scopes	R^	.	.	R	.	.	.	T*	T*	NPCR	
2550	Text--DX Proc--Lab Tests	R^	.	.	R	.	.	.	T*	T*	NPCR	
2560	Text--DX Proc--Op	R^	.	.	R	.	.	.	T*	T*	NPCR	
2570	Text--DX Proc--Path	R^	.	.	R	.	.	.	T*	T*	NPCR	
2580	Text--Primary Site Title	R^	.	.	R	.	.	.	T*	T*	NPCR	
2590	Text--Histology Title	R^	.	.	R	.	.	.	T*	T*	NPCR	
2600	Text--Staging	R^	.	.	R	.	.	.	T*	T*	NPCR	
2610	RX Text--Surgery	R^	.	.	R	.	.	.	T*	T*	NPCR	
2620	RX Text--Radiation (Beam)	R^	.	.	R	.	.	.	T*	T*	NPCR	
2630	RX Text--Radiation Other	R^	.	.	R	.	.	.	T*	T*	NPCR	
2640	RX Text--Chemo	R^	.	.	R	.	.	.	T*	T*	NPCR	
2650	RX Text--Hormone	R^	.	.	R	.	.	.	T*	T*	NPCR	
2660	RX Text--BRM	R^	.	.	R	.	.	.	T*	T*	NPCR	
2670	RX Text--Other	R^	.	.	R	.	.	.	T*	T*	NPCR	
2680	Text--Remarks	.	.	.	R	.	.	.	T*	T*	NPCR	
2690	Text--Place of Diagnosis	NPCR	
2730	CS PreRx Tumor Size	T*	T*	AJCC	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
2735	CS PreRx Extension	T*	T*	AJCC	New
2740	CS PreRx Tum Sz/Ext Eval	T*	T*	AJCC	New
2750	CS PreRx Lymph Nodes	T*	T*	AJCC	New
2755	CS PreRx Reg Nodes Eval	T*	T*	AJCC	New
2760	CS PreRx Mets at DX	T*	T*	AJCC	New
2765	CS PreRx Mets Eval	T*	T*	AJCC	New
2770	CS PostRx Tumor Size	T*	T*	AJCC	New
2775	CS PostRx Extension	T*	T*	AJCC	New
2780	CS PostRx Lymph Nodes	T*	T*	AJCC	New
2785	CS PostRx Mets at DX	T*	T*	AJCC	New
2800	CS Tumor Size	R	R	R	R	R	R*	R*	T	T	AJCC	
2810	CS Extension	R	R	R	R	R	R*	R*	T	T	AJCC	
2820	CS Tumor Size/Ext Eval	R	R	R	R	R	R*	R*	T*	T*	AJCC	
2830	CS Lymph Nodes	R	R	R	R	R	R*	R*	T	T	AJCC	
2840	CS Lymph Nodes Eval	.	R	R	R	R	R*	R*	T*	T*	AJCC	
2850	CS Mets at DX	R	R	R	R	R	R*	R*	T	T	AJCC	
2851	CS Mets at Dx-Bone	.	R	R	R	R	.	.	T*	T*	AJCC	New
2852	CS Mets at Dx-Brain	.	R	R	R	R	.	.	T*	T*	AJCC	New
2853	CS Mets at Dx-Liver	.	R	R	R	R	.	.	T*	T*	AJCC	New
2854	CS Mets at Dx-Lung	.	R	R	R	R	.	.	T*	T*	AJCC	New
2860	CS Mets Eval	.	R	R	R	R	R*	R*	T*	T*	AJCC	
2861	CS Site-Specific Factor 7	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2862	CS Site-Specific Factor 8	RS	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2863	CS Site-Specific Factor 9	RS	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2864	CS Site-Specific Factor10	RS	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2865	CS Site-Specific Factor11	RS	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2866	CS Site-Specific Factor12	RS	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2867	CS Site-Specific Factor13	RS	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2868	CS Site-Specific Factor14	RS	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2869	CS Site-Specific Factor15	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2870	CS Site-Specific Factor16	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
2871	CS Site-Specific Factor17	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2872	CS Site-Specific Factor18	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2873	CS Site-Specific Factor19	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2874	CS Site-Specific Factor20	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2875	CS Site-Specific Factor21	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2876	CS Site-Specific Factor22	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2877	CS Site-Specific Factor23	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2878	CS Site-Specific Factor24	.	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2879	CS Site-Specific Factor25	RS	RS	RS	RS	RS	.	.	T*	T*	AJCC	New
2880	CS Site-Specific Factor 1	RS	RS	RS	RS	RS	R*	R*	T*	T*	AJCC	Revised
2890	CS Site-Specific Factor 2	RS	RS	RS	RS	RS	R*	R*	T*	T*	AJCC	Revised
2900	CS Site-Specific Factor 3	RS	RS	RS	RS	RS	R*	R*	T*	T*	AJCC	Revised
2910	CS Site-Specific Factor 4	.	RS	RS	RS	RS	R*	R*	T*	T*	AJCC	Revised
2920	CS Site-Specific Factor 5	.	RS	RS	RS	RS	R*	R*	T*	T*	AJCC	Revised
2930	CS Site-Specific Factor 6	.	RS	RS	RS	RS	R*	R*	T*	T*	AJCC	Revised
2935	CS Version Input Original	R	R	R	D	R	R*	R*	.	.	AJCC	Revised
2936	CS Version Derived	R	R	R	D	R	D	D	.	.	AJCC	Revised
2937	CS Version Input Current	R	R	R	D	R	.	.	T*	T*	AJCC	New
2940	Derived AJCC-6 T	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
2950	Derived AJCC-6 T Descript	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
2960	Derived AJCC-6 N	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
2970	Derived AJCC-6 N Descript	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
2980	Derived AJCC-6 M	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
2990	Derived AJCC-6 M Descript	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
3000	Derived AJCC-6 Stage Grp	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
3010	Derived SS1977	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
3020	Derived SS2000	D	D	R	D	R	D	D	T*	T*	AJCC	Revised
3030	Derived AJCC--Flag	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
3040	Derived SS1977--Flag	.	D	R	D	R	D	D	T*	T*	AJCC	Revised
3050	Derived SS2000--Flag	D	D	R	D	R	D	D	T*	T*	AJCC	Revised
3100	Archive FIN	.	R	R	CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
3105	NPI--Archive FIN	.	R	R	CMS	
3110	Comorbid/Complication 1	.	R	R	T*	.	CoC	
3120	Comorbid/Complication 2	.	R	R	T*	.	CoC	
3130	Comorbid/Complication 3	.	R	R	T*	.	CoC	
3140	Comorbid/Complication 4	.	R	R	T*	.	CoC	
3150	Comorbid/Complication 5	.	R	R	T*	.	CoC	
3160	Comorbid/Complication 6	.	R	R	T*	.	CoC	
3161	Comorbid/Complication 7	.	R	R	T*	.	CoC	
3162	Comorbid/Complication 8	.	R	R	T*	.	CoC	
3163	Comorbid/Complication 9	.	R	R	T*	.	CoC	
3164	Comorbid/Complication 10	.	R	R	T*	.	CoC	
3165	ICD Revision Comorbid	.	R	R	T*	.	CoC	
3170	RX Date--Most Defn Surg	.	R	R	T*	.	CoC	
3171	RX Date Mst Defn Srg Flag	.	R	R	T*	.	NAACCR	New
3180	RX Date--Surgical Disch	.	R	R	CoC	
3181	RX Date Surg Disch Flag	.	R	R	NAACCR	New
3190	Readm Same Hosp 30 Days	.	R	R	CoC	
3200	Rad--Boost RX Modality	.	R	R	RC	.	.	.	T*	T*	CoC	
3210	Rad--Boost Dose cGy	.	R	R	CoC	
3220	RX Date--Radiation Ended	.	R	R	CoC	
3221	RX Date Rad Ended Flag	.	R	R	NAACCR	New
3230	RX Date--Systemic	.	R	R	S	.	.	.	T*	T*	CoC	
3231	RX Date Systemic Flag	.	R	R	S	.	.	.	T*	T*	NAACCR	New
3250	RX Summ--Transplnt/Endocr	R	R	R	R	R	.	.	T*	T*	CoC	
3260	Pain Assessment											Retired
3270	RX Summ--Palliative Proc	.	R	R	T*	.	CoC	
3280	RX Hosp--Palliative Proc	.	R	R	T*	.	CoC	
3300	RuralUrban Continuum 1993	D	NAACCR	
3310	RuralUrban Continuum 2003	D	NAACCR	
3400	Derived AJCC-7 T	.	D	R	D	R	D	D	T*	T*	AJCC	New
3402	Derived AJCC-7 T Descript	.	D	R	D	R	D	D	T*	T*	AJCC	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
3410	Derived AJCC-7 N	.	D	R	D	R	D	D	T*	T*	AJCC	New
3412	Derived AJCC-7 N Descript	.	D	R	D	R	D	D	T*	T*	AJCC	New
3420	Derived AJCC-7 M	.	D	R	D	R	D	D	T*	T*	AJCC	New
3422	Derived AJCC-7 M Descript	.	D	R	D	R	D	D	T*	T*	AJCC	New
3430	Derived AJCC-7 Stage Grp	.	D	R	D	R	D	D	T*	T*	AJCC	New
3440	Derived PreRx-7 T	D	D	T*	T*	AJCC	New
3442	Derived PreRx-7 T Descrip	D	D	T*	T*	AJCC	New
3450	Derived PreRx-7 N	D	D	T*	T*	AJCC	New
3452	Derived PreRx-7 N Descrip	D	D	T*	T*	AJCC	New
3460	Derived PreRx-7 M	D	D	T*	T*	AJCC	New
3462	Derived PreRx-7 M Descrip	D	D	T*	T*	AJCC	New
3470	Derived PreRx-7 Stage Grp	D	D	T*	T*	AJCC	New
3480	Derived PostRx-7 T	D	D	T*	T*	AJCC	New
3482	Derived PostRx-7 N	D	D	T*	T*	AJCC	New
3490	Derived PostRx-7 M	D	D	T*	T*	AJCC	New
3492	Derived PostRx-7 Stge Grp	D	D	T*	T*	AJCC	New
3600	Derived Neoadjuv Rx Flag	D	D	T*	T*	AJCC	New
3700	SEER Site-Specific Fact 1	SEER	New
3702	SEER Site-Specific Fact 2	SEER/CoC	New
3704	SEER Site-Specific Fact 3	SEER/CoC	New
3706	SEER Site-Specific Fact 4	SEER/CoC	New
3708	SEER Site-Specific Fact 5	SEER/CoC	New
3710	SEER Site-Specific Fact 6	SEER/CoC	New
7010	Path Reporting Fac ID 1	HL7	New
7011	Path Reporting Fac ID 2	HL7	New
7012	Path Reporting Fac ID 3	HL7	New
7013	Path Reporting Fac ID 4	HL7	New
7014	Path Reporting Fac ID 5	HL7	New
7090	Path Report Number 1	HL7	New
7091	Path Report Number 2	HL7	New
7092	Path Report Number 3	HL7	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
7093	Path Report Number 4	HL7	New
7094	Path Report Number 5	HL7	New
7100	Path Order Phys Lic No 1	HL7	New
7101	Path Order Phys Lic No 2	HL7	New
7102	Path Order Phys Lic No 3	HL7	New
7103	Path Order Phys Lic No 4	HL7	New
7104	Path Order Phys Lic No 5	HL7	New
7190	Path Ordering Fac No 1	HL7	New
7191	Path Ordering Fac No 2	HL7	New
7192	Path Ordering Fac No 3	HL7	New
7193	Path Ordering Fac No 4	HL7	New
7194	Path Ordering Fac No 5	HL7	New
7320	Path Date Spec Collect 1	HL7	New
7321	Path Date Spec Collect 2	HL7	New
7322	Path Date Spec Collect 3	HL7	New
7323	Path Date Spec Collect 4	HL7	New
7324	Path Date Spec Collect 5	HL7	New
7480	Path Report Type 1	HL7	New
7481	Path Report Type 2	HL7	New
7482	Path Report Type 3	HL7	New
7483	Path Report Type 4	HL7	New
7484	Path Report Type 5	HL7	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from CoC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or CoC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH = only certain historical cases may require these fields. T* = transmit data if available for any case in exchange record.