Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
10	Record Type	Character		I, C, A, U, R, M, L	1	Revised
20	Patient ID Number	Character	Right justified, zero filled		8	
30	Registry Type	Character		1-3	1	
35	FIN Coding System	Character		1-3, 9	1	
37	Reserved 00	Character			7	
40	Registry ID	Character	Right justified, zero filled	10-digit number. Reference to EDITS table REGID.DBF in Appendix B	10	
50	NAACCR Record Version	Character		Blank, 1, 4-9, A	1	
60	Tumor Record Number	Character	Right justified, zero filled	01-99	2	
70	Addr at DX–City	Character	Mixed case letters, no special characters, embedded spaces allowed, left justified, blank filled, special characters only as allowed by USPS	City Name or UNKNOWN	20	Revised
80	Addr at DX–State	Character	Upper case	Refer to EDITS table STATE.DBF in Appendix B	2	
90	County at DX	Character	Right justified, zero filled	See Appendix A for county codes for each state. For non-U.S. residents, COC uses Appendix B (BPLACE.DBF). Also 998, 999	3	Revised
100	Addr at DX–Postal Code	Character	Numbers or upper case letters. No special characters or embedded spaces allowed. Left justified, blank filled	5-digit or 9-digit U.S. ZIP codes;6-character Canadian postal codes;valid postal codes from other countries, 888888888, 999999999, 88888+4 blanks, 99999+4 blanks	9	Revised
110	Census Tract 1970/80/90	Character	Right justified, zero filled	Census Tract Codes 000100-949999, BNA Codes 950100-998999, 000000, 999999, blank	6	
120	Census Cod Sys 1970/80/90	Character		0-3, blank	1	
130	Census Tract 2000	Character	Right justified, zero filled	Census Tract Codes 000101-999998, 000000, 999999, blank	6	
140	Census Tract Cod Sys--Alt	Character			0	Retired
150	Marital Status at DX	Character		1-5, 9	1	
160	Race 1	Character	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 96-99	2	
161	Race 2	Character	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 88, 96-99, blank	2	
162	Race 3	Character	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 88, 96-99, blank	2	
163	Race 4	Character	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 88, 96-99, blank	2	
164	Race 5	Character	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 88, 96-99, blank	2	
170	Race Coding Sys--Current	Character		1-6, 9	1	
180	Race Coding Sys--Original	Character		1-6, 9	1	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
190	Spanish/Hispanic Origin	Character		0-7, 9	1	
200	Computed Ethnicity	Character		0-7, blank	1	
210	Computed Ethnicity Source	Character		0-9, blank	1	
220	Sex	Character		1-4, 9	1	
230	Age at Diagnosis	Character	Right justified, zero filled	000-120, 999	3	
240	Birth Date	Character	MMDDCCYY	Valid date or 99999999	8	
250	Birthplace	Character	Right justified, zero filled	Reference to EDITS table BPLACE.DBF in Appendix B. Also 998 and 999.	3	Revised
260	Religion	Character	No standard	Any	2	
270	Occupation Code–Census	Character		Reference Industry and Occupation Coding for Death Certificates	3	
280	Industry Code--Census	Character		Reference Industry and Occupation Coding for Death Certificates	3	
290	Occupation Source	Character		0-3, 7-9, blank	1	
300	Industry Source	Character		0-3, 7-9, blank	1	
310	Text--Usual Occupation	Character	Free text	Neither carriage return nor line feed characters allowed	40	
320	Text--Usual Industry	Character	Free text	Neither carriage return nor line feed characters allowed	40	
330	Occup/Ind Coding System	Character		1-4, 7, 9, blank	1	
340	Tobacco History	Character	No standard	Any	1	
350	Alcohol History	Character	No standard	Any	1	
360	Family History of Cancer	Character	No standard	Any	1	
362	Census Tract Block Group	Character	No standard	Refer to Census Bureau	1	Revised
364	Census Tr Cert 1970/80/90	Character		1-5, 9, blank	1	
365	Census Tr Certainty 2000	Character		1-5, 9, blank	1	
370	Reserved 01	Character			20	
380	Sequence Number--Central	Character	Right justified, zero filled	00-35, 60-87, 88, 98, 99	2	Revised
390	Date of Diagnosis	Character	MMDDCCYY	Valid date or 99999999	8	
400	Primary Site	Character	C followed by 3 digits, no special characters, no embedded blanks	Reference ICD-O-3 for valid entries	4	
410	Laterality	Character		0-4, 9	1	
419	Morph–Type&Behav ICD-O-2	Character		Reference to ICD-0-2	5	
420	Histology (92-00) ICD-O-2	Character		Reference to ICD-0-2	4	
430	Behavior (92-00) ICD-O-2	Character		0-3; Reference to ICD-0-2	1	Revised
440	Grade	Character		1-9	1	
450	Site Coding Sys--Current	Character		1-6, 9	1	
460	Site Coding Sys--Original	Character		1-6, 9	1	
470	Morph Coding Sys–Current	Character		1-7, 9	1	
480	Morph Coding Sys–Originl	Character		1-7, 9	1	
490	Diagnostic Confirmation	Character		1, 2, 4-9	1	
500	Type of Reporting Source	Character		1, 3-7	1	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
510	Screening Date	Character	MMDDCCYY	Valid date, 00000000, 99999999	8	
520	Screening Result	Character		0-4, 8, 9	1	
521	Morph–Type&Behav ICD-O-3	Character		Reference to ICD-O-3	5	
522	Histologic Type ICD-O-3	Character		Reference to ICD-O-3	4	
523	Behavior Code ICD-O-3	Character		0-3; Reference to ICD-O-3	1	Revised
530	Reserved 02	Character			50	
538	Reporting Hospital FAN	Character			10	
540	Reporting Hospital	Character	Right justified, zero filled	10-digit number	10	
550	Accession Number--Hosp	Character		9-digit number	9	
560	Sequence Number--Hospital	Character	Right justified, zero filled	00-35, 60-87, 88, 99	2	
570	Abstracted By	Character	No special characters	Letters and numbers	3	
580	Date of 1st Contact	Character	MMDDCCYY	Valid dates or 99999999	8	
590	Date of Inpatient Adm	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
600	Date of Inpatient Disch	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
610	Class of Case	Character		0-9	1	
620	Year First Seen This CA	Character	CCYY	1944 to current year	4	
630	Primary Payer at DX	Character	Right justified, zero filled	01, 02, 10, 20, 31, 35, 36, 50-56, 99	2	
640	Inpatient/Outpt Status	Character		1-3, 8, 9	1	
650	Presentation at CA Conf	Character		0-9	1	
660	Date of CA Conference	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
670	RX Hosp–Surg Prim Site	Character	Right justified, zero filled	00, 10-80, 90, 98, 99 (site specific)	2	
672	RX Hosp–Scope Reg LN Sur	Character		0-7, 9	1	
674	RX Hosp–Surg Oth Reg/Dis	Character		0-5, 9	1	
676	RX Hosp–Reg LN Removed	Character		00-90, 95-99	2	
680	Reserved 03	Character			50	
690	RX Hosp–Radiation	Character		0-5, 9	1	
700	RX Hosp–Chemo	Character	Right justified, zero filled	00-03, 82, 85-88, 99	2	
710	RX Hosp–Hormone	Character	Right justified, zero filled	00, 01, 82, 85-88, 99	2	
720	RX Hosp–BRM	Character	Right justified, zero filled	00, 01, 82, 85-88, 99	2	
730	RX Hosp–Other	Character		0-3, 6-9	1	
740	RX Hosp–DX/Stg Proc	Character	Right justified, zero filled	00-07, 09	2	
742	RX Hosp–Screen/BX Proc1	Character		Site-specific: 0 (all cases); 1-3, 5, 9 (breast); 1-4, 9 (prostate)	1	
743	RX Hosp–Screen/BX Proc2	Character		Site-specific: 0 (all cases); 1-7, 9 (breast); 1-3, 9 (prostate)	1	
744	RX Hosp–Screen/BX Proc3	Character		Site-specific: 0 (all cases); 1, 9 (breast); 1-5, 9 (prostate)	1	
745	RX Hosp–Screen/BX Proc4	Character		Site-specific: 0 (all cases); 1-4, 9 (breast); 1-7, 9 (prostate)	1	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
746	RX Hosp – Surg Site 98-02	Character	Right justified, zero filled	00, 10-80, 90, 98, 99 (site specific)	2	
747	RX Hosp – Scope Reg 98-02	Character		0-7, 9	1	
748	RX Hosp – Surg Oth 98-02	Character		0-5, 9	1	
750	Reserved 04	Character			46	
759	SEER Summary Stage 2000	Character		0-5, 7, 8, 9	1	
760	SEER Summary Stage 1977	Character		0-5, 7, 8, 9	1	
770	Loc/Reg/Distant Stage	Character		0-3, 9, blank	1	
779	Extent of Disease 10-Dig	Character			12	
780	EOD--Tumor Size	Character	Right justified, zero filled	See respective source references	3	
790	EOD--Extension	Character	Right justified, zero filled	Reference SEER Extent of Disease manual	2	
800	EOD--Extension Prost Path	Character	Right justified, zero filled	Reference SEER Extent of Disease manual	2	
810	EOD--Lymph Node Involv	Character		Reference SEER Extent of Disease manual	1	
820	Regional Nodes Positive	Character	Right justified, zero filled	See respective source references	2	
830	Regional Nodes Examined	Character	Right justified, zero filled	See respective source references	2	
840	EOD--Old 13 Digit	Character	Numeric and special characters		13	
850	EOD--Old 2 Digit	Character	Numeric plus special characters "&" and "dash" ("-")		2	
860	EOD--Old 4 Digit	Character			4	
870	Coding System for EOD	Character		0-4	1	
880	TNM Path T	Character	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
890	TNM Path N	Character	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
900	TNM Path M	Character	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
910	TNM Path Stage Group	Character	Upper case, alphanumeric. Convert AJCC Roman numerals to Arabic numerals. Left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, 99, blank	2	
920	TNM Path Descriptor	Character		0-6, 9	1	
930	TNM Path Staged By	Character		0-9	1	
940	TNM Clin T	Character	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
950	TNM Clin N	Character	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
960	TNM Clin M	Character	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
970	TNM Clin Stage Group	Character	Upper case, alphanumeric. Convert AJCC Roman numerals to Arabic numerals. Left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, 99, blank	2	
980	TNM Clin Descriptor	Character		0-6, 9	1	
990	TNM Clin Staged By	Character		0-9	1	
1000	TNM Other T	Character	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual; also 88, blank	2	
1010	TNM Other N	Character	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual; also 88, blank	2	
1020	TNM Other M	Character	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual; also 88, blank	2	
1030	TNM Other Stage Group	Character	Upper case, alphanumeric. Convert AJCC Roman numerals to Arabic numerals. Left justified, blank filled	See AJCC Cancer Staging Manual; also 88, 99, blank	2	
1040	TNM Other Staged By	Character		0-9	1	
1050	TNM Other Descriptor	Character		0-6, 9	1	
1060	TNM Edition Number	Character	Right justified, zero filled	00-06, 88, 99	2	
1070	Other Staging System	Character	Free text	Neither carriage return nor line feed characters allowed	15	
1080	Date of 1st Positive BX	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1090	Site of Distant Met 1	Character		0-9	1	
1100	Site of Distant Met 2	Character		0-9	1	
1110	Site of Distant Met 3	Character		0-9	1	
1120	Pediatric Stage	Character		Reference to EDITS table PEDSTAGE.DBF.CODE in Appendix B	2	
1130	Pediatric Staging System	Character		00-15, 88, 97, 99	2	
1140	Pediatric Staged By	Character		0-9	1	
1150	Tumor Marker 1	Character		0-6, 8, 9	1	
1160	Tumor Marker 2	Character		0-6, 8, 9	1	
1170	Tumor Marker 3	Character		0-6, 8, 9	1	
1180	Reserved 05	Character			38	Revised
1190	Reserved 06	Character			45	
1200	RX Date--Surgery	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1210	RX Date--Radiation	Character	MMDDCCYY	Valid dates, 00000000, 88888888, 99999999	8	
1220	RX Date--Chemo	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1230	RX Date--Hormone	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
1240	RX Date--BRM	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1250	RX Date-Other	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1260	Date of Initial RX–SEER	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1270	Date of 1st Crs RX--COC	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1280	RX Date-DX/Stg Proc	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1290	RX Summ–Surg Prim Site	Character	Right justified, zero filled	00, 10-80, 90, 98, 99 (site specific)	2	
1292	RX Summ–Scope Reg LN Sur	Character		0-7, 9	1	
1294	RX Summ–Surg Oth Reg/Dis	Character		0-5, 9	1	
1296	RX Summ–Reg LN Examined	Character	Right justified, zero filled	00-90, 95-99	2	
1300	Reserved 07	Character			50	
1310	RX Summ–Surgical Approch	Character		0-9 (site-specific)	1	
1320	RX Summ–Surgical Margins	Character		0-3, 7-9	1	
1330	RX Summ–Reconstruct 1st	Character		0-9 (site-specific)	1	
1340	Reason for No Surgery	Character		0-2, 5-9	1	
1350	RX Summ–DX/Stg Proc	Character	Right justified, zero filled	00-07, 09	2	
1355	Reserved 22				1	
1360	RX Summ–Radiation	Character		0-5, 7-9	1	
1370	RX Summ–Rad to CNS	Character		0, 1, 7-9	1	
1380	RX Summ–Surg/Rad Seq	Character		0, 2-6, 9	1	
1390	RX Summ–Chemo	Character	Right justified, zero filled	00-03, 07-09, 82, 85-88, 99	2	Revised
1400	RX Summ–Hormone	Character	Right justified, zero filled	00, 01, 07-09, 82, 85-88, 99	2	Revised
1410	RX Summ–BRM	Character	Right justified, zero filled	00, 01, 82, 85-88, 99	2	
1420	RX Summ–Other	Character		0-3, 6-9	1	
1430	Reason for No Radiation	Character		0-2, 5-9	1	
1440	Reason for No Chemo	Character		0-2, 6-9	1	
1450	Reason for No Hormone	Character		0-2, 6-9	1	
1460	RX Coding System–Current	Character	Right justified, zero filled	00-06, 99	2	
1470	Protocol Eligibility Stat	Character		0-4, 6-9	1	
1480	Protocol Participation	Character	Right justified, zero filled	00-99	2	
1490	Referral to Support Serv	Character		0, 1, 9	1	
1500	First Course Calc Method	Character		1, 2, 9	1	
1510	Rad--Regional Dose: cGy	Character	Right justified, zero filled	00000-99999	5	
1520	Rad--No of Treatment Vol	Character	Right justified, zero filled	00-99	2	
1530	Rad--Elapsed RX Days	Character	Right justified, zero filled	000-999	3	
1540	Rad--Treatment Volume	Character	Right justified, zero filled	00-41, 50, 60, 98, 99	2	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
1550	Rad--Location of RX	Character		0-4, 8, 9	1	
1560	Rad--Intent of Treatment	Character		0-2, 4-6, 8, 9	1	
1570	Rad--Regional RX Modality	Character	Right justified, zero filled	00, 20-32, 40-43, 50-55, 60-62, 80, 85, 98, 99	2	
1580	Rad--RX Completion Status	Character		0-9	1	
1590	Rad--Local Control Status	Character		0-4, 8, 9	1	
1600	Chemotherapy Field 1	Character			3	Retired
1610	Chemotherapy Field 2	Character			3	Retired
1620	Chemotherapy Field 3	Character			3	Retired
1630	Chemotherapy Field 4	Character			3	Retired
1635	Reserved 23				12	
1640	RX Summ–Surgery Type	Character	Right justified, zero filled	00-99 (site-specific)	2	
1642	RX Summ–Screen/BX Proc1	Character		Site-specific: 0 (all cases); 1-3, 5, 9 (breast); 1-4, 9 (prostate)	1	
1643	RX Summ–Screen/BX Proc2	Character		Site-specific: 0 (all cases); 1-7, 9 (breast); 1-3, 9 (prostate)	1	
1644	RX Summ–Screen/BX Proc3	Character		Site-specific: 0 (all cases); 1, 9 (breast); 1-5, 9 (prostate)	1	
1645	RX Summ–Screen/BX Proc4	Character		Site-specific: 0 (all cases); 1-4, 9 (breast); 1-7, 9 (prostate)	1	
1646	RX Summ–Surg Site 98-02	Character	Right justified, zero filled	00, 10-80, 90, 98, 99 (site specific)	2	
1647	RX Summ–Scope Reg 98-02	Character		0-7, 9	1	
1648	RX Summ–Surg Oth 98-02	Character		0-5, 9	1	
1650	Reserved 08	Character			50	
1660	Subsq RX 2nd Course Date	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1670	Subsq RX 2nd Course Codes	Character			7	
1671	Subsq RX 2nd Course Surg	Character	Right justified, zero filled	00, 10-90, 99	2	
1672	Subsq RX 2nd Course Rad	Character		0-5, 9	1	
1673	Subsq RX 2nd Course Chemo	Character		0-3, 9	1	
1674	Subsq RX 2nd Course Horm	Character		0-3, 9	1	
1675	Subsq RX 2nd Course BRM	Character		0-9	1	
1676	Subsq RX 2nd Course Oth	Character		0-3, 6-9	1	
1677	Subsq RX 2nd–Scope LN SU	Character		0-9	1	
1678	Subsq RX 2nd–Surg Oth	Character		0-9	1	
1679	Subsq RX 2nd–Reg LN Rem	Character	Right justified, zero filled	00-90, 95-99	2	
1680	Subsq RX 3rd Course Date	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1690	Subsq RX 3rd Course Codes	Character			7	
1691	Subsq RX 3rd Course Surg	Character	Right justified, zero filled	00, 10-90, 99	2	
1692	Subsq RX 3rd Course Rad	Character		0-5, 9	1	
1693	Subsq RX 3rd Course Chemo	Character		0-3, 9	1	
1694	Subsq RX 3rd Course Horm	Character		0-3, 9	1	
1695	Subsq RX 3rd Course BRM	Character		0-9	1	
1696	Subsq RX 3rd Course Oth	Character		0-3, 6-9	1	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
1697	Subsq RX 3rd--Scope LN Su	Character		0-9	1	
1698	Subsq RX 3rd--Surg Oth	Character		0-9	1	
1699	Subsq RX 3rd--Reg LN Rem	Character	Right justified, zero filled	00-90, 95-99	2	
1700	Subsq RX 4th Course Date	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1710	Subsq RX 4th Course Codes	Character			7	
1711	Subsq RX 4th Course Surg	Character	Right justified, zero filled	00, 10-90, 99	2	
1712	Subsq RX 4th Course Rad	Character		0-5, 9	1	
1713	Subsq RX 4th Course Chemo	Character		0-3, 9	1	
1714	Subsq RX 4th Course Horm	Character		0-3, 9	1	
1715	Subsq RX 4th Course BRM	Character		0-9	1	
1716	Subsq RX 4th Course Oth	Character		0-3, 6-9	1	
1717	Subsq RX 4th--Scope LN Su	Character		0-9	1	
1718	Subsq RX 4th--Surg Oth	Character		0-9	1	
1719	Subsq RX 4th--Reg LN Rem	Character	Right justified, zero filled	00-90, 95-99	2	
1720	Subsq RX 5th Course Date	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1730	Subsq RX 5th Course Codes	Character			7	
1731	Subsq RX 5th Course Surg	Character	Right justified, zero filled	00, 10-90, 99	2	
1732	Subsq RX 5th Course Rad	Character		0-5, 9	1	
1733	Subsq RX 5th Course Chemo	Character		0-3, 9	1	
1734	Subsq RX 5th Course Horm	Character		0-3, 9	1	
1735	Subsq RX 5th Course BRM	Character		0-9	1	
1736	Subsq RX 5th Course Oth	Character		0-3, 6-9	1	
1737	Subsq RX 5th--Scope LN Su	Character		0-9	1	
1738	Subsq RX 5th--Surg Oth	Character		0-9	1	
1739	Subsq RX 5th--Reg LN Rem	Character	Right justified, zero filled	00-90, 95-99	2	
1740	Reserved 09	Character			50	
1741	Subsq RX--Reconstruct Del	Character		Site-specific	1	
1750	Date of Last Contact	Character	MMDDCCYY	Valid dates or 99999999	8	
1760	Vital Status	Character		0, 1, 4	1	
1770	Cancer Status	Character		1, 2, 9	1	
1780	Quality of Survival	Character		0-4, 8, 9	1	
1790	Follow-Up Source	Character		0-5, 7-9	1	
1800	Next Follow-Up Source	Character		0-5, 8, 9	1	
1810	Addr Current–City	Character	Mixed case letters, no special characters, embedded spaces allowed, left justified, blank filled		20	
1820	Addr Current–State	Character	Upper case	See EDITS table STATE.DBF in Appendix B	2	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
1830	Addr Current–Postal Code	Character	Numbers or upper case letters. No special characters or embedded spaces allowed. Left justified, blank filled.	5-digit or 9-digit U.S. ZIP codes; 6-character Canadian postal codes; valid postal codes from other countries, 888888888, 999999999	9	
1835	Reserved 10	Character			50	
1840	County--Current	Character	Right justified, zero filled	See Appendix A for standard FIPS county codes. See EDITS table BPLACE.DBF in Appendix B for geocodes used by CoC for non-U.S. residents. Also 998, 999	3	
1842	Follow-Up Contact--City	Character	Mixed case letters, no special characters, embedded spaces allowed, left justified, blank filled		20	
1844	Follow-Up Contact--State	Character	Upper case	See EDITS table STATE.DBF in Appendix B	2	
1846	Follow-Up Contact--Postal	Character	Numbers or upper case letters. No special characters or embedded spaces allowed. Left justified, blank filled	5-digit or 9-digit U.S. ZIP codes; 6-character Canadian postal codes; valid postal codes from other countries, 888888888, 999999999	9	
1850	Unusual Follow-Up Method	Character		0-9	1	
1860	Recurrence Date--1st	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1871	Recurrence Distant Site 1	Character		0-9	1	
1872	Recurrence Distant Site 2	Character		0-9	1	
1873	Recurrence Distant Site 3	Character		0-9	1	
1880	Recurrence Type–1st	Character	Right justified, zero filled	00, 04, 06, 10, 13-17, 20-22, 25-27, 30, 36, 40, 46, 51-60, 62, 70, 88, 99	2	
1890	Recurrence Type–1st--Oth	Character		00, 01, 06, 10, 11, 15-17, 20-22, 25-27, 30, 36, 40, 46, 70, 88, 99	2	
1900	Reserved 11	Character			50	
1910	Cause of Death	Character	4 digits (for ICD-7, 8, 9) or upper case letter followed by 3 digits (for ICD-10)	Valid ICD-7, ICD-8, ICD-9, and ICD-10 codes; also 0000, 7777, 7797	4	
1920	ICD Revision Number	Character		0, 1, 7, 8, 9	1	
1930	Autopsy	Character		0-2, 9	1	
1940	Place of Death	Character	Right justified, zero filled	Reference SEER Manual	3	
1950	Reserved 12	Character			50	
1960	Site (73-91) ICD-O-1	Character	Four digits, first digit equals 1	Reference ICD-O-1 for valid entries	4	
1970	Morph (73-91) ICD-O-1	Character		Reference ICD-O-1 for valid entries	6	
1971	Histology (73-91) ICD-O-1	Character		Reference ICD-O-1 for valid entries	4	
1972	Behavior (73-91) ICD-O-1	Character		Reference ICD-O-1 for valid entries	1	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
1973	Grade (73-91) ICD-O-1	Character		Reference ICD-O-1 for valid entries	1	
1980	ICD-O-2 Conversion Flag	Character		0-6	1	
1981	Over-ride SS/NodesPos	Character		1 or blank	1	
1982	Over-ride SS/TNM-N	Character		1 or blank	1	
1983	Over-ride SS/TNM-M	Character		1 or blank	1	
1984	Over-ride SS/DisMet1	Character		1 or blank	1	
1985	Over-ride Acsn/Class/Seq	Character		1 or blank	1	
1986	Over-ride HospSeq/DxConf	Character		1 or blank	1	
1987	Over-ride COC-Site/Type	Character		1 or blank	1	
1988	Over-ride HospSeq/Site	Character		1 or blank	1	
1989	Over-ride Site/TNM-StgGrp	Character		1 or blank	1	
1990	Over-ride Age/Site/Morph	Character		1 or blank	1	
2000	Over-ride SeqNo/DxConf	Character		1 or blank	1	
2010	Over-ride Site/Lat/SeqNo	Character		1 or blank	1	
2020	Over-ride Surg/DxConf	Character		1 or blank	1	
2030	Over-ride Site/Type	Character		1 or blank	1	
2040	Over-ride Histology	Character		1-3 or blank	1	
2050	Over-ride Report Source	Character		1 or blank	1	
2060	Over-ride Ill-define Site	Character		1 or blank	1	
2070	Over-ride Leuk, Lymphoma	Character		1 or blank	1	
2071	Over-ride Site/Behavior	Character		1 or blank	1	
2072	Over-ride Site/EOD/DX Dt	Character		1 or blank	1	
2073	Over-ride Site/Lat/EOD	Character		1 or blank	1	
2074	Over-ride Site/Lat/Morph	Character		1 or blank	1	
2080	Reserved 24				16	
2081	CRC CHECKSUM	Character		Calculated or blank	10	
2090	Date Case Completed	Character	MMDDCCYY		8	
2100	Date Case Last Changed	Character	MMDDCCYY		8	
2110	Date Case Report Exported	Character	MMDDCCYY		8	
2111	Date Case Report Received	Character	MMDDCCYY		8	
2112	Date Case Report Loaded	Character	MMDDCCYY		8	
2113	Date Tumor Record Availbl	Character	MMDDCCYY		8	
2114	Future Use Timeliness 1	Character			8	Retired
2115	Future Use Timeliness 2	Character			8	Retired
2116	ICD-O-3 Conversion Flag	Character		Blank, 0, 1, 3	1	
2120	SEER Coding Sys–Current	Character		0-6	1	
2130	SEER Coding Sys–Original	Character		0-6	1	
2140	COC Coding Sys–Current	Character	Right justified, zero filled	00-08, 99	2	
2150	COC Coding Sys–Original	Character	Right justified, zero filled	00-08, 99	2	
2160	Subsq Report for Primary	Character			0	Retired
2161	Reserved 20	Character			0	Retired
2170	Vendor Name	Character	Embedded spaces allowed		10	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
2180	SEER Type of Follow-Up	Character		1-4	1	
2190	SEER Record Number	Character	Right justified, zero filled	01-99	2	
2200	Diagnostic Proc 73-87	Character			2	
2210	Reserved 14	Character			0	Retired
2220	State/Requestor Items	Character			500	
2230	Name--Last	Character	Mixed case, no embedded spaces, left justified, blank filled. Embedded hyphen allowed, but no other special characters		25	
2240	Name--First	Character	Mixed case, no embedded spaces, no special characters, left justified, blank filled		14	
2250	Name--Middle	Character	Mixed case, no embedded spaces, no special characters, left justified, blank filled		14	
2260	Name--Prefix	Character	Mixed case, no special characters		3	
2270	Name--Suffix	Character	Mixed case, no special characters		3	
2280	Name--Alias	Character	Left justified, blank filled		15	
2290	Name--Spouse/Parent	Character	No standard		50	
2300	Medical Record Number	Character	Leading spaces, right justified		11	
2310	Military Record No Suffix	Character	Right justified, zero filled	01-20, 30-69, 98, 99	2	
2320	Social Security Number	Character	9 digits, no dashes	Any 9-digit number except 000000000	9	
2330	Addr at DX–No & Street	Character	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2335	Addr at DX–Supplementl	Character	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2350	Addr Current–No & Street	Character	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2352	Latitude	Character	Right justified	See Data Dictionary	10	
2354	Longitude	Character	Right justified	See Data Dictionary	11	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
2355	Addr Current–Supplementl	Character	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2360	Telephone	Character	10-digit number	Any 10-digit number	10	
2370	DC State	Character			0	Retired
2371	Reserved 21	Character			0	Retired
2380	DC State File Number	Character		Any characters or blank	6	
2390	Name--Maiden	Character	Mixed case, no embedded spaces, left justified, blank filled, embedded hyphen allowed, no other special characters		15	
2392	Follow-Up Contact--No&St	Character	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2393	Follow-Up Contact--Suppl	Character	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2394	Follow-Up Contact--Name	Character	Mixed case, embedded spaces, no special characters, left justified, blank fill		30	
2400	Reserved 16	Character			0	Retired
2410	Institution Referred From	Character	Right justified and zero filled	10-digit number	10	
2420	Institution Referred To	Character	Right justified and zero filled	10-digit number	10	
2430	Last Follow-Up Hospital	Character	Right justified and zero filled,	10-digit number	10	
2440	Following Registry	Character	Right justified and zero filled	10-digit number	10	
2450	Reserved 17	Character			0	Retired
2460	Physician--Managing	Character	Left justified		8	
2470	Physician--Follow-Up	Character	Left justified		8	
2480	Physician--Primary Surg	Character	Left justified		8	
2490	Physician 3	Character	Left justified		8	
2500	Physician 4	Character	Left justified		8	
2520	Text--DX Proc–PE	Character	Free text	Neither carriage return nor line feed characters allowed	200	
2530	Text--DX Proc–X-ray/Scan	Character	Free text	Neither carriage return nor line feed characters allowed	250	
2540	Text--DX Proc–Scopes	Character	Free text	Neither carriage return nor line feed characters allowed	250	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
2550	Text--DX Proc–Lab Tests	Character	Free text	Neither carriage return nor line feed characters allowed	250	
2560	Text--DX Proc–Op	Character	Free text	Neither carriage return nor line feed characters allowed	250	
2570	Text--DX Proc–Path	Character	Free text	Neither carriage return nor line feed characters allowed	250	
2580	Text--Primary Site Title	Character	Free text	Neither carriage return nor line feed characters allowed	40	
2590	Text--Histology Title	Character	Free text	Neither carriage return nor line feed characters allowed	40	
2600	Text--Staging	Character	Free text	Neither carriage return nor line feed characters allowed	300	
2610	RX Text–Surgery	Character	Free text	Neither carriage return nor line feed characters allowed	150	
2620	RX Text–Radiation (Beam)	Character	Free text	Neither carriage return nor line feed characters allowed	150	
2630	RX Text–Radiation Other	Character	Free text	Neither carriage return nor line feed characters allowed	150	
2640	RX Text–Chemo	Character	Free text	Neither carriage return nor line feed characters allowed	200	
2650	RX Text–Hormone	Character	Free text	Neither carriage return nor line feed characters allowed	200	
2660	RX Text–BRM	Character	Free text	Neither carriage return nor line feed characters allowed	100	
2670	RX Text–Other	Character	Free text	Neither carriage return nor line feed characters allowed	100	
2680	Text--Remarks	Character	Free text	Neither carriage return nor line feed characters allowed	350	
2690	Place of Diagnosis	Character	Free text	Neither carriage return nor line feed characters allowed	50	
2700	Reserved 19	Character			770	
2800	CS Tumor Size	Character	Right justified, zero filled	000-999 (site specific)	3	Revised
2810	CS Extension	Character	Right justified, zero filled	00-99 (site specific)	2	
2820	CS Tumor Size/Ext Eval	Character		0-9 (site specific)	1	Revised
2830	CS Lymph Nodes	Character	Right justified, zero filled	00-99 (site specific)	2	
2840	CS Reg Nodes Eval	Character		0-9 (site specific)	1	Revised
2850	CS Mets at DX	Character	Right justified, zero filled	00-99 (site specific)	2	
2860	CS Mets Eval	Character		0-9 (site specific)	1	Revised
2880	CS Site-Specific Factor 1	Character	Right justified, zero filled	000-999 (site specific)	3	
2890	CS Site-Specific Factor 2	Character	Right justified, zero filled	000-999 (site specific)	3	
2900	CS Site-Specific Factor 3	Character	Right justified, zero filled	000-999 (site specific)	3	
2910	CS Site-Specific Factor 4	Character	Right justified, zero filled	000-999 (site specific)	3	
2920	CS Site-Specific Factor 5	Character	Right justified, zero filled	000-999 (site specific)	3	
2930	CS Site-Specific Factor 6	Character	Right justified, zero filled	000-999 (site specific)	3	

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
2935	CS Version 1st	Character	6-digit number	Any 6-digit number	6	New
2936	CS Version Latest	Character	6-digit number	Any 6-digit number	6	New
2940	Derived AJCC T	Character		Derived from Collaborative Stage fields	2	
2950	Derived AJCC T Descriptor	Character		c, p, a, y (derived from Collaborative Stage fields)	1	
2960	Derived AJCC N	Character		Derived from Collaborative Stage fields	2	
2970	Derived AJCC N Descriptor	Character		c, p, a, y (derived from Collaborative Stage fields)	1	
2980	Derived AJCC M	Character		Derived from Collaborative Stage fields	2	
2990	Derived AJCC M Descriptor	Character		c, p, a, y (derived from Collaborative Stage fields)	1	
3000	Derived AJCC Stage Group	Character		Derived from Collaborative Stage fields	2	
3010	Derived SS1977	Character		0-5, 7, 8, 9 (derived from Collaborative Stage fields)	1	
3020	Derived SS2000	Character		0-5, 7, 8, 9 (derived from Collaborative Stage fields)	1	
3030	Derived AJCC–Flag	Character		1, 2, blank	1	
3040	Derived SS1977–Flag	Character		1, 2, blank	1	
3050	Derived SS2000–Flag	Character		1, 2, blank	1	
3100	Archive FIN	Character	Right justified, zero filled	10-digit number	10	
3110	Comorbid/Complication 1	Character	Left justified, zero filled	00000, 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220, V2310, V2540, V4440-V4589, V5041-V5049	5	Revised
3120	Comorbid/Complication 2	Character	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220, V2310, V2540, V4440-V4589, V5041-V5049, blank	5	Revised
3130	Comorbid/Complication 3	Character	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220, V2310, V2540, V4440-V4589, V5041-V5049, blank	5	Revised
3140	Comorbid/Complication 4	Character	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220, V2310, V2540, V4440-V4589, V5041-V5049, blank	5	Revised
3150	Comorbid/Complication 5	Character	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220, V2310, V2540, V4440-V4589, V5041-V5049, blank	5	Revised

Item #	Item Name	Data Type	Format	Allowable Values	Length	Note
3160	Comorbid/Complication 6	Character	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220, V2310, V2540, V4440-V4589, V5041-V5049, blank	5	Revised
3170	RX Date--Most Defin Surg	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
3180	RX Date--Surgical Disch	Character	MMDDCCYY	Valid dates, 00000000, 99999999	8	
3190	Readm Same Hosp 30 Days	Character		0-3, 9	1	
3200	Rad--Boost RX Modality	Character	Right justified, zero filled	00, 20-32, 40-43, 50-55, 60-62, 98, 99	2	
3210	Rad--Boost Dose cGy	Character	Right justified, zero filled	00000-99999	5	
3220	RX Date--Radiation Ended	Character	MMDDCCYY	Valid dates, 00000000, 88888888, 99999999	8	
3230	RX Date--Systemic	Character	MMDDCCYY	Valid dates, 00000000, 88888888, 99999999	8	
3250	RX Summ–Transplnt/Endocr	Character	Right justified, zero filled	00, 10-12, 20, 30, 40, 82, 85-88, 99	2	
3260	Pain Assessment	Character			1	Retired
3270	RX Summ–Palliative Proc	Character		0-7, 9	1	
3280	RX Hosp –Palliative Proc	Character		0-7, 9	1	
3300	RuralUrban Continuum 1993	Character	Right justified, zero filled	00-09, 98, 99, (calculated); blank	2	Revised
3310	RuralUrban Continuum 2000	Character	Right justified, zero filled	00-09, 98, 99, (calculated); blank	2	Revised