



## Section II

### Average-annual Registry-specific Cancer Death Rates by Race and Sex

#### Age-adjusted to the 2000 U.S. and World Population Standards





**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Alabama, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	27,078	262.0	1.63	154.8	0.98	22,697	158.7	1.06	98.7	0.73
Oral Cavity & Pharynx	524	4.8	0.21	3.2	0.14	235	1.6	0.11	1.0	0.07
Digestive System	6,247	59.4	0.77	36.2	0.47	4,892	33.6	0.48	19.4	0.31
Esophagus	846	7.6	0.27	5.1	0.18	173	1.2	0.09	0.7	0.06
Stomach	550	5.4	0.24	3.1	0.14	395	2.7	0.14	1.5	0.09
Colon & Rectum	2,429	23.6	0.49	13.9	0.29	2,215	15.2	0.33	8.8	0.21
Liver	784	7.1	0.26	4.7	0.17	370	2.5	0.13	1.5	0.09
Pancreas	1,357	12.9	0.36	7.8	0.22	1,377	9.4	0.25	5.3	0.16
Respiratory System	9,956	93.4	0.96	57.7	0.60	5,946	41.8	0.54	26.8	0.38
Larynx	290	2.6	0.15	1.8	0.11	77	0.5	0.06	0.4	0.05
Lung & bronchus	9,612	90.3	0.94	55.6	0.59	5,842	41.0	0.54	26.3	0.37
Skin	624	5.9	0.24	3.7	0.15	306	2.1	0.12	1.4	0.09
Melanomas of the skin	461	4.4	0.21	2.8	0.13	253	1.8	0.11	1.2	0.08
Breast	24	0.2	0.05	0.1	0.03	3,430	24.5	0.42	16.3	0.30
Female Genital System	-	-	-	-	-	2,367	16.7	0.35	10.8	0.24
Cervix uteri	-	-	-	-	-	405	3.1	0.15	2.2	0.12
Corpus & uterus, NOS	-	-	-	-	-	492	3.4	0.15	2.1	0.11
Ovary	-	-	-	-	-	1,345	9.4	0.26	6.0	0.18
Male Genital System	2,727	30.4	0.60	13.4	0.27	-	-	-	-	-
Prostate	2,667	29.9	0.59	13.0	0.26	-	-	-	-	-
Testis	33	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,245	12.4	0.36	6.9	0.20	716	4.9	0.18	2.7	0.11
Bladder	641	6.7	0.27	3.3	0.14	302	2.0	0.12	1.0	0.07
Kidney & renal pelvis	582	5.4	0.23	3.5	0.15	402	2.8	0.14	1.6	0.09
Brain & Other Nervous System	598	5.4	0.22	3.9	0.17	497	3.6	0.16	2.6	0.13
Endocrine System	78	0.7	0.09	0.5	0.06	79	0.6	0.06	0.4	0.05
Thyroid gland	47	0.4	0.07	0.3	0.04	56	0.4	0.05	0.2	0.03
Lymphomas	909	9.0	0.31	5.2	0.18	838	5.8	0.20	3.3	0.13
Hodgkin Lymphoma	52	0.5	0.07	0.4	0.05	45	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	857	8.5	0.30	4.9	0.17	793	5.5	0.20	3.1	0.12
Multiple Myeloma	533	5.2	0.23	2.9	0.13	517	3.5	0.16	2.0	0.10
Leukemias	1,037	10.4	0.33	6.0	0.20	798	5.6	0.20	3.4	0.14
Other, Ill-defined & Unknown	2,576	24.7	0.50	15.0	0.31	2,076	14.5	0.32	8.9	0.22

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Alabama, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	20,830	248.5	1.76	146.2	1.06	17,387	155.4	1.19	96.1	0.82
Oral Cavity & Pharynx	369	4.3	0.23	2.8	0.15	183	1.6	0.12	0.9	0.08
Digestive System	4,595	54.3	0.82	32.6	0.50	3,509	30.6	0.52	17.5	0.34
Esophagus	637	7.2	0.29	4.7	0.19	118	1.0	0.10	0.6	0.06
Stomach	332	4.0	0.23	2.2	0.13	249	2.2	0.14	1.2	0.09
Colon & Rectum	1,770	21.4	0.52	12.4	0.31	1,563	13.7	0.35	7.8	0.23
Liver	564	6.5	0.28	4.2	0.18	275	2.4	0.15	1.4	0.10
Pancreas	1,060	12.5	0.39	7.4	0.24	1,023	8.8	0.28	5.0	0.18
Respiratory System	7,978	92.3	1.05	56.4	0.66	4,943	44.4	0.64	28.4	0.44
Larynx	187	2.1	0.16	1.4	0.10	62	0.6	0.07	0.4	0.05
Lung & bronchus	7,749	89.7	1.04	54.7	0.65	4,859	43.6	0.63	27.9	0.44
Skin	591	7.0	0.29	4.4	0.19	281	2.6	0.16	1.7	0.11
Melanomas of the skin	452	5.3	0.25	3.4	0.17	235	2.2	0.15	1.5	0.11
Breast	18	0.2	0.05	0.1	0.03	2,430	22.2	0.46	14.6	0.33
Female Genital System	-	-	-	-	-	1,741	15.8	0.38	10.2	0.27
Cervix uteri	-	-	-	-	-	240	2.5	0.16	1.8	0.13
Corpus & uterus, NOS	-	-	-	-	-	311	2.7	0.16	1.7	0.11
Ovary	-	-	-	-	-	1,088	9.7	0.30	6.2	0.21
Male Genital System	1,670	22.7	0.57	9.9	0.25	-	-	-	-	-
Prostate	1,626	22.2	0.56	9.5	0.25	-	-	-	-	-
Testis	28	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	1,051	12.8	0.40	7.1	0.23	550	4.8	0.21	2.6	0.13
Bladder	555	7.1	0.31	3.5	0.16	226	1.9	0.13	1.0	0.07
Kidney & renal pelvis	477	5.5	0.26	3.5	0.17	313	2.8	0.16	1.6	0.11
Brain & Other Nervous System	533	6.1	0.27	4.4	0.20	439	4.2	0.20	2.9	0.16
Endocrine System	60	0.7	0.09	0.5	0.07	60	0.6	0.07	0.4	0.06
Thyroid gland	36	0.4	0.07	0.2	0.04	44	0.4	0.06	0.2	0.04
Lymphomas	778	9.6	0.35	5.5	0.21	716	6.3	0.24	3.5	0.15
Hodgkin Lymphoma	39	0.5	0.08	0.3	0.06	36	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	739	9.1	0.34	5.1	0.20	680	5.9	0.23	3.2	0.14
Multiple Myeloma	361	4.4	0.23	2.4	0.13	345	3.0	0.16	1.6	0.10
Leukemias	862	10.7	0.37	6.2	0.23	633	5.6	0.23	3.3	0.16
Other, Ill-defined & Unknown	1,964	23.4	0.54	14.0	0.33	1,557	13.9	0.36	8.5	0.25

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Alabama, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	6,165	334.0	4.47	199.3	2.62	5,207	173.6	2.42	109.7	1.64
Oral Cavity & Pharynx	154	7.3	0.62	5.1	0.43	51	1.7	0.24	1.2	0.18
Digestive System	1,624	83.9	2.19	52.8	1.35	1,350	45.1	1.23	26.6	0.79
Esophagus	206	9.8	0.71	7.0	0.50	55	1.8	0.24	1.3	0.18
Stomach	217	11.7	0.84	6.9	0.48	139	4.7	0.40	2.6	0.24
Colon & Rectum	652	34.7	1.42	21.1	0.85	644	21.5	0.85	13.0	0.56
Liver	207	9.6	0.70	6.7	0.47	88	2.9	0.31	1.6	0.18
Pancreas	294	15.4	0.94	9.5	0.57	345	11.6	0.63	6.7	0.39
Respiratory System	1,949	100.2	2.37	64.8	1.51	984	33.2	1.06	21.7	0.74
Larynx	102	4.7	0.48	3.5	0.36	15	0.5	0.14	0.4	0.09
Lung & bronchus	1,835	94.8	2.31	60.9	1.46	964	32.5	1.05	21.3	0.73
Skin	32	1.5	0.28	1.1	0.19	25	0.8	0.17	0.5	0.11
Melanomas of the skin	9	0.5	0.17	0.3	0.10	18	0.6	0.15	0.4	0.10
Breast	6	0.3	0.13	0.2	0.08	980	32.1	1.03	21.7	0.74
Female Genital System	-	-	-	-	-	618	20.7	0.84	13.2	0.57
Cervix uteri	-	-	-	-	-	162	5.4	0.43	3.4	0.28
Corpus & uterus, NOS	-	-	-	-	-	181	6.1	0.45	3.9	0.32
Ovary	-	-	-	-	-	254	8.6	0.54	5.5	0.37
Male Genital System	1,053	70.4	2.25	31.3	1.00	-	-	-	-	-
Prostate	1,037	69.7	2.24	30.7	0.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	191	10.8	0.83	6.2	0.46	163	5.5	0.43	2.9	0.25
Bladder	84	5.3	0.61	2.6	0.29	76	2.6	0.30	1.4	0.17
Kidney & renal pelvis	104	5.4	0.56	3.5	0.36	86	2.9	0.31	1.5	0.18
Brain & Other Nervous System	64	2.8	0.37	2.1	0.27	56	1.8	0.25	1.3	0.19
Endocrine System	17	0.8	0.20	0.6	0.14	19	0.6	0.14	0.4	0.09
Thyroid gland	11	0.5	0.18	0.4	0.11	12	0.4	0.11	0.2	0.06
Lymphomas	125	6.2	0.59	4.0	0.37	119	4.0	0.37	2.6	0.26
Hodgkin Lymphoma	12	0.5	0.14	0.4	0.12	9	0.3	0.09	0.2	0.07
Non-Hodgkin Lymphoma	113	5.8	0.57	3.6	0.35	110	3.7	0.36	2.4	0.25
Multiple Myeloma	172	9.1	0.72	5.5	0.43	169	5.8	0.45	3.4	0.29
Leukemias	173	9.4	0.76	5.6	0.44	161	5.3	0.42	3.3	0.29
Other, Ill-defined & Unknown	605	31.2	1.33	20.0	0.84	512	17.0	0.75	10.8	0.52

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Alabama, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		36		49.6		9.30	36.4		6.21	
All Sites	36	49.6	9.30	36.4	6.21	75	84.4	10.62	53.7	6.31
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	17	27.1	7.48	16.8	4.16	27	29.9	6.01	19.8	3.87
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	7	8.1	3.21	5.1	1.96
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	10	14.1	4.92	9.1	2.90	6	6.1	2.58	4.9	2.03
Pancreas	-	-	-	-	-	8	8.9	3.27	5.9	2.11
Respiratory System	11	12.3	3.91	11.1	3.44	13	16.8	5.12	9.3	2.63
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	11	12.3	3.91	11.1	3.44	13	16.8	5.12	9.3	2.63
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	15	13.1	3.51	10.3	2.70
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Alaska, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,150	212.4	5.20	119.0	2.64	1,806	157.2	3.89	92.2	2.25
Oral Cavity & Pharynx	34	2.9	0.55	1.9	0.34	20	1.8	0.43	1.1	0.26
Digestive System	608	57.0	2.63	33.2	1.39	384	35.1	1.87	19.1	1.02
Esophagus	97	7.8	0.91	5.2	0.55	20	1.7	0.41	1.0	0.23
Stomach	56	5.0	0.75	3.0	0.41	38	3.1	0.54	1.9	0.32
Colon & Rectum	203	21.5	1.68	11.3	0.82	145	13.5	1.18	6.9	0.59
Liver	81	6.7	0.85	4.2	0.49	30	2.5	0.49	1.6	0.30
Pancreas	127	11.9	1.19	6.9	0.63	109	10.4	1.03	5.7	0.57
Respiratory System	659	63.7	2.78	37.2	1.49	521	46.7	2.14	27.6	1.26
Larynx	11	1.1	0.37	0.6	0.19	-	-	-	-	-
Lung & bronchus	645	62.3	2.74	36.4	1.47	517	46.3	2.13	27.4	1.25
Skin	51	4.3	0.68	2.8	0.39	21	1.5	0.36	1.0	0.24
Melanomas of the skin	36	2.9	0.53	1.9	0.33	19	1.4	0.34	0.9	0.22
Breast	-	-	-	-	-	282	21.7	1.37	14.3	0.88
Female Genital System	-	-	-	-	-	156	12.5	1.06	7.8	0.65
Cervix uteri	-	-	-	-	-	32	2.2	0.41	1.6	0.30
Corpus & uterus, NOS	-	-	-	-	-	26	2.1	0.44	1.3	0.27
Ovary	-	-	-	-	-	84	7.0	0.80	4.2	0.48
Male Genital System	165	22.9	1.91	9.5	0.76	-	-	-	-	-
Prostate	161	22.5	1.90	9.3	0.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	123	13.0	1.32	7.1	0.65	42	3.8	0.62	2.0	0.32
Bladder	61	7.4	1.03	3.5	0.47	15	1.3	0.37	0.7	0.18
Kidney & renal pelvis	61	5.5	0.81	3.4	0.45	26	2.4	0.49	1.2	0.25
Brain & Other Nervous System	63	4.6	0.67	3.2	0.41	47	3.8	0.58	2.5	0.37
Endocrine System	9	1.0	0.38	0.5	0.16	11	0.8	0.25	0.5	0.17
Thyroid gland	7	0.9	0.37	0.4	0.15	-	-	-	-	-
Lymphomas	77	8.0	1.06	4.0	0.47	57	5.4	0.74	3.0	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	73	7.7	1.05	3.8	0.46	54	5.1	0.72	2.8	0.40
Multiple Myeloma	33	3.1	0.59	1.7	0.30	26	2.5	0.50	1.4	0.28
Leukemias	90	8.9	1.08	4.9	0.53	64	5.8	0.76	3.4	0.44
Other, Ill-defined & Unknown	237	22.8	1.73	13.1	0.88	175	15.8	1.26	8.4	0.66

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Alaska, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		1,608		202.9		5.78	112.9		2.90	
All Sites	1,608	202.9	5.78	112.9	2.90	1,312	153.3	4.47	88.3	2.55
Oral Cavity & Pharynx	25	2.8	0.63	1.8	0.37	11	1.4	0.45	0.8	0.26
Digestive System	420	50.0	2.79	29.2	1.47	245	30.2	2.03	16.1	1.08
Esophagus	80	7.9	1.01	5.4	0.62	13	1.4	0.41	0.9	0.26
Stomach	27	3.1	0.67	1.8	0.37	15	1.7	0.46	1.0	0.25
Colon & Rectum	138	19.2	1.83	9.9	0.87	93	11.5	1.25	5.8	0.63
Liver	47	5.0	0.86	3.2	0.48	16	1.8	0.49	1.1	0.30
Pancreas	99	11.6	1.33	6.9	0.71	79	10.4	1.21	5.4	0.63
Respiratory System	488	59.8	3.06	34.8	1.62	381	45.3	2.44	26.5	1.42
Larynx	8	1.0	0.42	0.5	0.20	-	-	-	-	-
Lung & bronchus	478	58.5	3.02	34.1	1.61	377	44.8	2.43	26.3	1.41
Skin	45	4.8	0.82	3.0	0.47	17	1.7	0.43	1.1	0.29
Melanomas of the skin	32	3.2	0.63	2.2	0.39	16	1.5	0.40	1.1	0.27
Breast	-	-	-	-	-	211	22.0	1.61	14.3	1.03
Female Genital System	-	-	-	-	-	117	12.2	1.20	7.7	0.74
Cervix uteri	-	-	-	-	-	21	1.8	0.42	1.4	0.32
Corpus & uterus, NOS	-	-	-	-	-	20	2.2	0.51	1.3	0.31
Ovary	-	-	-	-	-	65	6.9	0.92	4.2	0.54
Male Genital System	135	23.7	2.20	10.1	0.89	-	-	-	-	-
Prostate	132	23.4	2.20	9.9	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	96	12.8	1.49	6.9	0.73	36	4.5	0.78	2.3	0.40
Bladder	52	7.9	1.22	3.8	0.55	14	1.7	0.48	0.8	0.23
Kidney & renal pelvis	44	4.9	0.86	3.1	0.48	21	2.7	0.60	1.3	0.30
Brain & Other Nervous System	57	5.3	0.82	3.6	0.49	39	4.1	0.71	2.7	0.45
Endocrine System	8	1.1	0.45	0.5	0.20	7	0.6	0.26	0.5	0.19
Thyroid gland	6	0.9	0.43	0.4	0.18	-	-	-	-	-
Lymphomas	71	9.6	1.31	4.7	0.57	49	6.3	0.94	3.6	0.53
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	67	9.2	1.29	4.4	0.56	47	6.0	0.91	3.4	0.52
Multiple Myeloma	22	2.6	0.62	1.4	0.30	22	2.9	0.65	1.5	0.33
Leukemias	69	9.3	1.28	4.8	0.60	51	6.4	0.94	3.5	0.50
Other, Ill-defined & Unknown	171	21.0	1.87	12.0	0.94	126	15.4	1.45	7.7	0.72

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Alaska, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			World		World	
All Sites	69	300.5	41.94	156.5	19.68	38	123.2	22.39	69.2	11.81
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	21	88.4	22.00	50.6	11.47	8	26.4	10.48	14.9	5.40
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	7	29.9	13.02	17.7	6.92	-	-	-	-	-
Liver	8	23.9	9.70	16.4	6.19	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	19	69.1	18.44	41.0	9.94	11	41.3	13.32	22.7	7.24
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	67.2	18.35	39.5	9.82	11	41.3	13.32	22.7	7.24
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	17.4	7.23	11.5	4.62
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	8	54.2	20.01	20.1	7.19	-	-	-	-	-
Prostate	8	54.2	20.01	20.1	7.19	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	10	43.9	16.99	20.2	6.81	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Alaska, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		71		139.3		71	91.7		11.32	
All Sites	71	139.3	18.07	78.2	9.52	71	91.7	11.32	55.6	6.82
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	23	37.2	8.31	24.1	5.16	21	28.3	6.43	16.0	3.59
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	9	16.6	5.86	9.9	3.38	-	-	-	-	-
Liver	9	11.5	4.08	8.8	3.00	6	7.7	3.21	4.7	1.97
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	21	48.4	11.63	22.0	4.92	18	23.9	5.82	13.7	3.34
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	21	48.4	11.63	22.0	4.92	18	23.9	5.82	13.7	3.34
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	9	10.3	3.58	7.8	2.67
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	7	12.9	5.15	9.5	3.63	6	7.6	3.20	5.2	2.17

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Arizona, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	Adj. Rate World		Deaths	Adj. Rate 2000 U.S.	Adj. Rate World		Deaths	Adj. Rate 2000 U.S.
			S.E.	S.E.			S.E.	S.E.		
All Sites	26,632	186.7	1.15	109.2	0.72	22,938	132.4	0.88	80.8	0.59
Oral Cavity & Pharynx	462	3.1	0.15	2.1	0.10	215	1.2	0.09	0.7	0.06
Digestive System	7,024	48.8	0.59	29.7	0.38	5,018	28.6	0.41	16.4	0.26
Esophagus	1,024	7.0	0.22	4.6	0.15	232	1.3	0.09	0.8	0.06
Stomach	566	4.0	0.17	2.3	0.10	408	2.4	0.12	1.4	0.08
Colon & Rectum	2,479	17.5	0.35	10.1	0.22	2,118	11.9	0.26	6.6	0.16
Liver	912	6.2	0.21	4.2	0.14	430	2.5	0.12	1.5	0.08
Pancreas	1,641	11.4	0.28	7.0	0.18	1,373	7.8	0.21	4.5	0.13
Respiratory System	7,751	53.8	0.61	32.2	0.39	5,960	34.5	0.45	20.8	0.29
Larynx	214	1.5	0.10	0.9	0.07	65	0.4	0.05	0.2	0.03
Lung & bronchus	7,495	52.1	0.61	31.1	0.38	5,866	33.9	0.45	20.4	0.29
Skin	799	5.6	0.20	3.5	0.13	325	1.9	0.11	1.2	0.07
Melanomas of the skin	606	4.2	0.17	2.7	0.12	261	1.5	0.09	1.0	0.07
Breast	30	0.2	0.04	0.1	0.02	3,575	21.0	0.35	13.8	0.25
Female Genital System	-	-	-	-	-	2,377	13.9	0.29	9.1	0.20
Cervix uteri	-	-	-	-	-	312	2.0	0.11	1.5	0.09
Corpus & uterus, NOS	-	-	-	-	-	526	3.0	0.13	1.9	0.09
Ovary	-	-	-	-	-	1,412	8.2	0.22	5.2	0.15
Male Genital System	2,850	21.0	0.40	9.5	0.19	-	-	-	-	-
Prostate	2,784	20.6	0.39	9.1	0.19	-	-	-	-	-
Testis	38	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,703	12.0	0.29	6.6	0.17	800	4.5	0.16	2.4	0.10
Bladder	921	6.7	0.22	3.3	0.12	343	1.9	0.10	0.9	0.06
Kidney & renal pelvis	760	5.2	0.19	3.3	0.13	441	2.5	0.12	1.4	0.08
Brain & Other Nervous System	705	4.8	0.18	3.4	0.14	580	3.5	0.15	2.5	0.12
Endocrine System	106	0.7	0.07	0.5	0.05	131	0.8	0.07	0.5	0.05
Thyroid gland	71	0.5	0.06	0.3	0.04	99	0.6	0.06	0.3	0.04
Lymphomas	1,157	8.2	0.24	4.7	0.15	895	5.1	0.17	2.8	0.11
Hodgkin Lymphoma	66	0.5	0.06	0.3	0.04	37	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,091	7.7	0.24	4.4	0.14	858	4.9	0.17	2.6	0.10
Multiple Myeloma	552	3.9	0.17	2.1	0.10	432	2.5	0.12	1.5	0.08
Leukemias	1,142	8.0	0.24	4.7	0.15	808	4.6	0.17	2.8	0.12
Other, Ill-defined & Unknown	2,351	16.4	0.34	10.0	0.22	1,822	10.5	0.25	6.3	0.17

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Arizona, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	25,253	189.0	1.19	110.7	0.75	21,622	134.3	0.92	81.9	0.62
Oral Cavity & Pharynx	430	3.2	0.15	2.1	0.11	202	1.2	0.09	0.7	0.06
Digestive System	6,534	48.6	0.60	29.6	0.39	4,666	28.4	0.42	16.3	0.27
Esophagus	980	7.2	0.23	4.7	0.16	222	1.4	0.09	0.8	0.06
Stomach	478	3.6	0.17	2.0	0.10	355	2.2	0.12	1.3	0.08
Colon & Rectum	2,341	17.6	0.37	10.1	0.23	2,015	12.2	0.27	6.8	0.17
Liver	820	6.0	0.21	4.0	0.15	384	2.4	0.12	1.5	0.08
Pancreas	1,542	11.4	0.29	7.0	0.19	1,288	7.8	0.22	4.4	0.14
Respiratory System	7,446	55.2	0.64	33.1	0.41	5,737	35.6	0.47	21.5	0.31
Larynx	199	1.4	0.10	0.9	0.07	62	0.4	0.05	0.2	0.03
Lung & bronchus	7,209	53.4	0.63	32.0	0.40	5,647	35.0	0.47	21.1	0.31
Skin	784	5.9	0.21	3.7	0.14	322	2.0	0.11	1.3	0.08
Melanomas of the skin	595	4.4	0.18	2.9	0.12	258	1.6	0.10	1.1	0.07
Breast	28	0.2	0.04	0.1	0.02	3,344	21.2	0.37	13.9	0.26
Female Genital System	-	-	-	-	-	2,194	13.9	0.30	9.0	0.21
Cervix uteri	-	-	-	-	-	273	1.9	0.12	1.5	0.09
Corpus & uterus, NOS	-	-	-	-	-	475	2.9	0.14	1.9	0.10
Ovary	-	-	-	-	-	1,325	8.3	0.23	5.2	0.16
Male Genital System	2,690	20.9	0.41	9.4	0.20	-	-	-	-	-
Prostate	2,627	20.5	0.40	9.0	0.19	-	-	-	-	-
Testis	36	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,636	12.3	0.31	6.8	0.18	760	4.6	0.17	2.4	0.10
Bladder	906	6.9	0.23	3.4	0.12	334	1.9	0.11	0.9	0.06
Kidney & renal pelvis	708	5.2	0.20	3.3	0.13	410	2.5	0.13	1.4	0.08
Brain & Other Nervous System	679	5.0	0.19	3.6	0.15	560	3.7	0.16	2.7	0.13
Endocrine System	103	0.8	0.08	0.5	0.05	123	0.8	0.07	0.5	0.05
Thyroid gland	70	0.5	0.06	0.3	0.04	94	0.6	0.06	0.3	0.04
Lymphomas	1,107	8.4	0.25	4.8	0.16	852	5.2	0.18	2.8	0.11
Hodgkin Lymphoma	63	0.5	0.06	0.3	0.05	36	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,044	7.9	0.25	4.5	0.15	816	4.9	0.17	2.7	0.11
Multiple Myeloma	508	3.8	0.17	2.1	0.10	394	2.4	0.12	1.4	0.08
Leukemias	1,085	8.2	0.25	4.8	0.16	766	4.8	0.17	2.9	0.13
Other, Ill-defined & Unknown	2,223	16.6	0.35	10.2	0.23	1,702	10.5	0.26	6.4	0.18

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Arizona, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	673	209.9	8.99	124.6	4.92	579	145.6	6.24	94.8	4.07
Oral Cavity & Pharynx	16	3.8	1.03	2.8	0.73	6	1.1	0.47	1.0	0.40
Digestive System	221	65.6	4.85	40.5	2.79	137	35.1	3.08	21.8	1.94
Esophagus	19	5.1	1.27	3.2	0.75	7	1.7	0.65	1.2	0.49
Stomach	32	10.6	2.01	5.9	1.07	17	4.4	1.10	2.6	0.64
Colon & Rectum	79	25.7	3.20	14.9	1.71	52	13.5	1.93	8.0	1.15
Liver	37	9.0	1.62	6.6	1.10	14	4.0	1.10	2.2	0.61
Pancreas	45	12.4	1.96	8.4	1.29	41	10.1	1.62	6.7	1.08
Respiratory System	196	64.5	5.06	37.2	2.71	136	34.9	3.06	23.3	2.07
Larynx	12	3.8	1.23	2.2	0.64	-	-	-	-	-
Lung & bronchus	183	60.2	4.89	34.9	2.63	132	34.1	3.04	22.7	2.04
Skin	9	1.8	0.62	1.4	0.49	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	119	27.2	2.56	19.6	1.85
Female Genital System	-	-	-	-	-	67	17.3	2.17	10.9	1.37
Cervix uteri	-	-	-	-	-	10	2.4	0.78	1.5	0.50
Corpus & uterus, NOS	-	-	-	-	-	26	7.0	1.40	4.3	0.87
Ovary	-	-	-	-	-	30	7.6	1.42	5.0	0.93
Male Genital System	80	33.2	4.06	15.6	1.78	-	-	-	-	-
Prostate	79	32.5	4.00	15.4	1.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	5.1	1.27	3.6	0.84	11	3.1	0.95	1.9	0.59
Bladder	7	1.9	0.87	1.3	0.49	-	-	-	-	-
Kidney & renal pelvis	13	3.1	0.93	2.4	0.68	6	1.7	0.70	1.1	0.45
Brain & Other Nervous System	7	1.6	0.64	1.1	0.43	12	2.4	0.74	1.9	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	26	5.8	1.22	4.5	0.91	17	4.7	1.17	2.8	0.70
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	24	5.5	1.20	4.2	0.89	16	4.6	1.17	2.6	0.69
Multiple Myeloma	17	5.6	1.45	3.2	0.80	18	4.8	1.17	2.9	0.69
Leukemias	29	8.7	1.84	5.2	0.99	14	3.7	1.03	2.0	0.54
Other, Ill-defined & Unknown	51	14.1	2.17	9.3	1.34	39	10.7	1.76	6.3	1.05

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Arizona, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)				FEMALES (API)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	
All Sites	217	97.5	7.19	57.4	3.98	233	69.1	4.76	44.2	2.96
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	
Digestive System	74	34.1	4.24	19.4	2.29	71	21.8	2.72	13.3	1.62
Esophagus	-	-	-	-	-	-	-	-	-	
Stomach	9	4.3	1.55	2.3	0.79	13	3.5	1.00	2.6	0.74
Colon & Rectum	22	10.7	2.45	5.6	1.22	19	6.1	1.46	3.5	0.82
Liver	19	8.0	1.96	4.9	1.14	11	3.9	1.23	1.9	0.60
Pancreas	15	6.7	1.84	4.0	1.06	18	4.9	1.24	3.5	0.84
Respiratory System	57	26.2	3.73	15.3	2.07	49	15.4	2.28	9.7	1.41
Larynx	-	-	-	-	-	-	-	-	-	
Lung & bronchus	56	25.9	3.72	15.1	2.05	49	15.4	2.28	9.7	1.41
Skin	-	-	-	-	-	-	-	-	-	
Melanomas of the skin	-	-	-	-	-	-	-	-	-	
Breast	-	-	-	-	-	37	9.7	1.67	7.4	1.23
Female Genital System	-	-	-	-	-	34	9.5	1.72	6.1	1.07
Cervix uteri	-	-	-	-	-	6	1.5	0.64	1.0	0.41
Corpus & uterus, NOS	-	-	-	-	-	10	2.8	0.95	1.8	0.56
Ovary	-	-	-	-	-	17	4.9	1.25	3.1	0.77
Male Genital System	21	12.4	2.89	5.8	1.27	-	-	-	-	-
Prostate	21	12.4	2.89	5.8	1.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	4.6	1.65	2.5	0.86	6	1.8	0.79	1.0	0.43
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	2.7	1.18	1.7	0.72	-	-	-	-	-
Brain & Other Nervous System	8	3.0	1.19	2.3	0.81	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	2.6	1.01	2.0	0.75	-	-	-	-	-
Leukemias	11	3.9	1.32	2.7	0.85	11	3.4	1.06	2.3	0.70
Other, Ill-defined & Unknown	19	6.8	1.75	4.4	1.06	13	3.8	1.11	2.3	0.66

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Arkansas, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	17,205	254.9	1.97	151.2	1.21	14,551	164.1	1.38	102.8	0.95
Oral Cavity & Pharynx	341	4.9	0.27	3.3	0.18	131	1.5	0.13	0.9	0.09
Digestive System	3,930	57.6	0.93	35.6	0.59	3,164	35.1	0.63	20.6	0.41
Esophagus	485	6.8	0.31	4.6	0.22	124	1.4	0.13	1.0	0.09
Stomach	307	4.5	0.26	2.8	0.17	238	2.7	0.18	1.6	0.12
Colon & Rectum	1,554	23.2	0.60	13.7	0.36	1,419	15.6	0.42	9.0	0.27
Liver	524	7.5	0.33	5.0	0.23	288	3.2	0.19	1.9	0.13
Pancreas	870	12.7	0.44	7.8	0.28	859	9.5	0.33	5.4	0.21
Respiratory System	6,609	96.0	1.19	59.0	0.76	4,233	48.0	0.74	31.2	0.52
Larynx	169	2.5	0.19	1.5	0.12	41	0.5	0.07	0.3	0.05
Lung & bronchus	6,417	93.2	1.18	57.3	0.75	4,176	47.4	0.74	30.7	0.52
Skin	368	5.4	0.29	3.3	0.18	190	2.1	0.15	1.3	0.10
Melanomas of the skin	268	3.9	0.24	2.5	0.16	132	1.5	0.13	1.0	0.10
Breast	16	0.2	0.05	0.2	0.04	2,078	24.0	0.53	16.0	0.39
Female Genital System	-	-	-	-	-	1,363	15.7	0.43	10.1	0.30
Cervix uteri	-	-	-	-	-	257	3.2	0.21	2.4	0.16
Corpus & uterus, NOS	-	-	-	-	-	275	3.0	0.19	1.7	0.12
Ovary	-	-	-	-	-	745	8.4	0.31	5.4	0.22
Male Genital System	1,644	26.7	0.67	11.8	0.31	-	-	-	-	-
Prostate	1,612	26.2	0.66	11.5	0.30	-	-	-	-	-
Testis	17	0.3	0.06	0.2	0.06	-	-	-	-	-
Urinary System	909	13.7	0.46	7.6	0.27	490	5.3	0.24	3.0	0.15
Bladder	439	6.9	0.33	3.4	0.17	216	2.2	0.15	1.1	0.09
Kidney & renal pelvis	445	6.4	0.31	4.0	0.20	257	2.8	0.18	1.8	0.13
Brain & Other Nervous System	400	5.7	0.29	4.1	0.21	358	4.2	0.23	3.0	0.18
Endocrine System	58	0.8	0.11	0.6	0.09	77	0.9	0.10	0.7	0.09
Thyroid gland	26	0.4	0.07	0.2	0.05	42	0.5	0.07	0.3	0.05
Lymphomas	611	9.1	0.37	5.3	0.23	512	5.6	0.25	3.2	0.16
Hodgkin Lymphoma	40	0.6	0.09	0.4	0.07	33	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	571	8.6	0.36	4.9	0.22	479	5.2	0.24	2.9	0.15
Multiple Myeloma	296	4.4	0.26	2.5	0.15	253	2.8	0.18	1.6	0.11
Leukemias	659	10.1	0.40	5.6	0.24	555	6.2	0.27	3.7	0.18
Other, Ill-defined & Unknown	1,364	20.2	0.55	12.3	0.35	1,147	12.8	0.38	7.8	0.26

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Arkansas, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	14,876	246.6	2.04	145.8	1.26	12,603	162.1	1.47	101.3	1.02
Oral Cavity & Pharynx	289	4.7	0.28	3.1	0.19	110	1.4	0.14	0.8	0.09
Digestive System	3,327	54.7	0.96	33.6	0.61	2,594	32.7	0.65	19.1	0.43
Esophagus	406	6.4	0.32	4.3	0.22	97	1.3	0.13	0.8	0.09
Stomach	233	3.9	0.26	2.4	0.16	172	2.2	0.17	1.3	0.11
Colon & Rectum	1,327	22.2	0.62	13.0	0.38	1,161	14.5	0.43	8.4	0.28
Liver	450	7.3	0.35	4.8	0.24	241	3.1	0.20	1.8	0.13
Pancreas	744	12.2	0.45	7.5	0.29	713	9.0	0.34	5.1	0.22
Respiratory System	5,793	94.3	1.25	57.4	0.79	3,832	49.4	0.81	32.0	0.57
Larynx	128	2.1	0.19	1.3	0.12	34	0.4	0.07	0.3	0.05
Lung & bronchus	5,646	91.9	1.24	56.0	0.78	3,784	48.8	0.80	31.6	0.56
Skin	357	5.9	0.32	3.7	0.21	182	2.3	0.18	1.4	0.12
Melanomas of the skin	265	4.4	0.27	2.9	0.18	127	1.7	0.15	1.1	0.11
Breast	14	0.2	0.06	0.1	0.04	1,737	22.8	0.56	15.2	0.40
Female Genital System	-	-	-	-	-	1,159	15.3	0.46	9.9	0.32
Cervix uteri	-	-	-	-	-	189	2.8	0.21	2.1	0.16
Corpus & uterus, NOS	-	-	-	-	-	222	2.8	0.19	1.6	0.12
Ovary	-	-	-	-	-	676	8.7	0.34	5.6	0.24
Male Genital System	1,294	23.2	0.65	10.3	0.31	-	-	-	-	-
Prostate	1,268	22.8	0.65	10.0	0.30	-	-	-	-	-
Testis	15	0.3	0.07	0.2	0.06	-	-	-	-	-
Urinary System	827	13.9	0.49	7.7	0.28	430	5.2	0.26	2.9	0.17
Bladder	405	7.0	0.35	3.4	0.18	185	2.2	0.16	1.0	0.09
Kidney & renal pelvis	399	6.5	0.33	4.0	0.21	230	2.9	0.20	1.8	0.14
Brain & Other Nervous System	361	5.9	0.31	4.2	0.23	323	4.4	0.25	3.2	0.20
Endocrine System	50	0.8	0.12	0.6	0.10	60	0.8	0.11	0.6	0.10
Thyroid gland	24	0.4	0.08	0.3	0.05	31	0.4	0.07	0.2	0.05
Lymphomas	569	9.5	0.40	5.5	0.24	476	5.9	0.28	3.3	0.18
Hodgkin Lymphoma	34	0.6	0.10	0.4	0.07	28	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	535	9.0	0.39	5.1	0.23	448	5.6	0.27	3.1	0.17
Multiple Myeloma	229	3.8	0.25	2.2	0.15	199	2.5	0.18	1.4	0.11
Leukemias	585	10.0	0.42	5.6	0.25	496	6.3	0.29	3.8	0.21
Other, Ill-defined & Unknown	1,181	19.6	0.58	11.9	0.37	1,005	12.8	0.41	7.8	0.28

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Arkansas, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,260	349.1	7.64	211.1	4.61	1,876	186.0	4.34	118.8	2.99
Oral Cavity & Pharynx	52	6.4	0.92	4.9	0.70	21	2.0	0.45	1.3	0.31
Digestive System	581	86.9	3.76	54.6	2.34	543	54.0	2.34	32.0	1.53
Esophagus	75	10.6	1.27	7.3	0.87	26	2.7	0.53	2.0	0.40
Stomach	73	11.2	1.36	6.6	0.81	60	6.1	0.80	3.9	0.55
Colon & Rectum	222	33.9	2.37	20.7	1.44	249	24.4	1.56	14.1	1.00
Liver	69	9.6	1.21	6.6	0.82	44	4.4	0.67	2.7	0.45
Pancreas	121	18.5	1.75	11.4	1.07	139	14.0	1.20	7.7	0.73
Respiratory System	800	118.1	4.33	78.3	2.87	385	39.1	2.01	26.4	1.45
Larynx	41	5.7	0.93	3.9	0.64	7	0.7	0.26	0.6	0.22
Lung & bronchus	755	111.7	4.22	73.9	2.79	376	38.3	1.99	25.7	1.43
Skin	10	1.5	0.51	0.9	0.28	8	0.8	0.27	0.4	0.16
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	331	32.0	1.77	22.1	1.29
Female Genital System	-	-	-	-	-	197	19.7	1.42	12.6	0.98
Cervix uteri	-	-	-	-	-	64	6.2	0.78	4.4	0.58
Corpus & uterus, NOS	-	-	-	-	-	53	5.5	0.77	3.0	0.46
Ovary	-	-	-	-	-	67	6.8	0.84	4.5	0.60
Male Genital System	346	66.0	3.60	28.6	1.61	-	-	-	-	-
Prostate	341	65.3	3.59	28.1	1.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	76	12.1	1.44	7.2	0.86	60	5.8	0.76	3.2	0.46
Bladder	32	5.6	1.02	2.8	0.53	31	3.0	0.54	1.5	0.30
Kidney & renal pelvis	42	6.2	0.99	4.2	0.67	27	2.6	0.51	1.6	0.34
Brain & Other Nervous System	36	4.6	0.80	3.5	0.60	34	3.5	0.61	2.3	0.43
Endocrine System	8	1.3	0.47	0.7	0.27	17	1.6	0.38	1.0	0.29
Thyroid gland	-	-	-	-	-	11	1.0	0.30	0.5	0.18
Lymphomas	39	5.1	0.87	3.7	0.61	33	3.3	0.58	2.1	0.40
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	34	4.6	0.84	3.2	0.56	28	2.8	0.53	1.7	0.36
Multiple Myeloma	65	10.2	1.31	5.9	0.76	54	5.5	0.76	3.4	0.51
Leukemias	72	10.8	1.34	6.2	0.76	58	5.7	0.75	3.6	0.52
Other, Ill-defined & Unknown	173	25.9	2.05	16.4	1.29	135	13.2	1.15	8.4	0.79

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Arkansas, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	34	116.7	23.04	57.0	10.07	49	91.5	14.07	54.4	7.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	37.6	11.47	22.5	6.36	19	31.8	7.68	21.2	4.96
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	10	20.6	7.03	11.4	3.68
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	10	20.6	7.03	11.4	3.68
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**California, 2004-2008, All Races**

SITES	MALES (ALL RACES)				FEMALES (ALL RACES)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	138,815	197.4	0.54	111.0	0.31	133,451	143.4	0.40	86.3	0.26
Oral Cavity & Pharynx	2,854	3.8	0.07	2.5	0.05	1,412	1.5	0.04	0.9	0.03
Digestive System	39,081	54.3	0.28	32.0	0.17	32,019	34.1	0.19	19.3	0.12
Esophagus	4,517	6.3	0.09	3.8	0.06	1,421	1.5	0.04	0.9	0.03
Stomach	4,361	6.1	0.09	3.5	0.06	3,218	3.4	0.06	2.1	0.04
Colon & Rectum	12,968	18.4	0.16	10.3	0.10	12,627	13.3	0.12	7.3	0.07
Liver	6,116	7.9	0.10	5.3	0.07	2,639	2.9	0.06	1.7	0.04
Pancreas	8,459	11.8	0.13	6.9	0.08	8,688	9.3	0.10	5.2	0.06
Respiratory System	36,683	52.4	0.28	29.8	0.16	31,476	34.4	0.20	20.1	0.13
Larynx	1,216	1.7	0.05	1.0	0.03	298	0.3	0.02	0.2	0.01
Lung & bronchus	35,185	50.3	0.27	28.6	0.16	30,990	33.9	0.19	19.8	0.12
Skin	3,884	5.4	0.09	3.1	0.05	1,872	2.0	0.05	1.2	0.03
Melanomas of the skin	2,870	3.9	0.07	2.3	0.05	1,465	1.6	0.04	1.0	0.03
Breast	149	0.2	0.02	0.1	0.01	20,974	22.5	0.16	14.8	0.11
Female Genital System	-	-	-	-	-	14,436	15.6	0.13	10.1	0.09
Cervix uteri	-	-	-	-	-	2,151	2.4	0.05	1.7	0.04
Corpus & uterus, NOS	-	-	-	-	-	3,763	4.1	0.07	2.6	0.05
Ovary	-	-	-	-	-	7,827	8.5	0.10	5.4	0.07
Male Genital System	15,476	24.1	0.20	10.6	0.09	-	-	-	-	-
Prostate	15,040	23.6	0.19	10.2	0.09	-	-	-	-	-
Testis	298	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	8,762	12.8	0.14	6.7	0.08	4,357	4.6	0.07	2.5	0.04
Bladder	4,725	7.2	0.11	3.4	0.05	2,024	2.1	0.05	1.0	0.03
Kidney & renal pelvis	3,843	5.3	0.09	3.2	0.05	2,176	2.3	0.05	1.4	0.03
Brain & Other Nervous System	4,119	5.3	0.08	3.7	0.06	3,160	3.4	0.06	2.5	0.05
Endocrine System	668	0.9	0.04	0.6	0.02	806	0.9	0.03	0.6	0.02
Thyroid gland	388	0.5	0.03	0.3	0.02	574	0.6	0.03	0.4	0.02
Lymphomas	6,202	8.7	0.11	4.9	0.07	5,098	5.4	0.08	3.0	0.05
Hodgkin Lymphoma	409	0.5	0.03	0.4	0.02	316	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,793	8.2	0.11	4.6	0.06	4,782	5.1	0.07	2.8	0.05
Multiple Myeloma	2,843	4.1	0.08	2.3	0.04	2,402	2.6	0.05	1.5	0.03
Leukemias	6,308	8.9	0.11	5.2	0.07	4,848	5.2	0.07	3.2	0.05
Other, Ill-defined & Unknown	11,786	16.5	0.15	9.5	0.09	10,591	11.3	0.11	6.7	0.07

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**California, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	S.E.				S.E.	S.E.		
All Sites	114,798	201.1	0.60	112.6	0.35	110,635	147.9	0.45	88.7	0.30
Oral Cavity & Pharynx	2,284	3.8	0.08	2.4	0.05	1,132	1.5	0.05	0.9	0.03
Digestive System	30,889	53.0	0.31	31.2	0.19	25,209	33.1	0.21	18.7	0.13
Esophagus	3,997	6.8	0.11	4.1	0.07	1,201	1.6	0.05	0.9	0.03
Stomach	3,121	5.4	0.10	3.1	0.06	2,244	3.0	0.06	1.8	0.04
Colon & Rectum	10,507	18.4	0.18	10.3	0.11	10,142	13.1	0.13	7.2	0.08
Liver	4,127	6.6	0.10	4.5	0.07	1,803	2.4	0.06	1.4	0.04
Pancreas	7,032	12.1	0.15	7.1	0.09	7,069	9.3	0.11	5.2	0.07
Respiratory System	29,877	52.7	0.31	29.8	0.18	26,806	36.4	0.23	21.3	0.15
Larynx	989	1.7	0.06	1.0	0.03	251	0.3	0.02	0.2	0.01
Lung & bronchus	28,646	50.5	0.30	28.6	0.18	26,399	35.9	0.22	20.9	0.14
Skin	3,746	6.4	0.11	3.7	0.06	1,794	2.4	0.06	1.5	0.04
Melanomas of the skin	2,806	4.7	0.09	2.8	0.06	1,415	1.9	0.05	1.2	0.04
Breast	123	0.2	0.02	0.1	0.01	17,247	23.2	0.18	15.1	0.13
Female Genital System	-	-	-	-	-	12,013	16.3	0.15	10.5	0.10
Cervix uteri	-	-	-	-	-	1,664	2.3	0.06	1.7	0.04
Corpus & uterus, NOS	-	-	-	-	-	3,015	4.0	0.07	2.5	0.05
Ovary	-	-	-	-	-	6,734	9.1	0.11	5.8	0.08
Male Genital System	12,887	24.4	0.22	10.6	0.10	-	-	-	-	-
Prostate	12,502	23.8	0.21	10.2	0.10	-	-	-	-	-
Testis	266	0.4	0.02	0.3	0.02	-	-	-	-	-
Urinary System	7,744	13.8	0.16	7.2	0.09	3,731	4.8	0.08	2.6	0.05
Bladder	4,272	7.9	0.12	3.7	0.06	1,746	2.2	0.05	1.1	0.03
Kidney & renal pelvis	3,305	5.6	0.10	3.4	0.06	1,856	2.5	0.06	1.5	0.04
Brain & Other Nervous System	3,654	5.8	0.10	4.1	0.07	2,803	3.8	0.07	2.8	0.06
Endocrine System	531	0.9	0.04	0.6	0.03	605	0.8	0.03	0.5	0.03
Thyroid gland	314	0.5	0.03	0.3	0.02	421	0.6	0.03	0.3	0.02
Lymphomas	5,343	9.3	0.13	5.2	0.08	4,328	5.7	0.09	3.1	0.05
Hodgkin Lymphoma	361	0.6	0.03	0.4	0.02	284	0.4	0.02	0.3	0.02
Non-Hodgkin Lymphoma	4,982	8.7	0.13	4.8	0.07	4,044	5.3	0.08	2.9	0.05
Multiple Myeloma	2,313	4.1	0.09	2.2	0.05	1,874	2.5	0.06	1.4	0.04
Leukemias	5,467	9.5	0.13	5.5	0.08	4,185	5.5	0.09	3.4	0.06
Other, Ill-defined & Unknown	9,940	17.2	0.18	9.9	0.10	8,908	11.8	0.13	6.9	0.08

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**California, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	10,438	276.6	2.92	160.5	1.61	10,102	183.7	1.85	115.3	1.20
Oral Cavity & Pharynx	234	5.1	0.36	3.6	0.24	94	1.7	0.17	1.1	0.12
Digestive System	2,955	74.9	1.49	45.5	0.86	2,640	49.1	0.97	28.5	0.59
Esophagus	229	5.9	0.42	3.5	0.24	109	2.0	0.20	1.2	0.12
Stomach	357	9.8	0.56	5.4	0.29	283	5.4	0.32	2.9	0.18
Colon & Rectum	1,089	29.1	0.95	16.8	0.52	1,129	21.0	0.63	12.1	0.38
Liver	512	11.3	0.53	7.9	0.35	188	3.4	0.25	2.2	0.17
Pancreas	597	14.6	0.64	9.3	0.39	719	13.5	0.51	7.7	0.31
Respiratory System	3,028	77.4	1.49	47.2	0.88	2,262	41.6	0.89	26.3	0.58
Larynx	131	3.2	0.30	2.0	0.18	35	0.6	0.11	0.4	0.07
Lung & bronchus	2,886	73.9	1.46	45.0	0.86	2,215	40.8	0.88	25.7	0.57
Skin	56	1.3	0.19	0.9	0.12	31	0.6	0.11	0.3	0.07
Melanomas of the skin	16	0.5	0.13	0.3	0.07	15	0.3	0.07	0.2	0.04
Breast	17	0.5	0.13	0.3	0.07	1,903	33.0	0.77	22.4	0.53
Female Genital System	-	-	-	-	-	1,019	18.3	0.58	12.4	0.40
Cervix uteri	-	-	-	-	-	193	3.2	0.24	2.4	0.18
Corpus & uterus, NOS	-	-	-	-	-	383	7.0	0.36	4.8	0.26
Ovary	-	-	-	-	-	403	7.3	0.37	4.7	0.24
Male Genital System	1,650	54.6	1.43	24.9	0.63	-	-	-	-	-
Prostate	1,627	54.1	1.43	24.6	0.63	-	-	-	-	-
Testis	11	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	468	12.4	0.62	7.1	0.33	326	6.2	0.35	3.4	0.20
Bladder	208	6.1	0.45	3.1	0.22	174	3.4	0.26	1.7	0.14
Kidney & renal pelvis	250	6.1	0.42	3.8	0.24	140	2.6	0.22	1.5	0.14
Brain & Other Nervous System	168	3.7	0.30	2.6	0.20	130	2.2	0.20	1.7	0.16
Endocrine System	43	1.0	0.18	0.7	0.11	47	0.8	0.12	0.6	0.09
Thyroid gland	15	0.5	0.13	0.2	0.06	29	0.5	0.10	0.3	0.06
Lymphomas	301	6.9	0.43	4.6	0.27	276	5.1	0.31	3.0	0.19
Hodgkin Lymphoma	23	0.5	0.10	0.3	0.07	15	0.2	0.06	0.2	0.05
Non-Hodgkin Lymphoma	278	6.4	0.41	4.2	0.26	261	4.8	0.30	2.8	0.19
Multiple Myeloma	316	8.4	0.51	4.9	0.28	332	6.2	0.35	3.6	0.21
Leukemias	358	9.2	0.53	5.5	0.30	273	4.9	0.30	3.3	0.21
Other, Ill-defined & Unknown	844	21.2	0.79	12.9	0.45	769	14.0	0.51	8.7	0.33

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**California, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)				FEMALES (API)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	12,891	146.3	1.32	82.6	0.76	12,126	101.4	0.93	61.2	0.59
Oral Cavity & Pharynx	313	3.2	0.19	2.1	0.12	178	1.5	0.11	0.9	0.07
Digestive System	4,996	55.4	0.80	32.4	0.47	4,008	34.2	0.54	18.9	0.32
Esophagus	267	3.0	0.19	1.7	0.11	103	0.9	0.09	0.5	0.05
Stomach	860	9.8	0.34	5.4	0.19	683	5.8	0.22	3.3	0.14
Colon & Rectum	1,291	14.6	0.42	8.2	0.24	1,288	10.9	0.31	6.0	0.18
Liver	1,419	14.8	0.40	9.7	0.26	622	5.4	0.22	2.9	0.12
Pancreas	787	9.0	0.33	5.0	0.19	866	7.4	0.25	4.1	0.15
Respiratory System	3,590	41.4	0.71	22.7	0.39	2,256	19.2	0.41	11.0	0.25
Larynx	83	1.0	0.11	0.5	0.06	9	0.1	0.03	0.0	0.02
Lung & bronchus	3,478	40.1	0.70	22.0	0.39	2,228	18.9	0.40	10.8	0.25
Skin	69	0.8	0.09	0.5	0.06	44	0.4	0.06	0.2	0.04
Melanomas of the skin	42	0.5	0.07	0.3	0.04	33	0.3	0.05	0.2	0.03
Breast	7	0.1	0.03	0.0	0.02	1,745	13.8	0.33	9.9	0.24
Female Genital System	-	-	-	-	-	1,343	10.8	0.30	7.3	0.21
Cervix uteri	-	-	-	-	-	279	2.2	0.13	1.5	0.10
Corpus & uterus, NOS	-	-	-	-	-	352	2.8	0.15	2.0	0.11
Ovary	-	-	-	-	-	657	5.3	0.21	3.5	0.14
Male Genital System	871	11.5	0.40	4.8	0.17	-	-	-	-	-
Prostate	848	11.3	0.39	4.6	0.17	-	-	-	-	-
Testis	19	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	504	5.9	0.27	3.2	0.15	278	2.4	0.15	1.3	0.08
Bladder	233	2.9	0.19	1.4	0.09	100	0.9	0.09	0.4	0.04
Kidney & renal pelvis	255	2.8	0.18	1.7	0.11	163	1.4	0.11	0.8	0.07
Brain & Other Nervous System	288	2.9	0.17	2.1	0.13	222	1.8	0.12	1.3	0.10
Endocrine System	91	1.0	0.11	0.7	0.07	150	1.3	0.10	0.8	0.07
Thyroid gland	58	0.7	0.09	0.4	0.05	122	1.0	0.09	0.6	0.06
Lymphomas	542	6.1	0.27	3.5	0.16	475	4.1	0.19	2.2	0.11
Hodgkin Lymphoma	20	0.2	0.04	0.2	0.04	17	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	522	5.9	0.27	3.3	0.15	458	3.9	0.18	2.1	0.11
Multiple Myeloma	203	2.4	0.17	1.3	0.09	191	1.6	0.12	0.9	0.07
Leukemias	466	5.2	0.25	3.1	0.15	374	3.2	0.16	2.0	0.12
Other, Ill-defined & Unknown	951	10.5	0.35	6.3	0.21	862	7.2	0.25	4.4	0.16

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Greater Bay Area, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	25,405	184.1	1.17	102.4	0.68	25,507	138.8	0.88	82.1	0.58
Oral Cavity & Pharynx	497	3.3	0.15	2.2	0.10	268	1.4	0.09	0.9	0.06
Digestive System	7,543	53.4	0.63	31.0	0.37	6,393	34.3	0.44	19.0	0.27
Esophagus	823	5.8	0.21	3.4	0.12	287	1.6	0.09	0.8	0.06
Stomach	866	6.2	0.21	3.5	0.12	655	3.6	0.14	2.1	0.09
Colon & Rectum	2,405	17.5	0.36	9.5	0.21	2,453	12.8	0.26	6.9	0.16
Liver	1,267	8.3	0.24	5.6	0.16	495	2.7	0.12	1.6	0.08
Pancreas	1,665	11.8	0.29	6.8	0.18	1,759	9.5	0.23	5.2	0.14
Respiratory System	6,387	46.5	0.59	26.1	0.35	5,885	32.7	0.43	19.0	0.28
Larynx	201	1.4	0.10	0.8	0.06	54	0.3	0.04	0.2	0.03
Lung & bronchus	6,138	44.7	0.58	25.1	0.34	5,805	32.3	0.43	18.8	0.27
Skin	686	4.8	0.19	2.8	0.11	368	2.0	0.10	1.2	0.07
Melanomas of the skin	551	3.8	0.17	2.2	0.10	280	1.5	0.09	1.0	0.07
Breast	30	0.2	0.04	0.1	0.02	3,989	21.8	0.35	14.2	0.25
Female Genital System	-	-	-	-	-	2,613	14.3	0.28	9.2	0.20
Cervix uteri	-	-	-	-	-	286	1.6	0.10	1.2	0.07
Corpus & uterus, NOS	-	-	-	-	-	750	4.1	0.15	2.5	0.10
Ovary	-	-	-	-	-	1,437	7.9	0.21	5.1	0.15
Male Genital System	2,644	20.8	0.41	9.2	0.19	-	-	-	-	-
Prostate	2,591	20.5	0.41	8.9	0.19	-	-	-	-	-
Testis	37	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,519	11.3	0.29	5.9	0.16	754	4.0	0.15	2.1	0.09
Bladder	814	6.3	0.22	2.9	0.11	361	1.8	0.10	0.8	0.05
Kidney & renal pelvis	659	4.6	0.18	2.8	0.12	358	2.0	0.10	1.2	0.07
Brain & Other Nervous System	736	4.9	0.18	3.4	0.13	541	3.0	0.13	2.2	0.10
Endocrine System	132	0.9	0.08	0.6	0.06	161	0.9	0.07	0.6	0.06
Thyroid gland	70	0.5	0.06	0.3	0.04	121	0.7	0.06	0.4	0.04
Lymphomas	1,259	9.1	0.26	5.0	0.15	1,014	5.5	0.17	2.9	0.11
Hodgkin Lymphoma	64	0.4	0.06	0.3	0.04	62	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,195	8.7	0.25	4.7	0.14	952	5.1	0.17	2.7	0.10
Multiple Myeloma	555	4.0	0.17	2.2	0.10	474	2.6	0.12	1.4	0.07
Leukemias	1,130	8.3	0.25	4.6	0.15	867	4.7	0.16	2.8	0.11
Other, Ill-defined & Unknown	2,287	16.5	0.35	9.3	0.21	2,180	11.7	0.25	6.7	0.17

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Greater Bay Area, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	18,828	189.4	1.40	104.3	0.81	19,178	146.4	1.08	85.9	0.71
Oral Cavity & Pharynx	331	3.1	0.17	2.0	0.11	181	1.4	0.10	0.8	0.07
Digestive System	5,269	51.8	0.73	29.9	0.44	4,458	33.1	0.51	18.2	0.32
Esophagus	679	6.7	0.26	3.9	0.16	214	1.6	0.11	0.9	0.07
Stomach	512	5.1	0.23	2.9	0.13	389	3.0	0.15	1.7	0.10
Colon & Rectum	1,738	17.5	0.42	9.5	0.24	1,777	12.8	0.31	6.8	0.19
Liver	685	6.2	0.24	4.2	0.17	270	2.1	0.13	1.2	0.09
Pancreas	1,291	12.7	0.36	7.3	0.21	1,285	9.6	0.28	5.3	0.17
Respiratory System	4,457	45.2	0.69	25.1	0.40	4,534	35.6	0.54	20.5	0.34
Larynx	140	1.4	0.12	0.8	0.07	41	0.3	0.05	0.2	0.03
Lung & bronchus	4,278	43.4	0.67	24.1	0.39	4,476	35.2	0.54	20.2	0.34
Skin	660	6.4	0.25	3.7	0.15	343	2.6	0.14	1.6	0.10
Melanomas of the skin	538	5.2	0.23	3.1	0.14	264	2.1	0.13	1.4	0.09
Breast	22	0.2	0.05	0.1	0.03	3,065	23.6	0.44	15.2	0.31
Female Genital System	-	-	-	-	-	1,971	15.3	0.35	9.7	0.24
Cervix uteri	-	-	-	-	-	195	1.6	0.11	1.2	0.09
Corpus & uterus, NOS	-	-	-	-	-	544	4.2	0.18	2.4	0.12
Ovary	-	-	-	-	-	1,117	8.7	0.26	5.6	0.19
Male Genital System	2,039	22.0	0.49	9.6	0.23	-	-	-	-	-
Prostate	1,996	21.6	0.49	9.2	0.22	-	-	-	-	-
Testis	30	0.3	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,263	12.9	0.37	6.7	0.20	586	4.2	0.18	2.2	0.11
Bladder	696	7.4	0.28	3.4	0.14	287	2.0	0.12	0.9	0.06
Kidney & renal pelvis	530	5.2	0.23	3.1	0.14	273	2.1	0.13	1.2	0.08
Brain & Other Nervous System	622	5.8	0.24	4.0	0.17	448	3.6	0.17	2.6	0.13
Endocrine System	94	0.9	0.09	0.6	0.07	107	0.8	0.08	0.6	0.07
Thyroid gland	53	0.5	0.07	0.3	0.04	75	0.6	0.07	0.3	0.04
Lymphomas	991	9.9	0.32	5.3	0.18	789	5.9	0.22	3.2	0.13
Hodgkin Lymphoma	51	0.5	0.07	0.3	0.04	52	0.4	0.06	0.3	0.04
Non-Hodgkin Lymphoma	940	9.4	0.31	5.0	0.18	737	5.5	0.21	2.9	0.13
Multiple Myeloma	422	4.2	0.21	2.3	0.12	340	2.6	0.14	1.4	0.09
Leukemias	904	9.2	0.31	5.1	0.19	683	5.1	0.20	3.0	0.14
Other, Ill-defined & Unknown	1,754	17.7	0.43	9.8	0.25	1,673	12.6	0.32	7.1	0.21

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Greater Bay Area, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,319	275.6	5.99	160.3	3.44	2,339	193.2	4.03	121.4	2.70
Oral Cavity & Pharynx	45	4.8	0.74	3.2	0.50	17	1.3	0.33	0.9	0.23
Digestive System	673	77.3	3.12	46.3	1.84	633	52.4	2.10	30.4	1.31
Esophagus	49	6.1	0.91	3.3	0.48	28	2.3	0.45	1.3	0.27
Stomach	92	11.1	1.21	6.2	0.67	63	5.2	0.66	3.2	0.43
Colon & Rectum	243	30.2	2.01	16.3	1.08	249	20.6	1.32	11.6	0.80
Liver	128	12.4	1.14	9.0	0.81	42	3.4	0.52	2.1	0.35
Pancreas	119	12.7	1.21	8.6	0.81	180	15.0	1.13	8.4	0.68
Respiratory System	710	81.6	3.19	49.8	1.93	565	47.0	2.00	30.6	1.37
Larynx	34	3.7	0.67	2.4	0.42	10	0.8	0.25	0.6	0.20
Lung & bronchus	676	77.9	3.12	47.5	1.88	551	45.9	1.97	29.8	1.35
Skin	11	1.3	0.43	0.7	0.23	9	0.8	0.26	0.5	0.18
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	364	29.6	1.56	20.0	1.10
Female Genital System	-	-	-	-	-	225	18.6	1.25	12.4	0.88
Cervix uteri	-	-	-	-	-	28	2.2	0.42	1.6	0.32
Corpus & uterus, NOS	-	-	-	-	-	88	7.4	0.79	4.9	0.56
Ovary	-	-	-	-	-	99	8.1	0.82	5.3	0.57
Male Genital System	350	48.9	2.71	23.0	1.28	-	-	-	-	-
Prostate	346	48.4	2.69	22.7	1.26	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	92	11.1	1.21	6.3	0.68	79	6.6	0.75	3.7	0.46
Bladder	47	6.2	0.94	3.1	0.46	42	3.5	0.55	1.9	0.32
Kidney & renal pelvis	44	4.8	0.75	3.2	0.49	33	2.7	0.48	1.6	0.31
Brain & Other Nervous System	24	2.5	0.53	1.7	0.36	24	2.0	0.41	1.7	0.39
Endocrine System	11	1.2	0.39	0.9	0.29	7	0.6	0.22	0.3	0.14
Thyroid gland	-	-	-	-	-	7	0.6	0.22	0.3	0.14
Lymphomas	71	7.9	0.99	5.0	0.60	65	5.4	0.68	3.1	0.41
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	66	7.5	0.97	4.6	0.58	62	5.2	0.66	2.9	0.39
Multiple Myeloma	63	7.4	0.97	4.5	0.59	78	6.7	0.77	3.6	0.44
Leukemias	74	9.0	1.09	5.2	0.62	70	5.8	0.70	4.2	0.55
Other, Ill-defined & Unknown	191	22.0	1.67	13.3	0.99	203	16.5	1.16	9.9	0.76

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Greater Bay Area, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	4,194	142.8	2.25	80.5	1.31	3,923	99.1	1.59	59.4	1.03
Oral Cavity & Pharynx	118	3.6	0.34	2.6	0.24	68	1.7	0.20	1.0	0.14
Digestive System	1,578	52.6	1.35	30.4	0.80	1,286	32.9	0.92	18.2	0.56
Esophagus	93	3.2	0.34	1.8	0.19	44	1.1	0.17	0.5	0.09
Stomach	260	8.8	0.55	4.9	0.32	202	5.1	0.36	3.1	0.23
Colon & Rectum	417	14.3	0.71	7.8	0.40	421	10.7	0.52	5.7	0.30
Liver	448	14.1	0.68	9.2	0.45	180	4.7	0.35	2.4	0.20
Pancreas	251	8.5	0.55	4.6	0.31	291	7.5	0.44	4.2	0.27
Respiratory System	1,203	41.5	1.22	23.0	0.70	771	19.7	0.71	11.3	0.44
Larynx	25	0.8	0.17	0.5	0.11	-	-	-	-	-
Lung & bronchus	1,169	40.3	1.20	22.3	0.69	764	19.5	0.71	11.1	0.44
Skin	14	0.5	0.13	0.3	0.08	16	0.4	0.10	0.3	0.07
Melanomas of the skin	9	0.3	0.12	0.2	0.06	11	0.3	0.09	0.2	0.06
Breast	-	-	-	-	-	552	13.5	0.58	9.6	0.43
Female Genital System	-	-	-	-	-	407	10.1	0.50	6.8	0.36
Cervix uteri	-	-	-	-	-	60	1.5	0.19	1.0	0.13
Corpus & uterus, NOS	-	-	-	-	-	118	2.9	0.27	2.0	0.20
Ovary	-	-	-	-	-	214	5.4	0.37	3.5	0.25
Male Genital System	251	9.7	0.62	4.1	0.27	-	-	-	-	-
Prostate	245	9.6	0.62	3.9	0.27	-	-	-	-	-
Testis	6	0.2	0.06	0.1	0.06	-	-	-	-	-
Urinary System	159	5.5	0.45	3.0	0.25	87	2.2	0.24	1.2	0.15
Bladder	70	2.6	0.32	1.2	0.15	32	0.8	0.15	0.3	0.06
Kidney & renal pelvis	81	2.6	0.30	1.7	0.19	50	1.2	0.18	0.8	0.13
Brain & Other Nervous System	90	2.7	0.30	1.9	0.22	69	1.7	0.21	1.3	0.16
Endocrine System	27	0.9	0.17	0.6	0.12	47	1.2	0.18	0.8	0.14
Thyroid gland	14	0.5	0.14	0.3	0.08	39	1.0	0.16	0.6	0.10
Lymphomas	194	6.7	0.49	3.6	0.28	158	4.0	0.32	2.2	0.19
Hodgkin Lymphoma	7	0.2	0.09	0.2	0.06	7	0.2	0.06	0.1	0.06
Non-Hodgkin Lymphoma	187	6.5	0.48	3.5	0.27	151	3.9	0.31	2.0	0.18
Multiple Myeloma	68	2.5	0.30	1.2	0.16	54	1.4	0.19	0.7	0.11
Leukemias	152	5.2	0.43	3.0	0.26	109	2.8	0.27	1.8	0.19
Other, Ill-defined & Unknown	336	11.2	0.62	6.7	0.38	299	7.6	0.44	4.3	0.28

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Los Angeles, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	33,892	191.5	1.06	108.2	0.62	33,980	140.0	0.77	84.6	0.51
Oral Cavity & Pharynx	697	3.7	0.14	2.4	0.09	334	1.4	0.07	0.8	0.05
Digestive System	10,306	57.0	0.57	33.6	0.35	8,856	36.2	0.39	20.6	0.24
Esophagus	959	5.3	0.17	3.2	0.11	342	1.4	0.08	0.8	0.05
Stomach	1,356	7.5	0.21	4.3	0.12	1,117	4.6	0.14	2.8	0.09
Colon & Rectum	3,433	19.4	0.34	10.9	0.20	3,392	13.7	0.24	7.6	0.15
Liver	1,693	8.8	0.22	5.8	0.15	821	3.4	0.12	2.0	0.08
Pancreas	2,111	11.8	0.26	6.9	0.16	2,240	9.2	0.20	5.1	0.12
Respiratory System	8,586	49.1	0.54	27.7	0.31	6,914	28.9	0.35	16.6	0.22
Larynx	345	2.0	0.11	1.1	0.06	74	0.3	0.04	0.2	0.02
Lung & bronchus	8,178	46.8	0.53	26.4	0.31	6,784	28.4	0.35	16.3	0.22
Skin	739	4.1	0.15	2.3	0.09	386	1.5	0.08	0.9	0.05
Melanomas of the skin	517	2.8	0.13	1.7	0.08	293	1.2	0.07	0.7	0.05
Breast	43	0.2	0.04	0.2	0.03	5,595	23.0	0.31	15.3	0.22
Female Genital System	-	-	-	-	-	4,095	17.0	0.27	11.2	0.19
Cervix uteri	-	-	-	-	-	732	3.0	0.11	2.2	0.09
Corpus & uterus, NOS	-	-	-	-	-	1,092	4.6	0.14	3.0	0.10
Ovary	-	-	-	-	-	2,113	8.8	0.19	5.6	0.13
Male Genital System	3,892	24.1	0.39	10.8	0.18	-	-	-	-	-
Prostate	3,764	23.5	0.39	10.4	0.18	-	-	-	-	-
Testis	85	0.3	0.04	0.3	0.03	-	-	-	-	-
Urinary System	2,036	11.8	0.27	6.2	0.15	1,113	4.5	0.14	2.4	0.08
Bladder	1,086	6.6	0.20	3.1	0.10	524	2.1	0.09	1.1	0.05
Kidney & renal pelvis	912	5.0	0.17	3.0	0.10	553	2.3	0.10	1.3	0.06
Brain & Other Nervous System	1,015	5.1	0.16	3.6	0.12	811	3.3	0.12	2.4	0.09
Endocrine System	180	0.9	0.07	0.6	0.05	239	1.0	0.06	0.6	0.05
Thyroid gland	112	0.6	0.06	0.4	0.04	162	0.7	0.05	0.4	0.03
Lymphomas	1,485	8.2	0.22	4.7	0.13	1,268	5.2	0.15	2.9	0.09
Hodgkin Lymphoma	98	0.5	0.05	0.4	0.04	73	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,387	7.7	0.21	4.4	0.12	1,195	4.9	0.14	2.7	0.09
Multiple Myeloma	680	3.9	0.15	2.2	0.09	645	2.7	0.11	1.6	0.07
Leukemias	1,544	8.5	0.22	5.1	0.14	1,221	5.0	0.14	3.1	0.10
Other, Ill-defined & Unknown	2,689	14.8	0.29	8.8	0.18	2,503	10.2	0.21	6.2	0.14

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Los Angeles, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	24,863	188.8	1.22	105.9	0.71	25,329	142.2	0.90	85.4	0.60
Oral Cavity & Pharynx	488	3.5	0.16	2.3	0.11	238	1.3	0.09	0.8	0.06
Digestive System	7,205	53.7	0.64	31.5	0.39	6,273	34.8	0.44	19.7	0.28
Esophagus	774	5.8	0.21	3.5	0.13	263	1.5	0.09	0.8	0.05
Stomach	873	6.4	0.22	3.8	0.13	726	4.1	0.15	2.6	0.10
Colon & Rectum	2,449	18.7	0.38	10.3	0.22	2,396	13.1	0.27	7.2	0.17
Liver	1,025	7.2	0.23	4.8	0.16	525	3.0	0.13	1.7	0.08
Pancreas	1,554	11.7	0.30	6.9	0.18	1,643	9.1	0.23	5.0	0.14
Respiratory System	5,998	46.4	0.61	25.9	0.35	5,164	29.5	0.41	16.8	0.26
Larynx	253	1.9	0.12	1.1	0.07	50	0.3	0.04	0.2	0.03
Lung & bronchus	5,702	44.1	0.59	24.7	0.35	5,070	28.9	0.41	16.4	0.26
Skin	691	5.2	0.20	2.9	0.12	364	2.0	0.10	1.2	0.07
Melanomas of the skin	494	3.6	0.16	2.1	0.10	279	1.5	0.09	0.9	0.06
Breast	32	0.2	0.04	0.2	0.03	4,083	23.1	0.36	15.1	0.26
Female Genital System	-	-	-	-	-	3,149	18.0	0.32	11.7	0.23
Cervix uteri	-	-	-	-	-	522	3.0	0.13	2.2	0.10
Corpus & uterus, NOS	-	-	-	-	-	793	4.5	0.16	2.9	0.11
Ovary	-	-	-	-	-	1,706	9.8	0.24	6.2	0.16
Male Genital System	2,823	23.2	0.44	10.4	0.21	-	-	-	-	-
Prostate	2,717	22.6	0.44	9.9	0.20	-	-	-	-	-
Testis	73	0.4	0.05	0.4	0.04	-	-	-	-	-
Urinary System	1,656	12.9	0.32	6.7	0.18	861	4.7	0.16	2.5	0.10
Bladder	915	7.4	0.25	3.5	0.12	413	2.2	0.11	1.1	0.06
Kidney & renal pelvis	711	5.3	0.20	3.1	0.12	422	2.4	0.12	1.3	0.07
Brain & Other Nervous System	839	5.7	0.20	3.9	0.14	677	3.8	0.15	2.7	0.12
Endocrine System	135	1.0	0.08	0.6	0.05	164	0.9	0.07	0.6	0.05
Thyroid gland	85	0.6	0.07	0.4	0.04	114	0.6	0.06	0.4	0.04
Lymphomas	1,219	9.1	0.27	5.2	0.16	1,004	5.5	0.18	3.1	0.11
Hodgkin Lymphoma	85	0.6	0.06	0.4	0.05	63	0.4	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,134	8.5	0.26	4.8	0.15	941	5.2	0.17	2.9	0.11
Multiple Myeloma	475	3.7	0.17	2.0	0.10	428	2.4	0.12	1.4	0.07
Leukemias	1,246	9.1	0.26	5.4	0.16	974	5.4	0.17	3.4	0.12
Other, Ill-defined & Unknown	2,056	15.3	0.34	8.9	0.21	1,950	10.8	0.25	6.4	0.17

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Los Angeles, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	4,575	283.5	4.44	166.2	2.52	4,643	185.7	2.74	116.9	1.82
Oral Cavity & Pharynx	111	5.9	0.58	4.2	0.40	41	1.6	0.25	1.1	0.17
Digestive System	1,299	77.5	2.27	47.7	1.35	1,214	49.0	1.41	28.7	0.88
Esophagus	94	5.3	0.57	3.5	0.37	51	2.0	0.28	1.3	0.19
Stomach	158	9.8	0.83	5.7	0.46	146	6.0	0.50	3.3	0.29
Colon & Rectum	507	31.2	1.47	18.7	0.85	543	21.9	0.94	12.7	0.58
Liver	199	11.1	0.82	7.4	0.53	89	3.5	0.38	2.3	0.26
Pancreas	255	15.1	1.00	9.3	0.60	314	12.8	0.72	7.3	0.44
Respiratory System	1,308	77.8	2.25	47.9	1.36	1,021	41.4	1.30	25.3	0.84
Larynx	58	3.3	0.45	2.1	0.28	18	0.7	0.17	0.5	0.12
Lung & bronchus	1,243	74.2	2.20	45.5	1.32	999	40.5	1.29	24.7	0.83
Skin	25	1.4	0.30	1.0	0.20	10	0.4	0.13	0.2	0.08
Melanomas of the skin	8	0.5	0.19	0.3	0.12	-	-	-	-	-
Breast	9	0.6	0.20	0.3	0.11	920	35.8	1.19	24.5	0.84
Female Genital System	-	-	-	-	-	487	19.2	0.88	13.3	0.63
Cervix uteri	-	-	-	-	-	99	3.8	0.39	2.9	0.30
Corpus & uterus, NOS	-	-	-	-	-	180	7.1	0.53	5.1	0.39
Ovary	-	-	-	-	-	193	7.7	0.56	5.0	0.38
Male Genital System	755	56.6	2.17	25.6	0.96	-	-	-	-	-
Prostate	744	56.0	2.16	25.2	0.95	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	202	12.8	0.95	7.2	0.52	156	6.4	0.51	3.5	0.30
Bladder	93	6.3	0.69	3.3	0.35	82	3.4	0.37	1.8	0.21
Kidney & renal pelvis	106	6.4	0.65	3.8	0.38	69	2.8	0.34	1.6	0.21
Brain & Other Nervous System	86	4.7	0.53	3.3	0.37	53	2.0	0.28	1.5	0.22
Endocrine System	14	0.8	0.25	0.5	0.15	26	1.0	0.21	0.8	0.17
Thyroid gland	-	-	-	-	-	12	0.5	0.14	0.3	0.08
Lymphomas	121	6.5	0.62	4.6	0.42	118	4.8	0.44	2.9	0.29
Hodgkin Lymphoma	7	0.3	0.12	0.3	0.11	6	0.2	0.09	0.2	0.08
Non-Hodgkin Lymphoma	114	6.2	0.61	4.3	0.41	112	4.5	0.43	2.7	0.27
Multiple Myeloma	138	8.8	0.79	4.9	0.43	153	6.2	0.50	3.7	0.32
Leukemias	158	9.6	0.82	6.0	0.49	118	4.8	0.44	3.1	0.31
Other, Ill-defined & Unknown	349	20.3	1.15	12.9	0.71	326	13.0	0.72	8.4	0.49

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Los Angeles, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)				FEMALES (API)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	4,355	157.1	2.43	88.4	1.41	3,920	103.0	1.66	62.3	1.07
Oral Cavity & Pharynx	92	3.0	0.32	1.9	0.21	54	1.4	0.19	0.9	0.13
Digestive System	1,773	62.8	1.52	36.1	0.89	1,344	35.9	0.98	19.6	0.58
Esophagus	86	3.1	0.34	1.7	0.19	26	0.7	0.14	0.4	0.08
Stomach	322	11.8	0.67	6.3	0.37	244	6.5	0.42	3.7	0.26
Colon & Rectum	465	16.5	0.78	9.4	0.45	442	11.8	0.56	6.3	0.33
Liver	462	15.5	0.74	9.8	0.47	203	5.6	0.39	2.9	0.22
Pancreas	300	10.9	0.64	6.1	0.37	278	7.4	0.45	4.1	0.27
Respiratory System	1,252	45.9	1.32	24.8	0.73	709	19.0	0.72	10.6	0.43
Larynx	32	1.2	0.22	0.6	0.11	-	-	-	-	-
Lung & bronchus	1,207	44.3	1.30	23.9	0.72	696	18.7	0.71	10.4	0.43
Skin	23	0.8	0.17	0.5	0.11	12	0.3	0.09	0.2	0.07
Melanomas of the skin	15	0.5	0.14	0.3	0.09	9	0.2	0.07	0.2	0.06
Breast	-	-	-	-	-	577	14.5	0.61	10.6	0.46
Female Genital System	-	-	-	-	-	448	11.3	0.54	7.8	0.39
Cervix uteri	-	-	-	-	-	106	2.7	0.26	1.9	0.19
Corpus & uterus, NOS	-	-	-	-	-	117	3.0	0.28	2.1	0.20
Ovary	-	-	-	-	-	210	5.3	0.37	3.7	0.27
Male Genital System	301	12.2	0.71	5.2	0.31	-	-	-	-	-
Prostate	292	11.9	0.71	4.9	0.30	-	-	-	-	-
Testis	7	0.2	0.08	0.2	0.08	-	-	-	-	-
Urinary System	170	6.3	0.50	3.4	0.27	93	2.5	0.26	1.3	0.15
Bladder	78	3.1	0.35	1.4	0.16	27	0.7	0.14	0.3	0.07
Kidney & renal pelvis	87	3.1	0.33	1.9	0.21	61	1.7	0.21	0.9	0.12
Brain & Other Nervous System	87	2.9	0.32	2.3	0.26	81	2.2	0.24	1.5	0.19
Endocrine System	30	1.0	0.19	0.7	0.14	49	1.3	0.19	0.8	0.13
Thyroid gland	22	0.7	0.16	0.5	0.11	36	0.9	0.16	0.5	0.09
Lymphomas	143	5.1	0.43	2.9	0.25	141	3.8	0.32	2.1	0.19
Hodgkin Lymphoma	6	0.2	0.06	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	137	4.9	0.43	2.7	0.25	137	3.7	0.31	2.0	0.19
Multiple Myeloma	66	2.3	0.29	1.4	0.18	64	1.7	0.22	1.0	0.14
Leukemias	138	4.9	0.43	3.1	0.28	126	3.4	0.30	2.1	0.21
Other, Ill-defined & Unknown	278	9.6	0.59	6.1	0.39	222	5.8	0.39	3.9	0.29

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Colorado, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	16,606	187.3	1.51	102.7	0.82	15,871	135.7	1.09	79.9	0.69
Oral Cavity & Pharynx	269	2.8	0.18	1.7	0.11	168	1.4	0.11	0.8	0.07
Digestive System	4,524	48.8	0.76	28.5	0.44	3,595	30.8	0.52	16.7	0.31
Esophagus	705	7.2	0.28	4.6	0.18	160	1.4	0.11	0.8	0.07
Stomach	370	4.1	0.22	2.3	0.12	250	2.1	0.14	1.2	0.08
Colon & Rectum	1,630	18.3	0.47	10.1	0.26	1,568	13.3	0.34	7.1	0.20
Liver	494	4.8	0.23	3.2	0.15	196	1.7	0.12	1.0	0.07
Pancreas	1,039	11.2	0.36	6.6	0.21	1,016	8.8	0.28	4.9	0.17
Respiratory System	4,223	47.5	0.76	26.3	0.42	3,748	32.8	0.54	19.4	0.34
Larynx	116	1.2	0.12	0.7	0.07	39	0.3	0.05	0.2	0.04
Lung & bronchus	4,079	46.1	0.75	25.4	0.41	3,694	32.3	0.54	19.1	0.34
Skin	572	6.1	0.26	3.6	0.15	281	2.4	0.14	1.5	0.09
Melanomas of the skin	459	4.8	0.23	2.9	0.14	242	2.0	0.13	1.3	0.09
Breast	25	0.3	0.06	0.1	0.03	2,461	20.5	0.42	13.3	0.29
Female Genital System	-	-	-	-	-	1,707	14.5	0.35	9.0	0.23
Cervix uteri	-	-	-	-	-	224	1.8	0.12	1.3	0.09
Corpus & uterus, NOS	-	-	-	-	-	373	3.2	0.17	1.8	0.10
Ovary	-	-	-	-	-	1,025	8.7	0.28	5.5	0.18
Male Genital System	1,886	24.7	0.58	10.7	0.26	-	-	-	-	-
Prostate	1,843	24.3	0.58	10.4	0.25	-	-	-	-	-
Testis	29	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,089	12.6	0.40	6.6	0.21	523	4.4	0.20	2.4	0.12
Bladder	563	6.9	0.30	3.3	0.14	229	2.0	0.13	1.0	0.07
Kidney & renal pelvis	515	5.6	0.26	3.3	0.15	273	2.3	0.14	1.3	0.09
Brain & Other Nervous System	545	5.2	0.23	3.7	0.16	431	3.6	0.18	2.6	0.14
Endocrine System	96	1.0	0.10	0.6	0.07	93	0.8	0.08	0.5	0.06
Thyroid gland	66	0.7	0.09	0.4	0.05	58	0.5	0.06	0.3	0.04
Lymphomas	776	8.8	0.33	4.7	0.18	568	4.9	0.21	2.6	0.12
Hodgkin Lymphoma	51	0.5	0.07	0.3	0.05	27	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	725	8.2	0.32	4.4	0.17	541	4.7	0.20	2.4	0.12
Multiple Myeloma	369	4.3	0.23	2.3	0.12	295	2.5	0.15	1.4	0.09
Leukemias	783	9.1	0.34	4.8	0.18	585	5.0	0.21	2.8	0.13
Other, Ill-defined & Unknown	1,449	16.2	0.44	9.0	0.24	1,416	12.2	0.33	6.9	0.20

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Colorado, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	15,698	187.5	1.55	102.7	0.85	15,080	136.9	1.13	80.8	0.72
Oral Cavity & Pharynx	252	2.8	0.18	1.7	0.11	161	1.5	0.12	0.8	0.07
Digestive System	4,229	48.4	0.77	28.3	0.45	3,353	30.4	0.53	16.5	0.32
Esophagus	667	7.2	0.29	4.6	0.18	149	1.4	0.12	0.8	0.07
Stomach	331	3.9	0.22	2.2	0.12	223	2.0	0.14	1.1	0.08
Colon & Rectum	1,549	18.4	0.48	10.1	0.27	1,477	13.3	0.35	7.0	0.20
Liver	433	4.5	0.23	2.9	0.15	169	1.5	0.12	0.9	0.07
Pancreas	975	11.2	0.37	6.6	0.22	957	8.7	0.29	4.9	0.17
Respiratory System	3,983	47.5	0.78	26.2	0.43	3,583	33.2	0.56	19.7	0.36
Larynx	103	1.1	0.12	0.7	0.07	37	0.3	0.06	0.2	0.04
Lung & bronchus	3,853	46.1	0.77	25.3	0.42	3,531	32.8	0.56	19.4	0.35
Skin	564	6.3	0.28	3.8	0.16	277	2.5	0.15	1.5	0.10
Melanomas of the skin	455	5.0	0.24	3.1	0.15	239	2.1	0.14	1.4	0.10
Breast	23	0.3	0.06	0.1	0.03	2,340	20.8	0.43	13.5	0.30
Female Genital System	-	-	-	-	-	1,631	14.7	0.37	9.2	0.24
Cervix uteri	-	-	-	-	-	205	1.8	0.13	1.3	0.10
Corpus & uterus, NOS	-	-	-	-	-	352	3.2	0.17	1.8	0.11
Ovary	-	-	-	-	-	994	9.0	0.29	5.7	0.19
Male Genital System	1,773	24.5	0.59	10.5	0.26	-	-	-	-	-
Prostate	1,730	24.0	0.59	10.2	0.26	-	-	-	-	-
Testis	29	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,054	12.9	0.41	6.8	0.22	506	4.6	0.20	2.5	0.12
Bladder	555	7.1	0.31	3.4	0.15	223	2.0	0.14	1.0	0.08
Kidney & renal pelvis	489	5.6	0.26	3.3	0.15	263	2.3	0.15	1.4	0.09
Brain & Other Nervous System	528	5.3	0.24	3.8	0.17	409	3.7	0.18	2.7	0.15
Endocrine System	91	1.0	0.11	0.7	0.07	90	0.8	0.08	0.5	0.06
Thyroid gland	64	0.7	0.09	0.4	0.06	56	0.5	0.07	0.3	0.04
Lymphomas	737	8.8	0.34	4.7	0.18	542	4.9	0.21	2.6	0.13
Hodgkin Lymphoma	49	0.5	0.08	0.3	0.05	25	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	688	8.3	0.33	4.4	0.18	517	4.7	0.21	2.5	0.12
Multiple Myeloma	345	4.2	0.23	2.3	0.13	270	2.5	0.15	1.3	0.09
Leukemias	751	9.2	0.35	4.9	0.19	570	5.2	0.22	3.0	0.14
Other, Ill-defined & Unknown	1,368	16.3	0.46	9.0	0.25	1,348	12.3	0.34	6.9	0.21

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Colorado, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	634	236.0	10.81	137.2	5.64	485	144.0	6.73	84.7	4.00
Oral Cavity & Pharynx	15	5.1	1.55	3.3	0.88	-	-	-	-	-
Digestive System	205	71.2	5.70	44.3	3.19	140	43.0	3.73	23.5	2.07
Esophagus	28	10.0	2.08	6.4	1.24	8	2.1	0.75	1.9	0.67
Stomach	24	8.8	2.02	5.2	1.09	15	4.0	1.08	2.5	0.66
Colon & Rectum	60	21.8	3.33	12.9	1.73	54	16.8	2.34	8.9	1.27
Liver	36	9.0	1.61	7.6	1.32	6	1.9	0.81	0.8	0.35
Pancreas	49	18.8	3.07	10.5	1.55	38	12.5	2.06	6.3	1.07
Respiratory System	162	58.9	5.20	35.2	2.84	100	30.7	3.13	18.4	1.92
Larynx	11	3.9	1.26	2.4	0.73	-	-	-	-	-
Lung & bronchus	151	55.0	5.04	32.8	2.75	100	30.7	3.13	18.4	1.92
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	83	23.1	2.62	14.3	1.63
Female Genital System	-	-	-	-	-	48	13.9	2.07	8.2	1.22
Cervix uteri	-	-	-	-	-	10	2.5	0.82	1.7	0.54
Corpus & uterus, NOS	-	-	-	-	-	18	5.6	1.35	3.0	0.73
Ovary	-	-	-	-	-	15	4.6	1.20	2.6	0.69
Male Genital System	88	45.3	5.41	20.8	2.29	-	-	-	-	-
Prostate	88	45.3	5.41	20.8	2.29	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	12.2	2.67	5.9	1.17	11	3.6	1.10	2.0	0.64
Bladder	7	3.8	1.57	1.6	0.62	-	-	-	-	-
Kidney & renal pelvis	19	8.0	2.12	4.0	0.96	8	2.7	0.96	1.3	0.50
Brain & Other Nervous System	12	3.0	0.99	2.4	0.73	11	2.3	0.74	2.1	0.65
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	26	10.0	2.30	5.4	1.10	14	4.4	1.22	2.1	0.59
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	24	9.7	2.29	5.1	1.08	12	3.9	1.15	1.9	0.56
Multiple Myeloma	19	7.3	1.97	4.3	1.01	20	6.0	1.38	4.0	0.93
Leukemias	23	6.6	1.49	4.4	0.96	11	3.2	1.01	1.7	0.51
Other, Ill-defined & Unknown	48	14.2	2.38	9.5	1.43	40	11.9	1.92	7.3	1.21

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Colorado, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	199	127.9	9.68	66.2	4.81	226	90.0	6.18	50.2	3.49
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	72	46.7	5.90	24.0	2.89	77	31.3	3.67	16.1	1.92
Esophagus	6	4.1	1.83	2.0	0.82	-	-	-	-	-
Stomach	14	8.7	2.48	4.4	1.22	11	4.0	1.25	2.5	0.78
Colon & Rectum	14	10.2	2.89	4.8	1.30	26	10.9	2.19	5.3	1.09
Liver	21	12.2	2.87	7.1	1.58	16	5.8	1.51	3.4	0.88
Pancreas	13	8.6	2.50	4.5	1.27	15	6.6	1.74	3.1	0.86
Respiratory System	54	33.7	4.84	17.8	2.50	48	18.9	2.79	11.8	1.76
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	51	32.3	4.76	16.6	2.41	46	18.1	2.74	11.2	1.71
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	25	9.4	1.95	5.8	1.21
Female Genital System	-	-	-	-	-	21	7.3	1.67	4.7	1.04
Cervix uteri	-	-	-	-	-	6	1.6	0.67	1.4	0.58
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	14	5.2	1.45	3.1	0.84
Male Genital System	15	12.5	3.30	4.9	1.28	-	-	-	-	-
Prostate	15	12.5	3.30	4.9	1.28	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	9	3.7	1.28	2.1	0.75
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	6.7	2.17	3.4	1.04	11	4.8	1.47	2.2	0.70
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	11	6.7	2.17	3.4	1.04	11	4.8	1.47	2.2	0.70
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	4.3	1.67	2.5	0.91	-	-	-	-	-
Other, Ill-defined & Unknown	25	16.3	3.46	8.5	1.74	18	8.3	1.99	3.8	0.93

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Connecticut, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	17,380	216.4	1.66	118.8	0.96	17,547	152.5	1.18	89.7	0.79
Oral Cavity & Pharynx	269	3.2	0.20	2.0	0.13	137	1.2	0.10	0.7	0.07
Digestive System	4,638	56.9	0.84	32.5	0.51	3,960	33.3	0.54	18.1	0.34
Esophagus	683	8.2	0.32	5.0	0.20	192	1.7	0.12	1.0	0.08
Stomach	501	6.2	0.28	3.5	0.17	333	2.8	0.16	1.5	0.10
Colon & Rectum	1,452	18.1	0.48	9.7	0.27	1,674	13.8	0.35	7.2	0.21
Liver	504	5.9	0.27	3.7	0.17	180	1.6	0.12	0.9	0.08
Pancreas	1,176	14.4	0.42	8.3	0.26	1,187	10.1	0.30	5.6	0.19
Respiratory System	4,925	60.7	0.87	34.9	0.53	4,452	39.6	0.60	23.5	0.40
Larynx	161	1.9	0.15	1.2	0.10	41	0.4	0.06	0.2	0.04
Lung & bronchus	4,744	58.5	0.86	33.5	0.52	4,391	39.1	0.60	23.2	0.40
Skin	473	5.9	0.27	3.3	0.16	240	2.1	0.14	1.3	0.09
Melanomas of the skin	353	4.3	0.23	2.5	0.14	194	1.8	0.13	1.1	0.09
Breast	24	0.3	0.06	0.2	0.04	2,621	23.2	0.46	14.8	0.33
Female Genital System	-	-	-	-	-	1,750	15.5	0.38	9.9	0.27
Cervix uteri	-	-	-	-	-	176	1.7	0.13	1.2	0.10
Corpus & uterus, NOS	-	-	-	-	-	510	4.5	0.20	2.8	0.14
Ovary	-	-	-	-	-	941	8.3	0.28	5.4	0.20
Male Genital System	1,966	26.1	0.59	11.1	0.27	-	-	-	-	-
Prostate	1,938	25.7	0.59	10.8	0.26	-	-	-	-	-
Testis	19	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,093	13.9	0.42	7.0	0.23	626	5.2	0.21	2.8	0.13
Bladder	662	8.6	0.34	4.0	0.17	322	2.6	0.15	1.3	0.09
Kidney & renal pelvis	408	5.0	0.25	2.8	0.15	283	2.4	0.15	1.4	0.10
Brain & Other Nervous System	413	4.8	0.24	3.4	0.18	369	3.5	0.19	2.5	0.15
Endocrine System	61	0.7	0.10	0.5	0.06	87	0.8	0.08	0.5	0.06
Thyroid gland	41	0.5	0.08	0.3	0.05	58	0.5	0.06	0.2	0.04
Lymphomas	695	8.7	0.33	4.7	0.19	698	5.8	0.22	3.1	0.14
Hodgkin Lymphoma	45	0.5	0.08	0.4	0.06	36	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	650	8.2	0.32	4.3	0.18	662	5.4	0.22	2.8	0.13
Multiple Myeloma	333	4.2	0.23	2.3	0.13	311	2.6	0.15	1.4	0.09
Leukemias	715	9.1	0.34	5.0	0.20	601	5.2	0.22	3.0	0.15
Other, Ill-defined & Unknown	1,775	22.0	0.53	12.1	0.31	1,695	14.4	0.36	8.1	0.23

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Connecticut, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	15,995	215.8	1.72	117.7	1.00	16,225	153.3	1.24	90.1	0.83
Oral Cavity & Pharynx	237	3.1	0.20	1.9	0.13	123	1.2	0.11	0.7	0.07
Digestive System	4,202	56.0	0.87	31.7	0.52	3,600	32.6	0.56	17.5	0.35
Esophagus	631	8.3	0.33	5.0	0.21	177	1.7	0.13	0.9	0.08
Stomach	444	6.0	0.29	3.4	0.17	292	2.6	0.16	1.4	0.10
Colon & Rectum	1,328	17.9	0.50	9.6	0.28	1,531	13.6	0.36	7.1	0.22
Liver	428	5.5	0.27	3.4	0.17	152	1.4	0.12	0.8	0.08
Pancreas	1,071	14.2	0.44	8.2	0.27	1,093	10.1	0.31	5.6	0.20
Respiratory System	4,549	60.8	0.91	34.8	0.55	4,199	40.7	0.64	24.2	0.43
Larynx	141	1.8	0.16	1.1	0.10	36	0.3	0.06	0.2	0.04
Lung & bronchus	4,390	58.7	0.89	33.5	0.54	4,143	40.2	0.64	23.9	0.43
Skin	457	6.1	0.29	3.4	0.17	235	2.3	0.15	1.4	0.10
Melanomas of the skin	346	4.6	0.25	2.7	0.15	192	1.9	0.14	1.2	0.10
Breast	22	0.3	0.07	0.2	0.04	2,388	23.2	0.49	14.8	0.34
Female Genital System	-	-	-	-	-	1,613	15.6	0.40	10.0	0.28
Cervix uteri	-	-	-	-	-	156	1.7	0.14	1.2	0.11
Corpus & uterus, NOS	-	-	-	-	-	457	4.4	0.21	2.6	0.14
Ovary	-	-	-	-	-	885	8.6	0.30	5.6	0.21
Male Genital System	1,775	25.2	0.60	10.5	0.27	-	-	-	-	-
Prostate	1,751	24.8	0.60	10.2	0.26	-	-	-	-	-
Testis	15	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,042	14.2	0.44	7.1	0.24	581	5.2	0.22	2.8	0.14
Bladder	642	8.9	0.35	4.2	0.18	300	2.6	0.16	1.4	0.09
Kidney & renal pelvis	378	5.0	0.26	2.8	0.16	263	2.4	0.16	1.4	0.10
Brain & Other Nervous System	389	5.0	0.26	3.6	0.19	353	3.7	0.20	2.7	0.17
Endocrine System	60	0.8	0.10	0.5	0.07	80	0.8	0.09	0.5	0.07
Thyroid gland	41	0.5	0.09	0.3	0.05	52	0.5	0.07	0.2	0.04
Lymphomas	648	8.8	0.35	4.7	0.20	656	5.8	0.24	3.0	0.15
Hodgkin Lymphoma	42	0.6	0.09	0.4	0.06	35	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	606	8.3	0.34	4.3	0.19	621	5.5	0.23	2.8	0.14
Multiple Myeloma	290	3.9	0.23	2.1	0.13	273	2.4	0.15	1.3	0.09
Leukemias	668	9.2	0.36	5.1	0.22	561	5.3	0.23	3.1	0.17
Other, Ill-defined & Unknown	1,656	22.3	0.55	12.2	0.32	1,563	14.4	0.38	8.1	0.25

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Connecticut, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,210	248.8	7.88	148.9	4.37	1,164	157.4	4.71	97.0	2.95
Oral Cavity & Pharynx	29	5.0	0.97	3.7	0.70	12	1.6	0.47	1.0	0.30
Digestive System	374	73.1	4.13	45.3	2.39	315	44.2	2.54	25.7	1.50
Esophagus	48	8.7	1.34	6.1	0.89	14	1.8	0.48	1.2	0.34
Stomach	45	9.8	1.62	5.6	0.85	34	4.9	0.86	2.6	0.47
Colon & Rectum	114	23.6	2.40	13.2	1.27	128	18.3	1.64	10.1	0.93
Liver	51	8.0	1.21	5.9	0.84	24	3.3	0.68	2.1	0.43
Pancreas	98	19.7	2.19	12.3	1.26	82	11.6	1.30	6.8	0.78
Respiratory System	334	68.3	4.09	42.2	2.35	231	31.2	2.09	19.6	1.34
Larynx	19	3.9	0.98	2.6	0.60	-	-	-	-	-
Lung & bronchus	313	64.0	3.97	39.4	2.27	226	30.5	2.07	19.2	1.32
Skin	16	3.1	0.85	2.0	0.52	-	-	-	-	-
Melanomas of the skin	7	1.4	0.64	0.9	0.33	-	-	-	-	-
Breast	-	-	-	-	-	205	26.4	1.88	16.9	1.22
Female Genital System	-	-	-	-	-	125	16.0	1.46	11.3	1.04
Cervix uteri	-	-	-	-	-	18	2.3	0.55	1.6	0.38
Corpus & uterus, NOS	-	-	-	-	-	53	6.8	0.94	5.0	0.70
Ovary	-	-	-	-	-	46	5.9	0.89	4.1	0.61
Male Genital System	177	45.9	3.76	22.0	1.69	-	-	-	-	-
Prostate	175	45.7	3.75	21.8	1.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	43	9.1	1.55	5.3	0.82	37	5.3	0.89	2.7	0.46
Bladder	17	3.5	0.94	2.1	0.52	19	2.8	0.66	1.3	0.33
Kidney & renal pelvis	25	5.1	1.13	3.0	0.62	17	2.4	0.59	1.2	0.31
Brain & Other Nervous System	21	2.9	0.68	2.3	0.50	11	1.3	0.41	1.0	0.32
Endocrine System	-	-	-	-	-	6	0.8	0.34	0.5	0.22
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	34	5.3	0.95	4.0	0.69	36	4.4	0.75	3.2	0.55
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	31	4.9	0.93	3.7	0.67	35	4.3	0.74	3.1	0.54
Multiple Myeloma	35	7.1	1.27	4.3	0.74	36	5.2	0.88	2.9	0.51
Leukemias	38	8.5	1.56	4.5	0.74	36	4.7	0.81	3.0	0.53
Other, Ill-defined & Unknown	106	20.1	2.14	13.0	1.29	110	15.6	1.51	8.8	0.88

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Connecticut, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	156	103.8	9.39	59.5	4.89	144	86.2	7.81	47.9	4.11
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	58	35.0	5.13	22.7	3.06	41	24.8	4.18	14.1	2.27
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	6.1	1.97	4.2	1.29	7	2.8	1.18	2.1	0.81
Colon & Rectum	10	4.2	1.39	3.6	1.19	13	7.5	2.27	4.3	1.25
Liver	24	16.0	3.63	9.6	2.00	-	-	-	-	-
Pancreas	7	5.3	2.27	2.9	1.13	10	7.1	2.33	3.6	1.16
Respiratory System	37	24.1	4.43	13.7	2.30	20	13.3	3.16	6.9	1.59
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	36	23.7	4.41	13.2	2.26	20	13.3	3.16	6.9	1.59
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	24	11.8	2.64	7.7	1.63
Female Genital System	-	-	-	-	-	12	8.0	2.44	4.1	1.22
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	6.6	2.22	3.5	1.14
Male Genital System	12	11.6	3.67	4.5	1.35	-	-	-	-	-
Prostate	10	11.0	3.65	4.1	1.31	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	8	5.6	2.13	2.6	0.94
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	13	8.8	2.76	5.3	1.50	6	2.9	1.28	2.2	0.92
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	13	8.8	2.76	5.3	1.50	6	2.9	1.28	2.2	0.92
Multiple Myeloma	6	5.6	2.36	2.3	0.96	-	-	-	-	-
Leukemias	9	7.4	2.81	3.6	1.26	-	-	-	-	-
Other, Ill-defined & Unknown	10	6.3	2.22	3.5	1.14	19	10.4	2.70	5.7	1.34

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Delaware, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	4,768	238.5	3.51	138.2	2.11	4,402	167.5	2.54	101.9	1.70
Oral Cavity & Pharynx	89	4.2	0.45	3.0	0.32	37	1.4	0.23	0.9	0.16
Digestive System	1,179	57.7	1.71	35.4	1.08	917	34.4	1.14	19.1	0.71
Esophagus	183	8.9	0.67	5.7	0.43	43	1.6	0.25	1.0	0.17
Stomach	114	5.5	0.53	3.5	0.34	69	2.6	0.32	1.4	0.19
Colon & Rectum	418	20.8	1.04	12.1	0.62	404	15.0	0.75	8.1	0.45
Liver	152	7.0	0.58	4.9	0.41	40	1.5	0.24	1.0	0.18
Pancreas	245	12.1	0.78	7.1	0.48	263	9.8	0.61	5.5	0.38
Respiratory System	1,587	77.5	1.97	46.5	1.22	1,346	51.2	1.40	32.0	0.95
Larynx	64	2.9	0.37	2.1	0.27	14	0.5	0.14	0.4	0.11
Lung & bronchus	1,506	73.7	1.93	43.9	1.18	1,322	50.3	1.39	31.4	0.94
Skin	127	6.3	0.57	3.7	0.34	51	2.0	0.28	1.2	0.19
Melanomas of the skin	99	4.8	0.49	3.0	0.31	38	1.5	0.24	1.0	0.18
Breast	7	0.4	0.15	0.2	0.08	628	24.3	0.98	15.7	0.68
Female Genital System	-	-	-	-	-	451	17.3	0.82	10.9	0.56
Cervix uteri	-	-	-	-	-	55	2.2	0.31	1.6	0.23
Corpus & uterus, NOS	-	-	-	-	-	141	5.3	0.45	3.3	0.31
Ovary	-	-	-	-	-	222	8.5	0.57	5.3	0.39
Male Genital System	480	26.9	1.25	11.7	0.56	-	-	-	-	-
Prostate	475	26.7	1.25	11.5	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	320	16.4	0.93	8.8	0.52	140	5.2	0.44	2.8	0.27
Bladder	183	9.7	0.73	4.9	0.38	70	2.5	0.31	1.2	0.16
Kidney & renal pelvis	131	6.4	0.57	3.8	0.35	65	2.5	0.31	1.6	0.21
Brain & Other Nervous System	113	5.5	0.52	3.9	0.39	90	3.6	0.38	2.7	0.32
Endocrine System	16	0.8	0.20	0.5	0.12	23	0.9	0.19	0.5	0.13
Thyroid gland	12	0.6	0.18	0.3	0.10	12	0.5	0.13	0.2	0.08
Lymphomas	183	9.3	0.70	5.2	0.41	146	5.5	0.46	3.1	0.30
Hodgkin Lymphoma	7	0.3	0.12	0.3	0.11	11	0.5	0.14	0.3	0.11
Non-Hodgkin Lymphoma	176	9.0	0.69	4.9	0.39	135	5.1	0.44	2.8	0.28
Multiple Myeloma	89	4.4	0.48	2.5	0.28	71	2.6	0.32	1.4	0.19
Leukemias	181	9.2	0.70	5.3	0.43	137	5.3	0.45	3.3	0.32
Other, Ill-defined & Unknown	397	19.9	1.01	11.6	0.61	365	13.9	0.73	8.3	0.49

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Delaware, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		135.5		2.28			14.8		0.81	
All Sites	4,029	236.2	3.77	135.5	2.28	3,681	166.8	2.78	100.9	1.88
Oral Cavity & Pharynx	70	4.0	0.48	2.7	0.34	36	1.6	0.27	1.0	0.19
Digestive System	982	56.8	1.84	34.2	1.15	756	33.3	1.23	18.4	0.77
Esophagus	160	9.2	0.74	5.8	0.48	37	1.7	0.27	1.0	0.18
Stomach	86	5.0	0.54	3.0	0.35	47	2.1	0.30	1.0	0.16
Colon & Rectum	350	20.5	1.11	11.9	0.68	338	14.8	0.81	8.0	0.50
Liver	112	6.2	0.59	4.2	0.41	34	1.6	0.27	1.0	0.21
Pancreas	217	12.5	0.86	7.4	0.53	217	9.6	0.66	5.3	0.41
Respiratory System	1,351	77.4	2.13	46.0	1.32	1,139	51.4	1.54	32.2	1.05
Larynx	46	2.5	0.38	1.8	0.27	11	0.5	0.15	0.4	0.12
Lung & bronchus	1,289	73.9	2.08	43.6	1.29	1,120	50.6	1.52	31.5	1.04
Skin	124	7.2	0.65	4.3	0.41	50	2.4	0.34	1.5	0.25
Melanomas of the skin	99	5.7	0.58	3.6	0.38	38	1.8	0.31	1.3	0.23
Breast	6	0.4	0.16	0.2	0.09	522	24.3	1.08	15.6	0.76
Female Genital System	-	-	-	-	-	357	16.5	0.88	10.3	0.61
Cervix uteri	-	-	-	-	-	41	2.2	0.35	1.6	0.27
Corpus & uterus, NOS	-	-	-	-	-	103	4.7	0.46	2.7	0.30
Ovary	-	-	-	-	-	183	8.4	0.62	5.2	0.42
Male Genital System	375	24.2	1.27	10.2	0.56	-	-	-	-	-
Prostate	372	24.0	1.26	10.1	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	284	16.8	1.01	9.0	0.57	116	5.1	0.48	2.7	0.29
Bladder	165	10.0	0.79	5.1	0.42	61	2.6	0.34	1.2	0.19
Kidney & renal pelvis	113	6.5	0.62	3.7	0.37	50	2.3	0.32	1.4	0.22
Brain & Other Nervous System	98	5.7	0.59	4.2	0.46	80	3.9	0.45	2.9	0.39
Endocrine System	13	0.8	0.21	0.4	0.13	18	0.9	0.21	0.5	0.15
Thyroid gland	10	0.6	0.19	0.3	0.11	9	0.4	0.13	0.2	0.06
Lymphomas	167	10.0	0.79	5.5	0.46	125	5.7	0.52	3.2	0.34
Hodgkin Lymphoma	7	0.4	0.16	0.4	0.15	10	0.5	0.18	0.4	0.14
Non-Hodgkin Lymphoma	160	9.6	0.77	5.1	0.44	115	5.1	0.49	2.8	0.31
Multiple Myeloma	69	4.0	0.48	2.1	0.28	53	2.3	0.32	1.2	0.19
Leukemias	157	9.4	0.76	5.4	0.48	123	5.6	0.51	3.4	0.35
Other, Ill-defined & Unknown	333	19.6	1.09	11.2	0.65	306	13.8	0.80	8.0	0.53

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Delaware, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	698	265.9	10.92	163.7	6.32	674	178.0	6.99	110.5	4.45
Oral Cavity & Pharynx	18	5.7	1.41	4.2	1.01	-	-	-	-	-
Digestive System	186	64.8	5.09	43.7	3.27	149	41.3	3.44	22.5	1.94
Esophagus	22	7.5	1.63	5.5	1.18	6	1.4	0.59	1.0	0.42
Stomach	27	9.5	1.96	6.7	1.32	18	5.0	1.19	2.6	0.63
Colon & Rectum	65	24.6	3.33	14.8	1.88	64	17.9	2.28	9.3	1.22
Liver	36	10.1	1.71	8.2	1.39	-	-	-	-	-
Pancreas	28	10.5	2.12	6.7	1.29	43	12.2	1.89	6.6	1.08
Respiratory System	220	80.3	5.76	52.1	3.58	190	51.3	3.79	32.3	2.44
Larynx	17	5.5	1.39	4.1	1.01	-	-	-	-	-
Lung & bronchus	203	74.7	5.59	48.0	3.44	185	49.8	3.73	31.5	2.41
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	102	24.8	2.51	16.9	1.72
Female Genital System	-	-	-	-	-	86	22.4	2.46	14.8	1.66
Cervix uteri	-	-	-	-	-	12	3.0	0.88	1.8	0.54
Corpus & uterus, NOS	-	-	-	-	-	37	9.8	1.63	6.9	1.18
Ovary	-	-	-	-	-	34	9.0	1.56	5.6	1.01
Male Genital System	102	51.2	5.44	23.3	2.37	-	-	-	-	-
Prostate	100	50.3	5.40	22.9	2.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	13.7	2.64	7.8	1.35	24	6.7	1.40	3.5	0.76
Bladder	17	8.3	2.18	3.9	0.97	9	2.9	0.96	1.1	0.39
Kidney & renal pelvis	17	5.4	1.48	3.8	0.94	15	3.8	1.01	2.4	0.65
Brain & Other Nervous System	13	5.0	1.52	3.0	0.85	10	2.5	0.81	1.9	0.61
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	4.2	1.18	3.2	0.86	20	5.2	1.19	3.1	0.73
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	14	4.2	1.18	3.2	0.86	19	5.0	1.17	2.9	0.71
Multiple Myeloma	19	7.8	1.96	4.6	1.07	17	4.9	1.21	2.7	0.70
Leukemias	22	7.5	1.65	5.2	1.13	14	3.2	0.89	2.6	0.74
Other, Ill-defined & Unknown	63	22.8	3.14	14.8	1.90	57	14.6	1.98	9.3	1.28

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Delaware, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	30	89.5	19.06	53.8	9.99	37	76.9	13.45	52.0	8.60
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	21.5	7.04	17.1	5.53	10	18.3	6.06	14.3	4.56
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	11	42.3	14.44	21.8	6.60	13	29.5	8.61	18.0	5.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	39.1	14.11	19.8	6.31	13	29.5	8.61	18.0	5.02
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	6	12.1	5.26	8.1	3.33
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**District of Columbia, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,991	260.4	4.89	153.4	2.91	2,801	161.1	3.09	99.3	2.09
Oral Cavity & Pharynx	79	6.4	0.74	4.4	0.50	34	2.0	0.34	1.4	0.26
Digestive System	833	69.8	2.48	43.4	1.55	720	40.7	1.54	23.4	0.99
Esophagus	126	10.3	0.94	6.9	0.63	43	2.5	0.38	1.5	0.25
Stomach	84	7.2	0.80	4.3	0.49	63	3.6	0.46	2.0	0.29
Colon & Rectum	267	23.0	1.45	13.5	0.86	323	18.1	1.02	10.3	0.65
Liver	129	9.9	0.90	7.0	0.63	43	2.6	0.40	1.6	0.28
Pancreas	187	16.1	1.21	9.7	0.73	178	10.1	0.77	5.7	0.48
Respiratory System	852	72.9	2.56	44.5	1.57	620	35.9	1.46	21.8	0.97
Larynx	47	3.9	0.59	2.5	0.37	10	0.6	0.19	0.4	0.14
Lung & bronchus	800	68.6	2.49	41.7	1.52	607	35.1	1.44	21.3	0.96
Skin	42	3.5	0.56	2.1	0.34	20	1.1	0.24	0.6	0.16
Melanomas of the skin	26	2.2	0.46	1.3	0.27	16	0.9	0.22	0.5	0.15
Breast	-	-	-	-	-	479	27.6	1.28	18.4	0.92
Female Genital System	-	-	-	-	-	305	18.0	1.04	12.0	0.74
Cervix uteri	-	-	-	-	-	52	3.2	0.45	2.4	0.35
Corpus & uterus, NOS	-	-	-	-	-	100	5.7	0.58	3.8	0.41
Ovary	-	-	-	-	-	135	8.0	0.69	5.0	0.47
Male Genital System	422	42.0	2.09	19.1	0.97	-	-	-	-	-
Prostate	418	41.7	2.08	18.9	0.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	124	10.8	1.00	6.5	0.60	93	5.2	0.55	2.6	0.31
Bladder	71	6.7	0.82	3.4	0.43	57	3.1	0.42	1.5	0.23
Kidney & renal pelvis	51	4.0	0.57	2.9	0.42	32	1.9	0.34	1.0	0.20
Brain & Other Nervous System	57	4.5	0.61	3.4	0.48	36	2.3	0.38	1.6	0.31
Endocrine System	14	1.2	0.33	0.8	0.21	-	-	-	-	-
Thyroid gland	10	0.9	0.29	0.5	0.17	-	-	-	-	-
Lymphomas	110	9.1	0.90	5.7	0.57	63	3.5	0.45	2.2	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	105	8.8	0.88	5.4	0.56	58	3.2	0.43	2.0	0.30
Multiple Myeloma	78	7.2	0.83	3.8	0.45	78	4.6	0.53	2.7	0.34
Leukemias	101	8.9	0.91	5.6	0.61	89	5.0	0.54	2.9	0.36
Other, Ill-defined & Unknown	275	23.7	1.47	13.8	0.86	259	14.9	0.94	9.5	0.65

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**District of Columbia, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	736	176.6	6.73	93.9	3.65	630	116.1	4.82	64.7	2.99
Oral Cavity & Pharynx	14	3.2	0.88	1.9	0.53	7	1.1	0.45	0.5	0.25
Digestive System	165	39.1	3.15	21.3	1.74	133	24.5	2.22	12.8	1.27
Esophagus	23	5.7	1.21	3.0	0.65	8	1.4	0.52	0.6	0.24
Stomach	17	4.0	1.00	2.1	0.53	9	1.5	0.52	1.0	0.37
Colon & Rectum	52	12.6	1.81	6.5	0.93	58	10.9	1.49	5.6	0.84
Liver	18	4.1	1.00	2.7	0.71	-	-	-	-	-
Pancreas	47	11.1	1.67	6.0	0.91	41	7.2	1.17	3.8	0.69
Respiratory System	186	44.6	3.37	23.9	1.81	137	25.7	2.28	13.1	1.29
Larynx	6	1.6	0.66	0.7	0.29	-	-	-	-	-
Lung & bronchus	178	42.6	3.29	22.9	1.78	134	25.2	2.26	12.7	1.26
Skin	23	5.2	1.12	3.0	0.63	11	1.7	0.52	1.1	0.38
Melanomas of the skin	20	4.5	1.04	2.5	0.58	9	1.4	0.49	0.9	0.35
Breast	-	-	-	-	-	118	21.4	2.04	13.0	1.34
Female Genital System	-	-	-	-	-	78	14.9	1.75	9.4	1.16
Cervix uteri	-	-	-	-	-	7	1.2	0.47	1.0	0.39
Corpus & uterus, NOS	-	-	-	-	-	17	3.2	0.80	2.0	0.53
Ovary	-	-	-	-	-	48	9.3	1.39	5.8	0.91
Male Genital System	90	24.8	2.65	10.3	1.12	-	-	-	-	-
Prostate	89	24.6	2.64	10.1	1.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	41	9.7	1.58	5.3	0.86	25	3.9	0.81	2.1	0.51
Bladder	25	6.6	1.35	3.0	0.61	14	2.0	0.54	0.9	0.31
Kidney & renal pelvis	16	3.1	0.82	2.4	0.60	10	1.8	0.58	1.2	0.41
Brain & Other Nervous System	33	7.2	1.33	4.8	0.96	14	2.8	0.79	2.0	0.65
Endocrine System	6	1.3	0.54	0.8	0.35	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	39	9.0	1.48	4.9	0.82	23	3.8	0.81	1.4	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	38	8.8	1.47	4.8	0.81	22	3.6	0.80	1.4	0.34
Multiple Myeloma	18	4.3	1.06	2.1	0.52	9	1.8	0.61	0.9	0.33
Leukemias	41	10.0	1.61	5.9	1.08	22	4.6	1.05	3.0	0.83
Other, Ill-defined & Unknown	78	17.7	2.10	9.3	1.09	50	9.3	1.36	5.2	0.83

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**District of Columbia, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,218	320.0	6.96	196.7	4.35	2,142	186.7	4.08	119.4	2.88
Oral Cavity & Pharynx	65	8.8	1.11	6.2	0.79	27	2.4	0.48	1.9	0.38
Digestive System	654	91.0	3.64	59.1	2.39	578	49.0	2.06	29.1	1.37
Esophagus	100	13.6	1.39	9.7	0.99	33	2.9	0.50	1.9	0.36
Stomach	66	9.4	1.18	5.9	0.75	53	4.5	0.63	2.4	0.38
Colon & Rectum	213	30.2	2.12	18.7	1.33	261	22.0	1.37	12.9	0.91
Liver	108	14.0	1.37	10.1	0.99	38	3.3	0.55	2.1	0.40
Pancreas	136	19.3	1.69	12.1	1.08	135	11.5	1.00	6.7	0.64
Respiratory System	654	92.1	3.68	58.8	2.38	477	41.6	1.92	26.7	1.35
Larynx	41	5.5	0.88	3.8	0.61	8	0.7	0.26	0.5	0.19
Lung & bronchus	610	86.2	3.56	54.6	2.29	467	40.7	1.90	26.1	1.33
Skin	19	2.6	0.61	1.7	0.41	8	0.7	0.27	0.4	0.17
Melanomas of the skin	6	0.9	0.37	0.6	0.24	6	0.6	0.24	0.3	0.16
Breast	-	-	-	-	-	355	31.6	1.70	21.9	1.27
Female Genital System	-	-	-	-	-	225	20.2	1.36	13.8	1.00
Cervix uteri	-	-	-	-	-	44	4.3	0.67	3.3	0.53
Corpus & uterus, NOS	-	-	-	-	-	82	7.1	0.79	4.8	0.58
Ovary	-	-	-	-	-	87	7.6	0.82	4.8	0.56
Male Genital System	329	54.0	3.04	25.4	1.47	-	-	-	-	-
Prostate	326	53.6	3.03	25.0	1.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	82	11.8	1.33	7.4	0.85	68	5.7	0.70	2.8	0.38
Bladder	46	7.0	1.06	3.9	0.61	43	3.6	0.55	1.8	0.31
Kidney & renal pelvis	34	4.5	0.78	3.3	0.57	22	1.9	0.40	0.9	0.21
Brain & Other Nervous System	23	3.0	0.63	2.7	0.58	22	2.1	0.46	1.4	0.35
Endocrine System	8	1.2	0.43	0.7	0.27	-	-	-	-	-
Thyroid gland	7	1.0	0.40	0.7	0.26	-	-	-	-	-
Lymphomas	70	9.9	1.21	6.8	0.84	38	3.4	0.56	2.6	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	66	9.3	1.18	6.3	0.80	34	3.1	0.53	2.3	0.42
Multiple Myeloma	60	9.2	1.20	5.0	0.68	69	6.0	0.73	3.7	0.49
Leukemias	59	8.5	1.14	5.8	0.80	66	5.5	0.69	3.1	0.46
Other, Ill-defined & Unknown	193	27.7	2.04	17.0	1.27	207	18.2	1.28	12.1	0.94

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**District of Columbia, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate World				S.E.	Adj. Rate World		
All Sites	35	168.1	30.04	87.6	15.14	26	72.0	14.65	45.0	9.26
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	65.4	18.48	34.2	9.31	9	26.0	8.82	16.0	5.56
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	43.2	14.51	25.1	8.17	6	20.4	8.39	11.5	4.80
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	43.2	14.51	25.1	8.17	6	20.4	8.39	11.5	4.80
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Florida, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	108,990	209.4	0.64	125.8	0.42	92,759	143.9	0.48	89.4	0.34
Oral Cavity & Pharynx	2,220	4.3	0.09	3.0	0.07	965	1.5	0.05	0.9	0.03
Digestive System	27,027	52.1	0.32	32.2	0.21	20,466	30.5	0.22	17.6	0.15
Esophagus	3,783	7.3	0.12	4.7	0.08	1,010	1.5	0.05	0.9	0.03
Stomach	2,328	4.5	0.09	2.7	0.06	1,547	2.4	0.06	1.4	0.04
Colon & Rectum	9,714	18.7	0.19	11.1	0.12	9,037	13.3	0.14	7.6	0.09
Liver	3,370	6.6	0.11	4.5	0.08	1,285	1.9	0.06	1.1	0.04
Pancreas	6,184	11.9	0.15	7.3	0.10	5,792	8.6	0.12	5.0	0.08
Respiratory System	35,458	67.9	0.36	42.2	0.24	26,317	40.8	0.26	25.4	0.18
Larynx	1,265	2.4	0.07	1.6	0.05	336	0.5	0.03	0.3	0.02
Lung & bronchus	34,001	65.1	0.35	40.3	0.24	25,869	40.1	0.25	25.0	0.18
Skin	3,017	5.9	0.11	3.6	0.07	1,348	2.1	0.06	1.4	0.04
Melanomas of the skin	2,261	4.4	0.09	2.8	0.06	1,051	1.7	0.05	1.1	0.04
Breast	158	0.3	0.02	0.2	0.02	13,429	21.9	0.19	14.7	0.14
Female Genital System	-	-	-	-	-	9,075	14.7	0.16	9.8	0.12
Cervix uteri	-	-	-	-	-	1,410	2.7	0.07	2.0	0.06
Corpus & uterus, NOS	-	-	-	-	-	2,308	3.6	0.08	2.3	0.06
Ovary	-	-	-	-	-	4,892	7.7	0.11	5.0	0.08
Male Genital System	10,984	20.7	0.20	9.6	0.10	-	-	-	-	-
Prostate	10,767	20.3	0.20	9.3	0.10	-	-	-	-	-
Testis	95	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	6,763	12.9	0.16	7.1	0.10	3,049	4.4	0.08	2.5	0.05
Bladder	3,919	7.4	0.12	3.8	0.07	1,530	2.1	0.06	1.1	0.03
Kidney & renal pelvis	2,694	5.2	0.10	3.2	0.07	1,429	2.2	0.06	1.3	0.04
Brain & Other Nervous System	2,387	4.8	0.10	3.4	0.08	1,920	3.2	0.08	2.3	0.06
Endocrine System	362	0.7	0.04	0.5	0.03	402	0.6	0.03	0.4	0.03
Thyroid gland	222	0.4	0.03	0.2	0.02	276	0.4	0.02	0.2	0.02
Lymphomas	4,394	8.5	0.13	5.0	0.09	3,554	5.3	0.09	3.0	0.06
Hodgkin Lymphoma	245	0.5	0.03	0.4	0.02	170	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,149	8.0	0.13	4.7	0.08	3,384	5.0	0.09	2.8	0.06
Multiple Myeloma	2,009	3.8	0.09	2.2	0.05	1,599	2.4	0.06	1.4	0.04
Leukemias	4,584	8.9	0.13	5.3	0.09	3,285	5.0	0.09	3.1	0.07
Other, Ill-defined & Unknown	9,627	18.6	0.19	11.4	0.13	7,350	11.3	0.13	6.8	0.10

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Florida, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	97,873	207.4	0.67	124.4	0.45	82,866	143.6	0.52	88.9	0.37
Oral Cavity & Pharynx	1,957	4.3	0.10	3.0	0.07	864	1.5	0.05	0.9	0.04
Digestive System	23,894	50.9	0.33	31.3	0.23	17,902	29.5	0.23	16.9	0.15
Esophagus	3,470	7.4	0.13	4.8	0.09	880	1.5	0.05	0.9	0.03
Stomach	1,900	4.0	0.09	2.4	0.06	1,236	2.1	0.06	1.2	0.04
Colon & Rectum	8,562	18.1	0.20	10.7	0.13	7,911	12.9	0.15	7.2	0.10
Liver	2,870	6.3	0.12	4.2	0.09	1,101	1.8	0.06	1.1	0.04
Pancreas	5,604	11.9	0.16	7.2	0.11	5,167	8.5	0.12	4.9	0.08
Respiratory System	32,143	68.0	0.38	42.2	0.26	24,472	42.4	0.28	26.5	0.20
Larynx	1,076	2.3	0.07	1.6	0.05	307	0.6	0.03	0.4	0.02
Lung & bronchus	30,890	65.3	0.37	40.4	0.25	24,062	41.7	0.28	26.0	0.19
Skin	2,962	6.4	0.12	4.0	0.08	1,308	2.4	0.07	1.5	0.05
Melanomas of the skin	2,243	4.9	0.10	3.1	0.07	1,028	1.9	0.06	1.3	0.05
Breast	135	0.3	0.03	0.2	0.02	11,492	21.0	0.20	14.0	0.15
Female Genital System	-	-	-	-	-	7,862	14.4	0.17	9.6	0.13
Cervix uteri	-	-	-	-	-	1,093	2.5	0.08	1.9	0.06
Corpus & uterus, NOS	-	-	-	-	-	1,868	3.3	0.08	2.1	0.06
Ovary	-	-	-	-	-	4,488	8.0	0.12	5.2	0.09
Male Genital System	9,249	18.8	0.20	8.5	0.10	-	-	-	-	-
Prostate	9,066	18.3	0.19	8.2	0.10	-	-	-	-	-
Testis	84	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	6,330	13.2	0.17	7.3	0.10	2,773	4.5	0.09	2.5	0.06
Bladder	3,713	7.6	0.13	3.9	0.07	1,379	2.1	0.06	1.1	0.04
Kidney & renal pelvis	2,471	5.3	0.11	3.3	0.07	1,308	2.2	0.06	1.3	0.04
Brain & Other Nervous System	2,218	5.0	0.11	3.6	0.08	1,777	3.4	0.09	2.5	0.07
Endocrine System	332	0.7	0.04	0.5	0.03	347	0.6	0.04	0.4	0.03
Thyroid gland	212	0.4	0.03	0.3	0.02	244	0.4	0.03	0.2	0.02
Lymphomas	4,049	8.7	0.14	5.1	0.09	3,268	5.4	0.10	3.0	0.07
Hodgkin Lymphoma	206	0.5	0.03	0.3	0.03	152	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	3,843	8.2	0.13	4.7	0.09	3,116	5.1	0.09	2.8	0.06
Multiple Myeloma	1,702	3.5	0.09	2.0	0.06	1,312	2.2	0.06	1.3	0.04
Leukemias	4,206	9.0	0.14	5.3	0.10	2,952	5.0	0.10	3.1	0.07
Other, Ill-defined & Unknown	8,696	18.6	0.20	11.4	0.14	6,537	11.2	0.14	6.8	0.10

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Florida, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	10,403	260.7	2.77	155.2	1.55	9,042	155.3	1.66	98.8	1.08
Oral Cavity & Pharynx	240	5.0	0.35	3.7	0.24	93	1.5	0.16	1.1	0.11
Digestive System	2,841	67.5	1.36	42.2	0.81	2,326	41.2	0.87	24.4	0.53
Esophagus	295	6.8	0.42	4.4	0.26	120	2.1	0.19	1.3	0.12
Stomach	384	9.3	0.51	5.6	0.29	281	5.0	0.30	2.9	0.18
Colon & Rectum	1,075	26.6	0.88	16.1	0.50	1,047	18.6	0.58	10.8	0.35
Liver	415	8.5	0.44	6.0	0.30	145	2.6	0.22	1.5	0.13
Pancreas	531	12.7	0.60	7.9	0.35	564	10.0	0.43	6.1	0.27
Respiratory System	3,115	74.5	1.43	47.3	0.86	1,647	28.5	0.71	18.3	0.47
Larynx	183	4.3	0.34	2.9	0.22	28	0.5	0.09	0.3	0.06
Lung & bronchus	2,918	69.9	1.38	44.2	0.83	1,611	27.9	0.70	17.9	0.46
Skin	50	1.2	0.18	0.7	0.11	38	0.7	0.11	0.4	0.07
Melanomas of the skin	15	0.4	0.12	0.2	0.05	22	0.4	0.08	0.2	0.05
Breast	22	0.5	0.11	0.3	0.07	1,830	29.9	0.71	20.6	0.50
Female Genital System	-	-	-	-	-	1,110	18.9	0.58	12.4	0.39
Cervix uteri	-	-	-	-	-	284	4.5	0.27	3.2	0.20
Corpus & uterus, NOS	-	-	-	-	-	419	7.4	0.36	4.7	0.24
Ovary	-	-	-	-	-	357	6.1	0.33	4.0	0.22
Male Genital System	1,707	55.4	1.43	25.2	0.62	-	-	-	-	-
Prostate	1,674	54.6	1.42	24.8	0.62	-	-	-	-	-
Testis	10	0.2	0.09	0.1	0.04	-	-	-	-	-
Urinary System	402	10.5	0.57	5.9	0.30	259	4.7	0.30	2.5	0.17
Bladder	195	5.8	0.45	2.8	0.20	142	2.7	0.23	1.3	0.12
Kidney & renal pelvis	203	4.6	0.35	3.1	0.22	113	2.0	0.19	1.2	0.12
Brain & Other Nervous System	155	3.1	0.27	2.3	0.19	128	2.0	0.18	1.5	0.14
Endocrine System	25	0.4	0.10	0.4	0.08	48	0.8	0.12	0.6	0.08
Thyroid gland	8	0.2	0.07	0.1	0.04	26	0.5	0.10	0.3	0.05
Lymphomas	322	6.5	0.39	4.6	0.26	258	4.3	0.28	2.8	0.18
Hodgkin Lymphoma	36	0.7	0.12	0.5	0.08	17	0.2	0.06	0.2	0.05
Non-Hodgkin Lymphoma	286	5.8	0.37	4.1	0.25	241	4.1	0.27	2.6	0.17
Multiple Myeloma	295	7.4	0.46	4.5	0.27	265	4.7	0.29	2.9	0.18
Leukemias	348	8.2	0.48	5.0	0.28	297	5.1	0.30	3.3	0.20
Other, Ill-defined & Unknown	881	20.7	0.75	13.0	0.45	743	12.9	0.48	8.1	0.31

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Florida, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)				FEMALES (API)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	606	89.3	3.92	52.3	2.15	760	80.7	3.08	49.5	1.83
Oral Cavity & Pharynx	18	2.6	0.67	1.5	0.35	7	0.6	0.25	0.5	0.17
Digestive System	260	36.1	2.42	22.6	1.42	217	23.8	1.69	14.0	0.97
Esophagus	16	2.5	0.66	1.4	0.35	7	0.8	0.32	0.4	0.16
Stomach	41	5.4	0.92	3.6	0.56	28	3.0	0.59	1.8	0.34
Colon & Rectum	66	9.3	1.24	5.7	0.70	73	7.9	0.98	4.9	0.58
Liver	80	10.5	1.27	6.9	0.78	39	4.4	0.73	2.5	0.41
Pancreas	42	6.6	1.09	3.7	0.58	53	5.8	0.84	3.4	0.48
Respiratory System	160	24.8	2.10	13.8	1.10	176	19.5	1.53	11.6	0.89
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	154	24.1	2.08	13.3	1.08	174	19.2	1.52	11.4	0.88
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	92	8.5	0.93	6.0	0.63
Female Genital System	-	-	-	-	-	97	9.2	0.99	6.3	0.65
Cervix uteri	-	-	-	-	-	29	2.4	0.46	1.9	0.35
Corpus & uterus, NOS	-	-	-	-	-	21	1.9	0.44	1.4	0.30
Ovary	-	-	-	-	-	46	4.8	0.75	3.0	0.45
Male Genital System	21	4.1	0.95	1.8	0.40	-	-	-	-	-
Prostate	20	4.0	0.95	1.7	0.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	4.5	0.91	2.4	0.46	15	1.7	0.47	1.0	0.26
Bladder	10	1.9	0.63	0.8	0.27	7	0.8	0.32	0.4	0.17
Kidney & renal pelvis	18	2.6	0.66	1.6	0.38	8	0.9	0.33	0.5	0.20
Brain & Other Nervous System	9	0.9	0.29	0.8	0.28	12	1.1	0.32	0.8	0.24
Endocrine System	-	-	-	-	-	7	0.8	0.32	0.4	0.17
Thyroid gland	-	-	-	-	-	6	0.7	0.31	0.4	0.16
Lymphomas	22	2.9	0.65	2.0	0.42	24	2.8	0.60	1.6	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	19	2.5	0.61	1.7	0.39	23	2.7	0.58	1.5	0.32
Multiple Myeloma	10	1.5	0.51	0.8	0.26	19	2.1	0.50	1.3	0.30
Leukemias	29	4.4	0.89	2.4	0.45	32	3.4	0.62	2.0	0.36
Other, Ill-defined & Unknown	41	6.3	1.08	3.5	0.56	60	7.1	0.96	4.0	0.53

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Georgia, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	38,429	237.1	1.28	136.8	0.71	34,320	149.5	0.81	92.0	0.53
Oral Cavity & Pharynx	776	4.4	0.17	2.8	0.10	334	1.4	0.08	0.9	0.05
Digestive System	9,194	54.5	0.60	32.8	0.35	7,359	32.1	0.38	18.7	0.24
Esophagus	1,301	7.3	0.21	4.7	0.13	387	1.7	0.09	1.0	0.06
Stomach	846	5.1	0.19	3.0	0.10	624	2.7	0.11	1.6	0.07
Colon & Rectum	3,384	20.7	0.38	12.0	0.21	3,291	14.3	0.25	8.3	0.16
Liver	1,079	5.8	0.19	3.9	0.12	462	2.0	0.09	1.2	0.06
Pancreas	2,120	12.8	0.29	7.6	0.17	1,991	8.8	0.20	5.0	0.12
Respiratory System	13,576	81.4	0.73	48.9	0.43	8,931	39.5	0.42	24.6	0.28
Larynx	386	2.2	0.12	1.4	0.07	96	0.4	0.04	0.3	0.03
Lung & bronchus	13,134	78.9	0.72	47.3	0.42	8,796	38.9	0.42	24.2	0.27
Skin	851	5.1	0.19	3.0	0.11	446	1.9	0.09	1.2	0.06
Melanomas of the skin	639	3.8	0.16	2.3	0.09	366	1.6	0.08	1.0	0.06
Breast	94	0.6	0.06	0.3	0.04	5,474	23.2	0.32	15.4	0.22
Female Genital System	-	-	-	-	-	3,620	15.7	0.26	10.2	0.18
Cervix uteri	-	-	-	-	-	644	2.7	0.11	2.0	0.08
Corpus & uterus, NOS	-	-	-	-	-	833	3.6	0.13	2.4	0.09
Ovary	-	-	-	-	-	1,963	8.6	0.20	5.4	0.13
Male Genital System	3,784	28.9	0.49	12.6	0.21	-	-	-	-	-
Prostate	3,724	28.6	0.49	12.4	0.21	-	-	-	-	-
Testis	35	0.2	0.03	0.1	0.02	-	-	-	-	-
Urinary System	1,980	12.9	0.31	6.9	0.16	1,109	4.9	0.15	2.7	0.09
Bladder	977	6.9	0.23	3.3	0.11	477	2.1	0.10	1.0	0.05
Kidney & renal pelvis	966	5.7	0.20	3.5	0.11	588	2.6	0.11	1.5	0.07
Brain & Other Nervous System	875	4.6	0.16	3.2	0.11	730	3.2	0.12	2.2	0.09
Endocrine System	117	0.7	0.07	0.4	0.04	137	0.6	0.05	0.4	0.04
Thyroid gland	63	0.4	0.05	0.2	0.03	80	0.4	0.04	0.2	0.03
Lymphomas	1,346	8.4	0.24	4.8	0.13	1,168	5.1	0.15	2.8	0.09
Hodgkin Lymphoma	83	0.4	0.05	0.3	0.03	69	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,263	8.0	0.24	4.5	0.13	1,099	4.8	0.15	2.6	0.09
Multiple Myeloma	713	4.5	0.18	2.5	0.10	701	3.1	0.12	1.8	0.07
Leukemias	1,521	9.7	0.26	5.5	0.14	1,209	5.3	0.15	3.1	0.10
Other, Ill-defined & Unknown	3,602	21.5	0.38	12.9	0.22	3,102	13.5	0.24	8.0	0.16

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Georgia, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.	S.E.				Adj. Rate World	S.E.		
All Sites	28,325	225.8	1.40	129.0	0.79	24,958	146.3	0.93	88.9	0.61
Oral Cavity & Pharynx	533	4.0	0.18	2.5	0.11	256	1.5	0.09	0.9	0.06
Digestive System	6,356	49.4	0.65	29.2	0.37	4,912	28.6	0.41	16.3	0.26
Esophagus	901	6.7	0.23	4.2	0.14	237	1.4	0.09	0.8	0.05
Stomach	447	3.5	0.18	2.0	0.10	347	2.0	0.11	1.2	0.07
Colon & Rectum	2,367	18.7	0.40	10.8	0.23	2,173	12.6	0.27	7.1	0.17
Liver	722	5.3	0.21	3.4	0.13	318	1.9	0.11	1.1	0.07
Pancreas	1,559	12.3	0.32	7.2	0.19	1,395	8.1	0.22	4.5	0.13
Respiratory System	10,511	81.4	0.82	48.3	0.48	7,133	42.2	0.50	26.3	0.33
Larynx	253	1.9	0.12	1.2	0.08	75	0.4	0.05	0.3	0.04
Lung & bronchus	10,218	79.2	0.81	46.9	0.48	7,030	41.6	0.50	25.9	0.33
Skin	800	6.2	0.23	3.7	0.13	421	2.5	0.12	1.6	0.08
Melanomas of the skin	619	4.7	0.20	2.9	0.12	349	2.1	0.11	1.4	0.08
Breast	66	0.5	0.07	0.3	0.04	3,638	21.1	0.35	13.9	0.25
Female Genital System	-	-	-	-	-	2,544	15.0	0.30	9.6	0.20
Cervix uteri	-	-	-	-	-	361	2.2	0.12	1.6	0.09
Corpus & uterus, NOS	-	-	-	-	-	486	2.8	0.13	1.8	0.09
Ovary	-	-	-	-	-	1,560	9.2	0.23	5.7	0.16
Male Genital System	2,241	21.7	0.47	9.2	0.20	-	-	-	-	-
Prostate	2,198	21.5	0.47	9.0	0.20	-	-	-	-	-
Testis	25	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	1,592	13.2	0.35	7.1	0.18	829	4.8	0.17	2.6	0.10
Bladder	805	7.1	0.26	3.4	0.12	348	2.0	0.11	1.0	0.06
Kidney & renal pelvis	753	5.8	0.22	3.5	0.13	454	2.7	0.13	1.6	0.08
Brain & Other Nervous System	753	5.3	0.20	3.7	0.14	606	3.6	0.15	2.5	0.11
Endocrine System	88	0.7	0.07	0.4	0.05	82	0.5	0.05	0.4	0.05
Thyroid gland	53	0.4	0.06	0.3	0.03	46	0.3	0.04	0.2	0.03
Lymphomas	1,068	8.8	0.28	4.8	0.15	960	5.6	0.18	3.0	0.11
Hodgkin Lymphoma	58	0.4	0.06	0.3	0.04	50	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,010	8.4	0.28	4.6	0.15	910	5.3	0.18	2.8	0.10
Multiple Myeloma	464	3.9	0.19	2.1	0.10	424	2.5	0.12	1.3	0.07
Leukemias	1,191	9.9	0.30	5.5	0.17	923	5.4	0.18	3.1	0.12
Other, Ill-defined & Unknown	2,662	20.8	0.42	12.2	0.24	2,230	12.9	0.28	7.5	0.18

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Georgia, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	9,748	296.7	3.35	175.1	1.82	9,009	162.6	1.76	103.4	1.14
Oral Cavity & Pharynx	238	5.9	0.42	4.2	0.28	71	1.2	0.15	0.8	0.10
Digestive System	2,692	76.2	1.64	47.4	0.94	2,335	43.2	0.92	26.0	0.57
Esophagus	391	10.1	0.56	6.9	0.36	145	2.6	0.22	1.7	0.15
Stomach	367	11.0	0.64	6.5	0.35	254	4.6	0.30	2.7	0.18
Colon & Rectum	979	29.5	1.06	17.2	0.57	1,091	20.1	0.62	12.0	0.38
Liver	319	7.2	0.45	5.2	0.30	124	2.2	0.21	1.4	0.13
Pancreas	540	15.6	0.74	9.8	0.43	574	11.0	0.47	6.5	0.29
Respiratory System	2,976	85.7	1.73	54.6	1.03	1,731	32.3	0.80	20.6	0.52
Larynx	131	3.5	0.34	2.3	0.21	20	0.4	0.09	0.2	0.06
Lung & bronchus	2,830	81.9	1.69	52.0	1.00	1,700	31.7	0.79	20.2	0.51
Skin	48	1.3	0.21	0.9	0.13	25	0.5	0.10	0.3	0.06
Melanomas of the skin	20	0.6	0.14	0.4	0.08	17	0.3	0.08	0.2	0.05
Breast	26	0.8	0.16	0.5	0.09	1,794	29.9	0.73	20.3	0.50
Female Genital System	-	-	-	-	-	1,029	18.6	0.59	12.4	0.40
Cervix uteri	-	-	-	-	-	268	4.4	0.28	3.1	0.20
Corpus & uterus, NOS	-	-	-	-	-	336	6.4	0.36	4.2	0.24
Ovary	-	-	-	-	-	385	7.0	0.36	4.6	0.25
Male Genital System	1,521	63.7	1.74	28.4	0.74	-	-	-	-	-
Prostate	1,504	63.2	1.74	28.1	0.74	-	-	-	-	-
Testis	10	0.2	0.07	0.1	0.04	-	-	-	-	-
Urinary System	370	11.8	0.69	6.7	0.36	272	5.3	0.33	2.9	0.18
Bladder	163	5.9	0.51	3.0	0.24	126	2.6	0.23	1.2	0.12
Kidney & renal pelvis	204	5.8	0.45	3.7	0.26	132	2.5	0.22	1.5	0.14
Brain & Other Nervous System	111	2.4	0.26	1.8	0.17	115	1.9	0.19	1.5	0.14
Endocrine System	26	0.7	0.16	0.5	0.09	51	0.9	0.13	0.6	0.09
Thyroid gland	9	0.3	0.11	0.1	0.05	32	0.6	0.11	0.4	0.07
Lymphomas	269	6.6	0.45	4.5	0.29	197	3.5	0.25	2.2	0.16
Hodgkin Lymphoma	23	0.4	0.09	0.3	0.07	19	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	246	6.2	0.44	4.2	0.28	178	3.2	0.24	2.0	0.16
Multiple Myeloma	246	7.4	0.52	4.4	0.29	274	5.2	0.32	3.2	0.20
Leukemias	310	8.9	0.58	5.4	0.32	274	4.8	0.30	3.2	0.20
Other, Ill-defined & Unknown	915	25.4	0.94	16.0	0.54	841	15.3	0.54	9.6	0.35

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Georgia, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	315	99.6	6.71	57.2	3.31	318	77.1	4.82	46.4	2.67
Oral Cavity & Pharynx	-	-	-	-	-	6	1.2	0.56	0.9	0.38
Digestive System	129	38.2	4.05	22.8	2.06	106	26.7	2.88	15.4	1.53
Esophagus	9	2.2	0.79	1.7	0.58	-	-	-	-	-
Stomach	30	9.8	2.18	5.2	0.99	21	5.3	1.29	2.9	0.66
Colon & Rectum	32	11.0	2.31	6.0	1.09	26	5.4	1.20	3.5	0.70
Liver	34	8.2	1.65	5.5	0.97	19	4.5	1.15	2.8	0.66
Pancreas	17	5.0	1.50	2.9	0.73	20	6.1	1.45	3.1	0.70
Respiratory System	74	22.6	2.99	13.9	1.64	57	14.5	2.15	8.3	1.12
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	71	22.1	2.97	13.4	1.62	56	14.0	2.10	8.1	1.11
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	33	7.2	1.39	4.4	0.79
Female Genital System	-	-	-	-	-	43	8.6	1.42	6.3	0.99
Cervix uteri	-	-	-	-	-	14	2.9	0.88	1.8	0.51
Corpus & uterus, NOS	-	-	-	-	-	11	2.1	0.68	1.7	0.51
Ovary	-	-	-	-	-	15	3.0	0.80	2.4	0.63
Male Genital System	20	9.8	2.43	4.4	0.99	-	-	-	-	-
Prostate	20	9.8	2.43	4.4	0.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	7.4	2.06	3.2	0.80	7	2.0	0.84	1.0	0.39
Bladder	9	4.6	1.73	1.8	0.62	-	-	-	-	-
Kidney & renal pelvis	8	2.8	1.13	1.4	0.51	-	-	-	-	-
Brain & Other Nervous System	11	1.8	0.53	1.6	0.49	8	1.4	0.55	1.1	0.40
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	2.6	1.12	1.4	0.53	11	3.6	1.18	1.7	0.52
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	2.4	1.10	1.2	0.49	11	3.6	1.18	1.7	0.52
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	18	4.8	1.46	3.3	0.81	12	3.2	1.05	1.8	0.53
Other, Ill-defined & Unknown	23	7.6	1.93	4.1	0.87	28	7.1	1.45	4.5	0.87

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Metropolitan Atlanta, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	9,476	198.4	2.20	111.6	1.18	9,799	141.4	1.46	85.1	0.92
Oral Cavity & Pharynx	186	3.4	0.27	2.1	0.16	92	1.3	0.14	0.8	0.09
Digestive System	2,485	49.0	1.07	29.0	0.60	2,137	31.4	0.69	17.7	0.41
Esophagus	328	6.1	0.36	3.9	0.22	117	1.8	0.17	1.0	0.10
Stomach	265	5.2	0.35	3.0	0.19	189	2.7	0.20	1.6	0.12
Colon & Rectum	860	17.5	0.65	10.0	0.35	940	13.7	0.46	7.7	0.27
Liver	318	5.4	0.33	3.6	0.21	144	2.1	0.18	1.2	0.11
Pancreas	571	11.8	0.53	6.8	0.29	568	8.4	0.36	4.7	0.21
Respiratory System	2,881	59.5	1.19	34.8	0.66	2,285	34.4	0.74	20.2	0.45
Larynx	77	1.4	0.17	0.9	0.10	26	0.4	0.08	0.2	0.05
Lung & bronchus	2,795	58.0	1.17	33.8	0.66	2,250	33.9	0.73	19.9	0.45
Skin	204	4.0	0.31	2.3	0.17	105	1.5	0.15	0.9	0.09
Melanomas of the skin	150	3.0	0.27	1.7	0.14	91	1.3	0.14	0.8	0.09
Breast	23	0.5	0.11	0.3	0.06	1,846	24.8	0.59	16.3	0.40
Female Genital System	-	-	-	-	-	1,104	15.7	0.48	10.2	0.32
Cervix uteri	-	-	-	-	-	209	2.7	0.19	1.9	0.14
Corpus & uterus, NOS	-	-	-	-	-	275	4.0	0.25	2.6	0.16
Ovary	-	-	-	-	-	570	8.3	0.36	5.3	0.23
Male Genital System	1,046	27.8	0.90	12.2	0.39	-	-	-	-	-
Prostate	1,030	27.5	0.90	12.0	0.38	-	-	-	-	-
Testis	7	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	524	11.5	0.54	6.1	0.27	304	4.5	0.26	2.4	0.15
Bladder	242	6.0	0.41	2.8	0.19	137	2.1	0.18	1.0	0.10
Kidney & renal pelvis	268	5.2	0.34	3.1	0.20	157	2.3	0.19	1.3	0.12
Brain & Other Nervous System	245	3.9	0.28	2.8	0.18	212	3.0	0.21	2.0	0.15
Endocrine System	40	0.8	0.13	0.5	0.08	44	0.6	0.09	0.4	0.07
Thyroid gland	19	0.4	0.10	0.2	0.05	22	0.3	0.07	0.2	0.04
Lymphomas	376	8.0	0.45	4.3	0.23	328	4.9	0.28	2.6	0.16
Hodgkin Lymphoma	29	0.6	0.12	0.3	0.06	26	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	347	7.4	0.43	4.0	0.22	302	4.6	0.27	2.3	0.15
Multiple Myeloma	213	4.5	0.33	2.6	0.18	202	3.0	0.21	1.8	0.13
Leukemias	400	8.4	0.46	4.8	0.24	322	4.6	0.26	2.7	0.17
Other, Ill-defined & Unknown	853	17.1	0.64	9.9	0.35	818	11.7	0.42	7.0	0.26

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Metropolitan Atlanta, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	5,915	179.4	2.45	98.7	1.33	6,068	132.5	1.73	78.1	1.10
Oral Cavity & Pharynx	105	3.0	0.30	1.7	0.18	60	1.3	0.17	0.8	0.12
Digestive System	1,452	42.6	1.17	24.3	0.66	1,209	26.3	0.77	14.3	0.46
Esophagus	218	6.0	0.42	3.7	0.26	73	1.6	0.19	0.8	0.11
Stomach	114	3.3	0.33	1.8	0.18	83	1.8	0.20	1.0	0.12
Colon & Rectum	496	14.9	0.70	8.2	0.38	511	11.1	0.50	6.0	0.30
Liver	149	4.2	0.36	2.6	0.21	76	1.7	0.20	0.9	0.12
Pancreas	377	11.3	0.61	6.3	0.34	351	7.6	0.41	4.1	0.25
Respiratory System	1,847	55.6	1.35	31.5	0.76	1,550	34.8	0.90	20.2	0.56
Larynx	40	1.1	0.18	0.7	0.11	14	0.3	0.08	0.2	0.05
Lung & bronchus	1,801	54.4	1.33	30.8	0.75	1,531	34.4	0.89	20.0	0.56
Skin	181	5.1	0.40	2.9	0.23	97	2.1	0.22	1.3	0.14
Melanomas of the skin	145	4.1	0.36	2.4	0.20	87	1.9	0.21	1.2	0.14
Breast	16	0.5	0.13	0.3	0.07	1,029	21.8	0.69	13.9	0.47
Female Genital System	-	-	-	-	-	688	15.0	0.58	9.6	0.40
Cervix uteri	-	-	-	-	-	103	2.1	0.21	1.6	0.16
Corpus & uterus, NOS	-	-	-	-	-	140	3.0	0.26	1.9	0.18
Ovary	-	-	-	-	-	415	9.3	0.46	5.8	0.31
Male Genital System	544	19.9	0.88	8.2	0.36	-	-	-	-	-
Prostate	536	19.7	0.88	8.1	0.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	376	11.8	0.64	6.2	0.33	197	4.2	0.30	2.3	0.18
Bladder	187	6.4	0.49	3.0	0.22	94	2.0	0.21	1.0	0.12
Kidney & renal pelvis	177	5.0	0.39	3.0	0.24	97	2.1	0.21	1.2	0.14
Brain & Other Nervous System	193	4.7	0.35	3.3	0.25	159	3.5	0.28	2.4	0.20
Endocrine System	24	0.7	0.14	0.4	0.09	23	0.5	0.11	0.4	0.09
Thyroid gland	14	0.4	0.11	0.3	0.07	13	0.3	0.08	0.2	0.05
Lymphomas	258	8.1	0.53	4.3	0.28	251	5.6	0.36	2.8	0.20
Hodgkin Lymphoma	18	0.6	0.14	0.3	0.07	18	0.4	0.10	0.3	0.07
Non-Hodgkin Lymphoma	240	7.6	0.51	4.0	0.27	233	5.2	0.34	2.5	0.19
Multiple Myeloma	122	3.9	0.36	2.1	0.19	94	2.0	0.21	1.1	0.13
Leukemias	268	8.3	0.53	4.6	0.29	222	4.8	0.33	2.8	0.21
Other, Ill-defined & Unknown	529	15.4	0.71	8.8	0.40	489	10.5	0.48	6.1	0.31

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Metropolitan Atlanta, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	3,324	273.6	5.72	156.3	2.84	3,519	166.9	3.02	103.3	1.83
Oral Cavity & Pharynx	78	4.8	0.68	3.2	0.39	27	1.4	0.28	0.8	0.16
Digestive System	931	67.9	2.71	41.7	1.44	864	43.7	1.58	25.2	0.90
Esophagus	103	6.9	0.81	4.6	0.47	41	2.1	0.35	1.2	0.20
Stomach	128	10.6	1.16	5.9	0.55	95	4.6	0.51	2.7	0.29
Colon & Rectum	340	26.3	1.74	15.3	0.88	414	20.9	1.10	11.8	0.61
Liver	143	7.3	0.70	5.5	0.49	54	2.6	0.38	1.6	0.23
Pancreas	176	13.5	1.18	8.5	0.67	206	10.8	0.79	6.2	0.45
Respiratory System	976	76.3	2.89	46.5	1.55	699	35.4	1.42	21.7	0.86
Larynx	36	2.6	0.51	1.7	0.29	11	0.6	0.19	0.4	0.11
Lung & bronchus	937	73.5	2.84	44.7	1.52	684	34.6	1.41	21.2	0.85
Skin	21	1.4	0.38	0.9	0.21	8	0.5	0.17	0.3	0.09
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	6	0.4	0.20	0.3	0.12	793	32.6	1.25	21.9	0.81
Female Genital System	-	-	-	-	-	389	18.0	0.98	11.8	0.63
Cervix uteri	-	-	-	-	-	96	4.0	0.44	2.6	0.28
Corpus & uterus, NOS	-	-	-	-	-	128	6.5	0.61	4.1	0.38
Ovary	-	-	-	-	-	147	6.6	0.58	4.5	0.39
Male Genital System	488	60.6	3.07	26.8	1.25	-	-	-	-	-
Prostate	480	59.9	3.06	26.4	1.24	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	140	11.0	1.13	6.3	0.56	104	5.7	0.58	3.0	0.31
Bladder	51	4.5	0.76	2.4	0.35	41	2.4	0.39	1.2	0.19
Kidney & renal pelvis	87	6.2	0.82	3.8	0.43	60	3.1	0.42	1.8	0.24
Brain & Other Nervous System	45	2.4	0.46	1.7	0.27	45	2.0	0.32	1.3	0.20
Endocrine System	13	0.8	0.31	0.5	0.15	18	0.8	0.21	0.5	0.13
Thyroid gland	-	-	-	-	-	8	0.4	0.14	0.2	0.08
Lymphomas	111	7.5	0.91	4.6	0.47	68	3.1	0.40	1.9	0.25
Hodgkin Lymphoma	9	0.4	0.18	0.3	0.09	8	0.2	0.09	0.2	0.07
Non-Hodgkin Lymphoma	102	7.1	0.89	4.3	0.46	60	2.8	0.39	1.8	0.24
Multiple Myeloma	88	6.9	0.84	4.3	0.47	107	5.4	0.55	3.3	0.34
Leukemias	120	9.6	1.09	5.5	0.53	90	4.0	0.45	2.6	0.29
Other, Ill-defined & Unknown	307	23.9	1.64	13.9	0.83	307	14.5	0.89	9.0	0.54

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Metropolitan Atlanta, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		57.6		4.02			76.7		44.6	
All Sites	218	102.3	8.35	57.6	4.02	196	76.7	6.13	44.6	3.28
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	93	42.4	5.37	24.1	2.58	60	24.2	3.48	13.4	1.79
Esophagus	7	2.5	1.04	1.9	0.72	-	-	-	-	-
Stomach	22	11.5	3.03	5.7	1.27	10	4.3	1.47	2.3	0.75
Colon & Rectum	22	12.1	3.08	6.2	1.36	14	3.6	1.07	2.7	0.76
Liver	23	7.9	1.93	5.3	1.13	13	5.4	1.66	2.7	0.78
Pancreas	15	6.8	2.16	3.8	1.01	10	5.2	1.73	2.5	0.79
Respiratory System	54	24.1	3.76	14.5	2.01	35	14.7	2.79	7.8	1.36
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	53	23.9	3.75	14.3	2.01	34	14.0	2.69	7.6	1.34
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	19	6.9	1.80	3.9	0.92
Female Genital System	-	-	-	-	-	27	8.5	1.79	6.2	1.23
Cervix uteri	-	-	-	-	-	10	3.2	1.12	2.1	0.71
Corpus & uterus, NOS	-	-	-	-	-	7	2.3	0.95	1.7	0.66
Ovary	-	-	-	-	-	8	2.4	0.88	1.9	0.68
Male Genital System	13	8.2	2.59	3.9	1.12	-	-	-	-	-
Prostate	13	8.2	2.59	3.9	1.12	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	5.9	2.33	2.6	0.92	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	7	1.6	0.62	1.4	0.54	7	1.9	0.83	1.3	0.52
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	3.0	1.56	1.5	0.67	9	4.9	1.77	2.1	0.70
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	9	4.9	1.77	2.1	0.70
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	2.8	0.93	2.5	0.81	10	4.2	1.48	2.3	0.74
Other, Ill-defined & Unknown	15	8.6	2.66	4.1	1.08	19	7.7	1.90	4.9	1.14

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Hawaii, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	6,014	186.2	2.42	109.9	1.54	4,822	120.7	1.77	74.7	1.23
Oral Cavity & Pharynx	151	4.6	0.38	3.0	0.26	68	1.7	0.20	1.0	0.14
Digestive System	1,926	59.3	1.36	36.1	0.88	1,329	32.2	0.90	18.6	0.60
Esophagus	177	5.3	0.40	3.5	0.28	43	1.1	0.17	0.6	0.11
Stomach	299	9.4	0.55	5.0	0.32	181	4.4	0.34	2.6	0.23
Colon & Rectum	610	18.8	0.77	11.5	0.50	443	10.7	0.52	6.3	0.35
Liver	287	8.6	0.51	6.0	0.37	129	3.2	0.28	1.9	0.19
Pancreas	417	12.9	0.64	7.6	0.40	393	9.4	0.48	5.3	0.31
Respiratory System	1,734	54.0	1.31	32.3	0.83	1,114	27.8	0.84	17.0	0.57
Larynx	55	1.7	0.23	1.2	0.16	8	0.2	0.07	0.1	0.06
Lung & bronchus	1,663	51.8	1.28	30.8	0.81	1,097	27.4	0.84	16.7	0.57
Skin	111	3.4	0.32	2.1	0.21	51	1.3	0.18	0.7	0.12
Melanomas of the skin	73	2.2	0.26	1.5	0.18	36	0.9	0.16	0.6	0.11
Breast	-	-	-	-	-	679	17.8	0.69	12.2	0.51
Female Genital System	-	-	-	-	-	479	12.4	0.58	8.2	0.42
Cervix uteri	-	-	-	-	-	70	2.0	0.24	1.5	0.19
Corpus & uterus, NOS	-	-	-	-	-	140	3.6	0.31	2.4	0.22
Ovary	-	-	-	-	-	250	6.4	0.41	4.1	0.29
Male Genital System	546	17.1	0.74	7.8	0.37	-	-	-	-	-
Prostate	535	16.8	0.73	7.6	0.37	-	-	-	-	-
Testis	6	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	266	8.3	0.51	4.5	0.30	137	3.3	0.29	1.8	0.18
Bladder	139	4.4	0.37	2.1	0.20	60	1.4	0.19	0.7	0.11
Kidney & renal pelvis	116	3.6	0.33	2.3	0.23	68	1.7	0.21	1.0	0.14
Brain & Other Nervous System	96	2.9	0.30	2.3	0.25	63	1.7	0.22	1.3	0.19
Endocrine System	25	0.8	0.16	0.6	0.13	31	0.8	0.15	0.5	0.11
Thyroid gland	14	0.4	0.12	0.3	0.08	26	0.6	0.13	0.4	0.08
Lymphomas	240	7.5	0.48	4.2	0.30	188	4.5	0.34	2.6	0.22
Hodgkin Lymphoma	9	0.3	0.09	0.2	0.06	8	0.2	0.06	0.1	0.03
Non-Hodgkin Lymphoma	231	7.2	0.48	4.0	0.29	180	4.4	0.33	2.5	0.22
Multiple Myeloma	98	3.1	0.31	1.8	0.19	82	2.0	0.22	1.2	0.15
Leukemias	215	6.7	0.46	4.2	0.32	142	3.6	0.31	2.3	0.23
Other, Ill-defined & Unknown	602	18.6	0.76	11.0	0.48	459	11.5	0.55	7.2	0.39

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Hawaii, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,807	218.7	5.30	125.2	3.14	1,404	149.9	4.11	94.1	2.89
Oral Cavity & Pharynx	55	5.9	0.82	4.1	0.57	20	2.0	0.46	1.2	0.32
Digestive System	458	53.7	2.60	32.2	1.58	296	30.6	1.82	18.3	1.24
Esophagus	52	5.7	0.83	3.7	0.53	13	1.5	0.43	0.9	0.30
Stomach	49	6.7	0.97	3.2	0.48	23	2.3	0.49	1.3	0.31
Colon & Rectum	151	17.9	1.50	10.7	0.92	117	11.8	1.11	7.2	0.79
Liver	66	6.6	0.84	4.8	0.63	22	2.3	0.50	1.4	0.34
Pancreas	104	12.6	1.27	7.4	0.76	86	9.0	0.99	5.3	0.67
Respiratory System	508	61.3	2.80	35.0	1.64	379	41.0	2.16	24.7	1.44
Larynx	25	3.0	0.62	1.8	0.37	-	-	-	-	-
Lung & bronchus	479	57.9	2.72	32.9	1.59	373	40.4	2.14	24.3	1.43
Skin	76	8.9	1.06	5.2	0.63	27	2.8	0.56	1.6	0.35
Melanomas of the skin	53	6.0	0.85	3.8	0.55	22	2.4	0.52	1.3	0.32
Breast	-	-	-	-	-	207	22.3	1.58	15.0	1.15
Female Genital System	-	-	-	-	-	141	15.2	1.31	10.0	0.94
Cervix uteri	-	-	-	-	-	20	2.3	0.52	1.6	0.39
Corpus & uterus, NOS	-	-	-	-	-	38	4.0	0.66	2.5	0.47
Ovary	-	-	-	-	-	76	8.2	0.97	5.4	0.69
Male Genital System	181	24.1	1.82	11.0	0.88	-	-	-	-	-
Prostate	179	23.8	1.81	10.9	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	94	12.0	1.28	6.1	0.66	38	4.1	0.69	2.5	0.52
Bladder	54	7.3	1.01	3.2	0.46	23	2.4	0.52	1.2	0.30
Kidney & renal pelvis	37	4.3	0.73	2.7	0.46	14	1.6	0.45	1.2	0.42
Brain & Other Nervous System	45	4.9	0.77	3.9	0.64	32	3.6	0.65	3.0	0.60
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	77	9.6	1.12	5.6	0.69	45	4.5	0.69	2.5	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	74	9.2	1.10	5.4	0.67	42	4.3	0.68	2.3	0.42
Multiple Myeloma	33	4.1	0.73	2.3	0.44	28	2.9	0.57	1.8	0.38
Leukemias	70	8.8	1.07	5.0	0.67	44	5.1	0.81	3.6	0.71
Other, Ill-defined & Unknown	202	24.5	1.78	14.3	1.07	142	15.2	1.31	9.7	0.92

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Hawaii, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	66	155.9	21.04	114.7	15.20	20	56.3	14.21	36.2	9.02
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	20	42.3	10.35	33.8	8.15	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	6	11.0	4.67	9.2	3.93	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	16	43.3	11.85	27.7	7.46	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	43.3	11.85	27.7	7.46	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	6	12.4	6.06	10.4	4.87
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	20.2	7.87	13.8	5.51	-	-	-	-	-
Prostate	7	20.2	7.87	13.8	5.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	8	20.6	7.79	16.3	6.08	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Hawaii, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	4,130	177.2	2.77	105.1	1.80	3,389	113.0	1.98	69.6	1.38
Oral Cavity & Pharynx	92	4.0	0.41	2.5	0.29	48	1.6	0.23	1.0	0.16
Digestive System	1,447	62.1	1.64	38.0	1.09	1,028	33.1	1.05	19.0	0.70
Esophagus	123	5.2	0.47	3.5	0.33	30	1.0	0.18	0.6	0.12
Stomach	246	10.5	0.68	5.7	0.41	158	5.2	0.42	3.0	0.28
Colon & Rectum	455	19.6	0.92	12.1	0.62	325	10.5	0.60	6.1	0.40
Liver	214	9.3	0.64	6.5	0.47	106	3.4	0.34	2.1	0.23
Pancreas	309	13.2	0.75	7.8	0.49	306	9.7	0.56	5.4	0.36
Respiratory System	1,205	51.9	1.50	31.6	0.99	730	24.2	0.91	14.8	0.62
Larynx	29	1.3	0.24	0.9	0.18	-	-	-	-	-
Lung & bronchus	1,164	50.2	1.48	30.3	0.97	719	23.8	0.90	14.6	0.62
Skin	34	1.5	0.25	0.9	0.17	24	0.8	0.17	0.5	0.12
Melanomas of the skin	20	0.9	0.20	0.6	0.14	14	0.5	0.13	0.3	0.10
Breast	-	-	-	-	-	462	16.4	0.78	11.2	0.58
Female Genital System	-	-	-	-	-	335	11.8	0.66	7.8	0.48
Cervix uteri	-	-	-	-	-	50	1.9	0.28	1.5	0.22
Corpus & uterus, NOS	-	-	-	-	-	102	3.5	0.36	2.4	0.26
Ovary	-	-	-	-	-	172	6.0	0.46	3.8	0.33
Male Genital System	358	15.0	0.80	6.7	0.40	-	-	-	-	-
Prostate	349	14.6	0.79	6.4	0.39	-	-	-	-	-
Testis	6	0.3	0.11	0.2	0.10	-	-	-	-	-
Urinary System	169	7.2	0.55	3.9	0.34	98	3.1	0.32	1.7	0.20
Bladder	85	3.6	0.39	1.8	0.22	36	1.1	0.19	0.6	0.11
Kidney & renal pelvis	76	3.2	0.37	2.0	0.25	54	1.7	0.24	1.0	0.16
Brain & Other Nervous System	50	2.3	0.32	1.7	0.26	29	1.0	0.20	0.8	0.17
Endocrine System	20	0.9	0.20	0.6	0.16	26	0.9	0.19	0.6	0.15
Thyroid gland	12	0.5	0.15	0.3	0.10	21	0.7	0.16	0.4	0.11
Lymphomas	158	6.7	0.54	3.6	0.33	141	4.6	0.39	2.6	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	153	6.5	0.53	3.5	0.32	136	4.4	0.39	2.6	0.26
Multiple Myeloma	62	2.7	0.34	1.6	0.21	54	1.7	0.24	1.1	0.17
Leukemias	143	6.2	0.52	4.1	0.38	98	3.3	0.34	2.0	0.24
Other, Ill-defined & Unknown	392	16.7	0.85	9.8	0.55	316	10.6	0.61	6.4	0.43

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Idaho, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	6,237	197.9	2.54	110.7	1.47	5,580	145.7	1.97	86.6	1.28
Oral Cavity & Pharynx	121	3.6	0.33	2.3	0.22	63	1.6	0.21	0.9	0.12
Digestive System	1,527	47.2	1.23	28.2	0.75	1,246	32.0	0.92	18.1	0.58
Esophagus	261	7.8	0.49	5.1	0.33	58	1.5	0.20	0.9	0.13
Stomach	134	4.2	0.37	2.4	0.22	82	2.1	0.24	1.2	0.15
Colon & Rectum	502	15.9	0.72	9.0	0.42	540	13.8	0.60	7.6	0.37
Liver	149	4.4	0.36	2.8	0.24	51	1.3	0.19	0.8	0.13
Pancreas	380	11.6	0.61	7.0	0.37	400	10.2	0.52	5.8	0.33
Respiratory System	1,714	54.0	1.32	31.0	0.78	1,335	35.4	0.98	21.4	0.64
Larynx	46	1.4	0.21	0.9	0.13	12	0.3	0.10	0.2	0.06
Lung & bronchus	1,650	52.0	1.30	29.8	0.77	1,317	34.9	0.97	21.1	0.63
Skin	212	6.6	0.46	4.0	0.29	85	2.2	0.24	1.4	0.16
Melanomas of the skin	155	4.8	0.39	3.0	0.25	69	1.8	0.22	1.1	0.15
Breast	-	-	-	-	-	811	21.2	0.75	13.3	0.51
Female Genital System	-	-	-	-	-	598	15.7	0.65	9.8	0.44
Cervix uteri	-	-	-	-	-	74	2.0	0.24	1.6	0.19
Corpus & uterus, NOS	-	-	-	-	-	156	4.1	0.33	2.5	0.22
Ovary	-	-	-	-	-	330	8.7	0.48	5.2	0.31
Male Genital System	801	27.9	1.00	11.8	0.44	-	-	-	-	-
Prostate	779	27.3	0.99	11.3	0.43	-	-	-	-	-
Testis	12	0.3	0.10	0.3	0.08	-	-	-	-	-
Urinary System	410	13.2	0.66	7.0	0.36	198	5.1	0.36	2.7	0.22
Bladder	225	7.5	0.51	3.6	0.25	79	2.0	0.23	0.9	0.12
Kidney & renal pelvis	172	5.2	0.40	3.2	0.25	113	2.9	0.28	1.7	0.18
Brain & Other Nervous System	189	5.4	0.40	4.1	0.31	185	5.0	0.37	3.5	0.28
Endocrine System	25	0.7	0.15	0.6	0.12	31	0.8	0.15	0.5	0.11
Thyroid gland	12	0.4	0.10	0.2	0.07	26	0.7	0.13	0.4	0.09
Lymphomas	271	8.6	0.53	4.6	0.30	239	6.2	0.41	3.3	0.24
Hodgkin Lymphoma	13	0.4	0.10	0.3	0.08	16	0.5	0.11	0.3	0.08
Non-Hodgkin Lymphoma	258	8.2	0.52	4.4	0.29	223	5.8	0.39	3.0	0.22
Multiple Myeloma	146	4.8	0.40	2.4	0.21	106	2.7	0.27	1.6	0.17
Leukemias	302	9.6	0.56	5.4	0.33	248	6.4	0.41	3.7	0.27
Other, Ill-defined & Unknown	515	16.3	0.73	9.2	0.43	435	11.2	0.55	6.5	0.35

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Idaho, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	6,133	198.5	2.57	111.2	1.49	5,510	147.1	2.00	87.5	1.31
Oral Cavity & Pharynx	117	3.5	0.33	2.3	0.22	61	1.6	0.21	0.8	0.12
Digestive System	1,496	47.1	1.24	28.3	0.76	1,234	32.3	0.93	18.4	0.59
Esophagus	256	7.8	0.50	5.2	0.33	58	1.5	0.20	0.9	0.13
Stomach	128	4.1	0.37	2.4	0.22	80	2.1	0.24	1.2	0.15
Colon & Rectum	495	16.0	0.73	9.1	0.43	535	14.0	0.61	7.7	0.37
Liver	144	4.3	0.37	2.8	0.24	50	1.3	0.19	0.8	0.14
Pancreas	376	11.7	0.62	7.1	0.38	398	10.4	0.53	5.9	0.33
Respiratory System	1,687	54.2	1.34	31.2	0.79	1,318	35.7	0.99	21.6	0.65
Larynx	44	1.3	0.21	0.9	0.14	12	0.3	0.10	0.2	0.07
Lung & bronchus	1,625	52.3	1.31	29.9	0.78	1,301	35.3	0.99	21.3	0.64
Skin	212	6.7	0.47	4.1	0.30	85	2.3	0.25	1.4	0.17
Melanomas of the skin	155	4.9	0.40	3.1	0.26	69	1.9	0.23	1.2	0.15
Breast	-	-	-	-	-	796	21.3	0.76	13.4	0.52
Female Genital System	-	-	-	-	-	587	15.8	0.66	9.8	0.44
Cervix uteri	-	-	-	-	-	73	2.1	0.25	1.6	0.19
Corpus & uterus, NOS	-	-	-	-	-	153	4.0	0.33	2.5	0.22
Ovary	-	-	-	-	-	323	8.7	0.49	5.2	0.32
Male Genital System	790	28.0	1.00	11.8	0.44	-	-	-	-	-
Prostate	768	27.3	0.99	11.4	0.43	-	-	-	-	-
Testis	12	0.3	0.10	0.3	0.09	-	-	-	-	-
Urinary System	405	13.3	0.67	7.0	0.37	197	5.2	0.37	2.8	0.22
Bladder	225	7.7	0.52	3.7	0.26	78	2.0	0.23	0.9	0.12
Kidney & renal pelvis	168	5.2	0.41	3.2	0.25	113	3.0	0.28	1.8	0.18
Brain & Other Nervous System	186	5.4	0.40	4.1	0.31	185	5.2	0.38	3.6	0.29
Endocrine System	25	0.7	0.15	0.6	0.12	31	0.8	0.15	0.5	0.11
Thyroid gland	12	0.4	0.11	0.2	0.07	26	0.7	0.14	0.4	0.09
Lymphomas	268	8.7	0.54	4.7	0.30	236	6.3	0.41	3.3	0.24
Hodgkin Lymphoma	13	0.4	0.11	0.3	0.08	16	0.5	0.12	0.3	0.08
Non-Hodgkin Lymphoma	255	8.3	0.53	4.4	0.29	220	5.8	0.40	3.0	0.23
Multiple Myeloma	144	4.8	0.41	2.4	0.21	106	2.8	0.27	1.6	0.17
Leukemias	295	9.6	0.57	5.4	0.34	247	6.5	0.42	3.8	0.28
Other, Ill-defined & Unknown	504	16.3	0.74	9.2	0.44	427	11.3	0.55	6.5	0.35

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Idaho, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	19	197.7	51.90	111.1	26.99	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	68.6	31.08	34.6	14.74	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	68.6	31.08	34.6	14.74	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Idaho, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate World				S.E.	Adj. Rate World		
All Sites	37	150.5	25.60	69.9	12.20	29	76.0	14.39	46.2	9.03
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	47.0	14.05	20.4	6.06	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	27.8	10.76	14.8	5.98	6	16.9	6.95	8.1	3.57
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	27.8	10.76	14.8	5.98	6	16.9	6.95	8.1	3.57
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	8	19.6	7.07	14.0	5.10
Female Genital System	-	-	-	-	-	6	16.2	6.70	9.7	4.12
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	28.3	11.71	8.8	3.68	-	-	-	-	-
Prostate	6	28.3	11.71	8.8	3.68	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Illinois, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	Adj. Rate World		Deaths	Adj. Rate 2000 U.S.	Adj. Rate World		Deaths	Adj. Rate 2000 U.S.
			S.E.	S.E.			S.E.	S.E.		
All Sites	61,216	233.3	0.96	131.8	0.56	59,817	162.0	0.67	98.3	0.45
Oral Cavity & Pharynx	1,068	3.7	0.12	2.5	0.08	548	1.5	0.06	0.9	0.04
Digestive System	16,047	60.1	0.48	35.1	0.29	13,975	36.9	0.32	20.8	0.20
Esophagus	2,336	8.5	0.18	5.3	0.11	651	1.8	0.07	1.1	0.05
Stomach	1,503	5.7	0.15	3.3	0.09	1,098	3.0	0.09	1.7	0.06
Colon & Rectum	6,017	23.2	0.30	12.8	0.17	6,220	16.2	0.21	8.9	0.13
Liver	1,695	6.0	0.15	3.9	0.10	817	2.2	0.08	1.2	0.05
Pancreas	3,533	13.2	0.23	7.8	0.14	3,781	10.1	0.17	5.7	0.11
Respiratory System	19,378	72.5	0.53	42.9	0.32	15,376	42.6	0.35	26.5	0.24
Larynx	624	2.2	0.09	1.4	0.06	166	0.5	0.04	0.3	0.03
Lung & bronchus	18,641	69.9	0.52	41.2	0.32	15,158	42.0	0.34	26.1	0.23
Skin	1,316	4.9	0.14	2.9	0.08	746	2.0	0.07	1.3	0.05
Melanomas of the skin	1,024	3.8	0.12	2.3	0.07	614	1.7	0.07	1.1	0.05
Breast	86	0.3	0.04	0.2	0.02	9,052	24.7	0.26	16.1	0.19
Female Genital System	-	-	-	-	-	6,059	16.7	0.22	10.7	0.15
Cervix uteri	-	-	-	-	-	941	2.7	0.09	2.0	0.07
Corpus & uterus, NOS	-	-	-	-	-	1,663	4.5	0.11	2.8	0.08
Ovary	-	-	-	-	-	3,126	8.6	0.15	5.4	0.11
Male Genital System	6,280	26.5	0.34	11.5	0.15	-	-	-	-	-
Prostate	6,153	26.1	0.34	11.2	0.15	-	-	-	-	-
Testis	81	0.3	0.03	0.2	0.02	-	-	-	-	-
Urinary System	3,730	14.5	0.24	7.8	0.13	2,058	5.4	0.12	3.0	0.08
Bladder	1,954	7.9	0.18	3.8	0.09	948	2.4	0.08	1.2	0.05
Kidney & renal pelvis	1,695	6.2	0.15	3.8	0.10	1,050	2.8	0.09	1.7	0.06
Brain & Other Nervous System	1,350	4.7	0.13	3.3	0.09	1,114	3.2	0.10	2.3	0.07
Endocrine System	201	0.7	0.05	0.5	0.04	303	0.8	0.05	0.5	0.04
Thyroid gland	107	0.4	0.04	0.2	0.02	209	0.6	0.04	0.3	0.03
Lymphomas	2,470	9.6	0.20	5.2	0.11	2,236	5.9	0.13	3.2	0.08
Hodgkin Lymphoma	146	0.5	0.04	0.4	0.03	116	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,324	9.1	0.19	4.8	0.11	2,120	5.6	0.12	2.9	0.07
Multiple Myeloma	1,174	4.6	0.14	2.5	0.08	1,116	3.0	0.09	1.7	0.06
Leukemias	2,624	10.2	0.20	5.6	0.12	2,120	5.6	0.12	3.3	0.08
Other, Ill-defined & Unknown	5,492	20.8	0.29	11.9	0.17	5,114	13.7	0.19	8.1	0.13

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Illinois, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	51,132	226.8	1.02	127.0	0.59	49,788	158.5	0.72	95.5	0.49
Oral Cavity & Pharynx	834	3.5	0.12	2.3	0.08	466	1.5	0.07	0.9	0.05
Digestive System	13,076	57.2	0.51	33.0	0.30	11,354	34.9	0.33	19.3	0.21
Esophagus	2,018	8.6	0.19	5.4	0.12	511	1.6	0.07	1.0	0.05
Stomach	1,093	4.8	0.15	2.7	0.09	815	2.6	0.09	1.5	0.06
Colon & Rectum	4,917	22.0	0.32	11.9	0.18	5,055	15.2	0.22	8.2	0.14
Liver	1,286	5.4	0.15	3.4	0.10	626	1.9	0.08	1.1	0.05
Pancreas	2,932	12.7	0.24	7.5	0.15	3,119	9.7	0.18	5.4	0.11
Respiratory System	16,112	70.5	0.56	41.1	0.34	12,932	42.4	0.38	26.3	0.26
Larynx	458	2.0	0.09	1.2	0.06	129	0.4	0.04	0.3	0.03
Lung & bronchus	15,556	68.1	0.55	39.7	0.34	12,758	41.8	0.38	25.9	0.26
Skin	1,272	5.5	0.16	3.3	0.10	705	2.3	0.09	1.4	0.06
Melanomas of the skin	1,008	4.3	0.14	2.7	0.09	586	1.9	0.08	1.3	0.06
Breast	70	0.3	0.04	0.2	0.02	7,228	23.3	0.28	15.0	0.20
Female Genital System	-	-	-	-	-	4,999	16.3	0.23	10.5	0.17
Cervix uteri	-	-	-	-	-	672	2.3	0.09	1.7	0.07
Corpus & uterus, NOS	-	-	-	-	-	1,304	4.2	0.12	2.6	0.08
Ovary	-	-	-	-	-	2,734	8.9	0.17	5.7	0.12
Male Genital System	4,852	23.5	0.34	10.0	0.15	-	-	-	-	-
Prostate	4,745	23.0	0.34	9.7	0.15	-	-	-	-	-
Testis	71	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,357	15.1	0.26	8.0	0.15	1,770	5.4	0.13	2.9	0.08
Bladder	1,809	8.4	0.20	4.0	0.10	808	2.4	0.08	1.2	0.05
Kidney & renal pelvis	1,472	6.3	0.17	3.8	0.10	912	2.9	0.10	1.7	0.07
Brain & Other Nervous System	1,236	5.1	0.15	3.6	0.11	1,008	3.5	0.11	2.5	0.09
Endocrine System	174	0.7	0.06	0.5	0.04	255	0.8	0.05	0.5	0.04
Thyroid gland	94	0.4	0.04	0.2	0.03	171	0.5	0.04	0.3	0.03
Lymphomas	2,244	10.1	0.22	5.4	0.12	2,024	6.2	0.14	3.3	0.09
Hodgkin Lymphoma	123	0.5	0.05	0.4	0.03	97	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	2,121	9.6	0.21	5.1	0.12	1,927	5.9	0.14	3.1	0.08
Multiple Myeloma	934	4.2	0.14	2.3	0.08	853	2.7	0.09	1.5	0.06
Leukemias	2,355	10.7	0.22	5.8	0.13	1,881	5.9	0.14	3.4	0.09
Other, Ill-defined & Unknown	4,616	20.5	0.31	11.5	0.18	4,313	13.5	0.21	7.9	0.14

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Illinois, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	9,203	323.7	3.60	192.0	2.05	9,128	203.4	2.15	128.2	1.41
Oral Cavity & Pharynx	210	6.0	0.43	4.5	0.32	66	1.4	0.18	0.9	0.12
Digestive System	2,651	89.8	1.85	55.7	1.11	2,366	54.0	1.12	31.8	0.69
Esophagus	301	9.6	0.59	6.4	0.38	132	2.9	0.25	1.9	0.17
Stomach	358	12.5	0.71	7.5	0.41	242	5.6	0.36	3.1	0.21
Colon & Rectum	1,013	35.7	1.20	21.1	0.68	1,065	24.2	0.75	14.3	0.46
Liver	328	9.9	0.57	7.0	0.39	161	3.6	0.29	2.2	0.18
Pancreas	542	18.2	0.82	11.5	0.50	612	14.1	0.58	8.2	0.35
Respiratory System	2,999	100.3	1.93	63.7	1.19	2,276	50.6	1.07	32.3	0.71
Larynx	164	5.0	0.41	3.5	0.28	37	0.8	0.14	0.5	0.09
Lung & bronchus	2,820	94.8	1.88	59.8	1.15	2,233	49.7	1.06	31.7	0.70
Skin	40	1.2	0.20	0.9	0.14	30	0.7	0.13	0.4	0.07
Melanomas of the skin	14	0.5	0.14	0.3	0.07	19	0.4	0.10	0.2	0.06
Breast	16	0.5	0.15	0.3	0.08	1,672	36.0	0.89	24.5	0.62
Female Genital System	-	-	-	-	-	961	21.2	0.69	13.9	0.47
Cervix uteri	-	-	-	-	-	257	5.4	0.34	4.0	0.25
Corpus & uterus, NOS	-	-	-	-	-	336	7.5	0.41	4.9	0.28
Ovary	-	-	-	-	-	331	7.4	0.41	4.6	0.26
Male Genital System	1,379	60.9	1.74	27.2	0.76	-	-	-	-	-
Prostate	1,362	60.5	1.73	26.9	0.75	-	-	-	-	-
Testis	8	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	343	12.5	0.73	7.1	0.39	260	5.9	0.37	3.5	0.23
Bladder	135	5.6	0.52	2.7	0.24	127	3.0	0.27	1.6	0.15
Kidney & renal pelvis	203	6.7	0.51	4.2	0.30	124	2.7	0.25	1.8	0.17
Brain & Other Nervous System	91	2.7	0.30	1.9	0.20	90	1.9	0.20	1.4	0.16
Endocrine System	19	0.5	0.13	0.4	0.10	44	1.0	0.15	0.6	0.10
Thyroid gland	6	0.2	0.10	0.2	0.06	34	0.8	0.13	0.5	0.08
Lymphomas	190	6.2	0.48	4.0	0.30	173	3.9	0.30	2.4	0.19
Hodgkin Lymphoma	20	0.6	0.13	0.4	0.09	18	0.4	0.09	0.3	0.07
Non-Hodgkin Lymphoma	170	5.6	0.47	3.6	0.28	155	3.5	0.29	2.1	0.18
Multiple Myeloma	225	8.2	0.57	4.5	0.31	249	5.6	0.36	3.5	0.23
Leukemias	234	7.9	0.56	5.0	0.33	210	4.8	0.33	2.9	0.21
Other, Ill-defined & Unknown	806	26.8	1.01	16.9	0.61	731	16.3	0.61	10.2	0.40

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Illinois, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.	S.E.				Adj. Rate World	S.E.		
All Sites	840	105.1	3.99	59.1	2.06	857	80.3	2.85	47.6	1.67
Oral Cavity & Pharynx	23	2.8	0.63	1.5	0.32	16	1.6	0.41	0.9	0.22
Digestive System	303	35.9	2.26	21.5	1.25	245	24.1	1.59	13.5	0.89
Esophagus	16	1.9	0.51	1.1	0.27	6	0.7	0.28	0.3	0.12
Stomach	49	5.8	0.91	3.6	0.52	41	4.0	0.65	2.3	0.36
Colon & Rectum	84	10.6	1.27	6.1	0.67	96	9.3	0.98	5.4	0.57
Liver	75	7.8	0.98	5.2	0.60	29	2.9	0.56	1.6	0.31
Pancreas	56	7.2	1.05	4.0	0.54	48	4.9	0.73	2.5	0.37
Respiratory System	254	33.2	2.28	17.9	1.13	156	14.8	1.23	8.7	0.72
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	252	33.0	2.28	17.7	1.13	155	14.8	1.23	8.6	0.71
Skin	-	-	-	-	-	11	1.1	0.34	0.6	0.18
Melanomas of the skin	-	-	-	-	-	9	0.8	0.29	0.5	0.17
Breast	-	-	-	-	-	143	11.6	1.01	8.1	0.69
Female Genital System	-	-	-	-	-	93	8.2	0.88	5.3	0.56
Cervix uteri	-	-	-	-	-	10	0.8	0.26	0.5	0.17
Corpus & uterus, NOS	-	-	-	-	-	22	2.1	0.46	1.3	0.28
Ovary	-	-	-	-	-	58	5.0	0.69	3.3	0.44
Male Genital System	49	8.0	1.23	3.5	0.50	-	-	-	-	-
Prostate	46	7.8	1.22	3.3	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	29	3.9	0.78	2.0	0.38	27	3.0	0.58	1.4	0.28
Bladder	10	1.4	0.48	0.7	0.22	13	1.5	0.42	0.6	0.18
Kidney & renal pelvis	19	2.4	0.61	1.3	0.31	13	1.4	0.40	0.7	0.21
Brain & Other Nervous System	21	2.0	0.48	1.5	0.33	16	1.4	0.36	0.9	0.23
Endocrine System	8	0.8	0.31	0.6	0.21	-	-	-	-	-
Thyroid gland	7	0.8	0.30	0.5	0.19	-	-	-	-	-
Lymphomas	34	4.5	0.84	2.5	0.44	36	3.4	0.58	2.1	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	31	4.2	0.82	2.3	0.42	35	3.3	0.58	2.0	0.36
Multiple Myeloma	15	1.4	0.37	1.0	0.26	14	1.4	0.38	0.8	0.21
Leukemias	34	4.4	0.84	2.4	0.41	29	2.6	0.51	1.6	0.31
Other, Ill-defined & Unknown	66	7.9	1.08	4.4	0.55	67	6.7	0.84	3.5	0.44

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Indiana, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	33,472	247.3	1.38	141.9	0.81	30,693	164.8	0.95	101.0	0.65
Oral Cavity & Pharynx	499	3.4	0.16	2.3	0.10	250	1.3	0.08	0.8	0.06
Digestive System	7,990	57.9	0.66	34.4	0.40	6,498	34.2	0.43	19.5	0.28
Esophagus	1,261	8.8	0.25	5.7	0.17	312	1.7	0.10	1.0	0.06
Stomach	566	4.2	0.18	2.4	0.10	381	2.0	0.11	1.2	0.07
Colon & Rectum	3,106	23.1	0.42	13.0	0.24	2,999	15.6	0.29	8.7	0.18
Liver	807	5.5	0.20	3.6	0.13	360	1.9	0.10	1.1	0.07
Pancreas	1,785	12.9	0.31	7.7	0.19	1,798	9.5	0.23	5.5	0.15
Respiratory System	11,767	85.3	0.80	50.9	0.49	8,748	47.9	0.52	30.3	0.35
Larynx	304	2.1	0.12	1.4	0.08	95	0.5	0.05	0.4	0.04
Lung & bronchus	11,413	82.8	0.79	49.3	0.48	8,620	47.2	0.51	29.8	0.35
Skin	792	5.7	0.21	3.5	0.13	409	2.2	0.11	1.4	0.08
Melanomas of the skin	615	4.4	0.18	2.7	0.11	326	1.8	0.10	1.2	0.07
Breast	43	0.3	0.05	0.2	0.03	4,454	24.0	0.36	15.5	0.26
Female Genital System	-	-	-	-	-	3,081	16.7	0.30	10.6	0.21
Cervix uteri	-	-	-	-	-	424	2.5	0.12	1.8	0.09
Corpus & uterus, NOS	-	-	-	-	-	841	4.5	0.16	2.8	0.11
Ovary	-	-	-	-	-	1,628	8.7	0.22	5.5	0.15
Male Genital System	3,075	25.6	0.47	11.1	0.21	-	-	-	-	-
Prostate	3,021	25.2	0.47	10.8	0.21	-	-	-	-	-
Testis	24	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	1,976	14.9	0.34	8.1	0.19	1,107	5.8	0.18	3.3	0.11
Bladder	1,007	7.9	0.25	3.9	0.13	467	2.4	0.11	1.2	0.06
Kidney & renal pelvis	921	6.6	0.22	4.0	0.14	611	3.2	0.13	2.0	0.09
Brain & Other Nervous System	805	5.5	0.20	3.9	0.14	707	4.0	0.15	2.9	0.12
Endocrine System	117	0.8	0.08	0.6	0.06	128	0.7	0.06	0.5	0.05
Thyroid gland	69	0.5	0.06	0.3	0.04	82	0.4	0.05	0.2	0.03
Lymphomas	1,385	10.4	0.29	5.8	0.16	1,156	6.0	0.18	3.3	0.11
Hodgkin Lymphoma	68	0.5	0.06	0.3	0.04	43	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,317	9.9	0.28	5.5	0.16	1,113	5.8	0.18	3.1	0.11
Multiple Myeloma	625	4.7	0.19	2.6	0.11	523	2.7	0.12	1.5	0.08
Leukemias	1,453	11.0	0.29	6.1	0.17	1,108	5.8	0.18	3.5	0.13
Other, Ill-defined & Unknown	2,945	21.7	0.41	12.6	0.24	2,524	13.4	0.27	8.0	0.18

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Indiana, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	30,913	245.3	1.42	140.7	0.84	28,220	163.5	0.99	100.1	0.67
Oral Cavity & Pharynx	458	3.4	0.16	2.2	0.11	223	1.3	0.09	0.7	0.06
Digestive System	7,293	56.8	0.68	33.6	0.41	5,896	33.3	0.44	19.0	0.28
Esophagus	1,191	8.9	0.26	5.8	0.17	280	1.6	0.10	1.0	0.07
Stomach	487	3.9	0.18	2.2	0.10	324	1.9	0.10	1.1	0.07
Colon & Rectum	2,862	22.8	0.43	12.8	0.25	2,726	15.2	0.30	8.5	0.19
Liver	687	5.1	0.20	3.3	0.13	326	1.9	0.11	1.0	0.07
Pancreas	1,642	12.8	0.32	7.6	0.20	1,634	9.3	0.23	5.4	0.15
Respiratory System	10,891	84.8	0.83	50.5	0.51	8,115	48.1	0.54	30.4	0.37
Larynx	259	1.9	0.12	1.3	0.08	83	0.5	0.05	0.3	0.04
Lung & bronchus	10,584	82.5	0.81	49.1	0.50	8,001	47.4	0.54	29.9	0.37
Skin	776	6.0	0.22	3.7	0.14	401	2.4	0.12	1.5	0.08
Melanomas of the skin	609	4.7	0.19	2.9	0.12	319	1.9	0.11	1.3	0.08
Breast	38	0.3	0.05	0.2	0.03	4,027	23.5	0.38	15.1	0.26
Female Genital System	-	-	-	-	-	2,821	16.5	0.32	10.4	0.22
Cervix uteri	-	-	-	-	-	370	2.4	0.13	1.7	0.10
Corpus & uterus, NOS	-	-	-	-	-	747	4.3	0.16	2.6	0.11
Ovary	-	-	-	-	-	1,528	8.8	0.23	5.5	0.16
Male Genital System	2,746	24.4	0.47	10.5	0.21	-	-	-	-	-
Prostate	2,693	24.0	0.47	10.2	0.21	-	-	-	-	-
Testis	24	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,876	15.2	0.36	8.3	0.20	1,035	5.8	0.18	3.3	0.12
Bladder	969	8.2	0.27	4.0	0.14	433	2.4	0.12	1.2	0.07
Kidney & renal pelvis	862	6.6	0.23	4.1	0.14	575	3.3	0.14	2.0	0.10
Brain & Other Nervous System	780	5.8	0.21	4.2	0.16	674	4.1	0.16	3.0	0.13
Endocrine System	104	0.8	0.08	0.6	0.06	121	0.7	0.06	0.5	0.05
Thyroid gland	66	0.5	0.06	0.3	0.04	78	0.4	0.05	0.2	0.03
Lymphomas	1,313	10.6	0.30	5.9	0.17	1,105	6.2	0.19	3.4	0.12
Hodgkin Lymphoma	62	0.5	0.06	0.3	0.04	39	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,251	10.2	0.29	5.5	0.17	1,066	6.0	0.19	3.2	0.12
Multiple Myeloma	556	4.5	0.19	2.4	0.11	464	2.6	0.12	1.4	0.08
Leukemias	1,361	11.1	0.31	6.2	0.18	1,037	5.9	0.19	3.6	0.13
Other, Ill-defined & Unknown	2,721	21.6	0.42	12.5	0.25	2,301	13.2	0.28	7.9	0.19

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Indiana, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,483	310.1	6.60	180.1	3.73	2,379	197.3	4.07	123.9	2.70
Oral Cavity & Pharynx	40	4.2	0.69	2.9	0.47	25	2.0	0.41	1.3	0.28
Digestive System	670	81.6	3.36	49.3	1.96	575	48.3	2.03	28.4	1.26
Esophagus	68	7.7	0.98	5.3	0.66	30	2.5	0.46	1.7	0.32
Stomach	75	9.4	1.14	5.4	0.64	53	4.5	0.62	2.4	0.36
Colon & Rectum	235	31.2	2.18	16.9	1.14	261	22.1	1.38	12.5	0.83
Liver	113	12.1	1.20	8.4	0.81	33	2.7	0.47	1.9	0.35
Pancreas	139	16.0	1.43	10.4	0.91	157	13.2	1.06	7.8	0.67
Respiratory System	863	104.4	3.73	63.7	2.24	605	50.8	2.08	32.3	1.40
Larynx	45	5.3	0.82	3.4	0.52	12	1.0	0.29	0.8	0.23
Lung & bronchus	816	98.8	3.63	60.2	2.17	591	49.7	2.06	31.5	1.38
Skin	16	1.6	0.43	1.1	0.29	8	0.7	0.24	0.4	0.15
Melanomas of the skin	6	0.5	0.19	0.4	0.16	7	0.6	0.22	0.3	0.14
Breast	-	-	-	-	-	417	33.6	1.65	22.6	1.16
Female Genital System	-	-	-	-	-	247	20.2	1.29	13.5	0.90
Cervix uteri	-	-	-	-	-	51	4.0	0.56	2.8	0.40
Corpus & uterus, NOS	-	-	-	-	-	90	7.4	0.79	5.1	0.56
Ovary	-	-	-	-	-	94	7.8	0.81	5.0	0.54
Male Genital System	323	50.0	2.90	22.3	1.29	-	-	-	-	-
Prostate	322	49.8	2.90	22.2	1.28	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	95	11.5	1.26	6.8	0.72	70	5.8	0.70	3.4	0.43
Bladder	34	4.6	0.85	2.4	0.43	33	2.9	0.50	1.4	0.26
Kidney & renal pelvis	58	6.6	0.91	4.1	0.56	35	2.9	0.49	1.8	0.33
Brain & Other Nervous System	22	2.5	0.56	1.6	0.36	32	2.5	0.45	1.8	0.34
Endocrine System	12	1.2	0.38	0.8	0.25	6	0.5	0.19	0.3	0.15
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	66	7.4	0.98	4.8	0.60	50	4.1	0.59	2.7	0.41
Hodgkin Lymphoma	6	0.5	0.23	0.4	0.16	-	-	-	-	-
Non-Hodgkin Lymphoma	60	6.9	0.95	4.4	0.58	46	3.8	0.56	2.5	0.39
Multiple Myeloma	69	9.6	1.22	4.9	0.61	57	4.9	0.65	2.7	0.38
Leukemias	83	10.0	1.17	5.8	0.66	69	5.6	0.69	3.3	0.44
Other, Ill-defined & Unknown	219	25.6	1.85	15.6	1.08	218	18.2	1.24	11.2	0.81

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Indiana, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		63		66.1		83	64.7		7.69	
All Sites	63	66.1	9.47	38.5	4.92	83	64.7	7.69	37.6	4.23
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	23	25.0	6.02	13.7	2.89	24	20.8	4.55	10.6	2.22
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	6	6.7	3.22	3.5	1.46	10	8.9	3.02	4.4	1.42
Liver	7	6.0	2.49	3.9	1.52	-	-	-	-	-
Pancreas	-	-	-	-	-	6	4.4	1.90	2.7	1.15
Respiratory System	9	9.6	3.56	5.8	1.94	24	18.7	4.07	11.1	2.31
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	9.6	3.56	5.8	1.94	24	18.7	4.07	11.1	2.31
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	5.3	2.27	2.8	1.08
Female Genital System	-	-	-	-	-	13	9.1	2.70	6.1	1.73
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	4.3	1.92	2.7	1.14
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	9.7	3.77	5.4	1.83	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Iowa, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	16,628	224.7	1.75	127.5	1.07	15,324	151.7	1.27	92.8	0.89
Oral Cavity & Pharynx	281	3.7	0.22	2.4	0.15	151	1.5	0.12	0.9	0.08
Digestive System	4,057	54.4	0.86	31.7	0.54	3,526	33.1	0.58	18.8	0.38
Esophagus	670	8.8	0.34	5.5	0.23	162	1.6	0.13	1.0	0.09
Stomach	283	3.8	0.23	2.3	0.15	181	1.8	0.14	1.0	0.09
Colon & Rectum	1,572	21.3	0.54	11.6	0.32	1,706	15.5	0.39	8.5	0.25
Liver	337	4.4	0.24	2.8	0.16	155	1.4	0.12	0.8	0.08
Pancreas	897	12.1	0.40	7.1	0.26	912	8.8	0.30	5.1	0.20
Respiratory System	5,413	72.6	0.99	43.3	0.63	3,866	40.0	0.66	25.6	0.47
Larynx	138	1.9	0.16	1.1	0.10	43	0.5	0.07	0.3	0.05
Lung & bronchus	5,219	70.0	0.97	41.8	0.62	3,796	39.3	0.65	25.1	0.46
Skin	385	5.2	0.26	3.1	0.17	227	2.3	0.16	1.5	0.12
Melanomas of the skin	271	3.6	0.22	2.3	0.15	173	1.8	0.14	1.2	0.11
Breast	18	0.2	0.06	0.2	0.04	2,187	22.1	0.49	14.4	0.36
Female Genital System	-	-	-	-	-	1,690	17.2	0.43	11.0	0.31
Cervix uteri	-	-	-	-	-	182	2.1	0.16	1.6	0.13
Corpus & uterus, NOS	-	-	-	-	-	479	4.8	0.22	3.0	0.16
Ovary	-	-	-	-	-	899	9.1	0.31	5.7	0.22
Male Genital System	1,829	25.6	0.60	11.0	0.28	-	-	-	-	-
Prostate	1,795	25.1	0.59	10.7	0.28	-	-	-	-	-
Testis	10	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,162	15.8	0.47	8.3	0.27	602	5.7	0.24	3.1	0.16
Bladder	606	8.4	0.34	3.9	0.17	232	2.1	0.14	1.1	0.09
Kidney & renal pelvis	530	7.1	0.31	4.2	0.20	335	3.3	0.18	1.9	0.13
Brain & Other Nervous System	507	6.8	0.30	4.8	0.23	367	4.1	0.22	2.9	0.18
Endocrine System	69	0.9	0.11	0.6	0.09	72	0.7	0.09	0.5	0.07
Thyroid gland	46	0.6	0.09	0.3	0.05	50	0.5	0.07	0.3	0.05
Lymphomas	701	9.6	0.36	5.4	0.22	650	6.0	0.25	3.3	0.16
Hodgkin Lymphoma	26	0.3	0.07	0.3	0.06	40	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	675	9.2	0.36	5.1	0.21	610	5.6	0.24	3.0	0.15
Multiple Myeloma	331	4.5	0.25	2.4	0.14	282	2.6	0.16	1.4	0.10
Leukemias	786	10.8	0.39	5.9	0.23	614	5.9	0.25	3.4	0.17
Other, Ill-defined & Unknown	1,089	14.6	0.45	8.4	0.28	1,090	10.5	0.33	6.2	0.23

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Iowa, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	16,277	224.2	1.77	127.2	1.08	15,037	151.7	1.28	92.9	0.90
Oral Cavity & Pharynx	271	3.6	0.22	2.3	0.15	148	1.5	0.12	0.9	0.08
Digestive System	3,940	53.9	0.86	31.4	0.54	3,447	32.9	0.58	18.6	0.39
Esophagus	659	8.9	0.35	5.5	0.23	159	1.6	0.13	1.0	0.09
Stomach	272	3.7	0.23	2.2	0.15	171	1.7	0.13	0.9	0.09
Colon & Rectum	1,541	21.3	0.54	11.6	0.32	1,678	15.5	0.39	8.5	0.26
Liver	306	4.1	0.24	2.6	0.16	150	1.4	0.12	0.8	0.08
Pancreas	872	12.0	0.41	7.1	0.26	887	8.7	0.30	5.0	0.20
Respiratory System	5,298	72.4	1.00	43.2	0.64	3,793	40.0	0.67	25.6	0.47
Larynx	137	1.9	0.16	1.1	0.10	43	0.5	0.07	0.3	0.05
Lung & bronchus	5,105	69.8	0.98	41.6	0.62	3,723	39.3	0.66	25.2	0.47
Skin	384	5.3	0.27	3.2	0.18	227	2.3	0.16	1.5	0.12
Melanomas of the skin	271	3.7	0.23	2.4	0.16	173	1.9	0.15	1.3	0.11
Breast	17	0.2	0.05	0.1	0.04	2,141	22.1	0.50	14.4	0.36
Female Genital System	-	-	-	-	-	1,665	17.3	0.44	11.1	0.32
Cervix uteri	-	-	-	-	-	176	2.1	0.16	1.6	0.13
Corpus & uterus, NOS	-	-	-	-	-	468	4.7	0.23	3.0	0.16
Ovary	-	-	-	-	-	891	9.2	0.32	5.8	0.23
Male Genital System	1,785	25.3	0.60	10.9	0.28	-	-	-	-	-
Prostate	1,753	24.8	0.59	10.6	0.28	-	-	-	-	-
Testis	10	0.1	0.05	0.1	0.04	-	-	-	-	-
Urinary System	1,156	16.0	0.47	8.4	0.27	595	5.7	0.24	3.2	0.16
Bladder	603	8.5	0.35	4.0	0.18	230	2.1	0.14	1.1	0.09
Kidney & renal pelvis	527	7.2	0.31	4.3	0.20	330	3.3	0.19	2.0	0.13
Brain & Other Nervous System	500	6.9	0.31	4.9	0.24	361	4.1	0.22	3.0	0.18
Endocrine System	69	0.9	0.11	0.7	0.09	72	0.8	0.09	0.5	0.07
Thyroid gland	46	0.6	0.09	0.3	0.06	50	0.5	0.07	0.3	0.05
Lymphomas	691	9.6	0.37	5.4	0.22	643	6.1	0.25	3.3	0.16
Hodgkin Lymphoma	26	0.4	0.07	0.3	0.06	40	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	665	9.3	0.36	5.1	0.22	603	5.7	0.24	3.0	0.15
Multiple Myeloma	319	4.4	0.25	2.3	0.14	274	2.6	0.16	1.4	0.10
Leukemias	776	10.9	0.39	5.9	0.24	605	5.9	0.25	3.4	0.17
Other, Ill-defined & Unknown	1,071	14.7	0.45	8.4	0.28	1,066	10.5	0.33	6.2	0.23

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Iowa, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	269	339.3	23.29	188.5	11.96	205	189.4	13.49	115.4	8.47
Oral Cavity & Pharynx	9	6.7	2.37	4.9	1.70	-	-	-	-	-
Digestive System	78	96.5	12.57	53.2	6.28	55	51.1	7.02	30.2	4.33
Esophagus	9	7.4	2.53	6.5	2.25	-	-	-	-	-
Stomach	8	10.5	4.14	5.5	2.02	8	6.5	2.41	4.5	1.61
Colon & Rectum	25	40.0	9.02	17.7	3.67	23	21.5	4.55	11.9	2.62
Liver	14	12.5	3.97	8.5	2.36	-	-	-	-	-
Pancreas	19	21.7	5.51	13.1	3.14	20	19.8	4.48	11.0	2.67
Respiratory System	98	115.4	12.48	71.8	7.50	51	49.6	7.02	30.4	4.45
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	97	114.7	12.46	71.3	7.48	51	49.6	7.02	30.4	4.45
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	38	32.5	5.34	22.8	3.83
Female Genital System	-	-	-	-	-	17	15.4	3.85	8.0	2.02
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	8	7.6	2.74	3.5	1.30
Ovary	-	-	-	-	-	6	5.8	2.40	2.9	1.24
Male Genital System	38	67.5	11.84	29.2	4.86	-	-	-	-	-
Prostate	37	66.6	11.80	28.3	4.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	6.5	2.94	3.6	1.54	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	6	6.5	2.94	3.6	1.54	-	-	-	-	-
Multiple Myeloma	10	14.8	5.04	6.4	2.10	8	8.1	2.89	3.8	1.45
Leukemias	6	5.2	2.42	3.5	1.50	6	5.3	2.26	3.5	1.49
Other, Ill-defined & Unknown	13	13.1	4.22	8.8	2.55	17	16.0	3.98	8.7	2.23

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Iowa, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		62		147.3		57	96.1		14.28	
All Sites	62	147.3	22.15	76.0	9.85	57	96.1	14.28	54.6	7.38
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	35	80.8	16.26	41.7	7.19	20	38.5	9.54	19.2	4.38
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	6	24.4	10.53	8.5	3.50	-	-	-	-	-
Liver	15	22.0	6.41	15.2	3.99	-	-	-	-	-
Pancreas	6	14.7	6.70	7.8	3.18	-	-	-	-	-
Respiratory System	10	26.1	9.73	12.9	4.12	14	23.3	6.94	13.4	3.69
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	26.1	9.73	12.9	4.12	14	23.3	6.94	13.4	3.69
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	8	11.9	4.51	8.1	2.94
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Kansas, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	14,041	224.7	1.91	128.8	1.16	12,742	151.3	1.37	92.1	0.94
Oral Cavity & Pharynx	206	3.2	0.22	2.0	0.15	109	1.2	0.12	0.7	0.08
Digestive System	3,420	53.8	0.93	32.3	0.59	2,771	31.8	0.62	17.9	0.40
Esophagus	466	7.2	0.34	4.6	0.22	104	1.2	0.12	0.7	0.08
Stomach	246	3.9	0.25	2.3	0.16	153	1.8	0.15	1.0	0.10
Colon & Rectum	1,360	21.8	0.60	12.4	0.36	1,284	14.5	0.42	8.0	0.27
Liver	304	4.6	0.27	3.0	0.18	141	1.6	0.14	0.9	0.09
Pancreas	811	12.7	0.45	7.6	0.28	811	9.4	0.34	5.3	0.22
Respiratory System	4,637	73.8	1.09	43.8	0.68	3,384	41.6	0.73	26.2	0.51
Larynx	114	1.7	0.16	1.1	0.11	31	0.4	0.07	0.2	0.05
Lung & bronchus	4,503	71.8	1.08	42.5	0.67	3,333	40.9	0.72	25.8	0.50
Skin	421	6.7	0.33	3.9	0.20	208	2.5	0.18	1.6	0.13
Melanomas of the skin	289	4.5	0.27	2.8	0.17	166	2.1	0.16	1.4	0.12
Breast	18	0.3	0.07	0.1	0.04	1,915	23.1	0.54	14.8	0.38
Female Genital System	-	-	-	-	-	1,282	15.6	0.44	9.8	0.31
Cervix uteri	-	-	-	-	-	154	2.1	0.18	1.6	0.14
Corpus & uterus, NOS	-	-	-	-	-	297	3.4	0.20	2.0	0.14
Ovary	-	-	-	-	-	741	9.0	0.34	5.7	0.24
Male Genital System	1,331	22.6	0.62	10.0	0.30	-	-	-	-	-
Prostate	1,304	22.2	0.62	9.7	0.29	-	-	-	-	-
Testis	14	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	892	14.4	0.49	7.9	0.28	427	4.8	0.24	2.7	0.15
Bladder	428	7.2	0.35	3.4	0.18	170	1.8	0.14	0.9	0.08
Kidney & renal pelvis	442	6.9	0.33	4.2	0.21	242	2.9	0.19	1.7	0.12
Brain & Other Nervous System	414	6.4	0.32	4.5	0.23	324	4.1	0.23	2.8	0.18
Endocrine System	57	0.9	0.12	0.6	0.09	63	0.8	0.10	0.5	0.08
Thyroid gland	39	0.7	0.11	0.4	0.06	43	0.5	0.08	0.3	0.06
Lymphomas	626	10.2	0.41	5.6	0.24	512	5.9	0.27	3.3	0.17
Hodgkin Lymphoma	29	0.5	0.09	0.3	0.06	29	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	597	9.7	0.40	5.3	0.23	483	5.5	0.26	3.0	0.16
Multiple Myeloma	308	5.0	0.29	2.6	0.16	268	3.1	0.20	1.8	0.13
Leukemias	636	10.3	0.41	5.8	0.25	525	5.9	0.27	3.4	0.18
Other, Ill-defined & Unknown	1,075	17.2	0.53	9.8	0.32	954	10.9	0.36	6.4	0.25

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Kansas, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	13,112	221.8	1.95	126.9	1.19	11,931	150.1	1.41	91.3	0.98
Oral Cavity & Pharynx	190	3.1	0.23	2.0	0.15	104	1.2	0.12	0.7	0.09
Digestive System	3,149	52.5	0.94	31.3	0.59	2,574	31.1	0.63	17.5	0.41
Esophagus	443	7.3	0.35	4.6	0.23	93	1.1	0.12	0.7	0.08
Stomach	218	3.6	0.25	2.2	0.16	137	1.7	0.15	1.0	0.10
Colon & Rectum	1,260	21.3	0.61	12.1	0.37	1,190	14.1	0.42	7.8	0.27
Liver	253	4.1	0.26	2.6	0.17	131	1.6	0.14	0.9	0.09
Pancreas	755	12.5	0.46	7.5	0.29	761	9.3	0.35	5.2	0.22
Respiratory System	4,337	73.0	1.12	43.3	0.70	3,169	41.3	0.75	26.1	0.52
Larynx	103	1.7	0.17	1.1	0.11	25	0.3	0.07	0.2	0.05
Lung & bronchus	4,214	71.0	1.10	42.0	0.69	3,125	40.7	0.74	25.7	0.52
Skin	410	6.9	0.34	4.0	0.21	203	2.6	0.19	1.7	0.14
Melanomas of the skin	288	4.8	0.28	3.0	0.19	163	2.2	0.18	1.4	0.13
Breast	16	0.3	0.07	0.1	0.04	1,782	22.8	0.56	14.7	0.40
Female Genital System	-	-	-	-	-	1,216	15.7	0.46	10.0	0.33
Cervix uteri	-	-	-	-	-	137	2.1	0.18	1.6	0.14
Corpus & uterus, NOS	-	-	-	-	-	283	3.5	0.21	2.1	0.14
Ovary	-	-	-	-	-	711	9.2	0.35	5.8	0.25
Male Genital System	1,209	21.5	0.62	9.4	0.29	-	-	-	-	-
Prostate	1,185	21.1	0.61	9.1	0.29	-	-	-	-	-
Testis	12	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	853	14.5	0.50	7.9	0.29	405	4.9	0.25	2.7	0.16
Bladder	416	7.3	0.36	3.5	0.18	165	1.9	0.15	0.9	0.09
Kidney & renal pelvis	416	6.9	0.34	4.2	0.22	226	2.9	0.19	1.7	0.13
Brain & Other Nervous System	397	6.5	0.33	4.6	0.24	303	4.1	0.24	2.8	0.19
Endocrine System	54	0.9	0.13	0.6	0.09	57	0.7	0.10	0.5	0.08
Thyroid gland	38	0.7	0.11	0.4	0.06	38	0.5	0.08	0.3	0.06
Lymphomas	593	10.2	0.42	5.5	0.25	493	6.0	0.28	3.3	0.18
Hodgkin Lymphoma	26	0.4	0.09	0.3	0.06	26	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	567	9.7	0.41	5.3	0.24	467	5.6	0.27	3.1	0.17
Multiple Myeloma	280	4.7	0.29	2.5	0.16	241	3.0	0.20	1.7	0.13
Leukemias	623	10.7	0.43	6.0	0.27	501	6.0	0.28	3.5	0.19
Other, Ill-defined & Unknown	1,001	16.9	0.54	9.7	0.33	883	10.6	0.37	6.2	0.25

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Kansas, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	705	317.3	12.80	184.5	7.16	634	193.3	7.74	118.7	5.01
Oral Cavity & Pharynx	9	3.8	1.37	2.5	0.84	-	-	-	-	-
Digestive System	201	86.5	6.57	53.3	3.87	160	49.5	3.94	28.9	2.45
Esophagus	21	7.7	1.73	6.0	1.34	8	2.5	0.91	1.5	0.56
Stomach	17	8.2	2.14	4.3	1.07	13	3.9	1.09	2.2	0.65
Colon & Rectum	76	35.0	4.32	19.5	2.30	77	24.2	2.77	13.7	1.68
Liver	31	12.0	2.32	8.7	1.61	9	2.6	0.88	1.7	0.60
Pancreas	46	20.2	3.21	12.4	1.88	42	13.0	2.02	7.9	1.29
Respiratory System	227	99.4	6.99	60.2	4.12	158	49.4	3.96	30.5	2.56
Larynx	9	3.2	1.09	2.4	0.83	-	-	-	-	-
Lung & bronchus	218	96.3	6.91	57.8	4.04	152	47.6	3.89	29.4	2.52
Skin	6	2.3	1.07	1.5	0.64	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	106	30.9	3.03	20.2	2.06
Female Genital System	-	-	-	-	-	52	15.8	2.21	9.7	1.41
Cervix uteri	-	-	-	-	-	14	3.9	1.04	2.8	0.78
Corpus & uterus, NOS	-	-	-	-	-	10	3.3	1.05	1.7	0.59
Ovary	-	-	-	-	-	23	7.0	1.47	4.2	0.93
Male Genital System	109	58.5	5.88	28.2	2.78	-	-	-	-	-
Prostate	106	57.5	5.85	27.3	2.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	11.4	2.44	6.7	1.37	17	5.3	1.28	2.7	0.70
Bladder	8	3.7	1.35	2.0	0.75	-	-	-	-	-
Kidney & renal pelvis	16	7.4	2.02	4.4	1.13	12	3.9	1.12	1.6	0.51
Brain & Other Nervous System	11	4.0	1.32	2.8	0.87	17	4.8	1.20	3.1	0.79
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	8.5	2.02	5.4	1.20	16	4.7	1.18	3.0	0.83
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	19	7.6	1.91	5.0	1.17	13	3.9	1.09	2.2	0.67
Multiple Myeloma	25	12.2	2.57	6.5	1.33	25	7.8	1.58	4.7	1.00
Leukemias	8	3.5	1.36	2.0	0.72	16	5.0	1.25	2.8	0.76
Other, Ill-defined & Unknown	58	25.2	3.56	14.2	1.94	55	16.4	2.24	10.5	1.51

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Kansas, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	101	141.7	16.39	80.5	8.21	77	78.7	9.76	47.4	5.53
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	49	65.5	10.86	38.5	5.65	13	14.2	4.25	8.3	2.35
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	12.5	4.98	6.9	2.47	-	-	-	-	-
Colon & Rectum	13	20.7	6.57	10.2	2.88	-	-	-	-	-
Liver	17	20.7	5.81	13.4	3.34	-	-	-	-	-
Pancreas	8	8.3	3.49	5.5	2.00	-	-	-	-	-
Respiratory System	24	39.5	9.20	20.0	4.16	17	17.4	4.57	10.3	2.55
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	39.5	9.20	20.0	4.16	17	17.4	4.57	10.3	2.55
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	13	10.9	3.15	8.5	2.39
Female Genital System	-	-	-	-	-	10	10.9	3.77	5.8	1.86
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	5.9	2.54	5.0	2.08	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	8	9.6	3.63	4.7	1.73

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Kentucky, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	25,207	271.2	1.75	159.0	1.04	22,132	175.1	1.19	108.8	0.80
Oral Cavity & Pharynx	434	4.3	0.21	2.9	0.14	190	1.5	0.11	0.9	0.07
Digestive System	5,518	58.5	0.81	35.1	0.49	4,593	35.8	0.53	20.7	0.34
Esophagus	830	8.2	0.29	5.5	0.20	202	1.6	0.11	0.9	0.07
Stomach	425	4.6	0.23	2.7	0.13	281	2.2	0.13	1.2	0.08
Colon & Rectum	2,229	24.4	0.53	13.9	0.31	2,200	17.0	0.37	9.6	0.23
Liver	557	5.7	0.25	3.6	0.16	250	2.0	0.13	1.2	0.09
Pancreas	1,175	12.3	0.37	7.6	0.23	1,188	9.3	0.27	5.5	0.18
Respiratory System	10,189	106.2	1.08	65.4	0.67	7,142	57.0	0.68	37.2	0.47
Larynx	274	2.8	0.17	1.8	0.11	78	0.6	0.07	0.5	0.05
Lung & bronchus	9,878	103.0	1.06	63.4	0.66	7,030	56.1	0.67	36.6	0.47
Skin	633	6.7	0.28	4.1	0.17	314	2.5	0.14	1.6	0.10
Melanomas of the skin	483	5.0	0.23	3.2	0.15	258	2.1	0.13	1.4	0.09
Breast	26	0.3	0.06	0.2	0.03	2,955	23.5	0.44	15.3	0.31
Female Genital System	-	-	-	-	-	1,909	15.3	0.35	10.0	0.25
Cervix uteri	-	-	-	-	-	308	2.6	0.15	2.0	0.12
Corpus & uterus, NOS	-	-	-	-	-	448	3.5	0.17	2.3	0.12
Ovary	-	-	-	-	-	1,032	8.2	0.26	5.3	0.18
Male Genital System	2,051	25.9	0.59	11.2	0.26	-	-	-	-	-
Prostate	2,015	25.6	0.58	10.9	0.25	-	-	-	-	-
Testis	22	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,372	15.2	0.42	8.4	0.24	738	5.7	0.21	3.1	0.13
Bladder	682	8.0	0.31	4.0	0.16	312	2.4	0.13	1.2	0.08
Kidney & renal pelvis	652	6.8	0.28	4.2	0.17	402	3.1	0.16	1.8	0.10
Brain & Other Nervous System	547	5.4	0.24	3.9	0.17	426	3.5	0.17	2.4	0.13
Endocrine System	79	0.8	0.10	0.6	0.07	102	0.8	0.08	0.5	0.06
Thyroid gland	47	0.5	0.07	0.3	0.05	68	0.5	0.07	0.3	0.04
Lymphomas	899	9.9	0.34	5.6	0.20	812	6.3	0.22	3.5	0.14
Hodgkin Lymphoma	58	0.6	0.08	0.4	0.06	40	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	841	9.3	0.33	5.2	0.19	772	6.0	0.22	3.2	0.13
Multiple Myeloma	431	4.8	0.24	2.6	0.13	348	2.7	0.14	1.5	0.09
Leukemias	875	9.8	0.34	5.5	0.20	718	5.7	0.21	3.3	0.14
Other, Ill-defined & Unknown	2,153	23.2	0.51	13.6	0.30	1,885	14.9	0.35	8.9	0.23

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Kentucky, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.
		2000 U.S.	World				2000 U.S.	World		
All Sites	23,609	269.5	1.80	158.3	1.07	20,626	174.3	1.22	108.3	0.83
Oral Cavity & Pharynx	404	4.3	0.22	2.9	0.15	178	1.4	0.11	0.9	0.07
Digestive System	5,121	57.8	0.83	34.6	0.50	4,198	34.9	0.54	20.2	0.35
Esophagus	777	8.2	0.30	5.5	0.20	187	1.6	0.12	0.9	0.08
Stomach	383	4.4	0.23	2.5	0.13	245	2.0	0.13	1.1	0.08
Colon & Rectum	2,071	24.1	0.54	13.7	0.31	2,019	16.6	0.37	9.4	0.24
Liver	504	5.5	0.25	3.5	0.16	224	1.9	0.13	1.2	0.09
Pancreas	1,108	12.3	0.38	7.6	0.23	1,084	9.1	0.28	5.3	0.18
Respiratory System	9,585	106.0	1.11	65.3	0.69	6,684	57.0	0.70	37.2	0.49
Larynx	244	2.7	0.17	1.7	0.11	68	0.6	0.07	0.4	0.05
Lung & bronchus	9,305	102.9	1.09	63.4	0.68	6,584	56.2	0.70	36.6	0.49
Skin	625	7.1	0.29	4.3	0.18	309	2.6	0.15	1.7	0.11
Melanomas of the skin	479	5.3	0.25	3.3	0.16	253	2.2	0.14	1.5	0.10
Breast	24	0.3	0.06	0.2	0.03	2,723	23.2	0.45	15.1	0.31
Female Genital System	-	-	-	-	-	1,783	15.3	0.37	10.0	0.26
Cervix uteri	-	-	-	-	-	279	2.6	0.16	1.9	0.12
Corpus & uterus, NOS	-	-	-	-	-	405	3.4	0.17	2.2	0.12
Ovary	-	-	-	-	-	986	8.4	0.27	5.4	0.19
Male Genital System	1,834	24.5	0.58	10.6	0.26	-	-	-	-	-
Prostate	1,800	24.1	0.58	10.3	0.25	-	-	-	-	-
Testis	21	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,318	15.5	0.44	8.6	0.25	688	5.6	0.22	3.0	0.13
Bladder	655	8.1	0.32	4.0	0.16	289	2.3	0.14	1.2	0.08
Kidney & renal pelvis	626	6.9	0.29	4.3	0.18	377	3.1	0.16	1.7	0.10
Brain & Other Nervous System	530	5.6	0.25	4.0	0.18	406	3.6	0.18	2.5	0.14
Endocrine System	75	0.9	0.10	0.6	0.07	95	0.8	0.09	0.5	0.07
Thyroid gland	45	0.5	0.08	0.3	0.05	64	0.5	0.07	0.3	0.04
Lymphomas	858	10.1	0.35	5.7	0.20	789	6.5	0.24	3.6	0.15
Hodgkin Lymphoma	53	0.6	0.08	0.4	0.06	38	0.3	0.06	0.3	0.05
Non-Hodgkin Lymphoma	805	9.5	0.34	5.3	0.19	751	6.2	0.23	3.3	0.14
Multiple Myeloma	384	4.5	0.24	2.5	0.13	303	2.5	0.14	1.4	0.09
Leukemias	835	9.9	0.35	5.6	0.21	686	5.8	0.22	3.3	0.15
Other, Ill-defined & Unknown	2,016	23.2	0.53	13.5	0.31	1,784	15.1	0.36	9.0	0.24

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Kentucky, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,528	328.4	8.85	189.6	5.02	1,432	199.6	5.31	125.9	3.59
Oral Cavity & Pharynx	28	5.3	1.08	3.6	0.69	11	1.6	0.48	1.0	0.32
Digestive System	370	75.0	4.11	46.6	2.51	366	50.9	2.68	29.0	1.66
Esophagus	51	10.0	1.47	6.4	0.93	15	2.2	0.58	1.2	0.34
Stomach	35	7.3	1.30	4.3	0.75	31	4.3	0.78	2.4	0.46
Colon & Rectum	151	32.6	2.80	19.2	1.62	173	24.2	1.85	13.1	1.10
Liver	46	7.7	1.18	6.0	0.91	22	3.0	0.64	1.7	0.40
Pancreas	65	12.7	1.65	8.1	1.04	97	13.4	1.38	8.1	0.90
Respiratory System	587	122.3	5.28	74.8	3.19	440	62.6	3.00	40.4	2.06
Larynx	27	5.0	1.01	3.6	0.71	10	1.3	0.42	1.0	0.33
Lung & bronchus	559	117.1	5.18	71.0	3.11	428	60.9	2.96	39.1	2.03
Skin	7	1.2	0.45	0.9	0.35	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	229	31.2	2.08	20.7	1.46
Female Genital System	-	-	-	-	-	118	16.2	1.50	11.0	1.09
Cervix uteri	-	-	-	-	-	26	3.4	0.67	2.4	0.49
Corpus & uterus, NOS	-	-	-	-	-	40	5.6	0.90	3.9	0.66
Ovary	-	-	-	-	-	44	6.1	0.92	3.9	0.64
Male Genital System	212	56.3	4.00	24.0	1.70	-	-	-	-	-
Prostate	210	56.0	4.00	23.7	1.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	52	12.1	1.76	6.5	0.93	47	6.5	0.96	3.5	0.57
Bladder	27	6.8	1.37	3.2	0.64	21	3.0	0.65	1.4	0.34
Kidney & renal pelvis	25	5.3	1.11	3.2	0.67	24	3.3	0.68	2.0	0.45
Brain & Other Nervous System	14	2.5	0.74	1.7	0.46	18	2.4	0.57	1.9	0.46
Endocrine System	-	-	-	-	-	7	0.9	0.35	0.6	0.25
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	39	7.7	1.30	4.8	0.79	23	3.2	0.68	2.1	0.47
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	34	6.6	1.20	4.2	0.74	21	3.0	0.66	1.9	0.45
Multiple Myeloma	46	10.3	1.59	5.5	0.83	44	6.3	0.95	4.0	0.66
Leukemias	36	8.1	1.45	4.3	0.73	29	4.0	0.75	2.5	0.51
Other, Ill-defined & Unknown	132	26.7	2.46	16.7	1.50	96	13.2	1.35	8.8	0.97

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Kentucky, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		61		147.7		66	104.5		14.20	
All Sites	61	147.7	22.20	72.2	9.51	66	104.5	14.20	58.8	7.39
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	62.7	14.29	30.1	6.10	28	48.2	9.91	25.5	4.91
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	23.4	9.83	8.9	3.46	-	-	-	-	-
Colon & Rectum	6	10.9	4.93	6.8	2.84	8	10.7	3.92	7.7	2.76
Liver	7	9.5	3.90	6.9	2.72	-	-	-	-	-
Pancreas	-	-	-	-	-	6	12.6	5.53	5.1	2.12
Respiratory System	12	26.2	8.63	14.9	4.34	15	23.0	6.50	13.2	3.49
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	23.4	8.39	12.5	3.99	15	23.0	6.50	13.2	3.49
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	7	8.5	3.64	5.6	2.15
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Louisiana, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	24,452	268.1	1.76	157.8	1.05	21,017	168.6	1.17	104.6	0.79
Oral Cavity & Pharynx	531	5.3	0.24	3.6	0.16	193	1.5	0.11	1.0	0.08
Digestive System	6,306	67.8	0.88	41.3	0.54	4,836	38.3	0.55	22.2	0.35
Esophagus	757	7.8	0.29	5.2	0.19	200	1.6	0.11	1.0	0.07
Stomach	650	7.1	0.28	4.2	0.17	408	3.3	0.16	1.8	0.10
Colon & Rectum	2,352	25.8	0.55	15.2	0.33	2,067	16.3	0.36	9.5	0.23
Liver	984	10.1	0.33	6.6	0.22	445	3.5	0.17	2.1	0.11
Pancreas	1,292	14.0	0.40	8.4	0.24	1,375	10.9	0.30	6.2	0.18
Respiratory System	8,523	91.4	1.01	55.8	0.63	5,675	45.8	0.61	28.9	0.41
Larynx	292	3.0	0.18	2.0	0.12	81	0.6	0.07	0.5	0.06
Lung & bronchus	8,177	87.8	0.99	53.5	0.61	5,575	45.0	0.61	28.4	0.41
Skin	423	4.6	0.23	2.8	0.14	201	1.6	0.11	0.9	0.07
Melanomas of the skin	304	3.3	0.19	2.0	0.12	162	1.3	0.10	0.8	0.07
Breast	38	0.4	0.07	0.2	0.04	3,319	26.8	0.47	17.7	0.33
Female Genital System	-	-	-	-	-	1,980	16.1	0.36	10.4	0.25
Cervix uteri	-	-	-	-	-	393	3.3	0.17	2.5	0.13
Corpus & uterus, NOS	-	-	-	-	-	471	3.8	0.17	2.4	0.12
Ovary	-	-	-	-	-	1,005	8.1	0.26	5.0	0.17
Male Genital System	2,288	29.0	0.62	12.7	0.28	-	-	-	-	-
Prostate	2,247	28.6	0.62	12.4	0.27	-	-	-	-	-
Testis	24	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,324	14.9	0.42	8.4	0.24	770	6.1	0.22	3.4	0.14
Bladder	589	7.1	0.30	3.5	0.15	307	2.4	0.14	1.2	0.08
Kidney & renal pelvis	708	7.4	0.29	4.7	0.18	437	3.5	0.17	2.1	0.11
Brain & Other Nervous System	580	5.8	0.25	4.1	0.18	422	3.5	0.17	2.5	0.13
Endocrine System	69	0.7	0.09	0.5	0.07	108	0.9	0.09	0.6	0.07
Thyroid gland	34	0.4	0.06	0.2	0.04	65	0.5	0.07	0.3	0.04
Lymphomas	901	10.0	0.34	5.8	0.20	747	5.9	0.22	3.5	0.14
Hodgkin Lymphoma	59	0.6	0.08	0.4	0.05	56	0.5	0.06	0.3	0.05
Non-Hodgkin Lymphoma	842	9.3	0.33	5.4	0.19	691	5.5	0.21	3.2	0.13
Multiple Myeloma	441	4.9	0.24	2.7	0.14	402	3.2	0.16	1.8	0.10
Leukemias	888	10.0	0.35	5.7	0.20	677	5.4	0.21	3.3	0.14
Other, Ill-defined & Unknown	2,140	23.2	0.52	14.0	0.31	1,687	13.5	0.33	8.4	0.23

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Louisiana, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	17,060	247.6	1.93	143.6	1.15	14,690	160.0	1.33	98.0	0.91
Oral Cavity & Pharynx	327	4.5	0.25	2.9	0.17	145	1.6	0.13	1.0	0.09
Digestive System	4,202	60.1	0.95	36.0	0.58	3,155	33.5	0.60	19.1	0.39
Esophagus	526	7.3	0.32	4.7	0.21	129	1.4	0.12	0.8	0.08
Stomach	358	5.1	0.28	3.0	0.17	203	2.2	0.15	1.2	0.10
Colon & Rectum	1,606	23.3	0.59	13.6	0.36	1,343	14.2	0.39	8.2	0.25
Liver	609	8.5	0.35	5.3	0.22	297	3.2	0.19	1.8	0.12
Pancreas	916	13.1	0.44	7.8	0.27	935	9.9	0.33	5.5	0.20
Respiratory System	6,027	85.6	1.12	51.3	0.69	4,323	47.4	0.73	29.8	0.50
Larynx	181	2.5	0.19	1.6	0.12	54	0.6	0.08	0.4	0.06
Lung & bronchus	5,807	82.5	1.10	49.4	0.68	4,254	46.7	0.72	29.3	0.49
Skin	387	5.6	0.29	3.4	0.18	184	2.0	0.15	1.2	0.10
Melanomas of the skin	286	4.1	0.25	2.6	0.16	152	1.7	0.14	1.0	0.09
Breast	21	0.3	0.07	0.2	0.04	2,117	23.3	0.51	14.9	0.36
Female Genital System	-	-	-	-	-	1,288	14.4	0.41	9.3	0.29
Cervix uteri	-	-	-	-	-	190	2.4	0.17	1.8	0.14
Corpus & uterus, NOS	-	-	-	-	-	258	2.8	0.18	1.8	0.13
Ovary	-	-	-	-	-	756	8.3	0.31	5.2	0.21
Male Genital System	1,343	22.1	0.61	9.4	0.27	-	-	-	-	-
Prostate	1,310	21.6	0.61	9.1	0.26	-	-	-	-	-
Testis	20	0.3	0.07	0.2	0.05	-	-	-	-	-
Urinary System	1,045	15.5	0.49	8.6	0.28	553	5.8	0.25	3.3	0.16
Bladder	496	7.8	0.36	3.9	0.18	220	2.3	0.15	1.1	0.08
Kidney & renal pelvis	527	7.4	0.33	4.6	0.21	319	3.4	0.19	2.1	0.13
Brain & Other Nervous System	457	6.3	0.30	4.4	0.22	345	4.0	0.22	2.8	0.17
Endocrine System	58	0.8	0.11	0.6	0.08	71	0.8	0.10	0.5	0.08
Thyroid gland	31	0.4	0.08	0.2	0.05	50	0.6	0.08	0.3	0.05
Lymphomas	748	11.0	0.41	6.3	0.24	614	6.6	0.27	3.8	0.18
Hodgkin Lymphoma	50	0.7	0.10	0.4	0.07	42	0.5	0.08	0.3	0.06
Non-Hodgkin Lymphoma	698	10.3	0.40	5.8	0.23	572	6.1	0.26	3.5	0.17
Multiple Myeloma	252	3.7	0.24	2.0	0.13	222	2.4	0.16	1.3	0.10
Leukemias	692	10.4	0.40	5.8	0.24	510	5.5	0.25	3.3	0.17
Other, Ill-defined & Unknown	1,501	21.8	0.57	12.8	0.35	1,163	12.6	0.38	7.7	0.26

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Louisiana, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	7,232	346.5	4.31	209.1	2.52	6,202	195.4	2.50	124.1	1.66
Oral Cavity & Pharynx	200	8.2	0.61	5.8	0.42	47	1.4	0.21	1.0	0.16
Digestive System	2,040	94.6	2.21	59.1	1.34	1,642	52.7	1.31	31.2	0.82
Esophagus	230	9.8	0.67	7.1	0.48	70	2.2	0.26	1.5	0.18
Stomach	278	13.5	0.85	8.0	0.49	200	6.5	0.46	3.7	0.28
Colon & Rectum	728	35.4	1.39	20.9	0.80	712	22.8	0.86	13.5	0.54
Liver	354	14.7	0.82	10.1	0.55	138	4.4	0.37	2.8	0.25
Pancreas	369	17.4	0.96	10.6	0.57	431	14.0	0.68	8.1	0.42
Respiratory System	2,451	113.5	2.41	72.3	1.50	1,329	42.1	1.16	27.2	0.78
Larynx	110	4.7	0.47	3.2	0.32	27	0.8	0.15	0.6	0.12
Lung & bronchus	2,327	108.0	2.36	68.7	1.46	1,298	41.2	1.15	26.5	0.77
Skin	36	1.5	0.27	1.0	0.17	16	0.5	0.13	0.3	0.08
Melanomas of the skin	18	0.8	0.20	0.5	0.12	10	0.3	0.11	0.2	0.06
Breast	17	0.8	0.20	0.6	0.14	1,178	35.9	1.05	24.5	0.74
Female Genital System	-	-	-	-	-	680	21.4	0.83	13.8	0.56
Cervix uteri	-	-	-	-	-	199	6.0	0.43	4.4	0.32
Corpus & uterus, NOS	-	-	-	-	-	212	6.8	0.47	4.2	0.31
Ovary	-	-	-	-	-	242	7.8	0.51	4.7	0.32
Male Genital System	933	56.4	1.92	25.3	0.85	-	-	-	-	-
Prostate	926	56.1	1.91	25.1	0.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	275	13.2	0.85	7.9	0.49	213	7.0	0.48	3.9	0.29
Bladder	92	5.0	0.55	2.5	0.27	86	2.9	0.31	1.5	0.17
Kidney & renal pelvis	178	7.9	0.62	5.2	0.40	115	3.8	0.35	2.2	0.21
Brain & Other Nervous System	120	4.8	0.46	3.4	0.32	76	2.3	0.26	1.7	0.21
Endocrine System	11	0.4	0.12	0.3	0.10	36	1.1	0.18	0.8	0.15
Thyroid gland	-	-	-	-	-	15	0.5	0.12	0.3	0.08
Lymphomas	148	6.5	0.57	4.3	0.36	131	4.1	0.36	2.5	0.24
Hodgkin Lymphoma	9	0.3	0.11	0.2	0.08	13	0.4	0.11	0.3	0.08
Non-Hodgkin Lymphoma	139	6.2	0.56	4.1	0.35	118	3.7	0.35	2.3	0.22
Multiple Myeloma	187	9.4	0.72	5.4	0.41	180	5.9	0.45	3.3	0.27
Leukemias	194	8.9	0.69	5.7	0.42	162	5.0	0.40	3.3	0.27
Other, Ill-defined & Unknown	620	28.2	1.20	18.0	0.74	512	16.0	0.71	10.4	0.49

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Louisiana, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	116	127.2	13.37	71.6	6.78	94	80.8	8.94	48.1	5.06
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	51	50.5	7.94	31.2	4.46	30	26.9	5.30	14.7	2.72
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	13.4	4.37	7.6	2.24	-	-	-	-	-
Colon & Rectum	12	10.4	3.26	7.3	2.16	8	7.3	2.75	3.9	1.38
Liver	19	17.5	4.52	11.0	2.57	8	7.8	2.96	3.9	1.39
Pancreas	-	-	-	-	-	8	7.1	2.72	4.1	1.48
Respiratory System	32	36.9	7.39	19.6	3.53	15	13.7	3.76	7.7	2.03
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	30	34.0	7.02	18.4	3.42	15	13.7	3.76	7.7	2.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	19	13.4	3.21	10.2	2.40
Female Genital System	-	-	-	-	-	11	7.4	2.35	5.4	1.64
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	5.1	2.04	3.4	1.28
Male Genital System	9	16.1	5.59	5.7	1.91	-	-	-	-	-
Prostate	8	15.6	5.57	5.1	1.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	12	11.8	3.83	7.7	2.27	10	11.8	3.82	4.9	1.57

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Maine, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	8,199	243.4	2.74	136.6	1.60	7,437	164.7	1.94	99.2	1.31
Oral Cavity & Pharynx	138	3.9	0.34	2.4	0.22	71	1.5	0.18	0.9	0.12
Digestive System	2,002	58.3	1.33	33.9	0.79	1,618	34.7	0.88	19.3	0.55
Esophagus	397	11.2	0.57	7.1	0.37	81	1.8	0.20	1.0	0.13
Stomach	159	4.7	0.38	2.7	0.22	92	2.0	0.21	1.1	0.14
Colon & Rectum	690	20.9	0.81	11.2	0.45	725	15.4	0.58	8.3	0.36
Liver	163	4.6	0.36	2.8	0.23	74	1.6	0.19	0.9	0.12
Pancreas	447	12.7	0.61	7.7	0.38	465	10.0	0.47	5.6	0.30
Respiratory System	2,700	78.3	1.53	45.5	0.92	2,138	48.1	1.05	29.6	0.71
Larynx	79	2.3	0.26	1.3	0.16	25	0.5	0.11	0.3	0.08
Lung & bronchus	2,607	75.6	1.50	43.9	0.90	2,105	47.3	1.04	29.1	0.70
Skin	182	5.4	0.40	3.2	0.26	108	2.4	0.24	1.5	0.16
Melanomas of the skin	140	4.1	0.35	2.6	0.23	90	2.1	0.22	1.3	0.15
Breast	13	0.4	0.11	0.2	0.06	959	21.5	0.70	14.1	0.50
Female Genital System	-	-	-	-	-	688	15.4	0.60	9.9	0.42
Cervix uteri	-	-	-	-	-	83	2.0	0.22	1.4	0.17
Corpus & uterus, NOS	-	-	-	-	-	201	4.5	0.32	2.8	0.22
Ovary	-	-	-	-	-	342	7.7	0.42	4.9	0.29
Male Genital System	760	25.3	0.93	10.6	0.41	-	-	-	-	-
Prostate	750	25.0	0.92	10.4	0.40	-	-	-	-	-
Testis	6	0.2	0.08	0.1	0.06	-	-	-	-	-
Urinary System	555	16.7	0.72	8.8	0.39	288	6.2	0.37	3.3	0.23
Bladder	340	10.5	0.58	5.1	0.29	148	3.1	0.26	1.4	0.14
Kidney & renal pelvis	206	5.9	0.42	3.5	0.26	129	2.9	0.26	1.8	0.18
Brain & Other Nervous System	219	6.1	0.42	4.5	0.33	171	4.1	0.32	2.8	0.25
Endocrine System	26	0.7	0.14	0.5	0.10	38	0.9	0.15	0.6	0.13
Thyroid gland	19	0.5	0.12	0.3	0.08	21	0.5	0.10	0.2	0.06
Lymphomas	328	9.9	0.56	5.6	0.33	288	6.3	0.38	3.5	0.24
Hodgkin Lymphoma	20	0.6	0.14	0.4	0.10	15	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	308	9.3	0.54	5.2	0.32	273	6.0	0.37	3.3	0.23
Multiple Myeloma	141	4.3	0.36	2.3	0.20	119	2.6	0.24	1.3	0.14
Leukemias	338	10.4	0.58	5.6	0.34	220	5.0	0.34	3.2	0.27
Other, Ill-defined & Unknown	797	23.8	0.86	13.5	0.51	731	16.0	0.60	9.2	0.40

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Maine, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	8,123	243.9	2.75	136.9	1.61	7,371	164.9	1.95	99.4	1.32
Oral Cavity & Pharynx	134	3.8	0.34	2.4	0.22	71	1.5	0.19	0.9	0.13
Digestive System	1,984	58.5	1.34	34.0	0.80	1,595	34.5	0.88	19.1	0.55
Esophagus	394	11.2	0.58	7.1	0.37	81	1.8	0.20	1.1	0.14
Stomach	158	4.7	0.38	2.7	0.23	88	1.9	0.21	1.1	0.13
Colon & Rectum	684	20.9	0.81	11.2	0.45	715	15.3	0.58	8.2	0.36
Liver	158	4.5	0.36	2.7	0.22	71	1.5	0.18	0.9	0.12
Pancreas	445	12.8	0.62	7.8	0.38	461	10.1	0.47	5.6	0.30
Respiratory System	2,677	78.5	1.54	45.6	0.93	2,123	48.2	1.06	29.6	0.71
Larynx	78	2.3	0.26	1.3	0.16	25	0.6	0.11	0.4	0.08
Lung & bronchus	2,586	75.8	1.51	44.0	0.91	2,091	47.5	1.05	29.2	0.71
Skin	181	5.4	0.41	3.2	0.25	108	2.5	0.24	1.6	0.17
Melanomas of the skin	139	4.1	0.35	2.6	0.23	90	2.1	0.22	1.3	0.16
Breast	13	0.4	0.11	0.2	0.06	947	21.5	0.71	14.1	0.51
Female Genital System	-	-	-	-	-	682	15.5	0.60	9.9	0.42
Cervix uteri	-	-	-	-	-	81	1.9	0.22	1.4	0.17
Corpus & uterus, NOS	-	-	-	-	-	199	4.5	0.32	2.8	0.22
Ovary	-	-	-	-	-	340	7.7	0.42	4.9	0.30
Male Genital System	752	25.2	0.93	10.6	0.41	-	-	-	-	-
Prostate	742	24.9	0.93	10.4	0.40	-	-	-	-	-
Testis	6	0.2	0.08	0.1	0.06	-	-	-	-	-
Urinary System	549	16.7	0.72	8.8	0.40	288	6.2	0.37	3.4	0.23
Bladder	337	10.5	0.58	5.1	0.30	148	3.1	0.26	1.5	0.14
Kidney & renal pelvis	203	5.9	0.42	3.5	0.26	129	2.9	0.26	1.8	0.18
Brain & Other Nervous System	216	6.2	0.43	4.6	0.34	170	4.1	0.32	2.9	0.26
Endocrine System	26	0.7	0.14	0.5	0.10	38	0.9	0.15	0.6	0.13
Thyroid gland	19	0.5	0.12	0.3	0.08	21	0.5	0.10	0.2	0.06
Lymphomas	323	9.9	0.56	5.6	0.33	287	6.4	0.38	3.5	0.24
Hodgkin Lymphoma	19	0.6	0.14	0.4	0.10	15	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	304	9.3	0.54	5.2	0.32	272	6.0	0.37	3.3	0.23
Multiple Myeloma	140	4.3	0.37	2.3	0.20	118	2.6	0.24	1.3	0.14
Leukemias	337	10.5	0.58	5.7	0.34	218	5.0	0.35	3.2	0.27
Other, Ill-defined & Unknown	791	23.9	0.86	13.5	0.51	726	16.1	0.61	9.3	0.40

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Maine, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	21	141.3	34.89	86.8	19.83	10	88.2	28.80	52.1	17.09
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	43.2	20.16	26.9	11.48	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Maine, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	16	84.0	22.18	63.8	16.36	20	100.3	25.73	55.1	12.66
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	11	63.9	21.79	30.2	9.28
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Maryland, 2004-2008, All Races**

SITES	MALES (ALL RACES)				FEMALES (ALL RACES)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	25,977	229.7	1.47	129.2	0.83	25,451	159.7	1.01	95.5	0.66
Oral Cavity & Pharynx	518	4.2	0.19	2.7	0.12	219	1.4	0.09	0.8	0.06
Digestive System	6,851	58.8	0.73	34.5	0.43	5,757	35.8	0.48	20.0	0.29
Esophagus	974	8.0	0.26	5.1	0.17	271	1.7	0.10	1.0	0.07
Stomach	593	5.3	0.22	2.9	0.12	485	3.0	0.14	1.8	0.09
Colon & Rectum	2,554	22.6	0.46	12.6	0.26	2,433	15.0	0.31	8.1	0.18
Liver	808	6.4	0.23	4.2	0.15	299	1.9	0.11	1.1	0.07
Pancreas	1,484	12.8	0.34	7.5	0.20	1,688	10.5	0.26	5.9	0.16
Respiratory System	8,144	70.3	0.80	41.2	0.47	6,737	42.8	0.53	25.8	0.34
Larynx	305	2.5	0.15	1.6	0.09	83	0.5	0.06	0.3	0.04
Lung & bronchus	7,793	67.4	0.78	39.3	0.46	6,627	42.2	0.52	25.3	0.34
Skin	652	5.8	0.23	3.2	0.13	337	2.1	0.11	1.2	0.07
Melanomas of the skin	490	4.2	0.20	2.5	0.11	276	1.7	0.10	1.1	0.07
Breast	56	0.5	0.07	0.3	0.04	4,116	25.6	0.40	16.5	0.28
Female Genital System	-	-	-	-	-	2,583	16.3	0.32	10.5	0.22
Cervix uteri	-	-	-	-	-	362	2.3	0.12	1.7	0.09
Corpus & uterus, NOS	-	-	-	-	-	741	4.7	0.17	2.9	0.12
Ovary	-	-	-	-	-	1,316	8.3	0.23	5.3	0.16
Male Genital System	2,752	27.9	0.54	12.2	0.24	-	-	-	-	-
Prostate	2,699	27.5	0.54	11.9	0.24	-	-	-	-	-
Testis	36	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,516	13.9	0.37	7.3	0.20	835	5.2	0.18	2.8	0.11
Bladder	795	7.8	0.28	3.6	0.13	415	2.6	0.13	1.2	0.07
Kidney & renal pelvis	686	5.8	0.23	3.5	0.14	384	2.4	0.12	1.5	0.08
Brain & Other Nervous System	576	4.5	0.19	3.3	0.14	510	3.3	0.15	2.3	0.11
Endocrine System	112	0.9	0.09	0.7	0.07	130	0.8	0.07	0.5	0.05
Thyroid gland	66	0.6	0.07	0.3	0.04	83	0.5	0.06	0.3	0.04
Lymphomas	969	8.5	0.28	4.9	0.16	856	5.3	0.18	2.9	0.11
Hodgkin Lymphoma	56	0.4	0.06	0.3	0.05	53	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	913	8.1	0.28	4.5	0.16	803	5.0	0.18	2.7	0.11
Multiple Myeloma	565	5.1	0.22	2.7	0.12	513	3.3	0.14	1.8	0.09
Leukemias	1,045	9.5	0.30	5.2	0.17	831	5.2	0.18	3.0	0.12
Other, Ill-defined & Unknown	2,221	19.8	0.43	11.0	0.24	2,027	12.7	0.28	7.3	0.18

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Maryland, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		123.4		0.95		18,322	157.4		1.18	
All Sites	18,864	221.6	1.64	123.4	0.95	18,322	157.4	1.18	93.3	0.78
Oral Cavity & Pharynx	342	3.8	0.21	2.4	0.14	161	1.4	0.11	0.8	0.07
Digestive System	4,738	54.5	0.81	31.5	0.48	3,864	32.4	0.53	17.7	0.33
Esophagus	745	8.2	0.31	5.2	0.20	190	1.6	0.12	0.9	0.07
Stomach	337	4.0	0.22	2.2	0.12	266	2.3	0.14	1.4	0.10
Colon & Rectum	1,783	21.0	0.51	11.6	0.29	1,671	13.8	0.34	7.3	0.21
Liver	481	5.3	0.25	3.3	0.16	196	1.7	0.12	1.0	0.08
Pancreas	1,083	12.5	0.39	7.2	0.23	1,119	9.4	0.29	5.2	0.18
Respiratory System	5,973	68.9	0.91	39.8	0.54	5,165	45.1	0.63	27.1	0.42
Larynx	192	2.2	0.16	1.3	0.10	56	0.5	0.07	0.3	0.04
Lung & bronchus	5,744	66.3	0.89	38.2	0.53	5,091	44.5	0.63	26.7	0.42
Skin	621	7.3	0.30	4.1	0.17	315	2.7	0.15	1.6	0.11
Melanomas of the skin	482	5.5	0.26	3.3	0.16	262	2.3	0.14	1.4	0.10
Breast	43	0.5	0.08	0.3	0.05	2,751	23.8	0.46	15.1	0.32
Female Genital System	-	-	-	-	-	1,819	15.9	0.38	10.2	0.26
Cervix uteri	-	-	-	-	-	200	1.8	0.13	1.3	0.10
Corpus & uterus, NOS	-	-	-	-	-	454	3.9	0.19	2.5	0.13
Ovary	-	-	-	-	-	1,032	9.0	0.28	5.7	0.20
Male Genital System	1,786	23.2	0.56	9.9	0.25	-	-	-	-	-
Prostate	1,741	22.7	0.55	9.5	0.24	-	-	-	-	-
Testis	32	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,236	14.9	0.43	7.7	0.23	645	5.4	0.22	2.9	0.13
Bladder	683	8.6	0.33	4.0	0.16	323	2.6	0.15	1.3	0.08
Kidney & renal pelvis	524	6.0	0.26	3.6	0.16	296	2.6	0.15	1.5	0.10
Brain & Other Nervous System	470	5.1	0.24	3.7	0.18	430	3.9	0.19	2.8	0.15
Endocrine System	80	0.9	0.10	0.7	0.08	90	0.8	0.08	0.5	0.06
Thyroid gland	51	0.6	0.08	0.4	0.05	61	0.5	0.07	0.3	0.04
Lymphomas	770	9.1	0.33	5.0	0.19	693	5.8	0.22	3.1	0.14
Hodgkin Lymphoma	37	0.4	0.07	0.3	0.05	35	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	733	8.7	0.33	4.7	0.19	658	5.5	0.22	2.8	0.13
Multiple Myeloma	366	4.4	0.23	2.3	0.13	305	2.6	0.15	1.4	0.09
Leukemias	834	10.1	0.36	5.6	0.21	646	5.5	0.22	3.2	0.15
Other, Ill-defined & Unknown	1,605	19.1	0.48	10.4	0.28	1,438	12.2	0.33	6.9	0.21

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Maryland, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	6,551	284.9	3.94	162.8	2.06	6,632	177.7	2.23	108.8	1.39
Oral Cavity & Pharynx	161	5.6	0.48	3.9	0.31	53	1.4	0.20	0.8	0.11
Digestive System	1,891	78.5	2.03	46.5	1.09	1,717	47.8	1.18	27.2	0.69
Esophagus	217	8.4	0.63	5.5	0.38	77	2.0	0.23	1.3	0.16
Stomach	204	9.7	0.76	4.9	0.36	178	5.0	0.38	2.8	0.22
Colon & Rectum	708	31.5	1.33	17.5	0.67	717	19.9	0.76	11.3	0.44
Liver	272	8.9	0.59	6.5	0.40	87	2.3	0.26	1.4	0.16
Pancreas	373	15.1	0.88	9.3	0.49	523	14.8	0.66	8.3	0.38
Respiratory System	2,026	82.5	2.01	50.3	1.14	1,488	40.1	1.06	24.8	0.67
Larynx	111	4.2	0.43	2.9	0.28	27	0.7	0.14	0.5	0.09
Lung & bronchus	1,907	78.1	1.96	47.2	1.11	1,454	39.2	1.05	24.2	0.66
Skin	30	1.2	0.25	0.7	0.13	18	0.5	0.12	0.3	0.07
Melanomas of the skin	8	0.3	0.13	0.2	0.07	11	0.3	0.09	0.2	0.06
Breast	13	0.5	0.17	0.3	0.09	1,292	32.1	0.92	21.5	0.61
Female Genital System	-	-	-	-	-	712	18.7	0.72	12.1	0.47
Cervix uteri	-	-	-	-	-	153	3.7	0.31	2.6	0.21
Corpus & uterus, NOS	-	-	-	-	-	275	7.6	0.47	4.7	0.29
Ovary	-	-	-	-	-	257	6.7	0.43	4.4	0.28
Male Genital System	933	54.0	1.94	24.0	0.81	-	-	-	-	-
Prostate	926	53.8	1.94	23.9	0.80	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	260	11.3	0.80	6.6	0.42	177	5.0	0.38	2.8	0.22
Bladder	106	5.5	0.60	2.8	0.27	87	2.6	0.28	1.2	0.14
Kidney & renal pelvis	149	5.5	0.50	3.7	0.31	81	2.2	0.25	1.4	0.17
Brain & Other Nervous System	87	2.8	0.32	2.1	0.23	68	1.7	0.22	1.2	0.15
Endocrine System	28	1.0	0.21	0.7	0.14	36	1.0	0.16	0.7	0.12
Thyroid gland	12	0.5	0.16	0.3	0.09	19	0.5	0.12	0.3	0.07
Lymphomas	171	5.9	0.49	4.1	0.32	150	4.0	0.34	2.5	0.21
Hodgkin Lymphoma	14	0.4	0.11	0.3	0.09	16	0.4	0.09	0.3	0.07
Non-Hodgkin Lymphoma	157	5.5	0.48	3.8	0.31	134	3.6	0.32	2.2	0.20
Multiple Myeloma	182	8.6	0.70	4.6	0.35	200	5.7	0.41	3.2	0.24
Leukemias	193	8.1	0.66	4.7	0.35	171	4.7	0.37	2.8	0.22
Other, Ill-defined & Unknown	576	24.8	1.16	14.2	0.61	550	14.9	0.65	9.1	0.40

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Maryland, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.	S.E.				Adj. Rate World	S.E.		
All Sites	527	115.0	5.55	65.6	2.89	470	81.2	3.90	47.1	2.23
Oral Cavity & Pharynx	14	3.0	0.89	1.7	0.47	-	-	-	-	-
Digestive System	208	43.6	3.35	25.7	1.79	170	30.7	2.44	16.8	1.32
Esophagus	10	2.7	0.95	1.3	0.41	-	-	-	-	-
Stomach	51	11.8	1.83	6.2	0.88	40	6.9	1.15	4.0	0.65
Colon & Rectum	58	11.7	1.71	7.0	0.93	44	8.2	1.28	4.3	0.66
Liver	51	9.0	1.34	6.4	0.90	16	3.0	0.78	1.5	0.39
Pancreas	26	5.8	1.25	3.3	0.65	42	7.6	1.21	4.2	0.67
Respiratory System	136	30.1	2.87	17.4	1.50	77	14.3	1.69	7.3	0.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	133	29.3	2.82	17.0	1.49	75	13.9	1.67	7.1	0.85
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	72	10.9	1.34	7.3	0.88
Female Genital System	-	-	-	-	-	46	7.3	1.12	4.8	0.72
Cervix uteri	-	-	-	-	-	9	1.3	0.46	1.0	0.33
Corpus & uterus, NOS	-	-	-	-	-	11	1.7	0.55	1.1	0.35
Ovary	-	-	-	-	-	22	3.4	0.76	2.3	0.50
Male Genital System	31	8.6	1.65	3.7	0.68	-	-	-	-	-
Prostate	30	8.5	1.64	3.6	0.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	19	5.2	1.33	2.4	0.55	12	2.2	0.66	1.1	0.33
Bladder	6	2.2	0.95	0.8	0.34	-	-	-	-	-
Kidney & renal pelvis	12	2.8	0.91	1.4	0.42	6	1.2	0.49	0.5	0.20
Brain & Other Nervous System	18	2.9	0.73	2.4	0.57	12	1.7	0.51	1.6	0.46
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	26	5.0	1.10	3.2	0.62	13	2.3	0.66	1.4	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	22	4.5	1.07	2.6	0.57	11	2.1	0.64	1.2	0.37
Multiple Myeloma	17	3.9	1.02	2.0	0.50	8	1.4	0.51	0.8	0.27
Leukemias	17	3.5	0.91	1.9	0.47	12	1.8	0.55	1.3	0.39
Other, Ill-defined & Unknown	36	8.1	1.49	4.6	0.77	35	6.5	1.14	3.4	0.58

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Massachusetts, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	33,106	227.3	1.26	125.8	0.74	32,854	156.0	0.88	92.5	0.59
Oral Cavity & Pharynx	605	3.9	0.16	2.6	0.11	291	1.4	0.08	0.8	0.06
Digestive System	8,845	59.5	0.64	34.5	0.39	7,548	34.6	0.41	18.7	0.25
Esophagus	1,461	9.6	0.25	6.0	0.16	434	2.1	0.10	1.2	0.06
Stomach	822	5.7	0.20	3.1	0.11	545	2.5	0.11	1.3	0.07
Colon & Rectum	2,905	20.1	0.38	10.8	0.21	3,235	14.4	0.26	7.4	0.16
Liver	1,131	7.2	0.22	4.7	0.15	364	1.7	0.09	1.0	0.06
Pancreas	1,963	13.2	0.30	7.8	0.19	2,196	10.3	0.22	5.7	0.14
Respiratory System	9,796	66.6	0.68	38.3	0.41	8,861	43.4	0.47	26.4	0.32
Larynx	324	2.1	0.12	1.3	0.08	101	0.5	0.05	0.3	0.04
Lung & bronchus	9,411	64.0	0.67	36.8	0.40	8,722	42.7	0.46	26.0	0.31
Skin	833	5.7	0.20	3.2	0.12	538	2.5	0.11	1.6	0.08
Melanomas of the skin	633	4.2	0.17	2.5	0.10	427	2.1	0.10	1.4	0.07
Breast	58	0.4	0.05	0.2	0.03	4,614	22.3	0.33	14.3	0.24
Female Genital System	-	-	-	-	-	3,121	15.1	0.28	9.5	0.19
Cervix uteri	-	-	-	-	-	270	1.4	0.09	1.0	0.07
Corpus & uterus, NOS	-	-	-	-	-	869	4.2	0.14	2.6	0.10
Ovary	-	-	-	-	-	1,771	8.6	0.21	5.4	0.14
Male Genital System	3,295	24.5	0.43	10.1	0.19	-	-	-	-	-
Prostate	3,232	24.1	0.43	9.9	0.19	-	-	-	-	-
Testis	30	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,226	15.6	0.33	8.0	0.18	1,103	5.0	0.16	2.7	0.10
Bladder	1,296	9.3	0.26	4.3	0.13	570	2.5	0.11	1.3	0.06
Kidney & renal pelvis	871	5.9	0.20	3.4	0.12	510	2.4	0.11	1.4	0.07
Brain & Other Nervous System	816	5.2	0.18	3.6	0.13	629	3.2	0.13	2.3	0.10
Endocrine System	118	0.8	0.08	0.6	0.06	148	0.7	0.06	0.5	0.05
Thyroid gland	75	0.5	0.06	0.3	0.03	93	0.4	0.05	0.3	0.03
Lymphomas	1,299	9.1	0.25	4.8	0.14	1,260	5.7	0.17	3.0	0.10
Hodgkin Lymphoma	62	0.4	0.05	0.3	0.04	54	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,237	8.7	0.25	4.5	0.14	1,206	5.4	0.16	2.8	0.10
Multiple Myeloma	633	4.4	0.18	2.4	0.10	531	2.5	0.11	1.3	0.07
Leukemias	1,331	9.3	0.26	5.1	0.15	1,106	5.3	0.16	3.2	0.12
Other, Ill-defined & Unknown	3,251	22.3	0.40	12.5	0.23	3,104	14.4	0.26	8.2	0.17

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Massachusetts, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	31,165	229.1	1.31	126.7	0.77	31,099	158.1	0.92	93.9	0.62
Oral Cavity & Pharynx	554	3.9	0.17	2.5	0.11	280	1.4	0.09	0.8	0.06
Digestive System	8,199	59.3	0.66	34.2	0.40	7,061	34.4	0.42	18.6	0.26
Esophagus	1,385	9.8	0.27	6.1	0.17	405	2.0	0.10	1.1	0.07
Stomach	738	5.4	0.20	2.9	0.12	482	2.3	0.11	1.2	0.07
Colon & Rectum	2,729	20.3	0.39	10.8	0.22	3,070	14.5	0.27	7.5	0.16
Liver	969	6.7	0.22	4.3	0.15	322	1.6	0.09	0.9	0.06
Pancreas	1,854	13.3	0.31	7.9	0.19	2,066	10.3	0.23	5.7	0.15
Respiratory System	9,239	67.2	0.71	38.7	0.43	8,503	44.7	0.49	27.3	0.34
Larynx	302	2.1	0.12	1.3	0.08	98	0.5	0.05	0.3	0.04
Lung & bronchus	8,878	64.7	0.69	37.1	0.42	8,370	44.0	0.49	26.9	0.33
Skin	824	6.0	0.21	3.4	0.13	529	2.7	0.12	1.7	0.08
Melanomas of the skin	631	4.5	0.18	2.7	0.11	421	2.2	0.11	1.5	0.08
Breast	51	0.4	0.05	0.2	0.03	4,330	22.5	0.35	14.4	0.25
Female Genital System	-	-	-	-	-	2,953	15.3	0.29	9.7	0.20
Cervix uteri	-	-	-	-	-	242	1.4	0.09	1.0	0.07
Corpus & uterus, NOS	-	-	-	-	-	810	4.1	0.15	2.6	0.10
Ovary	-	-	-	-	-	1,701	8.9	0.22	5.6	0.15
Male Genital System	3,089	24.3	0.44	10.1	0.19	-	-	-	-	-
Prostate	3,027	23.8	0.44	9.8	0.19	-	-	-	-	-
Testis	30	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,161	16.2	0.35	8.3	0.19	1,050	5.1	0.16	2.7	0.10
Bladder	1,263	9.6	0.27	4.5	0.14	540	2.6	0.11	1.3	0.07
Kidney & renal pelvis	840	6.1	0.21	3.5	0.13	488	2.4	0.11	1.4	0.07
Brain & Other Nervous System	791	5.5	0.20	3.8	0.14	616	3.4	0.14	2.4	0.11
Endocrine System	110	0.8	0.08	0.6	0.07	133	0.7	0.06	0.5	0.05
Thyroid gland	70	0.5	0.06	0.3	0.04	85	0.4	0.05	0.2	0.03
Lymphomas	1,222	9.1	0.26	4.8	0.15	1,197	5.8	0.17	3.0	0.11
Hodgkin Lymphoma	58	0.4	0.06	0.3	0.04	52	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,164	8.7	0.26	4.5	0.14	1,145	5.5	0.17	2.8	0.10
Multiple Myeloma	582	4.3	0.18	2.3	0.10	487	2.4	0.11	1.3	0.07
Leukemias	1,260	9.4	0.27	5.2	0.16	1,032	5.3	0.17	3.1	0.12
Other, Ill-defined & Unknown	3,083	22.7	0.41	12.6	0.25	2,928	14.4	0.27	8.2	0.18

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Massachusetts, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,382	251.6	7.46	142.5	3.94	1,317	153.3	4.31	93.0	2.67
Oral Cavity & Pharynx	28	4.0	0.80	3.0	0.58	7	0.9	0.33	0.4	0.17
Digestive System	422	69.7	3.74	43.4	2.17	340	41.3	2.28	22.7	1.29
Esophagus	56	8.3	1.19	5.9	0.81	25	2.9	0.58	1.8	0.38
Stomach	60	10.9	1.52	6.4	0.85	38	4.6	0.75	2.6	0.44
Colon & Rectum	124	21.3	2.10	12.7	1.18	122	15.1	1.39	7.8	0.74
Liver	74	10.3	1.34	7.3	0.87	19	2.2	0.52	1.2	0.30
Pancreas	86	15.2	1.83	8.7	0.97	95	11.7	1.22	6.5	0.70
Respiratory System	402	71.8	3.88	42.2	2.16	269	31.8	1.97	19.4	1.23
Larynx	20	3.8	0.93	2.1	0.47	-	-	-	-	-
Lung & bronchus	380	67.5	3.74	40.0	2.10	265	31.4	1.97	19.1	1.22
Skin	-	-	-	-	-	6	0.7	0.29	0.4	0.19
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	6	0.8	0.36	0.6	0.26	242	25.6	1.68	17.8	1.18
Female Genital System	-	-	-	-	-	129	15.0	1.35	9.4	0.86
Cervix uteri	-	-	-	-	-	22	2.3	0.50	1.6	0.35
Corpus & uterus, NOS	-	-	-	-	-	48	5.8	0.85	3.5	0.53
Ovary	-	-	-	-	-	51	5.9	0.85	3.6	0.53
Male Genital System	177	45.6	3.62	18.4	1.42	-	-	-	-	-
Prostate	176	45.4	3.61	18.3	1.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	52	10.5	1.62	5.3	0.76	44	5.5	0.84	2.8	0.44
Bladder	28	5.7	1.21	2.8	0.54	27	3.6	0.70	1.6	0.31
Kidney & renal pelvis	24	4.8	1.08	2.5	0.53	16	1.8	0.46	1.1	0.29
Brain & Other Nervous System	15	1.5	0.40	1.3	0.35	11	1.1	0.34	1.0	0.30
Endocrine System	-	-	-	-	-	11	1.2	0.37	0.8	0.26
Thyroid gland	-	-	-	-	-	6	0.7	0.28	0.4	0.18
Lymphomas	54	8.5	1.25	5.3	0.74	38	4.5	0.75	2.7	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	51	8.2	1.24	5.1	0.73	37	4.4	0.74	2.6	0.45
Multiple Myeloma	45	7.5	1.23	4.6	0.71	40	5.0	0.81	2.6	0.43
Leukemias	52	9.5	1.45	5.3	0.76	50	5.8	0.84	3.6	0.53
Other, Ill-defined & Unknown	120	20.7	2.12	12.1	1.14	130	15.0	1.34	9.3	0.85

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Massachusetts, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	532	130.4	6.12	74.8	3.33	411	83.9	4.31	49.6	2.56
Oral Cavity & Pharynx	23	4.7	1.10	2.9	0.62	-	-	-	-	-
Digestive System	215	49.5	3.66	30.5	2.14	140	29.8	2.60	16.9	1.50
Esophagus	17	4.6	1.20	2.5	0.62	-	-	-	-	-
Stomach	23	6.2	1.36	3.3	0.71	24	4.8	1.02	2.9	0.61
Colon & Rectum	50	11.7	1.80	7.1	1.03	42	8.9	1.42	4.9	0.79
Liver	87	18.0	2.08	12.2	1.35	20	4.4	1.00	2.5	0.59
Pancreas	22	5.3	1.22	3.2	0.70	33	7.3	1.30	4.1	0.75
Respiratory System	149	38.8	3.41	20.8	1.74	82	18.3	2.07	9.6	1.11
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	147	38.4	3.40	20.4	1.72	80	17.9	2.05	9.4	1.10
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	41	7.6	1.24	5.0	0.81
Female Genital System	-	-	-	-	-	37	6.7	1.15	4.6	0.79
Cervix uteri	-	-	-	-	-	6	1.0	0.43	0.8	0.35
Corpus & uterus, NOS	-	-	-	-	-	11	2.3	0.71	1.4	0.44
Ovary	-	-	-	-	-	17	2.8	0.71	2.0	0.51
Male Genital System	27	9.9	1.95	3.5	0.69	-	-	-	-	-
Prostate	27	9.9	1.95	3.5	0.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	3.8	1.09	1.8	0.52	7	1.5	0.59	0.8	0.32
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	2.2	0.84	1.0	0.39	-	-	-	-	-
Brain & Other Nervous System	10	1.8	0.63	1.4	0.47	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	19	4.4	1.07	2.9	0.68	24	5.1	1.08	2.8	0.60
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	18	4.2	1.05	2.7	0.65	23	5.0	1.08	2.7	0.59
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	18	4.5	1.16	2.4	0.57	22	3.1	0.71	2.7	0.60
Other, Ill-defined & Unknown	45	9.5	1.53	6.6	1.00	43	9.4	1.47	5.4	0.86

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Michigan, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	Adj. Rate		Deaths	Adj. Rate 2000 U.S.	Adj. Rate		Deaths	Adj. Rate 2000 U.S.
			S.E.	World			S.E.	World		
All Sites	51,583	231.1	1.04	131.8	0.61	48,654	162.1	0.74	98.8	0.50
Oral Cavity & Pharynx	971	4.0	0.13	2.7	0.09	434	1.4	0.07	0.9	0.05
Digestive System	13,143	57.5	0.51	34.0	0.31	10,782	35.1	0.34	19.8	0.22
Esophagus	2,048	8.7	0.20	5.5	0.13	558	1.8	0.08	1.1	0.05
Stomach	1,118	5.0	0.15	2.9	0.09	717	2.3	0.09	1.3	0.05
Colon & Rectum	4,560	20.6	0.31	11.5	0.18	4,671	15.1	0.22	8.2	0.14
Liver	1,453	5.9	0.16	3.9	0.11	708	2.3	0.09	1.3	0.06
Pancreas	3,126	13.6	0.25	8.1	0.15	2,996	9.9	0.18	5.7	0.12
Respiratory System	16,966	74.5	0.58	44.1	0.35	13,226	44.8	0.39	28.0	0.27
Larynx	576	2.4	0.10	1.6	0.07	168	0.6	0.04	0.4	0.03
Lung & bronchus	16,265	71.5	0.57	42.3	0.35	12,983	43.9	0.39	27.5	0.26
Skin	1,089	4.8	0.15	2.8	0.09	594	2.0	0.08	1.2	0.06
Melanomas of the skin	833	3.6	0.13	2.2	0.08	450	1.5	0.07	1.0	0.05
Breast	80	0.4	0.04	0.2	0.02	7,253	24.4	0.29	15.9	0.20
Female Genital System	-	-	-	-	-	4,890	16.5	0.24	10.7	0.17
Cervix uteri	-	-	-	-	-	566	2.0	0.09	1.5	0.07
Corpus & uterus, NOS	-	-	-	-	-	1,425	4.7	0.13	3.0	0.09
Ovary	-	-	-	-	-	2,609	8.8	0.17	5.6	0.12
Male Genital System	4,779	24.1	0.35	10.5	0.16	-	-	-	-	-
Prostate	4,667	23.6	0.35	10.1	0.16	-	-	-	-	-
Testis	61	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,183	14.7	0.27	7.8	0.14	1,676	5.4	0.13	3.0	0.08
Bladder	1,771	8.5	0.21	4.1	0.10	716	2.3	0.09	1.1	0.05
Kidney & renal pelvis	1,333	5.8	0.16	3.5	0.10	911	3.0	0.10	1.8	0.07
Brain & Other Nervous System	1,447	6.0	0.16	4.2	0.12	1,099	3.8	0.12	2.7	0.09
Endocrine System	203	0.9	0.06	0.6	0.05	233	0.8	0.05	0.5	0.04
Thyroid gland	106	0.5	0.05	0.3	0.03	145	0.5	0.04	0.2	0.02
Lymphomas	2,138	9.8	0.22	5.4	0.12	1,993	6.5	0.15	3.6	0.09
Hodgkin Lymphoma	131	0.6	0.05	0.4	0.04	93	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	2,007	9.2	0.21	5.0	0.12	1,900	6.2	0.14	3.4	0.09
Multiple Myeloma	1,098	5.0	0.15	2.7	0.09	886	2.9	0.10	1.6	0.06
Leukemias	2,314	10.6	0.23	5.9	0.13	1,785	5.9	0.14	3.4	0.10
Other, Ill-defined & Unknown	4,172	18.7	0.30	10.8	0.18	3,803	12.5	0.21	7.4	0.14

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Michigan, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	44,341	225.1	1.09	127.4	0.64	41,644	158.6	0.79	95.8	0.53
Oral Cavity & Pharynx	807	3.8	0.14	2.5	0.09	356	1.3	0.07	0.8	0.05
Digestive System	10,978	54.6	0.53	31.9	0.32	9,069	33.6	0.36	18.7	0.23
Esophagus	1,829	8.8	0.21	5.5	0.13	478	1.8	0.08	1.0	0.05
Stomach	841	4.2	0.15	2.5	0.09	561	2.1	0.09	1.1	0.06
Colon & Rectum	3,823	19.6	0.32	10.8	0.18	3,960	14.5	0.23	7.8	0.14
Liver	1,063	5.1	0.16	3.2	0.10	564	2.1	0.09	1.2	0.06
Pancreas	2,683	13.2	0.26	7.8	0.16	2,537	9.5	0.19	5.4	0.12
Respiratory System	14,585	72.6	0.61	42.6	0.37	11,465	44.5	0.42	27.7	0.29
Larynx	467	2.2	0.10	1.4	0.07	129	0.5	0.04	0.3	0.03
Lung & bronchus	14,002	69.8	0.60	40.8	0.36	11,265	43.7	0.42	27.2	0.28
Skin	1,055	5.3	0.17	3.1	0.10	563	2.2	0.09	1.4	0.07
Melanomas of the skin	820	4.1	0.14	2.5	0.09	433	1.7	0.08	1.1	0.06
Breast	64	0.3	0.04	0.2	0.02	6,007	23.2	0.30	14.9	0.21
Female Genital System	-	-	-	-	-	4,195	16.3	0.25	10.5	0.18
Cervix uteri	-	-	-	-	-	409	1.7	0.09	1.3	0.07
Corpus & uterus, NOS	-	-	-	-	-	1,171	4.4	0.13	2.8	0.09
Ovary	-	-	-	-	-	2,354	9.1	0.19	5.8	0.13
Male Genital System	3,867	21.9	0.36	9.4	0.16	-	-	-	-	-
Prostate	3,772	21.4	0.35	9.0	0.15	-	-	-	-	-
Testis	51	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,922	15.2	0.29	8.0	0.16	1,475	5.4	0.14	3.0	0.09
Bladder	1,656	8.9	0.22	4.3	0.11	626	2.2	0.09	1.1	0.05
Kidney & renal pelvis	1,193	5.9	0.17	3.5	0.11	807	3.0	0.11	1.8	0.07
Brain & Other Nervous System	1,337	6.4	0.18	4.5	0.13	1,002	4.0	0.13	2.9	0.10
Endocrine System	182	0.9	0.07	0.7	0.05	193	0.7	0.05	0.5	0.05
Thyroid gland	99	0.5	0.05	0.3	0.03	128	0.5	0.04	0.3	0.03
Lymphomas	1,944	10.1	0.23	5.4	0.13	1,830	6.8	0.16	3.7	0.10
Hodgkin Lymphoma	111	0.6	0.05	0.4	0.04	84	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,833	9.5	0.23	5.1	0.13	1,746	6.5	0.16	3.5	0.10
Multiple Myeloma	898	4.6	0.16	2.5	0.09	667	2.5	0.10	1.3	0.06
Leukemias	2,081	10.9	0.24	6.0	0.14	1,572	5.9	0.15	3.4	0.10
Other, Ill-defined & Unknown	3,621	18.4	0.31	10.6	0.19	3,250	12.2	0.22	7.1	0.15

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Michigan, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	6,694	299.4	3.86	179.9	2.28	6,494	193.8	2.43	123.5	1.63
Oral Cavity & Pharynx	152	6.0	0.51	4.2	0.35	72	2.1	0.25	1.4	0.18
Digestive System	1,973	84.8	2.01	53.3	1.24	1,564	47.5	1.21	28.2	0.76
Esophagus	197	7.8	0.58	5.5	0.40	75	2.2	0.25	1.5	0.18
Stomach	246	11.4	0.77	6.5	0.43	140	4.3	0.37	2.4	0.22
Colon & Rectum	684	31.4	1.27	18.1	0.72	656	20.0	0.79	11.5	0.48
Liver	343	12.5	0.70	9.3	0.52	122	3.5	0.32	2.3	0.22
Pancreas	410	17.8	0.92	11.3	0.58	426	13.1	0.64	7.9	0.41
Respiratory System	2,209	95.3	2.12	60.7	1.34	1,631	48.9	1.22	31.3	0.82
Larynx	102	4.3	0.44	2.9	0.29	38	1.1	0.18	0.8	0.13
Lung & bronchus	2,099	90.7	2.07	57.7	1.30	1,589	47.7	1.21	30.4	0.81
Skin	30	1.2	0.23	0.8	0.15	29	0.9	0.16	0.5	0.10
Melanomas of the skin	10	0.5	0.15	0.3	0.08	15	0.5	0.12	0.2	0.07
Breast	16	0.6	0.16	0.5	0.13	1,193	34.5	1.01	23.8	0.72
Female Genital System	-	-	-	-	-	636	18.9	0.76	12.6	0.53
Cervix uteri	-	-	-	-	-	149	4.2	0.35	3.0	0.26
Corpus & uterus, NOS	-	-	-	-	-	239	7.2	0.47	4.8	0.33
Ovary	-	-	-	-	-	223	6.7	0.45	4.3	0.31
Male Genital System	872	47.8	1.69	22.0	0.78	-	-	-	-	-
Prostate	858	47.2	1.68	21.6	0.77	-	-	-	-	-
Testis	7	0.2	0.08	0.2	0.07	-	-	-	-	-
Urinary System	238	11.1	0.76	6.1	0.41	191	5.8	0.43	3.3	0.26
Bladder	109	5.5	0.56	2.8	0.27	87	2.7	0.29	1.5	0.17
Kidney & renal pelvis	123	5.3	0.50	3.2	0.30	98	3.0	0.30	1.7	0.18
Brain & Other Nervous System	94	3.6	0.39	2.5	0.27	82	2.3	0.26	1.9	0.22
Endocrine System	19	0.8	0.19	0.5	0.12	33	1.0	0.17	0.6	0.11
Thyroid gland	6	0.3	0.14	0.2	0.07	15	0.5	0.12	0.2	0.05
Lymphomas	172	7.3	0.59	4.6	0.36	148	4.4	0.36	2.9	0.25
Hodgkin Lymphoma	17	0.7	0.18	0.5	0.12	9	0.2	0.08	0.2	0.07
Non-Hodgkin Lymphoma	155	6.6	0.56	4.2	0.35	139	4.1	0.35	2.7	0.24
Multiple Myeloma	189	8.8	0.67	5.1	0.39	211	6.4	0.45	3.8	0.28
Leukemias	215	9.5	0.68	5.4	0.38	197	6.0	0.43	3.5	0.27
Other, Ill-defined & Unknown	515	22.7	1.06	14.0	0.64	507	15.0	0.67	9.7	0.46

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Michigan, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)				FEMALES (API)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	287	99.9	6.80	55.0	3.32	301	79.5	4.92	49.7	2.93
Oral Cavity & Pharynx	7	1.7	0.65	1.3	0.51	-	-	-	-	-
Digestive System	113	37.0	4.05	21.5	2.07	98	26.8	2.91	16.0	1.65
Esophagus	6	2.6	1.19	1.2	0.50	-	-	-	-	-
Stomach	27	10.3	2.33	5.0	0.99	12	2.7	0.83	1.8	0.55
Colon & Rectum	26	8.8	1.96	5.2	1.03	32	8.0	1.51	5.4	0.98
Liver	32	8.6	1.71	6.0	1.09	18	5.9	1.49	2.7	0.65
Pancreas	17	5.3	1.48	3.1	0.79	23	6.5	1.44	3.9	0.84
Respiratory System	64	22.3	3.12	12.4	1.58	57	16.1	2.26	9.5	1.29
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	62	21.9	3.11	12.0	1.55	57	16.1	2.26	9.5	1.29
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	32	7.9	1.49	5.4	0.97
Female Genital System	-	-	-	-	-	41	10.1	1.69	7.0	1.10
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	11	2.7	0.86	1.9	0.58
Ovary	-	-	-	-	-	24	6.3	1.38	4.0	0.83
Male Genital System	23	10.4	2.37	4.7	0.98	-	-	-	-	-
Prostate	22	9.9	2.31	4.5	0.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	4.1	1.45	1.9	0.62	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	8	2.8	1.09	1.5	0.53	-	-	-	-	-
Brain & Other Nervous System	11	3.5	1.30	2.1	0.66	9	1.9	0.70	1.6	0.53
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	17	5.6	1.61	2.8	0.70	7	1.9	0.77	1.2	0.47
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	15	5.2	1.59	2.6	0.67	7	1.9	0.77	1.2	0.47
Multiple Myeloma	6	2.8	1.28	1.4	0.56	7	2.4	0.96	1.1	0.41
Leukemias	11	2.8	0.93	1.9	0.59	9	2.0	0.75	1.4	0.49
Other, Ill-defined & Unknown	20	8.5	2.16	4.2	0.95	28	6.8	1.38	4.5	0.87

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Metropolitan Detroit, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	19,837	231.7	1.68	133.3	1.00	20,008	166.9	1.19	102.7	0.82
Oral Cavity & Pharynx	411	4.4	0.22	3.0	0.15	171	1.4	0.11	0.9	0.08
Digestive System	5,333	60.8	0.85	36.3	0.52	4,497	36.7	0.55	20.9	0.36
Esophagus	747	8.2	0.31	5.3	0.20	217	1.8	0.12	1.1	0.08
Stomach	524	6.1	0.27	3.5	0.16	382	3.1	0.16	1.7	0.10
Colon & Rectum	1,835	21.7	0.52	12.0	0.30	1,899	15.3	0.36	8.4	0.22
Liver	653	6.9	0.28	4.6	0.19	347	2.9	0.16	1.7	0.10
Pancreas	1,245	14.1	0.41	8.6	0.26	1,226	10.1	0.29	5.9	0.19
Respiratory System	6,465	74.5	0.94	44.4	0.58	5,468	46.4	0.63	29.0	0.43
Larynx	229	2.5	0.17	1.7	0.12	74	0.6	0.07	0.4	0.05
Lung & bronchus	6,200	71.6	0.93	42.5	0.57	5,369	45.5	0.63	28.4	0.43
Skin	338	3.9	0.22	2.3	0.13	184	1.5	0.11	1.0	0.08
Melanomas of the skin	251	2.9	0.19	1.7	0.12	137	1.1	0.10	0.7	0.07
Breast	41	0.4	0.07	0.3	0.05	3,227	27.1	0.48	17.9	0.35
Female Genital System	-	-	-	-	-	2,008	17.0	0.38	11.2	0.27
Cervix uteri	-	-	-	-	-	290	2.6	0.15	1.9	0.12
Corpus & uterus, NOS	-	-	-	-	-	618	5.2	0.21	3.3	0.15
Ovary	-	-	-	-	-	1,001	8.4	0.27	5.4	0.19
Male Genital System	1,909	24.9	0.58	11.1	0.27	-	-	-	-	-
Prostate	1,873	24.5	0.58	10.8	0.27	-	-	-	-	-
Testis	18	0.2	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,101	13.3	0.41	7.0	0.22	628	5.1	0.21	2.9	0.13
Bladder	614	7.8	0.32	3.7	0.16	283	2.3	0.14	1.1	0.08
Kidney & renal pelvis	466	5.3	0.25	3.2	0.15	326	2.7	0.15	1.6	0.11
Brain & Other Nervous System	498	5.4	0.25	3.7	0.17	396	3.4	0.18	2.5	0.14
Endocrine System	83	0.9	0.11	0.7	0.08	87	0.7	0.08	0.5	0.07
Thyroid gland	40	0.5	0.08	0.3	0.05	47	0.4	0.06	0.2	0.03
Lymphomas	780	9.3	0.34	5.1	0.19	764	6.3	0.23	3.6	0.15
Hodgkin Lymphoma	54	0.6	0.08	0.4	0.06	33	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	726	8.7	0.33	4.7	0.19	731	6.0	0.22	3.4	0.14
Multiple Myeloma	421	5.0	0.25	2.8	0.14	368	3.0	0.16	1.7	0.10
Leukemias	875	10.5	0.36	5.9	0.21	721	5.9	0.22	3.4	0.15
Other, Ill-defined & Unknown	1,582	18.4	0.47	10.9	0.29	1,489	12.2	0.32	7.3	0.22

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Metropolitan Detroit, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	14,696	219.1	1.83	124.1	1.09	14,849	160.8	1.34	97.6	0.92
Oral Cavity & Pharynx	288	4.0	0.24	2.7	0.17	118	1.3	0.12	0.8	0.09
Digestive System	3,774	55.3	0.91	32.2	0.55	3,210	33.6	0.60	18.7	0.39
Esophagus	603	8.5	0.35	5.5	0.23	162	1.7	0.14	1.0	0.09
Stomach	311	4.6	0.27	2.7	0.16	255	2.7	0.17	1.4	0.11
Colon & Rectum	1,297	19.6	0.55	10.6	0.31	1,370	14.1	0.39	7.6	0.24
Liver	398	5.6	0.28	3.4	0.18	235	2.5	0.17	1.4	0.11
Pancreas	913	13.3	0.45	7.9	0.28	878	9.3	0.32	5.3	0.21
Respiratory System	4,820	71.2	1.04	41.5	0.63	4,207	46.6	0.73	29.1	0.50
Larynx	155	2.2	0.18	1.5	0.12	46	0.5	0.08	0.3	0.05
Lung & bronchus	4,633	68.5	1.02	39.8	0.62	4,137	45.8	0.72	28.5	0.50
Skin	317	4.6	0.26	2.8	0.16	166	1.8	0.14	1.2	0.11
Melanomas of the skin	244	3.6	0.23	2.2	0.15	128	1.4	0.13	1.0	0.10
Breast	26	0.4	0.07	0.2	0.04	2,260	24.8	0.53	16.0	0.38
Female Genital System	-	-	-	-	-	1,476	16.4	0.43	10.6	0.31
Cervix uteri	-	-	-	-	-	169	2.0	0.16	1.5	0.12
Corpus & uterus, NOS	-	-	-	-	-	426	4.6	0.23	2.9	0.16
Ovary	-	-	-	-	-	803	8.9	0.32	5.7	0.23
Male Genital System	1,218	19.9	0.58	8.6	0.26	-	-	-	-	-
Prostate	1,193	19.5	0.57	8.3	0.26	-	-	-	-	-
Testis	12	0.2	0.05	0.1	0.04	-	-	-	-	-
Urinary System	929	14.2	0.47	7.4	0.26	488	5.1	0.24	2.8	0.16
Bladder	532	8.4	0.37	4.0	0.18	219	2.2	0.15	1.1	0.09
Kidney & renal pelvis	380	5.5	0.29	3.3	0.18	254	2.7	0.17	1.7	0.13
Brain & Other Nervous System	422	5.9	0.29	4.1	0.21	331	3.8	0.21	2.7	0.16
Endocrine System	68	1.0	0.12	0.7	0.10	62	0.7	0.09	0.5	0.07
Thyroid gland	35	0.5	0.09	0.3	0.06	38	0.4	0.07	0.2	0.04
Lymphomas	644	9.7	0.39	5.2	0.22	661	7.0	0.28	3.9	0.18
Hodgkin Lymphoma	42	0.6	0.09	0.4	0.07	26	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	602	9.2	0.38	4.8	0.21	635	6.7	0.27	3.7	0.17
Multiple Myeloma	287	4.3	0.26	2.4	0.15	212	2.2	0.16	1.2	0.10
Leukemias	708	10.8	0.41	6.0	0.25	566	6.0	0.26	3.4	0.18
Other, Ill-defined & Unknown	1,195	17.8	0.52	10.3	0.32	1,092	11.6	0.36	6.6	0.24

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Metropolitan Detroit, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate	S.E.
				World					World	
All Sites	4,895	298.0	4.47	179.1	2.66	4,926	193.6	2.78	123.6	1.88
Oral Cavity & Pharynx	116	6.2	0.61	4.4	0.42	51	2.0	0.28	1.4	0.20
Digestive System	1,473	86.0	2.35	54.1	1.46	1,214	48.5	1.40	28.8	0.89
Esophagus	139	7.6	0.67	5.3	0.46	55	2.1	0.29	1.5	0.21
Stomach	193	12.1	0.92	6.9	0.52	117	4.8	0.44	2.6	0.26
Colon & Rectum	515	32.0	1.48	18.5	0.85	509	20.3	0.91	11.7	0.56
Liver	236	11.8	0.79	8.8	0.59	97	3.7	0.38	2.4	0.26
Pancreas	316	18.4	1.08	11.9	0.70	329	13.4	0.74	8.0	0.48
Respiratory System	1,572	92.3	2.42	58.9	1.54	1,221	48.2	1.39	30.7	0.94
Larynx	71	4.1	0.51	2.7	0.33	27	1.1	0.20	0.8	0.15
Lung & bronchus	1,497	88.0	2.37	56.0	1.50	1,193	47.2	1.38	29.9	0.92
Skin	17	0.9	0.23	0.6	0.16	18	0.7	0.17	0.4	0.10
Melanomas of the skin	-	-	-	-	-	9	0.4	0.13	0.2	0.07
Breast	15	0.8	0.21	0.7	0.18	934	35.5	1.17	24.7	0.85
Female Genital System	-	-	-	-	-	502	19.7	0.89	13.2	0.62
Cervix uteri	-	-	-	-	-	118	4.5	0.41	3.2	0.31
Corpus & uterus, NOS	-	-	-	-	-	185	7.4	0.55	4.9	0.38
Ovary	-	-	-	-	-	179	7.1	0.53	4.5	0.36
Male Genital System	672	49.6	1.99	22.8	0.92	-	-	-	-	-
Prostate	662	49.0	1.97	22.4	0.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	162	10.4	0.86	5.7	0.46	136	5.5	0.47	3.2	0.30
Bladder	80	5.5	0.65	2.8	0.32	63	2.6	0.33	1.4	0.20
Kidney & renal pelvis	78	4.6	0.54	2.8	0.32	69	2.8	0.33	1.6	0.21
Brain & Other Nervous System	66	3.5	0.45	2.4	0.31	58	2.3	0.30	1.8	0.25
Endocrine System	13	0.7	0.22	0.5	0.14	23	0.9	0.19	0.6	0.13
Thyroid gland	-	-	-	-	-	9	0.4	0.12	0.2	0.06
Lymphomas	127	7.5	0.70	4.7	0.43	99	3.9	0.39	2.6	0.28
Hodgkin Lymphoma	11	0.7	0.22	0.4	0.14	7	0.2	0.09	0.2	0.08
Non-Hodgkin Lymphoma	116	6.8	0.66	4.3	0.41	92	3.6	0.38	2.4	0.27
Multiple Myeloma	129	8.0	0.73	4.7	0.43	152	6.1	0.50	3.6	0.32
Leukemias	159	9.7	0.80	5.5	0.46	145	5.8	0.49	3.3	0.30
Other, Ill-defined & Unknown	374	22.3	1.21	14.0	0.75	373	14.5	0.76	9.3	0.52

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Metropolitan Detroit, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	197	111.8	9.17	60.6	4.42	187	78.1	6.07	48.8	3.65
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	74	39.3	5.27	22.5	2.68	66	28.3	3.71	16.9	2.14
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	19	11.3	3.05	5.8	1.38	10	3.7	1.25	2.5	0.82
Colon & Rectum	18	9.7	2.60	5.6	1.34	16	6.2	1.64	4.4	1.12
Liver	18	7.7	1.99	5.4	1.30	15	7.5	2.03	3.6	0.95
Pancreas	12	6.2	2.06	3.7	1.10	17	7.4	1.90	4.6	1.13
Respiratory System	48	26.0	4.26	14.4	2.12	23	11.1	2.42	5.8	1.24
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	46	25.3	4.23	13.8	2.07	23	11.1	2.42	5.8	1.24
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	28	11.1	2.21	7.6	1.46
Female Genital System	-	-	-	-	-	24	9.0	1.90	6.8	1.40
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	6	2.0	0.84	1.7	0.70
Ovary	-	-	-	-	-	16	6.3	1.65	4.5	1.13
Male Genital System	18	14.0	3.54	5.9	1.41	-	-	-	-	-
Prostate	17	13.2	3.42	5.5	1.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	3.7	1.74	2.0	0.81	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	9	5.0	2.00	2.8	0.98	6	2.3	1.01	1.6	0.67
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	4.5	1.89	2.2	0.79	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	4.3	1.88	2.0	0.77	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	3.2	1.23	2.3	0.87	8	2.8	1.12	1.9	0.71
Other, Ill-defined & Unknown	12	8.5	2.81	4.1	1.20	18	7.0	1.76	4.5	1.09

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Minnesota, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	23,378	208.8	1.38	115.1	0.80	22,239	147.6	1.01	88.3	0.68
Oral Cavity & Pharynx	348	2.9	0.16	1.8	0.10	206	1.3	0.09	0.8	0.07
Digestive System	5,852	51.1	0.68	29.6	0.41	4,969	32.0	0.47	18.0	0.30
Esophagus	923	7.8	0.26	4.9	0.17	251	1.7	0.11	1.0	0.07
Stomach	491	4.4	0.20	2.4	0.11	314	2.0	0.12	1.1	0.07
Colon & Rectum	2,038	18.2	0.41	10.0	0.23	2,074	13.0	0.29	7.1	0.18
Liver	590	4.9	0.20	3.1	0.14	234	1.6	0.10	0.9	0.07
Pancreas	1,345	11.8	0.33	6.9	0.20	1,433	9.3	0.25	5.3	0.16
Respiratory System	6,706	59.2	0.73	34.1	0.44	5,478	37.8	0.52	23.3	0.35
Larynx	204	1.7	0.12	1.1	0.08	52	0.4	0.05	0.3	0.04
Lung & bronchus	6,449	57.0	0.72	32.8	0.43	5,391	37.3	0.52	22.9	0.35
Skin	520	4.5	0.20	2.6	0.12	304	2.0	0.12	1.3	0.08
Melanomas of the skin	377	3.2	0.17	2.0	0.11	239	1.6	0.11	1.1	0.08
Breast	22	0.2	0.04	0.1	0.02	3,238	21.6	0.39	13.8	0.27
Female Genital System	-	-	-	-	-	2,272	15.2	0.33	9.6	0.23
Cervix uteri	-	-	-	-	-	222	1.6	0.11	1.2	0.08
Corpus & uterus, NOS	-	-	-	-	-	632	4.2	0.17	2.5	0.11
Ovary	-	-	-	-	-	1,245	8.4	0.24	5.3	0.17
Male Genital System	2,630	25.6	0.50	10.7	0.22	-	-	-	-	-
Prostate	2,579	25.1	0.50	10.4	0.22	-	-	-	-	-
Testis	21	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,527	13.8	0.36	7.4	0.20	774	4.9	0.18	2.6	0.11
Bladder	770	7.3	0.26	3.4	0.13	303	1.9	0.11	0.9	0.06
Kidney & renal pelvis	720	6.2	0.23	3.8	0.15	429	2.8	0.14	1.6	0.09
Brain & Other Nervous System	632	5.2	0.21	3.6	0.15	513	3.6	0.16	2.6	0.13
Endocrine System	91	0.8	0.08	0.5	0.06	118	0.8	0.07	0.5	0.06
Thyroid gland	52	0.4	0.06	0.3	0.04	82	0.5	0.06	0.3	0.04
Lymphomas	1,111	10.0	0.30	5.2	0.17	898	5.8	0.20	3.0	0.12
Hodgkin Lymphoma	58	0.5	0.07	0.3	0.04	51	0.4	0.05	0.2	0.04
Non-Hodgkin Lymphoma	1,053	9.5	0.30	4.9	0.16	847	5.4	0.19	2.8	0.11
Multiple Myeloma	518	4.6	0.21	2.5	0.12	462	3.1	0.15	1.7	0.09
Leukemias	1,186	10.8	0.32	5.9	0.18	864	5.7	0.20	3.3	0.13
Other, Ill-defined & Unknown	2,235	20.1	0.43	10.9	0.25	2,143	13.8	0.30	7.8	0.20

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Minnesota, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	22,346	207.3	1.40	113.7	0.81	21,386	147.2	1.03	87.9	0.69
Oral Cavity & Pharynx	316	2.8	0.16	1.7	0.10	196	1.3	0.10	0.8	0.07
Digestive System	5,489	50.0	0.68	28.7	0.41	4,740	31.5	0.47	17.6	0.30
Esophagus	895	7.9	0.27	4.9	0.17	242	1.7	0.11	1.0	0.07
Stomach	446	4.1	0.20	2.2	0.11	291	2.0	0.12	1.1	0.07
Colon & Rectum	1,951	18.1	0.41	9.9	0.24	2,004	12.9	0.30	7.0	0.19
Liver	475	4.1	0.19	2.6	0.12	192	1.3	0.10	0.7	0.06
Pancreas	1,289	11.7	0.33	6.8	0.20	1,384	9.3	0.26	5.3	0.16
Respiratory System	6,415	58.8	0.74	33.8	0.45	5,272	37.8	0.53	23.2	0.36
Larynx	188	1.7	0.12	1.0	0.08	51	0.4	0.05	0.3	0.04
Lung & bronchus	6,175	56.6	0.73	32.5	0.44	5,190	37.2	0.52	22.8	0.35
Skin	513	4.6	0.21	2.7	0.13	303	2.1	0.13	1.4	0.09
Melanomas of the skin	372	3.3	0.17	2.0	0.11	238	1.7	0.11	1.1	0.08
Breast	22	0.2	0.04	0.1	0.03	3,116	21.6	0.40	13.8	0.28
Female Genital System	-	-	-	-	-	2,179	15.2	0.33	9.6	0.23
Cervix uteri	-	-	-	-	-	191	1.4	0.11	1.1	0.08
Corpus & uterus, NOS	-	-	-	-	-	607	4.2	0.17	2.5	0.12
Ovary	-	-	-	-	-	1,210	8.5	0.25	5.4	0.17
Male Genital System	2,550	25.5	0.51	10.6	0.23	-	-	-	-	-
Prostate	2,502	25.0	0.50	10.4	0.22	-	-	-	-	-
Testis	19	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,487	13.9	0.37	7.4	0.21	746	4.9	0.19	2.6	0.11
Bladder	758	7.4	0.27	3.5	0.14	295	1.9	0.11	0.9	0.07
Kidney & renal pelvis	692	6.2	0.24	3.8	0.15	412	2.8	0.14	1.6	0.09
Brain & Other Nervous System	614	5.3	0.22	3.7	0.16	497	3.7	0.17	2.7	0.13
Endocrine System	87	0.8	0.08	0.5	0.06	108	0.8	0.07	0.5	0.06
Thyroid gland	50	0.4	0.06	0.3	0.04	76	0.5	0.06	0.3	0.04
Lymphomas	1,080	10.1	0.31	5.3	0.17	881	5.8	0.20	3.1	0.12
Hodgkin Lymphoma	56	0.5	0.07	0.3	0.05	51	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,024	9.6	0.30	5.0	0.17	830	5.5	0.20	2.8	0.12
Multiple Myeloma	493	4.6	0.21	2.5	0.12	444	3.0	0.15	1.7	0.09
Leukemias	1,143	10.8	0.32	5.9	0.19	839	5.7	0.20	3.3	0.14
Other, Ill-defined & Unknown	2,137	19.9	0.44	10.8	0.25	2,065	13.7	0.31	7.7	0.20

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Minnesota, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	572	294.5	14.98	177.4	7.99	443	176.6	9.19	114.2	5.72
Oral Cavity & Pharynx	9	3.1	1.24	2.3	0.82	-	-	-	-	-
Digestive System	202	97.5	8.41	60.4	4.60	102	41.4	4.52	24.8	2.58
Esophagus	19	6.8	1.78	5.2	1.29	6	2.0	0.86	1.5	0.66
Stomach	22	10.9	2.67	6.0	1.38	8	1.7	0.62	1.4	0.50
Colon & Rectum	48	23.7	4.38	14.6	2.29	31	12.1	2.38	7.7	1.45
Liver	68	29.9	4.36	20.2	2.65	12	5.0	1.56	3.1	0.92
Pancreas	36	21.3	4.37	11.3	2.06	30	15.6	3.04	7.5	1.42
Respiratory System	155	80.8	7.64	49.7	4.24	111	47.8	4.83	31.3	3.10
Larynx	10	4.9	1.81	2.7	0.90	-	-	-	-	-
Lung & bronchus	144	75.7	7.41	46.8	4.14	109	46.7	4.77	30.7	3.06
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	87	29.0	3.45	20.4	2.33
Female Genital System	-	-	-	-	-	45	19.3	3.12	12.0	1.87
Cervix uteri	-	-	-	-	-	9	3.3	1.15	2.6	0.93
Corpus & uterus, NOS	-	-	-	-	-	15	7.2	1.98	4.0	1.07
Ovary	-	-	-	-	-	19	8.3	2.08	5.0	1.19
Male Genital System	57	48.6	7.18	21.4	2.94	-	-	-	-	-
Prostate	56	48.2	7.17	21.0	2.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	10.7	2.71	6.8	1.54	12	5.6	1.72	3.3	0.98
Bladder	6	3.3	1.77	2.0	0.88	-	-	-	-	-
Kidney & renal pelvis	17	7.4	2.05	4.9	1.26	7	3.3	1.35	1.7	0.65
Brain & Other Nervous System	8	3.0	1.24	2.2	0.82	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	17	8.6	2.99	4.3	1.23	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	16	8.5	2.99	4.2	1.22	-	-	-	-	-
Multiple Myeloma	18	8.9	2.33	5.7	1.44	10	5.3	1.75	3.0	0.99
Leukemias	19	6.2	1.71	4.8	1.22	13	3.7	1.23	2.7	0.78
Other, Ill-defined & Unknown	59	25.8	3.95	18.4	2.60	47	19.0	3.01	13.0	2.00

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Minnesota, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.	S.E.				Adj. Rate World	S.E.		
All Sites	263	151.8	10.84	89.8	5.75	248	110.8	7.53	64.8	4.26
Oral Cavity & Pharynx	18	7.8	2.10	5.9	1.47	-	-	-	-	-
Digestive System	108	62.7	6.92	36.1	3.60	95	44.4	4.84	24.3	2.59
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	17	10.9	3.08	5.7	1.44	12	5.9	1.80	3.0	0.92
Colon & Rectum	17	11.6	3.12	6.0	1.50	28	11.9	2.44	7.0	1.38
Liver	36	19.2	3.67	12.1	2.09	27	12.7	2.59	7.0	1.41
Pancreas	13	9.2	2.79	4.6	1.30	11	5.5	1.73	2.9	0.90
Respiratory System	59	35.1	5.07	22.1	2.96	30	14.4	2.77	8.0	1.50
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	59	35.1	5.07	22.1	2.96	30	14.4	2.77	8.0	1.50
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	28	12.5	2.49	7.9	1.53
Female Genital System	-	-	-	-	-	34	14.2	2.63	9.0	1.60
Cervix uteri	-	-	-	-	-	15	7.1	1.96	3.8	1.01
Corpus & uterus, NOS	-	-	-	-	-	8	3.1	1.22	2.0	0.72
Ovary	-	-	-	-	-	11	4.0	1.26	3.2	1.01
Male Genital System	11	8.9	2.93	4.2	1.30	-	-	-	-	-
Prostate	9	8.0	2.84	3.6	1.21	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	5.2	2.19	2.6	1.01	6	2.8	1.26	1.3	0.52
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	7	1.5	0.60	1.3	0.52	6	2.0	0.91	1.3	0.54
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	4.6	1.75	3.2	1.15	10	5.8	1.88	2.6	0.83
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	3.9	1.60	2.7	1.06	10	5.8	1.88	2.6	0.83
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	18	10.0	2.92	5.5	1.36	7	2.4	1.00	1.9	0.74
Other, Ill-defined & Unknown	22	13.8	3.61	6.5	1.48	19	7.2	1.79	5.0	1.20

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Mississippi, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	16,785	276.1	2.18	165.4	1.32	13,665	161.4	1.39	102.4	0.97
Oral Cavity & Pharynx	374	5.6	0.30	4.0	0.21	129	1.5	0.13	0.9	0.09
Digestive System	4,029	64.7	1.04	40.4	0.66	3,146	36.6	0.66	21.7	0.43
Esophagus	528	8.0	0.36	5.6	0.25	129	1.6	0.14	1.0	0.10
Stomach	365	5.9	0.32	3.7	0.20	271	3.2	0.19	1.9	0.13
Colon & Rectum	1,546	25.2	0.66	15.4	0.40	1,434	16.6	0.44	9.9	0.29
Liver	565	8.9	0.38	5.7	0.25	273	3.2	0.19	1.9	0.13
Pancreas	844	13.6	0.48	8.4	0.30	833	9.6	0.34	5.5	0.22
Respiratory System	6,348	102.2	1.31	63.2	0.82	3,680	43.7	0.72	28.3	0.51
Larynx	176	2.7	0.21	1.9	0.14	26	0.3	0.06	0.2	0.05
Lung & bronchus	6,135	98.9	1.29	61.0	0.80	3,644	43.3	0.72	28.0	0.50
Skin	302	5.0	0.30	3.0	0.18	150	1.7	0.14	1.1	0.10
Melanomas of the skin	224	3.7	0.26	2.2	0.15	116	1.4	0.13	0.9	0.09
Breast	20	0.3	0.08	0.2	0.05	2,123	25.5	0.56	17.3	0.41
Female Genital System	-	-	-	-	-	1,351	16.2	0.45	10.8	0.32
Cervix uteri	-	-	-	-	-	316	4.0	0.23	2.9	0.17
Corpus & uterus, NOS	-	-	-	-	-	325	3.8	0.21	2.5	0.15
Ovary	-	-	-	-	-	648	7.7	0.30	4.9	0.21
Male Genital System	1,677	32.0	0.80	14.2	0.36	-	-	-	-	-
Prostate	1,657	31.7	0.79	13.9	0.36	-	-	-	-	-
Testis	13	0.2	0.06	0.2	0.04	-	-	-	-	-
Urinary System	793	13.5	0.49	7.5	0.28	423	4.8	0.24	2.8	0.15
Bladder	366	6.6	0.35	3.2	0.17	154	1.7	0.14	0.9	0.08
Kidney & renal pelvis	412	6.6	0.33	4.2	0.21	262	3.0	0.19	1.9	0.13
Brain & Other Nervous System	373	5.7	0.30	4.2	0.22	326	4.0	0.22	2.8	0.17
Endocrine System	52	0.8	0.12	0.6	0.09	61	0.7	0.10	0.5	0.08
Thyroid gland	30	0.5	0.09	0.3	0.06	39	0.5	0.07	0.3	0.05
Lymphomas	549	9.0	0.39	5.5	0.24	426	5.0	0.24	2.9	0.16
Hodgkin Lymphoma	31	0.5	0.09	0.3	0.06	28	0.4	0.07	0.2	0.05
Non-Hodgkin Lymphoma	518	8.5	0.38	5.1	0.23	398	4.6	0.23	2.6	0.15
Multiple Myeloma	259	4.2	0.27	2.6	0.17	287	3.3	0.20	2.0	0.13
Leukemias	594	10.0	0.42	6.0	0.26	520	6.1	0.27	3.7	0.19
Other, Ill-defined & Unknown	1,415	23.0	0.63	14.2	0.39	1,043	12.2	0.38	7.6	0.26

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Mississippi, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.
		2000 U.S.	World				2000 U.S.	World		
All Sites	11,323	251.7	2.41	149.4	1.47	9,243	152.5	1.61	95.6	1.12
Oral Cavity & Pharynx	216	4.5	0.31	3.1	0.22	91	1.4	0.15	0.8	0.10
Digestive System	2,572	56.4	1.13	34.6	0.71	2,003	32.1	0.73	18.8	0.48
Esophagus	324	6.8	0.39	4.6	0.26	75	1.3	0.15	0.7	0.09
Stomach	164	3.7	0.29	2.2	0.18	161	2.6	0.21	1.5	0.14
Colon & Rectum	988	21.9	0.71	13.2	0.44	889	14.2	0.48	8.2	0.32
Liver	380	8.3	0.43	5.2	0.27	199	3.2	0.23	1.9	0.16
Pancreas	584	12.7	0.54	7.7	0.33	540	8.6	0.37	5.0	0.24
Respiratory System	4,448	96.7	1.47	58.6	0.91	2,781	46.1	0.88	29.7	0.62
Larynx	88	1.9	0.20	1.2	0.14	18	0.3	0.07	0.2	0.05
Lung & bronchus	4,335	94.3	1.46	57.0	0.90	2,754	45.7	0.88	29.4	0.62
Skin	274	6.2	0.38	3.7	0.23	135	2.3	0.20	1.4	0.14
Melanomas of the skin	214	4.9	0.34	2.9	0.21	106	1.8	0.18	1.2	0.13
Breast	12	0.3	0.08	0.2	0.05	1,277	21.7	0.62	14.4	0.45
Female Genital System	-	-	-	-	-	802	13.5	0.49	8.9	0.35
Cervix uteri	-	-	-	-	-	136	2.6	0.23	1.9	0.18
Corpus & uterus, NOS	-	-	-	-	-	154	2.5	0.21	1.6	0.15
Ovary	-	-	-	-	-	470	7.8	0.36	5.0	0.26
Male Genital System	835	21.1	0.74	9.2	0.33	-	-	-	-	-
Prostate	825	20.8	0.74	9.1	0.33	-	-	-	-	-
Testis	7	0.2	0.07	0.1	0.05	-	-	-	-	-
Urinary System	623	14.2	0.58	7.9	0.33	293	4.6	0.27	2.7	0.18
Bladder	301	7.2	0.42	3.5	0.21	114	1.7	0.16	0.9	0.10
Kidney & renal pelvis	307	6.6	0.39	4.2	0.25	176	2.9	0.22	1.7	0.15
Brain & Other Nervous System	296	6.4	0.38	4.6	0.28	259	4.6	0.29	3.2	0.23
Endocrine System	42	1.0	0.15	0.8	0.13	36	0.6	0.11	0.4	0.09
Thyroid gland	24	0.5	0.11	0.4	0.08	24	0.4	0.08	0.2	0.05
Lymphomas	434	9.8	0.48	5.7	0.29	336	5.4	0.30	3.1	0.19
Hodgkin Lymphoma	20	0.5	0.10	0.3	0.07	16	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	414	9.3	0.47	5.4	0.28	320	5.1	0.29	2.9	0.18
Multiple Myeloma	154	3.3	0.27	2.0	0.17	152	2.4	0.20	1.3	0.12
Leukemias	440	10.1	0.49	5.9	0.30	375	6.1	0.32	3.6	0.23
Other, Ill-defined & Unknown	977	21.8	0.71	13.2	0.44	703	11.6	0.45	7.3	0.31

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Mississippi, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	5,382	350.9	5.03	212.0	2.98	4,352	182.4	2.79	118.0	1.91
Oral Cavity & Pharynx	153	8.1	0.69	6.0	0.50	37	1.5	0.25	1.0	0.17
Digestive System	1,426	88.5	2.46	56.5	1.54	1,121	47.3	1.43	28.5	0.92
Esophagus	201	11.4	0.84	8.3	0.60	53	2.2	0.30	1.6	0.23
Stomach	196	12.4	0.94	7.6	0.56	107	4.5	0.44	2.7	0.28
Colon & Rectum	552	35.4	1.58	21.8	0.95	536	22.5	0.98	13.7	0.64
Liver	171	9.8	0.79	6.6	0.52	71	3.0	0.35	1.7	0.23
Pancreas	258	16.6	1.08	10.3	0.66	287	12.4	0.74	7.1	0.45
Respiratory System	1,873	117.8	2.85	76.1	1.81	883	37.5	1.27	25.0	0.90
Larynx	85	5.0	0.57	3.5	0.39	8	0.3	0.11	0.3	0.10
Lung & bronchus	1,776	112.1	2.78	72.0	1.76	874	37.1	1.27	24.7	0.89
Skin	27	1.7	0.34	1.1	0.22	15	0.6	0.15	0.3	0.09
Melanomas of the skin	9	0.7	0.24	0.3	0.11	10	0.4	0.12	0.2	0.06
Breast	8	0.5	0.20	0.3	0.12	838	34.0	1.19	23.7	0.86
Female Genital System	-	-	-	-	-	539	22.7	0.99	15.0	0.68
Cervix uteri	-	-	-	-	-	178	7.3	0.56	5.1	0.40
Corpus & uterus, NOS	-	-	-	-	-	170	7.3	0.57	4.8	0.40
Ovary	-	-	-	-	-	172	7.3	0.56	4.5	0.37
Male Genital System	840	68.4	2.42	30.5	1.09	-	-	-	-	-
Prostate	830	67.9	2.42	30.0	1.08	-	-	-	-	-
Testis	6	0.3	0.13	0.2	0.09	-	-	-	-	-
Urinary System	167	11.4	0.93	6.3	0.50	130	5.6	0.49	3.4	0.32
Bladder	64	5.0	0.64	2.2	0.28	40	1.7	0.27	0.9	0.16
Kidney & renal pelvis	103	6.4	0.67	4.1	0.42	86	3.7	0.40	2.3	0.27
Brain & Other Nervous System	75	4.1	0.50	3.0	0.36	66	2.7	0.34	2.0	0.26
Endocrine System	9	0.6	0.21	0.3	0.12	24	0.9	0.19	0.7	0.15
Thyroid gland	6	0.4	0.18	0.2	0.10	15	0.6	0.16	0.4	0.11
Lymphomas	115	6.7	0.66	4.6	0.44	88	3.7	0.40	2.2	0.25
Hodgkin Lymphoma	11	0.6	0.19	0.4	0.12	12	0.5	0.14	0.3	0.09
Non-Hodgkin Lymphoma	104	6.1	0.63	4.2	0.42	76	3.2	0.37	1.9	0.23
Multiple Myeloma	104	6.8	0.70	4.3	0.43	133	5.6	0.49	3.5	0.33
Leukemias	153	9.5	0.82	6.0	0.50	142	5.9	0.50	3.9	0.35
Other, Ill-defined & Unknown	432	26.7	1.36	16.9	0.84	336	14.3	0.79	8.8	0.52

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Mississippi, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	42	125.4	21.38	80.2	12.66	44	97.8	15.74	55.1	8.49
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	15	38.4	10.53	28.4	7.51	14	36.4	10.22	16.8	4.56
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	6	12.7	5.49	7.6	3.17
Liver	8	17.3	6.17	15.6	5.65	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	17	60.9	16.36	33.4	8.30	11	23.2	7.46	14.2	4.40
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	54.3	14.96	31.3	8.02	11	23.2	7.46	14.2	4.40
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	6	11.8	5.21	7.8	3.23
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Missouri, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	Adj. Rate		Deaths	Adj. Rate 2000 U.S.	Adj. Rate		Deaths	Adj. Rate 2000 U.S.
			S.E.	World			S.E.	World		
All Sites	32,550	242.0	1.36	140.9	0.82	29,737	162.7	0.96	99.9	0.65
Oral Cavity & Pharynx	498	3.5	0.16	2.3	0.11	260	1.4	0.09	0.8	0.06
Digestive System	7,716	56.7	0.65	33.6	0.40	6,347	33.5	0.43	19.0	0.27
Esophagus	1,118	8.0	0.24	5.0	0.16	303	1.6	0.10	1.0	0.06
Stomach	587	4.3	0.18	2.5	0.11	376	2.0	0.11	1.2	0.07
Colon & Rectum	2,939	22.1	0.41	12.5	0.24	2,899	15.0	0.28	8.2	0.18
Liver	875	6.1	0.21	4.1	0.14	366	2.0	0.11	1.2	0.07
Pancreas	1,765	12.9	0.31	7.7	0.19	1,788	9.5	0.23	5.4	0.15
Respiratory System	11,718	85.6	0.80	51.9	0.50	8,398	46.9	0.52	29.7	0.35
Larynx	300	2.1	0.13	1.4	0.08	73	0.4	0.05	0.3	0.03
Lung & bronchus	11,368	83.1	0.79	50.3	0.49	8,292	46.4	0.51	29.3	0.35
Skin	853	6.3	0.22	3.8	0.14	467	2.6	0.12	1.6	0.09
Melanomas of the skin	632	4.6	0.18	2.9	0.12	368	2.1	0.11	1.4	0.08
Breast	35	0.3	0.04	0.2	0.03	4,577	25.4	0.38	16.5	0.27
Female Genital System	-	-	-	-	-	2,755	15.3	0.30	9.9	0.21
Cervix uteri	-	-	-	-	-	429	2.6	0.13	1.9	0.10
Corpus & uterus, NOS	-	-	-	-	-	789	4.3	0.15	2.7	0.11
Ovary	-	-	-	-	-	1,384	7.6	0.21	4.8	0.14
Male Genital System	2,882	23.6	0.44	10.4	0.21	-	-	-	-	-
Prostate	2,809	23.1	0.44	10.1	0.20	-	-	-	-	-
Testis	40	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	1,922	14.6	0.34	7.9	0.19	938	4.9	0.16	2.8	0.11
Bladder	987	7.7	0.25	3.8	0.13	398	2.0	0.10	1.0	0.06
Kidney & renal pelvis	894	6.5	0.22	3.9	0.14	515	2.8	0.12	1.7	0.09
Brain & Other Nervous System	784	5.5	0.20	4.0	0.15	657	3.8	0.15	2.8	0.12
Endocrine System	115	0.8	0.08	0.6	0.06	123	0.7	0.06	0.5	0.05
Thyroid gland	66	0.5	0.06	0.3	0.04	88	0.5	0.05	0.3	0.03
Lymphomas	1,181	8.9	0.26	5.0	0.15	1,110	5.9	0.18	3.3	0.11
Hodgkin Lymphoma	62	0.4	0.06	0.3	0.04	73	0.4	0.05	0.3	0.03
Non-Hodgkin Lymphoma	1,119	8.5	0.26	4.7	0.15	1,037	5.5	0.17	3.0	0.11
Multiple Myeloma	645	4.9	0.19	2.7	0.11	565	3.0	0.13	1.7	0.08
Leukemias	1,452	11.0	0.29	6.3	0.18	1,064	5.7	0.18	3.3	0.12
Other, Ill-defined & Unknown	2,749	20.4	0.40	12.0	0.24	2,476	13.3	0.27	7.9	0.18

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Missouri, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	29,177	236.8	1.40	137.3	0.85	26,569	160.6	1.00	98.4	0.69
Oral Cavity & Pharynx	439	3.4	0.16	2.3	0.11	230	1.4	0.09	0.8	0.06
Digestive System	6,718	54.0	0.67	31.8	0.41	5,509	31.9	0.44	17.9	0.28
Esophagus	1,004	7.9	0.25	4.9	0.16	258	1.5	0.10	0.9	0.06
Stomach	474	3.8	0.18	2.2	0.11	288	1.7	0.10	1.0	0.07
Colon & Rectum	2,627	21.5	0.43	12.1	0.25	2,557	14.5	0.29	7.9	0.18
Liver	678	5.2	0.20	3.4	0.14	299	1.8	0.10	1.0	0.07
Pancreas	1,553	12.4	0.32	7.4	0.20	1,569	9.2	0.24	5.2	0.15
Respiratory System	10,599	84.6	0.83	51.1	0.52	7,609	47.1	0.55	29.8	0.38
Larynx	253	2.0	0.13	1.3	0.08	65	0.4	0.05	0.3	0.04
Lung & bronchus	10,301	82.2	0.82	49.6	0.51	7,516	46.5	0.54	29.4	0.37
Skin	828	6.7	0.23	4.1	0.15	457	2.8	0.14	1.8	0.10
Melanomas of the skin	621	4.9	0.20	3.2	0.13	366	2.3	0.12	1.6	0.09
Breast	33	0.3	0.05	0.2	0.03	4,019	24.7	0.40	16.0	0.28
Female Genital System	-	-	-	-	-	2,436	15.0	0.31	9.7	0.22
Cervix uteri	-	-	-	-	-	340	2.4	0.13	1.8	0.10
Corpus & uterus, NOS	-	-	-	-	-	675	4.0	0.16	2.5	0.11
Ovary	-	-	-	-	-	1,287	7.9	0.22	5.0	0.16
Male Genital System	2,462	21.8	0.44	9.6	0.21	-	-	-	-	-
Prostate	2,395	21.2	0.44	9.1	0.20	-	-	-	-	-
Testis	37	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,769	14.6	0.35	7.9	0.20	859	5.0	0.17	2.8	0.11
Bladder	920	7.8	0.26	3.9	0.14	367	2.0	0.11	1.0	0.06
Kidney & renal pelvis	809	6.5	0.23	3.9	0.14	473	2.8	0.13	1.7	0.09
Brain & Other Nervous System	747	5.8	0.21	4.2	0.16	613	4.0	0.17	3.0	0.14
Endocrine System	100	0.8	0.08	0.6	0.07	116	0.7	0.07	0.5	0.06
Thyroid gland	60	0.5	0.06	0.3	0.04	82	0.5	0.05	0.3	0.04
Lymphomas	1,095	9.0	0.28	5.0	0.16	1,046	6.1	0.19	3.4	0.12
Hodgkin Lymphoma	54	0.4	0.06	0.3	0.04	65	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,041	8.6	0.27	4.7	0.16	981	5.7	0.19	3.1	0.12
Multiple Myeloma	564	4.6	0.20	2.6	0.11	474	2.8	0.13	1.5	0.08
Leukemias	1,335	11.1	0.31	6.3	0.19	970	5.7	0.19	3.3	0.13
Other, Ill-defined & Unknown	2,488	20.2	0.41	11.8	0.25	2,231	13.3	0.29	7.9	0.20

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Missouri, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	3,186	333.3	6.28	197.0	3.59	2,971	193.7	3.58	120.8	2.35
Oral Cavity & Pharynx	57	4.9	0.67	3.6	0.48	27	1.7	0.33	1.2	0.25
Digestive System	930	94.0	3.27	57.4	1.93	780	51.4	1.85	30.5	1.17
Esophagus	112	10.9	1.08	6.8	0.66	43	2.8	0.43	1.9	0.30
Stomach	101	10.5	1.10	6.3	0.64	77	5.1	0.58	3.0	0.36
Colon & Rectum	295	32.4	2.01	18.3	1.09	323	21.4	1.20	12.2	0.73
Liver	176	15.4	1.23	10.9	0.84	58	3.8	0.50	2.4	0.33
Pancreas	202	20.1	1.49	12.8	0.92	210	13.9	0.97	8.2	0.61
Respiratory System	1,066	106.7	3.44	67.8	2.13	751	49.7	1.82	31.1	1.20
Larynx	47	4.7	0.71	3.0	0.45	8	0.5	0.19	0.3	0.12
Lung & bronchus	1,014	101.7	3.36	64.4	2.08	738	48.8	1.81	30.7	1.19
Skin	23	2.2	0.47	1.3	0.27	10	0.6	0.21	0.4	0.15
Melanomas of the skin	9	0.9	0.30	0.5	0.16	-	-	-	-	-
Breast	-	-	-	-	-	530	33.5	1.47	21.9	0.99
Female Genital System	-	-	-	-	-	295	18.9	1.11	12.9	0.78
Cervix uteri	-	-	-	-	-	84	5.2	0.57	3.9	0.43
Corpus & uterus, NOS	-	-	-	-	-	110	7.3	0.70	4.6	0.47
Ovary	-	-	-	-	-	83	5.3	0.59	3.6	0.42
Male Genital System	412	54.4	2.82	24.5	1.24	-	-	-	-	-
Prostate	406	53.9	2.81	24.1	1.23	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	145	15.5	1.37	8.7	0.75	72	4.7	0.56	2.9	0.37
Bladder	61	7.3	1.00	3.6	0.48	27	1.8	0.36	0.9	0.19
Kidney & renal pelvis	83	8.1	0.94	5.0	0.56	39	2.5	0.41	1.7	0.28
Brain & Other Nervous System	30	2.3	0.45	1.9	0.35	40	2.5	0.39	1.9	0.31
Endocrine System	11	1.0	0.32	0.7	0.20	7	0.5	0.18	0.3	0.11
Thyroid gland	-	-	-	-	-	6	0.4	0.17	0.2	0.10
Lymphomas	76	7.8	0.96	4.8	0.56	58	3.7	0.50	2.2	0.31
Hodgkin Lymphoma	6	0.5	0.25	0.4	0.14	-	-	-	-	-
Non-Hodgkin Lymphoma	70	7.2	0.93	4.5	0.54	53	3.4	0.47	2.0	0.29
Multiple Myeloma	76	8.4	1.02	4.7	0.55	90	6.1	0.64	3.4	0.39
Leukemias	112	11.1	1.13	6.8	0.66	82	5.4	0.60	3.3	0.38
Other, Ill-defined & Unknown	246	24.8	1.69	14.9	0.98	229	14.9	0.99	8.8	0.63

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Missouri, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		119		106.2		142	94.5		8.54	
All Sites										
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	52	45.9	7.10	27.5	3.85	45	30.4	4.81	18.2	2.77
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	8.8	2.76	6.4	1.88	10	6.7	2.22	3.9	1.27
Colon & Rectum	11	12.3	4.10	5.8	1.76	11	7.8	2.51	4.4	1.37
Liver	16	13.1	3.67	8.3	2.09	8	6.0	2.21	3.1	1.12
Pancreas	7	4.8	1.96	3.5	1.35	8	4.5	1.67	3.3	1.20
Respiratory System	30	26.8	5.45	15.2	2.83	22	15.5	3.43	8.6	1.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	30	26.8	5.45	15.2	2.83	22	15.5	3.43	8.6	1.86
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	19	9.6	2.27	7.4	1.71
Female Genital System	-	-	-	-	-	19	13.0	3.23	6.8	1.58
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	8.1	2.41	4.6	1.31
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	4.5	2.16	2.7	1.15	6	3.4	1.52	2.1	0.86
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	8	6.2	2.49	2.8	1.01
Other, Ill-defined & Unknown	11	7.5	2.43	5.8	1.76	12	7.9	2.46	4.9	1.44

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Montana, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	5,005	208.1	2.98	115.5	1.74	4,544	153.0	2.30	91.4	1.53
Oral Cavity & Pharynx	77	3.1	0.35	1.9	0.22	38	1.3	0.21	0.8	0.15
Digestive System	1,181	47.7	1.41	28.4	0.87	994	32.7	1.05	18.6	0.67
Esophagus	199	7.8	0.56	4.9	0.37	55	1.9	0.25	1.2	0.18
Stomach	93	3.8	0.40	2.2	0.24	56	1.8	0.25	1.1	0.17
Colon & Rectum	422	17.5	0.86	9.9	0.51	429	13.9	0.68	7.6	0.42
Liver	93	3.5	0.37	2.3	0.25	60	2.0	0.26	1.2	0.17
Pancreas	306	12.3	0.71	7.4	0.44	281	9.3	0.56	5.4	0.36
Respiratory System	1,493	61.3	1.61	34.9	0.95	1,250	42.9	1.23	25.7	0.80
Larynx	37	1.4	0.24	1.0	0.17	11	0.4	0.12	0.3	0.09
Lung & bronchus	1,448	59.5	1.58	33.7	0.93	1,234	42.4	1.22	25.3	0.80
Skin	108	4.4	0.43	2.6	0.27	68	2.3	0.29	1.5	0.21
Melanomas of the skin	83	3.3	0.37	2.1	0.24	61	2.1	0.28	1.4	0.20
Breast	-	-	-	-	-	607	20.7	0.86	13.5	0.61
Female Genital System	-	-	-	-	-	486	16.4	0.75	10.1	0.51
Cervix uteri	-	-	-	-	-	50	1.9	0.27	1.3	0.20
Corpus & uterus, NOS	-	-	-	-	-	138	4.7	0.40	2.9	0.27
Ovary	-	-	-	-	-	269	8.9	0.55	5.4	0.37
Male Genital System	630	28.3	1.14	11.7	0.50	-	-	-	-	-
Prostate	623	28.0	1.13	11.5	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	316	13.4	0.77	6.9	0.41	151	4.9	0.41	2.8	0.26
Bladder	177	7.7	0.59	3.5	0.28	68	2.1	0.26	1.0	0.15
Kidney & renal pelvis	136	5.6	0.49	3.3	0.30	78	2.6	0.30	1.7	0.21
Brain & Other Nervous System	151	5.8	0.48	4.2	0.36	105	3.8	0.37	2.8	0.29
Endocrine System	12	0.5	0.15	0.3	0.10	20	0.7	0.17	0.5	0.14
Thyroid gland	7	0.3	0.12	0.2	0.06	12	0.4	0.12	0.2	0.08
Lymphomas	212	8.9	0.62	5.1	0.38	175	5.8	0.44	2.9	0.26
Hodgkin Lymphoma	10	0.4	0.14	0.3	0.09	6	0.2	0.09	0.2	0.08
Non-Hodgkin Lymphoma	202	8.5	0.61	4.8	0.36	169	5.6	0.43	2.7	0.24
Multiple Myeloma	111	4.7	0.45	2.5	0.25	78	2.6	0.29	1.4	0.18
Leukemias	251	10.7	0.69	6.0	0.42	167	5.6	0.44	3.2	0.31
Other, Ill-defined & Unknown	460	19.1	0.90	11.0	0.55	405	13.2	0.67	7.5	0.44

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Montana, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	4,772	205.6	3.01	113.8	1.76	4,325	151.3	2.34	90.0	1.56
Oral Cavity & Pharynx	71	2.9	0.35	1.8	0.23	35	1.2	0.21	0.7	0.14
Digestive System	1,111	46.6	1.42	27.6	0.87	937	31.9	1.06	18.1	0.68
Esophagus	194	7.9	0.57	5.0	0.38	52	1.8	0.26	1.2	0.18
Stomach	85	3.6	0.40	2.1	0.24	48	1.6	0.24	0.9	0.15
Colon & Rectum	394	17.0	0.87	9.6	0.51	407	13.6	0.69	7.4	0.43
Liver	80	3.2	0.36	2.0	0.23	51	1.7	0.25	1.0	0.16
Pancreas	295	12.3	0.73	7.3	0.45	274	9.4	0.58	5.5	0.38
Respiratory System	1,429	60.7	1.62	34.6	0.96	1,193	42.7	1.25	25.4	0.82
Larynx	35	1.4	0.24	0.9	0.17	11	0.4	0.12	0.3	0.10
Lung & bronchus	1,386	58.9	1.60	33.4	0.95	1,177	42.1	1.24	25.0	0.81
Skin	105	4.5	0.44	2.7	0.28	65	2.4	0.30	1.5	0.21
Melanomas of the skin	80	3.3	0.38	2.1	0.25	58	2.1	0.29	1.4	0.21
Breast	-	-	-	-	-	585	20.9	0.88	13.6	0.63
Female Genital System	-	-	-	-	-	467	16.4	0.77	10.1	0.52
Cervix uteri	-	-	-	-	-	44	1.8	0.27	1.2	0.19
Corpus & uterus, NOS	-	-	-	-	-	131	4.6	0.41	2.8	0.27
Ovary	-	-	-	-	-	264	9.1	0.57	5.5	0.38
Male Genital System	607	28.0	1.15	11.6	0.50	-	-	-	-	-
Prostate	600	27.7	1.14	11.4	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	303	13.3	0.77	6.7	0.42	142	4.8	0.41	2.7	0.26
Bladder	173	7.7	0.59	3.6	0.29	66	2.1	0.27	1.0	0.15
Kidney & renal pelvis	127	5.4	0.49	3.1	0.30	72	2.5	0.30	1.6	0.21
Brain & Other Nervous System	145	5.9	0.50	4.3	0.38	103	3.9	0.39	2.9	0.31
Endocrine System	11	0.5	0.15	0.3	0.10	19	0.7	0.18	0.5	0.15
Thyroid gland	7	0.3	0.12	0.2	0.07	11	0.4	0.12	0.2	0.07
Lymphomas	203	8.9	0.63	5.0	0.39	167	5.7	0.44	2.8	0.26
Hodgkin Lymphoma	10	0.5	0.15	0.3	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	193	8.5	0.62	4.7	0.38	162	5.5	0.44	2.7	0.25
Multiple Myeloma	106	4.6	0.45	2.4	0.25	74	2.5	0.30	1.4	0.18
Leukemias	242	10.7	0.70	5.9	0.42	159	5.5	0.45	3.1	0.32
Other, Ill-defined & Unknown	437	18.8	0.91	10.8	0.56	379	12.8	0.67	7.1	0.43

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Montana, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	9	187.5	64.04	108.6	36.92	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Montana, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		9		121.6		19	129.2		82.0	
All Sites	-	-	-	-	-	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	7	53.6	20.84	31.2	12.22
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nebraska, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	8,804	217.1	2.33	122.9	1.41	8,106	147.2	1.68	88.2	1.15
Oral Cavity & Pharynx	113	2.7	0.26	1.7	0.17	73	1.4	0.16	0.9	0.12
Digestive System	2,240	54.6	1.16	32.1	0.72	1,874	32.6	0.77	17.9	0.49
Esophagus	331	7.9	0.44	5.1	0.30	75	1.4	0.16	0.8	0.11
Stomach	156	3.8	0.31	2.2	0.19	103	1.8	0.18	1.0	0.12
Colon & Rectum	931	22.9	0.76	12.9	0.45	929	15.6	0.53	8.2	0.33
Liver	191	4.5	0.33	2.8	0.22	69	1.3	0.16	0.7	0.10
Pancreas	501	12.2	0.55	7.2	0.34	482	8.7	0.40	4.9	0.26
Respiratory System	2,712	66.5	1.28	39.4	0.81	1,937	36.6	0.85	22.9	0.59
Larynx	81	1.9	0.21	1.3	0.15	21	0.4	0.09	0.3	0.07
Lung & bronchus	2,612	64.1	1.26	37.8	0.79	1,896	35.9	0.84	22.4	0.58
Skin	234	5.6	0.37	3.3	0.23	133	2.5	0.22	1.5	0.16
Melanomas of the skin	175	4.2	0.32	2.6	0.21	108	2.1	0.21	1.4	0.15
Breast	14	0.4	0.10	0.2	0.05	1,183	22.0	0.66	14.0	0.47
Female Genital System	-	-	-	-	-	825	15.4	0.55	9.6	0.38
Cervix uteri	-	-	-	-	-	89	1.8	0.20	1.3	0.15
Corpus & uterus, NOS	-	-	-	-	-	273	5.0	0.31	2.9	0.21
Ovary	-	-	-	-	-	423	7.9	0.39	5.0	0.28
Male Genital System	970	25.2	0.81	10.8	0.38	-	-	-	-	-
Prostate	956	24.9	0.81	10.6	0.37	-	-	-	-	-
Testis	9	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	536	13.4	0.58	7.1	0.33	321	5.5	0.32	3.0	0.21
Bladder	274	7.0	0.43	3.2	0.21	124	2.0	0.19	1.0	0.12
Kidney & renal pelvis	243	5.9	0.38	3.6	0.25	185	3.3	0.25	1.9	0.16
Brain & Other Nervous System	251	5.9	0.38	4.4	0.29	223	4.4	0.30	3.2	0.25
Endocrine System	25	0.6	0.12	0.5	0.10	34	0.6	0.11	0.4	0.09
Thyroid gland	12	0.3	0.08	0.2	0.06	24	0.4	0.09	0.2	0.05
Lymphomas	390	9.7	0.49	5.2	0.28	363	6.2	0.34	3.3	0.21
Hodgkin Lymphoma	29	0.7	0.13	0.5	0.09	17	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	361	9.0	0.48	4.7	0.27	346	5.9	0.33	3.1	0.20
Multiple Myeloma	168	4.2	0.32	2.2	0.18	156	2.7	0.22	1.5	0.14
Leukemias	409	10.1	0.51	5.7	0.31	296	5.1	0.31	2.9	0.21
Other, Ill-defined & Unknown	742	18.2	0.67	10.3	0.41	688	12.2	0.48	7.2	0.33

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nebraska, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	8,470	216.4	2.37	122.0	1.43	7,762	146.2	1.71	87.7	1.17
Oral Cavity & Pharynx	108	2.7	0.26	1.7	0.17	70	1.4	0.17	0.9	0.13
Digestive System	2,137	54.0	1.18	31.6	0.73	1,778	32.0	0.78	17.4	0.50
Esophagus	320	8.0	0.45	5.1	0.30	69	1.3	0.16	0.7	0.10
Stomach	144	3.7	0.31	2.0	0.18	95	1.7	0.18	1.0	0.12
Colon & Rectum	896	22.8	0.77	12.9	0.46	886	15.4	0.53	8.1	0.33
Liver	166	4.1	0.32	2.5	0.21	64	1.2	0.16	0.7	0.11
Pancreas	482	12.1	0.56	7.2	0.35	459	8.5	0.41	4.7	0.26
Respiratory System	2,605	66.2	1.30	39.1	0.82	1,849	36.3	0.86	22.7	0.60
Larynx	77	1.9	0.22	1.3	0.15	20	0.4	0.09	0.3	0.07
Lung & bronchus	2,509	63.8	1.28	37.5	0.80	1,810	35.6	0.85	22.3	0.59
Skin	232	5.8	0.38	3.4	0.24	133	2.6	0.23	1.6	0.17
Melanomas of the skin	173	4.3	0.33	2.7	0.21	108	2.2	0.22	1.5	0.16
Breast	13	0.3	0.09	0.2	0.05	1,134	21.9	0.67	13.9	0.47
Female Genital System	-	-	-	-	-	789	15.2	0.56	9.5	0.39
Cervix uteri	-	-	-	-	-	84	1.8	0.20	1.3	0.15
Corpus & uterus, NOS	-	-	-	-	-	261	4.9	0.31	2.9	0.21
Ovary	-	-	-	-	-	405	7.8	0.40	5.0	0.28
Male Genital System	934	25.0	0.82	10.6	0.38	-	-	-	-	-
Prostate	922	24.6	0.81	10.4	0.37	-	-	-	-	-
Testis	8	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	522	13.5	0.59	7.1	0.34	305	5.4	0.32	3.0	0.21
Bladder	271	7.2	0.44	3.3	0.22	117	2.0	0.19	1.0	0.12
Kidney & renal pelvis	232	5.8	0.39	3.6	0.25	178	3.3	0.25	1.9	0.17
Brain & Other Nervous System	241	6.0	0.39	4.4	0.30	217	4.5	0.31	3.3	0.26
Endocrine System	23	0.6	0.12	0.5	0.11	34	0.7	0.12	0.5	0.10
Thyroid gland	11	0.3	0.08	0.2	0.07	24	0.4	0.09	0.2	0.06
Lymphomas	376	9.7	0.50	5.2	0.29	355	6.3	0.35	3.4	0.22
Hodgkin Lymphoma	28	0.7	0.13	0.5	0.09	16	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	348	9.0	0.48	4.7	0.27	339	6.0	0.34	3.2	0.21
Multiple Myeloma	158	4.1	0.32	2.1	0.18	144	2.6	0.22	1.4	0.14
Leukemias	402	10.3	0.52	5.8	0.32	290	5.2	0.32	2.9	0.21
Other, Ill-defined & Unknown	719	18.3	0.69	10.3	0.42	664	12.2	0.49	7.2	0.34

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nebraska, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	252	263.4	18.34	160.8	10.40	274	207.7	12.75	122.3	7.82
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	74	78.8	10.29	47.2	5.63	74	57.8	6.80	30.9	3.85
Esophagus	7	7.6	3.30	4.4	1.70	-	-	-	-	-
Stomach	8	6.1	2.19	5.6	2.03	6	4.8	1.98	2.3	1.03
Colon & Rectum	27	36.3	7.72	17.4	3.44	35	27.6	4.71	13.3	2.41
Liver	16	11.2	2.87	9.5	2.44	-	-	-	-	-
Pancreas	15	16.4	4.61	9.6	2.54	18	13.4	3.21	8.2	2.04
Respiratory System	81	83.4	9.92	51.5	5.88	73	55.6	6.60	33.7	4.17
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	77	79.4	9.69	48.9	5.72	71	53.9	6.48	32.9	4.12
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	41	28.9	4.59	20.6	3.33
Female Genital System	-	-	-	-	-	27	20.1	3.96	11.8	2.39
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	11	8.9	2.73	4.2	1.34
Ovary	-	-	-	-	-	12	8.6	2.53	6.0	1.80
Male Genital System	32	40.4	7.80	21.8	3.94	-	-	-	-	-
Prostate	31	40.1	7.79	21.4	3.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	11.0	3.95	6.1	2.08	12	9.5	2.80	4.4	1.34
Bladder	-	-	-	-	-	7	5.5	2.12	2.4	0.94
Kidney & renal pelvis	6	8.1	3.55	3.8	1.58	-	-	-	-	-
Brain & Other Nervous System	8	4.8	1.84	4.8	1.78	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	6.5	2.36	4.6	1.56	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	8	5.9	2.27	4.1	1.47	-	-	-	-	-
Multiple Myeloma	8	7.7	2.91	5.1	1.85	9	7.5	2.51	3.8	1.37
Leukemias	7	6.6	2.82	3.8	1.48	6	3.8	1.60	3.3	1.40
Other, Ill-defined & Unknown	18	18.0	4.83	12.3	2.97	21	16.3	3.61	8.8	2.02

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nebraska, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		66.6		11.57			39		16.33	
All Sites	35	108.9	21.74	66.6	11.57	39	94.0	16.33	52.5	8.60
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	39.1	12.91	25.0	6.88	16	39.6	10.70	23.4	5.92
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	7	18.1	7.41	10.1	3.84
Liver	6	13.4	7.03	9.6	4.04	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	21.6	8.54	15.4	5.54	9	21.6	7.88	10.9	3.71
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	21.6	8.54	15.4	5.54	9	21.6	7.88	10.9	3.71
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nevada, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	11,398	214.7	2.08	123.0	1.19	9,919	163.0	1.65	97.7	1.04
Oral Cavity & Pharynx	207	3.6	0.26	2.4	0.17	95	1.6	0.16	0.9	0.10
Digestive System	3,014	55.3	1.05	33.0	0.62	2,176	36.1	0.78	20.5	0.47
Esophagus	420	7.5	0.38	4.7	0.23	98	1.6	0.16	1.0	0.10
Stomach	236	4.5	0.30	2.6	0.17	158	2.6	0.21	1.4	0.12
Colon & Rectum	1,121	21.3	0.66	12.0	0.37	980	16.4	0.53	9.0	0.31
Liver	413	7.1	0.36	4.7	0.24	179	2.9	0.22	1.7	0.13
Pancreas	670	12.1	0.49	7.4	0.29	606	10.0	0.41	5.9	0.25
Respiratory System	3,529	65.0	1.13	38.1	0.66	3,099	50.9	0.92	30.3	0.57
Larynx	110	2.0	0.20	1.2	0.12	41	0.7	0.11	0.4	0.07
Lung & bronchus	3,406	62.7	1.11	36.7	0.65	3,049	50.0	0.91	29.8	0.57
Skin	337	6.2	0.35	3.7	0.21	110	1.8	0.17	1.2	0.12
Melanomas of the skin	249	4.4	0.29	2.8	0.18	90	1.4	0.15	1.0	0.11
Breast	12	0.2	0.06	0.1	0.04	1,450	23.5	0.62	14.7	0.41
Female Genital System	-	-	-	-	-	891	14.3	0.48	9.4	0.33
Cervix uteri	-	-	-	-	-	171	2.7	0.21	2.0	0.16
Corpus & uterus, NOS	-	-	-	-	-	188	3.0	0.22	1.9	0.14
Ovary	-	-	-	-	-	484	7.8	0.36	5.0	0.24
Male Genital System	1,131	25.0	0.77	11.0	0.34	-	-	-	-	-
Prostate	1,105	24.5	0.76	10.6	0.33	-	-	-	-	-
Testis	18	0.3	0.07	0.2	0.06	-	-	-	-	-
Urinary System	727	14.1	0.54	7.7	0.29	323	5.4	0.30	2.9	0.18
Bladder	409	8.4	0.43	4.1	0.21	160	2.7	0.22	1.4	0.12
Kidney & renal pelvis	305	5.5	0.33	3.4	0.20	150	2.5	0.21	1.4	0.13
Brain & Other Nervous System	309	5.2	0.30	3.7	0.22	206	3.3	0.23	2.3	0.17
Endocrine System	40	0.7	0.12	0.5	0.08	40	0.6	0.10	0.4	0.07
Thyroid gland	19	0.4	0.09	0.2	0.05	28	0.5	0.09	0.3	0.06
Lymphomas	400	7.3	0.38	4.5	0.23	309	5.2	0.30	2.8	0.17
Hodgkin Lymphoma	31	0.6	0.10	0.4	0.07	17	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	369	6.8	0.36	4.1	0.22	292	4.9	0.29	2.6	0.17
Multiple Myeloma	181	3.5	0.27	2.0	0.15	126	2.1	0.19	1.2	0.11
Leukemias	443	8.7	0.43	4.8	0.24	271	4.5	0.28	2.9	0.19
Other, Ill-defined & Unknown	1,068	19.9	0.63	11.7	0.37	823	13.6	0.48	7.9	0.30

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nevada, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		125.5		1.29		8,840	169.4		1.82	
All Sites	10,215	220.0	2.25	125.5	1.29	8,840	169.4	1.82	101.3	1.15
Oral Cavity & Pharynx	187	3.7	0.28	2.4	0.18	80	1.5	0.17	0.9	0.11
Digestive System	2,611	55.1	1.11	32.5	0.66	1,870	36.1	0.84	20.3	0.50
Esophagus	387	7.8	0.41	4.9	0.26	82	1.6	0.18	1.0	0.11
Stomach	174	3.8	0.30	2.2	0.17	125	2.4	0.22	1.3	0.13
Colon & Rectum	991	21.7	0.71	12.0	0.40	867	16.8	0.58	9.2	0.34
Liver	329	6.5	0.37	4.3	0.24	144	2.8	0.23	1.6	0.14
Pancreas	589	12.3	0.52	7.4	0.32	520	10.0	0.44	5.8	0.27
Respiratory System	3,191	67.2	1.22	39.1	0.72	2,858	54.6	1.03	32.7	0.65
Larynx	103	2.1	0.22	1.3	0.13	38	0.7	0.12	0.4	0.08
Lung & bronchus	3,076	64.8	1.20	37.7	0.70	2,812	53.7	1.02	32.1	0.64
Skin	331	7.0	0.39	4.2	0.24	107	2.1	0.20	1.3	0.14
Melanomas of the skin	247	5.0	0.33	3.2	0.21	89	1.7	0.18	1.2	0.13
Breast	12	0.2	0.07	0.2	0.05	1,273	24.1	0.68	15.1	0.45
Female Genital System	-	-	-	-	-	791	15.0	0.54	9.9	0.37
Cervix uteri	-	-	-	-	-	150	2.8	0.23	2.1	0.18
Corpus & uterus, NOS	-	-	-	-	-	170	3.2	0.25	2.0	0.16
Ovary	-	-	-	-	-	434	8.2	0.40	5.3	0.27
Male Genital System	1,008	25.2	0.82	11.0	0.36	-	-	-	-	-
Prostate	984	24.7	0.81	10.7	0.35	-	-	-	-	-
Testis	16	0.3	0.08	0.2	0.06	-	-	-	-	-
Urinary System	665	14.7	0.59	7.9	0.32	287	5.6	0.33	3.0	0.19
Bladder	387	8.9	0.47	4.4	0.23	143	2.8	0.23	1.4	0.13
Kidney & renal pelvis	265	5.5	0.35	3.4	0.21	136	2.6	0.23	1.5	0.14
Brain & Other Nervous System	286	5.5	0.34	4.0	0.24	189	3.6	0.26	2.5	0.20
Endocrine System	36	0.7	0.13	0.5	0.08	32	0.6	0.11	0.4	0.07
Thyroid gland	18	0.4	0.10	0.2	0.05	21	0.4	0.09	0.2	0.06
Lymphomas	370	7.8	0.42	4.8	0.26	286	5.6	0.33	3.0	0.19
Hodgkin Lymphoma	28	0.6	0.11	0.4	0.08	15	0.3	0.07	0.2	0.06
Non-Hodgkin Lymphoma	342	7.2	0.40	4.4	0.24	271	5.3	0.33	2.8	0.19
Multiple Myeloma	155	3.4	0.28	1.9	0.16	101	1.9	0.19	1.1	0.12
Leukemias	405	9.1	0.47	5.0	0.26	239	4.7	0.30	2.9	0.21
Other, Ill-defined & Unknown	958	20.5	0.68	12.0	0.40	727	14.0	0.52	8.1	0.33

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nevada, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	715	221.9	9.09	136.4	5.19	601	156.6	6.61	98.5	4.10
Oral Cavity & Pharynx	9	2.1	0.70	1.8	0.61	-	-	-	-	-
Digestive System	238	71.6	5.12	45.5	3.00	160	42.7	3.48	26.2	2.12
Esophagus	19	6.1	1.58	3.7	0.87	12	3.5	1.04	2.0	0.59
Stomach	33	10.5	1.98	6.2	1.10	14	4.0	1.10	2.2	0.61
Colon & Rectum	89	27.0	3.18	17.0	1.84	70	17.9	2.21	11.7	1.43
Liver	39	11.4	2.02	7.2	1.17	8	2.0	0.73	1.3	0.48
Pancreas	52	14.9	2.25	10.2	1.43	48	13.0	1.95	7.7	1.14
Respiratory System	203	60.6	4.58	38.9	2.77	143	38.1	3.28	23.3	2.00
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	197	58.4	4.47	37.7	2.73	140	37.5	3.26	22.7	1.98
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	100	25.7	2.66	16.2	1.65
Female Genital System	-	-	-	-	-	55	13.5	1.88	9.1	1.25
Cervix uteri	-	-	-	-	-	12	2.4	0.71	2.0	0.59
Corpus & uterus, NOS	-	-	-	-	-	13	3.1	0.86	2.3	0.65
Ovary	-	-	-	-	-	22	5.8	1.27	3.5	0.76
Male Genital System	89	34.4	3.91	16.3	1.77	-	-	-	-	-
Prostate	89	34.4	3.91	16.3	1.77	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	10.4	2.07	6.0	1.09	21	5.7	1.27	3.5	0.79
Bladder	10	3.6	1.25	1.9	0.62	12	3.3	0.98	2.0	0.59
Kidney & renal pelvis	21	6.8	1.65	4.0	0.90	6	1.6	0.69	1.0	0.41
Brain & Other Nervous System	12	3.4	1.12	2.4	0.69	13	3.0	0.88	2.2	0.62
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	3.7	1.04	2.5	0.69	14	3.6	1.00	2.3	0.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	12	3.0	0.90	2.2	0.65	12	3.2	0.97	1.9	0.57
Multiple Myeloma	16	5.9	1.62	3.1	0.78	18	4.8	1.17	2.9	0.70
Leukemias	22	6.5	1.46	4.0	0.86	13	2.6	0.75	2.2	0.62
Other, Ill-defined & Unknown	75	22.3	2.83	14.8	1.74	54	14.3	2.01	9.0	1.25

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nevada, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.	S.E.				Adj. Rate World	S.E.		
All Sites	407	131.0	6.97	78.8	3.97	426	94.8	4.81	61.0	3.04
Oral Cavity & Pharynx	10	2.7	0.91	1.8	0.58	10	2.2	0.73	1.4	0.46
Digestive System	148	45.9	4.01	28.9	2.40	131	30.4	2.80	18.3	1.63
Esophagus	12	4.4	1.34	2.2	0.65	-	-	-	-	-
Stomach	26	9.1	1.88	4.6	0.92	19	4.6	1.13	2.6	0.60
Colon & Rectum	38	12.3	2.15	7.4	1.21	41	9.8	1.63	5.7	0.91
Liver	40	10.6	1.71	8.1	1.29	24	5.8	1.24	3.2	0.66
Pancreas	25	7.7	1.65	5.0	1.01	31	6.6	1.24	4.5	0.82
Respiratory System	115	36.7	3.63	22.6	2.14	86	19.1	2.14	12.3	1.35
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	114	36.3	3.61	22.4	2.13	85	18.9	2.13	12.1	1.34
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	67	13.9	1.76	9.5	1.18
Female Genital System	-	-	-	-	-	43	8.7	1.38	6.0	0.93
Cervix uteri	-	-	-	-	-	8	1.5	0.55	1.1	0.41
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	28	6.0	1.18	3.9	0.75
Male Genital System	27	11.4	2.33	5.0	0.98	-	-	-	-	-
Prostate	25	10.9	2.31	4.7	0.95	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	8.0	1.86	4.7	1.00	11	2.6	0.82	1.8	0.60
Bladder	9	4.5	1.58	1.7	0.58	-	-	-	-	-
Kidney & renal pelvis	14	3.6	0.97	3.0	0.82	6	1.5	0.65	1.1	0.51
Brain & Other Nervous System	8	2.1	0.75	1.5	0.53	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	4.2	1.16	2.6	0.69	7	1.5	0.62	1.0	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	13	3.9	1.14	2.4	0.67	7	1.5	0.62	1.0	0.38
Multiple Myeloma	8	2.8	1.07	1.6	0.56	6	1.2	0.51	0.9	0.37
Leukemias	16	5.1	1.36	3.1	0.79	18	3.9	0.94	3.3	0.87
Other, Ill-defined & Unknown	35	11.5	2.11	6.7	1.14	38	9.3	1.58	5.2	0.86

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Hampshire, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	6,566	223.4	2.82	124.4	1.61	6,256	159.1	2.04	95.5	1.35
Oral Cavity & Pharynx	127	4.0	0.37	2.7	0.24	65	1.7	0.22	0.9	0.13
Digestive System	1,679	56.0	1.40	32.1	0.82	1,368	33.8	0.93	18.8	0.58
Esophagus	313	10.2	0.59	6.1	0.36	92	2.3	0.24	1.3	0.15
Stomach	125	4.2	0.38	2.3	0.22	76	1.8	0.21	0.9	0.12
Colon & Rectum	595	20.5	0.86	11.2	0.48	572	13.9	0.59	7.3	0.35
Liver	169	5.3	0.42	3.4	0.27	56	1.4	0.19	0.8	0.12
Pancreas	386	12.8	0.67	7.3	0.38	441	11.0	0.53	6.5	0.35
Respiratory System	1,982	65.5	1.50	38.5	0.90	1,708	44.4	1.08	27.4	0.73
Larynx	55	1.8	0.25	1.0	0.14	19	0.5	0.12	0.3	0.08
Lung & bronchus	1,919	63.4	1.48	37.4	0.89	1,685	43.7	1.08	27.1	0.72
Skin	187	6.1	0.46	3.7	0.28	94	2.4	0.25	1.5	0.18
Melanomas of the skin	138	4.4	0.38	2.7	0.24	74	2.0	0.23	1.3	0.17
Breast	-	-	-	-	-	902	22.8	0.77	14.7	0.53
Female Genital System	-	-	-	-	-	618	15.7	0.64	9.8	0.44
Cervix uteri	-	-	-	-	-	84	2.2	0.24	1.6	0.18
Corpus & uterus, NOS	-	-	-	-	-	175	4.4	0.34	2.6	0.22
Ovary	-	-	-	-	-	318	8.1	0.46	5.1	0.32
Male Genital System	658	25.5	1.01	10.6	0.43	-	-	-	-	-
Prostate	643	25.1	1.00	10.3	0.42	-	-	-	-	-
Testis	10	0.3	0.09	0.2	0.08	-	-	-	-	-
Urinary System	432	15.2	0.75	7.7	0.39	223	5.6	0.38	3.1	0.24
Bladder	247	9.0	0.58	4.3	0.29	100	2.5	0.25	1.3	0.15
Kidney & renal pelvis	173	5.8	0.45	3.2	0.25	113	2.9	0.27	1.6	0.18
Brain & Other Nervous System	204	6.3	0.45	4.5	0.32	136	3.7	0.32	2.6	0.25
Endocrine System	26	0.9	0.18	0.6	0.13	26	0.7	0.13	0.5	0.10
Thyroid gland	17	0.6	0.15	0.3	0.09	16	0.4	0.10	0.2	0.07
Lymphomas	247	8.7	0.57	4.6	0.32	214	5.3	0.37	2.9	0.23
Hodgkin Lymphoma	12	0.4	0.13	0.3	0.09	9	0.2	0.08	0.2	0.06
Non-Hodgkin Lymphoma	235	8.3	0.55	4.4	0.30	205	5.1	0.36	2.7	0.22
Multiple Myeloma	122	4.2	0.39	2.3	0.22	114	2.9	0.27	1.5	0.16
Leukemias	259	9.0	0.57	4.9	0.32	214	5.5	0.38	3.2	0.27
Other, Ill-defined & Unknown	638	21.9	0.89	12.1	0.51	574	14.6	0.62	8.6	0.41

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Hampshire, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	6,515	225.4	2.86	125.7	1.63	6,209	160.3	2.06	96.3	1.37
Oral Cavity & Pharynx	123	4.0	0.37	2.6	0.24	65	1.8	0.22	0.9	0.13
Digestive System	1,661	56.4	1.42	32.3	0.83	1,358	34.0	0.94	18.9	0.58
Esophagus	313	10.4	0.60	6.2	0.36	91	2.3	0.24	1.3	0.15
Stomach	119	4.1	0.38	2.2	0.21	76	1.9	0.22	0.9	0.12
Colon & Rectum	594	20.8	0.87	11.4	0.49	569	14.0	0.60	7.4	0.36
Liver	165	5.3	0.42	3.4	0.28	55	1.4	0.19	0.8	0.12
Pancreas	380	12.8	0.68	7.3	0.39	439	11.1	0.54	6.6	0.35
Respiratory System	1,969	66.1	1.52	39.0	0.91	1,697	44.7	1.10	27.7	0.74
Larynx	55	1.9	0.26	1.0	0.15	19	0.5	0.12	0.3	0.08
Lung & bronchus	1,906	64.0	1.50	37.8	0.90	1,674	44.1	1.09	27.3	0.73
Skin	187	6.2	0.46	3.7	0.28	94	2.5	0.26	1.5	0.18
Melanomas of the skin	138	4.5	0.39	2.8	0.25	74	2.0	0.24	1.3	0.17
Breast	-	-	-	-	-	896	23.0	0.78	14.8	0.54
Female Genital System	-	-	-	-	-	610	15.7	0.65	9.8	0.44
Cervix uteri	-	-	-	-	-	82	2.2	0.25	1.6	0.18
Corpus & uterus, NOS	-	-	-	-	-	173	4.4	0.34	2.6	0.22
Ovary	-	-	-	-	-	314	8.2	0.47	5.1	0.32
Male Genital System	656	25.8	1.02	10.7	0.44	-	-	-	-	-
Prostate	641	25.3	1.01	10.4	0.43	-	-	-	-	-
Testis	10	0.3	0.10	0.3	0.08	-	-	-	-	-
Urinary System	430	15.3	0.76	7.8	0.39	221	5.6	0.38	3.1	0.24
Bladder	246	9.1	0.59	4.3	0.29	100	2.5	0.26	1.3	0.15
Kidney & renal pelvis	173	5.9	0.46	3.3	0.26	112	2.9	0.28	1.6	0.18
Brain & Other Nervous System	204	6.4	0.46	4.6	0.33	136	3.8	0.33	2.7	0.26
Endocrine System	26	0.9	0.18	0.6	0.14	24	0.6	0.13	0.4	0.10
Thyroid gland	17	0.6	0.15	0.4	0.09	15	0.4	0.10	0.2	0.07
Lymphomas	244	8.8	0.58	4.7	0.32	214	5.4	0.37	2.9	0.23
Hodgkin Lymphoma	12	0.4	0.13	0.3	0.10	9	0.2	0.08	0.2	0.07
Non-Hodgkin Lymphoma	232	8.3	0.56	4.4	0.31	205	5.2	0.37	2.7	0.22
Multiple Myeloma	121	4.3	0.40	2.3	0.22	113	2.9	0.27	1.6	0.17
Leukemias	256	9.0	0.57	4.9	0.33	212	5.5	0.39	3.2	0.28
Other, Ill-defined & Unknown	633	22.1	0.90	12.3	0.52	569	14.7	0.62	8.6	0.41

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Hampshire, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	22	159.5	43.37	87.2	19.58	16	78.2	20.92	52.4	13.86
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	44.9	22.82	26.6	10.75	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	60.3	27.53	27.2	10.80	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	60.3	27.53	27.2	10.80	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Hampshire, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	27	100.7	22.37	54.3	10.71	29	76.9	15.46	51.6	9.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	33.5	12.02	20.4	6.64	7	18.2	7.29	13.4	5.20
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	24.8	11.57	11.3	4.78	9	26.3	9.39	15.2	5.22
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	24.8	11.57	11.3	4.78	9	26.3	9.39	15.2	5.22
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	6	16.0	6.90	11.1	4.65
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Jersey, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	41,760	218.5	1.08	121.8	0.63	43,767	160.6	0.78	95.5	0.52
Oral Cavity & Pharynx	685	3.3	0.13	2.2	0.09	370	1.4	0.07	0.9	0.05
Digestive System	11,511	59.2	0.56	34.1	0.33	10,254	36.7	0.37	20.0	0.23
Esophagus	1,464	7.3	0.19	4.6	0.12	494	1.8	0.08	1.0	0.05
Stomach	1,220	6.4	0.18	3.6	0.11	899	3.2	0.11	1.8	0.07
Colon & Rectum	4,284	22.6	0.35	12.2	0.20	4,529	16.0	0.24	8.4	0.15
Liver	1,268	6.2	0.18	4.0	0.12	551	2.0	0.09	1.1	0.06
Pancreas	2,594	13.3	0.26	7.7	0.16	2,753	9.9	0.19	5.5	0.12
Respiratory System	12,116	62.6	0.58	36.0	0.34	10,674	39.8	0.39	23.9	0.26
Larynx	471	2.4	0.11	1.4	0.07	141	0.5	0.04	0.3	0.03
Lung & bronchus	11,554	59.7	0.56	34.3	0.34	10,483	39.1	0.39	23.5	0.26
Skin	1,027	5.3	0.17	3.0	0.10	611	2.2	0.09	1.3	0.06
Melanomas of the skin	799	4.1	0.15	2.4	0.09	483	1.8	0.08	1.1	0.06
Breast	96	0.5	0.05	0.3	0.03	7,091	26.5	0.32	17.0	0.22
Female Genital System	-	-	-	-	-	4,615	17.3	0.26	11.2	0.18
Cervix uteri	-	-	-	-	-	618	2.5	0.10	1.8	0.08
Corpus & uterus, NOS	-	-	-	-	-	1,388	5.1	0.14	3.2	0.10
Ovary	-	-	-	-	-	2,373	8.8	0.18	5.6	0.13
Male Genital System	4,170	23.8	0.37	10.4	0.17	-	-	-	-	-
Prostate	4,093	23.4	0.37	10.1	0.17	-	-	-	-	-
Testis	41	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,686	14.5	0.28	7.4	0.15	1,430	5.0	0.13	2.6	0.08
Bladder	1,610	9.0	0.23	4.2	0.11	759	2.6	0.10	1.2	0.05
Kidney & renal pelvis	1,021	5.2	0.17	3.1	0.10	629	2.3	0.09	1.3	0.06
Brain & Other Nervous System	961	4.7	0.15	3.3	0.11	762	3.0	0.11	2.1	0.09
Endocrine System	154	0.8	0.06	0.5	0.05	216	0.8	0.06	0.6	0.04
Thyroid gland	101	0.5	0.05	0.3	0.03	148	0.5	0.05	0.3	0.03
Lymphomas	1,737	9.1	0.22	5.1	0.13	1,689	6.1	0.15	3.3	0.10
Hodgkin Lymphoma	120	0.6	0.06	0.4	0.04	98	0.4	0.04	0.3	0.03
Non-Hodgkin Lymphoma	1,617	8.5	0.21	4.6	0.12	1,591	5.7	0.15	3.1	0.09
Multiple Myeloma	796	4.2	0.15	2.3	0.09	793	2.9	0.10	1.6	0.06
Leukemias	1,764	9.4	0.23	5.2	0.13	1,475	5.4	0.14	3.2	0.10
Other, Ill-defined & Unknown	4,057	21.3	0.34	11.9	0.20	3,787	13.6	0.23	7.8	0.15

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Jersey, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	Adj. Rate World	S.E.	Deaths	Adj. Rate	Adj. Rate World	S.E.	Adj. Rate World	S.E.
		2000 U.S.				S.E.				
All Sites	35,875	219.3	1.17	121.8	0.69	37,637	162.4	0.85	96.3	0.58
Oral Cavity & Pharynx	532	3.1	0.14	2.0	0.09	307	1.3	0.08	0.8	0.05
Digestive System	9,675	58.4	0.60	33.4	0.36	8,679	36.0	0.40	19.4	0.25
Esophagus	1,263	7.4	0.21	4.7	0.14	415	1.7	0.09	1.0	0.06
Stomach	962	5.9	0.19	3.3	0.11	686	2.9	0.11	1.5	0.07
Colon & Rectum	3,656	22.5	0.37	12.0	0.21	3,868	15.7	0.26	8.2	0.16
Liver	968	5.6	0.18	3.6	0.12	450	1.9	0.09	1.0	0.06
Pancreas	2,241	13.5	0.29	7.8	0.18	2,374	10.0	0.21	5.6	0.13
Respiratory System	10,445	63.1	0.62	36.3	0.38	9,373	41.2	0.43	24.9	0.29
Larynx	368	2.2	0.11	1.3	0.07	111	0.5	0.05	0.3	0.03
Lung & bronchus	9,995	60.5	0.61	34.7	0.37	9,219	40.6	0.43	24.5	0.29
Skin	994	6.0	0.19	3.5	0.12	592	2.6	0.11	1.6	0.08
Melanomas of the skin	779	4.7	0.17	2.8	0.11	468	2.1	0.10	1.3	0.07
Breast	81	0.5	0.06	0.3	0.03	5,937	26.3	0.35	16.8	0.25
Female Genital System	-	-	-	-	-	3,886	17.3	0.28	11.1	0.20
Cervix uteri	-	-	-	-	-	460	2.3	0.11	1.6	0.08
Corpus & uterus, NOS	-	-	-	-	-	1,122	4.9	0.15	3.0	0.10
Ovary	-	-	-	-	-	2,102	9.3	0.21	5.9	0.15
Male Genital System	3,371	22.0	0.38	9.5	0.18	-	-	-	-	-
Prostate	3,298	21.5	0.38	9.2	0.17	-	-	-	-	-
Testis	38	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,446	15.2	0.31	7.8	0.17	1,261	5.1	0.15	2.7	0.09
Bladder	1,498	9.5	0.25	4.5	0.12	666	2.6	0.10	1.3	0.06
Kidney & renal pelvis	896	5.4	0.18	3.2	0.11	559	2.4	0.10	1.4	0.07
Brain & Other Nervous System	871	5.1	0.17	3.6	0.13	707	3.4	0.13	2.4	0.10
Endocrine System	129	0.8	0.07	0.5	0.05	187	0.8	0.06	0.6	0.05
Thyroid gland	90	0.5	0.06	0.3	0.04	129	0.6	0.05	0.3	0.03
Lymphomas	1,558	9.5	0.24	5.3	0.15	1,530	6.4	0.17	3.5	0.11
Hodgkin Lymphoma	105	0.6	0.06	0.4	0.05	81	0.4	0.04	0.3	0.03
Non-Hodgkin Lymphoma	1,453	8.9	0.24	4.9	0.14	1,449	6.1	0.16	3.3	0.10
Multiple Myeloma	662	4.1	0.16	2.3	0.09	605	2.5	0.11	1.4	0.06
Leukemias	1,597	9.9	0.25	5.5	0.15	1,307	5.6	0.16	3.3	0.11
Other, Ill-defined & Unknown	3,514	21.6	0.37	11.9	0.22	3,266	13.7	0.25	7.8	0.16

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Jersey, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	4,952	269.2	4.14	156.2	2.26	5,215	178.3	2.50	110.9	1.60
Oral Cavity & Pharynx	132	6.1	0.56	4.1	0.36	51	1.6	0.23	1.2	0.17
Digestive System	1,475	77.0	2.17	46.7	1.24	1,335	47.1	1.30	27.2	0.78
Esophagus	176	8.7	0.70	5.6	0.43	70	2.3	0.28	1.6	0.19
Stomach	184	10.5	0.83	5.8	0.44	158	5.6	0.45	3.1	0.26
Colon & Rectum	535	29.9	1.41	16.8	0.74	592	21.0	0.87	11.8	0.51
Liver	213	9.3	0.68	6.8	0.47	75	2.5	0.29	1.7	0.20
Pancreas	290	14.8	0.93	9.3	0.55	320	11.4	0.64	6.5	0.38
Respiratory System	1,447	75.8	2.13	46.2	1.24	1,154	39.7	1.18	24.5	0.75
Larynx	97	5.0	0.54	3.1	0.32	29	1.0	0.18	0.6	0.12
Lung & bronchus	1,342	70.4	2.06	42.8	1.19	1,120	38.5	1.17	23.7	0.74
Skin	29	1.6	0.31	0.9	0.17	13	0.4	0.12	0.3	0.08
Melanomas of the skin	17	1.0	0.27	0.5	0.13	10	0.3	0.10	0.2	0.08
Breast	13	0.8	0.23	0.4	0.12	964	31.6	1.03	21.2	0.70
Female Genital System	-	-	-	-	-	625	20.6	0.83	14.1	0.58
Cervix uteri	-	-	-	-	-	138	4.4	0.38	3.2	0.28
Corpus & uterus, NOS	-	-	-	-	-	235	7.9	0.52	5.3	0.36
Ovary	-	-	-	-	-	219	7.3	0.50	4.9	0.34
Male Genital System	744	50.9	2.00	23.2	0.87	-	-	-	-	-
Prostate	740	50.8	2.00	23.0	0.87	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	198	11.2	0.87	6.2	0.45	143	5.2	0.44	2.7	0.24
Bladder	93	5.9	0.67	2.8	0.30	80	3.0	0.34	1.4	0.16
Kidney & renal pelvis	103	5.2	0.56	3.3	0.33	58	2.0	0.27	1.3	0.17
Brain & Other Nervous System	63	2.8	0.37	1.9	0.25	37	1.2	0.19	0.9	0.16
Endocrine System	13	0.6	0.18	0.4	0.12	21	0.7	0.15	0.6	0.13
Thyroid gland	7	0.4	0.16	0.2	0.08	12	0.4	0.12	0.3	0.08
Lymphomas	130	5.8	0.53	3.8	0.34	125	4.3	0.39	2.7	0.25
Hodgkin Lymphoma	11	0.4	0.12	0.3	0.10	16	0.5	0.13	0.4	0.10
Non-Hodgkin Lymphoma	119	5.4	0.52	3.5	0.33	109	3.8	0.36	2.3	0.23
Multiple Myeloma	126	6.9	0.67	4.1	0.37	171	6.0	0.47	3.4	0.27
Leukemias	132	6.9	0.67	4.2	0.38	134	4.6	0.40	2.9	0.26
Other, Ill-defined & Unknown	450	22.8	1.16	14.2	0.68	442	15.3	0.74	9.2	0.46

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Jersey, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	900	98.8	3.73	55.4	1.88	867	73.4	2.64	44.1	1.53
Oral Cavity & Pharynx	21	1.6	0.37	1.2	0.27	12	1.2	0.36	0.6	0.17
Digestive System	350	36.7	2.22	21.2	1.15	233	21.0	1.45	12.0	0.80
Esophagus	23	2.1	0.48	1.4	0.30	9	0.9	0.32	0.5	0.15
Stomach	71	8.3	1.11	4.3	0.52	55	4.7	0.67	2.7	0.38
Colon & Rectum	91	9.6	1.14	5.6	0.60	68	6.4	0.81	3.5	0.43
Liver	84	7.8	0.95	4.9	0.54	26	2.4	0.50	1.3	0.26
Pancreas	62	7.0	1.00	3.7	0.48	53	4.8	0.69	2.8	0.39
Respiratory System	213	24.5	1.88	13.2	0.92	130	12.1	1.11	6.5	0.58
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	207	23.7	1.84	12.8	0.90	127	11.8	1.10	6.4	0.58
Skin	-	-	-	-	-	6	0.5	0.23	0.3	0.13
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	179	12.7	1.00	9.2	0.70
Female Genital System	-	-	-	-	-	98	7.6	0.81	5.0	0.51
Cervix uteri	-	-	-	-	-	19	1.4	0.33	1.0	0.23
Corpus & uterus, NOS	-	-	-	-	-	30	2.5	0.48	1.5	0.28
Ovary	-	-	-	-	-	48	3.6	0.55	2.4	0.36
Male Genital System	54	8.9	1.30	3.6	0.49	-	-	-	-	-
Prostate	54	8.9	1.30	3.6	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	39	4.2	0.77	2.4	0.40	25	2.5	0.52	1.1	0.23
Bladder	16	2.2	0.62	1.0	0.25	13	1.4	0.40	0.6	0.17
Kidney & renal pelvis	22	1.9	0.44	1.4	0.30	11	1.0	0.31	0.5	0.15
Brain & Other Nervous System	27	2.0	0.41	1.6	0.32	17	1.3	0.35	0.8	0.20
Endocrine System	12	1.2	0.38	0.8	0.23	8	0.6	0.24	0.4	0.16
Thyroid gland	-	-	-	-	-	7	0.6	0.23	0.4	0.15
Lymphomas	48	4.7	0.78	2.9	0.42	33	3.1	0.57	1.7	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	44	4.4	0.77	2.6	0.40	32	3.1	0.57	1.6	0.29
Multiple Myeloma	8	0.8	0.28	0.5	0.19	15	1.4	0.37	0.8	0.21
Leukemias	33	3.9	0.75	2.1	0.37	34	2.7	0.49	1.9	0.33
Other, Ill-defined & Unknown	89	9.7	1.18	5.6	0.60	77	6.7	0.82	3.9	0.45

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Mexico, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	8,435	193.0	2.13	111.0	1.27	7,479	136.8	1.59	82.2	1.05
Oral Cavity & Pharynx	168	3.5	0.28	2.5	0.20	53	1.0	0.13	0.5	0.08
Digestive System	2,474	55.4	1.13	33.6	0.71	1,843	33.6	0.79	19.1	0.49
Esophagus	281	6.1	0.37	3.9	0.24	69	1.3	0.16	0.7	0.09
Stomach	279	6.4	0.39	3.6	0.23	164	3.0	0.24	1.7	0.14
Colon & Rectum	855	19.6	0.68	11.4	0.41	736	13.4	0.50	7.4	0.30
Liver	371	7.9	0.42	5.3	0.29	135	2.4	0.21	1.5	0.14
Pancreas	518	11.5	0.51	7.1	0.33	508	9.3	0.41	5.3	0.26
Respiratory System	2,112	47.8	1.05	27.9	0.64	1,638	30.1	0.75	17.8	0.48
Larynx	85	1.9	0.20	1.2	0.14	21	0.4	0.09	0.3	0.06
Lung & bronchus	2,008	45.5	1.03	26.3	0.62	1,606	29.5	0.74	17.5	0.47
Skin	225	5.2	0.35	2.9	0.21	129	2.3	0.21	1.4	0.14
Melanomas of the skin	157	3.6	0.29	2.1	0.18	104	1.9	0.19	1.2	0.13
Breast	12	0.3	0.07	0.1	0.05	1,173	21.5	0.63	13.9	0.44
Female Genital System	-	-	-	-	-	812	14.9	0.53	9.6	0.36
Cervix uteri	-	-	-	-	-	136	2.6	0.23	1.9	0.17
Corpus & uterus, NOS	-	-	-	-	-	185	3.4	0.25	2.2	0.17
Ovary	-	-	-	-	-	440	8.0	0.38	5.0	0.26
Male Genital System	999	25.1	0.80	11.0	0.37	-	-	-	-	-
Prostate	976	24.6	0.80	10.6	0.36	-	-	-	-	-
Testis	11	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	517	11.9	0.53	6.8	0.32	288	5.2	0.31	2.7	0.18
Bladder	233	5.5	0.37	2.9	0.20	110	2.0	0.19	0.9	0.10
Kidney & renal pelvis	275	6.2	0.38	3.8	0.24	172	3.1	0.24	1.8	0.15
Brain & Other Nervous System	221	4.7	0.32	3.4	0.24	161	3.0	0.24	2.1	0.18
Endocrine System	38	0.9	0.14	0.6	0.11	38	0.7	0.11	0.4	0.08
Thyroid gland	23	0.5	0.11	0.3	0.07	27	0.5	0.09	0.3	0.06
Lymphomas	310	7.1	0.41	4.1	0.25	274	5.0	0.30	2.9	0.19
Hodgkin Lymphoma	20	0.4	0.10	0.3	0.08	12	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	290	6.6	0.39	3.8	0.24	262	4.8	0.30	2.7	0.19
Multiple Myeloma	171	3.9	0.30	2.2	0.18	144	2.6	0.22	1.5	0.14
Leukemias	354	8.2	0.44	4.8	0.27	270	5.0	0.31	3.1	0.22
Other, Ill-defined & Unknown	834	19.1	0.67	11.1	0.40	656	11.9	0.47	7.1	0.31

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Mexico, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		197.5		113.5			139.0		83.7	
All Sites	7,901	197.5	2.25	113.5	1.36	6,903	139.0	1.69	83.7	1.12
Oral Cavity & Pharynx	158	3.7	0.29	2.6	0.21	53	1.0	0.15	0.6	0.09
Digestive System	2,282	55.8	1.18	33.9	0.75	1,650	33.0	0.82	18.7	0.51
Esophagus	271	6.5	0.40	4.1	0.26	66	1.4	0.17	0.8	0.10
Stomach	245	6.1	0.40	3.5	0.24	143	2.9	0.24	1.6	0.15
Colon & Rectum	788	19.8	0.71	11.4	0.43	671	13.3	0.52	7.4	0.32
Liver	347	8.2	0.44	5.5	0.31	107	2.1	0.21	1.3	0.14
Pancreas	483	11.7	0.54	7.3	0.35	469	9.4	0.44	5.4	0.28
Respiratory System	2,019	49.8	1.12	29.0	0.68	1,576	31.8	0.81	19.0	0.52
Larynx	83	2.0	0.22	1.3	0.15	19	0.4	0.09	0.3	0.06
Lung & bronchus	1,921	47.4	1.09	27.5	0.66	1,547	31.2	0.80	18.6	0.52
Skin	223	5.7	0.38	3.2	0.23	127	2.6	0.23	1.6	0.15
Melanomas of the skin	156	3.9	0.32	2.3	0.19	103	2.1	0.21	1.3	0.14
Breast	12	0.3	0.08	0.2	0.05	1,100	22.3	0.68	14.4	0.47
Female Genital System	-	-	-	-	-	732	14.9	0.56	9.6	0.39
Cervix uteri	-	-	-	-	-	121	2.6	0.25	1.9	0.19
Corpus & uterus, NOS	-	-	-	-	-	171	3.4	0.26	2.2	0.19
Ovary	-	-	-	-	-	394	7.9	0.40	5.0	0.27
Male Genital System	931	25.3	0.84	11.1	0.39	-	-	-	-	-
Prostate	911	24.8	0.83	10.7	0.38	-	-	-	-	-
Testis	9	0.2	0.08	0.2	0.07	-	-	-	-	-
Urinary System	479	12.0	0.56	6.9	0.33	261	5.2	0.32	2.7	0.19
Bladder	228	5.9	0.39	3.1	0.21	105	2.0	0.20	0.9	0.10
Kidney & renal pelvis	242	5.9	0.39	3.7	0.25	151	3.0	0.25	1.7	0.16
Brain & Other Nervous System	211	5.0	0.35	3.6	0.26	151	3.2	0.26	2.3	0.20
Endocrine System	36	0.9	0.15	0.7	0.12	36	0.7	0.12	0.4	0.09
Thyroid gland	21	0.5	0.12	0.3	0.07	26	0.5	0.10	0.3	0.06
Lymphomas	294	7.4	0.43	4.3	0.26	254	5.1	0.32	2.9	0.20
Hodgkin Lymphoma	16	0.4	0.10	0.3	0.08	12	0.2	0.07	0.1	0.05
Non-Hodgkin Lymphoma	278	7.0	0.42	4.0	0.25	242	4.8	0.31	2.8	0.20
Multiple Myeloma	159	3.9	0.32	2.2	0.18	129	2.6	0.23	1.5	0.14
Leukemias	332	8.5	0.47	4.8	0.29	246	5.0	0.32	3.1	0.24
Other, Ill-defined & Unknown	765	19.2	0.70	11.1	0.43	588	11.7	0.49	6.9	0.32

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Mexico, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	145	174.2	15.39	104.7	8.90	116	128.6	12.04	71.2	7.08
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	37	41.9	7.39	27.3	4.58	26	29.3	5.78	15.2	3.17
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	15	16.8	4.63	11.1	2.94	17	19.4	4.73	9.8	2.53
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	7	8.3	3.37	5.4	2.08	-	-	-	-	-
Respiratory System	38	46.8	8.00	28.4	4.73	24	27.7	5.69	13.3	2.93
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	37	45.6	7.91	27.6	4.66	22	25.7	5.49	12.2	2.80
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	17	18.1	4.44	11.3	2.93
Female Genital System	-	-	-	-	-	12	13.1	3.82	8.3	2.55
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	7.6	2.92	4.3	1.75
Male Genital System	20	31.5	7.25	13.5	3.11	-	-	-	-	-
Prostate	19	30.0	7.09	13.0	3.06	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	10.0	3.56	5.8	1.98	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	7.7	3.14	4.6	1.80	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	7.7	3.04	5.5	2.11	-	-	-	-	-
Leukemias	9	7.8	2.67	6.2	2.06	7	6.5	2.55	4.8	1.89
Other, Ill-defined & Unknown	18	22.4	5.57	12.9	3.11	14	15.0	4.03	8.5	2.38

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Mexico, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		34		71.3		13.79	49.3		8.63	
All Sites	34	71.3	13.79	49.3	8.63	59	90.8	12.26	56.1	7.49
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	22.5	8.36	14.5	4.70	20	30.3	7.07	18.6	4.26
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	14.2	5.17	12.0	4.31	10	18.0	5.71	9.5	3.07
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	12.6	4.92	10.7	4.12	10	18.0	5.71	9.5	3.07
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	8	9.8	3.56	7.4	2.63
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	6	7.7	3.23	6.4	2.66

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New York, 2004-2008, All Races**

SITES	MALES (ALL RACES)				FEMALES (ALL RACES)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	87,639	204.6	0.70	116.6	0.42	90,135	148.0	0.50	89.7	0.34
Oral Cavity & Pharynx	1,610	3.5	0.09	2.4	0.06	745	1.2	0.05	0.8	0.03
Digestive System	24,816	57.1	0.37	33.5	0.22	21,936	35.1	0.24	19.8	0.15
Esophagus	3,371	7.6	0.13	4.8	0.09	1,159	1.9	0.06	1.1	0.04
Stomach	2,704	6.3	0.12	3.6	0.07	2,051	3.3	0.07	1.9	0.05
Colon & Rectum	8,535	20.2	0.22	11.1	0.13	9,182	14.5	0.15	7.9	0.10
Liver	3,093	6.7	0.12	4.5	0.08	1,251	2.0	0.06	1.2	0.04
Pancreas	5,470	12.6	0.17	7.4	0.10	6,073	9.8	0.13	5.5	0.08
Respiratory System	25,716	59.2	0.37	35.0	0.23	22,244	37.0	0.25	22.7	0.17
Larynx	1,023	2.3	0.07	1.5	0.05	269	0.4	0.03	0.3	0.02
Lung & bronchus	24,566	56.6	0.37	33.4	0.22	21,880	36.4	0.25	22.3	0.17
Skin	1,834	4.3	0.10	2.5	0.06	1,072	1.8	0.05	1.1	0.04
Melanomas of the skin	1,416	3.2	0.09	1.9	0.05	852	1.4	0.05	0.9	0.04
Breast	118	0.3	0.03	0.2	0.02	13,878	23.1	0.20	15.0	0.14
Female Genital System	-	-	-	-	-	10,028	16.8	0.17	10.9	0.12
Cervix uteri	-	-	-	-	-	1,380	2.4	0.07	1.8	0.05
Corpus & uterus, NOS	-	-	-	-	-	3,050	5.0	0.09	3.2	0.06
Ovary	-	-	-	-	-	5,046	8.4	0.12	5.4	0.08
Male Genital System	9,177	23.4	0.25	10.3	0.11	-	-	-	-	-
Prostate	8,986	23.0	0.24	10.0	0.11	-	-	-	-	-
Testis	91	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,478	13.2	0.18	6.8	0.10	2,969	4.7	0.09	2.5	0.05
Bladder	3,140	7.8	0.14	3.7	0.07	1,507	2.3	0.06	1.1	0.03
Kidney & renal pelvis	2,217	5.1	0.11	3.0	0.07	1,367	2.2	0.06	1.3	0.04
Brain & Other Nervous System	2,150	4.7	0.10	3.3	0.08	1,641	2.9	0.07	2.0	0.06
Endocrine System	374	0.9	0.04	0.6	0.03	468	0.8	0.04	0.5	0.03
Thyroid gland	223	0.5	0.04	0.3	0.02	308	0.5	0.03	0.3	0.02
Lymphomas	3,670	8.5	0.14	4.9	0.09	3,354	5.4	0.10	3.1	0.06
Hodgkin Lymphoma	251	0.6	0.04	0.4	0.03	199	0.4	0.03	0.2	0.02
Non-Hodgkin Lymphoma	3,419	8.0	0.14	4.5	0.08	3,155	5.1	0.09	2.8	0.06
Multiple Myeloma	1,679	3.9	0.10	2.2	0.06	1,564	2.5	0.07	1.4	0.04
Leukemias	3,922	9.3	0.15	5.4	0.09	3,140	5.1	0.09	3.1	0.07
Other, Ill-defined & Unknown	7,095	16.5	0.20	9.6	0.12	7,096	11.5	0.14	6.8	0.09

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New York, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	73,381	207.2	0.77	117.7	0.47	75,051	151.7	0.57	91.5	0.39
Oral Cavity & Pharynx	1,222	3.3	0.09	2.2	0.06	600	1.2	0.05	0.7	0.03
Digestive System	20,083	56.1	0.40	32.7	0.25	17,686	34.4	0.26	19.2	0.17
Esophagus	2,928	8.0	0.15	5.1	0.10	915	1.8	0.06	1.1	0.04
Stomach	1,970	5.6	0.13	3.2	0.08	1,459	2.9	0.08	1.7	0.05
Colon & Rectum	7,012	20.0	0.24	10.9	0.14	7,481	14.2	0.17	7.6	0.11
Liver	2,149	5.7	0.12	3.8	0.09	916	1.8	0.06	1.1	0.04
Pancreas	4,662	13.0	0.19	7.6	0.12	5,067	9.9	0.14	5.6	0.09
Respiratory System	21,766	60.7	0.41	35.8	0.26	19,240	39.6	0.29	24.4	0.20
Larynx	782	2.1	0.08	1.3	0.05	209	0.4	0.03	0.3	0.02
Lung & bronchus	20,873	58.3	0.41	34.3	0.25	18,957	39.0	0.29	24.1	0.20
Skin	1,771	5.0	0.12	2.9	0.07	1,016	2.1	0.07	1.3	0.05
Melanomas of the skin	1,389	3.9	0.10	2.3	0.07	818	1.7	0.06	1.1	0.05
Breast	102	0.3	0.03	0.2	0.02	11,105	22.9	0.22	14.7	0.16
Female Genital System	-	-	-	-	-	8,066	16.8	0.19	10.8	0.14
Cervix uteri	-	-	-	-	-	941	2.1	0.07	1.5	0.05
Corpus & uterus, NOS	-	-	-	-	-	2,277	4.6	0.10	2.9	0.07
Ovary	-	-	-	-	-	4,365	9.1	0.14	5.8	0.10
Male Genital System	7,141	21.5	0.26	9.3	0.12	-	-	-	-	-
Prostate	6,978	21.0	0.25	8.9	0.11	-	-	-	-	-
Testis	80	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	4,938	14.2	0.20	7.4	0.11	2,598	5.0	0.10	2.7	0.06
Bladder	2,891	8.5	0.16	4.0	0.08	1,325	2.5	0.07	1.2	0.04
Kidney & renal pelvis	1,938	5.4	0.12	3.2	0.08	1,194	2.4	0.07	1.4	0.05
Brain & Other Nervous System	1,936	5.3	0.12	3.8	0.09	1,466	3.2	0.09	2.3	0.07
Endocrine System	315	0.9	0.05	0.6	0.04	358	0.7	0.04	0.5	0.03
Thyroid gland	187	0.5	0.04	0.3	0.02	242	0.5	0.03	0.3	0.02
Lymphomas	3,247	9.2	0.16	5.3	0.10	2,950	5.8	0.11	3.3	0.07
Hodgkin Lymphoma	215	0.6	0.04	0.4	0.03	173	0.4	0.03	0.3	0.02
Non-Hodgkin Lymphoma	3,032	8.6	0.16	4.9	0.10	2,777	5.4	0.11	3.0	0.07
Multiple Myeloma	1,342	3.8	0.10	2.1	0.06	1,177	2.3	0.07	1.3	0.04
Leukemias	3,447	9.9	0.17	5.7	0.11	2,745	5.5	0.11	3.3	0.08
Other, Ill-defined & Unknown	6,071	17.1	0.22	9.9	0.14	6,044	12.0	0.16	7.1	0.11

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New York, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	11,358	220.1	2.21	130.3	1.24	12,769	148.2	1.32	94.0	0.87
Oral Cavity & Pharynx	303	5.1	0.31	3.6	0.21	108	1.2	0.12	0.8	0.08
Digestive System	3,496	65.5	1.18	40.0	0.69	3,471	41.0	0.70	24.1	0.43
Esophagus	371	6.7	0.37	4.4	0.23	218	2.5	0.17	1.6	0.11
Stomach	499	10.2	0.49	5.7	0.26	439	5.3	0.25	2.9	0.15
Colon & Rectum	1,213	23.7	0.72	13.8	0.40	1,439	17.0	0.45	9.9	0.28
Liver	586	9.5	0.41	6.8	0.28	234	2.7	0.18	1.7	0.12
Pancreas	636	11.9	0.50	7.3	0.29	846	10.0	0.35	5.9	0.21
Respiratory System	3,144	57.5	1.08	36.6	0.66	2,551	29.7	0.59	18.7	0.39
Larynx	224	3.9	0.28	2.6	0.18	58	0.7	0.09	0.4	0.06
Lung & bronchus	2,907	53.4	1.05	33.8	0.64	2,475	28.8	0.58	18.2	0.38
Skin	52	0.9	0.13	0.6	0.08	47	0.5	0.08	0.4	0.05
Melanomas of the skin	20	0.3	0.09	0.2	0.05	27	0.3	0.06	0.2	0.04
Breast	15	0.3	0.08	0.2	0.05	2,424	27.4	0.56	18.7	0.39
Female Genital System	-	-	-	-	-	1,711	19.7	0.48	13.2	0.33
Cervix uteri	-	-	-	-	-	382	4.3	0.22	3.1	0.16
Corpus & uterus, NOS	-	-	-	-	-	722	8.4	0.31	5.5	0.21
Ovary	-	-	-	-	-	544	6.3	0.27	4.1	0.18
Male Genital System	1,896	45.9	1.11	21.2	0.50	-	-	-	-	-
Prostate	1,874	45.5	1.11	20.9	0.49	-	-	-	-	-
Testis	6	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	439	8.8	0.45	5.0	0.24	328	3.9	0.22	2.2	0.13
Bladder	202	4.6	0.34	2.3	0.16	163	2.0	0.16	1.0	0.08
Kidney & renal pelvis	228	4.0	0.28	2.6	0.18	152	1.8	0.14	1.1	0.10
Brain & Other Nervous System	149	2.3	0.20	1.7	0.14	130	1.5	0.13	1.1	0.11
Endocrine System	43	0.7	0.12	0.5	0.08	84	1.0	0.11	0.7	0.08
Thyroid gland	27	0.5	0.11	0.3	0.06	50	0.6	0.08	0.4	0.05
Lymphomas	337	5.6	0.32	3.8	0.21	328	3.7	0.21	2.6	0.15
Hodgkin Lymphoma	32	0.4	0.08	0.4	0.07	21	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	305	5.1	0.31	3.5	0.20	307	3.5	0.20	2.4	0.14
Multiple Myeloma	304	5.7	0.35	3.5	0.20	363	4.3	0.23	2.5	0.14
Leukemias	355	6.6	0.38	4.1	0.22	324	3.8	0.21	2.4	0.14
Other, Ill-defined & Unknown	825	15.2	0.57	9.4	0.33	900	10.5	0.35	6.5	0.23

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New York, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		2,766		125.1		2,171	78.5		1.74	
All Sites	2,766	125.1	2.57	70.9	1.37	2,171	78.5	1.74	46.9	1.04
Oral Cavity & Pharynx	82	3.1	0.37	2.0	0.22	35	1.1	0.18	0.8	0.13
Digestive System	1,201	52.4	1.63	30.8	0.90	740	27.8	1.05	15.3	0.58
Esophagus	70	3.2	0.41	1.8	0.22	22	0.8	0.18	0.5	0.11
Stomach	233	10.4	0.73	6.0	0.40	150	5.6	0.47	3.1	0.26
Colon & Rectum	296	13.8	0.87	7.7	0.45	246	9.3	0.61	5.0	0.33
Liver	351	13.7	0.79	8.9	0.48	95	3.5	0.37	2.0	0.22
Pancreas	167	7.2	0.60	4.3	0.33	154	5.9	0.49	3.2	0.26
Respiratory System	759	36.4	1.41	19.5	0.72	411	15.8	0.80	8.7	0.44
Larynx	13	0.6	0.17	0.3	0.09	-	-	-	-	-
Lung & bronchus	743	35.7	1.40	19.1	0.71	406	15.6	0.80	8.6	0.44
Skin	10	0.4	0.15	0.2	0.08	8	0.3	0.10	0.2	0.06
Melanomas of the skin	7	0.3	0.13	0.2	0.06	6	0.2	0.08	0.1	0.06
Breast	-	-	-	-	-	329	10.7	0.60	7.5	0.42
Female Genital System	-	-	-	-	-	241	8.1	0.54	5.3	0.35
Cervix uteri	-	-	-	-	-	56	1.9	0.26	1.2	0.16
Corpus & uterus, NOS	-	-	-	-	-	46	1.6	0.24	1.0	0.15
Ovary	-	-	-	-	-	135	4.5	0.40	3.0	0.27
Male Genital System	123	7.1	0.67	3.1	0.28	-	-	-	-	-
Prostate	117	7.0	0.67	2.9	0.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	92	4.5	0.50	2.4	0.25	38	1.5	0.26	0.7	0.12
Bladder	44	2.5	0.40	1.1	0.17	17	0.7	0.18	0.3	0.07
Kidney & renal pelvis	45	1.8	0.28	1.2	0.18	18	0.7	0.17	0.4	0.09
Brain & Other Nervous System	63	2.3	0.31	1.6	0.21	42	1.3	0.21	1.0	0.16
Endocrine System	16	0.6	0.16	0.5	0.12	25	0.9	0.19	0.6	0.13
Thyroid gland	9	0.4	0.14	0.2	0.08	15	0.6	0.16	0.3	0.08
Lymphomas	85	3.9	0.45	2.1	0.24	72	2.6	0.32	1.6	0.19
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	81	3.8	0.45	2.0	0.23	68	2.5	0.31	1.5	0.19
Multiple Myeloma	29	1.3	0.26	0.7	0.14	20	0.8	0.17	0.5	0.11
Leukemias	115	4.9	0.50	3.1	0.29	67	2.3	0.29	1.6	0.21
Other, Ill-defined & Unknown	190	8.2	0.64	4.9	0.36	143	5.3	0.46	3.2	0.28

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**North Carolina, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	45,123	241.4	1.17	140.1	0.68	40,327	155.5	0.78	95.4	0.52
Oral Cavity & Pharynx	811	3.9	0.14	2.7	0.10	388	1.5	0.08	0.9	0.05
Digestive System	10,430	54.2	0.55	33.0	0.33	8,636	32.9	0.36	19.0	0.23
Esophagus	1,450	7.2	0.19	4.7	0.13	414	1.6	0.08	1.0	0.05
Stomach	923	4.9	0.17	2.9	0.10	615	2.4	0.10	1.3	0.06
Colon & Rectum	3,820	20.4	0.34	11.9	0.20	3,738	14.2	0.23	8.1	0.15
Liver	1,175	5.7	0.17	3.9	0.12	437	1.7	0.08	1.0	0.05
Pancreas	2,392	12.5	0.26	7.5	0.16	2,538	9.7	0.19	5.5	0.12
Respiratory System	16,166	84.2	0.68	50.8	0.41	10,993	42.6	0.41	26.9	0.28
Larynx	506	2.6	0.12	1.6	0.07	131	0.5	0.04	0.3	0.03
Lung & bronchus	15,578	81.1	0.67	48.9	0.40	10,804	41.9	0.40	26.5	0.27
Skin	1,139	6.1	0.18	3.5	0.11	637	2.5	0.10	1.5	0.07
Melanomas of the skin	845	4.4	0.16	2.7	0.09	501	2.0	0.09	1.3	0.06
Breast	55	0.3	0.04	0.2	0.02	6,260	24.4	0.31	16.1	0.22
Female Genital System	-	-	-	-	-	3,971	15.4	0.25	9.8	0.17
Cervix uteri	-	-	-	-	-	588	2.4	0.10	1.8	0.08
Corpus & uterus, NOS	-	-	-	-	-	1,058	4.0	0.13	2.5	0.08
Ovary	-	-	-	-	-	2,088	8.1	0.18	5.0	0.12
Male Genital System	4,430	27.5	0.43	12.2	0.19	-	-	-	-	-
Prostate	4,328	27.0	0.42	11.8	0.19	-	-	-	-	-
Testis	63	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,493	13.9	0.29	7.5	0.16	1,330	5.0	0.14	2.7	0.08
Bladder	1,195	7.1	0.21	3.4	0.10	611	2.3	0.09	1.2	0.05
Kidney & renal pelvis	1,245	6.5	0.19	4.0	0.12	669	2.5	0.10	1.5	0.06
Brain & Other Nervous System	1,044	5.1	0.16	3.6	0.12	827	3.3	0.11	2.3	0.09
Endocrine System	145	0.7	0.06	0.5	0.04	158	0.6	0.05	0.4	0.04
Thyroid gland	84	0.4	0.05	0.3	0.03	107	0.4	0.04	0.2	0.02
Lymphomas	1,578	8.5	0.22	4.9	0.13	1,451	5.6	0.15	3.1	0.09
Hodgkin Lymphoma	105	0.5	0.05	0.4	0.04	70	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,473	8.0	0.21	4.6	0.12	1,381	5.3	0.14	2.9	0.09
Multiple Myeloma	931	5.1	0.17	2.8	0.09	902	3.5	0.12	1.9	0.07
Leukemias	1,781	9.8	0.24	5.6	0.14	1,294	5.0	0.14	2.9	0.09
Other, Ill-defined & Unknown	4,120	22.0	0.35	12.9	0.21	3,480	13.3	0.23	7.9	0.15

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**North Carolina, 2004-2008, White**

SITES	MALES (WHITE)				FEMALES (WHITE)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	
All Sites	35,406	229.8	1.25	132.0	0.73	31,682	151.7	0.86	92.3	0.58
Oral Cavity & Pharynx	550	3.3	0.15	2.2	0.10	315	1.5	0.08	0.8	0.05
Digestive System	7,899	50.2	0.58	30.0	0.35	6,341	29.8	0.38	16.9	0.24
Esophagus	1,148	7.0	0.21	4.5	0.14	298	1.4	0.08	0.9	0.06
Stomach	593	3.9	0.16	2.2	0.09	375	1.8	0.09	1.0	0.06
Colon & Rectum	2,905	18.9	0.36	10.8	0.21	2,767	12.9	0.25	7.2	0.16
Liver	869	5.3	0.18	3.5	0.12	322	1.5	0.09	0.9	0.05
Pancreas	1,868	11.9	0.28	7.0	0.17	1,879	8.8	0.21	5.0	0.13
Respiratory System	12,947	81.8	0.73	48.8	0.44	9,268	44.7	0.47	28.1	0.32
Larynx	343	2.2	0.12	1.3	0.07	95	0.5	0.05	0.3	0.03
Lung & bronchus	12,540	79.2	0.72	47.2	0.44	9,128	44.0	0.46	27.7	0.32
Skin	1,087	7.0	0.22	4.1	0.13	590	2.9	0.12	1.8	0.08
Melanomas of the skin	824	5.2	0.19	3.2	0.12	470	2.4	0.11	1.6	0.08
Breast	40	0.3	0.04	0.1	0.02	4,601	22.4	0.33	14.5	0.23
Female Genital System	-	-	-	-	-	3,023	14.6	0.27	9.3	0.19
Cervix uteri	-	-	-	-	-	381	2.0	0.10	1.5	0.08
Corpus & uterus, NOS	-	-	-	-	-	699	3.3	0.13	2.1	0.09
Ovary	-	-	-	-	-	1,755	8.4	0.20	5.2	0.14
Male Genital System	2,944	21.9	0.41	9.5	0.18	-	-	-	-	-
Prostate	2,864	21.4	0.41	9.1	0.18	-	-	-	-	-
Testis	53	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	2,115	14.3	0.32	7.6	0.17	1,067	5.0	0.15	2.7	0.09
Bladder	1,059	7.5	0.24	3.6	0.11	478	2.2	0.10	1.1	0.06
Kidney & renal pelvis	1,007	6.4	0.21	3.8	0.13	548	2.6	0.11	1.5	0.07
Brain & Other Nervous System	921	5.6	0.19	3.9	0.13	719	3.6	0.14	2.5	0.11
Endocrine System	110	0.7	0.07	0.5	0.05	117	0.6	0.05	0.4	0.04
Thyroid gland	65	0.4	0.05	0.2	0.03	82	0.4	0.04	0.2	0.03
Lymphomas	1,367	9.0	0.25	5.2	0.15	1,240	5.9	0.17	3.2	0.10
Hodgkin Lymphoma	87	0.5	0.06	0.4	0.04	60	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,280	8.4	0.24	4.8	0.14	1,180	5.6	0.16	3.0	0.10
Multiple Myeloma	674	4.5	0.18	2.4	0.10	611	2.9	0.12	1.6	0.07
Leukemias	1,534	10.3	0.27	5.8	0.16	1,044	5.0	0.16	2.9	0.11
Other, Ill-defined & Unknown	3,218	21.0	0.38	12.0	0.22	2,746	13.0	0.25	7.6	0.17

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**North Carolina, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	9,154	313.5	3.52	187.1	2.00	8,107	174.2	1.95	110.4	1.31
Oral Cavity & Pharynx	248	6.9	0.46	5.0	0.33	65	1.4	0.17	0.9	0.12
Digestive System	2,392	76.8	1.68	49.1	1.03	2,159	47.0	1.02	28.0	0.65
Esophagus	295	8.7	0.53	6.2	0.37	111	2.4	0.23	1.5	0.15
Stomach	306	10.6	0.65	6.2	0.36	220	4.8	0.33	2.7	0.20
Colon & Rectum	880	29.7	1.07	18.1	0.63	922	20.0	0.66	11.9	0.42
Liver	267	7.2	0.47	5.4	0.34	97	2.1	0.21	1.4	0.15
Pancreas	504	16.1	0.76	10.3	0.47	635	13.9	0.56	8.1	0.35
Respiratory System	3,020	99.2	1.92	62.5	1.17	1,591	34.3	0.87	22.4	0.59
Larynx	160	5.2	0.44	3.4	0.27	33	0.7	0.13	0.5	0.09
Lung & bronchus	2,845	93.5	1.87	58.9	1.13	1,546	33.3	0.85	21.8	0.59
Skin	50	1.6	0.25	1.0	0.15	43	0.9	0.14	0.5	0.08
Melanomas of the skin	19	0.6	0.16	0.4	0.09	28	0.6	0.11	0.3	0.07
Breast	14	0.4	0.12	0.3	0.08	1,573	32.8	0.83	22.4	0.59
Female Genital System	-	-	-	-	-	887	19.1	0.65	12.4	0.44
Cervix uteri	-	-	-	-	-	191	3.9	0.29	2.9	0.22
Corpus & uterus, NOS	-	-	-	-	-	342	7.6	0.41	4.7	0.27
Ovary	-	-	-	-	-	311	6.7	0.38	4.3	0.26
Male Genital System	1,434	62.9	1.75	28.2	0.76	-	-	-	-	-
Prostate	1,413	62.2	1.74	27.8	0.76	-	-	-	-	-
Testis	9	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	348	11.9	0.69	7.2	0.39	254	5.6	0.35	3.1	0.21
Bladder	125	4.8	0.46	2.5	0.23	131	2.9	0.25	1.6	0.15
Kidney & renal pelvis	219	6.9	0.51	4.6	0.32	115	2.5	0.24	1.4	0.14
Brain & Other Nervous System	109	3.0	0.31	2.2	0.22	94	1.9	0.20	1.4	0.16
Endocrine System	32	0.9	0.18	0.6	0.12	37	0.8	0.13	0.5	0.10
Thyroid gland	16	0.5	0.14	0.3	0.09	21	0.5	0.10	0.3	0.06
Lymphomas	194	6.0	0.45	3.9	0.29	197	4.2	0.30	2.7	0.20
Hodgkin Lymphoma	17	0.4	0.10	0.3	0.08	10	0.2	0.06	0.1	0.05
Non-Hodgkin Lymphoma	177	5.6	0.44	3.6	0.28	187	4.0	0.30	2.5	0.20
Multiple Myeloma	249	8.8	0.59	5.1	0.33	282	6.3	0.38	3.7	0.23
Leukemias	220	7.5	0.55	4.6	0.32	234	5.1	0.33	3.1	0.22
Other, Ill-defined & Unknown	844	27.6	1.02	17.2	0.61	691	14.9	0.57	9.2	0.38

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**North Carolina, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	192	101.2	8.46	59.2	4.37	227	83.8	6.10	51.0	3.49
Oral Cavity & Pharynx	6	2.4	1.13	1.7	0.71	-	-	-	-	-
Digestive System	70	33.5	4.53	21.2	2.60	74	29.9	3.76	17.0	2.04
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	15	8.4	2.50	4.6	1.22	12	4.5	1.41	2.9	0.87
Colon & Rectum	10	4.4	1.59	2.8	0.93	24	11.0	2.42	5.0	1.04
Liver	24	9.3	2.08	7.0	1.47	17	6.4	1.65	4.4	1.08
Pancreas	12	6.2	1.95	3.9	1.14	8	3.3	1.25	1.9	0.68
Respiratory System	47	27.0	4.43	14.9	2.21	42	16.2	2.71	9.6	1.52
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	42	23.9	4.13	13.4	2.10	41	15.9	2.70	9.3	1.49
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	31	9.4	1.84	6.7	1.25
Female Genital System	-	-	-	-	-	26	7.6	1.63	5.4	1.11
Cervix uteri	-	-	-	-	-	8	2.1	0.86	1.4	0.49
Corpus & uterus, NOS	-	-	-	-	-	7	2.1	0.84	1.7	0.68
Ovary	-	-	-	-	-	8	2.7	1.03	1.8	0.66
Male Genital System	9	7.2	2.65	3.2	1.09	-	-	-	-	-
Prostate	9	7.2	2.65	3.2	1.09	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	5.4	2.20	2.4	0.87	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	6	1.8	0.83	1.3	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	3.9	1.80	2.0	0.78	7	2.9	1.16	1.7	0.66
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	6	3.3	1.70	1.6	0.70	7	2.9	1.16	1.7	0.66
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	14	6.0	1.98	4.3	1.16	6	1.4	0.63	1.2	0.52
Other, Ill-defined & Unknown	25	12.9	3.05	7.8	1.61	21	8.3	1.96	4.8	1.09

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**North Dakota, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	3,465	212.8	3.63	119.5	2.23	3,107	146.0	2.72	90.5	1.95
Oral Cavity & Pharynx	52	3.1	0.44	1.8	0.27	26	1.3	0.26	0.9	0.21
Digestive System	900	54.7	1.83	31.6	1.15	765	33.8	1.27	18.5	0.82
Esophagus	117	7.1	0.66	4.2	0.42	33	1.6	0.29	0.9	0.18
Stomach	79	4.9	0.56	2.8	0.34	59	2.6	0.36	1.6	0.26
Colon & Rectum	364	22.2	1.17	12.1	0.70	335	14.3	0.81	7.6	0.52
Liver	58	3.5	0.46	2.2	0.31	42	1.9	0.31	1.1	0.21
Pancreas	205	12.4	0.87	7.7	0.58	209	9.5	0.68	5.2	0.44
Respiratory System	992	61.5	1.96	36.0	1.24	711	35.6	1.37	23.7	1.01
Larynx	21	1.3	0.28	0.8	0.19	-	-	-	-	-
Lung & bronchus	956	59.3	1.92	34.7	1.22	705	35.4	1.37	23.6	1.01
Skin	64	3.9	0.49	2.5	0.33	33	1.5	0.28	0.9	0.19
Melanomas of the skin	46	2.8	0.42	1.8	0.29	24	1.2	0.24	0.7	0.17
Breast	-	-	-	-	-	460	22.3	1.08	14.9	0.81
Female Genital System	-	-	-	-	-	325	16.0	0.92	10.5	0.68
Cervix uteri	-	-	-	-	-	28	1.6	0.31	1.2	0.24
Corpus & uterus, NOS	-	-	-	-	-	105	4.9	0.50	3.1	0.36
Ovary	-	-	-	-	-	169	8.5	0.67	5.7	0.50
Male Genital System	428	26.3	1.27	11.3	0.61	-	-	-	-	-
Prostate	420	25.9	1.26	11.0	0.60	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	272	16.5	1.01	9.3	0.62	132	5.8	0.52	3.3	0.36
Bladder	131	8.0	0.70	3.9	0.37	49	1.9	0.28	0.9	0.16
Kidney & renal pelvis	129	7.9	0.70	5.1	0.48	78	3.7	0.43	2.4	0.32
Brain & Other Nervous System	90	5.8	0.62	4.3	0.48	75	3.9	0.47	3.0	0.40
Endocrine System	10	0.6	0.20	0.5	0.19	17	0.8	0.21	0.4	0.13
Thyroid gland	7	0.4	0.16	0.2	0.10	11	0.5	0.16	0.2	0.09
Lymphomas	135	8.3	0.72	4.9	0.46	123	5.3	0.50	2.8	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	130	8.0	0.70	4.6	0.44	120	5.1	0.49	2.6	0.30
Multiple Myeloma	77	4.7	0.54	2.5	0.32	67	2.9	0.37	1.6	0.24
Leukemias	168	10.3	0.80	5.4	0.48	120	5.4	0.52	3.5	0.42
Other, Ill-defined & Unknown	274	16.9	1.02	9.3	0.62	253	11.3	0.74	6.6	0.51

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**North Dakota, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		117.9		2.25			33.3		18.2	
All Sites	3,351	210.9	3.66	117.9	2.25	2,971	143.0	2.74	88.6	1.97
Oral Cavity & Pharynx	50	3.1	0.44	1.8	0.27	23	1.1	0.25	0.8	0.20
Digestive System	861	53.6	1.83	30.7	1.15	737	33.3	1.28	18.2	0.83
Esophagus	112	6.9	0.66	4.1	0.42	32	1.6	0.29	0.9	0.19
Stomach	77	5.0	0.57	2.8	0.35	57	2.6	0.36	1.6	0.26
Colon & Rectum	353	22.0	1.17	11.9	0.70	323	14.0	0.82	7.5	0.52
Liver	51	3.2	0.44	1.9	0.29	37	1.7	0.29	1.0	0.21
Pancreas	195	12.1	0.87	7.5	0.58	205	9.6	0.69	5.2	0.45
Respiratory System	952	60.5	1.97	35.4	1.25	661	34.0	1.36	22.6	1.01
Larynx	19	1.2	0.28	0.7	0.18	-	-	-	-	-
Lung & bronchus	918	58.3	1.93	34.1	1.23	655	33.7	1.35	22.5	1.01
Skin	64	4.0	0.50	2.6	0.35	32	1.5	0.28	0.9	0.19
Melanomas of the skin	46	2.9	0.43	1.9	0.30	23	1.1	0.24	0.7	0.16
Breast	-	-	-	-	-	439	21.9	1.09	14.6	0.81
Female Genital System	-	-	-	-	-	312	15.8	0.93	10.3	0.69
Cervix uteri	-	-	-	-	-	23	1.4	0.30	1.0	0.23
Corpus & uterus, NOS	-	-	-	-	-	103	5.0	0.51	3.1	0.37
Ovary	-	-	-	-	-	165	8.6	0.69	5.8	0.51
Male Genital System	421	26.4	1.29	11.2	0.61	-	-	-	-	-
Prostate	414	25.9	1.28	11.0	0.60	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	265	16.5	1.02	9.2	0.63	131	5.9	0.54	3.4	0.38
Bladder	131	8.1	0.71	4.0	0.39	49	1.9	0.29	0.9	0.17
Kidney & renal pelvis	123	7.7	0.70	4.9	0.48	77	3.7	0.45	2.4	0.34
Brain & Other Nervous System	90	6.1	0.65	4.5	0.50	74	4.1	0.49	3.1	0.42
Endocrine System	9	0.6	0.20	0.5	0.21	16	0.7	0.19	0.4	0.12
Thyroid gland	6	0.4	0.15	0.2	0.09	11	0.5	0.16	0.2	0.10
Lymphomas	130	8.2	0.72	4.8	0.46	121	5.3	0.51	2.8	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	125	7.9	0.71	4.5	0.44	118	5.1	0.49	2.6	0.31
Multiple Myeloma	75	4.7	0.55	2.5	0.32	67	3.0	0.38	1.6	0.25
Leukemias	165	10.4	0.81	5.5	0.50	117	5.5	0.53	3.5	0.45
Other, Ill-defined & Unknown	266	16.7	1.03	9.1	0.62	241	11.0	0.74	6.4	0.52

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**North Dakota, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	6	150.6	75.77	87.1	40.82	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**North Dakota, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)				FEMALES (API)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	-	-	-	-	-	6	102.5	46.67	45.0	18.61
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Ohio, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	64,602	246.5	0.99	141.2	0.59	60,243	165.5	0.68	100.7	0.46
Oral Cavity & Pharynx	1,150	4.1	0.12	2.7	0.08	560	1.5	0.06	0.9	0.04
Digestive System	15,930	59.9	0.48	35.3	0.29	13,142	35.1	0.31	19.7	0.20
Esophagus	2,629	9.6	0.19	6.0	0.12	687	1.9	0.07	1.1	0.05
Stomach	1,247	4.8	0.14	2.7	0.08	870	2.3	0.08	1.3	0.05
Colon & Rectum	6,015	23.3	0.30	12.9	0.18	6,063	16.0	0.21	8.8	0.13
Liver	1,538	5.4	0.14	3.6	0.10	643	1.7	0.07	1.0	0.05
Pancreas	3,537	13.1	0.22	7.9	0.14	3,604	9.7	0.16	5.5	0.10
Respiratory System	21,849	81.6	0.56	48.9	0.35	16,345	45.7	0.36	28.6	0.25
Larynx	709	2.5	0.10	1.7	0.07	192	0.5	0.04	0.4	0.03
Lung & bronchus	21,007	78.5	0.55	46.9	0.34	16,073	45.0	0.36	28.1	0.25
Skin	1,469	5.6	0.15	3.3	0.09	755	2.1	0.08	1.4	0.06
Melanomas of the skin	1,070	4.0	0.12	2.4	0.08	598	1.7	0.07	1.1	0.05
Breast	62	0.2	0.03	0.1	0.02	9,317	25.9	0.27	16.7	0.19
Female Genital System	-	-	-	-	-	5,867	16.4	0.22	10.6	0.15
Cervix uteri	-	-	-	-	-	817	2.5	0.09	1.8	0.07
Corpus & uterus, NOS	-	-	-	-	-	1,703	4.7	0.11	2.9	0.08
Ovary	-	-	-	-	-	2,956	8.3	0.15	5.3	0.11
Male Genital System	6,316	26.8	0.34	11.7	0.16	-	-	-	-	-
Prostate	6,183	26.3	0.34	11.4	0.15	-	-	-	-	-
Testis	64	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,101	16.1	0.26	8.5	0.14	2,158	5.7	0.12	3.1	0.08
Bladder	2,241	9.1	0.20	4.3	0.10	944	2.4	0.08	1.2	0.05
Kidney & renal pelvis	1,756	6.6	0.16	4.0	0.10	1,138	3.1	0.09	1.8	0.06
Brain & Other Nervous System	1,512	5.4	0.14	3.9	0.11	1,253	3.7	0.10	2.6	0.08
Endocrine System	226	0.8	0.06	0.6	0.04	298	0.9	0.05	0.6	0.04
Thyroid gland	151	0.6	0.05	0.3	0.03	173	0.5	0.04	0.3	0.02
Lymphomas	2,604	10.1	0.20	5.7	0.12	2,236	6.0	0.13	3.3	0.08
Hodgkin Lymphoma	162	0.6	0.05	0.4	0.04	126	0.4	0.03	0.3	0.03
Non-Hodgkin Lymphoma	2,442	9.5	0.19	5.2	0.11	2,110	5.6	0.12	3.0	0.08
Multiple Myeloma	1,213	4.7	0.14	2.6	0.08	1,173	3.1	0.09	1.8	0.06
Leukemias	2,572	10.0	0.20	5.7	0.12	2,132	5.8	0.13	3.4	0.09
Other, Ill-defined & Unknown	5,598	21.3	0.29	12.3	0.17	5,007	13.6	0.19	8.1	0.13

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Ohio, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	57,244	241.3	1.02	137.7	0.61	53,267	162.9	0.72	98.7	0.49
Oral Cavity & Pharynx	976	3.9	0.13	2.5	0.08	504	1.5	0.07	0.9	0.04
Digestive System	13,916	58.0	0.50	33.9	0.30	11,422	33.7	0.32	18.8	0.20
Esophagus	2,431	9.9	0.20	6.2	0.13	590	1.8	0.07	1.0	0.05
Stomach	1,004	4.3	0.14	2.4	0.08	667	2.0	0.08	1.1	0.05
Colon & Rectum	5,274	22.5	0.31	12.4	0.18	5,366	15.6	0.22	8.5	0.14
Liver	1,229	4.9	0.14	3.1	0.09	519	1.6	0.07	0.9	0.05
Pancreas	3,118	12.8	0.23	7.7	0.14	3,136	9.3	0.17	5.3	0.11
Respiratory System	19,420	80.2	0.58	47.9	0.36	14,522	45.3	0.38	28.3	0.26
Larynx	602	2.4	0.10	1.6	0.07	162	0.5	0.04	0.4	0.03
Lung & bronchus	18,694	77.2	0.57	46.0	0.35	14,290	44.6	0.38	27.8	0.26
Skin	1,434	6.0	0.16	3.6	0.10	736	2.3	0.09	1.5	0.06
Melanomas of the skin	1,061	4.4	0.14	2.7	0.09	582	1.9	0.08	1.3	0.06
Breast	50	0.2	0.03	0.1	0.02	8,089	25.1	0.28	16.1	0.20
Female Genital System	-	-	-	-	-	5,204	16.3	0.23	10.5	0.16
Cervix uteri	-	-	-	-	-	693	2.4	0.09	1.8	0.07
Corpus & uterus, NOS	-	-	-	-	-	1,439	4.4	0.12	2.7	0.08
Ovary	-	-	-	-	-	2,713	8.5	0.16	5.4	0.12
Male Genital System	5,280	24.6	0.34	10.6	0.15	-	-	-	-	-
Prostate	5,158	24.1	0.34	10.2	0.15	-	-	-	-	-
Testis	59	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,760	16.3	0.27	8.5	0.15	1,940	5.7	0.13	3.1	0.08
Bladder	2,090	9.3	0.21	4.4	0.10	851	2.4	0.08	1.2	0.05
Kidney & renal pelvis	1,572	6.5	0.17	3.9	0.10	1,020	3.1	0.10	1.8	0.07
Brain & Other Nervous System	1,415	5.6	0.15	4.1	0.12	1,185	3.9	0.12	2.8	0.09
Endocrine System	207	0.9	0.06	0.6	0.04	249	0.8	0.05	0.6	0.04
Thyroid gland	140	0.6	0.05	0.3	0.03	148	0.4	0.04	0.3	0.02
Lymphomas	2,419	10.3	0.21	5.8	0.13	2,105	6.2	0.14	3.4	0.09
Hodgkin Lymphoma	145	0.6	0.05	0.4	0.04	117	0.4	0.04	0.3	0.03
Non-Hodgkin Lymphoma	2,274	9.7	0.21	5.4	0.12	1,988	5.9	0.13	3.2	0.08
Multiple Myeloma	1,011	4.3	0.14	2.4	0.08	968	2.9	0.09	1.6	0.06
Leukemias	2,350	10.1	0.21	5.7	0.13	1,926	5.8	0.14	3.3	0.09
Other, Ill-defined & Unknown	5,006	21.0	0.30	12.1	0.18	4,417	13.3	0.20	7.9	0.14

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Ohio, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	7,119	325.4	4.05	192.7	2.37	6,693	199.6	2.45	125.2	1.64
Oral Cavity & Pharynx	162	6.5	0.53	4.6	0.38	54	1.6	0.22	1.1	0.15
Digestive System	1,928	85.5	2.04	52.9	1.25	1,633	49.1	1.22	28.2	0.76
Esophagus	191	8.4	0.63	5.4	0.41	93	2.8	0.29	1.8	0.20
Stomach	229	10.8	0.74	6.1	0.42	182	5.5	0.41	2.8	0.23
Colon & Rectum	719	33.4	1.31	19.4	0.75	674	20.3	0.78	11.7	0.49
Liver	290	11.2	0.68	8.3	0.50	111	3.3	0.31	2.0	0.20
Pancreas	401	17.2	0.89	11.0	0.57	451	13.6	0.64	7.8	0.39
Respiratory System	2,369	105.1	2.25	64.9	1.39	1,763	52.8	1.26	33.7	0.86
Larynx	106	4.7	0.48	3.0	0.30	30	0.9	0.16	0.7	0.12
Lung & bronchus	2,255	100.1	2.19	61.8	1.35	1,723	51.6	1.25	32.9	0.85
Skin	31	1.2	0.23	0.8	0.15	16	0.5	0.12	0.3	0.08
Melanomas of the skin	7	0.3	0.12	0.2	0.06	14	0.4	0.11	0.3	0.08
Breast	10	0.5	0.15	0.3	0.09	1,185	34.8	1.01	23.4	0.71
Female Genital System	-	-	-	-	-	633	18.8	0.75	12.6	0.53
Cervix uteri	-	-	-	-	-	116	3.4	0.32	2.4	0.24
Corpus & uterus, NOS	-	-	-	-	-	256	7.7	0.48	5.1	0.34
Ovary	-	-	-	-	-	231	6.9	0.45	4.5	0.31
Male Genital System	1,025	55.4	1.81	25.8	0.84	-	-	-	-	-
Prostate	1,014	55.0	1.81	25.5	0.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	324	15.2	0.89	8.7	0.50	211	6.4	0.44	3.5	0.27
Bladder	144	7.3	0.64	3.8	0.33	90	2.8	0.29	1.4	0.17
Kidney & renal pelvis	174	7.6	0.60	4.7	0.37	115	3.5	0.32	2.0	0.20
Brain & Other Nervous System	90	3.6	0.40	2.5	0.27	60	1.7	0.22	1.2	0.17
Endocrine System	16	0.7	0.18	0.4	0.11	46	1.3	0.20	1.0	0.16
Thyroid gland	10	0.5	0.16	0.3	0.09	24	0.7	0.15	0.5	0.10
Lymphomas	176	7.4	0.58	4.8	0.37	121	3.6	0.33	2.3	0.22
Hodgkin Lymphoma	17	0.7	0.17	0.5	0.11	9	0.3	0.09	0.2	0.07
Non-Hodgkin Lymphoma	159	6.7	0.55	4.3	0.35	112	3.3	0.31	2.1	0.22
Multiple Myeloma	199	9.3	0.69	5.3	0.39	202	6.1	0.43	3.5	0.27
Leukemias	215	9.6	0.69	5.7	0.40	195	5.8	0.42	3.7	0.28
Other, Ill-defined & Unknown	574	25.5	1.13	16.0	0.69	574	17.1	0.71	10.6	0.47

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Ohio, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	202	91.6	7.31	50.4	3.59	254	83.9	5.56	48.0	3.08
Oral Cavity & Pharynx	10	3.1	1.04	2.3	0.74	-	-	-	-	-
Digestive System	76	32.9	4.29	18.9	2.19	83	27.8	3.23	15.4	1.72
Esophagus	6	3.0	1.37	1.3	0.54	-	-	-	-	-
Stomach	13	5.5	1.77	3.4	0.94	21	7.2	1.65	3.6	0.81
Colon & Rectum	18	7.6	2.03	4.4	1.04	20	6.2	1.47	3.7	0.85
Liver	17	7.6	2.11	4.4	1.07	13	4.3	1.26	2.5	0.70
Pancreas	16	6.9	1.93	4.0	1.01	16	6.2	1.59	3.1	0.78
Respiratory System	42	20.5	3.55	10.8	1.68	50	17.5	2.59	9.4	1.36
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	41	20.2	3.54	10.5	1.66	50	17.5	2.59	9.4	1.36
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	40	12.2	2.04	7.8	1.25
Female Genital System	-	-	-	-	-	26	8.4	1.75	4.8	0.95
Cervix uteri	-	-	-	-	-	6	1.4	0.57	1.2	0.49
Corpus & uterus, NOS	-	-	-	-	-	8	3.1	1.13	1.5	0.55
Ovary	-	-	-	-	-	10	3.5	1.17	1.7	0.55
Male Genital System	10	5.9	2.02	2.6	0.83	-	-	-	-	-
Prostate	10	5.9	2.02	2.6	0.83	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	6.4	1.94	3.4	0.93	6	2.4	1.03	1.0	0.42
Bladder	6	3.1	1.40	1.6	0.65	-	-	-	-	-
Kidney & renal pelvis	8	3.3	1.33	1.9	0.67	-	-	-	-	-
Brain & Other Nervous System	7	2.2	0.87	1.8	0.68	7	1.4	0.54	1.6	0.61
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	4.3	1.61	2.3	0.78	10	4.2	1.35	1.7	0.54
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	9	4.3	1.61	2.3	0.78	10	4.2	1.35	1.7	0.54
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	2.9	1.21	1.7	0.64	11	2.6	0.81	2.3	0.69
Other, Ill-defined & Unknown	16	10.1	2.71	4.0	1.02	13	4.3	1.24	2.7	0.76

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Oklahoma, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	20,144	245.4	1.75	145.5	1.07	17,446	161.5	1.24	101.0	0.85
Oral Cavity & Pharynx	349	4.1	0.22	2.7	0.15	166	1.5	0.12	0.9	0.08
Digestive System	4,736	56.8	0.84	35.0	0.53	3,552	32.3	0.55	19.1	0.36
Esophagus	712	8.3	0.31	5.5	0.21	163	1.5	0.12	0.9	0.08
Stomach	351	4.3	0.23	2.6	0.15	233	2.2	0.14	1.2	0.09
Colon & Rectum	1,898	23.3	0.54	13.6	0.33	1,655	14.9	0.37	8.7	0.24
Liver	549	6.3	0.27	4.3	0.19	256	2.3	0.15	1.4	0.10
Pancreas	987	11.8	0.38	7.3	0.24	949	8.7	0.29	5.2	0.19
Respiratory System	7,238	86.5	1.03	53.2	0.65	5,107	47.6	0.67	30.5	0.46
Larynx	176	2.0	0.16	1.4	0.11	56	0.5	0.07	0.4	0.05
Lung & bronchus	7,025	84.0	1.01	51.6	0.64	5,024	46.8	0.67	30.0	0.46
Skin	590	7.2	0.30	4.3	0.19	271	2.6	0.16	1.7	0.11
Melanomas of the skin	430	5.2	0.25	3.2	0.16	219	2.1	0.15	1.4	0.11
Breast	25	0.3	0.06	0.2	0.04	2,569	24.1	0.48	16.0	0.34
Female Genital System	-	-	-	-	-	1,695	15.9	0.39	10.3	0.28
Cervix uteri	-	-	-	-	-	280	2.9	0.18	2.2	0.14
Corpus & uterus, NOS	-	-	-	-	-	429	3.9	0.19	2.5	0.13
Ovary	-	-	-	-	-	893	8.2	0.28	5.1	0.19
Male Genital System	1,800	24.4	0.58	10.7	0.27	-	-	-	-	-
Prostate	1,761	23.9	0.58	10.4	0.26	-	-	-	-	-
Testis	24	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,217	14.9	0.43	8.6	0.26	613	5.5	0.22	3.1	0.15
Bladder	573	7.3	0.31	3.8	0.17	228	2.0	0.13	0.9	0.07
Kidney & renal pelvis	621	7.3	0.30	4.7	0.20	369	3.4	0.18	2.1	0.12
Brain & Other Nervous System	496	5.8	0.26	4.2	0.19	400	3.8	0.19	2.6	0.14
Endocrine System	64	0.8	0.10	0.6	0.08	84	0.8	0.09	0.5	0.07
Thyroid gland	35	0.4	0.07	0.3	0.05	54	0.5	0.07	0.3	0.05
Lymphomas	782	9.6	0.35	5.6	0.21	673	6.1	0.24	3.4	0.15
Hodgkin Lymphoma	36	0.4	0.07	0.3	0.05	35	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	746	9.2	0.34	5.3	0.21	638	5.7	0.23	3.2	0.14
Multiple Myeloma	374	4.6	0.24	2.6	0.14	285	2.6	0.15	1.5	0.10
Leukemias	850	10.7	0.37	6.1	0.22	622	5.6	0.23	3.3	0.16
Other, Ill-defined & Unknown	1,623	19.9	0.50	11.7	0.31	1,409	13.1	0.35	8.1	0.24

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Oklahoma, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.
		2000 U.S.	World				2000 U.S.	World		
All Sites	17,694	243.7	1.85	144.3	1.15	15,300	161.4	1.33	100.9	0.92
Oral Cavity & Pharynx	299	4.0	0.23	2.6	0.16	150	1.5	0.13	1.0	0.09
Digestive System	4,038	55.0	0.88	33.8	0.56	3,000	30.8	0.57	18.1	0.38
Esophagus	620	8.2	0.33	5.5	0.23	136	1.4	0.12	0.9	0.08
Stomach	283	3.9	0.23	2.4	0.15	184	1.9	0.14	1.1	0.09
Colon & Rectum	1,631	22.6	0.57	13.1	0.34	1,418	14.4	0.39	8.3	0.25
Liver	434	5.7	0.28	3.9	0.20	196	2.0	0.15	1.3	0.10
Pancreas	864	11.7	0.40	7.2	0.26	812	8.5	0.30	5.0	0.20
Respiratory System	6,435	86.8	1.09	53.4	0.70	4,551	48.4	0.72	31.0	0.50
Larynx	149	2.0	0.16	1.3	0.11	46	0.5	0.07	0.3	0.05
Lung & bronchus	6,255	84.4	1.08	51.9	0.69	4,482	47.6	0.72	30.5	0.50
Skin	559	7.8	0.33	4.7	0.21	255	2.8	0.18	1.8	0.13
Melanomas of the skin	414	5.7	0.28	3.6	0.18	208	2.4	0.17	1.6	0.12
Breast	21	0.3	0.06	0.2	0.04	2,223	23.9	0.52	15.9	0.37
Female Genital System	-	-	-	-	-	1,497	16.0	0.42	10.4	0.30
Cervix uteri	-	-	-	-	-	229	2.8	0.19	2.1	0.15
Corpus & uterus, NOS	-	-	-	-	-	366	3.8	0.20	2.4	0.14
Ovary	-	-	-	-	-	820	8.6	0.30	5.4	0.21
Male Genital System	1,543	23.2	0.60	10.2	0.28	-	-	-	-	-
Prostate	1,511	22.8	0.59	9.9	0.27	-	-	-	-	-
Testis	22	0.3	0.07	0.2	0.05	-	-	-	-	-
Urinary System	1,077	14.9	0.46	8.5	0.28	529	5.4	0.24	3.1	0.16
Bladder	520	7.4	0.33	3.8	0.18	207	2.0	0.14	1.0	0.08
Kidney & renal pelvis	535	7.1	0.31	4.6	0.21	309	3.2	0.19	2.0	0.13
Brain & Other Nervous System	453	6.1	0.29	4.4	0.22	365	4.0	0.22	2.7	0.16
Endocrine System	55	0.8	0.10	0.6	0.09	71	0.8	0.09	0.6	0.08
Thyroid gland	32	0.4	0.08	0.3	0.06	44	0.5	0.07	0.3	0.05
Lymphomas	712	9.9	0.38	5.8	0.23	618	6.3	0.26	3.5	0.16
Hodgkin Lymphoma	32	0.4	0.08	0.3	0.06	33	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	680	9.5	0.37	5.5	0.22	585	5.9	0.25	3.2	0.15
Multiple Myeloma	313	4.4	0.25	2.4	0.14	226	2.3	0.16	1.3	0.10
Leukemias	758	10.8	0.40	6.1	0.24	572	5.9	0.25	3.5	0.18
Other, Ill-defined & Unknown	1,431	19.8	0.53	11.6	0.32	1,243	13.2	0.38	8.1	0.26

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Oklahoma, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	1,207	308.2	9.45	182.3	5.38	1,028	182.4	5.75	115.4	3.81
Oral Cavity & Pharynx	23	5.6	1.22	3.9	0.82	10	1.7	0.54	1.1	0.37
Digestive System	346	85.2	4.90	52.1	2.87	258	46.3	2.91	27.5	1.83
Esophagus	39	9.3	1.57	6.1	1.00	20	3.6	0.82	2.5	0.58
Stomach	29	7.8	1.56	4.3	0.82	24	4.4	0.91	2.6	0.57
Colon & Rectum	143	37.6	3.37	21.5	1.84	102	18.2	1.82	10.1	1.05
Liver	51	10.6	1.57	7.6	1.09	20	3.5	0.79	2.1	0.50
Pancreas	71	16.8	2.11	10.6	1.29	77	14.0	1.61	8.8	1.07
Respiratory System	401	99.0	5.20	62.3	3.19	237	42.6	2.80	27.8	1.90
Larynx	14	3.2	0.93	2.1	0.57	6	1.1	0.45	0.8	0.34
Lung & bronchus	383	94.7	5.09	59.5	3.12	229	41.2	2.75	26.8	1.86
Skin	9	2.2	0.78	1.3	0.44	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	204	35.4	2.50	23.2	1.71
Female Genital System	-	-	-	-	-	91	16.2	1.71	10.4	1.15
Cervix uteri	-	-	-	-	-	25	4.1	0.82	3.1	0.64
Corpus & uterus, NOS	-	-	-	-	-	35	6.5	1.11	3.9	0.70
Ovary	-	-	-	-	-	27	5.0	0.97	3.0	0.61
Male Genital System	160	52.8	4.33	23.1	1.88	-	-	-	-	-
Prostate	159	52.3	4.31	22.9	1.87	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	13.3	1.94	8.0	1.11	38	6.9	1.13	3.7	0.65
Bladder	22	6.0	1.39	3.1	0.68	12	2.3	0.66	1.1	0.36
Kidney & renal pelvis	32	7.3	1.35	4.8	0.87	23	4.0	0.85	2.4	0.53
Brain & Other Nervous System	16	2.5	0.64	2.2	0.57	14	2.3	0.62	1.6	0.45
Endocrine System	7	1.2	0.51	1.0	0.38	7	1.2	0.47	0.8	0.32
Thyroid gland	-	-	-	-	-	6	1.1	0.45	0.6	0.27
Lymphomas	27	5.5	1.11	3.9	0.77	20	3.4	0.78	2.4	0.57
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	24	5.0	1.08	3.5	0.74	19	3.3	0.76	2.3	0.55
Multiple Myeloma	35	9.8	1.76	5.1	0.88	39	7.4	1.19	4.0	0.70
Leukemias	41	10.1	1.69	6.3	1.01	26	4.2	0.84	3.1	0.63
Other, Ill-defined & Unknown	85	20.3	2.35	12.6	1.40	81	14.3	1.60	9.5	1.10

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Oklahoma, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.	S.E.				Adj. Rate World	S.E.		
All Sites	104	141.4	16.11	82.6	8.33	117	101.7	10.02	65.9	6.20
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	44	54.1	9.36	35.0	5.41	45	40.2	6.40	24.9	3.77
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	8.6	3.38	6.0	2.16	8	6.4	2.47	4.0	1.45
Colon & Rectum	9	14.0	5.33	7.9	2.67	20	18.4	4.42	10.8	2.45
Liver	14	13.9	4.53	10.0	2.75	9	7.6	2.61	5.3	1.79
Pancreas	7	9.9	3.92	6.0	2.31	6	5.4	2.33	3.5	1.46
Respiratory System	23	39.2	9.13	19.1	4.07	30	25.8	4.95	18.5	3.43
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	21	36.4	8.88	17.5	3.90	28	22.7	4.46	17.6	3.37
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	6.7	2.21	4.8	1.53
Female Genital System	-	-	-	-	-	12	11.5	3.53	6.4	1.88
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	6	5.4	2.32	3.1	1.31
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	17.7	7.14	6.6	2.56	-	-	-	-	-
Prostate	7	17.7	7.14	6.6	2.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	6.1	2.36	5.2	2.04	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	6.1	2.36	5.2	2.04	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	6	6.8	3.00	4.5	1.88	7	6.0	2.37	4.0	1.51

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Oregon, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	18,975	217.7	1.60	121.8	0.94	17,768	158.7	1.21	94.5	0.80
Oral Cavity & Pharynx	346	3.8	0.21	2.4	0.13	154	1.4	0.11	0.8	0.07
Digestive System	4,720	52.9	0.78	31.1	0.48	3,889	34.1	0.56	19.2	0.35
Esophagus	790	8.8	0.32	5.3	0.20	219	1.9	0.13	1.1	0.08
Stomach	340	3.8	0.21	2.2	0.12	232	2.1	0.14	1.2	0.09
Colon & Rectum	1,663	19.0	0.47	10.6	0.27	1,636	14.1	0.36	7.7	0.22
Liver	520	5.4	0.24	3.7	0.17	205	1.8	0.13	1.1	0.09
Pancreas	1,099	12.3	0.38	7.3	0.23	1,172	10.3	0.31	5.8	0.19
Respiratory System	5,679	64.5	0.87	37.4	0.52	4,946	45.0	0.65	26.9	0.42
Larynx	107	1.2	0.11	0.7	0.07	52	0.5	0.07	0.3	0.05
Lung & bronchus	5,528	62.9	0.86	36.4	0.52	4,873	44.3	0.64	26.5	0.42
Skin	507	5.7	0.26	3.4	0.16	275	2.5	0.15	1.6	0.11
Melanomas of the skin	387	4.3	0.22	2.6	0.14	220	2.0	0.14	1.3	0.10
Breast	24	0.3	0.06	0.1	0.03	2,519	22.5	0.46	14.3	0.32
Female Genital System	-	-	-	-	-	1,815	16.4	0.39	10.3	0.27
Cervix uteri	-	-	-	-	-	189	1.8	0.14	1.4	0.11
Corpus & uterus, NOS	-	-	-	-	-	430	3.8	0.19	2.4	0.13
Ovary	-	-	-	-	-	1,091	9.8	0.30	6.0	0.20
Male Genital System	2,139	26.4	0.58	11.5	0.27	-	-	-	-	-
Prostate	2,104	26.0	0.57	11.2	0.26	-	-	-	-	-
Testis	21	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,218	14.2	0.41	7.4	0.23	572	4.9	0.21	2.7	0.13
Bladder	681	8.2	0.32	3.9	0.16	279	2.3	0.14	1.2	0.08
Kidney & renal pelvis	499	5.5	0.25	3.3	0.16	270	2.4	0.15	1.4	0.10
Brain & Other Nervous System	587	6.3	0.26	4.5	0.20	444	4.2	0.20	3.2	0.17
Endocrine System	74	0.9	0.10	0.6	0.08	83	0.8	0.09	0.6	0.07
Thyroid gland	41	0.5	0.07	0.3	0.04	48	0.4	0.06	0.2	0.04
Lymphomas	829	9.7	0.34	5.2	0.19	725	6.3	0.24	3.4	0.15
Hodgkin Lymphoma	49	0.5	0.08	0.4	0.06	38	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	780	9.1	0.33	4.8	0.18	687	5.9	0.23	3.1	0.14
Multiple Myeloma	420	4.9	0.24	2.5	0.13	320	2.8	0.16	1.5	0.09
Leukemias	829	9.7	0.34	5.4	0.20	614	5.4	0.22	3.2	0.16
Other, Ill-defined & Unknown	1,603	18.5	0.47	10.4	0.28	1,412	12.5	0.34	7.0	0.21

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Oregon, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	18,309	219.4	1.64	123.0	0.97	17,150	160.6	1.25	95.6	0.83
Oral Cavity & Pharynx	334	3.8	0.21	2.4	0.14	151	1.4	0.11	0.8	0.07
Digestive System	4,474	52.5	0.80	30.8	0.49	3,694	33.9	0.57	19.0	0.36
Esophagus	770	9.0	0.33	5.4	0.20	210	1.9	0.14	1.1	0.09
Stomach	307	3.6	0.21	2.0	0.12	202	1.9	0.13	1.1	0.09
Colon & Rectum	1,604	19.2	0.49	10.7	0.28	1,570	14.1	0.36	7.7	0.23
Liver	446	4.9	0.23	3.3	0.16	183	1.7	0.13	1.0	0.09
Pancreas	1,060	12.4	0.39	7.4	0.24	1,119	10.3	0.31	5.9	0.20
Respiratory System	5,488	65.2	0.89	37.8	0.54	4,804	45.8	0.67	27.5	0.44
Larynx	105	1.2	0.12	0.7	0.07	50	0.5	0.07	0.3	0.05
Lung & bronchus	5,339	63.5	0.88	36.7	0.53	4,733	45.1	0.66	27.0	0.44
Skin	505	5.9	0.27	3.5	0.17	266	2.5	0.16	1.6	0.11
Melanomas of the skin	387	4.5	0.23	2.8	0.15	213	2.1	0.14	1.4	0.10
Breast	24	0.3	0.06	0.1	0.03	2,435	22.8	0.47	14.5	0.33
Female Genital System	-	-	-	-	-	1,750	16.6	0.40	10.4	0.28
Cervix uteri	-	-	-	-	-	167	1.7	0.14	1.3	0.11
Corpus & uterus, NOS	-	-	-	-	-	416	3.9	0.19	2.4	0.13
Ovary	-	-	-	-	-	1,065	10.0	0.31	6.2	0.21
Male Genital System	2,087	26.7	0.59	11.7	0.27	-	-	-	-	-
Prostate	2,052	26.3	0.58	11.3	0.27	-	-	-	-	-
Testis	21	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,195	14.5	0.42	7.6	0.23	558	5.0	0.22	2.7	0.13
Bladder	673	8.4	0.33	4.0	0.16	274	2.4	0.15	1.2	0.08
Kidney & renal pelvis	487	5.7	0.26	3.4	0.16	262	2.4	0.15	1.5	0.10
Brain & Other Nervous System	577	6.5	0.28	4.7	0.21	435	4.4	0.21	3.3	0.18
Endocrine System	69	0.8	0.10	0.6	0.09	78	0.8	0.09	0.6	0.08
Thyroid gland	38	0.5	0.07	0.3	0.05	46	0.4	0.06	0.2	0.04
Lymphomas	792	9.6	0.35	5.2	0.20	705	6.4	0.25	3.4	0.15
Hodgkin Lymphoma	45	0.5	0.08	0.4	0.06	38	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	747	9.1	0.34	4.8	0.19	667	6.0	0.24	3.1	0.14
Multiple Myeloma	400	4.9	0.25	2.5	0.13	304	2.8	0.16	1.5	0.10
Leukemias	809	9.9	0.35	5.5	0.21	601	5.6	0.23	3.3	0.17
Other, Ill-defined & Unknown	1,555	18.8	0.48	10.6	0.29	1,369	12.6	0.35	7.1	0.22

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Oregon, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	229	235.8	17.61	129.8	8.88	201	163.1	11.70	101.1	7.54
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	67	66.2	9.20	36.3	4.59	57	47.2	6.34	28.6	4.03
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	11.0	3.87	5.8	1.83	9	7.8	2.65	4.7	1.64
Colon & Rectum	24	26.7	6.29	13.4	2.83	19	16.5	3.82	9.9	2.43
Liver	14	11.7	3.41	7.5	2.07	-	-	-	-	-
Pancreas	12	10.7	3.36	6.4	1.90	19	15.3	3.55	8.6	2.13
Respiratory System	84	82.2	10.04	48.0	5.41	46	39.7	5.94	23.5	3.68
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	84	82.2	10.04	48.0	5.41	46	39.7	5.94	23.5	3.68
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	33	24.3	4.31	17.2	3.10
Female Genital System	-	-	-	-	-	22	17.1	3.69	11.3	2.54
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	6	4.7	1.97	3.3	1.41
Ovary	-	-	-	-	-	10	8.1	2.59	5.0	1.68
Male Genital System	25	36.4	7.84	15.6	3.21	-	-	-	-	-
Prostate	25	36.4	7.84	15.6	3.21	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	7	6.1	2.32	3.8	1.51
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	12	10.8	3.68	7.0	2.10	7	5.1	1.96	3.8	1.49
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	9	9.2	3.55	5.5	1.89	7	5.1	1.96	3.8	1.49
Multiple Myeloma	7	5.7	2.33	3.8	1.49	-	-	-	-	-
Leukemias	9	9.6	3.75	5.2	1.80	-	-	-	-	-
Other, Ill-defined & Unknown	14	13.2	4.07	8.1	2.25	16	13.1	3.34	7.7	2.03

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Oregon, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		9.11		5.01			97.1		57.5	
All Sites	300	148.3		84.4		277	97.1		57.5	
Oral Cavity & Pharynx	6	2.1	0.93	1.5	0.62	-	-	-	-	-
Digestive System	130	59.9	5.57	37.6	3.38	103	37.7	3.80	20.9	2.16
Esophagus	10	5.1	1.70	2.8	0.92	-	-	-	-	-
Stomach	18	9.0	2.25	5.2	1.27	19	6.7	1.57	4.1	0.97
Colon & Rectum	18	8.4	2.09	5.1	1.23	35	12.8	2.21	7.1	1.25
Liver	52	22.0	3.21	15.1	2.16	16	5.5	1.42	3.5	0.91
Pancreas	18	9.0	2.24	5.5	1.33	23	8.9	1.89	4.3	0.94
Respiratory System	77	39.3	4.76	22.1	2.57	51	18.7	2.67	10.7	1.57
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	75	38.1	4.68	21.4	2.53	50	18.4	2.66	10.3	1.54
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	36	11.7	2.00	8.0	1.37
Female Genital System	-	-	-	-	-	31	9.7	1.80	6.3	1.17
Cervix uteri	-	-	-	-	-	13	3.7	1.06	2.6	0.74
Corpus & uterus, NOS	-	-	-	-	-	6	2.1	0.87	1.2	0.50
Ovary	-	-	-	-	-	11	3.5	1.07	2.4	0.75
Male Genital System	12	7.2	2.13	3.6	1.05	-	-	-	-	-
Prostate	12	7.2	2.13	3.6	1.05	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	6.4	2.05	3.0	0.91	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	11.3	2.63	5.7	1.28	8	3.0	1.08	1.6	0.58
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	20	11.0	2.62	5.5	1.26	8	3.0	1.08	1.6	0.58
Multiple Myeloma	6	3.3	1.47	1.7	0.73	9	3.5	1.16	2.1	0.72
Leukemias	6	3.1	1.36	1.7	0.72	6	1.7	0.73	1.1	0.45
Other, Ill-defined & Unknown	23	11.6	2.58	5.6	1.20	14	5.1	1.41	2.7	0.75

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Pennsylvania, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	74,478	235.6	0.87	134.8	0.53	71,705	161.1	0.62	97.7	0.43
Oral Cavity & Pharynx	1,165	3.6	0.11	2.3	0.07	578	1.3	0.06	0.8	0.04
Digestive System	19,212	60.3	0.44	35.4	0.27	16,312	35.1	0.28	19.6	0.18
Esophagus	3,003	9.3	0.17	5.9	0.11	819	1.8	0.06	1.1	0.04
Stomach	1,591	5.0	0.13	2.9	0.08	1,126	2.4	0.07	1.3	0.05
Colon & Rectum	7,129	22.7	0.27	12.5	0.16	7,420	15.8	0.19	8.6	0.12
Liver	1,950	5.9	0.14	3.8	0.09	798	1.8	0.06	1.0	0.04
Pancreas	4,345	13.5	0.21	8.2	0.13	4,529	9.8	0.15	5.6	0.10
Respiratory System	23,283	72.7	0.48	43.2	0.30	17,899	41.1	0.31	25.5	0.22
Larynx	779	2.4	0.09	1.5	0.06	217	0.5	0.04	0.3	0.03
Lung & bronchus	22,387	69.9	0.47	41.5	0.30	17,595	40.3	0.31	25.1	0.22
Skin	1,795	5.7	0.13	3.4	0.09	958	2.2	0.07	1.4	0.05
Melanomas of the skin	1,363	4.3	0.12	2.6	0.08	783	1.9	0.07	1.2	0.05
Breast	98	0.3	0.03	0.2	0.02	10,745	24.8	0.25	15.9	0.18
Female Genital System	-	-	-	-	-	7,467	17.4	0.21	11.3	0.15
Cervix uteri	-	-	-	-	-	847	2.3	0.08	1.7	0.06
Corpus & uterus, NOS	-	-	-	-	-	2,150	4.9	0.11	3.1	0.08
Ovary	-	-	-	-	-	3,947	9.1	0.15	5.9	0.11
Male Genital System	7,512	25.0	0.29	11.0	0.14	-	-	-	-	-
Prostate	7,363	24.5	0.29	10.6	0.13	-	-	-	-	-
Testis	91	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,519	14.5	0.22	7.8	0.13	2,519	5.3	0.11	2.9	0.07
Bladder	2,557	8.3	0.17	4.1	0.09	1,179	2.4	0.07	1.2	0.04
Kidney & renal pelvis	1,854	5.8	0.14	3.5	0.09	1,256	2.8	0.08	1.6	0.06
Brain & Other Nervous System	1,606	5.0	0.13	3.6	0.10	1,340	3.4	0.09	2.5	0.08
Endocrine System	263	0.8	0.05	0.6	0.04	333	0.8	0.05	0.6	0.04
Thyroid gland	149	0.5	0.04	0.3	0.02	229	0.5	0.03	0.3	0.02
Lymphomas	3,143	10.0	0.18	5.7	0.11	2,879	6.2	0.12	3.4	0.08
Hodgkin Lymphoma	196	0.6	0.04	0.4	0.03	137	0.4	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,947	9.4	0.17	5.3	0.11	2,742	5.9	0.12	3.2	0.07
Multiple Myeloma	1,357	4.3	0.12	2.3	0.07	1,334	2.9	0.08	1.6	0.05
Leukemias	3,170	10.2	0.18	5.9	0.12	2,611	5.8	0.12	3.5	0.09
Other, Ill-defined & Unknown	7,355	23.3	0.27	13.5	0.17	6,730	14.8	0.19	8.7	0.13

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Pennsylvania, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	67,551	232.0	0.90	132.1	0.55	64,696	158.9	0.64	95.9	0.45
Oral Cavity & Pharynx	1,020	3.4	0.11	2.2	0.07	516	1.3	0.06	0.7	0.04
Digestive System	17,221	58.8	0.45	34.2	0.28	14,609	34.2	0.29	19.0	0.19
Esophagus	2,794	9.4	0.18	6.0	0.12	715	1.7	0.07	1.0	0.04
Stomach	1,344	4.6	0.13	2.6	0.08	930	2.1	0.07	1.1	0.05
Colon & Rectum	6,439	22.2	0.28	12.1	0.16	6,739	15.6	0.20	8.5	0.13
Liver	1,587	5.3	0.13	3.3	0.09	684	1.6	0.06	0.9	0.04
Pancreas	3,982	13.5	0.22	8.1	0.14	4,073	9.6	0.16	5.4	0.10
Respiratory System	21,104	71.6	0.50	42.3	0.31	15,977	40.1	0.32	24.8	0.23
Larynx	668	2.3	0.09	1.4	0.06	179	0.5	0.04	0.3	0.03
Lung & bronchus	20,325	68.9	0.49	40.7	0.31	15,719	39.5	0.32	24.4	0.22
Skin	1,759	6.0	0.14	3.6	0.09	932	2.4	0.08	1.5	0.06
Melanomas of the skin	1,352	4.6	0.13	2.8	0.08	766	2.0	0.08	1.3	0.05
Breast	87	0.3	0.03	0.2	0.02	9,622	24.4	0.26	15.5	0.18
Female Genital System	-	-	-	-	-	6,776	17.3	0.22	11.2	0.16
Cervix uteri	-	-	-	-	-	701	2.1	0.08	1.6	0.06
Corpus & uterus, NOS	-	-	-	-	-	1,901	4.7	0.11	3.0	0.08
Ovary	-	-	-	-	-	3,689	9.4	0.16	6.0	0.11
Male Genital System	6,523	23.3	0.29	10.1	0.14	-	-	-	-	-
Prostate	6,385	22.8	0.29	9.8	0.13	-	-	-	-	-
Testis	84	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	4,260	14.8	0.23	7.9	0.13	2,293	5.3	0.11	2.9	0.07
Bladder	2,435	8.5	0.17	4.1	0.09	1,066	2.4	0.07	1.2	0.04
Kidney & renal pelvis	1,721	5.8	0.14	3.5	0.09	1,150	2.8	0.08	1.6	0.06
Brain & Other Nervous System	1,522	5.2	0.13	3.8	0.11	1,277	3.6	0.10	2.6	0.09
Endocrine System	231	0.8	0.05	0.6	0.05	292	0.8	0.05	0.5	0.04
Thyroid gland	138	0.5	0.04	0.3	0.03	203	0.5	0.03	0.3	0.02
Lymphomas	2,982	10.3	0.19	5.8	0.12	2,704	6.3	0.13	3.5	0.08
Hodgkin Lymphoma	180	0.6	0.05	0.4	0.03	122	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	2,802	9.7	0.18	5.4	0.11	2,582	6.0	0.12	3.2	0.08
Multiple Myeloma	1,183	4.1	0.12	2.2	0.07	1,152	2.7	0.08	1.5	0.05
Leukemias	2,946	10.3	0.19	5.9	0.12	2,428	5.9	0.12	3.5	0.09
Other, Ill-defined & Unknown	6,713	23.2	0.28	13.3	0.18	6,118	14.7	0.19	8.6	0.14

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Pennsylvania, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	6,465	311.5	4.04	186.2	2.40	6,590	197.5	2.44	124.8	1.66
Oral Cavity & Pharynx	128	5.5	0.51	3.8	0.35	59	1.8	0.23	1.2	0.17
Digestive System	1,816	83.8	2.05	52.8	1.28	1,566	47.0	1.19	27.6	0.76
Esophagus	197	8.8	0.65	5.8	0.43	97	2.9	0.30	1.9	0.21
Stomach	210	10.3	0.74	5.9	0.42	162	4.9	0.38	2.6	0.23
Colon & Rectum	655	32.1	1.31	18.6	0.75	634	19.0	0.76	10.8	0.47
Liver	316	12.6	0.72	9.5	0.55	100	3.0	0.30	2.0	0.21
Pancreas	336	15.4	0.87	9.9	0.56	439	13.2	0.63	7.7	0.40
Respiratory System	2,049	96.5	2.21	60.4	1.38	1,850	55.6	1.30	36.2	0.90
Larynx	108	4.8	0.48	3.3	0.33	37	1.1	0.18	0.7	0.13
Lung & bronchus	1,935	91.4	2.15	56.9	1.34	1,805	54.3	1.28	35.2	0.89
Skin	34	1.5	0.28	1.0	0.17	22	0.7	0.14	0.4	0.09
Melanomas of the skin	9	0.4	0.16	0.2	0.08	14	0.4	0.11	0.3	0.07
Breast	11	0.6	0.18	0.3	0.09	1,074	32.0	0.98	21.5	0.70
Female Genital System	-	-	-	-	-	641	19.2	0.76	12.9	0.54
Cervix uteri	-	-	-	-	-	136	4.0	0.35	3.0	0.26
Corpus & uterus, NOS	-	-	-	-	-	236	7.1	0.47	4.7	0.33
Ovary	-	-	-	-	-	233	6.9	0.46	4.6	0.32
Male Genital System	958	55.1	1.85	25.5	0.86	-	-	-	-	-
Prostate	950	54.9	1.84	25.3	0.86	-	-	-	-	-
Testis	7	0.2	0.08	0.2	0.08	-	-	-	-	-
Urinary System	249	12.0	0.80	7.3	0.48	214	6.4	0.44	3.5	0.27
Bladder	114	6.0	0.58	3.2	0.31	111	3.3	0.31	1.6	0.17
Kidney & renal pelvis	131	5.9	0.55	4.0	0.36	96	2.9	0.30	1.8	0.20
Brain & Other Nervous System	73	3.0	0.37	2.1	0.26	59	1.7	0.22	1.3	0.19
Endocrine System	31	1.2	0.24	0.9	0.17	34	1.0	0.17	0.7	0.14
Thyroid gland	10	0.5	0.15	0.3	0.09	22	0.7	0.14	0.4	0.10
Lymphomas	147	6.4	0.56	4.2	0.35	161	4.8	0.38	3.0	0.25
Hodgkin Lymphoma	16	0.6	0.14	0.4	0.11	12	0.4	0.10	0.3	0.08
Non-Hodgkin Lymphoma	131	5.8	0.54	3.7	0.34	149	4.5	0.37	2.7	0.24
Multiple Myeloma	169	8.2	0.66	4.9	0.39	176	5.3	0.40	3.0	0.25
Leukemias	203	9.5	0.71	5.8	0.42	166	4.9	0.38	3.2	0.28
Other, Ill-defined & Unknown	597	28.0	1.20	17.3	0.73	568	17.0	0.72	10.3	0.47

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Pennsylvania, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	420	104.5	5.69	60.5	2.99	397	79.1	4.21	46.6	2.39
Oral Cavity & Pharynx	17	3.3	0.91	2.2	0.54	-	-	-	-	-
Digestive System	162	40.7	3.60	22.9	1.82	133	28.9	2.65	15.1	1.34
Esophagus	10	2.6	0.94	1.4	0.44	7	1.7	0.66	0.7	0.26
Stomach	36	10.0	1.87	5.0	0.85	32	6.5	1.23	3.6	0.64
Colon & Rectum	29	8.7	1.78	4.2	0.80	47	9.8	1.51	5.4	0.80
Liver	43	8.2	1.39	5.9	0.92	14	2.9	0.81	1.6	0.45
Pancreas	27	7.3	1.54	3.9	0.77	16	4.2	1.06	1.8	0.47
Respiratory System	118	29.7	3.00	17.1	1.60	67	14.4	1.84	7.9	0.99
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	116	28.9	2.95	16.9	1.59	66	14.3	1.84	7.8	0.98
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	47	8.2	1.27	5.4	0.80
Female Genital System	-	-	-	-	-	47	8.3	1.27	5.8	0.85
Cervix uteri	-	-	-	-	-	10	1.6	0.55	1.2	0.38
Corpus & uterus, NOS	-	-	-	-	-	13	2.5	0.73	1.7	0.49
Ovary	-	-	-	-	-	23	3.9	0.85	2.7	0.58
Male Genital System	23	7.8	1.72	3.5	0.73	-	-	-	-	-
Prostate	21	7.1	1.63	3.2	0.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	2.4	0.86	1.3	0.43	12	2.3	0.71	1.5	0.45
Bladder	8	2.0	0.77	1.1	0.41	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	10	2.0	0.67	1.2	0.39
Brain & Other Nervous System	11	2.6	0.84	1.6	0.48	-	-	-	-	-
Endocrine System	-	-	-	-	-	7	1.2	0.53	1.0	0.37
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	13	2.9	0.86	1.9	0.54	13	2.4	0.71	1.5	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	13	2.9	0.86	1.9	0.54	10	2.0	0.67	1.1	0.35
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	21	4.9	1.22	3.2	0.71	15	2.9	0.81	1.9	0.50
Other, Ill-defined & Unknown	40	9.1	1.62	5.8	0.92	40	7.3	1.23	4.8	0.77

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Rhode Island, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	5,809	234.4	3.10	129.6	1.83	5,590	155.0	2.13	93.8	1.48
Oral Cavity & Pharynx	81	3.1	0.35	2.0	0.24	47	1.4	0.21	0.9	0.15
Digestive System	1,524	60.9	1.58	34.5	0.95	1,225	32.6	0.96	18.4	0.63
Esophagus	256	10.1	0.64	6.3	0.42	79	2.2	0.25	1.3	0.17
Stomach	163	6.6	0.52	3.3	0.28	99	2.6	0.27	1.4	0.18
Colon & Rectum	506	20.6	0.92	11.2	0.53	523	13.5	0.61	7.4	0.39
Liver	175	6.8	0.52	4.3	0.34	66	1.7	0.22	1.0	0.15
Pancreas	310	12.3	0.71	6.9	0.42	318	8.7	0.50	5.0	0.33
Respiratory System	1,792	72.0	1.71	41.2	1.04	1,542	44.0	1.15	27.3	0.80
Larynx	60	2.4	0.31	1.4	0.19	15	0.5	0.12	0.3	0.09
Lung & bronchus	1,718	69.0	1.68	39.5	1.02	1,519	43.4	1.14	26.8	0.79
Skin	153	6.1	0.50	3.5	0.30	82	2.3	0.26	1.4	0.18
Melanomas of the skin	112	4.4	0.42	2.6	0.26	63	1.8	0.23	1.2	0.17
Breast	8	0.3	0.12	0.2	0.07	786	22.2	0.81	14.2	0.58
Female Genital System	-	-	-	-	-	527	15.1	0.67	9.9	0.49
Cervix uteri	-	-	-	-	-	51	1.6	0.23	1.2	0.18
Corpus & uterus, NOS	-	-	-	-	-	142	3.9	0.34	2.5	0.24
Ovary	-	-	-	-	-	302	8.6	0.51	5.7	0.37
Male Genital System	580	24.6	1.02	10.5	0.48	-	-	-	-	-
Prostate	561	23.8	1.01	10.0	0.46	-	-	-	-	-
Testis	11	0.4	0.12	0.3	0.11	-	-	-	-	-
Urinary System	383	15.7	0.81	8.0	0.44	209	5.4	0.39	2.8	0.24
Bladder	242	10.1	0.65	4.7	0.33	99	2.5	0.26	1.2	0.15
Kidney & renal pelvis	135	5.3	0.46	3.2	0.29	101	2.7	0.28	1.5	0.19
Brain & Other Nervous System	145	5.5	0.46	3.8	0.34	117	3.6	0.34	2.5	0.28
Endocrine System	17	0.7	0.16	0.5	0.13	30	0.8	0.16	0.5	0.12
Thyroid gland	11	0.4	0.13	0.3	0.08	20	0.5	0.11	0.2	0.07
Lymphomas	243	9.8	0.64	5.4	0.37	194	5.0	0.37	2.7	0.23
Hodgkin Lymphoma	18	0.7	0.17	0.4	0.10	8	0.2	0.08	0.1	0.05
Non-Hodgkin Lymphoma	225	9.1	0.61	5.0	0.36	186	4.8	0.36	2.5	0.23
Multiple Myeloma	81	3.3	0.37	1.8	0.22	104	2.8	0.28	1.5	0.17
Leukemias	248	10.1	0.64	5.8	0.40	227	6.2	0.43	3.8	0.32
Other, Ill-defined & Unknown	554	22.3	0.95	12.4	0.57	500	13.6	0.63	7.9	0.42

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Rhode Island, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.		S.E.			Adj. Rate World		S.E.	
All Sites	5,546	235.3	3.18	130.2	1.89	5,362	156.2	2.21	94.6	1.54
Oral Cavity & Pharynx	75	3.0	0.35	2.0	0.24	44	1.4	0.21	0.9	0.16
Digestive System	1,440	60.6	1.61	34.2	0.97	1,169	32.5	0.99	18.2	0.65
Esophagus	250	10.4	0.66	6.5	0.44	75	2.2	0.26	1.3	0.18
Stomach	156	6.6	0.53	3.3	0.29	95	2.6	0.28	1.4	0.18
Colon & Rectum	483	20.6	0.94	11.2	0.55	496	13.3	0.62	7.1	0.40
Liver	149	6.2	0.51	3.8	0.33	61	1.7	0.22	0.9	0.15
Pancreas	294	12.3	0.72	6.8	0.43	307	8.8	0.52	5.1	0.35
Respiratory System	1,718	72.6	1.76	41.6	1.08	1,479	44.4	1.19	27.6	0.83
Larynx	59	2.5	0.33	1.4	0.20	14	0.5	0.12	0.3	0.09
Lung & bronchus	1,645	69.5	1.73	39.8	1.06	1,458	43.8	1.18	27.2	0.83
Skin	151	6.4	0.52	3.7	0.32	82	2.4	0.28	1.5	0.19
Melanomas of the skin	112	4.7	0.45	2.8	0.28	63	1.9	0.25	1.2	0.18
Breast	8	0.3	0.12	0.2	0.08	761	22.6	0.85	14.5	0.61
Female Genital System	-	-	-	-	-	495	14.9	0.69	9.8	0.50
Cervix uteri	-	-	-	-	-	46	1.6	0.23	1.2	0.19
Corpus & uterus, NOS	-	-	-	-	-	130	3.8	0.34	2.4	0.24
Ovary	-	-	-	-	-	290	8.7	0.53	5.7	0.39
Male Genital System	552	24.3	1.04	10.4	0.49	-	-	-	-	-
Prostate	533	23.5	1.02	9.8	0.47	-	-	-	-	-
Testis	11	0.4	0.14	0.4	0.12	-	-	-	-	-
Urinary System	370	15.9	0.83	8.1	0.46	204	5.5	0.40	2.9	0.26
Bladder	237	10.3	0.67	4.9	0.34	95	2.4	0.26	1.2	0.15
Kidney & renal pelvis	128	5.4	0.48	3.1	0.30	100	2.8	0.30	1.6	0.20
Brain & Other Nervous System	143	5.8	0.49	4.0	0.36	112	3.6	0.35	2.6	0.30
Endocrine System	16	0.7	0.17	0.5	0.14	29	0.8	0.16	0.5	0.13
Thyroid gland	10	0.4	0.14	0.2	0.08	19	0.5	0.11	0.2	0.07
Lymphomas	235	10.0	0.66	5.5	0.39	193	5.2	0.39	2.8	0.25
Hodgkin Lymphoma	18	0.7	0.18	0.4	0.11	8	0.2	0.09	0.1	0.05
Non-Hodgkin Lymphoma	217	9.3	0.63	5.0	0.37	185	5.0	0.38	2.7	0.24
Multiple Myeloma	77	3.3	0.38	1.8	0.22	99	2.8	0.29	1.4	0.18
Leukemias	235	10.1	0.66	5.8	0.41	218	6.3	0.45	3.9	0.35
Other, Ill-defined & Unknown	526	22.3	0.98	12.4	0.59	477	13.6	0.65	7.9	0.44

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Rhode Island, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	196	247.6	19.51	142.8	10.55	171	154.8	12.22	91.3	7.30
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	58	66.9	9.51	42.4	5.77	35	31.7	5.54	19.6	3.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	6	9.3	4.06	4.4	1.85	-	-	-	-	-
Colon & Rectum	16	18.7	4.94	12.0	3.14	17	13.9	3.50	10.0	2.49
Liver	17	16.7	4.63	10.8	2.70	-	-	-	-	-
Pancreas	12	14.0	4.19	10.1	2.98	9	9.3	3.19	4.1	1.42
Respiratory System	56	71.2	10.32	41.1	5.67	53	50.0	7.02	28.4	4.14
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	55	70.1	10.25	40.0	5.57	52	49.2	6.97	27.6	4.05
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	20	15.7	3.65	10.4	2.43
Female Genital System	-	-	-	-	-	23	20.3	4.41	12.5	2.68
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	9	8.8	3.03	4.6	1.57
Ovary	-	-	-	-	-	10	8.7	2.85	5.9	1.90
Male Genital System	24	39.6	8.61	17.3	3.62	-	-	-	-	-
Prostate	24	39.6	8.61	17.3	3.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	9.4	3.77	5.8	2.10	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	12	15.2	5.02	9.1	2.71	9	8.2	2.88	4.8	1.68
Other, Ill-defined & Unknown	23	30.2	7.15	17.0	3.67	14	13.7	3.78	6.8	1.85

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Rhode Island, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	52	163.2	24.49	79.3	11.24	38	80.0	13.64	52.2	8.70
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	20	60.5	14.61	31.1	7.10	15	31.2	8.50	20.5	5.49
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	6	11.3	4.93	7.8	3.31
Liver	8	17.1	6.25	13.6	4.89	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	14	42.3	11.93	21.5	5.93	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	14	42.3	11.93	21.5	5.93	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	6	11.4	4.84	8.0	3.32
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	7	17.0	6.70	9.6	3.73

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**South Carolina, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	23,813	245.7	1.64	145.4	0.97	20,106	153.9	1.09	95.7	0.74
Oral Cavity & Pharynx	515	4.9	0.22	3.4	0.15	196	1.5	0.11	0.9	0.07
Digestive System	5,737	57.5	0.78	35.7	0.49	4,432	33.6	0.51	19.7	0.33
Esophagus	861	8.3	0.29	5.5	0.19	227	1.7	0.11	1.1	0.08
Stomach	591	6.0	0.25	3.7	0.16	355	2.7	0.14	1.5	0.09
Colon & Rectum	2,038	20.9	0.48	12.5	0.29	1,922	14.6	0.33	8.5	0.21
Liver	647	6.1	0.25	4.1	0.17	240	1.8	0.12	1.1	0.08
Pancreas	1,251	12.6	0.37	7.8	0.23	1,248	9.5	0.27	5.5	0.17
Respiratory System	8,485	84.7	0.94	52.5	0.59	5,308	40.7	0.56	26.0	0.38
Larynx	270	2.5	0.16	1.7	0.11	67	0.5	0.06	0.3	0.04
Lung & bronchus	8,171	81.7	0.93	50.5	0.57	5,213	39.9	0.56	25.5	0.38
Skin	556	5.7	0.25	3.4	0.15	251	1.9	0.12	1.2	0.08
Melanomas of the skin	390	4.0	0.21	2.4	0.13	188	1.5	0.11	1.0	0.08
Breast	28	0.3	0.06	0.2	0.03	3,141	24.3	0.44	16.2	0.31
Female Genital System	-	-	-	-	-	2,066	15.9	0.35	10.2	0.24
Cervix uteri	-	-	-	-	-	331	2.7	0.15	2.0	0.11
Corpus & uterus, NOS	-	-	-	-	-	548	4.2	0.18	2.6	0.12
Ovary	-	-	-	-	-	1,065	8.1	0.25	5.1	0.17
Male Genital System	2,389	28.8	0.61	12.6	0.27	-	-	-	-	-
Prostate	2,356	28.5	0.60	12.4	0.26	-	-	-	-	-
Testis	15	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,261	13.4	0.39	7.5	0.22	692	5.2	0.20	2.9	0.12
Bladder	588	6.6	0.28	3.3	0.14	296	2.2	0.13	1.1	0.07
Kidney & renal pelvis	636	6.4	0.26	3.9	0.16	368	2.8	0.15	1.7	0.10
Brain & Other Nervous System	556	5.5	0.24	3.8	0.17	460	3.6	0.17	2.6	0.14
Endocrine System	70	0.7	0.09	0.5	0.07	82	0.7	0.07	0.5	0.07
Thyroid gland	38	0.4	0.07	0.2	0.04	48	0.4	0.05	0.2	0.04
Lymphomas	778	8.3	0.31	4.8	0.18	709	5.4	0.21	3.0	0.13
Hodgkin Lymphoma	42	0.4	0.07	0.3	0.05	44	0.4	0.06	0.3	0.04
Non-Hodgkin Lymphoma	736	7.8	0.30	4.5	0.17	665	5.1	0.20	2.8	0.12
Multiple Myeloma	470	5.0	0.24	2.7	0.13	452	3.4	0.16	2.0	0.10
Leukemias	891	9.6	0.33	5.6	0.20	656	5.0	0.20	3.0	0.14
Other, Ill-defined & Unknown	2,077	21.3	0.48	12.8	0.29	1,661	12.6	0.31	7.5	0.21

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**South Carolina, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	17,376	228.7	1.78	133.9	1.06	14,702	148.8	1.24	91.6	0.84
Oral Cavity & Pharynx	307	3.8	0.22	2.5	0.15	150	1.5	0.12	0.9	0.08
Digestive System	3,909	50.3	0.82	30.8	0.51	3,039	30.3	0.56	17.5	0.36
Esophagus	574	7.2	0.31	4.7	0.20	139	1.4	0.12	0.8	0.08
Stomach	311	4.0	0.23	2.5	0.14	205	2.0	0.14	1.1	0.09
Colon & Rectum	1,403	18.4	0.50	10.9	0.30	1,314	13.1	0.37	7.5	0.23
Liver	456	5.6	0.27	3.7	0.18	179	1.8	0.14	1.1	0.09
Pancreas	907	11.7	0.40	7.1	0.25	888	8.8	0.30	5.1	0.19
Respiratory System	6,467	82.4	1.05	50.3	0.65	4,318	43.9	0.67	28.0	0.46
Larynx	154	1.9	0.15	1.2	0.10	38	0.4	0.07	0.3	0.04
Lung & bronchus	6,279	80.1	1.03	48.8	0.64	4,257	43.2	0.67	27.6	0.46
Skin	512	6.7	0.31	4.1	0.19	230	2.3	0.16	1.5	0.11
Melanomas of the skin	380	4.9	0.26	3.1	0.17	175	1.8	0.14	1.2	0.10
Breast	18	0.2	0.05	0.1	0.03	2,136	21.9	0.48	14.4	0.34
Female Genital System	-	-	-	-	-	1,378	14.1	0.39	8.9	0.26
Cervix uteri	-	-	-	-	-	169	2.0	0.15	1.4	0.12
Corpus & uterus, NOS	-	-	-	-	-	284	2.8	0.17	1.7	0.11
Ovary	-	-	-	-	-	831	8.4	0.29	5.3	0.20
Male Genital System	1,400	21.3	0.58	9.0	0.25	-	-	-	-	-
Prostate	1,378	21.0	0.58	8.8	0.25	-	-	-	-	-
Testis	9	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,033	14.0	0.45	7.6	0.25	497	4.9	0.22	2.7	0.14
Bladder	522	7.3	0.33	3.7	0.17	215	2.1	0.14	1.0	0.08
Kidney & renal pelvis	482	6.2	0.29	3.7	0.18	263	2.6	0.16	1.6	0.11
Brain & Other Nervous System	495	6.3	0.29	4.4	0.21	378	4.0	0.21	2.8	0.16
Endocrine System	57	0.8	0.10	0.6	0.08	55	0.6	0.08	0.4	0.07
Thyroid gland	32	0.4	0.08	0.2	0.04	35	0.4	0.06	0.2	0.04
Lymphomas	634	8.7	0.35	4.8	0.20	582	5.8	0.24	3.2	0.15
Hodgkin Lymphoma	36	0.5	0.08	0.3	0.05	35	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	598	8.2	0.34	4.5	0.19	547	5.4	0.23	2.9	0.14
Multiple Myeloma	310	4.3	0.25	2.3	0.13	259	2.5	0.16	1.4	0.10
Leukemias	713	9.8	0.38	5.6	0.23	510	5.2	0.23	3.1	0.16
Other, Ill-defined & Unknown	1,521	20.1	0.53	11.8	0.32	1,170	11.8	0.35	7.0	0.24

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**South Carolina, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	6,337	318.1	4.24	192.6	2.48	5,287	170.5	2.36	108.7	1.59
Oral Cavity & Pharynx	207	8.7	0.64	6.3	0.44	42	1.3	0.21	0.9	0.15
Digestive System	1,788	86.2	2.16	54.3	1.31	1,362	44.5	1.21	26.5	0.77
Esophagus	287	12.9	0.80	8.9	0.54	87	2.7	0.30	1.9	0.21
Stomach	269	13.4	0.87	8.2	0.51	145	4.7	0.40	2.7	0.24
Colon & Rectum	626	31.6	1.34	18.7	0.76	599	19.6	0.81	11.6	0.51
Liver	184	7.5	0.58	5.5	0.41	54	1.8	0.25	1.0	0.15
Pancreas	335	16.2	0.95	10.4	0.58	355	11.7	0.62	6.9	0.39
Respiratory System	1,990	94.8	2.24	61.8	1.42	954	30.8	1.01	20.2	0.69
Larynx	116	5.1	0.51	3.5	0.33	28	0.9	0.17	0.6	0.12
Lung & bronchus	1,864	89.3	2.18	58.0	1.38	921	29.7	0.99	19.5	0.68
Skin	43	1.8	0.29	1.2	0.19	21	0.7	0.15	0.4	0.09
Melanomas of the skin	10	0.5	0.18	0.3	0.09	13	0.4	0.12	0.3	0.08
Breast	10	0.5	0.19	0.3	0.09	993	31.2	1.00	21.7	0.72
Female Genital System	-	-	-	-	-	674	21.9	0.85	14.2	0.58
Cervix uteri	-	-	-	-	-	158	5.0	0.40	3.5	0.29
Corpus & uterus, NOS	-	-	-	-	-	261	8.6	0.54	5.5	0.36
Ovary	-	-	-	-	-	228	7.4	0.49	4.7	0.33
Male Genital System	981	62.3	2.07	28.3	0.93	-	-	-	-	-
Prostate	970	61.8	2.06	27.9	0.92	-	-	-	-	-
Testis	6	0.2	0.09	0.2	0.08	-	-	-	-	-
Urinary System	224	11.4	0.81	6.9	0.47	193	6.3	0.46	3.4	0.27
Bladder	63	3.7	0.50	1.9	0.25	81	2.6	0.30	1.4	0.17
Kidney & renal pelvis	153	7.3	0.63	4.7	0.39	104	3.4	0.34	1.9	0.20
Brain & Other Nervous System	60	2.5	0.34	1.8	0.24	81	2.5	0.28	2.0	0.24
Endocrine System	12	0.5	0.14	0.4	0.12	26	0.8	0.15	0.7	0.14
Thyroid gland	-	-	-	-	-	12	0.4	0.11	0.2	0.07
Lymphomas	138	6.3	0.57	4.4	0.38	126	4.1	0.37	2.5	0.24
Hodgkin Lymphoma	6	0.2	0.10	0.2	0.08	9	0.3	0.09	0.2	0.08
Non-Hodgkin Lymphoma	132	6.1	0.56	4.2	0.37	117	3.9	0.36	2.3	0.23
Multiple Myeloma	159	8.5	0.71	4.7	0.39	190	6.2	0.46	3.8	0.30
Leukemias	174	8.7	0.70	5.4	0.42	145	4.8	0.40	2.9	0.26
Other, Ill-defined & Unknown	551	25.9	1.17	16.7	0.73	480	15.4	0.71	9.4	0.46

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**South Carolina, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	72	97.1	13.63	56.0	6.73	94	91.0	10.06	55.7	5.84
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	33	39.2	8.07	25.3	4.48	28	26.5	5.23	17.3	3.33
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	13.2	5.40	7.3	2.49	-	-	-	-	-
Colon & Rectum	8	8.9	3.63	6.0	2.13	8	7.8	2.87	5.4	1.95
Liver	7	8.1	3.40	5.3	2.02	7	6.9	2.74	3.9	1.51
Pancreas	7	7.3	3.11	5.0	1.94	-	-	-	-	-
Respiratory System	17	24.4	7.14	12.5	3.12	27	29.8	6.09	16.4	3.22
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	24.4	7.14	12.5	3.12	27	29.8	6.09	16.4	3.22
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	8	7.4	2.84	4.8	1.73
Female Genital System	-	-	-	-	-	9	7.2	2.57	4.7	1.60
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	8.7	4.46	5.4	2.26	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	6	8.7	4.46	5.4	2.26	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	10	9.4	3.25	5.4	1.72

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**South Dakota, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	4,248	214.2	3.30	120.3	2.01	3,671	142.7	2.43	86.9	1.69
Oral Cavity & Pharynx	54	2.6	0.36	1.7	0.25	31	1.1	0.21	0.7	0.15
Digestive System	1,055	53.0	1.64	30.9	1.03	871	32.4	1.14	18.4	0.75
Esophagus	171	8.6	0.66	5.4	0.44	37	1.4	0.24	0.8	0.16
Stomach	91	4.7	0.49	2.6	0.29	63	2.5	0.33	1.5	0.23
Colon & Rectum	408	20.5	1.02	11.8	0.63	400	14.3	0.74	7.7	0.47
Liver	79	4.0	0.45	2.5	0.30	45	1.7	0.26	1.0	0.18
Pancreas	225	11.2	0.75	6.3	0.46	237	9.2	0.61	5.3	0.40
Respiratory System	1,344	67.4	1.85	38.9	1.14	916	37.3	1.26	24.1	0.90
Larynx	28	1.4	0.27	0.8	0.17	7	0.3	0.13	0.2	0.10
Lung & bronchus	1,303	65.4	1.82	37.7	1.13	895	36.3	1.24	23.5	0.89
Skin	100	5.0	0.51	3.2	0.35	56	2.2	0.31	1.6	0.25
Melanomas of the skin	70	3.5	0.43	2.4	0.30	42	1.8	0.28	1.3	0.23
Breast	-	-	-	-	-	550	21.8	0.96	14.1	0.69
Female Genital System	-	-	-	-	-	362	14.4	0.78	9.1	0.55
Cervix uteri	-	-	-	-	-	38	1.7	0.29	1.2	0.22
Corpus & uterus, NOS	-	-	-	-	-	102	4.0	0.41	2.5	0.28
Ovary	-	-	-	-	-	202	8.1	0.59	5.1	0.41
Male Genital System	482	24.8	1.13	10.5	0.52	-	-	-	-	-
Prostate	474	24.4	1.12	10.3	0.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	311	15.7	0.90	8.6	0.53	132	5.0	0.45	2.7	0.28
Bladder	162	8.3	0.66	4.1	0.35	44	1.5	0.24	0.7	0.13
Kidney & renal pelvis	136	6.8	0.58	4.2	0.39	76	3.0	0.35	1.7	0.24
Brain & Other Nervous System	113	5.8	0.55	3.9	0.39	93	4.1	0.43	2.9	0.33
Endocrine System	18	0.9	0.22	0.6	0.15	16	0.6	0.17	0.4	0.13
Thyroid gland	10	0.5	0.16	0.3	0.12	10	0.4	0.13	0.3	0.10
Lymphomas	180	9.1	0.68	5.1	0.41	155	5.5	0.46	2.8	0.28
Hodgkin Lymphoma	7	0.4	0.13	0.3	0.12	6	0.3	0.12	0.2	0.10
Non-Hodgkin Lymphoma	173	8.7	0.67	4.8	0.40	149	5.3	0.45	2.6	0.27
Multiple Myeloma	85	4.3	0.47	2.3	0.27	73	2.7	0.33	1.3	0.18
Leukemias	189	9.6	0.70	5.3	0.43	153	5.5	0.47	3.0	0.32
Other, Ill-defined & Unknown	315	15.8	0.89	9.2	0.57	263	10.0	0.64	5.9	0.44

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**South Dakota, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		118.4		2.04		3,474	140.5		2.47	
All Sites	4,043	211.9	3.35	118.4	2.04	3,474	140.5	2.47	85.2	1.73
Oral Cavity & Pharynx	50	2.5	0.36	1.7	0.25	30	1.2	0.22	0.7	0.16
Digestive System	990	51.8	1.65	30.0	1.04	827	31.8	1.15	17.9	0.76
Esophagus	164	8.6	0.67	5.4	0.45	36	1.4	0.25	0.8	0.16
Stomach	81	4.3	0.48	2.3	0.28	53	2.1	0.30	1.2	0.21
Colon & Rectum	385	20.1	1.03	11.5	0.64	385	14.2	0.76	7.5	0.48
Liver	68	3.6	0.44	2.2	0.29	39	1.5	0.26	0.9	0.18
Pancreas	216	11.2	0.77	6.4	0.47	228	9.2	0.63	5.2	0.41
Respiratory System	1,278	66.6	1.87	38.3	1.16	852	36.2	1.27	23.4	0.91
Larynx	24	1.3	0.26	0.7	0.16	7	0.4	0.14	0.3	0.10
Lung & bronchus	1,242	64.7	1.84	37.2	1.14	831	35.2	1.25	22.7	0.90
Skin	97	5.2	0.53	3.3	0.36	56	2.4	0.33	1.7	0.28
Melanomas of the skin	70	3.7	0.45	2.5	0.32	42	1.9	0.30	1.4	0.26
Breast	-	-	-	-	-	526	21.9	0.99	14.1	0.72
Female Genital System	-	-	-	-	-	337	13.9	0.79	8.7	0.55
Cervix uteri	-	-	-	-	-	28	1.3	0.25	0.9	0.19
Corpus & uterus, NOS	-	-	-	-	-	95	3.8	0.41	2.4	0.29
Ovary	-	-	-	-	-	195	8.2	0.60	5.1	0.42
Male Genital System	469	24.8	1.15	10.5	0.53	-	-	-	-	-
Prostate	461	24.4	1.14	10.2	0.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	299	15.7	0.91	8.5	0.55	125	4.9	0.45	2.6	0.28
Bladder	162	8.6	0.68	4.2	0.37	41	1.4	0.23	0.6	0.12
Kidney & renal pelvis	124	6.4	0.58	4.0	0.40	73	3.0	0.36	1.7	0.24
Brain & Other Nervous System	111	6.0	0.58	4.1	0.42	91	4.2	0.45	3.0	0.36
Endocrine System	17	0.9	0.22	0.6	0.16	16	0.7	0.18	0.5	0.14
Thyroid gland	9	0.5	0.15	0.3	0.11	10	0.4	0.13	0.3	0.11
Lymphomas	174	9.1	0.69	5.1	0.43	147	5.4	0.47	2.7	0.29
Hodgkin Lymphoma	6	0.3	0.13	0.3	0.12	6	0.3	0.12	0.2	0.11
Non-Hodgkin Lymphoma	168	8.8	0.68	4.8	0.41	141	5.1	0.45	2.5	0.27
Multiple Myeloma	84	4.4	0.49	2.4	0.28	72	2.8	0.34	1.4	0.19
Leukemias	177	9.4	0.71	5.2	0.44	151	5.7	0.49	3.1	0.34
Other, Ill-defined & Unknown	295	15.4	0.90	8.8	0.56	244	9.6	0.64	5.6	0.45

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**South Dakota, 2004-2008, Black**

SITES	MALES (BLACK)						FEMALES (BLACK)						
	Deaths	Adj. Rate 2000 U.S.		S.E.	Adj. Rate World		S.E.	Deaths	Adj. Rate 2000 U.S.		S.E.	Adj. Rate World	S.E.
		Adj. Rate	S.E.		Adj. Rate	S.E.			Adj. Rate	S.E.			
All Sites	13	203.6	68.57		124.2	36.48		6	119.4	51.04		77.4	33.16
Oral Cavity & Pharynx	-	-	-		-	-		-	-	-		-	-
Digestive System	-	-	-		-	-		-	-	-		-	-
Esophagus	-	-	-		-	-		-	-	-		-	-
Stomach	-	-	-		-	-		-	-	-		-	-
Colon & Rectum	-	-	-		-	-		-	-	-		-	-
Liver	-	-	-		-	-		-	-	-		-	-
Pancreas	-	-	-		-	-		-	-	-		-	-
Respiratory System	-	-	-		-	-		-	-	-		-	-
Larynx	-	-	-		-	-		-	-	-		-	-
Lung & bronchus	-	-	-		-	-		-	-	-		-	-
Skin	-	-	-		-	-		-	-	-		-	-
Melanomas of the skin	-	-	-		-	-		-	-	-		-	-
Breast	-	-	-		-	-		-	-	-		-	-
Female Genital System	-	-	-		-	-		-	-	-		-	-
Cervix uteri	-	-	-		-	-		-	-	-		-	-
Corpus & uterus, NOS	-	-	-		-	-		-	-	-		-	-
Ovary	-	-	-		-	-		-	-	-		-	-
Male Genital System	-	-	-		-	-		-	-	-		-	-
Prostate	-	-	-		-	-		-	-	-		-	-
Testis	-	-	-		-	-		-	-	-		-	-
Urinary System	-	-	-		-	-		-	-	-		-	-
Bladder	-	-	-		-	-		-	-	-		-	-
Kidney & renal pelvis	-	-	-		-	-		-	-	-		-	-
Brain & Other Nervous System	-	-	-		-	-		-	-	-		-	-
Endocrine System	-	-	-		-	-		-	-	-		-	-
Thyroid gland	-	-	-		-	-		-	-	-		-	-
Lymphomas	-	-	-		-	-		-	-	-		-	-
Hodgkin Lymphoma	-	-	-		-	-		-	-	-		-	-
Non-Hodgkin Lymphoma	-	-	-		-	-		-	-	-		-	-
Multiple Myeloma	-	-	-		-	-		-	-	-		-	-
Leukemias	-	-	-		-	-		-	-	-		-	-
Other, Ill-defined & Unknown	-	-	-		-	-		-	-	-		-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**South Dakota, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	7	154.4	64.59	76.4	29.30	11	135.5	46.64	76.7	24.31
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Tennessee, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	Adj. Rate		Deaths	Adj. Rate 2000 U.S.	Adj. Rate		Deaths	Adj. Rate 2000 U.S.
			S.E.	World			S.E.	World		
All Sites	35,007	261.1	1.44	153.3	0.85	29,948	164.0	0.95	102.2	0.65
Oral Cavity & Pharynx	683	4.7	0.18	3.1	0.12	277	1.5	0.09	0.9	0.06
Digestive System	7,883	57.5	0.67	34.9	0.40	6,305	34.1	0.43	19.6	0.27
Esophagus	1,076	7.5	0.23	4.9	0.15	271	1.5	0.09	0.9	0.06
Stomach	636	4.8	0.20	2.8	0.11	437	2.4	0.11	1.4	0.07
Colon & Rectum	3,019	22.7	0.43	13.1	0.25	2,897	15.6	0.29	8.8	0.18
Liver	922	6.3	0.21	4.2	0.14	390	2.1	0.11	1.2	0.07
Pancreas	1,757	12.8	0.32	7.7	0.19	1,742	9.4	0.23	5.4	0.14
Respiratory System	13,471	97.5	0.86	59.8	0.53	8,729	47.9	0.52	31.0	0.36
Larynx	407	2.8	0.14	1.9	0.09	90	0.5	0.05	0.3	0.04
Lung & bronchus	12,961	93.9	0.85	57.4	0.52	8,588	47.2	0.51	30.5	0.35
Skin	909	6.9	0.24	4.0	0.14	428	2.4	0.12	1.5	0.08
Melanomas of the skin	630	4.6	0.19	2.9	0.12	320	1.8	0.10	1.2	0.07
Breast	34	0.2	0.04	0.2	0.03	4,443	24.5	0.37	16.1	0.26
Female Genital System	-	-	-	-	-	2,903	16.1	0.30	10.4	0.21
Cervix uteri	-	-	-	-	-	487	2.9	0.13	2.1	0.10
Corpus & uterus, NOS	-	-	-	-	-	689	3.7	0.14	2.3	0.10
Ovary	-	-	-	-	-	1,526	8.4	0.22	5.3	0.15
Male Genital System	3,057	26.8	0.50	11.7	0.22	-	-	-	-	-
Prostate	2,991	26.3	0.49	11.3	0.21	-	-	-	-	-
Testis	35	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,853	14.4	0.34	7.8	0.19	921	4.9	0.16	2.7	0.10
Bladder	913	7.5	0.26	3.7	0.13	390	2.1	0.10	1.0	0.06
Kidney & renal pelvis	891	6.5	0.22	4.0	0.14	501	2.7	0.12	1.6	0.08
Brain & Other Nervous System	892	6.2	0.21	4.3	0.15	736	4.1	0.15	3.0	0.12
Endocrine System	114	0.8	0.08	0.6	0.06	151	0.9	0.07	0.6	0.06
Thyroid gland	65	0.5	0.06	0.3	0.04	98	0.5	0.05	0.3	0.03
Lymphomas	1,283	9.7	0.28	5.6	0.16	1,102	6.0	0.18	3.3	0.11
Hodgkin Lymphoma	66	0.5	0.06	0.3	0.04	77	0.5	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,217	9.3	0.27	5.2	0.16	1,025	5.5	0.17	3.0	0.11
Multiple Myeloma	685	5.2	0.21	2.9	0.11	589	3.2	0.13	1.8	0.08
Leukemias	1,368	10.7	0.30	5.9	0.17	1,011	5.6	0.18	3.4	0.13
Other, Ill-defined & Unknown	2,775	20.4	0.40	12.4	0.24	2,353	12.9	0.27	7.8	0.18

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Tennessee, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	30,100	253.4	1.50	148.2	0.89	25,330	159.6	1.01	99.2	0.69
Oral Cavity & Pharynx	550	4.3	0.19	2.8	0.12	236	1.5	0.10	0.9	0.06
Digestive System	6,576	54.4	0.69	32.8	0.42	5,139	31.8	0.45	18.2	0.29
Esophagus	929	7.3	0.25	4.8	0.16	190	1.2	0.09	0.7	0.06
Stomach	478	4.1	0.19	2.4	0.11	330	2.1	0.11	1.2	0.08
Colon & Rectum	2,501	21.3	0.44	12.2	0.25	2,360	14.6	0.30	8.2	0.19
Liver	733	5.8	0.22	3.8	0.14	305	1.9	0.11	1.1	0.07
Pancreas	1,527	12.6	0.33	7.6	0.20	1,462	9.0	0.24	5.2	0.15
Respiratory System	11,764	96.1	0.91	58.6	0.56	7,629	48.2	0.56	31.3	0.39
Larynx	337	2.6	0.15	1.7	0.10	76	0.5	0.06	0.3	0.04
Lung & bronchus	11,343	92.8	0.89	56.4	0.55	7,507	47.5	0.55	30.8	0.38
Skin	881	7.5	0.26	4.4	0.15	409	2.7	0.13	1.7	0.09
Melanomas of the skin	621	5.1	0.21	3.2	0.13	309	2.1	0.12	1.4	0.09
Breast	27	0.2	0.04	0.1	0.03	3,563	22.6	0.38	14.8	0.27
Female Genital System	-	-	-	-	-	2,416	15.4	0.32	9.8	0.22
Cervix uteri	-	-	-	-	-	353	2.5	0.13	1.8	0.10
Corpus & uterus, NOS	-	-	-	-	-	542	3.4	0.15	2.0	0.10
Ovary	-	-	-	-	-	1,339	8.5	0.23	5.3	0.16
Male Genital System	2,367	23.2	0.49	10.1	0.22	-	-	-	-	-
Prostate	2,310	22.7	0.48	9.7	0.21	-	-	-	-	-
Testis	31	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,662	14.5	0.37	7.9	0.20	792	4.8	0.17	2.7	0.11
Bladder	835	7.7	0.27	3.8	0.14	339	2.0	0.11	1.0	0.06
Kidney & renal pelvis	780	6.4	0.24	3.9	0.14	428	2.7	0.13	1.6	0.09
Brain & Other Nervous System	818	6.5	0.23	4.6	0.17	665	4.4	0.17	3.1	0.14
Endocrine System	99	0.8	0.09	0.6	0.06	121	0.8	0.07	0.5	0.06
Thyroid gland	60	0.5	0.07	0.3	0.04	77	0.5	0.05	0.3	0.03
Lymphomas	1,160	10.0	0.30	5.7	0.17	992	6.2	0.20	3.4	0.12
Hodgkin Lymphoma	56	0.5	0.06	0.3	0.05	62	0.4	0.06	0.3	0.04
Non-Hodgkin Lymphoma	1,104	9.5	0.29	5.3	0.17	930	5.7	0.19	3.1	0.12
Multiple Myeloma	546	4.8	0.21	2.5	0.11	465	2.9	0.13	1.6	0.08
Leukemias	1,218	10.8	0.32	5.9	0.18	882	5.6	0.19	3.5	0.14
Other, Ill-defined & Unknown	2,432	20.3	0.42	12.2	0.26	2,021	12.7	0.29	7.6	0.19

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Tennessee, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	4,764	341.2	5.30	203.6	3.04	4,462	199.4	3.02	125.4	1.99
Oral Cavity & Pharynx	131	7.7	0.71	5.7	0.51	40	1.7	0.27	1.2	0.20
Digestive System	1,248	85.0	2.59	52.8	1.54	1,132	51.4	1.54	29.7	0.95
Esophagus	142	9.1	0.82	6.1	0.53	79	3.6	0.41	2.2	0.26
Stomach	155	11.5	0.99	6.6	0.54	103	4.7	0.47	2.6	0.27
Colon & Rectum	501	36.0	1.73	21.2	0.98	527	23.8	1.05	13.6	0.64
Liver	168	9.5	0.79	6.6	0.52	75	3.3	0.38	2.1	0.25
Pancreas	221	14.8	1.06	9.5	0.66	274	12.7	0.78	7.3	0.47
Respiratory System	1,669	114.4	2.98	73.1	1.85	1,057	48.0	1.49	30.7	1.00
Larynx	69	4.5	0.59	2.9	0.36	14	0.6	0.16	0.4	0.12
Lung & bronchus	1,583	108.9	2.91	69.4	1.80	1,038	47.2	1.48	30.1	0.99
Skin	26	1.6	0.34	1.1	0.22	18	0.8	0.19	0.5	0.13
Melanomas of the skin	8	0.6	0.24	0.3	0.12	10	0.4	0.14	0.2	0.09
Breast	7	0.4	0.16	0.3	0.12	855	36.8	1.27	24.4	0.88
Female Genital System	-	-	-	-	-	465	20.4	0.96	13.9	0.68
Cervix uteri	-	-	-	-	-	128	5.3	0.47	3.9	0.35
Corpus & uterus, NOS	-	-	-	-	-	144	6.5	0.55	4.4	0.39
Ovary	-	-	-	-	-	176	7.9	0.60	5.1	0.41
Male Genital System	678	63.7	2.54	27.8	1.10	-	-	-	-	-
Prostate	669	63.2	2.53	27.4	1.09	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	186	14.0	1.09	7.9	0.60	127	5.9	0.53	3.1	0.30
Bladder	76	6.1	0.74	3.0	0.36	51	2.4	0.34	1.2	0.19
Kidney & renal pelvis	108	7.7	0.79	4.7	0.47	71	3.3	0.39	1.8	0.23
Brain & Other Nervous System	71	3.8	0.49	2.9	0.36	66	2.8	0.35	2.0	0.25
Endocrine System	14	0.7	0.19	0.6	0.18	28	1.3	0.25	0.9	0.17
Thyroid gland	-	-	-	-	-	19	0.9	0.21	0.5	0.13
Lymphomas	121	7.7	0.77	4.9	0.46	106	4.7	0.46	2.8	0.29
Hodgkin Lymphoma	10	0.4	0.14	0.4	0.13	14	0.5	0.14	0.4	0.12
Non-Hodgkin Lymphoma	111	7.2	0.76	4.5	0.44	92	4.2	0.44	2.4	0.27
Multiple Myeloma	138	10.0	0.89	6.1	0.54	123	5.8	0.53	3.3	0.32
Leukemias	140	10.0	0.91	6.1	0.53	128	5.8	0.52	3.6	0.34
Other, Ill-defined & Unknown	335	22.3	1.32	14.2	0.80	317	14.0	0.79	9.1	0.54

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Tennessee, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate World				S.E.	Adj. Rate World		
All Sites	107	106.9	12.08	63.0	6.20	126	89.1	8.65	57.6	5.26
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	49	43.6	7.36	28.5	4.15	30	24.9	4.92	13.3	2.48
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	12	12.9	4.46	7.3	2.15	8	6.4	2.45	3.4	1.24
Liver	19	12.8	3.06	11.1	2.60	9	7.4	2.69	4.1	1.39
Pancreas	8	8.0	3.41	4.4	1.59	6	5.0	2.26	2.7	1.11
Respiratory System	26	26.2	6.01	15.5	3.10	32	24.7	4.69	15.9	2.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	25.1	5.96	14.3	2.98	32	24.7	4.69	15.9	2.86
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	21	12.5	2.93	9.4	2.11
Female Genital System	-	-	-	-	-	19	10.7	2.62	8.2	1.96
Cervix uteri	-	-	-	-	-	6	4.0	1.75	2.7	1.13
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	5.0	1.75	4.2	1.44
Male Genital System	9	14.5	5.11	5.4	1.82	-	-	-	-	-
Prostate	9	14.5	5.11	5.4	1.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	4.8	2.14	4.0	1.54	-	-	-	-	-
Other, Ill-defined & Unknown	6	7.5	3.46	3.7	1.53	11	7.4	2.43	5.0	1.55

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Texas, 2004-2008, All Races**

SITES	MALES (ALL RACES)				FEMALES (ALL RACES)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	92,487	217.8	0.74	126.2	0.43	81,465	145.1	0.51	88.8	0.34
Oral Cavity & Pharynx	1,879	4.1	0.10	2.7	0.06	764	1.3	0.05	0.8	0.03
Digestive System	25,095	57.3	0.37	34.6	0.23	18,475	32.8	0.24	18.8	0.15
Esophagus	2,994	6.7	0.13	4.2	0.08	730	1.3	0.05	0.8	0.03
Stomach	2,398	5.5	0.12	3.3	0.07	1,636	2.9	0.07	1.7	0.05
Colon & Rectum	8,833	20.7	0.23	12.0	0.13	7,641	13.4	0.15	7.6	0.10
Liver	4,264	9.2	0.14	6.0	0.09	1,842	3.3	0.08	1.9	0.05
Pancreas	5,105	11.8	0.17	7.0	0.10	4,843	8.6	0.12	4.9	0.08
Respiratory System	29,238	68.4	0.41	40.6	0.25	20,657	37.4	0.26	22.9	0.17
Larynx	1,012	2.3	0.07	1.4	0.05	218	0.4	0.03	0.3	0.02
Lung & bronchus	28,042	65.7	0.40	38.9	0.24	20,333	36.9	0.26	22.5	0.17
Skin	2,409	5.5	0.12	3.3	0.07	1,139	2.0	0.06	1.3	0.04
Melanomas of the skin	1,708	3.8	0.10	2.4	0.06	884	1.6	0.05	1.0	0.04
Breast	116	0.3	0.03	0.2	0.02	12,828	22.6	0.20	15.0	0.14
Female Genital System	-	-	-	-	-	8,549	15.2	0.17	9.9	0.11
Cervix uteri	-	-	-	-	-	1,725	3.1	0.07	2.3	0.06
Corpus & uterus, NOS	-	-	-	-	-	2,016	3.6	0.08	2.2	0.05
Ovary	-	-	-	-	-	4,332	7.7	0.12	4.9	0.08
Male Genital System	8,481	23.1	0.26	10.3	0.12	-	-	-	-	-
Prostate	8,199	22.6	0.25	9.9	0.11	-	-	-	-	-
Testis	155	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,607	13.6	0.19	7.5	0.10	2,887	5.1	0.10	2.8	0.06
Bladder	2,566	6.7	0.14	3.2	0.07	1,110	1.9	0.06	1.0	0.03
Kidney & renal pelvis	2,957	6.7	0.13	4.1	0.08	1,690	3.0	0.07	1.8	0.05
Brain & Other Nervous System	2,378	4.9	0.10	3.5	0.07	1,997	3.5	0.08	2.5	0.06
Endocrine System	370	0.8	0.04	0.5	0.03	427	0.8	0.04	0.5	0.03
Thyroid gland	220	0.5	0.04	0.3	0.02	290	0.5	0.03	0.3	0.02
Lymphomas	3,673	8.7	0.15	4.9	0.08	3,105	5.5	0.10	3.1	0.06
Hodgkin Lymphoma	252	0.5	0.03	0.4	0.02	190	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,421	8.2	0.14	4.6	0.08	2,915	5.2	0.10	2.9	0.06
Multiple Myeloma	1,823	4.4	0.10	2.5	0.06	1,582	2.8	0.07	1.6	0.04
Leukemias	3,927	9.3	0.15	5.3	0.09	2,939	5.2	0.10	3.1	0.06
Other, Ill-defined & Unknown	7,491	17.3	0.21	10.3	0.12	6,116	10.8	0.14	6.5	0.09

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Texas, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	79,710	212.7	0.77	122.7	0.45	69,913	142.9	0.54	87.1	0.36
Oral Cavity & Pharynx	1,562	3.9	0.10	2.5	0.07	660	1.3	0.05	0.8	0.03
Digestive System	21,263	55.2	0.39	33.2	0.24	15,477	31.4	0.25	17.9	0.16
Esophagus	2,645	6.7	0.13	4.2	0.08	625	1.3	0.05	0.8	0.03
Stomach	1,933	5.0	0.12	3.0	0.07	1,340	2.7	0.08	1.6	0.05
Colon & Rectum	7,454	19.8	0.24	11.4	0.14	6,363	12.8	0.16	7.2	0.10
Liver	3,492	8.7	0.15	5.6	0.10	1,539	3.2	0.08	1.8	0.05
Pancreas	4,422	11.6	0.18	6.9	0.11	4,071	8.3	0.13	4.7	0.08
Respiratory System	24,988	66.3	0.43	39.0	0.26	18,105	37.5	0.28	22.8	0.18
Larynx	826	2.1	0.08	1.3	0.05	176	0.4	0.03	0.2	0.02
Lung & bronchus	24,005	63.8	0.42	37.5	0.25	17,838	37.0	0.28	22.5	0.18
Skin	2,329	6.1	0.13	3.7	0.08	1,097	2.2	0.07	1.4	0.05
Melanomas of the skin	1,686	4.3	0.11	2.7	0.07	857	1.7	0.06	1.2	0.04
Breast	84	0.2	0.02	0.1	0.01	10,628	21.6	0.21	14.2	0.15
Female Genital System	-	-	-	-	-	7,278	15.0	0.18	9.7	0.12
Cervix uteri	-	-	-	-	-	1,409	2.9	0.08	2.2	0.06
Corpus & uterus, NOS	-	-	-	-	-	1,621	3.3	0.08	2.0	0.06
Ovary	-	-	-	-	-	3,836	7.9	0.13	5.0	0.09
Male Genital System	7,054	21.5	0.26	9.5	0.12	-	-	-	-	-
Prostate	6,796	20.9	0.26	9.1	0.12	-	-	-	-	-
Testis	143	0.3	0.03	0.3	0.02	-	-	-	-	-
Urinary System	5,077	13.8	0.20	7.6	0.11	2,529	5.1	0.10	2.8	0.06
Bladder	2,355	6.8	0.14	3.3	0.07	939	1.9	0.06	0.9	0.03
Kidney & renal pelvis	2,648	6.8	0.13	4.2	0.08	1,517	3.1	0.08	1.9	0.05
Brain & Other Nervous System	2,193	5.2	0.11	3.7	0.08	1,825	3.8	0.09	2.7	0.07
Endocrine System	333	0.8	0.05	0.6	0.03	361	0.7	0.04	0.5	0.03
Thyroid gland	208	0.5	0.04	0.3	0.02	245	0.5	0.03	0.3	0.02
Lymphomas	3,302	8.9	0.16	5.0	0.09	2,828	5.7	0.11	3.2	0.07
Hodgkin Lymphoma	224	0.5	0.04	0.4	0.03	160	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	3,078	8.4	0.15	4.6	0.09	2,668	5.4	0.11	3.0	0.06
Multiple Myeloma	1,496	4.0	0.11	2.3	0.06	1,261	2.6	0.07	1.5	0.05
Leukemias	3,518	9.5	0.16	5.4	0.10	2,608	5.3	0.10	3.2	0.07
Other, Ill-defined & Unknown	6,511	17.1	0.22	10.1	0.13	5,256	10.6	0.15	6.3	0.10

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Texas, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	11,409	311.9	3.17	185.3	1.78	10,249	185.0	1.86	116.2	1.21
Oral Cavity & Pharynx	283	6.5	0.42	4.6	0.28	90	1.6	0.17	1.0	0.11
Digestive System	3,299	85.6	1.63	52.7	0.94	2,614	48.7	0.97	28.4	0.59
Esophagus	305	7.9	0.49	5.0	0.30	97	1.7	0.18	1.1	0.12
Stomach	389	11.0	0.61	6.1	0.32	242	4.5	0.29	2.5	0.17
Colon & Rectum	1,248	33.9	1.04	20.1	0.59	1,153	21.5	0.64	12.3	0.39
Liver	594	12.6	0.56	9.1	0.38	224	4.0	0.27	2.6	0.18
Pancreas	616	16.3	0.71	10.1	0.42	698	13.2	0.51	7.6	0.31
Respiratory System	3,889	103.9	1.79	64.5	1.06	2,264	41.8	0.89	26.9	0.59
Larynx	178	4.7	0.38	3.0	0.23	41	0.7	0.11	0.5	0.08
Lung & bronchus	3,686	98.6	1.74	61.2	1.04	2,209	40.9	0.88	26.2	0.59
Skin	69	1.7	0.22	1.1	0.14	34	0.6	0.11	0.4	0.07
Melanomas of the skin	17	0.5	0.13	0.3	0.07	21	0.4	0.09	0.2	0.05
Breast	30	0.9	0.18	0.5	0.09	2,038	34.4	0.78	23.4	0.54
Female Genital System	-	-	-	-	-	1,103	19.6	0.60	12.9	0.41
Cervix uteri	-	-	-	-	-	271	4.4	0.27	3.1	0.20
Corpus & uterus, NOS	-	-	-	-	-	352	6.5	0.35	4.3	0.24
Ovary	-	-	-	-	-	425	7.7	0.38	4.9	0.25
Male Genital System	1,357	48.8	1.40	22.2	0.62	-	-	-	-	-
Prostate	1,338	48.5	1.39	21.9	0.61	-	-	-	-	-
Testis	8	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	464	13.1	0.66	7.6	0.36	327	6.1	0.34	3.4	0.20
Bladder	189	6.0	0.47	3.2	0.24	157	3.0	0.24	1.6	0.13
Kidney & renal pelvis	266	6.9	0.45	4.3	0.27	158	2.9	0.23	1.7	0.15
Brain & Other Nervous System	150	3.2	0.28	2.4	0.20	137	2.3	0.21	1.6	0.15
Endocrine System	33	0.6	0.12	0.5	0.09	50	0.9	0.13	0.6	0.09
Thyroid gland	9	0.2	0.09	0.1	0.05	34	0.7	0.11	0.4	0.07
Lymphomas	300	7.5	0.48	4.7	0.28	246	4.3	0.28	2.8	0.19
Hodgkin Lymphoma	23	0.4	0.09	0.3	0.07	26	0.4	0.08	0.3	0.06
Non-Hodgkin Lymphoma	277	7.0	0.47	4.4	0.27	220	3.9	0.27	2.5	0.18
Multiple Myeloma	302	8.5	0.53	5.0	0.29	306	5.8	0.34	3.4	0.21
Leukemias	361	9.5	0.55	5.8	0.31	279	5.1	0.31	3.0	0.19
Other, Ill-defined & Unknown	872	22.0	0.82	13.8	0.48	761	13.7	0.50	8.5	0.33

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Texas, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.		S.E.			Adj. Rate World		S.E.	
All Sites	1,242	119.4	3.88	66.8	1.94	1,202	86.5	2.69	53.2	1.57
Oral Cavity & Pharynx	32	2.5	0.51	1.6	0.29	13	0.8	0.25	0.5	0.15
Digestive System	493	46.5	2.41	25.9	1.20	354	27.3	1.56	15.5	0.84
Esophagus	37	3.3	0.63	1.8	0.30	7	0.7	0.26	0.3	0.13
Stomach	75	7.3	0.95	4.2	0.49	52	3.8	0.58	2.0	0.29
Colon & Rectum	110	12.1	1.31	6.0	0.58	115	9.3	0.93	5.0	0.48
Liver	174	14.2	1.23	8.8	0.69	69	4.9	0.63	3.1	0.38
Pancreas	61	6.3	0.91	3.2	0.43	69	5.2	0.67	3.1	0.38
Respiratory System	327	32.3	2.01	18.0	1.01	270	20.7	1.34	12.4	0.77
Larynx	6	0.8	0.34	0.4	0.16	-	-	-	-	-
Lung & bronchus	319	31.4	1.98	17.5	1.00	268	20.6	1.33	12.3	0.77
Skin	9	1.0	0.38	0.5	0.17	6	0.3	0.12	0.3	0.10
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	148	8.8	0.77	6.3	0.53
Female Genital System	-	-	-	-	-	156	10.1	0.87	7.1	0.58
Cervix uteri	-	-	-	-	-	42	2.5	0.41	1.8	0.28
Corpus & uterus, NOS	-	-	-	-	-	40	2.8	0.47	1.9	0.30
Ovary	-	-	-	-	-	66	4.2	0.55	3.1	0.39
Male Genital System	62	8.1	1.13	3.6	0.46	-	-	-	-	-
Prostate	57	7.9	1.13	3.4	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	53	5.1	0.80	2.9	0.41	30	2.8	0.54	1.3	0.24
Bladder	18	2.2	0.56	1.1	0.25	14	1.5	0.40	0.6	0.16
Kidney & renal pelvis	34	2.9	0.56	1.8	0.32	14	1.2	0.34	0.6	0.15
Brain & Other Nervous System	33	2.2	0.45	1.6	0.30	32	1.9	0.36	1.4	0.26
Endocrine System	-	-	-	-	-	15	0.9	0.25	0.7	0.18
Thyroid gland	-	-	-	-	-	10	0.7	0.24	0.5	0.16
Lymphomas	65	6.7	0.94	3.6	0.46	30	2.5	0.48	1.4	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	60	6.1	0.89	3.3	0.44	26	2.2	0.46	1.2	0.24
Multiple Myeloma	19	1.8	0.47	1.0	0.23	12	0.8	0.23	0.5	0.15
Leukemias	48	4.9	0.83	2.6	0.39	47	3.0	0.47	2.0	0.30
Other, Ill-defined & Unknown	95	7.7	0.91	5.1	0.54	89	6.7	0.77	3.9	0.42

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Utah, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	6,729	158.3	1.97	89.6	1.15	5,915	112.4	1.47	67.3	0.95
Oral Cavity & Pharynx	94	2.0	0.21	1.4	0.15	46	0.9	0.13	0.5	0.08
Digestive System	1,685	38.7	0.96	23.1	0.59	1,322	25.0	0.69	14.2	0.43
Esophagus	258	5.8	0.36	3.7	0.24	45	0.8	0.13	0.5	0.08
Stomach	118	2.7	0.26	1.5	0.15	98	1.9	0.19	1.0	0.12
Colon & Rectum	626	14.6	0.60	8.4	0.35	540	10.2	0.44	5.6	0.26
Liver	165	3.6	0.29	2.3	0.19	90	1.7	0.18	1.1	0.12
Pancreas	416	9.7	0.48	5.7	0.29	415	7.9	0.39	4.4	0.24
Respiratory System	1,306	30.4	0.85	18.2	0.53	890	17.2	0.58	10.5	0.38
Larynx	28	0.6	0.12	0.4	0.08	9	0.2	0.06	0.1	0.04
Lung & bronchus	1,267	29.5	0.84	17.7	0.52	873	16.9	0.58	10.3	0.38
Skin	274	6.3	0.39	3.7	0.23	122	2.3	0.21	1.4	0.13
Melanomas of the skin	214	4.9	0.34	2.9	0.20	101	1.9	0.19	1.2	0.13
Breast	11	0.3	0.08	0.2	0.05	1,165	22.1	0.65	14.1	0.44
Female Genital System	-	-	-	-	-	691	13.1	0.50	8.2	0.34
Cervix uteri	-	-	-	-	-	70	1.3	0.16	1.0	0.12
Corpus & uterus, NOS	-	-	-	-	-	157	3.0	0.24	1.8	0.16
Ovary	-	-	-	-	-	442	8.4	0.40	5.3	0.27
Male Genital System	970	25.9	0.84	10.9	0.37	-	-	-	-	-
Prostate	954	25.6	0.84	10.6	0.36	-	-	-	-	-
Testis	10	0.2	0.05	0.1	0.05	-	-	-	-	-
Urinary System	447	10.7	0.52	5.9	0.29	191	3.6	0.26	1.9	0.16
Bladder	246	6.2	0.40	3.0	0.20	68	1.3	0.15	0.6	0.08
Kidney & renal pelvis	190	4.3	0.32	2.7	0.21	115	2.2	0.20	1.3	0.13
Brain & Other Nervous System	272	5.5	0.34	4.1	0.25	196	3.6	0.26	2.6	0.20
Endocrine System	46	0.9	0.14	0.7	0.10	41	0.7	0.12	0.5	0.08
Thyroid gland	30	0.7	0.13	0.4	0.08	23	0.4	0.09	0.2	0.05
Lymphomas	358	8.3	0.45	4.8	0.27	273	5.2	0.32	2.7	0.18
Hodgkin Lymphoma	21	0.4	0.10	0.3	0.07	14	0.2	0.07	0.2	0.05
Non-Hodgkin Lymphoma	337	7.8	0.44	4.5	0.26	259	5.0	0.31	2.5	0.17
Multiple Myeloma	179	4.4	0.33	2.3	0.18	143	2.8	0.23	1.6	0.15
Leukemias	417	9.7	0.49	5.5	0.28	274	5.1	0.31	2.9	0.19
Other, Ill-defined & Unknown	670	15.3	0.61	9.0	0.36	561	10.7	0.45	6.2	0.29

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Utah, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	6,509	158.6	2.00	89.8	1.17	5,731	113.0	1.50	67.8	0.98
Oral Cavity & Pharynx	88	1.9	0.21	1.4	0.15	44	0.9	0.13	0.5	0.08
Digestive System	1,612	38.3	0.97	22.9	0.60	1,268	24.9	0.70	14.1	0.44
Esophagus	253	5.9	0.37	3.8	0.25	45	0.9	0.13	0.5	0.09
Stomach	108	2.6	0.25	1.5	0.15	92	1.8	0.19	1.0	0.12
Colon & Rectum	603	14.5	0.60	8.4	0.36	522	10.2	0.45	5.6	0.27
Liver	150	3.4	0.28	2.2	0.18	81	1.6	0.18	1.0	0.12
Pancreas	404	9.7	0.49	5.8	0.30	400	7.9	0.40	4.4	0.24
Respiratory System	1,248	30.0	0.86	18.1	0.53	852	17.1	0.59	10.5	0.39
Larynx	27	0.6	0.12	0.4	0.08	9	0.2	0.06	0.1	0.04
Lung & bronchus	1,210	29.1	0.85	17.5	0.53	835	16.8	0.58	10.2	0.38
Skin	271	6.5	0.40	3.8	0.24	122	2.4	0.21	1.4	0.14
Melanomas of the skin	213	5.0	0.35	3.0	0.21	101	1.9	0.19	1.2	0.13
Breast	10	0.2	0.08	0.2	0.05	1,136	22.4	0.67	14.3	0.46
Female Genital System	-	-	-	-	-	665	13.1	0.51	8.2	0.34
Cervix uteri	-	-	-	-	-	64	1.3	0.16	0.9	0.12
Corpus & uterus, NOS	-	-	-	-	-	152	3.0	0.24	1.8	0.16
Ovary	-	-	-	-	-	427	8.4	0.41	5.3	0.28
Male Genital System	951	26.2	0.86	11.0	0.38	-	-	-	-	-
Prostate	935	25.9	0.86	10.7	0.37	-	-	-	-	-
Testis	10	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	441	11.0	0.53	6.0	0.30	187	3.6	0.27	1.9	0.16
Bladder	244	6.3	0.41	3.1	0.21	68	1.3	0.16	0.6	0.08
Kidney & renal pelvis	186	4.4	0.32	2.8	0.21	112	2.2	0.21	1.3	0.13
Brain & Other Nervous System	270	5.7	0.35	4.2	0.26	194	3.8	0.27	2.7	0.21
Endocrine System	45	1.0	0.15	0.7	0.11	40	0.8	0.12	0.5	0.09
Thyroid gland	30	0.7	0.13	0.4	0.08	22	0.4	0.09	0.2	0.05
Lymphomas	347	8.3	0.45	4.8	0.27	268	5.3	0.33	2.7	0.18
Hodgkin Lymphoma	20	0.4	0.10	0.3	0.07	14	0.2	0.07	0.2	0.05
Non-Hodgkin Lymphoma	327	7.9	0.44	4.6	0.26	254	5.0	0.32	2.5	0.18
Multiple Myeloma	172	4.3	0.33	2.3	0.19	138	2.8	0.24	1.6	0.15
Leukemias	404	9.8	0.50	5.5	0.29	270	5.3	0.32	3.0	0.20
Other, Ill-defined & Unknown	650	15.4	0.62	9.0	0.37	547	10.8	0.46	6.3	0.30

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Utah, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			World		World	
All Sites	49	171.9	28.52	98.8	15.09	35	124.2	21.66	81.5	14.60
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	47.4	14.26	25.5	7.17	10	34.6	11.11	24.5	8.29
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	19	67.1	17.25	42.5	10.30	8	30.7	11.15	20.1	7.36
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	19	67.1	17.25	42.5	10.30	8	30.7	11.15	20.1	7.36
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	7	24.4	9.61	16.6	6.59
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Utah, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.		S.E.			Adj. Rate World		S.E.	
All Sites	133	156.4	14.41	88.2	7.89	110	94.3	9.35	54.7	5.41
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	49	56.4	8.68	31.4	4.61	34	30.9	5.47	16.8	2.99
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	9.0	3.58	4.3	1.69	-	-	-	-	-
Colon & Rectum	16	19.7	5.43	9.7	2.51	11	11.2	3.45	4.7	1.46
Liver	10	9.2	3.06	6.7	2.16	8	6.3	2.34	4.9	1.77
Pancreas	7	8.8	3.45	5.4	2.06	8	7.2	2.63	3.7	1.38
Respiratory System	32	40.0	7.31	21.8	3.97	21	20.4	4.57	10.6	2.39
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	31	38.5	7.16	21.2	3.93	21	20.4	4.57	10.6	2.39
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	23	17.2	3.77	11.1	2.40
Female Genital System	-	-	-	-	-	9	7.2	2.50	4.7	1.62
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	9	13.5	4.65	5.7	1.95	-	-	-	-	-
Prostate	9	13.5	4.65	5.7	1.95	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	8.8	3.74	4.1	1.72	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	6	8.8	3.74	4.1	1.72	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	7.6	2.86	5.3	1.96	-	-	-	-	-
Other, Ill-defined & Unknown	13	14.6	4.27	9.0	2.57	10	8.3	2.68	5.3	1.74

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Vermont, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	3,182	214.2	3.89	119.7	2.22	3,071	155.5	2.85	94.3	1.91
Oral Cavity & Pharynx	69	4.4	0.54	2.7	0.34	26	1.2	0.24	0.8	0.18
Digestive System	760	50.1	1.86	28.7	1.08	668	33.3	1.31	18.2	0.81
Esophagus	127	8.3	0.75	4.8	0.44	37	1.9	0.31	1.1	0.20
Stomach	43	3.0	0.46	1.5	0.24	30	1.5	0.28	0.9	0.19
Colon & Rectum	294	20.2	1.20	10.7	0.65	309	15.0	0.87	7.9	0.52
Liver	71	4.3	0.53	2.8	0.35	34	1.8	0.31	1.0	0.19
Pancreas	182	11.5	0.87	7.2	0.55	188	9.6	0.71	5.3	0.44
Respiratory System	985	64.3	2.10	38.4	1.27	851	43.7	1.51	27.5	1.03
Larynx	24	1.4	0.30	1.0	0.21	8	0.4	0.14	0.3	0.10
Lung & bronchus	955	62.5	2.07	37.2	1.25	840	43.2	1.51	27.1	1.02
Skin	89	5.9	0.64	3.4	0.38	49	2.5	0.37	1.5	0.23
Melanomas of the skin	73	4.7	0.57	2.9	0.35	38	2.0	0.32	1.2	0.22
Breast	7	0.5	0.20	0.2	0.07	433	21.7	1.06	14.3	0.75
Female Genital System	-	-	-	-	-	295	15.1	0.89	9.5	0.61
Cervix uteri	-	-	-	-	-	28	1.5	0.28	1.1	0.21
Corpus & uterus, NOS	-	-	-	-	-	94	4.7	0.49	2.9	0.33
Ovary	-	-	-	-	-	147	7.6	0.63	4.8	0.43
Male Genital System	323	24.7	1.39	10.2	0.60	-	-	-	-	-
Prostate	318	24.3	1.38	10.0	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	235	16.0	1.07	8.6	0.59	119	5.8	0.54	3.0	0.31
Bladder	147	10.4	0.88	5.2	0.45	52	2.4	0.34	1.1	0.18
Kidney & renal pelvis	80	5.0	0.58	3.2	0.37	63	3.3	0.41	1.9	0.26
Brain & Other Nervous System	87	5.3	0.58	3.9	0.43	72	3.9	0.47	2.8	0.38
Endocrine System	12	0.8	0.24	0.5	0.17	18	1.0	0.24	0.7	0.20
Thyroid gland	-	-	-	-	-	13	0.7	0.20	0.4	0.13
Lymphomas	116	8.1	0.76	4.3	0.42	113	5.7	0.55	3.5	0.38
Hodgkin Lymphoma	-	-	-	-	-	10	0.6	0.20	0.5	0.19
Non-Hodgkin Lymphoma	111	7.7	0.75	4.1	0.40	103	5.1	0.51	3.0	0.33
Multiple Myeloma	56	3.9	0.53	1.9	0.27	58	2.9	0.39	1.5	0.22
Leukemias	144	10.0	0.85	5.6	0.50	98	5.0	0.52	3.0	0.37
Other, Ill-defined & Unknown	299	20.4	1.20	11.2	0.68	271	13.5	0.84	7.9	0.56

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Vermont, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		215.3		3.92			156.3		94.8	
All Sites	3,162	215.3	3.92	120.5	2.24	3,053	156.3	2.87	94.8	1.93
Oral Cavity & Pharynx	68	4.4	0.55	2.7	0.34	26	1.2	0.25	0.8	0.18
Digestive System	754	50.3	1.87	28.8	1.10	664	33.4	1.32	18.3	0.81
Esophagus	127	8.4	0.76	4.9	0.45	37	1.9	0.31	1.1	0.20
Stomach	43	3.0	0.47	1.5	0.24	30	1.5	0.28	0.9	0.20
Colon & Rectum	292	20.2	1.21	10.8	0.66	306	15.0	0.87	7.9	0.52
Liver	68	4.2	0.52	2.8	0.34	34	1.8	0.32	1.0	0.20
Pancreas	181	11.6	0.88	7.2	0.56	187	9.6	0.71	5.4	0.44
Respiratory System	982	64.9	2.12	38.8	1.29	846	43.9	1.53	27.6	1.04
Larynx	24	1.5	0.30	1.0	0.21	7	0.3	0.13	0.2	0.09
Lung & bronchus	952	63.0	2.09	37.6	1.27	836	43.4	1.52	27.3	1.03
Skin	89	5.9	0.65	3.5	0.39	49	2.6	0.37	1.5	0.24
Melanomas of the skin	73	4.8	0.58	2.9	0.36	38	2.0	0.33	1.2	0.22
Breast	7	0.5	0.20	0.2	0.07	432	21.9	1.07	14.4	0.76
Female Genital System	-	-	-	-	-	293	15.2	0.90	9.6	0.61
Cervix uteri	-	-	-	-	-	28	1.5	0.29	1.1	0.22
Corpus & uterus, NOS	-	-	-	-	-	93	4.7	0.50	2.9	0.33
Ovary	-	-	-	-	-	146	7.6	0.64	4.8	0.43
Male Genital System	318	24.5	1.39	10.2	0.60	-	-	-	-	-
Prostate	313	24.2	1.39	9.9	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	232	16.1	1.08	8.5	0.59	118	5.8	0.55	3.0	0.32
Bladder	145	10.4	0.88	5.1	0.45	52	2.4	0.34	1.1	0.18
Kidney & renal pelvis	79	5.0	0.58	3.2	0.37	62	3.2	0.42	1.9	0.26
Brain & Other Nervous System	87	5.4	0.59	4.0	0.44	72	4.0	0.48	2.9	0.39
Endocrine System	12	0.8	0.24	0.5	0.17	18	1.0	0.25	0.7	0.20
Thyroid gland	-	-	-	-	-	13	0.7	0.20	0.4	0.13
Lymphomas	115	8.1	0.77	4.3	0.42	113	5.8	0.56	3.6	0.39
Hodgkin Lymphoma	-	-	-	-	-	10	0.6	0.21	0.6	0.19
Non-Hodgkin Lymphoma	110	7.7	0.75	4.1	0.41	103	5.2	0.52	3.0	0.33
Multiple Myeloma	56	3.9	0.53	1.9	0.27	57	2.9	0.39	1.5	0.22
Leukemias	143	10.0	0.85	5.7	0.50	98	5.1	0.53	3.0	0.38
Other, Ill-defined & Unknown	299	20.6	1.21	11.3	0.69	267	13.4	0.84	7.8	0.55

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Vermont, 2004-2008, Black**

SITES	MALES (BLACK)				FEMALES (BLACK)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	8	188.6	79.70	90.1	32.38	11	155.1	48.87	113.5	35.46
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Vermont, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)				FEMALES (API)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	-	-	-	-	-	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Virginia, 2004-2008, All Races**

SITES	MALES (ALL RACES)				FEMALES (ALL RACES)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	35,901	232.7	1.27	131.8	0.72	33,180	155.5	0.86	94.3	0.57
Oral Cavity & Pharynx	591	3.5	0.15	2.2	0.09	266	1.2	0.08	0.7	0.05
Digestive System	8,929	55.9	0.61	33.3	0.36	7,170	33.4	0.40	18.9	0.25
Esophagus	1,328	7.8	0.22	5.1	0.14	357	1.7	0.09	1.0	0.06
Stomach	739	4.8	0.18	2.7	0.10	527	2.4	0.11	1.4	0.07
Colon & Rectum	3,243	21.0	0.38	11.9	0.22	3,110	14.4	0.26	8.0	0.16
Liver	985	5.8	0.19	3.8	0.12	366	1.7	0.09	1.0	0.06
Pancreas	2,095	13.1	0.30	7.8	0.17	2,114	9.9	0.22	5.6	0.13
Respiratory System	11,928	75.6	0.71	44.4	0.42	8,843	41.9	0.45	25.5	0.29
Larynx	352	2.2	0.12	1.3	0.07	81	0.4	0.04	0.2	0.03
Lung & bronchus	11,515	73.0	0.70	42.9	0.41	8,722	41.3	0.44	25.2	0.29
Skin	939	5.9	0.20	3.5	0.12	538	2.5	0.11	1.6	0.08
Melanomas of the skin	687	4.3	0.17	2.6	0.10	415	2.0	0.10	1.3	0.07
Breast	57	0.4	0.05	0.2	0.03	5,387	25.1	0.34	16.6	0.24
Female Genital System	-	-	-	-	-	3,405	16.0	0.28	10.2	0.19
Cervix uteri	-	-	-	-	-	449	2.1	0.10	1.5	0.08
Corpus & uterus, NOS	-	-	-	-	-	902	4.2	0.14	2.6	0.10
Ovary	-	-	-	-	-	1,886	8.8	0.21	5.6	0.14
Male Genital System	3,480	26.7	0.47	11.4	0.20	-	-	-	-	-
Prostate	3,415	26.3	0.46	11.1	0.20	-	-	-	-	-
Testis	30	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	2,067	13.9	0.32	7.4	0.17	994	4.6	0.15	2.5	0.09
Bladder	1,055	7.5	0.24	3.6	0.12	446	2.1	0.10	1.0	0.05
Kidney & renal pelvis	962	6.0	0.20	3.6	0.12	508	2.4	0.11	1.3	0.07
Brain & Other Nervous System	848	5.0	0.18	3.5	0.12	645	3.1	0.12	2.2	0.09
Endocrine System	127	0.8	0.07	0.5	0.05	148	0.7	0.06	0.5	0.05
Thyroid gland	73	0.5	0.06	0.3	0.03	80	0.4	0.04	0.2	0.03
Lymphomas	1,360	8.9	0.25	5.0	0.14	1,154	5.4	0.16	2.9	0.10
Hodgkin Lymphoma	90	0.5	0.06	0.4	0.04	67	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,270	8.3	0.24	4.6	0.13	1,087	5.1	0.15	2.7	0.09
Multiple Myeloma	738	4.9	0.19	2.6	0.10	698	3.2	0.12	1.9	0.08
Leukemias	1,445	9.5	0.26	5.4	0.15	1,103	5.2	0.16	3.1	0.11
Other, Ill-defined & Unknown	3,392	21.9	0.39	12.4	0.22	2,829	13.2	0.25	7.8	0.16

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Virginia, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		125.5		0.78			30.4		17.1	
All Sites	28,030	223.0	1.37	125.5	0.78	25,923	152.1	0.95	91.7	0.63
Oral Cavity & Pharynx	431	3.2	0.16	2.0	0.10	211	1.2	0.09	0.7	0.05
Digestive System	6,720	52.0	0.65	30.5	0.38	5,257	30.4	0.42	17.1	0.26
Esophagus	1,065	7.8	0.25	5.0	0.16	260	1.5	0.09	0.8	0.06
Stomach	479	3.8	0.18	2.1	0.10	334	1.9	0.11	1.1	0.07
Colon & Rectum	2,468	19.6	0.41	11.0	0.23	2,302	13.2	0.28	7.3	0.17
Liver	659	4.9	0.20	3.1	0.12	250	1.5	0.09	0.9	0.06
Pancreas	1,634	12.6	0.32	7.4	0.19	1,573	9.2	0.23	5.2	0.14
Respiratory System	9,414	73.2	0.77	42.8	0.46	7,268	43.1	0.51	26.2	0.34
Larynx	250	1.9	0.12	1.2	0.08	57	0.3	0.05	0.2	0.03
Lung & bronchus	9,117	70.9	0.76	41.4	0.45	7,181	42.6	0.51	25.9	0.33
Skin	881	6.8	0.24	4.0	0.14	506	3.0	0.13	1.9	0.09
Melanomas of the skin	672	5.1	0.20	3.1	0.13	393	2.4	0.12	1.6	0.09
Breast	41	0.3	0.05	0.2	0.03	3,980	23.4	0.37	15.3	0.26
Female Genital System	-	-	-	-	-	2,636	15.6	0.31	9.9	0.21
Cervix uteri	-	-	-	-	-	299	1.9	0.11	1.4	0.08
Corpus & uterus, NOS	-	-	-	-	-	632	3.7	0.15	2.3	0.10
Ovary	-	-	-	-	-	1,571	9.3	0.24	5.8	0.16
Male Genital System	2,413	22.4	0.47	9.4	0.20	-	-	-	-	-
Prostate	2,360	22.0	0.46	9.1	0.19	-	-	-	-	-
Testis	27	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,739	14.2	0.35	7.6	0.19	798	4.6	0.16	2.4	0.10
Bladder	920	7.9	0.27	3.8	0.13	349	2.0	0.11	1.0	0.06
Kidney & renal pelvis	772	5.9	0.22	3.5	0.13	416	2.4	0.12	1.3	0.07
Brain & Other Nervous System	750	5.5	0.21	3.9	0.15	563	3.4	0.14	2.4	0.11
Endocrine System	104	0.8	0.08	0.5	0.06	111	0.7	0.06	0.5	0.06
Thyroid gland	66	0.5	0.07	0.3	0.04	63	0.3	0.04	0.2	0.03
Lymphomas	1,148	9.3	0.28	5.1	0.16	981	5.7	0.18	3.0	0.11
Hodgkin Lymphoma	69	0.5	0.06	0.3	0.04	57	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,079	8.7	0.27	4.8	0.15	924	5.3	0.18	2.8	0.11
Multiple Myeloma	506	4.1	0.19	2.2	0.10	471	2.7	0.13	1.5	0.08
Leukemias	1,201	9.8	0.29	5.5	0.17	905	5.3	0.18	3.1	0.12
Other, Ill-defined & Unknown	2,682	21.4	0.43	11.9	0.24	2,236	13.0	0.28	7.7	0.18

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Virginia, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	7,202	313.3	3.95	181.6	2.20	6,539	183.0	2.28	114.1	1.50
Oral Cavity & Pharynx	150	5.6	0.48	3.7	0.31	53	1.5	0.20	1.0	0.14
Digestive System	1,949	79.6	1.93	49.6	1.15	1,702	48.5	1.18	27.8	0.73
Esophagus	241	9.1	0.62	6.3	0.41	93	2.7	0.28	1.6	0.18
Stomach	214	9.3	0.68	5.3	0.38	145	4.1	0.35	2.3	0.20
Colon & Rectum	718	30.8	1.23	18.3	0.70	748	21.1	0.78	12.2	0.48
Liver	252	8.7	0.58	6.3	0.41	83	2.3	0.26	1.4	0.16
Pancreas	419	17.2	0.90	10.8	0.54	502	14.4	0.65	8.2	0.40
Respiratory System	2,334	99.2	2.18	59.9	1.28	1,433	40.6	1.08	25.5	0.72
Larynx	102	4.3	0.46	2.6	0.26	24	0.7	0.14	0.4	0.09
Lung & bronchus	2,219	94.3	2.12	56.9	1.24	1,400	39.6	1.07	25.0	0.71
Skin	54	1.9	0.28	1.4	0.19	28	0.8	0.15	0.5	0.09
Melanomas of the skin	12	0.5	0.16	0.3	0.08	18	0.5	0.12	0.3	0.08
Breast	16	0.6	0.17	0.4	0.11	1,290	34.7	0.97	23.9	0.70
Female Genital System	-	-	-	-	-	675	18.9	0.73	12.1	0.49
Cervix uteri	-	-	-	-	-	129	3.5	0.31	2.3	0.21
Corpus & uterus, NOS	-	-	-	-	-	251	7.1	0.45	4.5	0.30
Ovary	-	-	-	-	-	264	7.4	0.46	4.8	0.31
Male Genital System	1,035	56.6	1.86	25.1	0.81	-	-	-	-	-
Prostate	1,024	56.1	1.85	24.9	0.80	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	301	13.5	0.83	7.2	0.43	186	5.3	0.39	2.9	0.23
Bladder	127	6.2	0.59	2.9	0.27	94	2.7	0.28	1.3	0.15
Kidney & renal pelvis	171	7.2	0.59	4.2	0.33	86	2.4	0.26	1.5	0.17
Brain & Other Nervous System	86	3.1	0.35	2.2	0.25	70	1.9	0.22	1.4	0.17
Endocrine System	19	0.6	0.16	0.5	0.11	29	0.8	0.15	0.6	0.11
Thyroid gland	-	-	-	-	-	13	0.4	0.10	0.3	0.08
Lymphomas	179	6.8	0.55	4.5	0.34	141	4.0	0.34	2.4	0.22
Hodgkin Lymphoma	20	0.6	0.15	0.5	0.12	9	0.2	0.08	0.2	0.06
Non-Hodgkin Lymphoma	159	6.1	0.52	4.0	0.32	132	3.8	0.33	2.2	0.21
Multiple Myeloma	213	9.9	0.72	5.2	0.36	219	6.3	0.43	3.7	0.27
Leukemias	210	8.8	0.66	5.5	0.39	173	4.8	0.37	3.0	0.25
Other, Ill-defined & Unknown	656	27.0	1.13	16.4	0.66	540	15.1	0.66	9.3	0.43

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Virginia, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.	S.E.				Adj. Rate World	S.E.		
All Sites	628	123.6	5.58	71.1	2.88	685	97.3	4.00	57.5	2.24
Oral Cavity & Pharynx	10	1.9	0.67	1.0	0.33	-	-	-	-	-
Digestive System	244	46.8	3.41	27.4	1.78	202	30.0	2.26	17.0	1.21
Esophagus	20	3.2	0.82	2.2	0.50	-	-	-	-	-
Stomach	46	9.2	1.50	5.2	0.77	48	7.2	1.13	3.8	0.56
Colon & Rectum	52	11.0	1.76	6.0	0.85	54	7.7	1.13	4.5	0.63
Liver	72	13.4	1.83	7.9	0.95	33	5.3	0.96	2.8	0.50
Pancreas	38	7.4	1.35	4.3	0.70	37	5.2	0.90	3.1	0.53
Respiratory System	173	35.1	2.99	19.9	1.53	133	20.1	1.85	11.3	1.00
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	172	34.9	2.98	19.7	1.52	132	20.0	1.85	11.2	0.99
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	110	12.6	1.27	9.2	0.89
Female Genital System	-	-	-	-	-	92	12.4	1.40	7.7	0.81
Cervix uteri	-	-	-	-	-	21	2.6	0.60	1.7	0.38
Corpus & uterus, NOS	-	-	-	-	-	19	2.5	0.61	1.6	0.38
Ovary	-	-	-	-	-	50	7.2	1.10	4.1	0.59
Male Genital System	28	7.5	1.60	3.4	0.65	-	-	-	-	-
Prostate	27	7.5	1.60	3.3	0.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	4.7	0.98	3.1	0.59	10	1.6	0.55	0.8	0.25
Bladder	8	1.9	0.69	0.9	0.33	-	-	-	-	-
Kidney & renal pelvis	19	2.9	0.69	2.1	0.50	6	0.9	0.39	0.5	0.19
Brain & Other Nervous System	12	1.7	0.55	1.3	0.39	11	1.5	0.47	1.0	0.31
Endocrine System	-	-	-	-	-	8	0.9	0.34	0.7	0.26
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	32	6.1	1.24	3.7	0.66	31	5.3	1.01	2.5	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	31	6.1	1.24	3.6	0.66	30	5.2	1.00	2.4	0.45
Multiple Myeloma	16	3.2	0.90	1.8	0.47	7	1.2	0.48	0.6	0.24
Leukemias	31	6.5	1.28	3.4	0.61	25	3.4	0.75	2.2	0.46
Other, Ill-defined & Unknown	48	9.0	1.47	5.4	0.79	50	7.5	1.15	4.1	0.59

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Washington, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	28,900	211.9	1.27	118.2	0.73	27,378	155.7	0.95	92.4	0.62
Oral Cavity & Pharynx	617	4.2	0.17	2.7	0.11	329	1.9	0.11	1.1	0.07
Digestive System	7,550	53.6	0.63	31.6	0.38	5,964	33.4	0.44	18.8	0.27
Esophagus	1,160	8.2	0.25	4.9	0.15	326	1.9	0.10	1.1	0.07
Stomach	589	4.3	0.18	2.4	0.10	432	2.4	0.12	1.4	0.07
Colon & Rectum	2,491	18.2	0.37	10.2	0.21	2,368	13.1	0.27	7.0	0.16
Liver	965	6.3	0.21	4.3	0.14	346	2.0	0.11	1.1	0.07
Pancreas	1,711	12.1	0.30	7.2	0.18	1,739	9.8	0.24	5.6	0.15
Respiratory System	8,517	62.0	0.69	35.5	0.40	7,535	43.8	0.51	26.1	0.33
Larynx	214	1.5	0.11	0.9	0.06	76	0.4	0.05	0.3	0.03
Lung & bronchus	8,188	59.7	0.67	34.1	0.39	7,417	43.2	0.51	25.7	0.33
Skin	849	6.1	0.21	3.6	0.13	446	2.5	0.12	1.5	0.08
Melanomas of the skin	624	4.4	0.18	2.7	0.11	347	2.0	0.11	1.3	0.07
Breast	37	0.3	0.05	0.1	0.02	3,973	22.4	0.36	14.4	0.25
Female Genital System	-	-	-	-	-	3,004	17.1	0.32	10.7	0.21
Cervix uteri	-	-	-	-	-	346	2.0	0.11	1.5	0.08
Corpus & uterus, NOS	-	-	-	-	-	731	4.1	0.15	2.6	0.10
Ovary	-	-	-	-	-	1,757	10.0	0.24	6.1	0.16
Male Genital System	3,136	25.5	0.46	10.9	0.21	-	-	-	-	-
Prostate	3,082	25.2	0.46	10.7	0.20	-	-	-	-	-
Testis	35	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,920	14.4	0.33	7.6	0.18	958	5.3	0.17	2.8	0.10
Bladder	1,052	8.2	0.26	3.9	0.13	416	2.3	0.11	1.1	0.06
Kidney & renal pelvis	809	5.7	0.21	3.4	0.12	497	2.8	0.13	1.6	0.08
Brain & Other Nervous System	973	6.5	0.21	4.6	0.15	723	4.2	0.16	3.0	0.12
Endocrine System	124	0.9	0.08	0.6	0.06	153	0.9	0.07	0.6	0.06
Thyroid gland	68	0.5	0.06	0.3	0.04	108	0.6	0.06	0.4	0.04
Lymphomas	1,274	9.4	0.27	5.1	0.15	1,061	5.9	0.19	3.1	0.11
Hodgkin Lymphoma	74	0.5	0.06	0.3	0.04	52	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,200	8.9	0.26	4.8	0.15	1,009	5.7	0.18	3.0	0.11
Multiple Myeloma	604	4.5	0.19	2.4	0.10	427	2.4	0.12	1.3	0.07
Leukemias	1,353	10.2	0.28	5.5	0.16	949	5.3	0.18	3.1	0.12
Other, Ill-defined & Unknown	1,946	14.4	0.33	8.0	0.19	1,856	10.4	0.25	5.7	0.15

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Washington, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.
		2000 U.S.	World				2000 U.S.	World		
All Sites	26,749	214.0	1.33	119.1	0.77	25,348	158.3	1.01	93.9	0.66
Oral Cavity & Pharynx	568	4.2	0.18	2.8	0.12	307	1.9	0.11	1.2	0.07
Digestive System	6,792	52.8	0.65	31.0	0.39	5,322	32.6	0.45	18.3	0.28
Esophagus	1,110	8.5	0.26	5.1	0.16	294	1.8	0.11	1.0	0.07
Stomach	500	4.0	0.18	2.2	0.10	336	2.1	0.11	1.1	0.07
Colon & Rectum	2,280	18.2	0.39	10.1	0.22	2,162	13.0	0.29	6.9	0.17
Liver	761	5.4	0.20	3.7	0.14	261	1.6	0.10	1.0	0.07
Pancreas	1,586	12.3	0.31	7.3	0.19	1,592	9.8	0.25	5.7	0.16
Respiratory System	7,915	62.8	0.72	35.9	0.42	7,076	45.2	0.55	27.0	0.35
Larynx	201	1.6	0.11	0.9	0.07	72	0.5	0.06	0.3	0.04
Lung & bronchus	7,605	60.4	0.71	34.5	0.41	6,965	44.5	0.54	26.5	0.35
Skin	832	6.5	0.23	3.8	0.14	437	2.7	0.13	1.7	0.09
Melanomas of the skin	610	4.7	0.19	2.9	0.12	343	2.2	0.12	1.4	0.08
Breast	34	0.3	0.05	0.1	0.03	3,693	23.0	0.38	14.7	0.27
Female Genital System	-	-	-	-	-	2,785	17.4	0.34	10.9	0.23
Cervix uteri	-	-	-	-	-	301	2.0	0.11	1.4	0.09
Corpus & uterus, NOS	-	-	-	-	-	664	4.1	0.16	2.6	0.11
Ovary	-	-	-	-	-	1,659	10.4	0.26	6.4	0.17
Male Genital System	2,926	25.7	0.48	10.9	0.21	-	-	-	-	-
Prostate	2,878	25.3	0.48	10.7	0.21	-	-	-	-	-
Testis	31	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,809	14.7	0.35	7.7	0.19	896	5.4	0.18	2.9	0.11
Bladder	1,005	8.5	0.27	4.1	0.14	384	2.3	0.12	1.1	0.06
Kidney & renal pelvis	747	5.7	0.21	3.4	0.13	469	2.9	0.13	1.7	0.09
Brain & Other Nervous System	934	6.9	0.23	4.9	0.17	689	4.5	0.17	3.1	0.13
Endocrine System	105	0.8	0.08	0.6	0.06	136	0.9	0.08	0.6	0.06
Thyroid gland	61	0.5	0.06	0.3	0.04	97	0.6	0.06	0.4	0.04
Lymphomas	1,201	9.7	0.28	5.3	0.16	1,000	6.1	0.20	3.2	0.12
Hodgkin Lymphoma	69	0.5	0.06	0.3	0.04	48	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,132	9.2	0.28	4.9	0.16	952	5.8	0.19	3.0	0.11
Multiple Myeloma	560	4.6	0.20	2.4	0.11	388	2.4	0.12	1.3	0.07
Leukemias	1,259	10.4	0.30	5.5	0.17	896	5.5	0.19	3.2	0.13
Other, Ill-defined & Unknown	1,814	14.6	0.35	8.2	0.20	1,723	10.6	0.26	5.8	0.16

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Washington, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	760	251.5	10.40	144.8	5.46	621	174.3	7.23	106.9	4.52
Oral Cavity & Pharynx	10	2.5	0.83	1.8	0.61	-	-	-	-	-
Digestive System	229	69.7	5.31	42.0	2.90	164	48.0	3.86	27.5	2.27
Esophagus	11	2.1	0.66	1.9	0.60	13	3.7	1.05	2.3	0.67
Stomach	24	7.8	1.81	4.6	0.98	8	1.9	0.70	1.5	0.55
Colon & Rectum	91	27.6	3.31	16.9	1.85	70	21.0	2.58	11.2	1.42
Liver	47	12.8	2.18	8.4	1.27	8	2.1	0.79	1.4	0.54
Pancreas	43	14.9	2.61	8.0	1.27	54	16.2	2.25	9.4	1.35
Respiratory System	223	71.3	5.27	45.0	3.11	153	44.7	3.71	27.1	2.31
Larynx	9	2.5	0.88	1.8	0.61	-	-	-	-	-
Lung & bronchus	213	68.6	5.19	43.1	3.05	152	44.4	3.70	26.9	2.30
Skin	6	2.5	1.14	1.2	0.50	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	107	26.5	2.67	17.8	1.81
Female Genital System	-	-	-	-	-	66	19.0	2.41	11.5	1.51
Cervix uteri	-	-	-	-	-	10	2.2	0.70	1.7	0.56
Corpus & uterus, NOS	-	-	-	-	-	31	9.4	1.72	5.6	1.08
Ovary	-	-	-	-	-	22	6.5	1.43	3.7	0.84
Male Genital System	111	49.1	5.06	21.9	2.14	-	-	-	-	-
Prostate	110	48.9	5.06	21.7	2.13	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	39	12.1	2.26	7.3	1.21	19	5.4	1.28	3.1	0.74
Bladder	19	7.1	1.84	3.9	0.93	13	3.8	1.08	2.3	0.66
Kidney & renal pelvis	20	5.0	1.32	3.3	0.78	6	1.6	0.68	0.8	0.33
Brain & Other Nervous System	16	3.8	1.08	2.5	0.66	9	2.1	0.73	1.7	0.59
Endocrine System	6	1.4	0.67	1.0	0.41	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	23	6.0	1.38	4.2	0.92	17	4.3	1.09	2.7	0.67
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	20	5.5	1.34	3.8	0.87	15	3.9	1.06	2.4	0.64
Multiple Myeloma	25	8.7	2.00	4.4	0.92	20	5.9	1.35	3.6	0.87
Leukemias	27	9.2	2.18	4.9	0.99	19	4.5	1.08	3.5	0.83
Other, Ill-defined & Unknown	44	15.1	2.65	8.3	1.31	38	11.7	1.94	6.6	1.14

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Washington, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,103	158.5	5.06	90.5	2.79	1,101	106.8	3.29	63.8	2.00
Oral Cavity & Pharynx	26	3.0	0.61	2.2	0.43	15	1.5	0.40	0.8	0.22
Digestive System	425	58.9	3.02	35.4	1.75	400	40.5	2.07	22.1	1.15
Esophagus	24	3.7	0.80	1.9	0.39	15	1.5	0.39	0.9	0.25
Stomach	52	8.1	1.18	4.0	0.57	79	7.6	0.88	4.4	0.51
Colon & Rectum	92	13.1	1.45	7.5	0.80	108	10.8	1.06	6.0	0.60
Liver	134	17.0	1.54	11.4	1.01	71	7.5	0.91	3.9	0.48
Pancreas	64	9.0	1.18	5.5	0.70	72	7.4	0.89	3.9	0.48
Respiratory System	311	45.3	2.70	25.6	1.49	227	22.4	1.52	13.5	0.93
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	306	44.5	2.67	25.2	1.47	222	21.9	1.50	13.2	0.92
Skin	8	0.9	0.34	0.7	0.25	6	0.5	0.23	0.4	0.16
Melanomas of the skin	8	0.9	0.34	0.7	0.25	-	-	-	-	-
Breast	-	-	-	-	-	125	10.8	0.99	7.5	0.69
Female Genital System	-	-	-	-	-	117	10.5	0.99	7.1	0.68
Cervix uteri	-	-	-	-	-	28	2.3	0.45	1.7	0.33
Corpus & uterus, NOS	-	-	-	-	-	25	2.2	0.46	1.6	0.32
Ovary	-	-	-	-	-	60	5.6	0.74	3.6	0.48
Male Genital System	72	13.0	1.59	5.7	0.69	-	-	-	-	-
Prostate	69	12.7	1.57	5.4	0.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	51	8.1	1.21	4.1	0.58	27	2.7	0.53	1.4	0.28
Bladder	21	3.5	0.80	1.6	0.36	11	1.0	0.32	0.6	0.18
Kidney & renal pelvis	28	4.2	0.86	2.3	0.44	14	1.4	0.39	0.7	0.20
Brain & Other Nervous System	16	2.2	0.58	1.3	0.34	23	1.9	0.41	1.6	0.34
Endocrine System	9	1.1	0.40	0.8	0.28	14	1.4	0.37	0.9	0.24
Thyroid gland	-	-	-	-	-	10	1.0	0.33	0.6	0.21
Lymphomas	38	6.0	1.01	2.9	0.48	34	3.2	0.57	2.0	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	37	5.9	1.01	2.8	0.47	32	3.0	0.55	1.9	0.34
Multiple Myeloma	16	2.4	0.64	1.4	0.36	16	1.7	0.43	0.9	0.23
Leukemias	54	6.7	0.98	4.4	0.61	26	2.7	0.54	1.5	0.30
Other, Ill-defined & Unknown	75	10.5	1.30	6.0	0.71	71	6.9	0.84	4.2	0.52

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Seattle/Puget Sound, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	19,109	209.1	1.55	116.1	0.88	18,262	154.1	1.16	91.0	0.75
Oral Cavity & Pharynx	415	4.2	0.21	2.7	0.14	224	1.9	0.13	1.2	0.09
Digestive System	5,013	53.0	0.77	31.1	0.46	4,037	33.5	0.54	18.9	0.33
Esophagus	755	7.9	0.30	4.7	0.18	230	2.0	0.13	1.1	0.08
Stomach	406	4.4	0.22	2.5	0.13	305	2.5	0.15	1.5	0.09
Colon & Rectum	1,619	17.6	0.45	9.8	0.26	1,589	13.0	0.33	7.0	0.20
Liver	686	6.6	0.26	4.5	0.18	247	2.1	0.13	1.2	0.09
Pancreas	1,118	11.8	0.36	7.0	0.22	1,149	9.6	0.29	5.5	0.18
Respiratory System	5,514	60.1	0.83	34.2	0.48	5,021	43.4	0.62	25.6	0.40
Larynx	140	1.5	0.13	0.9	0.08	51	0.4	0.06	0.3	0.04
Lung & bronchus	5,299	57.8	0.81	32.8	0.47	4,937	42.7	0.62	25.1	0.39
Skin	578	6.1	0.26	3.6	0.15	305	2.5	0.15	1.5	0.10
Melanomas of the skin	436	4.6	0.23	2.8	0.14	234	1.9	0.13	1.2	0.09
Breast	26	0.3	0.06	0.1	0.03	2,655	22.1	0.44	14.1	0.30
Female Genital System	-	-	-	-	-	2,008	17.0	0.38	10.6	0.26
Cervix uteri	-	-	-	-	-	228	1.9	0.13	1.4	0.10
Corpus & uterus, NOS	-	-	-	-	-	474	4.0	0.19	2.5	0.12
Ovary	-	-	-	-	-	1,195	10.1	0.30	6.2	0.20
Male Genital System	2,046	24.9	0.56	10.7	0.25	-	-	-	-	-
Prostate	2,012	24.6	0.55	10.4	0.25	-	-	-	-	-
Testis	21	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,313	14.7	0.41	7.7	0.22	617	5.1	0.21	2.7	0.12
Bladder	723	8.5	0.32	4.0	0.16	268	2.2	0.14	1.0	0.07
Kidney & renal pelvis	544	5.7	0.25	3.4	0.15	317	2.6	0.15	1.6	0.10
Brain & Other Nervous System	634	6.2	0.25	4.4	0.18	498	4.3	0.19	3.0	0.14
Endocrine System	76	0.8	0.09	0.6	0.07	95	0.8	0.08	0.6	0.07
Thyroid gland	44	0.5	0.08	0.3	0.04	68	0.6	0.07	0.3	0.05
Lymphomas	874	9.7	0.33	5.2	0.19	698	5.8	0.22	3.1	0.13
Hodgkin Lymphoma	54	0.5	0.08	0.3	0.05	35	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	820	9.2	0.33	4.9	0.18	663	5.5	0.22	2.9	0.13
Multiple Myeloma	411	4.6	0.23	2.4	0.13	278	2.4	0.14	1.3	0.09
Leukemias	918	10.3	0.35	5.6	0.20	627	5.3	0.21	3.1	0.14
Other, Ill-defined & Unknown	1,291	14.2	0.40	7.8	0.23	1,199	10.0	0.29	5.4	0.18

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Seattle/Puget Sound, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		116.9		0.94		3,478	32.4		0.56	
All Sites	17,258	211.3	1.64	116.9	0.94	16,508	157.3	1.25	92.8	0.81
Oral Cavity & Pharynx	372	4.3	0.23	2.7	0.15	206	2.0	0.14	1.2	0.10
Digestive System	4,370	51.9	0.80	30.3	0.48	3,478	32.4	0.56	18.2	0.35
Esophagus	716	8.4	0.32	5.0	0.20	199	1.9	0.14	1.0	0.08
Stomach	329	4.0	0.22	2.2	0.13	222	2.1	0.14	1.1	0.09
Colon & Rectum	1,445	17.6	0.47	9.8	0.27	1,405	12.8	0.35	6.9	0.21
Liver	502	5.4	0.25	3.7	0.17	171	1.6	0.12	1.0	0.08
Pancreas	1,018	12.1	0.39	7.1	0.23	1,028	9.7	0.31	5.6	0.20
Respiratory System	4,995	60.8	0.88	34.5	0.51	4,613	45.1	0.67	26.5	0.43
Larynx	129	1.5	0.14	0.9	0.08	48	0.5	0.07	0.3	0.04
Lung & bronchus	4,796	58.5	0.86	33.1	0.50	4,535	44.3	0.67	26.1	0.43
Skin	565	6.7	0.29	3.9	0.17	298	2.8	0.16	1.7	0.11
Melanomas of the skin	426	5.0	0.25	3.0	0.15	231	2.2	0.15	1.4	0.10
Breast	23	0.3	0.06	0.2	0.03	2,417	22.9	0.47	14.6	0.33
Female Genital System	-	-	-	-	-	1,827	17.5	0.42	10.9	0.28
Cervix uteri	-	-	-	-	-	190	1.9	0.14	1.3	0.10
Corpus & uterus, NOS	-	-	-	-	-	419	4.0	0.20	2.5	0.13
Ovary	-	-	-	-	-	1,113	10.7	0.33	6.5	0.22
Male Genital System	1,862	25.0	0.59	10.6	0.26	-	-	-	-	-
Prostate	1,833	24.7	0.58	10.4	0.26	-	-	-	-	-
Testis	18	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,217	15.1	0.44	7.9	0.24	566	5.2	0.22	2.8	0.14
Bladder	682	8.8	0.34	4.2	0.17	243	2.2	0.14	1.0	0.08
Kidney & renal pelvis	491	5.8	0.27	3.4	0.16	293	2.7	0.16	1.7	0.11
Brain & Other Nervous System	602	6.7	0.28	4.8	0.20	468	4.6	0.22	3.2	0.16
Endocrine System	60	0.7	0.09	0.5	0.07	80	0.8	0.09	0.6	0.07
Thyroid gland	38	0.5	0.08	0.3	0.05	58	0.5	0.07	0.3	0.05
Lymphomas	813	10.1	0.36	5.4	0.20	649	6.1	0.24	3.2	0.15
Hodgkin Lymphoma	51	0.6	0.08	0.4	0.05	32	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	762	9.5	0.35	5.1	0.19	617	5.8	0.24	3.0	0.14
Multiple Myeloma	373	4.6	0.24	2.5	0.14	243	2.3	0.15	1.3	0.09
Leukemias	835	10.6	0.37	5.6	0.21	576	5.5	0.23	3.1	0.15
Other, Ill-defined & Unknown	1,171	14.4	0.43	8.0	0.25	1,087	10.2	0.31	5.5	0.19

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Seattle/Puget Sound, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	688	258.2	11.29	149.2	5.90	561	176.3	7.72	107.4	4.77
Oral Cavity & Pharynx	10	2.8	0.94	2.1	0.69	-	-	-	-	-
Digestive System	202	69.0	5.63	41.9	3.07	148	48.8	4.14	27.5	2.37
Esophagus	10	2.2	0.72	2.0	0.66	12	3.9	1.17	2.4	0.72
Stomach	21	8.1	2.01	4.7	1.06	8	2.1	0.77	1.7	0.61
Colon & Rectum	81	27.0	3.42	16.9	1.96	63	21.2	2.76	11.3	1.49
Liver	46	14.4	2.50	9.3	1.44	8	2.4	0.88	1.6	0.60
Pancreas	32	12.6	2.58	6.8	1.24	46	15.6	2.36	8.7	1.35
Respiratory System	195	70.3	5.59	45.1	3.33	138	44.7	3.92	27.4	2.45
Larynx	9	2.8	0.99	2.0	0.69	-	-	-	-	-
Lung & bronchus	185	67.3	5.50	43.0	3.26	137	44.5	3.91	27.2	2.43
Skin	6	2.9	1.31	1.3	0.57	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	102	28.4	2.93	18.9	1.96
Female Genital System	-	-	-	-	-	57	18.5	2.53	11.1	1.55
Cervix uteri	-	-	-	-	-	7	1.5	0.59	1.3	0.51
Corpus & uterus, NOS	-	-	-	-	-	29	10.0	1.91	5.8	1.15
Ovary	-	-	-	-	-	18	5.9	1.44	3.4	0.84
Male Genital System	104	52.7	5.65	23.6	2.38	-	-	-	-	-
Prostate	103	52.4	5.64	23.3	2.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	12.3	2.40	7.6	1.31	17	5.4	1.37	3.2	0.81
Bladder	16	6.6	1.86	3.8	0.97	11	3.7	1.13	2.3	0.71
Kidney & renal pelvis	20	5.7	1.51	3.8	0.89	6	1.8	0.77	0.9	0.37
Brain & Other Nervous System	14	3.6	1.08	2.5	0.71	9	2.3	0.81	1.9	0.65
Endocrine System	6	1.6	0.76	1.1	0.47	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	22	6.6	1.54	4.5	1.00	14	4.0	1.14	2.5	0.69
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	19	6.0	1.50	4.0	0.95	13	3.8	1.12	2.4	0.68
Multiple Myeloma	22	9.2	2.26	4.4	0.98	18	6.0	1.45	3.6	0.89
Leukemias	27	10.6	2.52	5.7	1.14	19	5.0	1.20	3.9	0.92
Other, Ill-defined & Unknown	43	16.5	2.93	9.2	1.46	34	11.6	2.04	6.6	1.21

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Seattle/Puget Sound, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	984	157.4	5.31	89.7	2.92	998	108.0	3.49	64.3	2.12
Oral Cavity & Pharynx	25	3.2	0.67	2.3	0.47	15	1.7	0.44	0.9	0.25
Digestive System	373	57.8	3.16	34.5	1.83	361	40.5	2.18	22.2	1.22
Esophagus	20	3.4	0.79	1.8	0.41	15	1.7	0.43	1.0	0.28
Stomach	46	8.1	1.25	4.0	0.60	71	7.5	0.91	4.4	0.54
Colon & Rectum	77	12.3	1.48	6.9	0.81	101	11.2	1.14	6.2	0.64
Liver	121	17.2	1.64	11.5	1.07	64	7.5	0.95	3.8	0.50
Pancreas	56	8.8	1.23	5.3	0.72	62	7.1	0.92	3.7	0.49
Respiratory System	283	45.7	2.86	25.9	1.57	218	24.0	1.66	14.3	1.01
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	278	44.8	2.82	25.4	1.56	214	23.6	1.64	14.1	1.00
Skin	6	0.7	0.29	0.6	0.24	-	-	-	-	-
Melanomas of the skin	6	0.7	0.29	0.6	0.24	-	-	-	-	-
Breast	-	-	-	-	-	106	10.4	1.03	7.1	0.71
Female Genital System	-	-	-	-	-	102	10.2	1.03	6.9	0.71
Cervix uteri	-	-	-	-	-	27	2.5	0.50	1.8	0.36
Corpus & uterus, NOS	-	-	-	-	-	20	2.0	0.46	1.4	0.32
Ovary	-	-	-	-	-	52	5.4	0.76	3.5	0.50
Male Genital System	63	12.7	1.65	5.5	0.71	-	-	-	-	-
Prostate	61	12.5	1.64	5.3	0.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	8.0	1.26	4.1	0.62	24	2.7	0.57	1.4	0.29
Bladder	19	3.6	0.85	1.6	0.37	9	1.0	0.34	0.5	0.19
Kidney & renal pelvis	25	4.1	0.88	2.3	0.47	13	1.5	0.42	0.8	0.22
Brain & Other Nervous System	14	2.2	0.63	1.3	0.34	20	1.9	0.43	1.5	0.35
Endocrine System	7	1.0	0.41	0.7	0.27	13	1.4	0.40	0.9	0.26
Thyroid gland	-	-	-	-	-	10	1.1	0.36	0.7	0.23
Lymphomas	33	5.8	1.06	2.8	0.50	30	3.1	0.59	2.0	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	33	5.8	1.06	2.8	0.50	28	2.9	0.56	1.9	0.37
Multiple Myeloma	14	2.5	0.70	1.4	0.37	15	1.7	0.46	0.9	0.25
Leukemias	49	6.6	1.01	4.5	0.66	26	3.0	0.59	1.6	0.34
Other, Ill-defined & Unknown	69	10.8	1.39	6.1	0.75	63	6.8	0.88	4.2	0.55

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**West Virginia, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	12,272	257.1	2.37	151.1	1.44	10,947	174.0	1.69	108.1	1.17
Oral Cavity & Pharynx	225	4.3	0.29	3.2	0.22	95	1.5	0.16	1.0	0.11
Digestive System	2,744	56.6	1.10	34.0	0.68	2,193	34.0	0.73	19.9	0.49
Esophagus	412	8.1	0.41	5.4	0.28	99	1.5	0.16	1.0	0.11
Stomach	200	4.2	0.31	2.4	0.18	138	2.2	0.19	1.4	0.13
Colon & Rectum	1,153	24.4	0.73	13.9	0.43	1,099	16.9	0.52	9.7	0.34
Liver	244	4.9	0.32	3.1	0.21	122	1.9	0.17	1.1	0.11
Pancreas	576	11.7	0.50	7.1	0.31	490	7.6	0.35	4.5	0.23
Respiratory System	4,542	92.8	1.40	56.5	0.88	3,231	51.8	0.92	33.0	0.64
Larynx	166	3.2	0.25	2.3	0.18	48	0.8	0.12	0.5	0.08
Lung & bronchus	4,350	89.1	1.37	53.9	0.85	3,173	50.8	0.91	32.4	0.63
Skin	290	6.2	0.37	3.8	0.23	146	2.4	0.21	1.5	0.15
Melanomas of the skin	216	4.5	0.31	2.9	0.21	121	2.1	0.19	1.4	0.14
Breast	17	0.4	0.09	0.2	0.05	1,484	23.9	0.63	15.8	0.46
Female Genital System	-	-	-	-	-	1,060	17.4	0.54	11.5	0.39
Cervix uteri	-	-	-	-	-	154	2.9	0.24	2.2	0.19
Corpus & uterus, NOS	-	-	-	-	-	284	4.5	0.27	2.9	0.19
Ovary	-	-	-	-	-	552	8.9	0.38	5.8	0.27
Male Genital System	953	22.3	0.74	9.9	0.34	-	-	-	-	-
Prostate	921	21.6	0.72	9.4	0.33	-	-	-	-	-
Testis	10	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	683	14.6	0.57	8.1	0.33	413	6.3	0.31	3.4	0.19
Bladder	363	8.0	0.43	4.0	0.22	183	2.7	0.20	1.3	0.11
Kidney & renal pelvis	308	6.3	0.36	4.0	0.24	218	3.4	0.23	2.0	0.15
Brain & Other Nervous System	270	5.5	0.34	4.1	0.28	229	3.9	0.27	2.9	0.21
Endocrine System	32	0.7	0.12	0.5	0.11	46	0.8	0.11	0.5	0.09
Thyroid gland	13	0.3	0.08	0.2	0.05	31	0.5	0.09	0.2	0.05
Lymphomas	467	10.0	0.47	5.7	0.28	447	6.9	0.33	3.9	0.21
Hodgkin Lymphoma	20	0.4	0.10	0.3	0.07	23	0.4	0.08	0.3	0.06
Non-Hodgkin Lymphoma	447	9.6	0.46	5.4	0.27	424	6.5	0.32	3.6	0.20
Multiple Myeloma	230	4.9	0.33	2.7	0.19	169	2.6	0.20	1.5	0.13
Leukemias	462	10.1	0.48	5.7	0.29	372	5.9	0.31	3.6	0.23
Other, Ill-defined & Unknown	1,357	28.7	0.79	16.8	0.48	1,062	16.7	0.52	9.7	0.35

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**West Virginia, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	11,929	257.9	2.41	151.5	1.47	10,618	174.6	1.72	108.4	1.19
Oral Cavity & Pharynx	216	4.3	0.30	3.1	0.22	89	1.5	0.16	0.9	0.11
Digestive System	2,657	56.6	1.12	33.9	0.69	2,108	33.8	0.75	19.7	0.49
Esophagus	404	8.2	0.42	5.5	0.28	93	1.5	0.16	0.9	0.11
Stomach	188	4.1	0.31	2.4	0.18	134	2.2	0.19	1.4	0.14
Colon & Rectum	1,116	24.3	0.74	13.9	0.44	1,051	16.8	0.52	9.6	0.34
Liver	231	4.8	0.32	3.1	0.21	116	1.8	0.17	1.1	0.12
Pancreas	563	11.9	0.51	7.1	0.32	477	7.7	0.36	4.4	0.23
Respiratory System	4,433	93.5	1.43	56.8	0.89	3,162	52.4	0.94	33.4	0.65
Larynx	159	3.2	0.26	2.2	0.18	48	0.8	0.12	0.5	0.08
Lung & bronchus	4,249	89.7	1.40	54.2	0.87	3,104	51.4	0.93	32.8	0.65
Skin	290	6.4	0.38	3.9	0.24	145	2.5	0.21	1.6	0.15
Melanomas of the skin	216	4.7	0.33	3.0	0.21	121	2.1	0.20	1.4	0.15
Breast	17	0.4	0.09	0.2	0.05	1,423	23.7	0.64	15.6	0.46
Female Genital System	-	-	-	-	-	1,030	17.5	0.55	11.6	0.40
Cervix uteri	-	-	-	-	-	149	2.9	0.24	2.2	0.19
Corpus & uterus, NOS	-	-	-	-	-	271	4.5	0.28	2.9	0.19
Ovary	-	-	-	-	-	543	9.0	0.39	5.9	0.28
Male Genital System	894	21.5	0.73	9.6	0.34	-	-	-	-	-
Prostate	862	20.8	0.72	9.1	0.33	-	-	-	-	-
Testis	10	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	670	14.8	0.58	8.2	0.33	398	6.2	0.32	3.4	0.20
Bladder	361	8.2	0.44	4.1	0.23	175	2.7	0.21	1.3	0.12
Kidney & renal pelvis	297	6.3	0.37	3.9	0.24	211	3.4	0.24	2.0	0.16
Brain & Other Nervous System	268	5.7	0.35	4.3	0.29	227	4.1	0.28	2.9	0.22
Endocrine System	31	0.7	0.13	0.5	0.11	44	0.8	0.12	0.5	0.10
Thyroid gland	13	0.3	0.08	0.2	0.05	30	0.5	0.09	0.2	0.05
Lymphomas	460	10.2	0.48	5.8	0.29	438	7.0	0.34	3.9	0.22
Hodgkin Lymphoma	19	0.4	0.10	0.3	0.08	22	0.4	0.09	0.3	0.06
Non-Hodgkin Lymphoma	441	9.8	0.47	5.5	0.28	416	6.6	0.33	3.7	0.21
Multiple Myeloma	223	4.9	0.33	2.7	0.19	157	2.5	0.20	1.4	0.13
Leukemias	454	10.2	0.49	5.8	0.29	362	5.9	0.32	3.6	0.24
Other, Ill-defined & Unknown	1,316	28.8	0.81	16.8	0.49	1,035	16.8	0.53	9.8	0.36

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**West Virginia, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	334	287.8	16.29	176.2	10.16	315	185.9	10.65	119.2	7.60
Oral Cavity & Pharynx	9	6.7	2.29	5.3	1.82	6	3.7	1.50	2.6	1.09
Digestive System	86	72.5	8.07	44.8	5.11	81	45.8	5.18	28.6	3.66
Esophagus	8	7.2	2.59	5.1	1.89	6	3.2	1.30	1.6	0.73
Stomach	12	8.9	2.66	5.9	1.79	-	-	-	-	-
Colon & Rectum	36	32.7	5.64	18.7	3.30	46	26.0	3.90	15.9	2.73
Liver	13	10.2	2.90	6.8	1.98	-	-	-	-	-
Pancreas	13	10.3	2.92	6.6	1.95	13	8.1	2.26	6.3	1.83
Respiratory System	106	88.5	8.88	56.9	5.82	67	40.3	4.99	25.2	3.46
Larynx	7	5.3	2.06	3.6	1.45	-	-	-	-	-
Lung & bronchus	99	83.2	8.64	53.3	5.64	67	40.3	4.99	25.2	3.46
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	57	35.1	4.72	25.1	3.60
Female Genital System	-	-	-	-	-	29	17.9	3.38	12.1	2.53
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	13	7.7	2.16	4.8	1.56
Ovary	-	-	-	-	-	8	5.0	1.78	3.5	1.34
Male Genital System	57	59.1	7.95	26.9	3.76	-	-	-	-	-
Prostate	57	59.1	7.95	26.9	3.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	9.6	2.74	8.2	2.35	15	7.5	1.96	3.1	0.92
Bladder	-	-	-	-	-	8	3.9	1.41	1.3	0.48
Kidney & renal pelvis	11	8.0	2.47	6.6	2.07	7	3.6	1.36	1.8	0.78
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	9	4.9	1.67	2.6	1.03
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	8	4.2	1.52	1.9	0.75
Multiple Myeloma	6	5.5	2.26	3.5	1.51	12	7.8	2.27	5.5	1.70
Leukemias	8	5.7	2.15	3.9	1.40	10	5.5	1.75	3.2	1.18
Other, Ill-defined & Unknown	41	34.3	5.58	22.6	3.70	24	14.4	2.99	8.6	2.04

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**West Virginia, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)				FEMALES (API)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	-	-	-	-	-	8	35.1	12.83	20.2	7.29
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Wisconsin, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	28,427	222.8	1.34	124.5	0.78	26,450	154.3	0.97	92.8	0.65
Oral Cavity & Pharynx	481	3.5	0.16	2.3	0.11	273	1.6	0.10	1.0	0.07
Digestive System	7,179	55.2	0.66	32.1	0.40	5,880	33.2	0.44	18.4	0.28
Esophagus	1,231	9.2	0.27	5.8	0.17	329	1.9	0.11	1.1	0.07
Stomach	581	4.5	0.19	2.6	0.11	364	2.1	0.11	1.2	0.07
Colon & Rectum	2,449	19.4	0.40	10.5	0.22	2,481	13.6	0.28	7.2	0.17
Liver	697	5.1	0.20	3.3	0.13	286	1.6	0.10	1.0	0.07
Pancreas	1,671	12.8	0.32	7.6	0.20	1,686	9.7	0.24	5.5	0.15
Respiratory System	8,282	63.9	0.71	37.4	0.43	6,601	39.8	0.50	24.7	0.34
Larynx	259	2.0	0.12	1.2	0.08	71	0.4	0.05	0.3	0.04
Lung & bronchus	7,948	61.4	0.70	35.8	0.42	6,493	39.2	0.49	24.3	0.34
Skin	656	5.0	0.20	3.0	0.12	349	2.1	0.11	1.3	0.08
Melanomas of the skin	503	3.8	0.17	2.4	0.11	284	1.7	0.10	1.1	0.07
Breast	36	0.3	0.05	0.1	0.03	3,736	22.1	0.37	14.2	0.26
Female Genital System	-	-	-	-	-	2,874	17.1	0.32	10.8	0.23
Cervix uteri	-	-	-	-	-	283	1.8	0.11	1.3	0.08
Corpus & uterus, NOS	-	-	-	-	-	795	4.6	0.17	2.9	0.11
Ovary	-	-	-	-	-	1,591	9.5	0.24	6.0	0.17
Male Genital System	3,169	27.1	0.48	11.4	0.22	-	-	-	-	-
Prostate	3,123	26.7	0.48	11.2	0.21	-	-	-	-	-
Testis	24	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,912	15.3	0.35	7.9	0.19	1,045	5.8	0.18	3.1	0.11
Bladder	1,030	8.6	0.27	3.9	0.13	486	2.6	0.12	1.2	0.07
Kidney & renal pelvis	827	6.3	0.22	3.8	0.14	509	2.9	0.13	1.8	0.09
Brain & Other Nervous System	798	5.8	0.21	4.2	0.16	611	3.8	0.16	2.7	0.12
Endocrine System	108	0.8	0.08	0.6	0.06	152	0.9	0.07	0.6	0.06
Thyroid gland	58	0.5	0.06	0.3	0.04	100	0.6	0.06	0.3	0.04
Lymphomas	1,263	10.0	0.28	5.4	0.16	1,117	6.3	0.19	3.4	0.12
Hodgkin Lymphoma	70	0.5	0.07	0.4	0.04	56	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,193	9.5	0.28	5.0	0.16	1,061	5.9	0.19	3.1	0.11
Multiple Myeloma	585	4.7	0.19	2.5	0.11	513	3.0	0.13	1.6	0.08
Leukemias	1,451	11.6	0.31	6.5	0.19	1,010	5.8	0.19	3.4	0.13
Other, Ill-defined & Unknown	2,507	19.6	0.40	11.1	0.24	2,289	13.1	0.28	7.6	0.19

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Wisconsin, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	Adj. Rate 2000 U.S.				S.E.	Adj. Rate World		
All Sites	26,851	219.4	1.35	122.0	0.79	25,052	152.7	0.99	91.6	0.67
Oral Cavity & Pharynx	436	3.3	0.16	2.2	0.11	253	1.5	0.10	0.9	0.07
Digestive System	6,708	53.9	0.67	31.1	0.40	5,532	32.4	0.45	17.9	0.28
Esophagus	1,171	9.1	0.27	5.7	0.18	312	1.9	0.11	1.1	0.07
Stomach	521	4.3	0.19	2.4	0.11	324	1.9	0.11	1.1	0.07
Colon & Rectum	2,311	19.0	0.40	10.2	0.23	2,357	13.4	0.28	7.0	0.17
Liver	594	4.6	0.19	2.9	0.12	250	1.5	0.10	0.8	0.06
Pancreas	1,596	12.7	0.32	7.5	0.20	1,594	9.6	0.24	5.4	0.16
Respiratory System	7,729	62.2	0.71	36.2	0.43	6,236	39.3	0.51	24.3	0.34
Larynx	237	1.9	0.12	1.2	0.08	61	0.4	0.05	0.2	0.03
Lung & bronchus	7,420	59.8	0.70	34.7	0.43	6,139	38.7	0.50	23.9	0.34
Skin	647	5.2	0.21	3.1	0.13	343	2.1	0.12	1.3	0.08
Melanomas of the skin	496	3.9	0.18	2.5	0.12	280	1.8	0.11	1.1	0.08
Breast	33	0.3	0.05	0.1	0.03	3,538	21.9	0.38	14.1	0.27
Female Genital System	-	-	-	-	-	2,707	16.9	0.33	10.6	0.23
Cervix uteri	-	-	-	-	-	234	1.6	0.11	1.2	0.08
Corpus & uterus, NOS	-	-	-	-	-	738	4.5	0.17	2.8	0.12
Ovary	-	-	-	-	-	1,540	9.7	0.25	6.1	0.18
Male Genital System	3,025	26.7	0.49	11.2	0.22	-	-	-	-	-
Prostate	2,980	26.3	0.48	11.0	0.22	-	-	-	-	-
Testis	23	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,853	15.4	0.36	7.9	0.20	1,004	5.8	0.19	3.1	0.12
Bladder	1,011	8.7	0.28	3.9	0.13	469	2.6	0.12	1.2	0.07
Kidney & renal pelvis	789	6.2	0.23	3.8	0.14	490	3.0	0.14	1.8	0.09
Brain & Other Nervous System	770	5.9	0.22	4.2	0.16	591	3.9	0.16	2.8	0.13
Endocrine System	103	0.8	0.08	0.6	0.06	144	0.9	0.08	0.6	0.06
Thyroid gland	57	0.5	0.06	0.3	0.04	93	0.5	0.06	0.3	0.04
Lymphomas	1,231	10.2	0.29	5.5	0.17	1,085	6.3	0.20	3.4	0.12
Hodgkin Lymphoma	67	0.6	0.07	0.4	0.05	54	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	1,164	9.6	0.28	5.1	0.16	1,031	6.0	0.19	3.2	0.12
Multiple Myeloma	554	4.6	0.20	2.4	0.11	481	2.9	0.13	1.6	0.08
Leukemias	1,389	11.5	0.31	6.4	0.19	972	5.8	0.19	3.4	0.14
Other, Ill-defined & Unknown	2,373	19.4	0.40	10.9	0.24	2,166	12.9	0.28	7.5	0.19

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Wisconsin, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,281	346.9	11.13	207.4	6.02	1,071	198.7	6.33	124.1	3.91
Oral Cavity & Pharynx	32	7.7	1.54	5.0	0.92	13	2.4	0.69	1.4	0.41
Digestive System	376	97.4	5.81	59.6	3.20	266	51.6	3.29	30.3	1.93
Esophagus	50	12.8	2.05	7.9	1.16	14	2.6	0.74	1.6	0.44
Stomach	50	12.3	2.00	7.8	1.14	27	5.6	1.12	2.9	0.57
Colon & Rectum	111	31.5	3.45	18.0	1.78	100	19.8	2.06	11.1	1.15
Liver	71	14.6	1.91	10.7	1.32	26	4.4	0.89	3.1	0.62
Pancreas	66	18.5	2.70	10.9	1.39	71	14.2	1.75	8.4	1.03
Respiratory System	469	122.2	6.30	78.0	3.73	278	51.0	3.17	33.1	2.04
Larynx	21	4.9	1.25	3.6	0.82	8	1.5	0.53	1.0	0.37
Lung & bronchus	445	116.1	6.12	73.7	3.62	269	49.3	3.12	32.0	2.01
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	159	27.1	2.25	18.2	1.49
Female Genital System	-	-	-	-	-	128	24.0	2.21	14.8	1.36
Cervix uteri	-	-	-	-	-	34	5.2	0.94	3.9	0.68
Corpus & uterus, NOS	-	-	-	-	-	49	9.8	1.43	5.9	0.88
Ovary	-	-	-	-	-	37	7.3	1.24	4.2	0.72
Male Genital System	129	51.3	5.03	22.2	2.04	-	-	-	-	-
Prostate	128	51.1	5.03	22.1	2.04	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	43	10.2	1.68	6.4	1.00	34	6.4	1.14	3.9	0.69
Bladder	15	3.9	1.05	2.3	0.61	14	2.7	0.76	1.5	0.42
Kidney & renal pelvis	26	5.7	1.22	3.8	0.78	15	2.8	0.75	1.8	0.48
Brain & Other Nervous System	19	3.4	0.91	2.4	0.56	15	2.2	0.58	1.7	0.45
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	20	3.8	0.93	2.8	0.65	22	4.4	0.97	2.6	0.57
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	17	3.4	0.88	2.4	0.59	21	4.1	0.94	2.5	0.57
Multiple Myeloma	26	8.2	1.87	4.4	0.90	30	6.1	1.15	3.5	0.67
Leukemias	47	12.4	2.15	7.6	1.16	26	4.8	1.01	2.8	0.57
Other, Ill-defined & Unknown	111	27.9	3.05	17.7	1.75	93	17.4	1.88	10.9	1.17

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Wisconsin, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.		S.E.			Adj. Rate 2000 U.S.		S.E.	
All Sites	112	97.3	10.63	60.0	5.90	139	96.4	8.65	57.0	5.06
Oral Cavity & Pharynx	7	4.4	1.76	3.5	1.37	-	-	-	-	-
Digestive System	45	38.2	6.62	24.1	3.73	42	29.9	4.84	17.4	2.80
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	7.9	3.41	4.0	1.55	8	5.9	2.19	3.5	1.27
Colon & Rectum	11	12.5	4.20	7.0	2.12	13	8.3	2.47	4.7	1.35
Liver	16	8.8	2.25	7.5	1.97	-	-	-	-	-
Pancreas	-	-	-	-	-	8	6.0	2.19	3.9	1.39
Respiratory System	24	24.0	5.49	13.1	2.74	21	15.3	3.48	9.4	2.12
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	24.0	5.49	13.1	2.74	20	14.8	3.44	8.9	2.08
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	15	9.5	2.55	7.3	1.93
Female Genital System	-	-	-	-	-	23	16.0	3.56	8.7	1.89
Cervix uteri	-	-	-	-	-	9	5.9	2.13	3.3	1.15
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	7.1	2.37	4.2	1.39
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	7	4.8	1.93	2.6	1.02
Other, Ill-defined & Unknown	8	6.8	2.83	4.2	1.55	12	7.8	2.48	4.0	1.22

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Wyoming, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,353	199.4	4.22	112.1	2.42	2,149	150.7	3.28	90.2	2.14
Oral Cavity & Pharynx	40	3.2	0.52	2.0	0.33	25	1.7	0.35	1.0	0.22
Digestive System	607	50.5	2.11	29.1	1.23	490	33.8	1.54	19.4	0.97
Esophagus	100	8.0	0.82	5.0	0.52	24	1.7	0.36	1.1	0.24
Stomach	38	3.1	0.51	1.9	0.32	34	2.3	0.40	1.3	0.25
Colon & Rectum	230	19.9	1.34	11.0	0.75	212	14.6	1.01	8.2	0.63
Liver	57	4.7	0.64	2.8	0.38	27	1.9	0.37	1.0	0.20
Pancreas	151	12.4	1.04	7.1	0.60	151	10.4	0.85	6.1	0.54
Respiratory System	647	54.3	2.18	31.3	1.28	547	38.9	1.68	23.3	1.08
Larynx	17	1.4	0.34	0.9	0.22	6	0.4	0.18	0.3	0.13
Lung & bronchus	625	52.5	2.15	30.2	1.26	537	38.2	1.66	22.8	1.07
Skin	65	5.5	0.69	3.2	0.41	39	2.8	0.45	1.8	0.32
Melanomas of the skin	57	4.9	0.66	2.8	0.39	32	2.3	0.41	1.5	0.29
Breast	-	-	-	-	-	314	22.1	1.26	14.0	0.85
Female Genital System	-	-	-	-	-	212	15.0	1.04	9.4	0.71
Cervix uteri	-	-	-	-	-	28	2.1	0.41	1.6	0.31
Corpus & uterus, NOS	-	-	-	-	-	45	3.2	0.48	2.0	0.32
Ovary	-	-	-	-	-	127	8.8	0.79	5.5	0.53
Male Genital System	246	23.4	1.52	10.1	0.68	-	-	-	-	-
Prostate	237	22.7	1.50	9.5	0.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	159	13.5	1.10	7.4	0.61	58	3.9	0.52	2.3	0.33
Bladder	83	7.4	0.83	3.7	0.43	32	2.2	0.39	1.3	0.26
Kidney & renal pelvis	73	5.8	0.70	3.6	0.43	25	1.7	0.34	0.9	0.21
Brain & Other Nervous System	66	5.1	0.64	3.5	0.45	52	3.8	0.53	2.8	0.44
Endocrine System	9	0.7	0.24	0.5	0.17	12	0.9	0.25	0.6	0.17
Thyroid gland	-	-	-	-	-	11	0.8	0.24	0.5	0.17
Lymphomas	95	8.4	0.88	4.3	0.46	99	6.8	0.69	3.7	0.43
Hodgkin Lymphoma	-	-	-	-	-	7	0.5	0.18	0.3	0.12
Non-Hodgkin Lymphoma	92	8.1	0.86	4.2	0.46	92	6.3	0.67	3.4	0.41
Multiple Myeloma	56	4.5	0.62	2.7	0.38	34	2.5	0.43	1.4	0.26
Leukemias	115	9.7	0.93	5.4	0.53	82	5.6	0.63	3.2	0.40
Other, Ill-defined & Unknown	247	20.5	1.34	12.5	0.83	185	13.0	0.97	7.4	0.60

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Wyoming, 2004-2008, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,313	200.7	4.28	112.8	2.46	2,102	151.2	3.33	90.6	2.18
Oral Cavity & Pharynx	39	3.2	0.53	2.0	0.34	25	1.8	0.36	1.0	0.22
Digestive System	595	50.8	2.14	29.2	1.25	475	33.6	1.56	19.1	0.98
Esophagus	99	8.1	0.84	5.1	0.53	22	1.6	0.35	1.0	0.22
Stomach	37	3.1	0.52	1.8	0.32	32	2.2	0.40	1.2	0.24
Colon & Rectum	227	20.1	1.37	11.1	0.77	207	14.6	1.03	8.2	0.64
Liver	56	4.7	0.65	2.8	0.38	26	1.9	0.37	1.0	0.21
Pancreas	146	12.4	1.05	7.0	0.61	147	10.4	0.87	6.0	0.55
Respiratory System	636	54.5	2.21	31.5	1.30	532	38.8	1.70	23.3	1.10
Larynx	17	1.4	0.34	0.9	0.23	6	0.4	0.18	0.3	0.13
Lung & bronchus	614	52.7	2.17	30.3	1.28	522	38.1	1.68	22.8	1.09
Skin	65	5.6	0.71	3.3	0.43	39	2.8	0.46	1.9	0.33
Melanomas of the skin	57	5.0	0.68	2.9	0.40	32	2.3	0.42	1.5	0.30
Breast	-	-	-	-	-	307	22.2	1.28	14.1	0.87
Female Genital System	-	-	-	-	-	210	15.2	1.07	9.6	0.73
Cervix uteri	-	-	-	-	-	28	2.2	0.42	1.6	0.32
Corpus & uterus, NOS	-	-	-	-	-	44	3.2	0.49	2.0	0.33
Ovary	-	-	-	-	-	126	9.0	0.81	5.6	0.54
Male Genital System	240	23.3	1.53	10.1	0.69	-	-	-	-	-
Prostate	231	22.6	1.51	9.5	0.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	155	13.5	1.11	7.3	0.62	57	3.9	0.53	2.3	0.34
Bladder	83	7.5	0.84	3.8	0.44	32	2.2	0.40	1.4	0.26
Kidney & renal pelvis	69	5.7	0.70	3.4	0.43	25	1.7	0.34	1.0	0.21
Brain & Other Nervous System	65	5.2	0.66	3.6	0.47	51	3.9	0.55	2.9	0.47
Endocrine System	6	0.4	0.19	0.3	0.12	12	0.9	0.26	0.6	0.18
Thyroid gland	-	-	-	-	-	11	0.8	0.25	0.6	0.17
Lymphomas	95	8.6	0.90	4.4	0.47	95	6.6	0.69	3.5	0.42
Hodgkin Lymphoma	-	-	-	-	-	7	0.5	0.19	0.3	0.12
Non-Hodgkin Lymphoma	92	8.3	0.88	4.3	0.47	88	6.1	0.66	3.3	0.40
Multiple Myeloma	56	4.6	0.63	2.8	0.39	34	2.5	0.44	1.4	0.26
Leukemias	115	10.0	0.95	5.5	0.55	81	5.7	0.64	3.3	0.41
Other, Ill-defined & Unknown	245	20.8	1.36	12.7	0.85	184	13.3	0.99	7.5	0.62

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Wyoming, 2004-2008, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	10	185.4	60.78	84.5	28.44	9	127.3	43.31	67.8	23.60
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Wyoming, 2004-2008, Asian/Pacific Islander (API)**

SITES	MALES (API)				FEMALES (API)					
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	-	-	-	-	-	11	107.0	32.86	70.8	22.00
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Puerto Rico, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	13,780	159.7	1.38	89.5	0.80	10,643	94.3	0.92	57.2	0.60
Oral Cavity & Pharynx	544	6.0	0.26	3.9	0.18	119	1.0	0.10	0.5	0.06
Digestive System	4,458	50.8	0.77	29.8	0.47	3,248	28.5	0.50	15.7	0.30
Esophagus	503	5.6	0.25	3.5	0.16	133	1.2	0.10	0.6	0.06
Stomach	745	8.8	0.33	4.6	0.18	473	4.2	0.19	2.3	0.11
Colon & Rectum	1,746	19.9	0.48	11.6	0.29	1,433	12.6	0.33	7.0	0.20
Liver	758	8.4	0.31	5.4	0.20	458	4.0	0.19	2.2	0.11
Pancreas	515	5.8	0.26	3.5	0.16	536	4.7	0.20	2.6	0.12
Respiratory System	2,126	24.1	0.53	14.4	0.33	1,107	9.7	0.29	5.7	0.18
Larynx	270	3.1	0.19	1.9	0.12	29	0.3	0.05	0.2	0.03
Lung & bronchus	1,828	20.7	0.49	12.3	0.30	1,070	9.4	0.29	5.5	0.18
Skin	177	2.1	0.16	1.1	0.09	107	0.9	0.09	0.4	0.05
Melanomas of the skin	56	0.6	0.08	0.4	0.06	40	0.4	0.06	0.2	0.04
Breast	26	0.3	0.06	0.2	0.04	1,996	17.9	0.40	12.1	0.29
Female Genital System	-	-	-	-	-	1,268	11.3	0.32	7.4	0.22
Cervix uteri	-	-	-	-	-	230	2.2	0.14	1.5	0.11
Corpus & uterus, NOS	-	-	-	-	-	466	4.1	0.19	2.6	0.13
Ovary	-	-	-	-	-	463	4.1	0.19	2.7	0.13
Male Genital System	2,668	33.3	0.65	14.0	0.29	-	-	-	-	-
Prostate	2,579	32.3	0.64	13.3	0.28	-	-	-	-	-
Testis	28	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	574	6.7	0.28	3.7	0.16	315	2.8	0.16	1.5	0.09
Bladder	320	3.9	0.22	1.8	0.11	176	1.5	0.12	0.7	0.06
Kidney & renal pelvis	241	2.7	0.17	1.7	0.12	133	1.2	0.10	0.7	0.07
Brain & Other Nervous System	188	2.1	0.15	1.5	0.11	168	1.5	0.12	1.1	0.09
Endocrine System	34	0.4	0.06	0.3	0.05	50	0.5	0.07	0.3	0.05
Thyroid gland	20	0.2	0.05	0.1	0.03	36	0.3	0.05	0.2	0.03
Lymphomas	513	5.7	0.26	3.7	0.17	410	3.7	0.18	2.3	0.12
Hodgkin Lymphoma	50	0.5	0.08	0.4	0.06	33	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	463	5.2	0.25	3.3	0.16	377	3.4	0.18	2.1	0.12
Multiple Myeloma	275	3.1	0.19	1.9	0.12	260	2.3	0.14	1.3	0.09
Leukemias	495	5.7	0.26	3.5	0.17	369	3.3	0.17	2.1	0.13
Other, Ill-defined & Unknown	1,702	19.4	0.48	11.6	0.30	1,226	10.9	0.31	6.8	0.21

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Alberta, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)					
	Deaths	Adj. Rate	Adj. Rate World	S.E.	Deaths	Adj. Rate	Adj. Rate World	S.E.	Adj. Rate World	S.E.	
		2000 U.S.				S.E.					
All Sites	14,337	217.8	1.88		119.8	1.04	12,775	154.2	1.37	92.3	0.89
Oral Cavity & Pharynx	290	3.9	0.24		2.6	0.15	131	1.6	0.14	1.0	0.09
Digestive System	4,105	61.0	0.98		34.6	0.56	3,135	37.7	0.68	21.0	0.41
Esophagus	534	7.5	0.33		4.7	0.21	144	1.8	0.15	0.9	0.09
Stomach	452	6.9	0.33		3.7	0.18	250	3.0	0.19	1.7	0.12
Colon & Rectum	1,697	25.8	0.65		14.1	0.35	1,398	16.8	0.45	9.0	0.27
Liver	375	5.2	0.28		3.2	0.17	154	1.9	0.15	1.0	0.09
Pancreas	741	10.9	0.41		6.4	0.24	805	9.8	0.35	5.6	0.22
Respiratory System	3,703	55.3	0.93		31.6	0.54	3,070	37.7	0.68	23.6	0.46
Larynx	105	1.5	0.15		0.9	0.09	32	0.4	0.07	0.2	0.05
Lung & bronchus	3,571	53.4	0.92		30.4	0.53	3,020	37.1	0.68	23.2	0.45
Skin	277	4.0	0.25		2.3	0.14	176	2.1	0.16	1.3	0.10
Melanomas of the skin	219	3.0	0.21		1.9	0.13	150	1.8	0.14	1.1	0.10
Breast	22	0.3	0.07		0.2	0.04	1,943	23.1	0.53	14.6	0.36
Female Genital System	-	-	-		-	-	1,213	14.5	0.42	9.4	0.29
Cervix uteri	-	-	-		-	-	193	2.2	0.16	1.6	0.12
Corpus & uterus, NOS	-	-	-		-	-	302	3.6	0.21	2.3	0.14
Ovary	-	-	-		-	-	653	7.8	0.31	5.0	0.21
Male Genital System	1,773	31.0	0.75		13.2	0.33	-	-	-	-	-
Prostate	1,730	30.4	0.75		12.8	0.32	-	-	-	-	-
Testis	24	0.3	0.05		0.2	0.05	-	-	-	-	-
Urinary System	867	13.4	0.47		7.1	0.25	425	5.1	0.25	2.7	0.15
Bladder	454	7.3	0.35		3.7	0.18	175	2.1	0.16	1.0	0.09
Kidney & renal pelvis	399	5.9	0.31		3.4	0.18	234	2.9	0.19	1.6	0.12
Brain & Other Nervous System	463	5.9	0.28		4.3	0.21	286	3.4	0.20	2.5	0.16
Endocrine System	55	0.8	0.11		0.5	0.08	61	0.7	0.10	0.4	0.06
Thyroid gland	32	0.5	0.09		0.3	0.05	37	0.4	0.07	0.2	0.04
Lymphomas	597	8.9	0.38		5.1	0.22	464	5.6	0.26	3.1	0.16
Hodgkin Lymphoma	33	0.4	0.08		0.3	0.05	18	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	564	8.5	0.37		4.8	0.21	446	5.4	0.26	2.9	0.15
Multiple Myeloma	276	4.2	0.26		2.3	0.14	242	3.0	0.19	1.6	0.12
Leukemias	556	8.5	0.37		4.8	0.22	391	4.8	0.24	2.7	0.16
Other, Ill-defined & Unknown	1,353	20.6	0.58		11.2	0.32	1,238	14.9	0.43	8.4	0.26

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**British Columbia, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	22,866	210.0	1.41	115.3	0.81	20,275	150.6	1.07	89.0	0.70
Oral Cavity & Pharynx	491	4.3	0.20	2.7	0.13	238	1.8	0.12	1.1	0.08
Digestive System	6,681	60.4	0.75	34.3	0.44	5,207	38.0	0.53	20.9	0.33
Esophagus	946	8.3	0.28	5.0	0.17	332	2.4	0.13	1.4	0.08
Stomach	670	6.2	0.24	3.4	0.14	435	3.2	0.16	1.8	0.10
Colon & Rectum	2,732	25.2	0.49	13.6	0.27	2,385	17.2	0.36	9.1	0.21
Liver	651	5.6	0.22	3.6	0.15	230	1.7	0.11	1.0	0.08
Pancreas	1,237	11.0	0.32	6.5	0.19	1,241	9.1	0.26	5.2	0.16
Respiratory System	6,172	55.5	0.72	31.5	0.42	5,253	39.4	0.55	24.0	0.36
Larynx	195	1.7	0.12	1.1	0.08	41	0.3	0.05	0.2	0.03
Lung & bronchus	5,921	53.3	0.70	30.1	0.41	5,175	38.9	0.54	23.7	0.36
Skin	505	4.6	0.21	2.7	0.13	279	2.0	0.12	1.2	0.08
Melanomas of the skin	376	3.3	0.17	2.1	0.11	226	1.7	0.11	1.0	0.08
Breast	28	0.2	0.05	0.2	0.03	2,949	21.9	0.41	14.0	0.28
Female Genital System	-	-	-	-	-	1,845	13.8	0.32	8.6	0.22
Cervix uteri	-	-	-	-	-	222	1.7	0.12	1.2	0.09
Corpus & uterus, NOS	-	-	-	-	-	430	3.1	0.15	1.9	0.10
Ovary	-	-	-	-	-	1,083	8.1	0.25	5.1	0.17
Male Genital System	2,583	25.9	0.52	11.0	0.23	-	-	-	-	-
Prostate	2,537	25.5	0.51	10.7	0.22	-	-	-	-	-
Testis	25	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,537	14.5	0.38	7.4	0.20	641	4.7	0.19	2.4	0.11
Bladder	917	8.9	0.30	4.2	0.15	339	2.4	0.13	1.1	0.07
Kidney & renal pelvis	580	5.2	0.22	3.0	0.13	285	2.1	0.13	1.2	0.08
Brain & Other Nervous System	649	5.6	0.22	4.0	0.17	469	3.7	0.18	2.8	0.15
Endocrine System	66	0.6	0.07	0.4	0.06	103	0.8	0.08	0.5	0.06
Thyroid gland	36	0.3	0.05	0.2	0.03	59	0.4	0.06	0.2	0.04
Lymphomas	978	8.9	0.29	5.0	0.17	725	5.4	0.20	2.9	0.12
Hodgkin Lymphoma	37	0.3	0.06	0.2	0.04	25	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	941	8.6	0.28	4.8	0.17	700	5.2	0.20	2.8	0.12
Multiple Myeloma	398	3.7	0.19	1.9	0.10	342	2.5	0.14	1.3	0.08
Leukemias	855	8.0	0.28	4.5	0.17	618	4.6	0.19	2.6	0.13
Other, Ill-defined & Unknown	1,923	17.8	0.41	9.7	0.24	1,606	11.9	0.30	6.6	0.19

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Manitoba, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.
		2000 U.S.					2000 U.S.			
All Sites	6,882	243.2	2.95	133.4	1.72	6,401	169.8	2.17	102.2	1.48
Oral Cavity & Pharynx	135	4.5	0.39	2.9	0.26	57	1.5	0.20	0.9	0.13
Digestive System	1,961	68.5	1.56	39.1	0.94	1,564	40.2	1.04	22.5	0.67
Esophagus	250	8.5	0.54	5.5	0.36	75	1.8	0.22	0.9	0.12
Stomach	229	8.0	0.53	4.4	0.31	144	3.8	0.33	2.2	0.21
Colon & Rectum	865	30.5	1.05	16.5	0.60	770	19.5	0.72	10.6	0.45
Liver	141	4.8	0.41	2.9	0.26	66	1.8	0.22	1.1	0.16
Pancreas	329	11.4	0.63	6.8	0.40	340	8.9	0.49	5.2	0.33
Respiratory System	1,798	62.9	1.49	36.1	0.91	1,505	41.1	1.08	25.7	0.75
Larynx	54	1.9	0.26	1.2	0.17	11	0.3	0.09	0.2	0.06
Lung & bronchus	1,729	60.5	1.47	34.7	0.89	1,484	40.6	1.07	25.4	0.74
Skin	106	3.7	0.36	2.2	0.22	71	1.9	0.23	1.2	0.16
Melanomas of the skin	78	2.6	0.30	1.7	0.20	55	1.5	0.21	1.0	0.15
Breast	11	0.4	0.11	0.2	0.08	1,021	27.1	0.87	17.2	0.62
Female Genital System	-	-	-	-	-	597	16.4	0.68	10.7	0.49
Cervix uteri	-	-	-	-	-	80	2.4	0.27	1.6	0.20
Corpus & uterus, NOS	-	-	-	-	-	125	3.3	0.30	2.0	0.20
Ovary	-	-	-	-	-	357	9.8	0.53	6.4	0.38
Male Genital System	891	33.4	1.12	14.0	0.50	-	-	-	-	-
Prostate	875	32.8	1.11	13.6	0.49	-	-	-	-	-
Testis	7	0.2	0.09	0.2	0.07	-	-	-	-	-
Urinary System	461	16.4	0.77	8.6	0.43	210	5.3	0.38	2.9	0.24
Bladder	242	8.9	0.57	4.1	0.29	85	2.1	0.23	1.1	0.14
Kidney & renal pelvis	208	7.2	0.50	4.2	0.31	119	3.1	0.29	1.8	0.19
Brain & Other Nervous System	147	4.9	0.41	3.6	0.31	119	3.4	0.32	2.5	0.25
Endocrine System	18	0.6	0.14	0.5	0.12	29	0.8	0.15	0.5	0.12
Thyroid gland	11	0.4	0.11	0.2	0.08	19	0.5	0.11	0.2	0.06
Lymphomas	300	10.5	0.61	5.9	0.37	296	7.6	0.45	4.2	0.29
Hodgkin Lymphoma	13	0.5	0.13	0.3	0.09	10	0.3	0.09	0.2	0.08
Non-Hodgkin Lymphoma	287	10.1	0.60	5.6	0.36	286	7.4	0.44	4.0	0.28
Multiple Myeloma	118	4.1	0.38	2.2	0.22	119	3.1	0.29	1.6	0.18
Leukemias	256	9.1	0.57	5.0	0.34	203	5.2	0.38	3.1	0.27
Other, Ill-defined & Unknown	680	24.3	0.94	13.1	0.54	610	16.1	0.67	9.2	0.44

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**New Brunswick, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	4,844	258.8	3.80	141.4	2.13	4,102	162.8	2.57	95.3	1.69
Oral Cavity & Pharynx	83	4.0	0.45	2.7	0.31	29	1.1	0.21	0.6	0.13
Digestive System	1,269	66.4	1.91	37.5	1.10	984	38.0	1.23	20.4	0.74
Esophagus	174	8.4	0.65	5.4	0.42	55	2.1	0.29	1.1	0.16
Stomach	151	8.0	0.67	4.5	0.38	99	3.9	0.40	2.1	0.24
Colon & Rectum	524	28.0	1.25	15.1	0.69	463	17.6	0.83	9.3	0.50
Liver	81	4.2	0.47	2.4	0.27	25	0.9	0.19	0.5	0.12
Pancreas	266	13.7	0.86	8.1	0.51	261	10.2	0.64	5.5	0.38
Respiratory System	1,691	87.8	2.18	50.0	1.27	1,147	46.5	1.38	28.5	0.92
Larynx	60	3.1	0.40	1.8	0.24	10	0.4	0.14	0.2	0.07
Lung & bronchus	1,624	84.3	2.14	47.9	1.23	1,132	45.8	1.37	28.2	0.92
Skin	83	4.5	0.50	2.3	0.27	47	1.8	0.27	1.2	0.19
Melanomas of the skin	60	3.1	0.41	1.8	0.24	31	1.3	0.23	0.9	0.18
Breast	9	0.6	0.19	0.2	0.08	574	22.7	0.96	13.8	0.64
Female Genital System	-	-	-	-	-	372	15.0	0.79	9.0	0.52
Cervix uteri	-	-	-	-	-	39	1.6	0.27	1.1	0.19
Corpus & uterus, NOS	-	-	-	-	-	101	3.9	0.40	2.2	0.25
Ovary	-	-	-	-	-	201	8.2	0.59	5.1	0.40
Male Genital System	502	30.4	1.38	12.3	0.57	-	-	-	-	-
Prostate	491	29.9	1.37	11.9	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	298	16.3	0.96	8.2	0.50	151	5.9	0.48	3.1	0.29
Bladder	137	8.0	0.69	3.5	0.31	46	1.8	0.26	0.8	0.14
Kidney & renal pelvis	149	7.6	0.64	4.4	0.37	97	3.8	0.40	2.1	0.25
Brain & Other Nervous System	130	6.2	0.56	4.5	0.42	90	3.7	0.40	2.6	0.31
Endocrine System	18	0.9	0.22	0.6	0.14	16	0.7	0.18	0.5	0.15
Thyroid gland	13	0.7	0.19	0.4	0.11	9	0.3	0.11	0.2	0.06
Lymphomas	184	9.7	0.73	5.8	0.45	152	6.0	0.49	3.3	0.32
Hodgkin Lymphoma	8	0.4	0.15	0.2	0.09	7	0.3	0.13	0.2	0.11
Non-Hodgkin Lymphoma	176	9.2	0.71	5.5	0.44	145	5.6	0.47	3.1	0.30
Multiple Myeloma	67	3.7	0.46	2.0	0.25	76	3.0	0.35	1.6	0.21
Leukemias	139	7.7	0.67	4.1	0.37	118	4.8	0.46	2.9	0.35
Other, Ill-defined & Unknown	371	20.6	1.09	11.1	0.62	346	13.6	0.74	7.8	0.48

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Newfoundland and Labrador, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	3,520	281.5	4.98	154.6	2.70	2,747	173.2	3.33	104.2	2.15
Oral Cavity & Pharynx	59	4.5	0.61	2.8	0.38	16	1.1	0.27	0.7	0.18
Digestive System	1,143	89.8	2.79	50.2	1.52	819	51.5	1.81	28.7	1.10
Esophagus	102	7.5	0.78	4.7	0.47	23	1.5	0.31	0.7	0.16
Stomach	178	14.7	1.16	7.5	0.58	119	7.6	0.70	4.0	0.40
Colon & Rectum	588	46.8	2.02	25.6	1.08	465	29.1	1.36	16.2	0.81
Liver	59	4.2	0.57	2.7	0.36	20	1.3	0.30	0.7	0.25
Pancreas	148	11.3	0.97	6.6	0.55	112	6.9	0.66	4.0	0.41
Respiratory System	1,032	77.7	2.51	45.6	1.45	597	37.7	1.55	24.1	1.04
Larynx	37	2.7	0.47	1.7	0.28	-	-	-	-	-
Lung & bronchus	991	74.6	2.46	43.7	1.42	590	37.2	1.54	23.8	1.03
Skin	56	4.5	0.63	2.5	0.36	23	1.4	0.30	0.9	0.21
Melanomas of the skin	49	3.8	0.57	2.3	0.34	19	1.2	0.28	0.8	0.19
Breast	8	0.6	0.24	0.3	0.13	430	26.8	1.30	17.4	0.89
Female Genital System	-	-	-	-	-	227	14.5	0.97	9.0	0.64
Cervix uteri	-	-	-	-	-	42	2.7	0.42	1.9	0.31
Corpus & uterus, NOS	-	-	-	-	-	51	3.2	0.45	2.0	0.29
Ovary	-	-	-	-	-	114	7.3	0.69	4.6	0.46
Male Genital System	351	34.0	1.88	14.0	0.77	-	-	-	-	-
Prostate	342	33.3	1.87	13.5	0.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	209	17.8	1.30	9.3	0.69	100	6.3	0.63	3.8	0.44
Bladder	102	9.5	0.99	4.3	0.43	34	2.2	0.37	1.1	0.20
Kidney & renal pelvis	101	7.8	0.81	4.8	0.53	64	4.0	0.51	2.7	0.39
Brain & Other Nervous System	76	5.0	0.60	3.7	0.43	67	4.2	0.51	3.0	0.39
Endocrine System	10	0.8	0.25	0.5	0.20	13	0.8	0.24	0.6	0.19
Thyroid gland	7	0.5	0.20	0.3	0.12	10	0.6	0.20	0.5	0.15
Lymphomas	91	7.2	0.79	4.2	0.48	82	5.2	0.58	3.0	0.36
Hodgkin Lymphoma	8	0.6	0.23	0.4	0.14	-	-	-	-	-
Non-Hodgkin Lymphoma	83	6.6	0.76	3.9	0.46	78	5.0	0.57	2.9	0.35
Multiple Myeloma	40	2.9	0.47	1.7	0.28	39	2.5	0.41	1.3	0.22
Leukemias	90	7.0	0.77	4.3	0.48	56	3.7	0.50	2.1	0.32
Other, Ill-defined & Unknown	355	29.7	1.66	15.4	0.84	278	17.4	1.05	9.7	0.64

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Northwest Territories, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	118	252.6	26.89	133.5	12.80	95	192.0	21.48	118.0	12.61
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	40	82.4	15.21	44.1	7.27	28	61.1	12.48	33.2	6.58
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	23	52.4	12.41	26.6	5.76	16	37.0	9.90	17.6	4.64
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	8	13.9	5.68	8.7	3.20	-	-	-	-	-
Respiratory System	32	67.2	13.34	37.1	6.82	27	58.2	12.05	35.3	6.99
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	30	61.3	12.67	34.9	6.64	26	55.7	11.77	33.7	6.80
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	15	24.8	7.35	15.9	4.32
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	32.7	10.84	12.2	3.92	-	-	-	-	-
Prostate	10	32.7	10.84	12.2	3.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	28.0	9.58	13.1	4.08	-	-	-	-	-
Bladder	6	18.3	8.21	7.3	3.06	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	8	16.4	6.58	10.5	3.80	10	21.4	7.22	13.8	4.48

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nova Scotia, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.	Deaths	Adj. Rate	Adj. Rate World	S.E.	S.E.
		2000 U.S.					2000 U.S.			
All Sites	6,583	275.5	3.46	153.8	1.99	5,650	176.9	2.39	105.5	1.58
Oral Cavity & Pharynx	114	4.4	0.42	3.0	0.29	53	1.7	0.23	1.0	0.16
Digestive System	1,856	76.8	1.82	43.8	1.06	1,460	44.8	1.19	24.3	0.73
Esophagus	231	8.9	0.60	5.8	0.39	69	2.1	0.26	1.3	0.17
Stomach	204	8.5	0.61	4.9	0.36	129	4.0	0.35	2.1	0.21
Colon & Rectum	872	36.9	1.27	20.1	0.71	762	23.2	0.85	12.2	0.51
Liver	114	4.6	0.44	2.7	0.26	49	1.5	0.22	0.9	0.15
Pancreas	339	13.9	0.77	8.1	0.46	332	10.3	0.57	5.7	0.35
Respiratory System	2,045	83.4	1.88	48.0	1.10	1,450	46.7	1.24	29.5	0.84
Larynx	69	2.7	0.33	1.7	0.21	9	0.3	0.10	0.2	0.07
Lung & bronchus	1,960	80.0	1.84	45.9	1.07	1,436	46.2	1.23	29.2	0.84
Skin	123	5.0	0.46	3.1	0.30	70	2.2	0.27	1.5	0.20
Melanomas of the skin	99	3.9	0.40	2.7	0.28	60	2.0	0.26	1.4	0.20
Breast	13	0.5	0.15	0.3	0.08	776	24.1	0.88	14.8	0.60
Female Genital System	-	-	-	-	-	528	16.7	0.74	10.6	0.51
Cervix uteri	-	-	-	-	-	95	3.2	0.34	2.3	0.26
Corpus & uterus, NOS	-	-	-	-	-	115	3.5	0.33	2.3	0.23
Ovary	-	-	-	-	-	275	8.6	0.53	5.3	0.36
Male Genital System	652	30.4	1.21	13.1	0.54	-	-	-	-	-
Prostate	635	29.7	1.20	12.5	0.52	-	-	-	-	-
Testis	10	0.4	0.14	0.4	0.13	-	-	-	-	-
Urinary System	454	19.4	0.93	10.1	0.50	188	5.6	0.41	3.1	0.28
Bladder	227	10.1	0.68	4.9	0.33	78	2.2	0.25	1.0	0.13
Kidney & renal pelvis	216	8.7	0.61	5.1	0.36	105	3.2	0.32	2.1	0.24
Brain & Other Nervous System	161	6.1	0.49	4.5	0.37	120	4.0	0.37	2.9	0.30
Endocrine System	16	0.6	0.16	0.5	0.16	25	0.8	0.17	0.4	0.10
Thyroid gland	12	0.5	0.14	0.3	0.09	16	0.5	0.13	0.2	0.07
Lymphomas	252	10.4	0.67	6.2	0.41	234	7.3	0.48	4.2	0.32
Hodgkin Lymphoma	13	0.5	0.14	0.3	0.10	7	0.2	0.09	0.2	0.10
Non-Hodgkin Lymphoma	239	9.9	0.65	5.8	0.40	227	7.0	0.47	4.0	0.31
Multiple Myeloma	110	4.6	0.45	2.5	0.25	91	2.8	0.30	1.6	0.19
Leukemias	239	10.3	0.68	6.1	0.45	179	5.5	0.42	3.0	0.27
Other, Ill-defined & Unknown	548	23.6	1.03	12.6	0.57	476	14.7	0.68	8.5	0.44

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Nunavut, 2004-2008, All Races**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Adj. Rate World	S.E.
		S.E.	S.E.				S.E.	S.E.				
All Sites	98	451.3	57.37	246.0	26.33	78	352.2	50.90	216.9	26.87		
Oral Cavity & Pharynx	-	-	-	-	-	6	18.0	8.81	14.1	6.40		
Digestive System	31	147.5	33.20	75.4	14.44	16	63.8	22.09	38.0	10.53		
Esophagus	-	-	-	-	-	-	-	-	-	-		
Stomach	-	-	-	-	-	-	-	-	-	-		
Colon & Rectum	18	88.6	27.13	45.0	11.44	9	40.7	18.88	22.4	8.35		
Liver	-	-	-	-	-	-	-	-	-	-		
Pancreas	-	-	-	-	-	-	-	-	-	-		
Respiratory System	45	205.4	37.19	119.0	18.43	34	203.9	40.49	119.7	21.30		
Larynx	-	-	-	-	-	-	-	-	-	-		
Lung & bronchus	45	205.4	37.19	119.0	18.43	34	203.9	40.49	119.7	21.30		
Skin	-	-	-	-	-	-	-	-	-	-		
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-		
Breast	-	-	-	-	-	7	17.6	8.25	13.4	5.73		
Female Genital System	-	-	-	-	-	-	-	-	-	-		
Cervix uteri	-	-	-	-	-	-	-	-	-	-		
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-		
Ovary	-	-	-	-	-	-	-	-	-	-		
Male Genital System	-	-	-	-	-	-	-	-	-	-		
Prostate	-	-	-	-	-	-	-	-	-	-		
Testis	-	-	-	-	-	-	-	-	-	-		
Urinary System	-	-	-	-	-	-	-	-	-	-		
Bladder	-	-	-	-	-	-	-	-	-	-		
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-		
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-		
Endocrine System	-	-	-	-	-	-	-	-	-	-		
Thyroid gland	-	-	-	-	-	-	-	-	-	-		
Lymphomas	-	-	-	-	-	-	-	-	-	-		
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-		
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-		
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-		
Leukemias	-	-	-	-	-	-	-	-	-	-		
Other, Ill-defined & Unknown	14	67.3	22.00	33.3	9.36	-	-	-	-	-		

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Ontario, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.
		S.E.	S.E.				S.E.	S.E.		
All Sites	65,545	227.5	0.91	125.4	0.52	60,529	159.7	0.65	94.4	0.43
Oral Cavity & Pharynx	1,407	4.6	0.12	2.9	0.08	712	1.9	0.07	1.1	0.05
Digestive System	18,994	64.9	0.48	36.8	0.28	14,746	38.3	0.32	20.7	0.19
Esophagus	2,382	7.9	0.16	4.8	0.10	757	2.0	0.07	1.1	0.04
Stomach	2,156	7.4	0.16	4.2	0.09	1,345	3.5	0.10	2.0	0.06
Colon & Rectum	8,302	29.0	0.33	15.7	0.18	7,228	18.7	0.22	9.9	0.13
Liver	1,631	5.3	0.13	3.3	0.09	647	1.7	0.07	1.0	0.04
Pancreas	3,243	10.8	0.19	6.4	0.12	3,292	8.6	0.15	4.7	0.09
Respiratory System	17,976	60.7	0.46	35.0	0.27	14,081	37.5	0.32	23.1	0.21
Larynx	603	2.0	0.08	1.2	0.05	140	0.4	0.03	0.2	0.02
Lung & bronchus	17,231	58.2	0.45	33.5	0.27	13,877	36.9	0.31	22.8	0.21
Skin	1,488	5.1	0.14	2.9	0.08	896	2.4	0.08	1.5	0.05
Melanomas of the skin	1,156	3.9	0.12	2.3	0.07	719	1.9	0.07	1.3	0.05
Breast	72	0.2	0.03	0.1	0.02	9,615	25.5	0.26	16.2	0.18
Female Genital System	-	-	-	-	-	5,822	15.5	0.20	9.8	0.14
Cervix uteri	-	-	-	-	-	796	2.2	0.08	1.6	0.06
Corpus & uterus, NOS	-	-	-	-	-	1,551	4.1	0.10	2.5	0.07
Ovary	-	-	-	-	-	3,069	8.2	0.15	5.1	0.10
Male Genital System	6,949	27.2	0.33	11.3	0.14	-	-	-	-	-
Prostate	6,825	26.8	0.33	11.0	0.14	-	-	-	-	-
Testis	68	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,009	14.4	0.23	7.4	0.12	2,140	5.5	0.12	2.8	0.07
Bladder	2,235	8.3	0.18	3.9	0.09	1,072	2.7	0.08	1.3	0.04
Kidney & renal pelvis	1,684	5.7	0.14	3.3	0.08	1,006	2.6	0.08	1.5	0.05
Brain & Other Nervous System	1,736	5.5	0.13	4.0	0.10	1,278	3.5	0.10	2.6	0.08
Endocrine System	230	0.8	0.05	0.5	0.04	272	0.7	0.05	0.5	0.04
Thyroid gland	138	0.5	0.04	0.3	0.02	185	0.5	0.04	0.3	0.02
Lymphomas	2,823	9.6	0.18	5.6	0.11	2,382	6.3	0.13	3.6	0.08
Hodgkin Lymphoma	139	0.5	0.04	0.3	0.03	97	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,684	9.1	0.18	5.2	0.11	2,285	6.0	0.13	3.4	0.08
Multiple Myeloma	1,210	4.1	0.12	2.3	0.07	1,069	2.8	0.09	1.5	0.05
Leukemias	2,634	9.3	0.18	5.2	0.11	1,963	5.2	0.12	3.0	0.08
Other, Ill-defined & Unknown	6,017	21.1	0.28	11.5	0.16	5,553	14.5	0.20	8.1	0.12

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Prince Edward Island, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	820	234.4	8.37	131.1	4.79	775	169.3	6.18	101.4	4.11
Oral Cavity & Pharynx	17	4.4	1.08	2.9	0.73	10	2.1	0.67	1.2	0.42
Digestive System	211	58.1	4.09	34.8	2.49	197	41.3	3.00	21.7	1.82
Esophagus	30	7.7	1.43	5.5	1.03	8	1.7	0.60	0.9	0.37
Stomach	17	4.7	1.15	2.8	0.71	19	4.2	0.99	2.6	0.69
Colon & Rectum	95	27.1	2.84	15.2	1.62	106	22.2	2.20	11.1	1.29
Liver	12	3.3	1.00	1.8	0.55	-	-	-	-	-
Pancreas	39	10.3	1.68	6.6	1.09	40	8.2	1.31	4.3	0.78
Respiratory System	261	73.0	4.61	41.4	2.66	190	42.2	3.09	26.7	2.11
Larynx	6	1.5	0.61	1.1	0.47	-	-	-	-	-
Lung & bronchus	251	70.5	4.54	39.5	2.59	188	41.8	3.08	26.3	2.09
Skin	18	5.4	1.30	3.0	0.77	8	1.8	0.64	1.2	0.45
Melanomas of the skin	14	4.1	1.11	2.6	0.74	6	1.4	0.57	1.0	0.42
Breast	-	-	-	-	-	122	27.0	2.47	17.3	1.71
Female Genital System	-	-	-	-	-	50	11.3	1.62	7.1	1.09
Cervix uteri	-	-	-	-	-	9	2.1	0.71	1.6	0.55
Corpus & uterus, NOS	-	-	-	-	-	12	2.7	0.79	1.4	0.43
Ovary	-	-	-	-	-	26	5.9	1.16	3.6	0.77
Male Genital System	102	32.7	3.30	14.0	1.44	-	-	-	-	-
Prostate	100	32.2	3.28	13.6	1.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	55	16.7	2.31	8.6	1.21	35	7.9	1.36	4.7	0.88
Bladder	28	8.9	1.73	4.1	0.80	16	3.4	0.87	1.8	0.51
Kidney & renal pelvis	27	7.8	1.53	4.5	0.90	19	4.5	1.05	2.9	0.72
Brain & Other Nervous System	19	4.9	1.13	3.7	0.90	20	5.0	1.13	3.9	0.91
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	27	7.1	1.39	4.9	0.96	35	7.8	1.33	4.2	0.80
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	27	7.1	1.39	4.9	0.96	35	7.8	1.33	4.2	0.80
Multiple Myeloma	17	4.9	1.21	2.6	0.67	-	-	-	-	-
Leukemias	39	11.1	1.80	6.4	1.09	26	5.9	1.19	3.6	0.87
Other, Ill-defined & Unknown	52	15.5	2.19	8.6	1.28	74	15.2	1.81	8.6	1.21

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Saskatchewan, 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
		Adj. Rate 2000 U.S.		S.E.			Adj. Rate 2000 U.S.		S.E.	
All Sites	6,030	230.2	2.97	126.9	1.80	5,212	156.6	2.23	95.4	1.56
Oral Cavity & Pharynx	94	3.6	0.37	2.3	0.26	37	1.1	0.19	0.7	0.13
Digestive System	1,537	58.4	1.49	33.9	0.94	1,282	36.8	1.06	20.6	0.69
Esophagus	183	6.9	0.51	4.2	0.34	67	2.0	0.25	1.2	0.17
Stomach	154	5.9	0.48	3.3	0.29	94	2.6	0.28	1.4	0.17
Colon & Rectum	725	27.6	1.03	15.3	0.62	639	18.0	0.74	9.9	0.47
Liver	108	4.1	0.39	2.8	0.30	63	1.8	0.23	1.0	0.15
Pancreas	286	10.9	0.65	6.4	0.41	316	9.2	0.53	5.2	0.35
Respiratory System	1,527	57.8	1.48	33.7	0.93	1,202	37.5	1.10	24.2	0.79
Larynx	52	2.0	0.27	1.3	0.19	11	0.4	0.11	0.3	0.09
Lung & bronchus	1,466	55.5	1.45	32.1	0.91	1,183	36.9	1.09	23.7	0.78
Skin	96	3.7	0.38	2.2	0.24	62	1.8	0.24	1.1	0.17
Melanomas of the skin	76	2.9	0.33	1.8	0.22	46	1.4	0.22	1.0	0.17
Breast	-	-	-	-	-	809	24.6	0.89	15.5	0.63
Female Genital System	-	-	-	-	-	484	15.1	0.70	9.8	0.51
Cervix uteri	-	-	-	-	-	60	2.1	0.28	1.6	0.22
Corpus & uterus, NOS	-	-	-	-	-	105	3.1	0.31	1.9	0.22
Ovary	-	-	-	-	-	283	8.8	0.54	5.6	0.38
Male Genital System	1,016	39.4	1.24	16.8	0.58	-	-	-	-	-
Prostate	1,000	38.8	1.23	16.3	0.57	-	-	-	-	-
Testis	8	0.3	0.11	0.3	0.10	-	-	-	-	-
Urinary System	386	14.8	0.75	7.7	0.43	190	5.5	0.41	3.1	0.27
Bladder	215	8.3	0.56	3.9	0.29	73	2.0	0.24	1.0	0.15
Kidney & renal pelvis	167	6.4	0.49	3.8	0.32	110	3.3	0.32	1.9	0.23
Brain & Other Nervous System	127	4.9	0.44	3.5	0.34	107	3.6	0.35	2.6	0.28
Endocrine System	18	0.7	0.17	0.5	0.12	20	0.6	0.13	0.4	0.12
Thyroid gland	10	0.4	0.12	0.3	0.08	11	0.3	0.09	0.1	0.05
Lymphomas	258	9.8	0.61	5.6	0.38	212	6.3	0.45	3.6	0.29
Hodgkin Lymphoma	12	0.5	0.14	0.3	0.09	8	0.2	0.08	0.1	0.03
Non-Hodgkin Lymphoma	246	9.4	0.60	5.3	0.37	204	6.1	0.44	3.6	0.29
Multiple Myeloma	103	3.9	0.38	2.3	0.25	93	2.8	0.30	1.6	0.19
Leukemias	262	10.1	0.62	5.7	0.40	198	5.8	0.42	3.4	0.30
Other, Ill-defined & Unknown	601	23.0	0.94	12.6	0.57	516	15.1	0.69	8.9	0.48

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Yukon, 2004-2008, All Races**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.		Adj. Rate World	S.E.	Adj. Rate World	S.E.
		S.E.	S.E.				S.E.	S.E.				
All Sites	159	300.7	27.56	166.4	13.55	131	245.4	23.61	135.5	12.43		
Oral Cavity & Pharynx	-	-	-	-	-	6	6.4	2.71	5.3	2.28		
Digestive System	46	81.6	14.42	47.1	7.19	39	70.2	12.39	42.4	7.31		
Esophagus	-	-	-	-	-	-	-	-	-	-		
Stomach	-	-	-	-	-	-	-	-	-	-		
Colon & Rectum	23	44.4	10.97	24.5	5.27	19	32.5	8.37	18.8	4.50		
Liver	-	-	-	-	-	-	-	-	-	-		
Pancreas	6	6.3	2.78	5.0	2.10	-	-	-	-	-		
Respiratory System	38	73.5	13.31	41.0	6.75	30	56.5	11.23	32.0	6.05		
Larynx	-	-	-	-	-	-	-	-	-	-		
Lung & bronchus	38	73.5	13.31	41.0	6.75	30	56.5	11.23	32.0	6.05		
Skin	-	-	-	-	-	-	-	-	-	-		
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-		
Breast	-	-	-	-	-	10	17.1	6.06	9.9	3.26		
Female Genital System	-	-	-	-	-	7	7.7	3.02	6.6	2.60		
Cervix uteri	-	-	-	-	-	-	-	-	-	-		
Corpus & uterus, NOS	-	-	-	-	-	-	-	-	-	-		
Ovary	-	-	-	-	-	-	-	-	-	-		
Male Genital System	14	38.2	11.22	15.8	4.35	-	-	-	-	-		
Prostate	14	38.2	11.22	15.8	4.35	-	-	-	-	-		
Testis	-	-	-	-	-	-	-	-	-	-		
Urinary System	15	28.2	8.50	15.2	4.06	-	-	-	-	-		
Bladder	8	20.5	7.90	8.7	3.19	-	-	-	-	-		
Kidney & renal pelvis	7	7.7	3.13	6.4	2.51	-	-	-	-	-		
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-		
Endocrine System	-	-	-	-	-	-	-	-	-	-		
Thyroid gland	-	-	-	-	-	-	-	-	-	-		
Lymphomas	6	7.8	3.55	5.4	2.28	7	17.1	6.72	8.1	3.15		
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-		
Non-Hodgkin Lymphoma	6	7.8	3.55	5.4	2.28	6	15.9	6.61	6.5	2.75		
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-		
Leukemias	-	-	-	-	-	-	-	-	-	-		
Other, Ill-defined & Unknown	22	41.0	10.14	22.8	4.98	21	49.3	11.39	20.1	4.45		

\* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

