



Section IV

Cancer Mortality for the United States and Canada



**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2004-2008, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,455,411	223.0	0.19	128.0	0.11	1,345,979	153.2	0.13	93.2	0.09
Oral Cavity & Pharynx	26,849	3.9	0.02	2.6	0.02	12,556	1.4	0.01	0.9	0.01
Digestive System	373,105	56.1	0.09	33.4	0.06	303,171	33.8	0.06	19.2	0.04
Esophagus	53,011	7.8	0.03	4.9	0.02	14,502	1.6	0.01	1.0	0.01
Stomach	33,855	5.2	0.03	3.0	0.02	23,603	2.7	0.02	1.5	0.01
Colon & Rectum	134,400	20.7	0.06	11.7	0.03	131,457	14.5	0.04	8.0	0.03
Liver	45,509	6.5	0.03	4.3	0.02	19,165	2.2	0.02	1.3	0.01
Pancreas	83,129	12.5	0.04	7.5	0.03	84,206	9.4	0.03	5.4	0.02
Respiratory System	463,416	70.0	0.10	41.7	0.06	352,909	40.8	0.07	25.2	0.05
Larynx	14,747	2.2	0.02	1.4	0.01	3,932	0.5	0.01	0.3	0.01
Lung & bronchus	445,827	67.4	0.10	40.0	0.06	347,270	40.1	0.07	24.8	0.05
Skin	36,337	5.5	0.03	3.3	0.02	18,630	2.1	0.02	1.3	0.01
Melanomas of the skin	27,063	4.0	0.02	2.5	0.02	14,759	1.7	0.01	1.1	0.01
Breast	1,934	0.3	0.01	0.2	0.00	204,077	23.5	0.05	15.3	0.04
Female Genital System	-	-	-	-	-	137,708	15.9	0.04	10.2	0.03
Cervix uteri	-	-	-	-	-	19,779	2.4	0.02	1.8	0.01
Corpus & uterus, NOS	-	-	-	-	-	36,601	4.2	0.02	2.6	0.02
Ovary	-	-	-	-	-	73,343	8.4	0.03	5.3	0.02
Male Genital System	146,986	24.8	0.07	10.9	0.03	-	-	-	-	-
Prostate	143,843	24.4	0.06	10.6	0.03	-	-	-	-	-
Testis	1,758	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	88,315	13.9	0.05	7.4	0.03	45,667	5.0	0.02	2.8	0.01
Bladder	47,032	7.7	0.04	3.7	0.02	20,604	2.2	0.02	1.1	0.01
Kidney & renal pelvis	39,292	5.9	0.03	3.6	0.02	23,515	2.7	0.02	1.6	0.01
Brain & Other Nervous System	36,590	5.2	0.03	3.7	0.02	29,235	3.5	0.02	2.5	0.02
Endocrine System	5,442	0.8	0.01	0.6	0.01	6,631	0.8	0.01	0.5	0.01
Thyroid gland	3,200	0.5	0.01	0.3	0.01	4,400	0.5	0.01	0.3	0.00
Lymphomas	58,655	9.1	0.04	5.1	0.02	50,962	5.7	0.03	3.1	0.02
Hodgkin Lymphoma	3,529	0.5	0.01	0.4	0.01	2,788	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	55,126	8.6	0.04	4.8	0.02	48,174	5.4	0.02	2.9	0.02
Multiple Myeloma	28,453	4.4	0.03	2.4	0.02	25,073	2.8	0.02	1.6	0.01
Leukemias	61,942	9.7	0.04	5.5	0.02	47,621	5.4	0.02	3.2	0.02
Other, Ill-defined & Unknown	127,387	19.4	0.06	11.3	0.03	111,739	12.6	0.04	7.4	0.03

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2004-2008, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,455,411	206.1	0.17	128.0	0.11	1,345,979	143.5	0.13	93.2	0.09
Oral Cavity & Pharynx	26,849	3.7	0.02	2.6	0.02	12,556	1.3	0.01	0.9	0.01
Digestive System	373,105	52.2	0.09	33.4	0.06	303,171	31.1	0.06	19.2	0.04
Esophagus	53,011	7.4	0.03	4.9	0.02	14,502	1.5	0.01	1.0	0.01
Stomach	33,855	4.8	0.03	3.0	0.02	23,603	2.5	0.02	1.5	0.01
Colon & Rectum	134,400	19.0	0.05	11.7	0.03	131,457	13.2	0.04	8.0	0.03
Liver	45,509	6.1	0.03	4.3	0.02	19,165	2.0	0.01	1.3	0.01
Pancreas	83,129	11.7	0.04	7.5	0.03	84,206	8.7	0.03	5.4	0.02
Respiratory System	463,416	65.8	0.10	41.7	0.06	352,909	38.7	0.07	25.2	0.05
Larynx	14,747	2.0	0.02	1.4	0.01	3,932	0.4	0.01	0.3	0.01
Lung & bronchus	445,827	63.3	0.10	40.0	0.06	347,270	38.1	0.07	24.8	0.05
Skin	36,337	5.1	0.03	3.3	0.02	18,630	2.0	0.02	1.3	0.01
Melanomas of the skin	27,063	3.8	0.02	2.5	0.02	14,759	1.6	0.01	1.1	0.01
Breast	1,934	0.3	0.01	0.2	0.00	204,077	22.2	0.05	15.3	0.04
Female Genital System	-	-	-	-	-	137,708	15.1	0.04	10.2	0.03
Cervix uteri	-	-	-	-	-	19,779	2.4	0.02	1.8	0.01
Corpus & uterus, NOS	-	-	-	-	-	36,601	3.9	0.02	2.6	0.02
Ovary	-	-	-	-	-	73,343	8.0	0.03	5.3	0.02
Male Genital System	146,986	21.5	0.06	10.9	0.03	-	-	-	-	-
Prostate	143,843	21.1	0.06	10.6	0.03	-	-	-	-	-
Testis	1,758	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	88,315	12.6	0.04	7.4	0.03	45,667	4.6	0.02	2.8	0.01
Bladder	47,032	6.8	0.03	3.7	0.02	20,604	2.0	0.01	1.1	0.01
Kidney & renal pelvis	39,292	5.5	0.03	3.6	0.02	23,515	2.5	0.02	1.6	0.01
Brain & Other Nervous System	36,590	5.0	0.03	3.7	0.02	29,235	3.3	0.02	2.5	0.02
Endocrine System	5,442	0.8	0.01	0.6	0.01	6,631	0.7	0.01	0.5	0.01
Thyroid gland	3,200	0.5	0.01	0.3	0.01	4,400	0.5	0.01	0.3	0.00
Lymphomas	58,655	8.3	0.03	5.1	0.02	50,962	5.2	0.02	3.1	0.02
Hodgkin Lymphoma	3,529	0.5	0.01	0.4	0.01	2,788	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	55,126	7.8	0.03	4.8	0.02	48,174	4.9	0.02	2.9	0.02
Multiple Myeloma	28,453	4.1	0.02	2.4	0.02	25,073	2.6	0.02	1.6	0.01
Leukemias	61,942	8.9	0.04	5.5	0.02	47,621	5.0	0.02	3.2	0.02
Other, Ill-defined & Unknown	127,387	18.0	0.05	11.3	0.03	111,739	11.7	0.04	7.4	0.03

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,455,411	223.0	134,400	20.7	445,827	67.4	143,843	24.4	47,032	7.7	55,126	8.6
New England	74,242	225.9	6,442	19.8	21,354	64.1	7,442	24.6	2,934	9.3	2,766	8.6
Connecticut	17,380	216.4	1,452	18.1	4,744	58.5	1,938	25.7	662	8.6	650	8.2
Maine	8,199	243.4	690	20.9	2,607	75.6	750	25.0	340	10.5	308	9.3
Massachusetts	33,106	227.3	2,905	20.1	9,411	64.0	3,232	24.1	1,296	9.3	1,237	8.7
New Hampshire	6,566	223.4	595	20.5	1,919	63.4	643	25.1	247	9.0	235	8.3
Rhode Island	5,809	234.4	506	20.6	1,718	69.0	561	23.8	242	10.1	225	9.1
Vermont	3,182	214.2	294	20.2	955	62.5	318	24.3	147	10.4	111	7.7
Middle Atlantic	203,877	217.9	19,948	21.5	58,507	61.7	20,442	23.6	7,307	8.2	7,983	8.6
New Jersey	41,760	218.5	4,284	22.6	11,554	59.7	4,093	23.4	1,610	9.0	1,617	8.5
New York	87,639	204.6	8,535	20.2	24,566	56.6	8,986	23.0	3,140	7.8	3,419	8.0
Pennsylvania	74,478	235.6	7,129	22.7	22,387	69.9	7,363	24.5	2,557	8.3	2,947	9.4
South Atlantic	298,264	225.3	26,591	20.1	96,848	72.0	29,103	24.0	9,146	7.3	10,532	8.1
Delaware	4,768	238.5	418	20.8	1,506	73.7	475	26.7	183	9.7	176	9.0
District of Columbia	2,991	260.4	267	23.0	800	68.6	418	41.7	71	6.7	105	8.8
Florida	108,990	209.4	9,714	18.7	34,001	65.1	10,767	20.3	3,919	7.4	4,149	8.0
Georgia	38,429	237.1	3,384	20.7	13,134	78.9	3,724	28.6	977	6.9	1,263	8.0
Maryland	25,977	229.7	2,554	22.6	7,793	67.4	2,699	27.5	795	7.8	913	8.1
North Carolina	45,123	241.4	3,820	20.4	15,578	81.1	4,328	27.0	1,195	7.1	1,473	8.0
South Carolina	23,813	245.7	2,038	20.9	8,171	81.7	2,356	28.5	588	6.6	736	7.8
Virginia	35,901	232.7	3,243	21.0	11,515	73.0	3,415	26.3	1,055	7.5	1,270	8.3
West Virginia	12,272	257.1	1,153	24.4	4,350	89.1	921	21.6	363	8.0	447	9.6
East North Central	239,300	236.8	22,147	22.1	75,274	73.1	23,147	25.6	8,003	8.5	9,283	9.4
Illinois	61,216	233.3	6,017	23.2	18,641	69.9	6,153	26.1	1,954	7.9	2,324	9.1
Indiana	33,472	247.3	3,106	23.1	11,413	82.8	3,021	25.2	1,007	7.9	1,317	9.9
Michigan	51,583	231.1	4,560	20.6	16,265	71.5	4,667	23.6	1,771	8.5	2,007	9.2
Ohio	64,602	246.5	6,015	23.3	21,007	78.5	6,183	26.3	2,241	9.1	2,442	9.5
Wisconsin	28,427	222.8	2,449	19.4	7,948	61.4	3,123	26.7	1,030	8.6	1,193	9.5
East South Central	104,077	266.0	9,223	23.7	38,586	95.9	9,330	27.9	2,602	7.3	3,433	9.0
Alabama	27,078	262.0	2,429	23.6	9,612	90.3	2,667	29.9	641	6.7	857	8.5
Kentucky	25,207	271.2	2,229	24.4	9,878	103.0	2,015	25.6	682	8.0	841	9.3
Mississippi	16,785	276.1	1,546	25.2	6,135	98.9	1,657	31.7	366	6.6	518	8.5
Tennessee	35,007	261.1	3,019	22.7	12,961	93.9	2,991	26.3	913	7.5	1,217	9.3

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	103,114	224.3	9,612	21.0	32,410	69.8	10,337	24.1	3,358	7.6	4,108	9.1
Iowa	16,628	224.7	1,572	21.3	5,219	70.0	1,795	25.1	606	8.4	675	9.2
Kansas	14,041	224.7	1,360	21.8	4,503	71.8	1,304	22.2	428	7.2	597	9.7
Minnesota	23,378	208.8	2,038	18.2	6,449	57.0	2,579	25.1	770	7.3	1,053	9.5
Missouri	32,550	242.0	2,939	22.1	11,368	83.1	2,809	23.1	987	7.7	1,119	8.5
Nebraska	8,804	217.1	931	22.9	2,612	64.1	956	24.9	274	7.0	361	9.0
North Dakota	3,465	212.8	364	22.2	956	59.3	420	25.9	131	8.0	130	8.0
South Dakota	4,248	214.2	408	20.5	1,303	65.4	474	24.4	162	8.3	173	8.7
West South Central	154,288	231.7	14,637	21.9	49,661	73.7	13,819	24.0	4,167	6.8	5,580	8.5
Arkansas	17,205	254.9	1,554	23.2	6,417	93.2	1,612	26.2	439	6.9	571	8.6
Louisiana	24,452	268.1	2,352	25.8	8,177	87.8	2,247	28.6	589	7.1	842	9.3
Oklahoma	20,144	245.4	1,898	23.3	7,025	84.0	1,761	23.9	573	7.3	746	9.2
Texas	92,487	217.8	8,833	20.7	28,042	65.7	8,199	22.6	2,566	6.7	3,421	8.2
Mountain	71,997	186.4	6,744	17.5	18,572	47.8	8,196	23.4	2,448	6.7	2,995	7.8
Arizona	26,632	186.7	2,479	17.5	7,495	52.1	2,784	20.6	921	6.7	1,091	7.7
Colorado	16,606	187.3	1,630	18.3	4,079	46.1	1,843	24.3	563	6.9	725	8.2
Idaho	6,237	197.9	502	15.9	1,650	52.0	779	27.3	225	7.5	258	8.2
Montana	5,005	208.1	422	17.5	1,448	59.5	623	28.0	177	7.7	202	8.5
New Mexico	8,435	193.0	855	19.6	2,008	45.5	976	24.6	233	5.5	290	6.6
Utah	6,729	158.3	626	14.6	1,267	29.5	954	25.6	246	6.2	337	7.8
Wyoming	2,353	199.4	230	19.9	625	52.5	237	22.7	83	7.4	92	8.1
Pacific	206,252	201.8	19,056	18.6	54,615	53.5	22,027	23.8	7,067	7.4	8,446	8.3
Alaska	2,150	212.4	203	21.5	645	62.3	161	22.5	61	7.4	73	7.7
California	138,815	197.4	12,968	18.4	35,185	50.3	15,040	23.6	4,725	7.2	5,793	8.2
Hawaii	6,014	186.2	610	18.8	1,663	51.8	535	16.8	139	4.4	231	7.2
Nevada	11,398	214.7	1,121	21.3	3,406	62.7	1,105	24.5	409	8.4	369	6.8
Oregon	18,975	217.7	1,663	19.0	5,528	62.9	2,104	26.0	681	8.2	780	9.1
Washington	28,900	211.9	2,491	18.2	8,188	59.7	3,082	25.2	1,052	8.2	1,200	8.9

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,455,411	128.0	134,400	11.7	445,827	40.0	143,843	10.6	47,032	3.7	55,126	4.8
New England	74,242	125.1	6,442	10.6	21,354	37.0	7,442	10.2	2,934	4.4	2,766	4.5
Connecticut	17,380	118.8	1,452	9.7	4,744	33.5	1,938	10.8	662	4.0	650	4.3
Maine	8,199	136.6	690	11.2	2,607	43.9	750	10.4	340	5.1	308	5.2
Massachusetts	33,106	125.8	2,905	10.8	9,411	36.8	3,232	9.9	1,296	4.3	1,237	4.5
New Hampshire	6,566	124.4	595	11.2	1,919	37.4	643	10.3	247	4.3	235	4.4
Rhode Island	5,809	129.6	506	11.2	1,718	39.5	561	10.0	242	4.7	225	5.0
Vermont	3,182	119.7	294	10.7	955	37.2	318	10.0	147	5.2	111	4.1
Middle Atlantic	203,877	123.7	19,948	11.8	58,507	36.3	20,442	10.3	7,307	3.9	7,983	4.8
New Jersey	41,760	121.8	4,284	12.2	11,554	34.3	4,093	10.1	1,610	4.2	1,617	4.6
New York	87,639	116.6	8,535	11.1	24,566	33.4	8,986	10.0	3,140	3.7	3,419	4.5
Pennsylvania	74,478	134.8	7,129	12.5	22,387	41.5	7,363	10.6	2,557	4.1	2,947	5.3
South Atlantic	298,264	132.3	26,591	11.8	96,848	43.8	29,103	10.7	9,146	3.6	10,532	4.6
Delaware	4,768	138.2	418	12.1	1,506	43.9	475	11.5	183	4.9	176	4.9
District of Columbia	2,991	153.4	267	13.5	800	41.7	418	18.9	71	3.4	105	5.4
Florida	108,990	125.8	9,714	11.1	34,001	40.3	10,767	9.3	3,919	3.8	4,149	4.7
Georgia	38,429	136.8	3,384	12.0	13,134	47.3	3,724	12.4	977	3.3	1,263	4.5
Maryland	25,977	129.2	2,554	12.6	7,793	39.3	2,699	11.9	795	3.6	913	4.5
North Carolina	45,123	140.1	3,820	11.9	15,578	48.9	4,328	11.8	1,195	3.4	1,473	4.6
South Carolina	23,813	145.4	2,038	12.5	8,171	50.5	2,356	12.4	588	3.3	736	4.5
Virginia	35,901	131.8	3,243	11.9	11,515	42.9	3,415	11.1	1,055	3.6	1,270	4.6
West Virginia	12,272	151.1	1,153	13.9	4,350	53.9	921	9.4	363	4.0	447	5.4
East North Central	239,300	134.7	22,147	12.2	75,274	43.3	23,147	10.9	8,003	4.0	9,283	5.1
Illinois	61,216	131.8	6,017	12.8	18,641	41.2	6,153	11.2	1,954	3.8	2,324	4.8
Indiana	33,472	141.9	3,106	13.0	11,413	49.3	3,021	10.8	1,007	3.9	1,317	5.5
Michigan	51,583	131.8	4,560	11.5	16,265	42.3	4,667	10.1	1,771	4.1	2,007	5.0
Ohio	64,602	141.2	6,015	12.9	21,007	46.9	6,183	11.4	2,241	4.3	2,442	5.2
Wisconsin	28,427	124.5	2,449	10.5	7,948	35.8	3,123	11.2	1,030	3.9	1,193	5.0
East South Central	104,077	156.9	9,223	13.8	38,586	58.9	9,330	12.1	2,602	3.6	3,433	5.1
Alabama	27,078	154.8	2,429	13.9	9,612	55.6	2,667	13.0	641	3.3	857	4.9
Kentucky	25,207	159.0	2,229	13.9	9,878	63.4	2,015	10.9	682	4.0	841	5.2
Mississippi	16,785	165.4	1,546	15.4	6,135	61.0	1,657	13.9	366	3.2	518	5.1
Tennessee	35,007	153.3	3,019	13.1	12,961	57.4	2,991	11.3	913	3.7	1,217	5.2

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	103,114	127.5	9,612	11.7	32,410	41.4	10,337	10.3	3,358	3.7	4,108	4.9
Iowa	16,628	127.5	1,572	11.6	5,219	41.8	1,795	10.7	606	3.9	675	5.1
Kansas	14,041	128.8	1,360	12.4	4,503	42.5	1,304	9.7	428	3.4	597	5.3
Minnesota	23,378	115.1	2,038	10.0	6,449	32.8	2,579	10.4	770	3.4	1,053	4.9
Missouri	32,550	140.9	2,939	12.5	11,368	50.3	2,809	10.1	987	3.8	1,119	4.7
Nebraska	8,804	122.9	931	12.9	2,612	37.8	956	10.6	274	3.2	361	4.7
North Dakota	3,465	119.5	364	12.1	956	34.7	420	11.0	131	3.9	130	4.6
South Dakota	4,248	120.3	408	11.8	1,303	37.7	474	10.3	162	4.1	173	4.8
West South Central	154,288	135.2	14,637	12.8	49,661	44.2	13,819	10.5	4,167	3.3	5,580	4.8
Arkansas	17,205	151.2	1,554	13.7	6,417	57.3	1,612	11.5	439	3.4	571	4.9
Louisiana	24,452	157.8	2,352	15.2	8,177	53.5	2,247	12.4	589	3.5	842	5.4
Oklahoma	20,144	145.5	1,898	13.6	7,025	51.6	1,761	10.4	573	3.8	746	5.3
Texas	92,487	126.2	8,833	12.0	28,042	38.9	8,199	9.9	2,566	3.2	3,421	4.6
Mountain	71,997	105.9	6,744	9.9	18,572	27.6	8,196	10.1	2,448	3.2	2,995	4.3
Arizona	26,632	109.2	2,479	10.1	7,495	31.1	2,784	9.1	921	3.3	1,091	4.4
Colorado	16,606	102.7	1,630	10.1	4,079	25.4	1,843	10.4	563	3.3	725	4.4
Idaho	6,237	110.7	502	9.0	1,650	29.8	779	11.3	225	3.6	258	4.4
Montana	5,005	115.5	422	9.9	1,448	33.7	623	11.5	177	3.5	202	4.8
New Mexico	8,435	111.0	855	11.4	2,008	26.3	976	10.6	233	2.9	290	3.8
Utah	6,729	89.6	626	8.4	1,267	17.7	954	10.6	246	3.0	337	4.5
Wyoming	2,353	112.1	230	11.0	625	30.2	237	9.5	83	3.7	92	4.2
Pacific	206,252	113.6	19,056	10.5	54,615	30.6	22,027	10.3	7,067	3.5	8,446	4.6
Alaska	2,150	119.0	203	11.3	645	36.4	161	9.3	61	3.5	73	3.8
California	138,815	111.0	12,968	10.3	35,185	28.6	15,040	10.2	4,725	3.4	5,793	4.6
Hawaii	6,014	109.9	610	11.5	1,663	30.8	535	7.6	139	2.1	231	4.0
Nevada	11,398	123.0	1,121	12.0	3,406	36.7	1,105	10.6	409	4.1	369	4.1
Oregon	18,975	121.8	1,663	10.6	5,528	36.4	2,104	11.2	681	3.9	780	4.8
Washington	28,900	118.2	2,491	10.2	8,188	34.1	3,082	10.7	1,052	3.9	1,200	4.8

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,345,979	153.2	131,457	14.5	347,270	40.1	204,077	23.5	19,779	2.4	73,343	8.4
New England	72,755	156.2	7,038	14.2	19,262	42.5	10,315	22.5	692	1.6	3,821	8.3
Connecticut	17,547	152.5	1,674	13.8	4,391	39.1	2,621	23.2	176	1.7	941	8.3
Maine	7,437	164.7	725	15.4	2,105	47.3	959	21.5	83	2.0	342	7.7
Massachusetts	32,854	156.0	3,235	14.4	8,722	42.7	4,614	22.3	270	1.4	1,771	8.6
New Hampshire	6,256	159.1	572	13.9	1,685	43.7	902	22.8	84	2.2	318	8.1
Rhode Island	5,590	155.0	523	13.5	1,519	43.4	786	22.2	51	1.6	302	8.6
Vermont	3,071	155.5	309	15.0	840	43.2	433	21.7	28	1.5	147	7.6
Middle Atlantic	205,607	154.9	21,131	15.2	49,958	38.2	31,714	24.4	2,845	2.4	11,366	8.7
New Jersey	43,767	160.6	4,529	16.0	10,483	39.1	7,091	26.5	618	2.5	2,373	8.8
New York	90,135	148.0	9,182	14.5	21,880	36.4	13,878	23.1	1,380	2.4	5,046	8.4
Pennsylvania	71,705	161.1	7,420	15.8	17,595	40.3	10,745	24.8	847	2.3	3,947	9.1
South Atlantic	264,293	151.3	25,357	14.2	71,133	41.0	40,398	23.5	4,045	2.5	14,119	8.1
Delaware	4,402	167.5	404	15.0	1,322	50.3	628	24.3	55	2.2	222	8.5
District of Columbia	2,801	161.1	323	18.1	607	35.1	479	27.6	52	3.2	135	8.0
Florida	92,759	143.9	9,037	13.3	25,869	40.1	13,429	21.9	1,410	2.7	4,892	7.7
Georgia	34,320	149.5	3,291	14.3	8,796	38.9	5,474	23.2	644	2.7	1,963	8.6
Maryland	25,451	159.7	2,433	15.0	6,627	42.2	4,116	25.6	362	2.3	1,316	8.3
North Carolina	40,327	155.5	3,738	14.2	10,804	41.9	6,260	24.4	588	2.4	2,088	8.1
South Carolina	20,106	153.9	1,922	14.6	5,213	39.9	3,141	24.3	331	2.7	1,065	8.1
Virginia	33,180	155.5	3,110	14.4	8,722	41.3	5,387	25.1	449	2.1	1,886	8.8
West Virginia	10,947	174.0	1,099	16.9	3,173	50.8	1,484	23.9	154	2.9	552	8.9
East North Central	225,857	162.4	22,434	15.5	59,327	43.6	33,812	24.6	3,031	2.4	11,910	8.7
Illinois	59,817	162.0	6,220	16.2	15,158	42.0	9,052	24.7	941	2.7	3,126	8.6
Indiana	30,693	164.8	2,999	15.6	8,620	47.2	4,454	24.0	424	2.5	1,628	8.7
Michigan	48,654	162.1	4,671	15.1	12,983	43.9	7,253	24.4	566	2.0	2,609	8.8
Ohio	60,243	165.5	6,063	16.0	16,073	45.0	9,317	25.9	817	2.5	2,956	8.3
Wisconsin	26,450	154.3	2,481	13.6	6,493	39.2	3,736	22.1	283	1.8	1,591	9.5
East South Central	88,442	164.7	8,746	16.0	25,104	47.0	12,951	24.4	1,516	3.0	4,551	8.5
Alabama	22,697	158.7	2,215	15.2	5,842	41.0	3,430	24.5	405	3.1	1,345	9.4
Kentucky	22,132	175.1	2,200	17.0	7,030	56.1	2,955	23.5	308	2.6	1,032	8.2
Mississippi	13,665	161.4	1,434	16.6	3,644	43.3	2,123	25.5	316	4.0	648	7.7
Tennessee	29,948	164.0	2,897	15.6	8,588	47.2	4,443	24.5	487	2.9	1,526	8.4

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	94,926	153.0	9,627	14.5	24,308	40.6	14,110	23.1	1,142	2.1	5,063	8.3
Iowa	15,324	151.7	1,706	15.5	3,796	39.3	2,187	22.1	182	2.1	899	9.1
Kansas	12,742	151.3	1,284	14.5	3,333	40.9	1,915	23.1	154	2.1	741	9.0
Minnesota	22,239	147.6	2,074	13.0	5,391	37.3	3,238	21.6	222	1.6	1,245	8.4
Missouri	29,737	162.7	2,899	15.0	8,292	46.4	4,577	25.4	429	2.6	1,384	7.6
Nebraska	8,106	147.2	929	15.6	1,896	35.9	1,183	22.0	89	1.8	423	7.9
North Dakota	3,107	146.0	335	14.3	705	35.4	460	22.3	28	1.6	169	8.5
South Dakota	3,671	142.7	400	14.3	895	36.3	550	21.8	38	1.7	202	8.1
West South Central	134,479	152.2	12,782	14.2	35,108	40.2	20,794	23.5	2,655	3.1	6,975	7.9
Arkansas	14,551	164.1	1,419	15.6	4,176	47.4	2,078	24.0	257	3.2	745	8.4
Louisiana	21,017	168.6	2,067	16.3	5,575	45.0	3,319	26.8	393	3.3	1,005	8.1
Oklahoma	17,446	161.5	1,655	14.9	5,024	46.8	2,569	24.1	280	2.9	893	8.2
Texas	81,465	145.1	7,641	13.4	20,333	36.9	12,828	22.6	1,725	3.1	4,332	7.7
Mountain	64,476	134.2	6,143	12.6	15,127	31.9	10,106	21.0	894	1.9	4,045	8.4
Arizona	22,938	132.4	2,118	11.9	5,866	33.9	3,575	21.0	312	2.0	1,412	8.2
Colorado	15,871	135.7	1,568	13.3	3,694	32.3	2,461	20.5	224	1.8	1,025	8.7
Idaho	5,580	145.7	540	13.8	1,317	34.9	811	21.2	74	2.0	330	8.7
Montana	4,544	153.0	429	13.9	1,234	42.4	607	20.7	50	1.9	269	8.9
New Mexico	7,479	136.8	736	13.4	1,606	29.5	1,173	21.5	136	2.6	440	8.0
Utah	5,915	112.4	540	10.2	873	16.9	1,165	22.1	70	1.3	442	8.4
Wyoming	2,149	150.7	212	14.6	537	38.2	314	22.1	28	2.1	127	8.8
Pacific	195,144	146.7	18,199	13.4	47,943	36.6	29,877	22.4	2,959	2.3	11,493	8.7
Alaska	1,806	157.2	145	13.5	517	46.3	282	21.7	32	2.2	84	7.0
California	133,451	143.4	12,627	13.3	30,990	33.9	20,974	22.5	2,151	2.4	7,827	8.5
Hawaii	4,822	120.7	443	10.7	1,097	27.4	679	17.8	70	2.0	250	6.4
Nevada	9,919	163.0	980	16.4	3,049	50.0	1,450	23.5	171	2.7	484	7.8
Oregon	17,768	158.7	1,636	14.1	4,873	44.3	2,519	22.5	189	1.8	1,091	9.8
Washington	27,378	155.7	2,368	13.1	7,417	43.2	3,973	22.4	346	2.0	1,757	10.0

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,345,979	93.2	131,457	8.0	347,270	24.8	204,077	15.3	19,779	1.8	73,343	5.3
New England	72,755	93.0	7,038	7.5	19,262	25.8	10,315	14.4	692	1.2	3,821	5.3
Connecticut	17,547	89.7	1,674	7.2	4,391	23.2	2,621	14.8	176	1.2	941	5.4
Maine	7,437	99.2	725	8.3	2,105	29.1	959	14.1	83	1.4	342	4.9
Massachusetts	32,854	92.5	3,235	7.4	8,722	26.0	4,614	14.3	270	1.0	1,771	5.4
New Hampshire	6,256	95.5	572	7.3	1,685	27.1	902	14.7	84	1.6	318	5.1
Rhode Island	5,590	93.8	523	7.4	1,519	26.8	786	14.2	51	1.2	302	5.7
Vermont	3,071	94.3	309	7.9	840	27.1	433	14.3	28	1.1	147	4.8
Middle Atlantic	205,607	93.5	21,131	8.2	49,958	23.4	31,714	15.7	2,845	1.7	11,366	5.6
New Jersey	43,767	95.5	4,529	8.4	10,483	23.5	7,091	17.0	618	1.8	2,373	5.6
New York	90,135	89.7	9,182	7.9	21,880	22.3	13,878	15.0	1,380	1.8	5,046	5.4
Pennsylvania	71,705	97.7	7,420	8.6	17,595	25.1	10,745	15.9	847	1.7	3,947	5.9
South Atlantic	264,293	93.1	25,357	8.0	71,133	25.5	40,398	15.6	4,045	1.9	14,119	5.2
Delaware	4,402	101.9	404	8.1	1,322	31.4	628	15.7	55	1.6	222	5.3
District of Columbia	2,801	99.3	323	10.3	607	21.3	479	18.4	52	2.4	135	5.0
Florida	92,759	89.4	9,037	7.6	25,869	25.0	13,429	14.7	1,410	2.0	4,892	5.0
Georgia	34,320	92.0	3,291	8.3	8,796	24.2	5,474	15.4	644	2.0	1,963	5.4
Maryland	25,451	95.5	2,433	8.1	6,627	25.3	4,116	16.5	362	1.7	1,316	5.3
North Carolina	40,327	95.4	3,738	8.1	10,804	26.5	6,260	16.1	588	1.8	2,088	5.0
South Carolina	20,106	95.7	1,922	8.5	5,213	25.5	3,141	16.2	331	2.0	1,065	5.1
Virginia	33,180	94.3	3,110	8.0	8,722	25.2	5,387	16.6	449	1.5	1,886	5.6
West Virginia	10,947	108.1	1,099	9.7	3,173	32.4	1,484	15.8	154	2.2	552	5.8
East North Central	225,857	98.7	22,434	8.5	59,327	27.2	33,812	15.9	3,031	1.7	11,910	5.5
Illinois	59,817	98.3	6,220	8.9	15,158	26.1	9,052	16.1	941	2.0	3,126	5.4
Indiana	30,693	101.0	2,999	8.7	8,620	29.8	4,454	15.5	424	1.8	1,628	5.5
Michigan	48,654	98.8	4,671	8.2	12,983	27.5	7,253	15.9	566	1.5	2,609	5.6
Ohio	60,243	100.7	6,063	8.8	16,073	28.1	9,317	16.7	817	1.8	2,956	5.3
Wisconsin	26,450	92.8	2,481	7.2	6,493	24.3	3,736	14.2	283	1.3	1,591	6.0
East South Central	88,442	102.8	8,746	9.2	25,104	30.4	12,951	16.1	1,516	2.2	4,551	5.4
Alabama	22,697	98.7	2,215	8.8	5,842	26.3	3,430	16.3	405	2.2	1,345	6.0
Kentucky	22,132	108.8	2,200	9.6	7,030	36.6	2,955	15.3	308	2.0	1,032	5.3
Mississippi	13,665	102.4	1,434	9.9	3,644	28.0	2,123	17.3	316	2.9	648	4.9
Tennessee	29,948	102.2	2,897	8.8	8,588	30.5	4,443	16.1	487	2.1	1,526	5.3

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	94,926	93.0	9,627	7.9	24,308	25.6	14,110	14.9	1,142	1.5	5,063	5.2
Iowa	15,324	92.8	1,706	8.5	3,796	25.1	2,187	14.4	182	1.6	899	5.7
Kansas	12,742	92.1	1,284	8.0	3,333	25.8	1,915	14.8	154	1.6	741	5.7
Minnesota	22,239	88.3	2,074	7.1	5,391	22.9	3,238	13.8	222	1.2	1,245	5.3
Missouri	29,737	99.9	2,899	8.2	8,292	29.3	4,577	16.5	429	1.9	1,384	4.8
Nebraska	8,106	88.2	929	8.2	1,896	22.4	1,183	14.0	89	1.3	423	5.0
North Dakota	3,107	90.5	335	7.6	705	23.6	460	14.9	28	1.2	169	5.7
South Dakota	3,671	86.9	400	7.7	895	23.5	550	14.1	38	1.2	202	5.1
West South Central	134,479	93.8	12,782	8.1	35,108	25.0	20,794	15.6	2,655	2.3	6,975	5.0
Arkansas	14,551	102.8	1,419	9.0	4,176	30.7	2,078	16.0	257	2.4	745	5.4
Louisiana	21,017	104.6	2,067	9.5	5,575	28.4	3,319	17.7	393	2.5	1,005	5.0
Oklahoma	17,446	101.0	1,655	8.7	5,024	30.0	2,569	16.0	280	2.2	893	5.1
Texas	81,465	88.8	7,641	7.6	20,333	22.5	12,828	15.0	1,725	2.3	4,332	4.9
Mountain	64,476	80.5	6,143	6.9	15,127	19.1	10,106	13.7	894	1.4	4,045	5.3
Arizona	22,938	80.8	2,118	6.6	5,866	20.4	3,575	13.8	312	1.5	1,412	5.2
Colorado	15,871	79.9	1,568	7.1	3,694	19.1	2,461	13.3	224	1.3	1,025	5.5
Idaho	5,580	86.6	540	7.6	1,317	21.1	811	13.3	74	1.6	330	5.2
Montana	4,544	91.4	429	7.6	1,234	25.3	607	13.5	50	1.3	269	5.4
New Mexico	7,479	82.2	736	7.4	1,606	17.5	1,173	13.9	136	1.9	440	5.0
Utah	5,915	67.3	540	5.6	873	10.3	1,165	14.1	70	1.0	442	5.3
Wyoming	2,149	90.2	212	8.2	537	22.8	314	14.0	28	1.6	127	5.5
Pacific	195,144	88.0	18,199	7.3	47,943	21.6	29,877	14.6	2,959	1.7	11,493	5.5
Alaska	1,806	92.2	145	6.9	517	27.4	282	14.3	32	1.6	84	4.2
California	133,451	86.3	12,627	7.3	30,990	19.8	20,974	14.8	2,151	1.7	7,827	5.4
Hawaii	4,822	74.7	443	6.3	1,097	16.7	679	12.2	70	1.5	250	4.1
Nevada	9,919	97.7	980	9.0	3,049	29.8	1,450	14.7	171	2.0	484	5.0
Oregon	17,768	94.5	1,636	7.7	4,873	26.5	2,519	14.3	189	1.4	1,091	6.0
Washington	27,378	92.4	2,368	7.0	7,417	25.7	3,973	14.4	346	1.5	1,757	6.1

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2004-2008, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,254,405	220.0	0.20	125.7	0.12	1,158,240	152.8	0.14	92.6	0.10
Oral Cavity & Pharynx	21,944	3.7	0.02	2.4	0.02	10,759	1.4	0.01	0.8	0.01
Digestive System	312,991	54.1	0.10	31.9	0.06	252,912	32.4	0.07	18.2	0.04
Esophagus	46,792	7.9	0.04	5.0	0.02	12,097	1.6	0.01	0.9	0.01
Stomach	25,704	4.5	0.03	2.6	0.02	17,676	2.3	0.02	1.3	0.01
Colon & Rectum	113,839	20.1	0.06	11.2	0.04	110,748	14.0	0.04	7.7	0.03
Liver	34,887	5.8	0.03	3.8	0.02	15,036	2.0	0.02	1.1	0.01
Pancreas	71,841	12.4	0.05	7.4	0.03	71,374	9.2	0.03	5.2	0.02
Respiratory System	401,028	69.4	0.11	41.1	0.07	311,917	41.8	0.08	25.8	0.05
Larynx	11,859	2.0	0.02	1.3	0.01	3,272	0.4	0.01	0.3	0.01
Lung & bronchus	386,660	66.9	0.11	39.6	0.07	307,158	41.2	0.08	25.4	0.05
Skin	35,187	6.1	0.03	3.6	0.02	17,909	2.4	0.02	1.5	0.01
Melanomas of the skin	26,612	4.6	0.03	2.8	0.02	14,293	2.0	0.02	1.3	0.01
Breast	1,604	0.3	0.01	0.2	0.00	170,497	22.8	0.06	14.8	0.04
Female Genital System	-	-	-	-	-	117,008	15.7	0.05	10.1	0.03
Cervix uteri	-	-	-	-	-	14,950	2.2	0.02	1.6	0.01
Corpus & uterus, NOS	-	-	-	-	-	29,547	3.9	0.02	2.4	0.02
Ovary	-	-	-	-	-	65,433	8.8	0.03	5.6	0.02
Male Genital System	120,315	22.9	0.07	9.9	0.03	-	-	-	-	-
Prostate	117,553	22.4	0.07	9.6	0.03	-	-	-	-	-
Testis	1,569	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	80,343	14.3	0.05	7.7	0.03	40,172	5.1	0.03	2.8	0.02
Bladder	43,722	8.0	0.04	3.9	0.02	18,094	2.2	0.02	1.1	0.01
Kidney & renal pelvis	34,775	6.0	0.03	3.6	0.02	20,759	2.7	0.02	1.6	0.01
Brain & Other Nervous System	33,681	5.6	0.03	4.0	0.02	26,786	3.8	0.02	2.7	0.02
Endocrine System	4,717	0.8	0.01	0.6	0.01	5,496	0.7	0.01	0.5	0.01
Thyroid gland	2,864	0.5	0.01	0.3	0.01	3,677	0.5	0.01	0.3	0.01
Lymphomas	53,032	9.4	0.04	5.2	0.02	46,185	5.9	0.03	3.2	0.02
Hodgkin Lymphoma	3,075	0.5	0.01	0.4	0.01	2,445	0.3	0.01	0.2	0.01
Non-Hodgkin Lymphoma	49,957	8.9	0.04	4.9	0.02	43,740	5.6	0.03	3.0	0.02
Multiple Myeloma	23,419	4.2	0.03	2.3	0.02	19,866	2.6	0.02	1.4	0.01
Leukemias	55,588	9.9	0.04	5.6	0.03	42,284	5.5	0.03	3.3	0.02
Other, Ill-defined & Unknown	110,556	19.4	0.06	11.2	0.04	96,449	12.5	0.04	7.4	0.03

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,254,405	220.0	113,839	20.1	386,660	66.9	117,553	22.4	43,722	8.0	49,957	8.9
New England	70,506	227.0	6,110	19.8	20,357	64.7	7,007	24.3	2,870	9.6	2,633	8.6
Connecticut	15,995	215.8	1,328	17.9	4,390	58.7	1,751	24.8	642	8.9	606	8.3
Maine	8,123	243.9	684	20.9	2,586	75.8	742	24.9	337	10.5	304	9.3
Massachusetts	31,165	229.1	2,729	20.3	8,878	64.7	3,027	23.8	1,263	9.6	1,164	8.7
New Hampshire	6,515	225.4	594	20.8	1,906	64.0	641	25.3	246	9.1	232	8.3
Rhode Island	5,546	235.3	483	20.6	1,645	69.5	533	23.5	237	10.3	217	9.3
Vermont	3,162	215.3	292	20.2	952	63.0	313	24.2	145	10.4	110	7.7
Middle Atlantic	176,807	218.5	17,107	21.3	51,193	62.5	16,661	21.8	6,824	8.7	7,287	9.0
New Jersey	35,875	219.3	3,656	22.5	9,995	60.5	3,298	21.5	1,498	9.5	1,453	8.9
New York	73,381	207.2	7,012	20.0	20,873	58.3	6,978	21.0	2,891	8.5	3,032	8.6
Pennsylvania	67,551	232.0	6,439	22.2	20,325	68.9	6,385	22.8	2,435	8.5	2,802	9.7
South Atlantic	242,568	217.4	21,006	18.9	80,504	71.1	20,930	19.9	8,253	7.6	9,182	8.3
Delaware	4,029	236.2	350	20.5	1,289	73.9	372	24.0	165	10.0	160	9.6
District of Columbia	736	176.6	52	12.6	178	42.6	89	24.6	25	6.6	38	8.8
Florida	97,873	207.4	8,562	18.1	30,890	65.3	9,066	18.3	3,713	7.6	3,843	8.2
Georgia	28,325	225.8	2,367	18.7	10,218	79.2	2,198	21.5	805	7.1	1,010	8.4
Maryland	18,864	221.6	1,783	21.0	5,744	66.3	1,741	22.7	683	8.6	733	8.7
North Carolina	35,406	229.8	2,905	18.9	12,540	79.2	2,864	21.4	1,059	7.5	1,280	8.4
South Carolina	17,376	228.7	1,403	18.4	6,279	80.1	1,378	21.0	522	7.3	598	8.2
Virginia	28,030	223.0	2,468	19.6	9,117	70.9	2,360	22.0	920	7.9	1,079	8.7
West Virginia	11,929	257.9	1,116	24.3	4,249	89.7	862	20.8	361	8.2	441	9.8
East North Central	210,481	231.8	19,187	21.3	66,256	71.7	19,348	23.5	7,535	8.8	8,643	9.7
Illinois	51,132	226.8	4,917	22.0	15,556	68.1	4,745	23.0	1,809	8.4	2,121	9.6
Indiana	30,913	245.3	2,862	22.8	10,584	82.5	2,693	24.0	969	8.2	1,251	10.2
Michigan	44,341	225.1	3,823	19.6	14,002	69.8	3,772	21.4	1,656	8.9	1,833	9.5
Ohio	57,244	241.3	5,274	22.5	18,694	77.2	5,158	24.1	2,090	9.3	2,274	9.7
Wisconsin	26,851	219.4	2,311	19.0	7,420	59.8	2,980	26.3	1,011	8.7	1,164	9.6
East South Central	85,862	256.0	7,330	22.1	32,732	94.8	6,561	22.7	2,346	7.6	3,062	9.4
Alabama	20,830	248.5	1,770	21.4	7,749	89.7	1,626	22.2	555	7.1	739	9.1
Kentucky	23,609	269.5	2,071	24.1	9,305	102.9	1,800	24.1	655	8.1	805	9.5
Mississippi	11,323	251.7	988	21.9	4,335	94.3	825	20.8	301	7.2	414	9.3
Tennessee	30,100	253.4	2,501	21.3	11,343	92.8	2,310	22.7	835	7.7	1,104	9.5

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	96,776	221.5	9,013	20.7	30,464	69.0	9,632	23.4	3,261	7.7	3,938	9.1
Iowa	16,277	224.2	1,541	21.3	5,105	69.8	1,753	24.8	603	8.5	665	9.3
Kansas	13,112	221.8	1,260	21.3	4,214	71.0	1,185	21.1	416	7.3	567	9.7
Minnesota	22,346	207.3	1,951	18.1	6,175	56.6	2,502	25.0	758	7.4	1,024	9.6
Missouri	29,177	236.8	2,627	21.5	10,301	82.2	2,395	21.2	920	7.8	1,041	8.6
Nebraska	8,470	216.4	896	22.8	2,509	63.8	922	24.6	271	7.2	348	9.0
North Dakota	3,351	210.9	353	22.0	918	58.3	414	25.9	131	8.1	125	7.9
South Dakota	4,043	211.9	385	20.1	1,242	64.7	461	24.4	162	8.6	168	8.8
West South Central	129,340	224.1	12,018	20.8	41,713	71.5	10,885	21.4	3,776	7.0	4,991	8.8
Arkansas	14,876	246.6	1,327	22.2	5,646	91.9	1,268	22.8	405	7.0	535	9.0
Louisiana	17,060	247.6	1,606	23.3	5,807	82.5	1,310	21.6	496	7.8	698	10.3
Oklahoma	17,694	243.7	1,631	22.6	6,255	84.4	1,511	22.8	520	7.4	680	9.5
Texas	79,710	212.7	7,454	19.8	24,005	63.8	6,796	20.9	2,355	6.8	3,078	8.4
Mountain	68,579	187.7	6,397	17.5	17,818	48.4	7,802	23.4	2,414	6.9	2,877	7.9
Arizona	25,253	189.0	2,341	17.6	7,209	53.4	2,627	20.5	906	6.9	1,044	7.9
Colorado	15,698	187.5	1,549	18.4	3,853	46.1	1,730	24.0	555	7.1	688	8.3
Idaho	6,133	198.5	495	16.0	1,625	52.3	768	27.3	225	7.7	255	8.3
Montana	4,772	205.6	394	17.0	1,386	58.9	600	27.7	173	7.7	193	8.5
New Mexico	7,901	197.5	788	19.8	1,921	47.4	911	24.8	228	5.9	278	7.0
Utah	6,509	158.6	603	14.5	1,210	29.1	935	25.9	244	6.3	327	7.9
Wyoming	2,313	200.7	227	20.1	614	52.7	231	22.6	83	7.5	92	8.3
Pacific	173,486	206.1	15,671	18.6	45,623	54.3	18,727	24.3	6,443	8.1	7,344	8.8
Alaska	1,608	202.9	138	19.2	478	58.5	132	23.4	52	7.9	67	9.2
California	114,798	201.1	10,507	18.4	28,646	50.5	12,502	23.8	4,272	7.9	4,982	8.7
Hawaii	1,807	218.7	151	17.9	479	57.9	179	23.8	54	7.3	74	9.2
Nevada	10,215	220.0	991	21.7	3,076	64.8	984	24.7	387	8.9	342	7.2
Oregon	18,309	219.4	1,604	19.2	5,339	63.5	2,052	26.3	673	8.4	747	9.1
Washington	26,749	214.0	2,280	18.2	7,605	60.4	2,878	25.3	1,005	8.5	1,132	9.2

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,254,405	125.7	113,839	11.2	386,660	39.6	117,553	9.6	43,722	3.9	49,957	4.9
New England	70,506	125.5	6,110	10.6	20,357	37.3	7,007	10.0	2,870	4.5	2,633	4.5
Connecticut	15,995	117.7	1,328	9.6	4,390	33.5	1,751	10.2	642	4.2	606	4.3
Maine	8,123	136.9	684	11.2	2,586	44.0	742	10.4	337	5.1	304	5.2
Massachusetts	31,165	126.7	2,729	10.8	8,878	37.1	3,027	9.8	1,263	4.5	1,164	4.5
New Hampshire	6,515	125.7	594	11.4	1,906	37.8	641	10.4	246	4.3	232	4.4
Rhode Island	5,546	130.2	483	11.2	1,645	39.8	533	9.8	237	4.9	217	5.0
Vermont	3,162	120.5	292	10.8	952	37.6	313	9.9	145	5.1	110	4.1
Middle Atlantic	176,807	123.7	17,107	11.6	51,193	36.6	16,661	9.3	6,824	4.2	7,287	5.1
New Jersey	35,875	121.8	3,656	12.0	9,995	34.7	3,298	9.2	1,498	4.5	1,453	4.9
New York	73,381	117.7	7,012	10.9	20,873	34.3	6,978	8.9	2,891	4.0	3,032	4.9
Pennsylvania	67,551	132.1	6,439	12.1	20,325	40.7	6,385	9.8	2,435	4.1	2,802	5.4
South Atlantic	242,568	127.0	21,006	10.9	80,504	43.0	20,930	8.6	8,253	3.8	9,182	4.7
Delaware	4,029	135.5	350	11.9	1,289	43.6	372	10.1	165	5.1	160	5.1
District of Columbia	736	93.9	52	6.5	178	22.9	89	10.1	25	3.0	38	4.8
Florida	97,873	124.4	8,562	10.7	30,890	40.4	9,066	8.2	3,713	3.9	3,843	4.7
Georgia	28,325	129.0	2,367	10.8	10,218	46.9	2,198	9.0	805	3.4	1,010	4.6
Maryland	18,864	123.4	1,783	11.6	5,744	38.2	1,741	9.5	683	4.0	733	4.7
North Carolina	35,406	132.0	2,905	10.8	12,540	47.2	2,864	9.1	1,059	3.6	1,280	4.8
South Carolina	17,376	133.9	1,403	10.9	6,279	48.8	1,378	8.8	522	3.7	598	4.5
Virginia	28,030	125.5	2,468	11.0	9,117	41.4	2,360	9.1	920	3.8	1,079	4.8
West Virginia	11,929	151.5	1,116	13.9	4,249	54.2	862	9.1	361	4.1	441	5.5
East North Central	210,481	131.1	19,187	11.7	66,256	42.2	19,348	9.9	7,535	4.2	8,643	5.2
Illinois	51,132	127.0	4,917	11.9	15,556	39.7	4,745	9.7	1,809	4.0	2,121	5.1
Indiana	30,913	140.7	2,862	12.8	10,584	49.1	2,693	10.2	969	4.0	1,251	5.5
Michigan	44,341	127.4	3,823	10.8	14,002	40.8	3,772	9.0	1,656	4.3	1,833	5.1
Ohio	57,244	137.7	5,274	12.4	18,694	46.0	5,158	10.2	2,090	4.4	2,274	5.4
Wisconsin	26,851	122.0	2,311	10.2	7,420	34.7	2,980	11.0	1,011	3.9	1,164	5.1
East South Central	85,862	150.4	7,330	12.8	32,732	57.9	6,561	9.7	2,346	3.7	3,062	5.3
Alabama	20,830	146.2	1,770	12.4	7,749	54.7	1,626	9.5	555	3.5	739	5.1
Kentucky	23,609	158.3	2,071	13.7	9,305	63.4	1,800	10.3	655	4.0	805	5.3
Mississippi	11,323	149.4	988	13.2	4,335	57.0	825	9.1	301	3.5	414	5.4
Tennessee	30,100	148.2	2,501	12.2	11,343	56.4	2,310	9.7	835	3.8	1,104	5.3

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	96,776	125.5	9,013	11.5	30,464	40.8	9,632	9.9	3,261	3.7	3,938	4.9
Iowa	16,277	127.2	1,541	11.6	5,105	41.6	1,753	10.6	603	4.0	665	5.1
Kansas	13,112	126.9	1,260	12.1	4,214	42.0	1,185	9.1	416	3.5	567	5.3
Minnesota	22,346	113.7	1,951	9.9	6,175	32.5	2,502	10.4	758	3.5	1,024	5.0
Missouri	29,177	137.3	2,627	12.1	10,301	49.6	2,395	9.1	920	3.9	1,041	4.7
Nebraska	8,470	122.0	896	12.9	2,509	37.5	922	10.4	271	3.3	348	4.7
North Dakota	3,351	117.9	353	11.9	918	34.1	414	11.0	131	4.0	125	4.5
South Dakota	4,043	118.4	385	11.5	1,242	37.2	461	10.2	162	4.2	168	4.8
West South Central	129,340	130.1	12,018	12.0	41,713	42.5	10,885	9.3	3,776	3.4	4,991	4.9
Arkansas	14,876	145.8	1,327	13.0	5,646	56.0	1,268	10.0	405	3.4	535	5.1
Louisiana	17,060	143.6	1,606	13.6	5,807	49.4	1,310	9.1	496	3.9	698	5.8
Oklahoma	17,694	144.3	1,631	13.1	6,255	51.9	1,511	9.9	520	3.8	680	5.5
Texas	79,710	122.7	7,454	11.4	24,005	37.5	6,796	9.1	2,355	3.3	3,078	4.6
Mountain	68,579	106.7	6,397	10.0	17,818	28.0	7,802	10.0	2,414	3.4	2,877	4.4
Arizona	25,253	110.7	2,341	10.1	7,209	32.0	2,627	9.0	906	3.4	1,044	4.5
Colorado	15,698	102.7	1,549	10.1	3,853	25.3	1,730	10.2	555	3.4	688	4.4
Idaho	6,133	111.2	495	9.1	1,625	29.9	768	11.4	225	3.7	255	4.4
Montana	4,772	113.8	394	9.6	1,386	33.4	600	11.4	173	3.6	193	4.7
New Mexico	7,901	113.5	788	11.4	1,921	27.5	911	10.7	228	3.1	278	4.0
Utah	6,509	89.8	603	8.4	1,210	17.5	935	10.7	244	3.1	327	4.6
Wyoming	2,313	112.8	227	11.1	614	30.3	231	9.5	83	3.8	92	4.3
Pacific	173,486	115.5	15,671	10.4	45,623	30.9	18,727	10.4	6,443	3.8	7,344	4.8
Alaska	1,608	112.9	138	9.9	478	34.1	132	9.9	52	3.8	67	4.4
California	114,798	112.6	10,507	10.3	28,646	28.6	12,502	10.2	4,272	3.7	4,982	4.8
Hawaii	1,807	125.2	151	10.7	479	32.9	179	10.9	54	3.2	74	5.4
Nevada	10,215	125.5	991	12.0	3,076	37.7	984	10.7	387	4.4	342	4.4
Oregon	18,309	123.0	1,604	10.7	5,339	36.7	2,052	11.3	673	4.0	747	4.8
Washington	26,749	119.1	2,280	10.1	7,605	34.5	2,878	10.7	1,005	4.1	1,132	4.9

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,158,240	152.8	110,748	14.0	307,158	41.2	170,497	22.8	14,950	2.2	65,433	8.8
New England	69,319	157.7	6,687	14.2	18,572	43.5	9,754	22.6	635	1.6	3,676	8.5
Connecticut	16,225	153.3	1,531	13.6	4,143	40.2	2,388	23.2	156	1.7	885	8.6
Maine	7,371	164.9	715	15.3	2,091	47.5	947	21.5	81	1.9	340	7.7
Massachusetts	31,099	158.1	3,070	14.5	8,370	44.0	4,330	22.5	242	1.4	1,701	8.9
New Hampshire	6,209	160.3	569	14.0	1,674	44.1	896	23.0	82	2.2	314	8.2
Rhode Island	5,362	156.2	496	13.3	1,458	43.8	761	22.6	46	1.6	290	8.7
Vermont	3,053	156.3	306	15.0	836	43.4	432	21.9	28	1.5	146	7.6
Middle Atlantic	177,384	156.4	18,088	15.0	43,895	39.5	26,664	24.1	2,102	2.1	10,156	9.2
New Jersey	37,637	162.4	3,868	15.7	9,219	40.6	5,937	26.3	460	2.3	2,102	9.3
New York	75,051	151.7	7,481	14.2	18,957	39.0	11,105	22.9	941	2.1	4,365	9.1
Pennsylvania	64,696	158.9	6,739	15.6	15,719	39.5	9,622	24.4	701	2.1	3,689	9.4
South Atlantic	213,382	148.8	19,585	13.2	61,107	42.9	30,661	21.9	2,700	2.2	12,011	8.5
Delaware	3,681	166.8	338	14.8	1,120	50.6	522	24.3	41	2.2	183	8.4
District of Columbia	630	116.1	58	10.9	134	25.2	118	21.4	7	1.2	48	9.3
Florida	82,866	143.6	7,911	12.9	24,062	41.7	11,492	21.0	1,093	2.5	4,488	8.0
Georgia	24,958	146.3	2,173	12.6	7,030	41.6	3,638	21.1	361	2.2	1,560	9.2
Maryland	18,322	157.4	1,671	13.8	5,091	44.5	2,751	23.8	200	1.8	1,032	9.0
North Carolina	31,682	151.7	2,767	12.9	9,128	44.0	4,601	22.4	381	2.0	1,755	8.4
South Carolina	14,702	148.8	1,314	13.1	4,257	43.2	2,136	21.9	169	2.0	831	8.4
Virginia	25,923	152.1	2,302	13.2	7,181	42.6	3,980	23.4	299	1.9	1,571	9.3
West Virginia	10,618	174.6	1,051	16.8	3,104	51.4	1,423	23.7	149	2.9	543	9.0
East North Central	197,971	159.7	19,464	14.9	52,453	43.3	28,889	23.6	2,378	2.1	10,869	8.9
Illinois	49,788	158.5	5,055	15.2	12,758	41.8	7,228	23.3	672	2.3	2,734	8.9
Indiana	28,220	163.5	2,726	15.2	8,001	47.4	4,027	23.5	370	2.4	1,528	8.8
Michigan	41,644	158.6	3,960	14.5	11,265	43.7	6,007	23.2	409	1.7	2,354	9.1
Ohio	53,267	162.9	5,366	15.6	14,290	44.6	8,089	25.1	693	2.4	2,713	8.5
Wisconsin	25,052	152.7	2,357	13.4	6,139	38.7	3,538	21.9	234	1.6	1,540	9.7
East South Central	72,586	161.4	6,831	14.8	21,704	48.6	9,993	22.5	1,008	2.5	3,883	8.7
Alabama	17,387	155.4	1,563	13.7	4,859	43.6	2,430	22.2	240	2.5	1,088	9.7
Kentucky	20,626	174.3	2,019	16.6	6,584	56.2	2,723	23.2	279	2.6	986	8.4
Mississippi	9,243	152.5	889	14.2	2,754	45.7	1,277	21.7	136	2.6	470	7.8
Tennessee	25,330	159.6	2,360	14.6	7,507	47.5	3,563	22.6	353	2.5	1,339	8.5

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, White, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	89,130	151.6	9,023	14.3	22,850	40.3	13,157	22.8	979	1.9	4,864	8.4
Iowa	15,037	151.7	1,678	15.5	3,723	39.3	2,141	22.1	176	2.1	891	9.2
Kansas	11,931	150.1	1,190	14.1	3,125	40.7	1,782	22.8	137	2.1	711	9.2
Minnesota	21,386	147.2	2,004	12.9	5,190	37.2	3,116	21.6	191	1.4	1,210	8.5
Missouri	26,569	160.6	2,557	14.5	7,516	46.5	4,019	24.7	340	2.4	1,287	7.9
Nebraska	7,762	146.2	886	15.4	1,810	35.6	1,134	21.9	84	1.8	405	7.8
North Dakota	2,971	143.0	323	14.0	655	33.7	439	21.9	23	1.4	165	8.6
South Dakota	3,474	140.5	385	14.2	831	35.2	526	21.9	28	1.3	195	8.2
West South Central	112,506	149.1	10,285	13.3	30,358	40.6	16,705	22.3	2,017	2.8	6,088	8.1
Arkansas	12,603	162.1	1,161	14.5	3,784	48.8	1,737	22.8	189	2.8	676	8.7
Louisiana	14,690	160.0	1,343	14.2	4,254	46.7	2,117	23.3	190	2.4	756	8.3
Oklahoma	15,300	161.4	1,418	14.4	4,482	47.6	2,223	23.9	229	2.8	820	8.6
Texas	69,913	142.9	6,363	12.8	17,838	37.0	10,628	21.6	1,409	2.9	3,836	7.9
Mountain	61,273	135.5	5,834	12.6	14,560	32.6	9,608	21.3	808	1.9	3,853	8.6
Arizona	21,622	134.3	2,015	12.2	5,647	35.0	3,344	21.2	273	1.9	1,325	8.3
Colorado	15,080	136.9	1,477	13.3	3,531	32.8	2,340	20.8	205	1.8	994	9.0
Idaho	5,510	147.1	535	14.0	1,301	35.3	796	21.3	73	2.1	323	8.7
Montana	4,325	151.3	407	13.6	1,177	42.1	585	20.9	44	1.8	264	9.1
New Mexico	6,903	139.0	671	13.3	1,547	31.2	1,100	22.3	121	2.6	394	7.9
Utah	5,731	113.0	522	10.2	835	16.8	1,136	22.4	64	1.3	427	8.4
Wyoming	2,102	151.2	207	14.6	522	38.1	307	22.2	28	2.2	126	9.0
Pacific	164,689	151.8	14,951	13.3	41,659	39.1	25,066	23.2	2,323	2.2	10,033	9.3
Alaska	1,312	153.3	93	11.5	377	44.8	211	22.0	21	1.8	65	6.9
California	110,635	147.9	10,142	13.1	26,399	35.9	17,247	23.2	1,664	2.3	6,734	9.1
Hawaii	1,404	149.9	117	11.8	373	40.4	207	22.3	20	2.3	76	8.2
Nevada	8,840	169.4	867	16.8	2,812	53.7	1,273	24.1	150	2.8	434	8.2
Oregon	17,150	160.6	1,570	14.1	4,733	45.1	2,435	22.8	167	1.7	1,065	10.0
Washington	25,348	158.3	2,162	13.0	6,965	44.5	3,693	23.0	301	2.0	1,659	10.4

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,158,240	92.6	110,748	7.7	307,158	25.4	170,497	14.8	14,950	1.6	65,433	5.6
New England	69,319	93.9	6,687	7.4	18,572	26.5	9,754	14.5	635	1.2	3,676	5.4
Connecticut	16,225	90.1	1,531	7.1	4,143	23.9	2,388	14.8	156	1.2	885	5.6
Maine	7,371	99.4	715	8.2	2,091	29.2	947	14.1	81	1.4	340	4.9
Massachusetts	31,099	93.9	3,070	7.5	8,370	26.9	4,330	14.4	242	1.0	1,701	5.6
New Hampshire	6,209	96.3	569	7.4	1,674	27.3	896	14.8	82	1.6	314	5.1
Rhode Island	5,362	94.6	496	7.1	1,458	27.2	761	14.5	46	1.2	290	5.7
Vermont	3,053	94.8	306	7.9	836	27.3	432	14.4	28	1.1	146	4.8
Middle Atlantic	177,384	94.0	18,088	8.0	43,895	24.3	26,664	15.4	2,102	1.6	10,156	5.9
New Jersey	37,637	96.3	3,868	8.2	9,219	24.5	5,937	16.8	460	1.6	2,102	5.9
New York	75,051	91.5	7,481	7.6	18,957	24.1	11,105	14.7	941	1.5	4,365	5.8
Pennsylvania	64,696	95.9	6,739	8.5	15,719	24.4	9,622	15.5	701	1.6	3,689	6.0
South Atlantic	213,382	91.0	19,585	7.3	61,107	26.7	30,661	14.4	2,700	1.6	12,011	5.4
Delaware	3,681	100.9	338	8.0	1,120	31.5	522	15.6	41	1.6	183	5.2
District of Columbia	630	64.7	58	5.6	134	12.7	118	13.0	7	1.0	48	5.8
Florida	82,866	88.9	7,911	7.2	24,062	26.0	11,492	14.0	1,093	1.9	4,488	5.2
Georgia	24,958	88.9	2,173	7.1	7,030	25.9	3,638	13.9	361	1.6	1,560	5.7
Maryland	18,322	93.3	1,671	7.3	5,091	26.7	2,751	15.1	200	1.3	1,032	5.7
North Carolina	31,682	92.3	2,767	7.2	9,128	27.7	4,601	14.5	381	1.5	1,755	5.2
South Carolina	14,702	91.6	1,314	7.5	4,257	27.6	2,136	14.4	169	1.4	831	5.3
Virginia	25,923	91.7	2,302	7.3	7,181	25.9	3,980	15.3	299	1.4	1,571	5.8
West Virginia	10,618	108.4	1,051	9.6	3,104	32.8	1,423	15.6	149	2.2	543	5.9
East North Central	197,971	96.5	19,464	8.1	52,453	27.0	28,889	15.1	2,378	1.6	10,869	5.7
Illinois	49,788	95.5	5,055	8.2	12,758	25.9	7,228	15.0	672	1.7	2,734	5.7
Indiana	28,220	100.1	2,726	8.5	8,001	29.9	4,027	15.1	370	1.7	1,528	5.5
Michigan	41,644	95.8	3,960	7.8	11,265	27.2	6,007	14.9	409	1.3	2,354	5.8
Ohio	53,267	98.7	5,366	8.5	14,290	27.8	8,089	16.1	693	1.8	2,713	5.4
Wisconsin	25,052	91.6	2,357	7.0	6,139	23.9	3,538	14.1	234	1.2	1,540	6.1
East South Central	72,586	100.3	6,831	8.4	21,704	31.4	9,993	14.8	1,008	1.9	3,883	5.5
Alabama	17,387	96.1	1,563	7.8	4,859	27.9	2,430	14.6	240	1.8	1,088	6.2
Kentucky	20,626	108.3	2,019	9.4	6,584	36.6	2,723	15.1	279	1.9	986	5.4
Mississippi	9,243	95.6	889	8.2	2,754	29.4	1,277	14.4	136	1.9	470	5.0
Tennessee	25,330	99.2	2,360	8.2	7,507	30.8	3,563	14.8	353	1.8	1,339	5.3

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, White, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	89,130	92.1	9,023	7.8	22,850	25.4	13,157	14.7	979	1.4	4,864	5.3
Iowa	15,037	92.9	1,678	8.5	3,723	25.2	2,141	14.4	176	1.6	891	5.8
Kansas	11,931	91.3	1,190	7.8	3,125	25.7	1,782	14.7	137	1.6	711	5.8
Minnesota	21,386	87.9	2,004	7.0	5,190	22.8	3,116	13.8	191	1.1	1,210	5.4
Missouri	26,569	98.4	2,557	7.9	7,516	29.4	4,019	16.0	340	1.8	1,287	5.0
Nebraska	7,762	87.7	886	8.1	1,810	22.3	1,134	13.9	84	1.3	405	5.0
North Dakota	2,971	88.6	323	7.5	655	22.5	439	14.6	23	1.0	165	5.8
South Dakota	3,474	85.2	385	7.5	831	22.7	526	14.1	28	0.9	195	5.1
West South Central	112,506	91.5	10,285	7.5	30,358	25.2	16,705	14.6	2,017	2.1	6,088	5.1
Arkansas	12,603	101.3	1,161	8.4	3,784	31.6	1,737	15.2	189	2.1	676	5.6
Louisiana	14,690	98.0	1,343	8.2	4,254	29.3	2,117	14.9	190	1.8	756	5.2
Oklahoma	15,300	100.9	1,418	8.3	4,482	30.5	2,223	15.9	229	2.1	820	5.4
Texas	69,913	87.1	6,363	7.2	17,838	22.5	10,628	14.2	1,409	2.2	3,836	5.0
Mountain	61,273	81.3	5,834	6.9	14,560	19.5	9,608	13.8	808	1.4	3,853	5.3
Arizona	21,622	81.9	2,015	6.8	5,647	21.1	3,344	13.9	273	1.5	1,325	5.2
Colorado	15,080	80.8	1,477	7.0	3,531	19.4	2,340	13.5	205	1.3	994	5.7
Idaho	5,510	87.5	535	7.7	1,301	21.3	796	13.4	73	1.6	323	5.2
Montana	4,325	90.0	407	7.4	1,177	25.0	585	13.6	44	1.2	264	5.5
New Mexico	6,903	83.7	671	7.4	1,547	18.6	1,100	14.4	121	1.9	394	5.0
Utah	5,731	67.8	522	5.6	835	10.2	1,136	14.3	64	0.9	427	5.3
Wyoming	2,102	90.6	207	8.2	522	22.8	307	14.1	28	1.6	126	5.6
Pacific	164,689	90.8	14,951	7.3	41,659	23.0	25,066	14.9	2,323	1.7	10,033	5.9
Alaska	1,312	88.3	93	5.8	377	26.3	211	14.3	21	1.4	65	4.2
California	110,635	88.7	10,142	7.2	26,399	20.9	17,247	15.1	1,664	1.7	6,734	5.8
Hawaii	1,404	94.1	117	7.2	373	24.3	207	15.0	20	1.6	76	5.4
Nevada	8,840	101.3	867	9.2	2,812	32.1	1,273	15.1	150	2.1	434	5.3
Oregon	17,150	95.6	1,570	7.7	4,733	27.0	2,435	14.5	167	1.3	1,065	6.2
Washington	25,348	93.9	2,162	6.9	6,965	26.5	3,693	14.7	301	1.4	1,659	6.4

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2004-2008, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	163,805	295.3	0.78	174.7	0.44	152,931	177.7	0.46	111.9	0.30
Oral Cavity & Pharynx	3,965	6.0	0.10	4.3	0.07	1,343	1.5	0.04	1.0	0.03
Digestive System	46,174	79.4	0.40	49.2	0.23	39,434	46.7	0.24	27.4	0.15
Esophagus	5,251	8.5	0.12	5.7	0.08	2,081	2.4	0.05	1.6	0.04
Stomach	5,834	10.7	0.15	6.2	0.08	4,144	5.0	0.08	2.8	0.05
Colon & Rectum	16,859	30.5	0.25	17.9	0.14	17,194	20.4	0.16	11.8	0.10
Liver	6,944	10.2	0.13	7.3	0.09	2,535	2.9	0.06	1.8	0.04
Pancreas	9,048	15.6	0.17	9.7	0.10	10,454	12.5	0.12	7.3	0.08
Respiratory System	52,047	90.1	0.42	56.5	0.25	33,860	39.7	0.22	25.3	0.14
Larynx	2,643	4.4	0.09	2.9	0.06	614	0.7	0.03	0.5	0.02
Lung & bronchus	49,149	85.4	0.41	53.4	0.25	33,076	38.8	0.22	24.7	0.14
Skin	888	1.4	0.05	0.9	0.03	533	0.6	0.03	0.4	0.02
Melanomas of the skin	296	0.5	0.03	0.3	0.02	329	0.4	0.02	0.2	0.01
Breast	300	0.5	0.03	0.3	0.02	28,686	32.0	0.19	21.7	0.13
Female Genital System	-	-	-	-	-	16,841	19.4	0.15	12.8	0.10
Cervix uteri	-	-	-	-	-	3,960	4.3	0.07	3.1	0.05
Corpus & uterus, NOS	-	-	-	-	-	6,115	7.2	0.09	4.7	0.06
Ovary	-	-	-	-	-	6,018	7.0	0.09	4.5	0.06
Male Genital System	24,124	55.4	0.38	25.0	0.17	-	-	-	-	-
Prostate	23,831	54.9	0.37	24.7	0.16	-	-	-	-	-
Testis	126	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	6,344	11.7	0.16	6.7	0.09	4,609	5.5	0.08	3.1	0.05
Bladder	2,663	5.5	0.11	2.8	0.06	2,202	2.7	0.06	1.4	0.03
Kidney & renal pelvis	3,579	6.0	0.11	3.8	0.07	2,230	2.6	0.06	1.6	0.04
Brain & Other Nervous System	2,117	3.1	0.07	2.2	0.05	1,837	2.0	0.05	1.5	0.04
Endocrine System	493	0.7	0.04	0.5	0.02	793	0.9	0.03	0.6	0.02
Thyroid gland	200	0.4	0.03	0.2	0.02	468	0.6	0.03	0.3	0.02
Lymphomas	4,153	6.5	0.11	4.4	0.07	3,544	4.1	0.07	2.6	0.05
Hodgkin Lymphoma	376	0.5	0.03	0.4	0.02	290	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,777	6.1	0.11	4.0	0.07	3,254	3.8	0.07	2.3	0.04
Multiple Myeloma	4,421	8.2	0.13	4.7	0.07	4,677	5.6	0.08	3.3	0.05
Leukemias	4,943	8.6	0.13	5.2	0.08	4,252	4.9	0.08	3.1	0.05
Other, Ill-defined & Unknown	13,836	23.6	0.22	14.7	0.13	12,522	14.6	0.13	9.1	0.09

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	163,805	295.3	16,859	30.5	49,149	85.4	23,831	54.9	2,663	5.5	3,777	6.1
New England	2,839	247.3	259	21.9	760	65.2	383	44.9	49	4.7	87	6.4
Connecticut	1,210	248.8	114	23.6	313	64.0	175	45.7	17	3.5	31	4.9
Maine	21	141.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,382	251.6	124	21.3	380	67.5	176	45.4	28	5.7	51	8.2
New Hampshire	22	159.5	-	-	7	60.3	-	-	-	-	-	-
Rhode Island	196	247.6	16	18.7	55	70.1	24	39.6	-	-	-	-
Vermont	8	188.6	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	22,775	251.0	2,403	26.9	6,184	65.6	3,564	48.8	409	5.2	555	5.4
New Jersey	4,952	269.2	535	29.9	1,342	70.4	740	50.8	93	5.9	119	5.4
New York	11,358	220.1	1,213	23.7	2,907	53.4	1,874	45.5	202	4.6	305	5.1
Pennsylvania	6,465	311.5	655	32.1	1,935	91.4	950	54.9	114	6.0	131	5.8
South Atlantic	52,645	294.2	5,300	29.4	15,495	83.0	7,994	58.1	844	5.5	1,242	5.9
Delaware	698	265.9	65	24.6	203	74.7	100	50.3	17	8.3	14	4.2
District of Columbia	2,218	320.0	213	30.2	610	86.2	326	53.6	46	7.0	66	9.3
Florida	10,403	260.7	1,075	26.6	2,918	69.9	1,674	54.6	195	5.8	286	5.8
Georgia	9,748	296.7	979	29.5	2,830	81.9	1,504	63.2	163	5.9	246	6.2
Maryland	6,551	284.9	708	31.5	1,907	78.1	926	53.8	106	5.5	157	5.5
North Carolina	9,154	313.5	880	29.7	2,845	93.5	1,413	62.2	125	4.8	177	5.6
South Carolina	6,337	318.1	626	31.6	1,864	89.3	970	61.8	63	3.7	132	6.1
Virginia	7,202	313.3	718	30.8	2,219	94.3	1,024	56.1	127	6.2	159	6.1
West Virginia	334	287.8	36	32.7	99	83.2	57	59.1	-	-	-	-
East North Central	26,780	317.5	2,762	33.4	8,435	96.5	3,684	54.0	437	5.9	561	6.2
Illinois	9,203	323.7	1,013	35.7	2,820	94.8	1,362	60.5	135	5.6	170	5.6
Indiana	2,483	310.1	235	31.2	816	98.8	322	49.8	34	4.6	60	6.9
Michigan	6,694	299.4	684	31.4	2,099	90.7	858	47.2	109	5.5	155	6.6
Ohio	7,119	325.4	719	33.4	2,255	100.1	1,014	55.0	144	7.3	159	6.7
Wisconsin	1,281	346.9	111	31.5	445	116.1	128	51.1	15	3.9	17	3.4
East South Central	17,839	340.3	1,856	35.0	5,753	105.5	2,746	66.3	251	5.6	362	6.3
Alabama	6,165	334.0	652	34.7	1,835	94.8	1,037	69.7	84	5.3	113	5.8
Kentucky	1,528	328.4	151	32.6	559	117.1	210	56.0	27	6.8	34	6.6
Mississippi	5,382	350.9	552	35.4	1,776	112.1	830	67.9	64	5.0	104	6.1
Tennessee	4,764	341.2	501	36.0	1,583	108.9	669	63.2	76	6.1	111	7.2

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	5,003	321.3	471	32.2	1,554	96.6	637	53.3	80	5.9	120	7.3
Iowa	269	339.3	25	40.0	97	114.7	37	66.6	-	-	6	6.5
Kansas	705	317.3	76	35.0	218	96.3	106	57.5	8	3.7	19	7.6
Minnesota	572	294.5	48	23.7	144	75.7	56	48.2	6	3.3	16	8.5
Missouri	3,186	333.3	295	32.4	1,014	101.7	406	53.9	61	7.3	70	7.2
Nebraska	252	263.4	27	36.3	77	79.4	31	40.1	-	-	8	5.9
North Dakota	6	150.6	-	-	-	-	-	-	-	-	-	-
South Dakota	13	203.6	-	-	-	-	-	-	-	-	-	-
West South Central	22,108	325.6	2,341	34.5	7,151	102.3	2,764	53.0	335	5.7	474	6.4
Arkansas	2,260	349.1	222	33.9	755	111.7	341	65.3	32	5.6	34	4.6
Louisiana	7,232	346.5	728	35.4	2,327	108.0	926	56.1	92	5.0	139	6.2
Oklahoma	1,207	308.2	143	37.6	383	94.7	159	52.3	22	6.0	24	5.0
Texas	11,409	311.9	1,248	33.9	3,686	98.6	1,338	48.5	189	6.0	277	7.0
Mountain	1,539	212.7	163	22.8	403	57.2	193	35.9	16	2.5	52	6.3
Arizona	673	209.9	79	25.7	183	60.2	79	32.5	7	1.9	24	5.5
Colorado	634	236.0	60	21.8	151	55.0	88	45.3	7	3.8	24	9.7
Idaho	19	197.7	-	-	6	68.6	-	-	-	-	-	-
Montana	9	187.5	-	-	-	-	-	-	-	-	-	-
New Mexico	145	174.2	15	16.8	37	45.6	19	30.0	-	-	-	-
Utah	49	171.9	-	-	19	67.1	-	-	-	-	-	-
Wyoming	10	185.4	-	-	-	-	-	-	-	-	-	-
Pacific	12,277	269.5	1,304	28.6	3,414	72.5	1,866	51.9	242	5.9	324	6.1
Alaska	69	300.5	7	29.9	18	67.2	8	54.2	-	-	-	-
California	10,438	276.6	1,089	29.1	2,886	73.9	1,627	54.1	208	6.1	278	6.4
Hawaii	66	155.9	-	-	16	43.3	7	20.2	-	-	-	-
Nevada	715	221.9	89	27.0	197	58.4	89	34.4	10	3.6	12	3.0
Oregon	229	235.8	24	26.7	84	82.2	25	36.4	-	-	9	9.2
Washington	760	251.5	91	27.6	213	68.6	110	48.9	19	7.1	20	5.5

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	163,805	174.7	16,859	17.9	49,149	53.4	23,831	24.7	2,663	2.8	3,777	4.0
New England	2,839	143.4	259	12.7	760	39.1	383	19.6	49	2.4	87	4.2
Connecticut	1,210	148.9	114	13.2	313	39.4	175	21.8	17	2.1	31	3.7
Maine	21	86.8	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,382	142.5	124	12.7	380	40.0	176	18.3	28	2.8	51	5.1
New Hampshire	22	87.2	-	-	7	27.2	-	-	-	-	-	-
Rhode Island	196	142.8	16	12.0	55	40.0	24	17.3	-	-	-	-
Vermont	8	90.1	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	22,775	148.1	2,403	15.5	6,184	40.8	3,564	22.3	409	2.6	555	3.5
New Jersey	4,952	156.2	535	16.8	1,342	42.8	740	23.0	93	2.8	119	3.5
New York	11,358	130.3	1,213	13.8	2,907	33.8	1,874	20.9	202	2.3	305	3.5
Pennsylvania	6,465	186.2	655	18.6	1,935	56.9	950	25.3	114	3.2	131	3.7
South Atlantic	52,645	174.0	5,300	17.5	15,495	52.0	7,994	26.1	844	2.7	1,242	4.0
Delaware	698	163.7	65	14.8	203	48.0	100	22.9	17	3.9	14	3.2
District of Columbia	2,218	196.7	213	18.7	610	54.6	326	25.0	46	3.9	66	6.3
Florida	10,403	155.2	1,075	16.1	2,918	44.2	1,674	24.8	195	2.8	286	4.1
Georgia	9,748	175.1	979	17.2	2,830	52.0	1,504	28.1	163	3.0	246	4.2
Maryland	6,551	162.8	708	17.5	1,907	47.2	926	23.9	106	2.8	157	3.8
North Carolina	9,154	187.1	880	18.1	2,845	58.9	1,413	27.8	125	2.5	177	3.6
South Carolina	6,337	192.6	626	18.7	1,864	58.0	970	27.9	63	1.9	132	4.2
Virginia	7,202	181.6	718	18.3	2,219	56.9	1,024	24.9	127	2.9	159	4.0
West Virginia	334	176.2	36	18.7	99	53.3	57	26.9	-	-	-	-
East North Central	26,780	188.6	2,762	19.4	8,435	60.4	3,684	24.4	437	3.0	561	3.9
Illinois	9,203	192.0	1,013	21.1	2,820	59.8	1,362	26.9	135	2.7	170	3.6
Indiana	2,483	180.1	235	16.9	816	60.2	322	22.2	34	2.4	60	4.4
Michigan	6,694	179.9	684	18.1	2,099	57.7	858	21.6	109	2.8	155	4.2
Ohio	7,119	192.7	719	19.4	2,255	61.8	1,014	25.5	144	3.8	159	4.3
Wisconsin	1,281	207.4	111	18.0	445	73.7	128	22.1	15	2.3	17	2.4
East South Central	17,839	203.2	1,856	21.1	5,753	67.3	2,746	29.0	251	2.7	362	4.1
Alabama	6,165	199.3	652	21.1	1,835	60.9	1,037	30.7	84	2.6	113	3.6
Kentucky	1,528	189.6	151	19.2	559	71.0	210	23.7	27	3.2	34	4.2
Mississippi	5,382	212.0	552	21.8	1,776	72.0	830	30.0	64	2.2	104	4.2
Tennessee	4,764	203.6	501	21.2	1,583	69.4	669	27.4	76	3.0	111	4.5

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	5,003	189.1	471	17.8	1,554	60.3	637	24.1	80	3.0	120	4.5
Iowa	269	188.5	25	17.7	97	71.3	37	28.3	-	-	6	3.6
Kansas	705	184.5	76	19.5	218	57.8	106	27.3	8	2.0	19	5.0
Minnesota	572	177.4	48	14.6	144	46.8	56	21.0	6	2.0	16	4.2
Missouri	3,186	197.0	295	18.3	1,014	64.4	406	24.1	61	3.6	70	4.5
Nebraska	252	160.8	27	17.4	77	48.9	31	21.4	-	-	8	4.1
North Dakota	6	87.1	-	-	-	-	-	-	-	-	-	-
South Dakota	13	124.2	-	-	-	-	-	-	-	-	-	-
West South Central	22,108	194.6	2,341	20.5	7,151	64.4	2,764	23.6	335	2.9	474	4.1
Arkansas	2,260	211.1	222	20.7	755	73.9	341	28.1	32	2.8	34	3.2
Louisiana	7,232	209.1	728	20.9	2,327	68.7	926	25.1	92	2.5	139	4.1
Oklahoma	1,207	182.3	143	21.5	383	59.5	159	22.9	22	3.1	24	3.5
Texas	11,409	185.3	1,248	20.1	3,686	61.2	1,338	21.9	189	3.2	277	4.4
Mountain	1,539	125.2	163	13.3	403	33.5	193	16.7	16	1.3	52	4.0
Arizona	673	124.6	79	14.9	183	34.9	79	15.4	7	1.3	24	4.2
Colorado	634	137.2	60	12.9	151	32.8	88	20.8	7	1.6	24	5.1
Idaho	19	111.1	-	-	6	34.6	-	-	-	-	-	-
Montana	9	108.6	-	-	-	-	-	-	-	-	-	-
New Mexico	145	104.7	15	11.1	37	27.6	19	13.0	-	-	-	-
Utah	49	98.8	-	-	19	42.5	-	-	-	-	-	-
Wyoming	10	84.5	-	-	-	-	-	-	-	-	-	-
Pacific	12,277	156.6	1,304	16.6	3,414	44.3	1,866	23.6	242	3.0	324	4.1
Alaska	69	156.5	7	17.7	18	39.5	8	20.1	-	-	-	-
California	10,438	160.5	1,089	16.8	2,886	45.0	1,627	24.6	208	3.1	278	4.2
Hawaii	66	114.7	-	-	16	27.7	7	13.8	-	-	-	-
Nevada	715	136.4	89	17.0	197	37.7	89	16.3	10	1.9	12	2.2
Oregon	229	129.8	24	13.4	84	48.0	25	15.6	-	-	9	5.5
Washington	760	144.8	91	16.9	213	43.1	110	21.7	19	3.9	20	3.8

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	152,931	177.7	17,194	20.4	33,076	38.8	28,686	32.0	3,960	4.3	6,018	7.0
New England	2,689	154.1	269	16.2	548	31.8	475	25.2	43	2.3	107	6.0
Connecticut	1,164	157.4	128	18.3	226	30.5	205	26.4	18	2.3	46	5.9
Maine	10	88.2	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,317	153.3	122	15.1	265	31.4	242	25.6	22	2.3	51	5.9
New Hampshire	16	78.2	-	-	-	-	-	-	-	-	-	-
Rhode Island	171	154.8	17	13.9	52	49.2	20	15.7	-	-	10	8.7
Vermont	11	155.1	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	24,574	165.2	2,665	18.2	5,400	36.4	4,462	29.3	656	4.3	996	6.6
New Jersey	5,215	178.3	592	21.0	1,120	38.5	964	31.6	138	4.4	219	7.3
New York	12,769	148.2	1,439	17.0	2,475	28.8	2,424	27.4	382	4.3	544	6.3
Pennsylvania	6,590	197.5	634	19.0	1,805	54.3	1,074	32.0	136	4.0	233	6.9
South Atlantic	47,747	169.7	5,495	19.9	9,351	33.6	9,286	31.4	1,244	4.2	1,931	6.9
Delaware	674	178.0	64	17.9	185	49.8	102	24.8	12	3.0	34	9.0
District of Columbia	2,142	186.7	261	22.0	467	40.7	355	31.6	44	4.3	87	7.6
Florida	9,042	155.3	1,047	18.6	1,611	27.9	1,830	29.9	284	4.5	357	6.1
Georgia	9,009	162.6	1,091	20.1	1,700	31.7	1,794	29.9	268	4.4	385	7.0
Maryland	6,632	177.7	717	19.9	1,454	39.2	1,292	32.1	153	3.7	257	6.7
North Carolina	8,107	174.2	922	20.0	1,546	33.3	1,573	32.8	191	3.9	311	6.7
South Carolina	5,287	170.5	599	19.6	921	29.7	993	31.2	158	5.0	228	7.4
Virginia	6,539	183.0	748	21.1	1,400	39.6	1,290	34.7	129	3.5	264	7.4
West Virginia	315	185.9	46	26.0	67	40.3	57	35.1	-	-	8	5.0
East North Central	25,765	199.1	2,756	21.7	6,405	49.7	4,626	34.7	607	4.5	916	7.1
Illinois	9,128	203.4	1,065	24.2	2,233	49.7	1,672	36.0	257	5.4	331	7.4
Indiana	2,379	197.3	261	22.1	591	49.7	417	33.6	51	4.0	94	7.8
Michigan	6,494	193.8	656	20.0	1,589	47.7	1,193	34.5	149	4.2	223	6.7
Ohio	6,693	199.6	674	20.3	1,723	51.6	1,185	34.8	116	3.4	231	6.9
Wisconsin	1,071	198.7	100	19.8	269	49.3	159	27.1	34	5.2	37	7.3
East South Central	15,453	185.2	1,880	22.6	3,304	40.2	2,902	33.8	494	5.8	646	7.8
Alabama	5,207	173.6	644	21.5	964	32.5	980	32.1	162	5.4	254	8.6
Kentucky	1,432	199.6	173	24.2	428	60.9	229	31.2	26	3.4	44	6.1
Mississippi	4,352	182.4	536	22.5	874	37.1	838	34.0	178	7.3	172	7.3
Tennessee	4,462	199.4	527	23.8	1,038	47.2	855	36.8	128	5.3	176	7.9

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	4,537	192.7	489	21.4	1,124	48.8	803	32.4	113	4.4	143	6.0
Iowa	205	189.4	23	21.5	51	49.6	38	32.5	-	-	6	5.8
Kansas	634	193.3	77	24.2	152	47.6	106	30.9	14	3.9	23	7.0
Minnesota	443	176.6	31	12.1	109	46.7	87	29.0	9	3.3	19	8.3
Missouri	2,971	193.7	323	21.4	738	48.8	530	33.5	84	5.2	83	5.3
Nebraska	274	207.7	35	27.6	71	53.9	41	28.9	-	-	12	8.6
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	6	119.4	-	-	-	-	-	-	-	-	-	-
West South Central	19,355	187.9	2,216	22.0	4,112	40.7	3,751	34.6	559	5.0	761	7.5
Arkansas	1,876	186.0	249	24.4	376	38.3	331	32.0	64	6.2	67	6.8
Louisiana	6,202	195.4	712	22.8	1,298	41.2	1,178	35.9	199	6.0	242	7.8
Oklahoma	1,028	182.4	102	18.2	229	41.2	204	35.4	25	4.1	27	5.0
Texas	10,249	185.0	1,153	21.5	2,209	40.9	2,038	34.4	271	4.4	425	7.7
Mountain	1,228	140.5	131	15.8	265	31.3	225	23.8	24	2.5	57	6.5
Arizona	579	145.6	52	13.5	132	34.1	119	27.2	10	2.4	30	7.6
Colorado	485	144.0	54	16.8	100	30.7	83	23.1	10	2.5	15	4.6
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	116	128.6	17	19.4	22	25.7	17	18.1	-	-	7	7.6
Utah	35	124.2	-	-	8	30.7	-	-	-	-	-	-
Wyoming	9	127.3	-	-	-	-	-	-	-	-	-	-
Pacific	11,583	180.1	1,293	20.6	2,567	40.6	2,156	31.8	220	3.1	461	7.2
Alaska	38	123.2	-	-	11	41.3	7	17.4	-	-	-	-
California	10,102	183.7	1,129	21.0	2,215	40.8	1,903	33.0	193	3.2	403	7.3
Hawaii	20	56.3	-	-	-	-	6	12.4	-	-	-	-
Nevada	601	156.6	70	17.9	140	37.5	100	25.7	12	2.4	22	5.8
Oregon	201	163.1	19	16.5	46	39.7	33	24.3	-	-	10	8.1
Washington	621	174.3	70	21.0	152	44.4	107	26.5	10	2.2	22	6.5

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	152,931	111.9	17,194	11.8	33,076	24.7	28,686	21.7	3,960	3.1	6,018	4.5
New England	2,689	94.1	269	8.8	548	19.5	475	16.9	43	1.6	107	3.9
Connecticut	1,164	97.0	128	10.1	226	19.2	205	16.9	18	1.6	46	4.1
Maine	10	52.1	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,317	93.0	122	7.8	265	19.1	242	17.8	22	1.6	51	3.6
New Hampshire	16	52.4	-	-	-	-	-	-	-	-	-	-
Rhode Island	171	91.3	17	10.0	52	27.6	20	10.4	-	-	10	5.9
Vermont	11	113.5	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	24,574	104.1	2,665	10.5	5,400	22.9	4,462	19.8	656	3.1	996	4.4
New Jersey	5,215	110.9	592	11.8	1,120	23.7	964	21.2	138	3.2	219	4.9
New York	12,769	94.0	1,439	9.9	2,475	18.2	2,424	18.7	382	3.1	544	4.1
Pennsylvania	6,590	124.8	634	10.8	1,805	35.2	1,074	21.5	136	3.0	233	4.6
South Atlantic	47,747	107.0	5,495	11.6	9,351	21.4	9,286	21.5	1,244	2.9	1,931	4.5
Delaware	674	110.5	64	9.3	185	31.5	102	16.9	12	1.8	34	5.6
District of Columbia	2,142	119.4	261	12.9	467	26.1	355	21.9	44	3.3	87	4.8
Florida	9,042	98.8	1,047	10.8	1,611	17.9	1,830	20.6	284	3.2	357	4.0
Georgia	9,009	103.4	1,091	12.0	1,700	20.2	1,794	20.3	268	3.1	385	4.6
Maryland	6,632	108.8	717	11.3	1,454	24.2	1,292	21.5	153	2.6	257	4.4
North Carolina	8,107	110.4	922	11.9	1,546	21.8	1,573	22.4	191	2.9	311	4.3
South Carolina	5,287	108.7	599	11.6	921	19.5	993	21.7	158	3.5	228	4.7
Virginia	6,539	114.1	748	12.2	1,400	25.0	1,290	23.9	129	2.3	264	4.8
West Virginia	315	119.2	46	15.9	67	25.2	57	25.1	-	-	8	3.5
East North Central	25,765	125.6	2,756	12.6	6,405	31.7	4,626	23.6	607	3.2	916	4.5
Illinois	9,128	128.2	1,065	14.3	2,233	31.7	1,672	24.5	257	4.0	331	4.6
Indiana	2,379	123.9	261	12.5	591	31.5	417	22.6	51	2.8	94	5.0
Michigan	6,494	123.5	656	11.5	1,589	30.4	1,193	23.8	149	3.0	223	4.3
Ohio	6,693	125.2	674	11.7	1,723	32.9	1,185	23.4	116	2.4	231	4.5
Wisconsin	1,071	124.1	100	11.1	269	32.0	159	18.2	34	3.9	37	4.2
East South Central	15,453	117.7	1,880	13.4	3,304	26.2	2,902	22.9	494	3.9	646	5.0
Alabama	5,207	109.7	644	13.0	964	21.3	980	21.7	162	3.4	254	5.5
Kentucky	1,432	125.9	173	13.1	428	39.1	229	20.7	26	2.4	44	3.9
Mississippi	4,352	118.0	536	13.7	874	24.7	838	23.7	178	5.1	172	4.5
Tennessee	4,462	125.4	527	13.6	1,038	30.1	855	24.4	128	3.9	176	5.1

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	4,537	119.7	489	12.0	1,124	30.7	803	21.4	113	3.2	143	3.9
Iowa	205	115.4	23	11.9	51	30.4	38	22.8	-	-	6	2.9
Kansas	634	118.7	77	13.7	152	29.4	106	20.2	14	2.8	23	4.2
Minnesota	443	114.2	31	7.7	109	30.7	87	20.4	9	2.6	19	5.0
Missouri	2,971	120.8	323	12.2	738	30.7	530	21.9	84	3.9	83	3.6
Nebraska	274	122.3	35	13.3	71	32.9	41	20.6	-	-	12	6.0
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	6	77.4	-	-	-	-	-	-	-	-	-	-
West South Central	19,355	118.7	2,216	12.7	4,112	26.2	3,751	23.5	559	3.6	761	4.7
Arkansas	1,876	118.8	249	14.1	376	25.7	331	22.1	64	4.4	67	4.5
Louisiana	6,202	124.1	712	13.5	1,298	26.5	1,178	24.5	199	4.4	242	4.7
Oklahoma	1,028	115.4	102	10.1	229	26.8	204	23.2	25	3.1	27	3.0
Texas	10,249	116.2	1,153	12.3	2,209	26.2	2,038	23.4	271	3.1	425	4.9
Mountain	1,228	86.5	131	8.6	265	19.6	225	16.0	24	1.7	57	4.0
Arizona	579	94.8	52	8.0	132	22.7	119	19.6	10	1.5	30	5.0
Colorado	485	84.7	54	8.9	100	18.4	83	14.3	10	1.7	15	2.6
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	116	71.2	17	9.8	22	12.2	17	11.3	-	-	7	4.3
Utah	35	81.5	-	-	8	20.1	-	-	-	-	-	-
Wyoming	9	67.8	-	-	-	-	-	-	-	-	-	-
Pacific	11,583	112.8	1,293	11.9	2,567	25.4	2,156	21.5	220	2.3	461	4.5
Alaska	38	69.2	-	-	11	22.7	7	11.5	-	-	-	-
California	10,102	115.3	1,129	12.1	2,215	25.7	1,903	22.4	193	2.4	403	4.7
Hawaii	20	36.2	-	-	-	-	6	10.4	-	-	-	-
Nevada	601	98.5	70	11.7	140	22.7	100	16.2	12	2.0	22	3.5
Oregon	201	101.1	19	9.9	46	23.5	33	17.2	-	-	10	5.0
Washington	621	106.9	70	11.2	152	26.9	107	17.8	10	1.7	22	3.7

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2004-2008, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,649	134.7	0.81	76.0	0.44	28,768	94.1	0.56	56.3	0.35
Oral Cavity & Pharynx	784	3.0	0.11	2.0	0.07	396	1.3	0.06	0.8	0.04
Digestive System	11,908	50.8	0.49	29.7	0.28	9,282	31.4	0.33	17.5	0.19
Esophagus	729	3.2	0.12	1.8	0.07	255	0.9	0.06	0.5	0.03
Stomach	2,063	9.2	0.21	5.0	0.11	1,629	5.4	0.14	3.1	0.08
Colon & Rectum	3,027	13.3	0.25	7.5	0.14	2,936	9.9	0.19	5.5	0.11
Liver	3,293	12.8	0.23	8.4	0.15	1,404	4.8	0.13	2.7	0.07
Pancreas	1,899	8.4	0.20	4.7	0.11	2,036	7.0	0.16	3.8	0.09
Respiratory System	8,387	37.7	0.43	20.8	0.23	5,566	18.8	0.26	10.8	0.15
Larynx	170	0.8	0.06	0.4	0.03	28	0.1	0.02	0.1	0.01
Lung & bronchus	8,152	36.7	0.42	20.3	0.23	5,493	18.5	0.25	10.6	0.15
Skin	175	0.7	0.06	0.4	0.03	143	0.5	0.04	0.3	0.02
Melanomas of the skin	104	0.4	0.04	0.3	0.03	101	0.3	0.03	0.2	0.02
Breast	24	0.1	0.02	0.1	0.01	4,061	12.2	0.19	8.5	0.14
Female Genital System	-	-	-	-	-	3,213	9.9	0.18	6.6	0.12
Cervix uteri	-	-	-	-	-	697	2.1	0.08	1.4	0.06
Corpus & uterus, NOS	-	-	-	-	-	802	2.5	0.09	1.7	0.06
Ovary	-	-	-	-	-	1,596	5.0	0.13	3.2	0.08
Male Genital System	1,969	10.7	0.25	4.5	0.10	-	-	-	-	-
Prostate	1,905	10.5	0.25	4.3	0.10	-	-	-	-	-
Testis	51	0.1	0.02	0.1	0.02	-	-	-	-	-
Urinary System	1,200	5.6	0.17	3.0	0.09	666	2.3	0.09	1.2	0.05
Bladder	536	2.7	0.12	1.3	0.06	253	0.9	0.06	0.4	0.03
Kidney & renal pelvis	626	2.6	0.11	1.6	0.07	364	1.2	0.07	0.7	0.04
Brain & Other Nervous System	661	2.4	0.10	1.7	0.07	518	1.6	0.07	1.2	0.05
Endocrine System	206	0.8	0.06	0.6	0.04	319	1.0	0.06	0.7	0.04
Thyroid gland	121	0.5	0.05	0.3	0.03	239	0.8	0.05	0.5	0.03
Lymphomas	1,268	5.6	0.16	3.1	0.09	1,054	3.6	0.11	2.0	0.06
Hodgkin Lymphoma	62	0.2	0.03	0.2	0.02	50	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	1,206	5.4	0.16	2.9	0.09	1,004	3.4	0.11	1.9	0.06
Multiple Myeloma	469	2.1	0.10	1.2	0.05	422	1.4	0.07	0.8	0.04
Leukemias	1,190	5.0	0.15	3.0	0.09	921	2.9	0.10	1.9	0.07
Other, Ill-defined & Unknown	2,408	10.3	0.22	6.0	0.13	2,207	7.3	0.16	4.3	0.10

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	30,649	134.7	3,027	13.3	8,152	36.7	1,905	10.5	536	2.7	1,206	5.4
New England	787	123.4	64	9.2	207	34.0	42	10.0	10	1.9	40	5.9
Connecticut	156	103.8	10	4.2	36	23.7	10	11.0	-	-	13	8.8
Maine	16	84.0	-	-	-	-	-	-	-	-	-	-
Massachusetts	532	130.4	50	11.7	147	38.4	27	9.9	-	-	18	4.2
New Hampshire	27	100.7	-	-	6	24.8	-	-	-	-	-	-
Rhode Island	52	163.2	-	-	14	42.3	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	4,086	115.9	416	12.2	1,066	31.9	192	7.4	68	2.4	138	3.8
New Jersey	900	98.8	91	9.6	207	23.7	54	8.9	16	2.2	44	4.4
New York	2,766	125.1	296	13.8	743	35.7	117	7.0	44	2.5	81	3.8
Pennsylvania	420	104.5	29	8.7	116	28.9	21	7.1	8	2.0	13	2.9
South Atlantic	2,408	104.7	231	9.9	609	27.5	115	6.9	40	2.4	94	4.0
Delaware	30	89.5	-	-	10	39.1	-	-	-	-	-	-
District of Columbia	35	168.1	-	-	10	43.2	-	-	-	-	-	-
Florida	606	89.3	66	9.3	154	24.1	20	4.0	10	1.9	19	2.5
Georgia	315	99.6	32	11.0	71	22.1	20	9.8	9	4.6	7	2.4
Maryland	527	115.0	58	11.7	133	29.3	30	8.5	6	2.2	22	4.5
North Carolina	192	101.2	10	4.4	42	23.9	9	7.2	-	-	6	3.3
South Carolina	72	97.1	8	8.9	17	24.4	-	-	-	-	6	8.7
Virginia	628	123.6	52	11.0	172	34.9	27	7.5	8	1.9	31	6.1
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-
East North Central	1,504	99.3	145	9.7	388	27.1	85	7.4	24	2.0	64	4.4
Illinois	840	105.1	84	10.6	252	33.0	46	7.8	10	1.4	31	4.2
Indiana	63	66.1	6	6.7	9	9.6	-	-	-	-	-	-
Michigan	287	99.9	26	8.8	62	21.9	22	9.9	-	-	15	5.2
Ohio	202	91.6	18	7.6	41	20.2	10	5.9	6	3.1	9	4.3
Wisconsin	112	97.3	11	12.5	24	24.0	-	-	-	-	-	-
East South Central	246	102.5	23	9.7	61	25.1	15	10.7	-	-	7	2.7
Alabama	36	49.6	-	-	11	12.3	-	-	-	-	-	-
Kentucky	61	147.7	6	10.9	10	23.4	-	-	-	-	-	-
Mississippi	42	125.4	-	-	16	54.3	-	-	-	-	-	-
Tennessee	107	106.9	12	12.9	24	25.1	9	14.5	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	587	133.0	51	14.6	133	31.5	23	8.3	7	1.9	22	4.9
Iowa	62	147.3	6	24.4	10	26.1	-	-	-	-	-	-
Kansas	101	141.7	13	20.7	24	39.5	-	-	-	-	-	-
Minnesota	263	151.8	17	11.6	59	35.1	9	8.0	-	-	7	3.9
Missouri	119	106.2	11	12.3	30	26.8	-	-	-	-	-	-
Nebraska	35	108.9	-	-	8	21.6	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	7	154.4	-	-	-	-	-	-	-	-	-	-
West South Central	1,496	121.1	135	12.0	375	31.6	74	9.0	22	2.2	73	6.1
Arkansas	34	116.7	-	-	-	-	-	-	-	-	-	-
Louisiana	116	127.2	12	10.4	30	34.0	8	15.6	-	-	-	-
Oklahoma	104	141.4	9	14.0	21	36.4	7	17.7	-	-	7	6.1
Texas	1,242	119.4	110	12.1	319	31.4	57	7.9	18	2.2	60	6.1
Mountain	633	117.6	59	11.5	155	29.0	54	13.4	8	1.7	22	4.3
Arizona	217	97.5	22	10.7	56	25.9	21	12.4	-	-	-	-
Colorado	199	127.9	14	10.2	51	32.3	15	12.5	-	-	11	6.7
Idaho	37	150.5	-	-	7	27.8	6	28.3	-	-	-	-
Montana	9	121.6	-	-	-	-	-	-	-	-	-	-
New Mexico	34	71.3	-	-	7	12.6	-	-	-	-	-	-
Utah	133	156.4	16	19.7	31	38.5	9	13.5	-	-	6	8.8
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	18,902	151.9	1,903	15.2	5,158	41.9	1,305	12.0	354	3.1	746	6.1
Alaska	71	139.3	9	16.6	21	48.4	-	-	-	-	-	-
California	12,891	146.3	1,291	14.6	3,478	40.1	848	11.3	233	2.9	522	5.9
Hawaii	4,130	177.2	455	19.6	1,164	50.2	349	14.6	85	3.6	153	6.5
Nevada	407	131.0	38	12.3	114	36.3	25	10.9	9	4.5	13	3.9
Oregon	300	148.3	18	8.4	75	38.1	12	7.2	-	-	20	11.0
Washington	1,103	158.5	92	13.1	306	44.5	69	12.7	21	3.5	37	5.9

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	30,649	76.0	3,027	7.5	8,152	20.3	1,905	4.3	536	1.3	1,206	2.9
New England	787	70.0	64	5.7	207	18.1	42	3.7	10	0.9	40	3.7
Connecticut	156	59.5	10	3.6	36	13.2	10	4.1	-	-	13	5.3
Maine	16	63.8	-	-	-	-	-	-	-	-	-	-
Massachusetts	532	74.8	50	7.1	147	20.4	27	3.5	-	-	18	2.7
New Hampshire	27	54.3	-	-	6	11.3	-	-	-	-	-	-
Rhode Island	52	79.3	-	-	14	21.5	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	4,086	65.6	416	6.8	1,066	17.2	192	3.1	68	1.1	138	2.2
New Jersey	900	55.4	91	5.6	207	12.8	54	3.6	16	1.0	44	2.6
New York	2,766	70.9	296	7.7	743	19.1	117	2.9	44	1.1	81	2.0
Pennsylvania	420	60.5	29	4.2	116	16.9	21	3.2	8	1.1	13	1.9
South Atlantic	2,408	60.5	231	5.7	609	15.6	115	3.0	40	1.0	94	2.3
Delaware	30	53.8	-	-	10	19.8	-	-	-	-	-	-
District of Columbia	35	87.6	-	-	10	25.1	-	-	-	-	-	-
Florida	606	52.3	66	5.7	154	13.3	20	1.7	10	0.8	19	1.7
Georgia	315	57.2	32	6.0	71	13.4	20	4.4	9	1.8	7	1.2
Maryland	527	65.6	58	7.0	133	17.0	30	3.6	6	0.8	22	2.6
North Carolina	192	59.2	10	2.8	42	13.4	9	3.2	-	-	6	1.6
South Carolina	72	56.0	8	6.0	17	12.5	-	-	-	-	6	5.4
Virginia	628	71.1	52	6.0	172	19.7	27	3.3	8	0.9	31	3.6
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-
East North Central	1,504	55.9	145	5.5	388	14.6	85	3.3	24	1.0	64	2.4
Illinois	840	59.1	84	6.1	252	17.7	46	3.3	10	0.7	31	2.3
Indiana	63	38.5	6	3.5	9	5.8	-	-	-	-	-	-
Michigan	287	55.0	26	5.2	62	12.0	22	4.5	-	-	15	2.6
Ohio	202	50.4	18	4.4	41	10.5	10	2.6	6	1.6	9	2.3
Wisconsin	112	60.0	11	7.0	24	13.1	-	-	-	-	-	-
East South Central	246	60.2	23	5.6	61	15.2	15	4.0	-	-	7	1.7
Alabama	36	36.4	-	-	11	11.1	-	-	-	-	-	-
Kentucky	61	72.2	6	6.8	10	12.5	-	-	-	-	-	-
Mississippi	42	80.2	-	-	16	31.3	-	-	-	-	-	-
Tennessee	107	63.0	12	7.3	24	14.3	9	5.4	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	587	76.7	51	6.8	133	18.2	23	3.3	7	1.0	22	3.1
Iowa	62	76.0	6	8.5	10	12.9	-	-	-	-	-	-
Kansas	101	80.5	13	10.2	24	20.0	-	-	-	-	-	-
Minnesota	263	89.8	17	6.0	59	22.1	9	3.6	-	-	7	2.7
Missouri	119	61.7	11	5.8	30	15.2	-	-	-	-	-	-
Nebraska	35	66.6	-	-	8	15.4	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	7	76.4	-	-	-	-	-	-	-	-	-	-
West South Central	1,496	67.7	135	6.2	375	17.3	74	3.7	22	1.1	73	3.4
Arkansas	34	57.0	-	-	-	-	-	-	-	-	-	-
Louisiana	116	71.6	12	7.3	30	18.4	8	5.1	-	-	-	-
Oklahoma	104	82.6	9	7.9	21	17.5	7	6.6	-	-	7	5.2
Texas	1,242	66.8	110	6.0	319	17.5	57	3.4	18	1.1	60	3.3
Mountain	633	65.1	59	5.9	155	16.2	54	5.4	8	0.8	22	2.2
Arizona	217	57.4	22	5.6	56	15.1	21	5.8	-	-	-	-
Colorado	199	66.2	14	4.8	51	16.6	15	4.9	-	-	11	3.4
Idaho	37	69.9	-	-	7	14.8	6	8.8	-	-	-	-
Montana	9	54.7	-	-	-	-	-	-	-	-	-	-
New Mexico	34	49.3	-	-	7	10.7	-	-	-	-	-	-
Utah	133	88.2	16	9.7	31	21.2	9	5.7	-	-	6	4.1
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	18,902	86.6	1,903	8.7	5,158	23.5	1,305	5.0	354	1.5	746	3.3
Alaska	71	78.2	9	9.9	21	22.0	-	-	-	-	-	-
California	12,891	82.6	1,291	8.2	3,478	22.0	848	4.6	233	1.4	522	3.3
Hawaii	4,130	105.1	455	12.1	1,164	30.3	349	6.4	85	1.8	153	3.5
Nevada	407	78.8	38	7.4	114	22.4	25	4.7	9	1.7	13	2.4
Oregon	300	84.4	18	5.1	75	21.4	12	3.6	-	-	20	5.5
Washington	1,103	90.5	92	7.5	306	25.2	69	5.4	21	1.6	37	2.8

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	28,768	94.1	2,936	9.9	5,493	18.5	4,061	12.2	697	2.1	1,596	5.0
New England	644	83.1	69	9.0	116	16.5	74	8.3	10	1.1	33	3.8
Connecticut	144	86.2	13	7.5	20	13.3	24	11.8	-	-	10	6.6
Maine	20	100.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	411	83.9	42	8.9	80	17.9	41	7.6	6	1.0	17	2.8
New Hampshire	29	76.9	-	-	9	26.3	-	-	-	-	-	-
Rhode Island	38	80.0	6	11.3	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	3,435	77.2	361	8.6	599	14.5	555	10.9	85	1.7	206	4.2
New Jersey	867	73.4	68	6.4	127	11.8	179	12.7	19	1.4	48	3.6
New York	2,171	78.5	246	9.3	406	15.6	329	10.7	56	1.9	135	4.5
Pennsylvania	397	79.1	47	9.8	66	14.3	47	8.2	10	1.6	23	3.9
South Atlantic	2,625	84.3	235	7.8	525	17.8	355	9.7	86	2.2	149	4.6
Delaware	37	76.9	-	-	13	29.5	-	-	-	-	-	-
District of Columbia	26	72.0	-	-	6	20.4	-	-	-	-	-	-
Florida	760	80.7	73	7.9	174	19.2	92	8.5	29	2.4	46	4.8
Georgia	318	77.1	26	5.4	56	14.0	33	7.2	14	2.9	15	3.0
Maryland	470	81.2	44	8.2	75	13.9	72	10.9	9	1.3	22	3.4
North Carolina	227	83.8	24	11.0	41	15.9	31	9.4	8	2.1	8	2.7
South Carolina	94	91.0	8	7.8	27	29.8	8	7.4	-	-	-	-
Virginia	685	97.3	54	7.7	132	20.0	110	12.6	21	2.6	50	7.2
West Virginia	8	35.1	-	-	-	-	-	-	-	-	-	-
East North Central	1,634	81.0	171	8.5	306	15.7	237	10.4	33	1.3	108	5.1
Illinois	857	80.3	96	9.3	155	14.8	143	11.6	10	0.8	58	5.0
Indiana	83	64.7	10	8.9	24	18.7	7	5.3	-	-	6	4.3
Michigan	301	79.5	32	8.0	57	16.1	32	7.9	-	-	24	6.3
Ohio	254	83.9	20	6.2	50	17.5	40	12.2	6	1.4	10	3.5
Wisconsin	139	96.4	13	8.3	20	14.8	15	9.5	9	5.9	10	7.1
East South Central	311	92.0	27	8.1	71	22.1	41	9.7	11	2.6	17	4.0
Alabama	75	84.4	-	-	13	16.8	15	13.1	-	-	-	-
Kentucky	66	104.5	8	10.7	15	23.0	-	-	-	-	-	-
Mississippi	44	97.8	6	12.7	11	23.2	-	-	-	-	-	-
Tennessee	126	89.1	8	6.4	32	24.7	21	12.5	6	4.0	9	5.0

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	580	98.8	58	9.9	96	17.2	68	10.3	24	4.5	33	5.1
Iowa	57	96.1	-	-	14	23.3	-	-	-	-	-	-
Kansas	77	78.7	-	-	17	17.4	13	10.9	-	-	-	-
Minnesota	248	110.8	28	11.9	30	14.4	28	12.5	15	7.1	11	4.0
Missouri	142	94.5	11	7.8	22	15.5	19	9.6	-	-	13	8.1
Nebraska	39	94.0	7	18.1	9	21.6	-	-	-	-	-	-
North Dakota	6	102.5	-	-	-	-	-	-	-	-	-	-
South Dakota	11	135.5	-	-	-	-	-	-	-	-	-	-
West South Central	1,462	87.4	148	9.8	321	20.3	182	8.9	53	2.7	76	4.1
Arkansas	49	91.5	-	-	10	20.6	-	-	-	-	-	-
Louisiana	94	80.8	8	7.3	15	13.7	19	13.4	-	-	7	5.1
Oklahoma	117	101.7	20	18.4	28	22.7	10	6.7	-	-	-	-
Texas	1,202	86.5	115	9.3	268	20.6	148	8.8	42	2.5	66	4.2
Mountain	687	83.3	66	8.7	137	17.4	105	11.4	16	1.5	42	4.9
Arizona	233	69.1	19	6.1	49	15.4	37	9.7	6	1.5	17	4.9
Colorado	226	90.0	26	10.9	46	18.1	25	9.4	6	1.6	14	5.2
Idaho	29	76.0	-	-	6	16.9	8	19.6	-	-	-	-
Montana	19	129.2	-	-	-	-	-	-	-	-	-	-
New Mexico	59	90.8	-	-	10	18.0	8	9.8	-	-	-	-
Utah	110	94.3	11	11.2	21	20.4	23	17.2	-	-	-	-
Wyoming	11	107.0	-	-	-	-	-	-	-	-	-	-
Pacific	17,390	103.4	1,801	10.8	3,322	20.0	2,444	14.0	379	2.2	932	5.4
Alaska	71	91.7	-	-	18	23.9	9	10.3	-	-	-	-
California	12,126	101.4	1,288	10.9	2,228	18.9	1,745	13.8	279	2.2	657	5.3
Hawaii	3,389	113.0	325	10.5	719	23.8	462	16.4	50	1.9	172	6.0
Nevada	426	94.8	41	9.8	85	18.9	67	13.9	8	1.5	28	6.0
Oregon	277	97.1	35	12.8	50	18.4	36	11.7	13	3.7	11	3.5
Washington	1,101	106.8	108	10.8	222	21.9	125	10.8	28	2.3	60	5.6

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	28,768	56.3	2,936	5.5	5,493	10.6	4,061	8.5	697	1.4	1,596	3.2
New England	644	49.0	69	5.0	116	8.7	74	5.6	10	0.8	33	2.5
Connecticut	144	47.9	13	4.3	20	6.9	24	7.7	-	-	10	3.5
Maine	20	55.1	-	-	-	-	-	-	-	-	-	-
Massachusetts	411	49.6	42	4.9	80	9.4	41	5.0	6	0.8	17	2.0
New Hampshire	29	51.6	-	-	9	15.2	-	-	-	-	-	-
Rhode Island	38	52.2	6	7.8	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	3,435	46.1	361	4.6	599	7.9	555	7.7	85	1.1	206	2.8
New Jersey	867	44.1	68	3.5	127	6.4	179	9.2	19	1.0	48	2.4
New York	2,171	46.9	246	5.0	406	8.6	329	7.5	56	1.2	135	3.0
Pennsylvania	397	46.6	47	5.4	66	7.8	47	5.4	10	1.2	23	2.7
South Atlantic	2,625	50.7	235	4.5	525	10.2	355	6.7	86	1.6	149	2.9
Delaware	37	52.0	-	-	13	18.0	-	-	-	-	-	-
District of Columbia	26	45.0	-	-	6	11.5	-	-	-	-	-	-
Florida	760	49.5	73	4.9	174	11.4	92	6.0	29	1.9	46	3.0
Georgia	318	46.4	26	3.5	56	8.1	33	4.4	14	1.8	15	2.4
Maryland	470	47.1	44	4.3	75	7.1	72	7.3	9	1.0	22	2.3
North Carolina	227	51.0	24	5.0	41	9.3	31	6.7	8	1.4	8	1.8
South Carolina	94	55.7	8	5.4	27	16.4	8	4.8	-	-	-	-
Virginia	685	57.5	54	4.5	132	11.2	110	9.2	21	1.7	50	4.1
West Virginia	8	20.2	-	-	-	-	-	-	-	-	-	-
East North Central	1,634	48.1	171	5.1	306	9.1	237	7.1	33	0.9	108	3.2
Illinois	857	47.6	96	5.4	155	8.6	143	8.1	10	0.5	58	3.3
Indiana	83	37.6	10	4.4	24	11.1	7	2.8	-	-	6	2.7
Michigan	301	49.7	32	5.4	57	9.5	32	5.4	-	-	24	4.0
Ohio	254	48.0	20	3.7	50	9.4	40	7.8	6	1.2	10	1.7
Wisconsin	139	57.0	13	4.7	20	8.9	15	7.3	9	3.3	10	4.2
East South Central	311	56.5	27	4.8	71	13.4	41	7.4	11	1.9	17	3.0
Alabama	75	53.7	-	-	13	9.3	15	10.3	-	-	-	-
Kentucky	66	58.8	8	7.7	15	13.2	-	-	-	-	-	-
Mississippi	44	55.1	6	7.6	11	14.2	-	-	-	-	-	-
Tennessee	126	57.6	8	3.4	32	15.9	21	9.4	6	2.7	9	4.2

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2004-2008, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	580	57.3	58	5.8	96	9.5	68	6.9	24	2.3	33	3.3
Iowa	57	54.6	-	-	14	13.4	-	-	-	-	-	-
Kansas	77	47.4	-	-	17	10.3	13	8.5	-	-	-	-
Minnesota	248	64.8	28	7.0	30	8.0	28	7.9	15	3.8	11	3.2
Missouri	142	54.9	11	4.4	22	8.6	19	7.4	-	-	13	4.6
Nebraska	39	52.5	7	10.1	9	10.9	-	-	-	-	-	-
North Dakota	6	45.0	-	-	-	-	-	-	-	-	-	-
South Dakota	11	76.7	-	-	-	-	-	-	-	-	-	-
West South Central	1,462	53.8	148	5.4	321	12.3	182	6.4	53	1.9	76	2.9
Arkansas	49	54.4	-	-	10	11.4	-	-	-	-	-	-
Louisiana	94	48.1	8	3.9	15	7.7	19	10.2	-	-	7	3.4
Oklahoma	117	65.9	20	10.8	28	17.6	10	4.8	-	-	-	-
Texas	1,202	53.2	115	5.0	268	12.3	148	6.3	42	1.8	66	3.1
Mountain	687	49.8	66	4.5	137	10.3	105	7.9	16	1.2	42	2.9
Arizona	233	44.2	19	3.5	49	9.7	37	7.4	6	1.0	17	3.1
Colorado	226	50.2	26	5.3	46	11.2	25	5.8	6	1.4	14	3.1
Idaho	29	46.2	-	-	6	8.1	8	14.0	-	-	-	-
Montana	19	82.0	-	-	-	-	-	-	-	-	-	-
New Mexico	59	56.1	-	-	10	9.5	8	7.4	-	-	-	-
Utah	110	54.7	11	4.7	21	10.6	23	11.1	-	-	-	-
Wyoming	11	70.8	-	-	-	-	-	-	-	-	-	-
Pacific	17,390	62.6	1,801	6.0	3,322	11.6	2,444	9.9	379	1.5	932	3.5
Alaska	71	55.6	-	-	18	13.7	9	7.8	-	-	-	-
California	12,126	61.2	1,288	6.0	2,228	10.8	1,745	9.9	279	1.5	657	3.5
Hawaii	3,389	69.6	325	6.1	719	14.6	462	11.2	50	1.5	172	3.8
Nevada	426	61.0	41	5.7	85	12.1	67	9.5	8	1.1	28	3.9
Oregon	277	57.5	35	7.1	50	10.3	36	8.0	13	2.6	11	2.4
Washington	1,101	63.8	108	6.0	222	13.2	125	7.5	28	1.7	60	3.6

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2004-2008, American Indian/Alaskan Native (AI/AN)**

<i>SITES</i>	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,552	148.4	2.01	87.5	1.10	6,040	107.7	1.43	66.4	0.88
Oral Cavity & Pharynx	156	3.2	0.28	2.1	0.17	58	1.1	0.14	0.6	0.09
Digestive System	2,032	44.0	1.07	26.7	0.60	1,543	28.4	0.75	16.5	0.44
Esophagus	239	5.1	0.36	3.2	0.21	69	1.2	0.15	0.7	0.09
Stomach	254	5.7	0.39	3.4	0.21	154	2.7	0.23	1.7	0.14
Colon & Rectum	675	14.9	0.63	8.9	0.35	579	10.6	0.45	6.2	0.26
Liver	385	7.4	0.41	4.9	0.25	190	3.6	0.27	2.0	0.15
Pancreas	341	7.6	0.45	4.5	0.25	342	6.4	0.35	3.7	0.21
Respiratory System	1,954	44.4	1.08	26.8	0.62	1,566	28.6	0.74	18.0	0.47
Larynx	75	1.6	0.21	1.1	0.12	18	0.3	0.07	0.2	0.05
Lung & bronchus	1,866	42.4	1.06	25.6	0.60	1,543	28.2	0.74	17.7	0.47
Skin	87	1.8	0.22	1.1	0.12	45	0.8	0.12	0.5	0.07
Melanomas of the skin	51	1.0	0.16	0.7	0.09	36	0.6	0.11	0.4	0.07
Breast	6	0.2	0.08	0.1	0.03	833	13.8	0.50	9.1	0.32
Female Genital System	-	-	-	-	-	646	10.9	0.44	7.1	0.29
Cervix uteri	-	-	-	-	-	172	2.5	0.20	1.9	0.15
Corpus & uterus, NOS	-	-	-	-	-	137	2.5	0.22	1.5	0.13
Ovary	-	-	-	-	-	296	5.1	0.31	3.3	0.20
Male Genital System	578	17.4	0.77	7.7	0.33	-	-	-	-	-
Prostate	554	16.9	0.76	7.4	0.32	-	-	-	-	-
Testis	12	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	428	9.8	0.52	5.7	0.28	220	4.0	0.28	2.4	0.17
Bladder	111	2.9	0.30	1.5	0.14	55	1.1	0.15	0.5	0.07
Kidney & renal pelvis	312	6.7	0.42	4.1	0.24	162	2.8	0.23	1.8	0.15
Brain & Other Nervous System	131	2.3	0.22	1.7	0.15	94	1.5	0.16	1.0	0.11
Endocrine System	26	0.5	0.11	0.3	0.07	23	0.4	0.09	0.2	0.05
Thyroid gland	15	0.3	0.10	0.2	0.05	16	0.3	0.08	0.1	0.04
Lymphomas	202	4.5	0.35	2.7	0.19	179	3.3	0.25	1.9	0.15
Hodgkin Lymphoma	16	0.3	0.07	0.2	0.05	-	-	-	-	-
Non-Hodgkin Lymphoma	186	4.3	0.34	2.5	0.19	176	3.3	0.25	1.8	0.14
Multiple Myeloma	144	3.3	0.29	1.9	0.16	108	1.9	0.19	1.2	0.12
Leukemias	221	4.5	0.34	2.8	0.19	164	2.9	0.24	1.8	0.14
Other, Ill-defined & Unknown	587	12.7	0.58	7.8	0.33	561	10.1	0.44	6.1	0.27

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2004-2008, Hispanic Ethnicity**

<i>SITES</i>	MALES (HISPANIC)					FEMALES (HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	70,526	149.1	0.60	85.4	0.33	63,290	101.4	0.41	61.6	0.26
Oral Cavity & Pharynx	1,253	2.4	0.07	1.6	0.05	454	0.8	0.04	0.4	0.02
Digestive System	24,445	50.0	0.34	30.0	0.20	18,399	30.8	0.23	17.5	0.14
Esophagus	2,010	4.1	0.10	2.5	0.06	477	0.8	0.04	0.5	0.02
Stomach	3,788	7.7	0.14	4.5	0.08	2,831	4.5	0.09	2.7	0.05
Colon & Rectum	7,280	15.5	0.19	8.9	0.11	6,175	10.3	0.13	5.8	0.08
Liver	5,367	10.1	0.15	6.6	0.09	2,272	3.9	0.08	2.2	0.05
Pancreas	4,401	9.2	0.15	5.5	0.09	4,364	7.5	0.12	4.2	0.07
Respiratory System	15,103	34.0	0.29	19.1	0.16	8,506	14.6	0.16	8.3	0.10
Larynx	815	1.8	0.07	1.0	0.04	93	0.2	0.02	0.1	0.01
Lung & bronchus	14,148	31.9	0.28	17.9	0.16	8,320	14.3	0.16	8.2	0.09
Skin	807	1.6	0.06	0.9	0.03	496	0.8	0.04	0.5	0.02
Melanomas of the skin	522	1.0	0.05	0.6	0.03	367	0.6	0.03	0.4	0.02
Breast	60	0.1	0.02	0.1	0.01	10,115	15.1	0.15	10.2	0.10
Female Genital System	-	-	-	-	-	8,415	12.9	0.14	8.5	0.10
Cervix uteri	-	-	-	-	-	2,287	3.1	0.07	2.2	0.05
Corpus & uterus, NOS	-	-	-	-	-	1,971	3.1	0.07	2.0	0.05
Ovary	-	-	-	-	-	3,742	5.9	0.10	3.8	0.06
Male Genital System	7,263	19.1	0.23	8.6	0.10	-	-	-	-	-
Prostate	6,779	18.5	0.23	8.2	0.10	-	-	-	-	-
Testis	296	0.3	0.02	0.2	0.01	-	-	-	-	-
Urinary System	4,127	9.1	0.15	5.0	0.08	2,167	3.7	0.08	2.1	0.05
Bladder	1,509	3.8	0.10	1.8	0.05	694	1.2	0.05	0.6	0.02
Kidney & renal pelvis	2,561	5.2	0.11	3.1	0.06	1,423	2.3	0.06	1.4	0.04
Brain & Other Nervous System	2,100	3.2	0.08	2.3	0.05	1,742	2.4	0.06	1.7	0.04
Endocrine System	442	0.8	0.04	0.5	0.03	555	0.8	0.04	0.5	0.02
Thyroid gland	265	0.6	0.04	0.3	0.02	381	0.6	0.03	0.4	0.02
Lymphomas	3,473	6.9	0.13	4.0	0.07	2,847	4.7	0.09	2.7	0.05
Hodgkin Lymphoma	325	0.5	0.03	0.4	0.02	242	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,148	6.3	0.12	3.7	0.07	2,605	4.3	0.09	2.5	0.05
Multiple Myeloma	1,532	3.3	0.09	1.9	0.05	1,425	2.4	0.07	1.4	0.04
Leukemias	3,580	6.0	0.12	3.9	0.07	2,742	3.9	0.08	2.6	0.05
Other, Ill-defined & Unknown	6,341	12.6	0.17	7.4	0.10	5,427	8.6	0.12	5.2	0.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2004-2008, Non-Hispanic Ethnicity**

<i>SITES</i>	MALES (NON-HISPANIC)					FEMALES (NON-HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,382,503	228.2	0.20	131.3	0.12	1,280,937	157.0	0.14	95.7	0.10
Oral Cavity & Pharynx	25,532	4.0	0.03	2.6	0.02	12,085	1.5	0.01	0.9	0.01
Digestive System	348,020	56.5	0.10	33.6	0.06	284,386	34.0	0.06	19.3	0.04
Esophagus	50,912	8.1	0.04	5.1	0.02	14,004	1.7	0.01	1.0	0.01
Stomach	30,017	5.0	0.03	2.8	0.02	20,741	2.5	0.02	1.4	0.01
Colon & Rectum	126,892	21.0	0.06	11.9	0.04	125,110	14.8	0.04	8.2	0.03
Liver	40,042	6.2	0.03	4.1	0.02	16,860	2.0	0.02	1.2	0.01
Pancreas	78,598	12.7	0.05	7.6	0.03	79,744	9.6	0.03	5.5	0.02
Respiratory System	447,506	72.6	0.11	43.4	0.07	343,948	42.7	0.07	26.5	0.05
Larynx	13,888	2.2	0.02	1.4	0.01	3,829	0.5	0.01	0.3	0.01
Lung & bronchus	430,926	70.0	0.11	41.8	0.07	338,506	42.1	0.07	26.1	0.05
Skin	35,484	5.8	0.03	3.5	0.02	18,117	2.2	0.02	1.4	0.01
Melanomas of the skin	26,514	4.3	0.03	2.7	0.02	14,382	1.8	0.02	1.2	0.01
Breast	1,868	0.3	0.01	0.2	0.00	193,693	24.1	0.06	15.8	0.04
Female Genital System	-	-	-	-	-	129,129	16.1	0.05	10.4	0.03
Cervix uteri	-	-	-	-	-	17,469	2.4	0.02	1.7	0.01
Corpus & uterus, NOS	-	-	-	-	-	34,575	4.2	0.02	2.7	0.02
Ovary	-	-	-	-	-	69,529	8.6	0.03	5.5	0.02
Male Genital System	139,500	25.1	0.07	11.0	0.03	-	-	-	-	-
Prostate	136,847	24.7	0.07	10.7	0.03	-	-	-	-	-
Testis	1,461	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	84,058	14.2	0.05	7.6	0.03	43,447	5.1	0.02	2.8	0.02
Bladder	45,454	7.9	0.04	3.8	0.02	19,884	2.3	0.02	1.1	0.01
Kidney & renal pelvis	36,674	5.9	0.03	3.6	0.02	22,067	2.7	0.02	1.6	0.01
Brain & Other Nervous System	34,443	5.4	0.03	3.9	0.02	27,450	3.6	0.02	2.6	0.02
Endocrine System	4,994	0.8	0.01	0.6	0.01	6,067	0.8	0.01	0.5	0.01
Thyroid gland	2,931	0.5	0.01	0.3	0.01	4,013	0.5	0.01	0.3	0.00
Lymphomas	55,106	9.2	0.04	5.2	0.02	48,052	5.8	0.03	3.2	0.02
Hodgkin Lymphoma	3,192	0.5	0.01	0.4	0.01	2,542	0.3	0.01	0.2	0.01
Non-Hodgkin Lymphoma	51,914	8.7	0.04	4.8	0.02	45,510	5.4	0.03	2.9	0.02
Multiple Myeloma	26,899	4.5	0.03	2.5	0.02	23,605	2.8	0.02	1.6	0.01
Leukemias	58,280	9.9	0.04	5.6	0.03	44,806	5.4	0.03	3.2	0.02
Other, Ill-defined & Unknown	120,813	19.9	0.06	11.6	0.04	106,152	12.8	0.04	7.6	0.03

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada (Excludes Quebec), 2004-2008, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	131,802	228.3	0.64	125.8	0.36	118,770	159.0	0.46	94.4	0.31
Oral Cavity & Pharynx	2,702	4.4	0.09	2.8	0.06	1,298	1.7	0.05	1.0	0.03
Digestive System	37,874	64.5	0.34	36.7	0.20	29,477	38.8	0.23	21.2	0.14
Esophagus	4,842	8.0	0.12	4.9	0.07	1,532	2.0	0.05	1.1	0.03
Stomach	4,221	7.3	0.11	4.0	0.07	2,644	3.5	0.07	2.0	0.04
Colon & Rectum	16,464	28.6	0.23	15.5	0.13	14,260	18.7	0.16	9.9	0.09
Liver	3,178	5.2	0.09	3.2	0.06	1,262	1.7	0.05	1.0	0.03
Pancreas	6,645	11.1	0.14	6.6	0.08	6,749	8.9	0.11	5.0	0.07
Respiratory System	36,320	61.4	0.33	35.3	0.19	28,586	38.8	0.23	24.0	0.16
Larynx	1,182	2.0	0.06	1.2	0.04	259	0.4	0.02	0.2	0.01
Lung & bronchus	34,857	59.0	0.32	33.8	0.19	28,175	38.2	0.23	23.7	0.15
Skin	2,753	4.7	0.09	2.7	0.05	1,632	2.2	0.05	1.3	0.04
Melanomas of the skin	2,128	3.5	0.08	2.2	0.05	1,312	1.8	0.05	1.2	0.04
Breast	170	0.3	0.02	0.2	0.01	18,271	24.5	0.18	15.5	0.13
Female Genital System	-	-	-	-	-	11,151	15.1	0.14	9.5	0.10
Cervix uteri	-	-	-	-	-	1,539	2.2	0.06	1.5	0.04
Corpus & uterus, NOS	-	-	-	-	-	2,794	3.7	0.07	2.3	0.05
Ovary	-	-	-	-	-	6,066	8.2	0.11	5.2	0.07
Male Genital System	14,844	28.7	0.24	12.0	0.10	-	-	-	-	-
Prostate	14,559	28.2	0.24	11.7	0.10	-	-	-	-	-
Testis	151	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	8,304	14.8	0.17	7.6	0.09	4,086	5.4	0.08	2.8	0.05
Bladder	4,571	8.5	0.13	4.0	0.06	1,919	2.5	0.06	1.2	0.03
Kidney & renal pelvis	3,545	6.0	0.10	3.5	0.06	2,044	2.7	0.06	1.6	0.04
Brain & Other Nervous System	3,514	5.5	0.09	4.0	0.07	2,561	3.6	0.07	2.6	0.06
Endocrine System	434	0.7	0.03	0.5	0.03	545	0.8	0.03	0.5	0.03
Thyroid gland	260	0.4	0.03	0.3	0.02	349	0.5	0.03	0.2	0.01
Lymphomas	5,520	9.4	0.13	5.4	0.08	4,592	6.1	0.09	3.5	0.06
Hodgkin Lymphoma	263	0.4	0.03	0.3	0.02	177	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,257	9.0	0.13	5.1	0.07	4,415	5.9	0.09	3.3	0.06
Multiple Myeloma	2,347	4.0	0.08	2.2	0.05	2,079	2.8	0.06	1.5	0.04
Leukemias	5,076	8.9	0.13	5.0	0.08	3,760	5.0	0.08	2.9	0.06
Other, Ill-defined & Unknown	11,944	20.9	0.20	11.3	0.11	10,732	14.2	0.14	8.0	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada (Excludes Quebec), 2004-2008, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.
All Sites	131,802	209.2	0.58	125.8	0.36	118,770	148.0	0.44	94.4	0.31
Oral Cavity & Pharynx	2,702	4.1	0.08	2.8	0.06	1,298	1.6	0.05	1.0	0.03
Digestive System	37,874	59.5	0.31	36.7	0.20	29,477	35.4	0.21	21.2	0.14
Esophagus	4,842	7.5	0.11	4.9	0.07	1,532	1.8	0.05	1.1	0.03
Stomach	4,221	6.7	0.10	4.0	0.07	2,644	3.2	0.06	2.0	0.04
Colon & Rectum	16,464	26.1	0.21	15.5	0.13	14,260	16.9	0.15	9.9	0.09
Liver	3,178	4.9	0.09	3.2	0.06	1,262	1.6	0.05	1.0	0.03
Pancreas	6,645	10.4	0.13	6.6	0.08	6,749	8.2	0.10	5.0	0.07
Respiratory System	36,320	57.3	0.30	35.3	0.19	28,586	36.8	0.22	24.0	0.16
Larynx	1,182	1.8	0.05	1.2	0.04	259	0.3	0.02	0.2	0.01
Lung & bronchus	34,857	55.0	0.30	33.8	0.19	28,175	36.3	0.22	23.7	0.15
Skin	2,753	4.3	0.08	2.7	0.05	1,632	2.0	0.05	1.3	0.04
Melanomas of the skin	2,128	3.3	0.07	2.2	0.05	1,312	1.7	0.05	1.2	0.04
Breast	170	0.3	0.02	0.2	0.01	18,271	23.0	0.17	15.5	0.13
Female Genital System	-	-	-	-	-	11,151	14.2	0.14	9.5	0.10
Cervix uteri	-	-	-	-	-	1,539	2.1	0.05	1.5	0.04
Corpus & uterus, NOS	-	-	-	-	-	2,794	3.5	0.07	2.3	0.05
Ovary	-	-	-	-	-	6,066	7.7	0.10	5.2	0.07
Male Genital System	14,844	24.6	0.20	12.0	0.10	-	-	-	-	-
Prostate	14,559	24.2	0.20	11.7	0.10	-	-	-	-	-
Testis	151	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	8,304	13.3	0.15	7.6	0.09	4,086	4.8	0.08	2.8	0.05
Bladder	4,571	7.5	0.11	4.0	0.06	1,919	2.2	0.05	1.2	0.03
Kidney & renal pelvis	3,545	5.5	0.09	3.5	0.06	2,044	2.5	0.06	1.6	0.04
Brain & Other Nervous System	3,514	5.4	0.09	4.0	0.07	2,561	3.5	0.07	2.6	0.06
Endocrine System	434	0.7	0.03	0.5	0.03	545	0.7	0.03	0.5	0.03
Thyroid gland	260	0.4	0.03	0.3	0.02	349	0.4	0.02	0.2	0.01
Lymphomas	5,520	8.7	0.12	5.4	0.08	4,592	5.7	0.09	3.5	0.06
Hodgkin Lymphoma	263	0.4	0.03	0.3	0.02	177	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,257	8.3	0.12	5.1	0.07	4,415	5.4	0.08	3.3	0.06
Multiple Myeloma	2,347	3.7	0.08	2.2	0.05	2,079	2.6	0.06	1.5	0.04
Leukemias	5,076	8.2	0.12	5.0	0.08	3,760	4.6	0.08	2.9	0.06
Other, Ill-defined & Unknown	11,944	19.0	0.18	11.3	0.11	10,732	13.0	0.13	8.0	0.09

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada² (Excludes Quebec), 2004-2008, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	131,802	228.3	16,464	28.6	34,857	59.0	14,559	28.2	4,571	8.5	5,257	9.0
Alberta	14,337	217.8	1,697	25.8	3,571	53.4	1,730	30.4	454	7.3	564	8.5
British Columbia	22,866	210.0	2,732	25.2	5,921	53.3	2,537	25.5	917	8.9	941	8.6
Manitoba	6,882	243.2	865	30.5	1,729	60.5	875	32.8	242	8.9	287	10.1
New Brunswick	4,844	258.8	524	28.0	1,624	84.3	491	29.9	137	8.0	176	9.2
Newfoundland and Labrador	3,520	281.5	588	46.8	991	74.6	342	33.3	102	9.5	83	6.6
Northwest Territories	118	252.6	23	52.4	30	61.3	10	32.7	6	18.3	-	-
Nova Scotia	6,583	275.5	872	36.9	1,960	80.0	635	29.7	227	10.1	239	9.9
Nunavut	98	451.3	18	88.6	45	205.4	-	-	-	-	-	-
Ontario	65,545	227.5	8,302	29.0	17,231	58.2	6,825	26.8	2,235	8.3	2,684	9.1
Prince Edward Island	820	234.4	95	27.1	251	70.5	100	32.2	28	8.9	27	7.1
Saskatchewan	6,030	230.2	725	27.6	1,466	55.5	1,000	38.8	215	8.3	246	9.4
Yukon	159	300.7	23	44.4	38	73.5	14	38.2	8	20.5	6	7.8

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

² Table includes data from 2004 to 2008, with the exception of Quebec.

**Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada² (Excludes Quebec), 2004-2008, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	131,802	209.2	16,464	26.1	34,857	55.0	14,559	24.2	4,571	7.5	5,257	8.3
Alberta	14,337	199.5	1,697	23.6	3,571	49.8	1,730	26.2	454	6.6	564	7.8
British Columbia	22,866	191.9	2,732	22.9	5,921	49.5	2,537	21.9	917	7.8	941	7.9
Manitoba	6,882	223.2	865	27.9	1,729	56.4	875	28.2	242	7.9	287	9.4
New Brunswick	4,844	237.2	524	25.6	1,624	78.6	491	25.2	137	7.0	176	8.7
Newfoundland and Labrador	3,520	257.3	588	42.7	991	70.1	342	28.3	102	8.2	83	6.0
Northwest Territories	118	230.2	23	47.0	30	57.4	10	28.1	6	15.2	-	-
Nova Scotia	6,583	253.4	872	33.6	1,960	74.9	635	25.5	227	8.9	239	9.1
Nunavut	98	414.7	18	79.2	45	193.1	-	-	-	-	-	-
Ontario	65,545	208.5	8,302	26.5	17,231	54.4	6,825	22.9	2,235	7.3	2,684	8.4
Prince Edward Island	820	215.5	95	25.1	251	65.7	100	27.7	28	7.6	27	6.8
Saskatchewan	6,030	210.8	725	25.3	1,466	51.9	1,000	33.2	215	7.3	246	8.6
Yukon	159	280.4	23	40.8	38	69.7	14	33.3	8	17.7	6	7.5

¹ Rates are per 100,000 population and are age-adjusted using the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

² Table includes data from 2004 to 2008, with the exception of Quebec.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada² (Excludes Quebec), 2004-2008, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	118,770	159.0	14,260	18.7	28,175	38.2	18,271	24.5	1,539	2.2	6,066	8.2
Alberta	12,775	154.2	1,398	16.8	3,020	37.1	1,943	23.1	193	2.2	653	7.8
British Columbia	20,275	150.6	2,385	17.2	5,175	38.9	2,949	21.9	222	1.7	1,083	8.1
Manitoba	6,401	169.8	770	19.5	1,484	40.6	1,021	27.1	80	2.4	357	9.8
New Brunswick	4,102	162.8	463	17.6	1,132	45.8	574	22.7	39	1.6	201	8.2
Newfoundland and Labrador	2,747	173.2	465	29.1	590	37.2	430	26.8	42	2.7	114	7.3
Northwest Territories	95	192.0	16	37.0	26	55.7	15	24.8	-	-	-	-
Nova Scotia	5,650	176.9	762	23.2	1,436	46.2	776	24.1	95	3.2	275	8.6
Nunavut	78	352.2	9	40.7	34	203.9	7	17.6	-	-	-	-
Ontario	60,529	159.7	7,228	18.7	13,877	36.9	9,615	25.5	796	2.2	3,069	8.2
Prince Edward Island	775	169.3	106	22.2	188	41.8	122	27.0	9	2.1	26	5.9
Saskatchewan	5,212	156.6	639	18.0	1,183	36.9	809	24.6	60	2.1	283	8.8
Yukon	131	245.4	19	32.5	30	56.5	10	17.1	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

² Table includes data from 2004 to 2008, with the exception of Quebec.

**Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada² (Excludes Quebec), 2004-2008, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	118,770	148.0	14,260	16.9	28,175	36.3	18,271	23.0	1,539	2.1	6,066	7.7
Alberta	12,775	143.9	1,398	15.2	3,020	35.3	1,943	21.7	193	2.2	653	7.4
British Columbia	20,275	139.9	2,385	15.5	5,175	36.7	2,949	20.6	222	1.7	1,083	7.7
Manitoba	6,401	158.5	770	17.7	1,484	38.6	1,021	25.4	80	2.3	357	9.3
New Brunswick	4,102	151.0	463	15.8	1,132	43.4	574	21.1	39	1.6	201	7.8
Newfoundland and Labrador	2,747	161.8	465	26.6	590	35.7	430	25.3	42	2.6	114	7.0
Northwest Territories	95	182.6	16	33.7	26	52.5	15	23.0	-	-	-	-
Nova Scotia	5,650	164.8	762	21.0	1,436	44.1	776	22.4	95	3.1	275	8.1
Nunavut	78	337.5	9	36.5	34	195.7	7	17.6	-	-	-	-
Ontario	60,529	148.4	7,228	16.9	13,877	35.0	9,615	23.9	796	2.1	3,069	7.7
Prince Edward Island	775	157.9	106	20.0	188	39.6	122	25.2	9	2.0	26	5.6
Saskatchewan	5,212	146.4	639	16.3	1,183	35.2	809	23.1	60	2.1	283	8.4
Yukon	131	223.3	19	30.2	30	52.0	10	16.3	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted using the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

² Table includes data from 2004 to 2008, with the exception of Quebec.