



Average-annual Registry-specific Cancer Incidence by Race, Ethnicity and Sex

Age-adjusted to the 2000 U.S. and World Population Standards



TABLE OF CONTENTS

Average-annual Registry-specific Cancer Incidence by Race, Ethnicity and Sex, Age-adjusted to the 2000 U.S. and World Population Standards

UNITED STATES REGISTRIES

Alabama	1
Alaska	9
Arizona	17
Arkansas	25
California.....	33
CA: Greater Bay Area	41
CA: Los Angeles	49
Colorado	57
Connecticut.....	65
Delaware.....	73
District of Columbia	81
Florida	89
Georgia	97
GA: Metropolitan Atlanta.....	105
Hawaii	113
Idaho.....	121
Illinois.....	129
Indiana	137
Iowa.....	145
Kansas	153
Kentucky	161
Louisiana	169
Maine.....	177
Maryland	185
Massachusetts.....	193
Michigan.....	199
MI: Metropolitan Detroit.....	207
Mississippi.....	215
Missouri.....	223
Montana.....	231
Nebraska.....	239
Nevada.....	247
New Hampshire.....	255
New Jersey	263
New Mexico	271
New York.....	279
New Carolina.....	287
North Dakota.....	295
Ohio.....	303
Oklahoma.....	311
Oregon	319
Pennsylvania.....	327

Contents

Rhode Island.....	335
South Carolina.....	343
South Dakota.....	351
Tennessee.....	359
Texas.....	367
Utah.....	375
Vermont.....	383
Virginia.....	391
Washington.....	399
WA: Seattle/Puget Sound.....	407
West Virginia.....	415
Wisconsin.....	423
Wyoming.....	431
UNITED STATES TERRITORY	
Puerto Rico.....	439
CANADIAN REGISTRIES	
Alberta.....	440
British Columbia.....	441
Manitoba.....	442
New Brunswick.....	443
Newfoundland and Labrador.....	444
Northwest Territories.....	445
Nova Scotia.....	446
Nunavut.....	447
Ontario.....	448
Prince Edward Island.....	449
Quebec.....	450
Saskatchewan.....	451
Yukon.....	452

All Appendices are available on the NAACCR website:
<http://www.naacr.org/DataandPublications/CINAPubs.aspx>

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	66,528	573.2	2.28	382.7	1.53	55,982	395.2	1.69	276.6	1.26
Oral Cavity & Pharynx	2,436	20.1	0.42	14.5	0.30	1,024	7.2	0.23	4.9	0.17
Lip	217	2.0	0.14	1.2	0.08	80	0.6	0.06	0.3	0.04
Tongue	647	5.2	0.21	3.9	0.16	255	1.8	0.11	1.3	0.08
Major salivary gland	232	2.1	0.14	1.4	0.09	114	0.8	0.08	0.6	0.06
Floor of mouth	127	1.0	0.09	0.8	0.07	64	0.4	0.06	0.3	0.04
Gum & other mouth	303	2.6	0.15	1.8	0.10	226	1.5	0.10	0.9	0.07
Nasopharynx	82	0.7	0.08	0.5	0.06	58	0.4	0.06	0.3	0.05
Oropharynx	151	1.2	0.10	0.9	0.07	46	0.3	0.05	0.2	0.04
Hypopharynx	188	1.5	0.11	1.1	0.08	43	0.3	0.04	0.2	0.03
Digestive System	12,014	104.2	0.98	68.2	0.64	9,894	68.1	0.69	43.6	0.48
Esophagus	1,054	8.8	0.28	6.1	0.19	237	1.6	0.11	1.1	0.07
Stomach	953	8.5	0.28	5.4	0.18	652	4.5	0.18	2.8	0.12
Small intestine	313	2.7	0.16	1.8	0.10	298	2.1	0.12	1.5	0.09
Colon excl. rectum	4,692	41.4	0.62	26.3	0.39	4,501	30.9	0.47	19.5	0.32
Rectum & rectosigmoid	1,866	15.8	0.37	11.0	0.26	1,356	9.4	0.26	6.4	0.19
Anus, anal canal & anorectum	172	1.4	0.11	1.0	0.08	298	2.1	0.12	1.5	0.09
Liver	981	8.1	0.26	5.7	0.19	398	2.7	0.14	1.8	0.10
Gallbladder	67	0.6	0.08	0.3	0.04	172	1.2	0.09	0.7	0.06
Pancreas	1,594	14.0	0.36	8.9	0.23	1,515	10.3	0.27	6.2	0.17
Respiratory System	13,155	113.7	1.02	73.1	0.65	8,276	56.5	0.63	37.8	0.44
Larynx	1,119	9.2	0.28	6.6	0.20	272	1.9	0.12	1.4	0.09
Lung & bronchus	11,880	103.2	0.97	65.5	0.62	7,919	54.0	0.61	35.9	0.43
Bones & Joints	113	1.0	0.09	0.8	0.08	95	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	406	3.6	0.19	2.6	0.14	383	2.9	0.15	2.4	0.13
Skin (excl. basal & sq.)	3,297	29.2	0.52	19.3	0.35	2,211	16.4	0.35	12.4	0.28
Melanomas of the skin	3,099	27.4	0.51	18.1	0.34	2,079	15.5	0.34	11.7	0.28
Breast (excl. <i>in situ</i>)	192	1.6	0.12	1.1	0.08	16,663	118.7	0.93	86.0	0.70
Female Genital System	-	-	-	-	-	6,030	43.2	0.56	31.6	0.43
Cervix uteri	-	-	-	-	-	1,061	8.5	0.27	6.7	0.21
Uterus Corpus	-	-	-	-	-	2,582	17.8	0.35	13.1	0.27
Uterus, NOS ¹	-	-	-	-	-	119	0.8	0.08	0.5	0.05
Ovary	-	-	-	-	-	1,726	12.0	0.29	8.4	0.22
Male Genital System	19,581	163.4	1.20	112.8	0.82	-	-	-	-	-
Prostate	18,937	157.7	1.18	107.7	0.80	-	-	-	-	-
Testis	510	4.6	0.21	4.3	0.20	-	-	-	-	-
Penis	109	0.9	0.09	0.6	0.06	-	-	-	-	-
Urinary System	6,238	55.4	0.72	34.9	0.46	2,811	19.4	0.37	13.0	0.27
Bladder (incl. <i>in situ</i>)	3,620	33.3	0.57	19.3	0.33	1,115	7.5	0.23	4.6	0.15
Kidney & renal pelvis	2,489	20.9	0.43	15.0	0.31	1,611	11.3	0.29	8.1	0.22
Ureter	95	0.9	0.09	0.5	0.05	66	0.4	0.06	0.3	0.03
Eye & Orbit	138	1.2	0.11	0.9	0.09	115	0.8	0.08	0.7	0.07
Brain & Other Nervous System	909	7.8	0.27	6.3	0.22	785	5.9	0.21	4.8	0.20
Brain	864	7.4	0.26	5.9	0.22	734	5.5	0.21	4.5	0.19
Endocrine System	614	5.2	0.21	4.1	0.18	1,569	12.3	0.32	10.1	0.27
Thyroid gland	527	4.4	0.20	3.4	0.15	1,495	11.8	0.31	9.6	0.26
Lymphomas	2,526	22.3	0.46	15.6	0.33	2,206	15.7	0.34	10.9	0.26
Hodgkin Lymphoma	319	2.8	0.16	2.5	0.14	263	2.2	0.13	2.0	0.13
Non-Hodgkin Lymphoma	2,207	19.5	0.43	13.2	0.29	1,943	13.6	0.31	8.9	0.22
Multiple Myeloma	847	7.4	0.26	4.7	0.17	717	4.9	0.18	3.2	0.13
Leukemias	1,664	15.1	0.38	10.3	0.27	1,263	9.1	0.26	6.6	0.22
Acute lymphocytic	170	1.5	0.12	1.7	0.14	124	1.0	0.09	1.3	0.13
Chronic lymphocytic	586	5.2	0.22	3.2	0.14	411	2.8	0.14	1.6	0.09
Acute myeloid	467	4.2	0.20	2.9	0.14	392	2.9	0.15	2.1	0.12
Chronic myeloid	187	1.7	0.13	1.1	0.09	135	1.0	0.09	0.7	0.07
Other leukemias	254	2.4	0.16	1.4	0.09	201	1.4	0.10	0.9	0.07
Mesothelioma	175	1.6	0.13	0.9	0.07	51	0.4	0.05	0.2	0.03
Kaposi Sarcoma	57	0.5	0.07	0.4	0.06	9	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,166	19.6	0.43	12.0	0.27	1,880	12.9	0.30	7.7	0.20
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	620	5.4	0.22	4.1	0.17	1,199	8.7	0.25	6.4	0.20
Breast (<i>in situ</i>)	30	0.2	0.05	0.2	0.03	3,788	26.9	0.44	20.4	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	51,391	556.6	2.51	370.0	1.70	43,392	401.3	1.97	281.6	1.49
Oral Cavity & Pharynx	1,976	20.9	0.48	14.9	0.35	812	7.4	0.26	5.0	0.20
Lip	208	2.3	0.17	1.4	0.10	74	0.7	0.08	0.4	0.05
Tongue	567	5.8	0.25	4.4	0.19	221	2.0	0.14	1.4	0.10
Major salivary gland	199	2.3	0.17	1.4	0.10	83	0.7	0.08	0.5	0.06
Floor of mouth	93	0.9	0.10	0.7	0.08	41	0.4	0.06	0.3	0.04
Gum & other mouth	227	2.4	0.17	1.6	0.11	176	1.5	0.12	0.9	0.08
Nasopharynx	58	0.6	0.08	0.5	0.07	37	0.4	0.06	0.3	0.06
Oropharynx	116	1.2	0.12	0.9	0.08	34	0.3	0.06	0.2	0.04
Hypopharynx	115	1.2	0.11	0.9	0.08	35	0.3	0.05	0.2	0.04
Digestive System	9,068	98.9	1.06	64.4	0.70	7,194	63.9	0.76	40.6	0.53
Esophagus	809	8.5	0.31	5.8	0.21	168	1.5	0.12	1.0	0.08
Stomach	632	7.1	0.29	4.4	0.18	405	3.6	0.18	2.2	0.12
Small intestine	218	2.4	0.16	1.6	0.11	203	1.8	0.13	1.3	0.10
Colon excl. rectum	3,561	39.4	0.68	24.8	0.43	3,265	28.9	0.51	17.9	0.35
Rectum & rectosigmoid	1,436	15.4	0.42	10.7	0.29	1,032	9.4	0.30	6.4	0.22
Anus, anal canal & anorectum	134	1.4	0.13	1.0	0.09	252	2.4	0.15	1.7	0.11
Liver	732	7.7	0.29	5.3	0.21	299	2.6	0.15	1.7	0.11
Gallbladder	52	0.6	0.09	0.3	0.05	116	1.0	0.10	0.6	0.07
Pancreas	1,231	13.4	0.39	8.5	0.25	1,084	9.4	0.29	5.6	0.19
Respiratory System	10,510	112.9	1.13	72.2	0.73	6,923	60.8	0.74	40.6	0.52
Larynx	824	8.6	0.30	6.1	0.22	214	1.9	0.14	1.5	0.11
Lung & bronchus	9,562	103.0	1.08	65.1	0.69	6,634	58.2	0.72	38.6	0.51
Bones & Joints	80	0.9	0.11	0.8	0.10	69	0.8	0.09	0.7	0.10
Soft Tissue (incl. heart)	315	3.7	0.21	2.6	0.16	244	2.5	0.16	2.0	0.15
Skin (excl. basal & sq.)	3,206	35.8	0.65	23.8	0.44	2,116	21.4	0.48	16.4	0.39
Melanomas of the skin	3,041	33.8	0.63	22.7	0.43	2,014	20.4	0.47	15.7	0.38
Breast (excl. <i>in situ</i>)	140	1.5	0.13	1.0	0.09	12,523	116.9	1.07	84.6	0.81
Female Genital System	-	-	-	-	-	4,570	43.5	0.66	32.0	0.51
Cervix uteri	-	-	-	-	-	716	8.2	0.31	6.6	0.26
Uterus Corpus	-	-	-	-	-	1,964	17.9	0.41	13.2	0.32
Uterus, NOS ¹	-	-	-	-	-	66	0.6	0.08	0.4	0.06
Ovary	-	-	-	-	-	1,401	12.8	0.35	9.0	0.26
Male Genital System	13,428	140.4	1.24	96.7	0.86	-	-	-	-	-
Prostate	12,871	133.6	1.20	90.5	0.82	-	-	-	-	-
Testis	453	5.7	0.27	5.4	0.26	-	-	-	-	-
Penis	84	0.9	0.10	0.6	0.07	-	-	-	-	-
Urinary System	5,342	59.0	0.83	37.1	0.53	2,237	20.1	0.43	13.6	0.32
Bladder (incl. <i>in situ</i>)	3,249	36.7	0.66	21.4	0.39	932	8.1	0.27	5.0	0.18
Kidney & renal pelvis	1,980	21.0	0.48	15.0	0.35	1,230	11.3	0.33	8.2	0.26
Ureter	84	1.0	0.11	0.5	0.06	62	0.5	0.07	0.3	0.04
Eye & Orbit	124	1.4	0.13	1.0	0.10	111	1.1	0.10	0.9	0.10
Brain & Other Nervous System	791	8.9	0.32	7.2	0.28	676	6.8	0.27	5.6	0.25
Brain	756	8.5	0.31	6.8	0.27	637	6.4	0.26	5.2	0.24
Endocrine System	518	5.6	0.25	4.5	0.21	1,229	13.4	0.39	11.0	0.34
Thyroid gland	454	4.9	0.23	3.8	0.18	1,182	12.9	0.39	10.5	0.32
Lymphomas	2,081	23.4	0.53	16.3	0.38	1,785	16.5	0.40	11.3	0.31
Hodgkin Lymphoma	243	2.9	0.19	2.6	0.17	194	2.3	0.17	2.1	0.16
Non-Hodgkin Lymphoma	1,838	20.5	0.49	13.7	0.34	1,591	14.3	0.36	9.2	0.26
Multiple Myeloma	548	6.1	0.27	3.7	0.16	423	3.7	0.18	2.3	0.12
Leukemias	1,328	15.3	0.43	10.4	0.32	1,011	9.6	0.31	7.1	0.28
Acute lymphocytic	127	1.6	0.14	1.8	0.17	102	1.3	0.13	1.6	0.18
Chronic lymphocytic	466	5.2	0.25	3.2	0.15	339	2.9	0.16	1.7	0.10
Acute myeloid	385	4.4	0.23	3.0	0.16	305	3.0	0.18	2.2	0.15
Chronic myeloid	151	1.8	0.15	1.2	0.10	106	1.1	0.11	0.8	0.08
Other leukemias	199	2.4	0.17	1.4	0.10	159	1.4	0.11	0.9	0.08
Mesothelioma	151	1.7	0.15	0.9	0.08	44	0.4	0.06	0.2	0.04
Kaposi Sarcoma	29	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,756	19.9	0.49	12.0	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	491	5.6	0.26	4.2	0.20	925	8.9	0.30	6.6	0.24
Breast (<i>in situ</i>)	20	0.2	0.05	0.2	0.03	2,852	26.8	0.51	20.2	0.40

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,721	612.5	5.56	418.7	3.64	11,761	371.6	3.47	260.2	2.51
Oral Cavity & Pharynx	425	16.8	0.85	12.9	0.63	185	5.7	0.42	4.3	0.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	71	2.9	0.37	2.2	0.26	28	0.8	0.16	0.7	0.13
Major salivary gland	32	1.2	0.21	1.0	0.18	30	0.9	0.17	0.7	0.14
Floor of mouth	32	1.3	0.25	1.0	0.17	21	0.6	0.14	0.5	0.11
Gum & other mouth	72	3.2	0.40	2.2	0.26	43	1.3	0.20	0.9	0.14
Nasopharynx	23	0.8	0.17	0.7	0.15	17	0.5	0.13	0.4	0.10
Oropharynx	35	1.3	0.23	1.1	0.18	12	0.4	0.11	0.3	0.08
Hypopharynx	71	2.7	0.34	2.2	0.26	7	0.2	0.08	0.2	0.07
Digestive System	2,810	127.5	2.56	84.6	1.62	2,577	82.5	1.64	53.7	1.12
Esophagus	240	10.2	0.70	7.3	0.48	64	2.1	0.26	1.4	0.18
Stomach	310	14.8	0.89	9.3	0.54	228	7.3	0.49	4.6	0.32
Small intestine	91	4.2	0.47	2.6	0.28	89	2.8	0.30	2.0	0.22
Colon excl. rectum	1,082	50.7	1.64	32.7	1.01	1,200	38.3	1.12	25.2	0.77
Rectum & rectosigmoid	396	17.2	0.91	12.0	0.61	306	9.7	0.56	6.4	0.38
Anus, anal canal & anorectum	38	1.6	0.27	1.1	0.19	42	1.3	0.20	0.9	0.15
Liver	234	9.2	0.64	6.9	0.46	91	2.9	0.30	1.9	0.22
Gallbladder	14	0.8	0.23	0.4	0.11	52	1.7	0.24	1.1	0.16
Pancreas	351	16.2	0.93	10.6	0.57	417	13.7	0.68	8.3	0.43
Respiratory System	2,558	118.0	2.48	77.4	1.56	1,289	41.0	1.16	28.0	0.81
Larynx	279	11.9	0.75	8.5	0.52	54	1.7	0.23	1.3	0.18
Lung & bronchus	2,252	105.0	2.35	68.1	1.46	1,225	39.0	1.13	26.5	0.79
Bones & Joints	30	1.1	0.20	0.9	0.17	24	0.7	0.15	0.6	0.13
Soft Tissue (incl. heart)	77	3.0	0.37	2.4	0.27	128	4.0	0.36	3.2	0.29
Skin (excl. basal & sq.)	53	2.2	0.31	1.7	0.23	54	1.7	0.24	1.1	0.16
Melanomas of the skin	25	1.1	0.23	0.8	0.16	30	1.0	0.18	0.6	0.12
Breast (excl. <i>in situ</i>)	47	2.1	0.32	1.4	0.21	3,883	121.2	1.97	88.1	1.46
Female Genital System	-	-	-	-	-	1,363	43.1	1.18	31.3	0.88
Cervix uteri	-	-	-	-	-	314	9.9	0.56	7.4	0.43
Uterus Corpus	-	-	-	-	-	593	18.7	0.78	13.7	0.58
Uterus, NOS ¹	-	-	-	-	-	51	1.7	0.24	1.0	0.15
Ovary	-	-	-	-	-	308	9.8	0.57	6.9	0.41
Male Genital System	5,290	233.9	3.41	162.8	2.28	-	-	-	-	-
Prostate	5,222	231.1	3.39	160.6	2.26	-	-	-	-	-
Testis	45	1.7	0.26	1.5	0.22	-	-	-	-	-
Penis	20	1.0	0.23	0.6	0.14	-	-	-	-	-
Urinary System	825	38.4	1.42	25.2	0.89	550	17.8	0.77	11.7	0.53
Bladder (incl. <i>in situ</i>)	324	16.9	1.00	9.7	0.55	168	5.6	0.43	3.3	0.27
Kidney & renal pelvis	488	20.8	1.00	15.1	0.70	372	11.9	0.62	8.3	0.45
Ureter	9	0.4	0.15	0.3	0.09	-	-	-	-	-
Eye & Orbit	11	0.4	0.15	0.4	0.13	-	-	-	-	-
Brain & Other Nervous System	107	4.2	0.43	3.4	0.34	102	3.1	0.31	2.6	0.28
Brain	98	3.8	0.40	3.1	0.32	90	2.7	0.29	2.3	0.26
Endocrine System	91	3.6	0.39	2.9	0.31	309	9.6	0.55	7.6	0.45
Thyroid gland	70	2.8	0.35	2.1	0.25	283	8.8	0.53	7.0	0.42
Lymphomas	399	16.3	0.86	12.3	0.62	377	11.8	0.61	8.7	0.47
Hodgkin Lymphoma	68	2.5	0.31	2.1	0.26	63	1.9	0.24	1.8	0.23
Non-Hodgkin Lymphoma	331	13.9	0.80	10.1	0.57	314	9.9	0.57	6.9	0.41
Multiple Myeloma	282	12.8	0.81	8.5	0.52	272	8.7	0.54	5.8	0.37
Leukemias	279	12.3	0.79	8.8	0.54	208	6.6	0.46	4.8	0.36
Acute lymphocytic	36	1.1	0.20	1.4	0.24	19	0.6	0.13	0.6	0.14
Chronic lymphocytic	89	4.3	0.48	2.7	0.29	50	1.6	0.23	1.0	0.15
Acute myeloid	76	3.4	0.42	2.4	0.28	77	2.4	0.28	1.8	0.22
Chronic myeloid	31	1.3	0.25	0.9	0.16	25	0.8	0.16	0.6	0.13
Other leukemias	47	2.2	0.35	1.4	0.21	37	1.1	0.19	0.8	0.13
Mesothelioma	22	1.0	0.22	0.7	0.16	7	0.2	0.08	0.2	0.06
Kaposi Sarcoma	27	1.1	0.21	0.9	0.17	-	-	-	-	-
Ill-defined & Unknown	388	18.0	0.98	11.6	0.60	426	13.7	0.67	8.4	0.44
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	118	5.0	0.49	3.6	0.33	262	8.3	0.52	6.0	0.38
Breast (<i>in situ</i>)	10	0.4	0.14	0.3	0.09	872	27.0	0.92	20.7	0.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	195	287.1	24.89	178.0	13.12	304	274.8	17.99	185.4	10.94
Oral Cavity & Pharynx	8	10.1	4.12	6.7	2.48	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	53	91.0	15.31	49.2	6.98	61	61.3	8.45	37.3	4.87
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	11	11.0	3.57	6.4	1.96
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	15	27.6	8.90	13.8	3.70	20	21.8	5.21	12.2	2.77
Rectum & rectosigmoid	13	22.5	7.61	13.2	3.76	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	14.7	5.37	9.2	3.01	8	6.8	2.68	4.9	1.77
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	7	6.8	2.65	5.1	1.95
Respiratory System	35	48.8	9.65	31.6	5.48	36	35.2	7.07	23.3	4.00
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	30	41.1	8.67	26.9	5.06	36	35.2	7.07	23.3	4.00
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	6.4	3.35	4.7	2.00	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	104	88.2	9.95	60.1	6.04
Female Genital System	-	-	-	-	-	37	29.2	5.07	22.5	3.80
Cervix uteri	-	-	-	-	-	13	9.5	2.77	7.3	2.09
Uterus Corpus	-	-	-	-	-	11	8.9	2.79	6.9	2.13
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	10.2	3.14	7.6	2.26
Male Genital System	50	73.9	11.81	48.9	7.01	-	-	-	-	-
Prostate	49	73.0	11.77	48.1	6.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	25.0	7.63	14.1	3.70	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	9	9.0	3.03	8.0	2.70	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	11	7.2	2.28	6.2	1.94
Thyroid gland	-	-	-	-	-	11	7.2	2.28	6.2	1.94
Lymphomas	8	6.2	2.25	6.0	2.18	12	14.6	5.51	8.2	2.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	6.3	2.75	4.8	2.04	6	5.4	2.31	4.1	1.71
Leukemias	-	-	-	-	-	6	5.0	2.25	4.1	1.72
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	8	9.6	3.70	4.7	1.67
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	20	15.1	3.59	10.8	2.44

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	27	225.0	56.10	140.4	27.84	18	110.9	27.39	87.6	21.90
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	8	76.3	36.03	42.1	15.33	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	7	39.9	15.53	30.1	11.79
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	8	74.1	35.70	44.0	16.08	-	-	-	-	-
Prostate	6	63.7	34.93	31.2	13.30	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	35.9	14.75	36.4	15.72
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	436	332.5	19.51	199.8	10.60	391	255.1	14.64	163.8	9.02
Oral Cavity & Pharynx	14	10.6	3.36	6.4	1.84	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	98	76.6	9.48	43.6	4.82	65	50.6	6.78	30.3	3.98
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	13	6.1	2.35	4.3	1.40	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	18	17.4	4.91	8.1	2.09	22	18.1	4.12	10.9	2.46
Rectum & rectosigmoid	15	8.1	2.70	5.6	1.56	10	6.9	2.32	4.9	1.64
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	20	17.3	4.52	10.6	2.51	9	7.2	2.61	3.8	1.36
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	19	17.9	4.79	8.5	2.12	13	12.1	3.47	6.3	1.83
Respiratory System	61	59.5	8.43	32.9	4.44	39	32.1	5.52	19.1	3.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	56	55.2	8.12	30.7	4.32	34	29.8	5.38	16.9	3.07
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	9	4.7	2.29	2.7	1.09	-	-	-	-	-
Skin (excl. basal & sq.)	7	5.6	2.67	2.6	1.16	10	6.4	2.35	3.9	1.35
Melanomas of the skin	7	5.6	2.67	2.6	1.16	9	5.3	2.06	3.5	1.30
Breast (excl. <i>in situ</i>)	-	-	-	-	-	89	56.8	6.62	40.1	4.59
Female Genital System	-	-	-	-	-	70	40.8	5.72	26.2	3.48
Cervix uteri	-	-	-	-	-	25	10.9	2.63	8.0	1.85
Uterus Corpus	-	-	-	-	-	15	9.2	2.64	6.5	1.84
Uterus, NOS ¹	-	-	-	-	-	6	4.1	1.88	2.7	1.19
Ovary	-	-	-	-	-	19	15.2	3.85	7.6	1.86
Male Genital System	120	102.1	10.97	63.6	6.26	-	-	-	-	-
Prostate	103	99.7	10.95	61.1	6.23	-	-	-	-	-
Testis	16	2.2	0.58	2.3	0.59	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	20.3	4.85	11.9	2.52	11	8.3	2.72	4.7	1.49
Bladder (incl. <i>in situ</i>)	15	13.5	4.13	6.7	1.87	-	-	-	-	-
Kidney & renal pelvis	12	6.8	2.54	5.1	1.68	8	5.8	2.26	3.0	1.08
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	4.8	2.15	3.3	1.08	13	6.2	2.16	4.1	1.23
Brain	12	4.8	2.15	3.3	1.08	12	6.0	2.14	3.8	1.19
Endocrine System	-	-	-	-	-	24	8.7	1.94	7.6	1.66
Thyroid gland	-	-	-	-	-	23	8.1	1.86	7.2	1.60
Lymphomas	25	14.1	3.78	9.6	2.24	19	14.7	3.72	8.1	2.00
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	7.8	3.02	4.4	1.63	-	-	-	-	-
Leukemias	29	11.6	3.27	8.6	1.92	16	6.2	1.98	5.4	1.47
Acute lymphocytic	12	1.7	0.51	2.3	0.68	7	1.3	0.50	1.8	0.67
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	7	3.4	1.99	2.0	0.96	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	12.1	3.55	7.9	2.14	19	16.2	3.99	8.1	1.95
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	8	2.0	0.98	2.0	0.89	9	5.9	2.31	3.3	1.22
Breast (<i>in situ</i>)	-	-	-	-	-	16	10.0	2.67	7.7	2.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ALABAMA

6 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	51,101	561.3	2.54	373.7	1.73	43,093	404.0	1.99	283.9	1.52
Oral Cavity & Pharynx	1,965	21.1	0.49	15.1	0.35	811	7.5	0.27	5.1	0.20
Lip	208	2.4	0.17	1.4	0.10	74	0.7	0.08	0.4	0.05
Tongue	564	5.9	0.25	4.5	0.19	220	2.1	0.14	1.4	0.10
Major salivary gland	198	2.3	0.17	1.4	0.11	83	0.8	0.09	0.5	0.07
Floor of mouth	93	1.0	0.10	0.7	0.08	41	0.4	0.06	0.3	0.04
Gum & other mouth	223	2.4	0.17	1.6	0.11	176	1.6	0.12	0.9	0.08
Nasopharynx	57	0.6	0.08	0.5	0.07	37	0.4	0.07	0.3	0.06
Oropharynx	116	1.2	0.12	0.9	0.08	34	0.3	0.06	0.2	0.04
Hypopharynx	115	1.2	0.11	0.9	0.08	35	0.3	0.05	0.2	0.04
Digestive System	9,001	99.5	1.08	64.8	0.71	7,144	64.1	0.77	40.8	0.54
Esophagus	805	8.6	0.31	5.9	0.21	168	1.5	0.12	1.0	0.08
Stomach	623	7.0	0.29	4.4	0.18	404	3.6	0.18	2.2	0.12
Small intestine	218	2.4	0.17	1.6	0.11	201	1.8	0.13	1.3	0.10
Colon excl. rectum	3,552	39.8	0.69	25.2	0.44	3,246	29.0	0.52	18.0	0.35
Rectum & rectosigmoid	1,425	15.5	0.42	10.8	0.30	1,025	9.4	0.30	6.5	0.22
Anus, anal canal & anorectum	134	1.5	0.13	1.1	0.09	251	2.4	0.15	1.7	0.12
Liver	717	7.6	0.29	5.3	0.21	292	2.6	0.15	1.7	0.12
Gallbladder	50	0.6	0.09	0.3	0.05	115	1.0	0.10	0.6	0.07
Pancreas	1,220	13.5	0.39	8.5	0.25	1,073	9.4	0.29	5.6	0.19
Respiratory System	10,474	113.8	1.14	72.9	0.74	6,891	61.2	0.74	40.9	0.53
Larynx	822	8.7	0.31	6.2	0.22	213	2.0	0.14	1.5	0.11
Lung & bronchus	9,530	103.7	1.09	65.7	0.69	6,605	58.5	0.73	38.9	0.51
Bones & Joints	79	1.0	0.11	0.8	0.10	65	0.7	0.10	0.7	0.09
Soft Tissue (incl. heart)	307	3.7	0.21	2.6	0.17	242	2.5	0.17	2.1	0.16
Skin (excl. basal & sq.)	3,201	36.4	0.66	24.3	0.45	2,106	21.7	0.49	16.7	0.40
Melanomas of the skin	3,036	34.4	0.64	23.1	0.44	2,005	20.7	0.48	16.0	0.40
Breast (excl. <i>in situ</i>)	139	1.5	0.13	1.1	0.09	12,458	117.9	1.08	85.4	0.82
Female Genital System	-	-	-	-	-	4,518	43.7	0.67	32.1	0.52
Cervix uteri	-	-	-	-	-	698	8.2	0.32	6.6	0.26
Uterus Corpus	-	-	-	-	-	1,949	18.0	0.42	13.3	0.32
Uterus, NOS ¹	-	-	-	-	-	63	0.6	0.08	0.4	0.05
Ovary	-	-	-	-	-	1,389	12.9	0.35	9.0	0.27
Male Genital System	13,358	141.5	1.25	97.6	0.87	-	-	-	-	-
Prostate	12,812	134.4	1.21	91.2	0.82	-	-	-	-	-
Testis	443	6.0	0.29	5.7	0.28	-	-	-	-	-
Penis	83	0.9	0.10	0.6	0.07	-	-	-	-	-
Urinary System	5,325	59.6	0.84	37.6	0.54	2,231	20.3	0.44	13.7	0.33
Bladder (incl. <i>in situ</i>)	3,239	37.0	0.67	21.6	0.39	930	8.2	0.27	5.1	0.18
Kidney & renal pelvis	1,973	21.3	0.49	15.2	0.36	1,226	11.5	0.34	8.3	0.26
Ureter	84	1.0	0.11	0.5	0.06	62	0.5	0.07	0.3	0.04
Eye & Orbit	123	1.4	0.13	1.1	0.11	108	1.1	0.10	0.9	0.10
Brain & Other Nervous System	783	9.1	0.33	7.4	0.30	664	6.8	0.27	5.7	0.26
Brain	748	8.6	0.32	7.0	0.29	626	6.4	0.27	5.3	0.25
Endocrine System	515	5.8	0.26	4.6	0.22	1,211	13.6	0.40	11.2	0.35
Thyroid gland	451	5.0	0.24	3.9	0.19	1,165	13.0	0.39	10.7	0.33
Lymphomas	2,061	23.7	0.53	16.5	0.39	1,772	16.7	0.41	11.4	0.31
Hodgkin Lymphoma	238	3.0	0.20	2.7	0.18	191	2.3	0.17	2.1	0.17
Non-Hodgkin Lymphoma	1,823	20.7	0.50	13.9	0.35	1,581	14.4	0.37	9.3	0.27
Multiple Myeloma	541	6.1	0.27	3.7	0.16	421	3.8	0.19	2.3	0.13
Leukemias	1,308	15.3	0.43	10.4	0.32	998	9.7	0.32	7.2	0.29
Acute lymphocytic	120	1.6	0.14	1.7	0.18	95	1.2	0.13	1.6	0.18
Chronic lymphocytic	463	5.2	0.25	3.2	0.15	338	2.9	0.16	1.7	0.10
Acute myeloid	378	4.4	0.23	2.9	0.17	302	3.0	0.18	2.2	0.15
Chronic myeloid	149	1.8	0.15	1.2	0.11	105	1.1	0.11	0.8	0.09
Other leukemias	198	2.4	0.18	1.4	0.11	158	1.4	0.12	0.9	0.08
Mesothelioma	151	1.8	0.15	0.9	0.08	44	0.4	0.06	0.2	0.04
Kaposi Sarcoma	29	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,741	19.9	0.49	12.1	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	484	5.6	0.26	4.3	0.21	916	9.0	0.30	6.7	0.24
Breast (<i>in situ</i>)	20	0.2	0.05	0.2	0.04	2,839	27.0	0.52	20.4	0.40

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,684	614.0	5.58	420.2	3.66	11,733	372.7	3.48	261.1	2.52
Oral Cavity & Pharynx	425	16.9	0.86	13.0	0.64	184	5.7	0.42	4.3	0.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	71	3.0	0.37	2.2	0.26	28	0.8	0.16	0.7	0.13
Major salivary gland	32	1.2	0.21	1.0	0.18	30	0.9	0.17	0.7	0.14
Floor of mouth	32	1.3	0.25	1.0	0.18	21	0.6	0.14	0.5	0.11
Gum & other mouth	72	3.2	0.40	2.2	0.26	43	1.3	0.20	0.9	0.14
Nasopharynx	23	0.8	0.17	0.7	0.15	17	0.5	0.13	0.4	0.10
Oropharynx	35	1.3	0.23	1.1	0.18	12	0.4	0.11	0.3	0.08
Hypopharynx	71	2.7	0.34	2.2	0.26	7	0.2	0.08	0.2	0.07
Digestive System	2,796	127.3	2.56	84.8	1.63	2,573	82.7	1.65	54.0	1.12
Esophagus	240	10.2	0.70	7.3	0.48	64	2.1	0.26	1.4	0.18
Stomach	308	14.7	0.89	9.3	0.54	228	7.4	0.49	4.6	0.32
Small intestine	91	4.2	0.47	2.7	0.28	89	2.8	0.30	2.0	0.22
Colon excl. rectum	1,077	50.7	1.64	32.8	1.02	1,200	38.5	1.12	25.3	0.77
Rectum & rectosigmoid	396	17.3	0.92	12.1	0.62	305	9.7	0.56	6.4	0.38
Anus, anal canal & anorectum	38	1.6	0.27	1.1	0.19	42	1.3	0.20	0.9	0.15
Liver	230	9.1	0.64	6.8	0.46	90	2.9	0.30	1.9	0.22
Gallbladder	14	0.8	0.23	0.4	0.11	52	1.7	0.24	1.1	0.16
Pancreas	348	16.1	0.92	10.6	0.58	415	13.7	0.68	8.4	0.44
Respiratory System	2,549	118.1	2.48	77.6	1.56	1,286	41.1	1.16	28.0	0.82
Larynx	279	12.0	0.76	8.5	0.52	54	1.7	0.23	1.3	0.18
Lung & bronchus	2,243	105.1	2.36	68.2	1.47	1,223	39.1	1.13	26.6	0.80
Bones & Joints	30	1.1	0.20	0.9	0.17	24	0.7	0.15	0.6	0.13
Soft Tissue (incl. heart)	77	3.1	0.37	2.4	0.28	128	4.0	0.36	3.2	0.30
Skin (excl. basal & sq.)	53	2.2	0.32	1.7	0.24	54	1.7	0.24	1.1	0.17
Melanomas of the skin	25	1.1	0.23	0.8	0.16	30	1.0	0.18	0.6	0.12
Breast (excl. <i>in situ</i>)	47	2.1	0.32	1.4	0.21	3,876	121.7	1.98	88.4	1.47
Female Genital System	-	-	-	-	-	1,354	43.0	1.18	31.3	0.88
Cervix uteri	-	-	-	-	-	311	9.8	0.56	7.4	0.43
Uterus Corpus	-	-	-	-	-	593	18.8	0.78	13.8	0.59
Uterus, NOS ¹	-	-	-	-	-	49	1.6	0.23	0.9	0.14
Ovary	-	-	-	-	-	304	9.7	0.56	6.8	0.41
Male Genital System	5,279	234.6	3.42	163.4	2.29	-	-	-	-	-
Prostate	5,211	231.8	3.40	161.2	2.27	-	-	-	-	-
Testis	45	1.7	0.26	1.5	0.22	-	-	-	-	-
Penis	20	1.0	0.23	0.6	0.15	-	-	-	-	-
Urinary System	824	38.5	1.43	25.3	0.90	549	17.8	0.77	11.7	0.53
Bladder (incl. <i>in situ</i>)	323	17.0	1.01	9.7	0.55	168	5.6	0.44	3.3	0.27
Kidney & renal pelvis	488	21.0	1.00	15.2	0.70	371	11.9	0.62	8.3	0.45
Ureter	9	0.4	0.16	0.3	0.09	-	-	-	-	-
Eye & Orbit	11	0.4	0.15	0.4	0.13	-	-	-	-	-
Brain & Other Nervous System	107	4.2	0.44	3.4	0.34	102	3.1	0.31	2.7	0.28
Brain	98	3.8	0.41	3.2	0.33	90	2.8	0.29	2.3	0.26
Endocrine System	91	3.6	0.39	2.9	0.31	309	9.7	0.56	7.7	0.45
Thyroid gland	70	2.8	0.35	2.1	0.26	283	8.8	0.53	7.0	0.43
Lymphomas	398	16.4	0.87	12.3	0.63	377	11.8	0.62	8.8	0.47
Hodgkin Lymphoma	68	2.5	0.32	2.2	0.27	63	1.9	0.24	1.8	0.23
Non-Hodgkin Lymphoma	330	13.9	0.81	10.2	0.57	314	10.0	0.57	7.0	0.41
Multiple Myeloma	282	12.9	0.81	8.6	0.52	272	8.8	0.54	5.8	0.37
Leukemias	279	12.4	0.80	8.8	0.54	208	6.6	0.46	4.8	0.36
Acute lymphocytic	36	1.2	0.20	1.4	0.24	19	0.6	0.13	0.6	0.15
Chronic lymphocytic	89	4.3	0.48	2.7	0.29	50	1.6	0.23	1.0	0.15
Acute myeloid	76	3.4	0.42	2.4	0.28	77	2.5	0.28	1.9	0.23
Chronic myeloid	31	1.3	0.25	0.9	0.17	25	0.8	0.16	0.6	0.13
Other leukemias	47	2.2	0.35	1.4	0.21	37	1.1	0.19	0.8	0.14
Mesothelioma	22	1.0	0.22	0.7	0.16	6	0.2	0.08	0.1	0.05
Kaposi Sarcoma	27	1.1	0.21	0.9	0.17	-	-	-	-	-
Ill-defined & Unknown	387	18.1	0.98	11.6	0.60	424	13.7	0.67	8.4	0.44
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	118	5.1	0.50	3.6	0.34	262	8.3	0.52	6.0	0.39
Breast (<i>in situ</i>)	10	0.4	0.14	0.3	0.09	872	27.1	0.93	20.8	0.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ALABAMA

8 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	6,908	521.0	7.24	334.0	4.14	6,137	430.3	5.85	297.2	3.91
Oral Cavity & Pharynx	243	15.3	1.14	10.9	0.72	89	6.0	0.67	4.2	0.46
Lip	11	0.9	0.32	0.6	0.19	-	-	-	-	-
Tongue	72	3.9	0.51	3.1	0.37	25	1.6	0.33	1.3	0.26
Major salivary gland	8	0.8	0.31	0.4	0.15	12	0.8	0.26	0.5	0.16
Floor of mouth	9	0.6	0.19	0.5	0.16	7	0.4	0.17	0.3	0.11
Gum & other mouth	28	2.4	0.55	1.3	0.26	11	0.8	0.27	0.5	0.16
Nasopharynx	26	1.7	0.39	1.2	0.24	13	0.8	0.23	0.6	0.18
Oropharynx	6	0.4	0.21	0.3	0.11	6	0.5	0.20	0.3	0.14
Hypopharynx	15	1.0	0.31	0.7	0.18	-	-	-	-	-
Digestive System	1,393	105.6	3.29	65.6	1.81	1,021	77.5	2.59	48.6	1.57
Esophagus	121	8.6	0.92	5.7	0.53	32	2.6	0.48	1.5	0.28
Stomach	126	10.2	1.05	6.0	0.55	72	5.5	0.68	3.5	0.43
Small intestine	34	2.5	0.50	1.6	0.28	27	1.7	0.35	1.3	0.25
Colon excl. rectum	453	37.1	2.02	21.9	1.06	438	34.9	1.77	20.8	1.03
Rectum & rectosigmoid	232	15.9	1.22	10.8	0.73	145	9.6	0.85	6.8	0.58
Anus, anal canal & anorectum	21	1.4	0.34	1.0	0.22	39	2.5	0.42	1.8	0.29
Liver	154	9.4	0.88	6.6	0.55	57	4.0	0.56	2.7	0.38
Gallbladder	13	1.3	0.40	0.6	0.18	18	1.4	0.35	0.8	0.20
Pancreas	171	13.7	1.20	8.1	0.63	130	10.4	0.97	6.4	0.58
Respiratory System	1,087	91.0	3.15	53.5	1.67	781	61.9	2.35	38.8	1.43
Larynx	95	6.4	0.75	4.4	0.47	13	0.8	0.24	0.6	0.17
Lung & bronchus	984	83.8	3.05	48.7	1.59	759	60.4	2.32	37.7	1.41
Bones & Joints	22	1.3	0.31	1.2	0.26	13	0.8	0.22	0.8	0.22
Soft Tissue (incl. heart)	58	3.7	0.56	3.0	0.41	46	3.0	0.46	2.3	0.36
Skin (excl. basal & sq.)	217	14.5	1.13	9.7	0.68	169	11.1	0.90	8.3	0.66
Melanomas of the skin	196	12.9	1.06	8.8	0.64	157	10.2	0.86	7.7	0.63
Breast (excl. <i>in situ</i>)	17	1.5	0.40	0.9	0.22	1,939	127.7	3.08	91.9	2.14
Female Genital System	-	-	-	-	-	729	47.2	1.85	35.2	1.34
Cervix uteri	-	-	-	-	-	129	7.8	0.70	6.5	0.58
Uterus Corpus	-	-	-	-	-	365	23.6	1.30	18.0	0.96
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	163	10.9	0.92	7.4	0.60
Male Genital System	2,014	144.2	3.68	97.8	2.24	-	-	-	-	-
Prostate	1,898	137.3	3.61	92.0	2.17	-	-	-	-	-
Testis	103	5.7	0.57	5.1	0.51	-	-	-	-	-
Penis	10	0.9	0.32	0.5	0.17	-	-	-	-	-
Urinary System	735	59.1	2.52	35.5	1.35	297	22.6	1.40	14.1	0.85
Bladder (incl. <i>in situ</i>)	434	38.0	2.11	21.2	1.05	120	9.8	0.95	5.7	0.53
Kidney & renal pelvis	291	20.3	1.36	13.8	0.83	168	12.1	1.00	8.0	0.64
Ureter	6	0.4	0.20	0.3	0.11	7	0.5	0.21	0.4	0.15
Eye & Orbit	15	1.0	0.28	0.8	0.21	10	0.6	0.21	0.5	0.16
Brain & Other Nervous System	130	8.7	0.87	6.7	0.61	101	6.5	0.68	5.6	0.58
Brain	118	8.1	0.85	6.0	0.58	93	6.0	0.66	5.1	0.55
Endocrine System	113	6.6	0.66	5.2	0.50	306	18.0	1.05	15.4	0.90
Thyroid gland	101	5.9	0.62	4.6	0.47	293	17.1	1.02	14.7	0.88
Lymphomas	337	24.5	1.53	16.6	0.93	264	18.6	1.21	13.4	0.85
Hodgkin Lymphoma	45	2.7	0.43	2.4	0.37	39	2.5	0.41	2.3	0.38
Non-Hodgkin Lymphoma	292	21.8	1.47	14.2	0.86	225	16.1	1.14	11.0	0.76
Multiple Myeloma	82	6.9	0.88	4.1	0.46	52	4.0	0.60	2.4	0.34
Leukemias	212	16.2	1.27	11.3	0.81	137	9.8	0.89	7.2	0.65
Acute lymphocytic	30	1.6	0.31	2.2	0.41	20	1.2	0.27	1.5	0.34
Chronic lymphocytic	82	6.5	0.80	4.1	0.47	32	2.5	0.48	1.6	0.29
Acute myeloid	56	4.7	0.72	2.9	0.40	47	3.5	0.54	2.3	0.35
Chronic myeloid	27	1.9	0.42	1.3	0.26	26	1.7	0.36	1.3	0.26
Other leukemias	17	1.5	0.41	0.8	0.20	12	0.9	0.27	0.6	0.20
Mesothelioma	27	3.2	0.71	1.4	0.28	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	179	14.8	1.17	8.4	0.65
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	98	7.3	0.86	4.9	0.50	215	14.4	1.03	10.9	0.77
Breast (<i>in situ</i>)	-	-	-	-	-	542	33.6	1.52	25.3	1.11

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,521	522.3	8.13	336.3	4.69	4,564	426.5	6.76	291.9	4.48
Oral Cavity & Pharynx	194	15.6	1.32	10.9	0.81	62	5.7	0.78	3.9	0.51
Lip	11	1.2	0.41	0.8	0.24	-	-	-	-	-
Tongue	68	4.7	0.63	3.6	0.46	22	1.9	0.42	1.5	0.32
Major salivary gland	-	-	-	-	-	8	0.8	0.30	0.5	0.17
Floor of mouth	7	0.6	0.22	0.5	0.18	6	0.5	0.22	0.3	0.14
Gum & other mouth	27	2.9	0.68	1.6	0.32	7	0.7	0.27	0.4	0.16
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	8	0.6	0.24	0.5	0.17	-	-	-	-	-
Digestive System	976	93.1	3.47	57.7	1.91	669	67.7	2.80	41.9	1.68
Esophagus	97	8.7	1.04	5.8	0.60	20	2.3	0.54	1.4	0.32
Stomach	67	6.9	0.96	4.1	0.51	27	2.8	0.56	1.6	0.31
Small intestine	30	2.8	0.61	1.7	0.33	23	1.9	0.43	1.4	0.31
Colon excl. rectum	317	32.0	2.08	19.3	1.12	286	30.3	1.91	17.9	1.10
Rectum & rectosigmoid	155	13.6	1.29	9.0	0.74	103	8.9	0.94	6.4	0.64
Anus, anal canal & anorectum	16	1.4	0.38	0.9	0.24	32	2.8	0.53	1.9	0.34
Liver	102	8.0	0.93	5.4	0.56	31	2.6	0.50	2.0	0.40
Gallbladder	-	-	-	-	-	11	1.1	0.37	0.7	0.20
Pancreas	134	13.8	1.38	7.9	0.70	90	9.9	1.11	5.9	0.64
Respiratory System	834	85.8	3.41	51.3	1.83	585	61.8	2.72	38.2	1.63
Larynx	80	6.7	0.85	4.7	0.54	10	0.9	0.29	0.6	0.19
Lung & bronchus	747	78.3	3.29	46.2	1.74	570	60.6	2.70	37.4	1.62
Bones & Joints	18	1.5	0.39	1.2	0.31	11	0.9	0.30	0.9	0.30
Soft Tissue (incl. heart)	44	3.7	0.64	3.1	0.50	30	2.6	0.50	2.0	0.40
Skin (excl. basal & sq.)	201	17.2	1.40	11.4	0.83	158	13.8	1.16	10.4	0.85
Melanomas of the skin	185	15.6	1.32	10.4	0.79	150	13.1	1.13	9.9	0.83
Breast (excl. <i>in situ</i>)	14	1.5	0.45	0.9	0.24	1,471	129.5	3.62	91.9	2.47
Female Genital System	-	-	-	-	-	534	46.1	2.13	33.7	1.50
Cervix uteri	-	-	-	-	-	81	6.7	0.77	5.2	0.59
Uterus Corpus	-	-	-	-	-	285	24.3	1.53	18.3	1.12
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	114	10.1	1.02	6.9	0.67
Male Genital System	1,690	150.7	4.20	102.9	2.58	-	-	-	-	-
Prostate	1,601	143.9	4.14	96.9	2.50	-	-	-	-	-
Testis	82	6.0	0.68	5.5	0.62	-	-	-	-	-
Penis	6	0.7	0.32	0.4	0.16	-	-	-	-	-
Urinary System	618	63.0	2.94	37.4	1.56	233	23.1	1.62	14.7	1.00
Bladder (incl. <i>in situ</i>)	388	43.0	2.53	23.7	1.24	103	10.9	1.15	6.5	0.66
Kidney & renal pelvis	220	19.1	1.48	13.1	0.92	122	11.4	1.11	7.6	0.72
Ureter	6	0.5	0.25	0.3	0.14	7	0.7	0.28	0.5	0.20
Eye & Orbit	13	1.0	0.30	0.9	0.27	8	0.7	0.26	0.5	0.17
Brain & Other Nervous System	109	9.5	1.02	7.4	0.75	75	6.8	0.83	5.6	0.69
Brain	98	8.7	0.98	6.5	0.70	70	6.4	0.81	5.2	0.66
Endocrine System	94	6.9	0.77	5.5	0.58	241	19.1	1.27	16.3	1.08
Thyroid gland	83	6.1	0.72	4.8	0.54	233	18.3	1.23	15.7	1.06
Lymphomas	289	26.9	1.81	18.1	1.10	215	20.3	1.47	14.7	1.04
Hodgkin Lymphoma	38	3.1	0.54	2.7	0.46	35	3.1	0.54	3.0	0.51
Non-Hodgkin Lymphoma	251	23.8	1.72	15.4	1.00	180	17.2	1.37	11.7	0.91
Multiple Myeloma	66	6.7	0.96	4.0	0.51	39	4.0	0.69	2.4	0.40
Leukemias	171	17.4	1.50	11.8	0.96	106	10.5	1.09	7.2	0.75
Acute lymphocytic	19	1.6	0.37	2.2	0.53	11	0.9	0.29	1.1	0.37
Chronic lymphocytic	81	8.1	1.01	5.1	0.58	31	3.3	0.64	2.0	0.38
Acute myeloid	40	4.6	0.81	2.6	0.43	37	3.7	0.65	2.4	0.41
Chronic myeloid	18	1.7	0.46	1.0	0.25	20	1.8	0.43	1.2	0.28
Other leukemias	13	1.4	0.46	0.8	0.24	7	0.7	0.29	0.5	0.19
Mesothelioma	26	4.0	0.88	1.7	0.35	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	123	13.6	1.30	7.6	0.71
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	71	7.1	0.96	4.7	0.58	149	13.2	1.14	10.1	0.86
Breast (<i>in situ</i>)	-	-	-	-	-	430	35.5	1.82	26.5	1.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	213	588.9	51.02	385.2	28.50	137	366.1	34.91	242.8	21.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	43	117.4	23.54	75.7	12.61	18	47.9	12.63	29.4	7.25
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	11	31.5	13.76	17.1	5.79	9	30.5	11.09	14.5	4.98
Rectum & rectosigmoid	6	14.3	6.34	11.9	5.13	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	21.2	7.06	17.5	5.72	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	24	91.1	22.55	47.3	10.20	14	43.7	12.69	25.6	7.00
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	23	86.8	22.15	44.6	9.85	14	43.7	12.69	25.6	7.00
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	54	147.5	22.23	99.8	14.31
Female Genital System	-	-	-	-	-	19	51.3	13.06	34.6	8.36
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	10	24.7	8.25	19.8	6.58
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	94	236.7	29.96	172.2	19.15	-	-	-	-	-
Prostate	92	234.3	29.91	170.0	19.08	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	53.9	15.32	33.4	8.79	6	16.6	7.35	11.3	5.00
Bladder (incl. <i>in situ</i>)	8	31.7	12.68	17.1	6.32	-	-	-	-	-
Kidney & renal pelvis	8	22.2	8.60	16.3	6.11	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	10.7	4.51	10.3	4.40
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	14.3	7.51	9.6	3.80	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	10.7	4.41	9.4	3.87	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	8	14.6	5.23	12.2	4.43
Breast (<i>in situ</i>)	-	-	-	-	-	17	46.7	12.36	33.6	8.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	240	410.3	31.43	235.0	15.66	340	321.8	18.43	233.5	13.01
Oral Cavity & Pharynx	8	10.0	4.00	7.1	2.58	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	6	8.3	3.81	5.7	2.38	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	69	121.1	17.14	64.0	7.94	58	63.7	8.90	39.8	5.37
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	28.0	9.27	12.8	3.80	7	8.0	3.03	5.8	2.24
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	19	37.7	9.66	17.2	4.04	15	18.2	5.06	9.8	2.58
Rectum & rectosigmoid	9	14.8	5.71	7.6	2.59	6	6.9	2.93	4.1	1.72
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	17	16.9	4.32	14.1	3.52	13	15.3	4.44	8.4	2.41
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	10	9.6	3.34	6.9	2.23
Respiratory System	38	74.0	13.94	38.6	6.46	32	33.0	6.05	22.0	3.98
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	36	72.3	13.88	37.2	6.38	31	31.8	5.93	21.2	3.90
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	124	109.5	10.34	81.7	7.47
Female Genital System	-	-	-	-	-	48	41.3	6.25	32.8	4.80
Cervix uteri	-	-	-	-	-	7	5.4	2.07	4.7	1.77
Uterus Corpus	-	-	-	-	-	26	22.5	4.65	17.8	3.55
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	10.8	3.27	8.4	2.46
Male Genital System	55	96.8	14.83	58.1	8.05	-	-	-	-	-
Prostate	52	93.5	14.70	55.4	7.89	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	25.0	6.43	17.7	4.03	10	12.3	4.00	6.4	2.11
Bladder (incl. <i>in situ</i>)	9	14.4	5.56	8.9	2.99	6	8.2	3.38	4.0	1.71
Kidney & renal pelvis	11	10.6	3.23	8.8	2.70	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	7	7.8	3.20	5.8	2.29	22	17.7	3.83	15.3	3.31
Thyroid gland	6	6.9	3.08	5.1	2.17	22	17.7	3.83	15.3	3.31
Lymphomas	10	18.7	7.56	9.9	3.26	13	13.4	3.89	8.9	2.53
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	10	18.7	7.56	9.9	3.26	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	15	21.9	7.34	14.8	3.90	7	6.8	2.89	5.9	2.36
Acute lymphocytic	6	4.7	1.94	6.0	2.48	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	10.6	5.67	5.6	2.37	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	8	8.1	2.95	6.4	2.37
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	8	11.4	5.30	7.5	2.78	13	13.5	3.84	10.1	2.86
Breast (<i>in situ</i>)	-	-	-	-	-	23	19.1	4.05	15.2	3.20

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	881	508.7	19.25	327.8	11.27	1,066	502.2	16.11	357.0	11.15
Oral Cavity & Pharynx	37	17.8	3.26	13.7	2.31	20	8.6	1.99	6.9	1.58
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	15	7.0	1.92	5.5	1.46	8	3.4	1.24	2.7	0.98
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	6	3.8	1.97	2.3	0.98	-	-	-	-	-
Digestive System	301	171.3	11.17	110.9	6.53	274	138.0	8.70	90.6	5.60
Esophagus	18	8.7	2.21	6.1	1.46	12	6.0	1.83	3.7	1.08
Stomach	45	25.2	4.33	16.3	2.48	37	18.0	3.06	12.6	2.12
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	105	68.4	7.64	40.0	4.00	128	65.7	6.05	42.3	3.82
Rectum & rectosigmoid	61	30.3	4.25	22.4	2.92	31	13.9	2.59	10.2	1.86
Anus, anal canal & anorectum	-	-	-	-	-	7	2.9	1.10	2.5	0.96
Liver	24	12.7	2.98	8.7	1.82	11	5.7	1.80	3.9	1.19
Gallbladder	6	3.7	1.62	2.2	0.93	6	3.3	1.41	1.8	0.76
Pancreas	29	15.2	2.99	10.5	1.98	28	15.0	2.97	9.2	1.77
Respiratory System	189	125.7	10.11	72.2	5.37	148	77.3	6.61	50.7	4.27
Larynx	12	7.0	2.44	4.3	1.27	-	-	-	-	-
Lung & bronchus	176	117.6	9.76	67.7	5.21	143	75.2	6.54	48.8	4.18
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	9	4.5	1.62	3.0	1.02	9	3.6	1.29	2.9	0.99
Skin (excl. basal & sq.)	8	3.5	1.28	2.7	0.96	-	-	-	-	-
Melanomas of the skin	6	2.7	1.16	2.1	0.86	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	283	123.6	7.59	95.5	5.77
Female Genital System	-	-	-	-	-	125	53.4	4.99	42.3	3.84
Cervix uteri	-	-	-	-	-	37	13.6	2.28	12.9	2.13
Uterus Corpus	-	-	-	-	-	43	18.9	2.98	15.2	2.36
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	33	15.5	2.83	10.6	1.88
Male Genital System	142	81.0	7.50	53.2	4.55	-	-	-	-	-
Prostate	120	70.8	7.13	45.8	4.26	-	-	-	-	-
Testis	17	6.7	1.66	5.7	1.38	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	78	46.5	5.91	29.6	3.42	46	24.0	3.76	14.5	2.18
Bladder (incl. <i>in situ</i>)	27	16.7	3.71	10.7	2.11	7	3.9	1.58	2.0	0.76
Kidney & renal pelvis	51	29.8	4.60	18.9	2.69	38	19.2	3.31	12.2	2.03
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	11	4.8	1.58	3.6	1.10	19	7.0	1.64	6.4	1.48
Brain	11	4.8	1.58	3.6	1.10	17	6.3	1.55	5.7	1.40
Endocrine System	10	4.5	1.52	3.5	1.13	33	13.1	2.35	11.1	1.96
Thyroid gland	10	4.5	1.52	3.5	1.13	30	11.8	2.23	10.0	1.85
Lymphomas	30	14.0	2.79	11.0	2.04	33	15.7	2.88	11.3	2.00
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	4.2	1.57	2.9	1.06	6	2.9	1.24	2.0	0.83
Leukemias	18	7.4	1.94	6.4	1.52	19	7.2	1.74	6.6	1.54
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	8	3.2	1.29	2.7	0.98	9	3.8	1.34	2.9	0.99
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	32	19.1	3.90	12.1	2.19	45	25.2	3.96	14.0	2.15
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	16	7.3	1.93	5.6	1.42	43	18.9	3.00	13.9	2.15
Breast (<i>in situ</i>)	-	-	-	-	-	71	29.3	3.55	23.1	2.78

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	123	350.1	44.90	224.3	23.11	124	281.1	31.32	187.4	17.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	33	107.7	27.63	61.6	12.51	18	56.6	15.70	32.5	8.03
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	24.3	11.58	14.5	5.61	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	29.9	11.16	19.3	6.62	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	29.8	19.47	15.9	7.44	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	28.5	19.43	14.9	7.36	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	38	90.3	18.01	56.8	9.66
Female Genital System	-	-	-	-	-	16	29.9	8.61	23.3	6.41
Cervix uteri	-	-	-	-	-	6	11.5	5.40	8.5	3.78
Uterus Corpus	-	-	-	-	-	7	14.1	6.23	11.4	4.79
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	37	111.6	22.00	75.9	13.77	-	-	-	-	-
Prostate	34	109.5	21.97	73.3	13.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	44.9	15.00	27.4	7.48	12	29.4	10.74	18.8	5.86
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	11	23.9	8.78	17.7	5.66	10	23.6	9.71	14.9	5.05
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	9.9	4.28	7.9	3.50	16	20.9	5.39	18.0	4.62
Thyroid gland	6	9.9	4.28	7.9	3.50	16	20.9	5.39	18.0	4.62
Lymphomas	7	16.9	8.14	12.8	5.57	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	16.9	8.14	12.8	5.57	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	15	28.7	8.01	23.7	6.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ALASKA

14 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,412	526.1	8.24	339.1	4.78	4,458	430.8	6.90	295.3	4.59
Oral Cavity & Pharynx	193	16.0	1.34	11.2	0.83	62	5.9	0.80	4.0	0.52
Lip	11	1.2	0.41	0.8	0.24	-	-	-	-	-
Tongue	68	4.8	0.65	3.8	0.47	22	1.9	0.43	1.5	0.33
Major salivary gland	-	-	-	-	-	8	0.8	0.31	0.5	0.17
Floor of mouth	7	0.6	0.23	0.5	0.18	6	0.5	0.23	0.4	0.15
Gum & other mouth	27	3.0	0.69	1.6	0.33	7	0.7	0.28	0.4	0.17
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	8	0.6	0.25	0.5	0.17	-	-	-	-	-
Digestive System	947	92.9	3.51	57.6	1.93	656	68.4	2.85	42.5	1.72
Esophagus	96	8.8	1.06	5.9	0.62	20	2.4	0.56	1.4	0.33
Stomach	63	6.5	0.92	3.9	0.51	24	2.5	0.54	1.4	0.30
Small intestine	27	2.6	0.60	1.6	0.32	23	2.0	0.45	1.5	0.32
Colon excl. rectum	311	32.4	2.11	19.5	1.14	283	30.8	1.95	18.3	1.13
Rectum & rectosigmoid	151	13.7	1.31	9.0	0.76	101	9.1	0.96	6.5	0.66
Anus, anal canal & anorectum	16	1.4	0.39	0.9	0.24	32	2.8	0.54	2.0	0.35
Liver	92	7.4	0.91	5.0	0.54	30	2.7	0.52	2.1	0.42
Gallbladder	-	-	-	-	-	10	1.1	0.36	0.6	0.19
Pancreas	133	13.9	1.40	8.0	0.71	89	10.1	1.14	6.0	0.66
Respiratory System	829	87.2	3.47	52.3	1.87	581	63.0	2.78	39.1	1.68
Larynx	79	6.8	0.86	4.8	0.55	10	0.9	0.30	0.6	0.19
Lung & bronchus	743	79.6	3.34	47.1	1.78	566	61.8	2.76	38.3	1.67
Bones & Joints	16	1.3	0.36	1.2	0.31	10	0.9	0.30	0.9	0.30
Soft Tissue (incl. heart)	42	3.7	0.65	3.1	0.52	29	2.6	0.52	2.0	0.42
Skin (excl. basal & sq.)	201	17.7	1.44	11.8	0.85	157	14.2	1.20	10.7	0.89
Melanomas of the skin	185	16.1	1.36	10.8	0.82	149	13.5	1.16	10.2	0.87
Breast (excl. <i>in situ</i>)	14	1.5	0.46	0.9	0.25	1,436	130.7	3.69	92.9	2.52
Female Genital System	-	-	-	-	-	520	46.4	2.17	33.9	1.53
Cervix uteri	-	-	-	-	-	75	6.5	0.78	5.1	0.60
Uterus Corpus	-	-	-	-	-	279	24.5	1.56	18.4	1.14
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	112	10.3	1.04	7.0	0.69
Male Genital System	1,656	151.4	4.26	103.4	2.62	-	-	-	-	-
Prostate	1,570	144.5	4.19	97.3	2.53	-	-	-	-	-
Testis	79	6.1	0.70	5.6	0.65	-	-	-	-	-
Penis	6	0.7	0.32	0.4	0.17	-	-	-	-	-
Urinary System	604	63.2	2.98	37.6	1.58	221	22.7	1.63	14.3	1.00
Bladder (incl. <i>in situ</i>)	385	43.5	2.56	24.1	1.26	101	11.0	1.17	6.5	0.68
Kidney & renal pelvis	209	18.8	1.49	12.9	0.93	112	10.9	1.10	7.2	0.71
Ureter	6	0.5	0.26	0.3	0.14	7	0.7	0.29	0.5	0.20
Eye & Orbit	13	1.0	0.31	0.9	0.29	8	0.7	0.27	0.5	0.18
Brain & Other Nervous System	107	9.7	1.05	7.5	0.77	71	6.7	0.84	5.6	0.71
Brain	96	8.8	1.01	6.6	0.72	66	6.3	0.82	5.1	0.67
Endocrine System	88	6.8	0.78	5.3	0.59	229	19.1	1.30	16.2	1.11
Thyroid gland	77	5.9	0.72	4.7	0.55	221	18.2	1.26	15.7	1.09
Lymphomas	284	27.2	1.84	18.4	1.13	211	20.6	1.51	15.0	1.08
Hodgkin Lymphoma	38	3.3	0.56	2.9	0.49	35	3.3	0.57	3.1	0.55
Non-Hodgkin Lymphoma	246	23.9	1.75	15.5	1.02	176	17.3	1.40	11.9	0.93
Multiple Myeloma	65	6.8	0.98	4.1	0.52	38	4.1	0.71	2.4	0.41
Leukemias	168	17.7	1.53	12.1	1.01	104	10.7	1.11	7.3	0.77
Acute lymphocytic	18	1.7	0.39	2.3	0.57	10	0.9	0.30	1.1	0.38
Chronic lymphocytic	81	8.3	1.04	5.2	0.60	31	3.4	0.65	2.1	0.39
Acute myeloid	40	4.7	0.83	2.7	0.45	37	3.8	0.67	2.4	0.42
Chronic myeloid	17	1.7	0.47	1.0	0.25	19	1.7	0.43	1.2	0.28
Other leukemias	12	1.4	0.47	0.8	0.25	7	0.8	0.30	0.5	0.20
Mesothelioma	26	4.0	0.89	1.8	0.36	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	121	13.8	1.33	7.7	0.72
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	71	7.4	0.98	4.9	0.61	145	13.3	1.17	10.2	0.88
Breast (<i>in situ</i>)	-	-	-	-	-	420	35.9	1.86	26.7	1.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	210	604.9	52.46	395.6	29.40	137	388.8	36.85	258.8	23.11
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	43	121.6	24.31	78.6	13.07	18	50.6	13.29	31.1	7.67
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	11	32.6	14.17	17.8	6.02	9	32.1	11.66	15.3	5.28
Rectum & rectosigmoid	6	14.8	6.55	12.4	5.32	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	22.0	7.31	18.2	5.93	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	24	93.6	23.11	48.8	10.53	14	46.2	13.37	27.1	7.41
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	23	89.2	22.70	46.1	10.17	14	46.2	13.37	27.1	7.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	54	156.4	23.43	106.0	15.13
Female Genital System	-	-	-	-	-	19	54.5	13.78	37.0	8.87
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	10	26.5	8.77	21.3	7.01
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	93	244.1	30.93	177.8	19.83	-	-	-	-	-
Prostate	91	241.5	30.87	175.4	19.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	55.6	15.72	34.5	9.08	6	17.4	7.69	11.9	5.21
Bladder (incl. <i>in situ</i>)	8	32.6	12.99	17.7	6.53	-	-	-	-	-
Kidney & renal pelvis	8	23.0	8.86	16.9	6.31	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	11.6	4.90	11.2	4.78
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	11.3	4.65	10.0	4.09	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	8	15.9	5.70	13.3	4.82
Breast (<i>in situ</i>)	-	-	-	-	-	13	38.8	11.81	26.6	7.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ALASKA

16 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	68,232	441.4	1.71	291.0	1.17	64,521	371.2	1.48	256.7	1.09
Oral Cavity & Pharynx	2,003	12.7	0.29	9.1	0.21	881	5.0	0.17	3.5	0.13
Lip	83	0.6	0.06	0.3	0.04	24	0.1	0.03	0.1	0.02
Tongue	629	3.9	0.16	2.9	0.12	279	1.6	0.10	1.1	0.07
Major salivary gland	220	1.5	0.10	0.9	0.06	132	0.8	0.07	0.6	0.05
Floor of mouth	111	0.7	0.06	0.5	0.05	53	0.3	0.04	0.2	0.03
Gum & other mouth	203	1.3	0.09	0.9	0.06	177	1.0	0.08	0.6	0.05
Nasopharynx	97	0.6	0.06	0.5	0.05	33	0.2	0.04	0.2	0.03
Oropharynx	75	0.5	0.06	0.3	0.04	41	0.2	0.04	0.2	0.03
Hypopharynx	97	0.6	0.06	0.4	0.04	31	0.2	0.03	0.1	0.03
Digestive System	12,847	84.0	0.75	53.5	0.49	10,183	57.1	0.57	35.2	0.38
Esophagus	1,147	7.4	0.22	4.8	0.15	309	1.7	0.10	1.0	0.06
Stomach	1,092	7.3	0.22	4.5	0.14	624	3.6	0.14	2.2	0.10
Small intestine	287	1.9	0.11	1.2	0.08	238	1.3	0.09	0.9	0.06
Colon excl. rectum	4,373	29.1	0.45	17.6	0.28	4,324	24.2	0.37	14.2	0.24
Rectum & rectosigmoid	1,905	12.3	0.28	8.3	0.20	1,365	7.8	0.21	5.3	0.15
Anus, anal canal & anorectum	164	1.1	0.08	0.7	0.06	286	1.6	0.10	1.2	0.07
Liver	1,443	9.0	0.24	6.6	0.18	576	3.2	0.13	2.2	0.10
Gallbladder	124	0.8	0.08	0.5	0.05	231	1.3	0.08	0.8	0.06
Pancreas	1,822	11.9	0.28	7.4	0.18	1,714	9.5	0.23	5.5	0.15
Respiratory System	10,235	67.0	0.67	40.5	0.42	8,861	49.4	0.53	30.6	0.35
Larynx	660	4.2	0.16	2.9	0.11	164	0.9	0.07	0.7	0.05
Lung & bronchus	9,422	61.8	0.64	36.9	0.40	8,588	47.9	0.52	29.5	0.34
Bones & Joints	156	1.0	0.08	0.9	0.08	132	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	546	3.6	0.15	2.7	0.12	445	2.6	0.13	2.0	0.11
Skin (excl. basal & sq.)	3,351	22.1	0.39	14.4	0.26	2,189	13.1	0.28	9.7	0.22
Melanomas of the skin	3,107	20.4	0.37	13.5	0.25	2,055	12.3	0.28	9.1	0.21
Breast (excl. <i>in situ</i>)	271	1.8	0.11	1.2	0.07	19,033	110.2	0.81	79.2	0.60
Female Genital System	-	-	-	-	-	7,202	41.8	0.50	30.9	0.38
Cervix uteri	-	-	-	-	-	1,123	7.2	0.22	5.8	0.18
Uterus Corpus	-	-	-	-	-	3,321	18.8	0.33	14.1	0.25
Uterus, NOS ¹	-	-	-	-	-	168	1.0	0.07	0.6	0.05
Ovary	-	-	-	-	-	2,098	12.0	0.27	8.5	0.20
Male Genital System	19,169	119.1	0.87	84.5	0.63	-	-	-	-	-
Prostate	18,199	112.7	0.85	78.8	0.60	-	-	-	-	-
Testis	830	5.5	0.19	5.1	0.18	-	-	-	-	-
Penis	120	0.8	0.07	0.5	0.05	-	-	-	-	-
Urinary System	8,107	53.7	0.60	32.7	0.38	3,586	20.2	0.34	13.1	0.24
Bladder (incl. <i>in situ</i>)	4,773	32.2	0.47	18.0	0.27	1,521	8.4	0.22	4.9	0.14
Kidney & renal pelvis	3,168	20.4	0.37	14.1	0.26	1,980	11.3	0.26	8.0	0.19
Ureter	103	0.7	0.07	0.4	0.04	65	0.4	0.05	0.2	0.02
Eye & Orbit	133	0.8	0.07	0.7	0.06	131	0.8	0.07	0.7	0.07
Brain & Other Nervous System	1,222	7.9	0.23	6.4	0.19	960	5.7	0.19	4.8	0.17
Brain	1,146	7.4	0.22	5.9	0.18	891	5.3	0.18	4.4	0.16
Endocrine System	1,128	7.2	0.22	5.8	0.18	3,481	22.0	0.38	18.1	0.32
Thyroid gland	1,022	6.6	0.21	5.1	0.16	3,392	21.5	0.37	17.6	0.31
Lymphomas	3,080	20.4	0.37	13.7	0.26	2,667	15.4	0.30	10.7	0.23
Hodgkin Lymphoma	362	2.4	0.13	2.1	0.11	313	2.0	0.11	1.9	0.11
Non-Hodgkin Lymphoma	2,718	18.0	0.35	11.6	0.23	2,354	13.4	0.28	8.8	0.20
Multiple Myeloma	860	5.6	0.19	3.5	0.13	640	3.6	0.14	2.3	0.10
Leukemias	1,865	12.4	0.29	8.8	0.22	1,434	8.4	0.22	6.5	0.20
Acute lymphocytic	295	1.8	0.11	2.3	0.14	237	1.5	0.10	1.9	0.13
Chronic lymphocytic	505	3.4	0.15	2.0	0.09	346	1.9	0.10	1.1	0.06
Acute myeloid	544	3.6	0.16	2.4	0.11	480	2.8	0.13	2.1	0.11
Chronic myeloid	213	1.4	0.10	1.0	0.07	171	1.0	0.08	0.7	0.06
Other leukemias	308	2.1	0.12	1.3	0.08	200	1.1	0.08	0.7	0.06
Mesothelioma	257	1.7	0.11	0.9	0.06	62	0.3	0.04	0.2	0.03
Kaposi Sarcoma	72	0.5	0.06	0.4	0.05	-	-	-	-	-
Ill-defined & Unknown	2,930	19.9	0.37	11.4	0.22	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,037	6.9	0.22	4.8	0.16	2,325	13.6	0.29	9.6	0.22
Breast (<i>in situ</i>)	42	0.3	0.04	0.2	0.03	4,388	25.5	0.39	19.2	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	62,459	437.2	1.77	288.4	1.22	59,285	373.9	1.56	258.5	1.16
Oral Cavity & Pharynx	1,879	13.0	0.30	9.3	0.22	811	5.1	0.18	3.6	0.14
Lip	81	0.6	0.07	0.4	0.04	24	0.2	0.03	0.1	0.02
Tongue	602	4.1	0.17	3.1	0.13	264	1.6	0.10	1.2	0.08
Major salivary gland	210	1.5	0.11	0.9	0.07	114	0.7	0.07	0.5	0.05
Floor of mouth	99	0.7	0.07	0.5	0.05	52	0.3	0.05	0.2	0.03
Gum & other mouth	188	1.3	0.10	0.9	0.07	157	1.0	0.08	0.6	0.05
Nasopharynx	80	0.6	0.06	0.4	0.05	26	0.2	0.04	0.1	0.03
Oropharynx	73	0.5	0.06	0.4	0.04	41	0.2	0.04	0.2	0.03
Hypopharynx	87	0.6	0.06	0.4	0.04	29	0.2	0.03	0.1	0.03
Digestive System	11,638	82.2	0.77	52.2	0.51	9,251	56.1	0.59	34.5	0.39
Esophagus	1,070	7.4	0.23	4.8	0.15	288	1.7	0.10	1.0	0.07
Stomach	936	6.7	0.22	4.1	0.14	518	3.2	0.14	2.0	0.10
Small intestine	256	1.8	0.11	1.2	0.08	217	1.3	0.09	0.9	0.07
Colon excl. rectum	4,022	28.9	0.46	17.4	0.29	3,978	24.0	0.39	14.0	0.25
Rectum & rectosigmoid	1,724	12.0	0.29	8.2	0.20	1,232	7.7	0.22	5.2	0.16
Anus, anal canal & anorectum	155	1.1	0.09	0.7	0.06	272	1.7	0.10	1.2	0.08
Liver	1,239	8.4	0.24	6.1	0.18	504	3.0	0.14	2.1	0.10
Gallbladder	107	0.8	0.08	0.4	0.05	188	1.1	0.08	0.7	0.06
Pancreas	1,708	12.0	0.30	7.4	0.19	1,584	9.4	0.24	5.5	0.15
Respiratory System	9,730	68.2	0.70	41.3	0.44	8,404	50.6	0.56	31.3	0.37
Larynx	618	4.2	0.17	2.9	0.12	157	0.9	0.08	0.7	0.06
Lung & bronchus	8,969	63.0	0.67	37.6	0.42	8,151	49.1	0.55	30.2	0.36
Bones & Joints	136	1.0	0.09	0.9	0.08	111	0.8	0.08	0.7	0.07
Soft Tissue (incl. heart)	488	3.5	0.16	2.7	0.13	394	2.6	0.13	1.9	0.11
Skin (excl. basal & sq.)	3,139	22.5	0.41	14.7	0.28	1,967	13.1	0.30	9.7	0.24
Melanomas of the skin	2,905	20.8	0.39	13.8	0.27	1,855	12.4	0.29	9.2	0.23
Breast (excl. <i>in situ</i>)	258	1.8	0.11	1.2	0.08	17,545	111.9	0.86	80.4	0.64
Female Genital System	-	-	-	-	-	6,492	41.6	0.53	30.7	0.40
Cervix uteri	-	-	-	-	-	979	7.2	0.23	5.8	0.19
Uterus Corpus	-	-	-	-	-	2,985	18.5	0.34	13.9	0.27
Uterus, NOS ¹	-	-	-	-	-	140	0.9	0.08	0.6	0.05
Ovary	-	-	-	-	-	1,926	12.1	0.28	8.6	0.21
Male Genital System	17,016	114.3	0.89	81.7	0.65	-	-	-	-	-
Prostate	16,131	107.5	0.85	75.7	0.61	-	-	-	-	-
Testis	754	5.8	0.21	5.4	0.20	-	-	-	-	-
Penis	111	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,588	54.1	0.63	32.9	0.40	3,309	20.3	0.36	13.1	0.25
Bladder (incl. <i>in situ</i>)	4,600	33.1	0.49	18.6	0.29	1,439	8.6	0.23	5.0	0.14
Kidney & renal pelvis	2,827	19.8	0.38	13.7	0.27	1,788	11.2	0.27	7.9	0.20
Ureter	100	0.7	0.07	0.4	0.04	63	0.4	0.05	0.2	0.03
Eye & Orbit	119	0.8	0.08	0.7	0.07	120	0.8	0.07	0.7	0.08
Brain & Other Nervous System	1,134	8.2	0.25	6.6	0.21	894	6.0	0.20	5.0	0.19
Brain	1,067	7.7	0.24	6.1	0.20	834	5.6	0.20	4.6	0.18
Endocrine System	1,035	7.4	0.23	5.9	0.19	3,157	22.7	0.41	18.8	0.35
Thyroid gland	942	6.8	0.22	5.3	0.18	3,078	22.2	0.41	18.3	0.34
Lymphomas	2,843	20.6	0.39	13.8	0.28	2,467	15.6	0.32	10.9	0.25
Hodgkin Lymphoma	319	2.4	0.13	2.1	0.12	278	2.1	0.12	1.9	0.12
Non-Hodgkin Lymphoma	2,524	18.2	0.37	11.7	0.25	2,189	13.6	0.29	9.0	0.21
Multiple Myeloma	750	5.3	0.20	3.3	0.13	571	3.4	0.15	2.2	0.10
Leukemias	1,669	12.2	0.30	8.6	0.23	1,276	8.2	0.23	6.2	0.21
Acute lymphocytic	242	1.8	0.11	2.1	0.14	184	1.4	0.10	1.7	0.13
Chronic lymphocytic	465	3.3	0.16	1.9	0.09	323	1.9	0.11	1.1	0.07
Acute myeloid	498	3.6	0.16	2.4	0.12	436	2.8	0.14	2.1	0.11
Chronic myeloid	178	1.3	0.10	0.8	0.07	145	0.9	0.08	0.7	0.07
Other leukemias	286	2.1	0.13	1.3	0.08	188	1.2	0.09	0.7	0.06
Mesothelioma	246	1.8	0.11	1.0	0.07	59	0.4	0.05	0.2	0.03
Kaposi Sarcoma	59	0.5	0.06	0.4	0.05	-	-	-	-	-
Ill-defined & Unknown	2,732	19.9	0.39	11.4	0.23	2,457	14.7	0.30	8.4	0.19
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	921	6.7	0.22	4.7	0.17	2,093	13.5	0.30	9.6	0.23
Breast (<i>in situ</i>)	36	0.3	0.04	0.2	0.03	4,037	26.0	0.42	19.5	0.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	1,777	420.9	11.36	283.1	6.87	1,566	325.1	8.60	226.6	5.84
Oral Cavity & Pharynx	43	8.5	1.41	6.6	1.03	20	3.6	0.83	3.0	0.68
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	2.0	0.66	1.7	0.54	-	-	-	-	-
Major salivary gland	-	-	-	-	-	6	1.0	0.43	0.8	0.34
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	1.2	0.51	1.0	0.42	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	377	92.1	5.45	59.3	3.13	295	64.5	3.92	42.4	2.53
Esophagus	21	5.3	1.28	3.4	0.75	7	1.5	0.59	1.1	0.42
Stomach	45	12.5	2.17	7.6	1.15	30	6.3	1.19	4.4	0.82
Small intestine	10	2.2	0.85	1.6	0.52	9	1.7	0.60	1.4	0.47
Colon excl. rectum	125	33.7	3.50	19.4	1.78	129	28.7	2.64	18.1	1.63
Rectum & rectosigmoid	37	8.9	1.69	5.7	0.96	34	7.2	1.28	5.1	0.90
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	67	12.1	1.54	10.1	1.26	15	3.4	0.91	2.2	0.57
Gallbladder	-	-	-	-	-	6	1.5	0.62	0.9	0.37
Pancreas	48	11.3	1.75	7.8	1.15	54	12.1	1.72	7.8	1.09
Respiratory System	230	63.4	4.73	38.6	2.59	221	51.0	3.57	32.2	2.22
Larynx	10	3.0	1.09	1.7	0.55	6	1.3	0.56	0.9	0.38
Lung & bronchus	216	59.7	4.58	36.3	2.51	213	49.2	3.51	31.0	2.18
Bones & Joints	-	-	-	-	-	6	1.1	0.50	0.9	0.37
Soft Tissue (incl. heart)	10	1.6	0.65	1.3	0.42	16	2.5	0.66	2.4	0.61
Skin (excl. basal & sq.)	6	1.6	0.70	0.9	0.36	6	1.0	0.39	0.8	0.35
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	477	95.7	4.56	68.6	3.20
Female Genital System	-	-	-	-	-	173	34.6	2.75	25.6	1.98
Cervix uteri	-	-	-	-	-	41	7.2	1.16	5.9	0.93
Uterus Corpus	-	-	-	-	-	71	14.9	1.84	10.7	1.30
Uterus, NOS ¹	-	-	-	-	-	14	2.9	0.81	2.3	0.61
Ovary	-	-	-	-	-	39	8.2	1.39	5.5	0.90
Male Genital System	642	146.5	6.44	104.7	4.22	-	-	-	-	-
Prostate	635	145.0	6.40	103.8	4.21	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	150	36.7	3.47	23.5	1.97	97	21.0	2.23	14.4	1.49
Bladder (incl. <i>in situ</i>)	46	13.5	2.26	7.5	1.13	35	8.3	1.46	5.3	0.91
Kidney & renal pelvis	101	22.3	2.57	15.5	1.59	61	12.5	1.67	9.0	1.17
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	24	4.4	1.00	3.5	0.73	21	3.5	0.81	3.1	0.69
Brain	24	4.4	1.00	3.5	0.73	16	2.6	0.68	2.4	0.61
Endocrine System	16	2.7	0.72	2.2	0.57	73	13.0	1.57	10.1	1.19
Thyroid gland	15	2.6	0.71	2.1	0.55	69	12.2	1.51	9.6	1.16
Lymphomas	82	16.5	2.14	11.6	1.31	51	9.1	1.35	7.0	0.99
Hodgkin Lymphoma	23	3.2	0.72	2.8	0.58	15	2.2	0.60	2.0	0.52
Non-Hodgkin Lymphoma	59	13.4	2.02	8.8	1.17	36	6.9	1.21	5.0	0.84
Multiple Myeloma	52	13.1	2.03	8.3	1.17	27	5.7	1.15	3.9	0.77
Leukemias	53	11.7	1.88	8.2	1.16	34	7.2	1.34	4.8	0.84
Acute lymphocytic	-	-	-	-	-	9	1.0	0.35	1.3	0.45
Chronic lymphocytic	13	3.2	1.02	2.4	0.66	10	2.7	0.87	1.4	0.47
Acute myeloid	16	4.0	1.15	2.5	0.63	9	2.3	0.81	1.2	0.40
Chronic myeloid	12	2.0	0.61	1.7	0.50	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	8	1.1	0.41	0.9	0.31	-	-	-	-	-
Ill-defined & Unknown	70	17.5	2.39	11.3	1.38	48	11.3	1.70	7.1	1.05
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	28	4.6	0.93	3.7	0.72	72	14.3	1.76	10.4	1.25
Breast (<i>in situ</i>)	-	-	-	-	-	104	20.5	2.08	15.1	1.51

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	706	245.7	10.28	158.5	6.08	986	218.2	7.39	156.3	5.06
Oral Cavity & Pharynx	17	6.0	1.75	3.5	0.89	13	3.0	0.91	2.0	0.55
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	208	73.2	5.63	45.9	3.25	170	43.1	3.55	26.7	2.08
Esophagus	10	3.2	1.09	2.3	0.73	-	-	-	-	-
Stomach	19	8.2	2.04	4.3	1.00	23	6.1	1.34	3.6	0.77
Small intestine	6	1.9	0.88	1.3	0.52	-	-	-	-	-
Colon excl. rectum	59	22.1	3.22	13.2	1.75	59	15.7	2.21	9.1	1.20
Rectum & rectosigmoid	33	12.3	2.44	7.2	1.28	24	5.4	1.15	3.8	0.77
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	50	14.7	2.22	10.7	1.55	16	3.6	0.93	2.6	0.66
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	14	4.8	1.34	3.4	0.93	25	6.8	1.49	3.9	0.79
Respiratory System	108	41.7	4.42	24.2	2.36	103	25.8	2.70	16.5	1.65
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	103	39.9	4.30	23.0	2.31	102	25.6	2.70	16.3	1.64
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	3.1	1.06	2.1	0.68	9	1.9	0.66	1.5	0.52
Skin (excl. basal & sq.)	-	-	-	-	-	10	1.9	0.60	1.6	0.51
Melanomas of the skin	-	-	-	-	-	6	1.2	0.51	0.9	0.38
Breast (excl. <i>in situ</i>)	-	-	-	-	-	317	65.7	3.83	50.3	2.85
Female Genital System	-	-	-	-	-	128	26.6	2.46	19.9	1.78
Cervix uteri	-	-	-	-	-	26	4.9	1.00	3.7	0.72
Uterus Corpus	-	-	-	-	-	64	13.3	1.72	10.0	1.27
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	31	6.8	1.30	5.1	0.93
Male Genital System	161	58.1	4.98	38.7	3.09	-	-	-	-	-
Prostate	151	56.1	4.94	36.9	3.03	-	-	-	-	-
Testis	8	1.4	0.50	1.4	0.50	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	52	19.0	2.92	11.5	1.63	29	8.1	1.59	4.6	0.86
Bladder (incl. <i>in situ</i>)	21	9.3	2.18	4.6	1.02	13	4.1	1.18	2.0	0.56
Kidney & renal pelvis	30	9.4	1.92	6.6	1.23	15	3.7	1.01	2.4	0.64
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	14	3.2	0.91	3.3	0.91	12	2.3	0.67	2.3	0.71
Brain	14	3.2	0.91	3.3	0.91	12	2.3	0.67	2.3	0.71
Endocrine System	32	8.2	1.54	6.7	1.21	99	18.6	1.95	14.9	1.53
Thyroid gland	29	7.4	1.46	5.9	1.13	97	18.1	1.91	14.6	1.52
Lymphomas	37	11.8	2.11	7.9	1.32	29	5.9	1.14	4.9	0.94
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	2.5	0.98	1.6	0.62	8	1.7	0.62	1.3	0.46
Leukemias	23	6.1	1.55	5.2	1.13	29	5.5	1.10	5.1	0.99
Acute lymphocytic	9	1.6	0.53	2.3	0.79	7	1.5	0.62	1.6	0.64
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	10	3.6	1.38	2.0	0.65	12	2.2	0.69	1.8	0.52
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	27	9.9	2.16	5.7	1.12	28	7.7	1.59	4.4	0.85
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	15	4.8	1.53	3.2	0.86	37	9.2	1.63	5.8	0.97
Breast (<i>in situ</i>)	-	-	-	-	-	93	19.7	2.13	14.8	1.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,470	322.3	9.27	206.4	5.49	1,626	266.0	6.88	189.2	4.77
Oral Cavity & Pharynx	36	7.1	1.30	5.0	0.85	20	3.4	0.79	2.4	0.54
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	7	1.1	0.44	0.9	0.33
Nasopharynx	8	1.4	0.61	1.1	0.39	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	428	95.1	5.03	59.5	2.93	354	63.4	3.51	40.7	2.21
Esophagus	29	6.6	1.33	4.2	0.80	8	1.5	0.55	0.9	0.32
Stomach	73	19.3	2.45	10.3	1.22	42	7.7	1.24	4.7	0.74
Small intestine	8	1.7	0.63	1.1	0.41	9	1.6	0.56	0.9	0.30
Colon excl. rectum	101	21.3	2.31	14.0	1.42	113	19.7	1.93	13.0	1.24
Rectum & rectosigmoid	65	12.1	1.62	8.8	1.11	48	7.8	1.19	5.3	0.78
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	68	13.1	1.72	9.1	1.12	35	6.3	1.10	4.4	0.77
Gallbladder	14	3.8	1.09	2.0	0.53	29	5.6	1.08	3.3	0.63
Pancreas	38	9.6	1.71	5.5	0.90	41	8.1	1.30	4.7	0.75
Respiratory System	80	18.9	2.25	11.9	1.35	79	14.7	1.71	9.4	1.09
Larynx	8	1.7	0.64	1.1	0.40	-	-	-	-	-
Lung & bronchus	69	16.7	2.14	10.4	1.27	73	13.5	1.64	8.7	1.05
Bones & Joints	10	1.1	0.37	1.1	0.34	7	0.9	0.34	0.8	0.30
Soft Tissue (incl. heart)	28	4.6	0.98	3.4	0.64	17	2.4	0.61	2.0	0.49
Skin (excl. basal & sq.)	14	3.0	0.90	2.1	0.56	31	4.8	0.90	3.6	0.66
Melanomas of the skin	12	2.2	0.68	1.8	0.52	21	3.2	0.72	2.5	0.54
Breast (excl. <i>in situ</i>)	-	-	-	-	-	372	58.2	3.11	43.8	2.31
Female Genital System	-	-	-	-	-	317	48.3	2.80	36.9	2.10
Cervix uteri	-	-	-	-	-	59	8.8	1.18	6.7	0.88
Uterus Corpus	-	-	-	-	-	155	23.4	1.93	18.1	1.47
Uterus, NOS ²	-	-	-	-	-	8	1.5	0.55	1.0	0.35
Ovary	-	-	-	-	-	83	12.6	1.44	9.8	1.09
Male Genital System	392	93.9	5.16	57.5	2.96	-	-	-	-	-
Prostate	342	87.5	5.06	51.8	2.84	-	-	-	-	-
Testis	46	5.5	0.84	5.2	0.78	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	207	44.4	3.39	29.6	2.09	105	17.1	1.73	12.5	1.25
Bladder (incl. <i>in situ</i>)	30	7.5	1.53	4.2	0.78	12	2.1	0.64	1.5	0.44
Kidney & renal pelvis	177	36.9	3.03	25.3	1.94	93	15.0	1.61	11.0	1.16
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	30	4.3	0.88	3.8	0.72	21	3.1	0.72	2.4	0.54
Brain	24	3.2	0.71	3.1	0.65	18	2.6	0.64	2.1	0.50
Endocrine System	22	3.5	0.80	2.7	0.57	88	12.3	1.36	9.9	1.07
Thyroid gland	20	3.0	0.70	2.4	0.54	84	11.7	1.32	9.4	1.04
Lymphomas	55	10.7	1.60	7.1	0.98	67	11.6	1.48	8.0	0.99
Hodgkin Lymphoma	6	0.8	0.35	0.7	0.28	7	1.0	0.40	0.8	0.31
Non-Hodgkin Lymphoma	49	9.8	1.56	6.4	0.94	60	10.7	1.42	7.2	0.94
Multiple Myeloma	34	7.4	1.38	5.1	0.88	25	4.7	0.98	2.8	0.57
Leukemias	51	8.4	1.43	6.2	0.88	45	6.3	1.02	5.3	0.81
Acute lymphocytic	15	1.4	0.36	1.8	0.46	17	1.8	0.48	2.0	0.49
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	17	3.5	0.97	2.2	0.54	17	2.3	0.60	2.1	0.51
Chronic myeloid	11	1.8	0.63	1.3	0.38	7	1.2	0.47	0.9	0.34
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	71	17.7	2.36	10.0	1.21	75	14.4	1.74	8.3	0.98
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	52	9.4	1.46	6.7	0.94	84	15.0	1.70	9.6	1.06
Breast (<i>in situ</i>)	-	-	-	-	-	64	9.4	1.20	7.5	0.95

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	7,503	354.7	4.58	233.1	2.78	8,177	300.6	3.53	208.3	2.37
Oral Cavity & Pharynx	168	7.4	0.62	5.2	0.41	85	3.1	0.36	2.2	0.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	40	1.7	0.28	1.3	0.21	26	0.9	0.20	0.7	0.13
Major salivary gland	15	0.8	0.23	0.4	0.12	19	0.6	0.14	0.5	0.11
Floor of mouth	8	0.4	0.13	0.3	0.10	-	-	-	-	-
Gum & other mouth	16	0.9	0.24	0.6	0.14	16	0.6	0.17	0.4	0.10
Nasopharynx	13	0.5	0.18	0.3	0.10	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	14	0.8	0.22	0.4	0.12	-	-	-	-	-
Digestive System	1,937	95.1	2.39	60.3	1.41	1,405	59.7	1.67	36.8	1.01
Esophagus	103	5.0	0.53	3.4	0.34	27	1.1	0.22	0.7	0.14
Stomach	218	11.5	0.86	6.9	0.48	168	7.2	0.58	4.4	0.35
Small intestine	39	1.8	0.31	1.2	0.20	32	1.2	0.24	0.8	0.15
Colon excl. rectum	543	27.3	1.31	16.5	0.73	512	22.1	1.03	13.0	0.59
Rectum & rectosigmoid	307	14.4	0.91	9.5	0.56	188	7.1	0.54	4.9	0.37
Anus, anal canal & anorectum	15	0.6	0.18	0.4	0.12	17	0.6	0.15	0.5	0.12
Liver	390	17.2	0.96	11.9	0.62	132	5.4	0.50	3.6	0.32
Gallbladder	34	2.1	0.39	1.1	0.19	58	2.4	0.33	1.6	0.21
Pancreas	208	10.9	0.83	6.8	0.49	198	9.2	0.68	5.3	0.39
Respiratory System	764	43.7	1.71	25.8	0.96	556	24.8	1.09	14.9	0.65
Larynx	64	3.5	0.48	2.1	0.27	13	0.6	0.17	0.4	0.10
Lung & bronchus	676	39.2	1.63	23.0	0.90	530	23.9	1.07	14.2	0.64
Bones & Joints	32	0.8	0.16	0.7	0.14	35	0.8	0.14	0.8	0.13
Soft Tissue (incl. heart)	90	3.0	0.38	2.2	0.24	77	2.4	0.30	1.9	0.22
Skin (excl. basal & sq.)	97	4.4	0.51	2.8	0.30	121	4.1	0.40	2.9	0.27
Melanomas of the skin	78	3.5	0.45	2.3	0.27	99	3.3	0.35	2.4	0.25
Breast (excl. <i>in situ</i>)	24	0.9	0.20	0.7	0.14	2,364	84.4	1.82	61.1	1.29
Female Genital System	-	-	-	-	-	1,146	39.0	1.21	28.8	0.88
Cervix uteri	-	-	-	-	-	299	8.8	0.53	6.8	0.41
Uterus Corpus	-	-	-	-	-	465	16.1	0.78	12.1	0.58
Uterus, NOS ¹	-	-	-	-	-	33	1.3	0.23	0.9	0.16
Ovary	-	-	-	-	-	291	10.6	0.65	7.4	0.45
Male Genital System	2,034	97.9	2.39	66.9	1.53	-	-	-	-	-
Prostate	1,758	91.1	2.34	61.0	1.48	-	-	-	-	-
Testis	234	4.7	0.32	4.7	0.31	-	-	-	-	-
Penis	40	2.0	0.35	1.2	0.20	-	-	-	-	-
Urinary System	810	39.4	1.53	25.4	0.92	457	17.9	0.88	12.0	0.58
Bladder (incl. <i>in situ</i>)	256	14.9	1.01	8.5	0.54	87	4.0	0.44	2.3	0.25
Kidney & renal pelvis	546	24.0	1.14	16.6	0.73	361	13.5	0.74	9.5	0.52
Ureter	-	-	-	-	-	7	0.4	0.15	0.2	0.07
Eye & Orbit	11	0.3	0.12	0.3	0.10	17	0.3	0.09	0.4	0.10
Brain & Other Nervous System	196	6.0	0.50	4.9	0.37	162	4.7	0.41	3.8	0.31
Brain	184	5.6	0.49	4.6	0.36	149	4.3	0.39	3.5	0.29
Endocrine System	171	5.8	0.50	4.5	0.36	699	20.3	0.81	16.4	0.64
Thyroid gland	138	4.9	0.47	3.7	0.33	684	19.9	0.80	16.1	0.63
Lymphomas	398	16.0	0.92	11.0	0.58	386	14.0	0.77	9.9	0.52
Hodgkin Lymphoma	77	2.1	0.28	1.8	0.21	66	1.7	0.23	1.5	0.19
Non-Hodgkin Lymphoma	321	13.9	0.88	9.3	0.54	320	12.3	0.73	8.4	0.48
Multiple Myeloma	126	6.2	0.61	4.0	0.37	95	4.1	0.44	2.5	0.27
Leukemias	314	9.7	0.68	7.8	0.46	259	7.2	0.50	6.1	0.38
Acute lymphocytic	135	2.5	0.24	2.9	0.25	100	2.0	0.22	2.2	0.22
Chronic lymphocytic	24	1.2	0.26	0.8	0.16	20	0.8	0.20	0.5	0.12
Acute myeloid	75	2.6	0.35	2.0	0.24	83	2.5	0.30	2.0	0.23
Chronic myeloid	37	1.2	0.22	0.9	0.16	32	1.0	0.19	0.7	0.14
Other leukemias	43	2.3	0.40	1.2	0.19	24	0.9	0.20	0.6	0.12
Mesothelioma	26	1.6	0.32	0.8	0.17	11	0.5	0.15	0.3	0.09
Kaposi Sarcoma	16	0.6	0.18	0.3	0.09	-	-	-	-	-
Ill-defined & Unknown	289	16.0	1.05	9.3	0.56	302	13.3	0.81	7.6	0.45
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	152	6.3	0.61	4.0	0.34	366	13.1	0.73	8.9	0.48
Breast (<i>in situ</i>)	-	-	-	-	-	508	17.3	0.79	13.5	0.61

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ARIZONA

22 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	55,443	452.7	1.96	300.4	1.39	51,516	388.4	1.78	270.0	1.36
Oral Cavity & Pharynx	1,721	14.2	0.35	10.3	0.26	738	5.5	0.21	3.9	0.16
Lip	77	0.7	0.08	0.4	0.05	22	0.2	0.03	0.1	0.02
Tongue	564	4.7	0.20	3.5	0.16	242	1.8	0.12	1.3	0.10
Major salivary gland	195	1.6	0.12	1.0	0.08	98	0.8	0.08	0.5	0.07
Floor of mouth	93	0.7	0.08	0.6	0.06	48	0.4	0.05	0.3	0.04
Gum & other mouth	175	1.4	0.11	1.0	0.08	145	1.1	0.09	0.7	0.06
Nasopharynx	68	0.6	0.07	0.4	0.06	21	0.2	0.04	0.1	0.03
Oropharynx	69	0.6	0.07	0.4	0.05	39	0.3	0.05	0.2	0.04
Hypopharynx	73	0.6	0.07	0.4	0.05	25	0.2	0.04	0.1	0.03
Digestive System	9,788	79.9	0.82	50.6	0.55	7,891	55.3	0.64	33.9	0.44
Esophagus	968	7.7	0.25	5.1	0.17	262	1.8	0.11	1.1	0.07
Stomach	726	6.0	0.23	3.7	0.15	354	2.5	0.14	1.5	0.09
Small intestine	219	1.8	0.12	1.2	0.08	187	1.3	0.10	0.9	0.07
Colon excl. rectum	3,508	29.0	0.50	17.4	0.32	3,484	24.1	0.42	14.0	0.27
Rectum & rectosigmoid	1,430	11.7	0.32	7.9	0.22	1,053	7.8	0.25	5.3	0.18
Anus, anal canal & anorectum	140	1.2	0.10	0.8	0.07	255	1.9	0.12	1.3	0.09
Liver	871	7.0	0.24	5.0	0.18	376	2.6	0.14	1.8	0.11
Gallbladder	74	0.6	0.07	0.4	0.04	132	0.9	0.08	0.6	0.05
Pancreas	1,502	12.1	0.32	7.5	0.21	1,391	9.5	0.26	5.5	0.17
Respiratory System	8,993	71.9	0.77	43.9	0.49	7,860	54.5	0.62	34.0	0.42
Larynx	558	4.4	0.19	3.1	0.14	144	1.0	0.09	0.8	0.07
Lung & bronchus	8,314	66.5	0.74	40.0	0.47	7,631	52.9	0.61	32.8	0.41
Bones & Joints	108	1.1	0.11	1.0	0.11	85	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	409	3.7	0.19	2.9	0.17	323	2.6	0.15	2.0	0.14
Skin (excl. basal & sq.)	3,050	26.2	0.48	17.5	0.35	1,854	15.8	0.39	11.8	0.31
Melanomas of the skin	2,831	24.3	0.47	16.5	0.34	1,764	15.1	0.38	11.4	0.31
Breast (excl. <i>in situ</i>)	234	1.9	0.13	1.3	0.09	15,293	117.1	0.98	84.3	0.74
Female Genital System	-	-	-	-	-	5,402	41.7	0.59	30.8	0.46
Cervix uteri	-	-	-	-	-	697	6.8	0.27	5.5	0.22
Uterus Corpus	-	-	-	-	-	2,545	18.7	0.38	14.1	0.30
Uterus, NOS ¹	-	-	-	-	-	107	0.8	0.08	0.5	0.06
Ovary	-	-	-	-	-	1,647	12.4	0.32	8.8	0.24
Male Genital System	15,160	118.3	0.98	85.0	0.73	-	-	-	-	-
Prostate	14,539	111.4	0.93	79.0	0.68	-	-	-	-	-
Testis	532	6.2	0.27	5.6	0.25	-	-	-	-	-
Penis	71	0.6	0.07	0.4	0.05	-	-	-	-	-
Urinary System	6,832	56.0	0.69	34.1	0.45	2,880	20.6	0.39	13.4	0.29
Bladder (incl. <i>in situ</i>)	4,362	35.6	0.55	20.2	0.33	1,353	9.3	0.26	5.5	0.17
Kidney & renal pelvis	2,317	19.2	0.41	13.2	0.30	1,453	10.8	0.29	7.6	0.23
Ureter	95	0.8	0.08	0.4	0.04	57	0.4	0.05	0.2	0.03
Eye & Orbit	110	1.0	0.10	0.8	0.10	104	0.9	0.09	0.8	0.10
Brain & Other Nervous System	950	8.8	0.30	7.2	0.27	744	6.5	0.25	5.7	0.26
Brain	894	8.3	0.29	6.6	0.26	696	6.0	0.24	5.1	0.24
Endocrine System	876	8.0	0.28	6.4	0.23	2,497	24.1	0.51	20.1	0.44
Thyroid gland	812	7.4	0.27	5.8	0.22	2,433	23.6	0.50	19.5	0.43
Lymphomas	2,471	21.6	0.44	14.6	0.34	2,101	16.1	0.37	11.4	0.30
Hodgkin Lymphoma	248	2.6	0.17	2.3	0.16	218	2.4	0.17	2.3	0.17
Non-Hodgkin Lymphoma	2,223	19.0	0.41	12.3	0.30	1,883	13.8	0.33	9.1	0.25
Multiple Myeloma	632	5.1	0.21	3.1	0.13	478	3.3	0.15	2.1	0.11
Leukemias	1,391	12.2	0.34	8.5	0.28	1,048	8.2	0.27	6.3	0.27
Acute lymphocytic	131	1.5	0.14	1.9	0.19	106	1.3	0.13	1.6	0.18
Chronic lymphocytic	441	3.6	0.17	2.1	0.11	303	2.1	0.12	1.2	0.08
Acute myeloid	426	3.6	0.18	2.4	0.13	357	2.8	0.16	2.1	0.14
Chronic myeloid	147	1.3	0.11	0.8	0.08	117	0.9	0.09	0.6	0.08
Other leukemias	246	2.2	0.14	1.3	0.10	165	1.2	0.10	0.8	0.08
Mesothelioma	222	1.8	0.12	1.0	0.07	48	0.3	0.05	0.2	0.03
Kaposi Sarcoma	43	0.5	0.07	0.4	0.06	-	-	-	-	-
Ill-defined & Unknown	2,453	20.4	0.42	11.8	0.26	2,170	14.9	0.33	8.6	0.22
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	780	7.0	0.26	5.0	0.21	1,754	13.8	0.35	9.9	0.27
Breast (<i>in situ</i>)	33	0.3	0.05	0.2	0.03	3,553	27.9	0.49	21.0	0.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,758	443.5	12.00	298.3	7.26	1,534	344.3	9.14	240.6	6.26
Oral Cavity & Pharynx	42	8.9	1.48	6.9	1.08	20	3.9	0.90	3.2	0.74
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	2.2	0.70	1.8	0.58	-	-	-	-	-
Major salivary gland	-	-	-	-	-	6	1.1	0.47	0.9	0.38
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	1.3	0.54	1.1	0.45	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	373	97.3	5.76	62.6	3.31	290	68.1	4.15	44.8	2.69
Esophagus	21	5.6	1.36	3.6	0.79	7	1.6	0.62	1.2	0.45
Stomach	45	13.3	2.29	8.1	1.22	29	6.6	1.26	4.5	0.86
Small intestine	10	2.4	0.91	1.7	0.55	9	1.9	0.64	1.5	0.50
Colon excl. rectum	124	35.7	3.71	20.6	1.89	126	30.1	2.80	19.0	1.73
Rectum & rectosigmoid	36	9.3	1.79	5.9	1.01	34	7.7	1.37	5.5	0.97
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	66	12.7	1.63	10.6	1.34	15	3.6	0.96	2.3	0.61
Gallbladder	-	-	-	-	-	6	1.5	0.65	0.9	0.39
Pancreas	48	11.9	1.85	8.3	1.22	53	12.7	1.81	8.1	1.15
Respiratory System	230	67.2	5.00	40.9	2.74	221	54.4	3.79	34.5	2.38
Larynx	10	3.2	1.16	1.8	0.58	6	1.4	0.60	1.0	0.41
Lung & bronchus	216	63.1	4.84	38.4	2.66	213	52.4	3.73	33.2	2.33
Bones & Joints	-	-	-	-	-	6	1.3	0.54	1.0	0.41
Soft Tissue (incl. heart)	9	1.7	0.69	1.4	0.46	16	2.8	0.74	2.8	0.70
Skin (excl. basal & sq.)	6	1.7	0.74	0.9	0.38	6	1.1	0.44	1.0	0.39
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	469	101.9	4.87	73.3	3.44
Female Genital System	-	-	-	-	-	167	36.0	2.89	26.9	2.11
Cervix uteri	-	-	-	-	-	40	7.8	1.25	6.3	1.01
Uterus Corpus	-	-	-	-	-	67	15.1	1.91	10.8	1.35
Uterus, NOS ¹	-	-	-	-	-	14	3.1	0.87	2.4	0.65
Ovary	-	-	-	-	-	38	8.5	1.44	5.9	0.97
Male Genital System	637	154.1	6.80	110.1	4.45	-	-	-	-	-
Prostate	630	152.5	6.76	109.1	4.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	147	38.5	3.67	24.5	2.06	94	22.0	2.35	15.0	1.58
Bladder (incl. <i>in situ</i>)	43	13.8	2.37	7.4	1.14	35	8.9	1.55	5.7	0.97
Kidney & renal pelvis	101	23.8	2.73	16.6	1.69	58	12.9	1.76	9.2	1.23
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	23	4.6	1.06	3.7	0.78	19	3.6	0.87	3.2	0.74
Brain	23	4.6	1.06	3.7	0.78	14	2.7	0.73	2.3	0.64
Endocrine System	16	2.9	0.77	2.4	0.61	72	14.2	1.71	11.0	1.31
Thyroid gland	15	2.8	0.76	2.3	0.59	68	13.3	1.64	10.4	1.27
Lymphomas	80	17.4	2.27	12.2	1.40	50	10.0	1.47	7.7	1.10
Hodgkin Lymphoma	22	3.4	0.78	3.1	0.65	14	2.4	0.67	2.2	0.60
Non-Hodgkin Lymphoma	58	14.0	2.13	9.2	1.23	36	7.5	1.31	5.5	0.92
Multiple Myeloma	52	13.9	2.15	8.8	1.24	27	6.2	1.23	4.3	0.83
Leukemias	52	12.1	1.96	8.7	1.23	31	7.5	1.42	4.9	0.90
Acute lymphocytic	-	-	-	-	-	6	0.8	0.35	1.1	0.44
Chronic lymphocytic	13	3.4	1.08	2.5	0.70	10	2.8	0.91	1.5	0.50
Acute myeloid	15	3.8	1.14	2.5	0.65	9	2.4	0.86	1.3	0.45
Chronic myeloid	12	2.2	0.66	1.8	0.54	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	8	1.3	0.45	1.0	0.35	-	-	-	-	-
Ill-defined & Unknown	69	18.4	2.52	11.9	1.46	45	11.3	1.74	7.0	1.07
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	28	5.0	1.00	4.1	0.79	69	14.9	1.87	10.8	1.32
Breast (<i>in situ</i>)	-	-	-	-	-	103	22.0	2.23	16.3	1.62

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ARIZONA

24 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	39,900	540.8	2.76	361.5	1.88	32,787	380.0	2.13	266.4	1.60
Oral Cavity & Pharynx	1,406	18.5	0.50	13.6	0.37	551	6.3	0.27	4.2	0.20
Lip	131	1.8	0.16	1.2	0.11	31	0.3	0.06	0.2	0.04
Tongue	391	5.1	0.26	3.8	0.20	155	1.8	0.15	1.3	0.11
Major salivary gland	114	1.7	0.16	1.0	0.10	73	0.8	0.10	0.6	0.08
Floor of mouth	68	0.9	0.11	0.7	0.08	27	0.3	0.06	0.2	0.04
Gum & other mouth	148	2.0	0.17	1.4	0.12	132	1.5	0.13	0.9	0.09
Nasopharynx	61	0.8	0.11	0.6	0.09	13	0.1	0.04	0.1	0.03
Oropharynx	69	0.9	0.10	0.7	0.08	18	0.2	0.05	0.1	0.04
Hypopharynx	88	1.1	0.12	0.8	0.09	23	0.3	0.06	0.2	0.04
Digestive System	7,101	97.3	1.18	63.5	0.78	5,584	62.8	0.85	39.9	0.59
Esophagus	551	7.3	0.32	5.0	0.22	130	1.5	0.13	0.9	0.09
Stomach	564	7.9	0.34	5.0	0.22	315	3.6	0.20	2.3	0.14
Small intestine	203	2.7	0.19	2.0	0.14	183	2.1	0.16	1.5	0.12
Colon excl. rectum	2,659	37.2	0.74	23.1	0.47	2,587	28.9	0.58	18.1	0.39
Rectum & rectosigmoid	1,189	15.9	0.47	11.1	0.33	807	9.3	0.33	6.4	0.24
Anus, anal canal & anorectum	92	1.3	0.14	0.9	0.10	169	2.0	0.16	1.4	0.12
Liver	622	8.1	0.33	5.9	0.25	196	2.2	0.16	1.5	0.11
Gallbladder	46	0.7	0.10	0.4	0.06	110	1.2	0.11	0.7	0.08
Pancreas	955	13.2	0.44	8.2	0.28	879	9.7	0.33	5.8	0.22
Respiratory System	8,227	111.5	1.25	71.7	0.82	5,444	60.7	0.83	41.2	0.59
Larynx	593	7.7	0.32	5.6	0.24	165	1.9	0.15	1.4	0.12
Lung & bronchus	7,558	102.7	1.20	65.4	0.78	5,234	58.2	0.81	39.4	0.58
Bones & Joints	53	0.7	0.10	0.7	0.10	52	0.7	0.10	0.7	0.10
Soft Tissue (incl. heart)	217	3.1	0.21	2.4	0.18	200	2.5	0.18	2.2	0.17
Skin (excl. basal & sq.)	1,464	20.7	0.55	13.5	0.37	1,004	12.3	0.40	9.1	0.31
Melanomas of the skin	1,325	18.6	0.52	12.2	0.35	945	11.6	0.39	8.6	0.31
Breast (excl. <i>in situ</i>)	101	1.4	0.14	0.9	0.09	9,293	109.2	1.15	78.8	0.87
Female Genital System	-	-	-	-	-	3,737	44.8	0.75	33.2	0.58
Cervix uteri	-	-	-	-	-	741	10.2	0.38	8.0	0.30
Uterus Corpus	-	-	-	-	-	1,681	19.3	0.48	14.4	0.37
Uterus, NOS ¹	-	-	-	-	-	66	0.8	0.10	0.5	0.07
Ovary	-	-	-	-	-	907	10.5	0.36	7.5	0.27
Male Genital System	11,724	153.5	1.44	106.2	1.01	-	-	-	-	-
Prostate	11,362	148.3	1.42	101.5	0.97	-	-	-	-	-
Testis	288	4.2	0.25	4.0	0.24	-	-	-	-	-
Penis	58	0.8	0.10	0.5	0.07	-	-	-	-	-
Urinary System	4,030	56.0	0.90	35.2	0.58	1,774	20.1	0.48	13.6	0.35
Bladder (incl. <i>in situ</i>)	2,391	33.9	0.71	19.8	0.42	712	7.8	0.30	4.6	0.19
Kidney & renal pelvis	1,560	21.0	0.54	14.8	0.39	1,013	11.8	0.38	8.7	0.29
Ureter	56	0.8	0.11	0.5	0.06	31	0.3	0.06	0.2	0.04
Eye & Orbit	68	0.9	0.11	0.7	0.10	64	0.7	0.09	0.6	0.09
Brain & Other Nervous System	546	7.6	0.33	6.1	0.28	475	5.9	0.27	4.9	0.25
Brain	524	7.3	0.32	5.8	0.27	448	5.5	0.26	4.5	0.24
Endocrine System	396	5.4	0.27	4.2	0.22	932	12.1	0.40	10.0	0.35
Thyroid gland	345	4.7	0.26	3.6	0.20	886	11.5	0.40	9.5	0.33
Lymphomas	1,709	23.7	0.58	16.5	0.42	1,475	17.0	0.45	11.8	0.34
Hodgkin Lymphoma	209	3.0	0.21	2.7	0.19	159	2.1	0.17	1.9	0.16
Non-Hodgkin Lymphoma	1,500	20.8	0.55	13.8	0.37	1,316	14.9	0.42	9.8	0.30
Multiple Myeloma	513	7.1	0.32	4.4	0.20	367	4.2	0.22	2.7	0.15
Leukemias	974	13.8	0.45	9.8	0.34	711	8.3	0.32	6.1	0.27
Acute lymphocytic	111	1.6	0.15	1.9	0.19	59	0.8	0.11	1.0	0.14
Chronic lymphocytic	309	4.3	0.25	2.7	0.16	205	2.3	0.16	1.4	0.10
Acute myeloid	258	3.7	0.24	2.4	0.16	230	2.7	0.18	2.1	0.16
Chronic myeloid	117	1.6	0.15	1.1	0.11	95	1.1	0.12	0.7	0.08
Other leukemias	179	2.6	0.20	1.7	0.13	122	1.4	0.13	0.8	0.09
Mesothelioma	82	1.2	0.13	0.6	0.07	18	0.2	0.05	0.1	0.03
Kaposi Sarcoma	24	0.4	0.07	0.2	0.05	11	0.1	0.03	0.0	0.01
Ill-defined & Unknown	1,265	17.9	0.51	10.9	0.32	1,095	12.1	0.37	7.3	0.25
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	527	7.3	0.32	6.0	0.28	929	11.3	0.38	8.7	0.31
Breast (<i>in situ</i>)	13	0.2	0.05	0.1	0.04	2,047	24.2	0.54	18.1	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	34,351	527.1	2.89	350.9	1.99	28,323	379.9	2.31	266.5	1.74
Oral Cavity & Pharynx	1,255	18.9	0.54	13.9	0.40	490	6.4	0.29	4.4	0.22
Lip	130	2.0	0.18	1.4	0.12	29	0.4	0.07	0.2	0.04
Tongue	357	5.3	0.29	4.0	0.22	137	1.9	0.16	1.4	0.12
Major salivary gland	99	1.7	0.17	0.9	0.10	62	0.8	0.11	0.6	0.09
Floor of mouth	60	0.9	0.11	0.7	0.09	25	0.3	0.07	0.2	0.05
Gum & other mouth	133	2.0	0.18	1.4	0.12	120	1.5	0.14	0.9	0.09
Nasopharynx	45	0.7	0.11	0.6	0.09	11	0.1	0.04	0.1	0.04
Oropharynx	60	0.9	0.11	0.7	0.09	17	0.2	0.06	0.1	0.04
Hypopharynx	73	1.0	0.12	0.8	0.09	20	0.3	0.06	0.2	0.04
Digestive System	6,034	93.7	1.23	60.9	0.82	4,625	59.6	0.89	37.6	0.61
Esophagus	466	7.0	0.33	4.8	0.23	105	1.4	0.13	0.9	0.09
Stomach	442	7.0	0.34	4.4	0.22	233	3.0	0.20	1.9	0.14
Small intestine	168	2.6	0.20	1.8	0.15	151	2.0	0.17	1.4	0.12
Colon excl. rectum	2,298	36.3	0.77	22.5	0.49	2,150	27.4	0.60	16.9	0.41
Rectum & rectosigmoid	1,031	15.6	0.50	10.9	0.35	688	9.3	0.36	6.3	0.26
Anus, anal canal & anorectum	80	1.3	0.15	0.9	0.10	153	2.1	0.17	1.5	0.13
Liver	506	7.7	0.35	5.5	0.26	166	2.1	0.17	1.5	0.12
Gallbladder	42	0.7	0.11	0.4	0.06	86	1.0	0.11	0.6	0.08
Pancreas	810	12.6	0.45	7.8	0.29	713	9.0	0.34	5.3	0.22
Respiratory System	7,230	110.2	1.32	70.6	0.86	4,891	62.3	0.90	42.3	0.65
Larynx	493	7.3	0.33	5.3	0.25	142	1.9	0.16	1.4	0.13
Lung & bronchus	6,669	101.8	1.27	64.5	0.82	4,708	59.9	0.88	40.4	0.63
Bones & Joints	45	0.8	0.11	0.7	0.11	47	0.8	0.12	0.8	0.12
Soft Tissue (incl. heart)	179	3.0	0.23	2.3	0.19	165	2.5	0.20	2.1	0.18
Skin (excl. basal & sq.)	1,403	22.5	0.61	14.7	0.42	967	14.0	0.47	10.4	0.37
Melanomas of the skin	1,277	20.4	0.58	13.5	0.40	916	13.3	0.45	10.0	0.36
Breast (excl. <i>in situ</i>)	88	1.4	0.15	0.9	0.10	7,955	108.2	1.24	78.0	0.94
Female Genital System	-	-	-	-	-	3,194	44.9	0.82	33.4	0.63
Cervix uteri	-	-	-	-	-	580	9.8	0.42	7.7	0.33
Uterus Corpus	-	-	-	-	-	1,447	19.3	0.52	14.5	0.40
Uterus, NOS ¹	-	-	-	-	-	52	0.7	0.10	0.5	0.07
Ovary	-	-	-	-	-	809	11.0	0.39	7.8	0.30
Male Genital System	9,516	140.6	1.46	97.0	1.03	-	-	-	-	-
Prostate	9,178	134.8	1.43	91.6	0.98	-	-	-	-	-
Testis	273	4.9	0.30	4.6	0.29	-	-	-	-	-
Penis	54	0.8	0.11	0.6	0.08	-	-	-	-	-
Urinary System	3,703	58.0	0.97	36.3	0.62	1,548	20.2	0.52	13.7	0.39
Bladder (incl. <i>in situ</i>)	2,243	35.5	0.76	20.8	0.46	631	7.9	0.32	4.7	0.21
Kidney & renal pelvis	1,387	21.3	0.58	14.9	0.42	871	11.8	0.41	8.7	0.32
Ureter	53	0.8	0.12	0.5	0.07	29	0.3	0.07	0.2	0.04
Eye & Orbit	64	1.0	0.13	0.8	0.11	63	0.9	0.11	0.7	0.11
Brain & Other Nervous System	491	8.0	0.36	6.4	0.32	419	6.1	0.31	5.1	0.28
Brain	472	7.6	0.36	6.0	0.31	397	5.7	0.30	4.7	0.27
Endocrine System	352	5.5	0.30	4.4	0.25	817	12.8	0.46	10.7	0.40
Thyroid gland	312	4.9	0.28	3.8	0.22	780	12.3	0.45	10.2	0.39
Lymphomas	1,525	24.2	0.63	16.7	0.46	1,310	17.4	0.49	11.9	0.37
Hodgkin Lymphoma	171	2.9	0.22	2.6	0.21	132	2.1	0.19	1.9	0.18
Non-Hodgkin Lymphoma	1,354	21.3	0.59	14.1	0.41	1,178	15.3	0.45	10.0	0.33
Multiple Myeloma	402	6.2	0.32	3.8	0.20	260	3.4	0.21	2.1	0.14
Leukemias	858	14.0	0.49	9.9	0.38	602	8.2	0.34	6.1	0.30
Acute lymphocytic	88	1.6	0.17	1.9	0.22	52	0.9	0.13	1.2	0.18
Chronic lymphocytic	274	4.3	0.26	2.7	0.17	168	2.1	0.16	1.2	0.10
Acute myeloid	240	3.9	0.26	2.5	0.18	199	2.7	0.20	2.1	0.17
Chronic myeloid	102	1.6	0.17	1.1	0.12	83	1.1	0.13	0.7	0.09
Other leukemias	154	2.6	0.21	1.6	0.15	100	1.3	0.13	0.8	0.09
Mesothelioma	76	1.2	0.14	0.7	0.08	17	0.2	0.05	0.1	0.04
Kaposi Sarcoma	15	0.3	0.07	0.2	0.05	11	0.1	0.03	0.0	0.01
Ill-defined & Unknown	1,115	17.8	0.54	10.8	0.34	942	11.9	0.39	7.1	0.26
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	444	7.1	0.35	5.9	0.31	744	10.7	0.40	8.2	0.34
Breast (<i>in situ</i>)	12	0.2	0.05	0.1	0.04	1,736	23.8	0.58	17.9	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,420	571.5	9.16	396.2	6.09	3,757	360.1	5.97	253.9	4.33
Oral Cavity & Pharynx	124	14.0	1.33	10.6	0.97	57	5.5	0.74	3.8	0.53
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	28	3.3	0.68	2.3	0.44	17	1.7	0.41	1.2	0.30
Major salivary gland	13	1.5	0.45	1.1	0.30	11	1.1	0.35	0.8	0.24
Floor of mouth	7	0.7	0.27	0.6	0.24	-	-	-	-	-
Gum & other mouth	12	1.5	0.46	1.1	0.32	11	1.0	0.31	0.7	0.22
Nasopharynx	9	1.0	0.36	0.8	0.26	-	-	-	-	-
Oropharynx	9	1.0	0.33	0.8	0.26	-	-	-	-	-
Hypopharynx	14	1.7	0.47	1.3	0.34	-	-	-	-	-
Digestive System	955	126.0	4.35	83.3	2.76	859	83.7	2.90	54.9	1.99
Esophagus	83	10.9	1.27	7.2	0.81	22	2.1	0.46	1.5	0.33
Stomach	112	15.6	1.58	9.5	0.92	71	6.9	0.83	4.5	0.56
Small intestine	30	3.5	0.68	2.6	0.49	29	2.7	0.51	1.8	0.36
Colon excl. rectum	322	44.6	2.65	28.1	1.60	402	39.1	1.98	26.1	1.38
Rectum & rectosigmoid	141	17.1	1.53	12.3	1.06	105	10.0	0.99	6.8	0.70
Anus, anal canal & anorectum	11	1.3	0.42	1.0	0.30	11	1.1	0.32	0.8	0.25
Liver	90	10.0	1.11	7.9	0.86	23	2.3	0.49	1.4	0.31
Gallbladder	-	-	-	-	-	20	2.0	0.46	1.3	0.32
Pancreas	138	19.1	1.73	12.1	1.06	150	15.0	1.25	9.0	0.79
Respiratory System	924	122.7	4.30	82.3	2.77	501	48.6	2.21	33.6	1.57
Larynx	93	11.4	1.25	8.4	0.89	22	2.0	0.43	1.4	0.32
Lung & bronchus	824	110.4	4.10	73.3	2.62	476	46.3	2.16	32.0	1.54
Bones & Joints	6	0.6	0.23	0.5	0.20	-	-	-	-	-
Soft Tissue (incl. heart)	31	3.6	0.70	2.8	0.52	29	2.6	0.50	2.5	0.47
Skin (excl. basal & sq.)	13	1.5	0.43	1.2	0.33	10	0.8	0.27	0.7	0.23
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	12	1.6	0.50	0.9	0.26	1,068	100.8	3.13	74.3	2.35
Female Genital System	-	-	-	-	-	457	43.8	2.08	31.2	1.53
Cervix uteri	-	-	-	-	-	136	12.7	1.10	9.4	0.83
Uterus Corpus	-	-	-	-	-	197	19.2	1.39	13.7	1.02
Uterus, NOS ¹	-	-	-	-	-	13	1.3	0.36	0.8	0.22
Ovary	-	-	-	-	-	84	7.9	0.88	5.7	0.65
Male Genital System	1,550	200.4	5.40	142.9	3.71	-	-	-	-	-
Prostate	1,534	198.8	5.39	141.5	3.69	-	-	-	-	-
Testis	8	0.8	0.29	0.7	0.26	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	256	32.5	2.16	22.8	1.46	194	18.5	1.35	12.9	0.98
Bladder (incl. <i>in situ</i>)	88	13.2	1.49	7.9	0.86	59	5.9	0.78	3.5	0.50
Kidney & renal pelvis	162	18.4	1.52	14.4	1.16	132	12.2	1.08	9.2	0.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	48	4.9	0.76	4.3	0.63	45	4.3	0.66	3.5	0.54
Brain	46	4.7	0.75	4.1	0.61	41	4.0	0.64	3.1	0.51
Endocrine System	32	3.7	0.70	2.8	0.50	97	8.8	0.91	7.0	0.74
Thyroid gland	22	2.6	0.59	1.9	0.41	89	8.1	0.88	6.3	0.69
Lymphomas	137	15.5	1.41	11.9	1.03	122	11.4	1.05	8.6	0.81
Hodgkin Lymphoma	29	2.7	0.53	2.6	0.48	21	1.8	0.41	1.7	0.37
Non-Hodgkin Lymphoma	108	12.7	1.31	9.3	0.91	101	9.6	0.97	7.0	0.73
Multiple Myeloma	99	13.5	1.44	8.9	0.91	100	10.0	1.01	6.6	0.69
Leukemias	92	11.8	1.34	8.5	0.90	82	7.8	0.88	5.6	0.65
Acute lymphocytic	22	1.9	0.43	2.2	0.48	-	-	-	-	-
Chronic lymphocytic	23	3.4	0.73	2.2	0.47	24	2.4	0.50	1.5	0.33
Acute myeloid	15	2.0	0.56	1.3	0.33	26	2.3	0.46	2.0	0.40
Chronic myeloid	11	1.4	0.43	1.0	0.32	11	1.1	0.34	0.8	0.24
Other leukemias	21	3.2	0.76	1.8	0.39	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	0.6	0.29	0.5	0.21	-	-	-	-	-
Ill-defined & Unknown	130	17.9	1.68	11.4	1.03	129	12.7	1.13	8.1	0.76
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	70	8.0	1.03	6.2	0.76	166	15.4	1.21	11.4	0.92
Breast (<i>in situ</i>)	-	-	-	-	-	238	22.8	1.50	17.0	1.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	135	301.5	32.70	187.4	17.00	175	281.3	24.25	173.2	13.48
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	32	80.0	17.45	44.7	8.26	54	94.0	14.47	57.2	7.98
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	6	13.5	5.89	7.4	3.04
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	13.5	5.31	9.7	3.52	20	30.6	7.93	20.8	4.78
Rectum & rectosigmoid	-	-	-	-	-	9	12.2	4.30	9.6	3.26
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	21.7	7.40	14.4	4.52	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	8	18.8	7.37	8.5	3.08
Respiratory System	17	35.0	9.69	21.4	5.32	13	24.9	7.70	12.7	3.60
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	35.0	9.69	21.4	5.32	13	24.9	7.70	12.7	3.60
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	53	83.1	13.38	50.5	7.16
Female Genital System	-	-	-	-	-	19	24.4	6.30	16.3	3.83
Cervix uteri	-	-	-	-	-	7	9.1	3.85	6.2	2.38
Uterus Corpus	-	-	-	-	-	6	7.3	3.53	4.3	1.76
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	41	93.6	17.40	61.3	9.88	-	-	-	-	-
Prostate	39	89.9	17.11	58.5	9.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	12.0	5.29	8.6	3.70	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	7	11.5	5.04	8.3	3.48	-	-	-	-	-
Thyroid gland	7	11.5	5.04	8.3	3.48	-	-	-	-	-
Lymphomas	7	11.6	5.68	7.3	2.87	7	11.5	4.56	8.5	3.22
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	6	9.4	4.23	8.0	3.38	7	10.2	4.23	6.9	2.68
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	9	10.7	3.70	8.7	3.00
Breast (<i>in situ</i>)	-	-	-	-	-	13	13.8	4.12	10.2	2.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	327	241.9	17.14	158.8	9.76	317	178.1	12.16	127.4	7.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	81	60.6	8.55	39.6	4.86	38	31.5	5.89	18.9	3.29
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	10.1	3.57	6.1	1.96	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	19	16.6	4.56	10.3	2.55	10	7.2	2.82	4.0	1.38
Rectum & rectosigmoid	18	13.2	4.12	8.8	2.31	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	18	10.6	3.55	7.1	1.90	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	5.1	2.38	3.4	1.44	6	6.6	3.01	3.0	1.29
Respiratory System	51	47.0	7.97	28.5	4.25	18	16.5	4.38	10.0	2.45
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	46	45.0	7.90	26.8	4.14	18	16.5	4.38	10.0	2.45
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	3.7	2.15	2.3	0.83	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	98	50.7	6.01	38.3	4.28
Female Genital System	-	-	-	-	-	65	30.9	4.48	24.7	3.42
Cervix uteri	-	-	-	-	-	33	13.9	2.70	11.6	2.26
Uterus Corpus	-	-	-	-	-	22	12.7	3.25	9.5	2.22
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	3.4	1.21	3.0	1.07
Male Genital System	78	65.5	8.82	45.2	5.42	-	-	-	-	-
Prostate	72	64.6	8.81	44.1	5.40	-	-	-	-	-
Testis	6	1.0	0.42	1.1	0.44	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	21.7	5.08	14.2	2.96	14	10.2	3.09	7.2	2.06
Bladder (incl. <i>in situ</i>)	13	11.6	3.81	7.1	2.12	-	-	-	-	-
Kidney & renal pelvis	13	8.5	3.11	6.1	1.89	13	9.8	3.05	6.8	2.02
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	14	7.3	2.65	4.7	1.37
Brain	-	-	-	-	-	12	6.9	2.64	4.2	1.32
Endocrine System	8	2.2	0.84	1.9	0.69	19	5.8	1.42	5.0	1.23
Thyroid gland	7	2.0	0.83	1.7	0.66	19	5.8	1.42	5.0	1.23
Lymphomas	20	9.1	3.15	5.7	1.49	17	9.7	2.78	7.0	1.85
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	10.0	3.76	5.5	1.88	-	-	-	-	-
Leukemias	16	5.4	2.12	4.4	1.30	12	5.0	1.93	4.3	1.44
Acute lymphocytic	10	1.6	0.52	2.0	0.63	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	7	1.7	0.70	1.7	0.67
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	9.0	3.83	4.5	1.61	6	4.7	2.31	2.7	1.17
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	7	2.8	1.82	1.9	0.84	11	3.0	1.01	2.8	0.87
Breast (<i>in situ</i>)	-	-	-	-	-	19	9.3	2.52	6.6	1.64

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ARKANSAS

30 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	34,108	534.5	2.95	356.9	2.04	28,087	385.3	2.36	271.0	1.80
Oral Cavity & Pharynx	1,252	19.4	0.56	14.3	0.42	489	6.5	0.30	4.5	0.23
Lip	130	2.1	0.18	1.4	0.13	29	0.4	0.07	0.2	0.04
Tongue	356	5.4	0.29	4.1	0.23	136	1.9	0.17	1.4	0.13
Major salivary gland	99	1.7	0.17	1.0	0.10	62	0.8	0.11	0.7	0.10
Floor of mouth	60	0.9	0.12	0.7	0.09	25	0.3	0.07	0.2	0.05
Gum & other mouth	132	2.0	0.18	1.4	0.13	120	1.5	0.14	0.9	0.10
Nasopharynx	45	0.8	0.12	0.6	0.09	11	0.1	0.05	0.1	0.04
Oropharynx	60	0.9	0.11	0.7	0.09	17	0.2	0.06	0.2	0.04
Hypopharynx	72	1.1	0.13	0.8	0.09	20	0.3	0.06	0.2	0.04
Digestive System	5,970	94.6	1.25	61.6	0.84	4,598	60.3	0.91	38.1	0.63
Esophagus	464	7.1	0.34	4.9	0.24	104	1.4	0.14	0.9	0.09
Stomach	432	7.0	0.34	4.4	0.22	230	3.0	0.20	1.9	0.14
Small intestine	167	2.6	0.21	1.9	0.15	150	2.1	0.17	1.4	0.13
Colon excl. rectum	2,282	36.8	0.78	22.8	0.50	2,143	27.8	0.61	17.1	0.42
Rectum & rectosigmoid	1,016	15.8	0.50	11.0	0.36	684	9.4	0.37	6.4	0.27
Anus, anal canal & anorectum	79	1.3	0.15	0.9	0.11	152	2.1	0.18	1.5	0.13
Liver	493	7.6	0.35	5.5	0.26	163	2.2	0.17	1.5	0.13
Gallbladder	41	0.7	0.11	0.4	0.06	84	1.0	0.11	0.6	0.08
Pancreas	806	12.8	0.46	7.9	0.29	710	9.1	0.35	5.4	0.23
Respiratory System	7,188	111.4	1.34	71.5	0.88	4,879	63.2	0.92	43.0	0.66
Larynx	490	7.4	0.34	5.4	0.25	142	1.9	0.16	1.5	0.13
Lung & bronchus	6,632	102.8	1.28	65.3	0.83	4,696	60.7	0.90	41.0	0.64
Bones & Joints	45	0.8	0.12	0.8	0.12	46	0.8	0.13	0.8	0.13
Soft Tissue (incl. heart)	171	2.9	0.23	2.3	0.20	162	2.5	0.21	2.2	0.20
Skin (excl. basal & sq.)	1,400	23.0	0.63	15.1	0.43	962	14.4	0.48	10.8	0.39
Melanomas of the skin	1,276	20.9	0.60	13.9	0.41	912	13.8	0.47	10.3	0.38
Breast (excl. <i>in situ</i>)	88	1.4	0.15	0.9	0.10	7,878	109.6	1.27	79.1	0.96
Female Genital System	-	-	-	-	-	3,148	45.5	0.84	33.8	0.65
Cervix uteri	-	-	-	-	-	555	9.8	0.43	7.8	0.35
Uterus Corpus	-	-	-	-	-	1,431	19.6	0.53	14.7	0.41
Uterus, NOS ¹	-	-	-	-	-	52	0.7	0.11	0.5	0.08
Ovary	-	-	-	-	-	804	11.2	0.40	7.9	0.31
Male Genital System	9,462	142.5	1.49	98.5	1.05	-	-	-	-	-
Prostate	9,129	136.2	1.45	92.8	1.00	-	-	-	-	-
Testis	268	5.2	0.32	5.0	0.31	-	-	-	-	-
Penis	54	0.8	0.12	0.6	0.08	-	-	-	-	-
Urinary System	3,683	58.8	0.99	36.9	0.64	1,536	20.4	0.53	13.9	0.40
Bladder (incl. <i>in situ</i>)	2,235	36.0	0.77	21.1	0.47	631	8.0	0.32	4.7	0.21
Kidney & renal pelvis	1,377	21.7	0.60	15.2	0.43	859	11.9	0.42	8.8	0.33
Ureter	52	0.8	0.12	0.5	0.07	29	0.4	0.07	0.2	0.04
Eye & Orbit	63	1.0	0.13	0.8	0.12	63	0.9	0.12	0.8	0.12
Brain & Other Nervous System	491	8.3	0.38	6.8	0.35	409	6.2	0.32	5.2	0.30
Brain	472	8.0	0.38	6.4	0.33	389	5.9	0.31	4.9	0.29
Endocrine System	348	5.6	0.31	4.5	0.26	803	13.2	0.48	11.0	0.42
Thyroid gland	309	5.0	0.29	3.9	0.23	766	12.6	0.47	10.5	0.40
Lymphomas	1,514	24.7	0.65	17.2	0.48	1,301	17.7	0.50	12.2	0.39
Hodgkin Lymphoma	169	3.1	0.24	2.7	0.22	131	2.2	0.20	2.0	0.19
Non-Hodgkin Lymphoma	1,345	21.7	0.60	14.4	0.42	1,170	15.5	0.46	10.2	0.34
Multiple Myeloma	394	6.2	0.32	3.8	0.20	256	3.4	0.22	2.1	0.15
Leukemias	843	14.2	0.50	10.1	0.40	592	8.3	0.35	6.2	0.32
Acute lymphocytic	78	1.5	0.18	1.9	0.23	51	1.0	0.14	1.3	0.20
Chronic lymphocytic	274	4.4	0.27	2.8	0.18	168	2.1	0.17	1.2	0.11
Acute myeloid	239	4.0	0.27	2.6	0.19	192	2.7	0.20	2.1	0.18
Chronic myeloid	100	1.7	0.17	1.1	0.12	83	1.2	0.13	0.8	0.10
Other leukemias	152	2.6	0.22	1.7	0.15	98	1.3	0.14	0.8	0.10
Mesothelioma	76	1.2	0.14	0.7	0.08	17	0.2	0.05	0.1	0.04
Kaposi Sarcoma	15	0.3	0.07	0.2	0.05	11	0.1	0.03	0.0	0.01
Ill-defined & Unknown	1,105	18.0	0.55	11.0	0.35	937	12.0	0.40	7.2	0.27
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	439	7.4	0.36	6.2	0.33	735	10.9	0.42	8.4	0.36
Breast (<i>in situ</i>)	12	0.2	0.05	0.1	0.04	1,721	24.1	0.60	18.2	0.46

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,413	574.8	9.22	398.7	6.13	3,755	362.3	6.01	255.5	4.36
Oral Cavity & Pharynx	124	14.1	1.34	10.7	0.98	57	5.5	0.74	3.9	0.53
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	28	3.4	0.68	2.3	0.44	17	1.7	0.41	1.2	0.30
Major salivary gland	13	1.5	0.45	1.1	0.30	11	1.2	0.35	0.8	0.24
Floor of mouth	7	0.7	0.28	0.6	0.24	-	-	-	-	-
Gum & other mouth	12	1.5	0.47	1.1	0.33	11	1.0	0.32	0.7	0.22
Nasopharynx	9	1.0	0.36	0.8	0.26	-	-	-	-	-
Oropharynx	9	1.0	0.33	0.8	0.26	-	-	-	-	-
Hypopharynx	14	1.7	0.47	1.3	0.35	-	-	-	-	-
Digestive System	953	126.7	4.38	83.8	2.78	858	84.1	2.92	55.2	2.00
Esophagus	83	11.0	1.28	7.2	0.81	22	2.1	0.46	1.5	0.33
Stomach	112	15.7	1.59	9.6	0.92	71	6.9	0.84	4.5	0.57
Small intestine	30	3.5	0.68	2.7	0.50	29	2.7	0.51	1.8	0.36
Colon excl. rectum	321	44.8	2.66	28.2	1.61	402	39.4	1.99	26.3	1.38
Rectum & rectosigmoid	140	17.2	1.54	12.4	1.06	104	9.9	0.99	6.7	0.70
Anus, anal canal & anorectum	11	1.3	0.42	1.0	0.31	11	1.1	0.32	0.8	0.26
Liver	90	10.1	1.12	8.0	0.86	23	2.3	0.49	1.4	0.32
Gallbladder	-	-	-	-	-	20	2.0	0.46	1.4	0.32
Pancreas	138	19.2	1.74	12.2	1.06	150	15.1	1.25	9.0	0.79
Respiratory System	923	123.4	4.32	82.9	2.79	501	48.9	2.22	33.8	1.58
Larynx	93	11.5	1.26	8.4	0.89	22	2.0	0.43	1.4	0.32
Lung & bronchus	823	111.1	4.12	73.8	2.63	476	46.6	2.17	32.2	1.55
Bones & Joints	6	0.6	0.23	0.5	0.21	-	-	-	-	-
Soft Tissue (incl. heart)	31	3.6	0.71	2.9	0.53	29	2.7	0.51	2.5	0.48
Skin (excl. basal & sq.)	13	1.5	0.43	1.2	0.34	10	0.9	0.27	0.7	0.23
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	12	1.6	0.50	0.9	0.26	1,067	101.4	3.15	74.8	2.36
Female Genital System	-	-	-	-	-	457	44.1	2.10	31.5	1.54
Cervix uteri	-	-	-	-	-	136	12.8	1.11	9.5	0.84
Uterus Corpus	-	-	-	-	-	197	19.3	1.40	13.7	1.02
Uterus, NOS ¹	-	-	-	-	-	13	1.3	0.36	0.8	0.23
Ovary	-	-	-	-	-	84	8.0	0.88	5.7	0.66
Male Genital System	1,548	201.6	5.43	143.7	3.73	-	-	-	-	-
Prostate	1,532	199.9	5.42	142.2	3.71	-	-	-	-	-
Testis	8	0.8	0.29	0.7	0.26	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	256	32.7	2.18	23.0	1.47	194	18.6	1.36	13.0	0.98
Bladder (incl. <i>in situ</i>)	88	13.3	1.49	7.9	0.87	59	6.0	0.79	3.6	0.50
Kidney & renal pelvis	162	18.5	1.53	14.5	1.17	132	12.3	1.09	9.2	0.84
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	48	4.9	0.77	4.3	0.64	45	4.3	0.66	3.5	0.55
Brain	46	4.7	0.76	4.2	0.62	41	4.0	0.65	3.2	0.51
Endocrine System	31	3.7	0.70	2.8	0.50	97	8.9	0.92	7.1	0.74
Thyroid gland	21	2.5	0.58	1.8	0.40	89	8.2	0.88	6.4	0.70
Lymphomas	137	15.6	1.42	12.0	1.04	122	11.5	1.06	8.7	0.82
Hodgkin Lymphoma	29	2.8	0.54	2.6	0.49	21	1.8	0.41	1.7	0.37
Non-Hodgkin Lymphoma	108	12.9	1.32	9.4	0.92	101	9.7	0.98	7.0	0.73
Multiple Myeloma	98	13.5	1.45	8.9	0.91	100	10.1	1.02	6.6	0.69
Leukemias	92	11.9	1.35	8.6	0.92	82	7.9	0.88	5.7	0.66
Acute lymphocytic	22	1.9	0.43	2.3	0.49	-	-	-	-	-
Chronic lymphocytic	23	3.4	0.74	2.2	0.47	24	2.4	0.50	1.5	0.33
Acute myeloid	15	2.0	0.56	1.3	0.34	26	2.4	0.47	2.0	0.41
Chronic myeloid	11	1.4	0.44	1.1	0.32	11	1.1	0.34	0.8	0.24
Other leukemias	21	3.2	0.76	1.8	0.40	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	0.7	0.29	0.5	0.21	-	-	-	-	-
Ill-defined & Unknown	130	18.0	1.69	11.5	1.03	129	12.8	1.14	8.1	0.77
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	70	8.1	1.04	6.3	0.77	166	15.5	1.22	11.5	0.93
Breast (<i>in situ</i>)	-	-	-	-	-	238	23.0	1.51	17.1	1.14

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ARKANSAS

32 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	398,677	505.7	0.82	329.4	0.54	378,726	397.1	0.65	273.1	0.47
Oral Cavity & Pharynx	12,822	15.3	0.14	10.9	0.10	5,846	6.1	0.08	4.2	0.06
Lip	944	1.2	0.04	0.8	0.03	375	0.4	0.02	0.2	0.01
Tongue	3,808	4.5	0.07	3.3	0.05	1,681	1.8	0.04	1.2	0.03
Major salivary gland	1,282	1.6	0.05	1.0	0.03	924	1.0	0.03	0.7	0.02
Floor of mouth	579	0.7	0.03	0.5	0.02	293	0.3	0.02	0.2	0.01
Gum & other mouth	1,251	1.6	0.04	1.0	0.03	1,087	1.1	0.03	0.7	0.02
Nasopharynx	968	1.1	0.04	0.9	0.03	435	0.5	0.02	0.4	0.02
Oropharynx	449	0.5	0.03	0.4	0.02	155	0.2	0.01	0.1	0.01
Hypopharynx	764	0.9	0.03	0.6	0.02	218	0.2	0.02	0.2	0.01
Digestive System	79,869	101.5	0.37	64.2	0.24	65,856	68.5	0.27	42.2	0.18
Esophagus	5,192	6.6	0.09	4.2	0.06	1,607	1.7	0.04	1.0	0.03
Stomach	8,179	10.6	0.12	6.4	0.07	5,452	5.7	0.08	3.5	0.05
Small intestine	1,651	2.1	0.05	1.4	0.03	1,398	1.5	0.04	1.0	0.03
Colon excl. rectum	26,136	34.1	0.22	20.6	0.13	26,613	27.6	0.17	16.4	0.11
Rectum & rectosigmoid	12,378	15.3	0.14	10.2	0.09	9,350	9.7	0.10	6.5	0.07
Anus, anal canal & anorectum	1,310	1.6	0.04	1.1	0.03	1,918	2.0	0.05	1.4	0.03
Liver	11,163	13.1	0.13	9.5	0.09	3,977	4.2	0.07	2.7	0.05
Gallbladder	565	0.8	0.03	0.4	0.02	1,377	1.4	0.04	0.9	0.03
Pancreas	9,957	13.0	0.13	7.8	0.08	10,042	10.4	0.11	6.1	0.07
Respiratory System	49,651	66.0	0.30	38.9	0.18	43,328	45.9	0.22	27.9	0.14
Larynx	3,589	4.5	0.08	3.0	0.05	815	0.9	0.03	0.6	0.02
Lung & bronchus	45,127	60.4	0.29	35.1	0.17	41,911	44.4	0.22	26.8	0.14
Bones & Joints	935	1.1	0.04	1.0	0.03	672	0.7	0.03	0.7	0.03
Soft Tissue (incl. heart)	3,255	4.0	0.07	2.9	0.05	2,591	2.7	0.05	2.2	0.05
Skin (excl. basal & sq.)	24,077	30.4	0.20	19.4	0.13	16,384	17.3	0.14	12.5	0.10
Melanomas of the skin	21,777	27.3	0.19	17.7	0.12	14,883	15.7	0.13	11.5	0.10
Breast (excl. <i>in situ</i>)	885	1.1	0.04	0.7	0.02	116,331	122.0	0.36	88.1	0.27
Female Genital System	-	-	-	-	-	45,094	47.0	0.22	34.7	0.17
Cervix uteri	-	-	-	-	-	7,386	8.0	0.09	6.3	0.08
Uterus Corpus	-	-	-	-	-	21,809	22.4	0.15	16.7	0.12
Uterus, NOS ¹	-	-	-	-	-	604	0.6	0.03	0.4	0.02
Ovary	-	-	-	-	-	11,896	12.4	0.11	8.9	0.09
Male Genital System	118,275	146.9	0.44	101.8	0.30	-	-	-	-	-
Prostate	112,180	140.3	0.43	95.8	0.29	-	-	-	-	-
Testis	5,276	5.6	0.08	5.3	0.07	-	-	-	-	-
Penis	627	0.8	0.03	0.5	0.02	-	-	-	-	-
Urinary System	41,181	54.0	0.27	32.4	0.17	17,201	18.0	0.14	11.5	0.10
Bladder (incl. <i>in situ</i>)	24,651	33.5	0.22	18.5	0.12	7,655	8.0	0.09	4.6	0.06
Kidney & renal pelvis	15,694	19.3	0.16	13.3	0.11	9,067	9.6	0.10	6.7	0.08
Ureter	522	0.7	0.03	0.4	0.02	365	0.4	0.02	0.2	0.01
Eye & Orbit	799	1.0	0.04	0.8	0.03	678	0.7	0.03	0.6	0.03
Brain & Other Nervous System	6,206	7.3	0.09	5.9	0.08	4,810	5.1	0.07	4.2	0.07
Brain	5,875	7.0	0.09	5.5	0.08	4,488	4.8	0.07	3.9	0.06
Endocrine System	5,451	6.3	0.09	5.0	0.07	15,641	16.8	0.14	13.9	0.11
Thyroid gland	4,727	5.4	0.08	4.2	0.06	15,015	16.1	0.13	13.3	0.11
Lymphomas	20,852	25.9	0.18	17.6	0.13	16,976	17.9	0.14	12.3	0.10
Hodgkin Lymphoma	2,622	2.9	0.06	2.6	0.05	2,060	2.2	0.05	2.0	0.05
Non-Hodgkin Lymphoma	18,230	22.9	0.17	15.0	0.12	14,916	15.6	0.13	10.3	0.09
Multiple Myeloma	5,427	7.0	0.10	4.3	0.06	4,149	4.3	0.07	2.7	0.05
Leukemias	12,431	15.7	0.14	11.2	0.11	9,176	9.7	0.10	7.4	0.09
Acute lymphocytic	1,948	2.1	0.05	2.6	0.06	1,537	1.7	0.04	2.1	0.06
Chronic lymphocytic	4,101	5.4	0.09	3.2	0.05	2,675	2.8	0.05	1.6	0.03
Acute myeloid	3,349	4.3	0.08	2.8	0.05	2,926	3.1	0.06	2.2	0.05
Chronic myeloid	1,570	2.0	0.05	1.3	0.03	1,069	1.1	0.03	0.8	0.03
Other leukemias	1,463	1.9	0.05	1.2	0.03	969	1.0	0.03	0.6	0.02
Mesothelioma	1,228	1.7	0.05	0.9	0.03	380	0.4	0.02	0.2	0.01
Kaposi Sarcoma	1,093	1.3	0.04	1.0	0.03	91	0.1	0.01	0.1	0.01
Ill-defined & Unknown	14,240	19.2	0.16	10.7	0.09	13,522	13.9	0.12	7.9	0.08
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	5,657	6.9	0.09	4.9	0.07	11,613	12.2	0.11	8.6	0.09
Breast (<i>in situ</i>)	108	0.1	0.01	0.1	0.01	27,581	29.0	0.18	21.8	0.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	323,423	515.9	0.92	336.8	0.62	307,279	414.0	0.76	285.1	0.55
Oral Cavity & Pharynx	10,614	16.0	0.16	11.4	0.11	4,673	6.3	0.09	4.2	0.07
Lip	862	1.4	0.05	0.9	0.03	340	0.4	0.02	0.3	0.02
Tongue	3,333	5.0	0.09	3.6	0.06	1,405	1.9	0.05	1.3	0.04
Major salivary gland	1,094	1.8	0.05	1.1	0.03	731	1.0	0.04	0.7	0.03
Floor of mouth	515	0.8	0.03	0.6	0.03	251	0.3	0.02	0.2	0.01
Gum & other mouth	1,009	1.6	0.05	1.0	0.03	883	1.2	0.04	0.7	0.03
Nasopharynx	384	0.6	0.03	0.4	0.02	185	0.2	0.02	0.2	0.01
Oropharynx	372	0.6	0.03	0.4	0.02	123	0.2	0.01	0.1	0.01
Hypopharynx	633	1.0	0.04	0.7	0.03	182	0.2	0.02	0.2	0.01
Digestive System	62,128	99.3	0.41	62.7	0.26	50,878	67.1	0.30	41.3	0.20
Esophagus	4,509	7.2	0.11	4.6	0.07	1,283	1.7	0.05	1.0	0.03
Stomach	5,969	9.7	0.13	6.0	0.08	3,717	4.9	0.08	3.1	0.06
Small intestine	1,341	2.1	0.06	1.4	0.04	1,111	1.5	0.04	1.0	0.03
Colon excl. rectum	20,768	34.1	0.24	20.4	0.15	20,836	27.3	0.19	16.1	0.12
Rectum & rectosigmoid	9,623	15.0	0.16	10.0	0.11	7,145	9.5	0.11	6.4	0.08
Anus, anal canal & anorectum	1,115	1.7	0.05	1.2	0.04	1,704	2.3	0.06	1.6	0.04
Liver	7,629	11.3	0.13	8.2	0.10	2,629	3.5	0.07	2.3	0.05
Gallbladder	430	0.7	0.03	0.4	0.02	1,116	1.5	0.04	0.9	0.03
Pancreas	8,133	13.3	0.15	8.0	0.09	8,039	10.5	0.12	6.1	0.08
Respiratory System	40,044	66.7	0.34	39.3	0.21	36,122	48.5	0.26	29.4	0.17
Larynx	2,981	4.7	0.09	3.1	0.06	671	0.9	0.04	0.6	0.03
Lung & bronchus	36,319	60.8	0.32	35.3	0.19	34,962	47.0	0.25	28.3	0.17
Bones & Joints	795	1.2	0.04	1.1	0.04	531	0.7	0.03	0.7	0.03
Soft Tissue (incl. heart)	2,702	4.2	0.08	3.0	0.06	2,064	2.8	0.06	2.2	0.05
Skin (excl. basal & sq.)	21,947	34.9	0.24	22.3	0.16	14,541	19.9	0.17	14.4	0.13
Melanomas of the skin	20,006	31.6	0.23	20.5	0.15	13,364	18.3	0.16	13.5	0.12
Breast (excl. <i>in situ</i>)	716	1.2	0.04	0.7	0.03	94,121	127.8	0.42	92.0	0.31
Female Genital System	-	-	-	-	-	36,599	49.5	0.26	36.5	0.20
Cervix uteri	-	-	-	-	-	5,774	8.3	0.11	6.6	0.09
Uterus Corpus	-	-	-	-	-	17,649	23.5	0.18	17.5	0.14
Uterus, NOS ¹	-	-	-	-	-	452	0.6	0.03	0.4	0.02
Ovary	-	-	-	-	-	9,847	13.3	0.14	9.5	0.10
Male Genital System	92,459	144.3	0.48	101.0	0.34	-	-	-	-	-
Prostate	87,046	136.6	0.47	94.0	0.33	-	-	-	-	-
Testis	4,749	6.6	0.10	6.3	0.09	-	-	-	-	-
Penis	518	0.8	0.04	0.5	0.02	-	-	-	-	-
Urinary System	35,498	58.3	0.31	34.9	0.19	14,532	19.4	0.16	12.4	0.11
Bladder (incl. <i>in situ</i>)	21,632	36.6	0.25	20.2	0.15	6,600	8.7	0.11	5.0	0.07
Kidney & renal pelvis	13,165	20.5	0.18	14.0	0.13	7,565	10.2	0.12	7.2	0.09
Ureter	446	0.8	0.04	0.4	0.02	283	0.4	0.02	0.2	0.01
Eye & Orbit	703	1.1	0.04	0.8	0.03	610	0.8	0.03	0.7	0.03
Brain & Other Nervous System	5,413	8.2	0.11	6.5	0.09	4,139	5.7	0.09	4.7	0.08
Brain	5,145	7.8	0.11	6.2	0.09	3,885	5.3	0.09	4.4	0.08
Endocrine System	4,388	6.5	0.10	5.1	0.08	12,156	17.3	0.16	14.4	0.13
Thyroid gland	3,861	5.7	0.09	4.4	0.07	11,712	16.7	0.16	13.8	0.13
Lymphomas	17,403	27.3	0.21	18.6	0.15	14,016	18.9	0.16	13.0	0.12
Hodgkin Lymphoma	2,205	3.2	0.07	2.8	0.06	1,711	2.4	0.06	2.2	0.06
Non-Hodgkin Lymphoma	15,198	24.1	0.20	15.8	0.13	12,305	16.5	0.15	10.8	0.11
Multiple Myeloma	4,295	7.0	0.11	4.3	0.07	3,134	4.2	0.08	2.6	0.05
Leukemias	10,474	16.6	0.17	12.0	0.13	7,641	10.3	0.12	7.9	0.10
Acute lymphocytic	1,705	2.4	0.06	3.0	0.08	1,327	1.9	0.05	2.4	0.07
Chronic lymphocytic	3,516	5.8	0.10	3.4	0.06	2,290	3.0	0.06	1.8	0.04
Acute myeloid	2,746	4.4	0.09	2.9	0.06	2,337	3.2	0.07	2.3	0.05
Chronic myeloid	1,256	2.0	0.06	1.3	0.04	874	1.2	0.04	0.8	0.03
Other leukemias	1,251	2.0	0.06	1.3	0.04	813	1.1	0.04	0.7	0.03
Mesothelioma	1,131	1.9	0.06	1.0	0.03	342	0.5	0.03	0.3	0.02
Kaposi Sarcoma	855	1.3	0.04	1.0	0.03	66	0.1	0.01	0.0	0.01
Ill-defined & Unknown	11,858	19.9	0.19	11.1	0.11	11,114	14.4	0.14	8.1	0.09
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	4,550	7.0	0.11	5.0	0.08	9,142	12.4	0.13	8.8	0.10
Breast (<i>in situ</i>)	83	0.1	0.01	0.1	0.01	21,334	29.2	0.20	22.0	0.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	26,898	561.9	3.65	380.8	2.36	23,681	394.0	2.60	270.9	1.82
Oral Cavity & Pharynx	702	12.9	0.51	9.6	0.37	331	5.4	0.30	3.9	0.22
Lip	6	0.1	0.04	0.1	0.03	-	-	-	-	-
Tongue	157	3.0	0.25	2.2	0.18	73	1.2	0.14	0.8	0.10
Major salivary gland	61	1.2	0.16	0.8	0.11	58	0.9	0.12	0.7	0.10
Floor of mouth	31	0.5	0.10	0.4	0.08	12	0.2	0.05	0.1	0.04
Gum & other mouth	81	1.5	0.17	1.1	0.13	74	1.2	0.15	0.8	0.10
Nasopharynx	59	1.1	0.15	0.8	0.10	19	0.3	0.07	0.2	0.05
Oropharynx	46	0.9	0.13	0.7	0.10	20	0.4	0.08	0.2	0.05
Hypopharynx	71	1.3	0.15	1.0	0.12	17	0.3	0.07	0.2	0.05
Digestive System	5,722	122.9	1.74	79.3	1.07	5,083	87.3	1.25	54.9	0.80
Esophagus	247	5.6	0.38	3.4	0.22	144	2.5	0.21	1.6	0.14
Stomach	570	13.6	0.61	7.8	0.33	428	7.5	0.37	4.3	0.22
Small intestine	168	3.6	0.30	2.4	0.19	142	2.4	0.21	1.7	0.14
Colon excl. rectum	2,049	45.7	1.08	28.5	0.64	2,272	39.4	0.84	24.4	0.53
Rectum & rectosigmoid	729	14.8	0.59	10.0	0.38	602	9.9	0.41	6.8	0.29
Anus, anal canal & anorectum	109	1.9	0.19	1.4	0.14	105	1.7	0.17	1.2	0.12
Liver	873	16.1	0.58	12.2	0.42	280	4.5	0.27	3.2	0.20
Gallbladder	39	1.0	0.16	0.6	0.09	72	1.2	0.14	0.8	0.10
Pancreas	757	16.6	0.65	10.5	0.39	797	14.1	0.51	8.3	0.31
Respiratory System	3,947	89.4	1.51	55.6	0.90	3,124	53.8	0.98	35.0	0.65
Larynx	338	7.2	0.42	4.8	0.27	95	1.5	0.16	1.1	0.12
Lung & bronchus	3,551	81.1	1.45	50.1	0.86	2,992	51.7	0.96	33.4	0.63
Bones & Joints	52	0.9	0.14	0.8	0.11	45	0.7	0.10	0.6	0.09
Soft Tissue (incl. heart)	201	3.6	0.27	2.9	0.21	188	3.0	0.22	2.3	0.18
Skin (excl. basal & sq.)	115	2.3	0.22	1.6	0.15	126	2.1	0.19	1.5	0.13
Melanomas of the skin	47	1.0	0.15	0.7	0.10	50	0.9	0.12	0.6	0.08
Breast (excl. <i>in situ</i>)	65	1.5	0.19	0.9	0.12	7,453	120.7	1.42	86.8	1.03
Female Genital System	-	-	-	-	-	2,630	42.6	0.84	31.3	0.63
Cervix uteri	-	-	-	-	-	460	7.2	0.34	5.6	0.26
Uterus Corpus	-	-	-	-	-	1,287	21.0	0.59	15.5	0.44
Uterus, NOS ¹	-	-	-	-	-	68	1.1	0.14	0.8	0.10
Ovary	-	-	-	-	-	595	9.8	0.41	6.9	0.29
Male Genital System	10,282	205.9	2.14	148.4	1.49	-	-	-	-	-
Prostate	10,120	203.0	2.13	146.3	1.48	-	-	-	-	-
Testis	110	1.7	0.16	1.5	0.14	-	-	-	-	-
Penis	39	1.0	0.17	0.5	0.08	-	-	-	-	-
Urinary System	2,112	45.9	1.07	29.7	0.66	1,103	18.9	0.58	12.3	0.39
Bladder (incl. <i>in situ</i>)	918	22.3	0.78	12.8	0.43	389	7.0	0.36	3.8	0.21
Kidney & renal pelvis	1,157	22.7	0.71	16.3	0.49	685	11.5	0.44	8.1	0.32
Ureter	15	0.4	0.11	0.2	0.05	16	0.3	0.07	0.2	0.05
Eye & Orbit	15	0.3	0.09	0.3	0.07	7	0.1	0.04	0.1	0.05
Brain & Other Nervous System	236	4.3	0.30	3.4	0.23	218	3.4	0.23	3.0	0.21
Brain	218	4.0	0.29	3.2	0.22	200	3.1	0.22	2.7	0.20
Endocrine System	219	4.0	0.29	3.0	0.21	677	10.5	0.41	8.5	0.33
Thyroid gland	164	3.0	0.25	2.2	0.18	614	9.5	0.39	7.7	0.31
Lymphomas	1,050	19.4	0.64	14.6	0.46	834	13.6	0.48	10.1	0.36
Hodgkin Lymphoma	194	3.0	0.23	2.7	0.19	160	2.3	0.19	2.2	0.18
Non-Hodgkin Lymphoma	856	16.4	0.60	11.9	0.41	674	11.2	0.44	7.8	0.31
Multiple Myeloma	614	13.8	0.59	8.6	0.35	545	9.4	0.41	6.0	0.27
Leukemias	601	12.9	0.57	8.6	0.36	447	7.5	0.36	5.4	0.27
Acute lymphocytic	74	1.2	0.14	1.3	0.16	52	0.8	0.11	0.9	0.13
Chronic lymphocytic	188	4.6	0.36	2.6	0.19	119	2.2	0.20	1.2	0.12
Acute myeloid	186	3.9	0.31	2.6	0.20	159	2.6	0.21	1.9	0.16
Chronic myeloid	83	1.7	0.19	1.1	0.12	74	1.2	0.14	0.9	0.11
Other leukemias	70	1.5	0.20	1.0	0.12	43	0.7	0.12	0.5	0.08
Mesothelioma	44	1.2	0.19	0.6	0.09	12	0.2	0.06	0.1	0.04
Kaposi Sarcoma	137	2.3	0.20	1.8	0.16	12	0.2	0.05	0.2	0.05
Ill-defined & Unknown	784	18.2	0.70	10.9	0.40	846	14.8	0.52	8.8	0.32
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	353	7.3	0.42	4.9	0.27	789	13.1	0.48	9.0	0.33
Breast (<i>in situ</i>)	10	0.2	0.08	0.1	0.04	1,686	27.0	0.67	20.1	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2006-2010, Asian/Pacific Islander (API)**

SITES	Count	MALES (API)				FEMALES (API)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	34,754	332.0	1.83	211.0	1.17	40,569	290.0	1.45	201.2	1.05
Oral Cavity & Pharynx	1,188	10.3	0.31	7.4	0.22	704	5.0	0.19	3.6	0.14
Lip	13	0.1	0.03	0.1	0.03	14	0.1	0.03	0.1	0.02
Tongue	229	2.0	0.14	1.4	0.10	167	1.2	0.09	0.8	0.07
Major salivary gland	106	0.9	0.09	0.7	0.07	114	0.8	0.07	0.6	0.06
Floor of mouth	24	0.2	0.05	0.1	0.03	21	0.1	0.03	0.1	0.02
Gum & other mouth	122	1.1	0.11	0.7	0.07	104	0.8	0.08	0.5	0.05
Nasopharynx	510	4.2	0.19	3.2	0.14	219	1.5	0.10	1.1	0.08
Oropharynx	26	0.2	0.05	0.1	0.03	12	0.1	0.02	0.1	0.02
Hypopharynx	50	0.5	0.07	0.3	0.04	16	0.1	0.03	0.1	0.02
Digestive System	10,792	102.6	1.02	64.3	0.64	8,996	66.9	0.71	40.3	0.45
Esophagus	361	3.5	0.19	2.1	0.12	145	1.1	0.09	0.6	0.05
Stomach	1,541	15.5	0.41	8.9	0.23	1,237	9.3	0.27	5.4	0.16
Small intestine	117	1.1	0.11	0.7	0.07	122	0.9	0.08	0.6	0.06
Colon excl. rectum	2,890	27.9	0.53	17.0	0.33	3,184	23.5	0.42	14.3	0.27
Rectum & rectosigmoid	1,762	15.9	0.39	10.7	0.26	1,372	9.8	0.27	6.5	0.18
Anus, anal canal & anorectum	58	0.5	0.07	0.3	0.05	84	0.6	0.07	0.4	0.04
Liver	2,478	22.3	0.46	15.3	0.31	1,018	7.8	0.24	4.5	0.15
Gallbladder	90	0.9	0.10	0.5	0.06	177	1.3	0.10	0.7	0.06
Pancreas	986	9.9	0.32	5.7	0.19	1,104	8.5	0.26	4.7	0.15
Respiratory System	5,183	52.2	0.74	29.9	0.43	3,683	27.5	0.46	16.5	0.29
Larynx	210	2.0	0.14	1.3	0.09	35	0.3	0.04	0.2	0.03
Lung & bronchus	4,864	49.2	0.72	27.9	0.41	3,578	26.8	0.45	16.0	0.28
Bones & Joints	74	0.6	0.07	0.6	0.07	79	0.6	0.07	0.6	0.07
Soft Tissue (incl. heart)	276	2.5	0.15	1.8	0.12	297	2.1	0.12	1.8	0.11
Skin (excl. basal & sq.)	226	2.1	0.14	1.4	0.10	233	1.7	0.11	1.2	0.08
Melanomas of the skin	133	1.2	0.11	0.8	0.07	123	0.9	0.08	0.7	0.06
Breast (excl. <i>in situ</i>)	86	0.8	0.09	0.5	0.06	13,091	90.4	0.80	67.8	0.60
Female Genital System	-	-	-	-	-	5,189	35.5	0.50	26.8	0.38
Cervix uteri	-	-	-	-	-	1,003	6.9	0.22	5.3	0.17
Uterus Corpus	-	-	-	-	-	2,540	17.1	0.34	13.2	0.27
Uterus, NOS ¹	-	-	-	-	-	70	0.5	0.06	0.3	0.04
Ovary	-	-	-	-	-	1,335	9.3	0.26	6.9	0.19
Male Genital System	8,338	79.0	0.89	52.2	0.59	-	-	-	-	-
Prostate	8,033	76.6	0.88	50.1	0.57	-	-	-	-	-
Testis	231	1.7	0.11	1.7	0.11	-	-	-	-	-
Penis	52	0.5	0.07	0.3	0.04	-	-	-	-	-
Urinary System	2,754	27.1	0.53	16.1	0.32	1,243	9.3	0.27	5.7	0.17
Bladder (incl. <i>in situ</i>)	1,495	15.4	0.41	8.4	0.22	473	3.6	0.17	2.0	0.10
Kidney & renal pelvis	1,174	10.7	0.32	7.3	0.22	691	5.0	0.19	3.4	0.14
Ureter	57	0.6	0.09	0.3	0.04	64	0.5	0.06	0.3	0.04
Eye & Orbit	34	0.3	0.05	0.3	0.06	28	0.2	0.04	0.3	0.06
Brain & Other Nervous System	495	4.3	0.20	3.5	0.17	396	2.9	0.15	2.4	0.14
Brain	455	3.9	0.19	3.2	0.16	353	2.6	0.14	2.2	0.13
Endocrine System	752	6.2	0.23	4.9	0.18	2,551	17.5	0.35	14.1	0.29
Thyroid gland	625	5.1	0.21	4.0	0.16	2,440	16.7	0.34	13.4	0.28
Lymphomas	1,837	17.0	0.41	11.5	0.28	1,631	11.9	0.30	8.2	0.22
Hodgkin Lymphoma	178	1.4	0.11	1.3	0.10	149	1.0	0.09	1.0	0.09
Non-Hodgkin Lymphoma	1,659	15.6	0.39	10.2	0.26	1,482	10.9	0.29	7.1	0.20
Multiple Myeloma	414	4.1	0.21	2.4	0.12	385	2.9	0.15	1.7	0.09
Leukemias	926	8.7	0.29	6.4	0.23	796	5.9	0.21	4.8	0.19
Acute lymphocytic	145	1.2	0.10	1.6	0.13	139	1.1	0.10	1.5	0.13
Chronic lymphocytic	129	1.3	0.12	0.7	0.07	98	0.7	0.07	0.4	0.05
Acute myeloid	376	3.6	0.19	2.4	0.13	379	2.8	0.14	2.0	0.11
Chronic myeloid	177	1.6	0.13	1.1	0.08	86	0.6	0.07	0.4	0.05
Other leukemias	99	0.9	0.10	0.6	0.07	94	0.7	0.07	0.5	0.05
Mesothelioma	45	0.5	0.07	0.3	0.04	25	0.2	0.04	0.1	0.02
Kaposi Sarcoma	45	0.4	0.06	0.3	0.04	-	-	-	-	-
Ill-defined & Unknown	1,289	13.4	0.38	7.3	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	621	5.5	0.23	4.0	0.16	1,449	10.4	0.28	7.2	0.20
Breast (<i>in situ</i>)	9	0.1	0.03	0.1	0.02	4,088	28.0	0.44	21.5	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	1,002	251.2	8.83	166.5	5.37	1,004	215.5	7.19	141.8	4.58
Oral Cavity & Pharynx	43	8.4	1.42	6.7	1.04	10	2.5	0.80	1.5	0.48
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	16	3.4	0.94	2.6	0.66	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	267	67.3	4.55	44.2	2.77	186	43.0	3.32	26.0	1.96
Esophagus	17	5.1	1.34	3.0	0.74	8	1.8	0.68	1.2	0.44
Stomach	22	5.6	1.31	3.7	0.81	18	3.9	0.96	2.5	0.60
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	70	17.7	2.36	11.7	1.43	58	14.9	2.04	7.8	1.05
Rectum & rectosigmoid	28	7.6	1.55	5.0	0.96	36	8.2	1.45	4.9	0.84
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	79	17.4	2.12	12.6	1.45	17	3.4	0.88	2.4	0.60
Gallbladder	-	-	-	-	-	6	1.4	0.61	0.9	0.39
Pancreas	24	7.1	1.59	3.9	0.81	23	5.1	1.12	3.5	0.74
Respiratory System	127	37.4	3.67	21.1	1.91	133	31.7	2.88	19.5	1.73
Larynx	16	4.4	1.21	2.5	0.64	7	1.3	0.51	0.9	0.34
Lung & bronchus	107	32.2	3.43	18.0	1.77	125	30.2	2.83	18.4	1.69
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	11	2.4	0.81	1.7	0.52	8	1.5	0.57	1.1	0.40
Skin (excl. basal & sq.)	24	5.5	1.20	3.9	0.81	20	3.7	0.86	2.9	0.65
Melanomas of the skin	22	4.8	1.10	3.6	0.79	19	3.4	0.81	2.7	0.63
Breast (excl. <i>in situ</i>)	-	-	-	-	-	277	56.2	3.54	40.4	2.48
Female Genital System	-	-	-	-	-	143	27.2	2.40	19.7	1.68
Cervix uteri	-	-	-	-	-	29	4.6	0.86	3.8	0.71
Uterus Corpus	-	-	-	-	-	72	13.6	1.67	10.3	1.24
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	32	6.6	1.26	4.3	0.77
Male Genital System	257	64.6	4.45	44.1	2.81	-	-	-	-	-
Prostate	234	61.2	4.39	41.1	2.73	-	-	-	-	-
Testis	21	3.0	0.67	2.7	0.58	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	108	26.4	2.77	18.4	1.80	61	14.4	1.96	8.1	1.06
Bladder (incl. <i>in situ</i>)	40	10.2	1.75	6.9	1.11	12	3.3	0.98	1.5	0.44
Kidney & renal pelvis	65	15.2	2.08	10.9	1.38	49	11.2	1.70	6.6	0.96
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	1.7	0.49	1.7	0.49	8	1.4	0.53	1.2	0.44
Brain	11	1.6	0.48	1.5	0.47	8	1.4	0.53	1.2	0.44
Endocrine System	14	2.2	0.59	2.1	0.58	36	6.3	1.12	4.7	0.80
Thyroid gland	11	1.8	0.55	1.6	0.49	35	6.1	1.12	4.5	0.77
Lymphomas	46	11.1	1.86	7.3	1.11	37	8.0	1.41	5.0	0.84
Hodgkin Lymphoma	-	-	-	-	-	7	1.2	0.48	0.9	0.34
Non-Hodgkin Lymphoma	-	-	-	-	-	30	6.9	1.32	4.1	0.77
Multiple Myeloma	9	2.4	0.90	1.6	0.54	8	2.0	0.75	1.1	0.39
Leukemias	36	8.6	1.66	5.9	1.01	25	5.4	1.15	3.7	0.76
Acute lymphocytic	9	1.0	0.34	1.4	0.47	-	-	-	-	-
Chronic lymphocytic	10	2.6	0.95	1.7	0.54	-	-	-	-	-
Acute myeloid	9	2.4	0.85	1.6	0.54	15	3.6	0.98	2.2	0.58
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	38	10.2	1.82	6.3	1.05	45	11.2	1.75	6.0	0.92
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	14	2.6	0.71	2.1	0.57	30	6.3	1.24	4.2	0.79
Breast (<i>in situ</i>)	-	-	-	-	-	39	7.8	1.32	5.4	0.88

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	64,580	409.1	1.78	262.0	1.08	68,567	323.3	1.30	222.4	0.88
Oral Cavity & Pharynx	1,523	8.8	0.25	6.0	0.16	830	4.0	0.15	2.7	0.10
Lip	88	0.5	0.06	0.3	0.04	37	0.2	0.04	0.1	0.02
Tongue	380	2.3	0.13	1.6	0.08	245	1.2	0.08	0.8	0.05
Major salivary gland	178	1.0	0.08	0.6	0.05	193	0.8	0.06	0.6	0.04
Floor of mouth	80	0.5	0.06	0.3	0.04	33	0.2	0.03	0.1	0.02
Gum & other mouth	184	1.1	0.09	0.7	0.06	155	0.8	0.07	0.5	0.04
Nasopharynx	108	0.5	0.05	0.4	0.04	53	0.2	0.03	0.2	0.02
Oropharynx	57	0.4	0.05	0.2	0.03	11	0.1	0.02	0.0	0.01
Hypopharynx	127	0.9	0.08	0.6	0.05	18	0.1	0.02	0.1	0.02
Digestive System	15,916	103.3	0.90	64.5	0.53	12,863	68.6	0.63	42.1	0.39
Esophagus	714	4.9	0.20	3.0	0.12	166	0.9	0.07	0.6	0.05
Stomach	2,193	14.7	0.35	8.8	0.20	1,701	8.8	0.22	5.4	0.14
Small intestine	240	1.4	0.10	1.0	0.07	257	1.3	0.09	0.8	0.05
Colon excl. rectum	4,445	30.1	0.49	18.1	0.28	4,155	22.2	0.36	13.5	0.22
Rectum & rectosigmoid	2,450	14.9	0.33	9.8	0.21	1,731	8.5	0.21	5.7	0.14
Anus, anal canal & anorectum	194	1.0	0.08	0.7	0.05	251	1.3	0.08	0.8	0.05
Liver	3,102	18.0	0.35	12.5	0.23	1,212	6.5	0.19	4.1	0.12
Gallbladder	154	1.1	0.10	0.6	0.05	571	3.2	0.14	1.9	0.08
Pancreas	1,677	11.9	0.32	7.0	0.18	1,839	10.6	0.25	6.0	0.15
Respiratory System	5,723	43.5	0.62	24.2	0.33	4,527	25.5	0.39	15.1	0.23
Larynx	619	4.3	0.19	2.6	0.11	91	0.5	0.05	0.3	0.03
Lung & bronchus	4,884	38.1	0.58	20.8	0.31	4,298	24.5	0.38	14.3	0.23
Bones & Joints	301	1.0	0.07	0.9	0.05	190	0.6	0.05	0.6	0.04
Soft Tissue (incl. heart)	765	3.5	0.15	2.6	0.10	693	2.7	0.11	2.1	0.08
Skin (excl. basal & sq.)	986	5.8	0.21	3.6	0.12	1,250	5.4	0.16	3.9	0.11
Melanomas of the skin	783	4.7	0.19	2.9	0.11	1,006	4.3	0.14	3.1	0.10
Breast (excl. <i>in situ</i>)	99	0.7	0.07	0.4	0.04	19,922	89.9	0.66	65.5	0.48
Female Genital System	-	-	-	-	-	10,253	44.6	0.46	33.1	0.34
Cervix uteri	-	-	-	-	-	2,855	11.0	0.22	8.5	0.16
Uterus Corpus	-	-	-	-	-	4,117	18.5	0.30	14.0	0.23
Uterus, NOS ¹	-	-	-	-	-	129	0.6	0.06	0.4	0.04
Ovary	-	-	-	-	-	2,540	11.4	0.24	8.2	0.17
Male Genital System	19,774	129.1	0.99	86.1	0.63	-	-	-	-	-
Prostate	17,632	122.9	0.98	80.3	0.62	-	-	-	-	-
Testis	1,919	4.9	0.12	4.9	0.11	-	-	-	-	-
Penis	191	1.1	0.09	0.7	0.05	-	-	-	-	-
Urinary System	6,082	41.2	0.58	24.9	0.33	3,262	16.5	0.30	10.8	0.20
Bladder (incl. <i>in situ</i>)	2,476	19.7	0.42	10.5	0.22	834	4.7	0.17	2.7	0.10
Kidney & renal pelvis	3,526	20.8	0.38	14.1	0.25	2,375	11.4	0.25	7.9	0.17
Ureter	45	0.4	0.06	0.2	0.03	37	0.2	0.04	0.1	0.02
Eye & Orbit	141	0.6	0.06	0.5	0.04	137	0.5	0.05	0.5	0.04
Brain & Other Nervous System	1,383	5.8	0.18	4.7	0.13	1,163	4.7	0.15	3.7	0.11
Brain	1,291	5.5	0.18	4.4	0.13	1,072	4.3	0.14	3.4	0.11
Endocrine System	1,112	4.9	0.17	3.8	0.12	4,272	15.7	0.25	12.9	0.20
Thyroid gland	943	4.2	0.16	3.2	0.11	4,112	15.1	0.25	12.3	0.20
Lymphomas	4,334	23.5	0.41	15.8	0.25	3,632	17.3	0.30	11.7	0.20
Hodgkin Lymphoma	750	2.7	0.12	2.3	0.09	557	1.9	0.09	1.7	0.07
Non-Hodgkin Lymphoma	3,584	20.8	0.39	13.5	0.24	3,075	15.4	0.29	10.0	0.19
Multiple Myeloma	1,011	6.7	0.23	4.2	0.14	860	4.6	0.16	2.9	0.10
Leukemias	2,735	12.0	0.28	9.4	0.19	2,210	8.5	0.20	7.0	0.15
Acute lymphocytic	1,074	2.7	0.09	3.3	0.10	878	2.4	0.09	2.8	0.10
Chronic lymphocytic	342	2.5	0.15	1.5	0.08	243	1.4	0.09	0.8	0.06
Acute myeloid	694	3.5	0.16	2.4	0.10	650	2.7	0.12	2.0	0.08
Chronic myeloid	343	1.6	0.10	1.2	0.07	233	1.0	0.07	0.7	0.05
Other leukemias	282	1.6	0.11	1.0	0.06	206	1.0	0.07	0.6	0.05
Mesothelioma	207	1.6	0.12	0.8	0.06	80	0.4	0.05	0.3	0.03
Kaposi Sarcoma	359	1.4	0.08	1.0	0.06	29	0.2	0.03	0.1	0.02
Ill-defined & Unknown	2,129	15.7	0.37	8.6	0.19	2,394	13.4	0.28	7.6	0.16
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,107	5.5	0.19	3.9	0.12	2,365	10.9	0.24	7.6	0.16
Breast (<i>in situ</i>)	10	0.1	0.02	0.0	0.01	4,337	19.3	0.30	14.5	0.23

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

CALIFORNIA

38 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	260,961	548.7	1.09	361.3	0.76	240,562	443.7	0.94	307.1	0.71
Oral Cavity & Pharynx	9,137	18.5	0.20	13.3	0.15	3,870	7.1	0.12	4.9	0.09
Lip	777	1.7	0.06	1.1	0.04	303	0.5	0.03	0.3	0.02
Tongue	2,964	6.0	0.11	4.4	0.08	1,164	2.1	0.06	1.5	0.05
Major salivary gland	918	2.0	0.07	1.2	0.04	547	1.1	0.05	0.8	0.04
Floor of mouth	438	0.9	0.04	0.6	0.03	218	0.4	0.03	0.3	0.02
Gum & other mouth	833	1.7	0.06	1.1	0.04	735	1.3	0.05	0.8	0.03
Nasopharynx	282	0.6	0.04	0.5	0.03	135	0.3	0.02	0.2	0.02
Oropharynx	316	0.6	0.04	0.5	0.03	112	0.2	0.02	0.1	0.01
Hypopharynx	509	1.0	0.05	0.7	0.03	165	0.3	0.02	0.2	0.02
Digestive System	46,512	97.2	0.46	61.4	0.30	38,343	66.0	0.35	40.5	0.24
Esophagus	3,808	7.8	0.13	5.1	0.09	1,125	1.9	0.06	1.2	0.04
Stomach	3,810	8.0	0.13	4.9	0.08	2,052	3.5	0.08	2.1	0.05
Small intestine	1,107	2.3	0.07	1.5	0.05	865	1.5	0.05	1.0	0.04
Colon excl. rectum	16,416	34.9	0.28	20.9	0.17	16,794	28.5	0.23	16.8	0.15
Rectum & rectosigmoid	7,231	15.0	0.18	10.1	0.13	5,478	9.8	0.14	6.6	0.10
Anus, anal canal & anorectum	924	1.9	0.06	1.4	0.05	1,460	2.6	0.07	1.9	0.05
Liver	4,583	9.0	0.14	6.6	0.10	1,447	2.5	0.07	1.7	0.05
Gallbladder	280	0.6	0.04	0.3	0.02	555	0.9	0.04	0.5	0.03
Pancreas	6,481	13.6	0.17	8.2	0.11	6,236	10.5	0.14	6.2	0.09
Respiratory System	34,430	72.8	0.40	43.5	0.25	31,710	55.2	0.32	33.9	0.21
Larynx	2,372	4.9	0.10	3.2	0.07	583	1.0	0.04	0.7	0.03
Lung & bronchus	31,529	66.8	0.38	39.5	0.24	30,773	53.6	0.31	32.7	0.21
Bones & Joints	497	1.2	0.06	1.1	0.06	344	0.8	0.05	0.7	0.05
Soft Tissue (incl. heart)	1,952	4.4	0.10	3.2	0.09	1,389	2.8	0.08	2.3	0.08
Skin (excl. basal & sq.)	21,008	44.9	0.31	29.6	0.22	13,379	27.0	0.24	20.1	0.20
Melanomas of the skin	19,259	41.1	0.30	27.5	0.21	12,430	25.3	0.24	19.1	0.19
Breast (excl. <i>in situ</i>)	621	1.3	0.05	0.8	0.03	74,763	140.6	0.53	101.5	0.40
Female Genital System	-	-	-	-	-	26,578	49.8	0.32	36.5	0.24
Cervix uteri	-	-	-	-	-	2,976	6.9	0.13	5.5	0.11
Uterus Corpus	-	-	-	-	-	13,643	24.6	0.22	18.2	0.17
Uterus, NOS ¹	-	-	-	-	-	328	0.6	0.03	0.4	0.02
Ovary	-	-	-	-	-	7,352	13.7	0.16	9.7	0.13
Male Genital System	73,860	150.6	0.56	106.5	0.41	-	-	-	-	-
Prostate	70,538	142.1	0.54	98.9	0.38	-	-	-	-	-
Testis	2,878	7.6	0.14	7.0	0.14	-	-	-	-	-
Penis	330	0.7	0.04	0.4	0.03	-	-	-	-	-
Urinary System	29,540	62.6	0.37	37.6	0.24	11,341	19.9	0.19	12.7	0.14
Bladder (incl. <i>in situ</i>)	19,219	41.0	0.30	23.0	0.18	5,787	9.8	0.13	5.7	0.09
Kidney & renal pelvis	9,698	20.2	0.21	13.9	0.15	5,239	9.6	0.14	6.7	0.11
Ureter	401	0.9	0.04	0.5	0.03	247	0.4	0.03	0.2	0.02
Eye & Orbit	568	1.2	0.05	0.9	0.04	480	0.9	0.04	0.7	0.04
Brain & Other Nervous System	4,046	9.2	0.15	7.5	0.14	3,002	6.3	0.12	5.3	0.12
Brain	3,866	8.7	0.14	7.0	0.13	2,836	5.9	0.12	4.9	0.12
Endocrine System	3,309	7.4	0.13	5.9	0.11	7,990	18.2	0.21	15.3	0.19
Thyroid gland	2,942	6.5	0.12	5.1	0.10	7,698	17.6	0.21	14.7	0.18
Lymphomas	13,164	28.8	0.26	19.8	0.19	10,476	19.7	0.20	13.8	0.16
Hodgkin Lymphoma	1,468	3.6	0.10	3.2	0.09	1,162	2.9	0.09	2.8	0.09
Non-Hodgkin Lymphoma	11,696	25.2	0.24	16.6	0.17	9,314	16.8	0.18	11.0	0.13
Multiple Myeloma	3,309	7.0	0.12	4.2	0.08	2,303	4.0	0.08	2.5	0.06
Leukemias	7,806	17.3	0.20	12.1	0.17	5,493	10.3	0.15	7.6	0.14
Acute lymphocytic	649	1.9	0.08	2.4	0.11	460	1.3	0.07	1.7	0.09
Chronic lymphocytic	3,189	6.7	0.12	4.0	0.08	2,060	3.5	0.08	2.1	0.05
Acute myeloid	2,071	4.6	0.10	3.0	0.08	1,710	3.2	0.08	2.3	0.07
Chronic myeloid	919	2.0	0.07	1.3	0.05	649	1.2	0.05	0.8	0.04
Other leukemias	978	2.1	0.07	1.3	0.05	614	1.1	0.05	0.7	0.04
Mesothelioma	924	2.0	0.07	1.1	0.04	263	0.5	0.03	0.3	0.02
Kaposi Sarcoma	506	1.2	0.05	0.9	0.04	42	0.1	0.01	0.0	0.01
Ill-defined & Unknown	9,772	21.0	0.21	11.8	0.13	8,796	14.6	0.16	8.3	0.11
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	3,492	7.7	0.13	5.7	0.11	6,868	13.1	0.16	9.4	0.13
Breast (<i>in situ</i>)	74	0.2	0.02	0.1	0.01	17,149	33.2	0.26	25.1	0.20

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	26,614	583.8	3.80	397.0	2.48	23,240	409.8	2.73	283.1	1.93
Oral Cavity & Pharynx	695	13.5	0.54	10.1	0.39	323	5.6	0.32	4.1	0.23
Lip	6	0.1	0.04	0.1	0.04	-	-	-	-	-
Tongue	156	3.1	0.26	2.3	0.18	72	1.2	0.15	0.9	0.11
Major salivary gland	61	1.3	0.17	0.9	0.11	55	0.9	0.13	0.7	0.10
Floor of mouth	30	0.5	0.10	0.4	0.08	12	0.2	0.06	0.2	0.04
Gum & other mouth	81	1.6	0.18	1.2	0.13	74	1.3	0.16	0.9	0.11
Nasopharynx	59	1.2	0.16	0.8	0.11	18	0.3	0.07	0.2	0.06
Oropharynx	45	0.9	0.14	0.7	0.10	20	0.4	0.08	0.2	0.06
Hypopharynx	69	1.3	0.16	1.0	0.13	16	0.3	0.07	0.2	0.05
Digestive System	5,666	127.6	1.81	82.6	1.12	5,007	90.4	1.30	57.2	0.84
Esophagus	243	5.8	0.40	3.5	0.23	139	2.5	0.22	1.6	0.14
Stomach	564	14.0	0.63	8.1	0.35	421	7.8	0.38	4.5	0.23
Small intestine	168	3.8	0.31	2.5	0.20	141	2.5	0.21	1.7	0.15
Colon excl. rectum	2,030	47.4	1.12	29.7	0.67	2,242	40.8	0.87	25.4	0.56
Rectum & rectosigmoid	723	15.4	0.61	10.5	0.40	591	10.3	0.43	7.0	0.30
Anus, anal canal & anorectum	108	2.0	0.20	1.5	0.15	102	1.7	0.17	1.3	0.13
Liver	866	16.8	0.60	12.8	0.44	278	4.7	0.29	3.4	0.21
Gallbladder	39	1.0	0.17	0.6	0.09	67	1.2	0.15	0.8	0.10
Pancreas	749	17.1	0.67	10.9	0.40	791	14.6	0.53	8.7	0.33
Respiratory System	3,918	92.8	1.57	57.8	0.94	3,084	55.7	1.02	36.4	0.68
Larynx	333	7.5	0.43	5.0	0.28	93	1.6	0.16	1.2	0.12
Lung & bronchus	3,527	84.2	1.50	52.0	0.89	2,954	53.5	1.00	34.7	0.66
Bones & Joints	52	1.0	0.15	0.8	0.12	44	0.7	0.11	0.7	0.11
Soft Tissue (incl. heart)	198	3.9	0.29	3.1	0.23	182	3.1	0.23	2.5	0.19
Skin (excl. basal & sq.)	113	2.4	0.23	1.7	0.16	125	2.3	0.20	1.6	0.15
Melanomas of the skin	46	1.0	0.15	0.7	0.10	49	0.9	0.13	0.6	0.09
Breast (excl. <i>in situ</i>)	65	1.5	0.20	1.0	0.12	7,299	125.8	1.49	90.7	1.09
Female Genital System	-	-	-	-	-	2,566	44.2	0.88	32.6	0.66
Cervix uteri	-	-	-	-	-	448	7.7	0.37	5.9	0.29
Uterus Corpus	-	-	-	-	-	1,255	21.6	0.62	16.0	0.46
Uterus, NOS ¹	-	-	-	-	-	66	1.1	0.14	0.8	0.10
Ovary	-	-	-	-	-	586	10.2	0.43	7.3	0.31
Male Genital System	10,176	213.7	2.23	154.3	1.55	-	-	-	-	-
Prostate	10,021	210.6	2.21	152.0	1.54	-	-	-	-	-
Testis	104	1.8	0.18	1.6	0.16	-	-	-	-	-
Penis	38	1.0	0.17	0.5	0.09	-	-	-	-	-
Urinary System	2,091	47.7	1.11	30.9	0.69	1,088	19.7	0.61	12.8	0.41
Bladder (incl. <i>in situ</i>)	911	23.1	0.81	13.3	0.45	386	7.3	0.37	4.0	0.22
Kidney & renal pelvis	1,144	23.6	0.74	17.1	0.51	673	11.9	0.47	8.5	0.34
Ureter	15	0.4	0.11	0.2	0.06	16	0.3	0.07	0.2	0.05
Eye & Orbit	14	0.3	0.10	0.3	0.08	7	0.1	0.05	0.1	0.06
Brain & Other Nervous System	233	4.6	0.32	3.7	0.25	209	3.6	0.25	3.2	0.24
Brain	215	4.3	0.31	3.4	0.24	192	3.3	0.24	2.9	0.23
Endocrine System	211	4.2	0.30	3.2	0.22	665	11.2	0.44	9.1	0.36
Thyroid gland	159	3.1	0.26	2.3	0.19	604	10.1	0.42	8.2	0.34
Lymphomas	1,034	20.5	0.67	15.6	0.49	815	14.3	0.51	10.7	0.39
Hodgkin Lymphoma	191	3.3	0.25	3.0	0.22	157	2.6	0.21	2.5	0.20
Non-Hodgkin Lymphoma	843	17.1	0.63	12.6	0.44	658	11.7	0.46	8.2	0.33
Multiple Myeloma	609	14.3	0.61	9.0	0.37	538	9.7	0.43	6.3	0.28
Leukemias	586	13.5	0.60	9.1	0.39	436	7.8	0.38	5.7	0.30
Acute lymphocytic	71	1.3	0.16	1.5	0.19	50	0.8	0.12	1.0	0.15
Chronic lymphocytic	187	4.8	0.37	2.7	0.20	118	2.2	0.21	1.3	0.12
Acute myeloid	179	4.0	0.32	2.7	0.21	155	2.7	0.22	2.0	0.18
Chronic myeloid	82	1.7	0.20	1.2	0.13	71	1.2	0.15	0.9	0.11
Other leukemias	67	1.6	0.21	1.0	0.13	42	0.8	0.12	0.5	0.08
Mesothelioma	44	1.3	0.20	0.6	0.10	12	0.2	0.06	0.1	0.04
Kaposi Sarcoma	132	2.4	0.21	1.9	0.17	11	0.2	0.06	0.2	0.05
Ill-defined & Unknown	777	18.9	0.72	11.4	0.41	829	15.2	0.54	9.2	0.34
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	347	7.6	0.44	5.2	0.29	771	13.7	0.50	9.4	0.35
Breast (<i>in situ</i>)	10	0.2	0.08	0.1	0.04	1,653	28.1	0.70	20.9	0.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

CALIFORNIA

40 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	78,815	514.0	1.87	336.0	1.25	74,946	403.9	1.49	277.8	1.09
Oral Cavity & Pharynx	2,511	15.2	0.31	10.9	0.22	1,178	6.3	0.19	4.4	0.14
Lip	167	1.1	0.09	0.7	0.06	77	0.4	0.05	0.2	0.03
Tongue	745	4.5	0.17	3.3	0.12	328	1.7	0.10	1.2	0.07
Major salivary gland	240	1.5	0.10	1.0	0.07	167	0.9	0.07	0.7	0.06
Floor of mouth	104	0.7	0.07	0.5	0.05	52	0.3	0.04	0.2	0.03
Gum & other mouth	226	1.5	0.10	0.9	0.06	222	1.2	0.08	0.8	0.06
Nasopharynx	307	1.8	0.10	1.4	0.08	136	0.7	0.06	0.6	0.05
Oropharynx	78	0.5	0.06	0.3	0.04	34	0.2	0.03	0.1	0.02
Hypopharynx	158	1.0	0.08	0.7	0.06	45	0.2	0.04	0.2	0.03
Digestive System	15,629	102.0	0.83	64.3	0.53	13,360	71.1	0.62	43.4	0.41
Esophagus	945	6.2	0.21	3.9	0.13	356	1.9	0.10	1.1	0.06
Stomach	1,576	10.6	0.27	6.3	0.17	1,104	5.9	0.18	3.5	0.12
Small intestine	339	2.2	0.12	1.4	0.08	276	1.5	0.09	1.0	0.06
Colon excl. rectum	4,937	33.2	0.48	19.8	0.29	5,482	29.0	0.40	17.2	0.26
Rectum & rectosigmoid	2,350	14.7	0.31	10.0	0.21	1,831	9.8	0.23	6.5	0.16
Anus, anal canal & anorectum	269	1.6	0.10	1.2	0.07	307	1.6	0.09	1.1	0.07
Liver	2,521	15.2	0.31	10.9	0.22	886	4.8	0.16	3.2	0.12
Gallbladder	102	0.7	0.07	0.4	0.04	257	1.4	0.09	0.8	0.06
Pancreas	2,010	13.5	0.31	8.1	0.19	2,054	10.9	0.24	6.2	0.15
Respiratory System	8,789	60.5	0.66	35.2	0.39	8,149	44.1	0.50	26.5	0.32
Larynx	582	3.8	0.16	2.5	0.11	129	0.7	0.06	0.5	0.04
Lung & bronchus	8,035	55.6	0.63	31.9	0.37	7,902	42.8	0.49	25.5	0.31
Bones & Joints	195	1.2	0.09	1.1	0.08	144	0.9	0.07	0.8	0.08
Soft Tissue (incl. heart)	604	3.9	0.16	2.7	0.12	492	2.7	0.12	2.1	0.10
Skin (excl. basal & sq.)	4,686	30.4	0.45	19.5	0.30	3,413	18.6	0.32	13.5	0.25
Melanomas of the skin	4,276	27.6	0.43	17.9	0.28	3,117	17.0	0.31	12.5	0.24
Breast (excl. <i>in situ</i>)	163	1.1	0.09	0.7	0.06	23,641	127.6	0.84	92.9	0.63
Female Genital System	-	-	-	-	-	8,543	45.8	0.50	33.5	0.38
Cervix uteri	-	-	-	-	-	1,135	6.4	0.19	5.0	0.15
Uterus Corpus	-	-	-	-	-	4,413	23.3	0.36	17.2	0.27
Uterus, NOS ¹	-	-	-	-	-	73	0.4	0.04	0.2	0.03
Ovary	-	-	-	-	-	2,320	12.5	0.26	9.0	0.20
Male Genital System	24,985	159.1	1.03	111.3	0.72	-	-	-	-	-
Prostate	23,841	152.5	1.01	105.3	0.70	-	-	-	-	-
Testis	997	5.7	0.18	5.4	0.18	-	-	-	-	-
Penis	112	0.7	0.07	0.5	0.05	-	-	-	-	-
Urinary System	7,730	52.1	0.61	31.3	0.37	3,294	17.6	0.31	11.1	0.21
Bladder (incl. <i>in situ</i>)	4,722	32.9	0.49	18.3	0.28	1,560	8.2	0.21	4.7	0.13
Kidney & renal pelvis	2,837	18.0	0.35	12.3	0.24	1,613	8.7	0.22	6.1	0.16
Ureter	121	0.9	0.08	0.5	0.05	93	0.5	0.05	0.2	0.03
Eye & Orbit	144	0.9	0.08	0.7	0.06	141	0.8	0.07	0.6	0.06
Brain & Other Nervous System	1,210	7.5	0.22	6.0	0.19	988	5.5	0.18	4.7	0.17
Brain	1,137	7.1	0.21	5.6	0.18	901	5.0	0.17	4.2	0.16
Endocrine System	1,016	6.1	0.19	4.8	0.16	2,821	15.8	0.30	13.1	0.26
Thyroid gland	846	5.0	0.18	3.9	0.14	2,678	15.0	0.29	12.4	0.25
Lymphomas	4,476	28.7	0.44	19.7	0.31	3,506	19.0	0.33	13.4	0.25
Hodgkin Lymphoma	495	3.0	0.13	2.6	0.12	432	2.5	0.12	2.3	0.12
Non-Hodgkin Lymphoma	3,981	25.7	0.42	17.1	0.28	3,074	16.6	0.30	11.0	0.22
Multiple Myeloma	1,120	7.5	0.23	4.6	0.14	879	4.7	0.16	2.9	0.11
Leukemias	2,424	16.2	0.33	11.2	0.25	1,744	9.6	0.23	7.3	0.21
Acute lymphocytic	307	1.9	0.11	2.5	0.15	261	1.6	0.10	2.0	0.13
Chronic lymphocytic	943	6.4	0.21	3.7	0.13	593	3.1	0.13	1.9	0.08
Acute myeloid	635	4.3	0.17	2.7	0.12	561	3.1	0.13	2.2	0.11
Chronic myeloid	290	1.9	0.12	1.2	0.08	169	0.9	0.07	0.6	0.05
Other leukemias	249	1.6	0.10	1.1	0.07	160	0.9	0.07	0.6	0.05
Mesothelioma	234	1.7	0.11	0.8	0.06	78	0.4	0.05	0.2	0.03
Kaposi Sarcoma	285	1.7	0.10	1.3	0.08	25	0.1	0.03	0.1	0.02
Ill-defined & Unknown	2,614	18.2	0.36	10.0	0.21	2,550	13.3	0.27	7.3	0.17
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,133	7.1	0.22	5.2	0.16	2,284	12.3	0.26	8.7	0.20
Breast (<i>in situ</i>)	29	0.2	0.03	0.1	0.02	6,334	34.5	0.44	26.0	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	59,438	553.2	2.32	362.5	1.56	55,233	438.3	1.90	301.5	1.40
Oral Cavity & Pharynx	1,890	16.4	0.39	11.7	0.28	831	6.5	0.23	4.4	0.17
Lip	152	1.4	0.12	0.9	0.08	73	0.6	0.07	0.3	0.04
Tongue	624	5.3	0.22	3.9	0.16	259	2.0	0.13	1.4	0.09
Major salivary gland	198	1.8	0.13	1.2	0.09	102	0.8	0.08	0.6	0.06
Floor of mouth	93	0.8	0.09	0.6	0.06	44	0.4	0.06	0.2	0.04
Gum & other mouth	159	1.5	0.12	0.9	0.07	163	1.2	0.10	0.8	0.07
Nasopharynx	61	0.5	0.07	0.4	0.06	35	0.3	0.05	0.2	0.04
Oropharynx	63	0.6	0.07	0.4	0.05	28	0.2	0.04	0.1	0.03
Hypopharynx	122	1.1	0.10	0.8	0.07	34	0.3	0.05	0.2	0.03
Digestive System	10,697	99.6	0.98	62.6	0.63	9,100	69.8	0.75	42.6	0.50
Esophagus	758	7.0	0.26	4.5	0.17	255	2.0	0.13	1.2	0.08
Stomach	985	9.4	0.30	5.7	0.19	623	4.8	0.20	2.9	0.13
Small intestine	251	2.3	0.15	1.5	0.10	203	1.6	0.12	1.1	0.08
Colon excl. rectum	3,545	34.1	0.58	20.1	0.35	3,859	29.3	0.48	17.2	0.31
Rectum & rectosigmoid	1,588	14.3	0.37	9.7	0.25	1,230	9.6	0.28	6.4	0.20
Anus, anal canal & anorectum	225	2.0	0.13	1.4	0.10	265	2.0	0.13	1.4	0.09
Liver	1,364	11.6	0.32	8.5	0.24	466	3.7	0.18	2.6	0.13
Gallbladder	70	0.7	0.08	0.4	0.05	177	1.4	0.11	0.8	0.07
Pancreas	1,508	14.4	0.38	8.6	0.23	1,455	10.9	0.29	6.3	0.19
Respiratory System	6,042	59.3	0.78	34.3	0.46	6,057	47.6	0.62	28.2	0.40
Larynx	432	4.1	0.20	2.6	0.13	103	0.8	0.08	0.5	0.06
Lung & bronchus	5,497	54.2	0.74	30.9	0.44	5,870	46.1	0.61	27.2	0.39
Bones & Joints	156	1.4	0.12	1.3	0.11	109	1.0	0.10	0.9	0.10
Soft Tissue (incl. heart)	468	4.4	0.21	3.0	0.15	347	2.8	0.16	2.1	0.13
Skin (excl. basal & sq.)	4,463	41.3	0.63	26.6	0.41	3,180	26.0	0.47	19.0	0.36
Melanomas of the skin	4,108	37.9	0.60	24.7	0.40	2,950	24.2	0.45	17.9	0.35
Breast (excl. <i>in situ</i>)	130	1.3	0.11	0.7	0.07	17,434	139.7	1.08	101.4	0.81
Female Genital System	-	-	-	-	-	6,212	49.5	0.64	36.1	0.48
Cervix uteri	-	-	-	-	-	767	6.7	0.25	5.3	0.20
Uterus Corpus	-	-	-	-	-	3,223	25.2	0.45	18.4	0.34
Uterus, NOS ¹	-	-	-	-	-	52	0.4	0.05	0.3	0.04
Ovary	-	-	-	-	-	1,708	13.7	0.34	9.8	0.25
Male Genital System	18,844	171.1	1.28	120.5	0.91	-	-	-	-	-
Prostate	17,875	162.7	1.25	112.8	0.87	-	-	-	-	-
Testis	860	7.4	0.25	7.0	0.25	-	-	-	-	-
Penis	87	0.8	0.09	0.5	0.06	-	-	-	-	-
Urinary System	6,228	59.8	0.77	35.7	0.48	2,572	19.9	0.40	12.7	0.28
Bladder (incl. <i>in situ</i>)	3,914	38.6	0.63	21.5	0.36	1,268	9.6	0.28	5.6	0.18
Kidney & renal pelvis	2,180	19.8	0.43	13.6	0.30	1,221	9.7	0.28	6.8	0.21
Ureter	96	1.0	0.10	0.5	0.06	62	0.4	0.06	0.2	0.03
Eye & Orbit	131	1.2	0.11	0.9	0.08	127	1.0	0.09	0.8	0.08
Brain & Other Nervous System	1,000	9.1	0.29	7.1	0.24	772	6.5	0.24	5.5	0.23
Brain	950	8.6	0.28	6.7	0.24	704	5.9	0.23	4.9	0.21
Endocrine System	728	6.4	0.24	5.1	0.20	1,893	16.4	0.38	13.7	0.33
Thyroid gland	630	5.5	0.22	4.2	0.17	1,806	15.6	0.37	13.0	0.32
Lymphomas	3,498	32.3	0.56	22.1	0.39	2,648	21.2	0.42	14.7	0.32
Hodgkin Lymphoma	377	3.3	0.17	2.9	0.16	327	2.9	0.16	2.7	0.16
Non-Hodgkin Lymphoma	3,121	28.9	0.53	19.2	0.36	2,321	18.2	0.39	12.0	0.28
Multiple Myeloma	819	7.8	0.28	4.7	0.17	608	4.7	0.20	3.0	0.13
Leukemias	1,941	18.6	0.43	12.9	0.33	1,349	10.9	0.30	8.2	0.27
Acute lymphocytic	244	2.3	0.15	3.0	0.20	195	1.9	0.13	2.3	0.18
Chronic lymphocytic	806	7.7	0.28	4.5	0.17	511	3.9	0.18	2.3	0.12
Acute myeloid	468	4.5	0.21	2.9	0.14	398	3.2	0.17	2.3	0.13
Chronic myeloid	214	2.1	0.14	1.3	0.10	134	1.0	0.09	0.7	0.07
Other leukemias	209	1.9	0.14	1.2	0.09	111	0.9	0.09	0.6	0.07
Mesothelioma	214	2.2	0.15	1.1	0.08	61	0.5	0.06	0.3	0.04
Kaposi Sarcoma	229	2.0	0.13	1.5	0.10	20	0.2	0.04	0.1	0.02
Ill-defined & Unknown	1,960	19.3	0.44	10.5	0.25	1,913	14.2	0.33	7.8	0.21
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	762	6.9	0.26	5.1	0.20	1,543	12.4	0.32	8.8	0.25
Breast (<i>in situ</i>)	20	0.2	0.04	0.1	0.03	4,330	35.3	0.54	26.6	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,859	588.1	8.11	397.8	5.31	5,058	410.6	5.87	283.5	4.18
Oral Cavity & Pharynx	130	11.7	1.08	8.6	0.77	76	6.0	0.70	4.7	0.56
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	30	2.6	0.50	2.0	0.36	14	1.1	0.30	0.8	0.23
Major salivary gland	11	1.0	0.30	0.8	0.23	16	1.2	0.31	1.1	0.29
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	16	1.5	0.40	1.0	0.27	16	1.3	0.33	1.0	0.25
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	11	1.0	0.31	0.8	0.23	-	-	-	-	-
Hypopharynx	17	1.6	0.40	1.2	0.29	6	0.4	0.18	0.3	0.15
Digestive System	1,247	126.2	3.78	82.1	2.37	1,122	92.0	2.79	59.1	1.86
Esophagus	49	5.0	0.77	3.1	0.45	45	3.6	0.54	2.4	0.37
Stomach	122	13.9	1.32	8.1	0.74	100	8.4	0.85	4.9	0.53
Small intestine	39	4.2	0.70	2.6	0.43	27	2.2	0.43	1.5	0.30
Colon excl. rectum	408	43.7	2.29	26.9	1.36	466	38.6	1.82	24.3	1.19
Rectum & rectosigmoid	162	15.5	1.28	10.6	0.85	118	9.4	0.88	6.6	0.64
Anus, anal canal & anorectum	23	1.9	0.40	1.5	0.31	23	1.8	0.37	1.3	0.27
Liver	244	21.2	1.43	16.0	1.05	76	5.6	0.65	4.3	0.51
Gallbladder	8	1.1	0.39	0.5	0.19	22	1.7	0.37	1.1	0.25
Pancreas	160	16.5	1.38	10.7	0.87	195	16.4	1.20	9.9	0.75
Respiratory System	880	94.0	3.35	58.5	2.02	757	62.8	2.32	40.7	1.55
Larynx	72	7.4	0.92	4.9	0.59	17	1.4	0.34	1.0	0.26
Lung & bronchus	792	85.0	3.19	52.6	1.91	728	60.5	2.28	39.0	1.51
Bones & Joints	10	1.0	0.32	0.8	0.26	8	0.6	0.22	0.6	0.23
Soft Tissue (incl. heart)	31	3.1	0.58	2.3	0.42	41	3.2	0.51	2.4	0.40
Skin (excl. basal & sq.)	23	2.4	0.51	1.5	0.32	28	2.2	0.43	1.5	0.30
Melanomas of the skin	9	0.8	0.30	0.6	0.20	13	1.1	0.30	0.6	0.17
Breast (excl. <i>in situ</i>)	8	0.7	0.27	0.6	0.21	1,503	120.1	3.14	87.1	2.32
Female Genital System	-	-	-	-	-	522	41.1	1.82	30.8	1.39
Cervix uteri	-	-	-	-	-	78	6.1	0.70	4.8	0.56
Uterus Corpus	-	-	-	-	-	266	21.0	1.31	15.8	0.99
Uterus, NOS ¹	-	-	-	-	-	6	0.5	0.19	0.3	0.13
Ovary	-	-	-	-	-	126	10.1	0.91	7.2	0.67
Male Genital System	2,267	218.4	4.82	156.9	3.35	-	-	-	-	-
Prostate	2,232	215.2	4.79	154.5	3.33	-	-	-	-	-
Testis	24	2.0	0.42	1.7	0.35	-	-	-	-	-
Penis	8	0.8	0.29	0.6	0.20	-	-	-	-	-
Urinary System	451	48.2	2.39	30.1	1.45	243	20.0	1.30	13.1	0.91
Bladder (incl. <i>in situ</i>)	210	23.9	1.74	13.9	0.98	91	7.6	0.81	4.1	0.47
Kidney & renal pelvis	232	23.1	1.60	15.7	1.05	146	11.9	1.00	8.6	0.76
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	37	3.2	0.54	3.1	0.54	53	4.4	0.61	3.5	0.53
Brain	33	2.9	0.52	2.8	0.52	50	4.1	0.60	3.2	0.49
Endocrine System	34	3.4	0.60	2.6	0.48	99	7.8	0.79	6.2	0.64
Thyroid gland	18	1.8	0.45	1.2	0.28	84	6.7	0.74	5.2	0.58
Lymphomas	238	22.1	1.50	16.6	1.10	201	16.3	1.17	12.4	0.91
Hodgkin Lymphoma	49	4.2	0.62	3.6	0.52	40	3.1	0.49	3.0	0.48
Non-Hodgkin Lymphoma	189	17.8	1.36	13.0	0.97	161	13.2	1.06	9.4	0.77
Multiple Myeloma	144	15.7	1.38	9.6	0.81	121	10.3	0.95	6.4	0.61
Leukemias	151	16.4	1.41	10.7	0.91	91	7.7	0.81	5.6	0.67
Acute lymphocytic	15	1.2	0.32	1.6	0.42	12	1.0	0.28	1.0	0.32
Chronic lymphocytic	54	6.6	0.94	3.5	0.49	25	2.2	0.45	1.2	0.26
Acute myeloid	45	4.9	0.77	3.2	0.50	33	2.7	0.47	2.2	0.44
Chronic myeloid	23	2.2	0.49	1.5	0.32	12	1.0	0.29	0.7	0.22
Other leukemias	14	1.5	0.42	0.9	0.25	9	0.8	0.28	0.5	0.17
Mesothelioma	-	-	-	-	-	6	0.5	0.21	0.2	0.11
Kaposi Sarcoma	36	3.0	0.52	2.5	0.42	-	-	-	-	-
Ill-defined & Unknown	166	18.1	1.48	10.9	0.86	184	15.3	1.14	8.9	0.72
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	98	10.2	1.09	6.6	0.69	173	13.7	1.06	9.4	0.75
Breast (<i>in situ</i>)	-	-	-	-	-	359	28.3	1.52	21.1	1.14

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2006-2010, Asian/Pacific Islander (API)**

SITES	Count	MALES (API)				FEMALES (API)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	12,023	348.3	3.25	221.8	2.11	13,805	303.1	2.60	209.6	1.88
Oral Cavity & Pharynx	453	11.6	0.56	8.7	0.42	256	5.5	0.35	4.1	0.27
Lip	6	0.2	0.07	0.1	0.06	-	-	-	-	-
Tongue	79	2.1	0.24	1.5	0.17	51	1.1	0.16	0.8	0.11
Major salivary gland	30	0.8	0.14	0.6	0.12	44	1.0	0.15	0.8	0.13
Floor of mouth	7	0.2	0.08	0.1	0.06	-	-	-	-	-
Gum & other mouth	42	1.2	0.19	0.8	0.12	39	0.9	0.14	0.6	0.11
Nasopharynx	238	5.8	0.38	4.5	0.30	95	2.0	0.20	1.5	0.16
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	17	0.5	0.13	0.3	0.08	-	-	-	-	-
Digestive System	3,527	101.5	1.75	63.4	1.10	3,007	68.4	1.25	40.8	0.79
Esophagus	131	3.8	0.34	2.4	0.21	55	1.3	0.18	0.6	0.09
Stomach	458	14.0	0.67	7.8	0.38	371	8.4	0.44	5.0	0.28
Small intestine	46	1.3	0.20	0.8	0.13	43	1.0	0.15	0.6	0.10
Colon excl. rectum	937	27.4	0.92	16.7	0.56	1,105	24.9	0.76	15.0	0.48
Rectum & rectosigmoid	559	15.4	0.67	10.3	0.44	452	10.0	0.47	6.4	0.32
Anus, anal canal & anorectum	16	0.5	0.12	0.3	0.07	18	0.4	0.09	0.3	0.06
Liver	888	24.4	0.84	16.7	0.58	336	7.8	0.43	4.6	0.27
Gallbladder	23	0.7	0.15	0.4	0.09	57	1.3	0.17	0.8	0.11
Pancreas	331	10.0	0.56	5.7	0.32	384	8.9	0.46	4.8	0.26
Respiratory System	1,801	55.2	1.33	31.2	0.77	1,292	29.4	0.82	17.7	0.53
Larynx	74	2.2	0.26	1.4	0.17	9	0.2	0.07	0.1	0.05
Lung & bronchus	1,690	52.1	1.29	29.1	0.74	1,261	28.8	0.82	17.2	0.52
Bones & Joints	26	0.7	0.14	0.6	0.13	25	0.6	0.12	0.5	0.12
Soft Tissue (incl. heart)	93	2.4	0.26	1.9	0.21	99	2.2	0.22	1.7	0.19
Skin (excl. basal & sq.)	82	2.3	0.26	1.6	0.18	94	2.1	0.22	1.5	0.17
Melanomas of the skin	48	1.3	0.20	1.0	0.14	49	1.1	0.16	0.8	0.13
Breast (excl. <i>in situ</i>)	24	0.6	0.13	0.5	0.10	4,500	96.0	1.44	71.6	1.09
Female Genital System	-	-	-	-	-	1,707	36.1	0.88	27.1	0.68
Cervix uteri	-	-	-	-	-	272	5.8	0.35	4.3	0.27
Uterus Corpus	-	-	-	-	-	870	18.1	0.62	14.0	0.48
Uterus, NOS ¹	-	-	-	-	-	14	0.3	0.08	0.2	0.05
Ovary	-	-	-	-	-	464	9.9	0.46	7.4	0.36
Male Genital System	3,077	89.1	1.64	58.8	1.10	-	-	-	-	-
Prostate	2,962	86.4	1.62	56.3	1.07	-	-	-	-	-
Testis	91	2.1	0.22	2.0	0.22	-	-	-	-	-
Penis	15	0.4	0.12	0.3	0.07	-	-	-	-	-
Urinary System	951	28.1	0.93	16.9	0.57	439	10.0	0.48	6.2	0.32
Bladder (incl. <i>in situ</i>)	528	16.2	0.72	9.1	0.41	177	4.1	0.31	2.2	0.18
Kidney & renal pelvis	395	10.9	0.56	7.4	0.39	230	5.1	0.34	3.5	0.25
Ureter	20	0.7	0.15	0.3	0.08	28	0.7	0.12	0.4	0.08
Eye & Orbit	11	0.3	0.08	0.3	0.10	11	0.3	0.08	0.3	0.11
Brain & Other Nervous System	164	4.3	0.35	3.6	0.30	144	3.2	0.27	2.6	0.24
Brain	148	3.9	0.33	3.2	0.29	129	2.9	0.26	2.3	0.23
Endocrine System	232	5.8	0.38	4.6	0.31	785	16.5	0.59	13.5	0.50
Thyroid gland	181	4.4	0.34	3.4	0.26	746	15.7	0.58	12.7	0.48
Lymphomas	665	18.7	0.75	12.7	0.52	600	13.3	0.55	9.5	0.42
Hodgkin Lymphoma	63	1.6	0.20	1.5	0.19	57	1.2	0.16	1.3	0.18
Non-Hodgkin Lymphoma	602	17.2	0.72	11.3	0.48	543	12.1	0.52	8.2	0.38
Multiple Myeloma	144	4.2	0.36	2.6	0.22	141	3.2	0.27	1.9	0.17
Leukemias	290	8.3	0.50	6.0	0.38	265	6.1	0.38	5.0	0.35
Acute lymphocytic	45	1.1	0.17	1.5	0.23	46	1.2	0.17	1.5	0.24
Chronic lymphocytic	56	1.7	0.24	0.9	0.13	38	0.8	0.14	0.5	0.09
Acute myeloid	119	3.5	0.33	2.2	0.21	122	2.8	0.25	2.0	0.19
Chronic myeloid	47	1.3	0.20	0.9	0.13	22	0.5	0.11	0.4	0.09
Other leukemias	23	0.6	0.13	0.5	0.11	37	0.8	0.14	0.5	0.10
Mesothelioma	14	0.4	0.12	0.2	0.07	11	0.3	0.08	0.1	0.04
Kaposi Sarcoma	14	0.3	0.09	0.3	0.07	-	-	-	-	-
Ill-defined & Unknown	455	14.2	0.68	7.9	0.39	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	231	6.2	0.42	4.4	0.30	492	10.9	0.49	7.5	0.36
Breast (<i>in situ</i>)	-	-	-	-	-	1,585	33.7	0.85	25.7	0.66

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9,193	458.4	5.26	295.2	3.23	9,334	353.3	3.80	239.9	2.59
Oral Cavity & Pharynx	224	10.5	0.76	7.2	0.50	125	4.9	0.46	3.2	0.30
Lip	11	0.5	0.18	0.3	0.10	-	-	-	-	-
Tongue	57	2.8	0.40	1.9	0.26	36	1.5	0.25	0.9	0.16
Major salivary gland	21	0.9	0.22	0.6	0.14	23	0.9	0.19	0.6	0.13
Floor of mouth	11	0.5	0.16	0.4	0.12	-	-	-	-	-
Gum & other mouth	31	1.6	0.32	0.8	0.16	31	1.3	0.25	0.7	0.14
Nasopharynx	11	0.4	0.13	0.3	0.09	11	0.4	0.12	0.3	0.09
Oropharynx	7	0.4	0.17	0.3	0.10	-	-	-	-	-
Hypopharynx	25	1.3	0.27	1.0	0.20	-	-	-	-	-
Digestive System	2,194	111.6	2.60	69.6	1.55	1,785	75.2	1.83	45.2	1.13
Esophagus	88	4.6	0.52	3.0	0.33	29	1.3	0.25	0.8	0.15
Stomach	276	15.1	0.99	8.6	0.55	219	9.0	0.63	5.4	0.38
Small intestine	36	1.6	0.30	1.1	0.20	36	1.4	0.25	0.9	0.15
Colon excl. rectum	592	32.0	1.43	18.9	0.81	622	26.4	1.09	15.6	0.66
Rectum & rectosigmoid	312	14.1	0.88	9.6	0.57	229	8.7	0.60	6.0	0.41
Anus, anal canal & anorectum	24	0.9	0.20	0.7	0.15	34	1.3	0.24	0.8	0.14
Liver	484	22.2	1.10	15.4	0.73	170	7.2	0.57	4.5	0.36
Gallbladder	19	1.0	0.27	0.5	0.12	63	2.8	0.36	1.6	0.21
Pancreas	260	14.3	0.95	8.4	0.54	259	11.6	0.73	6.3	0.42
Respiratory System	730	43.5	1.72	24.7	0.95	675	29.8	1.17	17.8	0.72
Larynx	78	4.7	0.56	2.7	0.31	10	0.4	0.13	0.3	0.09
Lung & bronchus	633	38.4	1.62	21.5	0.89	647	28.8	1.15	17.1	0.71
Bones & Joints	43	1.1	0.19	1.0	0.16	28	0.7	0.13	0.7	0.13
Soft Tissue (incl. heart)	102	3.7	0.43	2.6	0.28	94	3.2	0.34	2.3	0.25
Skin (excl. basal & sq.)	153	7.3	0.67	4.3	0.37	199	6.8	0.51	4.9	0.36
Melanomas of the skin	121	5.8	0.60	3.5	0.33	161	5.4	0.45	4.0	0.33
Breast (excl. <i>in situ</i>)	15	0.9	0.24	0.5	0.14	2,767	100.9	1.98	73.2	1.44
Female Genital System	-	-	-	-	-	1,222	43.0	1.28	31.3	0.93
Cervix uteri	-	-	-	-	-	299	9.1	0.54	7.0	0.42
Uterus Corpus	-	-	-	-	-	515	19.3	0.87	14.0	0.64
Uterus, NOS ¹	-	-	-	-	-	12	0.4	0.13	0.3	0.09
Ovary	-	-	-	-	-	319	11.3	0.66	8.1	0.47
Male Genital System	3,005	154.6	3.04	104.7	1.99	-	-	-	-	-
Prostate	2,707	148.1	3.01	98.8	1.96	-	-	-	-	-
Testis	268	5.1	0.33	5.2	0.32	-	-	-	-	-
Penis	26	1.1	0.25	0.7	0.15	-	-	-	-	-
Urinary System	838	44.3	1.67	26.9	0.97	484	19.3	0.91	12.6	0.60
Bladder (incl. <i>in situ</i>)	377	23.3	1.27	12.6	0.67	127	5.6	0.51	3.2	0.30
Kidney & renal pelvis	447	20.1	1.05	13.9	0.69	348	13.3	0.74	9.2	0.52
Ureter	8	0.6	0.23	0.3	0.11	8	0.4	0.14	0.2	0.06
Eye & Orbit	14	0.5	0.16	0.4	0.11	21	0.7	0.17	0.6	0.13
Brain & Other Nervous System	184	6.1	0.52	4.8	0.38	167	5.4	0.45	4.3	0.34
Brain	174	5.9	0.52	4.6	0.37	153	5.0	0.43	3.9	0.33
Endocrine System	154	5.3	0.48	4.1	0.35	533	15.5	0.70	12.7	0.57
Thyroid gland	126	4.4	0.45	3.3	0.31	509	14.8	0.68	12.1	0.55
Lymphomas	678	28.8	1.27	18.9	0.77	525	20.1	0.92	13.4	0.61
Hodgkin Lymphoma	102	2.7	0.31	2.3	0.23	86	2.5	0.30	2.1	0.24
Non-Hodgkin Lymphoma	576	26.1	1.23	16.7	0.74	439	17.5	0.87	11.3	0.56
Multiple Myeloma	148	7.7	0.69	4.8	0.41	108	4.7	0.46	2.8	0.28
Leukemias	356	13.3	0.85	10.0	0.55	264	8.4	0.56	6.8	0.43
Acute lymphocytic	130	2.5	0.23	3.3	0.29	107	2.4	0.25	2.9	0.28
Chronic lymphocytic	68	4.0	0.53	2.2	0.28	42	1.8	0.28	1.1	0.18
Acute myeloid	88	3.9	0.48	2.6	0.29	78	2.8	0.34	2.0	0.24
Chronic myeloid	42	1.8	0.31	1.1	0.18	21	0.8	0.18	0.4	0.10
Other leukemias	28	1.1	0.24	0.8	0.16	16	0.6	0.15	0.4	0.09
Mesothelioma	28	1.9	0.39	0.9	0.17	18	0.8	0.20	0.5	0.12
Kaposi Sarcoma	70	2.2	0.31	1.6	0.20	8	0.4	0.13	0.1	0.05
Ill-defined & Unknown	257	15.0	1.02	8.1	0.53	311	13.6	0.79	7.6	0.46
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	149	5.5	0.52	4.0	0.35	341	12.6	0.71	8.6	0.49
Breast (<i>in situ</i>)	-	-	-	-	-	647	23.2	0.94	17.2	0.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Greater Bay Area

46 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	50,507	569.8	2.59	375.0	1.79	46,243	456.1	2.20	315.1	1.67
Oral Cavity & Pharynx	1,674	17.8	0.45	12.8	0.33	714	6.9	0.27	4.8	0.20
Lip	141	1.6	0.14	1.0	0.09	68	0.6	0.08	0.4	0.05
Tongue	569	6.0	0.26	4.4	0.19	224	2.2	0.15	1.5	0.11
Major salivary gland	178	2.0	0.15	1.3	0.11	82	0.9	0.10	0.6	0.08
Floor of mouth	82	0.9	0.10	0.6	0.07	39	0.4	0.07	0.3	0.04
Gum & other mouth	130	1.4	0.13	0.9	0.08	135	1.2	0.11	0.8	0.08
Nasopharynx	53	0.6	0.09	0.5	0.07	24	0.2	0.05	0.2	0.04
Oropharynx	56	0.6	0.08	0.4	0.06	27	0.3	0.05	0.2	0.04
Hypopharynx	97	1.1	0.11	0.7	0.08	34	0.3	0.06	0.2	0.05
Digestive System	8,553	95.9	1.06	60.2	0.69	7,381	68.1	0.82	41.5	0.56
Esophagus	671	7.5	0.29	4.8	0.19	226	2.1	0.15	1.3	0.09
Stomach	714	8.1	0.31	5.0	0.20	411	3.8	0.19	2.2	0.12
Small intestine	216	2.4	0.16	1.6	0.11	168	1.6	0.13	1.1	0.09
Colon excl. rectum	2,967	34.1	0.64	20.1	0.39	3,267	29.8	0.54	17.5	0.35
Rectum & rectosigmoid	1,287	14.2	0.40	9.6	0.28	1,009	9.7	0.31	6.4	0.23
Anus, anal canal & anorectum	202	2.2	0.16	1.6	0.11	232	2.2	0.15	1.6	0.11
Liver	889	9.1	0.31	6.7	0.24	302	2.9	0.17	2.0	0.14
Gallbladder	52	0.6	0.09	0.4	0.05	116	1.1	0.10	0.6	0.06
Pancreas	1,254	14.2	0.41	8.5	0.25	1,204	10.8	0.32	6.3	0.21
Respiratory System	5,333	61.8	0.86	35.8	0.52	5,412	50.9	0.71	30.3	0.46
Larynx	355	4.0	0.21	2.6	0.14	95	0.9	0.09	0.6	0.07
Lung & bronchus	4,883	56.7	0.83	32.5	0.49	5,250	49.4	0.70	29.3	0.45
Bones & Joints	115	1.5	0.14	1.3	0.14	81	1.1	0.13	1.0	0.14
Soft Tissue (incl. heart)	366	4.3	0.23	2.9	0.18	258	2.7	0.18	2.1	0.17
Skin (excl. basal & sq.)	4,314	49.0	0.76	32.2	0.52	2,988	32.0	0.61	23.8	0.49
Melanomas of the skin	3,990	45.2	0.73	30.0	0.50	2,794	30.1	0.59	22.7	0.48
Breast (excl. <i>in situ</i>)	115	1.3	0.13	0.8	0.08	14,765	148.2	1.26	107.7	0.95
Female Genital System	-	-	-	-	-	5,027	49.8	0.72	36.2	0.55
Cervix uteri	-	-	-	-	-	473	5.7	0.27	4.5	0.22
Uterus Corpus	-	-	-	-	-	2,723	26.1	0.51	19.1	0.39
Uterus, NOS ¹	-	-	-	-	-	41	0.4	0.06	0.2	0.04
Ovary	-	-	-	-	-	1,403	14.0	0.39	10.0	0.29
Male Genital System	15,950	174.1	1.41	123.3	1.02	-	-	-	-	-
Prostate	15,270	165.0	1.36	115.0	0.96	-	-	-	-	-
Testis	601	8.2	0.34	7.7	0.33	-	-	-	-	-
Penis	61	0.7	0.09	0.4	0.06	-	-	-	-	-
Urinary System	5,412	62.1	0.86	37.2	0.54	2,104	19.6	0.44	12.4	0.31
Bladder (incl. <i>in situ</i>)	3,547	41.2	0.70	23.1	0.41	1,145	10.3	0.32	6.1	0.21
Kidney & renal pelvis	1,745	19.5	0.48	13.3	0.34	884	8.7	0.30	5.9	0.23
Ureter	88	1.1	0.11	0.6	0.07	55	0.5	0.06	0.2	0.04
Eye & Orbit	117	1.3	0.13	1.0	0.11	107	1.1	0.11	0.9	0.10
Brain & Other Nervous System	819	10.0	0.36	8.0	0.33	614	7.0	0.30	6.1	0.31
Brain	778	9.4	0.35	7.5	0.32	560	6.3	0.28	5.4	0.29
Endocrine System	580	6.9	0.29	5.6	0.26	1,389	16.8	0.47	14.1	0.42
Thyroid gland	509	6.0	0.27	4.7	0.22	1,322	16.0	0.46	13.4	0.40
Lymphomas	2,837	33.0	0.64	23.0	0.48	2,136	21.5	0.49	15.2	0.40
Hodgkin Lymphoma	278	3.7	0.23	3.2	0.22	244	3.3	0.22	3.2	0.23
Non-Hodgkin Lymphoma	2,559	29.4	0.59	19.7	0.43	1,892	18.2	0.43	12.0	0.32
Multiple Myeloma	679	7.7	0.30	4.7	0.19	504	4.7	0.22	3.0	0.15
Leukemias	1,589	18.9	0.49	12.7	0.39	1,097	11.1	0.36	8.0	0.33
Acute lymphocytic	116	1.8	0.18	2.3	0.24	92	1.4	0.15	1.7	0.20
Chronic lymphocytic	738	8.4	0.32	5.0	0.19	473	4.3	0.21	2.6	0.14
Acute myeloid	381	4.5	0.24	2.8	0.16	324	3.3	0.19	2.4	0.17
Chronic myeloid	173	2.1	0.16	1.4	0.12	113	1.1	0.11	0.8	0.09
Other leukemias	181	2.1	0.16	1.3	0.11	95	0.9	0.10	0.6	0.09
Mesothelioma	186	2.2	0.17	1.1	0.09	44	0.4	0.07	0.2	0.04
Kaposi Sarcoma	159	1.9	0.16	1.5	0.13	13	0.1	0.04	0.1	0.02
Ill-defined & Unknown	1,709	19.9	0.49	10.8	0.28	1,609	14.1	0.37	7.7	0.24
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	627	7.3	0.30	5.5	0.25	1,240	12.6	0.37	9.1	0.30
Breast (<i>in situ</i>)	19	0.2	0.05	0.1	0.04	3,710	38.4	0.65	29.0	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,827	609.0	8.40	413.2	5.54	4,988	424.1	6.10	293.9	4.38
Oral Cavity & Pharynx	130	12.2	1.12	9.0	0.81	73	6.1	0.72	4.8	0.60
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	30	2.7	0.52	2.0	0.38	13	1.0	0.29	0.8	0.23
Major salivary gland	11	1.0	0.32	0.8	0.25	15	1.2	0.32	1.1	0.31
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	16	1.6	0.41	1.1	0.28	16	1.3	0.34	1.0	0.27
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	11	1.0	0.32	0.8	0.24	-	-	-	-	-
Hypopharynx	17	1.6	0.41	1.2	0.31	-	-	-	-	-
Digestive System	1,243	130.8	3.92	85.4	2.47	1,109	94.7	2.89	61.0	1.93
Esophagus	49	5.2	0.79	3.2	0.47	45	3.7	0.57	2.5	0.39
Stomach	121	14.3	1.36	8.3	0.77	99	8.6	0.88	5.1	0.55
Small intestine	39	4.4	0.73	2.7	0.45	27	2.3	0.45	1.6	0.32
Colon excl. rectum	406	45.2	2.37	27.9	1.41	461	39.7	1.88	25.1	1.23
Rectum & rectosigmoid	161	16.0	1.33	11.1	0.89	116	9.7	0.91	6.8	0.66
Anus, anal canal & anorectum	23	2.0	0.42	1.6	0.33	22	1.8	0.38	1.3	0.28
Liver	244	22.1	1.49	16.7	1.09	75	5.8	0.68	4.5	0.53
Gallbladder	8	1.1	0.40	0.5	0.19	21	1.7	0.38	1.1	0.26
Pancreas	160	17.1	1.43	11.2	0.90	193	16.9	1.24	10.2	0.78
Respiratory System	876	97.0	3.45	60.5	2.09	750	64.8	2.40	42.1	1.61
Larynx	72	7.7	0.96	5.1	0.61	16	1.3	0.34	1.0	0.26
Lung & bronchus	788	87.6	3.29	54.3	1.98	722	62.4	2.36	40.3	1.58
Bones & Joints	10	1.0	0.35	0.9	0.29	8	0.7	0.24	0.7	0.26
Soft Tissue (incl. heart)	31	3.3	0.61	2.5	0.46	39	3.2	0.53	2.5	0.42
Skin (excl. basal & sq.)	22	2.4	0.53	1.5	0.33	28	2.4	0.46	1.6	0.33
Melanomas of the skin	8	0.8	0.29	0.5	0.19	13	1.1	0.32	0.6	0.18
Breast (excl. <i>in situ</i>)	8	0.8	0.28	0.6	0.21	1,483	124.5	3.28	90.6	2.43
Female Genital System	-	-	-	-	-	511	42.2	1.89	31.7	1.45
Cervix uteri	-	-	-	-	-	77	6.4	0.74	5.1	0.59
Uterus Corpus	-	-	-	-	-	260	21.4	1.35	16.1	1.03
Uterus, NOS ¹	-	-	-	-	-	6	0.5	0.20	0.3	0.14
Ovary	-	-	-	-	-	123	10.3	0.94	7.4	0.69
Male Genital System	2,251	225.3	4.98	162.1	3.47	-	-	-	-	-
Prostate	2,216	221.9	4.94	159.4	3.44	-	-	-	-	-
Testis	24	2.2	0.46	1.9	0.39	-	-	-	-	-
Penis	8	0.8	0.30	0.6	0.21	-	-	-	-	-
Urinary System	448	49.7	2.47	31.2	1.51	240	20.6	1.35	13.5	0.95
Bladder (incl. <i>in situ</i>)	209	24.6	1.79	14.4	1.02	90	7.8	0.83	4.2	0.49
Kidney & renal pelvis	230	23.9	1.66	16.2	1.09	144	12.3	1.04	8.9	0.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	37	3.5	0.59	3.4	0.62	53	4.7	0.66	3.8	0.59
Brain	33	3.1	0.56	3.1	0.60	50	4.4	0.64	3.5	0.55
Endocrine System	33	3.5	0.63	2.7	0.51	97	8.1	0.84	6.5	0.69
Thyroid gland	18	1.9	0.48	1.2	0.30	83	7.0	0.78	5.5	0.62
Lymphomas	236	23.2	1.58	17.6	1.19	196	17.0	1.23	12.9	0.97
Hodgkin Lymphoma	48	4.5	0.67	3.9	0.57	38	3.3	0.54	3.2	0.52
Non-Hodgkin Lymphoma	188	18.7	1.43	13.8	1.04	158	13.7	1.11	9.8	0.82
Multiple Myeloma	144	16.3	1.43	9.9	0.85	121	10.7	0.99	6.6	0.64
Leukemias	150	17.1	1.47	11.4	0.99	89	7.9	0.85	5.8	0.71
Acute lymphocytic	15	1.4	0.36	1.8	0.49	11	0.9	0.29	1.0	0.33
Chronic lymphocytic	54	6.8	0.96	3.7	0.51	25	2.3	0.46	1.3	0.27
Acute myeloid	44	5.0	0.80	3.3	0.54	32	2.8	0.50	2.3	0.49
Chronic myeloid	23	2.4	0.52	1.6	0.34	12	1.1	0.31	0.8	0.24
Other leukemias	14	1.5	0.43	0.9	0.26	9	0.8	0.29	0.5	0.17
Mesothelioma	-	-	-	-	-	6	0.5	0.21	0.3	0.11
Kaposi Sarcoma	36	3.3	0.56	2.7	0.46	-	-	-	-	-
Ill-defined & Unknown	166	18.7	1.54	11.3	0.90	183	15.8	1.19	9.3	0.77
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	96	10.5	1.13	6.9	0.73	167	13.9	1.09	9.6	0.78
Breast (<i>in situ</i>)	-	-	-	-	-	355	29.3	1.58	21.8	1.18

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Greater Bay Area

48 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	96,135	487.2	1.61	317.4	1.06	94,913	381.9	1.25	263.4	0.91
Oral Cavity & Pharynx	2,802	13.4	0.26	9.4	0.18	1,358	5.5	0.15	3.7	0.11
Lip	148	0.8	0.06	0.5	0.04	64	0.3	0.03	0.1	0.02
Tongue	807	3.8	0.14	2.8	0.10	407	1.6	0.08	1.1	0.06
Major salivary gland	319	1.6	0.09	1.0	0.06	241	1.0	0.06	0.7	0.05
Floor of mouth	121	0.6	0.05	0.4	0.04	53	0.2	0.03	0.1	0.02
Gum & other mouth	306	1.5	0.09	1.0	0.06	256	1.0	0.07	0.6	0.04
Nasopharynx	233	1.0	0.07	0.8	0.05	110	0.4	0.04	0.3	0.03
Oropharynx	113	0.5	0.05	0.4	0.04	39	0.2	0.03	0.1	0.02
Hypopharynx	185	0.9	0.07	0.6	0.05	41	0.2	0.03	0.1	0.02
Digestive System	21,161	107.8	0.76	68.0	0.48	17,846	71.8	0.54	44.4	0.36
Esophagus	1,132	5.8	0.18	3.6	0.11	361	1.5	0.08	0.9	0.05
Stomach	2,603	13.6	0.27	8.2	0.17	1,907	7.7	0.18	4.7	0.12
Small intestine	401	2.0	0.10	1.3	0.07	317	1.3	0.07	0.8	0.05
Colon excl. rectum	6,945	36.2	0.44	21.9	0.27	7,031	28.2	0.34	17.0	0.22
Rectum & rectosigmoid	3,239	16.0	0.29	10.7	0.19	2,503	10.0	0.20	6.7	0.14
Anus, anal canal & anorectum	366	1.7	0.09	1.2	0.07	447	1.8	0.08	1.2	0.06
Liver	2,898	13.8	0.26	9.8	0.19	1,111	4.5	0.14	2.9	0.09
Gallbladder	170	0.9	0.07	0.5	0.04	447	1.8	0.09	1.1	0.06
Pancreas	2,378	12.4	0.26	7.5	0.16	2,491	10.1	0.20	5.8	0.13
Respiratory System	11,471	61.1	0.58	36.3	0.35	9,369	38.3	0.40	23.3	0.26
Larynx	1,008	5.1	0.16	3.3	0.11	188	0.8	0.06	0.5	0.04
Lung & bronchus	10,226	54.9	0.55	32.1	0.33	9,011	36.9	0.39	22.3	0.25
Bones & Joints	217	0.9	0.06	0.9	0.06	158	0.6	0.05	0.6	0.05
Soft Tissue (incl. heart)	809	3.9	0.14	2.8	0.10	667	2.7	0.10	2.1	0.09
Skin (excl. basal & sq.)	4,563	23.1	0.35	14.5	0.22	2,927	11.7	0.22	8.3	0.16
Melanomas of the skin	3,951	19.8	0.32	12.6	0.21	2,514	10.0	0.20	7.2	0.15
Breast (excl. <i>in situ</i>)	217	1.1	0.08	0.7	0.05	28,876	116.0	0.69	84.2	0.51
Female Genital System	-	-	-	-	-	12,402	49.5	0.45	36.7	0.34
Cervix uteri	-	-	-	-	-	2,333	9.4	0.20	7.3	0.15
Uterus Corpus	-	-	-	-	-	5,865	23.3	0.31	17.5	0.24
Uterus, NOS ¹	-	-	-	-	-	184	0.7	0.05	0.5	0.04
Ovary	-	-	-	-	-	3,110	12.5	0.22	9.0	0.17
Male Genital System	28,224	140.8	0.86	97.5	0.60	-	-	-	-	-
Prostate	26,622	134.3	0.84	91.6	0.58	-	-	-	-	-
Testis	1,362	5.3	0.14	5.1	0.14	-	-	-	-	-
Penis	184	0.9	0.07	0.6	0.04	-	-	-	-	-
Urinary System	9,764	51.3	0.53	30.7	0.32	4,186	16.9	0.26	10.9	0.18
Bladder (incl. <i>in situ</i>)	5,651	31.0	0.42	17.0	0.24	1,815	7.3	0.17	4.1	0.11
Kidney & renal pelvis	3,901	19.1	0.31	13.1	0.22	2,243	9.1	0.19	6.5	0.15
Ureter	116	0.7	0.06	0.3	0.03	82	0.3	0.04	0.2	0.02
Eye & Orbit	158	0.8	0.06	0.6	0.05	162	0.6	0.05	0.6	0.05
Brain & Other Nervous System	1,472	6.8	0.18	5.4	0.15	1,118	4.5	0.14	3.7	0.12
Brain	1,378	6.4	0.18	5.1	0.14	1,042	4.2	0.13	3.5	0.12
Endocrine System	1,424	6.4	0.17	5.0	0.14	4,414	17.7	0.27	14.6	0.22
Thyroid gland	1,248	5.6	0.16	4.3	0.12	4,243	17.0	0.26	13.9	0.22
Lymphomas	5,183	25.3	0.36	17.2	0.25	4,383	17.7	0.27	12.1	0.20
Hodgkin Lymphoma	685	2.9	0.11	2.5	0.10	523	2.1	0.09	1.9	0.09
Non-Hodgkin Lymphoma	4,498	22.4	0.34	14.6	0.23	3,860	15.6	0.25	10.2	0.18
Multiple Myeloma	1,391	7.2	0.20	4.5	0.12	1,085	4.4	0.14	2.8	0.09
Leukemias	3,227	15.9	0.29	11.6	0.22	2,438	9.9	0.20	7.5	0.17
Acute lymphocytic	586	2.4	0.10	3.0	0.13	421	1.8	0.09	2.2	0.11
Chronic lymphocytic	1,003	5.3	0.17	3.1	0.10	691	2.8	0.11	1.6	0.07
Acute myeloid	887	4.5	0.15	3.0	0.11	783	3.2	0.11	2.2	0.09
Chronic myeloid	394	1.9	0.10	1.3	0.07	293	1.2	0.07	0.8	0.05
Other leukemias	357	1.8	0.10	1.2	0.06	250	1.0	0.06	0.6	0.05
Mesothelioma	256	1.4	0.09	0.8	0.05	98	0.4	0.04	0.2	0.03
Kaposi Sarcoma	432	1.9	0.09	1.5	0.07	22	0.1	0.02	0.1	0.01
Ill-defined & Unknown	3,364	18.1	0.32	10.2	0.18	3,404	13.5	0.23	7.7	0.15
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,248	6.0	0.17	4.2	0.12	2,819	11.3	0.22	7.9	0.16
Breast (<i>in situ</i>)	23	0.1	0.02	0.1	0.02	6,364	25.6	0.32	19.3	0.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	70,539	489.9	1.88	319.5	1.25	70,331	397.5	1.51	273.9	1.11
Oral Cavity & Pharynx	2,096	13.8	0.31	9.7	0.22	968	5.5	0.18	3.7	0.13
Lip	144	1.0	0.09	0.6	0.05	54	0.3	0.04	0.2	0.03
Tongue	632	4.1	0.17	3.0	0.12	304	1.7	0.10	1.2	0.07
Major salivary gland	255	1.8	0.12	1.1	0.07	182	1.0	0.08	0.7	0.06
Floor of mouth	100	0.6	0.07	0.5	0.05	36	0.2	0.03	0.1	0.02
Gum & other mouth	227	1.6	0.11	1.0	0.07	177	1.0	0.08	0.6	0.05
Nasopharynx	88	0.5	0.06	0.4	0.05	45	0.3	0.04	0.2	0.03
Oropharynx	77	0.5	0.06	0.4	0.04	23	0.1	0.03	0.1	0.02
Hypopharynx	135	0.9	0.08	0.6	0.05	33	0.2	0.03	0.1	0.02
Digestive System	14,768	103.2	0.87	65.0	0.56	12,365	69.5	0.63	42.9	0.42
Esophagus	882	6.2	0.21	3.9	0.14	260	1.5	0.09	0.9	0.06
Stomach	1,701	12.0	0.30	7.4	0.19	1,218	6.8	0.20	4.3	0.14
Small intestine	302	2.1	0.12	1.4	0.08	208	1.2	0.08	0.8	0.06
Colon excl. rectum	4,934	35.3	0.51	21.2	0.32	4,835	27.1	0.39	16.1	0.26
Rectum & rectosigmoid	2,233	15.2	0.33	10.1	0.22	1,714	9.7	0.24	6.5	0.17
Anus, anal canal & anorectum	292	1.9	0.11	1.4	0.08	368	2.1	0.11	1.5	0.08
Liver	1,837	12.0	0.29	8.6	0.21	688	3.9	0.15	2.6	0.11
Gallbladder	120	0.9	0.08	0.5	0.05	369	2.1	0.11	1.3	0.07
Pancreas	1,743	12.5	0.31	7.5	0.19	1,775	10.0	0.24	5.7	0.15
Respiratory System	8,112	59.6	0.67	35.1	0.41	6,922	39.6	0.48	23.8	0.31
Larynx	772	5.4	0.20	3.5	0.13	132	0.8	0.07	0.5	0.05
Lung & bronchus	7,161	53.0	0.64	30.7	0.38	6,658	38.2	0.47	22.7	0.31
Bones & Joints	178	1.0	0.08	1.0	0.08	115	0.6	0.06	0.6	0.06
Soft Tissue (incl. heart)	641	4.2	0.17	3.0	0.13	501	2.8	0.13	2.2	0.11
Skin (excl. basal & sq.)	4,283	29.6	0.46	18.5	0.30	2,710	15.1	0.29	10.8	0.22
Melanomas of the skin	3,774	25.9	0.43	16.5	0.28	2,386	13.4	0.28	9.7	0.21
Breast (excl. <i>in situ</i>)	148	1.1	0.09	0.6	0.06	21,113	120.0	0.83	86.8	0.62
Female Genital System	-	-	-	-	-	9,367	52.9	0.55	39.0	0.42
Cervix uteri	-	-	-	-	-	1,739	10.0	0.24	7.8	0.19
Uterus Corpus	-	-	-	-	-	4,368	24.6	0.37	18.5	0.29
Uterus, NOS ¹	-	-	-	-	-	121	0.7	0.06	0.4	0.04
Ovary	-	-	-	-	-	2,407	13.6	0.28	9.7	0.21
Male Genital System	19,271	131.9	0.97	92.6	0.69	-	-	-	-	-
Prostate	17,885	124.4	0.95	85.7	0.66	-	-	-	-	-
Testis	1,210	6.3	0.18	6.1	0.18	-	-	-	-	-
Penis	138	0.9	0.08	0.6	0.05	-	-	-	-	-
Urinary System	7,738	55.7	0.65	33.3	0.40	3,229	18.3	0.33	11.8	0.23
Bladder (incl. <i>in situ</i>)	4,545	34.1	0.51	18.7	0.29	1,419	8.0	0.21	4.5	0.13
Kidney & renal pelvis	3,026	20.4	0.38	13.9	0.26	1,728	9.9	0.24	7.0	0.18
Ureter	95	0.7	0.08	0.4	0.04	50	0.3	0.04	0.2	0.02
Eye & Orbit	132	0.9	0.08	0.6	0.06	143	0.8	0.07	0.7	0.06
Brain & Other Nervous System	1,228	7.7	0.22	6.1	0.18	933	5.3	0.17	4.2	0.15
Brain	1,152	7.2	0.22	5.7	0.18	883	5.0	0.17	4.0	0.15
Endocrine System	1,081	6.6	0.21	5.1	0.16	3,253	18.4	0.32	15.2	0.27
Thyroid gland	959	5.9	0.19	4.5	0.15	3,136	17.8	0.32	14.6	0.27
Lymphomas	4,112	27.5	0.44	18.5	0.30	3,434	19.3	0.33	13.2	0.24
Hodgkin Lymphoma	566	3.3	0.14	2.8	0.12	416	2.3	0.11	2.1	0.11
Non-Hodgkin Lymphoma	3,546	24.2	0.42	15.7	0.27	3,018	17.0	0.31	11.1	0.22
Multiple Myeloma	990	7.0	0.23	4.4	0.14	691	3.9	0.15	2.5	0.10
Leukemias	2,611	17.4	0.35	12.8	0.27	1,885	10.6	0.25	8.1	0.21
Acute lymphocytic	516	2.8	0.13	3.4	0.16	369	2.1	0.11	2.5	0.14
Chronic lymphocytic	821	5.9	0.21	3.6	0.13	543	3.0	0.13	1.8	0.08
Acute myeloid	688	4.7	0.18	3.2	0.13	569	3.2	0.14	2.3	0.11
Chronic myeloid	298	1.9	0.11	1.4	0.08	210	1.2	0.08	0.8	0.06
Other leukemias	288	2.0	0.12	1.3	0.08	194	1.1	0.08	0.7	0.05
Mesothelioma	232	1.8	0.12	0.9	0.07	88	0.5	0.05	0.3	0.03
Kaposi Sarcoma	326	1.9	0.11	1.5	0.08	20	0.1	0.03	0.1	0.02
Ill-defined & Unknown	2,592	19.1	0.38	10.7	0.22	2,594	14.3	0.28	8.1	0.18
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	979	6.4	0.21	4.5	0.15	2,089	11.8	0.26	8.3	0.19
Breast (<i>in situ</i>)	17	0.1	0.03	0.1	0.02	4,439	25.4	0.38	19.2	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	11,069	580.6	5.75	393.5	3.81	10,488	403.0	3.97	278.1	2.83
Oral Cavity & Pharynx	308	14.7	0.87	11.0	0.63	148	5.7	0.47	4.0	0.34
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	76	3.7	0.44	2.7	0.31	40	1.5	0.24	1.1	0.18
Major salivary gland	21	1.1	0.26	0.7	0.16	19	0.7	0.17	0.5	0.12
Floor of mouth	12	0.5	0.16	0.4	0.12	-	-	-	-	-
Gum & other mouth	37	1.7	0.29	1.3	0.22	36	1.4	0.24	0.9	0.16
Nasopharynx	27	1.3	0.25	1.0	0.19	8	0.3	0.11	0.2	0.08
Oropharynx	24	1.2	0.24	0.9	0.18	12	0.5	0.14	0.3	0.09
Hypopharynx	30	1.3	0.24	1.1	0.20	-	-	-	-	-
Digestive System	2,395	129.6	2.77	83.0	1.73	2,333	90.8	1.90	57.0	1.24
Esophagus	119	6.6	0.63	4.1	0.39	55	2.1	0.29	1.4	0.20
Stomach	248	14.3	0.95	8.3	0.54	208	8.1	0.57	4.7	0.35
Small intestine	65	3.6	0.47	2.3	0.29	69	2.7	0.33	1.8	0.23
Colon excl. rectum	896	49.7	1.73	30.9	1.05	1,090	42.7	1.31	26.1	0.84
Rectum & rectosigmoid	311	16.2	0.96	10.9	0.63	290	11.0	0.65	7.5	0.46
Anus, anal canal & anorectum	48	2.1	0.32	1.7	0.25	45	1.7	0.25	1.2	0.19
Liver	301	14.6	0.87	10.8	0.63	96	3.6	0.37	2.5	0.27
Gallbladder	19	1.1	0.27	0.7	0.16	31	1.2	0.22	0.8	0.15
Pancreas	296	16.3	0.99	10.0	0.59	349	13.8	0.74	8.3	0.47
Respiratory System	1,661	91.6	2.34	57.6	1.44	1,315	51.0	1.42	33.7	0.97
Larynx	153	8.1	0.68	5.3	0.44	46	1.6	0.24	1.3	0.19
Lung & bronchus	1,484	82.3	2.23	51.4	1.36	1,259	49.0	1.39	32.1	0.94
Bones & Joints	16	0.7	0.19	0.6	0.16	20	0.8	0.18	0.7	0.17
Soft Tissue (incl. heart)	79	3.7	0.42	3.1	0.35	75	2.8	0.33	2.2	0.27
Skin (excl. basal & sq.)	54	2.7	0.38	2.0	0.28	40	1.6	0.26	1.2	0.20
Melanomas of the skin	24	1.3	0.27	0.9	0.18	14	0.6	0.15	0.4	0.12
Breast (excl. <i>in situ</i>)	36	2.1	0.36	1.2	0.20	3,273	124.3	2.19	89.2	1.60
Female Genital System	-	-	-	-	-	1,197	45.2	1.32	33.4	0.99
Cervix uteri	-	-	-	-	-	202	7.8	0.55	5.8	0.42
Uterus Corpus	-	-	-	-	-	612	22.9	0.94	17.1	0.71
Uterus, NOS ¹	-	-	-	-	-	31	1.1	0.21	0.9	0.16
Ovary	-	-	-	-	-	261	9.9	0.62	7.1	0.46
Male Genital System	4,182	209.7	3.36	151.7	2.38	-	-	-	-	-
Prostate	4,116	206.2	3.33	149.3	2.36	-	-	-	-	-
Testis	36	1.6	0.27	1.4	0.24	-	-	-	-	-
Penis	24	1.5	0.32	0.8	0.16	-	-	-	-	-
Urinary System	884	48.3	1.70	31.2	1.07	494	19.3	0.88	12.6	0.60
Bladder (incl. <i>in situ</i>)	414	24.5	1.26	14.0	0.70	192	7.7	0.56	4.3	0.33
Kidney & renal pelvis	457	22.9	1.11	16.7	0.80	288	11.1	0.66	8.0	0.49
Ureter	-	-	-	-	-	8	0.3	0.11	0.2	0.07
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	91	4.4	0.49	3.6	0.38	79	3.0	0.34	2.7	0.33
Brain	83	4.1	0.47	3.2	0.36	68	2.6	0.32	2.3	0.30
Endocrine System	81	4.1	0.47	2.9	0.33	321	12.0	0.68	9.8	0.56
Thyroid gland	66	3.3	0.41	2.4	0.29	298	11.1	0.65	9.0	0.53
Lymphomas	408	19.9	1.02	15.2	0.76	342	13.3	0.72	9.7	0.56
Hodgkin Lymphoma	63	2.7	0.35	2.5	0.32	62	2.4	0.30	2.2	0.29
Non-Hodgkin Lymphoma	345	17.1	0.96	12.7	0.69	280	10.9	0.66	7.5	0.47
Multiple Myeloma	247	13.7	0.91	8.6	0.55	259	10.1	0.63	6.5	0.42
Leukemias	203	11.6	0.85	7.2	0.52	210	8.2	0.57	6.0	0.45
Acute lymphocytic	19	1.0	0.24	0.8	0.20	18	0.7	0.17	0.8	0.21
Chronic lymphocytic	59	3.8	0.52	1.9	0.26	57	2.3	0.31	1.3	0.19
Acute myeloid	69	3.8	0.48	2.4	0.30	77	2.9	0.34	2.1	0.26
Chronic myeloid	28	1.4	0.28	1.0	0.19	35	1.3	0.22	1.1	0.18
Other leukemias	28	1.5	0.29	1.1	0.21	23	0.9	0.19	0.7	0.16
Mesothelioma	13	0.8	0.24	0.4	0.12	-	-	-	-	-
Kaposi Sarcoma	62	2.9	0.37	2.3	0.30	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	374	14.6	0.76	9.0	0.49
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	105	5.6	0.57	3.8	0.38	307	12.0	0.69	8.2	0.48
Breast (<i>in situ</i>)	-	-	-	-	-	711	26.9	1.02	19.7	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	11,164	344.6	3.32	218.8	2.17	12,798	297.6	2.66	207.8	1.95
Oral Cavity & Pharynx	336	9.9	0.55	6.8	0.38	212	4.9	0.34	3.5	0.25
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	76	2.3	0.27	1.5	0.18	54	1.3	0.17	0.9	0.12
Major salivary gland	37	1.0	0.17	0.8	0.13	37	0.9	0.14	0.7	0.12
Floor of mouth	8	0.3	0.09	0.1	0.05	11	0.3	0.08	0.2	0.06
Gum & other mouth	33	1.0	0.18	0.6	0.11	35	0.8	0.14	0.5	0.09
Nasopharynx	116	3.3	0.31	2.5	0.24	55	1.3	0.17	1.0	0.13
Oropharynx	11	0.3	0.10	0.2	0.06	-	-	-	-	-
Hypopharynx	17	0.5	0.14	0.3	0.08	-	-	-	-	-
Digestive System	3,739	114.8	1.91	71.6	1.21	2,974	70.3	1.30	42.9	0.84
Esophagus	114	3.5	0.33	2.2	0.21	40	1.0	0.15	0.5	0.08
Stomach	632	20.2	0.82	11.6	0.48	472	11.2	0.52	6.5	0.32
Small intestine	30	1.0	0.18	0.5	0.10	35	0.8	0.14	0.6	0.10
Colon excl. rectum	1,006	31.4	1.01	18.9	0.62	1,041	24.4	0.76	15.1	0.50
Rectum & rectosigmoid	633	18.5	0.75	12.6	0.51	458	10.5	0.50	7.2	0.35
Anus, anal canal & anorectum	23	0.7	0.15	0.5	0.10	25	0.6	0.12	0.3	0.07
Liver	738	21.6	0.81	14.8	0.56	314	7.6	0.43	4.4	0.27
Gallbladder	30	1.0	0.18	0.5	0.10	45	1.1	0.16	0.6	0.10
Pancreas	323	10.2	0.58	6.0	0.35	348	8.4	0.45	4.8	0.27
Respiratory System	1,625	51.8	1.31	30.0	0.78	1,067	25.3	0.78	15.2	0.50
Larynx	75	2.3	0.27	1.4	0.17	10	0.2	0.07	0.2	0.05
Lung & bronchus	1,521	48.7	1.27	27.9	0.74	1,032	24.4	0.77	14.7	0.49
Bones & Joints	22	0.6	0.13	0.6	0.14	19	0.5	0.11	0.5	0.12
Soft Tissue (incl. heart)	79	2.5	0.28	1.8	0.22	80	2.0	0.23	1.7	0.23
Skin (excl. basal & sq.)	68	2.0	0.24	1.4	0.18	57	1.3	0.18	0.9	0.12
Melanomas of the skin	42	1.2	0.19	0.9	0.14	27	0.6	0.12	0.4	0.09
Breast (excl. <i>in situ</i>)	29	0.9	0.17	0.6	0.11	4,163	94.7	1.48	71.5	1.13
Female Genital System	-	-	-	-	-	1,707	38.6	0.94	29.3	0.73
Cervix uteri	-	-	-	-	-	349	8.1	0.44	6.2	0.34
Uterus Corpus	-	-	-	-	-	824	18.2	0.64	14.2	0.50
Uterus, NOS ¹	-	-	-	-	-	28	0.6	0.12	0.4	0.08
Ovary	-	-	-	-	-	431	9.9	0.48	7.4	0.37
Male Genital System	2,532	77.1	1.56	50.6	1.04	-	-	-	-	-
Prostate	2,435	74.3	1.53	48.3	1.01	-	-	-	-	-
Testis	67	1.8	0.23	1.8	0.23	-	-	-	-	-
Penis	18	0.6	0.14	0.3	0.08	-	-	-	-	-
Urinary System	992	31.4	1.02	18.3	0.61	402	9.6	0.48	5.9	0.33
Bladder (incl. <i>in situ</i>)	569	18.7	0.80	9.9	0.43	161	3.8	0.30	2.1	0.18
Kidney & renal pelvis	395	11.7	0.60	7.9	0.42	211	5.0	0.35	3.4	0.27
Ureter	16	0.6	0.14	0.3	0.07	23	0.6	0.12	0.3	0.07
Eye & Orbit	8	0.3	0.09	0.2	0.10	7	0.2	0.09	0.4	0.15
Brain & Other Nervous System	140	4.2	0.36	3.6	0.33	99	2.6	0.26	2.2	0.27
Brain	130	3.9	0.35	3.3	0.32	86	2.3	0.25	2.0	0.26
Endocrine System	250	7.1	0.45	5.8	0.38	790	18.4	0.66	14.8	0.55
Thyroid gland	212	6.0	0.42	4.7	0.33	760	17.7	0.65	14.1	0.53
Lymphomas	535	16.4	0.72	10.9	0.49	488	11.6	0.53	7.6	0.37
Hodgkin Lymphoma	45	1.3	0.20	1.2	0.19	34	0.9	0.15	0.7	0.14
Non-Hodgkin Lymphoma	490	15.1	0.70	9.7	0.46	454	10.7	0.51	6.9	0.35
Multiple Myeloma	123	3.8	0.35	2.3	0.21	111	2.6	0.25	1.6	0.16
Leukemias	308	9.6	0.56	7.4	0.49	248	6.1	0.40	4.7	0.36
Acute lymphocytic	49	1.7	0.24	2.1	0.33	32	1.0	0.18	1.2	0.25
Chronic lymphocytic	46	1.4	0.22	0.8	0.13	30	0.7	0.13	0.4	0.08
Acute myeloid	125	3.9	0.35	2.7	0.27	124	3.0	0.27	2.1	0.22
Chronic myeloid	56	1.7	0.23	1.2	0.16	34	0.8	0.14	0.5	0.10
Other leukemias	32	1.0	0.18	0.6	0.12	28	0.6	0.12	0.4	0.09
Mesothelioma	8	0.2	0.08	0.2	0.06	6	0.2	0.06	0.1	0.04
Kaposi Sarcoma	20	0.6	0.14	0.4	0.09	-	-	-	-	-
Ill-defined & Unknown	350	11.3	0.62	6.3	0.35	368	8.8	0.46	4.9	0.28
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	146	4.4	0.37	3.1	0.27	387	9.1	0.47	6.3	0.34
Breast (<i>in situ</i>)	-	-	-	-	-	1,129	25.6	0.77	19.7	0.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	22,193	388.7	2.88	250.5	1.75	24,439	306.2	2.04	211.1	1.40
Oral Cavity & Pharynx	496	8.2	0.41	5.5	0.25	301	3.8	0.23	2.6	0.15
Lip	26	0.5	0.11	0.3	0.06	11	0.2	0.05	0.1	0.03
Tongue	118	2.1	0.21	1.4	0.13	93	1.2	0.13	0.8	0.09
Major salivary gland	68	1.1	0.14	0.7	0.09	77	0.9	0.11	0.6	0.07
Floor of mouth	26	0.4	0.08	0.3	0.05	9	0.1	0.04	0.1	0.03
Gum & other mouth	62	1.1	0.16	0.7	0.09	46	0.6	0.10	0.4	0.06
Nasopharynx	40	0.5	0.10	0.4	0.07	19	0.2	0.05	0.1	0.03
Oropharynx	18	0.3	0.08	0.2	0.05	-	-	-	-	-
Hypopharynx	44	0.9	0.14	0.5	0.08	8	0.1	0.04	0.1	0.03
Digestive System	5,631	101.1	1.47	63.6	0.88	4,854	67.7	1.00	41.9	0.63
Esophagus	241	4.6	0.32	2.8	0.18	46	0.7	0.10	0.4	0.06
Stomach	879	16.2	0.60	9.8	0.34	732	9.8	0.38	6.3	0.24
Small intestine	97	1.6	0.18	1.1	0.11	90	1.2	0.13	0.8	0.08
Colon excl. rectum	1,594	29.3	0.80	18.0	0.47	1,540	21.5	0.56	13.1	0.35
Rectum & rectosigmoid	825	14.0	0.53	9.2	0.33	643	8.4	0.34	5.6	0.23
Anus, anal canal & anorectum	79	1.1	0.14	0.8	0.09	93	1.3	0.14	0.8	0.09
Liver	1,000	16.5	0.57	11.3	0.37	445	6.4	0.31	4.0	0.20
Gallbladder	62	1.2	0.16	0.7	0.09	253	3.6	0.23	2.2	0.14
Pancreas	551	11.0	0.50	6.5	0.29	605	9.1	0.38	5.1	0.22
Respiratory System	1,929	40.3	0.98	22.6	0.53	1,389	20.5	0.56	11.9	0.33
Larynx	255	4.8	0.33	3.0	0.19	33	0.4	0.08	0.3	0.05
Lung & bronchus	1,594	34.4	0.92	18.8	0.49	1,305	19.5	0.55	11.2	0.32
Bones & Joints	92	0.8	0.10	0.8	0.09	59	0.5	0.07	0.5	0.07
Soft Tissue (incl. heart)	261	3.3	0.24	2.5	0.16	238	2.5	0.17	2.0	0.13
Skin (excl. basal & sq.)	322	5.3	0.33	3.3	0.20	357	4.2	0.23	3.0	0.16
Melanomas of the skin	244	4.1	0.29	2.6	0.17	264	3.1	0.20	2.2	0.14
Breast (excl. <i>in situ</i>)	24	0.4	0.10	0.3	0.06	6,880	82.7	1.03	60.1	0.74
Female Genital System	-	-	-	-	-	4,018	46.8	0.77	34.6	0.56
Cervix uteri	-	-	-	-	-	1,149	12.3	0.38	9.4	0.28
Uterus Corpus	-	-	-	-	-	1,618	19.1	0.49	14.6	0.37
Uterus, NOS ¹	-	-	-	-	-	52	0.7	0.10	0.4	0.06
Ovary	-	-	-	-	-	945	11.3	0.39	8.2	0.27
Male Genital System	6,749	121.6	1.60	81.1	1.02	-	-	-	-	-
Prostate	5,992	115.3	1.58	75.2	1.00	-	-	-	-	-
Testis	669	5.0	0.20	5.1	0.20	-	-	-	-	-
Penis	75	1.1	0.14	0.7	0.09	-	-	-	-	-
Urinary System	2,017	37.9	0.92	22.9	0.53	1,094	14.6	0.46	9.5	0.30
Bladder (incl. <i>in situ</i>)	796	17.6	0.67	9.3	0.34	292	4.4	0.26	2.4	0.15
Kidney & renal pelvis	1,188	19.6	0.62	13.2	0.40	780	9.9	0.37	6.9	0.26
Ureter	21	0.5	0.11	0.3	0.06	14	0.2	0.06	0.1	0.03
Eye & Orbit	43	0.6	0.11	0.5	0.07	50	0.5	0.08	0.5	0.07
Brain & Other Nervous System	451	5.2	0.28	4.3	0.21	370	4.1	0.23	3.3	0.18
Brain	412	4.8	0.27	4.0	0.20	342	3.8	0.22	3.1	0.17
Endocrine System	366	4.5	0.27	3.5	0.19	1,541	15.7	0.42	12.8	0.33
Thyroid gland	318	4.0	0.25	3.0	0.18	1,478	15.1	0.41	12.2	0.32
Lymphomas	1,521	23.0	0.67	15.6	0.42	1,313	16.6	0.48	11.3	0.32
Hodgkin Lymphoma	271	3.0	0.21	2.4	0.15	176	1.6	0.13	1.5	0.11
Non-Hodgkin Lymphoma	1,250	20.1	0.64	13.2	0.39	1,137	15.0	0.46	9.8	0.30
Multiple Myeloma	361	6.5	0.37	4.2	0.23	288	4.1	0.25	2.5	0.16
Leukemias	963	11.8	0.45	9.5	0.32	790	8.7	0.33	7.2	0.26
Acute lymphocytic	391	3.1	0.18	3.6	0.19	289	2.4	0.14	2.8	0.17
Chronic lymphocytic	111	2.3	0.23	1.3	0.13	94	1.4	0.14	0.9	0.09
Acute myeloid	258	3.6	0.27	2.6	0.17	244	2.9	0.20	2.1	0.14
Chronic myeloid	120	1.5	0.15	1.1	0.11	94	1.1	0.12	0.8	0.09
Other leukemias	83	1.4	0.17	0.9	0.10	69	0.9	0.11	0.6	0.07
Mesothelioma	84	1.9	0.22	1.0	0.11	32	0.4	0.08	0.3	0.05
Kaposi Sarcoma	167	1.7	0.14	1.3	0.10	7	0.1	0.04	0.1	0.02
Ill-defined & Unknown	716	14.6	0.60	8.0	0.31	858	12.5	0.44	7.1	0.25
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	329	4.7	0.30	3.2	0.19	794	9.9	0.36	6.8	0.25
Breast (<i>in situ</i>)	-	-	-	-	-	1,450	17.3	0.47	12.9	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Los Angeles

54 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	49,074	550.3	2.52	364.1	1.79	46,385	458.8	2.21	319.5	1.70
Oral Cavity & Pharynx	1,614	17.7	0.45	12.7	0.33	672	6.6	0.26	4.6	0.21
Lip	118	1.3	0.12	0.8	0.08	43	0.4	0.06	0.2	0.04
Tongue	517	5.6	0.25	4.2	0.19	212	2.1	0.15	1.5	0.11
Major salivary gland	188	2.1	0.16	1.3	0.10	105	1.1	0.11	0.8	0.10
Floor of mouth	74	0.8	0.09	0.6	0.07	27	0.3	0.05	0.2	0.04
Gum & other mouth	167	1.9	0.15	1.2	0.10	132	1.2	0.11	0.7	0.07
Nasopharynx	49	0.6	0.08	0.5	0.08	27	0.3	0.06	0.3	0.07
Oropharynx	60	0.6	0.08	0.5	0.06	19	0.2	0.04	0.1	0.03
Hypopharynx	93	1.0	0.11	0.7	0.07	25	0.2	0.05	0.2	0.04
Digestive System	9,216	102.3	1.08	64.4	0.72	7,606	69.2	0.82	42.5	0.56
Esophagus	647	7.1	0.28	4.5	0.19	218	1.9	0.14	1.2	0.09
Stomach	828	9.3	0.33	5.6	0.21	496	4.4	0.20	2.5	0.13
Small intestine	206	2.3	0.16	1.5	0.11	120	1.1	0.10	0.7	0.07
Colon excl. rectum	3,367	37.7	0.66	22.7	0.42	3,329	29.9	0.54	17.9	0.36
Rectum & rectosigmoid	1,422	15.8	0.42	10.6	0.30	1,085	10.4	0.32	6.9	0.24
Anus, anal canal & anorectum	214	2.4	0.16	1.8	0.12	276	2.7	0.17	2.0	0.13
Liver	850	9.1	0.32	6.6	0.25	254	2.4	0.15	1.5	0.11
Gallbladder	58	0.7	0.09	0.3	0.05	120	1.1	0.10	0.6	0.07
Pancreas	1,198	13.2	0.39	8.0	0.25	1,181	10.5	0.31	6.0	0.20
Respiratory System	6,219	69.6	0.89	42.2	0.57	5,559	51.2	0.70	31.6	0.48
Larynx	522	5.7	0.25	3.8	0.18	100	1.0	0.10	0.7	0.07
Lung & bronchus	5,596	62.7	0.85	37.6	0.54	5,378	49.4	0.69	30.4	0.47
Bones & Joints	86	1.2	0.13	1.1	0.14	57	0.8	0.11	0.7	0.12
Soft Tissue (incl. heart)	385	4.7	0.24	3.5	0.22	267	2.9	0.19	2.3	0.18
Skin (excl. basal & sq.)	3,966	44.9	0.72	29.6	0.51	2,360	25.1	0.54	18.7	0.43
Melanomas of the skin	3,533	39.9	0.68	26.8	0.49	2,127	22.9	0.52	17.3	0.42
Breast (excl. <i>in situ</i>)	125	1.4	0.13	0.9	0.08	14,395	147.4	1.26	107.6	0.97
Female Genital System	-	-	-	-	-	5,426	55.4	0.78	40.8	0.61
Cervix uteri	-	-	-	-	-	614	7.7	0.32	6.0	0.26
Uterus Corpus	-	-	-	-	-	2,786	27.5	0.53	20.6	0.42
Uterus, NOS ¹	-	-	-	-	-	71	0.7	0.08	0.5	0.06
Ovary	-	-	-	-	-	1,474	14.9	0.40	10.7	0.32
Male Genital System	13,004	142.9	1.27	102.0	0.94	-	-	-	-	-
Prostate	12,364	134.4	1.22	94.3	0.88	-	-	-	-	-
Testis	550	7.5	0.32	7.0	0.31	-	-	-	-	-
Penis	65	0.7	0.09	0.5	0.06	-	-	-	-	-
Urinary System	5,751	64.3	0.86	38.9	0.56	2,149	20.0	0.45	13.0	0.34
Bladder (incl. <i>in situ</i>)	3,766	42.2	0.69	23.9	0.42	1,133	10.1	0.31	5.9	0.21
Kidney & renal pelvis	1,849	20.6	0.48	14.2	0.36	956	9.4	0.32	6.7	0.27
Ureter	74	0.8	0.10	0.5	0.06	36	0.3	0.06	0.2	0.03
Eye & Orbit	91	1.0	0.11	0.7	0.08	95	1.0	0.10	0.8	0.10
Brain & Other Nervous System	781	9.5	0.35	7.7	0.33	568	6.3	0.28	5.2	0.28
Brain	743	9.0	0.34	7.2	0.32	545	6.0	0.28	5.0	0.28
Endocrine System	721	8.6	0.33	6.7	0.27	1,730	21.1	0.52	17.4	0.45
Thyroid gland	646	7.6	0.31	5.9	0.24	1,675	20.5	0.52	16.9	0.44
Lymphomas	2,614	30.6	0.61	20.9	0.46	2,147	21.5	0.49	15.0	0.39
Hodgkin Lymphoma	297	3.9	0.23	3.5	0.22	241	3.3	0.22	3.1	0.23
Non-Hodgkin Lymphoma	2,317	26.7	0.56	17.5	0.40	1,906	18.2	0.44	11.9	0.32
Multiple Myeloma	638	7.1	0.28	4.3	0.18	411	3.8	0.19	2.3	0.13
Leukemias	1,667	19.7	0.50	14.1	0.43	1,113	11.0	0.35	8.0	0.34
Acute lymphocytic	126	2.2	0.20	2.8	0.28	81	1.4	0.16	1.8	0.23
Chronic lymphocytic	717	7.9	0.30	4.9	0.20	454	4.0	0.20	2.4	0.13
Acute myeloid	435	5.1	0.25	3.3	0.18	330	3.3	0.19	2.3	0.17
Chronic myeloid	182	2.1	0.16	1.5	0.13	120	1.2	0.11	0.8	0.08
Other leukemias	207	2.4	0.17	1.6	0.13	128	1.2	0.11	0.7	0.07
Mesothelioma	148	1.7	0.14	0.9	0.08	56	0.5	0.07	0.3	0.04
Kaposi Sarcoma	162	2.0	0.16	1.5	0.12	14	0.1	0.03	0.1	0.02
Ill-defined & Unknown	1,886	21.3	0.49	12.0	0.30	1,760	15.1	0.38	8.7	0.25
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	657	7.7	0.31	5.5	0.24	1,311	13.3	0.38	9.5	0.30
Breast (<i>in situ</i>)	14	0.2	0.04	0.1	0.03	3,026	32.3	0.60	24.6	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,931	601.3	5.98	409.0	3.99	10,294	416.8	4.15	288.8	2.98
Oral Cavity & Pharynx	303	15.2	0.90	11.4	0.66	146	6.0	0.50	4.2	0.36
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	75	3.8	0.46	2.8	0.33	40	1.6	0.26	1.2	0.19
Major salivary gland	21	1.2	0.27	0.8	0.17	19	0.8	0.19	0.5	0.13
Floor of mouth	12	0.6	0.17	0.4	0.13	-	-	-	-	-
Gum & other mouth	37	1.8	0.31	1.4	0.24	36	1.5	0.25	1.0	0.17
Nasopharynx	27	1.3	0.27	1.0	0.20	7	0.3	0.12	0.2	0.08
Oropharynx	23	1.2	0.25	0.9	0.18	12	0.5	0.15	0.3	0.09
Hypopharynx	29	1.3	0.25	1.1	0.21	-	-	-	-	-
Digestive System	2,368	134.2	2.88	86.2	1.81	2,298	93.6	1.97	59.0	1.30
Esophagus	116	6.7	0.65	4.2	0.40	52	2.1	0.30	1.4	0.20
Stomach	247	14.9	0.99	8.7	0.56	204	8.3	0.59	4.9	0.36
Small intestine	65	3.8	0.49	2.4	0.30	69	2.8	0.35	1.9	0.24
Colon excl. rectum	888	51.5	1.80	32.1	1.10	1,073	44.0	1.35	27.0	0.87
Rectum & rectosigmoid	308	16.9	1.00	11.4	0.66	286	11.4	0.68	7.9	0.49
Anus, anal canal & anorectum	47	2.2	0.33	1.8	0.27	45	1.8	0.26	1.3	0.20
Liver	298	15.1	0.91	11.3	0.66	96	3.8	0.39	2.7	0.28
Gallbladder	19	1.2	0.28	0.7	0.16	28	1.1	0.21	0.8	0.16
Pancreas	293	16.8	1.03	10.4	0.62	347	14.3	0.77	8.6	0.49
Respiratory System	1,642	94.6	2.43	59.6	1.50	1,303	52.9	1.48	35.0	1.01
Larynx	148	8.2	0.70	5.4	0.45	45	1.7	0.26	1.3	0.20
Lung & bronchus	1,470	85.2	2.31	53.3	1.42	1,248	50.8	1.45	33.3	0.98
Bones & Joints	16	0.8	0.21	0.7	0.18	19	0.8	0.19	0.8	0.19
Soft Tissue (incl. heart)	77	3.9	0.45	3.2	0.37	73	2.9	0.35	2.4	0.29
Skin (excl. basal & sq.)	53	2.8	0.39	2.1	0.29	39	1.7	0.28	1.3	0.22
Melanomas of the skin	24	1.3	0.28	0.9	0.19	13	0.6	0.16	0.4	0.13
Breast (excl. <i>in situ</i>)	36	2.2	0.37	1.3	0.21	3,209	128.8	2.29	92.7	1.69
Female Genital System	-	-	-	-	-	1,161	46.4	1.37	34.3	1.04
Cervix uteri	-	-	-	-	-	194	8.1	0.58	6.0	0.44
Uterus Corpus	-	-	-	-	-	594	23.4	0.97	17.4	0.73
Uterus, NOS ¹	-	-	-	-	-	29	1.1	0.21	0.9	0.16
Ovary	-	-	-	-	-	256	10.3	0.65	7.4	0.48
Male Genital System	4,135	217.2	3.49	157.5	2.49	-	-	-	-	-
Prostate	4,071	213.6	3.46	155.0	2.46	-	-	-	-	-
Testis	35	1.8	0.30	1.6	0.27	-	-	-	-	-
Penis	23	1.5	0.33	0.8	0.16	-	-	-	-	-
Urinary System	872	49.8	1.76	32.3	1.12	488	20.0	0.91	13.2	0.64
Bladder (incl. <i>in situ</i>)	409	25.2	1.30	14.5	0.73	190	7.9	0.58	4.4	0.34
Kidney & renal pelvis	451	23.8	1.16	17.5	0.84	284	11.5	0.69	8.3	0.52
Ureter	-	-	-	-	-	8	0.3	0.12	0.2	0.07
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	89	4.7	0.52	3.8	0.42	75	3.2	0.37	2.9	0.37
Brain	81	4.3	0.50	3.4	0.39	65	2.7	0.34	2.4	0.34
Endocrine System	80	4.3	0.49	3.1	0.35	316	12.7	0.72	10.3	0.60
Thyroid gland	65	3.4	0.44	2.5	0.31	294	11.7	0.69	9.5	0.57
Lymphomas	401	20.9	1.08	16.1	0.82	334	13.8	0.76	10.3	0.60
Hodgkin Lymphoma	62	3.0	0.38	2.7	0.36	62	2.6	0.34	2.5	0.32
Non-Hodgkin Lymphoma	339	18.0	1.01	13.3	0.74	272	11.2	0.68	7.8	0.50
Multiple Myeloma	243	14.1	0.94	8.9	0.58	256	10.5	0.66	6.8	0.44
Leukemias	197	11.9	0.89	7.5	0.56	206	8.5	0.60	6.4	0.49
Acute lymphocytic	19	1.1	0.26	0.9	0.23	18	0.8	0.19	1.0	0.24
Chronic lymphocytic	58	3.9	0.54	2.0	0.26	56	2.3	0.32	1.4	0.19
Acute myeloid	66	3.8	0.49	2.5	0.32	76	3.1	0.36	2.3	0.28
Chronic myeloid	27	1.5	0.29	1.0	0.20	33	1.3	0.23	1.1	0.19
Other leukemias	27	1.5	0.30	1.1	0.23	23	1.0	0.20	0.7	0.17
Mesothelioma	13	0.9	0.25	0.4	0.12	-	-	-	-	-
Kaposi Sarcoma	60	3.1	0.40	2.5	0.33	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	363	14.8	0.78	9.1	0.51
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	102	5.8	0.59	4.0	0.41	301	12.5	0.72	8.5	0.51
Breast (<i>in situ</i>)	-	-	-	-	-	698	27.8	1.06	20.4	0.79

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Los Angeles

56 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	51,721	483.1	2.21	317.6	1.43	49,772	396.4	1.80	273.0	1.29
Oral Cavity & Pharynx	1,642	14.1	0.36	10.1	0.25	759	6.0	0.22	4.1	0.16
Lip	128	1.2	0.11	0.8	0.07	50	0.4	0.06	0.2	0.04
Tongue	532	4.4	0.20	3.3	0.15	228	1.8	0.12	1.2	0.09
Major salivary gland	156	1.6	0.13	0.9	0.08	115	0.9	0.09	0.7	0.06
Floor of mouth	73	0.6	0.07	0.5	0.05	54	0.4	0.06	0.3	0.04
Gum & other mouth	136	1.3	0.12	0.8	0.07	135	1.1	0.09	0.7	0.06
Nasopharynx	61	0.5	0.06	0.4	0.05	25	0.2	0.04	0.1	0.03
Oropharynx	52	0.4	0.06	0.3	0.04	22	0.2	0.04	0.1	0.03
Hypopharynx	81	0.8	0.09	0.5	0.05	21	0.2	0.04	0.1	0.03
Digestive System	9,192	86.9	0.95	54.8	0.59	7,441	60.1	0.71	36.5	0.45
Esophagus	780	7.4	0.28	4.7	0.17	188	1.5	0.11	0.9	0.07
Stomach	775	7.5	0.28	4.7	0.17	433	3.6	0.17	2.1	0.11
Small intestine	248	2.3	0.15	1.5	0.10	217	1.7	0.12	1.1	0.08
Colon excl. rectum	3,045	30.1	0.57	17.8	0.33	3,168	25.7	0.46	14.9	0.29
Rectum & rectosigmoid	1,482	13.5	0.36	8.9	0.24	993	7.8	0.25	5.2	0.17
Anus, anal canal & anorectum	135	1.1	0.10	0.8	0.07	254	1.9	0.12	1.4	0.09
Liver	1,038	8.7	0.28	6.3	0.20	378	3.0	0.16	2.0	0.11
Gallbladder	57	0.6	0.08	0.3	0.04	141	1.2	0.10	0.7	0.06
Pancreas	1,245	12.0	0.35	7.4	0.21	1,186	9.7	0.29	5.6	0.18
Respiratory System	6,090	61.3	0.81	36.0	0.47	5,591	45.9	0.62	28.3	0.40
Larynx	456	4.1	0.20	2.8	0.13	128	1.0	0.09	0.7	0.07
Lung & bronchus	5,520	56.1	0.78	32.4	0.45	5,384	44.2	0.61	27.1	0.39
Bones & Joints	128	1.1	0.10	1.0	0.09	96	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	341	3.1	0.17	2.2	0.13	302	2.5	0.14	2.0	0.12
Skin (excl. basal & sq.)	3,204	29.3	0.54	19.5	0.35	2,449	19.6	0.40	14.6	0.31
Melanomas of the skin	2,989	27.1	0.52	18.3	0.34	2,316	18.5	0.39	13.9	0.30
Breast (excl. <i>in situ</i>)	118	1.1	0.11	0.7	0.06	16,013	125.3	1.01	90.4	0.74
Female Genital System	-	-	-	-	-	5,655	44.0	0.59	32.3	0.45
Cervix uteri	-	-	-	-	-	816	6.6	0.23	5.3	0.19
Uterus Corpus	-	-	-	-	-	2,651	20.2	0.40	15.1	0.30
Uterus, NOS ¹	-	-	-	-	-	75	0.6	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,640	12.8	0.32	9.1	0.23
Male Genital System	16,719	149.4	1.20	104.9	0.83	-	-	-	-	-
Prostate	15,897	142.7	1.18	99.0	0.80	-	-	-	-	-
Testis	743	5.9	0.22	5.5	0.21	-	-	-	-	-
Penis	61	0.6	0.08	0.4	0.05	-	-	-	-	-
Urinary System	5,135	50.2	0.73	30.6	0.44	2,272	18.3	0.39	11.8	0.27
Bladder (incl. <i>in situ</i>)	3,037	31.2	0.59	17.6	0.33	1,004	8.2	0.26	4.8	0.16
Kidney & renal pelvis	1,980	17.8	0.42	12.3	0.28	1,205	9.6	0.28	6.7	0.21
Ureter	76	0.8	0.10	0.4	0.05	49	0.4	0.06	0.2	0.03
Eye & Orbit	116	1.0	0.10	0.8	0.08	111	0.9	0.09	0.8	0.08
Brain & Other Nervous System	900	7.8	0.27	6.2	0.22	737	5.9	0.22	4.8	0.19
Brain	852	7.4	0.26	5.8	0.21	683	5.5	0.21	4.4	0.18
Endocrine System	910	7.7	0.26	6.0	0.20	2,542	20.3	0.41	16.6	0.34
Thyroid gland	811	6.8	0.25	5.2	0.19	2,463	19.7	0.40	16.0	0.33
Lymphomas	2,789	25.8	0.51	17.6	0.34	2,261	18.2	0.39	12.4	0.28
Hodgkin Lymphoma	395	3.3	0.17	2.9	0.15	285	2.3	0.14	2.1	0.13
Non-Hodgkin Lymphoma	2,394	22.5	0.48	14.7	0.31	1,976	15.9	0.36	10.4	0.25
Multiple Myeloma	703	6.7	0.26	4.2	0.16	536	4.3	0.19	2.7	0.12
Leukemias	1,814	17.5	0.43	11.9	0.30	1,280	10.4	0.30	7.3	0.23
Acute lymphocytic	224	1.9	0.13	2.3	0.16	156	1.3	0.11	1.7	0.14
Chronic lymphocytic	657	6.4	0.26	3.9	0.16	424	3.4	0.17	2.0	0.11
Acute myeloid	417	4.2	0.21	2.6	0.14	347	2.8	0.15	1.9	0.11
Chronic myeloid	210	2.0	0.14	1.3	0.09	148	1.2	0.10	0.8	0.07
Other leukemias	306	3.1	0.18	1.8	0.11	205	1.6	0.12	0.9	0.07
Mesothelioma	123	1.3	0.12	0.7	0.06	49	0.4	0.06	0.3	0.04
Kaposi Sarcoma	70	0.6	0.07	0.5	0.06	-	-	-	-	-
Ill-defined & Unknown	1,727	18.1	0.45	9.8	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,088	10.0	0.31	6.9	0.22	2,428	19.5	0.40	13.5	0.29
Breast (<i>in situ</i>)	16	0.1	0.04	0.1	0.02	3,923	30.4	0.49	22.8	0.37

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	47,399	473.4	2.26	311.3	1.47	46,343	397.1	1.87	273.6	1.35
Oral Cavity & Pharynx	1,532	14.1	0.37	10.1	0.26	720	6.1	0.23	4.2	0.16
Lip	117	1.2	0.12	0.7	0.07	46	0.4	0.06	0.2	0.04
Tongue	505	4.5	0.21	3.4	0.15	216	1.8	0.13	1.3	0.09
Major salivary gland	150	1.6	0.13	1.0	0.08	107	0.9	0.09	0.7	0.07
Floor of mouth	67	0.6	0.08	0.4	0.06	51	0.4	0.06	0.3	0.04
Gum & other mouth	124	1.3	0.12	0.8	0.08	127	1.1	0.10	0.7	0.07
Nasopharynx	43	0.4	0.06	0.3	0.05	25	0.2	0.04	0.2	0.03
Oropharynx	50	0.5	0.07	0.3	0.05	22	0.2	0.04	0.1	0.03
Hypopharynx	74	0.7	0.09	0.5	0.05	21	0.2	0.04	0.1	0.03
Digestive System	8,497	85.9	0.97	54.1	0.60	6,823	58.9	0.72	35.6	0.47
Esophagus	740	7.4	0.28	4.7	0.18	177	1.5	0.12	0.9	0.07
Stomach	701	7.3	0.28	4.5	0.18	372	3.3	0.17	1.9	0.11
Small intestine	231	2.3	0.15	1.5	0.10	204	1.7	0.12	1.1	0.08
Colon excl. rectum	2,839	30.0	0.58	17.7	0.34	2,942	25.5	0.48	14.7	0.29
Rectum & rectosigmoid	1,382	13.4	0.37	8.9	0.24	897	7.6	0.26	5.0	0.18
Anus, anal canal & anorectum	125	1.1	0.10	0.8	0.08	242	2.0	0.13	1.5	0.10
Liver	897	8.1	0.28	5.8	0.20	317	2.7	0.15	1.7	0.11
Gallbladder	53	0.6	0.08	0.3	0.05	127	1.1	0.10	0.7	0.06
Pancreas	1,165	11.9	0.36	7.4	0.22	1,107	9.7	0.30	5.6	0.18
Respiratory System	5,705	61.1	0.84	35.8	0.49	5,287	46.3	0.65	28.5	0.42
Larynx	413	4.0	0.20	2.7	0.14	119	1.0	0.09	0.7	0.07
Lung & bronchus	5,184	56.1	0.80	32.3	0.46	5,095	44.7	0.64	27.4	0.41
Bones & Joints	118	1.1	0.11	1.0	0.10	90	0.8	0.09	0.8	0.09
Soft Tissue (incl. heart)	314	3.1	0.18	2.2	0.13	277	2.4	0.15	2.0	0.13
Skin (excl. basal & sq.)	3,170	31.1	0.57	20.8	0.38	2,416	21.0	0.43	15.7	0.33
Melanomas of the skin	2,972	28.9	0.55	19.6	0.37	2,290	19.9	0.42	14.9	0.33
Breast (excl. <i>in situ</i>)	110	1.1	0.11	0.7	0.07	14,835	125.1	1.04	90.1	0.77
Female Genital System	-	-	-	-	-	5,271	44.2	0.62	32.5	0.46
Cervix uteri	-	-	-	-	-	724	6.4	0.24	5.1	0.20
Uterus Corpus	-	-	-	-	-	2,484	20.4	0.42	15.2	0.31
Uterus, NOS ¹	-	-	-	-	-	67	0.6	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,563	13.2	0.34	9.3	0.25
Male Genital System	14,602	138.7	1.19	98.2	0.83	-	-	-	-	-
Prostate	13,834	131.8	1.16	92.0	0.80	-	-	-	-	-
Testis	694	6.1	0.23	5.7	0.22	-	-	-	-	-
Penis	57	0.6	0.08	0.4	0.05	-	-	-	-	-
Urinary System	4,842	50.5	0.75	30.8	0.46	2,138	18.4	0.40	11.9	0.28
Bladder (incl. <i>in situ</i>)	2,885	31.5	0.61	17.8	0.34	942	8.2	0.27	4.8	0.17
Kidney & renal pelvis	1,842	17.8	0.43	12.3	0.29	1,134	9.7	0.29	6.8	0.22
Ureter	75	0.8	0.10	0.5	0.06	49	0.4	0.06	0.2	0.03
Eye & Orbit	101	1.0	0.10	0.8	0.08	104	0.9	0.09	0.8	0.08
Brain & Other Nervous System	865	8.2	0.29	6.5	0.23	686	6.0	0.23	4.8	0.20
Brain	819	7.8	0.28	6.1	0.23	637	5.6	0.22	4.4	0.19
Endocrine System	850	7.8	0.27	6.1	0.21	2,329	20.4	0.43	16.7	0.36
Thyroid gland	760	6.9	0.26	5.3	0.19	2,254	19.7	0.42	16.2	0.35
Lymphomas	2,563	25.6	0.52	17.4	0.36	2,081	18.0	0.40	12.3	0.29
Hodgkin Lymphoma	359	3.3	0.18	2.9	0.16	267	2.4	0.15	2.1	0.14
Non-Hodgkin Lymphoma	2,204	22.3	0.49	14.4	0.32	1,814	15.6	0.37	10.2	0.26
Multiple Myeloma	639	6.6	0.27	4.1	0.16	471	4.0	0.19	2.5	0.12
Leukemias	1,667	17.3	0.44	11.8	0.31	1,200	10.5	0.31	7.5	0.25
Acute lymphocytic	206	1.9	0.14	2.4	0.17	149	1.4	0.12	1.8	0.16
Chronic lymphocytic	588	6.1	0.26	3.7	0.16	388	3.4	0.17	2.0	0.11
Acute myeloid	392	4.2	0.22	2.6	0.14	336	2.9	0.16	2.0	0.12
Chronic myeloid	189	1.9	0.15	1.3	0.10	137	1.2	0.11	0.8	0.07
Other leukemias	292	3.1	0.19	1.8	0.11	190	1.6	0.12	0.9	0.08
Mesothelioma	118	1.4	0.13	0.7	0.07	45	0.4	0.06	0.2	0.04
Kaposi Sarcoma	59	0.6	0.07	0.4	0.06	-	-	-	-	-
Ill-defined & Unknown	1,647	18.3	0.47	10.0	0.25	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,001	9.8	0.32	6.8	0.22	2,205	19.0	0.41	13.2	0.30
Breast (<i>in situ</i>)	16	0.2	0.04	0.1	0.03	3,592	30.0	0.51	22.6	0.39

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,853	510.6	13.55	348.3	8.37	1,500	371.9	9.93	255.4	6.77
Oral Cavity & Pharynx	46	10.0	1.70	7.7	1.18	11	2.4	0.74	2.0	0.60
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	1.8	0.67	1.5	0.55	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	1.1	0.42	1.1	0.40	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	375	104.5	6.19	69.3	3.70	295	76.8	4.62	49.2	2.95
Esophagus	18	5.7	1.53	3.6	0.87	9	1.8	0.60	1.6	0.53
Stomach	30	8.9	1.86	5.4	1.01	26	6.4	1.31	4.4	0.89
Small intestine	10	2.9	0.99	1.7	0.57	10	2.8	0.93	1.5	0.50
Colon excl. rectum	121	36.9	3.93	22.3	2.10	126	33.0	3.04	21.2	1.95
Rectum & rectosigmoid	46	11.8	1.88	8.4	1.28	28	6.3	1.22	4.7	0.90
Anus, anal canal & anorectum	6	1.2	0.51	1.0	0.43	-	-	-	-	-
Liver	71	15.0	1.86	13.1	1.61	20	5.1	1.20	3.2	0.74
Gallbladder	-	-	-	-	-	8	2.3	0.85	1.2	0.45
Pancreas	61	19.4	2.85	11.8	1.57	49	14.1	2.07	8.1	1.21
Respiratory System	234	73.6	5.49	45.9	3.10	183	49.5	3.76	31.6	2.41
Larynx	24	7.3	1.59	4.7	0.99	8	2.0	0.72	1.4	0.52
Lung & bronchus	208	65.8	5.24	40.8	2.92	173	47.1	3.68	29.7	2.33
Bones & Joints	6	1.0	0.40	0.8	0.35	-	-	-	-	-
Soft Tissue (incl. heart)	12	2.2	0.70	1.8	0.52	12	2.4	0.74	2.2	0.64
Skin (excl. basal & sq.)	9	2.1	0.84	1.3	0.45	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	512	121.5	5.53	87.2	3.93
Female Genital System	-	-	-	-	-	149	35.0	2.96	26.1	2.19
Cervix uteri	-	-	-	-	-	35	7.5	1.30	5.9	1.02
Uterus Corpus	-	-	-	-	-	66	16.0	2.02	12.0	1.51
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	29	6.8	1.31	4.9	0.93
Male Genital System	756	203.6	8.20	145.9	5.47	-	-	-	-	-
Prostate	740	200.6	8.16	143.4	5.44	-	-	-	-	-
Testis	14	2.3	0.61	2.0	0.54	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	154	46.4	4.38	29.0	2.42	68	18.0	2.26	11.4	1.43
Bladder (incl. <i>in situ</i>)	63	21.4	3.16	12.4	1.62	22	6.1	1.33	3.5	0.77
Kidney & renal pelvis	91	25.0	3.03	16.6	1.81	46	12.0	1.83	8.0	1.21
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	15	2.8	0.74	2.5	0.68	25	5.1	1.08	4.3	0.88
Brain	15	2.8	0.74	2.5	0.68	23	4.5	1.00	4.1	0.86
Endocrine System	12	2.5	0.76	2.1	0.64	64	14.0	1.78	11.0	1.40
Thyroid gland	10	2.1	0.69	1.7	0.57	61	13.4	1.76	10.5	1.37
Lymphomas	94	20.7	2.44	16.1	1.71	58	14.9	2.02	10.0	1.35
Hodgkin Lymphoma	20	3.2	0.73	3.1	0.70	7	1.2	0.45	1.3	0.48
Non-Hodgkin Lymphoma	74	17.5	2.33	13.0	1.56	51	13.7	1.97	8.7	1.26
Multiple Myeloma	42	10.2	1.71	7.2	1.16	45	11.8	1.82	7.7	1.18
Leukemias	49	15.3	2.66	9.4	1.40	26	6.8	1.39	4.0	0.81
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	21	7.6	1.94	4.1	0.93	7	2.2	0.85	1.0	0.38
Acute myeloid	10	3.0	1.19	1.9	0.63	7	1.6	0.65	1.0	0.39
Chronic myeloid	7	2.7	1.22	1.3	0.52	-	-	-	-	-
Other leukemias	-	-	-	-	-	6	1.7	0.70	1.0	0.40
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	1.0	0.42	0.8	0.32	-	-	-	-	-
Ill-defined & Unknown	33	11.4	2.35	6.1	1.11	45	12.5	1.92	7.5	1.15
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	32	9.3	2.00	5.5	1.02	84	20.5	2.30	14.5	1.63
Breast (<i>in situ</i>)	-	-	-	-	-	114	27.0	2.60	19.2	1.84

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	576	278.8	12.64	170.0	7.25	856	259.2	9.26	175.2	6.17
Oral Cavity & Pharynx	23	7.7	1.79	5.9	1.27	6	2.2	0.93	1.1	0.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	10	2.5	0.81	2.1	0.70	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	186	92.1	7.31	55.0	4.12	207	72.2	5.21	40.8	2.93
Esophagus	6	3.5	1.52	1.7	0.69	-	-	-	-	-
Stomach	31	16.0	3.13	8.3	1.53	26	9.7	1.96	4.9	0.98
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	48	24.8	3.85	14.8	2.17	64	22.2	2.88	12.2	1.57
Rectum & rectosigmoid	28	13.6	2.78	8.4	1.63	35	11.5	2.03	6.7	1.16
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	46	20.8	3.30	13.4	2.02	31	10.7	1.97	6.6	1.24
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	13	6.1	1.84	4.2	1.18	23	8.7	1.87	4.7	1.01
Respiratory System	96	53.4	5.76	29.4	3.05	86	29.8	3.31	18.6	2.07
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	89	50.4	5.64	27.4	2.95	86	29.8	3.31	18.6	2.07
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	9	2.7	0.93	1.7	0.59
Skin (excl. basal & sq.)	-	-	-	-	-	7	1.8	0.69	1.3	0.51
Melanomas of the skin	-	-	-	-	-	7	1.8	0.69	1.3	0.51
Breast (excl. <i>in situ</i>)	-	-	-	-	-	256	68.7	4.45	52.3	3.33
Female Genital System	-	-	-	-	-	106	28.5	2.87	21.6	2.15
Cervix uteri	-	-	-	-	-	24	5.9	1.24	4.7	0.98
Uterus Corpus	-	-	-	-	-	41	10.8	1.74	8.5	1.35
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	28	7.9	1.57	6.0	1.16
Male Genital System	114	58.5	5.85	35.4	3.37	-	-	-	-	-
Prostate	105	55.1	5.70	32.9	3.26	-	-	-	-	-
Testis	7	2.3	1.06	1.9	0.73	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	35	17.7	3.27	9.9	1.72	21	6.4	1.45	4.3	0.96
Bladder (incl. <i>in situ</i>)	16	10.4	2.71	4.4	1.12	10	3.0	1.00	2.0	0.66
Kidney & renal pelvis	18	7.0	1.80	5.3	1.28	11	3.4	1.05	2.2	0.69
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	5.5	1.63	3.8	1.08	12	3.4	1.02	2.7	0.81
Brain	12	5.1	1.60	3.6	1.05	11	3.1	1.00	2.5	0.78
Endocrine System	14	3.8	1.04	3.2	0.89	56	14.0	1.92	11.3	1.55
Thyroid gland	10	2.8	0.91	2.3	0.74	56	14.0	1.92	11.3	1.55
Lymphomas	35	14.4	2.67	9.8	1.70	35	11.0	1.94	7.6	1.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	2.9	1.18	2.1	0.83	9	3.2	1.11	1.7	0.59
Leukemias	23	8.0	1.86	7.1	1.52	11	3.2	1.03	2.4	0.78
Acute lymphocytic	9	3.1	1.20	3.0	1.03	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	7	2.6	1.10	2.1	0.82	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	9.4	2.48	4.8	1.20	28	10.1	1.98	6.0	1.19
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	16	6.7	1.89	4.1	1.07	62	19.5	2.59	12.9	1.69
Breast (<i>in situ</i>)	-	-	-	-	-	83	22.7	2.58	16.6	1.86

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	35	396.6	80.20	262.7	45.91	32	338.3	66.66	208.0	38.07
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	11	143.7	46.67	71.9	22.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	77.5	37.11	50.2	21.18	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	11	118.7	40.43	74.3	23.16
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	96.1	46.07	53.2	22.16	-	-	-	-	-
Prostate	6	96.1	46.07	53.2	22.16	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,013	419.3	6.60	272.0	3.96	5,146	346.9	5.10	237.7	3.41
Oral Cavity & Pharynx	142	10.7	1.01	7.2	0.63	66	4.2	0.54	3.0	0.39
Lip	7	0.7	0.30	0.3	0.12	-	-	-	-	-
Tongue	35	2.8	0.52	1.9	0.33	23	1.5	0.32	1.0	0.21
Major salivary gland	14	1.2	0.37	0.7	0.20	11	0.6	0.17	0.5	0.15
Floor of mouth	12	0.7	0.21	0.6	0.19	-	-	-	-	-
Gum & other mouth	15	1.4	0.38	0.8	0.21	13	0.8	0.24	0.6	0.18
Nasopharynx	8	0.6	0.22	0.4	0.16	7	0.4	0.16	0.3	0.12
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	11	1.1	0.36	0.6	0.17	-	-	-	-	-
Digestive System	1,316	112.8	3.44	72.2	2.05	939	72.0	2.45	44.0	1.48
Esophagus	60	5.1	0.71	3.4	0.44	20	1.7	0.38	0.9	0.21
Stomach	130	11.9	1.17	7.2	0.65	83	6.5	0.75	3.6	0.41
Small intestine	36	3.3	0.63	2.0	0.34	23	1.5	0.32	1.1	0.23
Colon excl. rectum	403	36.8	2.03	22.1	1.13	359	28.0	1.54	16.7	0.91
Rectum & rectosigmoid	216	18.0	1.35	11.6	0.81	116	8.2	0.79	5.6	0.53
Anus, anal canal & anorectum	7	0.4	0.18	0.4	0.14	15	1.0	0.27	0.7	0.19
Liver	287	21.4	1.36	15.9	0.96	90	6.6	0.73	4.4	0.47
Gallbladder	9	1.1	0.38	0.5	0.18	26	2.0	0.41	1.3	0.25
Pancreas	121	10.4	1.05	6.5	0.61	133	10.9	0.98	6.2	0.56
Respiratory System	515	50.9	2.44	29.5	1.33	413	33.3	1.69	20.0	1.02
Larynx	48	4.2	0.67	2.7	0.41	10	0.7	0.24	0.5	0.15
Lung & bronchus	453	45.7	2.33	26.1	1.25	397	32.1	1.66	19.3	1.00
Bones & Joints	24	1.0	0.24	1.0	0.21	20	0.9	0.21	0.8	0.19
Soft Tissue (incl. heart)	51	3.5	0.58	2.3	0.34	42	2.2	0.36	1.8	0.29
Skin (excl. basal & sq.)	72	5.9	0.78	3.8	0.46	91	5.5	0.61	4.0	0.43
Melanomas of the skin	56	4.8	0.72	3.0	0.41	80	4.7	0.56	3.5	0.40
Breast (excl. <i>in situ</i>)	8	0.8	0.29	0.4	0.16	1,537	98.3	2.61	72.1	1.89
Female Genital System	-	-	-	-	-	672	42.0	1.70	30.9	1.23
Cervix uteri	-	-	-	-	-	163	8.5	0.69	6.7	0.54
Uterus Corpus	-	-	-	-	-	267	17.2	1.09	13.0	0.82
Uterus, NOS ¹	-	-	-	-	-	6	0.3	0.15	0.3	0.12
Ovary	-	-	-	-	-	190	12.9	0.98	8.8	0.65
Male Genital System	1,355	115.6	3.43	77.1	2.15	-	-	-	-	-
Prostate	1,204	108.8	3.37	71.4	2.10	-	-	-	-	-
Testis	128	4.6	0.43	4.5	0.40	-	-	-	-	-
Penis	20	1.8	0.45	1.1	0.25	-	-	-	-	-
Urinary System	488	41.9	2.08	26.7	1.24	308	21.4	1.28	14.2	0.83
Bladder (incl. <i>in situ</i>)	167	16.5	1.38	9.3	0.74	61	4.8	0.64	2.7	0.36
Kidney & renal pelvis	309	24.1	1.52	16.6	0.97	239	15.8	1.07	11.2	0.74
Ureter	7	0.8	0.30	0.4	0.17	-	-	-	-	-
Eye & Orbit	8	0.4	0.15	0.4	0.13	11	0.6	0.20	0.5	0.15
Brain & Other Nervous System	94	5.0	0.62	4.2	0.44	102	5.5	0.60	4.6	0.46
Brain	88	4.7	0.61	3.9	0.44	88	4.7	0.54	4.0	0.44
Endocrine System	113	6.6	0.69	5.2	0.51	336	17.9	1.03	14.2	0.79
Thyroid gland	96	5.8	0.64	4.4	0.47	327	17.4	1.01	13.8	0.78
Lymphomas	322	23.2	1.48	15.9	0.92	238	16.2	1.12	10.9	0.73
Hodgkin Lymphoma	57	2.7	0.41	2.4	0.32	41	2.3	0.40	1.8	0.28
Non-Hodgkin Lymphoma	265	20.5	1.43	13.6	0.87	197	13.9	1.04	9.2	0.67
Multiple Myeloma	82	6.8	0.80	4.6	0.52	69	5.4	0.68	3.3	0.41
Leukemias	215	13.9	1.18	9.9	0.70	153	9.1	0.82	6.7	0.55
Acute lymphocytic	77	2.7	0.35	3.1	0.36	44	1.6	0.26	1.9	0.29
Chronic lymphocytic	42	4.5	0.75	2.3	0.37	18	1.5	0.37	0.8	0.20
Acute myeloid	48	3.1	0.53	2.2	0.32	48	2.9	0.46	2.1	0.30
Chronic myeloid	24	1.4	0.34	1.0	0.20	19	1.3	0.32	0.8	0.20
Other leukemias	24	2.3	0.55	1.2	0.26	24	1.9	0.40	1.1	0.23
Mesothelioma	17	1.7	0.44	1.1	0.27	9	0.7	0.24	0.3	0.12
Kaposi Sarcoma	22	1.3	0.34	0.9	0.20	-	-	-	-	-
Ill-defined & Unknown	169	17.5	1.48	9.6	0.76	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	127	9.0	0.91	6.1	0.56	272	17.5	1.13	12.4	0.77
Breast (<i>in situ</i>)	-	-	-	-	-	346	21.8	1.22	16.2	0.89

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

COLORADO

62 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	42,475	478.7	2.40	315.2	1.59	41,300	402.0	2.02	277.3	1.47
Oral Cavity & Pharynx	1,392	14.5	0.40	10.4	0.29	654	6.2	0.25	4.2	0.18
Lip	110	1.3	0.13	0.8	0.08	42	0.4	0.06	0.2	0.04
Tongue	471	4.7	0.23	3.6	0.17	193	1.9	0.14	1.3	0.10
Major salivary gland	136	1.6	0.14	1.0	0.09	96	0.9	0.10	0.6	0.07
Floor of mouth	55	0.6	0.08	0.4	0.06	48	0.5	0.07	0.3	0.05
Gum & other mouth	109	1.2	0.12	0.8	0.08	114	1.1	0.10	0.7	0.07
Nasopharynx	35	0.4	0.06	0.3	0.05	18	0.2	0.04	0.1	0.03
Oropharynx	45	0.5	0.07	0.3	0.05	21	0.2	0.05	0.1	0.03
Hypopharynx	63	0.7	0.09	0.4	0.06	18	0.2	0.04	0.1	0.03
Digestive System	7,207	82.2	1.00	51.5	0.62	5,905	57.0	0.76	34.4	0.49
Esophagus	681	7.7	0.30	4.9	0.19	158	1.5	0.12	0.9	0.08
Stomach	574	6.7	0.29	4.1	0.18	291	2.9	0.17	1.7	0.11
Small intestine	196	2.1	0.16	1.5	0.11	181	1.7	0.13	1.1	0.09
Colon excl. rectum	2,444	29.0	0.61	17.0	0.36	2,591	25.1	0.50	14.4	0.31
Rectum & rectosigmoid	1,167	12.8	0.39	8.5	0.26	785	7.5	0.27	5.0	0.19
Anus, anal canal & anorectum	118	1.2	0.11	0.9	0.08	228	2.1	0.14	1.6	0.11
Liver	616	6.3	0.26	4.5	0.19	227	2.2	0.15	1.4	0.10
Gallbladder	44	0.5	0.08	0.3	0.05	101	1.0	0.10	0.6	0.06
Pancreas	1,048	12.0	0.38	7.4	0.24	975	9.5	0.31	5.5	0.19
Respiratory System	5,198	62.1	0.89	36.4	0.52	4,878	47.6	0.69	29.5	0.45
Larynx	367	3.9	0.21	2.7	0.14	109	1.0	0.10	0.7	0.07
Lung & bronchus	4,737	57.1	0.85	32.9	0.49	4,702	45.9	0.68	28.3	0.44
Bones & Joints	94	1.1	0.12	1.0	0.11	70	0.8	0.09	0.7	0.10
Soft Tissue (incl. heart)	263	3.1	0.19	2.2	0.15	235	2.4	0.16	2.0	0.15
Skin (excl. basal & sq.)	3,098	34.6	0.64	23.4	0.43	2,327	23.6	0.50	17.8	0.39
Melanomas of the skin	2,916	32.3	0.62	22.1	0.42	2,212	22.5	0.49	17.1	0.39
Breast (excl. <i>in situ</i>)	102	1.2	0.12	0.7	0.07	13,332	127.9	1.13	92.1	0.83
Female Genital System	-	-	-	-	-	4,608	44.0	0.66	32.2	0.50
Cervix uteri	-	-	-	-	-	563	6.0	0.26	4.7	0.21
Uterus Corpus	-	-	-	-	-	2,219	20.6	0.45	15.3	0.34
Uterus, NOS ¹	-	-	-	-	-	61	0.6	0.07	0.3	0.05
Ovary	-	-	-	-	-	1,377	13.1	0.36	9.4	0.27
Male Genital System	13,277	141.3	1.27	100.5	0.89	-	-	-	-	-
Prostate	12,658	134.3	1.24	94.2	0.85	-	-	-	-	-
Testis	568	6.4	0.27	5.9	0.26	-	-	-	-	-
Penis	37	0.5	0.08	0.3	0.04	-	-	-	-	-
Urinary System	4,361	51.1	0.80	31.0	0.49	1,836	17.8	0.42	11.4	0.30
Bladder (incl. <i>in situ</i>)	2,719	33.0	0.65	18.7	0.37	883	8.5	0.29	5.1	0.19
Kidney & renal pelvis	1,539	16.8	0.44	11.6	0.31	899	8.7	0.30	6.0	0.22
Ureter	68	0.8	0.11	0.5	0.06	45	0.4	0.07	0.2	0.04
Eye & Orbit	93	1.1	0.11	0.8	0.09	94	1.0	0.10	0.8	0.09
Brain & Other Nervous System	772	8.6	0.32	6.8	0.27	589	6.0	0.25	4.8	0.22
Brain	732	8.2	0.31	6.4	0.26	553	5.6	0.24	4.4	0.21
Endocrine System	741	8.0	0.30	6.2	0.24	2,000	20.8	0.48	17.2	0.41
Thyroid gland	667	7.2	0.28	5.4	0.22	1,934	20.1	0.47	16.5	0.39
Lymphomas	2,247	25.9	0.56	17.6	0.39	1,851	18.3	0.43	12.5	0.32
Hodgkin Lymphoma	302	3.4	0.20	3.0	0.18	228	2.5	0.17	2.3	0.16
Non-Hodgkin Lymphoma	1,945	22.4	0.53	14.5	0.35	1,623	15.7	0.40	10.2	0.28
Multiple Myeloma	559	6.5	0.28	4.0	0.17	402	3.8	0.19	2.3	0.13
Leukemias	1,454	17.4	0.47	11.7	0.34	1,051	10.6	0.33	7.4	0.28
Acute lymphocytic	130	1.6	0.15	2.0	0.19	105	1.3	0.13	1.7	0.18
Chronic lymphocytic	547	6.3	0.28	3.9	0.17	371	3.6	0.19	2.1	0.12
Acute myeloid	344	4.3	0.24	2.6	0.15	289	2.9	0.17	1.9	0.13
Chronic myeloid	165	1.9	0.16	1.3	0.11	119	1.2	0.11	0.7	0.07
Other leukemias	268	3.2	0.20	1.9	0.12	167	1.6	0.13	0.9	0.08
Mesothelioma	101	1.3	0.13	0.6	0.07	36	0.4	0.06	0.2	0.04
Kaposi Sarcoma	37	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,479	18.4	0.49	10.0	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	876	9.9	0.35	7.0	0.25	1,941	19.1	0.44	13.3	0.33
Breast (<i>in situ</i>)	16	0.2	0.05	0.1	0.03	3,252	31.0	0.55	23.4	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,828	523.7	13.93	358.3	8.65	1,474	385.5	10.33	266.3	7.11
Oral Cavity & Pharynx	46	10.5	1.76	8.1	1.24	11	2.5	0.78	2.1	0.64
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	1.9	0.70	1.6	0.57	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	1.2	0.45	1.2	0.44	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	369	107.2	6.38	70.9	3.81	287	78.2	4.75	50.3	3.06
Esophagus	18	5.8	1.57	3.7	0.90	8	1.7	0.60	1.4	0.51
Stomach	30	9.2	1.92	5.6	1.05	25	6.6	1.36	4.5	0.92
Small intestine	10	3.0	1.02	1.8	0.59	10	3.0	0.97	1.6	0.53
Colon excl. rectum	119	37.9	4.05	22.8	2.16	123	33.5	3.11	21.7	2.02
Rectum & rectosigmoid	46	12.2	1.95	8.7	1.33	27	6.3	1.25	4.8	0.94
Anus, anal canal & anorectum	6	1.3	0.54	1.1	0.46	-	-	-	-	-
Liver	69	15.3	1.91	13.3	1.65	20	5.4	1.25	3.4	0.79
Gallbladder	-	-	-	-	-	8	2.4	0.88	1.3	0.47
Pancreas	60	19.9	2.93	12.1	1.62	49	14.7	2.14	8.5	1.26
Respiratory System	233	75.6	5.64	47.4	3.20	182	51.4	3.91	32.8	2.51
Larynx	24	7.6	1.65	4.9	1.03	8	2.1	0.75	1.5	0.55
Lung & bronchus	207	67.6	5.38	42.1	3.01	172	48.9	3.82	30.9	2.43
Bones & Joints	6	1.1	0.43	0.9	0.38	-	-	-	-	-
Soft Tissue (incl. heart)	12	2.4	0.74	2.0	0.57	12	2.7	0.80	2.5	0.73
Skin (excl. basal & sq.)	9	2.3	0.89	1.5	0.49	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	503	126.5	5.78	91.1	4.14
Female Genital System	-	-	-	-	-	146	36.3	3.08	27.3	2.31
Cervix uteri	-	-	-	-	-	34	7.9	1.39	6.3	1.10
Uterus Corpus	-	-	-	-	-	65	16.5	2.09	12.5	1.59
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	28	7.0	1.36	5.0	0.97
Male Genital System	743	207.6	8.41	149.0	5.63	-	-	-	-	-
Prostate	729	204.7	8.37	146.7	5.59	-	-	-	-	-
Testis	12	2.1	0.61	1.9	0.55	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	153	47.9	4.52	30.0	2.51	67	18.6	2.34	12.0	1.51
Bladder (incl. <i>in situ</i>)	63	22.1	3.26	12.9	1.67	21	6.0	1.34	3.5	0.80
Kidney & renal pelvis	90	25.8	3.12	17.1	1.86	46	12.6	1.91	8.4	1.29
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	15	2.9	0.78	2.7	0.72	24	5.4	1.15	4.6	0.96
Brain	15	2.9	0.78	2.7	0.72	22	4.8	1.07	4.3	0.94
Endocrine System	12	2.7	0.80	2.2	0.67	63	14.7	1.88	11.7	1.49
Thyroid gland	10	2.2	0.72	1.8	0.60	60	14.1	1.85	11.2	1.46
Lymphomas	92	21.0	2.44	16.9	1.81	57	15.5	2.12	10.4	1.42
Hodgkin Lymphoma	20	3.6	0.80	3.4	0.78	6	1.2	0.48	1.2	0.51
Non-Hodgkin Lymphoma	72	17.4	2.31	13.5	1.63	51	14.4	2.06	9.2	1.33
Multiple Myeloma	41	10.5	1.77	7.4	1.19	45	12.4	1.89	8.0	1.24
Leukemias	48	15.8	2.74	9.8	1.46	26	7.2	1.46	4.3	0.88
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	21	7.9	2.00	4.2	0.96	7	2.3	0.89	1.0	0.39
Acute myeloid	10	3.1	1.23	2.1	0.67	7	1.7	0.69	1.1	0.43
Chronic myeloid	7	2.8	1.26	1.4	0.54	-	-	-	-	-
Other leukemias	-	-	-	-	-	6	1.8	0.73	1.0	0.43
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	1.1	0.46	0.9	0.36	-	-	-	-	-
Ill-defined & Unknown	33	11.8	2.43	6.4	1.15	44	12.8	1.99	7.7	1.20
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	32	9.8	2.08	5.9	1.08	82	21.0	2.37	15.1	1.71
Breast (<i>in situ</i>)	-	-	-	-	-	112	28.0	2.72	20.0	1.93

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

COLORADO

64 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	51,421	576.2	2.58	379.4	1.77	50,651	456.9	2.08	315.2	1.56
Oral Cavity & Pharynx	1,519	16.1	0.42	11.7	0.31	698	6.2	0.24	4.2	0.18
Lip	42	0.5	0.08	0.3	0.05	26	0.2	0.04	0.1	0.03
Tongue	500	5.3	0.24	3.9	0.18	225	2.0	0.14	1.4	0.11
Major salivary gland	155	1.7	0.14	1.1	0.10	113	1.0	0.10	0.7	0.08
Floor of mouth	107	1.1	0.11	0.8	0.08	45	0.4	0.06	0.3	0.04
Gum & other mouth	155	1.7	0.14	1.1	0.09	140	1.2	0.10	0.8	0.07
Nasopharynx	48	0.5	0.07	0.4	0.06	27	0.2	0.05	0.2	0.04
Oropharynx	63	0.7	0.08	0.5	0.06	11	0.1	0.03	0.1	0.02
Hypopharynx	119	1.3	0.12	0.9	0.08	48	0.4	0.06	0.3	0.05
Digestive System	9,549	107.6	1.12	67.3	0.73	8,266	70.4	0.79	42.6	0.54
Esophagus	806	9.0	0.32	5.8	0.21	268	2.3	0.14	1.4	0.10
Stomach	1,027	11.7	0.37	7.1	0.24	629	5.3	0.22	3.3	0.15
Small intestine	256	2.8	0.18	1.9	0.12	221	1.9	0.13	1.3	0.10
Colon excl. rectum	3,132	35.9	0.65	21.4	0.41	3,472	29.1	0.51	16.9	0.33
Rectum & rectosigmoid	1,387	15.4	0.42	10.1	0.28	1,155	10.1	0.30	6.5	0.21
Anus, anal canal & anorectum	121	1.3	0.12	0.9	0.08	192	1.7	0.13	1.2	0.09
Liver	978	10.3	0.34	7.4	0.25	314	2.7	0.16	1.8	0.12
Gallbladder	86	1.0	0.11	0.6	0.06	164	1.3	0.11	0.7	0.07
Pancreas	1,364	15.6	0.43	9.3	0.27	1,396	11.9	0.33	7.0	0.21
Respiratory System	7,274	83.0	0.99	50.5	0.62	6,973	61.6	0.75	38.7	0.51
Larynx	596	6.6	0.27	4.3	0.18	156	1.4	0.11	1.0	0.08
Lung & bronchus	6,589	75.5	0.94	45.5	0.59	6,743	59.5	0.74	37.2	0.50
Bones & Joints	97	1.1	0.11	1.0	0.11	72	0.7	0.09	0.7	0.09
Soft Tissue (incl. heart)	342	3.9	0.21	2.8	0.16	305	3.0	0.17	2.3	0.16
Skin (excl. basal & sq.)	2,789	31.5	0.61	20.5	0.41	2,173	20.6	0.45	15.1	0.36
Melanomas of the skin	2,607	29.4	0.58	19.2	0.40	2,049	19.4	0.44	14.4	0.35
Breast (excl. <i>in situ</i>)	130	1.5	0.13	0.9	0.08	14,858	136.3	1.14	98.3	0.86
Female Genital System	-	-	-	-	-	5,760	52.2	0.70	38.0	0.54
Cervix uteri	-	-	-	-	-	595	6.1	0.26	4.8	0.21
Uterus Corpus	-	-	-	-	-	3,172	28.4	0.51	21.1	0.39
Uterus, NOS ¹	-	-	-	-	-	88	0.8	0.08	0.5	0.06
Ovary	-	-	-	-	-	1,412	12.6	0.34	8.9	0.26
Male Genital System	15,357	167.4	1.37	119.2	0.99	-	-	-	-	-
Prostate	14,740	160.0	1.34	112.7	0.96	-	-	-	-	-
Testis	518	6.3	0.28	5.8	0.26	-	-	-	-	-
Penis	75	0.9	0.10	0.5	0.06	-	-	-	-	-
Urinary System	6,141	70.1	0.91	42.4	0.57	2,731	24.0	0.47	15.3	0.33
Bladder (incl. <i>in situ</i>)	4,029	46.8	0.75	26.4	0.44	1,473	12.6	0.34	7.5	0.22
Kidney & renal pelvis	1,972	21.7	0.50	15.1	0.36	1,168	10.6	0.32	7.3	0.24
Ureter	92	1.1	0.11	0.6	0.07	63	0.5	0.07	0.3	0.04
Eye & Orbit	82	0.9	0.11	0.7	0.10	88	0.9	0.09	0.8	0.11
Brain & Other Nervous System	732	8.3	0.31	6.6	0.27	608	5.9	0.25	4.9	0.23
Brain	694	7.9	0.30	6.2	0.26	568	5.5	0.24	4.5	0.22
Endocrine System	877	9.6	0.33	7.8	0.27	2,588	26.6	0.53	22.1	0.46
Thyroid gland	779	8.5	0.31	6.8	0.25	2,494	25.7	0.52	21.3	0.45
Lymphomas	2,550	29.1	0.58	20.0	0.42	2,237	20.4	0.44	14.2	0.35
Hodgkin Lymphoma	337	3.9	0.21	3.5	0.20	291	3.1	0.18	2.7	0.18
Non-Hodgkin Lymphoma	2,213	25.2	0.54	16.4	0.37	1,946	17.3	0.40	11.4	0.30
Multiple Myeloma	638	7.2	0.29	4.4	0.18	568	4.9	0.21	3.1	0.15
Leukemias	1,478	17.2	0.45	11.4	0.33	1,103	10.0	0.31	7.4	0.28
Acute lymphocytic	149	1.8	0.15	2.1	0.19	121	1.4	0.13	1.9	0.19
Chronic lymphocytic	548	6.2	0.27	3.6	0.16	403	3.3	0.17	2.0	0.11
Acute myeloid	403	4.7	0.24	2.9	0.16	320	2.9	0.17	2.0	0.13
Chronic myeloid	185	2.1	0.16	1.4	0.11	119	1.1	0.10	0.7	0.08
Other leukemias	193	2.2	0.16	1.4	0.11	140	1.2	0.10	0.8	0.08
Mesothelioma	146	1.7	0.15	0.9	0.08	46	0.4	0.05	0.2	0.04
Kaposi Sarcoma	55	0.6	0.09	0.4	0.06	14	0.1	0.04	0.1	0.02
Ill-defined & Unknown	1,665	19.3	0.48	11.0	0.29	1,563	12.9	0.34	7.2	0.22
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	607	6.8	0.28	5.1	0.22	1,120	10.5	0.32	7.9	0.26
Breast (<i>in situ</i>)	25	0.3	0.06	0.2	0.04	5,012	46.7	0.67	35.2	0.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	46,151	571.4	2.70	375.5	1.87	45,917	463.9	2.23	320.9	1.70
Oral Cavity & Pharynx	1,356	16.0	0.44	11.6	0.33	627	6.2	0.25	4.2	0.19
Lip	41	0.5	0.08	0.3	0.05	24	0.2	0.05	0.1	0.03
Tongue	458	5.4	0.26	4.0	0.19	212	2.1	0.15	1.5	0.12
Major salivary gland	142	1.7	0.15	1.2	0.11	96	1.0	0.10	0.6	0.08
Floor of mouth	91	1.1	0.11	0.8	0.08	43	0.4	0.06	0.3	0.05
Gum & other mouth	144	1.8	0.15	1.1	0.10	119	1.1	0.11	0.7	0.08
Nasopharynx	36	0.4	0.07	0.3	0.06	24	0.2	0.05	0.2	0.04
Oropharynx	51	0.6	0.08	0.4	0.06	11	0.1	0.03	0.1	0.02
Hypopharynx	98	1.2	0.12	0.8	0.08	42	0.4	0.07	0.3	0.05
Digestive System	8,508	105.4	1.16	65.7	0.76	7,378	69.0	0.83	41.6	0.57
Esophagus	741	9.1	0.34	5.8	0.22	237	2.3	0.15	1.3	0.10
Stomach	885	11.1	0.38	6.7	0.24	545	5.1	0.23	3.1	0.16
Small intestine	232	2.8	0.19	1.9	0.13	193	1.9	0.14	1.3	0.10
Colon excl. rectum	2,813	35.3	0.67	21.1	0.43	3,132	28.7	0.53	16.6	0.35
Rectum & rectosigmoid	1,250	15.4	0.44	10.1	0.30	1,016	9.8	0.32	6.4	0.23
Anus, anal canal & anorectum	101	1.2	0.12	0.8	0.09	175	1.7	0.14	1.2	0.10
Liver	820	9.6	0.34	6.8	0.25	262	2.5	0.16	1.6	0.12
Gallbladder	75	1.0	0.11	0.5	0.07	144	1.3	0.11	0.7	0.07
Pancreas	1,236	15.4	0.45	9.2	0.28	1,264	11.8	0.34	6.9	0.23
Respiratory System	6,593	82.4	1.03	49.9	0.65	6,496	63.4	0.80	39.9	0.55
Larynx	513	6.2	0.28	4.1	0.19	139	1.4	0.12	1.0	0.09
Lung & bronchus	5,998	75.2	0.98	45.1	0.62	6,290	61.3	0.79	38.4	0.54
Bones & Joints	80	1.1	0.12	1.0	0.12	61	0.7	0.10	0.7	0.10
Soft Tissue (incl. heart)	303	3.9	0.23	2.8	0.18	274	3.0	0.19	2.4	0.17
Skin (excl. basal & sq.)	2,646	33.1	0.65	21.7	0.45	2,054	22.3	0.51	16.6	0.41
Melanomas of the skin	2,477	30.9	0.63	20.4	0.44	1,946	21.2	0.50	15.9	0.40
Breast (excl. <i>in situ</i>)	116	1.4	0.13	0.9	0.09	13,441	138.9	1.23	100.4	0.93
Female Genital System	-	-	-	-	-	5,180	52.7	0.75	38.5	0.58
Cervix uteri	-	-	-	-	-	496	6.0	0.28	4.7	0.23
Uterus Corpus	-	-	-	-	-	2,858	28.7	0.55	21.3	0.42
Uterus, NOS ¹	-	-	-	-	-	71	0.7	0.08	0.5	0.06
Ovary	-	-	-	-	-	1,305	13.1	0.37	9.2	0.28
Male Genital System	13,297	160.5	1.42	114.0	1.03	-	-	-	-	-
Prostate	12,721	152.3	1.37	106.8	0.98	-	-	-	-	-
Testis	484	7.1	0.33	6.6	0.31	-	-	-	-	-
Penis	72	0.9	0.11	0.5	0.07	-	-	-	-	-
Urinary System	5,758	72.1	0.96	43.6	0.61	2,493	24.2	0.50	15.4	0.35
Bladder (incl. <i>in situ</i>)	3,889	49.1	0.80	27.9	0.48	1,375	12.9	0.36	7.7	0.24
Kidney & renal pelvis	1,740	21.3	0.52	14.7	0.37	1,038	10.5	0.33	7.3	0.26
Ureter	86	1.1	0.12	0.6	0.07	59	0.6	0.07	0.3	0.04
Eye & Orbit	73	0.9	0.11	0.7	0.10	83	0.9	0.11	0.8	0.12
Brain & Other Nervous System	688	8.9	0.34	7.0	0.30	562	6.2	0.27	5.2	0.26
Brain	651	8.4	0.33	6.6	0.29	527	5.8	0.26	4.8	0.25
Endocrine System	797	10.1	0.36	8.2	0.31	2,302	27.8	0.60	23.1	0.52
Thyroid gland	711	8.9	0.34	7.2	0.28	2,223	26.9	0.59	22.3	0.50
Lymphomas	2,308	29.5	0.62	20.2	0.46	2,025	20.8	0.48	14.5	0.38
Hodgkin Lymphoma	300	4.1	0.24	3.8	0.23	258	3.2	0.21	2.9	0.20
Non-Hodgkin Lymphoma	2,008	25.4	0.57	16.5	0.40	1,767	17.5	0.43	11.6	0.32
Multiple Myeloma	540	6.7	0.29	4.1	0.19	457	4.3	0.21	2.7	0.14
Leukemias	1,363	17.6	0.48	11.8	0.37	1,008	10.3	0.34	7.8	0.33
Acute lymphocytic	133	1.9	0.17	2.3	0.22	111	1.6	0.16	2.2	0.23
Chronic lymphocytic	510	6.3	0.28	3.7	0.18	373	3.4	0.18	2.0	0.12
Acute myeloid	377	4.9	0.26	3.0	0.17	286	2.9	0.18	2.0	0.14
Chronic myeloid	166	2.1	0.17	1.4	0.12	110	1.2	0.12	0.8	0.10
Other leukemias	177	2.3	0.17	1.4	0.12	128	1.2	0.11	0.8	0.09
Mesothelioma	142	1.8	0.16	1.0	0.09	43	0.4	0.06	0.2	0.04
Kaposi Sarcoma	45	0.6	0.09	0.3	0.06	9	0.1	0.03	0.0	0.02
Ill-defined & Unknown	1,538	19.4	0.50	11.1	0.31	1,424	12.7	0.35	6.9	0.22
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	520	6.6	0.29	5.0	0.24	984	10.5	0.35	7.9	0.28
Breast (<i>in situ</i>)	22	0.3	0.06	0.2	0.04	4,502	47.6	0.72	36.0	0.56

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	3,714	592.9	10.51	407.0	6.78	3,356	383.8	6.78	263.0	4.65
Oral Cavity & Pharynx	121	17.3	1.66	13.2	1.22	47	5.5	0.82	3.6	0.54
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	27	3.8	0.77	2.9	0.57	8	1.0	0.35	0.6	0.22
Major salivary gland	6	1.3	0.54	0.6	0.24	11	1.2	0.38	0.9	0.26
Floor of mouth	11	1.4	0.43	1.2	0.38	-	-	-	-	-
Gum & other mouth	9	1.1	0.38	1.0	0.34	12	1.5	0.43	0.8	0.25
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	11	1.4	0.43	1.2	0.37	-	-	-	-	-
Hypopharynx	21	3.4	0.81	2.3	0.51	-	-	-	-	-
Digestive System	801	134.3	5.17	85.6	3.07	689	82.8	3.23	51.6	2.02
Esophagus	52	8.5	1.28	5.9	0.82	24	2.6	0.53	2.0	0.42
Stomach	111	20.1	2.08	11.9	1.15	68	8.3	1.03	5.1	0.63
Small intestine	21	3.5	0.83	2.3	0.51	27	3.0	0.59	2.1	0.42
Colon excl. rectum	248	44.7	3.10	27.0	1.74	264	32.2	2.03	19.5	1.24
Rectum & rectosigmoid	97	14.0	1.51	10.0	1.03	106	12.3	1.22	8.1	0.81
Anus, anal canal & anorectum	19	2.8	0.67	1.8	0.42	15	1.7	0.45	1.1	0.30
Liver	111	15.5	1.57	11.4	1.10	33	3.9	0.69	2.4	0.42
Gallbladder	9	1.9	0.69	1.0	0.34	15	1.8	0.47	1.1	0.29
Pancreas	110	19.2	1.99	11.8	1.14	109	13.6	1.34	8.0	0.79
Respiratory System	547	92.1	4.23	60.6	2.63	406	48.7	2.47	31.4	1.61
Larynx	69	11.2	1.44	7.7	0.94	15	1.8	0.48	1.1	0.29
Lung & bronchus	474	80.5	3.97	52.5	2.45	386	46.3	2.41	29.9	1.57
Bones & Joints	11	1.1	0.36	1.1	0.33	6	0.7	0.30	0.5	0.23
Soft Tissue (incl. heart)	26	3.8	0.80	2.7	0.53	22	2.2	0.48	1.9	0.43
Skin (excl. basal & sq.)	19	2.9	0.76	2.1	0.48	21	2.3	0.52	1.7	0.37
Melanomas of the skin	12	2.1	0.68	1.3	0.39	10	1.2	0.39	0.8	0.26
Breast (excl. <i>in situ</i>)	10	2.2	0.77	1.1	0.34	1,009	110.9	3.56	80.2	2.57
Female Genital System	-	-	-	-	-	421	47.5	2.36	33.8	1.68
Cervix uteri	-	-	-	-	-	68	7.4	0.92	5.4	0.66
Uterus Corpus	-	-	-	-	-	243	27.2	1.78	19.9	1.30
Uterus, NOS ¹	-	-	-	-	-	13	1.6	0.44	1.0	0.28
Ovary	-	-	-	-	-	65	7.5	0.95	5.1	0.65
Male Genital System	1,460	227.5	6.34	164.6	4.37	-	-	-	-	-
Prostate	1,441	224.8	6.30	162.6	4.34	-	-	-	-	-
Testis	13	1.6	0.46	1.3	0.36	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	260	40.8	2.78	27.9	1.76	171	20.2	1.58	13.2	1.04
Bladder (incl. <i>in situ</i>)	86	16.3	1.94	9.5	1.04	69	8.8	1.09	5.0	0.62
Kidney & renal pelvis	166	23.2	1.92	17.5	1.38	96	10.7	1.12	7.7	0.81
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	27	3.4	0.75	2.9	0.57	30	3.0	0.57	2.9	0.55
Brain	27	3.4	0.75	2.9	0.57	28	2.8	0.55	2.6	0.52
Endocrine System	43	6.0	0.99	4.4	0.69	141	14.3	1.22	11.7	1.00
Thyroid gland	38	5.4	0.96	4.0	0.65	130	13.2	1.17	10.6	0.94
Lymphomas	143	19.0	1.71	14.9	1.26	137	15.3	1.34	10.7	0.94
Hodgkin Lymphoma	26	2.7	0.55	2.5	0.50	25	2.4	0.49	2.2	0.44
Non-Hodgkin Lymphoma	117	16.3	1.62	12.4	1.16	112	12.9	1.25	8.5	0.83
Multiple Myeloma	76	13.6	1.70	8.2	0.96	95	11.3	1.19	7.2	0.77
Leukemias	73	12.0	1.55	7.2	0.86	60	7.0	0.92	4.3	0.58
Acute lymphocytic	8	0.9	0.37	0.9	0.31	-	-	-	-	-
Chronic lymphocytic	22	4.5	1.03	2.2	0.47	15	1.9	0.51	1.0	0.27
Acute myeloid	21	3.4	0.80	2.1	0.45	23	2.6	0.56	1.8	0.38
Chronic myeloid	10	1.3	0.44	1.0	0.30	7	0.8	0.30	0.5	0.19
Other leukemias	12	2.0	0.62	1.2	0.35	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	0.8	0.30	0.6	0.24	-	-	-	-	-
Ill-defined & Unknown	84	14.9	1.77	9.1	1.01	93	11.1	1.18	7.4	0.79
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	47	7.2	1.16	5.1	0.75	90	9.9	1.07	7.4	0.80
Breast (<i>in situ</i>)	-	-	-	-	-	367	39.2	2.09	29.4	1.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	554	288.8	14.60	187.6	8.22	635	257.0	11.50	174.2	7.12
Oral Cavity & Pharynx	21	8.8	2.11	6.5	1.44	9	3.2	1.15	2.4	0.83
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	3.3	1.38	2.2	0.85	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	2.4	0.89	2.1	0.80	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	144	73.2	7.12	48.4	4.16	125	58.4	5.80	36.5	3.34
Esophagus	12	5.9	1.90	3.9	1.15	6	3.1	1.42	1.9	0.78
Stomach	22	12.7	3.22	7.2	1.59	8	3.6	1.51	2.0	0.72
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	30	15.4	3.25	10.5	1.97	40	20.4	3.61	11.7	1.89
Rectum & rectosigmoid	18	8.8	2.30	6.3	1.50	19	8.2	2.04	5.4	1.27
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	36	14.4	2.58	11.2	1.94	15	5.6	1.54	4.4	1.16
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	13	9.6	3.19	5.0	1.44	14	7.9	2.28	4.2	1.14
Respiratory System	88	53.6	6.89	29.6	3.26	50	24.4	3.83	14.3	2.07
Larynx	6	2.6	1.21	1.7	0.73	-	-	-	-	-
Lung & bronchus	80	50.5	6.77	27.3	3.16	47	23.5	3.79	13.6	2.03
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	9	4.0	1.59	2.6	0.91	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	8	3.8	1.45	2.2	0.81
Melanomas of the skin	-	-	-	-	-	6	2.9	1.30	1.6	0.69
Breast (excl. <i>in situ</i>)	-	-	-	-	-	197	73.1	5.79	51.8	3.80
Female Genital System	-	-	-	-	-	77	30.3	3.83	22.0	2.58
Cervix uteri	-	-	-	-	-	10	3.7	1.25	2.7	0.89
Uterus Corpus	-	-	-	-	-	34	13.3	2.50	9.8	1.72
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	24	9.5	2.22	6.6	1.39
Male Genital System	127	63.9	6.43	46.4	4.18	-	-	-	-	-
Prostate	119	61.6	6.38	43.9	4.08	-	-	-	-	-
Testis	7	1.9	0.74	2.1	0.83	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	38	24.5	4.66	13.1	2.20	25	16.0	3.53	7.2	1.47
Bladder (incl. <i>in situ</i>)	18	12.5	3.37	6.5	1.56	12	8.2	2.55	3.5	1.03
Kidney & renal pelvis	18	9.9	2.85	6.0	1.47	10	5.0	1.83	2.8	0.89
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	9	2.7	0.91	2.6	0.90	7	2.0	0.84	2.0	0.78
Brain	9	2.7	0.91	2.6	0.90	6	1.7	0.79	1.7	0.74
Endocrine System	21	7.2	1.71	5.7	1.28	77	21.9	2.70	18.4	2.17
Thyroid gland	15	5.4	1.54	4.3	1.15	75	21.4	2.67	18.0	2.14
Lymphomas	43	22.6	4.29	15.1	2.38	24	9.4	2.06	7.5	1.57
Hodgkin Lymphoma	7	2.6	1.01	2.4	0.93	-	-	-	-	-
Non-Hodgkin Lymphoma	36	20.1	4.17	12.7	2.19	-	-	-	-	-
Multiple Myeloma	11	6.2	2.08	3.8	1.16	-	-	-	-	-
Leukemias	22	11.7	3.29	7.6	1.71	8	2.8	1.09	2.4	0.88
Acute lymphocytic	6	2.0	0.83	2.3	0.94	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	6	2.1	0.93	1.6	0.70	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	9.0	2.68	4.9	1.28	17	7.4	2.08	4.6	1.16
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	14	5.5	1.69	4.1	1.14	17	5.4	1.32	4.9	1.23
Breast (<i>in situ</i>)	-	-	-	-	-	64	21.9	2.91	17.0	2.19

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	49	211.1	34.29	127.6	18.94	46	152.3	24.01	91.3	13.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	45.1	14.94	28.6	8.60	8	34.3	12.32	15.9	6.03
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	47.0	18.94	19.8	7.53	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	47.0	18.94	19.8	7.53	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	18	54.5	13.80	35.3	8.54
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	52.9	16.44	36.5	10.81	-	-	-	-	-
Prostate	11	50.6	16.29	34.7	10.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	2,664	549.2	12.47	355.2	7.19	2,939	432.3	8.76	291.1	5.54
Oral Cavity & Pharynx	75	12.8	1.68	9.2	1.11	50	6.9	1.07	5.0	0.73
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	27	4.1	0.89	3.1	0.62	15	1.8	0.51	1.5	0.39
Major salivary gland	-	-	-	-	-	10	1.1	0.36	0.9	0.30
Floor of mouth	8	1.3	0.52	0.9	0.33	-	-	-	-	-
Gum & other mouth	12	2.5	0.79	1.8	0.54	12	1.9	0.60	1.2	0.37
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	677	140.6	6.33	90.5	3.62	517	88.2	4.20	52.7	2.39
Esophagus	35	7.9	1.51	5.3	0.92	11	2.0	0.62	1.3	0.39
Stomach	97	22.1	2.60	13.0	1.39	76	12.2	1.52	7.8	0.92
Small intestine	11	1.5	0.45	1.2	0.39	8	1.1	0.43	0.8	0.27
Colon excl. rectum	191	40.5	3.46	25.4	1.92	189	33.3	2.61	19.3	1.44
Rectum & rectosigmoid	85	18.0	2.27	11.3	1.28	68	10.2	1.35	6.7	0.83
Anus, anal canal & anorectum	12	2.0	0.73	1.3	0.41	19	2.6	0.63	2.0	0.47
Liver	149	24.8	2.31	19.2	1.63	34	5.9	1.09	3.6	0.64
Gallbladder	7	2.0	0.89	1.0	0.40	17	3.2	0.84	1.6	0.41
Pancreas	66	15.7	2.23	9.3	1.19	67	12.8	1.67	6.9	0.87
Respiratory System	311	74.0	4.76	45.4	2.65	259	47.0	3.12	28.3	1.80
Larynx	34	7.4	1.44	4.6	0.81	10	1.4	0.47	1.0	0.32
Lung & bronchus	272	65.9	4.52	40.2	2.50	244	44.8	3.05	26.8	1.76
Bones & Joints	6	0.5	0.19	0.5	0.21	7	0.6	0.24	0.6	0.25
Soft Tissue (incl. heart)	20	2.9	0.78	2.2	0.52	22	2.4	0.57	2.1	0.46
Skin (excl. basal & sq.)	27	5.5	1.31	3.2	0.65	44	6.3	1.07	4.3	0.66
Melanomas of the skin	24	4.0	0.97	2.7	0.58	37	5.4	1.00	3.6	0.61
Breast (excl. <i>in situ</i>)	6	1.7	0.84	0.8	0.36	864	119.6	4.41	85.3	3.00
Female Genital System	-	-	-	-	-	370	50.5	2.85	36.8	1.98
Cervix uteri	-	-	-	-	-	102	11.2	1.18	9.1	0.93
Uterus Corpus	-	-	-	-	-	166	24.0	1.99	17.9	1.43
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	81	12.3	1.49	8.0	0.92
Male Genital System	748	157.7	6.53	106.4	4.02	-	-	-	-	-
Prostate	681	150.5	6.45	100.3	3.94	-	-	-	-	-
Testis	49	3.9	0.57	3.7	0.54	-	-	-	-	-
Penis	15	2.7	0.80	1.9	0.52	-	-	-	-	-
Urinary System	251	58.0	4.21	34.7	2.28	146	24.6	2.23	14.5	1.24
Bladder (incl. <i>in situ</i>)	134	35.4	3.45	19.6	1.75	62	12.4	1.67	6.6	0.86
Kidney & renal pelvis	110	20.7	2.28	14.0	1.40	82	11.9	1.46	7.8	0.89
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	50	7.5	1.35	5.5	0.83	46	5.2	0.88	4.1	0.61
Brain	48	7.2	1.32	5.2	0.80	39	4.6	0.84	3.5	0.56
Endocrine System	62	7.9	1.17	6.2	0.84	265	28.9	1.90	23.1	1.46
Thyroid gland	56	6.9	1.09	5.5	0.77	252	27.3	1.84	21.9	1.42
Lymphomas	191	30.7	2.80	21.4	1.65	156	22.3	2.00	14.6	1.20
Hodgkin Lymphoma	45	4.8	0.90	4.2	0.65	27	2.7	0.56	2.3	0.45
Non-Hodgkin Lymphoma	146	25.8	2.65	17.2	1.51	129	19.6	1.93	12.3	1.11
Multiple Myeloma	38	8.8	1.67	5.0	0.85	34	5.3	0.98	3.6	0.64
Leukemias	109	18.1	2.20	12.6	1.28	80	11.0	1.40	8.0	0.91
Acute lymphocytic	37	2.7	0.46	3.4	0.56	24	2.3	0.56	2.5	0.51
Chronic lymphocytic	17	4.3	1.14	2.5	0.62	14	3.0	0.83	1.6	0.44
Acute myeloid	32	6.7	1.44	3.8	0.72	21	2.7	0.67	2.0	0.44
Chronic myeloid	13	2.0	0.65	1.5	0.44	15	2.1	0.61	1.4	0.38
Other leukemias	10	2.4	0.90	1.4	0.46	6	0.8	0.35	0.5	0.22
Mesothelioma	6	1.9	0.80	1.0	0.40	-	-	-	-	-
Kaposi Sarcoma	11	1.4	0.51	1.0	0.30	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	68	12.2	1.60	6.7	0.84
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	47	7.2	1.39	4.6	0.70	79	10.4	1.30	7.3	0.85
Breast (<i>in situ</i>)	-	-	-	-	-	337	44.1	2.56	33.1	1.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

CONNECTICUT

70 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	43,699	572.7	2.78	376.5	1.95	43,216	465.6	2.33	322.4	1.79
Oral Cavity & Pharynx	1,289	16.2	0.46	11.8	0.34	580	6.1	0.26	4.1	0.20
Lip	39	0.5	0.08	0.3	0.05	24	0.2	0.05	0.1	0.03
Tongue	433	5.4	0.27	4.1	0.20	198	2.1	0.16	1.5	0.12
Major salivary gland	138	1.8	0.16	1.2	0.11	87	0.9	0.11	0.6	0.08
Floor of mouth	83	1.0	0.11	0.8	0.09	40	0.4	0.07	0.3	0.05
Gum & other mouth	132	1.7	0.15	1.1	0.10	107	1.1	0.11	0.7	0.08
Nasopharynx	32	0.4	0.07	0.3	0.06	20	0.2	0.05	0.2	0.04
Oropharynx	50	0.6	0.09	0.4	0.06	10	0.1	0.03	0.1	0.02
Hypopharynx	95	1.2	0.13	0.8	0.09	41	0.4	0.07	0.3	0.05
Digestive System	7,872	102.9	1.18	63.6	0.77	6,908	67.7	0.85	40.7	0.58
Esophagus	708	9.1	0.35	5.8	0.23	226	2.3	0.15	1.3	0.10
Stomach	793	10.4	0.37	6.3	0.24	475	4.6	0.22	2.7	0.15
Small intestine	221	2.8	0.19	1.9	0.13	185	1.9	0.14	1.3	0.11
Colon excl. rectum	2,636	34.9	0.69	20.6	0.43	2,958	28.4	0.55	16.4	0.37
Rectum & rectosigmoid	1,170	15.3	0.45	10.0	0.31	957	9.8	0.33	6.4	0.24
Anus, anal canal & anorectum	90	1.2	0.13	0.8	0.09	156	1.7	0.14	1.2	0.10
Liver	680	8.5	0.33	5.7	0.23	231	2.3	0.16	1.5	0.13
Gallbladder	68	0.9	0.11	0.5	0.07	128	1.2	0.11	0.6	0.07
Pancreas	1,173	15.4	0.46	9.2	0.29	1,209	11.8	0.35	7.0	0.23
Respiratory System	6,299	82.6	1.05	50.0	0.67	6,250	64.3	0.83	40.6	0.58
Larynx	479	6.1	0.28	4.0	0.19	129	1.4	0.12	1.0	0.09
Lung & bronchus	5,743	75.5	1.01	45.3	0.64	6,059	62.2	0.82	39.1	0.56
Bones & Joints	76	1.1	0.13	1.0	0.13	55	0.7	0.11	0.7	0.11
Soft Tissue (incl. heart)	285	4.0	0.24	2.9	0.20	254	3.1	0.20	2.4	0.19
Skin (excl. basal & sq.)	2,622	35.0	0.70	23.2	0.49	2,011	23.9	0.56	17.9	0.46
Melanomas of the skin	2,456	32.8	0.67	21.8	0.48	1,910	22.8	0.55	17.2	0.45
Breast (excl. <i>in situ</i>)	111	1.4	0.14	0.9	0.09	12,647	140.2	1.29	101.4	0.98
Female Genital System	-	-	-	-	-	4,842	52.4	0.78	38.2	0.60
Cervix uteri	-	-	-	-	-	404	5.4	0.28	4.2	0.23
Uterus Corpus	-	-	-	-	-	2,707	28.9	0.57	21.4	0.44
Uterus, NOS ¹	-	-	-	-	-	70	0.7	0.09	0.5	0.07
Ovary	-	-	-	-	-	1,229	13.1	0.39	9.3	0.30
Male Genital System	12,626	161.3	1.46	114.8	1.07	-	-	-	-	-
Prostate	12,114	152.8	1.41	107.3	1.01	-	-	-	-	-
Testis	438	7.6	0.37	7.0	0.36	-	-	-	-	-
Penis	57	0.8	0.10	0.4	0.06	-	-	-	-	-
Urinary System	5,522	72.7	0.99	44.1	0.64	2,359	24.1	0.51	15.3	0.36
Bladder (incl. <i>in situ</i>)	3,761	49.7	0.82	28.3	0.50	1,319	13.1	0.37	7.8	0.25
Kidney & renal pelvis	1,638	21.4	0.54	14.8	0.39	962	10.2	0.34	7.1	0.26
Ureter	81	1.1	0.12	0.6	0.07	58	0.6	0.08	0.3	0.05
Eye & Orbit	69	0.9	0.12	0.7	0.10	79	0.9	0.11	0.8	0.13
Brain & Other Nervous System	641	9.1	0.37	7.2	0.33	518	6.2	0.29	5.2	0.29
Brain	606	8.5	0.36	6.7	0.31	489	5.9	0.28	4.8	0.28
Endocrine System	739	10.4	0.39	8.5	0.34	2,061	27.8	0.64	23.2	0.56
Thyroid gland	659	9.2	0.37	7.4	0.31	1,994	26.9	0.63	22.4	0.55
Lymphomas	2,136	29.3	0.65	20.0	0.49	1,883	20.7	0.50	14.4	0.41
Hodgkin Lymphoma	258	4.1	0.26	3.7	0.25	234	3.3	0.23	3.0	0.23
Non-Hodgkin Lymphoma	1,878	25.2	0.59	16.3	0.41	1,649	17.3	0.45	11.4	0.34
Multiple Myeloma	506	6.6	0.30	4.0	0.19	428	4.3	0.21	2.7	0.15
Leukemias	1,259	17.2	0.49	11.4	0.38	933	10.2	0.36	7.7	0.36
Acute lymphocytic	96	1.6	0.17	1.9	0.22	87	1.6	0.17	2.2	0.26
Chronic lymphocytic	495	6.4	0.29	3.8	0.18	359	3.4	0.19	2.1	0.13
Acute myeloid	346	4.8	0.26	2.9	0.18	268	2.9	0.19	2.0	0.15
Chronic myeloid	154	2.1	0.17	1.4	0.13	96	1.1	0.12	0.7	0.10
Other leukemias	168	2.3	0.18	1.4	0.12	123	1.2	0.12	0.8	0.10
Mesothelioma	136	1.8	0.16	1.0	0.09	40	0.4	0.06	0.2	0.04
Kaposi Sarcoma	35	0.5	0.08	0.3	0.05	6	0.0	0.02	0.0	0.00
Ill-defined & Unknown	1,476	19.5	0.52	11.2	0.32	1,362	12.7	0.36	6.9	0.23
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	479	6.6	0.31	5.1	0.26	912	10.5	0.36	7.9	0.30
Breast (<i>in situ</i>)	17	0.2	0.06	0.2	0.04	4,205	48.1	0.76	36.4	0.59

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIav2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,633	617.1	10.99	426.6	7.18	3,265	399.6	7.13	275.9	4.96
Oral Cavity & Pharynx	118	18.0	1.75	13.8	1.29	46	5.8	0.87	3.8	0.58
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	27	4.1	0.82	3.2	0.62	8	1.0	0.37	0.6	0.24
Major salivary gland	6	1.3	0.57	0.6	0.25	10	1.2	0.40	0.9	0.28
Floor of mouth	11	1.5	0.46	1.3	0.40	-	-	-	-	-
Gum & other mouth	9	1.2	0.40	1.1	0.37	12	1.6	0.46	0.9	0.27
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	10	1.3	0.41	1.2	0.37	-	-	-	-	-
Hypopharynx	20	3.5	0.85	2.4	0.54	-	-	-	-	-
Digestive System	779	138.9	5.40	89.1	3.24	664	84.6	3.35	53.2	2.13
Esophagus	52	9.0	1.35	6.2	0.88	24	2.7	0.57	2.2	0.45
Stomach	108	20.7	2.17	12.4	1.21	67	8.7	1.08	5.3	0.67
Small intestine	21	3.7	0.88	2.5	0.55	27	3.2	0.63	2.3	0.45
Colon excl. rectum	242	46.2	3.22	28.2	1.84	258	33.4	2.12	20.2	1.30
Rectum & rectosigmoid	94	14.5	1.59	10.4	1.09	100	12.4	1.26	8.2	0.84
Anus, anal canal & anorectum	18	2.9	0.71	1.9	0.45	15	1.8	0.48	1.2	0.32
Liver	106	15.7	1.62	11.7	1.15	32	4.0	0.73	2.5	0.45
Gallbladder	9	2.1	0.73	1.1	0.36	14	1.7	0.48	1.1	0.30
Pancreas	108	20.1	2.10	12.3	1.20	100	13.1	1.34	7.9	0.82
Respiratory System	541	96.6	4.44	64.0	2.79	395	50.1	2.57	32.4	1.68
Larynx	69	11.9	1.53	8.2	1.01	15	1.9	0.51	1.2	0.31
Lung & bronchus	468	84.2	4.16	55.3	2.59	375	47.6	2.51	30.9	1.64
Bones & Joints	11	1.3	0.40	1.2	0.38	6	0.8	0.32	0.6	0.27
Soft Tissue (incl. heart)	26	4.1	0.86	2.9	0.59	21	2.3	0.52	2.0	0.45
Skin (excl. basal & sq.)	19	3.2	0.81	2.2	0.52	21	2.5	0.56	1.9	0.41
Melanomas of the skin	12	2.2	0.72	1.4	0.42	10	1.3	0.42	0.9	0.28
Breast (excl. <i>in situ</i>)	10	2.4	0.81	1.1	0.36	985	116.4	3.77	84.6	2.74
Female Genital System	-	-	-	-	-	410	49.4	2.48	35.5	1.79
Cervix uteri	-	-	-	-	-	65	7.7	0.97	5.6	0.71
Uterus Corpus	-	-	-	-	-	236	28.1	1.86	20.8	1.38
Uterus, NOS ¹	-	-	-	-	-	13	1.7	0.47	1.1	0.30
Ovary	-	-	-	-	-	65	8.0	1.01	5.4	0.69
Male Genital System	1,432	237.4	6.65	172.5	4.62	-	-	-	-	-
Prostate	1,413	234.4	6.61	170.3	4.59	-	-	-	-	-
Testis	13	1.8	0.51	1.4	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	253	41.9	2.86	29.0	1.85	168	21.1	1.66	13.9	1.11
Bladder (incl. <i>in situ</i>)	82	16.2	1.96	9.6	1.07	67	9.0	1.13	5.2	0.65
Kidney & renal pelvis	164	24.5	2.02	18.7	1.48	95	11.4	1.19	8.2	0.87
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	25	3.5	0.79	3.1	0.64	29	3.4	0.63	3.2	0.64
Brain	25	3.5	0.79	3.1	0.64	27	3.1	0.61	2.9	0.60
Endocrine System	42	6.2	1.02	4.7	0.74	136	15.3	1.32	12.6	1.10
Thyroid gland	37	5.6	0.98	4.2	0.70	125	14.0	1.27	11.3	1.02
Lymphomas	138	20.1	1.82	15.8	1.36	135	16.3	1.44	11.5	1.03
Hodgkin Lymphoma	24	2.9	0.60	2.6	0.54	24	2.6	0.54	2.4	0.49
Non-Hodgkin Lymphoma	114	17.2	1.72	13.2	1.25	111	13.7	1.33	9.2	0.90
Multiple Myeloma	73	13.8	1.76	8.4	1.00	92	11.7	1.24	7.5	0.81
Leukemias	71	12.6	1.62	7.7	0.93	57	7.2	0.97	4.5	0.62
Acute lymphocytic	8	1.0	0.41	1.0	0.36	-	-	-	-	-
Chronic lymphocytic	21	4.4	1.04	2.2	0.50	15	2.0	0.53	1.0	0.29
Acute myeloid	20	3.5	0.84	2.1	0.48	21	2.6	0.58	1.8	0.40
Chronic myeloid	10	1.4	0.48	1.1	0.34	6	0.7	0.30	0.5	0.19
Other leukemias	12	2.1	0.66	1.3	0.38	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	0.9	0.33	0.7	0.26	-	-	-	-	-
Ill-defined & Unknown	82	15.3	1.83	9.5	1.06	92	11.7	1.25	7.8	0.85
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	46	7.6	1.23	5.4	0.80	87	10.4	1.13	7.8	0.85
Breast (<i>in situ</i>)	-	-	-	-	-	353	40.5	2.19	30.5	1.64

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

CONNECTICUT

72 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,532	601.7	5.27	401.1	3.59	11,893	443.3	4.12	307.5	3.05
Oral Cavity & Pharynx	406	17.5	0.88	12.7	0.65	178	6.6	0.50	4.6	0.37
Lip	18	0.9	0.21	0.5	0.13	-	-	-	-	-
Tongue	134	5.7	0.50	4.2	0.37	48	1.8	0.26	1.2	0.18
Major salivary gland	33	1.6	0.29	1.0	0.18	29	1.1	0.20	0.8	0.17
Floor of mouth	19	0.8	0.17	0.6	0.15	6	0.2	0.09	0.1	0.06
Gum & other mouth	55	2.5	0.35	1.6	0.22	44	1.6	0.24	0.9	0.15
Nasopharynx	12	0.6	0.16	0.4	0.13	7	0.3	0.10	0.2	0.10
Oropharynx	22	0.9	0.19	0.7	0.15	10	0.4	0.11	0.2	0.07
Hypopharynx	32	1.3	0.24	1.0	0.18	6	0.2	0.09	0.2	0.07
Digestive System	2,360	106.4	2.23	69.0	1.47	1,906	69.0	1.60	43.1	1.07
Esophagus	207	9.0	0.64	6.2	0.44	57	2.0	0.26	1.2	0.18
Stomach	207	9.6	0.68	5.9	0.43	114	4.3	0.41	2.6	0.26
Small intestine	53	2.4	0.34	1.6	0.23	57	2.1	0.29	1.3	0.19
Colon excl. rectum	816	37.6	1.34	23.2	0.84	846	30.3	1.05	18.0	0.68
Rectum & rectosigmoid	352	15.5	0.84	10.9	0.60	249	9.3	0.60	6.3	0.43
Anus, anal canal & anorectum	37	1.6	0.28	1.2	0.20	57	2.0	0.27	1.6	0.22
Liver	268	11.4	0.71	8.3	0.53	72	2.6	0.30	1.8	0.22
Gallbladder	13	0.6	0.16	0.4	0.12	44	1.6	0.25	1.1	0.17
Pancreas	332	15.1	0.84	9.2	0.52	298	10.7	0.63	6.6	0.41
Respiratory System	2,091	94.5	2.10	57.6	1.31	1,900	68.6	1.59	43.9	1.08
Larynx	145	6.3	0.53	4.3	0.37	55	1.9	0.26	1.4	0.20
Lung & bronchus	1,922	87.1	2.02	52.6	1.24	1,821	65.8	1.55	41.8	1.05
Bones & Joints	25	1.2	0.24	1.1	0.22	11	0.5	0.14	0.4	0.14
Soft Tissue (incl. heart)	91	4.2	0.45	3.2	0.36	73	2.9	0.34	2.3	0.31
Skin (excl. basal & sq.)	801	36.3	1.30	23.7	0.88	554	21.7	0.94	16.4	0.75
Melanomas of the skin	756	34.0	1.26	22.4	0.85	521	20.4	0.91	15.5	0.73
Breast (excl. <i>in situ</i>)	37	1.7	0.28	1.1	0.19	3,367	126.5	2.21	91.2	1.65
Female Genital System	-	-	-	-	-	1,376	51.5	1.41	38.4	1.09
Cervix uteri	-	-	-	-	-	212	8.8	0.62	7.0	0.50
Uterus Corpus	-	-	-	-	-	720	26.2	0.99	19.5	0.76
Uterus, NOS ¹	-	-	-	-	-	23	0.8	0.17	0.6	0.13
Ovary	-	-	-	-	-	309	11.5	0.66	8.3	0.51
Male Genital System	4,335	183.4	2.83	131.3	2.04	-	-	-	-	-
Prostate	4,211	177.3	2.78	126.0	1.98	-	-	-	-	-
Testis	111	5.4	0.52	5.0	0.48	-	-	-	-	-
Penis	10	0.5	0.17	0.3	0.09	-	-	-	-	-
Urinary System	1,437	66.1	1.78	40.8	1.12	646	23.7	0.94	15.5	0.67
Bladder (incl. <i>in situ</i>)	925	43.2	1.45	24.9	0.85	314	11.3	0.64	6.6	0.40
Kidney & renal pelvis	488	21.8	1.00	15.1	0.72	310	11.6	0.67	8.4	0.52
Ureter	18	0.9	0.21	0.6	0.13	17	0.6	0.14	0.4	0.10
Eye & Orbit	12	0.6	0.16	0.4	0.13	19	0.7	0.17	0.7	0.20
Brain & Other Nervous System	183	8.5	0.64	6.7	0.54	143	5.8	0.50	4.8	0.47
Brain	169	7.8	0.61	6.0	0.50	128	5.2	0.46	4.2	0.43
Endocrine System	158	7.1	0.57	5.6	0.47	429	17.9	0.88	14.6	0.74
Thyroid gland	141	6.3	0.54	4.7	0.41	409	17.1	0.86	14.0	0.72
Lymphomas	623	28.2	1.15	19.9	0.84	491	18.6	0.85	13.0	0.65
Hodgkin Lymphoma	97	4.4	0.46	4.0	0.42	43	1.9	0.29	1.8	0.29
Non-Hodgkin Lymphoma	526	23.7	1.05	15.9	0.72	448	16.7	0.80	11.2	0.59
Multiple Myeloma	150	6.9	0.57	4.4	0.37	159	5.9	0.47	3.8	0.32
Leukemias	344	16.2	0.89	11.0	0.65	248	9.3	0.60	6.7	0.50
Acute lymphocytic	35	1.6	0.27	2.0	0.35	22	1.0	0.22	1.3	0.29
Chronic lymphocytic	115	5.3	0.50	3.2	0.31	93	3.3	0.34	1.9	0.22
Acute myeloid	97	4.6	0.48	3.0	0.33	73	2.8	0.33	2.0	0.26
Chronic myeloid	44	2.1	0.31	1.3	0.20	31	1.2	0.23	0.9	0.18
Other leukemias	53	2.6	0.36	1.6	0.23	29	1.0	0.19	0.7	0.15
Mesothelioma	51	2.5	0.36	1.1	0.17	13	0.5	0.13	0.3	0.09
Kaposi Sarcoma	17	0.9	0.21	0.7	0.17	-	-	-	-	-
Ill-defined & Unknown	411	19.8	1.00	10.9	0.57	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	126	5.8	0.52	4.2	0.40	297	11.3	0.67	8.6	0.54
Breast (<i>in situ</i>)	-	-	-	-	-	1,021	38.3	1.22	28.7	0.93

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	11,100	596.7	5.76	395.2	3.98	9,771	452.6	4.69	314.0	3.52
Oral Cavity & Pharynx	341	17.9	0.98	12.8	0.72	147	6.7	0.56	4.7	0.42
Lip	17	1.0	0.24	0.5	0.14	-	-	-	-	-
Tongue	117	6.1	0.57	4.5	0.43	40	1.8	0.29	1.2	0.21
Major salivary gland	28	1.6	0.32	0.9	0.19	23	1.0	0.22	0.8	0.18
Floor of mouth	16	0.8	0.20	0.7	0.17	6	0.3	0.12	0.2	0.08
Gum & other mouth	45	2.5	0.37	1.6	0.26	34	1.5	0.26	0.9	0.17
Nasopharynx	6	0.3	0.14	0.2	0.09	-	-	-	-	-
Oropharynx	20	1.0	0.22	0.8	0.17	10	0.4	0.13	0.3	0.09
Hypopharynx	26	1.3	0.25	0.9	0.19	-	-	-	-	-
Digestive System	1,905	103.8	2.42	66.6	1.60	1,511	66.4	1.74	40.9	1.17
Esophagus	185	9.8	0.73	6.6	0.51	49	2.1	0.30	1.2	0.19
Stomach	155	8.6	0.70	5.1	0.44	72	3.2	0.39	1.9	0.25
Small intestine	37	2.0	0.34	1.3	0.23	35	1.6	0.28	1.0	0.18
Colon excl. rectum	661	36.5	1.44	22.2	0.91	700	30.3	1.16	17.6	0.75
Rectum & rectosigmoid	297	16.1	0.95	11.3	0.69	190	9.0	0.67	6.1	0.48
Anus, anal canal & anorectum	29	1.5	0.29	1.1	0.21	47	2.1	0.32	1.7	0.26
Liver	194	10.2	0.74	7.3	0.55	50	2.2	0.31	1.4	0.22
Gallbladder	10	0.5	0.17	0.4	0.13	38	1.7	0.28	1.1	0.19
Pancreas	275	15.0	0.92	9.0	0.57	235	10.1	0.67	6.3	0.45
Respiratory System	1,763	95.1	2.29	57.5	1.44	1,621	71.0	1.78	45.5	1.22
Larynx	113	5.9	0.56	4.1	0.40	43	1.9	0.29	1.4	0.23
Lung & bronchus	1,630	87.9	2.21	52.6	1.37	1,556	68.1	1.74	43.2	1.19
Bones & Joints	23	1.5	0.31	1.3	0.30	7	0.4	0.16	0.4	0.17
Soft Tissue (incl. heart)	68	3.8	0.48	2.9	0.38	55	2.9	0.40	2.4	0.39
Skin (excl. basal & sq.)	781	42.8	1.56	28.5	1.09	530	26.9	1.21	20.6	0.98
Melanomas of the skin	740	40.4	1.51	27.0	1.06	503	25.6	1.18	19.8	0.97
Breast (excl. <i>in situ</i>)	25	1.4	0.28	0.9	0.19	2,703	126.8	2.50	91.3	1.88
Female Genital System	-	-	-	-	-	1,112	52.6	1.62	39.4	1.27
Cervix uteri	-	-	-	-	-	153	8.7	0.73	6.9	0.59
Uterus Corpus	-	-	-	-	-	606	27.6	1.15	20.8	0.89
Uterus, NOS ¹	-	-	-	-	-	11	0.4	0.14	0.3	0.11
Ovary	-	-	-	-	-	253	11.8	0.76	8.4	0.57
Male Genital System	3,310	169.3	2.98	120.5	2.17	-	-	-	-	-
Prostate	3,200	162.0	2.90	114.0	2.07	-	-	-	-	-
Testis	98	6.6	0.67	6.1	0.63	-	-	-	-	-
Penis	9	0.6	0.19	0.3	0.10	-	-	-	-	-
Urinary System	1,265	69.5	1.98	42.8	1.27	541	24.3	1.06	15.9	0.77
Bladder (incl. <i>in situ</i>)	848	46.6	1.63	27.1	0.98	278	11.9	0.72	7.1	0.47
Kidney & renal pelvis	397	21.7	1.11	15.0	0.80	244	11.5	0.76	8.3	0.60
Ureter	15	0.8	0.22	0.6	0.15	14	0.6	0.16	0.4	0.11
Eye & Orbit	12	0.7	0.20	0.5	0.18	16	0.8	0.20	0.7	0.22
Brain & Other Nervous System	155	9.0	0.74	7.1	0.63	120	6.3	0.60	5.2	0.58
Brain	143	8.3	0.71	6.3	0.59	108	5.5	0.55	4.4	0.51
Endocrine System	139	7.9	0.68	6.2	0.58	346	19.4	1.08	15.6	0.89
Thyroid gland	126	7.1	0.64	5.3	0.49	332	18.7	1.06	15.1	0.87
Lymphomas	521	29.1	1.30	20.6	0.98	406	19.1	0.98	13.3	0.76
Hodgkin Lymphoma	81	5.0	0.56	4.5	0.53	35	2.1	0.37	2.0	0.37
Non-Hodgkin Lymphoma	440	24.1	1.17	16.1	0.82	371	17.0	0.90	11.3	0.66
Multiple Myeloma	102	5.6	0.57	3.5	0.36	114	5.1	0.49	3.3	0.34
Leukemias	291	16.6	0.99	11.3	0.77	203	9.5	0.69	6.9	0.61
Acute lymphocytic	28	1.8	0.34	2.2	0.47	16	1.1	0.28	1.3	0.37
Chronic lymphocytic	101	5.5	0.55	3.3	0.34	82	3.4	0.38	2.1	0.25
Acute myeloid	79	4.6	0.53	2.9	0.38	57	2.7	0.37	1.9	0.29
Chronic myeloid	35	1.9	0.33	1.1	0.21	24	1.2	0.26	0.9	0.21
Other leukemias	48	2.8	0.42	1.7	0.28	24	1.0	0.22	0.7	0.19
Mesothelioma	47	2.7	0.40	1.2	0.19	12	0.5	0.16	0.4	0.11
Kaposi Sarcoma	7	0.5	0.19	0.4	0.15	-	-	-	-	-
Ill-defined & Unknown	345	19.7	1.07	10.6	0.63	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	103	5.7	0.57	4.0	0.43	238	11.7	0.78	8.9	0.64
Breast (<i>in situ</i>)	-	-	-	-	-	815	38.6	1.38	28.8	1.06

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	2,202	650.8	14.87	454.4	9.79	1,885	417.5	9.88	291.3	6.88
Oral Cavity & Pharynx	56	14.6	2.06	11.5	1.55	23	4.8	1.02	3.6	0.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	14	3.3	0.90	2.9	0.77	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	8	3.1	1.18	1.6	0.57	8	2.0	0.71	1.1	0.40
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	6	1.4	0.58	1.2	0.49	-	-	-	-	-
Digestive System	414	123.7	6.58	84.0	4.18	353	81.8	4.47	53.4	2.92
Esophagus	22	6.4	1.48	4.6	0.98	7	1.3	0.49	1.2	0.45
Stomach	47	15.0	2.39	9.5	1.40	37	8.9	1.51	5.2	0.88
Small intestine	14	3.7	1.05	2.7	0.73	22	5.2	1.14	3.3	0.73
Colon excl. rectum	145	45.4	4.12	29.3	2.46	135	30.9	2.73	20.7	1.83
Rectum & rectosigmoid	47	12.6	1.90	9.5	1.39	48	10.8	1.61	7.2	1.06
Anus, anal canal & anorectum	6	1.4	0.57	1.2	0.48	10	2.3	0.74	1.5	0.49
Liver	66	17.6	2.32	13.5	1.68	18	3.9	0.94	3.0	0.71
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	53	16.7	2.45	11.1	1.54	57	14.0	1.90	8.4	1.15
Respiratory System	305	95.9	5.90	62.4	3.61	254	58.7	3.79	38.2	2.46
Larynx	31	9.9	1.94	6.6	1.20	11	2.3	0.71	1.6	0.48
Lung & bronchus	270	84.4	5.51	55.0	3.39	242	56.1	3.71	36.5	2.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	19	5.0	1.20	3.8	0.89	17	3.4	0.83	2.7	0.68
Skin (excl. basal & sq.)	6	2.1	0.88	1.3	0.52	17	3.4	0.83	3.0	0.73
Melanomas of the skin	-	-	-	-	-	11	2.2	0.69	1.8	0.55
Breast (excl. <i>in situ</i>)	10	3.5	1.20	2.0	0.65	593	126.7	5.33	92.0	3.84
Female Genital System	-	-	-	-	-	229	50.3	3.42	35.6	2.41
Cervix uteri	-	-	-	-	-	52	10.7	1.52	8.1	1.14
Uterus Corpus	-	-	-	-	-	100	23.0	2.36	15.5	1.59
Uterus, NOS ¹	-	-	-	-	-	12	2.5	0.73	1.9	0.56
Ovary	-	-	-	-	-	44	9.4	1.46	7.0	1.08
Male Genital System	947	272.6	9.38	198.2	6.51	-	-	-	-	-
Prostate	938	270.7	9.36	196.5	6.48	-	-	-	-	-
Testis	8	1.8	0.62	1.6	0.55	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	153	48.1	4.20	31.6	2.58	96	22.6	2.36	14.9	1.56
Bladder (incl. <i>in situ</i>)	64	23.0	3.11	13.5	1.70	31	8.1	1.48	4.3	0.79
Kidney & renal pelvis	85	23.5	2.68	17.2	1.89	62	13.8	1.79	10.2	1.32
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	22	6.0	1.40	5.0	1.08	21	4.4	0.99	3.8	0.87
Brain	22	6.0	1.40	5.0	1.08	18	3.7	0.90	3.4	0.83
Endocrine System	14	3.4	0.96	3.0	0.81	69	13.4	1.63	11.6	1.42
Thyroid gland	10	2.6	0.87	2.0	0.63	64	12.4	1.56	10.8	1.37
Lymphomas	93	25.4	2.82	18.4	1.92	79	17.1	1.97	12.5	1.44
Hodgkin Lymphoma	15	3.2	0.82	2.9	0.74	8	1.5	0.53	1.4	0.49
Non-Hodgkin Lymphoma	78	22.3	2.70	15.5	1.77	71	15.6	1.90	11.1	1.36
Multiple Myeloma	44	13.8	2.30	8.7	1.33	41	9.5	1.52	5.9	0.95
Leukemias	47	13.3	2.10	9.8	1.44	37	8.5	1.44	5.6	0.98
Acute lymphocytic	6	1.2	0.51	1.3	0.54	-	-	-	-	-
Chronic lymphocytic	13	4.6	1.41	2.8	0.78	8	2.4	0.84	0.9	0.31
Acute myeloid	18	4.5	1.11	3.6	0.85	15	3.2	0.86	2.5	0.68
Chronic myeloid	-	-	-	-	-	7	1.4	0.55	1.0	0.40
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	8	1.8	0.65	1.6	0.57	-	-	-	-	-
Ill-defined & Unknown	59	20.2	2.82	12.2	1.60	49	11.7	1.71	7.4	1.09
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	21	5.4	1.35	4.5	0.99	55	11.9	1.65	8.6	1.19
Breast (<i>in situ</i>)	-	-	-	-	-	180	37.5	2.85	29.0	2.19

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	108	235.1	25.68	151.8	14.87	147	246.2	22.10	172.0	14.39
Oral Cavity & Pharynx	-	-	-	-	-	6	11.7	5.14	6.6	2.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	20	43.3	10.69	27.3	6.15	29	56.4	11.51	34.8	6.52
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	15.1	6.85	8.2	3.36	8	19.2	7.44	9.5	3.40
Rectum & rectosigmoid	-	-	-	-	-	7	11.2	4.53	7.9	3.03
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	11.8	5.39	8.0	3.30	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	15	47.7	14.13	23.8	6.25	12	22.0	6.72	14.0	4.10
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	47.7	14.13	23.8	6.25	11	20.8	6.62	13.2	4.01
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	47	73.6	11.38	53.5	7.89
Female Genital System	-	-	-	-	-	22	34.5	8.01	24.9	5.39
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	9	14.6	5.16	9.8	3.32
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	14.7	5.56	10.6	3.61
Male Genital System	34	72.2	13.19	50.2	8.65	-	-	-	-	-
Prostate	33	70.6	13.10	49.0	8.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	18.9	8.03	9.1	3.49	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	11	14.7	4.57	11.8	3.58
Thyroid gland	-	-	-	-	-	10	13.3	4.34	10.6	3.39
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	20	30.2	7.02	22.6	5.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	250	387.5	28.63	260.4	17.59	268	353.2	24.65	234.9	15.27
Oral Cavity & Pharynx	7	12.2	5.43	8.1	3.17	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	58	77.1	11.57	57.8	8.19	34	54.6	10.36	31.8	5.77
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	9.1	3.42	7.4	2.70	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	11	18.5	6.49	12.1	3.84	10	20.5	6.76	10.3	3.36
Rectum & rectosigmoid	9	11.4	4.21	10.2	3.76	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	22.2	6.04	16.6	4.34	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	13.0	4.83	9.1	3.24	8	13.6	5.36	7.2	2.64
Respiratory System	25	41.7	9.59	27.4	5.81	25	47.8	10.07	27.5	5.64
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	19	35.6	9.12	22.5	5.39	24	45.0	9.68	26.7	5.59
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	6	5.8	2.58	5.2	2.32
Melanomas of the skin	-	-	-	-	-	6	5.8	2.58	5.2	2.32
Breast (excl. <i>in situ</i>)	-	-	-	-	-	91	112.8	13.29	77.5	8.59
Female Genital System	-	-	-	-	-	35	45.1	8.50	32.3	5.86
Cervix uteri	-	-	-	-	-	15	15.3	4.37	11.6	3.18
Uterus Corpus	-	-	-	-	-	11	17.7	5.88	10.6	3.36
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	10.4	3.97	8.7	3.29
Male Genital System	88	156.8	18.75	103.3	11.46	-	-	-	-	-
Prostate	82	151.3	18.48	99.7	11.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	24.0	7.48	14.2	3.93	9	16.3	5.81	9.4	3.27
Bladder (incl. <i>in situ</i>)	6	12.7	6.05	6.9	2.94	-	-	-	-	-
Kidney & renal pelvis	9	11.3	4.41	7.3	2.61	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	24	20.5	4.67	16.8	3.65
Thyroid gland	-	-	-	-	-	23	19.7	4.60	16.2	3.60
Lymphomas	15	14.8	4.48	12.4	3.56	12	12.9	4.67	7.6	2.35
Hodgkin Lymphoma	-	-	-	-	-	6	3.8	1.61	3.3	1.40
Non-Hodgkin Lymphoma	-	-	-	-	-	6	9.1	4.39	4.3	1.89
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	11	11.5	5.06	7.9	2.66	14	16.4	5.47	11.7	3.28
Acute lymphocytic	-	-	-	-	-	6	3.2	1.48	3.9	1.63
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	8.3	4.65	4.0	1.78	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	12.0	4.52	9.8	3.48	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	6	8.2	3.86	6.0	2.61	6	4.0	1.86	4.2	1.85
Breast (<i>in situ</i>)	-	-	-	-	-	22	30.0	7.15	19.5	4.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

DELAWARE

78 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,890	604.1	5.90	400.9	4.11	9,541	455.9	4.81	316.8	3.64
Oral Cavity & Pharynx	335	18.2	1.01	13.0	0.74	145	6.8	0.58	4.8	0.44
Lip	17	1.0	0.24	0.6	0.14	-	-	-	-	-
Tongue	114	6.2	0.59	4.5	0.44	40	1.9	0.31	1.3	0.22
Major salivary gland	28	1.7	0.33	1.0	0.19	23	1.1	0.23	0.8	0.20
Floor of mouth	15	0.8	0.20	0.7	0.17	6	0.3	0.12	0.2	0.08
Gum & other mouth	44	2.5	0.38	1.6	0.27	33	1.5	0.26	0.9	0.17
Nasopharynx	6	0.3	0.14	0.2	0.10	-	-	-	-	-
Oropharynx	20	1.0	0.23	0.8	0.18	10	0.4	0.14	0.3	0.09
Hypopharynx	25	1.3	0.25	0.9	0.19	-	-	-	-	-
Digestive System	1,857	104.4	2.47	66.8	1.64	1,480	66.6	1.77	41.0	1.19
Esophagus	184	10.0	0.75	6.8	0.52	47	2.0	0.29	1.2	0.19
Stomach	148	8.4	0.70	5.0	0.43	69	3.1	0.38	1.8	0.24
Small intestine	37	2.1	0.36	1.4	0.24	35	1.6	0.29	1.0	0.19
Colon excl. rectum	652	37.1	1.48	22.6	0.94	690	30.5	1.18	17.8	0.77
Rectum & rectosigmoid	290	16.4	0.99	11.5	0.71	186	9.0	0.68	6.1	0.49
Anus, anal canal & anorectum	29	1.6	0.31	1.1	0.22	47	2.2	0.33	1.8	0.27
Liver	180	9.8	0.74	7.0	0.56	49	2.2	0.31	1.4	0.22
Gallbladder	9	0.5	0.16	0.3	0.12	36	1.6	0.27	1.0	0.19
Pancreas	267	14.9	0.93	8.9	0.58	229	10.1	0.68	6.2	0.45
Respiratory System	1,739	96.2	2.34	58.1	1.47	1,598	71.7	1.82	46.0	1.25
Larynx	110	5.9	0.58	4.1	0.40	43	1.9	0.30	1.4	0.23
Lung & bronchus	1,612	89.1	2.25	53.3	1.40	1,533	68.7	1.78	43.7	1.21
Bones & Joints	22	1.5	0.34	1.5	0.35	7	0.4	0.18	0.4	0.20
Soft Tissue (incl. heart)	65	3.9	0.49	2.9	0.40	53	2.9	0.43	2.4	0.41
Skin (excl. basal & sq.)	776	44.2	1.62	29.6	1.15	525	28.0	1.28	21.6	1.06
Melanomas of the skin	735	41.6	1.57	28.1	1.11	498	26.7	1.25	20.8	1.04
Breast (excl. <i>in situ</i>)	25	1.4	0.29	0.9	0.20	2,626	126.9	2.55	91.4	1.92
Female Genital System	-	-	-	-	-	1,082	53.2	1.68	39.9	1.32
Cervix uteri	-	-	-	-	-	138	8.4	0.75	6.6	0.61
Uterus Corpus	-	-	-	-	-	596	28.0	1.18	21.2	0.92
Uterus, NOS ¹	-	-	-	-	-	11	0.5	0.14	0.3	0.11
Ovary	-	-	-	-	-	249	12.0	0.79	8.6	0.60
Male Genital System	3,240	170.6	3.04	121.8	2.22	-	-	-	-	-
Prostate	3,134	162.7	2.94	114.7	2.11	-	-	-	-	-
Testis	96	7.2	0.75	6.7	0.71	-	-	-	-	-
Penis	7	0.5	0.18	0.2	0.10	-	-	-	-	-
Urinary System	1,253	70.8	2.04	43.8	1.32	534	24.7	1.10	16.3	0.82
Bladder (incl. <i>in situ</i>)	843	47.5	1.66	27.7	1.01	276	12.1	0.74	7.3	0.48
Kidney & renal pelvis	390	22.2	1.15	15.3	0.84	241	11.8	0.79	8.6	0.64
Ureter	15	0.9	0.23	0.6	0.15	13	0.6	0.15	0.3	0.11
Eye & Orbit	12	0.7	0.22	0.6	0.21	16	0.8	0.21	0.8	0.26
Brain & Other Nervous System	152	9.4	0.79	7.5	0.70	116	6.4	0.63	5.3	0.63
Brain	140	8.6	0.75	6.7	0.64	105	5.7	0.58	4.6	0.56
Endocrine System	137	8.2	0.73	6.5	0.62	324	19.1	1.11	15.4	0.92
Thyroid gland	125	7.4	0.68	5.6	0.53	311	18.5	1.09	14.9	0.90
Lymphomas	509	29.7	1.35	21.1	1.03	394	19.1	1.00	13.3	0.79
Hodgkin Lymphoma	76	5.2	0.61	4.7	0.57	29	1.9	0.37	1.8	0.37
Non-Hodgkin Lymphoma	433	24.6	1.20	16.4	0.86	365	17.2	0.93	11.5	0.69
Multiple Myeloma	100	5.7	0.58	3.5	0.37	112	5.2	0.50	3.4	0.35
Leukemias	280	16.5	1.01	11.0	0.78	194	9.3	0.70	6.6	0.60
Acute lymphocytic	24	1.7	0.35	2.0	0.47	11	0.8	0.26	1.0	0.35
Chronic lymphocytic	100	5.5	0.56	3.3	0.35	82	3.5	0.39	2.1	0.26
Acute myeloid	73	4.4	0.52	2.7	0.36	55	2.7	0.38	1.8	0.28
Chronic myeloid	35	2.0	0.34	1.2	0.22	22	1.2	0.27	0.9	0.22
Other leukemias	48	2.9	0.43	1.8	0.31	24	1.1	0.23	0.8	0.21
Mesothelioma	45	2.6	0.40	1.2	0.19	12	0.6	0.16	0.4	0.12
Kaposi Sarcoma	7	0.5	0.21	0.4	0.17	-	-	-	-	-
Ill-defined & Unknown	336	19.6	1.09	10.4	0.63	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	97	5.6	0.59	3.9	0.45	233	11.9	0.81	9.1	0.67
Breast (<i>in situ</i>)	-	-	-	-	-	795	39.0	1.42	29.1	1.09

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,189	659.0	15.08	460.5	9.95	1,871	422.3	10.02	295.2	7.00
Oral Cavity & Pharynx	56	14.9	2.10	11.7	1.58	23	4.9	1.04	3.7	0.79
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	14	3.4	0.92	2.9	0.79	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	8	3.1	1.20	1.6	0.58	8	2.0	0.72	1.1	0.41
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	6	1.4	0.59	1.2	0.50	-	-	-	-	-
Digestive System	411	125.3	6.68	85.1	4.24	350	82.4	4.52	53.9	2.96
Esophagus	22	6.5	1.51	4.7	1.00	7	1.3	0.50	1.2	0.46
Stomach	47	15.2	2.43	9.7	1.43	37	9.1	1.53	5.3	0.90
Small intestine	14	3.8	1.07	2.8	0.74	22	5.3	1.16	3.4	0.75
Colon excl. rectum	143	45.8	4.18	29.5	2.50	135	31.4	2.77	21.0	1.86
Rectum & rectosigmoid	46	12.6	1.92	9.4	1.40	47	10.8	1.62	7.2	1.07
Anus, anal canal & anorectum	6	1.4	0.59	1.2	0.49	10	2.3	0.75	1.5	0.49
Liver	66	18.0	2.36	13.8	1.72	18	4.0	0.96	3.0	0.73
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	53	17.0	2.48	11.3	1.56	55	13.7	1.89	8.3	1.15
Respiratory System	304	97.2	5.98	63.3	3.67	254	59.6	3.85	38.8	2.51
Larynx	31	10.1	1.97	6.7	1.22	11	2.3	0.73	1.6	0.49
Lung & bronchus	269	85.5	5.59	55.8	3.44	242	57.0	3.77	37.1	2.46
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	19	5.1	1.23	4.0	0.93	17	3.4	0.85	2.8	0.70
Skin (excl. basal & sq.)	6	2.1	0.89	1.3	0.54	17	3.4	0.85	3.0	0.76
Melanomas of the skin	-	-	-	-	-	11	2.3	0.70	1.8	0.56
Breast (excl. <i>in situ</i>)	10	3.5	1.22	2.1	0.66	588	128.2	5.41	93.3	3.91
Female Genital System	-	-	-	-	-	227	50.7	3.45	36.1	2.46
Cervix uteri	-	-	-	-	-	52	11.0	1.56	8.3	1.17
Uterus Corpus	-	-	-	-	-	99	23.1	2.38	15.7	1.61
Uterus, NOS ¹	-	-	-	-	-	12	2.5	0.74	2.0	0.57
Ovary	-	-	-	-	-	43	9.3	1.46	7.0	1.10
Male Genital System	941	275.4	9.49	200.4	6.60	-	-	-	-	-
Prostate	932	273.4	9.47	198.6	6.57	-	-	-	-	-
Testis	8	1.8	0.64	1.6	0.57	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	151	48.3	4.24	31.8	2.62	96	23.0	2.40	15.2	1.59
Bladder (incl. <i>in situ</i>)	63	23.2	3.15	13.5	1.72	31	8.2	1.50	4.3	0.81
Kidney & renal pelvis	84	23.5	2.69	17.4	1.93	62	14.0	1.82	10.4	1.35
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	22	6.2	1.44	5.2	1.12	20	4.4	1.00	3.6	0.85
Brain	22	6.2	1.44	5.2	1.12	17	3.7	0.91	3.2	0.81
Endocrine System	14	3.5	0.98	3.1	0.84	69	13.8	1.68	12.0	1.47
Thyroid gland	10	2.7	0.88	2.0	0.64	64	12.8	1.61	11.2	1.42
Lymphomas	92	25.8	2.86	18.6	1.95	79	17.5	2.02	12.8	1.49
Hodgkin Lymphoma	15	3.3	0.85	3.0	0.77	8	1.5	0.55	1.4	0.51
Non-Hodgkin Lymphoma	77	22.5	2.73	15.6	1.80	71	15.9	1.94	11.4	1.40
Multiple Myeloma	44	14.1	2.35	8.9	1.36	41	9.6	1.55	6.0	0.97
Leukemias	47	13.6	2.15	10.1	1.48	34	8.0	1.41	5.1	0.93
Acute lymphocytic	6	1.3	0.53	1.4	0.57	-	-	-	-	-
Chronic lymphocytic	13	4.7	1.44	2.9	0.80	8	2.4	0.85	0.9	0.31
Acute myeloid	18	4.6	1.13	3.6	0.87	13	2.8	0.80	2.3	0.66
Chronic myeloid	-	-	-	-	-	7	1.4	0.56	1.1	0.41
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	8	1.9	0.67	1.7	0.59	-	-	-	-	-
Ill-defined & Unknown	59	20.5	2.87	12.4	1.63	49	11.9	1.74	7.5	1.12
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	21	5.6	1.39	4.7	1.03	55	12.2	1.68	8.8	1.22
Breast (<i>in situ</i>)	-	-	-	-	-	180	38.2	2.90	29.6	2.24

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

DELAWARE

80 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	7,153	574.8	6.97	396.6	4.83	6,867	427.7	5.26	304.6	3.94
Oral Cavity & Pharynx	277	21.1	1.30	15.9	0.97	88	5.8	0.63	4.2	0.48
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	74	5.6	0.66	4.4	0.51	23	1.5	0.32	1.0	0.22
Major salivary gland	24	2.0	0.43	1.3	0.26	10	0.6	0.21	0.6	0.21
Floor of mouth	25	1.8	0.36	1.4	0.29	8	0.5	0.19	0.3	0.13
Gum & other mouth	37	2.8	0.48	2.1	0.35	14	0.9	0.23	0.6	0.18
Nasopharynx	16	1.2	0.31	0.9	0.24	-	-	-	-	-
Oropharynx	18	1.4	0.33	1.0	0.24	9	0.6	0.22	0.5	0.17
Hypopharynx	29	2.3	0.44	1.7	0.32	-	-	-	-	-
Digestive System	1,430	116.0	3.14	77.7	2.11	1,328	81.1	2.26	52.6	1.57
Esophagus	125	10.4	0.95	6.9	0.63	42	2.5	0.39	1.7	0.28
Stomach	135	11.3	0.99	7.1	0.63	105	6.5	0.64	3.9	0.42
Small intestine	49	3.8	0.55	2.8	0.40	43	2.6	0.40	1.8	0.30
Colon excl. rectum	444	36.9	1.79	23.4	1.15	558	34.0	1.47	21.7	1.00
Rectum & rectosigmoid	176	14.0	1.08	9.8	0.75	171	10.8	0.84	7.5	0.62
Anus, anal canal & anorectum	41	3.0	0.48	2.4	0.38	36	2.2	0.37	1.7	0.29
Liver	205	15.1	1.08	11.6	0.82	83	5.0	0.56	3.5	0.42
Gallbladder	14	1.2	0.34	0.8	0.21	32	2.0	0.35	1.2	0.24
Pancreas	202	17.0	1.23	10.8	0.78	205	12.3	0.88	7.3	0.56
Respiratory System	1,043	86.6	2.75	56.5	1.79	816	50.7	1.80	32.9	1.24
Larynx	101	8.1	0.83	5.6	0.57	29	1.8	0.34	1.3	0.25
Lung & bronchus	929	77.5	2.61	50.1	1.69	776	48.1	1.75	31.2	1.21
Bones & Joints	14	1.0	0.29	1.1	0.31	12	0.9	0.26	0.8	0.25
Soft Tissue (incl. heart)	45	3.5	0.55	2.7	0.45	52	3.2	0.46	2.8	0.43
Skin (excl. basal & sq.)	174	13.3	1.03	9.9	0.78	116	6.9	0.66	5.5	0.54
Melanomas of the skin	159	12.1	0.98	8.9	0.72	105	6.2	0.62	5.0	0.51
Breast (excl. <i>in situ</i>)	31	2.5	0.47	1.6	0.30	2,204	139.7	3.03	102.1	2.28
Female Genital System	-	-	-	-	-	824	51.3	1.82	38.0	1.38
Cervix uteri	-	-	-	-	-	140	9.3	0.80	7.2	0.62
Uterus Corpus	-	-	-	-	-	455	28.0	1.33	20.5	1.00
Uterus, NOS ¹	-	-	-	-	-	15	0.9	0.23	0.7	0.19
Ovary	-	-	-	-	-	156	9.4	0.77	6.8	0.58
Male Genital System	2,494	198.9	4.08	139.9	2.86	-	-	-	-	-
Prostate	2,423	194.4	4.05	135.6	2.81	-	-	-	-	-
Testis	66	4.1	0.53	4.0	0.51	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	539	44.5	1.97	28.9	1.29	324	19.9	1.13	13.2	0.80
Bladder (incl. <i>in situ</i>)	292	25.1	1.51	14.8	0.90	151	9.0	0.75	5.4	0.48
Kidney & renal pelvis	235	18.2	1.21	13.5	0.92	164	10.4	0.83	7.5	0.63
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	12	1.1	0.32	0.9	0.29	-	-	-	-	-
Brain & Other Nervous System	93	7.2	0.77	5.8	0.66	85	5.6	0.62	4.8	0.60
Brain	89	6.8	0.75	5.4	0.62	78	5.1	0.60	4.5	0.58
Endocrine System	114	8.3	0.80	6.5	0.62	308	19.4	1.14	16.4	0.97
Thyroid gland	104	7.5	0.75	5.8	0.58	294	18.4	1.11	15.3	0.92
Lymphomas	346	26.2	1.45	19.1	1.05	268	16.1	1.01	12.3	0.79
Hodgkin Lymphoma	63	4.5	0.58	3.8	0.49	48	2.7	0.40	2.4	0.36
Non-Hodgkin Lymphoma	283	21.8	1.33	15.4	0.94	220	13.4	0.92	9.9	0.70
Multiple Myeloma	126	10.6	0.97	6.6	0.61	115	7.1	0.68	4.7	0.47
Leukemias	146	12.2	1.04	9.0	0.84	103	6.7	0.68	5.3	0.62
Acute lymphocytic	18	1.5	0.37	1.9	0.49	16	1.3	0.33	1.5	0.43
Chronic lymphocytic	53	4.7	0.65	2.6	0.37	35	2.2	0.37	1.4	0.26
Acute myeloid	30	2.4	0.45	2.0	0.42	32	2.0	0.37	1.6	0.31
Chronic myeloid	25	2.1	0.44	1.4	0.31	8	0.5	0.17	0.3	0.12
Other leukemias	20	1.5	0.35	1.0	0.24	12	0.7	0.22	0.5	0.14
Mesothelioma	13	1.0	0.29	0.7	0.20	6	0.4	0.15	0.3	0.12
Kaposi Sarcoma	66	4.6	0.58	3.7	0.46	-	-	-	-	-
Ill-defined & Unknown	190	16.1	1.20	10.0	0.75	210	12.5	0.88	8.0	0.62
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	78	6.1	0.71	4.8	0.59	176	11.2	0.87	8.9	0.75
Breast (<i>in situ</i>)	-	-	-	-	-	540	34.7	1.52	25.7	1.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,934	402.9	9.60	269.7	6.50	1,892	366.3	8.85	263.2	6.53
Oral Cavity & Pharynx	69	13.9	1.73	10.1	1.24	25	5.1	1.07	3.4	0.71
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	25	4.6	0.95	3.7	0.75	9	1.8	0.62	1.1	0.41
Major salivary gland	10	2.5	0.79	1.3	0.42	-	-	-	-	-
Floor of mouth	7	1.4	0.54	1.1	0.41	-	-	-	-	-
Gum & other mouth	9	2.0	0.69	1.3	0.45	6	1.3	0.56	0.8	0.35
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	321	68.8	3.99	43.1	2.49	246	48.3	3.23	30.2	2.09
Esophagus	35	7.8	1.37	4.7	0.81	8	1.5	0.54	1.0	0.39
Stomach	29	5.8	1.12	3.8	0.73	20	4.0	0.94	2.2	0.53
Small intestine	10	1.8	0.57	1.4	0.45	6	1.1	0.46	0.8	0.36
Colon excl. rectum	102	22.4	2.31	13.1	1.34	99	19.5	2.07	11.6	1.28
Rectum & rectosigmoid	43	8.8	1.38	6.2	0.97	36	7.6	1.32	5.2	0.90
Anus, anal canal & anorectum	8	1.6	0.58	1.2	0.41	15	2.7	0.71	1.9	0.53
Liver	26	5.5	1.11	3.8	0.79	7	1.3	0.51	0.7	0.28
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	52	11.5	1.66	6.8	0.98	35	6.8	1.22	4.1	0.76
Respiratory System	221	50.4	3.51	29.7	2.07	166	34.2	2.77	19.2	1.63
Larynx	15	3.1	0.84	2.1	0.56	-	-	-	-	-
Lung & bronchus	202	46.6	3.39	27.2	1.98	159	32.8	2.72	18.4	1.59
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	20	4.1	0.98	2.9	0.79	17	2.6	0.70	2.4	0.67
Skin (excl. basal & sq.)	117	22.2	2.17	16.6	1.67	69	11.8	1.53	9.1	1.18
Melanomas of the skin	110	20.8	2.11	15.6	1.62	68	11.7	1.53	9.0	1.18
Breast (excl. <i>in situ</i>)	13	2.9	0.84	1.7	0.50	724	144.4	5.57	106.7	4.12
Female Genital System	-	-	-	-	-	211	40.6	2.91	30.7	2.18
Cervix uteri	-	-	-	-	-	29	5.4	1.05	4.3	0.82
Uterus Corpus	-	-	-	-	-	114	22.0	2.15	16.5	1.59
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	46	8.9	1.36	6.7	1.02
Male Genital System	622	127.3	5.33	88.7	3.68	-	-	-	-	-
Prostate	577	121.3	5.23	82.9	3.52	-	-	-	-	-
Testis	42	5.5	0.99	5.3	1.03	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	184	40.8	3.12	24.6	1.89	74	13.8	1.70	8.7	1.16
Bladder (incl. <i>in situ</i>)	123	27.9	2.61	16.0	1.49	41	8.0	1.33	4.3	0.75
Kidney & renal pelvis	59	12.3	1.67	8.4	1.16	30	5.4	1.03	4.0	0.87
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	9	2.2	0.75	1.8	0.76	-	-	-	-	-
Brain & Other Nervous System	39	7.5	1.28	5.5	0.96	36	7.4	1.35	6.4	1.33
Brain	39	7.5	1.28	5.5	0.96	34	7.1	1.33	6.1	1.31
Endocrine System	55	9.2	1.32	7.4	1.02	148	25.5	2.29	22.1	2.03
Thyroid gland	53	8.7	1.27	7.1	1.00	141	24.1	2.21	20.4	1.88
Lymphomas	118	22.4	2.21	15.4	1.49	87	13.7	1.58	10.3	1.21
Hodgkin Lymphoma	28	4.7	0.97	3.9	0.81	24	2.8	0.64	2.5	0.55
Non-Hodgkin Lymphoma	90	17.7	1.98	11.5	1.26	63	11.0	1.44	7.8	1.08
Multiple Myeloma	27	5.6	1.11	3.6	0.73	17	3.8	0.95	2.4	0.60
Leukemias	52	10.8	1.63	8.8	1.56	31	6.5	1.22	5.4	1.11
Acute lymphocytic	-	-	-	-	-	6	1.3	0.57	1.6	0.77
Chronic lymphocytic	-	-	-	-	-	10	2.1	0.68	1.6	0.53
Acute myeloid	-	-	-	-	-	13	2.7	0.80	1.9	0.56
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	7	1.5	0.60	1.0	0.38	-	-	-	-	-
Kaposi Sarcoma	15	2.2	0.61	1.8	0.49	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	32	6.3	1.17	4.3	0.85
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	23	4.1	0.92	2.8	0.61	47	8.0	1.21	6.5	1.01
Breast (<i>in situ</i>)	-	-	-	-	-	198	40.7	2.99	31.2	2.28

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,622	635.0	9.53	443.9	6.73	4,503	433.1	6.57	306.9	4.97
Oral Cavity & Pharynx	194	25.2	1.84	19.3	1.40	57	5.9	0.80	4.4	0.62
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	48	6.2	0.91	4.9	0.71	13	1.3	0.38	0.9	0.27
Major salivary gland	14	1.9	0.52	1.3	0.36	8	0.8	0.30	0.8	0.29
Floor of mouth	17	2.0	0.50	1.7	0.41	-	-	-	-	-
Gum & other mouth	26	3.3	0.65	2.5	0.50	6	0.5	0.23	0.4	0.17
Nasopharynx	10	1.5	0.47	1.1	0.35	-	-	-	-	-
Oropharynx	16	2.1	0.53	1.6	0.41	7	0.8	0.31	0.6	0.23
Hypopharynx	24	3.3	0.68	2.4	0.49	-	-	-	-	-
Digestive System	1,035	142.1	4.51	97.7	3.13	992	91.6	2.95	60.3	2.12
Esophagus	87	12.1	1.33	8.4	0.92	31	2.9	0.52	2.0	0.38
Stomach	98	14.2	1.46	8.8	0.92	76	7.0	0.81	4.1	0.53
Small intestine	37	4.9	0.81	3.5	0.59	36	3.3	0.56	2.3	0.42
Colon excl. rectum	316	44.5	2.55	29.1	1.70	428	39.4	1.93	25.7	1.36
Rectum & rectosigmoid	129	17.5	1.57	12.3	1.11	121	11.5	1.07	8.1	0.80
Anus, anal canal & anorectum	32	4.3	0.77	3.5	0.62	20	2.0	0.45	1.6	0.37
Liver	170	21.0	1.64	16.5	1.29	65	6.1	0.77	4.5	0.62
Gallbladder	10	1.5	0.48	0.9	0.30	24	2.2	0.47	1.4	0.33
Pancreas	133	19.0	1.68	12.5	1.12	159	14.3	1.15	8.4	0.75
Respiratory System	789	109.2	3.97	73.6	2.69	621	58.3	2.37	39.5	1.71
Larynx	83	11.4	1.27	7.9	0.89	25	2.4	0.48	1.7	0.37
Lung & bronchus	699	97.0	3.74	65.0	2.53	589	55.1	2.30	37.3	1.66
Bones & Joints	7	0.9	0.34	0.8	0.33	8	0.9	0.32	0.8	0.31
Soft Tissue (incl. heart)	21	2.9	0.63	2.5	0.58	31	3.3	0.61	2.7	0.54
Skin (excl. basal & sq.)	13	1.9	0.54	1.5	0.45	17	1.7	0.43	1.3	0.34
Melanomas of the skin	7	1.0	0.40	0.7	0.27	10	1.0	0.31	0.6	0.24
Breast (excl. <i>in situ</i>)	17	2.3	0.56	1.5	0.38	1,361	133.6	3.69	97.4	2.81
Female Genital System	-	-	-	-	-	541	52.5	2.30	38.7	1.77
Cervix uteri	-	-	-	-	-	94	10.1	1.06	7.8	0.83
Uterus Corpus	-	-	-	-	-	301	28.4	1.66	20.7	1.27
Uterus, NOS ¹	-	-	-	-	-	10	0.9	0.30	0.7	0.25
Ovary	-	-	-	-	-	105	9.9	0.98	7.1	0.76
Male Genital System	1,595	216.6	5.53	153.6	3.94	-	-	-	-	-
Prostate	1,580	214.5	5.50	151.6	3.90	-	-	-	-	-
Testis	14	2.0	0.54	1.9	0.52	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	313	43.4	2.51	29.0	1.70	227	21.4	1.45	14.4	1.05
Bladder (incl. <i>in situ</i>)	145	21.2	1.79	12.5	1.09	101	9.0	0.91	5.6	0.62
Kidney & renal pelvis	159	20.8	1.68	15.8	1.28	120	11.9	1.10	8.6	0.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	41	5.5	0.89	4.7	0.78	38	4.0	0.67	3.5	0.63
Brain	38	5.1	0.85	4.2	0.72	35	3.8	0.65	3.3	0.62
Endocrine System	50	6.7	0.97	4.9	0.72	126	13.5	1.23	10.9	1.03
Thyroid gland	44	5.9	0.91	4.3	0.68	119	12.6	1.18	10.1	0.98
Lymphomas	197	27.8	2.02	20.8	1.53	157	16.0	1.31	12.3	1.04
Hodgkin Lymphoma	30	4.5	0.84	3.7	0.68	21	2.5	0.56	2.2	0.49
Non-Hodgkin Lymphoma	167	23.3	1.84	17.1	1.37	136	13.5	1.18	10.2	0.92
Multiple Myeloma	96	13.7	1.43	8.5	0.89	93	8.6	0.90	5.7	0.65
Leukemias	75	10.9	1.29	7.6	0.97	60	5.9	0.78	4.4	0.67
Acute lymphocytic	9	1.2	0.39	1.7	0.58	7	0.9	0.34	1.0	0.42
Chronic lymphocytic	30	4.5	0.85	2.5	0.48	22	2.1	0.45	1.3	0.31
Acute myeloid	11	1.7	0.51	1.0	0.32	17	1.6	0.40	1.2	0.33
Chronic myeloid	13	1.9	0.53	1.2	0.35	-	-	-	-	-
Other leukemias	12	1.7	0.50	1.3	0.38	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	37	5.5	0.91	4.6	0.77	-	-	-	-	-
Ill-defined & Unknown	136	19.5	1.71	12.7	1.13	165	14.8	1.17	9.3	0.82
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	43	5.9	0.91	4.8	0.78	108	11.0	1.09	8.6	0.94
Breast (<i>in situ</i>)	-	-	-	-	-	310	30.0	1.73	21.8	1.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	113	419.4	42.62	266.6	26.43	149	348.1	30.26	231.9	20.18
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	28	119.3	23.59	68.4	13.26	38	100.1	17.17	56.4	9.56
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	43.7	14.54	22.6	7.40	15	38.7	10.58	22.4	6.06
Rectum & rectosigmoid	-	-	-	-	-	6	14.4	6.23	9.8	4.09
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	30.0	12.67	13.6	5.59	-	-	-	-	-
Respiratory System	16	67.4	17.50	40.1	10.31	13	36.1	10.38	22.8	6.44
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	67.4	17.50	40.1	10.31	12	33.7	10.10	20.7	6.09
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	39	84.4	14.17	58.4	9.78
Female Genital System	-	-	-	-	-	19	39.4	9.22	32.4	7.62
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	9	16.6	5.70	14.7	5.06
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	28	96.7	19.63	70.2	13.71	-	-	-	-	-
Prostate	24	90.8	19.33	64.1	13.32	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	39.2	12.94	25.4	8.19	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	20.8	8.67	15.2	6.36	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	10	14.1	4.87	11.6	3.97
Thyroid gland	-	-	-	-	-	10	14.1	4.87	11.6	3.97
Lymphomas	9	30.8	11.45	19.9	6.95	10	24.1	8.28	14.6	4.86
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	9	30.8	11.45	19.9	6.95	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	9	18.6	6.37	13.0	4.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	266	391.0	28.44	277.7	18.34	280	320.4	20.18	230.2	14.21
Oral Cavity & Pharynx	8	10.1	4.25	6.5	2.48	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	60	84.4	12.62	61.4	8.57	51	67.6	9.86	41.5	6.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	16	20.1	5.62	16.1	4.30	8	8.6	3.23	6.2	2.33
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	20	29.8	7.68	21.0	5.14	17	22.1	5.57	13.6	3.43
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	10	17.7	6.60	10.7	3.58	9	13.4	4.60	6.9	2.40
Respiratory System	22	39.2	9.91	24.7	5.54	16	24.1	6.19	12.4	3.21
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	19	34.2	9.14	22.1	5.29	16	24.1	6.19	12.4	3.21
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	63	71.8	9.35	55.5	7.12
Female Genital System	-	-	-	-	-	40	43.4	7.16	32.9	5.38
Cervix uteri	-	-	-	-	-	14	12.6	3.52	9.8	2.72
Uterus Corpus	-	-	-	-	-	14	14.7	4.00	12.5	3.40
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	10.5	3.84	6.5	2.35
Male Genital System	91	149.3	17.86	106.4	11.74	-	-	-	-	-
Prostate	78	140.9	17.68	97.1	11.40	-	-	-	-	-
Testis	12	7.1	2.21	8.0	2.52	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	22	33.6	8.49	22.5	5.11	12	15.0	4.50	9.9	2.96
Bladder (incl. <i>in situ</i>)	12	20.3	6.87	13.9	4.21	-	-	-	-	-
Kidney & renal pelvis	10	13.3	4.99	8.6	2.90	7	9.2	3.61	5.7	2.22
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	6.8	3.54	6.1	2.83	7	8.1	3.26	6.1	2.39
Brain	6	6.8	3.54	6.1	2.83	7	8.1	3.26	6.1	2.39
Endocrine System	7	9.3	4.48	6.4	2.67	25	22.4	4.59	18.9	3.88
Thyroid gland	7	9.3	4.48	6.4	2.67	24	21.7	4.54	17.7	3.67
Lymphomas	17	17.4	6.13	11.6	3.05	27	27.2	5.67	20.7	4.11
Hodgkin Lymphoma	6	6.4	3.90	4.2	1.88	8	5.8	2.40	4.5	1.59
Non-Hodgkin Lymphoma	11	11.1	4.73	7.4	2.40	19	21.4	5.13	16.2	3.79
Multiple Myeloma	-	-	-	-	-	8	9.2	3.39	6.8	2.45
Leukemias	11	15.9	6.00	11.2	3.78	8	6.9	2.49	6.9	2.56
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	9	10.5	3.78	7.4	2.54
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	21	22.8	5.16	16.8	3.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

District of Columbia

86 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,784	412.4	10.20	276.8	7.08	1,741	389.5	9.90	279.8	7.38
Oral Cavity & Pharynx	66	14.8	1.88	10.8	1.36	24	5.6	1.21	3.8	0.82
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	24	4.9	1.04	4.0	0.83	8	1.8	0.66	1.2	0.46
Major salivary gland	10	2.7	0.86	1.4	0.47	-	-	-	-	-
Floor of mouth	7	1.5	0.60	1.2	0.45	-	-	-	-	-
Gum & other mouth	9	2.2	0.76	1.4	0.49	6	1.5	0.64	0.9	0.40
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	284	67.6	4.14	41.8	2.59	220	49.8	3.54	31.3	2.31
Esophagus	35	8.5	1.49	5.2	0.90	6	1.4	0.58	0.9	0.38
Stomach	18	4.1	1.01	2.5	0.61	13	3.1	0.91	1.5	0.45
Small intestine	9	1.8	0.60	1.4	0.48	6	1.2	0.53	0.9	0.42
Colon excl. rectum	90	21.9	2.39	12.7	1.39	92	20.8	2.31	12.4	1.44
Rectum & rectosigmoid	38	8.6	1.43	6.0	1.00	35	8.5	1.51	5.8	1.04
Anus, anal canal & anorectum	8	1.9	0.68	1.4	0.48	15	3.0	0.80	2.2	0.61
Liver	24	5.6	1.18	3.9	0.87	6	1.2	0.52	0.7	0.31
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	48	11.6	1.72	6.8	1.03	30	6.7	1.29	4.1	0.83
Respiratory System	210	52.0	3.70	30.8	2.20	158	36.8	3.08	20.7	1.81
Larynx	15	3.4	0.91	2.3	0.61	-	-	-	-	-
Lung & bronchus	191	47.9	3.56	28.0	2.10	151	35.3	3.01	19.8	1.77
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	18	3.9	0.97	2.5	0.61	15	2.9	0.82	2.7	0.81
Skin (excl. basal & sq.)	115	24.9	2.50	18.9	2.02	68	13.4	1.76	10.3	1.38
Melanomas of the skin	109	23.6	2.44	17.9	1.98	67	13.3	1.76	10.3	1.37
Breast (excl. <i>in situ</i>)	12	2.9	0.87	1.7	0.53	693	160.5	6.37	118.5	4.71
Female Genital System	-	-	-	-	-	191	42.2	3.19	31.9	2.40
Cervix uteri	-	-	-	-	-	22	5.0	1.11	4.0	0.88
Uterus Corpus	-	-	-	-	-	106	23.3	2.37	17.4	1.75
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	42	9.2	1.50	7.1	1.13
Male Genital System	567	127.6	5.56	88.8	3.82	-	-	-	-	-
Prostate	531	122.3	5.48	83.9	3.72	-	-	-	-	-
Testis	34	5.0	0.91	4.6	0.84	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	175	42.8	3.34	25.9	2.07	69	14.8	1.90	9.3	1.33
Bladder (incl. <i>in situ</i>)	117	29.2	2.78	16.6	1.59	39	8.6	1.46	4.5	0.81
Kidney & renal pelvis	56	12.9	1.79	9.1	1.32	28	5.9	1.19	4.6	1.04
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	9	2.5	0.87	2.2	0.96	-	-	-	-	-
Brain & Other Nervous System	37	8.0	1.40	6.0	1.11	30	7.9	1.67	7.1	1.80
Brain	37	8.0	1.40	6.0	1.11	28	7.5	1.64	6.7	1.78
Endocrine System	49	9.4	1.41	7.7	1.12	132	26.3	2.58	22.7	2.32
Thyroid gland	47	8.9	1.36	7.4	1.10	126	24.9	2.50	21.2	2.20
Lymphomas	111	23.8	2.39	16.6	1.68	70	12.3	1.58	9.1	1.23
Hodgkin Lymphoma	25	4.9	1.05	4.3	0.95	19	2.4	0.63	2.3	0.57
Non-Hodgkin Lymphoma	86	18.9	2.14	12.4	1.38	51	9.9	1.46	6.8	1.09
Multiple Myeloma	23	5.4	1.15	3.4	0.73	12	3.0	0.90	1.9	0.55
Leukemias	45	10.9	1.81	9.0	1.87	26	6.6	1.35	5.2	1.16
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	10	2.4	0.80	1.9	0.62
Acute myeloid	-	-	-	-	-	11	2.7	0.86	1.8	0.60
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	7	1.7	0.65	1.1	0.42	-	-	-	-	-
Kaposi Sarcoma	13	2.3	0.67	1.9	0.54	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	28	6.2	1.24	4.3	0.94
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	18	3.5	0.87	2.5	0.60	44	8.6	1.37	6.9	1.12
Breast (<i>in situ</i>)	-	-	-	-	-	182	44.0	3.38	33.7	2.58

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,591	641.4	9.66	448.8	6.84	4,466	436.7	6.66	309.7	5.05
Oral Cavity & Pharynx	193	25.5	1.87	19.5	1.42	57	6.1	0.82	4.5	0.63
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	48	6.3	0.93	4.9	0.72	13	1.4	0.39	0.9	0.27
Major salivary gland	14	1.9	0.53	1.4	0.37	8	0.8	0.30	0.8	0.30
Floor of mouth	16	1.9	0.49	1.6	0.40	-	-	-	-	-
Gum & other mouth	26	3.3	0.66	2.6	0.51	6	0.6	0.23	0.4	0.18
Nasopharynx	10	1.5	0.48	1.1	0.36	-	-	-	-	-
Oropharynx	16	2.1	0.54	1.6	0.42	7	0.8	0.32	0.6	0.23
Hypopharynx	24	3.3	0.69	2.4	0.50	-	-	-	-	-
Digestive System	1,028	143.5	4.57	98.6	3.17	985	92.3	2.99	60.8	2.15
Esophagus	87	12.3	1.35	8.5	0.94	31	2.9	0.53	2.0	0.39
Stomach	97	14.3	1.48	8.8	0.93	76	7.1	0.82	4.2	0.54
Small intestine	37	4.9	0.83	3.6	0.60	36	3.4	0.57	2.3	0.42
Colon excl. rectum	313	44.8	2.58	29.3	1.72	425	39.6	1.95	25.9	1.38
Rectum & rectosigmoid	129	17.8	1.60	12.5	1.13	119	11.5	1.08	8.1	0.81
Anus, anal canal & anorectum	31	4.2	0.78	3.4	0.63	19	1.9	0.45	1.6	0.37
Liver	169	21.2	1.66	16.6	1.30	65	6.2	0.79	4.6	0.64
Gallbladder	10	1.5	0.48	0.9	0.30	24	2.3	0.47	1.5	0.33
Pancreas	132	19.1	1.70	12.6	1.13	158	14.4	1.16	8.5	0.76
Respiratory System	783	110.0	4.01	74.2	2.73	619	58.9	2.40	40.1	1.74
Larynx	82	11.4	1.28	7.9	0.90	25	2.4	0.49	1.8	0.37
Lung & bronchus	694	97.8	3.79	65.5	2.56	587	55.7	2.33	37.8	1.69
Bones & Joints	7	0.9	0.35	0.9	0.34	8	0.9	0.33	0.9	0.32
Soft Tissue (incl. heart)	21	2.9	0.65	2.5	0.60	30	3.3	0.62	2.7	0.55
Skin (excl. basal & sq.)	13	2.0	0.55	1.6	0.46	16	1.7	0.43	1.2	0.34
Melanomas of the skin	7	1.1	0.41	0.7	0.28	10	1.0	0.32	0.7	0.24
Breast (excl. <i>in situ</i>)	17	2.3	0.57	1.5	0.38	1,350	134.9	3.74	98.3	2.85
Female Genital System	-	-	-	-	-	534	52.7	2.33	38.9	1.80
Cervix uteri	-	-	-	-	-	92	10.1	1.08	7.8	0.85
Uterus Corpus	-	-	-	-	-	299	28.6	1.68	20.9	1.29
Uterus, NOS ¹	-	-	-	-	-	10	0.9	0.31	0.7	0.25
Ovary	-	-	-	-	-	102	9.8	0.98	7.0	0.76
Male Genital System	1,587	218.9	5.60	155.3	4.00	-	-	-	-	-
Prostate	1,573	216.8	5.57	153.4	3.96	-	-	-	-	-
Testis	13	2.0	0.55	1.8	0.52	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	309	43.6	2.53	29.2	1.72	225	21.6	1.47	14.6	1.06
Bladder (incl. <i>in situ</i>)	143	21.2	1.81	12.6	1.10	99	8.9	0.91	5.6	0.63
Kidney & renal pelvis	157	20.9	1.70	15.9	1.30	120	12.1	1.12	8.7	0.84
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	41	5.7	0.91	4.8	0.80	38	4.1	0.68	3.6	0.66
Brain	38	5.2	0.87	4.3	0.74	35	3.9	0.67	3.4	0.65
Endocrine System	50	6.9	0.99	5.0	0.73	125	13.6	1.25	11.1	1.05
Thyroid gland	44	6.0	0.93	4.4	0.69	118	12.7	1.20	10.2	0.99
Lymphomas	194	28.1	2.06	21.0	1.56	155	16.1	1.33	12.4	1.06
Hodgkin Lymphoma	29	4.6	0.86	3.7	0.69	20	2.5	0.56	2.1	0.49
Non-Hodgkin Lymphoma	165	23.6	1.87	17.3	1.40	135	13.7	1.20	10.3	0.94
Multiple Myeloma	96	13.9	1.45	8.6	0.91	92	8.6	0.91	5.7	0.65
Leukemias	74	11.0	1.30	7.8	1.00	60	6.1	0.80	4.5	0.69
Acute lymphocytic	9	1.2	0.41	1.7	0.61	7	0.9	0.35	1.1	0.44
Chronic lymphocytic	29	4.4	0.84	2.5	0.49	22	2.1	0.45	1.3	0.31
Acute myeloid	11	1.7	0.52	1.0	0.33	17	1.7	0.41	1.2	0.33
Chronic myeloid	13	1.9	0.54	1.2	0.36	-	-	-	-	-
Other leukemias	12	1.7	0.51	1.3	0.39	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	36	5.6	0.94	4.7	0.79	-	-	-	-	-
Ill-defined & Unknown	136	19.8	1.73	13.0	1.16	163	14.8	1.18	9.2	0.83
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	43	6.0	0.93	5.0	0.80	108	11.2	1.11	8.8	0.96
Breast (<i>in situ</i>)	-	-	-	-	-	308	30.3	1.75	22.0	1.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	280,767	518.8	0.99	347.7	0.71	246,963	399.9	0.82	278.0	0.63
Oral Cavity & Pharynx	10,577	19.6	0.19	14.5	0.15	4,208	6.8	0.11	4.9	0.08
Lip	369	0.7	0.04	0.5	0.03	157	0.2	0.02	0.2	0.01
Tongue	3,208	5.9	0.10	4.4	0.08	1,214	2.0	0.06	1.4	0.04
Major salivary gland	883	1.7	0.06	1.1	0.04	516	0.9	0.04	0.6	0.03
Floor of mouth	583	1.1	0.04	0.8	0.03	242	0.4	0.03	0.3	0.02
Gum & other mouth	1,075	2.0	0.06	1.4	0.05	749	1.2	0.04	0.8	0.03
Nasopharynx	468	0.9	0.04	0.7	0.04	192	0.3	0.02	0.2	0.02
Oropharynx	573	1.0	0.04	0.8	0.03	221	0.4	0.02	0.3	0.02
Hypopharynx	827	1.5	0.05	1.1	0.04	232	0.4	0.02	0.3	0.02
Digestive System	51,594	95.7	0.42	62.3	0.29	41,828	64.1	0.32	40.3	0.22
Esophagus	4,506	8.2	0.12	5.4	0.09	1,234	1.9	0.05	1.2	0.04
Stomach	4,387	8.2	0.12	5.2	0.08	2,690	4.2	0.08	2.6	0.06
Small intestine	1,267	2.4	0.07	1.6	0.05	933	1.5	0.05	1.0	0.04
Colon excl. rectum	18,226	33.9	0.25	21.0	0.17	18,444	27.9	0.21	16.9	0.14
Rectum & rectosigmoid	7,468	13.9	0.16	9.6	0.12	5,454	8.7	0.12	5.9	0.09
Anus, anal canal & anorectum	862	1.7	0.06	1.2	0.04	1,511	2.5	0.06	1.8	0.05
Liver	5,173	9.5	0.13	7.0	0.10	1,775	2.8	0.07	1.9	0.05
Gallbladder	406	0.7	0.04	0.4	0.02	775	1.2	0.04	0.7	0.03
Pancreas	7,264	13.4	0.16	8.4	0.11	6,769	10.1	0.12	6.1	0.08
Respiratory System	48,405	88.2	0.40	56.3	0.27	38,712	58.8	0.30	37.9	0.21
Larynx	4,073	7.4	0.12	5.3	0.09	911	1.4	0.05	1.1	0.04
Lung & bronchus	43,662	79.4	0.38	50.0	0.26	37,361	56.7	0.30	36.3	0.21
Bones & Joints	594	1.3	0.05	1.2	0.05	435	0.8	0.04	0.8	0.04
Soft Tissue (incl. heart)	1,997	3.9	0.09	2.9	0.07	1,561	2.8	0.07	2.3	0.07
Skin (excl. basal & sq.)	13,944	26.4	0.23	17.0	0.16	8,583	14.8	0.16	10.8	0.13
Melanomas of the skin	12,800	24.3	0.22	15.8	0.15	7,992	13.8	0.16	10.2	0.13
Breast (excl. <i>in situ</i>)	937	1.8	0.06	1.2	0.04	68,618	114.3	0.45	82.5	0.34
Female Genital System	-	-	-	-	-	27,840	46.7	0.29	34.6	0.22
Cervix uteri	-	-	-	-	-	4,584	9.0	0.14	7.2	0.11
Uterus Corpus	-	-	-	-	-	13,058	21.0	0.19	15.6	0.15
Uterus, NOS ¹	-	-	-	-	-	577	0.9	0.04	0.6	0.03
Ovary	-	-	-	-	-	7,338	12.0	0.14	8.6	0.11
Male Genital System	76,420	137.1	0.50	97.4	0.37	-	-	-	-	-
Prostate	73,746	131.2	0.49	92.1	0.35	-	-	-	-	-
Testis	2,131	5.0	0.11	4.6	0.10	-	-	-	-	-
Penis	427	0.8	0.04	0.5	0.03	-	-	-	-	-
Urinary System	29,978	55.6	0.32	33.9	0.21	12,263	19.0	0.17	12.3	0.13
Bladder (incl. <i>in situ</i>)	19,143	35.3	0.26	20.0	0.16	5,835	8.6	0.11	5.1	0.08
Kidney & renal pelvis	10,227	19.1	0.19	13.3	0.14	6,089	9.8	0.13	6.9	0.10
Ureter	425	0.8	0.04	0.4	0.02	255	0.4	0.02	0.2	0.01
Eye & Orbit	519	1.0	0.04	0.8	0.04	448	0.8	0.04	0.7	0.04
Brain & Other Nervous System	3,827	7.7	0.13	6.4	0.12	3,143	5.7	0.10	4.8	0.10
Brain	3,600	7.2	0.12	5.9	0.11	2,878	5.1	0.10	4.3	0.10
Endocrine System	3,101	6.2	0.11	4.9	0.10	8,333	16.3	0.18	13.5	0.16
Thyroid gland	2,716	5.4	0.10	4.1	0.08	8,016	15.7	0.18	12.8	0.15
Lymphomas	12,825	24.8	0.22	17.3	0.17	10,638	17.5	0.17	12.4	0.14
Hodgkin Lymphoma	1,366	2.9	0.08	2.6	0.08	1,117	2.3	0.07	2.2	0.07
Non-Hodgkin Lymphoma	11,459	21.9	0.21	14.7	0.15	9,521	15.2	0.16	10.2	0.12
Multiple Myeloma	3,593	6.7	0.11	4.2	0.08	2,854	4.4	0.08	2.9	0.06
Leukemias	8,042	15.6	0.18	11.1	0.14	5,822	9.7	0.13	7.3	0.12
Acute lymphocytic	893	2.0	0.07	2.4	0.09	709	1.6	0.06	1.9	0.08
Chronic lymphocytic	2,610	4.8	0.10	2.8	0.06	1,823	2.7	0.06	1.5	0.04
Acute myeloid	2,382	4.6	0.09	3.1	0.07	1,805	3.0	0.07	2.2	0.06
Chronic myeloid	997	1.9	0.06	1.3	0.05	721	1.2	0.05	0.8	0.04
Other leukemias	1,160	2.3	0.07	1.5	0.05	764	1.2	0.05	0.8	0.04
Mesothelioma	891	1.6	0.06	0.9	0.03	242	0.4	0.02	0.2	0.02
Kaposi Sarcoma	503	1.1	0.05	0.9	0.04	72	0.1	0.02	0.1	0.01
Ill-defined & Unknown	13,020	24.5	0.22	14.5	0.14	11,363	17.0	0.16	10.0	0.11
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	4,078	8.0	0.13	5.8	0.10	8,762	14.5	0.16	10.2	0.13
Breast (<i>in situ</i>)	149	0.3	0.02	0.2	0.02	16,222	27.5	0.22	20.5	0.17

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	246,713	514.5	1.05	344.8	0.76	216,662	404.7	0.90	282.2	0.70
Oral Cavity & Pharynx	9,563	20.4	0.21	15.2	0.16	3,766	7.0	0.12	5.0	0.09
Lip	357	0.8	0.04	0.6	0.03	148	0.3	0.02	0.2	0.02
Tongue	2,954	6.2	0.12	4.7	0.09	1,120	2.1	0.07	1.5	0.05
Major salivary gland	796	1.7	0.06	1.1	0.04	443	0.9	0.04	0.6	0.04
Floor of mouth	519	1.1	0.05	0.8	0.04	217	0.4	0.03	0.3	0.02
Gum & other mouth	951	2.0	0.07	1.4	0.05	665	1.2	0.05	0.8	0.03
Nasopharynx	367	0.8	0.04	0.7	0.04	153	0.3	0.03	0.2	0.02
Oropharynx	494	1.0	0.05	0.8	0.04	196	0.4	0.03	0.3	0.02
Hypopharynx	723	1.5	0.06	1.1	0.04	211	0.4	0.03	0.3	0.02
Digestive System	44,801	93.4	0.45	60.7	0.31	35,884	62.2	0.34	38.9	0.24
Esophagus	4,100	8.4	0.13	5.6	0.09	1,073	1.8	0.06	1.1	0.04
Stomach	3,549	7.4	0.13	4.6	0.08	2,084	3.7	0.08	2.3	0.06
Small intestine	1,073	2.3	0.07	1.5	0.05	791	1.5	0.05	1.0	0.04
Colon excl. rectum	15,844	33.0	0.26	20.3	0.18	15,891	27.0	0.22	16.2	0.15
Rectum & rectosigmoid	6,553	13.8	0.17	9.6	0.13	4,748	8.7	0.13	5.9	0.10
Anus, anal canal & anorectum	775	1.7	0.06	1.3	0.05	1,386	2.6	0.07	1.9	0.06
Liver	4,286	9.0	0.14	6.6	0.11	1,436	2.5	0.07	1.7	0.05
Gallbladder	338	0.7	0.04	0.4	0.02	626	1.1	0.04	0.6	0.03
Pancreas	6,473	13.3	0.17	8.4	0.11	5,905	9.9	0.13	5.9	0.09
Respiratory System	43,419	88.4	0.43	56.4	0.29	35,710	61.5	0.33	39.8	0.24
Larynx	3,538	7.3	0.12	5.2	0.09	827	1.5	0.05	1.1	0.04
Lung & bronchus	39,285	79.7	0.40	50.3	0.27	34,497	59.3	0.33	38.1	0.23
Bones & Joints	512	1.3	0.06	1.3	0.06	361	0.9	0.05	0.8	0.05
Soft Tissue (incl. heart)	1,744	4.0	0.10	3.0	0.08	1,281	2.7	0.08	2.2	0.08
Skin (excl. basal & sq.)	13,449	28.9	0.25	18.9	0.18	8,188	16.8	0.20	12.5	0.16
Melanomas of the skin	12,379	26.7	0.24	17.6	0.17	7,677	15.9	0.19	11.9	0.16
Breast (excl. <i>in situ</i>)	806	1.7	0.06	1.1	0.04	59,495	114.9	0.49	83.0	0.37
Female Genital System	-	-	-	-	-	23,705	46.6	0.32	34.6	0.25
Cervix uteri	-	-	-	-	-	3,561	8.7	0.15	6.9	0.12
Uterus Corpus	-	-	-	-	-	11,170	20.9	0.20	15.6	0.16
Uterus, NOS ¹	-	-	-	-	-	436	0.8	0.04	0.5	0.03
Ovary	-	-	-	-	-	6,531	12.5	0.16	9.0	0.13
Male Genital System	63,708	129.1	0.52	91.5	0.39	-	-	-	-	-
Prostate	61,307	122.4	0.50	85.5	0.36	-	-	-	-	-
Testis	1,958	5.8	0.13	5.4	0.13	-	-	-	-	-
Penis	346	0.7	0.04	0.5	0.03	-	-	-	-	-
Urinary System	27,675	57.2	0.35	35.1	0.23	11,060	19.5	0.19	12.6	0.14
Bladder (incl. <i>in situ</i>)	18,017	36.8	0.28	21.0	0.17	5,398	9.0	0.13	5.4	0.08
Kidney & renal pelvis	9,086	19.3	0.21	13.5	0.15	5,354	10.0	0.14	7.0	0.11
Ureter	412	0.8	0.04	0.5	0.03	240	0.4	0.03	0.2	0.02
Eye & Orbit	494	1.1	0.05	0.9	0.05	415	0.9	0.04	0.7	0.05
Brain & Other Nervous System	3,422	8.0	0.14	6.7	0.13	2,804	6.1	0.12	5.2	0.12
Brain	3,227	7.6	0.14	6.2	0.13	2,584	5.5	0.12	4.7	0.12
Endocrine System	2,765	6.5	0.13	5.2	0.11	7,067	17.1	0.21	14.1	0.18
Thyroid gland	2,464	5.8	0.12	4.4	0.10	6,822	16.5	0.21	13.5	0.18
Lymphomas	11,365	25.2	0.24	17.5	0.19	9,371	17.7	0.19	12.5	0.16
Hodgkin Lymphoma	1,148	3.1	0.09	2.7	0.09	946	2.5	0.08	2.3	0.08
Non-Hodgkin Lymphoma	10,217	22.1	0.22	14.8	0.16	8,425	15.2	0.17	10.2	0.13
Multiple Myeloma	2,865	6.0	0.11	3.7	0.08	2,158	3.8	0.08	2.4	0.06
Leukemias	7,240	16.1	0.19	11.6	0.17	5,114	9.9	0.15	7.5	0.14
Acute lymphocytic	778	2.3	0.08	2.7	0.11	607	1.8	0.07	2.1	0.10
Chronic lymphocytic	2,408	5.0	0.10	2.9	0.06	1,672	2.7	0.07	1.6	0.04
Acute myeloid	2,147	4.7	0.10	3.1	0.08	1,567	3.0	0.08	2.2	0.07
Chronic myeloid	884	2.0	0.07	1.3	0.05	613	1.2	0.05	0.8	0.04
Other leukemias	1,023	2.3	0.07	1.5	0.05	655	1.2	0.05	0.8	0.04
Mesothelioma	848	1.7	0.06	0.9	0.04	224	0.4	0.03	0.3	0.02
Kaposi Sarcoma	337	0.9	0.05	0.7	0.04	38	0.1	0.01	0.0	0.01
Ill-defined & Unknown	11,700	24.5	0.23	14.5	0.15	10,021	16.8	0.17	9.9	0.12
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	3,493	8.0	0.14	5.7	0.11	7,346	14.1	0.17	10.0	0.14
Breast (<i>in situ</i>)	125	0.3	0.02	0.2	0.02	13,901	27.6	0.24	20.6	0.19

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	27,397	537.3	3.48	366.9	2.25	24,128	359.2	2.36	250.7	1.66
Oral Cavity & Pharynx	788	14.0	0.53	10.4	0.37	344	5.0	0.27	3.6	0.20
Lip	-	-	-	-	-	7	0.1	0.04	0.1	0.03
Tongue	187	3.3	0.26	2.5	0.18	62	0.9	0.12	0.7	0.09
Major salivary gland	63	1.2	0.16	0.8	0.11	58	0.8	0.11	0.6	0.08
Floor of mouth	53	1.0	0.14	0.7	0.10	21	0.3	0.07	0.2	0.05
Gum & other mouth	93	1.7	0.19	1.2	0.13	69	1.0	0.13	0.7	0.09
Nasopharynx	79	1.2	0.13	1.0	0.11	27	0.4	0.07	0.3	0.05
Oropharynx	67	1.3	0.17	0.9	0.11	20	0.3	0.07	0.2	0.05
Hypopharynx	94	1.7	0.18	1.2	0.13	20	0.3	0.07	0.2	0.05
Digestive System	5,470	109.3	1.60	71.9	0.99	4,820	74.8	1.10	47.7	0.71
Esophagus	321	6.2	0.37	4.3	0.25	144	2.3	0.19	1.4	0.12
Stomach	699	14.8	0.60	9.2	0.35	481	7.8	0.36	4.6	0.22
Small intestine	162	3.2	0.27	2.1	0.17	124	1.9	0.17	1.3	0.12
Colon excl. rectum	1,959	40.6	0.99	25.7	0.59	2,116	32.8	0.73	21.0	0.47
Rectum & rectosigmoid	703	13.5	0.55	9.2	0.35	544	8.1	0.35	5.5	0.24
Anus, anal canal & anorectum	75	1.3	0.16	0.9	0.11	106	1.5	0.15	1.1	0.11
Liver	661	11.3	0.46	8.5	0.34	247	3.7	0.24	2.5	0.16
Gallbladder	51	1.1	0.17	0.7	0.10	124	1.9	0.18	1.2	0.11
Pancreas	666	13.8	0.58	8.8	0.35	709	11.5	0.44	6.8	0.26
Respiratory System	4,282	88.2	1.45	57.0	0.88	2,412	37.5	0.78	24.5	0.52
Larynx	457	8.6	0.43	6.1	0.29	69	1.0	0.12	0.7	0.09
Lung & bronchus	3,762	78.6	1.38	50.1	0.83	2,296	35.8	0.76	23.3	0.50
Bones & Joints	63	0.8	0.11	0.8	0.10	64	0.9	0.11	0.8	0.10
Soft Tissue (incl. heart)	202	3.5	0.26	2.7	0.19	241	3.3	0.22	2.8	0.18
Skin (excl. basal & sq.)	104	2.2	0.24	1.4	0.13	136	2.0	0.17	1.5	0.13
Melanomas of the skin	61	1.4	0.19	0.8	0.10	75	1.2	0.14	0.8	0.09
Breast (excl. <i>in situ</i>)	103	2.0	0.21	1.3	0.13	7,306	105.4	1.25	76.9	0.92
Female Genital System	-	-	-	-	-	3,405	49.9	0.87	36.4	0.64
Cervix uteri	-	-	-	-	-	875	12.4	0.42	9.4	0.32
Uterus Corpus	-	-	-	-	-	1,560	23.3	0.60	16.9	0.44
Uterus, NOS ¹	-	-	-	-	-	128	1.9	0.17	1.4	0.12
Ovary	-	-	-	-	-	617	9.1	0.37	6.4	0.27
Male Genital System	10,569	204.7	2.11	145.0	1.43	-	-	-	-	-
Prostate	10,395	201.8	2.10	142.8	1.42	-	-	-	-	-
Testis	90	1.3	0.14	1.1	0.12	-	-	-	-	-
Penis	70	1.4	0.18	0.9	0.11	-	-	-	-	-
Urinary System	1,647	34.4	0.92	21.7	0.54	954	14.8	0.49	9.6	0.32
Bladder (incl. <i>in situ</i>)	657	15.7	0.66	8.7	0.34	306	5.1	0.30	2.8	0.17
Kidney & renal pelvis	958	17.9	0.62	12.6	0.41	621	9.3	0.38	6.5	0.27
Ureter	11	0.3	0.09	0.2	0.05	12	0.2	0.06	0.1	0.04
Eye & Orbit	16	0.2	0.05	0.3	0.06	27	0.3	0.07	0.4	0.08
Brain & Other Nervous System	293	4.4	0.28	4.0	0.24	260	3.5	0.22	3.1	0.20
Brain	270	4.1	0.27	3.7	0.23	227	3.1	0.21	2.7	0.19
Endocrine System	227	3.8	0.27	3.0	0.20	842	11.6	0.40	9.3	0.32
Thyroid gland	159	2.8	0.23	2.1	0.17	783	10.8	0.39	8.6	0.31
Lymphomas	1,160	20.1	0.64	14.9	0.44	993	14.1	0.46	10.6	0.34
Hodgkin Lymphoma	184	2.7	0.21	2.4	0.18	137	1.7	0.15	1.6	0.14
Non-Hodgkin Lymphoma	976	17.5	0.61	12.5	0.41	856	12.4	0.43	9.0	0.31
Multiple Myeloma	662	13.6	0.57	8.7	0.34	628	9.8	0.40	6.3	0.26
Leukemias	622	11.9	0.52	8.3	0.34	572	8.4	0.36	6.3	0.27
Acute lymphocytic	87	1.1	0.12	1.3	0.14	75	0.9	0.10	1.1	0.13
Chronic lymphocytic	153	3.3	0.29	2.0	0.16	115	1.8	0.17	1.2	0.11
Acute myeloid	181	3.4	0.28	2.4	0.18	193	2.9	0.21	2.0	0.15
Chronic myeloid	93	1.8	0.20	1.2	0.12	94	1.4	0.15	1.0	0.10
Other leukemias	108	2.3	0.24	1.4	0.13	95	1.4	0.15	1.0	0.11
Mesothelioma	31	0.7	0.14	0.4	0.07	13	0.2	0.06	0.1	0.04
Kaposi Sarcoma	148	2.3	0.20	1.9	0.15	32	0.4	0.08	0.3	0.06
Ill-defined & Unknown	1,010	21.1	0.72	13.2	0.42	1,079	17.1	0.53	10.5	0.33
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	436	8.1	0.42	5.7	0.27	1,073	16.1	0.50	11.0	0.35
Breast (<i>in situ</i>)	16	0.3	0.08	0.2	0.05	1,761	25.1	0.61	18.8	0.46

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,945	233.9	5.94	149.4	3.43	2,604	214.6	4.51	150.3	3.00
Oral Cavity & Pharynx	77	8.7	1.10	5.6	0.65	45	3.7	0.59	2.5	0.38
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	21	2.3	0.58	1.6	0.35	17	1.5	0.38	0.9	0.22
Major salivary gland	8	1.0	0.36	0.6	0.20	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	15	1.6	0.44	1.1	0.28	-	-	-	-	-
Nasopharynx	16	1.5	0.39	1.2	0.29	12	1.0	0.29	0.7	0.19
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	547	66.6	3.20	41.0	1.77	509	46.3	2.23	29.1	1.30
Esophagus	32	4.6	0.90	2.4	0.43	10	1.2	0.40	0.6	0.20
Stomach	67	8.4	1.18	5.0	0.62	61	5.4	0.75	3.5	0.45
Small intestine	11	1.1	0.34	0.8	0.24	9	1.0	0.36	0.5	0.18
Colon excl. rectum	145	18.2	1.69	10.8	0.91	176	15.7	1.29	10.0	0.76
Rectum & rectosigmoid	87	9.9	1.20	6.5	0.71	84	7.4	0.86	4.8	0.53
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	129	13.8	1.32	9.6	0.85	47	4.6	0.72	2.7	0.39
Gallbladder	11	1.5	0.52	0.8	0.25	14	1.3	0.35	0.8	0.23
Pancreas	38	5.5	1.03	3.1	0.51	60	5.5	0.79	3.4	0.45
Respiratory System	257	34.0	2.40	19.7	1.24	287	26.9	1.70	16.6	1.00
Larynx	15	1.4	0.38	1.2	0.30	-	-	-	-	-
Lung & bronchus	240	32.4	2.36	18.4	1.20	281	26.6	1.69	16.3	0.98
Bones & Joints	6	0.5	0.19	0.5	0.20	6	0.4	0.18	0.5	0.20
Soft Tissue (incl. heart)	23	2.3	0.52	1.7	0.37	22	1.7	0.37	1.5	0.33
Skin (excl. basal & sq.)	18	1.8	0.45	1.3	0.32	16	1.2	0.32	1.0	0.25
Melanomas of the skin	11	1.2	0.37	0.8	0.24	12	1.0	0.29	0.7	0.22
Breast (excl. <i>in situ</i>)	7	0.7	0.27	0.5	0.18	757	56.9	2.17	42.5	1.56
Female Genital System	-	-	-	-	-	343	26.5	1.52	19.5	1.06
Cervix uteri	-	-	-	-	-	73	5.3	0.65	4.0	0.47
Uterus Corpus	-	-	-	-	-	159	11.8	0.98	9.2	0.73
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	92	7.3	0.82	5.2	0.55
Male Genital System	478	55.8	2.79	37.4	1.73	-	-	-	-	-
Prostate	460	54.3	2.77	36.0	1.69	-	-	-	-	-
Testis	14	1.1	0.28	1.1	0.31	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	124	15.1	1.51	9.4	0.86	74	7.1	0.89	4.5	0.55
Bladder (incl. <i>in situ</i>)	69	9.5	1.27	5.3	0.65	24	3.0	0.64	1.3	0.27
Kidney & renal pelvis	53	5.4	0.80	3.9	0.54	50	4.1	0.62	3.2	0.47
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	49	5.1	0.83	4.1	0.60	32	2.6	0.48	2.2	0.43
Brain	44	4.4	0.75	3.7	0.57	28	2.3	0.46	2.0	0.41
Endocrine System	45	4.1	0.64	3.4	0.52	234	16.5	1.10	13.5	0.90
Thyroid gland	37	3.4	0.59	2.7	0.45	226	15.9	1.08	12.8	0.87
Lymphomas	115	13.9	1.47	8.8	0.83	103	8.6	0.93	6.0	0.60
Hodgkin Lymphoma	14	1.4	0.45	1.1	0.30	15	1.0	0.26	0.9	0.25
Non-Hodgkin Lymphoma	101	12.4	1.39	7.6	0.77	88	7.7	0.89	5.1	0.55
Multiple Myeloma	27	3.2	0.67	2.0	0.39	33	2.9	0.55	1.9	0.34
Leukemias	62	7.0	1.02	5.4	0.72	57	4.7	0.64	4.0	0.57
Acute lymphocytic	13	1.0	0.29	1.6	0.45	15	1.2	0.33	1.4	0.39
Chronic lymphocytic	9	1.2	0.46	0.7	0.25	-	-	-	-	-
Acute myeloid	23	2.6	0.59	1.8	0.39	26	2.1	0.43	1.7	0.34
Chronic myeloid	7	0.8	0.34	0.5	0.20	6	0.5	0.20	0.3	0.14
Other leukemias	10	1.5	0.54	0.7	0.24	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	0.8	0.39	0.5	0.20	-	-	-	-	-
Ill-defined & Unknown	98	13.2	1.50	7.6	0.78	79	7.7	0.95	4.6	0.53
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	48	5.0	0.80	3.7	0.55	121	10.3	1.04	6.8	0.63
Breast (<i>in situ</i>)	-	-	-	-	-	222	16.8	1.17	12.6	0.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	62	182.8	26.04	120.5	15.75	46	121.3	18.93	79.9	11.99
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	23	65.0	14.75	45.1	9.70	11	32.1	10.25	19.0	5.85
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	31.5	10.67	21.7	7.04	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	18.9	8.27	13.8	5.71	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	13	33.9	9.97	22.2	6.26
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	28.8	10.16	18.1	5.85	-	-	-	-	-
Prostate	10	28.8	10.16	18.1	5.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	27.6	10.63	18.1	6.17	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	22.2	9.93	13.4	5.19	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	9	18.7	6.28	15.9	5.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate		Adj. Rate		Adj. Rate			Adj. Rate	
		2000 U.S.	S.E.	World	S.E.	2000 U.S.	S.E.	World	S.E.	
All Sites (invasive & in situ bladder)	34,856	468.0	2.57	309.9	1.71	33,152	342.3	1.88	238.6	1.38
Oral Cavity & Pharynx	1,152	14.9	0.45	10.5	0.32	493	5.1	0.23	3.4	0.16
Lip	46	0.6	0.09	0.4	0.06	16	0.2	0.04	0.1	0.03
Tongue	353	4.5	0.25	3.3	0.18	143	1.5	0.12	1.0	0.09
Major salivary gland	92	1.2	0.13	0.8	0.09	85	0.9	0.09	0.6	0.07
Floor of mouth	58	0.8	0.10	0.5	0.07	12	0.1	0.04	0.1	0.02
Gum & other mouth	128	1.7	0.16	1.1	0.10	98	1.0	0.10	0.6	0.07
Nasopharynx	70	0.8	0.10	0.6	0.08	30	0.3	0.06	0.2	0.04
Oropharynx	56	0.7	0.10	0.5	0.07	17	0.2	0.04	0.1	0.03
Hypopharynx	102	1.4	0.14	0.9	0.09	17	0.2	0.04	0.1	0.03
Digestive System	7,478	102.3	1.21	65.0	0.78	6,429	67.4	0.84	41.6	0.55
Esophagus	404	5.5	0.28	3.5	0.18	105	1.1	0.11	0.7	0.07
Stomach	799	11.0	0.40	6.9	0.25	609	6.4	0.26	4.0	0.17
Small intestine	154	2.0	0.16	1.4	0.11	133	1.4	0.12	0.9	0.08
Colon excl. rectum	2,695	37.9	0.75	22.9	0.46	2,728	28.7	0.55	17.1	0.35
Rectum & rectosigmoid	1,142	15.2	0.46	10.1	0.31	832	8.7	0.30	5.7	0.21
Anus, anal canal & anorectum	103	1.2	0.12	0.9	0.09	226	2.3	0.16	1.6	0.11
Liver	833	10.7	0.38	7.7	0.27	370	3.9	0.20	2.5	0.14
Gallbladder	68	1.0	0.12	0.5	0.07	173	1.8	0.14	1.1	0.09
Pancreas	945	13.1	0.44	8.2	0.27	910	9.6	0.32	5.7	0.20
Respiratory System	4,839	67.4	0.99	42.3	0.63	2,821	29.5	0.56	19.2	0.38
Larynx	594	8.0	0.34	5.4	0.23	99	1.0	0.10	0.8	0.08
Lung & bronchus	4,131	58.0	0.92	35.9	0.58	2,663	27.9	0.54	17.9	0.37
Bones & Joints	128	1.4	0.12	1.3	0.12	103	1.0	0.10	0.9	0.09
Soft Tissue (incl. heart)	292	3.5	0.21	2.7	0.16	261	2.7	0.17	2.2	0.14
Skin (excl. basal & sq.)	533	7.1	0.32	4.5	0.20	469	4.8	0.22	3.5	0.17
Melanomas of the skin	450	6.0	0.29	3.9	0.19	421	4.3	0.21	3.2	0.16
Breast (excl. <i>in situ</i>)	113	1.5	0.14	1.0	0.09	9,395	96.5	1.00	69.8	0.74
Female Genital System	-	-	-	-	-	4,477	45.8	0.69	33.7	0.52
Cervix uteri	-	-	-	-	-	999	10.1	0.32	7.8	0.25
Uterus Corpus	-	-	-	-	-	2,038	20.9	0.46	15.4	0.35
Uterus, NOS ¹	-	-	-	-	-	88	0.9	0.10	0.6	0.07
Ovary	-	-	-	-	-	1,106	11.4	0.34	8.2	0.26
Male Genital System	10,433	139.0	1.38	96.3	0.97	-	-	-	-	-
Prostate	9,916	133.8	1.36	91.8	0.95	-	-	-	-	-
Testis	420	3.9	0.19	3.7	0.19	-	-	-	-	-
Penis	79	1.1	0.12	0.7	0.08	-	-	-	-	-
Urinary System	3,368	47.2	0.84	28.7	0.51	1,396	14.6	0.39	9.3	0.27
Bladder (incl. <i>in situ</i>)	1,932	28.5	0.66	16.0	0.38	535	5.7	0.25	3.1	0.15
Kidney & renal pelvis	1,376	17.8	0.49	12.2	0.34	824	8.5	0.30	6.0	0.22
Ureter	37	0.5	0.09	0.3	0.05	27	0.3	0.06	0.2	0.03
Eye & Orbit	72	0.9	0.11	0.8	0.10	64	0.6	0.08	0.6	0.09
Brain & Other Nervous System	617	7.1	0.30	5.9	0.25	567	5.8	0.24	4.9	0.22
Brain	579	6.7	0.29	5.5	0.24	509	5.2	0.23	4.4	0.21
Endocrine System	555	6.5	0.28	5.0	0.22	2,105	21.1	0.46	17.3	0.39
Thyroid gland	496	5.9	0.27	4.4	0.20	2,029	20.4	0.45	16.6	0.38
Lymphomas	1,984	24.7	0.57	17.4	0.40	1,707	17.6	0.43	12.5	0.32
Hodgkin Lymphoma	336	3.5	0.20	3.0	0.17	223	2.2	0.15	2.0	0.14
Non-Hodgkin Lymphoma	1,648	21.2	0.54	14.4	0.36	1,484	15.4	0.40	10.5	0.29
Multiple Myeloma	477	6.5	0.30	4.1	0.19	411	4.3	0.21	2.8	0.14
Leukemias	1,145	14.4	0.45	10.7	0.33	931	9.5	0.31	7.7	0.28
Acute lymphocytic	290	2.9	0.18	3.4	0.20	226	2.2	0.15	2.6	0.19
Chronic lymphocytic	211	3.2	0.22	1.7	0.12	170	1.8	0.14	1.1	0.09
Acute myeloid	350	4.5	0.25	3.1	0.17	291	3.0	0.18	2.2	0.14
Chronic myeloid	146	1.9	0.16	1.2	0.11	132	1.4	0.12	1.0	0.09
Other leukemias	148	2.0	0.17	1.3	0.11	112	1.1	0.11	0.8	0.09
Mesothelioma	56	0.7	0.10	0.5	0.07	38	0.4	0.06	0.3	0.04
Kaposi Sarcoma	121	1.4	0.13	1.0	0.09	17	0.2	0.04	0.1	0.02
Ill-defined & Unknown	1,493	21.5	0.57	12.3	0.33	1,468	15.4	0.40	8.9	0.25
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	646	8.1	0.33	5.6	0.23	1,661	17.1	0.42	11.9	0.31
Breast (<i>in situ</i>)	18	0.2	0.05	0.2	0.04	2,311	23.6	0.49	17.9	0.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

FLORIDA

94 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	214,189	527.3	1.17	354.7	0.87	185,665	420.1	1.04	293.2	0.81
Oral Cavity & Pharynx	8,484	21.9	0.24	16.4	0.19	3,299	7.5	0.14	5.4	0.11
Lip	313	0.9	0.05	0.6	0.04	132	0.3	0.03	0.2	0.02
Tongue	2,623	6.6	0.13	5.1	0.11	983	2.3	0.08	1.6	0.06
Major salivary gland	714	1.8	0.07	1.1	0.05	363	0.8	0.05	0.6	0.04
Floor of mouth	466	1.2	0.06	0.9	0.04	205	0.5	0.03	0.3	0.03
Gum & other mouth	831	2.1	0.08	1.5	0.06	571	1.2	0.05	0.8	0.04
Nasopharynx	302	0.9	0.05	0.7	0.04	124	0.3	0.03	0.2	0.02
Oropharynx	444	1.1	0.06	0.9	0.04	182	0.4	0.03	0.3	0.03
Hypopharynx	625	1.5	0.06	1.1	0.05	194	0.4	0.03	0.3	0.03
Digestive System	37,792	92.8	0.49	60.5	0.35	29,905	61.6	0.37	38.7	0.27
Esophagus	3,717	9.0	0.15	6.0	0.11	976	2.0	0.06	1.2	0.05
Stomach	2,801	6.8	0.13	4.2	0.09	1,528	3.1	0.08	1.9	0.06
Small intestine	932	2.3	0.08	1.5	0.06	663	1.5	0.06	1.0	0.05
Colon excl. rectum	13,304	32.4	0.29	20.1	0.19	13,348	26.8	0.24	16.1	0.17
Rectum & rectosigmoid	5,478	13.8	0.19	9.7	0.14	3,967	8.9	0.15	6.0	0.11
Anus, anal canal & anorectum	676	1.9	0.07	1.4	0.06	1,170	2.8	0.09	2.0	0.07
Liver	3,523	8.8	0.15	6.4	0.12	1,088	2.3	0.07	1.6	0.06
Gallbladder	275	0.6	0.04	0.4	0.02	470	0.9	0.04	0.6	0.03
Pancreas	5,590	13.4	0.18	8.5	0.13	5,073	10.0	0.14	6.0	0.10
Respiratory System	38,857	92.4	0.47	59.3	0.33	33,059	68.0	0.39	44.1	0.28
Larynx	2,971	7.3	0.14	5.2	0.10	731	1.6	0.06	1.2	0.05
Lung & bronchus	35,396	83.8	0.45	53.1	0.31	31,999	65.6	0.38	42.4	0.27
Bones & Joints	393	1.3	0.07	1.2	0.07	261	0.8	0.06	0.8	0.06
Soft Tissue (incl. heart)	1,472	4.1	0.11	3.1	0.10	1,032	2.7	0.09	2.2	0.09
Skin (excl. basal & sq.)	12,941	33.5	0.30	22.2	0.22	7,742	20.2	0.25	15.2	0.21
Melanomas of the skin	11,949	31.0	0.29	20.8	0.22	7,275	19.2	0.24	14.6	0.20
Breast (excl. <i>in situ</i>)	707	1.8	0.07	1.2	0.05	50,710	119.7	0.56	86.6	0.43
Female Genital System	-	-	-	-	-	19,507	47.0	0.36	34.9	0.29
Cervix uteri	-	-	-	-	-	2,629	8.6	0.18	6.8	0.15
Uterus Corpus	-	-	-	-	-	9,266	21.0	0.23	15.7	0.18
Uterus, NOS ¹	-	-	-	-	-	357	0.8	0.04	0.5	0.03
Ovary	-	-	-	-	-	5,481	12.7	0.18	9.1	0.14
Male Genital System	54,056	128.9	0.56	91.8	0.43	-	-	-	-	-
Prostate	52,135	121.5	0.54	85.1	0.40	-	-	-	-	-
Testis	1,572	6.6	0.17	6.1	0.16	-	-	-	-	-
Penis	270	0.7	0.04	0.4	0.03	-	-	-	-	-
Urinary System	24,516	59.2	0.38	36.4	0.26	9,746	20.5	0.22	13.4	0.17
Bladder (incl. <i>in situ</i>)	16,223	38.3	0.30	22.0	0.19	4,899	9.7	0.14	5.8	0.10
Kidney & renal pelvis	7,778	19.7	0.23	13.7	0.18	4,574	10.3	0.16	7.2	0.13
Ureter	376	0.9	0.05	0.5	0.03	214	0.4	0.03	0.2	0.02
Eye & Orbit	423	1.1	0.06	0.9	0.05	356	0.9	0.05	0.8	0.06
Brain & Other Nervous System	2,845	8.3	0.16	6.9	0.16	2,266	6.1	0.14	5.2	0.14
Brain	2,687	7.8	0.16	6.4	0.15	2,102	5.6	0.13	4.7	0.14
Endocrine System	2,241	6.7	0.15	5.4	0.13	5,108	16.1	0.24	13.3	0.21
Thyroid gland	1,996	5.8	0.14	4.5	0.11	4,933	15.5	0.24	12.8	0.20
Lymphomas	9,518	25.3	0.27	17.7	0.21	7,771	17.8	0.22	12.5	0.18
Hodgkin Lymphoma	838	3.0	0.11	2.7	0.10	732	2.6	0.10	2.4	0.10
Non-Hodgkin Lymphoma	8,680	22.4	0.25	15.0	0.19	7,039	15.2	0.19	10.1	0.15
Multiple Myeloma	2,430	5.9	0.12	3.7	0.08	1,782	3.7	0.09	2.4	0.06
Leukemias	6,169	16.3	0.22	11.6	0.19	4,231	9.8	0.17	7.3	0.16
Acute lymphocytic	504	2.0	0.09	2.4	0.13	391	1.5	0.08	1.9	0.12
Chronic lymphocytic	2,211	5.3	0.11	3.1	0.07	1,512	2.9	0.08	1.7	0.05
Acute myeloid	1,819	4.6	0.11	3.1	0.09	1,288	3.0	0.09	2.2	0.08
Chronic myeloid	747	2.0	0.08	1.3	0.06	488	1.1	0.06	0.8	0.04
Other leukemias	888	2.4	0.08	1.6	0.07	552	1.2	0.06	0.8	0.04
Mesothelioma	795	1.9	0.07	1.0	0.04	187	0.4	0.03	0.3	0.02
Kaposi Sarcoma	225	0.8	0.06	0.6	0.04	22	0.1	0.01	0.0	0.01
Ill-defined & Unknown	10,325	25.2	0.25	15.0	0.17	8,681	17.2	0.19	10.2	0.14
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	2,907	8.1	0.16	5.9	0.13	5,837	13.7	0.19	9.6	0.16
Breast (<i>in situ</i>)	110	0.3	0.03	0.2	0.02	11,758	28.5	0.28	21.3	0.22

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	26,466	552.1	3.64	376.9	2.35	23,246	366.5	2.45	255.9	1.72
Oral Cavity & Pharynx	756	14.2	0.55	10.6	0.39	332	5.1	0.28	3.7	0.21
Lip	-	-	-	-	-	7	0.1	0.04	0.1	0.03
Tongue	174	3.2	0.26	2.5	0.19	60	0.9	0.12	0.7	0.09
Major salivary gland	59	1.2	0.16	0.8	0.11	55	0.8	0.11	0.6	0.09
Floor of mouth	52	1.0	0.15	0.7	0.10	21	0.3	0.07	0.2	0.05
Gum & other mouth	88	1.7	0.20	1.2	0.13	66	1.0	0.13	0.7	0.09
Nasopharynx	77	1.2	0.14	1.0	0.12	27	0.4	0.08	0.3	0.06
Oropharynx	66	1.3	0.18	0.9	0.11	19	0.3	0.07	0.2	0.05
Hypopharynx	93	1.8	0.19	1.3	0.14	20	0.3	0.07	0.2	0.05
Digestive System	5,279	112.3	1.67	73.8	1.03	4,655	76.4	1.14	48.8	0.74
Esophagus	311	6.4	0.39	4.5	0.26	138	2.3	0.20	1.5	0.13
Stomach	676	15.3	0.64	9.5	0.37	459	7.8	0.37	4.6	0.23
Small intestine	156	3.2	0.28	2.1	0.17	122	2.0	0.18	1.3	0.12
Colon excl. rectum	1,901	42.1	1.05	26.5	0.62	2,056	33.7	0.76	21.5	0.49
Rectum & rectosigmoid	675	13.7	0.56	9.5	0.37	522	8.2	0.37	5.6	0.25
Anus, anal canal & anorectum	73	1.4	0.17	1.0	0.12	100	1.5	0.16	1.1	0.11
Liver	635	11.5	0.48	8.7	0.35	242	3.8	0.25	2.6	0.17
Gallbladder	49	1.2	0.18	0.7	0.11	113	1.9	0.18	1.2	0.12
Pancreas	640	14.2	0.60	9.0	0.36	683	11.7	0.46	6.9	0.27
Respiratory System	4,168	91.3	1.52	59.0	0.93	2,343	38.5	0.81	25.2	0.54
Larynx	447	8.9	0.45	6.4	0.30	69	1.1	0.13	0.8	0.10
Lung & bronchus	3,661	81.3	1.45	51.8	0.87	2,228	36.7	0.79	23.9	0.52
Bones & Joints	61	0.8	0.11	0.8	0.11	62	0.9	0.12	0.8	0.10
Soft Tissue (incl. heart)	195	3.6	0.28	2.7	0.20	232	3.4	0.23	2.9	0.19
Skin (excl. basal & sq.)	98	2.2	0.24	1.4	0.14	128	2.0	0.18	1.4	0.13
Melanomas of the skin	59	1.4	0.20	0.8	0.11	69	1.2	0.14	0.7	0.09
Breast (excl. <i>in situ</i>)	100	2.0	0.22	1.4	0.14	7,050	107.8	1.30	78.6	0.95
Female Genital System	-	-	-	-	-	3,270	50.8	0.90	37.0	0.66
Cervix uteri	-	-	-	-	-	840	12.6	0.44	9.5	0.33
Uterus Corpus	-	-	-	-	-	1,490	23.5	0.62	17.1	0.45
Uterus, NOS ¹	-	-	-	-	-	123	2.0	0.18	1.4	0.13
Ovary	-	-	-	-	-	593	9.2	0.39	6.6	0.28
Male Genital System	10,217	210.3	2.21	148.9	1.49	-	-	-	-	-
Prostate	10,052	207.4	2.19	146.6	1.48	-	-	-	-	-
Testis	84	1.3	0.14	1.1	0.12	-	-	-	-	-
Penis	67	1.4	0.18	0.9	0.12	-	-	-	-	-
Urinary System	1,596	35.4	0.96	22.4	0.57	932	15.3	0.51	10.0	0.34
Bladder (incl. <i>in situ</i>)	630	16.1	0.69	8.8	0.36	295	5.2	0.31	2.9	0.18
Kidney & renal pelvis	937	18.6	0.65	13.2	0.44	611	9.6	0.40	6.8	0.29
Ureter	10	0.2	0.08	0.1	0.05	12	0.2	0.06	0.1	0.04
Eye & Orbit	16	0.2	0.05	0.3	0.07	23	0.3	0.07	0.4	0.08
Brain & Other Nervous System	271	4.4	0.28	4.0	0.25	250	3.6	0.23	3.2	0.21
Brain	249	4.0	0.27	3.7	0.24	218	3.1	0.22	2.8	0.19
Endocrine System	220	4.0	0.28	3.1	0.21	782	11.4	0.41	9.2	0.33
Thyroid gland	153	2.8	0.24	2.1	0.17	728	10.7	0.40	8.4	0.32
Lymphomas	1,100	20.3	0.66	15.1	0.46	946	14.2	0.47	10.7	0.36
Hodgkin Lymphoma	176	2.7	0.22	2.4	0.18	134	1.8	0.16	1.6	0.14
Non-Hodgkin Lymphoma	924	17.6	0.63	12.6	0.42	812	12.5	0.44	9.1	0.33
Multiple Myeloma	637	13.8	0.59	8.9	0.36	606	10.0	0.41	6.4	0.27
Leukemias	599	12.3	0.55	8.5	0.35	547	8.6	0.37	6.4	0.28
Acute lymphocytic	80	1.1	0.13	1.3	0.14	68	0.9	0.11	1.1	0.13
Chronic lymphocytic	150	3.5	0.31	2.1	0.17	111	1.9	0.18	1.2	0.12
Acute myeloid	173	3.5	0.29	2.5	0.19	187	3.0	0.22	2.1	0.16
Chronic myeloid	91	1.9	0.21	1.2	0.13	92	1.4	0.15	1.0	0.11
Other leukemias	105	2.3	0.25	1.4	0.14	89	1.4	0.15	1.0	0.11
Mesothelioma	30	0.8	0.15	0.4	0.08	12	0.2	0.06	0.1	0.04
Kaposi Sarcoma	147	2.5	0.22	2.0	0.16	32	0.5	0.08	0.4	0.07
Ill-defined & Unknown	976	21.7	0.76	13.6	0.44	1,044	17.5	0.55	10.8	0.35
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	417	8.2	0.44	5.8	0.29	1,028	16.3	0.52	11.2	0.36
Breast (<i>in situ</i>)	16	0.3	0.08	0.2	0.06	1,697	25.7	0.63	19.2	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

FLORIDA

96 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	110,324	568.7	1.80	378.5	1.16	98,043	403.1	1.30	281.6	0.94
Oral Cavity & Pharynx	3,733	17.7	0.30	12.7	0.21	1,503	6.1	0.16	4.3	0.12
Lip	114	0.6	0.06	0.4	0.04	45	0.2	0.03	0.1	0.02
Tongue	1,100	5.1	0.16	3.8	0.11	426	1.7	0.08	1.2	0.06
Major salivary gland	356	1.9	0.11	1.2	0.06	239	1.0	0.06	0.7	0.05
Floor of mouth	192	0.9	0.07	0.7	0.05	83	0.3	0.04	0.2	0.03
Gum & other mouth	411	2.1	0.11	1.4	0.07	319	1.3	0.08	0.8	0.05
Nasopharynx	172	0.8	0.06	0.6	0.05	66	0.3	0.03	0.2	0.03
Oropharynx	182	0.8	0.06	0.6	0.05	44	0.2	0.03	0.1	0.02
Hypopharynx	311	1.5	0.09	1.0	0.06	53	0.2	0.03	0.2	0.02
Digestive System	19,457	100.6	0.76	65.6	0.48	16,004	66.5	0.53	42.5	0.35
Esophagus	1,583	7.9	0.21	5.4	0.14	460	1.9	0.09	1.2	0.06
Stomach	1,713	9.2	0.24	5.7	0.14	1,174	5.0	0.15	3.0	0.09
Small intestine	550	2.8	0.12	1.9	0.08	474	1.9	0.09	1.4	0.06
Colon excl. rectum	6,811	36.2	0.46	22.9	0.28	6,837	28.5	0.35	17.8	0.23
Rectum & rectosigmoid	3,233	15.9	0.29	11.0	0.20	2,432	9.9	0.20	6.9	0.14
Anus, anal canal & anorectum	338	1.6	0.09	1.1	0.06	465	1.8	0.09	1.3	0.06
Liver	1,911	9.0	0.22	6.4	0.15	598	2.5	0.10	1.7	0.07
Gallbladder	115	0.7	0.07	0.4	0.04	302	1.3	0.07	0.8	0.05
Pancreas	2,559	13.8	0.29	8.6	0.17	2,519	10.6	0.21	6.3	0.13
Respiratory System	19,121	102.7	0.78	64.5	0.47	13,686	57.1	0.49	37.3	0.33
Larynx	1,695	8.2	0.21	5.8	0.14	357	1.4	0.08	1.0	0.06
Lung & bronchus	17,168	93.3	0.75	57.7	0.45	13,175	55.0	0.49	35.8	0.33
Bones & Joints	213	1.0	0.07	0.9	0.06	186	0.8	0.06	0.7	0.06
Soft Tissue (incl. heart)	742	3.7	0.14	2.7	0.10	640	2.6	0.11	2.1	0.09
Skin (excl. basal & sq.)	6,002	31.1	0.42	20.4	0.27	4,339	17.8	0.27	13.3	0.21
Melanomas of the skin	5,609	28.9	0.41	19.1	0.26	4,067	16.7	0.26	12.5	0.20
Breast (excl. <i>in situ</i>)	244	1.3	0.09	0.8	0.05	29,983	121.5	0.71	88.0	0.52
Female Genital System	-	-	-	-	-	11,041	44.7	0.43	32.7	0.32
Cervix uteri	-	-	-	-	-	1,970	8.1	0.18	6.3	0.15
Uterus Corpus	-	-	-	-	-	4,798	19.0	0.28	14.2	0.21
Uterus, NOS ¹	-	-	-	-	-	153	0.6	0.05	0.4	0.04
Ovary	-	-	-	-	-	3,124	12.8	0.23	9.0	0.17
Male Genital System	34,517	170.7	0.96	119.8	0.65	-	-	-	-	-
Prostate	33,379	165.7	0.95	115.4	0.64	-	-	-	-	-
Testis	945	4.0	0.13	3.8	0.12	-	-	-	-	-
Penis	153	0.8	0.07	0.5	0.04	-	-	-	-	-
Urinary System	10,202	55.7	0.58	34.3	0.34	4,518	18.8	0.28	12.4	0.20
Bladder (incl. <i>in situ</i>)	5,847	33.9	0.47	19.3	0.26	1,850	7.9	0.19	4.6	0.11
Kidney & renal pelvis	4,146	20.5	0.33	14.3	0.23	2,564	10.5	0.21	7.5	0.16
Ureter	132	0.8	0.07	0.4	0.04	65	0.3	0.04	0.1	0.02
Eye & Orbit	183	0.9	0.07	0.7	0.06	155	0.7	0.05	0.6	0.05
Brain & Other Nervous System	1,561	7.5	0.20	5.9	0.16	1,299	5.4	0.15	4.6	0.14
Brain	1,482	7.1	0.19	5.6	0.15	1,198	5.0	0.15	4.2	0.13
Endocrine System	1,305	5.9	0.17	4.7	0.13	3,796	15.5	0.25	12.7	0.21
Thyroid gland	1,111	5.0	0.16	3.9	0.12	3,623	14.8	0.25	12.1	0.21
Lymphomas	4,858	24.5	0.37	17.1	0.25	4,110	17.1	0.27	12.0	0.20
Hodgkin Lymphoma	684	3.0	0.12	2.7	0.11	563	2.3	0.10	2.2	0.09
Non-Hodgkin Lymphoma	4,174	21.5	0.35	14.4	0.23	3,547	14.8	0.25	9.8	0.17
Multiple Myeloma	1,540	8.2	0.22	5.2	0.13	1,287	5.3	0.15	3.5	0.10
Leukemias	2,773	14.9	0.30	10.1	0.20	2,238	9.4	0.20	6.9	0.16
Acute lymphocytic	374	1.6	0.08	1.9	0.10	297	1.2	0.07	1.5	0.09
Chronic lymphocytic	847	4.9	0.18	2.8	0.10	583	2.4	0.10	1.5	0.06
Acute myeloid	855	4.6	0.16	3.0	0.11	743	3.1	0.12	2.3	0.09
Chronic myeloid	347	1.8	0.10	1.2	0.07	286	1.2	0.07	0.9	0.05
Other leukemias	350	2.1	0.12	1.2	0.07	329	1.4	0.08	0.8	0.05
Mesothelioma	226	1.3	0.09	0.8	0.05	59	0.2	0.03	0.2	0.02
Kaposi Sarcoma	318	1.4	0.08	1.2	0.07	18	0.1	0.02	0.1	0.01
Ill-defined & Unknown	3,329	19.4	0.36	11.0	0.19	3,181	13.5	0.24	7.8	0.15
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,440	7.2	0.20	5.1	0.14	2,939	12.1	0.22	8.6	0.17
Breast (<i>in situ</i>)	23	0.1	0.03	0.1	0.02	7,451	29.9	0.35	22.5	0.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	80,869	556.1	2.03	368.0	1.32	71,663	416.0	1.57	291.5	1.16
Oral Cavity & Pharynx	2,909	18.7	0.36	13.4	0.25	1,123	6.4	0.19	4.4	0.14
Lip	107	0.8	0.08	0.5	0.05	40	0.2	0.04	0.1	0.02
Tongue	907	5.7	0.19	4.2	0.14	348	2.0	0.11	1.4	0.08
Major salivary gland	295	2.1	0.13	1.3	0.08	160	0.9	0.07	0.7	0.06
Floor of mouth	143	0.9	0.08	0.7	0.06	64	0.4	0.05	0.2	0.03
Gum & other mouth	312	2.2	0.13	1.4	0.08	240	1.4	0.09	0.8	0.06
Nasopharynx	106	0.7	0.07	0.5	0.05	36	0.2	0.04	0.2	0.03
Oropharynx	119	0.7	0.07	0.6	0.05	27	0.2	0.03	0.1	0.02
Hypopharynx	197	1.3	0.09	0.9	0.06	38	0.2	0.04	0.1	0.02
Digestive System	13,487	93.3	0.84	60.3	0.53	10,648	61.1	0.60	38.7	0.40
Esophagus	1,113	7.5	0.23	5.0	0.15	275	1.6	0.10	0.9	0.06
Stomach	1,013	7.2	0.23	4.5	0.14	619	3.6	0.15	2.2	0.09
Small intestine	383	2.6	0.14	1.8	0.09	323	1.9	0.10	1.3	0.08
Colon excl. rectum	4,726	33.5	0.51	20.9	0.31	4,543	26.0	0.39	16.0	0.26
Rectum & rectosigmoid	2,356	15.7	0.33	10.8	0.22	1,647	9.5	0.24	6.6	0.17
Anus, anal canal & anorectum	229	1.6	0.11	1.1	0.07	364	2.0	0.11	1.5	0.08
Liver	1,267	8.2	0.24	5.7	0.16	402	2.3	0.12	1.5	0.08
Gallbladder	80	0.6	0.07	0.3	0.04	202	1.1	0.08	0.7	0.05
Pancreas	1,842	13.1	0.32	8.1	0.19	1,748	10.0	0.24	5.9	0.15
Respiratory System	14,656	103.4	0.89	64.4	0.54	10,880	62.1	0.60	40.6	0.41
Larynx	1,217	7.9	0.23	5.6	0.16	261	1.5	0.09	1.1	0.07
Lung & bronchus	13,242	94.2	0.85	57.9	0.51	10,517	60.1	0.59	39.1	0.40
Bones & Joints	147	1.0	0.09	0.9	0.08	123	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	546	3.8	0.17	2.8	0.13	413	2.5	0.12	2.0	0.11
Skin (excl. basal & sq.)	5,750	39.6	0.54	26.3	0.35	4,059	24.4	0.39	18.6	0.31
Melanomas of the skin	5,433	37.1	0.52	25.0	0.34	3,872	23.4	0.38	17.9	0.30
Breast (excl. <i>in situ</i>)	167	1.2	0.10	0.7	0.06	21,236	122.6	0.85	88.7	0.63
Female Genital System	-	-	-	-	-	7,946	46.1	0.52	34.0	0.40
Cervix uteri	-	-	-	-	-	1,256	8.0	0.23	6.4	0.18
Uterus Corpus	-	-	-	-	-	3,431	19.3	0.33	14.5	0.25
Uterus, NOS ¹	-	-	-	-	-	80	0.5	0.05	0.3	0.04
Ovary	-	-	-	-	-	2,429	14.1	0.29	9.8	0.21
Male Genital System	22,681	148.8	1.02	104.4	0.70	-	-	-	-	-
Prostate	21,673	142.3	1.00	98.5	0.68	-	-	-	-	-
Testis	854	5.5	0.19	5.2	0.18	-	-	-	-	-
Penis	122	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	8,354	59.9	0.68	36.8	0.41	3,368	19.4	0.34	12.8	0.24
Bladder (incl. <i>in situ</i>)	5,113	38.1	0.55	21.9	0.31	1,494	8.6	0.22	5.1	0.14
Kidney & renal pelvis	3,061	20.4	0.38	14.1	0.26	1,794	10.3	0.25	7.4	0.19
Ureter	119	0.9	0.09	0.5	0.05	58	0.3	0.04	0.2	0.02
Eye & Orbit	162	1.1	0.09	0.9	0.07	132	0.8	0.07	0.7	0.07
Brain & Other Nervous System	1,290	8.6	0.25	6.9	0.20	1,005	6.1	0.20	5.1	0.18
Brain	1,232	8.2	0.24	6.5	0.20	938	5.7	0.19	4.7	0.17
Endocrine System	1,059	6.7	0.21	5.4	0.17	2,877	17.9	0.34	14.8	0.29
Thyroid gland	935	5.9	0.20	4.6	0.15	2,765	17.2	0.33	14.2	0.28
Lymphomas	3,688	25.6	0.44	17.7	0.30	3,151	18.5	0.33	12.8	0.25
Hodgkin Lymphoma	466	3.1	0.14	2.8	0.13	376	2.5	0.13	2.3	0.13
Non-Hodgkin Lymphoma	3,222	22.6	0.41	14.9	0.27	2,775	16.0	0.31	10.5	0.21
Multiple Myeloma	935	6.7	0.23	4.1	0.14	675	3.8	0.15	2.4	0.10
Leukemias	2,162	15.8	0.35	10.7	0.25	1,672	9.9	0.24	7.4	0.21
Acute lymphocytic	266	1.8	0.11	2.1	0.13	209	1.4	0.10	1.7	0.13
Chronic lymphocytic	693	5.2	0.21	3.0	0.12	474	2.7	0.12	1.6	0.08
Acute myeloid	682	4.9	0.19	3.2	0.13	548	3.2	0.14	2.4	0.11
Chronic myeloid	246	1.8	0.12	1.2	0.08	199	1.2	0.09	0.8	0.07
Other leukemias	275	2.2	0.14	1.2	0.08	242	1.4	0.09	0.9	0.06
Mesothelioma	196	1.4	0.11	0.9	0.06	56	0.3	0.04	0.2	0.03
Kaposi Sarcoma	121	0.8	0.08	0.6	0.06	9	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,559	19.5	0.40	11.0	0.22	2,290	13.1	0.28	7.5	0.17
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,045	7.2	0.23	5.2	0.17	2,011	11.8	0.27	8.5	0.20
Breast (<i>in situ</i>)	15	0.1	0.03	0.1	0.02	5,309	30.7	0.43	23.1	0.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	27,424	631.4	4.29	430.2	2.65	24,376	381.3	2.53	266.6	1.75
Oral Cavity & Pharynx	748	15.2	0.62	11.1	0.41	339	5.0	0.28	3.7	0.21
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	175	3.6	0.30	2.6	0.20	64	0.9	0.12	0.6	0.08
Major salivary gland	56	1.2	0.18	0.8	0.11	72	1.0	0.13	0.8	0.10
Floor of mouth	45	0.9	0.14	0.7	0.10	19	0.3	0.07	0.2	0.05
Gum & other mouth	81	1.8	0.23	1.2	0.14	71	1.1	0.14	0.8	0.10
Nasopharynx	49	0.9	0.15	0.7	0.10	22	0.3	0.07	0.2	0.05
Oropharynx	60	1.1	0.15	0.9	0.11	17	0.2	0.06	0.2	0.05
Hypopharynx	112	2.3	0.24	1.7	0.16	13	0.2	0.06	0.2	0.04
Digestive System	5,534	128.1	1.96	84.8	1.17	5,002	82.7	1.21	53.6	0.78
Esophagus	458	10.2	0.53	7.2	0.34	178	2.9	0.22	1.9	0.15
Stomach	633	16.5	0.75	9.9	0.40	502	8.6	0.40	5.2	0.24
Small intestine	161	3.6	0.33	2.5	0.20	143	2.2	0.19	1.6	0.13
Colon excl. rectum	1,955	47.0	1.21	30.2	0.70	2,181	36.2	0.80	23.4	0.52
Rectum & rectosigmoid	798	16.6	0.66	11.8	0.43	723	11.1	0.43	7.7	0.29
Anus, anal canal & anorectum	104	1.8	0.19	1.4	0.13	96	1.5	0.15	1.0	0.11
Liver	552	10.4	0.49	8.0	0.35	158	2.6	0.21	1.7	0.14
Gallbladder	35	1.0	0.20	0.6	0.10	93	1.5	0.16	1.0	0.11
Pancreas	687	17.1	0.74	10.9	0.42	734	13.0	0.49	7.8	0.30
Respiratory System	4,279	105.8	1.82	68.5	1.07	2,673	44.6	0.89	29.6	0.59
Larynx	465	10.2	0.53	7.2	0.34	91	1.4	0.15	1.0	0.11
Lung & bronchus	3,756	94.5	1.73	60.4	1.01	2,540	42.6	0.88	28.1	0.57
Bones & Joints	61	0.9	0.13	0.9	0.11	59	0.8	0.11	0.7	0.09
Soft Tissue (incl. heart)	181	3.2	0.28	2.6	0.20	210	3.0	0.21	2.4	0.17
Skin (excl. basal & sq.)	112	2.5	0.28	1.7	0.16	137	2.1	0.19	1.5	0.13
Melanomas of the skin	50	1.3	0.21	0.8	0.11	63	1.1	0.14	0.7	0.09
Breast (excl. <i>in situ</i>)	75	1.9	0.25	1.2	0.14	8,145	120.9	1.38	88.2	1.00
Female Genital System	-	-	-	-	-	2,831	43.6	0.85	31.5	0.61
Cervix uteri	-	-	-	-	-	650	9.4	0.38	6.9	0.28
Uterus Corpus	-	-	-	-	-	1,264	19.8	0.58	14.5	0.42
Uterus, NOS ¹	-	-	-	-	-	70	1.2	0.15	0.7	0.09
Ovary	-	-	-	-	-	627	9.8	0.41	7.0	0.29
Male Genital System	11,116	255.3	2.69	178.5	1.73	-	-	-	-	-
Prostate	11,013	253.5	2.68	177.1	1.72	-	-	-	-	-
Testis	68	1.0	0.13	0.9	0.11	-	-	-	-	-
Penis	29	0.7	0.15	0.5	0.09	-	-	-	-	-
Urinary System	1,699	40.7	1.12	26.6	0.66	1,087	18.2	0.57	11.9	0.38
Bladder (incl. <i>in situ</i>)	637	17.9	0.80	10.2	0.41	329	6.1	0.35	3.4	0.20
Kidney & renal pelvis	1,037	22.0	0.76	15.9	0.51	736	11.6	0.44	8.3	0.32
Ureter	10	0.3	0.12	0.2	0.06	-	-	-	-	-
Eye & Orbit	16	0.2	0.05	0.3	0.07	14	0.2	0.05	0.2	0.07
Brain & Other Nervous System	246	4.4	0.32	3.7	0.24	265	3.8	0.24	3.3	0.21
Brain	226	3.9	0.30	3.4	0.23	236	3.4	0.23	3.0	0.20
Endocrine System	209	3.8	0.30	3.0	0.22	764	10.4	0.38	8.5	0.31
Thyroid gland	145	2.7	0.25	2.0	0.17	709	9.5	0.36	7.8	0.30
Lymphomas	1,088	20.5	0.70	15.5	0.48	895	13.3	0.46	10.0	0.34
Hodgkin Lymphoma	206	3.0	0.22	2.8	0.20	177	2.3	0.18	2.1	0.16
Non-Hodgkin Lymphoma	882	17.4	0.66	12.6	0.43	718	11.0	0.43	7.9	0.30
Multiple Myeloma	584	14.2	0.66	9.3	0.39	596	10.0	0.42	6.5	0.27
Leukemias	549	12.0	0.60	8.5	0.37	513	8.1	0.37	6.0	0.28
Acute lymphocytic	90	1.1	0.12	1.4	0.15	73	0.9	0.11	1.2	0.14
Chronic lymphocytic	146	4.0	0.38	2.4	0.20	107	1.9	0.19	1.2	0.12
Acute myeloid	152	3.2	0.30	2.3	0.19	173	2.7	0.22	2.0	0.16
Chronic myeloid	92	2.0	0.23	1.4	0.14	78	1.2	0.14	0.9	0.10
Other leukemias	69	1.8	0.25	1.1	0.13	82	1.4	0.16	0.8	0.10
Mesothelioma	26	0.8	0.18	0.4	0.08	-	-	-	-	-
Kaposi Sarcoma	184	2.7	0.21	2.4	0.18	8	0.1	0.03	0.1	0.03
Ill-defined & Unknown	717	19.0	0.81	11.3	0.43	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	347	7.6	0.47	5.2	0.28	839	13.1	0.47	9.0	0.32
Breast (<i>in situ</i>)	8	0.3	0.10	0.1	0.05	1,999	29.4	0.68	22.1	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,156	272.5	9.86	172.1	5.23	1,492	249.1	7.40	170.0	4.53
Oral Cavity & Pharynx	59	10.0	1.61	7.3	0.99	30	5.0	1.01	3.6	0.67
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	1.8	0.51	1.5	0.43	10	1.4	0.48	1.2	0.38
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	17	2.9	0.78	2.2	0.55	-	-	-	-	-
Nasopharynx	13	1.8	0.52	1.4	0.40	8	1.2	0.45	0.9	0.33
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	351	81.9	5.39	51.5	2.84	305	60.6	3.96	36.9	2.16
Esophagus	9	2.1	0.84	1.3	0.44	6	1.2	0.50	0.8	0.32
Stomach	61	15.4	2.49	9.1	1.21	50	11.5	1.81	6.3	0.91
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	101	23.6	2.94	14.9	1.54	94	17.6	2.08	11.2	1.18
Rectum & rectosigmoid	58	11.3	1.71	7.8	1.06	49	9.5	1.59	5.8	0.85
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	79	17.6	2.41	11.6	1.35	37	7.0	1.28	4.5	0.76
Gallbladder	-	-	-	-	-	6	1.1	0.50	0.7	0.31
Pancreas	24	6.6	1.62	3.8	0.79	31	6.7	1.35	3.8	0.69
Respiratory System	156	37.0	3.55	23.3	1.91	115	21.5	2.28	14.0	1.34
Larynx	9	2.3	0.88	1.3	0.45	-	-	-	-	-
Lung & bronchus	146	34.6	3.44	21.8	1.85	107	20.4	2.25	13.1	1.29
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	9	2.4	1.12	1.2	0.46	-	-	-	-	-
Skin (excl. basal & sq.)	6	1.1	0.53	0.8	0.33	10	2.0	0.79	1.1	0.34
Melanomas of the skin	-	-	-	-	-	8	1.4	0.59	0.7	0.27
Breast (excl. <i>in situ</i>)	-	-	-	-	-	499	73.1	3.62	53.8	2.47
Female Genital System	-	-	-	-	-	188	29.5	2.41	21.2	1.59
Cervix uteri	-	-	-	-	-	43	6.7	1.18	4.3	0.68
Uterus Corpus	-	-	-	-	-	73	11.5	1.47	8.6	1.03
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	52	7.2	1.06	5.7	0.80
Male Genital System	285	75.2	5.36	45.4	2.75	-	-	-	-	-
Prostate	272	73.4	5.34	43.7	2.71	-	-	-	-	-
Testis	10	1.0	0.33	1.2	0.39	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	96	25.8	3.18	14.8	1.56	44	9.5	1.68	5.4	0.83
Bladder (incl. <i>in situ</i>)	63	18.1	2.72	10.2	1.31	19	4.3	1.12	2.4	0.55
Kidney & renal pelvis	30	5.8	1.20	4.0	0.76	23	4.6	1.18	2.7	0.59
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	16	2.1	0.54	2.1	0.54	21	3.3	0.80	2.8	0.63
Brain	16	2.1	0.54	2.1	0.54	18	2.7	0.69	2.4	0.59
Endocrine System	27	3.8	0.79	3.3	0.65	127	16.5	1.62	12.6	1.15
Thyroid gland	24	3.3	0.72	2.8	0.59	124	15.9	1.58	12.2	1.12
Lymphomas	54	9.5	1.55	7.6	1.07	46	9.0	1.59	5.3	0.81
Hodgkin Lymphoma	8	1.0	0.35	0.9	0.33	8	0.8	0.29	0.9	0.32
Non-Hodgkin Lymphoma	46	8.6	1.51	6.7	1.02	38	8.2	1.57	4.5	0.75
Multiple Myeloma	16	4.3	1.23	2.5	0.63	12	2.7	0.86	1.5	0.45
Leukemias	42	7.8	1.63	6.2	1.01	43	7.1	1.30	5.5	0.88
Acute lymphocytic	12	1.4	0.40	1.8	0.54	13	1.4	0.40	1.7	0.51
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	19	4.2	1.23	2.9	0.70	20	3.8	0.99	2.6	0.61
Chronic myeloid	6	0.8	0.33	0.7	0.29	7	0.9	0.36	0.8	0.30
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	31	10.1	2.18	5.0	0.92	40	7.9	1.43	4.8	0.78
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	27	6.3	1.67	3.8	0.79	56	9.7	1.45	6.4	0.89
Breast (<i>in situ</i>)	-	-	-	-	-	113	16.6	1.70	12.1	1.16

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,134	348.0	10.08	227.4	5.65	2,192	280.9	7.22	197.8	4.66
Oral Cavity & Pharynx	48	5.9	1.06	4.6	0.76	28	3.9	0.83	3.0	0.61
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	11	1.4	0.45	1.2	0.41	-	-	-	-	-
Major salivary gland	-	-	-	-	-	7	1.0	0.42	0.8	0.34
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.2	0.55	0.8	0.35	6	0.8	0.40	0.5	0.24
Nasopharynx	6	0.7	0.36	0.5	0.25	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	443	79.0	4.92	49.9	2.68	317	52.6	3.42	32.6	1.96
Esophagus	18	3.3	0.93	2.3	0.59	9	1.6	0.60	0.8	0.28
Stomach	79	13.4	2.16	7.8	1.04	45	6.0	1.09	4.0	0.67
Small intestine	13	1.8	0.64	1.3	0.42	11	1.5	0.54	1.0	0.34
Colon excl. rectum	114	21.4	2.59	12.9	1.36	110	20.4	2.23	10.9	1.11
Rectum & rectosigmoid	72	12.1	1.78	8.4	1.10	26	3.6	0.80	2.6	0.54
Anus, anal canal & anorectum	13	1.5	0.63	0.9	0.28	10	1.4	0.44	1.2	0.38
Liver	59	8.2	1.30	6.3	0.91	20	3.2	0.82	2.2	0.53
Gallbladder	9	1.7	0.70	1.0	0.39	20	3.5	0.87	2.4	0.57
Pancreas	48	12.3	2.21	6.7	1.04	47	8.4	1.39	5.2	0.81
Respiratory System	196	43.8	3.87	25.3	1.96	136	24.4	2.31	16.3	1.47
Larynx	21	3.1	0.80	2.4	0.56	-	-	-	-	-
Lung & bronchus	161	39.3	3.74	21.8	1.84	129	23.5	2.28	15.5	1.43
Bones & Joints	20	1.0	0.23	0.9	0.22	9	0.5	0.23	0.6	0.22
Soft Tissue (incl. heart)	26	3.1	0.84	2.2	0.55	22	2.0	0.55	1.6	0.38
Skin (excl. basal & sq.)	36	5.6	1.42	3.4	0.69	51	6.0	1.01	4.5	0.71
Melanomas of the skin	33	5.5	1.41	3.3	0.69	44	5.3	0.95	3.9	0.67
Breast (excl. <i>in situ</i>)	-	-	-	-	-	685	85.8	3.82	61.7	2.57
Female Genital System	-	-	-	-	-	346	40.6	2.58	30.7	1.85
Cervix uteri	-	-	-	-	-	123	11.2	1.16	9.2	0.95
Uterus Corpus	-	-	-	-	-	115	16.8	1.77	12.2	1.23
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	79	9.6	1.33	6.7	0.83
Male Genital System	645	119.0	5.78	80.8	3.50	-	-	-	-	-
Prostate	537	115.0	5.77	76.8	3.48	-	-	-	-	-
Testis	100	3.4	0.36	3.5	0.36	-	-	-	-	-
Penis	6	0.5	0.23	0.4	0.21	-	-	-	-	-
Urinary System	160	31.5	3.20	19.0	1.66	75	11.0	1.49	7.6	0.96
Bladder (incl. <i>in situ</i>)	56	15.7	2.53	7.9	1.12	21	3.9	0.96	2.3	0.54
Kidney & renal pelvis	99	14.3	1.83	10.3	1.17	53	6.8	1.10	5.2	0.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	10	0.4	0.18	0.5	0.20	-	-	-	-	-
Brain & Other Nervous System	73	4.9	0.87	4.3	0.60	49	4.5	0.90	3.6	0.57
Brain	69	4.8	0.86	4.1	0.60	47	4.4	0.89	3.4	0.55
Endocrine System	49	4.4	0.96	3.1	0.52	174	13.0	1.16	10.9	0.92
Thyroid gland	35	3.3	0.80	2.3	0.47	170	12.4	1.10	10.5	0.90
Lymphomas	187	19.5	2.12	13.8	1.22	129	15.3	1.69	10.9	1.08
Hodgkin Lymphoma	40	1.9	0.36	1.9	0.35	35	2.2	0.48	2.0	0.37
Non-Hodgkin Lymphoma	147	17.6	2.09	11.9	1.17	94	13.0	1.61	8.9	1.01
Multiple Myeloma	26	5.8	1.41	3.1	0.66	19	3.2	0.85	2.0	0.49
Leukemias	138	13.6	1.96	9.6	1.02	92	6.9	1.02	6.1	0.72
Acute lymphocytic	61	2.4	0.38	3.1	0.43	47	2.1	0.37	2.6	0.40
Chronic lymphocytic	12	2.6	0.89	1.5	0.48	-	-	-	-	-
Acute myeloid	39	4.3	1.15	2.8	0.57	26	2.9	0.80	2.0	0.46
Chronic myeloid	13	3.0	1.13	1.3	0.43	11	0.9	0.33	0.8	0.29
Other leukemias	13	1.3	0.58	1.0	0.32	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	17	1.7	0.65	1.1	0.34	-	-	-	-	-
Ill-defined & Unknown	50	6.5	1.29	4.4	0.75	54	10.1	1.59	5.3	0.77
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	59	6.6	1.31	4.5	0.73	74	10.2	1.44	6.9	0.89
Breast (<i>in situ</i>)	-	-	-	-	-	170	20.5	1.81	15.3	1.28

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

GEORGIA

102 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	78,945	564.2	2.08	374.3	1.37	69,697	421.7	1.62	296.1	1.21
Oral Cavity & Pharynx	2,868	19.3	0.37	13.9	0.26	1,100	6.6	0.20	4.5	0.15
Lip	105	0.8	0.08	0.5	0.05	39	0.2	0.04	0.1	0.02
Tongue	896	5.9	0.20	4.4	0.15	344	2.0	0.11	1.5	0.08
Major salivary gland	290	2.2	0.13	1.4	0.08	156	0.9	0.08	0.7	0.06
Floor of mouth	142	0.9	0.08	0.7	0.06	64	0.4	0.05	0.3	0.03
Gum & other mouth	306	2.2	0.13	1.4	0.08	236	1.4	0.09	0.8	0.06
Nasopharynx	102	0.7	0.07	0.6	0.06	32	0.2	0.04	0.2	0.03
Oropharynx	118	0.8	0.07	0.6	0.05	27	0.2	0.03	0.1	0.02
Hypopharynx	193	1.3	0.10	0.9	0.07	38	0.2	0.04	0.2	0.03
Digestive System	13,085	94.0	0.85	60.8	0.54	10,369	61.4	0.61	38.9	0.41
Esophagus	1,096	7.6	0.24	5.1	0.16	269	1.6	0.10	0.9	0.06
Stomach	939	6.9	0.23	4.3	0.14	578	3.4	0.15	2.0	0.09
Small intestine	370	2.6	0.14	1.8	0.09	316	1.9	0.11	1.3	0.08
Colon excl. rectum	4,628	34.0	0.52	21.3	0.32	4,443	26.3	0.40	16.2	0.26
Rectum & rectosigmoid	2,289	15.9	0.34	10.9	0.23	1,625	9.8	0.25	6.8	0.18
Anus, anal canal & anorectum	217	1.6	0.11	1.1	0.07	355	2.1	0.11	1.5	0.08
Liver	1,217	8.2	0.24	5.7	0.17	383	2.3	0.12	1.5	0.09
Gallbladder	71	0.5	0.07	0.3	0.04	183	1.1	0.08	0.6	0.05
Pancreas	1,796	13.2	0.32	8.2	0.20	1,707	10.0	0.25	6.0	0.16
Respiratory System	14,482	105.2	0.90	65.7	0.56	10,757	63.1	0.61	41.4	0.42
Larynx	1,199	8.0	0.24	5.7	0.17	259	1.5	0.09	1.1	0.07
Lung & bronchus	13,099	95.8	0.87	59.0	0.53	10,400	61.1	0.60	39.9	0.41
Bones & Joints	128	1.0	0.09	0.8	0.08	114	0.8	0.07	0.7	0.08
Soft Tissue (incl. heart)	520	3.9	0.18	2.9	0.14	392	2.5	0.13	2.1	0.12
Skin (excl. basal & sq.)	5,716	41.2	0.56	27.7	0.38	4,009	25.8	0.41	19.7	0.33
Melanomas of the skin	5,402	38.7	0.54	26.2	0.37	3,828	24.7	0.41	19.0	0.33
Breast (excl. <i>in situ</i>)	162	1.2	0.10	0.7	0.06	20,618	124.0	0.88	89.8	0.65
Female Genital System	-	-	-	-	-	7,637	46.4	0.54	34.2	0.41
Cervix uteri	-	-	-	-	-	1,144	7.9	0.24	6.3	0.19
Uterus Corpus	-	-	-	-	-	3,329	19.4	0.34	14.6	0.26
Uterus, NOS ¹	-	-	-	-	-	77	0.5	0.05	0.3	0.04
Ovary	-	-	-	-	-	2,357	14.2	0.30	9.9	0.22
Male Genital System	22,089	150.1	1.04	105.4	0.72	-	-	-	-	-
Prostate	21,185	143.2	1.02	99.3	0.69	-	-	-	-	-
Testis	758	5.8	0.21	5.4	0.20	-	-	-	-	-
Penis	116	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	8,202	60.8	0.70	37.5	0.42	3,299	19.7	0.35	13.0	0.25
Bladder (incl. <i>in situ</i>)	5,058	38.7	0.57	22.3	0.32	1,475	8.7	0.23	5.2	0.15
Kidney & renal pelvis	2,969	20.7	0.39	14.4	0.27	1,745	10.5	0.25	7.5	0.19
Ureter	115	0.9	0.09	0.5	0.05	57	0.3	0.04	0.2	0.02
Eye & Orbit	152	1.1	0.09	0.9	0.08	129	0.8	0.08	0.8	0.08
Brain & Other Nervous System	1,230	8.9	0.26	7.1	0.22	966	6.3	0.21	5.4	0.20
Brain	1,175	8.5	0.25	6.7	0.21	901	5.9	0.20	4.9	0.19
Endocrine System	1,015	7.0	0.22	5.6	0.19	2,709	18.2	0.36	15.1	0.31
Thyroid gland	903	6.2	0.21	4.8	0.17	2,601	17.5	0.35	14.4	0.30
Lymphomas	3,519	25.9	0.45	17.9	0.32	3,035	18.6	0.34	12.9	0.26
Hodgkin Lymphoma	431	3.2	0.16	2.9	0.15	345	2.5	0.14	2.4	0.14
Non-Hodgkin Lymphoma	3,088	22.7	0.42	15.0	0.28	2,690	16.1	0.31	10.5	0.22
Multiple Myeloma	911	6.8	0.23	4.1	0.14	660	3.8	0.15	2.4	0.10
Leukemias	2,054	15.8	0.36	10.7	0.26	1,597	9.9	0.25	7.4	0.22
Acute lymphocytic	224	1.7	0.12	2.0	0.15	176	1.3	0.10	1.7	0.14
Chronic lymphocytic	681	5.2	0.21	3.0	0.12	470	2.7	0.13	1.6	0.08
Acute myeloid	649	4.9	0.20	3.2	0.13	525	3.3	0.14	2.4	0.12
Chronic myeloid	235	1.8	0.12	1.2	0.08	188	1.2	0.09	0.8	0.07
Other leukemias	265	2.2	0.14	1.2	0.08	238	1.4	0.09	0.9	0.07
Mesothelioma	192	1.5	0.11	0.9	0.06	55	0.3	0.04	0.2	0.03
Kaposi Sarcoma	107	0.8	0.08	0.6	0.06	8	0.0	0.02	0.0	0.01
Ill-defined & Unknown	2,513	19.8	0.41	11.2	0.23	2,243	13.2	0.28	7.6	0.18
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	992	7.2	0.24	5.3	0.18	1,945	12.0	0.28	8.7	0.21
Breast (<i>in situ</i>)	14	0.1	0.03	0.1	0.02	5,154	31.1	0.44	23.4	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	27,285	635.8	4.33	433.0	2.68	24,221	383.5	2.55	268.1	1.77
Oral Cavity & Pharynx	747	15.4	0.63	11.2	0.42	334	5.0	0.28	3.7	0.21
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	175	3.6	0.31	2.7	0.21	64	0.9	0.12	0.7	0.08
Major salivary gland	56	1.2	0.19	0.8	0.11	69	1.0	0.13	0.8	0.10
Floor of mouth	45	0.9	0.14	0.7	0.11	19	0.3	0.07	0.2	0.05
Gum & other mouth	81	1.8	0.24	1.2	0.14	69	1.1	0.14	0.8	0.10
Nasopharynx	49	0.9	0.15	0.7	0.10	22	0.3	0.07	0.2	0.05
Oropharynx	60	1.1	0.16	0.9	0.12	17	0.2	0.06	0.2	0.05
Hypopharynx	112	2.3	0.24	1.7	0.16	13	0.2	0.06	0.2	0.04
Digestive System	5,506	128.9	1.97	85.3	1.18	4,975	83.2	1.22	53.9	0.79
Esophagus	457	10.3	0.53	7.3	0.35	175	2.9	0.23	1.9	0.15
Stomach	631	16.6	0.75	10.0	0.41	498	8.6	0.40	5.2	0.24
Small intestine	161	3.7	0.33	2.5	0.20	140	2.2	0.19	1.6	0.13
Colon excl. rectum	1,943	47.3	1.22	30.4	0.70	2,173	36.5	0.81	23.6	0.52
Rectum & rectosigmoid	794	16.7	0.67	11.9	0.43	720	11.2	0.43	7.8	0.30
Anus, anal canal & anorectum	104	1.8	0.19	1.4	0.14	96	1.5	0.16	1.1	0.11
Liver	546	10.5	0.49	8.0	0.35	157	2.6	0.21	1.7	0.14
Gallbladder	35	1.0	0.20	0.6	0.10	92	1.5	0.17	1.0	0.11
Pancreas	685	17.3	0.75	11.0	0.43	733	13.1	0.50	7.9	0.30
Respiratory System	4,265	106.7	1.83	69.0	1.08	2,663	44.9	0.90	29.8	0.59
Larynx	462	10.3	0.53	7.3	0.34	91	1.4	0.15	1.0	0.11
Lung & bronchus	3,745	95.2	1.75	60.9	1.01	2,531	42.9	0.88	28.3	0.58
Bones & Joints	60	0.9	0.13	0.9	0.11	59	0.8	0.11	0.7	0.09
Soft Tissue (incl. heart)	181	3.3	0.28	2.7	0.20	209	3.0	0.22	2.5	0.18
Skin (excl. basal & sq.)	111	2.5	0.28	1.7	0.16	137	2.2	0.19	1.5	0.13
Melanomas of the skin	49	1.3	0.21	0.8	0.11	63	1.1	0.14	0.7	0.09
Breast (excl. <i>in situ</i>)	75	1.9	0.25	1.2	0.14	8,099	121.7	1.40	88.8	1.01
Female Genital System	-	-	-	-	-	2,817	43.9	0.86	31.7	0.61
Cervix uteri	-	-	-	-	-	650	9.6	0.39	7.0	0.28
Uterus Corpus	-	-	-	-	-	1,256	19.8	0.58	14.5	0.42
Uterus, NOS ¹	-	-	-	-	-	70	1.2	0.15	0.8	0.09
Ovary	-	-	-	-	-	623	9.8	0.41	7.0	0.29
Male Genital System	11,082	257.2	2.71	179.9	1.74	-	-	-	-	-
Prostate	10,981	255.4	2.70	178.4	1.74	-	-	-	-	-
Testis	66	1.0	0.13	0.9	0.11	-	-	-	-	-
Penis	29	0.7	0.15	0.5	0.09	-	-	-	-	-
Urinary System	1,693	41.1	1.13	26.8	0.67	1,083	18.3	0.58	12.0	0.38
Bladder (incl. <i>in situ</i>)	637	18.1	0.81	10.3	0.42	328	6.2	0.35	3.5	0.20
Kidney & renal pelvis	1,031	22.2	0.77	16.0	0.51	733	11.7	0.45	8.4	0.32
Ureter	10	0.3	0.12	0.2	0.06	-	-	-	-	-
Eye & Orbit	16	0.2	0.05	0.3	0.07	14	0.2	0.05	0.3	0.07
Brain & Other Nervous System	236	4.3	0.32	3.6	0.24	256	3.7	0.24	3.2	0.21
Brain	217	3.9	0.30	3.3	0.23	227	3.3	0.23	2.9	0.20
Endocrine System	207	3.9	0.30	3.1	0.22	761	10.5	0.39	8.6	0.32
Thyroid gland	145	2.8	0.25	2.1	0.18	706	9.6	0.37	7.9	0.30
Lymphomas	1,075	20.6	0.71	15.6	0.48	885	13.4	0.47	10.0	0.35
Hodgkin Lymphoma	203	3.1	0.22	2.9	0.20	173	2.3	0.18	2.0	0.16
Non-Hodgkin Lymphoma	872	17.5	0.67	12.7	0.44	712	11.1	0.43	8.0	0.31
Multiple Myeloma	582	14.3	0.66	9.4	0.40	593	10.0	0.43	6.6	0.28
Leukemias	528	11.9	0.60	8.3	0.37	497	8.0	0.37	5.8	0.27
Acute lymphocytic	73	0.9	0.11	1.2	0.14	60	0.8	0.10	1.0	0.13
Chronic lymphocytic	146	4.1	0.38	2.4	0.20	107	1.9	0.19	1.2	0.12
Acute myeloid	149	3.2	0.30	2.3	0.19	170	2.7	0.22	2.0	0.16
Chronic myeloid	91	1.9	0.23	1.4	0.15	78	1.2	0.14	0.9	0.10
Other leukemias	69	1.8	0.25	1.1	0.14	82	1.4	0.16	0.8	0.10
Mesothelioma	25	0.8	0.18	0.4	0.08	-	-	-	-	-
Kaposi Sarcoma	182	2.8	0.21	2.4	0.18	7	0.1	0.03	0.1	0.03
Ill-defined & Unknown	714	19.1	0.82	11.4	0.44	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	346	7.7	0.48	5.2	0.29	835	13.2	0.47	9.1	0.32
Breast (<i>in situ</i>)	8	0.3	0.10	0.1	0.05	1,991	29.6	0.68	22.3	0.51

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

GEORGIA

104 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	32,768	576.1	3.45	384.5	2.17	30,914	410.4	2.40	285.0	1.68
Oral Cavity & Pharynx	1,045	16.2	0.54	11.8	0.37	405	5.4	0.28	3.7	0.19
Lip	33	0.7	0.12	0.4	0.07	9	0.1	0.04	0.1	0.02
Tongue	346	5.2	0.30	3.9	0.22	125	1.6	0.15	1.2	0.11
Major salivary gland	94	1.7	0.19	1.0	0.11	83	1.1	0.12	0.8	0.09
Floor of mouth	44	0.6	0.10	0.5	0.08	14	0.2	0.06	0.1	0.03
Gum & other mouth	97	1.6	0.17	1.1	0.11	81	1.1	0.13	0.7	0.09
Nasopharynx	64	0.9	0.11	0.7	0.09	17	0.2	0.05	0.2	0.04
Oropharynx	46	0.7	0.11	0.5	0.08	10	0.1	0.04	0.1	0.03
Hypopharynx	73	1.2	0.16	0.8	0.10	10	0.2	0.05	0.1	0.03
Digestive System	5,600	98.8	1.44	64.3	0.88	4,859	68.0	1.00	42.7	0.64
Esophagus	397	7.3	0.40	4.6	0.24	150	2.2	0.18	1.3	0.11
Stomach	551	10.1	0.47	6.3	0.28	395	5.7	0.30	3.4	0.18
Small intestine	164	2.8	0.24	1.9	0.15	147	2.0	0.17	1.3	0.11
Colon excl. rectum	1,846	34.1	0.86	21.3	0.51	2,020	28.4	0.65	17.6	0.41
Rectum & rectosigmoid	921	14.9	0.53	10.4	0.35	743	9.8	0.37	6.7	0.25
Anus, anal canal & anorectum	145	2.1	0.19	1.5	0.12	146	1.9	0.16	1.3	0.11
Liver	655	10.2	0.43	7.3	0.29	201	2.7	0.20	1.9	0.14
Gallbladder	41	0.8	0.14	0.5	0.08	94	1.4	0.15	0.8	0.09
Pancreas	701	13.2	0.54	8.3	0.32	741	10.9	0.41	6.3	0.24
Respiratory System	4,166	81.4	1.36	49.4	0.78	3,488	50.6	0.88	31.5	0.56
Larynx	402	7.0	0.38	4.7	0.24	78	1.0	0.12	0.8	0.09
Lung & bronchus	3,693	73.2	1.29	43.8	0.74	3,364	49.1	0.87	30.3	0.55
Bones & Joints	66	0.9	0.12	0.8	0.10	70	0.9	0.10	0.8	0.10
Soft Tissue (incl. heart)	243	3.8	0.27	2.8	0.19	219	2.8	0.19	2.3	0.16
Skin (excl. basal & sq.)	2,104	36.2	0.86	23.7	0.53	1,614	20.3	0.52	15.0	0.39
Melanomas of the skin	1,966	33.6	0.83	22.2	0.51	1,503	18.9	0.50	14.0	0.37
Breast (excl. <i>in situ</i>)	85	1.6	0.19	1.0	0.11	10,272	130.6	1.32	95.3	0.96
Female Genital System	-	-	-	-	-	3,496	45.2	0.79	32.6	0.57
Cervix uteri	-	-	-	-	-	587	7.1	0.30	5.4	0.23
Uterus Corpus	-	-	-	-	-	1,530	19.8	0.52	14.6	0.38
Uterus, NOS ¹	-	-	-	-	-	60	0.8	0.11	0.5	0.07
Ovary	-	-	-	-	-	1,024	13.6	0.44	9.4	0.30
Male Genital System	11,525	196.0	1.96	138.7	1.32	-	-	-	-	-
Prostate	11,134	191.1	1.95	134.4	1.30	-	-	-	-	-
Testis	350	4.1	0.22	3.8	0.21	-	-	-	-	-
Penis	28	0.6	0.12	0.3	0.06	-	-	-	-	-
Urinary System	2,771	53.7	1.10	32.4	0.63	1,265	17.8	0.52	11.5	0.34
Bladder (incl. <i>in situ</i>)	1,543	33.1	0.90	18.1	0.47	493	7.4	0.34	4.3	0.20
Kidney & renal pelvis	1,178	19.5	0.62	13.7	0.41	749	10.1	0.38	7.0	0.27
Ureter	29	0.6	0.13	0.4	0.07	15	0.2	0.06	0.1	0.04
Eye & Orbit	60	0.9	0.13	0.8	0.10	29	0.4	0.07	0.3	0.07
Brain & Other Nervous System	449	6.6	0.34	5.3	0.26	374	4.9	0.26	4.1	0.23
Brain	422	6.2	0.33	5.0	0.25	343	4.5	0.25	3.8	0.22
Endocrine System	499	7.0	0.33	5.6	0.26	1,440	17.1	0.46	13.9	0.38
Thyroid gland	422	5.9	0.30	4.6	0.23	1,380	16.3	0.45	13.2	0.36
Lymphomas	1,696	27.7	0.74	19.2	0.48	1,372	18.2	0.50	12.9	0.36
Hodgkin Lymphoma	262	3.4	0.22	3.0	0.19	203	2.4	0.17	2.2	0.16
Non-Hodgkin Lymphoma	1,434	24.3	0.70	16.2	0.44	1,169	15.8	0.48	10.7	0.33
Multiple Myeloma	497	9.2	0.45	5.8	0.27	427	5.9	0.29	3.9	0.20
Leukemias	810	14.5	0.56	9.9	0.36	681	9.2	0.36	6.9	0.28
Acute lymphocytic	119	1.5	0.14	1.8	0.17	107	1.3	0.13	1.5	0.16
Chronic lymphocytic	243	5.1	0.35	2.9	0.19	160	2.3	0.18	1.4	0.11
Acute myeloid	250	4.3	0.30	2.9	0.19	224	3.0	0.21	2.3	0.16
Chronic myeloid	104	1.7	0.18	1.2	0.12	106	1.4	0.14	1.0	0.10
Other leukemias	94	1.8	0.20	1.1	0.12	84	1.2	0.13	0.7	0.08
Mesothelioma	51	1.1	0.16	0.6	0.08	15	0.2	0.06	0.1	0.04
Kaposi Sarcoma	253	3.0	0.20	2.5	0.16	10	0.1	0.04	0.1	0.03
Ill-defined & Unknown	848	17.5	0.65	9.9	0.35	878	12.8	0.44	7.3	0.26
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	453	7.5	0.38	5.3	0.25	1,043	13.7	0.44	9.5	0.31
Breast (<i>in situ</i>)	8	0.2	0.06	0.1	0.03	2,868	35.8	0.69	27.0	0.51

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	20,527	564.8	4.15	374.1	2.68	19,269	432.0	3.16	301.9	2.30
Oral Cavity & Pharynx	727	17.8	0.69	13.1	0.50	266	5.9	0.37	4.1	0.26
Lip	30	0.9	0.17	0.5	0.10	8	0.2	0.06	0.1	0.04
Tongue	269	6.4	0.41	5.0	0.31	101	2.2	0.22	1.6	0.17
Major salivary gland	69	1.9	0.25	1.2	0.15	46	1.0	0.15	0.7	0.11
Floor of mouth	25	0.6	0.13	0.4	0.09	9	0.2	0.07	0.1	0.04
Gum & other mouth	65	1.7	0.22	1.2	0.15	49	1.1	0.16	0.7	0.11
Nasopharynx	29	0.7	0.13	0.6	0.11	-	-	-	-	-
Oropharynx	19	0.5	0.11	0.3	0.08	6	0.1	0.06	0.1	0.04
Hypopharynx	37	1.0	0.17	0.6	0.11	6	0.1	0.06	0.1	0.03
Digestive System	3,191	88.6	1.65	56.8	1.03	2,649	60.1	1.19	37.1	0.77
Esophagus	259	7.4	0.48	4.6	0.29	93	2.2	0.23	1.3	0.14
Stomach	267	7.5	0.48	4.7	0.30	158	3.6	0.30	2.1	0.18
Small intestine	103	2.7	0.28	1.9	0.19	91	2.0	0.22	1.4	0.15
Colon excl. rectum	1,054	30.5	0.99	18.7	0.59	1,088	24.7	0.76	14.8	0.49
Rectum & rectosigmoid	559	14.5	0.64	10.0	0.43	394	8.8	0.45	6.0	0.32
Anus, anal canal & anorectum	77	2.0	0.23	1.3	0.15	99	2.1	0.22	1.5	0.16
Liver	301	7.7	0.47	5.3	0.31	100	2.3	0.23	1.5	0.17
Gallbladder	27	0.8	0.17	0.5	0.09	49	1.2	0.17	0.7	0.11
Pancreas	437	12.5	0.63	7.8	0.38	442	10.1	0.49	5.7	0.30
Respiratory System	2,587	78.3	1.61	46.2	0.93	2,328	54.3	1.15	33.3	0.74
Larynx	250	6.9	0.46	4.5	0.29	46	1.0	0.15	0.7	0.11
Lung & bronchus	2,285	69.9	1.53	40.7	0.88	2,265	52.9	1.13	32.2	0.72
Bones & Joints	31	0.8	0.14	0.7	0.14	37	0.8	0.14	0.8	0.14
Soft Tissue (incl. heart)	149	3.9	0.34	2.9	0.25	116	2.6	0.25	2.1	0.21
Skin (excl. basal & sq.)	1,989	52.4	1.24	35.4	0.81	1,499	33.3	0.87	25.3	0.69
Melanomas of the skin	1,894	49.5	1.20	33.8	0.79	1,429	31.7	0.85	24.3	0.67
Breast (excl. <i>in situ</i>)	52	1.5	0.22	0.9	0.13	6,157	135.2	1.75	99.1	1.30
Female Genital System	-	-	-	-	-	2,159	47.5	1.04	34.5	0.77
Cervix uteri	-	-	-	-	-	291	6.5	0.39	5.2	0.31
Uterus Corpus	-	-	-	-	-	953	20.6	0.68	15.3	0.51
Uterus, NOS ¹	-	-	-	-	-	25	0.5	0.11	0.4	0.08
Ovary	-	-	-	-	-	707	15.8	0.60	10.9	0.44
Male Genital System	6,458	170.4	2.23	121.0	1.54	-	-	-	-	-
Prostate	6,133	163.2	2.19	114.6	1.49	-	-	-	-	-
Testis	300	6.4	0.37	6.0	0.36	-	-	-	-	-
Penis	15	0.5	0.13	0.3	0.07	-	-	-	-	-
Urinary System	2,021	60.0	1.40	35.9	0.82	790	18.1	0.66	11.7	0.45
Bladder (incl. <i>in situ</i>)	1,249	39.5	1.17	21.8	0.64	360	8.4	0.45	5.0	0.28
Kidney & renal pelvis	732	19.3	0.75	13.4	0.51	413	9.3	0.46	6.4	0.34
Ureter	26	0.8	0.16	0.5	0.10	12	0.3	0.08	0.2	0.05
Eye & Orbit	49	1.2	0.19	1.0	0.15	21	0.5	0.11	0.4	0.09
Brain & Other Nervous System	336	8.3	0.47	6.6	0.37	243	5.6	0.36	4.6	0.33
Brain	318	7.8	0.46	6.2	0.36	225	5.2	0.35	4.3	0.31
Endocrine System	373	8.5	0.46	6.9	0.37	973	21.7	0.70	17.8	0.59
Thyroid gland	334	7.6	0.43	6.0	0.33	943	21.0	0.69	17.2	0.57
Lymphomas	1,096	29.7	0.94	20.1	0.63	884	20.2	0.69	14.2	0.52
Hodgkin Lymphoma	150	3.5	0.30	3.1	0.26	115	2.7	0.25	2.6	0.26
Non-Hodgkin Lymphoma	946	26.1	0.90	17.0	0.57	769	17.5	0.64	11.6	0.45
Multiple Myeloma	246	7.3	0.49	4.4	0.29	173	3.9	0.30	2.6	0.21
Leukemias	545	15.6	0.70	10.6	0.48	445	10.0	0.48	7.5	0.41
Acute lymphocytic	70	1.7	0.21	2.0	0.25	66	1.5	0.19	1.9	0.24
Chronic lymphocytic	177	5.6	0.44	3.1	0.24	118	2.6	0.24	1.6	0.16
Acute myeloid	171	4.7	0.38	3.2	0.25	145	3.3	0.28	2.4	0.22
Chronic myeloid	56	1.5	0.21	1.0	0.14	67	1.5	0.19	1.1	0.14
Other leukemias	71	2.1	0.26	1.3	0.16	49	1.1	0.16	0.6	0.10
Mesothelioma	37	1.1	0.18	0.6	0.11	15	0.3	0.09	0.2	0.06
Kaposi Sarcoma	86	1.9	0.21	1.5	0.16	-	-	-	-	-
Ill-defined & Unknown	554	17.5	0.78	9.6	0.42	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	297	7.8	0.47	5.7	0.34	594	13.1	0.55	9.4	0.41
Breast (<i>in situ</i>)	-	-	-	-	-	1,840	40.0	0.95	30.5	0.73

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	11,093	640.9	7.22	437.6	4.31	10,503	397.5	4.18	275.2	2.77
Oral Cavity & Pharynx	271	14.0	1.01	9.9	0.63	120	4.5	0.44	3.2	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	68	3.5	0.51	2.5	0.31	16	0.6	0.17	0.4	0.09
Major salivary gland	21	1.0	0.29	0.7	0.16	34	1.2	0.22	0.9	0.16
Floor of mouth	16	0.7	0.20	0.6	0.16	-	-	-	-	-
Gum & other mouth	23	1.1	0.29	0.8	0.18	28	1.1	0.21	0.8	0.15
Nasopharynx	20	0.8	0.21	0.7	0.15	8	0.3	0.11	0.2	0.08
Oropharynx	25	1.2	0.27	0.9	0.18	-	-	-	-	-
Hypopharynx	35	2.0	0.39	1.4	0.24	-	-	-	-	-
Digestive System	2,121	123.5	3.22	81.6	1.85	2,008	84.2	2.02	53.3	1.23
Esophagus	134	8.0	0.81	5.5	0.49	54	2.2	0.33	1.4	0.20
Stomach	237	16.1	1.25	9.6	0.65	201	8.9	0.67	5.2	0.38
Small intestine	57	3.4	0.56	2.3	0.32	52	2.0	0.30	1.4	0.19
Colon excl. rectum	710	43.7	1.98	27.9	1.09	871	36.9	1.34	23.3	0.81
Rectum & rectosigmoid	314	15.7	1.06	11.2	0.66	309	11.6	0.71	8.0	0.47
Anus, anal canal & anorectum	63	2.4	0.36	1.8	0.23	43	1.5	0.24	1.1	0.17
Liver	287	13.4	0.91	10.2	0.62	80	3.2	0.39	2.2	0.25
Gallbladder	14	1.0	0.35	0.6	0.16	42	1.9	0.31	1.1	0.18
Pancreas	241	15.6	1.19	10.0	0.67	279	12.9	0.82	7.7	0.48
Respiratory System	1,462	95.2	2.94	60.6	1.64	1,088	46.1	1.50	30.1	0.94
Larynx	147	7.9	0.74	5.8	0.50	31	1.2	0.22	0.9	0.17
Lung & bronchus	1,297	86.5	2.84	54.1	1.55	1,032	44.0	1.47	28.5	0.91
Bones & Joints	32	1.1	0.23	1.0	0.19	29	1.0	0.20	0.8	0.15
Soft Tissue (incl. heart)	85	3.9	0.54	3.0	0.34	94	3.2	0.35	2.6	0.27
Skin (excl. basal & sq.)	58	3.3	0.55	2.1	0.29	60	2.0	0.29	1.5	0.20
Melanomas of the skin	24	1.6	0.40	1.0	0.21	26	1.1	0.23	0.7	0.14
Breast (excl. <i>in situ</i>)	32	2.0	0.44	1.2	0.23	3,738	130.1	2.28	94.6	1.59
Female Genital System	-	-	-	-	-	1,196	44.4	1.38	31.5	0.94
Cervix uteri	-	-	-	-	-	262	8.8	0.59	6.3	0.40
Uterus Corpus	-	-	-	-	-	522	19.8	0.93	14.3	0.64
Uterus, NOS ¹	-	-	-	-	-	32	1.3	0.26	0.9	0.16
Ovary	-	-	-	-	-	284	10.9	0.69	7.5	0.46
Male Genital System	4,706	274.3	4.63	192.4	2.90	-	-	-	-	-
Prostate	4,651	272.0	4.61	190.5	2.89	-	-	-	-	-
Testis	41	1.4	0.26	1.3	0.20	-	-	-	-	-
Penis	12	0.8	0.29	0.5	0.15	-	-	-	-	-
Urinary System	677	40.1	1.84	26.5	1.06	443	18.6	0.95	12.0	0.59
Bladder (incl. <i>in situ</i>)	246	17.5	1.32	10.2	0.67	119	5.9	0.57	3.2	0.30
Kidney & renal pelvis	423	22.1	1.27	16.0	0.81	319	12.4	0.75	8.7	0.50
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	8	0.2	0.08	0.3	0.10	-	-	-	-	-
Brain & Other Nervous System	97	3.8	0.45	3.3	0.35	112	3.8	0.38	3.4	0.33
Brain	88	3.5	0.44	3.0	0.33	103	3.5	0.38	3.1	0.32
Endocrine System	101	4.5	0.54	3.5	0.36	367	10.9	0.60	9.0	0.48
Thyroid gland	66	3.0	0.47	2.2	0.28	340	9.9	0.56	8.2	0.45
Lymphomas	551	24.5	1.26	18.5	0.82	452	15.6	0.79	11.7	0.57
Hodgkin Lymphoma	105	3.5	0.36	3.3	0.33	80	2.2	0.25	2.0	0.23
Non-Hodgkin Lymphoma	446	21.0	1.21	15.2	0.75	372	13.4	0.75	9.7	0.52
Multiple Myeloma	236	14.5	1.13	9.5	0.64	243	10.1	0.69	6.6	0.44
Leukemias	226	12.3	1.02	8.7	0.60	205	7.7	0.58	5.9	0.43
Acute lymphocytic	38	1.1	0.18	1.4	0.24	32	1.0	0.18	1.1	0.21
Chronic lymphocytic	61	4.5	0.68	2.6	0.35	41	1.9	0.32	1.1	0.17
Acute myeloid	65	3.4	0.53	2.4	0.31	64	2.3	0.31	1.9	0.25
Chronic myeloid	42	2.2	0.39	1.5	0.25	35	1.2	0.21	0.9	0.16
Other leukemias	20	1.1	0.31	0.8	0.18	33	1.3	0.25	0.9	0.16
Mesothelioma	10	0.9	0.33	0.4	0.13	-	-	-	-	-
Kaposi Sarcoma	156	4.9	0.39	4.3	0.35	-	-	-	-	-
Ill-defined & Unknown	264	17.9	1.33	10.7	0.68	339	15.2	0.89	8.8	0.50
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	133	7.6	0.82	4.9	0.45	396	15.4	0.84	10.1	0.53
Breast (<i>in situ</i>)	-	-	-	-	-	941	32.5	1.13	24.1	0.81

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	786	274.7	12.16	172.3	6.36	936	243.5	9.13	167.6	5.67
Oral Cavity & Pharynx	39	9.2	1.69	6.7	1.11	16	4.2	1.18	3.0	0.78
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	1.2	0.48	1.0	0.41	8	1.8	0.68	1.5	0.54
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	8	2.3	0.90	1.5	0.55	-	-	-	-	-
Nasopharynx	13	2.5	0.75	2.0	0.57	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	260	92.3	7.22	56.6	3.66	186	57.1	4.74	36.1	2.72
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	46	18.0	3.44	10.1	1.56	35	12.0	2.24	7.2	1.24
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	71	25.8	3.92	16.0	1.97	59	15.7	2.30	10.9	1.46
Rectum & rectosigmoid	44	13.6	2.36	8.9	1.38	32	9.6	1.97	6.1	1.11
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	62	20.6	3.25	13.3	1.75	21	6.3	1.55	4.0	0.88
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	21	8.4	2.27	4.8	1.08	18	6.3	1.64	3.5	0.85
Respiratory System	104	37.3	4.39	22.7	2.29	68	20.0	2.75	13.2	1.64
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	102	35.8	4.25	22.3	2.27	63	18.9	2.70	12.2	1.58
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	2.3	1.40	1.2	0.56	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	7	2.3	1.05	1.2	0.46
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	321	73.0	4.54	53.6	3.08
Female Genital System	-	-	-	-	-	112	28.3	3.01	20.0	1.95
Cervix uteri	-	-	-	-	-	27	6.5	1.42	4.3	0.86
Uterus Corpus	-	-	-	-	-	43	10.5	1.71	8.0	1.25
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	28	6.3	1.33	4.7	0.91
Male Genital System	186	71.9	6.36	43.6	3.27	-	-	-	-	-
Prostate	181	70.8	6.34	42.5	3.23	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	58	22.9	3.73	13.2	1.80	27	9.0	2.04	5.2	1.05
Bladder (incl. <i>in situ</i>)	37	15.3	3.07	8.7	1.48	13	4.8	1.48	2.7	0.75
Kidney & renal pelvis	19	5.4	1.38	3.8	0.91	13	3.9	1.35	2.3	0.69
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	11	2.1	0.66	2.2	0.68	15	3.5	1.02	3.1	0.84
Brain	11	2.1	0.66	2.2	0.68	13	3.1	0.99	2.7	0.79
Endocrine System	18	4.0	1.01	3.4	0.83	87	18.0	2.18	13.5	1.50
Thyroid gland	16	3.4	0.91	2.9	0.75	85	17.2	2.10	13.0	1.46
Lymphomas	34	8.5	1.58	7.1	1.25	28	8.7	1.98	5.1	0.99
Hodgkin Lymphoma	-	-	-	-	-	7	1.0	0.40	1.0	0.39
Non-Hodgkin Lymphoma	-	-	-	-	-	21	7.6	1.93	4.1	0.91
Multiple Myeloma	13	5.2	1.67	3.0	0.85	8	3.0	1.16	1.7	0.60
Leukemias	28	6.0	1.23	5.7	1.11	29	7.5	1.61	5.7	1.12
Acute lymphocytic	8	1.4	0.49	1.9	0.67	9	1.5	0.51	1.8	0.64
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	13	3.4	1.04	2.8	0.79	15	4.5	1.32	3.0	0.81
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	20	10.8	2.89	4.8	1.13	23	7.2	1.71	4.5	0.97
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	16	4.3	1.55	3.1	0.84	39	10.3	1.87	7.1	1.18
Breast (<i>in situ</i>)	-	-	-	-	-	74	17.3	2.23	12.3	1.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	1,041	375.2	16.45	238.7	8.78	1,157	305.3	11.04	211.6	6.98
Oral Cavity & Pharynx	25	6.5	1.68	4.9	1.14	10	3.1	1.10	2.2	0.78
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	230	96.5	8.66	58.8	4.48	161	55.9	5.17	33.5	2.87
Esophagus	12	4.8	1.65	3.5	1.14	7	2.9	1.25	1.4	0.54
Stomach	41	17.2	4.00	9.0	1.73	27	7.1	1.64	5.2	1.14
Small intestine	9	3.5	1.47	2.4	0.91	8	1.7	0.65	1.4	0.54
Colon excl. rectum	63	27.7	4.76	15.9	2.30	55	21.0	3.30	10.9	1.60
Rectum & rectosigmoid	35	14.7	3.10	9.8	1.86	18	5.3	1.51	3.5	0.91
Anus, anal canal & anorectum	8	1.9	1.10	1.1	0.48	-	-	-	-	-
Liver	24	8.9	2.31	6.2	1.41	6	2.2	1.01	1.4	0.64
Gallbladder	-	-	-	-	-	10	3.8	1.31	2.6	0.88
Pancreas	24	12.4	3.43	7.2	1.63	19	8.5	2.17	4.7	1.14
Respiratory System	88	40.8	5.68	24.1	2.88	60	22.8	3.30	14.8	2.04
Larynx	13	3.6	1.16	3.0	0.92	-	-	-	-	-
Lung & bronchus	66	35.1	5.44	19.7	2.67	57	22.2	3.29	14.3	2.01
Bones & Joints	8	0.8	0.28	0.7	0.27	-	-	-	-	-
Soft Tissue (incl. heart)	17	2.4	0.75	2.2	0.68	9	2.4	1.03	1.7	0.64
Skin (excl. basal & sq.)	21	9.3	3.16	4.4	1.25	27	6.4	1.55	4.7	1.03
Melanomas of the skin	19	9.1	3.16	4.3	1.25	24	5.7	1.44	4.2	0.96
Breast (excl. <i>in situ</i>)	-	-	-	-	-	395	98.5	5.90	70.8	3.95
Female Genital System	-	-	-	-	-	172	41.6	3.86	31.3	2.72
Cervix uteri	-	-	-	-	-	54	9.7	1.53	8.2	1.32
Uterus Corpus	-	-	-	-	-	58	17.6	2.67	12.5	1.80
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	42	10.3	2.02	7.2	1.26
Male Genital System	289	123.6	9.26	81.2	5.36	-	-	-	-	-
Prostate	237	120.0	9.24	77.5	5.33	-	-	-	-	-
Testis	49	3.0	0.43	3.1	0.46	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	70	28.9	4.73	17.2	2.34	43	14.8	2.68	9.2	1.52
Bladder (incl. <i>in situ</i>)	29	18.5	4.19	9.2	1.84	13	5.8	1.78	3.3	0.97
Kidney & renal pelvis	40	9.3	1.92	7.5	1.40	29	8.4	1.90	5.7	1.16
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	40	6.1	1.57	5.3	1.07	22	3.3	1.09	2.6	0.60
Brain	38	6.0	1.57	5.1	1.06	22	3.3	1.09	2.6	0.60
Endocrine System	23	3.7	1.31	2.7	0.63	103	16.0	1.91	13.4	1.51
Thyroid gland	14	1.9	0.55	1.5	0.45	100	15.0	1.76	12.8	1.47
Lymphomas	97	21.4	3.49	15.0	1.89	67	16.0	2.47	11.9	1.66
Hodgkin Lymphoma	17	1.8	0.49	1.8	0.46	11	1.0	0.30	1.1	0.34
Non-Hodgkin Lymphoma	80	19.6	3.46	13.2	1.83	56	15.0	2.45	10.8	1.62
Multiple Myeloma	14	7.0	2.42	3.5	1.06	9	2.3	0.92	1.8	0.67
Leukemias	79	18.0	3.63	12.5	1.81	41	7.4	1.66	6.0	1.10
Acute lymphocytic	33	2.7	0.56	3.5	0.66	19	2.0	0.58	2.3	0.59
Chronic lymphocytic	8	3.6	1.57	2.3	0.90	-	-	-	-	-
Acute myeloid	24	4.9	1.87	3.6	1.00	15	3.4	1.26	2.3	0.73
Chronic myeloid	7	4.7	2.32	1.9	0.86	-	-	-	-	-
Other leukemias	7	2.0	1.23	1.2	0.54	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	13	2.8	1.30	1.6	0.59	-	-	-	-	-
Ill-defined & Unknown	19	5.1	1.76	3.1	0.87	30	13.0	2.71	6.4	1.24
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	24	6.1	2.21	3.8	1.02	42	12.0	2.29	8.2	1.42
Breast (<i>in situ</i>)	-	-	-	-	-	92	22.8	2.77	17.1	1.98

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Metropolitan Atlanta

110 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	19,616	579.2	4.32	385.7	2.84	18,252	442.5	3.34	310.8	2.47
Oral Cavity & Pharynx	705	18.7	0.73	13.9	0.54	259	6.2	0.39	4.3	0.29
Lip	29	0.9	0.18	0.5	0.10	8	0.2	0.06	0.1	0.04
Tongue	264	6.8	0.43	5.3	0.33	100	2.4	0.24	1.7	0.18
Major salivary gland	65	2.0	0.26	1.3	0.17	43	1.0	0.16	0.7	0.12
Floor of mouth	24	0.6	0.13	0.5	0.09	9	0.2	0.07	0.1	0.05
Gum & other mouth	64	1.8	0.23	1.3	0.16	49	1.2	0.17	0.7	0.12
Nasopharynx	25	0.7	0.14	0.6	0.13	-	-	-	-	-
Oropharynx	19	0.5	0.12	0.4	0.08	6	0.1	0.06	0.1	0.05
Hypopharynx	35	1.0	0.18	0.7	0.11	6	0.1	0.06	0.1	0.03
Digestive System	2,985	88.6	1.70	56.9	1.07	2,512	60.4	1.23	37.3	0.81
Esophagus	248	7.5	0.50	4.6	0.30	87	2.1	0.23	1.3	0.15
Stomach	228	6.9	0.48	4.3	0.29	134	3.3	0.29	1.8	0.17
Small intestine	94	2.6	0.28	1.9	0.20	87	2.1	0.23	1.4	0.16
Colon excl. rectum	1,001	30.8	1.02	18.9	0.61	1,038	24.9	0.79	15.0	0.51
Rectum & rectosigmoid	526	14.6	0.67	10.2	0.45	380	9.1	0.48	6.3	0.34
Anus, anal canal & anorectum	70	2.0	0.24	1.3	0.16	96	2.3	0.23	1.6	0.17
Liver	282	7.7	0.48	5.3	0.33	95	2.3	0.24	1.6	0.18
Gallbladder	23	0.8	0.16	0.4	0.09	39	1.0	0.16	0.5	0.09
Pancreas	415	12.6	0.65	7.9	0.40	426	10.2	0.51	5.8	0.31
Respiratory System	2,512	80.1	1.66	47.3	0.97	2,275	55.8	1.19	34.2	0.77
Larynx	240	7.0	0.47	4.6	0.30	46	1.1	0.16	0.8	0.12
Lung & bronchus	2,229	71.7	1.58	41.9	0.91	2,214	54.4	1.18	33.2	0.76
Bones & Joints	24	0.7	0.15	0.7	0.15	32	0.8	0.15	0.8	0.15
Soft Tissue (incl. heart)	132	4.1	0.37	3.0	0.29	108	2.8	0.28	2.3	0.26
Skin (excl. basal & sq.)	1,970	56.5	1.33	38.7	0.90	1,473	36.7	0.97	28.3	0.79
Melanomas of the skin	1,877	53.4	1.29	37.0	0.88	1,405	35.1	0.95	27.2	0.77
Breast (excl. <i>in situ</i>)	51	1.6	0.23	0.9	0.14	5,808	137.9	1.84	101.3	1.38
Female Genital System	-	-	-	-	-	2,008	47.8	1.09	34.7	0.82
Cervix uteri	-	-	-	-	-	242	6.3	0.41	5.0	0.33
Uterus Corpus	-	-	-	-	-	902	20.8	0.71	15.5	0.53
Uterus, NOS ¹	-	-	-	-	-	24	0.6	0.11	0.4	0.09
Ovary	-	-	-	-	-	669	16.0	0.63	11.1	0.46
Male Genital System	6,200	174.1	2.31	124.2	1.61	-	-	-	-	-
Prostate	5,926	166.2	2.26	117.1	1.55	-	-	-	-	-
Testis	252	7.1	0.45	6.6	0.44	-	-	-	-	-
Penis	14	0.5	0.14	0.3	0.07	-	-	-	-	-
Urinary System	1,955	61.5	1.45	37.0	0.86	750	18.2	0.68	11.7	0.47
Bladder (incl. <i>in situ</i>)	1,221	40.5	1.20	22.5	0.66	348	8.6	0.47	5.1	0.30
Kidney & renal pelvis	695	19.8	0.79	13.8	0.54	386	9.3	0.48	6.4	0.35
Ureter	25	0.8	0.16	0.5	0.10	11	0.3	0.08	0.2	0.06
Eye & Orbit	46	1.3	0.20	1.0	0.16	20	0.5	0.12	0.4	0.11
Brain & Other Nervous System	305	8.6	0.51	6.8	0.42	229	6.0	0.41	5.1	0.39
Brain	288	8.1	0.49	6.4	0.40	211	5.5	0.39	4.7	0.38
Endocrine System	353	9.2	0.50	7.5	0.42	872	22.4	0.77	18.4	0.66
Thyroid gland	322	8.3	0.48	6.6	0.38	845	21.6	0.76	17.6	0.63
Lymphomas	1,012	30.5	1.00	20.8	0.69	825	20.6	0.73	14.6	0.56
Hodgkin Lymphoma	136	4.0	0.35	3.5	0.32	106	3.0	0.30	3.0	0.31
Non-Hodgkin Lymphoma	876	26.6	0.94	17.3	0.61	719	17.6	0.67	11.6	0.47
Multiple Myeloma	233	7.3	0.50	4.5	0.30	165	3.9	0.31	2.6	0.21
Leukemias	486	15.4	0.73	10.3	0.51	413	10.3	0.52	7.9	0.47
Acute lymphocytic	47	1.5	0.22	1.8	0.28	54	1.6	0.23	2.1	0.32
Chronic lymphocytic	169	5.6	0.45	3.1	0.25	117	2.7	0.25	1.7	0.17
Acute myeloid	153	4.7	0.39	3.1	0.27	132	3.3	0.29	2.4	0.24
Chronic myeloid	51	1.5	0.22	1.1	0.16	63	1.6	0.21	1.1	0.16
Other leukemias	66	2.1	0.27	1.3	0.16	47	1.1	0.17	0.6	0.10
Mesothelioma	34	1.1	0.19	0.6	0.11	15	0.4	0.09	0.2	0.07
Kaposi Sarcoma	76	2.1	0.24	1.7	0.19	-	-	-	-	-
Ill-defined & Unknown	537	17.9	0.80	9.9	0.44	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	274	8.1	0.50	6.0	0.38	557	13.4	0.58	9.7	0.45
Breast (<i>in situ</i>)	-	-	-	-	-	1,757	41.4	1.01	31.7	0.77

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	11,000	646.4	7.31	440.6	4.36	10,402	399.7	4.22	276.5	2.79
Oral Cavity & Pharynx	270	14.2	1.03	10.0	0.63	117	4.4	0.44	3.1	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	68	3.6	0.51	2.5	0.32	16	0.6	0.17	0.4	0.10
Major salivary gland	21	1.0	0.29	0.7	0.16	32	1.2	0.22	0.9	0.16
Floor of mouth	16	0.7	0.21	0.6	0.16	-	-	-	-	-
Gum & other mouth	23	1.2	0.29	0.8	0.18	27	1.0	0.21	0.7	0.15
Nasopharynx	20	0.8	0.21	0.7	0.16	8	0.3	0.11	0.2	0.08
Oropharynx	25	1.2	0.28	0.9	0.19	-	-	-	-	-
Hypopharynx	35	2.0	0.40	1.4	0.24	-	-	-	-	-
Digestive System	2,104	124.5	3.26	82.2	1.87	1,989	84.6	2.03	53.6	1.24
Esophagus	133	8.1	0.82	5.6	0.50	53	2.2	0.33	1.4	0.20
Stomach	236	16.3	1.27	9.7	0.66	198	8.8	0.67	5.1	0.38
Small intestine	57	3.5	0.57	2.3	0.32	49	1.9	0.30	1.3	0.19
Colon excl. rectum	703	44.0	2.00	28.1	1.10	866	37.1	1.35	23.5	0.82
Rectum & rectosigmoid	312	15.9	1.07	11.4	0.67	306	11.7	0.72	8.0	0.47
Anus, anal canal & anorectum	63	2.5	0.37	1.8	0.24	43	1.5	0.25	1.1	0.17
Liver	284	13.5	0.92	10.2	0.63	79	3.2	0.39	2.2	0.25
Gallbladder	14	1.1	0.35	0.6	0.16	42	1.9	0.31	1.1	0.18
Pancreas	239	15.8	1.21	10.0	0.67	278	13.0	0.83	7.8	0.48
Respiratory System	1,451	96.0	2.98	61.0	1.65	1,083	46.5	1.51	30.3	0.95
Larynx	144	7.8	0.75	5.8	0.50	31	1.2	0.23	0.9	0.17
Lung & bronchus	1,289	87.3	2.88	54.5	1.57	1,028	44.5	1.48	28.8	0.92
Bones & Joints	31	1.1	0.23	1.0	0.19	29	1.0	0.20	0.8	0.16
Soft Tissue (incl. heart)	85	4.0	0.55	3.1	0.35	93	3.2	0.36	2.6	0.28
Skin (excl. basal & sq.)	57	3.3	0.56	2.1	0.30	60	2.1	0.29	1.5	0.20
Melanomas of the skin	23	1.6	0.40	0.9	0.21	26	1.1	0.23	0.7	0.14
Breast (excl. <i>in situ</i>)	32	2.1	0.44	1.3	0.23	3,705	130.9	2.30	95.2	1.61
Female Genital System	-	-	-	-	-	1,186	44.6	1.39	31.6	0.95
Cervix uteri	-	-	-	-	-	262	9.0	0.60	6.4	0.40
Uterus Corpus	-	-	-	-	-	517	19.8	0.93	14.3	0.65
Uterus, NOS ¹	-	-	-	-	-	32	1.4	0.26	0.9	0.16
Ovary	-	-	-	-	-	281	10.9	0.70	7.5	0.46
Male Genital System	4,684	276.7	4.68	194.1	2.93	-	-	-	-	-
Prostate	4,630	274.4	4.66	192.2	2.92	-	-	-	-	-
Testis	40	1.4	0.26	1.3	0.21	-	-	-	-	-
Penis	12	0.8	0.29	0.5	0.15	-	-	-	-	-
Urinary System	674	40.6	1.86	26.8	1.07	440	18.7	0.96	12.1	0.60
Bladder (incl. <i>in situ</i>)	246	17.8	1.34	10.4	0.68	118	5.9	0.57	3.2	0.30
Kidney & renal pelvis	420	22.3	1.28	16.1	0.82	317	12.6	0.76	8.8	0.51
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	8	0.2	0.09	0.3	0.11	-	-	-	-	-
Brain & Other Nervous System	90	3.6	0.45	3.1	0.34	105	3.6	0.38	3.2	0.32
Brain	82	3.4	0.44	2.8	0.32	96	3.4	0.37	2.9	0.31
Endocrine System	100	4.5	0.55	3.5	0.36	367	11.2	0.61	9.2	0.49
Thyroid gland	66	3.1	0.48	2.2	0.28	340	10.1	0.57	8.3	0.46
Lymphomas	541	24.6	1.28	18.6	0.83	446	15.7	0.80	11.8	0.57
Hodgkin Lymphoma	102	3.5	0.37	3.3	0.33	78	2.2	0.26	2.0	0.23
Non-Hodgkin Lymphoma	439	21.1	1.22	15.3	0.76	368	13.5	0.76	9.7	0.52
Multiple Myeloma	235	14.7	1.15	9.6	0.65	243	10.2	0.70	6.7	0.45
Leukemias	212	12.1	1.02	8.3	0.59	196	7.5	0.58	5.7	0.42
Acute lymphocytic	28	0.8	0.16	1.1	0.21	25	0.8	0.17	0.9	0.18
Chronic lymphocytic	61	4.6	0.69	2.7	0.35	41	1.9	0.32	1.1	0.18
Acute myeloid	62	3.4	0.54	2.3	0.30	62	2.2	0.31	1.9	0.25
Chronic myeloid	41	2.1	0.39	1.5	0.24	35	1.2	0.22	0.9	0.16
Other leukemias	20	1.1	0.31	0.8	0.18	33	1.3	0.25	0.9	0.16
Mesothelioma	9	0.8	0.29	0.4	0.13	-	-	-	-	-
Kaposi Sarcoma	154	5.0	0.40	4.4	0.36	-	-	-	-	-
Ill-defined & Unknown	263	18.1	1.35	10.8	0.69	335	15.2	0.89	8.9	0.50
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	132	7.7	0.83	5.0	0.45	393	15.5	0.85	10.2	0.53
Breast (<i>in situ</i>)	-	-	-	-	-	936	32.8	1.14	24.3	0.82

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	16,989	484.4	3.78	317.1	2.57	15,561	393.4	3.22	279.0	2.44
Oral Cavity & Pharynx	633	17.3	0.70	12.9	0.53	263	6.6	0.42	4.7	0.32
Lip	10	0.3	0.09	0.2	0.06	-	-	-	-	-
Tongue	200	5.5	0.40	4.0	0.29	77	1.9	0.22	1.3	0.16
Major salivary gland	64	1.8	0.23	1.4	0.18	46	1.2	0.19	1.0	0.15
Floor of mouth	29	0.7	0.14	0.6	0.11	10	0.3	0.08	0.2	0.06
Gum & other mouth	62	1.8	0.23	1.2	0.16	60	1.4	0.19	0.9	0.14
Nasopharynx	72	2.0	0.24	1.6	0.20	30	0.8	0.15	0.7	0.12
Oropharynx	26	0.7	0.13	0.5	0.10	7	0.2	0.06	0.1	0.04
Hypopharynx	53	1.5	0.20	1.0	0.14	12	0.3	0.09	0.2	0.06
Digestive System	4,046	114.4	1.83	74.9	1.23	2,967	71.1	1.33	44.4	0.91
Esophagus	248	7.0	0.45	4.5	0.30	45	1.1	0.16	0.7	0.11
Stomach	463	13.8	0.65	7.8	0.39	324	7.7	0.44	4.6	0.29
Small intestine	76	2.1	0.25	1.6	0.18	62	1.5	0.19	1.0	0.13
Colon excl. rectum	1,256	35.7	1.02	23.1	0.68	1,135	27.2	0.82	16.9	0.56
Rectum & rectosigmoid	769	21.2	0.78	15.3	0.57	438	10.8	0.52	7.7	0.39
Anus, anal canal & anorectum	31	0.8	0.15	0.6	0.12	40	1.0	0.16	0.7	0.12
Liver	518	14.2	0.63	10.0	0.46	210	5.0	0.35	3.1	0.24
Gallbladder	28	0.8	0.16	0.4	0.09	52	1.2	0.17	0.7	0.11
Pancreas	506	14.5	0.65	8.8	0.41	500	11.8	0.54	6.7	0.34
Respiratory System	2,458	70.5	1.45	43.0	0.91	1,653	39.8	0.99	25.0	0.68
Larynx	175	4.7	0.36	3.3	0.26	22	0.5	0.11	0.4	0.09
Lung & bronchus	2,228	64.3	1.38	38.5	0.86	1,605	38.7	0.98	24.2	0.66
Bones & Joints	31	0.9	0.17	0.9	0.18	23	0.7	0.14	0.6	0.15
Soft Tissue (incl. heart)	132	3.8	0.34	2.8	0.26	103	2.7	0.27	2.1	0.25
Skin (excl. basal & sq.)	1,058	29.7	0.93	20.5	0.66	611	15.9	0.66	12.1	0.53
Melanomas of the skin	968	27.1	0.89	18.9	0.64	545	14.3	0.62	11.0	0.50
Breast (excl. <i>in situ</i>)	29	0.8	0.16	0.5	0.10	4,808	123.1	1.81	90.9	1.38
Female Genital System	-	-	-	-	-	1,916	50.3	1.17	38.4	0.93
Cervix uteri	-	-	-	-	-	268	7.9	0.50	6.2	0.39
Uterus Corpus	-	-	-	-	-	1,071	27.6	0.86	21.3	0.68
Uterus, NOS ¹	-	-	-	-	-	12	0.3	0.09	0.2	0.07
Ovary	-	-	-	-	-	413	10.6	0.53	8.0	0.43
Male Genital System	4,457	126.9	1.93	82.4	1.29	-	-	-	-	-
Prostate	4,227	119.9	1.88	76.2	1.22	-	-	-	-	-
Testis	190	5.7	0.42	5.4	0.40	-	-	-	-	-
Penis	20	0.6	0.13	0.4	0.09	-	-	-	-	-
Urinary System	1,541	44.6	1.16	27.5	0.74	637	15.5	0.62	10.1	0.44
Bladder (incl. <i>in situ</i>)	875	25.8	0.89	14.4	0.52	266	6.3	0.39	3.7	0.25
Kidney & renal pelvis	623	17.6	0.72	12.4	0.52	350	8.8	0.48	6.2	0.36
Ureter	32	0.9	0.17	0.5	0.10	15	0.3	0.09	0.1	0.04
Eye & Orbit	23	0.6	0.13	0.5	0.12	16	0.4	0.11	0.4	0.13
Brain & Other Nervous System	179	5.3	0.40	4.5	0.37	117	3.2	0.30	2.7	0.29
Brain	168	5.0	0.39	4.1	0.35	108	2.9	0.29	2.5	0.28
Endocrine System	259	7.5	0.47	5.9	0.39	797	23.0	0.83	19.1	0.71
Thyroid gland	219	6.3	0.43	4.8	0.34	769	22.3	0.82	18.5	0.69
Lymphomas	790	22.5	0.81	15.4	0.59	628	15.9	0.65	11.4	0.52
Hodgkin Lymphoma	62	1.8	0.23	1.6	0.22	73	2.2	0.26	2.1	0.27
Non-Hodgkin Lymphoma	728	20.7	0.78	13.8	0.55	555	13.7	0.59	9.3	0.44
Multiple Myeloma	200	5.7	0.41	3.5	0.26	146	3.5	0.29	2.3	0.21
Leukemias	474	14.0	0.65	10.1	0.52	338	8.8	0.49	7.0	0.45
Acute lymphocytic	66	2.0	0.25	2.3	0.30	37	1.1	0.19	1.4	0.25
Chronic lymphocytic	136	3.9	0.34	2.4	0.22	78	1.9	0.22	1.2	0.15
Acute myeloid	151	4.5	0.37	3.0	0.27	131	3.5	0.31	2.7	0.27
Chronic myeloid	74	2.2	0.26	1.5	0.18	46	1.2	0.17	0.8	0.13
Other leukemias	47	1.4	0.21	0.9	0.15	46	1.1	0.16	0.8	0.15
Mesothelioma	35	1.0	0.18	0.6	0.10	7	0.2	0.07	0.1	0.05
Kaposi Sarcoma	25	0.7	0.15	0.6	0.12	-	-	-	-	-
Ill-defined & Unknown	619	18.0	0.73	10.6	0.46	531	12.8	0.57	7.7	0.38
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	260	7.6	0.48	5.4	0.35	449	11.7	0.56	8.4	0.43
Breast (<i>in situ</i>)	-	-	-	-	-	1,394	36.0	0.98	27.0	0.76

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,903	574.5	7.83	377.2	5.23	4,389	450.9	7.05	314.8	5.21
Oral Cavity & Pharynx	266	23.2	1.48	17.4	1.09	85	8.4	0.94	5.8	0.67
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	87	7.7	0.86	5.7	0.63	20	2.0	0.45	1.4	0.32
Major salivary gland	30	2.9	0.56	2.0	0.37	12	1.3	0.39	0.9	0.28
Floor of mouth	16	1.2	0.31	1.0	0.26	6	0.6	0.27	0.4	0.18
Gum & other mouth	28	2.6	0.52	1.8	0.35	21	2.0	0.45	1.4	0.32
Nasopharynx	8	0.6	0.21	0.5	0.17	6	0.6	0.24	0.4	0.18
Oropharynx	13	1.2	0.34	0.8	0.22	-	-	-	-	-
Hypopharynx	14	1.1	0.31	0.9	0.25	-	-	-	-	-
Digestive System	1,057	101.6	3.27	65.7	2.09	637	63.7	2.59	39.2	1.67
Esophagus	83	8.3	0.95	4.9	0.56	19	1.8	0.43	1.2	0.28
Stomach	74	7.7	0.92	4.6	0.55	31	3.2	0.58	1.8	0.36
Small intestine	30	2.7	0.52	2.1	0.38	20	2.0	0.46	1.3	0.32
Colon excl. rectum	354	34.1	1.90	21.5	1.18	265	26.7	1.68	15.5	1.03
Rectum & rectosigmoid	183	16.8	1.30	12.0	0.91	96	9.6	1.01	7.0	0.75
Anus, anal canal & anorectum	20	1.7	0.40	1.4	0.31	29	3.0	0.58	2.1	0.41
Liver	135	11.5	1.04	8.5	0.77	30	2.7	0.51	1.8	0.34
Gallbladder	-	-	-	-	-	8	0.7	0.27	0.5	0.19
Pancreas	133	14.2	1.28	8.1	0.72	100	10.2	1.04	5.6	0.61
Respiratory System	698	69.7	2.76	41.0	1.59	494	50.3	2.31	30.4	1.46
Larynx	64	5.6	0.74	3.9	0.50	14	1.3	0.34	0.9	0.24
Lung & bronchus	619	62.6	2.63	36.1	1.49	474	48.5	2.28	29.1	1.43
Bones & Joints	8	1.0	0.39	1.1	0.45	-	-	-	-	-
Soft Tissue (incl. heart)	49	5.1	0.78	4.1	0.71	19	2.2	0.54	1.6	0.45
Skin (excl. basal & sq.)	864	84.8	3.02	55.4	1.98	470	49.2	2.36	36.5	1.82
Melanomas of the skin	810	79.0	2.90	52.2	1.93	440	46.2	2.29	34.5	1.77
Breast (excl. <i>in situ</i>)	17	1.8	0.45	1.0	0.24	1,316	132.9	3.80	96.2	2.79
Female Genital System	-	-	-	-	-	473	47.9	2.29	35.2	1.73
Cervix uteri	-	-	-	-	-	69	8.3	1.03	6.6	0.83
Uterus Corpus	-	-	-	-	-	238	23.0	1.54	16.7	1.14
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	106	10.8	1.10	7.9	0.85
Male Genital System	1,440	135.8	3.75	92.4	2.53	-	-	-	-	-
Prostate	1,328	124.0	3.56	81.5	2.29	-	-	-	-	-
Testis	95	10.0	1.07	9.7	1.05	-	-	-	-	-
Penis	15	1.6	0.42	1.0	0.26	-	-	-	-	-
Urinary System	627	64.5	2.68	38.3	1.60	189	18.9	1.41	11.9	0.93
Bladder (incl. <i>in situ</i>)	395	42.4	2.21	23.1	1.20	98	10.0	1.03	5.5	0.60
Kidney & renal pelvis	215	20.2	1.44	14.3	1.03	87	8.6	0.95	6.2	0.71
Ureter	10	1.1	0.37	0.6	0.18	-	-	-	-	-
Eye & Orbit	14	1.2	0.34	0.9	0.23	8	1.0	0.36	1.0	0.43
Brain & Other Nervous System	81	8.2	0.98	7.4	1.04	53	5.6	0.82	4.7	0.81
Brain	75	7.6	0.95	6.8	0.97	51	5.3	0.79	4.3	0.73
Endocrine System	73	6.8	0.84	5.9	0.75	176	21.3	1.67	18.4	1.48
Thyroid gland	67	6.3	0.80	5.3	0.68	169	20.6	1.64	17.6	1.43
Lymphomas	292	28.0	1.72	19.6	1.24	170	17.7	1.41	12.8	1.13
Hodgkin Lymphoma	29	3.0	0.58	2.7	0.56	23	3.0	0.65	2.9	0.66
Non-Hodgkin Lymphoma	263	25.0	1.62	16.9	1.10	147	14.7	1.26	9.9	0.91
Multiple Myeloma	65	6.2	0.81	3.8	0.49	43	4.1	0.65	2.8	0.45
Leukemias	173	18.6	1.48	12.2	1.14	101	11.3	1.19	8.8	1.13
Acute lymphocytic	19	2.5	0.63	2.8	0.81	7	1.3	0.51	1.7	0.72
Chronic lymphocytic	82	8.4	0.97	4.8	0.54	37	3.8	0.63	2.3	0.40
Acute myeloid	36	3.8	0.66	2.4	0.46	30	3.5	0.68	2.6	0.59
Chronic myeloid	21	2.2	0.50	1.3	0.30	14	1.5	0.41	1.1	0.32
Other leukemias	15	1.6	0.42	0.9	0.24	13	1.3	0.36	1.1	0.39
Mesothelioma	10	1.1	0.36	0.6	0.19	-	-	-	-	-
Kaposi Sarcoma	10	1.1	0.34	0.8	0.26	-	-	-	-	-
Ill-defined & Unknown	159	15.8	1.31	9.8	0.84	147	15.2	1.28	8.7	0.83
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	80	8.3	0.97	5.9	0.75	104	11.0	1.11	7.9	0.87
Breast (<i>in situ</i>)	-	-	-	-	-	313	31.1	1.82	23.6	1.39

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	221	432.7	33.53	319.6	22.95	108	315.2	34.51	232.4	24.50
Oral Cavity & Pharynx	6	14.4	6.77	9.0	3.98	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	38	66.6	11.98	55.9	9.73	12	45.1	14.03	29.4	9.13
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	20.3	7.00	17.4	5.80	-	-	-	-	-
Rectum & rectosigmoid	6	8.4	3.52	7.5	3.26	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	11.4	4.06	9.6	3.50	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	9.0	3.72	8.0	3.41	-	-	-	-	-
Respiratory System	31	71.5	14.92	46.6	8.94	8	33.1	12.47	23.3	8.68
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	55.5	13.06	35.6	7.82	8	33.1	12.47	23.3	8.68
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	44	128.5	21.82	92.1	15.19
Female Genital System	-	-	-	-	-	8	24.0	9.73	17.9	7.02
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	90	176.2	20.74	133.9	14.87	-	-	-	-	-
Prostate	89	175.6	20.73	133.2	14.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	27.8	8.59	19.5	5.66	7	21.3	9.10	15.7	6.48
Bladder (incl. <i>in situ</i>)	7	15.8	6.50	11.0	4.37	-	-	-	-	-
Kidney & renal pelvis	6	12.0	5.62	8.5	3.60	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	10.2	5.10	7.2	3.42	15	25.7	7.36	22.5	6.30
Thyroid gland	-	-	-	-	-	14	24.9	7.31	21.1	6.14
Lymphomas	11	12.1	4.03	11.9	3.87	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	20.5	8.32	11.1	4.08	-	-	-	-	-
Leukemias	8	10.7	5.01	8.8	3.20	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	18.4	8.06	11.3	4.71	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	8	9.0	3.30	7.7	2.78	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	7	19.7	8.70	15.0	6.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2006-2010, Asian/Pacific Islander (API)**

SITES	Count	MALES (API)				FEMALES (API)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,458	433.1	4.28	279.6	2.93	10,757	366.9	3.61	260.0	2.76
Oral Cavity & Pharynx	347	14.2	0.77	10.4	0.58	171	5.9	0.46	4.2	0.35
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	105	4.3	0.43	3.0	0.31	56	1.8	0.25	1.2	0.18
Major salivary gland	32	1.3	0.23	1.1	0.20	33	1.2	0.22	1.0	0.18
Floor of mouth	13	0.5	0.14	0.4	0.12	-	-	-	-	-
Gum & other mouth	31	1.3	0.24	0.9	0.16	35	1.1	0.20	0.7	0.15
Nasopharynx	64	2.7	0.34	2.2	0.28	24	0.9	0.19	0.8	0.16
Oropharynx	12	0.4	0.13	0.4	0.11	-	-	-	-	-
Hypopharynx	38	1.5	0.25	0.9	0.16	8	0.3	0.10	0.2	0.06
Digestive System	2,895	118.8	2.23	78.2	1.54	2,288	73.0	1.56	45.7	1.08
Esophagus	160	6.5	0.52	4.3	0.36	26	0.8	0.16	0.5	0.12
Stomach	381	16.1	0.83	9.1	0.51	290	9.2	0.55	5.6	0.38
Small intestine	43	1.8	0.27	1.3	0.20	40	1.2	0.20	0.8	0.14
Colon excl. rectum	879	36.3	1.24	23.7	0.85	847	27.2	0.95	17.0	0.66
Rectum & rectosigmoid	559	22.7	0.97	16.5	0.73	334	11.1	0.62	7.9	0.46
Anus, anal canal & anorectum	11	0.5	0.14	0.3	0.10	10	0.3	0.11	0.2	0.08
Liver	369	15.0	0.79	10.5	0.57	180	5.7	0.43	3.5	0.30
Gallbladder	23	0.9	0.20	0.5	0.11	44	1.4	0.21	0.8	0.14
Pancreas	362	14.7	0.78	9.1	0.52	397	12.3	0.63	7.1	0.41
Respiratory System	1,704	70.3	1.72	43.4	1.13	1,134	36.3	1.09	23.1	0.76
Larynx	101	4.0	0.40	2.7	0.29	8	0.3	0.10	0.2	0.08
Lung & bronchus	1,566	64.8	1.65	39.4	1.07	1,106	35.4	1.08	22.4	0.75
Bones & Joints	22	0.9	0.20	0.9	0.20	20	0.8	0.17	0.7	0.18
Soft Tissue (incl. heart)	79	3.3	0.38	2.4	0.29	78	2.7	0.31	2.1	0.28
Skin (excl. basal & sq.)	106	4.4	0.43	2.9	0.30	94	3.2	0.34	2.3	0.27
Melanomas of the skin	76	3.1	0.36	2.1	0.26	60	2.1	0.27	1.5	0.22
Breast (excl. <i>in situ</i>)	11	0.4	0.13	0.3	0.09	3,370	117.7	2.06	87.2	1.59
Female Genital System	-	-	-	-	-	1,395	50.5	1.38	38.9	1.10
Cervix uteri	-	-	-	-	-	190	7.7	0.57	5.9	0.45
Uterus Corpus	-	-	-	-	-	809	29.0	1.04	22.6	0.83
Uterus, NOS ¹	-	-	-	-	-	8	0.3	0.10	0.2	0.08
Ovary	-	-	-	-	-	297	10.4	0.62	7.9	0.50
Male Genital System	2,808	116.8	2.23	73.5	1.48	-	-	-	-	-
Prostate	2,698	112.0	2.18	69.3	1.42	-	-	-	-	-
Testis	88	4.0	0.43	3.7	0.41	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	876	36.5	1.24	22.5	0.82	433	14.0	0.69	9.2	0.49
Bladder (incl. <i>in situ</i>)	460	19.2	0.90	10.5	0.53	160	4.9	0.40	3.0	0.27
Kidney & renal pelvis	390	16.2	0.83	11.4	0.60	256	8.6	0.55	6.0	0.41
Ureter	22	0.9	0.19	0.5	0.12	13	0.4	0.10	0.1	0.05
Eye & Orbit	7	0.3	0.11	0.3	0.12	8	0.3	0.10	0.3	0.12
Brain & Other Nervous System	92	4.0	0.42	3.3	0.37	61	2.3	0.30	2.0	0.30
Brain	87	3.8	0.41	3.0	0.36	54	2.0	0.28	1.8	0.29
Endocrine System	176	7.5	0.57	5.7	0.46	592	23.2	0.97	18.9	0.81
Thyroid gland	145	6.1	0.51	4.5	0.40	572	22.5	0.96	18.4	0.80
Lymphomas	466	19.4	0.91	12.8	0.65	431	14.7	0.73	10.4	0.58
Hodgkin Lymphoma	28	1.2	0.23	1.1	0.22	48	2.0	0.29	1.9	0.29
Non-Hodgkin Lymphoma	438	18.2	0.88	11.7	0.61	383	12.7	0.67	8.5	0.49
Multiple Myeloma	121	5.0	0.46	3.1	0.30	97	3.1	0.32	2.0	0.22
Leukemias	275	11.7	0.71	8.6	0.58	216	7.5	0.52	5.9	0.47
Acute lymphocytic	42	1.7	0.27	2.0	0.33	27	1.1	0.21	1.2	0.26
Chronic lymphocytic	41	1.7	0.27	1.1	0.18	28	0.9	0.17	0.6	0.12
Acute myeloid	111	4.7	0.45	3.2	0.33	100	3.6	0.37	2.8	0.31
Chronic myeloid	51	2.2	0.31	1.6	0.23	30	1.0	0.19	0.6	0.13
Other leukemias	30	1.3	0.24	0.8	0.18	31	1.0	0.18	0.7	0.15
Mesothelioma	25	1.0	0.21	0.6	0.12	-	-	-	-	-
Kaposi Sarcoma	10	0.4	0.14	0.3	0.11	-	-	-	-	-
Ill-defined & Unknown	438	18.2	0.88	10.4	0.54	367	11.7	0.63	7.1	0.43
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	161	6.8	0.54	4.8	0.40	324	11.4	0.65	8.1	0.49
Breast (<i>in situ</i>)	-	-	-	-	-	1,049	37.0	1.16	27.7	0.90

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	615	462.7	20.27	297.7	12.40	586	362.9	15.66	240.9	10.27
Oral Cavity & Pharynx	30	18.4	3.63	13.6	2.55	7	4.4	1.78	3.1	1.22
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	4.8	2.13	2.9	1.23	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	154	109.9	9.55	74.6	6.20	118	81.1	7.72	48.4	4.63
Esophagus	8	4.9	1.85	3.7	1.34	-	-	-	-	-
Stomach	23	17.8	3.95	12.2	2.62	10	6.1	2.01	4.3	1.40
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	45	30.9	4.93	22.5	3.45	50	35.3	5.14	20.8	3.05
Rectum & rectosigmoid	22	15.0	3.52	9.2	2.00	14	8.5	2.35	6.4	1.74
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	28	20.3	4.12	14.0	2.72	7	5.0	1.95	2.3	0.89
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	20	16.4	3.91	9.9	2.29	19	14.2	3.35	7.6	1.81
Respiratory System	99	83.1	8.90	51.1	5.28	66	47.1	5.96	26.5	3.42
Larynx	9	5.8	2.05	4.2	1.44	-	-	-	-	-
Lung & bronchus	86	74.8	8.54	45.2	5.00	64	46.1	5.92	25.7	3.37
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	5.9	2.55	2.4	0.98	-	-	-	-	-
Skin (excl. basal & sq.)	24	16.5	3.78	9.8	2.06	17	9.0	2.23	7.5	1.86
Melanomas of the skin	18	13.0	3.42	7.6	1.84	15	7.6	1.98	6.8	1.79
Breast (excl. <i>in situ</i>)	-	-	-	-	-	194	112.9	8.42	79.8	5.88
Female Genital System	-	-	-	-	-	64	38.0	4.95	26.9	3.45
Cervix uteri	-	-	-	-	-	12	6.3	1.91	5.2	1.55
Uterus Corpus	-	-	-	-	-	28	16.7	3.28	11.7	2.26
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	16	10.2	2.63	6.9	1.76
Male Genital System	140	110.3	10.09	70.2	6.12	-	-	-	-	-
Prostate	122	103.0	9.90	64.2	5.95	-	-	-	-	-
Testis	16	5.7	1.47	5.2	1.31	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	60	42.8	5.98	29.5	3.93	21	13.6	3.07	9.3	2.11
Bladder (incl. <i>in situ</i>)	24	17.2	3.84	11.0	2.31	8	5.5	1.97	3.8	1.38
Kidney & renal pelvis	34	23.2	4.27	17.4	3.08	13	8.1	2.36	5.5	1.60
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	6.3	2.16	4.9	1.60	8	3.4	1.24	3.0	1.08
Brain	9	5.5	2.03	4.2	1.47	8	3.4	1.24	3.0	1.08
Endocrine System	9	4.3	1.48	3.6	1.23	20	8.6	2.05	7.4	1.68
Thyroid gland	8	3.9	1.41	3.2	1.18	18	7.5	1.82	6.7	1.61
Lymphomas	25	19.3	4.26	10.8	2.23	27	16.8	3.42	10.9	2.16
Hodgkin Lymphoma	-	-	-	-	-	8	3.9	1.47	2.9	1.03
Non-Hodgkin Lymphoma	-	-	-	-	-	19	13.0	3.09	8.0	1.89
Multiple Myeloma	12	12.4	3.69	6.1	1.81	6	4.1	1.72	2.4	1.03
Leukemias	25	17.2	3.93	11.3	2.36	15	9.0	2.47	6.2	1.64
Acute lymphocytic	6	2.7	1.47	2.1	0.86	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	8	5.6	2.18	3.7	1.36	10	5.8	1.92	4.2	1.36
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	16	12.4	3.33	7.9	2.05	18	11.8	2.90	7.6	1.85
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	17	10.4	2.90	6.7	1.69	18	10.3	2.56	7.4	1.82
Breast (<i>in situ</i>)	-	-	-	-	-	65	35.8	4.56	26.8	3.40

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

HAWAII

118 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,521	574.2	8.12	378.3	5.52	4,056	451.6	7.40	316.1	5.52
Oral Cavity & Pharynx	246	23.0	1.53	17.3	1.13	81	8.6	0.99	6.0	0.72
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	84	8.0	0.91	5.9	0.66	19	2.0	0.47	1.4	0.35
Major salivary gland	26	2.8	0.56	1.8	0.37	12	1.5	0.43	1.0	0.32
Floor of mouth	15	1.2	0.32	1.0	0.27	-	-	-	-	-
Gum & other mouth	24	2.4	0.51	1.7	0.36	20	2.1	0.48	1.4	0.33
Nasopharynx	7	0.5	0.21	0.4	0.17	-	-	-	-	-
Oropharynx	12	1.2	0.36	0.8	0.23	-	-	-	-	-
Hypopharynx	13	1.1	0.32	0.9	0.25	-	-	-	-	-
Digestive System	970	99.6	3.35	64.1	2.13	571	61.2	2.63	37.7	1.71
Esophagus	78	8.3	0.99	4.9	0.57	17	1.7	0.42	1.2	0.29
Stomach	64	7.1	0.91	4.2	0.55	26	2.8	0.56	1.5	0.32
Small intestine	28	2.8	0.55	2.1	0.40	18	1.9	0.46	1.3	0.31
Colon excl. rectum	326	33.7	1.95	21.0	1.20	236	25.7	1.71	14.9	1.06
Rectum & rectosigmoid	170	16.5	1.32	11.9	0.94	88	9.5	1.04	6.9	0.78
Anus, anal canal & anorectum	20	1.8	0.43	1.5	0.34	26	2.9	0.60	2.1	0.43
Liver	116	10.4	1.02	7.8	0.77	26	2.4	0.49	1.6	0.34
Gallbladder	-	-	-	-	-	6	0.6	0.27	0.4	0.18
Pancreas	126	14.3	1.32	8.1	0.75	92	10.1	1.07	5.5	0.63
Respiratory System	642	68.0	2.81	39.9	1.62	467	51.0	2.42	31.1	1.54
Larynx	58	5.4	0.75	3.7	0.50	13	1.3	0.36	0.9	0.25
Lung & bronchus	569	61.1	2.67	35.2	1.52	449	49.3	2.38	29.9	1.51
Bones & Joints	6	0.9	0.44	1.0	0.52	-	-	-	-	-
Soft Tissue (incl. heart)	43	4.8	0.80	4.2	0.82	17	2.1	0.57	1.6	0.51
Skin (excl. basal & sq.)	846	89.1	3.21	58.4	2.14	456	52.6	2.58	38.9	2.00
Melanomas of the skin	796	83.3	3.09	55.3	2.09	428	49.4	2.50	36.8	1.94
Breast (excl. <i>in situ</i>)	16	1.8	0.46	0.9	0.24	1,201	130.4	3.92	94.7	2.89
Female Genital System	-	-	-	-	-	441	48.7	2.43	35.7	1.84
Cervix uteri	-	-	-	-	-	62	8.5	1.11	6.6	0.89
Uterus Corpus	-	-	-	-	-	224	23.4	1.63	17.0	1.20
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	101	11.3	1.18	8.3	0.93
Male Genital System	1,353	135.8	3.87	92.9	2.65	-	-	-	-	-
Prostate	1,254	123.9	3.67	81.8	2.36	-	-	-	-	-
Testis	84	10.3	1.17	10.0	1.17	-	-	-	-	-
Penis	14	1.6	0.44	1.0	0.27	-	-	-	-	-
Urinary System	585	64.4	2.77	38.0	1.66	174	19.0	1.48	11.7	0.96
Bladder (incl. <i>in situ</i>)	378	43.4	2.31	23.5	1.26	92	10.1	1.08	5.5	0.62
Kidney & renal pelvis	192	19.3	1.46	13.6	1.06	78	8.4	0.99	6.1	0.73
Ureter	9	1.1	0.37	0.5	0.18	-	-	-	-	-
Eye & Orbit	14	1.3	0.36	0.9	0.25	8	1.1	0.42	1.2	0.52
Brain & Other Nervous System	74	8.5	1.10	8.0	1.23	49	5.8	0.90	4.9	0.93
Brain	69	7.9	1.06	7.3	1.15	47	5.4	0.85	4.4	0.82
Endocrine System	68	7.1	0.90	6.1	0.83	161	21.8	1.80	18.5	1.57
Thyroid gland	62	6.5	0.86	5.4	0.74	156	21.3	1.79	18.2	1.56
Lymphomas	272	27.9	1.79	19.8	1.34	153	17.6	1.50	12.9	1.23
Hodgkin Lymphoma	26	3.0	0.62	2.9	0.65	18	2.9	0.72	2.8	0.74
Non-Hodgkin Lymphoma	246	24.9	1.68	16.9	1.17	135	14.7	1.32	10.0	0.98
Multiple Myeloma	60	5.9	0.80	3.8	0.51	38	3.8	0.63	2.6	0.45
Leukemias	158	18.1	1.52	11.8	1.19	93	11.5	1.29	9.1	1.27
Acute lymphocytic	16	2.4	0.66	2.5	0.83	6	1.3	0.58	1.7	0.79
Chronic lymphocytic	79	8.5	1.00	5.0	0.57	35	3.8	0.66	2.3	0.42
Acute myeloid	29	3.3	0.65	2.1	0.49	27	3.6	0.75	2.8	0.68
Chronic myeloid	19	2.2	0.52	1.3	0.30	12	1.4	0.41	1.2	0.35
Other leukemias	15	1.7	0.45	0.9	0.26	13	1.4	0.41	1.2	0.47
Mesothelioma	10	1.2	0.39	0.6	0.20	-	-	-	-	-
Kaposi Sarcoma	10	1.2	0.38	0.9	0.29	-	-	-	-	-
Ill-defined & Unknown	148	15.7	1.35	9.7	0.89	138	15.1	1.32	8.3	0.77
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	72	8.0	0.99	5.7	0.77	97	11.2	1.18	7.9	0.93
Breast (<i>in situ</i>)	-	-	-	-	-	285	30.7	1.89	23.3	1.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	220	457.5	35.41	341.0	24.51	106	355.3	39.47	261.5	28.02
Oral Cavity & Pharynx	6	15.2	7.11	9.5	4.22	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	38	71.2	12.75	59.9	10.40	12	52.1	16.20	34.0	10.63
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	21.7	7.46	18.7	6.20	-	-	-	-	-
Rectum & rectosigmoid	6	9.0	3.79	8.0	3.51	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	12.2	4.34	10.3	3.74	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	9.7	3.99	8.6	3.67	-	-	-	-	-
Respiratory System	30	72.3	15.49	48.8	9.49	8	38.2	14.41	26.8	10.05
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	23	54.3	13.01	36.7	8.21	8	38.2	14.41	26.8	10.05
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	43	143.2	24.81	102.1	17.19
Female Genital System	-	-	-	-	-	8	27.3	11.11	20.3	7.94
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	90	187.4	21.97	142.9	15.86	-	-	-	-	-
Prostate	89	186.7	21.96	142.1	15.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	29.6	9.12	20.9	6.06	7	24.6	10.48	18.2	7.58
Bladder (incl. <i>in situ</i>)	7	16.8	6.86	11.8	4.66	-	-	-	-	-
Kidney & renal pelvis	6	12.9	6.01	9.1	3.87	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	10.9	5.39	7.7	3.63	14	26.9	8.08	23.8	6.99
Thyroid gland	-	-	-	-	-	13	25.9	8.01	22.0	6.76
Lymphomas	11	13.1	4.34	12.9	4.18	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	21.8	8.82	11.8	4.37	-	-	-	-	-
Leukemias	8	11.7	5.31	9.9	3.63	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	19.5	8.52	11.9	4.97	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	8	9.7	3.55	8.4	2.99	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	7	22.6	10.02	17.2	7.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

HAWAII

120 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	18,446	513.3	3.86	332.9	2.54	16,321	410.1	3.25	283.1	2.37
Oral Cavity & Pharynx	646	17.3	0.69	12.0	0.48	284	7.1	0.43	4.6	0.29
Lip	131	3.8	0.33	2.3	0.21	60	1.5	0.19	0.8	0.12
Tongue	177	4.6	0.35	3.4	0.26	71	1.8	0.22	1.2	0.15
Major salivary gland	57	1.6	0.22	1.0	0.14	51	1.3	0.19	0.9	0.14
Floor of mouth	32	0.8	0.15	0.6	0.11	16	0.4	0.10	0.3	0.08
Gum & other mouth	66	1.9	0.23	1.2	0.15	42	1.0	0.16	0.6	0.10
Nasopharynx	20	0.5	0.12	0.4	0.09	-	-	-	-	-
Oropharynx	16	0.4	0.10	0.3	0.08	-	-	-	-	-
Hypopharynx	17	0.5	0.11	0.3	0.08	8	0.2	0.07	0.1	0.05
Digestive System	3,037	84.7	1.57	54.1	1.01	2,465	60.9	1.24	38.0	0.83
Esophagus	292	7.9	0.47	5.3	0.32	56	1.3	0.18	0.9	0.13
Stomach	252	7.3	0.47	4.4	0.29	135	3.4	0.29	2.1	0.20
Small intestine	81	2.2	0.25	1.6	0.18	78	1.9	0.21	1.4	0.17
Colon excl. rectum	1,051	30.0	0.94	18.4	0.59	1,074	26.4	0.82	15.6	0.52
Rectum & rectosigmoid	485	13.3	0.61	8.8	0.41	335	8.4	0.46	5.7	0.33
Anus, anal canal & anorectum	45	1.2	0.19	0.8	0.12	100	2.6	0.26	1.9	0.20
Liver	235	6.0	0.40	4.4	0.29	89	2.2	0.23	1.5	0.17
Gallbladder	20	0.6	0.13	0.3	0.08	59	1.5	0.20	0.9	0.13
Pancreas	460	12.9	0.61	8.0	0.39	420	10.4	0.51	6.0	0.32
Respiratory System	2,336	67.1	1.42	39.4	0.84	1,994	49.5	1.12	31.2	0.75
Larynx	170	4.5	0.35	3.1	0.24	49	1.2	0.18	0.9	0.13
Lung & bronchus	2,128	61.5	1.36	35.6	0.80	1,904	47.2	1.09	29.6	0.72
Bones & Joints	58	1.5	0.20	1.4	0.19	40	1.0	0.17	1.0	0.16
Soft Tissue (incl. heart)	112	3.1	0.29	2.4	0.24	99	2.5	0.26	2.0	0.22
Skin (excl. basal & sq.)	1,105	30.6	0.94	20.9	0.65	732	19.0	0.71	14.5	0.56
Melanomas of the skin	1,051	29.0	0.91	19.9	0.63	697	18.0	0.69	13.9	0.55
Breast (excl. <i>in situ</i>)	59	1.7	0.23	1.0	0.14	4,758	119.5	1.76	85.2	1.29
Female Genital System	-	-	-	-	-	1,834	45.7	1.08	33.6	0.82
Cervix uteri	-	-	-	-	-	219	6.0	0.41	4.6	0.32
Uterus Corpus	-	-	-	-	-	927	22.7	0.75	17.0	0.58
Uterus, NOS ¹	-	-	-	-	-	33	0.8	0.15	0.6	0.12
Ovary	-	-	-	-	-	504	12.5	0.56	8.8	0.42
Male Genital System	5,905	159.6	2.12	108.0	1.44	-	-	-	-	-
Prostate	5,661	152.9	2.08	101.9	1.39	-	-	-	-	-
Testis	215	5.9	0.41	5.5	0.38	-	-	-	-	-
Penis	23	0.6	0.14	0.4	0.09	-	-	-	-	-
Urinary System	1,936	55.8	1.29	33.1	0.78	809	20.2	0.72	12.9	0.49
Bladder (incl. <i>in situ</i>)	1,226	36.1	1.05	20.1	0.60	362	8.9	0.48	5.1	0.29
Kidney & renal pelvis	643	17.7	0.71	11.9	0.49	427	10.7	0.52	7.5	0.39
Ureter	22	0.7	0.14	0.4	0.08	11	0.3	0.09	0.1	0.05
Eye & Orbit	45	1.1	0.17	0.9	0.14	42	1.0	0.16	0.8	0.14
Brain & Other Nervous System	307	8.2	0.47	6.7	0.40	221	5.8	0.39	4.6	0.33
Brain	296	7.9	0.47	6.4	0.39	202	5.3	0.38	4.1	0.31
Endocrine System	296	7.9	0.47	6.3	0.38	962	26.0	0.85	21.5	0.71
Thyroid gland	262	7.0	0.44	5.5	0.34	945	25.6	0.85	21.1	0.71
Lymphomas	869	24.2	0.84	16.4	0.58	802	20.2	0.72	13.6	0.52
Hodgkin Lymphoma	108	2.9	0.28	2.6	0.26	102	2.7	0.27	2.5	0.26
Non-Hodgkin Lymphoma	761	21.3	0.79	13.8	0.52	700	17.5	0.67	11.1	0.45
Multiple Myeloma	272	7.8	0.48	4.7	0.29	179	4.4	0.34	2.7	0.22
Leukemias	686	19.4	0.76	13.1	0.54	475	11.9	0.55	8.2	0.42
Acute lymphocytic	78	2.0	0.23	2.4	0.28	51	1.3	0.18	1.5	0.23
Chronic lymphocytic	288	8.0	0.48	5.0	0.30	191	4.7	0.35	2.8	0.22
Acute myeloid	150	4.4	0.36	2.8	0.24	111	2.8	0.27	1.9	0.20
Chronic myeloid	93	2.8	0.29	1.7	0.19	70	1.8	0.22	1.2	0.16
Other leukemias	77	2.3	0.27	1.2	0.15	52	1.3	0.18	0.8	0.12
Mesothelioma	59	1.8	0.24	0.9	0.13	17	0.4	0.10	0.3	0.07
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	244	6.9	0.45	4.8	0.32	498	12.7	0.58	9.0	0.43
Breast (<i>in situ</i>)	-	-	-	-	-	972	24.5	0.80	18.4	0.61

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17,847	508.7	3.88	330.4	2.56	15,872	410.1	3.30	283.2	2.41
Oral Cavity & Pharynx	622	17.0	0.70	11.8	0.49	275	7.1	0.43	4.6	0.30
Lip	122	3.6	0.33	2.2	0.20	53	1.3	0.19	0.7	0.11
Tongue	170	4.5	0.35	3.3	0.26	70	1.8	0.22	1.3	0.16
Major salivary gland	56	1.6	0.22	1.0	0.14	50	1.3	0.19	0.9	0.14
Floor of mouth	31	0.8	0.15	0.6	0.11	16	0.4	0.10	0.3	0.08
Gum & other mouth	65	1.9	0.24	1.2	0.15	42	1.1	0.17	0.6	0.10
Nasopharynx	17	0.5	0.11	0.3	0.08	-	-	-	-	-
Oropharynx	16	0.4	0.10	0.3	0.08	-	-	-	-	-
Hypopharynx	16	0.4	0.11	0.3	0.08	8	0.2	0.07	0.1	0.05
Digestive System	2,940	83.9	1.58	53.7	1.02	2,380	60.2	1.25	37.5	0.84
Esophagus	288	8.0	0.48	5.3	0.32	56	1.3	0.18	0.9	0.13
Stomach	235	7.0	0.46	4.2	0.28	126	3.2	0.29	2.0	0.19
Small intestine	79	2.2	0.25	1.6	0.18	76	1.9	0.22	1.4	0.17
Colon excl. rectum	1,015	29.6	0.95	18.2	0.59	1,046	26.3	0.83	15.6	0.53
Rectum & rectosigmoid	470	13.2	0.62	8.8	0.42	315	8.1	0.46	5.5	0.33
Anus, anal canal & anorectum	44	1.3	0.19	0.8	0.13	96	2.6	0.26	1.9	0.20
Liver	220	5.8	0.40	4.2	0.29	83	2.1	0.23	1.4	0.17
Gallbladder	19	0.6	0.13	0.3	0.08	53	1.4	0.19	0.8	0.12
Pancreas	455	13.0	0.62	8.2	0.39	415	10.5	0.52	6.1	0.33
Respiratory System	2,297	67.3	1.43	39.6	0.86	1,948	49.4	1.13	31.3	0.76
Larynx	168	4.6	0.36	3.1	0.25	49	1.3	0.19	0.9	0.13
Lung & bronchus	2,091	61.7	1.38	35.8	0.81	1,859	47.2	1.11	29.6	0.73
Bones & Joints	57	1.6	0.21	1.5	0.20	37	1.0	0.17	0.9	0.16
Soft Tissue (incl. heart)	107	3.0	0.30	2.3	0.24	96	2.5	0.26	2.0	0.22
Skin (excl. basal & sq.)	1,092	31.1	0.96	21.3	0.66	720	19.3	0.73	14.8	0.58
Melanomas of the skin	1,046	29.7	0.94	20.5	0.65	690	18.5	0.72	14.2	0.57
Breast (excl. <i>in situ</i>)	59	1.8	0.23	1.1	0.14	4,638	119.8	1.79	85.5	1.32
Female Genital System	-	-	-	-	-	1,770	45.5	1.10	33.4	0.83
Cervix uteri	-	-	-	-	-	210	6.0	0.42	4.6	0.33
Uterus Corpus	-	-	-	-	-	887	22.3	0.76	16.7	0.58
Uterus, NOS ¹	-	-	-	-	-	31	0.8	0.15	0.6	0.12
Ovary	-	-	-	-	-	493	12.6	0.57	8.9	0.43
Male Genital System	5,629	155.5	2.11	105.6	1.44	-	-	-	-	-
Prostate	5,391	148.7	2.07	99.4	1.38	-	-	-	-	-
Testis	210	6.0	0.42	5.6	0.39	-	-	-	-	-
Penis	22	0.6	0.14	0.4	0.09	-	-	-	-	-
Urinary System	1,883	55.5	1.30	32.9	0.79	792	20.2	0.73	12.9	0.50
Bladder (incl. <i>in situ</i>)	1,194	35.9	1.06	20.0	0.60	355	8.9	0.48	5.1	0.30
Kidney & renal pelvis	623	17.6	0.72	11.8	0.49	418	10.7	0.53	7.6	0.40
Ureter	22	0.7	0.14	0.4	0.08	11	0.3	0.09	0.1	0.05
Eye & Orbit	43	1.1	0.17	0.9	0.15	41	1.0	0.17	0.8	0.14
Brain & Other Nervous System	303	8.4	0.49	6.8	0.41	215	5.8	0.40	4.5	0.34
Brain	292	8.1	0.48	6.6	0.40	196	5.3	0.38	4.0	0.31
Endocrine System	291	8.1	0.48	6.5	0.39	934	26.3	0.88	21.8	0.73
Thyroid gland	258	7.2	0.45	5.6	0.36	917	25.9	0.87	21.3	0.73
Lymphomas	839	24.0	0.84	16.3	0.59	784	20.3	0.73	13.6	0.53
Hodgkin Lymphoma	105	2.9	0.29	2.7	0.27	96	2.7	0.27	2.4	0.26
Non-Hodgkin Lymphoma	734	21.1	0.79	13.7	0.53	688	17.6	0.68	11.2	0.46
Multiple Myeloma	260	7.6	0.48	4.5	0.29	174	4.4	0.34	2.7	0.22
Leukemias	666	19.4	0.77	13.2	0.55	465	12.0	0.56	8.3	0.43
Acute lymphocytic	76	2.0	0.23	2.4	0.29	49	1.3	0.19	1.6	0.24
Chronic lymphocytic	278	7.9	0.48	4.9	0.31	188	4.8	0.35	2.8	0.22
Acute myeloid	144	4.3	0.36	2.8	0.25	109	2.8	0.27	1.9	0.20
Chronic myeloid	92	2.8	0.30	1.8	0.20	68	1.8	0.23	1.2	0.16
Other leukemias	76	2.4	0.28	1.2	0.15	51	1.3	0.18	0.8	0.12
Mesothelioma	59	1.8	0.24	0.9	0.13	14	0.4	0.10	0.2	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	589	14.8	0.62	8.4	0.39
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	234	6.8	0.45	4.7	0.32	475	12.4	0.58	8.8	0.44
Breast (<i>in situ</i>)	-	-	-	-	-	929	24.1	0.80	18.2	0.62

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	53	379.9	63.87	271.1	40.39	23	205.9	47.99	143.5	32.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	62.1	29.98	30.1	12.90	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	54.6	24.66	38.1	15.39	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	54.6	24.66	38.1	15.39	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	9	86.3	31.99	51.6	18.59
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	21	154.1	39.18	117.9	27.07	-	-	-	-	-
Prostate	20	152.6	39.15	116.0	27.00	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	82	271.6	31.75	163.3	18.87	139	276.6	24.60	195.4	17.17
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	29	92.9	18.38	53.5	10.38	30	67.9	12.85	42.7	8.04
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	31.3	11.35	17.8	6.59	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	25.4	9.59	12.0	4.28	7	14.8	5.81	9.2	3.59
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	16.4	7.44	11.6	4.83	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	33.5	12.15	17.2	6.33	16	39.1	10.00	22.5	5.90
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	28.6	11.13	15.4	6.06	15	36.8	9.74	20.6	5.56
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	46	85.4	13.11	62.6	9.48
Female Genital System	-	-	-	-	-	16	29.1	7.61	21.1	5.40
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	9	16.4	5.58	13.2	4.48
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	17	52.5	13.37	38.7	9.74	-	-	-	-	-
Prostate	17	52.5	13.37	38.7	9.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	25.5	10.02	14.3	5.67	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	8	13.1	4.85	10.5	3.80
Thyroid gland	-	-	-	-	-	8	13.1	4.85	10.5	3.80
Lymphomas	7	21.0	8.51	12.4	4.97	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	16	31.8	8.22	21.2	5.46

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	81	413.8	53.55	249.7	28.12	105	428.5	45.69	287.8	28.36
Oral Cavity & Pharynx	6	35.1	16.97	19.4	8.08	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	87.3	27.87	43.8	11.98	26	114.0	24.22	71.8	14.25
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	44.5	20.97	19.8	8.25	11	50.8	16.60	31.7	9.64
Rectum & rectosigmoid	-	-	-	-	-	8	30.2	11.82	20.7	7.40
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	40.8	18.05	20.4	8.36	16	70.6	19.46	43.8	11.05
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	40.8	18.05	20.4	8.36	16	70.6	19.46	43.8	11.05
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	27	101.9	21.07	73.3	14.26
Female Genital System	-	-	-	-	-	7	27.1	11.40	19.1	7.27
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	25	116.9	26.61	76.8	15.51	-	-	-	-	-
Prostate	23	110.5	26.23	71.7	15.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	27.9	10.70	22.2	8.49	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	36.3	14.65	24.7	8.31	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	8	35.4	13.94	21.8	7.76
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	520	363.0	19.34	227.1	10.59	577	342.2	16.53	235.1	10.42
Oral Cavity & Pharynx	8	6.3	2.39	4.4	1.58	6	4.7	2.08	3.1	1.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	114	86.6	9.78	49.9	4.91	95	66.2	7.62	43.7	4.70
Esophagus	6	4.2	1.97	2.8	1.15	-	-	-	-	-
Stomach	10	8.6	3.44	4.2	1.42	12	9.3	2.93	6.4	1.91
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	26	21.6	5.06	11.1	2.28	30	18.9	3.91	12.8	2.49
Rectum & rectosigmoid	13	11.3	3.68	6.0	1.75	11	6.1	1.98	5.0	1.60
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	35	23.6	4.81	14.7	2.64	-	-	-	-	-
Gallbladder	-	-	-	-	-	6	4.0	1.85	2.1	0.89
Pancreas	14	12.0	3.69	6.9	1.92	21	18.4	4.41	10.7	2.39
Respiratory System	39	39.5	7.06	19.8	3.24	47	36.9	5.87	23.4	3.53
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	31	33.5	6.63	16.0	2.92	44	34.7	5.70	22.0	3.44
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	9	4.3	2.14	3.0	1.09	8	4.4	1.84	3.1	1.17
Skin (excl. basal & sq.)	15	12.4	3.93	6.1	1.69	14	5.0	1.40	4.4	1.26
Melanomas of the skin	14	12.3	3.93	5.9	1.68	13	4.7	1.37	4.2	1.24
Breast (excl. <i>in situ</i>)	-	-	-	-	-	137	80.2	7.82	56.6	5.11
Female Genital System	-	-	-	-	-	79	36.8	4.66	28.9	3.48
Cervix uteri	-	-	-	-	-	20	6.4	1.48	5.2	1.18
Uterus Corpus	-	-	-	-	-	38	19.3	3.47	15.3	2.63
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	6.5	2.07	5.0	1.49
Male Genital System	152	108.7	10.31	73.4	6.22	-	-	-	-	-
Prostate	135	105.5	10.28	70.0	6.17	-	-	-	-	-
Testis	17	3.2	0.80	3.4	0.83	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	58	47.1	7.19	27.6	3.78	25	18.2	4.24	10.8	2.30
Bladder (incl. <i>in situ</i>)	26	26.8	5.72	14.6	2.90	6	6.5	2.70	3.5	1.44
Kidney & renal pelvis	30	18.2	4.00	12.2	2.36	17	9.0	2.64	6.4	1.67
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	4.4	1.72	3.5	1.06	8	5.2	2.19	3.4	1.29
Brain	12	4.2	1.71	3.3	1.04	7	4.9	2.17	3.2	1.27
Endocrine System	13	5.0	1.85	3.7	1.14	61	24.0	3.45	19.0	2.57
Thyroid gland	7	2.2	0.84	1.8	0.68	58	23.0	3.40	18.3	2.54
Lymphomas	31	17.4	3.79	12.2	2.37	40	22.6	4.14	15.9	2.65
Hodgkin Lymphoma	-	-	-	-	-	6	1.7	0.78	1.9	0.81
Non-Hodgkin Lymphoma	-	-	-	-	-	34	20.9	4.06	14.0	2.52
Multiple Myeloma	10	5.7	1.93	4.5	1.46	12	8.7	2.81	5.8	1.75
Leukemias	37	13.8	3.19	11.0	1.99	19	11.1	3.30	6.8	1.70
Acute lymphocytic	14	3.3	1.22	3.7	1.10	7	2.2	1.27	1.8	0.70
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	7	2.6	1.53	1.8	0.76	-	-	-	-	-
Chronic myeloid	8	4.4	2.09	2.6	1.00	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	13	9.3	3.05	5.7	1.70	20	15.0	3.88	8.1	1.91
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	17	7.7	2.28	5.9	1.56	20	12.1	3.36	6.5	1.51
Breast (<i>in situ</i>)	-	-	-	-	-	35	19.1	3.52	14.3	2.51

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

IDAHO

126 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17,369	515.7	3.99	335.8	2.66	15,315	413.2	3.40	285.9	2.50
Oral Cavity & Pharynx	615	17.6	0.73	12.3	0.51	269	7.2	0.45	4.7	0.31
Lip	120	3.7	0.34	2.2	0.21	53	1.4	0.19	0.7	0.11
Tongue	169	4.7	0.37	3.4	0.27	68	1.9	0.23	1.3	0.16
Major salivary gland	55	1.7	0.23	1.0	0.15	50	1.4	0.20	1.0	0.15
Floor of mouth	30	0.8	0.15	0.6	0.11	15	0.4	0.11	0.3	0.08
Gum & other mouth	65	1.9	0.25	1.3	0.16	42	1.1	0.17	0.6	0.11
Nasopharynx	17	0.5	0.12	0.3	0.09	-	-	-	-	-
Oropharynx	16	0.4	0.11	0.3	0.08	-	-	-	-	-
Hypopharynx	14	0.4	0.11	0.3	0.08	8	0.2	0.07	0.1	0.05
Digestive System	2,830	83.9	1.61	53.8	1.05	2,285	59.9	1.27	37.2	0.85
Esophagus	282	8.2	0.50	5.5	0.34	55	1.3	0.18	0.9	0.13
Stomach	227	7.0	0.47	4.2	0.29	114	3.0	0.29	1.9	0.19
Small intestine	76	2.2	0.25	1.6	0.18	76	2.0	0.23	1.5	0.18
Colon excl. rectum	989	30.0	0.97	18.4	0.61	1,016	26.4	0.84	15.6	0.54
Rectum & rectosigmoid	458	13.3	0.64	9.0	0.43	304	8.1	0.47	5.5	0.34
Anus, anal canal & anorectum	43	1.3	0.20	0.8	0.13	92	2.6	0.27	1.9	0.21
Liver	186	5.0	0.38	3.7	0.28	79	2.1	0.23	1.4	0.18
Gallbladder	18	0.5	0.13	0.3	0.08	47	1.2	0.18	0.7	0.12
Pancreas	441	13.1	0.63	8.2	0.40	394	10.3	0.52	5.9	0.33
Respiratory System	2,264	68.5	1.47	40.5	0.88	1,904	49.8	1.16	31.6	0.78
Larynx	163	4.6	0.37	3.2	0.26	48	1.3	0.19	0.9	0.14
Lung & bronchus	2,066	62.9	1.41	36.6	0.84	1,818	47.5	1.13	29.9	0.75
Bones & Joints	53	1.6	0.22	1.5	0.22	34	1.0	0.17	0.9	0.17
Soft Tissue (incl. heart)	100	3.0	0.31	2.3	0.25	88	2.5	0.27	2.0	0.23
Skin (excl. basal & sq.)	1,077	32.3	1.00	22.2	0.71	706	20.2	0.78	15.5	0.62
Melanomas of the skin	1,032	30.9	0.98	21.4	0.69	677	19.3	0.76	14.9	0.61
Breast (excl. <i>in situ</i>)	58	1.8	0.24	1.1	0.15	4,504	121.6	1.84	86.8	1.36
Female Genital System	-	-	-	-	-	1,697	45.5	1.13	33.3	0.86
Cervix uteri	-	-	-	-	-	190	5.7	0.42	4.4	0.34
Uterus Corpus	-	-	-	-	-	853	22.4	0.78	16.7	0.60
Uterus, NOS ¹	-	-	-	-	-	30	0.8	0.16	0.6	0.12
Ovary	-	-	-	-	-	481	12.8	0.59	9.0	0.44
Male Genital System	5,495	157.7	2.17	107.2	1.49	-	-	-	-	-
Prostate	5,273	150.6	2.11	100.8	1.42	-	-	-	-	-
Testis	194	6.3	0.46	5.9	0.43	-	-	-	-	-
Penis	22	0.7	0.14	0.4	0.09	-	-	-	-	-
Urinary System	1,829	55.9	1.33	33.3	0.81	767	20.2	0.74	13.0	0.52
Bladder (incl. <i>in situ</i>)	1,170	36.3	1.08	20.3	0.62	349	9.0	0.49	5.2	0.31
Kidney & renal pelvis	595	17.6	0.74	11.8	0.50	401	10.7	0.54	7.5	0.41
Ureter	21	0.6	0.14	0.4	0.08	9	0.2	0.08	0.1	0.05
Eye & Orbit	42	1.1	0.18	0.9	0.15	40	1.1	0.17	0.8	0.15
Brain & Other Nervous System	290	8.6	0.52	7.1	0.44	207	6.0	0.42	4.7	0.37
Brain	280	8.3	0.51	6.9	0.43	189	5.4	0.40	4.2	0.34
Endocrine System	279	8.3	0.51	6.7	0.42	875	26.7	0.92	22.1	0.78
Thyroid gland	251	7.5	0.48	5.9	0.38	861	26.3	0.92	21.8	0.77
Lymphomas	811	24.4	0.87	16.7	0.62	748	20.3	0.75	13.6	0.55
Hodgkin Lymphoma	101	3.1	0.31	2.8	0.29	92	2.8	0.30	2.6	0.28
Non-Hodgkin Lymphoma	710	21.3	0.82	13.9	0.55	656	17.5	0.69	11.1	0.47
Multiple Myeloma	250	7.6	0.49	4.5	0.30	162	4.3	0.34	2.6	0.22
Leukemias	630	19.3	0.78	13.0	0.57	447	12.0	0.58	8.4	0.46
Acute lymphocytic	63	1.9	0.25	2.3	0.31	42	1.2	0.19	1.5	0.26
Chronic lymphocytic	273	8.0	0.50	5.0	0.31	185	4.8	0.36	2.9	0.23
Acute myeloid	137	4.3	0.37	2.7	0.25	105	2.8	0.28	2.0	0.22
Chronic myeloid	84	2.7	0.30	1.7	0.20	67	1.9	0.24	1.3	0.18
Other leukemias	73	2.3	0.28	1.2	0.15	48	1.2	0.18	0.7	0.13
Mesothelioma	58	1.9	0.25	1.0	0.13	13	0.3	0.09	0.2	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	569	14.7	0.63	8.3	0.39
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	218	6.7	0.47	4.7	0.34	455	12.5	0.60	8.9	0.46
Breast (<i>in situ</i>)	-	-	-	-	-	895	24.4	0.83	18.5	0.64

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	51	417.3	72.10	293.1	44.77	23	232.1	52.60	163.7	36.48
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	71.5	34.41	35.0	15.22	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	53.2	25.75	35.4	15.56	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	53.2	25.75	35.4	15.56	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	9	98.8	35.33	60.7	21.46
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	20	166.4	43.74	125.2	29.56	-	-	-	-	-
Prostate	19	164.5	43.70	122.9	29.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

IDAHO

128 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	164,318	566.6	1.42	371.5	0.95	158,981	440.3	1.12	305.0	0.83
Oral Cavity & Pharynx	5,267	16.9	0.24	12.3	0.17	2,348	6.5	0.14	4.6	0.10
Lip	276	1.0	0.06	0.6	0.04	103	0.3	0.03	0.2	0.02
Tongue	1,450	4.6	0.12	3.4	0.09	652	1.8	0.07	1.3	0.05
Major salivary gland	459	1.6	0.08	1.0	0.05	356	1.0	0.05	0.7	0.04
Floor of mouth	331	1.0	0.06	0.8	0.04	153	0.4	0.03	0.3	0.02
Gum & other mouth	651	2.1	0.09	1.5	0.06	508	1.4	0.06	0.9	0.04
Nasopharynx	254	0.8	0.05	0.6	0.04	117	0.3	0.03	0.3	0.03
Oropharynx	337	1.1	0.06	0.8	0.04	91	0.3	0.03	0.2	0.02
Hypopharynx	427	1.4	0.07	1.0	0.05	106	0.3	0.03	0.2	0.02
Digestive System	32,217	112.1	0.64	70.5	0.41	27,891	74.8	0.45	46.3	0.31
Esophagus	2,704	9.2	0.18	6.0	0.12	794	2.1	0.08	1.4	0.05
Stomach	2,940	10.3	0.19	6.4	0.12	1,954	5.3	0.12	3.3	0.08
Small intestine	825	2.8	0.10	1.8	0.07	791	2.2	0.08	1.5	0.06
Colon excl. rectum	11,503	41.0	0.39	24.6	0.24	12,263	32.7	0.30	19.4	0.20
Rectum & rectosigmoid	5,343	18.1	0.25	12.0	0.17	3,954	10.8	0.17	7.3	0.12
Anus, anal canal & anorectum	422	1.4	0.07	1.0	0.05	654	1.8	0.07	1.3	0.05
Liver	2,780	9.1	0.18	6.4	0.12	1,082	2.9	0.09	1.9	0.06
Gallbladder	258	0.9	0.06	0.5	0.04	631	1.7	0.07	1.0	0.05
Pancreas	4,241	14.9	0.23	9.2	0.15	4,283	11.4	0.18	6.8	0.12
Respiratory System	26,953	95.2	0.59	58.5	0.37	22,976	63.1	0.42	40.5	0.29
Larynx	2,231	7.3	0.16	5.1	0.11	574	1.6	0.07	1.1	0.05
Lung & bronchus	24,369	86.7	0.57	52.6	0.35	22,174	60.9	0.41	38.9	0.28
Bones & Joints	297	1.0	0.06	0.9	0.05	262	0.8	0.05	0.7	0.05
Soft Tissue (incl. heart)	1,121	3.8	0.12	2.8	0.09	1,006	2.9	0.09	2.3	0.08
Skin (excl. basal & sq.)	6,725	23.2	0.29	15.2	0.19	5,366	15.5	0.21	11.8	0.17
Melanomas of the skin	6,197	21.3	0.28	14.0	0.18	4,904	14.2	0.21	11.0	0.17
Breast (excl. <i>in situ</i>)	349	1.2	0.07	0.8	0.04	45,196	126.4	0.60	91.3	0.45
Female Genital System	-	-	-	-	-	19,096	53.2	0.39	39.3	0.30
Cervix uteri	-	-	-	-	-	2,873	8.6	0.16	6.7	0.13
Uterus Corpus	-	-	-	-	-	9,916	27.2	0.28	20.4	0.21
Uterus, NOS ¹	-	-	-	-	-	247	0.7	0.04	0.4	0.03
Ovary	-	-	-	-	-	4,561	12.7	0.19	9.0	0.14
Male Genital System	48,028	160.6	0.75	112.7	0.53	-	-	-	-	-
Prostate	45,970	153.9	0.73	106.8	0.51	-	-	-	-	-
Testis	1,744	5.6	0.13	5.2	0.13	-	-	-	-	-
Penis	255	0.9	0.06	0.5	0.03	-	-	-	-	-
Urinary System	17,953	63.8	0.48	38.7	0.30	8,457	23.0	0.25	14.9	0.18
Bladder (incl. <i>in situ</i>)	10,720	39.4	0.39	22.0	0.22	3,735	9.9	0.16	5.9	0.11
Kidney & renal pelvis	6,856	23.0	0.28	15.9	0.20	4,467	12.4	0.19	8.7	0.14
Ureter	252	0.9	0.06	0.5	0.03	185	0.5	0.04	0.3	0.02
Eye & Orbit	296	1.0	0.06	0.8	0.05	265	0.8	0.05	0.6	0.05
Brain & Other Nervous System	2,302	7.6	0.16	6.1	0.13	1,998	5.8	0.13	4.8	0.12
Brain	2,201	7.3	0.16	5.8	0.13	1,854	5.3	0.13	4.3	0.11
Endocrine System	2,185	7.1	0.15	5.6	0.12	6,453	19.4	0.24	16.0	0.21
Thyroid gland	1,931	6.3	0.14	4.9	0.11	6,209	18.7	0.24	15.3	0.20
Lymphomas	7,894	27.3	0.31	18.3	0.22	6,850	19.0	0.23	13.3	0.18
Hodgkin Lymphoma	1,015	3.3	0.11	2.9	0.09	868	2.7	0.09	2.5	0.09
Non-Hodgkin Lymphoma	6,879	24.0	0.29	15.5	0.19	5,982	16.4	0.21	10.8	0.15
Multiple Myeloma	2,119	7.5	0.16	4.6	0.10	1,797	4.8	0.12	3.1	0.08
Leukemias	4,738	16.8	0.25	11.4	0.18	3,550	9.8	0.17	7.0	0.14
Acute lymphocytic	582	1.9	0.08	2.3	0.10	407	1.3	0.06	1.6	0.09
Chronic lymphocytic	1,566	5.6	0.15	3.3	0.09	1,001	2.6	0.08	1.5	0.05
Acute myeloid	1,409	5.0	0.14	3.2	0.09	1,265	3.5	0.10	2.4	0.08
Chronic myeloid	607	2.2	0.09	1.4	0.06	468	1.3	0.06	0.9	0.05
Other leukemias	574	2.1	0.09	1.2	0.05	409	1.1	0.05	0.6	0.04
Mesothelioma	564	2.1	0.09	1.1	0.05	184	0.5	0.04	0.3	0.03
Kaposi Sarcoma	192	0.7	0.05	0.5	0.04	20	0.0	0.01	0.0	0.01
Ill-defined & Unknown	5,118	18.7	0.27	10.6	0.16	5,266	13.9	0.19	8.0	0.13
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	2,297	7.8	0.17	5.5	0.12	4,999	13.9	0.20	9.9	0.15
Breast (<i>in situ</i>)	27	0.1	0.02	0.1	0.01	11,627	33.0	0.31	25.0	0.24

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	136,126	555.7	1.53	362.8	1.03	132,542	444.2	1.24	307.9	0.93
Oral Cavity & Pharynx	4,349	16.7	0.26	12.1	0.19	1,920	6.4	0.15	4.5	0.11
Lip	256	1.1	0.07	0.6	0.04	96	0.3	0.03	0.2	0.02
Tongue	1,265	4.8	0.14	3.6	0.10	565	1.9	0.08	1.3	0.06
Major salivary gland	394	1.6	0.08	1.1	0.06	270	0.9	0.06	0.7	0.05
Floor of mouth	264	1.0	0.06	0.7	0.05	126	0.4	0.04	0.3	0.03
Gum & other mouth	503	2.0	0.09	1.4	0.06	428	1.4	0.07	0.9	0.05
Nasopharynx	165	0.6	0.05	0.5	0.04	66	0.2	0.03	0.2	0.02
Oropharynx	259	1.0	0.06	0.7	0.05	74	0.2	0.03	0.2	0.02
Hypopharynx	314	1.2	0.07	0.9	0.05	79	0.3	0.03	0.2	0.02
Digestive System	26,097	107.2	0.67	66.8	0.43	22,498	71.7	0.49	44.0	0.33
Esophagus	2,317	9.3	0.20	6.1	0.13	634	2.0	0.08	1.3	0.06
Stomach	2,179	9.0	0.20	5.6	0.12	1,405	4.6	0.12	2.8	0.08
Small intestine	650	2.6	0.10	1.7	0.07	590	2.0	0.08	1.3	0.06
Colon excl. rectum	9,344	39.2	0.41	23.2	0.25	10,008	31.5	0.32	18.4	0.21
Rectum & rectosigmoid	4,452	17.9	0.27	11.8	0.18	3,220	10.6	0.19	7.1	0.14
Anus, anal canal & anorectum	314	1.3	0.07	0.9	0.05	556	1.9	0.08	1.3	0.06
Liver	2,077	8.2	0.18	5.6	0.13	810	2.6	0.09	1.7	0.07
Gallbladder	200	0.9	0.06	0.5	0.04	518	1.6	0.07	1.0	0.05
Pancreas	3,539	14.6	0.25	9.0	0.16	3,489	11.0	0.19	6.5	0.12
Respiratory System	22,485	93.7	0.63	57.0	0.40	19,358	63.7	0.46	40.8	0.32
Larynx	1,784	7.0	0.17	4.8	0.12	466	1.6	0.07	1.1	0.06
Lung & bronchus	20,399	85.4	0.61	51.3	0.38	18,708	61.5	0.46	39.3	0.31
Bones & Joints	252	1.0	0.07	0.9	0.06	210	0.8	0.06	0.8	0.06
Soft Tissue (incl. heart)	940	3.9	0.13	2.8	0.10	786	2.8	0.10	2.3	0.09
Skin (excl. basal & sq.)	6,268	25.6	0.33	16.9	0.22	4,911	17.6	0.26	13.5	0.21
Melanomas of the skin	5,817	23.7	0.32	15.7	0.21	4,536	16.4	0.25	12.7	0.20
Breast (excl. <i>in situ</i>)	282	1.2	0.07	0.7	0.04	37,505	127.8	0.67	92.2	0.51
Female Genital System	-	-	-	-	-	15,792	53.7	0.43	39.7	0.34
Cervix uteri	-	-	-	-	-	2,053	7.7	0.17	6.0	0.14
Uterus Corpus	-	-	-	-	-	8,425	28.2	0.31	21.2	0.24
Uterus, NOS ¹	-	-	-	-	-	160	0.5	0.04	0.3	0.03
Ovary	-	-	-	-	-	3,878	13.1	0.21	9.3	0.16
Male Genital System	37,745	149.6	0.78	105.2	0.56	-	-	-	-	-
Prostate	35,870	142.0	0.76	98.5	0.53	-	-	-	-	-
Testis	1,613	6.5	0.16	6.1	0.16	-	-	-	-	-
Penis	214	0.9	0.06	0.5	0.04	-	-	-	-	-
Urinary System	15,861	66.2	0.53	40.1	0.33	7,185	23.4	0.28	15.2	0.20
Bladder (incl. <i>in situ</i>)	9,766	41.8	0.43	23.4	0.25	3,259	10.3	0.18	6.2	0.12
Kidney & renal pelvis	5,753	23.0	0.31	15.8	0.22	3,707	12.4	0.21	8.7	0.16
Ureter	234	1.0	0.07	0.6	0.04	170	0.5	0.04	0.3	0.03
Eye & Orbit	279	1.1	0.07	0.9	0.06	242	0.9	0.06	0.7	0.05
Brain & Other Nervous System	2,035	8.2	0.18	6.5	0.16	1,745	6.2	0.15	5.2	0.14
Brain	1,952	7.8	0.18	6.2	0.15	1,632	5.8	0.15	4.7	0.13
Endocrine System	1,902	7.5	0.17	5.9	0.14	5,501	20.9	0.29	17.2	0.24
Thyroid gland	1,714	6.7	0.16	5.2	0.13	5,318	20.2	0.28	16.6	0.24
Lymphomas	6,872	28.3	0.35	18.9	0.24	5,948	20.0	0.26	13.8	0.20
Hodgkin Lymphoma	823	3.3	0.12	2.9	0.10	721	2.8	0.11	2.6	0.10
Non-Hodgkin Lymphoma	6,049	25.0	0.33	16.1	0.22	5,227	17.1	0.24	11.2	0.17
Multiple Myeloma	1,622	6.7	0.17	4.1	0.11	1,308	4.2	0.12	2.6	0.08
Leukemias	4,102	17.3	0.27	11.8	0.21	3,036	10.0	0.19	7.2	0.16
Acute lymphocytic	495	2.0	0.09	2.5	0.12	336	1.4	0.08	1.7	0.10
Chronic lymphocytic	1,364	5.8	0.16	3.3	0.09	880	2.7	0.09	1.5	0.06
Acute myeloid	1,245	5.2	0.15	3.4	0.10	1,081	3.6	0.11	2.5	0.09
Chronic myeloid	502	2.1	0.10	1.3	0.06	392	1.3	0.07	0.9	0.05
Other leukemias	496	2.1	0.10	1.2	0.06	347	1.1	0.06	0.6	0.04
Mesothelioma	536	2.4	0.10	1.2	0.06	172	0.6	0.04	0.4	0.03
Kaposi Sarcoma	106	0.5	0.04	0.3	0.03	17	0.0	0.01	0.0	0.01
Ill-defined & Unknown	4,393	18.8	0.29	10.6	0.17	4,408	13.7	0.21	7.8	0.14
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,952	7.9	0.18	5.6	0.13	4,170	14.1	0.22	10.0	0.17
Breast (<i>in situ</i>)	22	0.1	0.02	0.1	0.01	9,509	33.2	0.34	25.2	0.27

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	22,144	654.9	4.64	445.1	3.04	20,903	435.3	3.04	302.0	2.17
Oral Cavity & Pharynx	694	18.4	0.73	13.7	0.53	323	6.5	0.36	4.9	0.28
Lip	7	0.2	0.09	0.1	0.05	-	-	-	-	-
Tongue	126	3.3	0.31	2.5	0.23	59	1.2	0.15	0.9	0.12
Major salivary gland	47	1.4	0.21	0.9	0.13	63	1.3	0.17	0.9	0.12
Floor of mouth	62	1.6	0.21	1.2	0.16	25	0.5	0.10	0.4	0.07
Gum & other mouth	103	2.8	0.29	2.0	0.20	64	1.3	0.16	0.9	0.12
Nasopharynx	45	1.2	0.19	0.9	0.13	27	0.5	0.10	0.4	0.09
Oropharynx	68	1.7	0.22	1.4	0.17	15	0.3	0.08	0.2	0.06
Hypopharynx	106	2.8	0.28	2.1	0.21	27	0.5	0.10	0.4	0.08
Digestive System	4,865	147.3	2.23	95.9	1.40	4,489	95.3	1.44	61.2	0.95
Esophagus	335	9.7	0.56	6.7	0.37	144	2.9	0.25	2.0	0.18
Stomach	585	18.4	0.81	11.4	0.48	425	9.1	0.45	5.7	0.29
Small intestine	142	4.2	0.37	2.7	0.23	172	3.6	0.28	2.4	0.19
Colon excl. rectum	1,802	56.5	1.41	35.7	0.86	1,947	41.6	0.95	26.2	0.62
Rectum & rectosigmoid	642	18.6	0.77	12.7	0.51	549	11.3	0.49	7.8	0.34
Anus, anal canal & anorectum	99	2.8	0.30	1.9	0.19	90	1.8	0.19	1.3	0.14
Liver	510	13.5	0.62	10.2	0.46	196	4.1	0.29	2.7	0.20
Gallbladder	45	1.5	0.23	0.9	0.13	97	2.0	0.21	1.4	0.14
Pancreas	590	18.5	0.81	11.5	0.48	706	15.4	0.59	9.3	0.37
Respiratory System	3,915	118.8	2.00	78.3	1.27	3,220	68.1	1.21	44.9	0.82
Larynx	413	11.2	0.57	8.4	0.42	93	1.8	0.19	1.4	0.15
Lung & bronchus	3,465	106.6	1.91	69.2	1.20	3,091	65.5	1.19	43.0	0.80
Bones & Joints	33	0.7	0.12	0.7	0.12	38	0.7	0.12	0.7	0.11
Soft Tissue (incl. heart)	133	3.5	0.32	2.7	0.24	174	3.5	0.27	2.9	0.22
Skin (excl. basal & sq.)	80	2.3	0.27	1.6	0.18	105	2.1	0.21	1.6	0.16
Melanomas of the skin	30	1.0	0.19	0.6	0.10	39	0.8	0.13	0.5	0.09
Breast (excl. <i>in situ</i>)	58	1.7	0.23	1.2	0.15	6,035	123.4	1.60	89.8	1.18
Female Genital System	-	-	-	-	-	2,509	51.4	1.04	37.7	0.77
Cervix uteri	-	-	-	-	-	669	13.5	0.53	10.5	0.41
Uterus Corpus	-	-	-	-	-	1,109	22.8	0.69	16.5	0.51
Uterus, NOS ¹	-	-	-	-	-	77	1.6	0.19	1.1	0.13
Ovary	-	-	-	-	-	488	10.1	0.46	7.1	0.33
Male Genital System	8,126	237.0	2.75	166.4	1.87	-	-	-	-	-
Prostate	8,030	234.5	2.74	164.5	1.86	-	-	-	-	-
Testis	58	1.4	0.18	1.2	0.16	-	-	-	-	-
Penis	32	0.9	0.17	0.6	0.11	-	-	-	-	-
Urinary System	1,584	48.0	1.27	31.5	0.81	1,052	22.3	0.70	14.7	0.47
Bladder (incl. <i>in situ</i>)	641	21.4	0.89	12.5	0.50	365	8.1	0.43	4.6	0.25
Kidney & renal pelvis	915	25.6	0.89	18.5	0.62	656	13.5	0.53	9.8	0.39
Ureter	13	0.5	0.13	0.2	0.07	10	0.2	0.08	0.1	0.04
Eye & Orbit	9	0.2	0.07	0.2	0.08	11	0.2	0.06	0.3	0.08
Brain & Other Nervous System	178	4.5	0.35	3.7	0.28	184	3.7	0.28	3.1	0.24
Brain	164	4.1	0.34	3.4	0.27	166	3.3	0.26	2.7	0.22
Endocrine System	154	3.9	0.33	3.2	0.26	559	11.1	0.48	9.0	0.39
Thyroid gland	106	2.8	0.29	2.2	0.21	513	10.2	0.46	8.1	0.36
Lymphomas	717	19.4	0.77	14.2	0.54	645	13.3	0.53	9.9	0.41
Hodgkin Lymphoma	141	3.3	0.28	2.9	0.25	109	2.1	0.20	2.0	0.19
Non-Hodgkin Lymphoma	576	16.2	0.71	11.3	0.48	536	11.2	0.49	7.9	0.36
Multiple Myeloma	437	13.3	0.67	8.7	0.42	433	9.3	0.45	5.9	0.30
Leukemias	468	13.9	0.68	9.5	0.45	381	8.1	0.42	5.6	0.31
Acute lymphocytic	51	1.0	0.15	1.2	0.18	43	0.8	0.13	1.0	0.16
Chronic lymphocytic	158	4.9	0.41	3.2	0.26	100	2.2	0.22	1.3	0.13
Acute myeloid	123	3.8	0.36	2.4	0.22	139	3.0	0.25	2.0	0.18
Chronic myeloid	75	2.1	0.26	1.5	0.17	51	1.0	0.15	0.8	0.11
Other leukemias	61	2.0	0.27	1.2	0.15	48	1.0	0.15	0.6	0.10
Mesothelioma	22	0.7	0.16	0.5	0.10	7	0.2	0.06	0.1	0.04
Kaposi Sarcoma	70	1.8	0.23	1.4	0.17	-	-	-	-	-
Ill-defined & Unknown	601	19.6	0.85	11.7	0.49	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	255	7.0	0.46	5.1	0.33	616	12.8	0.52	9.0	0.37
Breast (<i>in situ</i>)	-	-	-	-	-	1,601	32.2	0.81	24.2	0.62

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	3,130	304.8	6.08	195.3	3.53	3,573	264.2	4.64	185.5	3.16
Oral Cavity & Pharynx	159	13.7	1.19	9.6	0.77	71	5.1	0.63	3.8	0.45
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	43	3.9	0.65	2.5	0.39	18	1.3	0.31	1.0	0.23
Major salivary gland	13	1.3	0.39	0.8	0.21	11	0.8	0.26	0.6	0.18
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	35	2.9	0.53	2.1	0.36	11	0.9	0.27	0.6	0.18
Nasopharynx	41	3.1	0.51	2.4	0.39	23	1.5	0.33	1.2	0.26
Oropharynx	7	0.8	0.35	0.4	0.17	-	-	-	-	-
Hypopharynx	6	0.6	0.30	0.4	0.16	-	-	-	-	-
Digestive System	930	93.3	3.42	57.3	1.89	674	54.9	2.23	34.0	1.33
Esophagus	40	3.9	0.68	2.4	0.39	11	0.9	0.28	0.6	0.17
Stomach	134	14.1	1.39	8.3	0.73	101	8.8	0.92	4.9	0.50
Small intestine	21	1.9	0.47	1.3	0.28	20	1.5	0.35	1.0	0.23
Colon excl. rectum	237	25.0	1.82	14.7	0.96	208	16.8	1.23	10.5	0.74
Rectum & rectosigmoid	177	16.9	1.41	10.8	0.82	139	10.8	0.97	7.0	0.60
Anus, anal canal & anorectum	-	-	-	-	-	7	0.5	0.18	0.4	0.15
Liver	160	15.1	1.33	10.0	0.80	62	4.9	0.66	3.2	0.42
Gallbladder	9	0.9	0.32	0.6	0.19	12	1.0	0.30	0.6	0.18
Pancreas	94	9.7	1.13	5.6	0.59	71	6.3	0.78	3.5	0.42
Respiratory System	423	47.5	2.57	26.6	1.30	281	23.5	1.47	14.4	0.87
Larynx	16	1.4	0.37	1.0	0.25	-	-	-	-	-
Lung & bronchus	396	45.2	2.53	25.0	1.26	272	22.8	1.45	13.9	0.86
Bones & Joints	9	0.7	0.26	0.7	0.23	7	0.5	0.20	0.4	0.18
Soft Tissue (incl. heart)	32	2.6	0.52	2.0	0.36	25	2.0	0.43	1.3	0.27
Skin (excl. basal & sq.)	26	2.0	0.42	1.5	0.29	17	1.1	0.28	0.9	0.23
Melanomas of the skin	16	1.3	0.35	0.9	0.22	10	0.6	0.21	0.5	0.17
Breast (excl. <i>in situ</i>)	6	0.7	0.34	0.4	0.15	1,250	85.8	2.51	64.8	1.85
Female Genital System	-	-	-	-	-	474	33.5	1.60	24.7	1.15
Cervix uteri	-	-	-	-	-	70	4.8	0.60	3.5	0.43
Uterus Corpus	-	-	-	-	-	233	16.3	1.11	12.1	0.80
Uterus, NOS ¹	-	-	-	-	-	8	0.6	0.23	0.4	0.16
Ovary	-	-	-	-	-	135	9.6	0.85	7.2	0.63
Male Genital System	784	71.5	2.79	49.7	1.79	-	-	-	-	-
Prostate	755	69.8	2.77	48.1	1.76	-	-	-	-	-
Testis	24	1.3	0.27	1.3	0.29	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	226	23.3	1.74	13.9	0.93	95	8.0	0.86	5.0	0.53
Bladder (incl. <i>in situ</i>)	112	13.0	1.37	7.0	0.67	38	3.4	0.58	1.9	0.31
Kidney & renal pelvis	108	9.8	1.03	6.6	0.63	53	4.3	0.62	2.9	0.42
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	63	4.9	0.67	4.0	0.51	45	3.4	0.53	2.6	0.40
Brain	62	4.9	0.67	3.9	0.51	39	2.9	0.49	2.3	0.38
Endocrine System	87	6.2	0.69	5.3	0.58	280	17.5	1.08	14.6	0.90
Thyroid gland	75	5.2	0.63	4.4	0.52	270	16.8	1.06	13.9	0.86
Lymphomas	160	15.1	1.35	9.9	0.80	138	10.2	0.91	7.3	0.64
Hodgkin Lymphoma	26	1.7	0.33	1.6	0.33	15	0.9	0.26	0.9	0.24
Non-Hodgkin Lymphoma	134	13.4	1.31	8.3	0.73	123	9.2	0.88	6.4	0.60
Multiple Myeloma	40	4.2	0.72	2.5	0.40	35	2.8	0.50	1.8	0.31
Leukemias	88	8.5	1.03	6.0	0.66	84	6.6	0.75	5.0	0.59
Acute lymphocytic	19	1.3	0.29	1.7	0.40	20	1.3	0.30	1.7	0.40
Chronic lymphocytic	14	1.9	0.56	0.9	0.24	7	0.7	0.27	0.3	0.13
Acute myeloid	32	3.5	0.68	2.0	0.36	35	2.8	0.51	1.8	0.31
Chronic myeloid	13	1.1	0.33	0.8	0.21	12	0.9	0.27	0.6	0.17
Other leukemias	10	0.9	0.31	0.6	0.19	10	0.8	0.27	0.6	0.20
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	88	9.8	1.18	5.4	0.58	90	8.8	0.97	4.2	0.46
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	55	4.9	0.75	3.4	0.46	128	9.6	0.88	6.9	0.62
Breast (<i>in situ</i>)	-	-	-	-	-	392	26.7	1.38	20.7	1.05

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,307	415.3	5.36	264.8	3.07	8,560	334.5	4.02	230.7	2.60
Oral Cavity & Pharynx	248	10.4	0.76	7.4	0.50	101	4.0	0.45	2.6	0.27
Lip	15	0.6	0.18	0.4	0.11	-	-	-	-	-
Tongue	54	2.3	0.35	1.6	0.23	32	1.3	0.26	0.9	0.17
Major salivary gland	28	1.1	0.24	0.8	0.16	20	0.6	0.16	0.5	0.11
Floor of mouth	11	0.5	0.16	0.4	0.11	-	-	-	-	-
Gum & other mouth	41	1.9	0.35	1.2	0.20	27	1.0	0.23	0.7	0.14
Nasopharynx	18	0.9	0.25	0.5	0.14	7	0.2	0.07	0.1	0.05
Oropharynx	16	0.6	0.18	0.5	0.13	-	-	-	-	-
Hypopharynx	18	0.8	0.20	0.6	0.15	-	-	-	-	-
Digestive System	1,904	100.0	2.67	61.6	1.48	1,513	71.2	1.99	44.1	1.17
Esophagus	93	4.8	0.56	3.1	0.33	31	1.7	0.32	0.9	0.17
Stomach	284	15.5	1.07	9.3	0.58	222	9.6	0.71	6.2	0.43
Small intestine	44	2.1	0.37	1.4	0.22	45	2.2	0.35	1.3	0.20
Colon excl. rectum	493	27.1	1.42	16.3	0.77	475	22.4	1.12	13.8	0.65
Rectum & rectosigmoid	305	14.1	0.95	9.3	0.56	215	8.8	0.66	5.9	0.42
Anus, anal canal & anorectum	18	0.7	0.20	0.5	0.12	42	2.0	0.33	1.2	0.19
Liver	331	16.2	1.02	10.6	0.61	95	4.9	0.53	3.0	0.31
Gallbladder	26	1.3	0.29	0.8	0.17	70	3.3	0.43	2.1	0.26
Pancreas	223	13.0	1.00	7.4	0.52	216	11.3	0.82	6.5	0.45
Respiratory System	772	47.2	1.90	27.3	1.02	592	29.3	1.29	17.8	0.75
Larynx	95	4.9	0.55	3.3	0.35	16	0.7	0.18	0.5	0.12
Lung & bronchus	644	41.2	1.81	23.3	0.95	568	28.4	1.27	17.1	0.74
Bones & Joints	33	0.8	0.18	0.7	0.14	26	0.6	0.15	0.6	0.12
Soft Tissue (incl. heart)	99	3.7	0.49	2.5	0.27	94	3.1	0.37	2.3	0.24
Skin (excl. basal & sq.)	118	5.4	0.61	3.4	0.33	137	4.3	0.41	3.3	0.30
Melanomas of the skin	87	4.3	0.55	2.6	0.30	113	3.5	0.37	2.8	0.27
Breast (excl. <i>in situ</i>)	8	0.2	0.10	0.2	0.08	2,362	87.2	1.94	64.0	1.37
Female Genital System	-	-	-	-	-	1,339	47.2	1.42	34.9	1.00
Cervix uteri	-	-	-	-	-	382	12.4	0.70	9.1	0.49
Uterus Corpus	-	-	-	-	-	577	20.6	0.93	15.7	0.68
Uterus, NOS ¹	-	-	-	-	-	16	0.7	0.17	0.5	0.13
Ovary	-	-	-	-	-	291	10.5	0.69	7.4	0.45
Male Genital System	2,614	136.6	3.04	90.1	1.84	-	-	-	-	-
Prostate	2,329	130.9	3.02	85.0	1.81	-	-	-	-	-
Testis	254	4.4	0.29	4.3	0.28	-	-	-	-	-
Penis	27	1.2	0.29	0.7	0.15	-	-	-	-	-
Urinary System	755	39.4	1.69	24.0	0.92	436	18.9	1.00	12.4	0.61
Bladder (incl. <i>in situ</i>)	277	18.5	1.26	9.8	0.61	122	6.2	0.61	3.5	0.33
Kidney & renal pelvis	469	20.5	1.11	13.9	0.68	307	12.2	0.76	8.6	0.51
Ureter	7	0.3	0.13	0.2	0.08	-	-	-	-	-
Eye & Orbit	26	0.8	0.22	0.7	0.14	14	0.4	0.15	0.3	0.10
Brain & Other Nervous System	200	6.7	0.60	4.9	0.37	157	4.8	0.45	3.9	0.32
Brain	187	6.4	0.60	4.7	0.37	137	4.2	0.42	3.4	0.30
Endocrine System	161	4.9	0.47	3.8	0.32	681	18.6	0.78	15.2	0.61
Thyroid gland	138	4.4	0.45	3.3	0.30	658	17.9	0.76	14.5	0.59
Lymphomas	585	24.6	1.27	16.1	0.72	479	18.9	0.97	12.7	0.61
Hodgkin Lymphoma	117	3.4	0.40	2.6	0.26	93	2.4	0.29	2.1	0.23
Non-Hodgkin Lymphoma	468	21.2	1.20	13.5	0.67	386	16.5	0.93	10.6	0.56
Multiple Myeloma	145	7.4	0.72	4.7	0.41	103	4.8	0.51	3.1	0.31
Leukemias	382	13.0	0.90	9.6	0.53	286	9.1	0.64	6.9	0.42
Acute lymphocytic	170	3.0	0.26	3.5	0.28	109	2.2	0.24	2.4	0.23
Chronic lymphocytic	37	2.5	0.45	1.3	0.22	21	1.2	0.28	0.6	0.13
Acute myeloid	96	4.0	0.51	2.6	0.29	95	3.5	0.42	2.3	0.25
Chronic myeloid	46	1.9	0.36	1.2	0.19	42	1.5	0.25	1.1	0.18
Other leukemias	33	1.7	0.37	1.0	0.18	19	0.7	0.19	0.5	0.11
Mesothelioma	23	1.3	0.31	0.8	0.17	14	0.5	0.15	0.4	0.11
Kaposi Sarcoma	30	1.1	0.24	0.7	0.14	-	-	-	-	-
Ill-defined & Unknown	204	11.6	0.96	6.4	0.48	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	156	6.0	0.61	4.0	0.34	306	11.2	0.72	8.0	0.48
Breast (<i>in situ</i>)	-	-	-	-	-	600	21.3	0.92	16.4	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ILLINOIS

134 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	128,248	568.7	1.61	372.9	1.10	124,430	454.7	1.32	316.1	1.01
Oral Cavity & Pharynx	4,110	17.4	0.27	12.7	0.20	1,825	6.6	0.16	4.6	0.12
Lip	242	1.1	0.07	0.6	0.04	91	0.3	0.03	0.2	0.02
Tongue	1,212	5.1	0.15	3.8	0.11	536	2.0	0.09	1.4	0.07
Major salivary gland	367	1.7	0.09	1.1	0.06	252	1.0	0.06	0.7	0.05
Floor of mouth	253	1.0	0.07	0.8	0.05	124	0.4	0.04	0.3	0.03
Gum & other mouth	463	2.0	0.09	1.4	0.07	402	1.4	0.07	0.9	0.05
Nasopharynx	148	0.6	0.05	0.5	0.04	59	0.2	0.03	0.2	0.02
Oropharynx	244	1.0	0.06	0.8	0.05	74	0.3	0.03	0.2	0.02
Hypopharynx	297	1.2	0.07	0.9	0.05	76	0.3	0.03	0.2	0.02
Digestive System	24,271	107.8	0.70	67.3	0.45	21,054	71.7	0.51	44.0	0.35
Esophagus	2,227	9.7	0.21	6.3	0.14	604	2.1	0.09	1.3	0.06
Stomach	1,909	8.6	0.20	5.2	0.13	1,198	4.1	0.12	2.5	0.08
Small intestine	606	2.7	0.11	1.7	0.07	547	2.0	0.09	1.3	0.06
Colon excl. rectum	8,871	40.1	0.43	23.8	0.27	9,554	32.1	0.34	18.8	0.22
Rectum & rectosigmoid	4,164	18.2	0.29	12.0	0.19	3,017	10.7	0.20	7.2	0.15
Anus, anal canal & anorectum	297	1.3	0.08	0.9	0.06	515	1.9	0.08	1.4	0.06
Liver	1,759	7.5	0.18	5.1	0.13	721	2.5	0.10	1.6	0.07
Gallbladder	176	0.8	0.06	0.5	0.04	453	1.5	0.07	0.9	0.05
Pancreas	3,321	14.7	0.26	9.1	0.17	3,279	10.9	0.20	6.5	0.13
Respiratory System	21,747	97.2	0.67	59.5	0.42	18,798	66.2	0.49	42.7	0.34
Larynx	1,694	7.2	0.18	5.0	0.13	452	1.6	0.08	1.2	0.06
Lung & bronchus	19,784	88.7	0.64	53.6	0.40	18,170	64.0	0.48	41.0	0.33
Bones & Joints	219	1.1	0.07	0.9	0.07	184	0.8	0.06	0.8	0.07
Soft Tissue (incl. heart)	846	3.9	0.14	2.9	0.11	696	2.8	0.11	2.3	0.11
Skin (excl. basal & sq.)	6,162	27.7	0.36	18.5	0.25	4,780	19.5	0.29	15.1	0.24
Melanomas of the skin	5,738	25.8	0.35	17.3	0.24	4,429	18.3	0.28	14.3	0.24
Breast (excl. <i>in situ</i>)	275	1.2	0.08	0.8	0.05	35,272	131.6	0.72	95.1	0.54
Female Genital System	-	-	-	-	-	14,537	54.0	0.46	40.0	0.36
Cervix uteri	-	-	-	-	-	1,704	7.3	0.18	5.8	0.15
Uterus Corpus	-	-	-	-	-	7,876	28.6	0.33	21.6	0.26
Uterus, NOS ¹	-	-	-	-	-	146	0.5	0.04	0.3	0.03
Ovary	-	-	-	-	-	3,606	13.2	0.23	9.4	0.17
Male Genital System	35,311	151.8	0.82	107.3	0.59	-	-	-	-	-
Prostate	33,707	143.7	0.79	100.1	0.56	-	-	-	-	-
Testis	1,372	7.0	0.19	6.6	0.18	-	-	-	-	-
Penis	188	0.9	0.06	0.5	0.04	-	-	-	-	-
Urinary System	15,138	68.2	0.56	41.4	0.36	6,772	23.8	0.30	15.5	0.22
Bladder (incl. <i>in situ</i>)	9,506	43.4	0.45	24.5	0.27	3,143	10.6	0.19	6.4	0.13
Kidney & renal pelvis	5,299	23.2	0.32	16.0	0.23	3,417	12.5	0.22	8.7	0.17
Ureter	227	1.0	0.07	0.6	0.04	165	0.6	0.04	0.3	0.03
Eye & Orbit	253	1.1	0.07	0.9	0.06	229	0.9	0.06	0.7	0.06
Brain & Other Nervous System	1,841	8.5	0.20	6.9	0.18	1,596	6.5	0.17	5.4	0.16
Brain	1,770	8.1	0.20	6.5	0.17	1,500	6.0	0.16	4.9	0.15
Endocrine System	1,750	7.9	0.19	6.3	0.16	4,856	21.4	0.32	17.7	0.27
Thyroid gland	1,584	7.1	0.18	5.5	0.14	4,693	20.7	0.31	17.1	0.27
Lymphomas	6,312	28.8	0.37	19.4	0.26	5,489	20.2	0.28	14.1	0.22
Hodgkin Lymphoma	714	3.5	0.13	3.0	0.12	635	3.0	0.12	2.8	0.12
Non-Hodgkin Lymphoma	5,598	25.3	0.34	16.4	0.23	4,854	17.2	0.25	11.3	0.19
Multiple Myeloma	1,482	6.6	0.17	4.0	0.11	1,210	4.1	0.12	2.6	0.08
Leukemias	3,742	17.4	0.29	11.9	0.23	2,765	10.0	0.20	7.1	0.18
Acute lymphocytic	338	1.8	0.10	2.3	0.14	232	1.2	0.08	1.5	0.12
Chronic lymphocytic	1,330	6.0	0.17	3.5	0.10	860	2.8	0.10	1.6	0.06
Acute myeloid	1,151	5.3	0.16	3.4	0.11	990	3.6	0.12	2.5	0.10
Chronic myeloid	458	2.1	0.10	1.4	0.07	353	1.3	0.07	0.9	0.05
Other leukemias	465	2.2	0.10	1.3	0.06	330	1.1	0.06	0.6	0.04
Mesothelioma	513	2.4	0.11	1.2	0.06	158	0.6	0.05	0.3	0.03
Kaposi Sarcoma	79	0.4	0.04	0.3	0.03	13	0.0	0.01	0.0	0.00
Ill-defined & Unknown	4,197	19.3	0.30	10.9	0.18	4,196	13.9	0.22	8.0	0.15
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,804	8.2	0.20	5.9	0.15	3,877	14.4	0.24	10.3	0.19
Breast (<i>in situ</i>)	20	0.1	0.02	0.1	0.01	8,939	34.5	0.37	26.2	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	22,051	661.8	4.69	450.4	3.08	20,758	438.9	3.08	304.9	2.20
Oral Cavity & Pharynx	691	18.6	0.74	13.9	0.54	320	6.5	0.37	5.0	0.28
Lip	7	0.2	0.09	0.1	0.05	-	-	-	-	-
Tongue	126	3.4	0.31	2.6	0.23	57	1.2	0.15	0.9	0.12
Major salivary gland	47	1.4	0.22	0.9	0.14	63	1.3	0.17	1.0	0.13
Floor of mouth	62	1.6	0.21	1.2	0.16	25	0.5	0.10	0.4	0.08
Gum & other mouth	103	2.8	0.30	2.1	0.21	63	1.3	0.16	0.9	0.12
Nasopharynx	45	1.2	0.19	0.9	0.14	27	0.5	0.10	0.4	0.09
Oropharynx	67	1.7	0.22	1.4	0.17	15	0.3	0.08	0.2	0.06
Hypopharynx	105	2.8	0.29	2.1	0.21	27	0.5	0.11	0.4	0.08
Digestive System	4,843	148.6	2.25	97.0	1.42	4,457	95.9	1.45	61.6	0.96
Esophagus	334	9.8	0.56	6.7	0.38	144	3.0	0.25	2.1	0.18
Stomach	582	18.6	0.82	11.5	0.49	419	9.1	0.45	5.7	0.29
Small intestine	142	4.3	0.38	2.8	0.24	171	3.6	0.28	2.4	0.19
Colon excl. rectum	1,791	56.9	1.42	36.1	0.87	1,937	41.9	0.96	26.4	0.63
Rectum & rectosigmoid	640	18.8	0.78	12.8	0.52	543	11.3	0.49	7.8	0.35
Anus, anal canal & anorectum	99	2.8	0.30	1.9	0.20	89	1.8	0.19	1.3	0.14
Liver	508	13.7	0.63	10.3	0.46	193	4.1	0.30	2.7	0.20
Gallbladder	45	1.5	0.24	0.9	0.14	96	2.0	0.21	1.4	0.14
Pancreas	588	18.7	0.81	11.6	0.49	702	15.5	0.59	9.3	0.37
Respiratory System	3,899	120.0	2.02	79.2	1.29	3,206	68.7	1.23	45.3	0.83
Larynx	411	11.3	0.58	8.5	0.42	93	1.9	0.20	1.4	0.15
Lung & bronchus	3,451	107.7	1.93	69.9	1.21	3,077	66.1	1.20	43.4	0.81
Bones & Joints	33	0.7	0.13	0.7	0.13	38	0.8	0.12	0.7	0.11
Soft Tissue (incl. heart)	131	3.5	0.33	2.7	0.24	173	3.6	0.27	2.9	0.23
Skin (excl. basal & sq.)	78	2.3	0.27	1.6	0.18	105	2.2	0.22	1.6	0.17
Melanomas of the skin	29	1.0	0.19	0.5	0.10	39	0.8	0.13	0.5	0.09
Breast (excl. <i>in situ</i>)	58	1.7	0.23	1.2	0.16	5,991	124.5	1.62	90.7	1.20
Female Genital System	-	-	-	-	-	2,492	51.9	1.05	38.1	0.79
Cervix uteri	-	-	-	-	-	663	13.7	0.54	10.7	0.42
Uterus Corpus	-	-	-	-	-	1,101	22.9	0.70	16.7	0.52
Uterus, NOS ¹	-	-	-	-	-	76	1.6	0.19	1.1	0.13
Ovary	-	-	-	-	-	486	10.2	0.47	7.2	0.34
Male Genital System	8,099	239.5	2.78	168.3	1.90	-	-	-	-	-
Prostate	8,005	237.1	2.77	166.4	1.89	-	-	-	-	-
Testis	56	1.3	0.18	1.2	0.16	-	-	-	-	-
Penis	32	0.9	0.17	0.6	0.11	-	-	-	-	-
Urinary System	1,583	48.7	1.29	32.0	0.82	1,043	22.5	0.70	14.8	0.48
Bladder (incl. <i>in situ</i>)	641	21.7	0.90	12.7	0.51	362	8.2	0.43	4.6	0.26
Kidney & renal pelvis	914	26.0	0.90	18.8	0.63	650	13.6	0.54	9.8	0.40
Ureter	13	0.5	0.13	0.2	0.07	10	0.2	0.08	0.1	0.04
Eye & Orbit	9	0.2	0.08	0.2	0.08	11	0.2	0.07	0.3	0.09
Brain & Other Nervous System	177	4.6	0.36	3.8	0.29	181	3.7	0.28	3.1	0.24
Brain	163	4.2	0.35	3.5	0.28	164	3.4	0.27	2.8	0.23
Endocrine System	152	3.9	0.33	3.3	0.27	551	11.2	0.48	9.1	0.40
Thyroid gland	104	2.8	0.29	2.2	0.21	507	10.3	0.46	8.2	0.37
Lymphomas	713	19.7	0.78	14.5	0.55	642	13.5	0.54	10.1	0.41
Hodgkin Lymphoma	138	3.3	0.29	2.9	0.25	108	2.1	0.21	2.0	0.20
Non-Hodgkin Lymphoma	575	16.4	0.72	11.6	0.49	534	11.4	0.50	8.1	0.36
Multiple Myeloma	435	13.5	0.68	8.7	0.43	431	9.3	0.45	6.0	0.30
Leukemias	461	13.9	0.69	9.5	0.45	374	8.1	0.42	5.7	0.32
Acute lymphocytic	48	1.0	0.15	1.2	0.18	42	0.8	0.13	1.0	0.16
Chronic lymphocytic	157	5.0	0.42	3.3	0.26	99	2.2	0.23	1.3	0.14
Acute myeloid	122	3.8	0.37	2.4	0.22	137	3.0	0.26	2.0	0.19
Chronic myeloid	74	2.2	0.27	1.5	0.17	49	1.0	0.14	0.7	0.11
Other leukemias	60	2.0	0.27	1.2	0.16	47	1.0	0.15	0.6	0.10
Mesothelioma	22	0.7	0.16	0.5	0.10	7	0.2	0.06	0.1	0.04
Kaposi Sarcoma	69	1.9	0.23	1.4	0.17	-	-	-	-	-
Ill-defined & Unknown	598	19.8	0.86	11.8	0.49	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	252	7.0	0.47	5.2	0.33	614	13.0	0.53	9.1	0.38
Breast (<i>in situ</i>)	-	-	-	-	-	1,587	32.4	0.82	24.4	0.62

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ILLINOIS

136 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	79,731	527.4	1.91	346.4	1.27	77,601	422.0	1.54	293.9	1.14
Oral Cavity & Pharynx	2,717	16.8	0.33	12.2	0.24	1,101	6.0	0.18	4.2	0.14
Lip	125	0.9	0.08	0.5	0.05	49	0.2	0.04	0.1	0.02
Tongue	743	4.5	0.17	3.4	0.13	315	1.7	0.10	1.2	0.07
Major salivary gland	219	1.5	0.11	0.9	0.06	175	1.0	0.07	0.7	0.06
Floor of mouth	171	1.1	0.08	0.8	0.06	75	0.4	0.05	0.3	0.03
Gum & other mouth	308	2.0	0.12	1.3	0.08	199	1.1	0.08	0.7	0.05
Nasopharynx	115	0.7	0.07	0.5	0.05	49	0.3	0.04	0.2	0.03
Oropharynx	132	0.8	0.07	0.6	0.05	37	0.2	0.03	0.1	0.02
Hypopharynx	181	1.1	0.09	0.8	0.06	44	0.2	0.04	0.2	0.03
Digestive System	15,346	102.1	0.84	64.7	0.54	13,128	69.2	0.61	43.1	0.41
Esophagus	1,577	10.2	0.26	6.8	0.18	348	1.8	0.10	1.2	0.07
Stomach	1,100	7.5	0.23	4.6	0.14	653	3.5	0.14	2.1	0.09
Small intestine	393	2.6	0.13	1.7	0.09	402	2.2	0.11	1.5	0.08
Colon excl. rectum	5,596	38.3	0.52	23.0	0.32	6,129	32.0	0.41	19.1	0.27
Rectum & rectosigmoid	2,520	16.4	0.33	10.9	0.22	1,823	9.8	0.23	6.6	0.17
Anus, anal canal & anorectum	204	1.3	0.09	0.9	0.07	405	2.2	0.11	1.6	0.08
Liver	1,244	7.7	0.22	5.4	0.16	457	2.5	0.12	1.7	0.09
Gallbladder	96	0.7	0.07	0.4	0.04	259	1.4	0.09	0.8	0.06
Pancreas	2,057	13.7	0.31	8.6	0.20	1,942	10.1	0.23	6.2	0.16
Respiratory System	15,668	105.0	0.86	65.9	0.54	12,303	66.0	0.60	43.3	0.42
Larynx	1,185	7.4	0.22	5.2	0.16	357	1.9	0.10	1.4	0.08
Lung & bronchus	14,298	96.4	0.82	59.8	0.52	11,839	63.5	0.59	41.5	0.41
Bones & Joints	142	0.9	0.08	0.8	0.07	132	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	541	3.6	0.16	2.7	0.12	475	2.7	0.12	2.2	0.11
Skin (excl. basal & sq.)	3,586	23.9	0.41	15.7	0.27	2,789	16.0	0.31	12.1	0.24
Melanomas of the skin	3,279	21.7	0.39	14.4	0.26	2,608	15.0	0.30	11.5	0.24
Breast (excl. <i>in situ</i>)	178	1.2	0.09	0.8	0.06	21,437	117.4	0.81	84.7	0.61
Female Genital System	-	-	-	-	-	9,135	49.9	0.53	36.7	0.41
Cervix uteri	-	-	-	-	-	1,274	7.7	0.22	6.1	0.18
Uterus Corpus	-	-	-	-	-	4,754	25.6	0.37	19.1	0.29
Uterus, NOS ¹	-	-	-	-	-	85	0.4	0.05	0.3	0.03
Ovary	-	-	-	-	-	2,225	12.0	0.26	8.4	0.19
Male Genital System	20,043	128.8	0.93	88.9	0.65	-	-	-	-	-
Prostate	19,067	122.4	0.91	83.2	0.62	-	-	-	-	-
Testis	813	5.3	0.19	5.0	0.18	-	-	-	-	-
Penis	119	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	8,725	59.0	0.65	36.6	0.41	4,183	22.4	0.35	14.9	0.25
Bladder (incl. <i>in situ</i>)	5,042	35.2	0.51	20.3	0.30	1,687	8.8	0.22	5.3	0.14
Kidney & renal pelvis	3,494	22.5	0.39	15.6	0.27	2,376	13.0	0.27	9.3	0.21
Ureter	125	0.9	0.08	0.5	0.05	77	0.4	0.05	0.2	0.03
Eye & Orbit	140	0.9	0.08	0.7	0.06	122	0.7	0.06	0.6	0.06
Brain & Other Nervous System	1,279	8.2	0.23	6.7	0.20	1,071	6.1	0.19	5.3	0.18
Brain	1,214	7.8	0.23	6.3	0.19	988	5.6	0.18	4.7	0.17
Endocrine System	941	6.0	0.20	4.8	0.16	2,708	16.4	0.32	13.6	0.27
Thyroid gland	811	5.2	0.18	4.0	0.14	2,595	15.7	0.31	13.0	0.26
Lymphomas	4,031	26.7	0.43	18.6	0.31	3,587	19.6	0.33	13.8	0.25
Hodgkin Lymphoma	539	3.5	0.15	3.1	0.14	412	2.6	0.13	2.4	0.12
Non-Hodgkin Lymphoma	3,492	23.3	0.40	15.5	0.27	3,175	17.0	0.31	11.4	0.22
Multiple Myeloma	1,096	7.5	0.23	4.5	0.14	865	4.6	0.16	2.9	0.11
Leukemias	2,305	15.8	0.33	10.8	0.24	1,808	9.9	0.24	7.3	0.20
Acute lymphocytic	250	1.6	0.10	2.0	0.13	225	1.4	0.09	1.8	0.13
Chronic lymphocytic	788	5.5	0.20	3.2	0.12	546	2.8	0.12	1.6	0.08
Acute myeloid	695	4.8	0.18	3.1	0.12	610	3.4	0.14	2.5	0.11
Chronic myeloid	298	2.0	0.12	1.4	0.08	223	1.2	0.08	0.8	0.06
Other leukemias	274	1.9	0.12	1.2	0.07	204	1.1	0.08	0.7	0.06
Mesothelioma	287	2.1	0.12	1.1	0.07	68	0.4	0.04	0.2	0.03
Kaposi Sarcoma	40	0.3	0.04	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	2,666	18.6	0.37	10.8	0.22	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,154	7.5	0.23	5.5	0.17	2,375	13.1	0.27	9.4	0.21
Breast (<i>in situ</i>)	16	0.1	0.02	0.1	0.02	4,941	27.4	0.40	20.6	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	72,258	516.9	1.96	339.7	1.32	70,759	420.9	1.61	293.4	1.21
Oral Cavity & Pharynx	2,509	16.9	0.34	12.3	0.25	1,014	6.0	0.19	4.2	0.14
Lip	118	0.9	0.08	0.5	0.05	47	0.3	0.04	0.2	0.03
Tongue	700	4.6	0.18	3.5	0.13	293	1.8	0.10	1.2	0.08
Major salivary gland	205	1.5	0.11	0.9	0.07	162	1.0	0.08	0.7	0.06
Floor of mouth	159	1.1	0.09	0.8	0.06	71	0.4	0.05	0.3	0.04
Gum & other mouth	285	2.0	0.12	1.4	0.08	181	1.0	0.08	0.6	0.05
Nasopharynx	102	0.7	0.07	0.5	0.05	43	0.3	0.04	0.2	0.03
Oropharynx	115	0.7	0.07	0.6	0.05	32	0.2	0.03	0.1	0.02
Hypopharynx	154	1.0	0.09	0.7	0.06	37	0.2	0.04	0.2	0.03
Digestive System	13,856	99.7	0.86	63.0	0.55	11,748	67.0	0.63	41.5	0.43
Esophagus	1,473	10.3	0.27	6.9	0.18	299	1.7	0.10	1.1	0.07
Stomach	945	6.9	0.23	4.2	0.14	531	3.0	0.13	1.8	0.09
Small intestine	341	2.4	0.13	1.6	0.09	334	2.0	0.11	1.3	0.08
Colon excl. rectum	5,070	37.4	0.54	22.4	0.33	5,530	31.2	0.43	18.5	0.28
Rectum & rectosigmoid	2,296	16.2	0.34	10.8	0.23	1,636	9.6	0.24	6.4	0.17
Anus, anal canal & anorectum	190	1.3	0.10	0.9	0.07	381	2.3	0.12	1.7	0.09
Liver	1,050	7.1	0.22	5.0	0.16	384	2.3	0.12	1.5	0.09
Gallbladder	89	0.7	0.07	0.4	0.04	233	1.3	0.09	0.8	0.06
Pancreas	1,878	13.5	0.32	8.5	0.20	1,772	10.0	0.24	6.1	0.16
Respiratory System	14,417	104.0	0.88	65.3	0.56	11,351	66.2	0.63	43.6	0.44
Larynx	1,074	7.3	0.23	5.1	0.16	330	2.0	0.11	1.4	0.08
Lung & bronchus	13,174	95.6	0.85	59.3	0.53	10,924	63.7	0.62	41.7	0.43
Bones & Joints	129	0.9	0.08	0.8	0.08	110	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	483	3.5	0.16	2.6	0.13	419	2.6	0.13	2.1	0.12
Skin (excl. basal & sq.)	3,329	24.0	0.42	15.8	0.28	2,568	16.4	0.33	12.4	0.26
Melanomas of the skin	3,050	21.9	0.40	14.5	0.27	2,405	15.4	0.32	11.8	0.26
Breast (excl. <i>in situ</i>)	157	1.1	0.09	0.7	0.06	19,507	117.1	0.85	84.5	0.64
Female Genital System	-	-	-	-	-	8,425	50.6	0.56	37.2	0.43
Cervix uteri	-	-	-	-	-	1,111	7.5	0.23	5.9	0.19
Uterus Corpus	-	-	-	-	-	4,420	26.1	0.40	19.5	0.31
Uterus, NOS ¹	-	-	-	-	-	70	0.4	0.04	0.2	0.03
Ovary	-	-	-	-	-	2,086	12.3	0.27	8.6	0.21
Male Genital System	17,438	121.0	0.93	83.9	0.65	-	-	-	-	-
Prostate	16,525	114.2	0.91	77.8	0.62	-	-	-	-	-
Testis	769	5.7	0.21	5.4	0.20	-	-	-	-	-
Penis	108	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	8,090	59.1	0.67	36.6	0.42	3,805	22.2	0.37	14.8	0.26
Bladder (incl. <i>in situ</i>)	4,740	35.5	0.53	20.4	0.31	1,542	8.7	0.23	5.2	0.15
Kidney & renal pelvis	3,171	22.2	0.40	15.4	0.28	2,151	12.9	0.28	9.2	0.22
Ureter	120	0.9	0.09	0.5	0.05	73	0.4	0.05	0.2	0.03
Eye & Orbit	135	1.0	0.08	0.7	0.07	115	0.7	0.07	0.6	0.07
Brain & Other Nervous System	1,207	8.5	0.25	7.0	0.22	1,015	6.4	0.21	5.6	0.20
Brain	1,148	8.1	0.24	6.5	0.21	940	5.9	0.20	5.0	0.19
Endocrine System	874	6.1	0.21	5.0	0.18	2,483	16.9	0.34	14.0	0.29
Thyroid gland	765	5.4	0.20	4.2	0.16	2,386	16.2	0.34	13.4	0.29
Lymphomas	3,758	27.2	0.45	18.8	0.32	3,314	19.8	0.35	13.9	0.27
Hodgkin Lymphoma	491	3.5	0.16	3.2	0.15	362	2.6	0.14	2.4	0.13
Non-Hodgkin Lymphoma	3,267	23.6	0.42	15.6	0.29	2,952	17.2	0.32	11.5	0.23
Multiple Myeloma	964	7.1	0.23	4.2	0.14	706	4.1	0.15	2.5	0.10
Leukemias	2,145	16.0	0.35	11.0	0.26	1,646	9.9	0.25	7.4	0.22
Acute lymphocytic	227	1.7	0.11	2.1	0.15	202	1.5	0.10	1.8	0.14
Chronic lymphocytic	734	5.5	0.21	3.2	0.12	497	2.7	0.12	1.6	0.08
Acute myeloid	649	4.8	0.19	3.1	0.13	558	3.4	0.15	2.5	0.12
Chronic myeloid	279	2.0	0.12	1.4	0.09	201	1.2	0.09	0.8	0.07
Other leukemias	256	1.9	0.12	1.2	0.08	188	1.1	0.08	0.7	0.06
Mesothelioma	270	2.1	0.13	1.1	0.07	67	0.4	0.05	0.2	0.03
Kaposi Sarcoma	28	0.2	0.04	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,469	18.5	0.38	10.7	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,021	7.3	0.23	5.4	0.18	2,104	12.8	0.28	9.3	0.22
Breast (<i>in situ</i>)	12	0.1	0.02	0.1	0.02	4,438	27.2	0.41	20.4	0.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

INDIANA

138 Incidence – White

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,433	563.4	8.14	375.8	5.21	5,471	413.5	5.68	284.5	3.99
Oral Cavity & Pharynx	163	15.4	1.27	11.2	0.89	72	5.3	0.63	3.9	0.47
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	34	3.3	0.58	2.5	0.43	16	1.2	0.30	0.8	0.22
Major salivary gland	11	1.0	0.33	0.7	0.23	10	0.7	0.23	0.5	0.17
Floor of mouth	10	1.0	0.34	0.8	0.24	-	-	-	-	-
Gum & other mouth	15	1.3	0.35	0.9	0.25	14	1.1	0.29	0.7	0.21
Nasopharynx	7	0.6	0.25	0.5	0.18	6	0.4	0.17	0.4	0.16
Oropharynx	16	1.7	0.46	1.1	0.28	-	-	-	-	-
Hypopharynx	26	2.5	0.52	1.7	0.35	6	0.4	0.17	0.3	0.14
Digestive System	1,239	130.8	3.96	84.3	2.45	1,173	91.4	2.71	58.1	1.78
Esophagus	90	9.8	1.08	6.4	0.69	45	3.5	0.52	2.4	0.37
Stomach	123	13.6	1.31	8.3	0.76	108	8.8	0.85	5.0	0.51
Small intestine	39	3.7	0.63	2.5	0.41	58	4.3	0.58	3.0	0.41
Colon excl. rectum	427	47.3	2.44	28.8	1.43	498	39.6	1.80	23.9	1.13
Rectum & rectosigmoid	174	18.0	1.45	11.9	0.92	150	11.3	0.93	7.6	0.64
Anus, anal canal & anorectum	11	1.0	0.32	0.6	0.19	21	1.5	0.33	1.1	0.25
Liver	174	15.3	1.22	12.0	0.93	64	4.6	0.58	3.3	0.43
Gallbladder	6	0.7	0.29	0.4	0.18	25	1.8	0.37	1.3	0.27
Pancreas	164	17.9	1.49	11.1	0.89	152	12.0	0.99	7.7	0.65
Respiratory System	1,128	122.2	3.85	78.0	2.37	867	68.4	2.36	43.6	1.55
Larynx	101	9.6	1.01	7.0	0.71	27	2.1	0.41	1.4	0.29
Lung & bronchus	1,014	111.5	3.70	70.1	2.25	831	65.6	2.31	41.7	1.51
Bones & Joints	10	0.7	0.23	0.7	0.21	18	1.1	0.25	1.1	0.26
Soft Tissue (incl. heart)	40	3.3	0.57	2.7	0.44	43	3.0	0.46	2.3	0.37
Skin (excl. basal & sq.)	21	2.0	0.49	1.4	0.30	19	1.4	0.32	1.0	0.24
Melanomas of the skin	9	0.9	0.30	0.6	0.19	10	0.8	0.24	0.5	0.18
Breast (excl. <i>in situ</i>)	20	2.4	0.58	1.3	0.30	1,602	117.6	2.98	86.3	2.21
Female Genital System	-	-	-	-	-	554	40.9	1.76	29.9	1.31
Cervix uteri	-	-	-	-	-	124	8.6	0.78	6.8	0.62
Uterus Corpus	-	-	-	-	-	263	19.8	1.24	14.4	0.92
Uterus, NOS ¹	-	-	-	-	-	12	0.9	0.26	0.7	0.19
Ovary	-	-	-	-	-	111	8.3	0.80	5.7	0.56
Male Genital System	1,689	171.5	4.41	120.2	2.98	-	-	-	-	-
Prostate	1,656	168.7	4.38	118.1	2.96	-	-	-	-	-
Testis	20	1.5	0.34	1.3	0.29	-	-	-	-	-
Penis	9	1.0	0.35	0.6	0.22	-	-	-	-	-
Urinary System	426	44.4	2.31	29.2	1.44	278	21.4	1.30	14.1	0.88
Bladder (incl. <i>in situ</i>)	159	18.8	1.59	10.8	0.88	95	7.7	0.79	4.6	0.50
Kidney & renal pelvis	262	25.0	1.65	18.0	1.13	176	13.2	1.01	9.1	0.71
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	56	5.0	0.74	3.9	0.53	48	3.3	0.49	2.8	0.42
Brain	53	4.9	0.73	3.7	0.52	40	2.7	0.44	2.3	0.38
Endocrine System	47	3.9	0.61	3.1	0.47	141	9.8	0.84	8.1	0.69
Thyroid gland	32	2.9	0.54	2.1	0.37	128	9.0	0.80	7.3	0.65
Lymphomas	192	17.6	1.36	12.8	0.94	201	14.5	1.04	11.0	0.80
Hodgkin Lymphoma	40	3.1	0.52	2.6	0.42	40	2.6	0.42	2.3	0.37
Non-Hodgkin Lymphoma	152	14.5	1.26	10.2	0.84	161	11.9	0.95	8.7	0.71
Multiple Myeloma	119	12.8	1.25	8.0	0.75	142	11.2	0.95	7.0	0.62
Leukemias	105	10.5	1.11	7.0	0.70	122	9.1	0.85	6.4	0.61
Acute lymphocytic	15	1.0	0.26	1.0	0.27	14	0.8	0.21	1.0	0.27
Chronic lymphocytic	29	3.2	0.62	2.0	0.37	37	3.1	0.51	1.7	0.30
Acute myeloid	36	3.8	0.70	2.4	0.41	42	3.1	0.49	2.2	0.36
Chronic myeloid	14	1.4	0.42	0.9	0.24	17	1.2	0.31	0.9	0.23
Other leukemias	11	1.1	0.34	0.7	0.23	12	0.9	0.28	0.5	0.17
Mesothelioma	15	1.9	0.54	1.0	0.27	-	-	-	-	-
Kaposi Sarcoma	11	0.8	0.25	0.7	0.22	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	187	14.9	1.10	8.9	0.69
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	103	10.1	1.08	6.8	0.68	216	16.3	1.13	10.9	0.78
Breast (<i>in situ</i>)	-	-	-	-	-	414	30.1	1.50	22.8	1.14

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	318	290.1	19.99	169.1	9.76	443	259.1	13.96	173.1	8.46
Oral Cavity & Pharynx	11	7.3	2.71	4.9	1.53	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	91	87.6	10.91	49.0	5.24	79	52.9	6.72	31.6	3.65
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	21	17.4	4.50	10.8	2.42	8	4.6	1.76	3.0	1.09
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	17	21.4	6.00	9.8	2.40	34	21.2	4.12	13.4	2.34
Rectum & rectosigmoid	18	14.1	3.69	9.4	2.26	8	4.9	1.91	2.9	1.04
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	13	12.1	4.07	6.9	1.96	6	4.7	2.19	2.4	1.00
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	10	7.8	2.89	5.6	1.77	11	7.5	2.58	4.3	1.33
Respiratory System	48	52.7	9.08	27.4	4.02	49	38.3	5.91	20.4	2.98
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	46	51.7	9.05	26.5	3.97	49	38.3	5.91	20.4	2.98
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	136	71.2	6.83	51.7	4.56
Female Genital System	-	-	-	-	-	58	28.4	4.06	21.7	2.92
Cervix uteri	-	-	-	-	-	18	8.6	2.16	6.6	1.59
Uterus Corpus	-	-	-	-	-	27	13.5	2.73	10.6	2.08
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	5.1	1.98	3.7	1.18
Male Genital System	77	68.4	9.31	42.3	4.92	-	-	-	-	-
Prostate	69	64.6	9.19	39.0	4.77	-	-	-	-	-
Testis	6	2.1	0.90	2.1	0.86	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	18	17.2	5.20	10.5	2.56	10	5.8	2.01	4.3	1.38
Bladder (incl. <i>in situ</i>)	6	5.8	3.02	3.5	1.46	-	-	-	-	-
Kidney & renal pelvis	11	10.8	4.18	6.5	2.01	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	7	3.0	1.17	2.7	1.07	6	2.8	1.21	2.8	1.17
Brain	6	2.6	1.12	2.4	1.04	6	2.8	1.21	2.8	1.17
Endocrine System	9	7.7	3.58	4.5	1.56	37	14.3	2.47	12.4	2.12
Thyroid gland	6	6.5	3.51	3.0	1.30	36	13.7	2.39	11.9	2.05
Lymphomas	17	9.9	3.12	6.5	1.66	22	15.1	3.58	9.0	1.98
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	9	8.1	2.87	3.6	1.23
Leukemias	13	8.8	3.13	6.6	1.87	13	7.8	2.54	5.8	1.63
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	5.1	2.58	3.2	1.33	7	4.7	2.13	3.2	1.22
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	16.5	5.14	8.5	2.27	7	3.6	1.47	2.6	0.99
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	6	3.9	1.73	2.8	1.19	13	8.5	2.79	5.5	1.56
Breast (<i>in situ</i>)	-	-	-	-	-	28	13.0	2.62	9.5	1.83

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	-	-	-	-	-	6	136.7	65.07	103.8	45.57
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,133	338.9	11.78	214.7	6.92	1,145	282.7	9.31	194.5	6.15
Oral Cavity & Pharynx	33	8.0	1.70	5.6	1.06	11	3.1	1.06	1.9	0.60
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	12	3.0	0.99	2.2	0.71	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	248	80.6	5.87	47.0	3.17	217	66.1	4.83	40.3	2.88
Esophagus	15	4.8	1.40	3.2	0.87	-	-	-	-	-
Stomach	34	11.3	2.27	6.5	1.18	20	5.4	1.31	3.4	0.80
Small intestine	7	1.8	0.94	0.8	0.34	-	-	-	-	-
Colon excl. rectum	61	21.9	3.16	11.2	1.52	79	24.9	3.00	15.0	1.79
Rectum & rectosigmoid	42	12.0	2.08	7.9	1.31	38	9.7	1.71	6.6	1.13
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	45	13.1	2.21	8.5	1.34	20	6.6	1.54	3.8	0.88
Gallbladder	-	-	-	-	-	9	3.0	1.06	1.5	0.53
Pancreas	26	8.6	1.95	5.4	1.11	24	7.6	1.65	4.7	1.01
Respiratory System	117	39.3	4.05	24.1	2.37	81	24.4	2.89	15.6	1.82
Larynx	9	3.3	1.19	1.8	0.61	-	-	-	-	-
Lung & bronchus	101	35.2	3.86	21.6	2.27	78	23.6	2.84	15.1	1.80
Bones & Joints	7	1.3	0.79	0.9	0.36	7	1.1	0.45	1.1	0.47
Soft Tissue (incl. heart)	16	3.7	1.25	2.2	0.64	10	1.4	0.55	1.3	0.44
Skin (excl. basal & sq.)	18	5.6	1.54	3.6	0.91	20	4.9	1.25	3.1	0.72
Melanomas of the skin	15	4.8	1.43	3.0	0.81	15	3.7	1.09	2.3	0.63
Breast (excl. <i>in situ</i>)	-	-	-	-	-	310	70.9	4.35	52.8	3.19
Female Genital System	-	-	-	-	-	179	39.6	3.29	29.6	2.38
Cervix uteri	-	-	-	-	-	46	8.5	1.43	6.4	1.02
Uterus Corpus	-	-	-	-	-	82	19.7	2.34	15.2	1.78
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	36	8.1	1.54	5.5	0.97
Male Genital System	337	107.9	6.64	70.5	4.13	-	-	-	-	-
Prostate	289	103.3	6.59	66.0	4.07	-	-	-	-	-
Testis	44	3.6	0.56	3.7	0.57	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	122	37.3	3.94	23.1	2.28	59	16.6	2.37	10.9	1.52
Bladder (incl. <i>in situ</i>)	50	17.3	2.79	9.8	1.50	16	5.4	1.44	3.0	0.79
Kidney & renal pelvis	69	18.9	2.68	12.7	1.67	43	11.2	1.88	8.0	1.30
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	28	4.2	1.05	3.8	0.82	21	2.8	0.72	2.7	0.62
Brain	26	4.1	1.04	3.7	0.81	19	2.5	0.69	2.4	0.58
Endocrine System	22	4.3	1.24	3.2	0.77	78	12.9	1.68	10.5	1.30
Thyroid gland	14	3.0	1.07	2.2	0.67	75	12.5	1.66	10.1	1.27
Lymphomas	69	14.3	2.13	10.6	1.44	56	13.3	2.05	9.1	1.32
Hodgkin Lymphoma	15	1.9	0.64	1.5	0.42	12	2.1	0.72	1.5	0.47
Non-Hodgkin Lymphoma	54	12.5	2.03	9.0	1.37	44	11.3	1.92	7.6	1.24
Multiple Myeloma	21	6.2	1.57	4.0	0.93	14	4.8	1.35	2.7	0.76
Leukemias	49	8.6	1.73	6.8	1.09	44	9.4	1.72	6.4	1.03
Acute lymphocytic	24	2.0	0.42	2.3	0.48	15	2.5	0.88	1.9	0.51
Chronic lymphocytic	-	-	-	-	-	6	2.0	0.86	1.2	0.54
Acute myeloid	9	2.0	0.95	1.1	0.40	17	3.3	0.96	2.3	0.59
Chronic myeloid	8	1.9	0.76	1.6	0.62	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	7	3.2	1.30	1.5	0.58	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	36	13.3	2.48	7.4	1.32	34	11.0	2.04	6.1	1.12
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	27	5.9	1.42	3.9	0.84	52	12.3	1.89	9.1	1.37
Breast (<i>in situ</i>)	-	-	-	-	-	83	19.7	2.30	15.1	1.76

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

INDIANA

142 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	71,201	521.4	1.99	343.1	1.35	69,691	424.4	1.64	296.2	1.23
Oral Cavity & Pharynx	2,478	17.1	0.35	12.4	0.26	1,003	6.1	0.20	4.2	0.15
Lip	118	0.9	0.08	0.5	0.05	46	0.3	0.04	0.2	0.03
Tongue	688	4.7	0.18	3.5	0.14	290	1.8	0.11	1.2	0.08
Major salivary gland	201	1.5	0.11	0.9	0.07	160	1.0	0.08	0.7	0.06
Floor of mouth	156	1.1	0.09	0.8	0.06	69	0.4	0.05	0.3	0.04
Gum & other mouth	285	2.1	0.13	1.4	0.09	180	1.1	0.08	0.6	0.05
Nasopharynx	102	0.7	0.07	0.5	0.05	42	0.3	0.04	0.2	0.03
Oropharynx	113	0.7	0.07	0.6	0.06	32	0.2	0.03	0.1	0.03
Hypopharynx	153	1.1	0.09	0.8	0.06	37	0.2	0.04	0.2	0.03
Digestive System	13,622	100.2	0.87	63.4	0.56	11,543	67.0	0.63	41.6	0.43
Esophagus	1,458	10.4	0.28	7.0	0.19	298	1.7	0.10	1.1	0.07
Stomach	914	6.9	0.23	4.2	0.14	513	3.0	0.13	1.8	0.09
Small intestine	334	2.4	0.14	1.6	0.09	329	2.0	0.11	1.3	0.08
Colon excl. rectum	5,014	37.8	0.54	22.6	0.33	5,453	31.3	0.43	18.6	0.28
Rectum & rectosigmoid	2,255	16.3	0.35	10.8	0.24	1,601	9.5	0.24	6.4	0.18
Anus, anal canal & anorectum	190	1.3	0.10	1.0	0.07	380	2.3	0.12	1.7	0.09
Liver	1,008	7.0	0.22	4.9	0.16	365	2.2	0.12	1.5	0.09
Gallbladder	88	0.7	0.08	0.4	0.04	224	1.3	0.09	0.7	0.06
Pancreas	1,854	13.6	0.32	8.5	0.21	1,749	10.0	0.24	6.1	0.16
Respiratory System	14,307	105.3	0.90	66.2	0.57	11,273	67.0	0.64	44.1	0.45
Larynx	1,066	7.4	0.23	5.2	0.16	327	2.0	0.11	1.5	0.08
Lung & bronchus	13,079	96.8	0.86	60.1	0.54	10,849	64.4	0.63	42.2	0.44
Bones & Joints	122	0.9	0.08	0.8	0.08	103	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	467	3.5	0.17	2.6	0.14	409	2.6	0.13	2.2	0.13
Skin (excl. basal & sq.)	3,311	24.5	0.43	16.2	0.29	2,550	16.9	0.34	12.8	0.28
Melanomas of the skin	3,035	22.4	0.41	14.9	0.28	2,390	15.9	0.33	12.2	0.27
Breast (excl. <i>in situ</i>)	155	1.1	0.09	0.7	0.06	19,210	118.1	0.87	85.2	0.65
Female Genital System	-	-	-	-	-	8,266	50.9	0.57	37.4	0.44
Cervix uteri	-	-	-	-	-	1,068	7.5	0.23	5.9	0.19
Uterus Corpus	-	-	-	-	-	4,348	26.2	0.40	19.6	0.31
Uterus, NOS ¹	-	-	-	-	-	70	0.4	0.05	0.2	0.03
Ovary	-	-	-	-	-	2,054	12.4	0.28	8.7	0.21
Male Genital System	17,131	121.5	0.95	84.4	0.67	-	-	-	-	-
Prostate	16,266	114.6	0.92	78.2	0.63	-	-	-	-	-
Testis	725	5.8	0.22	5.5	0.21	-	-	-	-	-
Penis	104	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,978	59.5	0.68	36.9	0.43	3,753	22.4	0.37	14.9	0.27
Bladder (incl. <i>in situ</i>)	4,697	35.9	0.53	20.7	0.31	1,527	8.8	0.23	5.3	0.15
Kidney & renal pelvis	3,104	22.3	0.41	15.4	0.29	2,114	13.0	0.29	9.3	0.22
Ureter	118	0.9	0.09	0.5	0.05	73	0.4	0.05	0.2	0.03
Eye & Orbit	135	1.0	0.09	0.8	0.07	112	0.7	0.07	0.6	0.07
Brain & Other Nervous System	1,180	8.7	0.26	7.2	0.23	996	6.6	0.21	5.7	0.21
Brain	1,123	8.3	0.25	6.7	0.22	923	6.1	0.20	5.2	0.20
Endocrine System	853	6.2	0.22	5.0	0.18	2,409	17.1	0.36	14.2	0.31
Thyroid gland	751	5.5	0.20	4.3	0.16	2,315	16.4	0.35	13.6	0.30
Lymphomas	3,691	27.5	0.46	19.1	0.33	3,262	19.9	0.36	14.0	0.28
Hodgkin Lymphoma	476	3.7	0.17	3.3	0.16	350	2.6	0.14	2.5	0.14
Non-Hodgkin Lymphoma	3,215	23.9	0.43	15.8	0.29	2,912	17.3	0.33	11.5	0.24
Multiple Myeloma	943	7.1	0.24	4.2	0.14	693	4.1	0.16	2.5	0.11
Leukemias	2,099	16.1	0.36	11.1	0.27	1,609	10.0	0.26	7.5	0.23
Acute lymphocytic	204	1.6	0.12	2.1	0.15	188	1.5	0.11	1.9	0.15
Chronic lymphocytic	730	5.6	0.21	3.2	0.12	492	2.7	0.13	1.6	0.08
Acute myeloid	640	4.9	0.20	3.2	0.14	544	3.4	0.15	2.5	0.12
Chronic myeloid	273	2.1	0.13	1.4	0.09	198	1.2	0.09	0.8	0.07
Other leukemias	252	1.9	0.12	1.2	0.08	187	1.1	0.08	0.7	0.07
Mesothelioma	263	2.1	0.13	1.1	0.07	67	0.4	0.05	0.2	0.03
Kaposi Sarcoma	27	0.2	0.04	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,439	18.7	0.39	10.8	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	995	7.4	0.24	5.4	0.18	2,054	12.8	0.29	9.3	0.23
Breast (<i>in situ</i>)	11	0.1	0.02	0.1	0.02	4,357	27.3	0.42	20.5	0.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,422	568.0	8.20	379.5	5.26	5,449	416.7	5.73	286.8	4.03
Oral Cavity & Pharynx	163	15.6	1.29	11.3	0.90	72	5.4	0.64	3.9	0.48
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	34	3.3	0.59	2.5	0.44	16	1.2	0.30	0.9	0.22
Major salivary gland	11	1.1	0.33	0.8	0.23	10	0.7	0.23	0.5	0.17
Floor of mouth	10	1.0	0.35	0.8	0.25	-	-	-	-	-
Gum & other mouth	15	1.3	0.35	1.0	0.25	14	1.1	0.30	0.8	0.21
Nasopharynx	7	0.6	0.26	0.5	0.19	6	0.4	0.17	0.4	0.16
Oropharynx	16	1.7	0.46	1.1	0.29	-	-	-	-	-
Hypopharynx	26	2.6	0.52	1.8	0.35	6	0.4	0.18	0.3	0.14
Digestive System	1,237	131.9	3.99	85.1	2.47	1,170	92.1	2.73	58.6	1.79
Esophagus	90	9.8	1.09	6.4	0.70	45	3.5	0.53	2.5	0.38
Stomach	123	13.7	1.32	8.4	0.77	107	8.7	0.86	5.1	0.52
Small intestine	39	3.8	0.64	2.6	0.42	58	4.4	0.58	3.1	0.42
Colon excl. rectum	427	47.8	2.46	29.2	1.44	497	39.9	1.82	24.1	1.14
Rectum & rectosigmoid	173	18.1	1.47	12.0	0.93	149	11.3	0.94	7.6	0.65
Anus, anal canal & anorectum	11	1.0	0.32	0.6	0.20	21	1.5	0.33	1.1	0.25
Liver	173	15.4	1.22	12.1	0.94	64	4.6	0.59	3.4	0.44
Gallbladder	6	0.7	0.30	0.4	0.18	25	1.9	0.38	1.3	0.27
Pancreas	164	18.1	1.50	11.2	0.90	152	12.1	1.00	7.8	0.66
Respiratory System	1,124	122.8	3.87	78.6	2.39	865	68.9	2.37	43.8	1.56
Larynx	100	9.6	1.00	7.0	0.72	27	2.1	0.42	1.5	0.29
Lung & bronchus	1,011	112.1	3.72	70.6	2.27	829	66.0	2.33	41.9	1.52
Bones & Joints	10	0.7	0.23	0.7	0.22	18	1.1	0.26	1.1	0.27
Soft Tissue (incl. heart)	40	3.4	0.58	2.8	0.45	43	3.0	0.47	2.4	0.38
Skin (excl. basal & sq.)	21	2.1	0.49	1.4	0.30	17	1.3	0.31	0.9	0.24
Melanomas of the skin	9	0.9	0.31	0.6	0.19	10	0.8	0.24	0.5	0.18
Breast (excl. <i>in situ</i>)	20	2.4	0.58	1.3	0.31	1,596	118.6	3.01	87.0	2.23
Female Genital System	-	-	-	-	-	552	41.2	1.78	30.1	1.32
Cervix uteri	-	-	-	-	-	124	8.8	0.80	6.9	0.63
Uterus Corpus	-	-	-	-	-	261	19.8	1.24	14.4	0.92
Uterus, NOS ¹	-	-	-	-	-	12	0.9	0.26	0.7	0.20
Ovary	-	-	-	-	-	111	8.4	0.81	5.8	0.57
Male Genital System	1,688	173.0	4.45	121.4	3.01	-	-	-	-	-
Prostate	1,655	170.2	4.42	119.2	2.99	-	-	-	-	-
Testis	20	1.5	0.35	1.3	0.29	-	-	-	-	-
Penis	9	1.0	0.35	0.6	0.22	-	-	-	-	-
Urinary System	425	44.8	2.33	29.5	1.46	277	21.6	1.32	14.2	0.89
Bladder (incl. <i>in situ</i>)	159	19.0	1.60	10.9	0.89	95	7.7	0.80	4.7	0.51
Kidney & renal pelvis	261	25.3	1.67	18.2	1.15	175	13.3	1.02	9.2	0.72
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	55	5.1	0.75	3.9	0.54	46	3.2	0.49	2.7	0.42
Brain	52	4.9	0.74	3.7	0.52	38	2.6	0.44	2.3	0.38
Endocrine System	47	4.0	0.62	3.2	0.47	141	10.0	0.85	8.3	0.71
Thyroid gland	32	3.0	0.55	2.1	0.38	128	9.1	0.82	7.4	0.67
Lymphomas	192	17.9	1.37	13.1	0.96	201	14.7	1.05	11.2	0.81
Hodgkin Lymphoma	40	3.2	0.53	2.7	0.43	40	2.7	0.43	2.4	0.38
Non-Hodgkin Lymphoma	152	14.7	1.27	10.4	0.86	161	12.1	0.96	8.8	0.72
Multiple Myeloma	119	12.9	1.26	8.1	0.76	141	11.2	0.96	7.0	0.62
Leukemias	105	10.6	1.12	7.2	0.71	119	9.1	0.85	6.3	0.61
Acute lymphocytic	15	1.0	0.27	1.1	0.28	14	0.8	0.22	1.1	0.29
Chronic lymphocytic	29	3.2	0.63	2.0	0.38	37	3.1	0.52	1.7	0.30
Acute myeloid	36	3.9	0.70	2.4	0.41	40	3.0	0.48	2.1	0.35
Chronic myeloid	14	1.5	0.42	0.9	0.25	17	1.3	0.31	1.0	0.24
Other leukemias	11	1.1	0.34	0.8	0.23	11	0.9	0.27	0.5	0.15
Mesothelioma	15	2.0	0.54	1.0	0.27	-	-	-	-	-
Kaposi Sarcoma	11	0.9	0.26	0.8	0.23	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	187	15.0	1.11	9.0	0.69
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	103	10.2	1.09	6.9	0.69	216	16.5	1.14	11.1	0.79
Breast (<i>in situ</i>)	-	-	-	-	-	413	30.4	1.51	23.0	1.16

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

INDIANA

144 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	43,919	555.7	2.68	364.6	1.85	40,956	437.1	2.23	302.9	1.69
Oral Cavity & Pharynx	1,429	17.6	0.47	12.5	0.34	590	6.2	0.26	4.3	0.20
Lip	186	2.4	0.18	1.4	0.11	49	0.5	0.07	0.3	0.05
Tongue	377	4.6	0.24	3.4	0.18	165	1.8	0.14	1.3	0.11
Major salivary gland	118	1.6	0.14	0.9	0.09	85	0.9	0.10	0.7	0.08
Floor of mouth	80	1.0	0.11	0.7	0.08	43	0.4	0.07	0.3	0.05
Gum & other mouth	185	2.3	0.17	1.6	0.12	129	1.3	0.11	0.7	0.08
Nasopharynx	55	0.7	0.09	0.5	0.07	24	0.3	0.06	0.2	0.05
Oropharynx	42	0.5	0.08	0.4	0.06	19	0.2	0.05	0.2	0.04
Hypopharynx	74	0.9	0.11	0.6	0.08	19	0.2	0.05	0.1	0.03
Digestive System	8,108	102.8	1.15	65.0	0.76	7,180	70.9	0.86	43.1	0.59
Esophagus	766	9.5	0.35	6.4	0.24	177	1.8	0.14	1.1	0.09
Stomach	605	7.7	0.32	4.8	0.21	326	3.3	0.19	2.1	0.14
Small intestine	243	3.1	0.20	1.9	0.13	178	1.9	0.14	1.3	0.11
Colon excl. rectum	3,148	40.5	0.73	24.2	0.46	3,523	33.9	0.59	19.4	0.39
Rectum & rectosigmoid	1,305	16.4	0.46	10.9	0.32	987	10.3	0.34	6.9	0.25
Anus, anal canal & anorectum	89	1.1	0.12	0.8	0.09	191	2.1	0.15	1.5	0.12
Liver	528	6.4	0.28	4.6	0.21	201	2.1	0.15	1.4	0.11
Gallbladder	59	0.8	0.10	0.4	0.06	127	1.3	0.12	0.8	0.08
Pancreas	1,102	14.0	0.42	8.7	0.28	1,055	10.2	0.32	6.0	0.22
Respiratory System	7,349	93.2	1.10	58.1	0.72	5,528	57.1	0.78	37.2	0.56
Larynx	591	7.2	0.30	5.2	0.22	136	1.5	0.13	1.1	0.10
Lung & bronchus	6,661	84.7	1.05	52.0	0.67	5,328	54.9	0.77	35.6	0.54
Bones & Joints	101	1.3	0.13	1.3	0.13	79	1.0	0.11	0.9	0.12
Soft Tissue (incl. heart)	292	3.8	0.22	2.8	0.18	228	2.6	0.18	2.2	0.17
Skin (excl. basal & sq.)	2,209	28.4	0.61	18.9	0.43	1,760	21.2	0.52	16.6	0.43
Melanomas of the skin	2,025	26.0	0.58	17.6	0.41	1,621	19.8	0.51	15.6	0.42
Breast (excl. <i>in situ</i>)	69	0.9	0.11	0.5	0.07	11,204	123.4	1.20	88.6	0.91
Female Genital System	-	-	-	-	-	5,035	55.0	0.80	40.4	0.62
Cervix uteri	-	-	-	-	-	516	6.7	0.31	5.4	0.25
Uterus Corpus	-	-	-	-	-	2,721	29.4	0.57	22.1	0.45
Uterus, NOS ¹	-	-	-	-	-	68	0.7	0.08	0.4	0.06
Ovary	-	-	-	-	-	1,216	12.9	0.38	9.0	0.29
Male Genital System	11,732	145.0	1.35	101.3	0.98	-	-	-	-	-
Prostate	11,170	137.2	1.31	94.3	0.93	-	-	-	-	-
Testis	462	6.6	0.31	6.2	0.29	-	-	-	-	-
Penis	74	1.0	0.11	0.6	0.07	-	-	-	-	-
Urinary System	5,248	67.1	0.94	41.2	0.61	2,104	21.4	0.48	13.9	0.35
Bladder (incl. <i>in situ</i>)	3,231	41.7	0.74	24.0	0.45	906	8.8	0.30	5.3	0.21
Kidney & renal pelvis	1,890	23.7	0.55	16.3	0.40	1,119	11.9	0.36	8.1	0.27
Ureter	74	1.0	0.12	0.5	0.06	55	0.5	0.07	0.3	0.05
Eye & Orbit	98	1.3	0.13	0.9	0.10	92	1.0	0.11	0.9	0.11
Brain & Other Nervous System	675	8.7	0.34	7.0	0.29	512	5.9	0.27	4.9	0.25
Brain	650	8.4	0.33	6.6	0.29	477	5.4	0.26	4.4	0.24
Endocrine System	580	7.5	0.31	6.1	0.27	1,433	18.7	0.50	15.7	0.44
Thyroid gland	519	6.7	0.30	5.2	0.24	1,387	18.1	0.50	15.2	0.43
Lymphomas	2,336	30.2	0.63	20.4	0.45	2,056	21.6	0.49	14.6	0.38
Hodgkin Lymphoma	255	3.4	0.22	3.1	0.20	212	2.7	0.19	2.4	0.18
Non-Hodgkin Lymphoma	2,081	26.8	0.59	17.4	0.41	1,844	18.9	0.45	12.2	0.33
Multiple Myeloma	566	7.3	0.31	4.4	0.20	469	4.8	0.23	3.0	0.16
Leukemias	1,392	18.1	0.49	12.0	0.36	1,141	11.8	0.36	8.4	0.31
Acute lymphocytic	112	1.5	0.14	1.9	0.19	108	1.4	0.14	1.8	0.19
Chronic lymphocytic	614	7.9	0.32	4.7	0.20	463	4.4	0.21	2.6	0.14
Acute myeloid	344	4.5	0.24	2.9	0.17	315	3.3	0.19	2.3	0.15
Chronic myeloid	188	2.5	0.18	1.5	0.12	141	1.5	0.13	1.0	0.09
Other leukemias	134	1.8	0.15	1.1	0.10	114	1.2	0.12	0.7	0.08
Mesothelioma	125	1.6	0.14	0.8	0.08	35	0.4	0.06	0.2	0.04
Kaposi Sarcoma	13	0.2	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	1,597	20.8	0.52	11.3	0.31	1,510	14.1	0.38	8.0	0.25
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	579	7.5	0.32	5.5	0.24	1,178	13.0	0.39	9.4	0.31
Breast (<i>in situ</i>)	6	0.1	0.03	0.0	0.02	2,588	29.4	0.59	22.0	0.46

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	42,315	549.0	2.70	360.0	1.87	39,800	436.1	2.26	302.3	1.72
Oral Cavity & Pharynx	1,368	17.4	0.48	12.3	0.35	572	6.2	0.27	4.3	0.20
Lip	180	2.4	0.18	1.4	0.11	49	0.5	0.08	0.3	0.05
Tongue	360	4.5	0.24	3.4	0.18	162	1.8	0.15	1.3	0.11
Major salivary gland	116	1.6	0.15	0.9	0.10	82	0.9	0.11	0.6	0.08
Floor of mouth	78	1.0	0.11	0.7	0.08	42	0.4	0.07	0.3	0.05
Gum & other mouth	169	2.2	0.17	1.5	0.12	121	1.2	0.11	0.7	0.08
Nasopharynx	50	0.6	0.09	0.5	0.07	21	0.2	0.05	0.2	0.04
Oropharynx	40	0.5	0.08	0.4	0.06	19	0.2	0.05	0.2	0.04
Hypopharynx	73	0.9	0.11	0.7	0.08	19	0.2	0.05	0.1	0.03
Digestive System	7,872	102.1	1.16	64.5	0.77	6,975	70.3	0.87	42.6	0.60
Esophagus	750	9.5	0.35	6.4	0.25	171	1.8	0.14	1.1	0.09
Stomach	588	7.6	0.32	4.8	0.21	306	3.1	0.18	2.0	0.13
Small intestine	239	3.1	0.20	2.0	0.14	171	1.8	0.14	1.3	0.11
Colon excl. rectum	3,081	40.6	0.74	24.2	0.47	3,441	33.8	0.60	19.2	0.39
Rectum & rectosigmoid	1,266	16.3	0.46	10.9	0.32	961	10.3	0.34	6.9	0.25
Anus, anal canal & anorectum	85	1.1	0.12	0.8	0.09	185	2.1	0.16	1.5	0.12
Liver	483	6.0	0.28	4.3	0.21	187	2.0	0.15	1.3	0.11
Gallbladder	56	0.8	0.10	0.4	0.06	124	1.2	0.12	0.8	0.08
Pancreas	1,072	13.9	0.43	8.6	0.28	1,027	10.1	0.33	6.0	0.22
Respiratory System	7,161	92.8	1.11	57.8	0.72	5,393	56.9	0.79	37.1	0.56
Larynx	577	7.2	0.30	5.2	0.22	133	1.5	0.13	1.1	0.10
Lung & bronchus	6,495	84.4	1.06	51.8	0.68	5,196	54.7	0.77	35.5	0.55
Bones & Joints	97	1.3	0.14	1.3	0.14	76	1.0	0.12	0.9	0.12
Soft Tissue (incl. heart)	280	3.7	0.23	2.8	0.18	223	2.7	0.18	2.2	0.17
Skin (excl. basal & sq.)	2,142	28.3	0.62	18.8	0.43	1,673	20.9	0.53	16.4	0.44
Melanomas of the skin	1,964	25.9	0.59	17.6	0.42	1,539	19.5	0.52	15.4	0.43
Breast (excl. <i>in situ</i>)	67	0.9	0.11	0.5	0.07	10,938	123.9	1.22	89.0	0.93
Female Genital System	-	-	-	-	-	4,897	55.0	0.81	40.3	0.63
Cervix uteri	-	-	-	-	-	486	6.6	0.31	5.3	0.25
Uterus Corpus	-	-	-	-	-	2,651	29.4	0.58	22.1	0.46
Uterus, NOS ¹	-	-	-	-	-	65	0.6	0.08	0.4	0.06
Ovary	-	-	-	-	-	1,194	13.0	0.39	9.1	0.30
Male Genital System	11,090	140.5	1.35	98.4	0.98	-	-	-	-	-
Prostate	10,553	132.5	1.30	91.2	0.92	-	-	-	-	-
Testis	444	6.7	0.32	6.4	0.31	-	-	-	-	-
Penis	69	0.9	0.11	0.5	0.07	-	-	-	-	-
Urinary System	5,088	66.6	0.94	40.8	0.61	2,028	21.1	0.48	13.7	0.35
Bladder (incl. <i>in situ</i>)	3,135	41.3	0.74	23.7	0.45	870	8.6	0.30	5.2	0.21
Kidney & renal pelvis	1,827	23.5	0.56	16.2	0.40	1,080	11.7	0.37	8.0	0.28
Ureter	74	1.0	0.12	0.5	0.07	54	0.5	0.07	0.3	0.05
Eye & Orbit	94	1.3	0.13	0.9	0.11	80	0.9	0.11	0.8	0.11
Brain & Other Nervous System	655	8.8	0.35	7.1	0.31	493	5.9	0.27	4.9	0.26
Brain	634	8.5	0.34	6.8	0.30	459	5.4	0.26	4.4	0.25
Endocrine System	558	7.5	0.32	6.1	0.27	1,380	18.9	0.52	15.9	0.45
Thyroid gland	499	6.7	0.30	5.2	0.24	1,338	18.4	0.52	15.4	0.44
Lymphomas	2,253	30.0	0.64	20.3	0.46	2,005	21.7	0.50	14.7	0.38
Hodgkin Lymphoma	245	3.5	0.22	3.1	0.21	207	2.8	0.20	2.5	0.19
Non-Hodgkin Lymphoma	2,008	26.6	0.60	17.2	0.41	1,798	18.9	0.46	12.2	0.33
Multiple Myeloma	550	7.2	0.31	4.3	0.20	445	4.6	0.22	2.9	0.16
Leukemias	1,347	18.0	0.50	12.0	0.37	1,112	11.8	0.37	8.5	0.32
Acute lymphocytic	107	1.5	0.15	1.9	0.20	107	1.5	0.15	1.9	0.20
Chronic lymphocytic	593	7.8	0.32	4.6	0.20	449	4.4	0.21	2.6	0.14
Acute myeloid	338	4.5	0.25	2.9	0.17	311	3.4	0.20	2.3	0.16
Chronic myeloid	180	2.4	0.18	1.5	0.12	132	1.4	0.13	0.9	0.09
Other leukemias	129	1.7	0.16	1.1	0.10	113	1.2	0.12	0.8	0.09
Mesothelioma	124	1.6	0.15	0.8	0.08	34	0.4	0.06	0.2	0.05
Kaposi Sarcoma	8	0.1	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	1,561	20.7	0.53	11.3	0.31	1,476	14.0	0.38	7.9	0.25
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	548	7.4	0.32	5.4	0.25	1,121	12.7	0.39	9.1	0.31
Breast (<i>in situ</i>)	6	0.1	0.03	0.0	0.02	2,498	29.3	0.60	21.9	0.46

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	699	630.0	27.13	415.5	16.35	562	432.3	18.97	297.6	13.04
Oral Cavity & Pharynx	29	20.6	4.30	14.7	2.85	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	4.1	1.76	3.4	1.48	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	146	133.0	12.67	85.3	7.34	123	97.7	9.10	64.3	6.04
Esophagus	14	11.6	3.43	8.4	2.30	-	-	-	-	-
Stomach	11	9.8	3.52	6.3	2.00	13	9.6	2.86	6.6	1.90
Small intestine	-	-	-	-	-	7	5.8	2.26	3.6	1.41
Colon excl. rectum	43	42.1	7.33	26.1	4.14	54	44.0	6.16	28.2	4.00
Rectum & rectosigmoid	20	21.2	5.59	12.1	2.80	11	8.1	2.51	5.6	1.76
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	22	13.3	2.93	11.5	2.53	7	5.0	1.91	3.8	1.50
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	23	20.0	4.62	13.2	2.84	16	13.9	3.53	8.7	2.30
Respiratory System	145	142.3	13.28	90.3	7.78	95	83.4	8.79	52.3	5.57
Larynx	11	9.6	3.17	6.6	2.07	-	-	-	-	-
Lung & bronchus	127	128.4	12.75	80.9	7.42	93	82.1	8.74	51.1	5.50
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	2.8	1.11	2.7	1.04	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	153	114.0	9.52	82.4	6.87
Female Genital System	-	-	-	-	-	57	41.5	5.68	31.0	4.26
Cervix uteri	-	-	-	-	-	16	10.1	2.63	8.2	2.10
Uterus Corpus	-	-	-	-	-	24	18.6	3.89	13.5	2.87
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	7.9	2.55	5.1	1.69
Male Genital System	209	186.6	14.36	130.1	9.31	-	-	-	-	-
Prostate	205	184.7	14.33	128.5	9.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	51	50.1	7.96	29.9	4.33	27	19.6	3.96	14.5	2.89
Bladder (incl. <i>in situ</i>)	17	20.0	5.47	10.5	2.63	8	5.7	2.13	4.3	1.53
Kidney & renal pelvis	33	29.2	5.71	18.5	3.33	18	13.2	3.26	9.5	2.33
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	6.4	2.59	4.0	1.29	9	5.2	1.84	4.8	1.67
Brain	8	4.5	2.02	3.2	1.17	8	4.6	1.74	4.3	1.60
Endocrine System	10	7.1	2.56	5.5	1.84	19	11.7	2.88	9.6	2.29
Thyroid gland	8	6.1	2.45	4.5	1.66	19	11.7	2.88	9.6	2.29
Lymphomas	40	30.0	5.38	21.8	3.64	20	12.9	3.06	9.5	2.21
Hodgkin Lymphoma	6	3.1	1.37	2.7	1.19	-	-	-	-	-
Non-Hodgkin Lymphoma	34	27.0	5.20	19.1	3.44	-	-	-	-	-
Multiple Myeloma	14	15.0	4.47	9.2	2.54	18	14.8	3.56	9.7	2.42
Leukemias	10	9.5	3.39	5.7	1.90	10	7.4	2.52	4.6	1.52
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	19	19.4	5.34	10.8	2.58	18	15.7	3.82	8.9	2.18
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	17	11.3	2.95	8.3	2.10
Breast (<i>in situ</i>)	-	-	-	-	-	45	31.7	4.84	25.7	3.93

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	182	345.4	32.49	202.0	15.77	213	252.0	19.58	169.8	11.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	49	97.1	18.31	53.0	8.12	50	70.1	11.12	41.7	6.00
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	6	10.2	4.46	4.8	1.96
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	9	28.7	11.62	12.1	4.28	14	17.6	5.14	11.9	3.24
Rectum & rectosigmoid	9	16.1	7.93	8.5	3.25	6	7.4	3.21	5.1	2.10
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	17	26.5	8.78	17.3	4.45	7	9.7	4.37	5.6	2.15
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	10	14.1	5.06	8.1	2.60
Respiratory System	28	56.1	12.42	33.6	6.47	21	29.6	7.04	17.8	3.96
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	26	53.5	12.28	31.1	6.23	21	29.6	7.04	17.8	3.96
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	56	56.7	8.11	43.0	5.90
Female Genital System	-	-	-	-	-	22	21.0	4.79	16.2	3.56
Cervix uteri	-	-	-	-	-	7	5.6	2.17	5.0	1.96
Uterus Corpus	-	-	-	-	-	8	8.8	3.27	6.7	2.41
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	41	82.7	15.13	48.2	7.72	-	-	-	-	-
Prostate	38	80.5	15.07	46.1	7.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	23.1	8.85	13.3	4.20	7	11.2	4.57	6.0	2.28
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	9.6	4.39	6.2	2.60	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	16	13.6	4.08	11.2	2.93
Thyroid gland	-	-	-	-	-	13	11.4	3.85	8.5	2.49
Lymphomas	21	26.6	6.64	20.1	4.51	17	22.8	6.28	14.0	3.51
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	17	22.8	6.28	14.0	3.51
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	18.2	8.27	9.7	3.59	8	13.9	5.69	7.5	2.70
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	8	8.6	3.18	7.1	2.58
Breast (<i>in situ</i>)	-	-	-	-	-	18	17.4	4.15	14.5	3.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	28	517.8	110.05	368.0	72.78	43	657.1	112.14	423.7	65.64
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	252.9	85.24	154.9	48.19	10	182.8	61.99	103.3	32.95
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	11	124.2	38.65	99.4	30.61
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	123.8	51.30	94.9	37.16	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	344	295.0	19.47	191.2	11.29	400	266.3	15.37	190.2	10.34
Oral Cavity & Pharynx	9	8.4	3.02	6.4	2.22	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	92	85.2	10.66	52.2	5.90	54	43.9	6.53	29.2	4.25
Esophagus	7	6.8	2.74	5.2	2.01	-	-	-	-	-
Stomach	19	17.1	4.82	10.2	2.60	6	4.5	1.97	3.3	1.43
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	24	22.1	5.32	14.5	3.20	13	12.2	3.62	6.9	2.04
Rectum & rectosigmoid	13	11.0	3.72	6.7	1.98	9	7.2	2.72	4.2	1.50
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	8.0	3.10	4.9	1.63	7	4.3	1.83	3.5	1.43
Gallbladder	-	-	-	-	-	7	6.0	2.35	5.1	1.98
Pancreas	11	10.9	3.94	6.1	1.99	-	-	-	-	-
Respiratory System	24	26.7	6.36	14.8	3.20	22	21.4	4.90	13.3	2.94
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	21.9	5.80	11.4	2.82	22	21.4	4.90	13.3	2.94
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	6.7	3.05	3.8	1.59	7	4.5	2.01	3.3	1.46
Skin (excl. basal & sq.)	6	3.5	1.96	2.1	0.94	12	5.6	1.93	4.0	1.21
Melanomas of the skin	-	-	-	-	-	10	4.1	1.37	3.3	1.11
Breast (excl. <i>in situ</i>)	-	-	-	-	-	109	68.8	7.33	51.4	5.28
Female Genital System	-	-	-	-	-	72	44.0	5.99	33.9	4.37
Cervix uteri	-	-	-	-	-	20	11.2	2.83	8.9	2.16
Uterus Corpus	-	-	-	-	-	28	16.1	3.40	13.5	2.80
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	17	12.1	3.56	7.8	2.09
Male Genital System	94	82.4	9.78	59.2	6.53	-	-	-	-	-
Prostate	80	77.6	9.57	55.6	6.45	-	-	-	-	-
Testis	12	2.8	0.85	2.8	0.81	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	31.2	7.21	15.6	3.29	22	18.0	4.31	10.8	2.50
Bladder (incl. <i>in situ</i>)	10	13.2	4.85	6.5	2.18	8	7.8	3.02	3.8	1.41
Kidney & renal pelvis	13	15.5	4.98	7.7	2.26	13	9.8	3.04	6.7	2.04
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	14	3.5	1.11	4.0	1.19	-	-	-	-	-
Brain	14	3.5	1.11	4.0	1.19	-	-	-	-	-
Endocrine System	11	4.8	1.60	4.5	1.48	43	18.3	3.38	15.3	2.57
Thyroid gland	6	3.2	1.38	2.9	1.29	42	18.1	3.38	15.1	2.55
Lymphomas	24	11.9	3.05	9.3	2.10	19	13.2	3.59	9.7	2.43
Hodgkin Lymphoma	-	-	-	-	-	6	2.0	0.88	2.0	0.82
Non-Hodgkin Lymphoma	-	-	-	-	-	13	11.2	3.48	7.7	2.28
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	17	11.1	3.85	7.6	2.10	16	8.9	2.82	6.6	1.80
Acute lymphocytic	8	1.3	0.45	2.0	0.70	7	2.2	0.99	2.4	0.95
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	7.5	3.54	3.6	1.52	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	14	14.8	4.62	8.7	2.50	8	7.9	3.05	4.5	1.69
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	8	5.1	2.45	3.2	1.33	18	11.7	3.01	8.8	2.23
Breast (<i>in situ</i>)	-	-	-	-	-	22	14.1	3.25	10.9	2.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

IOWA

150 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	41,982	552.9	2.73	363.0	1.90	39,405	438.6	2.29	304.2	1.75
Oral Cavity & Pharynx	1,359	17.6	0.48	12.5	0.35	567	6.2	0.27	4.3	0.21
Lip	178	2.4	0.18	1.4	0.11	49	0.5	0.08	0.3	0.06
Tongue	357	4.5	0.24	3.4	0.19	160	1.8	0.15	1.3	0.12
Major salivary gland	116	1.6	0.15	1.0	0.10	80	0.9	0.11	0.6	0.08
Floor of mouth	78	1.0	0.11	0.7	0.09	41	0.4	0.07	0.3	0.05
Gum & other mouth	168	2.2	0.17	1.5	0.12	121	1.2	0.11	0.7	0.08
Nasopharynx	50	0.6	0.09	0.5	0.07	21	0.2	0.05	0.2	0.04
Oropharynx	40	0.5	0.08	0.4	0.06	19	0.2	0.05	0.2	0.04
Hypopharynx	72	0.9	0.11	0.7	0.08	19	0.2	0.05	0.1	0.03
Digestive System	7,782	102.3	1.17	64.6	0.78	6,921	70.6	0.88	42.7	0.60
Esophagus	743	9.6	0.35	6.5	0.25	171	1.8	0.14	1.1	0.09
Stomach	569	7.5	0.32	4.7	0.21	300	3.1	0.18	2.0	0.13
Small intestine	238	3.1	0.20	2.0	0.14	170	1.8	0.14	1.3	0.11
Colon excl. rectum	3,057	40.7	0.74	24.3	0.47	3,428	34.0	0.60	19.4	0.40
Rectum & rectosigmoid	1,254	16.4	0.47	10.9	0.33	952	10.3	0.35	6.9	0.26
Anus, anal canal & anorectum	84	1.1	0.12	0.8	0.09	184	2.1	0.16	1.6	0.12
Liver	473	6.0	0.28	4.3	0.21	180	1.9	0.15	1.2	0.11
Gallbladder	54	0.7	0.10	0.4	0.06	117	1.2	0.11	0.7	0.08
Pancreas	1,062	13.9	0.43	8.7	0.28	1,023	10.2	0.33	6.0	0.22
Respiratory System	7,137	93.6	1.12	58.4	0.73	5,371	57.3	0.80	37.4	0.57
Larynx	574	7.3	0.31	5.3	0.23	133	1.5	0.13	1.1	0.10
Lung & bronchus	6,477	85.2	1.07	52.3	0.69	5,174	55.1	0.78	35.8	0.56
Bones & Joints	96	1.4	0.14	1.3	0.15	76	1.0	0.12	1.0	0.13
Soft Tissue (incl. heart)	274	3.8	0.23	2.8	0.19	216	2.7	0.19	2.2	0.18
Skin (excl. basal & sq.)	2,136	28.8	0.63	19.2	0.45	1,661	21.4	0.55	16.8	0.46
Melanomas of the skin	1,959	26.4	0.60	17.9	0.43	1,529	19.9	0.53	15.8	0.45
Breast (excl. <i>in situ</i>)	66	0.9	0.11	0.5	0.07	10,831	124.6	1.24	89.6	0.94
Female Genital System	-	-	-	-	-	4,826	55.0	0.82	40.3	0.64
Cervix uteri	-	-	-	-	-	466	6.6	0.32	5.2	0.26
Uterus Corpus	-	-	-	-	-	2,624	29.5	0.59	22.1	0.46
Uterus, NOS ¹	-	-	-	-	-	65	0.6	0.08	0.4	0.06
Ovary	-	-	-	-	-	1,177	13.0	0.39	9.0	0.30
Male Genital System	11,000	141.4	1.36	99.0	0.99	-	-	-	-	-
Prostate	10,477	133.2	1.31	91.7	0.93	-	-	-	-	-
Testis	432	7.0	0.34	6.6	0.33	-	-	-	-	-
Penis	67	0.9	0.11	0.5	0.07	-	-	-	-	-
Urinary System	5,065	67.1	0.95	41.3	0.62	2,006	21.2	0.49	13.7	0.35
Bladder (incl. <i>in situ</i>)	3,126	41.7	0.75	24.0	0.46	862	8.6	0.30	5.2	0.21
Kidney & renal pelvis	1,815	23.8	0.57	16.4	0.41	1,067	11.8	0.37	8.0	0.28
Ureter	72	1.0	0.12	0.5	0.07	54	0.5	0.07	0.3	0.05
Eye & Orbit	93	1.3	0.13	0.9	0.11	77	0.9	0.11	0.7	0.11
Brain & Other Nervous System	641	8.9	0.36	7.1	0.31	490	6.0	0.28	5.1	0.28
Brain	620	8.6	0.35	6.8	0.30	456	5.5	0.27	4.6	0.26
Endocrine System	547	7.6	0.33	6.2	0.28	1,339	18.9	0.53	15.9	0.46
Thyroid gland	493	6.8	0.31	5.3	0.25	1,297	18.4	0.53	15.4	0.45
Lymphomas	2,229	30.3	0.65	20.5	0.47	1,986	21.8	0.51	14.8	0.39
Hodgkin Lymphoma	241	3.6	0.23	3.2	0.22	201	2.8	0.20	2.5	0.20
Non-Hodgkin Lymphoma	1,988	26.8	0.61	17.3	0.42	1,785	19.0	0.47	12.3	0.34
Multiple Myeloma	548	7.3	0.31	4.4	0.20	440	4.6	0.23	2.9	0.16
Leukemias	1,331	18.2	0.50	12.1	0.38	1,096	11.9	0.38	8.5	0.33
Acute lymphocytic	100	1.5	0.15	1.9	0.21	100	1.5	0.15	1.9	0.22
Chronic lymphocytic	591	7.9	0.33	4.7	0.20	447	4.4	0.22	2.6	0.14
Acute myeloid	332	4.6	0.25	2.9	0.18	308	3.4	0.20	2.3	0.16
Chronic myeloid	179	2.5	0.19	1.5	0.12	129	1.4	0.13	0.9	0.09
Other leukemias	129	1.8	0.16	1.1	0.11	112	1.2	0.12	0.8	0.09
Mesothelioma	124	1.6	0.15	0.8	0.08	34	0.4	0.06	0.2	0.05
Kaposi Sarcoma	6	0.1	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	1,548	20.8	0.53	11.3	0.32	1,468	14.1	0.38	8.0	0.26
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	540	7.4	0.33	5.5	0.26	1,103	12.7	0.40	9.1	0.32
Breast (<i>in situ</i>)	6	0.1	0.03	0.0	0.02	2,477	29.6	0.61	22.1	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	698	639.9	27.55	422.5	16.62	560	439.8	19.30	303.1	13.29
Oral Cavity & Pharynx	29	21.0	4.36	15.0	2.90	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	4.2	1.79	3.5	1.51	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	146	135.4	12.89	86.9	7.46	123	99.5	9.25	65.6	6.16
Esophagus	14	11.7	3.46	8.5	2.33	-	-	-	-	-
Stomach	11	10.0	3.59	6.5	2.04	13	9.8	2.91	6.8	1.94
Small intestine	-	-	-	-	-	7	5.9	2.30	3.7	1.43
Colon excl. rectum	43	42.9	7.46	26.6	4.21	54	44.8	6.26	28.7	4.08
Rectum & rectosigmoid	20	21.6	5.71	12.3	2.85	11	8.3	2.56	5.7	1.80
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	22	13.6	2.99	11.7	2.58	7	5.1	1.94	3.9	1.52
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	23	20.2	4.67	13.4	2.88	16	14.1	3.58	8.9	2.34
Respiratory System	145	144.5	13.49	91.8	7.90	95	84.8	8.94	53.2	5.66
Larynx	11	9.8	3.21	6.7	2.11	-	-	-	-	-
Lung & bronchus	127	130.4	12.95	82.2	7.53	93	83.5	8.88	52.0	5.59
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	2.9	1.14	2.8	1.08	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	152	115.8	9.69	83.7	6.99
Female Genital System	-	-	-	-	-	56	41.7	5.75	31.2	4.33
Cervix uteri	-	-	-	-	-	16	10.5	2.70	8.5	2.16
Uterus Corpus	-	-	-	-	-	23	18.3	3.90	13.3	2.88
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	8.1	2.60	5.2	1.72
Male Genital System	209	189.5	14.57	132.3	9.45	-	-	-	-	-
Prostate	205	187.6	14.54	130.6	9.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	51	50.9	8.07	30.4	4.40	27	20.0	4.04	14.9	2.95
Bladder (incl. <i>in situ</i>)	17	20.3	5.56	10.7	2.67	8	5.8	2.17	4.4	1.57
Kidney & renal pelvis	33	29.6	5.77	18.8	3.38	18	13.4	3.32	9.8	2.38
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	6.5	2.62	4.1	1.33	9	5.4	1.88	4.9	1.71
Brain	8	4.6	2.05	3.3	1.20	8	4.7	1.78	4.4	1.64
Endocrine System	10	7.2	2.59	5.7	1.88	19	12.0	2.94	9.9	2.35
Thyroid gland	8	6.2	2.48	4.6	1.69	19	12.0	2.94	9.9	2.35
Lymphomas	40	30.6	5.45	22.3	3.70	20	13.2	3.13	9.7	2.27
Hodgkin Lymphoma	6	3.2	1.41	2.8	1.22	-	-	-	-	-
Non-Hodgkin Lymphoma	34	27.4	5.26	19.5	3.50	-	-	-	-	-
Multiple Myeloma	14	15.3	4.54	9.3	2.58	18	15.0	3.62	9.9	2.46
Leukemias	10	9.6	3.42	5.8	1.93	10	7.6	2.58	4.7	1.56
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	18	19.3	5.44	10.6	2.60	18	16.0	3.88	9.1	2.21
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	17	11.6	3.02	8.6	2.15
Breast (<i>in situ</i>)	-	-	-	-	-	44	31.7	4.89	25.8	3.98

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

IOWA

152 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	37,555	552.2	2.89	365.4	1.98	33,865	422.0	2.34	294.3	1.76
Oral Cavity & Pharynx	1,164	16.4	0.49	11.7	0.36	456	5.6	0.27	3.9	0.20
Lip	121	1.9	0.17	1.0	0.10	22	0.3	0.06	0.2	0.04
Tongue	318	4.4	0.25	3.3	0.19	143	1.8	0.15	1.3	0.11
Major salivary gland	126	1.9	0.17	1.1	0.11	80	1.0	0.11	0.7	0.09
Floor of mouth	53	0.7	0.10	0.6	0.08	33	0.4	0.07	0.3	0.05
Gum & other mouth	137	2.0	0.17	1.3	0.12	92	1.1	0.11	0.7	0.08
Nasopharynx	47	0.7	0.10	0.5	0.08	14	0.2	0.05	0.2	0.05
Oropharynx	51	0.7	0.10	0.5	0.08	16	0.2	0.05	0.1	0.04
Hypopharynx	65	0.9	0.11	0.7	0.09	17	0.2	0.05	0.1	0.04
Digestive System	6,635	97.4	1.21	62.7	0.81	5,368	64.0	0.89	40.1	0.62
Esophagus	537	7.8	0.34	5.1	0.23	134	1.6	0.14	1.0	0.10
Stomach	505	7.4	0.34	4.7	0.22	269	3.3	0.20	2.1	0.14
Small intestine	175	2.6	0.20	1.7	0.13	127	1.6	0.14	1.1	0.10
Colon excl. rectum	2,579	38.7	0.77	23.6	0.49	2,659	31.3	0.62	18.9	0.42
Rectum & rectosigmoid	1,122	16.3	0.49	11.0	0.34	698	8.6	0.33	5.9	0.24
Anus, anal canal & anorectum	84	1.2	0.13	0.9	0.10	130	1.7	0.15	1.3	0.12
Liver	511	7.0	0.31	5.2	0.24	190	2.3	0.17	1.5	0.12
Gallbladder	43	0.7	0.10	0.4	0.06	102	1.2	0.12	0.7	0.08
Pancreas	870	12.8	0.44	8.1	0.29	808	9.5	0.34	5.8	0.23
Respiratory System	5,900	87.8	1.16	55.4	0.76	4,629	56.4	0.84	36.8	0.59
Larynx	449	6.3	0.30	4.5	0.22	105	1.3	0.13	1.0	0.10
Lung & bronchus	5,367	80.2	1.11	50.0	0.72	4,477	54.5	0.83	35.3	0.58
Bones & Joints	79	1.1	0.13	1.0	0.12	74	1.0	0.12	0.9	0.11
Soft Tissue (incl. heart)	296	4.3	0.25	3.3	0.20	232	3.0	0.20	2.4	0.18
Skin (excl. basal & sq.)	2,090	30.7	0.68	20.8	0.48	1,496	19.8	0.52	15.1	0.42
Melanomas of the skin	1,929	28.3	0.65	19.3	0.46	1,383	18.4	0.51	14.2	0.41
Breast (excl. <i>in situ</i>)	108	1.6	0.16	1.0	0.10	9,754	123.2	1.27	88.5	0.96
Female Genital System	-	-	-	-	-	3,755	47.5	0.79	34.7	0.61
Cervix uteri	-	-	-	-	-	477	6.9	0.32	5.3	0.25
Uterus Corpus	-	-	-	-	-	1,881	23.4	0.55	17.4	0.42
Uterus, NOS ¹	-	-	-	-	-	88	1.1	0.11	0.8	0.09
Ovary	-	-	-	-	-	970	12.1	0.40	8.6	0.30
Male Genital System	10,958	159.0	1.54	108.9	1.08	-	-	-	-	-
Prostate	10,512	152.4	1.51	103.0	1.04	-	-	-	-	-
Testis	388	5.7	0.30	5.4	0.28	-	-	-	-	-
Penis	46	0.7	0.10	0.4	0.07	-	-	-	-	-
Urinary System	4,091	60.9	0.96	38.1	0.63	1,796	21.8	0.53	14.5	0.38
Bladder (incl. <i>in situ</i>)	2,490	37.9	0.77	22.0	0.47	797	9.3	0.34	5.7	0.23
Kidney & renal pelvis	1,520	21.7	0.57	15.5	0.41	949	11.9	0.39	8.4	0.30
Ureter	53	0.8	0.11	0.4	0.06	39	0.5	0.08	0.3	0.05
Eye & Orbit	69	1.0	0.12	0.8	0.11	51	0.6	0.09	0.5	0.09
Brain & Other Nervous System	545	8.0	0.34	6.5	0.29	432	5.6	0.28	4.6	0.25
Brain	508	7.4	0.33	5.9	0.28	401	5.2	0.26	4.2	0.24
Endocrine System	591	8.5	0.35	6.7	0.29	1,577	22.2	0.57	18.3	0.48
Thyroid gland	540	7.8	0.34	6.0	0.27	1,526	21.5	0.56	17.7	0.47
Lymphomas	1,771	26.3	0.63	17.9	0.45	1,547	19.3	0.50	13.4	0.38
Hodgkin Lymphoma	195	2.9	0.21	2.5	0.19	184	2.6	0.19	2.3	0.18
Non-Hodgkin Lymphoma	1,576	23.4	0.60	15.4	0.41	1,363	16.8	0.46	11.0	0.33
Multiple Myeloma	500	7.5	0.34	4.5	0.21	374	4.5	0.23	2.7	0.16
Leukemias	1,168	17.5	0.52	12.1	0.39	886	10.7	0.37	7.8	0.31
Acute lymphocytic	128	1.8	0.16	2.3	0.22	89	1.3	0.14	1.7	0.18
Chronic lymphocytic	412	6.1	0.31	3.7	0.19	268	3.1	0.19	2.0	0.13
Acute myeloid	300	4.5	0.27	3.0	0.19	272	3.4	0.21	2.3	0.16
Chronic myeloid	149	2.2	0.19	1.5	0.13	112	1.4	0.13	1.0	0.11
Other leukemias	179	2.7	0.21	1.6	0.13	145	1.6	0.14	1.0	0.10
Mesothelioma	83	1.3	0.14	0.7	0.08	16	0.2	0.05	0.1	0.04
Kaposi Sarcoma	11	0.2	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	1,496	22.8	0.59	13.2	0.36	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	455	6.6	0.31	4.9	0.24	897	11.4	0.39	8.5	0.31
Breast (<i>in situ</i>)	15	0.2	0.05	0.2	0.04	2,034	26.0	0.59	19.6	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	34,505	542.5	2.96	358.0	2.04	31,148	416.8	2.42	290.5	1.83
Oral Cavity & Pharynx	1,061	16.1	0.50	11.4	0.36	427	5.6	0.27	3.9	0.21
Lip	110	1.8	0.17	1.0	0.10	19	0.2	0.05	0.2	0.04
Tongue	293	4.4	0.26	3.2	0.20	136	1.8	0.16	1.3	0.12
Major salivary gland	116	1.9	0.17	1.1	0.11	68	0.9	0.11	0.7	0.09
Floor of mouth	51	0.7	0.10	0.6	0.08	33	0.4	0.08	0.3	0.06
Gum & other mouth	120	1.9	0.17	1.2	0.12	88	1.1	0.12	0.7	0.08
Nasopharynx	35	0.6	0.10	0.4	0.08	13	0.2	0.06	0.2	0.05
Oropharynx	47	0.7	0.10	0.5	0.08	16	0.2	0.05	0.1	0.04
Hypopharynx	62	0.9	0.11	0.7	0.09	16	0.2	0.05	0.1	0.04
Digestive System	6,044	94.9	1.24	60.7	0.82	4,875	61.9	0.91	38.6	0.63
Esophagus	510	7.9	0.35	5.2	0.24	119	1.5	0.14	1.0	0.10
Stomach	448	7.0	0.34	4.4	0.22	228	2.9	0.20	1.8	0.14
Small intestine	156	2.5	0.20	1.6	0.13	114	1.5	0.15	1.0	0.11
Colon excl. rectum	2,366	37.9	0.79	23.0	0.50	2,422	30.2	0.63	18.0	0.42
Rectum & rectosigmoid	1,025	15.9	0.50	10.7	0.35	635	8.4	0.34	5.7	0.25
Anus, anal canal & anorectum	76	1.2	0.13	0.8	0.10	122	1.7	0.16	1.3	0.12
Liver	426	6.3	0.31	4.6	0.24	164	2.1	0.17	1.4	0.13
Gallbladder	37	0.6	0.10	0.4	0.06	96	1.2	0.13	0.8	0.09
Pancreas	803	12.6	0.45	8.0	0.30	744	9.3	0.35	5.7	0.24
Respiratory System	5,485	86.7	1.18	54.6	0.78	4,319	56.1	0.87	36.6	0.61
Larynx	408	6.1	0.31	4.4	0.22	93	1.3	0.13	0.9	0.10
Lung & bronchus	4,999	79.4	1.13	49.4	0.74	4,181	54.3	0.85	35.2	0.60
Bones & Joints	73	1.2	0.14	1.0	0.13	66	1.0	0.12	0.9	0.12
Soft Tissue (incl. heart)	263	4.2	0.26	3.1	0.21	200	2.8	0.20	2.2	0.18
Skin (excl. basal & sq.)	2,017	31.8	0.72	21.5	0.51	1,401	20.2	0.56	15.4	0.45
Melanomas of the skin	1,865	29.4	0.69	20.1	0.49	1,304	19.0	0.54	14.7	0.44
Breast (excl. <i>in situ</i>)	97	1.5	0.16	1.0	0.10	8,960	121.7	1.31	87.3	0.99
Female Genital System	-	-	-	-	-	3,461	47.3	0.82	34.5	0.63
Cervix uteri	-	-	-	-	-	422	6.7	0.34	5.2	0.27
Uterus Corpus	-	-	-	-	-	1,736	23.2	0.57	17.3	0.44
Uterus, NOS ¹	-	-	-	-	-	78	1.0	0.11	0.7	0.09
Ovary	-	-	-	-	-	918	12.4	0.42	8.8	0.32
Male Genital System	9,860	152.9	1.56	104.7	1.10	-	-	-	-	-
Prostate	9,459	146.2	1.52	98.7	1.05	-	-	-	-	-
Testis	349	5.8	0.32	5.4	0.30	-	-	-	-	-
Penis	42	0.7	0.11	0.4	0.07	-	-	-	-	-
Urinary System	3,836	60.8	0.99	38.0	0.65	1,662	21.7	0.54	14.5	0.40
Bladder (incl. <i>in situ</i>)	2,373	38.2	0.79	22.2	0.48	750	9.4	0.35	5.8	0.24
Kidney & renal pelvis	1,387	21.3	0.58	15.1	0.42	866	11.8	0.41	8.4	0.32
Ureter	52	0.8	0.12	0.5	0.07	36	0.5	0.08	0.3	0.05
Eye & Orbit	61	1.0	0.13	0.8	0.11	50	0.7	0.10	0.6	0.10
Brain & Other Nervous System	520	8.3	0.37	6.8	0.32	403	5.8	0.29	4.6	0.26
Brain	484	7.7	0.35	6.2	0.30	376	5.3	0.28	4.3	0.25
Endocrine System	553	8.6	0.37	6.8	0.30	1,405	21.7	0.59	17.9	0.50
Thyroid gland	507	7.9	0.36	6.1	0.28	1,362	21.1	0.58	17.4	0.49
Lymphomas	1,629	26.0	0.65	17.6	0.47	1,422	19.1	0.52	13.1	0.39
Hodgkin Lymphoma	169	2.8	0.21	2.4	0.19	167	2.6	0.20	2.4	0.20
Non-Hodgkin Lymphoma	1,460	23.3	0.62	15.2	0.42	1,255	16.5	0.48	10.7	0.34
Multiple Myeloma	449	7.2	0.34	4.3	0.21	326	4.1	0.23	2.5	0.16
Leukemias	1,079	17.4	0.53	12.0	0.41	822	10.7	0.38	7.9	0.34
Acute lymphocytic	117	1.9	0.17	2.5	0.24	81	1.3	0.15	1.7	0.20
Chronic lymphocytic	378	6.0	0.31	3.5	0.19	243	3.0	0.20	1.9	0.14
Acute myeloid	283	4.6	0.28	3.0	0.20	256	3.4	0.22	2.3	0.17
Chronic myeloid	136	2.2	0.19	1.5	0.13	105	1.4	0.14	1.0	0.11
Other leukemias	165	2.7	0.21	1.6	0.13	137	1.6	0.14	1.0	0.11
Mesothelioma	82	1.3	0.15	0.7	0.09	15	0.2	0.05	0.1	0.04
Kaposi Sarcoma	6	0.1	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	1,390	22.4	0.61	12.9	0.37	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	408	6.4	0.32	4.8	0.25	805	11.1	0.40	8.3	0.33
Breast (<i>in situ</i>)	12	0.2	0.05	0.1	0.04	1,821	25.2	0.60	18.9	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

KANSAS

154 Incidence – White

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,741	608.0	15.77	412.4	10.13	1,570	437.6	11.21	299.9	7.85
Oral Cavity & Pharynx	53	16.6	2.45	12.3	1.73	14	3.8	1.01	3.0	0.81
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	12	3.5	1.05	2.9	0.86	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	11	3.3	1.02	2.8	0.86	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	380	133.8	7.44	89.1	4.69	323	91.5	5.16	58.0	3.38
Esophagus	19	6.8	1.68	4.6	1.08	8	2.1	0.76	1.4	0.52
Stomach	42	14.1	2.33	9.9	1.56	29	8.5	1.61	5.3	1.03
Small intestine	13	4.3	1.30	3.1	0.88	9	2.4	0.80	2.0	0.67
Colon excl. rectum	140	54.9	5.06	32.8	2.84	158	45.5	3.66	28.2	2.35
Rectum & rectosigmoid	53	17.1	2.51	12.1	1.71	32	8.6	1.54	5.7	1.05
Anus, anal canal & anorectum	6	1.3	0.55	1.1	0.45	-	-	-	-	-
Liver	49	14.6	2.22	11.3	1.67	16	4.2	1.07	2.9	0.75
Gallbladder	-	-	-	-	-	6	1.9	0.79	0.7	0.29
Pancreas	49	17.2	2.61	11.9	1.74	50	14.1	2.02	9.1	1.35
Respiratory System	291	107.3	6.73	72.2	4.33	228	66.2	4.44	44.0	3.04
Larynx	28	10.0	2.04	6.9	1.33	10	2.9	0.93	1.9	0.61
Lung & bronchus	259	95.6	6.35	64.4	4.09	216	62.8	4.33	41.9	2.97
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	17	4.1	1.09	3.6	0.88	21	5.4	1.20	4.4	0.97
Skin (excl. basal & sq.)	-	-	-	-	-	10	2.6	0.83	2.1	0.66
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	9	3.2	1.24	1.9	0.63	457	124.0	5.88	89.6	4.32
Female Genital System	-	-	-	-	-	151	41.7	3.45	30.0	2.51
Cervix uteri	-	-	-	-	-	21	5.7	1.26	3.8	0.86
Uterus Corpus	-	-	-	-	-	82	22.5	2.53	16.5	1.86
Uterus, NOS ¹	-	-	-	-	-	6	1.7	0.69	1.2	0.52
Ovary	-	-	-	-	-	28	8.0	1.54	5.7	1.10
Male Genital System	622	216.9	9.33	149.5	6.15	-	-	-	-	-
Prostate	608	213.9	9.29	146.7	6.10	-	-	-	-	-
Testis	12	2.3	0.69	2.3	0.68	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	130	45.6	4.39	30.0	2.69	84	24.6	2.72	15.0	1.72
Bladder (incl. <i>in situ</i>)	43	19.2	3.15	10.3	1.61	25	7.3	1.48	4.2	0.89
Kidney & renal pelvis	83	25.2	3.00	18.8	2.12	58	17.0	2.27	10.5	1.45
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	2.7	1.00	2.2	0.72	20	4.8	1.13	4.1	0.95
Brain	10	2.7	1.00	2.2	0.72	18	4.4	1.09	3.6	0.88
Endocrine System	24	6.5	1.39	5.5	1.14	70	18.3	2.22	14.2	1.72
Thyroid gland	20	5.4	1.24	4.4	1.01	68	17.7	2.18	13.8	1.69
Lymphomas	58	16.8	2.41	12.9	1.73	61	16.9	2.18	12.1	1.61
Hodgkin Lymphoma	14	3.1	0.88	2.8	0.77	8	2.0	0.73	1.7	0.61
Non-Hodgkin Lymphoma	44	13.7	2.24	10.0	1.55	53	14.8	2.06	10.4	1.49
Multiple Myeloma	40	16.3	2.81	9.1	1.48	39	11.6	1.88	6.9	1.17
Leukemias	37	11.0	1.97	8.1	1.36	29	8.0	1.51	5.4	1.05
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	9	3.0	1.05	2.1	0.73	12	3.5	1.02	2.0	0.63
Acute myeloid	12	3.6	1.14	2.7	0.79	8	2.3	0.83	1.5	0.55
Chronic myeloid	8	2.2	0.83	1.6	0.56	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	59	23.7	3.34	13.6	1.81	58	17.2	2.29	10.0	1.39
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	25	10.2	2.23	5.9	1.21	41	10.6	1.69	8.1	1.29
Breast (<i>in situ</i>)	-	-	-	-	-	95	26.1	2.71	19.0	1.99

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	331	372.8	24.93	233.0	13.16	378	296.3	16.81	202.1	10.67
Oral Cavity & Pharynx	19	14.6	3.47	12.3	2.92	6	5.3	2.33	3.2	1.36
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	8	6.3	2.35	5.1	1.87	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	91	108.4	13.69	65.5	7.02	56	51.3	7.45	33.0	4.50
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	13.7	5.38	6.6	2.26	6	4.7	2.10	3.1	1.32
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	25	33.6	7.97	19.4	3.96	22	19.0	4.41	12.6	2.73
Rectum & rectosigmoid	13	11.7	3.57	8.7	2.48	8	6.1	2.22	5.2	1.85
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	21	22.0	5.86	14.0	3.11	7	7.5	2.98	4.0	1.54
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	14.2	5.27	7.9	2.42	-	-	-	-	-
Respiratory System	56	77.4	12.21	41.1	5.62	36	34.9	6.27	20.3	3.46
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	53	74.3	12.07	38.7	5.43	36	34.9	6.27	20.3	3.46
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	11	10.4	3.98	7.4	2.30	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	127	91.1	8.71	65.6	5.97
Female Genital System	-	-	-	-	-	50	34.1	5.35	25.4	3.68
Cervix uteri	-	-	-	-	-	11	6.5	2.08	5.2	1.62
Uterus Corpus	-	-	-	-	-	23	15.3	3.39	12.2	2.58
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	9.3	2.95	6.2	1.84
Male Genital System	74	79.1	10.91	52.9	6.30	-	-	-	-	-
Prostate	64	74.9	10.83	48.3	6.12	-	-	-	-	-
Testis	8	3.3	1.18	3.4	1.24	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	22	31.2	8.09	16.3	3.58	15	16.8	4.74	9.0	2.37
Bladder (incl. <i>in situ</i>)	12	23.4	7.67	10.0	2.92	-	-	-	-	-
Kidney & renal pelvis	10	7.9	2.59	6.3	2.06	11	12.4	4.08	6.5	2.00
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	43	24.8	3.94	20.4	3.19
Thyroid gland	-	-	-	-	-	41	23.7	3.86	19.6	3.14
Lymphomas	23	18.6	4.69	14.1	3.09	13	10.5	3.04	8.2	2.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	14	14.0	5.05	9.1	2.53	12	10.5	3.48	6.1	1.80
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	6	4.8	2.32	2.9	1.24
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	7.9	3.94	4.1	1.75	6	5.5	2.51	3.0	1.27
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	7	5.6	2.45	3.9	1.53	11	8.2	2.64	6.4	1.98
Breast (<i>in situ</i>)	-	-	-	-	-	27	18.2	3.78	13.4	2.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,033	401.3	14.43	254.3	8.47	1,111	344.8	11.35	241.9	7.76
Oral Cavity & Pharynx	23	7.4	1.80	5.4	1.23	16	4.8	1.36	3.3	0.90
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	6	2.2	0.98	1.2	0.56
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	226	93.8	7.02	57.4	4.04	200	74.1	5.58	46.8	3.50
Esophagus	16	7.0	1.94	4.6	1.20	-	-	-	-	-
Stomach	22	10.7	2.52	5.6	1.25	24	8.0	1.77	5.2	1.15
Small intestine	7	2.6	1.11	1.6	0.61	-	-	-	-	-
Colon excl. rectum	81	35.2	4.37	20.9	2.45	87	33.0	3.77	19.9	2.26
Rectum & rectosigmoid	32	14.0	2.80	8.2	1.53	29	10.2	2.03	6.9	1.35
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	43	13.6	2.37	9.5	1.52	9	3.5	1.23	2.1	0.74
Gallbladder	-	-	-	-	-	6	2.3	0.98	1.5	0.65
Pancreas	22	9.6	2.19	6.5	1.44	23	9.1	1.98	5.8	1.27
Respiratory System	110	49.8	5.25	30.2	3.01	90	34.3	3.82	21.5	2.41
Larynx	10	3.8	1.34	2.6	0.88	-	-	-	-	-
Lung & bronchus	95	44.3	5.01	26.6	2.85	85	33.3	3.78	20.4	2.36
Bones & Joints	7	1.1	0.47	1.2	0.49	6	0.8	0.33	0.9	0.35
Soft Tissue (incl. heart)	18	6.1	1.78	3.9	1.05	10	2.8	1.03	1.9	0.66
Skin (excl. basal & sq.)	16	5.9	1.75	3.8	1.04	21	5.2	1.28	3.8	0.87
Melanomas of the skin	12	3.9	1.42	2.3	0.72	21	5.2	1.28	3.8	0.87
Breast (excl. <i>in situ</i>)	-	-	-	-	-	296	88.7	5.54	64.8	3.98
Female Genital System	-	-	-	-	-	144	40.0	3.61	29.8	2.65
Cervix uteri	-	-	-	-	-	49	11.9	1.86	9.0	1.38
Uterus Corpus	-	-	-	-	-	55	15.3	2.19	12.0	1.72
Uterus, NOS ¹	-	-	-	-	-	6	2.2	0.93	1.4	0.61
Ovary	-	-	-	-	-	27	8.1	1.70	6.1	1.25
Male Genital System	273	110.4	7.48	72.8	4.66	-	-	-	-	-
Prostate	237	104.6	7.35	68.1	4.59	-	-	-	-	-
Testis	34	4.1	0.73	4.1	0.71	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	130	52.7	5.35	32.5	3.02	53	19.1	2.82	12.6	1.84
Bladder (incl. <i>in situ</i>)	42	19.9	3.44	11.3	1.82	13	5.7	1.65	3.5	1.00
Kidney & renal pelvis	86	31.5	3.97	20.5	2.37	38	12.8	2.25	8.6	1.50
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	32	6.5	1.49	5.2	1.00	15	3.4	1.07	3.1	0.86
Brain	30	6.3	1.48	4.9	0.98	14	3.3	1.07	2.9	0.85
Endocrine System	21	4.4	1.05	3.9	0.92	94	20.4	2.29	17.2	1.90
Thyroid gland	17	3.8	0.99	3.3	0.88	92	20.1	2.28	16.9	1.89
Lymphomas	63	20.0	3.06	13.4	1.83	63	19.2	2.72	14.0	1.91
Hodgkin Lymphoma	17	4.0	1.33	2.5	0.65	12	1.7	0.50	1.7	0.50
Non-Hodgkin Lymphoma	46	16.0	2.76	10.9	1.72	51	17.6	2.67	12.3	1.84
Multiple Myeloma	18	8.4	2.22	4.4	1.10	14	5.5	1.53	3.4	0.95
Leukemias	42	9.9	2.14	7.3	1.22	40	8.1	1.56	7.5	1.30
Acute lymphocytic	17	2.5	1.02	2.4	0.61	21	2.8	0.76	3.5	0.83
Chronic lymphocytic	-	-	-	-	-	8	2.8	1.03	2.2	0.79
Acute myeloid	11	3.6	1.37	2.4	0.77	10	2.2	0.85	1.6	0.56
Chronic myeloid	7	1.5	0.79	0.9	0.37	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	45	21.8	3.62	11.3	1.80	47	18.4	2.86	11.1	1.74
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	23	6.8	1.82	4.9	1.12	39	12.3	2.21	8.5	1.46
Breast (<i>in situ</i>)	-	-	-	-	-	67	21.3	2.74	16.3	2.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

KANSAS

158 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	33,559	549.5	3.04	363.5	2.11	30,121	420.5	2.49	293.2	1.90
Oral Cavity & Pharynx	1,039	16.5	0.52	11.7	0.38	413	5.6	0.28	4.0	0.22
Lip	110	1.9	0.18	1.0	0.11	18	0.2	0.05	0.1	0.04
Tongue	291	4.5	0.27	3.4	0.21	131	1.8	0.16	1.3	0.13
Major salivary gland	113	1.9	0.18	1.1	0.11	64	0.9	0.11	0.7	0.10
Floor of mouth	50	0.7	0.11	0.6	0.08	31	0.4	0.07	0.3	0.06
Gum & other mouth	117	1.9	0.18	1.2	0.12	86	1.1	0.12	0.7	0.09
Nasopharynx	33	0.5	0.10	0.4	0.08	13	0.2	0.06	0.2	0.05
Oropharynx	46	0.7	0.10	0.6	0.08	16	0.2	0.05	0.2	0.04
Hypopharynx	59	0.9	0.12	0.7	0.09	16	0.2	0.06	0.1	0.04
Digestive System	5,836	95.3	1.26	61.1	0.85	4,694	61.5	0.92	38.3	0.64
Esophagus	494	7.9	0.36	5.2	0.25	117	1.5	0.14	1.0	0.10
Stomach	428	7.0	0.34	4.4	0.23	207	2.7	0.19	1.7	0.14
Small intestine	150	2.5	0.20	1.6	0.14	112	1.6	0.15	1.1	0.11
Colon excl. rectum	2,290	38.1	0.81	23.2	0.52	2,344	30.1	0.64	18.0	0.43
Rectum & rectosigmoid	995	16.1	0.52	10.9	0.36	610	8.4	0.35	5.7	0.26
Anus, anal canal & anorectum	76	1.2	0.14	0.9	0.10	120	1.8	0.17	1.3	0.13
Liver	391	6.1	0.31	4.5	0.24	157	2.1	0.17	1.4	0.13
Gallbladder	37	0.6	0.10	0.4	0.06	90	1.2	0.13	0.7	0.08
Pancreas	781	12.7	0.46	8.0	0.30	722	9.3	0.36	5.7	0.24
Respiratory System	5,383	88.1	1.21	55.5	0.80	4,238	56.9	0.89	37.1	0.63
Larynx	398	6.2	0.31	4.4	0.23	92	1.3	0.14	1.0	0.11
Lung & bronchus	4,912	80.7	1.16	50.3	0.76	4,105	55.0	0.87	35.7	0.62
Bones & Joints	66	1.2	0.14	1.0	0.14	61	1.0	0.13	0.9	0.13
Soft Tissue (incl. heart)	245	4.1	0.27	3.1	0.22	191	2.9	0.22	2.3	0.20
Skin (excl. basal & sq.)	2,003	33.2	0.75	22.6	0.54	1,380	21.3	0.60	16.3	0.49
Melanomas of the skin	1,854	30.7	0.73	21.1	0.52	1,283	20.0	0.58	15.6	0.48
Breast (excl. <i>in situ</i>)	93	1.5	0.16	1.0	0.11	8,680	123.1	1.36	88.4	1.03
Female Genital System	-	-	-	-	-	3,327	47.5	0.85	34.6	0.65
Cervix uteri	-	-	-	-	-	376	6.4	0.34	5.0	0.27
Uterus Corpus	-	-	-	-	-	1,686	23.5	0.58	17.4	0.45
Uterus, NOS ¹	-	-	-	-	-	72	0.9	0.11	0.7	0.09
Ovary	-	-	-	-	-	893	12.5	0.43	8.9	0.33
Male Genital System	9,618	154.9	1.60	106.1	1.13	-	-	-	-	-
Prostate	9,251	148.0	1.56	100.0	1.08	-	-	-	-	-
Testis	317	6.0	0.34	5.6	0.32	-	-	-	-	-
Penis	40	0.7	0.11	0.4	0.07	-	-	-	-	-
Urinary System	3,714	61.1	1.01	38.2	0.67	1,611	21.9	0.56	14.7	0.42
Bladder (incl. <i>in situ</i>)	2,332	38.8	0.81	22.6	0.50	737	9.5	0.36	5.9	0.25
Kidney & renal pelvis	1,308	21.0	0.59	14.9	0.43	830	11.8	0.42	8.4	0.33
Ureter	51	0.9	0.12	0.5	0.07	35	0.5	0.08	0.3	0.05
Eye & Orbit	59	1.0	0.13	0.8	0.11	48	0.7	0.10	0.6	0.10
Brain & Other Nervous System	490	8.4	0.39	6.9	0.34	392	6.0	0.31	4.8	0.28
Brain	456	7.8	0.37	6.3	0.32	365	5.5	0.30	4.5	0.27
Endocrine System	535	8.9	0.39	7.1	0.33	1,318	21.9	0.62	18.1	0.53
Thyroid gland	492	8.2	0.38	6.4	0.30	1,276	21.2	0.61	17.5	0.52
Lymphomas	1,572	26.5	0.68	18.0	0.49	1,367	19.1	0.53	13.1	0.41
Hodgkin Lymphoma	154	2.8	0.23	2.5	0.21	155	2.6	0.22	2.4	0.21
Non-Hodgkin Lymphoma	1,418	23.7	0.64	15.5	0.44	1,212	16.5	0.49	10.7	0.35
Multiple Myeloma	431	7.1	0.35	4.3	0.22	312	4.1	0.23	2.5	0.16
Leukemias	1,040	17.7	0.55	12.2	0.44	785	10.7	0.40	7.8	0.35
Acute lymphocytic	101	1.9	0.19	2.5	0.27	61	1.2	0.15	1.5	0.21
Chronic lymphocytic	375	6.1	0.32	3.6	0.20	236	3.0	0.20	1.9	0.14
Acute myeloid	273	4.7	0.29	3.1	0.21	247	3.4	0.22	2.3	0.18
Chronic myeloid	129	2.2	0.20	1.4	0.14	105	1.5	0.15	1.1	0.12
Other leukemias	162	2.8	0.22	1.6	0.13	136	1.7	0.15	1.0	0.12
Mesothelioma	80	1.4	0.15	0.7	0.09	15	0.2	0.06	0.1	0.04
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	386	6.4	0.33	4.8	0.27	767	11.1	0.42	8.3	0.34
Breast (<i>in situ</i>)	11	0.2	0.05	0.1	0.04	1,757	25.5	0.62	19.1	0.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,735	616.8	15.99	418.8	10.30	1,561	444.6	11.41	305.5	8.03
Oral Cavity & Pharynx	53	17.0	2.49	12.5	1.77	14	3.8	1.03	3.0	0.83
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	12	3.6	1.07	2.9	0.87	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	11	3.4	1.04	2.8	0.87	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	379	135.9	7.55	90.5	4.76	322	92.9	5.24	59.0	3.45
Esophagus	19	6.9	1.71	4.7	1.10	8	2.2	0.77	1.5	0.53
Stomach	42	14.4	2.37	10.1	1.59	29	8.7	1.64	5.5	1.05
Small intestine	13	4.4	1.32	3.2	0.90	9	2.4	0.81	2.0	0.68
Colon excl. rectum	139	55.5	5.13	33.2	2.88	158	46.3	3.73	28.8	2.40
Rectum & rectosigmoid	53	17.5	2.55	12.4	1.75	31	8.5	1.55	5.6	1.06
Anus, anal canal & anorectum	6	1.4	0.57	1.1	0.46	-	-	-	-	-
Liver	49	14.9	2.26	11.6	1.70	16	4.3	1.10	3.0	0.77
Gallbladder	-	-	-	-	-	6	2.0	0.80	0.7	0.30
Pancreas	49	17.5	2.65	12.1	1.77	50	14.4	2.05	9.2	1.38
Respiratory System	290	108.6	6.82	73.1	4.39	225	66.3	4.48	44.4	3.08
Larynx	28	10.2	2.07	7.0	1.35	10	3.0	0.95	1.9	0.62
Lung & bronchus	258	96.8	6.43	65.1	4.14	213	62.8	4.36	42.2	3.01
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	17	4.3	1.12	3.8	0.93	21	5.5	1.23	4.5	1.00
Skin (excl. basal & sq.)	-	-	-	-	-	10	2.7	0.87	2.2	0.70
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	9	3.3	1.25	1.9	0.65	456	126.7	6.01	91.7	4.42
Female Genital System	-	-	-	-	-	149	42.0	3.50	30.5	2.56
Cervix uteri	-	-	-	-	-	20	5.5	1.26	3.8	0.89
Uterus Corpus	-	-	-	-	-	81	22.7	2.56	16.6	1.89
Uterus, NOS ¹	-	-	-	-	-	6	1.7	0.71	1.3	0.53
Ovary	-	-	-	-	-	28	8.2	1.57	5.8	1.13
Male Genital System	621	220.0	9.46	151.8	6.24	-	-	-	-	-
Prostate	607	216.8	9.42	148.8	6.19	-	-	-	-	-
Testis	12	2.5	0.73	2.5	0.72	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	130	46.5	4.46	30.6	2.75	84	25.0	2.76	15.3	1.75
Bladder (incl. <i>in situ</i>)	43	19.5	3.19	10.5	1.63	25	7.4	1.50	4.3	0.91
Kidney & renal pelvis	83	25.8	3.06	19.3	2.17	58	17.3	2.30	10.7	1.48
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	2.8	1.02	2.3	0.75	19	4.9	1.15	4.0	0.96
Brain	10	2.8	1.02	2.3	0.75	18	4.6	1.12	3.8	0.93
Endocrine System	22	6.2	1.37	5.2	1.14	70	19.0	2.30	14.8	1.79
Thyroid gland	18	5.0	1.22	4.1	1.00	68	18.4	2.26	14.3	1.76
Lymphomas	57	17.0	2.45	13.0	1.77	60	17.0	2.22	12.3	1.64
Hodgkin Lymphoma	14	3.3	0.92	3.0	0.80	8	2.1	0.76	1.8	0.64
Non-Hodgkin Lymphoma	43	13.7	2.27	10.1	1.57	52	14.9	2.09	10.5	1.51
Multiple Myeloma	40	16.5	2.85	9.3	1.50	39	11.8	1.91	7.0	1.19
Leukemias	37	11.3	2.01	8.4	1.40	29	8.2	1.55	5.5	1.09
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	9	3.0	1.07	2.2	0.74	12	3.6	1.04	2.1	0.64
Acute myeloid	12	3.7	1.16	2.8	0.81	8	2.4	0.85	1.5	0.57
Chronic myeloid	8	2.2	0.85	1.6	0.58	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	59	24.1	3.38	13.8	1.84	58	17.5	2.33	10.2	1.43
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	25	10.4	2.26	6.0	1.23	41	11.0	1.73	8.4	1.34
Breast (<i>in situ</i>)	-	-	-	-	-	95	26.7	2.77	19.4	2.04

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

KANSAS

160 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	63,863	611.2	2.49	404.4	1.65	58,352	462.4	1.94	324.1	1.44
Oral Cavity & Pharynx	2,272	20.4	0.44	14.9	0.32	854	6.7	0.23	4.8	0.17
Lip	223	2.3	0.16	1.4	0.10	53	0.4	0.06	0.2	0.04
Tongue	552	4.8	0.21	3.6	0.16	232	1.8	0.12	1.3	0.09
Major salivary gland	159	1.6	0.13	1.0	0.08	104	0.8	0.08	0.6	0.06
Floor of mouth	150	1.3	0.11	1.0	0.08	47	0.4	0.05	0.2	0.04
Gum & other mouth	245	2.3	0.15	1.6	0.10	175	1.4	0.10	0.9	0.07
Nasopharynx	81	0.7	0.08	0.6	0.07	43	0.4	0.05	0.3	0.04
Oropharynx	108	0.9	0.09	0.7	0.07	26	0.2	0.04	0.1	0.03
Hypopharynx	178	1.6	0.12	1.1	0.09	40	0.3	0.05	0.2	0.04
Digestive System	11,619	111.9	1.07	72.2	0.69	9,701	75.1	0.77	47.5	0.52
Esophagus	1,024	9.4	0.30	6.5	0.21	201	1.5	0.11	1.0	0.07
Stomach	835	8.1	0.29	5.1	0.18	533	4.1	0.18	2.6	0.12
Small intestine	332	3.1	0.18	2.1	0.12	282	2.2	0.13	1.5	0.09
Colon excl. rectum	4,477	44.5	0.69	27.3	0.42	4,378	33.8	0.52	20.6	0.34
Rectum & rectosigmoid	2,061	19.4	0.44	13.1	0.30	1,560	12.2	0.31	8.4	0.23
Anus, anal canal & anorectum	147	1.4	0.12	1.0	0.08	324	2.6	0.14	1.8	0.11
Liver	908	8.2	0.28	5.8	0.20	316	2.5	0.14	1.7	0.10
Gallbladder	68	0.7	0.08	0.4	0.05	169	1.3	0.10	0.8	0.06
Pancreas	1,420	13.8	0.38	8.7	0.24	1,386	10.6	0.29	6.4	0.19
Respiratory System	14,261	136.9	1.18	87.7	0.75	10,834	83.8	0.81	56.7	0.58
Larynx	1,053	9.4	0.30	6.8	0.21	346	2.7	0.15	2.1	0.12
Lung & bronchus	13,048	125.9	1.14	79.8	0.71	10,397	80.3	0.79	54.1	0.56
Bones & Joints	111	1.1	0.10	0.9	0.09	87	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	375	3.8	0.20	2.7	0.15	292	2.4	0.14	1.8	0.12
Skin (excl. basal & sq.)	3,252	31.6	0.57	20.9	0.38	2,406	20.2	0.42	15.5	0.34
Melanomas of the skin	3,069	29.7	0.55	19.8	0.37	2,287	19.2	0.41	14.8	0.33
Breast (excl. <i>in situ</i>)	100	0.9	0.10	0.6	0.06	15,279	121.3	0.99	88.1	0.75
Female Genital System	-	-	-	-	-	6,183	49.6	0.64	36.8	0.49
Cervix uteri	-	-	-	-	-	1,000	8.8	0.28	7.0	0.23
Uterus Corpus	-	-	-	-	-	3,001	23.5	0.43	17.7	0.34
Uterus, NOS ¹	-	-	-	-	-	57	0.4	0.06	0.3	0.04
Ovary	-	-	-	-	-	1,452	11.6	0.31	8.1	0.23
Male Genital System	15,315	141.2	1.17	97.9	0.81	-	-	-	-	-
Prostate	14,634	134.6	1.15	92.1	0.77	-	-	-	-	-
Testis	543	5.3	0.23	5.0	0.22	-	-	-	-	-
Penis	123	1.2	0.11	0.8	0.07	-	-	-	-	-
Urinary System	6,889	68.0	0.85	42.2	0.52	3,132	24.5	0.44	16.4	0.32
Bladder (incl. <i>in situ</i>)	3,958	40.5	0.67	23.2	0.38	1,267	9.7	0.28	5.9	0.18
Kidney & renal pelvis	2,802	26.1	0.51	18.3	0.35	1,765	14.0	0.34	10.0	0.26
Ureter	82	0.9	0.10	0.5	0.05	73	0.6	0.07	0.3	0.04
Eye & Orbit	135	1.3	0.11	1.0	0.10	108	0.9	0.08	0.7	0.08
Brain & Other Nervous System	931	8.7	0.29	7.1	0.25	746	6.3	0.23	5.4	0.22
Brain	886	8.3	0.29	6.7	0.24	697	5.9	0.23	4.9	0.21
Endocrine System	819	7.5	0.27	6.1	0.22	2,213	19.4	0.42	16.1	0.36
Thyroid gland	733	6.7	0.25	5.2	0.20	2,144	18.8	0.41	15.5	0.35
Lymphomas	2,902	28.3	0.54	19.3	0.37	2,496	19.9	0.40	13.7	0.30
Hodgkin Lymphoma	322	3.0	0.17	2.8	0.16	259	2.4	0.15	2.2	0.14
Non-Hodgkin Lymphoma	2,580	25.3	0.51	16.5	0.34	2,237	17.5	0.37	11.6	0.27
Multiple Myeloma	741	7.3	0.28	4.5	0.17	584	4.5	0.19	2.8	0.12
Leukemias	1,693	16.9	0.42	11.7	0.31	1,289	10.4	0.29	7.5	0.25
Acute lymphocytic	166	1.6	0.13	2.0	0.16	131	1.2	0.11	1.6	0.15
Chronic lymphocytic	650	6.6	0.27	3.9	0.16	456	3.5	0.17	2.0	0.10
Acute myeloid	453	4.6	0.22	3.0	0.15	378	3.1	0.16	2.1	0.12
Chronic myeloid	208	2.0	0.14	1.4	0.10	169	1.4	0.11	1.0	0.08
Other leukemias	216	2.2	0.15	1.4	0.10	155	1.2	0.10	0.8	0.08
Mesothelioma	142	1.5	0.13	0.8	0.07	45	0.4	0.05	0.3	0.04
Kaposi Sarcoma	35	0.4	0.06	0.3	0.05	8	0.1	0.02	0.0	0.02
Ill-defined & Unknown	2,271	23.5	0.51	13.6	0.30	2,095	16.2	0.36	9.5	0.23
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	976	9.6	0.31	6.7	0.22	2,116	17.0	0.38	11.9	0.28
Breast (<i>in situ</i>)	9	0.1	0.02	0.1	0.02	3,128	25.0	0.45	18.7	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	59,329	606.8	2.56	400.9	1.70	54,328	463.7	2.02	325.4	1.51
Oral Cavity & Pharynx	2,119	20.4	0.45	14.9	0.33	785	6.6	0.24	4.7	0.18
Lip	203	2.2	0.16	1.3	0.10	52	0.4	0.06	0.3	0.04
Tongue	524	4.9	0.22	3.7	0.17	218	1.8	0.13	1.3	0.10
Major salivary gland	149	1.6	0.14	1.0	0.09	93	0.8	0.09	0.6	0.06
Floor of mouth	144	1.4	0.12	1.0	0.08	40	0.3	0.05	0.2	0.04
Gum & other mouth	231	2.3	0.15	1.6	0.11	162	1.4	0.11	0.9	0.08
Nasopharynx	72	0.7	0.09	0.5	0.07	37	0.3	0.05	0.2	0.04
Oropharynx	97	0.9	0.09	0.7	0.07	20	0.2	0.04	0.1	0.03
Hypopharynx	161	1.5	0.12	1.1	0.09	39	0.3	0.05	0.2	0.04
Digestive System	10,761	110.8	1.10	71.3	0.71	8,906	73.9	0.79	46.7	0.54
Esophagus	963	9.4	0.31	6.5	0.21	176	1.4	0.11	0.9	0.07
Stomach	763	7.9	0.29	5.0	0.19	473	3.9	0.18	2.4	0.12
Small intestine	296	3.0	0.18	2.0	0.12	251	2.1	0.14	1.4	0.10
Colon excl. rectum	4,154	44.1	0.70	27.0	0.43	4,044	33.4	0.53	20.4	0.35
Rectum & rectosigmoid	1,928	19.4	0.45	13.1	0.31	1,431	12.0	0.32	8.3	0.23
Anus, anal canal & anorectum	135	1.4	0.12	1.0	0.09	306	2.6	0.15	1.8	0.11
Liver	807	7.8	0.28	5.5	0.20	277	2.3	0.14	1.5	0.10
Gallbladder	59	0.6	0.08	0.4	0.05	154	1.2	0.10	0.8	0.07
Pancreas	1,325	13.7	0.39	8.6	0.24	1,268	10.4	0.29	6.3	0.19
Respiratory System	13,395	136.6	1.21	87.7	0.78	10,162	84.2	0.84	57.2	0.60
Larynx	983	9.4	0.31	6.8	0.22	324	2.8	0.16	2.1	0.12
Lung & bronchus	12,259	125.6	1.17	79.8	0.74	9,750	80.7	0.82	54.5	0.58
Bones & Joints	100	1.1	0.11	0.9	0.10	78	0.7	0.09	0.6	0.08
Soft Tissue (incl. heart)	338	3.7	0.21	2.6	0.15	264	2.4	0.15	1.8	0.13
Skin (excl. basal & sq.)	3,170	33.1	0.60	21.9	0.40	2,294	20.9	0.44	16.0	0.36
Melanomas of the skin	2,999	31.1	0.58	20.8	0.39	2,183	19.9	0.43	15.4	0.35
Breast (excl. <i>in situ</i>)	90	0.9	0.10	0.6	0.06	14,128	120.9	1.03	87.9	0.78
Female Genital System	-	-	-	-	-	5,817	50.5	0.67	37.4	0.52
Cervix uteri	-	-	-	-	-	904	8.8	0.30	6.9	0.24
Uterus Corpus	-	-	-	-	-	2,829	23.9	0.46	18.1	0.35
Uterus, NOS ¹	-	-	-	-	-	52	0.4	0.06	0.2	0.04
Ovary	-	-	-	-	-	1,397	12.0	0.33	8.4	0.24
Male Genital System	13,789	136.1	1.19	93.9	0.82	-	-	-	-	-
Prostate	13,144	129.2	1.16	87.7	0.78	-	-	-	-	-
Testis	513	5.5	0.25	5.3	0.24	-	-	-	-	-
Penis	118	1.2	0.12	0.8	0.07	-	-	-	-	-
Urinary System	6,522	68.6	0.87	42.7	0.55	2,922	24.5	0.46	16.4	0.33
Bladder (incl. <i>in situ</i>)	3,784	41.1	0.69	23.6	0.39	1,200	9.8	0.29	6.0	0.19
Kidney & renal pelvis	2,616	26.1	0.52	18.4	0.37	1,625	13.9	0.35	10.0	0.27
Ureter	81	0.9	0.10	0.5	0.06	73	0.6	0.07	0.3	0.04
Eye & Orbit	130	1.3	0.12	1.1	0.11	106	0.9	0.09	0.7	0.08
Brain & Other Nervous System	894	9.1	0.31	7.5	0.27	706	6.5	0.25	5.5	0.24
Brain	858	8.7	0.30	7.1	0.26	664	6.1	0.24	5.1	0.22
Endocrine System	772	7.7	0.28	6.2	0.23	2,082	20.1	0.45	16.6	0.38
Thyroid gland	695	6.8	0.26	5.4	0.21	2,017	19.4	0.44	16.0	0.37
Lymphomas	2,720	28.4	0.56	19.4	0.39	2,368	20.3	0.42	14.0	0.32
Hodgkin Lymphoma	295	3.1	0.18	2.8	0.17	241	2.4	0.16	2.2	0.15
Non-Hodgkin Lymphoma	2,425	25.4	0.53	16.6	0.35	2,127	17.9	0.39	11.7	0.28
Multiple Myeloma	663	6.9	0.28	4.3	0.17	505	4.2	0.19	2.6	0.12
Leukemias	1,581	16.9	0.44	11.6	0.32	1,203	10.4	0.31	7.5	0.26
Acute lymphocytic	148	1.6	0.13	2.0	0.17	123	1.3	0.12	1.7	0.17
Chronic lymphocytic	606	6.5	0.27	3.9	0.16	434	3.5	0.17	2.0	0.11
Acute myeloid	426	4.6	0.23	3.0	0.15	339	2.9	0.16	2.0	0.12
Chronic myeloid	195	2.0	0.15	1.4	0.11	159	1.4	0.11	1.0	0.09
Other leukemias	206	2.2	0.16	1.4	0.11	148	1.3	0.10	0.8	0.08
Mesothelioma	138	1.5	0.14	0.9	0.07	42	0.4	0.06	0.2	0.04
Kaposi Sarcoma	30	0.3	0.06	0.2	0.05	7	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,117	23.4	0.52	13.5	0.31	1,953	16.2	0.37	9.4	0.24
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	907	9.6	0.33	6.7	0.24	1,933	16.8	0.39	11.6	0.29
Breast (<i>in situ</i>)	-	-	-	-	-	2,856	24.6	0.47	18.5	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,730	651.7	11.48	436.4	7.32	3,471	449.3	7.74	308.0	5.47
Oral Cavity & Pharynx	110	17.1	1.73	12.7	1.25	54	6.6	0.92	4.9	0.69
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	22	2.8	0.60	2.3	0.51	12	1.4	0.43	1.0	0.31
Major salivary gland	-	-	-	-	-	9	1.1	0.38	0.8	0.30
Floor of mouth	-	-	-	-	-	6	0.7	0.30	0.5	0.22
Gum & other mouth	11	2.0	0.65	1.3	0.40	6	0.7	0.28	0.5	0.23
Nasopharynx	8	0.9	0.33	0.9	0.31	6	0.7	0.30	0.7	0.27
Oropharynx	11	1.8	0.59	1.2	0.39	-	-	-	-	-
Hypopharynx	14	2.5	0.72	1.6	0.43	-	-	-	-	-
Digestive System	770	135.0	5.23	89.2	3.30	701	92.2	3.53	58.9	2.36
Esophagus	59	9.6	1.33	6.8	0.91	24	3.3	0.69	2.0	0.43
Stomach	63	12.1	1.64	7.2	0.93	47	6.3	0.93	4.1	0.64
Small intestine	33	5.8	1.09	3.6	0.64	30	3.8	0.70	2.6	0.49
Colon excl. rectum	294	54.6	3.43	34.1	2.04	303	40.3	2.35	25.4	1.55
Rectum & rectosigmoid	107	19.1	1.98	12.7	1.26	105	13.4	1.33	8.7	0.90
Anus, anal canal & anorectum	11	1.7	0.55	1.3	0.40	15	1.9	0.49	1.3	0.36
Liver	88	12.2	1.36	9.9	1.08	30	3.7	0.69	2.7	0.50
Gallbladder	9	1.6	0.57	1.0	0.35	13	1.8	0.51	1.0	0.29
Pancreas	93	16.3	1.80	11.0	1.17	111	14.7	1.42	9.2	0.93
Respiratory System	825	155.2	5.79	97.5	3.48	640	85.7	3.44	55.9	2.33
Larynx	64	10.1	1.36	7.4	0.95	19	2.4	0.56	1.8	0.44
Lung & bronchus	755	144.2	5.61	89.4	3.33	618	82.9	3.38	53.8	2.28
Bones & Joints	9	1.3	0.46	1.0	0.33	9	1.0	0.34	1.0	0.33
Soft Tissue (incl. heart)	30	4.2	0.83	3.3	0.62	24	3.0	0.62	2.2	0.46
Skin (excl. basal & sq.)	11	1.4	0.42	1.2	0.37	13	1.7	0.48	1.1	0.33
Melanomas of the skin	-	-	-	-	-	7	1.0	0.37	0.6	0.24
Breast (excl. <i>in situ</i>)	10	1.7	0.58	1.2	0.39	1,019	129.4	4.11	91.7	2.97
Female Genital System	-	-	-	-	-	309	39.3	2.27	28.7	1.69
Cervix uteri	-	-	-	-	-	76	9.3	1.08	7.1	0.83
Uterus Corpus	-	-	-	-	-	146	19.0	1.59	13.8	1.18
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	50	6.4	0.92	4.4	0.66
Male Genital System	1,153	193.2	6.08	138.4	4.18	-	-	-	-	-
Prostate	1,135	190.8	6.05	136.4	4.15	-	-	-	-	-
Testis	13	1.5	0.41	1.4	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	305	56.6	3.49	34.6	2.03	189	25.0	1.84	16.5	1.27
Bladder (incl. <i>in situ</i>)	124	25.9	2.49	14.2	1.31	55	7.6	1.04	4.4	0.63
Kidney & renal pelvis	174	29.1	2.36	19.7	1.53	131	16.9	1.50	12.0	1.09
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	31	5.6	1.09	3.6	0.67	34	4.0	0.71	3.5	0.62
Brain	26	4.8	1.04	3.0	0.61	27	3.3	0.65	2.8	0.54
Endocrine System	39	5.2	0.89	4.4	0.72	99	12.3	1.25	9.7	1.00
Thyroid gland	33	4.6	0.85	3.7	0.66	95	11.8	1.22	9.3	0.97
Lymphomas	147	23.0	2.07	16.0	1.35	111	13.6	1.31	10.5	1.04
Hodgkin Lymphoma	22	2.7	0.60	2.4	0.51	17	1.9	0.47	1.8	0.43
Non-Hodgkin Lymphoma	125	20.3	1.98	13.6	1.25	94	11.7	1.22	8.8	0.94
Multiple Myeloma	74	14.6	1.80	8.7	1.03	75	10.0	1.17	6.3	0.77
Leukemias	69	11.6	1.54	8.1	0.99	66	8.4	1.05	6.4	0.83
Acute lymphocytic	13	1.3	0.37	1.6	0.45	-	-	-	-	-
Chronic lymphocytic	23	5.0	1.09	2.8	0.60	14	1.9	0.51	1.3	0.36
Acute myeloid	20	3.1	0.76	2.2	0.51	34	4.3	0.76	3.3	0.59
Chronic myeloid	7	1.3	0.54	0.8	0.29	8	0.9	0.33	0.8	0.28
Other leukemias	6	0.9	0.39	0.7	0.28	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	135	24.4	2.28	15.0	1.32	122	16.6	1.52	9.8	0.95
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	58	9.3	1.33	6.6	0.89	151	19.4	1.61	13.5	1.14
Breast (<i>in situ</i>)	-	-	-	-	-	240	29.8	1.95	22.3	1.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	153	273.9	28.57	164.9	13.98	201	229.7	18.50	150.2	10.85
Oral Cavity & Pharynx	6	6.5	2.88	5.0	2.17	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	48	80.4	15.00	49.3	7.46	55	78.3	11.95	44.0	6.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	11	16.1	5.59	8.2	2.53
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	14	24.1	8.14	13.7	3.84	21	29.1	7.05	16.8	3.73
Rectum & rectosigmoid	11	15.8	5.76	11.1	3.41	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	9	16.1	6.98	8.3	2.93	7	7.7	2.98	6.0	2.27
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	6	12.0	5.46	4.9	2.05
Respiratory System	26	60.6	14.77	32.6	6.62	23	33.0	7.66	17.9	3.80
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	58.4	14.69	30.8	6.50	22	29.7	6.92	16.9	3.65
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	55	50.3	7.09	39.4	5.43
Female Genital System	-	-	-	-	-	22	20.8	4.87	15.0	3.29
Cervix uteri	-	-	-	-	-	8	8.6	3.35	5.7	2.07
Uterus Corpus	-	-	-	-	-	12	10.9	3.40	8.2	2.45
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	28	49.4	10.91	32.0	6.11	-	-	-	-	-
Prostate	25	47.8	10.87	29.7	5.95	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	23.7	11.17	10.7	4.27	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	17	13.4	3.41	11.3	2.81
Thyroid gland	-	-	-	-	-	17	13.4	3.41	11.3	2.81
Lymphomas	13	19.7	6.77	12.8	3.65	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	11.2	4.41	9.1	3.05	8	9.2	3.70	5.4	1.97
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	7	6.7	2.73	5.7	2.17
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	16	12.9	3.37	12.4	3.19
Breast (<i>in situ</i>)	-	-	-	-	-	12	10.8	3.15	9.3	2.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	348	325.4	21.45	207.4	12.29	311	269.1	16.96	183.2	11.17
Oral Cavity & Pharynx	10	9.8	3.50	7.0	2.32	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	65	65.6	9.48	41.8	5.60	56	56.8	8.25	32.6	4.65
Esophagus	6	6.1	2.68	4.4	1.86	-	-	-	-	-
Stomach	7	6.5	2.69	5.0	2.01	6	4.9	2.22	3.4	1.48
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	19	20.6	5.56	11.6	2.91	19	20.0	4.98	10.6	2.60
Rectum & rectosigmoid	13	11.6	3.88	7.7	2.42	6	4.2	1.81	3.4	1.49
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	8.5	2.76	6.8	2.15	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	10	11.6	3.90	5.7	1.94
Respiratory System	68	78.7	10.94	48.8	6.24	43	45.2	7.18	32.3	5.13
Larynx	9	10.3	4.04	6.4	2.34	-	-	-	-	-
Lung & bronchus	57	67.8	10.15	41.9	5.78	41	43.6	7.10	30.9	5.02
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	1.5	0.63	1.4	0.58	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	8	4.1	1.59	3.7	1.37
Melanomas of the skin	-	-	-	-	-	6	3.6	1.54	2.9	1.26
Breast (excl. <i>in situ</i>)	-	-	-	-	-	64	60.5	8.17	38.9	5.15
Female Genital System	-	-	-	-	-	46	33.8	5.53	26.2	4.17
Cervix uteri	-	-	-	-	-	18	10.9	2.83	9.6	2.51
Uterus Corpus	-	-	-	-	-	13	10.2	3.13	6.6	1.91
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	10.8	3.40	8.3	2.52
Male Genital System	66	59.9	8.68	41.8	5.61	-	-	-	-	-
Prostate	51	55.5	8.56	37.7	5.46	-	-	-	-	-
Testis	12	2.5	0.73	2.5	0.72	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	35.7	8.02	17.4	3.58	10	11.3	3.78	6.5	2.16
Bladder (incl. <i>in situ</i>)	13	19.6	6.01	9.4	2.72	-	-	-	-	-
Kidney & renal pelvis	14	13.5	4.63	7.1	2.17	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	5.8	2.16	5.1	1.65	9	5.7	2.47	4.2	1.60
Brain	11	5.7	2.15	4.9	1.63	7	5.3	2.45	3.6	1.54
Endocrine System	8	4.2	2.09	2.8	1.08	25	15.3	3.49	11.9	2.58
Thyroid gland	-	-	-	-	-	24	14.2	3.31	11.0	2.39
Lymphomas	30	21.5	5.42	13.7	2.92	18	12.0	3.15	10.1	2.58
Hodgkin Lymphoma	6	1.8	0.88	1.9	0.82	-	-	-	-	-
Non-Hodgkin Lymphoma	24	19.6	5.35	11.8	2.81	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	31	16.0	3.95	13.0	2.76	10	4.5	1.72	4.5	1.58
Acute lymphocytic	10	1.8	0.59	2.7	0.86	7	3.1	1.47	3.1	1.34
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	9	5.1	2.07	4.0	1.50	-	-	-	-	-
Chronic myeloid	6	2.2	1.04	2.0	1.00	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	14	16.8	5.33	9.2	2.63	9	8.8	3.19	5.2	1.85
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	14	6.2	2.17	5.3	1.69	7	2.7	1.09	2.5	0.96
Breast (<i>in situ</i>)	-	-	-	-	-	13	10.5	3.00	8.9	2.57

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

KENTUCKY

166 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	59,007	609.7	2.58	403.1	1.72	54,035	465.6	2.03	327.0	1.52
Oral Cavity & Pharynx	2,109	20.6	0.46	15.0	0.33	783	6.7	0.24	4.7	0.18
Lip	203	2.2	0.16	1.4	0.10	51	0.4	0.06	0.3	0.04
Tongue	520	4.9	0.22	3.7	0.17	217	1.9	0.13	1.3	0.10
Major salivary gland	149	1.6	0.14	1.0	0.09	93	0.8	0.09	0.6	0.07
Floor of mouth	143	1.4	0.12	1.0	0.09	40	0.3	0.05	0.2	0.04
Gum & other mouth	230	2.3	0.16	1.6	0.11	162	1.4	0.11	0.9	0.08
Nasopharynx	72	0.7	0.09	0.6	0.07	37	0.3	0.05	0.2	0.04
Oropharynx	97	0.9	0.10	0.7	0.07	20	0.2	0.04	0.1	0.03
Hypopharynx	161	1.5	0.12	1.1	0.09	39	0.3	0.05	0.2	0.04
Digestive System	10,700	111.2	1.11	71.6	0.71	8,856	74.1	0.80	46.8	0.54
Esophagus	957	9.4	0.31	6.5	0.22	175	1.4	0.11	0.9	0.07
Stomach	756	7.9	0.30	5.0	0.19	467	3.9	0.18	2.4	0.12
Small intestine	293	3.0	0.18	2.0	0.12	251	2.2	0.14	1.4	0.10
Colon excl. rectum	4,135	44.3	0.71	27.1	0.43	4,028	33.5	0.53	20.5	0.35
Rectum & rectosigmoid	1,916	19.5	0.46	13.2	0.31	1,426	12.1	0.32	8.3	0.24
Anus, anal canal & anorectum	135	1.4	0.12	1.0	0.09	303	2.6	0.15	1.8	0.11
Liver	799	7.9	0.28	5.5	0.20	275	2.3	0.14	1.6	0.10
Gallbladder	59	0.6	0.08	0.4	0.05	150	1.2	0.10	0.8	0.07
Pancreas	1,321	13.8	0.39	8.7	0.24	1,258	10.4	0.30	6.3	0.19
Respiratory System	13,332	137.1	1.22	88.0	0.78	10,122	84.5	0.85	57.4	0.60
Larynx	974	9.4	0.31	6.8	0.22	323	2.8	0.16	2.2	0.12
Lung & bronchus	12,207	126.1	1.17	80.1	0.74	9,712	81.0	0.83	54.7	0.59
Bones & Joints	100	1.1	0.11	0.9	0.10	77	0.8	0.09	0.7	0.09
Soft Tissue (incl. heart)	333	3.7	0.21	2.6	0.15	260	2.3	0.15	1.8	0.13
Skin (excl. basal & sq.)	3,165	33.5	0.61	22.2	0.41	2,286	21.1	0.45	16.2	0.36
Melanomas of the skin	2,995	31.5	0.59	21.1	0.40	2,177	20.2	0.44	15.6	0.36
Breast (excl. <i>in situ</i>)	90	0.9	0.10	0.6	0.06	14,066	121.5	1.04	88.4	0.78
Female Genital System	-	-	-	-	-	5,773	50.6	0.68	37.5	0.52
Cervix uteri	-	-	-	-	-	888	8.7	0.30	6.9	0.24
Uterus Corpus	-	-	-	-	-	2,816	24.0	0.46	18.2	0.36
Uterus, NOS ¹	-	-	-	-	-	51	0.4	0.06	0.2	0.04
Ovary	-	-	-	-	-	1,385	12.0	0.33	8.4	0.25
Male Genital System	13,729	136.8	1.20	94.4	0.83	-	-	-	-	-
Prostate	13,099	129.8	1.17	88.2	0.78	-	-	-	-	-
Testis	501	5.6	0.25	5.4	0.25	-	-	-	-	-
Penis	115	1.2	0.12	0.8	0.07	-	-	-	-	-
Urinary System	6,495	68.9	0.88	43.0	0.55	2,913	24.7	0.46	16.5	0.33
Bladder (incl. <i>in situ</i>)	3,772	41.3	0.69	23.7	0.40	1,195	9.9	0.29	6.0	0.19
Kidney & renal pelvis	2,602	26.2	0.53	18.5	0.38	1,622	14.0	0.35	10.1	0.27
Ureter	80	0.9	0.10	0.5	0.06	72	0.6	0.07	0.3	0.04
Eye & Orbit	130	1.4	0.12	1.1	0.11	106	0.9	0.09	0.8	0.08
Brain & Other Nervous System	883	9.1	0.31	7.5	0.27	697	6.5	0.25	5.5	0.24
Brain	847	8.8	0.31	7.2	0.27	657	6.1	0.24	5.1	0.23
Endocrine System	766	7.7	0.29	6.3	0.24	2,058	20.2	0.45	16.8	0.39
Thyroid gland	690	6.9	0.27	5.4	0.21	1,994	19.6	0.45	16.1	0.38
Lymphomas	2,693	28.5	0.56	19.5	0.39	2,351	20.4	0.43	14.0	0.32
Hodgkin Lymphoma	291	3.1	0.18	2.8	0.18	238	2.5	0.16	2.3	0.16
Non-Hodgkin Lymphoma	2,402	25.4	0.53	16.6	0.35	2,113	17.9	0.39	11.8	0.28
Multiple Myeloma	661	7.0	0.28	4.3	0.17	502	4.2	0.19	2.6	0.12
Leukemias	1,552	16.8	0.44	11.5	0.32	1,193	10.5	0.31	7.6	0.27
Acute lymphocytic	138	1.5	0.13	1.9	0.17	116	1.3	0.12	1.6	0.17
Chronic lymphocytic	602	6.5	0.27	3.9	0.16	434	3.6	0.17	2.1	0.11
Acute myeloid	418	4.6	0.23	2.9	0.15	337	3.0	0.16	2.0	0.12
Chronic myeloid	189	2.0	0.15	1.4	0.11	159	1.4	0.11	1.0	0.09
Other leukemias	205	2.2	0.16	1.5	0.11	147	1.3	0.11	0.8	0.08
Mesothelioma	138	1.6	0.14	0.9	0.08	41	0.4	0.06	0.2	0.04
Kaposi Sarcoma	27	0.3	0.06	0.2	0.04	7	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,104	23.4	0.53	13.5	0.31	1,944	16.2	0.37	9.5	0.24
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	893	9.6	0.33	6.7	0.24	1,926	16.9	0.39	11.7	0.29
Breast (<i>in situ</i>)	-	-	-	-	-	2,843	24.8	0.47	18.6	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	3,717	655.9	11.56	439.6	7.39	3,465	452.4	7.80	310.5	5.52
Oral Cavity & Pharynx	110	17.2	1.75	12.9	1.26	54	6.7	0.93	5.0	0.70
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	22	2.8	0.61	2.4	0.52	12	1.5	0.43	1.0	0.31
Major salivary gland	-	-	-	-	-	9	1.1	0.39	0.9	0.31
Floor of mouth	-	-	-	-	-	6	0.7	0.31	0.5	0.22
Gum & other mouth	11	2.0	0.66	1.3	0.41	6	0.7	0.28	0.5	0.23
Nasopharynx	8	1.0	0.34	0.9	0.32	6	0.7	0.31	0.7	0.28
Oropharynx	11	1.8	0.59	1.3	0.39	-	-	-	-	-
Hypopharynx	14	2.6	0.73	1.6	0.43	-	-	-	-	-
Digestive System	768	136.0	5.27	89.9	3.33	699	92.6	3.55	59.1	2.37
Esophagus	59	9.7	1.35	6.8	0.91	24	3.4	0.70	2.0	0.43
Stomach	63	12.2	1.66	7.2	0.94	47	6.3	0.93	4.2	0.65
Small intestine	33	5.9	1.10	3.6	0.65	30	3.8	0.70	2.6	0.50
Colon excl. rectum	294	55.1	3.46	34.5	2.06	302	40.5	2.36	25.5	1.56
Rectum & rectosigmoid	107	19.3	2.00	12.8	1.27	105	13.5	1.33	8.8	0.91
Anus, anal canal & anorectum	11	1.8	0.56	1.3	0.40	15	1.9	0.50	1.4	0.36
Liver	86	12.0	1.35	9.8	1.08	29	3.6	0.69	2.6	0.50
Gallbladder	9	1.6	0.58	1.0	0.36	13	1.8	0.52	1.0	0.29
Pancreas	93	16.4	1.82	11.1	1.18	111	14.8	1.43	9.3	0.94
Respiratory System	822	155.9	5.82	98.1	3.50	638	86.0	3.46	56.2	2.34
Larynx	64	10.2	1.38	7.5	0.96	19	2.4	0.57	1.9	0.44
Lung & bronchus	752	144.7	5.64	89.9	3.36	616	83.2	3.40	54.1	2.29
Bones & Joints	9	1.3	0.47	1.0	0.33	9	1.0	0.35	1.0	0.34
Soft Tissue (incl. heart)	30	4.3	0.84	3.4	0.63	24	3.0	0.63	2.2	0.47
Skin (excl. basal & sq.)	11	1.4	0.43	1.2	0.37	13	1.7	0.48	1.2	0.34
Melanomas of the skin	-	-	-	-	-	7	1.0	0.37	0.6	0.24
Breast (excl. <i>in situ</i>)	10	1.7	0.58	1.2	0.39	1,019	130.6	4.15	92.7	3.01
Female Genital System	-	-	-	-	-	309	39.7	2.29	29.0	1.71
Cervix uteri	-	-	-	-	-	76	9.4	1.09	7.2	0.84
Uterus Corpus	-	-	-	-	-	146	19.1	1.61	13.9	1.19
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	50	6.5	0.93	4.5	0.66
Male Genital System	1,149	194.3	6.12	139.3	4.21	-	-	-	-	-
Prostate	1,131	191.8	6.09	137.2	4.18	-	-	-	-	-
Testis	13	1.5	0.42	1.5	0.41	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	305	57.2	3.53	34.9	2.05	188	25.0	1.85	16.6	1.28
Bladder (incl. <i>in situ</i>)	124	26.1	2.51	14.3	1.32	55	7.7	1.05	4.4	0.64
Kidney & renal pelvis	174	29.4	2.39	19.9	1.55	130	16.9	1.51	12.1	1.10
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	31	5.6	1.10	3.7	0.68	34	4.1	0.72	3.6	0.63
Brain	26	4.9	1.05	3.1	0.62	27	3.3	0.66	2.8	0.55
Endocrine System	39	5.3	0.91	4.5	0.73	99	12.4	1.27	9.9	1.02
Thyroid gland	33	4.6	0.87	3.8	0.67	95	12.0	1.24	9.4	0.98
Lymphomas	146	23.3	2.09	16.1	1.36	110	13.6	1.32	10.5	1.04
Hodgkin Lymphoma	21	2.7	0.60	2.3	0.50	17	1.9	0.47	1.8	0.44
Non-Hodgkin Lymphoma	125	20.6	2.00	13.9	1.26	93	11.7	1.23	8.8	0.95
Multiple Myeloma	74	14.7	1.82	8.7	1.04	75	10.1	1.18	6.3	0.78
Leukemias	67	11.5	1.54	8.0	1.00	66	8.5	1.06	6.5	0.84
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	14	1.9	0.52	1.3	0.36
Acute myeloid	-	-	-	-	-	34	4.4	0.77	3.4	0.60
Chronic myeloid	-	-	-	-	-	8	1.0	0.34	0.8	0.28
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	134	24.3	2.28	15.1	1.33	122	16.7	1.53	9.8	0.95
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	58	9.5	1.34	6.7	0.90	151	19.6	1.62	13.6	1.16
Breast (<i>in situ</i>)	-	-	-	-	-	240	30.1	1.97	22.5	1.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

KENTUCKY

168 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	61,731	603.4	2.50	402.3	1.66	51,402	413.6	1.84	287.7	1.36
Oral Cavity & Pharynx	2,095	19.1	0.43	13.9	0.31	817	6.5	0.23	4.6	0.17
Lip	137	1.4	0.12	0.9	0.08	29	0.2	0.04	0.1	0.03
Tongue	568	5.1	0.22	3.8	0.16	249	2.0	0.12	1.4	0.09
Major salivary gland	151	1.5	0.13	1.0	0.08	111	0.9	0.09	0.7	0.07
Floor of mouth	132	1.1	0.10	0.9	0.08	46	0.4	0.06	0.2	0.04
Gum & other mouth	230	2.3	0.15	1.4	0.10	179	1.4	0.11	0.9	0.08
Nasopharynx	126	1.1	0.10	0.9	0.08	42	0.3	0.05	0.3	0.04
Oropharynx	101	0.9	0.09	0.7	0.07	20	0.2	0.04	0.1	0.03
Hypopharynx	180	1.6	0.12	1.2	0.09	36	0.3	0.05	0.2	0.04
Digestive System	11,958	117.1	1.10	76.6	0.72	9,489	75.3	0.78	48.1	0.53
Esophagus	924	8.8	0.30	6.0	0.20	267	2.1	0.13	1.3	0.09
Stomach	1,107	11.2	0.35	7.1	0.22	748	6.0	0.22	3.8	0.15
Small intestine	301	2.9	0.17	2.0	0.12	272	2.2	0.13	1.5	0.10
Colon excl. rectum	4,362	43.8	0.68	27.5	0.43	4,138	32.7	0.51	20.6	0.34
Rectum & rectosigmoid	1,977	18.7	0.43	13.0	0.30	1,413	11.3	0.30	7.9	0.22
Anus, anal canal & anorectum	163	1.5	0.12	1.1	0.09	227	1.8	0.12	1.3	0.09
Liver	1,252	11.5	0.33	8.1	0.24	399	3.2	0.16	2.2	0.12
Gallbladder	93	1.0	0.10	0.6	0.06	157	1.2	0.10	0.8	0.07
Pancreas	1,449	14.4	0.39	9.2	0.25	1,494	11.8	0.31	6.8	0.19
Respiratory System	11,135	110.5	1.08	70.7	0.69	7,620	60.4	0.70	39.5	0.48
Larynx	1,005	9.4	0.31	6.6	0.21	272	2.2	0.13	1.5	0.10
Lung & bronchus	9,968	99.6	1.03	62.9	0.65	7,275	57.7	0.68	37.6	0.47
Bones & Joints	86	0.8	0.09	0.7	0.08	93	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	444	4.3	0.21	3.2	0.16	397	3.3	0.17	2.7	0.15
Skin (excl. basal & sq.)	2,151	21.7	0.48	14.0	0.31	1,441	12.1	0.32	9.1	0.25
Melanomas of the skin	1,924	19.2	0.45	12.6	0.30	1,299	10.9	0.31	8.3	0.24
Breast (excl. <i>in situ</i>)	144	1.5	0.13	0.9	0.08	14,835	119.7	0.99	86.5	0.74
Female Genital System	-	-	-	-	-	5,085	41.3	0.59	30.4	0.45
Cervix uteri	-	-	-	-	-	1,074	9.5	0.29	7.5	0.24
Uterus Corpus	-	-	-	-	-	2,093	16.5	0.37	12.2	0.28
Uterus, NOS ¹	-	-	-	-	-	81	0.6	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,317	10.5	0.29	7.4	0.22
Male Genital System	18,453	174.7	1.32	121.6	0.91	-	-	-	-	-
Prostate	17,884	169.3	1.30	116.9	0.89	-	-	-	-	-
Testis	444	4.2	0.20	3.8	0.18	-	-	-	-	-
Penis	101	1.0	0.10	0.7	0.07	-	-	-	-	-
Urinary System	6,116	61.5	0.81	38.9	0.51	2,947	23.4	0.43	15.5	0.31
Bladder (incl. <i>in situ</i>)	3,231	34.1	0.62	19.7	0.36	1,031	8.1	0.25	4.9	0.17
Kidney & renal pelvis	2,769	26.2	0.51	18.5	0.36	1,847	14.7	0.35	10.3	0.25
Ureter	79	0.9	0.10	0.5	0.05	49	0.4	0.05	0.2	0.04
Eye & Orbit	79	0.8	0.09	0.6	0.07	82	0.7	0.07	0.6	0.07
Brain & Other Nervous System	707	6.7	0.26	5.5	0.22	613	5.1	0.21	4.4	0.20
Brain	684	6.5	0.25	5.3	0.21	568	4.7	0.20	4.0	0.19
Endocrine System	641	6.0	0.24	4.8	0.19	1,758	15.0	0.36	12.4	0.31
Thyroid gland	542	5.1	0.22	3.9	0.17	1,678	14.4	0.36	11.7	0.30
Lymphomas	2,800	27.8	0.54	19.1	0.37	2,368	19.3	0.40	13.4	0.30
Hodgkin Lymphoma	359	3.4	0.18	2.9	0.16	318	2.8	0.16	2.5	0.15
Non-Hodgkin Lymphoma	2,441	24.5	0.51	16.1	0.34	2,050	16.5	0.37	10.9	0.26
Multiple Myeloma	790	8.1	0.30	4.9	0.18	662	5.2	0.21	3.4	0.14
Leukemias	1,490	15.2	0.40	10.4	0.29	1,125	9.2	0.28	6.7	0.23
Acute lymphocytic	167	1.6	0.12	1.8	0.15	116	1.0	0.10	1.2	0.12
Chronic lymphocytic	443	4.5	0.22	2.8	0.13	288	2.3	0.14	1.3	0.08
Acute myeloid	423	4.4	0.22	2.8	0.14	385	3.2	0.16	2.3	0.13
Chronic myeloid	235	2.4	0.16	1.6	0.11	158	1.3	0.10	0.9	0.08
Other leukemias	222	2.4	0.16	1.4	0.10	178	1.4	0.11	0.9	0.08
Mesothelioma	239	2.5	0.17	1.4	0.10	82	0.6	0.07	0.4	0.05
Kaposi Sarcoma	93	1.0	0.10	0.7	0.08	18	0.2	0.04	0.1	0.02
Ill-defined & Unknown	2,310	24.1	0.52	14.4	0.31	1,970	15.6	0.35	9.3	0.23
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	748	7.3	0.27	5.4	0.21	1,485	12.1	0.32	8.6	0.24
Breast (<i>in situ</i>)	21	0.2	0.05	0.1	0.03	3,027	24.2	0.45	18.0	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	44,667	589.4	2.85	390.6	1.92	36,891	417.0	2.21	290.2	1.65
Oral Cavity & Pharynx	1,580	19.8	0.51	14.4	0.37	595	6.6	0.27	4.5	0.20
Lip	130	1.8	0.16	1.1	0.10	26	0.3	0.05	0.2	0.04
Tongue	458	5.6	0.27	4.2	0.20	187	2.1	0.15	1.4	0.11
Major salivary gland	118	1.6	0.15	1.0	0.10	76	0.9	0.10	0.6	0.08
Floor of mouth	95	1.2	0.12	0.9	0.09	39	0.4	0.07	0.3	0.05
Gum & other mouth	171	2.3	0.18	1.5	0.12	130	1.4	0.13	0.9	0.09
Nasopharynx	67	0.8	0.10	0.7	0.08	29	0.3	0.06	0.2	0.05
Oropharynx	55	0.7	0.09	0.5	0.07	12	0.1	0.04	0.1	0.03
Hypopharynx	116	1.4	0.13	1.0	0.10	21	0.2	0.05	0.2	0.04
Digestive System	8,205	108.4	1.22	70.3	0.80	6,267	68.5	0.88	43.3	0.60
Esophagus	672	8.7	0.34	5.8	0.23	179	1.9	0.14	1.2	0.10
Stomach	626	8.4	0.34	5.2	0.22	376	4.2	0.22	2.6	0.15
Small intestine	196	2.6	0.19	1.7	0.13	167	1.9	0.15	1.3	0.11
Colon excl. rectum	3,059	41.2	0.76	25.6	0.48	2,757	29.8	0.57	18.4	0.38
Rectum & rectosigmoid	1,419	18.1	0.49	12.7	0.35	967	10.9	0.36	7.6	0.26
Anus, anal canal & anorectum	119	1.5	0.14	1.1	0.11	179	2.0	0.15	1.4	0.11
Liver	772	9.9	0.36	6.8	0.25	236	2.6	0.17	1.7	0.12
Gallbladder	58	0.8	0.10	0.5	0.06	100	1.1	0.11	0.7	0.07
Pancreas	1,036	13.9	0.44	8.7	0.28	1,015	10.9	0.35	6.3	0.22
Respiratory System	7,871	104.6	1.20	66.1	0.77	5,740	62.8	0.84	40.9	0.58
Larynx	666	8.6	0.34	5.9	0.23	195	2.2	0.16	1.5	0.12
Lung & bronchus	7,086	94.5	1.15	59.0	0.72	5,490	60.0	0.82	38.9	0.57
Bones & Joints	61	0.9	0.11	0.7	0.10	69	0.9	0.11	0.9	0.12
Soft Tissue (incl. heart)	319	4.3	0.25	3.3	0.20	245	2.9	0.19	2.3	0.17
Skin (excl. basal & sq.)	2,092	28.4	0.63	18.6	0.43	1,381	16.9	0.46	13.0	0.38
Melanomas of the skin	1,893	25.5	0.60	17.1	0.41	1,265	15.6	0.45	12.1	0.37
Breast (excl. <i>in situ</i>)	98	1.3	0.14	0.8	0.09	10,446	118.9	1.18	85.4	0.89
Female Genital System	-	-	-	-	-	3,516	40.6	0.70	30.1	0.54
Cervix uteri	-	-	-	-	-	629	8.5	0.34	6.9	0.28
Uterus Corpus	-	-	-	-	-	1,471	16.4	0.43	12.2	0.33
Uterus, NOS ¹	-	-	-	-	-	46	0.5	0.07	0.3	0.05
Ovary	-	-	-	-	-	971	10.8	0.35	7.7	0.27
Male Genital System	12,477	159.1	1.45	110.3	1.01	-	-	-	-	-
Prostate	11,993	152.3	1.42	104.3	0.97	-	-	-	-	-
Testis	397	5.7	0.29	5.2	0.26	-	-	-	-	-
Penis	72	0.9	0.11	0.6	0.08	-	-	-	-	-
Urinary System	4,973	66.7	0.97	42.1	0.62	2,193	24.1	0.52	16.2	0.38
Bladder (incl. <i>in situ</i>)	2,759	38.2	0.74	22.2	0.44	810	8.7	0.31	5.4	0.21
Kidney & renal pelvis	2,113	27.1	0.60	19.2	0.43	1,338	14.9	0.41	10.5	0.31
Ureter	72	1.0	0.12	0.6	0.07	37	0.4	0.06	0.2	0.04
Eye & Orbit	72	1.0	0.12	0.7	0.10	74	0.9	0.10	0.7	0.10
Brain & Other Nervous System	555	7.4	0.32	6.1	0.28	474	5.8	0.27	5.0	0.26
Brain	538	7.2	0.32	5.9	0.28	440	5.4	0.26	4.5	0.25
Endocrine System	532	7.0	0.31	5.6	0.25	1,368	17.6	0.49	14.6	0.42
Thyroid gland	463	6.1	0.29	4.7	0.22	1,312	16.9	0.48	13.9	0.40
Lymphomas	2,224	30.3	0.66	20.3	0.46	1,844	20.8	0.49	14.2	0.37
Hodgkin Lymphoma	251	3.5	0.22	3.0	0.20	215	2.8	0.20	2.5	0.18
Non-Hodgkin Lymphoma	1,973	26.8	0.62	17.3	0.41	1,629	18.0	0.45	11.7	0.32
Multiple Myeloma	449	6.2	0.30	3.7	0.18	335	3.7	0.20	2.3	0.14
Leukemias	1,174	16.3	0.49	11.2	0.36	841	9.8	0.34	7.4	0.31
Acute lymphocytic	117	1.7	0.16	2.0	0.20	96	1.4	0.14	1.7	0.19
Chronic lymphocytic	364	4.9	0.26	3.0	0.16	238	2.6	0.17	1.5	0.11
Acute myeloid	330	4.6	0.26	2.9	0.17	270	3.2	0.20	2.3	0.16
Chronic myeloid	185	2.5	0.19	1.7	0.13	104	1.2	0.12	0.9	0.09
Other leukemias	178	2.5	0.19	1.5	0.12	133	1.5	0.13	1.0	0.10
Mesothelioma	193	2.7	0.20	1.5	0.12	62	0.7	0.09	0.4	0.06
Kaposi Sarcoma	55	0.8	0.11	0.6	0.08	10	0.1	0.03	0.1	0.02
Ill-defined & Unknown	1,737	24.1	0.59	14.3	0.36	1,431	15.4	0.41	9.1	0.27
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	553	7.5	0.33	5.7	0.26	1,058	12.2	0.38	8.8	0.30
Breast (<i>in situ</i>)	14	0.2	0.05	0.1	0.03	2,184	24.9	0.54	18.5	0.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	16,570	667.4	5.55	453.8	3.58	14,078	418.8	3.59	292.9	2.55
Oral Cavity & Pharynx	495	17.5	0.83	13.2	0.60	211	6.0	0.42	4.5	0.32
Lip	6	0.2	0.08	0.2	0.07	-	-	-	-	-
Tongue	108	3.9	0.40	2.9	0.29	59	1.6	0.21	1.2	0.16
Major salivary gland	32	1.2	0.22	0.9	0.16	33	1.0	0.17	0.7	0.13
Floor of mouth	36	1.1	0.19	1.0	0.16	6	0.2	0.07	0.1	0.06
Gum & other mouth	57	2.1	0.30	1.4	0.19	49	1.5	0.21	1.1	0.16
Nasopharynx	51	1.8	0.27	1.3	0.19	9	0.2	0.08	0.2	0.07
Oropharynx	46	1.7	0.27	1.2	0.18	8	0.2	0.08	0.2	0.07
Hypopharynx	63	2.3	0.31	1.7	0.22	14	0.4	0.11	0.3	0.08
Digestive System	3,628	147.4	2.63	97.6	1.65	3,120	94.8	1.73	61.5	1.14
Esophagus	247	9.5	0.65	6.7	0.43	88	2.6	0.28	1.8	0.20
Stomach	467	20.4	1.01	12.8	0.60	354	10.9	0.59	6.8	0.38
Small intestine	102	4.0	0.42	2.8	0.28	104	3.1	0.31	2.1	0.21
Colon excl. rectum	1,276	53.9	1.62	34.5	0.98	1,345	40.9	1.13	26.6	0.75
Rectum & rectosigmoid	538	21.1	0.98	14.4	0.63	436	12.7	0.62	9.0	0.44
Anus, anal canal & anorectum	44	1.4	0.22	1.1	0.17	47	1.4	0.21	1.0	0.15
Liver	439	15.3	0.77	11.6	0.56	150	4.3	0.36	3.2	0.27
Gallbladder	34	1.7	0.31	0.9	0.16	56	1.8	0.24	1.1	0.15
Pancreas	404	16.6	0.89	10.8	0.55	462	14.6	0.69	8.5	0.41
Respiratory System	3,186	132.2	2.51	86.8	1.56	1,837	55.7	1.32	37.3	0.90
Larynx	335	12.4	0.72	9.1	0.50	77	2.1	0.25	1.7	0.19
Lung & bronchus	2,812	118.4	2.39	76.6	1.47	1,743	53.0	1.29	35.2	0.87
Bones & Joints	24	0.7	0.16	0.7	0.14	24	0.6	0.13	0.6	0.12
Soft Tissue (incl. heart)	116	4.1	0.41	3.1	0.29	146	4.2	0.35	3.4	0.29
Skin (excl. basal & sq.)	51	2.0	0.30	1.4	0.20	53	1.6	0.22	1.1	0.15
Melanomas of the skin	24	1.0	0.23	0.6	0.13	29	0.9	0.16	0.6	0.11
Breast (excl. <i>in situ</i>)	45	2.0	0.33	1.2	0.19	4,278	124.6	1.93	91.6	1.43
Female Genital System	-	-	-	-	-	1,513	44.8	1.17	32.5	0.86
Cervix uteri	-	-	-	-	-	433	12.6	0.61	9.6	0.47
Uterus Corpus	-	-	-	-	-	602	17.8	0.73	13.1	0.55
Uterus, NOS ¹	-	-	-	-	-	35	1.1	0.19	0.6	0.11
Ovary	-	-	-	-	-	329	9.9	0.56	6.7	0.38
Male Genital System	5,838	232.8	3.24	162.8	2.17	-	-	-	-	-
Prostate	5,759	230.0	3.22	160.6	2.15	-	-	-	-	-
Testis	43	1.4	0.22	1.2	0.18	-	-	-	-	-
Penis	27	1.1	0.24	0.7	0.14	-	-	-	-	-
Urinary System	1,108	46.2	1.49	30.1	0.92	741	22.6	0.84	14.8	0.56
Bladder (incl. <i>in situ</i>)	448	20.9	1.06	12.2	0.59	215	6.8	0.47	3.9	0.28
Kidney & renal pelvis	645	24.5	1.03	17.5	0.70	502	15.1	0.68	10.3	0.48
Ureter	7	0.4	0.16	0.2	0.07	12	0.4	0.10	0.2	0.07
Eye & Orbit	7	0.2	0.08	0.2	0.08	8	0.2	0.08	0.2	0.09
Brain & Other Nervous System	141	4.7	0.42	4.1	0.35	133	3.7	0.33	3.4	0.30
Brain	136	4.5	0.41	3.9	0.34	122	3.4	0.31	3.1	0.29
Endocrine System	99	3.4	0.36	2.8	0.29	364	10.2	0.54	8.2	0.44
Thyroid gland	71	2.5	0.31	2.0	0.24	341	9.5	0.52	7.6	0.42
Lymphomas	556	19.8	0.89	15.2	0.65	506	14.7	0.67	11.3	0.52
Hodgkin Lymphoma	102	3.1	0.31	2.8	0.28	95	2.5	0.26	2.4	0.25
Non-Hodgkin Lymphoma	454	16.7	0.84	12.4	0.59	411	12.2	0.61	8.8	0.45
Multiple Myeloma	336	14.6	0.86	9.1	0.50	322	9.8	0.55	6.4	0.37
Leukemias	304	12.1	0.76	8.5	0.49	273	8.3	0.51	5.7	0.36
Acute lymphocytic	44	1.2	0.19	1.4	0.21	18	0.5	0.12	0.5	0.12
Chronic lymphocytic	77	3.4	0.41	2.1	0.25	49	1.6	0.23	0.9	0.14
Acute myeloid	89	3.6	0.41	2.5	0.27	109	3.2	0.31	2.3	0.23
Chronic myeloid	50	1.9	0.29	1.3	0.19	53	1.6	0.22	1.1	0.15
Other leukemias	44	2.0	0.33	1.2	0.19	44	1.4	0.21	0.9	0.15
Mesothelioma	46	2.2	0.34	1.2	0.18	20	0.6	0.14	0.4	0.09
Kaposi Sarcoma	36	1.3	0.22	1.0	0.17	8	0.3	0.09	0.2	0.06
Ill-defined & Unknown	554	24.2	1.11	14.9	0.64	521	16.2	0.72	10.0	0.46
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	182	7.2	0.58	5.0	0.37	406	12.0	0.61	8.4	0.43
Breast (<i>in situ</i>)	7	0.3	0.14	0.2	0.07	818	23.8	0.84	17.5	0.62

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	349	295.5	18.13	198.9	10.91	324	218.1	13.13	151.6	8.60
Oral Cavity & Pharynx	15	12.2	3.74	8.2	2.15	11	7.6	2.42	5.4	1.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	8	4.6	1.64	4.0	1.45	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	94	68.4	7.87	50.7	5.36	77	56.4	6.96	36.7	4.27
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	13	12.1	3.86	7.4	2.10	14	9.1	2.65	6.3	1.72
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	19	12.3	2.94	10.4	2.43	25	19.1	4.16	11.6	2.36
Rectum & rectosigmoid	16	11.6	3.14	8.6	2.20	6	4.2	1.81	3.2	1.33
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	29	20.8	4.45	14.9	2.83	11	7.1	2.28	5.4	1.67
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	3.8	1.57	3.3	1.39	14	10.3	2.91	6.6	1.80
Respiratory System	63	58.8	8.68	34.7	4.47	33	25.7	4.76	16.1	2.89
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	56	52.0	8.07	31.2	4.27	33	25.7	4.76	16.1	2.89
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	5.1	2.45	3.5	1.37	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	88	54.2	6.16	40.2	4.34
Female Genital System	-	-	-	-	-	44	24.4	3.80	19.4	2.97
Cervix uteri	-	-	-	-	-	9	5.0	1.67	4.2	1.40
Uterus Corpus	-	-	-	-	-	14	7.9	2.19	6.0	1.60
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	15	8.0	2.15	6.6	1.73
Male Genital System	84	80.0	9.71	50.8	5.62	-	-	-	-	-
Prostate	82	78.3	9.63	49.4	5.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	22	23.8	5.72	13.1	2.84	9	9.1	3.22	4.3	1.48
Bladder (incl. <i>in situ</i>)	16	19.1	5.32	9.8	2.50	-	-	-	-	-
Kidney & renal pelvis	6	4.6	2.10	3.3	1.36	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	6.2	2.05	5.9	1.96	-	-	-	-	-
Brain	9	5.7	1.98	5.2	1.84	-	-	-	-	-
Endocrine System	8	5.1	1.91	4.2	1.53	19	9.9	2.30	8.9	2.10
Thyroid gland	7	4.5	1.81	3.7	1.46	19	9.9	2.30	8.9	2.10
Lymphomas	17	11.1	2.89	9.7	2.42	12	7.7	2.50	6.2	1.83
Hodgkin Lymphoma	6	3.2	1.33	3.0	1.29	-	-	-	-	-
Non-Hodgkin Lymphoma	11	7.9	2.57	6.6	2.05	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	5.0	2.02	5.2	2.00	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	12.9	3.87	9.2	2.44	13	11.5	3.52	5.7	1.61
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	12	6.7	1.95	6.4	1.92	16	10.2	2.91	8.0	2.10
Breast (<i>in situ</i>)	-	-	-	-	-	21	11.7	2.63	9.6	2.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	19	278.6	94.21	196.6	48.19	18	172.1	40.98	146.7	34.78
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	78.9	30.47	63.4	24.14	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	131.1	84.60	75.3	34.31	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	923	380.4	13.66	245.7	8.34	865	300.3	10.38	205.0	7.23
Oral Cavity & Pharynx	26	9.3	2.01	6.3	1.27	15	5.0	1.32	3.5	0.93
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	194	84.1	6.58	51.6	3.81	165	60.8	4.79	37.3	3.05
Esophagus	12	5.4	1.70	3.1	0.92	-	-	-	-	-
Stomach	25	11.9	2.49	7.3	1.50	21	7.5	1.66	4.9	1.11
Small intestine	-	-	-	-	-	7	2.5	0.94	1.8	0.69
Colon excl. rectum	57	25.9	3.77	15.5	2.11	58	21.6	2.87	12.7	1.76
Rectum & rectosigmoid	26	12.7	2.70	7.1	1.42	27	9.9	1.92	6.6	1.33
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	36	13.8	2.48	9.2	1.57	8	2.8	1.01	1.9	0.72
Gallbladder	-	-	-	-	-	8	3.0	1.06	1.8	0.67
Pancreas	18	6.3	1.60	4.4	1.07	21	8.0	1.77	4.3	1.00
Respiratory System	117	56.0	5.55	33.0	3.12	68	25.3	3.10	15.9	2.02
Larynx	12	5.3	1.67	3.2	0.95	-	-	-	-	-
Lung & bronchus	102	49.3	5.21	29.0	2.93	65	24.1	3.02	15.2	1.97
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	13	4.3	1.26	3.1	0.90
Skin (excl. basal & sq.)	9	3.4	1.23	2.1	0.73	18	6.3	1.52	3.8	0.94
Melanomas of the skin	8	3.1	1.20	1.9	0.70	17	5.9	1.45	3.7	0.93
Breast (excl. <i>in situ</i>)	-	-	-	-	-	235	80.0	5.28	57.9	3.87
Female Genital System	-	-	-	-	-	110	36.8	3.57	27.0	2.65
Cervix uteri	-	-	-	-	-	28	8.6	1.65	6.4	1.23
Uterus Corpus	-	-	-	-	-	45	15.4	2.33	11.7	1.78
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	25	8.8	1.78	6.3	1.31
Male Genital System	285	119.0	7.55	79.8	4.86	-	-	-	-	-
Prostate	266	114.4	7.45	76.4	4.79	-	-	-	-	-
Testis	15	2.7	0.74	2.6	0.71	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	96	39.3	4.30	25.8	2.71	56	19.8	2.69	13.1	1.83
Bladder (incl. <i>in situ</i>)	42	19.0	3.10	11.9	1.88	20	7.5	1.68	4.6	1.08
Kidney & renal pelvis	51	19.2	2.89	13.2	1.91	33	11.1	1.97	8.1	1.45
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	11	2.6	0.91	2.5	0.79	18	6.0	1.46	4.2	1.03
Brain	11	2.6	0.91	2.5	0.79	15	5.0	1.33	3.5	0.93
Endocrine System	18	5.8	1.44	4.2	1.01	45	13.3	2.03	11.3	1.71
Thyroid gland	17	5.3	1.35	3.8	0.96	43	12.7	1.98	10.6	1.65
Lymphomas	62	22.5	3.18	15.1	1.99	50	17.5	2.52	10.9	1.62
Hodgkin Lymphoma	10	2.7	0.94	2.3	0.73	9	2.5	0.88	2.2	0.74
Non-Hodgkin Lymphoma	52	19.9	3.04	12.9	1.85	41	14.9	2.36	8.7	1.44
Multiple Myeloma	11	5.2	1.73	2.9	0.91	13	4.3	1.21	3.8	1.05
Leukemias	39	11.8	2.15	9.5	1.58	26	8.1	1.65	6.2	1.26
Acute lymphocytic	11	2.3	0.71	2.6	0.82	9	2.1	0.71	2.5	0.83
Chronic lymphocytic	6	2.3	0.95	1.8	0.77	7	2.6	1.00	1.4	0.55
Acute myeloid	11	3.7	1.32	2.7	0.84	6	1.9	0.81	1.6	0.66
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	41	17.0	2.98	9.9	1.59	28	10.6	2.03	6.1	1.20
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	14	5.0	1.55	3.1	0.84	29	9.1	1.72	7.0	1.33
Breast (<i>in situ</i>)	-	-	-	-	-	44	14.7	2.24	11.4	1.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

LOUISIANA

174 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	43,795	595.3	2.91	395.0	1.97	36,079	420.3	2.25	292.8	1.69
Oral Cavity & Pharynx	1,556	20.2	0.52	14.6	0.38	583	6.6	0.28	4.5	0.20
Lip	127	1.8	0.16	1.1	0.10	26	0.3	0.06	0.2	0.04
Tongue	454	5.7	0.27	4.3	0.21	184	2.1	0.16	1.4	0.12
Major salivary gland	116	1.7	0.16	1.1	0.11	75	0.9	0.10	0.6	0.08
Floor of mouth	93	1.2	0.12	0.9	0.09	38	0.4	0.07	0.3	0.05
Gum & other mouth	166	2.3	0.18	1.5	0.12	126	1.4	0.13	0.9	0.09
Nasopharynx	66	0.8	0.11	0.7	0.09	28	0.3	0.06	0.2	0.04
Oropharynx	55	0.7	0.10	0.5	0.07	12	0.1	0.04	0.1	0.03
Hypopharynx	116	1.4	0.14	1.0	0.10	21	0.2	0.05	0.2	0.04
Digestive System	8,021	109.1	1.25	70.8	0.82	6,114	68.7	0.89	43.4	0.61
Esophagus	661	8.8	0.35	5.9	0.23	174	1.9	0.15	1.2	0.10
Stomach	603	8.4	0.35	5.2	0.22	357	4.1	0.22	2.5	0.15
Small intestine	192	2.6	0.19	1.7	0.13	161	1.8	0.15	1.3	0.11
Colon excl. rectum	3,007	41.6	0.78	25.9	0.49	2,704	30.1	0.58	18.5	0.39
Rectum & rectosigmoid	1,394	18.4	0.50	12.9	0.36	942	11.0	0.37	7.7	0.27
Anus, anal canal & anorectum	115	1.5	0.14	1.1	0.11	174	2.0	0.15	1.4	0.12
Liver	736	9.7	0.37	6.7	0.26	229	2.6	0.18	1.7	0.13
Gallbladder	55	0.8	0.10	0.5	0.06	92	1.0	0.11	0.6	0.07
Pancreas	1,018	14.0	0.45	8.8	0.29	994	11.0	0.35	6.3	0.22
Respiratory System	7,760	105.9	1.23	67.0	0.79	5,673	63.8	0.85	41.6	0.59
Larynx	654	8.7	0.35	6.0	0.24	193	2.2	0.16	1.6	0.12
Lung & bronchus	6,990	95.7	1.17	59.9	0.74	5,426	60.9	0.83	39.6	0.58
Bones & Joints	60	0.9	0.12	0.8	0.11	68	0.9	0.12	0.9	0.12
Soft Tissue (incl. heart)	314	4.4	0.26	3.3	0.21	233	2.9	0.19	2.3	0.18
Skin (excl. basal & sq.)	2,083	29.2	0.66	19.2	0.44	1,363	17.3	0.48	13.3	0.40
Melanomas of the skin	1,885	26.3	0.62	17.6	0.43	1,248	16.0	0.46	12.5	0.38
Breast (excl. <i>in situ</i>)	97	1.3	0.14	0.9	0.09	10,220	119.9	1.21	86.1	0.91
Female Genital System	-	-	-	-	-	3,417	40.7	0.71	30.2	0.55
Cervix uteri	-	-	-	-	-	605	8.5	0.35	6.9	0.29
Uterus Corpus	-	-	-	-	-	1,429	16.4	0.44	12.2	0.34
Uterus, NOS ¹	-	-	-	-	-	43	0.5	0.07	0.3	0.05
Ovary	-	-	-	-	-	949	10.9	0.36	7.7	0.27
Male Genital System	12,211	160.2	1.48	111.2	1.03	-	-	-	-	-
Prostate	11,742	153.2	1.44	105.0	0.99	-	-	-	-	-
Testis	384	5.9	0.30	5.4	0.28	-	-	-	-	-
Penis	70	0.9	0.12	0.6	0.08	-	-	-	-	-
Urinary System	4,880	67.4	0.99	42.6	0.63	2,138	24.2	0.53	16.2	0.38
Bladder (incl. <i>in situ</i>)	2,718	38.6	0.76	22.4	0.45	790	8.8	0.32	5.4	0.21
Kidney & renal pelvis	2,064	27.4	0.61	19.4	0.44	1,306	15.0	0.42	10.6	0.32
Ureter	69	1.0	0.12	0.5	0.07	34	0.4	0.06	0.2	0.04
Eye & Orbit	72	1.0	0.12	0.8	0.11	72	0.9	0.10	0.7	0.10
Brain & Other Nervous System	545	7.6	0.33	6.2	0.29	459	5.8	0.28	5.0	0.27
Brain	528	7.3	0.33	6.0	0.29	428	5.4	0.27	4.6	0.26
Endocrine System	515	7.1	0.32	5.7	0.27	1,327	17.8	0.50	14.8	0.43
Thyroid gland	447	6.1	0.29	4.7	0.23	1,273	17.1	0.49	14.0	0.41
Lymphomas	2,165	30.6	0.67	20.5	0.47	1,796	20.9	0.50	14.3	0.38
Hodgkin Lymphoma	241	3.5	0.23	3.1	0.21	207	2.8	0.20	2.5	0.19
Non-Hodgkin Lymphoma	1,924	27.0	0.63	17.5	0.42	1,589	18.1	0.46	11.7	0.33
Multiple Myeloma	438	6.2	0.30	3.7	0.18	324	3.7	0.21	2.3	0.14
Leukemias	1,138	16.3	0.49	11.2	0.37	818	9.8	0.35	7.4	0.32
Acute lymphocytic	108	1.7	0.17	2.0	0.21	88	1.3	0.15	1.7	0.20
Chronic lymphocytic	359	5.0	0.27	3.0	0.17	231	2.6	0.17	1.5	0.11
Acute myeloid	319	4.6	0.26	2.9	0.18	265	3.2	0.20	2.3	0.17
Chronic myeloid	180	2.5	0.19	1.7	0.14	103	1.2	0.12	0.9	0.10
Other leukemias	172	2.5	0.20	1.5	0.12	131	1.5	0.13	1.0	0.11
Mesothelioma	190	2.7	0.20	1.6	0.12	62	0.7	0.09	0.4	0.06
Kaposi Sarcoma	51	0.8	0.11	0.6	0.08	8	0.1	0.03	0.0	0.02
Ill-defined & Unknown	1,699	24.3	0.60	14.4	0.37	1,404	15.5	0.42	9.2	0.28
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	540	7.7	0.34	5.8	0.27	1,029	12.3	0.39	8.9	0.31
Breast (<i>in situ</i>)	14	0.2	0.05	0.1	0.04	2,142	25.1	0.55	18.7	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	16,534	671.9	5.60	456.8	3.61	14,035	420.7	3.61	294.4	2.57
Oral Cavity & Pharynx	493	17.6	0.84	13.3	0.61	208	5.9	0.42	4.5	0.32
Lip	6	0.2	0.08	0.2	0.07	-	-	-	-	-
Tongue	108	4.0	0.41	2.9	0.29	58	1.6	0.21	1.2	0.16
Major salivary gland	32	1.2	0.22	0.9	0.16	33	1.0	0.17	0.7	0.13
Floor of mouth	36	1.1	0.19	1.0	0.17	6	0.2	0.07	0.1	0.06
Gum & other mouth	57	2.1	0.30	1.4	0.19	48	1.4	0.21	1.0	0.16
Nasopharynx	51	1.8	0.27	1.4	0.19	9	0.2	0.08	0.2	0.07
Oropharynx	46	1.7	0.27	1.2	0.18	8	0.2	0.08	0.2	0.07
Hypopharynx	61	2.3	0.31	1.7	0.22	14	0.4	0.11	0.3	0.08
Digestive System	3,619	148.3	2.65	98.1	1.66	3,110	95.2	1.74	61.7	1.15
Esophagus	246	9.5	0.65	6.7	0.43	88	2.6	0.28	1.8	0.20
Stomach	465	20.5	1.02	12.9	0.61	353	11.0	0.59	6.8	0.38
Small intestine	102	4.1	0.43	2.8	0.28	104	3.1	0.31	2.1	0.21
Colon excl. rectum	1,272	54.2	1.63	34.6	0.99	1,340	41.0	1.14	26.8	0.76
Rectum & rectosigmoid	537	21.3	0.99	14.5	0.63	434	12.7	0.62	9.0	0.44
Anus, anal canal & anorectum	44	1.4	0.22	1.1	0.17	47	1.4	0.21	1.0	0.15
Liver	439	15.4	0.78	11.7	0.57	149	4.3	0.36	3.2	0.27
Gallbladder	33	1.7	0.31	0.9	0.16	56	1.8	0.24	1.1	0.15
Pancreas	404	16.8	0.90	10.9	0.55	462	14.8	0.70	8.5	0.42
Respiratory System	3,182	133.2	2.53	87.4	1.58	1,836	56.1	1.33	37.5	0.91
Larynx	335	12.5	0.73	9.1	0.51	77	2.2	0.25	1.7	0.20
Lung & bronchus	2,808	119.3	2.41	77.2	1.48	1,742	53.4	1.30	35.5	0.88
Bones & Joints	24	0.7	0.16	0.7	0.14	24	0.6	0.13	0.6	0.12
Soft Tissue (incl. heart)	116	4.1	0.41	3.2	0.30	146	4.2	0.36	3.4	0.30
Skin (excl. basal & sq.)	51	2.0	0.30	1.4	0.20	53	1.6	0.22	1.1	0.15
Melanomas of the skin	24	1.0	0.23	0.6	0.13	29	0.9	0.17	0.6	0.11
Breast (excl. <i>in situ</i>)	45	2.0	0.33	1.2	0.19	4,269	125.3	1.95	92.1	1.44
Female Genital System	-	-	-	-	-	1,505	44.9	1.17	32.6	0.86
Cervix uteri	-	-	-	-	-	431	12.7	0.62	9.7	0.48
Uterus Corpus	-	-	-	-	-	599	17.8	0.74	13.1	0.55
Uterus, NOS ¹	-	-	-	-	-	35	1.1	0.19	0.6	0.11
Ovary	-	-	-	-	-	327	9.9	0.56	6.7	0.39
Male Genital System	5,828	234.3	3.27	163.9	2.18	-	-	-	-	-
Prostate	5,750	231.5	3.25	161.7	2.17	-	-	-	-	-
Testis	43	1.4	0.22	1.2	0.19	-	-	-	-	-
Penis	26	1.1	0.23	0.7	0.14	-	-	-	-	-
Urinary System	1,105	46.5	1.50	30.3	0.93	740	22.7	0.85	14.8	0.57
Bladder (incl. <i>in situ</i>)	447	21.1	1.07	12.3	0.59	215	6.9	0.47	4.0	0.29
Kidney & renal pelvis	643	24.6	1.03	17.6	0.71	501	15.2	0.69	10.4	0.48
Ureter	7	0.4	0.16	0.2	0.07	12	0.4	0.11	0.2	0.07
Eye & Orbit	7	0.2	0.08	0.2	0.09	8	0.2	0.08	0.2	0.09
Brain & Other Nervous System	140	4.7	0.42	4.1	0.35	130	3.6	0.32	3.3	0.30
Brain	135	4.5	0.42	3.9	0.34	119	3.3	0.31	3.1	0.29
Endocrine System	99	3.5	0.36	2.8	0.29	362	10.2	0.54	8.2	0.44
Thyroid gland	71	2.5	0.32	2.0	0.24	339	9.6	0.53	7.6	0.42
Lymphomas	554	19.9	0.90	15.3	0.66	505	14.8	0.67	11.4	0.52
Hodgkin Lymphoma	102	3.1	0.32	2.8	0.28	95	2.5	0.27	2.5	0.26
Non-Hodgkin Lymphoma	452	16.8	0.84	12.4	0.59	410	12.3	0.62	8.9	0.45
Multiple Myeloma	336	14.8	0.86	9.2	0.51	320	9.8	0.56	6.4	0.37
Leukemias	301	12.1	0.76	8.5	0.50	271	8.3	0.51	5.7	0.37
Acute lymphocytic	42	1.1	0.19	1.3	0.21	18	0.5	0.12	0.5	0.12
Chronic lymphocytic	76	3.4	0.41	2.1	0.24	49	1.6	0.23	0.9	0.14
Acute myeloid	89	3.6	0.42	2.5	0.27	108	3.2	0.31	2.3	0.23
Chronic myeloid	50	1.9	0.29	1.3	0.19	52	1.5	0.22	1.1	0.15
Other leukemias	44	2.0	0.34	1.2	0.19	44	1.4	0.21	0.9	0.15
Mesothelioma	46	2.2	0.35	1.2	0.18	20	0.6	0.14	0.4	0.09
Kaposi Sarcoma	36	1.3	0.22	1.0	0.17	8	0.3	0.09	0.2	0.06
Ill-defined & Unknown	552	24.4	1.12	14.9	0.65	520	16.3	0.73	10.1	0.46
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	182	7.3	0.58	5.0	0.38	406	12.1	0.61	8.5	0.43
Breast (<i>in situ</i>)	7	0.3	0.14	0.2	0.07	816	23.9	0.85	17.6	0.63

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

LOUISIANA

176 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	21,802	581.5	4.02	379.5	2.72	20,264	460.6	3.31	318.9	2.50
Oral Cavity & Pharynx	726	18.4	0.70	13.2	0.51	289	6.5	0.39	4.5	0.30
Lip	53	1.4	0.20	0.8	0.12	24	0.5	0.10	0.3	0.07
Tongue	200	5.1	0.36	3.8	0.27	85	1.9	0.21	1.4	0.16
Major salivary gland	57	1.6	0.22	1.0	0.14	27	0.6	0.13	0.4	0.09
Floor of mouth	57	1.5	0.20	1.1	0.15	19	0.4	0.09	0.3	0.07
Gum & other mouth	72	1.9	0.22	1.3	0.15	58	1.4	0.19	1.0	0.15
Nasopharynx	27	0.7	0.13	0.5	0.11	6	0.1	0.06	0.1	0.04
Oropharynx	23	0.6	0.12	0.4	0.09	11	0.2	0.07	0.2	0.05
Hypopharynx	61	1.5	0.20	1.1	0.14	10	0.2	0.07	0.2	0.05
Digestive System	3,760	100.6	1.67	62.9	1.07	3,221	69.9	1.26	42.4	0.84
Esophagus	471	12.3	0.58	7.9	0.38	107	2.3	0.23	1.4	0.15
Stomach	301	8.1	0.48	5.1	0.31	162	3.5	0.28	2.2	0.19
Small intestine	111	2.9	0.28	1.9	0.19	96	2.2	0.23	1.4	0.16
Colon excl. rectum	1,318	36.1	1.01	21.2	0.61	1,463	31.4	0.84	18.1	0.54
Rectum & rectosigmoid	582	15.3	0.65	10.4	0.45	441	9.8	0.48	6.5	0.34
Anus, anal canal & anorectum	62	1.7	0.22	1.2	0.16	93	2.0	0.22	1.5	0.16
Liver	250	6.4	0.41	4.2	0.28	95	2.1	0.21	1.4	0.17
Gallbladder	31	0.8	0.15	0.5	0.09	59	1.3	0.17	0.8	0.11
Pancreas	499	13.2	0.60	8.1	0.38	505	10.9	0.49	6.5	0.33
Respiratory System	3,720	99.7	1.66	61.1	1.04	3,155	69.8	1.26	44.9	0.87
Larynx	274	6.9	0.42	4.7	0.29	74	1.6	0.19	1.2	0.15
Lung & bronchus	3,398	91.5	1.60	55.3	0.99	3,048	67.3	1.23	43.0	0.84
Bones & Joints	50	1.6	0.23	1.5	0.24	31	0.8	0.15	0.7	0.14
Soft Tissue (incl. heart)	132	3.7	0.33	2.8	0.27	106	2.6	0.27	2.1	0.24
Skin (excl. basal & sq.)	1,082	29.3	0.91	19.8	0.64	855	21.0	0.74	15.5	0.59
Melanomas of the skin	972	26.1	0.86	18.0	0.61	778	19.2	0.71	14.4	0.57
Breast (excl. <i>in situ</i>)	75	2.1	0.24	1.3	0.16	5,538	126.5	1.74	91.4	1.31
Female Genital System	-	-	-	-	-	2,402	54.9	1.15	41.2	0.90
Cervix uteri	-	-	-	-	-	246	6.6	0.44	5.4	0.37
Uterus Corpus	-	-	-	-	-	1,403	31.3	0.85	24.0	0.67
Uterus, NOS ¹	-	-	-	-	-	23	0.5	0.10	0.3	0.07
Ovary	-	-	-	-	-	491	11.1	0.51	8.0	0.39
Male Genital System	5,986	152.8	2.02	106.4	1.43	-	-	-	-	-
Prostate	5,739	144.8	1.95	99.4	1.35	-	-	-	-	-
Testis	198	6.7	0.48	6.2	0.46	-	-	-	-	-
Penis	42	1.1	0.18	0.7	0.11	-	-	-	-	-
Urinary System	2,583	70.4	1.41	42.7	0.88	1,125	24.7	0.75	16.0	0.53
Bladder (incl. <i>in situ</i>)	1,743	48.0	1.17	27.7	0.69	611	13.2	0.54	8.2	0.37
Kidney & renal pelvis	789	21.0	0.76	14.2	0.53	491	11.1	0.51	7.6	0.38
Ureter	35	1.0	0.17	0.5	0.09	12	0.3	0.08	0.1	0.05
Eye & Orbit	36	0.9	0.16	0.7	0.13	38	0.9	0.15	0.7	0.15
Brain & Other Nervous System	333	9.2	0.52	7.5	0.47	252	6.4	0.42	5.6	0.43
Brain	316	8.8	0.51	7.1	0.46	233	5.9	0.40	5.1	0.41
Endocrine System	257	7.2	0.46	5.7	0.38	712	19.6	0.76	16.5	0.67
Thyroid gland	228	6.3	0.43	4.9	0.35	683	18.8	0.74	15.6	0.64
Lymphomas	1,044	29.1	0.92	19.8	0.67	897	20.9	0.72	14.7	0.57
Hodgkin Lymphoma	122	3.7	0.34	3.5	0.33	100	3.0	0.31	2.8	0.31
Non-Hodgkin Lymphoma	922	25.4	0.85	16.3	0.58	797	17.9	0.65	11.8	0.47
Multiple Myeloma	253	6.9	0.44	4.2	0.27	202	4.3	0.31	2.6	0.20
Leukemias	755	21.0	0.78	14.1	0.58	514	11.9	0.54	8.6	0.49
Acute lymphocytic	53	1.7	0.23	2.0	0.30	44	1.5	0.23	2.0	0.33
Chronic lymphocytic	334	8.9	0.50	5.4	0.31	232	5.1	0.34	3.0	0.22
Acute myeloid	202	5.8	0.41	3.7	0.30	131	3.1	0.28	2.2	0.24
Chronic myeloid	93	2.6	0.28	1.7	0.19	56	1.2	0.16	0.8	0.12
Other leukemias	73	2.0	0.24	1.3	0.17	51	1.1	0.16	0.6	0.10
Mesothelioma	89	2.5	0.27	1.4	0.15	33	0.7	0.13	0.5	0.09
Kaposi Sarcoma	9	0.3	0.09	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	912	25.8	0.87	14.4	0.52	894	19.1	0.65	11.0	0.43
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	206	5.9	0.42	4.3	0.33	383	9.3	0.49	7.1	0.41
Breast (<i>in situ</i>)	11	0.3	0.11	0.3	0.08	1,554	36.1	0.93	27.1	0.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	21,245	574.7	4.02	375.2	2.73	19,929	459.8	3.34	318.4	2.53
Oral Cavity & Pharynx	712	18.3	0.70	13.1	0.51	286	6.5	0.40	4.6	0.30
Lip	50	1.4	0.20	0.8	0.12	23	0.5	0.10	0.3	0.07
Tongue	197	5.1	0.37	3.7	0.27	85	1.9	0.22	1.4	0.16
Major salivary gland	56	1.6	0.22	0.9	0.14	27	0.7	0.13	0.4	0.10
Floor of mouth	56	1.5	0.20	1.1	0.15	19	0.4	0.10	0.3	0.07
Gum & other mouth	72	1.9	0.23	1.3	0.15	56	1.4	0.19	1.0	0.15
Nasopharynx	27	0.7	0.13	0.5	0.11	6	0.1	0.06	0.1	0.04
Oropharynx	23	0.6	0.13	0.4	0.09	11	0.2	0.07	0.2	0.05
Hypopharynx	61	1.5	0.20	1.1	0.14	10	0.2	0.07	0.2	0.05
Digestive System	3,696	100.3	1.68	62.5	1.08	3,166	69.6	1.26	42.1	0.85
Esophagus	468	12.4	0.59	8.0	0.38	107	2.3	0.23	1.4	0.16
Stomach	297	8.1	0.48	5.1	0.31	158	3.5	0.29	2.1	0.19
Small intestine	108	2.9	0.28	1.9	0.19	94	2.2	0.23	1.4	0.16
Colon excl. rectum	1,294	35.9	1.02	21.0	0.61	1,441	31.3	0.84	18.0	0.54
Rectum & rectosigmoid	571	15.3	0.65	10.4	0.45	431	9.7	0.48	6.4	0.34
Anus, anal canal & anorectum	60	1.6	0.22	1.2	0.16	92	2.1	0.22	1.5	0.17
Liver	241	6.2	0.41	4.1	0.28	89	1.9	0.21	1.3	0.17
Gallbladder	31	0.8	0.15	0.5	0.09	59	1.3	0.17	0.8	0.11
Pancreas	494	13.3	0.61	8.1	0.38	498	10.9	0.50	6.5	0.33
Respiratory System	3,690	100.1	1.68	61.4	1.06	3,126	70.0	1.27	45.0	0.88
Larynx	272	6.9	0.43	4.8	0.30	74	1.7	0.20	1.3	0.15
Lung & bronchus	3,370	91.9	1.61	55.6	1.00	3,019	67.5	1.24	43.2	0.85
Bones & Joints	47	1.5	0.23	1.5	0.24	29	0.7	0.14	0.6	0.13
Soft Tissue (incl. heart)	129	3.7	0.33	2.8	0.28	104	2.6	0.27	2.1	0.25
Skin (excl. basal & sq.)	1,022	28.1	0.90	19.0	0.63	804	20.2	0.74	15.0	0.59
Melanomas of the skin	918	25.0	0.85	17.3	0.61	733	18.5	0.71	13.9	0.57
Breast (excl. <i>in situ</i>)	73	2.1	0.25	1.3	0.16	5,469	126.8	1.75	91.7	1.33
Female Genital System	-	-	-	-	-	2,364	54.9	1.16	41.2	0.91
Cervix uteri	-	-	-	-	-	233	6.4	0.44	5.2	0.37
Uterus Corpus	-	-	-	-	-	1,385	31.4	0.86	24.1	0.68
Uterus, NOS ¹	-	-	-	-	-	22	0.5	0.10	0.3	0.07
Ovary	-	-	-	-	-	487	11.2	0.52	8.0	0.40
Male Genital System	5,713	147.7	2.00	103.3	1.42	-	-	-	-	-
Prostate	5,468	139.5	1.92	96.2	1.33	-	-	-	-	-
Testis	196	6.9	0.50	6.3	0.47	-	-	-	-	-
Penis	42	1.1	0.18	0.7	0.11	-	-	-	-	-
Urinary System	2,547	70.3	1.42	42.6	0.89	1,111	24.7	0.76	16.1	0.54
Bladder (incl. <i>in situ</i>)	1,718	47.8	1.17	27.7	0.70	602	13.1	0.54	8.2	0.37
Kidney & renal pelvis	778	21.0	0.77	14.2	0.54	486	11.1	0.52	7.6	0.38
Ureter	35	1.0	0.18	0.5	0.09	12	0.3	0.08	0.1	0.05
Eye & Orbit	34	0.9	0.16	0.7	0.13	37	0.8	0.15	0.7	0.14
Brain & Other Nervous System	327	9.2	0.53	7.5	0.48	250	6.5	0.43	5.6	0.44
Brain	310	8.8	0.51	7.1	0.46	232	6.0	0.41	5.2	0.43
Endocrine System	248	7.1	0.47	5.7	0.39	699	19.8	0.77	16.6	0.69
Thyroid gland	222	6.3	0.44	5.0	0.35	670	18.9	0.76	15.7	0.66
Lymphomas	1,028	29.2	0.93	19.9	0.68	879	20.8	0.72	14.6	0.57
Hodgkin Lymphoma	121	3.8	0.36	3.6	0.35	98	3.0	0.32	2.9	0.32
Non-Hodgkin Lymphoma	907	25.4	0.86	16.3	0.58	781	17.8	0.65	11.7	0.48
Multiple Myeloma	248	6.8	0.44	4.1	0.27	197	4.3	0.31	2.6	0.20
Leukemias	735	20.7	0.78	13.9	0.59	496	11.7	0.55	8.5	0.50
Acute lymphocytic	49	1.6	0.23	1.9	0.31	43	1.5	0.24	2.0	0.35
Chronic lymphocytic	325	8.8	0.50	5.3	0.31	222	4.9	0.34	2.9	0.22
Acute myeloid	199	5.8	0.42	3.7	0.30	128	3.0	0.28	2.2	0.24
Chronic myeloid	91	2.6	0.28	1.7	0.19	54	1.2	0.16	0.8	0.12
Other leukemias	71	2.0	0.24	1.3	0.17	49	1.1	0.16	0.6	0.10
Mesothelioma	88	2.5	0.27	1.4	0.16	33	0.7	0.13	0.5	0.10
Kaposi Sarcoma	8	0.2	0.08	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	900	25.8	0.87	14.3	0.52	879	19.0	0.65	11.0	0.43
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	205	6.0	0.43	4.4	0.34	375	9.2	0.49	7.1	0.42
Breast (<i>in situ</i>)	11	0.4	0.11	0.3	0.09	1,532	36.2	0.94	27.1	0.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

MAINE

178 Incidence – White

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	93	417.1	50.67	314.1	34.62	49	298.2	45.42	210.1	31.27
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	17	61.3	15.95	53.8	13.98	9	52.0	17.68	40.6	14.09
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	49.9	18.33	36.0	11.85	6	41.8	18.23	26.1	10.89
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	49.9	18.33	36.0	11.85	6	41.8	18.23	26.1	10.89
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	12	73.7	23.06	50.8	15.19
Female Genital System	-	-	-	-	-	7	36.5	14.70	28.1	11.17
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	37	190.4	35.78	135.4	23.25	-	-	-	-	-
Prostate	36	188.6	35.74	133.0	23.14	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	30.2	15.22	20.6	8.85	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	24.6	11.59	22.1	9.76	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	43	217.1	37.49	154.7	24.46	84	289.2	36.55	196.7	22.34
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	15	73.2	21.28	48.9	13.01	16	56.1	15.90	35.8	9.17
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	7	20.7	8.14	16.0	6.26
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	28.4	10.04	23.2	8.22	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	33.4	15.19	21.7	9.09	6	33.4	15.02	14.4	6.04
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	6	33.4	15.02	14.4	6.04
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	28	81.0	16.52	60.5	11.61
Female Genital System	-	-	-	-	-	11	38.8	13.00	24.9	7.83
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	39	491.8	86.98	327.9	53.27	37	404.2	80.07	273.5	46.11
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	75.3	32.93	50.2	20.88	9	70.9	23.71	61.0	20.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	126.7	42.01	88.1	28.18	7	92.4	38.66	54.3	20.80
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	117.2	40.94	81.2	27.32	7	92.4	38.66	54.3	20.80
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	9	75.0	25.54	60.9	20.49
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	9	111.6	40.85	77.7	26.06	-	-	-	-	-
Prostate	8	105.9	40.46	70.8	25.15	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	73.2	32.27	47.1	19.56	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	52	302.6	46.64	170.7	24.68	52	226.1	32.61	145.1	20.84
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	42.7	14.75	30.8	9.97	8	37.2	13.52	23.7	8.88
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	67.8	23.52	30.7	10.60	8	36.0	13.19	22.6	8.19
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	63.2	23.07	26.0	9.51	8	36.0	13.19	22.6	8.19
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	13	49.2	14.10	35.2	9.87
Female Genital System	-	-	-	-	-	8	36.4	13.26	23.5	8.56
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	9	60.4	21.22	36.9	12.75	-	-	-	-	-
Prostate	7	52.6	20.46	29.5	11.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	57.8	21.11	28.1	9.70	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	10	34.4	10.99	28.5	9.27

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MAINE

182 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	21,203	576.1	4.04	376.4	2.75	19,885	461.4	3.36	319.7	2.55
Oral Cavity & Pharynx	711	18.4	0.70	13.2	0.51	285	6.5	0.40	4.6	0.30
Lip	50	1.4	0.20	0.8	0.12	23	0.5	0.10	0.3	0.07
Tongue	196	5.1	0.37	3.8	0.28	85	2.0	0.22	1.4	0.17
Major salivary gland	56	1.6	0.22	0.9	0.14	27	0.7	0.13	0.4	0.10
Floor of mouth	56	1.5	0.20	1.1	0.15	19	0.4	0.10	0.3	0.07
Gum & other mouth	72	1.9	0.23	1.3	0.15	56	1.4	0.19	1.0	0.15
Nasopharynx	27	0.7	0.13	0.5	0.11	6	0.1	0.06	0.1	0.04
Oropharynx	23	0.6	0.13	0.4	0.09	11	0.2	0.07	0.2	0.05
Hypopharynx	61	1.5	0.20	1.1	0.14	10	0.2	0.07	0.2	0.05
Digestive System	3,689	100.5	1.69	62.7	1.08	3,161	69.8	1.27	42.3	0.85
Esophagus	467	12.5	0.59	8.0	0.38	107	2.3	0.23	1.4	0.16
Stomach	297	8.1	0.48	5.1	0.31	158	3.5	0.29	2.1	0.19
Small intestine	107	2.9	0.28	1.9	0.19	94	2.2	0.23	1.4	0.16
Colon excl. rectum	1,293	36.1	1.02	21.1	0.62	1,438	31.4	0.85	18.0	0.54
Rectum & rectosigmoid	571	15.3	0.66	10.4	0.46	431	9.8	0.48	6.4	0.34
Anus, anal canal & anorectum	60	1.7	0.22	1.2	0.16	92	2.1	0.22	1.5	0.17
Liver	239	6.2	0.41	4.1	0.28	89	2.0	0.21	1.3	0.18
Gallbladder	31	0.8	0.15	0.5	0.10	58	1.3	0.17	0.8	0.11
Pancreas	493	13.3	0.61	8.1	0.38	497	10.9	0.50	6.5	0.33
Respiratory System	3,682	100.3	1.68	61.5	1.06	3,120	70.2	1.27	45.2	0.88
Larynx	271	6.9	0.43	4.8	0.30	74	1.7	0.20	1.3	0.15
Lung & bronchus	3,363	92.0	1.61	55.7	1.00	3,013	67.7	1.25	43.3	0.86
Bones & Joints	47	1.5	0.23	1.5	0.25	29	0.7	0.14	0.6	0.13
Soft Tissue (incl. heart)	129	3.7	0.34	2.9	0.29	103	2.6	0.27	2.1	0.25
Skin (excl. basal & sq.)	1,019	28.2	0.90	19.1	0.64	804	20.3	0.74	15.1	0.60
Melanomas of the skin	915	25.1	0.85	17.4	0.61	733	18.7	0.72	14.1	0.58
Breast (excl. <i>in situ</i>)	73	2.1	0.25	1.3	0.17	5,456	127.3	1.76	92.0	1.33
Female Genital System	-	-	-	-	-	2,357	55.0	1.16	41.3	0.91
Cervix uteri	-	-	-	-	-	232	6.4	0.44	5.2	0.37
Uterus Corpus	-	-	-	-	-	1,382	31.5	0.86	24.2	0.68
Uterus, NOS ¹	-	-	-	-	-	22	0.5	0.10	0.3	0.08
Ovary	-	-	-	-	-	485	11.3	0.52	8.1	0.40
Male Genital System	5,704	148.1	2.00	103.7	1.43	-	-	-	-	-
Prostate	5,461	139.9	1.93	96.5	1.34	-	-	-	-	-
Testis	194	6.9	0.50	6.4	0.48	-	-	-	-	-
Penis	42	1.1	0.18	0.7	0.11	-	-	-	-	-
Urinary System	2,540	70.4	1.42	42.7	0.89	1,110	24.8	0.76	16.2	0.54
Bladder (incl. <i>in situ</i>)	1,714	47.9	1.18	27.7	0.70	602	13.2	0.55	8.2	0.37
Kidney & renal pelvis	776	21.1	0.77	14.2	0.54	485	11.2	0.52	7.7	0.39
Ureter	34	1.0	0.17	0.5	0.09	12	0.3	0.08	0.1	0.05
Eye & Orbit	34	0.9	0.16	0.7	0.14	37	0.9	0.15	0.7	0.15
Brain & Other Nervous System	325	9.3	0.53	7.5	0.48	250	6.5	0.43	5.7	0.45
Brain	308	8.8	0.52	7.1	0.47	232	6.1	0.42	5.3	0.43
Endocrine System	247	7.2	0.47	5.7	0.40	698	19.9	0.78	16.8	0.70
Thyroid gland	222	6.3	0.44	5.0	0.36	669	19.1	0.76	15.9	0.66
Lymphomas	1,027	29.3	0.94	20.0	0.68	875	20.9	0.73	14.7	0.58
Hodgkin Lymphoma	120	3.8	0.36	3.6	0.35	98	3.1	0.32	2.9	0.33
Non-Hodgkin Lymphoma	907	25.5	0.87	16.4	0.59	777	17.8	0.65	11.7	0.48
Multiple Myeloma	246	6.8	0.44	4.1	0.27	196	4.3	0.31	2.6	0.20
Leukemias	734	20.8	0.79	14.0	0.59	495	11.8	0.55	8.6	0.51
Acute lymphocytic	49	1.6	0.24	1.9	0.31	43	1.6	0.25	2.1	0.35
Chronic lymphocytic	325	8.8	0.50	5.4	0.31	222	4.9	0.34	2.9	0.22
Acute myeloid	198	5.8	0.42	3.7	0.30	128	3.1	0.28	2.3	0.25
Chronic myeloid	91	2.6	0.28	1.7	0.19	54	1.2	0.16	0.8	0.12
Other leukemias	71	2.0	0.24	1.3	0.18	48	1.1	0.16	0.6	0.10
Mesothelioma	88	2.5	0.27	1.4	0.16	33	0.7	0.13	0.5	0.10
Kaposi Sarcoma	8	0.2	0.08	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	900	25.9	0.88	14.4	0.52	876	19.0	0.66	11.0	0.43
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	204	6.0	0.43	4.4	0.35	375	9.3	0.50	7.1	0.42
Breast (<i>in situ</i>)	11	0.4	0.11	0.3	0.09	1,522	36.1	0.94	27.1	0.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	91	435.2	53.53	326.0	36.20	48	302.7	46.25	217.9	32.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	61.5	16.41	54.2	14.48	9	54.7	18.58	42.8	14.87
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	52.9	19.65	38.0	12.50	6	44.0	19.11	27.6	11.52
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	52.9	19.65	38.0	12.50	6	44.0	19.11	27.6	11.52
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	12	77.5	24.08	53.7	16.04
Female Genital System	-	-	-	-	-	7	38.8	15.60	29.9	11.85
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	37	199.2	37.55	141.4	24.24	-	-	-	-	-
Prostate	36	197.2	37.49	138.9	24.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	32.6	16.61	22.0	9.52	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MAINE

184 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	69,057	529.1	2.07	350.9	1.38	67,800	415.0	1.61	286.9	1.18
Oral Cavity & Pharynx	2,126	15.3	0.34	10.9	0.24	940	5.7	0.19	3.9	0.14
Lip	61	0.5	0.06	0.3	0.04	34	0.2	0.03	0.1	0.02
Tongue	664	4.6	0.18	3.4	0.13	243	1.5	0.10	1.0	0.07
Major salivary gland	195	1.6	0.12	1.0	0.07	157	1.0	0.08	0.7	0.06
Floor of mouth	118	0.8	0.08	0.6	0.06	53	0.3	0.04	0.2	0.03
Gum & other mouth	229	1.8	0.12	1.2	0.08	218	1.3	0.09	0.9	0.06
Nasopharynx	96	0.7	0.07	0.5	0.06	51	0.3	0.05	0.2	0.04
Oropharynx	123	0.9	0.08	0.6	0.06	40	0.2	0.04	0.2	0.03
Hypopharynx	177	1.3	0.10	0.9	0.07	26	0.2	0.03	0.1	0.02
Digestive System	12,451	96.7	0.89	61.1	0.56	11,035	66.7	0.64	41.4	0.43
Esophagus	1,149	8.8	0.27	5.7	0.17	317	1.9	0.11	1.2	0.07
Stomach	1,134	9.0	0.28	5.5	0.17	765	4.6	0.17	2.8	0.11
Small intestine	355	2.7	0.14	1.8	0.10	331	2.0	0.11	1.4	0.08
Colon excl. rectum	4,245	33.9	0.53	20.4	0.32	4,639	28.0	0.42	16.7	0.27
Rectum & rectosigmoid	1,818	13.7	0.33	9.2	0.22	1,447	8.7	0.23	5.8	0.16
Anus, anal canal & anorectum	190	1.4	0.10	1.0	0.07	289	1.7	0.10	1.3	0.08
Liver	1,282	9.1	0.26	6.5	0.19	430	2.6	0.13	1.8	0.09
Gallbladder	102	0.9	0.09	0.5	0.05	223	1.4	0.09	0.8	0.06
Pancreas	1,730	13.8	0.34	8.4	0.21	1,896	11.5	0.27	6.8	0.17
Respiratory System	10,298	81.7	0.83	50.3	0.51	9,395	57.9	0.61	36.5	0.40
Larynx	837	6.2	0.22	4.3	0.15	231	1.4	0.09	1.0	0.07
Lung & bronchus	9,302	74.4	0.79	45.2	0.48	9,051	55.8	0.59	35.0	0.39
Bones & Joints	132	1.0	0.09	0.9	0.08	118	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	467	3.6	0.17	2.8	0.14	399	2.5	0.13	2.0	0.11
Skin (excl. basal & sq.)	3,847	29.7	0.49	19.5	0.32	2,856	17.9	0.34	13.4	0.27
Melanomas of the skin	3,590	27.5	0.47	18.3	0.31	2,663	16.7	0.33	12.6	0.26
Breast (excl. <i>in situ</i>)	231	1.8	0.12	1.1	0.08	21,031	128.0	0.89	92.5	0.66
Female Genital System	-	-	-	-	-	7,626	46.1	0.54	33.6	0.40
Cervix uteri	-	-	-	-	-	1,051	6.8	0.21	5.3	0.17
Uterus Corpus	-	-	-	-	-	3,900	23.2	0.38	17.2	0.29
Uterus, NOS ¹	-	-	-	-	-	142	0.9	0.07	0.6	0.05
Ovary	-	-	-	-	-	1,891	11.4	0.27	8.0	0.19
Male Genital System	22,197	162.3	1.12	116.0	0.79	-	-	-	-	-
Prostate	21,507	157.2	1.10	111.5	0.77	-	-	-	-	-
Testis	591	4.3	0.18	4.0	0.17	-	-	-	-	-
Penis	73	0.6	0.07	0.4	0.04	-	-	-	-	-
Urinary System	6,823	54.6	0.68	33.2	0.42	3,290	20.2	0.36	13.2	0.25
Bladder (incl. <i>in situ</i>)	3,986	33.4	0.54	18.6	0.31	1,499	9.2	0.24	5.4	0.15
Kidney & renal pelvis	2,722	20.3	0.40	14.1	0.28	1,703	10.5	0.26	7.5	0.20
Ureter	76	0.6	0.08	0.3	0.04	57	0.4	0.05	0.2	0.03
Eye & Orbit	84	0.6	0.07	0.5	0.06	80	0.5	0.06	0.4	0.05
Brain & Other Nervous System	1,005	7.5	0.24	6.0	0.20	835	5.3	0.19	4.4	0.17
Brain	937	7.0	0.23	5.6	0.19	750	4.8	0.18	3.9	0.16
Endocrine System	1,042	7.5	0.24	5.9	0.19	2,937	18.8	0.35	15.4	0.30
Thyroid gland	926	6.6	0.22	5.2	0.17	2,844	18.2	0.35	14.9	0.29
Lymphomas	3,204	24.6	0.45	17.1	0.31	2,779	17.3	0.33	12.2	0.25
Hodgkin Lymphoma	445	3.3	0.16	2.9	0.14	353	2.4	0.13	2.2	0.12
Non-Hodgkin Lymphoma	2,759	21.3	0.42	14.2	0.28	2,426	15.0	0.31	10.0	0.22
Multiple Myeloma	887	7.0	0.24	4.3	0.15	876	5.3	0.18	3.4	0.12
Leukemias	1,806	14.6	0.35	9.7	0.25	1,404	8.8	0.24	6.4	0.20
Acute lymphocytic	193	1.4	0.10	1.6	0.12	157	1.1	0.09	1.3	0.12
Chronic lymphocytic	547	4.5	0.20	2.5	0.11	377	2.2	0.12	1.3	0.08
Acute myeloid	539	4.3	0.19	2.9	0.13	468	3.0	0.14	2.1	0.11
Chronic myeloid	211	1.7	0.12	1.1	0.08	149	0.9	0.08	0.7	0.06
Other leukemias	316	2.6	0.15	1.6	0.09	253	1.5	0.10	0.9	0.07
Mesothelioma	213	1.9	0.13	1.0	0.07	61	0.4	0.05	0.2	0.03
Kaposi Sarcoma	109	0.8	0.08	0.7	0.06	19	0.1	0.03	0.1	0.02
Ill-defined & Unknown	2,135	18.0	0.40	9.9	0.23	2,119	12.7	0.28	7.1	0.17
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	948	7.2	0.24	5.2	0.18	1,853	11.4	0.27	8.1	0.21
Breast (<i>in situ</i>)	37	0.3	0.04	0.2	0.03	5,514	33.5	0.46	25.2	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	49,380	524.6	2.41	345.7	1.63	47,824	426.8	1.99	296.0	1.49
Oral Cavity & Pharynx	1,621	16.3	0.41	11.6	0.30	693	6.1	0.24	4.2	0.18
Lip	57	0.6	0.08	0.4	0.05	27	0.2	0.04	0.1	0.03
Tongue	562	5.5	0.24	4.1	0.18	198	1.7	0.13	1.2	0.10
Major salivary gland	159	1.8	0.14	1.0	0.09	110	1.0	0.10	0.7	0.08
Floor of mouth	87	0.9	0.10	0.6	0.07	41	0.3	0.05	0.2	0.04
Gum & other mouth	150	1.6	0.13	1.0	0.09	157	1.4	0.11	0.9	0.08
Nasopharynx	45	0.5	0.07	0.4	0.05	29	0.3	0.05	0.2	0.04
Oropharynx	77	0.7	0.09	0.5	0.06	25	0.2	0.04	0.1	0.03
Hypopharynx	109	1.1	0.11	0.7	0.07	20	0.2	0.04	0.1	0.03
Digestive System	8,479	90.9	1.01	56.7	0.64	7,311	62.2	0.74	38.4	0.50
Esophagus	891	9.3	0.32	6.1	0.21	212	1.8	0.13	1.1	0.08
Stomach	655	7.1	0.28	4.3	0.17	428	3.7	0.18	2.2	0.12
Small intestine	225	2.4	0.16	1.6	0.11	187	1.6	0.12	1.1	0.09
Colon excl. rectum	2,944	32.2	0.60	19.1	0.37	3,135	26.4	0.48	15.5	0.31
Rectum & rectosigmoid	1,317	13.8	0.39	9.2	0.26	967	8.4	0.27	5.6	0.20
Anus, anal canal & anorectum	117	1.2	0.11	0.8	0.08	221	2.0	0.13	1.5	0.10
Liver	701	7.1	0.27	4.9	0.19	249	2.2	0.14	1.4	0.10
Gallbladder	64	0.7	0.09	0.4	0.05	144	1.2	0.10	0.7	0.07
Pancreas	1,233	13.5	0.39	8.0	0.24	1,286	10.8	0.31	6.5	0.20
Respiratory System	7,547	81.7	0.96	49.8	0.60	7,033	61.3	0.74	38.5	0.50
Larynx	583	6.0	0.25	4.1	0.18	154	1.4	0.11	0.9	0.08
Lung & bronchus	6,860	74.6	0.92	44.9	0.57	6,802	59.3	0.73	37.1	0.49
Bones & Joints	101	1.1	0.11	1.0	0.11	78	0.8	0.09	0.7	0.09
Soft Tissue (incl. heart)	320	3.6	0.20	2.6	0.16	242	2.3	0.15	1.9	0.14
Skin (excl. basal & sq.)	3,666	39.1	0.66	26.3	0.45	2,666	25.6	0.51	19.6	0.41
Melanomas of the skin	3,454	36.7	0.64	24.9	0.44	2,517	24.3	0.50	18.7	0.40
Breast (excl. <i>in situ</i>)	148	1.6	0.13	1.0	0.08	14,322	128.6	1.09	92.9	0.82
Female Genital System	-	-	-	-	-	5,287	47.2	0.66	34.6	0.51
Cervix uteri	-	-	-	-	-	587	6.1	0.26	4.8	0.21
Uterus Corpus	-	-	-	-	-	2,756	24.1	0.47	18.0	0.36
Uterus, NOS ¹	-	-	-	-	-	81	0.7	0.08	0.5	0.06
Ovary	-	-	-	-	-	1,389	12.3	0.34	8.6	0.25
Male Genital System	14,282	145.6	1.24	103.9	0.89	-	-	-	-	-
Prostate	13,701	138.9	1.21	98.0	0.86	-	-	-	-	-
Testis	515	6.0	0.27	5.5	0.25	-	-	-	-	-
Penis	47	0.5	0.08	0.3	0.05	-	-	-	-	-
Urinary System	5,419	59.1	0.82	35.6	0.51	2,404	21.0	0.44	13.6	0.31
Bladder (incl. <i>in situ</i>)	3,386	37.8	0.66	21.2	0.38	1,181	10.0	0.30	6.0	0.20
Kidney & renal pelvis	1,939	20.2	0.47	13.9	0.33	1,159	10.4	0.31	7.3	0.24
Ureter	67	0.8	0.09	0.4	0.05	47	0.4	0.06	0.2	0.04
Eye & Orbit	75	0.8	0.10	0.7	0.09	74	0.7	0.08	0.6	0.08
Brain & Other Nervous System	780	8.4	0.31	6.7	0.26	626	6.1	0.25	5.0	0.24
Brain	732	7.9	0.30	6.3	0.25	570	5.5	0.24	4.5	0.22
Endocrine System	799	8.3	0.30	6.6	0.25	2,046	20.8	0.47	17.1	0.40
Thyroid gland	730	7.6	0.29	6.0	0.23	2,001	20.4	0.47	16.7	0.39
Lymphomas	2,411	26.1	0.54	17.9	0.39	2,066	18.8	0.42	13.1	0.33
Hodgkin Lymphoma	292	3.3	0.19	3.0	0.19	240	2.6	0.17	2.4	0.17
Non-Hodgkin Lymphoma	2,119	22.9	0.51	14.8	0.34	1,826	16.2	0.39	10.7	0.28
Multiple Myeloma	502	5.4	0.25	3.3	0.15	435	3.7	0.18	2.3	0.12
Leukemias	1,422	16.0	0.43	10.8	0.33	985	8.9	0.29	6.5	0.26
Acute lymphocytic	143	1.7	0.14	2.0	0.18	103	1.2	0.12	1.5	0.17
Chronic lymphocytic	436	4.9	0.24	2.7	0.14	289	2.3	0.14	1.4	0.09
Acute myeloid	429	4.8	0.24	3.2	0.17	322	3.0	0.17	2.1	0.14
Chronic myeloid	153	1.7	0.14	1.1	0.10	91	0.8	0.09	0.6	0.07
Other leukemias	261	3.0	0.19	1.8	0.12	180	1.5	0.12	0.9	0.08
Mesothelioma	183	2.1	0.16	1.1	0.09	53	0.5	0.07	0.3	0.05
Kaposi Sarcoma	35	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,590	18.0	0.46	9.8	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	683	7.4	0.29	5.3	0.22	1,311	11.9	0.34	8.4	0.26
Breast (<i>in situ</i>)	22	0.2	0.05	0.2	0.04	3,716	33.9	0.57	25.6	0.44

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	16,520	549.2	4.66	373.5	2.95	16,678	389.5	3.10	268.3	2.14
Oral Cavity & Pharynx	425	13.0	0.68	9.5	0.47	192	4.3	0.32	3.1	0.23
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	85	2.5	0.30	1.9	0.21	31	0.7	0.13	0.5	0.09
Major salivary gland	30	0.9	0.19	0.7	0.12	36	0.8	0.13	0.6	0.11
Floor of mouth	29	0.9	0.17	0.7	0.13	11	0.3	0.08	0.1	0.05
Gum & other mouth	56	1.9	0.28	1.3	0.18	44	1.0	0.16	0.7	0.11
Nasopharynx	28	0.7	0.14	0.6	0.12	16	0.3	0.08	0.3	0.07
Oropharynx	43	1.4	0.22	1.0	0.15	15	0.3	0.09	0.2	0.06
Hypopharynx	68	2.2	0.29	1.5	0.19	6	0.1	0.05	0.1	0.04
Digestive System	3,320	114.5	2.19	73.5	1.30	3,180	78.0	1.42	48.8	0.89
Esophagus	238	8.3	0.58	5.5	0.36	98	2.4	0.25	1.5	0.16
Stomach	350	13.6	0.81	7.8	0.42	256	6.6	0.42	3.7	0.24
Small intestine	112	3.6	0.38	2.5	0.24	127	2.9	0.27	2.0	0.18
Colon excl. rectum	1,111	40.2	1.33	24.7	0.75	1,302	32.2	0.92	19.8	0.57
Rectum & rectosigmoid	394	12.8	0.71	8.5	0.44	400	9.4	0.48	6.3	0.32
Anus, anal canal & anorectum	68	1.8	0.24	1.4	0.17	62	1.3	0.17	1.0	0.13
Liver	484	13.9	0.69	10.4	0.48	152	3.4	0.29	2.5	0.21
Gallbladder	33	1.5	0.28	0.8	0.13	66	1.7	0.21	1.0	0.13
Pancreas	441	15.5	0.81	9.9	0.48	546	14.0	0.61	8.3	0.37
Respiratory System	2,454	87.4	1.92	55.7	1.14	2,138	52.4	1.17	34.0	0.76
Larynx	240	7.6	0.53	5.4	0.35	74	1.7	0.21	1.2	0.14
Lung & bronchus	2,172	78.5	1.84	49.4	1.08	2,036	50.1	1.14	32.3	0.74
Bones & Joints	26	0.8	0.18	0.6	0.12	32	0.7	0.13	0.7	0.13
Soft Tissue (incl. heart)	125	3.6	0.35	2.9	0.27	134	3.0	0.26	2.3	0.21
Skin (excl. basal & sq.)	62	2.0	0.28	1.4	0.18	78	1.8	0.20	1.3	0.15
Melanomas of the skin	32	1.2	0.23	0.8	0.14	43	1.0	0.16	0.7	0.11
Breast (excl. <i>in situ</i>)	73	2.5	0.31	1.7	0.20	5,629	125.7	1.72	91.0	1.24
Female Genital System	-	-	-	-	-	1,890	42.9	1.01	31.0	0.73
Cervix uteri	-	-	-	-	-	360	8.0	0.43	6.0	0.32
Uterus Corpus	-	-	-	-	-	930	21.1	0.71	15.4	0.52
Uterus, NOS ¹	-	-	-	-	-	58	1.4	0.19	0.9	0.13
Ovary	-	-	-	-	-	401	9.2	0.47	6.4	0.33
Male Genital System	6,683	214.5	2.84	152.7	1.90	-	-	-	-	-
Prostate	6,609	212.5	2.82	151.1	1.89	-	-	-	-	-
Testis	44	1.1	0.17	1.0	0.15	-	-	-	-	-
Penis	23	0.7	0.16	0.5	0.10	-	-	-	-	-
Urinary System	1,159	39.3	1.26	26.2	0.78	762	18.6	0.69	12.4	0.47
Bladder (incl. <i>in situ</i>)	438	17.1	0.89	10.2	0.49	260	6.9	0.44	3.9	0.25
Kidney & renal pelvis	703	21.6	0.87	15.6	0.60	485	11.3	0.53	8.2	0.39
Ureter	7	0.2	0.10	0.2	0.06	6	0.2	0.08	0.1	0.03
Eye & Orbit	8	0.3	0.10	0.2	0.08	-	-	-	-	-
Brain & Other Nervous System	166	5.0	0.42	3.9	0.31	161	3.7	0.30	3.0	0.25
Brain	149	4.4	0.39	3.5	0.29	137	3.2	0.28	2.6	0.24
Endocrine System	164	4.8	0.39	3.7	0.29	615	13.1	0.54	10.6	0.43
Thyroid gland	127	3.6	0.34	2.8	0.25	578	12.3	0.52	10.0	0.42
Lymphomas	643	18.3	0.78	14.3	0.57	585	13.2	0.56	9.9	0.42
Hodgkin Lymphoma	128	3.2	0.29	2.9	0.26	99	2.1	0.21	1.9	0.20
Non-Hodgkin Lymphoma	515	15.1	0.72	11.4	0.51	486	11.1	0.52	8.0	0.37
Multiple Myeloma	335	11.9	0.70	7.5	0.41	390	9.7	0.50	6.1	0.32
Leukemias	303	10.1	0.64	6.9	0.40	333	8.1	0.45	5.7	0.33
Acute lymphocytic	35	0.8	0.14	0.9	0.15	41	0.9	0.15	1.0	0.16
Chronic lymphocytic	81	3.0	0.36	1.8	0.20	67	1.7	0.21	1.1	0.14
Acute myeloid	95	3.3	0.37	2.2	0.23	120	2.9	0.27	2.1	0.20
Chronic myeloid	47	1.4	0.23	1.1	0.16	41	0.9	0.15	0.7	0.11
Other leukemias	45	1.6	0.26	1.0	0.15	64	1.6	0.21	1.0	0.13
Mesothelioma	25	1.2	0.25	0.6	0.12	8	0.2	0.07	0.1	0.05
Kaposi Sarcoma	69	1.8	0.22	1.5	0.18	12	0.3	0.07	0.2	0.06
Ill-defined & Unknown	480	18.4	0.93	10.7	0.50	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	211	6.7	0.51	4.8	0.34	451	10.6	0.51	7.3	0.36
Breast (<i>in situ</i>)	12	0.4	0.12	0.3	0.08	1,448	32.0	0.86	23.7	0.63

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,560	265.1	7.42	172.6	4.42	1,933	255.8	6.15	173.6	4.02
Oral Cavity & Pharynx	55	7.7	1.12	5.9	0.80	40	5.1	0.85	3.6	0.57
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	12	2.1	0.68	1.4	0.40	10	1.1	0.34	0.9	0.30
Major salivary gland	6	0.8	0.33	0.6	0.25	7	1.0	0.39	0.6	0.22
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	14	2.1	0.60	1.5	0.41	13	1.6	0.46	1.2	0.34
Nasopharynx	19	2.3	0.52	2.0	0.46	6	0.8	0.32	0.5	0.22
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	444	78.1	4.11	47.8	2.29	354	54.0	3.05	31.2	1.68
Esophagus	14	2.5	0.77	1.6	0.43	-	-	-	-	-
Stomach	97	18.0	2.02	10.4	1.07	60	9.4	1.29	5.2	0.68
Small intestine	12	1.7	0.53	1.3	0.37	9	1.2	0.42	0.9	0.29
Colon excl. rectum	115	21.7	2.28	12.5	1.17	124	18.5	1.76	10.8	0.98
Rectum & rectosigmoid	65	10.2	1.35	6.9	0.86	43	5.9	0.95	3.8	0.59
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	73	11.8	1.50	7.9	0.94	24	4.0	0.86	2.2	0.45
Gallbladder	-	-	-	-	-	10	1.7	0.56	0.8	0.27
Pancreas	45	8.3	1.37	4.8	0.73	47	8.0	1.21	4.2	0.62
Respiratory System	220	41.4	3.12	24.3	1.65	160	25.0	2.07	14.2	1.14
Larynx	9	2.0	0.74	1.0	0.32	-	-	-	-	-
Lung & bronchus	203	38.1	2.98	22.4	1.59	156	24.3	2.04	13.9	1.13
Bones & Joints	-	-	-	-	-	7	1.1	0.42	0.7	0.27
Soft Tissue (incl. heart)	12	1.7	0.54	1.5	0.45	10	1.4	0.46	1.1	0.36
Skin (excl. basal & sq.)	9	1.2	0.41	1.0	0.35	7	0.9	0.38	0.6	0.23
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	6	0.8	0.31	0.6	0.26	659	78.7	3.18	58.7	2.31
Female Genital System	-	-	-	-	-	255	31.1	2.04	22.7	1.44
Cervix uteri	-	-	-	-	-	55	6.3	0.88	4.8	0.65
Uterus Corpus	-	-	-	-	-	110	13.5	1.34	9.9	0.96
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	73	9.0	1.10	6.5	0.76
Male Genital System	430	69.6	3.61	48.0	2.33	-	-	-	-	-
Prostate	418	68.1	3.59	46.6	2.29	-	-	-	-	-
Testis	11	1.3	0.40	1.3	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	122	24.0	2.44	13.5	1.24	66	9.9	1.29	6.0	0.76
Bladder (incl. <i>in situ</i>)	72	15.6	2.04	7.9	0.94	27	4.4	0.89	2.3	0.46
Kidney & renal pelvis	48	8.1	1.33	5.3	0.78	34	4.5	0.81	3.3	0.58
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	35	5.6	1.07	4.5	0.78	23	3.0	0.65	2.5	0.57
Brain	34	5.1	0.98	4.3	0.76	22	2.9	0.65	2.5	0.56
Endocrine System	53	6.9	0.97	5.8	0.80	184	20.2	1.52	16.7	1.25
Thyroid gland	47	6.2	0.93	5.0	0.74	175	19.1	1.47	15.7	1.20
Lymphomas	78	11.8	1.42	8.6	0.98	63	9.0	1.20	5.8	0.75
Hodgkin Lymphoma	12	1.6	0.47	1.3	0.40	6	0.8	0.33	0.7	0.30
Non-Hodgkin Lymphoma	66	10.2	1.34	7.2	0.90	57	8.3	1.16	5.1	0.69
Multiple Myeloma	20	3.9	0.99	2.2	0.50	18	3.1	0.76	1.5	0.36
Leukemias	32	4.3	0.80	3.8	0.70	36	4.7	0.83	3.8	0.68
Acute lymphocytic	9	1.0	0.35	1.2	0.43	7	1.0	0.39	1.0	0.41
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	11	1.6	0.52	1.2	0.36	15	1.8	0.49	1.4	0.37
Chronic myeloid	6	0.9	0.38	0.7	0.29	7	1.0	0.40	0.7	0.27
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	37	6.9	1.26	4.1	0.69	49	8.3	1.24	4.4	0.63
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	27	5.1	1.11	2.9	0.57	51	7.2	1.07	4.5	0.64
Breast (<i>in situ</i>)	-	-	-	-	-	199	23.3	1.71	17.8	1.27

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,347	340.4	11.28	221.7	6.62	1,690	296.3	8.00	201.6	5.18
Oral Cavity & Pharynx	43	10.5	1.97	6.5	1.09	17	2.5	0.67	1.9	0.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	14	4.1	1.29	2.3	0.69	-	-	-	-	-
Major salivary gland	6	1.7	0.86	1.0	0.45	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	6	0.9	0.39	0.7	0.30
Nasopharynx	9	1.0	0.38	0.9	0.33	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	253	67.1	5.09	41.5	2.86	288	61.4	3.92	36.9	2.28
Esophagus	15	5.3	1.52	2.8	0.78	-	-	-	-	-
Stomach	48	12.2	2.19	7.3	1.18	37	7.3	1.32	4.4	0.76
Small intestine	6	1.5	0.83	0.8	0.39	10	1.6	0.56	1.1	0.35
Colon excl. rectum	82	22.7	3.04	13.8	1.65	97	21.4	2.35	12.3	1.30
Rectum & rectosigmoid	24	5.5	1.35	3.6	0.80	27	5.5	1.14	3.7	0.74
Anus, anal canal & anorectum	-	-	-	-	-	10	2.1	0.69	1.6	0.53
Liver	39	9.1	1.73	6.6	1.16	21	3.9	0.96	2.5	0.56
Gallbladder	-	-	-	-	-	18	4.0	1.00	2.5	0.62
Pancreas	26	7.6	1.71	4.7	0.98	44	10.3	1.65	5.9	0.93
Respiratory System	112	34.6	3.78	20.6	2.07	122	27.8	2.66	17.2	1.62
Larynx	11	3.4	1.23	1.9	0.63	-	-	-	-	-
Lung & bronchus	93	30.1	3.54	17.8	1.94	117	27.0	2.63	16.7	1.60
Bones & Joints	7	1.0	0.51	1.0	0.41	-	-	-	-	-
Soft Tissue (incl. heart)	23	3.7	1.05	2.7	0.64	12	1.5	0.50	1.1	0.32
Skin (excl. basal & sq.)	37	8.5	1.72	5.4	1.00	43	7.4	1.26	5.0	0.80
Melanomas of the skin	33	7.6	1.63	4.9	0.96	38	6.8	1.22	4.4	0.74
Breast (excl. <i>in situ</i>)	-	-	-	-	-	508	82.6	3.99	60.8	2.84
Female Genital System	-	-	-	-	-	254	39.7	2.78	28.3	1.89
Cervix uteri	-	-	-	-	-	71	7.9	1.01	6.2	0.77
Uterus Corpus	-	-	-	-	-	113	19.7	2.02	13.8	1.37
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	51	7.8	1.22	5.7	0.84
Male Genital System	454	119.8	6.56	82.6	4.16	-	-	-	-	-
Prostate	407	116.6	6.54	79.5	4.13	-	-	-	-	-
Testis	44	3.0	0.47	2.9	0.46	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	111	36.5	3.99	20.5	2.07	64	13.2	1.81	7.9	1.04
Bladder (incl. <i>in situ</i>)	54	20.6	3.15	10.3	1.48	21	5.3	1.24	2.5	0.57
Kidney & renal pelvis	56	15.3	2.40	10.0	1.44	43	7.8	1.32	5.4	0.86
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	39	5.7	1.16	4.7	0.82	28	3.9	0.85	3.0	0.60
Brain	36	5.4	1.14	4.4	0.80	25	3.6	0.83	2.7	0.58
Endocrine System	34	3.7	0.70	3.2	0.60	145	19.1	1.77	14.8	1.31
Thyroid gland	31	3.4	0.67	2.9	0.58	141	18.5	1.75	14.3	1.28
Lymphomas	91	16.1	2.19	11.8	1.39	81	15.3	1.90	9.8	1.16
Hodgkin Lymphoma	17	2.3	0.81	1.7	0.45	7	1.0	0.44	0.7	0.28
Non-Hodgkin Lymphoma	74	13.8	2.03	10.1	1.32	74	14.3	1.84	9.2	1.12
Multiple Myeloma	21	7.9	1.90	4.5	1.04	29	5.2	1.06	3.5	0.69
Leukemias	76	12.1	1.96	8.8	1.15	53	7.9	1.30	5.8	0.84
Acute lymphocytic	18	1.3	0.33	1.5	0.36	12	1.1	0.39	1.2	0.36
Chronic lymphocytic	9	2.3	0.90	1.6	0.56	7	1.8	0.71	1.0	0.41
Acute myeloid	23	2.9	0.80	2.5	0.60	20	2.4	0.64	2.0	0.49
Chronic myeloid	11	2.0	0.90	1.1	0.37	-	-	-	-	-
Other leukemias	15	3.5	1.21	2.2	0.63	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	31	9.3	2.04	5.3	1.05	37	7.3	1.32	4.6	0.79
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	29	5.9	1.45	3.9	0.82	58	9.6	1.42	6.7	0.94
Breast (<i>in situ</i>)	-	-	-	-	-	144	22.8	2.04	17.7	1.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MARYLAND

190 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	48,376	534.2	2.48	353.3	1.70	46,548	435.5	2.07	303.0	1.57
Oral Cavity & Pharynx	1,582	16.6	0.43	11.8	0.31	681	6.3	0.25	4.3	0.19
Lip	56	0.6	0.09	0.4	0.06	26	0.2	0.04	0.1	0.03
Tongue	550	5.7	0.25	4.2	0.19	195	1.8	0.13	1.3	0.10
Major salivary gland	153	1.8	0.14	1.0	0.09	107	1.0	0.10	0.8	0.08
Floor of mouth	85	0.9	0.10	0.6	0.07	41	0.4	0.06	0.2	0.04
Gum & other mouth	150	1.7	0.14	1.1	0.09	153	1.4	0.12	0.9	0.08
Nasopharynx	38	0.4	0.07	0.3	0.05	29	0.3	0.05	0.2	0.05
Oropharynx	73	0.7	0.09	0.5	0.06	25	0.2	0.05	0.1	0.03
Hypopharynx	107	1.2	0.11	0.7	0.07	20	0.2	0.04	0.1	0.03
Digestive System	8,280	91.9	1.03	57.5	0.66	7,101	62.8	0.76	38.8	0.52
Esophagus	878	9.5	0.33	6.2	0.22	210	1.8	0.13	1.1	0.09
Stomach	621	6.9	0.28	4.1	0.17	399	3.5	0.18	2.1	0.12
Small intestine	220	2.4	0.16	1.6	0.11	180	1.6	0.12	1.1	0.09
Colon excl. rectum	2,874	32.5	0.62	19.3	0.38	3,070	26.9	0.50	15.8	0.33
Rectum & rectosigmoid	1,300	14.2	0.40	9.6	0.28	947	8.6	0.29	5.7	0.21
Anus, anal canal & anorectum	116	1.3	0.12	0.9	0.08	213	2.0	0.14	1.5	0.11
Liver	672	7.0	0.28	4.9	0.20	233	2.1	0.14	1.4	0.10
Gallbladder	63	0.7	0.09	0.4	0.06	128	1.1	0.10	0.7	0.07
Pancreas	1,211	13.7	0.40	8.2	0.25	1,252	10.9	0.31	6.5	0.21
Respiratory System	7,467	83.3	0.98	51.0	0.62	6,931	62.6	0.76	39.4	0.52
Larynx	574	6.1	0.26	4.2	0.18	154	1.4	0.12	1.0	0.08
Lung & bronchus	6,795	76.2	0.94	46.0	0.58	6,705	60.5	0.75	38.0	0.51
Bones & Joints	95	1.1	0.12	1.0	0.12	76	0.9	0.10	0.8	0.10
Soft Tissue (incl. heart)	302	3.6	0.21	2.6	0.17	234	2.4	0.16	1.9	0.15
Skin (excl. basal & sq.)	3,636	40.7	0.69	27.6	0.48	2,631	27.1	0.55	20.9	0.45
Melanomas of the skin	3,427	38.3	0.67	26.2	0.47	2,486	25.8	0.54	20.0	0.44
Breast (excl. <i>in situ</i>)	145	1.6	0.13	1.0	0.09	13,925	131.3	1.14	94.9	0.86
Female Genital System	-	-	-	-	-	5,104	47.7	0.68	34.9	0.53
Cervix uteri	-	-	-	-	-	540	6.0	0.27	4.8	0.22
Uterus Corpus	-	-	-	-	-	2,676	24.4	0.48	18.2	0.37
Uterus, NOS ¹	-	-	-	-	-	78	0.7	0.08	0.5	0.06
Ovary	-	-	-	-	-	1,351	12.5	0.35	8.8	0.26
Male Genital System	13,971	147.8	1.28	105.8	0.92	-	-	-	-	-
Prostate	13,423	140.5	1.24	99.3	0.88	-	-	-	-	-
Testis	484	6.5	0.30	6.0	0.29	-	-	-	-	-
Penis	45	0.5	0.08	0.3	0.05	-	-	-	-	-
Urinary System	5,335	60.2	0.84	36.5	0.53	2,358	21.4	0.45	14.0	0.33
Bladder (incl. <i>in situ</i>)	3,349	38.5	0.67	21.7	0.39	1,167	10.3	0.31	6.2	0.21
Kidney & renal pelvis	1,892	20.6	0.48	14.2	0.35	1,127	10.6	0.32	7.5	0.25
Ureter	67	0.8	0.10	0.4	0.05	47	0.4	0.06	0.2	0.04
Eye & Orbit	71	0.8	0.10	0.7	0.09	70	0.7	0.08	0.5	0.08
Brain & Other Nervous System	752	8.7	0.32	7.0	0.29	604	6.3	0.27	5.3	0.26
Brain	706	8.2	0.31	6.6	0.28	549	5.7	0.25	4.7	0.24
Endocrine System	775	8.7	0.32	7.0	0.27	1,939	21.4	0.50	17.7	0.43
Thyroid gland	707	7.9	0.31	6.3	0.25	1,897	21.0	0.50	17.3	0.42
Lymphomas	2,344	26.8	0.56	18.4	0.41	2,005	19.2	0.44	13.5	0.35
Hodgkin Lymphoma	279	3.5	0.21	3.2	0.21	233	2.8	0.19	2.6	0.19
Non-Hodgkin Lymphoma	2,065	23.3	0.52	15.2	0.36	1,772	16.4	0.40	10.9	0.29
Multiple Myeloma	487	5.5	0.25	3.3	0.16	416	3.7	0.18	2.2	0.12
Leukemias	1,355	16.1	0.44	10.8	0.34	945	8.9	0.30	6.6	0.28
Acute lymphocytic	127	1.7	0.15	2.0	0.20	92	1.2	0.13	1.5	0.18
Chronic lymphocytic	431	5.0	0.24	2.8	0.14	284	2.4	0.14	1.4	0.10
Acute myeloid	407	4.8	0.24	3.2	0.18	307	3.0	0.18	2.1	0.14
Chronic myeloid	143	1.7	0.14	1.1	0.10	90	0.9	0.10	0.7	0.08
Other leukemias	247	2.9	0.19	1.8	0.13	172	1.5	0.12	0.9	0.09
Mesothelioma	182	2.1	0.16	1.1	0.09	53	0.5	0.07	0.3	0.05
Kaposi Sarcoma	33	0.4	0.07	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	1,564	18.3	0.47	10.0	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	664	7.6	0.30	5.6	0.24	1,262	12.0	0.35	8.5	0.27
Breast (<i>in situ</i>)	22	0.2	0.05	0.2	0.04	3,603	34.7	0.59	26.2	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	16,452	554.3	4.71	377.2	2.99	16,546	392.1	3.13	270.4	2.16
Oral Cavity & Pharynx	425	13.2	0.69	9.7	0.48	190	4.4	0.33	3.1	0.23
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	85	2.6	0.30	1.9	0.21	31	0.7	0.14	0.5	0.09
Major salivary gland	30	1.0	0.19	0.7	0.12	36	0.8	0.13	0.7	0.11
Floor of mouth	29	0.9	0.17	0.7	0.13	11	0.3	0.08	0.1	0.05
Gum & other mouth	56	1.9	0.28	1.4	0.18	43	1.0	0.16	0.7	0.11
Nasopharynx	28	0.7	0.14	0.6	0.12	16	0.3	0.08	0.3	0.07
Oropharynx	43	1.4	0.23	1.0	0.15	15	0.4	0.09	0.2	0.06
Hypopharynx	68	2.3	0.29	1.5	0.19	6	0.1	0.05	0.1	0.04
Digestive System	3,307	115.5	2.21	74.2	1.31	3,153	78.3	1.44	49.0	0.90
Esophagus	237	8.4	0.59	5.5	0.37	98	2.4	0.25	1.6	0.16
Stomach	349	13.7	0.81	7.9	0.43	255	6.6	0.43	3.8	0.25
Small intestine	112	3.7	0.38	2.5	0.24	124	2.9	0.27	2.0	0.18
Colon excl. rectum	1,109	40.6	1.34	25.0	0.76	1,293	32.4	0.93	19.9	0.57
Rectum & rectosigmoid	393	13.0	0.72	8.6	0.44	397	9.4	0.49	6.3	0.32
Anus, anal canal & anorectum	65	1.8	0.24	1.4	0.17	62	1.3	0.17	1.1	0.14
Liver	481	14.0	0.70	10.5	0.49	149	3.4	0.29	2.4	0.20
Gallbladder	33	1.5	0.28	0.8	0.14	66	1.7	0.22	1.0	0.13
Pancreas	439	15.6	0.82	9.9	0.48	540	14.0	0.62	8.3	0.37
Respiratory System	2,441	88.1	1.94	56.1	1.15	2,129	52.8	1.18	34.3	0.76
Larynx	239	7.7	0.54	5.4	0.35	74	1.7	0.21	1.2	0.14
Lung & bronchus	2,161	79.1	1.85	49.8	1.09	2,027	50.4	1.15	32.6	0.75
Bones & Joints	26	0.8	0.18	0.6	0.12	32	0.7	0.13	0.7	0.13
Soft Tissue (incl. heart)	124	3.6	0.36	3.0	0.28	134	3.0	0.27	2.4	0.22
Skin (excl. basal & sq.)	62	2.0	0.29	1.4	0.19	77	1.8	0.21	1.3	0.16
Melanomas of the skin	32	1.2	0.23	0.8	0.14	42	1.0	0.16	0.7	0.11
Breast (excl. <i>in situ</i>)	73	2.5	0.31	1.7	0.20	5,582	126.7	1.74	91.8	1.25
Female Genital System	-	-	-	-	-	1,868	43.0	1.02	31.1	0.74
Cervix uteri	-	-	-	-	-	356	8.1	0.44	6.0	0.33
Uterus Corpus	-	-	-	-	-	917	21.0	0.71	15.4	0.52
Uterus, NOS ¹	-	-	-	-	-	57	1.4	0.19	0.9	0.13
Ovary	-	-	-	-	-	397	9.2	0.48	6.4	0.33
Male Genital System	6,657	216.3	2.86	154.1	1.92	-	-	-	-	-
Prostate	6,584	214.3	2.85	152.4	1.91	-	-	-	-	-
Testis	43	1.1	0.17	1.0	0.15	-	-	-	-	-
Penis	23	0.7	0.16	0.5	0.10	-	-	-	-	-
Urinary System	1,155	39.6	1.27	26.5	0.79	759	18.8	0.70	12.5	0.48
Bladder (incl. <i>in situ</i>)	435	17.1	0.90	10.3	0.50	258	6.9	0.44	3.9	0.25
Kidney & renal pelvis	702	21.9	0.89	15.9	0.61	484	11.4	0.53	8.4	0.40
Ureter	7	0.2	0.10	0.2	0.06	6	0.2	0.08	0.1	0.03
Eye & Orbit	8	0.3	0.11	0.2	0.09	-	-	-	-	-
Brain & Other Nervous System	163	5.0	0.42	3.9	0.31	159	3.8	0.30	3.1	0.26
Brain	146	4.4	0.39	3.5	0.30	135	3.2	0.28	2.6	0.24
Endocrine System	162	4.8	0.40	3.7	0.29	610	13.3	0.55	10.7	0.44
Thyroid gland	125	3.7	0.35	2.8	0.26	573	12.4	0.53	10.1	0.43
Lymphomas	641	18.7	0.79	14.5	0.58	579	13.3	0.57	10.0	0.43
Hodgkin Lymphoma	128	3.3	0.30	2.9	0.26	99	2.1	0.22	2.0	0.21
Non-Hodgkin Lymphoma	513	15.3	0.73	11.6	0.52	480	11.2	0.52	8.0	0.38
Multiple Myeloma	335	12.0	0.71	7.6	0.42	389	9.8	0.51	6.1	0.32
Leukemias	302	10.2	0.65	7.0	0.41	329	8.1	0.46	5.8	0.34
Acute lymphocytic	35	0.8	0.14	0.9	0.16	40	0.9	0.15	1.0	0.17
Chronic lymphocytic	81	3.0	0.37	1.8	0.21	67	1.7	0.21	1.1	0.14
Acute myeloid	95	3.3	0.38	2.2	0.23	117	2.9	0.28	2.0	0.20
Chronic myeloid	47	1.5	0.23	1.1	0.16	41	1.0	0.15	0.7	0.11
Other leukemias	44	1.6	0.26	1.0	0.15	64	1.6	0.21	1.0	0.13
Mesothelioma	24	1.2	0.25	0.6	0.12	8	0.2	0.07	0.1	0.05
Kaposi Sarcoma	69	1.8	0.23	1.5	0.19	12	0.3	0.07	0.2	0.07
Ill-defined & Unknown	478	18.6	0.94	10.8	0.50	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	211	6.8	0.52	4.9	0.34	446	10.6	0.51	7.4	0.36
Breast (<i>in situ</i>)	12	0.4	0.12	0.3	0.08	1,439	32.3	0.87	23.9	0.64

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MARYLAND

192 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	90,502	568.1	1.92	377.7	1.32	91,519	460.4	1.55	320.8	1.17
Oral Cavity & Pharynx	2,819	16.8	0.32	12.2	0.24	1,347	6.7	0.19	4.7	0.14
Lip	114	0.7	0.07	0.4	0.04	72	0.3	0.04	0.2	0.03
Tongue	846	5.0	0.17	3.7	0.13	412	2.0	0.10	1.4	0.08
Major salivary gland	263	1.7	0.10	1.1	0.07	179	0.9	0.07	0.6	0.05
Floor of mouth	169	1.0	0.08	0.7	0.06	74	0.4	0.04	0.3	0.03
Gum & other mouth	309	1.9	0.11	1.3	0.08	280	1.4	0.08	0.9	0.06
Nasopharynx	140	0.9	0.07	0.7	0.06	56	0.3	0.04	0.2	0.03
Oropharynx	125	0.7	0.07	0.5	0.05	43	0.2	0.03	0.2	0.03
Hypopharynx	235	1.4	0.09	1.0	0.07	61	0.3	0.04	0.2	0.03
Digestive System	16,781	106.0	0.83	66.9	0.54	14,667	69.7	0.59	42.4	0.40
Esophagus	1,789	11.0	0.27	7.4	0.18	527	2.5	0.11	1.5	0.07
Stomach	1,569	10.0	0.26	6.2	0.16	995	4.7	0.15	2.7	0.10
Small intestine	423	2.6	0.13	1.7	0.09	365	1.8	0.10	1.3	0.07
Colon excl. rectum	5,302	34.3	0.48	20.3	0.29	6,234	29.2	0.38	16.8	0.25
Rectum & rectosigmoid	2,516	15.6	0.32	10.4	0.21	1,971	9.6	0.22	6.4	0.16
Anus, anal canal & anorectum	207	1.2	0.09	0.9	0.06	363	1.8	0.10	1.3	0.07
Liver	1,890	11.3	0.26	8.0	0.19	568	2.8	0.12	1.9	0.09
Gallbladder	140	0.9	0.08	0.5	0.05	312	1.5	0.09	0.8	0.05
Pancreas	2,182	14.0	0.30	8.5	0.19	2,465	11.6	0.24	6.9	0.16
Respiratory System	13,372	85.8	0.75	52.7	0.48	13,401	66.4	0.58	43.0	0.41
Larynx	1,029	6.3	0.20	4.3	0.14	319	1.6	0.09	1.2	0.07
Lung & bronchus	12,161	78.3	0.72	47.6	0.45	12,946	64.1	0.57	41.4	0.40
Bones & Joints	160	1.0	0.08	0.9	0.08	163	0.9	0.07	0.8	0.07
Soft Tissue (incl. heart)	527	3.4	0.15	2.6	0.12	475	2.5	0.12	2.1	0.11
Skin (excl. basal & sq.)	4,809	30.5	0.45	20.1	0.30	3,982	20.7	0.34	15.4	0.27
Melanomas of the skin	4,434	28.0	0.43	18.7	0.29	3,688	19.3	0.32	14.5	0.26
Breast (excl. <i>in situ</i>)	219	1.4	0.10	0.9	0.06	26,247	134.2	0.84	97.0	0.64
Female Genital System	-	-	-	-	-	10,381	52.4	0.52	38.7	0.40
Cervix uteri	-	-	-	-	-	1,005	5.6	0.18	4.4	0.15
Uterus Corpus	-	-	-	-	-	5,903	29.5	0.39	22.2	0.30
Uterus, NOS ¹	-	-	-	-	-	119	0.5	0.05	0.3	0.03
Ovary	-	-	-	-	-	2,427	12.2	0.25	8.8	0.19
Male Genital System	26,540	161.2	1.01	116.1	0.73	-	-	-	-	-
Prostate	25,373	153.6	0.98	109.5	0.71	-	-	-	-	-
Testis	968	6.2	0.20	5.8	0.19	-	-	-	-	-
Penis	155	1.0	0.08	0.6	0.05	-	-	-	-	-
Urinary System	10,555	67.9	0.67	41.5	0.43	4,815	23.6	0.35	15.4	0.25
Bladder (incl. <i>in situ</i>)	6,687	43.9	0.54	24.9	0.32	2,514	11.9	0.24	7.2	0.16
Kidney & renal pelvis	3,635	22.5	0.38	15.7	0.27	2,171	11.0	0.24	7.8	0.18
Ureter	149	1.0	0.08	0.6	0.05	95	0.5	0.05	0.2	0.03
Eye & Orbit	180	1.1	0.08	0.9	0.07	150	0.8	0.07	0.7	0.07
Brain & Other Nervous System	1,333	8.4	0.23	6.8	0.20	1,169	6.3	0.19	5.3	0.18
Brain	1,250	7.9	0.23	6.2	0.19	1,097	5.9	0.18	4.9	0.17
Endocrine System	1,713	10.4	0.26	8.4	0.21	5,092	28.8	0.41	23.9	0.35
Thyroid gland	1,555	9.4	0.24	7.4	0.19	4,949	28.0	0.40	23.1	0.34
Lymphomas	4,534	28.7	0.43	20.0	0.32	3,847	19.5	0.32	13.7	0.25
Hodgkin Lymphoma	590	3.7	0.15	3.3	0.14	511	3.0	0.13	2.7	0.13
Non-Hodgkin Lymphoma	3,944	25.0	0.40	16.6	0.28	3,336	16.5	0.29	11.0	0.21
Multiple Myeloma	1,071	6.8	0.21	4.2	0.14	881	4.2	0.15	2.7	0.10
Leukemias	2,453	15.9	0.32	10.9	0.25	1,909	9.8	0.23	7.4	0.21
Acute lymphocytic	242	1.6	0.11	2.0	0.14	227	1.5	0.10	1.9	0.14
Chronic lymphocytic	870	5.6	0.19	3.4	0.12	632	3.0	0.12	1.8	0.08
Acute myeloid	685	4.5	0.17	2.8	0.12	609	3.1	0.13	2.3	0.11
Chronic myeloid	322	2.1	0.12	1.4	0.08	202	1.0	0.07	0.7	0.06
Other leukemias	334	2.2	0.12	1.3	0.08	239	1.1	0.08	0.8	0.06
Mesothelioma	361	2.4	0.13	1.3	0.07	109	0.5	0.05	0.3	0.03
Kaposi Sarcoma	113	0.7	0.07	0.5	0.05	17	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,962	19.6	0.36	10.8	0.21	2,867	13.2	0.25	7.4	0.16
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,071	6.7	0.21	5.0	0.17	2,163	11.1	0.24	8.2	0.19
Breast (<i>in situ</i>)	28	0.2	0.03	0.1	0.02	8,951	46.9	0.50	35.8	0.39

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	82,278	564.8	2.00	375.6	1.39	84,626	469.3	1.65	327.7	1.26
Oral Cavity & Pharynx	2,605	17.0	0.34	12.4	0.25	1,253	6.8	0.20	4.8	0.15
Lip	107	0.7	0.07	0.5	0.05	71	0.3	0.04	0.2	0.03
Tongue	808	5.2	0.19	3.9	0.14	391	2.1	0.11	1.5	0.08
Major salivary gland	244	1.7	0.11	1.1	0.07	163	0.9	0.07	0.6	0.06
Floor of mouth	159	1.0	0.08	0.8	0.06	70	0.4	0.05	0.3	0.03
Gum & other mouth	276	1.9	0.11	1.3	0.08	263	1.4	0.09	0.9	0.06
Nasopharynx	98	0.7	0.07	0.5	0.05	40	0.2	0.04	0.2	0.03
Oropharynx	119	0.8	0.07	0.6	0.05	40	0.2	0.03	0.2	0.03
Hypopharynx	217	1.4	0.10	1.0	0.07	53	0.3	0.04	0.2	0.03
Digestive System	15,210	104.7	0.86	65.7	0.56	13,413	69.1	0.61	41.9	0.42
Esophagus	1,706	11.4	0.28	7.7	0.19	479	2.5	0.12	1.5	0.08
Stomach	1,383	9.6	0.26	5.9	0.17	852	4.3	0.15	2.4	0.10
Small intestine	370	2.5	0.13	1.7	0.09	341	1.9	0.11	1.3	0.08
Colon excl. rectum	4,851	34.1	0.50	20.1	0.31	5,757	29.1	0.40	16.8	0.26
Rectum & rectosigmoid	2,298	15.6	0.33	10.4	0.23	1,790	9.6	0.23	6.3	0.17
Anus, anal canal & anorectum	185	1.2	0.09	0.9	0.06	338	1.9	0.10	1.4	0.08
Liver	1,550	10.1	0.26	7.0	0.19	475	2.5	0.12	1.7	0.09
Gallbladder	124	0.9	0.08	0.5	0.05	273	1.4	0.09	0.8	0.06
Pancreas	2,044	14.2	0.32	8.6	0.20	2,296	11.7	0.25	6.9	0.17
Respiratory System	12,493	87.1	0.79	53.5	0.51	12,782	69.1	0.62	44.8	0.44
Larynx	963	6.5	0.21	4.4	0.15	307	1.7	0.10	1.2	0.08
Lung & bronchus	11,366	79.4	0.75	48.2	0.48	12,349	66.7	0.61	43.1	0.43
Bones & Joints	150	1.1	0.09	1.0	0.09	151	1.0	0.08	0.9	0.08
Soft Tissue (incl. heart)	480	3.4	0.16	2.6	0.13	426	2.6	0.13	2.2	0.13
Skin (excl. basal & sq.)	4,433	30.8	0.47	20.4	0.32	3,612	21.2	0.36	15.8	0.29
Melanomas of the skin	4,090	28.3	0.45	19.0	0.31	3,340	19.7	0.35	14.9	0.28
Breast (excl. <i>in situ</i>)	208	1.4	0.10	0.9	0.06	24,384	137.9	0.90	99.8	0.68
Female Genital System	-	-	-	-	-	9,564	53.4	0.56	39.6	0.43
Cervix uteri	-	-	-	-	-	848	5.5	0.19	4.3	0.16
Uterus Corpus	-	-	-	-	-	5,473	30.2	0.42	22.8	0.32
Uterus, NOS ¹	-	-	-	-	-	109	0.5	0.05	0.3	0.03
Ovary	-	-	-	-	-	2,270	12.6	0.27	9.1	0.21
Male Genital System	23,136	153.6	1.03	111.2	0.76	-	-	-	-	-
Prostate	22,044	145.4	0.99	104.0	0.72	-	-	-	-	-
Testis	917	7.0	0.23	6.5	0.22	-	-	-	-	-
Penis	137	1.0	0.09	0.6	0.05	-	-	-	-	-
Urinary System	9,969	69.7	0.71	42.7	0.46	4,509	24.1	0.37	15.7	0.27
Bladder (incl. <i>in situ</i>)	6,388	45.3	0.57	25.9	0.34	2,405	12.4	0.26	7.6	0.18
Kidney & renal pelvis	3,364	22.9	0.40	16.0	0.29	1,982	11.1	0.26	7.8	0.20
Ureter	137	1.0	0.09	0.5	0.05	91	0.5	0.05	0.2	0.03
Eye & Orbit	176	1.2	0.09	1.0	0.08	144	0.9	0.07	0.8	0.08
Brain & Other Nervous System	1,255	8.9	0.25	7.2	0.23	1,111	6.7	0.21	5.7	0.21
Brain	1,181	8.3	0.25	6.6	0.21	1,046	6.3	0.20	5.3	0.20
Endocrine System	1,542	10.6	0.27	8.5	0.23	4,414	28.8	0.44	23.9	0.38
Thyroid gland	1,401	9.6	0.26	7.5	0.21	4,285	27.9	0.44	23.0	0.37
Lymphomas	4,174	29.3	0.46	20.4	0.34	3,544	19.8	0.34	14.0	0.27
Hodgkin Lymphoma	530	3.9	0.17	3.5	0.16	473	3.2	0.15	2.9	0.15
Non-Hodgkin Lymphoma	3,644	25.4	0.43	16.9	0.30	3,071	16.6	0.31	11.1	0.23
Multiple Myeloma	950	6.6	0.22	4.1	0.14	757	3.9	0.15	2.5	0.10
Leukemias	2,276	16.2	0.34	11.3	0.27	1,749	9.9	0.25	7.6	0.23
Acute lymphocytic	216	1.7	0.12	2.2	0.16	203	1.6	0.11	2.0	0.16
Chronic lymphocytic	808	5.6	0.20	3.4	0.13	595	3.1	0.13	1.8	0.08
Acute myeloid	640	4.6	0.18	2.9	0.12	545	3.1	0.14	2.2	0.11
Chronic myeloid	295	2.1	0.12	1.4	0.09	181	1.0	0.08	0.7	0.06
Other leukemias	317	2.2	0.13	1.4	0.09	225	1.2	0.08	0.8	0.07
Mesothelioma	354	2.5	0.14	1.4	0.08	103	0.5	0.06	0.3	0.04
Kaposi Sarcoma	88	0.7	0.07	0.4	0.05	14	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,779	19.9	0.38	10.9	0.22	2,696	13.4	0.27	7.6	0.17
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	968	6.8	0.22	5.1	0.18	1,958	11.1	0.26	8.2	0.21
Breast (<i>in situ</i>)	23	0.2	0.03	0.1	0.03	8,202	47.9	0.54	36.6	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	4,228	536.3	8.92	369.7	5.81	3,693	342.6	5.76	239.4	4.05
Oral Cavity & Pharynx	122	13.1	1.27	10.1	0.94	41	3.8	0.61	2.7	0.43
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	23	2.3	0.50	1.9	0.41	6	0.5	0.22	0.4	0.17
Major salivary gland	13	1.8	0.56	1.0	0.28	7	0.6	0.24	0.4	0.17
Floor of mouth	8	0.8	0.27	0.7	0.26	-	-	-	-	-
Gum & other mouth	18	1.9	0.49	1.4	0.35	8	0.9	0.31	0.5	0.18
Nasopharynx	8	0.7	0.24	0.6	0.22	-	-	-	-	-
Oropharynx	6	0.7	0.32	0.5	0.23	-	-	-	-	-
Hypopharynx	15	1.8	0.49	1.3	0.33	6	0.6	0.27	0.4	0.17
Digestive System	850	111.0	4.14	73.0	2.56	727	71.1	2.69	45.5	1.75
Esophagus	57	7.9	1.12	5.1	0.69	33	3.3	0.58	2.1	0.37
Stomach	103	14.4	1.53	9.1	0.91	76	7.7	0.90	4.3	0.52
Small intestine	39	4.7	0.81	3.2	0.52	18	1.8	0.45	1.2	0.28
Colon excl. rectum	265	35.8	2.39	23.0	1.44	278	27.8	1.70	17.0	1.06
Rectum & rectosigmoid	98	10.9	1.18	7.9	0.81	93	8.4	0.89	5.9	0.63
Anus, anal canal & anorectum	18	1.9	0.48	1.4	0.34	11	1.0	0.32	0.7	0.22
Liver	134	16.0	1.51	11.3	1.00	40	3.5	0.57	2.9	0.47
Gallbladder	11	1.5	0.50	1.0	0.31	26	2.7	0.53	1.6	0.33
Pancreas	94	13.8	1.55	8.4	0.88	122	12.1	1.11	7.9	0.74
Respiratory System	550	76.0	3.49	49.0	2.14	398	38.3	1.97	25.9	1.34
Larynx	43	5.6	0.92	3.8	0.60	9	0.8	0.26	0.7	0.23
Lung & bronchus	493	68.6	3.33	44.1	2.03	385	37.2	1.94	24.9	1.31
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	20	1.7	0.41	1.6	0.37	32	2.8	0.52	2.3	0.43
Skin (excl. basal & sq.)	14	1.5	0.45	1.1	0.29	17	1.8	0.44	1.0	0.25
Melanomas of the skin	-	-	-	-	-	10	1.1	0.35	0.6	0.18
Breast (excl. <i>in situ</i>)	8	1.4	0.51	0.8	0.28	1,084	97.7	3.03	70.8	2.20
Female Genital System	-	-	-	-	-	448	40.9	1.97	29.8	1.44
Cervix uteri	-	-	-	-	-	95	8.6	0.90	6.1	0.64
Uterus Corpus	-	-	-	-	-	235	21.8	1.45	16.0	1.06
Uterus, NOS ¹	-	-	-	-	-	7	0.8	0.30	0.4	0.14
Ovary	-	-	-	-	-	76	6.6	0.77	5.0	0.59
Male Genital System	1,750	217.7	5.55	158.5	3.87	-	-	-	-	-
Prostate	1,714	214.2	5.51	155.7	3.84	-	-	-	-	-
Testis	19	1.5	0.36	1.4	0.32	-	-	-	-	-
Penis	12	1.5	0.47	1.0	0.30	-	-	-	-	-
Urinary System	304	39.7	2.49	25.1	1.47	183	17.7	1.34	11.8	0.91
Bladder (incl. <i>in situ</i>)	130	20.1	1.91	10.9	0.98	49	5.2	0.76	2.7	0.42
Kidney & renal pelvis	167	18.6	1.54	13.6	1.08	130	12.0	1.08	8.8	0.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	40	4.0	0.70	3.2	0.52	30	2.5	0.46	2.1	0.40
Brain	36	3.6	0.66	2.9	0.50	27	2.2	0.44	1.9	0.38
Endocrine System	61	6.2	0.84	5.0	0.66	278	23.1	1.41	18.5	1.12
Thyroid gland	55	5.6	0.79	4.5	0.61	273	22.8	1.40	18.1	1.11
Lymphomas	203	21.9	1.68	16.2	1.16	175	15.8	1.23	11.4	0.89
Hodgkin Lymphoma	39	3.2	0.55	2.9	0.47	23	1.8	0.39	1.5	0.32
Non-Hodgkin Lymphoma	164	18.6	1.59	13.3	1.06	152	14.0	1.16	9.9	0.83
Multiple Myeloma	97	13.6	1.50	8.1	0.84	94	9.3	0.98	5.8	0.62
Leukemias	74	8.8	1.16	6.2	0.74	78	7.1	0.82	5.2	0.61
Acute lymphocytic	16	1.4	0.41	1.4	0.36	11	0.8	0.24	0.9	0.29
Chronic lymphocytic	17	2.3	0.61	1.5	0.37	11	1.1	0.35	0.7	0.23
Acute myeloid	21	2.4	0.60	1.8	0.39	35	3.1	0.54	2.3	0.39
Chronic myeloid	12	1.7	0.53	0.9	0.27	13	1.1	0.33	0.8	0.23
Other leukemias	8	1.1	0.43	0.6	0.23	8	0.9	0.32	0.5	0.18
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	20	2.2	0.52	1.5	0.35	-	-	-	-	-
Ill-defined & Unknown	109	16.2	1.68	9.5	0.93	97	9.8	1.02	5.7	0.61
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	55	6.6	1.00	4.5	0.62	110	10.1	0.98	7.2	0.70
Breast (<i>in situ</i>)	-	-	-	-	-	415	36.4	1.82	27.9	1.39

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,737	322.1	8.36	211.5	5.20	2,020	291.3	6.83	205.5	4.71
Oral Cavity & Pharynx	64	9.3	1.27	6.9	0.89	40	5.7	0.96	4.0	0.64
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	1.1	0.50	0.7	0.27	12	2.0	0.60	1.3	0.40
Major salivary gland	-	-	-	-	-	6	0.6	0.27	0.6	0.24
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	11	1.7	0.52	1.4	0.41	6	0.9	0.39	0.5	0.21
Nasopharynx	34	4.4	0.78	3.4	0.61	14	1.8	0.50	1.3	0.37
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	561	104.1	4.76	68.1	2.94	407	68.2	3.54	41.2	2.10
Esophagus	20	4.2	1.03	2.7	0.61	14	2.3	0.64	1.4	0.39
Stomach	69	14.1	1.88	8.4	1.03	59	9.3	1.26	6.0	0.80
Small intestine	10	1.7	0.61	1.2	0.38	-	-	-	-	-
Colon excl. rectum	127	25.0	2.38	15.6	1.42	149	25.9	2.22	14.7	1.23
Rectum & rectosigmoid	77	13.1	1.61	9.1	1.06	55	8.7	1.23	5.5	0.77
Anus, anal canal & anorectum	-	-	-	-	-	7	1.2	0.45	0.9	0.33
Liver	188	31.1	2.41	22.6	1.69	50	8.4	1.25	5.2	0.75
Gallbladder	-	-	-	-	-	10	1.8	0.60	1.0	0.32
Pancreas	35	7.7	1.38	4.0	0.69	42	7.3	1.17	4.4	0.70
Respiratory System	278	57.9	3.72	33.6	2.06	168	28.8	2.31	17.8	1.41
Larynx	11	2.1	0.68	1.3	0.40	-	-	-	-	-
Lung & bronchus	263	55.3	3.65	31.8	2.00	160	27.8	2.28	16.8	1.37
Bones & Joints	8	1.1	0.41	1.1	0.40	-	-	-	-	-
Soft Tissue (incl. heart)	14	2.1	0.65	1.6	0.44	13	1.8	0.51	1.4	0.40
Skin (excl. basal & sq.)	12	1.9	0.62	1.3	0.39	19	2.5	0.63	1.8	0.43
Melanomas of the skin	6	0.9	0.43	0.6	0.25	16	2.1	0.56	1.5	0.40
Breast (excl. <i>in situ</i>)	-	-	-	-	-	601	79.5	3.37	60.7	2.54
Female Genital System	-	-	-	-	-	238	32.6	2.21	24.1	1.60
Cervix uteri	-	-	-	-	-	46	6.3	0.97	4.5	0.68
Uterus Corpus	-	-	-	-	-	121	16.7	1.57	12.6	1.17
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	57	7.4	1.03	5.5	0.74
Male Genital System	368	70.7	3.88	47.7	2.53	-	-	-	-	-
Prostate	345	68.3	3.85	45.2	2.47	-	-	-	-	-
Testis	16	1.4	0.37	1.7	0.43	-	-	-	-	-
Penis	6	0.8	0.36	0.7	0.30	-	-	-	-	-
Urinary System	133	25.8	2.43	15.6	1.40	56	9.5	1.34	5.7	0.79
Bladder (incl. <i>in situ</i>)	59	12.6	1.78	7.0	0.94	22	3.9	0.87	2.3	0.50
Kidney & renal pelvis	67	11.7	1.55	7.7	0.97	31	5.0	0.95	3.1	0.58
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	27	4.3	0.95	3.4	0.69	24	2.8	0.59	2.8	0.59
Brain	24	3.6	0.84	3.0	0.63	21	2.4	0.56	2.5	0.57
Endocrine System	72	10.1	1.25	8.1	0.98	259	30.6	1.99	24.6	1.58
Thyroid gland	62	8.4	1.11	6.9	0.90	251	29.5	1.95	23.7	1.54
Lymphomas	83	13.2	1.60	9.9	1.12	78	11.1	1.33	8.3	0.97
Hodgkin Lymphoma	12	1.3	0.38	1.2	0.35	9	0.9	0.32	0.8	0.29
Non-Hodgkin Lymphoma	71	11.9	1.55	8.7	1.07	69	10.2	1.29	7.4	0.92
Multiple Myeloma	16	3.1	0.83	2.1	0.53	13	2.1	0.61	1.5	0.43
Leukemias	52	8.9	1.41	6.1	0.88	52	7.2	1.05	6.3	0.91
Acute lymphocytic	-	-	-	-	-	10	1.1	0.36	1.6	0.51
Chronic lymphocytic	-	-	-	-	-	6	1.1	0.47	0.6	0.26
Acute myeloid	-	-	-	-	-	26	3.4	0.70	3.0	0.61
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	44	8.9	1.45	5.2	0.80	45	7.9	1.23	4.7	0.72
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	28	4.5	0.95	3.3	0.64	63	9.7	1.29	6.5	0.84
Breast (<i>in situ</i>)	-	-	-	-	-	233	30.5	2.04	24.2	1.62

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	48	199.7	31.02	136.8	20.24	48	174.0	26.15	124.2	18.37
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	48.5	14.62	37.2	10.96	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	26.8	11.61	15.6	6.54	8	30.6	11.19	21.8	7.89
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	8	30.6	11.19	21.8	7.89
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	15	57.2	15.43	40.3	10.64
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	47.5	14.95	30.2	8.94	-	-	-	-	-
Prostate	10	43.8	14.73	25.7	8.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

This Page Intentionally Left Blank

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	141,590	574.1	1.56	378.0	1.05	127,927	433.5	1.23	301.7	0.92
Oral Cavity & Pharynx	4,375	16.7	0.26	12.1	0.19	1,966	6.6	0.15	4.7	0.11
Lip	202	0.9	0.06	0.5	0.04	59	0.2	0.03	0.1	0.02
Tongue	1,287	4.9	0.14	3.6	0.10	537	1.8	0.08	1.4	0.06
Major salivary gland	375	1.6	0.08	1.0	0.05	296	1.0	0.06	0.8	0.05
Floor of mouth	295	1.1	0.07	0.8	0.05	148	0.5	0.04	0.3	0.03
Gum & other mouth	561	2.2	0.10	1.5	0.07	468	1.5	0.07	1.0	0.05
Nasopharynx	177	0.7	0.05	0.5	0.04	73	0.3	0.03	0.2	0.02
Oropharynx	234	0.9	0.06	0.7	0.04	75	0.2	0.03	0.2	0.02
Hypopharynx	325	1.3	0.07	0.9	0.05	85	0.3	0.03	0.2	0.02
Digestive System	25,041	102.3	0.66	64.6	0.42	21,205	69.3	0.48	42.8	0.33
Esophagus	2,438	9.7	0.20	6.4	0.13	660	2.1	0.08	1.3	0.06
Stomach	2,311	9.6	0.20	5.9	0.13	1,342	4.4	0.12	2.7	0.08
Small intestine	646	2.6	0.11	1.7	0.07	597	2.0	0.08	1.3	0.06
Colon excl. rectum	8,471	35.6	0.39	21.2	0.24	9,134	29.7	0.32	17.6	0.21
Rectum & rectosigmoid	3,860	15.4	0.25	10.3	0.17	2,887	9.6	0.18	6.4	0.13
Anus, anal canal & anorectum	323	1.3	0.07	0.9	0.05	574	1.9	0.08	1.4	0.06
Liver	2,197	8.3	0.18	5.9	0.13	869	2.9	0.10	1.9	0.07
Gallbladder	198	0.9	0.06	0.5	0.03	414	1.3	0.07	0.8	0.04
Pancreas	3,617	14.8	0.25	9.2	0.16	3,549	11.5	0.20	6.8	0.13
Respiratory System	22,978	94.5	0.64	58.8	0.40	19,215	64.0	0.47	41.5	0.32
Larynx	1,842	7.2	0.17	5.0	0.12	536	1.8	0.08	1.3	0.06
Lung & bronchus	20,828	86.1	0.61	52.9	0.38	18,495	61.6	0.46	39.8	0.31
Bones & Joints	288	1.2	0.07	1.0	0.06	245	0.9	0.06	0.9	0.06
Soft Tissue (incl. heart)	967	4.0	0.13	3.1	0.11	826	3.0	0.11	2.4	0.10
Skin (excl. basal & sq.)	6,215	25.4	0.33	16.9	0.22	4,974	18.0	0.26	13.7	0.21
Melanomas of the skin	5,621	22.8	0.31	15.4	0.21	4,475	16.2	0.25	12.5	0.20
Breast (excl. <i>in situ</i>)	388	1.6	0.08	1.0	0.05	35,144	120.0	0.65	86.6	0.49
Female Genital System	-	-	-	-	-	15,533	53.0	0.43	39.3	0.33
Cervix uteri	-	-	-	-	-	1,882	7.3	0.17	5.8	0.14
Uterus Corpus	-	-	-	-	-	8,217	27.3	0.31	20.5	0.24
Uterus, NOS ¹	-	-	-	-	-	305	1.0	0.06	0.7	0.04
Ovary	-	-	-	-	-	3,796	12.9	0.21	9.2	0.16
Male Genital System	43,481	170.6	0.83	118.9	0.59	-	-	-	-	-
Prostate	41,863	163.7	0.82	112.9	0.57	-	-	-	-	-
Testis	1,328	5.7	0.16	5.3	0.15	-	-	-	-	-
Penis	225	0.9	0.06	0.6	0.04	-	-	-	-	-
Urinary System	15,600	65.1	0.53	39.6	0.33	6,938	23.0	0.28	15.1	0.20
Bladder (incl. <i>in situ</i>)	9,661	41.3	0.43	23.4	0.25	3,274	10.7	0.19	6.4	0.12
Kidney & renal pelvis	5,546	22.0	0.30	15.3	0.21	3,451	11.7	0.20	8.3	0.15
Ureter	209	0.9	0.06	0.5	0.04	138	0.4	0.04	0.3	0.02
Eye & Orbit	209	0.8	0.06	0.7	0.05	183	0.7	0.05	0.6	0.05
Brain & Other Nervous System	2,039	8.2	0.19	6.7	0.16	1,664	6.0	0.15	5.1	0.14
Brain	1,918	7.7	0.18	6.2	0.15	1,526	5.5	0.14	4.6	0.13
Endocrine System	1,715	6.8	0.17	5.4	0.14	4,695	17.8	0.27	14.8	0.23
Thyroid gland	1,493	5.9	0.16	4.6	0.12	4,511	17.1	0.26	14.1	0.22
Lymphomas	6,870	28.4	0.35	19.5	0.25	5,978	20.5	0.27	14.5	0.21
Hodgkin Lymphoma	841	3.5	0.12	3.1	0.11	694	2.7	0.10	2.5	0.10
Non-Hodgkin Lymphoma	6,029	24.9	0.33	16.4	0.22	5,284	17.7	0.25	11.9	0.18
Multiple Myeloma	1,914	7.9	0.18	4.8	0.11	1,532	5.0	0.13	3.2	0.09
Leukemias	4,158	17.5	0.28	11.9	0.20	3,077	10.5	0.19	7.6	0.16
Acute lymphocytic	414	1.7	0.09	2.1	0.11	303	1.3	0.07	1.5	0.10
Chronic lymphocytic	1,460	6.1	0.16	3.6	0.10	1,058	3.4	0.11	2.0	0.07
Acute myeloid	1,200	5.1	0.15	3.3	0.10	968	3.3	0.11	2.3	0.09
Chronic myeloid	549	2.3	0.10	1.5	0.07	372	1.3	0.07	0.9	0.05
Other leukemias	535	2.3	0.10	1.4	0.07	376	1.2	0.06	0.8	0.05
Mesothelioma	442	1.9	0.09	1.0	0.05	143	0.5	0.04	0.3	0.03
Kaposi Sarcoma	114	0.5	0.05	0.4	0.04	17	0.1	0.01	0.0	0.01
Ill-defined & Unknown	4,796	20.6	0.30	11.7	0.18	4,592	14.7	0.22	8.7	0.15
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,848	7.5	0.18	5.5	0.14	3,955	13.6	0.22	9.6	0.17
Breast (<i>in situ</i>)	59	0.2	0.03	0.2	0.02	9,803	33.8	0.35	25.4	0.27

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	117,564	545.7	1.62	357.8	1.10	107,744	426.5	1.33	296.8	1.00
Oral Cavity & Pharynx	3,713	16.3	0.27	11.8	0.20	1,637	6.4	0.16	4.5	0.12
Lip	182	0.9	0.07	0.5	0.04	50	0.2	0.03	0.1	0.02
Tongue	1,130	4.9	0.15	3.6	0.11	466	1.9	0.09	1.4	0.07
Major salivary gland	324	1.6	0.09	0.9	0.06	245	1.0	0.07	0.7	0.05
Floor of mouth	250	1.1	0.07	0.8	0.05	126	0.5	0.05	0.3	0.03
Gum & other mouth	479	2.2	0.10	1.5	0.07	388	1.5	0.08	0.9	0.05
Nasopharynx	141	0.6	0.05	0.5	0.04	55	0.2	0.03	0.2	0.02
Oropharynx	179	0.8	0.06	0.6	0.04	62	0.2	0.03	0.2	0.02
Hypopharynx	245	1.1	0.07	0.7	0.05	66	0.3	0.03	0.2	0.02
Digestive System	20,709	96.6	0.68	60.4	0.44	17,308	65.1	0.50	39.7	0.34
Esophagus	2,172	9.9	0.22	6.5	0.14	535	2.0	0.09	1.2	0.06
Stomach	1,851	8.7	0.21	5.4	0.13	974	3.6	0.12	2.2	0.08
Small intestine	524	2.4	0.11	1.6	0.07	449	1.7	0.08	1.2	0.06
Colon excl. rectum	7,039	33.7	0.41	19.9	0.25	7,614	28.4	0.33	16.6	0.22
Rectum & rectosigmoid	3,262	14.9	0.27	10.0	0.18	2,371	9.2	0.19	6.1	0.14
Anus, anal canal & anorectum	258	1.2	0.07	0.8	0.05	496	1.9	0.09	1.4	0.07
Liver	1,564	6.9	0.18	4.7	0.13	650	2.5	0.10	1.6	0.07
Gallbladder	164	0.8	0.06	0.4	0.04	320	1.2	0.07	0.7	0.04
Pancreas	3,035	14.2	0.26	8.7	0.16	2,893	10.7	0.20	6.3	0.13
Respiratory System	19,472	91.2	0.66	56.2	0.42	16,459	63.3	0.50	41.0	0.35
Larynx	1,493	6.7	0.18	4.6	0.12	427	1.7	0.08	1.2	0.06
Lung & bronchus	17,725	83.3	0.64	50.8	0.40	15,881	61.0	0.49	39.3	0.34
Bones & Joints	257	1.2	0.08	1.1	0.07	194	0.9	0.07	0.8	0.07
Soft Tissue (incl. heart)	817	3.9	0.14	3.0	0.12	666	2.8	0.11	2.3	0.11
Skin (excl. basal & sq.)	5,715	26.8	0.36	17.9	0.25	4,467	19.3	0.30	14.8	0.24
Melanomas of the skin	5,202	24.3	0.34	16.5	0.24	4,051	17.6	0.28	13.6	0.23
Breast (excl. <i>in situ</i>)	302	1.4	0.08	0.9	0.05	29,388	117.7	0.70	84.8	0.53
Female Genital System	-	-	-	-	-	13,216	53.0	0.47	39.3	0.37
Cervix uteri	-	-	-	-	-	1,437	6.9	0.19	5.5	0.15
Uterus Corpus	-	-	-	-	-	7,077	27.5	0.33	20.7	0.26
Uterus, NOS ¹	-	-	-	-	-	237	0.9	0.06	0.6	0.04
Ovary	-	-	-	-	-	3,296	13.1	0.23	9.3	0.18
Male Genital System	33,709	151.2	0.84	105.6	0.60	-	-	-	-	-
Prostate	32,242	143.6	0.81	98.9	0.57	-	-	-	-	-
Testis	1,217	6.4	0.19	6.0	0.18	-	-	-	-	-
Penis	196	0.9	0.07	0.6	0.04	-	-	-	-	-
Urinary System	13,674	64.9	0.56	39.3	0.35	5,889	22.7	0.30	14.9	0.22
Bladder (incl. <i>in situ</i>)	8,790	42.5	0.46	24.0	0.27	2,889	10.8	0.20	6.5	0.14
Kidney & renal pelvis	4,536	20.7	0.31	14.3	0.22	2,815	11.2	0.21	8.0	0.17
Ureter	199	1.0	0.07	0.5	0.04	129	0.5	0.04	0.3	0.03
Eye & Orbit	190	0.9	0.07	0.7	0.06	162	0.7	0.05	0.5	0.05
Brain & Other Nervous System	1,825	8.6	0.21	7.1	0.18	1,454	6.3	0.17	5.3	0.16
Brain	1,724	8.1	0.20	6.6	0.17	1,339	5.7	0.16	4.8	0.15
Endocrine System	1,465	6.8	0.18	5.4	0.15	3,906	18.0	0.30	15.1	0.26
Thyroid gland	1,292	6.0	0.17	4.6	0.13	3,760	17.4	0.29	14.4	0.25
Lymphomas	6,009	28.6	0.38	19.6	0.27	5,193	20.7	0.29	14.6	0.23
Hodgkin Lymphoma	706	3.5	0.13	3.1	0.12	587	2.8	0.12	2.6	0.12
Non-Hodgkin Lymphoma	5,303	25.1	0.35	16.5	0.24	4,606	17.9	0.27	12.0	0.20
Multiple Myeloma	1,473	7.0	0.18	4.2	0.11	1,096	4.1	0.13	2.6	0.09
Leukemias	3,575	17.4	0.29	11.9	0.22	2,654	10.6	0.21	7.7	0.19
Acute lymphocytic	343	1.8	0.10	2.1	0.13	260	1.4	0.09	1.7	0.12
Chronic lymphocytic	1,243	5.9	0.17	3.5	0.10	916	3.4	0.11	2.0	0.07
Acute myeloid	1,063	5.2	0.16	3.3	0.11	845	3.4	0.12	2.4	0.10
Chronic myeloid	452	2.2	0.11	1.5	0.07	314	1.3	0.07	0.9	0.06
Other leukemias	474	2.3	0.11	1.5	0.07	319	1.2	0.07	0.8	0.05
Mesothelioma	423	2.1	0.10	1.1	0.06	128	0.5	0.04	0.3	0.03
Kaposi Sarcoma	54	0.3	0.04	0.2	0.03	12	0.0	0.01	0.0	0.01
Ill-defined & Unknown	4,182	20.5	0.32	11.5	0.19	3,915	14.4	0.24	8.4	0.16
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,513	7.2	0.19	5.3	0.15	3,198	12.9	0.23	9.2	0.19
Breast (<i>in situ</i>)	42	0.2	0.03	0.1	0.02	8,071	32.8	0.37	24.7	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	17,143	655.0	5.25	447.1	3.49	15,448	431.3	3.52	299.2	2.51
Oral Cavity & Pharynx	504	17.1	0.79	13.1	0.59	244	6.6	0.43	4.8	0.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	119	4.1	0.40	3.1	0.29	52	1.4	0.19	1.1	0.15
Major salivary gland	26	0.9	0.18	0.7	0.14	33	0.9	0.16	0.7	0.12
Floor of mouth	39	1.3	0.22	1.0	0.17	16	0.4	0.11	0.3	0.08
Gum & other mouth	59	2.1	0.29	1.5	0.20	54	1.5	0.21	1.0	0.14
Nasopharynx	26	0.8	0.16	0.7	0.14	13	0.3	0.09	0.3	0.08
Oropharynx	49	1.7	0.26	1.3	0.19	12	0.3	0.10	0.2	0.07
Hypopharynx	69	2.4	0.30	1.8	0.22	19	0.5	0.12	0.4	0.09
Digestive System	3,565	138.3	2.44	90.8	1.56	3,269	92.7	1.64	59.6	1.10
Esophagus	231	8.7	0.60	5.9	0.40	109	3.0	0.30	2.1	0.21
Stomach	394	16.4	0.87	9.9	0.51	297	8.6	0.51	5.2	0.32
Small intestine	105	4.4	0.45	2.6	0.26	131	3.7	0.33	2.4	0.22
Colon excl. rectum	1,152	46.6	1.44	29.6	0.89	1,281	36.6	1.04	23.1	0.68
Rectum & rectosigmoid	458	17.6	0.86	11.6	0.55	408	11.2	0.56	7.8	0.40
Anus, anal canal & anorectum	60	2.2	0.30	1.5	0.20	62	1.7	0.22	1.2	0.16
Liver	510	16.9	0.78	12.9	0.58	186	5.0	0.38	3.6	0.27
Gallbladder	27	1.1	0.22	0.7	0.14	81	2.3	0.25	1.5	0.17
Pancreas	521	20.4	0.94	13.3	0.60	586	16.9	0.71	10.3	0.45
Respiratory System	3,077	121.5	2.29	79.7	1.47	2,394	68.1	1.41	45.2	0.97
Larynx	306	11.0	0.66	8.1	0.47	100	2.7	0.27	2.0	0.20
Lung & bronchus	2,730	109.1	2.19	70.5	1.38	2,270	64.8	1.38	42.7	0.94
Bones & Joints	22	0.7	0.15	0.6	0.12	40	1.0	0.17	0.9	0.15
Soft Tissue (incl. heart)	104	3.4	0.35	2.8	0.28	126	3.3	0.30	3.0	0.28
Skin (excl. basal & sq.)	61	2.2	0.30	1.5	0.20	89	2.4	0.26	1.8	0.19
Melanomas of the skin	28	1.1	0.21	0.7	0.13	36	1.0	0.16	0.7	0.11
Breast (excl. <i>in situ</i>)	68	2.6	0.33	1.7	0.21	4,354	119.4	1.83	86.2	1.35
Female Genital System	-	-	-	-	-	1,742	47.9	1.16	35.4	0.88
Cervix uteri	-	-	-	-	-	363	10.0	0.53	7.6	0.41
Uterus Corpus	-	-	-	-	-	826	22.6	0.80	16.8	0.60
Uterus, NOS ¹	-	-	-	-	-	56	1.5	0.21	1.1	0.15
Ovary	-	-	-	-	-	370	10.3	0.54	7.4	0.40
Male Genital System	6,177	231.2	3.08	165.0	2.14	-	-	-	-	-
Prostate	6,097	228.6	3.06	162.8	2.13	-	-	-	-	-
Testis	53	1.5	0.21	1.5	0.21	-	-	-	-	-
Penis	18	0.8	0.20	0.4	0.10	-	-	-	-	-
Urinary System	1,345	53.7	1.54	34.1	0.96	781	22.2	0.80	14.4	0.54
Bladder (incl. <i>in situ</i>)	510	22.3	1.03	12.7	0.58	255	7.5	0.47	4.2	0.28
Kidney & renal pelvis	808	30.2	1.11	20.8	0.75	504	14.1	0.64	9.7	0.45
Ureter	7	0.4	0.15	0.2	0.06	8	0.2	0.08	0.2	0.06
Eye & Orbit	12	0.3	0.09	0.4	0.13	13	0.3	0.09	0.5	0.13
Brain & Other Nervous System	156	5.2	0.44	4.3	0.35	156	4.2	0.34	3.6	0.31
Brain	144	4.8	0.43	4.0	0.34	140	3.8	0.33	3.3	0.30
Endocrine System	136	4.5	0.40	3.6	0.32	465	12.7	0.59	10.0	0.48
Thyroid gland	101	3.4	0.36	2.6	0.27	432	11.8	0.57	9.3	0.45
Lymphomas	610	21.9	0.93	15.8	0.65	542	15.1	0.66	11.2	0.50
Hodgkin Lymphoma	98	3.0	0.31	2.7	0.28	79	2.0	0.23	1.9	0.22
Non-Hodgkin Lymphoma	512	18.9	0.88	13.1	0.59	463	13.0	0.61	9.3	0.45
Multiple Myeloma	391	15.7	0.83	10.0	0.52	388	11.3	0.58	7.1	0.38
Leukemias	389	15.1	0.81	10.3	0.54	294	8.3	0.49	5.8	0.36
Acute lymphocytic	54	1.5	0.22	1.7	0.23	28	0.7	0.13	0.8	0.16
Chronic lymphocytic	119	4.9	0.47	3.2	0.30	91	2.6	0.27	1.6	0.18
Acute myeloid	106	4.3	0.44	2.7	0.27	97	2.8	0.29	1.9	0.20
Chronic myeloid	68	2.6	0.33	1.8	0.22	41	1.1	0.18	0.8	0.14
Other leukemias	42	1.7	0.28	1.1	0.17	37	1.1	0.18	0.7	0.13
Mesothelioma	14	0.7	0.18	0.3	0.09	11	0.3	0.10	0.2	0.06
Kaposi Sarcoma	49	1.6	0.23	1.3	0.19	-	-	-	-	-
Ill-defined & Unknown	463	19.3	0.95	11.5	0.55	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	226	8.4	0.59	5.7	0.39	573	16.3	0.69	10.9	0.48
Breast (<i>in situ</i>)	14	0.5	0.15	0.4	0.10	1,281	35.1	0.99	26.0	0.74

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	973	272.4	10.14	173.9	5.66	1,154	244.1	7.81	169.9	5.09
Oral Cavity & Pharynx	37	9.0	1.69	6.4	1.08	22	5.2	1.22	3.5	0.75
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	12	2.8	0.90	1.9	0.56	7	1.4	0.54	1.1	0.43
Major salivary gland	8	2.0	0.77	1.4	0.50	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	7	1.9	0.78	1.1	0.41
Nasopharynx	7	2.1	0.99	1.3	0.50	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	259	75.0	5.35	46.1	2.91	216	51.7	3.83	32.7	2.26
Esophagus	8	2.4	0.94	1.4	0.50	-	-	-	-	-
Stomach	35	12.5	2.54	6.4	1.12	41	9.7	1.68	6.4	1.00
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	65	19.6	2.80	11.7	1.48	60	14.2	1.98	8.9	1.17
Rectum & rectosigmoid	36	9.9	1.84	6.2	1.05	26	6.0	1.27	3.8	0.76
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	65	15.7	2.13	11.4	1.43	22	5.8	1.33	3.3	0.72
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	23	7.5	1.77	4.2	0.88	30	7.5	1.48	4.7	0.86
Respiratory System	127	40.8	4.26	23.8	2.14	105	26.8	2.79	16.8	1.66
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	120	39.4	4.23	22.6	2.09	101	25.7	2.73	16.1	1.62
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	16	4.1	1.28	2.6	0.67	8	1.4	0.54	1.0	0.35
Skin (excl. basal & sq.)	12	2.6	0.81	1.9	0.58	11	1.9	0.64	1.4	0.45
Melanomas of the skin	6	1.4	0.64	1.0	0.41	10	1.8	0.63	1.3	0.44
Breast (excl. <i>in situ</i>)	-	-	-	-	-	358	68.7	3.85	51.5	2.76
Female Genital System	-	-	-	-	-	157	31.4	2.69	22.9	1.85
Cervix uteri	-	-	-	-	-	23	4.1	0.90	3.2	0.67
Uterus Corpus	-	-	-	-	-	76	14.8	1.78	11.3	1.31
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	45	9.7	1.60	6.3	0.96
Male Genital System	247	69.4	5.01	46.0	2.95	-	-	-	-	-
Prostate	239	67.9	4.98	44.7	2.92	-	-	-	-	-
Testis	7	1.2	0.57	1.1	0.41	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	73	20.7	2.72	13.0	1.54	33	7.4	1.40	5.0	0.88
Bladder (incl. <i>in situ</i>)	35	10.8	2.06	6.4	1.09	13	3.2	0.96	2.1	0.58
Kidney & renal pelvis	38	9.9	1.78	6.6	1.08	20	4.2	1.02	2.9	0.66
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	19	5.6	1.57	3.2	0.76	18	3.5	0.89	2.7	0.64
Brain	17	5.4	1.56	3.0	0.74	14	2.7	0.81	2.0	0.56
Endocrine System	35	8.4	1.69	5.5	0.96	98	17.2	1.86	13.4	1.39
Thyroid gland	28	6.1	1.38	4.4	0.85	96	16.7	1.81	13.0	1.36
Lymphomas	58	14.1	2.25	9.6	1.29	50	10.9	1.72	7.5	1.09
Hodgkin Lymphoma	11	1.7	0.51	1.8	0.54	-	-	-	-	-
Non-Hodgkin Lymphoma	47	12.4	2.19	7.8	1.17	-	-	-	-	-
Multiple Myeloma	13	4.4	1.46	2.6	0.74	9	2.2	0.81	1.4	0.46
Leukemias	33	7.5	1.49	5.6	1.00	30	5.5	1.14	4.5	0.85
Acute lymphocytic	9	1.3	0.43	1.6	0.55	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	12	3.1	1.01	2.1	0.60	13	2.6	0.83	2.0	0.58
Chronic myeloid	6	1.3	0.62	0.9	0.38	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	34	9.2	1.81	5.8	1.01	35	9.3	1.73	5.2	0.89
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	24	5.1	1.28	3.5	0.75	53	12.5	1.85	8.0	1.12
Breast (<i>in situ</i>)	-	-	-	-	-	111	21.2	2.12	15.6	1.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	322	498.1	31.69	317.4	18.05	329	398.7	23.57	277.0	15.56
Oral Cavity & Pharynx	14	22.2	6.56	14.4	3.92	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	68	99.0	13.82	64.4	7.98	48	58.8	9.00	41.2	6.08
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	21	31.4	8.00	19.6	4.38	24	31.4	6.81	20.5	4.27
Rectum & rectosigmoid	16	23.9	6.65	15.3	3.90	8	8.7	3.22	6.8	2.47
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	12	12.9	3.89	10.6	3.13	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	7	9.3	3.78	6.4	2.49	-	-	-	-	-
Respiratory System	80	138.6	17.51	84.0	9.58	72	89.1	11.34	59.8	7.18
Larynx	8	12.3	4.74	7.7	2.75	-	-	-	-	-
Lung & bronchus	71	124.9	16.81	75.2	9.10	70	87.3	11.27	58.1	7.08
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	9	11.2	4.42	7.7	2.58	9	10.2	3.51	7.9	2.67
Melanomas of the skin	7	6.8	2.59	6.0	2.28	7	6.9	2.64	5.9	2.24
Breast (excl. <i>in situ</i>)	-	-	-	-	-	72	82.0	10.23	59.7	7.16
Female Genital System	-	-	-	-	-	38	42.8	7.47	31.8	5.25
Cervix uteri	-	-	-	-	-	12	12.7	3.90	10.5	3.10
Uterus Corpus	-	-	-	-	-	14	15.2	4.29	12.3	3.34
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	11.3	4.33	5.8	2.06
Male Genital System	63	105.9	15.19	63.1	8.12	-	-	-	-	-
Prostate	57	99.6	14.97	58.3	7.87	-	-	-	-	-
Testis	6	6.3	2.59	4.9	1.98	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	36.8	8.15	24.7	4.93	34	42.1	7.71	27.9	4.86
Bladder (incl. <i>in situ</i>)	12	16.6	5.22	11.5	3.40	-	-	-	-	-
Kidney & renal pelvis	12	18.3	6.11	11.4	3.33	29	35.5	7.05	23.8	4.48
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	9	7.9	2.68	7.6	2.56	6	6.2	2.57	5.7	2.37
Brain	9	7.9	2.68	7.6	2.56	-	-	-	-	-
Endocrine System	-	-	-	-	-	12	12.1	3.58	10.2	2.98
Thyroid gland	-	-	-	-	-	11	11.1	3.44	9.4	2.86
Lymphomas	12	14.0	4.73	10.5	3.06	14	20.1	5.71	12.6	3.44
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	11	15.3	4.97	11.1	3.38	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	13	21.5	6.94	12.1	3.41	11	19.7	6.28	8.3	2.54
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	16	18.0	4.73	13.1	3.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,932	431.1	10.95	269.2	6.39	1,871	332.4	8.19	228.1	5.51
Oral Cavity & Pharynx	55	11.0	1.68	6.9	0.96	18	3.5	0.86	2.2	0.55
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	2.7	0.77	1.8	0.47	-	-	-	-	-
Major salivary gland	6	0.8	0.33	0.7	0.28	8	1.6	0.59	1.0	0.38
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.9	0.80	0.9	0.35	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	428	95.4	5.14	58.9	2.96	309	63.9	3.82	37.3	2.22
Esophagus	25	6.3	1.38	3.5	0.73	-	-	-	-	-
Stomach	54	14.0	2.10	7.7	1.09	39	8.1	1.36	4.7	0.78
Small intestine	9	1.9	0.69	1.4	0.48	-	-	-	-	-
Colon excl. rectum	123	29.4	2.93	17.6	1.65	102	21.2	2.21	11.7	1.22
Rectum & rectosigmoid	70	14.9	1.95	9.3	1.17	41	7.9	1.31	5.2	0.84
Anus, anal canal & anorectum	-	-	-	-	-	10	1.8	0.61	1.2	0.37
Liver	77	13.3	1.68	10.0	1.17	17	3.6	0.93	2.0	0.50
Gallbladder	-	-	-	-	-	12	2.5	0.77	1.6	0.46
Pancreas	47	11.1	1.82	6.6	1.00	53	11.0	1.58	6.6	0.95
Respiratory System	244	65.9	4.56	35.5	2.35	170	35.5	2.82	23.6	1.88
Larynx	28	6.6	1.35	4.2	0.83	6	1.1	0.48	0.8	0.36
Lung & bronchus	208	58.4	4.35	30.3	2.18	162	34.0	2.76	22.5	1.83
Bones & Joints	6	0.8	0.41	0.6	0.23	8	1.0	0.40	0.8	0.31
Soft Tissue (incl. heart)	20	3.2	0.85	2.1	0.50	26	3.1	0.71	2.6	0.53
Skin (excl. basal & sq.)	60	13.4	1.96	8.3	1.11	48	6.8	1.09	5.0	0.74
Melanomas of the skin	53	11.9	1.86	7.5	1.07	42	6.3	1.06	4.4	0.71
Breast (excl. <i>in situ</i>)	-	-	-	-	-	461	80.1	3.92	57.5	2.78
Female Genital System	-	-	-	-	-	326	53.3	3.13	39.4	2.27
Cervix uteri	-	-	-	-	-	71	10.3	1.30	7.6	0.92
Uterus Corpus	-	-	-	-	-	149	24.8	2.12	19.0	1.61
Uterus, NOS ¹	-	-	-	-	-	8	1.5	0.56	0.9	0.34
Ovary	-	-	-	-	-	74	11.9	1.47	8.8	1.07
Male Genital System	535	121.8	5.74	79.9	3.58	-	-	-	-	-
Prostate	490	117.1	5.68	75.8	3.52	-	-	-	-	-
Testis	40	3.5	0.57	3.4	0.55	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	213	48.1	3.68	29.4	2.10	105	20.6	2.11	13.8	1.41
Bladder (incl. <i>in situ</i>)	102	26.0	2.83	14.8	1.52	33	6.9	1.24	4.6	0.84
Kidney & renal pelvis	110	21.6	2.29	14.4	1.44	70	13.1	1.66	9.0	1.12
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	51	8.1	1.39	6.4	0.95	40	5.8	1.00	4.4	0.73
Brain	47	7.7	1.36	5.9	0.91	35	5.3	0.97	3.8	0.69
Endocrine System	33	5.1	0.98	4.0	0.73	121	17.0	1.67	13.2	1.25
Thyroid gland	28	4.3	0.89	3.5	0.70	117	16.7	1.66	12.9	1.24
Lymphomas	109	22.2	2.45	14.1	1.41	101	17.9	1.92	12.1	1.27
Hodgkin Lymphoma	23	3.9	0.97	2.7	0.59	17	2.1	0.58	1.9	0.47
Non-Hodgkin Lymphoma	86	18.3	2.25	11.4	1.28	84	15.7	1.83	10.2	1.18
Multiple Myeloma	30	7.3	1.43	4.1	0.77	20	4.2	0.97	2.6	0.61
Leukemias	72	12.2	1.83	8.3	1.04	59	8.2	1.21	6.7	0.91
Acute lymphocytic	23	1.8	0.40	2.1	0.44	22	2.0	0.48	2.1	0.45
Chronic lymphocytic	10	2.4	0.79	1.4	0.47	-	-	-	-	-
Acute myeloid	21	4.4	1.20	2.6	0.60	20	3.3	0.81	2.6	0.61
Chronic myeloid	8	1.7	0.66	1.0	0.38	6	1.0	0.41	0.6	0.27
Other leukemias	10	2.0	0.82	1.2	0.41	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	65	14.5	1.96	9.1	1.18	52	10.4	1.52	5.9	0.86
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	25	5.4	1.29	3.3	0.71	73	12.7	1.59	9.0	1.11
Breast (<i>in situ</i>)	-	-	-	-	-	108	18.8	1.88	13.7	1.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MICHIGAN

204 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	115,945	549.2	1.64	360.6	1.12	106,143	429.1	1.35	298.9	1.02
Oral Cavity & Pharynx	3,669	16.5	0.28	11.9	0.20	1,623	6.5	0.17	4.6	0.13
Lip	180	0.9	0.07	0.5	0.04	50	0.2	0.03	0.1	0.02
Tongue	1,117	5.0	0.15	3.7	0.11	462	1.9	0.09	1.4	0.07
Major salivary gland	320	1.6	0.09	0.9	0.06	238	1.0	0.07	0.8	0.06
Floor of mouth	248	1.1	0.07	0.8	0.05	126	0.5	0.05	0.4	0.03
Gum & other mouth	474	2.2	0.10	1.5	0.07	388	1.5	0.08	1.0	0.06
Nasopharynx	138	0.6	0.06	0.5	0.04	54	0.2	0.03	0.2	0.02
Oropharynx	178	0.8	0.06	0.6	0.05	62	0.2	0.03	0.2	0.02
Hypopharynx	242	1.1	0.07	0.8	0.05	65	0.3	0.03	0.2	0.02
Digestive System	20,336	96.8	0.69	60.5	0.44	17,046	65.2	0.51	39.8	0.35
Esophagus	2,151	10.0	0.22	6.6	0.15	532	2.0	0.09	1.2	0.06
Stomach	1,802	8.6	0.21	5.4	0.13	945	3.6	0.12	2.2	0.08
Small intestine	515	2.5	0.11	1.6	0.07	446	1.8	0.09	1.2	0.06
Colon excl. rectum	6,929	33.8	0.41	19.9	0.25	7,524	28.5	0.34	16.7	0.22
Rectum & rectosigmoid	3,201	14.9	0.27	10.0	0.18	2,334	9.2	0.19	6.1	0.14
Anus, anal canal & anorectum	257	1.2	0.08	0.8	0.05	486	1.9	0.09	1.4	0.07
Liver	1,500	6.8	0.18	4.6	0.13	634	2.4	0.10	1.6	0.07
Gallbladder	163	0.8	0.06	0.4	0.04	312	1.2	0.07	0.7	0.04
Pancreas	2,993	14.2	0.26	8.7	0.17	2,849	10.7	0.20	6.3	0.13
Respiratory System	19,269	91.8	0.67	56.7	0.43	16,315	63.8	0.51	41.3	0.35
Larynx	1,473	6.7	0.18	4.6	0.12	422	1.7	0.08	1.2	0.06
Lung & bronchus	17,548	83.9	0.64	51.3	0.40	15,744	61.5	0.50	39.7	0.34
Bones & Joints	252	1.3	0.08	1.1	0.08	186	0.9	0.07	0.8	0.07
Soft Tissue (incl. heart)	802	3.9	0.14	3.0	0.12	645	2.8	0.11	2.3	0.11
Skin (excl. basal & sq.)	5,665	27.2	0.37	18.2	0.26	4,428	19.7	0.31	15.1	0.25
Melanomas of the skin	5,157	24.7	0.35	16.8	0.25	4,016	18.0	0.29	14.0	0.24
Breast (excl. <i>in situ</i>)	300	1.4	0.08	0.9	0.05	28,994	118.7	0.71	85.6	0.54
Female Genital System	-	-	-	-	-	12,937	53.1	0.48	39.3	0.37
Cervix uteri	-	-	-	-	-	1,374	6.8	0.19	5.5	0.16
Uterus Corpus	-	-	-	-	-	6,952	27.6	0.34	20.8	0.26
Uterus, NOS ¹	-	-	-	-	-	230	0.9	0.06	0.6	0.04
Ovary	-	-	-	-	-	3,233	13.2	0.24	9.3	0.18
Male Genital System	33,274	152.2	0.85	106.4	0.60	-	-	-	-	-
Prostate	31,846	144.4	0.82	99.6	0.57	-	-	-	-	-
Testis	1,182	6.6	0.19	6.2	0.19	-	-	-	-	-
Penis	192	0.9	0.07	0.6	0.04	-	-	-	-	-
Urinary System	13,490	65.2	0.57	39.5	0.36	5,795	22.7	0.30	14.9	0.22
Bladder (incl. <i>in situ</i>)	8,698	42.7	0.47	24.2	0.27	2,859	10.9	0.21	6.6	0.14
Kidney & renal pelvis	4,445	20.7	0.32	14.4	0.23	2,753	11.1	0.22	8.0	0.17
Ureter	199	1.0	0.07	0.5	0.04	127	0.5	0.04	0.3	0.03
Eye & Orbit	188	0.9	0.07	0.7	0.06	160	0.7	0.06	0.6	0.05
Brain & Other Nervous System	1,776	8.7	0.21	7.1	0.19	1,419	6.3	0.17	5.4	0.17
Brain	1,678	8.2	0.20	6.6	0.18	1,308	5.8	0.16	4.8	0.16
Endocrine System	1,439	6.9	0.19	5.5	0.16	3,805	18.2	0.30	15.2	0.26
Thyroid gland	1,269	6.0	0.17	4.7	0.14	3,663	17.5	0.30	14.6	0.26
Lymphomas	5,922	28.9	0.38	19.9	0.28	5,100	20.8	0.30	14.7	0.24
Hodgkin Lymphoma	690	3.6	0.14	3.2	0.13	570	2.9	0.12	2.7	0.12
Non-Hodgkin Lymphoma	5,232	25.3	0.36	16.7	0.25	4,530	17.9	0.27	12.0	0.20
Multiple Myeloma	1,447	7.0	0.19	4.2	0.12	1,079	4.2	0.13	2.6	0.09
Leukemias	3,515	17.5	0.30	12.0	0.23	2,601	10.6	0.21	7.8	0.19
Acute lymphocytic	323	1.8	0.10	2.2	0.13	240	1.3	0.09	1.7	0.12
Chronic lymphocytic	1,237	6.0	0.17	3.5	0.11	911	3.4	0.11	2.0	0.08
Acute myeloid	1,044	5.2	0.16	3.4	0.12	826	3.4	0.12	2.4	0.10
Chronic myeloid	444	2.2	0.11	1.5	0.08	311	1.3	0.07	0.9	0.06
Other leukemias	467	2.3	0.11	1.5	0.08	313	1.2	0.07	0.8	0.05
Mesothelioma	419	2.1	0.10	1.1	0.06	127	0.5	0.04	0.3	0.03
Kaposi Sarcoma	52	0.3	0.04	0.2	0.03	10	0.0	0.01	0.0	0.01
Ill-defined & Unknown	4,130	20.6	0.33	11.5	0.19	3,873	14.5	0.24	8.5	0.16
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,496	7.3	0.19	5.4	0.15	3,136	12.9	0.24	9.3	0.19
Breast (<i>in situ</i>)	42	0.2	0.03	0.1	0.02	7,971	33.1	0.38	25.0	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17,097	658.7	5.28	449.9	3.52	15,397	433.8	3.54	301.1	2.54
Oral Cavity & Pharynx	503	17.3	0.80	13.2	0.60	242	6.6	0.43	4.8	0.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	119	4.2	0.40	3.1	0.29	52	1.4	0.19	1.1	0.15
Major salivary gland	26	0.9	0.18	0.7	0.15	32	0.9	0.16	0.7	0.12
Floor of mouth	39	1.3	0.22	1.0	0.17	16	0.4	0.11	0.3	0.08
Gum & other mouth	59	2.1	0.29	1.5	0.20	54	1.5	0.21	1.0	0.15
Nasopharynx	26	0.8	0.16	0.7	0.14	13	0.3	0.09	0.3	0.09
Oropharynx	49	1.8	0.26	1.3	0.19	12	0.3	0.10	0.2	0.07
Hypopharynx	68	2.4	0.30	1.8	0.22	19	0.5	0.12	0.4	0.09
Digestive System	3,557	139.1	2.45	91.4	1.57	3,259	93.2	1.65	59.9	1.11
Esophagus	229	8.7	0.60	5.9	0.40	109	3.1	0.30	2.1	0.21
Stomach	394	16.6	0.88	10.0	0.51	295	8.6	0.51	5.2	0.32
Small intestine	105	4.4	0.46	2.6	0.26	130	3.7	0.33	2.4	0.22
Colon excl. rectum	1,151	46.9	1.45	29.8	0.90	1,278	36.8	1.04	23.2	0.69
Rectum & rectosigmoid	457	17.7	0.87	11.7	0.56	408	11.3	0.57	7.8	0.40
Anus, anal canal & anorectum	60	2.3	0.31	1.6	0.20	62	1.7	0.22	1.2	0.16
Liver	509	17.0	0.79	13.0	0.59	186	5.1	0.38	3.6	0.27
Gallbladder	27	1.1	0.22	0.7	0.14	80	2.3	0.26	1.5	0.18
Pancreas	520	20.5	0.95	13.4	0.60	584	17.0	0.71	10.4	0.46
Respiratory System	3,069	122.1	2.31	80.2	1.48	2,388	68.5	1.42	45.5	0.97
Larynx	305	11.1	0.66	8.1	0.47	99	2.7	0.27	2.0	0.20
Lung & bronchus	2,723	109.6	2.20	70.9	1.39	2,265	65.2	1.39	42.9	0.94
Bones & Joints	22	0.7	0.16	0.6	0.13	40	1.1	0.17	0.9	0.15
Soft Tissue (incl. heart)	103	3.4	0.35	2.9	0.29	126	3.4	0.30	3.0	0.28
Skin (excl. basal & sq.)	59	2.2	0.29	1.5	0.20	89	2.5	0.26	1.8	0.20
Melanomas of the skin	26	1.0	0.20	0.7	0.13	36	1.0	0.16	0.7	0.12
Breast (excl. <i>in situ</i>)	68	2.6	0.33	1.7	0.21	4,337	120.1	1.85	86.7	1.36
Female Genital System	-	-	-	-	-	1,732	48.1	1.17	35.6	0.88
Cervix uteri	-	-	-	-	-	360	10.0	0.53	7.6	0.41
Uterus Corpus	-	-	-	-	-	822	22.7	0.80	16.8	0.60
Uterus, NOS ¹	-	-	-	-	-	56	1.6	0.21	1.1	0.16
Ovary	-	-	-	-	-	368	10.4	0.55	7.4	0.40
Male Genital System	6,167	232.7	3.10	166.1	2.16	-	-	-	-	-
Prostate	6,087	230.0	3.08	163.9	2.15	-	-	-	-	-
Testis	53	1.6	0.22	1.5	0.21	-	-	-	-	-
Penis	18	0.8	0.20	0.4	0.10	-	-	-	-	-
Urinary System	1,338	53.9	1.54	34.3	0.96	781	22.4	0.81	14.5	0.55
Bladder (incl. <i>in situ</i>)	508	22.3	1.03	12.7	0.58	255	7.5	0.48	4.3	0.29
Kidney & renal pelvis	803	30.2	1.12	20.9	0.75	504	14.2	0.64	9.8	0.46
Ureter	7	0.4	0.15	0.2	0.06	8	0.2	0.08	0.2	0.06
Eye & Orbit	12	0.3	0.10	0.4	0.13	13	0.3	0.10	0.5	0.14
Brain & Other Nervous System	155	5.3	0.45	4.3	0.36	156	4.3	0.35	3.7	0.31
Brain	143	4.9	0.43	4.0	0.34	140	3.9	0.33	3.4	0.30
Endocrine System	135	4.5	0.41	3.6	0.32	463	12.8	0.60	10.1	0.48
Thyroid gland	100	3.4	0.36	2.6	0.27	430	11.9	0.58	9.3	0.46
Lymphomas	605	22.0	0.93	15.9	0.66	542	15.2	0.66	11.3	0.51
Hodgkin Lymphoma	96	3.0	0.31	2.7	0.28	79	2.1	0.23	2.0	0.23
Non-Hodgkin Lymphoma	509	19.0	0.88	13.2	0.60	463	13.2	0.62	9.4	0.45
Multiple Myeloma	391	15.8	0.84	10.0	0.52	388	11.3	0.58	7.1	0.38
Leukemias	388	15.2	0.81	10.4	0.54	292	8.3	0.49	5.8	0.37
Acute lymphocytic	54	1.6	0.22	1.7	0.24	27	0.7	0.13	0.8	0.16
Chronic lymphocytic	119	5.0	0.48	3.2	0.30	91	2.6	0.28	1.6	0.18
Acute myeloid	105	4.3	0.44	2.7	0.27	97	2.8	0.29	1.9	0.21
Chronic myeloid	68	2.6	0.33	1.8	0.22	40	1.1	0.18	0.8	0.14
Other leukemias	42	1.7	0.28	1.1	0.17	37	1.1	0.18	0.7	0.13
Mesothelioma	14	0.7	0.18	0.3	0.10	11	0.3	0.10	0.2	0.06
Kaposi Sarcoma	49	1.6	0.23	1.4	0.20	-	-	-	-	-
Ill-defined & Unknown	462	19.4	0.95	11.5	0.55	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	224	8.4	0.59	5.8	0.39	569	16.3	0.69	10.9	0.48
Breast (<i>in situ</i>)	14	0.5	0.15	0.4	0.10	1,280	35.4	1.00	26.3	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MICHIGAN

206 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	58,171	633.3	2.68	416.1	1.80	53,638	458.2	2.01	316.8	1.49
Oral Cavity & Pharynx	1,781	18.0	0.44	13.1	0.32	837	7.1	0.25	5.1	0.19
Lip	64	0.7	0.09	0.5	0.06	18	0.1	0.03	0.1	0.02
Tongue	515	5.1	0.23	3.8	0.17	209	1.8	0.12	1.3	0.10
Major salivary gland	149	1.6	0.14	1.1	0.09	142	1.3	0.11	0.9	0.09
Floor of mouth	122	1.2	0.11	0.9	0.09	60	0.5	0.07	0.4	0.05
Gum & other mouth	213	2.3	0.16	1.5	0.11	199	1.7	0.12	1.1	0.09
Nasopharynx	88	0.9	0.10	0.7	0.08	37	0.3	0.05	0.2	0.04
Oropharynx	91	0.9	0.10	0.7	0.07	33	0.3	0.05	0.2	0.03
Hypopharynx	143	1.5	0.13	1.0	0.09	44	0.4	0.06	0.3	0.04
Digestive System	10,574	115.3	1.15	72.8	0.74	9,379	77.3	0.81	47.8	0.55
Esophagus	872	9.3	0.32	6.2	0.22	281	2.3	0.14	1.4	0.09
Stomach	1,086	12.1	0.38	7.4	0.24	695	5.8	0.22	3.5	0.15
Small intestine	273	3.0	0.19	1.9	0.12	261	2.2	0.14	1.4	0.10
Colon excl. rectum	3,479	39.0	0.67	23.3	0.41	3,877	31.9	0.52	18.8	0.34
Rectum & rectosigmoid	1,554	16.6	0.43	11.0	0.29	1,281	10.7	0.30	7.3	0.22
Anus, anal canal & anorectum	140	1.5	0.13	1.1	0.09	229	1.9	0.13	1.4	0.10
Liver	1,099	11.1	0.34	7.9	0.25	406	3.4	0.17	2.2	0.12
Gallbladder	82	0.9	0.11	0.5	0.06	187	1.5	0.11	0.9	0.08
Pancreas	1,584	17.4	0.45	10.7	0.28	1,677	13.7	0.34	8.2	0.22
Respiratory System	9,430	105.4	1.11	64.8	0.70	8,440	71.4	0.79	45.7	0.54
Larynx	753	7.9	0.29	5.5	0.21	220	1.9	0.13	1.4	0.10
Lung & bronchus	8,575	96.3	1.06	58.5	0.66	8,144	68.9	0.77	43.8	0.53
Bones & Joints	94	1.0	0.10	0.9	0.10	87	0.8	0.09	0.7	0.08
Soft Tissue (incl. heart)	334	3.7	0.21	2.8	0.17	336	3.0	0.17	2.4	0.15
Skin (excl. basal & sq.)	2,034	22.2	0.50	14.6	0.34	1,667	15.1	0.38	11.7	0.31
Melanomas of the skin	1,775	19.2	0.47	12.9	0.32	1,447	13.2	0.35	10.3	0.29
Breast (excl. <i>in situ</i>)	135	1.5	0.13	0.9	0.08	14,743	127.0	1.06	91.6	0.80
Female Genital System	-	-	-	-	-	6,412	55.1	0.70	40.8	0.54
Cervix uteri	-	-	-	-	-	837	7.9	0.28	6.3	0.23
Uterus Corpus	-	-	-	-	-	3,388	28.6	0.50	21.5	0.39
Uterus, NOS ¹	-	-	-	-	-	94	0.8	0.08	0.6	0.06
Ovary	-	-	-	-	-	1,600	13.7	0.35	9.8	0.27
Male Genital System	18,716	198.6	1.49	138.6	1.05	-	-	-	-	-
Prostate	18,085	191.7	1.46	132.6	1.02	-	-	-	-	-
Testis	520	5.7	0.25	5.3	0.24	-	-	-	-	-
Penis	83	0.9	0.10	0.5	0.06	-	-	-	-	-
Urinary System	6,297	70.2	0.90	42.8	0.57	2,890	24.3	0.46	15.9	0.33
Bladder (incl. <i>in situ</i>)	3,754	43.2	0.72	24.3	0.42	1,363	11.3	0.31	6.7	0.20
Kidney & renal pelvis	2,394	25.3	0.53	17.6	0.37	1,432	12.3	0.33	8.7	0.25
Ureter	81	0.9	0.11	0.5	0.06	61	0.5	0.06	0.3	0.04
Eye & Orbit	76	0.8	0.09	0.7	0.09	59	0.5	0.07	0.5	0.07
Brain & Other Nervous System	768	8.2	0.30	6.6	0.26	605	5.5	0.23	4.5	0.21
Brain	725	7.7	0.29	6.2	0.25	555	5.0	0.22	4.1	0.20
Endocrine System	733	7.6	0.29	6.0	0.23	2,104	19.7	0.44	16.1	0.37
Thyroid gland	643	6.7	0.27	5.2	0.21	2,030	19.0	0.43	15.5	0.36
Lymphomas	2,728	29.9	0.58	20.6	0.42	2,424	21.1	0.44	14.9	0.34
Hodgkin Lymphoma	375	4.0	0.21	3.6	0.19	290	2.9	0.17	2.7	0.17
Non-Hodgkin Lymphoma	2,353	25.9	0.54	17.0	0.37	2,134	18.2	0.40	12.2	0.30
Multiple Myeloma	851	9.5	0.33	5.8	0.21	717	6.0	0.23	3.7	0.15
Leukemias	1,703	19.2	0.47	12.7	0.34	1,212	10.3	0.30	7.1	0.24
Acute lymphocytic	151	1.6	0.13	1.9	0.17	90	0.9	0.10	1.2	0.13
Chronic lymphocytic	611	6.9	0.28	4.1	0.17	423	3.5	0.17	2.1	0.11
Acute myeloid	467	5.4	0.25	3.3	0.16	411	3.5	0.18	2.3	0.13
Chronic myeloid	264	3.0	0.19	1.9	0.13	180	1.5	0.11	1.0	0.08
Other leukemias	210	2.3	0.16	1.5	0.11	108	0.9	0.09	0.6	0.07
Mesothelioma	138	1.6	0.14	0.8	0.08	48	0.4	0.06	0.2	0.04
Kaposi Sarcoma	84	1.0	0.11	0.8	0.09	13	0.1	0.03	0.1	0.02
Ill-defined & Unknown	1,695	19.7	0.49	10.7	0.28	1,665	13.5	0.34	7.8	0.22
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	903	9.7	0.33	6.9	0.25	1,941	16.5	0.38	11.1	0.28
Breast (<i>in situ</i>)	15	0.2	0.05	0.1	0.03	4,286	37.3	0.58	28.1	0.44

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	43,202	612.0	3.00	397.8	2.03	40,434	465.6	2.37	322.5	1.79
Oral Cavity & Pharynx	1,362	18.1	0.50	13.0	0.36	632	7.2	0.29	5.2	0.23
Lip	63	0.9	0.11	0.6	0.08	14	0.1	0.04	0.1	0.02
Tongue	417	5.4	0.27	4.0	0.20	163	1.9	0.15	1.4	0.12
Major salivary gland	123	1.7	0.16	1.1	0.11	111	1.3	0.13	1.0	0.11
Floor of mouth	90	1.2	0.12	0.9	0.10	46	0.5	0.08	0.4	0.06
Gum & other mouth	168	2.4	0.19	1.5	0.12	149	1.6	0.14	1.1	0.10
Nasopharynx	64	0.9	0.11	0.7	0.09	28	0.3	0.06	0.2	0.05
Oropharynx	56	0.7	0.10	0.5	0.07	25	0.3	0.06	0.2	0.04
Hypopharynx	88	1.2	0.13	0.8	0.09	29	0.3	0.06	0.3	0.05
Digestive System	7,590	107.3	1.25	66.7	0.81	6,561	71.1	0.90	43.1	0.61
Esophagus	692	9.5	0.37	6.4	0.25	191	2.0	0.15	1.2	0.10
Stomach	756	10.8	0.40	6.7	0.26	433	4.7	0.23	2.8	0.15
Small intestine	193	2.7	0.20	1.7	0.13	153	1.7	0.14	1.1	0.10
Colon excl. rectum	2,527	36.6	0.74	21.4	0.45	2,780	29.9	0.58	17.2	0.38
Rectum & rectosigmoid	1,161	16.0	0.48	10.6	0.33	914	10.3	0.35	6.8	0.25
Anus, anal canal & anorectum	87	1.2	0.13	0.8	0.09	182	2.0	0.15	1.5	0.12
Liver	653	8.7	0.35	5.9	0.24	248	2.7	0.17	1.7	0.13
Gallbladder	62	0.9	0.12	0.5	0.07	123	1.3	0.12	0.8	0.08
Pancreas	1,147	16.3	0.49	9.8	0.31	1,177	12.5	0.37	7.4	0.25
Respiratory System	6,989	101.2	1.23	61.0	0.77	6,495	72.6	0.91	46.1	0.63
Larynx	518	7.2	0.32	4.9	0.22	143	1.7	0.14	1.2	0.11
Lung & bronchus	6,400	93.0	1.18	55.4	0.73	6,297	70.3	0.90	44.5	0.62
Bones & Joints	70	1.0	0.12	1.0	0.13	63	0.8	0.11	0.7	0.10
Soft Tissue (incl. heart)	255	3.7	0.24	2.8	0.19	243	3.0	0.20	2.3	0.18
Skin (excl. basal & sq.)	1,949	27.6	0.64	18.3	0.44	1,563	19.9	0.52	15.6	0.43
Melanomas of the skin	1,726	24.3	0.60	16.4	0.42	1,396	17.9	0.49	14.2	0.42
Breast (excl. <i>in situ</i>)	88	1.3	0.14	0.8	0.09	10,962	128.2	1.25	92.5	0.95
Female Genital System	-	-	-	-	-	4,925	57.6	0.84	42.7	0.66
Cervix uteri	-	-	-	-	-	523	7.1	0.32	5.7	0.26
Uterus Corpus	-	-	-	-	-	2,673	30.6	0.60	23.1	0.47
Uterus, NOS ¹	-	-	-	-	-	52	0.6	0.08	0.4	0.06
Ovary	-	-	-	-	-	1,281	14.8	0.42	10.6	0.33
Male Genital System	12,862	178.0	1.60	123.4	1.13	-	-	-	-	-
Prostate	12,319	169.7	1.56	116.2	1.08	-	-	-	-	-
Testis	457	7.1	0.33	6.5	0.32	-	-	-	-	-
Penis	65	0.9	0.12	0.6	0.07	-	-	-	-	-
Urinary System	5,128	73.5	1.04	44.5	0.66	2,239	25.1	0.54	16.3	0.39
Bladder (incl. <i>in situ</i>)	3,293	48.2	0.85	27.3	0.51	1,130	12.4	0.38	7.5	0.25
Kidney & renal pelvis	1,710	23.5	0.58	16.3	0.41	1,033	11.9	0.38	8.4	0.29
Ureter	76	1.1	0.13	0.6	0.07	54	0.6	0.08	0.3	0.05
Eye & Orbit	65	0.9	0.11	0.7	0.10	52	0.6	0.09	0.5	0.08
Brain & Other Nervous System	631	9.0	0.36	7.4	0.33	472	5.9	0.28	4.9	0.26
Brain	598	8.5	0.35	6.9	0.31	437	5.4	0.27	4.4	0.25
Endocrine System	587	8.2	0.34	6.5	0.28	1,637	21.9	0.56	18.2	0.48
Thyroid gland	532	7.4	0.33	5.8	0.26	1,587	21.3	0.55	17.6	0.47
Lymphomas	2,190	31.5	0.68	21.6	0.50	1,942	22.8	0.53	16.1	0.42
Hodgkin Lymphoma	279	4.1	0.25	3.7	0.24	219	3.2	0.22	3.0	0.22
Non-Hodgkin Lymphoma	1,911	27.4	0.64	17.9	0.44	1,723	19.6	0.48	13.1	0.36
Multiple Myeloma	535	7.8	0.34	4.6	0.21	403	4.4	0.22	2.7	0.15
Leukemias	1,366	20.1	0.55	13.3	0.41	961	11.0	0.37	7.7	0.31
Acute lymphocytic	111	1.7	0.17	2.1	0.22	71	1.1	0.13	1.4	0.18
Chronic lymphocytic	492	7.1	0.33	4.2	0.20	342	3.7	0.20	2.2	0.14
Acute myeloid	387	5.7	0.30	3.6	0.20	325	3.7	0.21	2.5	0.16
Chronic myeloid	202	3.0	0.21	1.9	0.15	141	1.6	0.14	1.0	0.10
Other leukemias	174	2.5	0.19	1.6	0.13	82	0.9	0.11	0.6	0.08
Mesothelioma	131	1.9	0.17	1.0	0.09	36	0.4	0.07	0.2	0.05
Kaposi Sarcoma	34	0.5	0.09	0.3	0.06	11	0.1	0.04	0.1	0.02
Ill-defined & Unknown	1,370	20.3	0.56	10.9	0.32	1,237	13.0	0.38	7.5	0.26
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	684	9.7	0.38	7.0	0.29	1,371	15.6	0.43	10.6	0.33
Breast (<i>in situ</i>)	9	0.1	0.05	0.1	0.03	3,098	37.1	0.68	28.0	0.53

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,244	709.4	6.42	485.9	4.33	12,006	449.6	4.16	311.2	2.99
Oral Cavity & Pharynx	385	18.5	0.98	14.2	0.74	184	6.7	0.50	4.9	0.37
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	89	4.3	0.47	3.2	0.35	43	1.5	0.23	1.2	0.18
Major salivary gland	19	0.9	0.22	0.7	0.17	28	1.0	0.20	0.8	0.15
Floor of mouth	30	1.5	0.28	1.1	0.20	13	0.5	0.13	0.3	0.10
Gum & other mouth	42	2.2	0.35	1.6	0.25	42	1.6	0.25	1.1	0.18
Nasopharynx	18	0.8	0.18	0.7	0.16	6	0.2	0.09	0.2	0.07
Oropharynx	34	1.7	0.30	1.3	0.23	7	0.2	0.09	0.2	0.07
Hypopharynx	53	2.6	0.37	1.9	0.27	15	0.6	0.15	0.4	0.10
Digestive System	2,757	149.5	2.97	98.3	1.92	2,626	99.0	1.96	63.5	1.32
Esophagus	171	9.2	0.73	6.0	0.47	88	3.3	0.35	2.2	0.25
Stomach	302	17.6	1.06	10.6	0.63	229	8.8	0.59	5.2	0.37
Small intestine	78	4.6	0.54	2.7	0.31	104	3.9	0.39	2.5	0.26
Colon excl. rectum	878	49.5	1.74	31.3	1.09	1,032	39.1	1.23	24.5	0.81
Rectum & rectosigmoid	357	19.2	1.06	12.9	0.70	333	12.2	0.68	8.6	0.49
Anus, anal canal & anorectum	51	2.6	0.38	1.9	0.27	45	1.7	0.25	1.2	0.18
Liver	403	19.0	0.98	14.5	0.74	141	5.1	0.44	3.6	0.32
Gallbladder	17	0.9	0.22	0.6	0.15	63	2.3	0.30	1.6	0.21
Pancreas	422	23.0	1.17	15.1	0.76	484	18.5	0.85	11.4	0.55
Respiratory System	2,324	128.1	2.77	84.0	1.79	1,869	71.3	1.67	47.1	1.15
Larynx	225	11.5	0.79	8.4	0.57	76	2.7	0.31	2.1	0.24
Lung & bronchus	2,072	115.3	2.64	74.5	1.68	1,776	68.0	1.63	44.5	1.11
Bones & Joints	20	0.8	0.18	0.8	0.17	22	0.8	0.18	0.7	0.15
Soft Tissue (incl. heart)	66	3.2	0.40	2.6	0.33	87	3.2	0.34	2.8	0.32
Skin (excl. basal & sq.)	43	2.3	0.36	1.6	0.26	68	2.5	0.31	1.9	0.24
Melanomas of the skin	17	0.9	0.22	0.7	0.16	27	1.0	0.19	0.6	0.13
Breast (excl. <i>in situ</i>)	44	2.3	0.36	1.6	0.24	3,424	126.4	2.19	91.4	1.62
Female Genital System	-	-	-	-	-	1,337	49.3	1.37	36.6	1.04
Cervix uteri	-	-	-	-	-	295	10.9	0.64	8.5	0.51
Uterus Corpus	-	-	-	-	-	645	23.6	0.94	17.6	0.71
Uterus, NOS ¹	-	-	-	-	-	37	1.4	0.23	1.0	0.17
Ovary	-	-	-	-	-	270	10.1	0.62	7.2	0.46
Male Genital System	4,928	259.1	3.84	185.1	2.70	-	-	-	-	-
Prostate	4,864	256.0	3.82	182.7	2.68	-	-	-	-	-
Testis	40	1.8	0.28	1.7	0.28	-	-	-	-	-
Penis	17	1.0	0.26	0.5	0.13	-	-	-	-	-
Urinary System	1,035	57.6	1.86	36.9	1.18	592	22.4	0.93	14.8	0.65
Bladder (incl. <i>in situ</i>)	391	23.4	1.23	13.5	0.71	203	7.8	0.56	4.5	0.34
Kidney & renal pelvis	622	32.7	1.36	22.7	0.93	371	14.0	0.74	9.9	0.54
Ureter	-	-	-	-	-	7	0.3	0.10	0.2	0.08
Eye & Orbit	9	0.3	0.12	0.5	0.18	7	0.3	0.11	0.4	0.15
Brain & Other Nervous System	115	5.5	0.53	4.6	0.45	116	4.4	0.41	3.6	0.36
Brain	107	5.1	0.52	4.2	0.43	103	3.9	0.39	3.3	0.34
Endocrine System	102	5.1	0.52	3.9	0.39	348	12.9	0.70	10.2	0.56
Thyroid gland	74	3.8	0.45	2.8	0.34	326	12.0	0.67	9.5	0.54
Lymphomas	470	24.1	1.15	17.7	0.84	408	15.3	0.77	11.4	0.59
Hodgkin Lymphoma	81	3.7	0.42	3.4	0.39	63	2.3	0.29	2.2	0.28
Non-Hodgkin Lymphoma	389	20.3	1.07	14.3	0.74	345	13.0	0.71	9.2	0.52
Multiple Myeloma	305	16.8	1.00	10.8	0.64	304	11.7	0.68	7.3	0.45
Leukemias	288	15.6	0.96	10.7	0.65	215	8.2	0.57	5.5	0.41
Acute lymphocytic	35	1.4	0.24	1.6	0.28	15	0.5	0.14	0.7	0.18
Chronic lymphocytic	94	5.4	0.58	3.4	0.36	71	2.7	0.33	1.6	0.20
Acute myeloid	72	4.1	0.51	2.5	0.31	74	2.9	0.34	1.9	0.24
Chronic myeloid	54	2.9	0.41	2.0	0.28	33	1.2	0.22	0.8	0.15
Other leukemias	33	1.8	0.33	1.1	0.21	22	0.8	0.18	0.6	0.14
Mesothelioma	7	0.4	0.17	0.3	0.10	10	0.4	0.13	0.3	0.08
Kaposi Sarcoma	47	2.3	0.34	2.0	0.30	-	-	-	-	-
Ill-defined & Unknown	299	17.9	1.08	10.2	0.61	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	179	9.4	0.73	6.5	0.50	506	19.2	0.86	12.7	0.60
Breast (<i>in situ</i>)	-	-	-	-	-	1,057	39.1	1.22	28.9	0.91

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	608	264.4	12.46	169.4	6.97	715	250.7	10.18	172.2	6.55
Oral Cavity & Pharynx	24	9.4	2.23	6.2	1.30	13	5.9	1.79	3.3	0.95
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	2.6	1.22	1.5	0.64	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	6	2.6	1.39	1.5	0.65	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	163	72.9	6.63	45.2	3.59	137	54.9	5.07	34.0	2.95
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	22	14.1	3.52	6.4	1.41	32	13.2	2.53	8.2	1.48
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	42	16.8	3.01	11.5	1.81	38	15.7	2.75	9.4	1.55
Rectum & rectosigmoid	23	10.1	2.38	6.2	1.30	18	5.8	1.45	4.4	1.05
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	42	15.4	2.61	11.4	1.78	14	5.9	1.70	3.5	0.95
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	5.5	1.92	3.2	0.96	13	5.4	1.60	3.3	0.93
Respiratory System	87	42.1	5.28	25.0	2.71	49	20.6	3.15	12.8	1.85
Larynx	6	2.5	1.10	1.7	0.70	-	-	-	-	-
Lung & bronchus	79	38.5	5.10	22.7	2.58	47	19.5	3.05	12.3	1.81
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	3.1	1.43	2.0	0.72	-	-	-	-	-
Skin (excl. basal & sq.)	8	2.2	0.78	2.0	0.73	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	219	68.8	4.90	51.3	3.51
Female Genital System	-	-	-	-	-	96	30.6	3.32	22.8	2.35
Cervix uteri	-	-	-	-	-	11	2.8	0.87	2.6	0.80
Uterus Corpus	-	-	-	-	-	47	15.2	2.34	11.3	1.67
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	32	10.6	2.05	7.4	1.32
Male Genital System	163	71.2	6.36	46.6	3.68	-	-	-	-	-
Prostate	156	68.7	6.27	44.5	3.59	-	-	-	-	-
Testis	6	2.2	1.01	1.8	0.76	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	33	14.1	2.71	9.1	1.60	22	8.2	1.93	5.2	1.12
Bladder (incl. <i>in situ</i>)	13	6.7	2.03	3.8	1.05	7	3.1	1.29	1.6	0.63
Kidney & renal pelvis	20	7.4	1.80	5.3	1.21	15	5.1	1.43	3.5	0.92
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	18	9.6	2.71	5.0	1.20	15	4.6	1.30	3.7	0.98
Brain	17	9.4	2.70	4.8	1.19	13	4.0	1.24	3.2	0.92
Endocrine System	22	7.9	1.99	5.5	1.21	65	18.9	2.50	14.6	1.87
Thyroid gland	18	6.3	1.76	4.5	1.10	63	18.1	2.41	14.1	1.82
Lymphomas	37	14.6	2.85	9.9	1.67	38	13.8	2.47	9.6	1.60
Hodgkin Lymphoma	8	2.1	0.76	2.4	0.86	7	2.0	0.76	2.1	0.84
Non-Hodgkin Lymphoma	29	12.5	2.75	7.5	1.43	31	11.8	2.35	7.5	1.36
Multiple Myeloma	8	3.7	1.56	2.4	0.86	8	3.5	1.34	2.2	0.77
Leukemias	18	6.9	1.86	5.0	1.19	21	7.0	1.72	5.0	1.13
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	7	2.2	0.85	1.8	0.69	10	3.5	1.26	2.3	0.77
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	12	4.6	1.43	3.5	1.03	22	10.2	2.36	5.3	1.15
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	21	6.4	1.71	5.0	1.13	39	14.3	2.45	9.4	1.53
Breast (<i>in situ</i>)	-	-	-	-	-	77	23.7	2.85	18.1	2.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	964	565.6	19.66	360.0	12.16	1,029	478.3	15.61	321.7	10.53
Oral Cavity & Pharynx	35	18.5	3.42	12.3	2.16	9	4.4	1.53	2.6	0.94
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	3.8	1.49	2.9	1.12	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	227	133.9	9.60	84.2	5.85	180	92.0	7.12	54.6	4.29
Esophagus	16	7.6	1.97	5.9	1.55	-	-	-	-	-
Stomach	29	18.4	3.64	11.3	2.20	18	9.3	2.27	5.9	1.48
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	63	40.3	5.45	24.0	3.16	62	32.4	4.24	18.4	2.49
Rectum & rectosigmoid	38	22.9	3.95	14.1	2.42	28	13.3	2.61	9.4	1.86
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	40	20.9	3.62	14.2	2.32	10	5.6	1.87	2.5	0.82
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	27	16.1	3.36	9.7	1.93	33	16.4	3.00	9.6	1.74
Respiratory System	131	92.0	8.39	50.0	4.57	117	61.7	5.85	38.9	3.77
Larynx	14	8.9	2.48	5.3	1.47	-	-	-	-	-
Lung & bronchus	115	82.2	7.99	43.9	4.29	115	60.9	5.82	38.3	3.75
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	14	6.7	2.06	4.0	1.11	8	2.6	1.03	2.4	0.86
Skin (excl. basal & sq.)	27	15.2	3.11	9.7	1.98	22	8.9	2.04	6.9	1.55
Melanomas of the skin	21	12.3	2.84	7.5	1.74	17	7.3	1.91	5.5	1.43
Breast (excl. <i>in situ</i>)	-	-	-	-	-	252	115.9	7.56	83.1	5.47
Female Genital System	-	-	-	-	-	164	68.8	5.62	50.0	4.07
Cervix uteri	-	-	-	-	-	38	14.6	2.50	10.8	1.81
Uterus Corpus	-	-	-	-	-	76	32.0	3.81	23.8	2.84
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	38	16.5	2.78	12.0	2.04
Male Genital System	281	165.8	10.54	113.0	7.02	-	-	-	-	-
Prostate	258	160.0	10.47	107.4	6.92	-	-	-	-	-
Testis	23	5.8	1.24	5.6	1.18	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	91	50.5	5.75	32.6	3.60	57	29.3	4.01	17.6	2.48
Bladder (incl. <i>in situ</i>)	38	24.8	4.33	14.1	2.40	22	11.8	2.59	6.4	1.47
Kidney & renal pelvis	52	25.0	3.71	18.3	2.67	34	16.9	3.02	11.0	1.99
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	23	11.8	2.77	8.6	1.88	15	6.0	1.69	4.1	1.11
Brain	22	11.2	2.70	8.1	1.80	14	5.5	1.63	3.6	1.00
Endocrine System	10	5.0	1.72	4.1	1.36	72	26.9	3.35	21.7	2.67
Thyroid gland	10	5.0	1.72	4.1	1.36	69	25.9	3.28	20.7	2.60
Lymphomas	50	25.4	3.97	15.5	2.33	61	28.3	3.87	18.0	2.42
Hodgkin Lymphoma	9	2.5	0.86	2.1	0.70	8	2.5	0.96	2.3	0.84
Non-Hodgkin Lymphoma	41	22.9	3.87	13.5	2.22	53	25.8	3.75	15.7	2.27
Multiple Myeloma	13	7.6	2.23	5.1	1.48	13	6.1	1.72	4.2	1.19
Leukemias	33	17.0	3.44	10.3	1.92	26	10.7	2.26	8.4	1.73
Acute lymphocytic	9	2.2	0.81	2.5	0.83	6	1.3	0.56	1.6	0.66
Chronic lymphocytic	-	-	-	-	-	7	3.5	1.35	2.6	1.04
Acute myeloid	13	8.2	2.50	4.3	1.29	9	4.2	1.50	2.8	0.99
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	18	10.6	2.62	6.5	1.61	25	13.0	2.70	7.2	1.52
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	9	6.4	2.33	3.4	1.16	45	19.3	3.07	12.8	2.01
Breast (<i>in situ</i>)	-	-	-	-	-	65	28.9	3.71	20.3	2.61

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Metropolitan Detroit

212 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	42,307	613.3	3.03	399.0	2.06	39,494	465.5	2.40	322.7	1.82
Oral Cavity & Pharynx	1,328	18.1	0.51	13.0	0.37	624	7.3	0.30	5.3	0.24
Lip	61	0.9	0.12	0.6	0.08	14	0.1	0.04	0.1	0.02
Tongue	410	5.5	0.28	4.1	0.21	160	1.9	0.15	1.4	0.12
Major salivary gland	120	1.7	0.16	1.1	0.11	107	1.3	0.13	1.0	0.12
Floor of mouth	88	1.2	0.12	0.9	0.10	46	0.5	0.08	0.4	0.06
Gum & other mouth	164	2.4	0.19	1.5	0.12	149	1.7	0.14	1.1	0.11
Nasopharynx	59	0.8	0.11	0.6	0.09	28	0.3	0.07	0.2	0.05
Oropharynx	55	0.7	0.10	0.6	0.08	25	0.3	0.06	0.2	0.04
Hypopharynx	86	1.2	0.13	0.8	0.09	29	0.3	0.06	0.3	0.05
Digestive System	7,374	106.6	1.26	66.2	0.82	6,396	70.6	0.90	42.8	0.62
Esophagus	677	9.5	0.37	6.4	0.25	189	2.0	0.15	1.2	0.10
Stomach	727	10.7	0.40	6.6	0.26	418	4.6	0.23	2.7	0.15
Small intestine	190	2.7	0.20	1.8	0.13	151	1.7	0.14	1.1	0.10
Colon excl. rectum	2,466	36.4	0.75	21.3	0.45	2,723	29.8	0.59	17.1	0.38
Rectum & rectosigmoid	1,127	15.9	0.48	10.6	0.33	887	10.2	0.35	6.8	0.25
Anus, anal canal & anorectum	87	1.2	0.13	0.9	0.10	178	2.1	0.16	1.5	0.12
Liver	616	8.4	0.35	5.7	0.24	238	2.6	0.17	1.7	0.13
Gallbladder	61	0.9	0.12	0.5	0.07	118	1.3	0.12	0.8	0.08
Pancreas	1,120	16.3	0.49	9.8	0.31	1,147	12.4	0.37	7.3	0.25
Respiratory System	6,873	101.5	1.24	61.3	0.78	6,389	72.8	0.93	46.3	0.64
Larynx	505	7.1	0.32	4.9	0.22	142	1.7	0.14	1.3	0.11
Lung & bronchus	6,299	93.4	1.20	55.8	0.74	6,192	70.5	0.91	44.6	0.63
Bones & Joints	68	1.0	0.13	1.0	0.13	61	0.8	0.11	0.7	0.11
Soft Tissue (incl. heart)	242	3.7	0.24	2.7	0.20	235	3.0	0.20	2.3	0.18
Skin (excl. basal & sq.)	1,922	28.0	0.65	18.6	0.45	1,542	20.3	0.53	15.9	0.45
Melanomas of the skin	1,705	24.7	0.61	16.7	0.43	1,380	18.4	0.51	14.6	0.43
Breast (excl. <i>in situ</i>)	86	1.3	0.14	0.8	0.09	10,736	128.7	1.27	92.9	0.96
Female Genital System	-	-	-	-	-	4,780	57.2	0.85	42.4	0.66
Cervix uteri	-	-	-	-	-	489	6.9	0.32	5.5	0.27
Uterus Corpus	-	-	-	-	-	2,605	30.4	0.61	23.0	0.48
Uterus, NOS ¹	-	-	-	-	-	50	0.6	0.08	0.4	0.06
Ovary	-	-	-	-	-	1,249	14.8	0.43	10.6	0.33
Male Genital System	12,608	178.4	1.62	123.7	1.15	-	-	-	-	-
Prostate	12,086	170.0	1.58	116.4	1.10	-	-	-	-	-
Testis	436	7.1	0.35	6.6	0.33	-	-	-	-	-
Penis	65	0.9	0.12	0.6	0.07	-	-	-	-	-
Urinary System	5,040	73.8	1.06	44.7	0.67	2,185	25.0	0.55	16.3	0.40
Bladder (incl. <i>in situ</i>)	3,255	48.6	0.86	27.5	0.51	1,108	12.4	0.38	7.5	0.26
Kidney & renal pelvis	1,661	23.4	0.59	16.2	0.42	1,002	11.8	0.38	8.4	0.30
Ureter	76	1.1	0.13	0.6	0.07	53	0.6	0.08	0.3	0.05
Eye & Orbit	63	0.9	0.12	0.7	0.09	49	0.6	0.09	0.5	0.08
Brain & Other Nervous System	610	9.0	0.37	7.5	0.34	457	5.9	0.29	4.9	0.27
Brain	578	8.5	0.36	7.0	0.32	423	5.4	0.27	4.4	0.26
Endocrine System	578	8.3	0.35	6.6	0.29	1,569	21.8	0.57	18.1	0.49
Thyroid gland	523	7.5	0.33	5.9	0.27	1,522	21.2	0.56	17.5	0.48
Lymphomas	2,144	31.8	0.70	21.8	0.51	1,886	22.7	0.54	16.1	0.43
Hodgkin Lymphoma	270	4.2	0.26	3.8	0.25	211	3.2	0.23	3.0	0.23
Non-Hodgkin Lymphoma	1,874	27.6	0.65	18.1	0.45	1,675	19.5	0.49	13.1	0.37
Multiple Myeloma	524	7.8	0.35	4.6	0.21	390	4.3	0.22	2.7	0.15
Leukemias	1,334	20.1	0.56	13.4	0.42	937	11.0	0.37	7.7	0.32
Acute lymphocytic	102	1.7	0.17	2.1	0.23	65	1.1	0.14	1.4	0.19
Chronic lymphocytic	491	7.2	0.33	4.2	0.20	336	3.7	0.21	2.2	0.14
Acute myeloid	375	5.7	0.30	3.5	0.20	316	3.7	0.21	2.4	0.17
Chronic myeloid	197	3.0	0.22	2.0	0.16	140	1.6	0.14	1.0	0.10
Other leukemias	169	2.5	0.20	1.6	0.13	80	0.9	0.11	0.6	0.09
Mesothelioma	128	1.9	0.17	1.0	0.09	36	0.4	0.07	0.2	0.05
Kaposi Sarcoma	33	0.5	0.09	0.3	0.06	9	0.1	0.04	0.1	0.02
Ill-defined & Unknown	1,352	20.5	0.56	11.0	0.33	1,213	13.0	0.38	7.5	0.26
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	676	9.9	0.39	7.2	0.31	1,333	15.5	0.44	10.5	0.34
Breast (<i>in situ</i>)	9	0.1	0.05	0.1	0.03	3,037	37.3	0.69	28.2	0.53

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,205	711.7	6.45	487.6	4.35	11,952	450.4	4.17	311.8	3.00
Oral Cavity & Pharynx	384	18.6	0.98	14.3	0.74	183	6.7	0.51	4.9	0.37
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	89	4.3	0.47	3.3	0.35	43	1.5	0.23	1.2	0.18
Major salivary gland	19	0.9	0.22	0.7	0.17	27	1.0	0.19	0.8	0.15
Floor of mouth	30	1.5	0.28	1.1	0.20	13	0.5	0.13	0.4	0.10
Gum & other mouth	42	2.2	0.35	1.6	0.25	42	1.6	0.25	1.1	0.18
Nasopharynx	18	0.8	0.18	0.7	0.17	6	0.2	0.09	0.2	0.07
Oropharynx	34	1.7	0.31	1.3	0.23	7	0.2	0.10	0.2	0.07
Hypopharynx	53	2.6	0.38	1.9	0.27	15	0.6	0.15	0.4	0.10
Digestive System	2,750	150.1	2.99	98.7	1.93	2,614	99.2	1.97	63.6	1.32
Esophagus	170	9.2	0.73	6.0	0.48	87	3.2	0.35	2.2	0.25
Stomach	302	17.7	1.06	10.7	0.63	227	8.8	0.59	5.2	0.37
Small intestine	78	4.6	0.54	2.7	0.32	104	3.9	0.39	2.5	0.26
Colon excl. rectum	877	49.7	1.75	31.4	1.09	1,028	39.2	1.24	24.6	0.81
Rectum & rectosigmoid	356	19.3	1.06	12.9	0.70	332	12.3	0.68	8.6	0.49
Anus, anal canal & anorectum	51	2.6	0.38	1.9	0.27	45	1.7	0.25	1.2	0.18
Liver	400	18.9	0.98	14.5	0.74	141	5.2	0.44	3.6	0.32
Gallbladder	17	0.9	0.22	0.6	0.15	63	2.4	0.30	1.6	0.21
Pancreas	422	23.1	1.18	15.2	0.76	481	18.5	0.86	11.4	0.55
Respiratory System	2,313	128.2	2.77	84.1	1.80	1,862	71.4	1.68	47.2	1.15
Larynx	224	11.5	0.80	8.4	0.57	75	2.7	0.31	2.0	0.24
Lung & bronchus	2,062	115.4	2.64	74.6	1.69	1,770	68.1	1.64	44.6	1.12
Bones & Joints	20	0.8	0.18	0.8	0.17	22	0.8	0.18	0.7	0.16
Soft Tissue (incl. heart)	66	3.2	0.41	2.7	0.34	87	3.2	0.35	2.8	0.32
Skin (excl. basal & sq.)	43	2.3	0.36	1.6	0.26	68	2.5	0.31	1.9	0.24
Melanomas of the skin	17	0.9	0.22	0.7	0.16	27	1.0	0.20	0.6	0.13
Breast (excl. <i>in situ</i>)	44	2.3	0.37	1.6	0.25	3,405	126.5	2.20	91.5	1.62
Female Genital System	-	-	-	-	-	1,330	49.4	1.37	36.7	1.04
Cervix uteri	-	-	-	-	-	293	10.9	0.65	8.5	0.51
Uterus Corpus	-	-	-	-	-	642	23.7	0.95	17.6	0.72
Uterus, NOS ¹	-	-	-	-	-	37	1.4	0.23	1.0	0.17
Ovary	-	-	-	-	-	268	10.1	0.62	7.2	0.46
Male Genital System	4,917	260.1	3.86	185.8	2.71	-	-	-	-	-
Prostate	4,853	257.0	3.84	183.3	2.69	-	-	-	-	-
Testis	40	1.8	0.29	1.7	0.28	-	-	-	-	-
Penis	17	1.0	0.26	0.5	0.13	-	-	-	-	-
Urinary System	1,032	57.8	1.87	37.1	1.19	591	22.5	0.94	14.9	0.65
Bladder (incl. <i>in situ</i>)	391	23.6	1.23	13.6	0.71	203	7.9	0.56	4.5	0.34
Kidney & renal pelvis	619	32.8	1.37	22.7	0.94	370	14.0	0.74	9.9	0.54
Ureter	-	-	-	-	-	7	0.3	0.10	0.2	0.08
Eye & Orbit	9	0.4	0.12	0.6	0.19	6	0.2	0.10	0.3	0.14
Brain & Other Nervous System	115	5.5	0.54	4.7	0.45	116	4.4	0.42	3.7	0.37
Brain	107	5.2	0.52	4.3	0.43	103	4.0	0.39	3.3	0.35
Endocrine System	101	5.1	0.52	3.9	0.39	348	13.0	0.70	10.2	0.57
Thyroid gland	73	3.7	0.45	2.8	0.34	326	12.1	0.68	9.5	0.54
Lymphomas	467	24.1	1.15	17.8	0.84	405	15.3	0.77	11.4	0.60
Hodgkin Lymphoma	81	3.8	0.43	3.5	0.39	63	2.3	0.29	2.2	0.29
Non-Hodgkin Lymphoma	386	20.3	1.07	14.3	0.75	342	13.0	0.71	9.2	0.52
Multiple Myeloma	304	16.8	1.01	10.8	0.64	304	11.8	0.68	7.4	0.45
Leukemias	287	15.7	0.97	10.7	0.66	213	8.2	0.57	5.5	0.42
Acute lymphocytic	35	1.4	0.25	1.6	0.28	15	0.5	0.14	0.7	0.18
Chronic lymphocytic	94	5.4	0.58	3.5	0.37	70	2.7	0.33	1.6	0.20
Acute myeloid	71	4.1	0.51	2.5	0.31	74	2.9	0.34	1.9	0.24
Chronic myeloid	54	2.9	0.41	2.0	0.28	32	1.2	0.22	0.8	0.15
Other leukemias	33	1.8	0.33	1.1	0.21	22	0.8	0.18	0.6	0.14
Mesothelioma	7	0.4	0.17	0.3	0.10	10	0.4	0.13	0.3	0.08
Kaposi Sarcoma	47	2.3	0.34	2.1	0.30	-	-	-	-	-
Ill-defined & Unknown	299	18.0	1.08	10.2	0.61	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	179	9.4	0.73	6.6	0.50	502	19.2	0.87	12.7	0.61
Breast (<i>in situ</i>)	-	-	-	-	-	1,054	39.2	1.22	29.0	0.92

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	40,606	598.6	3.06	398.8	2.03	33,330	396.9	2.20	277.9	1.63
Oral Cavity & Pharynx	1,460	20.5	0.55	14.8	0.39	578	6.9	0.29	4.8	0.21
Lip	122	2.0	0.18	1.1	0.11	29	0.3	0.06	0.2	0.04
Tongue	359	4.9	0.26	3.7	0.20	134	1.6	0.14	1.1	0.10
Major salivary gland	107	1.7	0.17	1.1	0.11	87	1.1	0.12	0.8	0.09
Floor of mouth	91	1.3	0.14	0.9	0.10	37	0.4	0.07	0.3	0.05
Gum & other mouth	186	2.7	0.20	1.9	0.14	137	1.6	0.14	0.9	0.09
Nasopharynx	62	0.9	0.11	0.7	0.09	25	0.3	0.06	0.3	0.06
Oropharynx	69	0.9	0.11	0.7	0.09	24	0.3	0.06	0.2	0.04
Hypopharynx	134	1.8	0.16	1.4	0.12	21	0.3	0.06	0.2	0.04
Digestive System	7,610	112.7	1.33	74.1	0.87	6,303	73.5	0.93	47.5	0.65
Esophagus	625	8.9	0.37	6.2	0.25	156	1.8	0.15	1.2	0.10
Stomach	656	10.0	0.40	6.3	0.25	411	4.8	0.24	3.0	0.16
Small intestine	186	2.7	0.20	1.8	0.14	194	2.3	0.16	1.6	0.12
Colon excl. rectum	2,862	43.0	0.83	27.5	0.53	2,983	34.7	0.64	22.0	0.44
Rectum & rectosigmoid	1,264	18.3	0.53	12.7	0.36	839	9.9	0.35	7.0	0.25
Anus, anal canal & anorectum	109	1.6	0.15	1.2	0.11	181	2.1	0.16	1.5	0.12
Liver	675	9.5	0.38	6.6	0.26	229	2.7	0.18	1.8	0.13
Gallbladder	48	0.8	0.12	0.4	0.07	105	1.2	0.12	0.8	0.08
Pancreas	987	14.9	0.49	9.5	0.31	925	10.7	0.35	6.4	0.23
Respiratory System	8,310	124.1	1.40	79.0	0.89	5,031	58.5	0.83	38.9	0.58
Larynx	723	10.1	0.39	7.2	0.27	150	1.8	0.14	1.4	0.11
Lung & bronchus	7,498	112.7	1.34	70.9	0.84	4,834	56.2	0.81	37.1	0.57
Bones & Joints	83	1.2	0.14	1.1	0.12	65	0.8	0.11	0.8	0.11
Soft Tissue (incl. heart)	252	3.7	0.24	2.8	0.19	199	2.5	0.18	2.0	0.15
Skin (excl. basal & sq.)	1,533	23.7	0.62	15.1	0.40	1,095	13.6	0.42	10.1	0.33
Melanomas of the skin	1,410	21.7	0.60	13.9	0.38	1,005	12.5	0.40	9.3	0.31
Breast (excl. <i>in situ</i>)	75	1.1	0.13	0.7	0.08	9,468	113.8	1.18	82.9	0.89
Female Genital System	-	-	-	-	-	3,570	43.3	0.73	31.8	0.56
Cervix uteri	-	-	-	-	-	744	9.7	0.36	7.5	0.29
Uterus Corpus	-	-	-	-	-	1,614	19.1	0.48	14.2	0.37
Uterus, NOS ¹	-	-	-	-	-	41	0.5	0.07	0.3	0.05
Ovary	-	-	-	-	-	831	9.9	0.35	7.0	0.26
Male Genital System	12,048	171.5	1.61	118.8	1.10	-	-	-	-	-
Prostate	11,697	166.3	1.58	114.4	1.08	-	-	-	-	-
Testis	256	3.7	0.23	3.5	0.22	-	-	-	-	-
Penis	82	1.3	0.14	0.8	0.09	-	-	-	-	-
Urinary System	3,718	56.6	0.96	35.6	0.60	1,745	20.5	0.50	13.7	0.35
Bladder (incl. <i>in situ</i>)	1,937	30.8	0.72	17.8	0.41	623	7.2	0.29	4.3	0.19
Kidney & renal pelvis	1,719	24.8	0.62	17.3	0.43	1,083	12.8	0.39	9.1	0.30
Ureter	34	0.5	0.10	0.3	0.05	25	0.3	0.06	0.2	0.04
Eye & Orbit	77	1.1	0.13	0.9	0.11	45	0.6	0.09	0.5	0.08
Brain & Other Nervous System	488	7.1	0.33	5.6	0.27	432	5.3	0.26	4.4	0.23
Brain	470	6.9	0.32	5.4	0.26	413	5.1	0.25	4.1	0.22
Endocrine System	388	5.5	0.28	4.2	0.22	1,046	13.5	0.42	11.1	0.36
Thyroid gland	334	4.8	0.27	3.6	0.20	993	12.8	0.41	10.5	0.34
Lymphomas	1,646	24.5	0.62	17.2	0.44	1,390	16.6	0.45	11.3	0.33
Hodgkin Lymphoma	201	2.9	0.20	2.6	0.19	159	2.1	0.17	1.8	0.15
Non-Hodgkin Lymphoma	1,445	21.6	0.59	14.6	0.40	1,231	14.5	0.42	9.5	0.29
Multiple Myeloma	557	8.3	0.36	5.3	0.23	509	5.9	0.26	4.0	0.19
Leukemias	930	14.3	0.48	9.9	0.35	713	8.5	0.32	6.1	0.26
Acute lymphocytic	113	1.6	0.15	1.8	0.18	78	1.0	0.12	1.2	0.15
Chronic lymphocytic	268	4.2	0.27	2.5	0.16	180	2.1	0.16	1.2	0.10
Acute myeloid	273	4.2	0.26	2.8	0.18	262	3.1	0.20	2.1	0.15
Chronic myeloid	116	1.7	0.17	1.2	0.12	82	1.0	0.11	0.7	0.09
Other leukemias	160	2.6	0.22	1.6	0.13	111	1.3	0.12	0.8	0.09
Mesothelioma	102	1.7	0.17	0.9	0.09	26	0.3	0.06	0.2	0.04
Kaposi Sarcoma	27	0.5	0.09	0.3	0.06	11	0.1	0.04	0.1	0.02
Ill-defined & Unknown	1,302	20.4	0.59	12.4	0.35	1,104	12.8	0.39	7.9	0.26
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	414	6.2	0.31	4.5	0.23	923	11.2	0.37	8.0	0.29
Breast (<i>in situ</i>)	9	0.1	0.04	0.1	0.03	1,845	22.0	0.52	16.7	0.40

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	27,998	571.1	3.50	378.1	2.36	23,100	400.7	2.70	280.4	2.04
Oral Cavity & Pharynx	1,036	20.6	0.66	14.6	0.47	443	7.6	0.37	5.3	0.28
Lip	119	2.6	0.24	1.5	0.15	29	0.5	0.09	0.3	0.06
Tongue	274	5.2	0.32	3.9	0.24	117	2.0	0.19	1.4	0.15
Major salivary gland	86	1.9	0.21	1.2	0.13	62	1.1	0.15	0.8	0.12
Floor of mouth	64	1.3	0.16	0.9	0.11	32	0.5	0.09	0.4	0.08
Gum & other mouth	124	2.6	0.24	1.7	0.16	103	1.7	0.16	0.9	0.10
Nasopharynx	41	0.8	0.13	0.6	0.10	14	0.3	0.07	0.2	0.06
Oropharynx	40	0.8	0.12	0.6	0.09	14	0.2	0.07	0.2	0.05
Hypopharynx	62	1.2	0.16	0.9	0.12	13	0.2	0.06	0.1	0.04
Digestive System	5,016	103.0	1.49	67.3	0.98	3,977	65.7	1.06	41.8	0.74
Esophagus	380	7.7	0.40	5.2	0.27	91	1.5	0.16	1.0	0.11
Stomach	342	7.1	0.40	4.5	0.25	224	3.7	0.25	2.2	0.17
Small intestine	127	2.6	0.23	1.7	0.15	109	1.9	0.18	1.3	0.13
Colon excl. rectum	1,872	38.7	0.92	24.8	0.59	1,846	30.3	0.72	18.8	0.49
Rectum & rectosigmoid	905	18.3	0.62	12.6	0.43	553	9.5	0.42	6.6	0.30
Anus, anal canal & anorectum	77	1.6	0.19	1.1	0.13	143	2.5	0.21	1.8	0.16
Liver	471	9.4	0.44	6.5	0.31	146	2.4	0.20	1.6	0.15
Gallbladder	28	0.7	0.13	0.3	0.06	63	1.0	0.13	0.6	0.08
Pancreas	669	13.8	0.55	8.7	0.35	607	9.8	0.40	5.7	0.26
Respiratory System	5,843	119.1	1.60	74.7	1.01	3,793	62.5	1.03	41.7	0.73
Larynx	423	8.3	0.41	5.8	0.29	104	1.8	0.18	1.4	0.14
Lung & bronchus	5,359	109.6	1.53	68.0	0.96	3,659	60.2	1.00	39.8	0.71
Bones & Joints	53	1.2	0.16	1.0	0.16	39	0.8	0.14	0.8	0.14
Soft Tissue (incl. heart)	165	3.6	0.28	2.7	0.23	110	2.1	0.20	1.6	0.18
Skin (excl. basal & sq.)	1,493	31.9	0.85	20.7	0.56	1,041	19.9	0.64	15.0	0.51
Melanomas of the skin	1,386	29.5	0.81	19.3	0.54	977	18.8	0.62	14.3	0.50
Breast (excl. <i>in situ</i>)	45	0.9	0.14	0.6	0.09	6,353	111.5	1.43	80.8	1.09
Female Genital System	-	-	-	-	-	2,327	42.4	0.90	31.3	0.70
Cervix uteri	-	-	-	-	-	388	8.2	0.43	6.4	0.34
Uterus Corpus	-	-	-	-	-	1,043	18.5	0.59	13.9	0.46
Uterus, NOS ¹	-	-	-	-	-	18	0.3	0.07	0.2	0.05
Ovary	-	-	-	-	-	607	10.7	0.44	7.5	0.34
Male Genital System	7,391	144.1	1.71	99.8	1.19	-	-	-	-	-
Prostate	7,108	137.6	1.67	94.2	1.14	-	-	-	-	-
Testis	219	5.1	0.35	4.8	0.33	-	-	-	-	-
Penis	54	1.1	0.16	0.7	0.10	-	-	-	-	-
Urinary System	2,876	60.0	1.15	37.6	0.73	1,241	21.1	0.61	14.1	0.45
Bladder (incl. <i>in situ</i>)	1,635	35.0	0.89	20.2	0.52	484	8.0	0.37	4.9	0.25
Kidney & renal pelvis	1,191	24.0	0.71	16.7	0.50	723	12.6	0.48	8.9	0.37
Ureter	31	0.7	0.12	0.4	0.07	25	0.4	0.08	0.2	0.05
Eye & Orbit	69	1.4	0.17	1.2	0.16	39	0.7	0.12	0.6	0.12
Brain & Other Nervous System	385	8.2	0.43	6.5	0.36	340	6.4	0.36	5.1	0.32
Brain	373	8.0	0.42	6.3	0.36	326	6.1	0.35	4.9	0.31
Endocrine System	309	6.4	0.37	5.0	0.30	738	15.1	0.57	12.5	0.49
Thyroid gland	274	5.7	0.35	4.3	0.27	707	14.4	0.56	11.9	0.47
Lymphomas	1,274	26.8	0.77	18.5	0.55	1,087	18.6	0.58	12.6	0.43
Hodgkin Lymphoma	132	3.0	0.26	2.7	0.24	108	2.3	0.23	2.0	0.21
Non-Hodgkin Lymphoma	1,142	23.8	0.72	15.8	0.50	979	16.3	0.53	10.6	0.38
Multiple Myeloma	324	6.7	0.38	4.2	0.24	249	4.1	0.26	2.7	0.19
Leukemias	683	14.8	0.58	10.5	0.45	518	9.0	0.40	6.4	0.35
Acute lymphocytic	76	1.7	0.20	2.2	0.27	52	1.1	0.16	1.3	0.21
Chronic lymphocytic	208	4.5	0.32	2.6	0.19	140	2.2	0.19	1.3	0.13
Acute myeloid	198	4.2	0.31	2.9	0.22	198	3.5	0.25	2.4	0.20
Chronic myeloid	83	1.8	0.20	1.3	0.15	51	0.9	0.13	0.7	0.11
Other leukemias	118	2.6	0.25	1.6	0.15	77	1.3	0.15	0.8	0.11
Mesothelioma	83	1.8	0.20	0.9	0.10	23	0.4	0.09	0.3	0.06
Kaposi Sarcoma	18	0.4	0.10	0.3	0.06	9	0.1	0.05	0.1	0.03
Ill-defined & Unknown	935	20.1	0.68	12.1	0.42	773	12.7	0.46	7.7	0.32
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	293	6.3	0.38	4.5	0.28	606	11.0	0.46	7.8	0.36
Breast (<i>in situ</i>)	-	-	-	-	-	1,265	22.3	0.64	16.8	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	12,206	673.1	6.51	455.5	4.20	9,952	391.7	3.99	276.4	2.88
Oral Cavity & Pharynx	403	18.8	0.99	14.3	0.72	130	5.1	0.45	3.6	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	80	3.6	0.42	2.8	0.32	14	0.5	0.14	0.4	0.11
Major salivary gland	20	1.0	0.24	0.7	0.16	25	1.0	0.20	0.7	0.15
Floor of mouth	26	1.1	0.23	0.9	0.17	-	-	-	-	-
Gum & other mouth	57	2.8	0.39	2.1	0.29	34	1.4	0.24	0.9	0.16
Nasopharynx	20	1.0	0.24	0.8	0.17	10	0.4	0.11	0.3	0.10
Oropharynx	29	1.3	0.24	1.0	0.19	10	0.4	0.14	0.3	0.09
Hypopharynx	70	3.3	0.42	2.5	0.31	7	0.3	0.10	0.2	0.08
Digestive System	2,517	140.3	2.99	92.3	1.87	2,255	90.7	1.94	59.8	1.32
Esophagus	243	12.4	0.85	9.0	0.59	65	2.5	0.32	1.8	0.23
Stomach	303	17.8	1.09	11.0	0.65	182	7.5	0.56	4.7	0.37
Small intestine	56	2.8	0.39	2.0	0.27	83	3.2	0.36	2.4	0.27
Colon excl. rectum	973	57.1	1.95	36.0	1.17	1,110	44.8	1.36	29.2	0.92
Rectum & rectosigmoid	345	18.0	1.03	12.6	0.69	272	10.6	0.65	7.6	0.48
Anus, anal canal & anorectum	31	1.4	0.26	1.1	0.20	37	1.4	0.24	1.0	0.17
Liver	183	8.7	0.69	6.4	0.48	73	2.8	0.34	1.9	0.24
Gallbladder	18	1.0	0.25	0.7	0.16	41	1.7	0.26	1.1	0.18
Pancreas	315	18.3	1.10	11.7	0.67	311	12.8	0.74	7.9	0.47
Respiratory System	2,429	137.0	2.97	90.2	1.86	1,217	49.3	1.44	33.0	0.99
Larynx	293	15.0	0.93	10.8	0.64	46	1.7	0.26	1.3	0.20
Lung & bronchus	2,110	120.6	2.80	78.4	1.74	1,156	47.0	1.41	31.2	0.96
Bones & Joints	27	1.2	0.24	1.0	0.19	25	0.9	0.17	0.8	0.17
Soft Tissue (incl. heart)	84	3.8	0.44	3.1	0.34	87	3.3	0.36	2.6	0.29
Skin (excl. basal & sq.)	38	2.1	0.37	1.4	0.22	50	1.9	0.28	1.4	0.21
Melanomas of the skin	22	1.3	0.31	0.8	0.16	26	1.0	0.21	0.7	0.15
Breast (excl. <i>in situ</i>)	29	1.9	0.37	1.1	0.20	3,051	117.3	2.15	86.6	1.61
Female Genital System	-	-	-	-	-	1,195	46.9	1.38	34.1	1.02
Cervix uteri	-	-	-	-	-	341	13.2	0.72	9.8	0.55
Uterus Corpus	-	-	-	-	-	554	22.0	0.95	16.0	0.70
Uterus, NOS ¹	-	-	-	-	-	22	0.9	0.19	0.6	0.13
Ovary	-	-	-	-	-	213	8.4	0.59	5.9	0.42
Male Genital System	4,488	248.5	3.95	170.7	2.60	-	-	-	-	-
Prostate	4,429	245.5	3.93	168.5	2.58	-	-	-	-	-
Testis	28	1.2	0.22	1.1	0.20	-	-	-	-	-
Penis	28	1.6	0.33	1.0	0.20	-	-	-	-	-
Urinary System	801	45.3	1.71	29.6	1.06	490	19.7	0.90	13.3	0.63
Bladder (incl. <i>in situ</i>)	269	16.8	1.09	9.9	0.62	130	5.5	0.49	2.9	0.28
Kidney & renal pelvis	520	27.8	1.30	19.2	0.86	355	14.0	0.75	10.3	0.56
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	7	0.3	0.13	0.3	0.11	-	-	-	-	-
Brain & Other Nervous System	98	4.3	0.47	3.7	0.38	87	3.1	0.34	2.9	0.32
Brain	92	4.0	0.45	3.5	0.37	82	2.9	0.33	2.7	0.31
Endocrine System	72	3.4	0.42	2.7	0.32	291	10.7	0.64	8.8	0.52
Thyroid gland	55	2.6	0.38	2.0	0.28	269	9.9	0.61	8.1	0.50
Lymphomas	359	17.2	0.97	13.5	0.72	296	11.5	0.68	8.4	0.51
Hodgkin Lymphoma	69	2.8	0.36	2.6	0.31	51	1.7	0.25	1.7	0.24
Non-Hodgkin Lymphoma	290	14.4	0.90	10.9	0.65	245	9.8	0.64	6.7	0.45
Multiple Myeloma	228	13.0	0.92	8.6	0.58	256	10.3	0.65	7.0	0.45
Leukemias	241	13.2	0.92	9.0	0.59	192	7.6	0.55	5.5	0.43
Acute lymphocytic	36	1.3	0.24	1.5	0.25	25	0.8	0.17	1.1	0.22
Chronic lymphocytic	60	3.6	0.50	2.2	0.29	39	1.7	0.28	0.9	0.16
Acute myeloid	71	4.0	0.52	2.6	0.32	64	2.5	0.32	1.8	0.24
Chronic myeloid	33	1.6	0.29	1.2	0.22	30	1.2	0.22	0.8	0.16
Other leukemias	41	2.6	0.44	1.4	0.23	34	1.3	0.22	0.9	0.17
Mesothelioma	19	1.2	0.30	0.7	0.17	-	-	-	-	-
Kaposi Sarcoma	8	0.4	0.14	0.3	0.11	-	-	-	-	-
Ill-defined & Unknown	358	21.2	1.20	13.2	0.71	320	13.1	0.74	8.3	0.49
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	117	5.9	0.59	4.4	0.41	304	11.6	0.67	8.4	0.50
Breast (<i>in situ</i>)	-	-	-	-	-	564	21.5	0.92	16.4	0.71

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	125	345.3	35.64	226.9	20.82	138	229.8	21.72	166.7	14.58
Oral Cavity & Pharynx	7	12.4	4.72	10.9	4.23	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	37	94.1	17.54	64.5	10.92	32	66.4	13.33	39.3	7.12
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	21.6	8.99	12.3	4.80	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	12.1	5.04	10.7	4.47	8	15.8	6.52	10.4	3.73
Rectum & rectosigmoid	9	19.9	6.96	15.4	5.28	6	11.6	4.92	7.6	3.17
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	29.6	11.26	17.9	5.79	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	18	56.3	15.30	35.6	8.51	13	27.7	8.65	15.9	4.50
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	50.5	14.92	29.9	7.82	11	21.3	6.93	12.9	3.95
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	31	43.6	8.11	35.5	6.51
Female Genital System	-	-	-	-	-	28	41.6	8.23	32.8	6.29
Cervix uteri	-	-	-	-	-	7	9.1	3.45	7.8	2.99
Uterus Corpus	-	-	-	-	-	12	16.1	4.69	14.0	4.10
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	10.9	4.81	6.9	2.85
Male Genital System	29	89.2	18.27	56.9	10.74	-	-	-	-	-
Prostate	27	86.8	18.19	54.9	10.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	36.1	13.66	16.8	5.43	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	8	32.7	13.46	14.0	5.07	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	13	17.2	5.17	14.5	4.08
Thyroid gland	-	-	-	-	-	13	17.2	5.17	14.5	4.08
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	6	7.8	3.21	6.4	2.63
Breast (<i>in situ</i>)	-	-	-	-	-	10	20.7	8.02	11.6	3.78

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	55	641.6	102.24	408.2	56.61	58	457.3	65.92	319.1	42.53
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	186.2	50.50	129.7	31.35	25	210.9	47.43	138.1	28.10
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	10	83.2	32.44	53.4	17.21
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	86.4	40.82	46.0	19.21	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	75.0	31.40	53.3	20.63	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	68.2	30.64	46.2	19.38	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	16	110.3	27.98	92.9	23.49
Female Genital System	-	-	-	-	-	6	48.1	21.01	32.4	13.51
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	117.8	52.54	59.8	22.94	-	-	-	-	-
Prostate	7	117.8	52.54	59.8	22.94	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	165	183.0	17.54	131.5	11.33	140	160.5	14.87	114.4	10.12
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	37	54.6	10.63	33.6	5.93	22	30.9	7.06	18.4	4.06
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	9.0	4.17	5.6	2.40	13	16.8	5.07	10.2	2.91
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	12.7	4.95	8.7	2.90	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	7	11.4	4.75	7.1	2.77	-	-	-	-	-
Respiratory System	16	22.1	5.94	16.7	4.29	11	14.6	4.55	11.2	3.47
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	14	19.0	5.46	14.3	3.94	11	14.6	4.55	11.2	3.47
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	33	35.1	6.60	26.2	4.79
Female Genital System	-	-	-	-	-	27	29.7	6.43	20.3	4.13
Cervix uteri	-	-	-	-	-	11	10.1	3.29	8.2	2.64
Uterus Corpus	-	-	-	-	-	8	8.5	3.29	6.6	2.50
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	6.8	3.25	4.2	1.73
Male Genital System	47	57.0	9.95	41.5	6.65	-	-	-	-	-
Prostate	34	51.6	9.77	36.4	6.43	-	-	-	-	-
Testis	12	3.9	1.22	3.9	1.14	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	15.8	4.57	11.9	3.15	8	8.6	3.40	6.1	2.23
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	14	12.3	3.80	9.3	2.57	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	5.3	2.93	3.6	1.66	-	-	-	-	-
Brain	6	5.3	2.93	3.6	1.66	-	-	-	-	-
Endocrine System	-	-	-	-	-	10	10.2	3.27	8.4	2.72
Thyroid gland	-	-	-	-	-	10	10.2	3.27	8.4	2.72
Lymphomas	16	12.8	4.17	9.8	2.71	13	18.9	5.56	12.0	3.47
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	13	18.9	5.56	12.0	3.47
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	8	9.1	3.30	7.2	2.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MISSISSIPPI

220 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	27,847	575.9	3.54	381.6	2.39	22,969	403.2	2.73	282.3	2.06
Oral Cavity & Pharynx	1,031	20.9	0.67	14.8	0.48	443	7.7	0.37	5.4	0.29
Lip	119	2.6	0.25	1.6	0.15	29	0.5	0.09	0.3	0.06
Tongue	274	5.3	0.33	4.0	0.25	117	2.0	0.19	1.5	0.15
Major salivary gland	84	1.9	0.21	1.2	0.13	62	1.1	0.15	0.8	0.12
Floor of mouth	64	1.3	0.16	0.9	0.11	32	0.5	0.10	0.4	0.08
Gum & other mouth	124	2.6	0.24	1.7	0.16	103	1.7	0.17	0.9	0.11
Nasopharynx	40	0.8	0.13	0.6	0.10	14	0.3	0.07	0.2	0.06
Oropharynx	40	0.8	0.13	0.6	0.09	14	0.2	0.07	0.2	0.05
Hypopharynx	61	1.2	0.16	0.9	0.11	13	0.2	0.06	0.1	0.04
Digestive System	4,983	103.7	1.51	67.8	0.99	3,956	66.0	1.07	42.1	0.75
Esophagus	377	7.7	0.41	5.2	0.28	91	1.5	0.16	1.0	0.11
Stomach	338	7.2	0.40	4.5	0.26	223	3.7	0.25	2.2	0.17
Small intestine	125	2.6	0.23	1.7	0.16	109	1.9	0.18	1.3	0.14
Colon excl. rectum	1,866	39.1	0.93	25.1	0.60	1,833	30.3	0.72	18.8	0.49
Rectum & rectosigmoid	904	18.5	0.63	12.8	0.44	552	9.6	0.42	6.7	0.31
Anus, anal canal & anorectum	76	1.6	0.19	1.1	0.13	143	2.5	0.21	1.8	0.16
Liver	462	9.3	0.44	6.4	0.31	145	2.4	0.20	1.6	0.15
Gallbladder	28	0.7	0.13	0.3	0.07	63	1.0	0.13	0.6	0.09
Pancreas	663	13.8	0.55	8.8	0.35	603	9.8	0.40	5.8	0.26
Respiratory System	5,829	120.2	1.61	75.4	1.02	3,782	62.9	1.04	41.9	0.74
Larynx	422	8.4	0.42	5.9	0.30	104	1.8	0.18	1.4	0.15
Lung & bronchus	5,346	110.6	1.55	68.6	0.97	3,648	60.5	1.01	40.0	0.72
Bones & Joints	51	1.2	0.17	1.0	0.16	36	0.8	0.13	0.7	0.14
Soft Tissue (incl. heart)	165	3.7	0.29	2.8	0.24	110	2.1	0.21	1.6	0.19
Skin (excl. basal & sq.)	1,489	32.4	0.86	21.0	0.57	1,041	20.2	0.65	15.3	0.53
Melanomas of the skin	1,382	29.9	0.83	19.6	0.55	977	19.1	0.63	14.6	0.52
Breast (excl. <i>in situ</i>)	44	0.9	0.14	0.6	0.09	6,323	112.3	1.45	81.4	1.10
Female Genital System	-	-	-	-	-	2,302	42.5	0.91	31.3	0.71
Cervix uteri	-	-	-	-	-	377	8.1	0.43	6.4	0.35
Uterus Corpus	-	-	-	-	-	1,035	18.5	0.59	14.0	0.46
Uterus, NOS ¹	-	-	-	-	-	18	0.3	0.07	0.2	0.05
Ovary	-	-	-	-	-	603	10.7	0.45	7.6	0.34
Male Genital System	7,349	145.0	1.73	100.5	1.21	-	-	-	-	-
Prostate	7,078	138.6	1.68	94.8	1.15	-	-	-	-	-
Testis	208	5.1	0.36	4.9	0.35	-	-	-	-	-
Penis	54	1.1	0.16	0.7	0.10	-	-	-	-	-
Urinary System	2,860	60.5	1.16	37.9	0.74	1,233	21.2	0.62	14.1	0.45
Bladder (incl. <i>in situ</i>)	1,633	35.3	0.90	20.5	0.53	480	8.0	0.37	4.9	0.25
Kidney & renal pelvis	1,177	24.1	0.72	16.8	0.51	719	12.7	0.49	9.0	0.37
Ureter	31	0.7	0.12	0.4	0.07	25	0.4	0.08	0.2	0.05
Eye & Orbit	69	1.5	0.18	1.2	0.17	38	0.7	0.12	0.6	0.12
Brain & Other Nervous System	379	8.3	0.44	6.6	0.38	335	6.4	0.36	5.2	0.33
Brain	367	8.1	0.43	6.4	0.37	321	6.1	0.35	4.9	0.32
Endocrine System	305	6.5	0.38	5.0	0.31	730	15.2	0.58	12.7	0.51
Thyroid gland	270	5.7	0.36	4.3	0.28	699	14.6	0.57	12.0	0.48
Lymphomas	1,260	27.0	0.78	18.7	0.56	1,074	18.6	0.58	12.6	0.44
Hodgkin Lymphoma	129	3.0	0.27	2.7	0.26	108	2.4	0.23	2.0	0.21
Non-Hodgkin Lymphoma	1,131	24.0	0.73	15.9	0.50	966	16.3	0.53	10.6	0.38
Multiple Myeloma	323	6.7	0.38	4.2	0.24	248	4.1	0.27	2.7	0.19
Leukemias	679	15.0	0.59	10.6	0.46	514	9.0	0.41	6.4	0.36
Acute lymphocytic	74	1.8	0.21	2.2	0.28	49	1.1	0.16	1.3	0.21
Chronic lymphocytic	208	4.5	0.32	2.6	0.19	140	2.3	0.19	1.3	0.13
Acute myeloid	197	4.3	0.31	2.9	0.23	198	3.5	0.26	2.4	0.21
Chronic myeloid	83	1.8	0.20	1.3	0.15	51	0.9	0.13	0.7	0.11
Other leukemias	117	2.7	0.25	1.6	0.15	76	1.2	0.15	0.7	0.10
Mesothelioma	83	1.8	0.21	0.9	0.10	23	0.4	0.09	0.3	0.06
Kaposi Sarcoma	17	0.4	0.10	0.3	0.06	9	0.1	0.05	0.1	0.03
Ill-defined & Unknown	931	20.3	0.68	12.2	0.42	772	12.8	0.47	7.8	0.33
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	291	6.4	0.38	4.6	0.29	604	11.2	0.47	8.0	0.37
Breast (<i>in situ</i>)	-	-	-	-	-	1,258	22.4	0.65	16.9	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	12,195	676.8	6.55	458.1	4.22	9,947	393.6	4.00	277.8	2.89
Oral Cavity & Pharynx	403	18.9	1.00	14.4	0.73	130	5.1	0.45	3.7	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	80	3.6	0.42	2.9	0.32	14	0.5	0.14	0.4	0.11
Major salivary gland	20	1.0	0.24	0.7	0.16	25	1.0	0.20	0.7	0.15
Floor of mouth	26	1.2	0.24	0.9	0.18	-	-	-	-	-
Gum & other mouth	57	2.8	0.39	2.1	0.29	34	1.4	0.24	0.9	0.16
Nasopharynx	20	1.0	0.24	0.8	0.17	10	0.4	0.11	0.3	0.10
Oropharynx	29	1.3	0.25	1.0	0.19	10	0.4	0.14	0.3	0.09
Hypopharynx	70	3.4	0.42	2.5	0.31	7	0.3	0.10	0.2	0.08
Digestive System	2,514	141.0	3.01	92.8	1.88	2,255	91.2	1.95	60.1	1.33
Esophagus	243	12.5	0.85	9.0	0.59	65	2.5	0.32	1.8	0.23
Stomach	303	17.9	1.10	11.1	0.65	182	7.6	0.57	4.8	0.37
Small intestine	56	2.8	0.39	2.0	0.27	83	3.2	0.36	2.4	0.27
Colon excl. rectum	973	57.4	1.97	36.2	1.18	1,110	45.0	1.37	29.3	0.92
Rectum & rectosigmoid	344	18.0	1.04	12.6	0.69	272	10.6	0.65	7.7	0.48
Anus, anal canal & anorectum	31	1.4	0.26	1.1	0.21	37	1.4	0.24	1.0	0.17
Liver	182	8.7	0.69	6.4	0.48	73	2.9	0.34	1.9	0.24
Gallbladder	18	1.0	0.25	0.7	0.16	41	1.7	0.27	1.1	0.18
Pancreas	314	18.4	1.10	11.7	0.67	311	12.9	0.74	7.9	0.47
Respiratory System	2,428	137.8	2.99	90.7	1.88	1,217	49.6	1.44	33.1	0.99
Larynx	293	15.1	0.94	10.9	0.65	46	1.7	0.26	1.4	0.20
Lung & bronchus	2,109	121.3	2.82	78.9	1.75	1,156	47.3	1.41	31.4	0.96
Bones & Joints	27	1.2	0.24	1.0	0.19	25	0.9	0.17	0.8	0.17
Soft Tissue (incl. heart)	84	3.9	0.45	3.1	0.35	87	3.3	0.36	2.6	0.29
Skin (excl. basal & sq.)	38	2.1	0.37	1.4	0.23	50	1.9	0.28	1.4	0.21
Melanomas of the skin	22	1.4	0.31	0.8	0.16	26	1.0	0.21	0.7	0.15
Breast (excl. <i>in situ</i>)	29	1.9	0.38	1.1	0.20	3,049	117.8	2.16	87.0	1.62
Female Genital System	-	-	-	-	-	1,193	47.1	1.38	34.2	1.02
Cervix uteri	-	-	-	-	-	341	13.3	0.73	9.9	0.55
Uterus Corpus	-	-	-	-	-	554	22.1	0.95	16.1	0.71
Uterus, NOS ¹	-	-	-	-	-	22	0.9	0.19	0.6	0.13
Ovary	-	-	-	-	-	211	8.4	0.59	5.9	0.42
Male Genital System	4,484	249.8	3.97	171.7	2.61	-	-	-	-	-
Prostate	4,426	246.8	3.95	169.5	2.60	-	-	-	-	-
Testis	27	1.1	0.22	1.0	0.20	-	-	-	-	-
Penis	28	1.6	0.33	1.0	0.20	-	-	-	-	-
Urinary System	801	45.6	1.73	29.8	1.07	490	19.8	0.91	13.4	0.64
Bladder (incl. <i>in situ</i>)	269	16.9	1.10	10.0	0.62	130	5.5	0.49	2.9	0.28
Kidney & renal pelvis	520	28.0	1.31	19.4	0.86	355	14.0	0.76	10.3	0.57
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	7	0.3	0.13	0.3	0.11	-	-	-	-	-
Brain & Other Nervous System	98	4.4	0.47	3.7	0.38	87	3.1	0.34	2.9	0.32
Brain	92	4.1	0.45	3.5	0.37	82	3.0	0.33	2.7	0.31
Endocrine System	72	3.4	0.43	2.7	0.33	291	10.8	0.64	8.8	0.53
Thyroid gland	55	2.7	0.38	2.1	0.28	269	10.0	0.62	8.2	0.50
Lymphomas	357	17.3	0.97	13.5	0.72	296	11.6	0.69	8.4	0.51
Hodgkin Lymphoma	69	2.9	0.36	2.6	0.32	51	1.8	0.25	1.7	0.24
Non-Hodgkin Lymphoma	288	14.4	0.90	10.9	0.65	245	9.9	0.64	6.7	0.45
Multiple Myeloma	228	13.1	0.92	8.6	0.58	255	10.3	0.66	7.0	0.46
Leukemias	241	13.3	0.93	9.0	0.59	192	7.6	0.56	5.6	0.43
Acute lymphocytic	36	1.4	0.24	1.5	0.25	25	0.8	0.17	1.1	0.22
Chronic lymphocytic	60	3.6	0.50	2.2	0.29	39	1.7	0.28	0.9	0.16
Acute myeloid	71	4.0	0.52	2.7	0.32	64	2.6	0.32	1.8	0.24
Chronic myeloid	33	1.6	0.30	1.2	0.22	30	1.2	0.22	0.8	0.16
Other leukemias	41	2.6	0.44	1.4	0.23	34	1.3	0.22	0.9	0.17
Mesothelioma	19	1.2	0.30	0.7	0.17	-	-	-	-	-
Kaposi Sarcoma	8	0.4	0.14	0.3	0.11	-	-	-	-	-
Ill-defined & Unknown	357	21.3	1.21	13.3	0.71	320	13.1	0.74	8.3	0.49
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	117	6.0	0.59	4.4	0.42	304	11.6	0.68	8.4	0.50
Breast (<i>in situ</i>)	-	-	-	-	-	564	21.6	0.92	16.5	0.71

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MISSISSIPPI

222 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	78,665	530.8	1.92	353.6	1.31	75,160	423.3	1.57	293.9	1.17
Oral Cavity & Pharynx	2,625	16.9	0.33	12.4	0.25	1,131	6.3	0.19	4.5	0.14
Lip	183	1.3	0.10	0.8	0.06	53	0.3	0.04	0.2	0.03
Tongue	711	4.5	0.17	3.4	0.13	332	1.9	0.11	1.4	0.08
Major salivary gland	188	1.3	0.10	0.8	0.06	157	0.9	0.07	0.6	0.06
Floor of mouth	171	1.1	0.08	0.8	0.06	64	0.3	0.04	0.3	0.03
Gum & other mouth	298	2.0	0.12	1.4	0.08	230	1.2	0.08	0.8	0.06
Nasopharynx	89	0.6	0.06	0.5	0.05	41	0.2	0.04	0.2	0.03
Oropharynx	139	0.9	0.08	0.7	0.06	50	0.3	0.04	0.2	0.03
Hypopharynx	203	1.3	0.09	0.9	0.07	50	0.3	0.04	0.2	0.03
Digestive System	15,202	103.3	0.85	66.3	0.56	12,811	69.3	0.62	43.1	0.42
Esophagus	1,371	9.1	0.25	6.1	0.17	369	2.0	0.10	1.3	0.07
Stomach	1,085	7.5	0.23	4.6	0.15	660	3.6	0.14	2.3	0.10
Small intestine	368	2.5	0.13	1.7	0.09	371	2.1	0.11	1.4	0.08
Colon excl. rectum	5,576	38.9	0.53	23.6	0.33	5,814	31.1	0.41	18.5	0.27
Rectum & rectosigmoid	2,463	16.4	0.34	11.1	0.23	1,734	9.7	0.24	6.6	0.17
Anus, anal canal & anorectum	224	1.5	0.10	1.1	0.08	421	2.4	0.12	1.8	0.09
Liver	1,458	9.2	0.24	6.8	0.18	446	2.4	0.12	1.6	0.09
Gallbladder	101	0.7	0.07	0.4	0.04	227	1.2	0.08	0.7	0.05
Pancreas	2,039	13.9	0.31	8.7	0.20	2,030	10.8	0.24	6.5	0.16
Respiratory System	15,255	103.9	0.85	65.6	0.55	12,136	66.7	0.61	43.9	0.43
Larynx	1,097	7.2	0.22	5.0	0.15	316	1.7	0.10	1.3	0.08
Lung & bronchus	13,981	95.6	0.82	59.7	0.52	11,700	64.3	0.60	42.1	0.42
Bones & Joints	169	1.2	0.09	1.0	0.09	134	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	512	3.5	0.16	2.7	0.13	462	2.7	0.13	2.2	0.12
Skin (excl. basal & sq.)	3,509	24.1	0.41	16.1	0.28	2,466	14.9	0.31	11.5	0.25
Melanomas of the skin	3,293	22.6	0.40	15.1	0.27	2,321	14.1	0.30	11.0	0.24
Breast (excl. <i>in situ</i>)	160	1.1	0.09	0.7	0.06	21,319	121.5	0.85	87.4	0.64
Female Genital System	-	-	-	-	-	8,420	48.1	0.53	35.4	0.41
Cervix uteri	-	-	-	-	-	1,258	8.1	0.23	6.4	0.19
Uterus Corpus	-	-	-	-	-	4,324	24.0	0.37	17.8	0.28
Uterus, NOS ¹	-	-	-	-	-	151	0.8	0.07	0.5	0.05
Ovary	-	-	-	-	-	1,940	10.9	0.25	7.8	0.19
Male Genital System	20,351	132.0	0.94	94.5	0.68	-	-	-	-	-
Prostate	19,542	126.2	0.92	89.4	0.65	-	-	-	-	-
Testis	683	5.0	0.19	4.6	0.18	-	-	-	-	-
Penis	106	0.7	0.07	0.5	0.05	-	-	-	-	-
Urinary System	8,616	59.6	0.65	37.1	0.42	3,891	21.5	0.35	14.1	0.25
Bladder (incl. <i>in situ</i>)	4,930	34.8	0.50	20.1	0.30	1,569	8.4	0.22	5.0	0.14
Kidney & renal pelvis	3,500	23.4	0.40	16.2	0.28	2,210	12.5	0.27	8.8	0.20
Ureter	120	0.9	0.08	0.5	0.05	76	0.4	0.05	0.2	0.03
Eye & Orbit	158	1.1	0.09	0.8	0.07	123	0.7	0.06	0.6	0.06
Brain & Other Nervous System	1,183	8.0	0.24	6.6	0.20	973	5.8	0.19	4.8	0.18
Brain	1,120	7.6	0.23	6.1	0.20	901	5.3	0.18	4.4	0.16
Endocrine System	996	6.6	0.21	5.3	0.18	2,808	18.0	0.35	14.9	0.29
Thyroid gland	873	5.8	0.20	4.5	0.16	2,718	17.4	0.34	14.4	0.29
Lymphomas	3,656	25.2	0.42	17.2	0.30	3,232	18.3	0.33	12.7	0.25
Hodgkin Lymphoma	430	2.9	0.14	2.6	0.13	364	2.4	0.13	2.2	0.12
Non-Hodgkin Lymphoma	3,226	22.3	0.40	14.6	0.27	2,868	16.0	0.30	10.5	0.22
Multiple Myeloma	964	6.6	0.22	4.2	0.14	878	4.8	0.16	3.0	0.11
Leukemias	2,231	15.6	0.34	10.8	0.25	1,702	9.6	0.24	7.1	0.21
Acute lymphocytic	214	1.5	0.10	1.8	0.13	184	1.2	0.09	1.6	0.13
Chronic lymphocytic	707	4.9	0.19	2.9	0.11	449	2.4	0.11	1.4	0.07
Acute myeloid	670	4.7	0.18	3.1	0.13	588	3.3	0.14	2.4	0.11
Chronic myeloid	285	2.0	0.12	1.4	0.09	215	1.2	0.09	0.8	0.06
Other leukemias	355	2.5	0.14	1.5	0.09	266	1.4	0.09	0.9	0.07
Mesothelioma	214	1.6	0.11	0.8	0.06	71	0.4	0.05	0.3	0.03
Kaposi Sarcoma	48	0.4	0.05	0.3	0.04	-	-	-	-	-
Ill-defined & Unknown	2,816	20.2	0.39	11.4	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,191	8.2	0.24	5.9	0.18	2,416	14.0	0.29	10.1	0.22
Breast (<i>in situ</i>)	8	0.1	0.02	0.0	0.01	4,633	26.6	0.40	20.1	0.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	70,225	522.6	2.00	347.7	1.38	66,700	422.4	1.67	293.8	1.26
Oral Cavity & Pharynx	2,378	17.0	0.35	12.5	0.26	1,018	6.4	0.20	4.5	0.15
Lip	179	1.4	0.11	0.8	0.07	52	0.3	0.05	0.2	0.03
Tongue	658	4.6	0.18	3.5	0.14	316	2.0	0.12	1.5	0.09
Major salivary gland	172	1.3	0.10	0.8	0.06	131	0.8	0.07	0.6	0.06
Floor of mouth	146	1.0	0.09	0.8	0.06	59	0.4	0.05	0.3	0.04
Gum & other mouth	274	2.0	0.12	1.4	0.09	203	1.2	0.09	0.8	0.06
Nasopharynx	67	0.5	0.06	0.4	0.05	30	0.2	0.04	0.2	0.03
Oropharynx	125	0.9	0.08	0.7	0.06	42	0.3	0.04	0.2	0.03
Hypopharynx	164	1.2	0.09	0.8	0.07	46	0.3	0.04	0.2	0.03
Digestive System	13,166	98.6	0.87	63.0	0.57	11,089	66.6	0.64	41.2	0.44
Esophagus	1,236	9.0	0.26	6.1	0.18	306	1.8	0.11	1.1	0.07
Stomach	901	6.8	0.23	4.2	0.15	526	3.2	0.14	2.0	0.10
Small intestine	310	2.3	0.13	1.6	0.09	308	1.9	0.11	1.3	0.08
Colon excl. rectum	4,889	37.5	0.54	22.6	0.34	5,113	30.2	0.43	17.8	0.28
Rectum & rectosigmoid	2,196	16.2	0.35	10.9	0.24	1,482	9.3	0.25	6.3	0.18
Anus, anal canal & anorectum	190	1.4	0.10	1.0	0.08	380	2.4	0.13	1.9	0.10
Liver	1,123	7.9	0.24	5.7	0.18	346	2.1	0.11	1.4	0.08
Gallbladder	81	0.6	0.07	0.4	0.04	196	1.2	0.08	0.7	0.05
Pancreas	1,784	13.4	0.32	8.4	0.21	1,766	10.4	0.25	6.3	0.17
Respiratory System	13,758	102.8	0.89	64.7	0.57	10,832	66.4	0.65	43.7	0.45
Larynx	959	6.9	0.23	4.8	0.16	279	1.7	0.11	1.3	0.08
Lung & bronchus	12,640	94.7	0.85	58.9	0.55	10,444	64.0	0.63	41.9	0.44
Bones & Joints	147	1.2	0.10	1.0	0.09	119	0.9	0.08	0.8	0.08
Soft Tissue (incl. heart)	455	3.5	0.17	2.7	0.14	400	2.7	0.14	2.2	0.13
Skin (excl. basal & sq.)	3,420	26.0	0.45	17.4	0.31	2,382	16.6	0.35	12.9	0.29
Melanomas of the skin	3,222	24.4	0.44	16.5	0.30	2,255	15.8	0.34	12.4	0.28
Breast (excl. <i>in situ</i>)	137	1.0	0.09	0.6	0.06	18,795	120.7	0.90	86.8	0.68
Female Genital System	-	-	-	-	-	7,486	48.3	0.57	35.6	0.44
Cervix uteri	-	-	-	-	-	1,038	7.8	0.25	6.2	0.20
Uterus Corpus	-	-	-	-	-	3,886	24.3	0.40	18.0	0.31
Uterus, NOS ¹	-	-	-	-	-	127	0.8	0.07	0.5	0.05
Ovary	-	-	-	-	-	1,767	11.2	0.27	8.0	0.21
Male Genital System	17,681	126.5	0.96	90.7	0.70	-	-	-	-	-
Prostate	16,908	120.0	0.93	84.9	0.67	-	-	-	-	-
Testis	657	5.6	0.22	5.2	0.21	-	-	-	-	-
Penis	96	0.7	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,953	60.3	0.69	37.5	0.44	3,493	21.6	0.37	14.2	0.27
Bladder (incl. <i>in situ</i>)	4,660	35.9	0.53	20.8	0.32	1,440	8.6	0.23	5.1	0.15
Kidney & renal pelvis	3,117	23.1	0.42	16.0	0.30	1,946	12.4	0.29	8.7	0.22
Ureter	115	0.9	0.09	0.5	0.05	72	0.4	0.05	0.2	0.03
Eye & Orbit	149	1.1	0.09	0.8	0.08	116	0.7	0.07	0.6	0.07
Brain & Other Nervous System	1,104	8.4	0.26	6.9	0.23	897	6.1	0.21	5.2	0.20
Brain	1,049	8.0	0.25	6.5	0.22	835	5.7	0.20	4.7	0.19
Endocrine System	911	6.8	0.23	5.5	0.19	2,507	18.7	0.38	15.4	0.32
Thyroid gland	809	6.0	0.22	4.7	0.17	2,435	18.2	0.38	14.9	0.32
Lymphomas	3,336	25.5	0.45	17.4	0.32	2,939	18.7	0.35	12.9	0.27
Hodgkin Lymphoma	367	2.9	0.15	2.6	0.14	314	2.4	0.14	2.2	0.13
Non-Hodgkin Lymphoma	2,969	22.6	0.42	14.8	0.29	2,625	16.3	0.32	10.7	0.23
Multiple Myeloma	807	6.1	0.22	3.8	0.14	703	4.2	0.16	2.7	0.11
Leukemias	2,015	15.6	0.35	10.8	0.27	1,543	9.8	0.26	7.3	0.23
Acute lymphocytic	185	1.5	0.11	1.9	0.15	163	1.3	0.11	1.7	0.15
Chronic lymphocytic	644	4.9	0.20	2.9	0.12	407	2.4	0.12	1.4	0.08
Acute myeloid	611	4.7	0.19	3.2	0.14	531	3.4	0.15	2.4	0.12
Chronic myeloid	255	2.0	0.12	1.3	0.09	197	1.3	0.09	0.8	0.07
Other leukemias	320	2.5	0.14	1.5	0.09	245	1.5	0.10	1.0	0.08
Mesothelioma	206	1.6	0.11	0.9	0.06	67	0.4	0.05	0.3	0.04
Kaposi Sarcoma	26	0.2	0.04	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,576	20.2	0.40	11.4	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,047	8.1	0.25	5.8	0.19	2,070	13.6	0.31	9.9	0.24
Breast (<i>in situ</i>)	7	0.0	0.02	0.0	0.01	4,047	26.3	0.42	19.9	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	7,162	611.2	7.70	415.6	5.00	7,316	441.8	5.23	304.0	3.69
Oral Cavity & Pharynx	211	15.7	1.14	12.0	0.84	93	5.3	0.56	4.0	0.42
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	40	2.9	0.48	2.3	0.38	11	0.6	0.19	0.5	0.15
Major salivary gland	16	1.3	0.34	0.9	0.23	24	1.4	0.29	1.1	0.22
Floor of mouth	21	1.5	0.35	1.2	0.27	-	-	-	-	-
Gum & other mouth	20	1.7	0.39	1.2	0.26	19	1.1	0.25	0.8	0.18
Nasopharynx	16	1.1	0.29	0.8	0.20	10	0.5	0.18	0.5	0.15
Oropharynx	13	0.9	0.25	0.7	0.20	8	0.5	0.18	0.3	0.12
Hypopharynx	39	3.2	0.54	2.2	0.36	-	-	-	-	-
Digestive System	1,760	153.4	3.91	99.7	2.42	1,511	93.5	2.43	59.5	1.60
Esophagus	124	10.8	1.02	7.2	0.66	57	3.4	0.46	2.3	0.32
Stomach	154	14.4	1.24	8.6	0.71	106	6.8	0.66	4.0	0.41
Small intestine	54	4.6	0.66	3.2	0.45	58	3.6	0.48	2.3	0.31
Colon excl. rectum	601	55.5	2.42	33.9	1.41	627	39.2	1.58	24.5	1.03
Rectum & rectosigmoid	235	19.9	1.39	13.4	0.89	212	12.7	0.88	8.8	0.63
Anus, anal canal & anorectum	32	2.4	0.45	1.8	0.32	40	2.3	0.37	1.7	0.27
Liver	277	19.8	1.25	15.4	0.94	79	4.6	0.53	3.3	0.38
Gallbladder	12	1.2	0.36	0.7	0.20	26	1.6	0.32	1.0	0.20
Pancreas	227	20.5	1.45	12.9	0.88	245	15.6	1.01	9.2	0.62
Respiratory System	1,359	120.2	3.46	79.0	2.18	1,202	74.5	2.17	49.0	1.47
Larynx	127	10.8	1.02	7.4	0.67	33	1.9	0.33	1.5	0.26
Lung & bronchus	1,219	108.5	3.29	70.8	2.07	1,158	71.9	2.14	47.0	1.44
Bones & Joints	20	1.2	0.30	1.2	0.26	8	0.4	0.16	0.4	0.14
Soft Tissue (incl. heart)	47	3.3	0.52	2.6	0.39	56	3.3	0.44	2.5	0.34
Skin (excl. basal & sq.)	24	2.0	0.47	1.3	0.27	21	1.2	0.26	1.0	0.22
Melanomas of the skin	10	1.0	0.37	0.5	0.18	8	0.5	0.17	0.3	0.12
Breast (excl. <i>in situ</i>)	20	1.7	0.41	1.2	0.27	2,209	130.9	2.82	93.5	2.05
Female Genital System	-	-	-	-	-	793	46.9	1.69	34.7	1.27
Cervix uteri	-	-	-	-	-	184	10.8	0.80	8.2	0.62
Uterus Corpus	-	-	-	-	-	368	21.7	1.15	16.4	0.88
Uterus, NOS ¹	-	-	-	-	-	21	1.4	0.30	0.8	0.19
Ovary	-	-	-	-	-	147	8.8	0.74	6.2	0.53
Male Genital System	2,206	185.2	4.18	131.5	2.85	-	-	-	-	-
Prostate	2,187	183.7	4.17	130.5	2.84	-	-	-	-	-
Testis	11	0.7	0.22	0.6	0.19	-	-	-	-	-
Penis	8	0.8	0.31	0.4	0.16	-	-	-	-	-
Urinary System	573	50.4	2.24	33.0	1.40	353	21.6	1.16	13.9	0.78
Bladder (incl. <i>in situ</i>)	214	21.1	1.53	12.5	0.87	113	7.2	0.68	4.1	0.41
Kidney & renal pelvis	350	28.3	1.60	19.9	1.08	236	14.1	0.93	9.7	0.66
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	62	4.2	0.57	3.7	0.48	63	3.7	0.47	2.9	0.38
Brain	56	3.9	0.55	3.4	0.46	55	3.2	0.44	2.5	0.35
Endocrine System	63	4.6	0.61	3.7	0.47	223	12.5	0.85	10.4	0.71
Thyroid gland	43	3.2	0.51	2.5	0.38	206	11.6	0.81	9.6	0.68
Lymphomas	259	19.6	1.30	14.6	0.92	239	14.1	0.92	10.5	0.71
Hodgkin Lymphoma	57	3.8	0.52	3.2	0.42	42	2.2	0.35	2.2	0.34
Non-Hodgkin Lymphoma	202	15.8	1.19	11.4	0.81	197	11.8	0.85	8.4	0.62
Multiple Myeloma	146	12.4	1.08	8.6	0.72	167	10.3	0.81	6.8	0.55
Leukemias	176	15.4	1.26	10.2	0.78	129	7.8	0.70	5.4	0.50
Acute lymphocytic	20	1.0	0.24	1.3	0.30	14	0.7	0.20	0.8	0.22
Chronic lymphocytic	51	5.3	0.80	2.9	0.41	38	2.4	0.40	1.4	0.24
Acute myeloid	48	4.3	0.66	2.7	0.40	43	2.6	0.40	1.8	0.28
Chronic myeloid	28	2.3	0.47	1.6	0.30	16	1.0	0.24	0.7	0.19
Other leukemias	29	2.5	0.50	1.7	0.31	18	1.1	0.27	0.7	0.18
Mesothelioma	7	0.8	0.31	0.4	0.17	-	-	-	-	-
Kaposi Sarcoma	20	1.3	0.30	1.1	0.25	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	240	15.3	1.00	9.0	0.62
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	121	10.0	0.99	6.8	0.63	280	17.0	1.03	11.4	0.71
Breast (<i>in situ</i>)	-	-	-	-	-	525	31.1	1.37	22.7	1.01

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	423	313.7	17.57	191.7	9.48	528	264.1	12.70	175.7	7.80
Oral Cavity & Pharynx	16	9.8	2.90	6.7	1.74	9	4.0	1.41	2.7	0.93
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	153	113.1	10.61	69.1	5.68	122	70.6	7.05	42.6	3.92
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	19	15.7	4.15	8.8	2.05	21	11.8	2.92	7.4	1.64
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	41	31.3	5.66	18.2	2.92	36	23.5	4.34	12.4	2.10
Rectum & rectosigmoid	19	14.1	3.65	8.2	1.89	24	11.7	2.60	8.1	1.68
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	42	27.1	4.79	18.6	2.90	15	9.4	2.55	5.2	1.38
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	8.8	3.27	5.5	1.69	9	5.1	1.79	3.3	1.11
Respiratory System	57	45.3	6.78	26.0	3.48	53	33.4	4.94	18.5	2.59
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	51	40.2	6.32	23.3	3.30	51	32.4	4.89	17.6	2.51
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	3.7	1.67	2.4	0.99	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	148	67.0	5.85	49.2	4.12
Female Genital System	-	-	-	-	-	63	27.3	3.62	20.1	2.57
Cervix uteri	-	-	-	-	-	21	9.2	2.14	6.3	1.39
Uterus Corpus	-	-	-	-	-	27	11.5	2.31	8.7	1.70
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	4.6	1.45	3.5	1.07
Male Genital System	88	63.7	7.64	42.6	4.57	-	-	-	-	-
Prostate	86	63.0	7.63	41.9	4.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	27.0	5.55	14.3	2.60	15	6.8	1.85	5.0	1.32
Bladder (incl. <i>in situ</i>)	18	18.1	4.73	8.2	1.95	-	-	-	-	-
Kidney & renal pelvis	12	8.4	2.84	5.5	1.64	10	4.5	1.51	3.5	1.14
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	8	4.7	2.01	3.1	1.12	-	-	-	-	-
Brain	8	4.7	2.01	3.1	1.12	-	-	-	-	-
Endocrine System	11	5.6	1.83	4.3	1.34	44	14.9	2.36	12.8	1.98
Thyroid gland	10	5.2	1.77	4.0	1.30	43	14.5	2.33	12.3	1.92
Lymphomas	22	21.4	5.22	10.1	2.20	26	12.6	2.85	8.6	1.72
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	11	6.5	2.31	4.5	1.39	9	3.8	1.40	3.1	1.06
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	6	2.2	0.97	2.0	0.85
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	5.9	2.10	3.9	1.33	23	15.1	3.51	7.6	1.61
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	9	4.7	1.61	3.8	1.29	32	14.9	2.83	10.4	1.88
Breast (<i>in situ</i>)	-	-	-	-	-	35	14.9	2.60	11.5	1.98

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	641	312.5	14.02	201.9	8.42	721	295.6	11.84	201.7	7.94
Oral Cavity & Pharynx	17	8.8	2.43	5.3	1.34	11	4.3	1.38	3.1	0.95
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	4.7	1.78	2.9	1.00	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	146	79.2	7.24	47.7	4.13	137	67.8	6.06	38.3	3.45
Esophagus	11	5.2	1.70	3.9	1.20	-	-	-	-	-
Stomach	16	9.2	2.49	5.3	1.41	12	5.5	1.67	2.9	0.89
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	45	28.4	4.59	15.6	2.42	51	27.7	3.99	14.1	2.09
Rectum & rectosigmoid	18	8.2	2.09	6.1	1.50	19	7.6	1.89	5.2	1.26
Anus, anal canal & anorectum	-	-	-	-	-	7	3.1	1.22	2.0	0.80
Liver	26	14.0	3.11	7.7	1.57	6	3.4	1.42	1.5	0.64
Gallbladder	-	-	-	-	-	7	4.3	1.63	1.8	0.70
Pancreas	14	7.2	2.09	4.6	1.27	19	9.4	2.24	6.0	1.44
Respiratory System	76	38.4	4.87	25.0	2.99	57	27.1	3.72	18.4	2.54
Larynx	7	3.3	1.38	1.9	0.73	-	-	-	-	-
Lung & bronchus	64	34.2	4.65	22.2	2.88	56	26.7	3.70	18.0	2.50
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	9	2.6	1.09	1.8	0.63	8	2.2	0.82	1.9	0.69
Skin (excl. basal & sq.)	12	4.8	1.55	3.7	1.15	18	5.9	1.53	4.6	1.14
Melanomas of the skin	12	4.8	1.55	3.7	1.15	16	5.5	1.50	4.1	1.10
Breast (excl. <i>in situ</i>)	-	-	-	-	-	181	70.5	5.54	53.2	4.16
Female Genital System	-	-	-	-	-	96	36.4	3.98	27.3	2.96
Cervix uteri	-	-	-	-	-	24	8.1	1.75	5.8	1.26
Uterus Corpus	-	-	-	-	-	38	14.5	2.50	11.7	2.00
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	28	11.0	2.25	7.9	1.58
Male Genital System	176	89.5	7.44	60.1	4.76	-	-	-	-	-
Prostate	153	85.5	7.39	56.2	4.68	-	-	-	-	-
Testis	21	3.3	0.75	3.4	0.74	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	64	36.2	5.07	20.8	2.70	44	21.7	3.40	12.6	2.02
Bladder (incl. <i>in situ</i>)	29	18.1	3.68	9.9	1.89	17	8.4	2.13	4.4	1.10
Kidney & renal pelvis	34	17.9	3.47	10.7	1.91	27	13.3	2.65	8.3	1.69
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	14	3.2	0.93	3.0	0.85	10	3.1	1.10	2.5	0.82
Brain	13	3.0	0.90	2.9	0.84	9	2.9	1.09	2.3	0.79
Endocrine System	12	4.1	1.53	2.8	0.87	57	16.4	2.38	12.9	1.78
Thyroid gland	9	3.6	1.48	2.2	0.79	57	16.4	2.38	12.9	1.78
Lymphomas	51	21.1	3.44	15.0	2.23	35	13.6	2.53	9.6	1.71
Hodgkin Lymphoma	7	3.3	1.48	2.1	0.85	-	-	-	-	-
Non-Hodgkin Lymphoma	44	17.8	3.11	12.9	2.06	-	-	-	-	-
Multiple Myeloma	9	3.8	1.43	2.8	0.98	8	4.4	1.60	2.4	0.89
Leukemias	33	10.8	2.43	7.7	1.45	31	8.3	1.81	7.1	1.32
Acute lymphocytic	12	2.3	0.78	2.4	0.76	12	1.6	0.47	2.4	0.69
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	9	3.8	1.52	2.5	0.89	11	3.7	1.24	2.8	0.89
Chronic myeloid	7	2.2	1.20	1.4	0.58	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	16	8.0	2.35	4.7	1.26	19	10.2	2.41	6.0	1.44
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	10	2.5	0.81	2.1	0.72	27	9.9	2.09	7.0	1.44
Breast (<i>in situ</i>)	-	-	-	-	-	55	21.0	2.97	16.2	2.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MISSOURI

228 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	69,689	526.0	2.02	350.3	1.40	66,084	424.8	1.69	295.7	1.27
Oral Cavity & Pharynx	2,366	17.2	0.36	12.6	0.27	1,010	6.4	0.21	4.5	0.16
Lip	178	1.4	0.11	0.9	0.07	52	0.3	0.05	0.2	0.03
Tongue	652	4.7	0.18	3.6	0.14	314	2.1	0.12	1.5	0.09
Major salivary gland	171	1.4	0.10	0.8	0.07	128	0.8	0.08	0.6	0.06
Floor of mouth	146	1.0	0.09	0.8	0.07	58	0.4	0.05	0.3	0.04
Gum & other mouth	273	2.0	0.12	1.4	0.09	202	1.2	0.09	0.8	0.06
Nasopharynx	67	0.5	0.06	0.4	0.05	30	0.2	0.04	0.2	0.03
Oropharynx	125	0.9	0.08	0.7	0.06	42	0.3	0.04	0.2	0.03
Hypopharynx	164	1.2	0.09	0.8	0.07	45	0.3	0.04	0.2	0.03
Digestive System	13,052	99.1	0.88	63.4	0.58	10,968	66.6	0.65	41.3	0.44
Esophagus	1,226	9.1	0.26	6.1	0.18	302	1.8	0.11	1.1	0.07
Stomach	886	6.8	0.23	4.2	0.15	517	3.2	0.14	2.0	0.10
Small intestine	310	2.4	0.14	1.6	0.09	303	1.9	0.11	1.3	0.08
Colon excl. rectum	4,853	37.7	0.55	22.8	0.34	5,068	30.3	0.43	17.9	0.29
Rectum & rectosigmoid	2,182	16.3	0.35	11.0	0.25	1,464	9.3	0.25	6.3	0.18
Anus, anal canal & anorectum	186	1.4	0.10	1.0	0.08	373	2.4	0.13	1.9	0.10
Liver	1,106	7.9	0.24	5.7	0.18	343	2.1	0.11	1.4	0.09
Gallbladder	79	0.6	0.07	0.4	0.04	189	1.1	0.08	0.6	0.05
Pancreas	1,774	13.5	0.33	8.4	0.21	1,749	10.4	0.25	6.3	0.17
Respiratory System	13,694	103.6	0.90	65.2	0.58	10,782	66.9	0.65	44.1	0.46
Larynx	953	7.0	0.23	4.9	0.16	278	1.8	0.11	1.3	0.09
Lung & bronchus	12,586	95.5	0.86	59.4	0.55	10,395	64.4	0.64	42.2	0.45
Bones & Joints	143	1.2	0.10	1.0	0.09	116	0.9	0.08	0.8	0.08
Soft Tissue (incl. heart)	446	3.5	0.17	2.7	0.14	392	2.7	0.14	2.2	0.13
Skin (excl. basal & sq.)	3,408	26.3	0.46	17.7	0.32	2,366	16.9	0.36	13.1	0.30
Melanomas of the skin	3,210	24.8	0.44	16.7	0.31	2,241	16.1	0.35	12.6	0.29
Breast (excl. <i>in situ</i>)	137	1.1	0.09	0.6	0.06	18,639	121.5	0.91	87.4	0.69
Female Genital System	-	-	-	-	-	7,410	48.6	0.58	35.8	0.45
Cervix uteri	-	-	-	-	-	1,017	7.9	0.25	6.3	0.21
Uterus Corpus	-	-	-	-	-	3,856	24.5	0.40	18.1	0.31
Uterus, NOS ¹	-	-	-	-	-	127	0.8	0.07	0.5	0.05
Ovary	-	-	-	-	-	1,747	11.2	0.28	8.0	0.21
Male Genital System	17,539	127.2	0.97	91.3	0.71	-	-	-	-	-
Prostate	16,787	120.6	0.94	85.4	0.68	-	-	-	-	-
Testis	638	5.7	0.23	5.3	0.21	-	-	-	-	-
Penis	94	0.7	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,897	60.7	0.69	37.8	0.45	3,456	21.7	0.38	14.3	0.27
Bladder (incl. <i>in situ</i>)	4,637	36.1	0.54	21.0	0.32	1,426	8.6	0.23	5.2	0.15
Kidney & renal pelvis	3,085	23.2	0.42	16.1	0.30	1,923	12.4	0.29	8.8	0.22
Ureter	115	0.9	0.09	0.5	0.05	72	0.4	0.05	0.2	0.03
Eye & Orbit	147	1.1	0.09	0.8	0.08	114	0.7	0.07	0.6	0.06
Brain & Other Nervous System	1,093	8.5	0.26	7.0	0.23	889	6.2	0.22	5.3	0.21
Brain	1,038	8.1	0.25	6.6	0.22	828	5.8	0.21	4.8	0.19
Endocrine System	900	6.9	0.23	5.5	0.20	2,459	18.8	0.39	15.5	0.33
Thyroid gland	801	6.1	0.22	4.8	0.18	2,387	18.3	0.38	15.0	0.32
Lymphomas	3,288	25.6	0.45	17.5	0.33	2,908	18.8	0.36	12.9	0.27
Hodgkin Lymphoma	361	2.9	0.16	2.7	0.15	312	2.5	0.14	2.2	0.14
Non-Hodgkin Lymphoma	2,927	22.7	0.42	14.8	0.29	2,596	16.3	0.33	10.7	0.24
Multiple Myeloma	799	6.1	0.22	3.8	0.14	696	4.2	0.16	2.7	0.11
Leukemias	1,987	15.7	0.36	10.8	0.27	1,515	9.8	0.26	7.2	0.23
Acute lymphocytic	175	1.5	0.12	1.9	0.15	152	1.3	0.11	1.6	0.15
Chronic lymphocytic	643	5.0	0.20	3.0	0.12	406	2.4	0.12	1.4	0.08
Acute myeloid	603	4.7	0.19	3.2	0.14	521	3.4	0.15	2.4	0.13
Chronic myeloid	248	1.9	0.13	1.3	0.09	195	1.3	0.09	0.9	0.07
Other leukemias	318	2.6	0.15	1.5	0.09	241	1.5	0.10	1.0	0.08
Mesothelioma	206	1.6	0.12	0.9	0.06	65	0.4	0.05	0.3	0.04
Kaposi Sarcoma	26	0.2	0.04	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,561	20.3	0.41	11.5	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,038	8.2	0.26	5.9	0.20	2,048	13.7	0.31	10.0	0.24
Breast (<i>in situ</i>)	7	0.1	0.02	0.0	0.01	3,996	26.4	0.42	19.9	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	7,145	614.4	7.75	417.8	5.03	7,297	443.7	5.26	305.4	3.71
Oral Cavity & Pharynx	210	15.8	1.15	12.1	0.85	92	5.3	0.56	4.0	0.42
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	39	2.9	0.48	2.3	0.38	10	0.6	0.18	0.4	0.14
Major salivary gland	16	1.3	0.35	0.9	0.23	24	1.4	0.29	1.1	0.22
Floor of mouth	21	1.5	0.35	1.2	0.27	-	-	-	-	-
Gum & other mouth	20	1.7	0.39	1.2	0.26	19	1.1	0.25	0.8	0.18
Nasopharynx	16	1.1	0.29	0.8	0.21	10	0.6	0.18	0.5	0.15
Oropharynx	13	0.9	0.25	0.7	0.20	8	0.5	0.18	0.3	0.12
Hypopharynx	39	3.2	0.54	2.2	0.37	-	-	-	-	-
Digestive System	1,757	154.4	3.94	100.3	2.44	1,508	93.9	2.45	59.7	1.61
Esophagus	123	10.8	1.03	7.2	0.66	57	3.4	0.46	2.3	0.32
Stomach	154	14.5	1.25	8.7	0.71	106	6.8	0.67	4.0	0.42
Small intestine	54	4.6	0.66	3.3	0.45	58	3.6	0.48	2.3	0.32
Colon excl. rectum	601	55.9	2.44	34.1	1.42	625	39.3	1.59	24.6	1.03
Rectum & rectosigmoid	235	20.1	1.40	13.5	0.90	212	12.7	0.89	8.9	0.63
Anus, anal canal & anorectum	32	2.5	0.46	1.8	0.33	40	2.3	0.38	1.7	0.27
Liver	276	19.9	1.26	15.5	0.95	79	4.6	0.53	3.3	0.38
Gallbladder	12	1.2	0.36	0.7	0.20	26	1.6	0.33	1.0	0.20
Pancreas	226	20.6	1.46	13.0	0.88	244	15.7	1.01	9.2	0.62
Respiratory System	1,355	120.7	3.48	79.3	2.20	1,198	74.7	2.18	49.1	1.48
Larynx	127	10.8	1.02	7.4	0.67	33	1.9	0.34	1.5	0.26
Lung & bronchus	1,215	108.9	3.31	71.1	2.08	1,154	72.1	2.15	47.1	1.45
Bones & Joints	20	1.2	0.31	1.2	0.27	7	0.4	0.15	0.4	0.14
Soft Tissue (incl. heart)	47	3.3	0.52	2.7	0.39	56	3.3	0.45	2.5	0.35
Skin (excl. basal & sq.)	24	2.0	0.47	1.3	0.27	21	1.2	0.26	1.0	0.23
Melanomas of the skin	10	1.0	0.37	0.6	0.18	8	0.5	0.17	0.3	0.12
Breast (excl. <i>in situ</i>)	20	1.7	0.41	1.2	0.27	2,204	131.6	2.83	94.0	2.06
Female Genital System	-	-	-	-	-	789	47.1	1.70	34.8	1.27
Cervix uteri	-	-	-	-	-	184	10.9	0.81	8.3	0.63
Uterus Corpus	-	-	-	-	-	366	21.8	1.15	16.4	0.88
Uterus, NOS ¹	-	-	-	-	-	21	1.4	0.30	0.8	0.19
Ovary	-	-	-	-	-	146	8.8	0.74	6.2	0.53
Male Genital System	2,198	185.8	4.20	132.0	2.86	-	-	-	-	-
Prostate	2,179	184.3	4.19	130.9	2.85	-	-	-	-	-
Testis	11	0.7	0.22	0.6	0.19	-	-	-	-	-
Penis	8	0.8	0.31	0.4	0.16	-	-	-	-	-
Urinary System	573	50.7	2.26	33.3	1.42	352	21.6	1.17	14.0	0.78
Bladder (incl. <i>in situ</i>)	214	21.3	1.54	12.6	0.88	112	7.1	0.68	4.1	0.41
Kidney & renal pelvis	350	28.5	1.62	20.0	1.09	236	14.2	0.94	9.8	0.66
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	62	4.3	0.57	3.8	0.49	63	3.7	0.48	2.9	0.39
Brain	56	3.9	0.56	3.4	0.46	55	3.3	0.45	2.5	0.35
Endocrine System	63	4.7	0.62	3.7	0.48	223	12.6	0.86	10.6	0.72
Thyroid gland	43	3.2	0.52	2.5	0.39	206	11.7	0.82	9.7	0.68
Lymphomas	259	19.8	1.31	14.7	0.93	239	14.2	0.93	10.6	0.71
Hodgkin Lymphoma	57	3.8	0.53	3.2	0.43	42	2.3	0.35	2.2	0.34
Non-Hodgkin Lymphoma	202	16.0	1.20	11.5	0.82	197	11.9	0.86	8.4	0.63
Multiple Myeloma	146	12.4	1.09	8.6	0.73	167	10.4	0.81	6.9	0.55
Leukemias	175	15.5	1.27	10.2	0.79	129	7.9	0.70	5.5	0.51
Acute lymphocytic	20	1.0	0.24	1.4	0.31	14	0.7	0.20	0.8	0.22
Chronic lymphocytic	51	5.4	0.80	2.9	0.42	38	2.5	0.40	1.4	0.24
Acute myeloid	47	4.2	0.66	2.7	0.40	43	2.6	0.40	1.8	0.29
Chronic myeloid	28	2.3	0.47	1.6	0.30	16	1.0	0.25	0.7	0.19
Other leukemias	29	2.6	0.50	1.7	0.32	18	1.1	0.27	0.7	0.18
Mesothelioma	7	0.8	0.31	0.4	0.17	-	-	-	-	-
Kaposi Sarcoma	20	1.3	0.30	1.1	0.25	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	240	15.4	1.00	9.1	0.62
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	121	10.1	0.99	6.9	0.63	279	17.0	1.03	11.4	0.72
Breast (<i>in situ</i>)	-	-	-	-	-	523	31.3	1.38	22.7	1.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MISSOURI

230 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	14,260	520.8	4.46	342.8	3.01	12,463	421.9	3.87	290.6	2.86
Oral Cavity & Pharynx	462	16.4	0.78	11.5	0.56	210	7.2	0.51	4.9	0.37
Lip	68	2.6	0.32	1.5	0.19	35	1.2	0.21	0.7	0.14
Tongue	115	3.9	0.37	2.9	0.28	47	1.7	0.26	1.2	0.20
Major salivary gland	39	1.4	0.24	0.9	0.15	22	0.8	0.17	0.5	0.13
Floor of mouth	24	0.8	0.18	0.6	0.13	20	0.7	0.15	0.4	0.10
Gum & other mouth	48	1.8	0.26	1.1	0.17	34	1.1	0.19	0.7	0.15
Nasopharynx	14	0.6	0.16	0.5	0.13	10	0.3	0.11	0.3	0.09
Oropharynx	12	0.4	0.13	0.3	0.08	10	0.3	0.10	0.2	0.07
Hypopharynx	30	1.1	0.20	0.7	0.14	6	0.2	0.08	0.1	0.06
Digestive System	2,427	89.2	1.85	56.5	1.20	1,982	64.6	1.48	40.9	1.01
Esophagus	230	8.2	0.55	5.4	0.37	73	2.4	0.28	1.4	0.18
Stomach	162	6.1	0.48	3.6	0.30	105	3.4	0.34	2.3	0.24
Small intestine	48	1.8	0.26	1.1	0.17	52	1.7	0.25	1.2	0.17
Colon excl. rectum	929	34.7	1.16	21.0	0.72	879	28.5	0.98	17.2	0.65
Rectum & rectosigmoid	454	16.4	0.79	11.3	0.55	319	10.5	0.60	7.4	0.44
Anus, anal canal & anorectum	22	0.7	0.16	0.6	0.13	62	2.1	0.28	1.5	0.20
Liver	163	5.5	0.44	4.0	0.32	67	2.2	0.27	1.5	0.20
Gallbladder	9	0.3	0.11	0.2	0.08	31	1.0	0.18	0.6	0.13
Pancreas	335	12.5	0.69	7.6	0.43	293	9.4	0.56	5.7	0.37
Respiratory System	2,013	75.2	1.71	44.8	1.04	1,765	58.2	1.40	36.9	0.95
Larynx	144	5.1	0.43	3.3	0.28	45	1.5	0.23	1.1	0.17
Lung & bronchus	1,839	68.9	1.64	40.7	0.99	1,710	56.3	1.38	35.5	0.93
Bones & Joints	26	1.0	0.21	0.9	0.20	25	0.9	0.19	0.7	0.17
Soft Tissue (incl. heart)	88	3.4	0.37	2.6	0.30	78	2.9	0.34	2.5	0.33
Skin (excl. basal & sq.)	706	26.2	1.01	17.9	0.71	558	20.4	0.89	15.4	0.71
Melanomas of the skin	664	24.5	0.98	17.0	0.69	522	19.1	0.87	14.7	0.70
Breast (excl. <i>in situ</i>)	32	1.1	0.21	0.7	0.13	3,660	124.1	2.10	89.0	1.56
Female Genital System	-	-	-	-	-	1,379	46.3	1.28	33.4	0.97
Cervix uteri	-	-	-	-	-	165	6.4	0.51	5.0	0.42
Uterus Corpus	-	-	-	-	-	715	23.5	0.90	17.1	0.67
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	394	12.9	0.67	9.0	0.49
Male Genital System	4,671	162.9	2.44	114.4	1.73	-	-	-	-	-
Prostate	4,491	155.2	2.36	107.6	1.64	-	-	-	-	-
Testis	142	6.4	0.54	5.9	0.51	-	-	-	-	-
Penis	31	1.2	0.21	0.7	0.13	-	-	-	-	-
Urinary System	1,445	54.1	1.45	32.8	0.90	577	19.1	0.81	12.3	0.56
Bladder (incl. <i>in situ</i>)	959	36.4	1.20	20.6	0.69	301	9.9	0.58	5.8	0.37
Kidney & renal pelvis	464	16.9	0.80	11.7	0.57	266	8.9	0.56	6.3	0.42
Ureter	19	0.7	0.17	0.4	0.10	-	-	-	-	-
Eye & Orbit	28	1.0	0.20	0.8	0.16	29	1.0	0.19	0.7	0.14
Brain & Other Nervous System	229	8.7	0.59	7.1	0.51	141	5.0	0.43	4.0	0.39
Brain	221	8.4	0.58	6.7	0.49	134	4.7	0.42	3.7	0.37
Endocrine System	195	7.6	0.56	5.9	0.45	511	20.5	0.94	17.3	0.81
Thyroid gland	179	6.9	0.53	5.3	0.42	496	19.9	0.92	16.8	0.80
Lymphomas	680	25.6	1.00	17.4	0.71	510	17.2	0.78	11.4	0.57
Hodgkin Lymphoma	70	2.8	0.34	2.5	0.32	56	2.2	0.30	2.0	0.29
Non-Hodgkin Lymphoma	610	22.8	0.94	14.9	0.64	454	15.0	0.72	9.4	0.49
Multiple Myeloma	185	6.9	0.52	4.3	0.33	137	4.5	0.39	2.6	0.25
Leukemias	448	17.3	0.83	11.6	0.62	318	11.0	0.64	8.1	0.55
Acute lymphocytic	26	1.2	0.23	1.5	0.30	31	1.3	0.24	1.7	0.34
Chronic lymphocytic	180	6.9	0.52	3.9	0.31	122	3.9	0.36	2.4	0.24
Acute myeloid	137	5.3	0.46	3.7	0.36	94	3.4	0.36	2.4	0.29
Chronic myeloid	53	2.0	0.28	1.2	0.18	44	1.5	0.24	1.1	0.18
Other leukemias	52	2.0	0.28	1.3	0.20	27	0.9	0.18	0.6	0.13
Mesothelioma	37	1.4	0.24	0.8	0.13	15	0.5	0.14	0.3	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	568	18.4	0.79	10.2	0.49
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	202	7.7	0.55	5.5	0.42	403	14.1	0.73	10.1	0.55
Breast (<i>in situ</i>)	-	-	-	-	-	851	28.9	1.01	22.1	0.79

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,282	505.1	4.48	332.4	3.05	11,653	413.9	3.94	284.9	2.92
Oral Cavity & Pharynx	447	16.6	0.81	11.7	0.58	192	6.9	0.52	4.6	0.37
Lip	66	2.6	0.33	1.5	0.19	34	1.2	0.22	0.7	0.15
Tongue	111	3.9	0.38	2.9	0.29	43	1.6	0.26	1.2	0.20
Major salivary gland	38	1.5	0.24	0.9	0.16	19	0.7	0.17	0.5	0.12
Floor of mouth	23	0.8	0.18	0.6	0.13	17	0.6	0.14	0.4	0.10
Gum & other mouth	47	1.8	0.27	1.2	0.18	30	1.0	0.18	0.6	0.13
Nasopharynx	13	0.6	0.16	0.5	0.14	9	0.3	0.11	0.2	0.08
Oropharynx	11	0.4	0.13	0.3	0.08	10	0.3	0.10	0.2	0.07
Hypopharynx	30	1.1	0.21	0.8	0.15	6	0.2	0.09	0.1	0.06
Digestive System	2,256	86.5	1.86	54.5	1.21	1,831	62.2	1.49	39.2	1.02
Esophagus	223	8.3	0.57	5.5	0.38	72	2.4	0.29	1.5	0.19
Stomach	150	5.8	0.48	3.5	0.30	96	3.2	0.33	2.1	0.24
Small intestine	44	1.7	0.26	1.1	0.17	48	1.7	0.25	1.1	0.18
Colon excl. rectum	865	33.6	1.17	20.2	0.72	801	27.0	0.98	16.3	0.64
Rectum & rectosigmoid	419	15.8	0.79	10.9	0.55	300	10.4	0.61	7.3	0.45
Anus, anal canal & anorectum	19	0.7	0.16	0.6	0.13	59	2.1	0.28	1.5	0.21
Liver	136	4.9	0.43	3.4	0.31	56	1.9	0.26	1.2	0.18
Gallbladder	7	0.3	0.11	0.2	0.07	26	0.8	0.17	0.5	0.11
Pancreas	326	12.6	0.71	7.6	0.44	279	9.3	0.57	5.6	0.37
Respiratory System	1,878	72.9	1.71	43.2	1.04	1,652	56.7	1.42	35.8	0.95
Larynx	132	4.9	0.43	3.1	0.28	43	1.5	0.23	1.1	0.18
Lung & bronchus	1,719	66.9	1.64	39.3	0.99	1,600	54.9	1.39	34.4	0.93
Bones & Joints	23	1.0	0.21	0.8	0.20	22	0.9	0.19	0.7	0.18
Soft Tissue (incl. heart)	79	3.2	0.37	2.4	0.30	72	2.9	0.36	2.5	0.35
Skin (excl. basal & sq.)	669	26.0	1.03	17.8	0.73	527	20.5	0.93	15.6	0.75
Melanomas of the skin	631	24.4	1.00	16.9	0.71	495	19.3	0.91	14.9	0.73
Breast (excl. <i>in situ</i>)	30	1.1	0.20	0.7	0.14	3,457	123.5	2.16	88.5	1.61
Female Genital System	-	-	-	-	-	1,277	44.9	1.29	32.2	0.97
Cervix uteri	-	-	-	-	-	144	5.9	0.52	4.6	0.41
Uterus Corpus	-	-	-	-	-	661	22.7	0.90	16.4	0.68
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	374	12.9	0.68	8.9	0.51
Male Genital System	4,288	155.3	2.42	109.9	1.73	-	-	-	-	-
Prostate	4,122	147.6	2.34	103.1	1.64	-	-	-	-	-
Testis	129	6.3	0.57	5.9	0.53	-	-	-	-	-
Penis	30	1.2	0.22	0.7	0.13	-	-	-	-	-
Urinary System	1,357	52.7	1.46	31.7	0.91	533	18.4	0.81	11.8	0.57
Bladder (incl. <i>in situ</i>)	918	36.0	1.21	20.3	0.70	293	10.0	0.60	6.0	0.39
Kidney & renal pelvis	417	15.8	0.79	10.9	0.57	231	8.0	0.54	5.7	0.41
Ureter	19	0.7	0.17	0.4	0.11	-	-	-	-	-
Eye & Orbit	26	1.0	0.20	0.7	0.14	28	1.0	0.19	0.7	0.14
Brain & Other Nervous System	214	8.6	0.61	7.0	0.53	134	5.0	0.45	3.9	0.40
Brain	206	8.3	0.59	6.6	0.51	128	4.8	0.43	3.7	0.39
Endocrine System	180	7.4	0.57	5.8	0.46	480	20.7	0.98	17.6	0.86
Thyroid gland	166	6.8	0.55	5.2	0.42	466	20.2	0.97	17.1	0.85
Lymphomas	644	25.4	1.02	17.2	0.73	483	17.1	0.80	11.4	0.60
Hodgkin Lymphoma	67	2.8	0.36	2.6	0.34	54	2.3	0.32	2.1	0.31
Non-Hodgkin Lymphoma	577	22.5	0.96	14.6	0.65	429	14.8	0.73	9.3	0.51
Multiple Myeloma	173	6.7	0.52	4.2	0.33	133	4.5	0.40	2.7	0.25
Leukemias	428	17.3	0.85	11.6	0.64	292	10.6	0.64	7.8	0.57
Acute lymphocytic	24	1.2	0.25	1.5	0.33	25	1.2	0.25	1.6	0.36
Chronic lymphocytic	172	6.8	0.52	3.8	0.30	114	3.8	0.36	2.3	0.24
Acute myeloid	132	5.3	0.47	3.8	0.37	89	3.4	0.37	2.4	0.30
Chronic myeloid	52	2.1	0.29	1.3	0.18	41	1.5	0.24	1.0	0.18
Other leukemias	48	1.9	0.28	1.3	0.21	23	0.8	0.17	0.5	0.11
Mesothelioma	36	1.5	0.25	0.8	0.14	14	0.5	0.14	0.3	0.09
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	526	17.6	0.79	9.6	0.49
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	195	7.8	0.57	5.7	0.45	369	13.6	0.73	9.6	0.55
Breast (<i>in situ</i>)	-	-	-	-	-	812	29.1	1.05	22.3	0.82

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	31	400.7	81.53	275.2	53.58	12	294.0	89.39	167.5	51.88
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	139.7	52.20	87.2	32.30	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	121.4	48.90	75.7	30.19	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	114.4	46.71	71.1	27.99	-	-	-	-	-
Prostate	7	114.4	46.71	71.1	27.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	24	248.6	56.62	153.8	32.13	53	303.1	45.00	200.9	28.10
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	11	80.9	26.46	41.7	12.82
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	6	40.3	17.68	24.1	10.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	6	40.3	17.68	24.1	10.02
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	15	72.3	19.16	56.1	14.78
Female Genital System	-	-	-	-	-	10	51.2	16.53	40.6	13.12
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	484	671.2	35.48	424.4	19.68	517	554.3	26.34	369.4	16.49
Oral Cavity & Pharynx	10	12.4	4.40	8.1	2.60	8	6.7	2.41	5.7	2.04
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	114	145.0	15.73	94.8	9.06	112	132.1	13.46	80.3	7.72
Esophagus	6	7.1	3.21	4.7	1.93	-	-	-	-	-
Stomach	9	14.6	5.48	7.2	2.44	6	6.0	2.58	4.4	1.81
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	40	53.1	9.81	34.0	5.49	60	72.0	10.00	43.4	5.70
Rectum & rectosigmoid	28	33.3	7.04	22.9	4.40	12	14.0	4.39	8.9	2.60
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	20	21.6	5.93	16.5	3.80	8	9.6	3.74	5.8	2.06
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	11	14.1	4.58	7.6	2.34
Respiratory System	88	132.4	15.83	81.3	8.78	72	84.5	10.58	52.0	6.23
Larynx	11	16.8	6.06	11.1	3.38	-	-	-	-	-
Lung & bronchus	76	112.7	14.34	69.4	8.06	69	81.9	10.46	49.9	6.10
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	10	14.4	5.72	8.8	2.87	8	8.6	3.21	5.2	1.85
Melanomas of the skin	9	13.4	5.62	8.0	2.76	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	133	134.0	12.48	96.1	8.46
Female Genital System	-	-	-	-	-	61	56.7	7.57	43.8	5.70
Cervix uteri	-	-	-	-	-	14	11.6	3.16	10.3	2.80
Uterus Corpus	-	-	-	-	-	34	33.3	5.99	24.2	4.21
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	10.8	3.27	8.4	2.46
Male Genital System	121	171.8	17.93	108.9	10.09	-	-	-	-	-
Prostate	116	167.2	17.80	104.8	9.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	55	82.4	13.31	49.6	6.85	30	33.5	6.54	22.1	4.11
Bladder (incl. <i>in situ</i>)	20	38.4	10.12	19.9	4.55	-	-	-	-	-
Kidney & renal pelvis	35	44.0	8.65	29.7	5.12	27	28.4	5.75	19.8	3.87
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	9	9.8	3.92	7.0	2.38	-	-	-	-	-
Brain	9	9.8	3.92	7.0	2.38	-	-	-	-	-
Endocrine System	9	6.9	2.39	7.2	2.45	14	11.6	3.17	9.6	2.57
Thyroid gland	7	5.4	2.09	5.7	2.20	13	11.2	3.14	8.9	2.49
Lymphomas	18	23.0	6.13	15.1	3.63	20	25.5	6.36	13.9	3.14
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	18	23.0	6.13	15.1	3.63	-	-	-	-	-
Multiple Myeloma	11	19.4	6.76	10.6	3.24	-	-	-	-	-
Leukemias	14	17.0	5.65	10.7	2.89	17	14.5	4.02	12.0	2.94
Acute lymphocytic	-	-	-	-	-	6	3.4	1.42	4.2	1.75
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	16	26.7	7.62	15.3	3.88	28	34.7	7.02	19.0	3.64
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	24	23.6	5.44	17.2	3.55
Breast (<i>in situ</i>)	-	-	-	-	-	27	27.4	5.69	18.6	3.63

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	141	467.0	43.53	292.8	25.55	167	407.5	33.32	291.5	23.16
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	31	102.1	20.15	63.2	11.78	28	71.8	14.30	45.5	8.85
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	34.4	11.60	23.2	7.55	9	27.2	9.42	13.9	4.83
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	10	35.7	12.40	19.0	6.20	6	14.9	6.40	10.8	4.53
Respiratory System	24	90.2	19.98	51.7	10.91	16	47.3	12.24	29.3	7.49
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	21	82.5	19.31	45.9	10.31	16	47.3	12.24	29.3	7.49
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	6	13.6	5.97	12.6	5.41	7	12.9	4.95	10.5	3.99
Melanomas of the skin	6	13.6	5.97	12.6	5.41	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	44	113.5	17.89	80.7	12.52
Female Genital System	-	-	-	-	-	20	44.4	10.28	33.9	7.70
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	7	16.0	6.36	11.0	4.14
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	18.1	6.55	14.3	5.14
Male Genital System	39	132.3	23.09	84.3	13.92	-	-	-	-	-
Prostate	38	131.2	23.07	82.9	13.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	43.8	13.62	27.5	8.21	8	21.8	8.13	14.0	5.09
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	8	26.5	10.02	18.2	6.73	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	12.5	5.41	11.6	4.92	12	22.6	7.02	21.0	6.24
Thyroid gland	-	-	-	-	-	12	22.6	7.02	21.0	6.24
Lymphomas	8	25.3	9.93	15.1	5.49	10	28.1	9.43	17.7	5.70
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	8	25.3	9.93	15.1	5.49	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	9	19.1	6.82	15.3	5.27
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	8	20.7	7.50	16.1	5.79
Breast (<i>in situ</i>)	-	-	-	-	-	6	14.6	6.03	12.8	5.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MONTANA

236 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,155	505.7	4.51	332.9	3.07	11,492	413.2	3.97	284.2	2.95
Oral Cavity & Pharynx	446	16.8	0.82	11.8	0.59	191	7.0	0.52	4.6	0.38
Lip	66	2.6	0.33	1.5	0.20	33	1.2	0.22	0.7	0.14
Tongue	111	3.9	0.38	3.0	0.29	43	1.7	0.27	1.2	0.20
Major salivary gland	37	1.4	0.24	0.9	0.15	19	0.7	0.17	0.5	0.13
Floor of mouth	23	0.8	0.18	0.6	0.13	17	0.6	0.14	0.4	0.10
Gum & other mouth	47	1.8	0.27	1.2	0.19	30	1.0	0.18	0.6	0.13
Nasopharynx	13	0.6	0.17	0.5	0.14	9	0.3	0.12	0.2	0.09
Oropharynx	11	0.4	0.13	0.3	0.08	10	0.3	0.10	0.2	0.07
Hypopharynx	30	1.1	0.21	0.8	0.15	6	0.2	0.09	0.1	0.06
Digestive System	2,227	86.3	1.87	54.4	1.21	1,804	61.9	1.49	39.0	1.02
Esophagus	221	8.3	0.57	5.5	0.38	71	2.4	0.29	1.5	0.19
Stomach	148	5.8	0.49	3.5	0.30	93	3.1	0.33	2.1	0.23
Small intestine	44	1.7	0.26	1.1	0.17	48	1.7	0.25	1.1	0.18
Colon excl. rectum	857	33.7	1.17	20.2	0.72	792	27.0	0.98	16.3	0.65
Rectum & rectosigmoid	417	15.9	0.80	11.0	0.56	295	10.4	0.62	7.2	0.45
Anus, anal canal & anorectum	19	0.7	0.16	0.6	0.14	58	2.1	0.29	1.5	0.21
Liver	132	4.8	0.43	3.3	0.31	56	1.9	0.26	1.2	0.18
Gallbladder	7	0.3	0.11	0.2	0.07	26	0.9	0.17	0.5	0.11
Pancreas	316	12.3	0.71	7.5	0.44	273	9.2	0.57	5.5	0.37
Respiratory System	1,855	72.7	1.72	43.0	1.05	1,636	56.7	1.42	35.8	0.96
Larynx	130	4.8	0.43	3.1	0.28	43	1.5	0.24	1.2	0.18
Lung & bronchus	1,699	66.8	1.65	39.2	1.00	1,584	54.9	1.40	34.4	0.94
Bones & Joints	23	1.0	0.21	0.9	0.20	22	0.9	0.20	0.7	0.19
Soft Tissue (incl. heart)	79	3.3	0.38	2.4	0.31	68	2.8	0.36	2.5	0.35
Skin (excl. basal & sq.)	664	26.1	1.04	17.9	0.73	520	20.5	0.94	15.5	0.75
Melanomas of the skin	626	24.5	1.01	17.0	0.72	490	19.4	0.91	14.9	0.74
Breast (excl. <i>in situ</i>)	30	1.1	0.21	0.7	0.14	3,414	123.5	2.18	88.5	1.62
Female Genital System	-	-	-	-	-	1,257	44.7	1.30	32.1	0.98
Cervix uteri	-	-	-	-	-	141	5.9	0.52	4.6	0.42
Uterus Corpus	-	-	-	-	-	654	22.7	0.91	16.5	0.68
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	366	12.8	0.68	8.8	0.51
Male Genital System	4,256	155.8	2.44	110.3	1.75	-	-	-	-	-
Prostate	4,090	147.8	2.36	103.3	1.65	-	-	-	-	-
Testis	129	6.5	0.58	6.1	0.55	-	-	-	-	-
Penis	30	1.2	0.22	0.7	0.13	-	-	-	-	-
Urinary System	1,345	52.7	1.47	31.7	0.91	525	18.3	0.82	11.8	0.57
Bladder (incl. <i>in situ</i>)	914	36.2	1.22	20.4	0.71	288	10.0	0.60	5.9	0.39
Kidney & renal pelvis	409	15.7	0.80	10.8	0.57	228	8.0	0.55	5.7	0.42
Ureter	19	0.7	0.17	0.5	0.11	-	-	-	-	-
Eye & Orbit	26	1.0	0.20	0.7	0.15	28	1.0	0.20	0.7	0.14
Brain & Other Nervous System	210	8.6	0.61	6.9	0.53	130	4.9	0.45	3.8	0.40
Brain	202	8.2	0.59	6.5	0.51	124	4.7	0.44	3.6	0.38
Endocrine System	175	7.4	0.58	5.7	0.47	468	20.6	0.99	17.4	0.86
Thyroid gland	161	6.8	0.55	5.1	0.43	454	20.1	0.98	17.0	0.85
Lymphomas	638	25.5	1.03	17.3	0.74	476	17.0	0.81	11.4	0.60
Hodgkin Lymphoma	67	2.9	0.37	2.7	0.35	52	2.2	0.32	2.1	0.32
Non-Hodgkin Lymphoma	571	22.6	0.97	14.7	0.65	424	14.8	0.74	9.3	0.51
Multiple Myeloma	171	6.7	0.52	4.2	0.34	133	4.6	0.40	2.7	0.26
Leukemias	425	17.4	0.86	11.6	0.65	284	10.5	0.65	7.7	0.58
Acute lymphocytic	22	1.2	0.25	1.4	0.32	23	1.2	0.26	1.6	0.37
Chronic lymphocytic	172	6.8	0.53	3.8	0.31	113	3.8	0.36	2.3	0.24
Acute myeloid	132	5.4	0.48	3.8	0.38	87	3.4	0.37	2.3	0.30
Chronic myeloid	51	2.0	0.29	1.3	0.19	38	1.4	0.23	1.0	0.18
Other leukemias	48	2.0	0.29	1.3	0.21	23	0.8	0.18	0.5	0.12
Mesothelioma	36	1.5	0.25	0.8	0.14	14	0.5	0.14	0.3	0.09
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	522	17.6	0.79	9.6	0.49
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	195	7.9	0.58	5.8	0.46	361	13.5	0.74	9.5	0.56
Breast (<i>in situ</i>)	-	-	-	-	-	806	29.4	1.06	22.5	0.83

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	30	410.4	84.47	281.6	55.30	11	327.1	105.01	177.6	56.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	145.5	54.31	90.8	33.47	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	126.7	50.95	79.0	31.31	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	119.4	48.70	74.0	29.01	-	-	-	-	-
Prostate	7	119.4	48.70	74.0	29.01	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MONTANA

238 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	23,176	526.2	3.50	345.3	2.39	22,006	420.9	2.90	291.3	2.18
Oral Cavity & Pharynx	729	15.9	0.60	11.2	0.43	366	6.8	0.37	4.7	0.28
Lip	96	2.2	0.23	1.3	0.14	33	0.6	0.11	0.3	0.07
Tongue	185	4.0	0.30	3.0	0.22	113	2.1	0.20	1.4	0.15
Major salivary gland	82	1.9	0.21	1.1	0.13	61	1.1	0.15	0.8	0.12
Floor of mouth	42	0.9	0.14	0.6	0.10	22	0.4	0.09	0.3	0.07
Gum & other mouth	83	1.9	0.21	1.2	0.14	84	1.6	0.18	1.1	0.14
Nasopharynx	28	0.6	0.11	0.5	0.10	10	0.2	0.07	0.2	0.06
Oropharynx	28	0.6	0.11	0.4	0.08	-	-	-	-	-
Hypopharynx	44	1.0	0.15	0.7	0.11	14	0.3	0.08	0.3	0.07
Digestive System	4,440	100.9	1.53	63.7	1.01	3,944	71.1	1.16	42.9	0.78
Esophagus	375	8.4	0.44	5.6	0.30	109	2.0	0.19	1.3	0.13
Stomach	339	7.7	0.42	4.9	0.28	186	3.4	0.25	2.1	0.17
Small intestine	130	3.0	0.26	2.0	0.18	109	2.1	0.20	1.5	0.16
Colon excl. rectum	1,701	39.5	0.97	23.4	0.60	1,933	33.9	0.79	19.4	0.51
Rectum & rectosigmoid	818	18.2	0.64	12.2	0.44	552	10.5	0.46	6.9	0.33
Anus, anal canal & anorectum	45	1.0	0.15	0.8	0.12	97	1.9	0.19	1.3	0.14
Liver	302	6.6	0.38	4.5	0.27	96	1.8	0.19	1.3	0.15
Gallbladder	38	0.9	0.14	0.5	0.09	66	1.2	0.15	0.7	0.10
Pancreas	560	12.7	0.54	7.9	0.35	584	10.5	0.44	6.1	0.29
Respiratory System	3,573	82.0	1.39	51.0	0.90	2,840	53.2	1.01	34.4	0.71
Larynx	273	5.9	0.36	4.3	0.27	68	1.3	0.16	0.9	0.12
Lung & bronchus	3,238	74.6	1.32	45.7	0.85	2,737	51.2	0.99	33.0	0.69
Bones & Joints	51	1.2	0.17	1.0	0.15	29	0.6	0.11	0.5	0.11
Soft Tissue (incl. heart)	152	3.5	0.29	2.5	0.22	141	2.8	0.24	2.2	0.21
Skin (excl. basal & sq.)	1,008	23.1	0.74	15.7	0.52	816	16.8	0.60	12.8	0.49
Melanomas of the skin	927	21.3	0.71	14.5	0.50	745	15.5	0.58	11.9	0.47
Breast (excl. <i>in situ</i>)	53	1.2	0.17	0.7	0.11	6,257	122.3	1.58	88.0	1.20
Female Genital System	-	-	-	-	-	2,411	47.3	0.98	35.1	0.76
Cervix uteri	-	-	-	-	-	297	6.8	0.41	5.4	0.32
Uterus Corpus	-	-	-	-	-	1,277	24.6	0.70	18.5	0.55
Uterus, NOS ¹	-	-	-	-	-	44	0.8	0.12	0.4	0.08
Ovary	-	-	-	-	-	578	11.1	0.47	8.0	0.36
Male Genital System	6,752	150.6	1.85	104.0	1.32	-	-	-	-	-
Prostate	6,424	143.0	1.81	97.3	1.26	-	-	-	-	-
Testis	281	6.5	0.39	6.1	0.37	-	-	-	-	-
Penis	36	0.8	0.14	0.5	0.08	-	-	-	-	-
Urinary System	2,518	58.1	1.17	35.5	0.75	1,164	21.7	0.65	14.2	0.47
Bladder (incl. <i>in situ</i>)	1,481	35.0	0.92	19.5	0.54	483	8.6	0.40	5.0	0.26
Kidney & renal pelvis	988	21.9	0.71	15.4	0.51	640	12.4	0.50	8.7	0.38
Ureter	40	1.0	0.16	0.5	0.08	28	0.5	0.09	0.3	0.06
Eye & Orbit	40	0.9	0.15	0.8	0.13	39	0.8	0.12	0.6	0.12
Brain & Other Nervous System	359	8.2	0.44	6.6	0.37	311	6.3	0.37	5.3	0.34
Brain	346	7.9	0.43	6.3	0.37	295	6.0	0.36	5.0	0.33
Endocrine System	291	6.5	0.38	5.2	0.32	938	20.5	0.68	16.9	0.57
Thyroid gland	261	5.8	0.36	4.6	0.29	919	20.1	0.67	16.5	0.57
Lymphomas	1,175	27.0	0.80	18.4	0.57	1,061	20.3	0.63	14.1	0.49
Hodgkin Lymphoma	151	3.4	0.28	3.2	0.27	117	2.6	0.24	2.4	0.23
Non-Hodgkin Lymphoma	1,024	23.5	0.74	15.3	0.51	944	17.7	0.59	11.8	0.43
Multiple Myeloma	309	7.1	0.41	4.3	0.26	236	4.3	0.29	2.7	0.20
Leukemias	752	17.3	0.64	11.6	0.46	587	10.9	0.46	7.9	0.38
Acute lymphocytic	73	1.6	0.19	2.0	0.24	49	1.1	0.15	1.3	0.19
Chronic lymphocytic	321	7.3	0.41	4.4	0.26	225	3.9	0.26	2.3	0.18
Acute myeloid	181	4.3	0.32	2.6	0.22	162	3.1	0.25	2.4	0.21
Chronic myeloid	84	1.9	0.21	1.2	0.14	68	1.3	0.17	0.9	0.13
Other leukemias	93	2.2	0.23	1.3	0.15	83	1.5	0.17	1.0	0.13
Mesothelioma	74	1.8	0.21	1.0	0.12	24	0.4	0.09	0.3	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	294	6.6	0.39	4.9	0.30	568	11.3	0.49	8.4	0.39
Breast (<i>in situ</i>)	-	-	-	-	-	1,415	28.5	0.77	21.4	0.59

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	21,823	517.7	3.54	339.5	2.44	20,828	418.4	2.97	290.0	2.24
Oral Cavity & Pharynx	689	15.7	0.61	11.1	0.44	346	6.8	0.37	4.7	0.28
Lip	93	2.2	0.23	1.3	0.15	31	0.6	0.11	0.3	0.07
Tongue	177	4.0	0.30	3.0	0.23	105	2.1	0.21	1.4	0.15
Major salivary gland	76	1.8	0.21	1.1	0.13	58	1.1	0.15	0.8	0.12
Floor of mouth	42	0.9	0.15	0.7	0.11	21	0.4	0.09	0.3	0.07
Gum & other mouth	76	1.8	0.21	1.1	0.14	81	1.6	0.18	1.1	0.14
Nasopharynx	24	0.5	0.11	0.4	0.09	8	0.2	0.06	0.1	0.04
Oropharynx	24	0.5	0.11	0.4	0.08	-	-	-	-	-
Hypopharynx	40	0.9	0.14	0.7	0.11	14	0.3	0.08	0.3	0.07
Digestive System	4,165	98.8	1.55	62.0	1.02	3,731	69.9	1.18	42.1	0.80
Esophagus	361	8.4	0.45	5.6	0.31	103	2.0	0.20	1.2	0.14
Stomach	315	7.5	0.42	4.7	0.28	169	3.2	0.25	2.0	0.17
Small intestine	122	2.9	0.27	1.9	0.18	103	2.1	0.21	1.5	0.16
Colon excl. rectum	1,602	38.7	0.98	23.0	0.61	1,840	33.4	0.80	19.0	0.52
Rectum & rectosigmoid	786	18.2	0.66	12.2	0.46	522	10.4	0.47	6.8	0.33
Anus, anal canal & anorectum	40	0.9	0.14	0.7	0.12	93	1.9	0.20	1.3	0.15
Liver	243	5.6	0.36	3.6	0.25	87	1.7	0.19	1.2	0.15
Gallbladder	36	0.9	0.14	0.5	0.09	63	1.2	0.15	0.7	0.10
Pancreas	539	12.7	0.55	7.9	0.36	551	10.2	0.45	5.9	0.29
Respiratory System	3,393	81.1	1.40	50.3	0.91	2,702	52.9	1.03	34.2	0.73
Larynx	261	5.9	0.37	4.2	0.27	64	1.3	0.17	0.9	0.12
Lung & bronchus	3,077	73.8	1.34	45.1	0.86	2,605	50.8	1.01	32.8	0.71
Bones & Joints	50	1.3	0.18	1.1	0.16	28	0.6	0.12	0.5	0.12
Soft Tissue (incl. heart)	144	3.5	0.29	2.5	0.23	135	2.9	0.26	2.2	0.22
Skin (excl. basal & sq.)	911	22.0	0.74	14.9	0.52	713	15.6	0.60	11.9	0.49
Melanomas of the skin	836	20.2	0.71	13.8	0.50	650	14.4	0.58	11.0	0.47
Breast (excl. <i>in situ</i>)	48	1.1	0.17	0.7	0.10	5,962	122.8	1.63	88.5	1.24
Female Genital System	-	-	-	-	-	2,312	47.9	1.02	35.6	0.80
Cervix uteri	-	-	-	-	-	277	6.9	0.43	5.4	0.34
Uterus Corpus	-	-	-	-	-	1,236	25.1	0.72	18.9	0.57
Uterus, NOS ¹	-	-	-	-	-	43	0.8	0.12	0.5	0.08
Ovary	-	-	-	-	-	563	11.4	0.49	8.2	0.38
Male Genital System	6,293	146.6	1.87	101.5	1.33	-	-	-	-	-
Prostate	5,978	138.6	1.81	94.4	1.27	-	-	-	-	-
Testis	270	6.9	0.43	6.5	0.40	-	-	-	-	-
Penis	35	0.8	0.14	0.5	0.08	-	-	-	-	-
Urinary System	2,428	58.3	1.19	35.6	0.77	1,094	21.3	0.66	13.9	0.48
Bladder (incl. <i>in situ</i>)	1,447	35.4	0.94	19.8	0.56	458	8.5	0.41	5.0	0.27
Kidney & renal pelvis	933	21.6	0.72	15.3	0.53	598	12.1	0.51	8.6	0.39
Ureter	40	1.0	0.16	0.5	0.08	28	0.5	0.10	0.3	0.06
Eye & Orbit	36	0.9	0.15	0.7	0.14	35	0.7	0.13	0.6	0.12
Brain & Other Nervous System	348	8.4	0.46	6.9	0.40	296	6.4	0.38	5.4	0.36
Brain	337	8.2	0.45	6.6	0.39	281	6.1	0.37	5.1	0.35
Endocrine System	279	6.6	0.40	5.3	0.33	888	20.8	0.71	17.2	0.60
Thyroid gland	251	5.9	0.38	4.7	0.31	871	20.4	0.71	16.9	0.60
Lymphomas	1,114	27.0	0.82	18.4	0.59	997	20.0	0.65	14.0	0.50
Hodgkin Lymphoma	136	3.4	0.29	3.1	0.28	105	2.5	0.25	2.4	0.25
Non-Hodgkin Lymphoma	978	23.6	0.76	15.3	0.52	892	17.4	0.60	11.6	0.44
Multiple Myeloma	284	6.8	0.41	4.1	0.26	216	4.1	0.29	2.6	0.20
Leukemias	715	17.3	0.65	11.6	0.48	557	10.8	0.47	7.9	0.40
Acute lymphocytic	68	1.7	0.20	2.0	0.26	47	1.1	0.17	1.4	0.21
Chronic lymphocytic	302	7.2	0.42	4.3	0.26	216	3.9	0.27	2.3	0.18
Acute myeloid	177	4.4	0.33	2.7	0.23	152	3.1	0.26	2.3	0.22
Chronic myeloid	81	1.9	0.21	1.3	0.15	63	1.3	0.17	0.9	0.13
Other leukemias	87	2.2	0.23	1.3	0.16	79	1.5	0.17	1.0	0.13
Mesothelioma	72	1.8	0.21	1.0	0.12	24	0.5	0.10	0.3	0.07
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	282	6.7	0.40	5.0	0.32	541	11.5	0.51	8.6	0.41
Breast (<i>in situ</i>)	-	-	-	-	-	1,337	28.4	0.79	21.3	0.61

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	723	576.3	23.69	395.9	15.15	666	440.9	17.62	294.9	11.76
Oral Cavity & Pharynx	17	11.8	2.96	10.0	2.49	6	3.7	1.57	2.7	1.16
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	178	148.3	12.29	96.6	7.45	147	103.2	8.74	63.0	5.38
Esophagus	11	7.8	2.52	5.9	1.82	-	-	-	-	-
Stomach	15	10.0	2.71	7.8	2.10	14	10.2	2.79	5.7	1.58
Small intestine	7	4.3	1.66	3.6	1.41	-	-	-	-	-
Colon excl. rectum	64	63.6	8.70	35.3	4.53	67	48.3	6.06	28.0	3.55
Rectum & rectosigmoid	15	11.6	3.27	7.7	2.06	14	8.6	2.35	6.1	1.67
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	38	24.6	4.15	20.9	3.48	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	16	14.9	4.10	9.2	2.36	26	17.6	3.56	11.1	2.26
Respiratory System	129	109.1	10.44	70.6	6.38	97	68.3	7.10	43.1	4.53
Larynx	10	7.3	2.44	5.4	1.76	-	-	-	-	-
Lung & bronchus	113	97.4	9.97	62.1	5.99	93	66.2	7.02	41.4	4.44
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	192	122.8	9.09	88.3	6.52
Female Genital System	-	-	-	-	-	53	33.0	4.64	24.3	3.42
Cervix uteri	-	-	-	-	-	10	5.5	1.73	4.3	1.36
Uterus Corpus	-	-	-	-	-	27	17.8	3.50	12.7	2.51
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	4.2	1.60	3.2	1.23
Male Genital System	244	190.6	13.23	140.0	9.20	-	-	-	-	-
Prostate	243	190.3	13.23	139.6	9.19	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	45.8	7.07	28.9	4.05	50	35.8	5.22	21.9	3.20
Bladder (incl. <i>in situ</i>)	15	11.7	3.44	8.3	2.21	16	12.4	3.17	6.5	1.72
Kidney & renal pelvis	38	33.3	6.12	19.8	3.32	32	22.2	4.08	14.3	2.60
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	3.7	1.82	2.5	1.02	10	4.1	1.36	4.3	1.37
Brain	-	-	-	-	-	9	3.9	1.33	3.9	1.30
Endocrine System	-	-	-	-	-	23	12.1	2.54	10.2	2.14
Thyroid gland	-	-	-	-	-	21	11.2	2.45	9.3	2.04
Lymphomas	32	19.8	3.94	14.8	2.67	29	17.3	3.32	12.7	2.39
Hodgkin Lymphoma	10	4.6	1.49	4.1	1.30	-	-	-	-	-
Non-Hodgkin Lymphoma	22	15.1	3.64	10.7	2.34	-	-	-	-	-
Multiple Myeloma	18	14.1	3.76	9.7	2.34	15	11.0	2.89	6.0	1.62
Leukemias	11	6.4	2.35	5.0	1.52	9	5.2	1.83	4.2	1.43
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	16	13.9	3.93	9.1	2.32	30	21.7	4.12	11.6	2.20
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	7	4.7	1.92	3.6	1.40	18	12.2	2.97	7.4	1.81
Breast (<i>in situ</i>)	-	-	-	-	-	45	28.4	4.32	21.9	3.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	140	348.1	35.07	223.2	19.46	136	227.3	22.01	155.5	13.71
Oral Cavity & Pharynx	8	20.3	8.97	12.7	4.79	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	45	116.3	20.74	71.7	10.92	28	59.1	12.40	33.7	6.56
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	13	39.5	12.92	19.8	5.54	10	19.1	6.61	11.1	3.60
Rectum & rectosigmoid	9	23.7	9.52	13.0	4.51	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	15	39.0	12.14	26.8	7.04	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	21	54.8	14.02	33.2	7.47	18	32.1	8.37	22.1	5.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	53.1	13.92	31.8	7.33	18	32.1	8.37	22.1	5.28
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	36	57.8	10.66	41.2	7.02
Female Genital System	-	-	-	-	-	17	27.1	7.59	19.7	4.91
Cervix uteri	-	-	-	-	-	7	12.7	5.92	8.4	3.28
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	25	60.7	14.06	41.6	8.55	-	-	-	-	-
Prostate	22	58.5	14.00	39.0	8.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	28.2	12.20	11.9	4.68	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	12	12.1	3.57	10.2	2.97
Thyroid gland	-	-	-	-	-	12	12.1	3.57	10.2	2.97
Lymphomas	13	26.1	8.33	19.7	5.64	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	8	20.4	8.14	13.8	4.99	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	11	15.5	4.81	12.9	3.96

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	78	482.0	73.59	290.8	35.41	99	425.8	48.15	278.0	28.90
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	99.9	30.77	61.2	15.16	14	56.2	16.26	43.3	11.85
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	48.3	26.44	21.3	9.15	9	40.7	14.67	30.0	10.15
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	15	126.0	40.22	68.7	18.32	17	100.6	26.35	51.0	12.62
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	126.0	40.22	68.7	18.32	15	83.7	23.50	45.2	11.93
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	27	110.5	23.86	72.0	14.15
Female Genital System	-	-	-	-	-	10	37.7	13.44	26.0	8.54
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	17	115.3	36.86	67.2	17.13	-	-	-	-	-
Prostate	14	103.7	36.14	59.0	16.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	31.4	11.93	25.0	9.50	10	33.2	11.40	26.0	8.67
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	22.8	10.06	17.6	7.70	8	23.4	8.48	19.4	7.08
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	61.3	33.77	27.9	12.49	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	510	375.7	20.52	241.5	11.68	559	349.6	17.07	240.3	11.04
Oral Cavity & Pharynx	16	9.1	2.91	5.8	1.57	8	4.4	1.99	2.7	1.09
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	112	101.6	11.34	58.7	5.87	84	63.0	7.74	38.8	4.50
Esophagus	6	6.4	3.03	3.1	1.35	-	-	-	-	-
Stomach	21	15.1	3.97	9.8	2.31	9	7.8	2.78	4.7	1.65
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	26	27.2	6.24	14.3	2.97	27	18.4	4.01	12.8	2.62
Rectum & rectosigmoid	19	17.8	4.80	10.4	2.51	18	12.5	3.35	7.3	1.82
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	11.7	3.37	8.4	2.18	9	8.0	2.99	4.0	1.38
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	10.9	3.70	6.2	1.93	-	-	-	-	-
Respiratory System	52	49.6	7.82	29.1	4.25	38	32.9	5.76	20.9	3.60
Larynx	6	2.4	1.02	2.0	0.84	-	-	-	-	-
Lung & bronchus	42	44.7	7.57	25.6	4.09	35	30.6	5.59	19.0	3.40
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	10	3.5	1.17	3.0	0.98
Skin (excl. basal & sq.)	11	8.3	3.24	5.0	1.67	7	4.2	1.88	2.7	1.16
Melanomas of the skin	8	6.6	3.04	3.4	1.32	7	4.2	1.88	2.7	1.16
Breast (excl. <i>in situ</i>)	-	-	-	-	-	157	97.9	8.85	68.9	5.96
Female Genital System	-	-	-	-	-	85	46.0	5.75	32.9	3.86
Cervix uteri	-	-	-	-	-	23	9.6	2.35	6.9	1.55
Uterus Corpus	-	-	-	-	-	34	21.7	4.24	14.9	2.75
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	17	7.0	1.79	5.8	1.46
Male Genital System	139	105.1	10.44	73.4	6.65	-	-	-	-	-
Prostate	117	100.2	10.38	68.5	6.56	-	-	-	-	-
Testis	22	4.8	1.09	4.9	1.08	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	55	38.5	6.38	26.0	3.83	28	19.4	4.08	13.6	2.76
Bladder (incl. <i>in situ</i>)	17	17.8	4.76	10.5	2.64	7	4.9	2.04	3.2	1.27
Kidney & renal pelvis	38	20.8	4.25	15.4	2.78	21	14.4	3.52	10.4	2.45
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	4.0	1.23	3.7	1.12	11	4.4	1.41	3.9	1.20
Brain	13	4.0	1.23	3.7	1.12	10	3.9	1.32	3.5	1.13
Endocrine System	12	6.7	2.47	5.0	1.64	48	21.2	3.59	16.9	2.69
Thyroid gland	8	5.0	2.14	3.6	1.40	48	21.2	3.59	16.9	2.69
Lymphomas	36	20.4	4.68	12.7	2.41	32	19.4	4.11	12.4	2.37
Hodgkin Lymphoma	7	1.5	0.61	1.7	0.64	11	4.1	1.65	3.1	0.96
Non-Hodgkin Lymphoma	29	18.9	4.64	11.0	2.32	21	15.3	3.77	9.3	2.17
Multiple Myeloma	-	-	-	-	-	9	7.9	2.83	4.8	1.64
Leukemias	24	7.8	2.53	6.8	1.59	23	8.8	2.16	8.5	2.02
Acute lymphocytic	12	1.9	0.56	2.7	0.77	7	1.2	0.47	1.8	0.67
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	10	4.7	2.29	3.2	1.14	7	3.8	1.55	3.5	1.43
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	22	14.7	4.09	9.4	2.23	19	16.6	4.13	10.1	2.45
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	11	7.4	2.91	4.5	1.53	22	12.2	3.06	8.8	2.05
Breast (<i>in situ</i>)	-	-	-	-	-	39	24.2	4.24	18.7	3.21

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEBRASKA

244 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	21,353	522.3	3.61	342.9	2.51	20,310	420.3	3.04	291.6	2.31
Oral Cavity & Pharynx	674	15.9	0.62	11.3	0.45	339	6.8	0.38	4.7	0.29
Lip	92	2.3	0.24	1.4	0.16	31	0.6	0.11	0.3	0.07
Tongue	173	4.0	0.31	3.0	0.24	104	2.1	0.21	1.4	0.16
Major salivary gland	73	1.8	0.21	1.0	0.13	56	1.1	0.16	0.8	0.12
Floor of mouth	42	1.0	0.15	0.7	0.11	21	0.4	0.09	0.3	0.07
Gum & other mouth	76	1.8	0.21	1.2	0.15	78	1.5	0.18	1.1	0.14
Nasopharynx	20	0.4	0.10	0.4	0.08	8	0.2	0.07	0.1	0.05
Oropharynx	24	0.6	0.11	0.4	0.08	-	-	-	-	-
Hypopharynx	39	0.9	0.15	0.7	0.11	14	0.3	0.09	0.3	0.07
Digestive System	4,063	99.1	1.57	62.3	1.04	3,651	69.9	1.19	42.0	0.81
Esophagus	355	8.5	0.46	5.7	0.32	101	1.9	0.20	1.2	0.14
Stomach	297	7.2	0.42	4.5	0.28	160	3.1	0.25	1.9	0.17
Small intestine	118	2.9	0.27	1.9	0.19	103	2.1	0.21	1.5	0.17
Colon excl. rectum	1,579	39.2	1.00	23.3	0.63	1,813	33.6	0.81	19.0	0.53
Rectum & rectosigmoid	767	18.3	0.67	12.4	0.47	505	10.3	0.47	6.8	0.34
Anus, anal canal & anorectum	40	1.0	0.15	0.8	0.13	90	1.9	0.20	1.3	0.15
Liver	229	5.5	0.36	3.5	0.25	79	1.6	0.19	1.1	0.15
Gallbladder	33	0.8	0.14	0.5	0.09	59	1.1	0.15	0.6	0.10
Pancreas	528	12.8	0.56	8.0	0.37	547	10.4	0.45	6.0	0.30
Respiratory System	3,344	81.9	1.43	50.9	0.93	2,665	53.3	1.05	34.5	0.74
Larynx	255	6.0	0.38	4.3	0.28	61	1.3	0.17	0.9	0.12
Lung & bronchus	3,038	74.6	1.37	45.7	0.88	2,571	51.3	1.03	33.1	0.73
Bones & Joints	48	1.3	0.19	1.1	0.17	28	0.7	0.13	0.6	0.13
Soft Tissue (incl. heart)	140	3.6	0.30	2.6	0.25	125	2.7	0.25	2.1	0.22
Skin (excl. basal & sq.)	900	22.6	0.77	15.4	0.55	708	16.3	0.64	12.5	0.52
Melanomas of the skin	828	20.9	0.74	14.3	0.53	645	15.0	0.61	11.6	0.50
Breast (excl. <i>in situ</i>)	48	1.2	0.17	0.7	0.11	5,818	123.7	1.67	89.2	1.27
Female Genital System	-	-	-	-	-	2,231	47.7	1.04	35.5	0.81
Cervix uteri	-	-	-	-	-	254	6.7	0.43	5.3	0.35
Uterus Corpus	-	-	-	-	-	1,203	25.1	0.74	19.0	0.58
Uterus, NOS ¹	-	-	-	-	-	41	0.8	0.12	0.5	0.08
Ovary	-	-	-	-	-	547	11.3	0.50	8.2	0.39
Male Genital System	6,169	148.0	1.90	102.6	1.37	-	-	-	-	-
Prostate	5,872	139.7	1.84	95.2	1.29	-	-	-	-	-
Testis	252	7.2	0.46	6.7	0.43	-	-	-	-	-
Penis	35	0.8	0.14	0.5	0.09	-	-	-	-	-
Urinary System	2,377	58.6	1.21	35.8	0.78	1,068	21.3	0.67	13.9	0.49
Bladder (incl. <i>in situ</i>)	1,431	35.9	0.95	20.1	0.57	452	8.5	0.41	5.0	0.27
Kidney & renal pelvis	898	21.5	0.73	15.1	0.53	578	12.1	0.52	8.6	0.41
Ureter	40	1.0	0.16	0.5	0.08	28	0.5	0.10	0.3	0.07
Eye & Orbit	33	0.9	0.15	0.7	0.13	35	0.8	0.14	0.7	0.14
Brain & Other Nervous System	335	8.7	0.48	7.1	0.43	286	6.6	0.40	5.6	0.39
Brain	324	8.4	0.47	6.8	0.42	272	6.3	0.39	5.2	0.38
Endocrine System	268	6.7	0.42	5.4	0.35	845	21.0	0.74	17.3	0.63
Thyroid gland	243	6.1	0.40	4.8	0.32	828	20.6	0.74	17.0	0.62
Lymphomas	1,079	27.2	0.84	18.6	0.62	967	20.0	0.66	14.0	0.52
Hodgkin Lymphoma	129	3.5	0.31	3.2	0.30	94	2.4	0.26	2.3	0.25
Non-Hodgkin Lymphoma	950	23.7	0.78	15.4	0.54	873	17.5	0.61	11.7	0.45
Multiple Myeloma	280	6.9	0.42	4.1	0.26	207	4.0	0.29	2.5	0.20
Leukemias	692	17.3	0.67	11.5	0.50	536	10.7	0.48	7.7	0.41
Acute lymphocytic	57	1.6	0.21	1.9	0.27	40	1.0	0.17	1.2	0.22
Chronic lymphocytic	302	7.3	0.43	4.4	0.27	214	3.9	0.27	2.3	0.18
Acute myeloid	167	4.3	0.33	2.6	0.22	147	3.1	0.26	2.4	0.23
Chronic myeloid	80	1.9	0.22	1.3	0.16	58	1.2	0.16	0.8	0.12
Other leukemias	86	2.2	0.24	1.4	0.17	77	1.5	0.18	1.0	0.13
Mesothelioma	69	1.7	0.21	0.9	0.12	24	0.5	0.10	0.3	0.07
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	271	6.7	0.41	5.1	0.33	522	11.5	0.52	8.6	0.42
Breast (<i>in situ</i>)	-	-	-	-	-	1,302	28.7	0.81	21.5	0.63

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	720	585.3	24.06	403.5	15.46	663	449.1	17.96	300.7	12.01
Oral Cavity & Pharynx	17	12.1	3.02	10.2	2.54	6	3.8	1.61	2.8	1.19
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	177	150.0	12.45	98.3	7.60	147	105.3	8.91	64.4	5.49
Esophagus	11	8.0	2.57	6.0	1.86	-	-	-	-	-
Stomach	14	8.9	2.44	7.6	2.09	14	10.4	2.85	5.9	1.62
Small intestine	7	4.4	1.70	3.7	1.44	-	-	-	-	-
Colon excl. rectum	64	64.7	8.85	36.1	4.63	67	49.3	6.18	28.6	3.62
Rectum & rectosigmoid	15	11.8	3.33	7.9	2.10	14	8.8	2.41	6.2	1.71
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	38	25.2	4.25	21.4	3.57	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	16	15.2	4.18	9.4	2.41	26	18.0	3.62	11.4	2.31
Respiratory System	129	111.2	10.63	72.1	6.52	97	69.6	7.23	44.0	4.62
Larynx	10	7.4	2.49	5.5	1.79	-	-	-	-	-
Lung & bronchus	113	99.3	10.15	63.4	6.12	93	67.4	7.15	42.2	4.53
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	190	124.5	9.25	89.6	6.65
Female Genital System	-	-	-	-	-	53	33.8	4.75	24.9	3.50
Cervix uteri	-	-	-	-	-	10	5.7	1.80	4.5	1.41
Uterus Corpus	-	-	-	-	-	27	18.1	3.58	12.9	2.57
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	4.3	1.65	3.3	1.27
Male Genital System	243	194.0	13.47	142.4	9.37	-	-	-	-	-
Prostate	242	193.6	13.47	142.0	9.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	46.8	7.21	29.6	4.15	50	36.5	5.32	22.3	3.27
Bladder (incl. <i>in situ</i>)	15	11.9	3.52	8.5	2.26	16	12.7	3.23	6.7	1.75
Kidney & renal pelvis	38	34.1	6.24	20.3	3.40	32	22.7	4.15	14.6	2.66
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	3.9	1.86	2.6	1.06	10	4.3	1.42	4.6	1.45
Brain	-	-	-	-	-	9	4.1	1.40	4.1	1.37
Endocrine System	-	-	-	-	-	23	12.5	2.62	10.5	2.21
Thyroid gland	-	-	-	-	-	21	11.5	2.53	9.6	2.10
Lymphomas	32	20.3	4.03	15.3	2.76	29	17.8	3.41	13.1	2.46
Hodgkin Lymphoma	10	4.8	1.55	4.3	1.35	-	-	-	-	-
Non-Hodgkin Lymphoma	22	15.5	3.72	11.0	2.40	-	-	-	-	-
Multiple Myeloma	18	14.4	3.84	9.9	2.40	15	11.2	2.95	6.1	1.65
Leukemias	11	6.6	2.40	5.2	1.59	9	5.4	1.87	4.4	1.47
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	12.9	3.79	8.8	2.33	29	21.6	4.16	11.2	2.17
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	7	4.8	1.96	3.7	1.44	18	12.5	3.04	7.6	1.86
Breast (<i>in situ</i>)	-	-	-	-	-	45	29.1	4.42	22.4	3.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEBRASKA

246 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	30,798	496.9	2.95	321.1	1.87	26,460	393.9	2.46	269.0	1.72
Oral Cavity & Pharynx	1,000	15.0	0.49	10.7	0.34	389	5.6	0.29	4.0	0.21
Lip	67	1.1	0.13	0.7	0.09	14	0.2	0.05	0.2	0.04
Tongue	315	4.6	0.27	3.4	0.19	107	1.5	0.15	1.1	0.11
Major salivary gland	105	1.8	0.18	1.1	0.11	57	0.8	0.11	0.6	0.09
Floor of mouth	44	0.6	0.10	0.5	0.07	30	0.4	0.08	0.3	0.06
Gum & other mouth	72	1.1	0.14	0.7	0.09	67	1.0	0.12	0.6	0.08
Nasopharynx	47	0.7	0.10	0.5	0.08	19	0.3	0.07	0.2	0.05
Oropharynx	69	1.0	0.13	0.7	0.09	25	0.4	0.08	0.2	0.05
Hypopharynx	61	0.9	0.12	0.6	0.08	12	0.2	0.05	0.1	0.03
Digestive System	5,884	96.2	1.31	60.2	0.80	4,236	64.1	1.00	39.8	0.64
Esophagus	556	9.0	0.40	5.6	0.24	135	2.0	0.17	1.3	0.12
Stomach	479	8.1	0.39	4.8	0.22	271	4.2	0.26	2.6	0.16
Small intestine	113	1.8	0.17	1.2	0.11	80	1.2	0.13	0.8	0.09
Colon excl. rectum	2,063	34.7	0.80	20.9	0.47	1,774	27.3	0.66	16.2	0.40
Rectum & rectosigmoid	982	15.6	0.52	10.2	0.33	675	9.9	0.39	6.7	0.27
Anus, anal canal & anorectum	101	1.6	0.16	1.1	0.11	122	1.8	0.17	1.2	0.11
Liver	599	9.0	0.38	6.3	0.26	223	3.4	0.23	2.1	0.15
Gallbladder	28	0.5	0.09	0.3	0.05	63	1.0	0.12	0.5	0.07
Pancreas	783	12.9	0.48	7.9	0.29	697	10.5	0.40	6.5	0.25
Respiratory System	4,760	79.0	1.19	47.5	0.70	4,276	64.0	0.99	40.0	0.63
Larynx	320	4.9	0.28	3.4	0.19	78	1.2	0.13	0.8	0.09
Lung & bronchus	4,384	73.3	1.15	43.5	0.67	4,158	62.2	0.98	38.7	0.62
Bones & Joints	69	1.0	0.13	1.0	0.12	40	0.6	0.10	0.6	0.10
Soft Tissue (incl. heart)	203	3.3	0.24	2.4	0.18	160	2.4	0.20	1.9	0.16
Skin (excl. basal & sq.)	1,259	20.5	0.60	13.1	0.38	823	12.4	0.44	8.9	0.33
Melanomas of the skin	1,135	18.4	0.57	11.9	0.36	741	11.1	0.41	8.1	0.31
Breast (excl. <i>in situ</i>)	79	1.3	0.15	0.8	0.09	7,622	111.7	1.30	79.5	0.93
Female Genital System	-	-	-	-	-	2,724	39.4	0.77	29.1	0.57
Cervix uteri	-	-	-	-	-	532	7.8	0.34	6.3	0.28
Uterus Corpus	-	-	-	-	-	1,221	17.3	0.50	12.8	0.37
Uterus, NOS ¹	-	-	-	-	-	43	0.6	0.10	0.4	0.07
Ovary	-	-	-	-	-	710	10.4	0.39	7.4	0.29
Male Genital System	9,041	140.4	1.54	94.6	1.01	-	-	-	-	-
Prostate	8,672	134.8	1.51	89.7	0.98	-	-	-	-	-
Testis	314	4.6	0.26	4.4	0.25	-	-	-	-	-
Penis	38	0.7	0.12	0.4	0.06	-	-	-	-	-
Urinary System	3,409	56.8	1.02	34.6	0.61	1,379	20.8	0.57	13.2	0.38
Bladder (incl. <i>in situ</i>)	2,110	36.5	0.83	20.8	0.46	679	10.5	0.41	6.0	0.24
Kidney & renal pelvis	1,185	18.3	0.55	12.7	0.38	657	9.6	0.38	6.9	0.28
Ureter	25	0.5	0.09	0.2	0.05	20	0.3	0.07	0.2	0.04
Eye & Orbit	53	0.8	0.12	0.6	0.09	36	0.5	0.09	0.4	0.08
Brain & Other Nervous System	447	6.9	0.34	5.4	0.27	316	4.7	0.27	3.8	0.23
Brain	433	6.7	0.33	5.2	0.26	289	4.3	0.25	3.5	0.22
Endocrine System	478	7.1	0.33	5.6	0.26	1,450	21.5	0.57	17.9	0.48
Thyroid gland	450	6.7	0.32	5.2	0.25	1,427	21.2	0.57	17.5	0.47
Lymphomas	1,423	22.8	0.63	15.7	0.43	1,112	16.8	0.51	11.5	0.37
Hodgkin Lymphoma	179	2.7	0.20	2.4	0.18	136	2.1	0.18	1.9	0.17
Non-Hodgkin Lymphoma	1,244	20.1	0.59	13.3	0.39	976	14.8	0.48	9.6	0.32
Multiple Myeloma	324	5.2	0.30	3.4	0.19	217	3.3	0.23	2.1	0.14
Leukemias	1,024	17.2	0.56	11.9	0.40	627	9.7	0.39	6.9	0.31
Acute lymphocytic	143	2.2	0.18	2.6	0.22	81	1.3	0.14	1.6	0.19
Chronic lymphocytic	363	6.1	0.34	3.6	0.19	200	3.0	0.22	1.8	0.13
Acute myeloid	265	4.5	0.29	2.9	0.19	191	2.9	0.21	2.1	0.16
Chronic myeloid	87	1.5	0.17	1.0	0.11	61	1.0	0.12	0.6	0.08
Other leukemias	166	3.0	0.24	1.8	0.14	94	1.5	0.16	0.8	0.09
Mesothelioma	95	1.7	0.18	0.9	0.10	21	0.3	0.07	0.2	0.05
Kaposi Sarcoma	45	0.7	0.11	0.6	0.08	-	-	-	-	-
Ill-defined & Unknown	1,205	20.8	0.63	12.2	0.36	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	333	5.5	0.32	3.7	0.21	675	10.1	0.39	7.0	0.28
Breast (<i>in situ</i>)	17	0.3	0.07	0.2	0.04	1,559	22.6	0.58	16.7	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	26,507	497.8	3.17	322.1	2.04	22,742	407.6	2.74	278.9	1.95
Oral Cavity & Pharynx	886	15.6	0.54	11.1	0.38	331	5.8	0.32	4.1	0.23
Lip	62	1.2	0.15	0.8	0.10	14	0.2	0.06	0.2	0.05
Tongue	280	4.8	0.29	3.5	0.21	93	1.6	0.17	1.2	0.12
Major salivary gland	92	1.8	0.19	1.1	0.12	43	0.8	0.12	0.6	0.09
Floor of mouth	41	0.7	0.11	0.5	0.08	26	0.4	0.09	0.3	0.07
Gum & other mouth	61	1.1	0.15	0.7	0.10	63	1.1	0.14	0.7	0.10
Nasopharynx	34	0.6	0.10	0.4	0.08	11	0.2	0.06	0.1	0.04
Oropharynx	60	1.0	0.14	0.7	0.10	24	0.4	0.09	0.3	0.06
Hypopharynx	56	1.0	0.13	0.7	0.09	11	0.2	0.06	0.1	0.04
Digestive System	4,994	95.3	1.40	59.3	0.86	3,506	63.3	1.08	39.3	0.70
Esophagus	507	9.4	0.43	6.0	0.27	113	2.0	0.19	1.3	0.13
Stomach	380	7.5	0.40	4.4	0.23	200	3.7	0.26	2.3	0.17
Small intestine	97	1.8	0.18	1.2	0.13	63	1.1	0.14	0.8	0.10
Colon excl. rectum	1,767	34.6	0.86	20.7	0.50	1,483	27.1	0.71	15.9	0.44
Rectum & rectosigmoid	836	15.6	0.56	10.1	0.36	555	9.9	0.42	6.6	0.29
Anus, anal canal & anorectum	90	1.6	0.18	1.1	0.12	110	2.0	0.19	1.3	0.13
Liver	460	8.2	0.39	5.6	0.27	175	3.2	0.24	2.0	0.16
Gallbladder	24	0.4	0.09	0.3	0.06	51	0.9	0.13	0.5	0.08
Pancreas	674	12.9	0.52	7.9	0.31	592	10.6	0.44	6.5	0.28
Respiratory System	4,223	81.0	1.29	48.7	0.77	3,870	68.9	1.12	43.0	0.72
Larynx	283	5.0	0.30	3.5	0.21	68	1.2	0.15	0.8	0.10
Lung & bronchus	3,892	75.1	1.25	44.6	0.73	3,770	67.1	1.11	41.7	0.71
Bones & Joints	63	1.1	0.15	1.1	0.15	34	0.6	0.11	0.6	0.11
Soft Tissue (incl. heart)	176	3.4	0.26	2.4	0.19	132	2.4	0.21	1.8	0.18
Skin (excl. basal & sq.)	1,209	22.9	0.68	14.8	0.44	780	14.3	0.52	10.4	0.39
Melanomas of the skin	1,095	20.6	0.65	13.5	0.42	710	13.0	0.49	9.5	0.38
Breast (excl. <i>in situ</i>)	64	1.2	0.16	0.7	0.09	6,492	115.3	1.45	82.1	1.05
Female Genital System	-	-	-	-	-	2,331	40.9	0.86	30.2	0.65
Cervix uteri	-	-	-	-	-	422	7.8	0.38	6.3	0.31
Uterus Corpus	-	-	-	-	-	1,053	18.0	0.56	13.3	0.42
Uterus, NOS ¹	-	-	-	-	-	34	0.6	0.11	0.4	0.07
Ovary	-	-	-	-	-	628	11.0	0.45	7.9	0.33
Male Genital System	7,395	133.4	1.61	90.4	1.07	-	-	-	-	-
Prostate	7,055	127.1	1.57	84.8	1.02	-	-	-	-	-
Testis	286	5.2	0.31	4.9	0.30	-	-	-	-	-
Penis	37	0.8	0.13	0.4	0.07	-	-	-	-	-
Urinary System	3,090	59.5	1.11	36.4	0.67	1,218	21.9	0.63	14.1	0.43
Bladder (incl. <i>in situ</i>)	1,944	38.6	0.91	22.2	0.52	608	11.1	0.45	6.4	0.27
Kidney & renal pelvis	1,057	19.1	0.60	13.3	0.42	576	10.2	0.43	7.3	0.32
Ureter	24	0.5	0.10	0.2	0.05	19	0.4	0.08	0.2	0.04
Eye & Orbit	50	0.9	0.14	0.7	0.11	34	0.6	0.10	0.5	0.10
Brain & Other Nervous System	390	7.2	0.38	5.5	0.30	277	5.0	0.31	4.1	0.27
Brain	378	7.0	0.37	5.4	0.29	253	4.6	0.29	3.7	0.25
Endocrine System	409	7.2	0.37	5.7	0.29	1,189	22.0	0.65	18.4	0.55
Thyroid gland	385	6.8	0.35	5.3	0.27	1,171	21.7	0.64	18.0	0.54
Lymphomas	1,244	23.5	0.69	16.2	0.48	944	17.2	0.57	11.8	0.41
Hodgkin Lymphoma	155	2.8	0.23	2.5	0.21	117	2.2	0.21	2.0	0.20
Non-Hodgkin Lymphoma	1,089	20.6	0.65	13.7	0.43	827	15.0	0.53	9.8	0.36
Multiple Myeloma	262	4.9	0.32	3.1	0.20	182	3.3	0.24	2.0	0.16
Leukemias	892	17.6	0.61	12.2	0.44	533	9.9	0.43	7.1	0.35
Acute lymphocytic	130	2.5	0.22	2.9	0.27	66	1.3	0.16	1.7	0.22
Chronic lymphocytic	309	6.0	0.35	3.6	0.21	166	3.0	0.23	1.7	0.14
Acute myeloid	227	4.5	0.31	2.9	0.21	169	3.1	0.24	2.2	0.19
Chronic myeloid	79	1.6	0.19	1.0	0.12	56	1.1	0.14	0.7	0.10
Other leukemias	147	3.1	0.26	1.8	0.16	76	1.4	0.16	0.8	0.10
Mesothelioma	89	1.8	0.20	1.0	0.11	19	0.4	0.08	0.2	0.05
Kaposi Sarcoma	34	0.7	0.11	0.5	0.09	-	-	-	-	-
Ill-defined & Unknown	1,037	20.6	0.66	12.1	0.39	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	293	5.7	0.34	3.9	0.24	540	9.7	0.42	6.9	0.31
Breast (<i>in situ</i>)	16	0.3	0.07	0.2	0.05	1,295	22.8	0.64	16.8	0.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,787	434.2	11.39	291.9	6.99	1,619	345.5	8.96	235.5	5.91
Oral Cavity & Pharynx	45	9.4	1.52	7.6	1.14	18	3.6	0.87	2.7	0.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	3.0	0.77	2.5	0.66	-	-	-	-	-
Major salivary gland	7	1.3	0.51	1.2	0.47	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	6	1.8	0.88	1.1	0.46	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	440	106.4	5.58	71.0	3.42	345	77.9	4.40	49.5	2.69
Esophagus	28	8.1	1.79	4.7	0.91	13	2.9	0.83	2.0	0.55
Stomach	44	10.7	1.81	7.2	1.10	27	6.9	1.40	3.7	0.73
Small intestine	12	3.6	1.18	1.9	0.55	10	2.1	0.69	1.5	0.46
Colon excl. rectum	165	39.1	3.27	26.6	2.09	169	38.4	3.10	24.4	1.90
Rectum & rectosigmoid	56	12.6	1.83	9.2	1.25	39	8.1	1.33	5.6	0.90
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	55	11.6	1.64	8.7	1.18	10	2.2	0.72	1.4	0.46
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	65	16.8	2.29	10.4	1.31	58	13.4	1.85	8.2	1.09
Respiratory System	279	71.2	4.70	45.6	2.77	221	47.4	3.33	32.7	2.22
Larynx	21	6.0	1.51	3.5	0.78	7	1.4	0.53	1.1	0.40
Lung & bronchus	253	64.3	4.43	41.3	2.63	212	45.7	3.28	31.3	2.17
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	14	2.6	0.71	2.3	0.61	11	2.4	0.76	1.7	0.52
Skin (excl. basal & sq.)	8	1.5	0.55	1.3	0.47	7	1.7	0.65	1.0	0.38
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	11	2.6	0.86	1.6	0.49	506	103.7	4.77	74.1	3.32
Female Genital System	-	-	-	-	-	162	32.9	2.68	24.0	1.90
Cervix uteri	-	-	-	-	-	47	8.5	1.26	7.1	1.04
Uterus Corpus	-	-	-	-	-	70	14.8	1.84	10.2	1.23
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	27	6.2	1.27	3.8	0.75
Male Genital System	576	137.8	6.33	95.7	4.04	-	-	-	-	-
Prostate	568	136.4	6.31	94.6	4.01	-	-	-	-	-
Testis	7	1.1	0.43	1.0	0.39	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	133	35.7	3.53	21.8	1.92	84	19.2	2.19	11.8	1.31
Bladder (incl. <i>in situ</i>)	57	17.7	2.62	9.1	1.23	33	7.6	1.39	4.5	0.79
Kidney & renal pelvis	64	14.0	1.96	10.6	1.35	47	10.4	1.59	6.8	1.02
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	27	5.3	1.11	4.6	0.90	21	4.1	0.93	3.1	0.67
Brain	25	5.0	1.09	4.3	0.87	19	3.8	0.90	2.8	0.64
Endocrine System	21	3.8	0.83	3.2	0.70	56	10.3	1.40	8.5	1.14
Thyroid gland	19	3.4	0.79	2.8	0.65	54	10.0	1.38	8.2	1.11
Lymphomas	70	15.8	2.06	10.6	1.28	61	12.1	1.61	8.9	1.15
Hodgkin Lymphoma	12	1.9	0.57	1.9	0.55	9	1.5	0.51	1.4	0.48
Non-Hodgkin Lymphoma	58	13.8	1.98	8.7	1.15	52	10.6	1.53	7.5	1.05
Multiple Myeloma	31	7.4	1.38	5.0	0.91	20	4.7	1.10	2.9	0.65
Leukemias	45	10.8	1.87	7.5	1.14	26	6.0	1.25	3.6	0.73
Acute lymphocytic	-	-	-	-	-	6	1.1	0.49	1.0	0.41
Chronic lymphocytic	11	3.6	1.21	1.7	0.53	6	1.6	0.68	0.8	0.32
Acute myeloid	21	4.5	1.08	3.4	0.76	9	1.6	0.55	1.3	0.44
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	76	21.4	2.79	12.4	1.45	77	18.6	2.21	10.5	1.21
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	21	5.6	1.45	3.3	0.74	55	11.6	1.62	7.9	1.07
Breast (<i>in situ</i>)	-	-	-	-	-	107	21.9	2.18	15.8	1.54

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,025	263.4	9.34	163.4	5.19	1,408	236.5	6.76	164.6	4.48
Oral Cavity & Pharynx	35	8.7	1.57	5.3	0.90	26	4.5	0.94	2.9	0.58
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	2.9	0.84	2.0	0.56	7	1.4	0.57	0.7	0.28
Major salivary gland	-	-	-	-	-	8	1.1	0.38	0.9	0.32
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	1.9	0.78	1.1	0.40	7	1.3	0.56	0.8	0.32
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	322	81.3	5.15	51.3	2.90	287	52.2	3.36	32.0	1.91
Esophagus	15	3.8	1.07	2.3	0.61	7	1.4	0.59	0.8	0.30
Stomach	41	11.6	2.08	6.5	1.04	36	6.8	1.20	3.9	0.66
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	93	26.1	3.14	14.9	1.57	90	16.2	1.85	10.3	1.09
Rectum & rectosigmoid	60	13.5	1.93	9.5	1.23	57	9.0	1.27	6.4	0.85
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	66	14.2	1.92	10.7	1.35	34	6.6	1.25	3.6	0.63
Gallbladder	-	-	-	-	-	6	1.0	0.50	0.6	0.27
Pancreas	30	7.5	1.46	4.5	0.83	33	6.8	1.31	3.7	0.66
Respiratory System	179	48.9	4.18	28.2	2.14	135	24.4	2.28	15.2	1.32
Larynx	8	1.8	0.64	1.2	0.44	-	-	-	-	-
Lung & bronchus	170	47.0	4.12	26.8	2.09	129	23.5	2.25	14.6	1.29
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	1.6	0.60	1.5	0.56	14	2.3	0.64	1.9	0.53
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	426	66.1	3.35	49.1	2.40
Female Genital System	-	-	-	-	-	180	27.5	2.12	20.9	1.56
Cervix uteri	-	-	-	-	-	49	7.6	1.14	5.7	0.82
Uterus Corpus	-	-	-	-	-	77	11.4	1.32	8.9	1.02
Uterus, NOS ¹	-	-	-	-	-	7	1.2	0.49	0.8	0.30
Ovary	-	-	-	-	-	42	6.4	1.01	4.9	0.76
Male Genital System	218	55.0	4.12	34.3	2.35	-	-	-	-	-
Prostate	214	54.3	4.10	33.6	2.32	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	75	21.1	2.86	12.0	1.41	31	5.8	1.14	3.9	0.78
Bladder (incl. <i>in situ</i>)	32	9.7	1.96	5.0	0.90	8	1.8	0.67	0.8	0.29
Kidney & renal pelvis	40	9.9	1.84	6.5	1.04	20	3.5	0.88	2.8	0.69
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	18	3.6	0.87	2.9	0.70	15	2.4	0.64	2.1	0.57
Brain	18	3.6	0.87	2.9	0.70	14	2.3	0.63	1.9	0.55
Endocrine System	34	6.5	1.13	5.4	0.95	147	22.3	1.87	18.0	1.51
Thyroid gland	32	6.1	1.10	5.0	0.88	144	21.7	1.85	17.7	1.50
Lymphomas	38	8.7	1.58	6.2	1.04	56	10.4	1.53	6.9	0.96
Hodgkin Lymphoma	-	-	-	-	-	8	1.3	0.46	1.4	0.52
Non-Hodgkin Lymphoma	-	-	-	-	-	48	9.1	1.46	5.5	0.81
Multiple Myeloma	12	3.5	1.20	2.0	0.58	-	-	-	-	-
Leukemias	29	7.8	1.72	5.3	1.04	36	6.8	1.21	5.2	0.97
Acute lymphocytic	-	-	-	-	-	7	1.3	0.49	1.5	0.62
Chronic lymphocytic	-	-	-	-	-	8	1.8	0.66	0.8	0.30
Acute myeloid	15	3.9	1.21	2.7	0.75	11	2.2	0.75	1.5	0.50
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	6	1.7	0.76	1.1	0.45	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	1.3	0.61	0.9	0.39	-	-	-	-	-
Ill-defined & Unknown	42	13.2	2.33	6.6	1.04	44	10.0	1.65	5.1	0.82
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	11	3.2	1.17	1.9	0.61	63	11.7	1.60	7.3	0.93
Breast (<i>in situ</i>)	-	-	-	-	-	113	17.5	1.69	13.2	1.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	174	281.6	24.64	163.8	12.63	166	199.7	16.63	132.3	10.43
Oral Cavity & Pharynx	7	9.9	4.30	6.3	2.41	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	38	53.0	9.73	34.0	5.60	37	49.0	8.62	30.6	5.12
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	11	14.5	5.02	9.4	2.89	13	16.3	4.78	10.8	3.05
Rectum & rectosigmoid	6	12.1	5.31	5.7	2.36	6	7.5	3.27	4.9	2.03
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	9	11.3	4.35	8.1	2.73	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	12.3	4.45	8.5	2.87	7	8.7	3.51	5.6	2.15
Respiratory System	35	71.6	13.16	35.3	6.04	16	20.5	5.41	13.1	3.34
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	33	67.1	12.70	33.3	5.87	15	18.6	5.08	12.4	3.27
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	39	45.7	7.85	30.1	4.89
Female Genital System	-	-	-	-	-	23	24.6	5.41	19.0	4.02
Cervix uteri	-	-	-	-	-	7	6.3	2.40	5.4	2.05
Uterus Corpus	-	-	-	-	-	8	8.1	2.96	6.7	2.40
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	9.0	3.66	6.0	2.29
Male Genital System	37	62.3	11.83	35.7	5.97	-	-	-	-	-
Prostate	34	60.1	11.76	33.5	5.83	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	21	35.8	9.24	19.4	4.31	11	13.8	4.39	9.0	2.76
Bladder (incl. <i>in situ</i>)	8	17.4	6.92	7.7	2.78	-	-	-	-	-
Kidney & renal pelvis	13	18.5	6.13	11.6	3.29	8	9.1	3.41	6.2	2.25
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	7.0	3.19	4.9	2.00	-	-	-	-	-
Brain	6	7.0	3.19	4.9	2.00	-	-	-	-	-
Endocrine System	-	-	-	-	-	16	14.9	3.87	12.1	3.04
Thyroid gland	-	-	-	-	-	16	14.9	3.87	12.1	3.04
Lymphomas	11	14.3	5.29	9.5	2.88	7	10.9	4.41	4.7	1.81
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	7	10.9	4.41	4.7	1.81
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	9.2	4.65	5.8	2.41	7	10.4	4.20	5.7	2.19
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	11	11.4	3.57	8.8	2.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,602	392.2	9.30	248.0	5.14	2,593	298.6	6.62	205.6	4.21
Oral Cavity & Pharynx	68	9.0	1.26	6.3	0.80	31	4.1	0.80	2.7	0.50
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	20	3.1	0.83	2.0	0.48	6	0.9	0.38	0.5	0.23
Major salivary gland	-	-	-	-	-	7	0.7	0.30	0.5	0.18
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.2	0.52	0.6	0.25	6	0.8	0.35	0.6	0.25
Nasopharynx	6	0.5	0.23	0.5	0.20	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	6	0.8	0.33	0.6	0.25	-	-	-	-	-
Digestive System	546	88.3	4.54	52.7	2.37	419	59.5	3.22	35.6	1.79
Esophagus	34	5.7	1.16	3.1	0.55	9	1.2	0.43	0.8	0.26
Stomach	77	15.1	2.07	7.9	0.94	44	5.2	0.87	3.5	0.55
Small intestine	14	2.0	0.61	1.4	0.38	8	1.2	0.47	0.8	0.28
Colon excl. rectum	155	25.6	2.50	15.1	1.28	161	24.3	2.10	13.8	1.12
Rectum & rectosigmoid	92	14.1	1.77	8.7	0.95	58	7.1	1.06	4.5	0.62
Anus, anal canal & anorectum	-	-	-	-	-	8	1.1	0.43	0.7	0.26
Liver	81	10.9	1.36	7.6	0.88	30	4.3	0.88	2.6	0.50
Gallbladder	-	-	-	-	-	13	2.2	0.65	1.1	0.32
Pancreas	61	10.4	1.56	6.0	0.81	64	9.8	1.33	5.7	0.73
Respiratory System	272	50.5	3.53	28.7	1.80	200	29.5	2.28	18.2	1.31
Larynx	28	4.3	0.88	2.9	0.56	-	-	-	-	-
Lung & bronchus	236	45.3	3.39	25.2	1.69	197	29.3	2.27	17.9	1.31
Bones & Joints	17	1.1	0.31	1.1	0.28	10	0.5	0.18	0.6	0.19
Soft Tissue (incl. heart)	25	2.3	0.59	1.7	0.37	18	1.4	0.38	1.2	0.31
Skin (excl. basal & sq.)	33	6.0	1.35	3.2	0.60	49	5.2	0.84	3.7	0.55
Melanomas of the skin	27	4.9	1.25	2.5	0.54	35	3.5	0.65	2.7	0.48
Breast (excl. <i>in situ</i>)	-	-	-	-	-	752	79.9	3.23	57.8	2.20
Female Genital System	-	-	-	-	-	359	38.0	2.22	28.2	1.55
Cervix uteri	-	-	-	-	-	105	9.1	0.96	7.3	0.75
Uterus Corpus	-	-	-	-	-	137	14.6	1.33	11.4	1.01
Uterus, NOS ¹	-	-	-	-	-	6	0.9	0.41	0.5	0.20
Ovary	-	-	-	-	-	90	10.6	1.25	7.2	0.79
Male Genital System	810	128.4	5.22	84.2	3.08	-	-	-	-	-
Prostate	720	123.7	5.19	79.5	3.03	-	-	-	-	-
Testis	84	4.3	0.51	4.3	0.49	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	258	40.9	3.04	25.0	1.64	118	13.3	1.34	9.9	0.95
Bladder (incl. <i>in situ</i>)	112	21.6	2.34	11.9	1.16	34	5.0	0.90	3.2	0.56
Kidney & renal pelvis	140	18.4	1.91	12.5	1.12	82	8.1	0.97	6.5	0.75
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	0.4	0.15	0.3	0.14	6	0.5	0.22	0.5	0.22
Brain & Other Nervous System	51	4.0	0.66	3.4	0.51	49	4.9	0.84	3.6	0.55
Brain	50	3.9	0.66	3.3	0.50	43	4.4	0.80	3.2	0.51
Endocrine System	58	5.9	1.06	4.2	0.60	246	19.9	1.40	16.4	1.10
Thyroid gland	56	5.8	1.05	4.0	0.60	242	19.7	1.39	16.1	1.09
Lymphomas	180	20.5	1.92	14.3	1.16	118	14.8	1.53	9.8	0.94
Hodgkin Lymphoma	37	2.4	0.47	2.1	0.37	17	1.1	0.29	1.2	0.29
Non-Hodgkin Lymphoma	143	18.2	1.86	12.2	1.10	101	13.7	1.50	8.7	0.89
Multiple Myeloma	31	4.8	1.06	3.1	0.58	26	3.2	0.67	2.3	0.46
Leukemias	132	13.6	1.70	9.7	0.92	92	8.7	1.10	6.8	0.75
Acute lymphocytic	61	3.1	0.48	3.6	0.47	24	1.1	0.24	1.5	0.31
Chronic lymphocytic	18	3.3	0.85	1.8	0.45	15	1.9	0.51	1.5	0.39
Acute myeloid	29	4.3	1.09	2.4	0.49	32	3.0	0.63	2.2	0.41
Chronic myeloid	7	0.6	0.32	0.5	0.19	12	1.3	0.47	0.8	0.25
Other leukemias	17	2.3	0.79	1.4	0.38	9	1.4	0.51	0.8	0.29
Mesothelioma	7	1.5	0.71	0.7	0.27	-	-	-	-	-
Kaposi Sarcoma	16	0.8	0.21	0.7	0.18	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	98	14.9	1.69	8.1	0.85
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	49	6.2	1.29	3.9	0.62	74	8.0	1.04	5.6	0.67
Breast (<i>in situ</i>)	-	-	-	-	-	166	18.6	1.56	13.5	1.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEVADA

252 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	24,040	512.9	3.42	333.4	2.27	20,272	424.7	3.05	291.8	2.23
Oral Cavity & Pharynx	822	16.8	0.60	12.0	0.43	301	6.1	0.36	4.4	0.27
Lip	58	1.3	0.17	0.9	0.12	13	0.2	0.07	0.2	0.05
Tongue	260	5.1	0.33	3.8	0.24	87	1.7	0.19	1.3	0.14
Major salivary gland	89	2.0	0.22	1.3	0.14	37	0.8	0.14	0.6	0.11
Floor of mouth	38	0.8	0.13	0.6	0.09	22	0.4	0.09	0.3	0.07
Gum & other mouth	54	1.1	0.16	0.8	0.11	57	1.2	0.16	0.8	0.11
Nasopharynx	30	0.6	0.11	0.5	0.09	9	0.2	0.06	0.1	0.04
Oropharynx	59	1.2	0.16	0.8	0.11	23	0.5	0.10	0.3	0.07
Hypopharynx	50	1.0	0.14	0.7	0.10	10	0.2	0.06	0.1	0.04
Digestive System	4,471	96.5	1.49	60.4	0.94	3,107	63.9	1.17	39.8	0.77
Esophagus	475	9.9	0.47	6.4	0.30	104	2.1	0.21	1.4	0.14
Stomach	308	6.8	0.40	4.0	0.24	157	3.2	0.26	2.0	0.18
Small intestine	83	1.7	0.20	1.2	0.14	57	1.2	0.16	0.8	0.12
Colon excl. rectum	1,617	35.7	0.92	21.5	0.55	1,332	27.6	0.77	16.3	0.48
Rectum & rectosigmoid	747	15.9	0.60	10.4	0.39	499	10.2	0.47	6.9	0.32
Anus, anal canal & anorectum	85	1.8	0.20	1.3	0.14	103	2.1	0.21	1.5	0.15
Liver	387	8.0	0.42	5.5	0.29	145	3.0	0.25	1.8	0.17
Gallbladder	20	0.4	0.10	0.2	0.06	38	0.8	0.13	0.4	0.07
Pancreas	613	13.1	0.55	8.1	0.34	530	10.7	0.47	6.7	0.31
Respiratory System	3,961	84.5	1.38	51.2	0.84	3,682	73.8	1.23	46.4	0.81
Larynx	257	5.1	0.33	3.6	0.23	68	1.4	0.17	0.9	0.12
Lung & bronchus	3,663	78.4	1.34	46.9	0.80	3,585	71.8	1.22	45.0	0.79
Bones & Joints	46	1.2	0.17	1.1	0.17	26	0.7	0.13	0.6	0.14
Soft Tissue (incl. heart)	151	3.5	0.30	2.5	0.23	115	2.5	0.25	2.0	0.22
Skin (excl. basal & sq.)	1,178	25.9	0.78	17.1	0.53	734	16.6	0.63	12.4	0.51
Melanomas of the skin	1,069	23.4	0.74	15.6	0.51	677	15.3	0.61	11.5	0.49
Breast (excl. <i>in situ</i>)	60	1.3	0.17	0.8	0.10	5,778	120.6	1.63	86.0	1.19
Female Genital System	-	-	-	-	-	1,985	41.3	0.95	30.5	0.72
Cervix uteri	-	-	-	-	-	321	7.7	0.44	6.2	0.36
Uterus Corpus	-	-	-	-	-	921	18.4	0.62	13.5	0.46
Uterus, NOS ¹	-	-	-	-	-	28	0.6	0.11	0.4	0.08
Ovary	-	-	-	-	-	541	11.0	0.49	8.0	0.37
Male Genital System	6,643	134.8	1.71	91.6	1.16	-	-	-	-	-
Prostate	6,390	128.2	1.66	86.0	1.10	-	-	-	-	-
Testis	205	5.4	0.39	5.0	0.37	-	-	-	-	-
Penis	32	0.8	0.14	0.4	0.07	-	-	-	-	-
Urinary System	2,842	61.9	1.20	38.2	0.75	1,105	22.7	0.70	14.5	0.48
Bladder (incl. <i>in situ</i>)	1,837	40.6	0.98	23.6	0.57	577	11.8	0.50	6.9	0.31
Kidney & renal pelvis	922	19.3	0.66	13.5	0.48	496	10.3	0.47	7.2	0.36
Ureter	23	0.5	0.11	0.3	0.06	19	0.4	0.09	0.2	0.05
Eye & Orbit	44	1.0	0.16	0.8	0.14	28	0.6	0.12	0.5	0.12
Brain & Other Nervous System	339	7.6	0.43	5.9	0.36	229	5.2	0.36	4.3	0.34
Brain	328	7.3	0.42	5.6	0.35	211	4.7	0.34	3.9	0.31
Endocrine System	355	7.8	0.43	6.2	0.35	951	22.8	0.76	19.0	0.66
Thyroid gland	333	7.3	0.41	5.7	0.32	937	22.4	0.76	18.6	0.64
Lymphomas	1,073	24.1	0.76	16.7	0.56	832	18.1	0.64	12.7	0.51
Hodgkin Lymphoma	120	2.9	0.27	2.5	0.25	101	2.7	0.27	2.4	0.26
Non-Hodgkin Lymphoma	953	21.1	0.71	14.2	0.50	731	15.4	0.58	10.3	0.44
Multiple Myeloma	234	5.0	0.33	3.1	0.21	157	3.2	0.26	2.0	0.17
Leukemias	766	17.6	0.66	11.9	0.50	445	9.9	0.48	7.1	0.43
Acute lymphocytic	69	1.9	0.24	2.2	0.31	43	1.4	0.21	1.8	0.31
Chronic lymphocytic	294	6.3	0.38	3.9	0.23	151	3.0	0.25	1.7	0.15
Acute myeloid	199	4.5	0.33	3.0	0.24	138	3.0	0.26	2.1	0.20
Chronic myeloid	72	1.7	0.21	1.1	0.15	45	1.0	0.16	0.7	0.11
Other leukemias	132	3.1	0.28	1.7	0.16	68	1.4	0.18	0.8	0.11
Mesothelioma	82	1.9	0.21	1.0	0.12	18	0.4	0.10	0.2	0.06
Kaposi Sarcoma	18	0.5	0.11	0.3	0.08	-	-	-	-	-
Ill-defined & Unknown	955	21.3	0.71	12.6	0.43	779	16.3	0.59	9.6	0.39
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	245	5.5	0.37	3.8	0.25	470	10.2	0.48	7.2	0.37
Breast (<i>in situ</i>)	13	0.3	0.07	0.2	0.05	1,137	23.7	0.72	17.5	0.54

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,771	447.2	11.71	301.9	7.26	1,591	356.5	9.30	243.3	6.17
Oral Cavity & Pharynx	44	9.6	1.57	7.7	1.18	18	3.8	0.91	2.9	0.68
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	3.1	0.80	2.6	0.69	-	-	-	-	-
Major salivary gland	7	1.4	0.53	1.3	0.49	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	6	1.8	0.90	1.1	0.47	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	438	110.1	5.75	73.6	3.56	339	80.1	4.55	50.8	2.79
Esophagus	27	8.2	1.83	4.7	0.93	13	3.0	0.86	2.0	0.57
Stomach	44	11.1	1.87	7.5	1.15	27	7.2	1.45	3.9	0.76
Small intestine	12	3.7	1.21	2.0	0.58	9	2.0	0.70	1.4	0.46
Colon excl. rectum	164	40.4	3.37	27.5	2.17	166	39.4	3.20	25.0	1.96
Rectum & rectosigmoid	56	13.1	1.90	9.6	1.30	39	8.4	1.39	5.8	0.95
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	55	12.1	1.71	9.1	1.23	10	2.3	0.75	1.5	0.49
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	65	17.4	2.36	10.8	1.36	58	14.0	1.92	8.6	1.14
Respiratory System	278	73.5	4.84	47.2	2.86	218	48.8	3.45	33.6	2.30
Larynx	21	6.2	1.55	3.7	0.81	7	1.4	0.55	1.1	0.42
Lung & bronchus	252	66.3	4.57	42.7	2.72	209	47.0	3.39	32.1	2.25
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	14	2.8	0.76	2.5	0.67	10	2.4	0.79	1.6	0.51
Skin (excl. basal & sq.)	7	1.5	0.55	1.2	0.46	7	1.7	0.68	1.1	0.40
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	10	2.5	0.87	1.6	0.49	502	108.3	4.99	77.6	3.49
Female Genital System	-	-	-	-	-	156	33.4	2.77	24.4	1.97
Cervix uteri	-	-	-	-	-	45	8.8	1.33	7.2	1.09
Uterus Corpus	-	-	-	-	-	66	14.6	1.86	10.1	1.26
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	27	6.5	1.32	4.1	0.80
Male Genital System	570	141.0	6.47	98.5	4.17	-	-	-	-	-
Prostate	563	139.6	6.45	97.3	4.15	-	-	-	-	-
Testis	6	1.1	0.44	1.0	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	132	36.8	3.64	22.6	2.00	84	20.0	2.27	12.4	1.38
Bladder (incl. <i>in situ</i>)	57	18.3	2.69	9.4	1.27	33	7.9	1.44	4.7	0.83
Kidney & renal pelvis	63	14.5	2.02	11.1	1.42	47	10.9	1.65	7.2	1.07
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	27	5.7	1.17	5.0	0.99	20	4.2	0.97	3.1	0.70
Brain	25	5.3	1.14	4.6	0.95	18	3.8	0.93	2.8	0.66
Endocrine System	21	4.0	0.88	3.4	0.75	55	10.8	1.47	8.9	1.21
Thyroid gland	19	3.7	0.84	3.0	0.69	53	10.4	1.45	8.6	1.18
Lymphomas	68	16.2	2.12	10.9	1.34	59	12.5	1.68	9.1	1.20
Hodgkin Lymphoma	11	1.9	0.59	1.9	0.59	8	1.5	0.54	1.4	0.49
Non-Hodgkin Lymphoma	57	14.2	2.04	9.0	1.20	51	11.0	1.60	7.8	1.10
Multiple Myeloma	31	7.6	1.43	5.2	0.94	19	4.5	1.09	2.9	0.67
Leukemias	44	11.2	1.94	7.8	1.20	25	6.2	1.29	3.7	0.76
Acute lymphocytic	-	-	-	-	-	6	1.2	0.53	1.1	0.46
Chronic lymphocytic	11	3.7	1.24	1.8	0.55	6	1.7	0.71	0.8	0.34
Acute myeloid	20	4.6	1.11	3.4	0.77	8	1.5	0.54	1.2	0.44
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	76	22.1	2.87	12.9	1.51	76	19.1	2.29	10.8	1.26
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	21	5.8	1.50	3.5	0.78	54	12.0	1.69	8.2	1.12
Breast (<i>in situ</i>)	-	-	-	-	-	104	22.2	2.23	16.2	1.59

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEVADA

254 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	19,549	580.3	4.27	383.1	2.86	17,761	452.1	3.45	314.8	2.57
Oral Cavity & Pharynx	567	15.6	0.67	11.4	0.49	237	6.0	0.40	4.1	0.29
Lip	13	0.4	0.12	0.2	0.06	11	0.3	0.08	0.1	0.04
Tongue	180	4.9	0.37	3.7	0.28	75	2.0	0.23	1.3	0.16
Major salivary gland	55	1.7	0.23	1.1	0.16	21	0.6	0.13	0.5	0.11
Floor of mouth	23	0.6	0.12	0.5	0.10	21	0.5	0.12	0.4	0.08
Gum & other mouth	64	1.9	0.25	1.2	0.16	50	1.3	0.18	0.8	0.12
Nasopharynx	21	0.6	0.14	0.5	0.11	8	0.2	0.07	0.1	0.05
Oropharynx	27	0.7	0.14	0.5	0.10	12	0.3	0.08	0.2	0.06
Hypopharynx	51	1.4	0.20	1.0	0.14	-	-	-	-	-
Digestive System	3,226	97.4	1.76	60.3	1.10	2,647	66.1	1.31	40.4	0.87
Esophagus	445	13.2	0.65	8.3	0.41	99	2.4	0.25	1.5	0.16
Stomach	267	8.2	0.52	4.9	0.31	157	3.9	0.32	2.3	0.20
Small intestine	100	3.0	0.31	1.9	0.20	77	2.1	0.24	1.3	0.16
Colon excl. rectum	1,042	32.4	1.03	19.2	0.62	1,138	28.4	0.86	16.5	0.54
Rectum & rectosigmoid	492	14.3	0.66	9.3	0.43	384	9.6	0.50	6.3	0.35
Anus, anal canal & anorectum	36	1.0	0.18	0.8	0.13	86	2.1	0.24	1.4	0.16
Liver	249	6.8	0.45	4.9	0.33	74	1.9	0.23	1.3	0.17
Gallbladder	28	1.0	0.19	0.5	0.10	51	1.3	0.19	0.8	0.12
Pancreas	461	14.2	0.68	8.4	0.40	447	10.9	0.52	6.7	0.34
Respiratory System	2,916	88.8	1.69	54.7	1.05	2,547	64.6	1.30	41.6	0.88
Larynx	243	6.9	0.46	4.6	0.30	70	1.7	0.21	1.2	0.16
Lung & bronchus	2,615	80.1	1.61	48.7	0.98	2,450	62.2	1.27	39.9	0.86
Bones & Joints	26	0.8	0.17	0.8	0.17	37	1.1	0.19	1.1	0.20
Soft Tissue (incl. heart)	121	3.8	0.36	2.8	0.28	98	2.6	0.27	2.3	0.28
Skin (excl. basal & sq.)	1,214	36.4	1.07	23.8	0.71	896	23.9	0.82	18.0	0.66
Melanomas of the skin	1,133	33.7	1.03	22.4	0.70	832	22.3	0.79	17.0	0.64
Breast (excl. <i>in situ</i>)	42	1.3	0.21	0.8	0.12	5,229	132.0	1.86	95.1	1.38
Female Genital System	-	-	-	-	-	2,178	54.3	1.18	39.8	0.90
Cervix uteri	-	-	-	-	-	201	5.7	0.41	4.5	0.34
Uterus Corpus	-	-	-	-	-	1,260	30.8	0.88	23.2	0.68
Uterus, NOS ¹	-	-	-	-	-	29	0.7	0.13	0.4	0.09
Ovary	-	-	-	-	-	478	12.0	0.56	8.5	0.41
Male Genital System	5,808	164.0	2.21	116.9	1.57	-	-	-	-	-
Prostate	5,542	155.4	2.15	109.3	1.50	-	-	-	-	-
Testis	234	7.6	0.51	7.0	0.48	-	-	-	-	-
Penis	26	0.8	0.16	0.5	0.10	-	-	-	-	-
Urinary System	2,337	71.1	1.51	43.9	0.95	942	23.6	0.78	15.5	0.56
Bladder (incl. <i>in situ</i>)	1,574	49.1	1.27	28.5	0.74	532	13.2	0.58	8.2	0.39
Kidney & renal pelvis	722	20.6	0.79	14.7	0.58	392	9.9	0.51	7.1	0.41
Ureter	28	0.9	0.18	0.5	0.10	14	0.4	0.10	0.2	0.06
Eye & Orbit	32	0.9	0.17	0.8	0.15	34	0.9	0.17	0.8	0.16
Brain & Other Nervous System	317	9.4	0.54	7.7	0.49	221	6.2	0.43	5.4	0.43
Brain	302	9.0	0.53	7.2	0.47	201	5.6	0.40	4.8	0.39
Endocrine System	274	7.9	0.49	6.1	0.39	719	20.2	0.77	16.7	0.66
Thyroid gland	250	7.1	0.46	5.4	0.36	705	19.8	0.76	16.5	0.65
Lymphomas	976	29.6	0.97	20.7	0.71	767	20.0	0.74	14.4	0.58
Hodgkin Lymphoma	144	4.4	0.38	3.9	0.34	96	2.9	0.30	2.6	0.29
Non-Hodgkin Lymphoma	832	25.1	0.89	16.8	0.62	671	17.1	0.67	11.8	0.50
Multiple Myeloma	239	7.2	0.48	4.4	0.29	173	4.3	0.33	2.7	0.22
Leukemias	576	17.9	0.76	12.3	0.57	388	10.1	0.53	7.6	0.46
Acute lymphocytic	59	2.0	0.26	2.4	0.33	45	1.5	0.22	1.8	0.30
Chronic lymphocytic	254	7.8	0.50	4.7	0.30	148	3.6	0.30	2.3	0.20
Acute myeloid	128	3.9	0.35	2.7	0.25	116	3.1	0.29	2.2	0.24
Chronic myeloid	66	2.0	0.25	1.3	0.18	39	1.0	0.16	0.7	0.12
Other leukemias	69	2.2	0.28	1.3	0.16	40	1.0	0.16	0.6	0.11
Mesothelioma	83	2.8	0.31	1.4	0.16	15	0.4	0.10	0.2	0.06
Kaposi Sarcoma	11	0.3	0.11	0.2	0.08	-	-	-	-	-
Ill-defined & Unknown	784	25.1	0.92	14.0	0.53	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	241	7.0	0.46	5.2	0.35	428	11.2	0.55	8.5	0.45
Breast (<i>in situ</i>)	-	-	-	-	-	1,474	37.1	0.98	28.2	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	19,111	578.3	4.30	382.9	2.90	17,418	453.0	3.50	316.0	2.62
Oral Cavity & Pharynx	552	15.4	0.67	11.3	0.49	233	6.1	0.41	4.1	0.29
Lip	12	0.4	0.12	0.2	0.06	11	0.3	0.08	0.1	0.04
Tongue	179	5.0	0.38	3.7	0.29	75	2.0	0.24	1.3	0.16
Major salivary gland	53	1.6	0.23	1.1	0.16	19	0.5	0.13	0.5	0.12
Floor of mouth	23	0.6	0.12	0.5	0.11	19	0.5	0.11	0.3	0.08
Gum & other mouth	61	1.9	0.24	1.2	0.16	50	1.3	0.18	0.8	0.13
Nasopharynx	16	0.5	0.12	0.4	0.09	8	0.2	0.07	0.1	0.05
Oropharynx	27	0.7	0.14	0.6	0.11	12	0.3	0.08	0.2	0.06
Hypopharynx	49	1.4	0.20	1.0	0.14	-	-	-	-	-
Digestive System	3,144	96.8	1.77	59.9	1.11	2,591	65.8	1.32	40.2	0.87
Esophagus	442	13.4	0.65	8.4	0.41	97	2.4	0.25	1.5	0.17
Stomach	253	8.0	0.51	4.7	0.31	154	3.9	0.32	2.3	0.21
Small intestine	100	3.1	0.32	2.0	0.21	75	2.0	0.24	1.3	0.16
Colon excl. rectum	1,019	32.3	1.04	19.2	0.63	1,121	28.4	0.86	16.5	0.55
Rectum & rectosigmoid	483	14.3	0.67	9.3	0.44	375	9.6	0.50	6.3	0.35
Anus, anal canal & anorectum	36	1.1	0.18	0.8	0.13	84	2.1	0.24	1.4	0.17
Liver	232	6.5	0.44	4.7	0.34	67	1.8	0.22	1.2	0.17
Gallbladder	28	1.0	0.19	0.5	0.10	51	1.3	0.19	0.8	0.12
Pancreas	448	14.0	0.68	8.3	0.41	438	10.9	0.53	6.7	0.35
Respiratory System	2,856	88.4	1.70	54.7	1.06	2,502	64.6	1.31	41.7	0.89
Larynx	239	6.9	0.46	4.7	0.31	69	1.7	0.21	1.3	0.16
Lung & bronchus	2,559	79.6	1.61	48.6	0.99	2,406	62.1	1.29	40.0	0.87
Bones & Joints	25	0.8	0.17	0.8	0.17	36	1.1	0.20	1.1	0.21
Soft Tissue (incl. heart)	121	3.9	0.37	2.9	0.29	95	2.6	0.28	2.3	0.29
Skin (excl. basal & sq.)	1,192	36.6	1.09	23.9	0.73	882	24.2	0.84	18.3	0.68
Melanomas of the skin	1,113	33.8	1.04	22.5	0.71	820	22.7	0.81	17.3	0.66
Breast (excl. <i>in situ</i>)	40	1.3	0.21	0.8	0.12	5,136	132.5	1.88	95.7	1.40
Female Genital System	-	-	-	-	-	2,137	54.4	1.20	39.9	0.91
Cervix uteri	-	-	-	-	-	190	5.5	0.41	4.4	0.34
Uterus Corpus	-	-	-	-	-	1,243	31.0	0.89	23.3	0.69
Uterus, NOS ¹	-	-	-	-	-	28	0.7	0.13	0.4	0.09
Ovary	-	-	-	-	-	466	12.0	0.57	8.4	0.42
Male Genital System	5,664	162.9	2.22	116.7	1.59	-	-	-	-	-
Prostate	5,401	154.0	2.15	108.8	1.51	-	-	-	-	-
Testis	231	7.9	0.53	7.3	0.50	-	-	-	-	-
Penis	26	0.8	0.17	0.5	0.10	-	-	-	-	-
Urinary System	2,304	71.3	1.53	44.2	0.96	925	23.6	0.79	15.6	0.57
Bladder (incl. <i>in situ</i>)	1,558	49.4	1.28	28.8	0.75	522	13.2	0.59	8.2	0.39
Kidney & renal pelvis	705	20.5	0.79	14.7	0.59	386	10.0	0.52	7.2	0.42
Ureter	28	0.9	0.18	0.5	0.10	13	0.4	0.10	0.2	0.05
Eye & Orbit	32	1.0	0.17	0.8	0.16	33	0.9	0.17	0.8	0.16
Brain & Other Nervous System	309	9.5	0.55	7.7	0.50	217	6.3	0.44	5.6	0.45
Brain	295	9.0	0.54	7.2	0.47	198	5.7	0.42	4.9	0.41
Endocrine System	268	7.9	0.50	6.1	0.40	700	20.3	0.79	17.0	0.68
Thyroid gland	244	7.2	0.47	5.4	0.36	688	20.0	0.78	16.7	0.67
Lymphomas	952	29.5	0.98	20.7	0.72	751	20.0	0.75	14.4	0.59
Hodgkin Lymphoma	138	4.4	0.38	3.9	0.35	94	2.9	0.31	2.6	0.30
Non-Hodgkin Lymphoma	814	25.1	0.90	16.8	0.63	657	17.1	0.68	11.8	0.50
Multiple Myeloma	236	7.3	0.49	4.4	0.30	171	4.3	0.34	2.7	0.22
Leukemias	562	17.9	0.77	12.4	0.58	379	10.1	0.53	7.6	0.48
Acute lymphocytic	58	2.0	0.27	2.4	0.35	43	1.5	0.23	1.8	0.31
Chronic lymphocytic	249	7.8	0.51	4.7	0.30	144	3.5	0.30	2.3	0.21
Acute myeloid	123	3.8	0.36	2.6	0.25	114	3.1	0.30	2.2	0.24
Chronic myeloid	65	2.0	0.26	1.4	0.18	39	1.0	0.17	0.7	0.12
Other leukemias	67	2.2	0.28	1.3	0.16	39	1.0	0.16	0.6	0.12
Mesothelioma	83	2.8	0.32	1.4	0.16	14	0.4	0.10	0.2	0.06
Kaposi Sarcoma	9	0.3	0.09	0.2	0.07	-	-	-	-	-
Ill-defined & Unknown	762	24.8	0.92	13.9	0.53	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	229	6.8	0.46	5.0	0.35	415	11.1	0.56	8.5	0.46
Breast (<i>in situ</i>)	-	-	-	-	-	1,444	37.2	1.00	28.3	0.77

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	104	421.2	49.09	291.2	30.25	65	266.4	36.20	191.2	24.93
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	77.8	18.82	56.6	12.79	9	41.2	14.67	31.4	10.95
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	21.2	8.84	16.6	6.71	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	14	87.8	27.03	45.0	12.48	10	43.8	14.50	29.5	9.74
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	14	87.8	27.03	45.0	12.48	10	43.8	14.50	29.5	9.74
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	25	107.3	23.00	74.2	15.49
Female Genital System	-	-	-	-	-	9	33.7	12.12	26.5	9.38
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	41	165.7	29.95	124.9	20.40	-	-	-	-	-
Prostate	40	163.7	29.89	123.4	20.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	27.7	12.37	20.7	8.08	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	24.4	12.14	13.6	5.91	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	98	313.2	38.86	174.1	18.58	124	231.5	23.51	164.0	15.42
Oral Cavity & Pharynx	9	17.2	6.79	12.6	4.68	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	23	57.3	14.88	37.3	8.20	19	42.3	10.79	29.8	7.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	21.3	10.82	12.4	5.09	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	8	20.9	7.93	13.1	4.68
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	17.9	7.18	12.4	4.48	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	11	45.3	14.76	21.4	6.65	10	22.2	7.80	13.5	4.54
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	40.0	13.77	19.4	6.36	10	22.2	7.80	13.5	4.54
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	41	63.2	10.65	49.3	8.02
Female Genital System	-	-	-	-	-	14	22.0	6.39	16.9	4.61
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	7	12.6	5.28	9.1	3.48
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	18	72.1	19.18	38.8	9.30	-	-	-	-	-
Prostate	18	72.1	19.18	38.8	9.30	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	35.6	16.04	14.2	5.73	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	11	16.9	5.73	12.7	3.97
Thyroid gland	-	-	-	-	-	10	15.5	5.54	11.5	3.79
Lymphomas	8	22.3	9.69	12.9	4.76	13	28.6	8.97	19.3	5.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	26.0	13.04	10.6	4.75	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	10	21.6	8.00	16.9	5.55	7	9.2	3.51	7.4	2.89
Breast (<i>in situ</i>)	-	-	-	-	-	13	21.9	6.62	16.9	4.95

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	198	653.9	54.47	406.8	30.35	191	385.4	31.26	269.6	20.35
Oral Cavity & Pharynx	9	32.6	11.99	19.9	6.89	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	32	114.5	23.40	68.8	12.66	33	79.6	15.41	48.9	8.99
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	12	46.2	15.48	26.2	7.83	14	33.1	9.66	22.9	6.42
Rectum & rectosigmoid	6	25.6	11.53	12.7	5.32	7	16.2	6.85	9.0	3.41
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	24	91.3	21.40	51.7	11.01	20	48.3	11.74	31.9	7.36
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	79.4	20.78	42.0	10.14	19	47.0	11.67	30.9	7.29
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	6	18.2	8.92	11.7	5.04	7	13.3	5.72	9.0	3.59
Melanomas of the skin	6	18.2	8.92	11.7	5.04	6	12.1	5.59	8.1	3.48
Breast (excl. <i>in situ</i>)	-	-	-	-	-	48	90.9	14.34	69.0	10.31
Female Genital System	-	-	-	-	-	29	55.3	11.30	41.1	7.87
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	14	27.8	8.23	19.3	5.28
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	19.6	6.88	15.0	4.94
Male Genital System	54	183.7	28.63	117.7	16.68	-	-	-	-	-
Prostate	49	177.3	28.48	112.6	16.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	87.5	18.94	56.6	11.19	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	15	58.4	16.90	32.0	8.57	-	-	-	-	-
Kidney & renal pelvis	13	29.0	8.54	24.6	7.19	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	13	16.5	4.66	13.6	3.83
Thyroid gland	-	-	-	-	-	13	16.5	4.66	13.6	3.83
Lymphomas	14	37.5	12.52	25.9	7.37	9	15.4	6.01	11.3	3.98
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	16.4	6.38	15.0	5.40	6	10.2	4.91	6.8	2.80
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	37.2	13.86	20.2	6.62	6	19.2	8.36	8.8	3.72
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	11	19.5	6.46	14.2	4.43
Breast (<i>in situ</i>)	-	-	-	-	-	22	38.6	8.63	31.9	7.12

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW HAMPSHIRE

260 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	18,951	579.0	4.32	383.7	2.93	17,249	453.7	3.53	316.6	2.64
Oral Cavity & Pharynx	544	15.3	0.67	11.3	0.50	231	6.1	0.41	4.1	0.29
Lip	12	0.4	0.12	0.2	0.06	11	0.3	0.09	0.1	0.04
Tongue	176	4.9	0.38	3.7	0.29	75	2.1	0.24	1.3	0.16
Major salivary gland	51	1.6	0.23	1.1	0.15	18	0.5	0.13	0.4	0.12
Floor of mouth	23	0.6	0.12	0.5	0.11	19	0.5	0.12	0.3	0.08
Gum & other mouth	61	1.9	0.25	1.2	0.16	50	1.3	0.19	0.8	0.13
Nasopharynx	15	0.4	0.12	0.3	0.09	8	0.2	0.07	0.1	0.05
Oropharynx	27	0.7	0.14	0.6	0.11	12	0.3	0.08	0.2	0.06
Hypopharynx	48	1.3	0.20	1.0	0.14	-	-	-	-	-
Digestive System	3,119	96.9	1.78	60.0	1.12	2,562	65.7	1.32	40.1	0.88
Esophagus	441	13.4	0.66	8.5	0.42	97	2.5	0.26	1.5	0.17
Stomach	251	8.0	0.52	4.7	0.31	151	3.9	0.32	2.3	0.20
Small intestine	100	3.1	0.32	2.0	0.21	74	2.0	0.24	1.3	0.16
Colon excl. rectum	1,010	32.3	1.04	19.2	0.63	1,107	28.3	0.87	16.4	0.55
Rectum & rectosigmoid	479	14.3	0.67	9.4	0.44	368	9.5	0.51	6.3	0.35
Anus, anal canal & anorectum	36	1.1	0.19	0.8	0.14	83	2.1	0.24	1.4	0.17
Liver	230	6.5	0.44	4.7	0.34	67	1.8	0.22	1.2	0.17
Gallbladder	27	0.9	0.19	0.5	0.10	50	1.3	0.19	0.8	0.12
Pancreas	445	14.0	0.68	8.3	0.41	437	10.9	0.53	6.7	0.35
Respiratory System	2,834	88.4	1.70	54.7	1.06	2,484	64.7	1.32	41.8	0.90
Larynx	234	6.8	0.46	4.6	0.31	69	1.8	0.21	1.3	0.17
Lung & bronchus	2,543	79.7	1.62	48.7	1.00	2,389	62.3	1.29	40.1	0.87
Bones & Joints	25	0.9	0.17	0.8	0.18	34	1.1	0.20	1.1	0.21
Soft Tissue (incl. heart)	121	4.0	0.37	2.9	0.30	91	2.6	0.28	2.2	0.29
Skin (excl. basal & sq.)	1,187	36.8	1.10	24.1	0.74	875	24.4	0.85	18.4	0.69
Melanomas of the skin	1,108	34.1	1.05	22.7	0.72	814	22.9	0.82	17.5	0.68
Breast (excl. <i>in situ</i>)	40	1.3	0.21	0.8	0.12	5,095	133.1	1.90	96.0	1.42
Female Genital System	-	-	-	-	-	2,113	54.4	1.21	39.9	0.92
Cervix uteri	-	-	-	-	-	187	5.6	0.42	4.5	0.35
Uterus Corpus	-	-	-	-	-	1,231	31.0	0.90	23.4	0.69
Uterus, NOS ¹	-	-	-	-	-	28	0.7	0.14	0.5	0.09
Ovary	-	-	-	-	-	458	11.9	0.57	8.3	0.42
Male Genital System	5,621	163.1	2.24	116.9	1.61	-	-	-	-	-
Prostate	5,363	154.1	2.16	109.0	1.52	-	-	-	-	-
Testis	226	8.0	0.54	7.3	0.52	-	-	-	-	-
Penis	26	0.8	0.17	0.5	0.10	-	-	-	-	-
Urinary System	2,281	71.3	1.53	44.2	0.97	921	23.7	0.80	15.7	0.58
Bladder (incl. <i>in situ</i>)	1,546	49.4	1.29	28.8	0.76	520	13.2	0.59	8.2	0.40
Kidney & renal pelvis	694	20.5	0.80	14.7	0.59	384	10.1	0.52	7.3	0.42
Ureter	28	1.0	0.18	0.5	0.10	13	0.4	0.10	0.2	0.05
Eye & Orbit	32	1.0	0.18	0.8	0.16	33	1.0	0.17	0.8	0.16
Brain & Other Nervous System	306	9.5	0.56	7.8	0.51	213	6.3	0.45	5.6	0.46
Brain	293	9.1	0.55	7.3	0.49	195	5.7	0.42	4.9	0.42
Endocrine System	265	7.9	0.50	6.2	0.41	689	20.4	0.80	17.0	0.69
Thyroid gland	241	7.2	0.47	5.4	0.37	677	20.1	0.79	16.7	0.68
Lymphomas	942	29.6	0.99	20.8	0.73	743	20.0	0.75	14.4	0.59
Hodgkin Lymphoma	135	4.4	0.39	3.9	0.36	90	2.9	0.31	2.6	0.30
Non-Hodgkin Lymphoma	807	25.2	0.91	16.9	0.63	653	17.1	0.68	11.8	0.51
Multiple Myeloma	235	7.3	0.49	4.5	0.30	168	4.3	0.34	2.6	0.22
Leukemias	555	17.9	0.78	12.3	0.59	373	10.1	0.54	7.6	0.49
Acute lymphocytic	54	2.0	0.27	2.4	0.35	42	1.5	0.24	1.9	0.33
Chronic lymphocytic	247	7.8	0.51	4.6	0.31	144	3.6	0.30	2.3	0.21
Acute myeloid	122	3.9	0.36	2.6	0.25	111	3.0	0.30	2.1	0.24
Chronic myeloid	65	2.0	0.26	1.4	0.18	38	1.0	0.16	0.7	0.12
Other leukemias	67	2.2	0.28	1.3	0.17	38	1.0	0.16	0.6	0.12
Mesothelioma	82	2.8	0.32	1.4	0.16	14	0.4	0.10	0.2	0.06
Kaposi Sarcoma	8	0.2	0.09	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	754	24.8	0.92	13.9	0.53	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	225	6.8	0.46	5.0	0.35	406	11.1	0.56	8.4	0.46
Breast (<i>in situ</i>)	-	-	-	-	-	1,428	37.3	1.00	28.4	0.77

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	102	460.7	53.91	317.3	33.13	62	297.1	41.23	212.8	28.40
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	86.9	20.98	63.1	14.20	8	45.5	17.07	34.7	12.69
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	23.8	9.87	18.7	7.50	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	14	97.1	29.73	49.8	13.77	9	44.8	15.63	29.1	10.08
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	14	97.1	29.73	49.8	13.77	9	44.8	15.63	29.1	10.08
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	24	121.0	26.50	83.3	17.80
Female Genital System	-	-	-	-	-	9	39.5	14.15	31.1	10.96
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	39	175.8	32.42	131.5	21.97	-	-	-	-	-
Prostate	38	173.6	32.34	129.9	21.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	30.9	13.65	23.2	9.00	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	27.5	13.65	15.3	6.62	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW HAMPSHIRE

262 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	122,175	582.6	1.69	383.6	1.15	119,102	450.6	1.32	312.0	0.99
Oral Cavity & Pharynx	3,326	15.0	0.26	10.8	0.19	1,580	6.0	0.15	4.2	0.11
Lip	117	0.6	0.05	0.3	0.03	81	0.3	0.03	0.2	0.02
Tongue	1,084	4.8	0.15	3.6	0.11	462	1.7	0.08	1.2	0.06
Major salivary gland	377	1.9	0.10	1.1	0.06	278	1.1	0.07	0.8	0.05
Floor of mouth	175	0.8	0.06	0.6	0.05	92	0.3	0.04	0.2	0.03
Gum & other mouth	368	1.7	0.09	1.2	0.06	320	1.2	0.07	0.8	0.05
Nasopharynx	180	0.8	0.06	0.6	0.05	83	0.3	0.04	0.3	0.03
Oropharynx	152	0.7	0.06	0.5	0.04	58	0.2	0.03	0.1	0.02
Hypopharynx	226	1.0	0.07	0.7	0.05	56	0.2	0.03	0.1	0.02
Digestive System	22,537	108.5	0.73	67.4	0.47	20,029	72.4	0.52	43.8	0.35
Esophagus	1,769	8.4	0.20	5.5	0.13	571	2.0	0.09	1.2	0.06
Stomach	2,343	11.5	0.24	7.0	0.15	1,596	5.8	0.15	3.5	0.10
Small intestine	516	2.4	0.11	1.6	0.07	484	1.8	0.08	1.2	0.06
Colon excl. rectum	7,682	37.9	0.44	22.1	0.26	8,522	30.5	0.34	17.7	0.22
Rectum & rectosigmoid	3,539	16.7	0.29	10.9	0.19	2,891	10.7	0.20	7.0	0.14
Anus, anal canal & anorectum	310	1.4	0.08	1.0	0.06	490	1.8	0.08	1.3	0.06
Liver	2,129	9.6	0.21	6.8	0.15	777	2.9	0.10	1.9	0.08
Gallbladder	209	1.1	0.07	0.6	0.04	490	1.8	0.08	1.1	0.05
Pancreas	3,175	15.3	0.28	9.4	0.17	3,168	11.4	0.21	6.6	0.13
Respiratory System	16,476	80.4	0.64	49.0	0.40	15,458	57.5	0.47	36.5	0.32
Larynx	1,377	6.4	0.18	4.3	0.12	384	1.4	0.07	1.0	0.06
Lung & bronchus	14,845	72.8	0.61	43.8	0.38	14,885	55.3	0.46	35.0	0.31
Bones & Joints	263	1.2	0.08	1.1	0.08	201	0.9	0.06	0.8	0.07
Soft Tissue (incl. heart)	882	4.2	0.14	3.2	0.12	722	2.9	0.11	2.3	0.10
Skin (excl. basal & sq.)	6,183	29.6	0.38	19.3	0.26	4,784	18.8	0.28	13.7	0.22
Melanomas of the skin	5,732	27.3	0.37	18.0	0.25	4,480	17.6	0.27	13.0	0.21
Breast (excl. <i>in situ</i>)	339	1.7	0.09	1.0	0.06	33,768	129.3	0.71	93.5	0.54
Female Genital System	-	-	-	-	-	14,850	56.5	0.47	41.7	0.36
Cervix uteri	-	-	-	-	-	2,095	8.7	0.19	6.8	0.16
Uterus Corpus	-	-	-	-	-	7,804	29.1	0.33	21.8	0.26
Uterus, NOS ¹	-	-	-	-	-	240	0.9	0.06	0.6	0.04
Ovary	-	-	-	-	-	3,592	13.6	0.23	9.8	0.18
Male Genital System	37,980	175.8	0.92	124.2	0.66	-	-	-	-	-
Prostate	36,600	169.2	0.90	118.3	0.64	-	-	-	-	-
Testis	1,180	5.7	0.17	5.3	0.16	-	-	-	-	-
Penis	146	0.7	0.06	0.4	0.04	-	-	-	-	-
Urinary System	13,703	67.1	0.58	40.5	0.36	6,090	22.5	0.29	14.6	0.21
Bladder (incl. <i>in situ</i>)	8,698	43.6	0.47	24.5	0.28	3,208	11.6	0.21	6.9	0.14
Kidney & renal pelvis	4,681	21.8	0.32	15.2	0.23	2,709	10.3	0.20	7.3	0.15
Ureter	185	0.9	0.07	0.5	0.04	124	0.4	0.04	0.2	0.03
Eye & Orbit	175	0.8	0.06	0.7	0.05	136	0.5	0.05	0.5	0.05
Brain & Other Nervous System	1,810	8.5	0.20	7.0	0.18	1,450	5.8	0.16	4.9	0.15
Brain	1,681	7.9	0.20	6.4	0.17	1,308	5.3	0.15	4.4	0.14
Endocrine System	2,025	9.3	0.21	7.4	0.17	6,029	25.4	0.33	20.9	0.28
Thyroid gland	1,803	8.2	0.20	6.4	0.16	5,849	24.6	0.33	20.2	0.28
Lymphomas	6,037	28.9	0.38	20.0	0.27	5,406	20.7	0.29	14.5	0.22
Hodgkin Lymphoma	768	3.6	0.13	3.2	0.12	662	2.9	0.12	2.7	0.11
Non-Hodgkin Lymphoma	5,269	25.2	0.35	16.8	0.24	4,744	17.8	0.26	11.8	0.19
Multiple Myeloma	1,720	8.3	0.20	5.2	0.13	1,461	5.4	0.14	3.5	0.10
Leukemias	3,593	17.4	0.29	12.2	0.22	2,756	10.5	0.20	7.7	0.18
Acute lymphocytic	412	2.0	0.10	2.4	0.13	304	1.4	0.08	1.7	0.11
Chronic lymphocytic	1,341	6.5	0.18	3.9	0.11	938	3.3	0.11	2.0	0.07
Acute myeloid	930	4.5	0.15	3.0	0.11	837	3.2	0.11	2.2	0.09
Chronic myeloid	434	2.1	0.10	1.5	0.07	348	1.4	0.07	1.0	0.06
Other leukemias	476	2.3	0.11	1.5	0.07	329	1.2	0.07	0.8	0.05
Mesothelioma	522	2.7	0.12	1.4	0.06	165	0.6	0.05	0.4	0.03
Kaposi Sarcoma	166	0.8	0.06	0.6	0.05	48	0.2	0.02	0.1	0.02
Ill-defined & Unknown	4,438	22.3	0.34	12.6	0.20	4,169	14.8	0.23	8.6	0.15
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,585	7.5	0.19	5.4	0.15	2,847	10.9	0.21	7.9	0.16
Breast (<i>in situ</i>)	51	0.2	0.03	0.2	0.02	10,346	40.3	0.40	30.7	0.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	102,612	589.0	1.86	388.1	1.29	100,441	467.3	1.51	325.3	1.15
Oral Cavity & Pharynx	2,802	15.4	0.29	11.1	0.22	1,342	6.2	0.17	4.3	0.13
Lip	110	0.6	0.06	0.4	0.04	76	0.3	0.04	0.2	0.02
Tongue	953	5.2	0.17	3.8	0.13	400	1.9	0.10	1.3	0.07
Major salivary gland	332	2.0	0.11	1.2	0.07	232	1.1	0.07	0.8	0.06
Floor of mouth	136	0.7	0.06	0.6	0.05	82	0.4	0.04	0.3	0.03
Gum & other mouth	282	1.6	0.09	1.1	0.07	274	1.2	0.08	0.8	0.05
Nasopharynx	107	0.6	0.06	0.5	0.05	53	0.3	0.04	0.2	0.03
Oropharynx	127	0.7	0.06	0.5	0.05	47	0.2	0.03	0.1	0.02
Hypopharynx	178	1.0	0.07	0.7	0.05	44	0.2	0.03	0.1	0.02
Digestive System	18,626	107.3	0.80	66.5	0.52	16,472	71.0	0.57	42.7	0.38
Esophagus	1,507	8.5	0.22	5.6	0.15	471	2.0	0.09	1.2	0.06
Stomach	1,862	10.9	0.25	6.6	0.16	1,190	5.1	0.15	3.1	0.10
Small intestine	418	2.4	0.12	1.6	0.08	375	1.7	0.09	1.1	0.06
Colon excl. rectum	6,485	38.0	0.48	22.1	0.29	7,138	30.2	0.37	17.4	0.24
Rectum & rectosigmoid	2,937	16.7	0.31	10.9	0.21	2,365	10.6	0.22	7.0	0.16
Anus, anal canal & anorectum	246	1.4	0.09	1.0	0.06	423	2.0	0.10	1.4	0.07
Liver	1,597	8.8	0.22	6.1	0.16	592	2.6	0.11	1.7	0.08
Gallbladder	161	1.0	0.08	0.5	0.04	391	1.7	0.09	1.0	0.06
Pancreas	2,682	15.4	0.30	9.5	0.19	2,650	11.3	0.22	6.5	0.15
Respiratory System	14,008	81.3	0.69	49.5	0.44	13,429	60.2	0.53	38.4	0.37
Larynx	1,119	6.3	0.19	4.2	0.13	313	1.4	0.08	1.1	0.06
Lung & bronchus	12,675	73.8	0.66	44.3	0.42	12,957	58.0	0.52	36.9	0.36
Bones & Joints	219	1.3	0.09	1.3	0.09	169	1.0	0.08	0.9	0.08
Soft Tissue (incl. heart)	748	4.4	0.16	3.3	0.14	587	2.9	0.12	2.3	0.12
Skin (excl. basal & sq.)	5,827	33.6	0.45	22.2	0.31	4,490	22.2	0.34	16.5	0.28
Melanomas of the skin	5,436	31.3	0.43	20.9	0.30	4,225	21.1	0.33	15.7	0.27
Breast (excl. <i>in situ</i>)	275	1.6	0.10	0.9	0.06	28,081	133.6	0.81	96.8	0.62
Female Genital System	-	-	-	-	-	12,398	58.5	0.54	43.3	0.42
Cervix uteri	-	-	-	-	-	1,557	8.4	0.22	6.7	0.18
Uterus Corpus	-	-	-	-	-	6,650	30.7	0.38	23.0	0.30
Uterus, NOS ¹	-	-	-	-	-	169	0.7	0.06	0.5	0.04
Ovary	-	-	-	-	-	3,068	14.4	0.27	10.4	0.21
Male Genital System	30,362	170.1	0.99	120.4	0.72	-	-	-	-	-
Prostate	29,095	162.0	0.96	113.2	0.69	-	-	-	-	-
Testis	1,097	7.1	0.22	6.6	0.21	-	-	-	-	-
Penis	125	0.7	0.07	0.4	0.04	-	-	-	-	-
Urinary System	12,295	71.6	0.65	43.3	0.42	5,291	23.7	0.33	15.5	0.24
Bladder (incl. <i>in situ</i>)	8,000	47.2	0.53	26.7	0.32	2,865	12.4	0.24	7.5	0.16
Kidney & renal pelvis	3,998	22.6	0.36	15.7	0.26	2,276	10.6	0.23	7.6	0.18
Ureter	177	1.1	0.08	0.6	0.05	113	0.5	0.05	0.3	0.03
Eye & Orbit	158	0.9	0.07	0.7	0.06	128	0.6	0.06	0.6	0.06
Brain & Other Nervous System	1,567	9.3	0.24	7.6	0.21	1,257	6.4	0.18	5.3	0.18
Brain	1,464	8.6	0.23	7.0	0.20	1,143	5.8	0.18	4.8	0.17
Endocrine System	1,740	10.0	0.24	8.1	0.20	5,034	27.8	0.40	23.0	0.35
Thyroid gland	1,565	9.0	0.23	7.1	0.19	4,907	27.1	0.40	22.3	0.34
Lymphomas	5,164	30.2	0.42	20.8	0.31	4,686	22.2	0.33	15.6	0.27
Hodgkin Lymphoma	617	3.8	0.15	3.3	0.14	568	3.4	0.14	3.1	0.14
Non-Hodgkin Lymphoma	4,547	26.4	0.40	17.5	0.28	4,118	18.8	0.30	12.5	0.22
Multiple Myeloma	1,338	7.7	0.21	4.8	0.14	1,071	4.7	0.15	3.0	0.10
Leukemias	3,051	17.9	0.33	12.7	0.26	2,324	10.9	0.23	8.0	0.21
Acute lymphocytic	333	2.1	0.12	2.6	0.15	254	1.6	0.10	2.0	0.14
Chronic lymphocytic	1,137	6.5	0.20	4.0	0.13	802	3.4	0.12	2.0	0.08
Acute myeloid	817	4.8	0.17	3.2	0.12	713	3.3	0.13	2.3	0.10
Chronic myeloid	356	2.1	0.11	1.5	0.08	274	1.3	0.08	1.0	0.07
Other leukemias	408	2.4	0.12	1.5	0.08	281	1.2	0.08	0.8	0.06
Mesothelioma	495	3.0	0.14	1.5	0.07	155	0.7	0.06	0.4	0.04
Kaposi Sarcoma	113	0.7	0.07	0.5	0.05	33	0.1	0.02	0.1	0.01
Ill-defined & Unknown	3,824	22.7	0.37	12.8	0.22	3,494	14.7	0.25	8.4	0.17
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,300	7.6	0.21	5.5	0.16	2,329	11.1	0.24	8.1	0.19
Breast (<i>in situ</i>)	44	0.2	0.04	0.2	0.03	8,627	42.4	0.46	32.4	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	13,481	601.3	5.52	407.8	3.56	12,959	403.0	3.59	276.5	2.51
Oral Cavity & Pharynx	327	13.0	0.75	9.9	0.56	165	4.9	0.38	3.7	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	86	3.5	0.39	2.7	0.29	42	1.3	0.20	0.9	0.14
Major salivary gland	27	1.1	0.21	0.8	0.16	34	1.0	0.17	0.9	0.15
Floor of mouth	26	1.0	0.20	0.8	0.16	-	-	-	-	-
Gum & other mouth	36	1.5	0.26	1.1	0.18	30	0.9	0.17	0.6	0.12
Nasopharynx	34	1.2	0.22	1.0	0.17	18	0.5	0.12	0.4	0.10
Oropharynx	21	0.8	0.18	0.6	0.14	10	0.3	0.09	0.2	0.07
Hypopharynx	39	1.8	0.30	1.2	0.19	10	0.3	0.10	0.2	0.07
Digestive System	2,787	129.1	2.62	82.0	1.58	2,677	86.7	1.70	53.5	1.07
Esophagus	205	9.5	0.71	6.1	0.43	83	2.6	0.29	1.7	0.20
Stomach	312	15.7	0.95	9.4	0.54	278	9.2	0.56	5.3	0.33
Small intestine	77	3.6	0.44	2.2	0.25	91	2.9	0.31	1.8	0.20
Colon excl. rectum	896	43.7	1.56	26.1	0.88	1,082	35.1	1.08	21.6	0.68
Rectum & rectosigmoid	382	16.8	0.92	11.3	0.59	366	11.6	0.62	7.4	0.40
Anus, anal canal & anorectum	56	2.0	0.28	1.6	0.21	52	1.7	0.23	1.1	0.15
Liver	358	13.7	0.76	10.6	0.57	118	3.7	0.34	2.5	0.24
Gallbladder	31	1.6	0.31	0.9	0.17	73	2.4	0.29	1.4	0.17
Pancreas	382	18.0	0.99	11.3	0.59	424	14.0	0.69	8.4	0.42
Respiratory System	1,956	91.8	2.22	59.0	1.35	1,638	52.5	1.32	33.7	0.86
Larynx	208	9.1	0.66	6.4	0.45	62	1.8	0.24	1.4	0.18
Lung & bronchus	1,725	81.8	2.10	51.9	1.27	1,556	50.0	1.29	32.0	0.84
Bones & Joints	31	1.0	0.18	0.9	0.17	18	0.5	0.12	0.5	0.11
Soft Tissue (incl. heart)	93	3.6	0.40	2.8	0.30	96	2.9	0.30	2.2	0.24
Skin (excl. basal & sq.)	54	2.1	0.30	1.6	0.22	60	1.8	0.24	1.3	0.18
Melanomas of the skin	23	1.0	0.21	0.7	0.15	34	1.0	0.18	0.8	0.13
Breast (excl. <i>in situ</i>)	48	2.4	0.38	1.4	0.21	3,892	117.1	1.90	84.7	1.39
Female Genital System	-	-	-	-	-	1,699	51.6	1.27	37.6	0.93
Cervix uteri	-	-	-	-	-	400	11.8	0.60	9.0	0.46
Uterus Corpus	-	-	-	-	-	787	24.0	0.87	17.5	0.64
Uterus, NOS ¹	-	-	-	-	-	56	1.7	0.23	1.2	0.16
Ovary	-	-	-	-	-	342	10.7	0.58	7.4	0.41
Male Genital System	5,402	235.6	3.38	166.8	2.30	-	-	-	-	-
Prostate	5,352	233.8	3.37	165.2	2.29	-	-	-	-	-
Testis	32	1.1	0.20	1.0	0.18	-	-	-	-	-
Penis	13	0.5	0.15	0.4	0.11	-	-	-	-	-
Urinary System	952	44.5	1.54	28.5	0.94	592	19.1	0.80	12.2	0.53
Bladder (incl. <i>in situ</i>)	421	22.1	1.16	12.4	0.62	240	8.2	0.54	4.5	0.30
Kidney & renal pelvis	513	21.5	1.00	15.5	0.70	335	10.3	0.57	7.5	0.42
Ureter	-	-	-	-	-	8	0.3	0.10	0.1	0.05
Eye & Orbit	8	0.3	0.09	0.3	0.10	-	-	-	-	-
Brain & Other Nervous System	136	5.3	0.49	4.2	0.37	119	3.5	0.33	3.1	0.30
Brain	123	4.9	0.47	3.8	0.35	100	3.0	0.30	2.6	0.28
Endocrine System	117	4.6	0.45	3.6	0.34	442	12.8	0.61	10.4	0.50
Thyroid gland	91	3.7	0.41	2.7	0.29	404	11.7	0.59	9.4	0.47
Lymphomas	525	20.0	0.93	15.4	0.68	456	14.0	0.66	10.2	0.49
Hodgkin Lymphoma	106	3.6	0.36	3.2	0.31	68	2.0	0.24	1.8	0.22
Non-Hodgkin Lymphoma	419	16.4	0.86	12.2	0.60	388	12.0	0.62	8.4	0.44
Multiple Myeloma	293	13.5	0.83	8.8	0.52	326	10.4	0.58	6.7	0.39
Leukemias	269	11.8	0.79	8.3	0.52	238	7.5	0.49	5.7	0.40
Acute lymphocytic	38	1.2	0.21	1.5	0.24	29	0.9	0.16	1.0	0.20
Chronic lymphocytic	69	3.5	0.46	2.0	0.24	57	1.9	0.26	1.1	0.15
Acute myeloid	71	3.1	0.40	2.2	0.26	81	2.5	0.29	1.9	0.23
Chronic myeloid	49	2.1	0.32	1.4	0.21	45	1.3	0.20	1.1	0.16
Other leukemias	42	2.0	0.33	1.2	0.19	26	0.9	0.17	0.6	0.13
Mesothelioma	22	1.3	0.29	0.7	0.14	9	0.3	0.10	0.2	0.06
Kaposi Sarcoma	39	1.3	0.22	1.1	0.18	12	0.3	0.10	0.3	0.08
Ill-defined & Unknown	422	20.3	1.08	12.5	0.62	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	152	6.4	0.56	4.6	0.38	323	9.8	0.55	7.0	0.40
Breast (<i>in situ</i>)	-	-	-	-	-	990	29.1	0.94	22.1	0.71

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	3,545	291.1	5.64	185.4	3.17	4,278	268.2	4.42	187.8	2.92
Oral Cavity & Pharynx	166	11.7	1.05	8.2	0.65	61	4.0	0.55	2.6	0.34
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	38	2.7	0.50	1.9	0.31	17	1.2	0.31	0.8	0.19
Major salivary gland	13	1.0	0.33	0.7	0.20	11	0.6	0.17	0.5	0.14
Floor of mouth	11	0.8	0.31	0.6	0.18	-	-	-	-	-
Gum & other mouth	44	3.3	0.58	2.2	0.34	10	0.7	0.26	0.4	0.14
Nasopharynx	34	2.0	0.35	1.5	0.27	12	0.7	0.21	0.5	0.14
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	9	0.7	0.28	0.5	0.16	-	-	-	-	-
Digestive System	901	76.5	2.96	46.8	1.58	701	50.9	2.08	31.5	1.21
Esophagus	46	4.0	0.70	2.5	0.37	16	1.3	0.35	0.8	0.19
Stomach	149	13.8	1.30	7.9	0.65	113	7.9	0.81	4.9	0.47
Small intestine	16	1.1	0.34	0.8	0.21	11	0.7	0.23	0.5	0.14
Colon excl. rectum	226	20.4	1.59	11.8	0.80	226	16.9	1.22	10.0	0.68
Rectum & rectosigmoid	155	11.9	1.09	7.7	0.63	120	8.2	0.80	5.4	0.50
Anus, anal canal & anorectum	-	-	-	-	-	6	0.4	0.20	0.3	0.10
Liver	150	11.0	0.99	7.6	0.63	61	4.3	0.60	2.9	0.38
Gallbladder	16	1.5	0.43	0.8	0.21	24	1.7	0.39	1.1	0.23
Pancreas	97	8.6	1.02	5.3	0.54	80	6.1	0.73	3.7	0.42
Respiratory System	429	39.8	2.19	22.7	1.11	347	26.5	1.53	15.7	0.85
Larynx	34	2.8	0.55	1.7	0.30	7	0.3	0.13	0.3	0.11
Lung & bronchus	383	36.1	2.10	20.3	1.05	334	25.8	1.52	15.1	0.84
Bones & Joints	7	0.4	0.14	0.3	0.14	12	0.7	0.21	0.7	0.20
Soft Tissue (incl. heart)	25	1.7	0.40	1.3	0.27	31	1.8	0.35	1.4	0.25
Skin (excl. basal & sq.)	32	2.6	0.55	1.6	0.29	25	1.5	0.33	1.0	0.20
Melanomas of the skin	23	2.1	0.52	1.2	0.25	18	1.2	0.31	0.7	0.17
Breast (excl. <i>in situ</i>)	14	1.3	0.41	0.7	0.20	1,498	86.0	2.35	64.4	1.68
Female Genital System	-	-	-	-	-	606	35.1	1.51	26.4	1.09
Cervix uteri	-	-	-	-	-	107	5.9	0.61	4.5	0.44
Uterus Corpus	-	-	-	-	-	293	16.4	1.00	12.8	0.76
Uterus, NOS ¹	-	-	-	-	-	10	0.6	0.19	0.4	0.13
Ovary	-	-	-	-	-	162	9.7	0.82	7.2	0.58
Male Genital System	919	74.2	2.75	48.8	1.63	-	-	-	-	-
Prostate	882	72.0	2.72	46.9	1.59	-	-	-	-	-
Testis	31	1.6	0.29	1.6	0.30	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	279	23.2	1.59	14.6	0.88	119	8.7	0.87	5.2	0.48
Bladder (incl. <i>in situ</i>)	154	14.0	1.29	8.1	0.66	43	3.6	0.59	1.9	0.29
Kidney & renal pelvis	118	8.6	0.89	6.0	0.57	72	4.8	0.60	3.1	0.37
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	7	0.4	0.14	0.5	0.18	-	-	-	-	-
Brain & Other Nervous System	85	5.0	0.59	4.5	0.51	54	3.6	0.52	2.6	0.37
Brain	74	4.4	0.56	3.8	0.46	47	3.2	0.50	2.3	0.34
Endocrine System	136	7.9	0.74	6.1	0.53	430	22.3	1.11	18.1	0.90
Thyroid gland	116	6.5	0.65	5.1	0.48	416	21.5	1.09	17.4	0.87
Lymphomas	226	18.0	1.40	12.0	0.82	166	11.1	0.93	7.6	0.60
Hodgkin Lymphoma	32	1.8	0.32	1.8	0.34	18	1.0	0.25	1.0	0.25
Non-Hodgkin Lymphoma	194	16.2	1.36	10.1	0.74	148	10.0	0.90	6.6	0.55
Multiple Myeloma	61	5.3	0.79	3.2	0.41	44	2.9	0.47	2.1	0.31
Leukemias	118	8.3	0.88	6.5	0.62	90	5.5	0.62	4.4	0.49
Acute lymphocytic	34	2.2	0.42	2.2	0.40	20	1.1	0.26	1.2	0.29
Chronic lymphocytic	23	1.9	0.44	1.2	0.25	6	0.4	0.17	0.3	0.11
Acute myeloid	31	2.4	0.51	1.6	0.30	36	2.2	0.39	1.6	0.27
Chronic myeloid	17	1.0	0.27	0.8	0.20	13	0.7	0.22	0.5	0.15
Other leukemias	13	0.8	0.25	0.7	0.18	15	1.1	0.31	0.8	0.22
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	130	13.5	1.40	7.2	0.64	91	7.5	0.85	4.0	0.43
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	74	5.0	0.67	3.9	0.47	119	7.6	0.76	5.3	0.49
Breast (<i>in situ</i>)	-	-	-	-	-	581	31.7	1.36	24.9	1.04

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	9,084	468.5	5.52	303.1	3.27	9,160	347.4	3.82	237.9	2.55
Oral Cavity & Pharynx	235	11.1	0.82	7.6	0.51	121	4.6	0.44	3.1	0.29
Lip	9	0.6	0.24	0.3	0.10	-	-	-	-	-
Tongue	73	3.3	0.43	2.4	0.29	29	1.2	0.23	0.8	0.15
Major salivary gland	29	1.4	0.30	0.8	0.16	23	0.9	0.20	0.6	0.12
Floor of mouth	10	0.4	0.15	0.3	0.11	-	-	-	-	-
Gum & other mouth	15	0.7	0.22	0.5	0.13	31	1.2	0.24	0.8	0.14
Nasopharynx	20	0.9	0.23	0.6	0.15	10	0.3	0.09	0.2	0.08
Oropharynx	13	0.6	0.18	0.4	0.13	-	-	-	-	-
Hypopharynx	17	1.0	0.27	0.6	0.14	-	-	-	-	-
Digestive System	2,005	105.3	2.63	66.5	1.53	1,615	68.9	1.79	41.9	1.07
Esophagus	107	5.7	0.60	3.7	0.36	35	1.6	0.28	0.9	0.16
Stomach	295	16.0	1.04	9.9	0.60	209	8.7	0.63	5.3	0.38
Small intestine	35	1.7	0.31	1.2	0.20	32	1.4	0.25	0.8	0.15
Colon excl. rectum	620	34.1	1.54	20.4	0.85	582	25.5	1.10	15.0	0.64
Rectum & rectosigmoid	309	14.9	0.95	10.0	0.59	230	9.0	0.62	6.0	0.41
Anus, anal canal & anorectum	30	1.3	0.28	0.9	0.17	54	2.1	0.30	1.5	0.20
Liver	273	12.7	0.86	8.9	0.55	96	4.1	0.43	2.6	0.27
Gallbladder	18	1.1	0.28	0.6	0.15	53	2.3	0.33	1.4	0.19
Pancreas	232	12.6	0.92	7.9	0.53	222	9.9	0.69	5.8	0.40
Respiratory System	926	54.6	1.97	32.2	1.08	709	30.7	1.20	18.8	0.72
Larynx	124	6.7	0.68	4.2	0.39	20	0.7	0.17	0.5	0.12
Lung & bronchus	771	46.6	1.83	27.2	1.00	668	29.2	1.17	17.7	0.70
Bones & Joints	33	0.9	0.19	0.9	0.16	38	1.0	0.17	1.1	0.19
Soft Tissue (incl. heart)	96	3.8	0.47	2.8	0.30	75	2.5	0.31	2.0	0.24
Skin (excl. basal & sq.)	115	5.6	0.60	3.6	0.35	143	5.2	0.46	3.6	0.30
Melanomas of the skin	94	4.6	0.55	2.9	0.31	116	4.1	0.40	2.9	0.28
Breast (excl. <i>in situ</i>)	14	0.8	0.23	0.4	0.12	2,550	91.8	1.90	66.1	1.34
Female Genital System	-	-	-	-	-	1,367	49.1	1.39	35.7	0.99
Cervix uteri	-	-	-	-	-	359	11.4	0.63	8.8	0.47
Uterus Corpus	-	-	-	-	-	596	22.0	0.94	16.2	0.68
Uterus, NOS ¹	-	-	-	-	-	20	0.8	0.20	0.5	0.12
Ovary	-	-	-	-	-	291	10.6	0.65	7.6	0.46
Male Genital System	3,031	159.5	3.17	106.9	1.99	-	-	-	-	-
Prostate	2,811	153.3	3.13	101.5	1.95	-	-	-	-	-
Testis	181	4.2	0.33	4.1	0.31	-	-	-	-	-
Penis	36	1.8	0.33	1.2	0.21	-	-	-	-	-
Urinary System	789	46.1	1.83	26.6	0.97	397	16.5	0.87	10.5	0.54
Bladder (incl. <i>in situ</i>)	410	27.6	1.49	14.3	0.72	155	7.1	0.59	4.1	0.34
Kidney & renal pelvis	363	17.2	1.01	11.7	0.63	235	9.1	0.63	6.3	0.42
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	10	0.4	0.12	0.3	0.11	12	0.4	0.13	0.4	0.11
Brain & Other Nervous System	208	7.2	0.57	5.9	0.42	152	4.9	0.42	4.3	0.35
Brain	199	6.8	0.55	5.7	0.41	143	4.6	0.41	4.0	0.34
Endocrine System	169	5.7	0.49	4.6	0.37	731	22.4	0.86	17.8	0.67
Thyroid gland	148	5.0	0.46	4.0	0.34	719	22.0	0.85	17.5	0.66
Lymphomas	618	25.7	1.20	18.0	0.75	532	20.1	0.92	13.9	0.62
Hodgkin Lymphoma	108	3.3	0.36	2.8	0.28	89	2.6	0.29	2.3	0.25
Non-Hodgkin Lymphoma	510	22.4	1.15	15.2	0.70	443	17.5	0.88	11.6	0.57
Multiple Myeloma	141	7.4	0.69	4.8	0.41	125	5.1	0.48	3.2	0.30
Leukemias	307	13.1	0.90	9.6	0.56	267	9.7	0.63	7.3	0.46
Acute lymphocytic	80	2.1	0.26	2.4	0.27	67	1.9	0.24	2.0	0.25
Chronic lymphocytic	44	2.8	0.47	1.6	0.25	43	2.0	0.31	1.1	0.18
Acute myeloid	76	3.3	0.45	2.3	0.28	85	3.3	0.38	2.2	0.25
Chronic myeloid	57	2.4	0.37	1.7	0.23	45	1.5	0.24	1.2	0.18
Other leukemias	50	2.5	0.42	1.6	0.23	27	1.0	0.20	0.7	0.14
Mesothelioma	22	1.3	0.33	0.7	0.16	9	0.4	0.13	0.2	0.07
Kaposi Sarcoma	32	1.2	0.26	0.8	0.15	6	0.3	0.11	0.2	0.07
Ill-defined & Unknown	333	19.0	1.19	10.8	0.61	311	14.1	0.84	7.8	0.46
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	176	7.0	0.61	5.1	0.40	307	11.0	0.66	7.9	0.46
Breast (<i>in situ</i>)	-	-	-	-	-	791	27.0	0.99	20.4	0.74

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW JERSEY

268 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	94,347	603.0	1.99	399.1	1.41	92,119	483.7	1.66	338.3	1.29
Oral Cavity & Pharynx	2,585	16.0	0.32	11.5	0.24	1,227	6.4	0.19	4.4	0.14
Lip	101	0.6	0.06	0.4	0.04	73	0.3	0.04	0.2	0.03
Tongue	886	5.4	0.19	4.0	0.14	371	2.0	0.11	1.4	0.08
Major salivary gland	306	2.0	0.12	1.2	0.07	211	1.2	0.08	0.8	0.07
Floor of mouth	126	0.8	0.07	0.6	0.05	78	0.4	0.05	0.3	0.03
Gum & other mouth	268	1.7	0.10	1.2	0.08	244	1.2	0.08	0.8	0.06
Nasopharynx	87	0.6	0.06	0.4	0.05	43	0.2	0.04	0.2	0.03
Oropharynx	114	0.7	0.07	0.5	0.05	47	0.2	0.03	0.2	0.03
Hypopharynx	164	1.0	0.08	0.7	0.06	42	0.2	0.03	0.1	0.03
Digestive System	16,779	107.0	0.83	66.1	0.55	14,991	71.1	0.60	42.7	0.41
Esophagus	1,406	8.8	0.24	5.9	0.16	438	2.0	0.10	1.2	0.07
Stomach	1,586	10.2	0.26	6.1	0.17	998	4.7	0.15	2.7	0.10
Small intestine	386	2.5	0.13	1.6	0.09	343	1.7	0.10	1.1	0.07
Colon excl. rectum	5,919	38.2	0.50	22.2	0.31	6,616	30.7	0.39	17.7	0.26
Rectum & rectosigmoid	2,658	16.9	0.33	11.0	0.23	2,151	10.8	0.24	7.1	0.18
Anus, anal canal & anorectum	221	1.4	0.09	1.0	0.07	377	2.0	0.11	1.4	0.08
Liver	1,343	8.2	0.23	5.7	0.16	501	2.5	0.11	1.5	0.08
Gallbladder	143	0.9	0.08	0.5	0.05	341	1.6	0.09	0.9	0.06
Pancreas	2,466	15.6	0.32	9.6	0.21	2,444	11.4	0.24	6.5	0.16
Respiratory System	13,150	83.8	0.74	51.3	0.48	12,782	63.4	0.57	40.8	0.40
Larynx	1,009	6.3	0.20	4.2	0.14	294	1.5	0.09	1.1	0.07
Lung & bronchus	11,956	76.3	0.70	46.1	0.45	12,348	61.2	0.56	39.2	0.40
Bones & Joints	189	1.4	0.10	1.3	0.11	133	0.9	0.08	0.8	0.09
Soft Tissue (incl. heart)	659	4.5	0.18	3.3	0.15	524	3.0	0.14	2.4	0.14
Skin (excl. basal & sq.)	5,723	37.2	0.50	24.9	0.36	4,355	25.2	0.40	19.0	0.33
Melanomas of the skin	5,351	34.7	0.48	23.5	0.35	4,116	24.1	0.39	18.2	0.33
Breast (excl. <i>in situ</i>)	261	1.7	0.10	1.0	0.07	25,762	139.4	0.90	101.3	0.69
Female Genital System	-	-	-	-	-	11,170	59.6	0.58	44.2	0.46
Cervix uteri	-	-	-	-	-	1,224	7.8	0.23	6.2	0.19
Uterus Corpus	-	-	-	-	-	6,128	31.9	0.41	24.0	0.33
Uterus, NOS ¹	-	-	-	-	-	152	0.8	0.06	0.5	0.05
Ovary	-	-	-	-	-	2,807	14.9	0.29	10.8	0.23
Male Genital System	27,641	172.4	1.05	122.7	0.77	-	-	-	-	-
Prostate	26,578	163.6	1.02	114.8	0.73	-	-	-	-	-
Testis	930	7.9	0.26	7.3	0.25	-	-	-	-	-
Penis	91	0.6	0.06	0.3	0.04	-	-	-	-	-
Urinary System	11,574	74.3	0.70	45.3	0.45	4,932	24.5	0.36	16.1	0.27
Bladder (incl. <i>in situ</i>)	7,628	49.2	0.57	28.0	0.35	2,730	13.0	0.26	8.0	0.18
Kidney & renal pelvis	3,664	23.3	0.39	16.2	0.29	2,057	10.8	0.25	7.8	0.20
Ureter	173	1.1	0.09	0.6	0.05	110	0.5	0.05	0.3	0.03
Eye & Orbit	148	1.0	0.08	0.8	0.07	116	0.7	0.07	0.6	0.07
Brain & Other Nervous System	1,380	9.6	0.26	7.9	0.25	1,115	6.5	0.21	5.5	0.21
Brain	1,284	8.8	0.25	7.2	0.23	1,010	5.9	0.20	4.9	0.19
Endocrine System	1,585	10.9	0.28	8.8	0.24	4,369	29.1	0.46	24.3	0.40
Thyroid gland	1,429	9.8	0.26	7.7	0.22	4,252	28.4	0.45	23.5	0.39
Lymphomas	4,601	30.6	0.46	21.2	0.35	4,200	22.5	0.36	15.9	0.30
Hodgkin Lymphoma	525	4.0	0.18	3.6	0.17	489	3.6	0.17	3.4	0.17
Non-Hodgkin Lymphoma	4,076	26.6	0.42	17.6	0.30	3,711	18.9	0.32	12.6	0.24
Multiple Myeloma	1,213	7.7	0.22	4.8	0.15	961	4.7	0.15	3.0	0.11
Leukemias	2,771	18.4	0.36	13.1	0.29	2,086	11.0	0.26	8.2	0.24
Acute lymphocytic	261	2.1	0.13	2.6	0.18	192	1.5	0.11	2.0	0.16
Chronic lymphocytic	1,095	6.9	0.21	4.3	0.14	767	3.6	0.13	2.1	0.09
Acute myeloid	748	5.0	0.18	3.3	0.14	635	3.3	0.14	2.3	0.12
Chronic myeloid	306	2.1	0.12	1.4	0.09	236	1.3	0.09	0.9	0.07
Other leukemias	361	2.4	0.13	1.5	0.09	256	1.3	0.08	0.8	0.07
Mesothelioma	473	3.1	0.14	1.6	0.08	147	0.7	0.06	0.4	0.04
Kaposi Sarcoma	84	0.6	0.07	0.4	0.05	28	0.1	0.02	0.1	0.01
Ill-defined & Unknown	3,531	23.0	0.39	12.9	0.24	3,221	14.8	0.27	8.5	0.19
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,142	7.6	0.23	5.6	0.19	2,058	11.2	0.26	8.2	0.21
Breast (<i>in situ</i>)	39	0.2	0.04	0.2	0.03	7,912	44.8	0.52	34.2	0.40

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,076	626.4	5.81	426.6	3.78	12,485	416.2	3.77	286.2	2.65
Oral Cavity & Pharynx	316	13.5	0.79	10.4	0.59	159	5.1	0.41	3.9	0.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	82	3.6	0.41	2.7	0.31	42	1.3	0.21	1.0	0.15
Major salivary gland	26	1.1	0.21	0.9	0.17	32	1.0	0.18	0.9	0.16
Floor of mouth	26	1.1	0.22	0.9	0.17	-	-	-	-	-
Gum & other mouth	35	1.5	0.27	1.1	0.20	29	1.0	0.18	0.7	0.13
Nasopharynx	34	1.3	0.24	1.1	0.19	18	0.6	0.13	0.5	0.11
Oropharynx	21	0.9	0.19	0.7	0.15	10	0.3	0.10	0.2	0.07
Hypopharynx	37	1.8	0.30	1.2	0.20	10	0.3	0.10	0.2	0.08
Digestive System	2,711	134.7	2.76	85.8	1.67	2,605	89.7	1.78	55.5	1.13
Esophagus	200	10.0	0.75	6.4	0.46	81	2.7	0.31	1.8	0.21
Stomach	303	16.3	1.00	9.8	0.57	271	9.5	0.58	5.5	0.35
Small intestine	75	3.8	0.47	2.3	0.27	91	3.1	0.33	1.9	0.21
Colon excl. rectum	869	45.4	1.64	27.2	0.94	1,053	36.3	1.13	22.4	0.72
Rectum & rectosigmoid	370	17.5	0.97	11.8	0.62	355	12.1	0.65	7.7	0.42
Anus, anal canal & anorectum	55	2.2	0.30	1.7	0.23	48	1.6	0.24	1.1	0.16
Liver	350	14.4	0.81	11.2	0.61	114	3.8	0.36	2.6	0.25
Gallbladder	31	1.7	0.33	1.0	0.18	71	2.5	0.30	1.5	0.19
Pancreas	374	18.8	1.04	11.9	0.63	415	14.5	0.72	8.8	0.45
Respiratory System	1,916	96.2	2.33	62.0	1.44	1,593	54.3	1.38	35.0	0.91
Larynx	201	9.4	0.70	6.7	0.48	61	1.9	0.25	1.4	0.19
Lung & bronchus	1,692	85.8	2.22	54.6	1.35	1,513	51.7	1.35	33.1	0.88
Bones & Joints	28	1.0	0.19	0.9	0.18	17	0.5	0.13	0.5	0.12
Soft Tissue (incl. heart)	92	3.9	0.43	3.1	0.33	86	2.8	0.31	2.2	0.25
Skin (excl. basal & sq.)	51	2.2	0.32	1.7	0.24	57	1.9	0.25	1.4	0.19
Melanomas of the skin	21	1.0	0.22	0.7	0.16	31	1.0	0.19	0.7	0.14
Breast (excl. <i>in situ</i>)	48	2.6	0.40	1.5	0.22	3,754	121.7	2.01	88.1	1.47
Female Genital System	-	-	-	-	-	1,615	52.7	1.33	38.4	0.98
Cervix uteri	-	-	-	-	-	388	12.5	0.64	9.5	0.49
Uterus Corpus	-	-	-	-	-	741	24.1	0.90	17.6	0.66
Uterus, NOS ¹	-	-	-	-	-	55	1.8	0.25	1.3	0.17
Ovary	-	-	-	-	-	322	10.8	0.61	7.5	0.43
Male Genital System	5,260	245.8	3.56	174.5	2.44	-	-	-	-	-
Prostate	5,215	244.0	3.55	173.0	2.42	-	-	-	-	-
Testis	28	1.1	0.21	1.0	0.19	-	-	-	-	-
Penis	12	0.5	0.16	0.4	0.11	-	-	-	-	-
Urinary System	919	46.0	1.61	29.8	1.00	573	19.7	0.83	12.7	0.56
Bladder (incl. <i>in situ</i>)	401	22.5	1.20	12.7	0.65	232	8.3	0.55	4.6	0.32
Kidney & renal pelvis	501	22.6	1.06	16.5	0.75	326	10.8	0.60	7.8	0.45
Ureter	-	-	-	-	-	7	0.3	0.10	0.1	0.05
Eye & Orbit	8	0.3	0.10	0.3	0.11	-	-	-	-	-
Brain & Other Nervous System	126	5.4	0.51	4.3	0.40	113	3.7	0.35	3.3	0.33
Brain	114	4.9	0.49	3.9	0.38	94	3.1	0.32	2.8	0.30
Endocrine System	111	4.7	0.47	3.7	0.36	423	13.5	0.66	10.9	0.55
Thyroid gland	87	3.8	0.43	2.8	0.31	385	12.2	0.63	9.8	0.51
Lymphomas	497	20.8	0.99	16.0	0.73	433	14.3	0.70	10.5	0.52
Hodgkin Lymphoma	95	3.6	0.38	3.2	0.33	62	2.0	0.25	1.9	0.24
Non-Hodgkin Lymphoma	402	17.2	0.91	12.8	0.65	371	12.4	0.65	8.6	0.46
Multiple Myeloma	280	13.8	0.87	9.0	0.55	315	10.7	0.61	6.9	0.40
Leukemias	255	12.2	0.83	8.6	0.56	219	7.5	0.51	5.7	0.42
Acute lymphocytic	33	1.2	0.23	1.5	0.26	25	0.8	0.17	1.0	0.22
Chronic lymphocytic	68	3.7	0.48	2.1	0.26	52	1.9	0.26	1.0	0.15
Acute myeloid	69	3.3	0.42	2.3	0.29	75	2.6	0.30	1.9	0.24
Chronic myeloid	44	2.1	0.33	1.4	0.22	42	1.4	0.21	1.1	0.18
Other leukemias	41	2.0	0.33	1.3	0.21	25	0.9	0.18	0.6	0.14
Mesothelioma	22	1.3	0.30	0.7	0.15	8	0.3	0.10	0.2	0.06
Kaposi Sarcoma	39	1.5	0.24	1.2	0.20	11	0.3	0.10	0.3	0.09
Ill-defined & Unknown	397	20.6	1.12	12.7	0.65	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	148	6.8	0.59	4.9	0.41	312	10.3	0.59	7.3	0.43
Breast (<i>in situ</i>)	-	-	-	-	-	953	30.2	0.99	22.9	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW JERSEY

270 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	23,084	461.9	3.11	307.1	2.09	20,575	362.5	2.56	252.6	1.88
Oral Cavity & Pharynx	742	14.3	0.54	10.2	0.39	304	5.2	0.30	3.6	0.22
Lip	90	1.8	0.20	1.1	0.12	24	0.4	0.09	0.2	0.05
Tongue	195	3.7	0.27	2.8	0.20	71	1.2	0.15	0.9	0.11
Major salivary gland	87	1.8	0.20	1.2	0.13	51	0.9	0.12	0.6	0.10
Floor of mouth	27	0.5	0.10	0.4	0.07	11	0.2	0.06	0.1	0.04
Gum & other mouth	80	1.6	0.18	1.1	0.13	68	1.2	0.14	0.7	0.09
Nasopharynx	35	0.7	0.12	0.5	0.09	15	0.3	0.07	0.2	0.06
Oropharynx	27	0.5	0.10	0.4	0.07	8	0.1	0.05	0.1	0.04
Hypopharynx	59	1.1	0.15	0.8	0.11	13	0.2	0.06	0.1	0.04
Digestive System	4,629	93.2	1.40	60.2	0.91	3,506	60.8	1.04	38.2	0.69
Esophagus	324	6.4	0.36	4.2	0.24	78	1.4	0.16	0.8	0.10
Stomach	496	10.3	0.47	6.3	0.29	259	4.6	0.29	2.8	0.19
Small intestine	115	2.3	0.22	1.6	0.15	93	1.6	0.17	1.1	0.12
Colon excl. rectum	1,415	29.1	0.79	18.0	0.49	1,422	24.7	0.66	15.1	0.43
Rectum & rectosigmoid	755	14.9	0.56	10.2	0.38	523	8.9	0.40	6.2	0.29
Anus, anal canal & anorectum	61	1.2	0.15	0.8	0.11	101	1.7	0.17	1.3	0.13
Liver	642	12.1	0.49	8.8	0.35	195	3.4	0.24	2.1	0.17
Gallbladder	48	1.1	0.15	0.6	0.09	90	1.5	0.16	1.0	0.11
Pancreas	585	12.0	0.51	7.4	0.32	525	9.1	0.40	5.5	0.26
Respiratory System	2,850	58.9	1.13	35.3	0.69	2,277	39.2	0.83	24.2	0.54
Larynx	247	4.8	0.31	3.3	0.21	45	0.8	0.11	0.5	0.08
Lung & bronchus	2,547	52.9	1.07	31.1	0.64	2,210	38.1	0.82	23.4	0.53
Bones & Joints	49	1.0	0.14	0.9	0.13	40	0.7	0.12	0.6	0.10
Soft Tissue (incl. heart)	194	4.1	0.30	2.9	0.22	153	2.9	0.23	2.4	0.21
Skin (excl. basal & sq.)	1,316	26.7	0.75	17.6	0.50	849	15.3	0.53	11.3	0.41
Melanomas of the skin	1,195	24.1	0.71	16.0	0.48	782	14.1	0.51	10.5	0.40
Breast (excl. <i>in situ</i>)	71	1.4	0.17	0.9	0.12	6,200	108.8	1.40	78.8	1.05
Female Genital System	-	-	-	-	-	2,482	43.8	0.89	32.4	0.68
Cervix uteri	-	-	-	-	-	381	7.4	0.39	6.0	0.32
Uterus Corpus	-	-	-	-	-	1,213	20.9	0.61	15.6	0.47
Uterus, NOS ¹	-	-	-	-	-	41	0.7	0.11	0.5	0.08
Ovary	-	-	-	-	-	655	11.4	0.45	8.2	0.34
Male Genital System	7,348	141.6	1.69	99.0	1.18	-	-	-	-	-
Prostate	6,992	134.1	1.64	92.4	1.13	-	-	-	-	-
Testis	291	6.2	0.37	5.8	0.35	-	-	-	-	-
Penis	51	1.0	0.15	0.6	0.09	-	-	-	-	-
Urinary System	2,137	43.9	0.97	27.4	0.61	937	16.3	0.54	10.8	0.38
Bladder (incl. <i>in situ</i>)	1,249	26.2	0.76	15.2	0.45	362	6.2	0.33	3.7	0.21
Kidney & renal pelvis	848	16.7	0.59	11.7	0.41	553	9.7	0.42	6.9	0.32
Ureter	26	0.6	0.12	0.3	0.06	15	0.3	0.07	0.1	0.04
Eye & Orbit	29	0.6	0.11	0.5	0.10	26	0.4	0.09	0.3	0.07
Brain & Other Nervous System	333	6.6	0.37	5.3	0.31	253	4.7	0.30	3.7	0.26
Brain	319	6.3	0.36	5.1	0.30	236	4.3	0.29	3.4	0.25
Endocrine System	318	6.2	0.36	4.9	0.28	1,051	20.3	0.64	16.7	0.54
Thyroid gland	290	5.7	0.34	4.4	0.27	1,023	19.8	0.63	16.3	0.53
Lymphomas	1,016	20.7	0.66	14.4	0.47	890	15.9	0.54	11.2	0.41
Hodgkin Lymphoma	120	2.4	0.22	2.1	0.19	108	2.1	0.20	1.9	0.19
Non-Hodgkin Lymphoma	896	18.2	0.62	12.4	0.43	782	13.8	0.50	9.3	0.36
Multiple Myeloma	298	6.0	0.36	3.9	0.23	235	4.0	0.27	2.5	0.18
Leukemias	766	15.9	0.59	11.1	0.44	569	10.1	0.43	7.6	0.36
Acute lymphocytic	94	1.8	0.19	2.3	0.25	65	1.3	0.16	1.6	0.21
Chronic lymphocytic	290	5.9	0.35	3.6	0.22	195	3.4	0.24	2.0	0.16
Acute myeloid	175	3.7	0.29	2.4	0.20	154	2.8	0.23	2.0	0.18
Chronic myeloid	112	2.4	0.23	1.5	0.15	67	1.2	0.15	0.9	0.11
Other leukemias	95	2.0	0.21	1.2	0.13	88	1.5	0.17	1.1	0.13
Mesothelioma	69	1.4	0.18	0.8	0.10	26	0.5	0.09	0.3	0.06
Kaposi Sarcoma	49	1.0	0.15	0.8	0.12	6	0.1	0.04	0.0	0.01
Ill-defined & Unknown	870	18.5	0.64	10.9	0.39	771	13.5	0.49	8.0	0.32
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	282	5.7	0.35	4.2	0.27	555	10.0	0.43	7.5	0.34
Breast (<i>in situ</i>)	12	0.2	0.07	0.2	0.05	1,115	19.4	0.59	14.7	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	21,134	466.1	3.27	310.3	2.23	18,642	367.7	2.74	256.5	2.03
Oral Cavity & Pharynx	691	14.8	0.57	10.6	0.42	279	5.3	0.32	3.6	0.23
Lip	84	1.9	0.21	1.2	0.13	23	0.4	0.09	0.3	0.06
Tongue	185	3.9	0.29	2.9	0.22	68	1.3	0.16	1.0	0.12
Major salivary gland	81	1.9	0.21	1.2	0.14	42	0.8	0.12	0.6	0.10
Floor of mouth	27	0.6	0.11	0.4	0.08	11	0.2	0.06	0.1	0.04
Gum & other mouth	75	1.7	0.20	1.2	0.14	61	1.1	0.15	0.7	0.09
Nasopharynx	28	0.6	0.12	0.5	0.10	12	0.2	0.07	0.2	0.07
Oropharynx	24	0.5	0.11	0.4	0.08	8	0.2	0.06	0.1	0.04
Hypopharynx	55	1.1	0.15	0.8	0.11	13	0.3	0.07	0.2	0.05
Digestive System	4,173	92.5	1.46	59.7	0.96	3,100	59.5	1.08	37.4	0.73
Esophagus	304	6.6	0.38	4.3	0.26	75	1.4	0.17	0.9	0.11
Stomach	430	9.8	0.48	6.0	0.30	219	4.3	0.30	2.6	0.20
Small intestine	106	2.3	0.23	1.6	0.16	84	1.6	0.18	1.1	0.13
Colon excl. rectum	1,312	29.7	0.84	18.2	0.52	1,292	24.7	0.70	15.1	0.46
Rectum & rectosigmoid	670	14.6	0.58	9.9	0.40	468	8.9	0.42	6.1	0.30
Anus, anal canal & anorectum	57	1.2	0.17	0.9	0.12	94	1.8	0.19	1.3	0.14
Liver	565	11.8	0.51	8.6	0.37	155	3.0	0.24	1.9	0.17
Gallbladder	35	0.8	0.14	0.5	0.08	61	1.2	0.15	0.8	0.11
Pancreas	534	12.0	0.53	7.4	0.33	466	8.8	0.41	5.4	0.27
Respiratory System	2,684	60.6	1.19	36.4	0.73	2,175	41.3	0.89	25.6	0.59
Larynx	235	5.0	0.33	3.5	0.23	43	0.8	0.12	0.6	0.09
Lung & bronchus	2,397	54.4	1.13	32.0	0.68	2,112	40.1	0.88	24.7	0.58
Bones & Joints	43	1.0	0.16	0.9	0.15	34	0.7	0.13	0.6	0.11
Soft Tissue (incl. heart)	177	4.2	0.32	3.1	0.25	137	3.0	0.26	2.5	0.24
Skin (excl. basal & sq.)	1,233	27.7	0.81	18.3	0.54	749	15.1	0.57	11.2	0.44
Melanomas of the skin	1,132	25.3	0.77	16.9	0.52	702	14.2	0.55	10.6	0.43
Breast (excl. <i>in situ</i>)	66	1.4	0.18	1.0	0.12	5,734	113.0	1.52	81.9	1.14
Female Genital System	-	-	-	-	-	2,183	43.3	0.95	32.1	0.73
Cervix uteri	-	-	-	-	-	334	7.6	0.43	6.1	0.35
Uterus Corpus	-	-	-	-	-	1,060	20.4	0.64	15.2	0.49
Uterus, NOS ¹	-	-	-	-	-	37	0.7	0.11	0.5	0.08
Ovary	-	-	-	-	-	581	11.4	0.48	8.2	0.36
Male Genital System	6,770	143.2	1.77	100.7	1.26	-	-	-	-	-
Prostate	6,461	135.5	1.72	93.8	1.19	-	-	-	-	-
Testis	254	6.5	0.41	6.1	0.39	-	-	-	-	-
Penis	41	0.9	0.14	0.6	0.09	-	-	-	-	-
Urinary System	1,945	43.9	1.02	27.2	0.64	835	16.2	0.57	10.7	0.40
Bladder (incl. <i>in situ</i>)	1,188	27.2	0.81	15.8	0.48	346	6.6	0.36	3.9	0.23
Kidney & renal pelvis	720	15.7	0.60	11.0	0.43	468	9.2	0.43	6.6	0.33
Ureter	25	0.6	0.12	0.3	0.07	15	0.3	0.08	0.2	0.04
Eye & Orbit	24	0.6	0.12	0.5	0.10	23	0.4	0.09	0.3	0.08
Brain & Other Nervous System	305	6.8	0.40	5.5	0.34	231	4.9	0.33	3.9	0.29
Brain	295	6.6	0.39	5.3	0.33	215	4.5	0.31	3.6	0.28
Endocrine System	283	6.3	0.38	4.9	0.30	948	21.2	0.71	17.5	0.60
Thyroid gland	258	5.7	0.36	4.4	0.29	923	20.7	0.70	17.1	0.59
Lymphomas	920	20.9	0.70	14.5	0.51	797	16.0	0.58	11.4	0.44
Hodgkin Lymphoma	107	2.5	0.24	2.1	0.21	100	2.3	0.23	2.1	0.22
Non-Hodgkin Lymphoma	813	18.4	0.66	12.4	0.46	697	13.7	0.53	9.3	0.39
Multiple Myeloma	265	5.9	0.37	3.8	0.24	206	3.9	0.28	2.5	0.18
Leukemias	672	15.6	0.61	11.0	0.47	492	9.9	0.45	7.3	0.39
Acute lymphocytic	81	1.9	0.22	2.5	0.29	58	1.4	0.18	1.7	0.25
Chronic lymphocytic	250	5.6	0.36	3.4	0.22	166	3.2	0.25	1.9	0.16
Acute myeloid	160	3.8	0.31	2.5	0.21	137	2.8	0.24	1.9	0.19
Chronic myeloid	96	2.3	0.23	1.4	0.15	51	1.0	0.14	0.7	0.11
Other leukemias	85	2.1	0.23	1.2	0.14	80	1.5	0.17	1.0	0.13
Mesothelioma	64	1.5	0.19	0.8	0.11	23	0.5	0.10	0.3	0.06
Kaposi Sarcoma	38	0.9	0.15	0.7	0.12	-	-	-	-	-
Ill-defined & Unknown	781	18.3	0.67	10.8	0.41	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	250	5.7	0.37	4.2	0.28	494	10.0	0.46	7.5	0.37
Breast (<i>in situ</i>)	12	0.3	0.08	0.2	0.05	1,045	20.4	0.64	15.5	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	365	372.3	20.95	260.4	13.87	258	279.9	17.65	183.1	11.89
Oral Cavity & Pharynx	7	5.9	2.30	5.2	2.00	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	56	52.2	7.35	40.0	5.45	60	66.8	8.73	40.4	5.49
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	9.6	3.52	6.1	2.05	6	6.5	2.67	4.6	1.97
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	15	15.3	4.09	11.1	2.91	25	28.5	5.75	15.1	3.19
Rectum & rectosigmoid	9	7.3	2.46	6.7	2.26	8	8.5	3.06	5.6	2.04
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	7.8	2.48	6.6	2.14	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	8	7.6	2.79	6.1	2.19	8	9.7	3.46	4.7	1.79
Respiratory System	79	93.1	11.21	58.7	6.71	32	37.0	6.59	23.0	4.29
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	76	89.6	11.01	56.7	6.62	31	35.7	6.46	22.2	4.21
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	79	83.4	9.48	61.5	7.11
Female Genital System	-	-	-	-	-	26	29.2	5.80	17.3	3.54
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	13	15.2	4.27	8.5	2.50
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	6.5	2.71	3.9	1.63
Male Genital System	122	119.2	11.54	86.1	7.94	-	-	-	-	-
Prostate	121	117.6	11.43	85.6	7.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	30.3	6.33	19.1	3.74	6	6.7	2.77	3.9	1.75
Bladder (incl. <i>in situ</i>)	11	13.0	4.32	7.9	2.43	-	-	-	-	-
Kidney & renal pelvis	15	16.2	4.51	10.2	2.69	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	6.3	2.67	4.1	1.72	12	11.9	3.45	8.7	2.54
Thyroid gland	-	-	-	-	-	12	11.9	3.45	8.7	2.54
Lymphomas	25	21.7	4.56	17.6	3.59	13	13.1	3.71	9.2	2.63
Hodgkin Lymphoma	6	4.4	1.85	4.0	1.65	-	-	-	-	-
Non-Hodgkin Lymphoma	19	17.3	4.17	13.6	3.19	-	-	-	-	-
Multiple Myeloma	6	8.3	3.58	4.1	1.72	-	-	-	-	-
Leukemias	14	13.7	4.01	10.0	2.70	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	15.2	4.31	10.4	2.75	11	12.1	3.70	7.2	2.26
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	8	7.5	2.70	6.3	2.30
Breast (<i>in situ</i>)	-	-	-	-	-	11	11.5	3.53	8.3	2.59

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	147	271.6	25.06	179.6	15.03	170	203.6	16.44	145.2	11.44
Oral Cavity & Pharynx	7	9.4	3.57	8.5	3.25	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	45	84.6	14.21	52.9	8.01	33	39.8	7.31	27.1	4.83
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	18.1	7.03	9.2	3.26	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	18.8	7.54	9.4	3.37	-	-	-	-	-
Rectum & rectosigmoid	6	7.4	3.02	6.1	2.53	7	7.1	2.81	4.8	1.84
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	13	21.1	6.20	15.7	4.43	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	8	10.4	3.94	7.0	2.51
Respiratory System	23	38.1	8.44	29.0	6.12	23	30.4	6.55	20.4	4.37
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	36.7	8.33	28.0	6.04	22	29.5	6.49	19.8	4.31
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	49	52.7	7.83	41.4	6.01
Female Genital System	-	-	-	-	-	20	25.4	6.05	16.8	3.84
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	14	15.9	4.37	11.3	3.12
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	32	64.0	12.42	41.5	7.42	-	-	-	-	-
Prostate	31	62.8	12.36	40.6	7.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	24.7	8.26	13.0	3.97	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	7	16.3	6.46	8.6	3.25	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	11	12.7	4.02	9.2	2.85
Thyroid gland	-	-	-	-	-	11	12.7	4.02	9.2	2.85
Lymphomas	7	10.2	3.98	8.1	3.11	7	8.8	3.49	6.0	2.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	6	6.4	2.71	5.5	2.29
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	17.0	7.93	7.6	3.12	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	7	7.0	2.70	6.8	2.62
Breast (<i>in situ</i>)	-	-	-	-	-	7	6.7	2.54	5.5	2.10

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	949	327.7	11.52	210.8	6.96	1,071	268.2	8.45	185.9	5.79
Oral Cavity & Pharynx	22	7.5	1.70	5.0	1.08	16	4.1	1.06	2.8	0.70
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	8	1.9	0.69	1.4	0.51
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	289	100.7	6.38	63.4	3.79	266	72.5	4.58	44.7	2.82
Esophagus	13	4.5	1.30	3.1	0.88	-	-	-	-	-
Stomach	42	16.5	2.71	9.1	1.44	28	7.8	1.51	4.6	0.89
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	60	19.1	2.66	13.1	1.72	79	21.5	2.49	13.2	1.53
Rectum & rectosigmoid	52	15.9	2.36	11.1	1.57	28	6.4	1.23	5.2	0.99
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	46	16.6	2.66	9.9	1.49	33	8.9	1.60	5.5	0.98
Gallbladder	11	4.8	1.51	2.2	0.68	26	7.4	1.50	4.3	0.89
Pancreas	36	14.0	2.50	8.1	1.37	39	11.2	1.84	6.5	1.08
Respiratory System	46	17.9	2.81	10.3	1.55	32	9.3	1.69	4.9	0.89
Larynx	7	2.4	0.94	1.7	0.65	-	-	-	-	-
Lung & bronchus	37	15.1	2.63	8.3	1.38	32	9.3	1.69	4.9	0.89
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	12	3.5	1.08	2.6	0.75	8	1.6	0.56	1.5	0.53
Skin (excl. basal & sq.)	12	3.3	1.05	2.4	0.69	17	4.3	1.08	2.9	0.73
Melanomas of the skin	6	1.9	0.85	1.2	0.48	9	2.4	0.82	1.4	0.49
Breast (excl. <i>in situ</i>)	-	-	-	-	-	256	60.0	3.83	45.7	2.89
Female Genital System	-	-	-	-	-	200	47.4	3.42	35.4	2.54
Cervix uteri	-	-	-	-	-	27	6.2	1.22	4.7	0.92
Uterus Corpus	-	-	-	-	-	104	23.7	2.35	18.9	1.87
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	57	14.3	1.94	9.9	1.33
Male Genital System	273	99.3	6.47	62.6	3.86	-	-	-	-	-
Prostate	235	90.4	6.26	55.2	3.66	-	-	-	-	-
Testis	31	5.9	1.10	6.0	1.08	-	-	-	-	-
Penis	7	3.0	1.21	1.5	0.58	-	-	-	-	-
Urinary System	123	41.9	4.09	27.5	2.52	74	18.3	2.18	13.1	1.55
Bladder (incl. <i>in situ</i>)	23	9.5	2.10	5.3	1.12	-	-	-	-	-
Kidney & renal pelvis	98	31.8	3.48	21.7	2.23	69	17.2	2.12	12.2	1.50
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	20	5.1	1.22	4.4	1.00	12	3.0	0.92	1.9	0.57
Brain	17	4.5	1.16	3.8	0.93	12	3.0	0.92	1.9	0.57
Endocrine System	17	4.3	1.10	3.6	0.88	60	14.0	1.85	10.7	1.40
Thyroid gland	16	3.9	1.02	3.3	0.84	58	13.7	1.84	10.3	1.37
Lymphomas	31	10.3	2.06	6.8	1.24	49	12.1	1.80	8.4	1.22
Hodgkin Lymphoma	-	-	-	-	-	6	1.2	0.50	1.2	0.48
Non-Hodgkin Lymphoma	-	-	-	-	-	43	10.9	1.72	7.2	1.12
Multiple Myeloma	16	5.6	1.52	3.4	0.87	14	3.7	1.03	2.5	0.67
Leukemias	27	6.9	1.49	5.9	1.14	22	4.5	0.99	4.4	0.95
Acute lymphocytic	8	1.4	0.52	1.8	0.64	6	1.0	0.44	1.3	0.55
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	8	1.7	0.62	1.6	0.58
Chronic myeloid	8	2.4	0.97	1.7	0.61	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	46	16.8	2.71	10.0	1.50	37	11.2	1.90	5.6	0.95
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	21	6.1	1.46	4.3	0.95	45	10.9	1.68	8.1	1.23
Breast (<i>in situ</i>)	-	-	-	-	-	34	7.8	1.36	6.2	1.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	6,795	410.7	5.18	272.4	3.37	6,408	325.3	4.11	227.2	2.93
Oral Cavity & Pharynx	179	10.3	0.80	7.1	0.54	83	4.1	0.46	2.9	0.33
Lip	19	1.2	0.30	0.7	0.17	-	-	-	-	-
Tongue	33	1.9	0.33	1.4	0.24	20	1.0	0.22	0.8	0.17
Major salivary gland	19	1.2	0.29	0.7	0.17	18	0.9	0.21	0.6	0.15
Floor of mouth	9	0.6	0.21	0.4	0.12	-	-	-	-	-
Gum & other mouth	26	1.4	0.29	1.1	0.21	20	1.1	0.24	0.6	0.15
Nasopharynx	12	0.7	0.22	0.5	0.14	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	17	0.9	0.23	0.7	0.18	-	-	-	-	-
Digestive System	1,806	109.4	2.68	71.9	1.72	1,251	66.1	1.89	41.1	1.21
Esophagus	96	5.9	0.62	3.8	0.40	19	1.0	0.23	0.7	0.16
Stomach	234	15.0	1.02	9.0	0.60	123	6.6	0.60	3.9	0.37
Small intestine	32	1.8	0.32	1.3	0.24	29	1.5	0.29	1.0	0.19
Colon excl. rectum	493	30.7	1.44	19.6	0.90	486	25.6	1.17	16.1	0.76
Rectum & rectosigmoid	298	17.6	1.06	12.1	0.71	185	9.4	0.70	6.5	0.49
Anus, anal canal & anorectum	19	1.0	0.24	0.7	0.17	22	1.1	0.24	0.8	0.17
Liver	360	20.0	1.09	14.6	0.78	87	4.6	0.50	2.9	0.32
Gallbladder	17	1.3	0.32	0.7	0.17	31	1.6	0.29	1.0	0.19
Pancreas	201	12.7	0.93	7.9	0.57	188	10.2	0.75	5.9	0.45
Respiratory System	721	47.8	1.84	27.7	1.06	574	30.4	1.28	19.1	0.84
Larynx	90	5.6	0.61	3.6	0.39	18	0.9	0.22	0.6	0.16
Lung & bronchus	611	41.1	1.72	23.2	0.97	549	29.1	1.25	18.3	0.81
Bones & Joints	24	1.1	0.24	1.0	0.21	13	0.6	0.18	0.5	0.14
Soft Tissue (incl. heart)	63	3.6	0.47	2.6	0.33	53	2.6	0.36	2.0	0.29
Skin (excl. basal & sq.)	103	6.0	0.62	4.1	0.41	104	5.1	0.51	3.9	0.39
Melanomas of the skin	81	4.6	0.54	3.2	0.37	90	4.4	0.47	3.4	0.36
Breast (excl. <i>in situ</i>)	17	1.0	0.25	0.6	0.16	1,874	93.3	2.17	69.0	1.63
Female Genital System	-	-	-	-	-	816	40.5	1.43	29.8	1.07
Cervix uteri	-	-	-	-	-	180	8.9	0.67	7.0	0.53
Uterus Corpus	-	-	-	-	-	351	17.3	0.93	12.8	0.70
Uterus, NOS ¹	-	-	-	-	-	14	0.7	0.19	0.5	0.14
Ovary	-	-	-	-	-	215	10.7	0.74	7.6	0.54
Male Genital System	2,205	131.9	2.91	90.3	1.96	-	-	-	-	-
Prostate	2,044	124.0	2.84	83.6	1.88	-	-	-	-	-
Testis	129	5.9	0.53	5.4	0.48	-	-	-	-	-
Penis	25	1.6	0.33	1.0	0.20	-	-	-	-	-
Urinary System	590	35.9	1.54	23.6	0.99	319	16.4	0.93	10.9	0.64
Bladder (incl. <i>in situ</i>)	238	15.7	1.06	9.2	0.61	87	4.7	0.51	2.7	0.30
Kidney & renal pelvis	341	19.5	1.09	13.9	0.77	226	11.4	0.76	8.1	0.55
Ureter	9	0.6	0.20	0.4	0.12	-	-	-	-	-
Eye & Orbit	8	0.4	0.14	0.4	0.13	8	0.4	0.14	0.3	0.12
Brain & Other Nervous System	83	4.6	0.53	3.5	0.39	79	3.8	0.43	3.0	0.35
Brain	81	4.5	0.52	3.4	0.39	70	3.3	0.41	2.7	0.33
Endocrine System	120	6.4	0.60	5.0	0.46	425	20.3	0.99	16.8	0.82
Thyroid gland	112	6.0	0.58	4.7	0.44	416	19.9	0.98	16.4	0.81
Lymphomas	310	18.1	1.07	12.3	0.71	308	15.5	0.90	10.9	0.65
Hodgkin Lymphoma	44	2.4	0.37	1.8	0.27	56	2.5	0.34	2.3	0.31
Non-Hodgkin Lymphoma	266	15.7	1.00	10.5	0.66	252	13.0	0.83	8.6	0.56
Multiple Myeloma	94	5.7	0.61	3.8	0.40	84	4.4	0.49	2.9	0.33
Leukemias	203	11.2	0.84	8.4	0.60	167	8.2	0.65	6.2	0.50
Acute lymphocytic	51	1.9	0.27	2.5	0.35	36	1.4	0.25	1.7	0.30
Chronic lymphocytic	41	2.7	0.44	1.6	0.25	38	2.1	0.34	1.2	0.20
Acute myeloid	53	3.2	0.46	2.1	0.29	50	2.5	0.36	1.8	0.26
Chronic myeloid	31	1.8	0.34	1.2	0.23	17	0.8	0.20	0.6	0.15
Other leukemias	27	1.6	0.33	1.0	0.20	26	1.4	0.27	0.9	0.18
Mesothelioma	23	1.5	0.33	0.9	0.18	11	0.6	0.18	0.3	0.10
Kaposi Sarcoma	23	1.3	0.28	0.9	0.20	-	-	-	-	-
Ill-defined & Unknown	223	14.5	1.01	8.4	0.58	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	103	5.9	0.61	4.2	0.42	198	9.8	0.70	7.2	0.53
Breast (<i>in situ</i>)	-	-	-	-	-	339	16.4	0.90	12.7	0.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW MEXICO

276 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	14,508	495.8	4.24	332.4	3.02	12,415	391.9	3.70	274.3	2.85
Oral Cavity & Pharynx	515	17.3	0.79	12.5	0.59	198	5.9	0.44	4.0	0.32
Lip	65	2.2	0.28	1.4	0.19	20	0.6	0.13	0.3	0.08
Tongue	152	5.1	0.43	3.9	0.33	48	1.5	0.23	1.1	0.17
Major salivary gland	63	2.3	0.31	1.6	0.21	25	0.8	0.16	0.6	0.14
Floor of mouth	18	0.5	0.13	0.4	0.10	10	0.3	0.10	0.2	0.07
Gum & other mouth	49	1.6	0.24	1.1	0.16	42	1.2	0.19	0.7	0.12
Nasopharynx	16	0.6	0.16	0.5	0.16	9	0.3	0.12	0.2	0.09
Oropharynx	21	0.7	0.16	0.5	0.12	6	0.2	0.07	0.1	0.05
Hypopharynx	38	1.2	0.20	0.9	0.14	11	0.3	0.10	0.2	0.07
Digestive System	2,403	82.7	1.73	52.4	1.14	1,884	56.1	1.34	35.4	0.93
Esophagus	210	6.8	0.48	4.5	0.33	56	1.6	0.21	0.9	0.13
Stomach	200	7.3	0.53	4.5	0.34	99	3.1	0.32	1.9	0.22
Small intestine	75	2.6	0.31	1.8	0.23	55	1.7	0.23	1.1	0.16
Colon excl. rectum	832	28.9	1.03	17.4	0.64	821	24.2	0.87	14.6	0.58
Rectum & rectosigmoid	376	13.1	0.69	8.7	0.48	289	8.6	0.53	5.9	0.39
Anus, anal canal & anorectum	40	1.3	0.22	0.9	0.16	72	2.3	0.28	1.7	0.21
Liver	211	6.8	0.48	4.9	0.35	72	2.2	0.27	1.4	0.20
Gallbladder	19	0.6	0.15	0.4	0.09	30	0.9	0.17	0.6	0.11
Pancreas	336	11.6	0.65	7.1	0.41	283	8.3	0.51	5.2	0.35
Respiratory System	1,970	66.9	1.54	40.9	0.98	1,612	46.9	1.19	29.0	0.79
Larynx	145	4.7	0.40	3.4	0.29	26	0.7	0.15	0.5	0.11
Lung & bronchus	1,793	61.0	1.47	36.5	0.91	1,573	45.8	1.17	28.2	0.77
Bones & Joints	20	0.8	0.19	0.7	0.19	21	0.8	0.18	0.7	0.18
Soft Tissue (incl. heart)	114	4.6	0.45	3.5	0.40	85	3.3	0.40	3.1	0.45
Skin (excl. basal & sq.)	1,133	40.3	1.24	27.0	0.88	653	22.3	0.93	16.8	0.75
Melanomas of the skin	1,054	37.4	1.20	25.4	0.85	618	21.3	0.92	16.1	0.74
Breast (excl. <i>in situ</i>)	49	1.6	0.23	1.1	0.17	3,896	122.9	2.07	88.4	1.55
Female Genital System	-	-	-	-	-	1,394	44.8	1.27	33.5	1.01
Cervix uteri	-	-	-	-	-	161	6.5	0.55	5.4	0.47
Uterus Corpus	-	-	-	-	-	718	22.1	0.87	16.6	0.67
Uterus, NOS ¹	-	-	-	-	-	23	0.7	0.14	0.5	0.11
Ovary	-	-	-	-	-	374	12.0	0.66	8.7	0.52
Male Genital System	4,629	149.3	2.25	106.3	1.64	-	-	-	-	-
Prostate	4,476	141.4	2.15	99.0	1.52	-	-	-	-	-
Testis	130	7.2	0.64	6.8	0.61	-	-	-	-	-
Penis	16	0.5	0.13	0.3	0.09	-	-	-	-	-
Urinary System	1,372	47.3	1.31	28.9	0.84	528	16.0	0.72	10.6	0.55
Bladder (incl. <i>in situ</i>)	956	33.0	1.09	19.3	0.67	262	7.6	0.48	4.6	0.31
Kidney & renal pelvis	390	13.4	0.70	9.2	0.50	251	7.9	0.53	5.7	0.45
Ureter	16	0.6	0.15	0.3	0.07	10	0.3	0.09	0.1	0.05
Eye & Orbit	19	0.8	0.19	0.7	0.20	15	0.4	0.10	0.3	0.07
Brain & Other Nervous System	223	8.7	0.62	7.5	0.62	155	5.8	0.51	4.7	0.50
Brain	215	8.4	0.61	7.2	0.61	147	5.4	0.49	4.4	0.47
Endocrine System	166	6.2	0.51	4.9	0.43	539	21.7	1.00	17.9	0.86
Thyroid gland	149	5.6	0.48	4.3	0.38	522	21.1	0.99	17.5	0.85
Lymphomas	618	23.0	0.97	16.5	0.77	495	16.0	0.76	11.4	0.61
Hodgkin Lymphoma	64	2.9	0.38	2.7	0.37	44	2.0	0.32	1.7	0.30
Non-Hodgkin Lymphoma	554	20.2	0.89	13.9	0.67	451	14.0	0.69	9.7	0.54
Multiple Myeloma	175	6.2	0.48	4.0	0.32	127	3.7	0.33	2.3	0.22
Leukemias	478	17.6	0.84	12.0	0.68	336	11.0	0.65	8.1	0.61
Acute lymphocytic	32	1.7	0.32	2.1	0.44	22	1.3	0.29	1.7	0.41
Chronic lymphocytic	211	7.0	0.50	4.4	0.32	132	3.9	0.35	2.4	0.25
Acute myeloid	109	4.2	0.41	2.7	0.31	90	2.9	0.33	2.0	0.26
Chronic myeloid	65	2.4	0.31	1.4	0.20	36	1.2	0.21	0.8	0.16
Other leukemias	61	2.3	0.30	1.3	0.19	56	1.8	0.25	1.3	0.23
Mesothelioma	41	1.4	0.22	0.8	0.13	12	0.4	0.11	0.2	0.07
Kaposi Sarcoma	18	0.8	0.20	0.6	0.16	-	-	-	-	-
Ill-defined & Unknown	565	20.2	0.87	12.1	0.56	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	151	5.8	0.50	4.4	0.41	298	10.1	0.63	7.5	0.53
Breast (<i>in situ</i>)	9	0.3	0.11	0.2	0.08	719	23.1	0.90	17.4	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	356	404.8	23.01	283.6	15.26	244	308.5	19.92	203.1	13.67
Oral Cavity & Pharynx	6	5.6	2.32	4.9	2.03	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	55	57.8	8.21	44.0	6.02	59	75.2	9.87	45.9	6.33
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	11.0	4.02	6.9	2.33	6	7.3	3.01	5.2	2.26
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	14	16.2	4.49	11.5	3.12	25	32.7	6.58	17.6	3.79
Rectum & rectosigmoid	9	8.2	2.77	7.5	2.53	8	9.8	3.49	6.5	2.37
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	8.7	2.79	7.4	2.40	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	8	8.4	3.09	6.7	2.42	8	10.9	3.86	5.4	2.03
Respiratory System	77	100.1	12.26	63.3	7.32	29	37.9	7.08	23.4	4.62
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	74	96.2	12.02	61.2	7.21	28	36.4	6.93	22.5	4.53
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	73	91.7	10.82	68.1	8.22
Female Genital System	-	-	-	-	-	24	30.7	6.33	18.1	3.90
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	12	15.6	4.55	8.7	2.69
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	120	130.1	12.69	93.6	8.68	-	-	-	-	-
Prostate	119	128.4	12.57	93.0	8.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	33.0	7.00	20.7	4.11	6	7.7	3.15	4.6	2.04
Bladder (incl. <i>in situ</i>)	11	14.6	4.82	8.9	2.71	-	-	-	-	-
Kidney & renal pelvis	14	17.3	4.95	10.8	2.92	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	7.2	3.02	4.7	1.95	12	14.9	4.35	11.0	3.23
Thyroid gland	-	-	-	-	-	12	14.9	4.35	11.0	3.23
Lymphomas	25	24.8	5.17	20.3	4.13	13	15.7	4.40	11.2	3.23
Hodgkin Lymphoma	6	5.2	2.17	4.8	1.99	-	-	-	-	-
Non-Hodgkin Lymphoma	19	19.6	4.69	15.5	3.61	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	13	14.9	4.48	10.7	2.99	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	17.0	4.82	11.7	3.07	10	12.2	3.91	7.3	2.44
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	8	9.3	3.30	7.9	2.89
Breast (<i>in situ</i>)	-	-	-	-	-	9	11.3	3.80	8.1	2.79

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW MEXICO

278 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	268,785	585.4	1.15	386.8	0.78	261,294	449.2	0.89	311.8	0.67
Oral Cavity & Pharynx	7,490	15.6	0.18	11.2	0.13	3,648	6.3	0.11	4.4	0.08
Lip	302	0.7	0.04	0.4	0.02	154	0.2	0.02	0.1	0.01
Tongue	2,206	4.5	0.10	3.3	0.07	1,000	1.7	0.05	1.2	0.04
Major salivary gland	755	1.7	0.06	1.0	0.04	590	1.0	0.04	0.8	0.03
Floor of mouth	395	0.8	0.04	0.6	0.03	194	0.3	0.02	0.2	0.02
Gum & other mouth	925	2.0	0.07	1.4	0.05	801	1.3	0.05	0.9	0.03
Nasopharynx	532	1.1	0.05	0.9	0.04	243	0.4	0.03	0.4	0.02
Oropharynx	372	0.8	0.04	0.6	0.03	138	0.2	0.02	0.2	0.02
Hypopharynx	546	1.1	0.05	0.8	0.04	148	0.3	0.02	0.2	0.02
Digestive System	50,849	111.4	0.50	70.5	0.33	45,102	74.4	0.36	45.7	0.24
Esophagus	4,047	8.8	0.14	5.7	0.09	1,343	2.2	0.06	1.3	0.04
Stomach	5,544	12.3	0.17	7.7	0.11	3,654	6.1	0.10	3.7	0.07
Small intestine	1,232	2.6	0.08	1.8	0.05	1,170	2.0	0.06	1.4	0.04
Colon excl. rectum	16,606	37.2	0.29	22.2	0.18	18,659	30.5	0.23	17.9	0.15
Rectum & rectosigmoid	7,440	16.0	0.19	10.6	0.13	6,189	10.4	0.13	6.9	0.10
Anus, anal canal & anorectum	817	1.7	0.06	1.2	0.04	1,117	1.9	0.06	1.4	0.04
Liver	5,766	11.9	0.16	8.6	0.12	1,962	3.3	0.08	2.2	0.06
Gallbladder	496	1.1	0.05	0.7	0.03	1,074	1.8	0.05	1.1	0.04
Pancreas	6,939	15.4	0.19	9.4	0.12	7,395	12.0	0.14	7.0	0.09
Respiratory System	38,002	84.3	0.44	52.1	0.28	34,590	58.2	0.32	37.4	0.22
Larynx	3,186	6.8	0.12	4.6	0.08	908	1.5	0.05	1.1	0.04
Lung & bronchus	34,242	76.3	0.42	46.5	0.26	33,293	56.0	0.31	35.8	0.21
Bones & Joints	519	1.1	0.05	1.0	0.05	490	1.0	0.04	0.9	0.04
Soft Tissue (incl. heart)	1,938	4.2	0.10	3.2	0.08	1,578	2.8	0.07	2.3	0.07
Skin (excl. basal & sq.)	10,885	24.0	0.23	15.6	0.16	8,428	15.0	0.17	11.0	0.13
Melanomas of the skin	9,975	21.9	0.22	14.3	0.15	7,652	13.7	0.16	10.1	0.12
Breast (excl. <i>in situ</i>)	651	1.4	0.06	0.9	0.04	73,022	127.7	0.48	92.4	0.36
Female Genital System	-	-	-	-	-	31,911	55.2	0.31	40.7	0.24
Cervix uteri	-	-	-	-	-	4,465	8.4	0.13	6.5	0.10
Uterus Corpus	-	-	-	-	-	16,956	28.9	0.22	21.5	0.17
Uterus, NOS ¹	-	-	-	-	-	529	0.9	0.04	0.6	0.03
Ovary	-	-	-	-	-	7,593	13.1	0.15	9.5	0.12
Male Genital System	82,269	174.3	0.62	122.6	0.44	-	-	-	-	-
Prostate	78,999	167.3	0.60	116.5	0.43	-	-	-	-	-
Testis	2,713	5.8	0.11	5.4	0.10	-	-	-	-	-
Penis	435	1.0	0.05	0.6	0.03	-	-	-	-	-
Urinary System	29,780	66.4	0.39	40.5	0.25	13,128	22.1	0.20	14.4	0.14
Bladder (incl. <i>in situ</i>)	18,496	42.1	0.31	23.9	0.19	6,463	10.6	0.13	6.4	0.09
Kidney & renal pelvis	10,543	22.5	0.22	15.6	0.16	6,249	10.8	0.14	7.6	0.11
Ureter	394	0.9	0.05	0.5	0.03	278	0.5	0.03	0.3	0.02
Eye & Orbit	503	1.1	0.05	0.9	0.04	492	0.9	0.04	0.8	0.04
Brain & Other Nervous System	3,628	7.9	0.13	6.3	0.11	3,057	5.6	0.10	4.7	0.10
Brain	3,423	7.4	0.13	5.9	0.11	2,797	5.1	0.10	4.3	0.09
Endocrine System	4,391	9.2	0.14	7.4	0.12	12,877	24.5	0.22	20.3	0.19
Thyroid gland	3,887	8.1	0.13	6.4	0.10	12,358	23.6	0.21	19.4	0.18
Lymphomas	13,771	30.0	0.26	20.9	0.19	12,095	21.0	0.19	14.8	0.15
Hodgkin Lymphoma	1,768	3.7	0.09	3.3	0.08	1,477	2.9	0.08	2.7	0.07
Non-Hodgkin Lymphoma	12,003	26.3	0.24	17.6	0.17	10,618	18.1	0.18	12.1	0.13
Multiple Myeloma	4,023	8.9	0.14	5.5	0.09	3,555	5.9	0.10	3.7	0.07
Leukemias	8,380	18.7	0.21	12.9	0.16	6,365	11.0	0.14	8.1	0.12
Acute lymphocytic	835	1.9	0.07	2.3	0.08	621	1.3	0.05	1.6	0.07
Chronic lymphocytic	3,434	7.6	0.13	4.6	0.08	2,399	3.9	0.08	2.3	0.05
Acute myeloid	2,191	4.9	0.11	3.2	0.07	1,872	3.3	0.08	2.4	0.06
Chronic myeloid	942	2.1	0.07	1.4	0.05	759	1.3	0.05	0.9	0.04
Other leukemias	978	2.2	0.07	1.4	0.05	714	1.2	0.05	0.8	0.04
Mesothelioma	787	1.8	0.07	1.0	0.04	214	0.4	0.02	0.2	0.02
Kaposi Sarcoma	713	1.6	0.06	1.2	0.04	131	0.2	0.02	0.1	0.01
Ill-defined & Unknown	10,206	23.4	0.23	13.2	0.14	10,611	17.0	0.17	9.8	0.11
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	4,096	8.9	0.14	6.4	0.11	8,680	15.0	0.16	10.7	0.13
Breast (<i>in situ</i>)	106	0.2	0.02	0.2	0.02	23,533	42.1	0.28	32.2	0.22

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	218,190	592.2	1.28	390.2	0.89	213,001	471.4	1.05	327.9	0.79
Oral Cavity & Pharynx	6,081	15.9	0.21	11.5	0.15	2,884	6.3	0.12	4.5	0.09
Lip	292	0.8	0.05	0.5	0.03	144	0.3	0.02	0.2	0.02
Tongue	1,912	5.0	0.12	3.7	0.09	822	1.8	0.06	1.3	0.05
Major salivary gland	642	1.8	0.07	1.1	0.05	459	1.1	0.05	0.8	0.04
Floor of mouth	324	0.8	0.05	0.6	0.04	168	0.4	0.03	0.2	0.02
Gum & other mouth	747	2.0	0.07	1.4	0.05	639	1.3	0.05	0.9	0.04
Nasopharynx	249	0.7	0.04	0.5	0.04	119	0.3	0.03	0.2	0.02
Oropharynx	287	0.7	0.04	0.6	0.03	103	0.2	0.02	0.2	0.02
Hypopharynx	403	1.0	0.05	0.7	0.04	110	0.2	0.02	0.2	0.02
Digestive System	39,848	108.5	0.55	68.0	0.36	35,349	73.0	0.40	44.5	0.27
Esophagus	3,446	9.2	0.16	6.0	0.11	1,085	2.2	0.07	1.3	0.05
Stomach	3,974	10.9	0.18	6.8	0.11	2,497	5.2	0.11	3.2	0.07
Small intestine	973	2.6	0.08	1.8	0.06	889	1.9	0.07	1.3	0.05
Colon excl. rectum	13,274	36.7	0.32	21.7	0.20	14,858	30.2	0.25	17.5	0.17
Rectum & rectosigmoid	5,996	16.2	0.21	10.7	0.14	4,839	10.4	0.15	6.9	0.11
Anus, anal canal & anorectum	610	1.6	0.07	1.1	0.05	912	2.0	0.07	1.5	0.05
Liver	3,830	10.0	0.16	7.0	0.12	1,309	2.8	0.08	1.9	0.06
Gallbladder	349	1.0	0.05	0.6	0.03	794	1.6	0.06	1.0	0.04
Pancreas	5,788	15.8	0.21	9.6	0.13	6,049	12.2	0.16	7.1	0.11
Respiratory System	31,688	86.7	0.49	53.4	0.32	29,581	63.1	0.37	40.7	0.26
Larynx	2,590	6.9	0.14	4.7	0.10	721	1.6	0.06	1.1	0.05
Lung & bronchus	28,636	78.5	0.47	47.8	0.30	28,549	60.8	0.37	39.0	0.25
Bones & Joints	406	1.2	0.06	1.1	0.06	383	1.0	0.05	0.9	0.05
Soft Tissue (incl. heart)	1,576	4.4	0.11	3.3	0.09	1,228	2.9	0.09	2.4	0.08
Skin (excl. basal & sq.)	10,301	28.3	0.28	18.6	0.19	7,827	18.4	0.21	13.7	0.17
Melanomas of the skin	9,505	26.1	0.27	17.3	0.19	7,180	17.0	0.21	12.7	0.17
Breast (excl. <i>in situ</i>)	544	1.5	0.06	0.9	0.04	58,916	134.0	0.56	97.0	0.43
Female Genital System	-	-	-	-	-	25,176	56.7	0.36	41.9	0.28
Cervix uteri	-	-	-	-	-	2,969	7.6	0.14	6.0	0.12
Uterus Corpus	-	-	-	-	-	13,589	30.1	0.26	22.4	0.20
Uterus, NOS ¹	-	-	-	-	-	341	0.7	0.04	0.5	0.03
Ovary	-	-	-	-	-	6,287	14.0	0.18	10.2	0.14
Male Genital System	62,700	166.1	0.67	116.9	0.48	-	-	-	-	-
Prostate	59,812	157.7	0.65	109.5	0.46	-	-	-	-	-
Testis	2,456	7.2	0.15	6.7	0.14	-	-	-	-	-
Penis	335	0.9	0.05	0.6	0.03	-	-	-	-	-
Urinary System	26,302	72.2	0.45	44.1	0.29	11,255	24.0	0.23	15.8	0.17
Bladder (incl. <i>in situ</i>)	16,934	47.0	0.36	26.9	0.22	5,760	11.9	0.16	7.3	0.11
Kidney & renal pelvis	8,737	23.4	0.25	16.2	0.18	5,134	11.4	0.16	8.1	0.13
Ureter	362	1.0	0.05	0.6	0.03	248	0.5	0.03	0.3	0.02
Eye & Orbit	441	1.2	0.06	0.9	0.05	446	1.1	0.05	0.9	0.05
Brain & Other Nervous System	3,111	8.7	0.16	7.0	0.14	2,593	6.3	0.13	5.4	0.13
Brain	2,959	8.3	0.15	6.6	0.13	2,384	5.8	0.12	4.8	0.12
Endocrine System	3,695	10.1	0.17	8.1	0.14	10,263	26.8	0.27	22.2	0.23
Thyroid gland	3,300	9.0	0.16	7.1	0.13	9,868	25.8	0.26	21.3	0.22
Lymphomas	11,492	31.7	0.30	22.0	0.22	10,168	22.6	0.23	15.9	0.18
Hodgkin Lymphoma	1,387	3.9	0.11	3.5	0.10	1,181	3.2	0.09	3.0	0.09
Non-Hodgkin Lymphoma	10,105	27.7	0.28	18.5	0.20	8,987	19.4	0.21	13.0	0.15
Multiple Myeloma	2,965	8.1	0.15	4.9	0.10	2,453	5.1	0.11	3.2	0.07
Leukemias	7,138	19.9	0.24	13.8	0.19	5,348	11.8	0.17	8.8	0.15
Acute lymphocytic	661	2.0	0.08	2.5	0.11	503	1.5	0.07	1.9	0.09
Chronic lymphocytic	3,016	8.2	0.15	5.0	0.10	2,115	4.3	0.10	2.6	0.06
Acute myeloid	1,856	5.2	0.12	3.4	0.09	1,543	3.5	0.09	2.5	0.07
Chronic myeloid	783	2.2	0.08	1.5	0.06	607	1.3	0.06	0.9	0.04
Other leukemias	822	2.3	0.08	1.5	0.06	580	1.2	0.05	0.9	0.04
Mesothelioma	741	2.1	0.08	1.1	0.04	194	0.4	0.03	0.3	0.02
Kaposi Sarcoma	425	1.2	0.06	0.9	0.04	89	0.2	0.02	0.1	0.01
Ill-defined & Unknown	8,736	24.5	0.26	13.7	0.16	8,848	17.6	0.19	10.0	0.13
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	3,355	9.3	0.16	6.7	0.13	6,804	15.2	0.19	10.8	0.15
Breast (<i>in situ</i>)	76	0.2	0.02	0.1	0.02	19,095	45.4	0.33	34.8	0.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	36,506	597.1	3.31	408.6	2.17	34,414	376.6	2.05	262.5	1.47
Oral Cavity & Pharynx	913	13.6	0.47	10.1	0.34	495	5.3	0.24	3.9	0.18
Lip	7	0.1	0.05	0.1	0.03	-	-	-	-	-
Tongue	207	3.1	0.22	2.3	0.16	112	1.2	0.11	0.9	0.08
Major salivary gland	69	1.0	0.13	0.8	0.09	97	1.1	0.11	0.7	0.08
Floor of mouth	58	0.9	0.12	0.6	0.08	20	0.2	0.05	0.2	0.04
Gum & other mouth	120	1.9	0.18	1.3	0.12	105	1.2	0.11	0.8	0.08
Nasopharynx	73	1.0	0.13	0.8	0.10	40	0.4	0.07	0.3	0.06
Oropharynx	66	1.0	0.13	0.8	0.09	32	0.4	0.06	0.2	0.04
Hypopharynx	114	1.7	0.17	1.3	0.12	34	0.4	0.06	0.3	0.05
Digestive System	7,428	125.1	1.54	81.3	0.95	7,229	80.7	0.96	50.9	0.63
Esophagus	472	8.1	0.40	5.3	0.25	214	2.4	0.16	1.6	0.11
Stomach	914	16.8	0.59	9.9	0.33	778	8.9	0.32	5.1	0.20
Small intestine	206	3.3	0.24	2.3	0.16	245	2.7	0.17	1.9	0.12
Colon excl. rectum	2,416	42.1	0.91	26.4	0.54	2,910	32.6	0.61	20.3	0.39
Rectum & rectosigmoid	931	14.9	0.52	10.2	0.34	909	9.9	0.33	6.7	0.23
Anus, anal canal & anorectum	173	2.4	0.19	1.9	0.14	173	1.8	0.14	1.4	0.11
Liver	1,145	16.9	0.52	12.6	0.38	401	4.3	0.22	3.0	0.16
Gallbladder	97	1.8	0.20	1.1	0.11	208	2.4	0.17	1.4	0.10
Pancreas	867	14.9	0.54	9.5	0.33	1,101	12.5	0.38	7.4	0.24
Respiratory System	4,705	80.2	1.24	52.1	0.77	3,961	43.9	0.71	29.0	0.48
Larynx	492	8.0	0.38	5.6	0.25	171	1.8	0.14	1.3	0.10
Lung & bronchus	4,150	71.3	1.17	45.8	0.72	3,732	41.5	0.69	27.2	0.46
Bones & Joints	65	0.8	0.10	0.8	0.10	79	0.8	0.09	0.8	0.09
Soft Tissue (incl. heart)	252	3.6	0.24	2.9	0.19	246	2.6	0.17	2.2	0.15
Skin (excl. basal & sq.)	140	2.2	0.20	1.6	0.13	195	2.1	0.15	1.6	0.12
Melanomas of the skin	70	1.2	0.15	0.8	0.10	113	1.2	0.12	0.9	0.09
Breast (excl. <i>in situ</i>)	78	1.4	0.17	0.9	0.10	10,108	109.0	1.09	79.1	0.81
Female Genital System	-	-	-	-	-	4,860	52.4	0.76	38.4	0.57
Cervix uteri	-	-	-	-	-	1,082	11.7	0.36	8.8	0.27
Uterus Corpus	-	-	-	-	-	2,477	26.6	0.54	19.5	0.40
Uterus, NOS ¹	-	-	-	-	-	167	1.8	0.14	1.3	0.10
Ovary	-	-	-	-	-	852	9.2	0.32	6.7	0.24
Male Genital System	15,461	249.9	2.11	175.9	1.43	-	-	-	-	-
Prostate	15,257	246.9	2.10	173.6	1.42	-	-	-	-	-
Testis	116	1.4	0.14	1.3	0.12	-	-	-	-	-
Penis	74	1.3	0.16	0.8	0.09	-	-	-	-	-
Urinary System	2,313	39.0	0.86	25.5	0.54	1,398	15.6	0.42	10.5	0.30
Bladder (incl. <i>in situ</i>)	961	18.1	0.62	10.4	0.34	504	5.8	0.26	3.4	0.16
Kidney & renal pelvis	1,296	19.8	0.58	14.5	0.41	860	9.4	0.32	6.9	0.25
Ureter	16	0.3	0.08	0.2	0.04	14	0.2	0.05	0.1	0.03
Eye & Orbit	42	0.6	0.10	0.6	0.09	28	0.3	0.06	0.3	0.07
Brain & Other Nervous System	315	4.4	0.26	3.8	0.22	307	3.3	0.19	2.8	0.17
Brain	281	4.0	0.25	3.4	0.20	275	3.0	0.18	2.5	0.17
Endocrine System	315	4.5	0.26	3.6	0.20	1,176	12.5	0.37	10.2	0.30
Thyroid gland	247	3.6	0.24	2.7	0.18	1,097	11.6	0.35	9.4	0.29
Lymphomas	1,555	22.5	0.60	17.2	0.44	1,372	14.9	0.41	11.2	0.31
Hodgkin Lymphoma	276	3.6	0.22	3.1	0.19	231	2.4	0.16	2.2	0.15
Non-Hodgkin Lymphoma	1,279	18.9	0.56	14.1	0.40	1,141	12.5	0.37	9.0	0.28
Multiple Myeloma	885	15.2	0.54	9.7	0.33	941	10.5	0.34	6.8	0.23
Leukemias	740	11.9	0.47	8.6	0.32	650	7.2	0.28	5.4	0.23
Acute lymphocytic	98	1.2	0.12	1.4	0.14	65	0.7	0.09	0.8	0.11
Chronic lymphocytic	219	3.8	0.28	2.4	0.16	151	1.7	0.14	1.0	0.09
Acute myeloid	211	3.5	0.26	2.4	0.17	234	2.6	0.17	2.0	0.14
Chronic myeloid	100	1.6	0.17	1.1	0.11	102	1.1	0.11	0.8	0.08
Other leukemias	112	1.8	0.18	1.3	0.12	98	1.1	0.11	0.8	0.08
Mesothelioma	29	0.6	0.11	0.3	0.06	15	0.2	0.04	0.1	0.03
Kaposi Sarcoma	230	3.1	0.21	2.5	0.16	35	0.4	0.07	0.3	0.05
Ill-defined & Unknown	1,040	18.7	0.62	11.4	0.36	1,319	14.8	0.41	9.1	0.27
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	479	7.5	0.37	5.4	0.25	1,245	13.7	0.39	9.6	0.28
Breast (<i>in situ</i>)	21	0.3	0.07	0.2	0.05	2,844	30.2	0.57	22.9	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9,496	345.5	3.83	223.7	2.34	10,407	297.0	3.02	209.9	2.11
Oral Cavity & Pharynx	411	12.8	0.68	9.1	0.46	213	6.0	0.43	4.2	0.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	65	2.1	0.29	1.5	0.19	53	1.5	0.21	1.1	0.15
Major salivary gland	37	1.2	0.22	0.9	0.14	26	0.8	0.16	0.5	0.10
Floor of mouth	8	0.3	0.12	0.2	0.07	-	-	-	-	-
Gum & other mouth	37	1.3	0.23	0.8	0.14	38	1.2	0.21	0.8	0.12
Nasopharynx	201	6.0	0.45	4.4	0.31	81	2.1	0.24	1.6	0.18
Oropharynx	16	0.5	0.12	0.4	0.09	-	-	-	-	-
Hypopharynx	24	0.8	0.17	0.5	0.11	-	-	-	-	-
Digestive System	3,011	107.3	2.11	69.7	1.29	2,081	65.5	1.49	40.4	0.91
Esophagus	114	4.3	0.44	2.7	0.25	36	1.2	0.21	0.7	0.12
Stomach	604	22.0	0.97	14.0	0.58	333	10.2	0.58	6.5	0.36
Small intestine	37	1.2	0.20	0.8	0.14	27	0.8	0.15	0.5	0.11
Colon excl. rectum	708	26.7	1.09	16.5	0.63	709	22.5	0.88	13.8	0.53
Rectum & rectosigmoid	399	13.5	0.73	9.2	0.47	338	10.0	0.57	6.6	0.36
Anus, anal canal & anorectum	13	0.5	0.16	0.3	0.08	18	0.6	0.14	0.3	0.08
Liver	704	22.3	0.90	16.3	0.63	221	7.0	0.49	4.2	0.29
Gallbladder	44	1.6	0.26	1.1	0.16	63	2.1	0.27	1.2	0.16
Pancreas	254	10.0	0.68	5.7	0.36	214	7.2	0.51	4.0	0.28
Respiratory System	1,420	56.8	1.62	32.9	0.88	905	29.3	1.01	17.7	0.60
Larynx	79	2.7	0.33	1.8	0.21	12	0.4	0.12	0.2	0.07
Lung & bronchus	1,301	52.8	1.57	30.0	0.84	876	28.4	1.00	17.0	0.59
Bones & Joints	35	0.9	0.16	1.0	0.18	20	0.5	0.12	0.6	0.13
Soft Tissue (incl. heart)	77	2.4	0.29	1.9	0.23	77	2.2	0.26	1.7	0.21
Skin (excl. basal & sq.)	49	1.8	0.29	1.1	0.16	70	1.9	0.23	1.4	0.18
Melanomas of the skin	30	1.2	0.24	0.7	0.13	41	1.1	0.17	0.8	0.13
Breast (excl. <i>in situ</i>)	18	0.8	0.20	0.4	0.10	3,108	83.0	1.53	63.0	1.14
Female Genital System	-	-	-	-	-	1,439	38.9	1.06	28.9	0.77
Cervix uteri	-	-	-	-	-	321	8.7	0.50	6.3	0.36
Uterus Corpus	-	-	-	-	-	662	17.8	0.71	13.4	0.53
Uterus, NOS ¹	-	-	-	-	-	16	0.4	0.12	0.3	0.08
Ovary	-	-	-	-	-	375	10.0	0.53	7.6	0.40
Male Genital System	1,994	72.6	1.73	48.6	1.10	-	-	-	-	-
Prostate	1,883	69.3	1.70	45.8	1.07	-	-	-	-	-
Testis	79	2.1	0.25	2.0	0.23	-	-	-	-	-
Penis	21	0.8	0.18	0.5	0.10	-	-	-	-	-
Urinary System	839	32.5	1.22	19.3	0.68	302	9.4	0.56	6.0	0.36
Bladder (incl. <i>in situ</i>)	433	18.0	0.94	10.0	0.49	120	3.9	0.37	2.3	0.21
Kidney & renal pelvis	382	13.4	0.74	8.7	0.45	167	5.0	0.40	3.5	0.28
Ureter	14	0.6	0.17	0.4	0.10	14	0.5	0.14	0.3	0.07
Eye & Orbit	13	0.4	0.10	0.4	0.12	13	0.4	0.10	0.4	0.13
Brain & Other Nervous System	149	4.6	0.40	3.9	0.34	112	3.1	0.31	2.6	0.27
Brain	138	4.3	0.39	3.6	0.32	97	2.7	0.28	2.3	0.25
Endocrine System	308	8.7	0.52	7.0	0.40	1,118	27.8	0.85	22.8	0.70
Thyroid gland	272	7.6	0.48	6.0	0.37	1,081	26.7	0.83	21.9	0.68
Lymphomas	458	16.0	0.81	10.9	0.52	359	10.2	0.56	7.5	0.41
Hodgkin Lymphoma	64	1.8	0.23	1.6	0.20	39	0.9	0.16	0.9	0.16
Non-Hodgkin Lymphoma	394	14.3	0.78	9.3	0.48	320	9.3	0.54	6.6	0.38
Multiple Myeloma	114	4.5	0.45	2.6	0.24	99	3.1	0.32	2.0	0.20
Leukemias	268	9.2	0.61	7.1	0.46	191	5.7	0.43	4.8	0.38
Acute lymphocytic	58	1.7	0.23	2.2	0.31	40	1.2	0.19	1.4	0.24
Chronic lymphocytic	36	1.4	0.25	0.8	0.14	21	0.7	0.15	0.4	0.09
Acute myeloid	107	3.8	0.40	2.5	0.25	85	2.5	0.29	1.9	0.23
Chronic myeloid	40	1.4	0.24	1.0	0.16	24	0.7	0.15	0.5	0.12
Other leukemias	27	1.0	0.20	0.7	0.13	21	0.6	0.14	0.5	0.13
Mesothelioma	14	0.6	0.19	0.3	0.09	-	-	-	-	-
Kaposi Sarcoma	13	0.4	0.10	0.3	0.08	-	-	-	-	-
Ill-defined & Unknown	305	13.0	0.81	7.1	0.42	294	9.8	0.59	5.6	0.34
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	171	5.3	0.43	3.9	0.31	402	11.5	0.59	8.1	0.41
Breast (<i>in situ</i>)	6	0.2	0.07	0.2	0.06	1,151	30.1	0.90	23.6	0.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	195	461.4	36.25	292.8	21.25	213	389.5	27.55	260.3	18.23
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	45	94.8	15.27	66.7	10.08	44	88.8	13.76	50.1	7.76
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	15	36.6	10.16	23.1	6.04	11	23.9	7.37	11.7	3.65
Rectum & rectosigmoid	11	20.8	6.72	16.2	4.96	11	21.9	6.82	12.8	3.94
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	12.2	5.40	9.1	3.74	8	14.1	5.11	9.8	3.54
Respiratory System	35	91.6	17.02	52.0	8.90	38	69.9	11.75	46.3	7.66
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	32	84.0	16.33	48.2	8.62	37	67.4	11.48	45.6	7.63
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	53	90.6	12.85	64.8	9.00
Female Genital System	-	-	-	-	-	20	35.4	8.12	25.0	5.73
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	6	11.1	4.67	6.6	2.77
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	9.7	4.07	7.6	3.19
Male Genital System	57	161.2	23.05	89.1	11.92	-	-	-	-	-
Prostate	55	158.7	22.98	86.1	11.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	18	45.8	11.57	27.6	6.57	14	23.9	6.48	19.0	5.13
Bladder (incl. <i>in situ</i>)	9	27.7	9.58	14.2	4.77	-	-	-	-	-
Kidney & renal pelvis	9	18.1	6.48	13.4	4.52	9	15.9	5.38	11.9	4.00
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	10.4	4.35	8.6	3.70
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	18.8	5.84	15.3	4.65	10	19.6	6.40	11.5	3.71
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	10	19.6	6.40	11.5	3.71
Multiple Myeloma	-	-	-	-	-	6	11.7	4.90	6.8	2.83
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	10	18.3	6.00	12.5	4.02
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	8	14.8	5.40	9.7	3.46
Breast (<i>in situ</i>)	-	-	-	-	-	10	15.8	5.02	13.1	4.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	24,430	518.7	3.64	342.1	2.23	24,649	364.5	2.37	253.6	1.66
Oral Cavity & Pharynx	761	15.0	0.59	10.5	0.39	378	5.7	0.30	3.8	0.20
Lip	8	0.2	0.07	0.1	0.04	14	0.2	0.06	0.1	0.04
Tongue	211	4.1	0.31	2.9	0.21	92	1.4	0.15	0.9	0.10
Major salivary gland	58	1.2	0.18	0.8	0.10	66	0.9	0.12	0.7	0.08
Floor of mouth	55	1.1	0.15	0.7	0.10	22	0.4	0.08	0.2	0.05
Gum & other mouth	115	2.3	0.24	1.5	0.14	86	1.3	0.15	0.8	0.09
Nasopharynx	58	1.0	0.14	0.8	0.11	29	0.4	0.08	0.3	0.06
Oropharynx	48	1.0	0.17	0.7	0.10	17	0.3	0.06	0.2	0.04
Hypopharynx	55	1.2	0.17	0.8	0.11	17	0.3	0.06	0.2	0.05
Digestive System	5,812	126.5	1.82	80.8	1.08	4,820	76.1	1.12	47.5	0.71
Esophagus	319	7.4	0.45	4.6	0.26	101	1.7	0.17	1.0	0.10
Stomach	764	17.2	0.68	10.6	0.39	605	9.6	0.40	5.9	0.25
Small intestine	114	2.4	0.25	1.5	0.15	128	1.9	0.17	1.3	0.12
Colon excl. rectum	1,633	37.2	1.01	22.7	0.57	1,614	25.9	0.66	15.5	0.40
Rectum & rectosigmoid	848	17.4	0.66	11.6	0.41	640	9.6	0.39	6.5	0.26
Anus, anal canal & anorectum	114	1.9	0.20	1.4	0.13	157	2.3	0.19	1.6	0.13
Liver	1,162	22.9	0.73	16.2	0.48	430	6.7	0.33	4.5	0.22
Gallbladder	88	2.0	0.24	1.2	0.13	192	3.0	0.22	1.9	0.15
Pancreas	560	13.0	0.60	8.1	0.35	669	11.0	0.43	6.5	0.26
Respiratory System	2,697	62.9	1.31	38.7	0.76	2,004	31.8	0.72	20.2	0.47
Larynx	382	8.1	0.45	5.4	0.28	90	1.3	0.14	0.9	0.10
Lung & bronchus	2,257	53.9	1.22	32.6	0.70	1,864	29.7	0.70	18.7	0.45
Bones & Joints	71	0.9	0.12	0.9	0.10	56	0.7	0.10	0.7	0.09
Soft Tissue (incl. heart)	211	3.5	0.27	2.7	0.19	186	2.5	0.19	2.0	0.15
Skin (excl. basal & sq.)	256	5.4	0.39	3.4	0.21	276	4.0	0.25	2.8	0.17
Melanomas of the skin	198	4.2	0.34	2.6	0.19	212	3.1	0.22	2.2	0.15
Breast (excl. <i>in situ</i>)	39	0.8	0.15	0.5	0.09	6,951	99.8	1.22	72.6	0.89
Female Genital System	-	-	-	-	-	3,513	50.1	0.86	36.5	0.63
Cervix uteri	-	-	-	-	-	843	11.4	0.40	8.6	0.30
Uterus Corpus	-	-	-	-	-	1,658	23.8	0.59	17.6	0.44
Uterus, NOS ¹	-	-	-	-	-	53	0.8	0.11	0.5	0.08
Ovary	-	-	-	-	-	716	10.2	0.39	7.5	0.28
Male Genital System	8,124	174.3	2.08	118.5	1.34	-	-	-	-	-
Prostate	7,643	167.9	2.06	113.2	1.31	-	-	-	-	-
Testis	379	4.2	0.23	3.9	0.20	-	-	-	-	-
Penis	89	1.8	0.21	1.2	0.13	-	-	-	-	-
Urinary System	1,852	41.9	1.07	25.5	0.60	1,089	16.8	0.52	11.1	0.35
Bladder (incl. <i>in situ</i>)	915	23.4	0.84	12.9	0.43	414	6.9	0.34	3.9	0.20
Kidney & renal pelvis	896	17.4	0.64	12.1	0.41	637	9.3	0.38	6.8	0.28
Ureter	19	0.5	0.12	0.2	0.06	26	0.4	0.09	0.2	0.05
Eye & Orbit	60	0.9	0.12	0.8	0.11	45	0.6	0.10	0.5	0.08
Brain & Other Nervous System	416	6.9	0.38	5.4	0.27	357	4.8	0.26	4.1	0.22
Brain	390	6.5	0.37	5.1	0.26	331	4.5	0.25	3.8	0.21
Endocrine System	367	5.7	0.32	4.5	0.24	1,668	21.4	0.53	17.7	0.44
Thyroid gland	306	4.7	0.29	3.7	0.22	1,606	20.5	0.52	17.0	0.43
Lymphomas	1,592	28.9	0.81	20.4	0.52	1,319	19.1	0.54	13.8	0.39
Hodgkin Lymphoma	275	3.8	0.24	3.2	0.20	209	2.6	0.18	2.3	0.16
Non-Hodgkin Lymphoma	1,317	25.1	0.77	17.2	0.48	1,110	16.6	0.51	11.5	0.35
Multiple Myeloma	417	8.9	0.48	5.9	0.29	419	6.7	0.33	4.2	0.21
Leukemias	775	14.5	0.60	10.5	0.39	660	9.5	0.38	7.3	0.30
Acute lymphocytic	195	2.4	0.19	2.7	0.20	150	1.7	0.14	2.1	0.18
Chronic lymphocytic	161	3.9	0.34	2.3	0.19	123	2.0	0.19	1.1	0.11
Acute myeloid	250	5.0	0.36	3.3	0.21	221	3.2	0.22	2.3	0.16
Chronic myeloid	91	1.8	0.21	1.1	0.12	85	1.2	0.14	0.9	0.10
Other leukemias	78	1.5	0.20	1.0	0.12	81	1.3	0.14	0.8	0.10
Mesothelioma	49	1.2	0.19	0.6	0.09	16	0.2	0.06	0.2	0.04
Kaposi Sarcoma	187	3.0	0.25	2.2	0.16	29	0.5	0.09	0.3	0.05
Ill-defined & Unknown	744	17.4	0.71	10.2	0.38	863	14.2	0.49	8.2	0.29
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	386	6.6	0.38	5.0	0.26	933	13.5	0.45	9.6	0.32
Breast (<i>in situ</i>)	8	0.1	0.05	0.1	0.04	2,339	32.7	0.68	25.0	0.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW YORK

284 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	198,334	599.5	1.36	395.8	0.96	192,575	483.8	1.14	337.2	0.88
Oral Cavity & Pharynx	5,453	16.1	0.22	11.6	0.16	2,566	6.4	0.13	4.5	0.10
Lip	286	0.9	0.05	0.5	0.03	131	0.3	0.03	0.2	0.02
Tongue	1,735	5.1	0.12	3.8	0.09	743	1.9	0.07	1.4	0.06
Major salivary gland	592	1.8	0.08	1.1	0.05	405	1.1	0.06	0.8	0.05
Floor of mouth	282	0.8	0.05	0.6	0.04	150	0.4	0.03	0.3	0.02
Gum & other mouth	656	2.0	0.08	1.3	0.05	567	1.3	0.06	0.9	0.04
Nasopharynx	199	0.6	0.04	0.5	0.04	96	0.3	0.03	0.2	0.03
Oropharynx	247	0.7	0.05	0.5	0.04	91	0.2	0.03	0.2	0.02
Hypopharynx	357	1.0	0.05	0.7	0.04	95	0.2	0.03	0.2	0.02
Digestive System	34,946	105.5	0.57	65.7	0.38	31,334	71.9	0.42	43.6	0.29
Esophagus	3,164	9.4	0.17	6.2	0.12	1,000	2.3	0.07	1.4	0.05
Stomach	3,313	10.1	0.18	6.1	0.11	1,987	4.5	0.11	2.7	0.07
Small intestine	878	2.6	0.09	1.8	0.06	787	1.9	0.07	1.3	0.05
Colon excl. rectum	11,921	36.4	0.34	21.5	0.21	13,555	30.6	0.27	17.7	0.18
Rectum & rectosigmoid	5,298	16.0	0.22	10.5	0.15	4,307	10.4	0.16	6.9	0.12
Anus, anal canal & anorectum	525	1.6	0.07	1.1	0.05	780	2.0	0.07	1.4	0.05
Liver	2,839	8.3	0.16	5.8	0.12	947	2.2	0.07	1.5	0.06
Gallbladder	278	0.9	0.05	0.5	0.03	623	1.4	0.06	0.8	0.04
Pancreas	5,308	16.0	0.22	9.7	0.14	5,480	12.2	0.17	7.2	0.11
Respiratory System	29,387	88.6	0.52	54.7	0.34	27,877	66.6	0.41	43.2	0.29
Larynx	2,269	6.7	0.14	4.6	0.10	641	1.6	0.06	1.1	0.05
Lung & bronchus	26,705	80.6	0.50	49.2	0.32	26,966	64.4	0.40	41.6	0.28
Bones & Joints	350	1.2	0.06	1.1	0.07	342	1.1	0.06	1.0	0.06
Soft Tissue (incl. heart)	1,407	4.5	0.12	3.3	0.10	1,068	3.0	0.10	2.4	0.09
Skin (excl. basal & sq.)	10,083	31.2	0.31	20.7	0.22	7,596	20.9	0.25	15.7	0.20
Melanomas of the skin	9,333	28.8	0.30	19.3	0.21	6,999	19.5	0.24	14.7	0.20
Breast (excl. <i>in situ</i>)	515	1.6	0.07	1.0	0.05	53,221	138.4	0.62	100.3	0.47
Female Genital System	-	-	-	-	-	22,289	57.1	0.39	42.2	0.31
Cervix uteri	-	-	-	-	-	2,266	6.8	0.15	5.4	0.12
Uterus Corpus	-	-	-	-	-	12,267	30.8	0.28	23.0	0.22
Uterus, NOS ¹	-	-	-	-	-	300	0.7	0.04	0.4	0.03
Ovary	-	-	-	-	-	5,673	14.4	0.20	10.4	0.15
Male Genital System	56,536	166.9	0.71	117.9	0.52	-	-	-	-	-
Prostate	54,060	157.9	0.69	109.9	0.49	-	-	-	-	-
Testis	2,129	7.9	0.17	7.3	0.16	-	-	-	-	-
Penis	263	0.8	0.05	0.5	0.03	-	-	-	-	-
Urinary System	24,765	75.1	0.48	46.2	0.32	10,359	24.8	0.25	16.3	0.19
Bladder (incl. <i>in situ</i>)	16,163	49.2	0.39	28.5	0.24	5,416	12.5	0.17	7.7	0.12
Kidney & renal pelvis	8,005	24.1	0.27	16.7	0.20	4,618	11.6	0.18	8.2	0.14
Ureter	344	1.0	0.06	0.6	0.03	224	0.5	0.04	0.3	0.02
Eye & Orbit	392	1.2	0.06	0.9	0.05	408	1.1	0.06	0.9	0.06
Brain & Other Nervous System	2,763	9.0	0.17	7.3	0.16	2,291	6.5	0.14	5.6	0.14
Brain	2,631	8.5	0.17	6.8	0.15	2,103	5.9	0.14	5.0	0.14
Endocrine System	3,386	10.9	0.19	8.8	0.16	8,876	27.7	0.30	23.0	0.26
Thyroid gland	3,041	9.7	0.18	7.6	0.15	8,531	26.6	0.30	22.0	0.25
Lymphomas	10,157	31.7	0.32	22.0	0.24	9,068	22.9	0.25	16.1	0.20
Hodgkin Lymphoma	1,160	4.0	0.12	3.6	0.11	1,014	3.4	0.11	3.1	0.11
Non-Hodgkin Lymphoma	8,997	27.7	0.30	18.4	0.21	8,054	19.6	0.23	13.0	0.17
Multiple Myeloma	2,646	8.0	0.16	4.8	0.10	2,122	4.9	0.11	3.0	0.07
Leukemias	6,490	20.3	0.26	14.1	0.20	4,795	12.0	0.18	8.8	0.17
Acute lymphocytic	497	1.9	0.09	2.4	0.12	369	1.4	0.07	1.8	0.11
Chronic lymphocytic	2,891	8.7	0.16	5.3	0.11	2,015	4.6	0.10	2.8	0.07
Acute myeloid	1,639	5.1	0.13	3.3	0.09	1,359	3.5	0.10	2.4	0.08
Chronic myeloid	700	2.2	0.08	1.5	0.06	543	1.3	0.06	0.9	0.05
Other leukemias	763	2.4	0.09	1.6	0.06	509	1.2	0.06	0.9	0.05
Mesothelioma	693	2.1	0.08	1.2	0.05	181	0.4	0.03	0.3	0.02
Kaposi Sarcoma	273	0.9	0.06	0.6	0.04	65	0.1	0.02	0.1	0.01
Ill-defined & Unknown	8,092	24.9	0.28	13.9	0.17	8,117	17.8	0.21	10.2	0.14
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	3,041	9.7	0.18	7.0	0.14	6,090	15.5	0.21	11.1	0.17
Breast (<i>in situ</i>)	71	0.2	0.03	0.1	0.02	17,195	47.3	0.37	36.3	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2006-2010, Non-Hispanic Black**

SITES	Count	MALES (NON-HISPANIC BLACK)				FEMALES (NON-HISPANIC BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	33,514	627.7	3.61	431.3	2.39	31,589	396.4	2.25	277.0	1.63
Oral Cavity & Pharynx	821	14.0	0.51	10.5	0.37	455	5.6	0.26	4.1	0.20
Lip	6	0.1	0.04	0.1	0.03	-	-	-	-	-
Tongue	185	3.2	0.24	2.4	0.17	103	1.3	0.13	0.9	0.09
Major salivary gland	64	1.1	0.15	0.8	0.10	89	1.1	0.12	0.8	0.09
Floor of mouth	48	0.8	0.12	0.6	0.09	19	0.2	0.05	0.2	0.04
Gum & other mouth	106	1.9	0.19	1.4	0.13	98	1.2	0.13	0.9	0.09
Nasopharynx	68	1.1	0.14	0.9	0.11	34	0.4	0.07	0.3	0.06
Oropharynx	59	1.0	0.14	0.8	0.10	27	0.3	0.06	0.2	0.05
Hypopharynx	106	1.8	0.18	1.4	0.14	32	0.4	0.07	0.3	0.05
Digestive System	6,800	130.9	1.68	85.4	1.05	6,626	84.2	1.04	53.2	0.69
Esophagus	439	8.5	0.43	5.6	0.27	200	2.5	0.18	1.7	0.12
Stomach	837	17.5	0.64	10.4	0.37	709	9.2	0.35	5.4	0.21
Small intestine	193	3.5	0.27	2.4	0.18	227	2.8	0.19	2.0	0.14
Colon excl. rectum	2,227	44.5	1.00	27.9	0.60	2,680	34.2	0.67	21.3	0.43
Rectum & rectosigmoid	832	15.2	0.56	10.5	0.37	839	10.4	0.36	7.1	0.25
Anus, anal canal & anorectum	154	2.5	0.21	1.9	0.16	156	1.9	0.15	1.4	0.12
Liver	1,042	17.6	0.57	13.2	0.41	350	4.3	0.23	3.1	0.17
Gallbladder	83	1.8	0.21	1.0	0.11	191	2.4	0.18	1.5	0.11
Pancreas	802	15.8	0.59	10.0	0.36	1,016	13.1	0.41	7.8	0.26
Respiratory System	4,392	85.3	1.36	55.7	0.85	3,729	47.1	0.78	31.1	0.53
Larynx	445	8.2	0.41	5.8	0.28	163	2.0	0.16	1.4	0.12
Lung & bronchus	3,890	76.1	1.29	49.2	0.80	3,514	44.5	0.76	29.2	0.51
Bones & Joints	55	0.8	0.11	0.8	0.11	69	0.9	0.11	0.8	0.10
Soft Tissue (incl. heart)	229	3.8	0.26	3.2	0.21	232	2.9	0.19	2.4	0.17
Skin (excl. basal & sq.)	129	2.4	0.22	1.7	0.15	174	2.2	0.17	1.6	0.13
Melanomas of the skin	63	1.2	0.16	0.8	0.10	98	1.2	0.13	0.9	0.09
Breast (excl. <i>in situ</i>)	72	1.5	0.19	0.9	0.11	9,255	114.9	1.21	83.5	0.89
Female Genital System	-	-	-	-	-	4,458	55.2	0.83	40.5	0.62
Cervix uteri	-	-	-	-	-	993	12.5	0.40	9.3	0.30
Uterus Corpus	-	-	-	-	-	2,253	27.6	0.59	20.3	0.44
Uterus, NOS ¹	-	-	-	-	-	157	1.9	0.16	1.4	0.11
Ovary	-	-	-	-	-	797	9.9	0.35	7.2	0.27
Male Genital System	14,220	262.4	2.30	185.5	1.57	-	-	-	-	-
Prostate	14,051	259.4	2.29	183.3	1.56	-	-	-	-	-
Testis	92	1.4	0.15	1.3	0.13	-	-	-	-	-
Penis	63	1.3	0.17	0.8	0.10	-	-	-	-	-
Urinary System	2,114	40.8	0.94	26.8	0.59	1,275	16.2	0.46	10.9	0.32
Bladder (incl. <i>in situ</i>)	870	18.7	0.67	10.8	0.37	457	6.0	0.28	3.4	0.17
Kidney & renal pelvis	1,192	21.0	0.64	15.4	0.45	785	9.9	0.36	7.2	0.27
Ureter	16	0.4	0.09	0.2	0.05	13	0.2	0.05	0.1	0.03
Eye & Orbit	34	0.6	0.11	0.6	0.10	23	0.3	0.06	0.3	0.08
Brain & Other Nervous System	269	4.4	0.28	3.8	0.24	275	3.5	0.21	2.9	0.19
Brain	237	3.9	0.27	3.3	0.22	245	3.1	0.20	2.6	0.18
Endocrine System	286	4.8	0.29	3.8	0.23	1,046	13.0	0.40	10.6	0.33
Thyroid gland	223	3.8	0.26	2.9	0.19	976	12.1	0.39	9.8	0.32
Lymphomas	1,404	23.6	0.66	18.2	0.49	1,244	15.7	0.45	11.9	0.35
Hodgkin Lymphoma	249	3.8	0.25	3.4	0.21	207	2.6	0.18	2.4	0.17
Non-Hodgkin Lymphoma	1,155	19.7	0.61	14.8	0.44	1,037	13.1	0.41	9.5	0.31
Multiple Myeloma	813	16.1	0.59	10.3	0.36	878	11.1	0.38	7.2	0.25
Leukemias	664	12.4	0.51	8.9	0.36	587	7.5	0.31	5.7	0.26
Acute lymphocytic	79	1.2	0.13	1.4	0.16	61	0.8	0.10	0.9	0.13
Chronic lymphocytic	199	4.0	0.30	2.5	0.18	142	1.9	0.16	1.1	0.10
Acute myeloid	191	3.7	0.28	2.5	0.18	202	2.6	0.18	2.0	0.15
Chronic myeloid	96	1.7	0.19	1.3	0.13	89	1.1	0.12	0.8	0.09
Other leukemias	99	1.8	0.19	1.3	0.14	93	1.2	0.12	0.8	0.09
Mesothelioma	28	0.6	0.12	0.3	0.07	12	0.2	0.05	0.1	0.03
Kaposi Sarcoma	207	3.3	0.23	2.6	0.18	33	0.4	0.07	0.3	0.06
Ill-defined & Unknown	977	20.1	0.68	12.3	0.40	1,218	15.6	0.45	9.6	0.29
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	445	8.1	0.41	5.8	0.28	1,128	14.3	0.43	10.0	0.31
Breast (<i>in situ</i>)	19	0.3	0.07	0.2	0.06	2,573	31.4	0.63	23.8	0.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW YORK

286 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	123,157	564.9	1.66	377.1	1.10	111,428	416.0	1.26	291.8	0.93
Oral Cavity & Pharynx	4,157	17.9	0.29	13.1	0.21	1,719	6.3	0.15	4.5	0.12
Lip	160	0.8	0.06	0.5	0.04	59	0.2	0.03	0.1	0.02
Tongue	1,132	4.8	0.14	3.6	0.11	452	1.7	0.08	1.2	0.06
Major salivary gland	361	1.8	0.10	1.1	0.06	251	0.9	0.06	0.7	0.05
Floor of mouth	267	1.1	0.07	0.8	0.05	119	0.4	0.04	0.3	0.03
Gum & other mouth	465	2.1	0.10	1.5	0.07	365	1.3	0.07	0.8	0.05
Nasopharynx	173	0.7	0.06	0.6	0.04	74	0.3	0.03	0.2	0.03
Oropharynx	249	1.0	0.07	0.8	0.05	73	0.3	0.03	0.2	0.02
Hypopharynx	338	1.4	0.08	1.1	0.06	85	0.3	0.03	0.2	0.03
Digestive System	21,126	97.7	0.69	63.4	0.45	17,700	64.9	0.49	41.4	0.34
Esophagus	1,887	8.5	0.20	5.7	0.13	457	1.7	0.08	1.1	0.05
Stomach	1,783	8.4	0.21	5.3	0.13	1,172	4.3	0.13	2.7	0.09
Small intestine	622	2.8	0.11	1.9	0.08	579	2.2	0.09	1.5	0.06
Colon excl. rectum	7,557	36.0	0.43	22.2	0.26	7,692	28.2	0.32	17.6	0.22
Rectum & rectosigmoid	3,314	14.8	0.26	10.3	0.18	2,402	8.9	0.18	6.1	0.13
Anus, anal canal & anorectum	294	1.3	0.08	0.9	0.06	547	2.0	0.09	1.5	0.07
Liver	2,011	8.7	0.20	6.2	0.14	658	2.4	0.09	1.6	0.07
Gallbladder	182	0.9	0.07	0.5	0.04	319	1.1	0.06	0.7	0.04
Pancreas	2,791	13.1	0.26	8.2	0.16	2,880	10.4	0.20	6.2	0.13
Respiratory System	22,712	105.9	0.72	67.0	0.45	16,278	59.5	0.47	39.2	0.33
Larynx	1,801	7.9	0.19	5.5	0.13	459	1.7	0.08	1.3	0.06
Lung & bronchus	20,625	96.7	0.69	60.6	0.43	15,635	57.2	0.46	37.5	0.32
Bones & Joints	218	1.0	0.07	0.9	0.06	187	0.8	0.06	0.7	0.06
Soft Tissue (incl. heart)	879	4.1	0.14	3.0	0.11	688	2.7	0.10	2.1	0.09
Skin (excl. basal & sq.)	6,378	30.1	0.39	19.6	0.25	4,741	18.5	0.27	14.1	0.22
Melanomas of the skin	5,967	28.0	0.37	18.4	0.24	4,456	17.4	0.26	13.3	0.21
Breast (excl. <i>in situ</i>)	386	1.8	0.09	1.2	0.06	33,403	124.9	0.69	90.4	0.52
Female Genital System	-	-	-	-	-	12,347	46.1	0.42	34.0	0.32
Cervix uteri	-	-	-	-	-	1,764	7.1	0.17	5.6	0.14
Uterus Corpus	-	-	-	-	-	6,041	22.0	0.29	16.4	0.22
Uterus, NOS ¹	-	-	-	-	-	234	0.9	0.06	0.6	0.04
Ovary	-	-	-	-	-	3,214	12.0	0.21	8.5	0.16
Male Genital System	36,049	157.8	0.85	111.9	0.60	-	-	-	-	-
Prostate	34,731	151.9	0.84	106.7	0.58	-	-	-	-	-
Testis	1,112	5.0	0.15	4.6	0.14	-	-	-	-	-
Penis	177	0.8	0.07	0.5	0.04	-	-	-	-	-
Urinary System	12,898	61.7	0.56	38.1	0.34	5,638	20.8	0.28	13.8	0.20
Bladder (incl. <i>in situ</i>)	7,518	37.5	0.45	21.3	0.25	2,451	8.9	0.18	5.3	0.12
Kidney & renal pelvis	5,143	23.0	0.33	16.2	0.23	3,027	11.3	0.21	8.1	0.16
Ureter	166	0.8	0.06	0.5	0.04	108	0.4	0.04	0.2	0.02
Eye & Orbit	220	1.0	0.07	0.8	0.06	182	0.7	0.05	0.6	0.05
Brain & Other Nervous System	1,746	7.8	0.19	6.4	0.16	1,443	5.7	0.15	4.7	0.14
Brain	1,652	7.4	0.19	6.0	0.16	1,346	5.3	0.14	4.3	0.13
Endocrine System	1,583	6.9	0.18	5.5	0.14	4,490	18.1	0.27	14.9	0.23
Thyroid gland	1,421	6.2	0.17	4.8	0.13	4,321	17.4	0.27	14.2	0.22
Lymphomas	5,474	25.5	0.35	17.6	0.25	4,780	18.1	0.26	12.7	0.20
Hodgkin Lymphoma	645	2.9	0.11	2.5	0.10	578	2.4	0.10	2.2	0.10
Non-Hodgkin Lymphoma	4,829	22.6	0.33	15.0	0.22	4,202	15.7	0.24	10.5	0.18
Multiple Myeloma	1,719	8.2	0.21	5.0	0.12	1,509	5.5	0.14	3.5	0.10
Leukemias	3,305	15.9	0.28	11.0	0.20	2,536	9.6	0.19	7.1	0.16
Acute lymphocytic	368	1.6	0.09	2.0	0.11	277	1.2	0.07	1.5	0.10
Chronic lymphocytic	1,180	5.7	0.17	3.4	0.10	789	2.8	0.10	1.7	0.07
Acute myeloid	920	4.5	0.15	2.9	0.10	847	3.2	0.11	2.4	0.09
Chronic myeloid	447	2.1	0.10	1.4	0.07	319	1.2	0.07	0.8	0.05
Other leukemias	390	1.9	0.10	1.2	0.06	304	1.1	0.06	0.7	0.05
Mesothelioma	307	1.6	0.09	0.8	0.05	74	0.3	0.03	0.2	0.02
Kaposi Sarcoma	101	0.5	0.05	0.4	0.04	18	0.1	0.02	0.0	0.01
Ill-defined & Unknown	3,899	19.4	0.32	11.3	0.19	3,695	13.5	0.22	7.9	0.14
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,624	7.5	0.19	5.5	0.14	3,505	13.3	0.23	9.7	0.18
Breast (<i>in situ</i>)	71	0.3	0.04	0.2	0.03	7,766	29.0	0.33	21.8	0.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	97,279	552.3	1.81	366.7	1.22	88,492	423.3	1.44	297.1	1.09
Oral Cavity & Pharynx	3,254	17.6	0.32	12.9	0.23	1,413	6.7	0.18	4.7	0.14
Lip	152	0.9	0.08	0.5	0.05	56	0.3	0.04	0.2	0.02
Tongue	936	4.9	0.16	3.8	0.12	397	1.9	0.10	1.4	0.07
Major salivary gland	309	1.9	0.11	1.1	0.07	185	0.9	0.07	0.7	0.06
Floor of mouth	198	1.1	0.08	0.8	0.06	101	0.5	0.05	0.3	0.03
Gum & other mouth	337	1.9	0.11	1.3	0.07	302	1.4	0.08	0.8	0.05
Nasopharynx	115	0.6	0.06	0.5	0.05	57	0.3	0.04	0.2	0.03
Oropharynx	168	0.9	0.07	0.7	0.05	58	0.3	0.03	0.2	0.03
Hypopharynx	214	1.1	0.08	0.8	0.06	64	0.3	0.04	0.2	0.03
Digestive System	16,128	92.4	0.75	59.4	0.48	13,137	60.7	0.54	38.5	0.37
Esophagus	1,489	8.3	0.22	5.5	0.15	324	1.5	0.08	0.9	0.06
Stomach	1,235	7.2	0.21	4.5	0.13	740	3.4	0.13	2.1	0.09
Small intestine	451	2.5	0.12	1.7	0.08	407	1.9	0.10	1.3	0.07
Colon excl. rectum	5,828	34.2	0.46	20.9	0.28	5,754	26.5	0.35	16.3	0.24
Rectum & rectosigmoid	2,621	14.6	0.29	10.1	0.20	1,810	8.6	0.20	5.9	0.15
Anus, anal canal & anorectum	205	1.1	0.08	0.8	0.06	462	2.2	0.10	1.6	0.08
Liver	1,460	8.0	0.21	5.6	0.15	475	2.2	0.10	1.5	0.08
Gallbladder	125	0.8	0.07	0.4	0.04	233	1.0	0.07	0.6	0.05
Pancreas	2,158	12.4	0.27	7.8	0.17	2,131	9.6	0.21	5.7	0.14
Respiratory System	18,064	103.4	0.79	64.7	0.50	13,529	62.3	0.54	40.9	0.38
Larynx	1,299	7.1	0.20	4.9	0.14	356	1.7	0.09	1.2	0.07
Lung & bronchus	16,529	95.0	0.76	58.9	0.47	13,029	60.0	0.53	39.1	0.37
Bones & Joints	174	1.0	0.08	1.0	0.08	142	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	720	4.2	0.16	3.1	0.13	517	2.6	0.12	2.1	0.11
Skin (excl. basal & sq.)	6,244	36.3	0.47	24.0	0.32	4,584	23.7	0.36	18.2	0.29
Melanomas of the skin	5,879	34.0	0.45	22.7	0.31	4,352	22.6	0.35	17.4	0.28
Breast (excl. <i>in situ</i>)	296	1.7	0.10	1.1	0.07	26,164	125.7	0.79	90.8	0.59
Female Genital System	-	-	-	-	-	9,694	46.8	0.48	34.5	0.37
Cervix uteri	-	-	-	-	-	1,223	6.7	0.20	5.4	0.16
Uterus Corpus	-	-	-	-	-	4,800	22.4	0.33	16.9	0.25
Uterus, NOS ¹	-	-	-	-	-	154	0.8	0.06	0.5	0.04
Ovary	-	-	-	-	-	2,635	12.6	0.25	8.9	0.19
Male Genital System	26,311	142.4	0.90	100.7	0.63	-	-	-	-	-
Prostate	25,156	135.4	0.87	94.5	0.61	-	-	-	-	-
Testis	1,001	6.0	0.19	5.6	0.18	-	-	-	-	-
Penis	130	0.8	0.07	0.5	0.04	-	-	-	-	-
Urinary System	11,039	64.6	0.63	39.7	0.39	4,541	21.2	0.32	14.0	0.23
Bladder (incl. <i>in situ</i>)	6,785	40.8	0.51	23.3	0.29	2,105	9.6	0.21	5.8	0.14
Kidney & renal pelvis	4,047	22.6	0.36	15.7	0.26	2,305	11.0	0.23	7.8	0.18
Ureter	147	0.9	0.07	0.5	0.04	96	0.4	0.04	0.2	0.03
Eye & Orbit	196	1.1	0.08	0.8	0.07	167	0.8	0.07	0.7	0.06
Brain & Other Nervous System	1,479	8.5	0.22	7.0	0.20	1,217	6.3	0.18	5.2	0.17
Brain	1,407	8.1	0.22	6.6	0.19	1,143	5.9	0.18	4.8	0.16
Endocrine System	1,349	7.6	0.21	6.0	0.17	3,559	19.3	0.33	16.0	0.28
Thyroid gland	1,224	6.8	0.20	5.3	0.15	3,442	18.7	0.32	15.4	0.28
Lymphomas	4,535	26.3	0.40	18.0	0.28	3,882	18.7	0.30	12.9	0.23
Hodgkin Lymphoma	482	2.8	0.13	2.5	0.12	418	2.4	0.12	2.1	0.11
Non-Hodgkin Lymphoma	4,053	23.5	0.38	15.5	0.25	3,464	16.3	0.28	10.7	0.20
Multiple Myeloma	1,173	6.9	0.21	4.2	0.13	929	4.2	0.14	2.6	0.09
Leukemias	2,792	16.7	0.32	11.6	0.24	2,045	10.0	0.23	7.5	0.20
Acute lymphocytic	295	1.8	0.11	2.2	0.14	229	1.4	0.09	1.8	0.13
Chronic lymphocytic	1,017	6.0	0.19	3.6	0.12	659	3.0	0.12	1.7	0.07
Acute myeloid	782	4.7	0.17	3.1	0.12	676	3.3	0.13	2.4	0.11
Chronic myeloid	371	2.2	0.12	1.5	0.08	249	1.2	0.08	0.8	0.06
Other leukemias	327	2.0	0.11	1.2	0.07	232	1.1	0.07	0.7	0.06
Mesothelioma	280	1.7	0.11	0.9	0.06	64	0.3	0.04	0.2	0.03
Kaposi Sarcoma	53	0.3	0.05	0.2	0.03	11	0.1	0.02	0.0	0.01
Ill-defined & Unknown	3,192	19.4	0.35	11.2	0.21	2,897	13.2	0.25	7.6	0.16
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,316	7.7	0.22	5.6	0.16	2,715	13.4	0.26	9.9	0.21
Breast (<i>in situ</i>)	48	0.3	0.04	0.2	0.03	6,102	29.5	0.38	22.2	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	23,451	633.7	4.45	435.1	2.88	20,494	393.5	2.78	278.0	2.02
Oral Cavity & Pharynx	823	19.9	0.74	14.9	0.53	268	4.9	0.31	3.8	0.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	176	4.1	0.33	3.2	0.24	50	0.9	0.13	0.7	0.10
Major salivary gland	47	1.2	0.18	0.9	0.13	58	1.1	0.14	0.9	0.12
Floor of mouth	67	1.6	0.21	1.2	0.15	15	0.3	0.07	0.2	0.06
Gum & other mouth	119	3.0	0.29	2.2	0.20	54	1.0	0.14	0.7	0.10
Nasopharynx	41	1.0	0.17	0.7	0.11	9	0.2	0.05	0.1	0.04
Oropharynx	74	1.8	0.22	1.3	0.16	15	0.3	0.07	0.2	0.06
Hypopharynx	121	3.0	0.29	2.2	0.20	20	0.4	0.08	0.3	0.06
Digestive System	4,560	124.3	1.99	82.7	1.24	4,150	81.2	1.28	52.7	0.86
Esophagus	385	10.0	0.55	7.1	0.37	124	2.3	0.21	1.6	0.15
Stomach	487	14.3	0.70	8.8	0.40	374	7.5	0.39	4.5	0.25
Small intestine	157	4.1	0.35	2.9	0.24	159	3.1	0.25	2.1	0.17
Colon excl. rectum	1,610	46.2	1.24	29.4	0.74	1,796	35.1	0.84	22.8	0.56
Rectum & rectosigmoid	632	16.1	0.68	11.4	0.46	523	9.9	0.44	6.9	0.31
Anus, anal canal & anorectum	81	2.0	0.23	1.4	0.16	79	1.5	0.17	1.0	0.12
Liver	458	10.1	0.50	8.0	0.38	152	2.8	0.23	2.1	0.17
Gallbladder	52	1.6	0.24	1.0	0.14	77	1.5	0.18	0.9	0.11
Pancreas	598	17.2	0.76	10.8	0.45	703	14.2	0.54	8.5	0.34
Respiratory System	4,327	121.5	1.98	80.1	1.24	2,504	48.8	0.99	33.3	0.69
Larynx	477	12.7	0.62	8.8	0.41	92	1.7	0.18	1.3	0.14
Lung & bronchus	3,805	107.8	1.88	70.6	1.16	2,377	46.5	0.97	31.5	0.67
Bones & Joints	38	0.8	0.13	0.7	0.12	42	0.8	0.12	0.7	0.11
Soft Tissue (incl. heart)	143	3.6	0.33	2.7	0.23	159	3.0	0.24	2.4	0.20
Skin (excl. basal & sq.)	71	1.9	0.24	1.3	0.16	94	1.8	0.18	1.4	0.14
Melanomas of the skin	35	1.0	0.18	0.6	0.11	47	0.9	0.13	0.6	0.10
Breast (excl. <i>in situ</i>)	86	2.5	0.29	1.6	0.17	6,527	123.0	1.54	90.2	1.15
Female Genital System	-	-	-	-	-	2,346	45.1	0.94	32.9	0.70
Cervix uteri	-	-	-	-	-	475	9.0	0.42	6.8	0.32
Uterus Corpus	-	-	-	-	-	1,101	21.3	0.65	15.5	0.48
Uterus, NOS ¹	-	-	-	-	-	71	1.4	0.17	0.9	0.12
Ovary	-	-	-	-	-	512	9.8	0.44	7.1	0.33
Male Genital System	8,880	235.1	2.67	166.8	1.80	-	-	-	-	-
Prostate	8,742	231.6	2.65	164.2	1.78	-	-	-	-	-
Testis	89	1.9	0.21	1.7	0.18	-	-	-	-	-
Penis	45	1.4	0.23	0.9	0.13	-	-	-	-	-
Urinary System	1,662	46.3	1.23	30.6	0.76	1,002	19.6	0.63	13.3	0.45
Bladder (incl. <i>in situ</i>)	632	20.0	0.86	11.8	0.48	314	6.4	0.37	3.8	0.23
Kidney & renal pelvis	1,004	25.5	0.86	18.4	0.59	663	12.7	0.50	9.3	0.38
Ureter	15	0.5	0.13	0.3	0.07	10	0.2	0.07	0.1	0.04
Eye & Orbit	16	0.3	0.09	0.4	0.10	7	0.1	0.05	0.1	0.06
Brain & Other Nervous System	215	4.9	0.36	4.2	0.29	194	3.6	0.26	3.1	0.24
Brain	197	4.5	0.34	3.8	0.28	175	3.3	0.25	2.9	0.23
Endocrine System	186	4.3	0.33	3.4	0.26	723	13.4	0.50	10.7	0.41
Thyroid gland	154	3.6	0.31	2.8	0.23	680	12.6	0.49	10.0	0.39
Lymphomas	824	20.6	0.77	15.3	0.54	781	14.8	0.54	11.3	0.42
Hodgkin Lymphoma	137	2.9	0.25	2.6	0.23	150	2.7	0.22	2.5	0.21
Non-Hodgkin Lymphoma	687	17.7	0.73	12.7	0.49	631	12.1	0.49	8.8	0.36
Multiple Myeloma	512	15.3	0.73	9.5	0.42	551	10.8	0.46	7.1	0.32
Leukemias	420	11.5	0.61	8.1	0.40	421	8.2	0.40	6.0	0.31
Acute lymphocytic	51	1.0	0.14	1.2	0.17	33	0.6	0.10	0.7	0.13
Chronic lymphocytic	139	4.3	0.39	2.5	0.22	115	2.3	0.22	1.4	0.14
Acute myeloid	110	3.0	0.31	2.2	0.21	150	2.9	0.24	2.3	0.20
Chronic myeloid	65	1.8	0.24	1.2	0.15	63	1.2	0.16	0.8	0.11
Other leukemias	55	1.5	0.22	1.0	0.14	60	1.2	0.16	0.7	0.10
Mesothelioma	27	0.8	0.16	0.5	0.10	9	0.2	0.06	0.1	0.05
Kaposi Sarcoma	45	1.0	0.15	0.9	0.13	7	0.1	0.05	0.1	0.04
Ill-defined & Unknown	616	19.0	0.83	11.3	0.46	709	14.1	0.54	8.6	0.35
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	270	7.2	0.47	5.0	0.31	694	13.3	0.51	9.4	0.37
Breast (<i>in situ</i>)	22	0.5	0.12	0.4	0.08	1,474	27.7	0.73	20.6	0.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	662	248.0	11.71	159.9	6.45	898	247.4	9.42	160.9	5.54
Oral Cavity & Pharynx	31	7.9	1.64	6.1	1.14	15	3.9	1.15	2.9	0.76
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	2.6	1.20	1.6	0.62	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	12	2.6	0.78	2.2	0.66	7	1.5	0.62	1.3	0.49
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	170	65.2	5.98	41.6	3.29	156	51.5	4.62	29.8	2.45
Esophagus	6	2.3	1.04	1.4	0.60	-	-	-	-	-
Stomach	29	11.5	2.60	7.1	1.37	26	8.8	1.94	5.0	1.01
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	28	10.4	2.28	7.3	1.42	48	16.5	2.70	9.0	1.34
Rectum & rectosigmoid	23	7.7	2.18	5.1	1.13	26	6.9	1.54	4.4	0.88
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	55	20.2	3.14	13.5	1.86	19	5.9	1.46	3.7	0.87
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	3.1	1.26	2.1	0.70	13	4.9	1.46	2.8	0.78
Respiratory System	86	38.8	5.06	21.9	2.44	91	31.4	3.64	18.2	1.94
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	79	35.3	4.78	20.0	2.32	88	30.8	3.62	17.4	1.90
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	11	4.3	1.61	2.3	0.72	8	2.2	0.93	1.2	0.43
Melanomas of the skin	6	2.0	0.98	1.2	0.52	7	2.1	0.92	1.1	0.42
Breast (excl. <i>in situ</i>)	-	-	-	-	-	247	61.8	4.37	42.9	2.81
Female Genital System	-	-	-	-	-	125	30.2	3.02	21.6	2.00
Cervix uteri	-	-	-	-	-	28	7.2	1.55	4.6	0.90
Uterus Corpus	-	-	-	-	-	53	12.9	1.95	9.3	1.31
Uterus, NOS ¹	-	-	-	-	-	7	1.5	0.56	1.3	0.50
Ovary	-	-	-	-	-	25	5.7	1.23	4.5	0.92
Male Genital System	141	55.3	5.30	37.3	3.20	-	-	-	-	-
Prostate	136	54.3	5.28	36.4	3.17	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	22.6	3.69	13.8	1.93	27	8.6	1.85	5.1	1.01
Bladder (incl. <i>in situ</i>)	31	14.3	3.09	8.2	1.53	9	3.7	1.32	1.9	0.64
Kidney & renal pelvis	23	7.0	1.74	5.1	1.11	16	3.9	1.07	2.8	0.73
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	19	4.7	1.29	3.6	0.88	11	2.6	0.98	2.0	0.63
Brain	18	4.5	1.28	3.4	0.85	8	2.1	0.93	1.5	0.56
Endocrine System	23	6.4	1.63	4.3	0.94	106	21.3	2.38	16.5	1.65
Thyroid gland	20	5.9	1.60	3.8	0.89	100	20.4	2.34	15.6	1.62
Lymphomas	47	14.5	2.81	10.1	1.57	46	13.2	2.21	8.1	1.25
Hodgkin Lymphoma	8	1.1	0.39	1.3	0.47	-	-	-	-	-
Non-Hodgkin Lymphoma	39	13.4	2.79	8.8	1.50	-	-	-	-	-
Multiple Myeloma	11	5.2	1.71	3.0	0.92	11	3.8	1.35	1.9	0.57
Leukemias	36	10.9	2.29	8.5	1.46	21	4.6	1.08	4.4	0.97
Acute lymphocytic	11	1.8	0.56	2.6	0.79	7	1.1	0.43	1.6	0.61
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	16	4.5	1.22	3.5	0.92	7	1.5	0.60	1.4	0.54
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	24	9.5	2.50	5.9	1.25	26	10.7	2.33	5.0	0.99
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	8	2.0	0.71	1.7	0.63	41	10.4	1.83	7.6	1.22
Breast (<i>in situ</i>)	-	-	-	-	-	75	16.7	2.07	13.5	1.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	124	442.8	47.31	277.0	25.26	110	311.8	32.29	208.8	20.13
Oral Cavity & Pharynx	10	30.1	11.17	19.9	6.39	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	78.3	18.98	49.2	10.63	19	69.4	16.97	35.2	8.18
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	24.0	11.05	13.8	5.70	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	21.2	9.77	13.4	5.54	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	29	114.7	25.40	68.4	12.87	12	35.4	10.69	25.1	7.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	25	102.8	24.64	59.2	12.00	11	30.8	9.65	23.4	7.08
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	30	71.4	13.52	56.2	10.37
Female Genital System	-	-	-	-	-	16	36.7	9.55	31.3	7.89
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	9	18.8	6.31	17.4	5.85
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	27	104.7	24.40	61.9	12.12	-	-	-	-	-
Prostate	24	100.0	24.25	56.7	11.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	62.6	17.73	37.6	9.24	6	23.1	10.42	10.6	4.36
Bladder (incl. <i>in situ</i>)	7	37.7	15.77	17.3	6.57	-	-	-	-	-
Kidney & renal pelvis	10	24.9	8.11	20.3	6.50	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	11.8	4.82	10.9	4.49
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	6	21.6	9.61	10.7	4.40
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	10	23.5	7.56	19.1	6.10

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,721	314.8	10.28	207.1	5.86	1,882	287.3	8.24	197.8	5.17
Oral Cavity & Pharynx	52	10.2	1.75	6.9	1.10	22	2.9	0.79	2.1	0.52
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	9	1.6	0.66	0.9	0.31
Major salivary gland	12	1.9	0.72	1.4	0.49	9	0.8	0.31	0.8	0.30
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.1	0.63	0.6	0.31	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	336	67.4	4.78	43.1	2.66	273	54.3	3.86	34.4	2.27
Esophagus	13	3.2	1.02	2.2	0.64	-	-	-	-	-
Stomach	64	14.1	2.35	7.9	1.13	39	7.3	1.42	4.7	0.85
Small intestine	8	1.9	0.79	1.2	0.47	7	1.5	0.61	1.0	0.40
Colon excl. rectum	84	18.9	2.62	11.7	1.41	85	16.7	2.10	11.0	1.29
Rectum & rectosigmoid	57	8.9	1.58	6.0	0.95	39	6.2	1.23	4.2	0.76
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	58	10.2	1.69	7.5	1.09	18	4.4	1.18	2.4	0.61
Gallbladder	-	-	-	-	-	10	2.3	0.80	1.6	0.52
Pancreas	29	5.1	1.16	3.9	0.81	43	9.2	1.61	5.5	0.89
Respiratory System	137	33.1	3.51	20.4	1.91	121	28.5	2.92	16.8	1.62
Larynx	13	3.0	0.97	2.2	0.63	-	-	-	-	-
Lung & bronchus	111	29.1	3.35	17.2	1.78	112	27.0	2.86	15.8	1.58
Bones & Joints	18	0.7	0.18	0.8	0.21	8	0.5	0.19	0.5	0.18
Soft Tissue (incl. heart)	36	4.3	1.19	2.9	0.64	29	2.8	0.67	2.5	0.55
Skin (excl. basal & sq.)	49	6.5	1.35	4.5	0.82	41	5.7	1.21	3.7	0.68
Melanomas of the skin	41	6.0	1.33	4.0	0.79	31	4.1	1.00	2.8	0.59
Breast (excl. <i>in situ</i>)	7	1.1	0.57	0.7	0.31	539	79.4	4.09	57.9	2.81
Female Genital System	-	-	-	-	-	288	36.3	2.66	26.9	1.83
Cervix uteri	-	-	-	-	-	110	10.4	1.19	8.3	0.92
Uterus Corpus	-	-	-	-	-	80	10.7	1.40	8.2	1.04
Uterus, NOS ¹	-	-	-	-	-	12	1.7	0.58	1.2	0.37
Ovary	-	-	-	-	-	64	9.3	1.47	6.4	0.91
Male Genital System	466	99.8	5.79	67.7	3.51	-	-	-	-	-
Prostate	377	96.1	5.78	64.0	3.48	-	-	-	-	-
Testis	84	3.3	0.41	3.4	0.39	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	150	33.1	3.50	19.6	1.81	81	15.3	2.04	9.4	1.14
Bladder (incl. <i>in situ</i>)	49	15.7	2.60	8.2	1.24	24	6.9	1.54	3.2	0.68
Kidney & renal pelvis	99	17.1	2.34	11.2	1.31	57	8.4	1.33	6.2	0.92
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	7	0.9	0.44	0.8	0.33	7	0.5	0.23	0.5	0.24
Brain & Other Nervous System	57	4.2	0.80	3.9	0.68	37	3.1	0.65	2.9	0.58
Brain	51	3.9	0.78	3.6	0.66	32	2.7	0.62	2.5	0.54
Endocrine System	51	6.4	1.47	3.7	0.67	176	15.1	1.39	12.5	1.08
Thyroid gland	47	6.2	1.46	3.5	0.66	167	14.3	1.32	11.9	1.06
Lymphomas	117	15.1	2.12	10.0	1.14	106	18.6	2.17	12.5	1.35
Hodgkin Lymphoma	28	2.3	0.75	1.7	0.40	13	1.0	0.38	0.8	0.27
Non-Hodgkin Lymphoma	89	12.8	1.99	8.3	1.07	93	17.6	2.14	11.7	1.32
Multiple Myeloma	26	4.7	1.13	3.4	0.76	22	5.6	1.30	3.3	0.74
Leukemias	145	13.1	1.91	10.4	1.13	88	8.6	1.40	6.4	0.80
Acute lymphocytic	75	3.1	0.43	3.7	0.47	44	1.8	0.29	2.3	0.35
Chronic lymphocytic	-	-	-	-	-	9	2.4	0.91	1.1	0.38
Acute myeloid	41	5.5	1.38	3.7	0.75	24	2.8	0.83	1.9	0.45
Chronic myeloid	20	3.3	1.14	2.0	0.56	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	6	1.2	0.59	0.9	0.41	-	-	-	-	-
Kaposi Sarcoma	7	0.4	0.14	0.3	0.11	-	-	-	-	-
Ill-defined & Unknown	54	12.7	2.31	7.0	1.10	43	9.8	1.76	5.1	0.85
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	42	5.2	1.35	3.2	0.60	80	10.1	1.36	8.1	1.02
Breast (<i>in situ</i>)	-	-	-	-	-	135	18.1	1.72	14.6	1.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NORTH CAROLINA

292 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	95,799	559.3	1.85	372.2	1.26	86,840	427.9	1.48	301.0	1.12
Oral Cavity & Pharynx	3,213	18.0	0.33	13.2	0.24	1,391	6.7	0.18	4.8	0.14
Lip	149	0.9	0.08	0.6	0.05	56	0.3	0.04	0.2	0.03
Tongue	934	5.1	0.17	3.9	0.13	388	1.9	0.10	1.4	0.08
Major salivary gland	298	1.9	0.11	1.1	0.07	176	0.9	0.07	0.7	0.06
Floor of mouth	196	1.1	0.08	0.8	0.06	101	0.5	0.05	0.3	0.03
Gum & other mouth	331	1.9	0.11	1.3	0.08	299	1.4	0.08	0.8	0.05
Nasopharynx	114	0.6	0.06	0.5	0.05	57	0.3	0.04	0.2	0.03
Oropharynx	167	0.9	0.07	0.7	0.05	57	0.3	0.04	0.2	0.03
Hypopharynx	213	1.1	0.08	0.8	0.06	64	0.3	0.04	0.2	0.03
Digestive System	15,840	93.2	0.76	60.1	0.49	12,905	61.0	0.54	38.7	0.38
Esophagus	1,479	8.4	0.22	5.7	0.15	320	1.5	0.08	0.9	0.06
Stomach	1,181	7.0	0.21	4.4	0.13	703	3.3	0.13	2.1	0.09
Small intestine	447	2.6	0.12	1.8	0.08	402	1.9	0.10	1.3	0.07
Colon excl. rectum	5,760	34.7	0.47	21.2	0.29	5,682	26.8	0.36	16.5	0.24
Rectum & rectosigmoid	2,566	14.8	0.30	10.2	0.21	1,782	8.7	0.21	6.0	0.15
Anus, anal canal & anorectum	205	1.2	0.08	0.8	0.06	458	2.3	0.11	1.7	0.08
Liver	1,408	8.0	0.22	5.6	0.16	460	2.2	0.10	1.5	0.08
Gallbladder	122	0.7	0.07	0.4	0.04	225	1.0	0.07	0.6	0.05
Pancreas	2,132	12.5	0.28	7.9	0.18	2,095	9.6	0.21	5.7	0.14
Respiratory System	17,949	104.9	0.80	65.8	0.51	13,419	63.0	0.55	41.4	0.38
Larynx	1,289	7.2	0.21	5.0	0.14	352	1.7	0.09	1.3	0.07
Lung & bronchus	16,435	96.3	0.77	59.9	0.48	12,928	60.6	0.54	39.6	0.37
Bones & Joints	158	1.0	0.08	1.0	0.08	136	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	687	4.3	0.17	3.1	0.13	488	2.6	0.12	2.1	0.11
Skin (excl. basal & sq.)	6,196	37.4	0.49	24.9	0.33	4,548	24.8	0.38	19.2	0.31
Melanomas of the skin	5,839	35.1	0.47	23.6	0.32	4,321	23.6	0.37	18.4	0.31
Breast (excl. <i>in situ</i>)	289	1.7	0.10	1.1	0.07	25,704	127.2	0.81	91.9	0.61
Female Genital System	-	-	-	-	-	9,433	46.9	0.49	34.7	0.38
Cervix uteri	-	-	-	-	-	1,124	6.6	0.20	5.3	0.17
Uterus Corpus	-	-	-	-	-	4,727	22.7	0.34	17.1	0.26
Uterus, NOS ¹	-	-	-	-	-	143	0.7	0.06	0.5	0.04
Ovary	-	-	-	-	-	2,577	12.7	0.25	9.0	0.19
Male Genital System	25,924	143.8	0.91	101.9	0.65	-	-	-	-	-
Prostate	24,849	136.5	0.89	95.4	0.62	-	-	-	-	-
Testis	926	6.4	0.21	5.9	0.20	-	-	-	-	-
Penis	126	0.8	0.07	0.5	0.04	-	-	-	-	-
Urinary System	10,913	65.5	0.64	40.3	0.40	4,468	21.3	0.32	14.1	0.23
Bladder (incl. <i>in situ</i>)	6,742	41.3	0.52	23.7	0.30	2,083	9.7	0.21	5.9	0.14
Kidney & renal pelvis	3,965	22.8	0.37	15.9	0.26	2,254	11.1	0.24	7.9	0.18
Ureter	146	0.9	0.07	0.5	0.04	96	0.4	0.04	0.2	0.03
Eye & Orbit	190	1.1	0.08	0.9	0.07	160	0.8	0.07	0.7	0.07
Brain & Other Nervous System	1,426	8.7	0.24	7.3	0.21	1,185	6.5	0.19	5.5	0.19
Brain	1,360	8.3	0.23	6.8	0.21	1,116	6.0	0.19	5.0	0.18
Endocrine System	1,307	7.8	0.22	6.2	0.18	3,413	19.7	0.35	16.3	0.30
Thyroid gland	1,186	7.0	0.21	5.4	0.16	3,304	19.0	0.34	15.7	0.29
Lymphomas	4,431	26.8	0.41	18.4	0.30	3,785	18.8	0.31	13.1	0.24
Hodgkin Lymphoma	457	3.0	0.14	2.6	0.13	407	2.5	0.13	2.3	0.13
Non-Hodgkin Lymphoma	3,974	23.8	0.39	15.8	0.27	3,378	16.3	0.29	10.8	0.21
Multiple Myeloma	1,149	7.0	0.21	4.2	0.13	910	4.2	0.14	2.6	0.09
Leukemias	2,660	16.6	0.33	11.4	0.25	1,963	9.9	0.23	7.4	0.21
Acute lymphocytic	228	1.6	0.11	2.0	0.14	187	1.3	0.10	1.6	0.13
Chronic lymphocytic	1,014	6.1	0.20	3.7	0.12	651	3.0	0.12	1.7	0.08
Acute myeloid	744	4.7	0.17	3.0	0.12	653	3.3	0.13	2.4	0.11
Chronic myeloid	352	2.2	0.12	1.5	0.08	244	1.2	0.08	0.9	0.06
Other leukemias	322	2.0	0.12	1.2	0.07	228	1.1	0.08	0.7	0.06
Mesothelioma	275	1.7	0.11	0.9	0.06	63	0.3	0.04	0.2	0.03
Kaposi Sarcoma	46	0.3	0.05	0.2	0.03	11	0.1	0.02	0.0	0.01
Ill-defined & Unknown	3,146	19.6	0.36	11.3	0.21	2,858	13.3	0.25	7.7	0.17
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,279	7.9	0.22	5.8	0.18	2,648	13.6	0.27	10.0	0.22
Breast (<i>in situ</i>)	47	0.3	0.04	0.2	0.03	5,990	29.9	0.39	22.5	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	23,394	638.7	4.49	438.8	2.91	20,433	396.7	2.81	280.6	2.04
Oral Cavity & Pharynx	822	20.1	0.74	15.0	0.53	268	5.0	0.31	3.9	0.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	176	4.2	0.33	3.2	0.25	50	0.9	0.14	0.7	0.10
Major salivary gland	47	1.2	0.18	0.9	0.13	58	1.1	0.14	0.9	0.12
Floor of mouth	66	1.6	0.21	1.2	0.15	15	0.3	0.07	0.2	0.06
Gum & other mouth	119	3.0	0.29	2.2	0.21	54	1.0	0.14	0.7	0.10
Nasopharynx	41	1.0	0.17	0.7	0.11	9	0.2	0.06	0.1	0.05
Oropharynx	74	1.8	0.22	1.3	0.16	15	0.3	0.07	0.2	0.06
Hypopharynx	121	3.0	0.29	2.2	0.20	20	0.4	0.08	0.3	0.06
Digestive System	4,550	125.4	2.01	83.5	1.25	4,141	81.7	1.29	53.1	0.86
Esophagus	383	10.1	0.55	7.2	0.37	124	2.4	0.22	1.7	0.15
Stomach	486	14.4	0.70	8.8	0.41	374	7.6	0.40	4.5	0.25
Small intestine	155	4.1	0.35	2.9	0.24	159	3.1	0.25	2.1	0.17
Colon excl. rectum	1,607	46.6	1.26	29.7	0.75	1,792	35.3	0.84	23.0	0.57
Rectum & rectosigmoid	631	16.2	0.69	11.5	0.46	522	9.9	0.44	7.0	0.32
Anus, anal canal & anorectum	81	2.0	0.23	1.4	0.16	79	1.5	0.17	1.0	0.12
Liver	457	10.2	0.50	8.0	0.38	152	2.8	0.23	2.1	0.18
Gallbladder	52	1.6	0.24	1.0	0.14	77	1.5	0.18	0.9	0.11
Pancreas	598	17.4	0.77	10.9	0.45	699	14.2	0.54	8.5	0.34
Respiratory System	4,316	122.3	2.00	80.7	1.25	2,500	49.2	1.00	33.6	0.70
Larynx	476	12.7	0.63	8.8	0.41	92	1.7	0.18	1.3	0.14
Lung & bronchus	3,796	108.5	1.89	71.0	1.17	2,373	46.8	0.97	31.8	0.68
Bones & Joints	38	0.8	0.14	0.7	0.12	40	0.7	0.12	0.7	0.11
Soft Tissue (incl. heart)	143	3.7	0.34	2.8	0.24	159	3.0	0.24	2.4	0.20
Skin (excl. basal & sq.)	71	1.9	0.24	1.3	0.16	93	1.8	0.19	1.4	0.15
Melanomas of the skin	35	1.0	0.19	0.6	0.11	47	0.9	0.14	0.7	0.10
Breast (excl. <i>in situ</i>)	86	2.5	0.29	1.6	0.18	6,503	124.0	1.56	91.0	1.16
Female Genital System	-	-	-	-	-	2,338	45.5	0.95	33.2	0.71
Cervix uteri	-	-	-	-	-	474	9.1	0.42	6.9	0.32
Uterus Corpus	-	-	-	-	-	1,098	21.5	0.66	15.6	0.48
Uterus, NOS ¹	-	-	-	-	-	70	1.4	0.17	0.9	0.12
Ovary	-	-	-	-	-	509	9.9	0.44	7.2	0.33
Male Genital System	8,858	236.7	2.69	168.0	1.81	-	-	-	-	-
Prostate	8,721	233.2	2.67	165.3	1.79	-	-	-	-	-
Testis	88	2.0	0.21	1.8	0.19	-	-	-	-	-
Penis	45	1.4	0.23	0.9	0.13	-	-	-	-	-
Urinary System	1,658	46.7	1.24	30.9	0.77	999	19.7	0.63	13.5	0.45
Bladder (incl. <i>in situ</i>)	632	20.2	0.87	11.9	0.48	313	6.4	0.37	3.8	0.23
Kidney & renal pelvis	1,000	25.6	0.86	18.5	0.60	661	12.8	0.50	9.4	0.38
Ureter	15	0.5	0.13	0.3	0.07	10	0.2	0.07	0.1	0.04
Eye & Orbit	16	0.3	0.10	0.4	0.11	7	0.1	0.05	0.2	0.06
Brain & Other Nervous System	214	5.0	0.36	4.3	0.30	193	3.7	0.27	3.2	0.25
Brain	196	4.6	0.35	3.9	0.29	174	3.3	0.25	2.9	0.24
Endocrine System	186	4.4	0.34	3.5	0.26	720	13.6	0.51	10.9	0.42
Thyroid gland	154	3.7	0.31	2.8	0.23	677	12.8	0.50	10.2	0.40
Lymphomas	820	20.9	0.78	15.6	0.55	779	15.0	0.54	11.5	0.43
Hodgkin Lymphoma	137	3.0	0.26	2.7	0.23	150	2.8	0.23	2.5	0.21
Non-Hodgkin Lymphoma	683	17.9	0.73	12.9	0.50	629	12.2	0.49	8.9	0.37
Multiple Myeloma	511	15.4	0.73	9.5	0.43	550	10.8	0.47	7.2	0.32
Leukemias	418	11.7	0.62	8.2	0.41	419	8.3	0.41	6.0	0.32
Acute lymphocytic	49	1.0	0.14	1.2	0.17	33	0.6	0.11	0.8	0.14
Chronic lymphocytic	139	4.3	0.40	2.6	0.22	114	2.3	0.22	1.4	0.14
Acute myeloid	110	3.1	0.31	2.2	0.21	150	2.9	0.24	2.3	0.20
Chronic myeloid	65	1.8	0.24	1.2	0.15	63	1.2	0.16	0.8	0.11
Other leukemias	55	1.5	0.22	1.1	0.15	59	1.2	0.16	0.7	0.10
Mesothelioma	26	0.8	0.16	0.5	0.10	9	0.2	0.06	0.1	0.05
Kaposi Sarcoma	45	1.0	0.16	0.9	0.14	7	0.1	0.05	0.1	0.04
Ill-defined & Unknown	616	19.2	0.84	11.4	0.47	708	14.2	0.54	8.7	0.35
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	268	7.3	0.48	5.1	0.32	690	13.4	0.52	9.5	0.38
Breast (<i>in situ</i>)	21	0.5	0.12	0.4	0.08	1,471	27.9	0.74	20.7	0.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	9,211	528.6	5.57	346.7	3.85	8,103	410.2	4.70	287.3	3.59
Oral Cavity & Pharynx	273	15.3	0.94	10.5	0.67	112	5.8	0.57	4.3	0.44
Lip	68	4.0	0.48	2.2	0.28	14	0.6	0.17	0.4	0.12
Tongue	74	4.0	0.47	3.0	0.36	29	1.5	0.30	1.2	0.24
Major salivary gland	17	1.0	0.24	0.6	0.15	7	0.4	0.16	0.3	0.13
Floor of mouth	18	1.0	0.23	0.7	0.16	9	0.5	0.16	0.4	0.13
Gum & other mouth	25	1.4	0.28	1.0	0.20	29	1.4	0.28	1.0	0.21
Nasopharynx	7	0.4	0.14	0.3	0.13	-	-	-	-	-
Oropharynx	8	0.5	0.16	0.3	0.11	-	-	-	-	-
Hypopharynx	7	0.4	0.13	0.3	0.12	6	0.3	0.13	0.2	0.10
Digestive System	1,757	100.8	2.43	63.9	1.63	1,413	65.6	1.80	40.5	1.25
Esophagus	136	7.8	0.68	5.0	0.46	36	1.8	0.30	1.3	0.22
Stomach	138	8.1	0.70	4.8	0.44	89	4.1	0.45	2.5	0.31
Small intestine	45	2.6	0.40	1.8	0.28	37	1.8	0.31	1.3	0.24
Colon excl. rectum	691	39.9	1.53	24.1	0.98	699	31.8	1.24	18.8	0.84
Rectum & rectosigmoid	341	19.3	1.06	13.2	0.75	203	9.9	0.71	6.9	0.55
Anus, anal canal & anorectum	13	0.8	0.22	0.5	0.15	17	0.8	0.20	0.5	0.14
Liver	76	4.2	0.49	3.1	0.38	38	1.7	0.28	1.0	0.19
Gallbladder	14	0.8	0.22	0.5	0.15	27	1.2	0.24	0.7	0.16
Pancreas	249	14.3	0.92	8.7	0.59	190	8.7	0.65	4.9	0.42
Respiratory System	1,276	74.5	2.10	45.0	1.34	910	45.2	1.52	30.6	1.12
Larynx	98	5.5	0.57	3.7	0.39	25	1.3	0.27	1.0	0.21
Lung & bronchus	1,164	68.1	2.01	40.7	1.27	873	43.3	1.49	29.2	1.09
Bones & Joints	18	1.1	0.25	0.9	0.24	9	0.5	0.18	0.5	0.20
Soft Tissue (incl. heart)	62	3.6	0.46	2.8	0.38	59	3.0	0.40	2.3	0.34
Skin (excl. basal & sq.)	378	22.0	1.15	15.3	0.84	382	21.6	1.15	17.5	0.98
Melanomas of the skin	346	20.2	1.10	14.2	0.81	349	20.0	1.11	16.5	0.96
Breast (excl. <i>in situ</i>)	25	1.4	0.29	0.9	0.20	2,363	123.0	2.60	88.4	1.98
Female Genital System	-	-	-	-	-	899	47.3	1.63	34.2	1.25
Cervix uteri	-	-	-	-	-	92	5.9	0.63	4.6	0.50
Uterus Corpus	-	-	-	-	-	485	25.0	1.16	18.2	0.89
Uterus, NOS ¹	-	-	-	-	-	14	0.7	0.20	0.5	0.16
Ovary	-	-	-	-	-	231	11.9	0.81	8.5	0.62
Male Genital System	2,913	163.7	3.07	114.5	2.22	-	-	-	-	-
Prostate	2,791	156.2	2.99	107.8	2.13	-	-	-	-	-
Testis	107	6.7	0.67	6.2	0.60	-	-	-	-	-
Penis	10	0.6	0.18	0.3	0.10	-	-	-	-	-
Urinary System	1,011	58.5	1.86	35.7	1.21	433	20.9	1.03	13.5	0.75
Bladder (incl. <i>in situ</i>)	666	38.6	1.51	22.0	0.92	199	9.2	0.67	5.7	0.47
Kidney & renal pelvis	332	19.1	1.06	13.3	0.78	227	11.3	0.77	7.6	0.57
Ureter	12	0.7	0.20	0.4	0.11	6	0.3	0.13	0.2	0.08
Eye & Orbit	8	0.5	0.18	0.3	0.12	7	0.4	0.15	0.4	0.19
Brain & Other Nervous System	101	5.9	0.59	5.0	0.54	98	5.1	0.53	4.2	0.50
Brain	96	5.5	0.58	4.7	0.52	93	4.8	0.52	3.9	0.48
Endocrine System	107	6.3	0.62	4.9	0.50	325	19.3	1.10	15.9	0.93
Thyroid gland	99	5.9	0.60	4.5	0.47	315	18.7	1.09	15.4	0.92
Lymphomas	423	24.8	1.22	16.4	0.86	418	20.7	1.04	14.5	0.81
Hodgkin Lymphoma	48	2.8	0.41	2.5	0.37	38	2.3	0.38	2.2	0.38
Non-Hodgkin Lymphoma	375	22.0	1.15	13.9	0.77	380	18.4	0.97	12.3	0.72
Multiple Myeloma	117	6.7	0.63	4.0	0.40	98	4.7	0.49	2.9	0.34
Leukemias	333	19.4	1.08	12.9	0.80	256	12.6	0.82	9.0	0.69
Acute lymphocytic	20	1.3	0.28	1.6	0.39	26	1.6	0.33	2.0	0.43
Chronic lymphocytic	163	9.4	0.74	5.6	0.47	110	5.0	0.49	3.1	0.34
Acute myeloid	80	4.7	0.54	3.1	0.38	70	3.6	0.45	2.3	0.33
Chronic myeloid	29	1.7	0.31	1.0	0.20	24	1.2	0.26	0.8	0.18
Other leukemias	41	2.4	0.37	1.6	0.28	26	1.1	0.23	0.7	0.17
Mesothelioma	32	1.8	0.33	1.0	0.19	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	316	14.4	0.84	8.5	0.57
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	94	5.6	0.59	4.0	0.44	170	8.8	0.70	6.2	0.54
Breast (<i>in situ</i>)	6	0.3	0.14	0.2	0.10	463	24.9	1.18	18.4	0.91

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,867	526.0	5.65	344.4	3.93	7,735	407.5	4.81	285.7	3.70
Oral Cavity & Pharynx	261	15.1	0.95	10.3	0.67	103	5.6	0.57	4.0	0.44
Lip	68	4.1	0.50	2.2	0.29	13	0.6	0.17	0.3	0.11
Tongue	72	4.1	0.48	3.0	0.37	28	1.6	0.31	1.2	0.25
Major salivary gland	17	1.0	0.25	0.6	0.16	6	0.3	0.14	0.3	0.11
Floor of mouth	17	1.0	0.24	0.6	0.17	9	0.5	0.17	0.4	0.13
Gum & other mouth	23	1.3	0.28	0.9	0.20	27	1.4	0.29	1.0	0.22
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	7	0.4	0.15	0.3	0.10	-	-	-	-	-
Hypopharynx	6	0.3	0.13	0.3	0.11	-	-	-	-	-
Digestive System	1,673	99.1	2.45	62.6	1.65	1,348	64.4	1.82	39.6	1.27
Esophagus	127	7.6	0.68	4.8	0.46	35	1.8	0.31	1.3	0.23
Stomach	132	8.0	0.70	4.8	0.45	85	4.0	0.46	2.4	0.31
Small intestine	45	2.7	0.42	1.9	0.30	35	1.8	0.31	1.3	0.25
Colon excl. rectum	669	39.7	1.55	24.0	1.00	672	31.4	1.26	18.6	0.85
Rectum & rectosigmoid	323	19.0	1.07	12.9	0.76	190	9.6	0.72	6.6	0.55
Anus, anal canal & anorectum	12	0.7	0.22	0.5	0.15	17	0.8	0.21	0.5	0.14
Liver	65	3.8	0.47	2.7	0.38	35	1.6	0.27	0.9	0.19
Gallbladder	12	0.7	0.21	0.5	0.15	24	1.1	0.23	0.7	0.16
Pancreas	235	13.9	0.92	8.4	0.59	183	8.6	0.66	4.9	0.43
Respiratory System	1,216	73.0	2.11	43.9	1.35	848	43.4	1.52	29.4	1.12
Larynx	89	5.2	0.56	3.3	0.37	25	1.4	0.28	1.0	0.22
Lung & bronchus	1,113	66.9	2.02	40.0	1.28	811	41.5	1.48	27.9	1.08
Bones & Joints	17	1.1	0.26	0.9	0.24	8	0.5	0.18	0.5	0.20
Soft Tissue (incl. heart)	58	3.5	0.46	2.7	0.39	57	3.0	0.41	2.3	0.37
Skin (excl. basal & sq.)	376	22.9	1.20	16.0	0.88	375	22.6	1.22	18.5	1.05
Melanomas of the skin	345	21.1	1.15	14.9	0.86	343	21.0	1.19	17.5	1.03
Breast (excl. <i>in situ</i>)	25	1.5	0.31	1.0	0.21	2,253	122.2	2.66	87.8	2.03
Female Genital System	-	-	-	-	-	856	46.8	1.66	33.9	1.28
Cervix uteri	-	-	-	-	-	83	5.7	0.65	4.5	0.52
Uterus Corpus	-	-	-	-	-	468	25.0	1.19	18.2	0.91
Uterus, NOS ¹	-	-	-	-	-	13	0.7	0.20	0.5	0.16
Ovary	-	-	-	-	-	221	11.9	0.83	8.4	0.64
Male Genital System	2,823	164.1	3.12	114.6	2.26	-	-	-	-	-
Prostate	2,717	157.0	3.04	108.3	2.17	-	-	-	-	-
Testis	93	6.4	0.68	5.8	0.61	-	-	-	-	-
Penis	8	0.4	0.16	0.2	0.09	-	-	-	-	-
Urinary System	974	58.1	1.88	35.3	1.23	417	20.7	1.05	13.4	0.77
Bladder (incl. <i>in situ</i>)	649	38.7	1.53	22.1	0.94	194	9.2	0.69	5.7	0.48
Kidney & renal pelvis	312	18.6	1.07	12.8	0.78	216	11.1	0.78	7.5	0.59
Ureter	12	0.7	0.21	0.4	0.12	6	0.3	0.13	0.2	0.08
Eye & Orbit	8	0.5	0.19	0.3	0.12	6	0.3	0.14	0.3	0.17
Brain & Other Nervous System	96	5.9	0.61	4.9	0.55	94	5.2	0.56	4.3	0.54
Brain	91	5.5	0.59	4.6	0.53	89	4.9	0.54	4.0	0.52
Endocrine System	104	6.4	0.65	5.0	0.51	313	19.9	1.17	16.4	0.99
Thyroid gland	97	6.0	0.63	4.6	0.49	303	19.3	1.15	16.0	0.98
Lymphomas	410	24.9	1.25	16.5	0.88	406	20.9	1.07	14.7	0.85
Hodgkin Lymphoma	48	3.0	0.44	2.7	0.41	37	2.4	0.41	2.3	0.41
Non-Hodgkin Lymphoma	362	21.9	1.17	13.8	0.78	369	18.5	0.99	12.4	0.74
Multiple Myeloma	111	6.6	0.63	3.9	0.40	95	4.7	0.50	2.9	0.34
Leukemias	325	19.7	1.11	13.0	0.84	251	12.8	0.86	9.3	0.74
Acute lymphocytic	18	1.3	0.30	1.6	0.42	25	1.8	0.37	2.3	0.49
Chronic lymphocytic	162	9.6	0.76	5.7	0.48	110	5.1	0.51	3.2	0.36
Acute myeloid	76	4.7	0.55	3.0	0.40	68	3.6	0.46	2.3	0.34
Chronic myeloid	28	1.7	0.32	1.0	0.21	23	1.2	0.26	0.7	0.18
Other leukemias	41	2.5	0.39	1.7	0.31	25	1.1	0.23	0.7	0.18
Mesothelioma	30	1.8	0.32	0.9	0.18	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	300	14.1	0.84	8.3	0.57
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	91	5.7	0.61	4.1	0.46	162	8.7	0.71	6.1	0.55
Breast (<i>in situ</i>)	6	0.3	0.14	0.2	0.10	451	25.4	1.23	18.7	0.94

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	29	355.8	100.58	248.0	53.16	16	330.4	93.96	216.5	57.72
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	55.9	25.24	46.3	21.47	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	7	167.4	70.69	99.0	38.07
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	107.2	35.71	98.7	33.26	-	-	-	-	-
Prostate	10	107.2	35.71	98.7	33.26	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	11	137.3	47.13	93.7	28.89	30	307.8	66.92	190.1	36.41
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	6	42.1	18.41	36.0	15.70
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	230	641.3	50.80	424.9	28.71	229	491.7	35.07	342.1	23.03
Oral Cavity & Pharynx	7	16.3	6.35	12.7	4.88	7	16.0	7.02	11.4	4.36
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	53	143.8	22.90	93.9	13.08	49	115.8	18.04	71.0	10.32
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	15	46.0	14.03	27.6	7.19	23	52.3	11.92	31.5	6.68
Rectum & rectosigmoid	11	20.3	6.22	17.7	5.45	6	9.7	3.97	7.8	3.17
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	16.6	7.33	11.2	4.61	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	25.3	9.69	16.2	5.51	-	-	-	-	-
Respiratory System	47	147.6	23.93	91.5	13.46	48	111.0	16.88	74.9	11.03
Larynx	9	21.9	7.88	17.9	6.00	-	-	-	-	-
Lung & bronchus	38	125.7	22.60	73.7	12.04	48	111.0	16.88	74.9	11.03
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	59	116.6	16.33	87.9	11.64
Female Genital System	-	-	-	-	-	23	43.4	9.34	31.5	6.65
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	8	14.6	5.31	10.1	3.58
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	58	149.6	21.99	108.6	14.44	-	-	-	-	-
Prostate	51	137.2	21.42	97.6	13.82	-	-	-	-	-
Testis	6	9.2	3.83	9.1	3.71	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	30	95.5	23.68	56.0	10.94	10	20.2	6.56	15.5	4.98
Bladder (incl. <i>in situ</i>)	12	58.5	21.94	26.0	8.21	-	-	-	-	-
Kidney & renal pelvis	18	37.0	8.89	30.0	7.22	7	15.0	5.83	11.0	4.24
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	20.2	9.02	12.5	4.82	8	15.9	5.98	11.6	4.18
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	20.2	9.02	12.5	4.82	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	39.4	16.21	21.2	7.11	7	17.7	7.47	12.3	4.66
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	8	13.9	4.97	11.8	4.24
Breast (<i>in situ</i>)	-	-	-	-	-	6	12.4	5.23	9.4	3.88

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	29	302.9	65.34	181.3	36.13	19	157.9	39.12	106.7	25.50
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	6	53.7	23.55	34.4	14.41
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	121.8	43.87	62.0	21.03	-	-	-	-	-
Prostate	9	119.9	43.83	59.7	20.90	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NORTH DAKOTA

300 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,846	527.8	5.68	345.9	3.95	7,724	409.8	4.84	287.6	3.74
Oral Cavity & Pharynx	261	15.2	0.96	10.4	0.68	103	5.6	0.58	4.0	0.44
Lip	68	4.1	0.50	2.3	0.30	13	0.6	0.17	0.3	0.11
Tongue	72	4.1	0.49	3.0	0.37	28	1.6	0.32	1.2	0.25
Major salivary gland	17	1.0	0.25	0.6	0.16	6	0.3	0.14	0.3	0.11
Floor of mouth	17	1.0	0.24	0.6	0.17	9	0.5	0.17	0.4	0.13
Gum & other mouth	23	1.3	0.28	0.9	0.20	27	1.4	0.29	1.0	0.22
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	7	0.4	0.15	0.3	0.10	-	-	-	-	-
Hypopharynx	6	0.3	0.13	0.3	0.11	-	-	-	-	-
Digestive System	1,671	99.6	2.46	62.9	1.66	1,346	64.6	1.82	39.7	1.28
Esophagus	127	7.6	0.69	4.8	0.46	35	1.8	0.31	1.3	0.23
Stomach	132	8.0	0.70	4.8	0.45	85	4.1	0.46	2.5	0.32
Small intestine	45	2.8	0.42	1.9	0.30	35	1.8	0.32	1.3	0.25
Colon excl. rectum	669	39.9	1.56	24.2	1.01	671	31.6	1.26	18.6	0.85
Rectum & rectosigmoid	322	19.0	1.08	13.0	0.76	190	9.7	0.72	6.7	0.55
Anus, anal canal & anorectum	12	0.7	0.22	0.5	0.15	17	0.8	0.21	0.5	0.15
Liver	64	3.7	0.48	2.7	0.39	35	1.6	0.27	0.9	0.20
Gallbladder	12	0.7	0.21	0.5	0.15	24	1.1	0.24	0.7	0.16
Pancreas	235	14.0	0.92	8.4	0.59	182	8.6	0.66	4.9	0.42
Respiratory System	1,212	73.1	2.12	44.0	1.35	847	43.6	1.53	29.5	1.12
Larynx	89	5.2	0.56	3.4	0.38	25	1.4	0.29	1.0	0.22
Lung & bronchus	1,109	66.9	2.03	40.0	1.29	810	41.6	1.49	28.0	1.09
Bones & Joints	17	1.1	0.27	0.9	0.24	8	0.5	0.18	0.5	0.21
Soft Tissue (incl. heart)	58	3.5	0.47	2.8	0.39	57	3.0	0.42	2.4	0.37
Skin (excl. basal & sq.)	375	23.0	1.21	16.2	0.89	375	22.9	1.24	18.7	1.07
Melanomas of the skin	345	21.3	1.17	15.1	0.87	343	21.3	1.20	17.7	1.05
Breast (excl. <i>in situ</i>)	25	1.5	0.31	1.0	0.21	2,250	122.9	2.68	88.4	2.05
Female Genital System	-	-	-	-	-	855	47.1	1.67	34.1	1.29
Cervix uteri	-	-	-	-	-	83	5.8	0.66	4.5	0.53
Uterus Corpus	-	-	-	-	-	467	25.1	1.20	18.3	0.92
Uterus, NOS ¹	-	-	-	-	-	13	0.7	0.21	0.5	0.16
Ovary	-	-	-	-	-	221	11.9	0.84	8.5	0.64
Male Genital System	2,814	164.5	3.13	115.0	2.27	-	-	-	-	-
Prostate	2,708	157.2	3.05	108.5	2.18	-	-	-	-	-
Testis	93	6.5	0.70	6.0	0.63	-	-	-	-	-
Penis	8	0.4	0.16	0.3	0.09	-	-	-	-	-
Urinary System	974	58.3	1.89	35.5	1.23	417	20.8	1.05	13.5	0.78
Bladder (incl. <i>in situ</i>)	649	38.8	1.54	22.2	0.94	194	9.3	0.69	5.7	0.49
Kidney & renal pelvis	312	18.7	1.07	12.9	0.79	216	11.2	0.78	7.6	0.60
Ureter	12	0.7	0.21	0.4	0.12	6	0.3	0.13	0.2	0.09
Eye & Orbit	8	0.5	0.19	0.3	0.12	6	0.3	0.14	0.4	0.17
Brain & Other Nervous System	96	5.9	0.62	5.0	0.56	94	5.3	0.57	4.4	0.56
Brain	91	5.6	0.60	4.6	0.54	89	4.9	0.55	4.1	0.53
Endocrine System	103	6.4	0.65	5.0	0.52	310	19.9	1.17	16.5	1.00
Thyroid gland	96	6.0	0.63	4.6	0.49	300	19.3	1.15	16.0	0.99
Lymphomas	410	25.1	1.26	16.7	0.89	406	21.0	1.08	14.9	0.86
Hodgkin Lymphoma	48	3.0	0.45	2.8	0.42	37	2.4	0.41	2.4	0.42
Non-Hodgkin Lymphoma	362	22.1	1.18	13.9	0.79	369	18.6	1.00	12.5	0.75
Multiple Myeloma	110	6.6	0.63	3.9	0.41	94	4.7	0.50	2.9	0.35
Leukemias	322	19.7	1.11	13.0	0.84	251	12.9	0.86	9.4	0.75
Acute lymphocytic	18	1.3	0.31	1.7	0.43	25	1.8	0.38	2.3	0.51
Chronic lymphocytic	161	9.6	0.76	5.7	0.48	110	5.2	0.51	3.2	0.36
Acute myeloid	74	4.6	0.55	3.0	0.40	68	3.6	0.47	2.4	0.34
Chronic myeloid	28	1.7	0.32	1.0	0.21	23	1.2	0.26	0.7	0.18
Other leukemias	41	2.5	0.39	1.7	0.31	25	1.1	0.24	0.8	0.18
Mesothelioma	30	1.8	0.33	0.9	0.18	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	300	14.1	0.85	8.3	0.58
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	91	5.7	0.61	4.1	0.46	162	8.8	0.72	6.1	0.56
Breast (<i>in situ</i>)	6	0.3	0.14	0.2	0.10	450	25.5	1.24	18.8	0.95

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	27	355.1	105.99	244.5	54.38	16	340.3	96.38	223.4	59.26
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	57.6	25.69	47.7	21.83	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	7	173.3	73.02	102.6	39.36
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	110.3	36.59	101.6	34.14	-	-	-	-	-
Prostate	10	110.3	36.59	101.6	34.14	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	153,101	532.9	1.38	349.7	0.94	146,937	418.2	1.11	290.8	0.83
Oral Cavity & Pharynx	4,529	14.9	0.23	10.8	0.17	2,080	5.9	0.13	4.2	0.10
Lip	142	0.5	0.04	0.3	0.03	45	0.1	0.02	0.1	0.01
Tongue	1,379	4.4	0.12	3.4	0.09	614	1.8	0.07	1.3	0.06
Major salivary gland	481	1.7	0.08	1.0	0.05	339	1.0	0.06	0.7	0.04
Floor of mouth	266	0.9	0.05	0.6	0.04	131	0.4	0.03	0.3	0.02
Gum & other mouth	440	1.5	0.07	1.0	0.05	443	1.2	0.06	0.8	0.04
Nasopharynx	197	0.7	0.05	0.5	0.04	81	0.2	0.03	0.2	0.02
Oropharynx	261	0.8	0.05	0.6	0.04	84	0.2	0.03	0.2	0.02
Hypopharynx	318	1.1	0.06	0.7	0.04	74	0.2	0.02	0.2	0.02
Digestive System	28,639	100.5	0.60	63.1	0.39	24,783	67.5	0.44	41.7	0.30
Esophagus	2,819	9.6	0.18	6.3	0.12	732	2.0	0.07	1.2	0.05
Stomach	2,387	8.5	0.18	5.2	0.11	1,456	4.0	0.11	2.4	0.07
Small intestine	701	2.4	0.09	1.6	0.06	648	1.8	0.07	1.2	0.05
Colon excl. rectum	10,450	37.6	0.37	22.4	0.23	11,464	31.0	0.29	18.4	0.19
Rectum & rectosigmoid	4,594	15.8	0.24	10.5	0.16	3,450	9.6	0.17	6.5	0.12
Anus, anal canal & anorectum	385	1.3	0.07	0.9	0.05	689	2.0	0.08	1.4	0.06
Liver	2,342	7.7	0.16	5.4	0.12	817	2.2	0.08	1.5	0.06
Gallbladder	225	0.8	0.06	0.5	0.03	484	1.3	0.06	0.8	0.04
Pancreas	3,889	13.6	0.22	8.4	0.14	3,933	10.6	0.17	6.4	0.11
Respiratory System	28,160	98.6	0.60	61.9	0.38	22,377	62.1	0.42	40.5	0.29
Larynx	2,190	7.3	0.16	5.1	0.11	621	1.8	0.07	1.4	0.06
Lung & bronchus	25,610	90.1	0.57	55.9	0.36	21,530	59.7	0.41	38.7	0.29
Bones & Joints	299	1.1	0.06	1.0	0.06	188	0.6	0.05	0.6	0.05
Soft Tissue (incl. heart)	1,055	3.8	0.12	2.7	0.09	908	2.7	0.09	2.1	0.08
Skin (excl. basal & sq.)	7,031	24.7	0.30	16.4	0.21	5,840	18.0	0.24	13.9	0.20
Melanomas of the skin	6,514	22.8	0.29	15.3	0.20	5,455	16.9	0.23	13.2	0.19
Breast (excl. <i>in situ</i>)	358	1.3	0.07	0.8	0.04	41,341	118.8	0.59	85.2	0.45
Female Genital System	-	-	-	-	-	17,597	50.7	0.39	37.6	0.30
Cervix uteri	-	-	-	-	-	2,335	7.7	0.16	6.1	0.13
Uterus Corpus	-	-	-	-	-	9,361	26.3	0.28	19.8	0.21
Uterus, NOS ¹	-	-	-	-	-	360	1.0	0.05	0.6	0.04
Ovary	-	-	-	-	-	4,198	12.0	0.19	8.6	0.14
Male Genital System	42,818	145.1	0.71	99.8	0.50	-	-	-	-	-
Prostate	41,122	138.8	0.70	94.3	0.48	-	-	-	-	-
Testis	1,405	5.2	0.14	4.9	0.13	-	-	-	-	-
Penis	239	0.9	0.06	0.5	0.04	-	-	-	-	-
Urinary System	16,847	59.9	0.47	36.7	0.30	7,792	21.6	0.25	14.3	0.18
Bladder (incl. <i>in situ</i>)	10,501	38.2	0.38	21.7	0.22	3,526	9.4	0.16	5.7	0.11
Kidney & renal pelvis	6,073	20.7	0.27	14.5	0.19	4,073	11.6	0.18	8.3	0.14
Ureter	197	0.7	0.05	0.4	0.03	140	0.4	0.03	0.2	0.02
Eye & Orbit	279	1.0	0.06	0.8	0.05	224	0.7	0.05	0.6	0.05
Brain & Other Nervous System	2,283	8.0	0.17	6.5	0.15	2,005	6.0	0.14	4.9	0.13
Brain	2,136	7.5	0.16	6.0	0.14	1,834	5.5	0.13	4.5	0.12
Endocrine System	1,821	6.3	0.15	5.0	0.12	5,404	17.6	0.24	14.6	0.21
Thyroid gland	1,592	5.5	0.14	4.3	0.11	5,203	17.0	0.24	14.1	0.20
Lymphomas	7,316	25.9	0.31	17.9	0.22	6,380	18.4	0.23	12.9	0.18
Hodgkin Lymphoma	899	3.2	0.11	2.9	0.10	761	2.6	0.09	2.4	0.09
Non-Hodgkin Lymphoma	6,417	22.6	0.29	15.1	0.20	5,619	15.8	0.21	10.5	0.16
Multiple Myeloma	1,888	6.6	0.16	4.1	0.10	1,595	4.4	0.11	2.8	0.08
Leukemias	3,929	14.2	0.23	9.9	0.17	3,089	8.9	0.16	6.5	0.14
Acute lymphocytic	424	1.5	0.07	1.9	0.10	318	1.1	0.06	1.4	0.09
Chronic lymphocytic	1,182	4.2	0.12	2.5	0.08	835	2.2	0.08	1.3	0.05
Acute myeloid	1,239	4.5	0.13	2.9	0.09	1,061	3.1	0.10	2.2	0.08
Chronic myeloid	464	1.7	0.08	1.1	0.06	374	1.1	0.06	0.8	0.05
Other leukemias	620	2.3	0.09	1.4	0.06	501	1.4	0.06	0.8	0.05
Mesothelioma	481	1.8	0.08	1.0	0.05	146	0.4	0.03	0.2	0.02
Kaposi Sarcoma	99	0.4	0.04	0.3	0.03	12	0.0	0.01	0.0	0.00
Ill-defined & Unknown	5,269	19.1	0.27	11.1	0.16	5,176	13.8	0.20	8.1	0.13
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,610	5.6	0.14	4.3	0.12	3,262	9.7	0.17	7.3	0.14
Breast (<i>in situ</i>)	46	0.2	0.02	0.1	0.02	9,390	27.5	0.29	20.5	0.22

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	132,741	515.4	1.44	338.0	0.98	129,275	416.2	1.18	289.7	0.89
Oral Cavity & Pharynx	4,072	15.0	0.24	10.9	0.18	1,833	5.9	0.14	4.2	0.11
Lip	137	0.5	0.05	0.3	0.03	43	0.1	0.02	0.1	0.01
Tongue	1,265	4.6	0.13	3.5	0.10	556	1.8	0.08	1.3	0.06
Major salivary gland	442	1.8	0.09	1.1	0.05	298	1.0	0.06	0.7	0.05
Floor of mouth	230	0.8	0.06	0.6	0.04	114	0.4	0.03	0.3	0.03
Gum & other mouth	398	1.5	0.08	1.0	0.05	392	1.2	0.06	0.8	0.05
Nasopharynx	157	0.6	0.05	0.4	0.04	60	0.2	0.03	0.1	0.02
Oropharynx	214	0.8	0.05	0.6	0.04	70	0.2	0.03	0.2	0.02
Hypopharynx	274	1.0	0.06	0.7	0.04	62	0.2	0.03	0.2	0.02
Digestive System	24,861	97.2	0.63	60.7	0.40	21,352	65.0	0.45	39.9	0.31
Esophagus	2,595	9.9	0.20	6.5	0.13	604	1.8	0.07	1.1	0.05
Stomach	2,013	8.0	0.18	4.8	0.11	1,120	3.4	0.10	2.0	0.07
Small intestine	583	2.3	0.10	1.5	0.06	508	1.6	0.07	1.1	0.05
Colon excl. rectum	9,128	36.5	0.39	21.6	0.24	10,031	30.2	0.31	17.7	0.20
Rectum & rectosigmoid	4,084	15.7	0.25	10.5	0.17	3,024	9.5	0.18	6.4	0.13
Anus, anal canal & anorectum	328	1.2	0.07	0.9	0.05	629	2.0	0.08	1.4	0.06
Liver	1,795	6.7	0.16	4.6	0.11	640	2.0	0.08	1.3	0.06
Gallbladder	190	0.8	0.06	0.4	0.03	405	1.2	0.06	0.8	0.04
Pancreas	3,386	13.2	0.23	8.1	0.15	3,410	10.2	0.18	6.2	0.12
Respiratory System	24,988	97.2	0.62	61.0	0.40	19,756	61.6	0.44	40.2	0.31
Larynx	1,935	7.2	0.17	5.1	0.12	530	1.7	0.08	1.3	0.06
Lung & bronchus	22,733	88.8	0.60	55.0	0.38	19,034	59.2	0.43	38.4	0.30
Bones & Joints	252	1.0	0.07	0.9	0.06	169	0.6	0.05	0.6	0.05
Soft Tissue (incl. heart)	924	3.7	0.12	2.7	0.10	787	2.7	0.10	2.1	0.09
Skin (excl. basal & sq.)	6,537	25.7	0.32	17.1	0.22	5,261	18.6	0.26	14.4	0.22
Melanomas of the skin	6,086	23.8	0.31	16.0	0.22	4,935	17.6	0.26	13.7	0.21
Breast (excl. <i>in situ</i>)	302	1.2	0.07	0.8	0.05	36,323	118.4	0.63	84.8	0.48
Female Genital System	-	-	-	-	-	15,676	51.3	0.42	38.2	0.33
Cervix uteri	-	-	-	-	-	1,934	7.4	0.17	5.9	0.14
Uterus Corpus	-	-	-	-	-	8,472	27.0	0.30	20.4	0.23
Uterus, NOS ¹	-	-	-	-	-	304	0.9	0.05	0.6	0.04
Ovary	-	-	-	-	-	3,771	12.2	0.20	8.8	0.16
Male Genital System	34,729	131.0	0.71	90.5	0.50	-	-	-	-	-
Prostate	33,147	124.2	0.69	84.5	0.48	-	-	-	-	-
Testis	1,313	5.7	0.16	5.3	0.15	-	-	-	-	-
Penis	221	0.9	0.06	0.5	0.04	-	-	-	-	-
Urinary System	15,224	60.1	0.49	36.8	0.31	6,930	21.6	0.26	14.3	0.19
Bladder (incl. <i>in situ</i>)	9,602	38.6	0.40	21.9	0.24	3,166	9.5	0.17	5.7	0.11
Kidney & renal pelvis	5,372	20.5	0.28	14.3	0.20	3,593	11.6	0.20	8.3	0.15
Ureter	185	0.7	0.05	0.4	0.03	132	0.4	0.03	0.2	0.02
Eye & Orbit	264	1.0	0.07	0.8	0.06	210	0.7	0.05	0.6	0.05
Brain & Other Nervous System	2,100	8.4	0.19	6.8	0.16	1,825	6.3	0.15	5.2	0.14
Brain	1,967	7.8	0.18	6.3	0.16	1,675	5.8	0.15	4.7	0.13
Endocrine System	1,629	6.4	0.16	5.1	0.13	4,734	18.1	0.27	15.0	0.23
Thyroid gland	1,435	5.6	0.15	4.4	0.12	4,574	17.5	0.26	14.5	0.23
Lymphomas	6,581	26.2	0.33	18.1	0.24	5,710	18.6	0.25	13.0	0.20
Hodgkin Lymphoma	796	3.3	0.12	3.0	0.11	647	2.6	0.10	2.4	0.10
Non-Hodgkin Lymphoma	5,785	22.9	0.31	15.1	0.21	5,063	16.0	0.23	10.6	0.17
Multiple Myeloma	1,506	5.9	0.15	3.6	0.10	1,258	3.8	0.11	2.4	0.07
Leukemias	3,538	14.3	0.24	10.0	0.19	2,725	8.9	0.18	6.6	0.16
Acute lymphocytic	362	1.6	0.08	2.0	0.11	282	1.2	0.07	1.5	0.10
Chronic lymphocytic	1,073	4.2	0.13	2.5	0.08	743	2.2	0.08	1.3	0.05
Acute myeloid	1,120	4.5	0.14	3.0	0.10	925	3.0	0.10	2.2	0.09
Chronic myeloid	404	1.6	0.08	1.1	0.06	320	1.0	0.06	0.7	0.05
Other leukemias	579	2.4	0.10	1.5	0.07	455	1.4	0.07	0.8	0.05
Mesothelioma	456	1.9	0.09	1.0	0.05	134	0.4	0.04	0.2	0.02
Kaposi Sarcoma	71	0.3	0.04	0.2	0.03	9	0.0	0.01	0.0	0.00
Ill-defined & Unknown	4,707	18.9	0.28	10.9	0.17	4,583	13.6	0.21	8.0	0.14
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,369	5.4	0.15	4.2	0.12	2,778	9.4	0.18	7.1	0.15
Breast (<i>in situ</i>)	35	0.1	0.02	0.1	0.02	8,090	27.0	0.31	20.2	0.24

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,143	578.6	4.91	390.3	3.25	14,398	402.8	3.38	278.1	2.43
Oral Cavity & Pharynx	387	13.6	0.72	10.1	0.52	202	5.6	0.40	4.1	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	93	3.4	0.36	2.5	0.26	49	1.3	0.19	1.0	0.15
Major salivary gland	30	1.1	0.20	0.8	0.16	35	0.9	0.16	0.7	0.13
Floor of mouth	32	1.1	0.19	0.8	0.15	14	0.4	0.10	0.3	0.07
Gum & other mouth	35	1.3	0.22	0.9	0.15	34	0.9	0.16	0.7	0.13
Nasopharynx	29	0.9	0.18	0.7	0.14	17	0.5	0.12	0.3	0.08
Oropharynx	42	1.5	0.24	1.1	0.17	13	0.4	0.10	0.3	0.08
Hypopharynx	41	1.5	0.25	1.1	0.17	12	0.4	0.10	0.2	0.07
Digestive System	3,185	123.1	2.29	79.9	1.45	2,887	81.8	1.53	52.4	1.03
Esophagus	185	7.2	0.55	4.9	0.37	109	3.1	0.30	2.0	0.20
Stomach	309	12.9	0.77	7.7	0.45	279	8.1	0.49	4.7	0.30
Small intestine	102	3.7	0.38	2.6	0.26	121	3.4	0.31	2.4	0.22
Colon excl. rectum	1,127	46.3	1.44	28.0	0.86	1,220	34.5	0.99	22.2	0.67
Rectum & rectosigmoid	385	14.2	0.76	9.5	0.49	317	8.8	0.50	6.0	0.35
Anus, anal canal & anorectum	53	1.8	0.25	1.3	0.19	54	1.6	0.21	1.0	0.15
Liver	474	15.6	0.74	12.0	0.56	153	4.1	0.33	3.0	0.25
Gallbladder	32	1.3	0.24	0.8	0.15	69	2.0	0.24	1.2	0.15
Pancreas	446	17.3	0.86	11.3	0.55	466	13.5	0.63	8.1	0.40
Respiratory System	2,926	116.8	2.25	74.6	1.42	2,424	68.6	1.40	45.1	0.96
Larynx	234	8.6	0.58	6.0	0.40	89	2.4	0.26	1.9	0.20
Lung & bronchus	2,659	107.0	2.16	67.8	1.35	2,305	65.4	1.37	42.6	0.93
Bones & Joints	36	1.0	0.18	1.0	0.17	16	0.4	0.10	0.4	0.09
Soft Tissue (incl. heart)	101	3.5	0.36	2.7	0.27	101	2.8	0.28	2.1	0.22
Skin (excl. basal & sq.)	54	2.1	0.30	1.3	0.18	71	1.9	0.23	1.5	0.19
Melanomas of the skin	31	1.3	0.24	0.7	0.14	34	1.0	0.17	0.7	0.12
Breast (excl. <i>in situ</i>)	45	1.8	0.29	1.1	0.17	4,200	116.2	1.81	83.7	1.34
Female Genital System	-	-	-	-	-	1,536	42.7	1.10	31.1	0.82
Cervix uteri	-	-	-	-	-	310	8.6	0.49	6.8	0.39
Uterus Corpus	-	-	-	-	-	720	20.0	0.75	14.5	0.56
Uterus, NOS ¹	-	-	-	-	-	53	1.5	0.21	1.0	0.14
Ovary	-	-	-	-	-	334	9.2	0.51	6.6	0.38
Male Genital System	5,286	198.3	2.84	139.5	1.96	-	-	-	-	-
Prostate	5,228	196.4	2.82	137.9	1.95	-	-	-	-	-
Testis	43	1.3	0.20	1.2	0.19	-	-	-	-	-
Penis	14	0.6	0.17	0.3	0.09	-	-	-	-	-
Urinary System	1,139	44.2	1.37	29.1	0.88	704	19.7	0.75	13.3	0.53
Bladder (incl. <i>in situ</i>)	508	21.6	1.00	12.7	0.58	244	7.0	0.45	4.1	0.28
Kidney & renal pelvis	617	22.1	0.92	16.1	0.66	442	12.2	0.58	8.9	0.44
Ureter	9	0.4	0.13	0.2	0.07	7	0.2	0.08	0.1	0.04
Eye & Orbit	14	0.4	0.13	0.4	0.12	9	0.2	0.08	0.3	0.09
Brain & Other Nervous System	139	4.8	0.43	3.7	0.32	146	3.9	0.33	3.1	0.28
Brain	129	4.5	0.42	3.4	0.31	127	3.4	0.30	2.7	0.26
Endocrine System	127	4.3	0.40	3.3	0.30	462	12.7	0.59	10.1	0.48
Thyroid gland	98	3.4	0.36	2.6	0.27	427	11.7	0.57	9.3	0.46
Lymphomas	541	18.7	0.84	14.0	0.61	498	13.7	0.62	10.2	0.48
Hodgkin Lymphoma	73	2.4	0.28	1.9	0.23	91	2.5	0.26	2.2	0.24
Non-Hodgkin Lymphoma	468	16.4	0.79	12.1	0.57	407	11.3	0.56	8.0	0.42
Multiple Myeloma	344	13.7	0.77	8.7	0.48	318	9.1	0.52	5.8	0.34
Leukemias	300	11.2	0.69	7.9	0.47	294	8.2	0.48	5.9	0.37
Acute lymphocytic	46	1.2	0.19	1.3	0.20	25	0.6	0.12	0.7	0.14
Chronic lymphocytic	79	3.4	0.40	2.0	0.23	72	2.1	0.25	1.2	0.15
Acute myeloid	93	3.6	0.39	2.5	0.26	114	3.2	0.30	2.3	0.23
Chronic myeloid	48	1.6	0.25	1.2	0.18	44	1.2	0.19	1.0	0.15
Other leukemias	34	1.4	0.25	0.9	0.16	39	1.1	0.18	0.8	0.14
Mesothelioma	20	0.8	0.18	0.5	0.12	11	0.3	0.09	0.2	0.06
Kaposi Sarcoma	20	0.7	0.15	0.5	0.12	-	-	-	-	-
Ill-defined & Unknown	479	19.4	0.94	11.9	0.56	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	181	6.6	0.52	4.6	0.35	391	10.9	0.56	7.9	0.41
Breast (<i>in situ</i>)	10	0.4	0.12	0.3	0.09	1,045	29.0	0.90	21.3	0.68

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	705	243.0	10.55	154.3	5.90	884	227.9	8.34	152.7	5.23
Oral Cavity & Pharynx	17	4.5	1.22	3.3	0.81	11	3.2	1.03	2.0	0.61
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	6	1.6	0.69	1.1	0.46
Nasopharynx	8	1.7	0.65	1.4	0.50	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	188	62.9	5.28	41.4	3.06	165	51.5	4.32	29.5	2.33
Esophagus	9	3.7	1.50	1.9	0.66	6	1.5	0.64	1.1	0.44
Stomach	33	10.5	2.06	6.9	1.22	23	7.3	1.61	3.9	0.83
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	46	14.6	2.43	10.2	1.53	54	17.5	2.57	9.4	1.30
Rectum & rectosigmoid	31	11.0	2.32	7.1	1.29	23	6.5	1.46	4.1	0.86
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	38	12.6	2.36	8.4	1.38	15	4.1	1.17	2.8	0.74
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	18	6.2	1.68	4.1	0.98	23	7.7	1.70	4.2	0.90
Respiratory System	82	31.5	3.97	18.2	2.04	97	33.6	3.63	16.9	1.74
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	76	30.1	3.93	17.0	1.98	96	33.4	3.63	16.8	1.74
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	2.6	1.09	1.6	0.56	-	-	-	-	-
Skin (excl. basal & sq.)	7	1.8	0.86	1.2	0.48	6	1.1	0.47	0.9	0.39
Melanomas of the skin	6	1.6	0.84	1.1	0.46	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	281	64.0	4.04	48.0	2.90
Female Genital System	-	-	-	-	-	125	29.0	2.77	21.5	1.96
Cervix uteri	-	-	-	-	-	28	6.2	1.27	4.5	0.88
Uterus Corpus	-	-	-	-	-	58	12.9	1.78	10.0	1.33
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	29	7.4	1.46	5.2	0.99
Male Genital System	180	63.7	5.38	40.7	3.06	-	-	-	-	-
Prostate	166	61.3	5.34	38.2	2.98	-	-	-	-	-
Testis	13	2.3	0.65	2.4	0.68	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	67	24.8	3.37	14.9	1.84	21	5.8	1.40	3.6	0.80
Bladder (incl. <i>in situ</i>)	38	15.8	2.86	8.6	1.41	9	2.9	1.05	1.7	0.56
Kidney & renal pelvis	27	8.1	1.65	5.8	1.13	10	2.4	0.80	1.6	0.53
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	16	4.2	1.13	3.9	0.98	13	2.5	0.69	2.6	0.75
Brain	15	4.0	1.12	3.6	0.93	13	2.5	0.69	2.6	0.75
Endocrine System	17	3.5	0.86	3.0	0.76	77	14.6	1.78	11.9	1.39
Thyroid gland	15	3.1	0.80	2.5	0.66	74	13.8	1.68	11.5	1.37
Lymphomas	37	10.8	2.07	7.4	1.25	35	10.1	1.88	6.0	1.03
Hodgkin Lymphoma	-	-	-	-	-	8	1.6	0.64	1.4	0.50
Non-Hodgkin Lymphoma	-	-	-	-	-	27	8.5	1.77	4.6	0.91
Multiple Myeloma	14	5.6	1.77	3.0	0.83	6	1.5	0.63	1.0	0.43
Leukemias	30	8.4	1.88	6.7	1.25	21	4.1	0.91	4.4	0.99
Acute lymphocytic	7	1.5	0.59	1.6	0.63	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	12	3.1	1.03	2.8	0.83	12	2.5	0.73	2.4	0.71
Chronic myeloid	7	1.6	0.65	1.3	0.51	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	32	14.5	2.94	7.1	1.27	21	5.6	1.31	3.4	0.76
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	16	4.8	1.36	3.6	0.91	26	6.9	1.50	4.8	0.96
Breast (<i>in situ</i>)	-	-	-	-	-	89	19.9	2.20	15.3	1.65

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,256	351.1	11.02	225.4	6.68	1,088	244.1	7.85	169.3	5.34
Oral Cavity & Pharynx	23	5.3	1.16	4.4	0.95	13	3.4	0.96	2.6	0.73
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	299	85.9	5.53	53.1	3.21	207	53.1	3.86	32.1	2.33
Esophagus	20	6.3	1.56	3.7	0.86	-	-	-	-	-
Stomach	38	11.1	2.03	6.6	1.14	15	3.4	0.95	2.1	0.57
Small intestine	6	1.7	0.73	1.3	0.54	-	-	-	-	-
Colon excl. rectum	102	31.5	3.45	18.6	1.93	91	24.3	2.65	14.0	1.53
Rectum & rectosigmoid	49	12.4	1.97	8.5	1.27	35	8.5	1.51	5.4	0.96
Anus, anal canal & anorectum	-	-	-	-	-	6	1.4	0.60	1.1	0.45
Liver	51	13.2	2.02	8.7	1.27	16	3.7	0.98	2.5	0.65
Gallbladder	-	-	-	-	-	9	2.6	0.88	1.3	0.47
Pancreas	25	7.1	1.60	4.2	0.87	23	6.1	1.33	3.6	0.78
Respiratory System	150	49.3	4.31	29.2	2.48	103	27.2	2.77	17.9	1.83
Larynx	16	4.8	1.31	3.2	0.84	-	-	-	-	-
Lung & bronchus	129	43.3	4.07	25.1	2.29	100	26.6	2.75	17.4	1.80
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	2.5	0.96	1.6	0.53	10	2.0	0.67	1.4	0.45
Skin (excl. basal & sq.)	24	5.8	1.32	4.0	0.87	26	4.8	1.03	3.7	0.75
Melanomas of the skin	20	5.1	1.28	3.5	0.82	25	4.7	1.01	3.5	0.73
Breast (excl. <i>in situ</i>)	-	-	-	-	-	292	64.0	3.93	46.2	2.80
Female Genital System	-	-	-	-	-	167	33.5	2.73	25.3	2.03
Cervix uteri	-	-	-	-	-	54	9.8	1.43	7.4	1.04
Uterus Corpus	-	-	-	-	-	73	15.7	1.91	12.0	1.44
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	37	7.2	1.25	5.5	0.94
Male Genital System	364	108.3	6.17	70.5	3.86	-	-	-	-	-
Prostate	330	103.6	6.10	66.7	3.80	-	-	-	-	-
Testis	29	3.5	0.77	3.0	0.57	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	123	36.0	3.55	22.4	2.12	49	10.8	1.63	7.6	1.13
Bladder (incl. <i>in situ</i>)	59	19.0	2.68	10.7	1.47	14	3.5	0.99	1.9	0.52
Kidney & renal pelvis	64	17.0	2.33	11.7	1.53	35	7.3	1.30	5.8	1.01
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	7	0.8	0.47	0.8	0.31	-	-	-	-	-
Brain & Other Nervous System	16	3.3	0.97	2.5	0.67	20	3.4	0.86	2.7	0.62
Brain	14	3.1	0.96	2.3	0.65	19	3.2	0.84	2.5	0.60
Endocrine System	25	4.8	1.10	3.4	0.70	67	10.8	1.40	9.4	1.19
Thyroid gland	18	3.6	0.95	2.4	0.59	64	10.4	1.37	9.0	1.16
Lymphomas	88	17.6	2.17	12.5	1.40	52	11.1	1.67	8.0	1.16
Hodgkin Lymphoma	19	3.0	0.83	2.4	0.57	9	1.2	0.40	1.1	0.37
Non-Hodgkin Lymphoma	69	14.6	2.01	10.1	1.28	43	9.9	1.62	6.9	1.10
Multiple Myeloma	13	3.9	1.16	2.3	0.67	12	3.6	1.05	2.0	0.60
Leukemias	48	8.3	1.47	6.6	1.01	22	4.6	1.11	3.1	0.68
Acute lymphocytic	16	1.3	0.35	1.8	0.44	6	0.5	0.19	0.7	0.29
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	14	3.2	1.03	2.2	0.62	8	1.7	0.66	1.1	0.42
Chronic myeloid	6	1.4	0.66	0.9	0.38	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	10	2.6	0.98	1.6	0.54	-	-	-	-	-
Ill-defined & Unknown	45	14.0	2.26	9.0	1.38	40	10.1	1.68	6.2	1.02
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	15	3.3	1.06	1.8	0.49	24	4.4	0.95	3.8	0.80
Breast (<i>in situ</i>)	-	-	-	-	-	82	18.5	2.12	13.9	1.58

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

OHIO

308 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	131,737	518.2	1.45	340.1	0.99	128,343	418.8	1.20	291.7	0.91
Oral Cavity & Pharynx	4,055	15.2	0.24	11.0	0.18	1,822	6.0	0.14	4.2	0.11
Lip	136	0.5	0.05	0.3	0.03	43	0.1	0.02	0.1	0.01
Tongue	1,262	4.6	0.13	3.5	0.10	553	1.8	0.08	1.3	0.06
Major salivary gland	438	1.8	0.09	1.1	0.05	295	1.0	0.06	0.7	0.05
Floor of mouth	229	0.8	0.06	0.6	0.04	114	0.4	0.03	0.3	0.03
Gum & other mouth	398	1.5	0.08	1.1	0.06	392	1.2	0.06	0.8	0.05
Nasopharynx	157	0.6	0.05	0.5	0.04	59	0.2	0.03	0.1	0.02
Oropharynx	211	0.8	0.05	0.6	0.04	68	0.2	0.03	0.2	0.02
Hypopharynx	272	1.0	0.06	0.7	0.04	62	0.2	0.03	0.2	0.02
Digestive System	24,613	97.4	0.63	60.9	0.41	21,167	65.1	0.46	40.0	0.31
Esophagus	2,579	9.9	0.20	6.5	0.13	601	1.8	0.08	1.1	0.05
Stomach	1,981	7.9	0.18	4.8	0.11	1,108	3.4	0.10	2.0	0.07
Small intestine	577	2.3	0.10	1.5	0.06	503	1.6	0.07	1.1	0.05
Colon excl. rectum	9,043	36.6	0.39	21.7	0.24	9,946	30.3	0.31	17.8	0.20
Rectum & rectosigmoid	4,044	15.8	0.25	10.5	0.17	2,992	9.5	0.18	6.4	0.13
Anus, anal canal & anorectum	326	1.3	0.07	0.9	0.05	624	2.0	0.08	1.5	0.06
Liver	1,755	6.6	0.16	4.5	0.11	626	2.0	0.08	1.3	0.06
Gallbladder	188	0.8	0.06	0.4	0.03	398	1.2	0.06	0.8	0.04
Pancreas	3,365	13.3	0.23	8.2	0.15	3,391	10.3	0.18	6.2	0.12
Respiratory System	24,863	97.8	0.63	61.4	0.41	19,666	62.0	0.45	40.5	0.31
Larynx	1,920	7.2	0.17	5.1	0.12	528	1.7	0.08	1.3	0.06
Lung & bronchus	22,628	89.4	0.60	55.4	0.38	18,947	59.6	0.44	38.7	0.31
Bones & Joints	251	1.1	0.07	1.0	0.07	167	0.7	0.05	0.6	0.06
Soft Tissue (incl. heart)	916	3.7	0.13	2.7	0.10	778	2.7	0.10	2.1	0.09
Skin (excl. basal & sq.)	6,515	26.0	0.33	17.3	0.23	5,238	18.9	0.27	14.6	0.22
Melanomas of the skin	6,068	24.1	0.31	16.3	0.22	4,913	17.9	0.26	13.9	0.22
Breast (excl. <i>in situ</i>)	302	1.2	0.07	0.8	0.05	36,078	119.2	0.64	85.4	0.48
Female Genital System	-	-	-	-	-	15,537	51.6	0.42	38.4	0.33
Cervix uteri	-	-	-	-	-	1,892	7.4	0.18	5.9	0.14
Uterus Corpus	-	-	-	-	-	8,411	27.2	0.30	20.5	0.24
Uterus, NOS ¹	-	-	-	-	-	303	0.9	0.06	0.6	0.04
Ovary	-	-	-	-	-	3,737	12.2	0.20	8.8	0.16
Male Genital System	34,462	131.6	0.72	91.0	0.51	-	-	-	-	-
Prostate	32,908	124.7	0.70	84.9	0.48	-	-	-	-	-
Testis	1,290	5.8	0.16	5.4	0.16	-	-	-	-	-
Penis	216	0.9	0.06	0.5	0.04	-	-	-	-	-
Urinary System	15,124	60.4	0.50	37.0	0.32	6,887	21.7	0.27	14.4	0.20
Bladder (incl. <i>in situ</i>)	9,553	38.8	0.40	22.1	0.24	3,153	9.5	0.17	5.7	0.12
Kidney & renal pelvis	5,321	20.6	0.29	14.4	0.21	3,563	11.7	0.20	8.4	0.16
Ureter	185	0.7	0.05	0.4	0.03	132	0.4	0.03	0.2	0.02
Eye & Orbit	258	1.0	0.07	0.8	0.06	209	0.7	0.05	0.6	0.06
Brain & Other Nervous System	2,085	8.5	0.19	7.0	0.17	1,808	6.4	0.15	5.2	0.15
Brain	1,954	7.9	0.18	6.4	0.16	1,659	5.8	0.15	4.7	0.14
Endocrine System	1,611	6.4	0.16	5.2	0.14	4,677	18.2	0.27	15.2	0.24
Thyroid gland	1,423	5.7	0.15	4.4	0.12	4,520	17.7	0.27	14.6	0.23
Lymphomas	6,510	26.3	0.33	18.2	0.24	5,668	18.7	0.25	13.1	0.20
Hodgkin Lymphoma	782	3.4	0.12	3.0	0.11	638	2.6	0.10	2.4	0.10
Non-Hodgkin Lymphoma	5,728	23.0	0.31	15.2	0.21	5,030	16.1	0.23	10.6	0.17
Multiple Myeloma	1,497	5.9	0.16	3.7	0.10	1,247	3.8	0.11	2.4	0.08
Leukemias	3,495	14.4	0.25	10.0	0.19	2,706	9.0	0.18	6.7	0.16
Acute lymphocytic	348	1.6	0.08	2.0	0.11	278	1.2	0.08	1.6	0.11
Chronic lymphocytic	1,068	4.3	0.13	2.5	0.08	738	2.2	0.08	1.3	0.05
Acute myeloid	1,107	4.5	0.14	3.0	0.10	917	3.1	0.10	2.2	0.09
Chronic myeloid	399	1.6	0.08	1.1	0.06	320	1.1	0.06	0.8	0.05
Other leukemias	573	2.4	0.10	1.5	0.07	453	1.4	0.07	0.8	0.05
Mesothelioma	452	1.9	0.09	1.0	0.05	133	0.4	0.04	0.2	0.02
Kaposi Sarcoma	64	0.3	0.04	0.2	0.03	7	0.0	0.01	0.0	0.00
Ill-defined & Unknown	4,664	19.0	0.28	11.0	0.17	4,548	13.7	0.21	8.0	0.14
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,358	5.5	0.15	4.3	0.13	2,756	9.5	0.19	7.2	0.15
Breast (<i>in situ</i>)	34	0.1	0.02	0.1	0.02	8,020	27.1	0.31	20.3	0.24

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,110	582.8	4.95	393.3	3.28	14,370	405.9	3.41	280.5	2.45
Oral Cavity & Pharynx	386	13.7	0.72	10.1	0.53	202	5.6	0.40	4.1	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	93	3.4	0.36	2.5	0.26	49	1.4	0.20	1.0	0.15
Major salivary gland	29	1.1	0.20	0.8	0.16	35	1.0	0.16	0.7	0.13
Floor of mouth	32	1.1	0.19	0.9	0.15	14	0.4	0.10	0.3	0.07
Gum & other mouth	35	1.3	0.23	0.9	0.16	34	0.9	0.16	0.7	0.13
Nasopharynx	29	0.9	0.18	0.7	0.14	17	0.5	0.12	0.3	0.08
Oropharynx	42	1.5	0.24	1.1	0.17	13	0.4	0.10	0.3	0.08
Hypopharynx	41	1.5	0.25	1.1	0.17	12	0.4	0.10	0.2	0.07
Digestive System	3,180	124.1	2.31	80.6	1.47	2,883	82.3	1.54	52.8	1.04
Esophagus	185	7.3	0.56	5.0	0.37	109	3.1	0.30	2.1	0.21
Stomach	307	13.0	0.78	7.7	0.45	279	8.2	0.49	4.8	0.31
Small intestine	102	3.7	0.38	2.6	0.26	121	3.4	0.31	2.4	0.23
Colon excl. rectum	1,124	46.6	1.45	28.1	0.86	1,219	34.7	1.00	22.3	0.68
Rectum & rectosigmoid	385	14.3	0.77	9.6	0.50	316	8.9	0.50	6.0	0.35
Anus, anal canal & anorectum	53	1.8	0.25	1.3	0.19	54	1.6	0.21	1.0	0.15
Liver	474	15.7	0.75	12.1	0.57	153	4.1	0.34	3.0	0.25
Gallbladder	32	1.3	0.24	0.8	0.15	68	1.9	0.24	1.2	0.15
Pancreas	446	17.4	0.86	11.4	0.55	465	13.5	0.63	8.1	0.40
Respiratory System	2,920	117.5	2.26	75.1	1.43	2,417	69.0	1.41	45.3	0.97
Larynx	234	8.6	0.59	6.1	0.41	89	2.4	0.26	1.9	0.21
Lung & bronchus	2,653	107.6	2.18	68.2	1.36	2,298	65.7	1.38	42.8	0.94
Bones & Joints	36	1.1	0.19	1.0	0.17	15	0.4	0.10	0.3	0.09
Soft Tissue (incl. heart)	101	3.5	0.37	2.8	0.28	101	2.8	0.28	2.1	0.22
Skin (excl. basal & sq.)	53	2.1	0.30	1.3	0.18	71	2.0	0.24	1.5	0.19
Melanomas of the skin	30	1.3	0.24	0.7	0.14	34	1.0	0.17	0.7	0.12
Breast (excl. <i>in situ</i>)	45	1.9	0.29	1.1	0.17	4,192	117.2	1.83	84.4	1.35
Female Genital System	-	-	-	-	-	1,533	43.0	1.11	31.4	0.83
Cervix uteri	-	-	-	-	-	309	8.7	0.50	6.8	0.40
Uterus Corpus	-	-	-	-	-	718	20.1	0.76	14.6	0.57
Uterus, NOS ¹	-	-	-	-	-	53	1.5	0.21	1.0	0.14
Ovary	-	-	-	-	-	334	9.3	0.51	6.6	0.38
Male Genital System	5,273	199.6	2.86	140.4	1.98	-	-	-	-	-
Prostate	5,216	197.7	2.84	138.8	1.97	-	-	-	-	-
Testis	42	1.3	0.20	1.2	0.19	-	-	-	-	-
Penis	14	0.6	0.17	0.3	0.10	-	-	-	-	-
Urinary System	1,139	44.6	1.38	29.4	0.89	702	19.9	0.75	13.4	0.54
Bladder (incl. <i>in situ</i>)	508	21.8	1.01	12.8	0.58	244	7.1	0.45	4.1	0.29
Kidney & renal pelvis	617	22.3	0.93	16.2	0.67	440	12.3	0.59	9.0	0.45
Ureter	9	0.4	0.13	0.2	0.07	7	0.2	0.08	0.1	0.05
Eye & Orbit	13	0.4	0.13	0.4	0.12	9	0.2	0.08	0.3	0.10
Brain & Other Nervous System	139	4.9	0.44	3.7	0.32	146	4.0	0.33	3.2	0.28
Brain	129	4.6	0.42	3.4	0.31	127	3.4	0.31	2.8	0.27
Endocrine System	127	4.4	0.40	3.4	0.31	462	12.8	0.60	10.3	0.49
Thyroid gland	98	3.5	0.36	2.6	0.27	427	11.9	0.58	9.5	0.47
Lymphomas	537	18.8	0.84	14.1	0.62	497	13.9	0.63	10.4	0.49
Hodgkin Lymphoma	71	2.3	0.28	1.9	0.23	91	2.5	0.27	2.3	0.24
Non-Hodgkin Lymphoma	466	16.5	0.80	12.2	0.58	406	11.4	0.57	8.1	0.42
Multiple Myeloma	344	13.8	0.78	8.8	0.49	318	9.2	0.52	5.9	0.35
Leukemias	299	11.3	0.69	8.0	0.47	294	8.3	0.49	6.0	0.38
Acute lymphocytic	46	1.3	0.19	1.4	0.20	25	0.6	0.13	0.7	0.15
Chronic lymphocytic	79	3.4	0.41	2.0	0.23	72	2.1	0.25	1.2	0.15
Acute myeloid	93	3.6	0.40	2.5	0.27	114	3.3	0.31	2.4	0.23
Chronic myeloid	47	1.6	0.25	1.2	0.18	44	1.2	0.19	1.0	0.15
Other leukemias	34	1.4	0.25	0.9	0.17	39	1.1	0.18	0.8	0.14
Mesothelioma	20	0.8	0.19	0.5	0.12	10	0.3	0.09	0.2	0.05
Kaposi Sarcoma	20	0.7	0.15	0.5	0.12	-	-	-	-	-
Ill-defined & Unknown	478	19.6	0.94	11.9	0.56	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	181	6.7	0.52	4.7	0.35	391	11.1	0.57	8.0	0.42
Breast (<i>in situ</i>)	10	0.4	0.12	0.3	0.09	1,042	29.2	0.91	21.5	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

OHIO

310 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	49,684	552.2	2.52	361.4	1.68	44,877	422.0	2.02	294.4	1.50
Oral Cavity & Pharynx	1,848	19.7	0.47	14.1	0.34	759	7.1	0.26	4.9	0.19
Lip	297	3.4	0.20	2.1	0.12	121	1.1	0.10	0.7	0.07
Tongue	481	4.9	0.23	3.8	0.17	200	1.9	0.14	1.4	0.10
Major salivary gland	175	2.0	0.16	1.3	0.10	93	0.9	0.09	0.6	0.07
Floor of mouth	95	1.0	0.10	0.7	0.08	44	0.4	0.06	0.3	0.04
Gum & other mouth	161	1.7	0.14	1.2	0.09	128	1.2	0.11	0.7	0.07
Nasopharynx	67	0.7	0.09	0.5	0.07	27	0.3	0.05	0.2	0.04
Oropharynx	84	0.9	0.10	0.7	0.07	25	0.2	0.05	0.2	0.03
Hypopharynx	113	1.2	0.11	0.9	0.08	20	0.2	0.04	0.1	0.03
Digestive System	8,918	99.3	1.07	64.3	0.70	7,402	67.8	0.80	43.3	0.55
Esophagus	766	8.3	0.31	5.6	0.21	191	1.7	0.12	1.1	0.08
Stomach	683	7.7	0.30	4.9	0.19	391	3.6	0.18	2.4	0.13
Small intestine	209	2.3	0.16	1.5	0.11	204	1.9	0.13	1.3	0.10
Colon excl. rectum	3,269	37.3	0.67	22.8	0.41	3,298	30.1	0.53	18.5	0.35
Rectum & rectosigmoid	1,485	16.2	0.43	11.2	0.30	1,147	10.7	0.32	7.4	0.23
Anus, anal canal & anorectum	141	1.5	0.13	1.1	0.09	239	2.3	0.15	1.7	0.11
Liver	846	8.8	0.31	6.5	0.23	402	3.7	0.18	2.6	0.14
Gallbladder	68	0.8	0.09	0.5	0.06	161	1.5	0.12	0.9	0.08
Pancreas	1,162	13.0	0.39	8.2	0.25	1,041	9.4	0.29	5.7	0.19
Respiratory System	9,382	104.3	1.10	65.9	0.70	7,135	65.0	0.78	43.0	0.54
Larynx	657	7.0	0.28	4.9	0.19	192	1.8	0.13	1.3	0.10
Lung & bronchus	8,614	96.1	1.05	60.2	0.67	6,884	62.7	0.76	41.3	0.53
Bones & Joints	108	1.2	0.11	1.1	0.11	71	0.8	0.09	0.7	0.09
Soft Tissue (incl. heart)	325	3.7	0.21	2.7	0.16	281	2.8	0.17	2.2	0.15
Skin (excl. basal & sq.)	2,264	25.8	0.55	16.6	0.36	1,549	15.4	0.40	11.5	0.31
Melanomas of the skin	2,116	24.0	0.53	15.6	0.35	1,451	14.4	0.39	10.8	0.31
Breast (excl. <i>in situ</i>)	125	1.4	0.12	0.9	0.08	12,842	121.7	1.09	87.2	0.81
Female Genital System	-	-	-	-	-	4,922	47.5	0.69	35.1	0.53
Cervix uteri	-	-	-	-	-	951	10.3	0.34	8.2	0.28
Uterus Corpus	-	-	-	-	-	2,127	19.8	0.44	14.8	0.34
Uterus, NOS ¹	-	-	-	-	-	117	1.1	0.11	0.8	0.08
Ovary	-	-	-	-	-	1,294	12.2	0.34	8.6	0.26
Male Genital System	14,142	154.3	1.32	102.5	0.89	-	-	-	-	-
Prostate	13,616	148.4	1.30	97.2	0.86	-	-	-	-	-
Testis	437	4.9	0.24	4.6	0.22	-	-	-	-	-
Penis	69	0.8	0.10	0.5	0.06	-	-	-	-	-
Urinary System	5,122	57.9	0.82	36.1	0.52	2,381	21.9	0.45	14.9	0.33
Bladder (incl. <i>in situ</i>)	2,987	34.7	0.65	19.9	0.38	960	8.6	0.28	5.2	0.19
Kidney & renal pelvis	2,059	22.3	0.50	15.6	0.36	1,367	12.8	0.35	9.3	0.27
Ureter	53	0.6	0.08	0.4	0.05	39	0.4	0.06	0.2	0.04
Eye & Orbit	106	1.2	0.12	0.8	0.08	62	0.6	0.08	0.5	0.07
Brain & Other Nervous System	719	7.9	0.30	6.4	0.25	602	5.9	0.25	4.7	0.22
Brain	669	7.3	0.29	5.9	0.24	554	5.4	0.23	4.3	0.21
Endocrine System	494	5.5	0.25	4.2	0.20	1,433	15.0	0.40	12.4	0.34
Thyroid gland	419	4.6	0.23	3.4	0.17	1,365	14.3	0.40	11.8	0.33
Lymphomas	2,238	25.3	0.54	17.0	0.38	2,060	19.4	0.43	13.4	0.33
Hodgkin Lymphoma	261	2.9	0.18	2.5	0.16	218	2.3	0.16	2.2	0.15
Non-Hodgkin Lymphoma	1,977	22.4	0.51	14.5	0.34	1,842	17.1	0.40	11.2	0.29
Multiple Myeloma	566	6.4	0.27	3.9	0.17	525	4.8	0.21	3.0	0.14
Leukemias	1,534	17.6	0.46	12.1	0.34	1,241	11.6	0.34	8.6	0.28
Acute lymphocytic	159	1.7	0.14	2.2	0.18	111	1.2	0.11	1.5	0.15
Chronic lymphocytic	503	5.8	0.27	3.4	0.16	370	3.3	0.17	2.0	0.11
Acute myeloid	370	4.2	0.22	2.9	0.16	330	3.1	0.17	2.3	0.14
Chronic myeloid	165	1.9	0.15	1.3	0.10	133	1.3	0.11	0.9	0.09
Other leukemias	337	4.0	0.22	2.4	0.14	297	2.8	0.16	1.9	0.13
Mesothelioma	127	1.5	0.13	0.8	0.08	39	0.4	0.06	0.3	0.04
Kaposi Sarcoma	29	0.4	0.07	0.3	0.05	7	0.1	0.02	0.0	0.01
Ill-defined & Unknown	1,637	19.0	0.48	11.5	0.30	1,566	14.3	0.37	8.8	0.25
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	522	5.8	0.26	4.4	0.20	1,023	9.8	0.31	7.1	0.24
Breast (<i>in situ</i>)	15	0.2	0.04	0.1	0.03	2,546	24.2	0.49	18.0	0.37

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	41,873	532.9	2.65	348.3	1.79	37,515	409.9	2.16	285.6	1.62
Oral Cavity & Pharynx	1,606	19.8	0.50	14.2	0.37	655	7.1	0.28	4.8	0.21
Lip	278	3.6	0.22	2.2	0.14	113	1.2	0.11	0.8	0.08
Tongue	416	5.0	0.25	3.8	0.19	174	1.9	0.15	1.4	0.11
Major salivary gland	154	2.0	0.17	1.3	0.11	79	0.9	0.10	0.6	0.07
Floor of mouth	83	1.0	0.11	0.8	0.08	43	0.5	0.07	0.3	0.05
Gum & other mouth	141	1.7	0.15	1.2	0.10	106	1.1	0.11	0.7	0.08
Nasopharynx	46	0.6	0.08	0.4	0.06	19	0.2	0.05	0.2	0.04
Oropharynx	65	0.8	0.10	0.6	0.07	21	0.2	0.05	0.2	0.04
Hypopharynx	93	1.1	0.12	0.8	0.09	17	0.2	0.04	0.1	0.03
Digestive System	7,403	94.6	1.12	60.9	0.74	6,010	63.1	0.83	40.0	0.57
Esophagus	667	8.3	0.33	5.6	0.22	165	1.7	0.13	1.0	0.09
Stomach	544	7.0	0.31	4.4	0.20	279	2.9	0.18	1.9	0.13
Small intestine	183	2.3	0.17	1.5	0.12	169	1.8	0.14	1.2	0.10
Colon excl. rectum	2,741	35.7	0.69	21.6	0.43	2,707	28.2	0.55	17.0	0.37
Rectum & rectosigmoid	1,219	15.4	0.45	10.5	0.31	915	9.9	0.33	6.8	0.24
Anus, anal canal & anorectum	126	1.6	0.14	1.1	0.10	204	2.3	0.16	1.7	0.13
Liver	643	7.8	0.31	5.7	0.24	307	3.3	0.19	2.3	0.15
Gallbladder	49	0.6	0.09	0.4	0.06	120	1.2	0.11	0.8	0.08
Pancreas	987	12.6	0.41	7.9	0.26	869	8.9	0.31	5.4	0.20
Respiratory System	8,027	101.6	1.15	63.9	0.74	6,084	63.6	0.82	42.1	0.58
Larynx	559	6.9	0.30	4.8	0.21	155	1.7	0.13	1.2	0.11
Lung & bronchus	7,367	93.4	1.10	58.3	0.70	5,881	61.5	0.81	40.6	0.57
Bones & Joints	92	1.2	0.13	1.1	0.12	49	0.6	0.09	0.6	0.09
Soft Tissue (incl. heart)	263	3.5	0.22	2.5	0.17	226	2.7	0.18	2.1	0.17
Skin (excl. basal & sq.)	2,054	26.8	0.60	17.5	0.41	1,379	16.3	0.45	12.2	0.36
Melanomas of the skin	1,926	25.1	0.58	16.5	0.39	1,299	15.4	0.44	11.6	0.35
Breast (excl. <i>in situ</i>)	102	1.3	0.13	0.9	0.09	10,808	119.3	1.17	85.4	0.88
Female Genital System	-	-	-	-	-	4,082	46.3	0.74	34.3	0.58
Cervix uteri	-	-	-	-	-	731	9.6	0.37	7.7	0.30
Uterus Corpus	-	-	-	-	-	1,784	19.4	0.47	14.5	0.36
Uterus, NOS ¹	-	-	-	-	-	94	1.1	0.11	0.7	0.08
Ovary	-	-	-	-	-	1,101	12.1	0.37	8.5	0.28
Male Genital System	11,567	143.8	1.36	95.9	0.92	-	-	-	-	-
Prostate	11,126	137.7	1.33	90.4	0.88	-	-	-	-	-
Testis	363	5.1	0.27	4.8	0.26	-	-	-	-	-
Penis	58	0.7	0.10	0.5	0.07	-	-	-	-	-
Urinary System	4,460	57.4	0.87	35.7	0.56	1,987	21.1	0.48	14.2	0.36
Bladder (incl. <i>in situ</i>)	2,702	35.4	0.69	20.4	0.41	841	8.6	0.30	5.3	0.20
Kidney & renal pelvis	1,691	21.1	0.52	14.8	0.38	1,100	11.9	0.37	8.7	0.29
Ureter	49	0.6	0.09	0.4	0.05	37	0.4	0.06	0.2	0.04
Eye & Orbit	94	1.2	0.13	0.9	0.10	55	0.6	0.09	0.5	0.08
Brain & Other Nervous System	612	8.0	0.33	6.6	0.29	492	5.7	0.26	4.5	0.24
Brain	567	7.4	0.32	6.0	0.27	456	5.2	0.25	4.1	0.22
Endocrine System	432	5.7	0.28	4.4	0.23	1,197	15.4	0.46	12.8	0.39
Thyroid gland	371	4.9	0.26	3.6	0.19	1,146	14.8	0.45	12.2	0.38
Lymphomas	1,912	25.0	0.58	16.8	0.41	1,753	19.1	0.47	13.2	0.35
Hodgkin Lymphoma	205	2.8	0.20	2.4	0.18	182	2.4	0.18	2.2	0.18
Non-Hodgkin Lymphoma	1,707	22.2	0.55	14.4	0.37	1,571	16.7	0.43	10.9	0.31
Multiple Myeloma	462	5.9	0.28	3.6	0.18	388	4.0	0.21	2.5	0.14
Leukemias	1,289	17.2	0.49	11.9	0.37	1,013	11.0	0.35	7.9	0.30
Acute lymphocytic	124	1.8	0.16	2.3	0.22	82	1.1	0.13	1.4	0.17
Chronic lymphocytic	432	5.7	0.28	3.3	0.16	321	3.2	0.18	1.9	0.12
Acute myeloid	307	4.1	0.23	2.7	0.17	272	3.0	0.18	2.1	0.15
Chronic myeloid	151	2.0	0.17	1.4	0.12	101	1.1	0.12	0.8	0.09
Other leukemias	275	3.7	0.23	2.3	0.15	237	2.6	0.17	1.7	0.13
Mesothelioma	110	1.4	0.14	0.8	0.08	35	0.4	0.07	0.3	0.05
Kaposi Sarcoma	15	0.2	0.06	0.2	0.04	6	0.1	0.02	0.0	0.01
Ill-defined & Unknown	1,373	18.2	0.50	10.8	0.31	1,296	13.6	0.38	8.2	0.26
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	429	5.6	0.28	4.2	0.21	849	9.6	0.34	7.0	0.26
Breast (<i>in situ</i>)	14	0.2	0.05	0.1	0.04	2,137	23.7	0.52	17.6	0.40

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	2,899	620.4	12.53	409.4	7.75	2,574	417.7	8.41	291.1	5.90
Oral Cavity & Pharynx	86	15.8	1.83	11.9	1.32	41	6.5	1.04	4.7	0.75
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	19	3.2	0.78	2.5	0.58	10	1.7	0.54	1.0	0.34
Major salivary gland	10	1.7	0.56	1.3	0.41	6	0.8	0.34	0.8	0.32
Floor of mouth	6	1.0	0.41	0.9	0.38	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	12	2.0	0.60	1.3	0.39
Nasopharynx	10	1.7	0.58	1.3	0.42	-	-	-	-	-
Oropharynx	8	2.0	0.77	1.2	0.42	-	-	-	-	-
Hypopharynx	14	2.7	0.75	2.2	0.60	-	-	-	-	-
Digestive System	560	118.6	5.50	77.1	3.32	504	84.6	3.84	54.4	2.51
Esophagus	32	6.7	1.27	4.7	0.85	10	1.6	0.53	1.2	0.38
Stomach	63	14.7	2.03	8.6	1.10	50	8.6	1.24	5.6	0.82
Small intestine	14	2.8	0.82	2.0	0.54	14	2.2	0.60	1.6	0.45
Colon excl. rectum	198	43.4	3.39	27.5	1.99	222	36.9	2.53	23.9	1.66
Rectum & rectosigmoid	87	16.4	1.93	11.8	1.29	70	11.4	1.38	8.0	0.98
Anus, anal canal & anorectum	6	1.8	0.77	0.9	0.37	9	1.5	0.49	1.1	0.36
Liver	56	10.2	1.49	7.5	1.02	22	3.6	0.79	2.1	0.47
Gallbladder	-	-	-	-	-	12	2.2	0.65	1.1	0.34
Pancreas	84	18.1	2.14	11.6	1.29	82	14.1	1.59	8.5	0.99
Respiratory System	538	115.3	5.37	76.7	3.37	345	58.5	3.22	38.4	2.14
Larynx	42	8.5	1.40	6.0	0.94	17	2.9	0.72	2.0	0.49
Lung & bronchus	493	106.2	5.17	70.3	3.23	322	54.8	3.11	35.9	2.07
Bones & Joints	6	0.7	0.29	0.8	0.31	-	-	-	-	-
Soft Tissue (incl. heart)	26	4.2	0.94	3.2	0.64	18	2.6	0.63	2.2	0.52
Skin (excl. basal & sq.)	17	3.6	0.97	2.4	0.59	16	2.7	0.68	1.6	0.43
Melanomas of the skin	13	3.1	0.93	1.9	0.53	10	1.7	0.54	1.0	0.33
Breast (excl. <i>in situ</i>)	13	2.5	0.73	1.7	0.49	811	129.4	4.62	93.3	3.35
Female Genital System	-	-	-	-	-	261	42.0	2.66	30.2	1.91
Cervix uteri	-	-	-	-	-	57	8.9	1.20	6.6	0.89
Uterus Corpus	-	-	-	-	-	117	19.2	1.81	13.6	1.29
Uterus, NOS ¹	-	-	-	-	-	7	1.2	0.47	0.8	0.30
Ovary	-	-	-	-	-	62	9.8	1.27	7.1	0.93
Male Genital System	1,137	252.3	8.07	165.1	4.99	-	-	-	-	-
Prostate	1,124	250.2	8.04	163.5	4.97	-	-	-	-	-
Testis	11	1.5	0.45	1.4	0.41	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	166	37.7	3.19	22.9	1.81	132	21.6	1.93	14.3	1.29
Bladder (incl. <i>in situ</i>)	73	18.4	2.35	10.2	1.22	45	7.7	1.17	4.5	0.71
Kidney & renal pelvis	89	17.9	2.03	12.2	1.32	83	13.1	1.48	9.5	1.07
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	38	6.3	1.11	5.3	0.87	37	5.8	0.98	4.5	0.75
Brain	37	6.2	1.10	5.1	0.85	32	5.1	0.93	3.9	0.70
Endocrine System	17	3.2	0.89	2.3	0.56	72	10.6	1.27	8.7	1.04
Thyroid gland	13	2.7	0.84	1.7	0.48	61	8.9	1.16	7.3	0.95
Lymphomas	95	17.6	1.99	12.3	1.28	96	14.6	1.54	11.4	1.19
Hodgkin Lymphoma	25	3.4	0.70	3.1	0.62	11	1.4	0.43	1.4	0.42
Non-Hodgkin Lymphoma	70	14.2	1.86	9.2	1.12	85	13.2	1.48	10.0	1.11
Multiple Myeloma	52	12.1	1.80	7.3	1.03	71	12.2	1.47	8.0	0.99
Leukemias	60	12.0	1.71	8.3	1.09	75	11.1	1.32	9.2	1.09
Acute lymphocytic	6	0.6	0.27	0.8	0.35	7	0.7	0.28	1.1	0.41
Chronic lymphocytic	16	3.7	1.00	2.3	0.59	13	2.2	0.62	1.6	0.46
Acute myeloid	21	3.4	0.79	2.7	0.60	19	2.8	0.67	2.3	0.54
Chronic myeloid	-	-	-	-	-	11	1.5	0.45	1.2	0.38
Other leukemias	-	-	-	-	-	25	3.8	0.78	2.9	0.60
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	78	16.7	2.05	11.0	1.27	88	14.6	1.59	9.3	1.04
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	34	5.3	0.98	4.5	0.78	66	10.5	1.33	7.5	0.95
Breast (<i>in situ</i>)	-	-	-	-	-	168	26.5	2.08	19.5	1.53

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	353	400.9	25.69	247.2	13.63	456	328.7	17.01	216.8	10.33
Oral Cavity & Pharynx	18	17.3	5.20	12.1	3.02	6	3.6	1.49	3.1	1.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	8	4.9	1.83	4.4	1.63	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	114	126.0	14.40	77.8	7.57	116	94.5	9.74	54.3	5.12
Esophagus	10	13.5	5.12	8.0	2.61	-	-	-	-	-
Stomach	8	8.5	3.19	5.8	2.08	14	11.7	3.60	6.6	1.80
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	33	38.1	8.25	22.4	4.06	42	36.0	6.21	19.0	2.98
Rectum & rectosigmoid	18	17.5	5.19	11.9	2.91	21	16.5	3.99	9.9	2.19
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	29	24.3	5.52	17.9	3.44	15	10.0	2.68	7.4	1.94
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	12	17.6	5.82	9.2	2.76	9	8.4	3.07	4.5	1.53
Respiratory System	55	62.6	9.62	37.8	5.22	62	48.2	6.57	31.2	4.02
Larynx	6	6.4	2.79	4.3	1.78	-	-	-	-	-
Lung & bronchus	49	56.2	9.21	33.6	4.91	60	46.5	6.45	30.4	3.98
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	7	6.1	2.55	4.5	1.73	7	4.1	1.60	3.6	1.38
Melanomas of the skin	6	5.4	2.46	3.9	1.64	7	4.1	1.60	3.6	1.38
Breast (excl. <i>in situ</i>)	-	-	-	-	-	128	82.7	8.00	58.3	5.22
Female Genital System	-	-	-	-	-	53	32.4	4.82	24.0	3.35
Cervix uteri	-	-	-	-	-	26	15.1	3.25	11.7	2.32
Uterus Corpus	-	-	-	-	-	14	9.3	2.66	6.3	1.70
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	7.6	2.31	5.5	1.63
Male Genital System	67	88.6	12.83	51.9	6.51	-	-	-	-	-
Prostate	64	86.8	12.79	50.2	6.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	30.6	7.68	17.3	3.73	14	14.2	4.10	7.5	2.02
Bladder (incl. <i>in situ</i>)	12	16.2	5.62	9.1	2.72	8	7.5	2.79	4.0	1.45
Kidney & renal pelvis	11	14.4	5.24	8.2	2.56	6	6.6	3.00	3.4	1.40
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	7	5.0	2.01	4.0	1.56
Brain	-	-	-	-	-	6	4.3	1.89	3.4	1.44
Endocrine System	-	-	-	-	-	13	8.0	2.40	5.8	1.62
Thyroid gland	-	-	-	-	-	13	8.0	2.40	5.8	1.62
Lymphomas	19	18.6	5.46	12.2	2.94	16	10.7	2.93	7.8	1.99
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	16	15.0	4.34	10.9	2.81	6	3.0	1.24	3.6	1.57
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	6	5.5	2.47	3.7	1.59	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	16	17.9	4.92	11.0	2.81	20	16.6	4.18	9.6	2.18
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	7	5.9	2.36	3.2	1.22
Breast (<i>in situ</i>)	-	-	-	-	-	27	16.8	3.43	12.4	2.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	Count	MALES (AI/AN)				FEMALES (AI/AN)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,635	640.8	11.72	415.0	6.95	3,861	541.4	8.98	371.2	6.08
Oral Cavity & Pharynx	117	19.7	2.05	13.3	1.24	49	6.8	1.00	4.7	0.68
Lip	13	3.1	0.93	1.6	0.44	-	-	-	-	-
Tongue	40	6.4	1.14	4.5	0.72	12	1.7	0.49	1.2	0.35
Major salivary gland	10	1.9	0.64	1.1	0.35	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	9	1.4	0.56	1.0	0.34	8	1.3	0.46	0.7	0.26
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	10	1.5	0.49	1.1	0.35	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	759	131.6	5.24	85.6	3.14	710	103.1	3.99	66.6	2.56
Esophagus	55	8.7	1.25	6.0	0.82	13	1.8	0.52	1.2	0.35
Stomach	58	10.7	1.52	6.7	0.89	45	6.2	0.95	4.3	0.65
Small intestine	10	1.5	0.51	1.1	0.35	13	2.0	0.58	1.3	0.36
Colon excl. rectum	258	47.9	3.30	29.7	1.87	297	43.2	2.58	28.0	1.66
Rectum & rectosigmoid	146	24.6	2.25	16.1	1.34	128	18.1	1.64	12.2	1.10
Anus, anal canal & anorectum	9	1.4	0.50	1.1	0.35	23	3.0	0.65	2.2	0.46
Liver	115	18.3	1.86	12.8	1.20	56	8.2	1.13	5.0	0.69
Gallbladder	12	2.1	0.64	1.3	0.37	26	4.3	0.86	2.1	0.43
Pancreas	73	12.5	1.59	8.4	0.99	78	11.7	1.37	7.2	0.84
Respiratory System	729	135.4	5.49	84.6	3.16	627	92.3	3.79	59.5	2.43
Larynx	48	7.9	1.23	5.6	0.81	16	2.2	0.56	1.6	0.41
Lung & bronchus	676	126.8	5.34	78.5	3.05	607	89.6	3.74	57.5	2.38
Bones & Joints	6	0.6	0.25	0.6	0.25	14	1.6	0.44	1.4	0.38
Soft Tissue (incl. heart)	26	4.4	1.02	2.9	0.57	31	3.9	0.73	3.1	0.56
Skin (excl. basal & sq.)	95	16.4	1.90	10.5	1.09	92	12.1	1.31	9.0	0.95
Melanomas of the skin	82	14.3	1.78	9.0	1.01	84	11.1	1.25	8.2	0.90
Breast (excl. <i>in situ</i>)	6	1.0	0.46	0.7	0.29	972	133.9	4.41	94.7	3.08
Female Genital System	-	-	-	-	-	470	63.6	3.01	46.0	2.15
Cervix uteri	-	-	-	-	-	121	15.9	1.47	12.0	1.10
Uterus Corpus	-	-	-	-	-	193	25.8	1.90	19.0	1.38
Uterus, NOS ²	-	-	-	-	-	15	2.2	0.58	1.4	0.36
Ovary	-	-	-	-	-	107	15.2	1.51	10.3	1.01
Male Genital System	884	159.2	5.88	102.5	3.48	-	-	-	-	-
Prostate	832	152.8	5.80	96.8	3.39	-	-	-	-	-
Testis	45	5.0	0.77	4.9	0.73	-	-	-	-	-
Penis	7	1.5	0.58	0.8	0.30	-	-	-	-	-
Urinary System	423	74.1	3.96	47.8	2.34	235	32.7	2.21	22.2	1.48
Bladder (incl. <i>in situ</i>)	164	32.1	2.77	18.6	1.46	59	9.3	1.25	5.0	0.68
Kidney & renal pelvis	254	41.1	2.79	28.7	1.82	172	22.8	1.79	16.9	1.31
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	9	1.5	0.55	1.0	0.33	7	1.1	0.42	0.6	0.25
Brain & Other Nervous System	60	8.6	1.26	6.7	0.87	62	7.6	1.01	6.4	0.82
Brain	57	8.2	1.24	6.4	0.85	58	7.2	0.98	5.9	0.79
Endocrine System	33	4.0	0.70	3.5	0.62	126	15.7	1.43	12.9	1.16
Thyroid gland	24	2.9	0.60	2.6	0.53	121	15.1	1.41	12.3	1.13
Lymphomas	175	30.1	2.55	19.7	1.50	172	24.8	1.96	16.3	1.27
Hodgkin Lymphoma	23	3.0	0.67	2.5	0.53	21	2.4	0.54	2.2	0.48
Non-Hodgkin Lymphoma	152	27.1	2.46	17.2	1.41	151	22.4	1.88	14.1	1.17
Multiple Myeloma	40	6.7	1.15	4.6	0.74	56	8.1	1.12	5.4	0.74
Leukemias	122	21.2	2.16	13.7	1.26	106	14.0	1.42	10.5	1.04
Acute lymphocytic	20	1.8	0.43	2.3	0.52	14	1.4	0.38	1.6	0.43
Chronic lymphocytic	28	5.7	1.16	3.1	0.59	22	3.6	0.79	2.0	0.43
Acute myeloid	34	6.5	1.24	3.9	0.67	35	4.6	0.80	3.4	0.59
Chronic myeloid	8	1.3	0.47	0.9	0.33	15	1.9	0.50	1.5	0.39
Other leukemias	32	5.9	1.17	3.6	0.64	20	2.6	0.59	2.0	0.45
Mesothelioma	13	2.0	0.56	1.6	0.44	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	130	19.8	1.79	11.8	1.06
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	47	6.8	1.09	5.1	0.75	89	12.6	1.37	8.5	0.91
Breast (<i>in situ</i>)	-	-	-	-	-	174	22.6	1.75	17.2	1.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,051	396.1	15.18	250.1	8.42	1,148	368.8	12.42	256.8	8.10
Oral Cavity & Pharynx	27	7.1	1.57	5.6	1.17	15	5.0	1.49	3.0	0.80
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	2.5	0.94	2.0	0.73	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	246	100.5	7.88	60.4	4.17	192	71.0	5.73	45.5	3.46
Esophagus	14	5.5	1.69	3.4	0.98	-	-	-	-	-
Stomach	35	13.8	2.93	8.5	1.59	19	5.8	1.52	3.9	0.96
Small intestine	7	2.0	0.82	1.8	0.75	-	-	-	-	-
Colon excl. rectum	78	33.7	4.73	17.8	2.20	79	29.7	3.75	18.5	2.20
Rectum & rectosigmoid	43	16.9	3.17	10.9	1.80	27	9.9	2.14	6.4	1.28
Anus, anal canal & anorectum	-	-	-	-	-	7	2.5	1.07	1.4	0.53
Liver	30	11.3	2.66	7.3	1.43	16	4.9	1.39	4.0	1.07
Gallbladder	-	-	-	-	-	6	2.6	1.13	1.6	0.69
Pancreas	24	11.6	2.74	6.6	1.43	25	10.7	2.31	6.5	1.34
Respiratory System	116	52.9	5.79	31.7	3.11	108	45.3	4.68	29.8	2.96
Larynx	10	4.7	1.84	2.8	0.93	-	-	-	-	-
Lung & bronchus	102	47.0	5.44	28.0	2.91	102	43.2	4.58	28.3	2.89
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	11	2.7	1.40	1.9	0.66	9	1.3	0.57	1.4	0.54
Skin (excl. basal & sq.)	11	3.0	1.18	2.1	0.72	31	7.8	1.61	6.2	1.23
Melanomas of the skin	10	2.8	1.17	2.0	0.70	29	7.4	1.58	5.9	1.21
Breast (excl. <i>in situ</i>)	-	-	-	-	-	334	106.4	6.50	75.3	4.38
Female Genital System	-	-	-	-	-	171	46.0	3.91	36.7	3.03
Cervix uteri	-	-	-	-	-	68	13.5	1.78	11.3	1.49
Uterus Corpus	-	-	-	-	-	55	17.3	2.53	13.6	1.93
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	41	12.8	2.19	9.9	1.63
Male Genital System	286	119.4	8.31	75.6	4.78	-	-	-	-	-
Prostate	239	113.2	8.21	70.3	4.71	-	-	-	-	-
Testis	43	4.3	0.71	4.5	0.70	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	99	37.9	4.66	23.1	2.51	60	22.5	3.27	13.7	1.86
Bladder (incl. <i>in situ</i>)	44	23.1	4.00	11.9	1.89	16	8.5	2.19	4.4	1.15
Kidney & renal pelvis	55	14.9	2.40	11.2	1.66	42	13.1	2.33	8.8	1.44
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	37	7.4	1.78	5.9	1.10	18	3.4	1.01	3.0	0.77
Brain	35	7.1	1.77	5.6	1.08	16	3.2	1.00	2.7	0.74
Endocrine System	21	4.8	1.44	3.2	0.78	54	10.6	1.72	8.3	1.21
Thyroid gland	17	4.4	1.42	2.8	0.74	51	10.3	1.71	7.9	1.18
Lymphomas	64	19.5	3.26	12.8	1.79	58	17.8	2.73	12.7	1.80
Hodgkin Lymphoma	15	2.5	0.92	2.0	0.55	13	2.2	0.68	2.2	0.67
Non-Hodgkin Lymphoma	49	16.9	3.13	10.8	1.71	45	15.6	2.64	10.5	1.67
Multiple Myeloma	20	8.1	2.04	5.5	1.30	15	5.8	1.63	3.8	1.02
Leukemias	56	13.4	2.67	9.9	1.52	42	10.6	2.13	7.9	1.33
Acute lymphocytic	28	3.4	0.98	3.5	0.67	17	2.8	0.92	2.6	0.67
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	9	3.8	1.68	2.3	0.84	14	3.7	1.31	2.5	0.74
Chronic myeloid	6	1.3	0.80	0.8	0.37	-	-	-	-	-
Other leukemias	-	-	-	-	-	6	2.1	0.96	1.4	0.59
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	43	16.0	3.15	9.9	1.66	33	13.3	2.57	7.9	1.46
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	23	5.2	1.73	3.4	0.83	33	10.5	2.11	7.3	1.36
Breast (<i>in situ</i>)	-	-	-	-	-	66	19.7	2.61	15.4	1.99

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

OKLAHOMA

316 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	41,049	539.0	2.70	353.0	1.84	36,573	412.6	2.21	287.7	1.67
Oral Cavity & Pharynx	1,583	20.3	0.52	14.5	0.38	644	7.2	0.29	4.9	0.21
Lip	276	3.7	0.23	2.3	0.14	113	1.2	0.12	0.8	0.08
Tongue	409	5.1	0.25	3.9	0.20	170	1.9	0.15	1.4	0.12
Major salivary gland	152	2.1	0.17	1.3	0.12	79	0.9	0.10	0.6	0.08
Floor of mouth	80	1.0	0.11	0.7	0.09	43	0.5	0.07	0.3	0.05
Gum & other mouth	139	1.8	0.15	1.2	0.10	103	1.1	0.11	0.7	0.08
Nasopharynx	46	0.6	0.09	0.4	0.07	19	0.2	0.05	0.2	0.04
Oropharynx	65	0.8	0.10	0.6	0.08	21	0.2	0.05	0.2	0.04
Hypopharynx	91	1.1	0.12	0.8	0.09	16	0.2	0.04	0.1	0.03
Digestive System	7,214	95.0	1.14	61.3	0.76	5,862	63.1	0.84	39.9	0.58
Esophagus	654	8.4	0.33	5.7	0.23	163	1.7	0.13	1.1	0.09
Stomach	517	6.9	0.31	4.3	0.20	266	2.9	0.18	1.8	0.13
Small intestine	177	2.3	0.18	1.5	0.12	166	1.8	0.15	1.2	0.11
Colon excl. rectum	2,683	36.0	0.71	21.8	0.44	2,643	28.2	0.56	17.0	0.37
Rectum & rectosigmoid	1,190	15.6	0.46	10.7	0.32	895	10.0	0.34	6.9	0.25
Anus, anal canal & anorectum	121	1.6	0.15	1.1	0.11	198	2.3	0.17	1.7	0.13
Liver	617	7.7	0.32	5.7	0.24	295	3.2	0.19	2.3	0.15
Gallbladder	49	0.6	0.09	0.4	0.06	115	1.2	0.11	0.8	0.08
Pancreas	969	12.7	0.41	8.0	0.27	848	8.9	0.31	5.3	0.20
Respiratory System	7,933	103.0	1.17	65.0	0.76	5,992	64.2	0.84	42.6	0.59
Larynx	554	7.0	0.30	4.9	0.21	153	1.7	0.14	1.3	0.11
Lung & bronchus	7,282	94.7	1.12	59.2	0.72	5,793	62.0	0.82	41.0	0.58
Bones & Joints	87	1.2	0.14	1.1	0.13	47	0.7	0.10	0.6	0.10
Soft Tissue (incl. heart)	254	3.5	0.23	2.6	0.18	219	2.7	0.19	2.2	0.18
Skin (excl. basal & sq.)	2,044	27.7	0.63	18.1	0.43	1,353	16.8	0.47	12.6	0.38
Melanomas of the skin	1,917	25.9	0.60	17.1	0.42	1,275	15.9	0.46	12.0	0.37
Breast (excl. <i>in situ</i>)	98	1.3	0.13	0.8	0.09	10,532	120.0	1.20	86.0	0.90
Female Genital System	-	-	-	-	-	3,935	46.2	0.76	34.2	0.59
Cervix uteri	-	-	-	-	-	672	9.4	0.37	7.5	0.31
Uterus Corpus	-	-	-	-	-	1,733	19.5	0.48	14.6	0.37
Uterus, NOS ¹	-	-	-	-	-	90	1.0	0.11	0.7	0.08
Ovary	-	-	-	-	-	1,071	12.2	0.38	8.5	0.29
Male Genital System	11,356	145.3	1.38	97.0	0.95	-	-	-	-	-
Prostate	10,948	139.0	1.35	91.4	0.90	-	-	-	-	-
Testis	333	5.3	0.29	4.9	0.27	-	-	-	-	-
Penis	55	0.7	0.10	0.5	0.07	-	-	-	-	-
Urinary System	4,376	57.9	0.89	36.0	0.58	1,934	21.1	0.49	14.3	0.37
Bladder (incl. <i>in situ</i>)	2,666	35.8	0.70	20.7	0.42	827	8.7	0.31	5.4	0.21
Kidney & renal pelvis	1,643	21.2	0.53	14.8	0.39	1,063	11.9	0.38	8.7	0.30
Ureter	49	0.6	0.09	0.4	0.06	36	0.4	0.06	0.2	0.04
Eye & Orbit	93	1.3	0.13	0.9	0.10	53	0.7	0.09	0.5	0.09
Brain & Other Nervous System	580	8.0	0.34	6.6	0.31	479	5.8	0.27	4.6	0.25
Brain	537	7.4	0.33	6.0	0.29	444	5.3	0.26	4.2	0.24
Endocrine System	414	5.8	0.29	4.5	0.24	1,151	15.7	0.48	13.1	0.41
Thyroid gland	356	4.9	0.27	3.6	0.20	1,103	15.1	0.47	12.5	0.40
Lymphomas	1,860	25.3	0.60	17.1	0.43	1,706	19.2	0.48	13.2	0.37
Hodgkin Lymphoma	193	2.8	0.21	2.5	0.19	170	2.4	0.19	2.2	0.19
Non-Hodgkin Lymphoma	1,667	22.5	0.56	14.6	0.38	1,536	16.8	0.44	11.0	0.32
Multiple Myeloma	446	5.9	0.28	3.6	0.18	375	4.0	0.21	2.5	0.14
Leukemias	1,245	17.3	0.50	12.0	0.39	981	11.1	0.37	8.0	0.32
Acute lymphocytic	102	1.7	0.17	2.1	0.23	71	1.1	0.14	1.4	0.19
Chronic lymphocytic	430	5.8	0.28	3.3	0.17	317	3.2	0.18	1.9	0.12
Acute myeloid	300	4.1	0.24	2.8	0.18	259	2.9	0.19	2.0	0.15
Chronic myeloid	147	2.1	0.17	1.4	0.13	101	1.2	0.12	0.8	0.10
Other leukemias	266	3.7	0.23	2.3	0.15	233	2.6	0.18	1.7	0.14
Mesothelioma	108	1.4	0.14	0.8	0.08	33	0.4	0.07	0.3	0.05
Kaposi Sarcoma	15	0.3	0.07	0.2	0.05	6	0.1	0.02	0.0	0.01
Ill-defined & Unknown	1,343	18.4	0.51	10.9	0.32	1,271	13.7	0.39	8.3	0.27
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	410	5.7	0.28	4.2	0.22	820	9.6	0.35	7.0	0.27
Breast (<i>in situ</i>)	14	0.2	0.05	0.1	0.04	2,088	24.0	0.54	17.8	0.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,882	626.6	12.67	413.9	7.86	2,552	420.8	8.50	293.8	5.99
Oral Cavity & Pharynx	86	16.1	1.85	12.2	1.34	41	6.6	1.06	4.8	0.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	19	3.3	0.79	2.5	0.59	10	1.7	0.55	1.0	0.34
Major salivary gland	10	1.7	0.57	1.3	0.42	6	0.8	0.35	0.8	0.33
Floor of mouth	6	1.0	0.42	0.9	0.38	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	12	2.1	0.61	1.4	0.40
Nasopharynx	10	1.7	0.59	1.3	0.43	-	-	-	-	-
Oropharynx	8	2.1	0.78	1.2	0.43	-	-	-	-	-
Hypopharynx	14	2.8	0.76	2.2	0.60	-	-	-	-	-
Digestive System	558	120.0	5.56	78.1	3.37	501	85.1	3.87	54.8	2.54
Esophagus	32	6.8	1.28	4.8	0.86	10	1.7	0.53	1.2	0.39
Stomach	63	14.9	2.06	8.7	1.12	50	8.7	1.26	5.7	0.83
Small intestine	14	2.8	0.83	2.0	0.55	14	2.2	0.60	1.7	0.46
Colon excl. rectum	198	44.0	3.43	27.9	2.02	221	37.2	2.55	24.2	1.68
Rectum & rectosigmoid	86	16.5	1.95	11.9	1.31	69	11.4	1.39	7.9	0.98
Anus, anal canal & anorectum	6	1.8	0.78	0.9	0.37	9	1.5	0.50	1.1	0.37
Liver	56	10.4	1.52	7.6	1.04	22	3.7	0.79	2.1	0.48
Gallbladder	-	-	-	-	-	12	2.3	0.66	1.1	0.34
Pancreas	83	18.1	2.15	11.6	1.30	82	14.3	1.61	8.6	1.00
Respiratory System	535	116.5	5.44	77.5	3.41	341	58.6	3.24	38.6	2.16
Larynx	41	8.3	1.39	5.9	0.94	17	2.9	0.73	2.0	0.50
Lung & bronchus	491	107.5	5.24	71.2	3.27	319	54.9	3.14	36.1	2.09
Bones & Joints	6	0.7	0.30	0.8	0.32	-	-	-	-	-
Soft Tissue (incl. heart)	26	4.3	0.96	3.4	0.66	17	2.6	0.63	2.1	0.51
Skin (excl. basal & sq.)	17	3.7	0.99	2.4	0.60	16	2.7	0.70	1.7	0.44
Melanomas of the skin	13	3.1	0.94	1.9	0.54	10	1.7	0.54	1.0	0.34
Breast (excl. <i>in situ</i>)	13	2.5	0.75	1.8	0.50	803	130.3	4.68	94.1	3.39
Female Genital System	-	-	-	-	-	257	42.1	2.68	30.3	1.94
Cervix uteri	-	-	-	-	-	55	8.8	1.21	6.5	0.90
Uterus Corpus	-	-	-	-	-	117	19.5	1.84	13.8	1.31
Uterus, NOS ¹	-	-	-	-	-	7	1.2	0.48	0.8	0.31
Ovary	-	-	-	-	-	60	9.7	1.28	7.0	0.93
Male Genital System	1,128	253.8	8.15	166.3	5.05	-	-	-	-	-
Prostate	1,116	251.8	8.12	164.7	5.02	-	-	-	-	-
Testis	10	1.4	0.46	1.3	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	165	38.2	3.23	23.2	1.84	132	22.0	1.95	14.6	1.32
Bladder (incl. <i>in situ</i>)	72	18.5	2.38	10.2	1.23	45	7.8	1.18	4.6	0.72
Kidney & renal pelvis	89	18.2	2.07	12.5	1.35	83	13.4	1.50	9.7	1.09
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	38	6.4	1.13	5.5	0.90	36	5.8	0.99	4.5	0.76
Brain	37	6.3	1.13	5.3	0.88	31	5.1	0.94	3.8	0.70
Endocrine System	17	3.3	0.90	2.3	0.58	72	10.8	1.30	8.9	1.07
Thyroid gland	13	2.7	0.86	1.7	0.49	61	9.1	1.19	7.5	0.97
Lymphomas	94	17.8	2.02	12.5	1.31	95	14.8	1.56	11.6	1.22
Hodgkin Lymphoma	25	3.5	0.72	3.2	0.64	11	1.5	0.45	1.4	0.43
Non-Hodgkin Lymphoma	69	14.3	1.89	9.3	1.14	84	13.3	1.49	10.2	1.14
Multiple Myeloma	52	12.3	1.83	7.4	1.05	71	12.3	1.48	8.1	1.00
Leukemias	60	12.2	1.74	8.4	1.11	75	11.3	1.34	9.4	1.12
Acute lymphocytic	6	0.7	0.28	0.9	0.37	7	0.8	0.30	1.2	0.44
Chronic lymphocytic	16	3.8	1.02	2.4	0.60	13	2.2	0.63	1.6	0.47
Acute myeloid	21	3.4	0.80	2.8	0.62	19	2.9	0.69	2.4	0.56
Chronic myeloid	-	-	-	-	-	11	1.5	0.46	1.3	0.39
Other leukemias	-	-	-	-	-	25	3.9	0.80	3.0	0.62
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	77	16.8	2.07	11.0	1.28	88	14.8	1.61	9.4	1.05
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	33	5.4	1.00	4.4	0.78	66	10.7	1.35	7.7	0.97
Breast (<i>in situ</i>)	-	-	-	-	-	168	26.9	2.12	19.8	1.56

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	49,483	508.8	2.33	334.5	1.58	48,003	429.2	2.00	297.0	1.48
Oral Cavity & Pharynx	1,533	14.9	0.39	10.8	0.28	729	6.4	0.24	4.4	0.18
Lip	101	1.1	0.11	0.7	0.07	28	0.2	0.05	0.2	0.03
Tongue	482	4.6	0.21	3.4	0.16	209	1.9	0.13	1.3	0.10
Major salivary gland	141	1.5	0.13	0.9	0.08	91	0.8	0.09	0.6	0.07
Floor of mouth	78	0.8	0.09	0.5	0.06	56	0.5	0.06	0.3	0.05
Gum & other mouth	129	1.3	0.12	0.9	0.08	169	1.5	0.12	0.9	0.08
Nasopharynx	55	0.5	0.07	0.4	0.06	27	0.3	0.05	0.2	0.04
Oropharynx	73	0.7	0.08	0.5	0.06	30	0.2	0.05	0.2	0.03
Hypopharynx	76	0.8	0.09	0.5	0.06	32	0.3	0.05	0.2	0.03
Digestive System	8,925	92.2	1.00	58.3	0.64	7,560	65.3	0.77	40.5	0.52
Esophagus	939	9.7	0.32	6.1	0.21	235	2.0	0.13	1.2	0.09
Stomach	670	7.0	0.28	4.3	0.17	396	3.5	0.18	2.2	0.12
Small intestine	233	2.4	0.16	1.6	0.11	197	1.7	0.12	1.2	0.09
Colon excl. rectum	2,937	31.2	0.59	18.6	0.36	3,213	27.6	0.50	16.1	0.32
Rectum & rectosigmoid	1,410	14.2	0.39	9.6	0.26	1,032	9.2	0.29	6.2	0.21
Anus, anal canal & anorectum	139	1.4	0.12	1.0	0.09	293	2.5	0.15	1.8	0.11
Liver	991	9.4	0.30	6.9	0.23	343	3.0	0.16	2.0	0.12
Gallbladder	66	0.7	0.08	0.4	0.05	122	1.0	0.10	0.7	0.07
Pancreas	1,227	12.8	0.37	7.8	0.23	1,244	10.6	0.31	6.4	0.20
Respiratory System	7,241	76.1	0.91	45.9	0.56	6,749	59.3	0.73	36.7	0.48
Larynx	452	4.5	0.22	3.0	0.15	129	1.1	0.10	0.8	0.07
Lung & bronchus	6,693	70.6	0.88	42.2	0.54	6,564	57.6	0.72	35.6	0.48
Bones & Joints	109	1.2	0.11	1.0	0.11	76	0.8	0.09	0.8	0.10
Soft Tissue (incl. heart)	377	4.0	0.21	2.9	0.16	285	2.7	0.16	2.1	0.14
Skin (excl. basal & sq.)	3,081	31.5	0.58	21.6	0.41	2,577	24.4	0.49	18.7	0.40
Melanomas of the skin	2,925	29.9	0.56	20.6	0.40	2,439	23.2	0.48	17.9	0.39
Breast (excl. <i>in situ</i>)	97	1.0	0.10	0.6	0.07	14,458	129.5	1.10	92.9	0.82
Female Genital System	-	-	-	-	-	5,617	50.4	0.69	37.1	0.52
Cervix uteri	-	-	-	-	-	692	7.2	0.28	5.7	0.22
Uterus Corpus	-	-	-	-	-	2,872	25.0	0.48	18.7	0.36
Uterus, NOS ¹	-	-	-	-	-	58	0.5	0.07	0.3	0.05
Ovary	-	-	-	-	-	1,511	13.4	0.35	9.5	0.26
Male Genital System	14,754	146.7	1.23	101.6	0.86	-	-	-	-	-
Prostate	14,076	139.3	1.20	95.1	0.82	-	-	-	-	-
Testis	590	6.5	0.27	6.0	0.25	-	-	-	-	-
Penis	69	0.7	0.09	0.4	0.06	-	-	-	-	-
Urinary System	5,455	57.5	0.79	34.9	0.50	2,357	20.6	0.43	13.5	0.31
Bladder (incl. <i>in situ</i>)	3,441	37.1	0.64	21.0	0.37	1,109	9.5	0.29	5.6	0.19
Kidney & renal pelvis	1,915	19.3	0.45	13.4	0.32	1,189	10.6	0.31	7.6	0.24
Ureter	60	0.7	0.09	0.3	0.04	37	0.3	0.05	0.2	0.03
Eye & Orbit	135	1.4	0.12	1.1	0.11	114	1.1	0.10	1.0	0.10
Brain & Other Nervous System	870	9.0	0.31	7.3	0.27	641	6.2	0.25	5.3	0.23
Brain	842	8.7	0.30	7.0	0.26	598	5.7	0.24	4.8	0.22
Endocrine System	610	6.2	0.26	4.9	0.21	1,740	17.6	0.43	14.5	0.36
Thyroid gland	540	5.5	0.24	4.2	0.19	1,680	17.0	0.42	14.0	0.36
Lymphomas	2,490	26.2	0.53	18.0	0.38	1,983	17.9	0.41	12.5	0.31
Hodgkin Lymphoma	320	3.4	0.19	3.1	0.18	253	2.6	0.17	2.4	0.16
Non-Hodgkin Lymphoma	2,170	22.8	0.50	15.0	0.34	1,730	15.3	0.37	10.0	0.27
Multiple Myeloma	609	6.4	0.26	3.9	0.16	432	3.7	0.18	2.3	0.12
Leukemias	1,325	14.2	0.40	10.0	0.31	1,039	9.4	0.30	7.1	0.27
Acute lymphocytic	171	1.9	0.15	2.4	0.19	135	1.5	0.13	1.9	0.18
Chronic lymphocytic	454	4.8	0.23	2.8	0.14	305	2.5	0.15	1.5	0.10
Acute myeloid	335	3.6	0.20	2.4	0.14	354	3.2	0.17	2.3	0.14
Chronic myeloid	161	1.7	0.14	1.2	0.10	108	1.0	0.10	0.7	0.07
Other leukemias	204	2.2	0.16	1.4	0.10	137	1.2	0.10	0.7	0.07
Mesothelioma	163	1.8	0.15	0.9	0.08	69	0.6	0.07	0.3	0.04
Kaposi Sarcoma	39	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,670	18.0	0.45	10.3	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	656	6.8	0.27	5.2	0.22	1,187	11.0	0.33	8.4	0.26
Breast (<i>in situ</i>)	11	0.1	0.03	0.1	0.02	3,518	32.1	0.55	24.2	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	45,875	497.6	2.37	327.0	1.61	45,052	426.9	2.06	295.8	1.53
Oral Cavity & Pharynx	1,431	14.8	0.40	10.7	0.29	673	6.3	0.25	4.3	0.18
Lip	97	1.1	0.11	0.7	0.07	28	0.2	0.05	0.2	0.04
Tongue	448	4.5	0.22	3.4	0.16	192	1.8	0.14	1.3	0.10
Major salivary gland	133	1.5	0.13	0.9	0.08	85	0.8	0.09	0.6	0.07
Floor of mouth	74	0.8	0.09	0.5	0.06	52	0.5	0.07	0.3	0.05
Gum & other mouth	119	1.3	0.12	0.8	0.08	158	1.5	0.12	0.9	0.08
Nasopharynx	43	0.4	0.07	0.3	0.05	20	0.2	0.05	0.2	0.04
Oropharynx	67	0.7	0.09	0.5	0.06	27	0.2	0.05	0.2	0.03
Hypopharynx	69	0.7	0.09	0.5	0.06	29	0.3	0.05	0.2	0.04
Digestive System	8,202	89.2	1.00	56.3	0.65	7,010	63.8	0.78	39.5	0.53
Esophagus	895	9.8	0.33	6.1	0.21	214	1.9	0.13	1.1	0.09
Stomach	610	6.7	0.28	4.2	0.18	340	3.1	0.17	2.0	0.12
Small intestine	222	2.4	0.17	1.6	0.11	186	1.7	0.13	1.2	0.10
Colon excl. rectum	2,723	30.5	0.59	18.1	0.36	3,027	27.3	0.51	15.9	0.33
Rectum & rectosigmoid	1,288	13.7	0.39	9.2	0.27	933	8.8	0.30	5.9	0.21
Anus, anal canal & anorectum	130	1.4	0.13	1.0	0.09	288	2.7	0.16	1.9	0.12
Liver	836	8.3	0.29	6.1	0.22	299	2.7	0.16	1.9	0.12
Gallbladder	55	0.6	0.08	0.4	0.05	109	1.0	0.10	0.6	0.07
Pancreas	1,158	12.7	0.38	7.7	0.24	1,168	10.5	0.31	6.4	0.21
Respiratory System	6,833	75.3	0.93	45.4	0.57	6,435	59.4	0.75	36.9	0.50
Larynx	426	4.5	0.22	3.0	0.15	126	1.2	0.10	0.8	0.08
Lung & bronchus	6,317	69.8	0.89	41.7	0.55	6,256	57.7	0.74	35.7	0.49
Bones & Joints	99	1.1	0.12	1.0	0.11	70	0.8	0.09	0.7	0.10
Soft Tissue (incl. heart)	349	3.9	0.21	2.9	0.17	262	2.6	0.17	2.0	0.15
Skin (excl. basal & sq.)	2,996	32.5	0.61	22.3	0.43	2,505	25.5	0.52	19.6	0.42
Melanomas of the skin	2,846	30.8	0.59	21.3	0.42	2,376	24.3	0.51	18.8	0.42
Breast (excl. <i>in situ</i>)	90	1.0	0.11	0.6	0.07	13,558	129.0	1.13	92.5	0.84
Female Genital System	-	-	-	-	-	5,281	50.3	0.71	37.1	0.54
Cervix uteri	-	-	-	-	-	615	6.9	0.29	5.5	0.23
Uterus Corpus	-	-	-	-	-	2,707	25.0	0.49	18.7	0.38
Uterus, NOS ¹	-	-	-	-	-	57	0.5	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,435	13.5	0.36	9.6	0.28
Male Genital System	13,385	140.2	1.24	97.2	0.87	-	-	-	-	-
Prostate	12,761	132.7	1.20	90.6	0.82	-	-	-	-	-
Testis	543	6.6	0.28	6.1	0.27	-	-	-	-	-
Penis	64	0.7	0.09	0.4	0.06	-	-	-	-	-
Urinary System	5,088	56.4	0.80	34.2	0.51	2,193	20.2	0.44	13.3	0.32
Bladder (incl. <i>in situ</i>)	3,228	36.5	0.65	20.6	0.38	1,034	9.3	0.29	5.5	0.19
Kidney & renal pelvis	1,765	18.8	0.46	13.0	0.32	1,102	10.4	0.32	7.5	0.25
Ureter	59	0.7	0.09	0.3	0.05	36	0.3	0.05	0.2	0.03
Eye & Orbit	134	1.5	0.13	1.2	0.12	108	1.1	0.11	1.0	0.11
Brain & Other Nervous System	829	9.2	0.32	7.4	0.28	602	6.2	0.26	5.3	0.25
Brain	804	8.9	0.32	7.2	0.28	562	5.8	0.25	4.9	0.23
Endocrine System	546	6.0	0.26	4.7	0.21	1,561	17.2	0.45	14.2	0.38
Thyroid gland	486	5.3	0.24	4.1	0.19	1,508	16.6	0.44	13.7	0.37
Lymphomas	2,320	25.9	0.55	17.9	0.40	1,858	17.8	0.42	12.4	0.33
Hodgkin Lymphoma	293	3.4	0.20	3.1	0.19	235	2.6	0.18	2.5	0.17
Non-Hodgkin Lymphoma	2,027	22.5	0.51	14.8	0.35	1,623	15.1	0.38	10.0	0.28
Multiple Myeloma	565	6.3	0.27	3.8	0.17	400	3.6	0.18	2.2	0.12
Leukemias	1,245	14.2	0.41	10.0	0.32	968	9.3	0.31	7.0	0.28
Acute lymphocytic	155	1.9	0.16	2.4	0.21	119	1.5	0.14	1.9	0.19
Chronic lymphocytic	430	4.8	0.23	2.7	0.14	289	2.5	0.15	1.5	0.10
Acute myeloid	311	3.5	0.20	2.3	0.14	327	3.1	0.18	2.3	0.15
Chronic myeloid	156	1.8	0.14	1.2	0.10	100	0.9	0.10	0.6	0.07
Other leukemias	193	2.2	0.16	1.4	0.11	133	1.2	0.11	0.7	0.08
Mesothelioma	159	1.9	0.15	1.0	0.08	68	0.6	0.07	0.3	0.04
Kaposi Sarcoma	34	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,570	17.8	0.46	10.1	0.28	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	580	6.4	0.27	5.0	0.22	1,071	10.6	0.33	8.1	0.27
Breast (<i>in situ</i>)	11	0.1	0.03	0.1	0.03	3,225	31.4	0.57	23.7	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

OREGON

320 Incidence – White

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	664	500.6	21.85	336.1	13.44	456	343.7	16.67	227.2	11.02
Oral Cavity & Pharynx	7	5.4	2.38	3.4	1.33	6	4.8	2.06	2.5	1.03
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	149	110.5	10.13	76.2	6.41	96	75.1	7.89	47.1	5.02
Esophagus	7	6.3	2.55	4.1	1.58	-	-	-	-	-
Stomach	11	8.2	2.77	5.6	1.74	7	6.1	2.33	3.8	1.48
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	61	47.3	6.86	30.5	4.02	40	32.3	5.26	19.5	3.23
Rectum & rectosigmoid	17	11.1	3.04	8.3	2.07	9	7.1	2.44	4.8	1.64
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	36	26.9	4.99	18.6	3.17	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	6.5	2.04	5.8	1.77	20	15.6	3.57	8.8	2.07
Respiratory System	116	98.2	10.10	61.9	5.90	63	54.1	7.01	32.0	4.20
Larynx	6	4.2	1.78	3.6	1.47	-	-	-	-	-
Lung & bronchus	109	93.2	9.91	57.7	5.67	62	53.2	6.97	31.3	4.14
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	146	106.7	9.12	72.9	6.23
Female Genital System	-	-	-	-	-	46	32.8	5.00	23.4	3.56
Cervix uteri	-	-	-	-	-	14	9.4	2.62	6.8	1.85
Uterus Corpus	-	-	-	-	-	18	12.9	3.10	9.8	2.39
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	8.5	2.67	5.4	1.68
Male Genital System	233	170.4	12.47	119.2	8.05	-	-	-	-	-
Prostate	228	168.4	12.43	117.4	8.01	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	45.4	6.86	27.2	3.75	23	17.9	3.83	11.7	2.54
Bladder (incl. <i>in situ</i>)	22	19.8	4.73	11.1	2.42	7	6.5	2.48	2.8	1.16
Kidney & renal pelvis	33	24.5	4.85	15.5	2.78	14	9.9	2.70	7.8	2.13
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	14	9.0	2.49	6.6	1.83
Thyroid gland	-	-	-	-	-	13	8.4	2.40	6.1	1.76
Lymphomas	27	15.6	3.43	11.3	2.22	14	9.3	2.59	7.7	2.10
Hodgkin Lymphoma	-	-	-	-	-	6	3.2	1.35	3.1	1.27
Non-Hodgkin Lymphoma	-	-	-	-	-	8	6.1	2.21	4.6	1.67
Multiple Myeloma	21	13.9	3.36	10.1	2.28	8	5.7	2.06	3.8	1.42
Leukemias	19	13.2	3.65	8.7	2.05	15	9.4	2.53	7.8	2.06
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	3.8	1.64	2.8	1.21	10	6.2	2.04	5.1	1.64
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	18	15.8	4.11	9.5	2.30	15	12.3	3.28	6.7	1.79
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	14	8.9	2.73	6.3	1.75	24	16.2	3.48	12.3	2.56
Breast (<i>in situ</i>)	-	-	-	-	-	31	20.6	3.80	16.0	2.92

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	793	320.2	12.17	201.9	7.33	994	269.6	8.88	187.2	6.13
Oral Cavity & Pharynx	26	8.5	1.77	6.1	1.21	20	5.1	1.16	3.9	0.89
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	3.6	1.23	2.4	0.77	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	6	1.6	0.65	1.2	0.49
Nasopharynx	9	2.7	0.97	1.9	0.65	6	1.3	0.55	1.2	0.49
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	266	109.6	7.23	64.8	4.06	205	60.3	4.37	37.5	2.72
Esophagus	13	5.9	1.75	3.3	0.93	7	1.6	0.63	1.4	0.54
Stomach	31	14.0	2.68	7.3	1.34	28	8.0	1.57	5.3	1.03
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	60	26.8	3.70	14.8	1.95	57	17.2	2.37	9.7	1.35
Rectum & rectosigmoid	37	14.2	2.54	8.6	1.45	37	10.7	1.83	6.8	1.15
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	80	29.8	3.58	19.3	2.22	19	6.0	1.41	3.9	0.93
Gallbladder	-	-	-	-	-	8	2.2	0.79	1.5	0.54
Pancreas	24	11.2	2.43	6.0	1.24	34	10.5	1.87	6.3	1.11
Respiratory System	112	50.8	5.05	29.1	2.80	105	33.0	3.33	19.5	1.97
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	110	50.2	5.03	28.6	2.79	104	32.6	3.30	19.4	1.97
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	2.4	0.98	1.7	0.64	12	3.0	0.90	2.3	0.67
Skin (excl. basal & sq.)	7	2.5	0.99	2.0	0.77	7	2.0	0.77	1.3	0.50
Melanomas of the skin	6	2.1	0.91	1.7	0.70	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	298	76.0	4.53	57.5	3.41
Female Genital System	-	-	-	-	-	130	30.9	2.78	24.3	2.18
Cervix uteri	-	-	-	-	-	39	8.8	1.44	7.2	1.19
Uterus Corpus	-	-	-	-	-	57	13.4	1.82	10.6	1.44
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	31	7.7	1.43	5.9	1.08
Male Genital System	159	62.9	5.25	43.6	3.52	-	-	-	-	-
Prostate	149	60.6	5.19	41.5	3.45	-	-	-	-	-
Testis	7	1.6	0.60	1.4	0.55	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	61	26.4	3.60	15.0	1.96	27	8.4	1.66	4.8	0.95
Bladder (incl. <i>in situ</i>)	27	13.5	2.71	6.5	1.28	10	3.6	1.15	1.5	0.50
Kidney & renal pelvis	34	12.9	2.37	8.5	1.48	17	4.8	1.20	3.3	0.81
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	3.0	1.02	2.8	0.90	16	4.2	1.08	3.7	0.97
Brain	10	3.0	1.02	2.8	0.90	15	4.0	1.06	3.3	0.89
Endocrine System	27	8.0	1.64	6.1	1.21	70	16.1	1.99	13.1	1.61
Thyroid gland	21	6.4	1.49	4.5	1.00	65	14.8	1.90	12.1	1.53
Lymphomas	47	17.9	2.82	12.2	1.83	41	12.7	2.05	7.7	1.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	3.5	1.25	2.4	0.83	9	2.4	0.81	1.8	0.61
Leukemias	24	8.3	1.87	6.4	1.33	21	5.7	1.28	4.4	1.03
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	12	4.3	1.34	3.2	0.93	10	2.7	0.89	2.0	0.69
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	32	14.7	2.76	8.1	1.46	29	9.2	1.77	4.6	0.88
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	17	6.7	1.77	3.6	0.89	33	9.1	1.66	6.2	1.12
Breast (<i>in situ</i>)	-	-	-	-	-	103	25.7	2.60	19.6	1.97

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	475	502.8	27.83	302.7	14.30	555	490.1	22.99	311.6	13.56
Oral Cavity & Pharynx	13	12.6	4.33	8.1	2.31	9	8.4	3.11	4.8	1.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	5.7	2.41	4.1	1.57	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	110	108.1	12.01	67.6	6.60	114	112.1	11.47	65.7	6.32
Esophagus	9	9.9	3.69	5.7	1.92	8	9.7	3.56	5.3	1.90
Stomach	-	-	-	-	-	10	10.6	3.61	5.9	1.92
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	22	23.8	5.68	14.7	3.16	28	32.1	6.45	17.4	3.35
Rectum & rectosigmoid	24	24.0	5.68	13.9	2.89	27	21.4	4.53	14.3	2.82
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	24	17.3	3.94	13.7	2.85	12	8.8	2.78	6.5	1.92
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	15	15.8	5.00	9.3	2.47	14	15.2	4.40	8.0	2.21
Respiratory System	90	116.4	14.32	62.1	6.71	99	100.0	10.92	58.7	6.05
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	82	107.8	13.78	57.2	6.46	97	98.6	10.87	57.3	5.97
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	5.5	2.25	4.0	1.59	-	-	-	-	-
Skin (excl. basal & sq.)	18	14.4	3.91	10.0	2.41	16	11.3	3.10	8.3	2.13
Melanomas of the skin	18	14.4	3.91	10.0	2.41	13	7.9	2.30	6.5	1.85
Breast (excl. <i>in situ</i>)	-	-	-	-	-	152	121.8	10.88	84.3	7.01
Female Genital System	-	-	-	-	-	53	41.5	6.37	27.2	3.80
Cervix uteri	-	-	-	-	-	13	7.7	2.14	6.2	1.72
Uterus Corpus	-	-	-	-	-	25	18.1	4.03	12.9	2.63
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	11.9	3.80	6.6	1.94
Male Genital System	96	106.7	13.37	64.3	6.75	-	-	-	-	-
Prostate	86	101.2	13.25	59.0	6.53	-	-	-	-	-
Testis	7	3.3	1.28	3.3	1.27	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	47	47.1	8.08	28.4	4.26	34	26.3	4.89	19.1	3.37
Bladder (incl. <i>in situ</i>)	19	23.6	6.05	12.3	2.87	-	-	-	-	-
Kidney & renal pelvis	26	19.9	4.33	14.6	2.95	30	22.5	4.40	17.0	3.19
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	10.3	3.85	7.6	2.27	11	9.4	3.20	6.0	1.84
Brain	10	9.4	3.80	6.2	2.04	10	8.7	3.14	5.5	1.78
Endocrine System	9	5.1	1.72	4.6	1.54	13	10.1	3.15	6.8	1.91
Thyroid gland	7	4.1	1.55	3.3	1.26	13	10.1	3.15	6.8	1.91
Lymphomas	26	25.5	6.12	15.6	3.15	19	18.6	4.71	10.8	2.52
Hodgkin Lymphoma	6	4.3	2.15	3.4	1.39	-	-	-	-	-
Non-Hodgkin Lymphoma	20	21.2	5.73	12.2	2.83	-	-	-	-	-
Multiple Myeloma	8	6.2	2.47	4.3	1.56	-	-	-	-	-
Leukemias	12	6.6	1.98	6.6	1.94	9	7.7	2.87	5.4	1.82
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	29.6	7.70	15.5	3.47	16	15.5	4.27	9.0	2.31
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	12	9.3	2.88	6.5	1.91
Breast (<i>in situ</i>)	-	-	-	-	-	20	17.0	4.18	11.2	2.57

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	1,453	426.7	13.83	269.3	7.68	1,542	361.4	10.67	248.7	6.81
Oral Cavity & Pharynx	35	10.5	2.19	6.3	1.17	20	5.1	1.30	3.4	0.82
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	3.6	1.16	2.6	0.78	-	-	-	-	-
Major salivary gland	6	1.4	0.84	0.7	0.34	6	1.2	0.56	1.0	0.43
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	357	108.5	7.01	66.4	3.80	257	72.9	5.08	46.2	3.03
Esophagus	25	7.1	1.68	4.7	1.03	-	-	-	-	-
Stomach	41	12.3	2.32	7.8	1.33	36	9.6	1.82	6.2	1.09
Small intestine	9	2.8	1.21	1.6	0.58	-	-	-	-	-
Colon excl. rectum	91	28.0	3.64	16.3	1.85	73	20.4	2.68	12.6	1.56
Rectum & rectosigmoid	43	12.1	2.36	7.4	1.23	27	6.1	1.28	4.8	0.98
Anus, anal canal & anorectum	-	-	-	-	-	13	4.4	1.30	2.5	0.72
Liver	81	23.5	3.15	15.2	1.81	28	8.9	1.86	5.2	1.01
Gallbladder	-	-	-	-	-	12	3.3	1.05	2.2	0.65
Pancreas	39	14.2	2.63	8.2	1.38	43	13.0	2.17	8.4	1.35
Respiratory System	134	48.8	4.91	28.5	2.58	132	44.0	4.16	25.6	2.33
Larynx	10	2.9	1.14	1.9	0.64	-	-	-	-	-
Lung & bronchus	121	45.4	4.76	26.1	2.48	128	42.8	4.10	25.1	2.32
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	23	2.9	0.86	2.1	0.47	11	1.9	0.72	1.5	0.51
Skin (excl. basal & sq.)	28	7.3	1.72	4.8	0.98	42	9.1	1.64	6.5	1.09
Melanomas of the skin	24	6.2	1.58	4.2	0.93	38	8.1	1.53	5.8	1.03
Breast (excl. <i>in situ</i>)	-	-	-	-	-	439	100.4	5.40	73.0	3.73
Female Genital System	-	-	-	-	-	213	41.9	3.33	30.8	2.28
Cervix uteri	-	-	-	-	-	64	9.4	1.24	7.7	1.01
Uterus Corpus	-	-	-	-	-	79	15.6	2.04	11.6	1.42
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	54	13.1	2.08	8.6	1.24
Male Genital System	389	124.0	7.38	81.6	4.38	-	-	-	-	-
Prostate	351	121.1	7.36	78.7	4.35	-	-	-	-	-
Testis	36	2.7	0.47	2.7	0.45	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	150	43.3	4.32	27.3	2.40	82	22.1	2.74	14.2	1.65
Bladder (incl. <i>in situ</i>)	55	20.6	3.30	10.7	1.52	18	6.4	1.61	3.5	0.85
Kidney & renal pelvis	92	21.2	2.65	15.9	1.81	62	15.1	2.16	10.5	1.40
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	37	7.9	1.77	5.6	1.05	33	4.0	0.77	3.8	0.70
Brain	37	7.9	1.77	5.6	1.05	30	3.6	0.73	3.4	0.67
Endocrine System	34	6.7	1.52	4.8	0.94	117	17.3	1.87	14.3	1.44
Thyroid gland	23	5.4	1.46	3.6	0.85	111	16.6	1.84	13.5	1.39
Lymphomas	110	27.6	3.46	17.5	1.88	71	15.9	2.26	11.2	1.45
Hodgkin Lymphoma	17	2.5	0.87	1.8	0.50	14	1.4	0.44	1.5	0.44
Non-Hodgkin Lymphoma	93	25.1	3.35	15.7	1.82	57	14.5	2.22	9.7	1.39
Multiple Myeloma	22	6.7	1.72	4.3	0.97	21	6.0	1.43	4.2	0.96
Leukemias	71	11.4	1.99	9.4	1.28	62	9.3	1.62	7.4	1.03
Acute lymphocytic	36	2.3	0.41	3.1	0.52	28	2.0	0.40	2.5	0.47
Chronic lymphocytic	10	3.5	1.28	2.3	0.74	-	-	-	-	-
Acute myeloid	16	2.8	0.88	2.3	0.68	22	4.1	1.19	2.5	0.57
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	43	16.6	3.13	8.0	1.33	34	10.4	2.03	5.7	1.04
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	31	4.3	1.12	3.3	0.65	62	12.1	1.80	9.3	1.29
Breast (<i>in situ</i>)	-	-	-	-	-	91	20.1	2.37	14.2	1.58

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

OREGON

324 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	44,619	502.8	2.43	331.2	1.67	43,671	430.9	2.13	299.1	1.60
Oral Cavity & Pharynx	1,397	15.1	0.41	11.0	0.30	654	6.3	0.26	4.4	0.19
Lip	97	1.1	0.12	0.7	0.08	27	0.2	0.05	0.2	0.04
Tongue	435	4.6	0.23	3.5	0.17	190	1.9	0.14	1.3	0.11
Major salivary gland	127	1.5	0.13	0.9	0.09	79	0.8	0.09	0.5	0.07
Floor of mouth	73	0.8	0.09	0.5	0.07	51	0.5	0.07	0.3	0.05
Gum & other mouth	115	1.3	0.12	0.8	0.08	153	1.5	0.12	0.9	0.08
Nasopharynx	40	0.4	0.07	0.3	0.06	18	0.2	0.04	0.1	0.04
Oropharynx	66	0.7	0.09	0.5	0.07	27	0.2	0.05	0.2	0.04
Hypopharynx	67	0.7	0.09	0.5	0.06	28	0.3	0.05	0.2	0.04
Digestive System	7,920	89.3	1.02	56.3	0.67	6,796	63.7	0.79	39.4	0.54
Esophagus	878	9.9	0.34	6.2	0.22	210	1.9	0.14	1.1	0.09
Stomach	577	6.6	0.28	4.1	0.18	310	2.9	0.17	1.8	0.12
Small intestine	214	2.4	0.17	1.6	0.11	183	1.8	0.13	1.3	0.10
Colon excl. rectum	2,647	30.6	0.61	18.2	0.37	2,966	27.5	0.52	16.0	0.33
Rectum & rectosigmoid	1,251	13.9	0.40	9.3	0.27	909	9.0	0.31	6.0	0.22
Anus, anal canal & anorectum	127	1.4	0.13	1.0	0.09	275	2.6	0.16	1.9	0.12
Liver	773	7.9	0.29	5.9	0.22	278	2.6	0.16	1.8	0.13
Gallbladder	53	0.6	0.08	0.4	0.05	99	0.9	0.09	0.6	0.06
Pancreas	1,129	12.8	0.39	7.7	0.24	1,130	10.4	0.32	6.3	0.21
Respiratory System	6,725	76.3	0.95	46.1	0.59	6,319	59.9	0.77	37.3	0.51
Larynx	417	4.5	0.23	3.0	0.15	124	1.2	0.11	0.8	0.08
Lung & bronchus	6,221	70.7	0.91	42.4	0.56	6,143	58.2	0.76	36.1	0.50
Bones & Joints	95	1.2	0.13	1.1	0.13	69	0.8	0.11	0.8	0.12
Soft Tissue (incl. heart)	329	3.9	0.22	3.0	0.19	253	2.7	0.18	2.1	0.16
Skin (excl. basal & sq.)	2,969	33.9	0.64	23.4	0.46	2,466	26.9	0.56	20.8	0.46
Melanomas of the skin	2,823	32.2	0.62	22.4	0.45	2,340	25.6	0.55	20.0	0.45
Breast (excl. <i>in situ</i>)	88	1.0	0.11	0.6	0.07	13,149	130.2	1.17	93.4	0.87
Female Genital System	-	-	-	-	-	5,083	50.5	0.73	37.2	0.56
Cervix uteri	-	-	-	-	-	555	6.8	0.30	5.4	0.24
Uterus Corpus	-	-	-	-	-	2,632	25.2	0.50	18.9	0.39
Uterus, NOS ¹	-	-	-	-	-	57	0.5	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,386	13.5	0.37	9.6	0.29
Male Genital System	13,021	141.3	1.26	98.1	0.89	-	-	-	-	-
Prostate	12,433	133.3	1.22	91.1	0.84	-	-	-	-	-
Testis	509	7.1	0.32	6.5	0.30	-	-	-	-	-
Penis	63	0.7	0.10	0.4	0.06	-	-	-	-	-
Urinary System	4,960	56.9	0.82	34.5	0.52	2,122	20.3	0.45	13.4	0.34
Bladder (incl. <i>in situ</i>)	3,177	36.9	0.66	20.9	0.39	1,018	9.4	0.30	5.6	0.20
Kidney & renal pelvis	1,690	18.8	0.47	13.0	0.34	1,049	10.4	0.33	7.5	0.27
Ureter	58	0.7	0.09	0.3	0.05	36	0.3	0.06	0.2	0.03
Eye & Orbit	129	1.5	0.14	1.2	0.13	104	1.1	0.12	1.0	0.13
Brain & Other Nervous System	799	9.6	0.35	7.9	0.31	571	6.4	0.28	5.5	0.27
Brain	774	9.2	0.34	7.5	0.31	534	5.9	0.27	5.0	0.26
Endocrine System	517	6.1	0.27	4.8	0.23	1,456	17.3	0.47	14.3	0.40
Thyroid gland	465	5.4	0.26	4.2	0.21	1,408	16.8	0.46	13.9	0.39
Lymphomas	2,225	26.2	0.57	18.2	0.42	1,795	18.0	0.44	12.6	0.34
Hodgkin Lymphoma	277	3.6	0.22	3.3	0.21	221	2.8	0.19	2.6	0.19
Non-Hodgkin Lymphoma	1,948	22.6	0.52	14.9	0.37	1,574	15.2	0.40	10.0	0.29
Multiple Myeloma	543	6.2	0.27	3.7	0.17	382	3.5	0.19	2.2	0.12
Leukemias	1,178	14.2	0.42	9.8	0.34	916	9.2	0.32	6.9	0.30
Acute lymphocytic	120	1.8	0.16	2.2	0.22	98	1.4	0.15	1.8	0.21
Chronic lymphocytic	421	4.8	0.24	2.7	0.14	284	2.5	0.15	1.5	0.10
Acute myeloid	297	3.5	0.21	2.3	0.15	307	3.1	0.18	2.2	0.15
Chronic myeloid	152	1.8	0.15	1.2	0.11	98	1.0	0.10	0.7	0.08
Other leukemias	188	2.3	0.17	1.4	0.12	129	1.2	0.11	0.7	0.08
Mesothelioma	156	1.9	0.15	0.9	0.08	67	0.6	0.07	0.3	0.04
Kaposi Sarcoma	32	0.4	0.07	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	1,536	18.0	0.47	10.2	0.28	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	550	6.5	0.28	5.0	0.24	1,013	10.6	0.35	8.1	0.28
Breast (<i>in situ</i>)	11	0.1	0.03	0.1	0.03	3,135	31.9	0.59	24.1	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	652	513.5	22.45	347.4	14.00	451	359.6	17.44	238.4	11.62
Oral Cavity & Pharynx	7	5.7	2.49	3.6	1.40	6	5.0	2.14	2.6	1.08
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	145	110.9	10.18	78.1	6.65	96	78.6	8.23	49.5	5.27
Esophagus	7	6.6	2.65	4.3	1.66	-	-	-	-	-
Stomach	11	8.6	2.88	5.9	1.84	7	6.3	2.42	3.9	1.54
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	60	47.6	6.88	31.4	4.16	40	33.7	5.47	20.4	3.38
Rectum & rectosigmoid	16	9.9	2.61	8.2	2.11	9	7.5	2.55	5.1	1.73
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	35	27.5	5.14	19.0	3.30	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	10	6.3	2.09	5.7	1.82	20	16.3	3.72	9.2	2.18
Respiratory System	113	99.2	10.30	62.9	6.07	63	56.3	7.29	33.6	4.40
Larynx	6	4.4	1.86	3.7	1.55	-	-	-	-	-
Lung & bronchus	106	94.0	10.10	58.4	5.82	62	55.5	7.24	32.8	4.34
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	144	111.4	9.54	76.3	6.56
Female Genital System	-	-	-	-	-	45	34.7	5.30	24.6	3.77
Cervix uteri	-	-	-	-	-	14	10.3	2.82	7.4	2.01
Uterus Corpus	-	-	-	-	-	17	13.2	3.25	9.9	2.48
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	9.1	2.82	5.8	1.80
Male Genital System	230	176.5	12.93	123.8	8.40	-	-	-	-	-
Prostate	225	174.2	12.89	121.7	8.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	47.3	7.10	28.6	3.93	23	18.7	3.99	12.2	2.67
Bladder (incl. <i>in situ</i>)	22	20.5	4.88	11.5	2.53	7	6.7	2.56	2.9	1.20
Kidney & renal pelvis	33	25.7	5.04	16.3	2.93	14	10.4	2.84	8.2	2.25
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	14	9.8	2.68	7.2	1.99
Thyroid gland	-	-	-	-	-	13	9.0	2.57	6.7	1.91
Lymphomas	27	16.7	3.63	12.1	2.39	14	10.0	2.76	8.3	2.25
Hodgkin Lymphoma	-	-	-	-	-	6	3.5	1.47	3.4	1.39
Non-Hodgkin Lymphoma	-	-	-	-	-	8	6.5	2.34	4.9	1.77
Multiple Myeloma	21	14.7	3.52	10.7	2.41	7	5.4	2.09	3.6	1.42
Leukemias	18	13.6	3.80	9.0	2.16	14	9.7	2.67	8.0	2.17
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	4.0	1.73	3.0	1.28	9	6.3	2.14	5.0	1.70
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	18	16.5	4.26	10.0	2.43	15	12.9	3.42	7.1	1.90
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	14	9.6	2.89	6.8	1.87	24	17.3	3.67	13.3	2.75
Breast (<i>in situ</i>)	-	-	-	-	-	31	21.9	4.03	17.0	3.11

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

OREGON

326 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	193,331	573.6	1.32	379.4	0.92	187,381	454.8	1.08	317.1	0.83
Oral Cavity & Pharynx	5,646	16.2	0.22	11.8	0.16	2,633	6.4	0.13	4.5	0.10
Lip	271	0.8	0.05	0.5	0.03	143	0.3	0.03	0.2	0.02
Tongue	1,652	4.7	0.12	3.5	0.09	771	1.9	0.07	1.4	0.05
Major salivary gland	565	1.7	0.07	1.1	0.05	395	1.0	0.05	0.7	0.04
Floor of mouth	385	1.1	0.06	0.8	0.04	155	0.4	0.03	0.3	0.02
Gum & other mouth	671	2.0	0.08	1.3	0.05	581	1.3	0.06	0.9	0.04
Nasopharynx	247	0.7	0.05	0.6	0.04	120	0.3	0.03	0.2	0.03
Oropharynx	231	0.7	0.04	0.5	0.03	81	0.2	0.02	0.1	0.02
Hypopharynx	430	1.2	0.06	0.9	0.04	106	0.3	0.03	0.2	0.02
Digestive System	36,713	109.3	0.58	69.1	0.38	32,169	72.6	0.41	44.5	0.29
Esophagus	3,231	9.5	0.17	6.2	0.11	925	2.1	0.07	1.3	0.05
Stomach	3,432	10.3	0.18	6.4	0.12	1,991	4.4	0.10	2.7	0.07
Small intestine	937	2.7	0.09	1.9	0.06	830	2.0	0.07	1.3	0.05
Colon excl. rectum	12,796	38.8	0.35	23.0	0.22	14,602	32.4	0.28	18.9	0.18
Rectum & rectosigmoid	5,832	17.2	0.23	11.4	0.16	4,407	10.4	0.16	6.9	0.12
Anus, anal canal & anorectum	456	1.4	0.06	1.0	0.05	750	1.9	0.07	1.4	0.05
Liver	3,455	9.8	0.17	7.0	0.12	1,173	2.7	0.08	1.8	0.06
Gallbladder	296	0.9	0.05	0.5	0.03	658	1.4	0.06	0.8	0.04
Pancreas	4,863	14.5	0.21	9.1	0.14	5,106	11.3	0.16	6.8	0.11
Respiratory System	31,144	92.8	0.53	57.6	0.34	25,844	60.1	0.38	39.1	0.27
Larynx	2,419	7.0	0.14	4.8	0.10	629	1.5	0.06	1.1	0.05
Lung & bronchus	28,287	84.4	0.51	51.8	0.33	24,954	57.9	0.37	37.5	0.26
Bones & Joints	345	1.1	0.06	1.0	0.06	298	0.8	0.05	0.7	0.05
Soft Tissue (incl. heart)	1,324	4.1	0.11	3.0	0.09	1,090	2.8	0.09	2.3	0.08
Skin (excl. basal & sq.)	8,332	25.1	0.28	16.7	0.19	6,575	17.4	0.22	13.1	0.18
Melanomas of the skin	7,619	22.8	0.26	15.4	0.19	6,079	16.2	0.21	12.4	0.17
Breast (excl. <i>in situ</i>)	514	1.5	0.07	1.0	0.05	50,664	126.0	0.57	90.7	0.44
Female Genital System	-	-	-	-	-	22,933	56.9	0.38	42.2	0.30
Cervix uteri	-	-	-	-	-	2,708	7.9	0.16	6.3	0.13
Uterus Corpus	-	-	-	-	-	12,599	30.7	0.28	23.2	0.22
Uterus, NOS ¹	-	-	-	-	-	167	0.3	0.03	0.2	0.02
Ovary	-	-	-	-	-	5,432	13.2	0.18	9.4	0.14
Male Genital System	54,375	156.9	0.68	111.0	0.50	-	-	-	-	-
Prostate	52,172	149.5	0.66	104.4	0.47	-	-	-	-	-
Testis	1,899	6.5	0.15	6.0	0.14	-	-	-	-	-
Penis	229	0.7	0.05	0.4	0.03	-	-	-	-	-
Urinary System	22,747	68.4	0.46	42.0	0.30	10,149	23.7	0.24	15.5	0.18
Bladder (incl. <i>in situ</i>)	14,529	44.1	0.37	25.3	0.22	4,935	11.0	0.16	6.7	0.11
Kidney & renal pelvis	7,683	22.7	0.26	15.9	0.19	4,916	12.0	0.18	8.5	0.14
Ureter	316	1.0	0.05	0.5	0.03	197	0.4	0.03	0.2	0.02
Eye & Orbit	270	0.8	0.05	0.7	0.05	254	0.7	0.04	0.6	0.05
Brain & Other Nervous System	2,729	8.4	0.16	6.9	0.15	2,355	6.2	0.13	5.2	0.13
Brain	2,587	7.9	0.16	6.4	0.14	2,133	5.6	0.12	4.6	0.12
Endocrine System	3,231	9.8	0.18	7.8	0.15	9,577	28.1	0.29	23.3	0.25
Thyroid gland	2,940	8.9	0.17	6.9	0.13	9,306	27.3	0.29	22.5	0.25
Lymphomas	9,471	28.8	0.30	19.8	0.22	8,568	20.9	0.23	14.6	0.18
Hodgkin Lymphoma	1,124	3.6	0.11	3.3	0.10	1,004	3.0	0.10	2.8	0.10
Non-Hodgkin Lymphoma	8,347	25.2	0.28	16.6	0.19	7,564	17.8	0.21	11.8	0.16
Multiple Myeloma	2,446	7.3	0.15	4.5	0.10	2,170	4.9	0.11	3.1	0.08
Leukemias	5,538	17.0	0.23	11.9	0.18	4,286	10.4	0.17	7.8	0.15
Acute lymphocytic	559	1.9	0.08	2.3	0.10	458	1.5	0.07	1.8	0.10
Chronic lymphocytic	1,978	5.9	0.13	3.6	0.08	1,412	3.1	0.08	1.8	0.06
Acute myeloid	1,588	4.8	0.12	3.2	0.09	1,338	3.3	0.09	2.3	0.08
Chronic myeloid	708	2.2	0.08	1.5	0.06	544	1.4	0.06	1.0	0.05
Other leukemias	705	2.2	0.08	1.4	0.06	534	1.2	0.06	0.8	0.04
Mesothelioma	807	2.5	0.09	1.3	0.05	225	0.5	0.03	0.3	0.02
Kaposi Sarcoma	163	0.5	0.04	0.4	0.03	16	0.0	0.01	0.0	0.01
Ill-defined & Unknown	7,536	23.1	0.27	13.0	0.16	7,575	16.5	0.19	9.6	0.13
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	2,704	8.3	0.16	6.0	0.13	5,792	14.4	0.20	10.4	0.16
Breast (<i>in situ</i>)	73	0.2	0.02	0.2	0.02	13,203	34.0	0.30	25.8	0.24

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	170,869	558.5	1.37	368.3	0.96	167,100	453.5	1.15	316.3	0.89
Oral Cavity & Pharynx	5,072	16.2	0.23	11.7	0.17	2,330	6.3	0.13	4.4	0.10
Lip	261	0.9	0.05	0.5	0.03	133	0.3	0.03	0.2	0.02
Tongue	1,518	4.8	0.12	3.6	0.10	700	1.9	0.08	1.4	0.06
Major salivary gland	515	1.7	0.08	1.1	0.05	344	1.0	0.05	0.7	0.04
Floor of mouth	349	1.1	0.06	0.8	0.04	138	0.4	0.03	0.3	0.02
Gum & other mouth	599	2.0	0.08	1.3	0.06	527	1.3	0.06	0.8	0.04
Nasopharynx	185	0.6	0.05	0.5	0.04	90	0.3	0.03	0.2	0.02
Oropharynx	192	0.6	0.04	0.5	0.03	66	0.2	0.02	0.1	0.02
Hypopharynx	368	1.1	0.06	0.8	0.04	88	0.2	0.03	0.2	0.02
Digestive System	32,510	106.3	0.60	66.7	0.39	28,369	70.4	0.43	42.8	0.30
Esophagus	2,994	9.7	0.18	6.4	0.12	789	1.9	0.07	1.2	0.05
Stomach	2,979	9.8	0.18	6.0	0.12	1,625	4.0	0.10	2.4	0.07
Small intestine	813	2.6	0.09	1.8	0.07	717	1.9	0.07	1.3	0.05
Colon excl. rectum	11,492	38.1	0.36	22.5	0.23	13,130	32.0	0.29	18.5	0.19
Rectum & rectosigmoid	5,297	17.3	0.24	11.4	0.17	3,930	10.3	0.17	6.8	0.12
Anus, anal canal & anorectum	385	1.3	0.07	0.9	0.05	653	1.8	0.07	1.3	0.06
Liver	2,644	8.4	0.16	5.8	0.12	913	2.3	0.08	1.5	0.06
Gallbladder	259	0.9	0.05	0.5	0.03	575	1.4	0.06	0.8	0.04
Pancreas	4,396	14.3	0.22	8.9	0.14	4,477	10.9	0.17	6.5	0.11
Respiratory System	27,980	91.2	0.55	56.4	0.36	22,927	59.0	0.40	38.4	0.28
Larynx	2,113	6.7	0.15	4.6	0.11	529	1.4	0.06	1.1	0.05
Lung & bronchus	25,479	83.1	0.53	50.9	0.34	22,166	56.9	0.39	36.9	0.28
Bones & Joints	304	1.1	0.06	1.0	0.06	253	0.8	0.05	0.7	0.05
Soft Tissue (incl. heart)	1,192	4.1	0.12	3.0	0.10	950	2.8	0.10	2.2	0.09
Skin (excl. basal & sq.)	7,739	25.8	0.30	17.2	0.21	6,048	18.2	0.24	13.9	0.20
Melanomas of the skin	7,089	23.6	0.28	16.0	0.20	5,609	17.1	0.24	13.1	0.20
Breast (excl. <i>in situ</i>)	446	1.4	0.07	0.9	0.05	45,030	125.6	0.61	90.3	0.47
Female Genital System	-	-	-	-	-	20,693	57.7	0.41	42.8	0.33
Cervix uteri	-	-	-	-	-	2,208	7.5	0.17	6.0	0.14
Uterus Corpus	-	-	-	-	-	11,521	31.6	0.30	23.9	0.24
Uterus, NOS ¹	-	-	-	-	-	146	0.3	0.03	0.2	0.02
Ovary	-	-	-	-	-	4,972	13.5	0.20	9.7	0.15
Male Genital System	45,384	144.5	0.69	102.4	0.50	-	-	-	-	-
Prostate	43,303	136.2	0.66	95.1	0.47	-	-	-	-	-
Testis	1,807	7.3	0.17	6.8	0.17	-	-	-	-	-
Penis	206	0.7	0.05	0.4	0.03	-	-	-	-	-
Urinary System	21,162	69.7	0.48	42.7	0.32	9,168	23.7	0.26	15.6	0.19
Bladder (incl. <i>in situ</i>)	13,777	45.5	0.39	26.1	0.24	4,581	11.3	0.17	6.9	0.12
Kidney & renal pelvis	6,880	22.5	0.27	15.7	0.20	4,314	11.8	0.18	8.3	0.15
Ureter	303	1.0	0.06	0.6	0.03	188	0.5	0.03	0.2	0.02
Eye & Orbit	255	0.9	0.06	0.7	0.05	243	0.7	0.05	0.6	0.05
Brain & Other Nervous System	2,493	8.6	0.18	7.1	0.16	2,166	6.4	0.15	5.4	0.14
Brain	2,376	8.2	0.17	6.7	0.15	1,974	5.8	0.14	4.8	0.13
Endocrine System	2,961	10.2	0.19	8.2	0.16	8,485	28.9	0.32	24.0	0.28
Thyroid gland	2,709	9.3	0.18	7.3	0.15	8,254	28.1	0.32	23.2	0.27
Lymphomas	8,593	29.0	0.32	19.9	0.23	7,813	21.2	0.25	14.8	0.20
Hodgkin Lymphoma	996	3.7	0.12	3.4	0.11	882	3.1	0.11	2.9	0.11
Non-Hodgkin Lymphoma	7,597	25.3	0.29	16.5	0.21	6,931	18.1	0.22	11.9	0.17
Multiple Myeloma	2,070	6.8	0.15	4.1	0.10	1,747	4.4	0.11	2.7	0.07
Leukemias	4,984	16.9	0.24	11.8	0.19	3,863	10.5	0.18	7.9	0.17
Acute lymphocytic	466	1.9	0.09	2.3	0.12	392	1.5	0.08	1.9	0.11
Chronic lymphocytic	1,809	5.9	0.14	3.5	0.09	1,296	3.1	0.09	1.9	0.06
Acute myeloid	1,457	4.9	0.13	3.2	0.09	1,213	3.3	0.10	2.4	0.08
Chronic myeloid	613	2.1	0.09	1.4	0.06	487	1.3	0.06	1.0	0.05
Other leukemias	639	2.2	0.09	1.4	0.06	475	1.2	0.06	0.8	0.05
Mesothelioma	777	2.6	0.09	1.4	0.05	215	0.5	0.04	0.3	0.02
Kaposi Sarcoma	92	0.3	0.04	0.2	0.03	11	0.0	0.01	0.0	0.00
Ill-defined & Unknown	6,855	22.9	0.28	12.8	0.17	6,789	16.2	0.20	9.4	0.14
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	2,391	8.2	0.17	6.0	0.14	5,127	14.4	0.21	10.3	0.17
Breast (<i>in situ</i>)	64	0.2	0.03	0.2	0.02	11,580	33.8	0.32	25.7	0.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	15,579	621.6	5.22	422.7	3.46	15,947	448.8	3.58	312.5	2.60
Oral Cavity & Pharynx	423	15.7	0.80	11.7	0.58	222	6.2	0.42	4.6	0.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	97	3.5	0.36	2.7	0.28	51	1.5	0.20	1.0	0.15
Major salivary gland	35	1.3	0.24	0.9	0.16	35	0.9	0.16	0.7	0.13
Floor of mouth	32	1.3	0.23	0.9	0.16	16	0.4	0.11	0.3	0.09
Gum & other mouth	45	1.7	0.27	1.3	0.20	41	1.2	0.18	0.8	0.13
Nasopharynx	28	0.9	0.17	0.7	0.14	15	0.4	0.10	0.3	0.09
Oropharynx	37	1.5	0.25	1.0	0.17	15	0.4	0.11	0.3	0.09
Hypopharynx	55	2.1	0.29	1.5	0.21	16	0.5	0.11	0.3	0.09
Digestive System	3,362	134.8	2.44	89.3	1.57	3,154	89.6	1.61	57.9	1.09
Esophagus	186	7.5	0.57	5.1	0.38	125	3.5	0.31	2.4	0.22
Stomach	361	15.7	0.87	9.4	0.51	293	8.3	0.49	5.1	0.32
Small intestine	111	4.5	0.45	3.0	0.29	98	2.8	0.28	1.8	0.19
Colon excl. rectum	1,063	45.1	1.45	28.0	0.88	1,236	35.2	1.01	22.4	0.68
Rectum & rectosigmoid	407	16.1	0.84	10.6	0.54	359	10.1	0.54	6.9	0.39
Anus, anal canal & anorectum	61	2.0	0.27	1.6	0.20	80	2.2	0.25	1.7	0.19
Liver	629	21.5	0.89	16.9	0.69	196	5.4	0.39	3.8	0.29
Gallbladder	33	1.3	0.24	0.9	0.17	67	1.9	0.24	1.2	0.15
Pancreas	402	16.6	0.87	10.8	0.55	567	16.3	0.69	10.0	0.45
Respiratory System	2,787	118.7	2.35	75.2	1.46	2,664	75.7	1.48	50.1	1.02
Larynx	254	10.3	0.67	7.0	0.45	89	2.5	0.27	1.7	0.19
Lung & bronchus	2,502	107.2	2.24	67.3	1.38	2,551	72.5	1.45	47.9	1.00
Bones & Joints	30	1.0	0.19	0.8	0.15	31	0.8	0.15	0.8	0.15
Soft Tissue (incl. heart)	95	3.3	0.36	2.5	0.26	115	3.1	0.29	2.5	0.25
Skin (excl. basal & sq.)	54	2.1	0.31	1.4	0.20	50	1.4	0.20	1.1	0.16
Melanomas of the skin	31	1.4	0.26	0.8	0.14	22	0.6	0.14	0.4	0.10
Breast (excl. <i>in situ</i>)	53	2.2	0.33	1.4	0.20	4,564	127.8	1.90	92.2	1.42
Female Genital System	-	-	-	-	-	1,715	47.9	1.16	35.3	0.88
Cervix uteri	-	-	-	-	-	365	10.3	0.54	7.9	0.42
Uterus Corpus	-	-	-	-	-	828	23.1	0.81	17.0	0.61
Uterus, NOS ¹	-	-	-	-	-	17	0.5	0.11	0.3	0.07
Ovary	-	-	-	-	-	366	10.2	0.54	7.2	0.40
Male Genital System	5,427	211.9	3.00	150.9	2.09	-	-	-	-	-
Prostate	5,362	209.7	2.99	149.2	2.08	-	-	-	-	-
Testis	45	1.4	0.21	1.2	0.19	-	-	-	-	-
Penis	16	0.7	0.17	0.4	0.10	-	-	-	-	-
Urinary System	1,183	48.7	1.49	31.5	0.94	808	22.9	0.81	14.9	0.56
Bladder (incl. <i>in situ</i>)	499	22.7	1.06	13.1	0.60	274	7.8	0.48	4.4	0.29
Kidney & renal pelvis	665	25.1	1.02	17.9	0.71	515	14.5	0.64	10.2	0.47
Ureter	8	0.4	0.15	0.2	0.07	-	-	-	-	-
Eye & Orbit	10	0.2	0.08	0.3	0.10	8	0.2	0.07	0.3	0.10
Brain & Other Nervous System	165	5.5	0.46	4.6	0.37	131	3.6	0.31	3.1	0.29
Brain	146	5.0	0.44	4.0	0.34	113	3.1	0.29	2.7	0.26
Endocrine System	167	6.0	0.49	4.5	0.35	678	18.8	0.73	15.3	0.60
Thyroid gland	138	5.0	0.45	3.6	0.31	646	17.9	0.71	14.6	0.58
Lymphomas	598	20.9	0.90	15.8	0.66	528	14.7	0.65	10.9	0.50
Hodgkin Lymphoma	97	3.0	0.31	2.7	0.27	96	2.6	0.26	2.4	0.24
Non-Hodgkin Lymphoma	501	18.0	0.85	13.2	0.60	432	12.2	0.59	8.5	0.43
Multiple Myeloma	316	13.0	0.76	8.5	0.49	388	11.0	0.56	7.1	0.38
Leukemias	340	13.1	0.76	9.2	0.51	280	7.8	0.47	5.7	0.37
Acute lymphocytic	65	1.8	0.23	2.0	0.25	42	1.1	0.17	1.2	0.19
Chronic lymphocytic	80	3.6	0.42	2.1	0.24	59	1.7	0.22	1.0	0.14
Acute myeloid	97	3.8	0.41	2.6	0.27	102	2.8	0.28	2.0	0.21
Chronic myeloid	57	2.1	0.29	1.5	0.20	33	0.9	0.16	0.7	0.13
Other leukemias	41	1.9	0.31	1.0	0.17	44	1.3	0.19	0.8	0.13
Mesothelioma	21	1.1	0.24	0.5	0.12	10	0.3	0.09	0.2	0.06
Kaposi Sarcoma	58	1.8	0.23	1.6	0.21	-	-	-	-	-
Ill-defined & Unknown	490	21.6	1.02	12.9	0.60	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	211	8.3	0.60	5.6	0.39	480	13.4	0.62	9.6	0.46
Breast (<i>in situ</i>)	6	0.2	0.08	0.2	0.07	1,249	34.6	0.99	25.9	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,429	267.6	8.06	170.8	4.59	1,704	249.3	6.54	171.9	4.24
Oral Cavity & Pharynx	63	9.7	1.39	7.0	0.89	32	4.6	0.87	3.4	0.61
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	12	1.9	0.57	1.4	0.42	7	1.0	0.38	0.8	0.29
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	10	1.5	0.52	1.2	0.37	6	1.1	0.48	0.7	0.28
Nasopharynx	28	4.1	0.92	3.0	0.57	12	1.4	0.40	1.2	0.35
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	435	81.1	4.41	52.0	2.52	350	61.9	3.60	35.0	1.90
Esophagus	23	5.5	1.32	2.7	0.58	8	1.6	0.59	0.8	0.30
Stomach	61	11.6	1.67	7.3	0.94	55	10.2	1.51	5.4	0.73
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	98	20.7	2.43	11.7	1.21	110	18.8	1.95	10.9	1.06
Rectum & rectosigmoid	57	9.6	1.41	6.6	0.88	42	6.3	1.06	4.2	0.65
Anus, anal canal & anorectum	-	-	-	-	-	9	1.5	0.54	1.0	0.33
Liver	114	19.0	1.96	13.6	1.29	48	9.1	1.41	4.8	0.70
Gallbladder	-	-	-	-	-	11	2.0	0.66	1.1	0.35
Pancreas	42	7.5	1.28	5.2	0.82	42	8.1	1.35	4.2	0.65
Respiratory System	215	45.2	3.47	26.2	1.81	145	26.2	2.32	15.2	1.28
Larynx	17	3.0	0.78	2.1	0.50	-	-	-	-	-
Lung & bronchus	189	40.6	3.32	23.1	1.70	139	25.2	2.28	14.6	1.26
Bones & Joints	6	0.6	0.25	0.6	0.26	6	0.7	0.27	0.7	0.31
Soft Tissue (incl. heart)	13	3.0	1.05	1.7	0.49	7	0.9	0.34	0.7	0.28
Skin (excl. basal & sq.)	10	1.4	0.48	1.1	0.36	12	1.6	0.52	1.1	0.32
Melanomas of the skin	-	-	-	-	-	8	1.0	0.40	0.7	0.27
Breast (excl. <i>in situ</i>)	-	-	-	-	-	504	65.7	3.06	49.9	2.26
Female Genital System	-	-	-	-	-	200	26.7	2.01	20.1	1.44
Cervix uteri	-	-	-	-	-	68	9.2	1.21	6.5	0.80
Uterus Corpus	-	-	-	-	-	71	9.3	1.15	7.3	0.88
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	51	6.6	0.98	5.3	0.75
Male Genital System	297	57.6	3.71	37.0	2.17	-	-	-	-	-
Prostate	275	55.1	3.66	34.8	2.11	-	-	-	-	-
Testis	17	1.7	0.42	1.5	0.38	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	108	21.1	2.31	12.8	1.25	49	7.3	1.13	5.4	0.78
Bladder (incl. <i>in situ</i>)	62	13.4	1.91	7.3	0.94	17	2.9	0.76	1.8	0.44
Kidney & renal pelvis	41	6.8	1.20	4.9	0.78	30	4.0	0.80	3.3	0.62
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	26	3.3	0.70	3.1	0.62	24	3.3	0.74	2.5	0.54
Brain	24	3.1	0.68	2.9	0.61	20	2.8	0.70	2.2	0.51
Endocrine System	43	5.6	0.86	4.7	0.73	197	22.8	1.72	18.8	1.37
Thyroid gland	40	5.2	0.83	4.3	0.69	192	22.3	1.71	18.1	1.33
Lymphomas	82	14.3	1.86	8.8	0.99	70	10.2	1.32	7.3	0.89
Hodgkin Lymphoma	13	1.4	0.45	1.2	0.33	10	1.1	0.41	1.0	0.33
Non-Hodgkin Lymphoma	69	12.9	1.80	7.6	0.93	60	9.1	1.25	6.3	0.82
Multiple Myeloma	19	4.6	1.25	2.4	0.57	13	2.0	0.58	1.5	0.42
Leukemias	57	8.8	1.34	7.0	0.96	45	6.0	0.97	4.9	0.77
Acute lymphocytic	14	1.5	0.42	1.9	0.53	13	1.3	0.37	1.7	0.50
Chronic lymphocytic	7	1.2	0.45	0.9	0.35	8	1.2	0.45	0.8	0.29
Acute myeloid	19	2.8	0.68	2.3	0.54	16	2.2	0.60	1.7	0.43
Chronic myeloid	8	1.6	0.73	0.9	0.35	-	-	-	-	-
Other leukemias	9	1.6	0.65	0.9	0.31	-	-	-	-	-
Mesothelioma	6	0.9	0.41	0.7	0.29	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	44	9.7	1.69	5.1	0.78	49	9.2	1.43	5.1	0.74
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	28	3.7	0.75	3.2	0.61	69	10.9	1.43	7.2	0.89
Breast (<i>in situ</i>)	-	-	-	-	-	170	21.7	1.71	17.1	1.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	3,315	463.0	9.37	307.0	5.57	3,179	342.6	6.63	240.3	4.41
Oral Cavity & Pharynx	110	15.2	1.68	10.1	1.01	34	3.6	0.67	2.6	0.46
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	26	4.3	0.98	2.4	0.50	11	1.3	0.41	0.9	0.26
Major salivary gland	7	1.2	0.54	0.6	0.24	-	-	-	-	-
Floor of mouth	8	1.4	0.54	0.9	0.31	-	-	-	-	-
Gum & other mouth	11	1.5	0.54	1.1	0.33	-	-	-	-	-
Nasopharynx	6	0.6	0.29	0.5	0.22	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	16	1.6	0.41	1.4	0.37	-	-	-	-	-
Digestive System	845	123.1	4.90	79.1	2.83	548	68.4	3.14	43.5	1.92
Esophagus	57	9.6	1.44	5.7	0.78	10	1.4	0.48	0.8	0.27
Stomach	100	14.7	1.70	9.5	0.99	68	8.2	1.07	5.6	0.70
Small intestine	14	2.2	0.72	1.4	0.37	15	1.9	0.53	1.1	0.29
Colon excl. rectum	254	39.7	2.84	24.6	1.60	196	25.5	1.96	15.3	1.13
Rectum & rectosigmoid	118	15.3	1.64	10.4	1.00	75	7.8	0.96	5.8	0.68
Anus, anal canal & anorectum	21	2.2	0.56	1.4	0.32	15	1.5	0.41	1.1	0.30
Liver	171	21.6	1.90	15.5	1.22	53	7.0	1.02	4.5	0.63
Gallbladder	7	1.4	0.60	0.7	0.27	22	2.7	0.61	1.7	0.37
Pancreas	73	12.5	1.66	7.3	0.88	64	8.7	1.15	5.4	0.69
Respiratory System	362	56.9	3.38	36.3	1.97	242	31.3	2.13	20.4	1.35
Larynx	55	7.9	1.20	5.5	0.77	13	1.3	0.36	1.0	0.30
Lung & bronchus	297	48.2	3.14	30.1	1.80	227	29.7	2.09	19.3	1.31
Bones & Joints	19	1.2	0.29	1.1	0.27	11	0.9	0.29	0.8	0.24
Soft Tissue (incl. heart)	24	2.2	0.60	1.7	0.37	37	3.3	0.59	2.7	0.46
Skin (excl. basal & sq.)	37	4.3	0.87	2.9	0.51	38	3.7	0.66	2.7	0.46
Melanomas of the skin	28	3.2	0.70	2.2	0.45	29	3.0	0.61	2.1	0.40
Breast (excl. <i>in situ</i>)	6	0.8	0.37	0.6	0.25	871	90.9	3.31	65.9	2.31
Female Genital System	-	-	-	-	-	497	49.6	2.41	36.7	1.71
Cervix uteri	-	-	-	-	-	157	12.9	1.10	10.5	0.86
Uterus Corpus	-	-	-	-	-	215	22.4	1.63	16.6	1.17
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	89	9.9	1.14	6.9	0.76
Male Genital System	967	138.0	5.01	95.2	3.17	-	-	-	-	-
Prostate	892	133.2	4.97	90.9	3.13	-	-	-	-	-
Testis	65	3.5	0.45	3.3	0.41	-	-	-	-	-
Penis	9	1.1	0.42	0.9	0.31	-	-	-	-	-
Urinary System	289	46.4	3.17	28.1	1.72	147	17.4	1.57	10.9	0.93
Bladder (incl. <i>in situ</i>)	154	29.5	2.69	16.2	1.34	52	7.8	1.15	3.8	0.55
Kidney & renal pelvis	128	15.6	1.59	11.3	1.05	92	9.0	1.03	6.8	0.74
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	0.3	0.14	0.4	0.14	7	0.5	0.24	0.4	0.17
Brain & Other Nervous System	69	5.8	0.82	5.0	0.64	63	5.3	0.77	4.6	0.61
Brain	66	5.6	0.82	4.8	0.64	55	4.7	0.72	4.1	0.57
Endocrine System	63	5.6	0.78	4.6	0.61	260	20.6	1.39	16.8	1.08
Thyroid gland	53	4.9	0.74	3.9	0.57	252	20.0	1.36	16.3	1.06
Lymphomas	232	25.0	2.01	18.0	1.25	181	18.9	1.55	13.8	1.07
Hodgkin Lymphoma	41	2.9	0.54	2.6	0.42	41	2.8	0.51	2.5	0.40
Non-Hodgkin Lymphoma	191	22.1	1.93	15.4	1.18	140	16.0	1.46	11.3	0.99
Multiple Myeloma	54	8.3	1.32	4.8	0.68	44	5.2	0.83	3.5	0.55
Leukemias	121	12.1	1.42	8.9	0.87	88	7.3	0.89	6.0	0.66
Acute lymphocytic	39	2.6	0.61	2.6	0.43	36	2.2	0.44	2.3	0.39
Chronic lymphocytic	18	3.3	0.86	1.9	0.45	11	1.4	0.44	0.9	0.27
Acute myeloid	26	2.7	0.66	1.9	0.40	21	1.7	0.41	1.4	0.32
Chronic myeloid	19	1.6	0.45	1.3	0.31	12	1.1	0.36	0.9	0.26
Other leukemias	19	1.9	0.52	1.3	0.32	8	0.9	0.34	0.5	0.19
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	9	0.9	0.36	0.6	0.19	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	106	15.3	1.58	8.4	0.85
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	65	7.5	1.10	5.5	0.72	137	13.4	1.25	10.1	0.89
Breast (<i>in situ</i>)	-	-	-	-	-	224	22.3	1.58	16.8	1.16

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

PENNSYLVANIA

332 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	168,322	561.6	1.39	370.8	0.98	164,516	456.4	1.17	318.6	0.91
Oral Cavity & Pharynx	4,979	16.2	0.23	11.7	0.17	2,303	6.4	0.14	4.5	0.11
Lip	258	0.9	0.06	0.5	0.04	131	0.3	0.03	0.2	0.02
Tongue	1,495	4.8	0.13	3.6	0.10	691	2.0	0.08	1.4	0.06
Major salivary gland	511	1.7	0.08	1.1	0.05	340	1.0	0.06	0.7	0.05
Floor of mouth	342	1.1	0.06	0.8	0.05	136	0.4	0.03	0.3	0.03
Gum & other mouth	589	2.0	0.08	1.3	0.06	525	1.4	0.06	0.9	0.04
Nasopharynx	182	0.6	0.05	0.5	0.04	89	0.3	0.03	0.2	0.03
Oropharynx	188	0.6	0.04	0.5	0.03	65	0.2	0.02	0.1	0.02
Hypopharynx	355	1.1	0.06	0.8	0.04	86	0.2	0.03	0.2	0.02
Digestive System	31,830	106.1	0.60	66.6	0.40	27,905	70.4	0.44	42.8	0.30
Esophagus	2,946	9.7	0.18	6.4	0.12	780	2.0	0.07	1.2	0.05
Stomach	2,895	9.7	0.18	6.0	0.12	1,568	3.9	0.10	2.3	0.07
Small intestine	801	2.6	0.09	1.8	0.07	706	1.9	0.07	1.3	0.05
Colon excl. rectum	11,284	38.1	0.36	22.5	0.23	12,956	32.0	0.29	18.5	0.19
Rectum & rectosigmoid	5,207	17.3	0.24	11.5	0.17	3,869	10.3	0.17	6.8	0.13
Anus, anal canal & anorectum	371	1.2	0.07	0.9	0.05	640	1.8	0.07	1.3	0.06
Liver	2,513	8.1	0.16	5.6	0.12	872	2.3	0.08	1.5	0.06
Gallbladder	253	0.9	0.05	0.5	0.03	555	1.4	0.06	0.8	0.04
Pancreas	4,330	14.4	0.22	9.0	0.14	4,426	10.9	0.17	6.5	0.11
Respiratory System	27,680	91.8	0.56	56.8	0.36	22,723	59.5	0.40	38.8	0.29
Larynx	2,066	6.7	0.15	4.6	0.11	518	1.4	0.06	1.1	0.05
Lung & bronchus	25,232	83.7	0.53	51.3	0.34	21,975	57.4	0.40	37.2	0.28
Bones & Joints	290	1.1	0.07	1.0	0.06	245	0.8	0.05	0.7	0.05
Soft Tissue (incl. heart)	1,172	4.2	0.12	3.1	0.10	923	2.8	0.10	2.3	0.09
Skin (excl. basal & sq.)	7,710	26.3	0.30	17.6	0.22	6,016	18.8	0.25	14.3	0.21
Melanomas of the skin	7,066	24.1	0.29	16.4	0.21	5,582	17.6	0.25	13.6	0.20
Breast (excl. <i>in situ</i>)	441	1.5	0.07	0.9	0.05	44,335	126.5	0.62	91.0	0.47
Female Genital System	-	-	-	-	-	20,302	57.9	0.42	43.0	0.33
Cervix uteri	-	-	-	-	-	2,089	7.3	0.17	5.8	0.14
Uterus Corpus	-	-	-	-	-	11,350	31.8	0.31	24.0	0.24
Uterus, NOS ¹	-	-	-	-	-	143	0.3	0.03	0.2	0.02
Ovary	-	-	-	-	-	4,900	13.7	0.20	9.8	0.16
Male Genital System	44,714	145.3	0.70	103.1	0.51	-	-	-	-	-
Prostate	42,691	136.8	0.67	95.5	0.48	-	-	-	-	-
Testis	1,756	7.6	0.18	7.1	0.17	-	-	-	-	-
Penis	200	0.7	0.05	0.4	0.03	-	-	-	-	-
Urinary System	20,935	70.2	0.49	43.1	0.32	9,043	23.9	0.26	15.7	0.19
Bladder (incl. <i>in situ</i>)	13,651	45.9	0.40	26.4	0.24	4,534	11.4	0.17	7.0	0.12
Kidney & renal pelvis	6,784	22.7	0.28	15.8	0.21	4,237	11.8	0.19	8.3	0.15
Ureter	302	1.0	0.06	0.6	0.03	187	0.5	0.03	0.2	0.02
Eye & Orbit	249	0.9	0.06	0.7	0.05	237	0.7	0.05	0.6	0.05
Brain & Other Nervous System	2,437	8.8	0.18	7.2	0.17	2,114	6.5	0.15	5.4	0.15
Brain	2,322	8.3	0.18	6.8	0.16	1,928	5.9	0.14	4.8	0.14
Endocrine System	2,913	10.4	0.20	8.4	0.17	8,279	29.3	0.33	24.4	0.29
Thyroid gland	2,668	9.5	0.19	7.4	0.15	8,056	28.5	0.33	23.6	0.28
Lymphomas	8,407	29.1	0.32	20.0	0.24	7,665	21.3	0.25	14.9	0.20
Hodgkin Lymphoma	961	3.7	0.12	3.4	0.12	850	3.2	0.11	2.9	0.11
Non-Hodgkin Lymphoma	7,446	25.4	0.30	16.6	0.21	6,815	18.1	0.23	12.0	0.17
Multiple Myeloma	2,027	6.7	0.15	4.1	0.10	1,711	4.3	0.11	2.7	0.08
Leukemias	4,899	17.1	0.25	11.9	0.20	3,792	10.6	0.18	7.9	0.17
Acute lymphocytic	441	1.9	0.09	2.3	0.12	364	1.5	0.08	1.9	0.12
Chronic lymphocytic	1,796	6.0	0.14	3.6	0.09	1,287	3.1	0.09	1.9	0.06
Acute myeloid	1,437	4.9	0.13	3.3	0.10	1,196	3.4	0.10	2.4	0.09
Chronic myeloid	601	2.1	0.09	1.4	0.06	477	1.4	0.07	1.0	0.05
Other leukemias	624	2.1	0.09	1.3	0.06	468	1.2	0.06	0.8	0.05
Mesothelioma	772	2.6	0.09	1.4	0.05	211	0.5	0.04	0.3	0.02
Kaposi Sarcoma	85	0.3	0.04	0.2	0.03	10	0.0	0.01	0.0	0.00
Ill-defined & Unknown	6,782	23.0	0.28	12.9	0.17	6,702	16.2	0.21	9.4	0.14
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	2,347	8.3	0.18	6.1	0.14	5,024	14.4	0.21	10.4	0.17
Breast (<i>in situ</i>)	62	0.2	0.03	0.1	0.02	11,405	34.1	0.33	25.9	0.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,387	634.2	5.35	432.0	3.56	15,782	458.0	3.67	319.6	2.68
Oral Cavity & Pharynx	418	16.1	0.82	11.9	0.59	219	6.3	0.43	4.7	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	96	3.6	0.37	2.7	0.28	50	1.5	0.21	1.0	0.15
Major salivary gland	34	1.4	0.25	1.0	0.17	34	1.0	0.16	0.7	0.13
Floor of mouth	31	1.3	0.23	0.9	0.16	16	0.5	0.11	0.4	0.09
Gum & other mouth	45	1.8	0.28	1.4	0.20	41	1.2	0.19	0.9	0.14
Nasopharynx	27	0.9	0.18	0.7	0.14	15	0.4	0.10	0.3	0.09
Oropharynx	37	1.5	0.26	1.1	0.18	15	0.4	0.12	0.3	0.09
Hypopharynx	55	2.1	0.30	1.6	0.22	15	0.4	0.11	0.3	0.09
Digestive System	3,328	137.7	2.50	91.4	1.62	3,129	91.2	1.64	59.0	1.12
Esophagus	185	7.7	0.59	5.2	0.39	124	3.6	0.32	2.4	0.23
Stomach	357	16.0	0.89	9.6	0.52	289	8.4	0.50	5.1	0.32
Small intestine	110	4.6	0.46	3.1	0.30	98	2.9	0.29	1.9	0.20
Colon excl. rectum	1,053	45.9	1.49	28.6	0.90	1,228	35.9	1.03	22.9	0.70
Rectum & rectosigmoid	398	16.3	0.86	10.7	0.55	356	10.3	0.55	7.1	0.40
Anus, anal canal & anorectum	60	2.1	0.28	1.6	0.21	80	2.3	0.26	1.8	0.20
Liver	624	22.1	0.91	17.4	0.71	192	5.5	0.40	3.9	0.29
Gallbladder	33	1.4	0.24	1.0	0.17	66	1.9	0.24	1.2	0.16
Pancreas	400	17.0	0.89	11.1	0.57	563	16.6	0.70	10.2	0.46
Respiratory System	2,762	121.1	2.40	76.8	1.50	2,641	77.0	1.51	51.0	1.05
Larynx	253	10.6	0.69	7.2	0.46	88	2.5	0.27	1.7	0.19
Lung & bronchus	2,481	109.4	2.29	68.8	1.42	2,529	73.7	1.48	48.8	1.03
Bones & Joints	27	0.9	0.19	0.8	0.16	30	0.8	0.15	0.8	0.15
Soft Tissue (incl. heart)	92	3.4	0.37	2.6	0.27	109	3.1	0.30	2.5	0.26
Skin (excl. basal & sq.)	52	2.1	0.31	1.4	0.20	49	1.4	0.21	1.1	0.16
Melanomas of the skin	30	1.4	0.26	0.8	0.15	22	0.7	0.14	0.5	0.11
Breast (excl. <i>in situ</i>)	52	2.3	0.33	1.4	0.21	4,516	130.8	1.96	94.6	1.46
Female Genital System	-	-	-	-	-	1,696	48.9	1.20	36.1	0.91
Cervix uteri	-	-	-	-	-	357	10.5	0.56	8.1	0.44
Uterus Corpus	-	-	-	-	-	821	23.5	0.83	17.4	0.63
Uterus, NOS ¹	-	-	-	-	-	17	0.5	0.11	0.3	0.07
Ovary	-	-	-	-	-	363	10.4	0.55	7.4	0.41
Male Genital System	5,370	215.9	3.07	154.2	2.15	-	-	-	-	-
Prostate	5,308	213.8	3.06	152.5	2.14	-	-	-	-	-
Testis	43	1.4	0.21	1.3	0.19	-	-	-	-	-
Penis	15	0.6	0.17	0.4	0.10	-	-	-	-	-
Urinary System	1,165	49.5	1.52	32.0	0.96	802	23.3	0.83	15.2	0.57
Bladder (incl. <i>in situ</i>)	494	23.1	1.08	13.4	0.62	273	8.0	0.49	4.5	0.30
Kidney & renal pelvis	652	25.5	1.05	18.2	0.73	510	14.8	0.66	10.4	0.48
Ureter	8	0.4	0.15	0.2	0.07	-	-	-	-	-
Eye & Orbit	10	0.3	0.09	0.4	0.12	7	0.2	0.07	0.3	0.10
Brain & Other Nervous System	160	5.6	0.47	4.7	0.38	128	3.7	0.33	3.2	0.31
Brain	142	5.1	0.46	4.2	0.36	111	3.2	0.30	2.7	0.28
Endocrine System	161	6.1	0.50	4.5	0.37	668	19.4	0.76	15.9	0.63
Thyroid gland	133	5.1	0.46	3.6	0.32	636	18.5	0.74	15.1	0.61
Lymphomas	586	21.5	0.93	16.3	0.68	522	15.2	0.67	11.3	0.52
Hodgkin Lymphoma	96	3.1	0.33	2.8	0.29	94	2.7	0.28	2.5	0.26
Non-Hodgkin Lymphoma	490	18.4	0.87	13.5	0.62	428	12.5	0.61	8.8	0.45
Multiple Myeloma	312	13.2	0.78	8.7	0.50	385	11.2	0.57	7.3	0.39
Leukemias	327	13.3	0.78	9.2	0.53	275	8.0	0.48	5.8	0.38
Acute lymphocytic	55	1.7	0.24	1.8	0.25	38	1.0	0.17	1.2	0.20
Chronic lymphocytic	80	3.7	0.43	2.2	0.25	59	1.7	0.23	1.0	0.15
Acute myeloid	95	3.9	0.42	2.6	0.28	101	2.9	0.29	2.1	0.22
Chronic myeloid	57	2.2	0.30	1.6	0.21	33	1.0	0.17	0.8	0.13
Other leukemias	40	1.9	0.32	1.1	0.17	44	1.3	0.20	0.8	0.14
Mesothelioma	21	1.1	0.25	0.5	0.12	10	0.3	0.09	0.2	0.06
Kaposi Sarcoma	57	1.9	0.25	1.6	0.22	-	-	-	-	-
Ill-defined & Unknown	487	22.1	1.05	13.2	0.62	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	207	8.5	0.62	5.7	0.40	469	13.6	0.63	9.7	0.47
Breast (<i>in situ</i>)	6	0.2	0.09	0.2	0.07	1,238	35.4	1.01	26.5	0.78

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,190	575.7	4.74	377.9	3.25	15,391	462.4	3.83	322.1	2.89
Oral Cavity & Pharynx	475	17.4	0.81	12.3	0.59	205	6.3	0.45	4.4	0.34
Lip	15	0.6	0.15	0.3	0.09	8	0.2	0.08	0.1	0.05
Tongue	139	5.0	0.43	3.6	0.32	59	1.7	0.23	1.3	0.19
Major salivary gland	23	0.9	0.20	0.6	0.14	35	1.1	0.20	0.9	0.16
Floor of mouth	36	1.2	0.21	0.9	0.15	11	0.4	0.11	0.3	0.08
Gum & other mouth	62	2.3	0.30	1.5	0.20	41	1.3	0.20	0.8	0.15
Nasopharynx	24	0.9	0.19	0.6	0.13	10	0.3	0.10	0.2	0.07
Oropharynx	30	1.1	0.20	0.8	0.15	15	0.4	0.12	0.3	0.09
Hypopharynx	55	2.0	0.28	1.4	0.20	8	0.2	0.09	0.1	0.06
Digestive System	2,815	107.2	2.05	66.3	1.33	2,562	71.7	1.46	44.3	1.01
Esophagus	305	11.5	0.67	7.5	0.45	78	2.1	0.24	1.3	0.17
Stomach	284	10.7	0.64	6.5	0.41	151	4.2	0.35	2.5	0.24
Small intestine	66	2.5	0.31	1.7	0.21	81	2.5	0.28	1.7	0.21
Colon excl. rectum	906	35.5	1.19	20.2	0.72	1,127	30.7	0.95	17.9	0.63
Rectum & rectosigmoid	420	15.8	0.78	10.3	0.53	365	10.6	0.57	7.0	0.42
Anus, anal canal & anorectum	44	1.7	0.25	1.1	0.17	60	1.7	0.23	1.3	0.18
Liver	281	10.2	0.62	7.1	0.44	101	3.0	0.31	2.0	0.22
Gallbladder	25	1.0	0.20	0.6	0.12	65	1.8	0.23	1.2	0.16
Pancreas	352	13.4	0.72	8.2	0.46	364	10.0	0.54	6.0	0.36
Respiratory System	2,428	93.4	1.92	56.6	1.22	2,287	67.0	1.43	43.6	1.01
Larynx	224	8.4	0.57	5.7	0.40	61	1.9	0.25	1.3	0.18
Lung & bronchus	2,179	84.1	1.83	50.2	1.14	2,207	64.5	1.40	41.7	0.98
Bones & Joints	26	1.0	0.21	0.9	0.19	19	0.6	0.14	0.5	0.12
Soft Tissue (incl. heart)	100	3.8	0.38	2.8	0.30	93	3.0	0.32	2.4	0.28
Skin (excl. basal & sq.)	747	28.6	1.06	18.7	0.73	626	19.7	0.81	14.6	0.64
Melanomas of the skin	684	26.0	1.01	17.3	0.70	574	18.2	0.78	13.8	0.63
Breast (excl. <i>in situ</i>)	47	1.8	0.27	1.1	0.17	4,265	131.0	2.05	95.3	1.57
Female Genital System	-	-	-	-	-	1,748	53.5	1.31	40.0	1.03
Cervix uteri	-	-	-	-	-	192	6.7	0.49	5.3	0.40
Uterus Corpus	-	-	-	-	-	968	29.3	0.96	22.0	0.75
Uterus, NOS ¹	-	-	-	-	-	25	0.7	0.14	0.5	0.10
Ovary	-	-	-	-	-	352	10.7	0.58	7.9	0.46
Male Genital System	4,223	156.0	2.44	110.9	1.77	-	-	-	-	-
Prostate	4,044	148.9	2.38	104.7	1.70	-	-	-	-	-
Testis	151	6.1	0.50	5.5	0.46	-	-	-	-	-
Penis	24	0.9	0.19	0.6	0.13	-	-	-	-	-
Urinary System	1,904	73.5	1.71	44.4	1.09	898	26.3	0.90	16.8	0.64
Bladder (incl. <i>in situ</i>)	1,249	48.7	1.39	27.6	0.84	483	13.8	0.64	8.4	0.44
Kidney & renal pelvis	618	23.3	0.95	16.1	0.68	383	11.7	0.61	8.0	0.46
Ureter	21	0.9	0.19	0.4	0.10	24	0.6	0.12	0.3	0.07
Eye & Orbit	26	0.9	0.19	0.9	0.19	19	0.6	0.15	0.6	0.17
Brain & Other Nervous System	195	7.5	0.54	5.7	0.45	157	5.1	0.42	4.3	0.40
Brain	189	7.2	0.53	5.6	0.45	150	4.8	0.41	4.1	0.39
Endocrine System	290	10.9	0.65	8.7	0.54	793	27.9	1.01	22.9	0.85
Thyroid gland	260	9.7	0.61	7.8	0.50	777	27.4	1.00	22.6	0.84
Lymphomas	700	26.7	1.02	18.8	0.76	686	20.8	0.82	14.5	0.63
Hodgkin Lymphoma	108	4.2	0.41	3.6	0.37	81	2.9	0.32	2.7	0.32
Non-Hodgkin Lymphoma	592	22.5	0.94	15.2	0.66	605	17.9	0.75	11.8	0.54
Multiple Myeloma	160	6.1	0.49	3.9	0.32	165	4.8	0.38	2.9	0.26
Leukemias	453	17.6	0.84	12.1	0.64	335	9.7	0.55	7.0	0.49
Acute lymphocytic	43	1.8	0.27	2.0	0.34	33	1.3	0.23	1.6	0.32
Chronic lymphocytic	164	6.2	0.49	3.8	0.31	104	2.9	0.29	1.8	0.20
Acute myeloid	125	4.8	0.44	3.1	0.31	101	2.9	0.30	1.9	0.23
Chronic myeloid	63	2.5	0.31	1.7	0.22	50	1.4	0.21	1.0	0.16
Other leukemias	58	2.3	0.31	1.5	0.22	47	1.3	0.19	0.7	0.13
Mesothelioma	57	2.2	0.30	1.2	0.17	9	0.3	0.09	0.1	0.06
Kaposi Sarcoma	29	1.1	0.21	0.8	0.16	8	0.2	0.08	0.1	0.05
Ill-defined & Unknown	515	19.9	0.89	11.8	0.56	516	14.0	0.64	7.9	0.42
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	207	7.8	0.55	6.1	0.46	422	13.1	0.66	9.6	0.52
Breast (<i>in situ</i>)	-	-	-	-	-	1,160	36.7	1.09	27.6	0.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	14,091	570.0	4.87	375.4	3.38	14,573	470.8	4.03	329.0	3.08
Oral Cavity & Pharynx	447	17.5	0.84	12.4	0.61	197	6.6	0.48	4.6	0.36
Lip	13	0.5	0.15	0.3	0.09	8	0.2	0.09	0.1	0.06
Tongue	133	5.2	0.45	3.7	0.33	58	1.9	0.25	1.4	0.20
Major salivary gland	22	1.0	0.21	0.7	0.15	35	1.3	0.22	0.9	0.18
Floor of mouth	34	1.3	0.22	0.9	0.16	10	0.3	0.11	0.2	0.08
Gum & other mouth	59	2.4	0.31	1.5	0.21	39	1.3	0.21	0.8	0.15
Nasopharynx	21	0.9	0.19	0.6	0.13	8	0.3	0.09	0.2	0.07
Oropharynx	29	1.1	0.21	0.8	0.16	15	0.5	0.13	0.3	0.09
Hypopharynx	52	2.1	0.29	1.4	0.20	7	0.2	0.09	0.1	0.06
Digestive System	2,619	106.3	2.10	65.4	1.37	2,393	71.1	1.51	43.8	1.05
Esophagus	292	11.7	0.69	7.8	0.48	74	2.1	0.25	1.3	0.18
Stomach	255	10.2	0.65	6.1	0.41	133	3.9	0.36	2.3	0.24
Small intestine	63	2.6	0.33	1.7	0.23	80	2.6	0.30	1.8	0.23
Colon excl. rectum	850	35.4	1.23	20.1	0.74	1,060	30.5	0.98	17.7	0.65
Rectum & rectosigmoid	398	16.0	0.81	10.4	0.55	341	10.7	0.60	7.1	0.44
Anus, anal canal & anorectum	41	1.7	0.26	1.1	0.18	60	1.9	0.25	1.4	0.19
Liver	243	9.6	0.62	6.5	0.44	88	2.8	0.31	1.9	0.22
Gallbladder	22	0.9	0.20	0.5	0.11	58	1.7	0.22	1.0	0.16
Pancreas	334	13.5	0.75	8.2	0.48	343	9.9	0.56	5.9	0.37
Respiratory System	2,328	95.0	1.99	57.7	1.27	2,177	67.9	1.49	44.3	1.06
Larynx	213	8.5	0.59	5.8	0.42	58	1.9	0.26	1.4	0.19
Lung & bronchus	2,091	85.5	1.89	51.1	1.19	2,100	65.3	1.46	42.3	1.03
Bones & Joints	24	1.1	0.22	0.9	0.20	16	0.5	0.14	0.4	0.12
Soft Tissue (incl. heart)	96	3.9	0.41	3.0	0.33	89	3.1	0.34	2.5	0.31
Skin (excl. basal & sq.)	728	29.9	1.12	19.7	0.78	613	21.0	0.88	15.7	0.71
Melanomas of the skin	667	27.2	1.07	18.2	0.76	561	19.4	0.85	14.8	0.69
Breast (excl. <i>in situ</i>)	46	1.9	0.28	1.1	0.17	4,056	134.3	2.17	97.8	1.66
Female Genital System	-	-	-	-	-	1,648	54.5	1.38	40.8	1.09
Cervix uteri	-	-	-	-	-	172	6.7	0.52	5.3	0.43
Uterus Corpus	-	-	-	-	-	923	30.1	1.01	22.7	0.79
Uterus, NOS ¹	-	-	-	-	-	22	0.6	0.14	0.4	0.10
Ovary	-	-	-	-	-	329	10.7	0.61	7.9	0.48
Male Genital System	3,701	145.6	2.43	104.9	1.79	-	-	-	-	-
Prostate	3,529	137.8	2.35	98.0	1.71	-	-	-	-	-
Testis	147	6.8	0.57	6.2	0.52	-	-	-	-	-
Penis	21	0.9	0.19	0.6	0.14	-	-	-	-	-
Urinary System	1,815	74.5	1.77	44.9	1.14	851	26.7	0.95	17.2	0.69
Bladder (incl. <i>in situ</i>)	1,200	49.5	1.44	28.0	0.87	456	13.9	0.67	8.6	0.47
Kidney & renal pelvis	581	23.6	0.99	16.2	0.71	364	12.0	0.65	8.2	0.50
Ureter	20	0.9	0.19	0.4	0.10	23	0.6	0.13	0.3	0.07
Eye & Orbit	25	1.0	0.20	0.9	0.22	18	0.6	0.16	0.6	0.21
Brain & Other Nervous System	191	8.0	0.59	6.3	0.51	150	5.3	0.45	4.4	0.43
Brain	186	7.8	0.58	6.1	0.50	143	5.0	0.44	4.2	0.43
Endocrine System	271	11.1	0.69	9.0	0.58	726	28.5	1.09	23.4	0.92
Thyroid gland	242	9.9	0.65	7.9	0.53	713	28.1	1.08	23.1	0.91
Lymphomas	656	27.0	1.07	19.1	0.80	664	21.7	0.87	15.2	0.68
Hodgkin Lymphoma	98	4.3	0.44	3.7	0.40	77	3.1	0.36	3.0	0.37
Non-Hodgkin Lymphoma	558	22.7	0.98	15.3	0.69	587	18.6	0.79	12.3	0.57
Multiple Myeloma	143	5.8	0.49	3.7	0.33	149	4.5	0.38	2.8	0.26
Leukemias	432	18.1	0.88	12.6	0.70	318	10.0	0.59	7.3	0.55
Acute lymphocytic	42	2.0	0.31	2.3	0.39	31	1.4	0.27	1.8	0.37
Chronic lymphocytic	161	6.5	0.52	4.0	0.34	102	3.0	0.30	1.9	0.21
Acute myeloid	120	5.0	0.46	3.2	0.33	95	2.9	0.31	1.9	0.25
Chronic myeloid	55	2.3	0.31	1.5	0.23	46	1.4	0.22	1.0	0.17
Other leukemias	54	2.3	0.32	1.5	0.24	44	1.3	0.20	0.7	0.14
Mesothelioma	54	2.2	0.31	1.2	0.17	8	0.2	0.09	0.1	0.05
Kaposi Sarcoma	26	1.1	0.22	0.8	0.17	6	0.1	0.06	0.0	0.02
Ill-defined & Unknown	489	20.0	0.91	11.8	0.58	494	14.2	0.67	8.0	0.45
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	184	7.6	0.57	6.0	0.49	380	12.8	0.68	9.4	0.55
Breast (<i>in situ</i>)	-	-	-	-	-	1,104	37.9	1.16	28.6	0.90

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	529	489.6	23.69	321.4	14.47	526	362.0	16.19	257.1	11.69
Oral Cavity & Pharynx	13	8.7	2.67	6.5	1.87	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	109	104.0	11.13	65.6	6.50	104	75.6	7.57	50.2	5.17
Esophagus	6	8.2	3.60	4.2	1.74	-	-	-	-	-
Stomach	20	21.4	5.33	12.5	2.91	10	7.2	2.32	5.0	1.65
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	30	32.7	6.56	18.3	3.45	39	28.4	4.66	18.8	3.13
Rectum & rectosigmoid	7	5.2	2.12	3.8	1.48	14	8.9	2.44	6.4	1.78
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	22	14.8	3.33	12.5	2.73	8	6.0	2.17	4.2	1.54
Gallbladder	-	-	-	-	-	7	4.7	1.82	4.1	1.59
Pancreas	11	10.8	3.56	6.6	2.07	19	15.1	3.50	9.4	2.28
Respiratory System	69	70.5	9.29	43.1	5.37	86	63.5	6.98	42.9	4.85
Larynx	11	10.8	3.57	6.7	2.08	-	-	-	-	-
Lung & bronchus	58	59.7	8.57	36.4	4.95	85	62.9	6.95	42.4	4.83
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	156	104.0	8.51	78.9	6.57
Female Genital System	-	-	-	-	-	56	38.5	5.27	28.7	3.97
Cervix uteri	-	-	-	-	-	9	6.1	2.06	5.4	1.83
Uterus Corpus	-	-	-	-	-	23	15.7	3.34	11.5	2.48
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	14	9.6	2.66	7.2	2.00
Male Genital System	195	175.0	13.84	123.1	9.12	-	-	-	-	-
Prostate	190	170.9	13.65	120.4	9.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	49	45.0	7.06	29.1	4.31	23	17.1	3.63	10.7	2.36
Bladder (incl. <i>in situ</i>)	23	22.8	5.23	13.3	2.85	12	9.8	2.87	4.7	1.44
Kidney & renal pelvis	24	19.4	4.32	14.6	3.11	11	7.2	2.23	6.1	1.87
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	12	12.1	3.86	7.3	2.16	37	21.4	3.62	16.9	2.85
Thyroid gland	11	10.5	3.49	6.6	2.08	35	19.8	3.45	16.2	2.80
Lymphomas	29	20.8	4.28	15.0	2.87	12	7.3	2.20	5.0	1.45
Hodgkin Lymphoma	7	4.0	1.53	3.6	1.39	-	-	-	-	-
Non-Hodgkin Lymphoma	22	16.8	4.00	11.4	2.51	-	-	-	-	-
Multiple Myeloma	11	10.9	3.69	6.6	2.07	13	8.8	2.50	5.7	1.63
Leukemias	15	14.3	4.26	8.7	2.32	13	9.2	2.60	6.3	1.82
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	7	5.9	2.66	3.6	1.40	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	12	14.5	4.51	8.1	2.40	10	8.1	2.61	4.3	1.46
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	13	9.4	3.01	7.5	2.16	27	17.8	3.56	12.9	2.56
Breast (<i>in situ</i>)	-	-	-	-	-	35	21.9	3.78	17.0	2.96

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	124	301.4	30.77	177.0	16.25	119	203.0	20.34	136.6	12.76
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	41	97.0	17.06	59.0	9.39	27	52.1	10.92	33.2	6.48
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	9	23.6	8.51	13.9	4.67	11	21.9	7.15	13.5	4.13
Rectum & rectosigmoid	7	14.7	6.24	9.4	3.62	7	13.7	5.78	8.2	3.14
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	21.3	7.16	15.1	4.65	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	12	32.2	10.33	17.0	5.02	9	16.9	6.06	9.3	3.17
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	32.2	10.33	17.0	5.02	8	15.5	5.89	7.9	2.81
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	33	54.8	10.31	38.5	6.79
Female Genital System	-	-	-	-	-	17	27.7	7.24	20.2	4.98
Cervix uteri	-	-	-	-	-	6	10.3	4.63	7.3	3.06
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	8.6	3.56	7.2	3.03
Male Genital System	25	73.3	15.97	38.5	7.78	-	-	-	-	-
Prostate	24	68.3	15.18	36.9	7.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	29.9	10.05	18.3	5.53	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	7	22.6	9.36	11.4	4.31	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	6.8	2.93	6.0	2.46	17	20.2	5.15	16.3	4.01
Thyroid gland	6	6.8	2.93	6.0	2.46	16	18.9	4.97	15.2	3.86
Lymphomas	9	16.8	6.44	11.2	3.87	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	16.5	7.51	9.4	3.65	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	11	22.9	7.44	12.0	3.66

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	11	434.4	133.25	309.1	95.41	13	380.8	113.53	250.3	69.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	500	405.6	21.42	276.5	13.00	504	279.7	13.76	194.6	9.04
Oral Cavity & Pharynx	20	15.7	4.19	10.9	2.59	7	4.5	1.91	2.6	1.04
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	111	96.7	10.78	61.7	6.10	87	59.0	6.87	35.8	3.97
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	20	20.8	5.46	11.4	2.65	10	6.9	2.47	3.4	1.10
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	25	24.5	5.65	14.1	2.93	30	19.0	3.81	11.7	2.21
Rectum & rectosigmoid	16	11.6	3.24	8.6	2.24	11	6.9	2.26	4.5	1.41
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	19	13.4	3.58	10.1	2.43	13	10.2	2.96	5.8	1.65
Gallbladder	-	-	-	-	-	6	3.3	1.42	2.7	1.13
Pancreas	10	7.2	2.65	5.2	1.73	6	5.1	2.16	2.6	1.10
Respiratory System	50	48.0	7.68	30.5	4.42	28	15.6	3.21	10.8	2.12
Larynx	8	6.9	2.69	5.0	1.82	-	-	-	-	-
Lung & bronchus	42	41.1	7.19	25.5	4.03	26	14.7	3.16	10.2	2.07
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	3.5	2.04	2.0	0.87	6	2.6	1.34	2.1	0.88
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	131	67.2	6.32	50.3	4.60
Female Genital System	-	-	-	-	-	72	38.3	4.93	28.5	3.50
Cervix uteri	-	-	-	-	-	22	10.7	2.53	8.0	1.82
Uterus Corpus	-	-	-	-	-	20	9.9	2.34	8.0	1.85
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	15	8.0	2.27	5.9	1.59
Male Genital System	161	131.9	11.65	98.5	8.03	-	-	-	-	-
Prostate	151	128.7	11.61	95.6	7.98	-	-	-	-	-
Testis	8	2.5	0.90	2.3	0.81	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	33.6	6.75	19.9	3.49	25	14.5	3.13	10.8	2.24
Bladder (incl. <i>in situ</i>)	14	18.3	5.47	9.3	2.52	6	3.9	1.64	3.1	1.28
Kidney & renal pelvis	22	15.4	3.97	10.6	2.42	18	9.5	2.41	7.3	1.80
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	9	7.0	3.24	3.8	1.37	8	3.8	1.44	3.1	1.13
Brain	9	7.0	3.24	3.8	1.37	8	3.8	1.44	3.1	1.13
Endocrine System	17	10.0	2.94	7.8	2.08	53	22.7	3.40	18.1	2.60
Thyroid gland	15	7.9	2.34	6.9	1.96	52	22.5	3.40	17.8	2.58
Lymphomas	31	21.0	5.06	12.7	2.46	29	17.0	3.53	10.6	2.05
Hodgkin Lymphoma	11	4.8	2.01	3.7	1.17	-	-	-	-	-
Non-Hodgkin Lymphoma	20	16.2	4.64	9.0	2.16	-	-	-	-	-
Multiple Myeloma	8	4.5	1.75	3.5	1.33	14	9.3	2.73	5.3	1.46
Leukemias	21	11.6	3.03	9.4	2.20	14	7.3	2.34	4.8	1.33
Acute lymphocytic	6	2.1	0.88	1.9	0.78	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	3.2	1.38	2.9	1.26	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	13.2	3.72	8.9	2.29	25	15.5	3.42	10.1	2.11
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	13	10.3	3.69	6.4	1.93	28	13.9	2.98	9.5	1.86
Breast (<i>in situ</i>)	-	-	-	-	-	51	25.3	3.80	19.5	2.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

RHODE ISLAND

340 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,530	570.4	4.98	376.1	3.49	14,030	477.1	4.20	334.2	3.24
Oral Cavity & Pharynx	431	17.7	0.86	12.5	0.63	188	6.6	0.49	4.6	0.38
Lip	13	0.6	0.16	0.3	0.09	8	0.3	0.09	0.1	0.06
Tongue	129	5.3	0.47	3.8	0.35	53	1.8	0.25	1.4	0.21
Major salivary gland	20	0.9	0.21	0.6	0.14	32	1.2	0.23	0.9	0.19
Floor of mouth	34	1.3	0.23	0.9	0.17	10	0.4	0.12	0.3	0.09
Gum & other mouth	55	2.2	0.31	1.5	0.21	39	1.4	0.23	0.9	0.17
Nasopharynx	20	0.9	0.20	0.6	0.13	8	0.3	0.10	0.2	0.07
Oropharynx	27	1.1	0.21	0.8	0.16	15	0.5	0.13	0.4	0.10
Hypopharynx	52	2.1	0.30	1.5	0.21	6	0.2	0.09	0.1	0.05
Digestive System	2,502	105.5	2.14	64.8	1.39	2,294	70.8	1.55	43.7	1.08
Esophagus	286	11.9	0.71	7.9	0.49	72	2.1	0.26	1.3	0.18
Stomach	232	9.6	0.64	5.7	0.41	125	3.8	0.36	2.2	0.24
Small intestine	60	2.6	0.34	1.7	0.24	73	2.6	0.31	1.8	0.23
Colon excl. rectum	824	35.5	1.25	20.2	0.76	1,024	30.5	1.00	17.7	0.67
Rectum & rectosigmoid	383	16.1	0.84	10.5	0.57	327	10.8	0.63	7.1	0.46
Anus, anal canal & anorectum	41	1.7	0.27	1.1	0.19	58	1.9	0.25	1.4	0.20
Liver	225	9.2	0.63	6.2	0.44	76	2.5	0.30	1.7	0.22
Gallbladder	20	0.9	0.20	0.5	0.11	52	1.5	0.22	0.9	0.15
Pancreas	321	13.4	0.76	8.2	0.48	335	10.1	0.57	6.0	0.39
Respiratory System	2,264	95.6	2.03	58.1	1.31	2,136	69.3	1.54	45.4	1.11
Larynx	206	8.6	0.61	5.9	0.43	56	2.0	0.27	1.4	0.20
Lung & bronchus	2,034	85.9	1.93	51.5	1.22	2,061	66.7	1.51	43.4	1.07
Bones & Joints	22	1.1	0.24	0.9	0.21	16	0.6	0.15	0.5	0.13
Soft Tissue (incl. heart)	88	3.8	0.42	2.9	0.34	81	3.0	0.35	2.4	0.31
Skin (excl. basal & sq.)	704	30.3	1.16	20.2	0.83	599	22.1	0.94	16.6	0.77
Melanomas of the skin	647	27.7	1.11	18.7	0.80	548	20.4	0.91	15.7	0.75
Breast (excl. <i>in situ</i>)	44	1.8	0.28	1.1	0.18	3,927	137.3	2.26	100.1	1.74
Female Genital System	-	-	-	-	-	1,582	55.2	1.44	41.4	1.14
Cervix uteri	-	-	-	-	-	152	6.4	0.54	5.1	0.44
Uterus Corpus	-	-	-	-	-	903	31.1	1.06	23.4	0.84
Uterus, NOS ¹	-	-	-	-	-	21	0.6	0.14	0.4	0.10
Ovary	-	-	-	-	-	316	10.8	0.63	8.0	0.50
Male Genital System	3,532	145.0	2.48	104.4	1.83	-	-	-	-	-
Prostate	3,374	136.8	2.39	97.3	1.73	-	-	-	-	-
Testis	135	7.2	0.63	6.5	0.58	-	-	-	-	-
Penis	19	0.8	0.19	0.6	0.13	-	-	-	-	-
Urinary System	1,775	75.5	1.82	45.8	1.18	823	26.9	0.98	17.3	0.72
Bladder (incl. <i>in situ</i>)	1,181	50.2	1.48	28.7	0.91	447	14.1	0.70	8.8	0.49
Kidney & renal pelvis	560	23.8	1.02	16.3	0.74	346	12.0	0.67	8.2	0.52
Ureter	20	0.9	0.20	0.4	0.11	23	0.6	0.13	0.3	0.08
Eye & Orbit	24	1.0	0.21	0.9	0.23	16	0.6	0.15	0.5	0.17
Brain & Other Nervous System	181	8.2	0.62	6.5	0.56	138	5.2	0.47	4.4	0.46
Brain	176	7.9	0.62	6.4	0.56	131	4.9	0.46	4.1	0.45
Endocrine System	255	11.2	0.72	9.0	0.62	676	29.1	1.16	24.0	0.99
Thyroid gland	227	9.9	0.67	7.9	0.55	664	28.8	1.16	23.8	0.98
Lymphomas	627	27.2	1.11	19.3	0.84	635	21.9	0.91	15.5	0.73
Hodgkin Lymphoma	89	4.3	0.46	3.7	0.43	74	3.3	0.40	3.3	0.42
Non-Hodgkin Lymphoma	538	22.9	1.00	15.5	0.73	561	18.5	0.81	12.2	0.60
Multiple Myeloma	135	5.7	0.49	3.6	0.33	135	4.3	0.38	2.6	0.26
Leukemias	405	17.9	0.91	12.6	0.75	302	10.0	0.62	7.4	0.61
Acute lymphocytic	37	2.0	0.34	2.5	0.47	26	1.4	0.29	1.8	0.44
Chronic lymphocytic	154	6.5	0.53	4.0	0.34	100	3.0	0.32	1.9	0.23
Acute myeloid	114	4.9	0.47	3.1	0.34	91	2.9	0.32	2.0	0.28
Chronic myeloid	54	2.4	0.33	1.6	0.24	43	1.4	0.22	1.0	0.18
Other leukemias	46	2.1	0.31	1.3	0.23	42	1.3	0.20	0.7	0.14
Mesothelioma	52	2.2	0.31	1.2	0.18	8	0.2	0.09	0.1	0.06
Kaposi Sarcoma	23	1.1	0.23	0.8	0.17	6	0.1	0.06	0.0	0.02
Ill-defined & Unknown	466	19.7	0.92	11.6	0.59	468	13.8	0.68	7.7	0.46
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	173	7.7	0.60	6.1	0.53	349	12.4	0.70	9.2	0.58
Breast (<i>in situ</i>)	-	-	-	-	-	1,053	38.3	1.21	28.9	0.94

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	477	530.9	26.85	352.1	16.71	472	399.3	18.68	286.4	13.75
Oral Cavity & Pharynx	12	9.9	3.17	7.4	2.20	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	100	113.1	12.50	73.4	7.62	92	80.9	8.56	54.6	5.99
Esophagus	6	9.7	4.25	5.0	2.11	-	-	-	-	-
Stomach	19	23.2	5.84	14.3	3.43	9	8.0	2.71	5.5	1.95
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	25	31.6	6.92	18.9	3.91	37	32.5	5.44	22.0	3.77
Rectum & rectosigmoid	7	6.3	2.55	4.6	1.78	13	10.3	2.90	7.4	2.15
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	21	17.2	3.97	14.4	3.23	-	-	-	-	-
Gallbladder	-	-	-	-	-	6	5.1	2.11	4.5	1.87
Pancreas	11	13.0	4.28	8.1	2.52	16	15.2	3.83	9.5	2.53
Respiratory System	65	79.5	10.73	49.6	6.37	82	72.7	8.14	50.0	5.80
Larynx	10	12.4	4.23	7.6	2.48	-	-	-	-	-
Lung & bronchus	55	67.1	9.86	42.0	5.87	81	72.0	8.11	49.4	5.77
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	140	115.3	9.89	89.1	7.80
Female Genital System	-	-	-	-	-	50	42.2	6.06	31.5	4.60
Cervix uteri	-	-	-	-	-	7	6.0	2.27	5.0	1.91
Uterus Corpus	-	-	-	-	-	23	19.2	4.07	14.2	3.06
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	10.0	2.96	8.0	2.39
Male Genital System	170	184.0	15.58	128.4	10.21	-	-	-	-	-
Prostate	165	179.0	15.34	125.0	10.08	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	47	52.4	8.35	33.7	5.10	21	18.6	4.12	11.5	2.67
Bladder (incl. <i>in situ</i>)	22	26.4	6.16	15.1	3.32	11	10.5	3.19	4.9	1.60
Kidney & renal pelvis	23	22.7	5.14	17.2	3.73	10	8.1	2.60	6.6	2.14
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	9	11.6	4.14	7.0	2.39	30	22.2	4.11	17.6	3.28
Thyroid gland	9	11.6	4.14	7.0	2.39	29	21.1	3.97	17.2	3.26
Lymphomas	23	20.2	4.62	15.3	3.28	11	8.6	2.67	5.9	1.79
Hodgkin Lymphoma	7	5.0	1.93	4.5	1.76	-	-	-	-	-
Non-Hodgkin Lymphoma	16	15.2	4.20	10.7	2.77	-	-	-	-	-
Multiple Myeloma	11	13.0	4.39	8.0	2.51	11	9.4	2.88	6.0	1.87
Leukemias	15	17.3	5.08	10.7	2.84	12	10.5	3.06	7.2	2.18
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	7	7.2	3.18	4.5	1.73	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	12	17.4	5.35	9.8	2.89	9	9.0	3.02	4.7	1.69
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	11	8.6	2.69	8.1	2.52	23	18.7	4.02	13.2	2.84
Breast (<i>in situ</i>)	-	-	-	-	-	28	22.1	4.23	16.7	3.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

RHODE ISLAND

342 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	61,055	551.7	2.31	366.8	1.52	53,659	401.1	1.76	280.3	1.29
Oral Cavity & Pharynx	2,142	18.2	0.41	13.4	0.29	816	6.1	0.22	4.3	0.16
Lip	78	0.7	0.08	0.5	0.05	31	0.2	0.04	0.1	0.03
Tongue	591	4.9	0.21	3.7	0.16	225	1.7	0.11	1.2	0.08
Major salivary gland	206	2.0	0.15	1.2	0.09	104	0.8	0.08	0.6	0.06
Floor of mouth	132	1.1	0.10	0.8	0.07	59	0.4	0.06	0.3	0.04
Gum & other mouth	232	2.0	0.14	1.4	0.09	154	1.1	0.09	0.7	0.06
Nasopharynx	96	0.8	0.09	0.6	0.07	43	0.3	0.05	0.2	0.04
Oropharynx	115	0.9	0.09	0.7	0.07	36	0.3	0.04	0.2	0.03
Hypopharynx	190	1.6	0.12	1.2	0.09	34	0.3	0.04	0.2	0.03
Digestive System	10,887	99.2	0.98	64.8	0.63	9,111	66.8	0.71	42.7	0.48
Esophagus	995	8.7	0.28	6.0	0.19	288	2.1	0.12	1.4	0.08
Stomach	1,035	9.7	0.31	6.1	0.19	643	4.7	0.19	2.9	0.12
Small intestine	305	2.7	0.16	1.9	0.11	307	2.3	0.13	1.6	0.10
Colon excl. rectum	3,894	36.3	0.60	22.8	0.37	3,986	29.2	0.47	18.3	0.31
Rectum & rectosigmoid	1,602	14.0	0.36	9.9	0.25	1,174	8.7	0.26	6.0	0.19
Anus, anal canal & anorectum	149	1.3	0.11	0.9	0.08	246	1.8	0.12	1.3	0.09
Liver	993	8.6	0.28	6.0	0.20	327	2.4	0.14	1.6	0.10
Gallbladder	82	0.8	0.09	0.5	0.05	170	1.2	0.10	0.8	0.06
Pancreas	1,499	14.0	0.38	8.7	0.23	1,522	11.1	0.29	6.7	0.18
Respiratory System	11,460	104.6	1.01	66.1	0.63	7,741	56.3	0.65	37.0	0.44
Larynx	1,042	9.0	0.29	6.3	0.20	241	1.8	0.11	1.3	0.09
Lung & bronchus	10,262	94.1	0.96	58.9	0.59	7,424	53.9	0.63	35.3	0.43
Bones & Joints	118	1.0	0.10	0.9	0.09	84	0.7	0.08	0.6	0.07
Soft Tissue (incl. heart)	406	3.9	0.20	2.7	0.14	322	2.6	0.15	2.1	0.13
Skin (excl. basal & sq.)	3,316	30.7	0.55	20.2	0.36	2,428	19.2	0.40	14.6	0.32
Melanomas of the skin	3,138	28.9	0.53	19.2	0.35	2,321	18.3	0.39	14.0	0.31
Breast (excl. <i>in situ</i>)	211	1.9	0.14	1.3	0.09	16,334	122.3	0.97	88.4	0.72
Female Genital System	-	-	-	-	-	5,748	43.2	0.58	31.7	0.44
Cervix uteri	-	-	-	-	-	1,005	8.5	0.27	6.7	0.22
Uterus Corpus	-	-	-	-	-	2,726	19.6	0.38	14.6	0.29
Uterus, NOS ¹	-	-	-	-	-	105	0.8	0.08	0.5	0.05
Ovary	-	-	-	-	-	1,388	10.4	0.28	7.2	0.21
Male Genital System	18,267	157.8	1.21	109.7	0.82	-	-	-	-	-
Prostate	17,735	152.8	1.19	105.3	0.80	-	-	-	-	-
Testis	432	4.0	0.20	3.8	0.18	-	-	-	-	-
Penis	85	0.8	0.09	0.5	0.06	-	-	-	-	-
Urinary System	5,484	51.8	0.73	31.9	0.44	2,681	19.8	0.39	12.9	0.27
Bladder (incl. <i>in situ</i>)	3,137	30.8	0.57	17.4	0.32	1,158	8.4	0.25	5.0	0.16
Kidney & renal pelvis	2,232	19.8	0.43	13.8	0.30	1,432	10.7	0.29	7.6	0.22
Ureter	84	0.8	0.09	0.4	0.05	58	0.4	0.06	0.2	0.03
Eye & Orbit	81	0.7	0.08	0.6	0.07	85	0.7	0.07	0.6	0.08
Brain & Other Nervous System	868	7.8	0.27	6.2	0.22	688	5.4	0.21	4.5	0.19
Brain	828	7.5	0.27	5.8	0.22	647	5.1	0.20	4.2	0.19
Endocrine System	605	5.4	0.22	4.2	0.18	1,763	14.3	0.35	11.8	0.29
Thyroid gland	513	4.6	0.21	3.5	0.16	1,679	13.6	0.34	11.1	0.28
Lymphomas	2,543	23.6	0.48	16.4	0.34	2,054	15.6	0.35	10.9	0.26
Hodgkin Lymphoma	339	3.1	0.17	2.7	0.15	253	2.2	0.14	2.0	0.13
Non-Hodgkin Lymphoma	2,204	20.5	0.45	13.7	0.30	1,801	13.4	0.32	8.9	0.23
Multiple Myeloma	813	7.5	0.27	4.7	0.17	719	5.2	0.20	3.4	0.14
Leukemias	1,583	15.4	0.40	10.5	0.29	1,143	8.7	0.26	6.3	0.22
Acute lymphocytic	184	1.7	0.12	2.1	0.16	94	0.8	0.09	1.1	0.12
Chronic lymphocytic	515	4.9	0.22	2.9	0.13	371	2.7	0.14	1.6	0.09
Acute myeloid	454	4.5	0.22	2.8	0.14	360	2.8	0.15	2.0	0.12
Chronic myeloid	201	2.0	0.14	1.3	0.09	161	1.2	0.10	0.9	0.08
Other leukemias	229	2.3	0.16	1.4	0.10	157	1.2	0.10	0.8	0.07
Mesothelioma	151	1.5	0.13	0.8	0.07	38	0.3	0.05	0.2	0.03
Kaposi Sarcoma	48	0.5	0.07	0.4	0.06	8	0.1	0.02	0.0	0.02
Ill-defined & Unknown	2,072	20.2	0.46	11.9	0.27	1,896	14.0	0.32	8.2	0.21
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	711	6.7	0.26	4.7	0.18	1,588	12.1	0.31	8.8	0.24
Breast (<i>in situ</i>)	28	0.3	0.05	0.2	0.03	3,703	27.5	0.46	20.6	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	45,600	534.3	2.58	352.9	1.72	40,498	410.8	2.09	287.4	1.56
Oral Cavity & Pharynx	1,626	18.3	0.47	13.4	0.34	650	6.6	0.26	4.6	0.20
Lip	69	0.8	0.10	0.5	0.07	28	0.3	0.05	0.2	0.03
Tongue	477	5.2	0.25	4.0	0.19	184	1.9	0.14	1.3	0.10
Major salivary gland	185	2.4	0.18	1.4	0.11	77	0.8	0.09	0.6	0.08
Floor of mouth	93	1.0	0.11	0.8	0.08	53	0.5	0.07	0.4	0.05
Gum & other mouth	162	1.9	0.15	1.3	0.10	118	1.2	0.11	0.7	0.07
Nasopharynx	58	0.7	0.09	0.5	0.07	32	0.3	0.06	0.2	0.04
Oropharynx	77	0.8	0.10	0.7	0.08	26	0.3	0.05	0.2	0.04
Hypopharynx	120	1.3	0.12	1.0	0.09	27	0.3	0.05	0.2	0.04
Digestive System	7,724	91.2	1.07	59.0	0.69	6,310	61.9	0.79	39.3	0.54
Esophagus	663	7.5	0.30	5.1	0.20	185	1.8	0.13	1.1	0.09
Stomach	585	7.1	0.30	4.4	0.19	356	3.5	0.19	2.1	0.13
Small intestine	217	2.5	0.17	1.7	0.12	191	1.9	0.14	1.3	0.10
Colon excl. rectum	2,831	34.0	0.66	21.3	0.41	2,756	26.9	0.52	16.6	0.35
Rectum & rectosigmoid	1,209	13.8	0.41	9.7	0.29	873	8.9	0.31	6.1	0.22
Anus, anal canal & anorectum	105	1.2	0.12	0.9	0.09	201	2.1	0.15	1.5	0.11
Liver	724	8.4	0.32	5.6	0.22	228	2.3	0.15	1.6	0.12
Gallbladder	57	0.7	0.10	0.4	0.06	111	1.1	0.10	0.7	0.07
Pancreas	1,070	13.0	0.41	7.9	0.25	1,059	10.1	0.31	6.1	0.20
Respiratory System	8,765	102.6	1.13	64.1	0.70	6,262	60.5	0.77	39.7	0.53
Larynx	692	7.8	0.30	5.4	0.21	171	1.7	0.13	1.2	0.10
Lung & bronchus	7,949	93.3	1.08	57.7	0.66	6,037	58.3	0.76	38.1	0.52
Bones & Joints	86	1.1	0.12	1.0	0.11	63	0.8	0.10	0.7	0.10
Soft Tissue (incl. heart)	319	4.0	0.23	2.8	0.18	220	2.5	0.17	2.1	0.17
Skin (excl. basal & sq.)	3,166	37.9	0.69	25.2	0.47	2,300	25.4	0.54	19.6	0.44
Melanomas of the skin	3,013	35.9	0.67	24.1	0.46	2,218	24.6	0.54	19.1	0.44
Breast (excl. <i>in situ</i>)	146	1.7	0.14	1.1	0.10	12,099	123.0	1.14	88.5	0.85
Female Genital System	-	-	-	-	-	4,135	42.8	0.68	31.6	0.52
Cervix uteri	-	-	-	-	-	647	8.0	0.32	6.4	0.26
Uterus Corpus	-	-	-	-	-	1,951	19.2	0.44	14.4	0.34
Uterus, NOS ¹	-	-	-	-	-	56	0.5	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,077	10.9	0.34	7.6	0.25
Male Genital System	12,170	135.8	1.27	94.0	0.87	-	-	-	-	-
Prostate	11,702	129.6	1.23	88.5	0.83	-	-	-	-	-
Testis	396	5.3	0.27	5.0	0.26	-	-	-	-	-
Penis	59	0.7	0.09	0.4	0.06	-	-	-	-	-
Urinary System	4,609	55.7	0.85	34.1	0.52	2,020	20.0	0.45	13.2	0.32
Bladder (incl. <i>in situ</i>)	2,829	35.1	0.68	19.9	0.39	911	8.8	0.29	5.3	0.19
Kidney & renal pelvis	1,687	19.5	0.49	13.5	0.34	1,035	10.5	0.33	7.5	0.26
Ureter	70	0.9	0.11	0.5	0.06	51	0.5	0.07	0.3	0.04
Eye & Orbit	72	0.8	0.10	0.7	0.09	69	0.8	0.09	0.6	0.09
Brain & Other Nervous System	743	9.0	0.34	7.1	0.28	564	6.1	0.26	5.0	0.25
Brain	719	8.6	0.33	6.8	0.28	533	5.7	0.26	4.6	0.24
Endocrine System	511	6.1	0.28	4.9	0.23	1,379	16.0	0.44	13.2	0.38
Thyroid gland	439	5.2	0.25	4.0	0.20	1,327	15.4	0.44	12.7	0.37
Lymphomas	2,083	25.3	0.57	17.4	0.41	1,650	16.8	0.42	11.6	0.32
Hodgkin Lymphoma	259	3.3	0.21	2.9	0.19	178	2.3	0.17	2.1	0.17
Non-Hodgkin Lymphoma	1,824	22.0	0.53	14.5	0.36	1,472	14.6	0.39	9.5	0.27
Multiple Myeloma	524	6.3	0.28	3.9	0.17	402	3.9	0.20	2.4	0.13
Leukemias	1,276	16.1	0.46	11.2	0.36	902	9.3	0.32	6.8	0.28
Acute lymphocytic	142	2.0	0.17	2.5	0.22	70	0.9	0.12	1.2	0.16
Chronic lymphocytic	428	5.2	0.26	3.1	0.15	300	2.9	0.17	1.7	0.11
Acute myeloid	374	4.7	0.25	3.1	0.17	284	3.0	0.18	2.1	0.15
Chronic myeloid	147	1.9	0.16	1.2	0.10	122	1.3	0.12	0.9	0.09
Other leukemias	185	2.4	0.18	1.4	0.11	126	1.3	0.12	0.8	0.09
Mesothelioma	142	1.7	0.15	1.0	0.08	33	0.3	0.05	0.2	0.04
Kaposi Sarcoma	29	0.4	0.07	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	1,609	20.1	0.52	11.9	0.31	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	558	7.0	0.30	5.0	0.23	1,149	12.0	0.36	8.8	0.29
Breast (<i>in situ</i>)	20	0.3	0.06	0.2	0.04	2,768	28.1	0.55	21.0	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	14,168	589.4	5.30	403.0	3.43	12,398	372.8	3.40	261.3	2.44
Oral Cavity & Pharynx	494	17.8	0.84	13.8	0.63	156	4.6	0.37	3.3	0.27
Lip	8	0.4	0.14	0.2	0.09	-	-	-	-	-
Tongue	105	3.6	0.36	3.0	0.29	39	1.1	0.19	0.8	0.14
Major salivary gland	19	0.7	0.16	0.6	0.13	23	0.7	0.14	0.5	0.11
Floor of mouth	38	1.3	0.22	1.1	0.18	6	0.2	0.07	0.1	0.06
Gum & other mouth	65	2.5	0.33	1.8	0.23	36	1.1	0.19	0.7	0.12
Nasopharynx	37	1.2	0.21	1.1	0.18	9	0.3	0.08	0.2	0.07
Oropharynx	38	1.3	0.21	1.0	0.17	9	0.3	0.09	0.2	0.06
Hypopharynx	70	2.7	0.35	2.0	0.24	7	0.2	0.08	0.2	0.06
Digestive System	3,026	128.0	2.50	84.7	1.56	2,671	81.3	1.60	52.7	1.07
Esophagus	327	13.0	0.77	9.3	0.52	100	2.9	0.30	2.1	0.22
Stomach	436	19.6	1.01	12.2	0.59	274	8.5	0.52	5.2	0.33
Small intestine	83	3.4	0.40	2.3	0.26	111	3.3	0.32	2.3	0.23
Colon excl. rectum	1,029	45.6	1.53	28.7	0.91	1,175	35.6	1.06	23.3	0.71
Rectum & rectosigmoid	360	14.4	0.81	10.1	0.54	287	8.5	0.51	5.9	0.36
Anus, anal canal & anorectum	42	1.7	0.28	1.2	0.18	41	1.3	0.20	0.8	0.13
Liver	247	8.7	0.58	6.8	0.44	87	2.6	0.29	1.8	0.20
Gallbladder	24	1.1	0.24	0.7	0.15	57	1.8	0.24	1.1	0.16
Pancreas	411	17.6	0.93	11.6	0.58	450	14.2	0.68	8.5	0.42
Respiratory System	2,603	111.5	2.34	73.6	1.46	1,412	42.7	1.16	28.8	0.79
Larynx	340	13.7	0.79	9.5	0.52	68	2.0	0.24	1.5	0.18
Lung & bronchus	2,231	96.5	2.19	63.3	1.36	1,322	40.1	1.12	26.9	0.77
Bones & Joints	32	1.0	0.18	1.0	0.18	18	0.5	0.12	0.5	0.12
Soft Tissue (incl. heart)	77	2.9	0.36	2.3	0.26	93	2.8	0.29	2.2	0.24
Skin (excl. basal & sq.)	34	1.3	0.23	1.0	0.18	51	1.6	0.22	1.1	0.16
Melanomas of the skin	13	0.5	0.13	0.4	0.11	30	0.9	0.16	0.6	0.12
Breast (excl. <i>in situ</i>)	60	2.5	0.34	1.7	0.22	4,015	118.5	1.90	87.2	1.41
Female Genital System	-	-	-	-	-	1,530	46.1	1.20	33.1	0.87
Cervix uteri	-	-	-	-	-	333	9.9	0.55	7.6	0.43
Uterus Corpus	-	-	-	-	-	744	22.3	0.83	16.1	0.61
Uterus, NOS ¹	-	-	-	-	-	48	1.5	0.22	0.9	0.14
Ovary	-	-	-	-	-	292	8.9	0.53	6.1	0.37
Male Genital System	5,432	221.8	3.21	155.9	2.14	-	-	-	-	-
Prostate	5,380	220.0	3.20	154.4	2.13	-	-	-	-	-
Testis	29	1.0	0.19	0.9	0.17	-	-	-	-	-
Penis	21	0.8	0.19	0.6	0.13	-	-	-	-	-
Urinary System	802	34.6	1.31	22.6	0.81	634	19.7	0.80	12.6	0.53
Bladder (incl. <i>in situ</i>)	259	12.6	0.84	7.4	0.46	229	7.4	0.49	4.0	0.28
Kidney & renal pelvis	521	20.9	0.98	14.6	0.65	388	11.8	0.61	8.2	0.44
Ureter	14	0.6	0.18	0.4	0.11	7	0.2	0.08	0.1	0.06
Eye & Orbit	6	0.2	0.08	0.2	0.09	10	0.3	0.09	0.4	0.12
Brain & Other Nervous System	110	4.1	0.41	3.4	0.32	115	3.3	0.32	3.2	0.31
Brain	94	3.5	0.39	2.8	0.30	105	3.1	0.30	2.9	0.30
Endocrine System	84	3.2	0.36	2.5	0.27	357	10.5	0.56	8.5	0.46
Thyroid gland	65	2.5	0.32	1.9	0.23	325	9.6	0.54	7.6	0.43
Lymphomas	418	16.0	0.83	12.2	0.60	364	11.0	0.58	8.3	0.45
Hodgkin Lymphoma	73	2.5	0.30	2.2	0.26	69	2.0	0.25	1.9	0.23
Non-Hodgkin Lymphoma	345	13.5	0.77	10.0	0.55	295	8.9	0.53	6.4	0.39
Multiple Myeloma	274	12.1	0.78	7.8	0.47	308	9.2	0.53	6.4	0.38
Leukemias	265	11.9	0.79	7.8	0.49	220	6.8	0.46	5.0	0.36
Acute lymphocytic	37	1.1	0.19	1.3	0.22	23	0.7	0.14	0.8	0.18
Chronic lymphocytic	67	3.0	0.39	1.9	0.23	63	2.0	0.25	1.3	0.17
Acute myeloid	74	3.7	0.46	2.1	0.25	72	2.2	0.27	1.6	0.20
Chronic myeloid	46	2.1	0.33	1.3	0.20	34	1.0	0.18	0.7	0.13
Other leukemias	41	1.9	0.33	1.2	0.18	28	0.9	0.17	0.6	0.12
Mesothelioma	7	0.3	0.13	0.2	0.07	-	-	-	-	-
Kaposi Sarcoma	17	0.6	0.14	0.5	0.13	6	0.2	0.08	0.1	0.05
Ill-defined & Unknown	427	19.8	1.04	11.8	0.58	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	145	6.1	0.54	4.1	0.35	415	12.5	0.62	9.0	0.46
Breast (<i>in situ</i>)	7	0.3	0.10	0.2	0.08	889	26.1	0.89	19.6	0.67

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	282	351.9	26.80	210.2	12.98	364	299.4	17.70	192.7	10.27
Oral Cavity & Pharynx	8	6.5	2.37	5.0	1.80	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	68	70.5	10.71	46.8	5.89	85	74.9	9.07	46.0	5.06
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	11.2	5.22	6.1	2.34	7	7.1	3.10	3.8	1.45
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	15	17.1	5.32	10.6	2.79	32	31.6	6.26	17.7	3.16
Rectum & rectosigmoid	10	12.6	5.40	7.4	2.49	11	7.4	2.36	5.7	1.73
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	14.5	3.98	10.4	2.66	10	9.7	3.27	5.3	1.70
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	6.7	2.24	5.8	1.96	9	6.3	2.26	4.5	1.52
Respiratory System	50	72.6	13.41	40.0	5.89	45	42.7	6.83	25.5	3.85
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	46	69.6	13.32	37.3	5.73	44	41.6	6.76	24.9	3.80
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	111	80.3	8.53	56.0	5.39
Female Genital System	-	-	-	-	-	45	33.3	5.72	23.6	3.59
Cervix uteri	-	-	-	-	-	12	7.5	2.19	6.4	1.87
Uterus Corpus	-	-	-	-	-	17	11.1	2.87	8.4	2.07
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	11.3	3.77	7.3	2.05
Male Genital System	67	102.9	15.50	54.0	6.80	-	-	-	-	-
Prostate	63	99.9	15.43	51.5	6.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	14.2	3.53	12.1	2.96	6	10.8	4.49	3.5	1.47
Bladder (incl. <i>in situ</i>)	10	7.6	2.41	6.8	2.17	-	-	-	-	-
Kidney & renal pelvis	7	6.6	2.57	5.3	2.01	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	9	10.9	4.53	7.1	2.38	-	-	-	-	-
Brain	9	10.9	4.53	7.1	2.38	-	-	-	-	-
Endocrine System	6	7.5	3.88	4.2	1.78	16	9.0	2.27	7.5	1.91
Thyroid gland	6	7.5	3.88	4.2	1.78	16	9.0	2.27	7.5	1.91
Lymphomas	16	16.9	5.56	10.8	2.81	16	15.4	4.37	8.4	2.16
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	8.4	2.78	6.6	2.13	-	-	-	-	-
Leukemias	10	12.2	5.39	7.7	2.59	7	5.7	2.25	4.7	1.81
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	18.3	5.56	11.2	2.93	12	11.2	3.66	6.4	1.86
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	9	5.8	2.03	4.7	1.59
Breast (<i>in situ</i>)	-	-	-	-	-	24	19.4	4.61	12.7	2.64

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	75	199.8	27.23	127.9	15.14	53	134.5	20.31	86.2	12.05
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	49.9	13.23	31.8	7.49	8	24.0	9.36	13.1	4.70
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	12.1	5.17	9.8	4.08	14	37.6	11.06	22.1	6.01
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	12.1	5.17	9.8	4.08	13	35.3	10.83	20.1	5.67
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	15	35.0	9.62	24.2	6.36
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	25	66.8	15.69	44.6	9.12	-	-	-	-	-
Prostate	24	65.7	15.66	43.2	9.02	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	631	346.8	17.39	224.6	9.96	615	321.1	14.86	208.6	8.99
Oral Cavity & Pharynx	21	7.8	1.93	6.6	1.60	6	3.8	1.68	2.1	0.89
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	3.0	1.10	2.6	0.96	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	128	77.6	8.31	48.0	4.64	108	73.8	7.71	42.4	4.26
Esophagus	13	9.3	2.97	5.5	1.63	-	-	-	-	-
Stomach	23	10.0	2.68	6.6	1.58	14	7.8	2.32	5.0	1.45
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	39	26.4	5.09	15.5	2.71	34	24.3	4.50	12.8	2.30
Rectum & rectosigmoid	14	7.8	2.41	5.3	1.53	14	7.6	2.20	5.5	1.53
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	20	12.7	3.38	7.8	1.86	7	5.9	2.31	2.7	1.05
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	6.7	2.42	4.1	1.36	19	14.2	3.42	8.7	2.04
Respiratory System	109	74.6	8.26	47.8	4.82	63	40.4	5.45	25.8	3.37
Larynx	11	6.0	2.12	4.2	1.33	-	-	-	-	-
Lung & bronchus	95	68.0	7.97	43.1	4.61	61	39.4	5.41	24.8	3.29
Bones & Joints	6	1.1	0.51	1.2	0.51	-	-	-	-	-
Soft Tissue (incl. heart)	22	5.0	1.52	3.9	0.93	11	3.7	1.48	2.6	0.86
Skin (excl. basal & sq.)	13	6.1	2.09	4.4	1.36	12	5.3	1.66	4.0	1.23
Melanomas of the skin	11	4.7	1.79	3.3	1.11	12	5.3	1.66	4.0	1.23
Breast (excl. <i>in situ</i>)	-	-	-	-	-	171	74.6	6.37	54.9	4.48
Female Genital System	-	-	-	-	-	91	41.8	5.19	28.2	3.20
Cervix uteri	-	-	-	-	-	29	8.1	1.64	6.7	1.35
Uterus Corpus	-	-	-	-	-	33	17.7	3.40	12.3	2.27
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	24	12.4	3.04	7.6	1.66
Male Genital System	137	84.2	8.58	55.9	5.13	-	-	-	-	-
Prostate	117	81.2	8.55	53.0	5.08	-	-	-	-	-
Testis	19	2.7	0.71	2.7	0.66	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	41	25.9	5.11	15.4	2.67	29	15.2	3.26	9.8	1.93
Bladder (incl. <i>in situ</i>)	19	15.5	4.22	7.9	1.96	-	-	-	-	-
Kidney & renal pelvis	22	10.4	2.88	7.5	1.81	26	13.3	3.03	8.6	1.80
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	15	3.6	1.13	3.5	1.09	14	4.8	1.56	3.9	1.16
Brain	15	3.6	1.13	3.5	1.09	14	4.8	1.56	3.9	1.16
Endocrine System	13	4.6	1.63	3.6	1.15	25	7.1	1.62	6.0	1.31
Thyroid gland	10	4.0	1.59	2.9	1.08	22	6.3	1.53	5.2	1.19
Lymphomas	41	14.9	3.41	9.7	1.81	32	17.4	3.54	11.1	2.08
Hodgkin Lymphoma	15	3.5	1.54	2.4	0.69	9	3.3	1.38	2.4	0.88
Non-Hodgkin Lymphoma	26	11.4	3.04	7.3	1.67	23	14.1	3.26	8.7	1.89
Multiple Myeloma	8	3.0	1.32	2.4	1.02	9	5.9	2.09	3.9	1.33
Leukemias	42	11.0	2.60	9.0	1.61	27	15.9	3.67	8.7	1.79
Acute lymphocytic	-	-	-	-	-	8	1.2	0.44	1.6	0.57
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	6	4.9	2.10	2.3	1.00
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	6	3.9	1.80	2.1	0.90
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	24	22.0	5.04	10.6	2.25	11	8.0	2.65	3.8	1.20
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	11	5.7	2.23	3.1	1.06	15	6.9	2.02	4.8	1.33
Breast (<i>in situ</i>)	-	-	-	-	-	43	21.6	3.70	14.8	2.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

SOUTH CAROLINA

348 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	45,089	538.8	2.62	356.4	1.76	40,004	414.1	2.12	290.2	1.60
Oral Cavity & Pharynx	1,612	18.6	0.48	13.6	0.35	645	6.6	0.27	4.7	0.20
Lip	69	0.8	0.10	0.6	0.07	28	0.3	0.05	0.2	0.03
Tongue	470	5.3	0.25	4.0	0.19	183	1.9	0.14	1.3	0.11
Major salivary gland	185	2.4	0.18	1.4	0.11	76	0.8	0.09	0.6	0.08
Floor of mouth	92	1.0	0.11	0.8	0.08	53	0.5	0.07	0.4	0.05
Gum & other mouth	161	1.9	0.15	1.3	0.10	116	1.2	0.11	0.7	0.07
Nasopharynx	57	0.7	0.10	0.5	0.07	32	0.3	0.06	0.2	0.05
Oropharynx	76	0.8	0.10	0.7	0.08	26	0.3	0.06	0.2	0.04
Hypopharynx	119	1.3	0.13	1.0	0.09	27	0.3	0.05	0.2	0.04
Digestive System	7,616	91.7	1.08	59.4	0.70	6,226	62.0	0.80	39.5	0.55
Esophagus	651	7.5	0.30	5.1	0.20	183	1.8	0.13	1.1	0.09
Stomach	565	6.9	0.30	4.3	0.19	346	3.4	0.19	2.1	0.13
Small intestine	216	2.5	0.18	1.7	0.12	189	1.9	0.14	1.3	0.10
Colon excl. rectum	2,800	34.3	0.67	21.5	0.42	2,732	27.1	0.53	16.7	0.35
Rectum & rectosigmoid	1,196	13.9	0.41	9.9	0.29	861	8.9	0.31	6.1	0.23
Anus, anal canal & anorectum	103	1.2	0.12	0.9	0.09	200	2.1	0.15	1.5	0.12
Liver	708	8.3	0.32	5.6	0.22	222	2.3	0.15	1.6	0.12
Gallbladder	56	0.7	0.10	0.4	0.06	107	1.0	0.10	0.7	0.07
Pancreas	1,060	13.1	0.41	7.9	0.25	1,043	10.1	0.32	6.1	0.21
Respiratory System	8,677	103.2	1.14	64.5	0.71	6,212	60.9	0.78	40.0	0.54
Larynx	686	7.9	0.31	5.5	0.21	169	1.7	0.13	1.3	0.10
Lung & bronchus	7,870	93.8	1.09	58.0	0.67	5,989	58.6	0.77	38.4	0.53
Bones & Joints	80	1.1	0.12	0.9	0.11	62	0.8	0.11	0.7	0.10
Soft Tissue (incl. heart)	300	3.9	0.23	2.7	0.17	212	2.5	0.18	2.1	0.17
Skin (excl. basal & sq.)	3,153	38.7	0.71	25.8	0.48	2,290	26.2	0.57	20.3	0.47
Melanomas of the skin	3,002	36.7	0.69	24.7	0.47	2,208	25.3	0.56	19.7	0.46
Breast (excl. <i>in situ</i>)	144	1.7	0.15	1.1	0.10	11,957	124.0	1.16	89.3	0.87
Female Genital System	-	-	-	-	-	4,064	43.1	0.70	31.8	0.54
Cervix uteri	-	-	-	-	-	625	8.1	0.33	6.5	0.27
Uterus Corpus	-	-	-	-	-	1,923	19.3	0.45	14.4	0.35
Uterus, NOS ¹	-	-	-	-	-	55	0.5	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,060	10.9	0.34	7.6	0.25
Male Genital System	12,069	137.0	1.28	95.0	0.89	-	-	-	-	-
Prostate	11,618	130.6	1.25	89.2	0.84	-	-	-	-	-
Testis	379	5.6	0.29	5.2	0.28	-	-	-	-	-
Penis	59	0.7	0.09	0.5	0.06	-	-	-	-	-
Urinary System	4,578	56.3	0.86	34.5	0.53	1,994	20.1	0.46	13.3	0.33
Bladder (incl. <i>in situ</i>)	2,812	35.3	0.69	20.1	0.39	908	8.9	0.30	5.3	0.19
Kidney & renal pelvis	1,673	19.7	0.50	13.8	0.35	1,012	10.5	0.34	7.5	0.26
Ureter	70	0.9	0.11	0.5	0.06	51	0.5	0.07	0.3	0.04
Eye & Orbit	70	0.8	0.10	0.7	0.09	67	0.8	0.10	0.6	0.10
Brain & Other Nervous System	731	9.2	0.35	7.3	0.30	554	6.2	0.27	5.1	0.26
Brain	707	8.8	0.34	7.0	0.29	523	5.8	0.26	4.7	0.25
Endocrine System	498	6.2	0.29	5.0	0.24	1,356	16.3	0.46	13.5	0.39
Thyroid gland	429	5.3	0.26	4.1	0.21	1,307	15.8	0.45	13.0	0.38
Lymphomas	2,048	25.6	0.58	17.7	0.42	1,626	17.0	0.43	11.7	0.33
Hodgkin Lymphoma	246	3.4	0.22	2.9	0.20	173	2.3	0.18	2.1	0.18
Non-Hodgkin Lymphoma	1,802	22.2	0.54	14.7	0.37	1,453	14.7	0.39	9.6	0.28
Multiple Myeloma	518	6.3	0.29	3.9	0.18	395	3.9	0.20	2.4	0.13
Leukemias	1,242	16.1	0.47	11.2	0.37	882	9.3	0.32	6.8	0.29
Acute lymphocytic	125	1.9	0.17	2.4	0.23	63	0.9	0.12	1.2	0.17
Chronic lymphocytic	424	5.2	0.26	3.1	0.16	298	2.9	0.17	1.7	0.11
Acute myeloid	368	4.8	0.26	3.1	0.18	278	3.0	0.18	2.1	0.15
Chronic myeloid	141	1.8	0.16	1.1	0.10	119	1.3	0.12	0.9	0.10
Other leukemias	184	2.4	0.19	1.4	0.11	124	1.3	0.12	0.9	0.09
Mesothelioma	139	1.7	0.15	1.0	0.08	31	0.3	0.05	0.2	0.04
Kaposi Sarcoma	26	0.4	0.07	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	1,588	20.2	0.53	12.0	0.32	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	549	7.1	0.31	5.2	0.24	1,136	12.2	0.37	9.0	0.30
Breast (<i>in situ</i>)	19	0.3	0.06	0.2	0.04	2,733	28.3	0.55	21.2	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	14,129	592.0	5.33	404.9	3.45	12,357	374.1	3.42	262.4	2.45
Oral Cavity & Pharynx	491	17.9	0.85	13.8	0.63	155	4.6	0.38	3.3	0.27
Lip	8	0.4	0.14	0.2	0.09	-	-	-	-	-
Tongue	105	3.6	0.36	3.0	0.29	39	1.2	0.19	0.8	0.14
Major salivary gland	18	0.7	0.16	0.5	0.13	22	0.7	0.14	0.5	0.11
Floor of mouth	37	1.3	0.22	1.1	0.18	6	0.2	0.07	0.1	0.06
Gum & other mouth	65	2.5	0.33	1.8	0.23	36	1.1	0.19	0.7	0.12
Nasopharynx	37	1.2	0.21	1.1	0.18	9	0.3	0.08	0.2	0.07
Oropharynx	38	1.3	0.22	1.0	0.17	9	0.3	0.09	0.2	0.06
Hypopharynx	70	2.7	0.35	2.0	0.24	7	0.2	0.08	0.2	0.06
Digestive System	3,018	128.5	2.51	85.1	1.57	2,665	81.6	1.61	52.9	1.07
Esophagus	326	13.0	0.77	9.3	0.52	100	2.9	0.30	2.1	0.22
Stomach	434	19.6	1.01	12.2	0.59	273	8.6	0.53	5.2	0.33
Small intestine	82	3.4	0.40	2.3	0.26	111	3.3	0.32	2.3	0.23
Colon excl. rectum	1,026	45.8	1.54	28.8	0.91	1,173	35.8	1.06	23.4	0.71
Rectum & rectosigmoid	360	14.5	0.82	10.2	0.54	286	8.5	0.51	5.9	0.36
Anus, anal canal & anorectum	42	1.8	0.29	1.2	0.19	41	1.3	0.20	0.8	0.13
Liver	247	8.8	0.59	6.8	0.44	87	2.6	0.29	1.8	0.20
Gallbladder	24	1.1	0.24	0.7	0.15	56	1.8	0.24	1.1	0.15
Pancreas	411	17.7	0.94	11.7	0.58	449	14.2	0.68	8.5	0.42
Respiratory System	2,590	111.7	2.35	73.7	1.47	1,404	42.7	1.16	28.8	0.80
Larynx	337	13.7	0.80	9.4	0.52	68	2.0	0.24	1.5	0.18
Lung & bronchus	2,221	96.7	2.20	63.4	1.36	1,314	40.1	1.13	26.9	0.77
Bones & Joints	32	1.0	0.19	1.0	0.18	18	0.5	0.13	0.5	0.12
Soft Tissue (incl. heart)	76	2.9	0.36	2.3	0.27	92	2.8	0.29	2.2	0.24
Skin (excl. basal & sq.)	34	1.3	0.23	1.0	0.18	51	1.6	0.22	1.1	0.17
Melanomas of the skin	13	0.5	0.13	0.4	0.11	30	0.9	0.16	0.6	0.12
Breast (excl. <i>in situ</i>)	60	2.5	0.35	1.7	0.22	4,006	119.1	1.91	87.7	1.42
Female Genital System	-	-	-	-	-	1,523	46.1	1.20	33.2	0.88
Cervix uteri	-	-	-	-	-	331	9.9	0.55	7.7	0.43
Uterus Corpus	-	-	-	-	-	741	22.3	0.83	16.1	0.61
Uterus, NOS ¹	-	-	-	-	-	47	1.5	0.22	0.9	0.14
Ovary	-	-	-	-	-	291	9.0	0.53	6.1	0.37
Male Genital System	5,425	223.0	3.23	156.8	2.15	-	-	-	-	-
Prostate	5,373	221.1	3.22	155.2	2.14	-	-	-	-	-
Testis	29	1.0	0.19	0.9	0.18	-	-	-	-	-
Penis	21	0.8	0.19	0.6	0.13	-	-	-	-	-
Urinary System	799	34.7	1.31	22.7	0.81	634	19.8	0.80	12.7	0.53
Bladder (incl. <i>in situ</i>)	259	12.7	0.84	7.4	0.47	229	7.4	0.50	4.0	0.28
Kidney & renal pelvis	518	21.0	0.98	14.7	0.65	388	11.9	0.61	8.3	0.44
Ureter	14	0.6	0.18	0.4	0.11	7	0.2	0.08	0.1	0.06
Eye & Orbit	6	0.2	0.08	0.2	0.09	10	0.3	0.09	0.4	0.13
Brain & Other Nervous System	110	4.1	0.42	3.4	0.33	114	3.4	0.32	3.2	0.32
Brain	94	3.6	0.39	2.9	0.30	104	3.1	0.31	3.0	0.31
Endocrine System	84	3.2	0.37	2.5	0.27	357	10.6	0.57	8.6	0.46
Thyroid gland	65	2.5	0.33	1.9	0.23	325	9.7	0.55	7.7	0.43
Lymphomas	417	16.1	0.83	12.3	0.61	362	11.0	0.59	8.3	0.46
Hodgkin Lymphoma	73	2.5	0.30	2.2	0.26	69	2.0	0.25	1.9	0.23
Non-Hodgkin Lymphoma	344	13.6	0.78	10.1	0.55	293	8.9	0.53	6.5	0.39
Multiple Myeloma	274	12.2	0.79	7.8	0.48	306	9.2	0.54	6.4	0.38
Leukemias	265	12.0	0.80	7.9	0.50	217	6.8	0.46	4.9	0.37
Acute lymphocytic	37	1.2	0.20	1.4	0.23	22	0.7	0.14	0.8	0.18
Chronic lymphocytic	67	3.0	0.40	1.9	0.23	63	2.0	0.25	1.3	0.17
Acute myeloid	74	3.7	0.46	2.2	0.26	72	2.3	0.27	1.6	0.20
Chronic myeloid	46	2.1	0.34	1.3	0.20	34	1.0	0.18	0.7	0.14
Other leukemias	41	2.0	0.34	1.2	0.19	26	0.8	0.16	0.6	0.12
Mesothelioma	7	0.3	0.13	0.2	0.07	-	-	-	-	-
Kaposi Sarcoma	16	0.5	0.14	0.5	0.13	6	0.2	0.08	0.1	0.06
Ill-defined & Unknown	425	19.8	1.04	11.8	0.58	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	143	6.1	0.55	4.1	0.35	414	12.6	0.63	9.1	0.47
Breast (<i>in situ</i>)	7	0.3	0.10	0.2	0.08	888	26.2	0.89	19.7	0.67

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,382	499.4	4.95	327.2	3.41	9,399	395.9	4.20	273.1	3.15
Oral Cavity & Pharynx	314	14.7	0.84	10.5	0.62	142	6.0	0.51	4.3	0.39
Lip	43	2.0	0.32	1.3	0.21	12	0.5	0.14	0.3	0.09
Tongue	77	3.5	0.41	2.7	0.32	42	1.8	0.28	1.3	0.22
Major salivary gland	34	1.7	0.29	0.9	0.18	23	1.0	0.22	0.8	0.19
Floor of mouth	21	1.0	0.23	0.8	0.17	9	0.4	0.13	0.3	0.09
Gum & other mouth	34	1.6	0.28	1.0	0.19	23	0.9	0.20	0.6	0.14
Nasopharynx	9	0.4	0.14	0.3	0.12	6	0.3	0.12	0.2	0.10
Oropharynx	8	0.4	0.14	0.2	0.09	-	-	-	-	-
Hypopharynx	17	0.8	0.19	0.6	0.15	10	0.4	0.12	0.3	0.10
Digestive System	1,962	94.8	2.16	59.2	1.42	1,713	67.3	1.67	40.8	1.14
Esophagus	183	8.8	0.66	5.8	0.45	53	2.1	0.30	1.4	0.21
Stomach	153	7.4	0.61	4.4	0.38	96	3.8	0.40	2.5	0.29
Small intestine	53	2.5	0.35	1.7	0.25	42	1.8	0.28	1.2	0.21
Colon excl. rectum	796	38.9	1.39	23.3	0.88	829	31.8	1.14	18.1	0.74
Rectum & rectosigmoid	351	16.8	0.91	11.4	0.64	242	10.0	0.66	6.6	0.47
Anus, anal canal & anorectum	22	1.0	0.22	0.8	0.17	34	1.5	0.26	1.2	0.21
Liver	100	4.6	0.47	3.3	0.35	41	1.7	0.27	1.1	0.20
Gallbladder	15	0.7	0.18	0.4	0.12	42	1.6	0.26	0.9	0.16
Pancreas	226	11.0	0.74	6.3	0.45	253	9.8	0.63	5.8	0.42
Respiratory System	1,635	79.3	1.98	47.8	1.26	1,219	49.7	1.45	32.0	1.02
Larynx	97	4.7	0.48	3.1	0.33	29	1.3	0.24	0.9	0.19
Lung & bronchus	1,521	73.8	1.91	44.0	1.20	1,178	48.0	1.42	30.7	0.99
Bones & Joints	23	1.1	0.23	0.9	0.21	16	0.8	0.20	0.8	0.22
Soft Tissue (incl. heart)	76	3.7	0.43	2.6	0.34	50	2.2	0.32	1.6	0.27
Skin (excl. basal & sq.)	386	18.6	0.96	13.2	0.71	337	15.5	0.87	11.7	0.71
Melanomas of the skin	362	17.5	0.93	12.4	0.69	312	14.5	0.85	10.9	0.68
Breast (excl. <i>in situ</i>)	19	0.9	0.22	0.4	0.11	2,738	117.9	2.31	84.4	1.75
Female Genital System	-	-	-	-	-	1,067	46.8	1.47	34.4	1.14
Cervix uteri	-	-	-	-	-	115	5.9	0.57	4.7	0.46
Uterus Corpus	-	-	-	-	-	591	25.6	1.08	19.1	0.84
Uterus, NOS ¹	-	-	-	-	-	9	0.4	0.12	0.3	0.10
Ovary	-	-	-	-	-	253	10.8	0.69	7.7	0.53
Male Genital System	3,227	152.2	2.71	105.8	1.94	-	-	-	-	-
Prostate	3,100	145.5	2.64	99.9	1.87	-	-	-	-	-
Testis	106	5.7	0.56	5.3	0.52	-	-	-	-	-
Penis	17	0.8	0.20	0.5	0.14	-	-	-	-	-
Urinary System	1,111	54.0	1.63	33.0	1.06	479	19.5	0.92	12.6	0.66
Bladder (incl. <i>in situ</i>)	684	33.6	1.29	18.7	0.77	213	8.3	0.58	5.1	0.41
Kidney & renal pelvis	411	19.6	0.98	13.8	0.72	246	10.5	0.68	7.1	0.51
Ureter	9	0.4	0.15	0.3	0.10	18	0.7	0.17	0.4	0.10
Eye & Orbit	8	0.4	0.14	0.2	0.10	6	0.2	0.10	0.2	0.11
Brain & Other Nervous System	131	6.4	0.57	5.4	0.51	130	6.0	0.54	4.8	0.47
Brain	127	6.2	0.56	5.1	0.49	126	5.7	0.52	4.6	0.46
Endocrine System	116	5.9	0.55	4.5	0.44	359	18.0	0.97	15.2	0.84
Thyroid gland	104	5.3	0.53	3.9	0.40	346	17.3	0.95	14.6	0.82
Lymphomas	502	24.5	1.11	16.9	0.81	435	18.3	0.91	13.0	0.71
Hodgkin Lymphoma	57	2.8	0.38	2.7	0.36	51	2.5	0.35	2.2	0.33
Non-Hodgkin Lymphoma	445	21.6	1.04	14.2	0.73	384	15.9	0.83	10.8	0.63
Multiple Myeloma	134	6.5	0.57	4.0	0.36	107	4.3	0.42	2.6	0.28
Leukemias	310	15.3	0.88	10.3	0.65	223	9.1	0.63	6.2	0.49
Acute lymphocytic	26	1.3	0.25	1.6	0.32	19	1.0	0.22	1.1	0.27
Chronic lymphocytic	132	6.4	0.56	3.9	0.36	92	3.7	0.39	2.4	0.28
Acute myeloid	83	4.2	0.47	2.6	0.31	65	2.7	0.35	1.7	0.25
Chronic myeloid	33	1.7	0.30	1.0	0.19	20	0.8	0.17	0.5	0.12
Other leukemias	36	1.8	0.30	1.2	0.22	27	1.0	0.21	0.5	0.12
Mesothelioma	19	1.0	0.22	0.5	0.13	7	0.3	0.10	0.1	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	122	6.0	0.55	4.3	0.41	236	10.4	0.70	7.4	0.53
Breast (<i>in situ</i>)	-	-	-	-	-	665	29.6	1.17	22.3	0.91

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9,857	498.8	5.08	327.0	3.54	8,796	392.7	4.34	270.9	3.28
Oral Cavity & Pharynx	297	14.7	0.87	10.5	0.64	131	5.8	0.52	4.1	0.40
Lip	42	2.1	0.33	1.3	0.22	11	0.4	0.14	0.3	0.10
Tongue	75	3.7	0.43	2.8	0.34	42	1.9	0.30	1.4	0.24
Major salivary gland	34	1.8	0.30	1.0	0.19	20	0.9	0.22	0.7	0.18
Floor of mouth	17	0.9	0.23	0.7	0.17	8	0.4	0.13	0.2	0.09
Gum & other mouth	30	1.5	0.28	1.0	0.19	21	0.9	0.20	0.6	0.13
Nasopharynx	7	0.4	0.14	0.3	0.11	-	-	-	-	-
Oropharynx	6	0.3	0.13	0.2	0.08	-	-	-	-	-
Hypopharynx	17	0.8	0.20	0.6	0.15	9	0.4	0.12	0.3	0.10
Digestive System	1,834	93.0	2.20	57.9	1.45	1,593	65.3	1.69	39.3	1.16
Esophagus	175	8.8	0.67	5.8	0.46	49	2.1	0.30	1.3	0.21
Stomach	137	7.0	0.60	4.1	0.39	82	3.3	0.39	2.1	0.28
Small intestine	49	2.5	0.36	1.7	0.25	38	1.7	0.28	1.2	0.22
Colon excl. rectum	756	38.7	1.42	23.0	0.90	785	31.3	1.16	17.7	0.76
Rectum & rectosigmoid	329	16.6	0.93	11.2	0.65	221	9.6	0.67	6.3	0.48
Anus, anal canal & anorectum	19	1.0	0.22	0.7	0.17	33	1.6	0.28	1.2	0.22
Liver	77	3.8	0.44	2.7	0.33	33	1.4	0.25	1.0	0.21
Gallbladder	12	0.6	0.17	0.4	0.12	37	1.5	0.25	0.8	0.16
Pancreas	220	11.1	0.76	6.5	0.47	239	9.6	0.64	5.7	0.43
Respiratory System	1,532	77.5	2.00	46.5	1.27	1,133	48.6	1.47	31.4	1.04
Larynx	83	4.1	0.46	2.8	0.32	29	1.4	0.26	1.0	0.20
Lung & bronchus	1,434	72.6	1.93	43.1	1.22	1,092	46.7	1.44	30.0	1.02
Bones & Joints	23	1.2	0.26	1.1	0.24	14	0.8	0.21	0.8	0.24
Soft Tissue (incl. heart)	69	3.6	0.44	2.5	0.33	43	2.0	0.31	1.4	0.26
Skin (excl. basal & sq.)	382	19.6	1.02	14.0	0.76	330	16.5	0.95	12.6	0.78
Melanomas of the skin	359	18.5	0.99	13.2	0.74	305	15.4	0.92	11.7	0.75
Breast (excl. <i>in situ</i>)	19	1.0	0.22	0.5	0.12	2,582	118.4	2.41	84.8	1.83
Female Genital System	-	-	-	-	-	981	45.4	1.50	33.3	1.16
Cervix uteri	-	-	-	-	-	89	5.0	0.56	4.0	0.45
Uterus Corpus	-	-	-	-	-	552	25.3	1.10	18.8	0.85
Uterus, NOS ¹	-	-	-	-	-	9	0.4	0.13	0.3	0.10
Ovary	-	-	-	-	-	237	10.6	0.71	7.5	0.55
Male Genital System	3,083	152.7	2.78	106.4	2.01	-	-	-	-	-
Prostate	2,968	145.9	2.70	100.3	1.92	-	-	-	-	-
Testis	98	6.0	0.62	5.6	0.58	-	-	-	-	-
Penis	13	0.7	0.19	0.4	0.12	-	-	-	-	-
Urinary System	1,061	54.0	1.67	32.9	1.10	454	19.5	0.95	12.5	0.68
Bladder (incl. <i>in situ</i>)	670	34.3	1.33	19.1	0.80	210	8.6	0.61	5.3	0.43
Kidney & renal pelvis	375	18.9	0.99	13.3	0.74	226	10.2	0.70	6.8	0.52
Ureter	9	0.5	0.16	0.3	0.11	16	0.7	0.17	0.3	0.09
Eye & Orbit	8	0.4	0.15	0.3	0.11	-	-	-	-	-
Brain & Other Nervous System	129	6.9	0.62	5.9	0.58	123	6.1	0.57	4.8	0.50
Brain	125	6.7	0.61	5.5	0.55	119	5.8	0.55	4.6	0.49
Endocrine System	108	6.0	0.59	4.6	0.49	340	18.8	1.05	15.9	0.91
Thyroid gland	97	5.3	0.55	3.9	0.42	328	18.1	1.03	15.3	0.89
Lymphomas	488	25.4	1.16	17.7	0.88	412	18.6	0.95	13.2	0.75
Hodgkin Lymphoma	53	3.0	0.42	2.8	0.40	49	2.7	0.39	2.4	0.37
Non-Hodgkin Lymphoma	435	22.4	1.09	14.9	0.78	363	15.9	0.86	10.8	0.65
Multiple Myeloma	131	6.6	0.59	4.1	0.38	100	4.2	0.43	2.5	0.29
Leukemias	296	15.5	0.91	10.4	0.69	203	8.8	0.64	5.9	0.50
Acute lymphocytic	22	1.3	0.28	1.5	0.35	14	0.8	0.22	0.9	0.27
Chronic lymphocytic	130	6.5	0.58	4.0	0.38	88	3.7	0.41	2.4	0.29
Acute myeloid	78	4.2	0.48	2.6	0.34	59	2.6	0.35	1.6	0.25
Chronic myeloid	31	1.7	0.31	1.0	0.19	19	0.7	0.18	0.5	0.13
Other leukemias	35	1.8	0.31	1.3	0.24	23	0.9	0.20	0.5	0.12
Mesothelioma	19	1.0	0.23	0.6	0.14	7	0.3	0.10	0.1	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	344	13.6	0.76	8.0	0.52
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	115	6.0	0.57	4.3	0.44	226	10.6	0.73	7.6	0.57
Breast (<i>in situ</i>)	-	-	-	-	-	638	30.4	1.23	22.9	0.96

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	46	406.0	80.19	284.3	48.66	32	377.4	76.75	282.1	54.25
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	68.0	37.32	37.8	16.64	6	82.3	37.78	56.2	23.88
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	72.1	31.92	53.9	22.82	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	53.0	25.54	41.8	19.39	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	9	97.1	35.52	80.5	29.21
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	17	172.8	53.97	114.4	30.75	-	-	-	-	-
Prostate	16	170.9	53.94	112.2	30.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17	265.1	84.67	167.0	44.59	28	210.5	48.78	140.9	28.17
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	85.9	35.61	66.8	27.34	11	96.4	37.10	63.1	20.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	405	564.5	32.08	367.1	18.65	451	453.3	22.48	305.9	14.64
Oral Cavity & Pharynx	14	17.4	5.74	12.3	3.42	6	4.7	1.98	4.5	1.87
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	102	141.0	15.92	91.4	9.25	88	97.8	10.91	58.5	6.34
Esophagus	8	13.2	4.96	7.6	2.70	-	-	-	-	-
Stomach	13	20.2	6.29	10.3	2.88	11	10.7	3.32	7.8	2.38
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	33	45.6	9.31	30.6	5.45	31	34.7	6.54	20.2	3.69
Rectum & rectosigmoid	20	23.2	5.47	17.9	4.09	17	16.6	4.18	11.6	2.84
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	13	15.4	4.63	11.7	3.30	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	10	10.7	3.53	6.9	2.21
Respiratory System	85	133.0	16.52	80.6	8.91	71	86.8	10.63	49.4	5.99
Larynx	13	19.1	5.66	12.2	3.43	-	-	-	-	-
Lung & bronchus	71	113.3	15.51	67.7	8.20	71	86.8	10.63	49.4	5.99
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	118	113.4	10.91	80.4	7.51
Female Genital System	-	-	-	-	-	65	57.9	7.45	44.2	5.54
Cervix uteri	-	-	-	-	-	19	15.8	3.73	12.6	2.92
Uterus Corpus	-	-	-	-	-	31	27.7	5.16	21.0	3.80
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	11.2	3.32	8.6	2.51
Male Genital System	109	156.1	16.79	102.4	9.98	-	-	-	-	-
Prostate	99	147.4	16.54	95.1	9.70	-	-	-	-	-
Testis	7	4.9	1.91	4.4	1.66	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	40	49.4	8.52	35.9	5.77	21	20.0	4.59	14.1	3.14
Bladder (incl. <i>in situ</i>)	11	16.2	5.31	10.6	3.24	-	-	-	-	-
Kidney & renal pelvis	29	33.1	6.66	25.2	4.78	16	14.7	3.86	10.5	2.68
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	14	10.0	2.71	8.9	2.40
Thyroid gland	-	-	-	-	-	13	9.6	2.68	8.4	2.34
Lymphomas	12	15.0	5.08	9.0	2.63	16	14.7	3.81	11.3	2.87
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	16	14.7	3.81	11.3	2.87
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	8.1	3.48	5.7	2.05	10	9.1	3.12	6.9	2.24
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	28.4	7.17	19.4	4.34	21	23.7	5.43	13.7	3.06
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	6	7.0	3.00	3.6	1.49
Breast (<i>in situ</i>)	-	-	-	-	-	19	16.6	3.94	12.4	2.86

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	29	134.3	29.66	96.1	19.65	28	143.6	30.49	100.0	20.38
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	11	61.0	20.04	46.5	14.98
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	8	46.2	17.66	33.5	12.28	-	-	-	-	-
Prostate	8	46.2	17.66	33.5	12.28	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

SOUTH DAKOTA

356 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9,834	501.6	5.12	329.2	3.57	8,770	394.8	4.37	272.5	3.31
Oral Cavity & Pharynx	296	14.8	0.87	10.6	0.65	130	5.8	0.53	4.2	0.41
Lip	42	2.1	0.33	1.3	0.22	11	0.4	0.14	0.3	0.10
Tongue	75	3.7	0.44	2.9	0.35	42	1.9	0.30	1.4	0.24
Major salivary gland	34	1.8	0.31	1.0	0.19	20	0.9	0.22	0.7	0.18
Floor of mouth	17	0.9	0.23	0.7	0.17	8	0.4	0.13	0.2	0.09
Gum & other mouth	29	1.5	0.27	0.9	0.19	20	0.9	0.20	0.6	0.14
Nasopharynx	7	0.4	0.14	0.3	0.11	-	-	-	-	-
Oropharynx	6	0.3	0.13	0.2	0.08	-	-	-	-	-
Hypopharynx	17	0.8	0.20	0.6	0.16	9	0.4	0.12	0.3	0.10
Digestive System	1,830	93.6	2.21	58.3	1.46	1,590	65.5	1.70	39.5	1.17
Esophagus	175	8.9	0.68	5.9	0.47	49	2.1	0.30	1.3	0.21
Stomach	137	7.0	0.61	4.2	0.39	82	3.4	0.39	2.1	0.28
Small intestine	49	2.5	0.36	1.7	0.25	38	1.7	0.29	1.2	0.22
Colon excl. rectum	755	38.9	1.43	23.2	0.91	784	31.5	1.17	17.8	0.76
Rectum & rectosigmoid	328	16.7	0.94	11.3	0.66	221	9.7	0.67	6.4	0.49
Anus, anal canal & anorectum	19	1.0	0.23	0.7	0.17	33	1.6	0.28	1.2	0.22
Liver	75	3.7	0.44	2.6	0.33	32	1.3	0.25	0.9	0.21
Gallbladder	12	0.6	0.17	0.4	0.12	37	1.5	0.25	0.8	0.16
Pancreas	220	11.2	0.76	6.5	0.47	239	9.7	0.65	5.7	0.43
Respiratory System	1,532	78.0	2.01	46.8	1.28	1,133	48.9	1.48	31.7	1.05
Larynx	83	4.2	0.46	2.8	0.33	29	1.4	0.27	1.0	0.21
Lung & bronchus	1,434	73.0	1.94	43.4	1.22	1,092	47.0	1.45	30.2	1.02
Bones & Joints	22	1.2	0.26	1.0	0.24	14	0.8	0.22	0.8	0.24
Soft Tissue (incl. heart)	69	3.7	0.45	2.5	0.34	42	1.9	0.31	1.3	0.24
Skin (excl. basal & sq.)	381	19.8	1.03	14.1	0.77	330	16.8	0.96	12.8	0.80
Melanomas of the skin	359	18.7	1.00	13.4	0.75	305	15.6	0.93	11.9	0.76
Breast (excl. <i>in situ</i>)	19	1.0	0.23	0.5	0.12	2,572	119.0	2.43	85.3	1.84
Female Genital System	-	-	-	-	-	978	45.7	1.51	33.5	1.17
Cervix uteri	-	-	-	-	-	88	5.0	0.56	4.0	0.45
Uterus Corpus	-	-	-	-	-	551	25.4	1.11	18.9	0.86
Uterus, NOS ¹	-	-	-	-	-	9	0.4	0.13	0.3	0.10
Ovary	-	-	-	-	-	236	10.7	0.72	7.6	0.55
Male Genital System	3,078	153.6	2.80	107.1	2.03	-	-	-	-	-
Prostate	2,963	146.6	2.72	100.8	1.93	-	-	-	-	-
Testis	98	6.2	0.63	5.7	0.60	-	-	-	-	-
Penis	13	0.7	0.19	0.4	0.12	-	-	-	-	-
Urinary System	1,059	54.3	1.68	33.2	1.11	454	19.6	0.95	12.6	0.69
Bladder (incl. <i>in situ</i>)	669	34.4	1.34	19.2	0.81	210	8.6	0.62	5.3	0.43
Kidney & renal pelvis	374	19.0	1.00	13.4	0.75	226	10.3	0.71	6.9	0.53
Ureter	9	0.5	0.16	0.3	0.11	16	0.7	0.17	0.3	0.10
Eye & Orbit	8	0.4	0.15	0.3	0.11	-	-	-	-	-
Brain & Other Nervous System	127	6.9	0.63	5.9	0.59	121	6.1	0.57	4.7	0.50
Brain	123	6.7	0.61	5.5	0.56	117	5.8	0.55	4.5	0.48
Endocrine System	108	6.1	0.60	4.7	0.50	338	19.0	1.07	16.1	0.93
Thyroid gland	97	5.4	0.56	4.0	0.43	326	18.3	1.05	15.5	0.91
Lymphomas	486	25.5	1.18	17.8	0.89	411	18.7	0.96	13.4	0.77
Hodgkin Lymphoma	53	3.1	0.43	2.9	0.42	48	2.7	0.40	2.4	0.38
Non-Hodgkin Lymphoma	433	22.5	1.09	14.9	0.79	363	16.0	0.87	10.9	0.66
Multiple Myeloma	130	6.6	0.59	4.1	0.38	99	4.2	0.43	2.5	0.29
Leukemias	294	15.6	0.92	10.4	0.69	203	8.9	0.65	5.9	0.51
Acute lymphocytic	21	1.3	0.28	1.5	0.35	14	0.8	0.23	0.9	0.28
Chronic lymphocytic	130	6.6	0.58	4.0	0.38	88	3.7	0.41	2.4	0.30
Acute myeloid	77	4.2	0.48	2.6	0.34	59	2.6	0.36	1.6	0.25
Chronic myeloid	31	1.7	0.31	1.0	0.20	19	0.8	0.18	0.5	0.13
Other leukemias	35	1.9	0.32	1.3	0.24	23	0.9	0.20	0.5	0.12
Mesothelioma	19	1.0	0.23	0.6	0.14	7	0.3	0.10	0.1	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	342	13.6	0.76	8.0	0.52
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	114	6.0	0.57	4.4	0.44	226	10.7	0.74	7.7	0.57
Breast (<i>in situ</i>)	-	-	-	-	-	637	30.7	1.24	23.1	0.97

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	46	425.5	83.61	298.9	51.39	32	396.7	80.66	296.3	56.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	70.0	37.85	39.5	17.50	6	86.9	39.92	59.3	25.27
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	76.4	33.99	57.1	24.29	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	56.0	27.21	44.2	20.63	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	9	101.5	36.97	84.4	30.59
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	17	180.5	56.16	119.7	32.29	-	-	-	-	-
Prostate	16	178.5	56.12	117.3	32.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	85,200	562.0	1.99	373.1	1.31	76,474	416.0	1.52	293.3	1.14
Oral Cavity & Pharynx	2,907	18.0	0.34	13.2	0.25	1,167	6.3	0.19	4.4	0.14
Lip	190	1.4	0.10	0.8	0.06	50	0.3	0.04	0.2	0.03
Tongue	806	4.9	0.18	3.7	0.13	314	1.7	0.10	1.2	0.07
Major salivary gland	278	2.0	0.12	1.2	0.07	164	0.9	0.07	0.6	0.05
Floor of mouth	165	1.0	0.08	0.8	0.06	73	0.4	0.04	0.3	0.03
Gum & other mouth	348	2.2	0.12	1.5	0.08	257	1.4	0.09	0.9	0.06
Nasopharynx	143	0.9	0.07	0.7	0.06	57	0.3	0.04	0.3	0.04
Oropharynx	118	0.7	0.07	0.5	0.05	44	0.2	0.03	0.2	0.03
Hypopharynx	187	1.1	0.09	0.8	0.06	39	0.2	0.03	0.2	0.03
Digestive System	15,036	100.1	0.84	64.7	0.54	12,519	66.7	0.60	42.7	0.41
Esophagus	1,297	8.2	0.24	5.6	0.16	320	1.7	0.10	1.1	0.06
Stomach	1,240	8.5	0.25	5.3	0.15	774	4.2	0.15	2.6	0.10
Small intestine	408	2.7	0.14	1.8	0.09	324	1.8	0.10	1.2	0.07
Colon excl. rectum	5,507	37.5	0.52	23.2	0.32	5,702	30.2	0.40	18.8	0.27
Rectum & rectosigmoid	2,450	15.8	0.33	10.9	0.22	1,882	10.2	0.24	7.1	0.17
Anus, anal canal & anorectum	216	1.4	0.10	1.0	0.07	419	2.3	0.11	1.6	0.08
Liver	1,412	8.8	0.24	6.3	0.17	488	2.6	0.12	1.7	0.09
Gallbladder	114	0.8	0.08	0.5	0.05	167	0.9	0.07	0.6	0.05
Pancreas	1,957	13.3	0.31	8.2	0.19	1,902	10.1	0.23	6.2	0.15
Respiratory System	16,997	112.8	0.89	72.0	0.56	12,087	64.0	0.59	43.3	0.42
Larynx	1,316	8.2	0.23	5.8	0.16	366	2.0	0.10	1.5	0.08
Lung & bronchus	15,512	103.4	0.86	65.4	0.54	11,596	61.3	0.57	41.4	0.40
Bones & Joints	162	1.1	0.09	0.9	0.08	139	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	532	3.6	0.16	2.6	0.12	479	2.7	0.13	2.2	0.11
Skin (excl. basal & sq.)	4,250	28.6	0.45	18.9	0.30	3,158	18.1	0.33	13.7	0.26
Melanomas of the skin	3,971	26.6	0.43	17.7	0.29	2,969	17.0	0.32	12.9	0.25
Breast (excl. <i>in situ</i>)	264	1.8	0.11	1.1	0.07	21,817	118.8	0.81	86.3	0.61
Female Genital System	-	-	-	-	-	8,170	44.9	0.50	33.1	0.38
Cervix uteri	-	-	-	-	-	1,431	8.7	0.23	6.8	0.19
Uterus Corpus	-	-	-	-	-	3,612	19.3	0.32	14.4	0.25
Uterus, NOS ¹	-	-	-	-	-	157	0.8	0.07	0.6	0.05
Ovary	-	-	-	-	-	2,194	11.9	0.26	8.5	0.19
Male Genital System	23,594	150.1	1.01	103.5	0.69	-	-	-	-	-
Prostate	22,751	144.3	0.99	98.5	0.66	-	-	-	-	-
Testis	704	4.8	0.18	4.4	0.17	-	-	-	-	-
Penis	119	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	8,573	58.3	0.65	36.5	0.40	3,857	20.7	0.34	14.1	0.25
Bladder (incl. <i>in situ</i>)	4,989	35.4	0.52	20.3	0.30	1,560	8.2	0.21	5.1	0.14
Kidney & renal pelvis	3,417	21.8	0.38	15.5	0.27	2,200	11.9	0.26	8.7	0.20
Ureter	119	0.8	0.08	0.5	0.05	68	0.4	0.04	0.2	0.03
Eye & Orbit	181	1.2	0.09	0.9	0.08	166	0.9	0.07	0.8	0.07
Brain & Other Nervous System	1,242	8.1	0.24	6.7	0.20	1,024	5.9	0.19	4.9	0.17
Brain	1,198	7.8	0.23	6.4	0.20	966	5.5	0.18	4.6	0.17
Endocrine System	1,084	7.0	0.22	5.6	0.18	3,029	18.1	0.33	14.9	0.28
Thyroid gland	962	6.1	0.20	4.8	0.16	2,933	17.5	0.33	14.4	0.28
Lymphomas	3,774	25.3	0.42	17.5	0.30	3,386	18.6	0.32	12.9	0.24
Hodgkin Lymphoma	419	2.8	0.14	2.5	0.13	371	2.3	0.12	2.1	0.11
Non-Hodgkin Lymphoma	3,355	22.6	0.40	15.0	0.27	3,015	16.3	0.30	10.8	0.21
Multiple Myeloma	1,082	7.3	0.23	4.6	0.14	924	4.9	0.16	3.1	0.11
Leukemias	2,258	15.7	0.34	10.8	0.25	1,688	9.3	0.23	6.9	0.20
Acute lymphocytic	260	1.7	0.11	2.2	0.14	175	1.1	0.09	1.4	0.12
Chronic lymphocytic	795	5.5	0.20	3.3	0.12	540	2.8	0.12	1.7	0.08
Acute myeloid	665	4.6	0.19	3.0	0.12	563	3.1	0.13	2.3	0.11
Chronic myeloid	244	1.7	0.11	1.1	0.07	191	1.0	0.08	0.7	0.06
Other leukemias	294	2.1	0.13	1.3	0.08	219	1.2	0.08	0.8	0.06
Mesothelioma	194	1.4	0.11	0.8	0.06	65	0.3	0.04	0.2	0.03
Kaposi Sarcoma	59	0.4	0.06	0.3	0.04	6	0.0	0.01	0.0	0.01
Ill-defined & Unknown	3,011	21.2	0.40	12.6	0.24	2,793	14.9	0.28	8.9	0.19
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,242	8.2	0.24	6.1	0.18	2,682	14.9	0.29	10.9	0.23
Breast (<i>in situ</i>)	24	0.2	0.03	0.1	0.02	4,812	26.2	0.38	19.7	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	73,981	556.9	2.11	369.0	1.41	65,478	417.7	1.66	295.2	1.25
Oral Cavity & Pharynx	2,565	18.4	0.37	13.4	0.27	1,029	6.5	0.21	4.5	0.15
Lip	183	1.5	0.11	0.9	0.07	47	0.3	0.04	0.2	0.03
Tongue	723	5.1	0.19	3.8	0.15	284	1.8	0.11	1.3	0.08
Major salivary gland	256	2.0	0.13	1.2	0.08	148	1.0	0.08	0.7	0.06
Floor of mouth	138	1.0	0.08	0.7	0.06	64	0.4	0.05	0.3	0.04
Gum & other mouth	301	2.2	0.13	1.5	0.09	226	1.4	0.09	0.9	0.06
Nasopharynx	111	0.8	0.08	0.6	0.06	42	0.3	0.04	0.2	0.03
Oropharynx	92	0.6	0.07	0.5	0.05	35	0.2	0.04	0.2	0.03
Hypopharynx	159	1.1	0.09	0.8	0.07	33	0.2	0.04	0.2	0.03
Digestive System	12,687	96.4	0.88	62.0	0.57	10,317	63.7	0.64	40.6	0.44
Esophagus	1,129	8.2	0.25	5.6	0.17	253	1.6	0.10	1.0	0.07
Stomach	979	7.6	0.25	4.7	0.15	583	3.6	0.15	2.3	0.10
Small intestine	335	2.5	0.14	1.7	0.10	249	1.6	0.10	1.1	0.07
Colon excl. rectum	4,671	36.2	0.55	22.3	0.34	4,705	28.8	0.42	17.8	0.28
Rectum & rectosigmoid	2,100	15.6	0.35	10.7	0.24	1,565	9.9	0.25	6.9	0.19
Anus, anal canal & anorectum	181	1.4	0.10	1.0	0.07	386	2.5	0.13	1.8	0.10
Liver	1,134	8.2	0.25	5.8	0.18	371	2.3	0.12	1.5	0.09
Gallbladder	99	0.8	0.08	0.5	0.05	141	0.9	0.07	0.5	0.05
Pancreas	1,676	12.9	0.32	8.0	0.20	1,599	9.8	0.25	5.9	0.16
Respiratory System	14,948	112.4	0.95	71.5	0.60	10,641	65.2	0.64	44.3	0.45
Larynx	1,120	8.0	0.24	5.7	0.17	316	2.0	0.11	1.5	0.09
Lung & bronchus	13,678	103.3	0.91	65.0	0.57	10,216	62.5	0.62	42.3	0.44
Bones & Joints	138	1.1	0.10	1.0	0.09	110	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	444	3.5	0.17	2.5	0.13	362	2.5	0.13	2.0	0.13
Skin (excl. basal & sq.)	4,148	31.9	0.51	21.3	0.34	3,026	20.9	0.39	16.0	0.31
Melanomas of the skin	3,897	29.8	0.49	20.1	0.33	2,869	19.8	0.38	15.2	0.31
Breast (excl. <i>in situ</i>)	216	1.7	0.12	1.1	0.07	18,406	117.7	0.88	85.3	0.66
Female Genital System	-	-	-	-	-	6,944	45.2	0.55	33.3	0.43
Cervix uteri	-	-	-	-	-	1,099	8.2	0.25	6.5	0.20
Uterus Corpus	-	-	-	-	-	3,126	19.7	0.36	14.7	0.27
Uterus, NOS ¹	-	-	-	-	-	114	0.7	0.07	0.5	0.05
Ovary	-	-	-	-	-	1,934	12.3	0.28	8.8	0.21
Male Genital System	19,622	141.9	1.04	97.8	0.71	-	-	-	-	-
Prostate	18,837	135.4	1.01	92.0	0.68	-	-	-	-	-
Testis	666	5.6	0.22	5.2	0.21	-	-	-	-	-
Penis	101	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,832	60.5	0.70	37.9	0.44	3,303	20.6	0.36	14.1	0.27
Bladder (incl. <i>in situ</i>)	4,675	37.2	0.56	21.5	0.32	1,408	8.6	0.23	5.3	0.16
Kidney & renal pelvis	3,004	22.0	0.41	15.7	0.30	1,812	11.5	0.27	8.4	0.22
Ureter	111	0.9	0.09	0.5	0.05	64	0.4	0.05	0.2	0.03
Eye & Orbit	163	1.2	0.10	0.9	0.08	158	1.0	0.08	0.9	0.08
Brain & Other Nervous System	1,130	8.7	0.26	7.2	0.23	912	6.2	0.21	5.2	0.20
Brain	1,093	8.4	0.26	6.9	0.23	863	5.8	0.20	4.8	0.19
Endocrine System	990	7.5	0.24	6.0	0.20	2,676	19.5	0.39	16.2	0.33
Thyroid gland	894	6.7	0.23	5.2	0.18	2,598	19.0	0.38	15.7	0.32
Lymphomas	3,363	26.0	0.46	17.9	0.32	3,007	19.2	0.36	13.3	0.27
Hodgkin Lymphoma	346	2.8	0.15	2.5	0.14	305	2.4	0.14	2.1	0.13
Non-Hodgkin Lymphoma	3,017	23.2	0.43	15.3	0.29	2,702	16.9	0.33	11.2	0.24
Multiple Myeloma	859	6.6	0.23	4.1	0.14	684	4.2	0.16	2.7	0.11
Leukemias	1,992	16.0	0.37	11.0	0.28	1,444	9.4	0.25	7.0	0.22
Acute lymphocytic	216	1.8	0.13	2.3	0.17	141	1.2	0.10	1.5	0.14
Chronic lymphocytic	722	5.6	0.22	3.4	0.13	464	2.8	0.13	1.7	0.08
Acute myeloid	587	4.7	0.20	3.0	0.13	484	3.2	0.15	2.3	0.12
Chronic myeloid	206	1.6	0.12	1.1	0.08	166	1.1	0.09	0.8	0.07
Other leukemias	261	2.2	0.14	1.3	0.08	189	1.2	0.09	0.8	0.07
Mesothelioma	184	1.5	0.11	0.8	0.06	58	0.4	0.05	0.2	0.03
Kaposi Sarcoma	30	0.3	0.05	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,670	21.4	0.43	12.6	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,096	8.4	0.26	6.4	0.20	2,291	15.1	0.32	11.1	0.26
Breast (<i>in situ</i>)	17	0.1	0.03	0.1	0.02	4,128	26.5	0.42	20.0	0.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,102	592.3	6.41	403.7	4.11	9,894	404.7	4.15	283.6	2.95
Oral Cavity & Pharynx	298	14.6	0.90	11.4	0.68	120	4.6	0.43	3.6	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	71	3.4	0.42	2.8	0.33	25	1.0	0.20	0.7	0.15
Major salivary gland	18	1.2	0.31	0.7	0.16	15	0.6	0.14	0.4	0.12
Floor of mouth	24	1.1	0.24	0.9	0.19	8	0.3	0.10	0.2	0.09
Gum & other mouth	37	1.8	0.30	1.4	0.24	26	1.1	0.21	0.8	0.15
Nasopharynx	25	1.1	0.22	1.0	0.20	13	0.5	0.14	0.4	0.11
Oropharynx	26	1.4	0.31	1.0	0.21	9	0.3	0.11	0.3	0.09
Hypopharynx	26	1.2	0.25	1.1	0.21	6	0.2	0.10	0.2	0.08
Digestive System	2,123	126.1	2.99	82.6	1.83	2,018	85.2	1.94	55.1	1.28
Esophagus	161	9.0	0.77	6.3	0.51	62	2.6	0.34	1.7	0.23
Stomach	228	14.8	1.07	8.9	0.60	170	7.4	0.58	4.5	0.36
Small intestine	67	3.8	0.50	2.6	0.33	72	3.0	0.36	2.0	0.24
Colon excl. rectum	769	47.8	1.88	30.3	1.12	932	39.7	1.33	25.1	0.86
Rectum & rectosigmoid	309	17.0	1.05	11.9	0.69	282	11.4	0.69	8.0	0.49
Anus, anal canal & anorectum	29	1.7	0.33	1.1	0.21	28	1.1	0.21	0.8	0.15
Liver	241	11.7	0.82	8.8	0.58	98	3.9	0.40	2.7	0.28
Gallbladder	14	0.8	0.25	0.5	0.14	22	0.9	0.19	0.6	0.14
Pancreas	263	16.9	1.13	10.4	0.66	284	12.5	0.76	7.7	0.48
Respiratory System	1,939	117.1	2.89	77.7	1.81	1,349	58.1	1.61	38.8	1.10
Larynx	188	10.7	0.86	7.2	0.54	47	1.9	0.28	1.3	0.20
Lung & bronchus	1,734	105.5	2.75	69.9	1.72	1,289	55.7	1.58	37.0	1.07
Bones & Joints	21	0.8	0.19	0.8	0.18	25	0.9	0.19	0.8	0.17
Soft Tissue (incl. heart)	80	4.2	0.52	3.1	0.36	104	4.0	0.40	3.0	0.31
Skin (excl. basal & sq.)	27	1.5	0.32	1.0	0.19	54	2.2	0.30	1.6	0.22
Melanomas of the skin	10	0.7	0.23	0.4	0.11	29	1.2	0.24	0.8	0.15
Breast (excl. <i>in situ</i>)	43	2.3	0.38	1.7	0.26	3,112	122.7	2.24	90.2	1.66
Female Genital System	-	-	-	-	-	1,080	43.5	1.35	31.9	1.00
Cervix uteri	-	-	-	-	-	285	10.9	0.66	8.3	0.50
Uterus Corpus	-	-	-	-	-	440	18.0	0.88	13.4	0.66
Uterus, NOS ¹	-	-	-	-	-	39	1.7	0.27	1.1	0.18
Ovary	-	-	-	-	-	225	9.2	0.63	6.5	0.45
Male Genital System	3,615	213.1	3.83	148.4	2.52	-	-	-	-	-
Prostate	3,569	210.8	3.81	146.7	2.51	-	-	-	-	-
Testis	26	1.1	0.21	1.0	0.19	-	-	-	-	-
Penis	18	1.1	0.30	0.7	0.17	-	-	-	-	-
Urinary System	654	39.7	1.69	25.9	1.04	516	21.9	0.98	14.6	0.67
Bladder (incl. <i>in situ</i>)	273	18.7	1.23	10.7	0.66	138	6.4	0.55	3.5	0.31
Kidney & renal pelvis	371	20.4	1.14	14.8	0.78	366	15.0	0.80	10.8	0.58
Ureter	6	0.4	0.17	0.3	0.11	-	-	-	-	-
Eye & Orbit	15	0.6	0.18	0.7	0.17	6	0.2	0.09	0.2	0.09
Brain & Other Nervous System	90	4.1	0.46	3.7	0.39	90	3.4	0.37	3.1	0.34
Brain	85	3.9	0.46	3.5	0.38	81	3.1	0.35	2.8	0.32
Endocrine System	76	3.5	0.42	2.9	0.34	287	10.8	0.64	8.9	0.53
Thyroid gland	54	2.6	0.37	2.0	0.27	269	10.1	0.62	8.2	0.51
Lymphomas	354	18.4	1.08	13.5	0.73	329	13.0	0.73	9.7	0.55
Hodgkin Lymphoma	63	2.7	0.36	2.4	0.30	60	2.1	0.27	1.9	0.25
Non-Hodgkin Lymphoma	291	15.8	1.02	11.1	0.66	269	10.9	0.68	7.7	0.49
Multiple Myeloma	212	13.1	0.97	8.6	0.60	228	9.9	0.66	6.2	0.43
Leukemias	215	12.3	0.93	8.6	0.60	203	8.3	0.60	6.2	0.45
Acute lymphocytic	32	1.1	0.21	1.4	0.25	26	0.9	0.18	1.1	0.22
Chronic lymphocytic	60	3.8	0.53	2.3	0.31	59	2.7	0.35	1.7	0.23
Acute myeloid	62	3.8	0.53	2.5	0.33	71	2.8	0.34	2.1	0.26
Chronic myeloid	34	2.0	0.37	1.3	0.22	20	0.8	0.18	0.5	0.12
Other leukemias	27	1.6	0.35	1.0	0.20	27	1.1	0.22	0.7	0.15
Mesothelioma	10	0.5	0.18	0.4	0.14	-	-	-	-	-
Kaposi Sarcoma	26	1.1	0.21	1.0	0.19	-	-	-	-	-
Ill-defined & Unknown	304	19.3	1.22	11.8	0.69	367	15.9	0.85	9.6	0.53
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	131	6.9	0.66	4.9	0.44	350	14.1	0.77	10.0	0.55
Breast (<i>in situ</i>)	7	0.4	0.17	0.2	0.10	616	24.5	1.01	18.1	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	413	337.8	21.25	207.8	10.66	521	287.8	14.40	196.0	8.85
Oral Cavity & Pharynx	20	14.4	4.25	9.7	2.28	7	5.7	2.56	3.1	1.20
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	3.0	1.25	2.7	1.12	-	-	-	-	-
Nasopharynx	6	4.0	1.91	2.5	1.05	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	128	110.7	12.75	66.8	6.16	99	63.1	7.35	38.0	3.91
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	21	17.7	5.36	11.0	2.54	8	5.7	2.43	2.9	1.04
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	42	34.5	6.64	21.3	3.39	36	23.5	4.48	14.1	2.39
Rectum & rectosigmoid	25	24.9	6.72	13.8	2.95	17	9.8	2.64	6.4	1.59
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	19	14.7	4.05	9.8	2.29	13	7.9	2.41	5.1	1.44
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	8	4.1	1.46	3.5	1.26	11	7.9	2.86	4.4	1.36
Respiratory System	61	56.8	8.68	31.9	4.19	60	35.4	5.04	24.3	3.21
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	59	55.8	8.65	31.0	4.14	56	33.4	4.92	22.5	3.07
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	7	4.5	2.03	2.9	1.14
Skin (excl. basal & sq.)	14	15.2	5.42	8.5	2.38	8	3.3	1.19	2.7	0.96
Melanomas of the skin	12	12.3	4.91	7.4	2.23	7	2.9	1.11	2.3	0.89
Breast (excl. <i>in situ</i>)	-	-	-	-	-	154	76.1	6.79	54.9	4.57
Female Genital System	-	-	-	-	-	76	36.3	4.44	28.3	3.34
Cervix uteri	-	-	-	-	-	21	9.9	2.35	7.2	1.63
Uterus Corpus	-	-	-	-	-	24	11.0	2.33	9.2	1.92
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	26	12.9	2.68	10.0	2.01
Male Genital System	85	73.3	9.76	44.4	4.95	-	-	-	-	-
Prostate	81	72.0	9.74	43.2	4.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	22	19.7	4.93	11.0	2.39	14	9.4	2.94	5.6	1.54
Bladder (incl. <i>in situ</i>)	8	9.8	3.90	4.6	1.62	-	-	-	-	-
Kidney & renal pelvis	14	9.9	3.01	6.5	1.76	9	6.3	2.46	3.9	1.32
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	4.4	1.29	4.2	1.30	-	-	-	-	-
Brain	12	4.4	1.29	4.2	1.30	-	-	-	-	-
Endocrine System	10	4.9	1.56	3.9	1.26	40	16.8	2.91	13.4	2.18
Thyroid gland	8	4.0	1.44	3.2	1.17	40	16.8	2.91	13.4	2.18
Lymphomas	20	11.5	2.89	8.5	1.95	19	11.4	2.98	7.2	1.72
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	6	5.4	2.31	2.6	1.07
Leukemias	19	10.3	2.84	8.3	1.98	12	4.9	1.45	5.0	1.49
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	7	3.9	1.84	2.6	1.02	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	11	5.8	1.83	4.9	1.52	12	10.1	3.21	4.8	1.44
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	6	4.6	2.09	3.1	1.27	26	15.7	3.54	10.3	2.08
Breast (<i>in situ</i>)	-	-	-	-	-	48	22.4	3.41	17.7	2.61

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	568	283.4	15.45	175.6	8.28	515	206.7	10.78	143.0	6.96
Oral Cavity & Pharynx	18	8.7	2.50	6.3	1.58	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	4.5	1.78	3.2	1.17	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	127	63.7	7.03	41.6	4.06	82	39.9	5.02	25.7	3.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	20	11.9	3.22	7.1	1.75	18	7.3	2.08	5.0	1.29
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	38	19.1	3.80	13.0	2.30	22	12.8	3.01	7.2	1.63
Rectum & rectosigmoid	19	6.8	1.94	5.1	1.35	11	4.6	1.60	3.3	1.12
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	15	6.1	1.82	4.8	1.33	9	3.6	1.39	2.8	1.01
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	20	10.3	2.78	6.7	1.63	14	7.0	2.12	4.4	1.26
Respiratory System	55	40.2	6.51	20.3	2.90	41	21.8	3.70	15.1	2.49
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	47	37.5	6.37	18.4	2.81	39	20.7	3.61	14.1	2.39
Bones & Joints	7	0.9	0.36	0.9	0.37	-	-	-	-	-
Soft Tissue (incl. heart)	8	1.8	0.77	1.6	0.68	6	1.0	0.48	1.0	0.43
Skin (excl. basal & sq.)	14	4.8	1.45	3.9	1.16	13	5.5	1.73	4.1	1.26
Melanomas of the skin	11	4.3	1.41	3.5	1.13	11	4.7	1.62	3.5	1.14
Breast (excl. <i>in situ</i>)	-	-	-	-	-	132	57.1	5.65	39.1	3.68
Female Genital System	-	-	-	-	-	83	25.4	3.21	20.0	2.46
Cervix uteri	-	-	-	-	-	38	10.2	1.84	8.2	1.44
Uterus Corpus	-	-	-	-	-	23	6.3	1.55	4.7	1.11
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	18	7.8	2.05	6.1	1.56
Male Genital System	146	84.7	8.56	52.0	4.69	-	-	-	-	-
Prostate	118	81.5	8.54	48.9	4.65	-	-	-	-	-
Testis	26	2.7	0.57	2.7	0.54	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	49	29.8	5.12	17.2	2.65	19	7.7	2.16	5.3	1.37
Bladder (incl. <i>in situ</i>)	15	11.6	3.33	6.3	1.68	6	3.5	1.59	1.7	0.74
Kidney & renal pelvis	32	16.7	3.70	10.1	1.95	13	4.2	1.47	3.6	1.15
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	15	3.1	0.93	3.1	0.88	19	6.0	1.86	4.8	1.28
Brain	14	3.0	0.92	2.9	0.87	18	5.9	1.86	4.7	1.27
Endocrine System	12	2.3	0.75	2.0	0.63	35	7.2	1.32	6.1	1.09
Thyroid gland	10	2.1	0.74	1.7	0.61	33	7.0	1.31	5.8	1.07
Lymphomas	45	13.4	3.04	9.4	1.75	35	17.8	3.44	10.3	1.89
Hodgkin Lymphoma	9	1.4	0.58	1.3	0.55	8	2.3	0.90	1.9	0.75
Non-Hodgkin Lymphoma	36	12.0	2.98	8.1	1.66	27	15.5	3.32	8.5	1.74
Multiple Myeloma	6	3.9	1.95	2.1	0.88	-	-	-	-	-
Leukemias	35	8.1	2.27	6.2	1.27	19	4.3	1.27	3.7	0.91
Acute lymphocytic	17	1.9	0.50	2.3	0.57	6	0.6	0.27	0.9	0.38
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	8	4.4	2.10	2.3	0.96	7	1.1	0.50	1.1	0.44
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	26	15.3	4.03	7.6	1.70	20	9.8	2.56	5.4	1.30
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	15	3.0	1.08	2.6	0.80	24	9.3	2.24	6.9	1.55
Breast (<i>in situ</i>)	-	-	-	-	-	22	8.5	1.95	6.5	1.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

TENNESSEE

364 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	73,578	562.2	2.13	373.4	1.43	65,085	421.9	1.69	298.6	1.28
Oral Cavity & Pharynx	2,551	18.6	0.38	13.6	0.27	1,028	6.6	0.21	4.6	0.16
Lip	183	1.5	0.11	0.9	0.07	47	0.3	0.05	0.2	0.03
Tongue	718	5.1	0.20	3.9	0.15	284	1.8	0.11	1.3	0.08
Major salivary gland	254	2.1	0.13	1.3	0.08	147	1.0	0.08	0.7	0.06
Floor of mouth	137	1.0	0.09	0.7	0.06	64	0.4	0.05	0.3	0.04
Gum & other mouth	299	2.2	0.13	1.5	0.09	226	1.4	0.10	0.9	0.07
Nasopharynx	108	0.8	0.08	0.6	0.06	42	0.3	0.04	0.2	0.04
Oropharynx	92	0.6	0.07	0.5	0.05	35	0.2	0.04	0.2	0.03
Hypopharynx	159	1.1	0.09	0.8	0.07	33	0.2	0.04	0.2	0.03
Digestive System	12,592	97.1	0.89	62.6	0.57	10,258	64.1	0.64	40.9	0.44
Esophagus	1,125	8.3	0.25	5.7	0.17	251	1.6	0.10	1.0	0.07
Stomach	962	7.6	0.25	4.7	0.16	570	3.6	0.15	2.2	0.10
Small intestine	332	2.5	0.14	1.7	0.10	249	1.6	0.10	1.1	0.08
Colon excl. rectum	4,643	36.5	0.55	22.5	0.34	4,691	29.0	0.43	18.0	0.29
Rectum & rectosigmoid	2,086	15.8	0.35	10.8	0.24	1,556	10.0	0.26	7.0	0.19
Anus, anal canal & anorectum	180	1.4	0.11	1.0	0.08	385	2.5	0.13	1.8	0.10
Liver	1,123	8.2	0.25	5.9	0.18	363	2.3	0.12	1.5	0.09
Gallbladder	99	0.8	0.08	0.5	0.05	139	0.9	0.07	0.5	0.05
Pancreas	1,662	13.0	0.33	8.0	0.20	1,590	9.8	0.25	6.0	0.16
Respiratory System	14,908	113.4	0.96	72.3	0.61	10,607	65.7	0.64	44.7	0.46
Larynx	1,118	8.1	0.25	5.8	0.18	316	2.0	0.12	1.6	0.09
Lung & bronchus	13,642	104.2	0.92	65.7	0.58	10,184	62.9	0.63	42.6	0.45
Bones & Joints	134	1.1	0.10	1.0	0.09	109	0.8	0.08	0.8	0.09
Soft Tissue (incl. heart)	439	3.5	0.17	2.5	0.13	358	2.5	0.14	2.1	0.13
Skin (excl. basal & sq.)	4,137	32.5	0.52	21.7	0.35	3,015	21.4	0.40	16.4	0.32
Melanomas of the skin	3,889	30.4	0.50	20.6	0.34	2,859	20.3	0.39	15.6	0.32
Breast (excl. <i>in situ</i>)	216	1.7	0.12	1.1	0.08	18,303	118.9	0.90	86.3	0.67
Female Genital System	-	-	-	-	-	6,877	45.6	0.56	33.6	0.43
Cervix uteri	-	-	-	-	-	1,069	8.2	0.26	6.5	0.21
Uterus Corpus	-	-	-	-	-	3,105	19.9	0.36	14.8	0.28
Uterus, NOS ¹	-	-	-	-	-	113	0.7	0.07	0.5	0.05
Ovary	-	-	-	-	-	1,921	12.4	0.29	8.9	0.22
Male Genital System	19,531	143.1	1.05	98.7	0.72	-	-	-	-	-
Prostate	18,770	136.4	1.02	92.8	0.69	-	-	-	-	-
Testis	644	5.8	0.23	5.4	0.22	-	-	-	-	-
Penis	99	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,792	61.0	0.71	38.3	0.45	3,291	20.8	0.37	14.2	0.28
Bladder (incl. <i>in situ</i>)	4,661	37.5	0.57	21.7	0.33	1,403	8.6	0.23	5.4	0.16
Kidney & renal pelvis	2,980	22.2	0.42	15.9	0.30	1,805	11.7	0.28	8.5	0.22
Ureter	109	0.9	0.09	0.5	0.05	64	0.4	0.05	0.2	0.03
Eye & Orbit	159	1.2	0.10	0.9	0.08	155	1.0	0.09	0.8	0.08
Brain & Other Nervous System	1,117	8.9	0.27	7.4	0.25	900	6.3	0.22	5.3	0.21
Brain	1,081	8.6	0.27	7.1	0.24	851	5.9	0.21	4.8	0.19
Endocrine System	983	7.7	0.25	6.2	0.21	2,654	20.0	0.40	16.6	0.34
Thyroid gland	887	6.9	0.24	5.4	0.19	2,578	19.4	0.39	16.1	0.33
Lymphomas	3,333	26.3	0.47	18.1	0.33	2,980	19.4	0.36	13.4	0.28
Hodgkin Lymphoma	341	2.9	0.16	2.6	0.15	298	2.4	0.14	2.1	0.14
Non-Hodgkin Lymphoma	2,992	23.4	0.44	15.5	0.30	2,682	17.0	0.33	11.3	0.24
Multiple Myeloma	854	6.6	0.23	4.1	0.14	681	4.2	0.16	2.7	0.11
Leukemias	1,967	16.1	0.37	11.2	0.29	1,427	9.5	0.26	7.0	0.23
Acute lymphocytic	202	1.8	0.13	2.3	0.18	135	1.2	0.10	1.5	0.15
Chronic lymphocytic	722	5.7	0.22	3.4	0.13	463	2.8	0.13	1.7	0.09
Acute myeloid	581	4.7	0.20	3.1	0.14	478	3.2	0.15	2.3	0.12
Chronic myeloid	202	1.6	0.12	1.1	0.08	163	1.1	0.09	0.8	0.07
Other leukemias	260	2.2	0.14	1.3	0.09	188	1.2	0.09	0.8	0.07
Mesothelioma	184	1.5	0.12	0.8	0.06	58	0.4	0.05	0.2	0.03
Kaposi Sarcoma	30	0.3	0.05	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,651	21.5	0.43	12.7	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,083	8.5	0.27	6.5	0.21	2,270	15.3	0.33	11.3	0.27
Breast (<i>in situ</i>)	17	0.1	0.03	0.1	0.02	4,110	26.8	0.43	20.2	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,083	595.4	6.45	406.0	4.14	9,880	406.9	4.18	285.2	2.97
Oral Cavity & Pharynx	298	14.7	0.91	11.5	0.68	120	4.6	0.43	3.6	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	71	3.4	0.43	2.8	0.34	25	1.0	0.20	0.7	0.15
Major salivary gland	18	1.2	0.31	0.7	0.16	15	0.6	0.15	0.5	0.12
Floor of mouth	24	1.1	0.24	0.9	0.19	8	0.3	0.10	0.3	0.09
Gum & other mouth	37	1.8	0.31	1.4	0.24	26	1.1	0.21	0.8	0.15
Nasopharynx	25	1.1	0.22	1.0	0.20	13	0.5	0.14	0.4	0.11
Oropharynx	26	1.4	0.31	1.1	0.21	9	0.3	0.11	0.3	0.09
Hypopharynx	26	1.2	0.25	1.1	0.22	6	0.2	0.10	0.2	0.08
Digestive System	2,119	126.8	3.01	83.0	1.85	2,015	85.6	1.95	55.4	1.29
Esophagus	161	9.0	0.77	6.4	0.51	62	2.6	0.34	1.8	0.23
Stomach	228	14.9	1.08	8.9	0.60	170	7.5	0.58	4.5	0.36
Small intestine	67	3.8	0.50	2.6	0.33	72	3.0	0.36	2.0	0.24
Colon excl. rectum	767	48.0	1.89	30.4	1.12	931	39.9	1.33	25.2	0.87
Rectum & rectosigmoid	307	17.0	1.05	11.9	0.70	282	11.5	0.70	8.1	0.50
Anus, anal canal & anorectum	29	1.7	0.33	1.1	0.22	27	1.1	0.21	0.7	0.15
Liver	241	11.8	0.82	8.9	0.59	98	3.9	0.40	2.7	0.28
Gallbladder	14	0.8	0.25	0.5	0.14	22	0.9	0.19	0.6	0.14
Pancreas	263	17.0	1.14	10.5	0.66	283	12.6	0.76	7.8	0.48
Respiratory System	1,936	117.6	2.91	78.1	1.82	1,348	58.4	1.62	39.0	1.10
Larynx	188	10.8	0.86	7.3	0.54	47	1.9	0.28	1.3	0.20
Lung & bronchus	1,731	106.0	2.77	70.2	1.73	1,288	56.0	1.59	37.2	1.08
Bones & Joints	21	0.8	0.19	0.8	0.19	25	0.9	0.19	0.8	0.17
Soft Tissue (incl. heart)	80	4.3	0.53	3.2	0.36	104	4.0	0.40	3.1	0.31
Skin (excl. basal & sq.)	27	1.5	0.32	1.0	0.19	53	2.1	0.30	1.6	0.22
Melanomas of the skin	10	0.7	0.23	0.4	0.12	29	1.3	0.24	0.8	0.15
Breast (excl. <i>in situ</i>)	43	2.3	0.38	1.7	0.26	3,108	123.4	2.25	90.7	1.67
Female Genital System	-	-	-	-	-	1,079	43.7	1.36	32.1	1.00
Cervix uteri	-	-	-	-	-	285	11.0	0.66	8.3	0.50
Uterus Corpus	-	-	-	-	-	440	18.1	0.88	13.5	0.66
Uterus, NOS ¹	-	-	-	-	-	39	1.7	0.27	1.1	0.18
Ovary	-	-	-	-	-	224	9.3	0.63	6.5	0.45
Male Genital System	3,608	214.0	3.84	149.1	2.54	-	-	-	-	-
Prostate	3,562	211.6	3.83	147.3	2.53	-	-	-	-	-
Testis	26	1.1	0.22	1.0	0.19	-	-	-	-	-
Penis	18	1.1	0.30	0.7	0.17	-	-	-	-	-
Urinary System	651	39.8	1.70	26.0	1.04	516	22.0	0.99	14.7	0.68
Bladder (incl. <i>in situ</i>)	273	18.8	1.24	10.8	0.67	138	6.4	0.55	3.5	0.32
Kidney & renal pelvis	368	20.3	1.14	14.7	0.79	366	15.1	0.81	10.9	0.59
Ureter	6	0.4	0.17	0.3	0.11	-	-	-	-	-
Eye & Orbit	15	0.7	0.18	0.7	0.18	6	0.2	0.09	0.2	0.10
Brain & Other Nervous System	89	4.1	0.47	3.7	0.40	87	3.3	0.37	3.0	0.34
Brain	84	3.9	0.46	3.5	0.39	79	3.0	0.35	2.7	0.32
Endocrine System	76	3.5	0.42	2.9	0.34	286	10.8	0.65	8.9	0.54
Thyroid gland	54	2.6	0.37	2.0	0.27	268	10.2	0.63	8.3	0.51
Lymphomas	353	18.6	1.09	13.6	0.74	329	13.1	0.74	9.8	0.56
Hodgkin Lymphoma	62	2.7	0.36	2.4	0.31	60	2.1	0.28	2.0	0.25
Non-Hodgkin Lymphoma	291	15.9	1.02	11.2	0.67	269	11.0	0.68	7.8	0.49
Multiple Myeloma	212	13.2	0.98	8.6	0.61	228	9.9	0.67	6.3	0.44
Leukemias	215	12.4	0.94	8.7	0.60	203	8.4	0.60	6.2	0.46
Acute lymphocytic	32	1.2	0.21	1.4	0.25	26	0.9	0.18	1.1	0.22
Chronic lymphocytic	60	3.8	0.53	2.4	0.31	59	2.7	0.35	1.7	0.23
Acute myeloid	62	3.8	0.54	2.6	0.33	71	2.9	0.35	2.1	0.26
Chronic myeloid	34	2.0	0.37	1.3	0.22	20	0.8	0.18	0.5	0.12
Other leukemias	27	1.6	0.35	1.0	0.21	27	1.1	0.22	0.8	0.15
Mesothelioma	10	0.5	0.18	0.4	0.14	-	-	-	-	-
Kaposi Sarcoma	26	1.1	0.22	1.0	0.20	-	-	-	-	-
Ill-defined & Unknown	304	19.4	1.23	11.9	0.70	367	16.0	0.85	9.6	0.53
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	131	7.0	0.67	5.0	0.44	350	14.2	0.78	10.0	0.56
Breast (<i>in situ</i>)	7	0.4	0.17	0.3	0.10	616	24.7	1.01	18.3	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

TENNESSEE

366 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	251,991	513.9	1.06	335.8	0.68	231,989	389.9	0.82	269.8	0.59
Oral Cavity & Pharynx	8,176	15.3	0.17	11.0	0.12	3,273	5.5	0.10	3.8	0.07
Lip	396	0.8	0.04	0.5	0.03	100	0.2	0.02	0.1	0.01
Tongue	2,429	4.4	0.09	3.3	0.07	1,015	1.7	0.05	1.2	0.04
Major salivary gland	787	1.7	0.06	1.0	0.04	577	1.0	0.04	0.7	0.03
Floor of mouth	418	0.8	0.04	0.6	0.03	156	0.3	0.02	0.2	0.02
Gum & other mouth	755	1.5	0.06	1.0	0.04	512	0.9	0.04	0.6	0.03
Nasopharynx	426	0.8	0.04	0.6	0.03	162	0.3	0.02	0.2	0.02
Oropharynx	413	0.8	0.04	0.6	0.03	117	0.2	0.02	0.1	0.01
Hypopharynx	575	1.1	0.05	0.8	0.03	142	0.2	0.02	0.2	0.01
Digestive System	50,390	102.3	0.47	66.0	0.30	38,716	65.5	0.34	41.4	0.22
Esophagus	3,551	7.2	0.13	4.7	0.08	874	1.5	0.05	0.9	0.03
Stomach	4,422	9.1	0.14	5.8	0.09	2,915	5.0	0.09	3.1	0.06
Small intestine	1,311	2.6	0.07	1.8	0.05	1,149	1.9	0.06	1.3	0.04
Colon excl. rectum	16,905	35.4	0.28	21.9	0.17	15,928	27.0	0.22	16.7	0.14
Rectum & rectosigmoid	7,899	15.5	0.18	10.5	0.12	5,219	8.7	0.12	5.9	0.09
Anus, anal canal & anorectum	697	1.3	0.05	0.9	0.04	1,034	1.7	0.05	1.2	0.04
Liver	7,193	13.5	0.16	9.5	0.11	2,583	4.4	0.09	2.9	0.06
Gallbladder	398	0.9	0.04	0.5	0.03	938	1.6	0.05	1.0	0.03
Pancreas	6,132	12.9	0.17	7.9	0.10	5,949	10.2	0.13	6.0	0.08
Respiratory System	40,409	86.0	0.44	52.5	0.27	29,697	50.9	0.30	32.1	0.20
Larynx	3,426	6.7	0.12	4.6	0.08	788	1.3	0.05	1.0	0.04
Lung & bronchus	36,429	78.2	0.42	47.2	0.25	28,537	49.0	0.29	30.7	0.19
Bones & Joints	664	1.2	0.05	1.0	0.04	561	0.9	0.04	0.9	0.04
Soft Tissue (incl. heart)	1,864	3.5	0.08	2.7	0.06	1,546	2.6	0.07	2.1	0.06
Skin (excl. basal & sq.)	9,587	19.6	0.21	12.6	0.13	6,499	10.9	0.14	8.1	0.10
Melanomas of the skin	8,828	18.0	0.20	11.6	0.13	5,997	10.0	0.13	7.5	0.10
Breast (excl. <i>in situ</i>)	527	1.1	0.05	0.7	0.03	68,711	114.4	0.44	82.7	0.33
Female Genital System	-	-	-	-	-	26,329	43.8	0.27	32.3	0.21
Cervix uteri	-	-	-	-	-	5,558	9.3	0.13	7.4	0.10
Uterus Corpus	-	-	-	-	-	11,042	18.1	0.17	13.5	0.13
Uterus, NOS ¹	-	-	-	-	-	689	1.2	0.04	0.8	0.03
Ovary	-	-	-	-	-	6,960	11.7	0.14	8.2	0.10
Male Genital System	69,774	139.3	0.55	94.9	0.37	-	-	-	-	-
Prostate	66,145	133.2	0.54	89.4	0.35	-	-	-	-	-
Testis	3,030	4.9	0.09	4.7	0.09	-	-	-	-	-
Penis	498	1.0	0.05	0.7	0.03	-	-	-	-	-
Urinary System	25,469	53.6	0.35	33.1	0.21	12,073	20.4	0.19	13.4	0.13
Bladder (incl. <i>in situ</i>)	13,168	29.5	0.27	16.5	0.15	4,018	6.9	0.11	4.0	0.07
Kidney & renal pelvis	11,912	23.3	0.22	16.1	0.15	7,803	13.0	0.15	9.2	0.11
Ureter	260	0.6	0.04	0.3	0.02	175	0.3	0.02	0.2	0.01
Eye & Orbit	439	0.9	0.04	0.6	0.03	393	0.6	0.03	0.5	0.03
Brain & Other Nervous System	4,127	7.6	0.12	6.2	0.10	3,439	5.7	0.10	4.8	0.09
Brain	3,886	7.1	0.12	5.8	0.10	3,102	5.1	0.09	4.3	0.08
Endocrine System	3,443	6.3	0.11	4.9	0.08	9,887	16.4	0.17	13.4	0.14
Thyroid gland	3,001	5.5	0.10	4.2	0.08	9,497	15.8	0.16	12.8	0.13
Lymphomas	12,598	25.2	0.23	17.0	0.16	10,680	18.0	0.18	12.4	0.13
Hodgkin Lymphoma	1,688	3.0	0.07	2.5	0.06	1,278	2.1	0.06	1.9	0.06
Non-Hodgkin Lymphoma	10,910	22.2	0.22	14.5	0.14	9,402	15.9	0.17	10.5	0.12
Multiple Myeloma	3,712	7.8	0.13	4.8	0.08	3,151	5.4	0.10	3.4	0.06
Leukemias	8,278	17.0	0.19	11.6	0.13	6,396	10.7	0.14	8.0	0.11
Acute lymphocytic	1,245	2.0	0.06	2.4	0.07	1,008	1.6	0.05	2.0	0.07
Chronic lymphocytic	2,698	5.9	0.12	3.4	0.07	1,928	3.3	0.08	1.9	0.05
Acute myeloid	2,006	4.2	0.10	2.7	0.06	1,728	2.9	0.07	2.1	0.05
Chronic myeloid	1,089	2.2	0.07	1.5	0.05	816	1.4	0.05	0.9	0.04
Other leukemias	1,240	2.6	0.08	1.6	0.05	916	1.5	0.05	1.0	0.04
Mesothelioma	710	1.6	0.06	0.9	0.03	195	0.3	0.02	0.2	0.02
Kaposi Sarcoma	503	0.9	0.04	0.7	0.03	74	0.1	0.02	0.1	0.01
Ill-defined & Unknown	11,321	24.7	0.24	14.4	0.14	10,369	17.7	0.17	10.3	0.11
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	4,493	8.7	0.13	6.2	0.10	9,429	15.9	0.16	11.1	0.12
Breast (<i>in situ</i>)	55	0.1	0.01	0.1	0.01	14,349	23.8	0.20	17.9	0.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	215,233	505.0	1.12	329.8	0.73	198,887	391.9	0.89	271.6	0.65
Oral Cavity & Pharynx	7,301	15.8	0.19	11.4	0.14	2,865	5.6	0.11	3.9	0.08
Lip	384	0.9	0.05	0.6	0.03	95	0.2	0.02	0.1	0.01
Tongue	2,236	4.7	0.10	3.5	0.08	926	1.8	0.06	1.3	0.04
Major salivary gland	713	1.8	0.07	1.1	0.04	492	1.0	0.04	0.7	0.03
Floor of mouth	369	0.8	0.04	0.6	0.03	128	0.3	0.02	0.2	0.02
Gum & other mouth	652	1.5	0.06	1.0	0.04	449	0.9	0.04	0.6	0.03
Nasopharynx	318	0.7	0.04	0.5	0.03	104	0.2	0.02	0.2	0.02
Oropharynx	362	0.8	0.04	0.6	0.03	99	0.2	0.02	0.1	0.01
Hypopharynx	484	1.1	0.05	0.8	0.03	125	0.2	0.02	0.2	0.02
Digestive System	42,296	99.0	0.50	63.7	0.32	32,122	63.1	0.35	39.8	0.24
Esophagus	3,136	7.3	0.13	4.7	0.09	747	1.5	0.05	0.9	0.04
Stomach	3,538	8.4	0.14	5.3	0.09	2,349	4.6	0.10	3.0	0.07
Small intestine	1,074	2.4	0.08	1.7	0.05	928	1.8	0.06	1.2	0.04
Colon excl. rectum	14,216	34.2	0.30	21.1	0.18	13,136	25.8	0.23	15.8	0.15
Rectum & rectosigmoid	6,765	15.4	0.19	10.4	0.13	4,347	8.5	0.13	5.8	0.09
Anus, anal canal & anorectum	582	1.3	0.05	0.9	0.04	926	1.8	0.06	1.3	0.04
Liver	5,743	12.6	0.17	8.8	0.12	2,127	4.2	0.09	2.7	0.06
Gallbladder	328	0.8	0.05	0.5	0.03	797	1.6	0.06	1.0	0.04
Pancreas	5,274	12.7	0.18	7.8	0.11	4,922	9.7	0.14	5.8	0.09
Respiratory System	34,574	84.1	0.46	51.1	0.28	25,865	51.2	0.32	32.2	0.21
Larynx	2,869	6.5	0.12	4.4	0.08	647	1.3	0.05	0.9	0.04
Lung & bronchus	31,229	76.6	0.45	45.9	0.27	24,901	49.4	0.32	30.9	0.21
Bones & Joints	559	1.2	0.05	1.0	0.04	475	0.9	0.04	0.9	0.04
Soft Tissue (incl. heart)	1,607	3.6	0.09	2.7	0.07	1,317	2.6	0.07	2.1	0.06
Skin (excl. basal & sq.)	8,894	21.0	0.23	13.5	0.15	5,915	11.8	0.15	8.8	0.12
Melanomas of the skin	8,213	19.2	0.22	12.5	0.14	5,488	10.9	0.15	8.2	0.12
Breast (excl. <i>in situ</i>)	442	1.1	0.05	0.7	0.03	58,562	115.1	0.48	83.1	0.36
Female Genital System	-	-	-	-	-	22,684	44.7	0.30	33.1	0.23
Cervix uteri	-	-	-	-	-	4,596	9.4	0.14	7.5	0.11
Uterus Corpus	-	-	-	-	-	9,583	18.6	0.19	13.9	0.15
Uterus, NOS ¹	-	-	-	-	-	558	1.1	0.05	0.8	0.03
Ovary	-	-	-	-	-	6,131	12.1	0.16	8.5	0.11
Male Genital System	57,112	130.8	0.56	89.4	0.38	-	-	-	-	-
Prostate	53,727	123.9	0.55	83.1	0.37	-	-	-	-	-
Testis	2,858	5.7	0.11	5.5	0.10	-	-	-	-	-
Penis	444	1.1	0.05	0.7	0.03	-	-	-	-	-
Urinary System	22,832	55.0	0.37	34.0	0.23	10,522	20.7	0.20	13.7	0.14
Bladder (incl. <i>in situ</i>)	12,071	30.6	0.29	17.2	0.16	3,581	7.1	0.12	4.1	0.07
Kidney & renal pelvis	10,416	23.5	0.24	16.3	0.16	6,724	13.2	0.16	9.3	0.12
Ureter	244	0.6	0.04	0.3	0.02	158	0.3	0.03	0.2	0.02
Eye & Orbit	413	0.9	0.05	0.7	0.04	351	0.7	0.04	0.6	0.03
Brain & Other Nervous System	3,677	7.9	0.13	6.5	0.11	3,027	6.0	0.11	5.0	0.10
Brain	3,471	7.5	0.13	6.1	0.11	2,743	5.4	0.10	4.5	0.09
Endocrine System	3,037	6.5	0.12	5.1	0.09	8,553	17.1	0.19	14.0	0.16
Thyroid gland	2,677	5.7	0.11	4.4	0.09	8,255	16.6	0.18	13.5	0.15
Lymphomas	11,099	25.8	0.25	17.4	0.17	9,376	18.5	0.19	12.7	0.14
Hodgkin Lymphoma	1,429	3.0	0.08	2.5	0.07	1,070	2.1	0.07	1.9	0.06
Non-Hodgkin Lymphoma	9,670	22.8	0.24	14.9	0.16	8,306	16.4	0.18	10.8	0.13
Multiple Myeloma	2,965	7.2	0.14	4.4	0.08	2,384	4.7	0.10	2.9	0.06
Leukemias	7,390	17.5	0.21	12.1	0.15	5,629	11.1	0.15	8.3	0.12
Acute lymphocytic	1,107	2.1	0.07	2.6	0.08	898	1.7	0.06	2.2	0.08
Chronic lymphocytic	2,433	6.1	0.13	3.5	0.07	1,744	3.4	0.08	2.0	0.05
Acute myeloid	1,787	4.3	0.10	2.8	0.07	1,489	2.9	0.08	2.1	0.06
Chronic myeloid	946	2.2	0.07	1.5	0.05	687	1.4	0.05	0.9	0.04
Other leukemias	1,117	2.7	0.08	1.7	0.05	811	1.6	0.06	1.1	0.04
Mesothelioma	661	1.7	0.07	0.9	0.04	166	0.3	0.03	0.2	0.02
Kaposi Sarcoma	356	0.8	0.04	0.6	0.03	57	0.1	0.02	0.1	0.01
Ill-defined & Unknown	10,018	25.0	0.26	14.6	0.15	9,017	17.7	0.19	10.4	0.12
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	3,840	8.7	0.14	6.2	0.10	7,871	15.5	0.18	10.9	0.13
Breast (<i>in situ</i>)	44	0.1	0.01	0.1	0.01	11,975	23.5	0.22	17.7	0.17

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

TEXAS

368 Incidence – White

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	27,512	593.5	3.95	395.9	2.45	25,449	400.1	2.58	275.8	1.78
Oral Cavity & Pharynx	655	12.3	0.52	9.1	0.37	311	4.6	0.27	3.5	0.20
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	144	2.8	0.25	2.0	0.17	63	0.9	0.12	0.7	0.09
Major salivary gland	53	1.0	0.16	0.7	0.10	69	1.0	0.13	0.8	0.09
Floor of mouth	42	0.7	0.11	0.6	0.09	23	0.3	0.07	0.2	0.05
Gum & other mouth	69	1.3	0.17	1.0	0.13	50	0.8	0.11	0.6	0.08
Nasopharynx	53	0.9	0.13	0.7	0.10	36	0.5	0.09	0.4	0.07
Oropharynx	42	0.8	0.14	0.6	0.09	17	0.2	0.05	0.2	0.05
Hypopharynx	80	1.7	0.21	1.2	0.13	14	0.2	0.06	0.2	0.05
Digestive System	6,383	136.7	1.90	89.6	1.15	5,335	87.9	1.24	56.1	0.80
Esophagus	353	7.8	0.45	5.1	0.28	108	1.7	0.17	1.2	0.12
Stomach	663	15.7	0.68	9.4	0.37	417	7.1	0.35	4.2	0.22
Small intestine	191	4.0	0.33	2.6	0.20	198	3.1	0.23	2.1	0.16
Colon excl. rectum	2,214	49.9	1.17	31.6	0.69	2,360	38.9	0.82	24.9	0.53
Rectum & rectosigmoid	869	17.5	0.66	11.9	0.41	653	10.3	0.42	6.9	0.28
Anus, anal canal & anorectum	102	1.6	0.17	1.3	0.13	88	1.3	0.14	0.9	0.10
Liver	1,059	18.4	0.61	14.1	0.45	309	4.6	0.27	3.3	0.20
Gallbladder	45	1.2	0.19	0.6	0.10	112	1.9	0.19	1.2	0.12
Pancreas	723	16.8	0.69	10.5	0.40	880	15.3	0.53	9.0	0.32
Respiratory System	5,066	117.8	1.81	74.8	1.08	3,238	54.2	0.98	35.7	0.65
Larynx	496	10.4	0.51	7.1	0.33	134	2.0	0.18	1.5	0.13
Lung & bronchus	4,520	106.4	1.73	67.0	1.02	3,064	51.5	0.96	33.7	0.63
Bones & Joints	81	1.3	0.17	1.1	0.12	57	0.7	0.10	0.7	0.09
Soft Tissue (incl. heart)	181	3.3	0.27	2.5	0.19	176	2.5	0.20	2.0	0.16
Skin (excl. basal & sq.)	105	2.0	0.22	1.4	0.14	114	1.7	0.17	1.2	0.12
Melanomas of the skin	45	1.0	0.17	0.6	0.09	63	1.0	0.13	0.6	0.08
Breast (excl. <i>in situ</i>)	60	1.3	0.19	0.9	0.12	7,810	117.2	1.36	84.9	0.98
Female Genital System	-	-	-	-	-	2,744	41.9	0.82	30.1	0.59
Cervix uteri	-	-	-	-	-	762	10.8	0.40	8.3	0.31
Uterus Corpus	-	-	-	-	-	1,065	16.9	0.53	11.9	0.38
Uterus, NOS ¹	-	-	-	-	-	104	1.7	0.17	1.1	0.11
Ovary	-	-	-	-	-	594	9.2	0.39	6.4	0.27
Male Genital System	8,913	191.8	2.23	131.5	1.43	-	-	-	-	-
Prostate	8,776	189.5	2.21	129.7	1.42	-	-	-	-	-
Testis	85	1.1	0.13	1.1	0.12	-	-	-	-	-
Penis	43	1.0	0.18	0.6	0.09	-	-	-	-	-
Urinary System	1,971	43.9	1.09	28.0	0.65	1,255	20.4	0.59	13.4	0.39
Bladder (incl. <i>in situ</i>)	682	17.7	0.74	9.7	0.38	321	5.6	0.32	3.2	0.19
Kidney & renal pelvis	1,254	25.3	0.78	17.7	0.51	910	14.4	0.49	10.0	0.34
Ureter	8	0.2	0.09	0.1	0.04	11	0.2	0.06	0.1	0.04
Eye & Orbit	10	0.2	0.06	0.2	0.05	27	0.3	0.07	0.4	0.09
Brain & Other Nervous System	294	4.8	0.31	4.1	0.24	296	4.1	0.25	3.7	0.22
Brain	275	4.5	0.30	3.8	0.23	255	3.6	0.23	3.1	0.20
Endocrine System	246	4.1	0.28	3.3	0.22	769	10.8	0.40	8.5	0.31
Thyroid gland	183	3.1	0.25	2.4	0.18	699	9.8	0.38	7.7	0.29
Lymphomas	1,120	20.3	0.67	14.9	0.46	970	14.5	0.48	10.8	0.36
Hodgkin Lymphoma	211	3.0	0.22	2.7	0.19	168	2.2	0.17	2.0	0.15
Non-Hodgkin Lymphoma	909	17.3	0.64	12.2	0.41	802	12.3	0.45	8.8	0.32
Multiple Myeloma	639	14.5	0.63	9.2	0.37	689	11.7	0.46	7.4	0.29
Leukemias	656	13.7	0.60	9.5	0.38	541	8.4	0.37	6.1	0.27
Acute lymphocytic	82	1.1	0.13	1.3	0.14	63	0.8	0.10	1.0	0.12
Chronic lymphocytic	213	5.1	0.38	3.1	0.22	136	2.3	0.20	1.4	0.13
Acute myeloid	161	3.3	0.29	2.3	0.19	183	2.7	0.21	2.0	0.15
Chronic myeloid	104	2.1	0.23	1.4	0.14	83	1.3	0.14	0.9	0.10
Other leukemias	96	2.2	0.26	1.3	0.14	76	1.3	0.15	0.8	0.09
Mesothelioma	43	1.1	0.18	0.7	0.10	17	0.3	0.07	0.2	0.05
Kaposi Sarcoma	123	1.9	0.18	1.5	0.14	17	0.2	0.06	0.2	0.05
Ill-defined & Unknown	966	22.5	0.80	13.8	0.45	1,083	18.6	0.58	10.9	0.35
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	438	8.4	0.45	6.0	0.29	1,056	16.6	0.53	11.4	0.36
Breast (<i>in situ</i>)	9	0.2	0.05	0.1	0.04	1,723	25.7	0.64	19.2	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	3,670	270.2	5.26	163.9	2.77	4,420	230.5	3.84	155.9	2.40
Oral Cavity & Pharynx	130	7.6	0.78	5.2	0.47	68	3.6	0.49	2.4	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	22	1.3	0.29	0.9	0.20	19	1.0	0.24	0.7	0.16
Major salivary gland	15	0.7	0.22	0.6	0.15	10	0.5	0.18	0.4	0.13
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	18	1.0	0.26	0.7	0.17	6	0.4	0.16	0.2	0.10
Nasopharynx	46	2.4	0.38	1.8	0.27	20	0.9	0.22	0.6	0.15
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	8	1.0	0.40	0.4	0.14	-	-	-	-	-
Digestive System	1,175	84.9	2.92	51.4	1.53	861	53.8	2.02	31.6	1.10
Esophagus	41	3.6	0.66	1.9	0.31	13	0.9	0.26	0.5	0.14
Stomach	167	13.5	1.24	7.4	0.59	100	6.4	0.71	3.5	0.36
Small intestine	22	1.7	0.44	1.0	0.22	9	0.6	0.23	0.3	0.10
Colon excl. rectum	277	20.1	1.42	12.1	0.74	279	17.3	1.15	10.1	0.62
Rectum & rectosigmoid	158	11.6	1.11	7.0	0.57	130	7.0	0.66	4.8	0.43
Anus, anal canal & anorectum	-	-	-	-	-	11	0.6	0.19	0.4	0.12
Liver	333	20.8	1.29	14.1	0.79	130	8.5	0.81	4.9	0.44
Gallbladder	15	1.2	0.38	0.7	0.17	22	1.6	0.39	0.9	0.19
Pancreas	93	7.7	0.92	4.2	0.44	108	7.6	0.79	4.0	0.40
Respiratory System	533	44.1	2.22	24.3	1.07	433	28.0	1.47	16.2	0.79
Larynx	27	2.6	0.56	1.2	0.24	-	-	-	-	-
Lung & bronchus	490	40.7	2.13	22.4	1.03	422	27.4	1.46	15.8	0.78
Bones & Joints	12	0.5	0.16	0.5	0.16	15	0.6	0.17	0.6	0.17
Soft Tissue (incl. heart)	41	2.8	0.57	1.8	0.30	29	1.3	0.25	1.1	0.21
Skin (excl. basal & sq.)	21	1.6	0.44	0.9	0.20	17	1.1	0.32	0.6	0.15
Melanomas of the skin	18	1.5	0.44	0.8	0.19	10	0.7	0.26	0.3	0.11
Breast (excl. <i>in situ</i>)	14	1.0	0.30	0.5	0.15	1,403	63.7	1.82	47.5	1.29
Female Genital System	-	-	-	-	-	532	25.0	1.17	18.2	0.80
Cervix uteri	-	-	-	-	-	105	4.8	0.51	3.3	0.33
Uterus Corpus	-	-	-	-	-	234	10.3	0.71	8.0	0.53
Uterus, NOS ¹	-	-	-	-	-	13	0.5	0.15	0.4	0.12
Ovary	-	-	-	-	-	157	7.9	0.69	5.5	0.45
Male Genital System	691	54.8	2.40	32.5	1.26	-	-	-	-	-
Prostate	654	53.0	2.38	31.1	1.23	-	-	-	-	-
Testis	26	0.9	0.18	0.9	0.18	-	-	-	-	-
Penis	6	0.5	0.22	0.3	0.11	-	-	-	-	-
Urinary System	278	21.2	1.48	12.6	0.78	126	7.1	0.70	4.5	0.41
Bladder (incl. <i>in situ</i>)	152	13.2	1.25	7.2	0.60	42	2.9	0.49	1.5	0.24
Kidney & renal pelvis	118	7.5	0.79	5.1	0.48	75	3.6	0.45	2.7	0.32
Ureter	7	0.4	0.17	0.3	0.13	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	6	0.3	0.16	0.3	0.12
Brain & Other Nervous System	96	4.7	0.56	4.2	0.45	69	2.9	0.37	2.6	0.33
Brain	86	4.3	0.54	3.9	0.43	63	2.6	0.36	2.4	0.31
Endocrine System	87	4.6	0.57	3.5	0.38	346	14.1	0.81	11.2	0.62
Thyroid gland	75	4.0	0.53	2.9	0.35	331	13.4	0.78	10.6	0.60
Lymphomas	197	12.3	1.06	8.4	0.61	193	10.3	0.84	7.2	0.53
Hodgkin Lymphoma	23	1.1	0.29	0.9	0.20	27	1.1	0.22	1.1	0.21
Non-Hodgkin Lymphoma	174	11.2	1.02	7.4	0.58	166	9.2	0.81	6.1	0.48
Multiple Myeloma	70	5.5	0.77	3.1	0.38	38	2.3	0.41	1.3	0.22
Leukemias	123	8.3	0.92	5.7	0.53	122	6.2	0.63	4.7	0.44
Acute lymphocytic	33	1.4	0.27	1.6	0.29	28	1.1	0.22	1.4	0.27
Chronic lymphocytic	11	0.9	0.32	0.5	0.16	9	0.5	0.17	0.3	0.11
Acute myeloid	40	3.3	0.62	1.8	0.30	46	2.5	0.41	1.6	0.25
Chronic myeloid	25	1.6	0.38	1.0	0.21	24	1.3	0.30	0.8	0.17
Other leukemias	14	1.2	0.38	0.6	0.17	15	0.8	0.23	0.6	0.15
Mesothelioma	-	-	-	-	-	10	0.4	0.15	0.3	0.11
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	196	15.9	1.36	9.0	0.66	152	9.6	0.87	5.6	0.46
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	91	5.9	0.72	3.7	0.40	229	12.4	0.91	8.1	0.55
Breast (<i>in situ</i>)	-	-	-	-	-	374	16.8	0.91	13.1	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	34	276.2	50.74	157.5	27.60	22	124.1	27.03	92.0	19.88
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	106.2	34.08	48.7	14.99	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	61.2	25.26	32.6	12.51	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	9	67.7	24.26	42.0	14.22	-	-	-	-	-
Prostate	8	62.2	23.62	37.9	13.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	46,530	422.0	2.16	268.4	1.28	48,043	328.0	1.56	227.0	1.07
Oral Cavity & Pharynx	1,108	9.0	0.30	6.2	0.19	512	3.6	0.16	2.4	0.11
Lip	31	0.3	0.06	0.2	0.03	9	0.1	0.02	0.0	0.01
Tongue	316	2.5	0.15	1.8	0.10	158	1.1	0.09	0.8	0.06
Major salivary gland	118	1.1	0.11	0.7	0.06	133	0.9	0.08	0.6	0.05
Floor of mouth	60	0.5	0.06	0.3	0.05	17	0.1	0.03	0.1	0.02
Gum & other mouth	113	1.0	0.10	0.6	0.06	67	0.5	0.07	0.3	0.04
Nasopharynx	65	0.5	0.07	0.3	0.04	28	0.2	0.03	0.1	0.03
Oropharynx	63	0.5	0.07	0.4	0.05	8	0.1	0.02	0.0	0.01
Hypopharynx	101	0.9	0.10	0.6	0.06	16	0.1	0.03	0.1	0.02
Digestive System	12,192	111.6	1.11	70.7	0.66	9,081	68.9	0.75	42.8	0.47
Esophagus	532	5.2	0.24	3.2	0.14	147	1.2	0.10	0.7	0.06
Stomach	1,451	13.6	0.39	8.3	0.22	1,175	8.7	0.26	5.4	0.16
Small intestine	239	2.1	0.15	1.4	0.09	240	1.8	0.12	1.1	0.08
Colon excl. rectum	3,470	32.7	0.61	20.4	0.36	3,042	22.7	0.43	14.4	0.27
Rectum & rectosigmoid	1,902	16.4	0.41	10.9	0.26	1,144	8.1	0.25	5.5	0.17
Anus, anal canal & anorectum	94	0.7	0.08	0.5	0.05	134	1.0	0.09	0.6	0.06
Liver	2,634	22.8	0.49	15.1	0.30	1,013	8.1	0.26	4.8	0.16
Gallbladder	142	1.4	0.13	0.8	0.07	405	3.1	0.16	1.9	0.10
Pancreas	1,195	11.8	0.37	7.1	0.21	1,219	9.9	0.29	5.6	0.17
Respiratory System	5,274	55.5	0.82	31.8	0.45	3,129	25.1	0.46	14.8	0.28
Larynx	643	5.9	0.25	3.8	0.15	86	0.6	0.07	0.4	0.05
Lung & bronchus	4,500	48.7	0.78	27.3	0.42	2,961	23.9	0.45	14.0	0.27
Bones & Joints	210	1.0	0.09	0.9	0.06	165	0.8	0.07	0.8	0.06
Soft Tissue (incl. heart)	487	3.2	0.17	2.4	0.11	431	2.5	0.13	2.0	0.10
Skin (excl. basal & sq.)	548	4.9	0.23	3.0	0.13	618	3.9	0.17	2.9	0.12
Melanomas of the skin	449	4.0	0.21	2.5	0.12	510	3.2	0.15	2.3	0.11
Breast (excl. <i>in situ</i>)	69	0.7	0.09	0.4	0.05	13,612	89.4	0.79	65.5	0.58
Female Genital System	-	-	-	-	-	7,149	45.0	0.55	33.5	0.41
Cervix uteri	-	-	-	-	-	2,122	12.1	0.27	9.4	0.21
Uterus Corpus	-	-	-	-	-	2,781	17.7	0.35	13.6	0.26
Uterus, NOS ¹	-	-	-	-	-	190	1.3	0.10	0.9	0.07
Ovary	-	-	-	-	-	1,638	10.8	0.28	7.7	0.20
Male Genital System	12,206	115.0	1.13	74.2	0.69	-	-	-	-	-
Prostate	10,793	108.3	1.11	68.2	0.67	-	-	-	-	-
Testis	1,190	4.8	0.14	4.8	0.14	-	-	-	-	-
Penis	198	1.8	0.14	1.1	0.08	-	-	-	-	-
Urinary System	4,682	42.7	0.69	26.9	0.40	2,713	19.5	0.39	13.0	0.26
Bladder (incl. <i>in situ</i>)	1,565	16.9	0.46	9.3	0.24	483	3.9	0.19	2.2	0.10
Kidney & renal pelvis	3,061	25.2	0.50	17.2	0.32	2,199	15.3	0.34	10.7	0.23
Ureter	44	0.5	0.08	0.3	0.04	18	0.2	0.04	0.1	0.02
Eye & Orbit	66	0.4	0.06	0.3	0.04	60	0.3	0.05	0.3	0.04
Brain & Other Nervous System	936	5.8	0.22	4.7	0.16	820	4.5	0.17	3.9	0.14
Brain	872	5.4	0.21	4.4	0.15	728	4.0	0.16	3.5	0.13
Endocrine System	741	5.2	0.21	3.9	0.15	2,897	16.5	0.32	13.2	0.25
Thyroid gland	637	4.6	0.20	3.4	0.14	2,808	16.0	0.31	12.8	0.25
Lymphomas	2,803	22.3	0.48	14.8	0.29	2,463	17.0	0.36	11.6	0.24
Hodgkin Lymphoma	497	2.9	0.15	2.3	0.11	389	2.1	0.11	1.7	0.09
Non-Hodgkin Lymphoma	2,306	19.4	0.45	12.5	0.27	2,074	15.0	0.34	9.8	0.22
Multiple Myeloma	795	7.7	0.30	4.7	0.17	644	4.9	0.20	3.1	0.13
Leukemias	1,886	13.1	0.36	9.6	0.23	1,561	8.8	0.24	7.3	0.19
Acute lymphocytic	671	2.7	0.12	3.1	0.12	555	2.2	0.10	2.6	0.11
Chronic lymphocytic	245	2.6	0.18	1.5	0.10	192	1.6	0.12	0.9	0.07
Acute myeloid	440	3.6	0.20	2.3	0.11	398	2.4	0.13	1.9	0.10
Chronic myeloid	270	2.0	0.14	1.3	0.08	187	1.2	0.09	0.9	0.06
Other leukemias	260	2.2	0.16	1.4	0.09	229	1.4	0.10	1.1	0.07
Mesothelioma	109	1.1	0.12	0.6	0.06	30	0.2	0.04	0.1	0.03
Kaposi Sarcoma	197	1.4	0.12	0.9	0.07	37	0.3	0.06	0.1	0.03
Ill-defined & Unknown	2,221	21.5	0.51	12.4	0.27	2,121	16.7	0.38	9.6	0.22
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,022	7.6	0.27	5.4	0.17	2,038	13.8	0.32	9.5	0.22
Breast (<i>in situ</i>)	-	-	-	-	-	2,488	16.2	0.33	12.4	0.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

TEXAS

372 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	170,059	536.3	1.33	353.9	0.90	151,998	416.5	1.09	290.0	0.82
Oral Cavity & Pharynx	6,211	18.4	0.24	13.5	0.18	2,364	6.4	0.13	4.5	0.10
Lip	354	1.1	0.06	0.7	0.04	86	0.2	0.03	0.1	0.02
Tongue	1,923	5.6	0.13	4.2	0.10	770	2.1	0.08	1.5	0.06
Major salivary gland	597	2.0	0.08	1.2	0.05	362	1.0	0.05	0.7	0.04
Floor of mouth	311	0.9	0.05	0.7	0.04	112	0.3	0.03	0.2	0.02
Gum & other mouth	540	1.7	0.07	1.1	0.05	385	1.0	0.05	0.7	0.04
Nasopharynx	254	0.8	0.05	0.6	0.04	76	0.2	0.02	0.2	0.02
Oropharynx	303	0.9	0.05	0.7	0.04	91	0.2	0.03	0.2	0.02
Hypopharynx	385	1.1	0.06	0.8	0.04	110	0.3	0.03	0.2	0.02
Digestive System	30,309	95.4	0.56	61.5	0.37	23,263	61.4	0.41	38.8	0.28
Esophagus	2,610	8.0	0.16	5.3	0.11	602	1.6	0.07	1.0	0.04
Stomach	2,108	6.7	0.15	4.3	0.10	1,195	3.2	0.09	2.0	0.06
Small intestine	837	2.6	0.09	1.8	0.06	698	1.9	0.07	1.3	0.05
Colon excl. rectum	10,817	34.8	0.34	21.4	0.21	10,196	26.7	0.27	16.3	0.18
Rectum & rectosigmoid	4,901	15.2	0.22	10.3	0.15	3,243	8.7	0.16	6.0	0.11
Anus, anal canal & anorectum	491	1.6	0.07	1.1	0.05	792	2.1	0.08	1.6	0.06
Liver	3,139	9.3	0.17	6.6	0.12	1,126	3.0	0.09	2.1	0.07
Gallbladder	189	0.6	0.05	0.4	0.03	399	1.0	0.05	0.6	0.03
Pancreas	4,099	13.0	0.21	8.1	0.13	3,725	9.6	0.16	5.8	0.10
Respiratory System	29,388	93.2	0.55	57.5	0.35	22,814	60.1	0.40	38.4	0.27
Larynx	2,236	6.7	0.14	4.7	0.10	562	1.5	0.06	1.1	0.05
Lung & bronchus	26,805	85.4	0.53	52.1	0.33	22,014	58.0	0.39	36.8	0.27
Bones & Joints	352	1.2	0.07	1.0	0.06	319	1.0	0.06	1.0	0.06
Soft Tissue (incl. heart)	1,129	3.8	0.11	2.9	0.10	898	2.7	0.09	2.2	0.09
Skin (excl. basal & sq.)	8,362	27.1	0.30	18.0	0.21	5,330	15.9	0.22	12.2	0.18
Melanomas of the skin	7,778	25.1	0.29	16.8	0.20	5,008	15.0	0.22	11.6	0.18
Breast (excl. <i>in situ</i>)	374	1.2	0.06	0.7	0.04	45,291	124.6	0.60	90.0	0.45
Female Genital System	-	-	-	-	-	15,687	44.0	0.36	32.4	0.28
Cervix uteri	-	-	-	-	-	2,526	8.2	0.17	6.6	0.14
Uterus Corpus	-	-	-	-	-	6,851	18.4	0.23	13.7	0.17
Uterus, NOS ¹	-	-	-	-	-	374	1.0	0.05	0.7	0.04
Ovary	-	-	-	-	-	4,533	12.5	0.19	8.7	0.14
Male Genital System	45,599	138.4	0.66	95.9	0.46	-	-	-	-	-
Prostate	43,604	131.3	0.64	89.5	0.44	-	-	-	-	-
Testis	1,687	6.2	0.15	5.8	0.15	-	-	-	-	-
Penis	250	0.8	0.05	0.5	0.03	-	-	-	-	-
Urinary System	18,255	58.6	0.44	36.2	0.28	7,877	21.0	0.24	13.9	0.17
Bladder (incl. <i>in situ</i>)	10,562	34.8	0.34	19.9	0.20	3,112	8.1	0.15	4.8	0.10
Kidney & renal pelvis	7,402	22.9	0.27	15.8	0.19	4,578	12.4	0.19	8.8	0.14
Ureter	202	0.7	0.05	0.4	0.03	141	0.4	0.03	0.2	0.02
Eye & Orbit	349	1.1	0.06	0.8	0.05	293	0.8	0.05	0.7	0.05
Brain & Other Nervous System	2,769	9.1	0.18	7.6	0.16	2,218	6.7	0.15	5.7	0.14
Brain	2,624	8.6	0.17	7.1	0.15	2,024	6.1	0.14	5.1	0.13
Endocrine System	2,314	7.4	0.16	5.9	0.13	5,729	18.0	0.24	14.9	0.21
Thyroid gland	2,056	6.5	0.15	5.0	0.11	5,519	17.3	0.24	14.2	0.20
Lymphomas	8,354	27.4	0.31	18.7	0.22	6,956	19.3	0.24	13.3	0.18
Hodgkin Lymphoma	938	3.3	0.11	2.9	0.10	689	2.3	0.09	2.1	0.09
Non-Hodgkin Lymphoma	7,416	24.1	0.29	15.9	0.20	6,267	17.0	0.22	11.2	0.16
Multiple Myeloma	2,190	7.0	0.15	4.3	0.09	1,757	4.6	0.11	2.8	0.07
Leukemias	5,531	18.5	0.25	12.5	0.19	4,100	11.4	0.18	8.2	0.16
Acute lymphocytic	443	1.7	0.08	2.1	0.11	348	1.3	0.07	1.6	0.10
Chronic lymphocytic	2,194	7.1	0.16	4.2	0.09	1,558	4.0	0.10	2.4	0.07
Acute myeloid	1,353	4.5	0.12	2.9	0.09	1,098	3.1	0.10	2.2	0.08
Chronic myeloid	680	2.3	0.09	1.5	0.06	508	1.4	0.06	0.9	0.05
Other leukemias	861	2.9	0.10	1.8	0.07	588	1.6	0.07	1.1	0.05
Mesothelioma	552	1.8	0.08	1.0	0.05	138	0.4	0.03	0.3	0.02
Kaposi Sarcoma	171	0.6	0.05	0.5	0.04	20	0.1	0.01	0.0	0.01
Ill-defined & Unknown	7,850	26.2	0.30	15.3	0.18	6,944	18.2	0.22	10.7	0.15
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	2,855	9.4	0.18	6.9	0.14	5,916	16.6	0.22	11.8	0.17
Breast (<i>in situ</i>)	40	0.1	0.02	0.1	0.01	9,576	26.7	0.28	20.0	0.21

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	27,276	602.0	4.01	402.0	2.49	25,118	404.6	2.62	279.3	1.82
Oral Cavity & Pharynx	650	12.5	0.53	9.3	0.37	309	4.7	0.27	3.5	0.21
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	144	2.9	0.26	2.1	0.18	62	0.9	0.12	0.7	0.09
Major salivary gland	53	1.0	0.16	0.7	0.10	68	1.0	0.13	0.8	0.10
Floor of mouth	41	0.7	0.11	0.6	0.09	23	0.3	0.07	0.3	0.05
Gum & other mouth	68	1.3	0.18	1.0	0.13	50	0.8	0.11	0.6	0.08
Nasopharynx	52	0.9	0.13	0.7	0.10	36	0.5	0.09	0.4	0.07
Oropharynx	41	0.8	0.14	0.6	0.09	17	0.2	0.06	0.2	0.05
Hypopharynx	80	1.8	0.22	1.2	0.14	14	0.2	0.06	0.2	0.05
Digestive System	6,340	138.9	1.93	91.1	1.17	5,263	88.5	1.25	56.5	0.81
Esophagus	351	7.9	0.46	5.2	0.28	107	1.8	0.18	1.2	0.12
Stomach	657	15.9	0.69	9.5	0.38	414	7.2	0.36	4.3	0.22
Small intestine	191	4.1	0.33	2.7	0.20	190	3.1	0.23	2.1	0.16
Colon excl. rectum	2,206	50.8	1.19	32.2	0.70	2,324	39.1	0.83	25.1	0.54
Rectum & rectosigmoid	859	17.7	0.67	12.1	0.42	639	10.3	0.42	6.9	0.28
Anus, anal canal & anorectum	102	1.7	0.18	1.3	0.13	88	1.3	0.14	1.0	0.11
Liver	1,051	18.8	0.62	14.4	0.46	307	4.7	0.27	3.4	0.20
Gallbladder	45	1.2	0.20	0.7	0.10	109	1.9	0.19	1.2	0.12
Pancreas	717	17.1	0.70	10.7	0.41	876	15.6	0.54	9.1	0.32
Respiratory System	5,031	119.4	1.84	75.9	1.10	3,210	54.8	0.99	36.1	0.66
Larynx	492	10.5	0.52	7.2	0.33	133	2.0	0.18	1.5	0.14
Lung & bronchus	4,490	107.9	1.75	68.0	1.04	3,038	52.2	0.97	34.1	0.64
Bones & Joints	80	1.4	0.18	1.2	0.13	56	0.8	0.10	0.7	0.10
Soft Tissue (incl. heart)	179	3.3	0.27	2.6	0.20	173	2.6	0.20	2.1	0.16
Skin (excl. basal & sq.)	103	2.0	0.22	1.4	0.14	112	1.7	0.17	1.3	0.12
Melanomas of the skin	44	1.0	0.17	0.6	0.10	61	1.0	0.13	0.6	0.08
Breast (excl. <i>in situ</i>)	60	1.4	0.19	0.9	0.12	7,700	118.5	1.38	85.9	1.00
Female Genital System	-	-	-	-	-	2,702	42.4	0.84	30.5	0.60
Cervix uteri	-	-	-	-	-	747	10.9	0.41	8.5	0.32
Uterus Corpus	-	-	-	-	-	1,052	17.1	0.54	12.0	0.38
Uterus, NOS ¹	-	-	-	-	-	102	1.7	0.17	1.1	0.11
Ovary	-	-	-	-	-	583	9.2	0.39	6.5	0.28
Male Genital System	8,831	194.3	2.26	133.2	1.45	-	-	-	-	-
Prostate	8,698	192.0	2.25	131.4	1.44	-	-	-	-	-
Testis	83	1.2	0.13	1.1	0.12	-	-	-	-	-
Penis	41	1.0	0.18	0.6	0.09	-	-	-	-	-
Urinary System	1,951	44.4	1.11	28.3	0.66	1,239	20.7	0.60	13.6	0.40
Bladder (incl. <i>in situ</i>)	673	17.8	0.75	9.8	0.39	319	5.7	0.33	3.2	0.19
Kidney & renal pelvis	1,244	25.7	0.80	18.0	0.52	896	14.5	0.50	10.1	0.35
Ureter	7	0.2	0.09	0.1	0.04	11	0.2	0.06	0.1	0.04
Eye & Orbit	10	0.2	0.06	0.2	0.06	27	0.4	0.07	0.5	0.09
Brain & Other Nervous System	287	4.9	0.32	4.1	0.25	293	4.3	0.26	3.8	0.23
Brain	269	4.6	0.31	3.8	0.24	254	3.7	0.24	3.3	0.22
Endocrine System	242	4.2	0.29	3.3	0.22	758	11.0	0.41	8.7	0.32
Thyroid gland	181	3.2	0.25	2.5	0.19	688	9.9	0.39	7.8	0.30
Lymphomas	1,104	20.7	0.69	15.2	0.47	955	14.7	0.49	11.0	0.37
Hodgkin Lymphoma	209	3.1	0.23	2.8	0.20	163	2.2	0.18	2.0	0.16
Non-Hodgkin Lymphoma	895	17.6	0.65	12.4	0.42	792	12.5	0.46	9.0	0.33
Multiple Myeloma	635	14.7	0.64	9.4	0.38	683	11.8	0.46	7.5	0.30
Leukemias	651	14.0	0.61	9.7	0.39	536	8.5	0.38	6.2	0.28
Acute lymphocytic	79	1.1	0.13	1.3	0.15	62	0.8	0.10	1.0	0.13
Chronic lymphocytic	213	5.2	0.39	3.2	0.23	135	2.3	0.21	1.5	0.13
Acute myeloid	160	3.3	0.29	2.4	0.19	181	2.8	0.21	2.0	0.15
Chronic myeloid	104	2.2	0.24	1.4	0.14	83	1.3	0.15	0.9	0.11
Other leukemias	95	2.2	0.26	1.3	0.14	75	1.3	0.15	0.8	0.10
Mesothelioma	43	1.1	0.18	0.7	0.10	16	0.3	0.07	0.2	0.05
Kaposi Sarcoma	119	1.9	0.18	1.5	0.14	17	0.3	0.06	0.2	0.05
Ill-defined & Unknown	960	22.8	0.82	14.0	0.46	1,069	18.7	0.59	11.1	0.35
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	432	8.6	0.46	6.1	0.30	1,038	16.7	0.53	11.5	0.37
Breast (<i>in situ</i>)	9	0.2	0.05	0.1	0.05	1,706	26.1	0.65	19.5	0.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

TEXAS

374 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	24,074	494.8	3.27	330.5	2.19	19,898	357.7	2.57	253.5	1.87
Oral Cavity & Pharynx	540	10.5	0.46	7.6	0.34	261	4.8	0.30	3.3	0.21
Lip	47	1.0	0.15	0.6	0.09	16	0.3	0.08	0.2	0.05
Tongue	173	3.3	0.25	2.5	0.19	66	1.2	0.15	0.9	0.11
Major salivary gland	84	1.7	0.20	1.1	0.12	66	1.1	0.14	0.9	0.11
Floor of mouth	23	0.5	0.10	0.4	0.07	15	0.3	0.08	0.2	0.05
Gum & other mouth	47	1.0	0.15	0.6	0.10	56	1.0	0.14	0.6	0.09
Nasopharynx	21	0.4	0.09	0.3	0.07	10	0.2	0.05	0.1	0.04
Oropharynx	18	0.3	0.08	0.3	0.06	-	-	-	-	-
Hypopharynx	24	0.5	0.10	0.3	0.07	7	0.1	0.05	0.1	0.04
Digestive System	3,634	75.2	1.28	49.3	0.84	2,971	54.6	1.01	34.4	0.67
Esophagus	274	5.7	0.35	3.8	0.24	50	0.9	0.13	0.6	0.09
Stomach	285	6.0	0.36	3.8	0.23	171	3.1	0.24	2.0	0.16
Small intestine	135	2.6	0.23	1.9	0.17	94	1.7	0.18	1.1	0.12
Colon excl. rectum	1,240	26.1	0.76	16.6	0.49	1,256	23.2	0.66	14.3	0.43
Rectum & rectosigmoid	654	13.2	0.53	8.9	0.36	440	8.0	0.38	5.5	0.27
Anus, anal canal & anorectum	41	0.8	0.13	0.6	0.09	76	1.4	0.16	1.0	0.12
Liver	306	5.8	0.34	4.4	0.26	111	2.0	0.20	1.3	0.13
Gallbladder	27	0.6	0.12	0.3	0.06	65	1.2	0.15	0.7	0.09
Pancreas	522	11.2	0.50	7.0	0.32	495	9.2	0.42	5.3	0.26
Respiratory System	1,777	38.3	0.93	23.7	0.58	1,326	24.6	0.68	15.9	0.46
Larynx	158	3.3	0.27	2.2	0.18	37	0.7	0.11	0.5	0.09
Lung & bronchus	1,568	34.1	0.88	20.9	0.55	1,254	23.3	0.66	14.9	0.44
Bones & Joints	104	1.7	0.17	1.5	0.15	56	0.9	0.12	0.8	0.11
Soft Tissue (incl. heart)	240	4.4	0.30	3.3	0.22	187	3.2	0.24	2.5	0.19
Skin (excl. basal & sq.)	2,178	45.0	0.99	29.0	0.64	1,404	24.4	0.66	18.6	0.51
Melanomas of the skin	2,026	41.6	0.95	27.1	0.62	1,296	22.5	0.63	17.3	0.49
Breast (excl. <i>in situ</i>)	39	0.8	0.13	0.6	0.09	6,082	110.8	1.43	79.3	1.05
Female Genital System	-	-	-	-	-	2,501	44.6	0.90	33.1	0.68
Cervix uteri	-	-	-	-	-	301	5.3	0.31	4.2	0.25
Uterus Corpus	-	-	-	-	-	1,383	24.7	0.67	18.5	0.51
Uterus, NOS ¹	-	-	-	-	-	18	0.3	0.08	0.2	0.05
Ovary	-	-	-	-	-	613	11.0	0.45	8.0	0.33
Male Genital System	9,004	184.0	1.98	127.5	1.38	-	-	-	-	-
Prostate	8,487	175.9	1.95	120.3	1.34	-	-	-	-	-
Testis	474	7.1	0.34	6.6	0.31	-	-	-	-	-
Penis	29	0.7	0.12	0.4	0.07	-	-	-	-	-
Urinary System	2,204	47.9	1.04	28.8	0.64	819	15.0	0.53	10.0	0.37
Bladder (incl. <i>in situ</i>)	1,386	31.4	0.86	17.4	0.49	285	5.3	0.32	3.1	0.20
Kidney & renal pelvis	776	15.5	0.57	10.9	0.40	512	9.2	0.41	6.7	0.31
Ureter	26	0.6	0.12	0.3	0.06	13	0.2	0.07	0.1	0.04
Eye & Orbit	69	1.4	0.17	1.0	0.12	54	0.9	0.13	0.8	0.11
Brain & Other Nervous System	462	7.8	0.38	6.8	0.32	358	5.9	0.32	5.2	0.28
Brain	439	7.5	0.37	6.5	0.31	339	5.6	0.31	4.9	0.27
Endocrine System	450	8.2	0.39	6.5	0.31	1,483	25.1	0.66	20.9	0.55
Thyroid gland	409	7.5	0.38	5.9	0.29	1,456	24.7	0.66	20.5	0.54
Lymphomas	1,419	28.3	0.77	19.2	0.52	1,038	18.5	0.58	12.8	0.42
Hodgkin Lymphoma	196	3.1	0.23	2.8	0.20	145	2.2	0.19	2.1	0.17
Non-Hodgkin Lymphoma	1,223	25.2	0.74	16.5	0.48	893	16.3	0.55	10.7	0.38
Multiple Myeloma	344	7.4	0.41	4.6	0.26	224	4.2	0.28	2.7	0.19
Leukemias	861	17.1	0.61	11.7	0.41	559	9.7	0.42	7.0	0.32
Acute lymphocytic	112	1.5	0.15	1.8	0.17	87	1.2	0.13	1.5	0.16
Chronic lymphocytic	348	7.7	0.42	4.5	0.25	195	3.7	0.27	2.1	0.16
Acute myeloid	214	4.2	0.30	2.9	0.20	161	2.8	0.22	2.0	0.17
Chronic myeloid	99	1.9	0.20	1.3	0.14	66	1.2	0.15	0.9	0.11
Other leukemias	88	1.8	0.20	1.1	0.13	50	0.9	0.13	0.6	0.09
Mesothelioma	84	1.9	0.21	1.0	0.12	14	0.2	0.07	0.2	0.05
Kaposi Sarcoma	20	0.3	0.08	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	645	14.6	0.59	7.9	0.33	561	10.3	0.44	6.0	0.28
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	425	7.9	0.40	6.1	0.30	876	15.6	0.53	11.5	0.40
Breast (<i>in situ</i>)	11	0.2	0.07	0.2	0.05	1,316	23.9	0.67	18.2	0.51

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	23,278	497.4	3.34	333.4	2.25	19,183	361.0	2.64	256.5	1.93
Oral Cavity & Pharynx	519	10.6	0.47	7.7	0.34	253	4.8	0.31	3.3	0.22
Lip	46	1.0	0.15	0.7	0.10	16	0.3	0.08	0.2	0.06
Tongue	170	3.3	0.26	2.6	0.20	64	1.2	0.15	0.9	0.11
Major salivary gland	78	1.7	0.20	1.1	0.13	65	1.2	0.15	0.9	0.12
Floor of mouth	22	0.5	0.10	0.3	0.08	15	0.3	0.08	0.2	0.05
Gum & other mouth	47	1.0	0.15	0.7	0.10	54	1.0	0.14	0.6	0.09
Nasopharynx	15	0.3	0.08	0.2	0.06	7	0.1	0.05	0.1	0.04
Oropharynx	18	0.4	0.08	0.3	0.07	-	-	-	-	-
Hypopharynx	23	0.5	0.10	0.3	0.07	7	0.1	0.05	0.1	0.04
Digestive System	3,496	75.3	1.30	49.4	0.86	2,844	54.4	1.03	34.4	0.69
Esophagus	272	5.9	0.36	3.9	0.24	45	0.8	0.13	0.5	0.09
Stomach	266	5.8	0.36	3.7	0.23	156	3.0	0.24	1.9	0.16
Small intestine	132	2.7	0.24	1.9	0.17	93	1.7	0.18	1.2	0.13
Colon excl. rectum	1,210	26.5	0.78	16.8	0.50	1,216	23.3	0.67	14.4	0.44
Rectum & rectosigmoid	628	13.2	0.54	8.9	0.37	424	8.1	0.39	5.6	0.28
Anus, anal canal & anorectum	40	0.8	0.13	0.6	0.09	74	1.4	0.16	1.0	0.12
Liver	274	5.4	0.33	4.1	0.25	101	1.9	0.19	1.3	0.14
Gallbladder	27	0.6	0.12	0.3	0.06	61	1.2	0.16	0.7	0.09
Pancreas	507	11.3	0.51	7.1	0.33	476	9.2	0.42	5.3	0.26
Respiratory System	1,713	38.2	0.94	23.8	0.60	1,267	24.4	0.69	15.9	0.47
Larynx	152	3.3	0.27	2.2	0.18	35	0.7	0.11	0.5	0.09
Lung & bronchus	1,512	34.0	0.89	20.9	0.56	1,198	23.1	0.67	14.9	0.45
Bones & Joints	100	1.7	0.18	1.6	0.16	54	0.9	0.12	0.8	0.12
Soft Tissue (incl. heart)	229	4.4	0.31	3.3	0.23	181	3.2	0.25	2.5	0.20
Skin (excl. basal & sq.)	2,152	46.3	1.02	30.0	0.67	1,386	25.4	0.69	19.5	0.54
Melanomas of the skin	2,003	42.9	0.98	28.1	0.65	1,282	23.5	0.66	18.1	0.52
Breast (excl. <i>in situ</i>)	39	0.8	0.13	0.6	0.10	5,872	112.1	1.48	80.3	1.09
Female Genital System	-	-	-	-	-	2,396	44.8	0.92	33.2	0.70
Cervix uteri	-	-	-	-	-	290	5.4	0.32	4.3	0.26
Uterus Corpus	-	-	-	-	-	1,316	24.6	0.68	18.4	0.52
Uterus, NOS ¹	-	-	-	-	-	18	0.3	0.08	0.2	0.06
Ovary	-	-	-	-	-	590	11.1	0.46	8.0	0.34
Male Genital System	8,670	183.9	2.02	127.8	1.41	-	-	-	-	-
Prostate	8,169	175.5	1.98	120.3	1.36	-	-	-	-	-
Testis	461	7.4	0.36	6.9	0.32	-	-	-	-	-
Penis	27	0.6	0.13	0.4	0.07	-	-	-	-	-
Urinary System	2,147	48.4	1.07	29.2	0.65	797	15.2	0.54	10.1	0.38
Bladder (incl. <i>in situ</i>)	1,362	31.9	0.88	17.7	0.50	279	5.4	0.33	3.1	0.20
Kidney & renal pelvis	744	15.5	0.58	10.9	0.41	496	9.3	0.42	6.8	0.32
Ureter	26	0.6	0.13	0.3	0.07	13	0.2	0.07	0.1	0.04
Eye & Orbit	69	1.4	0.18	1.0	0.13	54	1.0	0.13	0.8	0.11
Brain & Other Nervous System	456	8.2	0.40	7.1	0.34	347	6.0	0.33	5.3	0.29
Brain	433	7.8	0.39	6.8	0.33	328	5.7	0.32	5.0	0.28
Endocrine System	433	8.3	0.41	6.6	0.32	1,431	25.7	0.69	21.4	0.57
Thyroid gland	394	7.6	0.39	6.0	0.31	1,406	25.3	0.69	21.0	0.57
Lymphomas	1,374	28.6	0.79	19.5	0.54	1,003	18.7	0.60	13.0	0.43
Hodgkin Lymphoma	188	3.2	0.24	2.8	0.21	143	2.3	0.20	2.2	0.18
Non-Hodgkin Lymphoma	1,186	25.4	0.76	16.7	0.50	860	16.4	0.56	10.8	0.39
Multiple Myeloma	332	7.4	0.41	4.7	0.27	209	4.1	0.28	2.7	0.19
Leukemias	835	17.4	0.62	11.9	0.43	539	9.8	0.43	7.1	0.33
Acute lymphocytic	105	1.5	0.15	1.8	0.18	85	1.2	0.14	1.5	0.17
Chronic lymphocytic	338	7.7	0.43	4.5	0.26	195	3.8	0.28	2.2	0.17
Acute myeloid	208	4.3	0.31	3.0	0.21	150	2.7	0.23	2.0	0.17
Chronic myeloid	99	2.0	0.21	1.4	0.14	60	1.1	0.15	0.8	0.11
Other leukemias	85	1.8	0.20	1.2	0.13	49	0.9	0.13	0.6	0.10
Mesothelioma	82	1.9	0.22	1.0	0.12	14	0.3	0.07	0.2	0.05
Kaposi Sarcoma	18	0.3	0.08	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	614	14.4	0.59	7.9	0.33	536	10.2	0.45	6.0	0.28
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	413	8.1	0.41	6.2	0.31	826	15.5	0.55	11.3	0.41
Breast (<i>in situ</i>)	10	0.2	0.07	0.1	0.05	1,267	24.1	0.68	18.4	0.53

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	172	455.3	42.22	312.0	26.07	111	310.5	32.72	214.6	21.73
Oral Cavity & Pharynx	8	20.2	8.94	13.0	5.05	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	30	84.8	18.49	57.8	11.44	20	61.8	14.92	41.4	9.84
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	12.9	6.30	10.0	4.54	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	27.5	9.49	22.4	7.24	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	17	56.8	15.88	36.4	9.42	16	60.4	15.94	32.8	8.66
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	14	51.0	15.44	31.7	8.89	16	60.4	15.94	32.8	8.66
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	35	96.7	17.44	73.7	13.06
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	66	177.6	25.99	126.2	16.87	-	-	-	-	-
Prostate	62	174.7	25.95	122.9	16.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	35.2	11.22	23.9	6.58	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	10	20.4	7.79	14.4	4.97	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	10	16.7	5.67	14.5	4.71
Thyroid gland	-	-	-	-	-	10	16.7	5.67	14.5	4.71
Lymphomas	12	24.1	8.86	18.5	6.27	9	26.3	10.11	15.8	5.64
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	9	26.3	10.11	15.8	5.64
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	20.0	10.25	9.6	4.09	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	7	17.3	6.65	15.8	6.26
Breast (<i>in situ</i>)	-	-	-	-	-	10	31.7	10.90	19.9	6.61

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	280	274.9	17.86	174.2	10.77	369	253.6	14.05	173.6	9.32
Oral Cavity & Pharynx	10	9.4	3.29	5.7	1.87	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	75	73.2	9.05	48.8	5.80	69	54.9	6.93	33.5	4.18
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	12.0	3.83	7.2	2.25	13	10.7	3.06	5.9	1.74
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	17	17.7	4.53	11.7	2.93	21	16.0	3.66	10.6	2.37
Rectum & rectosigmoid	13	12.0	3.61	8.1	2.30	7	5.7	2.25	3.5	1.38
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	18	14.7	3.62	11.9	2.86	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	8	7.3	2.83	5.5	1.97	11	9.1	2.87	5.8	1.79
Respiratory System	25	28.2	5.94	17.0	3.49	26	21.3	4.38	12.3	2.51
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	26.6	5.73	16.4	3.44	23	18.5	4.01	11.0	2.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	7	7.2	2.97	4.1	1.60	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	120	82.0	7.92	56.4	5.29
Female Genital System	-	-	-	-	-	69	43.5	5.56	33.2	4.10
Cervix uteri	-	-	-	-	-	6	3.3	1.46	2.8	1.18
Uterus Corpus	-	-	-	-	-	43	26.8	4.29	21.0	3.29
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	17	11.7	3.08	7.8	1.95
Male Genital System	86	86.8	9.98	57.4	6.36	-	-	-	-	-
Prostate	82	84.6	9.93	55.6	6.29	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	18.6	4.91	9.9	2.47	11	8.0	2.59	5.0	1.56
Bladder (incl. <i>in situ</i>)	11	12.9	4.16	6.5	2.00	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	7	4.4	1.75	3.1	1.20
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	10	6.4	2.06	5.2	1.69	24	12.5	2.64	10.2	2.13
Thyroid gland	8	4.8	1.71	3.9	1.38	22	11.5	2.55	9.2	2.02
Lymphomas	19	18.2	4.73	10.1	2.40	14	9.6	2.77	6.1	1.65
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	5.9	2.35	4.7	1.60	7	4.5	1.90	3.7	1.44
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	11.5	4.02	5.2	1.79	9	5.5	1.93	4.0	1.37
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	9	8.6	3.16	5.3	1.85	27	16.2	3.25	12.7	2.50
Breast (<i>in situ</i>)	-	-	-	-	-	29	18.1	3.49	13.1	2.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	68	287.7	38.42	168.8	21.01	74	207.4	25.94	148.4	17.66
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	15	57.6	16.50	35.2	9.35	14	50.7	14.34	27.4	7.49
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	6	24.0	10.29	11.0	4.60
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	49.8	18.10	18.4	6.66	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	49.8	18.10	18.4	6.66	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	12	35.2	10.83	24.0	7.10
Female Genital System	-	-	-	-	-	19	49.8	11.97	38.1	8.93
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	12	32.4	9.94	23.4	6.88
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	19	87.1	21.41	52.5	12.24	-	-	-	-	-
Prostate	17	78.2	20.44	46.1	11.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	24.0	8.81	20.0	7.18	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	19.0	8.06	15.9	6.57	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	11	24.4	7.46	20.8	6.33
Thyroid gland	-	-	-	-	-	11	24.4	7.46	20.8	6.33
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,154	411.7	14.57	265.4	8.41	1,214	327.2	10.71	227.9	6.97
Oral Cavity & Pharynx	27	7.4	1.53	6.1	1.24	12	3.3	1.07	2.5	0.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	266	100.5	7.34	62.4	4.07	229	75.7	5.55	46.5	3.21
Esophagus	9	2.8	1.12	1.9	0.68	-	-	-	-	-
Stomach	30	14.0	2.92	7.3	1.42	28	9.5	1.98	5.8	1.15
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	76	30.6	4.15	19.0	2.30	87	27.6	3.31	17.7	2.00
Rectum & rectosigmoid	52	17.9	3.05	11.0	1.66	29	7.9	1.61	5.8	1.13
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	51	16.0	2.58	12.2	1.79	14	3.8	1.17	2.5	0.69
Gallbladder	-	-	-	-	-	7	2.0	0.83	1.2	0.48
Pancreas	27	11.0	2.49	6.5	1.31	43	17.5	2.86	9.0	1.42
Respiratory System	94	41.3	4.88	24.1	2.62	75	29.0	3.53	17.9	2.13
Larynx	10	2.9	0.97	2.5	0.84	-	-	-	-	-
Lung & bronchus	78	37.3	4.75	20.8	2.45	73	28.6	3.51	17.6	2.12
Bones & Joints	8	0.9	0.37	1.1	0.42	-	-	-	-	-
Soft Tissue (incl. heart)	20	3.2	1.21	2.7	0.67	11	2.2	0.83	1.6	0.52
Skin (excl. basal & sq.)	22	8.5	2.16	4.7	1.10	33	6.3	1.23	5.2	1.00
Melanomas of the skin	19	6.6	1.85	3.9	0.99	28	5.6	1.19	4.7	0.96
Breast (excl. <i>in situ</i>)	-	-	-	-	-	319	83.4	5.14	61.6	3.66
Female Genital System	-	-	-	-	-	168	40.6	3.54	29.8	2.45
Cervix uteri	-	-	-	-	-	46	9.2	1.54	7.0	1.12
Uterus Corpus	-	-	-	-	-	70	18.1	2.35	13.6	1.71
Uterus, NOS ¹	-	-	-	-	-	6	1.5	0.66	1.1	0.48
Ovary	-	-	-	-	-	34	8.4	1.72	6.0	1.10
Male Genital System	369	151.5	9.05	96.1	5.25	-	-	-	-	-
Prostate	320	143.7	8.91	89.8	5.15	-	-	-	-	-
Testis	42	4.3	0.71	4.4	0.69	-	-	-	-	-
Penis	6	3.1	1.37	1.6	0.70	-	-	-	-	-
Urinary System	87	32.4	4.07	20.3	2.30	49	16.8	2.63	10.5	1.58
Bladder (incl. <i>in situ</i>)	34	13.7	2.71	8.2	1.48	6	3.1	1.30	1.4	0.58
Kidney & renal pelvis	52	18.0	2.94	11.8	1.75	41	12.6	2.14	8.8	1.44
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	35	6.3	1.45	5.2	0.98	30	4.9	1.09	4.3	0.85
Brain	32	5.9	1.44	4.8	0.96	28	4.5	1.05	3.9	0.80
Endocrine System	28	5.9	1.35	4.7	0.99	131	23.4	2.34	19.4	1.83
Thyroid gland	21	4.0	1.01	3.3	0.80	129	23.3	2.34	19.2	1.82
Lymphomas	83	20.8	2.84	15.4	1.90	64	16.7	2.41	12.2	1.63
Hodgkin Lymphoma	18	3.8	1.18	2.8	0.75	19	3.8	1.04	3.2	0.81
Non-Hodgkin Lymphoma	65	17.0	2.59	12.6	1.75	45	12.9	2.17	9.0	1.41
Multiple Myeloma	22	7.7	1.97	5.2	1.18	12	3.8	1.17	2.9	0.87
Leukemias	47	9.2	1.97	7.3	1.20	40	6.9	1.41	5.4	0.90
Acute lymphocytic	21	1.8	0.42	2.3	0.51	16	1.8	0.57	2.0	0.53
Chronic lymphocytic	6	2.3	1.05	1.6	0.66	-	-	-	-	-
Acute myeloid	14	3.8	1.47	2.4	0.74	15	2.5	0.78	2.0	0.54
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	6	3.0	1.36	1.5	0.64	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	33	11.8	2.40	7.6	1.41	32	12.5	2.42	6.4	1.19
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	27	8.3	2.02	5.5	1.18	56	15.0	2.31	10.4	1.49
Breast (<i>in situ</i>)	-	-	-	-	-	67	17.6	2.32	13.5	1.73

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

UTAH

380 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	22,148	503.1	3.45	338.3	2.34	17,991	363.5	2.74	258.6	2.02
Oral Cavity & Pharynx	492	10.7	0.49	7.8	0.36	241	4.9	0.32	3.4	0.23
Lip	46	1.1	0.16	0.7	0.11	16	0.4	0.09	0.2	0.06
Tongue	165	3.5	0.28	2.7	0.21	60	1.2	0.16	0.9	0.12
Major salivary gland	75	1.7	0.20	1.1	0.13	61	1.2	0.16	0.9	0.12
Floor of mouth	19	0.4	0.09	0.3	0.07	14	0.3	0.08	0.2	0.05
Gum & other mouth	43	1.0	0.15	0.6	0.10	52	1.1	0.15	0.6	0.09
Nasopharynx	13	0.3	0.08	0.2	0.06	7	0.1	0.05	0.1	0.04
Oropharynx	18	0.4	0.09	0.3	0.07	-	-	-	-	-
Hypopharynx	21	0.5	0.10	0.3	0.07	7	0.1	0.06	0.1	0.04
Digestive System	3,237	74.0	1.32	48.7	0.88	2,620	53.2	1.05	33.5	0.70
Esophagus	263	6.0	0.37	4.0	0.26	43	0.9	0.13	0.5	0.09
Stomach	236	5.4	0.36	3.5	0.24	128	2.6	0.23	1.6	0.15
Small intestine	129	2.8	0.25	2.0	0.18	88	1.8	0.19	1.2	0.13
Colon excl. rectum	1,137	26.4	0.80	16.8	0.52	1,132	23.0	0.69	14.1	0.45
Rectum & rectosigmoid	578	13.0	0.55	8.8	0.38	395	8.0	0.41	5.6	0.29
Anus, anal canal & anorectum	40	0.9	0.14	0.6	0.10	71	1.4	0.17	1.0	0.13
Liver	225	4.8	0.32	3.6	0.25	88	1.8	0.19	1.2	0.13
Gallbladder	24	0.6	0.12	0.3	0.06	55	1.1	0.15	0.6	0.09
Pancreas	480	11.3	0.52	7.1	0.33	433	8.8	0.43	5.1	0.27
Respiratory System	1,620	38.1	0.96	23.7	0.61	1,193	24.3	0.71	15.8	0.49
Larynx	142	3.3	0.28	2.1	0.18	34	0.7	0.12	0.5	0.09
Lung & bronchus	1,435	33.9	0.91	20.9	0.57	1,126	22.9	0.69	14.8	0.47
Bones & Joints	93	1.8	0.19	1.7	0.17	50	0.9	0.13	0.8	0.12
Soft Tissue (incl. heart)	209	4.5	0.32	3.3	0.24	170	3.3	0.26	2.6	0.21
Skin (excl. basal & sq.)	2,131	49.0	1.08	32.1	0.72	1,353	27.0	0.75	20.8	0.58
Melanomas of the skin	1,985	45.5	1.04	30.0	0.70	1,254	25.1	0.72	19.4	0.57
Breast (excl. <i>in situ</i>)	38	0.8	0.14	0.6	0.10	5,560	113.7	1.54	81.5	1.14
Female Genital System	-	-	-	-	-	2,230	44.8	0.96	33.2	0.73
Cervix uteri	-	-	-	-	-	244	5.0	0.33	4.0	0.26
Uterus Corpus	-	-	-	-	-	1,248	24.9	0.71	18.7	0.55
Uterus, NOS ¹	-	-	-	-	-	12	0.2	0.07	0.1	0.04
Ovary	-	-	-	-	-	556	11.3	0.48	8.1	0.36
Male Genital System	8,305	186.1	2.08	129.8	1.46	-	-	-	-	-
Prostate	7,853	177.5	2.04	122.2	1.41	-	-	-	-	-
Testis	419	7.8	0.39	7.2	0.36	-	-	-	-	-
Penis	21	0.5	0.12	0.3	0.07	-	-	-	-	-
Urinary System	2,061	49.1	1.10	29.6	0.68	748	15.1	0.56	10.2	0.40
Bladder (incl. <i>in situ</i>)	1,328	32.7	0.91	18.2	0.52	273	5.6	0.34	3.3	0.21
Kidney & renal pelvis	693	15.4	0.59	10.9	0.43	455	9.1	0.43	6.7	0.33
Ureter	25	0.6	0.13	0.3	0.07	11	0.2	0.07	0.1	0.04
Eye & Orbit	66	1.5	0.18	1.1	0.14	52	1.0	0.14	0.8	0.12
Brain & Other Nervous System	421	8.4	0.42	7.3	0.36	317	6.1	0.35	5.4	0.32
Brain	401	8.0	0.41	7.0	0.35	300	5.8	0.34	5.1	0.31
Endocrine System	406	8.6	0.43	6.8	0.34	1,303	26.0	0.73	21.6	0.61
Thyroid gland	373	7.9	0.42	6.2	0.33	1,280	25.6	0.73	21.2	0.60
Lymphomas	1,296	29.0	0.82	19.8	0.57	941	18.8	0.62	13.0	0.45
Hodgkin Lymphoma	171	3.2	0.25	2.9	0.23	124	2.3	0.21	2.1	0.19
Non-Hodgkin Lymphoma	1,125	25.8	0.78	16.9	0.52	817	16.6	0.59	10.9	0.41
Multiple Myeloma	311	7.3	0.42	4.6	0.27	197	4.0	0.29	2.6	0.20
Leukemias	788	17.7	0.65	12.1	0.45	500	9.9	0.45	7.1	0.35
Acute lymphocytic	84	1.4	0.16	1.7	0.19	69	1.2	0.14	1.4	0.18
Chronic lymphocytic	332	8.0	0.45	4.7	0.27	190	3.9	0.29	2.2	0.17
Acute myeloid	194	4.3	0.32	3.0	0.22	136	2.7	0.23	1.9	0.18
Chronic myeloid	96	2.1	0.22	1.5	0.15	57	1.2	0.16	0.9	0.12
Other leukemias	82	1.9	0.21	1.2	0.14	48	0.9	0.14	0.7	0.10
Mesothelioma	77	1.9	0.22	1.0	0.12	11	0.2	0.06	0.1	0.04
Kaposi Sarcoma	15	0.3	0.08	0.3	0.07	-	-	-	-	-
Ill-defined & Unknown	582	14.4	0.61	7.9	0.34	505	10.2	0.46	6.0	0.29
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	386	8.2	0.43	6.4	0.33	771	15.6	0.57	11.5	0.43
Breast (<i>in situ</i>)	10	0.2	0.07	0.2	0.05	1,203	24.7	0.72	18.8	0.56

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	169	495.3	45.52	344.1	28.69	103	336.9	36.20	235.3	24.43
Oral Cavity & Pharynx	8	22.5	9.74	14.7	5.65	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	30	93.5	20.18	63.9	12.54	19	68.0	16.71	45.4	11.03
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	14.3	6.82	11.1	4.96	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	30.3	10.29	24.7	7.94	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	16	55.5	15.75	38.4	10.19	16	68.9	18.08	37.6	9.90
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	13	48.8	15.18	33.0	9.57	16	68.9	18.08	37.6	9.90
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	31	100.0	18.82	78.4	14.62
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	66	196.0	28.35	140.1	18.60	-	-	-	-	-
Prostate	62	192.3	28.29	136.0	18.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	39.5	12.38	27.0	7.39	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	10	23.4	8.82	16.5	5.63	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	9	18.5	6.59	16.4	5.59
Thyroid gland	-	-	-	-	-	9	18.5	6.59	16.4	5.59
Lymphomas	11	26.2	9.59	19.9	6.83	7	24.0	9.91	14.0	5.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	7	24.0	9.91	14.0	5.35
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	22.3	11.29	10.7	4.56	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	7	20.8	7.92	18.9	7.37
Breast (<i>in situ</i>)	-	-	-	-	-	8	28.7	10.81	19.4	7.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

UTAH

382 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	9,107	539.8	5.82	355.8	3.90	8,855	453.8	4.94	315.6	3.68
Oral Cavity & Pharynx	321	17.5	1.00	12.9	0.74	132	6.6	0.59	4.9	0.46
Lip	12	0.7	0.20	0.5	0.14	6	0.3	0.13	0.2	0.10
Tongue	98	5.3	0.55	4.0	0.41	37	1.8	0.30	1.4	0.23
Major salivary gland	26	1.5	0.30	1.0	0.20	22	1.1	0.25	1.0	0.23
Floor of mouth	20	1.0	0.24	0.8	0.18	11	0.6	0.18	0.4	0.11
Gum & other mouth	39	2.2	0.36	1.6	0.25	29	1.4	0.27	0.9	0.19
Nasopharynx	9	0.5	0.19	0.4	0.14	-	-	-	-	-
Oropharynx	16	0.8	0.22	0.6	0.15	-	-	-	-	-
Hypopharynx	23	1.3	0.27	0.8	0.18	6	0.3	0.13	0.2	0.07
Digestive System	1,526	90.7	2.39	57.6	1.53	1,288	64.1	1.82	38.5	1.21
Esophagus	172	10.1	0.79	6.3	0.49	46	2.2	0.33	1.5	0.23
Stomach	88	5.7	0.62	3.1	0.34	54	2.7	0.37	1.6	0.26
Small intestine	33	1.9	0.34	1.4	0.25	23	1.2	0.26	0.8	0.18
Colon excl. rectum	485	29.5	1.37	17.8	0.84	563	27.8	1.20	15.5	0.75
Rectum & rectosigmoid	266	15.4	0.97	10.6	0.67	212	10.5	0.74	7.1	0.54
Anus, anal canal & anorectum	21	1.2	0.26	0.9	0.19	38	1.9	0.32	1.4	0.24
Liver	156	9.0	0.74	6.0	0.50	41	2.2	0.35	1.4	0.23
Gallbladder	8	0.4	0.14	0.3	0.11	20	1.0	0.23	0.6	0.14
Pancreas	238	14.1	0.94	9.0	0.60	222	10.9	0.74	6.3	0.47
Respiratory System	1,470	89.3	2.39	55.0	1.48	1,360	68.1	1.88	44.2	1.28
Larynx	120	6.7	0.63	4.7	0.43	35	1.8	0.30	1.4	0.24
Lung & bronchus	1,327	81.2	2.28	49.4	1.40	1,311	65.6	1.84	42.3	1.25
Bones & Joints	17	1.1	0.27	1.1	0.29	17	0.9	0.23	0.8	0.22
Soft Tissue (incl. heart)	62	4.0	0.51	2.8	0.39	49	2.7	0.40	2.2	0.37
Skin (excl. basal & sq.)	589	35.5	1.51	23.6	1.02	493	26.7	1.24	20.2	0.99
Melanomas of the skin	555	33.3	1.46	22.2	0.98	468	25.4	1.21	19.3	0.97
Breast (excl. <i>in situ</i>)	21	1.2	0.27	0.8	0.18	2,570	131.4	2.65	95.3	1.98
Female Genital System	-	-	-	-	-	1,054	53.2	1.68	39.5	1.29
Cervix uteri	-	-	-	-	-	78	4.6	0.54	3.6	0.45
Uterus Corpus	-	-	-	-	-	627	30.9	1.26	23.5	0.98
Uterus, NOS ¹	-	-	-	-	-	11	0.5	0.17	0.4	0.12
Ovary	-	-	-	-	-	233	12.1	0.81	8.6	0.61
Male Genital System	2,627	148.1	2.98	103.8	2.09	-	-	-	-	-
Prostate	2,503	139.9	2.88	96.8	1.97	-	-	-	-	-
Testis	97	6.6	0.69	6.1	0.65	-	-	-	-	-
Penis	21	1.2	0.28	0.7	0.16	-	-	-	-	-
Urinary System	1,023	62.6	2.01	37.8	1.23	477	23.7	1.11	14.9	0.77
Bladder (incl. <i>in situ</i>)	647	40.5	1.64	23.1	0.94	249	12.2	0.79	7.0	0.49
Kidney & renal pelvis	355	20.7	1.13	14.1	0.78	213	10.7	0.75	7.4	0.58
Ureter	12	0.7	0.22	0.4	0.12	14	0.8	0.20	0.4	0.11
Eye & Orbit	17	1.0	0.25	0.7	0.17	16	0.9	0.23	0.7	0.19
Brain & Other Nervous System	155	9.2	0.76	7.4	0.65	131	7.1	0.64	5.5	0.53
Brain	145	8.7	0.74	7.0	0.64	123	6.7	0.62	5.2	0.52
Endocrine System	116	7.0	0.67	5.5	0.56	339	20.4	1.14	17.1	1.00
Thyroid gland	102	6.2	0.63	4.6	0.48	327	19.7	1.12	16.5	0.97
Lymphomas	461	28.4	1.36	19.6	0.97	385	20.6	1.08	14.8	0.85
Hodgkin Lymphoma	64	4.3	0.55	3.7	0.50	45	2.9	0.45	2.8	0.44
Non-Hodgkin Lymphoma	397	24.1	1.24	15.9	0.83	340	17.7	0.98	12.0	0.72
Multiple Myeloma	113	6.8	0.65	4.3	0.41	82	4.0	0.44	2.5	0.30
Leukemias	265	17.0	1.07	11.4	0.79	188	10.1	0.75	7.4	0.67
Acute lymphocytic	21	1.5	0.32	1.7	0.39	20	1.5	0.33	1.8	0.46
Chronic lymphocytic	103	6.6	0.67	3.6	0.37	72	3.5	0.41	2.2	0.28
Acute myeloid	80	5.2	0.60	3.5	0.45	55	3.0	0.41	2.0	0.30
Chronic myeloid	32	2.0	0.37	1.4	0.27	30	1.6	0.31	1.1	0.25
Other leukemias	29	1.7	0.33	1.2	0.23	11	0.5	0.16	0.3	0.09
Mesothelioma	27	1.7	0.33	1.0	0.21	11	0.5	0.16	0.3	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	143	8.8	0.75	6.7	0.60	329	17.5	0.99	12.8	0.76
Breast (<i>in situ</i>)	-	-	-	-	-	801	40.6	1.46	31.2	1.14

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,982	540.4	5.87	356.7	3.94	8,769	456.6	5.00	317.9	3.74
Oral Cavity & Pharynx	314	17.4	1.01	12.9	0.75	132	6.7	0.60	4.9	0.47
Lip	12	0.7	0.20	0.5	0.14	6	0.3	0.13	0.2	0.10
Tongue	97	5.3	0.56	4.0	0.42	37	1.8	0.31	1.4	0.24
Major salivary gland	26	1.5	0.30	1.0	0.21	22	1.2	0.26	1.0	0.24
Floor of mouth	20	1.1	0.24	0.8	0.18	11	0.6	0.18	0.4	0.11
Gum & other mouth	37	2.1	0.36	1.5	0.25	29	1.4	0.27	0.9	0.19
Nasopharynx	8	0.5	0.18	0.4	0.14	-	-	-	-	-
Oropharynx	16	0.9	0.22	0.6	0.15	-	-	-	-	-
Hypopharynx	22	1.2	0.27	0.8	0.18	6	0.3	0.13	0.2	0.07
Digestive System	1,514	91.2	2.41	58.0	1.55	1,271	63.9	1.83	38.4	1.21
Esophagus	172	10.2	0.80	6.3	0.50	46	2.2	0.33	1.5	0.24
Stomach	87	5.7	0.63	3.1	0.35	53	2.7	0.37	1.6	0.25
Small intestine	33	1.9	0.34	1.4	0.25	23	1.2	0.26	0.8	0.18
Colon excl. rectum	479	29.4	1.38	17.9	0.84	557	27.8	1.21	15.6	0.76
Rectum & rectosigmoid	264	15.5	0.98	10.7	0.68	211	10.6	0.75	7.2	0.55
Anus, anal canal & anorectum	21	1.2	0.27	0.9	0.20	37	1.9	0.32	1.4	0.24
Liver	154	9.0	0.75	6.0	0.51	39	2.1	0.34	1.3	0.23
Gallbladder	8	0.4	0.14	0.3	0.12	20	1.0	0.24	0.6	0.14
Pancreas	237	14.3	0.95	9.1	0.61	216	10.7	0.74	6.1	0.46
Respiratory System	1,455	89.6	2.41	55.2	1.50	1,349	68.4	1.89	44.4	1.30
Larynx	118	6.7	0.63	4.7	0.44	34	1.8	0.31	1.4	0.24
Lung & bronchus	1,314	81.5	2.30	49.6	1.41	1,301	65.9	1.86	42.5	1.26
Bones & Joints	17	1.1	0.28	1.1	0.30	16	0.9	0.24	0.8	0.22
Soft Tissue (incl. heart)	61	4.0	0.52	2.8	0.40	49	2.8	0.41	2.3	0.39
Skin (excl. basal & sq.)	584	35.7	1.52	23.9	1.03	487	27.0	1.26	20.5	1.01
Melanomas of the skin	550	33.5	1.47	22.5	1.00	462	25.6	1.23	19.5	0.99
Breast (excl. <i>in situ</i>)	21	1.2	0.27	0.8	0.18	2,550	132.5	2.68	96.2	2.01
Female Genital System	-	-	-	-	-	1,048	53.9	1.71	40.0	1.32
Cervix uteri	-	-	-	-	-	77	4.6	0.55	3.6	0.45
Uterus Corpus	-	-	-	-	-	625	31.3	1.28	23.8	1.00
Uterus, NOS ¹	-	-	-	-	-	11	0.5	0.17	0.4	0.12
Ovary	-	-	-	-	-	231	12.2	0.82	8.7	0.62
Male Genital System	2,572	147.3	2.99	103.2	2.10	-	-	-	-	-
Prostate	2,449	138.9	2.89	96.0	1.98	-	-	-	-	-
Testis	96	6.8	0.71	6.3	0.67	-	-	-	-	-
Penis	21	1.3	0.28	0.7	0.16	-	-	-	-	-
Urinary System	1,013	62.8	2.03	37.9	1.24	473	23.8	1.12	14.9	0.79
Bladder (incl. <i>in situ</i>)	639	40.5	1.65	23.1	0.95	247	12.2	0.79	7.0	0.50
Kidney & renal pelvis	353	20.9	1.14	14.2	0.78	211	10.8	0.76	7.5	0.60
Ureter	12	0.7	0.22	0.4	0.12	14	0.8	0.21	0.4	0.12
Eye & Orbit	16	1.0	0.25	0.7	0.18	16	0.9	0.23	0.7	0.20
Brain & Other Nervous System	155	9.4	0.78	7.6	0.67	131	7.3	0.65	5.6	0.55
Brain	145	8.9	0.76	7.2	0.66	123	6.8	0.63	5.3	0.54
Endocrine System	115	7.1	0.68	5.6	0.57	333	20.7	1.17	17.4	1.02
Thyroid gland	101	6.2	0.64	4.6	0.49	321	20.0	1.15	16.7	0.99
Lymphomas	456	28.6	1.38	19.8	0.99	378	20.6	1.09	14.8	0.86
Hodgkin Lymphoma	61	4.3	0.56	3.7	0.51	45	3.0	0.46	2.9	0.46
Non-Hodgkin Lymphoma	395	24.3	1.26	16.1	0.85	333	17.6	0.98	11.9	0.73
Multiple Myeloma	110	6.7	0.66	4.2	0.41	80	3.9	0.45	2.4	0.30
Leukemias	260	16.9	1.08	11.4	0.81	186	10.1	0.77	7.5	0.69
Acute lymphocytic	21	1.5	0.33	1.7	0.41	20	1.5	0.35	1.9	0.48
Chronic lymphocytic	99	6.4	0.66	3.5	0.37	72	3.5	0.42	2.2	0.28
Acute myeloid	80	5.3	0.61	3.6	0.47	53	2.9	0.40	2.0	0.29
Chronic myeloid	31	2.0	0.36	1.4	0.27	30	1.7	0.32	1.1	0.26
Other leukemias	29	1.7	0.33	1.2	0.24	11	0.5	0.16	0.3	0.09
Mesothelioma	26	1.6	0.33	1.0	0.21	11	0.5	0.16	0.3	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	141	8.8	0.76	6.8	0.61	320	17.3	1.00	12.6	0.76
Breast (<i>in situ</i>)	-	-	-	-	-	791	40.8	1.48	31.3	1.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	34	352.4	70.24	238.0	42.52	12	137.6	43.36	98.9	30.17
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	18	190.3	52.05	132.0	32.35	-	-	-	-	-
Prostate	18	190.3	52.05	132.0	32.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	21	220.4	54.37	133.7	30.23	28	181.7	38.79	131.7	25.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	7	48.6	20.22	37.2	14.58
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	7	44.4	18.60	32.0	12.79
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	25	199.9	43.29	139.5	29.37	27	183.9	37.87	114.4	24.22
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	37.3	15.24	31.2	12.82	6	38.5	16.36	21.0	9.13
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	6	50.5	21.24	25.9	11.52
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	6	50.5	21.24	25.9	11.52
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

VERMONT

388 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,957	542.6	5.90	358.2	3.97	8,743	458.6	5.03	319.5	3.77
Oral Cavity & Pharynx	313	17.4	1.01	12.9	0.75	132	6.8	0.60	5.0	0.47
Lip	12	0.7	0.20	0.5	0.14	6	0.3	0.13	0.2	0.10
Tongue	97	5.4	0.56	4.0	0.42	37	1.9	0.31	1.4	0.24
Major salivary gland	26	1.5	0.31	1.0	0.21	22	1.2	0.26	1.0	0.24
Floor of mouth	20	1.1	0.25	0.8	0.18	11	0.6	0.18	0.4	0.12
Gum & other mouth	37	2.1	0.36	1.5	0.26	29	1.5	0.28	0.9	0.20
Nasopharynx	8	0.5	0.18	0.4	0.14	-	-	-	-	-
Oropharynx	16	0.9	0.22	0.6	0.15	-	-	-	-	-
Hypopharynx	22	1.2	0.27	0.8	0.18	6	0.3	0.13	0.2	0.07
Digestive System	1,508	91.5	2.42	58.2	1.55	1,265	64.0	1.84	38.4	1.22
Esophagus	172	10.3	0.81	6.4	0.50	45	2.2	0.33	1.4	0.23
Stomach	86	5.7	0.63	3.1	0.35	53	2.7	0.37	1.6	0.25
Small intestine	33	1.9	0.35	1.4	0.25	23	1.2	0.27	0.8	0.19
Colon excl. rectum	479	29.6	1.39	18.0	0.85	555	27.9	1.21	15.6	0.76
Rectum & rectosigmoid	262	15.5	0.98	10.7	0.68	208	10.5	0.75	7.2	0.55
Anus, anal canal & anorectum	21	1.2	0.27	0.9	0.20	37	1.9	0.32	1.4	0.24
Liver	153	9.0	0.75	6.0	0.51	39	2.1	0.34	1.3	0.23
Gallbladder	8	0.4	0.14	0.3	0.12	20	1.0	0.24	0.6	0.14
Pancreas	235	14.3	0.96	9.1	0.61	216	10.7	0.74	6.2	0.47
Respiratory System	1,450	89.9	2.42	55.4	1.50	1,343	68.5	1.90	44.5	1.30
Larynx	118	6.7	0.64	4.7	0.44	34	1.8	0.31	1.4	0.24
Lung & bronchus	1,309	81.7	2.31	49.7	1.42	1,295	66.0	1.86	42.6	1.27
Bones & Joints	16	1.1	0.27	1.1	0.30	16	0.9	0.24	0.8	0.23
Soft Tissue (incl. heart)	61	4.0	0.52	2.8	0.41	49	2.8	0.42	2.3	0.39
Skin (excl. basal & sq.)	583	35.9	1.53	24.0	1.04	487	27.2	1.27	20.7	1.03
Melanomas of the skin	549	33.7	1.48	22.6	1.01	462	25.8	1.24	19.7	1.00
Breast (excl. <i>in situ</i>)	21	1.2	0.27	0.8	0.18	2,545	133.2	2.70	96.8	2.03
Female Genital System	-	-	-	-	-	1,046	54.1	1.72	40.2	1.33
Cervix uteri	-	-	-	-	-	77	4.7	0.55	3.7	0.46
Uterus Corpus	-	-	-	-	-	623	31.4	1.28	23.9	1.00
Uterus, NOS ¹	-	-	-	-	-	11	0.5	0.17	0.4	0.13
Ovary	-	-	-	-	-	231	12.3	0.83	8.8	0.62
Male Genital System	2,569	148.1	3.01	103.8	2.11	-	-	-	-	-
Prostate	2,446	139.6	2.90	96.5	1.99	-	-	-	-	-
Testis	96	6.9	0.72	6.4	0.68	-	-	-	-	-
Penis	21	1.3	0.28	0.7	0.16	-	-	-	-	-
Urinary System	1,010	63.0	2.04	38.0	1.25	472	23.9	1.12	15.0	0.79
Bladder (incl. <i>in situ</i>)	639	40.8	1.66	23.2	0.96	247	12.3	0.80	7.1	0.50
Kidney & renal pelvis	350	20.8	1.15	14.2	0.79	210	10.8	0.76	7.5	0.60
Ureter	12	0.7	0.22	0.4	0.12	14	0.8	0.21	0.4	0.12
Eye & Orbit	16	1.0	0.25	0.7	0.18	16	0.9	0.23	0.7	0.20
Brain & Other Nervous System	155	9.5	0.78	7.7	0.68	131	7.3	0.66	5.7	0.56
Brain	145	8.9	0.76	7.3	0.67	123	6.9	0.64	5.3	0.54
Endocrine System	114	7.1	0.69	5.6	0.58	333	20.9	1.18	17.6	1.04
Thyroid gland	101	6.3	0.65	4.7	0.50	321	20.2	1.16	16.9	1.01
Lymphomas	454	28.7	1.38	19.8	1.00	375	20.6	1.09	14.8	0.86
Hodgkin Lymphoma	60	4.3	0.56	3.6	0.51	45	3.1	0.47	2.9	0.47
Non-Hodgkin Lymphoma	394	24.5	1.27	16.2	0.86	330	17.5	0.99	11.9	0.73
Multiple Myeloma	110	6.7	0.66	4.2	0.42	80	3.9	0.45	2.5	0.30
Leukemias	259	17.0	1.08	11.4	0.81	184	10.1	0.77	7.5	0.70
Acute lymphocytic	21	1.5	0.34	1.7	0.42	20	1.6	0.36	2.0	0.49
Chronic lymphocytic	99	6.5	0.66	3.5	0.37	71	3.5	0.42	2.2	0.28
Acute myeloid	80	5.3	0.61	3.6	0.47	52	2.8	0.40	1.9	0.29
Chronic myeloid	30	1.9	0.36	1.3	0.25	30	1.7	0.32	1.2	0.26
Other leukemias	29	1.8	0.33	1.2	0.24	11	0.5	0.16	0.3	0.09
Mesothelioma	26	1.6	0.33	1.0	0.21	11	0.5	0.16	0.3	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	140	8.9	0.77	6.8	0.62	319	17.4	1.00	12.7	0.77
Breast (<i>in situ</i>)	-	-	-	-	-	789	40.9	1.49	31.5	1.16

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	34	372.6	74.47	251.0	44.88	12	144.8	45.31	104.7	31.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	18	197.3	53.42	137.8	33.75	-	-	-	-	-
Prostate	18	197.3	53.42	137.8	33.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

VERMONT

390 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	94,231	521.7	1.76	344.6	1.15	87,338	397.4	1.36	275.6	0.99
Oral Cavity & Pharynx	3,117	16.1	0.30	11.6	0.21	1,229	5.6	0.16	3.8	0.12
Lip	122	0.7	0.07	0.4	0.04	41	0.2	0.03	0.1	0.02
Tongue	910	4.6	0.16	3.4	0.11	349	1.6	0.08	1.1	0.06
Major salivary gland	271	1.6	0.10	1.0	0.06	186	0.9	0.06	0.6	0.05
Floor of mouth	172	0.9	0.07	0.6	0.05	60	0.3	0.04	0.2	0.02
Gum & other mouth	350	2.0	0.11	1.2	0.07	265	1.2	0.07	0.8	0.05
Nasopharynx	111	0.6	0.06	0.4	0.04	59	0.3	0.04	0.2	0.03
Oropharynx	194	1.0	0.07	0.7	0.05	44	0.2	0.03	0.1	0.02
Hypopharynx	263	1.4	0.09	0.9	0.06	67	0.3	0.04	0.2	0.03
Digestive System	16,617	92.9	0.75	59.3	0.47	14,005	63.3	0.54	39.3	0.36
Esophagus	1,524	8.3	0.22	5.5	0.14	401	1.8	0.09	1.1	0.06
Stomach	1,451	8.3	0.23	5.1	0.14	908	4.1	0.14	2.5	0.09
Small intestine	453	2.5	0.12	1.7	0.08	406	1.9	0.09	1.2	0.06
Colon excl. rectum	5,792	33.3	0.45	20.4	0.27	6,121	27.7	0.36	16.7	0.23
Rectum & rectosigmoid	2,529	13.6	0.28	9.3	0.19	2,004	9.0	0.20	6.1	0.14
Anus, anal canal & anorectum	234	1.2	0.08	0.9	0.06	409	1.8	0.09	1.3	0.07
Liver	1,680	8.7	0.22	6.1	0.15	568	2.6	0.11	1.7	0.08
Gallbladder	140	0.8	0.07	0.5	0.04	246	1.1	0.07	0.7	0.05
Pancreas	2,282	13.1	0.28	8.0	0.17	2,271	10.3	0.22	6.1	0.14
Respiratory System	15,639	89.8	0.74	55.1	0.45	12,251	55.9	0.51	35.6	0.34
Larynx	1,180	6.3	0.19	4.3	0.13	301	1.3	0.08	1.0	0.06
Lung & bronchus	14,235	82.2	0.71	50.0	0.43	11,818	53.9	0.50	34.2	0.33
Bones & Joints	159	0.9	0.07	0.8	0.07	134	0.7	0.06	0.7	0.06
Soft Tissue (incl. heart)	681	3.8	0.15	2.8	0.11	577	2.7	0.11	2.1	0.10
Skin (excl. basal & sq.)	5,056	28.3	0.41	18.5	0.27	3,535	16.4	0.28	12.1	0.22
Melanomas of the skin	4,755	26.5	0.40	17.4	0.26	3,322	15.5	0.27	11.5	0.21
Breast (excl. <i>in situ</i>)	259	1.4	0.09	0.9	0.06	27,542	124.5	0.76	90.1	0.56
Female Genital System	-	-	-	-	-	10,058	45.3	0.46	33.1	0.34
Cervix uteri	-	-	-	-	-	1,324	6.4	0.18	5.0	0.14
Uterus Corpus	-	-	-	-	-	5,019	22.1	0.32	16.4	0.24
Uterus, NOS ¹	-	-	-	-	-	242	1.1	0.07	0.8	0.05
Ovary	-	-	-	-	-	2,619	11.9	0.23	8.3	0.17
Male Genital System	29,471	155.9	0.94	109.6	0.65	-	-	-	-	-
Prostate	28,407	150.3	0.92	104.7	0.63	-	-	-	-	-
Testis	898	4.7	0.16	4.3	0.15	-	-	-	-	-
Penis	129	0.7	0.07	0.5	0.04	-	-	-	-	-
Urinary System	9,434	54.3	0.58	33.3	0.35	4,211	19.0	0.30	12.6	0.21
Bladder (incl. <i>in situ</i>)	5,535	33.3	0.46	18.9	0.26	1,833	8.3	0.19	4.9	0.12
Kidney & renal pelvis	3,724	19.9	0.34	13.8	0.23	2,264	10.2	0.22	7.4	0.17
Ureter	131	0.8	0.07	0.4	0.04	84	0.4	0.04	0.2	0.03
Eye & Orbit	112	0.6	0.06	0.5	0.05	97	0.5	0.05	0.4	0.04
Brain & Other Nervous System	1,378	7.3	0.20	6.0	0.17	1,122	5.3	0.16	4.4	0.15
Brain	1,323	7.0	0.20	5.7	0.17	1,061	5.0	0.16	4.1	0.14
Endocrine System	1,201	6.1	0.18	4.9	0.15	3,527	16.8	0.29	14.0	0.24
Thyroid gland	1,057	5.4	0.17	4.2	0.13	3,406	16.2	0.28	13.4	0.24
Lymphomas	4,371	24.4	0.38	16.6	0.26	3,581	16.5	0.28	11.5	0.21
Hodgkin Lymphoma	527	2.8	0.12	2.4	0.11	461	2.3	0.11	2.1	0.10
Non-Hodgkin Lymphoma	3,844	21.7	0.36	14.1	0.23	3,120	14.2	0.26	9.5	0.18
Multiple Myeloma	1,179	6.8	0.21	4.1	0.12	1,073	4.8	0.15	3.0	0.10
Leukemias	2,342	13.6	0.29	9.4	0.21	1,761	8.2	0.20	6.1	0.17
Acute lymphocytic	306	1.6	0.09	2.0	0.12	219	1.2	0.08	1.5	0.11
Chronic lymphocytic	736	4.4	0.17	2.5	0.10	493	2.2	0.10	1.3	0.06
Acute myeloid	712	4.1	0.16	2.8	0.11	600	2.8	0.12	2.0	0.09
Chronic myeloid	250	1.4	0.09	0.9	0.06	198	0.9	0.07	0.6	0.05
Other leukemias	338	2.0	0.11	1.2	0.07	251	1.1	0.07	0.7	0.05
Mesothelioma	331	2.1	0.12	1.1	0.06	88	0.4	0.04	0.2	0.03
Kaposi Sarcoma	87	0.5	0.05	0.4	0.04	13	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,797	16.8	0.33	9.6	0.19	2,534	11.4	0.23	6.5	0.14
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,250	6.8	0.20	4.9	0.14	2,485	11.4	0.23	8.2	0.18
Breast (<i>in situ</i>)	35	0.2	0.03	0.1	0.02	7,621	34.3	0.40	25.8	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	71,922	498.4	1.91	328.6	1.27	67,416	396.0	1.55	276.0	1.15
Oral Cavity & Pharynx	2,516	16.4	0.34	11.7	0.24	1,001	5.8	0.19	3.9	0.13
Lip	120	0.9	0.08	0.5	0.05	41	0.2	0.04	0.1	0.02
Tongue	764	4.8	0.18	3.6	0.13	297	1.7	0.10	1.2	0.08
Major salivary gland	223	1.6	0.11	1.0	0.07	149	0.9	0.07	0.6	0.05
Floor of mouth	131	0.8	0.07	0.6	0.05	49	0.3	0.04	0.2	0.03
Gum & other mouth	279	2.0	0.12	1.2	0.08	219	1.3	0.09	0.8	0.06
Nasopharynx	74	0.5	0.06	0.4	0.05	32	0.2	0.04	0.1	0.03
Oropharynx	140	0.9	0.08	0.7	0.06	31	0.2	0.03	0.1	0.02
Hypopharynx	182	1.2	0.09	0.8	0.06	50	0.3	0.04	0.2	0.03
Digestive System	12,033	84.2	0.79	53.5	0.50	10,092	58.0	0.58	35.9	0.39
Esophagus	1,175	8.0	0.24	5.3	0.16	272	1.5	0.09	0.9	0.06
Stomach	932	6.7	0.22	4.1	0.14	579	3.3	0.14	2.0	0.09
Small intestine	314	2.1	0.12	1.4	0.08	275	1.6	0.10	1.1	0.07
Colon excl. rectum	4,362	31.3	0.49	19.1	0.30	4,536	26.0	0.39	15.5	0.25
Rectum & rectosigmoid	1,899	12.8	0.30	8.8	0.21	1,501	8.8	0.23	5.9	0.16
Anus, anal canal & anorectum	179	1.2	0.09	0.8	0.06	335	1.9	0.11	1.4	0.08
Liver	1,036	6.9	0.22	4.7	0.15	356	2.1	0.11	1.3	0.08
Gallbladder	84	0.6	0.07	0.4	0.04	160	0.9	0.07	0.5	0.05
Pancreas	1,637	11.7	0.30	7.1	0.18	1,559	8.8	0.23	5.2	0.14
Respiratory System	11,778	83.6	0.79	51.3	0.49	9,579	55.5	0.57	35.4	0.39
Larynx	859	5.8	0.20	3.9	0.14	233	1.3	0.09	1.0	0.07
Lung & bronchus	10,738	76.6	0.76	46.5	0.46	9,243	53.5	0.56	34.0	0.38
Bones & Joints	124	0.9	0.08	0.8	0.08	103	0.7	0.07	0.7	0.07
Soft Tissue (incl. heart)	544	3.9	0.17	2.9	0.13	428	2.6	0.13	2.0	0.12
Skin (excl. basal & sq.)	4,715	33.1	0.49	21.7	0.33	3,214	19.8	0.35	14.8	0.28
Melanomas of the skin	4,470	31.3	0.48	20.6	0.32	3,047	18.8	0.35	14.1	0.27
Breast (excl. <i>in situ</i>)	185	1.3	0.10	0.8	0.06	21,271	124.8	0.87	90.3	0.65
Female Genital System	-	-	-	-	-	7,846	45.9	0.53	33.6	0.40
Cervix uteri	-	-	-	-	-	911	6.0	0.20	4.7	0.16
Uterus Corpus	-	-	-	-	-	4,009	22.8	0.37	17.1	0.28
Uterus, NOS ¹	-	-	-	-	-	166	0.9	0.07	0.7	0.05
Ovary	-	-	-	-	-	2,086	12.2	0.27	8.6	0.20
Male Genital System	21,323	141.2	0.99	99.1	0.69	-	-	-	-	-
Prostate	20,382	134.5	0.97	93.2	0.66	-	-	-	-	-
Testis	807	5.7	0.20	5.3	0.19	-	-	-	-	-
Penis	107	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,838	56.0	0.65	34.3	0.40	3,274	18.9	0.33	12.4	0.24
Bladder (incl. <i>in situ</i>)	4,826	35.6	0.53	20.4	0.30	1,519	8.6	0.22	5.2	0.15
Kidney & renal pelvis	2,855	19.2	0.37	13.3	0.26	1,664	9.7	0.24	6.9	0.18
Ureter	117	0.9	0.08	0.5	0.05	69	0.4	0.05	0.2	0.03
Eye & Orbit	98	0.7	0.07	0.5	0.05	92	0.6	0.06	0.5	0.06
Brain & Other Nervous System	1,147	7.9	0.24	6.5	0.21	944	5.9	0.20	5.0	0.19
Brain	1,109	7.6	0.23	6.2	0.20	894	5.6	0.19	4.7	0.18
Endocrine System	977	6.4	0.21	5.2	0.17	2,696	17.4	0.34	14.6	0.29
Thyroid gland	886	5.8	0.20	4.6	0.16	2,608	16.9	0.34	14.0	0.29
Lymphomas	3,480	24.6	0.43	16.6	0.29	2,882	17.1	0.32	12.0	0.25
Hodgkin Lymphoma	397	2.8	0.14	2.4	0.13	350	2.4	0.13	2.2	0.13
Non-Hodgkin Lymphoma	3,083	21.8	0.40	14.1	0.26	2,532	14.7	0.30	9.8	0.21
Multiple Myeloma	776	5.6	0.21	3.3	0.12	660	3.8	0.15	2.4	0.10
Leukemias	1,860	13.6	0.32	9.6	0.25	1,353	8.1	0.23	6.1	0.20
Acute lymphocytic	242	1.8	0.12	2.2	0.15	162	1.2	0.10	1.5	0.13
Chronic lymphocytic	617	4.5	0.19	2.6	0.11	394	2.2	0.11	1.3	0.07
Acute myeloid	544	3.9	0.17	2.7	0.12	451	2.7	0.13	1.9	0.11
Chronic myeloid	194	1.4	0.10	0.9	0.07	151	0.9	0.07	0.6	0.05
Other leukemias	263	2.0	0.13	1.2	0.08	195	1.1	0.08	0.7	0.06
Mesothelioma	279	2.1	0.13	1.1	0.07	75	0.4	0.05	0.3	0.03
Kaposi Sarcoma	46	0.3	0.05	0.3	0.04	6	0.0	0.01	0.0	0.01
Ill-defined & Unknown	2,203	16.4	0.36	9.3	0.21	1,900	10.7	0.25	6.1	0.16
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	979	6.8	0.22	4.8	0.16	1,902	11.4	0.27	8.3	0.21
Breast (<i>in situ</i>)	26	0.2	0.04	0.1	0.02	5,816	34.3	0.46	25.9	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17,116	592.3	4.82	402.1	3.13	14,779	377.4	3.15	262.1	2.24
Oral Cavity & Pharynx	481	14.6	0.69	11.2	0.52	177	4.4	0.33	3.3	0.26
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	108	3.2	0.32	2.6	0.25	37	0.9	0.15	0.7	0.12
Major salivary gland	30	0.8	0.16	0.7	0.14	30	0.7	0.13	0.6	0.11
Floor of mouth	35	1.1	0.19	0.8	0.14	9	0.2	0.07	0.2	0.06
Gum & other mouth	54	1.8	0.26	1.2	0.16	33	0.8	0.14	0.6	0.11
Nasopharynx	24	0.7	0.14	0.5	0.11	21	0.5	0.12	0.4	0.10
Oropharynx	47	1.5	0.22	1.1	0.16	10	0.2	0.08	0.2	0.06
Hypopharynx	68	2.1	0.27	1.6	0.20	16	0.4	0.11	0.3	0.08
Digestive System	3,317	116.3	2.16	75.9	1.34	2,904	75.8	1.42	48.4	0.94
Esophagus	252	8.8	0.59	5.8	0.37	94	2.4	0.25	1.6	0.17
Stomach	329	12.3	0.73	7.5	0.42	213	5.7	0.39	3.4	0.25
Small intestine	120	4.1	0.40	2.7	0.25	105	2.8	0.27	1.8	0.19
Colon excl. rectum	1,130	41.0	1.31	25.9	0.79	1,282	33.6	0.95	21.0	0.62
Rectum & rectosigmoid	486	16.8	0.81	11.0	0.51	364	9.1	0.48	6.3	0.34
Anus, anal canal & anorectum	45	1.3	0.20	1.0	0.15	62	1.5	0.20	1.1	0.14
Liver	409	12.0	0.62	9.1	0.46	118	3.0	0.28	2.0	0.20
Gallbladder	35	1.4	0.25	0.8	0.14	49	1.3	0.19	0.8	0.12
Pancreas	434	15.7	0.81	10.2	0.50	506	13.6	0.61	8.3	0.39
Respiratory System	2,813	104.8	2.10	65.7	1.26	1,884	49.7	1.16	32.6	0.78
Larynx	290	10.0	0.62	6.8	0.40	63	1.6	0.20	1.2	0.15
Lung & bronchus	2,485	93.6	1.99	58.0	1.19	1,797	47.5	1.14	31.0	0.76
Bones & Joints	22	0.7	0.15	0.6	0.13	25	0.6	0.12	0.6	0.12
Soft Tissue (incl. heart)	101	3.2	0.34	2.5	0.25	113	2.9	0.27	2.2	0.22
Skin (excl. basal & sq.)	60	2.0	0.28	1.4	0.19	83	2.1	0.24	1.4	0.16
Melanomas of the skin	25	1.0	0.21	0.6	0.12	45	1.2	0.18	0.7	0.11
Breast (excl. <i>in situ</i>)	62	2.0	0.28	1.5	0.19	5,085	126.9	1.80	91.9	1.32
Female Genital System	-	-	-	-	-	1,599	40.5	1.03	29.2	0.75
Cervix uteri	-	-	-	-	-	286	7.1	0.42	5.4	0.33
Uterus Corpus	-	-	-	-	-	767	19.5	0.71	14.1	0.52
Uterus, NOS ¹	-	-	-	-	-	64	1.7	0.21	1.2	0.15
Ovary	-	-	-	-	-	348	8.9	0.48	6.2	0.35
Male Genital System	6,978	234.6	2.97	167.0	2.04	-	-	-	-	-
Prostate	6,906	232.4	2.95	165.3	2.03	-	-	-	-	-
Testis	47	1.3	0.20	1.1	0.17	-	-	-	-	-
Penis	20	0.7	0.17	0.4	0.10	-	-	-	-	-
Urinary System	1,253	44.9	1.36	28.9	0.83	783	20.3	0.73	13.7	0.51
Bladder (incl. <i>in situ</i>)	526	21.4	0.99	12.1	0.54	250	6.9	0.44	3.8	0.26
Kidney & renal pelvis	719	23.2	0.92	16.6	0.63	517	12.9	0.57	9.7	0.44
Ureter	-	-	-	-	-	8	0.2	0.08	0.1	0.05
Eye & Orbit	8	0.2	0.07	0.2	0.09	-	-	-	-	-
Brain & Other Nervous System	135	3.9	0.35	3.4	0.30	104	2.5	0.25	2.3	0.24
Brain	125	3.5	0.33	3.1	0.29	96	2.3	0.24	2.2	0.24
Endocrine System	132	4.0	0.36	3.1	0.27	474	11.4	0.53	9.4	0.44
Thyroid gland	95	2.8	0.30	2.2	0.22	451	10.9	0.52	8.9	0.43
Lymphomas	631	20.1	0.85	14.6	0.59	509	13.0	0.58	9.3	0.43
Hodgkin Lymphoma	100	2.7	0.28	2.4	0.24	90	2.1	0.23	2.0	0.21
Non-Hodgkin Lymphoma	531	17.4	0.81	12.2	0.54	419	10.9	0.54	7.4	0.38
Multiple Myeloma	344	13.0	0.75	7.9	0.44	352	9.3	0.51	5.8	0.32
Leukemias	302	10.3	0.64	7.4	0.44	262	6.7	0.42	5.0	0.33
Acute lymphocytic	35	0.8	0.14	1.1	0.19	26	0.6	0.12	0.8	0.17
Chronic lymphocytic	84	3.3	0.39	1.9	0.22	70	1.9	0.23	1.1	0.14
Acute myeloid	97	3.2	0.35	2.3	0.24	99	2.5	0.26	1.9	0.20
Chronic myeloid	39	1.4	0.25	0.9	0.15	32	0.8	0.14	0.6	0.11
Other leukemias	47	1.5	0.25	1.1	0.16	35	0.9	0.15	0.6	0.11
Mesothelioma	41	1.7	0.28	0.9	0.15	-	-	-	-	-
Kaposi Sarcoma	33	0.9	0.17	0.8	0.14	6	0.1	0.06	0.1	0.06
Ill-defined & Unknown	403	15.3	0.81	9.3	0.47	413	11.1	0.55	6.6	0.35
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	199	6.4	0.48	4.7	0.34	444	11.2	0.54	8.0	0.39
Breast (<i>in situ</i>)	9	0.2	0.08	0.2	0.08	1,432	35.3	0.95	26.2	0.71

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,853	278.4	7.53	176.2	4.17	2,424	249.9	5.55	172.3	3.57
Oral Cavity & Pharynx	61	8.6	1.34	5.5	0.73	23	2.1	0.46	1.6	0.35
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	2.2	0.68	1.3	0.35	-	-	-	-	-
Major salivary gland	12	1.4	0.44	1.0	0.31	7	0.6	0.23	0.6	0.22
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	0.7	0.33	0.5	0.20	6	0.6	0.26	0.4	0.17
Nasopharynx	12	1.5	0.57	1.0	0.29	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	550	85.3	4.28	51.5	2.24	463	54.2	2.75	33.5	1.58
Esophagus	25	4.4	1.03	2.4	0.49	-	-	-	-	-
Stomach	89	14.2	1.75	8.3	0.90	64	7.8	1.08	4.4	0.56
Small intestine	7	1.7	0.74	0.7	0.27	7	0.6	0.24	0.5	0.19
Colon excl. rectum	132	21.6	2.23	12.2	1.09	150	16.9	1.50	10.8	0.90
Rectum & rectosigmoid	78	10.7	1.46	7.3	0.85	80	8.4	1.03	5.6	0.63
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	140	20.8	2.06	13.1	1.13	57	7.5	1.08	4.2	0.56
Gallbladder	14	2.4	0.71	1.3	0.35	15	1.9	0.53	1.2	0.31
Pancreas	43	6.3	1.11	4.1	0.63	55	7.0	1.02	4.1	0.55
Respiratory System	253	41.4	3.01	24.7	1.57	224	28.7	2.07	16.4	1.11
Larynx	12	1.8	0.56	1.2	0.35	-	-	-	-	-
Lung & bronchus	238	39.3	2.95	23.2	1.53	218	28.0	2.04	16.0	1.10
Bones & Joints	6	0.5	0.22	0.6	0.24	-	-	-	-	-
Soft Tissue (incl. heart)	16	2.1	0.64	1.4	0.36	20	1.9	0.47	1.5	0.36
Skin (excl. basal & sq.)	10	1.4	0.49	0.9	0.29	14	1.5	0.43	1.0	0.28
Melanomas of the skin	8	0.9	0.31	0.7	0.26	11	1.2	0.40	0.8	0.25
Breast (excl. <i>in situ</i>)	6	0.7	0.32	0.5	0.20	789	72.8	2.76	54.7	1.97
Female Genital System	-	-	-	-	-	312	30.2	1.85	21.8	1.25
Cervix uteri	-	-	-	-	-	62	5.7	0.77	4.2	0.55
Uterus Corpus	-	-	-	-	-	131	12.1	1.12	9.1	0.81
Uterus, NOS ¹	-	-	-	-	-	6	0.6	0.25	0.4	0.17
Ovary	-	-	-	-	-	94	9.9	1.13	6.7	0.70
Male Genital System	451	66.2	3.52	44.1	2.10	-	-	-	-	-
Prostate	429	64.2	3.49	42.5	2.07	-	-	-	-	-
Testis	20	1.6	0.37	1.5	0.34	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	152	24.0	2.24	14.4	1.19	76	9.3	1.18	5.5	0.64
Bladder (incl. <i>in situ</i>)	79	14.2	1.84	7.8	0.89	33	4.5	0.85	2.3	0.41
Kidney & renal pelvis	68	8.9	1.20	6.2	0.76	40	4.4	0.76	2.9	0.47
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	42	4.7	0.85	4.2	0.66	17	1.7	0.45	1.3	0.32
Brain	39	4.4	0.83	3.8	0.63	17	1.7	0.45	1.3	0.32
Endocrine System	56	6.0	0.94	4.7	0.65	258	21.5	1.42	17.1	1.09
Thyroid gland	49	5.4	0.90	4.0	0.59	250	20.5	1.37	16.4	1.06
Lymphomas	117	17.5	1.94	11.1	1.05	94	10.4	1.19	7.1	0.75
Hodgkin Lymphoma	15	1.5	0.39	1.3	0.35	10	0.9	0.31	0.8	0.26
Non-Hodgkin Lymphoma	102	16.1	1.90	9.8	0.99	84	9.5	1.15	6.3	0.70
Multiple Myeloma	23	3.9	0.92	2.2	0.46	22	3.0	0.69	1.6	0.34
Leukemias	66	9.2	1.29	6.3	0.79	59	6.1	0.85	5.3	0.73
Acute lymphocytic	10	1.0	0.36	1.2	0.38	22	1.9	0.41	2.5	0.55
Chronic lymphocytic	9	1.6	0.59	0.9	0.29	-	-	-	-	-
Acute myeloid	27	3.7	0.81	2.5	0.48	20	2.2	0.55	1.6	0.37
Chronic myeloid	9	1.0	0.36	0.8	0.25	-	-	-	-	-
Other leukemias	11	1.9	0.62	1.0	0.31	7	0.7	0.27	0.5	0.21
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	40	6.5	1.19	3.8	0.60	48	6.2	0.99	3.4	0.50
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	33	4.6	0.93	3.1	0.55	86	8.5	1.00	6.2	0.68
Breast (<i>in situ</i>)	-	-	-	-	-	262	23.2	1.49	18.0	1.12

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,806	364.3	10.91	234.1	6.14	2,396	329.8	7.79	225.9	4.94
Oral Cavity & Pharynx	39	6.2	1.27	4.3	0.78	27	3.8	0.84	2.6	0.53
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	1.4	0.60	0.9	0.37	7	0.8	0.32	0.7	0.28
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.1	0.58	0.7	0.28	9	1.1	0.47	0.7	0.22
Nasopharynx	6	0.8	0.43	0.6	0.31	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	413	86.6	5.39	53.0	2.89	397	71.9	4.03	41.4	2.18
Esophagus	20	4.8	1.33	2.9	0.71	-	-	-	-	-
Stomach	74	16.6	2.42	9.7	1.26	57	9.1	1.38	5.7	0.81
Small intestine	9	1.7	0.81	0.9	0.33	7	1.0	0.39	0.8	0.32
Colon excl. rectum	123	24.5	2.84	15.0	1.51	137	25.9	2.44	14.5	1.30
Rectum & rectosigmoid	56	10.8	1.86	6.6	0.99	46	7.1	1.21	4.4	0.69
Anus, anal canal & anorectum	-	-	-	-	-	14	2.1	0.62	1.5	0.41
Liver	57	10.9	1.75	7.6	1.10	30	5.9	1.19	3.3	0.63
Gallbladder	9	1.7	0.62	1.4	0.50	15	2.9	0.83	1.6	0.43
Pancreas	41	9.8	1.87	5.8	0.98	64	12.8	1.75	6.8	0.88
Respiratory System	163	42.8	4.04	24.1	2.04	174	31.4	2.62	19.2	1.52
Larynx	15	3.1	0.95	2.2	0.61	-	-	-	-	-
Lung & bronchus	140	38.7	3.90	21.1	1.91	167	30.8	2.61	18.7	1.51
Bones & Joints	10	1.6	0.71	0.9	0.32	8	0.7	0.26	0.7	0.26
Soft Tissue (incl. heart)	25	2.3	0.66	1.9	0.43	40	4.9	0.97	3.3	0.55
Skin (excl. basal & sq.)	31	7.1	1.63	4.0	0.83	34	4.1	0.83	2.8	0.51
Melanomas of the skin	24	5.5	1.43	3.2	0.74	29	3.7	0.81	2.4	0.47
Breast (excl. <i>in situ</i>)	-	-	-	-	-	705	87.3	3.70	64.9	2.62
Female Genital System	-	-	-	-	-	356	43.6	2.66	31.9	1.83
Cervix uteri	-	-	-	-	-	120	11.6	1.20	8.9	0.88
Uterus Corpus	-	-	-	-	-	128	17.8	1.76	13.0	1.22
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	85	10.9	1.38	7.5	0.88
Male Genital System	559	122.4	6.24	82.3	3.77	-	-	-	-	-
Prostate	496	118.8	6.22	78.8	3.74	-	-	-	-	-
Testis	56	3.0	0.44	3.0	0.43	-	-	-	-	-
Penis	6	0.5	0.20	0.4	0.16	-	-	-	-	-
Urinary System	135	29.1	3.09	18.6	1.75	79	12.0	1.51	8.4	1.00
Bladder (incl. <i>in situ</i>)	57	15.5	2.40	8.9	1.25	24	4.5	0.99	2.7	0.57
Kidney & renal pelvis	76	13.1	1.91	9.2	1.19	54	7.4	1.13	5.6	0.81
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	50	4.2	0.73	4.0	0.65	40	4.3	0.79	3.5	0.60
Brain	47	3.9	0.71	3.7	0.62	36	3.8	0.75	3.1	0.56
Endocrine System	47	5.3	1.03	4.1	0.71	238	20.7	1.47	17.3	1.20
Thyroid gland	41	4.5	0.92	3.4	0.62	229	20.1	1.46	16.7	1.18
Lymphomas	150	23.7	2.64	16.1	1.52	138	19.8	1.96	13.6	1.23
Hodgkin Lymphoma	28	2.5	0.65	2.3	0.53	31	2.8	0.60	2.6	0.50
Non-Hodgkin Lymphoma	122	21.3	2.55	13.8	1.43	107	17.0	1.86	11.0	1.13
Multiple Myeloma	22	5.1	1.34	3.1	0.72	25	4.6	0.98	3.0	0.61
Leukemias	90	10.5	1.71	7.9	0.97	64	7.2	1.11	5.9	0.78
Acute lymphocytic	38	2.1	0.38	2.6	0.44	30	2.0	0.39	2.5	0.47
Chronic lymphocytic	8	1.5	0.71	1.0	0.39	-	-	-	-	-
Acute myeloid	29	4.5	1.16	2.9	0.65	23	3.8	0.90	2.5	0.55
Chronic myeloid	9	1.7	0.88	0.8	0.33	-	-	-	-	-
Other leukemias	6	0.7	0.39	0.5	0.27	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	0.8	0.62	0.4	0.22	-	-	-	-	-
Ill-defined & Unknown	54	14.0	2.33	7.9	1.16	63	12.6	1.75	6.7	0.89
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	40	6.1	1.39	3.6	0.67	96	11.4	1.33	8.5	0.93
Breast (<i>in situ</i>)	-	-	-	-	-	196	24.2	1.93	18.2	1.39

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

VIRGINIA

396 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2006-2010, Non-Hispanic White**

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	70,438	504.3	1.95	333.4	1.31	65,451	399.9	1.59	279.1	1.19
Oral Cavity & Pharynx	2,482	16.9	0.35	12.0	0.25	979	5.9	0.19	4.0	0.14
Lip	118	0.9	0.08	0.5	0.05	41	0.2	0.04	0.1	0.03
Tongue	757	5.0	0.19	3.8	0.14	292	1.8	0.10	1.2	0.08
Major salivary gland	220	1.7	0.11	1.0	0.07	145	0.9	0.08	0.6	0.06
Floor of mouth	130	0.9	0.08	0.6	0.06	49	0.3	0.04	0.2	0.03
Gum & other mouth	273	2.0	0.12	1.3	0.08	211	1.3	0.09	0.8	0.06
Nasopharynx	68	0.5	0.06	0.4	0.05	31	0.2	0.04	0.2	0.03
Oropharynx	140	0.9	0.08	0.7	0.06	31	0.2	0.03	0.1	0.02
Hypopharynx	180	1.2	0.09	0.8	0.06	49	0.3	0.04	0.2	0.03
Digestive System	11,689	84.4	0.80	53.7	0.51	9,760	57.8	0.59	35.8	0.40
Esophagus	1,155	8.1	0.24	5.4	0.16	270	1.6	0.10	0.9	0.06
Stomach	872	6.4	0.22	3.9	0.14	530	3.1	0.14	1.9	0.09
Small intestine	307	2.2	0.13	1.5	0.09	269	1.6	0.10	1.1	0.07
Colon excl. rectum	4,262	31.5	0.50	19.3	0.31	4,424	26.1	0.40	15.6	0.26
Rectum & rectosigmoid	1,849	12.9	0.31	8.9	0.21	1,463	8.9	0.24	6.0	0.17
Anus, anal canal & anorectum	174	1.2	0.10	0.8	0.06	321	1.9	0.11	1.4	0.08
Liver	991	6.8	0.22	4.6	0.15	330	2.0	0.11	1.3	0.08
Gallbladder	77	0.6	0.07	0.3	0.04	148	0.9	0.07	0.5	0.05
Pancreas	1,603	11.7	0.30	7.1	0.18	1,508	8.8	0.23	5.2	0.15
Respiratory System	11,639	84.8	0.81	52.2	0.50	9,444	56.3	0.59	36.1	0.40
Larynx	844	5.8	0.21	4.0	0.14	232	1.4	0.09	1.0	0.07
Lung & bronchus	10,622	77.7	0.77	47.3	0.47	9,113	54.3	0.58	34.6	0.39
Bones & Joints	114	0.9	0.09	0.8	0.09	96	0.7	0.07	0.7	0.08
Soft Tissue (incl. heart)	522	4.0	0.18	2.9	0.14	398	2.6	0.13	2.0	0.12
Skin (excl. basal & sq.)	4,690	34.2	0.51	22.6	0.34	3,185	20.7	0.38	15.6	0.30
Melanomas of the skin	4,450	32.4	0.50	21.5	0.34	3,022	19.7	0.37	15.0	0.29
Breast (excl. <i>in situ</i>)	181	1.3	0.10	0.8	0.06	20,684	126.4	0.89	91.6	0.67
Female Genital System	-	-	-	-	-	7,563	46.1	0.54	33.8	0.41
Cervix uteri	-	-	-	-	-	820	5.8	0.21	4.5	0.17
Uterus Corpus	-	-	-	-	-	3,908	23.1	0.38	17.3	0.29
Uterus, NOS ¹	-	-	-	-	-	163	1.0	0.08	0.7	0.06
Ovary	-	-	-	-	-	2,011	12.2	0.28	8.6	0.21
Male Genital System	20,876	142.5	1.01	100.2	0.71	-	-	-	-	-
Prostate	19,982	135.4	0.98	93.9	0.68	-	-	-	-	-
Testis	765	6.1	0.22	5.7	0.21	-	-	-	-	-
Penis	103	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,720	56.8	0.66	34.9	0.41	3,205	19.1	0.34	12.6	0.25
Bladder (incl. <i>in situ</i>)	4,776	36.2	0.54	20.7	0.31	1,496	8.7	0.23	5.3	0.15
Kidney & renal pelvis	2,789	19.5	0.38	13.6	0.27	1,619	9.8	0.25	7.0	0.19
Ureter	115	0.9	0.09	0.5	0.05	68	0.4	0.05	0.2	0.03
Eye & Orbit	97	0.7	0.07	0.5	0.06	88	0.6	0.06	0.5	0.06
Brain & Other Nervous System	1,107	8.1	0.25	6.6	0.22	910	6.0	0.21	5.1	0.20
Brain	1,070	7.8	0.24	6.4	0.21	863	5.7	0.20	4.8	0.19
Endocrine System	934	6.6	0.22	5.4	0.19	2,493	17.3	0.35	14.5	0.31
Thyroid gland	847	5.9	0.21	4.7	0.17	2,412	16.7	0.35	13.9	0.30
Lymphomas	3,363	24.8	0.44	16.8	0.31	2,777	17.2	0.33	12.1	0.26
Hodgkin Lymphoma	376	2.9	0.15	2.5	0.14	326	2.4	0.14	2.2	0.13
Non-Hodgkin Lymphoma	2,987	21.9	0.41	14.2	0.27	2,451	14.7	0.30	9.8	0.22
Multiple Myeloma	758	5.6	0.21	3.4	0.13	638	3.7	0.15	2.4	0.10
Leukemias	1,785	13.7	0.33	9.6	0.26	1,304	8.2	0.23	6.1	0.21
Acute lymphocytic	210	1.7	0.12	2.1	0.16	139	1.2	0.10	1.5	0.14
Chronic lymphocytic	612	4.6	0.19	2.7	0.11	392	2.2	0.11	1.3	0.07
Acute myeloid	519	3.9	0.17	2.7	0.13	432	2.7	0.13	2.0	0.11
Chronic myeloid	186	1.4	0.11	0.9	0.07	149	0.9	0.08	0.6	0.05
Other leukemias	258	2.0	0.13	1.2	0.08	192	1.2	0.09	0.7	0.06
Mesothelioma	274	2.1	0.13	1.1	0.07	74	0.4	0.05	0.3	0.03
Kaposi Sarcoma	42	0.3	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	2,165	16.6	0.37	9.5	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	944	6.9	0.23	4.9	0.17	1,816	11.4	0.27	8.3	0.21
Breast (<i>in situ</i>)	25	0.2	0.04	0.1	0.02	5,657	34.9	0.47	26.4	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17,061	597.2	4.86	405.8	3.17	14,691	380.5	3.18	264.5	2.27
Oral Cavity & Pharynx	479	14.7	0.70	11.3	0.52	176	4.4	0.34	3.4	0.26
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	108	3.3	0.33	2.6	0.25	37	0.9	0.15	0.7	0.12
Major salivary gland	30	0.8	0.16	0.8	0.14	30	0.7	0.13	0.6	0.11
Floor of mouth	35	1.1	0.19	0.8	0.15	9	0.2	0.07	0.2	0.06
Gum & other mouth	54	1.8	0.26	1.2	0.16	33	0.8	0.14	0.6	0.11
Nasopharynx	24	0.7	0.14	0.5	0.11	20	0.5	0.11	0.4	0.10
Oropharynx	47	1.5	0.22	1.1	0.16	10	0.3	0.08	0.2	0.06
Hypopharynx	68	2.1	0.27	1.6	0.20	16	0.4	0.11	0.3	0.08
Digestive System	3,309	117.3	2.18	76.6	1.36	2,886	76.2	1.44	48.7	0.95
Esophagus	252	8.9	0.60	5.9	0.38	93	2.4	0.25	1.6	0.17
Stomach	328	12.4	0.73	7.5	0.42	212	5.7	0.40	3.4	0.25
Small intestine	120	4.1	0.40	2.8	0.26	105	2.8	0.28	1.9	0.19
Colon excl. rectum	1,127	41.3	1.32	26.1	0.79	1,276	33.8	0.96	21.2	0.62
Rectum & rectosigmoid	484	16.9	0.82	11.1	0.51	360	9.1	0.48	6.3	0.34
Anus, anal canal & anorectum	45	1.3	0.21	1.0	0.15	62	1.5	0.20	1.1	0.14
Liver	409	12.1	0.63	9.3	0.47	116	3.0	0.28	2.0	0.20
Gallbladder	35	1.4	0.25	0.8	0.14	49	1.3	0.19	0.8	0.12
Pancreas	434	15.9	0.81	10.3	0.50	502	13.7	0.62	8.3	0.39
Respiratory System	2,806	105.6	2.12	66.3	1.28	1,872	49.9	1.17	32.8	0.79
Larynx	290	10.1	0.63	6.8	0.41	62	1.6	0.20	1.2	0.15
Lung & bronchus	2,478	94.2	2.01	58.5	1.20	1,786	47.7	1.14	31.2	0.77
Bones & Joints	22	0.7	0.16	0.6	0.13	25	0.6	0.12	0.6	0.12
Soft Tissue (incl. heart)	100	3.2	0.34	2.5	0.25	111	2.9	0.27	2.2	0.22
Skin (excl. basal & sq.)	60	2.0	0.28	1.5	0.19	83	2.2	0.24	1.4	0.17
Melanomas of the skin	25	1.0	0.21	0.6	0.12	45	1.2	0.18	0.7	0.12
Breast (excl. <i>in situ</i>)	62	2.1	0.28	1.5	0.19	5,057	128.0	1.82	92.9	1.34
Female Genital System	-	-	-	-	-	1,589	40.9	1.04	29.4	0.76
Cervix uteri	-	-	-	-	-	283	7.1	0.43	5.4	0.33
Uterus Corpus	-	-	-	-	-	762	19.6	0.72	14.2	0.53
Uterus, NOS ¹	-	-	-	-	-	63	1.7	0.21	1.2	0.15
Ovary	-	-	-	-	-	348	9.1	0.49	6.3	0.35
Male Genital System	6,954	236.3	2.99	168.3	2.05	-	-	-	-	-
Prostate	6,885	234.2	2.98	166.6	2.04	-	-	-	-	-
Testis	45	1.3	0.20	1.1	0.17	-	-	-	-	-
Penis	19	0.7	0.17	0.4	0.10	-	-	-	-	-
Urinary System	1,251	45.3	1.37	29.2	0.84	782	20.5	0.74	13.9	0.52
Bladder (incl. <i>in situ</i>)	525	21.5	1.00	12.2	0.55	250	7.0	0.45	3.8	0.26
Kidney & renal pelvis	718	23.5	0.93	16.8	0.64	516	13.1	0.58	9.8	0.45
Ureter	-	-	-	-	-	8	0.2	0.08	0.1	0.05
Eye & Orbit	8	0.2	0.07	0.2	0.09	-	-	-	-	-
Brain & Other Nervous System	135	3.9	0.36	3.5	0.31	104	2.6	0.26	2.4	0.25
Brain	125	3.6	0.33	3.2	0.30	96	2.4	0.25	2.2	0.24
Endocrine System	132	4.0	0.37	3.1	0.28	469	11.6	0.54	9.5	0.45
Thyroid gland	95	2.9	0.31	2.2	0.23	446	11.0	0.52	9.0	0.43
Lymphomas	627	20.3	0.86	14.8	0.60	503	13.1	0.59	9.4	0.44
Hodgkin Lymphoma	98	2.7	0.28	2.4	0.25	88	2.1	0.23	2.0	0.22
Non-Hodgkin Lymphoma	529	17.6	0.82	12.3	0.54	415	10.9	0.54	7.4	0.38
Multiple Myeloma	343	13.1	0.76	8.0	0.44	350	9.4	0.51	5.8	0.33
Leukemias	301	10.5	0.65	7.5	0.45	261	6.8	0.43	5.1	0.34
Acute lymphocytic	35	0.9	0.15	1.1	0.20	25	0.6	0.13	0.8	0.17
Chronic lymphocytic	84	3.3	0.39	2.0	0.22	70	1.9	0.23	1.1	0.14
Acute myeloid	97	3.3	0.36	2.4	0.25	99	2.6	0.26	1.9	0.20
Chronic myeloid	39	1.5	0.25	0.9	0.15	32	0.8	0.15	0.6	0.11
Other leukemias	46	1.5	0.25	1.1	0.17	35	0.9	0.16	0.6	0.11
Mesothelioma	41	1.7	0.29	1.0	0.15	-	-	-	-	-
Kaposi Sarcoma	32	0.9	0.17	0.8	0.14	6	0.1	0.06	0.1	0.06
Ill-defined & Unknown	399	15.3	0.82	9.3	0.48	411	11.2	0.56	6.7	0.35
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	198	6.5	0.49	4.8	0.35	441	11.3	0.54	8.1	0.40
Breast (<i>in situ</i>)	9	0.3	0.09	0.2	0.08	1,421	35.5	0.95	26.3	0.71

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

VIRGINIA

398 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	84,788	544.6	1.92	355.5	1.26	78,954	437.7	1.58	301.3	1.15
Oral Cavity & Pharynx	2,726	16.2	0.32	11.7	0.23	1,246	6.8	0.20	4.7	0.14
Lip	222	1.5	0.10	0.9	0.06	88	0.5	0.05	0.3	0.03
Tongue	871	5.0	0.17	3.8	0.13	362	2.0	0.11	1.4	0.08
Major salivary gland	214	1.4	0.10	0.8	0.06	171	0.9	0.07	0.7	0.06
Floor of mouth	129	0.7	0.07	0.6	0.05	76	0.4	0.05	0.3	0.03
Gum & other mouth	297	1.9	0.11	1.3	0.08	276	1.5	0.09	0.9	0.06
Nasopharynx	122	0.7	0.07	0.6	0.05	42	0.2	0.04	0.2	0.03
Oropharynx	92	0.5	0.06	0.4	0.04	37	0.2	0.03	0.1	0.02
Hypopharynx	136	0.8	0.07	0.6	0.05	51	0.3	0.04	0.2	0.03
Digestive System	15,163	97.5	0.81	61.7	0.52	12,193	66.7	0.62	40.9	0.40
Esophagus	1,362	8.8	0.24	5.5	0.15	387	2.1	0.11	1.3	0.07
Stomach	1,329	8.7	0.25	5.4	0.15	737	4.1	0.15	2.5	0.10
Small intestine	419	2.7	0.13	1.7	0.09	327	1.8	0.10	1.2	0.07
Colon excl. rectum	4,801	31.8	0.47	19.1	0.28	4,914	27.0	0.39	15.7	0.25
Rectum & rectosigmoid	2,289	14.3	0.31	9.6	0.21	1,701	9.3	0.23	6.3	0.16
Anus, anal canal & anorectum	256	1.5	0.10	1.1	0.07	419	2.2	0.11	1.6	0.08
Liver	1,717	9.9	0.25	7.3	0.18	605	3.3	0.14	2.3	0.10
Gallbladder	116	0.8	0.08	0.4	0.04	245	1.3	0.09	0.8	0.06
Pancreas	2,083	13.7	0.31	8.3	0.19	2,023	11.0	0.25	6.5	0.16
Respiratory System	11,642	78.2	0.74	46.3	0.44	10,556	59.1	0.59	36.5	0.38
Larynx	757	4.8	0.18	3.2	0.12	200	1.1	0.08	0.8	0.06
Lung & bronchus	10,668	72.1	0.72	42.2	0.42	10,223	57.3	0.58	35.2	0.37
Bones & Joints	164	1.0	0.08	0.9	0.07	136	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	617	4.0	0.16	2.9	0.12	506	2.9	0.13	2.2	0.11
Skin (excl. basal & sq.)	5,062	32.0	0.46	21.6	0.31	4,194	23.9	0.37	18.2	0.30
Melanomas of the skin	4,652	29.2	0.44	20.0	0.30	3,930	22.4	0.36	17.2	0.29
Breast (excl. <i>in situ</i>)	160	1.0	0.08	0.7	0.05	23,787	131.0	0.86	94.2	0.64
Female Genital System	-	-	-	-	-	9,064	49.5	0.53	36.0	0.40
Cervix uteri	-	-	-	-	-	1,174	7.0	0.21	5.6	0.17
Uterus Corpus	-	-	-	-	-	4,522	24.2	0.37	17.9	0.28
Uterus, NOS ¹	-	-	-	-	-	92	0.5	0.05	0.3	0.04
Ovary	-	-	-	-	-	2,465	13.4	0.27	9.3	0.20
Male Genital System	25,725	159.3	1.02	110.8	0.71	-	-	-	-	-
Prostate	24,460	151.6	1.00	104.0	0.68	-	-	-	-	-
Testis	1,103	6.7	0.20	6.2	0.19	-	-	-	-	-
Penis	106	0.7	0.07	0.4	0.04	-	-	-	-	-
Urinary System	9,216	61.4	0.66	36.8	0.40	3,777	20.8	0.34	13.5	0.24
Bladder (incl. <i>in situ</i>)	5,639	38.9	0.53	21.6	0.30	1,697	9.3	0.23	5.5	0.15
Kidney & renal pelvis	3,378	21.1	0.37	14.5	0.26	1,992	11.0	0.25	7.7	0.19
Ureter	123	0.9	0.08	0.5	0.04	58	0.3	0.04	0.2	0.03
Eye & Orbit	153	1.0	0.08	0.7	0.06	116	0.7	0.06	0.5	0.06
Brain & Other Nervous System	1,346	8.3	0.23	6.8	0.20	1,093	6.2	0.19	5.3	0.18
Brain	1,274	7.9	0.22	6.4	0.19	1,022	5.8	0.18	4.9	0.17
Endocrine System	1,153	6.9	0.21	5.5	0.17	3,236	19.0	0.34	15.7	0.29
Thyroid gland	1,030	6.2	0.20	4.8	0.15	3,130	18.4	0.33	15.1	0.28
Lymphomas	4,569	29.5	0.45	20.0	0.31	3,550	19.9	0.34	13.7	0.25
Hodgkin Lymphoma	539	3.3	0.14	2.9	0.13	418	2.5	0.12	2.4	0.12
Non-Hodgkin Lymphoma	4,030	26.2	0.42	17.1	0.28	3,132	17.4	0.32	11.3	0.22
Multiple Myeloma	1,093	7.2	0.22	4.4	0.14	812	4.4	0.16	2.8	0.10
Leukemias	2,711	17.9	0.35	12.1	0.25	1,974	11.1	0.25	8.1	0.21
Acute lymphocytic	288	1.8	0.11	2.2	0.14	227	1.4	0.10	1.8	0.13
Chronic lymphocytic	1,148	7.6	0.23	4.5	0.14	796	4.3	0.16	2.6	0.10
Acute myeloid	657	4.4	0.18	2.8	0.11	522	3.0	0.13	2.1	0.10
Chronic myeloid	333	2.3	0.13	1.4	0.08	235	1.3	0.09	0.9	0.06
Other leukemias	285	1.9	0.11	1.2	0.07	194	1.1	0.08	0.7	0.06
Mesothelioma	342	2.4	0.13	1.3	0.07	119	0.7	0.06	0.4	0.04
Kaposi Sarcoma	116	0.7	0.07	0.6	0.05	6	0.0	0.02	0.0	0.01
Ill-defined & Unknown	2,830	19.8	0.38	10.8	0.21	2,589	14.2	0.28	8.1	0.18
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,624	10.2	0.26	7.4	0.19	3,227	18.1	0.32	13.0	0.24
Breast (<i>in situ</i>)	16	0.1	0.03	0.1	0.02	6,431	35.5	0.45	26.6	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	76,461	543.4	2.01	354.4	1.34	71,108	442.6	1.69	304.7	1.24
Oral Cavity & Pharynx	2,456	16.3	0.34	11.6	0.24	1,132	6.9	0.21	4.7	0.15
Lip	210	1.5	0.11	0.9	0.06	85	0.5	0.06	0.3	0.04
Tongue	800	5.1	0.19	3.9	0.14	336	2.1	0.11	1.4	0.08
Major salivary gland	191	1.4	0.10	0.8	0.06	152	0.9	0.08	0.7	0.06
Floor of mouth	113	0.7	0.07	0.5	0.05	70	0.4	0.05	0.3	0.03
Gum & other mouth	266	1.9	0.12	1.2	0.08	250	1.5	0.10	0.9	0.07
Nasopharynx	68	0.5	0.06	0.3	0.04	23	0.1	0.03	0.1	0.02
Oropharynx	82	0.5	0.06	0.4	0.04	34	0.2	0.04	0.1	0.02
Hypopharynx	125	0.9	0.08	0.6	0.05	48	0.3	0.04	0.2	0.03
Digestive System	13,231	94.2	0.84	59.2	0.53	10,664	64.8	0.64	39.5	0.42
Esophagus	1,276	9.1	0.26	5.7	0.17	350	2.1	0.12	1.3	0.07
Stomach	1,098	7.9	0.24	4.9	0.15	550	3.4	0.15	2.0	0.10
Small intestine	374	2.7	0.14	1.7	0.09	299	1.8	0.11	1.2	0.08
Colon excl. rectum	4,305	31.5	0.49	18.8	0.30	4,421	26.8	0.41	15.5	0.26
Rectum & rectosigmoid	1,990	13.8	0.32	9.2	0.21	1,455	9.0	0.24	6.0	0.17
Anus, anal canal & anorectum	232	1.6	0.10	1.1	0.07	400	2.4	0.12	1.7	0.09
Liver	1,285	8.3	0.24	6.0	0.17	411	2.5	0.12	1.7	0.09
Gallbladder	98	0.7	0.08	0.4	0.04	212	1.3	0.09	0.8	0.06
Pancreas	1,899	13.7	0.32	8.3	0.20	1,837	11.0	0.26	6.5	0.17
Respiratory System	10,628	78.3	0.78	46.4	0.47	9,754	60.6	0.63	37.5	0.41
Larynx	689	4.8	0.19	3.2	0.12	191	1.2	0.09	0.8	0.06
Lung & bronchus	9,742	72.1	0.75	42.2	0.44	9,447	58.7	0.62	36.1	0.40
Bones & Joints	146	1.1	0.09	0.9	0.08	118	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	549	4.0	0.18	2.9	0.14	458	2.9	0.14	2.3	0.12
Skin (excl. basal & sq.)	4,969	34.9	0.51	23.8	0.35	4,091	26.8	0.43	20.5	0.34
Melanomas of the skin	4,580	32.0	0.48	22.1	0.34	3,848	25.2	0.42	19.5	0.33
Breast (excl. <i>in situ</i>)	147	1.0	0.09	0.7	0.06	21,423	132.8	0.92	95.3	0.68
Female Genital System	-	-	-	-	-	8,128	50.1	0.57	36.4	0.43
Cervix uteri	-	-	-	-	-	995	6.9	0.22	5.5	0.18
Uterus Corpus	-	-	-	-	-	4,046	24.3	0.39	18.0	0.29
Uterus, NOS ¹	-	-	-	-	-	82	0.5	0.06	0.3	0.04
Ovary	-	-	-	-	-	2,254	13.7	0.29	9.5	0.22
Male Genital System	22,912	156.9	1.06	109.2	0.74	-	-	-	-	-
Prostate	21,762	148.6	1.03	101.8	0.71	-	-	-	-	-
Testis	1,008	7.2	0.23	6.7	0.22	-	-	-	-	-
Penis	94	0.7	0.07	0.4	0.04	-	-	-	-	-
Urinary System	8,419	61.8	0.69	36.9	0.42	3,436	21.1	0.37	13.5	0.25
Bladder (incl. <i>in situ</i>)	5,240	39.6	0.56	21.9	0.32	1,573	9.5	0.25	5.6	0.16
Kidney & renal pelvis	2,996	20.8	0.39	14.2	0.27	1,781	11.1	0.27	7.6	0.20
Ureter	114	0.9	0.08	0.5	0.05	58	0.4	0.05	0.2	0.03
Eye & Orbit	146	1.1	0.09	0.8	0.07	113	0.8	0.07	0.6	0.06
Brain & Other Nervous System	1,249	8.7	0.25	7.1	0.22	988	6.4	0.21	5.4	0.19
Brain	1,188	8.3	0.24	6.7	0.21	929	6.0	0.20	5.0	0.19
Endocrine System	1,027	7.0	0.22	5.6	0.18	2,692	18.4	0.36	15.2	0.31
Thyroid gland	927	6.3	0.21	4.9	0.17	2,607	17.8	0.36	14.7	0.30
Lymphomas	4,124	29.8	0.47	20.2	0.33	3,209	20.2	0.36	13.9	0.27
Hodgkin Lymphoma	473	3.4	0.16	3.0	0.14	371	2.7	0.14	2.5	0.14
Non-Hodgkin Lymphoma	3,651	26.4	0.45	17.2	0.30	2,838	17.6	0.34	11.4	0.24
Multiple Myeloma	966	7.0	0.23	4.3	0.14	689	4.2	0.16	2.6	0.11
Leukemias	2,481	18.2	0.37	12.3	0.27	1,778	11.2	0.27	8.1	0.23
Acute lymphocytic	242	1.8	0.12	2.2	0.15	188	1.4	0.11	1.8	0.15
Chronic lymphocytic	1,075	7.8	0.24	4.7	0.15	747	4.4	0.17	2.7	0.11
Acute myeloid	607	4.5	0.19	2.9	0.13	456	2.9	0.14	2.0	0.11
Chronic myeloid	300	2.3	0.13	1.4	0.08	212	1.3	0.09	0.9	0.07
Other leukemias	257	1.9	0.12	1.2	0.08	175	1.1	0.08	0.7	0.07
Mesothelioma	333	2.6	0.14	1.4	0.08	110	0.7	0.07	0.4	0.04
Kaposi Sarcoma	93	0.7	0.07	0.5	0.06	-	-	-	-	-
Ill-defined & Unknown	2,585	19.8	0.40	10.8	0.22	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,391	9.8	0.27	7.2	0.20	2,740	17.4	0.34	12.5	0.26
Breast (<i>in situ</i>)	15	0.1	0.03	0.1	0.02	5,673	35.4	0.48	26.5	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	2,520	591.7	13.54	398.0	8.26	1,769	405.6	10.20	277.1	6.86
Oral Cavity & Pharynx	61	11.2	1.58	8.9	1.19	19	3.9	0.94	3.4	0.80
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	2.9	0.82	2.3	0.63	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	1.3	0.60	0.9	0.38	-	-	-	-	-
Nasopharynx	6	1.1	0.58	0.7	0.29	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	528	126.6	6.39	81.6	3.70	345	84.2	4.78	53.2	3.00
Esophagus	23	4.6	1.10	3.4	0.73	10	2.5	0.81	1.5	0.49
Stomach	56	14.5	2.22	9.0	1.25	32	7.3	1.37	4.4	0.81
Small intestine	23	5.0	1.21	3.6	0.78	12	2.7	0.83	1.8	0.55
Colon excl. rectum	137	35.5	3.54	21.4	1.91	119	28.9	2.80	18.2	1.75
Rectum & rectosigmoid	72	17.2	2.35	10.9	1.34	41	9.4	1.56	6.2	0.99
Anus, anal canal & anorectum	14	2.0	0.54	1.6	0.45	6	1.3	0.56	1.1	0.45
Liver	106	22.3	2.44	16.4	1.66	41	9.2	1.51	6.6	1.07
Gallbladder	-	-	-	-	-	6	1.7	0.72	0.9	0.39
Pancreas	69	18.1	2.50	10.9	1.37	49	13.4	2.00	7.5	1.12
Respiratory System	348	94.3	5.72	59.1	3.28	229	59.7	4.12	39.1	2.69
Larynx	27	5.9	1.31	4.2	0.84	-	-	-	-	-
Lung & bronchus	315	87.1	5.53	54.1	3.15	222	57.8	4.05	38.1	2.67
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	27	4.0	0.91	3.3	0.66	12	2.5	0.79	1.8	0.53
Skin (excl. basal & sq.)	16	3.4	1.03	2.1	0.55	8	1.6	0.57	1.3	0.49
Melanomas of the skin	7	2.1	0.94	1.0	0.40	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	538	116.4	5.28	83.8	3.75
Female Genital System	-	-	-	-	-	168	38.7	3.16	26.3	2.11
Cervix uteri	-	-	-	-	-	35	6.6	1.16	5.3	0.93
Uterus Corpus	-	-	-	-	-	78	19.4	2.31	12.9	1.52
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	40	9.2	1.56	5.9	0.97
Male Genital System	951	216.9	7.89	154.8	5.22	-	-	-	-	-
Prostate	938	214.5	7.85	153.2	5.20	-	-	-	-	-
Testis	8	0.9	0.33	0.9	0.32	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	220	50.9	3.97	34.2	2.40	82	19.2	2.26	13.0	1.50
Bladder (incl. <i>in situ</i>)	68	18.1	2.50	10.8	1.36	25	5.5	1.13	4.3	0.89
Kidney & renal pelvis	147	30.3	2.86	22.6	1.94	55	13.1	1.89	8.4	1.17
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	27	4.7	1.08	3.5	0.69	26	4.2	0.88	4.1	0.83
Brain	25	4.4	1.07	3.3	0.67	25	4.1	0.87	4.0	0.82
Endocrine System	24	5.0	1.23	3.5	0.74	76	13.1	1.54	11.0	1.28
Thyroid gland	17	3.4	1.00	2.3	0.59	70	12.2	1.49	10.1	1.24
Lymphomas	119	20.7	2.21	16.0	1.52	80	16.6	1.98	12.3	1.43
Hodgkin Lymphoma	24	3.1	0.67	2.9	0.61	21	3.1	0.68	3.0	0.66
Non-Hodgkin Lymphoma	95	17.7	2.10	13.1	1.40	59	13.5	1.86	9.3	1.26
Multiple Myeloma	64	17.3	2.44	10.4	1.36	51	13.0	1.92	7.7	1.13
Leukemias	47	13.0	2.27	7.4	1.11	47	10.4	1.62	7.3	1.12
Acute lymphocytic	8	0.9	0.31	1.1	0.38	7	1.3	0.54	1.4	0.53
Chronic lymphocytic	13	3.7	1.14	2.1	0.60	9	2.7	0.93	1.4	0.48
Acute myeloid	10	3.7	1.32	1.6	0.52	18	3.3	0.85	2.8	0.69
Chronic myeloid	9	2.8	1.11	1.4	0.48	7	1.3	0.50	1.0	0.41
Other leukemias	7	2.0	0.88	1.2	0.47	6	1.7	0.72	0.7	0.32
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	11	1.8	0.64	1.3	0.41	-	-	-	-	-
Ill-defined & Unknown	66	19.7	2.80	10.2	1.31	79	20.3	2.40	11.5	1.36
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	48	10.0	1.73	7.0	1.06	88	19.6	2.22	12.9	1.42
Breast (<i>in situ</i>)	-	-	-	-	-	155	34.8	2.94	24.3	2.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,020	357.5	6.99	226.7	4.19	3,855	300.6	4.98	206.4	3.43
Oral Cavity & Pharynx	116	11.5	1.13	8.6	0.81	51	3.8	0.55	2.8	0.40
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	28	2.6	0.51	2.1	0.40	14	1.1	0.30	0.8	0.21
Major salivary gland	10	1.1	0.39	0.7	0.21	7	0.5	0.20	0.4	0.17
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	17	1.9	0.50	1.3	0.32	10	0.8	0.26	0.5	0.17
Nasopharynx	44	4.1	0.65	3.2	0.50	16	1.1	0.28	0.8	0.21
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	949	109.6	3.82	70.9	2.34	869	72.8	2.54	44.6	1.56
Esophagus	26	2.9	0.62	1.9	0.37	17	1.5	0.37	0.8	0.22
Stomach	142	18.4	1.64	10.6	0.90	135	11.5	1.02	6.8	0.61
Small intestine	10	1.3	0.43	0.7	0.24	11	0.9	0.27	0.6	0.18
Colon excl. rectum	206	24.2	1.83	15.2	1.08	248	20.5	1.34	12.5	0.82
Rectum & rectosigmoid	140	14.9	1.35	10.3	0.88	143	10.8	0.93	7.7	0.65
Anus, anal canal & anorectum	-	-	-	-	-	8	0.7	0.24	0.4	0.15
Liver	243	25.5	1.74	18.2	1.19	129	11.3	1.02	6.8	0.62
Gallbladder	10	1.4	0.48	0.8	0.25	19	1.6	0.38	1.0	0.24
Pancreas	93	11.4	1.26	7.2	0.76	96	8.9	0.93	4.6	0.49
Respiratory System	467	61.1	3.02	34.5	1.62	388	33.9	1.76	20.1	1.06
Larynx	17	2.2	0.55	1.3	0.32	-	-	-	-	-
Lung & bronchus	440	58.1	2.95	32.5	1.57	378	33.2	1.75	19.3	1.03
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	28	2.6	0.54	2.0	0.39	20	1.5	0.33	1.4	0.33
Skin (excl. basal & sq.)	18	1.9	0.49	1.2	0.30	22	1.8	0.40	1.2	0.26
Melanomas of the skin	12	1.2	0.36	0.8	0.25	12	0.9	0.27	0.6	0.18
Breast (excl. <i>in situ</i>)	7	0.9	0.34	0.5	0.20	1,158	84.8	2.54	62.8	1.88
Female Genital System	-	-	-	-	-	466	33.8	1.60	25.3	1.19
Cervix uteri	-	-	-	-	-	85	6.0	0.67	4.6	0.50
Uterus Corpus	-	-	-	-	-	220	15.7	1.08	12.1	0.83
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	131	9.8	0.88	7.1	0.63
Male Genital System	660	79.2	3.28	51.4	2.03	-	-	-	-	-
Prostate	618	75.9	3.23	48.6	1.98	-	-	-	-	-
Testis	32	2.3	0.41	2.1	0.37	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	244	31.3	2.15	18.0	1.17	117	9.6	0.92	6.2	0.60
Bladder (incl. <i>in situ</i>)	144	19.3	1.72	10.7	0.90	41	3.6	0.58	2.0	0.32
Kidney & renal pelvis	93	11.0	1.23	6.8	0.72	72	5.6	0.68	4.0	0.49
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	35	3.2	0.59	2.8	0.48	51	3.8	0.55	3.4	0.51
Brain	31	2.9	0.57	2.5	0.46	46	3.4	0.52	3.0	0.47
Endocrine System	64	5.6	0.73	4.5	0.57	311	21.3	1.23	17.0	0.99
Thyroid gland	53	4.7	0.67	3.7	0.51	299	20.4	1.20	16.2	0.95
Lymphomas	176	20.3	1.67	12.7	0.98	155	12.4	1.03	8.4	0.71
Hodgkin Lymphoma	20	1.5	0.34	1.5	0.34	14	0.9	0.24	0.9	0.26
Non-Hodgkin Lymphoma	156	18.8	1.63	11.3	0.92	141	11.5	1.00	7.5	0.66
Multiple Myeloma	37	4.1	0.71	2.8	0.46	42	3.6	0.57	2.2	0.35
Leukemias	90	9.4	1.08	7.1	0.77	78	6.0	0.70	4.9	0.60
Acute lymphocytic	21	1.6	0.35	2.1	0.46	23	1.7	0.36	1.9	0.42
Chronic lymphocytic	13	1.9	0.56	0.9	0.25	8	0.6	0.22	0.5	0.16
Acute myeloid	30	3.2	0.62	2.2	0.40	32	2.5	0.46	1.8	0.34
Chronic myeloid	15	1.6	0.45	1.1	0.29	8	0.6	0.21	0.4	0.15
Other leukemias	11	1.2	0.39	0.8	0.26	7	0.6	0.24	0.4	0.14
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	8	0.8	0.29	0.5	0.19	-	-	-	-	-
Ill-defined & Unknown	113	15.2	1.53	8.4	0.80	120	10.9	1.02	5.7	0.54
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	75	8.1	1.03	5.2	0.61	205	16.1	1.15	11.3	0.82
Breast (<i>in situ</i>)	-	-	-	-	-	437	31.6	1.54	24.1	1.17

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	997	566.8	21.67	345.9	11.25	1,049	456.3	15.48	308.4	9.69
Oral Cavity & Pharynx	43	20.2	3.56	14.0	2.18	14	5.5	1.65	3.7	1.00
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	4.1	1.37	3.4	1.09	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	8	5.0	2.02	2.8	1.02	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	266	147.9	11.18	89.3	5.65	173	85.4	7.14	51.6	3.99
Esophagus	27	13.6	3.08	8.8	1.72	7	3.1	1.30	2.1	0.80
Stomach	24	15.4	3.93	8.7	1.84	10	5.1	1.76	3.0	0.95
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	66	43.9	6.69	23.2	2.97	59	27.3	3.86	18.3	2.42
Rectum & rectosigmoid	43	20.3	3.52	13.8	2.16	30	15.5	3.13	8.5	1.58
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	64	29.4	4.49	19.9	2.55	16	7.7	2.13	4.6	1.16
Gallbladder	-	-	-	-	-	6	3.7	1.61	1.8	0.75
Pancreas	19	10.7	2.81	6.6	1.54	32	16.5	3.23	9.4	1.70
Respiratory System	150	94.3	9.02	55.4	4.62	145	73.0	6.60	45.3	3.83
Larynx	15	11.5	3.46	5.7	1.51	-	-	-	-	-
Lung & bronchus	133	82.1	8.32	49.2	4.35	138	70.0	6.47	43.4	3.75
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	4.5	1.89	2.7	0.98	7	3.1	1.30	2.0	0.79
Skin (excl. basal & sq.)	16	10.1	3.13	5.6	1.44	26	9.6	2.03	7.4	1.47
Melanomas of the skin	14	9.0	3.03	4.9	1.35	24	9.0	1.99	6.9	1.43
Breast (excl. <i>in situ</i>)	-	-	-	-	-	318	125.6	7.62	91.0	5.19
Female Genital System	-	-	-	-	-	135	56.6	5.35	38.7	3.38
Cervix uteri	-	-	-	-	-	26	9.0	1.79	7.1	1.41
Uterus Corpus	-	-	-	-	-	73	31.3	4.02	20.8	2.48
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	21	10.3	2.48	6.2	1.39
Male Genital System	209	119.2	9.57	75.4	5.32	-	-	-	-	-
Prostate	191	113.3	9.46	70.1	5.17	-	-	-	-	-
Testis	15	4.4	1.16	4.1	1.07	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	126	70.9	7.62	43.0	3.95	52	22.3	3.37	16.1	2.28
Bladder (incl. <i>in situ</i>)	55	36.2	5.78	19.5	2.70	14	5.7	1.60	4.5	1.22
Kidney & renal pelvis	70	34.4	4.96	23.3	2.87	38	16.6	2.96	11.6	1.92
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	21	8.2	2.14	6.6	1.46	10	3.1	1.00	3.0	0.96
Brain	19	6.8	1.82	5.9	1.38	8	2.4	0.85	2.4	0.84
Endocrine System	14	4.6	1.26	4.2	1.15	47	15.9	2.41	12.7	1.87
Thyroid gland	13	4.3	1.23	4.0	1.13	47	15.9	2.41	12.7	1.87
Lymphomas	64	33.0	5.03	21.0	2.68	40	18.1	3.16	12.4	1.98
Hodgkin Lymphoma	8	2.4	0.86	2.3	0.83	-	-	-	-	-
Non-Hodgkin Lymphoma	56	30.7	4.96	18.6	2.55	-	-	-	-	-
Multiple Myeloma	10	6.4	2.54	3.6	1.18	14	6.8	1.98	4.3	1.17
Leukemias	27	16.8	4.07	9.4	1.89	24	10.6	2.39	7.0	1.45
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	10	8.0	2.97	4.0	1.29	-	-	-	-	-
Acute myeloid	6	2.7	1.31	1.7	0.70	10	4.6	1.59	2.9	0.92
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	34	24.1	5.04	12.4	2.21	36	18.3	3.37	10.7	1.82
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	28	16.5	4.16	9.8	1.93	45	18.1	2.93	12.5	1.89
Breast (<i>in situ</i>)	-	-	-	-	-	65	23.4	3.09	18.1	2.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,076	361.2	9.89	226.1	5.40	2,237	306.5	7.57	212.0	4.83
Oral Cavity & Pharynx	60	8.2	1.31	5.9	0.82	25	3.8	0.87	2.4	0.52
Lip	7	0.6	0.24	0.5	0.21	-	-	-	-	-
Tongue	17	2.0	0.55	1.6	0.41	9	1.6	0.60	1.0	0.35
Major salivary gland	7	1.0	0.48	0.6	0.26	6	0.9	0.43	0.5	0.22
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	8	1.4	0.68	0.8	0.30	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	478	87.0	4.81	54.1	2.65	336	55.8	3.43	35.7	2.06
Esophagus	36	7.8	1.52	4.3	0.76	-	-	-	-	-
Stomach	55	9.5	1.64	5.8	0.85	44	6.6	1.16	4.3	0.70
Small intestine	8	1.5	0.70	0.8	0.32	11	1.6	0.54	1.2	0.36
Colon excl. rectum	117	21.7	2.41	13.6	1.34	90	15.6	1.83	9.9	1.10
Rectum & rectosigmoid	59	8.5	1.31	6.3	0.88	66	8.9	1.25	6.5	0.85
Anus, anal canal & anorectum	-	-	-	-	-	8	0.9	0.30	0.7	0.25
Liver	88	14.0	1.78	9.6	1.08	25	4.7	1.05	2.7	0.57
Gallbladder	8	1.2	0.53	0.8	0.31	18	2.9	0.74	2.1	0.52
Pancreas	60	13.7	2.05	7.8	1.05	46	10.0	1.58	5.2	0.80
Respiratory System	176	41.0	3.64	22.0	1.75	145	26.3	2.42	16.5	1.43
Larynx	9	1.9	0.83	1.1	0.38	-	-	-	-	-
Lung & bronchus	155	36.6	3.45	19.6	1.65	135	25.0	2.36	15.5	1.39
Bones & Joints	11	0.6	0.20	0.6	0.21	13	0.9	0.31	0.9	0.29
Soft Tissue (incl. heart)	26	2.8	0.76	1.9	0.42	23	2.1	0.51	1.8	0.41
Skin (excl. basal & sq.)	34	6.0	1.36	3.3	0.64	50	6.1	1.04	4.2	0.64
Melanomas of the skin	24	4.0	1.11	2.1	0.49	46	5.4	0.97	3.7	0.59
Breast (excl. <i>in situ</i>)	-	-	-	-	-	627	83.4	3.78	60.7	2.59
Female Genital System	-	-	-	-	-	342	42.3	2.66	30.5	1.78
Cervix uteri	-	-	-	-	-	114	11.4	1.25	8.6	0.88
Uterus Corpus	-	-	-	-	-	127	16.0	1.58	12.3	1.17
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	81	11.2	1.45	7.6	0.90
Male Genital System	613	115.1	5.52	73.5	3.16	-	-	-	-	-
Prostate	529	110.2	5.46	69.2	3.12	-	-	-	-	-
Testis	80	3.9	0.47	3.8	0.45	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	195	39.0	3.40	23.0	1.75	104	14.4	1.64	10.2	1.08
Bladder (incl. <i>in situ</i>)	82	19.4	2.51	10.6	1.22	24	4.8	1.05	2.9	0.62
Kidney & renal pelvis	110	18.3	2.16	11.9	1.22	79	9.5	1.25	7.2	0.88
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	8	0.3	0.12	0.4	0.14	-	-	-	-	-
Brain & Other Nervous System	65	5.5	0.93	4.8	0.68	55	6.2	1.09	4.4	0.65
Brain	61	5.2	0.92	4.5	0.66	51	5.8	1.04	4.1	0.64
Endocrine System	41	3.4	0.68	2.8	0.50	189	16.8	1.43	13.6	1.08
Thyroid gland	33	3.0	0.66	2.4	0.48	185	16.5	1.42	13.3	1.07
Lymphomas	142	20.0	2.27	12.6	1.22	151	23.1	2.23	14.6	1.28
Hodgkin Lymphoma	28	1.9	0.49	1.7	0.37	29	2.1	0.46	1.9	0.39
Non-Hodgkin Lymphoma	114	18.1	2.22	11.0	1.16	122	21.0	2.18	12.7	1.22
Multiple Myeloma	30	4.6	0.98	3.4	0.67	23	4.5	1.03	2.5	0.54
Leukemias	110	10.7	1.50	8.3	0.90	87	8.9	1.23	6.7	0.79
Acute lymphocytic	54	2.9	0.48	3.4	0.50	-	-	-	-	-
Chronic lymphocytic	11	3.0	0.98	1.4	0.45	-	-	-	-	-
Acute myeloid	23	2.1	0.60	1.7	0.40	-	-	-	-	-
Chronic myeloid	14	1.1	0.34	1.0	0.30	-	-	-	-	-
Other leukemias	8	1.6	0.78	0.8	0.33	-	-	-	-	-
Mesothelioma	6	1.5	0.73	0.8	0.35	-	-	-	-	-
Kaposi Sarcoma	15	1.8	0.65	1.0	0.31	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	58	10.9	1.58	6.5	0.90
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	59	5.7	1.04	4.1	0.59	134	17.3	1.79	11.7	1.10
Breast (<i>in situ</i>)	-	-	-	-	-	147	18.2	1.66	13.9	1.21

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WASHINGTON

404 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	74,488	550.9	2.07	360.3	1.39	69,001	448.5	1.75	309.5	1.29
Oral Cavity & Pharynx	2,398	16.6	0.35	11.9	0.25	1,111	7.1	0.22	4.8	0.16
Lip	203	1.5	0.11	0.9	0.07	85	0.5	0.06	0.3	0.04
Tongue	783	5.2	0.19	4.0	0.15	327	2.1	0.12	1.5	0.09
Major salivary gland	184	1.4	0.10	0.8	0.06	147	1.0	0.08	0.7	0.06
Floor of mouth	111	0.7	0.07	0.6	0.05	70	0.4	0.05	0.3	0.04
Gum & other mouth	259	1.9	0.12	1.3	0.08	246	1.5	0.10	0.9	0.07
Nasopharynx	65	0.5	0.06	0.3	0.05	22	0.1	0.03	0.1	0.02
Oropharynx	77	0.5	0.06	0.4	0.04	34	0.2	0.04	0.1	0.03
Hypopharynx	122	0.9	0.08	0.6	0.05	48	0.3	0.05	0.2	0.03
Digestive System	12,783	94.5	0.85	59.4	0.55	10,350	64.9	0.65	39.6	0.43
Esophagus	1,246	9.1	0.26	5.8	0.17	348	2.2	0.12	1.3	0.08
Stomach	1,045	7.8	0.25	4.8	0.15	511	3.2	0.15	1.9	0.09
Small intestine	367	2.7	0.15	1.8	0.09	289	1.8	0.11	1.2	0.08
Colon excl. rectum	4,197	31.9	0.50	19.0	0.31	4,334	27.2	0.42	15.7	0.27
Rectum & rectosigmoid	1,934	14.0	0.33	9.4	0.22	1,395	8.9	0.25	6.0	0.17
Anus, anal canal & anorectum	227	1.6	0.11	1.1	0.08	392	2.4	0.13	1.7	0.09
Liver	1,201	8.1	0.24	5.9	0.18	387	2.4	0.13	1.7	0.10
Gallbladder	90	0.7	0.08	0.4	0.04	194	1.2	0.09	0.7	0.05
Pancreas	1,841	13.8	0.33	8.3	0.20	1,794	11.1	0.27	6.6	0.17
Respiratory System	10,463	79.5	0.79	47.3	0.48	9,617	61.7	0.64	38.2	0.42
Larynx	681	4.9	0.19	3.3	0.13	187	1.2	0.09	0.9	0.06
Lung & bronchus	9,597	73.2	0.76	43.0	0.46	9,319	59.7	0.63	36.8	0.41
Bones & Joints	135	1.1	0.10	0.9	0.09	107	0.8	0.08	0.8	0.09
Soft Tissue (incl. heart)	523	4.1	0.18	3.0	0.15	436	3.0	0.15	2.3	0.13
Skin (excl. basal & sq.)	4,935	36.4	0.53	25.0	0.37	4,042	28.3	0.46	21.9	0.37
Melanomas of the skin	4,556	33.5	0.51	23.3	0.36	3,802	26.8	0.45	20.8	0.36
Breast (excl. <i>in situ</i>)	145	1.1	0.09	0.7	0.06	20,831	134.8	0.96	96.9	0.71
Female Genital System	-	-	-	-	-	7,799	50.2	0.58	36.5	0.44
Cervix uteri	-	-	-	-	-	885	6.6	0.23	5.3	0.19
Uterus Corpus	-	-	-	-	-	3,924	24.6	0.40	18.2	0.30
Uterus, NOS ¹	-	-	-	-	-	80	0.5	0.06	0.3	0.04
Ovary	-	-	-	-	-	2,177	13.8	0.30	9.6	0.22
Male Genital System	22,322	158.7	1.09	110.7	0.76	-	-	-	-	-
Prostate	21,254	150.0	1.05	103.0	0.72	-	-	-	-	-
Testis	929	7.6	0.25	7.1	0.24	-	-	-	-	-
Penis	91	0.7	0.07	0.4	0.04	-	-	-	-	-
Urinary System	8,234	62.6	0.70	37.5	0.43	3,337	21.2	0.38	13.6	0.26
Bladder (incl. <i>in situ</i>)	5,159	40.2	0.57	22.3	0.33	1,549	9.7	0.25	5.7	0.16
Kidney & renal pelvis	2,895	21.0	0.40	14.4	0.28	1,707	11.0	0.27	7.6	0.20
Ureter	112	0.9	0.09	0.5	0.05	58	0.4	0.05	0.2	0.03
Eye & Orbit	138	1.1	0.09	0.7	0.07	109	0.8	0.08	0.6	0.07
Brain & Other Nervous System	1,185	8.9	0.27	7.3	0.24	940	6.6	0.22	5.6	0.21
Brain	1,128	8.4	0.26	6.9	0.23	883	6.2	0.21	5.2	0.20
Endocrine System	987	7.2	0.24	5.8	0.20	2,511	18.6	0.38	15.4	0.33
Thyroid gland	895	6.5	0.22	5.1	0.18	2,430	18.0	0.38	14.9	0.32
Lymphomas	3,990	30.4	0.49	20.8	0.35	3,070	20.3	0.38	14.0	0.28
Hodgkin Lymphoma	449	3.6	0.17	3.2	0.16	344	2.7	0.15	2.6	0.15
Non-Hodgkin Lymphoma	3,541	26.8	0.46	17.6	0.31	2,726	17.5	0.34	11.4	0.24
Multiple Myeloma	939	7.1	0.24	4.3	0.15	668	4.2	0.16	2.6	0.11
Leukemias	2,382	18.4	0.39	12.4	0.29	1,698	11.2	0.28	8.2	0.25
Acute lymphocytic	195	1.7	0.13	2.1	0.17	153	1.4	0.11	1.8	0.17
Chronic lymphocytic	1,065	7.9	0.25	4.8	0.15	732	4.5	0.17	2.7	0.11
Acute myeloid	586	4.6	0.19	2.9	0.13	438	2.9	0.14	2.1	0.12
Chronic myeloid	286	2.3	0.14	1.4	0.09	204	1.3	0.10	0.9	0.07
Other leukemias	250	1.9	0.12	1.2	0.08	171	1.1	0.09	0.7	0.07
Mesothelioma	328	2.6	0.15	1.4	0.08	108	0.7	0.07	0.4	0.04
Kaposi Sarcoma	79	0.6	0.07	0.5	0.06	-	-	-	-	-
Ill-defined & Unknown	2,522	20.0	0.40	10.9	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,338	10.1	0.28	7.4	0.22	2,614	17.4	0.35	12.5	0.27
Breast (<i>in situ</i>)	15	0.1	0.03	0.1	0.02	5,532	36.2	0.50	27.1	0.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,498	607.0	13.90	409.3	8.52	1,747	418.2	10.54	286.0	7.11
Oral Cavity & Pharynx	61	11.6	1.63	9.3	1.24	17	3.7	0.94	3.1	0.79
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	3.0	0.85	2.4	0.65	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	1.3	0.61	0.9	0.40	-	-	-	-	-
Nasopharynx	6	1.2	0.60	0.7	0.31	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	521	129.3	6.55	83.5	3.81	341	86.7	4.93	54.8	3.10
Esophagus	21	4.3	1.06	3.1	0.71	10	2.6	0.83	1.5	0.51
Stomach	55	14.9	2.28	9.2	1.28	31	7.4	1.40	4.5	0.84
Small intestine	23	5.2	1.24	3.7	0.81	12	2.8	0.86	1.9	0.57
Colon excl. rectum	136	36.4	3.63	21.9	1.96	118	29.8	2.89	18.8	1.81
Rectum & rectosigmoid	71	17.6	2.42	11.2	1.38	41	9.8	1.62	6.4	1.03
Anus, anal canal & anorectum	14	2.1	0.57	1.7	0.47	6	1.4	0.58	1.1	0.47
Liver	105	22.6	2.48	16.8	1.71	40	9.3	1.55	6.7	1.10
Gallbladder	-	-	-	-	-	6	1.8	0.74	1.0	0.41
Pancreas	68	18.6	2.58	11.2	1.41	49	13.9	2.06	7.8	1.16
Respiratory System	347	97.0	5.88	60.8	3.38	228	61.6	4.25	40.4	2.79
Larynx	27	6.1	1.34	4.3	0.87	-	-	-	-	-
Lung & bronchus	314	89.6	5.69	55.6	3.24	221	59.6	4.18	39.4	2.76
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	27	4.2	0.95	3.6	0.71	12	2.7	0.83	1.9	0.56
Skin (excl. basal & sq.)	16	3.5	1.07	2.2	0.57	7	1.3	0.52	1.1	0.44
Melanomas of the skin	7	2.2	0.97	1.1	0.42	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	535	121.0	5.48	87.3	3.91
Female Genital System	-	-	-	-	-	166	39.9	3.26	27.1	2.18
Cervix uteri	-	-	-	-	-	34	6.9	1.22	5.5	0.97
Uterus Corpus	-	-	-	-	-	77	19.8	2.37	13.1	1.55
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	40	9.6	1.61	6.2	1.01
Male Genital System	946	223.2	8.13	159.3	5.38	-	-	-	-	-
Prostate	934	220.8	8.08	157.7	5.36	-	-	-	-	-
Testis	8	1.0	0.36	1.0	0.35	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	219	52.0	4.04	35.3	2.48	81	19.9	2.34	13.4	1.55
Bladder (incl. <i>in situ</i>)	68	18.6	2.58	11.1	1.40	25	5.7	1.17	4.5	0.93
Kidney & renal pelvis	146	30.8	2.89	23.3	2.01	54	13.5	1.96	8.6	1.22
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	26	4.8	1.12	3.6	0.72	23	3.9	0.86	3.8	0.82
Brain	24	4.6	1.11	3.3	0.70	22	3.8	0.84	3.7	0.81
Endocrine System	24	5.2	1.27	3.7	0.78	75	13.8	1.62	11.5	1.35
Thyroid gland	17	3.6	1.04	2.4	0.62	69	12.8	1.57	10.6	1.30
Lymphomas	116	21.1	2.24	16.5	1.58	76	16.5	2.01	12.3	1.46
Hodgkin Lymphoma	22	3.1	0.70	2.9	0.63	20	3.1	0.71	3.1	0.70
Non-Hodgkin Lymphoma	94	18.0	2.13	13.6	1.45	56	13.3	1.88	9.2	1.28
Multiple Myeloma	61	17.0	2.45	10.4	1.39	51	13.5	1.98	8.0	1.17
Leukemias	46	13.4	2.33	7.6	1.15	47	10.9	1.69	7.7	1.18
Acute lymphocytic	7	0.8	0.31	1.1	0.41	7	1.4	0.56	1.4	0.56
Chronic lymphocytic	13	3.8	1.18	2.2	0.62	9	2.8	0.96	1.4	0.50
Acute myeloid	10	3.8	1.35	1.7	0.54	18	3.5	0.89	3.0	0.73
Chronic myeloid	9	2.9	1.14	1.4	0.50	7	1.4	0.53	1.1	0.43
Other leukemias	7	2.1	0.91	1.3	0.49	6	1.8	0.75	0.8	0.33
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	11	1.9	0.66	1.4	0.43	-	-	-	-	-
Ill-defined & Unknown	66	20.3	2.88	10.6	1.36	79	21.1	2.48	12.0	1.42
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	48	10.4	1.78	7.4	1.11	88	20.5	2.30	13.5	1.48
Breast (<i>in situ</i>)	-	-	-	-	-	155	36.3	3.06	25.4	2.11

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WASHINGTON

406 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	60,089	576.7	2.42	374.7	1.58	56,295	458.3	1.97	314.6	1.42
Oral Cavity & Pharynx	1,893	16.7	0.39	12.0	0.28	888	7.2	0.25	4.9	0.17
Lip	127	1.2	0.11	0.7	0.07	50	0.4	0.06	0.2	0.04
Tongue	617	5.3	0.22	4.0	0.16	262	2.1	0.13	1.5	0.10
Major salivary gland	149	1.4	0.12	0.9	0.07	112	0.9	0.09	0.7	0.07
Floor of mouth	95	0.8	0.08	0.6	0.06	54	0.4	0.06	0.3	0.04
Gum & other mouth	220	2.1	0.14	1.4	0.10	214	1.7	0.12	1.1	0.08
Nasopharynx	103	0.9	0.09	0.7	0.07	34	0.3	0.05	0.2	0.04
Oropharynx	59	0.5	0.07	0.4	0.05	20	0.2	0.04	0.1	0.03
Hypopharynx	89	0.8	0.09	0.5	0.06	40	0.3	0.05	0.2	0.04
Digestive System	10,715	102.7	1.02	64.7	0.64	8,584	69.5	0.76	42.1	0.49
Esophagus	904	8.8	0.30	5.5	0.19	264	2.1	0.13	1.3	0.08
Stomach	942	9.3	0.31	5.7	0.19	529	4.3	0.19	2.6	0.12
Small intestine	315	3.0	0.17	1.9	0.11	234	1.9	0.12	1.3	0.09
Colon excl. rectum	3,293	32.6	0.58	19.4	0.35	3,373	27.4	0.48	15.8	0.30
Rectum & rectosigmoid	1,594	14.8	0.38	9.9	0.25	1,190	9.6	0.28	6.5	0.20
Anus, anal canal & anorectum	199	1.7	0.13	1.3	0.09	290	2.3	0.13	1.6	0.10
Liver	1,355	11.6	0.33	8.5	0.24	458	3.7	0.18	2.5	0.13
Gallbladder	77	0.8	0.09	0.4	0.05	182	1.4	0.11	0.8	0.07
Pancreas	1,444	14.3	0.39	8.5	0.23	1,412	11.4	0.31	6.6	0.19
Respiratory System	7,996	80.9	0.93	47.5	0.55	7,335	60.9	0.72	37.2	0.47
Larynx	513	4.8	0.22	3.2	0.14	136	1.1	0.10	0.8	0.07
Lung & bronchus	7,329	74.6	0.90	43.3	0.52	7,108	59.0	0.71	35.8	0.46
Bones & Joints	116	1.1	0.10	0.9	0.09	87	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	420	4.1	0.20	2.9	0.15	342	2.8	0.16	2.3	0.14
Skin (excl. basal & sq.)	3,829	36.0	0.60	24.2	0.40	3,159	26.1	0.47	19.9	0.37
Melanomas of the skin	3,521	32.9	0.57	22.4	0.39	2,940	24.3	0.45	18.8	0.36
Breast (excl. <i>in situ</i>)	110	1.1	0.11	0.7	0.07	17,023	137.2	1.07	98.6	0.79
Female Genital System	-	-	-	-	-	6,426	51.3	0.65	37.2	0.49
Cervix uteri	-	-	-	-	-	832	7.1	0.25	5.6	0.20
Uterus Corpus	-	-	-	-	-	3,194	25.0	0.45	18.5	0.34
Uterus, NOS ¹	-	-	-	-	-	44	0.3	0.05	0.2	0.03
Ovary	-	-	-	-	-	1,749	13.9	0.34	9.7	0.25
Male Genital System	18,205	168.9	1.29	117.1	0.89	-	-	-	-	-
Prostate	17,304	160.9	1.26	110.1	0.86	-	-	-	-	-
Testis	776	6.7	0.24	6.2	0.23	-	-	-	-	-
Penis	79	0.8	0.09	0.5	0.05	-	-	-	-	-
Urinary System	6,533	65.1	0.83	38.9	0.50	2,660	21.6	0.43	14.0	0.30
Bladder (incl. <i>in situ</i>)	3,956	41.1	0.67	22.7	0.37	1,184	9.6	0.28	5.7	0.18
Kidney & renal pelvis	2,431	22.4	0.47	15.4	0.32	1,410	11.5	0.31	8.0	0.23
Ureter	83	0.9	0.10	0.5	0.05	38	0.3	0.05	0.2	0.03
Eye & Orbit	98	0.9	0.10	0.7	0.07	86	0.7	0.08	0.6	0.08
Brain & Other Nervous System	922	8.4	0.28	6.9	0.24	771	6.5	0.24	5.5	0.22
Brain	865	7.9	0.27	6.4	0.23	719	6.0	0.23	5.0	0.21
Endocrine System	824	7.2	0.26	5.8	0.21	2,392	20.2	0.42	16.7	0.35
Thyroid gland	732	6.4	0.24	5.0	0.19	2,323	19.6	0.41	16.2	0.35
Lymphomas	3,317	31.7	0.57	21.4	0.39	2,588	21.3	0.43	14.6	0.31
Hodgkin Lymphoma	393	3.5	0.18	3.1	0.16	295	2.6	0.15	2.4	0.15
Non-Hodgkin Lymphoma	2,924	28.3	0.54	18.3	0.35	2,293	18.7	0.40	12.2	0.28
Multiple Myeloma	791	7.9	0.29	4.8	0.18	607	4.9	0.20	3.0	0.13
Leukemias	1,937	19.1	0.45	12.6	0.31	1,443	12.0	0.32	8.6	0.26
Acute lymphocytic	169	1.6	0.12	2.0	0.16	152	1.4	0.12	1.8	0.16
Chronic lymphocytic	849	8.4	0.30	5.0	0.18	608	4.9	0.20	2.9	0.13
Acute myeloid	473	4.7	0.22	3.0	0.14	377	3.2	0.17	2.3	0.13
Chronic myeloid	254	2.5	0.16	1.5	0.10	177	1.4	0.11	0.9	0.08
Other leukemias	192	1.9	0.14	1.2	0.09	129	1.0	0.09	0.7	0.07
Mesothelioma	247	2.6	0.17	1.4	0.09	76	0.6	0.07	0.4	0.05
Kaposi Sarcoma	109	1.0	0.10	0.8	0.07	-	-	-	-	-
Ill-defined & Unknown	2,027	21.3	0.48	11.5	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,272	11.8	0.34	8.5	0.25	2,618	21.4	0.43	15.2	0.32
Breast (<i>in situ</i>)	10	0.1	0.03	0.1	0.02	4,837	39.0	0.57	29.2	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	53,524	584.5	2.59	380.0	1.71	49,913	472.0	2.16	324.7	1.58
Oral Cavity & Pharynx	1,686	17.0	0.43	12.1	0.30	798	7.5	0.27	5.0	0.19
Lip	120	1.3	0.12	0.8	0.07	47	0.4	0.07	0.2	0.04
Tongue	564	5.5	0.24	4.1	0.18	240	2.2	0.15	1.6	0.11
Major salivary gland	128	1.4	0.13	0.8	0.08	101	1.0	0.10	0.7	0.08
Floor of mouth	87	0.8	0.09	0.6	0.07	49	0.5	0.07	0.3	0.05
Gum & other mouth	195	2.1	0.15	1.4	0.10	196	1.8	0.13	1.1	0.09
Nasopharynx	51	0.5	0.07	0.4	0.06	15	0.1	0.04	0.1	0.03
Oropharynx	51	0.5	0.08	0.4	0.05	18	0.2	0.04	0.1	0.03
Hypopharynx	83	0.9	0.10	0.6	0.07	39	0.4	0.06	0.2	0.04
Digestive System	9,070	99.1	1.07	61.9	0.67	7,246	67.1	0.81	40.4	0.52
Esophagus	842	9.3	0.33	5.8	0.21	235	2.2	0.14	1.3	0.09
Stomach	746	8.3	0.31	5.1	0.19	366	3.5	0.19	2.1	0.12
Small intestine	278	3.0	0.19	1.9	0.12	205	1.9	0.13	1.3	0.09
Colon excl. rectum	2,888	32.5	0.62	19.2	0.37	2,963	27.5	0.52	15.6	0.32
Rectum & rectosigmoid	1,351	14.3	0.40	9.6	0.27	969	9.0	0.30	6.1	0.21
Anus, anal canal & anorectum	182	1.8	0.14	1.3	0.10	276	2.5	0.15	1.7	0.11
Liver	951	9.3	0.31	6.8	0.23	279	2.6	0.16	1.8	0.12
Gallbladder	61	0.7	0.09	0.4	0.05	155	1.4	0.11	0.8	0.07
Pancreas	1,283	14.3	0.41	8.5	0.25	1,245	11.5	0.33	6.7	0.21
Respiratory System	7,115	81.1	0.98	47.6	0.59	6,627	63.0	0.79	38.4	0.51
Larynx	466	5.0	0.24	3.3	0.16	126	1.2	0.11	0.8	0.08
Lung & bronchus	6,511	74.6	0.95	43.2	0.56	6,424	61.0	0.78	37.1	0.50
Bones & Joints	105	1.2	0.12	1.1	0.11	78	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	362	4.1	0.22	2.9	0.17	305	3.0	0.17	2.4	0.15
Skin (excl. basal & sq.)	3,785	40.7	0.68	27.6	0.46	3,108	30.7	0.56	23.6	0.45
Melanomas of the skin	3,491	37.3	0.65	25.7	0.45	2,909	28.8	0.54	22.4	0.44
Breast (excl. <i>in situ</i>)	99	1.1	0.11	0.7	0.07	15,139	142.1	1.18	101.9	0.87
Female Genital System	-	-	-	-	-	5,682	52.8	0.72	38.3	0.54
Cervix uteri	-	-	-	-	-	693	7.2	0.28	5.7	0.23
Uterus Corpus	-	-	-	-	-	2,837	25.8	0.49	19.1	0.37
Uterus, NOS ¹	-	-	-	-	-	40	0.4	0.06	0.2	0.04
Ovary	-	-	-	-	-	1,564	14.4	0.37	10.0	0.27
Male Genital System	16,172	170.6	1.38	118.4	0.96	-	-	-	-	-
Prostate	15,350	161.7	1.34	110.7	0.91	-	-	-	-	-
Testis	712	7.6	0.29	7.1	0.27	-	-	-	-	-
Penis	70	0.8	0.10	0.5	0.06	-	-	-	-	-
Urinary System	5,924	66.9	0.89	39.9	0.54	2,392	22.3	0.47	14.4	0.32
Bladder (incl. <i>in situ</i>)	3,670	42.8	0.72	23.7	0.41	1,096	10.2	0.31	5.9	0.20
Kidney & renal pelvis	2,121	22.5	0.50	15.4	0.35	1,237	11.6	0.34	8.1	0.25
Ureter	74	0.9	0.11	0.5	0.06	37	0.3	0.06	0.2	0.03
Eye & Orbit	95	1.0	0.11	0.8	0.09	83	0.9	0.10	0.7	0.09
Brain & Other Nervous System	837	8.9	0.32	7.4	0.28	691	6.9	0.27	5.9	0.26
Brain	788	8.4	0.31	6.9	0.27	647	6.4	0.26	5.4	0.24
Endocrine System	723	7.4	0.28	5.9	0.23	1,966	20.2	0.46	16.8	0.40
Thyroid gland	651	6.7	0.27	5.2	0.21	1,913	19.6	0.46	16.3	0.39
Lymphomas	2,953	32.5	0.61	22.0	0.43	2,315	22.2	0.47	15.3	0.35
Hodgkin Lymphoma	347	3.7	0.20	3.3	0.19	258	2.8	0.18	2.6	0.17
Non-Hodgkin Lymphoma	2,606	28.8	0.58	18.7	0.38	2,057	19.3	0.44	12.7	0.31
Multiple Myeloma	688	7.8	0.30	4.7	0.19	499	4.6	0.21	2.8	0.14
Leukemias	1,771	19.9	0.48	13.1	0.34	1,296	12.4	0.35	9.0	0.30
Acute lymphocytic	136	1.6	0.14	1.9	0.18	121	1.5	0.13	1.9	0.19
Chronic lymphocytic	807	8.9	0.32	5.4	0.20	578	5.3	0.22	3.2	0.14
Acute myeloid	431	4.9	0.24	3.1	0.16	325	3.2	0.18	2.2	0.14
Chronic myeloid	226	2.6	0.17	1.5	0.11	155	1.5	0.12	1.0	0.09
Other leukemias	171	1.9	0.15	1.2	0.09	117	1.1	0.10	0.7	0.08
Mesothelioma	237	2.8	0.19	1.5	0.10	68	0.6	0.08	0.4	0.05
Kaposi Sarcoma	89	1.0	0.11	0.7	0.08	-	-	-	-	-
Ill-defined & Unknown	1,813	21.4	0.51	11.5	0.29	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,100	11.9	0.37	8.6	0.28	2,231	21.4	0.46	15.2	0.35
Breast (<i>in situ</i>)	9	0.1	0.04	0.1	0.02	4,199	39.7	0.62	29.7	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2006-2010, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,308	618.4	14.81	418.2	9.07	1,658	425.6	11.07	289.5	7.39
Oral Cavity & Pharynx	52	10.8	1.66	8.5	1.24	18	4.1	1.00	3.4	0.83
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	2.1	0.73	1.6	0.53	-	-	-	-	-
Major salivary gland	7	1.2	0.44	1.1	0.42	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	1.5	0.68	1.0	0.44	6	1.4	0.58	1.2	0.49
Nasopharynx	6	1.3	0.66	0.8	0.33	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	481	131.2	6.95	84.7	4.03	337	91.9	5.28	57.8	3.29
Esophagus	23	5.4	1.29	3.9	0.84	9	2.4	0.84	1.5	0.51
Stomach	44	12.6	2.17	8.0	1.25	30	7.9	1.52	4.6	0.88
Small intestine	22	5.6	1.38	4.0	0.89	13	3.2	0.95	2.3	0.65
Colon excl. rectum	122	35.8	3.78	21.7	2.05	116	31.4	3.08	19.8	1.92
Rectum & rectosigmoid	65	18.2	2.62	11.4	1.48	45	11.6	1.83	7.6	1.16
Anus, anal canal & anorectum	13	2.1	0.59	1.8	0.50	-	-	-	-	-
Liver	109	26.4	2.87	19.2	1.92	40	9.9	1.66	7.2	1.18
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	56	16.4	2.55	9.9	1.39	43	13.3	2.12	7.2	1.15
Respiratory System	307	95.7	6.19	60.3	3.56	208	60.7	4.41	38.7	2.80
Larynx	23	5.7	1.38	4.2	0.91	-	-	-	-	-
Lung & bronchus	278	88.5	5.99	55.1	3.41	201	58.6	4.33	37.6	2.77
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	24	4.5	1.14	3.6	0.75	11	2.6	0.86	1.9	0.58
Skin (excl. basal & sq.)	13	3.1	1.04	2.0	0.57	9	2.0	0.70	1.8	0.61
Melanomas of the skin	7	2.1	0.97	1.2	0.47	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	507	122.8	5.75	88.4	4.07
Female Genital System	-	-	-	-	-	157	40.4	3.42	27.2	2.25
Cervix uteri	-	-	-	-	-	29	6.1	1.17	5.0	0.96
Uterus Corpus	-	-	-	-	-	73	20.1	2.47	13.1	1.59
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	39	10.2	1.74	6.4	1.07
Male Genital System	879	227.6	8.59	164.7	5.78	-	-	-	-	-
Prostate	867	224.9	8.54	163.0	5.75	-	-	-	-	-
Testis	7	1.0	0.37	0.9	0.35	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	210	56.0	4.49	37.1	2.66	75	20.3	2.48	13.6	1.64
Bladder (incl. <i>in situ</i>)	64	20.1	2.85	11.8	1.53	20	5.1	1.17	4.1	0.96
Kidney & renal pelvis	141	33.1	3.22	24.3	2.14	52	14.0	2.08	9.0	1.30
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	25	4.7	1.09	3.7	0.76	20	3.9	0.92	3.7	0.85
Brain	23	4.4	1.07	3.4	0.74	19	3.7	0.90	3.5	0.84
Endocrine System	18	4.4	1.26	3.0	0.73	72	13.9	1.68	11.6	1.40
Thyroid gland	13	3.1	1.05	2.1	0.59	68	13.2	1.64	11.0	1.36
Lymphomas	113	23.0	2.51	17.6	1.72	75	17.6	2.18	12.8	1.52
Hodgkin Lymphoma	21	3.2	0.75	2.9	0.66	19	3.2	0.75	3.1	0.71
Non-Hodgkin Lymphoma	92	19.8	2.40	14.6	1.59	56	14.4	2.04	9.7	1.34
Multiple Myeloma	61	18.1	2.64	11.3	1.50	50	14.5	2.16	8.4	1.25
Leukemias	45	15.2	2.70	8.4	1.29	45	10.8	1.73	8.0	1.24
Acute lymphocytic	9	1.1	0.36	1.5	0.50	-	-	-	-	-
Chronic lymphocytic	11	4.1	1.38	2.2	0.67	10	3.3	1.06	1.7	0.58
Acute myeloid	10	4.3	1.52	1.8	0.60	17	3.5	0.90	3.0	0.75
Chronic myeloid	8	3.5	1.39	1.5	0.54	8	1.7	0.60	1.4	0.51
Other leukemias	7	2.3	1.01	1.4	0.55	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	11	2.1	0.73	1.5	0.47	-	-	-	-	-
Ill-defined & Unknown	56	18.8	2.92	9.9	1.38	66	18.2	2.36	11.1	1.43
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	45	10.5	1.87	7.7	1.20	88	21.9	2.47	14.4	1.58
Breast (<i>in situ</i>)	-	-	-	-	-	146	36.3	3.17	25.5	2.19

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,876	378.9	7.58	240.2	4.56	3,620	314.5	5.37	215.8	3.70
Oral Cavity & Pharynx	111	12.2	1.22	9.2	0.89	53	4.4	0.62	3.2	0.45
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	27	2.7	0.54	2.3	0.45	15	1.3	0.34	0.9	0.23
Major salivary gland	10	1.2	0.43	0.7	0.23	8	0.7	0.25	0.6	0.21
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	13	1.7	0.51	1.1	0.30	9	0.8	0.28	0.5	0.18
Nasopharynx	45	4.7	0.73	3.7	0.56	16	1.2	0.30	0.9	0.24
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	898	114.8	4.11	74.8	2.54	806	75.5	2.73	45.5	1.66
Esophagus	22	2.9	0.66	1.7	0.37	16	1.6	0.41	0.9	0.22
Stomach	133	18.9	1.74	11.1	0.98	123	11.6	1.08	6.8	0.64
Small intestine	10	1.4	0.48	0.8	0.26	12	1.1	0.32	0.7	0.21
Colon excl. rectum	196	25.6	1.98	16.1	1.17	224	20.7	1.42	12.6	0.87
Rectum & rectosigmoid	135	15.9	1.47	11.1	0.97	138	11.7	1.02	8.2	0.71
Anus, anal canal & anorectum	-	-	-	-	-	7	0.6	0.24	0.4	0.16
Liver	237	27.8	1.92	19.8	1.31	122	11.9	1.10	7.0	0.66
Gallbladder	10	1.6	0.53	0.9	0.28	18	1.7	0.41	1.1	0.27
Pancreas	83	10.9	1.28	7.2	0.80	88	9.2	1.00	4.6	0.51
Respiratory System	433	63.2	3.24	35.4	1.73	371	35.9	1.91	21.4	1.16
Larynx	11	1.6	0.52	0.9	0.27	-	-	-	-	-
Lung & bronchus	415	60.8	3.18	34.0	1.70	363	35.3	1.89	20.7	1.13
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	28	2.9	0.59	2.3	0.44	20	1.6	0.37	1.5	0.36
Skin (excl. basal & sq.)	18	2.1	0.54	1.3	0.32	20	1.8	0.43	1.2	0.28
Melanomas of the skin	11	1.2	0.37	0.8	0.26	9	0.8	0.26	0.5	0.18
Breast (excl. <i>in situ</i>)	6	0.9	0.37	0.5	0.21	1,089	88.6	2.74	65.9	2.03
Female Genital System	-	-	-	-	-	438	35.4	1.72	26.6	1.30
Cervix uteri	-	-	-	-	-	78	6.2	0.71	4.7	0.54
Uterus Corpus	-	-	-	-	-	208	16.5	1.17	12.8	0.90
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	122	10.2	0.95	7.4	0.68
Male Genital System	629	84.8	3.59	54.8	2.22	-	-	-	-	-
Prostate	592	81.7	3.55	52.0	2.17	-	-	-	-	-
Testis	29	2.3	0.43	2.1	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	231	32.6	2.30	18.9	1.26	112	10.3	1.00	6.7	0.67
Bladder (incl. <i>in situ</i>)	133	19.8	1.83	10.9	0.96	39	3.9	0.63	2.1	0.35
Kidney & renal pelvis	91	11.7	1.32	7.4	0.79	69	6.0	0.74	4.4	0.55
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	37	3.9	0.71	3.2	0.54	51	4.2	0.60	3.8	0.58
Brain	33	3.6	0.69	2.9	0.52	45	3.7	0.57	3.3	0.53
Endocrine System	62	6.1	0.82	4.8	0.63	291	22.4	1.34	17.7	1.06
Thyroid gland	50	4.9	0.72	3.8	0.55	279	21.3	1.30	16.8	1.03
Lymphomas	172	22.1	1.83	13.7	1.07	146	13.1	1.11	8.8	0.77
Hodgkin Lymphoma	19	1.6	0.38	1.6	0.37	12	0.8	0.25	0.8	0.25
Non-Hodgkin Lymphoma	153	20.5	1.79	12.1	1.00	134	12.3	1.09	8.0	0.73
Multiple Myeloma	34	4.5	0.81	2.8	0.49	41	3.9	0.62	2.4	0.38
Leukemias	83	9.5	1.13	7.5	0.85	71	6.1	0.74	5.1	0.65
Acute lymphocytic	20	1.7	0.38	2.3	0.52	21	1.7	0.38	1.9	0.45
Chronic lymphocytic	12	1.7	0.55	0.9	0.28	7	0.6	0.24	0.4	0.16
Acute myeloid	25	3.0	0.66	2.0	0.41	29	2.5	0.48	1.9	0.37
Chronic myeloid	15	1.8	0.50	1.3	0.33	8	0.6	0.23	0.5	0.17
Other leukemias	11	1.2	0.39	1.0	0.30	6	0.6	0.26	0.4	0.15
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	9	0.9	0.33	0.6	0.22	-	-	-	-	-
Ill-defined & Unknown	118	17.6	1.73	9.7	0.90	104	10.7	1.07	5.4	0.55
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	70	8.3	1.08	5.4	0.66	210	18.2	1.29	12.9	0.92
Breast (<i>in situ</i>)	-	-	-	-	-	417	33.5	1.66	25.7	1.27

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	714	661.7	30.36	398.1	15.41	786	540.1	21.33	362.9	13.20
Oral Cavity & Pharynx	23	17.6	4.34	11.9	2.54	7	4.2	1.83	2.7	1.01
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	196	183.2	16.55	105.4	7.84	136	100.3	9.51	64.1	5.61
Esophagus	15	13.5	4.27	7.5	1.97	-	-	-	-	-
Stomach	17	17.1	5.22	9.6	2.41	9	7.2	2.59	4.6	1.57
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	50	59.7	10.54	29.1	4.31	48	33.4	5.20	23.6	3.47
Rectum & rectosigmoid	22	16.0	3.73	11.8	2.59	18	13.8	3.70	7.6	1.81
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	55	42.2	7.18	27.2	3.79	12	8.8	2.86	5.1	1.51
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	19	16.2	4.51	9.8	2.31	30	23.5	4.76	14.3	2.66
Respiratory System	122	129.8	13.66	73.2	6.77	116	91.1	9.26	57.1	5.40
Larynx	10	11.4	4.00	6.0	1.92	-	-	-	-	-
Lung & bronchus	110	117.4	13.04	66.5	6.47	109	86.6	9.06	54.1	5.27
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	6	4.3	2.00	2.7	1.10
Skin (excl. basal & sq.)	12	10.8	3.83	6.2	1.81	19	11.5	2.93	8.2	1.90
Melanomas of the skin	11	10.2	3.79	5.8	1.77	17	10.6	2.86	7.4	1.82
Breast (excl. <i>in situ</i>)	-	-	-	-	-	235	149.6	10.68	106.5	7.08
Female Genital System	-	-	-	-	-	101	64.4	7.07	44.5	4.50
Cervix uteri	-	-	-	-	-	24	13.4	2.82	10.4	2.15
Uterus Corpus	-	-	-	-	-	51	33.3	5.18	22.5	3.21
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	18	13.0	3.45	7.9	1.90
Male Genital System	143	129.2	12.84	83.1	7.15	-	-	-	-	-
Prostate	132	123.7	12.71	78.2	6.99	-	-	-	-	-
Testis	10	4.4	1.41	4.2	1.32	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	88	80.5	10.48	48.9	5.40	40	27.8	4.87	19.3	3.11
Bladder (incl. <i>in situ</i>)	39	44.3	8.40	23.2	3.84	9	6.1	2.23	4.4	1.50
Kidney & renal pelvis	48	35.8	6.24	25.3	3.78	31	21.8	4.33	14.9	2.72
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	16	7.9	2.01	7.5	1.91	-	-	-	-	-
Brain	15	7.4	1.95	7.1	1.87	-	-	-	-	-
Endocrine System	10	5.4	1.74	4.8	1.57	31	17.0	3.23	13.2	2.40
Thyroid gland	9	4.9	1.67	4.4	1.52	31	17.0	3.23	13.2	2.40
Lymphomas	50	38.6	6.52	26.0	3.77	33	26.2	5.07	15.7	2.78
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	7.6	3.90	3.9	1.66	12	9.3	2.94	5.6	1.65
Leukemias	19	16.5	4.97	9.9	2.37	19	13.4	3.46	8.8	2.06
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	7	9.5	4.37	4.5	1.76	-	-	-	-	-
Acute myeloid	6	4.3	2.09	2.8	1.17	6	4.9	2.21	2.8	1.14
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	22.9	6.32	12.4	2.83	22	16.6	3.99	10.5	2.28
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	22	20.6	6.09	12.8	2.89	40	24.5	4.23	17.4	2.80
Breast (<i>in situ</i>)	-	-	-	-	-	52	28.7	4.29	21.8	3.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,243	427.8	15.61	263.0	8.23	1,374	366.5	11.65	248.7	7.29
Oral Cavity & Pharynx	41	12.4	2.47	8.3	1.42	16	3.8	1.05	2.8	0.76
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	2.1	0.79	1.7	0.58	-	-	-	-	-
Major salivary gland	6	1.8	0.99	1.1	0.48	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	291	103.9	7.66	62.6	4.00	200	67.6	5.43	39.8	3.00
Esophagus	22	8.2	2.15	4.6	1.06	-	-	-	-	-
Stomach	30	10.9	2.63	6.3	1.28	24	7.7	1.89	4.1	0.91
Small intestine	-	-	-	-	-	6	1.2	0.55	1.1	0.50
Colon excl. rectum	66	25.8	3.98	15.0	2.00	54	19.4	2.98	10.9	1.59
Rectum & rectosigmoid	42	12.0	2.23	8.7	1.48	31	8.5	1.77	5.6	1.08
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	63	20.0	3.11	13.1	1.78	14	4.9	1.48	2.9	0.81
Gallbladder	-	-	-	-	-	10	2.9	1.02	2.0	0.67
Pancreas	25	12.7	2.99	6.4	1.33	34	13.8	2.54	7.7	1.37
Respiratory System	109	53.6	6.11	27.4	2.75	94	33.0	3.78	20.4	2.22
Larynx	6	2.7	1.40	1.4	0.59	-	-	-	-	-
Lung & bronchus	99	49.2	5.87	25.1	2.64	86	30.8	3.66	18.9	2.14
Bones & Joints	7	0.8	0.34	0.9	0.36	7	1.0	0.45	1.0	0.43
Soft Tissue (incl. heart)	14	2.1	0.65	2.0	0.60	13	2.6	0.82	2.0	0.62
Skin (excl. basal & sq.)	27	9.5	2.45	5.5	1.22	33	7.8	1.65	5.1	0.98
Melanomas of the skin	15	4.8	1.68	2.8	0.86	31	6.9	1.51	4.7	0.91
Breast (excl. <i>in situ</i>)	-	-	-	-	-	398	100.4	5.74	73.3	3.96
Female Genital System	-	-	-	-	-	187	45.7	3.95	32.0	2.56
Cervix uteri	-	-	-	-	-	59	10.9	1.69	8.1	1.16
Uterus Corpus	-	-	-	-	-	63	17.4	2.50	12.3	1.67
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	52	13.2	2.15	9.2	1.37
Male Genital System	343	120.6	8.03	78.2	4.57	-	-	-	-	-
Prostate	291	116.0	8.01	73.7	4.53	-	-	-	-	-
Testis	50	4.3	0.65	4.3	0.62	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	137	53.1	5.67	31.1	2.87	62	17.5	2.61	11.9	1.65
Bladder (incl. <i>in situ</i>)	52	24.3	3.99	13.4	1.95	16	6.4	1.69	4.1	1.05
Kidney & renal pelvis	82	26.0	3.67	16.6	2.02	43	10.1	1.87	7.2	1.23
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	37	7.0	1.69	5.3	1.01	40	9.4	1.92	5.9	1.02
Brain	33	6.4	1.66	4.8	0.96	38	8.8	1.83	5.7	1.00
Endocrine System	24	3.6	0.90	3.0	0.72	122	20.6	2.23	16.5	1.63
Thyroid gland	20	3.2	0.87	2.6	0.69	120	20.2	2.21	16.2	1.62
Lymphomas	85	25.3	3.81	15.1	1.93	100	27.6	3.29	18.5	2.02
Hodgkin Lymphoma	18	2.5	0.88	1.9	0.49	17	2.5	0.75	2.2	0.62
Non-Hodgkin Lymphoma	67	22.9	3.71	13.2	1.87	83	25.1	3.20	16.3	1.92
Multiple Myeloma	16	4.9	1.48	3.7	0.99	14	5.9	1.71	3.1	0.87
Leukemias	55	11.3	2.28	8.3	1.29	52	11.3	1.98	8.4	1.27
Acute lymphocytic	23	2.6	0.66	3.0	0.69	21	2.4	0.58	2.6	0.60
Chronic lymphocytic	-	-	-	-	-	11	4.4	1.43	2.7	0.84
Acute myeloid	18	3.9	1.26	2.7	0.76	11	2.9	1.04	1.9	0.64
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	14	2.7	1.10	1.7	0.54	-	-	-	-	-
Ill-defined & Unknown	35	13.9	3.08	7.8	1.45	31	11.3	2.24	7.2	1.38
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	44	8.4	1.92	5.8	1.01	95	22.8	2.87	15.2	1.72
Breast (<i>in situ</i>)	-	-	-	-	-	113	26.9	2.86	19.7	1.96

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Seattle/Puget Sound

412 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	52,359	589.4	2.64	384.0	1.76	48,625	475.2	2.21	327.4	1.63
Oral Cavity & Pharynx	1,648	17.2	0.43	12.3	0.31	785	7.6	0.28	5.1	0.20
Lip	118	1.3	0.13	0.8	0.08	47	0.4	0.07	0.3	0.04
Tongue	554	5.6	0.25	4.2	0.18	237	2.3	0.15	1.6	0.11
Major salivary gland	122	1.4	0.13	0.8	0.08	97	1.0	0.10	0.7	0.08
Floor of mouth	84	0.8	0.09	0.6	0.07	49	0.5	0.07	0.3	0.05
Gum & other mouth	192	2.1	0.16	1.4	0.11	194	1.8	0.13	1.1	0.09
Nasopharynx	49	0.5	0.08	0.4	0.06	14	0.1	0.04	0.1	0.03
Oropharynx	47	0.5	0.07	0.4	0.05	18	0.2	0.04	0.1	0.03
Hypopharynx	82	0.9	0.10	0.6	0.07	39	0.4	0.06	0.3	0.04
Digestive System	8,807	99.0	1.08	61.9	0.69	7,068	67.1	0.82	40.4	0.53
Esophagus	827	9.3	0.33	5.8	0.21	233	2.2	0.15	1.3	0.09
Stomach	717	8.2	0.31	5.0	0.19	344	3.3	0.18	2.0	0.12
Small intestine	275	3.1	0.19	2.0	0.12	201	1.9	0.14	1.3	0.10
Colon excl. rectum	2,828	32.7	0.63	19.4	0.38	2,913	27.7	0.53	15.7	0.33
Rectum & rectosigmoid	1,312	14.4	0.41	9.6	0.27	942	9.1	0.30	6.1	0.22
Anus, anal canal & anorectum	177	1.9	0.14	1.3	0.10	272	2.5	0.16	1.7	0.11
Liver	896	9.0	0.31	6.6	0.23	266	2.5	0.16	1.7	0.12
Gallbladder	56	0.7	0.09	0.4	0.05	145	1.3	0.11	0.7	0.07
Pancreas	1,260	14.4	0.42	8.6	0.25	1,217	11.5	0.34	6.7	0.21
Respiratory System	7,013	81.8	1.00	48.2	0.60	6,536	63.5	0.80	38.8	0.52
Larynx	461	5.0	0.24	3.4	0.16	123	1.2	0.11	0.8	0.08
Lung & bronchus	6,418	75.2	0.96	43.7	0.57	6,341	61.6	0.79	37.5	0.51
Bones & Joints	98	1.2	0.12	1.1	0.12	71	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	348	4.2	0.23	2.9	0.18	292	3.0	0.18	2.4	0.16
Skin (excl. basal & sq.)	3,759	42.0	0.70	28.7	0.49	3,076	32.0	0.59	24.8	0.48
Melanomas of the skin	3,477	38.6	0.67	26.8	0.47	2,878	30.0	0.57	23.6	0.47
Breast (excl. <i>in situ</i>)	97	1.1	0.12	0.7	0.07	14,764	143.2	1.20	102.8	0.89
Female Genital System	-	-	-	-	-	5,504	52.9	0.73	38.4	0.55
Cervix uteri	-	-	-	-	-	637	7.0	0.28	5.6	0.23
Uterus Corpus	-	-	-	-	-	2,777	26.0	0.50	19.3	0.38
Uterus, NOS ¹	-	-	-	-	-	39	0.3	0.06	0.2	0.04
Ovary	-	-	-	-	-	1,514	14.4	0.38	10.0	0.28
Male Genital System	15,848	171.9	1.40	119.6	0.98	-	-	-	-	-
Prostate	15,076	162.8	1.36	111.5	0.93	-	-	-	-	-
Testis	663	7.9	0.31	7.3	0.29	-	-	-	-	-
Penis	69	0.8	0.10	0.5	0.06	-	-	-	-	-
Urinary System	5,792	67.2	0.90	40.1	0.55	2,334	22.4	0.47	14.4	0.33
Bladder (incl. <i>in situ</i>)	3,620	43.2	0.73	23.9	0.42	1,081	10.3	0.32	6.0	0.20
Kidney & renal pelvis	2,042	22.4	0.51	15.4	0.36	1,196	11.6	0.34	8.0	0.26
Ureter	72	0.9	0.11	0.5	0.06	37	0.3	0.06	0.2	0.03
Eye & Orbit	93	1.1	0.11	0.8	0.09	79	0.9	0.10	0.7	0.09
Brain & Other Nervous System	801	9.1	0.33	7.6	0.30	654	6.9	0.28	6.0	0.28
Brain	756	8.5	0.32	7.0	0.28	612	6.4	0.27	5.4	0.26
Endocrine System	699	7.6	0.29	6.1	0.25	1,847	20.2	0.48	16.8	0.41
Thyroid gland	631	6.8	0.28	5.4	0.22	1,796	19.6	0.47	16.3	0.40
Lymphomas	2,874	32.9	0.63	22.4	0.45	2,222	22.0	0.48	15.2	0.36
Hodgkin Lymphoma	330	3.9	0.22	3.5	0.20	242	2.9	0.19	2.7	0.19
Non-Hodgkin Lymphoma	2,544	29.1	0.59	19.0	0.40	1,980	19.1	0.44	12.5	0.31
Multiple Myeloma	675	7.8	0.31	4.7	0.19	488	4.6	0.21	2.9	0.14
Leukemias	1,719	20.1	0.50	13.2	0.36	1,247	12.4	0.36	9.0	0.32
Acute lymphocytic	114	1.5	0.14	1.8	0.19	102	1.4	0.14	1.9	0.21
Chronic lymphocytic	803	9.1	0.33	5.5	0.20	567	5.3	0.23	3.2	0.15
Acute myeloid	413	4.9	0.25	3.1	0.17	314	3.2	0.19	2.3	0.15
Chronic myeloid	222	2.6	0.18	1.6	0.11	151	1.5	0.12	1.0	0.09
Other leukemias	167	1.9	0.15	1.2	0.10	113	1.1	0.10	0.7	0.08
Mesothelioma	233	2.8	0.19	1.5	0.11	68	0.7	0.08	0.4	0.05
Kaposi Sarcoma	77	0.9	0.10	0.7	0.08	-	-	-	-	-
Ill-defined & Unknown	1,778	21.6	0.52	11.6	0.29	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,059	12.0	0.38	8.7	0.29	2,147	21.4	0.47	15.2	0.36
Breast (<i>in situ</i>)	9	0.1	0.04	0.1	0.02	4,092	40.1	0.64	30.0	0.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,285	630.5	15.13	427.4	9.30	1,632	434.2	11.34	296.1	7.61
Oral Cavity & Pharynx	52	11.1	1.71	8.8	1.28	17	4.0	1.02	3.4	0.84
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	2.1	0.75	1.6	0.55	-	-	-	-	-
Major salivary gland	7	1.2	0.46	1.1	0.44	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	1.5	0.70	1.1	0.45	-	-	-	-	-
Nasopharynx	6	1.3	0.68	0.9	0.35	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	474	133.3	7.10	86.2	4.12	331	93.4	5.40	58.9	3.37
Esophagus	21	5.0	1.24	3.6	0.82	9	2.5	0.86	1.5	0.53
Stomach	43	12.8	2.22	8.1	1.28	29	7.9	1.55	4.7	0.90
Small intestine	22	5.8	1.42	4.1	0.92	13	3.4	0.98	2.4	0.68
Colon excl. rectum	120	36.4	3.87	22.0	2.09	115	32.3	3.16	20.3	1.98
Rectum & rectosigmoid	65	18.8	2.69	11.8	1.53	45	12.0	1.89	7.8	1.21
Anus, anal canal & anorectum	13	2.2	0.62	1.8	0.53	-	-	-	-	-
Liver	108	26.6	2.90	19.6	1.97	39	10.1	1.70	7.3	1.21
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	55	16.7	2.61	10.1	1.43	42	13.3	2.14	7.2	1.16
Respiratory System	306	97.9	6.33	61.7	3.65	207	62.3	4.53	39.8	2.88
Larynx	23	5.9	1.41	4.4	0.94	-	-	-	-	-
Lung & bronchus	277	90.5	6.13	56.3	3.50	200	60.2	4.44	38.7	2.85
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	24	4.7	1.17	3.8	0.79	11	2.7	0.89	2.0	0.62
Skin (excl. basal & sq.)	13	3.2	1.07	2.1	0.59	8	1.8	0.65	1.5	0.57
Melanomas of the skin	7	2.2	1.00	1.3	0.49	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	502	126.3	5.92	91.1	4.20
Female Genital System	-	-	-	-	-	155	41.3	3.51	27.8	2.31
Cervix uteri	-	-	-	-	-	28	6.2	1.21	5.1	0.99
Uterus Corpus	-	-	-	-	-	72	20.4	2.53	13.2	1.62
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	39	10.5	1.79	6.7	1.10
Male Genital System	872	232.5	8.80	168.1	5.91	-	-	-	-	-
Prostate	861	229.9	8.74	166.4	5.89	-	-	-	-	-
Testis	7	1.0	0.40	1.0	0.38	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	209	57.0	4.56	38.0	2.74	73	20.4	2.53	13.8	1.69
Bladder (incl. <i>in situ</i>)	64	20.6	2.93	12.1	1.57	20	5.2	1.21	4.2	0.99
Kidney & renal pelvis	140	33.5	3.23	25.0	2.19	50	14.0	2.11	9.1	1.33
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	24	4.8	1.13	3.8	0.79	18	3.6	0.89	3.4	0.83
Brain	22	4.5	1.11	3.5	0.76	17	3.4	0.86	3.3	0.82
Endocrine System	18	4.5	1.30	3.1	0.76	71	14.5	1.75	12.1	1.46
Thyroid gland	13	3.2	1.08	2.1	0.61	67	13.7	1.71	11.4	1.42
Lymphomas	110	23.1	2.53	17.9	1.78	71	17.3	2.19	12.6	1.54
Hodgkin Lymphoma	20	3.2	0.78	3.0	0.69	18	3.2	0.77	3.1	0.74
Non-Hodgkin Lymphoma	90	19.9	2.41	14.9	1.64	53	14.1	2.05	9.5	1.35
Multiple Myeloma	58	17.7	2.64	11.2	1.53	49	14.6	2.19	8.6	1.28
Leukemias	45	15.7	2.77	8.8	1.34	45	11.3	1.79	8.4	1.30
Acute lymphocytic	9	1.2	0.40	1.6	0.55	-	-	-	-	-
Chronic lymphocytic	11	4.2	1.41	2.2	0.69	10	3.4	1.09	1.8	0.60
Acute myeloid	10	4.4	1.55	1.9	0.62	17	3.6	0.94	3.2	0.79
Chronic myeloid	8	3.6	1.42	1.5	0.56	8	1.7	0.62	1.5	0.53
Other leukemias	7	2.3	1.03	1.5	0.56	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	11	2.2	0.75	1.6	0.49	-	-	-	-	-
Ill-defined & Unknown	56	19.3	2.99	10.2	1.42	66	18.8	2.43	11.5	1.48
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	45	10.9	1.92	8.1	1.25	88	22.7	2.55	14.9	1.64
Breast (<i>in situ</i>)	-	-	-	-	-	145	37.2	3.25	26.2	2.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	29,320	557.7	3.34	367.6	2.26	26,359	434.1	2.74	305.2	2.09
Oral Cavity & Pharynx	946	17.3	0.58	12.7	0.42	381	6.2	0.33	4.5	0.25
Lip	40	0.8	0.13	0.5	0.08	17	0.3	0.07	0.2	0.06
Tongue	256	4.6	0.29	3.5	0.22	88	1.5	0.16	1.1	0.13
Major salivary gland	78	1.6	0.19	0.9	0.11	46	0.8	0.12	0.6	0.10
Floor of mouth	87	1.6	0.17	1.2	0.13	24	0.3	0.07	0.2	0.05
Gum & other mouth	118	2.2	0.21	1.5	0.14	93	1.4	0.15	0.9	0.11
Nasopharynx	42	0.7	0.12	0.6	0.10	11	0.2	0.06	0.2	0.06
Oropharynx	50	0.9	0.13	0.7	0.10	18	0.3	0.07	0.2	0.05
Hypopharynx	68	1.2	0.15	0.9	0.11	21	0.3	0.07	0.2	0.06
Digestive System	5,366	102.4	1.43	65.4	0.93	4,378	68.8	1.06	43.7	0.74
Esophagus	532	9.7	0.43	6.6	0.30	103	1.6	0.16	1.0	0.11
Stomach	416	7.9	0.40	5.0	0.26	238	3.8	0.25	2.5	0.18
Small intestine	128	2.4	0.22	1.6	0.15	102	1.7	0.17	1.1	0.12
Colon excl. rectum	2,066	40.2	0.91	24.6	0.57	2,104	32.9	0.73	20.2	0.50
Rectum & rectosigmoid	945	17.8	0.59	11.9	0.40	680	10.9	0.43	7.3	0.31
Anus, anal canal & anorectum	54	1.1	0.15	0.7	0.10	139	2.3	0.20	1.7	0.15
Liver	376	7.0	0.37	4.8	0.27	172	2.7	0.21	1.8	0.16
Gallbladder	33	0.7	0.12	0.4	0.07	89	1.4	0.15	0.8	0.10
Pancreas	653	12.5	0.50	7.7	0.31	584	9.0	0.38	5.4	0.25
Respiratory System	6,191	116.5	1.51	74.3	0.98	4,672	73.2	1.08	48.9	0.77
Larynx	480	8.7	0.40	6.1	0.29	145	2.4	0.20	1.8	0.16
Lung & bronchus	5,635	106.4	1.45	67.1	0.92	4,478	70.0	1.06	46.5	0.75
Bones & Joints	59	1.2	0.16	1.1	0.15	29	0.6	0.11	0.5	0.10
Soft Tissue (incl. heart)	186	3.8	0.28	2.8	0.23	151	2.8	0.23	2.3	0.23
Skin (excl. basal & sq.)	1,297	25.4	0.72	17.1	0.51	964	18.0	0.60	13.9	0.49
Melanomas of the skin	1,222	23.9	0.70	16.3	0.49	899	16.8	0.58	13.1	0.48
Breast (excl. <i>in situ</i>)	75	1.5	0.18	0.9	0.11	6,622	110.2	1.39	79.4	1.05
Female Genital System	-	-	-	-	-	3,228	55.1	1.00	41.3	0.78
Cervix uteri	-	-	-	-	-	492	9.9	0.46	7.9	0.38
Uterus Corpus	-	-	-	-	-	1,691	27.7	0.69	21.2	0.54
Uterus, NOS ¹	-	-	-	-	-	47	0.8	0.12	0.6	0.09
Ovary	-	-	-	-	-	759	12.7	0.47	9.1	0.36
Male Genital System	7,549	138.5	1.63	94.3	1.12	-	-	-	-	-
Prostate	7,249	131.8	1.58	88.2	1.06	-	-	-	-	-
Testis	241	5.7	0.37	5.4	0.35	-	-	-	-	-
Penis	49	0.9	0.13	0.6	0.09	-	-	-	-	-
Urinary System	3,178	62.2	1.13	38.6	0.72	1,522	24.2	0.63	16.2	0.47
Bladder (incl. <i>in situ</i>)	1,956	38.8	0.90	22.5	0.53	695	10.7	0.41	6.5	0.28
Kidney & renal pelvis	1,148	22.0	0.67	15.2	0.48	790	12.9	0.47	9.4	0.37
Ureter	51	1.0	0.14	0.6	0.08	28	0.4	0.08	0.2	0.05
Eye & Orbit	48	0.9	0.13	0.6	0.09	53	0.9	0.13	0.7	0.13
Brain & Other Nervous System	415	8.3	0.42	6.9	0.38	343	6.2	0.35	5.1	0.32
Brain	390	7.8	0.40	6.4	0.37	322	5.8	0.34	4.8	0.31
Endocrine System	333	6.6	0.37	5.4	0.32	962	18.8	0.63	15.7	0.54
Thyroid gland	304	6.0	0.35	4.8	0.29	934	18.3	0.62	15.2	0.53
Lymphomas	1,351	26.6	0.74	18.5	0.54	1,204	19.9	0.59	13.9	0.45
Hodgkin Lymphoma	152	3.3	0.27	2.9	0.25	118	2.4	0.23	2.2	0.23
Non-Hodgkin Lymphoma	1,199	23.2	0.69	15.6	0.48	1,086	17.5	0.54	11.6	0.39
Multiple Myeloma	343	6.6	0.36	4.1	0.23	281	4.3	0.26	2.7	0.18
Leukemias	862	17.4	0.61	11.8	0.46	647	10.8	0.44	8.1	0.39
Acute lymphocytic	67	1.6	0.19	1.8	0.25	54	1.2	0.17	1.5	0.24
Chronic lymphocytic	331	6.4	0.36	3.9	0.22	230	3.5	0.23	2.1	0.16
Acute myeloid	234	4.8	0.32	3.2	0.23	219	3.8	0.26	2.7	0.22
Chronic myeloid	121	2.5	0.23	1.6	0.16	86	1.5	0.17	1.1	0.13
Other leukemias	109	2.2	0.22	1.3	0.13	58	0.9	0.12	0.6	0.10
Mesothelioma	131	2.6	0.23	1.4	0.13	24	0.4	0.09	0.3	0.06
Kaposi Sarcoma	8	0.2	0.07	0.1	0.05	-	-	-	-	-
Ill-defined & Unknown	982	19.7	0.65	11.6	0.40	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	302	6.1	0.36	4.3	0.27	696	11.6	0.45	8.5	0.36
Breast (<i>in situ</i>)	9	0.2	0.05	0.1	0.04	1,334	22.3	0.63	16.6	0.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	28,313	557.0	3.39	367.0	2.31	25,553	435.7	2.80	306.4	2.13
Oral Cavity & Pharynx	924	17.5	0.59	12.8	0.43	373	6.3	0.33	4.5	0.26
Lip	40	0.8	0.13	0.5	0.08	17	0.3	0.07	0.2	0.06
Tongue	250	4.6	0.30	3.5	0.23	86	1.5	0.16	1.1	0.13
Major salivary gland	78	1.7	0.19	1.0	0.11	45	0.8	0.12	0.6	0.10
Floor of mouth	84	1.6	0.17	1.2	0.13	24	0.4	0.07	0.2	0.05
Gum & other mouth	114	2.2	0.22	1.5	0.15	90	1.4	0.15	0.9	0.11
Nasopharynx	40	0.7	0.12	0.6	0.10	10	0.2	0.06	0.2	0.06
Oropharynx	48	0.9	0.13	0.7	0.10	17	0.3	0.07	0.2	0.05
Hypopharynx	68	1.3	0.16	0.9	0.12	21	0.3	0.08	0.3	0.06
Digestive System	5,176	102.1	1.45	65.2	0.95	4,222	68.6	1.08	43.5	0.75
Esophagus	524	9.8	0.44	6.7	0.30	100	1.6	0.16	1.0	0.11
Stomach	396	7.8	0.40	5.0	0.26	225	3.7	0.25	2.5	0.18
Small intestine	119	2.3	0.22	1.6	0.15	95	1.6	0.17	1.1	0.12
Colon excl. rectum	1,994	40.1	0.92	24.6	0.58	2,036	32.9	0.74	20.3	0.51
Rectum & rectosigmoid	910	17.7	0.60	11.9	0.41	654	10.9	0.44	7.3	0.32
Anus, anal canal & anorectum	53	1.1	0.15	0.7	0.10	136	2.3	0.20	1.7	0.16
Liver	351	6.8	0.37	4.6	0.26	165	2.7	0.21	1.8	0.16
Gallbladder	30	0.6	0.12	0.4	0.07	87	1.4	0.15	0.8	0.10
Pancreas	640	12.6	0.51	7.8	0.32	564	8.9	0.38	5.4	0.25
Respiratory System	6,007	116.7	1.54	74.4	1.00	4,561	73.8	1.11	49.4	0.79
Larynx	466	8.7	0.41	6.1	0.29	142	2.4	0.21	1.9	0.16
Lung & bronchus	5,471	106.7	1.47	67.1	0.94	4,370	70.6	1.08	46.9	0.77
Bones & Joints	58	1.3	0.17	1.1	0.16	27	0.6	0.11	0.5	0.11
Soft Tissue (incl. heart)	177	3.7	0.29	2.7	0.23	145	2.7	0.24	2.3	0.23
Skin (excl. basal & sq.)	1,290	26.1	0.75	17.7	0.53	954	18.5	0.62	14.3	0.51
Melanomas of the skin	1,216	24.6	0.72	16.9	0.52	893	17.4	0.60	13.6	0.50
Breast (excl. <i>in situ</i>)	71	1.5	0.18	0.9	0.11	6,402	110.1	1.41	79.4	1.07
Female Genital System	-	-	-	-	-	3,099	54.8	1.02	41.1	0.80
Cervix uteri	-	-	-	-	-	464	9.7	0.47	7.8	0.38
Uterus Corpus	-	-	-	-	-	1,609	27.3	0.70	20.8	0.55
Uterus, NOS ¹	-	-	-	-	-	46	0.8	0.12	0.6	0.09
Ovary	-	-	-	-	-	743	12.9	0.49	9.2	0.37
Male Genital System	7,170	136.0	1.64	92.6	1.14	-	-	-	-	-
Prostate	6,872	128.9	1.59	86.2	1.07	-	-	-	-	-
Testis	240	6.0	0.39	5.7	0.38	-	-	-	-	-
Penis	49	0.9	0.14	0.6	0.09	-	-	-	-	-
Urinary System	3,103	62.8	1.16	38.9	0.74	1,485	24.4	0.65	16.4	0.48
Bladder (incl. <i>in situ</i>)	1,928	39.4	0.92	22.9	0.55	679	10.8	0.42	6.6	0.29
Kidney & renal pelvis	1,103	21.9	0.68	15.2	0.49	770	13.0	0.48	9.5	0.38
Ureter	49	1.0	0.14	0.6	0.08	28	0.4	0.08	0.3	0.05
Eye & Orbit	47	0.9	0.14	0.6	0.09	52	0.9	0.13	0.7	0.12
Brain & Other Nervous System	407	8.5	0.43	7.0	0.40	335	6.3	0.36	5.2	0.34
Brain	382	7.9	0.42	6.5	0.38	314	5.9	0.35	4.8	0.32
Endocrine System	320	6.6	0.38	5.4	0.32	935	19.1	0.65	15.9	0.56
Thyroid gland	293	6.0	0.36	4.8	0.29	907	18.6	0.64	15.4	0.55
Lymphomas	1,312	26.7	0.76	18.6	0.55	1,167	19.9	0.60	13.9	0.46
Hodgkin Lymphoma	145	3.3	0.28	2.9	0.26	115	2.5	0.24	2.3	0.24
Non-Hodgkin Lymphoma	1,167	23.4	0.70	15.6	0.49	1,052	17.5	0.55	11.7	0.40
Multiple Myeloma	325	6.4	0.37	4.0	0.23	264	4.2	0.26	2.6	0.18
Leukemias	832	17.4	0.62	11.8	0.47	634	11.0	0.45	8.3	0.41
Acute lymphocytic	65	1.6	0.20	1.9	0.27	53	1.2	0.18	1.6	0.25
Chronic lymphocytic	316	6.4	0.37	3.8	0.22	223	3.5	0.23	2.1	0.16
Acute myeloid	227	4.8	0.33	3.2	0.23	214	3.8	0.27	2.8	0.23
Chronic myeloid	119	2.5	0.23	1.6	0.16	86	1.5	0.17	1.1	0.14
Other leukemias	105	2.2	0.22	1.3	0.14	58	0.9	0.13	0.7	0.10
Mesothelioma	129	2.6	0.23	1.4	0.13	24	0.4	0.09	0.3	0.06
Kaposi Sarcoma	7	0.2	0.06	0.1	0.05	-	-	-	-	-
Ill-defined & Unknown	958	19.9	0.66	11.7	0.41	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	287	6.0	0.36	4.3	0.27	666	11.5	0.46	8.5	0.37
Breast (<i>in situ</i>)	9	0.2	0.06	0.1	0.04	1,291	22.4	0.64	16.6	0.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	815	588.6	22.19	400.6	14.50	592	359.1	14.99	250.8	11.17
Oral Cavity & Pharynx	16	10.6	2.77	8.6	2.20	7	5.0	1.92	3.8	1.46
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	162	118.7	10.00	77.0	6.29	129	75.7	6.77	49.3	4.76
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	18	14.4	3.64	8.3	2.05	10	5.9	1.90	3.5	1.27
Small intestine	9	6.9	2.47	3.8	1.31	-	-	-	-	-
Colon excl. rectum	62	45.3	6.18	29.8	3.93	59	34.2	4.53	20.7	3.05
Rectum & rectosigmoid	32	23.9	4.46	14.9	2.76	20	11.9	2.70	8.3	1.98
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	21	14.0	3.35	10.1	2.29	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	7.2	2.32	5.3	1.65	19	11.0	2.56	7.5	1.81
Respiratory System	164	120.2	10.03	81.5	6.57	93	55.8	5.87	37.0	4.18
Larynx	11	6.9	2.22	4.9	1.54	-	-	-	-	-
Lung & bronchus	147	109.4	9.63	73.8	6.28	90	54.1	5.78	35.9	4.13
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	4.1	1.48	3.4	1.21	6	3.8	1.60	4.0	1.65
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	170	105.7	8.25	78.1	6.36
Female Genital System	-	-	-	-	-	55	33.7	4.61	25.2	3.61
Cervix uteri	-	-	-	-	-	14	8.5	2.31	6.4	1.77
Uterus Corpus	-	-	-	-	-	31	19.0	3.45	14.6	2.77
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	5.1	1.83	3.6	1.35
Male Genital System	289	216.0	13.69	145.0	8.81	-	-	-	-	-
Prostate	289	216.0	13.69	145.0	8.81	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	65	44.9	6.02	30.2	3.87	31	18.4	3.35	10.9	2.21
Bladder (incl. <i>in situ</i>)	23	17.1	3.87	11.6	2.49	14	8.3	2.25	4.2	1.30
Kidney & renal pelvis	40	26.2	4.45	17.8	2.89	16	9.6	2.43	6.5	1.78
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	4.0	1.75	3.3	1.41	6	3.2	1.34	2.5	1.24
Brain	6	4.0	1.75	3.3	1.41	6	3.2	1.34	2.5	1.24
Endocrine System	9	4.7	1.66	4.2	1.47	14	8.8	2.41	6.1	1.75
Thyroid gland	7	3.8	1.52	3.0	1.18	14	8.8	2.41	6.1	1.75
Lymphomas	28	17.3	3.50	14.5	2.79	26	15.8	3.17	10.5	2.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	12.0	3.38	7.4	1.94	16	9.8	2.46	6.5	1.75
Leukemias	22	13.6	3.09	9.9	2.20	12	7.3	2.13	4.8	1.47
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	11	7.5	2.42	4.7	1.48	6	3.8	1.56	2.4	1.04
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	15.8	3.73	10.6	2.37	22	13.1	2.83	9.5	2.21
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	13	8.8	2.55	7.2	2.04	24	14.6	3.05	8.4	1.95
Breast (<i>in situ</i>)	-	-	-	-	-	37	23.3	3.90	17.7	3.03

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	37	168.1	34.40	105.4	17.66	66	217.7	29.15	150.1	18.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	54.3	22.00	31.3	10.13	6	20.7	9.27	13.3	5.50
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	7	31.3	12.67	17.0	6.47
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	7	31.3	12.67	17.0	6.47
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	25	73.1	15.33	55.3	11.13
Female Genital System	-	-	-	-	-	9	27.5	10.18	18.6	6.23
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	49.0	14.98	35.7	9.92	-	-	-	-	-
Prostate	13	49.0	14.98	35.7	9.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	8	20.8	7.44	17.4	6.20
Thyroid gland	-	-	-	-	-	8	20.8	7.44	17.4	6.20
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	44	130.2	21.09	96.8	14.94	40	116.9	18.91	86.3	13.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	37.5	11.41	25.6	7.60	9	25.0	8.45	18.9	6.50
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	23.9	9.73	15.2	5.90	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	21.6	9.45	13.3	5.58	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	8	24.8	8.95	17.9	6.42
Female Genital System	-	-	-	-	-	11	33.2	10.19	24.0	7.28
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	6	19.4	8.08	12.8	5.27
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	31.9	9.64	26.9	7.93	-	-	-	-	-
Prostate	10	29.2	9.45	23.6	7.58	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	23.9	9.60	16.5	6.31	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WEST VIRGINIA

420 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	28,282	559.5	3.41	368.8	2.32	25,521	437.6	2.82	307.9	2.15
Oral Cavity & Pharynx	924	17.6	0.59	12.9	0.44	373	6.3	0.34	4.5	0.26
Lip	40	0.8	0.13	0.5	0.08	17	0.3	0.08	0.2	0.06
Tongue	250	4.6	0.30	3.5	0.23	86	1.5	0.17	1.1	0.13
Major salivary gland	78	1.7	0.19	1.0	0.11	45	0.8	0.12	0.6	0.11
Floor of mouth	84	1.6	0.18	1.2	0.13	24	0.4	0.07	0.2	0.05
Gum & other mouth	114	2.3	0.22	1.5	0.15	90	1.4	0.15	0.9	0.11
Nasopharynx	40	0.7	0.12	0.6	0.10	10	0.2	0.06	0.2	0.06
Oropharynx	48	0.9	0.14	0.7	0.10	17	0.3	0.07	0.2	0.05
Hypopharynx	68	1.3	0.16	0.9	0.12	21	0.3	0.08	0.3	0.06
Digestive System	5,168	102.5	1.46	65.4	0.95	4,214	68.8	1.08	43.7	0.75
Esophagus	524	9.9	0.44	6.8	0.31	100	1.6	0.16	1.0	0.11
Stomach	396	7.8	0.40	5.0	0.26	222	3.7	0.25	2.4	0.18
Small intestine	118	2.3	0.22	1.5	0.15	94	1.6	0.17	1.0	0.12
Colon excl. rectum	1,991	40.2	0.92	24.6	0.58	2,034	33.1	0.75	20.3	0.51
Rectum & rectosigmoid	908	17.8	0.60	11.9	0.41	653	10.9	0.44	7.3	0.32
Anus, anal canal & anorectum	53	1.1	0.15	0.7	0.10	136	2.3	0.20	1.7	0.16
Liver	350	6.8	0.37	4.6	0.27	165	2.7	0.21	1.8	0.16
Gallbladder	30	0.6	0.12	0.4	0.07	87	1.4	0.15	0.8	0.10
Pancreas	639	12.7	0.51	7.9	0.32	563	9.0	0.38	5.4	0.26
Respiratory System	6,002	117.2	1.55	74.7	1.00	4,558	74.1	1.11	49.6	0.80
Larynx	466	8.8	0.41	6.2	0.30	142	2.4	0.21	1.9	0.16
Lung & bronchus	5,466	107.1	1.48	67.4	0.95	4,367	70.9	1.09	47.1	0.77
Bones & Joints	58	1.3	0.17	1.1	0.16	27	0.6	0.11	0.5	0.11
Soft Tissue (incl. heart)	176	3.7	0.29	2.7	0.23	144	2.7	0.24	2.3	0.23
Skin (excl. basal & sq.)	1,290	26.3	0.75	17.9	0.53	954	18.6	0.63	14.5	0.52
Melanomas of the skin	1,216	24.8	0.73	17.0	0.52	893	17.5	0.61	13.7	0.51
Breast (excl. <i>in situ</i>)	71	1.5	0.18	0.9	0.11	6,396	110.7	1.42	79.7	1.07
Female Genital System	-	-	-	-	-	3,090	55.0	1.02	41.2	0.80
Cervix uteri	-	-	-	-	-	462	9.8	0.47	7.8	0.38
Uterus Corpus	-	-	-	-	-	1,603	27.4	0.70	20.9	0.55
Uterus, NOS ¹	-	-	-	-	-	46	0.8	0.12	0.6	0.10
Ovary	-	-	-	-	-	742	12.9	0.49	9.2	0.38
Male Genital System	7,162	136.6	1.65	93.0	1.14	-	-	-	-	-
Prostate	6,865	129.4	1.60	86.6	1.07	-	-	-	-	-
Testis	239	6.1	0.40	5.7	0.38	-	-	-	-	-
Penis	49	1.0	0.14	0.6	0.09	-	-	-	-	-
Urinary System	3,097	63.0	1.16	39.1	0.74	1,482	24.5	0.65	16.5	0.49
Bladder (incl. <i>in situ</i>)	1,925	39.5	0.92	23.0	0.55	678	10.9	0.42	6.7	0.29
Kidney & renal pelvis	1,100	22.0	0.68	15.3	0.49	768	13.1	0.48	9.5	0.39
Ureter	49	1.0	0.15	0.6	0.08	28	0.4	0.08	0.3	0.05
Eye & Orbit	47	0.9	0.14	0.6	0.09	52	0.9	0.13	0.7	0.13
Brain & Other Nervous System	406	8.6	0.44	7.1	0.40	335	6.4	0.36	5.2	0.34
Brain	381	8.0	0.42	6.6	0.38	314	5.9	0.35	4.9	0.32
Endocrine System	320	6.7	0.38	5.5	0.33	935	19.3	0.65	16.1	0.57
Thyroid gland	293	6.1	0.37	4.9	0.30	907	18.7	0.64	15.6	0.55
Lymphomas	1,310	26.9	0.76	18.6	0.56	1,165	20.0	0.60	14.0	0.47
Hodgkin Lymphoma	145	3.4	0.29	3.0	0.26	115	2.5	0.24	2.3	0.24
Non-Hodgkin Lymphoma	1,165	23.5	0.71	15.7	0.49	1,050	17.5	0.55	11.7	0.40
Multiple Myeloma	325	6.5	0.37	4.0	0.23	264	4.2	0.26	2.6	0.18
Leukemias	832	17.6	0.63	11.9	0.48	634	11.1	0.46	8.3	0.42
Acute lymphocytic	65	1.6	0.20	1.9	0.27	53	1.3	0.18	1.6	0.26
Chronic lymphocytic	316	6.4	0.37	3.8	0.22	223	3.5	0.23	2.1	0.16
Acute myeloid	227	4.8	0.33	3.2	0.24	214	3.9	0.27	2.8	0.23
Chronic myeloid	119	2.5	0.24	1.6	0.17	86	1.6	0.17	1.1	0.14
Other leukemias	105	2.2	0.22	1.3	0.14	58	1.0	0.13	0.7	0.10
Mesothelioma	129	2.6	0.24	1.4	0.13	24	0.4	0.09	0.3	0.06
Kaposi Sarcoma	7	0.2	0.06	0.1	0.05	-	-	-	-	-
Ill-defined & Unknown	958	20.0	0.66	11.8	0.41	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	286	6.0	0.37	4.3	0.28	665	11.6	0.46	8.5	0.37
Breast (<i>in situ</i>)	9	0.2	0.06	0.1	0.04	1,291	22.5	0.64	16.7	0.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	815	594.4	22.40	404.6	14.64	592	362.3	15.13	253.3	11.29
Oral Cavity & Pharynx	16	10.7	2.80	8.6	2.22	7	5.1	1.95	3.9	1.48
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	162	119.9	10.09	77.8	6.35	129	76.3	6.82	49.8	4.80
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	18	14.5	3.67	8.4	2.06	10	6.0	1.92	3.5	1.28
Small intestine	9	7.0	2.49	3.9	1.32	-	-	-	-	-
Colon excl. rectum	62	45.8	6.25	30.2	3.97	59	34.5	4.57	20.9	3.07
Rectum & rectosigmoid	32	24.1	4.50	15.0	2.78	20	12.0	2.72	8.3	1.99
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	21	14.2	3.38	10.2	2.32	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	7.2	2.33	5.4	1.66	19	11.1	2.58	7.6	1.83
Respiratory System	164	121.3	10.12	82.3	6.63	93	56.3	5.91	37.3	4.22
Larynx	11	6.9	2.24	5.0	1.55	-	-	-	-	-
Lung & bronchus	147	110.4	9.72	74.4	6.34	90	54.6	5.83	36.3	4.17
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	4.2	1.51	3.5	1.23	6	3.9	1.64	4.1	1.69
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	170	106.7	8.33	78.9	6.43
Female Genital System	-	-	-	-	-	55	34.0	4.66	25.5	3.64
Cervix uteri	-	-	-	-	-	14	8.6	2.34	6.4	1.79
Uterus Corpus	-	-	-	-	-	31	19.1	3.48	14.7	2.79
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	5.1	1.85	3.6	1.37
Male Genital System	289	217.9	13.81	146.3	8.88	-	-	-	-	-
Prostate	289	217.9	13.81	146.3	8.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	65	45.4	6.08	30.6	3.91	31	18.5	3.37	11.0	2.23
Bladder (incl. <i>in situ</i>)	23	17.3	3.91	11.7	2.51	14	8.4	2.26	4.2	1.30
Kidney & renal pelvis	40	26.5	4.50	18.0	2.92	16	9.7	2.45	6.6	1.80
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	4.0	1.77	3.3	1.44	6	3.3	1.36	2.6	1.27
Brain	6	4.0	1.77	3.3	1.44	6	3.3	1.36	2.6	1.27
Endocrine System	9	4.8	1.67	4.3	1.50	14	8.9	2.44	6.2	1.77
Thyroid gland	7	3.8	1.53	3.0	1.19	14	8.9	2.44	6.2	1.77
Lymphomas	28	17.6	3.55	14.8	2.83	26	16.0	3.20	10.6	2.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	12.1	3.41	7.4	1.96	16	9.8	2.48	6.5	1.76
Leukemias	22	13.7	3.13	10.0	2.24	12	7.4	2.14	4.8	1.49
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	11	7.5	2.44	4.8	1.49	6	3.8	1.57	2.4	1.05
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	16.0	3.77	10.8	2.40	22	13.2	2.86	9.6	2.24
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	13	8.8	2.57	7.3	2.06	24	14.8	3.08	8.5	1.98
Breast (<i>in situ</i>)	-	-	-	-	-	37	23.6	3.95	17.9	3.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	75,173	530.8	1.97	349.5	1.34	69,443	419.2	1.62	290.1	1.21
Oral Cavity & Pharynx	2,280	15.2	0.32	11.1	0.24	1,105	6.7	0.20	4.7	0.16
Lip	129	0.9	0.08	0.5	0.05	56	0.3	0.05	0.2	0.03
Tongue	667	4.4	0.17	3.3	0.13	299	1.8	0.11	1.4	0.08
Major salivary gland	197	1.4	0.10	0.9	0.07	153	0.9	0.08	0.7	0.06
Floor of mouth	167	1.1	0.09	0.8	0.07	98	0.6	0.06	0.4	0.04
Gum & other mouth	242	1.7	0.11	1.2	0.08	250	1.4	0.09	0.9	0.07
Nasopharynx	86	0.6	0.06	0.4	0.05	34	0.2	0.04	0.2	0.03
Oropharynx	125	0.8	0.07	0.6	0.06	49	0.3	0.04	0.2	0.03
Hypopharynx	214	1.4	0.10	1.0	0.07	49	0.3	0.04	0.2	0.03
Digestive System	13,411	95.6	0.84	59.5	0.54	11,491	66.1	0.63	40.3	0.42
Esophagus	1,373	9.5	0.26	6.2	0.17	387	2.3	0.12	1.4	0.08
Stomach	1,151	8.3	0.25	5.1	0.16	649	3.8	0.15	2.4	0.10
Small intestine	377	2.6	0.14	1.7	0.09	344	2.0	0.11	1.4	0.08
Colon excl. rectum	4,682	34.2	0.51	20.0	0.31	5,108	29.0	0.41	16.7	0.27
Rectum & rectosigmoid	2,034	14.2	0.32	9.5	0.22	1,437	8.5	0.23	5.6	0.16
Anus, anal canal & anorectum	153	1.1	0.09	0.7	0.06	282	1.7	0.10	1.2	0.08
Liver	1,102	7.4	0.23	5.1	0.16	427	2.5	0.12	1.6	0.09
Gallbladder	95	0.7	0.07	0.4	0.04	250	1.4	0.09	0.8	0.06
Pancreas	1,962	14.1	0.32	8.6	0.20	1,888	10.8	0.25	6.6	0.17
Respiratory System	11,301	81.1	0.77	50.0	0.49	9,270	55.3	0.58	35.7	0.40
Larynx	953	6.5	0.21	4.5	0.15	220	1.3	0.09	1.0	0.07
Lung & bronchus	10,207	73.6	0.74	44.8	0.46	8,968	53.4	0.57	34.4	0.39
Bones & Joints	135	1.0	0.09	0.8	0.08	99	0.7	0.07	0.6	0.06
Soft Tissue (incl. heart)	524	3.7	0.16	2.7	0.13	461	2.9	0.14	2.3	0.12
Skin (excl. basal & sq.)	3,328	23.6	0.41	15.8	0.29	2,589	16.9	0.34	13.1	0.28
Melanomas of the skin	3,128	22.1	0.40	14.9	0.28	2,432	15.9	0.33	12.4	0.27
Breast (excl. <i>in situ</i>)	229	1.6	0.11	1.0	0.07	20,009	122.5	0.88	87.7	0.66
Female Genital System	-	-	-	-	-	8,428	51.1	0.57	37.7	0.44
Cervix uteri	-	-	-	-	-	845	5.8	0.20	4.7	0.17
Uterus Corpus	-	-	-	-	-	4,542	27.0	0.41	20.2	0.32
Uterus, NOS ¹	-	-	-	-	-	181	1.1	0.08	0.7	0.06
Ovary	-	-	-	-	-	2,207	13.4	0.29	9.6	0.22
Male Genital System	22,085	150.7	1.03	106.8	0.74	-	-	-	-	-
Prostate	21,035	142.9	1.00	99.8	0.71	-	-	-	-	-
Testis	917	6.8	0.23	6.4	0.22	-	-	-	-	-
Penis	102	0.8	0.08	0.4	0.05	-	-	-	-	-
Urinary System	8,588	62.2	0.68	37.7	0.43	3,740	22.1	0.37	14.4	0.26
Bladder (incl. <i>in situ</i>)	5,285	39.2	0.55	21.9	0.32	1,694	9.7	0.24	5.8	0.16
Kidney & renal pelvis	3,147	21.8	0.40	15.2	0.28	1,947	11.8	0.27	8.3	0.21
Ureter	110	0.8	0.08	0.5	0.05	81	0.5	0.05	0.3	0.03
Eye & Orbit	110	0.8	0.07	0.6	0.06	119	0.7	0.07	0.6	0.06
Brain & Other Nervous System	1,301	9.2	0.26	7.5	0.22	982	6.2	0.20	5.1	0.19
Brain	1,237	8.7	0.25	7.1	0.22	905	5.7	0.19	4.7	0.18
Endocrine System	906	6.3	0.21	5.1	0.18	2,349	16.2	0.34	13.4	0.29
Thyroid gland	795	5.5	0.20	4.4	0.16	2,248	15.5	0.33	12.9	0.28
Lymphomas	3,895	27.9	0.45	18.8	0.32	3,347	20.3	0.36	14.0	0.27
Hodgkin Lymphoma	503	3.6	0.16	3.2	0.15	426	3.0	0.15	2.7	0.14
Non-Hodgkin Lymphoma	3,392	24.3	0.42	15.7	0.28	2,921	17.3	0.33	11.2	0.23
Multiple Myeloma	1,076	7.8	0.24	4.7	0.15	839	4.9	0.17	3.1	0.12
Leukemias	2,826	20.6	0.39	14.0	0.29	1,943	11.8	0.27	8.8	0.24
Acute lymphocytic	262	1.9	0.12	2.3	0.15	206	1.5	0.11	1.9	0.15
Chronic lymphocytic	1,131	8.2	0.25	4.9	0.15	668	3.8	0.15	2.3	0.10
Acute myeloid	729	5.3	0.20	3.5	0.14	550	3.4	0.15	2.4	0.12
Chronic myeloid	325	2.4	0.13	1.5	0.09	246	1.5	0.10	1.1	0.08
Other leukemias	379	2.8	0.14	1.8	0.10	273	1.6	0.10	1.1	0.08
Mesothelioma	308	2.3	0.13	1.3	0.08	99	0.6	0.06	0.3	0.04
Kaposi Sarcoma	32	0.2	0.04	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,838	21.2	0.40	11.7	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,145	8.1	0.24	5.9	0.19	2,173	13.5	0.29	9.8	0.23
Breast (<i>in situ</i>)	31	0.2	0.04	0.1	0.03	5,163	32.1	0.45	24.3	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2006-2010, White**

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	69,591	517.3	1.99	340.9	1.37	64,463	413.7	1.67	287.2	1.26
Oral Cavity & Pharynx	2,107	14.8	0.33	10.9	0.24	1,035	6.7	0.21	4.7	0.16
Lip	126	1.0	0.09	0.6	0.05	53	0.3	0.05	0.2	0.03
Tongue	622	4.3	0.17	3.3	0.13	286	1.9	0.11	1.4	0.09
Major salivary gland	185	1.4	0.10	0.9	0.07	140	0.9	0.08	0.7	0.07
Floor of mouth	154	1.1	0.09	0.8	0.07	93	0.6	0.06	0.4	0.05
Gum & other mouth	217	1.6	0.11	1.1	0.08	239	1.5	0.10	1.0	0.07
Nasopharynx	75	0.5	0.06	0.4	0.05	25	0.2	0.04	0.1	0.03
Oropharynx	113	0.8	0.07	0.6	0.06	43	0.3	0.04	0.2	0.03
Hypopharynx	196	1.4	0.10	1.0	0.07	47	0.3	0.04	0.2	0.03
Digestive System	12,263	91.8	0.84	57.0	0.54	10,463	63.2	0.63	38.4	0.43
Esophagus	1,293	9.4	0.27	6.2	0.18	343	2.1	0.12	1.3	0.08
Stomach	1,041	7.9	0.25	4.8	0.16	540	3.3	0.14	2.1	0.10
Small intestine	348	2.6	0.14	1.7	0.10	308	1.9	0.11	1.3	0.08
Colon excl. rectum	4,329	33.2	0.51	19.4	0.31	4,739	28.2	0.42	16.1	0.27
Rectum & rectosigmoid	1,882	13.8	0.32	9.2	0.22	1,319	8.3	0.23	5.5	0.17
Anus, anal canal & anorectum	136	1.0	0.09	0.7	0.06	261	1.7	0.11	1.2	0.08
Liver	895	6.4	0.22	4.3	0.15	352	2.1	0.12	1.4	0.09
Gallbladder	80	0.6	0.07	0.4	0.04	231	1.3	0.09	0.7	0.06
Pancreas	1,806	13.5	0.32	8.3	0.21	1,701	10.3	0.25	6.3	0.17
Respiratory System	10,264	77.2	0.77	47.5	0.49	8,489	53.4	0.59	34.5	0.41
Larynx	882	6.3	0.22	4.4	0.15	193	1.2	0.09	0.9	0.07
Lung & bronchus	9,258	69.9	0.74	42.4	0.46	8,219	51.6	0.58	33.2	0.40
Bones & Joints	124	1.0	0.09	0.8	0.08	94	0.7	0.07	0.6	0.07
Soft Tissue (incl. heart)	496	3.8	0.17	2.8	0.14	413	2.8	0.14	2.2	0.12
Skin (excl. basal & sq.)	3,187	23.9	0.43	16.1	0.30	2,471	17.5	0.36	13.6	0.30
Melanomas of the skin	2,995	22.4	0.41	15.2	0.29	2,319	16.5	0.35	12.9	0.29
Breast (excl. <i>in situ</i>)	209	1.6	0.11	1.0	0.07	18,819	122.6	0.91	87.8	0.69
Female Genital System	-	-	-	-	-	7,852	50.7	0.58	37.4	0.45
Cervix uteri	-	-	-	-	-	713	5.3	0.21	4.3	0.17
Uterus Corpus	-	-	-	-	-	4,293	27.1	0.42	20.4	0.33
Uterus, NOS ¹	-	-	-	-	-	158	1.0	0.08	0.7	0.06
Ovary	-	-	-	-	-	2,079	13.5	0.30	9.7	0.23
Male Genital System	20,401	146.7	1.04	104.2	0.76	-	-	-	-	-
Prostate	19,393	138.4	1.01	96.7	0.72	-	-	-	-	-
Testis	882	7.3	0.25	6.9	0.24	-	-	-	-	-
Penis	96	0.7	0.08	0.4	0.05	-	-	-	-	-
Urinary System	8,197	62.2	0.70	37.7	0.44	3,496	21.8	0.38	14.3	0.27
Bladder (incl. <i>in situ</i>)	5,131	39.6	0.56	22.2	0.33	1,620	9.8	0.25	5.9	0.16
Kidney & renal pelvis	2,922	21.4	0.40	14.9	0.29	1,787	11.5	0.28	8.1	0.22
Ureter	102	0.8	0.08	0.4	0.05	76	0.5	0.05	0.3	0.03
Eye & Orbit	107	0.8	0.08	0.6	0.07	113	0.8	0.07	0.6	0.07
Brain & Other Nervous System	1,210	9.2	0.27	7.6	0.24	907	6.3	0.21	5.2	0.20
Brain	1,150	8.7	0.26	7.1	0.23	840	5.8	0.20	4.7	0.19
Endocrine System	848	6.3	0.22	5.1	0.19	2,188	16.5	0.36	13.8	0.31
Thyroid gland	747	5.6	0.21	4.4	0.17	2,103	15.9	0.36	13.3	0.30
Lymphomas	3,679	27.9	0.47	18.9	0.33	3,163	20.4	0.37	14.1	0.29
Hodgkin Lymphoma	456	3.6	0.17	3.1	0.15	401	3.1	0.16	2.9	0.16
Non-Hodgkin Lymphoma	3,223	24.3	0.43	15.7	0.30	2,762	17.3	0.34	11.3	0.24
Multiple Myeloma	953	7.2	0.24	4.3	0.15	748	4.5	0.17	2.9	0.12
Leukemias	2,621	20.1	0.40	13.7	0.30	1,786	11.6	0.28	8.7	0.26
Acute lymphocytic	230	1.9	0.13	2.3	0.17	184	1.5	0.12	2.0	0.16
Chronic lymphocytic	1,072	8.1	0.25	4.9	0.16	635	3.8	0.15	2.3	0.10
Acute myeloid	672	5.2	0.20	3.3	0.14	504	3.3	0.15	2.4	0.13
Chronic myeloid	307	2.4	0.14	1.5	0.09	222	1.5	0.10	1.0	0.08
Other leukemias	340	2.6	0.14	1.7	0.10	241	1.5	0.10	1.0	0.08
Mesothelioma	300	2.4	0.14	1.3	0.08	96	0.6	0.06	0.3	0.04
Kaposi Sarcoma	24	0.2	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	2,601	20.3	0.40	11.3	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,066	8.1	0.25	5.9	0.20	1,995	13.2	0.30	9.6	0.24
Breast (<i>in situ</i>)	29	0.2	0.04	0.2	0.03	4,810	32.1	0.47	24.2	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	3,299	666.8	13.11	459.3	8.27	2,799	429.7	8.51	297.2	5.75
Oral Cavity & Pharynx	99	16.9	1.85	12.4	1.28	44	6.4	1.00	4.7	0.72
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	27	5.1	1.09	3.2	0.64	10	1.3	0.42	1.1	0.37
Major salivary gland	7	1.2	0.49	0.9	0.34	-	-	-	-	-
Floor of mouth	10	2.0	0.66	1.4	0.46	-	-	-	-	-
Gum & other mouth	12	1.8	0.52	1.6	0.47	9	1.4	0.49	0.9	0.31
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	6	1.0	0.41	0.7	0.29
Hypopharynx	10	1.5	0.50	1.2	0.40	-	-	-	-	-
Digestive System	702	148.1	6.36	96.3	3.76	576	94.0	4.10	60.7	2.60
Esophagus	44	9.1	1.49	6.2	0.96	27	4.3	0.87	2.7	0.54
Stomach	70	15.6	2.09	10.0	1.23	63	11.4	1.48	6.4	0.84
Small intestine	25	5.1	1.15	3.3	0.68	28	4.5	0.89	3.0	0.58
Colon excl. rectum	232	53.0	3.94	32.7	2.22	235	38.3	2.61	24.9	1.67
Rectum & rectosigmoid	85	16.8	2.06	11.1	1.24	70	10.5	1.32	7.1	0.87
Anus, anal canal & anorectum	14	2.0	0.58	1.4	0.39	11	1.6	0.50	1.1	0.34
Liver	124	20.2	1.94	16.2	1.50	32	5.1	0.95	3.3	0.59
Gallbladder	10	1.8	0.61	1.4	0.47	7	1.3	0.52	0.8	0.30
Pancreas	86	20.9	2.62	12.3	1.37	84	14.1	1.60	9.5	1.06
Respiratory System	627	137.8	6.15	90.6	3.73	431	70.1	3.51	47.7	2.35
Larynx	56	12.1	1.79	8.2	1.13	20	2.6	0.60	2.3	0.52
Lung & bronchus	560	123.9	5.85	80.9	3.53	410	67.2	3.45	45.3	2.30
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	22	2.9	0.68	2.6	0.56	30	4.0	0.80	2.9	0.54
Skin (excl. basal & sq.)	17	3.9	1.10	2.4	0.60	16	2.0	0.54	1.5	0.38
Melanomas of the skin	12	3.1	1.03	1.7	0.51	12	1.6	0.49	1.1	0.33
Breast (excl. <i>in situ</i>)	13	2.2	0.66	1.7	0.49	798	116.5	4.30	83.8	3.03
Female Genital System	-	-	-	-	-	331	49.1	2.82	35.7	2.01
Cervix uteri	-	-	-	-	-	76	9.8	1.15	7.8	0.90
Uterus Corpus	-	-	-	-	-	149	23.2	1.97	16.9	1.42
Uterus, NOS ¹	-	-	-	-	-	15	2.2	0.59	1.6	0.43
Ovary	-	-	-	-	-	67	9.8	1.27	6.9	0.86
Male Genital System	1,125	221.3	7.34	161.5	4.97	-	-	-	-	-
Prostate	1,111	219.6	7.32	160.0	4.96	-	-	-	-	-
Testis	10	1.1	0.35	1.0	0.32	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	232	47.1	3.51	32.0	2.17	138	22.3	1.99	14.6	1.27
Bladder (incl. <i>in situ</i>)	79	20.6	2.60	11.8	1.36	36	6.4	1.12	3.9	0.67
Kidney & renal pelvis	145	25.1	2.30	19.0	1.64	96	14.8	1.58	10.1	1.05
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	33	4.8	0.97	3.9	0.70	23	2.9	0.64	2.5	0.52
Brain	32	4.4	0.91	3.8	0.69	20	2.5	0.59	2.1	0.48
Endocrine System	26	3.9	0.80	3.2	0.66	90	11.8	1.31	9.2	0.98
Thyroid gland	22	3.1	0.70	2.6	0.59	78	10.1	1.18	8.0	0.91
Lymphomas	119	18.4	1.87	14.3	1.36	88	13.7	1.55	9.1	1.00
Hodgkin Lymphoma	36	4.3	0.74	4.0	0.68	16	1.9	0.50	1.5	0.39
Non-Hodgkin Lymphoma	83	14.1	1.72	10.4	1.18	72	11.8	1.46	7.6	0.92
Multiple Myeloma	88	18.3	2.25	12.2	1.35	69	11.8	1.47	7.3	0.90
Leukemias	91	17.8	2.25	11.9	1.29	73	10.4	1.32	7.5	0.90
Acute lymphocytic	13	1.1	0.33	1.4	0.38	10	0.8	0.25	1.1	0.37
Chronic lymphocytic	32	8.0	1.60	4.9	0.89	18	3.1	0.77	2.0	0.49
Acute myeloid	20	3.4	0.89	2.4	0.55	17	2.5	0.67	1.6	0.39
Chronic myeloid	10	1.9	0.67	1.2	0.38	16	2.5	0.65	1.6	0.40
Other leukemias	16	3.4	1.08	2.1	0.55	12	1.6	0.49	1.2	0.35
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	92	21.4	2.53	12.9	1.38	86	13.9	1.57	9.3	1.03
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	40	6.6	1.21	4.8	0.79	100	14.6	1.53	10.3	1.05
Breast (<i>in situ</i>)	-	-	-	-	-	260	37.6	2.41	28.8	1.83

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	380	294.2	17.68	180.4	9.62	529	286.2	13.55	188.3	8.47
Oral Cavity & Pharynx	17	9.2	2.40	7.4	1.88	13	6.5	1.92	4.7	1.34
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	6	2.9	1.25	2.0	0.86
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	3.5	1.39	3.0	1.20	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	115	90.2	9.88	53.7	5.18	109	66.4	6.79	40.3	3.98
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	24	23.3	5.43	11.7	2.45	23	15.0	3.34	8.1	1.74
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	20	17.5	4.68	9.4	2.20	28	17.3	3.50	10.1	1.95
Rectum & rectosigmoid	22	16.5	4.23	9.6	2.14	13	7.2	2.10	5.2	1.47
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	32	20.3	4.08	15.1	2.74	14	7.7	2.23	5.4	1.51
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	12	7.4	2.25	4.5	1.34
Respiratory System	45	39.6	6.73	22.6	3.46	51	32.5	4.84	19.4	2.82
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	40	37.6	6.67	20.7	3.35	50	31.9	4.80	18.9	2.77
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	150	79.9	6.97	54.3	4.55
Female Genital System	-	-	-	-	-	68	30.7	3.99	23.0	2.88
Cervix uteri	-	-	-	-	-	17	6.9	1.76	5.6	1.42
Uterus Corpus	-	-	-	-	-	30	14.3	2.77	10.4	1.93
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	6.2	1.87	4.2	1.19
Male Genital System	71	57.1	7.55	39.0	4.72	-	-	-	-	-
Prostate	66	55.5	7.50	37.4	4.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	20.9	4.75	12.4	2.53	21	14.4	3.32	8.0	1.81
Bladder (incl. <i>in situ</i>)	16	14.7	4.17	8.1	2.06	13	9.0	2.59	5.1	1.48
Kidney & renal pelvis	9	6.2	2.28	4.3	1.48	8	5.5	2.08	2.9	1.05
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	4.9	1.66	4.6	1.42	6	3.2	1.48	2.1	0.90
Brain	12	4.7	1.65	4.4	1.41	6	3.2	1.48	2.1	0.90
Endocrine System	14	4.9	1.54	4.5	1.27	35	13.8	2.56	11.2	1.99
Thyroid gland	13	4.7	1.53	4.1	1.22	33	12.1	2.26	10.4	1.90
Lymphomas	26	22.3	5.05	12.1	2.50	30	15.3	3.17	9.6	1.84
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	22	16.8	4.61	8.9	1.97	23	9.4	2.34	7.6	1.63
Acute lymphocytic	6	1.2	0.51	1.8	0.74	6	1.3	0.53	2.0	0.81
Chronic lymphocytic	6	7.5	3.34	2.9	1.18	-	-	-	-	-
Acute myeloid	7	5.4	2.44	2.9	1.14	12	4.6	1.59	4.0	1.23
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	16	13.2	3.82	7.5	1.93	15	10.3	2.82	5.8	1.53
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	12	6.3	2.21	4.6	1.40	26	13.8	2.92	9.3	1.89
Breast (<i>in situ</i>)	-	-	-	-	-	38	18.1	3.01	14.7	2.44

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	348	648.0	42.69	418.7	23.11	402	577.6	30.89	384.7	19.46
Oral Cavity & Pharynx	19	32.3	8.66	20.9	4.88	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	9.0	3.86	6.8	2.84	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	76	144.6	19.87	89.5	10.55	69	108.0	14.04	64.6	7.89
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	10.3	3.67	8.8	3.16	6	8.6	3.80	5.8	2.39
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	27	56.7	13.82	32.9	6.62	25	43.1	9.30	23.5	4.78
Rectum & rectosigmoid	19	33.2	8.62	21.7	5.06	11	15.2	4.80	10.3	3.14
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	12.5	4.63	9.2	3.32	9	14.9	5.41	7.8	2.63
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	7	16.6	7.03	8.6	3.30	7	10.2	4.17	6.7	2.55
Respiratory System	74	159.6	22.45	94.5	11.28	81	127.1	15.04	78.7	8.88
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	69	150.7	21.98	88.6	10.95	76	122.3	14.88	74.4	8.67
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	12	20.1	6.41	14.2	4.16	6	8.9	3.85	5.9	2.45
Melanomas of the skin	12	20.1	6.41	14.2	4.16	6	8.9	3.85	5.9	2.45
Breast (excl. <i>in situ</i>)	-	-	-	-	-	92	121.5	13.33	89.0	9.41
Female Genital System	-	-	-	-	-	56	69.7	9.85	51.9	7.01
Cervix uteri	-	-	-	-	-	19	21.7	5.11	16.5	3.78
Uterus Corpus	-	-	-	-	-	21	27.7	6.38	20.7	4.58
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	12.5	4.54	8.5	2.86
Male Genital System	84	158.7	22.06	105.1	11.87	-	-	-	-	-
Prostate	74	148.1	21.80	96.0	11.52	-	-	-	-	-
Testis	9	9.6	3.22	8.1	2.72	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	47.8	9.25	35.5	6.47	34	45.9	8.25	33.4	5.80
Bladder (incl. <i>in situ</i>)	8	12.2	4.46	9.5	3.40	9	10.9	3.71	8.8	2.95
Kidney & renal pelvis	22	33.4	7.80	24.6	5.34	24	33.8	7.27	23.4	4.85
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	4.6	1.98	6.2	2.54	-	-	-	-	-
Brain	6	4.6	1.98	6.2	2.54	-	-	-	-	-
Endocrine System	6	7.6	3.31	6.6	2.71	11	11.4	3.47	10.2	3.11
Thyroid gland	6	7.6	3.31	6.6	2.71	11	11.4	3.47	10.2	3.11
Lymphomas	12	22.5	7.79	13.4	3.94	16	26.7	7.17	15.6	3.97
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	14.1	5.81	9.9	3.36	9	11.9	4.39	8.7	2.92
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	6	7.5	3.47	5.8	2.40
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	22.7	10.28	12.4	4.41	11	21.6	6.66	10.4	3.17
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	20	28.3	6.59	19.5	4.42
Breast (<i>in situ</i>)	-	-	-	-	-	21	28.8	6.57	20.3	4.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2006-2010, Hispanic/Latino, All Races**

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,039	403.0	15.26	254.5	8.62	1,048	326.3	11.54	218.8	7.25
Oral Cavity & Pharynx	27	11.9	2.67	7.5	1.52	15	6.6	1.84	3.2	0.84
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	246	101.6	7.80	62.0	4.26	171	68.2	5.72	40.3	3.24
Esophagus	13	7.4	2.41	3.4	0.98	-	-	-	-	-
Stomach	35	15.1	3.03	8.2	1.49	18	5.9	1.56	4.1	1.02
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	54	19.8	3.23	12.6	1.90	58	25.1	3.55	14.0	1.92
Rectum & rectosigmoid	44	15.1	2.75	10.0	1.64	23	6.8	1.63	4.5	1.00
Anus, anal canal & anorectum	-	-	-	-	-	7	2.4	0.99	1.5	0.60
Liver	57	22.1	3.54	15.1	2.11	21	9.1	2.14	5.3	1.20
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	28	14.7	3.18	8.8	1.75	21	9.3	2.17	5.6	1.26
Respiratory System	99	47.2	5.44	26.6	2.82	69	29.7	3.82	17.8	2.23
Larynx	11	4.5	1.54	2.9	0.91	-	-	-	-	-
Lung & bronchus	85	42.1	5.20	23.1	2.63	67	28.4	3.71	17.3	2.21
Bones & Joints	7	0.7	0.25	0.8	0.31	-	-	-	-	-
Soft Tissue (incl. heart)	12	1.8	0.56	1.6	0.51	12	1.8	0.62	1.7	0.55
Skin (excl. basal & sq.)	13	4.6	1.58	2.6	0.78	22	5.2	1.41	3.5	0.83
Melanomas of the skin	10	3.4	1.32	2.1	0.72	17	4.5	1.36	2.8	0.73
Breast (excl. <i>in situ</i>)	-	-	-	-	-	299	85.2	5.53	61.2	3.79
Female Genital System	-	-	-	-	-	161	44.6	3.89	34.2	2.89
Cervix uteri	-	-	-	-	-	45	9.9	1.57	8.2	1.32
Uterus Corpus	-	-	-	-	-	69	20.6	2.67	16.5	2.10
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	41	12.5	2.23	8.3	1.38
Male Genital System	287	118.5	8.11	79.6	5.02	-	-	-	-	-
Prostate	253	114.2	8.06	75.5	4.96	-	-	-	-	-
Testis	29	3.0	0.61	3.0	0.60	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	87	33.2	4.26	20.6	2.39	50	19.0	2.97	11.5	1.71
Bladder (incl. <i>in situ</i>)	39	15.8	2.95	9.4	1.60	12	6.1	1.84	3.0	0.90
Kidney & renal pelvis	47	16.7	3.00	10.8	1.73	38	12.8	2.34	8.4	1.45
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	29	6.0	1.41	5.0	1.06	25	5.4	1.33	4.3	0.94
Brain	26	5.7	1.40	4.7	1.05	23	5.2	1.32	4.1	0.92
Endocrine System	15	2.8	0.86	2.5	0.76	75	13.7	1.81	11.2	1.38
Thyroid gland	14	2.8	0.86	2.4	0.75	73	13.4	1.80	11.0	1.37
Lymphomas	80	25.6	3.71	17.2	2.18	59	18.5	2.78	12.5	1.76
Hodgkin Lymphoma	20	3.3	0.85	3.1	0.77	8	1.9	0.88	1.5	0.60
Non-Hodgkin Lymphoma	60	22.3	3.61	14.1	2.04	51	16.6	2.64	11.0	1.65
Multiple Myeloma	11	5.2	1.87	2.2	0.74	16	6.7	1.83	3.4	0.89
Leukemias	67	17.0	3.06	12.0	1.69	43	10.3	2.04	6.9	1.12
Acute lymphocytic	29	3.3	0.84	3.7	0.76	12	1.1	0.35	1.4	0.42
Chronic lymphocytic	11	5.8	1.90	3.3	1.05	-	-	-	-	-
Acute myeloid	17	5.4	1.86	3.2	0.90	17	5.4	1.63	3.0	0.78
Chronic myeloid	-	-	-	-	-	7	1.5	0.68	1.2	0.49
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	46	23.5	4.20	11.9	1.88	27	10.7	2.26	6.3	1.29
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	27	5.7	1.49	4.3	0.88	40	12.9	2.41	7.7	1.31
Breast (<i>in situ</i>)	-	-	-	-	-	64	18.0	2.44	14.0	1.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WISCONSIN

428 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	68,711	520.8	2.02	343.8	1.39	63,536	416.3	1.69	289.4	1.29
Oral Cavity & Pharynx	2,083	15.0	0.33	11.0	0.25	1,020	6.7	0.22	4.8	0.17
Lip	125	1.0	0.09	0.6	0.05	51	0.3	0.05	0.2	0.03
Tongue	618	4.4	0.18	3.3	0.14	281	1.9	0.12	1.4	0.09
Major salivary gland	181	1.4	0.11	0.9	0.07	139	1.0	0.08	0.7	0.07
Floor of mouth	151	1.1	0.09	0.8	0.07	93	0.6	0.06	0.4	0.05
Gum & other mouth	214	1.6	0.11	1.1	0.08	235	1.5	0.10	1.0	0.07
Nasopharynx	74	0.5	0.06	0.4	0.05	24	0.2	0.04	0.1	0.03
Oropharynx	111	0.8	0.08	0.6	0.06	43	0.3	0.04	0.2	0.03
Hypopharynx	195	1.4	0.10	1.0	0.07	47	0.3	0.04	0.2	0.03
Digestive System	12,044	91.8	0.85	57.0	0.55	10,317	63.3	0.64	38.5	0.43
Esophagus	1,282	9.5	0.27	6.2	0.18	341	2.1	0.12	1.3	0.08
Stomach	1,006	7.7	0.25	4.7	0.16	525	3.2	0.14	2.0	0.10
Small intestine	346	2.6	0.14	1.7	0.10	303	1.9	0.11	1.3	0.08
Colon excl. rectum	4,281	33.3	0.52	19.5	0.32	4,688	28.3	0.42	16.2	0.28
Rectum & rectosigmoid	1,843	13.8	0.33	9.2	0.22	1,303	8.3	0.24	5.5	0.17
Anus, anal canal & anorectum	136	1.0	0.09	0.7	0.06	254	1.7	0.11	1.2	0.08
Liver	844	6.1	0.21	4.1	0.15	334	2.1	0.12	1.3	0.09
Gallbladder	78	0.6	0.07	0.4	0.04	226	1.3	0.09	0.7	0.06
Pancreas	1,781	13.6	0.33	8.4	0.21	1,684	10.3	0.26	6.4	0.17
Respiratory System	10,179	77.7	0.78	47.9	0.50	8,425	53.8	0.59	34.8	0.42
Larynx	872	6.3	0.22	4.4	0.15	191	1.2	0.09	0.9	0.07
Lung & bronchus	9,186	70.4	0.74	42.8	0.47	8,157	52.0	0.58	33.5	0.41
Bones & Joints	118	1.0	0.09	0.8	0.08	92	0.7	0.07	0.6	0.07
Soft Tissue (incl. heart)	484	3.8	0.18	2.8	0.14	404	2.8	0.15	2.2	0.13
Skin (excl. basal & sq.)	3,175	24.4	0.44	16.5	0.31	2,449	17.9	0.37	14.0	0.31
Melanomas of the skin	2,986	22.9	0.42	15.6	0.30	2,302	16.9	0.36	13.3	0.30
Breast (excl. <i>in situ</i>)	207	1.6	0.11	1.0	0.07	18,551	123.4	0.93	88.4	0.70
Female Genital System	-	-	-	-	-	7,713	50.8	0.59	37.6	0.46
Cervix uteri	-	-	-	-	-	674	5.3	0.21	4.2	0.17
Uterus Corpus	-	-	-	-	-	4,233	27.2	0.43	20.5	0.33
Uterus, NOS ¹	-	-	-	-	-	158	1.0	0.08	0.7	0.06
Ovary	-	-	-	-	-	2,042	13.5	0.31	9.8	0.24
Male Genital System	20,168	147.8	1.06	105.1	0.77	-	-	-	-	-
Prostate	19,188	139.2	1.02	97.3	0.72	-	-	-	-	-
Testis	858	7.6	0.26	7.2	0.26	-	-	-	-	-
Penis	92	0.7	0.08	0.4	0.05	-	-	-	-	-
Urinary System	8,128	62.7	0.70	38.1	0.45	3,455	22.0	0.38	14.4	0.28
Bladder (incl. <i>in situ</i>)	5,100	40.0	0.57	22.5	0.33	1,609	9.8	0.25	5.9	0.17
Kidney & renal pelvis	2,885	21.6	0.41	15.0	0.29	1,757	11.6	0.28	8.2	0.22
Ureter	101	0.8	0.08	0.4	0.05	76	0.5	0.06	0.3	0.03
Eye & Orbit	103	0.8	0.08	0.6	0.07	112	0.8	0.08	0.6	0.07
Brain & Other Nervous System	1,186	9.4	0.28	7.8	0.25	887	6.3	0.22	5.3	0.21
Brain	1,128	8.9	0.27	7.3	0.24	822	5.8	0.21	4.8	0.20
Endocrine System	834	6.5	0.23	5.2	0.19	2,119	16.7	0.37	13.9	0.32
Thyroid gland	734	5.7	0.21	4.5	0.18	2,035	16.1	0.37	13.4	0.31
Lymphomas	3,612	28.1	0.48	19.1	0.34	3,114	20.6	0.38	14.3	0.30
Hodgkin Lymphoma	440	3.7	0.18	3.2	0.16	393	3.3	0.17	3.0	0.16
Non-Hodgkin Lymphoma	3,172	24.5	0.44	15.9	0.30	2,721	17.3	0.34	11.3	0.25
Multiple Myeloma	942	7.3	0.24	4.4	0.15	732	4.5	0.17	2.9	0.12
Leukemias	2,570	20.2	0.40	13.8	0.31	1,747	11.7	0.29	8.8	0.27
Acute lymphocytic	209	1.9	0.13	2.3	0.18	175	1.6	0.12	2.0	0.17
Chronic lymphocytic	1,063	8.2	0.25	4.9	0.16	631	3.8	0.16	2.4	0.11
Acute myeloid	658	5.2	0.20	3.3	0.14	488	3.3	0.15	2.3	0.13
Chronic myeloid	304	2.4	0.14	1.5	0.09	215	1.5	0.10	1.0	0.08
Other leukemias	336	2.7	0.15	1.7	0.10	238	1.5	0.10	1.1	0.09
Mesothelioma	295	2.3	0.14	1.3	0.08	95	0.6	0.06	0.4	0.04
Kaposi Sarcoma	22	0.2	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	2,561	20.3	0.41	11.3	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,044	8.2	0.26	6.0	0.20	1,963	13.3	0.31	9.8	0.25
Breast (<i>in situ</i>)	28	0.2	0.04	0.1	0.03	4,755	32.4	0.48	24.5	0.37

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,292	678.8	13.36	467.3	8.41	2,781	434.9	8.63	300.9	5.84
Oral Cavity & Pharynx	99	17.2	1.89	12.7	1.31	44	6.5	1.02	4.8	0.74
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	27	5.2	1.12	3.3	0.65	10	1.3	0.43	1.2	0.38
Major salivary gland	7	1.2	0.50	0.9	0.35	-	-	-	-	-
Floor of mouth	10	2.0	0.67	1.4	0.47	-	-	-	-	-
Gum & other mouth	12	1.8	0.53	1.6	0.48	9	1.4	0.50	0.9	0.32
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	6	1.0	0.41	0.7	0.30
Hypopharynx	10	1.5	0.51	1.3	0.41	-	-	-	-	-
Digestive System	700	150.8	6.48	98.0	3.82	573	95.0	4.15	61.5	2.64
Esophagus	44	9.2	1.52	6.3	0.98	27	4.4	0.88	2.8	0.55
Stomach	70	15.9	2.13	10.1	1.25	63	11.5	1.51	6.5	0.85
Small intestine	25	5.2	1.17	3.4	0.70	28	4.6	0.91	3.0	0.59
Colon excl. rectum	232	54.1	4.02	33.4	2.26	232	38.4	2.63	25.1	1.69
Rectum & rectosigmoid	85	17.2	2.11	11.3	1.27	70	10.7	1.34	7.2	0.88
Anus, anal canal & anorectum	13	2.0	0.59	1.4	0.39	11	1.6	0.51	1.1	0.35
Liver	124	20.6	1.97	16.5	1.53	32	5.2	0.97	3.3	0.60
Gallbladder	10	1.9	0.62	1.5	0.48	7	1.4	0.53	0.8	0.31
Pancreas	86	21.4	2.67	12.5	1.39	84	14.3	1.62	9.7	1.08
Respiratory System	625	140.0	6.26	91.9	3.79	430	71.0	3.56	48.3	2.39
Larynx	56	12.4	1.83	8.4	1.15	20	2.7	0.61	2.3	0.53
Lung & bronchus	558	125.9	5.96	82.1	3.58	409	68.1	3.50	45.9	2.33
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	22	3.0	0.69	2.6	0.58	29	4.0	0.81	2.9	0.55
Skin (excl. basal & sq.)	17	4.0	1.13	2.4	0.61	16	2.1	0.55	1.6	0.39
Melanomas of the skin	12	3.2	1.06	1.7	0.52	12	1.6	0.50	1.2	0.34
Breast (excl. <i>in situ</i>)	13	2.3	0.67	1.7	0.50	791	117.9	4.36	84.7	3.08
Female Genital System	-	-	-	-	-	329	49.7	2.86	36.1	2.04
Cervix uteri	-	-	-	-	-	76	10.0	1.18	8.0	0.93
Uterus Corpus	-	-	-	-	-	148	23.5	2.00	17.0	1.43
Uterus, NOS ¹	-	-	-	-	-	14	2.1	0.59	1.5	0.41
Ovary	-	-	-	-	-	67	10.0	1.29	7.0	0.88
Male Genital System	1,124	225.2	7.47	164.2	5.05	-	-	-	-	-
Prostate	1,110	223.4	7.46	162.7	5.04	-	-	-	-	-
Testis	10	1.1	0.36	1.0	0.33	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	231	47.9	3.57	32.4	2.21	138	22.6	2.02	14.8	1.29
Bladder (incl. <i>in situ</i>)	78	20.9	2.65	11.8	1.37	36	6.5	1.13	4.0	0.68
Kidney & renal pelvis	145	25.6	2.35	19.4	1.67	96	15.1	1.61	10.3	1.07
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	33	4.9	1.00	4.0	0.72	23	2.9	0.66	2.5	0.54
Brain	32	4.6	0.93	3.9	0.71	20	2.5	0.60	2.2	0.50
Endocrine System	26	4.0	0.82	3.3	0.67	89	12.0	1.33	9.3	1.01
Thyroid gland	22	3.2	0.71	2.7	0.60	78	10.3	1.21	8.2	0.94
Lymphomas	118	18.7	1.91	14.5	1.38	86	13.7	1.56	9.1	1.01
Hodgkin Lymphoma	36	4.4	0.76	4.1	0.70	16	2.0	0.52	1.6	0.40
Non-Hodgkin Lymphoma	82	14.3	1.75	10.4	1.19	70	11.7	1.47	7.5	0.92
Multiple Myeloma	88	18.7	2.29	12.5	1.37	69	11.9	1.49	7.4	0.92
Leukemias	91	18.2	2.30	12.2	1.33	72	10.6	1.35	7.6	0.92
Acute lymphocytic	13	1.2	0.35	1.4	0.40	9	0.7	0.25	1.1	0.37
Chronic lymphocytic	32	8.2	1.63	5.0	0.90	18	3.2	0.78	2.0	0.50
Acute myeloid	20	3.5	0.91	2.5	0.56	17	2.5	0.68	1.6	0.41
Chronic myeloid	10	1.9	0.68	1.2	0.39	16	2.5	0.66	1.6	0.41
Other leukemias	16	3.4	1.10	2.2	0.56	12	1.6	0.50	1.2	0.36
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	92	21.8	2.58	13.1	1.41	86	14.1	1.59	9.5	1.05
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	40	6.8	1.24	5.0	0.81	99	14.7	1.55	10.5	1.07
Breast (<i>in situ</i>)	-	-	-	-	-	257	37.8	2.44	29.0	1.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WISCONSIN

430 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	6,908	497.1	6.18	328.5	4.09	5,673	384.2	5.19	268.2	3.80
Oral Cavity & Pharynx	222	15.4	1.07	10.5	0.72	89	5.9	0.64	4.2	0.47
Lip	28	2.2	0.42	1.2	0.24	10	0.7	0.22	0.5	0.17
Tongue	69	4.6	0.58	3.2	0.40	25	1.6	0.34	1.2	0.25
Major salivary gland	17	1.5	0.37	0.7	0.18	14	0.9	0.25	0.8	0.23
Floor of mouth	6	0.4	0.18	0.3	0.13	6	0.4	0.17	0.2	0.10
Gum & other mouth	33	2.3	0.42	1.7	0.31	13	0.9	0.24	0.4	0.13
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	9	0.6	0.22	0.4	0.14	-	-	-	-	-
Hypopharynx	10	0.6	0.20	0.4	0.14	-	-	-	-	-
Digestive System	1,177	86.6	2.61	53.9	1.63	896	60.2	2.04	37.8	1.36
Esophagus	115	8.5	0.81	5.3	0.51	29	2.0	0.37	1.2	0.24
Stomach	97	7.3	0.77	4.3	0.46	36	2.5	0.43	1.4	0.25
Small intestine	33	2.5	0.45	1.4	0.26	26	1.7	0.34	1.3	0.26
Colon excl. rectum	434	33.6	1.66	19.6	0.97	413	28.1	1.40	17.0	0.90
Rectum & rectosigmoid	203	13.9	1.01	9.5	0.69	146	9.6	0.81	6.6	0.58
Anus, anal canal & anorectum	11	0.7	0.22	0.5	0.16	18	1.1	0.26	0.7	0.17
Liver	99	6.6	0.69	4.6	0.48	43	2.9	0.45	2.0	0.34
Gallbladder	6	0.4	0.18	0.3	0.13	15	1.0	0.27	0.7	0.20
Pancreas	145	10.6	0.91	6.6	0.56	127	8.4	0.76	5.0	0.47
Respiratory System	863	64.0	2.25	39.3	1.38	716	48.1	1.82	30.0	1.19
Larynx	74	5.2	0.62	3.5	0.42	21	1.4	0.30	0.9	0.21
Lung & bronchus	766	57.3	2.13	34.6	1.29	683	46.0	1.78	28.5	1.16
Bones & Joints	10	0.7	0.22	0.7	0.24	14	1.1	0.29	0.9	0.27
Soft Tissue (incl. heart)	53	3.6	0.52	2.7	0.40	28	1.8	0.35	1.6	0.33
Skin (excl. basal & sq.)	368	27.2	1.46	18.1	0.98	282	19.7	1.20	14.8	0.93
Melanomas of the skin	348	25.3	1.40	17.3	0.97	268	18.8	1.17	14.2	0.92
Breast (excl. <i>in situ</i>)	17	1.1	0.27	0.8	0.20	1,666	110.8	2.77	80.1	2.05
Female Genital System	-	-	-	-	-	659	44.4	1.77	32.9	1.35
Cervix uteri	-	-	-	-	-	113	8.3	0.81	6.7	0.65
Uterus Corpus	-	-	-	-	-	312	20.3	1.17	15.0	0.88
Uterus, NOS ¹	-	-	-	-	-	7	0.5	0.17	0.3	0.14
Ovary	-	-	-	-	-	178	12.0	0.92	8.6	0.68
Male Genital System	2,309	159.0	3.42	111.1	2.36	-	-	-	-	-
Prostate	2,216	152.2	3.34	104.9	2.27	-	-	-	-	-
Testis	79	5.8	0.67	5.5	0.63	-	-	-	-	-
Penis	12	0.8	0.24	0.6	0.17	-	-	-	-	-
Urinary System	793	59.3	2.17	36.3	1.34	284	19.2	1.16	12.2	0.78
Bladder (incl. <i>in situ</i>)	503	38.7	1.78	22.4	1.03	146	9.9	0.83	5.8	0.52
Kidney & renal pelvis	277	19.6	1.21	13.4	0.84	130	8.8	0.79	6.1	0.57
Ureter	10	0.8	0.26	0.4	0.15	6	0.4	0.15	0.2	0.09
Eye & Orbit	17	1.2	0.31	0.8	0.21	14	0.9	0.25	0.7	0.22
Brain & Other Nervous System	113	7.9	0.76	6.9	0.69	89	6.4	0.70	5.3	0.61
Brain	106	7.4	0.74	6.5	0.68	83	6.0	0.67	4.9	0.58
Endocrine System	107	7.2	0.72	5.7	0.57	275	20.5	1.27	16.8	1.05
Thyroid gland	92	6.2	0.66	4.9	0.53	273	20.4	1.27	16.8	1.05
Lymphomas	319	23.2	1.35	15.6	0.91	256	17.6	1.12	12.6	0.85
Hodgkin Lymphoma	48	3.4	0.51	2.9	0.44	35	2.6	0.45	2.4	0.42
Non-Hodgkin Lymphoma	271	19.8	1.25	12.7	0.80	221	15.0	1.02	10.3	0.74
Multiple Myeloma	76	5.7	0.68	3.3	0.39	53	3.5	0.49	2.1	0.31
Leukemias	218	15.9	1.11	11.4	0.84	128	8.8	0.79	6.9	0.68
Acute lymphocytic	26	1.8	0.36	2.2	0.46	12	0.9	0.27	1.3	0.39
Chronic lymphocytic	80	5.9	0.68	3.6	0.42	50	3.4	0.48	2.2	0.33
Acute myeloid	53	3.8	0.54	2.7	0.39	31	2.1	0.39	1.4	0.27
Chronic myeloid	31	2.3	0.42	1.6	0.30	16	1.1	0.29	0.9	0.24
Other leukemias	28	2.0	0.39	1.3	0.26	19	1.3	0.31	1.0	0.27
Mesothelioma	29	2.2	0.43	1.2	0.23	6	0.4	0.17	0.2	0.09
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	218	14.7	1.01	8.9	0.66
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	92	6.2	0.66	4.8	0.53	154	10.8	0.89	7.7	0.67
Breast (<i>in situ</i>)	-	-	-	-	-	324	21.4	1.22	16.3	0.93

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2006-2010, White**

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	6,753	499.2	6.27	330.1	4.17	5,522	385.6	5.29	269.5	3.88
Oral Cavity & Pharynx	216	15.4	1.09	10.5	0.74	89	6.1	0.66	4.4	0.49
Lip	27	2.1	0.42	1.2	0.24	10	0.7	0.23	0.5	0.18
Tongue	69	4.8	0.59	3.3	0.41	25	1.7	0.35	1.3	0.26
Major salivary gland	17	1.5	0.38	0.8	0.19	14	1.0	0.26	0.8	0.24
Floor of mouth	6	0.4	0.19	0.3	0.13	6	0.4	0.17	0.2	0.10
Gum & other mouth	31	2.3	0.42	1.6	0.32	13	0.9	0.25	0.4	0.13
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	9	0.7	0.23	0.4	0.14	-	-	-	-	-
Hypopharynx	8	0.5	0.17	0.4	0.13	-	-	-	-	-
Digestive System	1,136	86.0	2.64	53.4	1.64	863	59.4	2.05	37.4	1.37
Esophagus	113	8.5	0.82	5.4	0.52	28	1.9	0.38	1.2	0.25
Stomach	95	7.3	0.77	4.4	0.47	34	2.4	0.42	1.3	0.25
Small intestine	33	2.5	0.46	1.5	0.27	25	1.6	0.33	1.2	0.25
Colon excl. rectum	421	33.5	1.68	19.5	0.99	401	28.0	1.42	17.0	0.91
Rectum & rectosigmoid	191	13.5	1.01	9.2	0.68	139	9.5	0.81	6.5	0.59
Anus, anal canal & anorectum	10	0.7	0.22	0.5	0.16	18	1.1	0.26	0.7	0.18
Liver	94	6.5	0.70	4.5	0.49	41	2.9	0.46	2.0	0.35
Gallbladder	6	0.5	0.19	0.3	0.13	12	0.8	0.23	0.6	0.18
Pancreas	140	10.6	0.93	6.5	0.57	124	8.4	0.77	5.0	0.48
Respiratory System	843	64.1	2.27	39.4	1.40	696	48.0	1.84	29.9	1.21
Larynx	73	5.2	0.63	3.5	0.43	21	1.4	0.31	1.0	0.22
Lung & bronchus	748	57.3	2.16	34.5	1.30	663	45.8	1.80	28.4	1.17
Bones & Joints	9	0.6	0.21	0.7	0.24	13	1.0	0.30	0.9	0.28
Soft Tissue (incl. heart)	53	3.8	0.53	2.8	0.41	26	1.7	0.35	1.5	0.32
Skin (excl. basal & sq.)	365	27.7	1.50	18.6	1.01	278	20.2	1.24	15.2	0.97
Melanomas of the skin	345	25.9	1.44	17.8	1.00	264	19.2	1.21	14.6	0.95
Breast (excl. <i>in situ</i>)	17	1.1	0.28	0.8	0.21	1,632	112.2	2.83	81.2	2.11
Female Genital System	-	-	-	-	-	643	44.7	1.80	33.2	1.38
Cervix uteri	-	-	-	-	-	107	8.2	0.82	6.5	0.66
Uterus Corpus	-	-	-	-	-	307	20.6	1.20	15.3	0.91
Uterus, NOS ¹	-	-	-	-	-	7	0.5	0.18	0.4	0.15
Ovary	-	-	-	-	-	174	12.1	0.94	8.7	0.69
Male Genital System	2,261	159.7	3.47	111.7	2.40	-	-	-	-	-
Prostate	2,170	152.8	3.38	105.3	2.30	-	-	-	-	-
Testis	77	6.0	0.70	5.7	0.66	-	-	-	-	-
Penis	12	0.8	0.24	0.6	0.17	-	-	-	-	-
Urinary System	780	59.9	2.21	36.6	1.36	278	19.4	1.18	12.3	0.79
Bladder (incl. <i>in situ</i>)	497	39.2	1.81	22.7	1.05	145	10.1	0.85	6.0	0.54
Kidney & renal pelvis	270	19.6	1.23	13.4	0.85	127	8.9	0.80	6.2	0.58
Ureter	10	0.8	0.27	0.5	0.15	-	-	-	-	-
Eye & Orbit	17	1.2	0.31	0.9	0.22	12	0.8	0.23	0.6	0.21
Brain & Other Nervous System	111	8.1	0.79	7.1	0.73	85	6.4	0.71	5.3	0.63
Brain	105	7.7	0.77	6.8	0.72	79	5.9	0.68	4.9	0.60
Endocrine System	104	7.3	0.74	5.8	0.59	267	20.7	1.30	17.0	1.08
Thyroid gland	89	6.2	0.68	5.0	0.54	265	20.5	1.30	16.9	1.08
Lymphomas	313	23.5	1.37	15.8	0.94	252	17.9	1.15	12.9	0.88
Hodgkin Lymphoma	48	3.6	0.53	3.0	0.46	34	2.7	0.47	2.5	0.44
Non-Hodgkin Lymphoma	265	19.9	1.27	12.8	0.82	218	15.2	1.05	10.5	0.76
Multiple Myeloma	75	5.8	0.69	3.4	0.40	50	3.5	0.50	2.0	0.31
Leukemias	211	15.8	1.12	11.4	0.85	124	8.9	0.81	6.9	0.70
Acute lymphocytic	25	1.9	0.38	2.3	0.48	12	1.0	0.29	1.4	0.42
Chronic lymphocytic	78	5.9	0.69	3.7	0.43	48	3.3	0.49	2.2	0.33
Acute myeloid	53	3.9	0.56	2.8	0.41	31	2.2	0.40	1.5	0.28
Chronic myeloid	29	2.2	0.43	1.5	0.29	15	1.1	0.29	0.9	0.24
Other leukemias	26	1.9	0.39	1.2	0.25	18	1.3	0.31	1.0	0.25
Mesothelioma	28	2.2	0.42	1.2	0.24	6	0.4	0.18	0.2	0.09
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	208	14.4	1.01	8.6	0.65
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	89	6.2	0.68	4.8	0.53	150	10.8	0.90	7.7	0.69
Breast (<i>in situ</i>)	-	-	-	-	-	316	21.7	1.25	16.5	0.96

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2006-2010, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	38	433.5	77.58	265.9	45.44	26	302.8	60.53	211.5	44.32
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	65.5	29.55	37.4	15.67	9	108.0	36.32	73.5	26.77
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	145.2	43.26	98.0	28.84	-	-	-	-	-
Prostate	13	145.2	43.26	98.0	28.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2006-2010, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	12	187.0	57.29	146.4	43.88	32	309.5	59.10	184.0	33.45
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	11	120.0	39.77	57.5	17.70
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	6	63.5	27.31	39.8	16.72
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2006-2010, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	68	518.7	71.43	338.4	41.88	58	364.6	51.50	246.4	32.79
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	159.0	37.28	107.2	23.22	7	50.9	20.38	29.5	11.34
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	56.0	24.82	30.3	12.60	-	-	-	-	-
Rectum & rectosigmoid	6	39.0	17.04	28.2	11.58	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	46.6	20.19	32.5	13.45	6	54.3	23.41	25.1	10.46
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	6	54.3	23.41	25.1	10.46
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	17	97.3	24.62	76.1	18.67
Female Genital System	-	-	-	-	-	6	37.2	16.13	24.8	10.24
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	19	140.2	34.67	95.6	22.38	-	-	-	-	-
Prostate	17	131.7	34.11	87.7	21.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	63.0	24.10	41.4	13.89	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	46.1	22.02	26.0	10.66	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	6	43.1	18.81	23.8	9.95
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ² (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2006-2010, Hispanic/Latino, All Races**

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	234	388.1	27.97	237.4	15.87	205	298.7	21.66	209.5	15.21
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	65	109.9	15.10	66.9	8.49	37	62.1	10.47	35.3	6.13
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	10	21.7	7.54	10.4	3.39	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	17	27.0	7.30	17.6	4.36	14	22.5	6.23	13.2	3.68
Rectum & rectosigmoid	18	29.7	7.82	19.5	4.71	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	15.1	4.89	10.4	3.20	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	6	9.3	3.91	6.0	2.59
Respiratory System	20	37.6	9.23	21.2	4.86	13	22.0	6.18	15.8	4.52
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	31.6	8.68	17.2	4.41	10	16.1	5.15	13.2	4.24
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	63	91.0	11.80	65.8	8.60
Female Genital System	-	-	-	-	-	30	41.7	7.96	29.6	5.55
Cervix uteri	-	-	-	-	-	14	18.0	5.08	13.1	3.58
Uterus Corpus	-	-	-	-	-	8	11.9	4.34	8.7	3.16
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	78	127.1	15.36	79.5	9.22	-	-	-	-	-
Prostate	71	120.5	15.15	73.7	8.96	-	-	-	-	-
Testis	6	5.5	2.31	4.9	2.01	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	49.0	10.31	28.2	5.43	17	24.6	6.14	17.5	4.40
Bladder (incl. <i>in situ</i>)	9	18.4	6.88	9.4	3.18	-	-	-	-	-
Kidney & renal pelvis	17	25.0	6.46	16.4	4.06	11	14.9	4.57	12.8	3.93
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	13	16.2	4.56	13.3	3.81
Thyroid gland	-	-	-	-	-	13	16.2	4.56	13.3	3.81
Lymphomas	9	15.7	5.90	8.8	2.97	10	12.8	4.28	9.3	3.01
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	8.9	4.21	7.7	2.75	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	8	13.5	4.89	7.0	2.60
Breast (<i>in situ</i>)	-	-	-	-	-	11	17.1	5.26	11.7	3.66

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WYOMING

436 Incidence – Hispanic/Latino, All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2006-2010, Non-Hispanic White**

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	6,523	504.8	6.45	334.9	4.32	5,322	389.8	5.46	272.6	4.02
Oral Cavity & Pharynx	213	15.9	1.13	10.9	0.77	87	6.3	0.69	4.5	0.51
Lip	26	2.1	0.43	1.2	0.24	10	0.8	0.24	0.6	0.19
Tongue	69	5.0	0.62	3.5	0.43	25	1.8	0.37	1.3	0.28
Major salivary gland	17	1.6	0.39	0.8	0.20	13	0.9	0.26	0.8	0.25
Floor of mouth	6	0.5	0.20	0.3	0.14	-	-	-	-	-
Gum & other mouth	30	2.3	0.44	1.7	0.34	13	0.9	0.26	0.5	0.14
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	8	0.6	0.23	0.4	0.14	-	-	-	-	-
Hypopharynx	8	0.5	0.18	0.4	0.14	-	-	-	-	-
Digestive System	1,071	85.0	2.68	52.8	1.68	827	59.2	2.09	37.4	1.41
Esophagus	110	8.6	0.85	5.5	0.53	27	1.9	0.37	1.2	0.25
Stomach	85	6.7	0.75	4.1	0.47	30	2.2	0.40	1.2	0.24
Small intestine	33	2.7	0.48	1.5	0.28	22	1.5	0.32	1.1	0.24
Colon excl. rectum	404	33.7	1.73	19.6	1.01	387	28.0	1.45	17.0	0.93
Rectum & rectosigmoid	173	12.8	1.01	8.7	0.68	137	9.8	0.85	6.7	0.61
Anus, anal canal & anorectum	10	0.7	0.23	0.5	0.17	17	1.1	0.27	0.7	0.19
Liver	83	6.1	0.70	4.2	0.49	37	2.7	0.46	2.0	0.38
Gallbladder	6	0.5	0.20	0.3	0.14	12	0.8	0.24	0.6	0.19
Pancreas	135	10.7	0.95	6.6	0.58	118	8.4	0.78	4.9	0.49
Respiratory System	824	65.3	2.34	40.2	1.45	683	49.1	1.90	30.5	1.24
Larynx	69	5.2	0.65	3.5	0.44	20	1.4	0.31	1.0	0.23
Lung & bronchus	733	58.5	2.22	35.3	1.35	653	47.0	1.86	29.0	1.21
Bones & Joints	9	0.7	0.23	0.8	0.26	12	1.0	0.31	0.9	0.29
Soft Tissue (incl. heart)	51	3.8	0.55	2.9	0.43	23	1.6	0.35	1.4	0.33
Skin (excl. basal & sq.)	363	29.1	1.58	19.5	1.08	275	21.2	1.31	15.9	1.03
Melanomas of the skin	343	27.1	1.52	18.7	1.06	262	20.2	1.29	15.3	1.01
Breast (excl. <i>in situ</i>)	16	1.1	0.29	0.8	0.21	1,571	113.2	2.92	81.9	2.17
Female Genital System	-	-	-	-	-	613	44.7	1.85	33.2	1.42
Cervix uteri	-	-	-	-	-	93	7.6	0.82	6.1	0.66
Uterus Corpus	-	-	-	-	-	299	21.0	1.24	15.6	0.94
Uterus, NOS ¹	-	-	-	-	-	7	0.5	0.19	0.4	0.16
Ovary	-	-	-	-	-	170	12.5	0.98	8.9	0.73
Male Genital System	2,184	161.0	3.55	113.1	2.48	-	-	-	-	-
Prostate	2,100	154.0	3.47	106.6	2.37	-	-	-	-	-
Testis	71	6.1	0.74	5.8	0.70	-	-	-	-	-
Penis	11	0.8	0.25	0.6	0.17	-	-	-	-	-
Urinary System	752	60.3	2.27	37.0	1.41	261	19.0	1.20	12.0	0.80
Bladder (incl. <i>in situ</i>)	488	40.1	1.87	23.3	1.09	140	10.1	0.87	6.0	0.55
Kidney & renal pelvis	253	19.3	1.25	13.2	0.87	116	8.6	0.81	5.8	0.58
Ureter	8	0.7	0.24	0.4	0.14	-	-	-	-	-
Eye & Orbit	15	1.2	0.31	0.8	0.22	12	0.8	0.24	0.7	0.23
Brain & Other Nervous System	106	8.4	0.84	7.4	0.79	83	6.7	0.76	5.6	0.69
Brain	102	8.1	0.83	7.2	0.79	77	6.2	0.72	5.1	0.65
Endocrine System	100	7.4	0.77	5.9	0.62	254	21.0	1.36	17.3	1.14
Thyroid gland	85	6.3	0.70	5.0	0.57	252	20.8	1.35	17.2	1.14
Lymphomas	305	24.1	1.43	16.4	0.99	243	18.2	1.19	13.1	0.91
Hodgkin Lymphoma	47	3.8	0.57	3.3	0.50	33	2.8	0.50	2.6	0.47
Non-Hodgkin Lymphoma	258	20.3	1.31	13.1	0.85	210	15.3	1.08	10.6	0.78
Multiple Myeloma	73	5.9	0.71	3.4	0.41	49	3.6	0.52	2.1	0.32
Leukemias	204	16.1	1.16	11.5	0.88	120	9.0	0.84	7.0	0.73
Acute lymphocytic	21	1.7	0.38	2.0	0.46	11	1.0	0.31	1.4	0.45
Chronic lymphocytic	76	6.0	0.70	3.7	0.44	47	3.4	0.50	2.2	0.34
Acute myeloid	52	4.1	0.59	2.9	0.44	30	2.2	0.41	1.5	0.29
Chronic myeloid	29	2.3	0.45	1.6	0.31	14	1.1	0.30	0.8	0.23
Other leukemias	26	2.0	0.41	1.3	0.27	18	1.4	0.33	1.0	0.27
Mesothelioma	27	2.2	0.43	1.2	0.24	6	0.4	0.18	0.2	0.09
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	203	14.7	1.05	8.8	0.68
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	84	6.2	0.70	4.8	0.55	142	10.7	0.92	7.8	0.72
Breast (<i>in situ</i>)	-	-	-	-	-	305	21.9	1.28	16.7	0.99

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2006-2010, Non-Hispanic Black**

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	36	445.0	80.59	269.2	47.09	25	320.6	65.12	224.4	47.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	69.3	31.08	39.8	16.68	8	107.1	38.11	72.1	28.11
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	145.1	44.69	97.1	29.64	-	-	-	-	-
Prostate	12	145.1	44.69	97.1	29.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WYOMING

438 Incidence – Non-Hispanic Black

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Puerto Rico, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	34,708	376.8	2.06	250.0	1.40	29,693	270.7	1.59	192.0	1.19
Oral Cavity & Pharynx	1,398	14.9	0.41	10.6	0.29	460	4.2	0.20	2.8	0.14
Lip	36	0.4	0.07	0.3	0.04	16	0.1	0.04	0.1	0.02
Tongue	338	3.6	0.20	2.6	0.15	127	1.1	0.10	0.8	0.07
Major salivary gland	132	1.5	0.13	1.0	0.09	103	0.9	0.10	0.7	0.07
Floor of mouth	84	0.9	0.10	0.7	0.07	18	0.2	0.04	0.1	0.03
Gum & other mouth	211	2.3	0.16	1.5	0.11	115	1.1	0.10	0.7	0.07
Nasopharynx	74	0.8	0.09	0.6	0.07	18	0.2	0.04	0.1	0.03
Oropharynx	105	1.1	0.11	0.8	0.08	9	0.1	0.03	0.0	0.02
Hypopharynx	145	1.5	0.13	1.0	0.09	12	0.1	0.03	0.1	0.02
Digestive System	8,184	89.9	1.01	57.2	0.66	6,588	58.0	0.72	35.8	0.48
Esophagus	619	6.7	0.27	4.3	0.18	155	1.3	0.11	0.7	0.06
Stomach	985	11.2	0.36	6.4	0.21	754	6.7	0.24	3.9	0.15
Small intestine	111	1.2	0.12	0.8	0.08	125	1.1	0.10	0.7	0.07
Colon excl. rectum	3,168	35.0	0.63	22.0	0.41	3,007	26.5	0.49	16.6	0.32
Rectum & rectosigmoid	1,348	14.5	0.40	9.8	0.28	943	8.4	0.28	5.7	0.20
Anus, anal canal & anorectum	94	1.0	0.11	0.7	0.07	178	1.6	0.12	1.0	0.08
Liver	967	10.5	0.34	6.9	0.23	458	4.0	0.19	2.3	0.11
Gallbladder	59	0.6	0.09	0.4	0.06	129	1.1	0.10	0.7	0.07
Pancreas	585	6.4	0.27	4.0	0.17	593	5.2	0.22	3.0	0.13
Respiratory System	2,870	31.5	0.60	19.6	0.38	1,372	12.1	0.33	7.6	0.22
Larynx	635	6.8	0.28	4.6	0.19	80	0.7	0.08	0.5	0.06
Lung & bronchus	2,147	23.7	0.52	14.3	0.32	1,232	10.8	0.31	6.6	0.20
Bones & Joints	87	1.0	0.10	0.8	0.09	80	0.8	0.09	0.7	0.09
Soft Tissue (incl. heart)	176	2.0	0.15	1.5	0.12	170	1.6	0.12	1.3	0.11
Skin (excl. basal & sq.)	367	4.2	0.22	2.8	0.15	325	3.1	0.17	2.1	0.13
Melanomas of the skin	285	3.2	0.19	2.1	0.13	238	2.2	0.15	1.5	0.11
Breast (excl. <i>in situ</i>)	83	0.9	0.10	0.6	0.07	8,810	80.0	0.87	58.7	0.65
Female Genital System	-	-	-	-	-	4,456	41.2	0.63	30.9	0.49
Cervix uteri	-	-	-	-	-	1,155	11.6	0.35	9.1	0.28
Uterus Corpus	-	-	-	-	-	2,065	18.3	0.41	14.0	0.32
Uterus, NOS ¹	-	-	-	-	-	136	1.2	0.11	0.8	0.08
Ovary	-	-	-	-	-	754	6.9	0.26	4.9	0.19
Male Genital System	14,595	154.4	1.30	103.0	0.88	-	-	-	-	-
Prostate	14,090	148.6	1.27	98.4	0.85	-	-	-	-	-
Testis	266	3.1	0.19	2.9	0.18	-	-	-	-	-
Penis	225	2.5	0.17	1.6	0.11	-	-	-	-	-
Urinary System	2,256	25.2	0.54	15.5	0.34	1,079	9.6	0.29	6.1	0.21
Bladder (incl. <i>in situ</i>)	1,426	16.2	0.44	9.2	0.25	547	4.8	0.21	2.7	0.13
Kidney & renal pelvis	771	8.4	0.31	6.0	0.22	488	4.4	0.20	3.2	0.16
Ureter	19	0.2	0.05	0.1	0.03	20	0.2	0.04	0.1	0.02
Eye & Orbit	74	0.8	0.10	0.6	0.08	38	0.4	0.06	0.3	0.06
Brain & Other Nervous System	462	5.1	0.24	4.3	0.22	438	4.1	0.20	3.5	0.19
Brain	408	4.5	0.22	3.8	0.20	348	3.3	0.18	2.8	0.17
Endocrine System	587	6.6	0.28	5.3	0.23	2,725	26.9	0.52	22.0	0.44
Thyroid gland	540	6.0	0.26	4.8	0.21	2,695	26.6	0.52	21.7	0.43
Lymphomas	1,401	15.7	0.43	11.5	0.32	1,351	12.3	0.34	9.1	0.27
Hodgkin Lymphoma	247	2.8	0.18	2.5	0.16	204	2.0	0.14	1.8	0.14
Non-Hodgkin Lymphoma	1,154	12.9	0.39	9.0	0.28	1,147	10.3	0.31	7.3	0.23
Multiple Myeloma	373	4.1	0.22	2.7	0.15	355	3.1	0.17	2.0	0.11
Leukemias	742	8.5	0.32	6.4	0.26	631	6.0	0.24	4.7	0.22
Acute lymphocytic	109	1.2	0.12	1.5	0.15	79	0.8	0.09	1.0	0.13
Chronic lymphocytic	108	1.2	0.12	0.7	0.07	71	0.6	0.07	0.4	0.05
Acute myeloid	177	2.0	0.15	1.5	0.12	169	1.7	0.13	1.4	0.12
Chronic myeloid	70	0.8	0.10	0.5	0.07	64	0.6	0.07	0.4	0.05
Other leukemias	278	3.2	0.20	2.1	0.14	248	2.3	0.15	1.6	0.12
Mesothelioma	25	0.3	0.06	0.2	0.03	9	0.1	0.03	0.1	0.02
Kaposi Sarcoma	102	1.2	0.12	0.9	0.09	18	0.2	0.04	0.1	0.03
Ill-defined & Unknown	926	10.5	0.35	6.4	0.22	788	7.0	0.25	4.1	0.16
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	193	2.1	0.16	1.8	0.13	420	3.9	0.20	3.1	0.16
Breast (<i>in situ</i>)	13	0.1	0.04	0.1	0.03	1,727	15.7	0.39	11.9	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alberta, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	39,047	502.2	2.62	324.1	1.70	35,298	396.9	2.13	273.1	1.54
Oral Cavity & Pharynx	1,082	12.5	0.39	9.1	0.28	477	5.3	0.25	3.6	0.17
Lip	72	1.0	0.12	0.6	0.07	32	0.4	0.06	0.2	0.04
Tongue	318	3.6	0.21	2.7	0.15	145	1.6	0.14	1.1	0.09
Major salivary gland	63	0.8	0.10	0.5	0.06	57	0.6	0.08	0.5	0.07
Floor of mouth	66	0.8	0.10	0.5	0.07	42	0.5	0.07	0.3	0.05
Gum & other mouth	134	1.6	0.14	1.1	0.10	95	1.1	0.11	0.7	0.07
Nasopharynx	90	1.0	0.11	0.8	0.08	30	0.3	0.06	0.2	0.05
Oropharynx	50	0.6	0.08	0.4	0.06	17	0.2	0.05	0.1	0.03
Hypopharynx	70	0.9	0.11	0.6	0.07	18	0.2	0.05	0.1	0.03
Digestive System	8,556	112.1	1.25	68.9	0.77	6,337	72.1	0.91	43.8	0.59
Esophagus	614	7.8	0.32	5.1	0.21	188	2.1	0.16	1.3	0.10
Stomach	847	11.2	0.40	6.7	0.24	428	4.8	0.23	2.9	0.15
Small intestine	169	2.1	0.16	1.4	0.11	132	1.5	0.13	1.0	0.09
Colon excl. rectum	2,983	40.1	0.76	23.8	0.45	2,651	30.4	0.60	17.8	0.37
Rectum & rectosigmoid	1,988	25.4	0.59	16.3	0.38	1,145	12.9	0.38	8.3	0.26
Anus, anal canal & anorectum	79	1.0	0.11	0.7	0.08	163	1.7	0.14	1.3	0.11
Liver	580	6.9	0.30	4.8	0.21	190	2.2	0.16	1.4	0.11
Gallbladder	63	0.9	0.12	0.5	0.06	135	1.5	0.13	0.9	0.08
Pancreas	891	12.1	0.42	7.0	0.24	874	10.0	0.34	5.7	0.21
Respiratory System	5,206	70.8	1.01	41.9	0.60	4,534	52.3	0.78	34.0	0.54
Larynx	302	3.8	0.22	2.6	0.15	63	0.7	0.09	0.5	0.07
Lung & bronchus	4,810	65.9	0.97	38.5	0.58	4,416	50.9	0.77	33.0	0.53
Bones & Joints	84	1.0	0.11	0.9	0.10	57	0.7	0.09	0.6	0.09
Soft Tissue (incl. heart)	280	3.4	0.21	2.6	0.16	223	2.5	0.17	2.1	0.16
Skin (excl. basal & sq.)	1,502	18.5	0.49	12.3	0.33	1,303	14.3	0.40	10.6	0.31
Melanomas of the skin	1,340	16.3	0.46	11.1	0.31	1,177	12.9	0.38	9.7	0.29
Breast (excl. <i>in situ</i>)	60	0.8	0.11	0.5	0.06	10,244	113.8	1.13	81.3	0.84
Female Genital System	-	-	-	-	-	4,073	44.8	0.71	33.4	0.54
Cervix uteri	-	-	-	-	-	782	8.6	0.31	7.0	0.25
Uterus Corpus	-	-	-	-	-	2,038	22.3	0.50	16.8	0.38
Uterus, NOS ¹	-	-	-	-	-	25	0.3	0.05	0.2	0.04
Ovary	-	-	-	-	-	887	9.9	0.33	6.9	0.25
Male Genital System	11,310	141.3	1.37	96.5	0.93	-	-	-	-	-
Prostate	10,668	134.7	1.34	90.6	0.90	-	-	-	-	-
Testis	551	5.5	0.23	5.1	0.22	-	-	-	-	-
Penis	71	0.9	0.12	0.6	0.07	-	-	-	-	-
Urinary System	4,096	54.3	0.88	32.9	0.53	1,701	19.3	0.47	12.7	0.33
Bladder (incl. <i>in situ</i>)	2,587	35.7	0.72	20.3	0.41	784	9.0	0.32	5.5	0.21
Kidney & renal pelvis	1,417	17.3	0.47	11.8	0.32	866	9.7	0.33	7.0	0.26
Ureter	60	0.8	0.11	0.5	0.06	41	0.5	0.07	0.2	0.04
Eye & Orbit	85	1.1	0.12	0.8	0.09	68	0.8	0.10	0.7	0.09
Brain & Other Nervous System	663	7.8	0.31	6.3	0.26	441	5.0	0.24	4.2	0.22
Brain	645	7.6	0.31	6.0	0.25	419	4.7	0.23	4.0	0.21
Endocrine System	553	6.1	0.27	4.9	0.22	1,478	16.2	0.43	13.4	0.36
Thyroid gland	480	5.3	0.25	4.2	0.19	1,421	15.6	0.42	12.8	0.35
Lymphomas	1,988	24.6	0.57	17.0	0.39	1,612	18.2	0.46	12.7	0.34
Hodgkin Lymphoma	252	2.7	0.17	2.5	0.16	201	2.2	0.16	2.1	0.16
Non-Hodgkin Lymphoma	1,736	21.9	0.54	14.5	0.36	1,411	16.0	0.43	10.6	0.30
Multiple Myeloma	523	6.9	0.31	4.2	0.19	399	4.5	0.23	2.9	0.16
Leukemias	1,441	18.5	0.50	12.9	0.37	1,018	11.7	0.37	8.4	0.30
Acute lymphocytic	136	1.6	0.14	2.1	0.19	112	1.3	0.13	1.6	0.17
Chronic lymphocytic	733	9.6	0.37	5.9	0.23	455	5.2	0.25	3.3	0.17
Acute myeloid	300	3.8	0.23	2.6	0.16	258	3.0	0.19	2.0	0.14
Chronic myeloid	169	2.2	0.17	1.4	0.12	123	1.4	0.13	1.0	0.10
Other leukemias	103	1.3	0.13	0.9	0.09	70	0.8	0.09	0.5	0.07
Mesothelioma	181	2.5	0.19	1.5	0.11	31	0.4	0.07	0.2	0.05
Kaposi Sarcoma	26	0.3	0.06	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	1,411	19.7	0.54	11.0	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	377	4.5	0.24	3.2	0.17	619	6.9	0.28	5.1	0.22
Breast (<i>in situ</i>)	-	-	-	-	-	1,438	15.8	0.42	12.1	0.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
British Columbia, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	56,902	469.9	2.00	300.2	1.34	50,908	372.9	1.68	255.4	1.25
Oral Cavity & Pharynx	1,647	12.9	0.32	9.4	0.24	788	5.7	0.20	3.9	0.15
Lip	87	0.7	0.08	0.4	0.05	37	0.3	0.04	0.2	0.03
Tongue	528	4.0	0.18	3.1	0.14	202	1.4	0.10	1.0	0.08
Major salivary gland	102	0.9	0.09	0.5	0.06	93	0.7	0.07	0.5	0.06
Floor of mouth	99	0.8	0.08	0.6	0.06	49	0.3	0.05	0.3	0.04
Gum & other mouth	170	1.4	0.11	0.9	0.07	197	1.4	0.10	0.9	0.07
Nasopharynx	161	1.3	0.11	1.0	0.08	62	0.5	0.06	0.4	0.05
Oropharynx	65	0.5	0.06	0.4	0.05	22	0.2	0.03	0.1	0.03
Hypopharynx	108	0.9	0.08	0.6	0.06	29	0.2	0.04	0.1	0.03
Digestive System	12,666	104.8	0.94	64.1	0.60	9,685	68.6	0.71	41.6	0.47
Esophagus	866	7.1	0.24	4.4	0.16	309	2.2	0.13	1.3	0.08
Stomach	1,242	10.3	0.30	6.3	0.19	650	4.6	0.18	2.8	0.12
Small intestine	221	1.8	0.12	1.1	0.08	197	1.4	0.10	0.9	0.07
Colon excl. rectum	4,522	38.0	0.57	22.2	0.35	4,245	30.0	0.47	17.5	0.30
Rectum & rectosigmoid	2,767	22.4	0.43	14.5	0.29	1,686	12.0	0.30	7.7	0.20
Anus, anal canal & anorectum	156	1.2	0.10	0.9	0.07	243	1.7	0.11	1.2	0.08
Liver	967	7.7	0.25	5.2	0.18	308	2.3	0.13	1.5	0.10
Gallbladder	113	1.0	0.09	0.5	0.05	200	1.4	0.10	0.9	0.07
Pancreas	1,356	11.3	0.31	6.6	0.19	1,279	9.0	0.25	5.2	0.16
Respiratory System	7,870	65.4	0.75	38.9	0.46	7,024	50.4	0.61	31.9	0.41
Larynx	489	3.9	0.18	2.6	0.12	103	0.7	0.07	0.5	0.05
Lung & bronchus	7,278	60.6	0.72	35.8	0.44	6,843	49.1	0.60	31.0	0.40
Bones & Joints	124	1.1	0.10	1.0	0.10	79	0.7	0.08	0.6	0.08
Soft Tissue (incl. heart)	343	3.0	0.16	2.2	0.13	299	2.3	0.14	1.8	0.12
Skin (excl. basal & sq.)	2,459	20.3	0.41	13.8	0.29	2,022	15.5	0.35	11.7	0.28
Melanomas of the skin	2,281	18.7	0.40	12.9	0.28	1,892	14.5	0.34	11.0	0.27
Breast (excl. <i>in situ</i>)	117	1.0	0.09	0.6	0.06	14,786	109.6	0.91	79.4	0.69
Female Genital System	-	-	-	-	-	5,846	43.1	0.57	31.5	0.44
Cervix uteri	-	-	-	-	-	843	7.0	0.25	5.5	0.20
Uterus Corpus	-	-	-	-	-	3,002	21.5	0.40	16.0	0.30
Uterus, NOS ¹	-	-	-	-	-	37	0.2	0.04	0.1	0.03
Ovary	-	-	-	-	-	1,475	10.8	0.28	7.6	0.21
Male Genital System	16,610	134.2	1.05	88.5	0.72	-	-	-	-	-
Prostate	15,880	127.6	1.03	82.6	0.68	-	-	-	-	-
Testis	614	5.6	0.23	5.3	0.22	-	-	-	-	-
Penis	78	0.7	0.08	0.4	0.04	-	-	-	-	-
Urinary System	5,578	46.9	0.64	27.6	0.39	2,195	15.7	0.34	9.9	0.24
Bladder (incl. <i>in situ</i>)	3,998	34.0	0.54	19.0	0.32	1,293	9.1	0.26	5.4	0.17
Kidney & renal pelvis	1,505	12.3	0.32	8.2	0.23	844	6.2	0.22	4.3	0.17
Ureter	60	0.5	0.07	0.3	0.04	44	0.3	0.05	0.2	0.03
Eye & Orbit	119	1.0	0.09	0.8	0.08	103	0.8	0.08	0.7	0.08
Brain & Other Nervous System	858	7.3	0.25	5.8	0.22	635	5.1	0.21	4.4	0.22
Brain	829	7.0	0.25	5.5	0.21	609	4.9	0.20	4.1	0.21
Endocrine System	499	4.2	0.19	3.4	0.16	1,220	10.0	0.29	8.3	0.26
Thyroid gland	420	3.5	0.17	2.7	0.14	1,154	9.4	0.28	7.8	0.24
Lymphomas	2,880	24.1	0.46	16.7	0.34	2,256	16.8	0.36	11.8	0.28
Hodgkin Lymphoma	273	2.4	0.15	2.3	0.15	245	2.2	0.14	2.1	0.14
Non-Hodgkin Lymphoma	2,607	21.7	0.43	14.5	0.30	2,011	14.7	0.33	9.7	0.24
Multiple Myeloma	742	6.1	0.23	3.7	0.14	586	4.2	0.17	2.5	0.11
Leukemias	1,901	16.3	0.38	11.6	0.31	1,326	10.0	0.28	7.4	0.26
Acute lymphocytic	160	1.7	0.14	2.2	0.19	117	1.3	0.12	1.7	0.18
Chronic lymphocytic	888	7.3	0.25	4.5	0.16	548	3.8	0.17	2.4	0.11
Acute myeloid	436	3.7	0.18	2.5	0.13	347	2.6	0.14	1.9	0.12
Chronic myeloid	216	1.8	0.13	1.3	0.09	173	1.3	0.10	0.9	0.07
Other leukemias	201	1.7	0.12	1.1	0.08	141	1.0	0.08	0.6	0.06
Mesothelioma	324	2.8	0.16	1.5	0.09	58	0.4	0.06	0.3	0.04
Kaposi Sarcoma	72	0.6	0.08	0.5	0.06	-	-	-	-	-
Ill-defined & Unknown	2,093	18.0	0.40	10.1	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	296	2.5	0.15	1.9	0.12	472	3.5	0.17	2.7	0.14
Breast (<i>in situ</i>)	11	0.1	0.03	0.1	0.02	2,515	19.0	0.38	14.6	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Manitoba, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,464	507.8	4.13	325.5	2.77	15,305	421.6	3.48	289.5	2.60
Oral Cavity & Pharynx	556	17.5	0.75	12.1	0.53	255	7.0	0.45	4.7	0.33
Lip	143	4.8	0.40	2.9	0.25	52	1.3	0.18	0.7	0.12
Tongue	106	3.3	0.32	2.4	0.24	57	1.6	0.22	1.2	0.17
Major salivary gland	26	0.8	0.16	0.6	0.11	33	1.0	0.17	0.8	0.15
Floor of mouth	34	1.0	0.17	0.8	0.15	13	0.4	0.10	0.2	0.06
Gum & other mouth	69	2.1	0.26	1.5	0.19	57	1.5	0.21	1.0	0.15
Nasopharynx	32	1.0	0.18	0.7	0.13	11	0.4	0.11	0.3	0.08
Oropharynx	18	0.6	0.13	0.4	0.09	7	0.2	0.07	0.1	0.04
Hypopharynx	47	1.5	0.23	1.0	0.15	7	0.2	0.08	0.1	0.05
Digestive System	3,731	122.6	2.03	75.7	1.31	3,026	78.9	1.47	47.7	0.99
Esophagus	203	6.5	0.46	4.4	0.32	63	1.6	0.21	1.0	0.14
Stomach	405	13.3	0.67	8.1	0.43	182	4.7	0.35	2.6	0.23
Small intestine	81	2.6	0.29	1.8	0.20	68	1.8	0.23	1.2	0.16
Colon excl. rectum	1,433	48.0	1.28	28.0	0.78	1,408	36.5	0.99	21.4	0.66
Rectum & rectosigmoid	891	28.6	0.97	18.9	0.66	576	15.4	0.65	9.9	0.46
Anus, anal canal & anorectum	29	0.9	0.17	0.6	0.12	60	1.7	0.22	1.2	0.17
Liver	169	5.5	0.43	3.6	0.30	74	1.9	0.22	1.2	0.16
Gallbladder	27	0.9	0.18	0.5	0.11	82	2.2	0.25	1.3	0.17
Pancreas	356	11.6	0.62	7.2	0.40	370	9.5	0.50	5.5	0.33
Respiratory System	2,402	80.2	1.65	48.2	1.04	2,182	59.0	1.28	38.4	0.90
Larynx	142	4.6	0.39	3.1	0.27	29	0.8	0.15	0.6	0.11
Lung & bronchus	2,224	74.4	1.59	44.3	0.99	2,132	57.7	1.27	37.6	0.90
Bones & Joints	27	0.9	0.17	0.8	0.18	25	0.8	0.15	0.7	0.15
Soft Tissue (incl. heart)	93	3.2	0.33	2.4	0.28	69	2.1	0.26	1.9	0.25
Skin (excl. basal & sq.)	477	15.4	0.71	10.1	0.49	402	11.4	0.58	8.2	0.45
Melanomas of the skin	428	13.7	0.67	9.1	0.46	368	10.5	0.56	7.6	0.43
Breast (excl. <i>in situ</i>)	29	1.0	0.18	0.6	0.11	4,176	117.4	1.85	85.0	1.41
Female Genital System	-	-	-	-	-	1,883	54.0	1.27	40.1	0.99
Cervix uteri	-	-	-	-	-	242	7.8	0.51	6.2	0.41
Uterus Corpus	-	-	-	-	-	995	27.9	0.90	20.9	0.70
Uterus, NOS ¹	-	-	-	-	-	16	0.5	0.11	0.3	0.09
Ovary	-	-	-	-	-	460	13.0	0.62	9.4	0.47
Male Genital System	3,771	122.2	2.01	82.3	1.40	-	-	-	-	-
Prostate	3,545	114.6	1.95	75.6	1.32	-	-	-	-	-
Testis	178	6.0	0.46	5.7	0.44	-	-	-	-	-
Penis	35	1.2	0.20	0.7	0.13	-	-	-	-	-
Urinary System	1,726	57.1	1.39	34.6	0.88	732	19.6	0.74	12.6	0.52
Bladder (incl. <i>in situ</i>)	1,016	34.2	1.08	19.3	0.64	331	8.6	0.48	5.2	0.32
Kidney & renal pelvis	674	21.7	0.85	14.7	0.59	373	10.3	0.54	7.0	0.39
Ureter	21	0.7	0.15	0.4	0.09	18	0.4	0.11	0.2	0.07
Eye & Orbit	19	0.6	0.14	0.5	0.12	25	0.7	0.15	0.5	0.12
Brain & Other Nervous System	214	7.0	0.48	5.6	0.42	171	5.2	0.41	4.3	0.38
Brain	206	6.7	0.47	5.2	0.39	167	5.0	0.40	4.1	0.36
Endocrine System	167	5.4	0.42	4.4	0.35	440	13.9	0.67	11.5	0.58
Thyroid gland	148	4.7	0.39	3.8	0.32	429	13.6	0.67	11.3	0.57
Lymphomas	755	24.6	0.91	17.0	0.65	699	19.6	0.76	13.7	0.59
Hodgkin Lymphoma	78	2.6	0.29	2.3	0.27	75	2.4	0.28	2.4	0.29
Non-Hodgkin Lymphoma	677	22.1	0.86	14.7	0.60	624	17.2	0.70	11.3	0.51
Multiple Myeloma	194	6.5	0.47	3.9	0.29	154	3.9	0.32	2.3	0.21
Leukemias	584	19.2	0.80	13.6	0.62	392	10.9	0.56	7.9	0.47
Acute lymphocytic	46	1.6	0.23	2.0	0.32	31	1.1	0.19	1.3	0.26
Chronic lymphocytic	293	9.6	0.57	6.0	0.37	190	4.9	0.37	3.1	0.25
Acute myeloid	123	4.1	0.38	2.8	0.28	90	2.6	0.28	1.9	0.23
Chronic myeloid	65	2.1	0.26	1.5	0.20	48	1.4	0.20	0.9	0.15
Other leukemias	57	1.8	0.25	1.2	0.18	33	0.9	0.16	0.6	0.13
Mesothelioma	65	2.2	0.28	1.3	0.17	10	0.3	0.09	0.2	0.07
Kaposi Sarcoma	12	0.4	0.12	0.3	0.09	-	-	-	-	-
Ill-defined & Unknown	642	21.8	0.87	12.1	0.51	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	212	6.9	0.48	4.9	0.37	355	10.0	0.54	7.0	0.42
Breast (<i>in situ</i>)	-	-	-	-	-	602	17.5	0.72	13.7	0.57

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Brunswick, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	12,326	577.3	5.32	380.6	3.60	10,249	413.7	4.17	284.8	3.13
Oral Cavity & Pharynx	295	13.6	0.81	9.3	0.56	131	5.4	0.48	3.7	0.35
Lip	23	1.2	0.25	0.6	0.13	7	0.3	0.11	0.2	0.07
Tongue	67	3.0	0.38	2.2	0.27	33	1.3	0.23	0.9	0.16
Major salivary gland	30	1.6	0.30	0.9	0.19	16	0.7	0.18	0.5	0.15
Floor of mouth	20	0.9	0.21	0.6	0.14	8	0.3	0.12	0.2	0.08
Gum & other mouth	24	1.1	0.24	0.7	0.15	25	1.0	0.20	0.6	0.15
Nasopharynx	15	0.7	0.18	0.5	0.15	-	-	-	-	-
Oropharynx	11	0.4	0.14	0.4	0.11	-	-	-	-	-
Hypopharynx	20	0.9	0.20	0.6	0.14	-	-	-	-	-
Digestive System	2,469	118.1	2.43	72.2	1.51	1,932	74.5	1.72	44.5	1.13
Esophagus	183	8.4	0.63	5.4	0.41	50	1.9	0.28	1.0	0.17
Stomach	260	12.8	0.81	7.3	0.47	151	6.0	0.50	3.5	0.32
Small intestine	41	1.9	0.31	1.3	0.20	39	1.6	0.25	1.1	0.20
Colon excl. rectum	882	43.0	1.48	25.5	0.89	853	32.6	1.13	18.7	0.71
Rectum & rectosigmoid	661	30.9	1.23	19.6	0.79	364	14.3	0.76	9.3	0.53
Anus, anal canal & anorectum	16	0.7	0.18	0.5	0.13	40	1.6	0.25	1.2	0.20
Liver	82	3.7	0.42	2.5	0.29	27	1.1	0.21	0.7	0.19
Gallbladder	10	0.5	0.16	0.3	0.10	30	1.1	0.21	0.6	0.13
Pancreas	259	12.3	0.78	7.5	0.48	291	11.1	0.66	6.2	0.41
Respiratory System	2,152	103.1	2.27	62.5	1.40	1,561	61.6	1.58	39.8	1.08
Larynx	130	5.9	0.53	3.9	0.35	18	0.8	0.18	0.5	0.12
Lung & bronchus	2,003	96.1	2.20	57.8	1.34	1,528	60.3	1.56	38.9	1.07
Bones & Joints	24	1.3	0.26	1.1	0.25	13	0.7	0.19	0.6	0.20
Soft Tissue (incl. heart)	77	3.8	0.45	3.2	0.43	51	2.3	0.33	1.8	0.33
Skin (excl. basal & sq.)	408	19.6	0.99	13.2	0.68	415	17.9	0.90	13.4	0.74
Melanomas of the skin	369	17.7	0.94	12.1	0.65	371	16.0	0.85	12.0	0.68
Breast (excl. <i>in situ</i>)	21	1.0	0.23	0.6	0.13	2,760	112.0	2.17	79.0	1.60
Female Genital System	-	-	-	-	-	1,073	43.4	1.35	32.0	1.05
Cervix uteri	-	-	-	-	-	142	6.6	0.57	5.4	0.48
Uterus Corpus	-	-	-	-	-	538	21.0	0.92	15.8	0.71
Uterus, NOS ¹	-	-	-	-	-	8	0.3	0.10	0.2	0.08
Ovary	-	-	-	-	-	298	12.0	0.71	8.3	0.53
Male Genital System	3,863	171.3	2.82	122.5	2.03	-	-	-	-	-
Prostate	3,728	163.9	2.74	115.8	1.93	-	-	-	-	-
Testis	104	5.9	0.58	5.8	0.59	-	-	-	-	-
Penis	27	1.3	0.26	0.8	0.17	-	-	-	-	-
Urinary System	1,327	63.2	1.78	39.9	1.15	598	23.5	0.98	16.2	0.73
Bladder (incl. <i>in situ</i>)	797	39.0	1.41	22.5	0.83	265	10.3	0.64	6.6	0.44
Kidney & renal pelvis	513	23.4	1.06	16.9	0.78	319	12.8	0.73	9.3	0.58
Ureter	11	0.5	0.15	0.3	0.11	10	0.4	0.11	0.2	0.08
Eye & Orbit	16	0.8	0.20	0.5	0.12	17	0.7	0.18	0.6	0.18
Brain & Other Nervous System	162	7.6	0.62	6.0	0.52	142	6.3	0.55	5.1	0.52
Brain	158	7.5	0.61	5.9	0.52	138	6.1	0.54	4.9	0.51
Endocrine System	166	7.7	0.62	6.2	0.50	471	21.5	1.02	18.0	0.88
Thyroid gland	155	7.3	0.60	5.8	0.49	461	21.0	1.00	17.4	0.86
Lymphomas	539	26.0	1.15	18.2	0.84	441	18.1	0.88	13.1	0.70
Hodgkin Lymphoma	55	2.9	0.40	2.8	0.40	36	1.8	0.31	1.7	0.32
Non-Hodgkin Lymphoma	484	23.1	1.07	15.5	0.74	405	16.3	0.83	11.4	0.62
Multiple Myeloma	140	6.7	0.58	4.1	0.36	122	4.6	0.42	2.7	0.27
Leukemias	328	16.2	0.92	11.8	0.77	230	10.2	0.70	8.1	0.69
Acute lymphocytic	30	1.9	0.35	2.4	0.49	23	1.5	0.32	2.0	0.47
Chronic lymphocytic	157	7.3	0.60	4.7	0.38	86	3.4	0.37	2.1	0.25
Acute myeloid	70	3.5	0.43	2.5	0.34	58	2.6	0.36	2.2	0.35
Chronic myeloid	37	1.8	0.30	1.2	0.22	25	1.0	0.21	0.7	0.16
Other leukemias	34	1.7	0.30	1.1	0.20	38	1.6	0.26	1.0	0.18
Mesothelioma	47	2.3	0.34	1.3	0.20	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	286	10.8	0.65	6.1	0.42
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	64	3.3	0.42	2.3	0.33	97	4.1	0.43	3.1	0.34
Breast (<i>in situ</i>)	-	-	-	-	-	429	17.2	0.84	13.3	0.66

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Newfoundland and Labrador, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,575	590.4	6.65	382.9	4.33	6,828	417.8	5.15	286.6	3.75
Oral Cavity & Pharynx	229	14.7	1.01	10.7	0.72	77	5.0	0.58	3.8	0.48
Lip	41	2.6	0.43	1.9	0.30	-	-	-	-	-
Tongue	53	3.4	0.49	2.5	0.36	19	1.2	0.29	0.9	0.23
Major salivary gland	14	1.0	0.27	0.6	0.17	14	1.0	0.28	0.9	0.26
Floor of mouth	12	0.8	0.24	0.5	0.16	-	-	-	-	-
Gum & other mouth	26	1.8	0.37	1.2	0.24	14	1.0	0.27	0.7	0.22
Nasopharynx	17	1.0	0.25	0.9	0.23	9	0.5	0.19	0.4	0.14
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	17	1.1	0.27	0.8	0.18	-	-	-	-	-
Digestive System	2,276	159.7	3.49	98.0	2.12	1,624	99.1	2.49	60.5	1.62
Esophagus	94	6.5	0.70	4.0	0.42	27	1.6	0.32	0.8	0.18
Stomach	310	23.3	1.38	13.3	0.78	158	10.0	0.81	6.0	0.53
Small intestine	48	3.4	0.50	2.2	0.34	28	1.7	0.33	1.1	0.22
Colon excl. rectum	940	67.6	2.29	39.5	1.33	838	50.8	1.78	30.5	1.13
Rectum & rectosigmoid	571	37.3	1.62	25.3	1.08	299	18.1	1.06	12.2	0.74
Anus, anal canal & anorectum	9	0.6	0.20	0.4	0.14	18	1.1	0.27	0.8	0.20
Liver	73	4.8	0.59	3.2	0.38	21	1.4	0.31	0.9	0.27
Gallbladder	7	0.5	0.19	0.3	0.11	26	1.6	0.32	0.8	0.18
Pancreas	146	10.2	0.89	6.2	0.53	128	7.7	0.69	4.5	0.43
Respiratory System	1,388	96.1	2.68	58.5	1.61	815	48.9	1.73	32.2	1.17
Larynx	104	6.6	0.67	4.6	0.46	15	0.8	0.21	0.6	0.16
Lung & bronchus	1,272	88.7	2.59	53.4	1.53	794	47.7	1.71	31.4	1.16
Bones & Joints	11	0.9	0.28	1.0	0.31	12	0.9	0.26	0.8	0.27
Soft Tissue (incl. heart)	32	2.3	0.43	1.6	0.30	40	2.6	0.43	2.0	0.40
Skin (excl. basal & sq.)	258	18.4	1.18	11.9	0.78	186	11.8	0.88	8.5	0.66
Melanomas of the skin	230	16.2	1.11	10.5	0.73	165	10.4	0.83	7.6	0.63
Breast (excl. <i>in situ</i>)	11	0.7	0.23	0.5	0.15	1,756	105.3	2.56	75.1	1.87
Female Genital System	-	-	-	-	-	820	50.3	1.80	38.0	1.40
Cervix uteri	-	-	-	-	-	160	11.3	0.91	9.2	0.78
Uterus Corpus	-	-	-	-	-	402	23.4	1.19	17.8	0.91
Uterus, NOS ¹	-	-	-	-	-	19	1.2	0.29	1.0	0.24
Ovary	-	-	-	-	-	169	10.0	0.79	7.4	0.60
Male Genital System	2,438	157.9	3.32	110.0	2.28	-	-	-	-	-
Prostate	2,356	151.4	3.24	104.3	2.18	-	-	-	-	-
Testis	53	4.5	0.62	4.4	0.63	-	-	-	-	-
Penis	24	1.6	0.35	1.1	0.23	-	-	-	-	-
Urinary System	822	59.4	2.17	34.9	1.26	409	24.8	1.25	16.2	0.87
Bladder (incl. <i>in situ</i>)	475	36.4	1.74	19.2	0.90	170	10.2	0.79	6.0	0.50
Kidney & renal pelvis	330	21.6	1.23	15.1	0.86	226	13.8	0.94	9.8	0.71
Ureter	13	1.0	0.30	0.5	0.13	11	0.7	0.22	0.4	0.11
Eye & Orbit	15	1.2	0.32	0.8	0.26	6	0.4	0.16	0.3	0.15
Brain & Other Nervous System	127	8.6	0.80	6.9	0.68	97	6.0	0.63	4.6	0.52
Brain	123	8.4	0.78	6.6	0.67	95	5.9	0.62	4.5	0.51
Endocrine System	89	5.9	0.65	5.0	0.59	213	14.5	1.02	12.4	0.93
Thyroid gland	78	5.1	0.60	4.2	0.50	201	13.6	0.99	11.3	0.85
Lymphomas	329	23.7	1.36	16.7	1.00	340	21.4	1.18	15.4	0.93
Hodgkin Lymphoma	36	2.8	0.48	2.6	0.49	25	1.9	0.39	2.0	0.42
Non-Hodgkin Lymphoma	293	20.8	1.27	14.1	0.88	315	19.4	1.12	13.4	0.83
Multiple Myeloma	79	5.3	0.62	3.5	0.40	69	4.3	0.52	2.6	0.33
Leukemias	191	14.0	1.06	11.1	0.97	114	7.5	0.73	5.9	0.69
Acute lymphocytic	23	2.2	0.46	3.0	0.69	8	0.8	0.30	1.2	0.46
Chronic lymphocytic	75	4.9	0.59	3.3	0.39	38	2.2	0.36	1.5	0.26
Acute myeloid	43	3.3	0.52	2.4	0.44	33	2.2	0.40	1.8	0.37
Chronic myeloid	22	1.5	0.34	1.1	0.25	18	1.2	0.30	0.8	0.20
Other leukemias	28	2.1	0.43	1.3	0.25	17	1.0	0.25	0.6	0.16
Mesothelioma	15	1.0	0.27	0.7	0.18	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	246	14.9	0.96	8.3	0.57
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	30	2.3	0.44	1.6	0.31	57	3.6	0.49	2.5	0.37
Breast (<i>in situ</i>)	-	-	-	-	-	253	15.1	0.97	11.8	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

NEWFOUNDLAND AND LABRADOR

444 Incidence – All Races

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Northwest Territories, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	314	452.4	30.17	294.7	17.43	302	438.9	28.08	306.3	18.58
Oral Cavity & Pharynx	18	25.3	6.96	16.7	4.10	6	10.4	4.53	7.4	3.12
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	97	132.7	15.68	92.1	9.86	75	129.4	16.35	81.1	9.84
Esophagus	6	5.7	2.41	5.0	2.15	-	-	-	-	-
Stomach	8	11.7	5.21	7.3	2.76	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	43	58.4	10.21	40.8	6.52	34	57.7	10.90	35.6	6.43
Rectum & rectosigmoid	21	34.4	8.59	22.3	5.11	25	42.7	9.31	28.1	5.86
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	13.8	4.82	9.5	3.05	8	16.9	6.25	9.9	3.60
Respiratory System	44	79.8	13.71	43.9	6.92	36	68.0	12.19	41.6	7.23
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	41	76.7	13.58	41.3	6.72	35	65.6	11.95	40.1	7.07
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	7	7.6	3.01	7.1	2.84
Melanomas of the skin	-	-	-	-	-	7	7.6	3.01	7.1	2.84
Breast (excl. <i>in situ</i>)	-	-	-	-	-	101	120.0	13.11	92.9	9.73
Female Genital System	-	-	-	-	-	24	29.0	6.57	22.4	4.82
Cervix uteri	-	-	-	-	-	8	8.9	3.60	6.3	2.27
Uterus Corpus	-	-	-	-	-	12	14.1	4.25	12.3	3.78
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	83	110.7	14.27	77.4	8.86	-	-	-	-	-
Prostate	75	104.6	14.10	71.1	8.57	-	-	-	-	-
Testis	8	6.0	2.14	6.3	2.24	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	22	33.8	8.83	20.7	4.63	16	26.3	7.19	17.4	4.57
Bladder (incl. <i>in situ</i>)	9	18.6	7.28	10.0	3.43	-	-	-	-	-
Kidney & renal pelvis	11	12.1	4.35	8.5	2.67	10	17.6	5.94	11.9	3.92
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	13	14.9	4.38	12.6	3.68
Thyroid gland	-	-	-	-	-	11	11.6	3.54	10.4	3.28
Lymphomas	16	21.7	6.63	14.4	3.80	11	13.5	4.57	9.4	2.94
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	9.4	3.32	7.6	2.55	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	11	19.7	6.86	10.6	3.22	6	8.1	3.71	5.2	2.24
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	12	13.5	4.27	10.1	3.04

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nova Scotia, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,180	569.3	4.73	367.0	3.13	13,725	436.9	3.81	297.9	2.81
Oral Cavity & Pharynx	405	14.3	0.72	10.4	0.53	180	5.6	0.42	3.8	0.31
Lip	20	0.8	0.17	0.5	0.11	7	0.2	0.08	0.1	0.05
Tongue	130	4.4	0.40	3.4	0.31	54	1.7	0.23	1.2	0.17
Major salivary gland	22	0.8	0.18	0.6	0.13	20	0.7	0.15	0.4	0.11
Floor of mouth	25	0.9	0.18	0.6	0.12	7	0.2	0.09	0.1	0.06
Gum & other mouth	48	1.8	0.26	1.2	0.18	48	1.5	0.22	1.0	0.17
Nasopharynx	11	0.4	0.12	0.3	0.09	-	-	-	-	-
Oropharynx	24	0.8	0.17	0.6	0.13	-	-	-	-	-
Hypopharynx	25	0.9	0.18	0.6	0.12	9	0.3	0.09	0.2	0.06
Digestive System	3,424	130.6	2.28	78.6	1.39	2,807	86.3	1.66	52.4	1.10
Esophagus	241	8.9	0.59	5.6	0.37	81	2.4	0.27	1.5	0.18
Stomach	307	11.8	0.69	7.2	0.43	170	5.3	0.41	3.1	0.27
Small intestine	61	2.3	0.30	1.6	0.21	59	1.8	0.24	1.1	0.16
Colon excl. rectum	1,384	53.9	1.48	30.8	0.86	1,440	44.0	1.18	26.1	0.77
Rectum & rectosigmoid	801	29.7	1.07	19.2	0.70	464	14.6	0.69	9.5	0.48
Anus, anal canal & anorectum	27	1.0	0.20	0.7	0.13	57	1.9	0.26	1.3	0.19
Liver	160	5.7	0.46	3.8	0.30	46	1.4	0.21	0.8	0.14
Gallbladder	20	0.8	0.19	0.4	0.09	50	1.5	0.22	0.8	0.13
Pancreas	313	12.1	0.70	7.0	0.41	327	9.9	0.55	5.7	0.35
Respiratory System	2,508	94.8	1.93	57.5	1.18	2,094	65.2	1.44	42.0	0.98
Larynx	159	5.7	0.46	3.8	0.31	36	1.2	0.20	0.8	0.14
Lung & bronchus	2,316	87.8	1.86	52.8	1.13	2,035	63.3	1.42	40.7	0.97
Bones & Joints	22	1.0	0.21	0.8	0.19	19	0.7	0.18	0.6	0.19
Soft Tissue (incl. heart)	75	3.1	0.36	2.3	0.29	62	2.3	0.30	2.0	0.31
Skin (excl. basal & sq.)	682	25.8	1.01	17.4	0.70	634	21.5	0.87	15.9	0.68
Melanomas of the skin	633	23.8	0.97	16.3	0.68	596	20.3	0.85	15.1	0.67
Breast (excl. <i>in situ</i>)	40	1.5	0.25	1.0	0.16	3,704	118.7	1.99	84.7	1.48
Female Genital System	-	-	-	-	-	1,342	43.1	1.20	31.4	0.92
Cervix uteri	-	-	-	-	-	210	8.1	0.58	6.4	0.46
Uterus Corpus	-	-	-	-	-	636	19.5	0.79	14.8	0.61
Uterus, NOS ¹	-	-	-	-	-	18	0.5	0.13	0.3	0.09
Ovary	-	-	-	-	-	313	9.7	0.56	6.6	0.41
Male Genital System	4,147	149.0	2.36	102.5	1.64	-	-	-	-	-
Prostate	3,977	141.7	2.29	95.9	1.55	-	-	-	-	-
Testis	130	5.9	0.53	5.6	0.51	-	-	-	-	-
Penis	36	1.2	0.20	0.9	0.15	-	-	-	-	-
Urinary System	1,692	64.5	1.60	39.3	1.00	762	23.4	0.86	15.5	0.63
Bladder (incl. <i>in situ</i>)	1,007	39.2	1.26	22.4	0.73	341	10.3	0.56	6.1	0.37
Kidney & renal pelvis	640	23.4	0.95	16.0	0.66	406	12.7	0.64	9.2	0.51
Ureter	34	1.4	0.25	0.7	0.13	12	0.3	0.10	0.1	0.05
Eye & Orbit	27	1.0	0.20	0.8	0.20	24	0.9	0.19	0.8	0.23
Brain & Other Nervous System	215	8.3	0.58	6.2	0.46	183	6.4	0.49	5.1	0.45
Brain	208	8.1	0.57	6.0	0.45	174	6.0	0.47	4.7	0.43
Endocrine System	172	6.5	0.51	5.5	0.46	433	16.0	0.79	13.0	0.66
Thyroid gland	149	5.5	0.46	4.4	0.37	419	15.5	0.77	12.4	0.64
Lymphomas	678	26.1	1.02	18.3	0.76	588	19.3	0.82	13.8	0.65
Hodgkin Lymphoma	84	3.6	0.40	3.3	0.39	72	2.9	0.35	2.7	0.35
Non-Hodgkin Lymphoma	594	22.5	0.94	14.9	0.65	516	16.4	0.74	11.0	0.55
Multiple Myeloma	191	7.2	0.53	4.3	0.32	130	4.0	0.36	2.5	0.24
Leukemias	348	13.7	0.76	10.0	0.64	276	9.0	0.56	6.5	0.49
Acute lymphocytic	23	1.3	0.27	1.7	0.39	24	1.1	0.24	1.3	0.31
Chronic lymphocytic	140	5.1	0.44	3.4	0.29	109	3.4	0.33	2.2	0.23
Acute myeloid	102	4.0	0.41	2.9	0.34	73	2.4	0.29	1.7	0.25
Chronic myeloid	35	1.4	0.24	0.8	0.15	36	1.1	0.19	0.7	0.15
Other leukemias	48	2.0	0.29	1.2	0.19	34	1.0	0.18	0.6	0.11
Mesothelioma	62	2.5	0.32	1.3	0.17	18	0.5	0.13	0.4	0.09
Kaposi Sarcoma	9	0.4	0.13	0.3	0.11	-	-	-	-	-
Ill-defined & Unknown	483	19.1	0.89	10.6	0.50	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	81	3.1	0.35	2.4	0.28	117	4.0	0.38	3.1	0.31
Breast (<i>in situ</i>)	-	-	-	-	-	524	17.1	0.76	13.2	0.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nunavut, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	133	414.3	45.60	275.8	25.46	131	401.2	43.93	285.6	26.98
Oral Cavity & Pharynx	10	24.0	8.53	19.3	6.50	7	16.7	7.72	13.4	5.67
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	6	15.0	7.17	10.8	4.83	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	38	108.7	22.36	69.6	12.22	32	111.1	25.29	71.4	13.54
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	17	49.1	15.62	31.4	8.29	15	49.7	15.29	34.9	9.47
Rectum & rectosigmoid	8	17.0	6.75	12.9	4.97	8	35.9	17.38	18.2	7.26
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	48	186.6	33.47	113.7	17.14	40	159.9	29.62	109.4	18.08
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	186.6	33.47	113.7	17.14	40	159.9	29.62	109.4	18.08
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	23	60.1	15.51	42.9	9.64
Female Genital System	-	-	-	-	-	11	19.5	6.02	16.6	5.26
Cervix uteri	-	-	-	-	-	9	15.2	5.17	12.6	4.38
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	16	41.9	14.40	29.9	8.05	-	-	-	-	-
Prostate	11	26.0	8.36	22.6	7.08	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	16.4	6.50	14.9	5.90	6	14.4	6.24	13.6	5.79
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	13.3	5.70	12.2	5.23	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	19.7	8.80	14.5	5.67	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ontario, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	170,088	519.5	1.28	340.8	0.87	154,755	403.5	1.04	282.7	0.78
Oral Cavity & Pharynx	4,919	14.4	0.21	10.2	0.15	2,472	6.4	0.13	4.5	0.10
Lip	470	1.5	0.07	0.9	0.04	195	0.5	0.04	0.3	0.02
Tongue	1,275	3.6	0.10	2.7	0.08	629	1.6	0.07	1.1	0.05
Major salivary gland	568	1.8	0.08	1.1	0.05	447	1.2	0.06	0.9	0.05
Floor of mouth	289	0.8	0.05	0.6	0.04	147	0.4	0.03	0.3	0.02
Gum & other mouth	558	1.7	0.07	1.1	0.05	455	1.2	0.06	0.7	0.04
Nasopharynx	336	1.0	0.05	0.8	0.04	174	0.5	0.04	0.4	0.03
Oropharynx	214	0.6	0.04	0.4	0.03	68	0.2	0.02	0.1	0.02
Hypopharynx	333	1.0	0.05	0.7	0.04	76	0.2	0.02	0.1	0.02
Digestive System	35,812	110.1	0.59	69.2	0.38	28,433	71.9	0.43	44.2	0.29
Esophagus	2,510	7.6	0.15	4.9	0.10	840	2.1	0.07	1.3	0.05
Stomach	3,575	11.2	0.19	6.7	0.12	2,201	5.6	0.12	3.4	0.08
Small intestine	724	2.2	0.08	1.4	0.06	615	1.6	0.06	1.1	0.05
Colon excl. rectum	13,699	42.8	0.37	26.0	0.23	13,227	33.3	0.29	19.9	0.19
Rectum & rectosigmoid	6,952	20.9	0.25	13.8	0.17	4,397	11.2	0.17	7.3	0.12
Anus, anal canal & anorectum	560	1.7	0.07	1.1	0.05	768	2.0	0.07	1.4	0.05
Liver	2,398	7.1	0.15	4.9	0.11	711	1.8	0.07	1.3	0.05
Gallbladder	282	0.9	0.05	0.5	0.03	616	1.6	0.06	0.9	0.04
Pancreas	3,422	10.5	0.18	6.6	0.12	3,589	9.0	0.15	5.4	0.10
Respiratory System	22,925	71.1	0.48	43.5	0.30	19,294	49.2	0.36	31.9	0.25
Larynx	1,597	4.7	0.12	3.2	0.08	288	0.7	0.04	0.5	0.03
Lung & bronchus	20,923	65.1	0.46	39.5	0.28	18,715	47.7	0.35	30.8	0.24
Bones & Joints	349	1.1	0.06	1.0	0.06	283	0.8	0.05	0.8	0.05
Soft Tissue (incl. heart)	1,444	4.5	0.12	3.3	0.10	1,063	2.9	0.09	2.4	0.08
Skin (excl. basal & sq.)	6,388	19.5	0.25	13.0	0.17	5,488	14.7	0.20	10.9	0.16
Melanomas of the skin	6,380	19.5	0.25	13.0	0.17	5,481	14.7	0.20	10.9	0.16
Breast (excl. <i>in situ</i>)	341	1.0	0.06	0.7	0.04	41,052	107.3	0.53	78.4	0.41
Female Genital System	-	-	-	-	-	19,300	50.6	0.37	37.6	0.28
Cervix uteri	-	-	-	-	-	2,834	8.1	0.15	6.4	0.12
Uterus Corpus	-	-	-	-	-	9,175	23.4	0.25	17.6	0.19
Uterus, NOS ¹	-	-	-	-	-	224	0.6	0.04	0.4	0.03
Ovary	-	-	-	-	-	5,134	13.5	0.19	9.7	0.15
Male Genital System	49,305	146.5	0.67	101.3	0.47	-	-	-	-	-
Prostate	47,129	139.8	0.65	95.3	0.45	-	-	-	-	-
Testis	1,778	5.5	0.13	5.1	0.13	-	-	-	-	-
Penis	281	0.9	0.05	0.5	0.03	-	-	-	-	-
Urinary System	21,756	68.1	0.47	41.1	0.29	8,793	22.4	0.24	14.4	0.17
Bladder (incl. <i>in situ</i>)	15,526	49.5	0.40	28.3	0.24	4,989	12.6	0.18	7.6	0.12
Kidney & renal pelvis	5,252	15.5	0.22	11.0	0.16	3,421	8.9	0.15	6.3	0.12
Ureter	185	0.6	0.04	0.3	0.03	135	0.3	0.03	0.2	0.02
Eye & Orbit	349	1.1	0.06	0.8	0.05	318	0.9	0.05	0.8	0.05
Brain & Other Nervous System	2,856	8.7	0.17	7.1	0.15	2,189	6.1	0.13	5.1	0.13
Brain	2,693	8.2	0.16	6.6	0.14	2,030	5.6	0.13	4.6	0.12
Endocrine System	2,703	8.0	0.15	6.5	0.13	9,425	26.8	0.28	22.3	0.24
Thyroid gland	2,379	7.0	0.14	5.6	0.12	9,085	25.8	0.27	21.4	0.23
Lymphomas	8,544	26.2	0.29	18.2	0.21	7,263	19.1	0.23	13.6	0.18
Hodgkin Lymphoma	1,000	3.1	0.10	2.8	0.09	901	2.7	0.09	2.5	0.09
Non-Hodgkin Lymphoma	7,544	23.1	0.27	15.4	0.19	6,362	16.5	0.21	11.1	0.15
Multiple Myeloma	2,235	6.9	0.15	4.2	0.09	1,871	4.7	0.11	2.8	0.07
Leukemias	5,768	18.2	0.24	12.7	0.19	4,339	11.5	0.18	8.4	0.16
Acute lymphocytic	405	1.4	0.07	1.9	0.10	318	1.1	0.06	1.5	0.09
Chronic lymphocytic	2,590	8.0	0.16	4.9	0.10	1,703	4.3	0.10	2.6	0.07
Acute myeloid	1,272	4.0	0.11	2.7	0.08	1,152	3.1	0.09	2.2	0.07
Chronic myeloid	595	1.9	0.08	1.2	0.05	441	1.2	0.06	0.8	0.04
Other leukemias	906	2.9	0.10	2.0	0.08	725	1.9	0.07	1.4	0.06
Mesothelioma	676	2.2	0.08	1.2	0.05	155	0.4	0.03	0.3	0.02
Kaposi Sarcoma	40	0.1	0.02	0.1	0.01	13	0.0	0.01	0.0	0.01
Ill-defined & Unknown	3,678	11.9	0.20	6.7	0.12	3,004	7.5	0.14	4.3	0.09
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	83	0.2	0.03	0.2	0.02	13,247	34.9	0.31	26.6	0.24

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Prince Edward Island, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	2,298	582.2	12.43	380.0	8.29	1,864	407.7	9.62	278.9	7.11
Oral Cavity & Pharynx	64	15.5	1.99	10.8	1.39	38	8.0	1.33	5.2	0.95
Lip	11	3.0	0.93	1.5	0.48	-	-	-	-	-
Tongue	17	3.9	0.97	3.0	0.74	8	1.6	0.57	1.2	0.44
Major salivary gland	-	-	-	-	-	7	1.6	0.60	0.9	0.38
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	1.5	0.64	1.2	0.53	14	2.8	0.78	2.0	0.63
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	7	1.6	0.63	1.1	0.42	-	-	-	-	-
Digestive System	444	114.6	5.56	69.6	3.44	369	78.6	4.17	47.6	2.77
Esophagus	32	8.2	1.48	5.5	1.01	8	1.9	0.69	1.0	0.42
Stomach	36	9.3	1.58	5.8	1.00	18	3.9	0.94	2.7	0.73
Small intestine	10	2.6	0.83	1.6	0.52	8	1.6	0.58	1.2	0.44
Colon excl. rectum	183	48.6	3.67	27.3	2.09	180	38.4	2.92	22.6	1.90
Rectum & rectosigmoid	98	23.7	2.44	15.9	1.66	58	12.7	1.70	8.3	1.19
Anus, anal canal & anorectum	-	-	-	-	-	6	1.2	0.51	1.0	0.43
Liver	17	4.5	1.11	2.9	0.81	8	1.7	0.60	1.1	0.41
Gallbladder	-	-	-	-	-	8	1.6	0.59	0.8	0.31
Pancreas	50	13.0	1.88	7.9	1.16	49	9.8	1.42	5.8	0.91
Respiratory System	392	100.2	5.17	60.6	3.16	270	57.2	3.52	36.1	2.36
Larynx	30	7.4	1.37	4.8	0.90	-	-	-	-	-
Lung & bronchus	356	91.4	4.95	54.6	2.99	265	56.1	3.48	35.6	2.35
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	2.0	0.73	1.5	0.55	16	4.0	1.04	3.7	1.10
Skin (excl. basal & sq.)	117	30.6	2.89	20.3	1.96	87	19.9	2.17	14.2	1.66
Melanomas of the skin	111	28.9	2.81	19.1	1.90	79	18.0	2.06	12.9	1.56
Breast (excl. <i>in situ</i>)	-	-	-	-	-	511	111.9	5.03	80.0	3.75
Female Genital System	-	-	-	-	-	204	45.5	3.25	34.0	2.51
Cervix uteri	-	-	-	-	-	38	9.7	1.62	8.1	1.36
Uterus Corpus	-	-	-	-	-	97	20.2	2.08	15.1	1.62
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	50	11.2	1.60	7.7	1.14
Male Genital System	727	177.2	6.73	122.8	4.69	-	-	-	-	-
Prostate	701	169.0	6.53	116.0	4.47	-	-	-	-	-
Testis	21	6.7	1.48	6.0	1.36	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	231	59.2	3.99	37.4	2.55	99	20.8	2.11	14.0	1.50
Bladder (incl. <i>in situ</i>)	135	35.7	3.14	20.5	1.82	42	8.6	1.34	5.3	0.91
Kidney & renal pelvis	93	22.8	2.42	16.4	1.76	53	11.3	1.57	8.1	1.16
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	29	7.4	1.42	6.3	1.24	20	5.3	1.21	4.0	1.01
Brain	26	6.7	1.33	5.4	1.09	16	4.2	1.08	3.2	0.89
Endocrine System	22	6.2	1.34	5.2	1.19	38	10.3	1.71	9.1	1.63
Thyroid gland	20	5.6	1.26	4.9	1.16	36	9.5	1.63	8.2	1.46
Lymphomas	79	21.1	2.44	14.7	1.78	71	16.0	1.93	11.7	1.55
Hodgkin Lymphoma	10	3.2	1.02	2.6	0.92	-	-	-	-	-
Non-Hodgkin Lymphoma	69	18.0	2.21	12.1	1.53	-	-	-	-	-
Multiple Myeloma	31	7.9	1.46	4.8	0.90	20	4.4	1.00	2.8	0.67
Leukemias	58	15.1	2.03	11.3	1.72	39	8.8	1.44	6.3	1.27
Acute lymphocytic	7	2.1	0.82	2.3	1.00	6	1.6	0.67	1.4	0.77
Chronic lymphocytic	27	6.5	1.28	4.5	0.88	17	3.7	0.90	2.4	0.62
Acute myeloid	15	4.1	1.08	3.1	0.96	9	2.1	0.72	1.6	0.70
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	8	2.0	0.73	1.3	0.47	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	81	21.4	2.44	12.4	1.43	76	15.6	1.82	9.2	1.20
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	8	2.3	0.82	1.5	0.55	21	4.9	1.10	3.5	0.94
Breast (<i>in situ</i>)	-	-	-	-	-	80	17.9	2.03	13.8	1.59

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Quebec, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	111,750	544.1	1.67	339.7	1.07	109,120	436.2	1.34	296.8	0.99
Oral Cavity & Pharynx	3,155	14.5	0.26	10.0	0.18	1,482	5.9	0.16	4.1	0.12
Lip	281	1.5	0.09	0.8	0.05	78	0.3	0.03	0.2	0.02
Tongue	771	3.5	0.13	2.5	0.09	359	1.5	0.08	1.0	0.06
Major salivary gland	261	1.3	0.08	0.8	0.05	244	1.0	0.07	0.7	0.05
Floor of mouth	169	0.7	0.06	0.5	0.04	94	0.4	0.04	0.3	0.03
Gum & other mouth	323	1.5	0.09	1.0	0.06	253	1.0	0.06	0.7	0.05
Nasopharynx	157	0.7	0.06	0.6	0.05	80	0.3	0.04	0.2	0.03
Oropharynx	193	0.8	0.06	0.6	0.04	70	0.3	0.03	0.2	0.02
Hypopharynx	305	1.4	0.08	0.9	0.05	64	0.2	0.03	0.2	0.02
Digestive System	25,750	126.0	0.81	75.8	0.49	20,883	80.6	0.56	47.7	0.37
Esophagus	1,389	6.6	0.18	4.2	0.11	443	1.7	0.08	1.0	0.05
Stomach	2,529	12.6	0.26	7.3	0.15	1,565	6.0	0.15	3.3	0.09
Small intestine	435	2.1	0.10	1.4	0.07	362	1.4	0.08	0.9	0.05
Colon excl. rectum	9,545	47.7	0.50	27.4	0.29	9,301	35.8	0.37	20.7	0.24
Rectum & rectosigmoid	5,875	27.6	0.37	17.8	0.24	3,679	14.4	0.24	9.2	0.16
Anus, anal canal & anorectum	221	1.0	0.07	0.7	0.05	317	1.3	0.07	0.9	0.05
Liver	1,573	7.5	0.19	4.8	0.13	590	2.3	0.10	1.4	0.07
Gallbladder	187	0.9	0.07	0.5	0.04	359	1.4	0.07	0.8	0.05
Pancreas	2,744	13.6	0.27	8.0	0.16	2,765	10.6	0.20	6.1	0.13
Respiratory System	23,025	112.0	0.76	67.0	0.46	17,222	67.2	0.52	45.1	0.37
Larynx	1,603	7.4	0.19	4.9	0.13	349	1.4	0.07	0.9	0.05
Lung & bronchus	21,078	103.0	0.73	60.9	0.43	16,676	65.0	0.51	43.6	0.36
Bones & Joints	274	1.4	0.09	1.2	0.08	220	1.0	0.07	0.9	0.07
Soft Tissue (incl. heart)	719	3.6	0.14	2.6	0.11	567	2.5	0.11	2.0	0.10
Skin (excl. basal & sq.)	2,435	11.7	0.24	7.9	0.17	2,199	9.4	0.20	7.0	0.16
Melanomas of the skin	2,016	9.6	0.22	6.6	0.15	1,776	7.7	0.19	5.9	0.15
Breast (excl. <i>in situ</i>)	227	1.1	0.08	0.7	0.05	29,563	119.4	0.71	86.7	0.53
Female Genital System	-	-	-	-	-	11,137	44.9	0.43	32.1	0.33
Cervix uteri	-	-	-	-	-	1,542	7.1	0.19	5.5	0.15
Uterus Corpus	-	-	-	-	-	5,111	19.9	0.28	14.6	0.21
Uterus, NOS ¹	-	-	-	-	-	386	1.5	0.08	1.0	0.06
Ovary	-	-	-	-	-	3,194	12.8	0.23	8.9	0.17
Male Genital System	23,145	108.7	0.74	72.0	0.49	-	-	-	-	-
Prostate	21,925	102.5	0.72	66.5	0.46	-	-	-	-	-
Testis	992	5.1	0.16	4.9	0.16	-	-	-	-	-
Penis	171	0.8	0.06	0.5	0.04	-	-	-	-	-
Urinary System	13,474	66.3	0.59	39.6	0.36	5,999	23.4	0.31	14.9	0.22
Bladder (incl. <i>in situ</i>)	8,998	45.1	0.49	25.6	0.28	3,254	12.6	0.22	7.7	0.15
Kidney & renal pelvis	4,027	19.0	0.31	12.7	0.21	2,482	9.9	0.20	6.6	0.15
Ureter	193	1.0	0.08	0.5	0.04	145	0.6	0.05	0.3	0.03
Eye & Orbit	185	0.9	0.07	0.7	0.06	171	0.8	0.06	0.7	0.07
Brain & Other Nervous System	1,991	9.6	0.22	7.5	0.19	1,638	7.1	0.18	5.5	0.16
Brain	1,864	9.0	0.21	7.0	0.18	1,493	6.4	0.17	5.0	0.15
Endocrine System	1,416	6.6	0.18	5.4	0.15	4,286	19.6	0.31	16.3	0.27
Thyroid gland	1,203	5.5	0.16	4.4	0.13	4,070	18.6	0.30	15.4	0.26
Lymphomas	5,129	25.1	0.36	17.3	0.26	4,260	17.4	0.27	12.2	0.21
Hodgkin Lymphoma	686	3.5	0.13	3.1	0.12	499	2.4	0.11	2.3	0.11
Non-Hodgkin Lymphoma	4,443	21.6	0.33	14.2	0.23	3,761	14.9	0.25	9.9	0.18
Multiple Myeloma	1,515	7.5	0.20	4.3	0.12	1,218	4.7	0.14	2.8	0.09
Leukemias	3,221	16.6	0.30	10.7	0.22	2,475	10.2	0.21	7.1	0.19
Acute lymphocytic	272	1.6	0.10	1.9	0.13	228	1.3	0.09	1.6	0.12
Chronic lymphocytic	1,389	7.1	0.20	3.9	0.11	953	3.6	0.12	1.9	0.07
Acute myeloid	726	3.6	0.14	2.4	0.10	626	2.7	0.11	2.0	0.09
Chronic myeloid	297	1.6	0.09	0.9	0.05	237	0.9	0.06	0.6	0.04
Other leukemias	537	2.8	0.12	1.7	0.08	431	1.7	0.09	1.1	0.07
Mesothelioma	619	3.1	0.13	1.8	0.07	167	0.6	0.05	0.4	0.04
Kaposi Sarcoma	75	0.4	0.04	0.3	0.03	11	0.0	0.01	0.0	0.01
Ill-defined & Unknown	5,395	29.0	0.41	14.9	0.22	5,622	21.4	0.29	11.2	0.17
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	292	1.5	0.09	1.2	0.08	346	1.5	0.09	1.2	0.08
Breast (<i>in situ</i>)	24	0.1	0.02	0.1	0.02	4,679	18.9	0.28	14.9	0.22

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Saskatchewan, 2006-2010, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,664	500.8	4.31	327.7	3.01	12,602	403.7	3.69	279.7	2.80
Oral Cavity & Pharynx	351	12.7	0.69	9.3	0.52	165	5.2	0.42	3.4	0.30
Lip	61	2.2	0.29	1.4	0.19	15	0.4	0.11	0.2	0.05
Tongue	93	3.4	0.35	2.6	0.28	47	1.5	0.23	1.1	0.17
Major salivary gland	25	1.0	0.20	0.7	0.15	18	0.6	0.14	0.4	0.10
Floor of mouth	16	0.6	0.14	0.4	0.11	17	0.6	0.14	0.4	0.11
Gum & other mouth	44	1.6	0.24	1.1	0.18	31	0.9	0.17	0.6	0.12
Nasopharynx	10	0.4	0.12	0.3	0.10	6	0.2	0.08	0.2	0.07
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	25	0.9	0.19	0.7	0.14	-	-	-	-	-
Digestive System	3,079	112.6	2.04	70.7	1.36	2,516	75.8	1.55	46.8	1.08
Esophagus	188	6.9	0.50	4.4	0.34	62	1.9	0.24	1.2	0.17
Stomach	302	11.0	0.64	6.9	0.42	161	5.0	0.40	3.1	0.28
Small intestine	77	2.8	0.32	1.8	0.22	55	1.8	0.25	1.3	0.19
Colon excl. rectum	1,178	43.1	1.26	26.4	0.83	1,120	33.0	1.01	19.6	0.69
Rectum & rectosigmoid	732	26.7	0.99	17.2	0.67	473	14.8	0.70	9.9	0.51
Anus, anal canal & anorectum	24	0.9	0.19	0.5	0.12	35	1.1	0.20	0.8	0.15
Liver	119	4.3	0.39	3.0	0.30	49	1.4	0.21	0.8	0.15
Gallbladder	21	0.8	0.18	0.5	0.12	60	1.8	0.24	1.1	0.16
Pancreas	315	11.6	0.66	7.2	0.43	345	10.1	0.56	5.8	0.37
Respiratory System	1,989	72.9	1.64	44.3	1.07	1,801	56.1	1.34	36.7	0.96
Larynx	120	4.4	0.41	2.8	0.27	23	0.7	0.16	0.5	0.12
Lung & bronchus	1,836	67.2	1.57	40.6	1.02	1,759	54.7	1.33	35.7	0.95
Bones & Joints	24	0.9	0.19	0.9	0.20	21	0.8	0.18	0.8	0.20
Soft Tissue (incl. heart)	94	3.6	0.38	2.5	0.29	71	2.4	0.30	2.0	0.29
Skin (excl. basal & sq.)	402	14.9	0.75	9.9	0.53	357	12.2	0.66	9.0	0.52
Melanomas of the skin	366	13.6	0.72	9.2	0.51	313	10.7	0.62	8.0	0.49
Breast (excl. <i>in situ</i>)	26	1.0	0.19	0.6	0.13	3,497	114.7	1.98	83.0	1.52
Female Genital System	-	-	-	-	-	1,460	48.9	1.31	36.3	1.03
Cervix uteri	-	-	-	-	-	221	8.8	0.61	7.2	0.50
Uterus Corpus	-	-	-	-	-	696	22.9	0.88	17.3	0.70
Uterus, NOS ¹	-	-	-	-	-	22	0.6	0.14	0.4	0.09
Ovary	-	-	-	-	-	396	12.9	0.66	9.1	0.51
Male Genital System	3,976	144.2	2.30	98.5	1.65	-	-	-	-	-
Prostate	3,771	135.9	2.22	91.2	1.57	-	-	-	-	-
Testis	159	6.6	0.53	6.2	0.50	-	-	-	-	-
Penis	40	1.5	0.23	1.0	0.16	-	-	-	-	-
Urinary System	1,472	53.9	1.41	33.7	0.95	684	21.6	0.84	14.4	0.62
Bladder (incl. <i>in situ</i>)	947	34.7	1.13	20.6	0.72	335	10.3	0.58	6.8	0.42
Kidney & renal pelvis	509	18.6	0.83	12.8	0.60	337	10.9	0.61	7.4	0.46
Ureter	7	0.3	0.10	0.2	0.07	10	0.3	0.10	0.2	0.07
Eye & Orbit	20	0.8	0.17	0.5	0.12	17	0.6	0.15	0.5	0.16
Brain & Other Nervous System	201	7.6	0.54	6.1	0.47	164	5.7	0.45	4.6	0.40
Brain	191	7.1	0.52	5.7	0.45	157	5.4	0.44	4.3	0.39
Endocrine System	119	4.7	0.43	3.7	0.36	275	10.4	0.64	8.7	0.55
Thyroid gland	102	4.0	0.40	3.1	0.32	258	9.8	0.62	8.1	0.53
Lymphomas	714	26.7	1.01	18.9	0.76	584	19.0	0.81	13.4	0.63
Hodgkin Lymphoma	94	3.7	0.38	3.3	0.35	63	2.5	0.31	2.3	0.31
Non-Hodgkin Lymphoma	620	23.1	0.93	15.6	0.67	521	16.6	0.74	11.1	0.55
Multiple Myeloma	173	6.3	0.48	3.9	0.32	157	5.0	0.41	3.3	0.29
Leukemias	532	19.8	0.86	13.6	0.67	384	12.2	0.64	9.1	0.57
Acute lymphocytic	33	1.3	0.23	1.7	0.32	35	1.4	0.25	1.8	0.34
Chronic lymphocytic	284	10.3	0.62	6.3	0.40	174	5.3	0.41	3.4	0.29
Acute myeloid	105	4.0	0.39	2.7	0.30	93	3.0	0.32	2.1	0.26
Chronic myeloid	42	1.6	0.24	1.1	0.20	41	1.4	0.23	1.1	0.18
Other leukemias	68	2.6	0.32	1.7	0.22	41	1.1	0.18	0.7	0.16
Mesothelioma	52	1.9	0.27	1.2	0.17	12	0.4	0.11	0.3	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	111	4.1	0.39	3.0	0.31	145	4.9	0.41	3.6	0.33
Breast (<i>in situ</i>)	-	-	-	-	-	456	15.5	0.73	12.0	0.58

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Yukon, 2006-2010, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	262	368.3	26.91	234.5	14.85	281	373.4	24.71	260.2	16.00
Oral Cavity & Pharynx	13	12.2	3.53	10.2	2.89	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	66	96.6	14.20	59.2	7.46	49	70.9	11.15	47.0	6.92
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	14.9	4.84	10.5	3.20	7	9.4	3.96	7.1	2.78
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	23	33.2	7.98	21.2	4.50	22	33.4	7.72	22.2	4.87
Rectum & rectosigmoid	15	17.5	5.37	12.2	3.22	12	14.5	4.68	10.5	3.11
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	40	60.1	11.04	38.3	6.16	46	65.8	10.61	46.1	6.96
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	34	50.4	9.66	32.4	5.63	45	64.9	10.57	45.4	6.92
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	10	11.5	3.82	9.2	3.04	13	14.6	4.14	12.8	3.71
Melanomas of the skin	10	11.5	3.82	9.2	3.04	13	14.6	4.14	12.8	3.71
Breast (excl. <i>in situ</i>)	-	-	-	-	-	88	106.5	12.43	77.7	8.56
Female Genital System	-	-	-	-	-	35	38.7	7.15	30.7	5.36
Cervix uteri	-	-	-	-	-	7	6.8	2.61	6.0	2.37
Uterus Corpus	-	-	-	-	-	19	22.7	5.81	17.0	4.00
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	8.3	3.13	6.9	2.58
Male Genital System	68	104.7	15.12	61.2	7.57	-	-	-	-	-
Prostate	67	103.4	15.06	60.2	7.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	36.2	8.87	20.4	4.33	12	18.7	6.21	10.4	3.03
Bladder (incl. <i>in situ</i>)	18	31.6	8.62	16.1	3.87	7	12.2	5.20	6.2	2.34
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	7	7.8	3.13	6.2	2.40
Thyroid gland	-	-	-	-	-	6	6.7	2.90	5.4	2.24
Lymphomas	13	16.7	5.46	12.2	3.58	10	17.8	6.31	9.6	3.07
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	12	13.5	4.32	10.0	2.97	6	12.3	5.48	5.5	2.29
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & ONS ¹ (<i>benign/borderline</i>)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	11	12.2	3.92	9.6	2.96

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System