


Cancer in North America: 2005-2009

Volume Three: Registry-specific Cancer Mortality in the United States and Canada



EXECUTIVE SUMMARY

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. In June 2012, NAACCR released the three volume monograph, *Cancer in North America (CINA): 2005-2009*. This release of cancer incidence statistics for the United States is the 22nd publication in the series and the 20th release that includes statistics for both Canada and the United States.

The monograph is organized into three volumes. Volume One presents the aggregated cancer incidence data representing North America including data from the high quality registries in the United States and Canada. The cancer incidence statistics for the Canadian and United States populations are provided. The combined United States data are presented by race and for Hispanic/Latino ethnicity. Age-adjusted rates using the world population standard are provided, as well, to enable international comparisons. Volume One also includes combined pediatric cancer data. Volume Two describes the registry-specific cancer incidence rates by cancer site, sex, race, and ethnicity for all NAACCR members in good standing that submit data and elect to be included in the monograph. Volume Three presents the registry-specific cancer death rates by cancer site, sex, race, and ethnicity. Volumes One through Three, along with population data, supporting appendices, and cancer rates age-adjusted to the US, Canadian and World population standards are available free of charge from the NAACCR website.

This is the second year that the publication provides cancer incidence data for all 50 states, Washington DC, Puerto Rico, all 5 SEER urban registries, and all 13 Canadian registries. A new feature of this edition is the inclusion of data on benign tumors of the brain and central nervous system, which became reportable conditions for most member registries in 2004.

Note that this publication utilizes population estimates that are not based upon the 2010 census as these data will not be available until sometime after this release. Note also that Volume Three, on cancer mortality includes mortality data only for the United States. For Canadian cancer mortality in 2004 through 2008, please refer to the 2011 CINA publication. A revised CINA 2005-2009 publication will be released in the summer of 2012 that will incorporate 2010 census based population figures and will include Canadian cancer mortality data for the years 2005-2009. This revision is planned to assure the most timely and accurate cancer incidence and mortality rates possible.

In addition to publication of cancer statistics for the most recent five-year period, the *CINA* data resource is used to create *CINA+ Online* database and NAACCR FastStats (graphic and tables by cancer sites, race/sex, race/ethnicity, age at diagnosis, sex, registry, and data type) for public queries regarding cancer incidence for the most recent five years. The CINA data is also used to develop a discretionary research data set (*CINA Deluxe*), including data from 1995 to 2009, to facilitate analytic studies conducted by epidemiologists and other qualified researchers. The data within this report are also available as an electronic reproduction of all cancer statistics reported in the CINA monograph for use in SAS analytic software and a discretionary data set of the data in *CINA+ Online* (named *CINA Plus in SEER*Stat*) in SEER*Stat software for approved uses by NAACCR members. These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality across all contributors, with standard data quality metrics reported for all contributors.

We hope that *Cancer in North America: 2005-2009*, with the companion *CINA* products and resources, facilitate studies of cancer burden, so that we are better able to identify and understand appropriate and important measures to control the myriad diseases within the cancer rubric. The cancer surveillance infrastructure in the U.S. and Canada has been orchestrated to meet these objectives.

We gratefully acknowledge the voluntary cooperation and recognize the commitment of all member registries to the achievement of high quality standardized cancer incidence data so that aggregation of information from all states, provinces, territories, and regions in North America is practical and provides meaningful information on our regions and countries.

The Editors
June 2012

CANCER IN NORTH AMERICA: 2005-2009

VOLUME THREE: REGISTRY-SPECIFIC CANCER MORTALITY IN THE UNITED STATES AND CANADA

**A Publication of the North American Association of Central Cancer Registries, Inc.
(NAACCR)**

Editors:

**Glenn Copeland, Michigan Cancer Surveillance Program
Andrew Lake, Information Management Services, Inc.
Rick Firth, Information Management Services, Inc.
Brad Wohler, Florida Cancer Data System
Xiao-Cheng Wu, Louisiana Tumor Registry
Antoinette Stroup, Utah Cancer Registry
Carol Russell, Alberta Cancer Registry
Kimberley Boyuk, Statistics Canada
Maria J. Schymura, New York State Cancer Registry
Jim Hofferkamp, NAACCR, Inc.
Betsy Kohler, NAACCR, Inc.**



June 2012

The Editorial Subcommittee of the NAACCR Standing Committee, Data Use and Research Committee publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401. We acknowledge partial support of NAACCR staff by cooperative agreement U75/CCU52346-05 from the Centers for Disease Control and Prevention (CDC) and by the NCI/NIH Contract No. HHSN261200444001C/ADB Contract No. PC-44401. Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC.

NAACCR 2005-2009



SUGGESTED CITATION:

Copeland G, Lake A, Firth R, Wohler B, Wu XC, Stroup A, Russell C, Boyuk K, Schymura M, Hofferkamp J, Kohler B (eds). *Cancer In North America, 2005-2009. Volume Three: Registry-specific Cancer Mortality in the United States and Canada*. Springfield, IL: North American Association of Central Cancer Registries, Inc. June 2012.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes	I-1
--	-----

**SECTION II: Average-annual Registry-specific Cancer Death Rates by Race and Sex,
Age-adjusted to the 2000 U.S. and World Population Standards**

UNITED STATES REGISTRIES

Alabama	II-1
Alaska.....	II-5
Arizona.....	II-9
Arkansas.....	II-13
California.....	II-17
CA: Greater Bay Area.....	II-21
CA: Los Angeles	II-25
Colorado.....	II-29
Connecticut	II-33
Delaware	II-37
District of Columbia.....	II-41
Florida	II-45
Georgia.....	II-49
GA: Metropolitan Atlanta	II-53
Hawaii	II-57
Idaho.....	II-61
Illinois	II-65
Indiana.....	II-69
Iowa.....	II-73
Kansas	II-77
Kentucky	II-81
Louisiana.....	II-85
Maine	II-89
Maryland	II-93
Massachusetts.....	II-97
Michigan	II-101
MI: Metropolitan Detroit.....	II-105
Minnesota.....	II-109
Mississippi.....	II-113
Missouri	II-117
Montana	II-121
Nebraska.....	II-125
Nevada	II-129
New Hampshire.....	II-133
New Jersey	II-137
New Mexico.....	II-141
New York.....	II-145
North Carolina.....	II-149

Contents

North Dakota	II-153
Ohio	II-157
Oklahoma.....	II-161
Oregon	II-165
Pennsylvania.....	II-169
Rhode Island.....	II-173
South Carolina	II-177
South Dakota	II-181
Tennessee	II-185
Texas.....	II-189
Utah	II-193
Vermont	II-197
Virginia.....	II-201
Washington.....	II-205
WA: Seattle/Puget Sound	II-209
West Virginia.....	II-213
Wisconsin	II-217
Wyoming	II-221
U.S. TERRITORIES	
Puerto Rico	II-225

CANADIAN REGISTRIES:

2005 - 2009 mortality data was unavailable at the time of publication. For 2004 - 2008 mortality rates, please see the following link - <http://www.naaccr.org/DataandPublications/CINA20042008.aspx>

SECTION III: Average-annual Registry-specific Cancer Death Rates by Sex, Age-adjusted to the 1996 Canadian and World Population Standards

UNITED STATES REGISTRIES

Alabama.....	III-1
Alaska	III-2
Arizona	III-3
Arkansas	III-4
California.....	III-5
CA: Greater Bay Area	III-6
CA: Los Angeles	III-7
Colorado	III-8
Connecticut.....	III-9
Delaware.....	III-10
District of Columbia	III-11
Florida.....	III-12
Georgia	III-13
GA: Metropolitan Atlanta.....	III-14
Hawaii.....	III-15
Idaho.....	III-16
Illinois.....	III-17
Indiana	III-18

Contents

Iowa.....	III-19
Kansas.....	III-20
Kentucky.....	III-21
Louisiana.....	III-22
Maine.....	III-23
Maryland.....	III-24
Massachusetts.....	III-25
Michigan.....	III-26
MI: Metropolitan Detroit.....	III-27
Minnesota.....	III-28
Mississippi.....	III-29
Missouri.....	III-30
Montana.....	III-31
Nebraska.....	III-32
Nevada.....	III-33
New Hampshire.....	III-34
New Jersey.....	III-35
New Mexico.....	III-36
New York.....	III-37
North Carolina.....	III-38
North Dakota.....	III-39
Ohio.....	III-40
Oklahoma.....	III-41
Oregon.....	III-42
Pennsylvania.....	III-43
Rhode Island.....	III-44
South Carolina.....	III-45
South Dakota.....	III-46
Tennessee.....	III-47
Texas.....	III-48
Utah.....	III-49
Vermont.....	III-50
Virginia.....	III-51
Washington.....	III-52
WA: Seattle/Puget Sound.....	III-53
West Virginia.....	III-54
Wisconsin.....	III-55
Wyoming.....	III-56
U.S. TERRITORIES	
Puerto Rico.....	III-57

CANADIAN REGISTRIES:

2005 - 2009 mortality data was unavailable at the time of publication. For 2004 - 2008 mortality rates, please see the following link - <http://www.naaccr.org/DataandPublications/CINA20042008.aspx>

SECTION IV: Cancer Mortality for the United States and Canada

United States

All Races (2000 U.S. and World populations).....IV-1

All Races (1996 Canadian and World populations).....IV-2

Comparison of Selected Site-Specific Death Rates by Registry,

 All Races, Males (2000 U.S. population).....IV-3

 All Races, Males (World population).....IV-5

 All Races, Females (2000 U.S. population).....IV-7

 All Races, Females (World population).....IV-9

White (2000 U.S. and World populations).....IV-12

Comparison of Selected Site-Specific Death Rates by Registry,

 White, Males (2000 U.S. population).....IV-13

 White, Males (World population).....IV-15

 White, Females (2000 U.S. population).....IV-17

 White, Females (World population).....IV-19

Black (2000 U.S. and World populations).....IV-22

Comparison of Selected Site-Specific Death Rates by Registry,

 Black, Males (2000 U.S. population).....IV-23

 Black, Males (World population).....IV-25

 Black, Females (2000 U.S. population).....IV-27

 Black, Females (World population).....IV-29

Asian/Pacific Islander (2000 U.S. and World populations).....IV-32

Comparison of Selected Site-Specific Death Rates by Registry,

 Asian/Pacific Islander, Males (2000 U.S. population).....IV-33

 Asian/Pacific Islander, Males (World population).....IV-35

 Asian/Pacific Islander, Females (2000 U.S. population).....IV-37

 Asian/Pacific Islander, Females (World population).....IV-39

American Indian/Alaska Native (2000 U.S. and World populations).....IV-42

Hispanic (2000 U.S. and World populations).....IV-43

Non-Hispanic (2000 U.S. and World populations).....IV-44

CANADIAN REGISTRIES:

2005 - 2009 mortality data was unavailable at the time of publication. For 2004 - 2008 mortality rates, please see the following link - <http://www.naaccr.org/DataandPublications/CINA20042008.aspx>

All Appendices are available on the NAACCR website:

<http://www.naaccr.org/DataandPublications/CINAPubs.aspx>



Section I

Introduction and Technical Notes



CANCER IN NORTH AMERICA: 2005-2009

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on cancer in North America to provide cancer incidence and mortality statistics for the United States and Canada.

This year marks the 22nd annual release of the series of Cancer in North America (CINA) monographs. The 2012 monograph includes data from 70 central population-based registries: 57 from the United States (50 states, the District of Columbia, Puerto Rico and 5 metropolitan areas) and 13 from Canada (10 provinces and 3 territories). The submitted data reflect 100% population coverage of Canada and the United States. Combined, five-year average annual incidence statistics for the United States, for Canada and for North America created from registries that met or exceeded the NAACCR standards of “fitness for use” in aggregated incidence data for all years, 2005-2009. The combined statistics presented in Volume One reflect 93% of the U.S. population (47 states). Volume One includes statistics from the 8 Canadian registries that met the CINA inclusion requirements, reflecting 38% of the Canadian population. This year Volume One presents the combined U.S. and Canadian statistics for cancer incidence rates across North America.

This monograph would not be possible without the commitment by population-based cancer registries throughout the United States and Canada to collect timely, complete, and accurate data. The NAACCR standing committee, Data Use and Research (DURC), is charged with the annual call for data from member registries to create the CINA monograph and other useful CINA products for data analyses and cancer incidence information (e.g., CINA+ Online, NAACCR FastStats, CINA in SEER*Stat, CINA Plus in SEER*Stat, CINA Monograph data in SAS Data set and CINA Deluxe). An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions and activities in production of the monograph. Our efforts are to provide timely and useful information on cancer incidence and mortality for all geographic areas and race/ethnic groups in the United States and Canada. The publication includes U.S. cancer incidence and mortality for white, black, Hispanic/Latino and Asian/Pacific Islander as combined and registry specific rates and American Indian and Alaskan Native populations presented for U.S. counties located in Indian Health Service Contract Health Service Delivery Areas (CHSDA) of the United States (excepting only for Kansas). This year we are pleased to provide, for the first time, registry specific statistics and combined data for benign tumors of the brain and central nervous system.

CONTENTS OF THE CINA MONOGRAPH

The CINA monograph is comprised of three volumes as described below. Rates are presented as average-annual, age-adjusted rates using three different standard million populations: the 2000 U.S., the 1996 Canadian, and the World standard populations. We believe that presenting cancer rates adjusted to all three standards enhances the meaning and utility of the rates for users in the United States, Canada, and international settings. All volumes of the CINA publication, including sections containing incidence rates standardized to the World Standard, and the population counts used in the calculation of cancer rates are available for download on the NAACCR website, <http://www.naacr.org/DataandPublications/CINAPubs.aspx>.

Note that U.S. population data reflecting 2010 U.S. census figures were not available at publication. A revised CINA monograph for 2012 will be released in the summer of 2012 that will present statistics based on 2012 population figures and will also include Canadian mortality data for 2005-2009 which was not available at publication.

Volume One, Combined Cancer Incidence for the United States, Canada, and North America presents cancer incidence data that have been combined to create five-year, average-annual data for cancers occurring in all persons and for children, aged 0 to 14, and 0 to 19. Registries submitting the data must meet the NAACCR criteria of high quality incidence data that are fit for use at the time of data submission. The criteria for the standard are described in detail below in the Data Quality Indicator section.

In the United States, cancer counts and incidence rates are presented for all races combined, black, white Asian/Pacific Islander, American Indian/Alaskan Native populations and for Hispanic/Latino, non-Hispanic white, non-Hispanic black. Also, due to the large migration of both cancer patients and populations from Louisiana into Texas, Alabama, and Mississippi in the aftermath of Hurricane Katrina in September 2005, and some hospital closures and loss of many patient records in affected areas, data for the four states (Alabama, Louisiana, Mississippi and Texas) are presented in 4.5 years, from January through June 2005 and all of 2006 through 2009 to avoid miscalculation of cancer rates due to the impact of these unavoidable events on the accuracy of the cancer rates.

Volume One is comprised of two major sections: section two includes the five most common types of cancer by sex, race and ethnicity, based on the combined United States data by race and ethnicity. Section three provides cancer incidence rates for the United States, Canada and North America. The rates for the United States are presented for all races combined, white, black, Asian or Pacific Islander, American Indian/Alaska Native, Hispanic, non-Hispanic white and non-Hispanic black populations for all ages. The rates for Canada and North America are presented for all races and for all ages. Also included in section three are tables of cancer rates for children, aged 0-14 and 0-19 for the United States, Canada and North America. As with the tables for all ages, the pediatric tables are presented by race and ethnicity for the United States and for all races combined for Canada and North America.

Volume Two, Registry-specific Cancer Incidence in the United States and Canada presents cancer incidence data for NAACCR-member, population-based central cancer registries in Canada and the United States that have agreed to participate in the CINA monograph. For most cancer registries, five-year averages of data are presented for the years 2005 to 2009. If all five years of data were not available, an average of all available years is presented. Finally, due to the large migration of both cancer patients and populations from Louisiana into Texas, Alabama, and Mississippi in the aftermath of Hurricane Katrina in September 2005, and some hospital closures and loss of many patient records in affected areas, data for these four states are presented in 4.5 years, from January through June 2005 and all of 2006 through 2009 to avoid miscalculation of cancer rates due to the impact of these unavoidable events on the accuracy of the cancer rates.

Each set of data tables includes demographic and data quality information and registry descriptions to help interpret the statistics reported. In the United States, cancer incidence rates are calculated for the following race/ethnic populations: all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native for CHSDA counties, Hispanic/Latino (all races), non-Hispanic white, and non-Hispanic black. Race and ethnicity information is not collected in Canada, and thus is not presented here.

Volume Three, Registry-specific Cancer Mortality in the United States and Canada presents cancer mortality data for fifty states, the District of Columbia, five SEER metropolitan areas, Puerto Rico, ten Canadian provinces and three Canadian territories. The United States combined mortality data are presented as well. Unlike the incidence statistics, mortality statistics from Louisiana into Texas, Alabama and Mississippi are presented for the full five-year period, 2005 to 2009. Canadian cancer mortality for the years 2005 through 2009 was not available at publication. Please refer to the CINA 2011 publication for these data. A revised CINA 2012 publication will be released in the summer of 2012 that is planned to include Canadian mortality data for 2005-2009.

SOURCES OF DATA

Cancer Incidence. A cancer registry must be population-based and a NAACCR member in good standing to be included in NAACCR data publications. All cancer registries in the United States and Canada are NAACCR members, including the three territories in Canada and three U.S. territories. An annual request is sent to all

members to submit voluntarily a data file for use in CINA, CINA research and data information products, the U.S. *Annual Report to the Nation*, and the American Cancer Society's *Cancer Facts and Figures* annual publication. All NAACCR member registries receive support from the state, province or territory. In the U.S., they also participate in the National Cancer Institute's Surveillance, Epidemiology, and End Results (SEER) Program or the Centers for Disease Control and Prevention's National Program of Cancer Registries (NPCR) or both. In Canada, all registries submit data to the Canadian Cancer Registry maintained by Statistics Canada.

Mortality Data. Mortality data for 2005 to 2009 for United States registries were obtained from the National Center for Health Statistics (NCHS) of the Centers for Disease Control and Prevention (CDC), as provided to the National Cancer Institute (NCI). Mortality data for Puerto Rico were provided by Puerto Rico. Canadian cancer mortality for the years 2005 through 2009 were pending release at publication.

Population Estimates. To assist the reader, all population estimates by age, sex, and race/ethnicity (where relevant) used in the calculation of rates in the monograph are available for each central registry and for the United States. These are available for download from the NAACCR website at <http://www.naacr.org/DataandPublications/CINAPubs.aspx>.

Population estimates for 2005 through 2009 for the United States, individual states, and SEER metropolitan areas were obtained from the SEER program. These estimates were based on United States Census Bureau population estimates for these years and represent a modification of the annual time series population estimates produced by the Population Estimates Program of the Census Bureau with support from the NCI. The population estimates incorporate bridged, single race estimates that are derived from the original multiple race categories in the 2000 Census. These bridged estimates are consistent with the four race groups enumerated in the 1990 Census and were produced under a collaborative arrangement between the National Center for Health Statistics (NCHS) and the Census Bureau. The methodology implemented by the Census Bureau to develop these county estimates is comparable to that used to produce national and state 1990-2000 intercensal estimates and is described on the Census Bureau's website (National Center for Health Statistics 2003). In 2007, the U.S. Census revised their methodology for population estimation. This revision impacts all population denominators for 2005 to 2009. The main effect of this approach was on specific age groups, particularly, two of the oldest age groups, ages 65-74 and 75 and older. In many states, the new method results in a larger increase in the younger age category and fewer in the older age category than estimated in previous years. Subsequently, this revision contributed to a larger decrease in age-adjusted cancer mortality rates in some states than what was expected based on statistics from last year.

The NCI modifies the Census data for the population estimates for the State of Hawaii. The Epidemiology Program of the Hawaii Cancer Research Center has developed its own set of population estimates, based on sample survey data collected by the Hawaii Department of Health. This effort grew out of a concern that the native Hawaiian population had been vastly undercounted in previous censuses. The "Hawaii adjustment" to the Census Bureau estimates has the net result of reducing the estimated white population and increasing the Asian and Pacific Islander population for the state. The Census Bureau estimates for the total population, black population, and American Indian and Alaska Native populations in Hawaii are unaffected. Refer to the SEER *Cancer Statistics Review, 1975-2009* and its methodologies for specific documentation regarding modifications made by the NCI to the Census Bureau estimates (Horner 2009).

Finally, the NCI applied an algorithm to the 2005 population estimates to account for the massive out-migration from Louisiana following Hurricane Katrina and the subsequent unprecedented in-migration into specific counties in neighboring and other states (Texas, Alabama, Mississippi, and Louisiana). However, one-half of the unadjusted annual estimates were used in the calculation of rates since the incidence data excluded cases reported from July 2005 through December 2005 for these four states.

For **Canada**, Statistics Canada provided the estimates of the Canadian population for all Canadian provinces and territories, adjusted for census under coverage and non-permanent residents. Race and ethnicity information is not collected in Canada, and thus is not presented here.

CANCER SITE CODING, 2005-2009

Incidence Data. All cancer registries use the International Classification of Diseases for Oncology, third edition (ICD-O-3) to code the anatomic site and morphology. Cancer incidence statistics include invasive cancers only, with the exception of *in situ* cancer of the bladder. Although tables include incidence statistics for breast cancer *in situ* and benign tumors of the brain and central nervous system, these cases are not included in any counts or rates of total cancer incidence.

The SEER program site recode groups were used for classifying types of cancer, using anatomic site and morphology. Using this standard ontology, only squamous and basal cell carcinomas of the lip and genital organs are included in the data reported. All categories used to present pediatric cancer rates in Volume One are based on the International Classification of Childhood Cancer, third edition (ICCC-3) (Steliarova-Foucher 2005).

Summary tables of all codes and site groups for incidence can be found in the electronic copy of the CINA Monograph Appendices on the NAACCR website, <http://www.naacrr.org/DataandPublications/CINAPubs.aspx>.

Mortality Data. Underlying cause of death was coded using the International Classification of Diseases (ICD). In the United States, ICD-10 was used for all deaths from 1999 and later. In Canada, ICD-9 was used through 2000, and ICD-10 was used for 2001 and later. Cancer deaths were defined as those coded 140.0 through 208.9 in ICD-9 and C00 through C97 in ICD-10.

The SEER mortality recode scheme was used to classify cancer deaths into the groupings used in the volume (see Appendix B on the NAACCR website, <http://www.naacrr.org/DataandPublications/CINAPubs.aspx>).

Multiple Primary Determination Rules. During 2007 a significant revision was made to the decision rules followed to determine when a multiple primary cancer is present. These new rules may have an effect on the number of subsequent primaries identified with these effects varying by cancer site and type. Preliminary data suggest that overall incidence rates will vary only marginally for most cancer sites. This new rule will affect data for incidence years 2007 through 2009 within the current publication. For more information on these new rules please see <http://www.seer.cancer.gov/tools/mphrules/>

Hispanic/Latino Ethnicity Identification. The ethnicity available in medical records and reported to cancer registries is enhanced by the use of the NAACCR Hispanic Identification Algorithm, version 2 (NHIAv2). NHIAv2 uses a combination of NAACCR variables including direct identification of ethnicity from the Spanish/Hispanic Origin variable (NAACCR data element 190 values 1-6), and information indirectly derived based on an evaluation of the strength of the birthplace, race, and surname (including maiden name when available) associations with Hispanic ethnicity status. After applying NHIAv2, cases not ultimately classified as Hispanic are classified as non-Hispanic, leaving no cases with “unknown” Hispanic status. The NHIAv2 algorithm allows the user to run the program using one of three possible options:

1) All Records: Surname portion is run on 0 (non-Hispanic), 7 (surname only), and 9 (unknown) for all counties. After the algorithm, item 190 codes (0, 7, 9) are either NHIA - Hispanic or non-Hispanic.

2) Option 1: (The default) For counties with 5% or more Hispanics - as for all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only) and 9 (unknown). After the algorithm, item 190 codes (7, 9) are either NHIA - Hispanic or non-Hispanic.

3) Option 2: For counties with 5% or more Hispanics - as for all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only). These become either NHIA - Hispanic or non-Hispanic. All cases coded to 9 on item 190 are converted to NHIA - non-Hispanic.

A comparison of the direct and indirect categorization of Hispanic ethnicity is provided in the Appendix F available from the NAACCR Website, <http://www.naacrr.org/DataandPublications/CINAPubs.aspx>.

The NHIAv2 method is described in detail elsewhere. (NAACCR Race and Ethnicity Work Group, 2011; NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino Identification Algorithm [NHIA v2.2.1], Revised September 12, 2011.)
[URL: <http://www.naacr.org/LinkClick.aspx?fileticket=6E20OT41TcA%3d&tabid=118&mid=458>. Last Accessed, June 6, 2012]

Asian/Pacific Islander Identification The information on Asian and Pacific Islander populations is also enhanced by submitting registries using a NAACCR developed algorithm (NAACCR, 2010). The NAACCR Asian Pacific Islander Identification Algorithm version 1 (NAPIIA v1.2.1) uses a combination of NAACCR variables to classify cases directly or indirectly as Asian/Pacific Islander for analytic purposes. It is focused on coding cases with a race code of Asian NOS (race code 96) or Pacific Islander NOS (race code 97) to a more specific Asian or Pacific Islander race category, using the birthplace and name fields (first, last, and maiden names). Birthplace can be used to indirectly assign a specific race to one of eight Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, Thai, and Cambodian) and three Pacific Islander groups (Samoan, Micronesian, and Polynesian). Names can be used to indirectly assign a specific race to one of seven Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, and Hmong) and three Pacific Islander groups (Hawaiian, Guamanian, and Samoan). The algorithm uses the following NAACCR standard variables: Race 1 through Race 5 (NAACCR Items 160 through 164), Name – Last (NAACCR Item 2230), Name – First (NAACCR Item 2240), Name – Maiden (NAACCR Item 2390), Birthplace (NAACCR Item 250), Sex (NAACCR Item 220)

Misclassification of American Indian and Alaskan Native Populations. The collection of accurate information on the cancer incidence in American Indian and Alaskan Native populations is hampered by misclassification of this population within cancer case reports. In order to address this problem, cancer registries in the United States coordinate with the Centers for Disease Control and the Bureau of Indian Affairs to link their case files to the enrollment files of the Indian Health Service (Espy, et al., 2008). This process identifies significant numbers of American Indians and Alaskan Natives that were otherwise classified within the cancer case report. The improved information on this population enables calculation of much more accurate cancer incidence rates. As presented in the incidence volumes, the data on American Indians and Alaskan natives are restricted to those counties where Indian Health Service Clinics are located, namely Contract Health Service Delivery Area (CHSDA) counties. This restriction assures that the incidence data presented is the best available data for this population.

DATA QUALITY INDICATORS

NAACCR assesses the quality of cancer incidence data from individual registries for a number of data quality indicators, which are described in detail below. Results for these indicators can be found in the *Cancer in North America, 2005-2009* Appendices on the NAACCR website. A dash in the tables indicates that data were not submitted for the year or were not able to be calculated.

In order to be included in the NAACCR Combined rates presented in Volume One, the data had to meet the criteria for high quality incidence data. These criteria were applied to each year of data individually, except for the estimate of duplicate reports, which was calculated for the years 2005 to 2009 as a whole.

- Data for 2005 through 2009 had to be submitted to NAACCR by December 1, 2011.
- The estimate of duplicate case reports had to be less than 2 duplicate reports per 1000 cases.
- All cases had to pass the edits on variables needed to compute cancer incidence rates by site, sex, race, and tumor descriptions on the NAACCR Call for Data EDITS metafile.
- Fewer than 3% of cases had missing information for sex, county of residence at diagnosis, and age at diagnosis, and fewer than 5% of the cases had an unknown race.
- Death clearance must be completed for 2005 through 2009 mortality with the percent of all cases derived from death certificates only (DCOs) of less than 5%.
- The NAACCR method to estimate completeness of case ascertainment yielded an estimate of 90% or higher.
- All cases had to pass the inter-record edits on cases reporting multiple primary cancers, as determined by the standard Inter-record EDITS program developed for the NAACCR Call for Data submissions.

Duplicate Case Records. Most central cancer registries rely on multiple reporting sources for cancer case reports. At the central cancer registry, multiple reports for the same patient must then be matched and the information from all records consolidated. In addition to determining whether multiple reports refer to the same individual, central cancer registry staff must also determine whether the tumor represents a new primary tumor or a duplicate report for a tumor already recorded. Failure to eliminate duplicate cases and duplicate tumors results in over-counting cancer cases. As a part of routine cancer registry operations, a variety of tools are used to ensure accurate case linkage and case consolidation. As part of the preparation of the data submission to NAACCR, each registry uses the NAACCR protocol to determine the adequacy of case linkage and consolidation operations in identifying duplicate records.

The NAACCR protocol for assessing duplicate cases can be found on the NAACCR website, <http://www.naacr.org>.

Completeness of Case Ascertainment. In order to evaluate case completeness for all geographic areas included in this monograph, the NAACCR Method to Estimate Completeness is used. The method is described in detail elsewhere (Wu, et al., 2002; Howe, 2007). A data analysis tool is available on the NAACCR website, <http://www.naacr.org/Research/DataAnalysisTools.aspx>, that documents and calculates sex-, race-, and site-specific estimates based on observed incidence counts and rates, observed local cancer death rates, and a standard rate ratio of incidence to mortality. In addition, adjustments are made to the calculations to account for some variation in sex-, race- and site-specific variation in case fatality. The method assumes that the relationship between incidence rates and mortality rates are stable. However, with the recent annual decreases in cancer death rates, and the awareness that the decreases are not the same in all parts of the United States and Canada, it appears that this assumption is being challenged with a noticeable bias in an upward migration of completeness estimates for many locales. The completeness estimates provided in this publication used mortality data for the years 2005-2009 to determine completeness in U.S. registries and for 2004-2008 for Canadian registries. The percent completeness presented for each registry and used to determine inclusion of individual registry data in the combined rates presented in Volume One were based upon rate ratios of 2005-2009 SEER 11 incidence rates divided by 2005-2009 U.S. mortality rates.

Missing Case Information. NAACCR has developed standards for completeness of data on key data items that are needed to produce meaningful cancer incidence statistics. These key data items include race, sex, county of residence at diagnosis, and age at diagnosis. Cases with unknown sex or age are omitted from all calculations. Cases with unknown race and county of residence were included in the cancer counts and rates for all races and/or all counties combined.

Death Certificate Only Cases. The proportion of cases identified by death certificate only (DCO) is an indicator of data quality and completeness. Central cancer registries use death certificates to identify potentially missed cases and to conduct follow back on cases that have cancer on the death certificate but who are not incident cases in the registry. Cases without follow back information are considered to be DCO cases and may have incomplete or missing information, including date and stage of diagnosis. For DCO cases, the date of death is used as the date of diagnosis. Registries that did not use death certificates as a source of case ascertainment have “na” listed in the death certificate only row on the registry description page.

Data Reliability and Accuracy. All data submitted to NAACCR are evaluated for reliability and accuracy using the EDITS program and a specific set of edits incorporated into a Call for Data Edits Metafile. An edit reviews the internal consistency between and among data elements, such as anatomic site and morphology. Cases that are identified as having errors are reviewed by registry staff and resolved prior to their NAACCR submission. The NAACCR Call for Data EDITS metafile is available on the NAACCR website. [URL <http://www.naacr.org/DataandPublications/CallforData.aspx>, Last accessed April 24, 2012].

An inter-record edits program, developed by the Centers for Disease Control and Prevention, is used to identify errors among the records reported for persons who have had multiple tumors diagnosed. For example, an inter-record edit will identify whether birthplace is the same on all reports of multiple tumors that are reported for one individual.

Timeliness of Data. The NAACCR standard defines timely data as data that are available for use in incidence statistics within 23 months of the close of a diagnostic year (i.e., December 1, 2011 for all cases diagnosed in 2009).

Site-Specific Microscopic Confirmation. This criterion is not used by NAACCR to determine high quality for the purposes of this publication. However, it is a useful indicator of quality of data collection. A proportion of microscopically confirmed cases that is higher or lower may suggest problems in case ascertainment or abstracting. However, this proportion varies by cancer site. For sites that are more likely to rely on a clinical or radiological diagnosis, e.g., cancers of the pancreas and brain, confirmation rates that are too high may suggest that some clinically diagnosed cases are missing. Also, registries that do not use death certificates for case finding have an artificially high proportion of microscopically confirmed cases, because DCO cases by definition do not have information on whether the tumor was microscopically confirmed. While no NAACCR standard has been determined for microscopic confirmation, the guideline we use is that the proportion should fall between 92 and 96 percent of all cancer cases, based on the experience of the SEER program.

CALCULATION OF STATISTICS

Rates. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age (Ries, et al. 2005), the 1996 Canadian population standard (Statistics Canada, 2003), and to the World population standard (Parkin, et al., 2002). Rates for childhood and adolescents in Volume One were expressed per million population. The incidence and death rates in this monograph are annual averages for the period 2005 through 2009. (Note: Not all registries submitted incidence data for all five years; their rates are annual averages for the years submitted. Further, rates for Alabama, Louisiana, Mississippi, and Texas are truncated at June 2005, including data for January through June 2005 and all of 2006 through 2009 to avoid potential misclassification of cancer rates, as noted above). The age distributions of the three population standards are as follows:

AGE GROUP	2000 U.S.	1996 CDN.	WORLD
00 years	3,794,901	12,342	24,000
01-04 years	15,191,619	53,893	96,000
05-09 years	19,919,840	67,985	100,000
10-14 years	20,056,779	67,716	90,000
15-19 years	19,819,518	67,841	90,000
20-24 years	18,257,225	67,761	80,000
25-29 years	17,722,067	72,914	80,000
30-34 years	19,511,370	87,030	60,000
35-39 years	22,179,956	88,510	60,000
40-44 years	22,479,229	80,055	60,000
45-49 years	19,805,793	71,847	60,000
50-54 years	17,224,359	55,812	50,000
55-59 years	13,307,234	44,869	40,000
60-64 years	10,654,272	40,705	40,000
65-69 years	9,409,940	37,858	30,000
70-74 years	8,725,574	32,589	20,000
75-79 years	7,414,559	23,232	10,000
80-84 years	4,900,234	15,424	5,000
85+ years	4,259,173	11,617	5,000
Total	274,633,642	1,000,000	1,000,000

Standard Errors. Standard errors (S.E.) of the rates were calculated using the formula:

$$S.E. = \sqrt{\sum \frac{w_j^2 n_j}{p_j^2}}$$

where w_j = the fraction of the standard population in age group j , n_j = number of cases or deaths in that age group, and p_j = person years denominator (Breslow and Day, 1987). For many registries, the standard errors of the rates are small, as the population covered is large. However, for registries that cover a small population, the standard error may be substantial.

Confidence Intervals. Although not reproduced in the printed monograph, bar charts of the registry-specific, age-adjusted rates with 95 percent confidence intervals (Tiwari, et al., 2006) are available on the NAACCR website (<http://www.naacr.org/DataandPublications/CINAPubs.aspx>). The confidence intervals allow the user to assess the precision of the estimate and is an approximate and conservative indicator of whether a registry's rate is statistically higher or lower than the rate for the combined United States, based on whether or not the upper or lower limit of the confidence interval overlaps the 95% confidence interval for the United States.

Comparison of Rates. In addition to true regional variation in cancer risk, differences in cancer incidence or mortality rates between areas may be due to either differences in the demographic makeup of the population or differences in data quality. In making valid comparisons of cancer incidence rates among registries, it is important to review the data quality indicators for each registry before attributing rate differences to regional variation. In addition to data quality, it is important to consider differences in the racial composition of the populations being compared before conclusions are drawn about variations in regional rates. Interpretation without consideration of these factors may contribute to misleading or inaccurate conclusions.

The standard error of adjusted rates can be used to evaluate the statistical significance of rate differences among comparable populations. For example, if the adjusted rates in two populations are R_1 and R_2 and their standard errors are $S.E._1$ and $S.E._2$, an approximate confidence interval for the rate ratio can be calculated using the following formula:

$$(R_1/R_2)^{1 \pm z/x}$$

where $x = (R_1 - R_2) / \sqrt{(S.E._1^2 + S.E._2^2)}$ and $z = 1.96$ for 95% limits (Parkin, et al., 1992). If this interval does not include one, the two rates are statistically significantly different at a p value of 0.05. This test can be inaccurate for rates based on fewer than 16 cases or deaths, and it should not be used for rates based on fewer than six cases or deaths. It should be emphasized that this kind of comparison of adjusted rates must be undertaken with caution as misleading conclusions may be drawn if the ratios of the age specific rates in the two populations are not constant in all age groups. In these circumstances, the ratios of the adjusted rates will vary according to the standard populations used (Esteve, et al., 1994).

Cell Suppression. Counts and rates were suppressed (indicated by "--") in the tables if the race, gender, and site-specific number of cases or deaths was less than six. These counts are included in the calculation of all sites combined. A dash is also used to indicate not applicable, as in the gender specific cancers. If the rate was less than 0.05 per 100,000 then the rate is listed as 0.0.

REFERENCES

Anderson RN, Minino AM, Hoyert DL, Rosenberg HM. Comparability of cause of death between ICD-9 and ICD-10: Preliminary estimates. *National Vital Statistics Reports 2001*;49:1-32.

Breslow NE and Day NE. *Statistical Methods in Cancer Research. Vol. II.* 1987. International Agency for Research on Cancer: Lyon, France.

Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer*. 2008 Sep 1;113(5 Suppl):1120-30.

Espey DK, Wu XC, Swan J, Wiggins C, Jim MA, Ward E, Wingo PA, Howe HL, Ries LA, Miller BA, Jemal A, Ahmed F, Cobb N, Kaur JS, Edwards BK. Annual report to the nation on the status of cancer, 1975-2004, featuring cancer in American Indians and Alaska Natives. *Cancer*. 2007 Nov 15;110(10):2119-52.

Esteve J, Benhamou E, and Raymond L. *Statistical Methods in Cancer Research*. Vol. V. 1994. International Agency for Research on Cancer: Lyon, France.

Horner MJ, Ries LAG, Krapcho M, Neyman N, Aminou R, Howlader N, Altekruse SF, Feuer EJ, Huang L, Mariotto A, Miller BA, Lewis DR, Eisner MP, Stinchcomb DG, Edwards BK (eds). *SEER Cancer Statistics Review, 1975-2006*, National Cancer Institute. Bethesda, MD
[URL: http://www.seer.cancer.gov/csr/1975_2006/, based on November 2008 SEER data submission, posted to the SEER web site, 2009.]

Howe HL, Carozza S, O'Malley C, Dolecek TA, Finch JL, Kohler B, Wet D, Liu L, Schymura MJ, Williams M, Abe T, Agovino P, Chen VW, Firth R, Harkins D, Hotes, J, Lake A, Roney D, Suarez L (eds). *Cancer in U.S. Hispanics/Latinos, 1995-2000*. Springfield (IL): North American Association of Central Cancer Registries, December 2003.

Johnson CH, Peace S, Adamo P, Fritz A, Percy-Laurry A, Edwards BK. *The 2007 Multiple Primary and Histology Coding Rules*. National Cancer Institute, Surveillance, Epidemiology and End Results Program. Bethesda, MD, 2007.

NAACCR Expert Panel in Hispanic Identification. *Report of the NAACCR Expert Panel on Hispanic Identification 2003*. Springfield (IL): North American Association of Central Cancer Registries, October 2003.

NAACCR Latino Research Work Group. *NAACCR Guideline for Enhancing Hispanic/Latino Identification: Revised NAACCR Hispanic/Latino Identification Algorithm [NHIA v2]*. Springfield (IL): North American Association of Central Cancer Registries. September 2005.
[URL: <http://www.naacr.org/Research/DataAnalysisTools.aspx>. Last accessed April 24, 2012].

NAACCR Method to Estimate Completeness. A Data Analysis Tool for Calculations.
[URL: <http://www.naacr.org/Research/DataAnalysisTools.aspx>. Last accessed April 24, 2012].

NAACCR Race and Ethnicity Work Group. *NAACCR Asian Pacific Islander Identification Algorithm [NAPIIA v1.2.1]*. Springfield, IL: North American Association of Central Cancer Registries, September 2010.

National Center for Health Statistics. *U.S. Census Populations with Bridged Race Categories*. September 2003.
[URL: http://www.cdc.gov/nchs/nvss/bridged_race.htm. Last Accessed, June 6, 2012].

Parkin D.M., Whelan S.L., Ferlay J., Teppo L., Thomas D., Thomas D.B. *Cancer Incidence in Five Continents*. Vol. VIII. 2002. International Agency for Research on Cancer: Lyon, France.

Statistics Canada. 2003. *Annual Demographic Statistics*. Statistics Canada Catalogue no. 91-213-XIB-2002000. Ottawa: Minister of Industry.
[URL: <http://www.statcan.ca/cgi-bin/downpub/listpub.cgi?catno=91-213-XIB2002000>].

SEER. 2000 U.S. Standard Population vs. Standard Million. 13 December 2004.
http://seer.cancer.gov/stdpopulations/single_age.html

Steliarova-Foucher E, Stiller C, Lacour B, Kaatsch P. *International Classification of Childhood Cancer*, third edition. *Cancer* 2005;103:1457-67.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006;15:547-569.

Wu XC, Hotes J, Fulton JP, Cormier M, Correa C, McLaughlin CC, Kosary C, Howe HL, Chen VW (Eds.) *Cancer in North America, 1996-2000, Volume One: Introduction and Technical Notes, Incidence*. April 2002. [URL: <http://www.naaccr.org/DataandPublications/CINA19962000.aspx>. Last accessed April 24, 2012].



Section II

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 2000 U.S. and
World Population Standards



Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	27,441	259.0	1.60	153.4	0.96	22,867	157.4	1.05	98.0	0.72
Oral Cavity & Pharynx	521	4.7	0.21	3.1	0.14	214	1.4	0.10	0.9	0.07
Digestive System	6,343	58.9	0.76	36.0	0.47	4,935	33.4	0.48	19.4	0.31
Esophagus	843	7.4	0.26	5.0	0.18	168	1.1	0.09	0.7	0.06
Stomach	542	5.1	0.23	3.0	0.14	393	2.7	0.14	1.5	0.09
Colon & Rectum	2,418	22.9	0.48	13.5	0.29	2,225	15.1	0.32	8.8	0.21
Liver	838	7.4	0.26	4.9	0.17	361	2.5	0.13	1.5	0.09
Pancreas	1,430	13.3	0.36	8.0	0.22	1,409	9.5	0.25	5.4	0.16
Respiratory System	10,097	92.6	0.94	57.2	0.59	6,061	41.8	0.54	26.8	0.37
Larynx	307	2.7	0.16	1.8	0.11	76	0.5	0.06	0.4	0.04
Lung & bronchus	9,734	89.4	0.92	55.0	0.58	5,956	41.1	0.54	26.3	0.37
Skin	686	6.4	0.25	4.0	0.16	323	2.2	0.13	1.4	0.09
Melanomas of the skin	513	4.8	0.21	3.0	0.14	267	1.9	0.12	1.3	0.08
Breast	24	0.2	0.04	0.1	0.03	3,424	24.0	0.41	15.9	0.30
Female Genital System	-	-	-	-	-	2,401	16.7	0.34	10.8	0.24
Cervix uteri	-	-	-	-	-	405	3.0	0.15	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	496	3.4	0.15	2.1	0.10
Ovary	-	-	-	-	-	1,354	9.3	0.25	5.9	0.18
Male Genital System	2,715	29.3	0.57	13.1	0.26	-	-	-	-	-
Prostate	2,652	28.7	0.57	12.7	0.26	-	-	-	-	-
Testis	33	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,287	12.5	0.36	7.0	0.20	722	4.8	0.18	2.7	0.12
Bladder	661	6.8	0.27	3.3	0.14	297	1.9	0.11	1.0	0.07
Kidney & renal pelvis	598	5.5	0.23	3.5	0.15	409	2.8	0.14	1.7	0.09
Brain & Other Nervous System	626	5.5	0.23	3.9	0.16	522	3.8	0.17	2.6	0.13
Endocrine System	83	0.8	0.09	0.5	0.06	88	0.6	0.07	0.4	0.05
Thyroid gland	53	0.5	0.07	0.3	0.04	58	0.4	0.05	0.2	0.03
Lymphomas	907	8.8	0.30	5.1	0.18	821	5.6	0.20	3.2	0.13
Hodgkin Lymphoma	54	0.5	0.07	0.4	0.05	43	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	853	8.3	0.29	4.7	0.17	778	5.3	0.19	3.0	0.12
Multiple Myeloma	527	5.0	0.22	2.8	0.13	486	3.3	0.15	1.8	0.09
Leukemias	1,041	10.2	0.32	5.8	0.19	822	5.6	0.20	3.4	0.14
Other, Ill-defined & Unknown	2,584	24.2	0.49	14.6	0.30	2,048	14.1	0.31	8.7	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	21,102	245.9	1.73	144.8	1.04	17,493	154.0	1.18	95.1	0.81
Oral Cavity & Pharynx	369	4.1	0.22	2.7	0.15	170	1.4	0.11	0.8	0.07
Digestive System	4,654	53.8	0.80	32.4	0.50	3,543	30.5	0.52	17.5	0.34
Esophagus	634	7.1	0.29	4.6	0.19	121	1.0	0.10	0.6	0.06
Stomach	323	3.8	0.22	2.2	0.13	244	2.1	0.14	1.2	0.09
Colon & Rectum	1,768	20.8	0.50	12.2	0.30	1,580	13.6	0.35	7.8	0.23
Liver	601	6.8	0.28	4.3	0.18	260	2.3	0.14	1.3	0.10
Pancreas	1,112	12.8	0.39	7.7	0.24	1,041	8.9	0.28	5.0	0.18
Respiratory System	8,078	91.5	1.04	55.8	0.65	5,046	44.5	0.63	28.4	0.44
Larynx	199	2.2	0.16	1.4	0.11	60	0.5	0.07	0.4	0.05
Lung & bronchus	7,836	88.8	1.02	54.1	0.64	4,962	43.8	0.63	27.9	0.43
Skin	652	7.5	0.30	4.7	0.19	301	2.7	0.16	1.8	0.12
Melanomas of the skin	504	5.8	0.26	3.7	0.17	253	2.4	0.15	1.6	0.11
Breast	17	0.2	0.05	0.1	0.03	2,402	21.6	0.45	14.2	0.32
Female Genital System	-	-	-	-	-	1,746	15.6	0.38	10.1	0.27
Cervix uteri	-	-	-	-	-	241	2.5	0.16	1.8	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	298	2.6	0.15	1.6	0.10
Ovary	-	-	-	-	-	1,089	9.6	0.29	6.1	0.20
Male Genital System	1,655	21.8	0.54	9.6	0.25	-	-	-	-	-
Prostate	1,608	21.2	0.54	9.1	0.24	-	-	-	-	-
Testis	28	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	1,075	12.8	0.40	7.1	0.23	544	4.6	0.20	2.6	0.13
Bladder	569	7.1	0.30	3.5	0.15	217	1.8	0.12	0.9	0.07
Kidney & renal pelvis	483	5.5	0.25	3.5	0.16	313	2.7	0.16	1.6	0.11
Brain & Other Nervous System	559	6.3	0.27	4.5	0.20	458	4.3	0.21	3.0	0.16
Endocrine System	64	0.7	0.09	0.5	0.07	67	0.6	0.08	0.4	0.06
Thyroid gland	42	0.5	0.08	0.3	0.04	45	0.4	0.06	0.2	0.04
Lymphomas	770	9.3	0.34	5.3	0.20	702	6.1	0.23	3.3	0.15
Hodgkin Lymphoma	40	0.5	0.08	0.3	0.06	36	0.4	0.06	0.2	0.05
Non-Hodgkin Lymphoma	730	8.8	0.33	4.9	0.19	666	5.7	0.22	3.1	0.14
Multiple Myeloma	351	4.2	0.23	2.3	0.13	327	2.7	0.15	1.4	0.09
Leukemias	866	10.6	0.37	5.9	0.22	654	5.7	0.23	3.3	0.16
Other, Ill-defined & Unknown	1,992	23.2	0.53	13.8	0.33	1,533	13.5	0.35	8.3	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,255	329.9	4.40	197.8	2.57	5,264	172.0	2.39	109.4	1.62
Oral Cavity & Pharynx	152	7.2	0.62	4.9	0.41	43	1.4	0.21	1.0	0.17
Digestive System	1,661	83.3	2.16	52.8	1.33	1,361	44.6	1.22	26.4	0.78
Esophagus	207	9.4	0.68	6.8	0.49	47	1.5	0.22	1.0	0.16
Stomach	217	11.3	0.81	6.9	0.48	144	4.8	0.40	2.6	0.24
Colon & Rectum	643	33.4	1.39	20.2	0.82	637	20.9	0.83	12.8	0.55
Liver	225	10.1	0.71	7.1	0.48	95	3.1	0.32	1.8	0.20
Pancreas	314	16.0	0.95	10.0	0.58	359	11.9	0.63	6.8	0.39
Respiratory System	1,992	99.8	2.34	64.4	1.48	991	32.6	1.04	21.5	0.73
Larynx	107	4.9	0.49	3.6	0.35	16	0.5	0.14	0.4	0.10
Lung & bronchus	1,872	94.3	2.29	60.4	1.44	970	31.9	1.03	21.0	0.72
Skin	32	1.4	0.27	1.1	0.19	22	0.7	0.16	0.4	0.10
Melanomas of the skin	8	0.4	0.15	0.3	0.09	14	0.5	0.13	0.3	0.08
Breast	7	0.4	0.14	0.2	0.09	1,002	32.1	1.02	21.6	0.72
Female Genital System	-	-	-	-	-	644	21.3	0.84	13.7	0.58
Cervix uteri	-	-	-	-	-	161	5.3	0.42	3.4	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	198	6.5	0.47	4.3	0.33
Ovary	-	-	-	-	-	259	8.6	0.54	5.5	0.37
Male Genital System	1,057	69.1	2.20	31.2	0.99	-	-	-	-	-
Prostate	1,041	68.4	2.20	30.7	0.98	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	208	11.4	0.84	6.6	0.47	175	5.8	0.44	3.2	0.27
Bladder	90	5.5	0.60	2.7	0.30	80	2.7	0.30	1.4	0.17
Kidney & renal pelvis	114	5.7	0.57	3.8	0.36	93	3.0	0.31	1.8	0.20
Brain & Other Nervous System	65	2.9	0.38	2.1	0.27	60	1.9	0.25	1.4	0.19
Endocrine System	18	0.8	0.19	0.6	0.15	21	0.7	0.15	0.4	0.10
Thyroid gland	11	0.5	0.17	0.3	0.11	13	0.4	0.12	0.2	0.07
Lymphomas	129	6.2	0.57	4.0	0.37	116	3.9	0.36	2.6	0.25
Hodgkin Lymphoma	13	0.5	0.15	0.4	0.13	7	0.2	0.08	0.2	0.06
Non-Hodgkin Lymphoma	116	5.7	0.55	3.6	0.34	109	3.7	0.35	2.4	0.24
Multiple Myeloma	176	9.0	0.71	5.5	0.43	157	5.2	0.42	3.2	0.28
Leukemias	173	9.1	0.74	5.4	0.42	164	5.3	0.42	3.4	0.29
Other, Ill-defined & Unknown	585	29.4	1.27	18.8	0.80	508	16.5	0.74	10.6	0.51

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	36	50.9	9.59	33.7	5.75	84	86.1	10.13	55.6	6.18
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	31.1	8.09	17.2	4.04	25	26.1	5.44	17.0	3.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	9	11.7	4.33	7.3	2.48	6	5.7	2.40	4.5	1.87
Pancreas	-	-	-	-	-	8	8.4	3.09	5.6	2.00
Respiratory System	7	8.7	3.49	7.3	2.80	20	22.7	5.57	13.1	2.97
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	8.7	3.49	7.3	2.80	20	22.7	5.57	13.1	2.97
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	16	13.3	3.47	10.3	2.61
Female Genital System	-	-	-	-	-	6	4.9	2.02	4.1	1.71
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2005-2009, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	2,230	209.5	5.03	117.6	2.56	1,893	159.6	3.85	93.3	2.22
Oral Cavity & Pharynx	33	2.7	0.53	1.8	0.32	14	1.2	0.33	0.7	0.20
Digestive System	638	55.6	2.49	33.1	1.34	408	35.5	1.85	19.5	1.00
Esophagus	93	7.0	0.83	4.8	0.51	23	1.9	0.42	1.0	0.21
Stomach	62	5.1	0.73	3.2	0.42	44	3.6	0.57	2.1	0.32
Colon & Rectum	208	20.0	1.55	11.1	0.79	157	14.1	1.18	7.2	0.60
Liver	86	6.6	0.82	4.3	0.47	24	1.8	0.40	1.1	0.24
Pancreas	140	12.3	1.17	7.1	0.62	112	10.0	0.99	5.7	0.55
Respiratory System	695	65.0	2.77	37.1	1.45	528	45.9	2.09	26.9	1.21
Larynx	17	1.7	0.46	0.9	0.22	-	-	-	-	-
Lung & bronchus	675	62.9	2.72	36.1	1.43	524	45.5	2.08	26.8	1.21
Skin	56	4.2	0.64	2.8	0.38	26	1.9	0.40	1.3	0.26
Melanomas of the skin	36	2.5	0.46	1.8	0.30	23	1.7	0.38	1.2	0.25
Breast	-	-	-	-	-	309	23.5	1.41	15.4	0.90
Female Genital System	-	-	-	-	-	150	11.6	1.00	7.4	0.63
Cervix uteri	-	-	-	-	-	29	2.0	0.39	1.5	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	21	1.7	0.39	1.0	0.23
Ovary	-	-	-	-	-	89	7.1	0.79	4.4	0.48
Male Genital System	171	22.4	1.84	9.4	0.74	-	-	-	-	-
Prostate	167	22.1	1.83	9.2	0.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	118	12.0	1.23	6.5	0.62	51	4.6	0.67	2.3	0.33
Bladder	53	5.9	0.89	2.9	0.41	17	1.5	0.39	0.7	0.18
Kidney & renal pelvis	63	5.8	0.81	3.5	0.45	33	3.0	0.54	1.5	0.27
Brain & Other Nervous System	65	5.0	0.71	3.2	0.41	46	3.6	0.56	2.3	0.35
Endocrine System	10	1.0	0.37	0.5	0.17	12	0.8	0.25	0.6	0.18
Thyroid gland	8	0.9	0.36	0.4	0.15	7	0.5	0.20	0.3	0.13
Lymphomas	84	8.2	1.03	4.2	0.47	63	5.9	0.76	3.1	0.41
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	80	7.9	1.02	4.0	0.46	62	5.8	0.76	3.1	0.41
Multiple Myeloma	35	3.4	0.64	1.8	0.31	28	2.5	0.49	1.4	0.27
Leukemias	90	8.9	1.09	4.7	0.51	72	6.4	0.79	3.6	0.45
Other, Ill-defined & Unknown	234	20.9	1.58	12.4	0.84	186	16.2	1.25	8.7	0.66

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,676	203.1	5.65	112.3	2.82	1,383	156.6	4.45	90.2	2.53
Oral Cavity & Pharynx	22	2.4	0.58	1.5	0.33	7	0.9	0.35	0.5	0.19
Digestive System	446	50.5	2.72	29.6	1.44	266	31.3	2.02	16.7	1.07
Esophagus	81	7.8	0.99	5.3	0.60	17	1.7	0.46	1.0	0.24
Stomach	28	3.0	0.64	1.8	0.35	16	1.8	0.47	1.0	0.25
Colon & Rectum	138	17.7	1.69	9.5	0.83	99	12.0	1.26	5.9	0.62
Liver	54	5.5	0.89	3.4	0.48	14	1.4	0.39	0.9	0.25
Pancreas	109	12.3	1.34	7.1	0.70	84	10.3	1.18	5.6	0.63
Respiratory System	525	62.3	3.08	35.3	1.58	388	45.0	2.40	26.3	1.39
Larynx	13	1.7	0.54	0.8	0.24	-	-	-	-	-
Lung & bronchus	510	60.1	3.01	34.3	1.56	384	44.5	2.39	26.0	1.38
Skin	48	4.6	0.76	3.0	0.45	21	2.2	0.50	1.5	0.33
Melanomas of the skin	31	2.7	0.53	1.9	0.35	20	2.0	0.48	1.4	0.32
Breast	-	-	-	-	-	235	24.1	1.67	15.7	1.06
Female Genital System	-	-	-	-	-	112	11.1	1.12	7.2	0.70
Cervix uteri	-	-	-	-	-	19	1.7	0.40	1.3	0.31
Corpus & uterus, NOS ¹	-	-	-	-	-	17	1.8	0.46	1.0	0.27
Ovary	-	-	-	-	-	67	6.7	0.88	4.2	0.54
Male Genital System	139	23.7	2.15	10.0	0.86	-	-	-	-	-
Prostate	137	23.5	2.15	9.8	0.86	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	93	11.7	1.38	6.5	0.69	39	4.6	0.78	2.4	0.39
Bladder	45	6.5	1.08	3.1	0.48	14	1.7	0.47	0.8	0.22
Kidney & renal pelvis	48	5.3	0.86	3.3	0.49	24	2.8	0.61	1.5	0.31
Brain & Other Nervous System	57	5.6	0.87	3.5	0.48	38	3.9	0.68	2.5	0.42
Endocrine System	9	1.1	0.43	0.6	0.21	8	0.7	0.26	0.5	0.19
Thyroid gland	7	1.0	0.42	0.5	0.19	-	-	-	-	-
Lymphomas	78	9.8	1.28	5.0	0.58	54	6.8	0.96	3.7	0.53
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	74	9.5	1.26	4.7	0.57	53	6.6	0.94	3.6	0.52
Multiple Myeloma	24	3.0	0.69	1.5	0.32	22	2.9	0.63	1.4	0.31
Leukemias	69	9.3	1.28	4.6	0.58	58	7.1	0.98	3.8	0.52
Other, Ill-defined & Unknown	165	18.9	1.71	11.2	0.90	135	16.1	1.45	8.1	0.73

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2005-2009, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	66	255.4	36.86	140.5	18.16	35	111.3	20.77	63.4	11.29
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	82.0	20.33	49.0	10.98	9	28.1	10.37	16.9	5.88
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	7	28.8	12.51	17.0	6.69	-	-	-	-	-
Liver	9	19.8	7.18	16.0	5.76	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	17	61.2	17.74	34.3	8.78	11	38.2	12.25	22.9	7.24
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	59.5	17.66	32.9	8.67	11	38.2	12.25	22.9	7.24
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	8	39.9	15.63	18.4	6.62	-	-	-	-	-
Prostate	8	39.9	15.63	18.4	6.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	9	33.1	13.66	16.4	5.87	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	81	147.3	17.92	83.5	9.48	76	92.9	11.06	55.9	6.62
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	29	48.5	9.79	28.2	5.35	23	30.6	6.59	16.5	3.57
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	6	7.9	3.30	4.4	1.86
Colon & Rectum	11	19.6	6.28	11.0	3.40	-	-	-	-	-
Liver	7	8.9	3.59	6.7	2.56	-	-	-	-	-
Pancreas	-	-	-	-	-	6	8.2	3.44	4.7	1.97
Respiratory System	21	45.6	10.91	20.8	4.64	18	22.8	5.56	12.5	3.01
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	21	45.6	10.91	20.8	4.64	18	22.8	5.56	12.5	3.01
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	10.3	3.19	8.4	2.56
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	12.3	5.29	7.3	2.79	-	-	-	-	-
Other, Ill-defined & Unknown	7	11.8	4.74	8.5	3.28	7	8.0	3.09	6.6	2.53

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,962	182.1	1.12	106.4	0.69	23,261	130.0	0.86	79.1	0.58
Oral Cavity & Pharynx	465	3.1	0.14	2.1	0.10	210	1.2	0.08	0.7	0.05
Digestive System	7,075	47.4	0.57	28.9	0.36	5,117	28.2	0.40	16.2	0.25
Esophagus	1,050	6.9	0.22	4.5	0.15	236	1.3	0.09	0.8	0.06
Stomach	560	3.8	0.16	2.2	0.10	402	2.3	0.11	1.3	0.08
Colon & Rectum	2,477	16.8	0.34	9.7	0.21	2,134	11.6	0.25	6.5	0.16
Liver	953	6.2	0.20	4.2	0.14	445	2.5	0.12	1.5	0.08
Pancreas	1,639	10.9	0.27	6.7	0.18	1,448	7.9	0.21	4.6	0.13
Respiratory System	7,756	52.0	0.59	31.0	0.37	6,017	33.8	0.44	20.2	0.28
Larynx	226	1.5	0.10	0.9	0.07	65	0.4	0.05	0.2	0.03
Lung & bronchus	7,483	50.2	0.58	29.9	0.37	5,916	33.2	0.43	19.8	0.28
Skin	898	6.0	0.20	3.7	0.13	349	1.9	0.11	1.2	0.07
Melanomas of the skin	662	4.4	0.17	2.8	0.11	276	1.6	0.09	1.0	0.07
Breast	37	0.2	0.04	0.1	0.02	3,615	20.5	0.34	13.4	0.24
Female Genital System	-	-	-	-	-	2,370	13.4	0.28	8.8	0.20
Cervix uteri	-	-	-	-	-	311	1.9	0.11	1.5	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	534	3.0	0.13	1.9	0.09
Ovary	-	-	-	-	-	1,403	7.9	0.21	5.0	0.14
Male Genital System	2,863	20.2	0.38	9.2	0.19	-	-	-	-	-
Prostate	2,789	19.7	0.38	8.9	0.18	-	-	-	-	-
Testis	43	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,772	12.1	0.29	6.6	0.17	787	4.3	0.15	2.3	0.09
Bladder	968	6.7	0.22	3.3	0.11	319	1.7	0.10	0.8	0.05
Kidney & renal pelvis	776	5.2	0.19	3.2	0.12	443	2.4	0.12	1.4	0.07
Brain & Other Nervous System	743	4.9	0.18	3.5	0.14	593	3.5	0.14	2.5	0.11
Endocrine System	115	0.8	0.07	0.5	0.05	140	0.8	0.07	0.5	0.05
Thyroid gland	78	0.5	0.06	0.3	0.04	103	0.6	0.06	0.3	0.04
Lymphomas	1,155	7.9	0.23	4.5	0.14	913	5.0	0.17	2.7	0.10
Hodgkin Lymphoma	63	0.4	0.05	0.3	0.04	39	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,092	7.5	0.23	4.2	0.14	874	4.8	0.16	2.6	0.10
Multiple Myeloma	544	3.7	0.16	2.1	0.09	431	2.4	0.12	1.4	0.07
Leukemias	1,173	8.0	0.23	4.7	0.15	844	4.7	0.16	2.9	0.12
Other, Ill-defined & Unknown	2,366	15.9	0.33	9.7	0.21	1,875	10.4	0.24	6.3	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,517	184.3	1.16	107.9	0.73	21,899	131.9	0.90	80.3	0.61
Oral Cavity & Pharynx	435	3.1	0.15	2.1	0.10	200	1.2	0.09	0.7	0.06
Digestive System	6,571	47.2	0.58	28.8	0.38	4,751	28.1	0.41	16.1	0.26
Esophagus	999	7.1	0.23	4.6	0.15	223	1.3	0.09	0.8	0.06
Stomach	471	3.5	0.16	1.9	0.10	347	2.1	0.11	1.2	0.08
Colon & Rectum	2,343	17.0	0.35	9.8	0.22	2,016	11.8	0.27	6.6	0.17
Liver	854	6.0	0.21	4.1	0.15	401	2.4	0.12	1.5	0.08
Pancreas	1,542	11.0	0.28	6.8	0.18	1,361	8.0	0.22	4.6	0.14
Respiratory System	7,450	53.4	0.62	31.9	0.39	5,779	34.9	0.46	20.9	0.30
Larynx	211	1.5	0.10	0.9	0.07	62	0.4	0.05	0.2	0.03
Lung & bronchus	7,197	51.6	0.61	30.8	0.39	5,684	34.3	0.46	20.5	0.30
Skin	881	6.4	0.22	3.9	0.14	345	2.1	0.11	1.3	0.08
Melanomas of the skin	651	4.7	0.19	3.0	0.12	273	1.7	0.10	1.1	0.07
Breast	35	0.3	0.04	0.1	0.03	3,382	20.8	0.36	13.6	0.26
Female Genital System	-	-	-	-	-	2,181	13.4	0.29	8.8	0.21
Cervix uteri	-	-	-	-	-	268	1.8	0.11	1.4	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	484	2.9	0.13	1.9	0.09
Ovary	-	-	-	-	-	1,312	8.0	0.22	5.0	0.15
Male Genital System	2,703	20.2	0.39	9.2	0.19	-	-	-	-	-
Prostate	2,633	19.7	0.38	8.8	0.19	-	-	-	-	-
Testis	39	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,695	12.3	0.30	6.7	0.18	742	4.3	0.16	2.3	0.10
Bladder	952	7.0	0.23	3.4	0.12	309	1.7	0.10	0.9	0.06
Kidney & renal pelvis	715	5.1	0.19	3.1	0.13	411	2.4	0.12	1.4	0.08
Brain & Other Nervous System	713	5.1	0.19	3.7	0.15	574	3.7	0.16	2.7	0.12
Endocrine System	110	0.8	0.08	0.5	0.06	131	0.8	0.07	0.5	0.05
Thyroid gland	74	0.5	0.06	0.3	0.04	97	0.6	0.06	0.3	0.04
Lymphomas	1,100	8.1	0.24	4.5	0.15	868	5.1	0.18	2.8	0.11
Hodgkin Lymphoma	60	0.4	0.06	0.3	0.04	38	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,040	7.6	0.24	4.2	0.14	830	4.9	0.17	2.6	0.10
Multiple Myeloma	496	3.6	0.16	2.0	0.10	395	2.3	0.12	1.4	0.08
Leukemias	1,107	8.1	0.24	4.7	0.16	799	4.8	0.17	3.0	0.13
Other, Ill-defined & Unknown	2,221	16.0	0.34	9.8	0.22	1,752	10.5	0.25	6.4	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	691	201.5	8.48	119.8	4.66	598	140.2	5.91	91.1	3.85
Oral Cavity & Pharynx	13	3.0	0.89	2.1	0.61	-	-	-	-	-
Digestive System	217	59.4	4.43	37.3	2.60	145	34.7	2.96	21.7	1.87
Esophagus	19	4.8	1.20	3.1	0.73	6	1.4	0.57	1.0	0.40
Stomach	32	9.6	1.88	5.6	1.02	20	4.8	1.11	2.9	0.67
Colon & Rectum	72	22.2	2.87	12.4	1.50	56	13.3	1.83	8.3	1.14
Liver	38	8.3	1.45	6.4	1.06	15	4.0	1.04	2.3	0.62
Pancreas	45	11.5	1.80	8.1	1.24	42	9.9	1.57	6.2	1.01
Respiratory System	197	60.0	4.68	35.0	2.55	144	34.4	2.94	22.6	1.94
Larynx	10	3.0	1.06	1.7	0.54	-	-	-	-	-
Lung & bronchus	185	56.4	4.54	33.0	2.48	138	33.1	2.89	21.6	1.90
Skin	11	2.3	0.72	1.6	0.50	-	-	-	-	-
Melanomas of the skin	6	1.3	0.56	0.9	0.37	-	-	-	-	-
Breast	-	-	-	-	-	127	27.1	2.48	19.1	1.74
Female Genital System	-	-	-	-	-	65	15.9	2.02	10.1	1.29
Cervix uteri	-	-	-	-	-	10	2.3	0.75	1.5	0.49
Corpus & uterus, NOS ¹	-	-	-	-	-	26	6.6	1.33	4.2	0.85
Ovary	-	-	-	-	-	29	7.0	1.33	4.4	0.84
Male Genital System	82	31.6	3.77	14.3	1.61	-	-	-	-	-
Prostate	82	31.6	3.77	14.3	1.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	6.2	1.42	4.3	0.88	15	3.6	0.96	2.4	0.64
Bladder	8	2.2	0.87	1.4	0.52	-	-	-	-	-
Kidney & renal pelvis	17	4.0	1.12	2.8	0.71	9	2.3	0.78	1.4	0.46
Brain & Other Nervous System	8	1.7	0.65	1.3	0.46	10	1.8	0.60	1.5	0.48
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	27	6.1	1.29	4.6	0.91	16	4.1	1.06	2.4	0.61
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	25	5.8	1.27	4.3	0.89	15	4.0	1.06	2.2	0.59
Multiple Myeloma	20	6.0	1.40	3.5	0.79	17	4.4	1.09	2.5	0.63
Leukemias	38	10.7	1.96	6.6	1.10	16	4.0	1.04	2.3	0.59
Other, Ill-defined & Unknown	51	13.7	2.12	8.8	1.26	33	8.4	1.50	5.0	0.90

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	244	100.9	6.95	59.3	3.88	246	69.1	4.61	42.3	2.76
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	84	34.9	4.07	20.3	2.26	73	21.6	2.64	12.2	1.46
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	3.3	1.17	2.3	0.77	15	4.4	1.19	2.5	0.68
Colon & Rectum	25	11.9	2.53	5.8	1.18	22	6.4	1.43	3.7	0.81
Liver	24	9.2	1.99	5.7	1.19	10	3.4	1.12	1.5	0.49
Pancreas	15	6.1	1.68	3.7	0.97	17	4.5	1.17	2.9	0.73
Respiratory System	66	29.4	3.84	16.1	2.03	51	15.5	2.23	8.9	1.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	64	28.4	3.76	15.7	2.00	51	15.5	2.23	8.9	1.28
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	33	7.4	1.33	6.2	1.10
Female Genital System	-	-	-	-	-	39	10.2	1.71	6.5	1.06
Cervix uteri	-	-	-	-	-	7	1.6	0.62	1.2	0.44
Corpus & uterus, NOS ¹	-	-	-	-	-	10	2.7	0.90	1.6	0.51
Ovary	-	-	-	-	-	20	5.4	1.25	3.4	0.78
Male Genital System	21	10.7	2.49	5.2	1.16	-	-	-	-	-
Prostate	21	10.7	2.49	5.2	1.16	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	4.1	1.47	2.3	0.78	6	1.9	0.79	1.0	0.42
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	2.4	1.06	1.6	0.65	-	-	-	-	-
Brain & Other Nervous System	7	2.0	0.79	1.8	0.71	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	2.9	1.09	1.9	0.68	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	8	2.9	1.09	1.9	0.68	-	-	-	-	-
Multiple Myeloma	7	2.7	1.07	1.7	0.64	-	-	-	-	-
Leukemias	13	4.4	1.35	3.2	0.90	14	4.0	1.12	2.6	0.70
Other, Ill-defined & Unknown	22	7.6	1.80	4.9	1.08	16	4.3	1.13	2.8	0.73

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	17,502	253.7	1.94	150.5	1.19	14,463	161.2	1.36	101.3	0.94
Oral Cavity & Pharynx	324	4.5	0.26	3.0	0.18	133	1.5	0.13	0.9	0.09
Digestive System	4,062	58.1	0.92	36.1	0.59	3,137	34.4	0.62	20.3	0.41
Esophagus	499	6.9	0.31	4.7	0.22	128	1.5	0.13	1.0	0.09
Stomach	308	4.5	0.26	2.7	0.16	224	2.5	0.17	1.5	0.11
Colon & Rectum	1,548	22.5	0.58	13.4	0.36	1,397	15.2	0.41	8.8	0.27
Liver	542	7.6	0.33	5.0	0.22	291	3.2	0.19	1.9	0.13
Pancreas	957	13.6	0.45	8.5	0.29	859	9.4	0.33	5.4	0.21
Respiratory System	6,680	95.1	1.18	58.3	0.74	4,199	46.9	0.73	30.3	0.51
Larynx	160	2.2	0.18	1.4	0.12	36	0.4	0.07	0.3	0.05
Lung & bronchus	6,498	92.5	1.16	56.7	0.73	4,146	46.3	0.73	30.0	0.51
Skin	365	5.3	0.28	3.3	0.18	190	2.1	0.16	1.3	0.11
Melanomas of the skin	268	3.9	0.24	2.5	0.16	141	1.6	0.14	1.1	0.10
Breast	16	0.2	0.06	0.2	0.04	2,074	23.6	0.53	15.8	0.38
Female Genital System	-	-	-	-	-	1,362	15.5	0.43	10.0	0.30
Cervix uteri	-	-	-	-	-	264	3.3	0.21	2.4	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	257	2.8	0.18	1.6	0.11
Ovary	-	-	-	-	-	748	8.4	0.31	5.4	0.22
Male Genital System	1,626	25.8	0.64	11.4	0.30	-	-	-	-	-
Prostate	1,593	25.3	0.64	11.0	0.29	-	-	-	-	-
Testis	21	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	929	13.7	0.45	7.6	0.26	488	5.2	0.24	2.9	0.15
Bladder	455	6.9	0.33	3.4	0.17	220	2.3	0.16	1.1	0.09
Kidney & renal pelvis	447	6.3	0.30	3.9	0.19	251	2.7	0.18	1.7	0.12
Brain & Other Nervous System	417	5.9	0.29	4.2	0.21	358	4.2	0.22	2.9	0.18
Endocrine System	63	0.9	0.11	0.6	0.08	77	0.9	0.10	0.6	0.09
Thyroid gland	28	0.4	0.07	0.2	0.05	45	0.5	0.07	0.3	0.05
Lymphomas	631	9.3	0.37	5.3	0.22	516	5.6	0.25	3.2	0.16
Hodgkin Lymphoma	34	0.5	0.09	0.3	0.06	32	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	597	8.8	0.36	4.9	0.21	484	5.2	0.24	2.9	0.15
Multiple Myeloma	306	4.5	0.26	2.6	0.15	244	2.7	0.18	1.5	0.11
Leukemias	698	10.4	0.40	5.9	0.24	541	5.9	0.26	3.7	0.19
Other, Ill-defined & Unknown	1,385	20.1	0.55	12.2	0.34	1,144	12.7	0.38	7.8	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,156	246.1	2.02	145.4	1.25	12,472	158.6	1.45	99.5	1.01
Oral Cavity & Pharynx	279	4.4	0.27	2.9	0.18	114	1.4	0.14	0.8	0.09
Digestive System	3,431	55.1	0.95	34.1	0.61	2,551	31.9	0.64	18.7	0.42
Esophagus	425	6.6	0.32	4.5	0.22	101	1.3	0.13	0.9	0.10
Stomach	232	3.8	0.25	2.3	0.16	162	2.0	0.16	1.2	0.11
Colon & Rectum	1,315	21.5	0.60	12.7	0.37	1,130	14.0	0.43	8.1	0.28
Liver	461	7.3	0.34	4.8	0.23	244	3.1	0.20	1.8	0.13
Pancreas	813	13.0	0.46	8.1	0.30	704	8.8	0.34	5.0	0.21
Respiratory System	5,859	93.5	1.23	56.9	0.78	3,774	48.0	0.79	31.0	0.55
Larynx	122	1.9	0.18	1.2	0.11	26	0.3	0.06	0.2	0.04
Lung & bronchus	5,718	91.3	1.22	55.5	0.77	3,734	47.5	0.79	30.7	0.55
Skin	356	5.8	0.31	3.6	0.20	181	2.3	0.18	1.4	0.12
Melanomas of the skin	268	4.4	0.27	2.8	0.18	134	1.8	0.16	1.2	0.12
Breast	16	0.2	0.06	0.2	0.04	1,727	22.5	0.55	15.0	0.40
Female Genital System	-	-	-	-	-	1,161	15.2	0.46	9.8	0.32
Cervix uteri	-	-	-	-	-	197	3.0	0.22	2.2	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	209	2.6	0.18	1.5	0.12
Ovary	-	-	-	-	-	677	8.7	0.34	5.6	0.24
Male Genital System	1,281	22.4	0.63	9.9	0.30	-	-	-	-	-
Prostate	1,252	21.9	0.62	9.6	0.29	-	-	-	-	-
Testis	19	0.4	0.08	0.3	0.07	-	-	-	-	-
Urinary System	843	13.9	0.48	7.7	0.28	429	5.2	0.25	2.9	0.17
Bladder	416	7.0	0.35	3.5	0.18	186	2.1	0.16	1.1	0.09
Kidney & renal pelvis	402	6.4	0.32	4.0	0.21	228	2.9	0.19	1.8	0.14
Brain & Other Nervous System	382	6.2	0.32	4.3	0.24	325	4.4	0.25	3.1	0.20
Endocrine System	51	0.8	0.11	0.6	0.09	58	0.8	0.11	0.6	0.10
Thyroid gland	24	0.4	0.08	0.2	0.05	32	0.4	0.07	0.2	0.05
Lymphomas	583	9.6	0.40	5.4	0.24	474	5.8	0.27	3.3	0.18
Hodgkin Lymphoma	29	0.5	0.09	0.3	0.06	27	0.4	0.08	0.3	0.06
Non-Hodgkin Lymphoma	554	9.1	0.39	5.0	0.23	447	5.4	0.26	3.0	0.17
Multiple Myeloma	242	3.9	0.26	2.2	0.15	193	2.4	0.18	1.3	0.10
Leukemias	626	10.5	0.42	5.9	0.26	475	6.0	0.28	3.7	0.20
Other, Ill-defined & Unknown	1,207	19.7	0.57	11.8	0.36	1,010	12.8	0.41	7.8	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,254	341.6	7.52	206.3	4.50	1,913	187.7	4.35	119.6	2.96
Oral Cavity & Pharynx	43	5.1	0.81	3.9	0.61	19	1.8	0.42	1.2	0.29
Digestive System	600	87.3	3.73	55.6	2.34	553	54.3	2.34	32.1	1.51
Esophagus	69	9.8	1.23	6.6	0.82	26	2.7	0.54	1.9	0.38
Stomach	74	10.9	1.33	6.6	0.80	55	5.5	0.75	3.6	0.52
Colon & Rectum	226	33.6	2.34	20.7	1.42	254	24.4	1.55	14.1	0.99
Liver	74	10.3	1.26	7.1	0.85	43	4.1	0.63	2.5	0.42
Pancreas	137	19.9	1.78	12.8	1.13	147	14.8	1.23	8.3	0.76
Respiratory System	800	116.9	4.30	76.0	2.78	411	40.9	2.04	27.3	1.44
Larynx	38	5.3	0.89	3.7	0.61	10	0.9	0.30	0.7	0.24
Lung & bronchus	759	111.1	4.20	72.1	2.71	398	39.7	2.02	26.3	1.42
Skin	8	1.1	0.40	0.7	0.26	9	0.9	0.29	0.4	0.16
Melanomas of the skin	-	-	-	-	-	7	0.7	0.25	0.3	0.16
Breast	-	-	-	-	-	340	32.6	1.79	22.1	1.27
Female Genital System	-	-	-	-	-	192	19.0	1.39	12.3	0.96
Cervix uteri	-	-	-	-	-	62	5.8	0.74	4.1	0.56
Corpus & uterus, NOS ¹	-	-	-	-	-	47	4.8	0.71	2.7	0.43
Ovary	-	-	-	-	-	69	7.0	0.86	4.7	0.61
Male Genital System	338	63.5	3.51	27.7	1.57	-	-	-	-	-
Prostate	335	63.1	3.51	27.4	1.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	81	12.8	1.48	7.4	0.85	59	5.7	0.76	3.3	0.48
Bladder	37	6.5	1.10	3.2	0.56	34	3.3	0.58	1.8	0.34
Kidney & renal pelvis	42	6.1	0.97	4.0	0.64	23	2.2	0.46	1.4	0.32
Brain & Other Nervous System	31	4.0	0.77	3.0	0.55	32	3.2	0.58	2.2	0.42
Endocrine System	12	1.7	0.52	1.1	0.32	19	1.7	0.40	1.1	0.29
Thyroid gland	-	-	-	-	-	13	1.2	0.33	0.6	0.19
Lymphomas	46	6.1	0.96	4.2	0.63	39	3.9	0.64	2.4	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	41	5.5	0.91	3.7	0.59	34	3.4	0.59	2.1	0.39
Multiple Myeloma	61	9.0	1.21	5.4	0.71	51	5.3	0.75	3.3	0.50
Leukemias	69	10.1	1.28	5.9	0.73	62	6.0	0.77	4.0	0.55
Other, Ill-defined & Unknown	165	24.0	1.96	15.5	1.24	127	12.4	1.11	7.9	0.76

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	50	150.2	24.58	74.1	10.80	51	93.0	14.03	51.3	7.37
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	59.1	15.22	30.0	6.99	25	45.1	9.72	25.1	5.13
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	6	11.3	5.00	6.3	2.60
Colon & Rectum	6	18.8	8.57	10.1	4.16	8	13.1	4.75	8.8	3.17
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	7	13.6	5.69	6.6	2.57
Respiratory System	8	24.7	10.03	11.4	4.16	7	13.4	5.53	7.1	2.76
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	24.7	10.03	11.4	4.16	7	13.4	5.53	7.1	2.76
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	7	17.7	7.99	9.3	3.62	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	140,139	194.9	0.53	109.2	0.31	134,417	141.7	0.39	85.0	0.26
Oral Cavity & Pharynx	2,903	3.8	0.07	2.4	0.05	1,439	1.5	0.04	0.9	0.03
Digestive System	39,830	54.0	0.28	31.8	0.17	32,482	33.9	0.19	19.2	0.12
Esophagus	4,602	6.2	0.09	3.7	0.06	1,427	1.5	0.04	0.8	0.02
Stomach	4,382	6.0	0.09	3.4	0.05	3,217	3.4	0.06	2.0	0.04
Colon & Rectum	13,064	18.1	0.16	10.1	0.09	12,571	12.9	0.12	7.1	0.07
Liver	6,458	8.2	0.10	5.5	0.07	2,755	2.9	0.06	1.7	0.04
Pancreas	8,648	11.8	0.13	6.9	0.08	8,944	9.4	0.10	5.3	0.06
Respiratory System	36,555	51.3	0.27	28.8	0.16	31,351	33.6	0.19	19.5	0.12
Larynx	1,216	1.7	0.05	1.0	0.03	307	0.3	0.02	0.2	0.01
Lung & bronchus	35,043	49.2	0.27	27.6	0.16	30,852	33.1	0.19	19.1	0.12
Skin	4,001	5.4	0.09	3.1	0.05	1,925	2.0	0.05	1.2	0.03
Melanomas of the skin	2,926	3.9	0.07	2.3	0.05	1,500	1.6	0.04	1.0	0.03
Breast	147	0.2	0.02	0.1	0.01	21,185	22.3	0.15	14.6	0.11
Female Genital System	-	-	-	-	-	14,571	15.4	0.13	10.0	0.09
Cervix uteri	-	-	-	-	-	2,177	2.4	0.05	1.7	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	3,868	4.1	0.07	2.6	0.05
Ovary	-	-	-	-	-	7,764	8.2	0.09	5.2	0.06
Male Genital System	15,630	23.7	0.19	10.4	0.09	-	-	-	-	-
Prostate	15,173	23.2	0.19	10.0	0.09	-	-	-	-	-
Testis	304	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	8,860	12.6	0.14	6.6	0.07	4,362	4.5	0.07	2.4	0.04
Bladder	4,738	7.0	0.10	3.3	0.05	2,024	2.1	0.05	1.0	0.03
Kidney & renal pelvis	3,912	5.3	0.09	3.2	0.05	2,177	2.3	0.05	1.3	0.03
Brain & Other Nervous System	4,225	5.3	0.08	3.7	0.06	3,232	3.5	0.06	2.5	0.05
Endocrine System	681	0.9	0.03	0.6	0.02	854	0.9	0.03	0.6	0.02
Thyroid gland	402	0.6	0.03	0.3	0.02	603	0.6	0.03	0.4	0.02
Lymphomas	6,204	8.6	0.11	4.8	0.06	5,091	5.3	0.08	2.9	0.05
Hodgkin Lymphoma	397	0.5	0.03	0.3	0.02	314	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,807	8.1	0.11	4.5	0.06	4,777	5.0	0.07	2.7	0.04
Multiple Myeloma	2,918	4.1	0.08	2.3	0.04	2,407	2.5	0.05	1.4	0.03
Leukemias	6,382	8.8	0.11	5.1	0.07	4,965	5.2	0.07	3.2	0.05
Other, Ill-defined & Unknown	11,803	16.2	0.15	9.3	0.09	10,553	11.0	0.11	6.5	0.07

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	115,621	198.7	0.59	110.9	0.35	110,988	146.2	0.44	87.4	0.29
Oral Cavity & Pharynx	2,317	3.8	0.08	2.4	0.05	1,142	1.5	0.04	0.9	0.03
Digestive System	31,443	52.8	0.30	31.1	0.18	25,553	33.1	0.21	18.7	0.13
Esophagus	4,091	6.9	0.11	4.1	0.07	1,195	1.6	0.05	0.9	0.03
Stomach	3,136	5.3	0.10	3.1	0.06	2,233	2.9	0.06	1.8	0.04
Colon & Rectum	10,570	18.1	0.18	10.1	0.10	10,078	12.8	0.13	7.0	0.08
Liver	4,396	6.9	0.11	4.6	0.07	1,890	2.5	0.06	1.5	0.04
Pancreas	7,144	12.1	0.14	7.1	0.09	7,280	9.5	0.11	5.3	0.07
Respiratory System	29,658	51.5	0.30	28.8	0.18	26,549	35.5	0.22	20.6	0.14
Larynx	982	1.7	0.05	1.0	0.03	257	0.3	0.02	0.2	0.01
Lung & bronchus	28,421	49.4	0.30	27.6	0.17	26,131	35.0	0.22	20.2	0.14
Skin	3,853	6.5	0.11	3.7	0.06	1,836	2.4	0.06	1.5	0.04
Melanomas of the skin	2,857	4.7	0.09	2.8	0.06	1,443	1.9	0.05	1.2	0.04
Breast	124	0.2	0.02	0.1	0.01	17,389	23.1	0.18	14.9	0.12
Female Genital System	-	-	-	-	-	12,049	16.1	0.15	10.4	0.10
Cervix uteri	-	-	-	-	-	1,694	2.4	0.06	1.8	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	3,084	4.1	0.07	2.5	0.05
Ovary	-	-	-	-	-	6,614	8.8	0.11	5.6	0.08
Male Genital System	12,993	24.1	0.21	10.5	0.10	-	-	-	-	-
Prostate	12,588	23.5	0.21	10.0	0.10	-	-	-	-	-
Testis	276	0.4	0.02	0.3	0.02	-	-	-	-	-
Urinary System	7,747	13.6	0.16	7.1	0.09	3,721	4.8	0.08	2.6	0.05
Bladder	4,256	7.7	0.12	3.6	0.06	1,738	2.2	0.05	1.1	0.03
Kidney & renal pelvis	3,309	5.5	0.10	3.3	0.06	1,853	2.4	0.06	1.4	0.04
Brain & Other Nervous System	3,777	5.9	0.10	4.2	0.07	2,849	3.9	0.07	2.8	0.06
Endocrine System	533	0.9	0.04	0.6	0.03	632	0.8	0.03	0.6	0.03
Thyroid gland	323	0.6	0.03	0.3	0.02	440	0.6	0.03	0.3	0.02
Lymphomas	5,358	9.2	0.13	5.1	0.07	4,330	5.6	0.09	3.1	0.05
Hodgkin Lymphoma	344	0.5	0.03	0.4	0.02	279	0.4	0.02	0.3	0.02
Non-Hodgkin Lymphoma	5,014	8.6	0.12	4.7	0.07	4,051	5.2	0.08	2.8	0.05
Multiple Myeloma	2,364	4.1	0.09	2.2	0.05	1,879	2.5	0.06	1.4	0.04
Leukemias	5,516	9.4	0.13	5.5	0.08	4,260	5.5	0.09	3.4	0.06
Other, Ill-defined & Unknown	9,938	16.9	0.17	9.7	0.10	8,799	11.5	0.12	6.7	0.08

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,522	273.3	2.87	158.0	1.58	10,199	181.6	1.82	113.6	1.18
Oral Cavity & Pharynx	219	4.6	0.33	3.3	0.23	97	1.7	0.17	1.1	0.12
Digestive System	3,000	73.9	1.45	45.0	0.84	2,625	47.7	0.94	27.7	0.57
Esophagus	211	5.4	0.40	3.2	0.23	103	1.9	0.19	1.1	0.11
Stomach	343	9.3	0.54	4.9	0.27	267	5.0	0.31	2.6	0.17
Colon & Rectum	1,091	28.1	0.92	16.3	0.51	1,116	20.3	0.62	11.7	0.37
Liver	549	11.8	0.53	8.3	0.36	208	3.6	0.25	2.3	0.17
Pancreas	627	15.1	0.65	9.5	0.39	723	13.2	0.50	7.6	0.30
Respiratory System	3,023	76.5	1.48	46.0	0.86	2,282	41.2	0.87	25.6	0.56
Larynx	136	3.4	0.31	2.1	0.18	36	0.6	0.11	0.4	0.07
Lung & bronchus	2,875	72.8	1.44	43.7	0.83	2,235	40.4	0.86	25.1	0.56
Skin	58	1.2	0.17	0.9	0.12	34	0.6	0.11	0.4	0.07
Melanomas of the skin	16	0.4	0.11	0.3	0.07	18	0.3	0.08	0.2	0.05
Breast	15	0.4	0.10	0.2	0.06	1,925	32.7	0.76	22.2	0.52
Female Genital System	-	-	-	-	-	1,081	18.9	0.58	12.9	0.41
Cervix uteri	-	-	-	-	-	202	3.3	0.24	2.4	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	400	7.1	0.36	4.9	0.25
Ovary	-	-	-	-	-	433	7.7	0.37	5.0	0.25
Male Genital System	1,696	54.5	1.40	25.0	0.62	-	-	-	-	-
Prostate	1,673	53.9	1.40	24.7	0.62	-	-	-	-	-
Testis	9	0.1	0.05	0.1	0.04	-	-	-	-	-
Urinary System	502	12.9	0.62	7.5	0.34	312	5.8	0.33	3.2	0.19
Bladder	225	6.4	0.46	3.4	0.23	168	3.2	0.25	1.6	0.14
Kidney & renal pelvis	268	6.2	0.41	4.0	0.25	130	2.4	0.21	1.4	0.13
Brain & Other Nervous System	158	3.3	0.29	2.4	0.19	140	2.4	0.21	1.7	0.15
Endocrine System	48	1.1	0.18	0.8	0.11	52	0.9	0.13	0.6	0.09
Thyroid gland	17	0.5	0.12	0.3	0.06	33	0.6	0.11	0.3	0.06
Lymphomas	295	7.0	0.44	4.4	0.26	254	4.6	0.29	2.8	0.18
Hodgkin Lymphoma	25	0.5	0.12	0.4	0.07	17	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	270	6.4	0.42	4.0	0.25	237	4.3	0.28	2.6	0.17
Multiple Myeloma	324	8.5	0.50	4.8	0.28	329	6.0	0.34	3.5	0.21
Leukemias	356	9.1	0.52	5.3	0.29	279	5.0	0.30	3.2	0.21
Other, Ill-defined & Unknown	828	20.3	0.77	12.3	0.44	789	14.0	0.51	8.7	0.33

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	13,294	144.4	1.28	81.2	0.73	12,615	100.9	0.90	60.6	0.58
Oral Cavity & Pharynx	343	3.3	0.19	2.2	0.12	193	1.5	0.11	0.9	0.07
Digestive System	5,135	54.5	0.78	31.8	0.46	4,135	33.7	0.53	18.6	0.31
Esophagus	271	2.9	0.18	1.7	0.11	121	1.0	0.09	0.5	0.05
Stomach	879	9.6	0.33	5.3	0.19	708	5.7	0.22	3.3	0.13
Colon & Rectum	1,322	14.3	0.40	8.0	0.23	1,315	10.6	0.29	5.8	0.17
Liver	1,454	14.6	0.39	9.4	0.25	629	5.2	0.21	2.8	0.12
Pancreas	834	9.1	0.32	5.0	0.18	901	7.4	0.25	4.1	0.15
Respiratory System	3,690	40.8	0.69	22.1	0.38	2,372	19.3	0.40	10.9	0.24
Larynx	85	1.0	0.11	0.5	0.06	11	0.1	0.03	0.1	0.02
Lung & bronchus	3,576	39.5	0.67	21.5	0.37	2,342	19.0	0.40	10.8	0.24
Skin	79	0.8	0.10	0.5	0.06	51	0.4	0.06	0.3	0.04
Melanomas of the skin	48	0.5	0.07	0.3	0.05	36	0.3	0.05	0.2	0.03
Breast	6	0.1	0.03	0.0	0.01	1,787	13.6	0.32	9.6	0.24
Female Genital System	-	-	-	-	-	1,373	10.6	0.29	7.1	0.20
Cervix uteri	-	-	-	-	-	263	2.0	0.12	1.4	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	371	2.9	0.15	2.0	0.11
Ovary	-	-	-	-	-	681	5.3	0.20	3.5	0.14
Male Genital System	871	10.8	0.37	4.6	0.16	-	-	-	-	-
Prostate	846	10.6	0.37	4.4	0.16	-	-	-	-	-
Testis	18	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	560	6.3	0.27	3.3	0.15	307	2.5	0.15	1.3	0.08
Bladder	241	2.9	0.19	1.3	0.09	112	0.9	0.09	0.4	0.04
Kidney & renal pelvis	301	3.2	0.19	1.9	0.12	179	1.5	0.11	0.8	0.07
Brain & Other Nervous System	282	2.7	0.17	2.0	0.12	235	1.9	0.12	1.3	0.10
Endocrine System	99	1.0	0.11	0.7	0.07	168	1.4	0.11	0.9	0.07
Thyroid gland	62	0.7	0.09	0.4	0.05	129	1.0	0.09	0.6	0.06
Lymphomas	535	5.9	0.26	3.3	0.15	481	3.9	0.18	2.2	0.11
Hodgkin Lymphoma	23	0.2	0.05	0.2	0.04	18	0.1	0.03	0.1	0.03
Non-Hodgkin Lymphoma	512	5.6	0.26	3.1	0.14	463	3.8	0.18	2.1	0.10
Multiple Myeloma	216	2.4	0.17	1.3	0.09	193	1.6	0.11	0.9	0.07
Leukemias	491	5.3	0.24	3.1	0.15	408	3.3	0.16	2.1	0.12
Other, Ill-defined & Unknown	987	10.5	0.34	6.3	0.21	912	7.2	0.24	4.5	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,578	180.9	1.15	100.1	0.66	25,338	135.4	0.86	80.0	0.57
Oral Cavity & Pharynx	518	3.4	0.15	2.2	0.10	276	1.5	0.09	0.9	0.06
Digestive System	7,633	52.6	0.61	30.5	0.37	6,400	33.6	0.43	18.7	0.27
Esophagus	822	5.6	0.20	3.3	0.12	287	1.5	0.09	0.8	0.05
Stomach	872	6.1	0.21	3.4	0.12	636	3.4	0.14	2.0	0.09
Colon & Rectum	2,435	17.2	0.36	9.4	0.20	2,440	12.5	0.26	6.7	0.16
Liver	1,307	8.4	0.24	5.6	0.16	522	2.8	0.13	1.6	0.08
Pancreas	1,676	11.6	0.29	6.7	0.17	1,756	9.3	0.23	5.2	0.14
Respiratory System	6,328	45.1	0.58	25.1	0.33	5,774	31.5	0.42	18.1	0.27
Larynx	202	1.4	0.10	0.8	0.06	60	0.3	0.04	0.2	0.03
Lung & bronchus	6,078	43.4	0.57	24.1	0.33	5,687	31.0	0.42	17.8	0.26
Skin	683	4.7	0.18	2.7	0.11	374	2.0	0.10	1.2	0.07
Melanomas of the skin	534	3.6	0.16	2.1	0.10	291	1.6	0.09	1.0	0.07
Breast	28	0.2	0.04	0.1	0.02	3,929	21.0	0.34	13.7	0.24
Female Genital System	-	-	-	-	-	2,609	14.0	0.28	9.0	0.19
Cervix uteri	-	-	-	-	-	262	1.4	0.09	1.1	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	741	4.0	0.15	2.4	0.10
Ovary	-	-	-	-	-	1,453	7.8	0.21	5.1	0.15
Male Genital System	2,666	20.4	0.40	9.0	0.19	-	-	-	-	-
Prostate	2,611	20.0	0.40	8.7	0.18	-	-	-	-	-
Testis	36	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,521	11.0	0.29	5.7	0.15	766	4.0	0.15	2.1	0.09
Bladder	814	6.1	0.22	2.8	0.10	364	1.8	0.10	0.8	0.05
Kidney & renal pelvis	662	4.5	0.18	2.7	0.11	366	2.0	0.11	1.2	0.07
Brain & Other Nervous System	774	5.0	0.18	3.5	0.13	544	3.0	0.13	2.2	0.10
Endocrine System	137	0.9	0.08	0.6	0.06	184	1.0	0.08	0.7	0.06
Thyroid gland	78	0.6	0.06	0.3	0.04	139	0.8	0.07	0.4	0.04
Lymphomas	1,250	8.9	0.25	4.8	0.14	994	5.3	0.17	2.9	0.10
Hodgkin Lymphoma	69	0.5	0.06	0.3	0.04	60	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,181	8.4	0.25	4.5	0.14	934	4.9	0.16	2.6	0.10
Multiple Myeloma	546	3.9	0.17	2.1	0.10	467	2.5	0.12	1.3	0.07
Leukemias	1,161	8.3	0.25	4.6	0.15	884	4.7	0.16	2.8	0.11
Other, Ill-defined & Unknown	2,333	16.5	0.35	9.2	0.20	2,137	11.3	0.25	6.5	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,934	186.8	1.38	102.4	0.79	18,852	142.4	1.06	83.3	0.69
Oral Cavity & Pharynx	344	3.1	0.17	2.0	0.11	181	1.3	0.10	0.8	0.07
Digestive System	5,345	51.4	0.72	29.7	0.43	4,439	32.6	0.50	18.0	0.31
Esophagus	678	6.5	0.25	3.8	0.15	210	1.6	0.11	0.9	0.07
Stomach	523	5.1	0.23	2.9	0.13	375	2.8	0.15	1.6	0.10
Colon & Rectum	1,763	17.4	0.42	9.4	0.24	1,747	12.4	0.31	6.6	0.19
Liver	724	6.4	0.24	4.4	0.17	282	2.2	0.13	1.3	0.09
Pancreas	1,289	12.4	0.35	7.1	0.21	1,277	9.5	0.27	5.3	0.17
Respiratory System	4,379	43.7	0.67	24.0	0.38	4,399	34.1	0.53	19.3	0.33
Larynx	144	1.4	0.12	0.8	0.07	48	0.4	0.05	0.2	0.03
Lung & bronchus	4,197	41.9	0.66	23.1	0.38	4,333	33.6	0.52	19.1	0.33
Skin	654	6.3	0.25	3.6	0.15	345	2.6	0.14	1.6	0.10
Melanomas of the skin	519	4.9	0.22	2.9	0.13	271	2.1	0.13	1.4	0.09
Breast	23	0.2	0.05	0.1	0.03	2,979	22.7	0.43	14.5	0.30
Female Genital System	-	-	-	-	-	1,951	15.0	0.35	9.5	0.24
Cervix uteri	-	-	-	-	-	175	1.4	0.11	1.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	543	4.1	0.18	2.4	0.12
Ovary	-	-	-	-	-	1,111	8.5	0.26	5.5	0.18
Male Genital System	2,058	21.7	0.48	9.4	0.22	-	-	-	-	-
Prostate	2,010	21.3	0.48	9.1	0.22	-	-	-	-	-
Testis	31	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,249	12.5	0.36	6.4	0.19	593	4.3	0.18	2.2	0.11
Bladder	701	7.3	0.28	3.3	0.13	285	1.9	0.12	0.9	0.06
Kidney & renal pelvis	513	4.9	0.22	2.9	0.14	281	2.1	0.13	1.2	0.08
Brain & Other Nervous System	666	6.1	0.24	4.2	0.17	450	3.6	0.17	2.6	0.13
Endocrine System	99	0.9	0.10	0.6	0.07	118	0.9	0.09	0.6	0.07
Thyroid gland	61	0.6	0.08	0.3	0.04	87	0.7	0.07	0.4	0.05
Lymphomas	993	9.8	0.32	5.3	0.18	774	5.7	0.21	3.1	0.13
Hodgkin Lymphoma	52	0.5	0.07	0.3	0.04	51	0.4	0.06	0.3	0.04
Non-Hodgkin Lymphoma	941	9.3	0.31	5.0	0.17	723	5.3	0.20	2.8	0.12
Multiple Myeloma	418	4.1	0.21	2.3	0.12	335	2.5	0.14	1.3	0.08
Leukemias	918	9.2	0.31	5.0	0.18	686	5.2	0.20	3.0	0.14
Other, Ill-defined & Unknown	1,788	17.6	0.42	9.7	0.25	1,602	11.9	0.31	6.8	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,317	270.7	5.88	156.1	3.34	2,309	186.9	3.93	118.7	2.65
Oral Cavity & Pharynx	40	4.3	0.70	2.9	0.47	17	1.3	0.33	0.9	0.22
Digestive System	661	73.9	3.01	44.3	1.77	618	50.0	2.03	30.0	1.30
Esophagus	45	5.4	0.84	2.9	0.45	29	2.4	0.44	1.4	0.27
Stomach	78	9.5	1.12	5.0	0.59	52	4.2	0.58	2.6	0.39
Colon & Rectum	240	28.9	1.94	15.6	1.04	253	20.7	1.31	11.9	0.81
Liver	126	11.9	1.11	8.6	0.79	50	3.8	0.54	2.7	0.40
Pancreas	128	13.3	1.22	9.1	0.82	171	13.9	1.08	8.2	0.67
Respiratory System	710	80.8	3.15	48.5	1.88	554	45.3	1.94	28.9	1.30
Larynx	36	4.1	0.71	2.4	0.41	7	0.6	0.21	0.4	0.16
Lung & bronchus	673	76.5	3.07	46.1	1.83	543	44.4	1.93	28.3	1.29
Skin	11	1.0	0.33	0.7	0.23	10	0.8	0.27	0.5	0.20
Melanomas of the skin	-	-	-	-	-	6	0.5	0.21	0.4	0.17
Breast	-	-	-	-	-	368	29.2	1.54	20.0	1.09
Female Genital System	-	-	-	-	-	224	18.0	1.21	12.5	0.87
Cervix uteri	-	-	-	-	-	28	2.1	0.41	1.7	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	82	6.7	0.75	4.7	0.54
Ovary	-	-	-	-	-	103	8.2	0.82	5.5	0.58
Male Genital System	354	48.5	2.67	22.6	1.24	-	-	-	-	-
Prostate	351	48.2	2.66	22.4	1.24	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	102	11.9	1.24	6.8	0.69	74	6.1	0.72	3.3	0.43
Bladder	51	6.6	0.96	3.3	0.47	42	3.5	0.55	1.8	0.31
Kidney & renal pelvis	50	5.3	0.79	3.5	0.51	29	2.4	0.44	1.4	0.29
Brain & Other Nervous System	20	2.0	0.48	1.5	0.34	23	1.9	0.40	1.5	0.37
Endocrine System	12	1.2	0.36	1.0	0.30	6	0.5	0.21	0.3	0.14
Thyroid gland	-	-	-	-	-	6	0.5	0.21	0.3	0.14
Lymphomas	67	7.8	1.00	4.4	0.55	57	4.7	0.63	2.7	0.39
Hodgkin Lymphoma	8	0.8	0.30	0.5	0.19	-	-	-	-	-
Non-Hodgkin Lymphoma	59	7.0	0.95	3.9	0.52	55	4.5	0.62	2.5	0.37
Multiple Myeloma	60	7.1	0.96	4.1	0.54	79	6.7	0.76	3.7	0.46
Leukemias	85	10.1	1.14	5.9	0.66	72	5.8	0.69	4.2	0.56
Other, Ill-defined & Unknown	193	21.7	1.64	13.2	0.98	207	16.5	1.16	10.1	0.76

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	4,253	139.0	2.17	77.8	1.26	4,095	99.1	1.55	58.9	1.00
Oral Cavity & Pharynx	130	3.8	0.34	2.7	0.24	76	1.8	0.21	1.1	0.13
Digestive System	1,603	51.2	1.30	29.5	0.77	1,322	32.3	0.89	17.7	0.53
Esophagus	97	3.1	0.32	1.8	0.19	47	1.2	0.17	0.6	0.09
Stomach	268	8.7	0.54	4.8	0.31	207	5.0	0.35	2.9	0.22
Colon & Rectum	422	13.7	0.68	7.7	0.39	433	10.4	0.50	5.5	0.29
Liver	452	13.8	0.66	8.8	0.43	187	4.7	0.34	2.4	0.19
Pancreas	257	8.4	0.53	4.5	0.29	303	7.5	0.43	4.1	0.26
Respiratory System	1,220	40.6	1.18	22.0	0.66	804	19.6	0.70	11.2	0.43
Larynx	20	0.7	0.15	0.4	0.09	-	-	-	-	-
Lung & bronchus	1,191	39.7	1.17	21.4	0.65	795	19.4	0.69	11.1	0.43
Skin	17	0.6	0.14	0.3	0.08	18	0.4	0.11	0.3	0.07
Melanomas of the skin	11	0.4	0.11	0.2	0.07	13	0.3	0.09	0.2	0.07
Breast	-	-	-	-	-	572	13.4	0.56	9.5	0.42
Female Genital System	-	-	-	-	-	422	10.0	0.49	6.6	0.34
Cervix uteri	-	-	-	-	-	56	1.3	0.17	0.9	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	116	2.8	0.26	1.9	0.19
Ovary	-	-	-	-	-	231	5.5	0.37	3.6	0.25
Male Genital System	250	9.1	0.58	4.0	0.27	-	-	-	-	-
Prostate	246	9.0	0.58	3.9	0.26	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	163	5.4	0.43	2.9	0.24	96	2.3	0.24	1.3	0.15
Bladder	60	2.1	0.28	0.9	0.13	37	0.9	0.15	0.4	0.06
Kidney & renal pelvis	94	3.0	0.31	1.8	0.20	53	1.3	0.18	0.9	0.13
Brain & Other Nervous System	87	2.6	0.28	1.8	0.20	71	1.7	0.20	1.2	0.16
Endocrine System	26	0.8	0.17	0.5	0.11	60	1.5	0.20	1.0	0.14
Thyroid gland	14	0.5	0.13	0.2	0.07	46	1.2	0.17	0.6	0.10
Lymphomas	186	6.1	0.46	3.4	0.26	159	3.9	0.31	2.1	0.19
Hodgkin Lymphoma	8	0.2	0.09	0.2	0.07	7	0.2	0.06	0.1	0.05
Non-Hodgkin Lymphoma	178	5.9	0.45	3.2	0.26	152	3.7	0.30	2.0	0.18
Multiple Myeloma	66	2.3	0.28	1.1	0.15	51	1.3	0.18	0.7	0.10
Leukemias	158	5.2	0.42	3.0	0.25	120	2.9	0.27	1.8	0.19
Other, Ill-defined & Unknown	344	11.1	0.61	6.5	0.37	324	7.8	0.44	4.5	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	34,241	189.9	1.05	107.0	0.61	34,223	138.9	0.76	83.7	0.50
Oral Cavity & Pharynx	701	3.6	0.14	2.3	0.09	357	1.4	0.08	0.9	0.05
Digestive System	10,480	56.8	0.57	33.4	0.34	8,942	36.0	0.38	20.4	0.24
Esophagus	984	5.3	0.17	3.2	0.11	318	1.3	0.07	0.7	0.04
Stomach	1,345	7.3	0.20	4.2	0.12	1,144	4.6	0.14	2.8	0.09
Colon & Rectum	3,471	19.2	0.33	10.8	0.19	3,331	13.3	0.23	7.4	0.14
Liver	1,790	9.1	0.22	6.0	0.15	860	3.6	0.12	2.0	0.08
Pancreas	2,161	11.8	0.26	6.9	0.16	2,300	9.3	0.20	5.1	0.12
Respiratory System	8,539	48.1	0.53	26.9	0.31	6,892	28.4	0.35	16.2	0.22
Larynx	344	1.9	0.10	1.1	0.06	70	0.3	0.04	0.2	0.02
Lung & bronchus	8,128	45.8	0.52	25.6	0.30	6,772	27.9	0.34	15.9	0.21
Skin	783	4.3	0.16	2.4	0.09	386	1.5	0.08	0.9	0.05
Melanomas of the skin	553	3.0	0.13	1.8	0.08	288	1.1	0.07	0.7	0.04
Breast	41	0.2	0.03	0.2	0.02	5,622	22.8	0.31	15.1	0.22
Female Genital System	-	-	-	-	-	4,155	17.0	0.27	11.2	0.19
Cervix uteri	-	-	-	-	-	739	3.0	0.11	2.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,135	4.7	0.14	3.1	0.10
Ovary	-	-	-	-	-	2,112	8.6	0.19	5.5	0.13
Male Genital System	3,937	23.9	0.38	10.7	0.18	-	-	-	-	-
Prostate	3,804	23.3	0.38	10.3	0.18	-	-	-	-	-
Testis	86	0.4	0.04	0.3	0.03	-	-	-	-	-
Urinary System	2,055	11.7	0.26	6.2	0.14	1,118	4.5	0.14	2.4	0.08
Bladder	1,091	6.5	0.20	3.1	0.10	529	2.1	0.09	1.1	0.05
Kidney & renal pelvis	922	5.0	0.17	3.0	0.10	549	2.2	0.10	1.3	0.06
Brain & Other Nervous System	1,014	5.0	0.16	3.5	0.11	842	3.4	0.12	2.4	0.09
Endocrine System	192	1.0	0.07	0.6	0.05	255	1.0	0.07	0.7	0.05
Thyroid gland	114	0.6	0.06	0.4	0.04	172	0.7	0.05	0.4	0.03
Lymphomas	1,506	8.2	0.22	4.7	0.13	1,292	5.2	0.15	2.9	0.09
Hodgkin Lymphoma	102	0.5	0.05	0.3	0.04	80	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,404	7.7	0.21	4.3	0.12	1,212	4.9	0.14	2.7	0.09
Multiple Myeloma	710	4.0	0.15	2.2	0.09	638	2.6	0.10	1.5	0.07
Leukemias	1,602	8.7	0.22	5.2	0.14	1,260	5.1	0.14	3.2	0.10
Other, Ill-defined & Unknown	2,681	14.5	0.29	8.6	0.17	2,464	9.9	0.20	6.0	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,048	187.2	1.20	104.6	0.70	25,452	141.4	0.90	84.6	0.59
Oral Cavity & Pharynx	486	3.4	0.16	2.2	0.10	251	1.4	0.09	0.8	0.06
Digestive System	7,349	53.7	0.64	31.5	0.39	6,321	34.6	0.44	19.6	0.28
Esophagus	808	5.9	0.21	3.6	0.13	242	1.3	0.09	0.7	0.05
Stomach	866	6.2	0.22	3.7	0.13	742	4.1	0.15	2.6	0.10
Colon & Rectum	2,491	18.6	0.38	10.3	0.22	2,340	12.6	0.26	6.9	0.16
Liver	1,095	7.5	0.23	5.0	0.16	558	3.2	0.14	1.8	0.09
Pancreas	1,590	11.7	0.30	6.9	0.18	1,690	9.3	0.23	5.1	0.14
Respiratory System	5,931	45.3	0.60	25.1	0.35	5,143	29.0	0.41	16.4	0.26
Larynx	246	1.8	0.12	1.0	0.07	45	0.3	0.04	0.2	0.03
Lung & bronchus	5,637	43.1	0.58	23.9	0.34	5,059	28.6	0.41	16.1	0.26
Skin	728	5.3	0.20	3.0	0.12	360	1.9	0.10	1.1	0.07
Melanomas of the skin	527	3.8	0.17	2.2	0.10	270	1.5	0.09	0.9	0.06
Breast	31	0.2	0.04	0.2	0.03	4,110	23.0	0.36	15.0	0.25
Female Genital System	-	-	-	-	-	3,165	17.9	0.32	11.6	0.22
Cervix uteri	-	-	-	-	-	532	3.0	0.13	2.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	811	4.6	0.16	3.0	0.11
Ovary	-	-	-	-	-	1,686	9.5	0.23	6.0	0.16
Male Genital System	2,846	23.0	0.43	10.2	0.21	-	-	-	-	-
Prostate	2,738	22.3	0.43	9.7	0.20	-	-	-	-	-
Testis	74	0.4	0.05	0.4	0.04	-	-	-	-	-
Urinary System	1,627	12.5	0.31	6.5	0.17	869	4.7	0.16	2.6	0.10
Bladder	900	7.1	0.24	3.3	0.12	417	2.2	0.11	1.1	0.06
Kidney & renal pelvis	694	5.1	0.20	3.0	0.12	425	2.4	0.12	1.4	0.07
Brain & Other Nervous System	850	5.6	0.20	3.9	0.14	699	3.9	0.15	2.7	0.11
Endocrine System	140	1.0	0.09	0.6	0.06	175	1.0	0.08	0.6	0.05
Thyroid gland	83	0.6	0.07	0.3	0.04	120	0.7	0.06	0.4	0.04
Lymphomas	1,228	9.0	0.26	5.1	0.15	1,029	5.6	0.18	3.1	0.11
Hodgkin Lymphoma	86	0.6	0.06	0.4	0.04	68	0.4	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,142	8.4	0.25	4.7	0.15	961	5.2	0.17	2.8	0.10
Multiple Myeloma	488	3.7	0.17	2.1	0.10	425	2.4	0.12	1.3	0.07
Leukemias	1,294	9.4	0.27	5.6	0.16	995	5.4	0.18	3.4	0.12
Other, Ill-defined & Unknown	2,050	15.0	0.34	8.8	0.20	1,910	10.5	0.24	6.2	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,579	280.2	4.37	164.4	2.49	4,644	183.5	2.71	114.6	1.78
Oral Cavity & Pharynx	102	5.3	0.54	3.8	0.38	46	1.8	0.26	1.2	0.19
Digestive System	1,291	75.9	2.22	46.9	1.33	1,205	48.1	1.39	27.8	0.86
Esophagus	81	4.7	0.55	3.0	0.34	45	1.8	0.27	1.1	0.18
Stomach	155	9.4	0.80	5.4	0.44	139	5.6	0.48	3.0	0.27
Colon & Rectum	490	29.6	1.41	17.9	0.82	532	21.2	0.92	12.2	0.56
Liver	220	11.9	0.84	8.2	0.56	90	3.5	0.38	2.2	0.25
Pancreas	255	15.0	0.99	9.2	0.59	321	12.8	0.72	7.3	0.44
Respiratory System	1,296	77.1	2.24	46.7	1.33	1,019	40.7	1.28	24.8	0.82
Larynx	59	3.4	0.47	2.1	0.29	20	0.8	0.18	0.5	0.12
Lung & bronchus	1,230	73.3	2.18	44.3	1.29	996	39.8	1.27	24.2	0.81
Skin	25	1.3	0.28	1.0	0.20	11	0.4	0.14	0.2	0.08
Melanomas of the skin	7	0.4	0.18	0.3	0.11	8	0.3	0.11	0.2	0.07
Breast	8	0.4	0.16	0.3	0.11	912	35.2	1.17	23.8	0.82
Female Genital System	-	-	-	-	-	523	20.4	0.90	14.1	0.64
Cervix uteri	-	-	-	-	-	104	4.0	0.40	2.9	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	191	7.4	0.54	5.2	0.39
Ovary	-	-	-	-	-	212	8.4	0.58	5.5	0.40
Male Genital System	785	57.1	2.14	26.4	0.97	-	-	-	-	-
Prostate	771	56.3	2.13	25.9	0.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	218	13.4	0.96	7.9	0.55	138	5.6	0.48	3.0	0.28
Bladder	99	6.6	0.70	3.5	0.36	77	3.1	0.36	1.7	0.21
Kidney & renal pelvis	116	6.7	0.65	4.3	0.41	54	2.2	0.30	1.2	0.18
Brain & Other Nervous System	79	4.2	0.49	3.0	0.35	61	2.4	0.30	1.7	0.22
Endocrine System	15	0.9	0.25	0.6	0.15	29	1.2	0.22	0.8	0.17
Thyroid gland	-	-	-	-	-	16	0.7	0.17	0.3	0.09
Lymphomas	131	7.2	0.67	4.9	0.44	116	4.6	0.43	2.8	0.28
Hodgkin Lymphoma	9	0.5	0.17	0.3	0.12	7	0.3	0.10	0.2	0.08
Non-Hodgkin Lymphoma	122	6.8	0.64	4.5	0.42	109	4.4	0.42	2.6	0.27
Multiple Myeloma	146	9.0	0.79	5.1	0.44	152	6.1	0.50	3.5	0.30
Leukemias	147	9.1	0.81	5.4	0.46	120	4.8	0.44	3.0	0.30
Other, Ill-defined & Unknown	336	19.2	1.11	12.3	0.69	312	12.3	0.70	7.7	0.46

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,530	157.9	2.39	88.7	1.38	4,031	102.2	1.62	61.8	1.06
Oral Cavity & Pharynx	109	3.5	0.34	2.2	0.22	59	1.5	0.20	0.9	0.13
Digestive System	1,812	62.0	1.49	35.8	0.88	1,390	35.7	0.96	19.5	0.57
Esophagus	89	3.0	0.32	1.8	0.20	29	0.8	0.14	0.4	0.07
Stomach	323	11.4	0.65	6.2	0.36	262	6.7	0.42	3.8	0.26
Colon & Rectum	479	16.4	0.76	9.3	0.44	449	11.5	0.54	6.2	0.32
Liver	468	15.3	0.72	9.7	0.46	208	5.5	0.38	2.8	0.21
Pancreas	313	11.0	0.63	6.1	0.36	283	7.2	0.43	4.0	0.26
Respiratory System	1,289	45.6	1.29	24.5	0.71	712	18.4	0.69	10.2	0.41
Larynx	37	1.3	0.22	0.7	0.12	-	-	-	-	-
Lung & bronchus	1,240	43.9	1.27	23.5	0.70	700	18.1	0.69	10.0	0.41
Skin	30	1.0	0.19	0.6	0.12	15	0.4	0.09	0.2	0.07
Melanomas of the skin	19	0.7	0.15	0.4	0.10	10	0.2	0.07	0.2	0.06
Breast	-	-	-	-	-	582	14.2	0.59	10.3	0.44
Female Genital System	-	-	-	-	-	452	11.1	0.53	7.6	0.38
Cervix uteri	-	-	-	-	-	98	2.4	0.24	1.7	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	131	3.2	0.29	2.2	0.20
Ovary	-	-	-	-	-	206	5.1	0.36	3.5	0.26
Male Genital System	295	11.4	0.67	4.9	0.30	-	-	-	-	-
Prostate	285	11.1	0.66	4.6	0.29	-	-	-	-	-
Testis	8	0.2	0.09	0.2	0.08	-	-	-	-	-
Urinary System	203	7.3	0.52	3.8	0.28	108	2.8	0.27	1.4	0.15
Bladder	91	3.5	0.37	1.5	0.17	33	0.9	0.15	0.4	0.07
Kidney & renal pelvis	106	3.6	0.36	2.2	0.22	69	1.8	0.22	0.9	0.12
Brain & Other Nervous System	84	2.7	0.30	2.1	0.24	82	2.2	0.24	1.5	0.20
Endocrine System	37	1.2	0.20	0.9	0.16	51	1.3	0.18	0.8	0.13
Thyroid gland	26	0.8	0.17	0.6	0.11	36	0.9	0.15	0.5	0.09
Lymphomas	146	5.1	0.43	2.8	0.25	142	3.7	0.31	2.1	0.19
Hodgkin Lymphoma	7	0.2	0.08	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	139	4.9	0.42	2.7	0.24	137	3.5	0.30	2.0	0.18
Multiple Myeloma	74	2.6	0.30	1.5	0.18	61	1.6	0.20	0.9	0.13
Leukemias	158	5.5	0.45	3.3	0.29	142	3.7	0.31	2.3	0.22
Other, Ill-defined & Unknown	291	9.8	0.59	6.2	0.39	235	5.8	0.38	4.0	0.29

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	17,025	185.0	1.47	101.3	0.80	16,206	134.4	1.07	78.9	0.67
Oral Cavity & Pharynx	279	2.8	0.17	1.7	0.11	173	1.4	0.11	0.8	0.07
Digestive System	4,624	48.0	0.74	28.1	0.42	3,655	30.3	0.51	16.6	0.30
Esophagus	726	7.3	0.28	4.5	0.17	165	1.4	0.11	0.8	0.07
Stomach	378	4.0	0.22	2.3	0.12	247	2.1	0.13	1.1	0.08
Colon & Rectum	1,610	17.4	0.45	9.6	0.25	1,580	13.0	0.33	7.0	0.19
Liver	571	5.4	0.23	3.5	0.15	186	1.5	0.11	0.9	0.07
Pancreas	1,051	10.9	0.35	6.5	0.20	1,062	8.9	0.28	4.9	0.16
Respiratory System	4,288	46.5	0.73	25.6	0.40	3,823	32.4	0.53	18.9	0.33
Larynx	110	1.1	0.11	0.7	0.07	45	0.4	0.06	0.2	0.04
Lung & bronchus	4,147	45.1	0.72	24.7	0.40	3,764	31.9	0.53	18.6	0.33
Skin	623	6.4	0.27	3.8	0.16	295	2.4	0.14	1.5	0.09
Melanomas of the skin	498	5.0	0.23	3.1	0.14	252	2.1	0.13	1.3	0.09
Breast	25	0.3	0.06	0.1	0.03	2,465	19.9	0.41	12.8	0.28
Female Genital System	-	-	-	-	-	1,764	14.5	0.35	9.0	0.23
Cervix uteri	-	-	-	-	-	218	1.7	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	413	3.4	0.17	2.0	0.10
Ovary	-	-	-	-	-	1,051	8.7	0.27	5.4	0.18
Male Genital System	1,920	24.2	0.57	10.4	0.25	-	-	-	-	-
Prostate	1,876	23.8	0.56	10.1	0.24	-	-	-	-	-
Testis	32	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,129	12.6	0.39	6.6	0.20	527	4.4	0.19	2.4	0.12
Bladder	577	6.9	0.30	3.2	0.14	212	1.8	0.12	0.9	0.07
Kidney & renal pelvis	539	5.6	0.25	3.3	0.15	298	2.5	0.14	1.4	0.09
Brain & Other Nervous System	586	5.4	0.23	3.8	0.16	430	3.5	0.17	2.5	0.13
Endocrine System	99	1.0	0.10	0.7	0.07	108	0.9	0.09	0.6	0.06
Thyroid gland	68	0.7	0.09	0.4	0.05	67	0.6	0.07	0.3	0.04
Lymphomas	781	8.5	0.31	4.6	0.17	557	4.6	0.20	2.4	0.11
Hodgkin Lymphoma	50	0.5	0.07	0.3	0.05	31	0.3	0.05	0.1	0.03
Non-Hodgkin Lymphoma	731	8.0	0.31	4.3	0.16	526	4.4	0.19	2.3	0.11
Multiple Myeloma	385	4.3	0.23	2.3	0.12	310	2.6	0.15	1.4	0.09
Leukemias	804	9.0	0.33	4.8	0.18	631	5.2	0.21	3.0	0.13
Other, Ill-defined & Unknown	1,482	16.1	0.43	8.8	0.24	1,468	12.2	0.32	6.9	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,089	185.5	1.52	101.4	0.83	15,360	135.5	1.11	79.6	0.70
Oral Cavity & Pharynx	261	2.8	0.18	1.7	0.11	168	1.5	0.11	0.9	0.07
Digestive System	4,333	47.7	0.75	27.9	0.44	3,395	29.9	0.52	16.3	0.31
Esophagus	695	7.4	0.29	4.6	0.18	157	1.4	0.11	0.8	0.07
Stomach	338	3.8	0.22	2.1	0.12	219	1.9	0.13	1.0	0.08
Colon & Rectum	1,524	17.4	0.46	9.6	0.25	1,478	12.9	0.34	6.9	0.20
Liver	513	5.2	0.24	3.4	0.15	161	1.4	0.11	0.8	0.07
Pancreas	988	10.8	0.36	6.4	0.21	994	8.9	0.28	4.9	0.17
Respiratory System	4,036	46.4	0.75	25.5	0.42	3,642	32.8	0.55	19.2	0.34
Larynx	97	1.1	0.11	0.6	0.07	43	0.4	0.06	0.2	0.04
Lung & bronchus	3,910	45.1	0.74	24.7	0.41	3,585	32.3	0.55	18.9	0.34
Skin	616	6.7	0.28	4.0	0.17	289	2.5	0.15	1.6	0.10
Melanomas of the skin	494	5.3	0.25	3.3	0.15	247	2.2	0.14	1.4	0.10
Breast	24	0.3	0.06	0.1	0.03	2,341	20.2	0.42	13.0	0.29
Female Genital System	-	-	-	-	-	1,684	14.7	0.36	9.2	0.24
Cervix uteri	-	-	-	-	-	200	1.7	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	390	3.4	0.17	2.0	0.11
Ovary	-	-	-	-	-	1,014	8.9	0.28	5.6	0.19
Male Genital System	1,811	24.1	0.58	10.3	0.25	-	-	-	-	-
Prostate	1,767	23.7	0.57	10.0	0.25	-	-	-	-	-
Testis	32	0.3	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,088	12.9	0.40	6.8	0.21	509	4.5	0.20	2.5	0.12
Bladder	569	7.1	0.31	3.4	0.15	207	1.8	0.13	0.9	0.07
Kidney & renal pelvis	507	5.6	0.26	3.3	0.15	286	2.5	0.15	1.5	0.09
Brain & Other Nervous System	565	5.6	0.25	3.9	0.17	409	3.6	0.18	2.6	0.14
Endocrine System	94	1.0	0.10	0.7	0.07	104	0.9	0.09	0.6	0.06
Thyroid gland	66	0.7	0.09	0.4	0.06	64	0.6	0.07	0.3	0.04
Lymphomas	741	8.5	0.32	4.6	0.18	530	4.7	0.21	2.4	0.12
Hodgkin Lymphoma	47	0.5	0.07	0.3	0.05	30	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	694	8.1	0.32	4.3	0.17	500	4.4	0.20	2.3	0.11
Multiple Myeloma	355	4.2	0.23	2.2	0.12	282	2.5	0.15	1.4	0.09
Leukemias	768	9.1	0.34	4.8	0.18	611	5.4	0.22	3.1	0.14
Other, Ill-defined & Unknown	1,397	16.1	0.45	8.8	0.25	1,396	12.3	0.33	7.0	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	650	228.4	10.31	134.7	5.46	521	148.8	6.69	86.8	3.97
Oral Cavity & Pharynx	15	4.6	1.37	3.4	0.90	-	-	-	-	-
Digestive System	208	69.1	5.46	43.1	3.08	155	45.4	3.74	25.0	2.10
Esophagus	22	7.6	1.79	4.7	1.04	-	-	-	-	-
Stomach	24	8.0	1.85	5.1	1.07	17	4.8	1.19	2.6	0.66
Colon & Rectum	67	23.8	3.39	13.8	1.75	61	17.8	2.34	9.8	1.32
Liver	35	8.2	1.46	7.2	1.26	6	1.9	0.77	0.9	0.39
Pancreas	51	18.6	2.93	10.6	1.53	48	14.7	2.16	7.7	1.16
Respiratory System	164	58.0	5.13	34.0	2.74	107	31.4	3.10	18.7	1.88
Larynx	10	3.4	1.15	2.0	0.64	-	-	-	-	-
Lung & bronchus	153	54.4	5.00	31.9	2.66	107	31.4	3.10	18.7	1.88
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	86	22.9	2.55	14.5	1.62
Female Genital System	-	-	-	-	-	49	14.2	2.08	7.7	1.14
Cervix uteri	-	-	-	-	-	8	2.0	0.73	1.3	0.48
Corpus & uterus, NOS ¹	-	-	-	-	-	21	6.3	1.40	3.0	0.68
Ovary	-	-	-	-	-	18	5.4	1.29	3.0	0.75
Male Genital System	86	40.5	4.88	19.3	2.14	-	-	-	-	-
Prostate	86	40.5	4.88	19.3	2.14	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	30	11.2	2.39	6.0	1.15	11	3.3	1.02	1.8	0.57
Bladder	6	3.1	1.38	1.3	0.56	-	-	-	-	-
Kidney & renal pelvis	24	8.1	1.95	4.7	1.00	9	2.9	0.97	1.4	0.49
Brain & Other Nervous System	14	3.3	0.99	2.7	0.76	13	2.8	0.83	2.3	0.65
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	25	8.4	2.00	4.8	1.00	15	4.5	1.18	2.3	0.61
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	22	7.9	1.98	4.4	0.96	14	4.1	1.13	2.2	0.61
Multiple Myeloma	23	8.1	1.96	4.8	1.05	23	6.9	1.45	4.2	0.92
Leukemias	24	7.0	1.64	4.5	0.96	13	3.5	1.02	1.9	0.54
Other, Ill-defined & Unknown	52	15.6	2.53	10.2	1.47	43	12.2	1.91	7.6	1.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	203	124.1	9.23	64.5	4.64	239	89.9	5.98	51.5	3.48
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	64	41.0	5.42	20.2	2.58	77	31.0	3.61	15.1	1.81
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	15	9.5	2.58	4.6	1.22	11	4.5	1.40	2.2	0.71
Colon & Rectum	13	9.8	2.82	4.2	1.18	29	11.0	2.10	5.9	1.14
Liver	18	9.7	2.43	5.9	1.41	14	5.3	1.46	2.7	0.76
Pancreas	10	6.5	2.14	3.1	1.01	13	5.8	1.62	2.3	0.69
Respiratory System	59	35.4	4.84	18.7	2.51	57	20.7	2.81	13.7	1.89
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	57	34.4	4.78	17.9	2.44	55	20.0	2.76	13.2	1.84
Skin	-	-	-	-	-	6	1.8	0.75	1.2	0.49
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	23	8.0	1.72	5.4	1.17
Female Genital System	-	-	-	-	-	22	7.1	1.58	4.7	1.03
Cervix uteri	-	-	-	-	-	7	1.8	0.70	1.6	0.63
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	15	5.3	1.42	3.1	0.81
Male Genital System	14	11.0	2.97	4.0	1.08	-	-	-	-	-
Prostate	14	11.0	2.97	4.0	1.08	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	4.1	1.56	2.7	0.99	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	6	2.1	0.90	1.4	0.62
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	12	6.5	2.01	3.8	1.11	11	4.5	1.37	2.1	0.66
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	12	6.5	2.01	3.8	1.11	11	4.5	1.37	2.1	0.66
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	5.1	1.78	3.2	1.03	7	2.5	0.97	1.7	0.69
Other, Ill-defined & Unknown	25	15.2	3.24	8.1	1.65	20	8.5	1.93	4.0	0.94

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,211	212.0	1.63	115.9	0.94	17,361	149.6	1.16	87.8	0.77
Oral Cavity & Pharynx	261	3.0	0.19	1.9	0.13	139	1.2	0.10	0.7	0.07
Digestive System	4,667	56.5	0.84	32.3	0.50	3,929	32.8	0.54	17.8	0.33
Esophagus	692	8.2	0.32	5.0	0.20	200	1.7	0.13	1.0	0.08
Stomach	509	6.2	0.28	3.6	0.17	333	2.8	0.16	1.5	0.10
Colon & Rectum	1,403	17.3	0.47	9.3	0.26	1,605	13.0	0.34	6.8	0.20
Liver	521	6.0	0.27	3.8	0.18	176	1.5	0.12	0.8	0.07
Pancreas	1,209	14.7	0.43	8.4	0.25	1,198	10.2	0.30	5.6	0.19
Respiratory System	4,769	58.1	0.85	32.9	0.50	4,461	39.4	0.60	23.3	0.39
Larynx	164	2.0	0.16	1.2	0.10	46	0.4	0.06	0.2	0.04
Lung & bronchus	4,582	55.9	0.84	31.6	0.49	4,398	38.8	0.60	23.0	0.39
Skin	456	5.6	0.27	3.1	0.15	228	2.0	0.14	1.2	0.09
Melanomas of the skin	332	4.0	0.22	2.3	0.13	191	1.7	0.13	1.1	0.09
Breast	27	0.3	0.07	0.2	0.04	2,571	22.5	0.45	14.3	0.32
Female Genital System	-	-	-	-	-	1,739	15.3	0.38	9.8	0.26
Cervix uteri	-	-	-	-	-	172	1.6	0.13	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	513	4.5	0.20	2.8	0.14
Ovary	-	-	-	-	-	928	8.1	0.27	5.1	0.19
Male Genital System	1,910	25.1	0.58	10.7	0.26	-	-	-	-	-
Prostate	1,886	24.8	0.57	10.5	0.26	-	-	-	-	-
Testis	13	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,099	13.8	0.42	6.9	0.22	615	5.1	0.21	2.6	0.13
Bladder	680	8.7	0.34	4.0	0.17	324	2.6	0.15	1.3	0.09
Kidney & renal pelvis	395	4.8	0.24	2.8	0.15	270	2.3	0.14	1.2	0.09
Brain & Other Nervous System	436	5.1	0.25	3.5	0.18	373	3.5	0.19	2.6	0.15
Endocrine System	66	0.8	0.10	0.5	0.07	88	0.8	0.09	0.5	0.06
Thyroid gland	40	0.5	0.08	0.3	0.05	56	0.5	0.06	0.2	0.04
Lymphomas	689	8.6	0.33	4.6	0.19	676	5.5	0.22	2.9	0.13
Hodgkin Lymphoma	42	0.5	0.08	0.3	0.05	38	0.4	0.06	0.2	0.04
Non-Hodgkin Lymphoma	647	8.1	0.32	4.3	0.18	638	5.2	0.21	2.7	0.13
Multiple Myeloma	330	4.1	0.23	2.2	0.13	301	2.5	0.15	1.4	0.09
Leukemias	760	9.6	0.35	5.3	0.21	608	5.2	0.22	3.0	0.15
Other, Ill-defined & Unknown	1,741	21.4	0.52	11.7	0.30	1,633	13.7	0.35	7.7	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,818	211.6	1.70	114.9	0.98	15,999	150.2	1.22	87.9	0.82
Oral Cavity & Pharynx	233	3.0	0.20	1.9	0.13	124	1.2	0.11	0.7	0.07
Digestive System	4,222	55.7	0.87	31.6	0.52	3,569	32.1	0.56	17.4	0.35
Esophagus	638	8.3	0.33	5.0	0.21	183	1.7	0.13	0.9	0.08
Stomach	445	5.9	0.28	3.4	0.17	292	2.6	0.16	1.4	0.10
Colon & Rectum	1,288	17.2	0.48	9.2	0.28	1,473	12.9	0.35	6.7	0.21
Liver	427	5.4	0.27	3.4	0.17	148	1.4	0.12	0.7	0.07
Pancreas	1,114	14.7	0.45	8.4	0.27	1,098	10.1	0.31	5.6	0.20
Respiratory System	4,388	58.1	0.89	32.8	0.53	4,186	40.3	0.64	23.8	0.42
Larynx	144	1.9	0.16	1.1	0.10	40	0.4	0.06	0.2	0.04
Lung & bronchus	4,223	56.0	0.87	31.5	0.52	4,129	39.8	0.63	23.5	0.42
Skin	445	5.9	0.28	3.2	0.16	223	2.2	0.15	1.3	0.10
Melanomas of the skin	328	4.3	0.24	2.5	0.15	188	1.9	0.14	1.2	0.10
Breast	25	0.3	0.07	0.2	0.04	2,331	22.4	0.48	14.3	0.34
Female Genital System	-	-	-	-	-	1,595	15.4	0.40	9.8	0.28
Cervix uteri	-	-	-	-	-	151	1.6	0.14	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	452	4.3	0.21	2.7	0.14
Ovary	-	-	-	-	-	874	8.4	0.29	5.3	0.20
Male Genital System	1,723	24.2	0.59	10.1	0.26	-	-	-	-	-
Prostate	1,702	23.9	0.58	9.9	0.26	-	-	-	-	-
Testis	11	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,053	14.2	0.44	7.2	0.24	566	5.0	0.22	2.6	0.13
Bladder	663	9.1	0.36	4.2	0.18	295	2.6	0.15	1.3	0.09
Kidney & renal pelvis	367	4.8	0.25	2.8	0.16	252	2.3	0.15	1.2	0.09
Brain & Other Nervous System	414	5.3	0.27	3.7	0.20	356	3.8	0.20	2.7	0.17
Endocrine System	65	0.9	0.11	0.5	0.07	81	0.8	0.09	0.5	0.07
Thyroid gland	40	0.5	0.08	0.3	0.05	49	0.4	0.06	0.2	0.03
Lymphomas	642	8.7	0.35	4.6	0.20	632	5.6	0.23	2.8	0.14
Hodgkin Lymphoma	38	0.5	0.08	0.3	0.06	37	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	604	8.2	0.34	4.3	0.19	595	5.2	0.22	2.6	0.13
Multiple Myeloma	286	3.8	0.23	2.0	0.13	265	2.4	0.15	1.3	0.09
Leukemias	711	9.8	0.37	5.4	0.22	569	5.4	0.23	3.1	0.17
Other, Ill-defined & Unknown	1,611	21.5	0.54	11.7	0.31	1,502	13.7	0.37	7.7	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,193	239.3	7.61	142.6	4.21	1,191	156.3	4.62	96.2	2.89
Oral Cavity & Pharynx	24	3.8	0.80	3.0	0.62	14	1.9	0.51	1.1	0.30
Digestive System	375	71.7	4.04	43.8	2.31	307	41.9	2.43	24.1	1.43
Esophagus	49	8.7	1.32	6.0	0.88	15	1.8	0.48	1.3	0.34
Stomach	50	10.5	1.62	6.0	0.86	31	4.4	0.80	2.4	0.45
Colon & Rectum	107	21.2	2.24	12.2	1.20	117	16.1	1.52	8.8	0.85
Liver	62	10.0	1.36	7.0	0.90	24	3.2	0.66	1.9	0.41
Pancreas	88	17.7	2.06	10.4	1.13	88	12.2	1.33	7.0	0.77
Respiratory System	332	65.4	3.89	40.5	2.26	247	31.8	2.07	20.6	1.35
Larynx	19	3.8	0.94	2.4	0.57	6	0.9	0.35	0.4	0.19
Lung & bronchus	311	61.3	3.77	37.8	2.19	241	31.0	2.04	20.2	1.34
Skin	11	2.0	0.68	1.5	0.45	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	215	27.2	1.90	17.3	1.22
Female Genital System	-	-	-	-	-	129	16.1	1.45	11.3	1.02
Cervix uteri	-	-	-	-	-	19	2.4	0.55	1.6	0.39
Corpus & uterus, NOS ¹	-	-	-	-	-	60	7.3	0.96	5.6	0.73
Ovary	-	-	-	-	-	43	5.6	0.86	3.5	0.56
Male Genital System	175	44.1	3.62	21.3	1.64	-	-	-	-	-
Prostate	173	43.5	3.59	21.0	1.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	37	7.4	1.37	4.5	0.75	41	5.8	0.91	2.9	0.49
Bladder	14	2.8	0.82	1.7	0.47	24	3.5	0.72	1.7	0.36
Kidney & renal pelvis	22	4.2	1.00	2.6	0.57	16	2.2	0.55	1.2	0.31
Brain & Other Nervous System	18	2.4	0.60	1.9	0.46	12	1.4	0.40	1.1	0.33
Endocrine System	-	-	-	-	-	6	0.8	0.32	0.5	0.20
Thyroid gland	-	-	-	-	-	6	0.8	0.32	0.5	0.20
Lymphomas	34	5.1	0.91	3.9	0.69	38	4.6	0.76	3.2	0.54
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	31	4.7	0.88	3.7	0.67	37	4.5	0.75	3.1	0.53
Multiple Myeloma	34	7.0	1.30	4.1	0.71	34	4.6	0.81	2.7	0.48
Leukemias	38	8.0	1.46	4.3	0.70	32	4.3	0.78	2.4	0.44
Other, Ill-defined & Unknown	112	21.9	2.30	13.4	1.30	112	15.4	1.48	8.6	0.85

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	181	112.2	9.50	64.0	4.88	159	88.4	7.57	49.9	4.07
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	65	35.4	4.95	23.7	3.01	48	27.7	4.29	15.4	2.29
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	7.0	2.27	4.5	1.34	10	4.4	1.52	2.9	0.95
Colon & Rectum	8	3.0	1.07	2.7	1.01	13	7.8	2.33	4.0	1.14
Liver	31	16.3	3.31	11.1	2.05	-	-	-	-	-
Pancreas	7	4.9	2.09	2.7	1.06	10	6.7	2.19	3.4	1.10
Respiratory System	45	27.9	4.74	15.2	2.33	26	15.3	3.22	8.2	1.64
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	44	27.5	4.72	14.8	2.29	26	15.3	3.22	8.2	1.64
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	22	9.6	2.20	6.8	1.49
Female Genital System	-	-	-	-	-	15	9.5	2.58	5.0	1.31
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	7.0	2.23	3.6	1.10
Male Genital System	10	10.4	3.49	3.8	1.22	-	-	-	-	-
Prostate	9	10.2	3.48	3.6	1.21	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	3.1	1.37	2.3	0.94	8	5.6	2.08	2.3	0.83
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	13	8.2	2.58	4.9	1.38	6	2.8	1.19	2.1	0.86
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	12	7.3	2.40	4.5	1.33	6	2.8	1.19	2.1	0.86
Multiple Myeloma	8	6.6	2.38	3.0	1.09	-	-	-	-	-
Leukemias	11	7.6	2.68	3.8	1.19	6	3.2	1.40	1.9	0.78
Other, Ill-defined & Unknown	15	10.2	2.95	5.0	1.32	18	8.9	2.32	5.2	1.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	4,761	229.6	3.38	134.1	2.05	4,395	162.8	2.48	99.2	1.65
Oral Cavity & Pharynx	86	3.9	0.43	2.8	0.31	36	1.3	0.22	0.8	0.15
Digestive System	1,218	57.2	1.66	35.5	1.06	918	33.4	1.11	18.5	0.68
Esophagus	174	8.1	0.63	5.3	0.41	34	1.2	0.22	0.8	0.15
Stomach	121	5.6	0.52	3.6	0.34	69	2.6	0.31	1.3	0.18
Colon & Rectum	424	20.3	1.00	12.0	0.61	398	14.3	0.72	7.6	0.43
Liver	169	7.5	0.58	5.3	0.42	46	1.7	0.25	1.0	0.16
Pancreas	260	12.3	0.77	7.3	0.48	268	9.7	0.60	5.5	0.37
Respiratory System	1,532	72.3	1.87	43.3	1.16	1,336	49.4	1.36	30.6	0.91
Larynx	52	2.3	0.32	1.6	0.23	15	0.5	0.14	0.4	0.10
Lung & bronchus	1,465	69.2	1.83	41.2	1.13	1,311	48.5	1.35	30.0	0.90
Skin	135	6.6	0.58	3.8	0.34	54	2.0	0.28	1.3	0.20
Melanomas of the skin	97	4.6	0.48	2.8	0.30	42	1.6	0.25	1.1	0.19
Breast	7	0.3	0.13	0.2	0.08	611	23.0	0.94	15.2	0.66
Female Genital System	-	-	-	-	-	451	16.9	0.80	10.7	0.55
Cervix uteri	-	-	-	-	-	54	2.2	0.30	1.6	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	141	5.2	0.44	3.2	0.30
Ovary	-	-	-	-	-	219	8.2	0.56	5.1	0.37
Male Genital System	467	25.1	1.18	11.0	0.53	-	-	-	-	-
Prostate	462	24.9	1.17	10.8	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	296	14.5	0.86	8.0	0.49	145	5.3	0.44	2.9	0.27
Bladder	176	8.8	0.68	4.6	0.37	69	2.4	0.29	1.1	0.15
Kidney & renal pelvis	113	5.4	0.51	3.1	0.31	72	2.7	0.32	1.7	0.22
Brain & Other Nervous System	119	5.7	0.53	3.9	0.38	93	3.6	0.38	2.6	0.31
Endocrine System	14	0.7	0.19	0.4	0.11	22	0.8	0.18	0.5	0.13
Thyroid gland	11	0.6	0.18	0.3	0.09	12	0.4	0.13	0.3	0.08
Lymphomas	179	8.7	0.66	5.1	0.40	147	5.4	0.45	3.1	0.29
Hodgkin Lymphoma	7	0.3	0.12	0.3	0.11	12	0.5	0.14	0.3	0.11
Non-Hodgkin Lymphoma	172	8.4	0.65	4.8	0.39	135	5.0	0.43	2.8	0.27
Multiple Myeloma	96	4.7	0.49	2.6	0.28	78	2.8	0.32	1.6	0.20
Leukemias	193	9.5	0.70	5.6	0.43	135	5.0	0.44	3.0	0.30
Other, Ill-defined & Unknown	419	20.2	1.00	12.0	0.62	369	13.7	0.72	8.3	0.48

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,997	226.7	3.63	131.0	2.21	3,657	161.9	2.72	98.1	1.83
Oral Cavity & Pharynx	68	3.7	0.46	2.6	0.33	35	1.5	0.26	1.0	0.18
Digestive System	1,011	56.4	1.79	34.4	1.14	750	32.2	1.19	17.6	0.73
Esophagus	155	8.5	0.69	5.5	0.46	27	1.2	0.23	0.7	0.15
Stomach	91	5.1	0.54	3.1	0.34	46	1.9	0.29	0.9	0.15
Colon & Rectum	361	20.4	1.09	12.1	0.68	332	14.0	0.78	7.4	0.47
Liver	124	6.7	0.60	4.5	0.42	39	1.7	0.28	1.0	0.17
Pancreas	223	12.4	0.84	7.3	0.52	219	9.4	0.64	5.3	0.41
Respiratory System	1,291	71.7	2.01	42.5	1.25	1,130	49.9	1.50	30.9	1.01
Larynx	36	1.9	0.32	1.3	0.23	13	0.6	0.16	0.4	0.12
Lung & bronchus	1,241	68.9	1.98	40.6	1.22	1,108	48.9	1.48	30.2	1.00
Skin	130	7.4	0.66	4.3	0.41	53	2.5	0.35	1.7	0.26
Melanomas of the skin	97	5.5	0.56	3.4	0.36	42	2.0	0.32	1.4	0.24
Breast	6	0.3	0.14	0.2	0.09	511	23.4	1.06	15.3	0.75
Female Genital System	-	-	-	-	-	352	16.0	0.87	10.0	0.59
Cervix uteri	-	-	-	-	-	43	2.3	0.36	1.7	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	103	4.5	0.45	2.7	0.30
Ovary	-	-	-	-	-	176	7.9	0.60	4.9	0.41
Male Genital System	359	22.2	1.19	9.5	0.53	-	-	-	-	-
Prostate	356	22.0	1.18	9.4	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	263	15.0	0.93	8.1	0.53	115	4.8	0.46	2.6	0.28
Bladder	159	9.2	0.74	4.8	0.41	58	2.4	0.31	1.1	0.17
Kidney & renal pelvis	98	5.4	0.56	3.1	0.33	54	2.3	0.32	1.4	0.21
Brain & Other Nervous System	106	6.2	0.61	4.3	0.45	80	3.8	0.44	2.8	0.37
Endocrine System	12	0.7	0.20	0.4	0.12	17	0.8	0.20	0.5	0.14
Thyroid gland	10	0.6	0.19	0.3	0.11	9	0.4	0.12	0.2	0.07
Lymphomas	159	9.2	0.74	5.3	0.45	124	5.5	0.50	3.1	0.33
Hodgkin Lymphoma	7	0.4	0.16	0.4	0.15	10	0.5	0.16	0.3	0.13
Non-Hodgkin Lymphoma	152	8.8	0.72	4.9	0.43	114	5.0	0.47	2.8	0.30
Multiple Myeloma	74	4.2	0.49	2.2	0.28	59	2.5	0.33	1.4	0.21
Leukemias	166	9.7	0.76	5.5	0.48	124	5.5	0.50	3.2	0.34
Other, Ill-defined & Unknown	352	20.1	1.08	11.7	0.67	307	13.5	0.79	8.0	0.53

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	725	263.6	10.64	162.4	6.14	688	173.3	6.74	108.4	4.31
Oral Cavity & Pharynx	16	4.5	1.18	3.4	0.87	-	-	-	-	-
Digestive System	195	64.6	4.98	43.7	3.19	154	40.7	3.34	22.9	1.94
Esophagus	18	6.2	1.58	4.2	1.00	7	1.6	0.62	1.2	0.48
Stomach	29	9.2	1.83	6.9	1.29	18	4.7	1.12	2.4	0.59
Colon & Rectum	60	22.2	3.12	13.0	1.71	63	16.7	2.15	8.9	1.18
Liver	40	10.8	1.74	8.9	1.42	-	-	-	-	-
Pancreas	37	12.6	2.19	8.6	1.43	47	12.8	1.89	7.3	1.12
Respiratory System	226	79.6	5.68	51.7	3.50	192	49.2	3.62	30.5	2.29
Larynx	15	4.9	1.40	3.7	0.96	-	-	-	-	-
Lung & bronchus	211	74.6	5.50	48.0	3.37	189	48.4	3.59	30.0	2.27
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	97	22.6	2.34	15.6	1.63
Female Genital System	-	-	-	-	-	90	22.6	2.43	14.8	1.62
Cervix uteri	-	-	-	-	-	9	2.1	0.72	1.3	0.45
Corpus & uterus, NOS ¹	-	-	-	-	-	37	9.3	1.55	6.4	1.09
Ovary	-	-	-	-	-	37	9.5	1.59	6.0	1.02
Male Genital System	106	51.6	5.36	23.1	2.29	-	-	-	-	-
Prostate	104	50.8	5.32	22.6	2.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	32	11.2	2.18	6.8	1.22	29	7.4	1.40	4.3	0.84
Bladder	17	7.1	1.87	3.7	0.91	10	2.9	0.93	1.2	0.40
Kidney & renal pelvis	14	3.9	1.09	2.9	0.79	18	4.2	1.02	2.9	0.71
Brain & Other Nervous System	11	4.3	1.41	2.5	0.77	13	3.2	0.90	2.3	0.66
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	5.7	1.42	4.0	0.95	22	5.6	1.23	3.3	0.73
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	18	5.7	1.42	4.0	0.95	20	5.1	1.17	3.0	0.70
Multiple Myeloma	22	8.5	1.98	4.8	1.05	18	4.9	1.17	2.8	0.70
Leukemias	25	8.1	1.75	5.8	1.18	11	2.4	0.73	1.8	0.57
Other, Ill-defined & Unknown	66	22.4	3.02	14.8	1.85	57	13.7	1.85	9.3	1.27

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
		<i>Adj. Rate</i>		<i>Adj. Rate</i>		<i>Adj. Rate</i>		<i>Adj. Rate</i>		
	<i>Deaths</i>	<i>2000 U.S.</i>	<i>S.E.</i>	<i>World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>2000 U.S.</i>	<i>S.E.</i>	<i>World</i>	<i>S.E.</i>
All Sites	28	76.7	16.72	46.4	8.89	39	76.7	13.03	51.4	8.27
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	22.0	6.80	17.7	5.43	12	20.8	6.23	16.7	4.83
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	33.2	12.39	16.3	5.47	11	25.4	8.12	13.8	4.17
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	30.5	12.09	14.6	5.20	11	25.4	8.12	13.8	4.17
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	6	11.2	4.82	7.5	3.10
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,968	256.3	4.84	150.1	2.86	2,803	160.4	3.08	97.8	2.05
Oral Cavity & Pharynx	75	6.0	0.71	4.1	0.48	32	1.9	0.34	1.3	0.25
Digestive System	843	69.7	2.47	43.6	1.55	717	40.6	1.54	22.8	0.96
Esophagus	121	9.8	0.91	6.4	0.60	39	2.2	0.36	1.3	0.24
Stomach	80	6.6	0.76	4.2	0.48	60	3.5	0.46	1.9	0.28
Colon & Rectum	270	23.1	1.44	13.7	0.86	314	17.7	1.02	10.1	0.64
Liver	140	10.5	0.91	7.5	0.65	47	2.8	0.41	1.6	0.26
Pancreas	192	16.3	1.21	9.8	0.73	189	10.7	0.79	5.8	0.47
Respiratory System	808	68.8	2.48	41.6	1.51	612	35.3	1.45	21.5	0.96
Larynx	45	3.6	0.54	2.4	0.37	7	0.4	0.15	0.3	0.10
Lung & bronchus	757	64.7	2.41	38.9	1.46	603	34.8	1.44	21.2	0.95
Skin	39	3.2	0.53	2.0	0.34	21	1.1	0.25	0.7	0.17
Melanomas of the skin	23	1.9	0.42	1.2	0.25	15	0.8	0.21	0.5	0.15
Breast	-	-	-	-	-	487	28.0	1.29	18.2	0.90
Female Genital System	-	-	-	-	-	307	17.9	1.04	12.0	0.73
Cervix uteri	-	-	-	-	-	49	2.9	0.43	2.2	0.33
Corpus & uterus, NOS ¹	-	-	-	-	-	112	6.3	0.61	4.2	0.43
Ovary	-	-	-	-	-	129	7.6	0.68	4.8	0.45
Male Genital System	416	41.7	2.08	18.4	0.94	-	-	-	-	-
Prostate	411	41.3	2.08	18.0	0.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	132	11.5	1.03	6.7	0.60	86	4.8	0.53	2.4	0.30
Bladder	77	7.2	0.84	3.7	0.43	51	2.8	0.40	1.4	0.22
Kidney & renal pelvis	54	4.2	0.59	3.0	0.41	31	1.8	0.33	1.0	0.20
Brain & Other Nervous System	57	4.4	0.60	3.4	0.48	44	2.7	0.41	1.8	0.31
Endocrine System	15	1.2	0.32	0.9	0.23	7	0.4	0.15	0.3	0.16
Thyroid gland	10	0.9	0.28	0.6	0.18	-	-	-	-	-
Lymphomas	116	9.7	0.93	5.9	0.57	69	3.8	0.46	2.3	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	112	9.4	0.92	5.7	0.55	64	3.5	0.44	2.1	0.29
Multiple Myeloma	85	7.6	0.85	4.2	0.47	79	4.6	0.52	2.7	0.33
Leukemias	101	8.7	0.89	5.4	0.58	82	4.6	0.52	2.6	0.32
Other, Ill-defined & Unknown	276	23.4	1.45	13.7	0.86	260	14.9	0.94	9.2	0.64

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	727	170.7	6.56	90.3	3.53	633	115.9	4.79	64.2	2.89
Oral Cavity & Pharynx	15	3.1	0.83	2.0	0.54	8	1.3	0.47	0.7	0.29
Digestive System	167	38.9	3.11	21.1	1.71	133	24.9	2.25	12.8	1.27
Esophagus	24	5.8	1.20	3.1	0.64	6	1.1	0.46	0.4	0.20
Stomach	15	3.5	0.94	1.8	0.47	10	1.7	0.57	1.1	0.40
Colon & Rectum	54	12.7	1.79	6.7	0.94	57	11.0	1.52	5.6	0.83
Liver	20	4.3	1.00	2.9	0.71	-	-	-	-	-
Pancreas	44	10.6	1.63	5.5	0.86	38	6.8	1.14	3.6	0.66
Respiratory System	173	41.0	3.21	21.6	1.69	133	24.4	2.20	12.7	1.25
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	166	39.3	3.15	20.7	1.66	131	24.1	2.19	12.5	1.24
Skin	21	4.5	1.02	2.7	0.60	13	2.0	0.55	1.2	0.37
Melanomas of the skin	17	3.7	0.93	2.1	0.53	10	1.5	0.48	1.0	0.34
Breast	-	-	-	-	-	114	20.8	2.02	12.4	1.28
Female Genital System	-	-	-	-	-	72	13.9	1.70	8.7	1.10
Cervix uteri	-	-	-	-	-	7	1.3	0.49	1.1	0.41
Corpus & uterus, NOS ¹	-	-	-	-	-	18	3.2	0.79	1.9	0.51
Ovary	-	-	-	-	-	42	8.3	1.33	5.1	0.85
Male Genital System	78	21.1	2.43	8.7	1.02	-	-	-	-	-
Prostate	77	20.9	2.42	8.6	1.01	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	47	11.1	1.68	5.6	0.84	22	3.3	0.73	1.8	0.46
Bladder	30	8.0	1.48	3.2	0.61	12	1.7	0.49	0.8	0.29
Kidney & renal pelvis	17	3.2	0.80	2.3	0.57	10	1.7	0.54	1.0	0.36
Brain & Other Nervous System	33	6.8	1.27	4.7	0.94	21	4.3	0.97	2.8	0.72
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	45	10.3	1.58	5.4	0.84	27	4.3	0.86	1.8	0.41
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	43	9.9	1.56	5.1	0.81	25	4.0	0.83	1.7	0.40
Multiple Myeloma	22	5.1	1.13	2.6	0.58	10	1.9	0.62	1.0	0.34
Leukemias	38	9.1	1.53	5.1	0.95	21	4.1	0.94	2.5	0.59
Other, Ill-defined & Unknown	80	18.0	2.11	9.6	1.16	56	10.2	1.42	5.7	0.85

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,206	318.7	6.95	194.8	4.31	2,137	186.3	4.08	117.7	2.84
Oral Cavity & Pharynx	60	8.2	1.07	5.7	0.75	24	2.2	0.46	1.6	0.35
Digestive System	663	91.7	3.64	60.2	2.41	575	48.9	2.06	28.3	1.34
Esophagus	94	12.8	1.34	8.9	0.94	32	2.8	0.49	1.8	0.35
Stomach	65	9.0	1.14	6.0	0.77	49	4.3	0.62	2.3	0.37
Colon & Rectum	215	30.7	2.14	18.9	1.34	253	21.4	1.36	12.6	0.90
Liver	116	14.7	1.39	10.9	1.03	41	3.6	0.57	2.2	0.38
Pancreas	144	20.3	1.73	12.9	1.11	150	12.7	1.05	7.0	0.64
Respiratory System	624	88.1	3.60	55.8	2.31	474	41.4	1.92	26.5	1.34
Larynx	40	5.3	0.84	3.8	0.62	6	0.5	0.21	0.3	0.15
Lung & bronchus	580	82.3	3.49	51.6	2.22	467	40.8	1.91	26.1	1.33
Skin	18	2.5	0.59	1.7	0.41	7	0.6	0.25	0.4	0.17
Melanomas of the skin	6	0.9	0.37	0.6	0.24	-	-	-	-	-
Breast	-	-	-	-	-	364	32.4	1.73	21.9	1.26
Female Genital System	-	-	-	-	-	233	20.7	1.38	14.3	1.02
Cervix uteri	-	-	-	-	-	42	4.1	0.64	3.1	0.51
Corpus & uterus, NOS ¹	-	-	-	-	-	93	8.0	0.84	5.5	0.62
Ovary	-	-	-	-	-	86	7.5	0.82	4.8	0.56
Male Genital System	334	55.9	3.12	25.2	1.45	-	-	-	-	-
Prostate	330	55.4	3.11	24.7	1.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	84	12.0	1.35	7.7	0.86	64	5.4	0.69	2.7	0.39
Bladder	47	7.0	1.05	4.2	0.63	39	3.3	0.54	1.6	0.29
Kidney & renal pelvis	36	4.9	0.83	3.4	0.58	21	1.8	0.40	1.0	0.24
Brain & Other Nervous System	23	3.0	0.64	2.6	0.58	23	2.3	0.48	1.6	0.37
Endocrine System	10	1.4	0.47	1.0	0.32	-	-	-	-	-
Thyroid gland	8	1.2	0.42	0.8	0.28	-	-	-	-	-
Lymphomas	68	9.6	1.20	6.5	0.81	40	3.5	0.56	2.4	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	66	9.3	1.18	6.3	0.80	37	3.2	0.53	2.2	0.39
Multiple Myeloma	63	9.5	1.22	5.3	0.70	69	5.9	0.72	3.5	0.47
Leukemias	62	8.8	1.14	5.9	0.79	59	4.9	0.65	2.6	0.40
Other, Ill-defined & Unknown	195	27.8	2.04	17.0	1.27	201	17.6	1.26	11.4	0.90

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	33	157.9	29.03	80.8	14.34	28	75.4	14.79	45.7	9.09
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	60.0	17.48	31.8	8.98	9	26.1	8.87	15.3	5.36
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	38.7	13.83	21.2	7.25	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	38.7	13.83	21.2	7.25	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	17.1	6.76	11.2	4.53
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	109,616	206.0	0.62	123.8	0.41	93,224	141.9	0.48	88.1	0.34
Oral Cavity & Pharynx	2,264	4.3	0.09	3.0	0.07	946	1.5	0.05	0.9	0.03
Digestive System	27,482	51.8	0.31	32.2	0.21	20,613	30.2	0.22	17.5	0.14
Esophagus	3,840	7.2	0.12	4.7	0.08	995	1.5	0.05	0.9	0.03
Stomach	2,240	4.2	0.09	2.6	0.06	1,537	2.3	0.06	1.3	0.04
Colon & Rectum	9,743	18.3	0.19	11.0	0.12	8,926	13.0	0.14	7.4	0.09
Liver	3,596	6.9	0.11	4.7	0.08	1,382	2.1	0.06	1.2	0.04
Pancreas	6,384	12.0	0.15	7.3	0.10	5,947	8.7	0.12	5.0	0.08
Respiratory System	35,277	66.2	0.35	41.1	0.24	26,312	40.0	0.25	24.8	0.17
Larynx	1,257	2.4	0.07	1.6	0.05	322	0.5	0.03	0.3	0.02
Lung & bronchus	33,838	63.5	0.35	39.2	0.23	25,870	39.3	0.25	24.3	0.17
Skin	3,146	6.0	0.11	3.6	0.07	1,383	2.1	0.06	1.4	0.04
Melanomas of the skin	2,344	4.5	0.09	2.8	0.06	1,069	1.7	0.05	1.1	0.04
Breast	156	0.3	0.02	0.2	0.02	13,451	21.5	0.19	14.4	0.14
Female Genital System	-	-	-	-	-	9,247	14.7	0.16	9.8	0.12
Cervix uteri	-	-	-	-	-	1,438	2.7	0.07	2.1	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,434	3.7	0.08	2.4	0.06
Ovary	-	-	-	-	-	4,889	7.6	0.11	4.9	0.08
Male Genital System	10,942	20.1	0.19	9.3	0.10	-	-	-	-	-
Prostate	10,720	19.6	0.19	9.0	0.10	-	-	-	-	-
Testis	105	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	6,873	12.8	0.15	7.0	0.09	3,119	4.5	0.08	2.5	0.05
Bladder	3,990	7.4	0.12	3.7	0.07	1,570	2.2	0.06	1.1	0.03
Kidney & renal pelvis	2,718	5.1	0.10	3.1	0.07	1,458	2.2	0.06	1.3	0.04
Brain & Other Nervous System	2,455	4.8	0.10	3.4	0.08	1,930	3.2	0.07	2.3	0.06
Endocrine System	380	0.7	0.04	0.5	0.03	420	0.7	0.03	0.5	0.03
Thyroid gland	225	0.4	0.03	0.2	0.02	287	0.4	0.03	0.2	0.02
Lymphomas	4,357	8.3	0.13	4.8	0.08	3,555	5.2	0.09	2.9	0.06
Hodgkin Lymphoma	243	0.5	0.03	0.4	0.02	181	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,114	7.8	0.12	4.5	0.08	3,374	4.9	0.09	2.7	0.06
Multiple Myeloma	1,969	3.7	0.08	2.1	0.05	1,601	2.4	0.06	1.4	0.04
Leukemias	4,715	9.0	0.13	5.3	0.09	3,323	5.0	0.09	3.0	0.07
Other, Ill-defined & Unknown	9,600	18.1	0.19	11.2	0.13	7,324	11.0	0.13	6.7	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	98,306	204.3	0.66	122.7	0.44	83,124	141.8	0.51	87.7	0.36
Oral Cavity & Pharynx	2,020	4.3	0.10	3.0	0.07	854	1.5	0.05	0.9	0.04
Digestive System	24,284	50.8	0.33	31.4	0.22	17,989	29.2	0.23	16.8	0.15
Esophagus	3,530	7.4	0.13	4.8	0.09	877	1.4	0.05	0.9	0.03
Stomach	1,797	3.8	0.09	2.2	0.06	1,239	2.0	0.06	1.2	0.04
Colon & Rectum	8,582	17.9	0.19	10.7	0.13	7,778	12.5	0.15	7.1	0.10
Liver	3,068	6.6	0.12	4.5	0.09	1,173	1.9	0.06	1.1	0.04
Pancreas	5,804	12.1	0.16	7.4	0.11	5,305	8.6	0.12	4.9	0.08
Respiratory System	31,945	66.4	0.37	41.2	0.25	24,496	41.8	0.27	26.0	0.19
Larynx	1,068	2.2	0.07	1.5	0.05	294	0.5	0.03	0.3	0.02
Lung & bronchus	30,712	63.8	0.37	39.4	0.25	24,092	41.1	0.27	25.5	0.19
Skin	3,093	6.5	0.12	4.1	0.08	1,342	2.4	0.07	1.5	0.05
Melanomas of the skin	2,328	5.0	0.10	3.2	0.07	1,044	1.9	0.06	1.3	0.05
Breast	135	0.3	0.02	0.2	0.02	11,415	20.6	0.20	13.7	0.15
Female Genital System	-	-	-	-	-	8,005	14.5	0.17	9.6	0.12
Cervix uteri	-	-	-	-	-	1,111	2.5	0.08	1.9	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,981	3.4	0.08	2.2	0.06
Ovary	-	-	-	-	-	4,485	7.8	0.12	5.1	0.09
Male Genital System	9,160	18.1	0.19	8.3	0.10	-	-	-	-	-
Prostate	8,975	17.7	0.19	8.0	0.10	-	-	-	-	-
Testis	94	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	6,428	13.1	0.16	7.2	0.10	2,830	4.5	0.09	2.5	0.06
Bladder	3,779	7.6	0.12	3.9	0.07	1,415	2.1	0.06	1.1	0.04
Kidney & renal pelvis	2,487	5.2	0.10	3.2	0.07	1,329	2.2	0.06	1.3	0.04
Brain & Other Nervous System	2,282	5.1	0.11	3.7	0.09	1,786	3.4	0.08	2.5	0.07
Endocrine System	341	0.8	0.04	0.5	0.03	364	0.6	0.04	0.4	0.03
Thyroid gland	211	0.4	0.03	0.2	0.02	255	0.4	0.03	0.2	0.02
Lymphomas	4,000	8.4	0.13	4.8	0.09	3,264	5.3	0.10	2.9	0.06
Hodgkin Lymphoma	203	0.5	0.03	0.3	0.03	163	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	3,797	7.9	0.13	4.5	0.08	3,101	4.9	0.09	2.7	0.06
Multiple Myeloma	1,633	3.3	0.08	1.9	0.05	1,310	2.2	0.06	1.3	0.04
Leukemias	4,330	9.1	0.14	5.4	0.10	2,986	5.0	0.10	3.0	0.07
Other, Ill-defined & Unknown	8,655	18.1	0.20	11.1	0.14	6,483	10.9	0.14	6.6	0.10

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	10,530	253.5	2.67	150.5	1.50	9,183	152.0	1.61	96.9	1.05
Oral Cavity & Pharynx	225	4.5	0.31	3.3	0.22	83	1.3	0.15	0.9	0.10
Digestive System	2,878	65.6	1.32	41.0	0.78	2,373	40.4	0.84	24.0	0.52
Esophagus	285	6.4	0.40	4.1	0.25	110	1.8	0.18	1.2	0.11
Stomach	395	9.3	0.50	5.5	0.28	271	4.7	0.29	2.7	0.17
Colon & Rectum	1,074	25.4	0.84	15.4	0.48	1,067	18.1	0.56	10.6	0.34
Liver	441	8.6	0.43	6.2	0.30	164	2.8	0.22	1.7	0.14
Pancreas	531	12.4	0.58	7.6	0.34	572	9.8	0.42	5.8	0.26
Respiratory System	3,127	72.0	1.37	45.5	0.83	1,608	26.9	0.68	17.2	0.45
Larynx	181	4.0	0.31	2.7	0.21	27	0.4	0.09	0.3	0.06
Lung & bronchus	2,929	67.7	1.33	42.5	0.80	1,572	26.3	0.67	16.8	0.44
Skin	48	1.1	0.17	0.7	0.10	37	0.6	0.11	0.4	0.06
Melanomas of the skin	14	0.4	0.10	0.2	0.05	22	0.4	0.08	0.2	0.05
Breast	21	0.5	0.11	0.3	0.07	1,920	30.3	0.70	20.9	0.49
Female Genital System	-	-	-	-	-	1,121	18.4	0.56	12.2	0.38
Cervix uteri	-	-	-	-	-	293	4.5	0.27	3.3	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	428	7.2	0.35	4.7	0.24
Ovary	-	-	-	-	-	345	5.7	0.31	3.7	0.21
Male Genital System	1,736	53.5	1.36	24.4	0.60	-	-	-	-	-
Prostate	1,700	52.7	1.36	23.9	0.59	-	-	-	-	-
Testis	10	0.2	0.07	0.1	0.04	-	-	-	-	-
Urinary System	412	10.5	0.56	5.8	0.29	264	4.7	0.29	2.5	0.16
Bladder	201	5.9	0.45	2.8	0.20	141	2.6	0.22	1.2	0.11
Kidney & renal pelvis	208	4.5	0.34	3.0	0.21	118	2.0	0.19	1.2	0.11
Brain & Other Nervous System	157	3.0	0.25	2.3	0.18	128	2.0	0.18	1.5	0.14
Endocrine System	35	0.6	0.11	0.5	0.09	48	0.8	0.11	0.5	0.08
Thyroid gland	12	0.3	0.08	0.2	0.05	25	0.4	0.09	0.2	0.05
Lymphomas	329	6.5	0.39	4.6	0.25	259	4.3	0.27	2.7	0.17
Hodgkin Lymphoma	37	0.6	0.11	0.5	0.08	17	0.2	0.06	0.2	0.05
Non-Hodgkin Lymphoma	292	5.9	0.38	4.1	0.24	242	4.0	0.26	2.5	0.17
Multiple Myeloma	322	7.8	0.47	4.6	0.26	269	4.6	0.28	2.8	0.18
Leukemias	352	8.0	0.46	4.9	0.27	304	5.0	0.29	3.2	0.19
Other, Ill-defined & Unknown	888	20.1	0.73	12.7	0.44	769	12.8	0.47	8.1	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	660	90.7	3.79	52.6	2.08	825	82.2	2.98	49.7	1.77
Oral Cavity & Pharynx	14	1.7	0.50	1.0	0.28	8	0.7	0.25	0.5	0.18
Digestive System	284	36.6	2.33	22.9	1.37	232	23.8	1.62	13.9	0.93
Esophagus	22	3.1	0.71	1.7	0.37	-	-	-	-	-
Stomach	43	5.2	0.84	3.6	0.55	26	2.5	0.52	1.5	0.31
Colon & Rectum	76	9.8	1.20	6.0	0.70	76	7.7	0.92	4.6	0.54
Liver	82	10.0	1.18	6.6	0.74	44	4.7	0.73	2.6	0.40
Pancreas	42	6.1	1.01	3.4	0.53	63	6.4	0.84	3.8	0.48
Respiratory System	164	23.9	1.99	12.9	1.02	184	19.1	1.46	10.9	0.82
Larynx	6	0.7	0.30	0.5	0.21	-	-	-	-	-
Lung & bronchus	158	23.2	1.97	12.4	0.99	182	18.9	1.46	10.8	0.82
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	104	9.1	0.93	6.4	0.63
Female Genital System	-	-	-	-	-	112	9.8	0.97	6.9	0.66
Cervix uteri	-	-	-	-	-	30	2.3	0.42	1.9	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	25	2.3	0.48	1.5	0.32
Ovary	-	-	-	-	-	55	5.1	0.72	3.3	0.46
Male Genital System	36	6.3	1.10	2.9	0.49	-	-	-	-	-
Prostate	35	6.2	1.10	2.8	0.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	29	4.4	0.88	2.3	0.43	21	2.4	0.53	1.2	0.28
Bladder	9	1.7	0.58	0.7	0.22	11	1.2	0.37	0.7	0.20
Kidney & renal pelvis	20	2.7	0.66	1.6	0.37	10	1.2	0.38	0.6	0.19
Brain & Other Nervous System	10	1.0	0.31	0.8	0.26	13	1.1	0.33	0.8	0.23
Endocrine System	-	-	-	-	-	7	0.8	0.29	0.4	0.16
Thyroid gland	-	-	-	-	-	6	0.7	0.29	0.3	0.14
Lymphomas	28	3.4	0.68	2.4	0.45	28	3.2	0.62	1.7	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	25	3.1	0.65	2.1	0.42	27	3.0	0.60	1.6	0.32
Multiple Myeloma	11	1.6	0.51	0.9	0.26	19	1.9	0.47	1.2	0.27
Leukemias	30	4.3	0.83	2.3	0.44	31	3.3	0.61	1.7	0.31
Other, Ill-defined & Unknown	47	6.5	1.02	3.8	0.56	62	6.6	0.87	3.9	0.51

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	38,843	230.8	1.24	133.2	0.69	34,732	146.8	0.79	90.1	0.52
Oral Cavity & Pharynx	782	4.2	0.16	2.7	0.10	317	1.3	0.08	0.8	0.05
Digestive System	9,436	53.6	0.58	32.5	0.34	7,495	31.7	0.37	18.5	0.23
Esophagus	1,301	7.0	0.20	4.6	0.13	382	1.6	0.08	1.0	0.05
Stomach	846	4.9	0.18	2.9	0.10	664	2.8	0.11	1.6	0.07
Colon & Rectum	3,441	20.2	0.36	11.8	0.20	3,262	13.8	0.24	8.0	0.15
Liver	1,178	6.1	0.19	4.1	0.12	486	2.1	0.09	1.3	0.06
Pancreas	2,161	12.4	0.28	7.5	0.16	2,074	8.9	0.20	5.1	0.12
Respiratory System	13,503	78.1	0.71	46.8	0.41	9,180	39.3	0.41	24.5	0.27
Larynx	375	2.0	0.11	1.3	0.07	90	0.4	0.04	0.3	0.03
Lung & bronchus	13,071	75.8	0.70	45.3	0.40	9,051	38.7	0.41	24.1	0.27
Skin	881	5.2	0.19	3.0	0.10	439	1.8	0.09	1.1	0.06
Melanomas of the skin	662	3.8	0.16	2.3	0.09	354	1.5	0.08	1.0	0.05
Breast	116	0.7	0.07	0.4	0.04	5,564	23.0	0.31	15.1	0.21
Female Genital System	-	-	-	-	-	3,685	15.5	0.26	10.0	0.17
Cervix uteri	-	-	-	-	-	650	2.7	0.11	1.9	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	863	3.6	0.12	2.4	0.09
Ovary	-	-	-	-	-	1,973	8.3	0.19	5.3	0.13
Male Genital System	3,808	27.8	0.47	12.3	0.20	-	-	-	-	-
Prostate	3,742	27.5	0.47	12.0	0.20	-	-	-	-	-
Testis	36	0.2	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,086	13.1	0.30	7.0	0.16	1,113	4.8	0.14	2.5	0.08
Bladder	1,061	7.2	0.23	3.5	0.11	493	2.1	0.10	1.0	0.05
Kidney & renal pelvis	985	5.6	0.19	3.4	0.11	582	2.5	0.10	1.4	0.06
Brain & Other Nervous System	913	4.7	0.16	3.3	0.11	758	3.2	0.12	2.2	0.09
Endocrine System	130	0.7	0.06	0.5	0.04	145	0.6	0.05	0.4	0.04
Thyroid gland	75	0.4	0.05	0.3	0.03	87	0.4	0.04	0.2	0.03
Lymphomas	1,336	8.1	0.23	4.6	0.13	1,133	4.8	0.15	2.6	0.09
Hodgkin Lymphoma	78	0.4	0.05	0.3	0.03	66	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,258	7.7	0.23	4.3	0.12	1,067	4.6	0.14	2.4	0.08
Multiple Myeloma	721	4.5	0.17	2.4	0.09	698	3.0	0.11	1.7	0.07
Leukemias	1,534	9.5	0.25	5.3	0.14	1,191	5.1	0.15	3.0	0.10
Other, Ill-defined & Unknown	3,597	20.8	0.37	12.3	0.21	3,014	12.7	0.23	7.6	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,578	220.2	1.36	125.8	0.76	25,192	143.9	0.91	87.3	0.60
Oral Cavity & Pharynx	544	3.9	0.18	2.4	0.11	250	1.4	0.09	0.8	0.06
Digestive System	6,524	48.7	0.63	29.0	0.37	5,004	28.4	0.41	16.2	0.25
Esophagus	903	6.5	0.22	4.1	0.14	232	1.3	0.09	0.7	0.05
Stomach	462	3.5	0.17	2.0	0.10	355	2.0	0.11	1.2	0.07
Colon & Rectum	2,409	18.4	0.39	10.6	0.22	2,156	12.2	0.27	6.9	0.16
Liver	785	5.5	0.20	3.5	0.13	325	1.9	0.10	1.1	0.07
Pancreas	1,576	11.8	0.31	7.0	0.18	1,483	8.4	0.22	4.7	0.14
Respiratory System	10,403	78.1	0.79	46.1	0.46	7,321	42.1	0.50	26.2	0.33
Larynx	252	1.8	0.12	1.1	0.07	69	0.4	0.05	0.3	0.03
Lung & bronchus	10,108	76.0	0.78	44.8	0.46	7,225	41.6	0.49	25.9	0.33
Skin	828	6.3	0.23	3.6	0.13	416	2.4	0.12	1.5	0.08
Melanomas of the skin	639	4.7	0.19	2.8	0.12	337	2.0	0.11	1.3	0.08
Breast	78	0.6	0.07	0.3	0.04	3,672	20.8	0.35	13.5	0.24
Female Genital System	-	-	-	-	-	2,554	14.7	0.29	9.4	0.20
Cervix uteri	-	-	-	-	-	365	2.2	0.11	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	485	2.8	0.13	1.8	0.09
Ovary	-	-	-	-	-	1,551	8.9	0.23	5.5	0.15
Male Genital System	2,259	21.0	0.46	9.0	0.19	-	-	-	-	-
Prostate	2,207	20.7	0.45	8.7	0.19	-	-	-	-	-
Testis	27	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	1,680	13.5	0.34	7.2	0.18	818	4.6	0.16	2.4	0.09
Bladder	876	7.5	0.26	3.6	0.13	364	2.0	0.11	1.0	0.06
Kidney & renal pelvis	767	5.7	0.21	3.4	0.13	430	2.4	0.12	1.4	0.07
Brain & Other Nervous System	786	5.4	0.20	3.8	0.14	633	3.7	0.15	2.6	0.11
Endocrine System	100	0.7	0.07	0.5	0.05	94	0.5	0.06	0.4	0.04
Thyroid gland	63	0.4	0.06	0.3	0.04	56	0.3	0.04	0.2	0.03
Lymphomas	1,062	8.5	0.27	4.6	0.15	934	5.3	0.18	2.8	0.10
Hodgkin Lymphoma	54	0.4	0.05	0.3	0.04	48	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,008	8.1	0.27	4.4	0.14	886	5.0	0.17	2.6	0.10
Multiple Myeloma	466	3.8	0.18	2.0	0.09	418	2.4	0.12	1.3	0.07
Leukemias	1,202	9.7	0.29	5.4	0.16	907	5.2	0.17	3.0	0.11
Other, Ill-defined & Unknown	2,646	20.1	0.41	11.7	0.23	2,171	12.3	0.27	7.2	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,888	287.4	3.23	169.7	1.75	9,168	159.0	1.71	100.8	1.10
Oral Cavity & Pharynx	230	5.5	0.40	3.9	0.26	60	1.0	0.13	0.7	0.09
Digestive System	2,752	74.0	1.58	46.4	0.91	2,359	41.9	0.89	25.3	0.55
Esophagus	386	9.4	0.53	6.6	0.34	145	2.5	0.21	1.7	0.14
Stomach	349	10.0	0.60	5.9	0.33	282	4.9	0.30	2.8	0.18
Colon & Rectum	992	28.6	1.02	16.7	0.55	1,073	19.0	0.60	11.4	0.36
Liver	353	7.5	0.44	5.6	0.31	140	2.4	0.21	1.6	0.14
Pancreas	564	15.5	0.72	9.8	0.42	567	10.4	0.45	6.2	0.27
Respiratory System	3,011	83.0	1.67	52.6	0.98	1,797	32.1	0.78	20.4	0.50
Larynx	121	3.1	0.31	2.1	0.20	20	0.4	0.08	0.2	0.05
Lung & bronchus	2,877	79.6	1.64	50.3	0.96	1,765	31.5	0.77	20.0	0.50
Skin	49	1.3	0.21	0.8	0.12	23	0.4	0.09	0.2	0.05
Melanomas of the skin	21	0.6	0.16	0.4	0.08	17	0.3	0.08	0.2	0.04
Breast	36	1.0	0.19	0.6	0.11	1,845	29.7	0.71	20.0	0.48
Female Genital System	-	-	-	-	-	1,083	18.7	0.58	12.4	0.39
Cervix uteri	-	-	-	-	-	270	4.3	0.27	2.9	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	369	6.7	0.36	4.4	0.24
Ovary	-	-	-	-	-	402	7.0	0.36	4.7	0.24
Male Genital System	1,526	60.7	1.67	27.5	0.72	-	-	-	-	-
Prostate	1,512	60.3	1.66	27.2	0.71	-	-	-	-	-
Testis	9	0.2	0.06	0.1	0.04	-	-	-	-	-
Urinary System	383	11.7	0.67	6.6	0.34	284	5.4	0.32	2.9	0.18
Bladder	174	6.0	0.50	3.0	0.23	125	2.5	0.23	1.2	0.12
Kidney & renal pelvis	206	5.6	0.43	3.5	0.25	148	2.7	0.22	1.6	0.13
Brain & Other Nervous System	117	2.5	0.26	1.8	0.17	115	1.9	0.18	1.4	0.13
Endocrine System	27	0.7	0.16	0.4	0.09	48	0.8	0.12	0.6	0.09
Thyroid gland	11	0.3	0.11	0.2	0.05	30	0.5	0.10	0.3	0.06
Lymphomas	268	6.2	0.43	4.3	0.27	190	3.2	0.24	2.0	0.15
Hodgkin Lymphoma	23	0.3	0.07	0.3	0.06	18	0.3	0.07	0.2	0.04
Non-Hodgkin Lymphoma	245	5.9	0.43	4.0	0.26	172	3.0	0.23	1.8	0.15
Multiple Myeloma	252	7.3	0.51	4.3	0.28	276	5.0	0.31	3.0	0.19
Leukemias	311	8.6	0.56	5.2	0.30	272	4.7	0.29	3.0	0.19
Other, Ill-defined & Unknown	926	24.7	0.92	15.4	0.52	816	14.2	0.51	8.9	0.33

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	347	99.2	6.28	57.7	3.17	351	79.0	4.67	47.2	2.58
Oral Cavity & Pharynx	7	1.4	0.62	1.0	0.40	7	1.4	0.55	1.0	0.39
Digestive System	150	41.1	3.96	24.5	2.05	127	29.8	2.93	17.2	1.56
Esophagus	11	2.4	0.77	1.9	0.57	-	-	-	-	-
Stomach	34	9.2	1.92	5.3	0.93	25	6.0	1.33	3.2	0.65
Colon & Rectum	36	10.9	2.13	6.3	1.06	33	6.8	1.33	4.3	0.76
Liver	39	10.1	1.91	6.1	1.00	21	4.2	1.02	2.8	0.63
Pancreas	19	5.7	1.53	3.1	0.73	21	5.7	1.32	3.0	0.67
Respiratory System	77	21.7	2.79	13.2	1.53	56	12.9	1.90	7.5	1.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	74	21.3	2.78	12.8	1.51	55	12.4	1.85	7.3	1.01
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	42	8.3	1.42	5.2	0.82
Female Genital System	-	-	-	-	-	46	8.6	1.40	6.1	0.92
Cervix uteri	-	-	-	-	-	14	2.6	0.77	1.6	0.45
Corpus & uterus, NOS ¹	-	-	-	-	-	9	1.6	0.58	1.3	0.43
Ovary	-	-	-	-	-	19	3.5	0.85	2.6	0.62
Male Genital System	21	8.9	2.17	4.2	0.93	-	-	-	-	-
Prostate	21	8.9	2.17	4.2	0.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	8.6	2.09	3.9	0.82	10	2.5	0.86	1.3	0.41
Bladder	11	4.9	1.65	1.9	0.59	-	-	-	-	-
Kidney & renal pelvis	12	3.8	1.28	2.0	0.58	-	-	-	-	-
Brain & Other Nervous System	10	1.5	0.47	1.3	0.44	9	1.6	0.57	1.3	0.44
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	9	2.9	1.02	1.3	0.43
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	9	2.9	1.02	1.3	0.43
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	20	4.7	1.32	3.4	0.78	12	2.9	0.95	1.6	0.47
Other, Ill-defined & Unknown	24	6.7	1.64	3.7	0.78	26	6.5	1.36	3.8	0.76

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,541	190.1	2.10	107.3	1.13	9,812	136.7	1.42	82.2	0.88
Oral Cavity & Pharynx	200	3.5	0.27	2.2	0.16	79	1.1	0.13	0.7	0.08
Digestive System	2,589	47.9	1.02	28.9	0.58	2,171	30.7	0.68	17.6	0.40
Esophagus	329	6.0	0.35	3.8	0.21	115	1.7	0.16	0.9	0.09
Stomach	273	5.1	0.34	2.9	0.18	209	2.8	0.20	1.6	0.12
Colon & Rectum	892	17.0	0.62	9.9	0.34	931	13.1	0.44	7.5	0.26
Liver	363	5.8	0.33	3.9	0.21	149	2.1	0.18	1.2	0.11
Pancreas	572	11.0	0.50	6.6	0.28	573	8.3	0.35	4.6	0.21
Respiratory System	2,827	55.7	1.12	32.5	0.63	2,278	33.1	0.71	19.3	0.43
Larynx	77	1.4	0.17	0.9	0.10	25	0.4	0.07	0.2	0.04
Lung & bronchus	2,739	54.1	1.11	31.5	0.62	2,244	32.6	0.71	19.1	0.43
Skin	200	3.9	0.30	2.2	0.16	108	1.5	0.15	0.9	0.09
Melanomas of the skin	149	2.9	0.26	1.7	0.14	94	1.3	0.14	0.8	0.09
Breast	28	0.6	0.12	0.3	0.06	1,853	24.2	0.58	15.7	0.38
Female Genital System	-	-	-	-	-	1,128	15.5	0.47	10.0	0.31
Cervix uteri	-	-	-	-	-	197	2.5	0.18	1.7	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	295	4.1	0.24	2.7	0.16
Ovary	-	-	-	-	-	581	8.1	0.35	5.1	0.23
Male Genital System	1,045	26.2	0.85	11.6	0.37	-	-	-	-	-
Prostate	1,029	26.0	0.85	11.5	0.37	-	-	-	-	-
Testis	9	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	544	11.5	0.53	6.0	0.27	313	4.5	0.26	2.4	0.15
Bladder	270	6.4	0.41	3.0	0.19	141	2.1	0.18	1.0	0.09
Kidney & renal pelvis	259	4.8	0.32	2.9	0.18	163	2.3	0.18	1.3	0.11
Brain & Other Nervous System	245	3.8	0.27	2.7	0.18	210	2.9	0.20	1.9	0.14
Endocrine System	41	0.8	0.13	0.4	0.07	47	0.6	0.09	0.5	0.07
Thyroid gland	23	0.5	0.10	0.2	0.05	25	0.3	0.07	0.2	0.04
Lymphomas	368	7.5	0.43	4.0	0.21	321	4.6	0.27	2.4	0.15
Hodgkin Lymphoma	28	0.5	0.11	0.3	0.05	21	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	340	7.0	0.41	3.7	0.21	300	4.4	0.26	2.2	0.14
Multiple Myeloma	210	4.3	0.32	2.4	0.17	202	2.9	0.21	1.7	0.13
Leukemias	395	8.0	0.44	4.5	0.23	321	4.4	0.25	2.6	0.16
Other, Ill-defined & Unknown	849	16.3	0.61	9.4	0.33	781	10.7	0.39	6.4	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,863	170.6	2.33	94.1	1.27	5,966	126.7	1.67	74.4	1.06
Oral Cavity & Pharynx	111	3.1	0.30	1.8	0.17	51	1.1	0.16	0.7	0.11
Digestive System	1,480	41.0	1.12	24.0	0.64	1,204	25.5	0.75	14.1	0.45
Esophagus	220	5.9	0.42	3.6	0.25	72	1.6	0.19	0.8	0.11
Stomach	124	3.4	0.32	1.9	0.18	86	1.7	0.19	1.0	0.12
Colon & Rectum	503	14.2	0.67	8.1	0.37	501	10.6	0.48	5.9	0.29
Liver	163	4.2	0.35	2.7	0.21	78	1.7	0.19	0.9	0.12
Pancreas	364	10.3	0.56	6.0	0.32	351	7.5	0.41	4.0	0.24
Respiratory System	1,764	51.0	1.26	28.9	0.71	1,523	33.3	0.87	19.1	0.54
Larynx	42	1.1	0.18	0.7	0.10	11	0.2	0.07	0.1	0.04
Lung & bronchus	1,715	49.7	1.25	28.1	0.70	1,507	33.0	0.86	19.0	0.53
Skin	178	4.9	0.39	2.8	0.22	99	2.1	0.22	1.3	0.15
Melanomas of the skin	144	3.9	0.34	2.3	0.20	88	1.9	0.20	1.2	0.14
Breast	15	0.5	0.13	0.2	0.06	1,007	20.8	0.67	13.1	0.45
Female Genital System	-	-	-	-	-	678	14.4	0.56	9.2	0.38
Cervix uteri	-	-	-	-	-	90	1.8	0.19	1.3	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	143	3.0	0.25	1.9	0.17
Ovary	-	-	-	-	-	412	8.9	0.44	5.6	0.30
Male Genital System	539	18.7	0.83	7.8	0.35	-	-	-	-	-
Prostate	529	18.5	0.83	7.7	0.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	391	11.9	0.63	6.1	0.32	200	4.1	0.30	2.2	0.18
Bladder	211	7.0	0.50	3.2	0.23	94	1.9	0.20	0.9	0.11
Kidney & renal pelvis	167	4.5	0.37	2.7	0.22	101	2.1	0.21	1.2	0.14
Brain & Other Nervous System	192	4.5	0.34	3.2	0.23	159	3.4	0.28	2.3	0.20
Endocrine System	28	0.7	0.15	0.5	0.09	27	0.6	0.11	0.4	0.09
Thyroid gland	17	0.4	0.11	0.3	0.07	17	0.4	0.09	0.2	0.06
Lymphomas	258	7.9	0.51	4.1	0.26	239	5.2	0.34	2.6	0.19
Hodgkin Lymphoma	18	0.5	0.13	0.3	0.07	17	0.4	0.09	0.3	0.08
Non-Hodgkin Lymphoma	240	7.3	0.49	3.8	0.25	222	4.8	0.33	2.3	0.18
Multiple Myeloma	115	3.6	0.35	1.8	0.17	94	2.0	0.21	1.1	0.13
Leukemias	271	8.1	0.52	4.5	0.28	210	4.4	0.31	2.5	0.20
Other, Ill-defined & Unknown	521	14.7	0.68	8.4	0.38	475	9.8	0.46	5.7	0.29

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,424	265.0	5.47	151.6	2.72	3,625	164.1	2.93	101.4	1.76
Oral Cavity & Pharynx	83	5.0	0.68	3.3	0.38	23	1.1	0.24	0.7	0.14
Digestive System	995	67.7	2.62	41.9	1.40	895	43.1	1.54	25.1	0.88
Esophagus	101	6.4	0.75	4.3	0.45	40	2.0	0.33	1.2	0.19
Stomach	126	9.6	1.06	5.3	0.50	110	5.1	0.53	2.9	0.28
Colon & Rectum	360	26.3	1.71	15.2	0.85	413	19.8	1.04	11.5	0.59
Liver	170	8.2	0.71	6.3	0.51	57	2.6	0.37	1.7	0.23
Pancreas	190	13.6	1.16	8.6	0.65	209	10.4	0.76	6.0	0.44
Respiratory System	1,003	74.4	2.78	45.1	1.48	724	34.7	1.38	21.2	0.82
Larynx	34	2.3	0.45	1.5	0.26	13	0.6	0.19	0.4	0.12
Lung & bronchus	965	72.0	2.74	43.5	1.46	707	33.9	1.36	20.7	0.81
Skin	20	1.1	0.33	0.8	0.18	9	0.5	0.17	0.2	0.08
Melanomas of the skin	-	-	-	-	-	6	0.3	0.14	0.2	0.07
Breast	12	1.0	0.33	0.6	0.17	817	32.2	1.22	21.5	0.78
Female Genital System	-	-	-	-	-	420	18.7	0.98	12.2	0.62
Cervix uteri	-	-	-	-	-	97	3.9	0.44	2.5	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	147	7.0	0.61	4.5	0.39
Ovary	-	-	-	-	-	157	6.9	0.59	4.6	0.38
Male Genital System	492	57.2	2.89	25.6	1.18	-	-	-	-	-
Prostate	486	56.6	2.88	25.3	1.18	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	140	10.5	1.08	6.0	0.54	108	5.8	0.58	3.1	0.31
Bladder	53	4.4	0.72	2.5	0.36	44	2.5	0.40	1.3	0.20
Kidney & renal pelvis	85	5.9	0.79	3.4	0.39	61	3.1	0.42	1.7	0.23
Brain & Other Nervous System	46	2.3	0.43	1.7	0.26	44	1.9	0.30	1.2	0.19
Endocrine System	10	0.7	0.30	0.3	0.12	17	0.7	0.18	0.5	0.13
Thyroid gland	-	-	-	-	-	7	0.3	0.13	0.2	0.07
Lymphomas	105	6.8	0.85	4.0	0.42	74	3.2	0.40	1.9	0.24
Hodgkin Lymphoma	9	0.3	0.09	0.2	0.08	-	-	-	-	-
Non-Hodgkin Lymphoma	96	6.5	0.85	3.8	0.41	70	3.0	0.39	1.9	0.23
Multiple Myeloma	93	7.0	0.84	4.2	0.46	106	5.1	0.53	3.1	0.31
Leukemias	112	8.4	0.98	4.9	0.48	101	4.4	0.48	2.8	0.29
Other, Ill-defined & Unknown	313	22.9	1.56	13.4	0.79	287	12.8	0.82	8.0	0.49

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	240	100.6	7.72	57.9	3.83	213	74.5	5.69	44.9	3.16
Oral Cavity & Pharynx	6	1.8	0.86	1.3	0.54	-	-	-	-	-
Digestive System	108	45.4	5.24	25.8	2.55	70	24.9	3.30	14.8	1.83
Esophagus	7	2.3	0.95	1.7	0.66	-	-	-	-	-
Stomach	22	9.6	2.58	4.9	1.09	12	4.8	1.50	2.4	0.73
Colon & Rectum	28	12.8	2.86	7.2	1.39	17	4.2	1.10	3.4	0.84
Liver	29	11.1	2.48	6.5	1.24	14	4.4	1.33	2.8	0.76
Pancreas	16	7.1	2.10	3.8	0.98	12	5.2	1.60	2.8	0.82
Respiratory System	57	23.6	3.54	14.0	1.88	31	11.4	2.27	6.5	1.19
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	56	23.3	3.53	13.8	1.87	30	10.7	2.18	6.2	1.17
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	26	7.8	1.76	4.9	0.97
Female Genital System	-	-	-	-	-	30	9.1	1.84	6.2	1.16
Cervix uteri	-	-	-	-	-	10	2.7	0.98	1.9	0.63
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	3.4	1.08	2.5	0.73
Male Genital System	13	6.6	2.09	3.7	1.03	-	-	-	-	-
Prostate	13	6.6	2.09	3.7	1.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	8.0	2.54	3.5	1.01	-	-	-	-	-
Bladder	6	4.1	1.89	1.7	0.71	-	-	-	-	-
Kidney & renal pelvis	7	3.9	1.70	1.9	0.71	-	-	-	-	-
Brain & Other Nervous System	7	1.5	0.57	1.4	0.54	6	1.6	0.74	1.1	0.46
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	8	4.2	1.56	1.7	0.61
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	8	4.2	1.56	1.7	0.61
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	11	2.8	0.88	2.6	0.79	10	3.9	1.36	2.2	0.71
Other, Ill-defined & Unknown	14	6.4	2.02	3.3	0.90	18	7.0	1.75	4.3	1.05

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,097	184.6	2.39	109.5	1.52	4,895	119.6	1.75	74.0	1.22
Oral Cavity & Pharynx	152	4.5	0.37	3.0	0.26	66	1.5	0.19	0.9	0.13
Digestive System	1,951	58.8	1.34	36.1	0.88	1,353	32.1	0.89	18.8	0.60
Esophagus	190	5.6	0.41	3.7	0.28	49	1.2	0.17	0.7	0.12
Stomach	287	8.9	0.53	4.6	0.30	192	4.6	0.34	2.6	0.23
Colon & Rectum	620	18.7	0.76	11.6	0.50	453	10.8	0.52	6.5	0.36
Liver	294	8.7	0.51	6.0	0.37	120	2.9	0.27	1.7	0.18
Pancreas	428	12.9	0.63	7.8	0.40	401	9.4	0.48	5.3	0.31
Respiratory System	1,756	53.6	1.29	31.8	0.81	1,125	27.5	0.83	16.5	0.56
Larynx	62	1.8	0.24	1.2	0.17	10	0.2	0.07	0.1	0.05
Lung & bronchus	1,676	51.2	1.26	30.1	0.79	1,105	27.0	0.83	16.3	0.56
Skin	113	3.4	0.32	2.1	0.22	57	1.4	0.19	0.8	0.13
Melanomas of the skin	73	2.2	0.26	1.5	0.19	38	0.9	0.16	0.6	0.11
Breast	-	-	-	-	-	691	17.8	0.69	12.2	0.51
Female Genital System	-	-	-	-	-	481	12.2	0.57	8.1	0.41
Cervix uteri	-	-	-	-	-	69	1.9	0.24	1.4	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	151	3.8	0.31	2.5	0.23
Ovary	-	-	-	-	-	241	6.0	0.39	3.9	0.28
Male Genital System	545	16.6	0.71	7.8	0.37	-	-	-	-	-
Prostate	534	16.2	0.71	7.6	0.37	-	-	-	-	-
Testis	7	0.2	0.08	0.2	0.07	-	-	-	-	-
Urinary System	299	9.1	0.53	5.0	0.31	133	3.1	0.28	1.8	0.18
Bladder	151	4.6	0.38	2.2	0.20	59	1.4	0.18	0.7	0.11
Kidney & renal pelvis	136	4.1	0.36	2.6	0.24	64	1.5	0.20	0.9	0.14
Brain & Other Nervous System	98	2.9	0.30	2.2	0.24	73	2.0	0.23	1.5	0.20
Endocrine System	27	0.8	0.16	0.7	0.14	38	0.9	0.16	0.6	0.12
Thyroid gland	12	0.4	0.10	0.2	0.07	33	0.8	0.14	0.5	0.09
Lymphomas	254	7.7	0.49	4.3	0.30	182	4.3	0.33	2.5	0.21
Hodgkin Lymphoma	8	0.2	0.08	0.2	0.06	7	0.2	0.06	0.1	0.03
Non-Hodgkin Lymphoma	246	7.5	0.48	4.1	0.29	175	4.2	0.32	2.4	0.21
Multiple Myeloma	105	3.2	0.31	1.8	0.19	82	1.9	0.22	1.1	0.14
Leukemias	209	6.4	0.44	4.1	0.31	160	3.9	0.32	2.5	0.24
Other, Ill-defined & Unknown	583	17.6	0.74	10.5	0.47	454	11.1	0.53	6.8	0.37

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,887	222.5	5.28	129.4	3.16	1,432	148.5	4.05	93.9	2.86
Oral Cavity & Pharynx	59	6.1	0.83	4.3	0.57	17	1.5	0.39	0.8	0.24
Digestive System	503	57.4	2.65	35.0	1.63	309	31.2	1.82	18.9	1.25
Esophagus	59	6.5	0.89	4.3	0.57	16	1.8	0.45	1.1	0.32
Stomach	49	6.4	0.93	3.2	0.48	24	2.4	0.50	1.3	0.31
Colon & Rectum	165	18.9	1.52	11.7	0.95	115	11.3	1.09	6.9	0.76
Liver	79	7.8	0.92	5.6	0.65	23	2.3	0.50	1.5	0.35
Pancreas	118	13.7	1.30	8.1	0.78	94	9.4	0.99	5.6	0.67
Respiratory System	522	62.1	2.79	35.3	1.63	381	40.5	2.13	24.6	1.42
Larynx	24	2.8	0.59	1.7	0.36	-	-	-	-	-
Lung & bronchus	494	58.8	2.72	33.3	1.58	375	39.9	2.11	24.2	1.42
Skin	76	8.6	1.02	5.1	0.61	27	2.7	0.54	1.6	0.35
Melanomas of the skin	53	5.8	0.83	3.7	0.53	22	2.3	0.51	1.4	0.33
Breast	-	-	-	-	-	212	22.5	1.59	15.6	1.17
Female Genital System	-	-	-	-	-	137	14.0	1.23	9.6	0.91
Cervix uteri	-	-	-	-	-	19	2.1	0.49	1.6	0.39
Corpus & uterus, NOS ¹	-	-	-	-	-	39	3.9	0.63	2.5	0.46
Ovary	-	-	-	-	-	72	7.4	0.90	5.0	0.66
Male Genital System	182	23.0	1.74	11.3	0.90	-	-	-	-	-
Prostate	180	22.8	1.73	11.2	0.90	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	110	13.7	1.34	6.9	0.69	40	4.1	0.68	2.4	0.51
Bladder	66	8.6	1.08	3.8	0.49	23	2.4	0.51	1.2	0.30
Kidney & renal pelvis	41	4.7	0.76	2.9	0.47	15	1.5	0.43	1.1	0.40
Brain & Other Nervous System	47	5.1	0.77	3.9	0.61	37	4.1	0.70	3.4	0.63
Endocrine System	-	-	-	-	-	7	0.7	0.26	0.3	0.15
Thyroid gland	-	-	-	-	-	7	0.7	0.26	0.3	0.15
Lymphomas	77	9.4	1.10	5.3	0.64	48	4.6	0.69	2.6	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	73	8.9	1.07	5.0	0.62	45	4.4	0.68	2.4	0.42
Multiple Myeloma	37	4.3	0.72	2.5	0.44	29	3.1	0.59	1.9	0.40
Leukemias	71	8.6	1.06	5.2	0.69	48	5.2	0.80	3.6	0.70
Other, Ill-defined & Unknown	194	23.1	1.71	13.7	1.06	140	14.2	1.24	8.7	0.84

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	70	154.2	20.14	115.0	14.64	27	68.4	14.77	42.7	8.96
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	52.7	11.45	39.8	8.41	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	6	9.8	4.22	8.1	3.55	-	-	-	-	-
Pancreas	8	14.1	5.14	12.1	4.50	-	-	-	-	-
Respiratory System	15	41.0	11.29	27.3	7.40	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	41.0	11.29	27.3	7.40	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	9	20.5	7.90	14.4	5.40
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	15.2	6.40	11.7	4.99	-	-	-	-	-
Prostate	6	15.2	6.40	11.7	4.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	7	15.6	6.15	12.9	5.04	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	4,128	173.3	2.72	102.8	1.77	3,426	111.9	1.96	68.6	1.36
Oral Cavity & Pharynx	90	3.8	0.41	2.4	0.28	49	1.6	0.23	0.9	0.16
Digestive System	1,421	59.8	1.60	36.7	1.07	1,038	32.8	1.04	19.0	0.70
Esophagus	128	5.3	0.47	3.5	0.33	33	1.0	0.18	0.6	0.12
Stomach	234	9.8	0.65	5.3	0.38	167	5.3	0.42	3.1	0.29
Colon & Rectum	450	19.0	0.90	11.8	0.61	336	10.8	0.61	6.5	0.42
Liver	208	8.9	0.62	6.1	0.45	97	3.1	0.32	1.8	0.21
Pancreas	302	12.6	0.73	7.6	0.48	306	9.5	0.56	5.3	0.36
Respiratory System	1,213	51.1	1.48	30.8	0.96	737	23.8	0.89	14.3	0.60
Larynx	37	1.5	0.25	1.1	0.19	7	0.2	0.08	0.2	0.06
Lung & bronchus	1,162	49.0	1.45	29.3	0.94	723	23.4	0.89	14.0	0.60
Skin	36	1.5	0.26	1.0	0.19	30	1.0	0.18	0.6	0.12
Melanomas of the skin	20	0.9	0.20	0.6	0.15	16	0.5	0.14	0.3	0.10
Breast	-	-	-	-	-	465	16.2	0.77	11.1	0.57
Female Genital System	-	-	-	-	-	342	11.8	0.66	7.7	0.47
Cervix uteri	-	-	-	-	-	50	1.9	0.28	1.4	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	112	3.8	0.37	2.5	0.27
Ovary	-	-	-	-	-	168	5.7	0.45	3.6	0.32
Male Genital System	357	14.5	0.77	6.6	0.40	-	-	-	-	-
Prostate	348	14.1	0.76	6.2	0.38	-	-	-	-	-
Testis	7	0.3	0.12	0.3	0.11	-	-	-	-	-
Urinary System	185	7.7	0.57	4.2	0.35	92	2.8	0.30	1.6	0.20
Bladder	85	3.5	0.39	1.8	0.21	35	1.1	0.18	0.6	0.12
Kidney & renal pelvis	91	3.8	0.40	2.4	0.27	49	1.5	0.23	0.9	0.15
Brain & Other Nervous System	50	2.2	0.31	1.6	0.25	34	1.2	0.21	0.9	0.18
Endocrine System	21	0.9	0.20	0.7	0.16	31	1.1	0.20	0.7	0.15
Thyroid gland	11	0.5	0.14	0.3	0.10	26	0.9	0.17	0.5	0.12
Lymphomas	173	7.2	0.55	3.9	0.34	132	4.2	0.38	2.4	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	169	7.0	0.55	3.8	0.33	128	4.1	0.37	2.4	0.25
Multiple Myeloma	65	2.7	0.34	1.5	0.21	53	1.6	0.23	0.9	0.15
Leukemias	135	5.7	0.50	3.8	0.36	110	3.5	0.35	2.2	0.24
Other, Ill-defined & Unknown	381	16.0	0.83	9.5	0.54	313	10.3	0.60	6.3	0.42

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,394	195.9	2.49	109.2	1.43	5,654	143.5	1.93	85.4	1.25
Oral Cavity & Pharynx	131	3.7	0.33	2.4	0.22	63	1.6	0.21	0.9	0.12
Digestive System	1,560	46.6	1.20	27.7	0.73	1,248	31.2	0.90	17.8	0.56
Esophagus	271	7.9	0.49	5.1	0.32	59	1.5	0.20	0.9	0.12
Stomach	126	3.9	0.36	2.1	0.20	81	2.1	0.23	1.2	0.14
Colon & Rectum	518	15.9	0.71	8.9	0.41	539	13.4	0.59	7.5	0.36
Liver	150	4.2	0.35	2.8	0.23	56	1.4	0.19	0.9	0.13
Pancreas	390	11.5	0.59	6.9	0.37	393	9.8	0.50	5.6	0.31
Respiratory System	1,750	53.1	1.29	30.3	0.76	1,403	36.1	0.97	21.7	0.63
Larynx	46	1.3	0.20	0.9	0.13	14	0.4	0.10	0.2	0.06
Lung & bronchus	1,688	51.3	1.27	29.1	0.74	1,385	35.6	0.97	21.4	0.63
Skin	228	6.8	0.46	4.1	0.29	89	2.3	0.24	1.5	0.17
Melanomas of the skin	165	4.8	0.38	3.1	0.25	70	1.8	0.22	1.2	0.16
Breast	8	0.3	0.09	0.1	0.05	836	21.3	0.74	13.4	0.50
Female Genital System	-	-	-	-	-	604	15.5	0.64	9.8	0.43
Cervix uteri	-	-	-	-	-	80	2.1	0.24	1.6	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	168	4.3	0.33	2.6	0.22
Ovary	-	-	-	-	-	323	8.3	0.47	5.1	0.31
Male Genital System	814	27.4	0.97	11.4	0.42	-	-	-	-	-
Prostate	792	26.7	0.96	11.0	0.41	-	-	-	-	-
Testis	12	0.3	0.10	0.3	0.08	-	-	-	-	-
Urinary System	423	13.2	0.65	6.8	0.35	194	4.8	0.35	2.6	0.21
Bladder	230	7.5	0.50	3.5	0.24	82	2.0	0.22	0.9	0.11
Kidney & renal pelvis	179	5.3	0.40	3.2	0.25	107	2.7	0.26	1.6	0.17
Brain & Other Nervous System	202	5.6	0.40	4.3	0.31	177	4.6	0.35	3.3	0.26
Endocrine System	30	0.8	0.16	0.6	0.12	37	0.9	0.16	0.6	0.11
Thyroid gland	17	0.5	0.12	0.3	0.08	32	0.8	0.14	0.5	0.09
Lymphomas	276	8.5	0.52	4.7	0.29	233	5.9	0.39	3.1	0.23
Hodgkin Lymphoma	14	0.4	0.11	0.3	0.08	15	0.4	0.11	0.3	0.07
Non-Hodgkin Lymphoma	262	8.1	0.51	4.4	0.28	218	5.4	0.37	2.8	0.22
Multiple Myeloma	132	4.1	0.36	2.1	0.20	108	2.7	0.26	1.4	0.16
Leukemias	299	9.2	0.54	5.2	0.32	230	5.8	0.39	3.3	0.25
Other, Ill-defined & Unknown	541	16.6	0.72	9.3	0.42	432	10.8	0.53	6.2	0.34

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,288	196.7	2.52	109.8	1.46	5,577	144.9	1.96	86.3	1.28
Oral Cavity & Pharynx	127	3.7	0.33	2.4	0.22	61	1.6	0.21	0.8	0.12
Digestive System	1,526	46.5	1.21	27.7	0.74	1,229	31.4	0.91	18.0	0.57
Esophagus	267	7.9	0.49	5.1	0.32	59	1.5	0.20	0.9	0.13
Stomach	117	3.7	0.35	2.1	0.20	77	2.0	0.23	1.1	0.14
Colon & Rectum	512	16.0	0.72	9.0	0.42	530	13.5	0.59	7.5	0.36
Liver	143	4.1	0.35	2.7	0.23	54	1.4	0.19	0.9	0.14
Pancreas	386	11.6	0.60	7.0	0.37	392	10.0	0.51	5.7	0.32
Respiratory System	1,724	53.4	1.31	30.5	0.77	1,383	36.4	0.99	21.9	0.64
Larynx	44	1.3	0.20	0.9	0.13	14	0.4	0.11	0.2	0.07
Lung & bronchus	1,664	51.7	1.28	29.3	0.75	1,366	35.9	0.98	21.6	0.64
Skin	228	7.0	0.47	4.3	0.29	89	2.3	0.25	1.5	0.17
Melanomas of the skin	165	5.0	0.39	3.2	0.26	70	1.8	0.22	1.2	0.16
Breast	8	0.3	0.09	0.1	0.05	823	21.5	0.76	13.5	0.51
Female Genital System	-	-	-	-	-	595	15.6	0.65	9.9	0.44
Cervix uteri	-	-	-	-	-	79	2.2	0.25	1.7	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	166	4.3	0.34	2.7	0.22
Ovary	-	-	-	-	-	317	8.3	0.47	5.1	0.31
Male Genital System	804	27.5	0.98	11.5	0.43	-	-	-	-	-
Prostate	783	26.9	0.97	11.1	0.42	-	-	-	-	-
Testis	11	0.3	0.10	0.2	0.08	-	-	-	-	-
Urinary System	416	13.2	0.66	6.9	0.35	194	5.0	0.36	2.7	0.21
Bladder	229	7.6	0.51	3.5	0.25	82	2.0	0.23	0.9	0.12
Kidney & renal pelvis	174	5.2	0.40	3.1	0.25	107	2.8	0.27	1.7	0.18
Brain & Other Nervous System	199	5.7	0.41	4.3	0.31	177	4.8	0.36	3.4	0.27
Endocrine System	30	0.9	0.16	0.7	0.13	36	0.9	0.16	0.6	0.11
Thyroid gland	17	0.5	0.12	0.3	0.08	32	0.8	0.15	0.5	0.09
Lymphomas	274	8.6	0.53	4.7	0.30	231	5.9	0.40	3.1	0.23
Hodgkin Lymphoma	14	0.4	0.11	0.3	0.08	15	0.4	0.11	0.3	0.08
Non-Hodgkin Lymphoma	260	8.2	0.51	4.4	0.29	216	5.5	0.38	2.9	0.22
Multiple Myeloma	130	4.1	0.37	2.2	0.20	108	2.8	0.27	1.5	0.16
Leukemias	292	9.2	0.55	5.2	0.33	229	5.9	0.40	3.3	0.26
Other, Ill-defined & Unknown	530	16.6	0.73	9.3	0.43	422	10.8	0.53	6.1	0.34

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	18	183.4	48.78	102.9	25.52	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	39	158.2	26.06	74.6	12.72	31	76.0	13.92	45.6	8.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	53.0	15.11	24.6	7.21	6	14.2	5.88	8.8	3.90
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	26.5	10.30	13.9	5.61	7	18.9	7.19	9.5	3.84
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	26.5	10.30	13.9	5.61	7	18.9	7.19	9.5	3.84
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	15.5	6.00	11.5	4.49
Female Genital System	-	-	-	-	-	6	15.0	6.20	8.2	3.54
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	61,216	229.4	0.94	129.3	0.55	59,710	160.1	0.66	97.0	0.45
Oral Cavity & Pharynx	1,024	3.5	0.11	2.4	0.08	555	1.5	0.06	0.9	0.04
Digestive System	16,204	59.5	0.48	34.8	0.29	13,839	36.3	0.31	20.5	0.20
Esophagus	2,399	8.5	0.18	5.3	0.11	629	1.7	0.07	1.0	0.04
Stomach	1,468	5.4	0.14	3.2	0.09	1,096	2.9	0.09	1.7	0.06
Colon & Rectum	5,955	22.5	0.30	12.4	0.17	6,053	15.6	0.20	8.6	0.13
Liver	1,785	6.2	0.15	4.0	0.10	776	2.1	0.07	1.1	0.05
Pancreas	3,590	13.1	0.22	7.8	0.14	3,818	10.1	0.17	5.8	0.11
Respiratory System	19,131	70.5	0.52	41.5	0.31	15,502	42.5	0.35	26.3	0.23
Larynx	655	2.3	0.09	1.5	0.06	172	0.5	0.04	0.3	0.03
Lung & bronchus	18,364	67.8	0.51	39.8	0.31	15,277	41.9	0.34	25.9	0.23
Skin	1,346	5.0	0.14	2.9	0.08	754	2.0	0.07	1.3	0.05
Melanomas of the skin	1,046	3.8	0.12	2.3	0.07	617	1.7	0.07	1.1	0.05
Breast	77	0.3	0.03	0.2	0.02	8,941	24.2	0.26	15.7	0.18
Female Genital System	-	-	-	-	-	6,051	16.4	0.21	10.6	0.15
Cervix uteri	-	-	-	-	-	923	2.6	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,711	4.6	0.11	2.9	0.08
Ovary	-	-	-	-	-	3,080	8.3	0.15	5.3	0.10
Male Genital System	6,235	25.9	0.33	11.2	0.15	-	-	-	-	-
Prostate	6,114	25.5	0.33	10.9	0.15	-	-	-	-	-
Testis	77	0.3	0.03	0.2	0.02	-	-	-	-	-
Urinary System	3,788	14.5	0.24	7.7	0.13	2,044	5.3	0.12	2.9	0.07
Bladder	1,985	8.0	0.18	3.8	0.09	940	2.4	0.08	1.2	0.04
Kidney & renal pelvis	1,719	6.2	0.15	3.8	0.09	1,034	2.7	0.09	1.6	0.06
Brain & Other Nervous System	1,387	4.7	0.13	3.4	0.09	1,136	3.2	0.10	2.3	0.07
Endocrine System	203	0.7	0.05	0.5	0.04	305	0.8	0.05	0.5	0.04
Thyroid gland	111	0.4	0.04	0.2	0.02	209	0.6	0.04	0.3	0.02
Lymphomas	2,435	9.3	0.19	5.0	0.11	2,232	5.8	0.12	3.1	0.08
Hodgkin Lymphoma	134	0.5	0.04	0.3	0.03	121	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,301	8.8	0.19	4.7	0.10	2,111	5.5	0.12	2.9	0.07
Multiple Myeloma	1,193	4.6	0.13	2.5	0.07	1,098	2.9	0.09	1.7	0.06
Leukemias	2,678	10.3	0.20	5.6	0.12	2,170	5.7	0.13	3.3	0.08
Other, Ill-defined & Unknown	5,515	20.6	0.28	11.7	0.17	5,083	13.5	0.19	8.0	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51,131	223.4	1.00	124.7	0.58	49,695	157.1	0.72	94.4	0.48
Oral Cavity & Pharynx	808	3.3	0.12	2.2	0.08	477	1.5	0.07	0.9	0.05
Digestive System	13,205	56.7	0.50	32.8	0.30	11,230	34.3	0.33	19.1	0.21
Esophagus	2,070	8.6	0.19	5.4	0.12	503	1.6	0.07	0.9	0.05
Stomach	1,065	4.6	0.14	2.6	0.08	820	2.6	0.09	1.5	0.06
Colon & Rectum	4,861	21.4	0.31	11.6	0.18	4,900	14.7	0.21	7.9	0.13
Liver	1,371	5.6	0.15	3.5	0.10	598	1.8	0.08	1.0	0.05
Pancreas	2,988	12.7	0.24	7.5	0.14	3,124	9.6	0.18	5.5	0.11
Respiratory System	15,933	68.7	0.55	39.9	0.33	13,042	42.4	0.38	26.1	0.25
Larynx	483	2.0	0.09	1.2	0.06	134	0.4	0.04	0.3	0.03
Lung & bronchus	15,354	66.3	0.54	38.4	0.33	12,862	41.8	0.37	25.7	0.25
Skin	1,300	5.6	0.16	3.2	0.09	712	2.3	0.09	1.4	0.06
Melanomas of the skin	1,029	4.4	0.14	2.6	0.09	588	1.9	0.08	1.3	0.06
Breast	59	0.3	0.03	0.1	0.02	7,184	23.0	0.28	14.8	0.20
Female Genital System	-	-	-	-	-	4,981	16.1	0.23	10.3	0.16
Cervix uteri	-	-	-	-	-	653	2.3	0.09	1.7	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,339	4.3	0.12	2.6	0.08
Ovary	-	-	-	-	-	2,689	8.6	0.17	5.5	0.12
Male Genital System	4,799	22.9	0.33	9.7	0.15	-	-	-	-	-
Prostate	4,702	22.5	0.33	9.4	0.15	-	-	-	-	-
Testis	66	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,396	15.1	0.26	8.0	0.14	1,757	5.3	0.13	2.9	0.08
Bladder	1,825	8.4	0.20	4.0	0.10	802	2.3	0.08	1.1	0.05
Kidney & renal pelvis	1,492	6.3	0.17	3.8	0.10	899	2.8	0.10	1.6	0.06
Brain & Other Nervous System	1,266	5.1	0.15	3.6	0.11	1,022	3.5	0.11	2.5	0.09
Endocrine System	174	0.7	0.06	0.5	0.04	253	0.8	0.05	0.5	0.04
Thyroid gland	97	0.4	0.04	0.2	0.03	169	0.5	0.04	0.3	0.03
Lymphomas	2,194	9.8	0.21	5.2	0.12	2,004	6.1	0.14	3.2	0.09
Hodgkin Lymphoma	111	0.5	0.04	0.3	0.03	103	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	2,083	9.3	0.21	4.9	0.11	1,901	5.7	0.13	3.0	0.08
Multiple Myeloma	956	4.3	0.14	2.3	0.08	834	2.6	0.09	1.4	0.06
Leukemias	2,386	10.7	0.22	5.7	0.13	1,920	5.9	0.14	3.4	0.09
Other, Ill-defined & Unknown	4,655	20.3	0.30	11.4	0.18	4,279	13.3	0.21	7.8	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,127	315.1	3.52	187.2	2.01	9,081	198.7	2.10	125.5	1.38
Oral Cavity & Pharynx	192	5.4	0.41	4.1	0.30	62	1.3	0.17	0.9	0.12
Digestive System	2,640	87.6	1.81	54.3	1.08	2,324	51.9	1.09	30.7	0.67
Esophagus	304	9.5	0.58	6.3	0.37	120	2.6	0.24	1.7	0.16
Stomach	351	12.1	0.69	7.2	0.39	224	5.1	0.34	2.8	0.20
Colon & Rectum	986	33.8	1.15	20.1	0.66	1,041	23.2	0.73	13.8	0.45
Liver	332	9.8	0.57	6.9	0.39	148	3.3	0.27	2.0	0.17
Pancreas	537	18.0	0.82	11.1	0.49	640	14.4	0.58	8.5	0.35
Respiratory System	2,920	96.4	1.88	61.1	1.16	2,292	50.0	1.05	31.9	0.70
Larynx	169	5.2	0.42	3.6	0.28	38	0.8	0.13	0.5	0.09
Lung & bronchus	2,735	90.7	1.83	57.2	1.12	2,248	49.1	1.04	31.3	0.69
Skin	42	1.3	0.21	0.9	0.14	30	0.7	0.12	0.4	0.07
Melanomas of the skin	15	0.5	0.13	0.3	0.08	19	0.4	0.10	0.2	0.06
Breast	17	0.5	0.14	0.3	0.08	1,619	34.4	0.86	23.3	0.60
Female Genital System	-	-	-	-	-	963	20.7	0.67	13.9	0.46
Cervix uteri	-	-	-	-	-	255	5.3	0.33	3.9	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	347	7.6	0.41	5.0	0.28
Ovary	-	-	-	-	-	327	7.1	0.40	4.5	0.26
Male Genital System	1,375	59.0	1.68	26.9	0.75	-	-	-	-	-
Prostate	1,355	58.5	1.68	26.5	0.74	-	-	-	-	-
Testis	9	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	355	13.0	0.74	7.2	0.39	261	5.9	0.37	3.4	0.22
Bladder	150	6.3	0.55	3.0	0.25	128	3.0	0.27	1.5	0.14
Kidney & renal pelvis	201	6.5	0.49	4.1	0.30	121	2.6	0.24	1.7	0.16
Brain & Other Nervous System	101	2.8	0.30	2.1	0.21	97	2.0	0.21	1.5	0.16
Endocrine System	21	0.6	0.13	0.5	0.11	45	1.0	0.15	0.6	0.10
Thyroid gland	7	0.2	0.10	0.2	0.06	34	0.8	0.13	0.4	0.08
Lymphomas	200	6.5	0.49	4.1	0.30	190	4.2	0.31	2.6	0.20
Hodgkin Lymphoma	20	0.6	0.13	0.4	0.09	17	0.4	0.09	0.2	0.06
Non-Hodgkin Lymphoma	180	5.9	0.48	3.7	0.28	173	3.8	0.29	2.4	0.19
Multiple Myeloma	222	7.9	0.56	4.4	0.30	250	5.5	0.35	3.4	0.22
Leukemias	255	8.5	0.58	5.3	0.34	219	4.9	0.33	2.9	0.21
Other, Ill-defined & Unknown	787	25.6	0.97	16.2	0.59	729	16.0	0.60	10.0	0.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	917	109.4	3.96	60.8	2.03	888	78.9	2.74	47.0	1.62
Oral Cavity & Pharynx	23	2.5	0.58	1.4	0.30	16	1.4	0.37	0.8	0.21
Digestive System	342	39.2	2.32	22.8	1.24	275	25.3	1.58	14.4	0.89
Esophagus	24	2.6	0.58	1.5	0.32	-	-	-	-	-
Stomach	50	5.5	0.84	3.4	0.49	52	4.8	0.69	2.7	0.39
Colon & Rectum	104	12.4	1.33	7.0	0.69	108	9.9	0.99	5.7	0.57
Liver	76	8.3	1.05	5.0	0.58	29	2.8	0.53	1.5	0.29
Pancreas	62	7.6	1.05	4.1	0.52	52	4.9	0.70	2.6	0.37
Respiratory System	263	32.3	2.18	17.4	1.08	152	13.7	1.15	8.0	0.67
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	260	32.1	2.17	17.2	1.08	151	13.6	1.15	8.0	0.67
Skin	-	-	-	-	-	12	1.1	0.33	0.6	0.19
Melanomas of the skin	-	-	-	-	-	10	0.9	0.29	0.5	0.18
Breast	-	-	-	-	-	131	10.2	0.92	7.3	0.65
Female Genital System	-	-	-	-	-	102	8.8	0.90	5.4	0.55
Cervix uteri	-	-	-	-	-	13	1.0	0.29	0.7	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	24	2.3	0.49	1.2	0.26
Ovary	-	-	-	-	-	62	5.2	0.69	3.4	0.44
Male Genital System	60	8.9	1.25	4.1	0.53	-	-	-	-	-
Prostate	56	8.6	1.24	3.8	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	37	4.6	0.82	2.5	0.41	25	2.5	0.52	1.3	0.27
Bladder	10	1.4	0.46	0.7	0.21	10	1.1	0.35	0.4	0.14
Kidney & renal pelvis	26	3.1	0.65	1.8	0.35	13	1.3	0.37	0.7	0.21
Brain & Other Nervous System	19	1.6	0.40	1.2	0.29	17	1.4	0.34	0.9	0.23
Endocrine System	8	0.8	0.31	0.6	0.21	7	0.8	0.29	0.4	0.14
Thyroid gland	7	0.8	0.30	0.5	0.19	6	0.7	0.28	0.3	0.13
Lymphomas	39	5.1	0.88	2.7	0.43	35	3.2	0.56	1.9	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	36	4.8	0.87	2.4	0.41	34	3.1	0.55	1.9	0.34
Multiple Myeloma	14	1.2	0.35	0.9	0.24	14	1.3	0.36	0.7	0.20
Leukemias	36	4.3	0.80	2.4	0.40	31	2.6	0.50	1.7	0.32
Other, Ill-defined & Unknown	71	8.2	1.08	4.6	0.55	71	6.5	0.80	3.5	0.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33,889	244.9	1.36	140.7	0.80	30,817	163.2	0.94	99.9	0.64
Oral Cavity & Pharynx	531	3.5	0.16	2.4	0.11	243	1.3	0.08	0.7	0.05
Digestive System	8,140	57.6	0.65	34.3	0.40	6,448	33.4	0.42	19.2	0.27
Esophagus	1,309	8.9	0.25	5.8	0.16	312	1.7	0.10	1.0	0.06
Stomach	571	4.2	0.18	2.4	0.10	360	1.9	0.10	1.1	0.06
Colon & Rectum	3,106	22.5	0.41	12.8	0.24	2,919	15.0	0.28	8.3	0.18
Liver	830	5.5	0.20	3.6	0.13	374	2.0	0.10	1.2	0.07
Pancreas	1,857	13.1	0.31	7.8	0.19	1,806	9.4	0.22	5.6	0.15
Respiratory System	11,890	84.4	0.79	50.4	0.48	8,872	47.9	0.51	30.0	0.35
Larynx	296	2.0	0.12	1.3	0.08	108	0.6	0.06	0.4	0.04
Lung & bronchus	11,540	82.0	0.78	48.8	0.47	8,735	47.2	0.51	29.6	0.35
Skin	856	6.1	0.21	3.6	0.13	429	2.3	0.11	1.4	0.08
Melanomas of the skin	656	4.6	0.18	2.8	0.12	343	1.9	0.10	1.2	0.07
Breast	49	0.4	0.05	0.2	0.03	4,482	23.9	0.36	15.5	0.25
Female Genital System	-	-	-	-	-	3,053	16.3	0.30	10.4	0.21
Cervix uteri	-	-	-	-	-	416	2.4	0.12	1.7	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	827	4.4	0.15	2.8	0.11
Ovary	-	-	-	-	-	1,623	8.6	0.22	5.4	0.15
Male Genital System	2,971	24.1	0.45	10.4	0.20	-	-	-	-	-
Prostate	2,914	23.8	0.45	10.1	0.20	-	-	-	-	-
Testis	27	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	2,013	14.8	0.34	8.1	0.19	1,096	5.6	0.17	3.1	0.11
Bladder	1,037	8.1	0.25	3.9	0.13	472	2.3	0.11	1.1	0.06
Kidney & renal pelvis	929	6.4	0.22	4.0	0.14	588	3.1	0.13	1.9	0.09
Brain & Other Nervous System	819	5.5	0.19	3.9	0.14	707	3.9	0.15	2.9	0.12
Endocrine System	116	0.8	0.07	0.6	0.06	123	0.6	0.06	0.4	0.04
Thyroid gland	71	0.5	0.06	0.3	0.04	82	0.4	0.05	0.2	0.03
Lymphomas	1,381	10.2	0.28	5.6	0.16	1,144	5.9	0.18	3.2	0.11
Hodgkin Lymphoma	69	0.5	0.06	0.3	0.04	45	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,312	9.7	0.27	5.3	0.15	1,099	5.6	0.17	3.0	0.11
Multiple Myeloma	656	4.9	0.19	2.6	0.11	525	2.7	0.12	1.5	0.07
Leukemias	1,441	10.8	0.29	6.0	0.17	1,110	5.8	0.18	3.5	0.12
Other, Ill-defined & Unknown	3,026	21.9	0.41	12.6	0.24	2,585	13.5	0.27	8.1	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,330	243.4	1.40	139.6	0.83	28,282	161.8	0.98	99.0	0.66
Oral Cavity & Pharynx	487	3.5	0.16	2.3	0.11	223	1.2	0.09	0.7	0.06
Digestive System	7,432	56.6	0.67	33.6	0.41	5,831	32.5	0.43	18.6	0.28
Esophagus	1,235	9.1	0.26	5.9	0.17	275	1.6	0.10	1.0	0.06
Stomach	495	3.9	0.18	2.2	0.10	307	1.7	0.10	1.0	0.06
Colon & Rectum	2,854	22.2	0.42	12.6	0.25	2,651	14.6	0.29	8.1	0.18
Liver	716	5.2	0.20	3.4	0.13	330	1.9	0.11	1.1	0.07
Pancreas	1,707	13.0	0.32	7.7	0.19	1,642	9.2	0.23	5.4	0.15
Respiratory System	11,001	84.0	0.81	50.0	0.50	8,212	48.0	0.54	30.1	0.36
Larynx	250	1.8	0.12	1.2	0.08	93	0.5	0.06	0.4	0.04
Lung & bronchus	10,701	81.8	0.80	48.6	0.49	8,093	47.4	0.53	29.6	0.36
Skin	837	6.4	0.23	3.8	0.14	418	2.4	0.12	1.5	0.08
Melanomas of the skin	649	4.9	0.20	3.0	0.12	335	2.0	0.11	1.3	0.08
Breast	44	0.4	0.05	0.2	0.03	4,037	23.3	0.37	15.0	0.26
Female Genital System	-	-	-	-	-	2,790	16.1	0.31	10.3	0.22
Cervix uteri	-	-	-	-	-	363	2.3	0.12	1.7	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	732	4.2	0.16	2.6	0.11
Ovary	-	-	-	-	-	1,521	8.7	0.23	5.4	0.16
Male Genital System	2,667	23.1	0.45	9.9	0.20	-	-	-	-	-
Prostate	2,611	22.7	0.45	9.6	0.20	-	-	-	-	-
Testis	27	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,910	15.1	0.35	8.2	0.20	1,024	5.7	0.18	3.1	0.11
Bladder	996	8.3	0.27	4.0	0.13	438	2.3	0.11	1.1	0.06
Kidney & renal pelvis	870	6.5	0.22	4.0	0.14	554	3.1	0.14	1.9	0.09
Brain & Other Nervous System	794	5.7	0.21	4.2	0.15	672	4.1	0.16	3.0	0.13
Endocrine System	106	0.8	0.08	0.6	0.06	113	0.6	0.06	0.4	0.05
Thyroid gland	68	0.5	0.06	0.3	0.04	76	0.4	0.05	0.2	0.03
Lymphomas	1,308	10.4	0.29	5.7	0.17	1,098	6.1	0.19	3.3	0.12
Hodgkin Lymphoma	63	0.5	0.06	0.3	0.04	42	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,245	9.9	0.29	5.4	0.16	1,056	5.8	0.18	3.1	0.11
Multiple Myeloma	588	4.7	0.20	2.5	0.11	462	2.6	0.12	1.4	0.08
Leukemias	1,355	10.9	0.30	6.0	0.18	1,043	5.9	0.19	3.5	0.13
Other, Ill-defined & Unknown	2,801	21.8	0.42	12.5	0.25	2,359	13.3	0.28	8.0	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,483	300.3	6.39	176.6	3.65	2,437	197.3	4.03	123.6	2.66
Oral Cavity & Pharynx	43	4.4	0.70	3.1	0.48	19	1.5	0.35	1.0	0.24
Digestive System	684	80.5	3.27	49.3	1.94	589	48.2	2.00	28.8	1.27
Esophagus	71	7.7	0.96	5.4	0.66	35	2.8	0.49	2.0	0.35
Stomach	72	9.0	1.11	5.1	0.62	50	4.1	0.59	2.2	0.33
Colon & Rectum	244	31.0	2.13	17.3	1.14	257	21.2	1.33	12.2	0.82
Liver	109	11.1	1.12	7.9	0.77	40	3.2	0.51	2.2	0.37
Pancreas	147	16.6	1.44	10.7	0.90	156	12.8	1.03	7.7	0.66
Respiratory System	874	102.9	3.66	63.2	2.20	633	52.0	2.08	32.9	1.39
Larynx	46	5.0	0.76	3.5	0.54	15	1.2	0.32	0.9	0.24
Lung & bronchus	824	97.5	3.57	59.4	2.13	615	50.6	2.05	31.9	1.37
Skin	18	1.6	0.39	1.3	0.30	11	0.9	0.28	0.5	0.17
Melanomas of the skin	7	0.5	0.21	0.5	0.17	8	0.7	0.24	0.4	0.14
Breast	-	-	-	-	-	434	34.0	1.65	22.8	1.15
Female Genital System	-	-	-	-	-	250	20.0	1.28	13.2	0.87
Cervix uteri	-	-	-	-	-	51	3.8	0.54	2.8	0.40
Corpus & uterus, NOS ¹	-	-	-	-	-	90	7.3	0.78	4.9	0.54
Ovary	-	-	-	-	-	96	7.9	0.81	4.9	0.53
Male Genital System	298	45.4	2.74	20.1	1.20	-	-	-	-	-
Prostate	297	45.3	2.74	20.0	1.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	98	11.3	1.22	6.9	0.72	69	5.7	0.70	3.0	0.39
Bladder	37	4.8	0.85	2.7	0.45	33	2.8	0.49	1.3	0.24
Kidney & renal pelvis	58	6.2	0.86	4.0	0.55	33	2.7	0.47	1.6	0.29
Brain & Other Nervous System	23	2.5	0.57	1.8	0.38	35	2.7	0.47	1.9	0.34
Endocrine System	10	0.9	0.29	0.7	0.22	8	0.6	0.22	0.4	0.16
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	66	7.4	0.97	4.6	0.58	44	3.5	0.53	2.3	0.37
Hodgkin Lymphoma	6	0.5	0.23	0.4	0.16	-	-	-	-	-
Non-Hodgkin Lymphoma	60	6.9	0.94	4.2	0.56	41	3.3	0.52	2.1	0.35
Multiple Myeloma	68	9.0	1.14	4.7	0.59	60	5.1	0.66	2.7	0.38
Leukemias	78	9.0	1.09	5.3	0.62	63	5.0	0.64	3.0	0.41
Other, Ill-defined & Unknown	218	24.8	1.79	15.3	1.06	222	17.9	1.21	11.0	0.79

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	65	60.8	8.54	35.8	4.52	88	63.5	7.27	37.6	4.10
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	20.9	5.13	11.4	2.50	25	18.9	4.05	10.4	2.12
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	6	5.9	2.86	3.1	1.29	9	6.5	2.38	3.6	1.22
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	8	5.4	2.00	3.5	1.25
Respiratory System	12	11.7	3.72	7.2	2.08	23	16.9	3.74	10.2	2.16
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	11.7	3.72	7.2	2.08	23	16.9	3.74	10.2	2.16
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	9	6.2	2.28	3.7	1.25
Female Genital System	-	-	-	-	-	13	9.0	2.65	5.7	1.62
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	4.2	1.83	2.8	1.16
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	7.3	3.04	4.4	1.59	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,517	220.1	1.72	125.1	1.05	15,344	151.0	1.26	92.2	0.88
Oral Cavity & Pharynx	292	3.8	0.22	2.5	0.15	138	1.3	0.12	0.8	0.08
Digestive System	4,050	53.5	0.85	31.4	0.53	3,520	32.8	0.57	18.5	0.38
Esophagus	666	8.7	0.34	5.4	0.22	167	1.6	0.13	1.0	0.09
Stomach	275	3.7	0.22	2.2	0.14	170	1.7	0.13	1.0	0.09
Colon & Rectum	1,545	20.6	0.53	11.4	0.31	1,689	15.2	0.39	8.3	0.25
Liver	350	4.5	0.24	2.9	0.17	160	1.5	0.12	0.9	0.08
Pancreas	908	12.0	0.40	7.2	0.26	920	8.8	0.30	5.0	0.20
Respiratory System	5,285	69.9	0.97	41.6	0.61	3,915	40.2	0.66	25.5	0.46
Larynx	129	1.7	0.15	1.0	0.09	41	0.4	0.07	0.3	0.05
Lung & bronchus	5,104	67.5	0.95	40.2	0.60	3,846	39.4	0.65	25.0	0.46
Skin	409	5.4	0.27	3.2	0.17	240	2.4	0.16	1.5	0.12
Melanomas of the skin	292	3.9	0.23	2.4	0.15	180	1.9	0.15	1.2	0.11
Breast	25	0.3	0.06	0.2	0.04	2,183	21.8	0.48	14.2	0.35
Female Genital System	-	-	-	-	-	1,710	17.2	0.43	11.0	0.31
Cervix uteri	-	-	-	-	-	183	2.1	0.16	1.6	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	495	4.9	0.23	3.1	0.16
Ovary	-	-	-	-	-	897	9.0	0.31	5.6	0.22
Male Genital System	1,771	24.4	0.58	10.6	0.27	-	-	-	-	-
Prostate	1,735	23.9	0.58	10.2	0.27	-	-	-	-	-
Testis	13	0.2	0.05	0.1	0.04	-	-	-	-	-
Urinary System	1,199	16.1	0.47	8.4	0.26	598	5.6	0.24	3.1	0.16
Bladder	622	8.5	0.34	4.0	0.17	232	2.1	0.14	1.1	0.09
Kidney & renal pelvis	548	7.2	0.31	4.2	0.19	329	3.2	0.18	1.9	0.13
Brain & Other Nervous System	526	6.9	0.31	4.9	0.23	392	4.3	0.23	3.1	0.18
Endocrine System	66	0.9	0.11	0.6	0.09	65	0.7	0.09	0.5	0.07
Thyroid gland	41	0.5	0.08	0.3	0.05	44	0.4	0.06	0.2	0.04
Lymphomas	714	9.6	0.36	5.3	0.22	638	5.9	0.24	3.1	0.15
Hodgkin Lymphoma	31	0.4	0.07	0.3	0.06	39	0.4	0.07	0.2	0.05
Non-Hodgkin Lymphoma	683	9.2	0.35	5.0	0.21	599	5.5	0.23	2.9	0.15
Multiple Myeloma	322	4.3	0.24	2.3	0.14	274	2.6	0.16	1.3	0.10
Leukemias	773	10.5	0.38	5.7	0.23	577	5.5	0.24	3.2	0.17
Other, Ill-defined & Unknown	1,085	14.4	0.44	8.4	0.28	1,094	10.6	0.33	6.3	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,148	219.5	1.74	124.7	1.06	15,054	151.1	1.28	92.3	0.89
Oral Cavity & Pharynx	281	3.7	0.22	2.4	0.15	135	1.3	0.12	0.8	0.08
Digestive System	3,928	53.0	0.85	31.1	0.53	3,437	32.6	0.58	18.3	0.38
Esophagus	656	8.7	0.34	5.4	0.23	163	1.6	0.13	0.9	0.09
Stomach	265	3.6	0.22	2.2	0.14	162	1.6	0.13	0.9	0.09
Colon & Rectum	1,514	20.6	0.53	11.4	0.32	1,656	15.2	0.39	8.3	0.25
Liver	317	4.2	0.24	2.7	0.16	153	1.5	0.12	0.8	0.08
Pancreas	882	11.9	0.40	7.1	0.26	898	8.7	0.30	5.0	0.20
Respiratory System	5,166	69.7	0.98	41.4	0.62	3,848	40.3	0.67	25.6	0.47
Larynx	128	1.7	0.15	1.0	0.09	41	0.5	0.07	0.3	0.05
Lung & bronchus	4,987	67.3	0.96	40.0	0.61	3,779	39.5	0.66	25.1	0.46
Skin	408	5.5	0.28	3.3	0.17	240	2.5	0.17	1.6	0.12
Melanomas of the skin	292	4.0	0.23	2.5	0.16	180	1.9	0.15	1.3	0.11
Breast	23	0.3	0.06	0.2	0.04	2,141	21.9	0.49	14.3	0.36
Female Genital System	-	-	-	-	-	1,677	17.3	0.44	11.0	0.31
Cervix uteri	-	-	-	-	-	174	2.0	0.16	1.5	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	483	4.9	0.23	3.1	0.16
Ovary	-	-	-	-	-	886	9.1	0.31	5.7	0.22
Male Genital System	1,727	24.2	0.58	10.5	0.28	-	-	-	-	-
Prostate	1,693	23.7	0.58	10.1	0.27	-	-	-	-	-
Testis	13	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,191	16.3	0.47	8.5	0.27	590	5.6	0.24	3.2	0.16
Bladder	619	8.6	0.35	4.0	0.18	229	2.1	0.14	1.1	0.09
Kidney & renal pelvis	543	7.3	0.32	4.3	0.20	324	3.2	0.19	1.9	0.13
Brain & Other Nervous System	518	7.0	0.31	5.0	0.24	384	4.4	0.23	3.1	0.18
Endocrine System	65	0.9	0.11	0.6	0.09	64	0.7	0.09	0.5	0.07
Thyroid gland	41	0.5	0.09	0.3	0.05	43	0.4	0.07	0.2	0.04
Lymphomas	702	9.6	0.37	5.3	0.22	630	5.9	0.25	3.2	0.16
Hodgkin Lymphoma	30	0.4	0.07	0.3	0.06	39	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	672	9.2	0.36	5.0	0.21	591	5.5	0.24	2.9	0.15
Multiple Myeloma	314	4.3	0.24	2.3	0.14	268	2.5	0.16	1.4	0.10
Leukemias	763	10.6	0.38	5.8	0.23	569	5.6	0.24	3.2	0.17
Other, Ill-defined & Unknown	1,062	14.4	0.44	8.3	0.28	1,071	10.6	0.34	6.3	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	286	340.2	22.70	195.3	12.02	205	182.3	13.02	112.1	8.25
Oral Cavity & Pharynx	11	8.6	2.89	5.9	1.82	-	-	-	-	-
Digestive System	86	97.4	12.10	57.4	6.46	56	49.6	6.78	30.5	4.32
Esophagus	9	7.0	2.41	6.1	2.15	-	-	-	-	-
Stomach	7	9.6	3.99	4.8	1.89	6	4.2	1.88	3.0	1.25
Colon & Rectum	27	41.6	9.15	18.6	3.72	27	24.4	4.76	14.3	2.93
Liver	17	12.8	3.23	10.6	2.67	-	-	-	-	-
Pancreas	22	21.4	4.86	14.6	3.26	16	15.5	3.90	9.0	2.42
Respiratory System	102	114.2	12.27	71.7	7.36	46	43.8	6.54	26.6	4.09
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	100	113.2	12.25	70.7	7.32	46	43.8	6.54	26.6	4.09
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	34	28.4	4.95	20.0	3.58
Female Genital System	-	-	-	-	-	26	22.7	4.58	12.5	2.59
Cervix uteri	-	-	-	-	-	7	4.5	1.80	3.6	1.39
Corpus & uterus, NOS ¹	-	-	-	-	-	9	8.6	2.89	4.5	1.60
Ovary	-	-	-	-	-	9	8.5	2.89	4.1	1.45
Male Genital System	37	65.5	11.58	27.2	4.60	-	-	-	-	-
Prostate	36	64.7	11.55	26.4	4.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	9.9	4.51	4.5	1.91	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	7	5.6	2.49	3.3	1.27	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	8.2	3.17	5.3	1.98	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	7.7	3.12	4.9	1.94	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	6	6.2	2.52	2.5	1.10
Leukemias	6	5.1	2.24	4.1	1.78	-	-	-	-	-
Other, Ill-defined & Unknown	14	13.3	4.14	9.5	2.67	17	15.3	3.81	8.5	2.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	61	128.6	19.11	71.4	9.27	61	93.7	13.35	53.9	7.06
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	31	62.3	13.04	35.4	6.45	22	37.5	8.81	19.8	4.30
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	13	17.6	5.29	13.1	3.71	6	9.3	4.25	5.4	2.25
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	21.4	7.97	11.7	3.74	16	24.9	6.93	13.8	3.57
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	21.4	7.97	11.7	3.74	16	24.9	6.93	13.8	3.57
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	7	9.3	3.81	6.5	2.52
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	8	13.7	5.15	9.5	3.41	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2005-2009, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	14,065	221.5	1.89	127.1	1.14	12,725	149.9	1.36	91.2	0.93
Oral Cavity & Pharynx	193	2.9	0.21	1.8	0.14	106	1.2	0.12	0.7	0.08
Digestive System	3,473	53.7	0.92	32.4	0.58	2,753	31.5	0.62	17.8	0.40
Esophagus	488	7.4	0.34	4.7	0.22	100	1.1	0.12	0.7	0.08
Stomach	246	3.8	0.24	2.3	0.15	152	1.8	0.15	1.1	0.11
Colon & Rectum	1,341	21.2	0.58	12.1	0.35	1,248	14.0	0.41	7.8	0.26
Liver	339	5.0	0.27	3.4	0.19	153	1.7	0.14	0.9	0.09
Pancreas	813	12.5	0.44	7.5	0.28	810	9.4	0.34	5.3	0.22
Respiratory System	4,616	72.5	1.08	42.9	0.67	3,417	41.5	0.72	26.1	0.50
Larynx	104	1.5	0.15	1.0	0.10	26	0.3	0.06	0.2	0.04
Lung & bronchus	4,488	70.6	1.06	41.6	0.66	3,375	41.0	0.72	25.8	0.50
Skin	416	6.5	0.32	3.8	0.20	215	2.5	0.18	1.6	0.12
Melanomas of the skin	293	4.5	0.27	2.8	0.17	173	2.1	0.16	1.4	0.12
Breast	18	0.3	0.07	0.2	0.04	1,919	22.9	0.53	14.6	0.38
Female Genital System	-	-	-	-	-	1,269	15.4	0.44	9.7	0.31
Cervix uteri	-	-	-	-	-	156	2.2	0.18	1.7	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	306	3.5	0.21	2.1	0.14
Ovary	-	-	-	-	-	718	8.7	0.33	5.4	0.23
Male Genital System	1,304	21.8	0.61	9.5	0.28	-	-	-	-	-
Prostate	1,275	21.4	0.60	9.2	0.28	-	-	-	-	-
Testis	14	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	897	14.3	0.48	7.8	0.28	448	5.0	0.25	2.8	0.16
Bladder	422	7.0	0.34	3.3	0.18	177	1.9	0.15	0.9	0.09
Kidney & renal pelvis	446	6.8	0.33	4.1	0.21	255	3.0	0.19	1.7	0.13
Brain & Other Nervous System	422	6.4	0.31	4.5	0.23	313	3.9	0.23	2.7	0.18
Endocrine System	63	1.0	0.13	0.6	0.09	67	0.8	0.10	0.6	0.09
Thyroid gland	43	0.7	0.11	0.4	0.06	44	0.5	0.08	0.3	0.06
Lymphomas	632	10.1	0.40	5.5	0.24	490	5.6	0.26	3.0	0.16
Hodgkin Lymphoma	27	0.4	0.08	0.3	0.06	26	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	605	9.6	0.40	5.2	0.23	464	5.2	0.25	2.8	0.16
Multiple Myeloma	313	5.0	0.28	2.7	0.16	258	3.0	0.19	1.7	0.12
Leukemias	644	10.3	0.41	5.7	0.24	518	5.8	0.26	3.3	0.18
Other, Ill-defined & Unknown	1,074	16.9	0.52	9.7	0.32	952	10.8	0.36	6.5	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	13,107	218.5	1.93	125.0	1.17	11,867	148.2	1.40	90.0	0.96
Oral Cavity & Pharynx	178	2.8	0.21	1.8	0.14	99	1.2	0.12	0.7	0.09
Digestive System	3,173	52.1	0.93	31.3	0.59	2,544	30.7	0.63	17.3	0.41
Esophagus	464	7.5	0.35	4.7	0.23	91	1.1	0.12	0.6	0.08
Stomach	213	3.5	0.24	2.1	0.15	135	1.7	0.15	1.0	0.10
Colon & Rectum	1,236	20.7	0.59	11.9	0.36	1,155	13.7	0.42	7.6	0.27
Liver	281	4.4	0.27	2.9	0.18	139	1.7	0.14	0.9	0.09
Pancreas	749	12.3	0.45	7.3	0.28	757	9.3	0.35	5.2	0.22
Respiratory System	4,312	71.7	1.10	42.2	0.68	3,202	41.3	0.74	26.0	0.52
Larynx	96	1.5	0.15	1.0	0.10	23	0.3	0.06	0.2	0.04
Lung & bronchus	4,195	69.9	1.09	41.1	0.67	3,164	40.8	0.74	25.7	0.51
Skin	405	6.7	0.33	3.9	0.21	210	2.6	0.19	1.7	0.13
Melanomas of the skin	291	4.7	0.28	2.9	0.18	171	2.2	0.18	1.5	0.13
Breast	16	0.3	0.07	0.1	0.04	1,788	22.6	0.55	14.5	0.39
Female Genital System	-	-	-	-	-	1,192	15.4	0.46	9.7	0.32
Cervix uteri	-	-	-	-	-	141	2.2	0.19	1.6	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	284	3.5	0.21	2.0	0.14
Ovary	-	-	-	-	-	683	8.8	0.34	5.5	0.24
Male Genital System	1,193	20.9	0.61	9.0	0.28	-	-	-	-	-
Prostate	1,168	20.5	0.60	8.7	0.28	-	-	-	-	-
Testis	12	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	856	14.3	0.49	7.8	0.29	423	5.0	0.25	2.8	0.16
Bladder	409	7.1	0.35	3.4	0.18	169	1.9	0.15	0.9	0.09
Kidney & renal pelvis	419	6.8	0.34	4.1	0.21	239	3.0	0.20	1.7	0.13
Brain & Other Nervous System	406	6.6	0.33	4.7	0.25	290	3.9	0.24	2.7	0.18
Endocrine System	59	1.0	0.13	0.6	0.09	59	0.8	0.11	0.6	0.09
Thyroid gland	41	0.7	0.11	0.4	0.06	37	0.5	0.08	0.3	0.05
Lymphomas	600	10.1	0.42	5.5	0.24	467	5.6	0.27	3.0	0.17
Hodgkin Lymphoma	25	0.4	0.09	0.3	0.06	24	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	575	9.7	0.41	5.3	0.24	443	5.3	0.26	2.8	0.16
Multiple Myeloma	286	4.8	0.29	2.6	0.16	225	2.8	0.19	1.6	0.12
Leukemias	623	10.5	0.43	5.8	0.26	489	5.8	0.27	3.3	0.18
Other, Ill-defined & Unknown	1,000	16.7	0.53	9.6	0.33	879	10.5	0.37	6.2	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	711	307.7	12.42	181.4	7.00	662	197.3	7.75	123.5	5.08
Oral Cavity & Pharynx	9	3.9	1.43	2.2	0.74	6	1.8	0.72	1.2	0.53
Digestive System	221	90.7	6.60	56.5	3.90	162	49.3	3.90	28.6	2.40
Esophagus	21	7.6	1.72	5.7	1.27	6	1.7	0.70	1.3	0.54
Stomach	20	8.9	2.18	5.0	1.14	14	4.1	1.11	2.8	0.76
Colon & Rectum	77	35.3	4.33	19.1	2.23	71	22.1	2.64	12.0	1.54
Liver	38	13.7	2.36	10.2	1.71	11	3.3	0.99	1.8	0.60
Pancreas	52	20.8	3.14	13.3	1.90	42	12.6	1.97	7.6	1.24
Respiratory System	228	95.4	6.70	60.2	4.10	164	50.1	3.94	32.4	2.66
Larynx	7	2.4	0.96	1.8	0.70	-	-	-	-	-
Lung & bronchus	218	92.0	6.61	57.7	4.02	160	49.0	3.90	31.5	2.62
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	101	28.9	2.91	19.1	1.99
Female Genital System	-	-	-	-	-	58	17.5	2.32	10.7	1.48
Cervix uteri	-	-	-	-	-	14	3.7	1.01	2.9	0.78
Corpus & uterus, NOS ¹	-	-	-	-	-	16	5.1	1.29	2.8	0.74
Ovary	-	-	-	-	-	23	7.0	1.47	4.1	0.91
Male Genital System	98	52.3	5.57	24.7	2.56	-	-	-	-	-
Prostate	94	51.0	5.53	23.6	2.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	11.9	2.54	6.4	1.29	18	5.2	1.25	3.0	0.75
Bladder	8	4.1	1.51	1.9	0.70	-	-	-	-	-
Kidney & renal pelvis	17	7.6	2.02	4.3	1.07	12	3.6	1.05	1.8	0.56
Brain & Other Nervous System	10	3.4	1.21	2.4	0.79	18	4.8	1.17	3.4	0.85
Endocrine System	-	-	-	-	-	6	1.7	0.70	1.3	0.56
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	17	6.1	1.62	4.3	1.07	19	5.5	1.28	3.6	0.88
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	16	5.8	1.60	4.1	1.05	17	5.1	1.24	3.0	0.80
Multiple Myeloma	22	10.8	2.48	5.3	1.17	29	9.0	1.69	4.9	0.97
Leukemias	13	5.2	1.57	3.3	0.94	20	5.8	1.33	3.8	0.91
Other, Ill-defined & Unknown	56	23.0	3.30	13.5	1.87	57	16.4	2.22	10.9	1.52

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	121	163.7	17.11	90.3	8.39	87	85.7	9.90	51.0	5.60
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	54	71.8	11.29	39.6	5.50	20	20.8	5.04	11.3	2.59
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	12.8	4.98	6.5	2.34	-	-	-	-	-
Colon & Rectum	16	25.2	7.13	11.6	2.94	8	7.5	2.87	4.8	1.71
Liver	17	19.4	5.43	12.2	3.03	-	-	-	-	-
Pancreas	10	11.3	4.32	6.7	2.17	6	6.6	2.91	3.3	1.39
Respiratory System	30	45.5	9.32	23.6	4.38	17	17.3	4.49	9.8	2.43
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	30	45.5	9.32	23.6	4.38	17	17.3	4.49	9.8	2.43
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	12	9.7	2.93	7.7	2.25
Female Genital System	-	-	-	-	-	11	11.1	3.60	6.6	2.02
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	7.0	2.88	4.0	1.54
Male Genital System	6	11.6	5.13	4.5	1.87	-	-	-	-	-
Prostate	6	11.6	5.13	4.5	1.87	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	7.2	3.01	5.1	1.96	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	6	6.5	2.92	4.5	1.87	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	6	4.7	2.00	3.9	1.65
Other, Ill-defined & Unknown	-	-	-	-	-	8	9.2	3.42	4.6	1.70

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	25,482	267.2	1.72	157.0	1.02	22,332	173.6	1.17	108.1	0.79
Oral Cavity & Pharynx	452	4.4	0.21	2.9	0.14	182	1.4	0.10	0.8	0.07
Digestive System	5,693	58.7	0.80	35.4	0.48	4,607	35.3	0.52	20.5	0.34
Esophagus	856	8.3	0.29	5.6	0.19	202	1.6	0.11	0.9	0.07
Stomach	420	4.4	0.22	2.6	0.13	287	2.2	0.13	1.2	0.08
Colon & Rectum	2,283	24.3	0.52	13.9	0.30	2,183	16.6	0.36	9.5	0.23
Liver	607	5.9	0.25	3.9	0.16	243	1.9	0.12	1.2	0.08
Pancreas	1,221	12.5	0.37	7.6	0.22	1,215	9.4	0.27	5.5	0.18
Respiratory System	10,114	102.8	1.05	63.5	0.65	7,199	56.4	0.67	36.7	0.46
Larynx	271	2.7	0.17	1.7	0.11	84	0.7	0.07	0.5	0.06
Lung & bronchus	9,801	99.7	1.03	61.5	0.64	7,085	55.5	0.66	36.1	0.46
Skin	643	6.7	0.27	4.1	0.17	320	2.5	0.14	1.6	0.10
Melanomas of the skin	486	4.9	0.23	3.1	0.15	267	2.1	0.13	1.4	0.09
Breast	24	0.3	0.05	0.1	0.03	2,982	23.4	0.43	15.2	0.30
Female Genital System	-	-	-	-	-	1,984	15.6	0.35	10.2	0.25
Cervix uteri	-	-	-	-	-	347	2.9	0.16	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	455	3.5	0.17	2.3	0.12
Ovary	-	-	-	-	-	1,039	8.1	0.25	5.1	0.17
Male Genital System	2,031	24.9	0.56	10.8	0.25	-	-	-	-	-
Prostate	1,995	24.6	0.56	10.5	0.24	-	-	-	-	-
Testis	23	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,414	15.4	0.42	8.4	0.23	727	5.5	0.20	3.0	0.13
Bladder	713	8.1	0.31	4.0	0.16	304	2.3	0.13	1.2	0.08
Kidney & renal pelvis	656	6.7	0.27	4.1	0.17	398	3.0	0.15	1.7	0.10
Brain & Other Nervous System	565	5.5	0.23	3.9	0.17	456	3.7	0.17	2.6	0.13
Endocrine System	77	0.8	0.09	0.6	0.07	102	0.8	0.08	0.6	0.06
Thyroid gland	49	0.5	0.07	0.3	0.05	66	0.5	0.06	0.3	0.04
Lymphomas	905	9.8	0.33	5.5	0.19	809	6.2	0.22	3.4	0.14
Hodgkin Lymphoma	54	0.5	0.07	0.4	0.05	38	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	851	9.2	0.32	5.2	0.18	771	5.9	0.21	3.2	0.13
Multiple Myeloma	448	4.9	0.24	2.6	0.13	342	2.6	0.14	1.5	0.09
Leukemias	911	10.0	0.34	5.7	0.20	701	5.4	0.21	3.2	0.14
Other, Ill-defined & Unknown	2,205	23.3	0.51	13.6	0.30	1,921	14.9	0.34	8.9	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	23,819	265.3	1.76	156.0	1.05	20,807	173.0	1.21	107.7	0.82
Oral Cavity & Pharynx	422	4.4	0.22	2.9	0.15	169	1.4	0.10	0.8	0.07
Digestive System	5,269	57.9	0.82	34.8	0.50	4,201	34.4	0.54	20.0	0.34
Esophagus	803	8.3	0.30	5.6	0.20	184	1.5	0.12	0.9	0.07
Stomach	374	4.2	0.22	2.4	0.13	247	2.0	0.13	1.1	0.08
Colon & Rectum	2,119	24.0	0.53	13.7	0.31	1,995	16.2	0.37	9.2	0.23
Liver	546	5.7	0.25	3.7	0.17	218	1.8	0.12	1.1	0.08
Pancreas	1,146	12.5	0.38	7.6	0.23	1,111	9.1	0.28	5.4	0.18
Respiratory System	9,501	102.5	1.08	63.3	0.67	6,750	56.5	0.69	36.9	0.48
Larynx	240	2.6	0.17	1.6	0.11	75	0.6	0.08	0.5	0.05
Lung & bronchus	9,220	99.5	1.06	61.5	0.66	6,647	55.7	0.69	36.3	0.48
Skin	633	7.0	0.28	4.3	0.18	314	2.7	0.15	1.7	0.10
Melanomas of the skin	481	5.2	0.24	3.3	0.16	261	2.3	0.14	1.4	0.10
Breast	22	0.3	0.05	0.1	0.03	2,738	23.0	0.44	14.9	0.31
Female Genital System	-	-	-	-	-	1,844	15.5	0.37	10.1	0.26
Cervix uteri	-	-	-	-	-	314	2.8	0.16	2.1	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	403	3.3	0.17	2.1	0.12
Ovary	-	-	-	-	-	993	8.3	0.26	5.3	0.18
Male Genital System	1,812	23.5	0.56	10.2	0.25	-	-	-	-	-
Prostate	1,778	23.2	0.56	9.9	0.24	-	-	-	-	-
Testis	22	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,353	15.6	0.43	8.5	0.24	680	5.5	0.21	3.0	0.13
Bladder	684	8.2	0.32	4.1	0.16	286	2.3	0.13	1.2	0.08
Kidney & renal pelvis	625	6.8	0.28	4.2	0.17	371	3.0	0.16	1.7	0.10
Brain & Other Nervous System	548	5.6	0.25	4.0	0.18	441	3.8	0.18	2.7	0.14
Endocrine System	74	0.8	0.10	0.6	0.07	95	0.8	0.09	0.6	0.07
Thyroid gland	49	0.5	0.08	0.3	0.05	62	0.5	0.07	0.3	0.04
Lymphomas	859	9.8	0.34	5.6	0.20	787	6.5	0.23	3.5	0.14
Hodgkin Lymphoma	47	0.5	0.07	0.4	0.06	36	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	812	9.4	0.34	5.2	0.19	751	6.1	0.23	3.3	0.14
Multiple Myeloma	398	4.6	0.24	2.5	0.13	292	2.4	0.14	1.3	0.09
Leukemias	867	10.1	0.35	5.7	0.21	671	5.6	0.22	3.2	0.15
Other, Ill-defined & Unknown	2,061	23.2	0.52	13.5	0.31	1,825	15.1	0.36	9.1	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	1,593	329.3	8.72	193.5	5.00	1,440	197.2	5.24	125.1	3.54
Oral Cavity & Pharynx	28	5.2	1.06	3.6	0.69	12	1.7	0.49	1.1	0.32
Digestive System	399	77.5	4.10	49.4	2.55	373	51.0	2.66	29.9	1.69
Esophagus	51	9.7	1.44	6.2	0.90	18	2.7	0.63	1.6	0.39
Stomach	39	8.3	1.42	4.6	0.77	32	4.4	0.78	2.3	0.45
Colon & Rectum	157	32.4	2.74	19.7	1.62	180	24.6	1.85	14.1	1.16
Liver	56	8.7	1.19	7.0	0.96	21	2.8	0.62	1.7	0.40
Pancreas	73	13.7	1.67	9.1	1.10	97	13.2	1.35	8.1	0.89
Respiratory System	595	120.0	5.17	73.5	3.11	426	59.6	2.91	38.1	1.97
Larynx	28	5.5	1.12	3.6	0.70	9	1.2	0.40	0.9	0.31
Lung & bronchus	566	114.3	5.05	69.7	3.02	415	58.1	2.88	37.0	1.94
Skin	9	1.5	0.53	1.1	0.37	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	240	32.2	2.10	21.3	1.46
Female Genital System	-	-	-	-	-	130	17.6	1.55	12.5	1.16
Cervix uteri	-	-	-	-	-	30	3.8	0.70	3.0	0.55
Corpus & uterus, NOS ¹	-	-	-	-	-	48	6.7	0.97	4.7	0.72
Ovary	-	-	-	-	-	43	5.8	0.89	3.9	0.64
Male Genital System	213	54.6	3.88	23.6	1.68	-	-	-	-	-
Prostate	211	54.3	3.87	23.4	1.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	58	12.9	1.79	7.0	0.95	44	6.1	0.92	3.4	0.56
Bladder	29	7.2	1.38	3.4	0.65	17	2.4	0.58	1.2	0.32
Kidney & renal pelvis	29	5.8	1.13	3.6	0.69	25	3.4	0.69	2.1	0.45
Brain & Other Nervous System	14	2.8	0.82	1.7	0.46	14	1.8	0.49	1.3	0.35
Endocrine System	-	-	-	-	-	7	0.9	0.35	0.6	0.25
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	44	8.4	1.34	5.3	0.81	22	2.9	0.62	2.0	0.45
Hodgkin Lymphoma	6	1.2	0.51	0.7	0.29	-	-	-	-	-
Non-Hodgkin Lymphoma	38	7.2	1.24	4.6	0.76	20	2.7	0.60	1.8	0.43
Multiple Myeloma	49	10.3	1.55	5.7	0.84	49	6.8	0.97	4.1	0.64
Leukemias	40	8.2	1.40	4.8	0.79	28	3.8	0.73	2.4	0.50
Other, Ill-defined & Unknown	139	27.1	2.43	17.3	1.51	90	12.1	1.28	8.1	0.93

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	61	144.4	21.35	66.7	8.77	72	104.6	13.38	61.1	7.35
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	24	55.5	12.94	26.1	5.46	32	49.5	9.32	27.6	4.98
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	20.9	8.73	8.0	3.11	8	16.0	5.79	6.4	2.31
Colon & Rectum	6	11.1	5.30	6.5	2.72	8	9.9	3.60	7.5	2.69
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	6	9.8	4.35	4.7	1.93
Respiratory System	13	32.1	10.01	15.1	4.21	18	25.6	6.60	14.8	3.56
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	11	29.5	9.84	12.9	3.91	18	25.6	6.60	14.8	3.56
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	8	8.8	3.42	6.2	2.22
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,248	260.8	1.72	153.8	1.02	20,885	165.8	1.16	103.0	0.78
Oral Cavity & Pharynx	526	5.2	0.23	3.5	0.16	188	1.5	0.11	0.9	0.07
Digestive System	6,354	66.6	0.86	41.1	0.53	4,832	37.9	0.55	22.0	0.35
Esophagus	765	7.7	0.28	5.2	0.19	204	1.6	0.11	1.0	0.07
Stomach	629	6.7	0.27	4.1	0.17	401	3.2	0.16	1.9	0.10
Colon & Rectum	2,339	25.1	0.53	14.9	0.32	2,016	15.7	0.35	9.1	0.23
Liver	1,021	10.3	0.33	6.7	0.22	451	3.5	0.17	2.1	0.11
Pancreas	1,303	13.8	0.39	8.3	0.24	1,400	11.0	0.30	6.2	0.18
Respiratory System	8,333	87.7	0.98	53.6	0.61	5,631	44.9	0.60	28.5	0.41
Larynx	269	2.8	0.17	1.8	0.11	87	0.7	0.07	0.5	0.06
Lung & bronchus	8,015	84.4	0.96	51.5	0.60	5,525	44.1	0.60	27.9	0.40
Skin	438	4.8	0.23	2.8	0.14	218	1.7	0.12	1.0	0.08
Melanomas of the skin	315	3.4	0.20	2.0	0.12	177	1.4	0.11	0.8	0.07
Breast	41	0.4	0.07	0.3	0.04	3,295	26.3	0.46	17.4	0.33
Female Genital System	-	-	-	-	-	1,962	15.8	0.36	10.3	0.25
Cervix uteri	-	-	-	-	-	395	3.4	0.17	2.5	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	466	3.7	0.17	2.4	0.12
Ovary	-	-	-	-	-	984	7.8	0.25	4.9	0.17
Male Genital System	2,221	27.5	0.60	12.1	0.27	-	-	-	-	-
Prostate	2,180	27.1	0.59	11.8	0.26	-	-	-	-	-
Testis	22	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,328	14.8	0.42	8.2	0.23	772	6.1	0.22	3.3	0.13
Bladder	615	7.3	0.30	3.6	0.15	305	2.4	0.14	1.1	0.07
Kidney & renal pelvis	685	7.1	0.28	4.4	0.18	441	3.5	0.17	2.1	0.11
Brain & Other Nervous System	565	5.6	0.24	4.0	0.17	442	3.6	0.17	2.5	0.13
Endocrine System	77	0.8	0.09	0.6	0.07	101	0.8	0.08	0.5	0.06
Thyroid gland	40	0.4	0.07	0.2	0.04	62	0.5	0.06	0.3	0.04
Lymphomas	882	9.6	0.33	5.6	0.20	709	5.6	0.21	3.2	0.14
Hodgkin Lymphoma	60	0.6	0.08	0.4	0.05	55	0.5	0.06	0.3	0.05
Non-Hodgkin Lymphoma	822	9.0	0.32	5.2	0.19	654	5.2	0.20	2.9	0.13
Multiple Myeloma	435	4.9	0.24	2.6	0.13	398	3.1	0.16	1.8	0.10
Leukemias	894	10.0	0.34	5.6	0.20	680	5.4	0.21	3.3	0.14
Other, Ill-defined & Unknown	2,154	22.9	0.51	13.7	0.31	1,657	13.1	0.33	8.2	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,035	242.6	1.89	140.8	1.13	14,622	157.7	1.32	96.8	0.90
Oral Cavity & Pharynx	338	4.6	0.25	3.0	0.17	147	1.6	0.13	0.9	0.09
Digestive System	4,272	59.7	0.93	36.1	0.58	3,147	33.2	0.60	18.9	0.38
Esophagus	549	7.4	0.32	4.9	0.21	137	1.5	0.13	0.9	0.08
Stomach	347	4.9	0.27	2.9	0.16	188	2.0	0.15	1.1	0.10
Colon & Rectum	1,576	22.3	0.57	13.2	0.35	1,313	13.7	0.38	7.8	0.25
Liver	655	9.0	0.36	5.6	0.23	299	3.2	0.19	1.8	0.12
Pancreas	944	13.2	0.44	7.9	0.27	956	10.1	0.33	5.6	0.21
Respiratory System	5,892	82.1	1.09	49.2	0.67	4,279	46.5	0.72	29.3	0.49
Larynx	177	2.4	0.19	1.5	0.12	62	0.7	0.09	0.5	0.06
Lung & bronchus	5,680	79.2	1.07	47.4	0.66	4,203	45.7	0.71	28.7	0.48
Skin	402	5.8	0.29	3.4	0.18	199	2.1	0.15	1.3	0.10
Melanomas of the skin	298	4.2	0.25	2.6	0.15	166	1.8	0.14	1.1	0.10
Breast	26	0.4	0.07	0.2	0.04	2,123	23.1	0.51	15.0	0.36
Female Genital System	-	-	-	-	-	1,299	14.4	0.40	9.4	0.29
Cervix uteri	-	-	-	-	-	201	2.5	0.18	1.9	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	262	2.8	0.18	1.8	0.13
Ovary	-	-	-	-	-	746	8.1	0.30	5.1	0.21
Male Genital System	1,321	21.2	0.59	9.1	0.26	-	-	-	-	-
Prostate	1,286	20.7	0.59	8.7	0.26	-	-	-	-	-
Testis	20	0.3	0.06	0.2	0.06	-	-	-	-	-
Urinary System	1,060	15.5	0.48	8.5	0.27	565	5.9	0.25	3.2	0.16
Bladder	525	8.0	0.36	4.0	0.18	224	2.3	0.15	1.1	0.08
Kidney & renal pelvis	513	7.1	0.32	4.4	0.20	326	3.5	0.19	2.1	0.13
Brain & Other Nervous System	456	6.2	0.29	4.4	0.21	356	4.1	0.22	2.8	0.17
Endocrine System	61	0.9	0.11	0.6	0.08	61	0.7	0.09	0.4	0.07
Thyroid gland	35	0.5	0.08	0.3	0.05	41	0.4	0.07	0.3	0.04
Lymphomas	721	10.5	0.40	5.9	0.23	586	6.2	0.26	3.6	0.17
Hodgkin Lymphoma	49	0.7	0.10	0.4	0.07	39	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	672	9.7	0.38	5.5	0.22	547	5.8	0.25	3.3	0.16
Multiple Myeloma	254	3.8	0.24	2.0	0.13	218	2.3	0.16	1.3	0.10
Leukemias	702	10.4	0.40	5.8	0.23	506	5.4	0.24	3.2	0.16
Other, Ill-defined & Unknown	1,530	21.7	0.57	12.8	0.34	1,136	12.2	0.37	7.5	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,049	331.5	4.19	200.9	2.45	6,137	191.4	2.47	121.4	1.63
Oral Cavity & Pharynx	184	7.4	0.58	5.3	0.40	40	1.2	0.19	0.9	0.14
Digestive System	2,024	91.3	2.15	57.9	1.32	1,641	52.1	1.30	30.8	0.81
Esophagus	215	8.8	0.63	6.4	0.45	66	2.0	0.25	1.3	0.17
Stomach	269	12.6	0.81	7.7	0.48	206	6.6	0.46	3.8	0.28
Colon & Rectum	750	35.6	1.38	21.3	0.80	689	21.8	0.84	13.0	0.52
Liver	348	13.9	0.79	9.9	0.54	141	4.4	0.37	2.8	0.25
Pancreas	350	16.1	0.91	10.0	0.55	435	14.1	0.68	8.0	0.41
Respiratory System	2,386	108.4	2.34	69.4	1.46	1,328	41.5	1.15	27.1	0.78
Larynx	90	3.8	0.42	2.7	0.29	25	0.7	0.14	0.5	0.11
Lung & bronchus	2,283	104.0	2.30	66.4	1.42	1,298	40.6	1.14	26.4	0.77
Skin	36	1.6	0.27	1.0	0.17	18	0.6	0.14	0.3	0.08
Melanomas of the skin	17	0.8	0.20	0.4	0.11	11	0.4	0.11	0.2	0.06
Breast	15	0.6	0.15	0.5	0.13	1,153	35.0	1.04	23.6	0.72
Female Genital System	-	-	-	-	-	651	20.3	0.80	13.0	0.54
Cervix uteri	-	-	-	-	-	190	5.7	0.42	4.1	0.31
Corpus & uterus, NOS ¹	-	-	-	-	-	203	6.5	0.46	4.0	0.30
Ovary	-	-	-	-	-	231	7.4	0.49	4.4	0.31
Male Genital System	887	52.7	1.84	23.8	0.82	-	-	-	-	-
Prostate	881	52.4	1.84	23.7	0.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	263	12.7	0.83	7.4	0.47	204	6.6	0.47	3.7	0.28
Bladder	89	4.9	0.55	2.5	0.27	80	2.7	0.30	1.4	0.16
Kidney & renal pelvis	168	7.3	0.61	4.8	0.38	113	3.6	0.34	2.1	0.21
Brain & Other Nervous System	106	4.3	0.44	3.1	0.30	85	2.5	0.28	1.9	0.22
Endocrine System	16	0.6	0.15	0.5	0.13	39	1.2	0.19	0.8	0.14
Thyroid gland	-	-	-	-	-	20	0.6	0.14	0.4	0.09
Lymphomas	155	6.8	0.58	4.5	0.37	120	3.7	0.34	2.3	0.22
Hodgkin Lymphoma	11	0.4	0.12	0.3	0.09	15	0.4	0.11	0.3	0.09
Non-Hodgkin Lymphoma	144	6.4	0.57	4.2	0.35	105	3.3	0.33	1.9	0.20
Multiple Myeloma	179	9.0	0.71	5.0	0.38	180	5.9	0.44	3.4	0.27
Leukemias	191	8.9	0.70	5.4	0.40	168	5.2	0.40	3.4	0.28
Other, Ill-defined & Unknown	607	27.3	1.18	17.1	0.71	510	15.8	0.71	10.3	0.48

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	115	121.1	12.76	67.5	6.40	94	76.7	8.45	45.6	4.80
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	44	40.0	6.74	25.7	3.94	36	29.2	5.23	17.0	2.87
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	10.0	3.39	6.3	1.93	7	5.0	2.04	3.3	1.27
Colon & Rectum	9	7.6	2.75	5.6	1.88	10	8.0	2.72	4.5	1.45
Liver	14	13.1	3.92	7.9	2.16	9	8.0	2.85	4.4	1.49
Pancreas	-	-	-	-	-	8	6.4	2.44	3.9	1.39
Respiratory System	37	42.3	7.86	21.5	3.59	16	14.6	3.86	7.4	1.90
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	35	39.7	7.56	20.4	3.50	16	14.6	3.86	7.4	1.90
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	9.4	2.64	7.0	1.90
Female Genital System	-	-	-	-	-	10	6.6	2.19	4.8	1.53
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	4.3	1.86	2.8	1.15
Male Genital System	8	14.4	5.13	4.6	1.64	-	-	-	-	-
Prostate	8	14.4	5.13	4.6	1.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	5.1	2.43	3.8	1.56	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	6	5.1	2.43	3.8	1.56	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	11	10.3	3.53	6.7	2.08	9	9.3	3.22	4.2	1.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,242	240.0	2.69	134.0	1.56	7,403	161.6	1.91	97.4	1.28
Oral Cavity & Pharynx	136	3.8	0.33	2.4	0.21	66	1.4	0.17	0.8	0.12
Digestive System	2,017	57.5	1.31	33.3	0.78	1,578	33.5	0.86	18.8	0.54
Esophagus	417	11.5	0.58	7.3	0.37	84	1.8	0.20	1.1	0.13
Stomach	152	4.4	0.36	2.5	0.21	82	1.7	0.19	1.0	0.13
Colon & Rectum	693	20.5	0.79	11.0	0.44	683	14.4	0.56	7.9	0.35
Liver	171	4.7	0.37	2.8	0.22	75	1.6	0.19	0.9	0.12
Pancreas	441	12.2	0.59	7.4	0.37	459	9.8	0.46	5.5	0.29
Respiratory System	2,672	75.7	1.49	44.0	0.89	2,130	47.2	1.03	28.8	0.69
Larynx	80	2.3	0.26	1.3	0.16	29	0.6	0.12	0.4	0.08
Lung & bronchus	2,581	73.1	1.46	42.5	0.88	2,092	46.4	1.02	28.3	0.68
Skin	190	5.6	0.41	3.3	0.25	110	2.4	0.24	1.5	0.16
Melanomas of the skin	147	4.3	0.36	2.7	0.23	89	2.0	0.22	1.3	0.15
Breast	13	0.4	0.11	0.2	0.06	969	21.4	0.70	14.1	0.50
Female Genital System	-	-	-	-	-	693	15.2	0.59	9.8	0.41
Cervix uteri	-	-	-	-	-	81	1.9	0.22	1.4	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	195	4.2	0.31	2.6	0.21
Ovary	-	-	-	-	-	356	7.8	0.42	5.1	0.30
Male Genital System	759	24.7	0.91	10.3	0.39	-	-	-	-	-
Prostate	750	24.4	0.90	10.2	0.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	578	17.1	0.72	9.0	0.39	298	6.3	0.37	3.3	0.22
Bladder	341	10.3	0.57	5.0	0.28	149	3.1	0.25	1.4	0.13
Kidney & renal pelvis	222	6.3	0.43	3.8	0.27	140	3.0	0.26	1.8	0.18
Brain & Other Nervous System	233	6.5	0.43	4.7	0.34	170	4.0	0.31	2.8	0.25
Endocrine System	26	0.7	0.14	0.5	0.10	39	0.9	0.15	0.6	0.12
Thyroid gland	18	0.5	0.12	0.3	0.08	24	0.5	0.11	0.3	0.06
Lymphomas	332	9.9	0.55	5.5	0.33	269	5.9	0.36	3.2	0.23
Hodgkin Lymphoma	23	0.7	0.15	0.5	0.10	17	0.4	0.10	0.2	0.07
Non-Hodgkin Lymphoma	309	9.2	0.53	5.1	0.31	252	5.5	0.35	3.0	0.22
Multiple Myeloma	138	4.1	0.35	2.1	0.19	113	2.4	0.23	1.2	0.13
Leukemias	344	10.4	0.57	5.7	0.34	238	5.2	0.35	3.2	0.27
Other, Ill-defined & Unknown	804	23.7	0.85	13.0	0.49	730	15.7	0.59	9.1	0.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,169	240.7	2.71	134.4	1.58	7,337	161.9	1.92	97.6	1.30
Oral Cavity & Pharynx	134	3.8	0.33	2.4	0.21	66	1.4	0.18	0.9	0.12
Digestive System	1,997	57.6	1.31	33.4	0.78	1,558	33.4	0.86	18.8	0.55
Esophagus	415	11.6	0.58	7.4	0.38	84	1.8	0.20	1.1	0.14
Stomach	150	4.4	0.37	2.5	0.22	79	1.7	0.19	1.0	0.12
Colon & Rectum	687	20.6	0.80	11.0	0.44	675	14.3	0.56	7.9	0.35
Liver	166	4.6	0.36	2.7	0.22	72	1.6	0.19	0.9	0.12
Pancreas	437	12.2	0.60	7.4	0.37	455	9.8	0.47	5.5	0.29
Respiratory System	2,645	75.8	1.50	44.0	0.90	2,114	47.3	1.04	28.8	0.69
Larynx	79	2.3	0.26	1.3	0.16	29	0.6	0.12	0.4	0.08
Lung & bronchus	2,555	73.2	1.47	42.5	0.88	2,077	46.5	1.03	28.3	0.69
Skin	189	5.6	0.42	3.3	0.26	110	2.5	0.24	1.5	0.16
Melanomas of the skin	146	4.3	0.36	2.7	0.24	89	2.0	0.22	1.3	0.15
Breast	13	0.4	0.11	0.2	0.06	956	21.4	0.70	14.1	0.50
Female Genital System	-	-	-	-	-	685	15.2	0.59	9.8	0.41
Cervix uteri	-	-	-	-	-	77	1.8	0.21	1.3	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	193	4.2	0.31	2.6	0.21
Ovary	-	-	-	-	-	354	7.9	0.42	5.1	0.30
Male Genital System	752	24.7	0.91	10.3	0.40	-	-	-	-	-
Prostate	743	24.4	0.91	10.1	0.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	573	17.1	0.73	9.0	0.40	298	6.4	0.37	3.4	0.23
Bladder	338	10.4	0.57	5.0	0.29	149	3.1	0.26	1.4	0.14
Kidney & renal pelvis	220	6.3	0.43	3.8	0.27	140	3.1	0.26	1.9	0.18
Brain & Other Nervous System	232	6.6	0.44	4.8	0.35	169	4.0	0.32	2.8	0.26
Endocrine System	26	0.7	0.15	0.5	0.10	39	0.9	0.15	0.6	0.12
Thyroid gland	18	0.5	0.12	0.3	0.08	24	0.5	0.11	0.3	0.06
Lymphomas	330	9.9	0.55	5.6	0.33	268	5.9	0.37	3.3	0.23
Hodgkin Lymphoma	22	0.7	0.15	0.4	0.10	17	0.4	0.10	0.2	0.07
Non-Hodgkin Lymphoma	308	9.2	0.53	5.1	0.31	251	5.5	0.35	3.0	0.22
Multiple Myeloma	137	4.1	0.36	2.1	0.19	112	2.4	0.23	1.2	0.13
Leukemias	342	10.5	0.58	5.7	0.34	237	5.3	0.35	3.3	0.27
Other, Ill-defined & Unknown	799	23.8	0.86	13.1	0.49	725	15.8	0.60	9.2	0.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	18	110.3	27.87	74.5	18.22	15	115.6	30.94	78.8	21.46
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	39.8	15.84	29.3	11.39	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	32.1	13.81	24.4	10.29	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>		<i>S.E.</i>	<i>World</i>	<i>Deaths</i>	<i>Adj. Rate</i>		<i>S.E.</i>	<i>World</i>
		<i>2000 U.S.</i>	<i>S.E.</i>				<i>2000 U.S.</i>	<i>S.E.</i>		
All Sites	16	93.6	25.45	60.5	15.44	16	73.9	20.72	40.1	10.29
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	29.5	13.73	18.8	7.79	8	48.7	18.49	20.3	7.28
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	45.3	18.27	29.1	11.11	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	45.3	18.27	29.1	11.11	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,173	226.5	1.44	127.2	0.82	25,499	157.3	0.99	93.8	0.64
Oral Cavity & Pharynx	524	4.1	0.19	2.7	0.12	229	1.4	0.09	0.8	0.06
Digestive System	6,995	58.6	0.72	34.4	0.42	5,757	35.2	0.47	19.8	0.29
Esophagus	995	8.0	0.26	5.1	0.17	289	1.8	0.11	1.0	0.07
Stomach	608	5.3	0.22	2.9	0.12	472	2.9	0.14	1.7	0.09
Colon & Rectum	2,558	22.0	0.45	12.4	0.25	2,402	14.6	0.30	8.0	0.18
Liver	868	6.6	0.23	4.4	0.15	323	2.0	0.11	1.2	0.07
Pancreas	1,525	12.9	0.34	7.5	0.20	1,698	10.4	0.26	5.8	0.16
Respiratory System	8,073	68.3	0.78	39.9	0.46	6,810	42.6	0.52	25.4	0.33
Larynx	298	2.4	0.14	1.6	0.09	96	0.6	0.06	0.3	0.04
Lung & bronchus	7,732	65.6	0.77	38.1	0.45	6,686	41.8	0.52	24.9	0.33
Skin	675	6.0	0.24	3.2	0.13	345	2.1	0.11	1.3	0.07
Melanomas of the skin	512	4.4	0.20	2.5	0.11	283	1.7	0.10	1.1	0.07
Breast	54	0.4	0.06	0.3	0.04	4,067	24.9	0.39	16.2	0.27
Female Genital System	-	-	-	-	-	2,596	16.1	0.32	10.2	0.22
Cervix uteri	-	-	-	-	-	362	2.3	0.12	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	754	4.6	0.17	2.9	0.11
Ovary	-	-	-	-	-	1,315	8.1	0.23	5.1	0.15
Male Genital System	2,736	27.1	0.53	11.9	0.24	-	-	-	-	-
Prostate	2,680	26.7	0.53	11.6	0.23	-	-	-	-	-
Testis	39	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,582	14.2	0.37	7.5	0.20	873	5.4	0.18	2.9	0.11
Bladder	853	8.2	0.29	3.8	0.14	428	2.6	0.13	1.3	0.07
Kidney & renal pelvis	697	5.7	0.22	3.5	0.14	410	2.6	0.13	1.5	0.08
Brain & Other Nervous System	590	4.6	0.19	3.2	0.14	504	3.2	0.14	2.2	0.11
Endocrine System	113	0.9	0.09	0.6	0.06	116	0.7	0.07	0.5	0.05
Thyroid gland	65	0.5	0.07	0.3	0.04	72	0.4	0.05	0.3	0.03
Lymphomas	961	8.3	0.28	4.7	0.16	838	5.2	0.18	2.8	0.11
Hodgkin Lymphoma	50	0.4	0.05	0.3	0.04	48	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	911	7.9	0.27	4.4	0.15	790	4.9	0.17	2.6	0.10
Multiple Myeloma	574	5.1	0.22	2.7	0.12	520	3.2	0.14	1.8	0.09
Leukemias	1,040	9.3	0.30	5.1	0.17	836	5.1	0.18	3.0	0.12
Other, Ill-defined & Unknown	2,256	19.6	0.42	11.0	0.24	2,008	12.3	0.28	7.1	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,954	219.4	1.62	121.8	0.93	18,304	155.6	1.17	91.9	0.77
Oral Cavity & Pharynx	340	3.7	0.20	2.3	0.13	171	1.4	0.11	0.8	0.07
Digestive System	4,814	54.6	0.80	31.5	0.47	3,839	31.9	0.52	17.6	0.32
Esophagus	773	8.4	0.31	5.3	0.20	206	1.7	0.12	1.0	0.08
Stomach	357	4.2	0.22	2.2	0.12	254	2.2	0.14	1.2	0.09
Colon & Rectum	1,747	20.2	0.49	11.2	0.28	1,644	13.5	0.34	7.1	0.20
Liver	497	5.4	0.25	3.4	0.16	203	1.7	0.12	1.0	0.08
Pancreas	1,124	12.9	0.39	7.4	0.23	1,124	9.4	0.28	5.2	0.18
Respiratory System	5,913	67.2	0.89	38.6	0.53	5,230	45.2	0.63	26.8	0.41
Larynx	184	2.0	0.15	1.3	0.10	66	0.6	0.07	0.3	0.04
Lung & bronchus	5,701	64.9	0.87	37.2	0.52	5,142	44.4	0.63	26.4	0.41
Skin	642	7.5	0.30	4.2	0.17	318	2.7	0.15	1.7	0.11
Melanomas of the skin	501	5.7	0.26	3.4	0.16	265	2.3	0.14	1.5	0.10
Breast	40	0.4	0.07	0.3	0.04	2,711	23.2	0.45	14.8	0.32
Female Genital System	-	-	-	-	-	1,804	15.6	0.37	9.8	0.26
Cervix uteri	-	-	-	-	-	193	1.8	0.13	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	466	3.9	0.19	2.5	0.13
Ovary	-	-	-	-	-	1,017	8.7	0.28	5.5	0.19
Male Genital System	1,752	22.4	0.54	9.5	0.24	-	-	-	-	-
Prostate	1,706	21.9	0.54	9.1	0.23	-	-	-	-	-
Testis	35	0.4	0.06	0.3	0.06	-	-	-	-	-
Urinary System	1,287	15.2	0.43	7.9	0.23	683	5.7	0.22	3.0	0.13
Bladder	730	9.0	0.34	4.2	0.16	340	2.8	0.15	1.4	0.09
Kidney & renal pelvis	530	5.9	0.26	3.6	0.16	316	2.7	0.15	1.6	0.10
Brain & Other Nervous System	479	5.1	0.24	3.7	0.18	419	3.8	0.19	2.7	0.15
Endocrine System	79	0.9	0.10	0.6	0.08	77	0.7	0.08	0.4	0.06
Thyroid gland	47	0.5	0.08	0.3	0.05	51	0.4	0.06	0.3	0.04
Lymphomas	773	9.0	0.33	5.0	0.19	674	5.6	0.22	2.9	0.13
Hodgkin Lymphoma	32	0.4	0.06	0.3	0.05	33	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	741	8.7	0.32	4.7	0.18	641	5.3	0.21	2.7	0.13
Multiple Myeloma	370	4.3	0.23	2.3	0.13	310	2.6	0.15	1.5	0.10
Leukemias	832	9.9	0.35	5.4	0.21	640	5.4	0.22	3.2	0.15
Other, Ill-defined & Unknown	1,633	19.0	0.48	10.5	0.28	1,428	11.9	0.32	6.7	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	6,634	276.9	3.80	158.9	1.99	6,680	172.9	2.17	106.0	1.35
Oral Cavity & Pharynx	168	5.9	0.50	4.0	0.31	53	1.4	0.19	0.8	0.11
Digestive System	1,959	76.5	1.94	46.2	1.07	1,742	46.7	1.15	26.7	0.67
Esophagus	214	7.7	0.58	5.2	0.36	79	2.0	0.23	1.3	0.15
Stomach	198	9.1	0.72	4.6	0.33	176	4.8	0.37	2.7	0.21
Colon & Rectum	745	30.6	1.25	17.5	0.66	709	19.0	0.73	10.9	0.43
Liver	314	9.8	0.60	7.2	0.41	102	2.6	0.27	1.6	0.16
Pancreas	373	14.4	0.83	8.9	0.47	532	14.6	0.65	8.1	0.36
Respiratory System	1,997	78.6	1.93	48.0	1.10	1,490	38.8	1.03	24.0	0.64
Larynx	112	4.0	0.41	2.8	0.27	29	0.7	0.14	0.5	0.09
Lung & bronchus	1,871	74.1	1.88	44.9	1.06	1,456	38.0	1.02	23.4	0.64
Skin	32	1.4	0.28	0.7	0.13	24	0.6	0.14	0.4	0.08
Melanomas of the skin	11	0.5	0.17	0.3	0.08	16	0.4	0.11	0.3	0.07
Breast	14	0.5	0.16	0.3	0.09	1,284	30.9	0.88	20.7	0.59
Female Genital System	-	-	-	-	-	730	18.6	0.71	12.0	0.46
Cervix uteri	-	-	-	-	-	156	3.7	0.30	2.6	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	276	7.4	0.45	4.5	0.28
Ovary	-	-	-	-	-	266	6.7	0.42	4.3	0.28
Male Genital System	951	52.5	1.87	23.5	0.78	-	-	-	-	-
Prostate	942	52.2	1.86	23.3	0.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	271	11.4	0.78	6.6	0.41	177	4.8	0.37	2.7	0.21
Bladder	115	5.7	0.59	2.9	0.27	84	2.4	0.27	1.2	0.13
Kidney & renal pelvis	152	5.5	0.50	3.7	0.30	86	2.3	0.25	1.4	0.16
Brain & Other Nervous System	89	2.9	0.34	2.1	0.23	74	1.9	0.22	1.2	0.15
Endocrine System	31	1.1	0.21	0.8	0.14	35	0.9	0.16	0.6	0.12
Thyroid gland	15	0.6	0.15	0.4	0.09	18	0.5	0.11	0.3	0.07
Lymphomas	165	5.7	0.50	3.8	0.30	150	3.9	0.33	2.4	0.20
Hodgkin Lymphoma	13	0.3	0.10	0.3	0.08	13	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	152	5.4	0.49	3.5	0.29	137	3.6	0.32	2.1	0.19
Multiple Myeloma	189	8.5	0.68	4.6	0.34	201	5.6	0.40	3.1	0.23
Leukemias	188	7.8	0.64	4.5	0.33	182	4.8	0.37	2.9	0.22
Other, Ill-defined & Unknown	580	23.9	1.12	13.7	0.58	538	13.9	0.61	8.7	0.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	557	114.0	5.30	65.7	2.81	488	80.1	3.76	45.7	2.13
Oral Cavity & Pharynx	16	3.3	0.91	1.9	0.48	-	-	-	-	-
Digestive System	210	41.6	3.14	24.4	1.70	170	29.4	2.33	15.8	1.25
Esophagus	6	1.4	0.63	0.7	0.30	-	-	-	-	-
Stomach	52	11.1	1.71	6.1	0.85	41	6.7	1.08	3.9	0.63
Colon & Rectum	61	12.2	1.70	6.9	0.90	48	8.2	1.22	4.4	0.65
Liver	53	9.0	1.31	6.2	0.86	18	3.1	0.77	1.6	0.39
Pancreas	28	6.0	1.22	3.3	0.63	38	7.1	1.17	3.4	0.57
Respiratory System	154	32.3	2.86	18.4	1.49	81	14.1	1.61	7.2	0.82
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	151	31.6	2.83	18.0	1.48	79	13.7	1.59	7.0	0.81
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	71	10.1	1.24	7.0	0.84
Female Genital System	-	-	-	-	-	56	8.3	1.15	5.5	0.75
Cervix uteri	-	-	-	-	-	13	1.8	0.52	1.3	0.36
Corpus & uterus, NOS ¹	-	-	-	-	-	11	1.6	0.52	1.1	0.34
Ovary	-	-	-	-	-	27	4.0	0.80	2.6	0.52
Male Genital System	32	8.4	1.58	3.7	0.67	-	-	-	-	-
Prostate	31	8.3	1.58	3.6	0.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	5.8	1.32	2.7	0.56	13	2.5	0.70	1.1	0.30
Bladder	8	2.3	0.87	0.9	0.33	-	-	-	-	-
Kidney & renal pelvis	14	3.3	0.99	1.6	0.44	8	1.6	0.57	0.6	0.23
Brain & Other Nervous System	21	3.9	0.94	2.7	0.60	11	1.5	0.46	1.4	0.43
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	23	3.6	0.80	2.7	0.58	14	2.2	0.62	1.5	0.41
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	18	3.0	0.75	2.0	0.48	12	2.0	0.60	1.2	0.36
Multiple Myeloma	15	3.2	0.90	1.7	0.43	9	1.6	0.56	0.8	0.26
Leukemias	19	3.4	0.85	2.1	0.49	12	1.8	0.55	1.1	0.32
Other, Ill-defined & Unknown	40	7.6	1.30	5.0	0.80	39	6.9	1.14	3.4	0.56

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,947	222.6	1.24	123.1	0.72	32,788	154.0	0.87	91.0	0.58
Oral Cavity & Pharynx	587	3.7	0.16	2.4	0.10	287	1.3	0.08	0.8	0.05
Digestive System	8,912	59.0	0.63	34.1	0.38	7,474	33.9	0.40	18.4	0.25
Esophagus	1,469	9.5	0.25	5.9	0.16	444	2.1	0.10	1.2	0.06
Stomach	806	5.4	0.19	3.0	0.11	520	2.3	0.10	1.2	0.06
Colon & Rectum	2,872	19.6	0.37	10.4	0.21	3,138	13.8	0.25	7.2	0.15
Liver	1,207	7.5	0.22	4.9	0.15	365	1.7	0.09	1.0	0.06
Pancreas	1,977	13.1	0.30	7.6	0.18	2,222	10.3	0.22	5.7	0.14
Respiratory System	9,709	65.0	0.67	37.3	0.40	8,889	43.1	0.47	25.9	0.31
Larynx	306	2.0	0.12	1.2	0.07	94	0.5	0.05	0.3	0.03
Lung & bronchus	9,340	62.6	0.66	35.9	0.39	8,755	42.5	0.46	25.6	0.31
Skin	863	5.8	0.20	3.3	0.12	563	2.6	0.11	1.6	0.08
Melanomas of the skin	650	4.3	0.17	2.5	0.10	442	2.1	0.10	1.4	0.07
Breast	45	0.3	0.05	0.2	0.03	4,591	21.9	0.33	14.0	0.23
Female Genital System	-	-	-	-	-	3,092	14.8	0.27	9.3	0.19
Cervix uteri	-	-	-	-	-	273	1.4	0.09	1.0	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	879	4.2	0.14	2.6	0.10
Ovary	-	-	-	-	-	1,735	8.3	0.20	5.2	0.14
Male Genital System	3,261	23.8	0.42	9.9	0.19	-	-	-	-	-
Prostate	3,202	23.4	0.42	9.7	0.18	-	-	-	-	-
Testis	22	0.1	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,178	15.1	0.33	7.7	0.17	1,160	5.2	0.16	2.8	0.10
Bladder	1,286	9.1	0.26	4.3	0.13	606	2.6	0.11	1.3	0.06
Kidney & renal pelvis	838	5.6	0.20	3.2	0.12	531	2.4	0.11	1.4	0.07
Brain & Other Nervous System	847	5.4	0.19	3.7	0.13	670	3.4	0.13	2.4	0.11
Endocrine System	121	0.8	0.07	0.6	0.06	154	0.8	0.06	0.5	0.05
Thyroid gland	74	0.5	0.06	0.3	0.03	100	0.5	0.05	0.3	0.03
Lymphomas	1,277	8.8	0.25	4.6	0.14	1,197	5.3	0.16	2.8	0.10
Hodgkin Lymphoma	73	0.5	0.06	0.3	0.04	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,204	8.3	0.24	4.3	0.13	1,144	5.1	0.15	2.6	0.09
Multiple Myeloma	640	4.4	0.18	2.4	0.10	551	2.5	0.11	1.4	0.07
Leukemias	1,321	9.1	0.25	4.9	0.15	1,105	5.2	0.16	3.1	0.11
Other, Ill-defined & Unknown	3,186	21.5	0.39	12.1	0.23	3,055	14.0	0.26	8.0	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,974	224.6	1.29	124.0	0.75	30,967	156.1	0.91	92.3	0.61
Oral Cavity & Pharynx	536	3.7	0.16	2.4	0.11	274	1.4	0.08	0.8	0.06
Digestive System	8,245	58.7	0.65	33.8	0.39	6,950	33.6	0.41	18.2	0.26
Esophagus	1,396	9.7	0.26	6.0	0.17	420	2.1	0.10	1.2	0.07
Stomach	722	5.2	0.20	2.9	0.11	454	2.1	0.10	1.1	0.06
Colon & Rectum	2,683	19.7	0.38	10.4	0.21	2,961	13.9	0.26	7.3	0.16
Liver	1,030	7.0	0.22	4.5	0.15	321	1.6	0.09	0.9	0.06
Pancreas	1,870	13.3	0.31	7.8	0.19	2,071	10.2	0.23	5.6	0.14
Respiratory System	9,155	65.8	0.69	37.8	0.42	8,547	44.6	0.49	27.0	0.33
Larynx	281	2.0	0.12	1.2	0.07	92	0.5	0.05	0.3	0.03
Lung & bronchus	8,813	63.4	0.68	36.3	0.41	8,417	43.9	0.49	26.5	0.33
Skin	854	6.2	0.21	3.5	0.13	554	2.8	0.12	1.7	0.09
Melanomas of the skin	645	4.6	0.18	2.7	0.11	435	2.3	0.11	1.5	0.08
Breast	41	0.3	0.05	0.2	0.03	4,276	22.0	0.34	14.0	0.24
Female Genital System	-	-	-	-	-	2,918	15.0	0.28	9.5	0.20
Cervix uteri	-	-	-	-	-	241	1.3	0.09	1.0	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	811	4.1	0.15	2.6	0.10
Ovary	-	-	-	-	-	1,670	8.6	0.22	5.4	0.15
Male Genital System	3,053	23.6	0.43	9.8	0.19	-	-	-	-	-
Prostate	2,995	23.2	0.43	9.6	0.19	-	-	-	-	-
Testis	22	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	2,111	15.6	0.34	7.9	0.19	1,101	5.3	0.16	2.8	0.10
Bladder	1,253	9.5	0.27	4.4	0.13	573	2.7	0.12	1.3	0.07
Kidney & renal pelvis	805	5.7	0.20	3.3	0.12	506	2.5	0.11	1.4	0.07
Brain & Other Nervous System	821	5.7	0.20	3.9	0.14	651	3.5	0.14	2.5	0.11
Endocrine System	110	0.8	0.08	0.6	0.06	141	0.8	0.07	0.5	0.05
Thyroid gland	70	0.5	0.06	0.3	0.04	94	0.5	0.05	0.3	0.03
Lymphomas	1,198	8.8	0.26	4.6	0.14	1,140	5.4	0.17	2.8	0.10
Hodgkin Lymphoma	68	0.5	0.06	0.3	0.04	51	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,130	8.4	0.25	4.3	0.14	1,089	5.1	0.16	2.6	0.10
Multiple Myeloma	593	4.4	0.18	2.3	0.10	501	2.4	0.11	1.3	0.07
Leukemias	1,256	9.3	0.27	5.0	0.16	1,028	5.2	0.17	3.0	0.12
Other, Ill-defined & Unknown	3,001	21.7	0.40	12.2	0.24	2,886	14.2	0.27	8.1	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,373	240.3	7.14	137.7	3.81	1,361	154.0	4.26	92.6	2.61
Oral Cavity & Pharynx	29	4.3	0.88	3.0	0.57	8	1.0	0.35	0.5	0.18
Digestive System	418	67.1	3.61	41.4	2.08	366	42.9	2.28	23.8	1.30
Esophagus	50	7.1	1.07	5.1	0.74	21	2.3	0.52	1.6	0.35
Stomach	56	10.0	1.44	5.8	0.79	44	5.2	0.80	2.7	0.43
Colon & Rectum	129	21.3	2.05	12.8	1.16	127	15.1	1.37	7.9	0.73
Liver	77	10.7	1.35	7.3	0.86	21	2.4	0.53	1.3	0.30
Pancreas	83	14.3	1.74	8.1	0.91	110	13.0	1.25	7.4	0.75
Respiratory System	392	66.9	3.66	39.8	2.06	249	28.5	1.84	17.2	1.13
Larynx	23	3.9	0.90	2.3	0.50	-	-	-	-	-
Lung & bronchus	367	62.5	3.53	37.3	2.00	246	28.3	1.84	17.0	1.13
Skin	-	-	-	-	-	6	0.7	0.27	0.4	0.19
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	264	27.5	1.73	18.6	1.18
Female Genital System	-	-	-	-	-	134	15.1	1.33	9.5	0.85
Cervix uteri	-	-	-	-	-	24	2.4	0.50	1.8	0.37
Corpus & uterus, NOS ¹	-	-	-	-	-	56	6.6	0.90	3.9	0.54
Ovary	-	-	-	-	-	48	5.4	0.79	3.4	0.51
Male Genital System	180	42.8	3.40	18.4	1.40	-	-	-	-	-
Prostate	179	42.6	3.40	18.3	1.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	53	10.1	1.54	5.3	0.75	50	6.1	0.88	3.0	0.45
Bladder	29	5.8	1.20	2.9	0.55	31	4.0	0.73	1.7	0.31
Kidney & renal pelvis	24	4.3	0.97	2.4	0.51	18	2.0	0.48	1.3	0.31
Brain & Other Nervous System	15	1.6	0.44	1.3	0.33	13	1.3	0.37	1.0	0.29
Endocrine System	7	1.0	0.47	0.7	0.25	9	1.0	0.33	0.6	0.21
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	53	7.9	1.18	5.0	0.71	37	4.5	0.75	2.5	0.43
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	49	7.5	1.16	4.7	0.70	36	4.4	0.75	2.4	0.42
Multiple Myeloma	41	6.7	1.15	4.2	0.67	44	5.3	0.81	2.9	0.46
Leukemias	45	7.5	1.23	4.5	0.68	54	6.0	0.84	3.7	0.52
Other, Ill-defined & Unknown	133	23.1	2.23	13.3	1.18	127	14.2	1.29	8.8	0.81

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	570	131.6	5.94	76.9	3.30	435	82.0	4.10	49.5	2.48
Oral Cavity & Pharynx	22	4.1	0.98	2.6	0.56	-	-	-	-	-
Digestive System	239	52.3	3.64	32.5	2.16	152	29.7	2.50	17.2	1.46
Esophagus	20	4.6	1.10	2.9	0.66	-	-	-	-	-
Stomach	27	6.6	1.35	3.7	0.72	21	3.7	0.84	2.4	0.54
Colon & Rectum	57	12.9	1.84	7.6	1.04	49	9.8	1.44	5.4	0.82
Liver	99	19.9	2.14	13.5	1.39	20	4.1	0.95	2.3	0.53
Pancreas	23	5.2	1.17	3.2	0.68	40	8.0	1.30	4.7	0.78
Respiratory System	156	38.3	3.28	20.8	1.70	86	17.7	1.96	9.4	1.07
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	154	38.0	3.27	20.4	1.68	85	17.6	1.96	9.3	1.06
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	50	8.3	1.22	6.0	0.87
Female Genital System	-	-	-	-	-	37	6.3	1.09	4.2	0.72
Cervix uteri	-	-	-	-	-	8	1.2	0.44	1.0	0.36
Corpus & uterus, NOS ¹	-	-	-	-	-	11	2.2	0.67	1.3	0.41
Ovary	-	-	-	-	-	15	2.4	0.66	1.5	0.41
Male Genital System	26	9.1	1.82	3.2	0.64	-	-	-	-	-
Prostate	26	9.1	1.82	3.2	0.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	3.8	1.06	1.9	0.53	8	1.5	0.55	0.9	0.33
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	9	2.6	0.89	1.3	0.43	6	1.1	0.45	0.6	0.27
Brain & Other Nervous System	11	2.1	0.66	1.5	0.48	6	0.6	0.26	0.5	0.23
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	4.1	0.96	3.0	0.68	19	3.7	0.90	2.1	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	20	3.9	0.94	2.8	0.66	18	3.7	0.89	2.0	0.49
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	19	4.6	1.15	2.5	0.59	22	3.2	0.72	2.7	0.60
Other, Ill-defined & Unknown	48	9.7	1.50	6.8	1.01	40	8.4	1.37	4.7	0.77

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51,895	228.1	1.02	130.0	0.60	48,946	160.9	0.74	97.9	0.49
Oral Cavity & Pharynx	951	3.9	0.13	2.6	0.09	445	1.5	0.07	0.9	0.05
Digestive System	13,332	57.2	0.51	33.9	0.31	10,847	34.9	0.34	19.7	0.21
Esophagus	2,070	8.6	0.19	5.5	0.12	563	1.8	0.08	1.1	0.05
Stomach	1,124	4.9	0.15	2.9	0.09	713	2.3	0.09	1.3	0.06
Colon & Rectum	4,554	20.2	0.31	11.2	0.17	4,634	14.7	0.22	8.0	0.13
Liver	1,484	6.0	0.16	3.9	0.11	696	2.3	0.09	1.3	0.06
Pancreas	3,266	13.9	0.25	8.3	0.15	3,124	10.1	0.18	5.9	0.12
Respiratory System	17,000	73.3	0.57	43.3	0.35	13,376	44.7	0.39	27.8	0.26
Larynx	569	2.4	0.10	1.5	0.07	168	0.6	0.04	0.4	0.03
Lung & bronchus	16,296	70.3	0.56	41.4	0.34	13,134	43.9	0.39	27.2	0.26
Skin	1,118	4.9	0.15	2.9	0.09	612	2.0	0.08	1.3	0.06
Melanomas of the skin	838	3.6	0.13	2.2	0.08	464	1.6	0.07	1.0	0.05
Breast	85	0.4	0.04	0.2	0.02	7,258	24.0	0.29	15.6	0.20
Female Genital System	-	-	-	-	-	4,909	16.4	0.24	10.6	0.17
Cervix uteri	-	-	-	-	-	559	2.0	0.09	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,471	4.8	0.13	3.0	0.09
Ovary	-	-	-	-	-	2,576	8.6	0.17	5.5	0.12
Male Genital System	4,676	23.1	0.34	10.1	0.16	-	-	-	-	-
Prostate	4,569	22.6	0.34	9.8	0.15	-	-	-	-	-
Testis	57	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,266	14.8	0.26	7.8	0.14	1,711	5.5	0.13	3.0	0.08
Bladder	1,822	8.6	0.21	4.1	0.10	749	2.4	0.09	1.2	0.05
Kidney & renal pelvis	1,360	5.8	0.16	3.5	0.10	908	3.0	0.10	1.7	0.07
Brain & Other Nervous System	1,458	6.0	0.16	4.2	0.12	1,144	3.9	0.12	2.8	0.09
Endocrine System	212	0.9	0.06	0.6	0.05	242	0.8	0.05	0.6	0.04
Thyroid gland	116	0.5	0.05	0.3	0.03	155	0.5	0.04	0.3	0.02
Lymphomas	2,152	9.7	0.21	5.3	0.12	1,982	6.4	0.15	3.5	0.09
Hodgkin Lymphoma	123	0.5	0.05	0.4	0.04	97	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	2,029	9.2	0.21	4.9	0.12	1,885	6.1	0.14	3.3	0.09
Multiple Myeloma	1,102	4.9	0.15	2.7	0.08	918	3.0	0.10	1.6	0.06
Leukemias	2,371	10.7	0.22	5.9	0.13	1,810	5.9	0.14	3.4	0.10
Other, Ill-defined & Unknown	4,172	18.4	0.29	10.6	0.17	3,692	12.0	0.20	7.1	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	44,671	222.7	1.07	125.7	0.63	41,821	157.4	0.78	95.0	0.53
Oral Cavity & Pharynx	788	3.7	0.13	2.4	0.09	369	1.4	0.07	0.8	0.05
Digestive System	11,143	54.4	0.53	31.8	0.32	9,054	33.1	0.35	18.4	0.22
Esophagus	1,864	8.8	0.21	5.5	0.13	482	1.8	0.08	1.0	0.05
Stomach	852	4.2	0.15	2.5	0.09	544	2.0	0.09	1.1	0.05
Colon & Rectum	3,802	19.1	0.32	10.5	0.18	3,905	14.1	0.23	7.6	0.14
Liver	1,082	5.1	0.16	3.2	0.10	544	2.0	0.09	1.1	0.06
Pancreas	2,806	13.6	0.26	8.0	0.16	2,630	9.7	0.19	5.6	0.12
Respiratory System	14,631	71.6	0.60	41.8	0.36	11,599	44.5	0.42	27.5	0.28
Larynx	458	2.2	0.10	1.4	0.07	129	0.5	0.04	0.3	0.03
Lung & bronchus	14,052	68.8	0.59	40.1	0.35	11,401	43.7	0.41	27.0	0.28
Skin	1,083	5.3	0.17	3.2	0.10	580	2.2	0.09	1.4	0.07
Melanomas of the skin	825	4.0	0.14	2.5	0.09	450	1.8	0.08	1.2	0.06
Breast	66	0.3	0.04	0.2	0.02	6,000	22.8	0.30	14.7	0.21
Female Genital System	-	-	-	-	-	4,199	16.1	0.25	10.3	0.18
Cervix uteri	-	-	-	-	-	397	1.7	0.09	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,205	4.5	0.13	2.8	0.09
Ovary	-	-	-	-	-	2,323	8.9	0.19	5.7	0.13
Male Genital System	3,803	21.1	0.35	9.0	0.16	-	-	-	-	-
Prostate	3,712	20.6	0.34	8.7	0.15	-	-	-	-	-
Testis	46	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,995	15.3	0.28	8.0	0.16	1,511	5.5	0.14	3.0	0.09
Bladder	1,702	9.0	0.22	4.3	0.11	657	2.4	0.09	1.2	0.05
Kidney & renal pelvis	1,216	5.9	0.17	3.5	0.11	806	3.0	0.11	1.8	0.07
Brain & Other Nervous System	1,346	6.4	0.18	4.4	0.13	1,048	4.2	0.13	3.0	0.10
Endocrine System	188	0.9	0.07	0.6	0.05	201	0.8	0.06	0.5	0.05
Thyroid gland	108	0.5	0.05	0.3	0.03	136	0.5	0.04	0.3	0.03
Lymphomas	1,953	10.0	0.23	5.4	0.13	1,825	6.7	0.16	3.6	0.10
Hodgkin Lymphoma	102	0.5	0.05	0.3	0.04	89	0.4	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,851	9.5	0.22	5.0	0.12	1,736	6.3	0.15	3.4	0.10
Multiple Myeloma	910	4.6	0.15	2.5	0.09	701	2.6	0.10	1.3	0.06
Leukemias	2,130	10.9	0.24	6.0	0.14	1,583	5.9	0.15	3.4	0.10
Other, Ill-defined & Unknown	3,635	18.2	0.31	10.4	0.18	3,151	11.7	0.21	6.9	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,685	292.7	3.77	177.1	2.24	6,579	192.9	2.40	122.2	1.60
Oral Cavity & Pharynx	149	5.7	0.49	4.2	0.35	69	2.0	0.24	1.3	0.16
Digestive System	2,001	84.2	1.98	53.2	1.23	1,635	48.5	1.21	28.8	0.76
Esophagus	188	7.4	0.56	5.1	0.38	77	2.2	0.25	1.5	0.18
Stomach	245	11.3	0.76	6.4	0.42	150	4.6	0.38	2.5	0.22
Colon & Rectum	699	31.2	1.24	18.4	0.72	671	20.0	0.78	11.4	0.47
Liver	358	12.9	0.71	9.6	0.52	132	3.7	0.33	2.4	0.22
Pancreas	423	17.9	0.91	11.3	0.57	458	13.7	0.65	8.3	0.41
Respiratory System	2,199	93.5	2.09	59.2	1.30	1,639	48.4	1.21	30.8	0.80
Larynx	104	4.3	0.44	2.9	0.29	38	1.1	0.18	0.8	0.13
Lung & bronchus	2,082	88.7	2.03	56.0	1.27	1,596	47.1	1.19	30.0	0.79
Skin	30	1.2	0.22	0.8	0.15	29	0.9	0.16	0.5	0.10
Melanomas of the skin	9	0.4	0.13	0.3	0.09	12	0.4	0.11	0.2	0.06
Breast	19	0.7	0.18	0.6	0.14	1,205	34.3	1.00	23.6	0.71
Female Genital System	-	-	-	-	-	654	19.1	0.75	12.7	0.52
Cervix uteri	-	-	-	-	-	152	4.3	0.35	3.1	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	254	7.6	0.48	4.9	0.32
Ovary	-	-	-	-	-	223	6.6	0.44	4.2	0.30
Male Genital System	835	44.5	1.60	20.8	0.75	-	-	-	-	-
Prostate	822	43.9	1.60	20.5	0.74	-	-	-	-	-
Testis	8	0.2	0.09	0.2	0.07	-	-	-	-	-
Urinary System	252	11.5	0.76	6.5	0.42	189	5.7	0.42	3.2	0.25
Bladder	115	5.6	0.55	2.9	0.28	90	2.7	0.29	1.5	0.17
Kidney & renal pelvis	130	5.5	0.51	3.4	0.30	94	2.8	0.29	1.6	0.18
Brain & Other Nervous System	96	3.5	0.38	2.6	0.27	79	2.2	0.25	1.7	0.21
Endocrine System	19	0.8	0.19	0.5	0.12	32	0.9	0.17	0.6	0.11
Thyroid gland	6	0.3	0.12	0.2	0.07	16	0.5	0.12	0.2	0.06
Lymphomas	178	7.3	0.58	4.7	0.36	141	4.1	0.35	2.7	0.24
Hodgkin Lymphoma	19	0.7	0.18	0.5	0.13	8	0.2	0.08	0.2	0.07
Non-Hodgkin Lymphoma	159	6.6	0.55	4.2	0.34	133	3.9	0.34	2.6	0.23
Multiple Myeloma	183	8.3	0.64	4.9	0.38	206	6.2	0.44	3.7	0.27
Leukemias	220	9.5	0.68	5.6	0.39	208	6.2	0.44	3.7	0.28
Other, Ill-defined & Unknown	504	22.1	1.04	13.4	0.62	493	14.4	0.65	9.0	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	279	93.5	6.36	50.7	3.09	321	80.2	4.77	50.8	2.89
Oral Cavity & Pharynx	7	1.7	0.66	1.3	0.49	-	-	-	-	-
Digestive System	116	35.7	3.81	20.7	1.96	107	28.3	2.91	16.6	1.64
Esophagus	7	2.6	1.10	1.3	0.51	-	-	-	-	-
Stomach	25	9.0	2.11	4.4	0.89	15	3.5	0.96	2.3	0.61
Colon & Rectum	27	8.0	1.75	5.0	0.98	34	8.6	1.57	5.3	0.92
Liver	30	8.2	1.68	5.4	1.00	16	4.8	1.27	2.3	0.59
Pancreas	20	5.6	1.42	3.4	0.78	26	7.1	1.47	4.2	0.84
Respiratory System	58	21.0	3.05	10.8	1.44	61	15.4	2.08	10.1	1.31
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	57	20.8	3.05	10.6	1.42	61	15.4	2.08	10.1	1.31
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	31	6.9	1.31	5.0	0.91
Female Genital System	-	-	-	-	-	37	8.6	1.51	5.9	0.98
Cervix uteri	-	-	-	-	-	7	1.4	0.57	1.2	0.44
Corpus & uterus, NOS ¹	-	-	-	-	-	8	1.9	0.70	1.2	0.42
Ovary	-	-	-	-	-	21	5.2	1.19	3.3	0.74
Male Genital System	22	9.9	2.27	4.2	0.90	-	-	-	-	-
Prostate	21	9.4	2.21	4.0	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	3.5	1.29	1.6	0.54	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	2.3	0.96	1.2	0.45	-	-	-	-	-
Brain & Other Nervous System	10	3.0	1.17	1.9	0.60	11	2.5	0.81	1.8	0.56
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	4.7	1.46	2.3	0.62	9	2.4	0.86	1.5	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	13	4.5	1.45	2.1	0.60	9	2.4	0.86	1.5	0.50
Multiple Myeloma	-	-	-	-	-	9	2.8	0.97	1.4	0.48
Leukemias	12	2.9	0.91	2.1	0.62	13	2.8	0.87	2.0	0.58
Other, Ill-defined & Unknown	18	6.5	1.73	3.4	0.81	27	6.1	1.27	4.1	0.81

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,893	229.1	1.66	131.2	0.98	20,132	166.2	1.19	101.9	0.81
Oral Cavity & Pharynx	382	4.0	0.21	2.8	0.15	170	1.4	0.11	0.9	0.08
Digestive System	5,423	60.9	0.85	36.2	0.51	4,541	36.7	0.55	21.0	0.36
Esophagus	727	7.9	0.30	5.0	0.19	227	1.9	0.12	1.1	0.08
Stomach	534	6.2	0.27	3.6	0.16	371	3.0	0.16	1.7	0.10
Colon & Rectum	1,857	21.6	0.51	12.0	0.29	1,909	15.2	0.35	8.4	0.22
Liver	686	7.1	0.28	4.7	0.19	330	2.7	0.15	1.6	0.10
Pancreas	1,304	14.6	0.41	8.8	0.26	1,291	10.6	0.30	6.2	0.19
Respiratory System	6,440	73.2	0.93	43.3	0.57	5,496	46.2	0.63	28.5	0.42
Larynx	213	2.3	0.16	1.5	0.11	74	0.6	0.07	0.4	0.05
Lung & bronchus	6,186	70.4	0.91	41.5	0.55	5,397	45.3	0.62	27.9	0.42
Skin	344	3.9	0.21	2.3	0.13	196	1.6	0.12	1.0	0.08
Melanomas of the skin	259	2.9	0.19	1.8	0.12	145	1.2	0.10	0.8	0.07
Breast	45	0.5	0.07	0.3	0.05	3,231	26.8	0.48	17.7	0.34
Female Genital System	-	-	-	-	-	2,012	16.9	0.38	11.1	0.27
Cervix uteri	-	-	-	-	-	281	2.5	0.15	1.9	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	629	5.2	0.21	3.3	0.15
Ovary	-	-	-	-	-	1,000	8.4	0.27	5.4	0.19
Male Genital System	1,869	23.9	0.56	10.7	0.26	-	-	-	-	-
Prostate	1,837	23.6	0.56	10.4	0.26	-	-	-	-	-
Testis	15	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,162	13.9	0.42	7.2	0.22	674	5.5	0.21	3.1	0.14
Bladder	654	8.1	0.32	3.9	0.16	316	2.5	0.14	1.3	0.08
Kidney & renal pelvis	484	5.5	0.26	3.2	0.15	337	2.8	0.15	1.7	0.11
Brain & Other Nervous System	513	5.5	0.25	3.8	0.17	409	3.5	0.18	2.5	0.13
Endocrine System	82	0.9	0.10	0.6	0.08	97	0.8	0.08	0.6	0.07
Thyroid gland	40	0.5	0.07	0.3	0.04	54	0.4	0.06	0.2	0.04
Lymphomas	777	9.1	0.33	5.0	0.19	766	6.3	0.23	3.5	0.15
Hodgkin Lymphoma	46	0.5	0.08	0.3	0.05	39	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	731	8.6	0.33	4.7	0.18	727	5.9	0.22	3.3	0.14
Multiple Myeloma	414	4.8	0.24	2.7	0.14	378	3.1	0.16	1.7	0.10
Leukemias	872	10.3	0.36	5.7	0.21	738	6.0	0.22	3.4	0.15
Other, Ill-defined & Unknown	1,570	18.1	0.47	10.6	0.28	1,424	11.6	0.31	6.9	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,799	217.7	1.82	122.5	1.07	14,911	160.3	1.34	96.9	0.91
Oral Cavity & Pharynx	265	3.6	0.23	2.4	0.16	119	1.2	0.12	0.8	0.09
Digestive System	3,855	55.7	0.91	32.3	0.55	3,185	33.1	0.60	18.5	0.38
Esophagus	590	8.2	0.34	5.2	0.23	169	1.8	0.14	1.0	0.09
Stomach	327	4.8	0.27	2.8	0.16	229	2.4	0.16	1.3	0.10
Colon & Rectum	1,314	19.5	0.55	10.5	0.31	1,363	13.9	0.39	7.5	0.24
Liver	416	5.8	0.29	3.5	0.18	213	2.3	0.16	1.3	0.10
Pancreas	965	13.9	0.45	8.2	0.28	915	9.6	0.32	5.6	0.21
Respiratory System	4,811	70.2	1.03	40.6	0.62	4,232	46.5	0.73	28.6	0.49
Larynx	140	2.0	0.17	1.2	0.11	44	0.5	0.07	0.3	0.05
Lung & bronchus	4,636	67.7	1.01	39.0	0.61	4,165	45.7	0.72	28.1	0.49
Skin	323	4.6	0.26	2.8	0.16	178	1.9	0.15	1.3	0.11
Melanomas of the skin	250	3.6	0.23	2.2	0.15	137	1.5	0.13	1.0	0.10
Breast	27	0.4	0.07	0.2	0.04	2,274	24.7	0.53	15.9	0.37
Female Genital System	-	-	-	-	-	1,489	16.4	0.43	10.7	0.31
Cervix uteri	-	-	-	-	-	161	2.0	0.16	1.5	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	434	4.7	0.23	3.0	0.16
Ovary	-	-	-	-	-	811	8.9	0.32	5.8	0.23
Male Genital System	1,214	19.4	0.56	8.4	0.26	-	-	-	-	-
Prostate	1,192	19.1	0.56	8.2	0.25	-	-	-	-	-
Testis	9	0.1	0.05	0.1	0.03	-	-	-	-	-
Urinary System	979	14.7	0.48	7.6	0.26	534	5.6	0.25	3.1	0.16
Bladder	567	8.8	0.37	4.1	0.19	248	2.5	0.16	1.3	0.09
Kidney & renal pelvis	393	5.7	0.29	3.3	0.18	269	2.9	0.18	1.8	0.13
Brain & Other Nervous System	433	6.0	0.29	4.1	0.21	346	4.0	0.22	2.8	0.17
Endocrine System	65	1.0	0.12	0.7	0.10	72	0.8	0.10	0.6	0.09
Thyroid gland	35	0.5	0.09	0.3	0.05	43	0.4	0.07	0.3	0.05
Lymphomas	640	9.6	0.39	5.1	0.22	664	7.0	0.28	3.9	0.18
Hodgkin Lymphoma	36	0.5	0.09	0.3	0.06	31	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	604	9.1	0.38	4.8	0.21	633	6.6	0.27	3.6	0.17
Multiple Myeloma	282	4.2	0.25	2.3	0.15	218	2.2	0.15	1.1	0.09
Leukemias	707	10.7	0.41	5.8	0.24	565	5.9	0.25	3.3	0.17
Other, Ill-defined & Unknown	1,198	17.7	0.52	10.2	0.31	1,035	10.9	0.35	6.4	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,867	290.8	4.37	175.8	2.61	4,975	192.6	2.76	121.9	1.84
Oral Cavity & Pharynx	111	5.8	0.57	4.3	0.41	50	1.9	0.27	1.2	0.19
Digestive System	1,487	85.2	2.32	53.7	1.44	1,280	50.1	1.41	29.7	0.89
Esophagus	131	7.2	0.65	4.8	0.43	58	2.2	0.30	1.5	0.21
Stomach	189	11.7	0.89	6.7	0.50	129	5.2	0.46	2.8	0.27
Colon & Rectum	522	31.8	1.46	18.6	0.84	526	20.6	0.91	11.6	0.55
Liver	254	12.5	0.81	9.3	0.60	103	3.8	0.38	2.5	0.26
Pancreas	324	18.5	1.07	11.9	0.68	356	14.1	0.75	8.5	0.49
Respiratory System	1,563	90.5	2.39	57.5	1.51	1,224	47.8	1.38	30.3	0.92
Larynx	71	4.0	0.51	2.7	0.33	29	1.1	0.21	0.8	0.15
Lung & bronchus	1,486	86.1	2.33	54.7	1.47	1,193	46.6	1.36	29.4	0.91
Skin	17	0.9	0.23	0.6	0.16	18	0.7	0.17	0.4	0.09
Melanomas of the skin	6	0.3	0.14	0.2	0.10	8	0.3	0.12	0.2	0.06
Breast	18	1.0	0.24	0.8	0.18	925	34.7	1.15	24.0	0.83
Female Genital System	-	-	-	-	-	492	19.0	0.86	12.7	0.61
Cervix uteri	-	-	-	-	-	115	4.3	0.40	3.1	0.31
Corpus & uterus, NOS ¹	-	-	-	-	-	190	7.5	0.55	4.8	0.37
Ovary	-	-	-	-	-	169	6.6	0.51	4.3	0.35
Male Genital System	636	46.0	1.89	21.3	0.88	-	-	-	-	-
Prostate	627	45.5	1.88	21.0	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	175	11.0	0.87	6.2	0.48	135	5.3	0.46	3.2	0.29
Bladder	85	5.7	0.64	3.0	0.34	67	2.7	0.33	1.5	0.20
Kidney & renal pelvis	85	5.0	0.57	3.0	0.33	64	2.5	0.32	1.5	0.21
Brain & Other Nervous System	70	3.6	0.45	2.6	0.32	55	2.1	0.28	1.6	0.23
Endocrine System	13	0.7	0.22	0.5	0.14	22	0.8	0.18	0.5	0.12
Thyroid gland	-	-	-	-	-	10	0.4	0.12	0.2	0.06
Lymphomas	130	7.4	0.68	4.8	0.43	97	3.8	0.39	2.5	0.28
Hodgkin Lymphoma	10	0.6	0.21	0.4	0.13	8	0.3	0.11	0.3	0.09
Non-Hodgkin Lymphoma	120	6.8	0.65	4.4	0.41	89	3.5	0.38	2.3	0.26
Multiple Myeloma	128	7.7	0.71	4.7	0.43	154	6.1	0.50	3.6	0.31
Leukemias	157	9.4	0.79	5.5	0.46	160	6.4	0.51	3.7	0.32
Other, Ill-defined & Unknown	362	21.7	1.20	13.3	0.72	363	14.0	0.74	8.5	0.49

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	180	99.5	8.40	53.1	4.03	198	78.3	5.88	49.9	3.62
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	70	35.6	4.85	20.5	2.50	68	27.8	3.57	17.1	2.13
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	17	10.8	2.97	5.0	1.25	13	5.0	1.47	3.4	0.97
Colon & Rectum	17	7.8	2.14	5.1	1.25	16	6.1	1.62	4.1	1.05
Liver	15	6.7	1.93	4.3	1.14	14	6.3	1.78	3.2	0.88
Pancreas	11	4.7	1.61	3.1	0.96	17	6.9	1.77	4.5	1.11
Respiratory System	41	23.0	3.99	11.9	1.89	25	10.5	2.21	6.2	1.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	40	22.7	3.98	11.6	1.86	25	10.5	2.21	6.2	1.27
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	27	9.5	1.90	7.0	1.37
Female Genital System	-	-	-	-	-	23	8.4	1.82	6.1	1.28
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	15	5.7	1.53	4.0	1.03
Male Genital System	18	13.8	3.44	5.6	1.33	-	-	-	-	-
Prostate	17	13.0	3.34	5.3	1.29	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	8	4.3	1.79	2.5	0.88	7	2.8	1.12	1.7	0.67
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	3.7	1.72	1.6	0.66	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	6	3.7	1.72	1.6	0.66	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	6	3.0	1.23	1.6	0.65
Leukemias	8	2.8	1.07	2.3	0.84	11	3.9	1.31	2.6	0.80
Other, Ill-defined & Unknown	10	6.1	2.16	3.2	1.00	18	6.7	1.67	4.4	1.06

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	23,719	206.8	1.36	114.1	0.78	22,385	146.0	1.00	87.1	0.66
Oral Cavity & Pharynx	362	2.9	0.16	1.9	0.10	195	1.2	0.09	0.8	0.06
Digestive System	6,005	51.2	0.67	29.6	0.40	4,985	31.6	0.46	17.7	0.29
Esophagus	941	7.8	0.26	4.8	0.16	268	1.7	0.11	1.0	0.07
Stomach	477	4.1	0.19	2.3	0.11	304	2.0	0.12	1.1	0.07
Colon & Rectum	2,070	18.0	0.40	9.9	0.23	2,056	12.6	0.29	6.8	0.18
Liver	628	5.1	0.21	3.2	0.13	230	1.5	0.10	0.9	0.07
Pancreas	1,387	11.8	0.32	6.9	0.20	1,476	9.5	0.25	5.4	0.16
Respiratory System	6,654	57.4	0.71	32.9	0.42	5,577	37.8	0.51	23.0	0.34
Larynx	201	1.7	0.12	1.0	0.07	53	0.4	0.05	0.3	0.04
Lung & bronchus	6,398	55.2	0.70	31.7	0.42	5,487	37.2	0.51	22.6	0.34
Skin	531	4.5	0.20	2.6	0.12	301	2.0	0.12	1.2	0.08
Melanomas of the skin	399	3.3	0.17	2.0	0.11	229	1.5	0.10	1.0	0.07
Breast	25	0.2	0.04	0.1	0.02	3,265	21.3	0.38	13.6	0.27
Female Genital System	-	-	-	-	-	2,243	14.8	0.32	9.3	0.22
Cervix uteri	-	-	-	-	-	211	1.5	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	626	4.1	0.17	2.5	0.11
Ovary	-	-	-	-	-	1,244	8.2	0.24	5.2	0.16
Male Genital System	2,604	24.7	0.49	10.3	0.22	-	-	-	-	-
Prostate	2,558	24.3	0.48	10.1	0.21	-	-	-	-	-
Testis	20	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	1,578	13.9	0.36	7.5	0.20	786	4.9	0.18	2.6	0.11
Bladder	789	7.2	0.26	3.5	0.13	313	1.9	0.11	0.9	0.06
Kidney & renal pelvis	758	6.4	0.24	3.9	0.15	431	2.8	0.14	1.5	0.09
Brain & Other Nervous System	644	5.2	0.21	3.7	0.15	521	3.6	0.16	2.6	0.13
Endocrine System	103	0.8	0.08	0.6	0.06	126	0.8	0.08	0.6	0.06
Thyroid gland	64	0.5	0.06	0.3	0.04	83	0.5	0.06	0.3	0.04
Lymphomas	1,136	10.1	0.30	5.3	0.17	886	5.5	0.19	2.9	0.12
Hodgkin Lymphoma	62	0.5	0.07	0.3	0.05	52	0.4	0.05	0.2	0.04
Non-Hodgkin Lymphoma	1,074	9.6	0.30	4.9	0.16	834	5.2	0.18	2.7	0.11
Multiple Myeloma	542	4.7	0.21	2.6	0.12	462	3.0	0.14	1.6	0.09
Leukemias	1,210	10.8	0.31	5.8	0.18	879	5.7	0.20	3.2	0.13
Other, Ill-defined & Unknown	2,325	20.3	0.43	11.2	0.25	2,159	13.7	0.30	7.9	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	22,597	205.0	1.38	112.5	0.80	21,506	145.7	1.02	86.7	0.68
Oral Cavity & Pharynx	325	2.8	0.16	1.7	0.10	184	1.2	0.09	0.7	0.06
Digestive System	5,604	49.8	0.68	28.6	0.40	4,757	31.2	0.47	17.4	0.30
Esophagus	911	7.9	0.27	4.9	0.17	257	1.7	0.11	1.0	0.07
Stomach	423	3.8	0.19	2.1	0.11	279	1.9	0.11	1.0	0.07
Colon & Rectum	1,981	17.9	0.41	9.8	0.23	1,989	12.6	0.29	6.8	0.18
Liver	496	4.2	0.19	2.6	0.12	186	1.3	0.09	0.7	0.06
Pancreas	1,325	11.7	0.33	6.9	0.20	1,430	9.5	0.26	5.4	0.16
Respiratory System	6,347	56.9	0.72	32.5	0.43	5,375	37.9	0.53	23.0	0.35
Larynx	185	1.6	0.12	1.0	0.07	51	0.4	0.05	0.3	0.04
Lung & bronchus	6,109	54.8	0.71	31.3	0.42	5,291	37.3	0.52	22.6	0.35
Skin	523	4.6	0.20	2.7	0.13	300	2.0	0.12	1.3	0.08
Melanomas of the skin	394	3.4	0.18	2.1	0.11	228	1.6	0.11	1.0	0.08
Breast	25	0.2	0.05	0.1	0.03	3,136	21.4	0.39	13.6	0.27
Female Genital System	-	-	-	-	-	2,140	14.7	0.33	9.3	0.22
Cervix uteri	-	-	-	-	-	173	1.3	0.10	0.9	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	604	4.1	0.17	2.5	0.11
Ovary	-	-	-	-	-	1,203	8.3	0.24	5.3	0.17
Male Genital System	2,510	24.5	0.49	10.2	0.22	-	-	-	-	-
Prostate	2,465	24.2	0.49	9.9	0.21	-	-	-	-	-
Testis	20	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,534	14.0	0.36	7.5	0.21	753	4.9	0.18	2.6	0.11
Bladder	772	7.3	0.27	3.5	0.13	300	1.8	0.11	0.9	0.06
Kidney & renal pelvis	732	6.4	0.24	3.9	0.15	414	2.7	0.14	1.5	0.09
Brain & Other Nervous System	624	5.3	0.22	3.8	0.16	507	3.7	0.17	2.7	0.13
Endocrine System	97	0.8	0.09	0.6	0.06	117	0.8	0.08	0.6	0.06
Thyroid gland	60	0.5	0.07	0.3	0.04	78	0.5	0.06	0.3	0.04
Lymphomas	1,106	10.2	0.31	5.3	0.17	867	5.6	0.20	3.0	0.12
Hodgkin Lymphoma	61	0.5	0.07	0.4	0.05	51	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,045	9.7	0.30	5.0	0.16	816	5.3	0.19	2.7	0.11
Multiple Myeloma	518	4.7	0.21	2.5	0.12	441	3.0	0.14	1.6	0.09
Leukemias	1,170	10.9	0.32	5.8	0.18	853	5.7	0.20	3.2	0.13
Other, Ill-defined & Unknown	2,214	20.2	0.43	11.0	0.25	2,076	13.6	0.31	7.8	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	627	298.7	14.49	182.1	7.82	440	171.5	8.95	108.0	5.41
Oral Cavity & Pharynx	10	3.6	1.34	2.5	0.87	-	-	-	-	-
Digestive System	218	96.3	7.98	60.1	4.41	97	38.0	4.25	22.5	2.40
Esophagus	19	7.5	2.01	4.8	1.19	7	2.5	1.04	1.6	0.65
Stomach	25	11.2	2.64	6.3	1.36	10	2.4	0.79	2.0	0.69
Colon & Rectum	49	22.7	4.13	13.8	2.13	27	10.4	2.22	6.1	1.23
Liver	77	30.9	4.25	21.1	2.59	10	3.6	1.24	2.3	0.77
Pancreas	39	19.7	3.87	11.3	1.97	28	14.3	2.86	6.8	1.33
Respiratory System	168	84.3	7.72	51.3	4.20	103	41.8	4.41	27.4	2.81
Larynx	10	4.6	1.72	2.5	0.85	-	-	-	-	-
Lung & bronchus	157	78.2	7.39	48.3	4.09	100	40.5	4.33	26.5	2.76
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	85	28.1	3.39	19.3	2.22
Female Genital System	-	-	-	-	-	48	20.4	3.20	11.9	1.78
Cervix uteri	-	-	-	-	-	11	3.4	1.09	2.7	0.86
Corpus & uterus, NOS ¹	-	-	-	-	-	16	7.4	1.98	4.0	1.03
Ovary	-	-	-	-	-	20	9.4	2.25	5.0	1.15
Male Genital System	65	45.0	6.35	22.1	2.85	-	-	-	-	-
Prostate	64	44.6	6.34	21.8	2.83	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	12.5	2.86	7.9	1.63	17	8.4	2.15	4.3	1.08
Bladder	9	5.0	2.00	3.0	1.05	8	4.4	1.59	2.3	0.83
Kidney & renal pelvis	17	7.3	2.03	4.7	1.23	8	3.8	1.42	1.8	0.65
Brain & Other Nervous System	8	2.8	1.17	2.0	0.77	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	15	8.2	2.85	4.1	1.20	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	15	8.2	2.85	4.1	1.20	-	-	-	-	-
Multiple Myeloma	19	9.2	2.38	5.6	1.36	13	6.4	1.86	3.6	1.03
Leukemias	19	5.6	1.58	4.2	1.08	10	2.4	0.93	1.9	0.64
Other, Ill-defined & Unknown	71	28.1	4.03	20.2	2.61	52	20.7	3.12	13.5	1.98

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	294	158.7	10.66	95.0	5.74	264	111.7	7.34	65.5	4.17
Oral Cavity & Pharynx	22	9.4	2.34	6.6	1.49	6	2.2	0.97	1.4	0.61
Digestive System	130	71.7	7.16	41.9	3.78	94	41.2	4.52	22.8	2.43
Esophagus	6	3.7	1.75	1.6	0.69	-	-	-	-	-
Stomach	23	13.1	3.12	7.7	1.65	11	4.8	1.55	2.6	0.82
Colon & Rectum	18	10.5	2.78	5.9	1.42	26	10.1	2.11	6.4	1.29
Liver	45	24.3	4.12	14.6	2.24	28	12.3	2.49	6.7	1.32
Pancreas	16	11.2	3.08	5.8	1.47	12	5.6	1.69	2.9	0.85
Respiratory System	64	34.6	4.80	22.6	2.90	34	15.3	2.75	8.9	1.56
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	64	34.6	4.80	22.6	2.90	34	15.3	2.75	8.9	1.56
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	33	14.3	2.60	8.8	1.56
Female Genital System	-	-	-	-	-	38	15.5	2.69	9.4	1.59
Cervix uteri	-	-	-	-	-	20	9.0	2.14	4.9	1.12
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	4.7	1.35	3.6	1.03
Male Genital System	11	9.4	3.00	3.8	1.15	-	-	-	-	-
Prostate	11	9.4	3.00	3.8	1.15	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	4.6	2.08	2.1	0.89	-	-	-	-	-
Bladder	6	4.6	2.08	2.1	0.89	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	7	1.4	0.57	1.3	0.50	7	2.1	0.88	1.4	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	12	7.7	2.47	4.2	1.25	9	5.0	1.69	2.2	0.75
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	11	7.0	2.38	3.8	1.18	9	5.0	1.69	2.2	0.75
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	16	7.3	2.29	4.6	1.20	12	4.1	1.32	3.1	0.92
Other, Ill-defined & Unknown	19	9.9	2.75	5.5	1.34	18	6.3	1.63	4.4	1.08

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,961	274.2	2.16	163.8	1.30	13,636	158.8	1.37	100.7	0.95
Oral Cavity & Pharynx	393	5.9	0.30	4.0	0.21	135	1.6	0.13	1.0	0.09
Digestive System	4,105	64.6	1.03	40.6	0.65	3,165	36.3	0.65	21.6	0.43
Esophagus	533	8.0	0.35	5.5	0.24	131	1.6	0.14	1.0	0.10
Stomach	363	5.8	0.31	3.6	0.19	264	3.1	0.19	1.9	0.13
Colon & Rectum	1,569	24.9	0.65	15.5	0.40	1,418	16.2	0.44	9.7	0.29
Liver	583	9.0	0.38	5.8	0.25	276	3.2	0.19	1.9	0.13
Pancreas	870	13.8	0.48	8.5	0.30	867	9.9	0.34	5.6	0.21
Respiratory System	6,351	100.7	1.29	61.8	0.80	3,659	42.8	0.71	27.5	0.49
Larynx	191	2.9	0.22	2.0	0.15	30	0.4	0.07	0.2	0.05
Lung & bronchus	6,125	97.3	1.27	59.4	0.78	3,616	42.3	0.71	27.2	0.49
Skin	317	5.2	0.30	3.1	0.18	148	1.7	0.14	1.1	0.10
Melanomas of the skin	236	3.8	0.26	2.3	0.16	117	1.4	0.13	0.9	0.09
Breast	20	0.3	0.08	0.2	0.04	2,102	24.9	0.55	17.0	0.40
Female Genital System	-	-	-	-	-	1,349	15.9	0.44	10.5	0.31
Cervix uteri	-	-	-	-	-	310	3.9	0.22	2.8	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	331	3.8	0.21	2.6	0.15
Ovary	-	-	-	-	-	647	7.5	0.30	4.7	0.21
Male Genital System	1,686	31.3	0.78	14.0	0.36	-	-	-	-	-
Prostate	1,664	31.0	0.77	13.8	0.35	-	-	-	-	-
Testis	10	0.2	0.05	0.1	0.04	-	-	-	-	-
Urinary System	813	13.5	0.49	7.6	0.28	420	4.7	0.23	2.7	0.15
Bladder	376	6.7	0.35	3.2	0.17	157	1.7	0.14	0.9	0.08
Kidney & renal pelvis	422	6.6	0.33	4.3	0.21	254	2.9	0.18	1.8	0.13
Brain & Other Nervous System	362	5.5	0.29	4.0	0.22	331	4.0	0.22	2.8	0.17
Endocrine System	45	0.7	0.10	0.5	0.08	61	0.7	0.09	0.5	0.07
Thyroid gland	26	0.4	0.08	0.3	0.05	41	0.5	0.07	0.3	0.05
Lymphomas	537	8.7	0.39	5.2	0.23	445	5.1	0.25	2.9	0.16
Hodgkin Lymphoma	28	0.5	0.09	0.3	0.06	31	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	509	8.3	0.38	4.9	0.23	414	4.8	0.24	2.7	0.15
Multiple Myeloma	273	4.4	0.27	2.6	0.16	282	3.2	0.19	1.9	0.13
Leukemias	640	10.6	0.43	6.3	0.26	518	6.0	0.27	3.6	0.19
Other, Ill-defined & Unknown	1,419	22.7	0.62	13.9	0.38	1,021	11.8	0.37	7.5	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,449	250.8	2.39	148.4	1.45	9,205	150.2	1.59	94.0	1.11
Oral Cavity & Pharynx	228	4.8	0.33	3.2	0.22	91	1.5	0.16	0.9	0.11
Digestive System	2,617	56.3	1.12	34.9	0.71	2,022	32.0	0.72	18.8	0.48
Esophagus	331	6.9	0.38	4.6	0.26	74	1.2	0.14	0.7	0.09
Stomach	160	3.5	0.28	2.1	0.18	149	2.4	0.20	1.4	0.14
Colon & Rectum	996	21.5	0.70	13.3	0.44	883	13.9	0.48	8.1	0.32
Liver	392	8.4	0.43	5.3	0.28	196	3.1	0.23	1.8	0.15
Pancreas	602	12.9	0.53	7.9	0.33	571	9.0	0.38	5.2	0.25
Respiratory System	4,468	96.0	1.46	57.6	0.90	2,777	45.5	0.87	29.2	0.61
Larynx	96	2.0	0.21	1.3	0.14	17	0.3	0.07	0.2	0.05
Lung & bronchus	4,351	93.5	1.44	56.0	0.88	2,750	45.1	0.87	28.9	0.61
Skin	289	6.4	0.39	3.9	0.24	133	2.2	0.19	1.5	0.14
Melanomas of the skin	224	5.0	0.34	3.1	0.22	107	1.8	0.18	1.3	0.14
Breast	14	0.3	0.09	0.2	0.05	1,236	20.7	0.60	13.8	0.44
Female Genital System	-	-	-	-	-	801	13.3	0.48	8.7	0.35
Cervix uteri	-	-	-	-	-	140	2.6	0.23	1.9	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	157	2.5	0.21	1.7	0.15
Ovary	-	-	-	-	-	460	7.5	0.35	4.7	0.25
Male Genital System	846	20.8	0.73	9.1	0.33	-	-	-	-	-
Prostate	834	20.5	0.72	9.0	0.32	-	-	-	-	-
Testis	6	0.1	0.06	0.1	0.05	-	-	-	-	-
Urinary System	631	14.2	0.57	7.9	0.33	289	4.5	0.27	2.5	0.17
Bladder	302	7.1	0.42	3.4	0.20	114	1.7	0.16	0.8	0.09
Kidney & renal pelvis	315	6.7	0.38	4.3	0.25	170	2.7	0.21	1.7	0.14
Brain & Other Nervous System	287	6.1	0.37	4.4	0.28	257	4.5	0.28	3.1	0.22
Endocrine System	31	0.7	0.12	0.5	0.11	35	0.6	0.10	0.4	0.07
Thyroid gland	19	0.4	0.10	0.3	0.07	24	0.4	0.08	0.2	0.05
Lymphomas	419	9.3	0.46	5.4	0.28	354	5.6	0.30	3.1	0.19
Hodgkin Lymphoma	17	0.4	0.10	0.2	0.06	22	0.4	0.09	0.3	0.06
Non-Hodgkin Lymphoma	402	8.9	0.45	5.2	0.27	332	5.2	0.29	2.9	0.18
Multiple Myeloma	163	3.5	0.28	2.1	0.17	147	2.3	0.19	1.3	0.12
Leukemias	476	10.8	0.50	6.3	0.31	381	6.2	0.33	3.7	0.24
Other, Ill-defined & Unknown	980	21.5	0.70	12.9	0.43	682	11.1	0.44	7.0	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,427	346.7	4.96	208.8	2.91	4,364	179.3	2.74	116.1	1.87
Oral Cavity & Pharynx	159	8.2	0.68	6.1	0.49	43	1.7	0.26	1.1	0.18
Digestive System	1,460	88.8	2.45	56.4	1.51	1,122	46.5	1.40	28.1	0.90
Esophagus	200	11.1	0.82	8.0	0.58	56	2.3	0.31	1.7	0.23
Stomach	197	12.5	0.94	7.5	0.55	112	4.6	0.44	2.8	0.29
Colon & Rectum	568	35.6	1.58	21.8	0.94	530	21.8	0.96	13.3	0.62
Liver	179	10.0	0.79	6.9	0.52	75	3.1	0.36	1.9	0.23
Pancreas	265	16.5	1.07	10.3	0.65	289	12.3	0.73	6.9	0.44
Respiratory System	1,856	114.2	2.78	73.2	1.74	869	36.4	1.25	23.9	0.86
Larynx	93	5.3	0.58	3.7	0.39	13	0.5	0.15	0.4	0.12
Lung & bronchus	1,749	108.1	2.71	68.9	1.69	853	35.7	1.23	23.4	0.85
Skin	27	1.6	0.32	1.0	0.21	15	0.6	0.15	0.3	0.09
Melanomas of the skin	11	0.8	0.25	0.4	0.13	10	0.4	0.12	0.2	0.07
Breast	6	0.4	0.19	0.2	0.10	857	34.2	1.18	23.9	0.85
Female Genital System	-	-	-	-	-	539	22.3	0.97	14.6	0.67
Cervix uteri	-	-	-	-	-	167	6.7	0.53	4.6	0.37
Corpus & uterus, NOS ¹	-	-	-	-	-	173	7.3	0.56	4.8	0.39
Ovary	-	-	-	-	-	182	7.6	0.57	4.7	0.37
Male Genital System	836	66.8	2.38	30.2	1.08	-	-	-	-	-
Prostate	826	66.3	2.37	29.8	1.07	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	178	11.7	0.92	6.7	0.52	131	5.4	0.48	3.3	0.31
Bladder	73	5.4	0.66	2.6	0.31	43	1.8	0.28	1.0	0.17
Kidney & renal pelvis	104	6.2	0.64	4.1	0.42	84	3.5	0.38	2.2	0.26
Brain & Other Nervous System	73	3.9	0.49	2.9	0.34	72	2.9	0.34	2.2	0.27
Endocrine System	13	0.8	0.24	0.5	0.15	25	1.0	0.20	0.7	0.15
Thyroid gland	7	0.5	0.18	0.3	0.11	17	0.7	0.17	0.5	0.12
Lymphomas	118	6.8	0.67	4.5	0.43	90	3.7	0.40	2.3	0.26
Hodgkin Lymphoma	11	0.6	0.19	0.4	0.13	9	0.4	0.12	0.2	0.08
Non-Hodgkin Lymphoma	107	6.2	0.64	4.1	0.41	81	3.4	0.38	2.1	0.25
Multiple Myeloma	109	7.1	0.71	4.3	0.43	133	5.5	0.48	3.4	0.32
Leukemias	161	10.1	0.85	6.2	0.50	134	5.5	0.48	3.5	0.33
Other, Ill-defined & Unknown	431	26.2	1.34	16.5	0.81	334	13.8	0.76	8.8	0.52

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	44	128.6	21.34	82.0	12.63	39	81.7	13.87	46.2	7.56
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	40.2	11.86	25.7	7.03	13	31.4	9.10	14.5	4.10
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	8	16.7	5.96	15.5	5.61	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	18	59.6	15.37	34.3	8.25	8	17.3	6.43	9.1	3.32
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	53.6	14.15	32.3	8.02	8	17.3	6.43	9.1	3.32
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,629	237.6	1.33	138.3	0.80	29,681	160.4	0.95	98.3	0.64
Oral Cavity & Pharynx	506	3.4	0.16	2.3	0.11	270	1.4	0.09	0.9	0.06
Digestive System	7,874	56.5	0.65	33.8	0.40	6,358	33.3	0.43	19.0	0.27
Esophagus	1,138	8.0	0.24	5.0	0.15	305	1.6	0.10	1.0	0.06
Stomach	578	4.2	0.18	2.5	0.11	363	1.9	0.10	1.1	0.07
Colon & Rectum	2,947	21.6	0.40	12.4	0.24	2,833	14.6	0.28	8.1	0.18
Liver	932	6.3	0.21	4.3	0.14	383	2.0	0.11	1.2	0.07
Pancreas	1,819	13.1	0.31	7.8	0.19	1,834	9.7	0.23	5.6	0.15
Respiratory System	11,499	82.4	0.78	49.6	0.48	8,456	46.6	0.51	29.2	0.35
Larynx	326	2.3	0.13	1.5	0.08	81	0.4	0.05	0.3	0.04
Lung & bronchus	11,129	79.8	0.77	48.0	0.47	8,343	46.0	0.51	28.8	0.34
Skin	873	6.3	0.22	3.8	0.14	467	2.6	0.12	1.7	0.09
Melanomas of the skin	642	4.6	0.18	2.9	0.12	374	2.1	0.11	1.4	0.08
Breast	41	0.3	0.05	0.2	0.03	4,540	24.9	0.38	16.2	0.27
Female Genital System	-	-	-	-	-	2,737	15.0	0.29	9.7	0.21
Cervix uteri	-	-	-	-	-	427	2.6	0.13	1.9	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	782	4.2	0.15	2.7	0.11
Ovary	-	-	-	-	-	1,363	7.4	0.20	4.6	0.14
Male Genital System	2,917	23.3	0.44	10.4	0.20	-	-	-	-	-
Prostate	2,839	22.7	0.43	9.9	0.20	-	-	-	-	-
Testis	48	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	1,967	14.6	0.33	8.0	0.19	930	4.8	0.16	2.7	0.10
Bladder	989	7.6	0.24	3.8	0.13	392	2.0	0.10	1.0	0.06
Kidney & renal pelvis	929	6.6	0.22	4.1	0.14	501	2.7	0.12	1.7	0.08
Brain & Other Nervous System	793	5.4	0.20	3.9	0.15	675	3.9	0.15	2.8	0.12
Endocrine System	111	0.8	0.08	0.6	0.06	120	0.7	0.06	0.4	0.05
Thyroid gland	64	0.5	0.06	0.3	0.04	86	0.5	0.05	0.3	0.03
Lymphomas	1,190	8.9	0.26	4.9	0.15	1,082	5.7	0.18	3.2	0.11
Hodgkin Lymphoma	67	0.5	0.06	0.3	0.04	75	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,123	8.4	0.25	4.6	0.14	1,007	5.3	0.17	2.9	0.11
Multiple Myeloma	651	4.8	0.19	2.7	0.11	536	2.8	0.12	1.6	0.08
Leukemias	1,481	11.0	0.29	6.3	0.18	1,052	5.6	0.18	3.3	0.12
Other, Ill-defined & Unknown	2,726	19.8	0.39	11.7	0.24	2,458	13.1	0.27	7.7	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,335	233.4	1.38	135.3	0.83	26,546	158.8	0.99	97.2	0.68
Oral Cavity & Pharynx	444	3.3	0.16	2.2	0.11	239	1.4	0.09	0.8	0.06
Digestive System	6,860	53.9	0.66	32.0	0.41	5,537	31.9	0.44	18.0	0.28
Esophagus	1,019	7.8	0.25	4.9	0.16	265	1.6	0.10	0.9	0.06
Stomach	469	3.7	0.17	2.2	0.11	284	1.6	0.10	0.9	0.07
Colon & Rectum	2,622	21.0	0.41	12.0	0.25	2,496	14.2	0.29	7.8	0.18
Liver	737	5.5	0.21	3.7	0.14	314	1.8	0.11	1.1	0.07
Pancreas	1,606	12.6	0.32	7.5	0.20	1,614	9.4	0.24	5.4	0.15
Respiratory System	10,449	81.9	0.81	49.0	0.50	7,678	46.9	0.54	29.4	0.37
Larynx	273	2.1	0.13	1.3	0.08	71	0.4	0.05	0.3	0.04
Lung & bronchus	10,136	79.5	0.80	47.5	0.49	7,579	46.3	0.54	29.0	0.37
Skin	851	6.7	0.23	4.1	0.15	456	2.8	0.13	1.8	0.10
Melanomas of the skin	633	4.9	0.20	3.2	0.13	371	2.3	0.12	1.6	0.09
Breast	38	0.3	0.05	0.2	0.03	3,998	24.4	0.39	15.8	0.28
Female Genital System	-	-	-	-	-	2,415	14.7	0.30	9.5	0.22
Cervix uteri	-	-	-	-	-	336	2.3	0.13	1.7	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	674	4.0	0.16	2.5	0.11
Ovary	-	-	-	-	-	1,261	7.6	0.22	4.8	0.15
Male Genital System	2,503	21.6	0.44	9.5	0.20	-	-	-	-	-
Prostate	2,431	21.1	0.43	9.1	0.20	-	-	-	-	-
Testis	45	0.4	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,813	14.7	0.35	8.0	0.20	850	4.9	0.17	2.8	0.11
Bladder	930	7.7	0.26	3.9	0.13	365	2.0	0.11	1.0	0.06
Kidney & renal pelvis	836	6.5	0.23	4.0	0.14	456	2.7	0.13	1.7	0.09
Brain & Other Nervous System	759	5.8	0.21	4.2	0.16	628	4.0	0.17	3.0	0.13
Endocrine System	97	0.8	0.08	0.6	0.06	112	0.7	0.07	0.5	0.05
Thyroid gland	58	0.4	0.06	0.3	0.04	80	0.5	0.05	0.3	0.04
Lymphomas	1,110	9.0	0.27	5.0	0.16	1,010	5.9	0.19	3.2	0.12
Hodgkin Lymphoma	58	0.4	0.06	0.3	0.05	68	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,052	8.6	0.27	4.6	0.15	942	5.5	0.18	3.0	0.11
Multiple Myeloma	567	4.6	0.19	2.5	0.11	451	2.6	0.13	1.4	0.08
Leukemias	1,368	11.1	0.30	6.3	0.19	972	5.7	0.19	3.4	0.13
Other, Ill-defined & Unknown	2,476	19.7	0.40	11.6	0.25	2,200	12.9	0.28	7.6	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,112	315.7	6.01	188.3	3.46	2,944	188.2	3.49	117.0	2.29
Oral Cavity & Pharynx	60	4.8	0.65	3.7	0.48	28	1.7	0.33	1.2	0.25
Digestive System	943	92.6	3.20	56.4	1.89	765	49.4	1.80	29.2	1.13
Esophagus	115	10.9	1.07	6.9	0.67	38	2.4	0.39	1.6	0.26
Stomach	96	9.8	1.06	5.6	0.59	71	4.6	0.55	2.7	0.34
Colon & Rectum	307	32.3	1.96	18.5	1.09	317	20.6	1.16	11.6	0.70
Liver	175	14.9	1.19	10.5	0.81	58	3.7	0.49	2.3	0.32
Pancreas	204	20.0	1.47	12.3	0.89	211	13.7	0.95	8.1	0.60
Respiratory System	1,002	97.7	3.24	62.2	2.02	741	48.0	1.77	29.9	1.16
Larynx	52	5.0	0.72	3.2	0.46	10	0.7	0.21	0.4	0.12
Lung & bronchus	946	92.5	3.16	58.7	1.96	727	47.0	1.76	29.4	1.15
Skin	20	1.8	0.43	1.1	0.26	11	0.7	0.21	0.5	0.15
Melanomas of the skin	7	0.7	0.28	0.4	0.15	-	-	-	-	-
Breast	-	-	-	-	-	517	32.2	1.43	20.7	0.95
Female Genital System	-	-	-	-	-	300	18.8	1.10	12.8	0.77
Cervix uteri	-	-	-	-	-	89	5.5	0.58	4.0	0.44
Corpus & uterus, NOS ¹	-	-	-	-	-	104	6.7	0.66	4.4	0.45
Ovary	-	-	-	-	-	87	5.5	0.59	3.6	0.40
Male Genital System	406	51.4	2.68	23.7	1.21	-	-	-	-	-
Prostate	400	50.9	2.67	23.3	1.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	145	14.8	1.31	8.8	0.75	73	4.7	0.56	2.8	0.36
Bladder	52	5.9	0.87	3.2	0.45	24	1.6	0.33	0.8	0.18
Kidney & renal pelvis	91	8.7	0.97	5.5	0.59	41	2.6	0.41	1.6	0.27
Brain & Other Nervous System	28	2.1	0.43	1.7	0.33	44	2.7	0.41	2.0	0.31
Endocrine System	10	0.9	0.30	0.6	0.20	8	0.5	0.18	0.3	0.11
Thyroid gland	-	-	-	-	-	6	0.4	0.16	0.2	0.09
Lymphomas	71	7.0	0.89	4.4	0.54	66	4.2	0.52	2.5	0.33
Hodgkin Lymphoma	7	0.6	0.27	0.4	0.15	-	-	-	-	-
Non-Hodgkin Lymphoma	64	6.3	0.84	4.0	0.51	61	3.9	0.50	2.3	0.31
Multiple Myeloma	79	8.2	0.97	4.8	0.56	83	5.4	0.60	3.2	0.38
Leukemias	106	10.5	1.09	6.3	0.63	68	4.4	0.54	2.7	0.34
Other, Ill-defined & Unknown	239	23.5	1.63	14.3	0.95	240	15.4	1.00	9.3	0.64

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	125	102.6	10.26	60.7	5.50	128	78.0	7.40	45.7	4.12
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	59	50.5	7.31	28.6	3.76	42	26.7	4.37	15.5	2.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	13	10.2	3.14	6.4	1.80	7	4.8	1.90	2.3	0.89
Colon & Rectum	14	13.3	3.95	6.7	1.82	13	8.9	2.65	4.8	1.37
Liver	16	12.3	3.47	7.3	1.84	10	6.9	2.27	3.7	1.19
Pancreas	8	5.5	2.07	3.9	1.41	8	4.3	1.58	3.1	1.13
Respiratory System	27	20.1	4.31	12.9	2.51	21	14.0	3.17	7.6	1.69
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	27	20.1	4.31	12.9	2.51	21	14.0	3.17	7.6	1.69
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	6.4	1.75	5.1	1.39
Female Genital System	-	-	-	-	-	16	9.3	2.49	5.3	1.34
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	7.1	2.19	3.9	1.14
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	6	5.6	2.58	3.1	1.27	8	4.9	1.97	2.5	0.90
Other, Ill-defined & Unknown	10	6.8	2.27	4.9	1.56	12	7.4	2.26	4.6	1.35

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,036	203.4	2.91	113.6	1.70	4,560	150.5	2.27	90.3	1.51
Oral Cavity & Pharynx	76	2.9	0.34	1.9	0.22	38	1.2	0.20	0.8	0.14
Digestive System	1,215	47.7	1.39	28.3	0.85	1,004	32.5	1.04	18.7	0.67
Esophagus	198	7.5	0.54	4.8	0.35	48	1.6	0.23	1.1	0.17
Stomach	91	3.7	0.39	2.0	0.23	55	1.8	0.24	1.1	0.17
Colon & Rectum	443	17.8	0.86	10.2	0.51	461	14.7	0.70	8.3	0.44
Liver	106	4.0	0.39	2.5	0.26	55	1.7	0.24	1.0	0.15
Pancreas	315	12.4	0.71	7.3	0.43	267	8.7	0.54	5.1	0.35
Respiratory System	1,481	59.1	1.56	33.8	0.92	1,240	41.8	1.20	24.8	0.78
Larynx	42	1.6	0.25	1.1	0.17	9	0.3	0.10	0.2	0.07
Lung & bronchus	1,429	57.1	1.53	32.5	0.90	1,227	41.3	1.19	24.6	0.77
Skin	120	4.7	0.44	2.8	0.27	69	2.4	0.30	1.6	0.21
Melanomas of the skin	93	3.6	0.38	2.2	0.25	63	2.2	0.29	1.5	0.21
Breast	-	-	-	-	-	615	20.5	0.84	13.4	0.60
Female Genital System	-	-	-	-	-	495	16.2	0.74	10.2	0.51
Cervix uteri	-	-	-	-	-	52	1.9	0.28	1.4	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	132	4.3	0.38	2.7	0.26
Ovary	-	-	-	-	-	280	9.1	0.55	5.6	0.37
Male Genital System	635	27.7	1.11	11.6	0.49	-	-	-	-	-
Prostate	625	27.2	1.10	11.4	0.48	-	-	-	-	-
Testis	6	0.3	0.11	0.2	0.08	-	-	-	-	-
Urinary System	326	13.5	0.76	6.9	0.41	148	4.7	0.39	2.7	0.25
Bladder	183	7.7	0.58	3.6	0.28	66	2.0	0.25	0.9	0.13
Kidney & renal pelvis	136	5.5	0.48	3.2	0.30	75	2.5	0.29	1.7	0.21
Brain & Other Nervous System	147	5.5	0.46	4.0	0.35	101	3.6	0.37	2.8	0.30
Endocrine System	11	0.5	0.14	0.3	0.11	19	0.7	0.15	0.4	0.13
Thyroid gland	7	0.3	0.11	0.2	0.06	11	0.4	0.11	0.2	0.07
Lymphomas	207	8.5	0.60	4.7	0.35	175	5.6	0.43	2.8	0.24
Hodgkin Lymphoma	8	0.3	0.12	0.2	0.09	7	0.2	0.09	0.2	0.08
Non-Hodgkin Lymphoma	199	8.1	0.58	4.5	0.34	168	5.4	0.42	2.6	0.23
Multiple Myeloma	98	3.9	0.40	2.2	0.23	82	2.7	0.30	1.4	0.18
Leukemias	258	10.8	0.68	6.1	0.42	174	5.8	0.45	3.4	0.32
Other, Ill-defined & Unknown	459	18.5	0.88	10.8	0.53	400	12.9	0.66	7.3	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,801	201.1	2.94	112.0	1.72	4,341	149.0	2.30	88.8	1.53
Oral Cavity & Pharynx	72	2.9	0.34	1.8	0.22	36	1.2	0.21	0.8	0.14
Digestive System	1,146	46.8	1.40	27.7	0.86	943	31.6	1.05	18.1	0.67
Esophagus	193	7.6	0.56	4.8	0.36	46	1.6	0.24	1.1	0.17
Stomach	82	3.5	0.39	1.9	0.23	46	1.5	0.23	0.9	0.15
Colon & Rectum	414	17.3	0.86	9.9	0.51	436	14.4	0.71	8.1	0.45
Liver	93	3.6	0.38	2.3	0.25	48	1.5	0.23	0.8	0.14
Pancreas	306	12.5	0.72	7.3	0.44	260	8.8	0.55	5.2	0.36
Respiratory System	1,416	58.5	1.57	33.5	0.94	1,181	41.5	1.22	24.6	0.79
Larynx	40	1.6	0.25	1.0	0.17	9	0.3	0.10	0.2	0.07
Lung & bronchus	1,367	56.5	1.55	32.2	0.92	1,168	41.0	1.22	24.3	0.79
Skin	115	4.7	0.45	2.8	0.28	66	2.5	0.31	1.6	0.22
Melanomas of the skin	89	3.6	0.39	2.3	0.26	60	2.3	0.30	1.5	0.22
Breast	-	-	-	-	-	593	20.6	0.87	13.4	0.61
Female Genital System	-	-	-	-	-	476	16.2	0.76	10.2	0.52
Cervix uteri	-	-	-	-	-	45	1.8	0.27	1.2	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	126	4.3	0.39	2.7	0.27
Ovary	-	-	-	-	-	275	9.3	0.57	5.7	0.39
Male Genital System	611	27.4	1.12	11.5	0.50	-	-	-	-	-
Prostate	601	26.9	1.11	11.2	0.49	-	-	-	-	-
Testis	6	0.3	0.12	0.2	0.08	-	-	-	-	-
Urinary System	311	13.3	0.77	6.8	0.42	141	4.6	0.40	2.6	0.25
Bladder	179	7.8	0.59	3.6	0.29	64	2.0	0.26	0.9	0.14
Kidney & renal pelvis	126	5.3	0.48	3.1	0.30	71	2.4	0.30	1.6	0.21
Brain & Other Nervous System	143	5.7	0.48	4.1	0.37	98	3.7	0.38	2.8	0.32
Endocrine System	11	0.5	0.15	0.3	0.12	18	0.7	0.16	0.4	0.15
Thyroid gland	7	0.3	0.12	0.2	0.07	10	0.3	0.10	0.2	0.06
Lymphomas	198	8.4	0.61	4.7	0.36	167	5.5	0.43	2.7	0.24
Hodgkin Lymphoma	8	0.4	0.13	0.3	0.10	6	0.2	0.08	0.2	0.07
Non-Hodgkin Lymphoma	190	8.1	0.59	4.5	0.35	161	5.3	0.42	2.5	0.23
Multiple Myeloma	92	3.8	0.40	2.1	0.23	79	2.7	0.31	1.4	0.18
Leukemias	249	10.8	0.69	6.0	0.42	166	5.7	0.46	3.3	0.32
Other, Ill-defined & Unknown	435	18.2	0.89	10.5	0.54	377	12.5	0.66	6.9	0.42

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	10	194.2	63.02	117.6	38.14	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	11	137.4	42.39	64.3	20.64	21	126.0	28.50	85.3	19.25
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	9	55.9	19.08	37.4	12.91
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	8,872	215.2	2.30	122.0	1.39	8,104	145.7	1.66	87.5	1.13
Oral Cavity & Pharynx	120	2.8	0.26	1.8	0.18	85	1.6	0.18	1.0	0.13
Digestive System	2,274	54.3	1.15	32.1	0.72	1,906	32.9	0.78	17.9	0.49
Esophagus	335	7.8	0.43	5.1	0.29	82	1.5	0.17	0.9	0.11
Stomach	157	3.8	0.30	2.1	0.18	99	1.7	0.18	1.0	0.12
Colon & Rectum	930	22.5	0.74	12.7	0.45	898	15.1	0.52	7.9	0.32
Liver	204	4.8	0.34	3.0	0.22	76	1.4	0.16	0.8	0.11
Pancreas	512	12.2	0.54	7.3	0.34	532	9.4	0.42	5.2	0.26
Respiratory System	2,684	64.9	1.26	38.3	0.79	1,968	36.7	0.84	22.8	0.58
Larynx	79	1.8	0.21	1.2	0.15	19	0.4	0.09	0.3	0.06
Lung & bronchus	2,580	62.4	1.24	36.7	0.77	1,934	36.0	0.83	22.4	0.57
Skin	245	5.9	0.38	3.4	0.23	143	2.6	0.23	1.7	0.17
Melanomas of the skin	179	4.2	0.32	2.6	0.20	115	2.2	0.21	1.5	0.16
Breast	12	0.3	0.09	0.2	0.05	1,151	21.2	0.64	13.6	0.46
Female Genital System	-	-	-	-	-	813	15.1	0.54	9.7	0.38
Cervix uteri	-	-	-	-	-	78	1.6	0.18	1.1	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	260	4.7	0.30	2.8	0.20
Ovary	-	-	-	-	-	437	8.1	0.40	5.3	0.29
Male Genital System	980	25.0	0.80	10.8	0.37	-	-	-	-	-
Prostate	965	24.7	0.80	10.5	0.37	-	-	-	-	-
Testis	9	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	554	13.6	0.58	7.2	0.33	308	5.2	0.31	2.9	0.20
Bladder	275	6.9	0.42	3.3	0.21	125	2.0	0.18	1.0	0.11
Kidney & renal pelvis	258	6.2	0.39	3.7	0.24	167	3.0	0.24	1.8	0.16
Brain & Other Nervous System	256	6.0	0.38	4.4	0.29	219	4.3	0.30	3.1	0.23
Endocrine System	32	0.7	0.13	0.6	0.11	29	0.5	0.10	0.4	0.09
Thyroid gland	18	0.4	0.10	0.3	0.07	20	0.3	0.08	0.2	0.05
Lymphomas	393	9.6	0.49	5.1	0.28	353	5.9	0.33	3.1	0.20
Hodgkin Lymphoma	26	0.6	0.12	0.4	0.08	14	0.2	0.07	0.1	0.03
Non-Hodgkin Lymphoma	367	9.0	0.47	4.8	0.27	339	5.7	0.32	3.0	0.20
Multiple Myeloma	170	4.1	0.32	2.2	0.18	150	2.6	0.22	1.4	0.13
Leukemias	408	10.0	0.50	5.6	0.30	287	4.9	0.30	2.8	0.21
Other, Ill-defined & Unknown	744	18.0	0.66	10.2	0.40	692	12.1	0.47	7.0	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,523	214.4	2.34	121.0	1.41	7,759	144.9	1.69	87.0	1.16
Oral Cavity & Pharynx	112	2.7	0.26	1.8	0.18	79	1.5	0.18	1.0	0.13
Digestive System	2,160	53.6	1.16	31.4	0.72	1,802	32.2	0.78	17.4	0.49
Esophagus	321	7.8	0.44	5.0	0.30	77	1.4	0.17	0.8	0.11
Stomach	149	3.7	0.31	2.1	0.18	89	1.6	0.17	0.9	0.12
Colon & Rectum	896	22.4	0.76	12.7	0.45	851	14.8	0.52	7.7	0.32
Liver	172	4.2	0.32	2.5	0.21	69	1.3	0.16	0.8	0.11
Pancreas	492	12.1	0.55	7.2	0.35	506	9.3	0.42	5.0	0.26
Respiratory System	2,581	64.7	1.28	38.2	0.80	1,885	36.6	0.86	22.7	0.59
Larynx	75	1.8	0.21	1.2	0.15	18	0.4	0.09	0.2	0.06
Lung & bronchus	2,482	62.2	1.26	36.6	0.78	1,852	35.9	0.85	22.3	0.59
Skin	243	6.0	0.39	3.5	0.24	143	2.8	0.24	1.8	0.18
Melanomas of the skin	178	4.4	0.33	2.7	0.21	115	2.3	0.22	1.6	0.17
Breast	11	0.3	0.08	0.2	0.05	1,108	21.2	0.66	13.6	0.47
Female Genital System	-	-	-	-	-	779	15.0	0.55	9.7	0.39
Cervix uteri	-	-	-	-	-	74	1.6	0.19	1.2	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	245	4.6	0.30	2.8	0.21
Ovary	-	-	-	-	-	424	8.2	0.41	5.3	0.29
Male Genital System	944	24.8	0.81	10.6	0.37	-	-	-	-	-
Prostate	930	24.5	0.81	10.3	0.37	-	-	-	-	-
Testis	9	0.2	0.08	0.2	0.07	-	-	-	-	-
Urinary System	538	13.7	0.59	7.2	0.34	293	5.2	0.31	2.9	0.21
Bladder	269	7.0	0.43	3.2	0.21	117	1.9	0.18	0.9	0.11
Kidney & renal pelvis	249	6.2	0.39	3.7	0.25	161	3.0	0.24	1.8	0.17
Brain & Other Nervous System	248	6.1	0.39	4.5	0.30	213	4.4	0.31	3.1	0.24
Endocrine System	29	0.7	0.13	0.6	0.12	29	0.6	0.11	0.4	0.10
Thyroid gland	17	0.4	0.10	0.3	0.08	20	0.3	0.08	0.2	0.05
Lymphomas	378	9.6	0.50	5.1	0.28	344	6.0	0.34	3.2	0.21
Hodgkin Lymphoma	24	0.6	0.12	0.4	0.08	12	0.2	0.06	0.1	0.03
Non-Hodgkin Lymphoma	354	9.0	0.48	4.7	0.27	332	5.8	0.33	3.1	0.21
Multiple Myeloma	159	4.0	0.32	2.1	0.18	138	2.4	0.21	1.3	0.13
Leukemias	401	10.2	0.51	5.7	0.32	279	5.0	0.31	2.8	0.21
Other, Ill-defined & Unknown	719	18.0	0.68	10.1	0.41	667	12.1	0.49	7.0	0.33

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	270	268.9	18.12	167.9	10.50	275	202.4	12.42	119.7	7.64
Oral Cavity & Pharynx	6	4.8	2.08	3.6	1.49	-	-	-	-	-
Digestive System	83	81.6	10.10	51.3	5.79	80	60.5	6.86	33.4	3.99
Esophagus	11	10.6	3.60	7.0	2.15	-	-	-	-	-
Stomach	-	-	-	-	-	7	5.7	2.17	2.7	1.07
Colon & Rectum	26	30.4	6.65	16.1	3.26	38	29.2	4.79	14.4	2.50
Liver	20	14.1	3.25	12.2	2.80	-	-	-	-	-
Pancreas	16	18.0	4.96	10.2	2.61	21	14.9	3.31	9.6	2.21
Respiratory System	80	80.3	9.59	48.8	5.61	67	50.4	6.24	29.9	3.88
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	75	75.5	9.33	45.5	5.40	66	49.6	6.18	29.4	3.85
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	35	23.7	4.08	16.8	2.94
Female Genital System	-	-	-	-	-	30	21.5	4.01	13.0	2.49
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	14	10.9	2.99	5.1	1.45
Ovary	-	-	-	-	-	10	6.6	2.12	5.3	1.72
Male Genital System	33	41.5	7.87	21.8	3.88	-	-	-	-	-
Prostate	32	40.4	7.80	21.2	3.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	14.6	4.61	8.3	2.43	12	9.6	2.81	4.1	1.27
Bladder	6	5.2	2.16	4.4	1.81	8	6.3	2.25	2.6	0.97
Kidney & renal pelvis	6	9.4	4.07	3.9	1.62	-	-	-	-	-
Brain & Other Nervous System	6	4.2	1.77	3.8	1.62	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	6.1	2.02	5.2	1.68	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	8	4.9	1.83	4.2	1.52	-	-	-	-	-
Multiple Myeloma	8	5.8	2.11	5.2	1.88	9	7.2	2.42	3.9	1.41
Leukemias	6	5.2	2.43	2.9	1.25	7	4.5	1.76	3.5	1.38
Other, Ill-defined & Unknown	21	19.7	4.85	14.1	3.15	22	15.7	3.44	9.3	2.10

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	41	115.3	20.91	73.6	11.77	34	75.6	14.09	43.8	7.65
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	42.5	11.23	32.8	7.71	14	31.7	9.17	18.6	5.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	10	24.7	9.47	16.9	5.50	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	23.3	8.82	16.3	5.63	9	18.8	6.91	11.0	3.74
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	23.3	8.82	16.3	5.63	9	18.8	6.91	11.0	3.74
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,710	213.3	2.04	122.1	1.16	9,949	158.4	1.60	94.9	1.01
Oral Cavity & Pharynx	198	3.3	0.24	2.2	0.16	88	1.4	0.15	0.8	0.09
Digestive System	3,151	55.6	1.02	33.5	0.61	2,181	34.9	0.75	19.9	0.45
Esophagus	464	8.0	0.38	5.0	0.24	106	1.7	0.16	1.0	0.11
Stomach	243	4.5	0.30	2.5	0.17	164	2.7	0.21	1.4	0.12
Colon & Rectum	1,142	20.7	0.63	12.0	0.36	951	15.3	0.50	8.5	0.29
Liver	433	7.2	0.35	4.7	0.23	177	2.8	0.21	1.6	0.13
Pancreas	704	12.3	0.48	7.5	0.29	614	9.8	0.40	5.8	0.25
Respiratory System	3,609	64.8	1.11	37.6	0.64	3,111	49.6	0.90	29.5	0.56
Larynx	114	2.0	0.19	1.2	0.12	39	0.6	0.10	0.4	0.06
Lung & bronchus	3,482	62.5	1.09	36.2	0.63	3,063	48.8	0.89	29.0	0.55
Skin	358	6.4	0.35	3.8	0.21	107	1.7	0.17	1.1	0.11
Melanomas of the skin	260	4.5	0.29	2.8	0.18	86	1.4	0.15	0.9	0.10
Breast	12	0.2	0.06	0.1	0.04	1,489	23.3	0.61	14.7	0.40
Female Genital System	-	-	-	-	-	901	14.1	0.47	9.2	0.32
Cervix uteri	-	-	-	-	-	174	2.7	0.21	2.0	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	213	3.3	0.23	2.1	0.15
Ovary	-	-	-	-	-	468	7.3	0.34	4.7	0.23
Male Genital System	1,129	23.8	0.73	10.5	0.32	-	-	-	-	-
Prostate	1,102	23.4	0.72	10.2	0.32	-	-	-	-	-
Testis	19	0.3	0.07	0.2	0.06	-	-	-	-	-
Urinary System	772	14.6	0.54	7.8	0.29	326	5.3	0.29	2.8	0.17
Bladder	435	8.7	0.43	4.2	0.21	166	2.7	0.21	1.4	0.12
Kidney & renal pelvis	325	5.6	0.33	3.5	0.20	152	2.4	0.20	1.4	0.12
Brain & Other Nervous System	318	5.2	0.30	3.7	0.21	199	3.1	0.22	2.2	0.17
Endocrine System	40	0.7	0.11	0.5	0.08	43	0.7	0.10	0.4	0.07
Thyroid gland	21	0.4	0.08	0.2	0.05	32	0.5	0.09	0.3	0.06
Lymphomas	406	7.3	0.37	4.3	0.22	311	5.1	0.29	2.8	0.17
Hodgkin Lymphoma	33	0.6	0.11	0.4	0.07	18	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	373	6.7	0.36	4.0	0.21	293	4.8	0.28	2.6	0.16
Multiple Myeloma	170	3.2	0.25	1.8	0.14	126	2.0	0.18	1.2	0.11
Leukemias	460	8.7	0.42	4.8	0.24	281	4.6	0.27	2.9	0.19
Other, Ill-defined & Unknown	1,087	19.6	0.61	11.6	0.36	786	12.6	0.45	7.4	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,465	219.1	2.21	124.9	1.26	8,827	165.0	1.77	98.6	1.12
Oral Cavity & Pharynx	179	3.5	0.27	2.3	0.17	79	1.5	0.17	0.9	0.10
Digestive System	2,727	55.6	1.10	33.2	0.65	1,858	34.9	0.82	19.7	0.49
Esophagus	434	8.5	0.42	5.4	0.26	89	1.7	0.18	1.0	0.11
Stomach	186	4.0	0.30	2.2	0.17	128	2.4	0.22	1.3	0.12
Colon & Rectum	1,008	21.2	0.69	12.1	0.39	834	15.7	0.55	8.6	0.32
Liver	342	6.5	0.36	4.3	0.24	143	2.7	0.22	1.5	0.14
Pancreas	612	12.4	0.52	7.5	0.31	519	9.7	0.43	5.7	0.27
Respiratory System	3,257	67.1	1.21	38.7	0.70	2,860	53.5	1.01	31.9	0.63
Larynx	105	2.1	0.21	1.3	0.13	36	0.7	0.11	0.4	0.07
Lung & bronchus	3,140	64.8	1.19	37.3	0.69	2,817	52.7	1.00	31.4	0.63
Skin	352	7.2	0.40	4.3	0.24	105	2.0	0.20	1.2	0.13
Melanomas of the skin	258	5.2	0.33	3.2	0.21	85	1.6	0.18	1.1	0.12
Breast	11	0.2	0.06	0.1	0.04	1,286	23.7	0.67	14.8	0.44
Female Genital System	-	-	-	-	-	795	14.7	0.53	9.6	0.36
Cervix uteri	-	-	-	-	-	151	2.8	0.23	2.1	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	190	3.5	0.26	2.1	0.16
Ovary	-	-	-	-	-	418	7.7	0.38	5.0	0.26
Male Genital System	995	23.9	0.78	10.5	0.35	-	-	-	-	-
Prostate	970	23.4	0.77	10.1	0.34	-	-	-	-	-
Testis	17	0.3	0.08	0.3	0.06	-	-	-	-	-
Urinary System	706	15.2	0.59	8.1	0.32	295	5.5	0.33	3.0	0.19
Bladder	409	9.3	0.47	4.5	0.23	153	2.9	0.23	1.5	0.13
Kidney & renal pelvis	285	5.7	0.35	3.5	0.21	135	2.5	0.22	1.4	0.13
Brain & Other Nervous System	294	5.6	0.33	4.0	0.24	186	3.4	0.25	2.5	0.20
Endocrine System	36	0.7	0.12	0.5	0.08	35	0.6	0.11	0.4	0.08
Thyroid gland	20	0.4	0.09	0.3	0.06	24	0.4	0.09	0.3	0.06
Lymphomas	371	7.7	0.41	4.6	0.25	282	5.4	0.32	2.9	0.19
Hodgkin Lymphoma	30	0.6	0.12	0.4	0.07	16	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	341	7.0	0.39	4.2	0.24	266	5.1	0.31	2.7	0.18
Multiple Myeloma	137	3.0	0.26	1.7	0.15	104	2.0	0.20	1.1	0.12
Leukemias	419	9.2	0.46	5.0	0.26	253	4.8	0.31	3.0	0.21
Other, Ill-defined & Unknown	981	20.4	0.67	12.0	0.40	689	12.9	0.50	7.6	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	743	220.0	8.76	134.3	5.01	628	153.9	6.34	97.1	3.96
Oral Cavity & Pharynx	10	2.2	0.69	1.9	0.61	-	-	-	-	-
Digestive System	236	66.5	4.72	43.2	2.85	178	44.0	3.40	27.5	2.11
Esophagus	20	6.1	1.50	3.6	0.83	13	3.3	0.95	2.1	0.60
Stomach	25	7.6	1.66	4.6	0.92	14	3.5	0.98	2.2	0.59
Colon & Rectum	85	23.2	2.73	15.6	1.72	78	19.2	2.24	11.9	1.38
Liver	43	12.1	2.04	7.6	1.18	7	1.7	0.65	1.1	0.42
Pancreas	53	14.1	2.08	10.0	1.39	55	13.7	1.91	8.4	1.16
Respiratory System	208	59.1	4.37	37.9	2.67	155	39.0	3.22	23.8	1.96
Larynx	7	2.4	0.99	1.3	0.48	-	-	-	-	-
Lung & bronchus	200	56.5	4.25	36.4	2.61	152	38.4	3.20	23.3	1.94
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	109	26.0	2.56	16.9	1.65
Female Genital System	-	-	-	-	-	58	13.8	1.87	9.0	1.21
Cervix uteri	-	-	-	-	-	13	2.6	0.73	2.1	0.58
Corpus & uterus, NOS ¹	-	-	-	-	-	16	3.6	0.92	2.7	0.69
Ovary	-	-	-	-	-	23	6.0	1.28	3.3	0.72
Male Genital System	99	36.8	3.94	17.0	1.75	-	-	-	-	-
Prostate	99	36.8	3.94	17.0	1.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	11.0	2.01	6.5	1.10	19	4.9	1.15	3.0	0.70
Bladder	14	4.6	1.31	2.5	0.68	8	2.0	0.75	1.2	0.44
Kidney & renal pelvis	22	6.5	1.53	4.0	0.86	10	2.5	0.82	1.6	0.52
Brain & Other Nervous System	12	3.2	1.04	2.2	0.66	10	2.2	0.71	1.5	0.50
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	4.9	1.22	3.0	0.72	14	3.0	0.81	2.2	0.61
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	16	4.2	1.12	2.7	0.69	12	2.6	0.77	1.9	0.56
Multiple Myeloma	22	7.4	1.69	3.7	0.81	16	4.2	1.11	2.4	0.60
Leukemias	26	7.0	1.48	4.8	0.95	10	2.0	0.64	1.6	0.51
Other, Ill-defined & Unknown	69	20.7	2.72	13.0	1.59	53	13.2	1.88	8.3	1.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	437	128.5	6.52	77.5	3.77	440	90.8	4.51	58.1	2.85
Oral Cavity & Pharynx	9	2.3	0.80	1.6	0.53	7	1.4	0.55	0.9	0.36
Digestive System	166	46.7	3.80	29.7	2.34	131	28.5	2.60	16.6	1.48
Esophagus	8	2.6	0.93	1.3	0.47	-	-	-	-	-
Stomach	29	9.3	1.82	4.8	0.92	22	4.8	1.07	2.7	0.59
Colon & Rectum	46	13.1	2.02	8.2	1.22	37	8.2	1.41	4.7	0.80
Liver	42	10.5	1.67	7.8	1.21	26	6.0	1.22	3.1	0.62
Pancreas	31	8.7	1.65	5.6	1.02	32	6.6	1.21	4.3	0.77
Respiratory System	126	37.5	3.53	22.6	2.05	82	16.7	1.90	10.8	1.22
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	125	37.2	3.52	22.4	2.04	80	16.4	1.89	10.5	1.20
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	84	15.9	1.79	11.4	1.26
Female Genital System	-	-	-	-	-	46	8.6	1.31	6.0	0.90
Cervix uteri	-	-	-	-	-	9	1.6	0.55	1.2	0.39
Corpus & uterus, NOS ¹	-	-	-	-	-	7	1.1	0.42	0.9	0.35
Ovary	-	-	-	-	-	27	5.3	1.06	3.5	0.69
Male Genital System	27	10.4	2.10	4.4	0.87	-	-	-	-	-
Prostate	25	10.0	2.08	4.1	0.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	24	7.7	1.73	4.4	0.93	8	1.7	0.63	1.2	0.50
Bladder	10	4.3	1.42	1.7	0.53	-	-	-	-	-
Kidney & renal pelvis	14	3.4	0.98	2.8	0.76	-	-	-	-	-
Brain & Other Nervous System	9	2.1	0.72	1.6	0.54	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	15	3.9	1.04	2.6	0.67	13	2.8	0.83	1.7	0.48
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	14	3.6	1.02	2.4	0.65	13	2.8	0.83	1.7	0.48
Multiple Myeloma	8	2.6	0.97	1.4	0.50	-	-	-	-	-
Leukemias	15	4.3	1.17	2.7	0.70	17	3.4	0.86	2.9	0.78
Other, Ill-defined & Unknown	35	10.4	1.88	6.2	1.06	39	9.0	1.50	4.8	0.79

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,612	218.2	2.75	121.4	1.56	6,218	154.7	1.99	93.4	1.33
Oral Cavity & Pharynx	126	3.9	0.36	2.6	0.24	51	1.3	0.19	0.7	0.11
Digestive System	1,737	55.9	1.38	32.4	0.81	1,355	33.0	0.91	18.6	0.57
Esophagus	339	10.7	0.60	6.4	0.36	91	2.2	0.23	1.2	0.14
Stomach	129	4.1	0.37	2.4	0.22	78	1.9	0.21	1.0	0.13
Colon & Rectum	583	19.3	0.82	10.7	0.46	549	13.2	0.57	7.1	0.35
Liver	165	5.0	0.40	3.2	0.26	58	1.5	0.20	0.8	0.12
Pancreas	418	13.4	0.67	7.7	0.39	434	10.6	0.52	6.3	0.33
Respiratory System	2,003	64.5	1.47	37.5	0.87	1,715	43.5	1.06	27.1	0.71
Larynx	66	2.1	0.27	1.2	0.15	16	0.4	0.11	0.3	0.07
Lung & bronchus	1,925	62.0	1.44	36.1	0.85	1,695	43.0	1.06	26.8	0.71
Skin	180	5.8	0.44	3.4	0.26	93	2.3	0.24	1.4	0.17
Melanomas of the skin	136	4.3	0.37	2.6	0.23	73	1.9	0.22	1.2	0.16
Breast	-	-	-	-	-	870	21.4	0.74	13.6	0.51
Female Genital System	-	-	-	-	-	624	15.4	0.63	9.7	0.43
Cervix uteri	-	-	-	-	-	80	2.1	0.24	1.5	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	181	4.4	0.33	2.6	0.21
Ovary	-	-	-	-	-	317	7.9	0.45	5.0	0.31
Male Genital System	627	23.6	0.96	9.7	0.41	-	-	-	-	-
Prostate	614	23.2	0.95	9.4	0.40	-	-	-	-	-
Testis	8	0.2	0.08	0.2	0.07	-	-	-	-	-
Urinary System	436	14.8	0.73	7.6	0.38	214	5.2	0.36	2.8	0.22
Bladder	248	8.8	0.57	4.2	0.28	102	2.4	0.24	1.2	0.14
Kidney & renal pelvis	176	5.6	0.43	3.2	0.25	102	2.5	0.25	1.4	0.16
Brain & Other Nervous System	202	6.1	0.44	4.2	0.31	136	3.6	0.32	2.5	0.24
Endocrine System	32	1.0	0.19	0.7	0.13	26	0.7	0.14	0.4	0.10
Thyroid gland	21	0.7	0.15	0.4	0.09	18	0.4	0.11	0.2	0.07
Lymphomas	239	8.1	0.54	4.4	0.31	208	5.1	0.36	2.8	0.23
Hodgkin Lymphoma	14	0.5	0.13	0.3	0.10	8	0.2	0.07	0.1	0.05
Non-Hodgkin Lymphoma	225	7.7	0.52	4.1	0.29	200	5.0	0.36	2.7	0.22
Multiple Myeloma	129	4.3	0.39	2.3	0.21	125	3.1	0.28	1.7	0.17
Leukemias	249	8.3	0.54	4.5	0.30	230	5.8	0.39	3.5	0.29
Other, Ill-defined & Unknown	649	21.8	0.87	12.0	0.50	571	14.2	0.60	8.4	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,557	220.3	2.78	122.7	1.59	6,168	155.9	2.01	94.2	1.35
Oral Cavity & Pharynx	122	3.9	0.36	2.5	0.24	51	1.4	0.19	0.7	0.11
Digestive System	1,715	56.3	1.39	32.5	0.82	1,346	33.2	0.92	18.7	0.58
Esophagus	338	10.9	0.60	6.5	0.37	91	2.2	0.24	1.2	0.14
Stomach	123	4.1	0.37	2.3	0.21	77	1.9	0.22	1.0	0.13
Colon & Rectum	580	19.6	0.83	10.9	0.47	547	13.3	0.58	7.2	0.35
Liver	159	4.9	0.40	3.2	0.26	57	1.5	0.20	0.8	0.12
Pancreas	413	13.5	0.68	7.7	0.39	431	10.7	0.52	6.3	0.34
Respiratory System	1,988	65.1	1.49	37.9	0.88	1,705	43.9	1.08	27.4	0.72
Larynx	66	2.2	0.27	1.2	0.15	16	0.4	0.11	0.3	0.07
Lung & bronchus	1,910	62.5	1.46	36.5	0.87	1,685	43.4	1.07	27.1	0.72
Skin	180	5.9	0.45	3.5	0.27	93	2.3	0.24	1.4	0.17
Melanomas of the skin	136	4.4	0.38	2.6	0.24	73	1.9	0.22	1.3	0.16
Breast	-	-	-	-	-	864	21.6	0.75	13.8	0.51
Female Genital System	-	-	-	-	-	616	15.5	0.63	9.7	0.44
Cervix uteri	-	-	-	-	-	77	2.1	0.24	1.5	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	179	4.4	0.33	2.6	0.22
Ovary	-	-	-	-	-	314	7.9	0.45	5.1	0.31
Male Genital System	625	23.9	0.97	9.8	0.41	-	-	-	-	-
Prostate	612	23.5	0.96	9.5	0.40	-	-	-	-	-
Testis	8	0.2	0.09	0.2	0.08	-	-	-	-	-
Urinary System	434	14.9	0.73	7.7	0.39	212	5.2	0.36	2.8	0.23
Bladder	247	8.9	0.58	4.2	0.28	102	2.5	0.25	1.2	0.14
Kidney & renal pelvis	176	5.7	0.44	3.3	0.26	101	2.5	0.25	1.4	0.17
Brain & Other Nervous System	202	6.2	0.45	4.3	0.32	136	3.7	0.32	2.6	0.25
Endocrine System	32	1.0	0.19	0.7	0.14	23	0.6	0.13	0.4	0.10
Thyroid gland	21	0.7	0.15	0.4	0.10	16	0.4	0.10	0.2	0.06
Lymphomas	237	8.2	0.55	4.5	0.31	206	5.2	0.37	2.8	0.23
Hodgkin Lymphoma	14	0.5	0.13	0.3	0.10	8	0.2	0.07	0.1	0.06
Non-Hodgkin Lymphoma	223	7.8	0.53	4.1	0.30	198	5.0	0.36	2.7	0.23
Multiple Myeloma	128	4.3	0.39	2.3	0.21	124	3.1	0.28	1.7	0.17
Leukemias	247	8.4	0.55	4.6	0.31	227	5.9	0.40	3.6	0.30
Other, Ill-defined & Unknown	644	22.0	0.89	12.1	0.51	565	14.3	0.61	8.5	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	24	151.9	40.14	86.4	18.69	18	91.0	22.84	56.0	13.87
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	24.9	9.81	21.8	8.64	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	76.3	31.48	33.4	11.94	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	76.3	31.48	33.4	11.94	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	29	98.7	20.87	53.0	10.04	31	72.4	14.00	52.2	9.64
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	46.2	14.00	26.2	7.16	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	22.0	10.24	9.8	4.05	8	20.5	7.76	13.0	4.72
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	22.0	10.24	9.8	4.05	8	20.5	7.76	13.0	4.72
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	6	13.5	5.86	9.8	4.11
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	41,475	213.8	1.06	119.0	0.62	43,386	157.7	0.77	93.6	0.51
Oral Cavity & Pharynx	663	3.2	0.13	2.1	0.08	372	1.3	0.07	0.8	0.05
Digestive System	11,595	58.6	0.55	33.9	0.33	10,165	36.0	0.36	19.8	0.23
Esophagus	1,470	7.2	0.19	4.6	0.12	495	1.8	0.08	1.0	0.05
Stomach	1,196	6.1	0.18	3.5	0.11	887	3.2	0.11	1.7	0.07
Colon & Rectum	4,235	22.0	0.34	11.9	0.19	4,431	15.5	0.24	8.3	0.14
Liver	1,303	6.2	0.17	4.1	0.12	539	2.0	0.09	1.1	0.06
Pancreas	2,638	13.3	0.26	7.8	0.16	2,793	10.0	0.19	5.6	0.12
Respiratory System	11,879	60.5	0.56	34.7	0.34	10,559	39.0	0.38	23.4	0.25
Larynx	451	2.2	0.11	1.4	0.07	150	0.5	0.05	0.3	0.03
Lung & bronchus	11,350	57.9	0.55	33.2	0.33	10,361	38.3	0.38	22.9	0.25
Skin	1,017	5.2	0.17	3.0	0.10	622	2.3	0.09	1.3	0.06
Melanomas of the skin	796	4.0	0.14	2.4	0.09	488	1.8	0.08	1.1	0.06
Breast	85	0.4	0.05	0.2	0.03	7,063	26.1	0.31	16.7	0.22
Female Genital System	-	-	-	-	-	4,647	17.2	0.26	11.1	0.18
Cervix uteri	-	-	-	-	-	617	2.4	0.10	1.8	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,410	5.2	0.14	3.3	0.10
Ovary	-	-	-	-	-	2,366	8.7	0.18	5.5	0.13
Male Genital System	4,062	22.8	0.36	10.0	0.17	-	-	-	-	-
Prostate	3,989	22.4	0.36	9.7	0.16	-	-	-	-	-
Testis	39	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,723	14.4	0.28	7.4	0.15	1,420	5.0	0.13	2.6	0.08
Bladder	1,614	8.8	0.22	4.1	0.11	756	2.6	0.09	1.2	0.05
Kidney & renal pelvis	1,053	5.3	0.17	3.1	0.10	623	2.3	0.09	1.3	0.06
Brain & Other Nervous System	970	4.7	0.15	3.3	0.11	750	2.9	0.11	2.1	0.08
Endocrine System	150	0.7	0.06	0.5	0.05	193	0.7	0.05	0.5	0.04
Thyroid gland	96	0.5	0.05	0.3	0.03	135	0.5	0.04	0.3	0.03
Lymphomas	1,668	8.6	0.21	4.7	0.12	1,628	5.8	0.15	3.1	0.09
Hodgkin Lymphoma	109	0.5	0.05	0.4	0.04	91	0.4	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,559	8.1	0.21	4.4	0.12	1,537	5.5	0.14	2.9	0.09
Multiple Myeloma	839	4.4	0.15	2.4	0.09	766	2.8	0.10	1.5	0.06
Leukemias	1,747	9.2	0.22	5.1	0.13	1,422	5.1	0.14	3.0	0.10
Other, Ill-defined & Unknown	4,077	21.2	0.34	11.7	0.19	3,779	13.5	0.22	7.7	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,549	215.0	1.15	119.2	0.68	37,235	159.8	0.85	94.5	0.57
Oral Cavity & Pharynx	509	2.9	0.13	1.9	0.09	317	1.4	0.08	0.8	0.05
Digestive System	9,745	58.1	0.59	33.4	0.36	8,544	35.3	0.39	19.2	0.25
Esophagus	1,268	7.3	0.21	4.7	0.14	413	1.7	0.09	1.0	0.06
Stomach	943	5.7	0.19	3.2	0.11	675	2.8	0.11	1.5	0.07
Colon & Rectum	3,613	22.0	0.37	11.8	0.21	3,742	15.2	0.25	8.0	0.16
Liver	1,003	5.7	0.18	3.7	0.12	447	1.9	0.09	1.1	0.06
Pancreas	2,272	13.5	0.29	7.8	0.17	2,395	10.1	0.21	5.6	0.13
Respiratory System	10,220	61.2	0.61	35.0	0.37	9,275	40.6	0.43	24.4	0.29
Larynx	355	2.1	0.11	1.3	0.07	122	0.5	0.05	0.3	0.03
Lung & bronchus	9,796	58.7	0.60	33.5	0.36	9,111	39.9	0.43	24.0	0.29
Skin	983	5.9	0.19	3.4	0.12	601	2.6	0.11	1.5	0.07
Melanomas of the skin	775	4.6	0.17	2.8	0.11	472	2.1	0.10	1.3	0.07
Breast	72	0.4	0.05	0.2	0.03	5,906	26.0	0.35	16.6	0.24
Female Genital System	-	-	-	-	-	3,899	17.2	0.28	11.0	0.20
Cervix uteri	-	-	-	-	-	465	2.3	0.11	1.7	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,115	4.8	0.15	3.0	0.10
Ovary	-	-	-	-	-	2,097	9.2	0.21	5.9	0.14
Male Genital System	3,273	21.0	0.37	9.1	0.17	-	-	-	-	-
Prostate	3,206	20.6	0.37	8.8	0.17	-	-	-	-	-
Testis	36	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,466	15.2	0.31	7.7	0.17	1,254	5.1	0.15	2.7	0.09
Bladder	1,501	9.4	0.24	4.4	0.12	666	2.6	0.10	1.3	0.06
Kidney & renal pelvis	913	5.4	0.18	3.2	0.11	553	2.3	0.10	1.4	0.07
Brain & Other Nervous System	872	5.1	0.17	3.6	0.13	700	3.3	0.13	2.4	0.10
Endocrine System	122	0.7	0.07	0.5	0.05	166	0.8	0.06	0.5	0.05
Thyroid gland	83	0.5	0.06	0.3	0.03	117	0.5	0.05	0.3	0.03
Lymphomas	1,498	9.1	0.24	5.0	0.14	1,472	6.1	0.16	3.3	0.10
Hodgkin Lymphoma	99	0.6	0.06	0.4	0.05	74	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,399	8.5	0.23	4.6	0.13	1,398	5.8	0.16	3.1	0.10
Multiple Myeloma	683	4.2	0.16	2.3	0.09	593	2.5	0.10	1.3	0.06
Leukemias	1,587	9.7	0.25	5.4	0.15	1,268	5.4	0.16	3.1	0.11
Other, Ill-defined & Unknown	3,519	21.5	0.37	11.8	0.22	3,240	13.5	0.24	7.7	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,975	264.2	4.05	153.6	2.22	5,195	174.1	2.44	108.0	1.56
Oral Cavity & Pharynx	133	6.0	0.55	4.1	0.36	42	1.3	0.21	1.0	0.15
Digestive System	1,488	75.5	2.11	46.0	1.22	1,369	47.1	1.29	27.4	0.78
Esophagus	175	8.6	0.69	5.4	0.41	73	2.4	0.28	1.6	0.19
Stomach	182	10.1	0.80	5.6	0.43	154	5.4	0.44	3.0	0.25
Colon & Rectum	532	28.9	1.36	16.3	0.72	610	21.2	0.87	11.9	0.51
Liver	215	9.0	0.65	6.7	0.47	70	2.3	0.28	1.5	0.19
Pancreas	298	14.7	0.91	9.3	0.55	333	11.5	0.64	6.7	0.38
Respiratory System	1,439	73.8	2.08	45.1	1.21	1,117	37.5	1.14	23.2	0.72
Larynx	91	4.5	0.50	2.8	0.30	27	0.9	0.17	0.6	0.12
Lung & bronchus	1,340	69.0	2.02	42.0	1.17	1,086	36.5	1.12	22.6	0.71
Skin	29	1.5	0.30	0.9	0.17	14	0.4	0.12	0.3	0.09
Melanomas of the skin	17	1.0	0.26	0.5	0.12	9	0.3	0.09	0.2	0.07
Breast	11	0.6	0.20	0.4	0.11	964	31.1	1.01	20.8	0.69
Female Genital System	-	-	-	-	-	628	20.4	0.82	13.8	0.57
Cervix uteri	-	-	-	-	-	128	4.0	0.36	2.9	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	260	8.5	0.54	5.7	0.37
Ovary	-	-	-	-	-	208	6.8	0.48	4.5	0.32
Male Genital System	737	49.2	1.94	22.5	0.85	-	-	-	-	-
Prostate	731	49.0	1.94	22.3	0.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	210	11.5	0.87	6.4	0.45	140	5.0	0.43	2.6	0.23
Bladder	91	5.6	0.63	2.7	0.29	77	2.9	0.33	1.3	0.16
Kidney & renal pelvis	116	5.8	0.59	3.6	0.34	57	2.0	0.26	1.2	0.16
Brain & Other Nervous System	67	3.0	0.38	2.0	0.25	33	1.0	0.18	0.8	0.15
Endocrine System	16	0.7	0.18	0.5	0.13	20	0.7	0.15	0.5	0.11
Thyroid gland	7	0.4	0.14	0.2	0.08	12	0.4	0.12	0.2	0.07
Lymphomas	125	5.6	0.53	3.6	0.33	122	4.1	0.38	2.6	0.24
Hodgkin Lymphoma	9	0.3	0.11	0.3	0.09	16	0.5	0.13	0.4	0.11
Non-Hodgkin Lymphoma	116	5.2	0.52	3.3	0.31	106	3.6	0.35	2.2	0.22
Multiple Myeloma	141	7.6	0.68	4.3	0.37	157	5.4	0.44	3.1	0.25
Leukemias	127	6.5	0.64	3.9	0.35	124	4.2	0.38	2.6	0.25
Other, Ill-defined & Unknown	452	22.8	1.15	13.9	0.67	465	15.8	0.74	9.4	0.46

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	921	91.0	3.37	52.5	1.76	910	71.9	2.51	43.7	1.48
Oral Cavity & Pharynx	21	1.5	0.35	1.1	0.25	13	1.2	0.35	0.6	0.17
Digestive System	352	32.4	1.95	19.7	1.06	245	20.6	1.38	11.7	0.77
Esophagus	25	2.0	0.42	1.4	0.29	9	0.9	0.30	0.4	0.14
Stomach	69	7.1	0.97	3.9	0.48	58	4.7	0.66	2.7	0.37
Colon & Rectum	88	7.9	0.95	4.9	0.53	76	6.5	0.79	3.6	0.42
Liver	83	6.9	0.84	4.5	0.50	22	1.9	0.43	1.0	0.22
Pancreas	66	6.7	0.94	3.7	0.47	61	5.1	0.68	3.0	0.39
Respiratory System	211	21.4	1.63	12.1	0.84	151	12.7	1.08	7.3	0.60
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	206	20.9	1.61	11.9	0.84	148	12.4	1.07	7.1	0.60
Skin	-	-	-	-	-	7	0.6	0.24	0.3	0.13
Melanomas of the skin	-	-	-	-	-	7	0.6	0.24	0.3	0.13
Breast	-	-	-	-	-	184	12.5	0.97	9.0	0.67
Female Genital System	-	-	-	-	-	113	7.9	0.77	5.6	0.53
Cervix uteri	-	-	-	-	-	23	1.5	0.32	1.1	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	33	2.4	0.44	1.6	0.29
Ovary	-	-	-	-	-	57	3.9	0.55	2.8	0.37
Male Genital System	51	7.2	1.09	3.0	0.43	-	-	-	-	-
Prostate	51	7.2	1.09	3.0	0.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	4.6	0.77	2.7	0.40	25	2.3	0.49	1.0	0.21
Bladder	20	2.5	0.62	1.2	0.26	13	1.3	0.37	0.6	0.16
Kidney & renal pelvis	24	2.0	0.45	1.4	0.30	12	1.0	0.32	0.5	0.14
Brain & Other Nervous System	31	2.0	0.38	1.8	0.33	16	1.3	0.35	0.7	0.17
Endocrine System	12	1.3	0.41	0.7	0.21	7	0.5	0.21	0.3	0.13
Thyroid gland	6	0.8	0.36	0.3	0.13	6	0.5	0.20	0.3	0.13
Lymphomas	44	4.0	0.69	2.4	0.37	33	3.0	0.54	1.6	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	43	3.9	0.69	2.3	0.36	32	2.9	0.53	1.5	0.28
Multiple Myeloma	15	1.6	0.43	0.9	0.23	15	1.2	0.33	0.7	0.19
Leukemias	31	3.5	0.70	1.8	0.33	30	2.3	0.44	1.5	0.28
Other, Ill-defined & Unknown	101	10.5	1.18	6.0	0.60	71	5.8	0.73	3.3	0.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,554	190.1	2.08	109.1	1.24	7,527	134.3	1.56	80.9	1.03
Oral Cavity & Pharynx	171	3.5	0.27	2.5	0.19	61	1.1	0.14	0.6	0.08
Digestive System	2,487	54.1	1.10	32.9	0.69	1,861	33.2	0.78	19.1	0.49
Esophagus	277	5.9	0.36	3.8	0.24	67	1.2	0.15	0.7	0.09
Stomach	280	6.2	0.37	3.6	0.23	161	2.9	0.23	1.6	0.14
Colon & Rectum	838	18.7	0.66	10.8	0.39	762	13.5	0.50	7.6	0.31
Liver	376	7.8	0.41	5.2	0.28	131	2.3	0.20	1.4	0.13
Pancreas	537	11.6	0.51	7.1	0.32	501	8.9	0.40	5.2	0.25
Respiratory System	2,107	46.4	1.02	26.8	0.61	1,655	29.6	0.73	17.5	0.47
Larynx	77	1.6	0.19	1.1	0.13	18	0.3	0.08	0.2	0.05
Lung & bronchus	2,011	44.4	1.00	25.4	0.60	1,627	29.1	0.73	17.2	0.46
Skin	246	5.5	0.36	3.1	0.21	123	2.2	0.20	1.2	0.12
Melanomas of the skin	175	3.9	0.30	2.2	0.18	99	1.8	0.18	1.0	0.11
Breast	8	0.2	0.06	0.1	0.04	1,188	21.1	0.62	13.7	0.43
Female Genital System	-	-	-	-	-	833	14.9	0.52	9.6	0.36
Cervix uteri	-	-	-	-	-	137	2.7	0.23	1.9	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	193	3.4	0.25	2.1	0.17
Ovary	-	-	-	-	-	447	7.9	0.38	5.1	0.26
Male Genital System	1,018	24.8	0.78	10.8	0.36	-	-	-	-	-
Prostate	996	24.3	0.78	10.5	0.35	-	-	-	-	-
Testis	13	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	550	12.3	0.53	6.9	0.31	268	4.7	0.29	2.5	0.17
Bladder	253	5.8	0.37	3.0	0.20	88	1.5	0.16	0.7	0.09
Kidney & renal pelvis	285	6.2	0.37	3.8	0.24	173	3.0	0.23	1.7	0.15
Brain & Other Nervous System	216	4.5	0.31	3.2	0.23	159	2.9	0.24	2.0	0.18
Endocrine System	44	0.9	0.14	0.7	0.11	42	0.7	0.12	0.4	0.08
Thyroid gland	26	0.6	0.11	0.4	0.07	31	0.5	0.10	0.3	0.06
Lymphomas	324	7.2	0.40	4.2	0.25	265	4.7	0.29	2.6	0.18
Hodgkin Lymphoma	21	0.4	0.10	0.3	0.07	17	0.3	0.07	0.2	0.04
Non-Hodgkin Lymphoma	303	6.7	0.39	3.9	0.23	248	4.4	0.28	2.5	0.18
Multiple Myeloma	170	3.8	0.29	2.1	0.17	132	2.4	0.21	1.3	0.13
Leukemias	360	8.1	0.43	4.7	0.27	276	5.0	0.30	3.1	0.22
Other, Ill-defined & Unknown	853	18.8	0.65	11.1	0.40	664	11.8	0.46	7.0	0.30

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,031	195.1	2.20	111.8	1.32	6,927	136.3	1.66	82.1	1.10
Oral Cavity & Pharynx	162	3.7	0.29	2.5	0.21	59	1.1	0.15	0.6	0.09
Digestive System	2,296	54.7	1.16	33.2	0.73	1,650	32.3	0.81	18.6	0.51
Esophagus	267	6.2	0.38	4.0	0.26	64	1.3	0.16	0.7	0.10
Stomach	244	6.0	0.38	3.4	0.23	139	2.7	0.24	1.5	0.14
Colon & Rectum	777	19.0	0.69	10.9	0.41	690	13.5	0.52	7.5	0.32
Liver	352	8.0	0.43	5.4	0.30	105	2.0	0.20	1.2	0.13
Pancreas	499	11.7	0.53	7.2	0.34	458	9.0	0.42	5.2	0.27
Respiratory System	2,014	48.4	1.09	28.0	0.66	1,591	31.3	0.79	18.7	0.51
Larynx	74	1.7	0.20	1.1	0.14	16	0.3	0.08	0.2	0.06
Lung & bronchus	1,924	46.4	1.07	26.6	0.64	1,566	30.8	0.78	18.4	0.51
Skin	243	6.0	0.39	3.3	0.23	120	2.4	0.22	1.4	0.14
Melanomas of the skin	174	4.2	0.33	2.4	0.20	98	2.0	0.20	1.1	0.13
Breast	8	0.2	0.06	0.1	0.04	1,112	22.0	0.67	14.2	0.47
Female Genital System	-	-	-	-	-	749	14.9	0.55	9.6	0.38
Cervix uteri	-	-	-	-	-	119	2.6	0.24	1.9	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	179	3.5	0.26	2.2	0.18
Ovary	-	-	-	-	-	400	7.8	0.40	5.0	0.27
Male Genital System	952	25.0	0.82	10.9	0.38	-	-	-	-	-
Prostate	934	24.6	0.81	10.6	0.37	-	-	-	-	-
Testis	10	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	508	12.4	0.55	7.0	0.33	241	4.6	0.30	2.5	0.18
Bladder	246	6.1	0.40	3.1	0.21	83	1.6	0.17	0.7	0.09
Kidney & renal pelvis	251	6.0	0.38	3.7	0.25	152	2.9	0.24	1.7	0.15
Brain & Other Nervous System	210	4.8	0.34	3.4	0.25	150	3.1	0.26	2.2	0.19
Endocrine System	42	1.0	0.16	0.7	0.12	39	0.7	0.12	0.4	0.08
Thyroid gland	24	0.6	0.12	0.4	0.08	29	0.5	0.10	0.3	0.06
Lymphomas	309	7.5	0.43	4.4	0.26	251	4.9	0.31	2.8	0.20
Hodgkin Lymphoma	17	0.4	0.10	0.3	0.07	17	0.3	0.08	0.2	0.05
Non-Hodgkin Lymphoma	292	7.1	0.42	4.1	0.25	234	4.6	0.30	2.6	0.19
Multiple Myeloma	159	3.8	0.31	2.1	0.18	118	2.3	0.22	1.3	0.13
Leukemias	340	8.5	0.46	4.8	0.29	248	4.9	0.32	3.0	0.23
Other, Ill-defined & Unknown	788	19.1	0.69	11.2	0.43	599	11.7	0.48	6.9	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	140	159.0	14.25	96.4	8.35	114	120.7	11.40	68.1	6.84
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	31	31.9	6.13	21.7	3.97	30	32.6	5.99	17.0	3.33
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	13	12.3	3.54	9.6	2.71	19	21.0	4.84	10.9	2.65
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	6	7.1	3.09	4.6	1.88	6	6.7	2.75	2.3	0.96
Respiratory System	46	53.9	8.27	33.2	5.03	22	24.1	5.16	12.2	2.77
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	45	52.7	8.19	32.4	4.98	20	22.1	4.97	11.1	2.66
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	19	19.3	4.47	12.1	2.95
Female Genital System	-	-	-	-	-	12	12.4	3.62	8.3	2.51
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	7.2	2.75	4.6	1.80
Male Genital System	17	26.9	6.69	10.7	2.67	-	-	-	-	-
Prostate	16	25.5	6.55	10.2	2.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	12.0	3.89	6.5	1.97	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	7.0	2.87	4.1	1.57	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	5.4	2.26	4.6	1.92	-	-	-	-	-
Leukemias	8	7.0	2.58	5.3	1.88	-	-	-	-	-
Other, Ill-defined & Unknown	14	16.2	4.54	9.3	2.57	11	11.3	3.42	6.1	1.97

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	40	83.0	14.87	54.6	8.78	64	92.9	11.98	57.8	7.41
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	15	29.1	8.47	20.8	5.48	21	29.1	6.60	18.3	4.08
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	17.8	5.88	13.5	4.34	14	22.4	6.07	12.7	3.47
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	16.2	5.68	12.3	4.16	14	22.4	6.07	12.7	3.47
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	6	7.2	3.03	5.3	2.17
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	6	15.8	7.56	8.0	3.29	7	8.9	3.45	7.1	2.70

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2005-2009, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	87,577	201.3	0.69	114.3	0.41	89,312	145.2	0.49	87.8	0.33
Oral Cavity & Pharynx	1,575	3.4	0.09	2.2	0.06	716	1.2	0.04	0.7	0.03
Digestive System	24,912	56.4	0.36	33.0	0.22	21,648	34.3	0.24	19.3	0.15
Esophagus	3,396	7.5	0.13	4.7	0.08	1,113	1.8	0.05	1.1	0.04
Stomach	2,630	6.0	0.12	3.5	0.07	1,931	3.1	0.07	1.7	0.05
Colon & Rectum	8,343	19.4	0.22	10.6	0.12	8,949	14.0	0.15	7.6	0.09
Liver	3,234	6.9	0.12	4.6	0.08	1,250	2.0	0.06	1.2	0.04
Pancreas	5,597	12.6	0.17	7.4	0.10	6,118	9.7	0.13	5.5	0.08
Respiratory System	25,459	57.8	0.37	33.9	0.22	22,116	36.4	0.25	22.2	0.17
Larynx	1,006	2.2	0.07	1.4	0.05	285	0.5	0.03	0.3	0.02
Lung & bronchus	24,326	55.2	0.36	32.3	0.22	21,741	35.8	0.25	21.8	0.16
Skin	1,877	4.3	0.10	2.5	0.06	1,096	1.8	0.05	1.1	0.04
Melanomas of the skin	1,443	3.3	0.09	1.9	0.05	853	1.4	0.05	0.9	0.03
Breast	122	0.3	0.03	0.2	0.02	13,681	22.5	0.20	14.6	0.14
Female Genital System	-	-	-	-	-	10,023	16.6	0.17	10.8	0.12
Cervix uteri	-	-	-	-	-	1,365	2.4	0.07	1.7	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	3,105	5.1	0.09	3.2	0.06
Ovary	-	-	-	-	-	4,981	8.2	0.12	5.3	0.08
Male Genital System	9,014	22.6	0.24	9.9	0.11	-	-	-	-	-
Prostate	8,835	22.2	0.24	9.6	0.11	-	-	-	-	-
Testis	89	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,597	13.2	0.18	6.9	0.10	2,906	4.5	0.09	2.4	0.05
Bladder	3,205	7.8	0.14	3.7	0.07	1,477	2.2	0.06	1.1	0.03
Kidney & renal pelvis	2,272	5.1	0.11	3.0	0.07	1,331	2.1	0.06	1.3	0.04
Brain & Other Nervous System	2,193	4.7	0.10	3.3	0.08	1,668	2.9	0.07	2.1	0.06
Endocrine System	395	0.9	0.05	0.6	0.03	479	0.8	0.04	0.6	0.03
Thyroid gland	235	0.5	0.04	0.3	0.02	327	0.5	0.03	0.3	0.02
Lymphomas	3,700	8.5	0.14	4.9	0.08	3,258	5.2	0.09	3.0	0.06
Hodgkin Lymphoma	240	0.5	0.03	0.4	0.02	200	0.4	0.03	0.2	0.02
Non-Hodgkin Lymphoma	3,460	8.0	0.14	4.5	0.08	3,058	4.9	0.09	2.7	0.06
Multiple Myeloma	1,701	3.9	0.10	2.2	0.06	1,555	2.5	0.06	1.4	0.04
Leukemias	3,939	9.2	0.15	5.3	0.09	3,098	5.0	0.09	3.0	0.07
Other, Ill-defined & Unknown	7,093	16.2	0.20	9.4	0.12	7,068	11.4	0.14	6.8	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	73,228	204.3	0.76	115.5	0.46	74,127	148.9	0.56	89.6	0.38
Oral Cavity & Pharynx	1,208	3.2	0.09	2.1	0.06	567	1.1	0.05	0.7	0.03
Digestive System	20,096	55.4	0.39	32.2	0.24	17,430	33.7	0.26	18.8	0.17
Esophagus	2,961	8.0	0.15	5.0	0.10	897	1.8	0.06	1.0	0.04
Stomach	1,889	5.3	0.12	3.0	0.07	1,353	2.6	0.07	1.5	0.05
Colon & Rectum	6,812	19.2	0.23	10.4	0.13	7,261	13.8	0.17	7.4	0.10
Liver	2,253	5.9	0.13	3.9	0.09	925	1.8	0.06	1.1	0.04
Pancreas	4,777	13.1	0.19	7.7	0.12	5,089	9.9	0.14	5.6	0.09
Respiratory System	21,544	59.4	0.41	34.7	0.25	19,106	39.1	0.29	23.9	0.19
Larynx	774	2.1	0.08	1.3	0.05	222	0.5	0.03	0.3	0.02
Lung & bronchus	20,660	57.0	0.40	33.2	0.24	18,816	38.5	0.29	23.6	0.19
Skin	1,814	5.0	0.12	2.9	0.07	1,040	2.1	0.07	1.3	0.05
Melanomas of the skin	1,409	3.9	0.10	2.3	0.07	821	1.7	0.06	1.1	0.04
Breast	110	0.3	0.03	0.2	0.02	10,911	22.3	0.22	14.3	0.15
Female Genital System	-	-	-	-	-	7,984	16.5	0.19	10.6	0.13
Cervix uteri	-	-	-	-	-	899	2.0	0.07	1.5	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,293	4.6	0.10	2.9	0.07
Ovary	-	-	-	-	-	4,285	8.8	0.14	5.7	0.10
Male Genital System	6,946	20.6	0.25	8.8	0.11	-	-	-	-	-
Prostate	6,799	20.2	0.25	8.6	0.11	-	-	-	-	-
Testis	78	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,023	14.3	0.20	7.4	0.11	2,536	4.8	0.10	2.6	0.06
Bladder	2,947	8.5	0.16	4.0	0.08	1,295	2.4	0.07	1.2	0.04
Kidney & renal pelvis	1,968	5.4	0.12	3.2	0.08	1,159	2.3	0.07	1.3	0.05
Brain & Other Nervous System	1,983	5.3	0.12	3.8	0.09	1,496	3.3	0.09	2.3	0.07
Endocrine System	337	0.9	0.05	0.7	0.04	368	0.8	0.04	0.5	0.03
Thyroid gland	203	0.6	0.04	0.3	0.02	256	0.5	0.03	0.3	0.02
Lymphomas	3,269	9.1	0.16	5.2	0.10	2,846	5.6	0.11	3.1	0.07
Hodgkin Lymphoma	205	0.6	0.04	0.4	0.03	173	0.4	0.03	0.3	0.02
Non-Hodgkin Lymphoma	3,064	8.6	0.16	4.8	0.09	2,673	5.2	0.10	2.8	0.07
Multiple Myeloma	1,358	3.8	0.10	2.1	0.06	1,179	2.3	0.07	1.3	0.04
Leukemias	3,470	9.8	0.17	5.7	0.11	2,709	5.4	0.11	3.3	0.08
Other, Ill-defined & Unknown	6,070	16.9	0.22	9.8	0.13	5,955	11.8	0.16	7.0	0.11

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,359	215.5	2.16	127.5	1.22	12,761	145.6	1.30	92.6	0.86
Oral Cavity & Pharynx	274	4.5	0.29	3.2	0.19	109	1.2	0.12	0.8	0.08
Digestive System	3,553	65.0	1.16	39.8	0.68	3,404	39.5	0.68	23.2	0.42
Esophagus	366	6.5	0.36	4.2	0.22	187	2.1	0.16	1.4	0.10
Stomach	501	10.0	0.48	5.6	0.25	428	5.1	0.25	2.7	0.14
Colon & Rectum	1,207	23.1	0.71	13.4	0.39	1,418	16.4	0.44	9.6	0.27
Liver	623	9.8	0.41	7.0	0.29	212	2.4	0.17	1.5	0.11
Pancreas	645	11.8	0.49	7.2	0.29	866	10.0	0.34	5.9	0.21
Respiratory System	3,097	55.5	1.05	35.3	0.65	2,538	29.1	0.58	18.4	0.38
Larynx	214	3.7	0.27	2.5	0.17	62	0.7	0.09	0.5	0.06
Lung & bronchus	2,872	51.6	1.02	32.7	0.62	2,459	28.2	0.57	17.7	0.37
Skin	51	0.9	0.13	0.6	0.08	52	0.6	0.08	0.4	0.05
Melanomas of the skin	24	0.4	0.09	0.3	0.06	28	0.3	0.06	0.2	0.04
Breast	11	0.2	0.07	0.1	0.04	2,437	27.2	0.55	18.5	0.39
Female Genital System	-	-	-	-	-	1,760	19.9	0.48	13.4	0.33
Cervix uteri	-	-	-	-	-	407	4.5	0.22	3.2	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	750	8.6	0.32	5.7	0.21
Ovary	-	-	-	-	-	545	6.2	0.27	4.1	0.18
Male Genital System	1,922	45.5	1.09	20.9	0.49	-	-	-	-	-
Prostate	1,897	45.0	1.09	20.6	0.48	-	-	-	-	-
Testis	6	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	448	8.9	0.45	5.0	0.24	320	3.8	0.21	2.1	0.13
Bladder	203	4.6	0.34	2.2	0.16	157	1.9	0.15	0.9	0.08
Kidney & renal pelvis	237	4.1	0.28	2.7	0.18	150	1.7	0.14	1.1	0.09
Brain & Other Nervous System	151	2.4	0.21	1.7	0.14	131	1.5	0.13	1.1	0.10
Endocrine System	44	0.7	0.11	0.5	0.08	82	0.9	0.10	0.7	0.08
Thyroid gland	25	0.5	0.10	0.3	0.06	52	0.6	0.08	0.4	0.05
Lymphomas	337	5.5	0.32	3.8	0.21	329	3.7	0.21	2.5	0.14
Hodgkin Lymphoma	31	0.4	0.08	0.3	0.06	22	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	306	5.1	0.31	3.5	0.20	307	3.4	0.20	2.3	0.14
Multiple Myeloma	311	5.6	0.33	3.5	0.20	348	4.0	0.22	2.4	0.13
Leukemias	347	6.2	0.36	4.0	0.22	312	3.6	0.20	2.3	0.14
Other, Ill-defined & Unknown	813	14.6	0.55	9.1	0.33	939	10.8	0.35	6.8	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	2,865	123.3	2.48	69.7	1.32	2,291	79.1	1.70	47.1	1.02
Oral Cavity & Pharynx	90	3.4	0.39	2.1	0.22	38	1.1	0.18	0.8	0.14
Digestive System	1,232	51.5	1.58	29.9	0.87	779	27.9	1.03	15.4	0.57
Esophagus	68	2.9	0.38	1.7	0.21	25	0.9	0.18	0.5	0.11
Stomach	239	10.3	0.71	5.8	0.38	147	5.2	0.44	2.9	0.25
Colon & Rectum	312	14.1	0.86	7.6	0.44	255	9.1	0.59	5.0	0.32
Liver	351	13.0	0.75	8.5	0.46	108	3.8	0.38	2.2	0.22
Pancreas	171	7.2	0.59	4.1	0.32	158	5.8	0.47	3.1	0.26
Respiratory System	773	35.0	1.34	18.8	0.69	436	15.9	0.78	8.6	0.43
Larynx	15	0.7	0.19	0.3	0.09	-	-	-	-	-
Lung & bronchus	752	34.1	1.33	18.3	0.68	430	15.7	0.78	8.5	0.42
Skin	10	0.4	0.15	0.2	0.07	-	-	-	-	-
Melanomas of the skin	8	0.3	0.13	0.2	0.06	-	-	-	-	-
Breast	-	-	-	-	-	313	9.8	0.57	6.8	0.39
Female Genital System	-	-	-	-	-	269	8.7	0.55	5.7	0.36
Cervix uteri	-	-	-	-	-	58	1.9	0.25	1.2	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	57	1.9	0.26	1.2	0.16
Ovary	-	-	-	-	-	149	4.7	0.40	3.2	0.27
Male Genital System	131	6.9	0.63	3.2	0.28	-	-	-	-	-
Prostate	124	6.7	0.63	3.0	0.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	116	5.3	0.53	2.8	0.26	45	1.7	0.26	0.8	0.13
Bladder	51	2.7	0.40	1.2	0.17	22	0.9	0.19	0.4	0.08
Kidney & renal pelvis	61	2.4	0.32	1.5	0.19	20	0.7	0.17	0.4	0.09
Brain & Other Nervous System	57	2.0	0.29	1.4	0.19	39	1.2	0.19	0.9	0.15
Endocrine System	14	0.5	0.14	0.4	0.11	28	1.0	0.19	0.6	0.13
Thyroid gland	7	0.3	0.12	0.2	0.07	18	0.7	0.16	0.4	0.09
Lymphomas	93	3.9	0.44	2.2	0.23	79	2.7	0.32	1.6	0.19
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	89	3.8	0.43	2.1	0.23	75	2.6	0.31	1.6	0.19
Multiple Myeloma	28	1.2	0.25	0.7	0.13	23	0.8	0.17	0.5	0.11
Leukemias	119	4.8	0.47	3.0	0.29	72	2.3	0.28	1.7	0.21
Other, Ill-defined & Unknown	201	8.2	0.63	4.9	0.35	166	5.7	0.46	3.5	0.29

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	45,803	236.9	1.14	137.5	0.66	40,683	152.7	0.76	93.8	0.51
Oral Cavity & Pharynx	856	4.1	0.14	2.7	0.10	364	1.4	0.07	0.8	0.05
Digestive System	10,680	53.6	0.53	32.6	0.32	8,677	32.2	0.35	18.6	0.22
Esophagus	1,490	7.1	0.19	4.7	0.12	388	1.4	0.07	0.9	0.05
Stomach	924	4.8	0.16	2.8	0.09	608	2.3	0.09	1.3	0.06
Colon & Rectum	3,852	19.8	0.33	11.6	0.19	3,687	13.6	0.23	7.8	0.14
Liver	1,265	5.9	0.17	4.0	0.12	464	1.8	0.08	1.0	0.05
Pancreas	2,411	12.1	0.25	7.3	0.15	2,608	9.7	0.19	5.5	0.12
Respiratory System	16,297	82.2	0.66	49.5	0.40	11,228	42.4	0.40	26.7	0.27
Larynx	497	2.5	0.11	1.5	0.07	135	0.5	0.04	0.3	0.03
Lung & bronchus	15,712	79.3	0.65	47.7	0.39	11,032	41.6	0.40	26.2	0.27
Skin	1,198	6.2	0.18	3.6	0.11	681	2.6	0.10	1.6	0.07
Melanomas of the skin	894	4.6	0.16	2.7	0.09	541	2.1	0.09	1.4	0.06
Breast	56	0.3	0.04	0.2	0.02	6,217	23.5	0.30	15.5	0.21
Female Genital System	-	-	-	-	-	4,006	15.1	0.24	9.7	0.17
Cervix uteri	-	-	-	-	-	597	2.3	0.10	1.7	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,078	4.0	0.12	2.5	0.08
Ovary	-	-	-	-	-	2,094	7.9	0.17	4.9	0.12
Male Genital System	4,428	26.4	0.41	11.8	0.18	-	-	-	-	-
Prostate	4,319	25.9	0.40	11.4	0.18	-	-	-	-	-
Testis	65	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,584	13.9	0.28	7.5	0.15	1,343	4.9	0.14	2.7	0.08
Bladder	1,253	7.1	0.21	3.5	0.10	624	2.3	0.09	1.1	0.05
Kidney & renal pelvis	1,272	6.5	0.19	3.9	0.11	669	2.5	0.10	1.5	0.06
Brain & Other Nervous System	1,044	5.0	0.16	3.5	0.11	849	3.3	0.11	2.3	0.09
Endocrine System	159	0.8	0.06	0.6	0.05	172	0.7	0.05	0.4	0.04
Thyroid gland	87	0.5	0.05	0.3	0.03	118	0.4	0.04	0.2	0.02
Lymphomas	1,573	8.2	0.21	4.8	0.12	1,414	5.3	0.14	2.9	0.09
Hodgkin Lymphoma	118	0.6	0.05	0.4	0.04	77	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,455	7.6	0.21	4.4	0.12	1,337	5.0	0.14	2.7	0.08
Multiple Myeloma	938	5.0	0.17	2.7	0.09	911	3.4	0.11	1.9	0.07
Leukemias	1,864	10.0	0.24	5.6	0.14	1,348	5.1	0.14	3.0	0.09
Other, Ill-defined & Unknown	4,126	21.3	0.34	12.5	0.20	3,473	12.9	0.22	7.7	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,935	225.9	1.22	129.7	0.71	31,987	149.5	0.84	91.0	0.57
Oral Cavity & Pharynx	582	3.4	0.15	2.2	0.10	289	1.3	0.08	0.8	0.05
Digestive System	8,051	49.5	0.56	29.6	0.34	6,393	29.4	0.37	16.7	0.24
Esophagus	1,184	7.0	0.21	4.5	0.14	277	1.3	0.08	0.8	0.05
Stomach	591	3.8	0.16	2.1	0.09	372	1.7	0.09	1.0	0.06
Colon & Rectum	2,909	18.3	0.35	10.5	0.20	2,748	12.6	0.24	7.0	0.15
Liver	913	5.3	0.18	3.5	0.12	338	1.6	0.09	0.9	0.05
Pancreas	1,878	11.5	0.27	6.9	0.16	1,937	8.9	0.20	5.1	0.13
Respiratory System	13,047	80.0	0.72	47.5	0.43	9,454	44.5	0.46	27.9	0.31
Larynx	334	2.0	0.11	1.2	0.07	101	0.5	0.05	0.3	0.03
Lung & bronchus	12,644	77.6	0.70	46.1	0.42	9,307	43.8	0.46	27.5	0.31
Skin	1,139	7.1	0.22	4.2	0.13	638	3.1	0.12	1.9	0.09
Melanomas of the skin	869	5.4	0.19	3.3	0.11	515	2.5	0.11	1.7	0.08
Breast	39	0.2	0.04	0.1	0.02	4,586	21.8	0.33	14.1	0.23
Female Genital System	-	-	-	-	-	3,001	14.1	0.26	9.0	0.18
Cervix uteri	-	-	-	-	-	385	2.0	0.10	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	698	3.2	0.12	2.0	0.08
Ovary	-	-	-	-	-	1,733	8.1	0.20	5.0	0.13
Male Genital System	2,957	21.1	0.40	9.2	0.18	-	-	-	-	-
Prostate	2,871	20.6	0.39	8.8	0.17	-	-	-	-	-
Testis	57	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,196	14.3	0.31	7.6	0.17	1,081	4.9	0.15	2.6	0.09
Bladder	1,113	7.6	0.23	3.6	0.11	494	2.2	0.10	1.1	0.06
Kidney & renal pelvis	1,029	6.4	0.20	3.8	0.12	545	2.5	0.11	1.5	0.07
Brain & Other Nervous System	908	5.4	0.18	3.7	0.13	742	3.6	0.13	2.5	0.10
Endocrine System	124	0.8	0.07	0.5	0.05	126	0.6	0.06	0.4	0.04
Thyroid gland	71	0.4	0.05	0.2	0.03	89	0.4	0.04	0.2	0.03
Lymphomas	1,356	8.6	0.24	4.9	0.14	1,228	5.7	0.16	3.1	0.10
Hodgkin Lymphoma	98	0.6	0.06	0.4	0.04	67	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,258	8.0	0.23	4.5	0.13	1,161	5.4	0.16	2.9	0.10
Multiple Myeloma	676	4.4	0.17	2.3	0.09	622	2.8	0.12	1.5	0.07
Leukemias	1,607	10.5	0.27	5.8	0.15	1,101	5.2	0.16	3.0	0.11
Other, Ill-defined & Unknown	3,253	20.6	0.37	11.8	0.22	2,726	12.6	0.24	7.4	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,276	306.6	3.42	183.1	1.94	8,139	169.6	1.90	107.7	1.27
Oral Cavity & Pharynx	258	7.1	0.46	5.1	0.32	64	1.3	0.17	0.9	0.12
Digestive System	2,476	77.2	1.66	48.8	1.00	2,142	45.2	0.98	26.8	0.62
Esophagus	295	8.4	0.51	6.0	0.36	104	2.1	0.21	1.4	0.14
Stomach	308	10.3	0.63	6.0	0.35	215	4.6	0.31	2.6	0.19
Colon & Rectum	905	29.8	1.06	17.9	0.61	890	18.7	0.63	11.1	0.40
Liver	308	7.9	0.48	5.9	0.34	108	2.2	0.22	1.5	0.15
Pancreas	513	16.2	0.76	10.1	0.46	643	13.7	0.54	8.0	0.34
Respiratory System	3,055	96.5	1.86	61.2	1.13	1,633	34.1	0.85	22.4	0.58
Larynx	160	5.0	0.43	3.3	0.26	30	0.6	0.12	0.4	0.08
Lung & bronchus	2,878	91.0	1.81	57.6	1.10	1,589	33.1	0.84	21.8	0.58
Skin	56	1.7	0.25	1.1	0.15	40	0.8	0.13	0.5	0.08
Melanomas of the skin	22	0.7	0.17	0.5	0.10	23	0.5	0.10	0.3	0.06
Breast	16	0.5	0.14	0.3	0.08	1,550	31.3	0.80	21.3	0.57
Female Genital System	-	-	-	-	-	938	19.6	0.65	12.8	0.44
Cervix uteri	-	-	-	-	-	193	3.9	0.28	2.9	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	362	7.7	0.41	4.9	0.27
Ovary	-	-	-	-	-	338	7.1	0.39	4.6	0.26
Male Genital System	1,416	59.9	1.68	27.0	0.74	-	-	-	-	-
Prostate	1,394	59.2	1.67	26.6	0.73	-	-	-	-	-
Testis	7	0.2	0.06	0.1	0.05	-	-	-	-	-
Urinary System	354	11.9	0.68	7.0	0.38	252	5.3	0.34	3.1	0.21
Bladder	129	4.7	0.45	2.5	0.23	129	2.8	0.25	1.5	0.14
Kidney & renal pelvis	220	7.0	0.51	4.4	0.30	116	2.4	0.23	1.5	0.15
Brain & Other Nervous System	119	3.2	0.32	2.3	0.22	96	1.9	0.20	1.4	0.15
Endocrine System	31	0.8	0.16	0.7	0.12	42	0.9	0.14	0.6	0.10
Thyroid gland	13	0.4	0.12	0.3	0.08	25	0.5	0.11	0.3	0.07
Lymphomas	202	6.0	0.45	4.0	0.29	169	3.5	0.27	2.2	0.18
Hodgkin Lymphoma	19	0.5	0.11	0.4	0.09	10	0.2	0.06	0.1	0.05
Non-Hodgkin Lymphoma	183	5.6	0.44	3.6	0.27	159	3.3	0.26	2.1	0.17
Multiple Myeloma	252	8.5	0.58	5.0	0.32	280	6.0	0.36	3.5	0.23
Leukemias	227	7.4	0.53	4.5	0.31	234	4.9	0.32	3.1	0.22
Other, Ill-defined & Unknown	814	25.8	0.97	16.1	0.58	699	14.6	0.56	9.0	0.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	205	95.7	7.65	57.3	4.10	252	89.5	6.11	52.8	3.43
Oral Cavity & Pharynx	7	2.4	1.02	1.7	0.64	-	-	-	-	-
Digestive System	78	33.2	4.19	21.7	2.51	74	28.8	3.58	15.5	1.86
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	16	7.9	2.25	4.5	1.16	13	5.1	1.50	2.9	0.82
Colon & Rectum	11	4.0	1.32	3.0	0.93	22	8.8	2.03	4.0	0.88
Liver	27	9.6	1.99	7.3	1.43	16	5.9	1.55	3.9	1.00
Pancreas	13	6.1	1.82	3.9	1.08	10	3.8	1.29	2.1	0.68
Respiratory System	44	22.8	3.82	13.1	2.00	53	19.9	2.94	11.4	1.61
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	40	20.3	3.55	11.9	1.91	52	19.7	2.92	11.1	1.58
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	27	7.4	1.53	5.5	1.09
Female Genital System	-	-	-	-	-	33	9.1	1.72	6.6	1.20
Cervix uteri	-	-	-	-	-	11	2.8	0.94	1.9	0.58
Corpus & uterus, NOS ¹	-	-	-	-	-	8	2.3	0.85	1.9	0.69
Ovary	-	-	-	-	-	10	3.0	1.02	2.1	0.69
Male Genital System	9	7.1	2.55	2.9	0.98	-	-	-	-	-
Prostate	9	7.1	2.55	2.9	0.98	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	3.2	1.38	1.9	0.73	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	8	2.7	1.10	1.8	0.66	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	3.5	1.60	1.8	0.71	9	3.9	1.34	2.1	0.72
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	6	3.0	1.51	1.5	0.63	9	3.9	1.34	2.1	0.72
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	15	6.2	1.92	4.0	1.08	7	1.5	0.62	1.3	0.51
Other, Ill-defined & Unknown	26	12.6	2.88	7.5	1.50	29	11.4	2.26	6.1	1.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,463	210.2	3.59	119.0	2.22	3,087	144.1	2.70	89.1	1.92
Oral Cavity & Pharynx	58	3.5	0.46	2.1	0.29	23	1.2	0.26	0.9	0.21
Digestive System	908	54.5	1.82	31.7	1.15	754	33.2	1.26	18.3	0.81
Esophagus	119	7.1	0.65	4.4	0.43	32	1.6	0.28	0.9	0.18
Stomach	78	4.7	0.54	2.6	0.33	55	2.4	0.34	1.4	0.23
Colon & Rectum	359	21.6	1.15	12.1	0.70	341	14.8	0.84	8.3	0.55
Liver	62	3.7	0.47	2.2	0.30	37	1.7	0.28	1.0	0.20
Pancreas	213	12.8	0.88	7.8	0.58	195	8.7	0.65	4.7	0.40
Respiratory System	964	59.0	1.91	34.6	1.21	695	34.6	1.34	22.7	0.98
Larynx	27	1.6	0.31	1.0	0.20	-	-	-	-	-
Lung & bronchus	924	56.5	1.87	33.2	1.18	688	34.3	1.34	22.6	0.98
Skin	74	4.4	0.52	2.8	0.35	34	1.6	0.28	0.9	0.19
Melanomas of the skin	55	3.3	0.45	2.2	0.31	23	1.1	0.23	0.6	0.16
Breast	-	-	-	-	-	460	22.0	1.07	14.2	0.78
Female Genital System	-	-	-	-	-	326	16.1	0.92	10.7	0.68
Cervix uteri	-	-	-	-	-	28	1.5	0.30	1.1	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	98	4.7	0.49	3.0	0.35
Ovary	-	-	-	-	-	180	9.0	0.69	6.1	0.51
Male Genital System	417	25.4	1.25	10.9	0.59	-	-	-	-	-
Prostate	412	25.2	1.24	10.7	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	268	16.1	0.99	9.2	0.62	123	5.3	0.50	3.0	0.34
Bladder	131	7.8	0.68	3.9	0.38	48	1.8	0.28	0.8	0.16
Kidney & renal pelvis	128	7.8	0.69	5.1	0.47	70	3.3	0.41	2.1	0.30
Brain & Other Nervous System	89	5.6	0.60	4.1	0.46	85	4.4	0.49	3.3	0.42
Endocrine System	10	0.6	0.19	0.5	0.19	20	0.9	0.22	0.5	0.15
Thyroid gland	7	0.4	0.15	0.2	0.10	13	0.5	0.16	0.2	0.09
Lymphomas	126	7.7	0.69	4.6	0.44	132	5.7	0.52	3.1	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	122	7.4	0.68	4.4	0.43	130	5.5	0.51	2.9	0.32
Multiple Myeloma	78	4.8	0.54	2.6	0.32	64	2.9	0.38	1.7	0.26
Leukemias	183	11.1	0.82	6.0	0.50	130	5.8	0.54	3.7	0.43
Other, Ill-defined & Unknown	286	17.4	1.04	9.8	0.64	241	10.5	0.71	6.1	0.49

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,345	208.3	3.62	117.4	2.24	2,943	140.7	2.71	86.8	1.94
Oral Cavity & Pharynx	56	3.5	0.47	2.0	0.29	20	1.1	0.25	0.8	0.20
Digestive System	869	53.5	1.83	30.9	1.15	722	32.5	1.26	17.7	0.81
Esophagus	115	7.0	0.66	4.3	0.44	32	1.6	0.29	0.9	0.18
Stomach	75	4.7	0.54	2.6	0.34	53	2.4	0.34	1.4	0.23
Colon & Rectum	347	21.4	1.16	11.9	0.70	324	14.3	0.83	8.0	0.55
Liver	54	3.3	0.45	1.9	0.28	34	1.5	0.28	0.9	0.20
Pancreas	205	12.6	0.89	7.7	0.58	192	8.8	0.66	4.7	0.42
Respiratory System	923	58.0	1.92	33.9	1.21	649	33.2	1.34	21.8	0.98
Larynx	24	1.5	0.31	0.8	0.19	-	-	-	-	-
Lung & bronchus	886	55.6	1.88	32.6	1.19	642	32.9	1.33	21.7	0.98
Skin	73	4.5	0.53	2.9	0.36	32	1.5	0.28	0.9	0.18
Melanomas of the skin	55	3.4	0.46	2.2	0.32	22	1.1	0.23	0.6	0.15
Breast	-	-	-	-	-	435	21.2	1.07	13.6	0.78
Female Genital System	-	-	-	-	-	313	15.9	0.93	10.6	0.69
Cervix uteri	-	-	-	-	-	24	1.4	0.30	1.0	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	96	4.7	0.50	3.0	0.36
Ovary	-	-	-	-	-	175	9.0	0.70	6.1	0.53
Male Genital System	410	25.5	1.26	10.9	0.60	-	-	-	-	-
Prostate	406	25.2	1.26	10.7	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	260	16.0	1.00	9.1	0.62	123	5.4	0.52	3.1	0.36
Bladder	131	8.0	0.70	4.0	0.39	48	1.8	0.29	0.8	0.17
Kidney & renal pelvis	121	7.6	0.69	4.8	0.47	70	3.4	0.42	2.2	0.32
Brain & Other Nervous System	88	5.8	0.63	4.3	0.48	83	4.5	0.51	3.4	0.44
Endocrine System	9	0.6	0.20	0.5	0.21	19	0.9	0.21	0.5	0.14
Thyroid gland	6	0.4	0.14	0.2	0.09	13	0.6	0.17	0.3	0.10
Lymphomas	123	7.7	0.70	4.6	0.46	130	5.7	0.53	3.1	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	119	7.5	0.69	4.4	0.44	128	5.6	0.51	2.9	0.33
Multiple Myeloma	77	4.8	0.55	2.6	0.33	63	3.0	0.39	1.7	0.26
Leukemias	179	11.2	0.84	6.0	0.52	127	5.9	0.56	3.8	0.46
Other, Ill-defined & Unknown	276	17.2	1.04	9.6	0.64	227	10.0	0.70	5.9	0.49

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate		S.E.	S.E.	Deaths	Adj. Rate		S.E.	S.E.
		2000 U.S.	World				2000 U.S.	World		
All Sites	9	142.7	66.28	87.7	34.10	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Adj. Rate</i>		<i>Adj. Rate</i>		<i>S.E.</i>	<i>Adj. Rate</i>		<i>Adj. Rate</i>		<i>S.E.</i>
	<i>Deaths</i>	<i>2000 U.S.</i>	<i>S.E.</i>	<i>World</i>		<i>Deaths</i>	<i>2000 U.S.</i>	<i>S.E.</i>	<i>World</i>	
All Sites	-	-	-	-	-	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	64,882	243.4	0.97	139.3	0.58	60,172	163.4	0.68	99.4	0.46
Oral Cavity & Pharynx	1,151	4.0	0.12	2.7	0.08	555	1.5	0.06	0.9	0.04
Digestive System	16,045	59.3	0.48	34.9	0.29	13,129	34.7	0.31	19.6	0.20
Esophagus	2,655	9.6	0.19	6.0	0.12	684	1.8	0.07	1.1	0.05
Stomach	1,244	4.7	0.14	2.6	0.08	860	2.3	0.08	1.2	0.05
Colon & Rectum	5,927	22.5	0.30	12.5	0.17	5,950	15.5	0.20	8.5	0.13
Liver	1,650	5.7	0.14	3.8	0.10	636	1.7	0.07	1.0	0.05
Pancreas	3,590	13.1	0.22	7.9	0.14	3,717	9.9	0.16	5.7	0.11
Respiratory System	21,906	80.4	0.55	48.1	0.34	16,363	45.3	0.36	28.2	0.24
Larynx	730	2.6	0.10	1.7	0.06	188	0.5	0.04	0.4	0.03
Lung & bronchus	21,054	77.4	0.54	46.2	0.33	16,097	44.5	0.35	27.7	0.24
Skin	1,552	5.8	0.15	3.4	0.09	773	2.1	0.08	1.4	0.06
Melanomas of the skin	1,162	4.3	0.13	2.6	0.08	615	1.7	0.07	1.2	0.05
Breast	76	0.3	0.03	0.2	0.02	9,174	25.2	0.27	16.3	0.19
Female Genital System	-	-	-	-	-	5,910	16.3	0.22	10.6	0.15
Cervix uteri	-	-	-	-	-	855	2.6	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,713	4.6	0.11	2.9	0.08
Ovary	-	-	-	-	-	2,951	8.1	0.15	5.2	0.11
Male Genital System	6,239	25.9	0.33	11.4	0.15	-	-	-	-	-
Prostate	6,114	25.4	0.33	11.0	0.15	-	-	-	-	-
Testis	58	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,141	16.0	0.25	8.4	0.14	2,190	5.7	0.12	3.2	0.08
Bladder	2,260	9.0	0.19	4.3	0.10	987	2.5	0.08	1.3	0.05
Kidney & renal pelvis	1,777	6.6	0.16	3.9	0.10	1,129	3.0	0.09	1.8	0.06
Brain & Other Nervous System	1,527	5.4	0.14	3.9	0.11	1,267	3.7	0.10	2.6	0.08
Endocrine System	243	0.9	0.06	0.6	0.04	302	0.9	0.05	0.6	0.04
Thyroid gland	159	0.6	0.05	0.3	0.03	182	0.5	0.04	0.3	0.02
Lymphomas	2,612	10.0	0.20	5.5	0.11	2,238	5.9	0.13	3.3	0.08
Hodgkin Lymphoma	146	0.5	0.05	0.4	0.03	126	0.4	0.03	0.3	0.03
Non-Hodgkin Lymphoma	2,466	9.4	0.19	5.2	0.11	2,112	5.6	0.12	3.0	0.08
Multiple Myeloma	1,213	4.6	0.13	2.5	0.08	1,159	3.1	0.09	1.7	0.06
Leukemias	2,631	10.1	0.20	5.7	0.12	2,148	5.7	0.13	3.3	0.09
Other, Ill-defined & Unknown	5,546	20.8	0.28	12.0	0.17	4,964	13.3	0.19	7.9	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	57,559	238.8	1.01	136.1	0.60	53,214	161.1	0.71	97.6	0.48
Oral Cavity & Pharynx	987	3.8	0.12	2.5	0.08	493	1.5	0.07	0.9	0.05
Digestive System	14,036	57.5	0.49	33.6	0.30	11,415	33.4	0.32	18.7	0.20
Esophagus	2,460	9.8	0.20	6.1	0.13	587	1.7	0.07	1.0	0.05
Stomach	1,014	4.3	0.14	2.4	0.08	676	2.0	0.08	1.1	0.05
Colon & Rectum	5,200	21.8	0.31	12.1	0.18	5,262	15.2	0.21	8.3	0.13
Liver	1,326	5.2	0.14	3.3	0.10	511	1.5	0.07	0.9	0.05
Pancreas	3,169	12.8	0.23	7.7	0.14	3,250	9.6	0.17	5.5	0.11
Respiratory System	19,460	79.0	0.57	47.2	0.35	14,538	44.9	0.38	27.9	0.26
Larynx	622	2.4	0.10	1.6	0.07	153	0.5	0.04	0.3	0.03
Lung & bronchus	18,723	76.1	0.56	45.3	0.35	14,317	44.2	0.37	27.5	0.25
Skin	1,517	6.3	0.16	3.7	0.10	748	2.3	0.09	1.5	0.06
Melanomas of the skin	1,150	4.7	0.14	2.9	0.09	594	1.9	0.08	1.3	0.06
Breast	65	0.3	0.03	0.2	0.02	7,973	24.5	0.28	15.7	0.20
Female Genital System	-	-	-	-	-	5,234	16.2	0.23	10.4	0.16
Cervix uteri	-	-	-	-	-	714	2.5	0.09	1.8	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,440	4.3	0.12	2.6	0.08
Ovary	-	-	-	-	-	2,715	8.3	0.16	5.4	0.11
Male Genital System	5,207	23.7	0.33	10.3	0.15	-	-	-	-	-
Prostate	5,092	23.3	0.33	9.9	0.15	-	-	-	-	-
Testis	54	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,805	16.2	0.27	8.5	0.15	1,965	5.7	0.13	3.2	0.08
Bladder	2,109	9.3	0.20	4.4	0.10	888	2.5	0.09	1.3	0.05
Kidney & renal pelvis	1,597	6.5	0.17	3.9	0.10	1,010	3.0	0.10	1.8	0.06
Brain & Other Nervous System	1,433	5.6	0.15	4.1	0.12	1,186	3.9	0.11	2.8	0.09
Endocrine System	219	0.9	0.06	0.6	0.04	254	0.8	0.05	0.5	0.04
Thyroid gland	145	0.6	0.05	0.3	0.03	156	0.5	0.04	0.3	0.02
Lymphomas	2,429	10.3	0.21	5.7	0.12	2,097	6.1	0.14	3.4	0.09
Hodgkin Lymphoma	132	0.6	0.05	0.4	0.04	117	0.4	0.04	0.3	0.03
Non-Hodgkin Lymphoma	2,297	9.7	0.21	5.3	0.12	1,980	5.8	0.13	3.1	0.08
Multiple Myeloma	1,016	4.3	0.14	2.3	0.08	964	2.8	0.09	1.6	0.06
Leukemias	2,411	10.3	0.21	5.8	0.13	1,944	5.8	0.13	3.3	0.09
Other, Ill-defined & Unknown	4,974	20.6	0.30	11.8	0.18	4,403	13.1	0.20	7.8	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,059	316.2	3.94	187.5	2.32	6,650	194.4	2.39	122.2	1.60
Oral Cavity & Pharynx	155	6.2	0.51	4.3	0.36	60	1.7	0.22	1.1	0.15
Digestive System	1,925	83.3	1.99	51.9	1.22	1,628	48.0	1.19	28.0	0.75
Esophagus	187	8.1	0.62	5.2	0.40	94	2.7	0.28	1.8	0.20
Stomach	220	10.2	0.72	5.7	0.40	166	4.9	0.38	2.6	0.22
Colon & Rectum	705	31.8	1.26	18.7	0.73	665	19.6	0.76	11.4	0.48
Liver	308	11.4	0.68	8.7	0.51	111	3.2	0.31	2.0	0.21
Pancreas	402	17.0	0.88	10.7	0.56	448	13.3	0.63	7.6	0.39
Respiratory System	2,373	103.5	2.21	63.9	1.36	1,753	51.4	1.23	33.1	0.84
Larynx	106	4.6	0.47	2.9	0.29	35	1.0	0.17	0.8	0.13
Lung & bronchus	2,260	98.6	2.16	60.9	1.33	1,708	50.1	1.22	32.2	0.83
Skin	29	1.2	0.22	0.7	0.14	21	0.6	0.13	0.4	0.09
Melanomas of the skin	9	0.4	0.13	0.2	0.08	18	0.5	0.12	0.3	0.08
Breast	10	0.5	0.15	0.2	0.08	1,155	33.2	0.98	22.2	0.69
Female Genital System	-	-	-	-	-	648	18.9	0.75	12.7	0.53
Cervix uteri	-	-	-	-	-	133	3.8	0.33	2.8	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	265	7.8	0.48	5.1	0.34
Ovary	-	-	-	-	-	225	6.6	0.44	4.3	0.30
Male Genital System	1,019	53.7	1.76	25.2	0.83	-	-	-	-	-
Prostate	1,010	53.4	1.75	25.0	0.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	319	14.7	0.87	8.5	0.49	215	6.4	0.44	3.6	0.27
Bladder	145	7.2	0.63	3.8	0.32	95	2.8	0.29	1.5	0.17
Kidney & renal pelvis	169	7.3	0.59	4.6	0.36	114	3.4	0.32	2.0	0.20
Brain & Other Nervous System	83	3.5	0.40	2.3	0.25	71	2.0	0.24	1.4	0.18
Endocrine System	21	0.8	0.19	0.6	0.12	44	1.2	0.19	0.9	0.15
Thyroid gland	13	0.5	0.16	0.3	0.09	24	0.7	0.14	0.4	0.10
Lymphomas	173	7.0	0.55	4.6	0.36	128	3.7	0.33	2.4	0.22
Hodgkin Lymphoma	14	0.6	0.16	0.4	0.10	9	0.3	0.09	0.2	0.07
Non-Hodgkin Lymphoma	159	6.4	0.53	4.2	0.35	119	3.5	0.32	2.2	0.21
Multiple Myeloma	192	8.8	0.66	5.0	0.37	193	5.7	0.41	3.4	0.26
Leukemias	211	9.4	0.68	5.4	0.39	191	5.6	0.41	3.4	0.27
Other, Ill-defined & Unknown	549	23.8	1.07	15.0	0.66	543	15.9	0.68	9.7	0.45

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	216	87.8	6.74	50.0	3.44	274	84.8	5.39	48.8	3.02
Oral Cavity & Pharynx	7	2.1	0.85	1.5	0.57	-	-	-	-	-
Digestive System	73	28.8	3.82	17.1	2.01	78	25.1	2.97	13.7	1.58
Esophagus	7	3.1	1.30	1.5	0.55	-	-	-	-	-
Stomach	9	3.5	1.34	2.2	0.72	18	6.0	1.49	2.9	0.71
Colon & Rectum	18	6.8	1.80	4.3	1.01	18	5.3	1.32	3.1	0.75
Liver	14	6.0	1.81	3.3	0.89	14	4.4	1.24	2.5	0.69
Pancreas	16	6.0	1.69	3.7	0.93	16	5.8	1.47	2.9	0.75
Respiratory System	48	20.7	3.34	11.3	1.65	61	20.1	2.69	10.7	1.41
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	20.7	3.34	11.3	1.65	61	20.1	2.69	10.7	1.41
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	45	12.5	1.96	8.2	1.24
Female Genital System	-	-	-	-	-	22	6.6	1.48	3.9	0.85
Cervix uteri	-	-	-	-	-	6	1.3	0.55	1.1	0.47
Corpus & uterus, NOS ¹	-	-	-	-	-	7	2.5	0.96	1.3	0.49
Ovary	-	-	-	-	-	8	2.5	0.95	1.3	0.47
Male Genital System	10	5.0	1.72	2.4	0.77	-	-	-	-	-
Prostate	10	5.0	1.72	2.4	0.77	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	5.9	1.78	3.2	0.86	9	3.1	1.08	1.4	0.48
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	9	3.3	1.26	1.9	0.66	-	-	-	-	-
Brain & Other Nervous System	11	3.4	1.11	2.5	0.78	8	1.6	0.56	1.8	0.63
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	4.2	1.49	2.3	0.73	13	5.1	1.44	2.0	0.58
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	10	4.2	1.49	2.3	0.73	13	5.1	1.44	2.0	0.58
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	3.4	1.23	2.1	0.69	13	2.8	0.80	2.6	0.75
Other, Ill-defined & Unknown	21	10.5	2.55	4.8	1.06	15	4.8	1.30	2.7	0.72

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,329	243.0	1.73	144.1	1.06	17,631	161.2	1.23	100.9	0.84
Oral Cavity & Pharynx	336	3.8	0.21	2.6	0.14	177	1.6	0.12	1.0	0.08
Digestive System	4,898	57.4	0.83	35.6	0.53	3,607	32.4	0.55	19.2	0.36
Esophagus	742	8.5	0.32	5.6	0.21	170	1.5	0.12	1.0	0.08
Stomach	349	4.2	0.23	2.6	0.14	230	2.1	0.14	1.3	0.09
Colon & Rectum	1,915	22.9	0.53	13.6	0.32	1,663	14.8	0.37	8.6	0.24
Liver	615	6.9	0.28	4.7	0.20	266	2.4	0.15	1.5	0.11
Pancreas	1,031	12.0	0.38	7.5	0.24	965	8.7	0.28	5.2	0.19
Respiratory System	7,244	85.2	1.01	52.1	0.64	5,182	47.6	0.67	30.4	0.46
Larynx	172	2.0	0.15	1.3	0.10	52	0.5	0.07	0.3	0.05
Lung & bronchus	7,030	82.7	1.00	50.5	0.63	5,104	46.9	0.66	29.9	0.46
Skin	596	7.2	0.30	4.2	0.18	286	2.7	0.16	1.8	0.11
Melanomas of the skin	437	5.2	0.25	3.2	0.16	230	2.2	0.15	1.5	0.11
Breast	28	0.3	0.06	0.2	0.04	2,569	23.8	0.48	15.7	0.34
Female Genital System	-	-	-	-	-	1,700	15.8	0.39	10.2	0.27
Cervix uteri	-	-	-	-	-	287	2.9	0.18	2.2	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	431	3.9	0.19	2.5	0.13
Ovary	-	-	-	-	-	886	8.1	0.27	5.0	0.19
Male Genital System	1,816	24.0	0.57	10.7	0.26	-	-	-	-	-
Prostate	1,778	23.6	0.57	10.4	0.26	-	-	-	-	-
Testis	24	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,231	14.8	0.43	8.5	0.25	606	5.4	0.22	3.1	0.14
Bladder	585	7.4	0.31	3.7	0.16	215	1.8	0.13	0.9	0.07
Kidney & renal pelvis	625	7.2	0.29	4.7	0.19	373	3.4	0.18	2.1	0.12
Brain & Other Nervous System	491	5.6	0.26	4.1	0.19	406	3.8	0.19	2.5	0.14
Endocrine System	72	0.9	0.10	0.7	0.08	81	0.8	0.09	0.5	0.07
Thyroid gland	38	0.5	0.08	0.3	0.05	52	0.5	0.07	0.3	0.04
Lymphomas	782	9.4	0.34	5.5	0.21	697	6.3	0.24	3.6	0.16
Hodgkin Lymphoma	42	0.5	0.08	0.3	0.06	33	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	740	8.9	0.33	5.2	0.20	664	5.9	0.23	3.4	0.15
Multiple Myeloma	379	4.6	0.24	2.6	0.14	291	2.6	0.15	1.5	0.10
Leukemias	850	10.5	0.37	6.0	0.22	621	5.5	0.23	3.3	0.16
Other, Ill-defined & Unknown	1,606	19.3	0.49	11.4	0.30	1,408	12.9	0.35	8.0	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,841	241.5	1.83	143.0	1.13	15,405	160.8	1.32	100.5	0.91
Oral Cavity & Pharynx	292	3.8	0.22	2.5	0.15	162	1.7	0.13	1.0	0.09
Digestive System	4,183	55.8	0.87	34.5	0.56	3,046	31.1	0.57	18.3	0.38
Esophagus	650	8.5	0.34	5.6	0.23	148	1.5	0.13	0.9	0.09
Stomach	281	3.8	0.23	2.3	0.14	180	1.9	0.14	1.1	0.09
Colon & Rectum	1,641	22.3	0.56	13.1	0.34	1,404	14.1	0.38	8.2	0.25
Liver	488	6.3	0.29	4.3	0.20	211	2.2	0.15	1.4	0.11
Pancreas	911	12.1	0.40	7.5	0.26	832	8.6	0.30	5.1	0.20
Respiratory System	6,434	85.6	1.08	52.3	0.68	4,612	48.4	0.72	30.9	0.50
Larynx	146	1.9	0.16	1.3	0.11	45	0.5	0.07	0.3	0.05
Lung & bronchus	6,251	83.2	1.06	50.7	0.67	4,544	47.7	0.71	30.4	0.49
Skin	566	7.7	0.33	4.6	0.20	266	2.9	0.18	1.9	0.13
Melanomas of the skin	421	5.7	0.28	3.6	0.18	217	2.4	0.17	1.6	0.12
Breast	24	0.3	0.07	0.2	0.04	2,229	23.7	0.51	15.7	0.37
Female Genital System	-	-	-	-	-	1,478	15.7	0.42	10.2	0.30
Cervix uteri	-	-	-	-	-	233	2.8	0.19	2.1	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	360	3.7	0.20	2.4	0.14
Ovary	-	-	-	-	-	801	8.3	0.30	5.2	0.21
Male Genital System	1,543	22.8	0.59	10.0	0.27	-	-	-	-	-
Prostate	1,514	22.4	0.58	9.7	0.26	-	-	-	-	-
Testis	21	0.3	0.07	0.2	0.05	-	-	-	-	-
Urinary System	1,090	14.8	0.45	8.5	0.27	520	5.2	0.23	3.0	0.15
Bladder	527	7.4	0.33	3.7	0.17	192	1.8	0.14	0.9	0.08
Kidney & renal pelvis	543	7.1	0.31	4.6	0.21	314	3.2	0.19	2.0	0.13
Brain & Other Nervous System	450	5.9	0.28	4.3	0.22	367	4.0	0.21	2.7	0.16
Endocrine System	64	0.9	0.11	0.7	0.10	69	0.8	0.09	0.6	0.08
Thyroid gland	34	0.5	0.08	0.3	0.05	44	0.5	0.07	0.3	0.05
Lymphomas	707	9.7	0.37	5.6	0.22	628	6.4	0.26	3.6	0.17
Hodgkin Lymphoma	37	0.5	0.09	0.4	0.06	31	0.4	0.08	0.3	0.06
Non-Hodgkin Lymphoma	670	9.2	0.36	5.3	0.22	597	6.0	0.25	3.3	0.16
Multiple Myeloma	324	4.4	0.25	2.5	0.15	232	2.3	0.16	1.3	0.10
Leukemias	758	10.6	0.39	6.0	0.24	567	5.8	0.25	3.4	0.18
Other, Ill-defined & Unknown	1,406	19.1	0.52	11.2	0.32	1,229	12.9	0.38	7.9	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	1,208	298.6	9.18	177.4	5.23	1,055	182.7	5.70	115.3	3.74
Oral Cavity & Pharynx	21	4.9	1.10	3.6	0.80	8	1.4	0.49	0.8	0.32
Digestive System	338	79.9	4.65	49.6	2.76	259	45.4	2.86	26.9	1.77
Esophagus	38	8.5	1.46	5.9	0.98	15	2.6	0.67	1.9	0.51
Stomach	30	8.0	1.56	4.5	0.84	26	4.8	0.95	2.5	0.53
Colon & Rectum	137	35.1	3.21	19.9	1.74	112	19.6	1.87	11.3	1.12
Liver	53	10.5	1.52	7.7	1.08	18	3.0	0.72	1.8	0.45
Pancreas	67	14.7	1.92	9.6	1.20	75	13.2	1.54	8.3	1.02
Respiratory System	395	93.1	4.95	59.8	3.08	244	42.8	2.78	27.4	1.84
Larynx	13	3.3	0.97	1.9	0.53	-	-	-	-	-
Lung & bronchus	378	88.7	4.83	57.2	3.01	237	41.6	2.74	26.6	1.81
Skin	7	1.9	0.79	0.8	0.32	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	199	33.5	2.40	22.5	1.66
Female Genital System	-	-	-	-	-	103	17.9	1.78	11.4	1.18
Cervix uteri	-	-	-	-	-	23	3.7	0.79	2.7	0.58
Corpus & uterus, NOS ¹	-	-	-	-	-	42	7.6	1.18	4.7	0.77
Ovary	-	-	-	-	-	33	5.8	1.02	3.4	0.63
Male Genital System	173	54.9	4.36	24.7	1.92	-	-	-	-	-
Prostate	171	54.3	4.33	24.4	1.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	13.8	1.99	7.9	1.07	39	6.8	1.11	3.8	0.64
Bladder	25	7.3	1.56	3.4	0.68	13	2.5	0.69	1.2	0.37
Kidney & renal pelvis	31	6.5	1.23	4.5	0.83	22	3.6	0.79	2.3	0.51
Brain & Other Nervous System	16	2.5	0.64	2.2	0.56	14	2.3	0.64	1.5	0.42
Endocrine System	6	1.3	0.58	0.8	0.34	7	1.2	0.47	0.8	0.31
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	31	6.6	1.25	4.5	0.82	25	4.3	0.87	3.1	0.63
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	29	6.2	1.23	4.2	0.80	24	4.1	0.85	2.9	0.62
Multiple Myeloma	34	9.2	1.68	4.9	0.86	36	6.7	1.12	3.4	0.62
Leukemias	42	9.8	1.62	6.1	0.96	30	4.7	0.88	3.4	0.65
Other, Ill-defined & Unknown	86	20.0	2.31	12.1	1.33	86	14.8	1.61	9.9	1.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	105	136.0	15.06	79.6	7.96	136	113.1	10.28	72.8	6.35
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	44	51.6	8.74	33.1	5.11	46	39.0	6.13	23.6	3.53
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	9.5	3.46	6.6	2.25	7	5.2	2.13	3.3	1.26
Colon & Rectum	9	13.5	4.96	7.4	2.50	21	19.2	4.44	10.5	2.34
Liver	13	12.2	4.02	8.8	2.49	7	4.9	1.92	3.7	1.42
Pancreas	7	9.3	3.68	5.6	2.16	7	6.5	2.60	3.8	1.46
Respiratory System	28	43.9	9.14	22.5	4.32	33	27.3	4.99	19.1	3.37
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	25	38.2	8.40	20.0	4.07	32	26.0	4.80	18.7	3.35
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	13	9.0	2.68	6.3	1.76
Female Genital System	-	-	-	-	-	16	14.2	3.75	8.2	2.10
Cervix uteri	-	-	-	-	-	8	7.0	2.62	4.0	1.44
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	8	17.1	6.42	6.6	2.38	-	-	-	-	-
Prostate	8	17.1	6.42	6.6	2.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	8	8.7	3.30	5.8	2.10	10	8.3	2.72	5.7	1.80

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	19,213	214.4	1.57	119.9	0.92	17,781	155.5	1.19	92.3	0.78
Oral Cavity & Pharynx	348	3.7	0.20	2.3	0.13	161	1.4	0.11	0.8	0.07
Digestive System	4,812	52.2	0.77	30.8	0.47	3,865	33.2	0.54	18.8	0.34
Esophagus	786	8.5	0.31	5.1	0.19	212	1.8	0.13	1.0	0.08
Stomach	330	3.7	0.20	2.0	0.12	207	1.8	0.13	1.1	0.08
Colon & Rectum	1,667	18.5	0.46	10.3	0.27	1,644	13.9	0.35	7.6	0.21
Liver	595	5.9	0.25	4.2	0.18	218	1.9	0.13	1.2	0.09
Pancreas	1,123	12.2	0.37	7.2	0.22	1,157	10.0	0.30	5.7	0.19
Respiratory System	5,669	62.9	0.85	35.9	0.50	4,962	44.2	0.64	26.1	0.41
Larynx	111	1.2	0.12	0.7	0.07	47	0.4	0.06	0.3	0.04
Lung & bronchus	5,514	61.2	0.84	35.0	0.50	4,889	43.6	0.63	25.6	0.40
Skin	520	5.7	0.25	3.4	0.16	302	2.7	0.16	1.7	0.11
Melanomas of the skin	397	4.3	0.22	2.7	0.14	244	2.2	0.14	1.5	0.10
Breast	25	0.3	0.06	0.1	0.03	2,461	21.5	0.44	13.7	0.30
Female Genital System	-	-	-	-	-	1,802	15.9	0.38	10.1	0.26
Cervix uteri	-	-	-	-	-	200	1.9	0.14	1.4	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	439	3.8	0.18	2.4	0.12
Ovary	-	-	-	-	-	1,058	9.3	0.29	5.8	0.19
Male Genital System	2,171	26.1	0.56	11.4	0.26	-	-	-	-	-
Prostate	2,138	25.7	0.56	11.1	0.26	-	-	-	-	-
Testis	16	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,246	14.2	0.41	7.4	0.22	577	4.8	0.20	2.6	0.13
Bladder	699	8.2	0.31	3.9	0.16	277	2.3	0.14	1.1	0.08
Kidney & renal pelvis	508	5.5	0.25	3.3	0.15	276	2.4	0.15	1.4	0.10
Brain & Other Nervous System	624	6.6	0.27	4.7	0.20	432	4.0	0.20	3.1	0.16
Endocrine System	66	0.7	0.09	0.5	0.07	89	0.8	0.09	0.6	0.07
Thyroid gland	41	0.4	0.07	0.3	0.04	55	0.5	0.06	0.3	0.04
Lymphomas	809	9.1	0.33	4.9	0.18	711	6.1	0.23	3.2	0.14
Hodgkin Lymphoma	51	0.5	0.08	0.4	0.06	43	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	758	8.6	0.32	4.5	0.18	668	5.7	0.22	2.9	0.13
Multiple Myeloma	424	4.8	0.24	2.5	0.13	316	2.7	0.16	1.4	0.09
Leukemias	856	9.8	0.34	5.4	0.20	626	5.4	0.22	3.2	0.15
Other, Ill-defined & Unknown	1,643	18.4	0.46	10.4	0.27	1,477	12.7	0.34	7.1	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,535	216.4	1.61	121.1	0.95	17,118	157.1	1.22	93.3	0.81
Oral Cavity & Pharynx	334	3.7	0.21	2.3	0.13	157	1.4	0.12	0.8	0.08
Digestive System	4,575	52.0	0.78	30.7	0.48	3,663	32.9	0.56	18.6	0.35
Esophagus	767	8.7	0.32	5.2	0.20	204	1.8	0.13	1.0	0.08
Stomach	299	3.5	0.20	1.9	0.12	181	1.7	0.13	1.0	0.08
Colon & Rectum	1,615	18.8	0.47	10.5	0.28	1,570	13.9	0.36	7.6	0.22
Liver	514	5.4	0.24	3.8	0.17	192	1.8	0.13	1.1	0.09
Pancreas	1,086	12.4	0.38	7.3	0.23	1,106	10.0	0.31	5.7	0.19
Respiratory System	5,477	63.5	0.87	36.4	0.52	4,806	44.9	0.66	26.5	0.42
Larynx	108	1.2	0.12	0.7	0.07	46	0.4	0.07	0.3	0.04
Lung & bronchus	5,325	61.8	0.86	35.4	0.51	4,734	44.3	0.65	26.1	0.42
Skin	518	5.9	0.27	3.6	0.16	292	2.7	0.16	1.7	0.11
Melanomas of the skin	397	4.5	0.23	2.8	0.15	237	2.3	0.15	1.5	0.11
Breast	25	0.3	0.06	0.1	0.03	2,370	21.8	0.46	13.8	0.31
Female Genital System	-	-	-	-	-	1,734	16.1	0.39	10.2	0.27
Cervix uteri	-	-	-	-	-	179	1.8	0.14	1.4	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	423	3.9	0.19	2.4	0.13
Ovary	-	-	-	-	-	1,029	9.5	0.30	5.9	0.20
Male Genital System	2,111	26.3	0.58	11.5	0.27	-	-	-	-	-
Prostate	2,079	25.9	0.57	11.3	0.26	-	-	-	-	-
Testis	16	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,217	14.4	0.42	7.5	0.23	560	4.9	0.21	2.7	0.13
Bladder	688	8.4	0.32	4.0	0.16	269	2.3	0.14	1.1	0.08
Kidney & renal pelvis	494	5.6	0.26	3.4	0.16	268	2.4	0.15	1.5	0.10
Brain & Other Nervous System	614	6.8	0.28	4.9	0.21	422	4.2	0.21	3.2	0.17
Endocrine System	61	0.7	0.09	0.6	0.08	84	0.8	0.09	0.6	0.08
Thyroid gland	37	0.4	0.07	0.3	0.05	53	0.5	0.07	0.3	0.04
Lymphomas	774	9.2	0.33	4.9	0.19	686	6.1	0.24	3.3	0.15
Hodgkin Lymphoma	47	0.5	0.08	0.4	0.06	42	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	727	8.6	0.32	4.6	0.18	644	5.7	0.23	2.9	0.14
Multiple Myeloma	407	4.8	0.24	2.5	0.13	302	2.7	0.16	1.4	0.09
Leukemias	839	10.0	0.35	5.6	0.21	614	5.6	0.23	3.3	0.16
Other, Ill-defined & Unknown	1,583	18.6	0.47	10.5	0.28	1,428	12.9	0.35	7.2	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	228	220.8	16.43	124.3	8.49	198	156.5	11.32	95.8	7.20
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	67	58.3	7.95	34.9	4.40	57	45.4	6.10	27.8	3.92
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	9.8	3.64	4.7	1.63	7	6.3	2.41	3.9	1.52
Colon & Rectum	17	16.7	4.52	8.8	2.22	23	19.2	4.03	11.0	2.48
Liver	24	17.1	3.76	12.9	2.71	-	-	-	-	-
Pancreas	12	9.2	2.92	6.1	1.80	16	12.2	3.09	7.4	1.97
Respiratory System	78	78.2	9.87	43.8	5.10	48	40.9	5.98	24.5	3.74
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	77	77.1	9.81	43.1	5.05	48	40.9	5.98	24.5	3.74
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	34	24.7	4.34	16.1	2.87
Female Genital System	-	-	-	-	-	22	16.6	3.60	10.7	2.40
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	8	6.3	2.28	4.0	1.48
Ovary	-	-	-	-	-	8	6.2	2.22	3.8	1.43
Male Genital System	29	36.7	7.43	16.7	3.20	-	-	-	-	-
Prostate	29	36.7	7.43	16.7	3.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	5.9	2.58	3.1	1.29	6	5.1	2.08	2.9	1.27
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	12	10.2	3.43	6.6	1.97	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	9	8.6	3.31	5.2	1.78	-	-	-	-	-
Multiple Myeloma	8	5.7	2.18	4.1	1.48	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	18	17.1	4.68	9.9	2.42	14	10.8	2.96	6.2	1.71

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	314	144.8	8.68	83.7	4.85	301	98.6	5.83	59.3	3.57
Oral Cavity & Pharynx	7	1.9	0.74	1.6	0.62	-	-	-	-	-
Digestive System	128	55.3	5.18	34.4	3.12	103	35.1	3.53	19.7	2.04
Esophagus	9	4.7	1.64	2.3	0.77	-	-	-	-	-
Stomach	19	8.8	2.13	5.1	1.22	15	5.0	1.32	2.8	0.76
Colon & Rectum	22	10.2	2.30	5.6	1.22	35	11.9	2.06	6.6	1.18
Liver	50	19.4	2.90	13.4	1.94	19	6.3	1.47	4.0	0.96
Pancreas	16	7.7	2.04	4.7	1.20	25	8.7	1.77	4.6	0.96
Respiratory System	80	39.0	4.59	21.6	2.48	62	21.2	2.75	12.2	1.62
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	78	38.3	4.57	21.0	2.44	61	21.0	2.74	11.9	1.60
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	36	10.9	1.86	7.7	1.32
Female Genital System	-	-	-	-	-	33	9.5	1.69	6.6	1.18
Cervix uteri	-	-	-	-	-	12	3.2	0.94	2.4	0.70
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	16	4.8	1.22	3.4	0.87
Male Genital System	15	8.3	2.20	4.2	1.11	-	-	-	-	-
Prostate	15	8.3	2.20	4.2	1.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	7.0	2.00	3.6	0.99	7	2.3	0.90	1.4	0.57
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	2.6	1.03	2.0	0.78	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	19	9.3	2.29	5.1	1.20	14	4.9	1.34	2.7	0.77
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	18	9.0	2.28	4.9	1.18	13	4.6	1.29	2.5	0.73
Multiple Myeloma	-	-	-	-	-	9	3.2	1.09	2.0	0.69
Leukemias	8	3.9	1.46	2.4	0.87	6	1.8	0.78	1.0	0.42
Other, Ill-defined & Unknown	28	13.4	2.70	6.7	1.31	17	5.7	1.43	3.1	0.77

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	74,483	232.4	0.86	132.6	0.52	71,157	158.5	0.61	96.0	0.42
Oral Cavity & Pharynx	1,178	3.6	0.10	2.3	0.07	577	1.3	0.05	0.8	0.04
Digestive System	19,371	59.8	0.43	35.3	0.27	16,064	34.4	0.28	19.4	0.18
Esophagus	3,068	9.3	0.17	5.9	0.11	793	1.7	0.06	1.0	0.04
Stomach	1,573	4.9	0.12	2.8	0.08	1,070	2.3	0.07	1.2	0.05
Colon & Rectum	7,107	22.3	0.27	12.3	0.16	7,207	15.2	0.18	8.3	0.12
Liver	2,051	6.1	0.14	4.0	0.09	806	1.8	0.06	1.0	0.04
Pancreas	4,350	13.4	0.20	8.1	0.13	4,587	10.0	0.15	5.7	0.10
Respiratory System	23,075	71.2	0.47	42.1	0.30	17,876	40.7	0.31	25.2	0.22
Larynx	774	2.3	0.09	1.5	0.06	208	0.5	0.03	0.3	0.02
Lung & bronchus	22,186	68.5	0.46	40.4	0.29	17,583	40.0	0.31	24.8	0.21
Skin	1,835	5.7	0.13	3.4	0.08	1,000	2.3	0.07	1.4	0.05
Melanomas of the skin	1,392	4.3	0.12	2.6	0.08	805	1.9	0.07	1.2	0.05
Breast	93	0.3	0.03	0.2	0.02	10,556	24.1	0.24	15.4	0.17
Female Genital System	-	-	-	-	-	7,554	17.4	0.21	11.2	0.15
Cervix uteri	-	-	-	-	-	852	2.3	0.08	1.7	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,189	4.9	0.11	3.1	0.08
Ovary	-	-	-	-	-	3,981	9.1	0.15	5.8	0.10
Male Genital System	7,387	24.2	0.28	10.6	0.13	-	-	-	-	-
Prostate	7,232	23.7	0.28	10.2	0.13	-	-	-	-	-
Testis	93	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,656	14.7	0.22	7.8	0.12	2,480	5.2	0.11	2.8	0.07
Bladder	2,635	8.5	0.17	4.1	0.09	1,172	2.4	0.07	1.2	0.04
Kidney & renal pelvis	1,911	5.9	0.14	3.6	0.09	1,217	2.7	0.08	1.6	0.05
Brain & Other Nervous System	1,623	4.9	0.12	3.5	0.09	1,385	3.4	0.09	2.5	0.08
Endocrine System	253	0.8	0.05	0.6	0.04	342	0.8	0.05	0.6	0.04
Thyroid gland	151	0.5	0.04	0.3	0.02	247	0.5	0.04	0.3	0.02
Lymphomas	3,105	9.8	0.18	5.5	0.11	2,800	6.0	0.12	3.3	0.08
Hodgkin Lymphoma	182	0.6	0.04	0.4	0.03	140	0.4	0.03	0.3	0.03
Non-Hodgkin Lymphoma	2,923	9.2	0.17	5.1	0.10	2,660	5.6	0.11	3.0	0.07
Multiple Myeloma	1,369	4.3	0.12	2.3	0.07	1,254	2.7	0.08	1.5	0.05
Leukemias	3,191	10.1	0.18	5.8	0.11	2,614	5.7	0.12	3.4	0.09
Other, Ill-defined & Unknown	7,347	23.0	0.27	13.3	0.17	6,655	14.5	0.18	8.5	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	67,438	228.6	0.89	129.9	0.54	64,078	156.3	0.64	94.3	0.44
Oral Cavity & Pharynx	1,028	3.4	0.11	2.2	0.07	516	1.2	0.06	0.7	0.04
Digestive System	17,303	58.2	0.45	34.1	0.28	14,337	33.5	0.29	18.7	0.19
Esophagus	2,854	9.5	0.18	6.0	0.12	698	1.7	0.06	1.0	0.04
Stomach	1,328	4.5	0.12	2.6	0.08	887	2.0	0.07	1.1	0.05
Colon & Rectum	6,393	21.7	0.27	11.9	0.16	6,516	15.0	0.19	8.2	0.12
Liver	1,665	5.5	0.13	3.4	0.09	681	1.6	0.06	0.9	0.04
Pancreas	3,968	13.3	0.21	8.0	0.14	4,112	9.8	0.16	5.6	0.10
Respiratory System	20,910	70.1	0.49	41.2	0.31	15,965	39.9	0.32	24.6	0.22
Larynx	662	2.2	0.09	1.4	0.06	169	0.4	0.03	0.3	0.02
Lung & bronchus	20,140	67.5	0.48	39.7	0.30	15,722	39.3	0.32	24.2	0.22
Skin	1,800	6.1	0.14	3.6	0.09	974	2.4	0.08	1.5	0.06
Melanomas of the skin	1,380	4.7	0.13	2.9	0.08	788	2.0	0.08	1.3	0.05
Breast	83	0.3	0.03	0.2	0.02	9,379	23.5	0.25	14.9	0.18
Female Genital System	-	-	-	-	-	6,878	17.4	0.22	11.3	0.16
Cervix uteri	-	-	-	-	-	712	2.1	0.08	1.6	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,937	4.8	0.11	3.0	0.08
Ovary	-	-	-	-	-	3,733	9.4	0.16	6.0	0.11
Male Genital System	6,401	22.6	0.28	9.7	0.13	-	-	-	-	-
Prostate	6,255	22.0	0.28	9.4	0.13	-	-	-	-	-
Testis	87	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	4,389	15.0	0.23	7.9	0.13	2,266	5.2	0.11	2.8	0.07
Bladder	2,502	8.6	0.17	4.2	0.09	1,069	2.3	0.07	1.2	0.04
Kidney & renal pelvis	1,780	6.0	0.14	3.6	0.09	1,112	2.6	0.08	1.5	0.06
Brain & Other Nervous System	1,521	5.1	0.13	3.7	0.10	1,315	3.6	0.10	2.6	0.09
Endocrine System	226	0.8	0.05	0.6	0.04	293	0.7	0.05	0.5	0.04
Thyroid gland	142	0.5	0.04	0.3	0.03	214	0.5	0.04	0.3	0.02
Lymphomas	2,928	10.0	0.19	5.6	0.11	2,612	6.1	0.12	3.3	0.08
Hodgkin Lymphoma	167	0.6	0.05	0.4	0.03	125	0.4	0.03	0.3	0.03
Non-Hodgkin Lymphoma	2,761	9.5	0.18	5.2	0.11	2,487	5.7	0.12	3.0	0.07
Multiple Myeloma	1,180	4.0	0.12	2.1	0.07	1,066	2.5	0.08	1.4	0.05
Leukemias	2,972	10.3	0.19	5.8	0.12	2,425	5.8	0.12	3.5	0.09
Other, Ill-defined & Unknown	6,697	22.8	0.28	13.1	0.17	6,052	14.4	0.19	8.5	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,562	312.2	4.02	185.1	2.36	6,650	196.4	2.42	123.8	1.64
Oral Cavity & Pharynx	133	5.7	0.51	3.9	0.35	58	1.7	0.22	1.2	0.17
Digestive System	1,887	86.2	2.07	53.7	1.28	1,583	46.9	1.18	27.6	0.76
Esophagus	203	8.8	0.65	5.9	0.43	87	2.6	0.27	1.7	0.19
Stomach	206	10.3	0.74	5.6	0.41	154	4.5	0.37	2.5	0.22
Colon & Rectum	678	33.1	1.33	18.7	0.75	638	18.9	0.75	10.8	0.47
Liver	340	13.3	0.74	10.1	0.56	109	3.2	0.31	2.2	0.22
Pancreas	350	15.7	0.87	10.1	0.56	454	13.5	0.64	7.8	0.40
Respiratory System	2,027	94.3	2.17	58.5	1.35	1,834	54.4	1.27	35.3	0.88
Larynx	108	4.8	0.48	3.2	0.32	38	1.1	0.18	0.7	0.13
Lung & bronchus	1,912	89.2	2.11	55.2	1.31	1,785	53.0	1.26	34.3	0.87
Skin	32	1.4	0.25	0.9	0.17	22	0.6	0.14	0.4	0.09
Melanomas of the skin	10	0.4	0.15	0.3	0.09	14	0.4	0.11	0.2	0.07
Breast	10	0.5	0.15	0.3	0.09	1,125	33.0	0.99	21.9	0.69
Female Genital System	-	-	-	-	-	628	18.5	0.74	12.3	0.52
Cervix uteri	-	-	-	-	-	131	3.8	0.34	2.8	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	237	7.1	0.46	4.5	0.32
Ovary	-	-	-	-	-	225	6.6	0.44	4.3	0.31
Male Genital System	958	54.7	1.83	24.8	0.84	-	-	-	-	-
Prostate	950	54.5	1.82	24.6	0.83	-	-	-	-	-
Testis	6	0.2	0.07	0.2	0.07	-	-	-	-	-
Urinary System	255	12.4	0.81	7.2	0.47	201	5.9	0.42	3.2	0.25
Bladder	125	6.6	0.61	3.5	0.32	101	3.0	0.30	1.4	0.15
Kidney & renal pelvis	127	5.7	0.53	3.7	0.34	94	2.8	0.29	1.7	0.19
Brain & Other Nervous System	91	3.6	0.40	2.7	0.28	66	1.9	0.23	1.4	0.19
Endocrine System	26	1.1	0.22	0.8	0.15	41	1.2	0.19	0.9	0.15
Thyroid gland	8	0.4	0.15	0.2	0.08	28	0.8	0.16	0.5	0.11
Lymphomas	165	6.9	0.57	4.6	0.37	174	5.1	0.39	3.2	0.26
Hodgkin Lymphoma	15	0.5	0.13	0.4	0.11	12	0.4	0.10	0.3	0.08
Non-Hodgkin Lymphoma	150	6.4	0.55	4.2	0.35	162	4.8	0.38	3.0	0.25
Multiple Myeloma	183	8.6	0.66	5.2	0.40	183	5.4	0.40	3.1	0.25
Leukemias	196	9.0	0.68	5.5	0.40	171	5.0	0.38	3.3	0.28
Other, Ill-defined & Unknown	599	27.8	1.18	17.1	0.72	564	16.7	0.71	10.1	0.46

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	449	105.9	5.52	60.7	2.90	407	77.4	4.04	45.6	2.31
Oral Cavity & Pharynx	17	3.3	0.91	2.2	0.53	-	-	-	-	-
Digestive System	170	39.8	3.39	22.7	1.77	138	28.3	2.52	14.9	1.30
Esophagus	10	2.4	0.85	1.3	0.41	8	1.8	0.65	0.8	0.28
Stomach	38	9.8	1.76	5.0	0.82	27	5.2	1.07	2.8	0.55
Colon & Rectum	30	8.7	1.73	4.1	0.75	52	10.4	1.51	5.7	0.81
Liver	43	7.7	1.27	5.7	0.88	16	3.1	0.80	1.8	0.47
Pancreas	32	7.5	1.43	4.4	0.79	19	4.3	1.01	2.0	0.48
Respiratory System	128	31.3	3.02	17.5	1.56	71	14.5	1.80	7.8	0.94
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	125	30.5	2.98	17.1	1.55	70	14.4	1.79	7.7	0.94
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	49	8.3	1.25	5.4	0.78
Female Genital System	-	-	-	-	-	46	7.8	1.20	5.4	0.81
Cervix uteri	-	-	-	-	-	9	1.5	0.53	1.0	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	15	2.6	0.71	1.9	0.49
Ovary	-	-	-	-	-	22	3.7	0.82	2.6	0.55
Male Genital System	22	6.7	1.52	3.1	0.67	-	-	-	-	-
Prostate	21	6.5	1.50	3.0	0.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	2.6	0.87	1.5	0.45	13	2.4	0.70	1.6	0.44
Bladder	8	1.7	0.65	1.1	0.39	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	11	2.1	0.66	1.3	0.39
Brain & Other Nervous System	11	2.1	0.70	1.5	0.46	-	-	-	-	-
Endocrine System	-	-	-	-	-	8	1.3	0.49	1.1	0.40
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	2.6	0.86	1.5	0.46	14	2.6	0.74	1.6	0.44
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	11	2.6	0.86	1.5	0.46	11	2.2	0.71	1.2	0.37
Multiple Myeloma	6	1.6	0.74	0.8	0.33	-	-	-	-	-
Leukemias	23	4.5	1.06	3.2	0.68	16	3.1	0.81	1.9	0.48
Other, Ill-defined & Unknown	47	10.6	1.72	6.2	0.92	37	6.5	1.13	4.2	0.71

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,723	228.8	3.05	125.6	1.78	5,478	151.3	2.10	91.6	1.45
Oral Cavity & Pharynx	87	3.3	0.35	2.1	0.24	44	1.3	0.20	0.9	0.15
Digestive System	1,494	59.2	1.55	33.3	0.92	1,203	31.9	0.95	18.2	0.63
Esophagus	250	9.8	0.63	6.1	0.41	76	2.1	0.24	1.2	0.16
Stomach	152	6.1	0.50	3.1	0.27	81	2.2	0.25	1.3	0.17
Colon & Rectum	486	19.6	0.90	10.5	0.51	517	13.3	0.61	7.3	0.39
Liver	176	6.6	0.51	4.3	0.34	71	1.9	0.23	1.1	0.16
Pancreas	313	12.4	0.71	6.8	0.41	311	8.4	0.49	4.9	0.33
Respiratory System	1,738	69.2	1.68	39.2	1.01	1,536	43.6	1.14	27.0	0.79
Larynx	59	2.4	0.31	1.4	0.19	14	0.4	0.11	0.3	0.08
Lung & bronchus	1,666	66.3	1.64	37.6	0.98	1,513	43.0	1.13	26.6	0.78
Skin	155	6.2	0.50	3.3	0.28	79	2.2	0.26	1.4	0.18
Melanomas of the skin	105	4.2	0.41	2.2	0.23	62	1.8	0.23	1.1	0.16
Breast	11	0.4	0.13	0.3	0.09	777	21.9	0.81	13.9	0.57
Female Genital System	-	-	-	-	-	498	14.0	0.64	9.2	0.47
Cervix uteri	-	-	-	-	-	47	1.5	0.21	1.1	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	135	3.8	0.33	2.4	0.24
Ovary	-	-	-	-	-	282	7.9	0.48	5.2	0.35
Male Genital System	555	23.2	0.99	10.0	0.46	-	-	-	-	-
Prostate	536	22.5	0.98	9.5	0.44	-	-	-	-	-
Testis	11	0.4	0.12	0.3	0.10	-	-	-	-	-
Urinary System	377	15.3	0.80	7.8	0.43	216	5.6	0.39	3.0	0.25
Bladder	236	9.8	0.64	4.5	0.32	103	2.5	0.26	1.3	0.16
Kidney & renal pelvis	136	5.4	0.46	3.1	0.29	105	2.8	0.29	1.6	0.19
Brain & Other Nervous System	139	5.2	0.45	3.8	0.34	113	3.4	0.33	2.5	0.28
Endocrine System	16	0.6	0.15	0.4	0.10	29	0.8	0.15	0.5	0.11
Thyroid gland	11	0.4	0.13	0.2	0.08	18	0.4	0.10	0.2	0.06
Lymphomas	234	9.5	0.62	4.9	0.35	181	4.7	0.36	2.5	0.23
Hodgkin Lymphoma	18	0.7	0.17	0.4	0.10	6	0.2	0.07	0.1	0.04
Non-Hodgkin Lymphoma	216	8.8	0.60	4.6	0.33	175	4.6	0.36	2.4	0.22
Multiple Myeloma	81	3.3	0.37	1.8	0.21	93	2.6	0.28	1.4	0.17
Leukemias	257	10.3	0.65	6.0	0.41	205	5.7	0.41	3.4	0.31
Other, Ill-defined & Unknown	579	23.1	0.97	12.8	0.57	504	13.5	0.62	7.8	0.42

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,462	230.0	3.14	126.2	1.84	5,253	152.7	2.18	92.5	1.52
Oral Cavity & Pharynx	83	3.3	0.37	2.2	0.25	42	1.3	0.21	0.9	0.16
Digestive System	1,412	59.0	1.58	33.1	0.95	1,143	31.7	0.97	17.9	0.64
Esophagus	244	10.1	0.65	6.4	0.43	73	2.1	0.25	1.2	0.16
Stomach	144	6.0	0.51	3.0	0.28	78	2.2	0.26	1.3	0.17
Colon & Rectum	464	19.7	0.92	10.5	0.53	485	12.9	0.61	6.9	0.39
Liver	156	6.3	0.51	4.0	0.34	66	1.9	0.24	1.1	0.16
Pancreas	294	12.3	0.72	6.7	0.42	300	8.5	0.51	5.0	0.34
Respiratory System	1,660	69.6	1.72	39.4	1.04	1,474	44.2	1.18	27.4	0.82
Larynx	55	2.3	0.32	1.3	0.19	13	0.4	0.11	0.3	0.08
Lung & bronchus	1,592	66.7	1.69	37.8	1.02	1,452	43.5	1.17	27.0	0.81
Skin	153	6.4	0.52	3.4	0.30	79	2.3	0.27	1.5	0.19
Melanomas of the skin	105	4.4	0.43	2.4	0.25	62	1.9	0.25	1.2	0.18
Breast	11	0.4	0.13	0.3	0.09	752	22.4	0.84	14.2	0.60
Female Genital System	-	-	-	-	-	473	14.0	0.66	9.2	0.49
Cervix uteri	-	-	-	-	-	42	1.4	0.22	1.1	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	127	3.7	0.34	2.4	0.24
Ovary	-	-	-	-	-	274	8.1	0.50	5.3	0.37
Male Genital System	526	23.0	1.01	9.9	0.47	-	-	-	-	-
Prostate	507	22.2	0.99	9.3	0.45	-	-	-	-	-
Testis	11	0.4	0.13	0.4	0.11	-	-	-	-	-
Urinary System	362	15.5	0.82	7.8	0.45	207	5.6	0.41	3.0	0.26
Bladder	229	9.9	0.66	4.6	0.33	96	2.4	0.26	1.3	0.16
Kidney & renal pelvis	129	5.4	0.48	3.1	0.30	103	2.9	0.30	1.6	0.20
Brain & Other Nervous System	137	5.5	0.48	4.0	0.37	109	3.5	0.35	2.6	0.30
Endocrine System	15	0.6	0.16	0.4	0.10	26	0.7	0.15	0.5	0.12
Thyroid gland	10	0.4	0.14	0.2	0.08	17	0.4	0.10	0.2	0.06
Lymphomas	226	9.6	0.64	5.0	0.36	179	4.9	0.38	2.6	0.24
Hodgkin Lymphoma	18	0.8	0.18	0.4	0.10	6	0.2	0.07	0.1	0.04
Non-Hodgkin Lymphoma	208	8.9	0.62	4.6	0.34	173	4.8	0.38	2.6	0.24
Multiple Myeloma	77	3.3	0.38	1.8	0.22	88	2.6	0.28	1.4	0.17
Leukemias	245	10.4	0.67	6.0	0.42	197	5.7	0.43	3.5	0.33
Other, Ill-defined & Unknown	555	23.3	1.00	12.9	0.59	484	13.6	0.65	7.9	0.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	187	225.0	18.05	131.8	9.97	169	147.0	11.64	88.0	7.09
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	52	56.8	8.38	37.0	5.32	39	33.1	5.47	21.7	3.63
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	8.2	3.31	4.7	1.87	-	-	-	-	-
Colon & Rectum	15	17.5	4.72	11.0	2.94	18	13.7	3.35	10.1	2.44
Liver	11	9.3	3.01	7.1	2.21	-	-	-	-	-
Pancreas	13	14.4	4.14	10.5	2.99	10	9.9	3.20	4.5	1.53
Respiratory System	60	70.6	9.89	42.7	5.69	50	45.6	6.56	26.6	3.98
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	56	66.4	9.64	39.7	5.48	50	45.6	6.56	26.6	3.98
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	22	17.1	3.76	11.0	2.46
Female Genital System	-	-	-	-	-	15	13.1	3.49	7.7	2.06
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	6	5.4	2.27	2.9	1.23
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	24	39.1	8.45	16.7	3.51	-	-	-	-	-
Prostate	24	39.1	8.45	16.7	3.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	11.3	4.31	6.2	2.13	7	6.6	2.56	3.3	1.35
Bladder	-	-	-	-	-	6	5.8	2.42	2.6	1.13
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	11	13.7	4.63	8.5	2.63	7	5.8	2.27	3.7	1.47
Other, Ill-defined & Unknown	16	19.3	5.41	10.6	2.74	15	13.4	3.60	7.3	1.91

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	57	160.8	23.14	82.0	11.15	37	76.6	13.17	47.0	7.98
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	23	65.0	14.73	32.9	6.99	14	28.1	7.86	18.0	5.02
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	7	12.3	4.87	8.8	3.44
Liver	8	16.0	5.83	12.3	4.42	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	14	40.2	11.43	19.8	5.45	7	16.0	6.25	8.3	3.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	14	40.2	11.43	19.8	5.45	7	16.0	6.25	8.3	3.27
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	8	15.3	5.68	9.9	3.57
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,333	241.3	1.59	143.1	0.95	20,361	151.0	1.07	93.8	0.72
Oral Cavity & Pharynx	518	4.8	0.21	3.2	0.15	204	1.5	0.11	0.9	0.07
Digestive System	5,919	57.0	0.76	35.6	0.48	4,506	33.1	0.50	19.4	0.32
Esophagus	866	8.0	0.28	5.4	0.19	218	1.6	0.11	1.0	0.07
Stomach	591	5.7	0.24	3.5	0.15	349	2.6	0.14	1.5	0.09
Colon & Rectum	2,083	20.5	0.46	12.3	0.28	1,917	14.1	0.32	8.2	0.21
Liver	731	6.6	0.25	4.5	0.17	260	1.9	0.12	1.1	0.08
Pancreas	1,294	12.5	0.36	7.8	0.22	1,321	9.7	0.27	5.7	0.17
Respiratory System	8,581	82.5	0.91	51.0	0.57	5,478	40.7	0.55	25.9	0.37
Larynx	269	2.5	0.15	1.6	0.10	60	0.5	0.06	0.3	0.04
Lung & bronchus	8,270	79.6	0.90	49.1	0.56	5,389	40.0	0.55	25.4	0.37
Skin	581	5.8	0.25	3.4	0.15	256	1.9	0.12	1.2	0.08
Melanomas of the skin	415	4.1	0.21	2.5	0.13	190	1.4	0.11	0.9	0.07
Breast	31	0.3	0.06	0.2	0.03	3,200	24.0	0.43	16.0	0.30
Female Genital System	-	-	-	-	-	2,105	15.7	0.35	10.1	0.24
Cervix uteri	-	-	-	-	-	353	2.8	0.15	2.1	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	557	4.1	0.17	2.5	0.12
Ovary	-	-	-	-	-	1,072	7.9	0.24	4.9	0.16
Male Genital System	2,381	27.3	0.57	12.1	0.26	-	-	-	-	-
Prostate	2,339	26.9	0.57	11.8	0.25	-	-	-	-	-
Testis	19	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,319	13.6	0.38	7.5	0.21	698	5.1	0.19	2.8	0.12
Bladder	626	6.8	0.28	3.4	0.14	302	2.2	0.13	1.1	0.07
Kidney & renal pelvis	661	6.5	0.26	3.9	0.16	363	2.7	0.14	1.6	0.09
Brain & Other Nervous System	571	5.4	0.23	3.7	0.16	456	3.5	0.16	2.5	0.13
Endocrine System	75	0.7	0.09	0.5	0.07	81	0.6	0.07	0.5	0.06
Thyroid gland	41	0.4	0.07	0.2	0.04	45	0.3	0.05	0.2	0.03
Lymphomas	825	8.4	0.30	4.9	0.18	693	5.2	0.20	2.9	0.12
Hodgkin Lymphoma	48	0.5	0.07	0.3	0.05	43	0.4	0.05	0.2	0.04
Non-Hodgkin Lymphoma	777	8.0	0.29	4.6	0.17	650	4.8	0.19	2.6	0.12
Multiple Myeloma	480	4.9	0.23	2.7	0.13	432	3.1	0.15	1.8	0.10
Leukemias	926	9.6	0.32	5.6	0.19	666	5.0	0.19	2.9	0.13
Other, Ill-defined & Unknown	2,126	21.0	0.47	12.7	0.29	1,586	11.7	0.30	7.0	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,800	225.0	1.72	131.8	1.03	14,898	146.0	1.21	89.8	0.82
Oral Cavity & Pharynx	322	3.9	0.22	2.5	0.15	157	1.5	0.12	0.8	0.08
Digestive System	4,046	50.0	0.80	30.8	0.50	3,062	29.6	0.54	17.2	0.35
Esophagus	575	6.9	0.29	4.5	0.19	136	1.3	0.11	0.8	0.07
Stomach	305	3.8	0.22	2.3	0.14	202	1.9	0.14	1.1	0.09
Colon & Rectum	1,442	18.1	0.49	10.9	0.30	1,286	12.4	0.35	7.1	0.22
Liver	521	6.2	0.28	4.1	0.19	194	1.9	0.14	1.1	0.09
Pancreas	936	11.6	0.39	7.1	0.24	935	9.0	0.30	5.3	0.19
Respiratory System	6,538	80.1	1.01	48.8	0.63	4,422	43.5	0.66	27.6	0.45
Larynx	159	1.9	0.15	1.2	0.10	33	0.3	0.06	0.2	0.04
Lung & bronchus	6,347	77.8	1.00	47.4	0.62	4,366	42.9	0.66	27.2	0.45
Skin	532	6.8	0.30	4.0	0.18	235	2.3	0.16	1.5	0.11
Melanomas of the skin	401	5.0	0.26	3.1	0.16	177	1.8	0.14	1.2	0.10
Breast	20	0.2	0.05	0.1	0.03	2,184	21.7	0.47	14.2	0.33
Female Genital System	-	-	-	-	-	1,412	14.0	0.38	8.9	0.26
Cervix uteri	-	-	-	-	-	192	2.2	0.16	1.6	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	285	2.7	0.16	1.6	0.11
Ovary	-	-	-	-	-	843	8.2	0.29	5.2	0.19
Male Genital System	1,418	20.4	0.55	8.8	0.24	-	-	-	-	-
Prostate	1,387	20.1	0.55	8.5	0.24	-	-	-	-	-
Testis	13	0.2	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,071	14.0	0.44	7.5	0.24	505	4.8	0.22	2.7	0.14
Bladder	556	7.5	0.33	3.7	0.17	220	2.1	0.14	1.0	0.08
Kidney & renal pelvis	490	6.1	0.28	3.7	0.17	261	2.5	0.16	1.5	0.11
Brain & Other Nervous System	505	6.2	0.28	4.3	0.20	385	3.9	0.20	2.7	0.16
Endocrine System	59	0.8	0.10	0.6	0.08	53	0.5	0.08	0.4	0.06
Thyroid gland	34	0.4	0.08	0.3	0.04	32	0.3	0.06	0.2	0.04
Lymphomas	676	8.8	0.35	5.0	0.20	574	5.6	0.24	3.0	0.15
Hodgkin Lymphoma	42	0.5	0.08	0.4	0.06	35	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	634	8.3	0.34	4.6	0.19	539	5.2	0.23	2.8	0.14
Multiple Myeloma	325	4.3	0.24	2.3	0.13	254	2.4	0.15	1.3	0.09
Leukemias	729	9.6	0.36	5.5	0.22	520	5.1	0.23	3.0	0.16
Other, Ill-defined & Unknown	1,559	19.8	0.51	11.7	0.31	1,135	11.1	0.33	6.5	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,417	311.0	4.12	189.0	2.41	5,339	167.8	2.32	106.4	1.55
Oral Cavity & Pharynx	194	7.9	0.60	5.8	0.42	45	1.4	0.21	0.9	0.15
Digestive System	1,827	84.4	2.09	53.8	1.28	1,413	45.0	1.21	26.5	0.76
Esophagus	291	12.7	0.78	8.8	0.52	82	2.5	0.28	1.7	0.20
Stomach	275	13.2	0.84	8.2	0.50	141	4.5	0.38	2.6	0.23
Colon & Rectum	630	30.6	1.29	18.2	0.74	621	19.8	0.80	11.7	0.50
Liver	199	7.9	0.59	5.9	0.42	59	1.9	0.25	1.1	0.15
Pancreas	349	15.9	0.90	10.4	0.57	382	12.3	0.64	7.1	0.39
Respiratory System	2,008	93.1	2.19	60.2	1.37	1,016	31.8	1.01	20.8	0.68
Larynx	110	4.8	0.49	3.2	0.31	26	0.8	0.16	0.5	0.11
Lung & bronchus	1,888	87.8	2.13	56.8	1.34	984	30.8	0.99	20.1	0.67
Skin	47	2.0	0.32	1.3	0.19	21	0.7	0.15	0.4	0.09
Melanomas of the skin	13	0.7	0.20	0.4	0.10	13	0.4	0.12	0.3	0.07
Breast	11	0.5	0.17	0.3	0.10	1,001	30.6	0.98	21.3	0.70
Female Genital System	-	-	-	-	-	678	21.5	0.83	13.8	0.56
Cervix uteri	-	-	-	-	-	158	4.9	0.39	3.4	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	269	8.6	0.53	5.5	0.36
Ovary	-	-	-	-	-	222	7.1	0.48	4.4	0.31
Male Genital System	958	58.8	1.98	26.7	0.89	-	-	-	-	-
Prostate	947	58.4	1.97	26.4	0.88	-	-	-	-	-
Testis	6	0.2	0.09	0.2	0.08	-	-	-	-	-
Urinary System	242	11.8	0.81	7.1	0.47	191	6.1	0.44	3.3	0.26
Bladder	66	3.7	0.48	1.9	0.24	82	2.6	0.29	1.3	0.16
Kidney & renal pelvis	169	7.8	0.64	5.0	0.39	101	3.2	0.32	1.9	0.20
Brain & Other Nervous System	65	2.7	0.35	2.0	0.26	68	2.1	0.26	1.7	0.22
Endocrine System	15	0.6	0.15	0.5	0.13	27	0.8	0.15	0.7	0.14
Thyroid gland	6	0.2	0.09	0.2	0.08	12	0.4	0.11	0.2	0.07
Lymphomas	144	6.6	0.58	4.3	0.37	117	3.8	0.35	2.3	0.23
Hodgkin Lymphoma	6	0.2	0.09	0.2	0.08	8	0.2	0.09	0.2	0.07
Non-Hodgkin Lymphoma	138	6.4	0.58	4.2	0.36	109	3.5	0.34	2.1	0.22
Multiple Myeloma	154	7.9	0.67	4.4	0.37	176	5.6	0.43	3.4	0.28
Leukemias	192	9.5	0.73	5.8	0.43	145	4.7	0.39	2.8	0.26
Other, Ill-defined & Unknown	560	25.2	1.14	16.6	0.71	441	13.8	0.66	8.4	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	81	95.2	12.33	56.8	6.39	99	87.2	9.29	54.6	5.58
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	38	41.2	7.73	26.2	4.31	30	27.2	5.20	17.1	3.17
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	11.7	4.67	6.6	2.26	6	5.4	2.27	3.6	1.47
Colon & Rectum	8	8.1	3.25	5.5	1.96	9	8.6	3.02	5.5	1.86
Liver	11	11.0	3.71	6.9	2.11	7	6.4	2.53	3.7	1.41
Pancreas	7	6.7	2.82	4.8	1.83	-	-	-	-	-
Respiratory System	19	23.4	6.34	13.1	3.05	27	26.8	5.42	15.2	2.98
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	19	23.4	6.34	13.1	3.05	27	26.8	5.42	15.2	2.98
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	9.2	2.92	5.8	1.76
Female Genital System	-	-	-	-	-	9	7.2	2.61	4.8	1.62
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	6	7.7	3.48	4.2	1.75	9	7.1	2.53	4.7	1.59

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2005-2009, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	4,177	206.0	3.21	115.8	1.95	3,690	141.5	2.41	85.7	1.66
Oral Cavity & Pharynx	59	2.8	0.37	1.9	0.26	30	1.1	0.20	0.7	0.14
Digestive System	1,068	52.3	1.61	30.8	1.02	886	32.6	1.13	18.4	0.74
Esophagus	179	8.7	0.66	5.6	0.44	38	1.4	0.24	0.9	0.16
Stomach	91	4.6	0.48	2.5	0.29	71	2.8	0.34	1.7	0.25
Colon & Rectum	410	20.1	1.00	11.6	0.62	400	14.2	0.74	7.7	0.47
Liver	79	3.8	0.43	2.5	0.30	45	1.7	0.26	0.9	0.17
Pancreas	228	11.1	0.74	6.3	0.45	241	9.1	0.61	5.2	0.39
Respiratory System	1,308	64.2	1.79	36.8	1.09	915	36.5	1.23	23.1	0.86
Larynx	26	1.3	0.26	0.7	0.15	7	0.3	0.13	0.2	0.09
Lung & bronchus	1,268	62.2	1.76	35.7	1.08	892	35.5	1.21	22.5	0.85
Skin	109	5.3	0.52	3.3	0.34	55	2.2	0.30	1.5	0.25
Melanomas of the skin	74	3.6	0.43	2.3	0.29	41	1.7	0.27	1.3	0.23
Breast	-	-	-	-	-	540	20.9	0.93	13.4	0.67
Female Genital System	-	-	-	-	-	377	15.1	0.80	9.5	0.56
Cervix uteri	-	-	-	-	-	43	1.9	0.30	1.4	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	106	4.1	0.42	2.6	0.29
Ovary	-	-	-	-	-	211	8.5	0.60	5.2	0.41
Male Genital System	464	23.4	1.09	9.9	0.50	-	-	-	-	-
Prostate	456	22.9	1.08	9.7	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	284	14.0	0.84	7.6	0.49	144	5.3	0.46	2.9	0.29
Bladder	150	7.5	0.62	3.6	0.32	50	1.7	0.25	0.8	0.13
Kidney & renal pelvis	124	6.0	0.54	3.8	0.37	83	3.2	0.36	1.9	0.25
Brain & Other Nervous System	113	5.7	0.54	4.1	0.41	97	4.3	0.45	3.1	0.35
Endocrine System	20	1.0	0.22	0.7	0.16	18	0.7	0.18	0.5	0.14
Thyroid gland	12	0.6	0.17	0.4	0.12	11	0.4	0.14	0.3	0.10
Lymphomas	164	8.2	0.64	4.4	0.37	152	5.4	0.45	2.8	0.29
Hodgkin Lymphoma	7	0.4	0.14	0.3	0.12	6	0.3	0.12	0.2	0.10
Non-Hodgkin Lymphoma	157	7.8	0.63	4.1	0.36	146	5.1	0.44	2.6	0.27
Multiple Myeloma	83	4.1	0.46	2.2	0.26	66	2.4	0.31	1.2	0.17
Leukemias	184	9.2	0.68	5.0	0.41	145	5.2	0.46	2.8	0.31
Other, Ill-defined & Unknown	319	15.7	0.88	9.1	0.55	265	9.9	0.63	5.8	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,977	204.1	3.26	114.3	1.98	3,498	139.8	2.45	84.4	1.70
Oral Cavity & Pharynx	55	2.8	0.38	1.8	0.26	28	1.0	0.20	0.6	0.15
Digestive System	1,002	51.0	1.62	29.9	1.02	840	32.0	1.15	18.0	0.75
Esophagus	170	8.7	0.67	5.5	0.45	37	1.4	0.24	0.9	0.17
Stomach	81	4.2	0.47	2.3	0.28	61	2.4	0.33	1.5	0.24
Colon & Rectum	389	19.8	1.01	11.4	0.63	380	13.9	0.75	7.4	0.47
Liver	65	3.3	0.41	2.1	0.28	40	1.5	0.26	0.9	0.17
Pancreas	220	11.1	0.75	6.4	0.47	234	9.2	0.62	5.2	0.41
Respiratory System	1,247	63.6	1.81	36.5	1.11	858	35.8	1.25	22.7	0.88
Larynx	24	1.3	0.26	0.7	0.15	7	0.4	0.14	0.3	0.10
Lung & bronchus	1,210	61.7	1.78	35.4	1.10	835	34.7	1.23	22.0	0.87
Skin	105	5.4	0.53	3.3	0.35	55	2.3	0.33	1.7	0.27
Melanomas of the skin	74	3.8	0.45	2.5	0.31	41	1.8	0.29	1.4	0.25
Breast	-	-	-	-	-	519	21.1	0.96	13.4	0.69
Female Genital System	-	-	-	-	-	351	14.5	0.81	9.1	0.56
Cervix uteri	-	-	-	-	-	30	1.3	0.26	1.0	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	100	4.1	0.42	2.6	0.30
Ovary	-	-	-	-	-	204	8.5	0.62	5.3	0.42
Male Genital System	452	23.4	1.11	9.9	0.51	-	-	-	-	-
Prostate	444	23.0	1.09	9.7	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	274	14.1	0.85	7.6	0.51	136	5.2	0.46	2.8	0.29
Bladder	150	7.8	0.64	3.8	0.34	47	1.6	0.25	0.7	0.13
Kidney & renal pelvis	114	5.7	0.54	3.6	0.37	79	3.1	0.37	1.9	0.25
Brain & Other Nervous System	111	5.9	0.57	4.3	0.45	95	4.5	0.47	3.2	0.37
Endocrine System	19	1.0	0.23	0.7	0.16	18	0.8	0.20	0.5	0.15
Thyroid gland	11	0.5	0.17	0.4	0.12	11	0.5	0.15	0.3	0.11
Lymphomas	159	8.2	0.66	4.4	0.38	144	5.2	0.46	2.7	0.29
Hodgkin Lymphoma	6	0.3	0.14	0.3	0.12	6	0.3	0.12	0.3	0.11
Non-Hodgkin Lymphoma	153	7.9	0.64	4.1	0.36	138	4.9	0.44	2.5	0.27
Multiple Myeloma	82	4.3	0.47	2.2	0.27	65	2.5	0.32	1.3	0.18
Leukemias	171	8.9	0.69	4.8	0.42	144	5.4	0.48	3.0	0.33
Other, Ill-defined & Unknown	298	15.3	0.89	8.8	0.56	245	9.5	0.63	5.5	0.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	12	175.0	63.94	101.4	31.61	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	8	151.4	58.90	82.6	29.68	10	100.2	36.57	59.0	19.68
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	35,643	257.9	1.41	151.5	0.83	30,208	162.0	0.94	100.9	0.64
Oral Cavity & Pharynx	696	4.7	0.18	3.1	0.12	278	1.5	0.09	0.9	0.06
Digestive System	8,212	58.1	0.66	35.3	0.40	6,330	33.6	0.43	19.5	0.27
Esophagus	1,116	7.5	0.23	5.0	0.15	290	1.6	0.09	0.9	0.06
Stomach	686	5.0	0.20	2.9	0.11	427	2.3	0.11	1.3	0.07
Colon & Rectum	3,074	22.4	0.42	13.0	0.24	2,873	15.1	0.29	8.7	0.18
Liver	1,004	6.6	0.22	4.5	0.15	413	2.2	0.11	1.3	0.07
Pancreas	1,822	13.0	0.31	7.7	0.19	1,754	9.3	0.22	5.4	0.14
Respiratory System	13,476	94.7	0.84	58.0	0.51	8,924	48.0	0.51	30.9	0.35
Larynx	402	2.7	0.14	1.8	0.09	99	0.5	0.05	0.4	0.04
Lung & bronchus	12,991	91.5	0.82	55.8	0.50	8,778	47.2	0.51	30.4	0.35
Skin	938	6.9	0.23	4.0	0.13	449	2.4	0.12	1.5	0.08
Melanomas of the skin	643	4.6	0.19	2.8	0.11	325	1.8	0.10	1.2	0.07
Breast	41	0.3	0.05	0.2	0.03	4,451	24.0	0.36	15.8	0.26
Female Genital System	-	-	-	-	-	2,900	15.7	0.30	10.2	0.20
Cervix uteri	-	-	-	-	-	484	2.8	0.13	2.1	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	707	3.8	0.14	2.4	0.10
Ovary	-	-	-	-	-	1,499	8.1	0.21	5.1	0.14
Male Genital System	3,067	25.8	0.48	11.4	0.21	-	-	-	-	-
Prostate	2,989	25.3	0.47	11.0	0.21	-	-	-	-	-
Testis	45	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	1,911	14.4	0.34	7.8	0.18	940	4.9	0.16	2.7	0.10
Bladder	956	7.6	0.25	3.7	0.12	401	2.1	0.10	1.0	0.06
Kidney & renal pelvis	905	6.4	0.22	3.9	0.13	506	2.7	0.12	1.6	0.08
Brain & Other Nervous System	897	6.0	0.21	4.3	0.15	747	4.1	0.15	3.0	0.12
Endocrine System	120	0.9	0.08	0.6	0.06	148	0.8	0.07	0.5	0.05
Thyroid gland	66	0.5	0.06	0.3	0.04	94	0.5	0.05	0.3	0.03
Lymphomas	1,331	9.8	0.28	5.7	0.16	1,113	5.9	0.18	3.2	0.11
Hodgkin Lymphoma	75	0.5	0.06	0.4	0.05	75	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,256	9.3	0.27	5.3	0.15	1,038	5.5	0.17	2.9	0.10
Multiple Myeloma	699	5.2	0.20	2.8	0.11	564	3.0	0.13	1.7	0.08
Leukemias	1,374	10.4	0.29	5.8	0.16	986	5.3	0.17	3.2	0.12
Other, Ill-defined & Unknown	2,881	20.7	0.40	12.5	0.24	2,378	12.7	0.26	7.7	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,618	250.3	1.47	146.5	0.87	25,552	157.9	1.00	98.2	0.68
Oral Cavity & Pharynx	575	4.4	0.19	2.9	0.12	239	1.5	0.10	0.8	0.06
Digestive System	6,826	54.8	0.68	33.1	0.41	5,152	31.4	0.44	18.1	0.28
Esophagus	958	7.3	0.24	4.8	0.16	215	1.3	0.09	0.8	0.06
Stomach	508	4.2	0.19	2.4	0.11	323	2.0	0.11	1.1	0.07
Colon & Rectum	2,534	20.9	0.43	12.0	0.25	2,336	14.1	0.30	8.1	0.19
Liver	798	6.1	0.22	4.1	0.15	327	2.0	0.11	1.2	0.07
Pancreas	1,586	12.8	0.33	7.6	0.20	1,455	8.9	0.23	5.1	0.15
Respiratory System	11,782	93.6	0.88	57.0	0.54	7,828	48.5	0.55	31.3	0.38
Larynx	330	2.5	0.14	1.7	0.09	83	0.5	0.06	0.4	0.04
Lung & bronchus	11,385	90.6	0.87	55.0	0.53	7,701	47.7	0.55	30.7	0.38
Skin	911	7.5	0.26	4.4	0.15	428	2.7	0.13	1.7	0.09
Melanomas of the skin	634	5.1	0.21	3.2	0.13	314	2.1	0.12	1.4	0.09
Breast	34	0.3	0.05	0.2	0.03	3,562	22.2	0.38	14.5	0.27
Female Genital System	-	-	-	-	-	2,415	15.1	0.31	9.7	0.22
Cervix uteri	-	-	-	-	-	344	2.4	0.13	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	556	3.4	0.15	2.1	0.10
Ovary	-	-	-	-	-	1,325	8.2	0.23	5.2	0.16
Male Genital System	2,372	22.3	0.47	9.8	0.21	-	-	-	-	-
Prostate	2,301	21.8	0.46	9.4	0.20	-	-	-	-	-
Testis	43	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,713	14.6	0.36	7.9	0.20	801	4.8	0.17	2.6	0.11
Bladder	872	7.8	0.27	3.8	0.13	351	2.1	0.11	1.0	0.06
Kidney & renal pelvis	793	6.3	0.23	3.8	0.14	423	2.6	0.13	1.5	0.08
Brain & Other Nervous System	822	6.4	0.23	4.5	0.17	675	4.4	0.17	3.1	0.14
Endocrine System	101	0.8	0.09	0.6	0.06	113	0.7	0.07	0.5	0.06
Thyroid gland	61	0.5	0.07	0.3	0.04	71	0.4	0.05	0.2	0.03
Lymphomas	1,202	10.0	0.29	5.8	0.17	1,007	6.1	0.19	3.3	0.12
Hodgkin Lymphoma	64	0.5	0.07	0.4	0.05	61	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,138	9.5	0.29	5.4	0.17	946	5.7	0.19	3.0	0.11
Multiple Myeloma	564	4.8	0.21	2.5	0.11	440	2.7	0.13	1.5	0.08
Leukemias	1,209	10.4	0.31	5.7	0.17	860	5.4	0.19	3.3	0.13
Other, Ill-defined & Unknown	2,507	20.4	0.42	12.2	0.25	2,032	12.5	0.28	7.6	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,878	339.4	5.22	201.9	2.98	4,490	195.5	2.95	122.8	1.94
Oral Cavity & Pharynx	118	6.7	0.64	5.1	0.48	37	1.5	0.25	1.1	0.18
Digestive System	1,328	87.6	2.59	54.2	1.53	1,138	50.3	1.51	29.4	0.93
Esophagus	154	9.4	0.81	6.4	0.53	73	3.2	0.38	2.0	0.25
Stomach	173	12.2	1.00	7.1	0.56	99	4.5	0.45	2.4	0.26
Colon & Rectum	524	36.4	1.71	21.6	0.97	525	23.2	1.02	13.3	0.63
Liver	185	10.4	0.83	7.2	0.54	74	3.1	0.36	2.0	0.24
Pancreas	228	15.2	1.07	9.2	0.63	293	13.3	0.79	7.7	0.48
Respiratory System	1,655	109.9	2.88	70.2	1.78	1,048	46.4	1.45	29.6	0.97
Larynx	71	4.4	0.57	3.0	0.36	16	0.7	0.17	0.4	0.12
Lung & bronchus	1,570	104.7	2.82	66.7	1.73	1,029	45.7	1.44	29.1	0.96
Skin	25	1.6	0.35	1.0	0.21	20	0.8	0.19	0.5	0.12
Melanomas of the skin	8	0.7	0.25	0.3	0.12	10	0.4	0.13	0.2	0.08
Breast	7	0.4	0.15	0.3	0.11	867	36.2	1.24	24.1	0.86
Female Genital System	-	-	-	-	-	466	20.0	0.94	13.5	0.66
Cervix uteri	-	-	-	-	-	134	5.4	0.48	3.9	0.35
Corpus & uterus, NOS ¹	-	-	-	-	-	150	6.6	0.54	4.5	0.38
Ovary	-	-	-	-	-	164	7.2	0.57	4.6	0.38
Male Genital System	685	62.4	2.48	27.5	1.08	-	-	-	-	-
Prostate	678	61.9	2.48	27.2	1.08	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	192	14.1	1.08	7.9	0.59	138	6.3	0.54	3.4	0.31
Bladder	81	6.4	0.75	3.2	0.37	50	2.3	0.33	1.2	0.19
Kidney & renal pelvis	109	7.5	0.76	4.6	0.45	82	3.7	0.41	2.0	0.24
Brain & Other Nervous System	72	4.0	0.50	3.0	0.36	68	2.8	0.35	2.1	0.26
Endocrine System	18	1.0	0.24	0.8	0.19	33	1.5	0.26	1.0	0.18
Thyroid gland	-	-	-	-	-	21	1.0	0.22	0.5	0.13
Lymphomas	128	8.3	0.80	5.0	0.45	101	4.4	0.44	2.6	0.28
Hodgkin Lymphoma	11	0.5	0.15	0.4	0.13	13	0.5	0.14	0.4	0.11
Non-Hodgkin Lymphoma	117	7.7	0.79	4.6	0.43	88	3.9	0.42	2.2	0.26
Multiple Myeloma	133	9.6	0.88	5.6	0.50	123	5.6	0.51	3.2	0.31
Leukemias	152	10.6	0.93	6.3	0.53	125	5.6	0.51	3.3	0.32
Other, Ill-defined & Unknown	365	23.5	1.33	15.0	0.81	326	14.1	0.79	8.9	0.52

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	107	94.2	10.51	58.3	5.73	136	90.1	8.38	56.8	5.00
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	48	35.8	5.93	25.5	3.75	36	26.0	4.70	14.4	2.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	11	10.2	3.52	6.2	1.92	10	7.4	2.52	3.9	1.27
Liver	19	12.0	2.83	10.4	2.43	11	7.6	2.50	4.4	1.37
Pancreas	7	5.3	2.57	3.3	1.26	6	4.6	2.04	2.5	1.02
Respiratory System	26	22.3	4.96	14.4	2.87	34	24.9	4.55	15.5	2.71
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	21.3	4.91	13.2	2.75	34	24.9	4.55	15.5	2.71
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	20	11.0	2.62	8.3	1.89
Female Genital System	-	-	-	-	-	17	9.0	2.33	6.6	1.67
Cervix uteri	-	-	-	-	-	6	3.7	1.61	2.4	1.02
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	4.1	1.53	3.2	1.18
Male Genital System	8	11.2	4.18	4.4	1.57	-	-	-	-	-
Prostate	8	11.2	4.18	4.4	1.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	6.7	2.61	5.0	1.68	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	15	10.3	2.88	6.5	1.73

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	93,324	212.5	0.72	123.2	0.42	82,282	142.8	0.50	87.4	0.33
Oral Cavity & Pharynx	1,901	4.0	0.09	2.6	0.06	775	1.3	0.05	0.8	0.03
Digestive System	25,663	56.5	0.36	34.3	0.22	18,770	32.4	0.24	18.7	0.15
Esophagus	3,039	6.6	0.12	4.1	0.08	711	1.2	0.05	0.7	0.03
Stomach	2,342	5.1	0.11	3.1	0.07	1,642	2.8	0.07	1.7	0.05
Colon & Rectum	8,961	20.2	0.22	11.8	0.13	7,679	13.1	0.15	7.5	0.09
Liver	4,496	9.3	0.14	6.1	0.09	1,867	3.3	0.08	1.9	0.05
Pancreas	5,256	11.7	0.17	7.0	0.10	4,973	8.7	0.12	4.9	0.08
Respiratory System	29,069	66.0	0.40	38.9	0.24	20,686	36.5	0.26	22.2	0.17
Larynx	997	2.2	0.07	1.4	0.04	218	0.4	0.03	0.2	0.02
Lung & bronchus	27,890	63.4	0.39	37.3	0.23	20,363	35.9	0.25	21.8	0.16
Skin	2,438	5.4	0.11	3.2	0.07	1,153	2.0	0.06	1.2	0.04
Melanomas of the skin	1,700	3.7	0.09	2.3	0.06	902	1.5	0.05	1.0	0.04
Breast	103	0.2	0.02	0.1	0.01	12,954	22.2	0.20	14.7	0.14
Female Genital System	-	-	-	-	-	8,652	15.0	0.16	9.8	0.11
Cervix uteri	-	-	-	-	-	1,679	2.9	0.07	2.1	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,079	3.6	0.08	2.3	0.05
Ovary	-	-	-	-	-	4,409	7.7	0.12	4.9	0.08
Male Genital System	8,380	22.0	0.24	9.8	0.11	-	-	-	-	-
Prostate	8,106	21.4	0.24	9.5	0.11	-	-	-	-	-
Testis	145	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,706	13.4	0.18	7.3	0.10	2,956	5.1	0.09	2.8	0.06
Bladder	2,638	6.6	0.13	3.2	0.06	1,114	1.9	0.06	0.9	0.03
Kidney & renal pelvis	2,980	6.5	0.12	4.0	0.08	1,750	3.0	0.07	1.8	0.05
Brain & Other Nervous System	2,409	4.9	0.10	3.4	0.07	2,081	3.6	0.08	2.6	0.06
Endocrine System	369	0.8	0.04	0.5	0.03	453	0.8	0.04	0.5	0.03
Thyroid gland	226	0.5	0.03	0.3	0.02	303	0.5	0.03	0.3	0.02
Lymphomas	3,720	8.6	0.14	4.8	0.08	3,068	5.3	0.10	3.0	0.06
Hodgkin Lymphoma	245	0.5	0.03	0.3	0.02	184	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,475	8.1	0.14	4.5	0.08	2,884	5.0	0.09	2.8	0.06
Multiple Myeloma	1,811	4.2	0.10	2.4	0.06	1,521	2.7	0.07	1.5	0.04
Leukemias	3,971	9.2	0.15	5.2	0.09	2,930	5.0	0.09	3.1	0.06
Other, Ill-defined & Unknown	7,784	17.4	0.20	10.4	0.12	6,283	10.8	0.14	6.5	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	80,372	207.9	0.75	120.0	0.44	70,461	140.6	0.53	85.8	0.35
Oral Cavity & Pharynx	1,608	3.9	0.10	2.5	0.06	657	1.3	0.05	0.8	0.03
Digestive System	21,634	54.3	0.38	32.8	0.23	15,651	31.0	0.25	17.8	0.16
Esophagus	2,689	6.6	0.13	4.2	0.08	606	1.2	0.05	0.7	0.03
Stomach	1,861	4.6	0.11	2.9	0.07	1,346	2.7	0.07	1.6	0.05
Colon & Rectum	7,515	19.3	0.23	11.2	0.13	6,343	12.4	0.16	7.0	0.10
Liver	3,657	8.8	0.15	5.6	0.10	1,547	3.1	0.08	1.8	0.05
Pancreas	4,544	11.5	0.18	6.9	0.11	4,179	8.3	0.13	4.7	0.08
Respiratory System	24,860	64.1	0.42	37.6	0.25	18,105	36.6	0.27	22.2	0.18
Larynx	804	2.0	0.07	1.2	0.05	182	0.4	0.03	0.2	0.02
Lung & bronchus	23,899	61.8	0.41	36.1	0.24	17,835	36.1	0.27	21.8	0.18
Skin	2,359	6.0	0.13	3.6	0.08	1,114	2.2	0.07	1.4	0.05
Melanomas of the skin	1,680	4.2	0.10	2.6	0.07	878	1.8	0.06	1.2	0.04
Breast	76	0.2	0.02	0.1	0.01	10,676	21.2	0.21	14.0	0.15
Female Genital System	-	-	-	-	-	7,401	14.9	0.17	9.6	0.12
Cervix uteri	-	-	-	-	-	1,380	2.8	0.08	2.1	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,676	3.3	0.08	2.1	0.06
Ovary	-	-	-	-	-	3,922	7.9	0.13	5.0	0.09
Male Genital System	6,984	20.5	0.25	9.1	0.11	-	-	-	-	-
Prostate	6,733	19.9	0.25	8.7	0.11	-	-	-	-	-
Testis	136	0.3	0.03	0.2	0.02	-	-	-	-	-
Urinary System	5,166	13.7	0.20	7.5	0.11	2,563	5.0	0.10	2.8	0.06
Bladder	2,422	6.8	0.14	3.3	0.07	943	1.8	0.06	0.9	0.03
Kidney & renal pelvis	2,665	6.6	0.13	4.1	0.08	1,545	3.1	0.08	1.8	0.05
Brain & Other Nervous System	2,205	5.2	0.11	3.6	0.08	1,910	3.9	0.09	2.8	0.07
Endocrine System	332	0.8	0.05	0.5	0.03	380	0.8	0.04	0.5	0.03
Thyroid gland	213	0.5	0.04	0.3	0.02	252	0.5	0.03	0.3	0.02
Lymphomas	3,338	8.8	0.16	4.9	0.09	2,806	5.6	0.11	3.1	0.07
Hodgkin Lymphoma	214	0.5	0.04	0.3	0.02	154	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	3,124	8.2	0.15	4.6	0.08	2,652	5.2	0.10	2.9	0.06
Multiple Myeloma	1,478	3.9	0.10	2.2	0.06	1,223	2.4	0.07	1.4	0.04
Leukemias	3,563	9.4	0.16	5.3	0.09	2,598	5.1	0.10	3.1	0.07
Other, Ill-defined & Unknown	6,769	17.3	0.22	10.2	0.13	5,377	10.6	0.15	6.4	0.10

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	11,502	301.4	3.06	180.3	1.73	10,449	181.9	1.81	114.5	1.18
Oral Cavity & Pharynx	260	5.9	0.40	4.0	0.26	103	1.7	0.17	1.1	0.12
Digestive System	3,464	85.7	1.59	53.6	0.94	2,719	48.9	0.95	28.7	0.58
Esophagus	309	7.7	0.47	4.9	0.29	94	1.6	0.17	1.1	0.11
Stomach	403	10.7	0.59	6.1	0.31	247	4.4	0.29	2.5	0.17
Colon & Rectum	1,306	34.0	1.02	20.4	0.58	1,207	21.7	0.63	12.6	0.38
Liver	648	13.0	0.55	9.6	0.39	231	4.0	0.27	2.6	0.18
Pancreas	641	16.2	0.69	10.2	0.41	720	13.2	0.50	7.5	0.30
Respiratory System	3,828	98.9	1.72	61.3	1.02	2,282	40.7	0.87	25.9	0.57
Larynx	183	4.6	0.37	3.0	0.22	36	0.6	0.10	0.4	0.07
Lung & bronchus	3,622	93.7	1.67	58.0	0.99	2,231	39.8	0.86	25.3	0.56
Skin	66	1.5	0.21	1.0	0.13	31	0.6	0.10	0.3	0.06
Melanomas of the skin	15	0.4	0.11	0.2	0.06	19	0.3	0.08	0.2	0.04
Breast	25	0.7	0.15	0.4	0.08	2,102	34.2	0.76	23.3	0.53
Female Genital System	-	-	-	-	-	1,081	18.6	0.58	12.3	0.39
Cervix uteri	-	-	-	-	-	259	4.1	0.26	2.9	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	361	6.4	0.34	4.3	0.23
Ovary	-	-	-	-	-	409	7.2	0.36	4.5	0.23
Male Genital System	1,323	45.7	1.33	21.0	0.59	-	-	-	-	-
Prostate	1,305	45.4	1.32	20.7	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	473	12.7	0.64	7.4	0.35	361	6.5	0.35	3.7	0.21
Bladder	190	5.8	0.46	3.0	0.22	159	2.9	0.24	1.6	0.13
Kidney & renal pelvis	277	6.7	0.44	4.3	0.26	187	3.3	0.25	2.0	0.15
Brain & Other Nervous System	164	3.4	0.29	2.5	0.20	142	2.3	0.20	1.6	0.14
Endocrine System	32	0.6	0.12	0.5	0.09	56	1.0	0.13	0.6	0.09
Thyroid gland	10	0.3	0.09	0.2	0.05	41	0.8	0.12	0.5	0.07
Lymphomas	313	7.2	0.45	4.7	0.27	225	3.8	0.26	2.6	0.18
Hodgkin Lymphoma	27	0.5	0.09	0.4	0.07	28	0.4	0.08	0.3	0.06
Non-Hodgkin Lymphoma	286	6.7	0.44	4.4	0.26	197	3.3	0.24	2.2	0.17
Multiple Myeloma	306	8.2	0.51	4.8	0.28	280	5.1	0.31	3.0	0.19
Leukemias	357	9.1	0.53	5.5	0.30	272	4.8	0.30	2.8	0.18
Other, Ill-defined & Unknown	891	21.7	0.80	13.6	0.47	795	13.9	0.50	8.6	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,316	114.2	3.58	65.4	1.84	1,262	86.1	2.59	51.7	1.49
Oral Cavity & Pharynx	31	2.5	0.52	1.5	0.28	13	0.8	0.25	0.5	0.14
Digestive System	522	44.1	2.19	25.5	1.14	371	27.3	1.51	15.0	0.80
Esophagus	35	2.7	0.53	1.5	0.27	10	0.9	0.29	0.4	0.13
Stomach	77	6.9	0.88	4.0	0.46	49	3.4	0.53	1.8	0.27
Colon & Rectum	118	11.3	1.18	5.9	0.56	118	8.7	0.85	4.8	0.45
Liver	186	13.6	1.12	8.8	0.66	79	5.8	0.69	3.2	0.37
Pancreas	64	6.0	0.83	3.3	0.41	70	5.3	0.66	2.9	0.36
Respiratory System	346	31.6	1.90	17.5	0.96	272	20.0	1.27	11.6	0.72
Larynx	8	1.0	0.37	0.4	0.15	-	-	-	-	-
Lung & bronchus	336	30.5	1.87	17.0	0.94	270	19.9	1.27	11.5	0.72
Skin	11	1.0	0.38	0.5	0.17	6	0.3	0.11	0.2	0.10
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	161	9.0	0.76	6.4	0.51
Female Genital System	-	-	-	-	-	158	9.7	0.82	6.7	0.55
Cervix uteri	-	-	-	-	-	37	2.1	0.36	1.5	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	40	2.5	0.43	1.8	0.28
Ovary	-	-	-	-	-	72	4.4	0.55	3.1	0.37
Male Genital System	63	7.4	1.02	3.3	0.43	-	-	-	-	-
Prostate	58	7.2	1.02	3.1	0.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	5.0	0.75	2.8	0.39	31	2.5	0.49	1.2	0.21
Bladder	20	2.4	0.58	1.1	0.25	12	1.1	0.33	0.5	0.14
Kidney & renal pelvis	31	2.3	0.46	1.6	0.29	17	1.3	0.34	0.6	0.15
Brain & Other Nervous System	38	2.2	0.42	1.8	0.30	27	1.5	0.31	1.2	0.23
Endocrine System	-	-	-	-	-	16	0.9	0.25	0.6	0.16
Thyroid gland	-	-	-	-	-	9	0.6	0.21	0.4	0.13
Lymphomas	62	5.6	0.81	3.2	0.41	36	2.7	0.48	1.5	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	58	5.3	0.78	3.0	0.40	34	2.6	0.47	1.4	0.25
Multiple Myeloma	20	1.6	0.40	0.9	0.22	15	0.9	0.24	0.6	0.16
Leukemias	51	4.5	0.74	2.5	0.36	56	3.2	0.46	2.3	0.32
Other, Ill-defined & Unknown	111	8.0	0.87	5.5	0.53	100	7.2	0.78	4.0	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,798	154.1	1.91	86.5	1.10	5,956	109.6	1.43	65.6	0.92
Oral Cavity & Pharynx	84	1.7	0.19	1.2	0.13	57	1.1	0.14	0.6	0.09
Digestive System	1,729	38.0	0.93	22.9	0.57	1,385	25.4	0.69	14.2	0.42
Esophagus	250	5.4	0.35	3.4	0.22	45	0.8	0.12	0.5	0.08
Stomach	128	2.8	0.26	1.6	0.15	103	1.9	0.19	1.1	0.12
Colon & Rectum	643	14.3	0.58	8.4	0.35	570	10.4	0.44	5.8	0.27
Liver	181	3.8	0.29	2.4	0.19	90	1.6	0.17	1.0	0.11
Pancreas	426	9.5	0.47	5.7	0.29	432	8.0	0.39	4.4	0.23
Respiratory System	1,288	28.9	0.82	17.0	0.50	875	16.4	0.56	10.0	0.36
Larynx	25	0.5	0.11	0.3	0.07	8	0.2	0.05	0.1	0.03
Lung & bronchus	1,252	28.1	0.81	16.5	0.49	858	16.1	0.55	9.8	0.36
Skin	305	6.8	0.40	3.9	0.23	129	2.3	0.20	1.5	0.14
Melanomas of the skin	239	5.3	0.35	3.1	0.21	108	1.9	0.19	1.3	0.13
Breast	13	0.3	0.08	0.2	0.05	1,171	21.5	0.63	13.8	0.43
Female Genital System	-	-	-	-	-	669	12.3	0.48	7.7	0.32
Cervix uteri	-	-	-	-	-	71	1.3	0.16	1.0	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	155	2.9	0.23	1.8	0.15
Ovary	-	-	-	-	-	419	7.7	0.38	4.8	0.25
Male Genital System	968	24.8	0.81	10.4	0.35	-	-	-	-	-
Prostate	950	24.5	0.80	10.1	0.35	-	-	-	-	-
Testis	12	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	457	10.6	0.51	5.6	0.28	202	3.7	0.26	1.9	0.15
Bladder	248	6.0	0.39	2.9	0.19	75	1.4	0.16	0.6	0.08
Kidney & renal pelvis	198	4.3	0.31	2.6	0.20	118	2.2	0.20	1.2	0.12
Brain & Other Nervous System	276	5.3	0.33	4.0	0.25	204	3.7	0.26	2.6	0.19
Endocrine System	41	0.8	0.13	0.6	0.09	39	0.7	0.11	0.4	0.08
Thyroid gland	27	0.6	0.12	0.3	0.07	23	0.4	0.09	0.2	0.05
Lymphomas	350	7.9	0.43	4.5	0.25	267	4.9	0.30	2.5	0.17
Hodgkin Lymphoma	20	0.4	0.10	0.3	0.06	16	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	330	7.5	0.42	4.2	0.24	251	4.6	0.29	2.4	0.17
Multiple Myeloma	178	4.2	0.32	2.2	0.17	146	2.7	0.23	1.5	0.14
Leukemias	414	9.4	0.47	5.1	0.26	257	4.7	0.30	2.7	0.18
Other, Ill-defined & Unknown	695	15.4	0.60	8.9	0.35	555	10.2	0.44	6.0	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,570	154.5	1.94	86.7	1.12	5,769	110.3	1.46	66.0	0.95
Oral Cavity & Pharynx	80	1.7	0.20	1.2	0.13	53	1.0	0.14	0.6	0.08
Digestive System	1,650	37.7	0.94	22.7	0.58	1,329	25.3	0.70	14.1	0.43
Esophagus	244	5.4	0.35	3.5	0.23	44	0.8	0.13	0.5	0.08
Stomach	119	2.7	0.25	1.6	0.15	96	1.8	0.19	1.1	0.12
Colon & Rectum	617	14.2	0.58	8.4	0.35	552	10.5	0.45	5.8	0.27
Liver	162	3.5	0.28	2.3	0.18	81	1.5	0.17	0.9	0.11
Pancreas	414	9.6	0.48	5.7	0.29	417	8.0	0.39	4.4	0.24
Respiratory System	1,230	28.5	0.83	16.8	0.50	839	16.3	0.57	10.0	0.37
Larynx	24	0.5	0.11	0.3	0.07	8	0.2	0.06	0.1	0.04
Lung & bronchus	1,195	27.8	0.81	16.4	0.50	822	16.0	0.56	9.8	0.37
Skin	302	7.0	0.41	4.0	0.24	129	2.4	0.21	1.5	0.15
Melanomas of the skin	238	5.4	0.36	3.2	0.22	108	2.0	0.20	1.3	0.14
Breast	12	0.3	0.08	0.2	0.05	1,144	21.9	0.65	14.1	0.45
Female Genital System	-	-	-	-	-	641	12.2	0.49	7.7	0.33
Cervix uteri	-	-	-	-	-	64	1.2	0.15	0.9	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	148	2.8	0.23	1.7	0.15
Ovary	-	-	-	-	-	406	7.8	0.39	4.8	0.26
Male Genital System	949	25.1	0.82	10.5	0.36	-	-	-	-	-
Prostate	931	24.8	0.82	10.2	0.35	-	-	-	-	-
Testis	12	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	451	10.9	0.52	5.8	0.29	199	3.8	0.27	1.9	0.15
Bladder	248	6.2	0.40	3.0	0.20	75	1.4	0.16	0.6	0.08
Kidney & renal pelvis	192	4.3	0.32	2.7	0.20	115	2.2	0.21	1.2	0.13
Brain & Other Nervous System	274	5.5	0.34	4.2	0.26	202	3.8	0.27	2.7	0.20
Endocrine System	40	0.8	0.14	0.6	0.10	38	0.7	0.12	0.5	0.08
Thyroid gland	27	0.6	0.12	0.4	0.07	22	0.4	0.09	0.2	0.05
Lymphomas	340	8.0	0.44	4.6	0.26	262	5.0	0.31	2.6	0.18
Hodgkin Lymphoma	19	0.4	0.10	0.3	0.07	16	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	321	7.5	0.43	4.3	0.25	246	4.7	0.30	2.4	0.17
Multiple Myeloma	171	4.2	0.32	2.2	0.18	141	2.7	0.23	1.5	0.14
Leukemias	401	9.4	0.48	5.1	0.27	253	4.8	0.31	2.7	0.19
Other, Ill-defined & Unknown	670	15.4	0.61	8.9	0.36	539	10.3	0.45	6.1	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	49	163.5	26.78	97.5	14.75	32	101.7	18.52	69.5	13.04
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	43.4	13.08	25.9	7.29	11	34.6	10.58	24.6	7.93
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	20	66.7	16.88	42.6	9.97	8	26.6	9.70	19.6	7.12
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	66.7	16.88	42.6	9.97	8	26.6	9.70	19.6	7.12
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	134	145.9	13.39	83.2	7.41	115	94.4	9.13	54.2	5.25
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	51	54.6	8.22	30.4	4.36	34	28.8	5.10	16.0	2.85
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	6	8.1	3.43	3.5	1.49	6	5.2	2.20	2.6	1.08
Colon & Rectum	17	19.4	5.12	9.8	2.45	9	8.5	2.91	3.9	1.32
Liver	12	10.8	3.27	7.4	2.16	7	5.2	2.05	3.9	1.52
Pancreas	7	7.9	3.13	4.6	1.77	8	6.9	2.51	3.5	1.31
Respiratory System	29	32.6	6.31	19.0	3.63	19	17.9	4.21	9.1	2.17
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	28	31.2	6.15	18.5	3.60	19	17.9	4.21	9.1	2.17
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	22	16.0	3.59	9.7	2.15
Female Genital System	-	-	-	-	-	13	10.6	3.05	6.5	1.85
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	6	5.1	2.11	3.6	1.48
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	15.7	4.66	7.1	2.14	-	-	-	-	-
Prostate	12	15.7	4.66	7.1	2.14	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	6.3	2.58	4.2	1.65	-	-	-	-	-
Other, Ill-defined & Unknown	15	16.2	4.44	9.6	2.54	12	9.7	2.86	5.9	1.78

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,219	211.9	3.82	118.2	2.18	3,076	152.8	2.80	91.9	1.85
Oral Cavity & Pharynx	66	4.1	0.52	2.5	0.32	34	1.6	0.28	1.2	0.21
Digestive System	789	51.0	1.86	29.0	1.07	670	32.7	1.29	18.2	0.80
Esophagus	126	8.2	0.75	4.5	0.42	34	1.7	0.29	1.0	0.19
Stomach	50	3.4	0.49	1.7	0.25	29	1.4	0.26	0.8	0.17
Colon & Rectum	279	18.8	1.15	9.9	0.62	298	14.2	0.84	7.5	0.51
Liver	82	4.9	0.55	3.1	0.35	33	1.7	0.31	1.0	0.19
Pancreas	203	12.5	0.90	7.9	0.57	195	9.6	0.70	5.5	0.44
Respiratory System	991	63.4	2.06	37.6	1.24	891	44.8	1.52	27.9	1.02
Larynx	24	1.4	0.30	1.0	0.20	8	0.4	0.13	0.3	0.10
Lung & bronchus	962	61.6	2.03	36.4	1.22	880	44.3	1.51	27.6	1.02
Skin	96	6.3	0.66	3.7	0.40	53	2.6	0.36	1.5	0.23
Melanomas of the skin	76	5.0	0.59	3.0	0.36	42	2.1	0.33	1.3	0.22
Breast	6	0.4	0.16	0.2	0.08	414	20.7	1.04	13.6	0.73
Female Genital System	-	-	-	-	-	267	13.5	0.84	8.7	0.57
Cervix uteri	-	-	-	-	-	22	1.1	0.25	0.8	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	87	4.4	0.48	2.7	0.31
Ovary	-	-	-	-	-	136	7.0	0.61	4.5	0.42
Male Genital System	299	22.2	1.31	9.2	0.55	-	-	-	-	-
Prostate	295	22.0	1.30	9.0	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	248	16.6	1.08	8.6	0.57	113	5.4	0.52	2.7	0.29
Bladder	157	10.9	0.89	5.2	0.44	54	2.4	0.34	1.0	0.17
Kidney & renal pelvis	83	5.1	0.58	3.2	0.36	53	2.7	0.38	1.5	0.23
Brain & Other Nervous System	82	4.9	0.56	3.5	0.41	76	4.0	0.47	2.8	0.37
Endocrine System	14	0.9	0.24	0.6	0.18	24	1.3	0.27	0.9	0.22
Thyroid gland	6	0.4	0.15	0.2	0.10	19	1.0	0.23	0.6	0.15
Lymphomas	126	8.6	0.78	4.4	0.42	112	5.5	0.53	3.3	0.35
Hodgkin Lymphoma	8	0.5	0.19	0.3	0.12	9	0.5	0.18	0.4	0.16
Non-Hodgkin Lymphoma	118	8.1	0.76	4.1	0.40	103	5.0	0.50	2.9	0.32
Multiple Myeloma	59	3.9	0.52	2.1	0.28	59	2.9	0.38	1.4	0.21
Leukemias	154	10.4	0.86	6.1	0.53	91	4.5	0.48	2.4	0.30
Other, Ill-defined & Unknown	289	19.2	1.15	10.6	0.66	272	13.2	0.81	7.4	0.52

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,199	213.2	3.86	119.0	2.21	3,054	153.5	2.82	92.4	1.87
Oral Cavity & Pharynx	65	4.1	0.52	2.5	0.33	34	1.6	0.28	1.2	0.22
Digestive System	782	51.2	1.87	29.1	1.08	661	32.6	1.29	18.1	0.80
Esophagus	126	8.3	0.75	4.6	0.42	34	1.7	0.30	1.1	0.20
Stomach	50	3.5	0.50	1.7	0.26	29	1.4	0.27	0.9	0.18
Colon & Rectum	276	18.8	1.16	9.9	0.62	295	14.2	0.84	7.5	0.51
Liver	79	4.8	0.55	3.1	0.35	32	1.7	0.31	0.9	0.19
Pancreas	202	12.6	0.91	8.0	0.58	190	9.5	0.69	5.3	0.43
Respiratory System	988	64.0	2.08	38.0	1.25	886	45.1	1.54	28.1	1.03
Larynx	24	1.5	0.31	1.0	0.21	8	0.4	0.14	0.3	0.10
Lung & bronchus	959	62.2	2.05	36.8	1.23	875	44.6	1.53	27.7	1.03
Skin	96	6.4	0.67	3.8	0.41	53	2.6	0.37	1.5	0.24
Melanomas of the skin	76	5.1	0.60	3.0	0.37	42	2.1	0.33	1.3	0.22
Breast	6	0.4	0.16	0.2	0.08	413	20.9	1.05	13.7	0.74
Female Genital System	-	-	-	-	-	265	13.6	0.85	8.7	0.58
Cervix uteri	-	-	-	-	-	22	1.2	0.25	0.9	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	86	4.4	0.48	2.7	0.31
Ovary	-	-	-	-	-	135	7.0	0.61	4.6	0.42
Male Genital System	293	22.0	1.31	9.1	0.55	-	-	-	-	-
Prostate	289	21.8	1.30	8.9	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	246	16.7	1.09	8.6	0.58	112	5.4	0.52	2.7	0.29
Bladder	156	11.0	0.90	5.2	0.44	54	2.5	0.34	1.1	0.17
Kidney & renal pelvis	82	5.1	0.58	3.2	0.36	52	2.7	0.38	1.5	0.23
Brain & Other Nervous System	82	5.0	0.57	3.6	0.42	76	4.1	0.48	2.9	0.37
Endocrine System	14	0.9	0.25	0.6	0.18	24	1.3	0.27	0.9	0.22
Thyroid gland	6	0.4	0.15	0.2	0.10	19	1.0	0.23	0.6	0.15
Lymphomas	126	8.7	0.79	4.5	0.42	112	5.6	0.54	3.3	0.36
Hodgkin Lymphoma	8	0.5	0.20	0.3	0.12	9	0.6	0.19	0.4	0.16
Non-Hodgkin Lymphoma	118	8.1	0.76	4.2	0.41	103	5.0	0.50	2.9	0.32
Multiple Myeloma	59	3.9	0.52	2.1	0.29	59	2.9	0.39	1.5	0.21
Leukemias	153	10.5	0.86	6.2	0.54	90	4.5	0.49	2.4	0.31
Other, Ill-defined & Unknown	289	19.4	1.17	10.8	0.67	269	13.2	0.82	7.4	0.52

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	8	207.7	83.74	86.0	30.82	9	121.4	41.52	86.7	29.52
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	-	-	-	-	-	7	71.1	29.62	37.6	14.61
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	36,254	228.5	1.24	129.3	0.70	33,565	153.9	0.85	93.4	0.56
Oral Cavity & Pharynx	611	3.6	0.15	2.2	0.09	265	1.2	0.08	0.7	0.05
Digestive System	9,064	55.0	0.60	32.9	0.35	7,223	32.9	0.39	18.7	0.24
Esophagus	1,360	7.8	0.22	5.1	0.14	348	1.6	0.08	0.9	0.05
Stomach	732	4.5	0.17	2.6	0.10	533	2.4	0.11	1.4	0.07
Colon & Rectum	3,177	19.9	0.37	11.4	0.21	3,128	14.2	0.26	7.9	0.16
Liver	1,107	6.3	0.20	4.1	0.13	376	1.7	0.09	1.0	0.06
Pancreas	2,139	13.0	0.29	7.7	0.17	2,153	9.9	0.21	5.6	0.13
Respiratory System	11,868	73.1	0.69	42.9	0.40	8,920	41.3	0.44	25.1	0.29
Larynx	347	2.1	0.12	1.3	0.07	83	0.4	0.04	0.2	0.03
Lung & bronchus	11,448	70.6	0.68	41.3	0.40	8,799	40.7	0.44	24.8	0.29
Skin	981	6.0	0.20	3.6	0.12	548	2.5	0.11	1.6	0.07
Melanomas of the skin	725	4.3	0.17	2.7	0.10	431	2.0	0.10	1.3	0.07
Breast	58	0.4	0.05	0.2	0.03	5,430	24.8	0.34	16.4	0.24
Female Genital System	-	-	-	-	-	3,443	15.7	0.27	10.1	0.19
Cervix uteri	-	-	-	-	-	464	2.2	0.10	1.6	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	925	4.2	0.14	2.6	0.09
Ovary	-	-	-	-	-	1,867	8.5	0.20	5.4	0.14
Male Genital System	3,556	26.4	0.45	11.3	0.20	-	-	-	-	-
Prostate	3,493	26.0	0.45	11.0	0.19	-	-	-	-	-
Testis	30	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	2,098	13.7	0.31	7.2	0.16	1,047	4.8	0.15	2.6	0.09
Bladder	1,063	7.3	0.23	3.5	0.11	456	2.1	0.10	1.0	0.05
Kidney & renal pelvis	983	6.0	0.20	3.6	0.12	548	2.5	0.11	1.4	0.07
Brain & Other Nervous System	854	4.9	0.17	3.4	0.12	663	3.1	0.12	2.2	0.09
Endocrine System	137	0.8	0.07	0.5	0.05	160	0.7	0.06	0.5	0.05
Thyroid gland	79	0.5	0.06	0.3	0.03	92	0.4	0.04	0.2	0.03
Lymphomas	1,401	8.9	0.24	5.0	0.14	1,167	5.3	0.16	2.9	0.10
Hodgkin Lymphoma	92	0.5	0.06	0.4	0.04	70	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,309	8.3	0.24	4.6	0.13	1,097	5.0	0.15	2.7	0.09
Multiple Myeloma	784	5.0	0.19	2.7	0.10	722	3.3	0.12	1.9	0.08
Leukemias	1,469	9.4	0.25	5.4	0.15	1,115	5.1	0.15	3.0	0.10
Other, Ill-defined & Unknown	3,373	21.3	0.38	12.0	0.21	2,862	13.1	0.25	7.7	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,284	219.3	1.34	123.2	0.76	26,267	151.2	0.94	91.2	0.62
Oral Cavity & Pharynx	447	3.3	0.16	2.0	0.10	208	1.2	0.08	0.7	0.05
Digestive System	6,775	51.0	0.64	30.0	0.38	5,338	30.3	0.42	17.1	0.26
Esophagus	1,092	7.8	0.24	5.0	0.16	259	1.5	0.09	0.8	0.06
Stomach	477	3.7	0.17	2.1	0.10	344	2.0	0.11	1.1	0.07
Colon & Rectum	2,398	18.6	0.39	10.5	0.22	2,346	13.2	0.28	7.3	0.17
Liver	729	5.3	0.20	3.3	0.13	257	1.5	0.09	0.9	0.06
Pancreas	1,663	12.4	0.31	7.3	0.18	1,595	9.1	0.23	5.1	0.14
Respiratory System	9,393	71.1	0.75	41.4	0.44	7,333	42.6	0.50	25.8	0.33
Larynx	245	1.8	0.12	1.1	0.07	60	0.4	0.05	0.2	0.03
Lung & bronchus	9,089	68.8	0.74	40.1	0.43	7,245	42.1	0.50	25.5	0.33
Skin	922	7.0	0.24	4.1	0.14	517	3.0	0.13	1.9	0.09
Melanomas of the skin	707	5.2	0.20	3.2	0.13	410	2.4	0.12	1.6	0.09
Breast	41	0.3	0.05	0.2	0.03	4,011	23.2	0.37	15.1	0.26
Female Genital System	-	-	-	-	-	2,668	15.4	0.30	9.9	0.21
Cervix uteri	-	-	-	-	-	316	1.9	0.11	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	638	3.6	0.14	2.2	0.10
Ovary	-	-	-	-	-	1,568	9.0	0.23	5.7	0.16
Male Genital System	2,468	22.2	0.46	9.3	0.20	-	-	-	-	-
Prostate	2,417	21.8	0.45	9.1	0.19	-	-	-	-	-
Testis	26	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,752	14.0	0.34	7.4	0.18	831	4.7	0.17	2.5	0.10
Bladder	922	7.7	0.26	3.7	0.13	354	2.0	0.11	1.0	0.06
Kidney & renal pelvis	782	5.9	0.22	3.5	0.13	442	2.5	0.12	1.4	0.08
Brain & Other Nervous System	751	5.4	0.20	3.8	0.15	579	3.4	0.14	2.4	0.11
Endocrine System	105	0.8	0.08	0.5	0.05	116	0.7	0.07	0.5	0.06
Thyroid gland	70	0.6	0.07	0.3	0.04	71	0.4	0.05	0.2	0.03
Lymphomas	1,183	9.3	0.28	5.1	0.15	983	5.6	0.18	3.0	0.11
Hodgkin Lymphoma	71	0.5	0.06	0.3	0.04	59	0.4	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,112	8.8	0.27	4.7	0.15	924	5.2	0.17	2.8	0.11
Multiple Myeloma	549	4.3	0.19	2.3	0.10	484	2.7	0.13	1.6	0.08
Leukemias	1,224	9.7	0.28	5.5	0.17	932	5.4	0.18	3.2	0.12
Other, Ill-defined & Unknown	2,674	20.9	0.42	11.5	0.23	2,267	13.0	0.28	7.5	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,236	305.2	3.84	177.3	2.14	6,564	179.0	2.23	112.0	1.47
Oral Cavity & Pharynx	152	5.6	0.48	3.7	0.31	54	1.5	0.20	0.9	0.13
Digestive System	2,012	79.1	1.89	49.6	1.13	1,665	46.1	1.14	26.6	0.70
Esophagus	249	9.2	0.61	6.3	0.41	86	2.4	0.26	1.5	0.17
Stomach	205	8.3	0.62	5.0	0.36	138	3.8	0.33	2.1	0.19
Colon & Rectum	719	29.9	1.20	17.8	0.68	718	19.8	0.74	11.3	0.45
Liver	288	9.5	0.59	7.0	0.42	87	2.4	0.26	1.4	0.16
Pancreas	437	17.5	0.89	10.9	0.53	514	14.3	0.64	8.3	0.39
Respiratory System	2,285	94.2	2.09	56.9	1.22	1,440	39.7	1.05	25.0	0.70
Larynx	102	4.2	0.44	2.6	0.26	23	0.6	0.14	0.4	0.08
Lung & bronchus	2,170	89.5	2.04	54.0	1.19	1,408	38.8	1.04	24.5	0.69
Skin	54	1.8	0.26	1.3	0.19	27	0.7	0.14	0.4	0.09
Melanomas of the skin	15	0.5	0.15	0.3	0.09	17	0.5	0.11	0.3	0.08
Breast	17	0.7	0.18	0.4	0.10	1,306	34.2	0.95	23.6	0.68
Female Genital System	-	-	-	-	-	678	18.5	0.71	11.9	0.48
Cervix uteri	-	-	-	-	-	128	3.4	0.30	2.3	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	265	7.3	0.45	4.7	0.31
Ovary	-	-	-	-	-	247	6.8	0.43	4.3	0.29
Male Genital System	1,052	55.8	1.82	24.9	0.79	-	-	-	-	-
Prostate	1,041	55.4	1.81	24.6	0.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	313	13.4	0.81	7.3	0.43	202	5.6	0.40	3.1	0.24
Bladder	129	5.9	0.55	2.9	0.26	99	2.8	0.28	1.4	0.15
Kidney & renal pelvis	180	7.3	0.58	4.4	0.33	97	2.7	0.27	1.7	0.18
Brain & Other Nervous System	87	3.1	0.35	2.2	0.24	75	2.0	0.23	1.4	0.18
Endocrine System	26	0.9	0.20	0.6	0.13	35	0.9	0.16	0.7	0.13
Thyroid gland	-	-	-	-	-	17	0.5	0.11	0.3	0.08
Lymphomas	180	6.6	0.53	4.4	0.33	149	4.1	0.34	2.5	0.22
Hodgkin Lymphoma	20	0.6	0.15	0.5	0.11	10	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	160	6.0	0.51	3.9	0.31	139	3.9	0.33	2.3	0.21
Multiple Myeloma	216	9.4	0.69	5.2	0.36	229	6.4	0.43	3.8	0.27
Leukemias	204	8.6	0.65	5.2	0.37	159	4.3	0.35	2.7	0.23
Other, Ill-defined & Unknown	638	25.9	1.10	15.5	0.63	545	14.9	0.64	9.2	0.42

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	687	125.9	5.38	72.1	2.78	703	92.9	3.74	55.3	2.13
Oral Cavity & Pharynx	11	1.8	0.63	1.1	0.32	-	-	-	-	-
Digestive System	262	46.8	3.23	27.1	1.70	212	29.3	2.14	16.6	1.16
Esophagus	17	2.7	0.74	1.9	0.45	-	-	-	-	-
Stomach	50	10.3	1.59	5.1	0.73	50	6.7	1.02	3.7	0.52
Colon & Rectum	55	9.6	1.44	5.8	0.79	59	7.8	1.08	4.8	0.64
Liver	88	15.0	1.81	8.9	0.96	32	5.0	0.92	2.5	0.45
Pancreas	35	6.5	1.24	3.7	0.63	43	5.9	0.94	3.4	0.53
Respiratory System	182	34.4	2.84	19.3	1.44	139	19.5	1.75	11.1	0.96
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	181	34.3	2.83	19.1	1.44	138	19.4	1.75	11.0	0.95
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	108	11.8	1.19	8.6	0.84
Female Genital System	-	-	-	-	-	94	11.5	1.27	7.3	0.77
Cervix uteri	-	-	-	-	-	20	2.2	0.52	1.5	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	22	2.5	0.55	1.8	0.38
Ovary	-	-	-	-	-	50	6.6	1.01	3.9	0.56
Male Genital System	30	8.1	1.63	3.4	0.62	-	-	-	-	-
Prostate	29	8.0	1.62	3.3	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	33	5.3	1.00	3.4	0.60	14	2.0	0.57	1.1	0.29
Bladder	12	2.4	0.74	1.3	0.37	-	-	-	-	-
Kidney & renal pelvis	21	2.9	0.67	2.2	0.47	9	1.2	0.42	0.7	0.23
Brain & Other Nervous System	15	2.3	0.70	1.7	0.44	8	1.1	0.43	0.6	0.22
Endocrine System	6	0.7	0.28	0.7	0.28	8	0.9	0.36	0.6	0.23
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	36	5.9	1.11	3.8	0.64	34	5.1	0.93	2.5	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	35	5.9	1.10	3.7	0.64	33	5.1	0.93	2.5	0.44
Multiple Myeloma	18	3.4	0.89	1.9	0.45	8	1.3	0.48	0.6	0.23
Leukemias	38	7.3	1.29	3.9	0.63	24	3.1	0.67	2.1	0.45
Other, Ill-defined & Unknown	52	9.2	1.43	5.5	0.77	48	6.5	1.00	3.6	0.53

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	29,469	209.6	1.25	116.6	0.71	27,742	153.9	0.94	90.9	0.60
Oral Cavity & Pharynx	643	4.2	0.17	2.7	0.11	335	1.8	0.10	1.1	0.07
Digestive System	7,826	53.9	0.62	31.7	0.37	6,056	33.1	0.43	18.6	0.27
Esophagus	1,228	8.4	0.25	5.0	0.15	346	1.9	0.11	1.1	0.06
Stomach	612	4.3	0.18	2.4	0.10	437	2.4	0.12	1.4	0.07
Colon & Rectum	2,499	17.7	0.36	9.9	0.21	2,356	12.7	0.27	6.8	0.16
Liver	1,005	6.3	0.20	4.3	0.14	368	2.0	0.11	1.2	0.07
Pancreas	1,797	12.4	0.30	7.3	0.18	1,782	9.8	0.24	5.6	0.15
Respiratory System	8,542	60.4	0.67	34.4	0.39	7,677	43.6	0.50	25.8	0.32
Larynx	220	1.5	0.10	0.9	0.06	76	0.4	0.05	0.3	0.03
Lung & bronchus	8,205	58.1	0.66	32.9	0.38	7,546	42.8	0.50	25.4	0.32
Skin	853	5.9	0.21	3.5	0.12	460	2.5	0.12	1.5	0.08
Melanomas of the skin	620	4.2	0.17	2.6	0.11	361	2.0	0.11	1.3	0.07
Breast	35	0.3	0.05	0.1	0.02	3,986	21.9	0.35	14.0	0.24
Female Genital System	-	-	-	-	-	3,040	16.8	0.31	10.6	0.21
Cervix uteri	-	-	-	-	-	343	2.0	0.11	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	732	4.0	0.15	2.5	0.10
Ovary	-	-	-	-	-	1,775	9.8	0.24	6.0	0.16
Male Genital System	3,194	25.2	0.45	10.8	0.20	-	-	-	-	-
Prostate	3,143	24.9	0.45	10.6	0.20	-	-	-	-	-
Testis	31	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,956	14.2	0.33	7.5	0.18	962	5.2	0.17	2.8	0.10
Bladder	1,081	8.2	0.25	3.9	0.12	431	2.3	0.11	1.1	0.06
Kidney & renal pelvis	816	5.6	0.20	3.3	0.12	481	2.6	0.12	1.5	0.08
Brain & Other Nervous System	1,010	6.5	0.21	4.6	0.15	697	3.9	0.15	2.8	0.11
Endocrine System	127	0.9	0.08	0.6	0.05	147	0.8	0.07	0.6	0.05
Thyroid gland	78	0.5	0.06	0.3	0.04	104	0.6	0.06	0.3	0.04
Lymphomas	1,287	9.3	0.26	5.0	0.15	1,060	5.8	0.18	3.0	0.10
Hodgkin Lymphoma	74	0.5	0.06	0.3	0.04	48	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,213	8.8	0.26	4.7	0.14	1,012	5.5	0.18	2.8	0.10
Multiple Myeloma	622	4.5	0.19	2.4	0.10	437	2.4	0.12	1.3	0.07
Leukemias	1,355	10.0	0.28	5.4	0.15	951	5.2	0.17	3.0	0.11
Other, Ill-defined & Unknown	2,019	14.5	0.33	8.0	0.19	1,934	10.6	0.25	5.9	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	27,215	211.6	1.31	117.6	0.75	25,660	156.8	1.00	92.6	0.65
Oral Cavity & Pharynx	595	4.3	0.18	2.8	0.12	310	1.9	0.11	1.1	0.07
Digestive System	6,999	52.9	0.65	31.0	0.39	5,436	32.6	0.45	18.3	0.28
Esophagus	1,175	8.8	0.26	5.3	0.16	316	1.9	0.11	1.1	0.07
Stomach	511	3.9	0.18	2.2	0.10	339	2.1	0.11	1.2	0.07
Colon & Rectum	2,278	17.7	0.38	9.9	0.22	2,170	12.8	0.28	6.9	0.17
Liver	780	5.4	0.20	3.6	0.13	282	1.7	0.10	1.1	0.07
Pancreas	1,662	12.6	0.31	7.4	0.19	1,635	9.9	0.25	5.6	0.16
Respiratory System	7,935	61.2	0.70	34.8	0.41	7,187	44.9	0.54	26.7	0.34
Larynx	208	1.6	0.11	0.9	0.07	72	0.4	0.05	0.3	0.04
Lung & bronchus	7,617	58.9	0.69	33.3	0.40	7,063	44.2	0.53	26.2	0.34
Skin	831	6.3	0.22	3.7	0.13	452	2.8	0.13	1.7	0.09
Melanomas of the skin	602	4.5	0.19	2.8	0.12	358	2.2	0.12	1.4	0.08
Breast	33	0.3	0.05	0.1	0.02	3,688	22.4	0.38	14.3	0.26
Female Genital System	-	-	-	-	-	2,828	17.3	0.33	10.9	0.22
Cervix uteri	-	-	-	-	-	298	1.9	0.11	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	663	4.0	0.16	2.5	0.11
Ovary	-	-	-	-	-	1,685	10.3	0.25	6.3	0.17
Male Genital System	2,968	25.3	0.47	10.8	0.21	-	-	-	-	-
Prostate	2,922	25.0	0.47	10.6	0.21	-	-	-	-	-
Testis	29	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,837	14.5	0.35	7.6	0.19	901	5.3	0.18	2.8	0.11
Bladder	1,031	8.5	0.27	4.0	0.13	400	2.3	0.12	1.1	0.06
Kidney & renal pelvis	749	5.6	0.21	3.4	0.13	453	2.7	0.13	1.6	0.08
Brain & Other Nervous System	966	6.9	0.23	4.9	0.17	662	4.2	0.17	2.9	0.12
Endocrine System	110	0.8	0.08	0.5	0.06	129	0.8	0.07	0.6	0.06
Thyroid gland	71	0.5	0.07	0.3	0.04	93	0.6	0.06	0.3	0.04
Lymphomas	1,210	9.5	0.28	5.2	0.16	993	6.0	0.19	3.0	0.11
Hodgkin Lymphoma	70	0.5	0.06	0.3	0.04	45	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,140	9.0	0.27	4.9	0.15	948	5.7	0.19	2.9	0.11
Multiple Myeloma	575	4.6	0.19	2.4	0.11	396	2.4	0.12	1.3	0.07
Leukemias	1,275	10.3	0.29	5.5	0.16	891	5.4	0.18	3.1	0.12
Other, Ill-defined & Unknown	1,881	14.7	0.35	8.2	0.20	1,787	10.8	0.26	6.0	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	806	253.1	10.14	145.6	5.32	645	173.2	7.06	105.9	4.39
Oral Cavity & Pharynx	12	3.2	1.08	2.1	0.63	7	1.6	0.62	1.2	0.45
Digestive System	248	71.3	5.21	42.9	2.84	163	46.0	3.71	25.8	2.14
Esophagus	14	2.6	0.72	2.2	0.62	9	2.6	0.89	1.6	0.57
Stomach	25	7.5	1.72	4.4	0.92	12	3.0	0.91	2.0	0.60
Colon & Rectum	91	26.6	3.18	16.1	1.76	63	18.2	2.36	9.5	1.27
Liver	53	13.8	2.19	9.1	1.30	14	3.6	1.00	2.1	0.60
Pancreas	47	15.0	2.53	8.0	1.22	52	14.8	2.10	8.7	1.28
Respiratory System	230	70.0	5.13	44.3	3.01	164	45.2	3.63	28.0	2.30
Larynx	10	2.5	0.85	1.8	0.59	-	-	-	-	-
Lung & bronchus	219	67.3	5.06	42.4	2.95	163	45.0	3.63	27.8	2.29
Skin	6	2.4	1.08	1.1	0.47	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	108	26.2	2.62	17.5	1.76
Female Genital System	-	-	-	-	-	60	16.1	2.14	9.8	1.33
Cervix uteri	-	-	-	-	-	10	2.2	0.73	1.6	0.52
Corpus & uterus, NOS ¹	-	-	-	-	-	28	8.2	1.59	4.6	0.92
Ovary	-	-	-	-	-	20	5.1	1.18	3.3	0.77
Male Genital System	124	51.6	5.02	23.5	2.17	-	-	-	-	-
Prostate	123	51.4	5.02	23.3	2.16	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	13.5	2.33	7.7	1.19	22	5.9	1.31	3.6	0.81
Bladder	20	6.5	1.58	3.8	0.88	14	3.8	1.06	2.4	0.68
Kidney & renal pelvis	25	7.0	1.71	3.9	0.81	8	2.1	0.77	1.2	0.45
Brain & Other Nervous System	21	4.7	1.16	3.3	0.77	9	2.0	0.72	1.7	0.57
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	23	5.3	1.24	3.7	0.80	19	4.7	1.12	2.9	0.69
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	21	5.0	1.23	3.5	0.79	17	4.3	1.09	2.6	0.67
Multiple Myeloma	29	9.7	2.00	4.9	0.93	21	6.0	1.33	3.7	0.85
Leukemias	23	7.7	1.93	4.1	0.89	25	6.2	1.30	4.1	0.86
Other, Ill-defined & Unknown	40	12.7	2.33	7.2	1.19	44	12.6	1.95	7.1	1.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,140	155.3	4.85	87.7	2.65	1,132	104.0	3.16	61.5	1.91
Oral Cavity & Pharynx	28	3.1	0.61	2.2	0.42	16	1.6	0.40	0.8	0.21
Digestive System	465	61.0	2.97	36.5	1.73	382	36.4	1.90	19.7	1.06
Esophagus	25	3.6	0.75	1.9	0.39	17	1.6	0.39	1.0	0.25
Stomach	62	8.9	1.18	4.7	0.61	76	7.0	0.82	3.9	0.46
Colon & Rectum	97	12.9	1.39	7.4	0.76	99	9.2	0.95	5.1	0.54
Liver	144	17.3	1.52	11.5	0.97	64	6.4	0.81	3.2	0.43
Pancreas	71	9.5	1.18	5.8	0.70	74	7.2	0.85	3.8	0.46
Respiratory System	308	42.7	2.55	23.7	1.38	245	23.2	1.51	13.2	0.88
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	304	42.1	2.53	23.4	1.37	240	22.7	1.49	13.0	0.87
Skin	10	1.1	0.35	0.8	0.26	-	-	-	-	-
Melanomas of the skin	9	1.0	0.34	0.7	0.25	-	-	-	-	-
Breast	-	-	-	-	-	143	12.1	1.03	8.2	0.70
Female Genital System	-	-	-	-	-	115	9.8	0.93	6.6	0.63
Cervix uteri	-	-	-	-	-	29	2.3	0.43	1.7	0.31
Corpus & uterus, NOS ¹	-	-	-	-	-	29	2.5	0.46	1.7	0.33
Ovary	-	-	-	-	-	53	4.7	0.67	3.0	0.42
Male Genital System	73	12.4	1.49	5.3	0.63	-	-	-	-	-
Prostate	71	12.2	1.48	5.1	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	51	7.7	1.14	3.8	0.54	26	2.4	0.48	1.4	0.28
Bladder	23	3.7	0.80	1.6	0.35	11	1.0	0.31	0.6	0.18
Kidney & renal pelvis	26	3.8	0.80	1.9	0.39	13	1.2	0.34	0.7	0.20
Brain & Other Nervous System	17	2.3	0.59	1.3	0.33	22	1.7	0.37	1.5	0.33
Endocrine System	8	1.0	0.37	0.7	0.24	14	1.3	0.35	0.8	0.22
Thyroid gland	-	-	-	-	-	9	0.8	0.28	0.5	0.18
Lymphomas	40	6.0	0.99	2.9	0.47	41	3.8	0.60	2.1	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	39	5.9	0.99	2.8	0.46	40	3.7	0.59	2.1	0.35
Multiple Myeloma	14	2.0	0.55	1.1	0.31	16	1.6	0.40	0.8	0.20
Leukemias	45	5.0	0.81	3.5	0.53	30	2.8	0.52	1.8	0.34
Other, Ill-defined & Unknown	79	10.7	1.28	5.9	0.68	77	7.1	0.83	4.4	0.52

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,437	206.5	1.52	114.3	0.86	18,510	152.5	1.14	89.6	0.73
Oral Cavity & Pharynx	430	4.3	0.21	2.7	0.13	225	1.9	0.13	1.1	0.08
Digestive System	5,203	53.4	0.76	31.3	0.45	4,074	33.1	0.53	18.6	0.33
Esophagus	784	8.0	0.29	4.8	0.18	238	2.0	0.13	1.1	0.08
Stomach	424	4.4	0.22	2.5	0.13	303	2.5	0.15	1.4	0.09
Colon & Rectum	1,616	17.0	0.43	9.5	0.25	1,559	12.4	0.32	6.7	0.19
Liver	719	6.7	0.26	4.5	0.17	264	2.1	0.13	1.3	0.09
Pancreas	1,180	12.2	0.36	7.1	0.21	1,186	9.7	0.29	5.6	0.18
Respiratory System	5,528	58.5	0.81	33.1	0.46	5,120	43.2	0.61	25.2	0.39
Larynx	146	1.5	0.13	0.9	0.08	49	0.4	0.06	0.2	0.04
Lung & bronchus	5,305	56.2	0.79	31.7	0.45	5,029	42.4	0.61	24.8	0.38
Skin	578	5.9	0.25	3.5	0.15	320	2.6	0.15	1.5	0.09
Melanomas of the skin	437	4.4	0.22	2.7	0.13	246	2.0	0.13	1.2	0.09
Breast	24	0.3	0.06	0.1	0.03	2,684	21.8	0.43	13.9	0.29
Female Genital System	-	-	-	-	-	2,026	16.7	0.38	10.4	0.25
Cervix uteri	-	-	-	-	-	221	1.8	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	477	3.9	0.18	2.4	0.12
Ovary	-	-	-	-	-	1,204	9.9	0.29	6.1	0.19
Male Genital System	2,084	24.7	0.55	10.6	0.24	-	-	-	-	-
Prostate	2,054	24.4	0.54	10.4	0.24	-	-	-	-	-
Testis	17	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,309	14.2	0.40	7.4	0.21	627	5.1	0.21	2.7	0.12
Bladder	729	8.3	0.31	3.9	0.15	282	2.3	0.14	1.1	0.07
Kidney & renal pelvis	537	5.4	0.24	3.3	0.15	311	2.5	0.15	1.5	0.09
Brain & Other Nervous System	663	6.3	0.25	4.5	0.18	471	3.9	0.18	2.7	0.14
Endocrine System	84	0.9	0.10	0.6	0.07	92	0.8	0.08	0.5	0.07
Thyroid gland	49	0.5	0.08	0.3	0.05	67	0.5	0.07	0.3	0.04
Lymphomas	886	9.6	0.33	5.1	0.18	699	5.7	0.22	2.9	0.13
Hodgkin Lymphoma	52	0.5	0.07	0.3	0.05	31	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	834	9.0	0.32	4.8	0.18	668	5.5	0.21	2.8	0.12
Multiple Myeloma	418	4.6	0.23	2.4	0.12	289	2.4	0.14	1.3	0.09
Leukemias	903	9.9	0.34	5.4	0.19	638	5.3	0.21	3.1	0.14
Other, Ill-defined & Unknown	1,327	14.2	0.40	7.8	0.23	1,245	10.1	0.29	5.6	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,492	208.5	1.61	115.0	0.92	16,712	156.1	1.23	91.7	0.79
Oral Cavity & Pharynx	387	4.3	0.23	2.8	0.14	204	1.9	0.14	1.1	0.09
Digestive System	4,501	52.0	0.79	30.3	0.47	3,541	32.4	0.56	18.3	0.35
Esophagus	743	8.5	0.32	5.1	0.19	209	2.0	0.14	1.1	0.08
Stomach	337	4.0	0.22	2.2	0.13	220	2.0	0.14	1.1	0.09
Colon & Rectum	1,437	17.0	0.46	9.5	0.26	1,393	12.5	0.34	6.8	0.21
Liver	512	5.4	0.24	3.6	0.17	188	1.7	0.13	1.1	0.09
Pancreas	1,069	12.4	0.39	7.2	0.23	1,065	9.9	0.31	5.7	0.19
Respiratory System	4,999	59.3	0.86	33.4	0.49	4,686	44.9	0.67	26.2	0.42
Larynx	135	1.6	0.14	0.9	0.08	46	0.4	0.07	0.3	0.04
Lung & bronchus	4,792	56.9	0.84	31.9	0.48	4,601	44.1	0.66	25.7	0.42
Skin	562	6.5	0.28	3.8	0.17	314	2.9	0.17	1.7	0.11
Melanomas of the skin	425	4.9	0.24	2.9	0.15	244	2.3	0.15	1.4	0.10
Breast	22	0.3	0.06	0.1	0.03	2,427	22.5	0.46	14.3	0.32
Female Genital System	-	-	-	-	-	1,851	17.3	0.41	10.8	0.28
Cervix uteri	-	-	-	-	-	183	1.8	0.13	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	419	3.9	0.20	2.4	0.13
Ovary	-	-	-	-	-	1,130	10.5	0.32	6.5	0.21
Male Genital System	1,884	24.7	0.57	10.5	0.26	-	-	-	-	-
Prostate	1,858	24.4	0.57	10.3	0.25	-	-	-	-	-
Testis	15	0.2	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,210	14.7	0.43	7.6	0.23	576	5.2	0.22	2.8	0.13
Bladder	685	8.7	0.34	4.1	0.16	257	2.3	0.15	1.1	0.08
Kidney & renal pelvis	484	5.5	0.26	3.3	0.16	287	2.6	0.16	1.6	0.10
Brain & Other Nervous System	625	6.7	0.27	4.8	0.20	443	4.3	0.21	2.9	0.15
Endocrine System	70	0.8	0.10	0.5	0.07	77	0.7	0.09	0.5	0.07
Thyroid gland	43	0.5	0.08	0.3	0.05	57	0.5	0.07	0.3	0.05
Lymphomas	819	9.9	0.35	5.3	0.20	639	5.9	0.24	3.0	0.14
Hodgkin Lymphoma	50	0.6	0.08	0.3	0.05	29	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	769	9.3	0.34	5.0	0.19	610	5.6	0.23	2.8	0.13
Multiple Myeloma	378	4.6	0.24	2.4	0.13	251	2.4	0.15	1.3	0.09
Leukemias	829	10.2	0.36	5.5	0.20	581	5.4	0.23	3.1	0.15
Other, Ill-defined & Unknown	1,206	14.5	0.43	7.9	0.24	1,122	10.3	0.32	5.6	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	727	258.5	10.96	149.6	5.75	590	177.9	7.60	107.8	4.66
Oral Cavity & Pharynx	11	3.5	1.23	2.2	0.71	-	-	-	-	-
Digestive System	218	70.5	5.51	42.7	3.01	147	46.9	3.99	26.0	2.26
Esophagus	13	2.8	0.80	2.4	0.68	9	3.0	1.01	1.8	0.63
Stomach	22	7.8	1.91	4.5	0.99	12	3.4	1.03	2.2	0.67
Colon & Rectum	80	25.7	3.27	16.1	1.87	58	18.9	2.55	9.8	1.35
Liver	52	15.5	2.50	10.2	1.47	14	4.1	1.13	2.4	0.67
Pancreas	35	12.9	2.54	6.7	1.19	42	13.5	2.13	7.8	1.27
Respiratory System	202	68.4	5.38	44.3	3.21	150	46.1	3.89	28.5	2.44
Larynx	10	2.8	0.96	2.0	0.67	-	-	-	-	-
Lung & bronchus	191	65.4	5.30	42.1	3.14	149	45.9	3.88	28.2	2.43
Skin	6	2.8	1.25	1.3	0.54	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	103	27.9	2.86	18.6	1.91
Female Genital System	-	-	-	-	-	54	16.3	2.30	9.8	1.40
Cervix uteri	-	-	-	-	-	7	1.7	0.65	1.2	0.47
Corpus & uterus, NOS ¹	-	-	-	-	-	27	8.9	1.77	4.8	0.99
Ovary	-	-	-	-	-	18	5.1	1.24	3.3	0.83
Male Genital System	117	55.8	5.62	25.4	2.41	-	-	-	-	-
Prostate	116	55.6	5.62	25.2	2.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	41	14.1	2.58	8.0	1.30	19	5.8	1.38	3.5	0.85
Bladder	18	6.8	1.75	3.9	0.95	12	3.7	1.10	2.4	0.73
Kidney & renal pelvis	23	7.3	1.89	4.1	0.89	7	2.1	0.82	1.1	0.43
Brain & Other Nervous System	19	4.7	1.19	3.5	0.84	8	2.1	0.79	1.7	0.62
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	23	6.0	1.41	4.2	0.91	17	4.9	1.24	2.9	0.74
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	21	5.7	1.39	3.9	0.89	16	4.7	1.22	2.7	0.72
Multiple Myeloma	25	9.8	2.19	4.8	0.98	20	6.3	1.45	3.8	0.90
Leukemias	23	8.8	2.23	4.7	1.01	25	7.0	1.46	4.6	0.96
Other, Ill-defined & Unknown	37	12.7	2.41	7.6	1.30	41	13.1	2.11	7.4	1.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,031	156.7	5.14	88.3	2.81	1,025	105.3	3.35	61.9	2.03
Oral Cavity & Pharynx	27	3.4	0.67	2.3	0.45	16	1.7	0.44	0.9	0.23
Digestive System	412	60.3	3.12	36.2	1.82	341	36.1	1.99	19.5	1.11
Esophagus	21	3.2	0.74	1.9	0.41	16	1.7	0.43	1.0	0.27
Stomach	53	8.5	1.22	4.5	0.64	67	6.7	0.84	3.9	0.49
Colon & Rectum	82	12.3	1.44	6.9	0.78	92	9.6	1.02	5.3	0.58
Liver	135	18.3	1.66	12.0	1.05	58	6.4	0.85	3.3	0.45
Pancreas	64	9.5	1.24	5.8	0.74	64	6.9	0.88	3.6	0.48
Respiratory System	284	43.7	2.72	24.4	1.48	234	24.7	1.64	14.1	0.96
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	280	43.1	2.70	24.0	1.46	230	24.2	1.62	13.8	0.95
Skin	8	0.9	0.32	0.7	0.27	-	-	-	-	-
Melanomas of the skin	7	0.8	0.30	0.7	0.25	-	-	-	-	-
Breast	-	-	-	-	-	124	11.8	1.08	7.8	0.72
Female Genital System	-	-	-	-	-	99	9.3	0.96	6.4	0.66
Cervix uteri	-	-	-	-	-	28	2.4	0.47	1.8	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	24	2.3	0.47	1.6	0.34
Ovary	-	-	-	-	-	44	4.4	0.67	2.7	0.43
Male Genital System	65	12.3	1.57	5.2	0.66	-	-	-	-	-
Prostate	64	12.2	1.57	5.1	0.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	7.6	1.19	3.7	0.56	24	2.5	0.52	1.4	0.30
Bladder	20	3.7	0.84	1.5	0.35	10	1.0	0.33	0.6	0.20
Kidney & renal pelvis	23	3.7	0.83	1.9	0.41	12	1.2	0.37	0.7	0.22
Brain & Other Nervous System	16	2.5	0.66	1.4	0.35	19	1.7	0.40	1.5	0.35
Endocrine System	6	0.9	0.38	0.5	0.21	13	1.3	0.38	0.8	0.24
Thyroid gland	-	-	-	-	-	9	0.9	0.31	0.6	0.21
Lymphomas	36	6.1	1.06	2.9	0.49	38	3.9	0.64	2.3	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	36	6.1	1.06	2.9	0.49	37	3.7	0.63	2.2	0.38
Multiple Myeloma	13	2.1	0.61	1.1	0.32	16	1.7	0.44	0.8	0.22
Leukemias	43	5.4	0.88	3.7	0.58	29	2.9	0.56	1.9	0.38
Other, Ill-defined & Unknown	74	11.2	1.38	6.2	0.73	68	7.1	0.87	4.3	0.55

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,358	254.8	2.33	150.0	1.42	10,953	173.2	1.68	107.7	1.16
Oral Cavity & Pharynx	216	4.1	0.29	3.0	0.21	83	1.3	0.15	0.8	0.11
Digestive System	2,778	56.5	1.09	33.9	0.67	2,185	33.6	0.73	19.8	0.48
Esophagus	445	8.7	0.42	5.8	0.28	99	1.6	0.16	1.0	0.11
Stomach	200	4.1	0.30	2.4	0.18	127	2.0	0.18	1.3	0.13
Colon & Rectum	1,160	24.2	0.72	13.7	0.42	1,101	16.8	0.52	9.7	0.34
Liver	244	4.9	0.32	3.1	0.21	129	2.0	0.18	1.1	0.12
Pancreas	560	11.2	0.48	6.8	0.30	501	7.7	0.35	4.5	0.23
Respiratory System	4,548	91.4	1.38	55.9	0.86	3,318	52.8	0.93	33.7	0.64
Larynx	166	3.2	0.25	2.2	0.17	46	0.8	0.11	0.5	0.08
Lung & bronchus	4,352	87.5	1.35	53.3	0.84	3,262	51.9	0.92	33.1	0.64
Skin	296	6.2	0.37	3.7	0.23	158	2.7	0.22	1.8	0.16
Melanomas of the skin	221	4.6	0.32	2.9	0.20	131	2.3	0.20	1.5	0.15
Breast	14	0.3	0.08	0.1	0.04	1,472	23.6	0.63	15.3	0.44
Female Genital System	-	-	-	-	-	1,021	16.7	0.53	11.1	0.38
Cervix uteri	-	-	-	-	-	153	2.9	0.24	2.2	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	265	4.2	0.26	2.7	0.18
Ovary	-	-	-	-	-	533	8.5	0.37	5.5	0.26
Male Genital System	981	22.4	0.73	10.1	0.34	-	-	-	-	-
Prostate	950	21.7	0.72	9.6	0.33	-	-	-	-	-
Testis	13	0.3	0.08	0.3	0.07	-	-	-	-	-
Urinary System	695	14.7	0.57	8.1	0.33	405	6.1	0.31	3.4	0.19
Bladder	363	7.9	0.42	4.0	0.22	168	2.5	0.19	1.2	0.11
Kidney & renal pelvis	318	6.5	0.37	4.0	0.24	224	3.4	0.23	2.0	0.16
Brain & Other Nervous System	266	5.3	0.33	4.0	0.27	232	4.0	0.27	3.0	0.22
Endocrine System	36	0.7	0.12	0.5	0.09	47	0.8	0.11	0.5	0.09
Thyroid gland	16	0.3	0.08	0.2	0.06	32	0.5	0.09	0.3	0.05
Lymphomas	460	9.6	0.46	5.6	0.28	444	6.8	0.33	3.8	0.21
Hodgkin Lymphoma	23	0.5	0.10	0.4	0.08	25	0.4	0.09	0.3	0.06
Non-Hodgkin Lymphoma	437	9.1	0.45	5.3	0.27	419	6.4	0.32	3.5	0.20
Multiple Myeloma	237	5.0	0.33	2.8	0.19	172	2.6	0.20	1.5	0.13
Leukemias	481	10.4	0.48	5.9	0.30	382	6.0	0.32	3.7	0.23
Other, Ill-defined & Unknown	1,350	28.1	0.78	16.4	0.47	1,034	16.2	0.51	9.5	0.35

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,007	255.6	2.38	150.4	1.45	10,622	173.7	1.71	108.1	1.19
Oral Cavity & Pharynx	212	4.2	0.29	3.1	0.22	79	1.3	0.15	0.8	0.11
Digestive System	2,689	56.5	1.11	33.8	0.69	2,102	33.5	0.74	19.7	0.49
Esophagus	436	8.8	0.43	5.8	0.29	93	1.5	0.16	0.9	0.11
Stomach	187	4.0	0.30	2.3	0.18	122	2.0	0.19	1.3	0.13
Colon & Rectum	1,119	24.1	0.73	13.6	0.43	1,057	16.7	0.52	9.6	0.34
Liver	232	4.8	0.32	3.0	0.21	123	1.9	0.18	1.1	0.12
Pancreas	550	11.4	0.49	6.9	0.31	486	7.7	0.35	4.5	0.23
Respiratory System	4,430	91.9	1.40	56.1	0.88	3,240	53.3	0.95	34.0	0.66
Larynx	159	3.2	0.26	2.1	0.18	46	0.8	0.12	0.5	0.08
Lung & bronchus	4,242	88.1	1.37	53.6	0.86	3,185	52.4	0.94	33.4	0.65
Skin	296	6.4	0.38	3.8	0.24	157	2.7	0.23	1.8	0.16
Melanomas of the skin	221	4.7	0.33	3.0	0.21	131	2.4	0.21	1.6	0.16
Breast	14	0.3	0.09	0.1	0.04	1,417	23.5	0.64	15.2	0.45
Female Genital System	-	-	-	-	-	987	16.7	0.54	11.1	0.39
Cervix uteri	-	-	-	-	-	148	2.9	0.25	2.2	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	250	4.1	0.26	2.7	0.19
Ovary	-	-	-	-	-	522	8.6	0.38	5.6	0.27
Male Genital System	920	21.6	0.73	9.7	0.34	-	-	-	-	-
Prostate	889	20.9	0.71	9.2	0.33	-	-	-	-	-
Testis	13	0.3	0.09	0.3	0.08	-	-	-	-	-
Urinary System	683	14.9	0.58	8.2	0.33	390	6.1	0.31	3.4	0.20
Bladder	361	8.1	0.44	4.1	0.23	160	2.4	0.20	1.2	0.11
Kidney & renal pelvis	308	6.5	0.38	4.0	0.24	218	3.5	0.24	2.1	0.16
Brain & Other Nervous System	262	5.4	0.34	4.1	0.28	228	4.1	0.28	3.0	0.23
Endocrine System	35	0.7	0.13	0.5	0.10	45	0.8	0.12	0.5	0.10
Thyroid gland	16	0.3	0.09	0.2	0.06	30	0.5	0.09	0.3	0.05
Lymphomas	451	9.8	0.47	5.7	0.29	436	6.9	0.34	3.9	0.22
Hodgkin Lymphoma	22	0.5	0.10	0.4	0.08	23	0.4	0.09	0.3	0.07
Non-Hodgkin Lymphoma	429	9.3	0.46	5.3	0.27	413	6.5	0.32	3.6	0.21
Multiple Myeloma	233	5.0	0.34	2.8	0.19	161	2.5	0.20	1.4	0.13
Leukemias	472	10.5	0.49	6.0	0.30	372	6.1	0.32	3.7	0.24
Other, Ill-defined & Unknown	1,310	28.2	0.79	16.4	0.48	1,008	16.3	0.52	9.6	0.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	337	279.6	15.81	174.5	10.00	308	180.7	10.48	113.5	7.30
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	87	71.1	7.89	44.2	5.01	76	43.4	5.07	27.3	3.59
Esophagus	9	7.6	2.59	6.1	2.09	6	3.4	1.45	2.0	0.95
Stomach	13	9.2	2.67	6.1	1.78	-	-	-	-	-
Colon & Rectum	39	34.4	5.68	19.5	3.31	41	23.7	3.77	15.2	2.73
Liver	12	9.2	2.72	6.3	1.89	-	-	-	-	-
Pancreas	10	7.3	2.37	4.8	1.57	14	8.1	2.20	5.7	1.64
Respiratory System	113	90.1	8.79	59.1	5.85	74	43.5	5.13	26.7	3.49
Larynx	7	5.2	2.03	3.5	1.40	-	-	-	-	-
Lung & bronchus	106	85.0	8.55	55.5	5.68	73	43.0	5.11	26.5	3.49
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	51	30.8	4.39	21.8	3.30
Female Genital System	-	-	-	-	-	32	19.5	3.52	12.6	2.52
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	15	8.6	2.26	5.0	1.55
Ovary	-	-	-	-	-	9	5.5	1.88	3.8	1.36
Male Genital System	59	59.8	7.95	27.7	3.78	-	-	-	-	-
Prostate	59	59.8	7.95	27.7	3.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	8.4	2.61	6.9	2.13	15	7.5	1.97	3.3	1.01
Bladder	-	-	-	-	-	8	3.9	1.41	1.6	0.63
Kidney & renal pelvis	9	6.7	2.29	5.3	1.83	6	3.1	1.29	1.6	0.77
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	4.3	1.63	3.8	1.47	8	4.1	1.46	2.0	0.89
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	4.3	1.63	3.8	1.47	6	3.0	1.22	1.2	0.57
Multiple Myeloma	-	-	-	-	-	11	7.2	2.19	4.9	1.57
Leukemias	9	5.5	1.91	4.5	1.55	10	5.9	1.89	3.1	1.07
Other, Ill-defined & Unknown	39	31.1	5.19	21.2	3.55	23	14.0	2.97	8.4	1.97

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	8	46.8	17.71	20.6	7.32	15	54.9	14.63	37.0	9.69
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2005-2009, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	28,459	218.8	1.31	122.0	0.77	26,423	152.0	0.95	90.9	0.64
Oral Cavity & Pharynx	478	3.4	0.16	2.3	0.11	277	1.6	0.10	1.0	0.07
Digestive System	7,172	54.0	0.65	31.4	0.39	5,869	32.7	0.44	18.2	0.28
Esophagus	1,219	8.9	0.26	5.6	0.17	326	1.9	0.10	1.1	0.07
Stomach	557	4.3	0.18	2.4	0.11	339	1.9	0.11	1.1	0.07
Colon & Rectum	2,410	18.7	0.39	10.1	0.22	2,427	13.1	0.27	6.9	0.17
Liver	712	5.0	0.19	3.3	0.13	290	1.7	0.10	1.0	0.07
Pancreas	1,718	12.9	0.32	7.6	0.19	1,721	9.8	0.24	5.6	0.15
Respiratory System	8,234	62.4	0.70	36.3	0.42	6,616	39.3	0.49	24.1	0.33
Larynx	252	1.9	0.12	1.1	0.08	62	0.4	0.05	0.2	0.03
Lung & bronchus	7,904	59.9	0.68	34.8	0.41	6,516	38.7	0.49	23.8	0.33
Skin	680	5.1	0.20	3.0	0.12	363	2.1	0.11	1.3	0.08
Melanomas of the skin	523	3.8	0.17	2.4	0.11	289	1.7	0.10	1.1	0.07
Breast	40	0.3	0.05	0.2	0.03	3,721	21.6	0.36	13.8	0.25
Female Genital System	-	-	-	-	-	2,880	16.9	0.32	10.7	0.22
Cervix uteri	-	-	-	-	-	265	1.7	0.11	1.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	820	4.7	0.17	2.9	0.11
Ovary	-	-	-	-	-	1,608	9.5	0.24	6.0	0.17
Male Genital System	3,100	25.9	0.47	11.1	0.21	-	-	-	-	-
Prostate	3,056	25.6	0.47	10.9	0.21	-	-	-	-	-
Testis	25	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,926	15.1	0.35	7.8	0.19	1,012	5.5	0.18	3.0	0.11
Bladder	1,036	8.5	0.27	3.8	0.13	478	2.5	0.12	1.2	0.07
Kidney & renal pelvis	843	6.3	0.22	3.8	0.14	488	2.8	0.13	1.6	0.09
Brain & Other Nervous System	838	6.1	0.21	4.3	0.16	631	3.9	0.16	2.8	0.12
Endocrine System	106	0.8	0.08	0.5	0.05	157	0.9	0.08	0.6	0.06
Thyroid gland	55	0.4	0.06	0.2	0.03	104	0.6	0.06	0.3	0.04
Lymphomas	1,283	10.0	0.28	5.3	0.16	1,099	6.1	0.19	3.2	0.12
Hodgkin Lymphoma	82	0.6	0.07	0.4	0.05	57	0.4	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,201	9.4	0.27	4.9	0.15	1,042	5.7	0.18	3.0	0.11
Multiple Myeloma	608	4.8	0.20	2.5	0.11	514	2.9	0.13	1.6	0.08
Leukemias	1,458	11.4	0.30	6.4	0.18	1,000	5.6	0.18	3.3	0.13
Other, Ill-defined & Unknown	2,536	19.5	0.39	11.0	0.23	2,284	12.8	0.27	7.4	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,846	215.5	1.33	119.4	0.78	25,005	150.4	0.97	89.7	0.66
Oral Cavity & Pharynx	427	3.2	0.16	2.1	0.11	256	1.5	0.10	0.9	0.07
Digestive System	6,694	52.7	0.65	30.4	0.39	5,507	32.0	0.44	17.6	0.28
Esophagus	1,172	9.0	0.27	5.6	0.17	310	1.8	0.11	1.1	0.07
Stomach	490	3.9	0.18	2.2	0.10	298	1.7	0.10	1.0	0.07
Colon & Rectum	2,273	18.4	0.39	9.9	0.22	2,293	12.9	0.28	6.7	0.17
Liver	604	4.5	0.19	2.9	0.12	254	1.5	0.10	0.8	0.06
Pancreas	1,637	12.8	0.32	7.5	0.20	1,625	9.7	0.25	5.5	0.16
Respiratory System	7,680	60.8	0.70	35.0	0.42	6,251	38.9	0.50	23.8	0.34
Larynx	232	1.8	0.12	1.1	0.08	54	0.3	0.05	0.2	0.03
Lung & bronchus	7,373	58.5	0.69	33.6	0.41	6,160	38.3	0.50	23.4	0.33
Skin	671	5.3	0.21	3.2	0.13	356	2.2	0.12	1.4	0.08
Melanomas of the skin	516	4.0	0.18	2.5	0.12	284	1.8	0.11	1.1	0.08
Breast	36	0.3	0.05	0.2	0.03	3,517	21.5	0.37	13.6	0.26
Female Genital System	-	-	-	-	-	2,718	16.7	0.33	10.6	0.23
Cervix uteri	-	-	-	-	-	221	1.5	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	766	4.6	0.17	2.8	0.12
Ovary	-	-	-	-	-	1,553	9.6	0.25	6.1	0.17
Male Genital System	2,950	25.5	0.47	10.9	0.21	-	-	-	-	-
Prostate	2,907	25.2	0.47	10.6	0.21	-	-	-	-	-
Testis	24	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,864	15.2	0.36	7.8	0.19	975	5.5	0.18	3.0	0.11
Bladder	1,018	8.6	0.27	3.8	0.13	461	2.5	0.12	1.2	0.07
Kidney & renal pelvis	800	6.2	0.22	3.8	0.14	472	2.8	0.13	1.7	0.09
Brain & Other Nervous System	809	6.2	0.22	4.3	0.16	606	4.0	0.17	2.8	0.13
Endocrine System	100	0.8	0.08	0.5	0.06	149	0.9	0.08	0.6	0.06
Thyroid gland	53	0.4	0.06	0.2	0.03	98	0.6	0.06	0.3	0.04
Lymphomas	1,240	10.1	0.29	5.4	0.16	1,067	6.2	0.19	3.3	0.12
Hodgkin Lymphoma	75	0.6	0.07	0.4	0.05	55	0.4	0.05	0.2	0.04
Non-Hodgkin Lymphoma	1,165	9.5	0.28	5.0	0.16	1,012	5.8	0.19	3.0	0.11
Multiple Myeloma	573	4.7	0.20	2.4	0.11	483	2.8	0.13	1.6	0.08
Leukemias	1,400	11.4	0.31	6.4	0.19	963	5.7	0.19	3.3	0.14
Other, Ill-defined & Unknown	2,402	19.3	0.40	10.9	0.24	2,157	12.6	0.28	7.2	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	1,306	333.6	10.52	205.1	5.89	1,097	196.5	6.19	123.2	3.84
Oral Cavity & Pharynx	37	8.3	1.54	5.5	0.94	12	2.0	0.61	1.4	0.41
Digestive System	377	90.7	5.32	57.9	3.09	285	53.3	3.28	31.8	1.95
Esophagus	40	9.7	1.69	6.0	0.99	13	2.3	0.66	1.4	0.42
Stomach	52	12.4	1.96	7.7	1.11	30	6.1	1.16	3.0	0.57
Colon & Rectum	109	27.3	2.97	16.9	1.68	114	21.7	2.12	12.3	1.19
Liver	79	15.1	1.78	11.7	1.36	26	4.3	0.88	3.0	0.60
Pancreas	68	18.7	2.67	11.2	1.41	75	14.1	1.68	9.0	1.07
Respiratory System	471	116.1	5.94	76.2	3.63	281	50.3	3.11	32.3	1.98
Larynx	19	4.5	1.21	2.9	0.70	7	1.1	0.44	0.8	0.33
Lung & bronchus	449	110.5	5.77	72.7	3.55	273	49.0	3.07	31.4	1.95
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	168	27.4	2.21	18.7	1.48
Female Genital System	-	-	-	-	-	126	22.2	2.06	14.3	1.31
Cervix uteri	-	-	-	-	-	31	4.5	0.83	3.4	0.62
Corpus & uterus, NOS ¹	-	-	-	-	-	46	8.5	1.29	5.4	0.83
Ovary	-	-	-	-	-	42	7.7	1.23	4.8	0.76
Male Genital System	132	48.7	4.73	21.9	1.98	-	-	-	-	-
Prostate	131	48.5	4.72	21.8	1.98	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	47	10.5	1.67	6.7	1.01	31	6.2	1.15	3.4	0.62
Bladder	15	3.9	1.06	2.3	0.61	15	2.9	0.79	1.6	0.42
Kidney & renal pelvis	31	6.2	1.22	4.3	0.80	12	2.4	0.70	1.3	0.40
Brain & Other Nervous System	22	3.9	0.95	2.8	0.61	16	2.2	0.57	1.7	0.44
Endocrine System	-	-	-	-	-	6	1.1	0.47	0.6	0.26
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	28	5.2	1.06	3.8	0.75	21	3.9	0.90	2.4	0.55
Hodgkin Lymphoma	7	1.0	0.40	0.9	0.37	-	-	-	-	-
Non-Hodgkin Lymphoma	21	4.2	0.99	2.9	0.65	20	3.7	0.87	2.3	0.54
Multiple Myeloma	30	9.4	1.98	5.1	0.96	27	5.3	1.06	3.0	0.60
Leukemias	42	11.2	2.02	6.5	1.04	24	4.3	0.93	2.6	0.54
Other, Ill-defined & Unknown	110	26.9	2.96	17.2	1.70	97	17.8	1.89	10.8	1.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2005-2009, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	123	112.1	11.58	63.3	5.90	134	87.0	7.94	51.7	4.68
Oral Cavity & Pharynx	8	4.9	1.82	4.0	1.46	-	-	-	-	-
Digestive System	53	48.3	7.61	27.7	3.91	43	28.8	4.58	17.1	2.72
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	10	12.3	4.29	5.1	1.66	6	4.3	1.86	2.4	1.02
Colon & Rectum	13	16.4	4.92	7.9	2.19	11	6.6	2.08	3.9	1.22
Liver	15	8.3	2.18	7.2	1.92	8	5.5	2.05	3.3	1.23
Pancreas	6	4.4	1.91	3.2	1.36	9	6.2	2.16	4.0	1.36
Respiratory System	24	23.1	5.29	12.1	2.53	19	12.5	3.04	7.7	1.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	23.1	5.29	12.1	2.53	19	12.5	3.04	7.7	1.86
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	7.0	2.21	4.8	1.50
Female Genital System	-	-	-	-	-	24	14.9	3.26	8.7	1.86
Cervix uteri	-	-	-	-	-	8	4.6	1.76	2.9	1.06
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	7.1	2.26	4.3	1.37
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	9.9	3.97	4.0	1.47	6	3.9	1.66	2.3	0.97
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	8	9.9	3.97	4.0	1.47	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	6	4.2	1.82	2.2	0.94
Other, Ill-defined & Unknown	8	5.8	2.38	4.1	1.52	12	8.0	2.47	4.0	1.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,407	199.5	4.17	111.3	2.37	2,156	148.3	3.23	88.4	2.09
Oral Cavity & Pharynx	41	3.2	0.52	1.9	0.32	21	1.5	0.32	0.8	0.19
Digestive System	623	51.0	2.10	28.9	1.20	478	32.5	1.50	18.2	0.92
Esophagus	94	7.6	0.80	4.5	0.48	24	1.7	0.35	1.0	0.21
Stomach	39	3.1	0.50	1.9	0.32	31	2.1	0.38	1.1	0.22
Colon & Rectum	226	18.9	1.29	10.5	0.73	208	14.2	0.99	7.9	0.61
Liver	65	5.2	0.67	3.0	0.39	29	2.0	0.38	1.1	0.22
Pancreas	162	13.2	1.06	7.2	0.59	144	9.7	0.82	5.4	0.50
Respiratory System	661	54.1	2.15	31.3	1.27	562	39.2	1.67	23.3	1.07
Larynx	14	1.1	0.30	0.7	0.19	6	0.4	0.17	0.3	0.12
Lung & bronchus	645	52.8	2.13	30.5	1.25	552	38.5	1.65	22.8	1.05
Skin	68	5.7	0.70	3.3	0.43	37	2.5	0.42	1.6	0.28
Melanomas of the skin	59	4.9	0.66	2.9	0.40	29	2.0	0.37	1.3	0.25
Breast	-	-	-	-	-	312	21.4	1.23	13.6	0.83
Female Genital System	-	-	-	-	-	210	14.7	1.03	9.3	0.70
Cervix uteri	-	-	-	-	-	33	2.5	0.45	1.9	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	45	3.2	0.48	1.9	0.31
Ovary	-	-	-	-	-	118	8.0	0.75	5.1	0.50
Male Genital System	236	21.8	1.44	9.3	0.64	-	-	-	-	-
Prostate	225	20.9	1.42	8.6	0.60	-	-	-	-	-
Testis	6	0.5	0.21	0.4	0.18	-	-	-	-	-
Urinary System	163	13.5	1.09	7.3	0.60	58	3.9	0.52	2.3	0.34
Bladder	82	7.1	0.81	3.6	0.42	32	2.2	0.39	1.3	0.25
Kidney & renal pelvis	76	5.9	0.70	3.5	0.42	25	1.7	0.34	1.0	0.23
Brain & Other Nervous System	66	4.9	0.62	3.4	0.44	55	3.9	0.53	3.0	0.45
Endocrine System	9	0.7	0.24	0.4	0.16	15	1.0	0.27	0.7	0.19
Thyroid gland	-	-	-	-	-	13	0.9	0.25	0.6	0.18
Lymphomas	96	8.5	0.89	4.2	0.45	95	6.3	0.65	3.5	0.40
Hodgkin Lymphoma	-	-	-	-	-	6	0.4	0.15	0.2	0.10
Non-Hodgkin Lymphoma	92	8.1	0.86	4.0	0.44	89	5.9	0.64	3.3	0.39
Multiple Myeloma	63	5.0	0.65	2.9	0.39	28	2.0	0.38	1.1	0.23
Leukemias	123	10.3	0.96	5.5	0.53	89	6.0	0.65	3.3	0.40
Other, Ill-defined & Unknown	256	20.6	1.32	12.6	0.82	196	13.5	0.98	7.6	0.61

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,361	200.6	4.23	111.7	2.40	2,115	149.5	3.29	89.2	2.14
Oral Cavity & Pharynx	41	3.3	0.53	2.0	0.33	21	1.5	0.33	0.8	0.20
Digestive System	605	51.0	2.13	28.6	1.21	466	32.4	1.52	18.2	0.93
Esophagus	92	7.6	0.81	4.5	0.49	23	1.7	0.35	1.0	0.21
Stomach	38	3.1	0.51	1.9	0.33	29	2.0	0.38	1.0	0.20
Colon & Rectum	221	19.1	1.31	10.5	0.73	202	14.1	1.01	7.9	0.62
Liver	62	5.2	0.68	2.9	0.38	28	2.0	0.38	1.1	0.22
Pancreas	156	13.1	1.08	7.1	0.59	143	9.9	0.84	5.5	0.51
Respiratory System	650	54.4	2.18	31.5	1.28	547	39.1	1.69	23.3	1.09
Larynx	14	1.1	0.31	0.7	0.19	6	0.4	0.18	0.3	0.13
Lung & bronchus	634	53.1	2.16	30.7	1.27	537	38.4	1.67	22.8	1.07
Skin	68	5.8	0.72	3.4	0.45	37	2.6	0.43	1.6	0.29
Melanomas of the skin	59	5.1	0.67	3.0	0.42	29	2.0	0.38	1.3	0.26
Breast	-	-	-	-	-	306	21.6	1.25	13.8	0.85
Female Genital System	-	-	-	-	-	208	15.0	1.06	9.5	0.72
Cervix uteri	-	-	-	-	-	32	2.6	0.46	1.9	0.35
Corpus & uterus, NOS ¹	-	-	-	-	-	44	3.2	0.49	1.9	0.32
Ovary	-	-	-	-	-	118	8.2	0.77	5.2	0.52
Male Genital System	230	21.7	1.46	9.3	0.65	-	-	-	-	-
Prostate	219	20.8	1.43	8.6	0.61	-	-	-	-	-
Testis	6	0.5	0.22	0.4	0.19	-	-	-	-	-
Urinary System	158	13.5	1.10	7.2	0.60	57	4.0	0.53	2.4	0.34
Bladder	81	7.2	0.82	3.6	0.42	32	2.3	0.40	1.3	0.26
Kidney & renal pelvis	72	5.8	0.70	3.4	0.41	25	1.7	0.35	1.1	0.23
Brain & Other Nervous System	65	5.0	0.64	3.5	0.45	54	4.0	0.55	3.1	0.48
Endocrine System	7	0.5	0.21	0.3	0.12	15	1.1	0.28	0.7	0.20
Thyroid gland	-	-	-	-	-	13	0.9	0.26	0.6	0.18
Lymphomas	96	8.7	0.91	4.3	0.46	94	6.4	0.67	3.6	0.41
Hodgkin Lymphoma	-	-	-	-	-	6	0.4	0.16	0.2	0.10
Non-Hodgkin Lymphoma	92	8.3	0.88	4.1	0.45	88	6.0	0.65	3.3	0.40
Multiple Myeloma	63	5.1	0.66	3.0	0.40	28	2.0	0.39	1.1	0.24
Leukemias	123	10.6	0.98	5.7	0.54	88	6.1	0.66	3.4	0.41
Other, Ill-defined & Unknown	253	20.8	1.35	12.8	0.84	194	13.7	1.00	7.7	0.62

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2005-2009, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	11	180.9	57.00	93.5	29.44	9	124.6	41.92	67.5	23.50
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	-	-	-	-	-	10	93.0	29.97	59.2	19.36
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Puerto Rico, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	13,780	159.7	1.38	89.5	0.80	10,643	94.3	0.92	57.2	0.60
Oral Cavity & Pharynx	544	6.0	0.26	3.9	0.18	119	1.0	0.10	0.5	0.06
Digestive System	4,458	50.8	0.77	29.8	0.47	3,248	28.5	0.50	15.7	0.30
Esophagus	503	5.6	0.25	3.5	0.16	133	1.2	0.10	0.6	0.06
Stomach	745	8.8	0.33	4.6	0.18	473	4.2	0.19	2.3	0.11
Colon & Rectum	1,746	19.9	0.48	11.6	0.29	1,433	12.6	0.33	7.0	0.20
Liver	758	8.4	0.31	5.4	0.20	458	4.0	0.19	2.2	0.11
Pancreas	515	5.8	0.26	3.5	0.16	536	4.7	0.20	2.6	0.12
Respiratory System	2,126	24.1	0.53	14.4	0.33	1,107	9.7	0.29	5.7	0.18
Larynx	270	3.1	0.19	1.9	0.12	29	0.3	0.05	0.2	0.03
Lung & bronchus	1,828	20.7	0.49	12.3	0.30	1,070	9.4	0.29	5.5	0.18
Skin	177	2.1	0.16	1.1	0.09	107	0.9	0.09	0.4	0.05
Melanomas of the skin	56	0.6	0.08	0.4	0.06	40	0.4	0.06	0.2	0.04
Breast	26	0.3	0.06	0.2	0.04	1,996	17.9	0.40	12.1	0.29
Female Genital System	-	-	-	-	-	1,268	11.3	0.32	7.4	0.22
Cervix uteri	-	-	-	-	-	230	2.2	0.14	1.5	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	466	4.1	0.19	2.6	0.13
Ovary	-	-	-	-	-	463	4.1	0.19	2.7	0.13
Male Genital System	2,668	33.3	0.65	14.0	0.29	-	-	-	-	-
Prostate	2,579	32.3	0.64	13.3	0.28	-	-	-	-	-
Testis	28	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	574	6.7	0.28	3.7	0.16	315	2.8	0.16	1.5	0.09
Bladder	320	3.9	0.22	1.8	0.11	176	1.5	0.12	0.7	0.06
Kidney & renal pelvis	241	2.7	0.17	1.7	0.12	133	1.2	0.10	0.7	0.07
Brain & Other Nervous System	188	2.1	0.15	1.5	0.11	168	1.5	0.12	1.1	0.09
Endocrine System	34	0.4	0.06	0.3	0.05	50	0.5	0.07	0.3	0.05
Thyroid gland	20	0.2	0.05	0.1	0.03	36	0.3	0.05	0.2	0.03
Lymphomas	513	5.7	0.26	3.7	0.17	410	3.7	0.18	2.3	0.12
Hodgkin Lymphoma	50	0.5	0.08	0.4	0.06	33	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	463	5.2	0.25	3.3	0.16	377	3.4	0.18	2.1	0.12
Multiple Myeloma	275	3.1	0.19	1.9	0.12	260	2.3	0.14	1.3	0.09
Leukemias	495	5.7	0.26	3.5	0.17	369	3.3	0.17	2.1	0.13
Other, Ill-defined & Unknown	1,702	19.4	0.48	11.6	0.30	1,226	10.9	0.31	6.8	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified



Section III

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 1996 Canadian and
World Population Standards



Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	27,441	241.0	1.47	153.4	0.96	22,867	148.0	1.00	98.0	0.72
Oral Cavity & Pharynx	521	4.4	0.20	3.1	0.14	214	1.3	0.09	0.9	0.07
Digestive System	6,343	55.0	0.70	36.0	0.47	4,935	30.8	0.45	19.4	0.31
Esophagus	843	7.1	0.25	5.0	0.18	168	1.1	0.08	0.7	0.06
Stomach	542	4.8	0.21	3.0	0.14	393	2.5	0.13	1.5	0.09
Colon & Rectum	2,418	21.2	0.44	13.5	0.29	2,225	14.0	0.30	8.8	0.21
Liver	838	7.0	0.24	4.9	0.17	361	2.3	0.12	1.5	0.09
Pancreas	1,430	12.5	0.33	8.0	0.22	1,409	8.7	0.24	5.4	0.16
Respiratory System	10,097	87.6	0.88	57.2	0.59	6,061	39.9	0.52	26.8	0.37
Larynx	307	2.6	0.15	1.8	0.11	76	0.5	0.06	0.4	0.04
Lung & bronchus	9,734	84.6	0.86	55.0	0.58	5,956	39.2	0.52	26.3	0.37
Skin	686	6.0	0.23	4.0	0.16	323	2.1	0.12	1.4	0.09
Melanomas of the skin	513	4.5	0.20	3.0	0.14	267	1.8	0.11	1.3	0.08
Breast	24	0.2	0.04	0.1	0.03	3,424	22.7	0.40	15.9	0.30
Female Genital System	-	-	-	-	-	2,401	15.8	0.33	10.8	0.24
Cervix uteri	-	-	-	-	-	405	3.0	0.15	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	496	3.2	0.15	2.1	0.10
Ovary	-	-	-	-	-	1,354	8.8	0.24	5.9	0.18
Male Genital System	2,715	25.4	0.49	13.1	0.26	-	-	-	-	-
Prostate	2,652	24.9	0.49	12.7	0.26	-	-	-	-	-
Testis	33	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,287	11.4	0.32	7.0	0.20	722	4.4	0.17	2.7	0.12
Bladder	661	6.0	0.24	3.3	0.14	297	1.7	0.10	1.0	0.07
Kidney & renal pelvis	598	5.2	0.21	3.5	0.15	409	2.6	0.13	1.7	0.09
Brain & Other Nervous System	626	5.4	0.22	3.9	0.16	522	3.6	0.16	2.6	0.13
Endocrine System	83	0.7	0.08	0.5	0.06	88	0.6	0.06	0.4	0.05
Thyroid gland	53	0.5	0.06	0.3	0.04	58	0.3	0.05	0.2	0.03
Lymphomas	907	8.2	0.27	5.1	0.18	821	5.3	0.19	3.2	0.13
Hodgkin Lymphoma	54	0.5	0.07	0.4	0.05	43	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	853	7.7	0.26	4.7	0.17	778	4.9	0.18	3.0	0.12
Multiple Myeloma	527	4.6	0.20	2.8	0.13	486	3.0	0.14	1.8	0.09
Leukemias	1,041	9.4	0.29	5.8	0.19	822	5.2	0.19	3.4	0.14
Other, Ill-defined & Unknown	2,584	22.6	0.45	14.6	0.30	2,048	13.2	0.30	8.7	0.22

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,230	193.0	4.46	117.6	2.56	1,893	149.0	3.57	93.3	2.22
Oral Cavity & Pharynx	33	2.7	0.50	1.8	0.32	14	1.2	0.32	0.7	0.20
Digestive System	638	52.0	2.25	33.1	1.34	408	32.5	1.67	19.5	1.00
Esophagus	93	6.8	0.77	4.8	0.51	23	1.6	0.36	1.0	0.21
Stomach	62	4.8	0.67	3.2	0.42	44	3.3	0.51	2.1	0.32
Colon & Rectum	208	18.5	1.39	11.1	0.79	157	12.7	1.05	7.2	0.60
Liver	86	6.2	0.75	4.3	0.47	24	1.7	0.37	1.1	0.24
Pancreas	140	11.5	1.06	7.1	0.62	112	9.3	0.91	5.7	0.55
Respiratory System	695	60.5	2.49	37.1	1.45	528	43.3	1.95	26.9	1.21
Larynx	17	1.6	0.41	0.9	0.22	-	-	-	-	-
Lung & bronchus	675	58.6	2.45	36.1	1.43	524	43.0	1.95	26.8	1.21
Skin	56	4.0	0.59	2.8	0.38	26	1.9	0.39	1.3	0.26
Melanomas of the skin	36	2.5	0.45	1.8	0.30	23	1.7	0.36	1.2	0.25
Breast	-	-	-	-	-	309	22.5	1.34	15.4	0.90
Female Genital System	-	-	-	-	-	150	11.0	0.94	7.4	0.63
Cervix uteri	-	-	-	-	-	29	2.0	0.38	1.5	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	21	1.6	0.37	1.0	0.23
Ovary	-	-	-	-	-	89	6.7	0.74	4.4	0.48
Male Genital System	171	19.5	1.55	9.4	0.74	-	-	-	-	-
Prostate	167	19.1	1.54	9.2	0.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	118	11.0	1.09	6.5	0.62	51	4.1	0.60	2.3	0.33
Bladder	53	5.3	0.77	2.9	0.41	17	1.3	0.34	0.7	0.18
Kidney & renal pelvis	63	5.5	0.74	3.5	0.45	33	2.7	0.49	1.5	0.27
Brain & Other Nervous System	65	4.7	0.64	3.2	0.41	46	3.4	0.52	2.3	0.35
Endocrine System	10	0.9	0.32	0.5	0.17	12	0.8	0.25	0.6	0.18
Thyroid gland	8	0.8	0.31	0.4	0.15	7	0.5	0.19	0.3	0.13
Lymphomas	84	7.3	0.88	4.2	0.47	63	5.4	0.70	3.1	0.41
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	80	7.0	0.87	4.0	0.46	62	5.3	0.69	3.1	0.41
Multiple Myeloma	35	3.1	0.57	1.8	0.31	28	2.3	0.45	1.4	0.27
Leukemias	90	7.9	0.92	4.7	0.51	72	5.9	0.72	3.6	0.45
Other, Ill-defined & Unknown	234	19.3	1.39	12.4	0.84	186	14.8	1.12	8.7	0.66

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,962	169.2	1.04	106.4	0.69	23,261	121.8	0.82	79.1	0.58
Oral Cavity & Pharynx	465	2.9	0.14	2.1	0.10	210	1.1	0.08	0.7	0.05
Digestive System	7,075	44.4	0.53	28.9	0.36	5,117	26.0	0.37	16.2	0.25
Esophagus	1,050	6.6	0.21	4.5	0.15	236	1.2	0.08	0.8	0.06
Stomach	560	3.5	0.15	2.2	0.10	402	2.1	0.11	1.3	0.08
Colon & Rectum	2,477	15.6	0.31	9.7	0.21	2,134	10.6	0.24	6.5	0.16
Liver	953	5.9	0.19	4.2	0.14	445	2.3	0.11	1.5	0.08
Pancreas	1,639	10.3	0.26	6.7	0.18	1,448	7.4	0.20	4.6	0.13
Respiratory System	7,756	49.0	0.56	31.0	0.37	6,017	31.9	0.42	20.2	0.28
Larynx	226	1.4	0.09	0.9	0.07	65	0.3	0.04	0.2	0.03
Lung & bronchus	7,483	47.3	0.55	29.9	0.37	5,916	31.4	0.41	19.8	0.28
Skin	898	5.7	0.19	3.7	0.13	349	1.8	0.10	1.2	0.07
Melanomas of the skin	662	4.2	0.16	2.8	0.11	276	1.5	0.09	1.0	0.07
Breast	37	0.2	0.04	0.1	0.02	3,615	19.4	0.33	13.4	0.24
Female Genital System	-	-	-	-	-	2,370	12.8	0.27	8.8	0.20
Cervix uteri	-	-	-	-	-	311	1.9	0.11	1.5	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	534	2.8	0.12	1.9	0.09
Ovary	-	-	-	-	-	1,403	7.4	0.20	5.0	0.14
Male Genital System	2,863	17.7	0.33	9.2	0.19	-	-	-	-	-
Prostate	2,789	17.2	0.33	8.9	0.18	-	-	-	-	-
Testis	43	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,772	11.0	0.26	6.6	0.17	787	3.9	0.14	2.3	0.09
Bladder	968	6.0	0.19	3.3	0.11	319	1.5	0.09	0.8	0.05
Kidney & renal pelvis	776	4.8	0.17	3.2	0.12	443	2.3	0.11	1.4	0.07
Brain & Other Nervous System	743	4.7	0.17	3.5	0.14	593	3.3	0.14	2.5	0.11
Endocrine System	115	0.7	0.07	0.5	0.05	140	0.7	0.06	0.5	0.05
Thyroid gland	78	0.5	0.06	0.3	0.04	103	0.5	0.05	0.3	0.04
Lymphomas	1,155	7.3	0.22	4.5	0.14	913	4.6	0.16	2.7	0.10
Hodgkin Lymphoma	63	0.4	0.05	0.3	0.04	39	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,092	6.9	0.21	4.2	0.14	874	4.4	0.15	2.6	0.10
Multiple Myeloma	544	3.4	0.15	2.1	0.09	431	2.2	0.11	1.4	0.07
Leukemias	1,173	7.4	0.22	4.7	0.15	844	4.3	0.15	2.9	0.12
Other, Ill-defined & Unknown	2,366	14.8	0.31	9.7	0.21	1,875	9.7	0.23	6.3	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,502	236.4	1.80	150.5	1.19	14,463	152.0	1.30	101.3	0.94
Oral Cavity & Pharynx	324	4.3	0.24	3.0	0.18	133	1.4	0.12	0.9	0.09
Digestive System	4,062	54.5	0.86	36.1	0.59	3,137	31.9	0.59	20.3	0.41
Esophagus	499	6.6	0.30	4.7	0.22	128	1.4	0.13	1.0	0.09
Stomach	308	4.2	0.24	2.7	0.16	224	2.3	0.16	1.5	0.11
Colon & Rectum	1,548	21.0	0.54	13.4	0.36	1,397	14.0	0.39	8.8	0.27
Liver	542	7.1	0.31	5.0	0.22	291	3.0	0.18	1.9	0.13
Pancreas	957	12.9	0.42	8.5	0.29	859	8.7	0.31	5.4	0.21
Respiratory System	6,680	89.9	1.11	58.3	0.74	4,199	44.9	0.71	30.3	0.51
Larynx	160	2.1	0.17	1.4	0.12	36	0.4	0.07	0.3	0.05
Lung & bronchus	6,498	87.5	1.09	56.7	0.73	4,146	44.4	0.70	30.0	0.51
Skin	365	5.0	0.26	3.3	0.18	190	2.0	0.15	1.3	0.11
Melanomas of the skin	268	3.7	0.23	2.5	0.16	141	1.6	0.14	1.1	0.10
Breast	16	0.2	0.05	0.2	0.04	2,074	22.5	0.51	15.8	0.38
Female Genital System	-	-	-	-	-	1,362	14.8	0.41	10.0	0.30
Cervix uteri	-	-	-	-	-	264	3.3	0.21	2.4	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	257	2.6	0.17	1.6	0.11
Ovary	-	-	-	-	-	748	8.0	0.30	5.4	0.22
Male Genital System	1,626	22.4	0.56	11.4	0.30	-	-	-	-	-
Prostate	1,593	21.9	0.55	11.0	0.29	-	-	-	-	-
Testis	21	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	929	12.5	0.41	7.6	0.26	488	4.7	0.22	2.9	0.15
Bladder	455	6.2	0.29	3.4	0.17	220	2.0	0.14	1.1	0.09
Kidney & renal pelvis	447	5.9	0.28	3.9	0.19	251	2.6	0.17	1.7	0.12
Brain & Other Nervous System	417	5.7	0.28	4.2	0.21	358	4.0	0.22	2.9	0.18
Endocrine System	63	0.8	0.11	0.6	0.08	77	0.8	0.10	0.6	0.09
Thyroid gland	28	0.4	0.07	0.2	0.05	45	0.5	0.07	0.3	0.05
Lymphomas	631	8.5	0.34	5.3	0.22	516	5.2	0.24	3.2	0.16
Hodgkin Lymphoma	34	0.5	0.08	0.3	0.06	32	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	597	8.1	0.33	4.9	0.21	484	4.8	0.23	2.9	0.15
Multiple Myeloma	306	4.1	0.24	2.6	0.15	244	2.5	0.16	1.5	0.11
Leukemias	698	9.5	0.36	5.9	0.24	541	5.5	0.25	3.7	0.19
Other, Ill-defined & Unknown	1,385	18.8	0.51	12.2	0.34	1,144	11.8	0.36	7.8	0.26

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	140,139	179.0	0.48	109.2	0.31	134,417	132.2	0.37	85.0	0.26
Oral Cavity & Pharynx	2,903	3.6	0.07	2.4	0.05	1,439	1.4	0.04	0.9	0.03
Digestive System	39,830	50.1	0.25	31.8	0.17	32,482	31.2	0.18	19.2	0.12
Esophagus	4,602	5.8	0.09	3.7	0.06	1,427	1.4	0.04	0.8	0.02
Stomach	4,382	5.5	0.08	3.4	0.05	3,217	3.1	0.06	2.0	0.04
Colon & Rectum	13,064	16.6	0.15	10.1	0.09	12,571	11.8	0.11	7.1	0.07
Liver	6,458	7.8	0.10	5.5	0.07	2,755	2.7	0.05	1.7	0.04
Pancreas	8,648	11.0	0.12	6.9	0.08	8,944	8.7	0.09	5.3	0.06
Respiratory System	36,555	47.6	0.25	28.8	0.16	31,351	31.4	0.18	19.5	0.12
Larynx	1,216	1.6	0.05	1.0	0.03	307	0.3	0.02	0.2	0.01
Lung & bronchus	35,043	45.7	0.25	27.6	0.16	30,852	30.9	0.18	19.1	0.12
Skin	4,001	5.0	0.08	3.1	0.05	1,925	1.9	0.04	1.2	0.03
Melanomas of the skin	2,926	3.6	0.07	2.3	0.05	1,500	1.5	0.04	1.0	0.03
Breast	147	0.2	0.02	0.1	0.01	21,185	21.1	0.15	14.6	0.11
Female Genital System	-	-	-	-	-	14,571	14.7	0.12	10.0	0.09
Cervix uteri	-	-	-	-	-	2,177	2.3	0.05	1.7	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	3,868	3.9	0.06	2.6	0.05
Ovary	-	-	-	-	-	7,764	7.8	0.09	5.2	0.06
Male Genital System	15,630	20.6	0.17	10.4	0.09	-	-	-	-	-
Prostate	15,173	20.0	0.16	10.0	0.09	-	-	-	-	-
Testis	304	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	8,860	11.4	0.12	6.6	0.07	4,362	4.1	0.06	2.4	0.04
Bladder	4,738	6.2	0.09	3.3	0.05	2,024	1.8	0.04	1.0	0.03
Kidney & renal pelvis	3,912	4.9	0.08	3.2	0.05	2,177	2.1	0.05	1.3	0.03
Brain & Other Nervous System	4,225	5.1	0.08	3.7	0.06	3,232	3.3	0.06	2.5	0.05
Endocrine System	681	0.8	0.03	0.6	0.02	854	0.9	0.03	0.6	0.02
Thyroid gland	402	0.5	0.03	0.3	0.02	603	0.6	0.02	0.4	0.02
Lymphomas	6,204	7.9	0.10	4.8	0.06	5,091	4.9	0.07	2.9	0.05
Hodgkin Lymphoma	397	0.5	0.02	0.3	0.02	314	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,807	7.4	0.10	4.5	0.06	4,777	4.5	0.07	2.7	0.04
Multiple Myeloma	2,918	3.8	0.07	2.3	0.04	2,407	2.4	0.05	1.4	0.03
Leukemias	6,382	8.1	0.10	5.1	0.07	4,965	4.8	0.07	3.2	0.05
Other, Ill-defined & Unknown	11,803	14.9	0.14	9.3	0.09	10,553	10.2	0.10	6.5	0.07

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,578	165.5	1.05	100.1	0.66	25,338	125.8	0.82	80.0	0.57
Oral Cavity & Pharynx	518	3.2	0.14	2.2	0.10	276	1.4	0.08	0.9	0.06
Digestive System	7,633	48.6	0.57	30.5	0.37	6,400	30.8	0.40	18.7	0.27
Esophagus	822	5.2	0.19	3.3	0.12	287	1.4	0.09	0.8	0.05
Stomach	872	5.6	0.19	3.4	0.12	636	3.1	0.13	2.0	0.09
Colon & Rectum	2,435	15.7	0.32	9.4	0.20	2,440	11.3	0.24	6.7	0.16
Liver	1,307	7.9	0.22	5.6	0.16	522	2.6	0.12	1.6	0.08
Pancreas	1,676	10.7	0.27	6.7	0.17	1,756	8.6	0.21	5.2	0.14
Respiratory System	6,328	41.7	0.53	25.1	0.33	5,774	29.4	0.40	18.1	0.27
Larynx	202	1.3	0.09	0.8	0.06	60	0.3	0.04	0.2	0.03
Lung & bronchus	6,078	40.1	0.52	24.1	0.33	5,687	28.9	0.40	17.8	0.26
Skin	683	4.3	0.17	2.7	0.11	374	1.8	0.10	1.2	0.07
Melanomas of the skin	534	3.3	0.15	2.1	0.10	291	1.5	0.09	1.0	0.07
Breast	28	0.2	0.03	0.1	0.02	3,929	19.9	0.33	13.7	0.24
Female Genital System	-	-	-	-	-	2,609	13.3	0.27	9.0	0.19
Cervix uteri	-	-	-	-	-	262	1.4	0.09	1.1	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	741	3.7	0.14	2.4	0.10
Ovary	-	-	-	-	-	1,453	7.4	0.20	5.1	0.15
Male Genital System	2,666	17.6	0.34	9.0	0.19	-	-	-	-	-
Prostate	2,611	17.3	0.34	8.7	0.18	-	-	-	-	-
Testis	36	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,521	9.9	0.26	5.7	0.15	766	3.6	0.14	2.1	0.09
Bladder	814	5.3	0.19	2.8	0.10	364	1.6	0.09	0.8	0.05
Kidney & renal pelvis	662	4.2	0.17	2.7	0.11	366	1.8	0.10	1.2	0.07
Brain & Other Nervous System	774	4.8	0.18	3.5	0.13	544	2.9	0.13	2.2	0.10
Endocrine System	137	0.9	0.08	0.6	0.06	184	1.0	0.07	0.7	0.06
Thyroid gland	78	0.5	0.06	0.3	0.04	139	0.7	0.06	0.4	0.04
Lymphomas	1,250	8.1	0.23	4.8	0.14	994	4.8	0.16	2.9	0.10
Hodgkin Lymphoma	69	0.4	0.05	0.3	0.04	60	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,181	7.6	0.22	4.5	0.14	934	4.5	0.15	2.6	0.10
Multiple Myeloma	546	3.6	0.15	2.1	0.10	467	2.3	0.11	1.3	0.07
Leukemias	1,161	7.6	0.22	4.6	0.15	884	4.4	0.15	2.8	0.11
Other, Ill-defined & Unknown	2,333	15.1	0.32	9.2	0.20	2,137	10.3	0.23	6.5	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	34,241	174.6	0.96	107.0	0.61	34,223	129.5	0.72	83.7	0.50
Oral Cavity & Pharynx	701	3.4	0.13	2.3	0.09	357	1.3	0.07	0.9	0.05
Digestive System	10,480	52.7	0.52	33.4	0.34	8,942	33.1	0.36	20.4	0.24
Esophagus	984	5.0	0.16	3.2	0.11	318	1.2	0.07	0.7	0.04
Stomach	1,345	6.7	0.19	4.2	0.12	1,144	4.3	0.13	2.8	0.09
Colon & Rectum	3,471	17.6	0.30	10.8	0.19	3,331	12.1	0.22	7.4	0.14
Liver	1,790	8.7	0.21	6.0	0.15	860	3.3	0.12	2.0	0.08
Pancreas	2,161	11.0	0.24	6.9	0.16	2,300	8.5	0.18	5.1	0.12
Respiratory System	8,539	44.6	0.49	26.9	0.31	6,892	26.4	0.33	16.2	0.22
Larynx	344	1.8	0.10	1.1	0.06	70	0.3	0.03	0.2	0.02
Lung & bronchus	8,128	42.5	0.48	25.6	0.30	6,772	26.0	0.32	15.9	0.21
Skin	783	3.9	0.14	2.4	0.09	386	1.4	0.07	0.9	0.05
Melanomas of the skin	553	2.7	0.12	1.8	0.08	288	1.1	0.06	0.7	0.04
Breast	41	0.2	0.03	0.2	0.02	5,622	21.6	0.29	15.1	0.22
Female Genital System	-	-	-	-	-	4,155	16.2	0.26	11.2	0.19
Cervix uteri	-	-	-	-	-	739	2.9	0.11	2.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,135	4.5	0.14	3.1	0.10
Ovary	-	-	-	-	-	2,112	8.2	0.18	5.5	0.13
Male Genital System	3,937	20.9	0.33	10.7	0.18	-	-	-	-	-
Prostate	3,804	20.3	0.33	10.3	0.18	-	-	-	-	-
Testis	86	0.4	0.04	0.3	0.03	-	-	-	-	-
Urinary System	2,055	10.6	0.24	6.2	0.14	1,118	4.1	0.13	2.4	0.08
Bladder	1,091	5.7	0.17	3.1	0.10	529	1.9	0.08	1.1	0.05
Kidney & renal pelvis	922	4.7	0.16	3.0	0.10	549	2.0	0.09	1.3	0.06
Brain & Other Nervous System	1,014	4.8	0.15	3.5	0.11	842	3.3	0.11	2.4	0.09
Endocrine System	192	0.9	0.07	0.6	0.05	255	1.0	0.06	0.7	0.05
Thyroid gland	114	0.6	0.05	0.4	0.04	172	0.6	0.05	0.4	0.03
Lymphomas	1,506	7.5	0.20	4.7	0.13	1,292	4.8	0.14	2.9	0.09
Hodgkin Lymphoma	102	0.5	0.05	0.3	0.04	80	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,404	7.1	0.19	4.3	0.12	1,212	4.5	0.13	2.7	0.09
Multiple Myeloma	710	3.7	0.14	2.2	0.09	638	2.4	0.10	1.5	0.07
Leukemias	1,602	8.0	0.20	5.2	0.14	1,260	4.7	0.14	3.2	0.10
Other, Ill-defined & Unknown	2,681	13.4	0.26	8.6	0.17	2,464	9.2	0.19	6.0	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,025	169.0	1.32	101.3	0.80	16,206	124.8	1.00	78.9	0.67
Oral Cavity & Pharynx	279	2.6	0.16	1.7	0.11	173	1.3	0.10	0.8	0.07
Digestive System	4,624	44.4	0.67	28.1	0.42	3,655	27.7	0.47	16.6	0.30
Esophagus	726	6.9	0.26	4.5	0.17	165	1.3	0.10	0.8	0.07
Stomach	378	3.7	0.20	2.3	0.12	247	1.9	0.12	1.1	0.08
Colon & Rectum	1,610	15.9	0.40	9.6	0.25	1,580	11.8	0.30	7.0	0.19
Liver	571	5.1	0.22	3.5	0.15	186	1.4	0.11	0.9	0.07
Pancreas	1,051	10.1	0.32	6.5	0.20	1,062	8.2	0.26	4.9	0.16
Respiratory System	4,288	43.0	0.67	25.6	0.40	3,823	30.5	0.50	18.9	0.33
Larynx	110	1.1	0.10	0.7	0.07	45	0.4	0.05	0.2	0.04
Lung & bronchus	4,147	41.7	0.66	24.7	0.40	3,764	30.0	0.50	18.6	0.33
Skin	623	5.9	0.24	3.8	0.16	295	2.3	0.13	1.5	0.09
Melanomas of the skin	498	4.7	0.22	3.1	0.14	252	2.0	0.13	1.3	0.09
Breast	25	0.3	0.05	0.1	0.03	2,465	18.8	0.39	12.8	0.28
Female Genital System	-	-	-	-	-	1,764	13.6	0.33	9.0	0.23
Cervix uteri	-	-	-	-	-	218	1.7	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	413	3.1	0.16	2.0	0.10
Ovary	-	-	-	-	-	1,051	8.2	0.26	5.4	0.18
Male Genital System	1,920	20.9	0.48	10.4	0.25	-	-	-	-	-
Prostate	1,876	20.5	0.48	10.1	0.24	-	-	-	-	-
Testis	32	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,129	11.4	0.35	6.6	0.20	527	4.0	0.18	2.4	0.12
Bladder	577	6.1	0.26	3.2	0.14	212	1.6	0.11	0.9	0.07
Kidney & renal pelvis	539	5.2	0.23	3.3	0.15	298	2.3	0.13	1.4	0.09
Brain & Other Nervous System	586	5.2	0.22	3.8	0.16	430	3.4	0.16	2.5	0.13
Endocrine System	99	0.9	0.09	0.7	0.07	108	0.8	0.08	0.6	0.06
Thyroid gland	68	0.7	0.08	0.4	0.05	67	0.5	0.06	0.3	0.04
Lymphomas	781	7.8	0.28	4.6	0.17	557	4.2	0.18	2.4	0.11
Hodgkin Lymphoma	50	0.5	0.07	0.3	0.05	31	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	731	7.3	0.27	4.3	0.16	526	4.0	0.18	2.3	0.11
Multiple Myeloma	385	3.9	0.20	2.3	0.12	310	2.4	0.14	1.4	0.09
Leukemias	804	8.1	0.29	4.8	0.18	631	4.8	0.19	3.0	0.13
Other, Ill-defined & Unknown	1,482	14.6	0.39	8.8	0.24	1,468	11.2	0.30	6.9	0.20

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,211	193.6	1.49	115.9	0.94	17,361	139.0	1.11	87.8	0.77
Oral Cavity & Pharynx	261	2.9	0.18	1.9	0.13	139	1.1	0.10	0.7	0.07
Digestive System	4,667	52.1	0.77	32.3	0.50	3,929	29.9	0.50	17.8	0.33
Esophagus	692	7.7	0.30	5.0	0.20	200	1.6	0.12	1.0	0.08
Stomach	509	5.7	0.26	3.6	0.17	333	2.5	0.15	1.5	0.10
Colon & Rectum	1,403	15.7	0.42	9.3	0.26	1,605	11.7	0.31	6.8	0.20
Liver	521	5.6	0.25	3.8	0.18	176	1.4	0.11	0.8	0.07
Pancreas	1,209	13.6	0.40	8.4	0.25	1,198	9.4	0.28	5.6	0.19
Respiratory System	4,769	54.0	0.79	32.9	0.50	4,461	36.9	0.57	23.3	0.39
Larynx	164	1.8	0.14	1.2	0.10	46	0.4	0.06	0.2	0.04
Lung & bronchus	4,582	51.9	0.78	31.6	0.49	4,398	36.4	0.57	23.0	0.39
Skin	456	5.1	0.24	3.1	0.15	228	1.9	0.13	1.2	0.09
Melanomas of the skin	332	3.7	0.21	2.3	0.13	191	1.6	0.12	1.1	0.09
Breast	27	0.3	0.06	0.2	0.04	2,571	21.2	0.44	14.3	0.32
Female Genital System	-	-	-	-	-	1,739	14.5	0.36	9.8	0.26
Cervix uteri	-	-	-	-	-	172	1.6	0.13	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	513	4.3	0.20	2.8	0.14
Ovary	-	-	-	-	-	928	7.7	0.26	5.1	0.19
Male Genital System	1,910	21.5	0.50	10.7	0.26	-	-	-	-	-
Prostate	1,886	21.2	0.49	10.5	0.26	-	-	-	-	-
Testis	13	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,099	12.3	0.37	6.9	0.22	615	4.5	0.19	2.6	0.13
Bladder	680	7.6	0.30	4.0	0.17	324	2.3	0.14	1.3	0.09
Kidney & renal pelvis	395	4.4	0.22	2.8	0.15	270	2.1	0.13	1.2	0.09
Brain & Other Nervous System	436	4.9	0.24	3.5	0.18	373	3.4	0.18	2.6	0.15
Endocrine System	66	0.7	0.09	0.5	0.07	88	0.7	0.08	0.5	0.06
Thyroid gland	40	0.4	0.07	0.3	0.05	56	0.4	0.06	0.2	0.04
Lymphomas	689	7.8	0.30	4.6	0.19	676	5.0	0.20	2.9	0.13
Hodgkin Lymphoma	42	0.5	0.07	0.3	0.05	38	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	647	7.3	0.29	4.3	0.18	638	4.7	0.20	2.7	0.13
Multiple Myeloma	330	3.7	0.21	2.2	0.13	301	2.3	0.14	1.4	0.09
Leukemias	760	8.8	0.32	5.3	0.21	608	4.8	0.21	3.0	0.15
Other, Ill-defined & Unknown	1,741	19.4	0.47	11.7	0.30	1,633	12.6	0.33	7.7	0.23

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,761	213.0	3.11	134.1	2.05	4,395	152.6	2.35	99.2	1.65
Oral Cavity & Pharynx	86	3.8	0.41	2.8	0.31	36	1.3	0.22	0.8	0.15
Digestive System	1,218	53.7	1.55	35.5	1.06	918	30.7	1.04	18.5	0.68
Esophagus	174	7.7	0.59	5.3	0.41	34	1.2	0.21	0.8	0.15
Stomach	121	5.4	0.49	3.6	0.34	69	2.3	0.28	1.3	0.18
Colon & Rectum	424	18.9	0.93	12.0	0.61	398	12.9	0.66	7.6	0.43
Liver	169	7.2	0.55	5.3	0.42	46	1.6	0.24	1.0	0.16
Pancreas	260	11.5	0.72	7.3	0.48	268	9.0	0.56	5.5	0.37
Respiratory System	1,532	68.0	1.75	43.3	1.16	1,336	46.8	1.30	30.6	0.91
Larynx	52	2.3	0.32	1.6	0.23	15	0.5	0.14	0.4	0.10
Lung & bronchus	1,465	65.0	1.71	41.2	1.13	1,311	46.0	1.29	30.0	0.90
Skin	135	6.0	0.52	3.8	0.34	54	1.9	0.27	1.3	0.20
Melanomas of the skin	97	4.3	0.44	2.8	0.30	42	1.5	0.25	1.1	0.19
Breast	7	0.3	0.11	0.2	0.08	611	21.8	0.90	15.2	0.66
Female Genital System	-	-	-	-	-	451	16.0	0.77	10.7	0.55
Cervix uteri	-	-	-	-	-	54	2.1	0.30	1.6	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	141	4.9	0.42	3.2	0.30
Ovary	-	-	-	-	-	219	7.8	0.53	5.1	0.37
Male Genital System	467	21.7	1.01	11.0	0.53	-	-	-	-	-
Prostate	462	21.4	1.00	10.8	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	296	13.2	0.77	8.0	0.49	145	4.8	0.41	2.9	0.27
Bladder	176	8.0	0.60	4.6	0.37	69	2.1	0.26	1.1	0.15
Kidney & renal pelvis	113	5.0	0.47	3.1	0.31	72	2.5	0.31	1.7	0.22
Brain & Other Nervous System	119	5.5	0.51	3.9	0.38	93	3.5	0.37	2.6	0.31
Endocrine System	14	0.6	0.17	0.4	0.11	22	0.8	0.17	0.5	0.13
Thyroid gland	11	0.5	0.16	0.3	0.09	12	0.4	0.12	0.3	0.08
Lymphomas	179	8.1	0.61	5.1	0.40	147	5.0	0.43	3.1	0.29
Hodgkin Lymphoma	7	0.3	0.13	0.3	0.11	12	0.4	0.13	0.3	0.11
Non-Hodgkin Lymphoma	172	7.8	0.60	4.8	0.39	135	4.6	0.41	2.8	0.27
Multiple Myeloma	96	4.3	0.44	2.6	0.28	78	2.6	0.30	1.6	0.20
Leukemias	193	8.8	0.64	5.6	0.43	135	4.6	0.41	3.0	0.30
Other, Ill-defined & Unknown	419	18.8	0.92	12.0	0.62	369	12.7	0.68	8.3	0.48

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,968	236.0	4.39	150.1	2.86	2,803	149.5	2.91	97.8	2.05
Oral Cavity & Pharynx	75	5.8	0.68	4.1	0.48	32	1.8	0.32	1.3	0.25
Digestive System	843	65.4	2.29	43.6	1.55	717	37.2	1.44	22.8	0.96
Esophagus	121	9.4	0.87	6.4	0.60	39	2.1	0.34	1.3	0.24
Stomach	80	6.2	0.71	4.2	0.48	60	3.2	0.43	1.9	0.28
Colon & Rectum	270	21.4	1.32	13.7	0.86	314	16.2	0.94	10.1	0.64
Liver	140	10.0	0.86	7.5	0.65	47	2.6	0.39	1.6	0.26
Pancreas	192	15.2	1.11	9.8	0.73	189	9.7	0.73	5.8	0.47
Respiratory System	808	64.3	2.30	41.6	1.51	612	33.0	1.37	21.5	0.96
Larynx	45	3.4	0.51	2.4	0.37	7	0.4	0.14	0.3	0.10
Lung & bronchus	757	60.5	2.23	38.9	1.46	603	32.6	1.36	21.2	0.95
Skin	39	2.9	0.47	2.0	0.34	21	1.0	0.24	0.7	0.17
Melanomas of the skin	23	1.8	0.37	1.2	0.25	15	0.8	0.21	0.5	0.15
Breast	-	-	-	-	-	487	26.3	1.23	18.2	0.90
Female Genital System	-	-	-	-	-	307	17.2	1.00	12.0	0.73
Cervix uteri	-	-	-	-	-	49	2.9	0.43	2.2	0.33
Corpus & uterus, NOS ¹	-	-	-	-	-	112	6.1	0.59	4.2	0.43
Ovary	-	-	-	-	-	129	7.2	0.65	4.8	0.45
Male Genital System	416	35.9	1.77	18.4	0.94	-	-	-	-	-
Prostate	411	35.5	1.76	18.0	0.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	132	10.5	0.92	6.7	0.60	86	4.3	0.48	2.4	0.30
Bladder	77	6.3	0.72	3.7	0.43	51	2.5	0.36	1.4	0.22
Kidney & renal pelvis	54	4.1	0.56	3.0	0.41	31	1.6	0.30	1.0	0.20
Brain & Other Nervous System	57	4.3	0.58	3.4	0.48	44	2.6	0.40	1.8	0.31
Endocrine System	15	1.2	0.31	0.9	0.23	7	0.3	0.14	0.3	0.16
Thyroid gland	10	0.8	0.26	0.6	0.18	-	-	-	-	-
Lymphomas	116	9.0	0.85	5.9	0.57	69	3.5	0.43	2.3	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	112	8.7	0.83	5.7	0.55	64	3.2	0.42	2.1	0.29
Multiple Myeloma	85	7.0	0.77	4.2	0.47	79	4.3	0.50	2.7	0.33
Leukemias	101	7.9	0.80	5.4	0.58	82	4.2	0.48	2.6	0.32
Other, Ill-defined & Unknown	276	21.5	1.31	13.7	0.86	260	13.9	0.89	9.2	0.64

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	109,616	192.2	0.59	123.8	0.41	93,224	133.4	0.46	88.1	0.34
Oral Cavity & Pharynx	2,264	4.1	0.09	3.0	0.07	946	1.4	0.05	0.9	0.03
Digestive System	27,482	48.6	0.30	32.2	0.21	20,613	27.9	0.20	17.5	0.14
Esophagus	3,840	6.9	0.11	4.7	0.08	995	1.4	0.05	0.9	0.03
Stomach	2,240	3.9	0.08	2.6	0.06	1,537	2.1	0.06	1.3	0.04
Colon & Rectum	9,743	17.1	0.18	11.0	0.12	8,926	11.9	0.13	7.4	0.09
Liver	3,596	6.5	0.11	4.7	0.08	1,382	1.9	0.05	1.2	0.04
Pancreas	6,384	11.3	0.14	7.3	0.10	5,947	8.0	0.11	5.0	0.08
Respiratory System	35,277	62.6	0.34	41.1	0.24	26,312	37.9	0.24	24.8	0.17
Larynx	1,257	2.3	0.06	1.6	0.05	322	0.5	0.03	0.3	0.02
Lung & bronchus	33,838	60.1	0.33	39.2	0.23	25,870	37.2	0.24	24.3	0.17
Skin	3,146	5.5	0.10	3.6	0.07	1,383	2.0	0.06	1.4	0.04
Melanomas of the skin	2,344	4.2	0.09	2.8	0.06	1,069	1.6	0.05	1.1	0.04
Breast	156	0.3	0.02	0.2	0.02	13,451	20.5	0.19	14.4	0.14
Female Genital System	-	-	-	-	-	9,247	14.1	0.15	9.8	0.12
Cervix uteri	-	-	-	-	-	1,438	2.7	0.07	2.1	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,434	3.6	0.08	2.4	0.06
Ovary	-	-	-	-	-	4,889	7.2	0.11	4.9	0.08
Male Genital System	10,942	17.7	0.17	9.3	0.10	-	-	-	-	-
Prostate	10,720	17.2	0.17	9.0	0.10	-	-	-	-	-
Testis	105	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	6,873	11.6	0.14	7.0	0.09	3,119	4.1	0.08	2.5	0.05
Bladder	3,990	6.6	0.11	3.7	0.07	1,570	1.9	0.05	1.1	0.03
Kidney & renal pelvis	2,718	4.8	0.09	3.1	0.07	1,458	2.0	0.06	1.3	0.04
Brain & Other Nervous System	2,455	4.6	0.10	3.4	0.08	1,930	3.1	0.07	2.3	0.06
Endocrine System	380	0.7	0.04	0.5	0.03	420	0.6	0.03	0.5	0.03
Thyroid gland	225	0.4	0.03	0.2	0.02	287	0.4	0.02	0.2	0.02
Lymphomas	4,357	7.7	0.12	4.8	0.08	3,555	4.8	0.09	2.9	0.06
Hodgkin Lymphoma	243	0.5	0.03	0.4	0.02	181	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	4,114	7.2	0.11	4.5	0.08	3,374	4.5	0.08	2.7	0.06
Multiple Myeloma	1,969	3.4	0.08	2.1	0.05	1,601	2.2	0.06	1.4	0.04
Leukemias	4,715	8.3	0.12	5.3	0.09	3,323	4.6	0.09	3.0	0.07
Other, Ill-defined & Unknown	9,600	16.9	0.18	11.2	0.13	7,324	10.3	0.13	6.7	0.09

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2005-2009, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.
All Sites	38,843	213.4	1.11	133.2	0.69	34,732	137.7	0.75	90.1	0.52
Oral Cavity & Pharynx	782	4.0	0.15	2.7	0.10	317	1.2	0.07	0.8	0.05
Digestive System	9,436	50.0	0.53	32.5	0.34	7,495	29.4	0.35	18.5	0.23
Esophagus	1,301	6.7	0.19	4.6	0.13	382	1.5	0.08	1.0	0.05
Stomach	846	4.5	0.16	2.9	0.10	664	2.6	0.10	1.6	0.07
Colon & Rectum	3,441	18.6	0.33	11.8	0.20	3,262	12.7	0.23	8.0	0.15
Liver	1,178	5.7	0.17	4.1	0.12	486	1.9	0.09	1.3	0.06
Pancreas	2,161	11.6	0.26	7.5	0.16	2,074	8.2	0.18	5.1	0.12
Respiratory System	13,503	73.6	0.65	46.8	0.41	9,180	37.3	0.40	24.5	0.27
Larynx	375	1.9	0.10	1.3	0.07	90	0.4	0.04	0.3	0.03
Lung & bronchus	13,071	71.4	0.64	45.3	0.40	9,051	36.8	0.39	24.1	0.27
Skin	881	4.8	0.17	3.0	0.10	439	1.7	0.08	1.1	0.06
Melanomas of the skin	662	3.5	0.14	2.3	0.09	354	1.4	0.08	1.0	0.05
Breast	116	0.6	0.06	0.4	0.04	5,564	21.7	0.30	15.1	0.21
Female Genital System	-	-	-	-	-	3,685	14.8	0.25	10.0	0.17
Cervix uteri	-	-	-	-	-	650	2.6	0.10	1.9	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	863	3.5	0.12	2.4	0.09
Ovary	-	-	-	-	-	1,973	7.9	0.18	5.3	0.13
Male Genital System	3,808	24.0	0.40	12.3	0.20	-	-	-	-	-
Prostate	3,742	23.7	0.39	12.0	0.20	-	-	-	-	-
Testis	36	0.2	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,086	11.8	0.27	7.0	0.16	1,113	4.3	0.13	2.5	0.08
Bladder	1,061	6.4	0.20	3.5	0.11	493	1.9	0.09	1.0	0.05
Kidney & renal pelvis	985	5.2	0.17	3.4	0.11	582	2.3	0.10	1.4	0.06
Brain & Other Nervous System	913	4.5	0.15	3.3	0.11	758	3.1	0.11	2.2	0.09
Endocrine System	130	0.7	0.06	0.5	0.04	145	0.6	0.05	0.4	0.04
Thyroid gland	75	0.4	0.05	0.3	0.03	87	0.3	0.04	0.2	0.03
Lymphomas	1,336	7.4	0.21	4.6	0.13	1,133	4.4	0.13	2.6	0.09
Hodgkin Lymphoma	78	0.4	0.05	0.3	0.03	66	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,258	7.0	0.20	4.3	0.12	1,067	4.1	0.13	2.4	0.08
Multiple Myeloma	721	4.1	0.16	2.4	0.09	698	2.8	0.11	1.7	0.07
Leukemias	1,534	8.7	0.23	5.3	0.14	1,191	4.6	0.14	3.0	0.10
Other, Ill-defined & Unknown	3,597	19.3	0.33	12.3	0.21	3,014	11.7	0.22	7.6	0.15

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,541	174.8	1.88	107.3	1.13	9,812	127.9	1.33	82.2	0.88
Oral Cavity & Pharynx	200	3.3	0.25	2.2	0.16	79	1.1	0.12	0.7	0.08
Digestive System	2,589	44.8	0.93	28.9	0.58	2,171	28.5	0.63	17.6	0.40
Esophagus	329	5.7	0.33	3.8	0.21	115	1.6	0.15	0.9	0.09
Stomach	273	4.7	0.30	2.9	0.18	209	2.6	0.19	1.6	0.12
Colon & Rectum	892	15.7	0.56	9.9	0.34	931	12.2	0.41	7.5	0.26
Liver	363	5.5	0.31	3.9	0.21	149	2.0	0.17	1.2	0.11
Pancreas	572	10.4	0.46	6.6	0.28	573	7.6	0.33	4.6	0.21
Respiratory System	2,827	52.1	1.03	32.5	0.63	2,278	31.1	0.67	19.3	0.43
Larynx	77	1.3	0.16	0.9	0.10	25	0.3	0.07	0.2	0.04
Lung & bronchus	2,739	50.7	1.01	31.5	0.62	2,244	30.6	0.67	19.1	0.43
Skin	200	3.5	0.26	2.2	0.16	108	1.4	0.14	0.9	0.09
Melanomas of the skin	149	2.6	0.23	1.7	0.14	94	1.2	0.13	0.8	0.09
Breast	28	0.6	0.11	0.3	0.06	1,853	22.8	0.55	15.7	0.38
Female Genital System	-	-	-	-	-	1,128	14.8	0.45	10.0	0.31
Cervix uteri	-	-	-	-	-	197	2.4	0.17	1.7	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	295	3.9	0.24	2.7	0.16
Ovary	-	-	-	-	-	581	7.7	0.33	5.1	0.23
Male Genital System	1,045	22.7	0.72	11.6	0.37	-	-	-	-	-
Prostate	1,029	22.5	0.72	11.5	0.37	-	-	-	-	-
Testis	9	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	544	10.4	0.47	6.0	0.27	313	4.1	0.24	2.4	0.15
Bladder	270	5.6	0.35	3.0	0.19	141	1.9	0.16	1.0	0.09
Kidney & renal pelvis	259	4.4	0.29	2.9	0.18	163	2.1	0.17	1.3	0.11
Brain & Other Nervous System	245	3.7	0.25	2.7	0.18	210	2.7	0.20	1.9	0.14
Endocrine System	41	0.7	0.12	0.4	0.07	47	0.6	0.08	0.5	0.07
Thyroid gland	23	0.4	0.09	0.2	0.05	25	0.3	0.06	0.2	0.04
Lymphomas	368	6.8	0.37	4.0	0.21	321	4.2	0.24	2.4	0.15
Hodgkin Lymphoma	28	0.5	0.09	0.3	0.05	21	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	340	6.3	0.36	3.7	0.21	300	3.9	0.23	2.2	0.14
Multiple Myeloma	210	4.0	0.29	2.4	0.17	202	2.7	0.19	1.7	0.13
Leukemias	395	7.4	0.39	4.5	0.23	321	4.1	0.23	2.6	0.16
Other, Ill-defined & Unknown	849	15.0	0.54	9.4	0.33	781	10.0	0.37	6.4	0.25

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,097	171.7	2.24	109.5	1.52	4,895	112.1	1.68	74.0	1.22
Oral Cavity & Pharynx	152	4.3	0.36	3.0	0.26	66	1.4	0.18	0.9	0.13
Digestive System	1,951	55.1	1.27	36.1	0.88	1,353	29.7	0.85	18.8	0.60
Esophagus	190	5.4	0.40	3.7	0.28	49	1.1	0.17	0.7	0.12
Stomach	287	8.1	0.49	4.6	0.30	192	4.2	0.32	2.6	0.23
Colon & Rectum	620	17.5	0.72	11.6	0.50	453	10.0	0.49	6.5	0.36
Liver	294	8.3	0.49	6.0	0.37	120	2.7	0.25	1.7	0.18
Pancreas	428	12.0	0.59	7.8	0.40	401	8.7	0.45	5.3	0.31
Respiratory System	1,756	50.1	1.22	31.8	0.81	1,125	25.8	0.80	16.5	0.56
Larynx	62	1.7	0.23	1.2	0.17	10	0.2	0.07	0.1	0.05
Lung & bronchus	1,676	47.8	1.19	30.1	0.79	1,105	25.4	0.79	16.3	0.56
Skin	113	3.1	0.30	2.1	0.22	57	1.2	0.18	0.8	0.13
Melanomas of the skin	73	2.1	0.25	1.5	0.19	38	0.9	0.15	0.6	0.11
Breast	-	-	-	-	-	691	17.0	0.67	12.2	0.51
Female Genital System	-	-	-	-	-	481	11.6	0.55	8.1	0.41
Cervix uteri	-	-	-	-	-	69	1.9	0.24	1.4	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	151	3.6	0.31	2.5	0.23
Ovary	-	-	-	-	-	241	5.7	0.38	3.9	0.28
Male Genital System	545	14.6	0.64	7.8	0.37	-	-	-	-	-
Prostate	534	14.3	0.63	7.6	0.37	-	-	-	-	-
Testis	7	0.2	0.08	0.2	0.07	-	-	-	-	-
Urinary System	299	8.3	0.49	5.0	0.31	133	2.8	0.26	1.8	0.18
Bladder	151	4.1	0.34	2.2	0.20	59	1.3	0.17	0.7	0.11
Kidney & renal pelvis	136	3.9	0.34	2.6	0.24	64	1.4	0.18	0.9	0.14
Brain & Other Nervous System	98	2.8	0.29	2.2	0.24	73	1.9	0.23	1.5	0.20
Endocrine System	27	0.8	0.16	0.7	0.14	38	0.9	0.15	0.6	0.12
Thyroid gland	12	0.4	0.10	0.2	0.07	33	0.7	0.13	0.5	0.09
Lymphomas	254	7.1	0.45	4.3	0.30	182	4.0	0.31	2.5	0.21
Hodgkin Lymphoma	8	0.2	0.08	0.2	0.06	7	0.1	0.05	0.1	0.03
Non-Hodgkin Lymphoma	246	6.9	0.44	4.1	0.29	175	3.8	0.30	2.4	0.21
Multiple Myeloma	105	2.9	0.29	1.8	0.19	82	1.8	0.20	1.1	0.14
Leukemias	209	6.0	0.42	4.1	0.31	160	3.6	0.30	2.5	0.24
Other, Ill-defined & Unknown	583	16.3	0.69	10.5	0.47	454	10.3	0.51	6.8	0.37

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,394	179.9	2.27	109.2	1.43	5,654	134.0	1.83	85.4	1.25
Oral Cavity & Pharynx	131	3.5	0.31	2.4	0.22	63	1.5	0.19	0.9	0.12
Digestive System	1,560	43.3	1.11	27.7	0.73	1,248	28.8	0.84	17.8	0.56
Esophagus	271	7.5	0.46	5.1	0.32	59	1.4	0.18	0.9	0.12
Stomach	126	3.6	0.32	2.1	0.20	81	1.9	0.22	1.2	0.14
Colon & Rectum	518	14.6	0.65	8.9	0.41	539	12.2	0.54	7.5	0.36
Liver	150	3.9	0.32	2.8	0.23	56	1.3	0.17	0.9	0.13
Pancreas	390	10.8	0.55	6.9	0.37	393	9.1	0.47	5.6	0.31
Respiratory System	1,750	49.6	1.20	30.3	0.76	1,403	34.2	0.93	21.7	0.63
Larynx	46	1.3	0.19	0.9	0.13	14	0.4	0.10	0.2	0.06
Lung & bronchus	1,688	47.9	1.17	29.1	0.74	1,385	33.7	0.92	21.4	0.63
Skin	228	6.4	0.43	4.1	0.29	89	2.1	0.23	1.5	0.17
Melanomas of the skin	165	4.6	0.37	3.1	0.25	70	1.7	0.21	1.2	0.16
Breast	8	0.2	0.08	0.1	0.05	836	20.0	0.71	13.4	0.50
Female Genital System	-	-	-	-	-	604	14.6	0.61	9.8	0.43
Cervix uteri	-	-	-	-	-	80	2.1	0.24	1.6	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	168	4.0	0.32	2.6	0.22
Ovary	-	-	-	-	-	323	7.7	0.44	5.1	0.31
Male Genital System	814	23.4	0.82	11.4	0.42	-	-	-	-	-
Prostate	792	22.8	0.81	11.0	0.41	-	-	-	-	-
Testis	12	0.3	0.10	0.3	0.08	-	-	-	-	-
Urinary System	423	11.9	0.58	6.8	0.35	194	4.4	0.33	2.6	0.21
Bladder	230	6.6	0.44	3.5	0.24	82	1.7	0.20	0.9	0.11
Kidney & renal pelvis	179	4.9	0.37	3.2	0.25	107	2.5	0.25	1.6	0.17
Brain & Other Nervous System	202	5.5	0.40	4.3	0.31	177	4.5	0.34	3.3	0.26
Endocrine System	30	0.8	0.16	0.6	0.12	37	0.9	0.15	0.6	0.11
Thyroid gland	17	0.5	0.12	0.3	0.08	32	0.7	0.13	0.5	0.09
Lymphomas	276	7.7	0.47	4.7	0.29	233	5.3	0.36	3.1	0.23
Hodgkin Lymphoma	14	0.4	0.11	0.3	0.08	15	0.4	0.11	0.3	0.07
Non-Hodgkin Lymphoma	262	7.3	0.46	4.4	0.28	218	4.9	0.34	2.8	0.22
Multiple Myeloma	132	3.7	0.32	2.1	0.20	108	2.5	0.25	1.4	0.16
Leukemias	299	8.5	0.50	5.2	0.32	230	5.3	0.36	3.3	0.25
Other, Ill-defined & Unknown	541	15.3	0.66	9.3	0.42	432	10.0	0.49	6.2	0.34

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	61,216	211.0	0.86	129.3	0.55	59,710	149.8	0.63	97.0	0.45
Oral Cavity & Pharynx	1,024	3.4	0.11	2.4	0.08	555	1.4	0.06	0.9	0.04
Digestive System	16,204	55.1	0.44	34.8	0.29	13,839	33.4	0.29	20.5	0.20
Esophagus	2,399	8.0	0.17	5.3	0.11	629	1.6	0.06	1.0	0.04
Stomach	1,468	5.0	0.13	3.2	0.09	1,096	2.7	0.09	1.7	0.06
Colon & Rectum	5,955	20.5	0.27	12.4	0.17	6,053	14.2	0.19	8.6	0.13
Liver	1,785	5.8	0.14	4.0	0.10	776	1.9	0.07	1.1	0.05
Pancreas	3,590	12.2	0.21	7.8	0.14	3,818	9.3	0.16	5.8	0.11
Respiratory System	19,131	66.0	0.48	41.5	0.31	15,502	40.4	0.33	26.3	0.23
Larynx	655	2.2	0.09	1.5	0.06	172	0.5	0.04	0.3	0.03
Lung & bronchus	18,364	63.5	0.47	39.8	0.31	15,277	39.8	0.33	25.9	0.23
Skin	1,346	4.6	0.13	2.9	0.08	754	1.9	0.07	1.3	0.05
Melanomas of the skin	1,046	3.5	0.11	2.3	0.07	617	1.6	0.07	1.1	0.05
Breast	77	0.3	0.03	0.2	0.02	8,941	22.8	0.25	15.7	0.18
Female Genital System	-	-	-	-	-	6,051	15.6	0.21	10.6	0.15
Cervix uteri	-	-	-	-	-	923	2.6	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,711	4.4	0.11	2.9	0.08
Ovary	-	-	-	-	-	3,080	7.8	0.15	5.3	0.10
Male Genital System	6,235	22.3	0.28	11.2	0.15	-	-	-	-	-
Prostate	6,114	21.9	0.28	10.9	0.15	-	-	-	-	-
Testis	77	0.3	0.03	0.2	0.02	-	-	-	-	-
Urinary System	3,788	13.1	0.22	7.7	0.13	2,044	4.8	0.11	2.9	0.07
Bladder	1,985	7.0	0.16	3.8	0.09	940	2.1	0.07	1.2	0.04
Kidney & renal pelvis	1,719	5.8	0.14	3.8	0.09	1,034	2.5	0.08	1.6	0.06
Brain & Other Nervous System	1,387	4.6	0.12	3.4	0.09	1,136	3.1	0.09	2.3	0.07
Endocrine System	203	0.7	0.05	0.5	0.04	305	0.8	0.05	0.5	0.04
Thyroid gland	111	0.4	0.04	0.2	0.02	209	0.5	0.04	0.3	0.02
Lymphomas	2,435	8.5	0.17	5.0	0.11	2,232	5.3	0.12	3.1	0.08
Hodgkin Lymphoma	134	0.5	0.04	0.3	0.03	121	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,301	8.0	0.17	4.7	0.10	2,111	5.0	0.11	2.9	0.07
Multiple Myeloma	1,193	4.2	0.12	2.5	0.07	1,098	2.7	0.08	1.7	0.06
Leukemias	2,678	9.4	0.18	5.6	0.12	2,170	5.3	0.12	3.3	0.08
Other, Ill-defined & Unknown	5,515	18.9	0.26	11.7	0.17	5,083	12.5	0.18	8.0	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33,889	226.6	1.24	140.7	0.80	30,817	153.3	0.90	99.9	0.64
Oral Cavity & Pharynx	531	3.3	0.15	2.4	0.11	243	1.2	0.08	0.7	0.05
Digestive System	8,140	53.6	0.60	34.3	0.40	6,448	30.9	0.40	19.2	0.27
Esophagus	1,309	8.5	0.24	5.8	0.16	312	1.6	0.09	1.0	0.06
Stomach	571	3.9	0.16	2.4	0.10	360	1.7	0.09	1.1	0.06
Colon & Rectum	3,106	20.7	0.38	12.8	0.24	2,919	13.7	0.26	8.3	0.18
Liver	830	5.2	0.18	3.6	0.13	374	1.8	0.10	1.2	0.07
Pancreas	1,857	12.2	0.29	7.8	0.19	1,806	8.8	0.21	5.6	0.15
Respiratory System	11,890	79.4	0.74	50.4	0.48	8,872	45.7	0.50	30.0	0.35
Larynx	296	1.9	0.11	1.3	0.08	108	0.6	0.06	0.4	0.04
Lung & bronchus	11,540	77.2	0.73	48.8	0.47	8,735	45.0	0.49	29.6	0.35
Skin	856	5.6	0.19	3.6	0.13	429	2.2	0.11	1.4	0.08
Melanomas of the skin	656	4.3	0.17	2.8	0.12	343	1.8	0.10	1.2	0.07
Breast	49	0.3	0.05	0.2	0.03	4,482	22.5	0.35	15.5	0.25
Female Genital System	-	-	-	-	-	3,053	15.5	0.29	10.4	0.21
Cervix uteri	-	-	-	-	-	416	2.3	0.12	1.7	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	827	4.1	0.15	2.8	0.11
Ovary	-	-	-	-	-	1,623	8.1	0.21	5.4	0.15
Male Genital System	2,971	20.9	0.38	10.4	0.20	-	-	-	-	-
Prostate	2,914	20.5	0.38	10.1	0.20	-	-	-	-	-
Testis	27	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	2,013	13.6	0.31	8.1	0.19	1,096	5.1	0.16	3.1	0.11
Bladder	1,037	7.2	0.22	3.9	0.13	472	2.1	0.10	1.1	0.06
Kidney & renal pelvis	929	6.1	0.20	4.0	0.14	588	2.9	0.12	1.9	0.09
Brain & Other Nervous System	819	5.3	0.19	3.9	0.14	707	3.8	0.15	2.9	0.12
Endocrine System	116	0.8	0.07	0.6	0.06	123	0.6	0.06	0.4	0.04
Thyroid gland	71	0.5	0.06	0.3	0.04	82	0.4	0.04	0.2	0.03
Lymphomas	1,381	9.3	0.25	5.6	0.16	1,144	5.4	0.17	3.2	0.11
Hodgkin Lymphoma	69	0.5	0.06	0.3	0.04	45	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,312	8.9	0.25	5.3	0.15	1,099	5.1	0.16	3.0	0.11
Multiple Myeloma	656	4.4	0.18	2.6	0.11	525	2.5	0.11	1.5	0.07
Leukemias	1,441	9.8	0.26	6.0	0.17	1,110	5.3	0.17	3.5	0.12
Other, Ill-defined & Unknown	3,026	20.2	0.37	12.6	0.24	2,585	12.5	0.26	8.1	0.18

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,517	203.0	1.60	125.1	1.05	15,344	141.6	1.21	92.2	0.88
Oral Cavity & Pharynx	292	3.6	0.21	2.5	0.15	138	1.2	0.11	0.8	0.08
Digestive System	4,050	49.7	0.79	31.4	0.53	3,520	30.1	0.54	18.5	0.38
Esophagus	666	8.2	0.32	5.4	0.22	167	1.5	0.13	1.0	0.09
Stomach	275	3.5	0.21	2.2	0.14	170	1.5	0.13	1.0	0.09
Colon & Rectum	1,545	18.8	0.48	11.4	0.31	1,689	13.8	0.36	8.3	0.25
Liver	350	4.2	0.23	2.9	0.17	160	1.4	0.12	0.9	0.08
Pancreas	908	11.2	0.38	7.2	0.26	920	8.1	0.28	5.0	0.20
Respiratory System	5,285	65.7	0.91	41.6	0.61	3,915	38.4	0.64	25.5	0.46
Larynx	129	1.6	0.14	1.0	0.09	41	0.4	0.07	0.3	0.05
Lung & bronchus	5,104	63.4	0.90	40.2	0.60	3,846	37.7	0.63	25.0	0.46
Skin	409	5.0	0.25	3.2	0.17	240	2.2	0.16	1.5	0.12
Melanomas of the skin	292	3.6	0.21	2.4	0.15	180	1.8	0.14	1.2	0.11
Breast	25	0.3	0.06	0.2	0.04	2,183	20.6	0.47	14.2	0.35
Female Genital System	-	-	-	-	-	1,710	16.3	0.42	11.0	0.31
Cervix uteri	-	-	-	-	-	183	2.1	0.16	1.6	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	495	4.6	0.22	3.1	0.16
Ovary	-	-	-	-	-	897	8.5	0.30	5.6	0.22
Male Genital System	1,771	21.1	0.51	10.6	0.27	-	-	-	-	-
Prostate	1,735	20.6	0.50	10.2	0.27	-	-	-	-	-
Testis	13	0.2	0.06	0.1	0.04	-	-	-	-	-
Urinary System	1,199	14.5	0.42	8.4	0.26	598	5.2	0.22	3.1	0.16
Bladder	622	7.5	0.30	4.0	0.17	232	1.9	0.13	1.1	0.09
Kidney & renal pelvis	548	6.7	0.29	4.2	0.19	329	3.0	0.18	1.9	0.13
Brain & Other Nervous System	526	6.7	0.30	4.9	0.23	392	4.2	0.22	3.1	0.18
Endocrine System	66	0.8	0.10	0.6	0.09	65	0.6	0.09	0.5	0.07
Thyroid gland	41	0.5	0.08	0.3	0.05	44	0.4	0.06	0.2	0.04
Lymphomas	714	8.8	0.33	5.3	0.22	638	5.4	0.23	3.1	0.15
Hodgkin Lymphoma	31	0.4	0.07	0.3	0.06	39	0.4	0.07	0.2	0.05
Non-Hodgkin Lymphoma	683	8.4	0.32	5.0	0.21	599	5.0	0.22	2.9	0.15
Multiple Myeloma	322	4.0	0.22	2.3	0.14	274	2.3	0.15	1.3	0.10
Leukemias	773	9.6	0.35	5.7	0.23	577	5.1	0.23	3.2	0.17
Other, Ill-defined & Unknown	1,085	13.3	0.41	8.4	0.28	1,094	9.8	0.32	6.3	0.23

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,065	204.8	1.75	127.1	1.14	12,725	140.7	1.31	91.2	0.93
Oral Cavity & Pharynx	193	2.7	0.19	1.8	0.14	106	1.1	0.11	0.7	0.08
Digestive System	3,473	50.1	0.86	32.4	0.58	2,753	29.0	0.58	17.8	0.40
Esophagus	488	7.0	0.32	4.7	0.22	100	1.1	0.11	0.7	0.08
Stomach	246	3.5	0.23	2.3	0.15	152	1.7	0.15	1.1	0.11
Colon & Rectum	1,341	19.6	0.54	12.1	0.35	1,248	12.8	0.39	7.8	0.26
Liver	339	4.7	0.26	3.4	0.19	153	1.6	0.13	0.9	0.09
Pancreas	813	11.7	0.42	7.5	0.28	810	8.7	0.32	5.3	0.22
Respiratory System	4,616	68.2	1.02	42.9	0.67	3,417	39.7	0.70	26.1	0.50
Larynx	104	1.4	0.14	1.0	0.10	26	0.3	0.06	0.2	0.04
Lung & bronchus	4,488	66.4	1.00	41.6	0.66	3,375	39.2	0.70	25.8	0.50
Skin	416	6.0	0.30	3.8	0.20	215	2.4	0.17	1.6	0.12
Melanomas of the skin	293	4.2	0.25	2.8	0.17	173	2.0	0.16	1.4	0.12
Breast	18	0.3	0.06	0.2	0.04	1,919	21.5	0.51	14.6	0.38
Female Genital System	-	-	-	-	-	1,269	14.6	0.43	9.7	0.31
Cervix uteri	-	-	-	-	-	156	2.2	0.18	1.7	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	306	3.3	0.20	2.1	0.14
Ovary	-	-	-	-	-	718	8.2	0.32	5.4	0.23
Male Genital System	1,304	18.8	0.52	9.5	0.28	-	-	-	-	-
Prostate	1,275	18.4	0.52	9.2	0.28	-	-	-	-	-
Testis	14	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	897	13.0	0.44	7.8	0.28	448	4.6	0.23	2.8	0.16
Bladder	422	6.2	0.30	3.3	0.18	177	1.7	0.14	0.9	0.09
Kidney & renal pelvis	446	6.4	0.31	4.1	0.21	255	2.8	0.18	1.7	0.13
Brain & Other Nervous System	422	6.2	0.31	4.5	0.23	313	3.7	0.22	2.7	0.18
Endocrine System	63	0.9	0.12	0.6	0.09	67	0.8	0.10	0.6	0.09
Thyroid gland	43	0.7	0.10	0.4	0.06	44	0.5	0.08	0.3	0.06
Lymphomas	632	9.2	0.37	5.5	0.24	490	5.1	0.25	3.0	0.16
Hodgkin Lymphoma	27	0.4	0.08	0.3	0.06	26	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	605	8.8	0.36	5.2	0.23	464	4.8	0.24	2.8	0.16
Multiple Myeloma	313	4.5	0.26	2.7	0.16	258	2.8	0.18	1.7	0.12
Leukemias	644	9.4	0.37	5.7	0.24	518	5.3	0.25	3.3	0.18
Other, Ill-defined & Unknown	1,074	15.5	0.48	9.7	0.32	952	10.0	0.34	6.5	0.25

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,482	248.7	1.58	157.0	1.02	22,332	163.7	1.12	108.1	0.79
Oral Cavity & Pharynx	452	4.1	0.20	2.9	0.14	182	1.3	0.10	0.8	0.07
Digestive System	5,693	54.9	0.74	35.4	0.48	4,607	32.6	0.49	20.5	0.34
Esophagus	856	8.0	0.28	5.6	0.19	202	1.5	0.11	0.9	0.07
Stomach	420	4.1	0.20	2.6	0.13	287	2.0	0.12	1.2	0.08
Colon & Rectum	2,283	22.5	0.48	13.9	0.30	2,183	15.2	0.33	9.5	0.23
Liver	607	5.6	0.23	3.9	0.16	243	1.8	0.12	1.2	0.08
Pancreas	1,221	11.8	0.34	7.6	0.22	1,215	8.7	0.26	5.5	0.18
Respiratory System	10,114	97.5	0.98	63.5	0.65	7,199	54.3	0.65	36.7	0.46
Larynx	271	2.6	0.16	1.7	0.11	84	0.7	0.07	0.5	0.06
Lung & bronchus	9,801	94.5	0.97	61.5	0.64	7,085	53.4	0.64	36.1	0.46
Skin	643	6.3	0.25	4.1	0.17	320	2.4	0.14	1.6	0.10
Melanomas of the skin	486	4.7	0.22	3.1	0.15	267	2.0	0.13	1.4	0.09
Breast	24	0.2	0.05	0.1	0.03	2,982	22.1	0.41	15.2	0.30
Female Genital System	-	-	-	-	-	1,984	14.8	0.34	10.2	0.25
Cervix uteri	-	-	-	-	-	347	2.9	0.16	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	455	3.3	0.16	2.3	0.12
Ovary	-	-	-	-	-	1,039	7.6	0.24	5.1	0.17
Male Genital System	2,031	21.5	0.48	10.8	0.25	-	-	-	-	-
Prostate	1,995	21.1	0.48	10.5	0.24	-	-	-	-	-
Testis	23	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,414	14.0	0.38	8.4	0.23	727	5.0	0.19	3.0	0.13
Bladder	713	7.3	0.27	4.0	0.16	304	2.0	0.12	1.2	0.08
Kidney & renal pelvis	656	6.2	0.25	4.1	0.17	398	2.8	0.14	1.7	0.10
Brain & Other Nervous System	565	5.3	0.23	3.9	0.17	456	3.5	0.17	2.6	0.13
Endocrine System	77	0.8	0.09	0.6	0.07	102	0.8	0.08	0.6	0.06
Thyroid gland	49	0.5	0.07	0.3	0.05	66	0.5	0.06	0.3	0.04
Lymphomas	905	9.0	0.30	5.5	0.19	809	5.7	0.21	3.4	0.14
Hodgkin Lymphoma	54	0.5	0.07	0.4	0.05	38	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	851	8.5	0.29	5.2	0.18	771	5.4	0.20	3.2	0.13
Multiple Myeloma	448	4.5	0.21	2.6	0.13	342	2.4	0.13	1.5	0.09
Leukemias	911	9.2	0.31	5.7	0.20	701	5.0	0.19	3.2	0.14
Other, Ill-defined & Unknown	2,205	21.5	0.46	13.6	0.30	1,921	13.9	0.32	8.9	0.23

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,248	242.3	1.58	153.8	1.02	20,885	156.0	1.10	103.0	0.78
Oral Cavity & Pharynx	526	5.0	0.22	3.5	0.16	188	1.4	0.10	0.9	0.07
Digestive System	6,354	62.4	0.79	41.1	0.53	4,832	35.0	0.52	22.0	0.35
Esophagus	765	7.3	0.27	5.2	0.19	204	1.5	0.11	1.0	0.07
Stomach	629	6.2	0.25	4.1	0.17	401	3.0	0.15	1.9	0.10
Colon & Rectum	2,339	23.3	0.49	14.9	0.32	2,016	14.5	0.33	9.1	0.23
Liver	1,021	9.6	0.31	6.7	0.22	451	3.3	0.16	2.1	0.11
Pancreas	1,303	12.9	0.36	8.3	0.24	1,400	10.1	0.28	6.2	0.18
Respiratory System	8,333	82.7	0.92	53.6	0.61	5,631	42.8	0.58	28.5	0.41
Larynx	269	2.6	0.16	1.8	0.11	87	0.7	0.07	0.5	0.06
Lung & bronchus	8,015	79.6	0.90	51.5	0.60	5,525	42.0	0.57	27.9	0.40
Skin	438	4.4	0.21	2.8	0.14	218	1.6	0.11	1.0	0.08
Melanomas of the skin	315	3.1	0.18	2.0	0.12	177	1.3	0.10	0.8	0.07
Breast	41	0.4	0.07	0.3	0.04	3,295	25.0	0.45	17.4	0.33
Female Genital System	-	-	-	-	-	1,962	15.0	0.35	10.3	0.25
Cervix uteri	-	-	-	-	-	395	3.3	0.17	2.5	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	466	3.5	0.16	2.4	0.12
Ovary	-	-	-	-	-	984	7.4	0.24	4.9	0.17
Male Genital System	2,221	23.8	0.51	12.1	0.27	-	-	-	-	-
Prostate	2,180	23.4	0.50	11.8	0.26	-	-	-	-	-
Testis	22	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,328	13.5	0.38	8.2	0.23	772	5.5	0.20	3.3	0.13
Bladder	615	6.5	0.26	3.6	0.15	305	2.1	0.12	1.1	0.07
Kidney & renal pelvis	685	6.7	0.26	4.4	0.18	441	3.2	0.16	2.1	0.11
Brain & Other Nervous System	565	5.4	0.23	4.0	0.17	442	3.4	0.17	2.5	0.13
Endocrine System	77	0.7	0.09	0.6	0.07	101	0.8	0.08	0.5	0.06
Thyroid gland	40	0.4	0.06	0.2	0.04	62	0.5	0.06	0.3	0.04
Lymphomas	882	8.9	0.30	5.6	0.20	709	5.2	0.20	3.2	0.14
Hodgkin Lymphoma	60	0.6	0.08	0.4	0.05	55	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	822	8.3	0.29	5.2	0.19	654	4.8	0.19	2.9	0.13
Multiple Myeloma	435	4.4	0.22	2.6	0.13	398	2.9	0.15	1.8	0.10
Leukemias	894	9.2	0.31	5.6	0.20	680	5.0	0.20	3.3	0.14
Other, Ill-defined & Unknown	2,154	21.3	0.47	13.7	0.31	1,657	12.3	0.31	8.2	0.22

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,242	220.0	2.45	134.0	1.56	7,403	151.1	1.82	97.4	1.28
Oral Cavity & Pharynx	136	3.6	0.31	2.4	0.21	66	1.3	0.16	0.8	0.12
Digestive System	2,017	53.2	1.20	33.3	0.78	1,578	30.8	0.80	18.8	0.54
Esophagus	417	10.9	0.54	7.3	0.37	84	1.7	0.19	1.1	0.13
Stomach	152	4.1	0.33	2.5	0.21	82	1.6	0.18	1.0	0.13
Colon & Rectum	693	18.6	0.71	11.0	0.44	683	13.1	0.52	7.9	0.35
Liver	171	4.3	0.34	2.8	0.22	75	1.5	0.18	0.9	0.12
Pancreas	441	11.5	0.55	7.4	0.37	459	9.0	0.43	5.5	0.29
Respiratory System	2,672	70.7	1.38	44.0	0.89	2,130	44.6	0.99	28.8	0.69
Larynx	80	2.1	0.24	1.3	0.16	29	0.6	0.11	0.4	0.08
Lung & bronchus	2,581	68.2	1.36	42.5	0.88	2,092	43.8	0.98	28.3	0.68
Skin	190	5.2	0.38	3.3	0.25	110	2.3	0.23	1.5	0.16
Melanomas of the skin	147	4.0	0.34	2.7	0.23	89	1.9	0.21	1.3	0.15
Breast	13	0.4	0.10	0.2	0.06	969	20.3	0.68	14.1	0.50
Female Genital System	-	-	-	-	-	693	14.5	0.57	9.8	0.41
Cervix uteri	-	-	-	-	-	81	1.9	0.22	1.4	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	195	4.0	0.30	2.6	0.21
Ovary	-	-	-	-	-	356	7.4	0.40	5.1	0.30
Male Genital System	759	21.0	0.77	10.3	0.39	-	-	-	-	-
Prostate	750	20.8	0.76	10.2	0.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	578	15.4	0.65	9.0	0.39	298	5.7	0.34	3.3	0.22
Bladder	341	9.2	0.50	5.0	0.28	149	2.7	0.23	1.4	0.13
Kidney & renal pelvis	222	5.8	0.39	3.8	0.27	140	2.8	0.25	1.8	0.18
Brain & Other Nervous System	233	6.2	0.42	4.7	0.34	170	3.9	0.31	2.8	0.25
Endocrine System	26	0.7	0.14	0.5	0.10	39	0.8	0.14	0.6	0.12
Thyroid gland	18	0.5	0.11	0.3	0.08	24	0.5	0.10	0.3	0.06
Lymphomas	332	9.1	0.51	5.5	0.33	269	5.4	0.34	3.2	0.23
Hodgkin Lymphoma	23	0.7	0.15	0.5	0.10	17	0.4	0.10	0.2	0.07
Non-Hodgkin Lymphoma	309	8.4	0.49	5.1	0.31	252	5.0	0.33	3.0	0.22
Multiple Myeloma	138	3.7	0.31	2.1	0.19	113	2.2	0.21	1.2	0.13
Leukemias	344	9.4	0.51	5.7	0.34	238	4.8	0.33	3.2	0.27
Other, Ill-defined & Unknown	804	21.5	0.77	13.0	0.49	730	14.6	0.56	9.1	0.39

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,173	208.0	1.31	127.2	0.82	25,499	146.5	0.94	93.8	0.64
Oral Cavity & Pharynx	524	3.9	0.17	2.7	0.12	229	1.3	0.09	0.8	0.06
Digestive System	6,995	54.3	0.66	34.4	0.42	5,757	32.3	0.44	19.8	0.29
Esophagus	995	7.6	0.24	5.1	0.17	289	1.7	0.10	1.0	0.07
Stomach	608	4.8	0.20	2.9	0.12	472	2.7	0.13	1.7	0.09
Colon & Rectum	2,558	20.2	0.41	12.4	0.25	2,402	13.2	0.28	8.0	0.18
Liver	868	6.3	0.22	4.4	0.15	323	1.8	0.10	1.2	0.07
Pancreas	1,525	12.0	0.31	7.5	0.20	1,698	9.6	0.24	5.8	0.16
Respiratory System	8,073	63.8	0.72	39.9	0.46	6,810	40.0	0.49	25.4	0.33
Larynx	298	2.3	0.13	1.6	0.09	96	0.6	0.06	0.3	0.04
Lung & bronchus	7,732	61.2	0.71	38.1	0.45	6,686	39.3	0.49	24.9	0.33
Skin	675	5.4	0.21	3.2	0.13	345	1.9	0.11	1.3	0.07
Melanomas of the skin	512	4.0	0.18	2.5	0.11	283	1.6	0.10	1.1	0.07
Breast	54	0.4	0.06	0.3	0.04	4,067	23.4	0.38	16.2	0.27
Female Genital System	-	-	-	-	-	2,596	15.2	0.31	10.2	0.22
Cervix uteri	-	-	-	-	-	362	2.2	0.12	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	754	4.4	0.16	2.9	0.11
Ovary	-	-	-	-	-	1,315	7.6	0.21	5.1	0.15
Male Genital System	2,736	23.4	0.45	11.9	0.24	-	-	-	-	-
Prostate	2,680	23.0	0.45	11.6	0.23	-	-	-	-	-
Testis	39	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,582	12.8	0.33	7.5	0.20	873	4.9	0.17	2.9	0.11
Bladder	853	7.2	0.25	3.8	0.14	428	2.3	0.12	1.3	0.07
Kidney & renal pelvis	697	5.4	0.21	3.5	0.14	410	2.4	0.12	1.5	0.08
Brain & Other Nervous System	590	4.4	0.18	3.2	0.14	504	3.0	0.14	2.2	0.11
Endocrine System	113	0.9	0.08	0.6	0.06	116	0.7	0.06	0.5	0.05
Thyroid gland	65	0.5	0.06	0.3	0.04	72	0.4	0.05	0.3	0.03
Lymphomas	961	7.7	0.25	4.7	0.16	838	4.7	0.17	2.8	0.11
Hodgkin Lymphoma	50	0.4	0.06	0.3	0.04	48	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	911	7.3	0.24	4.4	0.15	790	4.4	0.16	2.6	0.10
Multiple Myeloma	574	4.7	0.20	2.7	0.12	520	3.0	0.13	1.8	0.09
Leukemias	1,040	8.5	0.27	5.1	0.17	836	4.7	0.17	3.0	0.12
Other, Ill-defined & Unknown	2,256	17.9	0.38	11.0	0.24	2,008	11.4	0.26	7.1	0.18

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,947	203.9	1.14	123.1	0.72	32,788	143.4	0.83	91.0	0.58
Oral Cavity & Pharynx	587	3.5	0.15	2.4	0.10	287	1.2	0.08	0.8	0.05
Digestive System	8,912	54.5	0.58	34.1	0.38	7,474	30.8	0.38	18.4	0.25
Esophagus	1,469	8.9	0.24	5.9	0.16	444	1.9	0.10	1.2	0.06
Stomach	806	5.0	0.18	3.0	0.11	520	2.1	0.10	1.2	0.06
Colon & Rectum	2,872	17.8	0.34	10.4	0.21	3,138	12.4	0.23	7.2	0.15
Liver	1,207	7.1	0.21	4.9	0.15	365	1.6	0.09	1.0	0.06
Pancreas	1,977	12.2	0.28	7.6	0.18	2,222	9.4	0.21	5.7	0.14
Respiratory System	9,709	60.6	0.62	37.3	0.40	8,889	40.7	0.45	25.9	0.31
Larynx	306	1.9	0.11	1.2	0.07	94	0.4	0.05	0.3	0.03
Lung & bronchus	9,340	58.4	0.61	35.9	0.39	8,755	40.1	0.44	25.6	0.31
Skin	863	5.3	0.18	3.3	0.12	563	2.5	0.11	1.6	0.08
Melanomas of the skin	650	4.0	0.16	2.5	0.10	442	2.0	0.10	1.4	0.07
Breast	45	0.3	0.04	0.2	0.03	4,591	20.6	0.32	14.0	0.23
Female Genital System	-	-	-	-	-	3,092	14.0	0.26	9.3	0.19
Cervix uteri	-	-	-	-	-	273	1.3	0.08	1.0	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	879	4.0	0.14	2.6	0.10
Ovary	-	-	-	-	-	1,735	7.8	0.20	5.2	0.14
Male Genital System	3,261	20.3	0.36	9.9	0.19	-	-	-	-	-
Prostate	3,202	20.0	0.35	9.7	0.18	-	-	-	-	-
Testis	22	0.1	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,178	13.5	0.29	7.7	0.17	1,160	4.7	0.15	2.8	0.10
Bladder	1,286	8.0	0.23	4.3	0.13	606	2.4	0.10	1.3	0.06
Kidney & renal pelvis	838	5.1	0.18	3.2	0.12	531	2.3	0.10	1.4	0.07
Brain & Other Nervous System	847	5.1	0.18	3.7	0.13	670	3.2	0.13	2.4	0.11
Endocrine System	121	0.8	0.07	0.6	0.06	154	0.7	0.06	0.5	0.05
Thyroid gland	74	0.5	0.05	0.3	0.03	100	0.4	0.05	0.3	0.03
Lymphomas	1,277	8.0	0.22	4.6	0.14	1,197	4.8	0.15	2.8	0.10
Hodgkin Lymphoma	73	0.5	0.05	0.3	0.04	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,204	7.5	0.22	4.3	0.13	1,144	4.6	0.14	2.6	0.09
Multiple Myeloma	640	4.0	0.16	2.4	0.10	551	2.3	0.10	1.4	0.07
Leukemias	1,321	8.2	0.23	4.9	0.15	1,105	4.8	0.15	3.1	0.11
Other, Ill-defined & Unknown	3,186	19.7	0.35	12.1	0.23	3,055	12.9	0.25	8.0	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51,895	210.3	0.93	130.0	0.60	48,946	150.8	0.70	97.9	0.49
Oral Cavity & Pharynx	951	3.7	0.12	2.6	0.09	445	1.4	0.07	0.9	0.05
Digestive System	13,332	53.1	0.47	33.9	0.31	10,847	32.0	0.32	19.7	0.21
Esophagus	2,070	8.2	0.18	5.5	0.12	563	1.7	0.07	1.1	0.05
Stomach	1,124	4.5	0.14	2.9	0.09	713	2.1	0.08	1.3	0.06
Colon & Rectum	4,554	18.5	0.28	11.2	0.17	4,634	13.4	0.20	8.0	0.13
Liver	1,484	5.6	0.15	3.9	0.11	696	2.1	0.08	1.3	0.06
Pancreas	3,266	13.0	0.23	8.3	0.15	3,124	9.4	0.17	5.9	0.12
Respiratory System	17,000	68.7	0.53	43.3	0.35	13,376	42.5	0.38	27.8	0.26
Larynx	569	2.2	0.10	1.5	0.07	168	0.5	0.04	0.4	0.03
Lung & bronchus	16,296	65.9	0.52	41.4	0.34	13,134	41.7	0.37	27.2	0.26
Skin	1,118	4.5	0.14	2.9	0.09	612	1.9	0.08	1.3	0.06
Melanomas of the skin	838	3.4	0.12	2.2	0.08	464	1.5	0.07	1.0	0.05
Breast	85	0.3	0.04	0.2	0.02	7,258	22.7	0.28	15.6	0.20
Female Genital System	-	-	-	-	-	4,909	15.6	0.23	10.6	0.17
Cervix uteri	-	-	-	-	-	559	2.0	0.09	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,471	4.6	0.12	3.0	0.09
Ovary	-	-	-	-	-	2,576	8.1	0.16	5.5	0.12
Male Genital System	4,676	19.9	0.29	10.1	0.16	-	-	-	-	-
Prostate	4,569	19.5	0.29	9.8	0.15	-	-	-	-	-
Testis	57	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,266	13.4	0.24	7.8	0.14	1,711	5.0	0.13	3.0	0.08
Bladder	1,822	7.6	0.18	4.1	0.10	749	2.1	0.08	1.2	0.05
Kidney & renal pelvis	1,360	5.4	0.15	3.5	0.10	908	2.7	0.09	1.7	0.07
Brain & Other Nervous System	1,458	5.7	0.15	4.2	0.12	1,144	3.8	0.12	2.8	0.09
Endocrine System	212	0.9	0.06	0.6	0.05	242	0.7	0.05	0.6	0.04
Thyroid gland	116	0.5	0.04	0.3	0.03	155	0.4	0.04	0.3	0.02
Lymphomas	2,152	8.9	0.19	5.3	0.12	1,982	5.9	0.14	3.5	0.09
Hodgkin Lymphoma	123	0.5	0.05	0.4	0.04	97	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	2,029	8.4	0.19	4.9	0.12	1,885	5.5	0.13	3.3	0.09
Multiple Myeloma	1,102	4.5	0.14	2.7	0.08	918	2.7	0.09	1.6	0.06
Leukemias	2,371	9.8	0.20	5.9	0.13	1,810	5.4	0.13	3.4	0.10
Other, Ill-defined & Unknown	4,172	16.9	0.27	10.6	0.17	3,692	11.1	0.19	7.1	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,893	211.2	1.52	131.2	0.98	20,132	156.0	1.14	101.9	0.81
Oral Cavity & Pharynx	382	3.9	0.20	2.8	0.15	170	1.3	0.10	0.9	0.08
Digestive System	5,423	56.5	0.78	36.2	0.51	4,541	33.9	0.52	21.0	0.36
Esophagus	727	7.5	0.28	5.0	0.19	227	1.7	0.12	1.1	0.08
Stomach	534	5.7	0.25	3.6	0.16	371	2.8	0.15	1.7	0.10
Colon & Rectum	1,857	19.7	0.46	12.0	0.29	1,909	13.9	0.33	8.4	0.22
Liver	686	6.7	0.26	4.7	0.19	330	2.5	0.14	1.6	0.10
Pancreas	1,304	13.6	0.38	8.8	0.26	1,291	9.8	0.28	6.2	0.19
Respiratory System	6,440	68.7	0.87	43.3	0.57	5,496	43.8	0.61	28.5	0.42
Larynx	213	2.2	0.15	1.5	0.11	74	0.6	0.07	0.4	0.05
Lung & bronchus	6,186	66.0	0.85	41.5	0.55	5,397	43.0	0.60	27.9	0.42
Skin	344	3.6	0.19	2.3	0.13	196	1.5	0.11	1.0	0.08
Melanomas of the skin	259	2.7	0.17	1.8	0.12	145	1.1	0.10	0.8	0.07
Breast	45	0.5	0.07	0.3	0.05	3,231	25.4	0.46	17.7	0.34
Female Genital System	-	-	-	-	-	2,012	16.2	0.37	11.1	0.27
Cervix uteri	-	-	-	-	-	281	2.5	0.15	1.9	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	629	4.9	0.20	3.3	0.15
Ovary	-	-	-	-	-	1,000	8.0	0.26	5.4	0.19
Male Genital System	1,869	20.8	0.48	10.7	0.26	-	-	-	-	-
Prostate	1,837	20.4	0.48	10.4	0.26	-	-	-	-	-
Testis	15	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,162	12.5	0.37	7.2	0.22	674	5.0	0.20	3.1	0.14
Bladder	654	7.2	0.28	3.9	0.16	316	2.3	0.13	1.3	0.08
Kidney & renal pelvis	484	5.1	0.24	3.2	0.15	337	2.6	0.15	1.7	0.11
Brain & Other Nervous System	513	5.2	0.23	3.8	0.17	409	3.4	0.17	2.5	0.13
Endocrine System	82	0.9	0.10	0.6	0.08	97	0.8	0.08	0.6	0.07
Thyroid gland	40	0.4	0.07	0.3	0.04	54	0.4	0.05	0.2	0.04
Lymphomas	777	8.3	0.30	5.0	0.19	766	5.8	0.22	3.5	0.15
Hodgkin Lymphoma	46	0.5	0.07	0.3	0.05	39	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	731	7.8	0.29	4.7	0.18	727	5.4	0.21	3.3	0.14
Multiple Myeloma	414	4.5	0.22	2.7	0.14	378	2.8	0.15	1.7	0.10
Leukemias	872	9.5	0.32	5.7	0.21	738	5.5	0.21	3.4	0.15
Other, Ill-defined & Unknown	1,570	16.7	0.43	10.6	0.28	1,424	10.7	0.29	6.9	0.21

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	23,719	189.3	1.24	114.1	0.78	22,385	136.2	0.95	87.1	0.66
Oral Cavity & Pharynx	362	2.8	0.15	1.9	0.10	195	1.2	0.09	0.8	0.06
Digestive System	6,005	47.3	0.62	29.6	0.40	4,985	29.0	0.43	17.7	0.29
Esophagus	941	7.3	0.24	4.8	0.16	268	1.6	0.10	1.0	0.07
Stomach	477	3.8	0.17	2.3	0.11	304	1.8	0.11	1.1	0.07
Colon & Rectum	2,070	16.4	0.37	9.9	0.23	2,056	11.4	0.27	6.8	0.18
Liver	628	4.7	0.19	3.2	0.13	230	1.4	0.10	0.9	0.07
Pancreas	1,387	11.0	0.30	6.9	0.20	1,476	8.8	0.24	5.4	0.16
Respiratory System	6,654	53.5	0.66	32.9	0.42	5,577	35.8	0.50	23.0	0.34
Larynx	201	1.6	0.11	1.0	0.07	53	0.4	0.05	0.3	0.04
Lung & bronchus	6,398	51.5	0.65	31.7	0.42	5,487	35.2	0.49	22.6	0.34
Skin	531	4.1	0.18	2.6	0.12	301	1.8	0.11	1.2	0.08
Melanomas of the skin	399	3.1	0.16	2.0	0.11	229	1.5	0.10	1.0	0.07
Breast	25	0.2	0.04	0.1	0.02	3,265	20.1	0.37	13.6	0.27
Female Genital System	-	-	-	-	-	2,243	13.9	0.31	9.3	0.22
Cervix uteri	-	-	-	-	-	211	1.5	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	626	3.8	0.16	2.5	0.11
Ovary	-	-	-	-	-	1,244	7.8	0.23	5.2	0.16
Male Genital System	2,604	21.1	0.42	10.3	0.22	-	-	-	-	-
Prostate	2,558	20.8	0.41	10.1	0.21	-	-	-	-	-
Testis	20	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	1,578	12.6	0.32	7.5	0.20	786	4.4	0.17	2.6	0.11
Bladder	789	6.4	0.23	3.5	0.13	313	1.7	0.10	0.9	0.06
Kidney & renal pelvis	758	6.0	0.22	3.9	0.15	431	2.5	0.13	1.5	0.09
Brain & Other Nervous System	644	5.0	0.20	3.7	0.15	521	3.5	0.16	2.6	0.13
Endocrine System	103	0.8	0.08	0.6	0.06	126	0.8	0.07	0.6	0.06
Thyroid gland	64	0.5	0.06	0.3	0.04	83	0.5	0.06	0.3	0.04
Lymphomas	1,136	9.2	0.27	5.3	0.17	886	5.0	0.18	2.9	0.12
Hodgkin Lymphoma	62	0.5	0.06	0.3	0.05	52	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	1,074	8.7	0.27	4.9	0.16	834	4.7	0.17	2.7	0.11
Multiple Myeloma	542	4.4	0.19	2.6	0.12	462	2.8	0.13	1.6	0.09
Leukemias	1,210	9.8	0.28	5.8	0.18	879	5.2	0.19	3.2	0.13
Other, Ill-defined & Unknown	2,325	18.6	0.39	11.2	0.25	2,159	12.6	0.29	7.9	0.20

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,961	255.5	1.98	163.8	1.30	13,636	150.2	1.32	100.7	0.95
Oral Cavity & Pharynx	393	5.6	0.29	4.0	0.21	135	1.5	0.13	1.0	0.09
Digestive System	4,105	60.7	0.96	40.6	0.65	3,165	33.8	0.62	21.6	0.43
Esophagus	533	7.7	0.34	5.5	0.24	131	1.5	0.13	1.0	0.10
Stomach	363	5.4	0.29	3.6	0.19	264	2.9	0.18	1.9	0.13
Colon & Rectum	1,569	23.3	0.60	15.5	0.40	1,418	15.1	0.41	9.7	0.29
Liver	583	8.5	0.36	5.8	0.25	276	3.0	0.18	1.9	0.13
Pancreas	870	13.0	0.45	8.5	0.30	867	9.2	0.32	5.6	0.21
Respiratory System	6,351	95.2	1.21	61.8	0.80	3,659	41.0	0.69	27.5	0.49
Larynx	191	2.8	0.20	2.0	0.15	30	0.3	0.06	0.2	0.05
Lung & bronchus	6,125	91.9	1.19	59.4	0.78	3,616	40.5	0.68	27.2	0.49
Skin	317	4.8	0.27	3.1	0.18	148	1.6	0.13	1.1	0.10
Melanomas of the skin	236	3.6	0.24	2.3	0.16	117	1.3	0.12	0.9	0.09
Breast	20	0.3	0.07	0.2	0.04	2,102	23.8	0.53	17.0	0.40
Female Genital System	-	-	-	-	-	1,349	15.2	0.42	10.5	0.31
Cervix uteri	-	-	-	-	-	310	3.8	0.22	2.8	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	331	3.7	0.21	2.6	0.15
Ovary	-	-	-	-	-	647	7.1	0.29	4.7	0.21
Male Genital System	1,686	27.2	0.67	14.0	0.36	-	-	-	-	-
Prostate	1,664	26.9	0.66	13.8	0.35	-	-	-	-	-
Testis	10	0.2	0.05	0.1	0.04	-	-	-	-	-
Urinary System	813	12.4	0.44	7.6	0.28	420	4.4	0.22	2.7	0.15
Bladder	376	5.9	0.31	3.2	0.17	157	1.6	0.13	0.9	0.08
Kidney & renal pelvis	422	6.3	0.31	4.3	0.21	254	2.7	0.17	1.8	0.13
Brain & Other Nervous System	362	5.3	0.28	4.0	0.22	331	3.9	0.22	2.8	0.17
Endocrine System	45	0.7	0.10	0.5	0.08	61	0.7	0.09	0.5	0.07
Thyroid gland	26	0.4	0.08	0.3	0.05	41	0.4	0.07	0.3	0.05
Lymphomas	537	8.2	0.36	5.2	0.23	445	4.8	0.23	2.9	0.16
Hodgkin Lymphoma	28	0.4	0.08	0.3	0.06	31	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	509	7.7	0.35	4.9	0.23	414	4.4	0.22	2.7	0.15
Multiple Myeloma	273	4.1	0.25	2.6	0.16	282	3.0	0.18	1.9	0.13
Leukemias	640	9.9	0.39	6.3	0.26	518	5.5	0.25	3.6	0.19
Other, Ill-defined & Unknown	1,419	21.2	0.57	13.9	0.38	1,021	11.2	0.36	7.5	0.26

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,629	220.3	1.23	138.3	0.80	29,681	150.8	0.91	98.3	0.64
Oral Cavity & Pharynx	506	3.2	0.15	2.3	0.11	270	1.3	0.08	0.9	0.06
Digestive System	7,874	52.6	0.60	33.8	0.40	6,358	30.7	0.40	19.0	0.27
Esophagus	1,138	7.5	0.23	5.0	0.15	305	1.5	0.09	1.0	0.06
Stomach	578	3.9	0.16	2.5	0.11	363	1.8	0.10	1.1	0.07
Colon & Rectum	2,947	19.9	0.37	12.4	0.24	2,833	13.4	0.26	8.1	0.18
Liver	932	5.9	0.20	4.3	0.14	383	1.9	0.10	1.2	0.07
Pancreas	1,819	12.2	0.29	7.8	0.19	1,834	9.0	0.22	5.6	0.15
Respiratory System	11,499	77.6	0.73	49.6	0.48	8,456	44.4	0.49	29.2	0.35
Larynx	326	2.2	0.12	1.5	0.08	81	0.4	0.05	0.3	0.04
Lung & bronchus	11,129	75.2	0.72	48.0	0.47	8,343	43.8	0.49	28.8	0.34
Skin	873	5.9	0.20	3.8	0.14	467	2.4	0.12	1.7	0.09
Melanomas of the skin	642	4.3	0.17	2.9	0.12	374	2.0	0.11	1.4	0.08
Breast	41	0.3	0.04	0.2	0.03	4,540	23.6	0.36	16.2	0.27
Female Genital System	-	-	-	-	-	2,737	14.3	0.28	9.7	0.21
Cervix uteri	-	-	-	-	-	427	2.5	0.13	1.9	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	782	4.0	0.15	2.7	0.11
Ovary	-	-	-	-	-	1,363	7.0	0.19	4.6	0.14
Male Genital System	2,917	20.3	0.38	10.4	0.20	-	-	-	-	-
Prostate	2,839	19.7	0.37	9.9	0.20	-	-	-	-	-
Testis	48	0.4	0.05	0.3	0.04	-	-	-	-	-
Urinary System	1,967	13.3	0.30	8.0	0.19	930	4.4	0.15	2.7	0.10
Bladder	989	6.8	0.22	3.8	0.13	392	1.8	0.09	1.0	0.06
Kidney & renal pelvis	929	6.2	0.20	4.1	0.14	501	2.5	0.12	1.7	0.08
Brain & Other Nervous System	793	5.3	0.19	3.9	0.15	675	3.8	0.15	2.8	0.12
Endocrine System	111	0.8	0.07	0.6	0.06	120	0.6	0.06	0.4	0.05
Thyroid gland	64	0.4	0.05	0.3	0.04	86	0.4	0.05	0.3	0.03
Lymphomas	1,190	8.2	0.24	4.9	0.15	1,082	5.3	0.17	3.2	0.11
Hodgkin Lymphoma	67	0.5	0.06	0.3	0.04	75	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,123	7.7	0.23	4.6	0.14	1,007	4.9	0.16	2.9	0.11
Multiple Myeloma	651	4.5	0.18	2.7	0.11	536	2.6	0.12	1.6	0.08
Leukemias	1,481	10.2	0.27	6.3	0.18	1,052	5.2	0.17	3.3	0.12
Other, Ill-defined & Unknown	2,726	18.4	0.35	11.7	0.24	2,458	12.1	0.26	7.7	0.18

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,036	186.8	2.66	113.6	1.70	4,560	140.7	2.16	90.3	1.51
Oral Cavity & Pharynx	76	2.8	0.32	1.9	0.22	38	1.2	0.19	0.8	0.14
Digestive System	1,215	44.4	1.29	28.3	0.85	1,004	30.0	0.98	18.7	0.67
Esophagus	198	7.1	0.51	4.8	0.35	48	1.5	0.23	1.1	0.17
Stomach	91	3.4	0.36	2.0	0.23	55	1.6	0.23	1.1	0.17
Colon & Rectum	443	16.4	0.79	10.2	0.51	461	13.5	0.66	8.3	0.44
Liver	106	3.7	0.36	2.5	0.26	55	1.6	0.22	1.0	0.15
Pancreas	315	11.5	0.66	7.3	0.43	267	8.0	0.51	5.1	0.35
Respiratory System	1,481	55.3	1.45	33.8	0.92	1,240	39.5	1.15	24.8	0.78
Larynx	42	1.5	0.24	1.1	0.17	9	0.3	0.09	0.2	0.07
Lung & bronchus	1,429	53.3	1.42	32.5	0.90	1,227	39.1	1.14	24.6	0.77
Skin	120	4.3	0.40	2.8	0.27	69	2.3	0.29	1.6	0.21
Melanomas of the skin	93	3.3	0.35	2.2	0.25	63	2.1	0.28	1.5	0.21
Breast	-	-	-	-	-	615	19.4	0.82	13.4	0.60
Female Genital System	-	-	-	-	-	495	15.3	0.71	10.2	0.51
Cervix uteri	-	-	-	-	-	52	1.9	0.27	1.4	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	132	4.0	0.36	2.7	0.26
Ovary	-	-	-	-	-	280	8.5	0.52	5.6	0.37
Male Genital System	635	23.6	0.94	11.6	0.49	-	-	-	-	-
Prostate	625	23.2	0.93	11.4	0.48	-	-	-	-	-
Testis	6	0.3	0.11	0.2	0.08	-	-	-	-	-
Urinary System	326	12.1	0.68	6.9	0.41	148	4.3	0.37	2.7	0.25
Bladder	183	6.7	0.50	3.6	0.28	66	1.7	0.22	0.9	0.13
Kidney & renal pelvis	136	5.1	0.44	3.2	0.30	75	2.4	0.29	1.7	0.21
Brain & Other Nervous System	147	5.4	0.45	4.0	0.35	101	3.6	0.37	2.8	0.30
Endocrine System	11	0.4	0.13	0.3	0.11	19	0.6	0.15	0.4	0.13
Thyroid gland	7	0.3	0.10	0.2	0.06	11	0.3	0.10	0.2	0.07
Lymphomas	207	7.8	0.55	4.7	0.35	175	5.1	0.40	2.8	0.24
Hodgkin Lymphoma	8	0.4	0.13	0.2	0.09	7	0.2	0.09	0.2	0.08
Non-Hodgkin Lymphoma	199	7.4	0.53	4.5	0.34	168	4.8	0.39	2.6	0.23
Multiple Myeloma	98	3.6	0.37	2.2	0.23	82	2.5	0.28	1.4	0.18
Leukemias	258	9.8	0.62	6.1	0.42	174	5.3	0.43	3.4	0.32
Other, Ill-defined & Unknown	459	17.2	0.81	10.8	0.53	400	11.8	0.62	7.3	0.43

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,872	198.6	2.13	122.0	1.39	8,104	136.0	1.59	87.5	1.13
Oral Cavity & Pharynx	120	2.7	0.25	1.8	0.18	85	1.5	0.17	1.0	0.13
Digestive System	2,274	50.5	1.07	32.1	0.72	1,906	30.1	0.73	17.9	0.49
Esophagus	335	7.5	0.41	5.1	0.29	82	1.4	0.16	0.9	0.11
Stomach	157	3.5	0.28	2.1	0.18	99	1.6	0.17	1.0	0.12
Colon & Rectum	930	20.7	0.68	12.7	0.45	898	13.6	0.48	7.9	0.32
Liver	204	4.5	0.32	3.0	0.22	76	1.3	0.15	0.8	0.11
Pancreas	512	11.4	0.51	7.3	0.34	532	8.7	0.40	5.2	0.26
Respiratory System	2,684	61.2	1.19	38.3	0.79	1,968	34.8	0.81	22.8	0.58
Larynx	79	1.8	0.20	1.2	0.15	19	0.4	0.09	0.3	0.06
Lung & bronchus	2,580	58.8	1.17	36.7	0.77	1,934	34.2	0.81	22.4	0.57
Skin	245	5.4	0.35	3.4	0.23	143	2.5	0.22	1.7	0.17
Melanomas of the skin	179	3.9	0.30	2.6	0.20	115	2.1	0.21	1.5	0.16
Breast	12	0.3	0.08	0.2	0.05	1,151	20.0	0.62	13.6	0.46
Female Genital System	-	-	-	-	-	813	14.4	0.53	9.7	0.38
Cervix uteri	-	-	-	-	-	78	1.5	0.18	1.1	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	260	4.4	0.29	2.8	0.20
Ovary	-	-	-	-	-	437	7.7	0.39	5.3	0.29
Male Genital System	980	21.6	0.69	10.8	0.37	-	-	-	-	-
Prostate	965	21.2	0.69	10.5	0.37	-	-	-	-	-
Testis	9	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	554	12.3	0.53	7.2	0.33	308	4.8	0.29	2.9	0.20
Bladder	275	6.1	0.37	3.3	0.21	125	1.8	0.17	1.0	0.11
Kidney & renal pelvis	258	5.8	0.36	3.7	0.24	167	2.8	0.23	1.8	0.16
Brain & Other Nervous System	256	5.9	0.37	4.4	0.29	219	4.1	0.29	3.1	0.23
Endocrine System	32	0.8	0.13	0.6	0.11	29	0.5	0.10	0.4	0.09
Thyroid gland	18	0.4	0.10	0.3	0.07	20	0.3	0.07	0.2	0.05
Lymphomas	393	8.7	0.44	5.1	0.28	353	5.3	0.30	3.1	0.20
Hodgkin Lymphoma	26	0.6	0.11	0.4	0.08	14	0.2	0.06	0.1	0.03
Non-Hodgkin Lymphoma	367	8.2	0.43	4.8	0.27	339	5.1	0.30	3.0	0.20
Multiple Myeloma	170	3.8	0.29	2.2	0.18	150	2.4	0.20	1.4	0.13
Leukemias	408	9.1	0.46	5.6	0.30	287	4.6	0.29	2.8	0.21
Other, Ill-defined & Unknown	744	16.4	0.61	10.2	0.40	692	11.1	0.45	7.0	0.32

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,710	197.4	1.85	122.1	1.16	9,949	148.1	1.50	94.9	1.01
Oral Cavity & Pharynx	198	3.2	0.23	2.2	0.16	88	1.3	0.14	0.8	0.09
Digestive System	3,151	52.0	0.94	33.5	0.61	2,181	32.2	0.70	19.9	0.45
Esophagus	464	7.5	0.36	5.0	0.24	106	1.6	0.15	1.0	0.11
Stomach	243	4.2	0.27	2.5	0.17	164	2.4	0.19	1.4	0.12
Colon & Rectum	1,142	19.2	0.58	12.0	0.36	951	13.9	0.46	8.5	0.29
Liver	433	6.8	0.33	4.7	0.23	177	2.6	0.20	1.6	0.13
Pancreas	704	11.6	0.44	7.5	0.29	614	9.1	0.37	5.8	0.25
Respiratory System	3,609	60.6	1.02	37.6	0.64	3,111	46.8	0.85	29.5	0.56
Larynx	114	1.9	0.18	1.2	0.12	39	0.6	0.10	0.4	0.06
Lung & bronchus	3,482	58.5	1.00	36.2	0.63	3,063	46.1	0.84	29.0	0.55
Skin	358	5.9	0.32	3.8	0.21	107	1.6	0.16	1.1	0.11
Melanomas of the skin	260	4.3	0.27	2.8	0.18	86	1.3	0.15	0.9	0.10
Breast	12	0.2	0.05	0.1	0.04	1,489	21.9	0.57	14.7	0.40
Female Genital System	-	-	-	-	-	901	13.4	0.45	9.2	0.32
Cervix uteri	-	-	-	-	-	174	2.7	0.21	2.0	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	213	3.1	0.22	2.1	0.15
Ovary	-	-	-	-	-	468	6.9	0.32	4.7	0.23
Male Genital System	1,129	20.8	0.62	10.5	0.32	-	-	-	-	-
Prostate	1,102	20.3	0.62	10.2	0.32	-	-	-	-	-
Testis	19	0.3	0.07	0.2	0.06	-	-	-	-	-
Urinary System	772	13.2	0.48	7.8	0.29	326	4.8	0.27	2.8	0.17
Bladder	435	7.7	0.37	4.2	0.21	166	2.4	0.19	1.4	0.12
Kidney & renal pelvis	325	5.3	0.30	3.5	0.20	152	2.2	0.18	1.4	0.12
Brain & Other Nervous System	318	5.0	0.29	3.7	0.21	199	3.0	0.21	2.2	0.17
Endocrine System	40	0.6	0.10	0.5	0.08	43	0.6	0.10	0.4	0.07
Thyroid gland	21	0.3	0.08	0.2	0.05	32	0.5	0.09	0.3	0.06
Lymphomas	406	6.8	0.34	4.3	0.22	311	4.7	0.27	2.8	0.17
Hodgkin Lymphoma	33	0.5	0.10	0.4	0.07	18	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	373	6.3	0.33	4.0	0.21	293	4.4	0.26	2.6	0.16
Multiple Myeloma	170	3.0	0.23	1.8	0.14	126	1.9	0.17	1.2	0.11
Leukemias	460	8.0	0.38	4.8	0.24	281	4.3	0.26	2.9	0.19
Other, Ill-defined & Unknown	1,087	18.2	0.56	11.6	0.36	786	11.7	0.42	7.4	0.28

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,612	200.2	2.50	121.4	1.56	6,218	144.8	1.90	93.4	1.33
Oral Cavity & Pharynx	126	3.7	0.34	2.6	0.24	51	1.2	0.18	0.7	0.11
Digestive System	1,737	51.7	1.26	32.4	0.81	1,355	30.3	0.85	18.6	0.57
Esophagus	339	10.0	0.55	6.4	0.36	91	2.0	0.22	1.2	0.14
Stomach	129	3.8	0.34	2.4	0.22	78	1.7	0.20	1.0	0.13
Colon & Rectum	583	17.7	0.74	10.7	0.46	549	12.0	0.53	7.1	0.35
Liver	165	4.8	0.38	3.2	0.26	58	1.3	0.19	0.8	0.12
Pancreas	418	12.3	0.61	7.7	0.39	434	9.9	0.49	6.3	0.33
Respiratory System	2,003	60.4	1.37	37.5	0.87	1,715	41.4	1.02	27.1	0.71
Larynx	66	2.0	0.25	1.2	0.15	16	0.4	0.10	0.3	0.07
Lung & bronchus	1,925	58.1	1.34	36.1	0.85	1,695	40.9	1.02	26.8	0.71
Skin	180	5.3	0.40	3.4	0.26	93	2.1	0.23	1.4	0.17
Melanomas of the skin	136	4.0	0.35	2.6	0.23	73	1.8	0.22	1.2	0.16
Breast	-	-	-	-	-	870	20.1	0.70	13.6	0.51
Female Genital System	-	-	-	-	-	624	14.5	0.60	9.7	0.43
Cervix uteri	-	-	-	-	-	80	2.0	0.23	1.5	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	181	4.1	0.31	2.6	0.21
Ovary	-	-	-	-	-	317	7.4	0.43	5.0	0.31
Male Genital System	627	20.1	0.81	9.7	0.41	-	-	-	-	-
Prostate	614	19.7	0.80	9.4	0.40	-	-	-	-	-
Testis	8	0.2	0.09	0.2	0.07	-	-	-	-	-
Urinary System	436	13.2	0.64	7.6	0.38	214	4.7	0.33	2.8	0.22
Bladder	248	7.7	0.50	4.2	0.28	102	2.2	0.23	1.2	0.14
Kidney & renal pelvis	176	5.1	0.39	3.2	0.25	102	2.3	0.23	1.4	0.16
Brain & Other Nervous System	202	5.9	0.42	4.2	0.31	136	3.5	0.31	2.5	0.24
Endocrine System	32	1.0	0.17	0.7	0.13	26	0.6	0.13	0.4	0.10
Thyroid gland	21	0.6	0.14	0.4	0.09	18	0.4	0.10	0.2	0.07
Lymphomas	239	7.3	0.48	4.4	0.31	208	4.7	0.34	2.8	0.23
Hodgkin Lymphoma	14	0.4	0.12	0.3	0.10	8	0.2	0.06	0.1	0.05
Non-Hodgkin Lymphoma	225	6.9	0.47	4.1	0.29	200	4.6	0.34	2.7	0.22
Multiple Myeloma	129	3.9	0.35	2.3	0.21	125	2.8	0.26	1.7	0.17
Leukemias	249	7.5	0.48	4.5	0.30	230	5.4	0.37	3.5	0.29
Other, Ill-defined & Unknown	649	20.0	0.79	12.0	0.50	571	13.2	0.57	8.4	0.41

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	41,475	196.0	0.97	119.0	0.62	43,386	146.7	0.73	93.6	0.51
Oral Cavity & Pharynx	663	3.0	0.12	2.1	0.08	372	1.3	0.07	0.8	0.05
Digestive System	11,595	54.2	0.51	33.9	0.33	10,165	32.9	0.34	19.8	0.23
Esophagus	1,470	6.8	0.18	4.6	0.12	495	1.6	0.08	1.0	0.05
Stomach	1,196	5.6	0.16	3.5	0.11	887	2.9	0.10	1.7	0.07
Colon & Rectum	4,235	20.0	0.31	11.9	0.19	4,431	14.0	0.22	8.3	0.14
Liver	1,303	5.8	0.16	4.1	0.12	539	1.8	0.08	1.1	0.06
Pancreas	2,638	12.3	0.24	7.8	0.16	2,793	9.2	0.18	5.6	0.12
Respiratory System	11,879	56.3	0.52	34.7	0.34	10,559	36.7	0.37	23.4	0.25
Larynx	451	2.1	0.10	1.4	0.07	150	0.5	0.04	0.3	0.03
Lung & bronchus	11,350	53.9	0.51	33.2	0.33	10,361	36.0	0.36	22.9	0.25
Skin	1,017	4.8	0.15	3.0	0.10	622	2.1	0.09	1.3	0.06
Melanomas of the skin	796	3.7	0.13	2.4	0.09	488	1.7	0.08	1.1	0.06
Breast	85	0.4	0.04	0.2	0.03	7,063	24.5	0.30	16.7	0.22
Female Genital System	-	-	-	-	-	4,647	16.3	0.25	11.1	0.18
Cervix uteri	-	-	-	-	-	617	2.4	0.10	1.8	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,410	4.9	0.13	3.3	0.10
Ovary	-	-	-	-	-	2,366	8.2	0.17	5.5	0.13
Male Genital System	4,062	19.7	0.31	10.0	0.17	-	-	-	-	-
Prostate	3,989	19.3	0.31	9.7	0.16	-	-	-	-	-
Testis	39	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,723	12.9	0.25	7.4	0.15	1,420	4.5	0.12	2.6	0.08
Bladder	1,614	7.7	0.19	4.1	0.11	756	2.3	0.09	1.2	0.05
Kidney & renal pelvis	1,053	4.9	0.15	3.1	0.10	623	2.1	0.09	1.3	0.06
Brain & Other Nervous System	970	4.5	0.15	3.3	0.11	750	2.8	0.10	2.1	0.08
Endocrine System	150	0.7	0.06	0.5	0.05	193	0.7	0.05	0.5	0.04
Thyroid gland	96	0.4	0.05	0.3	0.03	135	0.5	0.04	0.3	0.03
Lymphomas	1,668	7.9	0.19	4.7	0.12	1,628	5.3	0.14	3.1	0.09
Hodgkin Lymphoma	109	0.5	0.05	0.4	0.04	91	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,559	7.3	0.19	4.4	0.12	1,537	5.0	0.13	2.9	0.09
Multiple Myeloma	839	4.0	0.14	2.4	0.09	766	2.5	0.09	1.5	0.06
Leukemias	1,747	8.4	0.20	5.1	0.13	1,422	4.7	0.13	3.0	0.10
Other, Ill-defined & Unknown	4,077	19.3	0.30	11.7	0.19	3,779	12.3	0.21	7.7	0.15

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,554	175.8	1.91	109.1	1.24	7,527	125.6	1.48	80.9	1.03
Oral Cavity & Pharynx	171	3.4	0.26	2.5	0.19	61	1.0	0.13	0.6	0.08
Digestive System	2,487	50.6	1.02	32.9	0.69	1,861	30.8	0.73	19.1	0.49
Esophagus	277	5.6	0.34	3.8	0.24	67	1.1	0.14	0.7	0.09
Stomach	280	5.8	0.35	3.6	0.23	161	2.7	0.21	1.6	0.14
Colon & Rectum	838	17.3	0.60	10.8	0.39	762	12.5	0.46	7.6	0.31
Liver	376	7.3	0.38	5.2	0.28	131	2.2	0.19	1.4	0.13
Pancreas	537	10.8	0.47	7.1	0.32	501	8.3	0.38	5.2	0.25
Respiratory System	2,107	43.5	0.95	26.8	0.61	1,655	28.0	0.70	17.5	0.47
Larynx	77	1.6	0.18	1.1	0.13	18	0.3	0.08	0.2	0.05
Lung & bronchus	2,011	41.5	0.93	25.4	0.60	1,627	27.5	0.69	17.2	0.46
Skin	246	5.0	0.32	3.1	0.21	123	2.0	0.19	1.2	0.12
Melanomas of the skin	175	3.6	0.27	2.2	0.18	99	1.7	0.17	1.0	0.11
Breast	8	0.1	0.05	0.1	0.04	1,188	19.9	0.59	13.7	0.43
Female Genital System	-	-	-	-	-	833	14.2	0.50	9.6	0.36
Cervix uteri	-	-	-	-	-	137	2.6	0.23	1.9	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	193	3.2	0.24	2.1	0.17
Ovary	-	-	-	-	-	447	7.5	0.36	5.1	0.26
Male Genital System	1,018	21.4	0.67	10.8	0.36	-	-	-	-	-
Prostate	996	20.9	0.67	10.5	0.35	-	-	-	-	-
Testis	13	0.3	0.09	0.2	0.07	-	-	-	-	-
Urinary System	550	11.3	0.49	6.9	0.31	268	4.3	0.27	2.5	0.17
Bladder	253	5.3	0.33	3.0	0.20	88	1.4	0.15	0.7	0.09
Kidney & renal pelvis	285	5.8	0.35	3.8	0.24	173	2.8	0.22	1.7	0.15
Brain & Other Nervous System	216	4.3	0.30	3.2	0.23	159	2.8	0.23	2.0	0.18
Endocrine System	44	0.9	0.14	0.7	0.11	42	0.7	0.11	0.4	0.08
Thyroid gland	26	0.5	0.10	0.4	0.07	31	0.5	0.09	0.3	0.06
Lymphomas	324	6.7	0.38	4.2	0.25	265	4.3	0.27	2.6	0.18
Hodgkin Lymphoma	21	0.4	0.10	0.3	0.07	17	0.3	0.07	0.2	0.04
Non-Hodgkin Lymphoma	303	6.3	0.36	3.9	0.23	248	4.1	0.27	2.5	0.18
Multiple Myeloma	170	3.5	0.27	2.1	0.17	132	2.2	0.20	1.3	0.13
Leukemias	360	7.5	0.40	4.7	0.27	276	4.6	0.28	3.1	0.22
Other, Ill-defined & Unknown	853	17.5	0.61	11.1	0.40	664	10.8	0.43	7.0	0.30

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	87,577	185.4	0.63	114.3	0.41	89,312	135.6	0.47	87.8	0.33
Oral Cavity & Pharynx	1,575	3.2	0.08	2.2	0.06	716	1.1	0.04	0.7	0.03
Digestive System	24,912	52.3	0.33	33.0	0.22	21,648	31.5	0.22	19.3	0.15
Esophagus	3,396	7.1	0.12	4.7	0.08	1,113	1.7	0.05	1.1	0.04
Stomach	2,630	5.6	0.11	3.5	0.07	1,931	2.8	0.07	1.7	0.05
Colon & Rectum	8,343	17.8	0.20	10.6	0.12	8,949	12.7	0.14	7.6	0.09
Liver	3,234	6.5	0.12	4.6	0.08	1,250	1.9	0.05	1.2	0.04
Pancreas	5,597	11.7	0.16	7.4	0.10	6,118	9.0	0.12	5.5	0.08
Respiratory System	25,459	54.0	0.34	33.9	0.22	22,116	34.4	0.24	22.2	0.17
Larynx	1,006	2.1	0.07	1.4	0.05	285	0.4	0.03	0.3	0.02
Lung & bronchus	24,326	51.7	0.33	32.3	0.22	21,741	33.8	0.24	21.8	0.16
Skin	1,877	3.9	0.09	2.5	0.06	1,096	1.7	0.05	1.1	0.04
Melanomas of the skin	1,443	3.0	0.08	1.9	0.05	853	1.3	0.05	0.9	0.03
Breast	122	0.3	0.02	0.2	0.02	13,681	21.3	0.19	14.6	0.14
Female Genital System	-	-	-	-	-	10,023	15.8	0.16	10.8	0.12
Cervix uteri	-	-	-	-	-	1,365	2.3	0.06	1.7	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	3,105	4.8	0.09	3.2	0.06
Ovary	-	-	-	-	-	4,981	7.8	0.11	5.3	0.08
Male Genital System	9,014	19.6	0.21	9.9	0.11	-	-	-	-	-
Prostate	8,835	19.2	0.20	9.6	0.11	-	-	-	-	-
Testis	89	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,597	11.9	0.16	6.9	0.10	2,906	4.1	0.08	2.4	0.05
Bladder	3,205	6.9	0.12	3.7	0.07	1,477	2.0	0.05	1.1	0.03
Kidney & renal pelvis	2,272	4.8	0.10	3.0	0.07	1,331	2.0	0.06	1.3	0.04
Brain & Other Nervous System	2,193	4.5	0.10	3.3	0.08	1,668	2.8	0.07	2.1	0.06
Endocrine System	395	0.8	0.04	0.6	0.03	479	0.8	0.04	0.6	0.03
Thyroid gland	235	0.5	0.03	0.3	0.02	327	0.5	0.03	0.3	0.02
Lymphomas	3,700	7.8	0.13	4.9	0.08	3,258	4.8	0.09	3.0	0.06
Hodgkin Lymphoma	240	0.5	0.03	0.4	0.02	200	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	3,460	7.3	0.13	4.5	0.08	3,058	4.5	0.08	2.7	0.06
Multiple Myeloma	1,701	3.6	0.09	2.2	0.06	1,555	2.3	0.06	1.4	0.04
Leukemias	3,939	8.5	0.14	5.3	0.09	3,098	4.6	0.09	3.0	0.07
Other, Ill-defined & Unknown	7,093	15.0	0.18	9.4	0.12	7,068	10.6	0.13	6.8	0.09

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	45,803	219.5	1.04	137.5	0.66	40,683	143.4	0.73	93.8	0.51
Oral Cavity & Pharynx	856	3.9	0.13	2.7	0.10	364	1.3	0.07	0.8	0.05
Digestive System	10,680	50.1	0.49	32.6	0.32	8,677	29.8	0.33	18.6	0.22
Esophagus	1,490	6.8	0.18	4.7	0.12	388	1.4	0.07	0.9	0.05
Stomach	924	4.4	0.15	2.8	0.09	608	2.1	0.09	1.3	0.06
Colon & Rectum	3,852	18.4	0.30	11.6	0.19	3,687	12.5	0.21	7.8	0.14
Liver	1,265	5.6	0.16	4.0	0.12	464	1.6	0.08	1.0	0.05
Pancreas	2,411	11.4	0.24	7.3	0.15	2,608	9.0	0.18	5.5	0.12
Respiratory System	16,297	77.4	0.61	49.5	0.40	11,228	40.3	0.39	26.7	0.27
Larynx	497	2.3	0.10	1.5	0.07	135	0.5	0.04	0.3	0.03
Lung & bronchus	15,712	74.7	0.60	47.7	0.39	11,032	39.6	0.38	26.2	0.27
Skin	1,198	5.7	0.17	3.6	0.11	681	2.4	0.09	1.6	0.07
Melanomas of the skin	894	4.3	0.14	2.7	0.09	541	2.0	0.09	1.4	0.06
Breast	56	0.3	0.04	0.2	0.02	6,217	22.3	0.29	15.5	0.21
Female Genital System	-	-	-	-	-	4,006	14.3	0.23	9.7	0.17
Cervix uteri	-	-	-	-	-	597	2.3	0.10	1.7	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,078	3.8	0.12	2.5	0.08
Ovary	-	-	-	-	-	2,094	7.4	0.17	4.9	0.12
Male Genital System	4,428	22.9	0.35	11.8	0.18	-	-	-	-	-
Prostate	4,319	22.4	0.34	11.4	0.18	-	-	-	-	-
Testis	65	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,584	12.7	0.25	7.5	0.15	1,343	4.5	0.12	2.7	0.08
Bladder	1,253	6.3	0.18	3.5	0.10	624	2.0	0.08	1.1	0.05
Kidney & renal pelvis	1,272	6.0	0.17	3.9	0.11	669	2.3	0.09	1.5	0.06
Brain & Other Nervous System	1,044	4.8	0.15	3.5	0.11	849	3.1	0.11	2.3	0.09
Endocrine System	159	0.7	0.06	0.6	0.05	172	0.6	0.05	0.4	0.04
Thyroid gland	87	0.4	0.05	0.3	0.03	118	0.4	0.04	0.2	0.02
Lymphomas	1,573	7.6	0.19	4.8	0.12	1,414	4.9	0.13	2.9	0.09
Hodgkin Lymphoma	118	0.6	0.05	0.4	0.04	77	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,455	7.1	0.19	4.4	0.12	1,337	4.6	0.13	2.7	0.08
Multiple Myeloma	938	4.6	0.15	2.7	0.09	911	3.1	0.11	1.9	0.07
Leukemias	1,864	9.2	0.21	5.6	0.14	1,348	4.7	0.13	3.0	0.09
Other, Ill-defined & Unknown	4,126	19.7	0.31	12.5	0.20	3,473	12.0	0.21	7.7	0.15

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,463	194.1	3.35	119.0	2.22	3,087	135.4	2.61	89.1	1.92
Oral Cavity & Pharynx	58	3.3	0.44	2.1	0.29	23	1.2	0.27	0.9	0.21
Digestive System	908	50.3	1.70	31.7	1.15	754	30.5	1.19	18.3	0.81
Esophagus	119	6.6	0.61	4.4	0.43	32	1.4	0.26	0.9	0.18
Stomach	78	4.3	0.50	2.6	0.33	55	2.3	0.32	1.4	0.23
Colon & Rectum	359	19.8	1.06	12.1	0.70	341	13.4	0.79	8.3	0.55
Liver	62	3.4	0.44	2.2	0.30	37	1.6	0.28	1.0	0.20
Pancreas	213	12.0	0.84	7.8	0.58	195	8.0	0.62	4.7	0.40
Respiratory System	964	55.7	1.82	34.6	1.21	695	33.4	1.32	22.7	0.98
Larynx	27	1.5	0.30	1.0	0.20	-	-	-	-	-
Lung & bronchus	924	53.4	1.78	33.2	1.18	688	33.2	1.32	22.6	0.98
Skin	74	4.2	0.49	2.8	0.35	34	1.4	0.26	0.9	0.19
Melanomas of the skin	55	3.1	0.43	2.2	0.31	23	1.0	0.22	0.6	0.16
Breast	-	-	-	-	-	460	20.7	1.04	14.2	0.78
Female Genital System	-	-	-	-	-	326	15.3	0.90	10.7	0.68
Cervix uteri	-	-	-	-	-	28	1.5	0.30	1.1	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	98	4.5	0.48	3.0	0.35
Ovary	-	-	-	-	-	180	8.6	0.67	6.1	0.51
Male Genital System	417	21.9	1.09	10.9	0.59	-	-	-	-	-
Prostate	412	21.7	1.09	10.7	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	268	14.9	0.93	9.2	0.62	123	4.9	0.48	3.0	0.34
Bladder	131	6.9	0.61	3.9	0.38	48	1.6	0.25	0.8	0.16
Kidney & renal pelvis	128	7.5	0.68	5.1	0.47	70	3.1	0.40	2.1	0.30
Brain & Other Nervous System	89	5.6	0.60	4.1	0.46	85	4.2	0.47	3.3	0.42
Endocrine System	10	0.5	0.18	0.5	0.19	20	0.9	0.22	0.5	0.15
Thyroid gland	7	0.4	0.14	0.2	0.10	13	0.5	0.16	0.2	0.09
Lymphomas	126	7.2	0.65	4.6	0.44	132	5.2	0.49	3.1	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	122	6.9	0.64	4.4	0.43	130	5.0	0.47	2.9	0.32
Multiple Myeloma	78	4.4	0.50	2.6	0.32	64	2.8	0.37	1.7	0.26
Leukemias	183	10.0	0.75	6.0	0.50	130	5.3	0.51	3.7	0.43
Other, Ill-defined & Unknown	286	16.1	0.97	9.8	0.64	241	9.7	0.68	6.1	0.49

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	64,882	224.7	0.89	139.3	0.58	60,172	153.1	0.65	99.4	0.46
Oral Cavity & Pharynx	1,151	3.8	0.11	2.7	0.08	555	1.4	0.06	0.9	0.04
Digestive System	16,045	55.0	0.44	34.9	0.29	13,129	31.9	0.29	19.6	0.20
Esophagus	2,655	9.0	0.18	6.0	0.12	684	1.7	0.07	1.1	0.05
Stomach	1,244	4.3	0.12	2.6	0.08	860	2.1	0.07	1.2	0.05
Colon & Rectum	5,927	20.6	0.27	12.5	0.17	5,950	14.1	0.19	8.5	0.13
Liver	1,650	5.4	0.13	3.8	0.10	636	1.6	0.06	1.0	0.05
Pancreas	3,590	12.2	0.21	7.9	0.14	3,717	9.2	0.16	5.7	0.11
Respiratory System	21,906	75.6	0.52	48.1	0.34	16,363	43.1	0.34	28.2	0.24
Larynx	730	2.5	0.09	1.7	0.06	188	0.5	0.04	0.4	0.03
Lung & bronchus	21,054	72.7	0.51	46.2	0.33	16,097	42.4	0.34	27.7	0.24
Skin	1,552	5.3	0.14	3.4	0.09	773	2.0	0.08	1.4	0.06
Melanomas of the skin	1,162	4.0	0.12	2.6	0.08	615	1.7	0.07	1.2	0.05
Breast	76	0.3	0.03	0.2	0.02	9,174	23.8	0.26	16.3	0.19
Female Genital System	-	-	-	-	-	5,910	15.5	0.21	10.6	0.15
Cervix uteri	-	-	-	-	-	855	2.5	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,713	4.3	0.11	2.9	0.08
Ovary	-	-	-	-	-	2,951	7.7	0.15	5.2	0.11
Male Genital System	6,239	22.4	0.29	11.4	0.15	-	-	-	-	-
Prostate	6,114	22.0	0.28	11.0	0.15	-	-	-	-	-
Testis	58	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,141	14.5	0.23	8.4	0.14	2,190	5.3	0.12	3.2	0.08
Bladder	2,260	8.0	0.17	4.3	0.10	987	2.3	0.07	1.3	0.05
Kidney & renal pelvis	1,777	6.1	0.15	3.9	0.10	1,129	2.8	0.09	1.8	0.06
Brain & Other Nervous System	1,527	5.2	0.13	3.9	0.11	1,267	3.5	0.10	2.6	0.08
Endocrine System	243	0.8	0.05	0.6	0.04	302	0.8	0.05	0.6	0.04
Thyroid gland	159	0.5	0.04	0.3	0.03	182	0.4	0.03	0.3	0.02
Lymphomas	2,612	9.2	0.18	5.5	0.11	2,238	5.4	0.12	3.3	0.08
Hodgkin Lymphoma	146	0.5	0.04	0.4	0.03	126	0.3	0.03	0.3	0.03
Non-Hodgkin Lymphoma	2,466	8.6	0.18	5.2	0.11	2,112	5.1	0.11	3.0	0.08
Multiple Myeloma	1,213	4.2	0.12	2.5	0.08	1,159	2.8	0.09	1.7	0.06
Leukemias	2,631	9.3	0.18	5.7	0.12	2,148	5.3	0.12	3.3	0.09
Other, Ill-defined & Unknown	5,546	19.1	0.26	12.0	0.17	4,964	12.3	0.18	7.9	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,329	226.3	1.60	144.1	1.06	17,631	152.3	1.18	100.9	0.84
Oral Cavity & Pharynx	336	3.6	0.20	2.6	0.14	177	1.5	0.12	1.0	0.08
Digestive System	4,898	53.9	0.78	35.6	0.53	3,607	30.1	0.52	19.2	0.36
Esophagus	742	8.1	0.30	5.6	0.21	170	1.4	0.11	1.0	0.08
Stomach	349	3.9	0.21	2.6	0.14	230	2.0	0.14	1.3	0.09
Colon & Rectum	1,915	21.3	0.49	13.6	0.32	1,663	13.7	0.35	8.6	0.24
Liver	615	6.5	0.27	4.7	0.20	266	2.2	0.14	1.5	0.11
Pancreas	1,031	11.4	0.36	7.5	0.24	965	8.2	0.27	5.2	0.19
Respiratory System	7,244	80.5	0.95	52.1	0.64	5,182	45.5	0.64	30.4	0.46
Larynx	172	1.9	0.14	1.3	0.10	52	0.5	0.07	0.3	0.05
Lung & bronchus	7,030	78.2	0.94	50.5	0.63	5,104	44.8	0.64	29.9	0.46
Skin	596	6.6	0.27	4.2	0.18	286	2.6	0.16	1.8	0.11
Melanomas of the skin	437	4.8	0.23	3.2	0.16	230	2.1	0.14	1.5	0.11
Breast	28	0.3	0.06	0.2	0.04	2,569	22.6	0.46	15.7	0.34
Female Genital System	-	-	-	-	-	1,700	15.0	0.38	10.2	0.27
Cervix uteri	-	-	-	-	-	287	2.9	0.18	2.2	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	431	3.7	0.18	2.5	0.13
Ovary	-	-	-	-	-	886	7.6	0.26	5.0	0.19
Male Genital System	1,816	20.9	0.49	10.7	0.26	-	-	-	-	-
Prostate	1,778	20.4	0.49	10.4	0.26	-	-	-	-	-
Testis	24	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,231	13.6	0.39	8.5	0.25	606	5.0	0.21	3.1	0.14
Bladder	585	6.6	0.27	3.7	0.16	215	1.7	0.12	0.9	0.07
Kidney & renal pelvis	625	6.8	0.27	4.7	0.19	373	3.2	0.17	2.1	0.12
Brain & Other Nervous System	491	5.4	0.25	4.1	0.19	406	3.7	0.19	2.5	0.14
Endocrine System	72	0.8	0.10	0.7	0.08	81	0.7	0.08	0.5	0.07
Thyroid gland	38	0.4	0.07	0.3	0.05	52	0.4	0.06	0.3	0.04
Lymphomas	782	8.8	0.32	5.5	0.21	697	5.9	0.23	3.6	0.16
Hodgkin Lymphoma	42	0.5	0.08	0.3	0.06	33	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	740	8.3	0.31	5.2	0.20	664	5.5	0.22	3.4	0.15
Multiple Myeloma	379	4.3	0.22	2.6	0.14	291	2.4	0.15	1.5	0.10
Leukemias	850	9.6	0.33	6.0	0.22	621	5.1	0.21	3.3	0.16
Other, Ill-defined & Unknown	1,606	17.9	0.45	11.4	0.30	1,408	12.2	0.33	8.0	0.24

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,213	196.8	1.44	119.9	0.92	17,781	144.9	1.13	92.3	0.78
Oral Cavity & Pharynx	348	3.5	0.19	2.3	0.13	161	1.3	0.10	0.8	0.07
Digestive System	4,812	48.4	0.71	30.8	0.47	3,865	30.6	0.51	18.8	0.34
Esophagus	786	7.9	0.29	5.1	0.19	212	1.7	0.12	1.0	0.08
Stomach	330	3.4	0.19	2.0	0.12	207	1.7	0.12	1.1	0.08
Colon & Rectum	1,667	16.9	0.42	10.3	0.27	1,644	12.7	0.33	7.6	0.21
Liver	595	5.6	0.23	4.2	0.18	218	1.8	0.12	1.2	0.09
Pancreas	1,123	11.4	0.34	7.2	0.22	1,157	9.3	0.28	5.7	0.19
Respiratory System	5,669	58.6	0.79	35.9	0.50	4,962	41.7	0.61	26.1	0.41
Larynx	111	1.1	0.11	0.7	0.07	47	0.4	0.06	0.3	0.04
Lung & bronchus	5,514	57.1	0.78	35.0	0.50	4,889	41.1	0.60	25.6	0.40
Skin	520	5.3	0.23	3.4	0.16	302	2.5	0.15	1.7	0.11
Melanomas of the skin	397	4.0	0.20	2.7	0.14	244	2.1	0.14	1.5	0.10
Breast	25	0.2	0.05	0.1	0.03	2,461	20.2	0.42	13.7	0.30
Female Genital System	-	-	-	-	-	1,802	15.0	0.37	10.1	0.26
Cervix uteri	-	-	-	-	-	200	1.9	0.14	1.4	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	439	3.6	0.18	2.4	0.12
Ovary	-	-	-	-	-	1,058	8.7	0.28	5.8	0.19
Male Genital System	2,171	22.5	0.49	11.4	0.26	-	-	-	-	-
Prostate	2,138	22.2	0.48	11.1	0.26	-	-	-	-	-
Testis	16	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,246	12.8	0.37	7.4	0.22	577	4.4	0.19	2.6	0.13
Bladder	699	7.2	0.28	3.9	0.16	277	2.0	0.13	1.1	0.08
Kidney & renal pelvis	508	5.1	0.23	3.3	0.15	276	2.2	0.14	1.4	0.10
Brain & Other Nervous System	624	6.3	0.26	4.7	0.20	432	3.9	0.19	3.1	0.16
Endocrine System	66	0.7	0.09	0.5	0.07	89	0.8	0.08	0.6	0.07
Thyroid gland	41	0.4	0.07	0.3	0.04	55	0.4	0.06	0.3	0.04
Lymphomas	809	8.3	0.30	4.9	0.18	711	5.5	0.21	3.2	0.14
Hodgkin Lymphoma	51	0.5	0.07	0.4	0.06	43	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	758	7.8	0.29	4.5	0.18	668	5.1	0.20	2.9	0.13
Multiple Myeloma	424	4.4	0.21	2.5	0.13	316	2.5	0.14	1.4	0.09
Leukemias	856	8.9	0.31	5.4	0.20	626	5.0	0.21	3.2	0.15
Other, Ill-defined & Unknown	1,643	16.9	0.42	10.4	0.27	1,477	11.6	0.31	7.1	0.21

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	74,483	214.5	0.79	132.6	0.52	71,157	148.3	0.59	96.0	0.42
Oral Cavity & Pharynx	1,178	3.4	0.10	2.3	0.07	577	1.2	0.05	0.8	0.04
Digestive System	19,371	55.5	0.40	35.3	0.27	16,064	31.7	0.26	19.4	0.18
Esophagus	3,068	8.8	0.16	5.9	0.11	793	1.6	0.06	1.0	0.04
Stomach	1,573	4.5	0.12	2.8	0.08	1,070	2.1	0.07	1.2	0.05
Colon & Rectum	7,107	20.4	0.24	12.3	0.16	7,207	13.9	0.17	8.3	0.12
Liver	2,051	5.7	0.13	4.0	0.09	806	1.6	0.06	1.0	0.04
Pancreas	4,350	12.5	0.19	8.1	0.13	4,587	9.2	0.14	5.7	0.10
Respiratory System	23,075	66.7	0.44	42.1	0.30	17,876	38.6	0.30	25.2	0.22
Larynx	774	2.2	0.08	1.5	0.06	208	0.5	0.03	0.3	0.02
Lung & bronchus	22,186	64.2	0.43	40.4	0.29	17,583	38.0	0.30	24.8	0.21
Skin	1,835	5.3	0.13	3.4	0.08	1,000	2.1	0.07	1.4	0.05
Melanomas of the skin	1,392	4.0	0.11	2.6	0.08	805	1.8	0.07	1.2	0.05
Breast	93	0.3	0.03	0.2	0.02	10,556	22.7	0.23	15.4	0.17
Female Genital System	-	-	-	-	-	7,554	16.5	0.20	11.2	0.15
Cervix uteri	-	-	-	-	-	852	2.2	0.08	1.7	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,189	4.7	0.10	3.1	0.08
Ovary	-	-	-	-	-	3,981	8.6	0.14	5.8	0.10
Male Genital System	7,387	21.0	0.25	10.6	0.13	-	-	-	-	-
Prostate	7,232	20.5	0.24	10.2	0.13	-	-	-	-	-
Testis	93	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,656	13.3	0.20	7.8	0.12	2,480	4.7	0.10	2.8	0.07
Bladder	2,635	7.5	0.15	4.1	0.09	1,172	2.1	0.07	1.2	0.04
Kidney & renal pelvis	1,911	5.5	0.13	3.6	0.09	1,217	2.5	0.07	1.6	0.05
Brain & Other Nervous System	1,623	4.8	0.12	3.5	0.09	1,385	3.3	0.09	2.5	0.08
Endocrine System	253	0.8	0.05	0.6	0.04	342	0.8	0.04	0.6	0.04
Thyroid gland	151	0.4	0.04	0.3	0.02	247	0.5	0.03	0.3	0.02
Lymphomas	3,105	9.0	0.16	5.5	0.11	2,800	5.5	0.11	3.3	0.08
Hodgkin Lymphoma	182	0.6	0.04	0.4	0.03	140	0.4	0.03	0.3	0.03
Non-Hodgkin Lymphoma	2,923	8.5	0.16	5.1	0.10	2,660	5.1	0.11	3.0	0.07
Multiple Myeloma	1,369	3.9	0.11	2.3	0.07	1,254	2.5	0.07	1.5	0.05
Leukemias	3,191	9.3	0.17	5.8	0.11	2,614	5.3	0.11	3.4	0.09
Other, Ill-defined & Unknown	7,347	21.2	0.25	13.3	0.17	6,655	13.4	0.17	8.5	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,723	209.3	2.80	125.6	1.78	5,478	141.3	2.02	91.6	1.45
Oral Cavity & Pharynx	87	3.1	0.34	2.1	0.24	44	1.3	0.20	0.9	0.15
Digestive System	1,494	54.4	1.43	33.3	0.92	1,203	29.4	0.90	18.2	0.63
Esophagus	250	9.3	0.60	6.1	0.41	76	1.9	0.23	1.2	0.16
Stomach	152	5.4	0.44	3.1	0.27	81	2.0	0.24	1.3	0.17
Colon & Rectum	486	17.8	0.82	10.5	0.51	517	12.1	0.57	7.3	0.39
Liver	176	6.2	0.47	4.3	0.34	71	1.8	0.22	1.1	0.16
Pancreas	313	11.4	0.65	6.8	0.41	311	7.8	0.47	4.9	0.33
Respiratory System	1,738	64.3	1.56	39.2	1.01	1,536	41.2	1.10	27.0	0.79
Larynx	59	2.2	0.29	1.4	0.19	14	0.4	0.11	0.3	0.08
Lung & bronchus	1,666	61.6	1.53	37.6	0.98	1,513	40.6	1.09	26.6	0.78
Skin	155	5.5	0.45	3.3	0.28	79	2.1	0.25	1.4	0.18
Melanomas of the skin	105	3.8	0.37	2.2	0.23	62	1.7	0.23	1.1	0.16
Breast	11	0.4	0.12	0.3	0.09	777	20.6	0.78	13.9	0.57
Female Genital System	-	-	-	-	-	498	13.2	0.62	9.2	0.47
Cervix uteri	-	-	-	-	-	47	1.4	0.21	1.1	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	135	3.5	0.32	2.4	0.24
Ovary	-	-	-	-	-	282	7.4	0.46	5.2	0.35
Male Genital System	555	20.0	0.86	10.0	0.46	-	-	-	-	-
Prostate	536	19.4	0.84	9.5	0.44	-	-	-	-	-
Testis	11	0.4	0.12	0.3	0.10	-	-	-	-	-
Urinary System	377	13.7	0.72	7.8	0.43	216	5.1	0.37	3.0	0.25
Bladder	236	8.5	0.56	4.5	0.32	103	2.3	0.24	1.3	0.16
Kidney & renal pelvis	136	5.0	0.43	3.1	0.29	105	2.6	0.27	1.6	0.19
Brain & Other Nervous System	139	5.1	0.44	3.8	0.34	113	3.3	0.32	2.5	0.28
Endocrine System	16	0.6	0.14	0.4	0.10	29	0.7	0.14	0.5	0.11
Thyroid gland	11	0.4	0.12	0.2	0.08	18	0.4	0.09	0.2	0.06
Lymphomas	234	8.6	0.57	4.9	0.35	181	4.3	0.34	2.5	0.23
Hodgkin Lymphoma	18	0.6	0.15	0.4	0.10	6	0.1	0.06	0.1	0.04
Non-Hodgkin Lymphoma	216	7.9	0.54	4.6	0.33	175	4.1	0.33	2.4	0.22
Multiple Myeloma	81	3.0	0.34	1.8	0.21	93	2.4	0.26	1.4	0.17
Leukemias	257	9.5	0.60	6.0	0.41	205	5.2	0.39	3.4	0.31
Other, Ill-defined & Unknown	579	21.1	0.89	12.8	0.57	504	12.5	0.60	7.8	0.42

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,333	224.3	1.46	143.1	0.95	20,361	142.0	1.02	93.8	0.72
Oral Cavity & Pharynx	518	4.5	0.20	3.2	0.15	204	1.4	0.10	0.9	0.07
Digestive System	5,919	53.4	0.70	35.6	0.48	4,506	30.7	0.47	19.4	0.32
Esophagus	866	7.7	0.26	5.4	0.19	218	1.5	0.10	1.0	0.07
Stomach	591	5.4	0.23	3.5	0.15	349	2.4	0.13	1.5	0.09
Colon & Rectum	2,083	19.1	0.42	12.3	0.28	1,917	13.0	0.30	8.2	0.21
Liver	731	6.3	0.24	4.5	0.17	260	1.8	0.11	1.1	0.08
Pancreas	1,294	11.7	0.33	7.8	0.22	1,321	9.0	0.25	5.7	0.17
Respiratory System	8,581	78.1	0.85	51.0	0.57	5,478	38.8	0.53	25.9	0.37
Larynx	269	2.3	0.14	1.6	0.10	60	0.4	0.06	0.3	0.04
Lung & bronchus	8,270	75.4	0.84	49.1	0.56	5,389	38.1	0.53	25.4	0.37
Skin	581	5.3	0.22	3.4	0.15	256	1.8	0.11	1.2	0.08
Melanomas of the skin	415	3.8	0.19	2.5	0.13	190	1.4	0.10	0.9	0.07
Breast	31	0.3	0.05	0.2	0.03	3,200	22.8	0.41	16.0	0.30
Female Genital System	-	-	-	-	-	2,105	15.0	0.33	10.1	0.24
Cervix uteri	-	-	-	-	-	353	2.8	0.15	2.1	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	557	3.9	0.17	2.5	0.12
Ovary	-	-	-	-	-	1,072	7.5	0.23	4.9	0.16
Male Genital System	2,381	23.7	0.49	12.1	0.26	-	-	-	-	-
Prostate	2,339	23.3	0.49	11.8	0.25	-	-	-	-	-
Testis	19	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,319	12.4	0.34	7.5	0.21	698	4.6	0.18	2.8	0.12
Bladder	626	6.0	0.24	3.4	0.14	302	1.9	0.11	1.1	0.07
Kidney & renal pelvis	661	6.0	0.24	3.9	0.16	363	2.5	0.13	1.6	0.09
Brain & Other Nervous System	571	5.2	0.22	3.7	0.16	456	3.3	0.16	2.5	0.13
Endocrine System	75	0.7	0.08	0.5	0.07	81	0.6	0.07	0.5	0.06
Thyroid gland	41	0.4	0.06	0.2	0.04	45	0.3	0.05	0.2	0.03
Lymphomas	825	7.8	0.27	4.9	0.18	693	4.8	0.19	2.9	0.12
Hodgkin Lymphoma	48	0.5	0.07	0.3	0.05	43	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	777	7.3	0.27	4.6	0.17	650	4.4	0.18	2.6	0.12
Multiple Myeloma	480	4.5	0.21	2.7	0.13	432	2.9	0.14	1.8	0.10
Leukemias	926	8.8	0.29	5.6	0.19	666	4.6	0.18	2.9	0.13
Other, Ill-defined & Unknown	2,126	19.5	0.43	12.7	0.29	1,586	10.8	0.28	7.0	0.20

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,177	189.8	2.97	115.8	1.95	3,690	132.4	2.32	85.7	1.66
Oral Cavity & Pharynx	59	2.7	0.36	1.9	0.26	30	1.0	0.19	0.7	0.14
Digestive System	1,068	48.6	1.51	30.8	1.02	886	30.0	1.08	18.4	0.74
Esophagus	179	8.4	0.63	5.6	0.44	38	1.3	0.23	0.9	0.16
Stomach	91	4.2	0.45	2.5	0.29	71	2.6	0.34	1.7	0.25
Colon & Rectum	410	18.7	0.93	11.6	0.62	400	12.9	0.69	7.7	0.47
Liver	79	3.6	0.41	2.5	0.30	45	1.5	0.25	0.9	0.17
Pancreas	228	10.1	0.68	6.3	0.45	241	8.4	0.57	5.2	0.39
Respiratory System	1,308	59.8	1.67	36.8	1.09	915	34.9	1.20	23.1	0.86
Larynx	26	1.2	0.24	0.7	0.15	7	0.3	0.13	0.2	0.09
Lung & bronchus	1,268	58.0	1.65	35.7	1.08	892	33.9	1.18	22.5	0.85
Skin	109	5.0	0.48	3.3	0.34	55	2.1	0.30	1.5	0.25
Melanomas of the skin	74	3.4	0.40	2.3	0.29	41	1.6	0.27	1.3	0.23
Breast	-	-	-	-	-	540	19.6	0.90	13.4	0.67
Female Genital System	-	-	-	-	-	377	14.2	0.77	9.5	0.56
Cervix uteri	-	-	-	-	-	43	1.8	0.29	1.4	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	106	3.9	0.40	2.6	0.29
Ovary	-	-	-	-	-	211	7.9	0.57	5.2	0.41
Male Genital System	464	20.1	0.94	9.9	0.50	-	-	-	-	-
Prostate	456	19.7	0.93	9.7	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	284	12.7	0.76	7.6	0.49	144	4.9	0.44	2.9	0.29
Bladder	150	6.7	0.55	3.6	0.32	50	1.5	0.22	0.8	0.13
Kidney & renal pelvis	124	5.6	0.51	3.8	0.37	83	3.0	0.35	1.9	0.25
Brain & Other Nervous System	113	5.5	0.53	4.1	0.41	97	4.2	0.45	3.1	0.35
Endocrine System	20	1.0	0.22	0.7	0.16	18	0.7	0.18	0.5	0.14
Thyroid gland	12	0.6	0.17	0.4	0.12	11	0.4	0.14	0.3	0.10
Lymphomas	164	7.5	0.59	4.4	0.37	152	4.8	0.42	2.8	0.29
Hodgkin Lymphoma	7	0.4	0.15	0.3	0.12	6	0.3	0.12	0.2	0.10
Non-Hodgkin Lymphoma	157	7.1	0.57	4.1	0.36	146	4.5	0.40	2.6	0.27
Multiple Myeloma	83	3.8	0.43	2.2	0.26	66	2.2	0.28	1.2	0.17
Leukemias	184	8.4	0.63	5.0	0.41	145	4.8	0.44	2.8	0.31
Other, Ill-defined & Unknown	319	14.6	0.83	9.1	0.55	265	9.1	0.60	5.8	0.43

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,643	239.5	1.29	151.5	0.83	30,208	152.6	0.90	100.9	0.64
Oral Cavity & Pharynx	696	4.4	0.17	3.1	0.12	278	1.4	0.08	0.9	0.06
Digestive System	8,212	54.1	0.61	35.3	0.40	6,330	31.1	0.40	19.5	0.27
Esophagus	1,116	7.1	0.22	5.0	0.15	290	1.5	0.09	0.9	0.06
Stomach	686	4.6	0.18	2.9	0.11	427	2.1	0.10	1.3	0.07
Colon & Rectum	3,074	20.6	0.38	13.0	0.24	2,873	13.9	0.27	8.7	0.18
Liver	1,004	6.3	0.20	4.5	0.15	413	2.0	0.10	1.3	0.07
Pancreas	1,822	12.1	0.29	7.7	0.19	1,754	8.7	0.21	5.4	0.14
Respiratory System	13,476	89.6	0.78	58.0	0.51	8,924	45.9	0.49	30.9	0.35
Larynx	402	2.5	0.13	1.8	0.09	99	0.5	0.05	0.4	0.04
Lung & bronchus	12,991	86.5	0.77	55.8	0.50	8,778	45.2	0.49	30.4	0.35
Skin	938	6.3	0.21	4.0	0.13	449	2.3	0.11	1.5	0.08
Melanomas of the skin	643	4.3	0.17	2.8	0.11	325	1.7	0.10	1.2	0.07
Breast	41	0.3	0.04	0.2	0.03	4,451	22.7	0.35	15.8	0.26
Female Genital System	-	-	-	-	-	2,900	15.0	0.28	10.2	0.20
Cervix uteri	-	-	-	-	-	484	2.7	0.13	2.1	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	707	3.6	0.14	2.4	0.10
Ovary	-	-	-	-	-	1,499	7.6	0.20	5.1	0.14
Male Genital System	3,067	22.4	0.41	11.4	0.21	-	-	-	-	-
Prostate	2,989	21.9	0.40	11.0	0.21	-	-	-	-	-
Testis	45	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	1,911	13.1	0.30	7.8	0.18	940	4.5	0.15	2.7	0.10
Bladder	956	6.8	0.22	3.7	0.12	401	1.8	0.09	1.0	0.06
Kidney & renal pelvis	905	6.0	0.20	3.9	0.13	506	2.5	0.11	1.6	0.08
Brain & Other Nervous System	897	5.8	0.20	4.3	0.15	747	4.0	0.15	3.0	0.12
Endocrine System	120	0.8	0.07	0.6	0.06	148	0.8	0.06	0.5	0.05
Thyroid gland	66	0.5	0.06	0.3	0.04	94	0.5	0.05	0.3	0.03
Lymphomas	1,331	9.0	0.25	5.7	0.16	1,113	5.4	0.17	3.2	0.11
Hodgkin Lymphoma	75	0.5	0.06	0.4	0.05	75	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	1,256	8.5	0.24	5.3	0.15	1,038	5.0	0.16	2.9	0.10
Multiple Myeloma	699	4.8	0.18	2.8	0.11	564	2.8	0.12	1.7	0.08
Leukemias	1,374	9.6	0.26	5.8	0.16	986	4.9	0.16	3.2	0.12
Other, Ill-defined & Unknown	2,881	19.3	0.36	12.5	0.24	2,378	11.8	0.25	7.7	0.18

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	93,324	196.9	0.65	123.2	0.42	82,282	134.0	0.48	87.4	0.33
Oral Cavity & Pharynx	1,901	3.8	0.09	2.6	0.06	775	1.2	0.05	0.8	0.03
Digestive System	25,663	52.7	0.33	34.3	0.22	18,770	30.0	0.22	18.7	0.15
Esophagus	3,039	6.2	0.11	4.1	0.08	711	1.2	0.04	0.7	0.03
Stomach	2,342	4.8	0.10	3.1	0.07	1,642	2.6	0.07	1.7	0.05
Colon & Rectum	8,961	18.7	0.20	11.8	0.13	7,679	12.1	0.14	7.5	0.09
Liver	4,496	8.7	0.13	6.1	0.09	1,867	3.0	0.07	1.9	0.05
Pancreas	5,256	11.0	0.15	7.0	0.10	4,973	8.0	0.12	4.9	0.08
Respiratory System	29,069	62.0	0.37	38.9	0.24	20,686	34.6	0.24	22.2	0.17
Larynx	997	2.0	0.07	1.4	0.04	218	0.4	0.02	0.2	0.02
Lung & bronchus	27,890	59.6	0.36	37.3	0.23	20,363	34.0	0.24	21.8	0.16
Skin	2,438	5.1	0.10	3.2	0.07	1,153	1.8	0.06	1.2	0.04
Melanomas of the skin	1,700	3.5	0.09	2.3	0.06	902	1.5	0.05	1.0	0.04
Breast	103	0.2	0.02	0.1	0.01	12,954	21.1	0.19	14.7	0.14
Female Genital System	-	-	-	-	-	8,652	14.3	0.16	9.8	0.11
Cervix uteri	-	-	-	-	-	1,679	2.9	0.07	2.1	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,079	3.4	0.08	2.3	0.05
Ovary	-	-	-	-	-	4,409	7.3	0.11	4.9	0.08
Male Genital System	8,380	19.1	0.21	9.8	0.11	-	-	-	-	-
Prostate	8,106	18.6	0.21	9.5	0.11	-	-	-	-	-
Testis	145	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,706	12.2	0.16	7.3	0.10	2,956	4.6	0.09	2.8	0.06
Bladder	2,638	5.9	0.12	3.2	0.06	1,114	1.7	0.05	0.9	0.03
Kidney & renal pelvis	2,980	6.1	0.11	4.0	0.08	1,750	2.8	0.07	1.8	0.05
Brain & Other Nervous System	2,409	4.7	0.10	3.4	0.07	2,081	3.5	0.08	2.6	0.06
Endocrine System	369	0.7	0.04	0.5	0.03	453	0.7	0.04	0.5	0.03
Thyroid gland	226	0.5	0.03	0.3	0.02	303	0.5	0.03	0.3	0.02
Lymphomas	3,720	7.9	0.13	4.8	0.08	3,068	4.9	0.09	3.0	0.06
Hodgkin Lymphoma	245	0.5	0.03	0.3	0.02	184	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,475	7.4	0.13	4.5	0.08	2,884	4.6	0.09	2.8	0.06
Multiple Myeloma	1,811	3.9	0.09	2.4	0.06	1,521	2.5	0.06	1.5	0.04
Leukemias	3,971	8.4	0.14	5.2	0.09	2,930	4.7	0.09	3.1	0.06
Other, Ill-defined & Unknown	7,784	16.1	0.19	10.4	0.12	6,283	10.0	0.13	6.5	0.09

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,798	141.7	1.74	86.5	1.10	5,956	102.3	1.35	65.6	0.92
Oral Cavity & Pharynx	84	1.7	0.19	1.2	0.13	57	1.0	0.13	0.6	0.09
Digestive System	1,729	35.5	0.86	22.9	0.57	1,385	23.3	0.64	14.2	0.42
Esophagus	250	5.1	0.33	3.4	0.22	45	0.8	0.11	0.5	0.08
Stomach	128	2.6	0.23	1.6	0.15	103	1.8	0.18	1.1	0.12
Colon & Rectum	643	13.3	0.53	8.4	0.35	570	9.5	0.41	5.8	0.27
Liver	181	3.5	0.27	2.4	0.19	90	1.5	0.16	1.0	0.11
Pancreas	426	8.9	0.44	5.7	0.29	432	7.3	0.36	4.4	0.23
Respiratory System	1,288	27.1	0.76	17.0	0.50	875	15.6	0.53	10.0	0.36
Larynx	25	0.5	0.10	0.3	0.07	8	0.1	0.05	0.1	0.03
Lung & bronchus	1,252	26.4	0.75	16.5	0.49	858	15.2	0.53	9.8	0.36
Skin	305	6.3	0.36	3.9	0.23	129	2.2	0.19	1.5	0.14
Melanomas of the skin	239	4.9	0.32	3.1	0.21	108	1.8	0.18	1.3	0.13
Breast	13	0.3	0.07	0.2	0.05	1,171	20.4	0.61	13.8	0.43
Female Genital System	-	-	-	-	-	669	11.6	0.46	7.7	0.32
Cervix uteri	-	-	-	-	-	71	1.3	0.15	1.0	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	155	2.7	0.22	1.8	0.15
Ovary	-	-	-	-	-	419	7.2	0.36	4.8	0.25
Male Genital System	968	21.2	0.68	10.4	0.35	-	-	-	-	-
Prostate	950	20.8	0.68	10.1	0.35	-	-	-	-	-
Testis	12	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	457	9.6	0.45	5.6	0.28	202	3.3	0.24	1.9	0.15
Bladder	248	5.3	0.34	2.9	0.19	75	1.2	0.14	0.6	0.08
Kidney & renal pelvis	198	4.0	0.29	2.6	0.20	118	2.0	0.19	1.2	0.12
Brain & Other Nervous System	276	5.2	0.32	4.0	0.25	204	3.5	0.25	2.6	0.19
Endocrine System	41	0.8	0.13	0.6	0.09	39	0.6	0.10	0.4	0.08
Thyroid gland	27	0.6	0.11	0.3	0.07	23	0.4	0.08	0.2	0.05
Lymphomas	350	7.3	0.40	4.5	0.25	267	4.5	0.28	2.5	0.17
Hodgkin Lymphoma	20	0.4	0.09	0.3	0.06	16	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	330	6.9	0.39	4.2	0.24	251	4.2	0.27	2.4	0.17
Multiple Myeloma	178	3.9	0.29	2.2	0.17	146	2.5	0.21	1.5	0.14
Leukemias	414	8.5	0.43	5.1	0.26	257	4.4	0.28	2.7	0.18
Other, Ill-defined & Unknown	695	14.3	0.55	8.9	0.35	555	9.5	0.41	6.0	0.28

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,219	194.8	3.48	118.2	2.18	3,076	142.7	2.67	91.9	1.85
Oral Cavity & Pharynx	66	3.9	0.49	2.5	0.32	34	1.5	0.27	1.2	0.21
Digestive System	789	47.1	1.70	29.0	1.07	670	30.1	1.21	18.2	0.80
Esophagus	126	7.6	0.68	4.5	0.42	34	1.6	0.28	1.0	0.19
Stomach	50	3.1	0.44	1.7	0.25	29	1.3	0.25	0.8	0.17
Colon & Rectum	279	17.1	1.03	9.9	0.62	298	12.9	0.78	7.5	0.51
Liver	82	4.6	0.52	3.1	0.35	33	1.6	0.30	1.0	0.19
Pancreas	203	11.8	0.85	7.9	0.57	195	8.9	0.66	5.5	0.44
Respiratory System	991	59.5	1.92	37.6	1.24	891	42.5	1.46	27.9	1.02
Larynx	24	1.4	0.29	1.0	0.20	8	0.3	0.13	0.3	0.10
Lung & bronchus	962	57.8	1.89	36.4	1.22	880	42.0	1.46	27.6	1.02
Skin	96	5.8	0.61	3.7	0.40	53	2.4	0.34	1.5	0.23
Melanomas of the skin	76	4.6	0.55	3.0	0.36	42	1.9	0.31	1.3	0.22
Breast	6	0.4	0.15	0.2	0.08	414	19.7	1.01	13.6	0.73
Female Genital System	-	-	-	-	-	267	12.8	0.81	8.7	0.57
Cervix uteri	-	-	-	-	-	22	1.1	0.24	0.8	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	87	4.1	0.45	2.7	0.31
Ovary	-	-	-	-	-	136	6.6	0.58	4.5	0.42
Male Genital System	299	18.9	1.10	9.2	0.55	-	-	-	-	-
Prostate	295	18.6	1.09	9.0	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	248	14.9	0.96	8.6	0.57	113	4.8	0.47	2.7	0.29
Bladder	157	9.6	0.78	5.2	0.44	54	2.1	0.30	1.0	0.17
Kidney & renal pelvis	83	4.8	0.54	3.2	0.36	53	2.5	0.35	1.5	0.23
Brain & Other Nervous System	82	4.9	0.55	3.5	0.41	76	3.9	0.46	2.8	0.37
Endocrine System	14	0.9	0.23	0.6	0.18	24	1.2	0.26	0.9	0.22
Thyroid gland	6	0.4	0.15	0.2	0.10	19	0.9	0.22	0.6	0.15
Lymphomas	126	7.8	0.70	4.4	0.42	112	5.1	0.50	3.3	0.35
Hodgkin Lymphoma	8	0.5	0.18	0.3	0.12	9	0.6	0.19	0.4	0.16
Non-Hodgkin Lymphoma	118	7.3	0.68	4.1	0.40	103	4.5	0.46	2.9	0.32
Multiple Myeloma	59	3.5	0.47	2.1	0.28	59	2.6	0.35	1.4	0.21
Leukemias	154	9.6	0.79	6.1	0.53	91	4.1	0.45	2.4	0.30
Other, Ill-defined & Unknown	289	17.6	1.05	10.6	0.66	272	12.0	0.76	7.4	0.52

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	36,254	210.4	1.12	129.3	0.70	33,565	144.0	0.80	93.4	0.56
Oral Cavity & Pharynx	611	3.4	0.14	2.2	0.09	265	1.1	0.07	0.7	0.05
Digestive System	9,064	51.2	0.55	32.9	0.35	7,223	30.3	0.36	18.7	0.24
Esophagus	1,360	7.5	0.21	5.1	0.14	348	1.4	0.08	0.9	0.05
Stomach	732	4.2	0.16	2.6	0.10	533	2.2	0.10	1.4	0.07
Colon & Rectum	3,177	18.4	0.33	11.4	0.21	3,128	13.0	0.24	7.9	0.16
Liver	1,107	5.9	0.18	4.1	0.13	376	1.6	0.08	1.0	0.06
Pancreas	2,139	12.1	0.27	7.7	0.17	2,153	9.1	0.20	5.6	0.13
Respiratory System	11,868	68.4	0.64	42.9	0.40	8,920	39.0	0.42	25.1	0.29
Larynx	347	2.0	0.11	1.3	0.07	83	0.4	0.04	0.2	0.03
Lung & bronchus	11,448	66.0	0.63	41.3	0.40	8,799	38.5	0.42	24.8	0.29
Skin	981	5.6	0.18	3.6	0.12	548	2.4	0.10	1.6	0.07
Melanomas of the skin	725	4.1	0.15	2.7	0.10	431	1.9	0.09	1.3	0.07
Breast	58	0.3	0.04	0.2	0.03	5,430	23.5	0.32	16.4	0.24
Female Genital System	-	-	-	-	-	3,443	14.9	0.26	10.1	0.19
Cervix uteri	-	-	-	-	-	464	2.1	0.10	1.6	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	925	4.0	0.13	2.6	0.09
Ovary	-	-	-	-	-	1,867	8.1	0.19	5.4	0.14
Male Genital System	3,556	22.7	0.38	11.3	0.20	-	-	-	-	-
Prostate	3,493	22.3	0.38	11.0	0.19	-	-	-	-	-
Testis	30	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	2,098	12.4	0.27	7.2	0.16	1,047	4.4	0.14	2.6	0.09
Bladder	1,063	6.5	0.20	3.5	0.11	456	1.8	0.09	1.0	0.05
Kidney & renal pelvis	983	5.6	0.18	3.6	0.12	548	2.3	0.10	1.4	0.07
Brain & Other Nervous System	854	4.7	0.16	3.4	0.12	663	2.9	0.12	2.2	0.09
Endocrine System	137	0.8	0.07	0.5	0.05	160	0.7	0.06	0.5	0.05
Thyroid gland	79	0.5	0.05	0.3	0.03	92	0.4	0.04	0.2	0.03
Lymphomas	1,401	8.2	0.22	5.0	0.14	1,167	4.9	0.15	2.9	0.10
Hodgkin Lymphoma	92	0.5	0.05	0.4	0.04	70	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,309	7.6	0.21	4.6	0.13	1,097	4.6	0.14	2.7	0.09
Multiple Myeloma	784	4.6	0.17	2.7	0.10	722	3.1	0.12	1.9	0.08
Leukemias	1,469	8.7	0.23	5.4	0.15	1,115	4.7	0.14	3.0	0.10
Other, Ill-defined & Unknown	3,373	19.6	0.34	12.0	0.21	2,862	12.2	0.23	7.7	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,469	192.2	1.14	116.6	0.71	27,742	143.3	0.89	90.9	0.60
Oral Cavity & Pharynx	643	4.0	0.16	2.7	0.11	335	1.7	0.10	1.1	0.07
Digestive System	7,826	50.0	0.57	31.7	0.37	6,056	30.4	0.40	18.6	0.27
Esophagus	1,228	7.9	0.23	5.0	0.15	346	1.8	0.10	1.1	0.06
Stomach	612	4.0	0.16	2.4	0.10	437	2.2	0.11	1.4	0.07
Colon & Rectum	2,499	16.2	0.33	9.9	0.21	2,356	11.5	0.25	6.8	0.16
Liver	1,005	6.0	0.19	4.3	0.14	368	1.9	0.10	1.2	0.07
Pancreas	1,797	11.5	0.28	7.3	0.18	1,782	9.1	0.22	5.6	0.15
Respiratory System	8,542	56.1	0.62	34.4	0.39	7,677	41.1	0.48	25.8	0.32
Larynx	220	1.4	0.10	0.9	0.06	76	0.4	0.05	0.3	0.03
Lung & bronchus	8,205	54.0	0.61	32.9	0.38	7,546	40.4	0.48	25.4	0.32
Skin	853	5.4	0.19	3.5	0.12	460	2.4	0.11	1.5	0.08
Melanomas of the skin	620	3.9	0.16	2.6	0.11	361	1.9	0.10	1.3	0.07
Breast	35	0.2	0.04	0.1	0.02	3,986	20.6	0.34	14.0	0.24
Female Genital System	-	-	-	-	-	3,040	15.9	0.30	10.6	0.21
Cervix uteri	-	-	-	-	-	343	1.9	0.11	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	732	3.8	0.14	2.5	0.10
Ovary	-	-	-	-	-	1,775	9.2	0.22	6.0	0.16
Male Genital System	3,194	21.7	0.39	10.8	0.20	-	-	-	-	-
Prostate	3,143	21.4	0.38	10.6	0.20	-	-	-	-	-
Testis	31	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,956	12.8	0.29	7.5	0.18	962	4.8	0.16	2.8	0.10
Bladder	1,081	7.2	0.22	3.9	0.12	431	2.1	0.10	1.1	0.06
Kidney & renal pelvis	816	5.2	0.18	3.3	0.12	481	2.4	0.11	1.5	0.08
Brain & Other Nervous System	1,010	6.2	0.20	4.6	0.15	697	3.8	0.15	2.8	0.11
Endocrine System	127	0.8	0.07	0.6	0.05	147	0.8	0.07	0.6	0.05
Thyroid gland	78	0.5	0.06	0.3	0.04	104	0.5	0.05	0.3	0.04
Lymphomas	1,287	8.5	0.24	5.0	0.15	1,060	5.2	0.17	3.0	0.10
Hodgkin Lymphoma	74	0.5	0.05	0.3	0.04	48	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,213	8.0	0.23	4.7	0.14	1,012	5.0	0.16	2.8	0.10
Multiple Myeloma	622	4.1	0.17	2.4	0.10	437	2.3	0.11	1.3	0.07
Leukemias	1,355	9.1	0.25	5.4	0.15	951	4.8	0.16	3.0	0.11
Other, Ill-defined & Unknown	2,019	13.2	0.30	8.0	0.19	1,934	9.7	0.23	5.9	0.15

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,437	189.1	1.38	114.3	0.86	18,510	141.9	1.08	89.6	0.73
Oral Cavity & Pharynx	430	4.0	0.20	2.7	0.13	225	1.7	0.12	1.1	0.08
Digestive System	5,203	49.4	0.70	31.3	0.45	4,074	30.4	0.49	18.6	0.33
Esophagus	784	7.5	0.27	4.8	0.18	238	1.8	0.12	1.1	0.08
Stomach	424	4.1	0.20	2.5	0.13	303	2.3	0.14	1.4	0.09
Colon & Rectum	1,616	15.6	0.39	9.5	0.25	1,559	11.2	0.30	6.7	0.19
Liver	719	6.3	0.24	4.5	0.17	264	2.0	0.13	1.3	0.09
Pancreas	1,180	11.3	0.34	7.1	0.21	1,186	9.0	0.27	5.6	0.18
Respiratory System	5,528	54.3	0.74	33.1	0.46	5,120	40.5	0.58	25.2	0.39
Larynx	146	1.4	0.12	0.9	0.08	49	0.4	0.06	0.2	0.04
Lung & bronchus	5,305	52.1	0.73	31.7	0.45	5,029	39.8	0.58	24.8	0.38
Skin	578	5.5	0.23	3.5	0.15	320	2.4	0.14	1.5	0.09
Melanomas of the skin	437	4.1	0.20	2.7	0.13	246	1.9	0.12	1.2	0.09
Breast	24	0.2	0.05	0.1	0.03	2,684	20.6	0.41	13.9	0.29
Female Genital System	-	-	-	-	-	2,026	15.7	0.36	10.4	0.25
Cervix uteri	-	-	-	-	-	221	1.8	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	477	3.7	0.18	2.4	0.12
Ovary	-	-	-	-	-	1,204	9.3	0.27	6.1	0.19
Male Genital System	2,084	21.2	0.47	10.6	0.24	-	-	-	-	-
Prostate	2,054	20.9	0.47	10.4	0.24	-	-	-	-	-
Testis	17	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,309	12.7	0.36	7.4	0.21	627	4.6	0.19	2.7	0.12
Bladder	729	7.3	0.27	3.9	0.15	282	2.0	0.12	1.1	0.07
Kidney & renal pelvis	537	5.0	0.22	3.3	0.15	311	2.4	0.14	1.5	0.09
Brain & Other Nervous System	663	6.0	0.24	4.5	0.18	471	3.8	0.18	2.7	0.14
Endocrine System	84	0.8	0.09	0.6	0.07	92	0.7	0.08	0.5	0.07
Thyroid gland	49	0.5	0.07	0.3	0.05	67	0.5	0.06	0.3	0.04
Lymphomas	886	8.7	0.30	5.1	0.18	699	5.1	0.20	2.9	0.13
Hodgkin Lymphoma	52	0.5	0.07	0.3	0.05	31	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	834	8.2	0.29	4.8	0.18	668	4.9	0.20	2.8	0.12
Multiple Myeloma	418	4.1	0.21	2.4	0.12	289	2.2	0.14	1.3	0.09
Leukemias	903	9.0	0.30	5.4	0.19	638	4.8	0.20	3.1	0.14
Other, Ill-defined & Unknown	1,327	13.0	0.36	7.8	0.23	1,245	9.2	0.27	5.6	0.18

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,358	237.0	2.15	150.0	1.42	10,953	163.1	1.61	107.7	1.16
Oral Cavity & Pharynx	216	4.0	0.28	3.0	0.21	83	1.2	0.14	0.8	0.11
Digestive System	2,778	52.7	1.01	33.9	0.67	2,185	31.2	0.69	19.8	0.48
Esophagus	445	8.2	0.40	5.8	0.28	99	1.5	0.15	1.0	0.11
Stomach	200	3.8	0.27	2.4	0.18	127	1.9	0.18	1.3	0.13
Colon & Rectum	1,160	22.3	0.66	13.7	0.42	1,101	15.6	0.49	9.7	0.34
Liver	244	4.6	0.30	3.1	0.21	129	1.8	0.17	1.1	0.12
Pancreas	560	10.5	0.45	6.8	0.30	501	7.1	0.33	4.5	0.23
Respiratory System	4,548	86.4	1.29	55.9	0.86	3,318	50.5	0.90	33.7	0.64
Larynx	166	3.1	0.24	2.2	0.17	46	0.7	0.11	0.5	0.08
Lung & bronchus	4,352	82.7	1.27	53.3	0.84	3,262	49.6	0.89	33.1	0.64
Skin	296	5.8	0.34	3.7	0.23	158	2.5	0.21	1.8	0.16
Melanomas of the skin	221	4.3	0.29	2.9	0.20	131	2.2	0.20	1.5	0.15
Breast	14	0.3	0.07	0.1	0.04	1,472	22.3	0.60	15.3	0.44
Female Genital System	-	-	-	-	-	1,021	16.0	0.52	11.1	0.38
Cervix uteri	-	-	-	-	-	153	2.9	0.25	2.2	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	265	4.0	0.25	2.7	0.18
Ovary	-	-	-	-	-	533	8.1	0.36	5.5	0.26
Male Genital System	981	19.5	0.63	10.1	0.34	-	-	-	-	-
Prostate	950	18.9	0.62	9.6	0.33	-	-	-	-	-
Testis	13	0.3	0.09	0.3	0.07	-	-	-	-	-
Urinary System	695	13.4	0.51	8.1	0.33	405	5.6	0.29	3.4	0.19
Bladder	363	7.1	0.38	4.0	0.22	168	2.2	0.18	1.2	0.11
Kidney & renal pelvis	318	6.0	0.34	4.0	0.24	224	3.2	0.22	2.0	0.16
Brain & Other Nervous System	266	5.2	0.32	4.0	0.27	232	3.9	0.26	3.0	0.22
Endocrine System	36	0.7	0.12	0.5	0.09	47	0.7	0.11	0.5	0.09
Thyroid gland	16	0.3	0.08	0.2	0.06	32	0.5	0.08	0.3	0.05
Lymphomas	460	8.9	0.42	5.6	0.28	444	6.2	0.31	3.8	0.21
Hodgkin Lymphoma	23	0.5	0.10	0.4	0.08	25	0.4	0.08	0.3	0.06
Non-Hodgkin Lymphoma	437	8.5	0.41	5.3	0.27	419	5.8	0.30	3.5	0.20
Multiple Myeloma	237	4.6	0.30	2.8	0.19	172	2.5	0.19	1.5	0.13
Leukemias	481	9.5	0.44	5.9	0.30	382	5.6	0.30	3.7	0.23
Other, Ill-defined & Unknown	1,350	26.0	0.72	16.4	0.47	1,034	15.0	0.48	9.5	0.35

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2005-2009, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,459	200.8	1.20	122.0	0.77	26,423	141.9	0.91	90.9	0.64
Oral Cavity & Pharynx	478	3.3	0.15	2.3	0.11	277	1.5	0.09	1.0	0.07
Digestive System	7,172	50.0	0.60	31.4	0.39	5,869	30.0	0.41	18.2	0.28
Esophagus	1,219	8.5	0.25	5.6	0.17	326	1.7	0.10	1.1	0.07
Stomach	557	3.9	0.17	2.4	0.11	339	1.7	0.10	1.1	0.07
Colon & Rectum	2,410	17.0	0.35	10.1	0.22	2,427	11.8	0.25	6.9	0.17
Liver	712	4.8	0.18	3.3	0.13	290	1.5	0.09	1.0	0.07
Pancreas	1,718	12.0	0.29	7.6	0.19	1,721	9.1	0.23	5.6	0.15
Respiratory System	8,234	58.4	0.65	36.3	0.42	6,616	37.3	0.47	24.1	0.33
Larynx	252	1.7	0.11	1.1	0.08	62	0.3	0.04	0.2	0.03
Lung & bronchus	7,904	56.1	0.64	34.8	0.41	6,516	36.8	0.47	23.8	0.33
Skin	680	4.7	0.18	3.0	0.12	363	2.0	0.11	1.3	0.08
Melanomas of the skin	523	3.6	0.16	2.4	0.11	289	1.6	0.10	1.1	0.07
Breast	40	0.3	0.05	0.2	0.03	3,721	20.3	0.35	13.8	0.25
Female Genital System	-	-	-	-	-	2,880	15.9	0.31	10.7	0.22
Cervix uteri	-	-	-	-	-	265	1.7	0.10	1.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	820	4.4	0.16	2.9	0.11
Ovary	-	-	-	-	-	1,608	9.0	0.23	6.0	0.17
Male Genital System	3,100	22.3	0.40	11.1	0.21	-	-	-	-	-
Prostate	3,056	21.9	0.40	10.9	0.21	-	-	-	-	-
Testis	25	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,926	13.6	0.31	7.8	0.19	1,012	5.0	0.17	3.0	0.11
Bladder	1,036	7.4	0.23	3.8	0.13	478	2.2	0.11	1.2	0.07
Kidney & renal pelvis	843	5.9	0.20	3.8	0.14	488	2.6	0.12	1.6	0.09
Brain & Other Nervous System	838	5.8	0.20	4.3	0.16	631	3.8	0.16	2.8	0.12
Endocrine System	106	0.7	0.07	0.5	0.05	157	0.9	0.07	0.6	0.06
Thyroid gland	55	0.4	0.05	0.2	0.03	104	0.5	0.06	0.3	0.04
Lymphomas	1,283	9.1	0.26	5.3	0.16	1,099	5.5	0.18	3.2	0.12
Hodgkin Lymphoma	82	0.6	0.07	0.4	0.05	57	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,201	8.5	0.25	4.9	0.15	1,042	5.2	0.17	3.0	0.11
Multiple Myeloma	608	4.3	0.18	2.5	0.11	514	2.7	0.12	1.6	0.08
Leukemias	1,458	10.4	0.28	6.4	0.18	1,000	5.2	0.17	3.3	0.13
Other, Ill-defined & Unknown	2,536	17.9	0.36	11.0	0.23	2,284	11.8	0.26	7.4	0.18

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,407	183.5	3.80	111.3	2.37	2,156	138.8	3.07	88.4	2.09
Oral Cavity & Pharynx	41	3.0	0.47	1.9	0.32	21	1.3	0.30	0.8	0.19
Digestive System	623	47.1	1.92	28.9	1.20	478	29.9	1.40	18.2	0.92
Esophagus	94	7.2	0.75	4.5	0.48	24	1.6	0.33	1.0	0.21
Stomach	39	3.0	0.48	1.9	0.32	31	1.9	0.35	1.1	0.22
Colon & Rectum	226	17.4	1.17	10.5	0.73	208	13.0	0.93	7.9	0.61
Liver	65	4.7	0.60	3.0	0.39	29	1.8	0.35	1.1	0.22
Pancreas	162	12.1	0.97	7.2	0.59	144	8.9	0.76	5.4	0.50
Respiratory System	661	50.7	2.00	31.3	1.27	562	37.0	1.59	23.3	1.07
Larynx	14	1.0	0.28	0.7	0.19	6	0.4	0.17	0.3	0.12
Lung & bronchus	645	49.5	1.98	30.5	1.25	552	36.3	1.58	22.8	1.05
Skin	68	5.2	0.64	3.3	0.43	37	2.3	0.39	1.6	0.28
Melanomas of the skin	59	4.5	0.60	2.9	0.40	29	1.8	0.35	1.3	0.25
Breast	-	-	-	-	-	312	20.2	1.17	13.6	0.83
Female Genital System	-	-	-	-	-	210	13.9	1.00	9.3	0.70
Cervix uteri	-	-	-	-	-	33	2.5	0.45	1.9	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	45	3.0	0.46	1.9	0.31
Ovary	-	-	-	-	-	118	7.6	0.72	5.1	0.50
Male Genital System	236	18.8	1.24	9.3	0.64	-	-	-	-	-
Prostate	225	17.9	1.20	8.6	0.60	-	-	-	-	-
Testis	6	0.5	0.23	0.4	0.18	-	-	-	-	-
Urinary System	163	12.3	0.98	7.3	0.60	58	3.6	0.49	2.3	0.34
Bladder	82	6.4	0.72	3.6	0.42	32	2.0	0.36	1.3	0.25
Kidney & renal pelvis	76	5.6	0.65	3.5	0.42	25	1.6	0.32	1.0	0.23
Brain & Other Nervous System	66	4.8	0.60	3.4	0.44	55	3.8	0.52	3.0	0.45
Endocrine System	9	0.6	0.21	0.4	0.16	15	1.0	0.26	0.7	0.19
Thyroid gland	-	-	-	-	-	13	0.9	0.24	0.6	0.18
Lymphomas	96	7.6	0.79	4.2	0.45	95	5.8	0.60	3.5	0.40
Hodgkin Lymphoma	-	-	-	-	-	6	0.3	0.13	0.2	0.10
Non-Hodgkin Lymphoma	92	7.3	0.77	4.0	0.44	89	5.4	0.59	3.3	0.39
Multiple Myeloma	63	4.7	0.60	2.9	0.39	28	1.9	0.36	1.1	0.23
Leukemias	123	9.4	0.86	5.5	0.53	89	5.5	0.61	3.3	0.40
Other, Ill-defined & Unknown	256	19.2	1.22	12.6	0.82	196	12.5	0.93	7.6	0.61

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Puerto Rico, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	13,780	146.0	1.25	89.5	0.80	10,643	88.1	0.87	57.2	0.60
Oral Cavity & Pharynx	544	5.7	0.24	3.9	0.18	119	0.9	0.09	0.5	0.06
Digestive System	4,458	47.1	0.71	29.8	0.47	3,248	26.1	0.46	15.7	0.30
Esophagus	503	5.3	0.24	3.5	0.16	133	1.1	0.09	0.6	0.06
Stomach	745	8.0	0.29	4.6	0.18	473	3.8	0.18	2.3	0.11
Colon & Rectum	1,746	18.4	0.44	11.6	0.29	1,433	11.5	0.31	7.0	0.20
Liver	758	8.0	0.29	5.4	0.20	458	3.7	0.17	2.2	0.11
Pancreas	515	5.4	0.24	3.5	0.16	536	4.3	0.19	2.6	0.12
Respiratory System	2,126	22.5	0.49	14.4	0.33	1,107	9.1	0.28	5.7	0.18
Larynx	270	2.8	0.17	1.9	0.12	29	0.2	0.05	0.2	0.03
Lung & bronchus	1,828	19.4	0.46	12.3	0.30	1,070	8.8	0.27	5.5	0.18
Skin	177	1.9	0.14	1.1	0.09	107	0.8	0.08	0.4	0.05
Melanomas of the skin	56	0.6	0.08	0.4	0.06	40	0.3	0.05	0.2	0.04
Breast	26	0.3	0.05	0.2	0.04	1,996	17.1	0.39	12.1	0.29
Female Genital System	-	-	-	-	-	1,268	10.8	0.31	7.4	0.22
Cervix uteri	-	-	-	-	-	230	2.1	0.14	1.5	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	466	3.9	0.18	2.6	0.13
Ovary	-	-	-	-	-	463	3.9	0.18	2.7	0.13
Male Genital System	2,668	28.4	0.55	14.0	0.29	-	-	-	-	-
Prostate	2,579	27.5	0.54	13.3	0.28	-	-	-	-	-
Testis	28	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	574	6.1	0.26	3.7	0.16	315	2.5	0.14	1.5	0.09
Bladder	320	3.4	0.19	1.8	0.11	176	1.4	0.10	0.7	0.06
Kidney & renal pelvis	241	2.5	0.16	1.7	0.12	133	1.1	0.10	0.7	0.07
Brain & Other Nervous System	188	2.0	0.15	1.5	0.11	168	1.4	0.11	1.1	0.09
Endocrine System	34	0.4	0.06	0.3	0.05	50	0.4	0.06	0.3	0.05
Thyroid gland	20	0.2	0.05	0.1	0.03	36	0.3	0.05	0.2	0.03
Lymphomas	513	5.4	0.24	3.7	0.17	410	3.5	0.18	2.3	0.12
Hodgkin Lymphoma	50	0.5	0.08	0.4	0.06	33	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	463	4.9	0.23	3.3	0.16	377	3.2	0.17	2.1	0.12
Multiple Myeloma	275	2.9	0.18	1.9	0.12	260	2.1	0.13	1.3	0.09
Leukemias	495	5.3	0.24	3.5	0.17	369	3.1	0.16	2.1	0.13
Other, Ill-defined & Unknown	1,702	18.0	0.44	11.6	0.30	1,226	10.2	0.30	6.8	0.21

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified



Section IV

Cancer Mortality for the United States



**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2005-2009, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,465,345	219.4	0.18	125.8	0.11	1,349,779	151.1	0.13	91.8	0.09
Oral Cavity & Pharynx	27,009	3.8	0.02	2.5	0.02	12,492	1.4	0.01	0.8	0.01
Digestive System	379,305	55.6	0.09	33.2	0.06	303,947	33.4	0.06	19.0	0.04
Esophagus	53,959	7.7	0.03	4.9	0.02	14,439	1.6	0.01	0.9	0.01
Stomach	33,562	5.0	0.03	2.9	0.02	23,221	2.6	0.02	1.5	0.01
Colon & Rectum	134,325	20.2	0.06	11.4	0.03	129,800	14.1	0.04	7.8	0.02
Liver	48,242	6.7	0.03	4.4	0.02	19,564	2.2	0.02	1.3	0.01
Pancreas	85,223	12.5	0.04	7.5	0.03	85,969	9.5	0.03	5.4	0.02
Respiratory System	461,474	68.2	0.10	40.4	0.06	354,909	40.3	0.07	24.7	0.05
Larynx	14,679	2.1	0.02	1.3	0.01	3,962	0.5	0.01	0.3	0.01
Lung & bronchus	443,946	65.7	0.10	38.8	0.06	349,226	39.6	0.07	24.3	0.05
Skin	37,620	5.6	0.03	3.3	0.02	19,170	2.1	0.02	1.3	0.01
Melanomas of the skin	27,930	4.1	0.02	2.5	0.02	15,139	1.7	0.01	1.1	0.01
Breast	1,972	0.3	0.01	0.2	0.00	203,799	23.0	0.05	15.0	0.04
Female Genital System	-	-	-	-	-	138,476	15.7	0.04	10.1	0.03
Cervix uteri	-	-	-	-	-	19,838	2.4	0.02	1.8	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	37,324	4.2	0.02	2.6	0.01
Ovary	-	-	-	-	-	73,063	8.2	0.03	5.2	0.02
Male Genital System	146,103	24.0	0.06	10.6	0.03	-	-	-	-	-
Prostate	142,929	23.6	0.06	10.2	0.03	-	-	-	-	-
Testis	1,777	0.2	0.01	0.2	0.00	-	-	-	-	-
Urinary System	90,128	13.8	0.05	7.4	0.03	45,867	5.0	0.02	2.7	0.01
Bladder	48,079	7.7	0.04	3.7	0.02	20,728	2.2	0.02	1.1	0.01
Kidney & renal pelvis	39,973	5.8	0.03	3.5	0.02	23,516	2.6	0.02	1.5	0.01
Brain & Other Nervous System	37,374	5.2	0.03	3.7	0.02	29,798	3.5	0.02	2.5	0.02
Endocrine System	5,623	0.8	0.01	0.6	0.01	6,812	0.8	0.01	0.5	0.01
Thyroid gland	3,337	0.5	0.01	0.3	0.01	4,561	0.5	0.01	0.3	0.00
Lymphomas	58,724	8.9	0.04	5.0	0.02	50,318	5.5	0.02	3.0	0.02
Hodgkin Lymphoma	3,489	0.5	0.01	0.3	0.01	2,802	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	55,235	8.4	0.04	4.6	0.02	47,516	5.2	0.02	2.8	0.01
Multiple Myeloma	28,823	4.4	0.03	2.4	0.01	24,815	2.7	0.02	1.5	0.01
Leukemias	62,909	9.6	0.04	5.4	0.02	47,870	5.3	0.02	3.2	0.02
Other, Ill-defined & Unknown	128,281	19.1	0.05	11.1	0.03	111,506	12.3	0.04	7.3	0.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2005-2009, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.
All Sites	1,465,345	202.7	0.17	125.8	0.11	1,349,779	141.4	0.13	91.8	0.09
Oral Cavity & Pharynx	27,009	3.6	0.02	2.5	0.02	12,492	1.3	0.01	0.8	0.01
Digestive System	379,305	51.8	0.08	33.2	0.06	303,947	30.7	0.06	19.0	0.04
Esophagus	53,959	7.3	0.03	4.9	0.02	14,439	1.5	0.01	0.9	0.01
Stomach	33,562	4.6	0.03	2.9	0.02	23,221	2.4	0.02	1.5	0.01
Colon & Rectum	134,325	18.5	0.05	11.4	0.03	129,800	12.8	0.04	7.8	0.02
Liver	48,242	6.3	0.03	4.4	0.02	19,564	2.0	0.01	1.3	0.01
Pancreas	85,223	11.7	0.04	7.5	0.03	85,969	8.8	0.03	5.4	0.02
Respiratory System	461,474	64.0	0.10	40.4	0.06	354,909	38.2	0.07	24.7	0.05
Larynx	14,679	2.0	0.02	1.3	0.01	3,962	0.4	0.01	0.3	0.01
Lung & bronchus	443,946	61.6	0.09	38.8	0.06	349,226	37.6	0.07	24.3	0.05
Skin	37,620	5.2	0.03	3.3	0.02	19,170	2.0	0.02	1.3	0.01
Melanomas of the skin	27,930	3.8	0.02	2.5	0.02	15,139	1.6	0.01	1.1	0.01
Breast	1,972	0.3	0.01	0.2	0.00	203,799	21.8	0.05	15.0	0.04
Female Genital System	-	-	-	-	-	138,476	14.9	0.04	10.1	0.03
Cervix uteri	-	-	-	-	-	19,838	2.3	0.02	1.8	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	37,324	4.0	0.02	2.6	0.01
Ovary	-	-	-	-	-	73,063	7.8	0.03	5.2	0.02
Male Genital System	146,103	20.8	0.05	10.6	0.03	-	-	-	-	-
Prostate	142,929	20.4	0.05	10.2	0.03	-	-	-	-	-
Testis	1,777	0.2	0.01	0.2	0.00	-	-	-	-	-
Urinary System	90,128	12.5	0.04	7.4	0.03	45,867	4.5	0.02	2.7	0.01
Bladder	48,079	6.8	0.03	3.7	0.02	20,728	2.0	0.01	1.1	0.01
Kidney & renal pelvis	39,973	5.4	0.03	3.5	0.02	23,516	2.4	0.02	1.5	0.01
Brain & Other Nervous System	37,374	5.0	0.03	3.7	0.02	29,798	3.4	0.02	2.5	0.02
Endocrine System	5,623	0.8	0.01	0.6	0.01	6,812	0.7	0.01	0.5	0.01
Thyroid gland	3,337	0.5	0.01	0.3	0.01	4,561	0.5	0.01	0.3	0.00
Lymphomas	58,724	8.2	0.03	5.0	0.02	50,318	5.1	0.02	3.0	0.02
Hodgkin Lymphoma	3,489	0.5	0.01	0.3	0.01	2,802	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	55,235	7.7	0.03	4.6	0.02	47,516	4.7	0.02	2.8	0.01
Multiple Myeloma	28,823	4.0	0.02	2.4	0.01	24,815	2.5	0.02	1.5	0.01
Leukemias	62,909	8.8	0.04	5.4	0.02	47,870	4.9	0.02	3.2	0.02
Other, Ill-defined & Unknown	128,281	17.7	0.05	11.1	0.03	111,506	11.4	0.04	7.3	0.02

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,465,345	219.4	134,325	20.2	443,946	65.7	142,929	23.6	48,079	7.7	55,235	8.4
New England	73,954	221.4	6,316	19.1	21,056	62.3	7,283	23.7	2,948	9.2	2,719	8.3
Connecticut	17,211	212.0	1,403	17.3	4,582	55.9	1,886	24.8	680	8.7	647	8.1
Maine	8,242	240.0	693	20.5	2,581	73.1	750	24.4	341	10.3	309	9.2
Massachusetts	32,947	222.6	2,872	19.6	9,340	62.6	3,202	23.4	1,286	9.1	1,204	8.3
New Hampshire	6,612	218.2	583	19.3	1,925	62.0	614	23.2	248	8.8	225	7.7
Rhode Island	5,723	228.8	486	19.6	1,666	66.3	536	22.5	236	9.8	216	8.8
Vermont	3,219	211.9	279	18.8	962	61.6	295	22.0	157	10.9	118	8.1
Middle Atlantic	203,535	214.3	19,685	20.9	57,862	60.2	20,056	22.8	7,454	8.2	7,942	8.4
New Jersey	41,475	213.8	4,235	22.0	11,350	57.9	3,989	22.4	1,614	8.8	1,559	8.1
New York	87,577	201.3	8,343	19.4	24,326	55.2	8,835	22.2	3,205	7.8	3,460	8.0
Pennsylvania	74,483	232.4	7,107	22.3	22,186	68.5	7,232	23.7	2,635	8.5	2,923	9.2
South Atlantic	301,109	221.2	26,708	19.6	96,645	70.0	29,116	23.2	9,462	7.3	10,545	7.9
Delaware	4,761	229.6	424	20.3	1,465	69.2	462	24.9	176	8.8	172	8.4
District of Columbia	2,968	256.3	270	23.1	757	64.7	411	41.3	77	7.2	112	9.4
Florida	109,616	206.0	9,743	18.3	33,838	63.5	10,720	19.6	3,990	7.4	4,114	7.8
Georgia	38,843	230.8	3,441	20.2	13,071	75.8	3,742	27.5	1,061	7.2	1,258	7.7
Maryland	26,173	226.5	2,558	22.0	7,732	65.6	2,680	26.7	853	8.2	911	7.9
North Carolina	45,803	236.9	3,852	19.8	15,712	79.3	4,319	25.9	1,253	7.1	1,455	7.6
South Carolina	24,333	241.3	2,083	20.5	8,270	79.6	2,339	26.9	626	6.8	777	8.0
Virginia	36,254	228.5	3,177	19.9	11,448	70.6	3,493	26.0	1,063	7.3	1,309	8.3
West Virginia	12,358	254.8	1,160	24.2	4,352	87.5	950	21.7	363	7.9	437	9.1
East North Central	240,341	233.5	21,952	21.5	75,158	71.7	22,767	24.6	8,140	8.5	9,309	9.3
Illinois	61,216	229.4	5,955	22.5	18,364	67.8	6,114	25.5	1,985	8.0	2,301	8.8
Indiana	33,889	244.9	3,106	22.5	11,540	82.0	2,914	23.8	1,037	8.1	1,312	9.7
Michigan	51,895	228.1	4,554	20.2	16,296	70.3	4,569	22.6	1,822	8.6	2,029	9.2
Ohio	64,882	243.4	5,927	22.5	21,054	77.4	6,114	25.4	2,260	9.0	2,466	9.4
Wisconsin	28,459	218.8	2,410	18.7	7,904	59.9	3,056	25.6	1,036	8.5	1,201	9.4
East South Central	105,527	262.8	9,344	23.3	38,651	93.7	9,300	26.9	2,706	7.4	3,469	8.8
Alabama	27,441	259.0	2,418	22.9	9,734	89.4	2,652	28.7	661	6.8	853	8.3
Kentucky	25,482	267.2	2,283	24.3	9,801	99.7	1,995	24.6	713	8.1	851	9.2
Mississippi	16,961	274.2	1,569	24.9	6,125	97.3	1,664	31.0	376	6.7	509	8.3
Tennessee	35,643	257.9	3,074	22.4	12,991	91.5	2,989	25.3	956	7.6	1,256	9.3

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	103,442	220.7	9,602	20.5	31,891	67.4	10,240	23.4	3,378	7.5	4,131	9.0
Iowa	16,517	220.1	1,545	20.6	5,104	67.5	1,735	23.9	622	8.5	683	9.2
Kansas	14,065	221.5	1,341	21.2	4,488	70.6	1,275	21.4	422	7.0	605	9.6
Minnesota	23,719	206.8	2,070	18.0	6,398	55.2	2,558	24.3	789	7.2	1,074	9.6
Missouri	32,629	237.6	2,947	21.6	11,129	79.8	2,839	22.7	989	7.6	1,123	8.4
Nebraska	8,872	215.2	930	22.5	2,580	62.4	965	24.7	275	6.9	367	9.0
North Dakota	3,463	210.2	359	21.6	924	56.5	412	25.2	131	7.8	122	7.4
South Dakota	4,177	206.0	410	20.1	1,268	62.2	456	22.9	150	7.5	157	7.8
West South Central	155,403	226.7	14,763	21.4	49,433	71.5	13,657	22.9	4,293	6.8	5,634	8.4
Arkansas	17,502	253.7	1,548	22.5	6,498	92.5	1,593	25.3	455	6.9	597	8.8
Louisiana	24,248	260.8	2,339	25.1	8,015	84.4	2,180	27.1	615	7.3	822	9.0
Oklahoma	20,329	243.0	1,915	22.9	7,030	82.7	1,778	23.6	585	7.4	740	8.9
Texas	93,324	212.5	8,961	20.2	27,890	63.4	8,106	21.4	2,638	6.6	3,475	8.1
Mountain	73,176	182.9	6,755	16.9	18,655	46.4	8,253	22.7	2,541	6.7	3,009	7.6
Arizona	26,962	182.1	2,477	16.8	7,483	50.2	2,789	19.7	968	6.7	1,092	7.5
Colorado	17,025	185.0	1,610	17.4	4,147	45.1	1,876	23.8	577	6.9	731	8.0
Idaho	6,394	195.9	518	15.9	1,688	51.3	792	26.7	230	7.5	262	8.1
Montana	5,036	203.4	443	17.8	1,429	57.1	625	27.2	183	7.7	199	8.1
New Mexico	8,554	190.1	838	18.7	2,011	44.4	996	24.3	253	5.8	303	6.7
Utah	6,798	154.1	643	14.3	1,252	28.1	950	24.5	248	6.0	330	7.5
Wyoming	2,407	199.5	226	18.9	645	52.8	225	20.9	82	7.1	92	8.1
Pacific	208,858	199.3	19,200	18.2	54,595	52.3	22,257	23.4	7,157	7.3	8,477	8.1
Alaska	2,230	209.5	208	20.0	675	62.9	167	22.1	53	5.9	80	7.9
California	140,139	194.9	13,064	18.1	35,043	49.2	15,173	23.2	4,738	7.0	5,807	8.1
Hawaii	6,097	184.6	620	18.7	1,676	51.2	534	16.2	151	4.6	246	7.5
Nevada	11,710	213.3	1,142	20.7	3,482	62.5	1,102	23.4	435	8.7	373	6.7
Oregon	19,213	214.4	1,667	18.5	5,514	61.2	2,138	25.7	699	8.2	758	8.6
Washington	29,469	209.6	2,499	17.7	8,205	58.1	3,143	24.9	1,081	8.2	1,213	8.8

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,465,345	125.8	134,325	11.4	443,946	38.8	142,929	10.2	48,079	3.7	55,235	4.6
New England	73,954	122.3	6,316	10.2	21,056	35.7	7,283	9.9	2,948	4.3	2,719	4.4
Connecticut	17,211	115.9	1,403	9.3	4,582	31.6	1,886	10.5	680	4.0	647	4.3
Maine	8,242	134.0	693	11.0	2,581	42.5	750	10.2	341	5.0	309	5.1
Massachusetts	32,947	123.1	2,872	10.4	9,340	35.9	3,202	9.7	1,286	4.3	1,204	4.3
New Hampshire	6,612	121.4	583	10.7	1,925	36.1	614	9.4	248	4.2	225	4.1
Rhode Island	5,723	125.6	486	10.5	1,666	37.6	536	9.5	236	4.5	216	4.6
Vermont	3,219	118.2	279	9.9	962	36.4	295	9.0	157	5.2	118	4.1
Middle Atlantic	203,535	121.3	19,685	11.4	57,862	35.2	20,056	9.9	7,454	3.9	7,942	4.7
New Jersey	41,475	119.0	4,235	11.9	11,350	33.2	3,989	9.7	1,614	4.1	1,559	4.4
New York	87,577	114.3	8,343	10.6	24,326	32.3	8,835	9.6	3,205	3.7	3,460	4.5
Pennsylvania	74,483	132.6	7,107	12.3	22,186	40.4	7,232	10.2	2,635	4.1	2,923	5.1
South Atlantic	301,109	130.0	26,708	11.5	96,645	42.5	29,116	10.4	9,462	3.6	10,545	4.5
Delaware	4,761	134.1	424	12.0	1,465	41.2	462	10.8	176	4.6	172	4.8
District of Columbia	2,968	150.1	270	13.7	757	38.9	411	18.0	77	3.7	112	5.7
Florida	109,616	123.8	9,743	11.0	33,838	39.2	10,720	9.0	3,990	3.7	4,114	4.5
Georgia	38,843	133.2	3,441	11.8	13,071	45.3	3,742	12.0	1,061	3.5	1,258	4.3
Maryland	26,173	127.2	2,558	12.4	7,732	38.1	2,680	11.6	853	3.8	911	4.4
North Carolina	45,803	137.5	3,852	11.6	15,712	47.7	4,319	11.4	1,253	3.5	1,455	4.4
South Carolina	24,333	143.1	2,083	12.3	8,270	49.1	2,339	11.8	626	3.4	777	4.6
Virginia	36,254	129.3	3,177	11.4	11,448	41.3	3,493	11.0	1,063	3.5	1,309	4.6
West Virginia	12,358	150.0	1,160	13.7	4,352	53.3	950	9.6	363	4.0	437	5.3
East North Central	240,341	132.6	21,952	11.9	75,158	42.4	22,767	10.6	8,140	4.0	9,309	5.0
Illinois	61,216	129.3	5,955	12.4	18,364	39.8	6,114	10.9	1,985	3.8	2,301	4.7
Indiana	33,889	140.7	3,106	12.8	11,540	48.8	2,914	10.1	1,037	3.9	1,312	5.3
Michigan	51,895	130.0	4,554	11.2	16,296	41.4	4,569	9.8	1,822	4.1	2,029	4.9
Ohio	64,882	139.3	5,927	12.5	21,054	46.2	6,114	11.0	2,260	4.3	2,466	5.2
Wisconsin	28,459	122.0	2,410	10.1	7,904	34.8	3,056	10.9	1,036	3.8	1,201	4.9
East South Central	105,527	155.1	9,344	13.7	38,651	57.5	9,300	11.7	2,706	3.6	3,469	5.1
Alabama	27,441	153.4	2,418	13.5	9,734	55.0	2,652	12.7	661	3.3	853	4.7
Kentucky	25,482	157.0	2,283	13.9	9,801	61.5	1,995	10.5	713	4.0	851	5.2
Mississippi	16,961	163.8	1,569	15.5	6,125	59.4	1,664	13.8	376	3.2	509	4.9
Tennessee	35,643	151.5	3,074	13.0	12,991	55.8	2,989	11.0	956	3.7	1,256	5.3

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	103,442	125.6	9,602	11.5	31,891	39.8	10,240	10.0	3,378	3.6	4,131	4.8
Iowa	16,517	125.1	1,545	11.4	5,104	40.2	1,735	10.2	622	4.0	683	5.0
Kansas	14,065	127.1	1,341	12.1	4,488	41.6	1,275	9.2	422	3.3	605	5.2
Minnesota	23,719	114.1	2,070	9.9	6,398	31.7	2,558	10.1	789	3.5	1,074	4.9
Missouri	32,629	138.3	2,947	12.4	11,129	48.0	2,839	9.9	989	3.8	1,123	4.6
Nebraska	8,872	122.0	930	12.7	2,580	36.7	965	10.5	275	3.3	367	4.8
North Dakota	3,463	119.0	359	12.1	924	33.2	412	10.7	131	3.9	122	4.4
South Dakota	4,177	115.8	410	11.6	1,268	35.7	456	9.7	150	3.6	157	4.1
West South Central	155,403	132.4	14,763	12.6	49,433	42.7	13,657	10.1	4,293	3.3	5,634	4.7
Arkansas	17,502	150.5	1,548	13.4	6,498	56.7	1,593	11.0	455	3.4	597	4.9
Louisiana	24,248	153.8	2,339	14.9	8,015	51.5	2,180	11.8	615	3.6	822	5.2
Oklahoma	20,329	144.1	1,915	13.6	7,030	50.5	1,778	10.4	585	3.7	740	5.2
Texas	93,324	123.2	8,961	11.8	27,890	37.3	8,106	9.5	2,638	3.2	3,475	4.5
Mountain	73,176	103.8	6,755	9.6	18,655	26.7	8,253	9.8	2,541	3.2	3,009	4.2
Arizona	26,962	106.4	2,477	9.7	7,483	29.9	2,789	8.9	968	3.3	1,092	4.2
Colorado	17,025	101.3	1,610	9.6	4,147	24.7	1,876	10.1	577	3.2	731	4.3
Idaho	6,394	109.2	518	8.9	1,688	29.1	792	11.0	230	3.5	262	4.4
Montana	5,036	113.6	443	10.2	1,429	32.5	625	11.4	183	3.6	199	4.5
New Mexico	8,554	109.1	838	10.8	2,011	25.4	996	10.5	253	3.0	303	3.9
Utah	6,798	86.5	643	8.4	1,252	16.5	950	10.1	248	2.9	330	4.2
Wyoming	2,407	111.3	226	10.5	645	30.5	225	8.6	82	3.6	92	4.0
Pacific	208,858	111.9	19,200	10.3	54,595	29.6	22,257	10.1	7,157	3.4	8,477	4.5
Alaska	2,230	117.6	208	11.1	675	36.1	167	9.2	53	2.9	80	4.0
California	140,139	109.2	13,064	10.1	35,043	27.6	15,173	10.0	4,738	3.3	5,807	4.5
Hawaii	6,097	109.5	620	11.6	1,676	30.1	534	7.6	151	2.2	246	4.1
Nevada	11,710	122.1	1,142	12.0	3,482	36.2	1,102	10.2	435	4.2	373	4.0
Oregon	19,213	119.9	1,667	10.3	5,514	35.0	2,138	11.1	699	3.9	758	4.5
Washington	29,469	116.6	2,499	9.9	8,205	32.9	3,143	10.6	1,081	3.9	1,213	4.7

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,349,779	151.1	129,800	14.1	349,226	39.6	203,799	23.0	19,838	2.4	73,063	8.2
New England	72,324	153.5	6,790	13.6	19,333	42.1	10,192	21.9	675	1.6	3,754	8.1
Connecticut	17,361	149.6	1,605	13.0	4,398	38.8	2,571	22.5	172	1.6	928	8.1
Maine	7,403	161.6	683	14.4	2,092	46.4	969	21.4	81	1.9	356	7.8
Massachusetts	32,788	154.0	3,138	13.8	8,755	42.5	4,591	21.9	273	1.4	1,735	8.3
New Hampshire	6,218	154.7	549	13.2	1,695	43.0	870	21.4	80	2.1	317	7.9
Rhode Island	5,478	151.3	517	13.3	1,513	43.0	777	21.9	47	1.5	282	7.9
Vermont	3,076	152.8	298	14.2	880	44.3	414	20.7	22	1.1	136	7.0
Middle Atlantic	203,855	152.1	20,587	14.7	49,685	37.7	31,300	23.8	2,834	2.3	11,328	8.6
New Jersey	43,386	157.7	4,431	15.5	10,361	38.3	7,063	26.1	617	2.4	2,366	8.7
New York	89,312	145.2	8,949	14.0	21,741	35.8	13,681	22.5	1,365	2.4	4,981	8.2
Pennsylvania	71,157	158.5	7,207	15.2	17,583	40.0	10,556	24.1	852	2.3	3,981	9.1
South Atlantic	266,215	149.1	25,135	13.7	72,003	40.5	40,499	23.1	4,120	2.5	14,091	7.9
Delaware	4,395	162.8	398	14.3	1,311	48.5	611	23.0	54	2.2	219	8.2
District of Columbia	2,803	160.4	314	17.7	603	34.8	487	28.0	49	2.9	129	7.6
Florida	93,224	141.9	8,926	13.0	25,870	39.3	13,451	21.5	1,438	2.7	4,889	7.6
Georgia	34,732	146.8	3,262	13.8	9,051	38.7	5,564	23.0	650	2.7	1,973	8.3
Maryland	25,499	157.3	2,402	14.6	6,686	41.8	4,067	24.9	362	2.3	1,315	8.1
North Carolina	40,683	152.7	3,687	13.6	11,032	41.6	6,217	23.5	597	2.3	2,094	7.9
South Carolina	20,361	151.0	1,917	14.1	5,389	40.0	3,200	24.0	353	2.8	1,072	7.9
Virginia	33,565	153.9	3,128	14.2	8,799	40.7	5,430	24.8	464	2.2	1,867	8.5
West Virginia	10,953	173.2	1,101	16.8	3,262	51.9	1,472	23.6	153	2.9	533	8.5
East North Central	226,068	160.6	21,983	15.0	59,759	43.3	33,576	24.1	3,018	2.3	11,838	8.5
Illinois	59,710	160.1	6,053	15.6	15,277	41.9	8,941	24.2	923	2.6	3,080	8.3
Indiana	30,817	163.2	2,919	15.0	8,735	47.2	4,482	23.9	416	2.4	1,623	8.6
Michigan	48,946	160.9	4,634	14.7	13,134	43.9	7,258	24.0	559	2.0	2,576	8.6
Ohio	60,172	163.4	5,950	15.5	16,097	44.5	9,174	25.2	855	2.6	2,951	8.1
Wisconsin	26,423	152.0	2,427	13.1	6,516	38.7	3,721	21.6	265	1.7	1,608	9.5
East South Central	89,043	162.9	8,699	15.6	25,435	46.7	12,959	24.0	1,546	3.1	4,539	8.3
Alabama	22,867	157.4	2,225	15.1	5,956	41.1	3,424	24.0	405	3.0	1,354	9.3
Kentucky	22,332	173.6	2,183	16.6	7,085	55.5	2,982	23.4	347	2.9	1,039	8.1
Mississippi	13,636	158.8	1,418	16.2	3,616	42.3	2,102	24.9	310	3.9	647	7.5
Tennessee	30,208	162.0	2,873	15.1	8,778	47.2	4,451	24.0	484	2.8	1,499	8.1

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	95,016	151.3	9,465	14.2	24,565	40.4	14,058	22.7	1,126	2.0	5,050	8.2
Iowa	15,344	151.0	1,689	15.2	3,846	39.4	2,183	21.8	183	2.1	897	9.0
Kansas	12,725	149.9	1,248	14.0	3,375	41.0	1,919	22.9	156	2.2	718	8.7
Minnesota	22,385	146.0	2,056	12.6	5,487	37.2	3,265	21.3	211	1.5	1,244	8.2
Missouri	29,681	160.4	2,833	14.6	8,343	46.0	4,540	24.9	427	2.6	1,363	7.4
Nebraska	8,104	145.7	898	15.1	1,934	36.0	1,151	21.2	78	1.6	437	8.1
North Dakota	3,087	144.1	341	14.8	688	34.3	460	22.0	28	1.5	180	9.0
South Dakota	3,690	141.5	400	14.2	892	35.5	540	20.9	43	1.9	211	8.5
West South Central	135,261	149.9	12,755	13.9	35,138	39.4	20,892	23.1	2,625	3.0	7,027	7.8
Arkansas	14,463	161.2	1,397	15.2	4,146	46.3	2,074	23.6	264	3.3	748	8.4
Louisiana	20,885	165.8	2,016	15.7	5,525	44.1	3,295	26.3	395	3.4	984	7.8
Oklahoma	17,631	161.2	1,663	14.8	5,104	46.9	2,569	23.8	287	2.9	886	8.1
Texas	82,282	142.8	7,679	13.1	20,363	35.9	12,954	22.2	1,679	2.9	4,409	7.7
Mountain	65,320	132.0	6,254	12.4	15,329	31.4	10,202	20.6	902	1.9	4,041	8.2
Arizona	23,261	130.0	2,134	11.6	5,916	33.2	3,615	20.5	311	1.9	1,403	7.9
Colorado	16,206	134.4	1,580	13.0	3,764	31.9	2,465	19.9	218	1.7	1,051	8.7
Idaho	5,654	143.5	539	13.4	1,385	35.6	836	21.3	80	2.1	323	8.3
Montana	4,560	150.5	461	14.7	1,227	41.3	615	20.5	52	1.9	280	9.1
New Mexico	7,527	134.3	762	13.5	1,627	29.1	1,188	21.1	137	2.7	447	7.9
Utah	5,956	109.6	570	10.4	858	16.1	1,171	21.5	71	1.3	419	7.7
Wyoming	2,156	148.3	208	14.2	552	38.5	312	21.4	33	2.5	118	8.0
Pacific	196,677	144.7	18,132	13.0	47,979	35.9	30,121	22.1	2,992	2.3	11,395	8.4
Alaska	1,893	159.6	157	14.1	524	45.5	309	23.5	29	2.0	89	7.1
California	134,417	141.7	12,571	12.9	30,852	33.1	21,185	22.3	2,177	2.4	7,764	8.2
Hawaii	4,895	119.6	453	10.8	1,105	27.0	691	17.8	69	1.9	241	6.0
Nevada	9,949	158.4	951	15.3	3,063	48.8	1,489	23.3	174	2.7	468	7.3
Oregon	17,781	155.5	1,644	13.9	4,889	43.6	2,461	21.5	200	1.9	1,058	9.3
Washington	27,742	153.9	2,356	12.7	7,546	42.8	3,986	21.9	343	2.0	1,775	9.8

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,349,779	91.8	129,800	7.8	349,226	24.3	203,799	15.0	19,838	1.8	73,063	5.2
New England	72,324	91.2	6,790	7.2	19,333	25.5	10,192	14.1	675	1.1	3,754	5.1
Connecticut	17,361	87.8	1,605	6.8	4,398	23.0	2,571	14.3	172	1.2	928	5.1
Maine	7,403	97.4	683	7.9	2,092	28.3	969	14.1	81	1.4	356	5.1
Massachusetts	32,788	91.0	3,138	7.2	8,755	25.6	4,591	14.0	273	1.0	1,735	5.2
New Hampshire	6,218	93.4	549	7.1	1,695	26.8	870	13.6	80	1.5	317	5.0
Rhode Island	5,478	91.6	517	7.3	1,513	26.6	777	13.9	47	1.1	282	5.2
Vermont	3,076	91.9	298	7.5	880	27.6	414	13.6	22	0.8	136	4.5
Middle Atlantic	203,855	91.7	20,587	8.0	49,685	23.0	31,300	15.3	2,834	1.7	11,328	5.5
New Jersey	43,386	93.6	4,431	8.3	10,361	22.9	7,063	16.7	617	1.8	2,366	5.5
New York	89,312	87.8	8,949	7.6	21,741	21.8	13,681	14.6	1,365	1.7	4,981	5.3
Pennsylvania	71,157	96.0	7,207	8.3	17,583	24.8	10,556	15.4	852	1.7	3,981	5.8
South Atlantic	266,215	91.7	25,135	7.8	72,003	25.1	40,499	15.3	4,120	1.9	14,091	5.0
Delaware	4,395	99.2	398	7.6	1,311	30.0	611	15.2	54	1.6	219	5.1
District of Columbia	2,803	97.8	314	10.1	603	21.2	487	18.2	49	2.2	129	4.8
Florida	93,224	88.1	8,926	7.4	25,870	24.3	13,451	14.4	1,438	2.1	4,889	4.9
Georgia	34,732	90.1	3,262	8.0	9,051	24.1	5,564	15.1	650	1.9	1,973	5.3
Maryland	25,499	93.8	2,402	8.0	6,686	24.9	4,067	16.2	362	1.6	1,315	5.1
North Carolina	40,683	93.8	3,687	7.8	11,032	26.2	6,217	15.5	597	1.7	2,094	4.9
South Carolina	20,361	93.8	1,917	8.2	5,389	25.4	3,200	16.0	353	2.1	1,072	4.9
Virginia	33,565	93.4	3,128	7.9	8,799	24.8	5,430	16.4	464	1.6	1,867	5.4
West Virginia	10,953	107.7	1,101	9.7	3,262	33.1	1,472	15.3	153	2.2	533	5.5
East North Central	226,068	97.5	21,983	8.2	59,759	26.9	33,576	15.6	3,018	1.7	11,838	5.4
Illinois	59,710	97.0	6,053	8.6	15,277	25.9	8,941	15.7	923	1.9	3,080	5.3
Indiana	30,817	99.9	2,919	8.3	8,735	29.6	4,482	15.5	416	1.7	1,623	5.4
Michigan	48,946	97.9	4,634	8.0	13,134	27.2	7,258	15.6	559	1.5	2,576	5.5
Ohio	60,172	99.4	5,950	8.5	16,097	27.7	9,174	16.3	855	1.9	2,951	5.2
Wisconsin	26,423	90.9	2,427	6.9	6,516	23.8	3,721	13.8	265	1.2	1,608	6.0
East South Central	89,043	101.8	8,699	9.1	25,435	30.1	12,959	15.9	1,546	2.2	4,539	5.3
Alabama	22,867	98.0	2,225	8.8	5,956	26.3	3,424	15.9	405	2.2	1,354	5.9
Kentucky	22,332	108.1	2,183	9.5	7,085	36.1	2,982	15.2	347	2.2	1,039	5.1
Mississippi	13,636	100.7	1,418	9.7	3,616	27.2	2,102	17.0	310	2.8	647	4.7
Tennessee	30,208	100.9	2,873	8.7	8,778	30.4	4,451	15.8	484	2.1	1,499	5.1

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	95,016	91.8	9,465	7.7	24,565	25.2	14,058	14.6	1,126	1.5	5,050	5.2
Iowa	15,344	92.2	1,689	8.3	3,846	25.0	2,183	14.2	183	1.6	897	5.6
Kansas	12,725	91.2	1,248	7.8	3,375	25.8	1,919	14.6	156	1.7	718	5.4
Minnesota	22,385	87.1	2,056	6.8	5,487	22.6	3,265	13.6	211	1.1	1,244	5.2
Missouri	29,681	98.3	2,833	8.1	8,343	28.8	4,540	16.2	427	1.9	1,363	4.6
Nebraska	8,104	87.5	898	7.9	1,934	22.4	1,151	13.6	78	1.1	437	5.3
North Dakota	3,087	89.1	341	8.3	688	22.6	460	14.2	28	1.1	180	6.1
South Dakota	3,690	85.7	400	7.7	892	22.5	540	13.4	43	1.4	211	5.2
West South Central	135,261	92.5	12,755	8.0	35,138	24.4	20,892	15.3	2,625	2.2	7,027	4.9
Arkansas	14,463	101.3	1,397	8.8	4,146	30.0	2,074	15.8	264	2.4	748	5.4
Louisiana	20,885	103.0	2,016	9.1	5,525	27.9	3,295	17.4	395	2.5	984	4.9
Oklahoma	17,631	100.9	1,663	8.6	5,104	29.9	2,569	15.7	287	2.2	886	5.0
Texas	82,282	87.4	7,679	7.5	20,363	21.8	12,954	14.7	1,679	2.1	4,409	4.9
Mountain	65,320	79.1	6,254	6.9	15,329	18.6	10,202	13.3	902	1.4	4,041	5.1
Arizona	23,261	79.1	2,134	6.5	5,916	19.8	3,615	13.4	311	1.5	1,403	5.0
Colorado	16,206	78.9	1,580	7.0	3,764	18.6	2,465	12.8	218	1.3	1,051	5.4
Idaho	5,654	85.4	539	7.5	1,385	21.4	836	13.4	80	1.6	323	5.1
Montana	4,560	90.3	461	8.3	1,227	24.6	615	13.4	52	1.4	280	5.6
New Mexico	7,527	80.9	762	7.6	1,627	17.2	1,188	13.7	137	1.9	447	5.1
Utah	5,956	65.6	570	5.8	858	9.8	1,171	13.8	71	1.0	419	4.8
Wyoming	2,156	88.4	208	7.9	552	22.8	312	13.6	33	1.9	118	5.1
Pacific	196,677	86.6	18,132	7.2	47,979	21.0	30,121	14.4	2,992	1.7	11,395	5.3
Alaska	1,893	93.3	157	7.2	524	26.8	309	15.4	29	1.5	89	4.4
California	134,417	85.0	12,571	7.1	30,852	19.1	21,185	14.6	2,177	1.7	7,764	5.2
Hawaii	4,895	74.0	453	6.5	1,105	16.3	691	12.2	69	1.4	241	3.9
Nevada	9,949	94.9	951	8.5	3,063	29.0	1,489	14.7	174	2.0	468	4.7
Oregon	17,781	92.3	1,644	7.6	4,889	25.6	2,461	13.7	200	1.4	1,058	5.8
Washington	27,742	90.9	2,356	6.8	7,546	25.4	3,986	14.0	343	1.4	1,775	6.0

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2005-2009, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,261,999	216.7	0.20	123.6	0.12	1,159,505	150.8	0.14	91.2	0.10
Oral Cavity & Pharynx	22,211	3.6	0.02	2.4	0.02	10,703	1.4	0.01	0.8	0.01
Digestive System	317,690	53.7	0.10	31.8	0.06	252,985	32.0	0.06	18.1	0.04
Esophagus	47,772	7.9	0.04	5.0	0.02	12,124	1.6	0.01	0.9	0.01
Stomach	25,371	4.3	0.03	2.5	0.02	17,289	2.2	0.02	1.3	0.01
Colon & Rectum	113,438	19.5	0.06	11.0	0.03	108,975	13.6	0.04	7.5	0.03
Liver	36,990	6.0	0.03	3.9	0.02	15,302	2.0	0.02	1.1	0.01
Pancreas	73,611	12.4	0.05	7.4	0.03	72,757	9.3	0.03	5.3	0.02
Respiratory System	399,129	67.7	0.11	39.9	0.07	313,458	41.4	0.07	25.4	0.05
Larynx	11,790	2.0	0.02	1.2	0.01	3,297	0.4	0.01	0.3	0.01
Lung & bronchus	384,844	65.3	0.11	38.4	0.07	308,668	40.8	0.07	25.0	0.05
Skin	36,432	6.2	0.03	3.7	0.02	18,410	2.4	0.02	1.5	0.01
Melanomas of the skin	27,444	4.6	0.03	2.8	0.02	14,660	2.0	0.02	1.3	0.01
Breast	1,645	0.3	0.01	0.2	0.00	169,819	22.4	0.06	14.5	0.04
Female Genital System	-	-	-	-	-	117,291	15.5	0.05	10.0	0.03
Cervix uteri	-	-	-	-	-	14,963	2.2	0.02	1.6	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	29,959	3.9	0.02	2.4	0.02
Ovary	-	-	-	-	-	65,050	8.6	0.03	5.4	0.02
Male Genital System	119,390	22.2	0.06	9.6	0.03	-	-	-	-	-
Prostate	116,604	21.7	0.06	9.3	0.03	-	-	-	-	-
Testis	1,602	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	81,768	14.3	0.05	7.6	0.03	40,257	5.0	0.03	2.7	0.02
Bladder	44,608	8.0	0.04	3.9	0.02	18,199	2.2	0.02	1.1	0.01
Kidney & renal pelvis	35,239	5.9	0.03	3.6	0.02	20,672	2.7	0.02	1.6	0.01
Brain & Other Nervous System	34,411	5.6	0.03	4.0	0.02	27,262	3.8	0.02	2.7	0.02
Endocrine System	4,835	0.8	0.01	0.6	0.01	5,598	0.7	0.01	0.5	0.01
Thyroid gland	2,976	0.5	0.01	0.3	0.01	3,777	0.5	0.01	0.3	0.01
Lymphomas	52,986	9.2	0.04	5.1	0.02	45,534	5.8	0.03	3.1	0.02
Hodgkin Lymphoma	3,026	0.5	0.01	0.3	0.01	2,468	0.3	0.01	0.2	0.01
Non-Hodgkin Lymphoma	49,960	8.7	0.04	4.8	0.02	43,066	5.4	0.03	2.9	0.02
Multiple Myeloma	23,679	4.1	0.03	2.2	0.02	19,665	2.5	0.02	1.4	0.01
Leukemias	56,476	9.9	0.04	5.6	0.03	42,469	5.5	0.03	3.2	0.02
Other, Ill-defined & Unknown	111,347	19.1	0.06	11.0	0.04	96,054	12.3	0.04	7.2	0.03

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,261,999	216.7	113,438	19.5	384,844	65.3	116,604	21.7	44,608	8.0	49,960	8.7
New England	70,179	222.7	5,978	19.1	20,052	62.8	6,848	23.4	2,886	9.5	2,591	8.4
Connecticut	15,818	211.6	1,288	17.2	4,223	56.0	1,702	23.9	663	9.1	604	8.2
Maine	8,169	240.7	687	20.6	2,555	73.2	743	24.4	338	10.4	308	9.2
Massachusetts	30,974	224.6	2,683	19.7	8,813	63.4	2,995	23.2	1,253	9.5	1,130	8.4
New Hampshire	6,557	220.3	580	19.6	1,910	62.5	612	23.5	247	8.9	223	7.8
Rhode Island	5,462	230.0	464	19.7	1,592	66.7	507	22.2	229	9.9	208	8.9
Vermont	3,199	213.2	276	18.8	959	62.2	289	21.8	156	11.0	118	8.1
Middle Atlantic	176,215	215.2	16,818	20.7	50,596	61.1	16,260	21.0	6,950	8.8	7,224	8.9
New Jersey	35,549	215.0	3,613	22.0	9,796	58.7	3,206	20.6	1,501	9.4	1,399	8.5
New York	73,228	204.3	6,812	19.2	20,660	57.0	6,799	20.2	2,947	8.5	3,064	8.6
Pennsylvania	67,438	228.6	6,393	21.7	20,140	67.5	6,255	22.0	2,502	8.6	2,761	9.5
South Atlantic	244,588	213.8	21,021	18.4	80,250	69.2	20,885	19.3	8,526	7.7	9,174	8.1
Delaware	3,997	226.7	361	20.4	1,241	68.9	356	22.0	159	9.2	152	8.8
District of Columbia	727	170.7	54	12.7	166	39.3	77	20.9	30	8.0	43	9.9
Florida	98,306	204.3	8,582	17.9	30,712	63.8	8,975	17.7	3,779	7.6	3,797	7.9
Georgia	28,578	220.2	2,409	18.4	10,108	76.0	2,207	20.7	876	7.5	1,008	8.1
Maryland	18,954	219.4	1,747	20.2	5,701	64.9	1,706	21.9	730	9.0	741	8.7
North Carolina	35,935	225.9	2,909	18.3	12,644	77.6	2,871	20.6	1,113	7.6	1,258	8.0
South Carolina	17,800	225.0	1,442	18.1	6,347	77.8	1,387	20.1	556	7.5	634	8.3
Virginia	28,284	219.3	2,398	18.6	9,089	68.8	2,417	21.8	922	7.7	1,112	8.8
West Virginia	12,007	255.6	1,119	24.1	4,242	88.1	889	20.9	361	8.1	429	9.3
East North Central	211,537	229.0	18,990	20.7	66,203	70.5	19,024	22.7	7,650	8.8	8,641	9.6
Illinois	51,131	223.4	4,861	21.4	15,354	66.3	4,702	22.5	1,825	8.4	2,083	9.3
Indiana	31,330	243.4	2,854	22.2	10,701	81.8	2,611	22.7	996	8.3	1,245	9.9
Michigan	44,671	222.7	3,802	19.1	14,052	68.8	3,712	20.6	1,702	9.0	1,851	9.5
Ohio	57,559	238.8	5,200	21.8	18,723	76.1	5,092	23.3	2,109	9.3	2,297	9.7
Wisconsin	26,846	215.5	2,273	18.4	7,373	58.5	2,907	25.2	1,018	8.6	1,165	9.5
East South Central	86,988	253.1	7,417	21.7	32,792	92.8	6,521	21.8	2,427	7.6	3,082	9.2
Alabama	21,102	245.9	1,768	20.8	7,836	88.8	1,608	21.2	569	7.1	730	8.8
Kentucky	23,819	265.3	2,119	24.0	9,220	99.5	1,778	23.2	684	8.2	812	9.4
Mississippi	11,449	250.8	996	21.5	4,351	93.5	834	20.5	302	7.1	402	8.9
Tennessee	30,618	250.3	2,534	20.9	11,385	90.6	2,301	21.8	872	7.8	1,138	9.5

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	97,032	218.1	8,985	20.2	30,005	66.8	9,537	22.8	3,280	7.6	3,970	9.1
Iowa	16,148	219.5	1,514	20.6	4,987	67.3	1,693	23.7	619	8.6	672	9.2
Kansas	13,107	218.5	1,236	20.7	4,195	69.9	1,168	20.5	409	7.1	575	9.7
Minnesota	22,597	205.0	1,981	17.9	6,109	54.8	2,465	24.2	772	7.3	1,045	9.7
Missouri	29,335	233.4	2,622	21.0	10,136	79.5	2,431	21.1	930	7.7	1,052	8.6
Nebraska	8,523	214.4	896	22.4	2,482	62.2	930	24.5	269	7.0	354	9.0
North Dakota	3,345	208.3	347	21.4	886	55.6	406	25.2	131	8.0	119	7.5
South Dakota	3,977	204.1	389	19.8	1,210	61.7	444	23.0	150	7.8	153	7.9
West South Central	130,404	220.0	12,047	20.2	41,548	69.5	10,785	20.5	3,890	7.1	5,020	8.6
Arkansas	15,156	246.1	1,315	21.5	5,718	91.3	1,252	21.9	416	7.0	554	9.1
Louisiana	17,035	242.6	1,576	22.3	5,680	79.2	1,286	20.7	525	8.0	672	9.7
Oklahoma	17,841	241.5	1,641	22.3	6,251	83.2	1,514	22.4	527	7.4	670	9.2
Texas	80,372	207.9	7,515	19.3	23,899	61.8	6,733	19.9	2,422	6.8	3,124	8.2
Mountain	69,657	184.3	6,408	17.0	17,891	47.0	7,868	22.7	2,504	7.0	2,889	7.7
Arizona	25,517	184.3	2,343	17.0	7,197	51.6	2,633	19.7	952	7.0	1,040	7.6
Colorado	16,089	185.5	1,524	17.4	3,910	45.1	1,767	23.7	569	7.1	694	8.1
Idaho	6,288	196.7	512	16.0	1,664	51.7	783	26.9	229	7.6	260	8.2
Montana	4,801	201.1	414	17.3	1,367	56.5	601	26.9	179	7.8	190	8.1
New Mexico	8,031	195.1	777	19.0	1,924	46.4	934	24.6	246	6.1	292	7.1
Utah	6,570	154.5	617	14.2	1,195	27.8	931	24.8	248	6.2	321	7.5
Wyoming	2,361	200.6	221	19.1	634	53.1	219	20.8	81	7.2	92	8.3
Pacific	175,399	203.9	15,774	18.3	45,507	53.1	18,876	23.9	6,495	8.0	7,369	8.6
Alaska	1,676	203.1	138	17.7	510	60.1	137	23.5	45	6.5	74	9.5
California	115,621	198.7	10,570	18.1	28,421	49.4	12,588	23.5	4,256	7.7	5,014	8.6
Hawaii	1,887	222.5	165	18.9	494	58.8	180	22.8	66	8.6	73	8.9
Nevada	10,465	219.1	1,008	21.2	3,140	64.8	970	23.4	409	9.3	341	7.0
Oregon	18,535	216.4	1,615	18.8	5,325	61.8	2,079	25.9	688	8.4	727	8.6
Washington	27,215	211.6	2,278	17.7	7,617	58.9	2,922	25.0	1,031	8.5	1,140	9.0

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,261,999	123.6	113,438	11.0	384,844	38.4	116,604	9.3	44,608	3.9	49,960	4.8
New England	70,179	122.8	5,978	10.2	20,052	36.0	6,848	9.7	2,886	4.5	2,591	4.4
Connecticut	15,818	114.9	1,288	9.2	4,223	31.5	1,702	9.9	663	4.2	604	4.3
Maine	8,169	134.4	687	11.0	2,555	42.5	743	10.1	338	5.0	308	5.1
Massachusetts	30,974	124.0	2,683	10.4	8,813	36.3	2,995	9.6	1,253	4.4	1,130	4.3
New Hampshire	6,557	122.7	580	10.9	1,910	36.5	612	9.5	247	4.2	223	4.1
Rhode Island	5,462	126.2	464	10.5	1,592	37.8	507	9.3	229	4.6	208	4.6
Vermont	3,199	119.0	276	9.9	959	36.8	289	8.9	156	5.2	118	4.2
Middle Atlantic	176,215	121.3	16,818	11.2	50,596	35.6	16,260	8.9	6,950	4.2	7,224	4.9
New Jersey	35,549	119.2	3,613	11.8	9,796	33.5	3,206	8.8	1,501	4.4	1,399	4.6
New York	73,228	115.5	6,812	10.4	20,660	33.2	6,799	8.6	2,947	4.0	3,064	4.8
Pennsylvania	67,438	129.9	6,393	11.9	20,140	39.7	6,255	9.4	2,502	4.2	2,761	5.2
South Atlantic	244,588	125.0	21,021	10.7	80,250	41.8	20,885	8.4	8,526	3.8	9,174	4.6
Delaware	3,997	131.0	361	12.1	1,241	40.6	356	9.4	159	4.8	152	4.9
District of Columbia	727	90.3	54	6.7	166	20.7	77	8.6	30	3.2	43	5.1
Florida	98,306	122.7	8,582	10.7	30,712	39.4	8,975	8.0	3,779	3.9	3,797	4.5
Georgia	28,578	125.8	2,409	10.6	10,108	44.8	2,207	8.7	876	3.6	1,008	4.4
Maryland	18,954	121.8	1,747	11.2	5,701	37.2	1,706	9.1	730	4.2	741	4.7
North Carolina	35,935	129.7	2,909	10.5	12,644	46.1	2,871	8.8	1,113	3.6	1,258	4.5
South Carolina	17,800	131.8	1,442	10.9	6,347	47.4	1,387	8.5	556	3.7	634	4.6
Virginia	28,284	123.2	2,398	10.5	9,089	40.1	2,417	9.1	922	3.7	1,112	4.7
West Virginia	12,007	150.4	1,119	13.6	4,242	53.6	889	9.2	361	4.1	429	5.3
East North Central	211,537	129.2	18,990	11.4	66,203	41.3	19,024	9.6	7,650	4.1	8,641	5.1
Illinois	51,131	124.7	4,861	11.6	15,354	38.4	4,702	9.4	1,825	4.0	2,083	4.9
Indiana	31,330	139.6	2,854	12.6	10,701	48.6	2,611	9.6	996	4.0	1,245	5.4
Michigan	44,671	125.7	3,802	10.5	14,052	40.1	3,712	8.7	1,702	4.3	1,851	5.0
Ohio	57,559	136.1	5,200	12.1	18,723	45.3	5,092	9.9	2,109	4.4	2,297	5.3
Wisconsin	26,846	119.4	2,273	9.9	7,373	33.6	2,907	10.6	1,018	3.8	1,165	5.0
East South Central	86,988	148.7	7,417	12.7	32,792	56.6	6,521	9.4	2,427	3.7	3,082	5.2
Alabama	21,102	144.8	1,768	12.2	7,836	54.1	1,608	9.1	569	3.5	730	4.9
Kentucky	23,819	156.0	2,119	13.7	9,220	61.5	1,778	9.9	684	4.1	812	5.2
Mississippi	11,449	148.4	996	13.3	4,351	56.0	834	9.0	302	3.4	402	5.2
Tennessee	30,618	146.5	2,534	12.0	11,385	55.0	2,301	9.4	872	3.8	1,138	5.4

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	97,032	123.6	8,985	11.4	30,005	39.3	9,537	9.6	3,280	3.7	3,970	4.8
Iowa	16,148	124.7	1,514	11.4	4,987	40.0	1,693	10.1	619	4.0	672	5.0
Kansas	13,107	125.0	1,236	11.9	4,195	41.1	1,168	8.7	409	3.4	575	5.3
Minnesota	22,597	112.5	1,981	9.8	6,109	31.3	2,465	9.9	772	3.5	1,045	5.0
Missouri	29,335	135.3	2,622	12.0	10,136	47.5	2,431	9.1	930	3.9	1,052	4.6
Nebraska	8,523	121.0	896	12.7	2,482	36.6	930	10.3	269	3.2	354	4.7
North Dakota	3,345	117.4	347	11.9	886	32.6	406	10.7	131	4.0	119	4.4
South Dakota	3,977	114.3	389	11.4	1,210	35.4	444	9.7	150	3.8	153	4.1
West South Central	130,404	127.7	12,047	11.8	41,548	41.1	10,785	8.9	3,890	3.4	5,020	4.8
Arkansas	15,156	145.4	1,315	12.7	5,718	55.5	1,252	9.6	416	3.5	554	5.0
Louisiana	17,035	140.8	1,576	13.2	5,680	47.4	1,286	8.7	525	4.0	672	5.5
Oklahoma	17,841	143.0	1,641	13.1	6,251	50.7	1,514	9.7	527	3.7	670	5.3
Texas	80,372	120.0	7,515	11.2	23,899	36.1	6,733	8.7	2,422	3.3	3,124	4.6
Mountain	69,657	104.5	6,408	9.7	17,891	27.1	7,868	9.8	2,504	3.4	2,889	4.3
Arizona	25,517	107.9	2,343	9.8	7,197	30.8	2,633	8.8	952	3.4	1,040	4.2
Colorado	16,089	101.4	1,524	9.6	3,910	24.7	1,767	10.0	569	3.4	694	4.3
Idaho	6,288	109.8	512	9.0	1,664	29.3	783	11.1	229	3.5	260	4.4
Montana	4,801	112.0	414	9.9	1,367	32.2	601	11.2	179	3.6	190	4.5
New Mexico	8,031	111.8	777	10.9	1,924	26.6	934	10.6	246	3.1	292	4.1
Utah	6,570	86.7	617	8.4	1,195	16.4	931	10.2	248	3.0	321	4.3
Wyoming	2,361	111.7	221	10.5	634	30.7	219	8.6	81	3.6	92	4.1
Pacific	175,399	114.0	15,774	10.2	45,507	30.0	18,876	10.2	6,495	3.8	7,369	4.7
Alaska	1,676	112.3	138	9.5	510	34.3	137	9.8	45	3.1	74	4.7
California	115,621	110.9	10,570	10.1	28,421	27.6	12,588	10.0	4,256	3.6	5,014	4.7
Hawaii	1,887	129.4	165	11.7	494	33.3	180	11.2	66	3.8	73	5.0
Nevada	10,465	124.9	1,008	12.1	3,140	37.3	970	10.1	409	4.5	341	4.2
Oregon	18,535	121.1	1,615	10.5	5,325	35.4	2,079	11.3	688	4.0	727	4.6
Washington	27,215	117.6	2,278	9.9	7,617	33.3	2,922	10.6	1,031	4.0	1,140	4.9

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,159,505	150.8	108,975	13.6	308,668	40.8	169,819	22.4	14,963	2.2	65,050	8.6
New England	68,778	155.0	6,436	13.6	18,635	43.2	9,592	22.0	610	1.5	3,621	8.3
Connecticut	15,999	150.2	1,473	12.9	4,129	39.8	2,331	22.4	151	1.6	874	8.4
Maine	7,337	161.9	675	14.3	2,077	46.5	956	21.4	77	1.8	354	7.9
Massachusetts	30,967	156.1	2,961	13.9	8,417	43.9	4,276	22.0	241	1.3	1,670	8.6
New Hampshire	6,168	155.9	547	13.3	1,685	43.4	864	21.6	77	2.1	314	7.9
Rhode Island	5,253	152.7	485	12.9	1,452	43.5	752	22.4	42	1.4	274	8.1
Vermont	3,054	153.5	295	14.2	875	44.6	413	20.9	22	1.2	135	7.0
Middle Atlantic	175,440	153.7	17,519	14.5	43,649	39.0	26,196	23.5	2,076	2.1	10,115	9.1
New Jersey	37,235	159.8	3,742	15.2	9,111	39.9	5,906	26.0	465	2.3	2,097	9.2
New York	74,127	148.9	7,261	13.8	18,816	38.5	10,911	22.3	899	2.0	4,285	8.8
Pennsylvania	64,078	156.3	6,516	15.0	15,722	39.3	9,379	23.5	712	2.1	3,733	9.4
South Atlantic	214,684	146.9	19,404	12.8	61,801	42.6	30,621	21.5	2,760	2.2	11,937	8.3
Delaware	3,657	161.9	332	14.0	1,108	48.9	511	23.4	43	2.3	176	7.9
District of Columbia	633	115.9	57	11.0	131	24.1	114	20.8	7	1.3	42	8.3
Florida	83,124	141.8	7,778	12.5	24,092	41.1	11,415	20.6	1,111	2.5	4,485	7.8
Georgia	25,192	143.9	2,156	12.2	7,225	41.6	3,672	20.8	365	2.2	1,551	8.9
Maryland	18,304	155.6	1,644	13.5	5,142	44.4	2,711	23.2	193	1.8	1,017	8.7
North Carolina	31,987	149.5	2,748	12.6	9,307	43.8	4,586	21.8	385	2.0	1,733	8.1
South Carolina	14,898	146.0	1,286	12.4	4,366	42.9	2,184	21.7	192	2.2	843	8.2
Virginia	26,267	151.2	2,346	13.2	7,245	42.1	4,011	23.2	316	1.9	1,568	9.0
West Virginia	10,622	173.7	1,057	16.7	3,185	52.4	1,417	23.5	148	2.9	522	8.6
East North Central	198,017	158.0	19,011	14.4	52,833	43.2	28,711	23.2	2,348	2.1	10,801	8.7
Illinois	49,695	157.1	4,900	14.7	12,862	41.8	7,184	23.0	653	2.3	2,689	8.6
Indiana	28,282	161.8	2,651	14.6	8,093	47.4	4,037	23.3	363	2.3	1,521	8.7
Michigan	41,821	157.4	3,905	14.1	11,401	43.7	6,000	22.8	397	1.7	2,323	8.9
Ohio	53,214	161.1	5,262	15.2	14,317	44.2	7,973	24.5	714	2.5	2,715	8.3
Wisconsin	25,005	150.4	2,293	12.9	6,160	38.3	3,517	21.5	221	1.5	1,553	9.6
East South Central	73,057	159.8	6,794	14.5	22,060	48.5	9,938	22.0	1,039	2.6	3,867	8.5
Alabama	17,493	154.0	1,580	13.6	4,962	43.8	2,402	21.6	241	2.5	1,089	9.6
Kentucky	20,807	173.0	1,995	16.2	6,647	55.7	2,738	23.0	314	2.8	993	8.3
Mississippi	9,205	150.2	883	13.9	2,750	45.1	1,236	20.7	140	2.6	460	7.5
Tennessee	25,552	157.9	2,336	14.1	7,701	47.7	3,562	22.2	344	2.4	1,325	8.2

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, White, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	89,173	150.1	8,851	13.9	23,142	40.3	13,125	22.4	952	1.9	4,836	8.3
Iowa	15,054	151.1	1,656	15.2	3,779	39.5	2,141	21.9	174	2.0	886	9.1
Kansas	11,867	148.2	1,155	13.7	3,164	40.8	1,788	22.6	141	2.2	683	8.8
Minnesota	21,506	145.7	1,989	12.6	5,291	37.3	3,136	21.4	173	1.3	1,203	8.3
Missouri	26,546	158.8	2,496	14.2	7,579	46.3	3,998	24.4	336	2.3	1,261	7.6
Nebraska	7,759	144.9	851	14.8	1,852	35.9	1,108	21.2	74	1.6	424	8.2
North Dakota	2,943	140.7	324	14.3	642	32.9	435	21.2	24	1.4	175	9.0
South Dakota	3,498	139.8	380	13.9	835	34.7	519	21.1	30	1.3	204	8.5
West South Central	112,960	146.9	10,190	12.9	30,316	39.8	16,755	21.9	2,011	2.8	6,146	8.0
Arkansas	12,472	158.6	1,130	14.0	3,734	47.5	1,727	22.5	197	3.0	677	8.7
Louisiana	14,622	157.7	1,313	13.7	4,203	45.7	2,123	23.1	201	2.5	746	8.1
Oklahoma	15,405	160.8	1,404	14.1	4,544	47.7	2,229	23.7	233	2.8	801	8.3
Texas	70,461	140.6	6,343	12.4	17,835	36.1	10,676	21.2	1,380	2.8	3,922	7.9
Mountain	61,988	133.3	5,904	12.4	14,728	32.1	9,701	20.9	807	1.8	3,842	8.3
Arizona	21,899	131.9	2,016	11.8	5,684	34.3	3,382	20.8	268	1.8	1,312	8.0
Colorado	15,360	135.5	1,478	12.9	3,585	32.3	2,341	20.2	200	1.7	1,014	8.9
Idaho	5,577	144.9	530	13.5	1,366	35.9	823	21.5	79	2.2	317	8.3
Montana	4,341	149.0	436	14.4	1,168	41.0	593	20.6	45	1.8	275	9.3
New Mexico	6,927	136.3	690	13.5	1,566	30.8	1,112	22.0	119	2.6	400	7.8
Utah	5,769	110.3	552	10.5	822	16.0	1,144	21.9	64	1.2	406	7.8
Wyoming	2,115	149.5	202	14.1	537	38.4	306	21.6	32	2.6	118	8.2
Pacific	165,408	149.9	14,866	13.0	41,504	38.3	25,180	22.9	2,360	2.3	9,885	9.0
Alaska	1,383	156.6	99	12.0	384	44.5	235	24.1	19	1.7	67	6.7
California	110,988	146.2	10,078	12.8	26,131	35.0	17,389	23.1	1,694	2.4	6,614	8.8
Hawaii	1,432	148.5	115	11.3	375	39.9	212	22.5	19	2.1	72	7.4
Nevada	8,827	165.0	834	15.7	2,817	52.7	1,286	23.7	151	2.8	418	7.7
Oregon	17,118	157.1	1,570	13.9	4,734	44.3	2,370	21.8	179	1.8	1,029	9.5
Washington	25,660	156.8	2,170	12.8	7,063	44.2	3,688	22.4	298	1.9	1,685	10.3

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,159,505	91.2	108,975	7.5	308,668	25.0	169,819	14.5	14,963	1.6	65,050	5.4
New England	68,778	92.0	6,436	7.2	18,635	26.2	9,592	14.1	610	1.1	3,621	5.3
Connecticut	15,999	87.9	1,473	6.7	4,129	23.5	2,331	14.3	151	1.2	874	5.3
Maine	7,337	97.6	675	7.9	2,077	28.3	956	14.1	77	1.3	354	5.1
Massachusetts	30,967	92.3	2,961	7.3	8,417	26.5	4,276	14.0	241	1.0	1,670	5.4
New Hampshire	6,168	94.2	547	7.2	1,685	27.1	864	13.8	77	1.5	314	5.1
Rhode Island	5,253	92.5	485	6.9	1,452	27.0	752	14.2	42	1.1	274	5.3
Vermont	3,054	92.4	295	7.5	875	27.7	413	13.7	22	0.9	135	4.6
Middle Atlantic	175,440	92.2	17,519	7.8	43,649	23.9	26,196	15.0	2,076	1.5	10,115	5.8
New Jersey	37,235	94.5	3,742	8.0	9,111	24.0	5,906	16.6	465	1.7	2,097	5.9
New York	74,127	89.6	7,261	7.4	18,816	23.6	10,911	14.3	899	1.5	4,285	5.7
Pennsylvania	64,078	94.3	6,516	8.2	15,722	24.2	9,379	14.9	712	1.6	3,733	6.0
South Atlantic	214,684	89.8	19,404	7.2	61,801	26.4	30,621	14.1	2,760	1.6	11,937	5.2
Delaware	3,657	98.1	332	7.4	1,108	30.2	511	15.3	43	1.7	176	4.9
District of Columbia	633	64.2	57	5.6	131	12.5	114	12.4	7	1.1	42	5.1
Florida	83,124	87.7	7,778	7.1	24,092	25.5	11,415	13.7	1,111	1.9	4,485	5.1
Georgia	25,192	87.3	2,156	6.9	7,225	25.9	3,672	13.5	365	1.6	1,551	5.5
Maryland	18,304	91.9	1,644	7.1	5,142	26.4	2,711	14.8	193	1.3	1,017	5.5
North Carolina	31,987	91.0	2,748	7.0	9,307	27.5	4,586	14.1	385	1.4	1,733	5.0
South Carolina	14,898	89.8	1,286	7.1	4,366	27.2	2,184	14.2	192	1.6	843	5.2
Virginia	26,267	91.2	2,346	7.3	7,245	25.5	4,011	15.1	316	1.4	1,568	5.7
West Virginia	10,622	108.1	1,057	9.6	3,185	33.4	1,417	15.2	148	2.2	522	5.6
East North Central	198,017	95.4	19,011	7.8	52,833	26.7	28,711	14.9	2,348	1.5	10,801	5.6
Illinois	49,695	94.4	4,900	7.9	12,862	25.7	7,184	14.8	653	1.7	2,689	5.5
Indiana	28,282	99.0	2,651	8.1	8,093	29.6	4,037	15.0	363	1.7	1,521	5.4
Michigan	41,821	95.0	3,905	7.6	11,401	27.0	6,000	14.7	397	1.3	2,323	5.7
Ohio	53,214	97.6	5,262	8.3	14,317	27.5	7,973	15.7	714	1.8	2,715	5.4
Wisconsin	25,005	89.7	2,293	6.7	6,160	23.4	3,517	13.6	221	1.1	1,553	6.1
East South Central	73,057	99.4	6,794	8.3	22,060	31.3	9,938	14.4	1,039	1.9	3,867	5.4
Alabama	17,493	95.1	1,580	7.8	4,962	27.9	2,402	14.2	241	1.8	1,089	6.1
Kentucky	20,807	107.7	1,995	9.2	6,647	36.3	2,738	14.9	314	2.1	993	5.3
Mississippi	9,205	94.0	883	8.1	2,750	28.9	1,236	13.8	140	1.9	460	4.7
Tennessee	25,552	98.2	2,336	8.1	7,701	30.7	3,562	14.5	344	1.8	1,325	5.2

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, White, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	89,173	91.0	8,851	7.6	23,142	25.2	13,125	14.5	952	1.4	4,836	5.3
Iowa	15,054	92.3	1,656	8.3	3,779	25.1	2,141	14.3	174	1.5	886	5.7
Kansas	11,867	90.0	1,155	7.6	3,164	25.7	1,788	14.5	141	1.6	683	5.5
Minnesota	21,506	86.7	1,989	6.8	5,291	22.6	3,136	13.6	173	0.9	1,203	5.3
Missouri	26,546	97.2	2,496	7.8	7,579	29.0	3,998	15.8	336	1.7	1,261	4.8
Nebraska	7,759	87.0	851	7.7	1,852	22.3	1,108	13.6	74	1.2	424	5.3
North Dakota	2,943	86.8	324	8.0	642	21.7	435	13.6	24	1.0	175	6.1
South Dakota	3,498	84.4	380	7.4	835	22.0	519	13.4	30	1.0	204	5.3
West South Central	112,960	90.3	10,190	7.4	30,316	24.6	16,755	14.4	2,011	2.1	6,146	5.1
Arkansas	12,472	99.5	1,130	8.1	3,734	30.7	1,727	15.0	197	2.2	677	5.6
Louisiana	14,622	96.8	1,313	7.8	4,203	28.7	2,123	15.0	201	1.9	746	5.1
Oklahoma	15,405	100.5	1,404	8.2	4,544	30.4	2,229	15.7	233	2.1	801	5.2
Texas	70,461	85.8	6,343	7.0	17,835	21.8	10,676	14.0	1,380	2.1	3,922	5.0
Mountain	61,988	79.9	5,904	6.9	14,728	19.0	9,701	13.5	807	1.4	3,842	5.2
Arizona	21,899	80.3	2,016	6.6	5,684	20.5	3,382	13.6	268	1.4	1,312	5.0
Colorado	15,360	79.6	1,478	6.9	3,585	18.9	2,341	13.0	200	1.3	1,014	5.6
Idaho	5,577	86.3	530	7.5	1,366	21.6	823	13.5	79	1.7	317	5.1
Montana	4,341	88.8	436	8.1	1,168	24.3	593	13.4	45	1.2	275	5.7
New Mexico	6,927	82.1	690	7.5	1,566	18.4	1,112	14.2	119	1.9	400	5.0
Utah	5,769	66.0	552	5.8	822	9.8	1,144	14.1	64	0.9	406	4.8
Wyoming	2,115	89.2	202	7.9	537	22.8	306	13.8	32	1.9	118	5.2
Pacific	165,408	89.4	14,866	7.1	41,504	22.4	25,180	14.7	2,360	1.7	9,885	5.7
Alaska	1,383	90.2	99	5.9	384	26.0	235	15.7	19	1.3	67	4.2
California	110,988	87.4	10,078	7.0	26,131	20.2	17,389	14.9	1,694	1.8	6,614	5.6
Hawaii	1,432	93.9	115	6.9	375	24.2	212	15.6	19	1.6	72	5.0
Nevada	8,827	98.6	834	8.6	2,817	31.4	1,286	14.8	151	2.1	418	5.0
Oregon	17,118	93.3	1,570	7.6	4,734	26.1	2,370	13.8	179	1.4	1,029	5.9
Washington	25,660	92.6	2,170	6.9	7,063	26.2	3,688	14.3	298	1.4	1,685	6.3

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2005-2009, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	164,805	288.3	0.76	170.9	0.43	154,079	174.6	0.45	109.9	0.29
Oral Cavity & Pharynx	3,823	5.7	0.10	4.0	0.07	1,306	1.4	0.04	1.0	0.03
Digestive System	47,176	78.4	0.39	48.8	0.23	39,751	45.9	0.23	27.0	0.14
Esophagus	5,195	8.2	0.12	5.5	0.08	1,968	2.2	0.05	1.4	0.03
Stomach	5,805	10.3	0.14	5.9	0.08	4,099	4.8	0.08	2.7	0.04
Colon & Rectum	17,048	29.8	0.25	17.6	0.14	17,159	19.8	0.15	11.5	0.09
Liver	7,454	10.5	0.13	7.7	0.09	2,639	3.0	0.06	1.9	0.04
Pancreas	9,279	15.5	0.17	9.7	0.10	10,748	12.6	0.12	7.3	0.07
Respiratory System	51,748	87.2	0.41	54.6	0.25	34,035	38.9	0.21	24.8	0.14
Larynx	2,625	4.2	0.09	2.8	0.06	620	0.7	0.03	0.5	0.02
Lung & bronchus	48,849	82.6	0.40	51.5	0.24	33,239	38.0	0.21	24.2	0.14
Skin	891	1.4	0.05	0.9	0.03	551	0.6	0.03	0.4	0.02
Melanomas of the skin	309	0.5	0.03	0.3	0.02	333	0.4	0.02	0.2	0.01
Breast	299	0.5	0.03	0.3	0.02	28,995	31.6	0.19	21.4	0.13
Female Genital System	-	-	-	-	-	17,148	19.3	0.15	12.7	0.10
Cervix uteri	-	-	-	-	-	3,993	4.3	0.07	3.1	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	6,370	7.3	0.09	4.8	0.06
Ovary	-	-	-	-	-	6,022	6.8	0.09	4.4	0.06
Male Genital System	24,107	53.6	0.36	24.3	0.16	-	-	-	-	-
Prostate	23,810	53.1	0.36	24.0	0.16	-	-	-	-	-
Testis	114	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	6,575	11.8	0.16	6.8	0.09	4,671	5.5	0.08	3.0	0.05
Bladder	2,781	5.6	0.11	2.8	0.05	2,196	2.6	0.06	1.3	0.03
Kidney & renal pelvis	3,696	6.0	0.11	3.8	0.06	2,290	2.6	0.06	1.6	0.03
Brain & Other Nervous System	2,159	3.1	0.07	2.2	0.05	1,902	2.1	0.05	1.5	0.04
Endocrine System	546	0.8	0.04	0.6	0.03	836	0.9	0.03	0.6	0.02
Thyroid gland	215	0.4	0.03	0.2	0.02	510	0.6	0.03	0.3	0.02
Lymphomas	4,240	6.6	0.11	4.3	0.07	3,494	3.9	0.07	2.5	0.04
Hodgkin Lymphoma	386	0.5	0.03	0.4	0.02	285	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,854	6.1	0.11	3.9	0.06	3,209	3.6	0.06	2.3	0.04
Multiple Myeloma	4,503	8.0	0.13	4.6	0.07	4,600	5.4	0.08	3.2	0.05
Leukemias	4,970	8.5	0.13	5.1	0.07	4,230	4.8	0.07	3.0	0.05
Other, Ill-defined & Unknown	13,768	22.9	0.21	14.2	0.12	12,560	14.3	0.13	8.9	0.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	164,805	288.3	17,048	29.8	48,849	82.6	23,810	53.1	2,781	5.6	3,854	6.1
New England	2,803	235.5	254	20.5	750	61.7	385	42.5	46	4.4	85	5.9
Connecticut	1,193	239.3	107	21.2	311	61.3	173	43.5	14	2.8	31	4.7
Maine	18	110.3	-	-	6	32.1	-	-	-	-	-	-
Massachusetts	1,373	240.3	129	21.3	367	62.5	179	42.6	29	5.8	49	7.5
New Hampshire	24	151.9	-	-	9	76.3	-	-	-	-	-	-
Rhode Island	187	225.0	15	17.5	56	66.4	24	39.1	-	-	-	-
Vermont	8	207.7	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	22,896	247.7	2,417	26.6	6,124	63.7	3,578	48.1	419	5.3	572	5.5
New Jersey	4,975	264.2	532	28.9	1,340	69.0	731	49.0	91	5.6	116	5.2
New York	11,359	215.5	1,207	23.1	2,872	51.6	1,897	45.0	203	4.6	306	5.1
Pennsylvania	6,562	312.2	678	33.1	1,912	89.2	950	54.5	125	6.6	150	6.4
South Atlantic	53,249	286.7	5,379	28.7	15,510	80.2	8,029	56.1	880	5.5	1,261	6.0
Delaware	725	263.6	60	22.2	211	74.6	104	50.8	17	7.1	18	5.7
District of Columbia	2,206	318.7	215	30.7	580	82.3	330	55.4	47	7.0	66	9.3
Florida	10,530	253.5	1,074	25.4	2,929	67.7	1,700	52.7	201	5.9	292	5.9
Georgia	9,888	287.4	992	28.6	2,877	79.6	1,512	60.3	174	6.0	245	5.9
Maryland	6,634	276.9	745	30.6	1,871	74.1	942	52.2	115	5.7	152	5.4
North Carolina	9,276	306.6	905	29.8	2,878	91.0	1,394	59.2	129	4.7	183	5.6
South Carolina	6,417	311.0	630	30.6	1,888	87.8	947	58.4	66	3.7	138	6.4
Virginia	7,236	305.2	719	29.9	2,170	89.5	1,041	55.4	129	5.9	160	6.0
West Virginia	337	279.6	39	34.4	106	85.0	59	59.8	-	-	7	4.3
East North Central	26,660	309.0	2,743	32.1	8,350	93.8	3,615	51.6	462	6.1	579	6.3
Illinois	9,127	315.1	986	33.8	2,735	90.7	1,355	58.5	150	6.3	180	5.9
Indiana	2,483	300.3	244	31.0	824	97.5	297	45.3	37	4.8	60	6.9
Michigan	6,685	292.7	699	31.2	2,082	88.7	822	43.9	115	5.6	159	6.6
Ohio	7,059	316.2	705	31.8	2,260	98.6	1,010	53.4	145	7.2	159	6.4
Wisconsin	1,306	333.6	109	27.3	449	110.5	131	48.5	15	3.9	21	4.2
East South Central	18,153	337.2	1,892	34.7	5,757	102.8	2,756	64.9	273	5.9	378	6.5
Alabama	6,255	329.9	643	33.4	1,872	94.3	1,041	68.4	90	5.5	116	5.7
Kentucky	1,593	329.3	157	32.4	566	114.3	211	54.3	29	7.2	38	7.2
Mississippi	5,427	346.7	568	35.6	1,749	108.1	826	66.3	73	5.4	107	6.2
Tennessee	4,878	339.4	524	36.4	1,570	104.7	678	61.9	81	6.4	117	7.7

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	5,027	309.7	486	31.7	1,499	90.1	627	50.1	77	5.4	110	6.4
Iowa	286	340.2	27	41.6	100	113.2	36	64.7	-	-	7	7.7
Kansas	711	307.7	77	35.3	218	92.0	94	51.0	8	4.1	16	5.8
Minnesota	627	298.7	49	22.7	157	78.2	64	44.6	9	5.0	15	8.2
Missouri	3,112	315.7	307	32.3	946	92.5	400	50.9	52	5.9	64	6.3
Nebraska	270	268.9	26	30.4	75	75.5	32	40.4	6	5.2	8	4.9
North Dakota	9	142.7	-	-	-	-	-	-	-	-	-	-
South Dakota	12	175.0	-	-	-	-	-	-	-	-	-	-
West South Central	22,013	313.9	2,419	34.5	7,042	98.0	2,692	50.0	341	5.7	500	6.5
Arkansas	2,254	341.6	226	33.6	759	111.1	335	63.1	37	6.5	41	5.5
Louisiana	7,049	331.5	750	35.6	2,283	104.0	881	52.4	89	4.9	144	6.4
Oklahoma	1,208	298.6	137	35.1	378	88.7	171	54.3	25	7.3	29	6.2
Texas	11,502	301.4	1,306	34.0	3,622	93.7	1,305	45.4	190	5.8	286	6.7
Mountain	1,569	203.6	162	21.4	415	55.7	190	33.0	18	2.6	49	5.6
Arizona	691	201.5	72	22.2	185	56.4	82	31.6	8	2.2	25	5.8
Colorado	650	228.4	67	23.8	153	54.4	86	40.5	6	3.1	22	7.9
Idaho	18	183.4	-	-	-	-	-	-	-	-	-	-
Montana	10	194.2	-	-	-	-	-	-	-	-	-	-
New Mexico	140	159.0	13	12.3	45	52.7	16	25.5	-	-	-	-
Utah	49	163.5	-	-	20	66.7	-	-	-	-	-	-
Wyoming	11	180.9	-	-	-	-	-	-	-	-	-	-
Pacific	12,435	266.0	1,296	27.3	3,402	71.1	1,938	51.9	265	6.2	320	6.2
Alaska	66	255.4	7	28.8	16	59.5	8	39.9	-	-	-	-
California	10,522	273.3	1,091	28.1	2,875	72.8	1,673	53.9	225	6.4	270	6.4
Hawaii	70	154.2	-	-	15	41.0	6	15.2	-	-	-	-
Nevada	743	220.0	85	23.2	200	56.5	99	36.8	14	4.6	16	4.2
Oregon	228	220.8	17	16.7	77	77.1	29	36.7	-	-	9	8.6
Washington	806	253.1	91	26.6	219	67.3	123	51.4	20	6.5	21	5.0

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	164,805	170.9	17,048	17.6	48,849	51.5	23,810	24.0	2,781	2.8	3,854	3.9
New England	2,803	137.2	254	12.1	750	37.3	385	19.2	46	2.3	85	4.0
Connecticut	1,193	142.6	107	12.2	311	37.8	173	21.0	14	1.7	31	3.7
Maine	18	74.5	-	-	6	24.4	-	-	-	-	-	-
Massachusetts	1,373	137.7	129	12.8	367	37.3	179	18.3	29	2.9	49	4.7
New Hampshire	24	86.4	-	-	9	33.4	-	-	-	-	-	-
Rhode Island	187	131.8	15	11.0	56	39.7	24	16.7	-	-	-	-
Vermont	8	86.0	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	22,896	145.7	2,417	15.2	6,124	39.6	3,578	21.9	419	2.6	572	3.6
New Jersey	4,975	153.6	532	16.3	1,340	42.0	731	22.3	91	2.7	116	3.3
New York	11,359	127.5	1,207	13.4	2,872	32.7	1,897	20.6	203	2.2	306	3.5
Pennsylvania	6,562	185.1	678	18.7	1,912	55.2	950	24.6	125	3.5	150	4.2
South Atlantic	53,249	169.7	5,379	17.0	15,510	50.2	8,029	25.3	880	2.7	1,261	3.9
Delaware	725	162.4	60	13.0	211	48.0	104	22.6	17	3.7	18	4.0
District of Columbia	2,206	194.8	215	18.9	580	51.6	330	24.7	47	4.2	66	6.3
Florida	10,530	150.5	1,074	15.4	2,929	42.5	1,700	23.9	201	2.8	292	4.1
Georgia	9,888	169.7	992	16.7	2,877	50.3	1,512	27.2	174	3.0	245	4.0
Maryland	6,634	158.9	745	17.5	1,871	44.9	942	23.3	115	2.9	152	3.5
North Carolina	9,276	183.1	905	17.9	2,878	57.6	1,394	26.6	129	2.5	183	3.6
South Carolina	6,417	189.0	630	18.2	1,888	56.8	947	26.4	66	1.9	138	4.2
Virginia	7,236	177.3	719	17.8	2,170	54.0	1,041	24.6	129	2.9	160	3.9
West Virginia	337	174.5	39	19.5	106	55.5	59	27.7	-	-	7	3.8
East North Central	26,660	184.5	2,743	18.9	8,350	58.8	3,615	23.7	462	3.1	579	4.0
Illinois	9,127	187.2	986	20.1	2,735	57.2	1,355	26.5	150	3.0	180	3.7
Indiana	2,483	176.6	244	17.3	824	59.4	297	20.0	37	2.7	60	4.2
Michigan	6,685	177.1	699	18.4	2,082	56.0	822	20.5	115	2.9	159	4.2
Ohio	7,059	187.5	705	18.7	2,260	60.9	1,010	25.0	145	3.8	159	4.2
Wisconsin	1,306	205.1	109	16.9	449	72.7	131	21.8	15	2.3	21	2.9
East South Central	18,153	201.6	1,892	21.0	5,757	65.3	2,756	28.8	273	2.9	378	4.1
Alabama	6,255	197.8	643	20.2	1,872	60.4	1,041	30.7	90	2.7	116	3.6
Kentucky	1,593	193.5	157	19.7	566	69.7	211	23.4	29	3.4	38	4.6
Mississippi	5,427	208.8	568	21.8	1,749	68.9	826	29.8	73	2.6	107	4.1
Tennessee	4,878	201.9	524	21.6	1,570	66.7	678	27.2	81	3.2	117	4.6

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	5,027	184.6	486	17.8	1,499	56.6	627	23.1	77	3.0	110	4.1
Iowa	286	195.3	27	18.6	100	70.7	36	26.4	-	-	7	4.9
Kansas	711	181.4	77	19.1	218	57.7	94	23.6	8	1.9	16	4.1
Minnesota	627	182.1	49	13.8	157	48.3	64	21.8	9	3.0	15	4.1
Missouri	3,112	188.3	307	18.5	946	58.7	400	23.3	52	3.2	64	4.0
Nebraska	270	167.9	26	16.1	75	45.5	32	21.2	6	4.4	8	4.2
North Dakota	9	87.7	-	-	-	-	-	-	-	-	-	-
South Dakota	12	101.4	-	-	-	-	-	-	-	-	-	-
West South Central	22,013	188.5	2,419	20.7	7,042	61.6	2,692	22.5	341	2.9	500	4.2
Arkansas	2,254	206.3	226	20.7	759	72.1	335	27.4	37	3.2	41	3.7
Louisiana	7,049	200.9	750	21.3	2,283	66.4	881	23.7	89	2.5	144	4.2
Oklahoma	1,208	177.4	137	19.9	378	57.2	171	24.4	25	3.4	29	4.2
Texas	11,502	180.3	1,306	20.4	3,622	58.0	1,305	20.7	190	3.0	286	4.4
Mountain	1,569	121.0	162	12.3	415	32.8	190	15.2	18	1.4	49	3.7
Arizona	691	119.8	72	12.4	185	33.0	82	14.3	8	1.4	25	4.3
Colorado	650	134.7	67	13.8	153	31.9	86	19.3	6	1.3	22	4.4
Idaho	18	102.9	-	-	-	-	-	-	-	-	-	-
Montana	10	117.6	-	-	-	-	-	-	-	-	-	-
New Mexico	140	96.4	13	9.6	45	32.4	16	10.2	-	-	-	-
Utah	49	97.5	-	-	20	42.6	-	-	-	-	-	-
Wyoming	11	93.5	-	-	-	-	-	-	-	-	-	-
Pacific	12,435	154.2	1,296	16.0	3,402	42.9	1,938	23.8	265	3.3	320	3.9
Alaska	66	140.5	7	17.0	16	32.9	8	18.4	-	-	-	-
California	10,522	158.0	1,091	16.3	2,875	43.7	1,673	24.7	225	3.4	270	4.0
Hawaii	70	115.0	-	-	15	27.3	6	11.7	-	-	-	-
Nevada	743	134.3	85	15.6	200	36.4	99	17.0	14	2.5	16	2.7
Oregon	228	124.3	17	8.8	77	43.1	29	16.7	-	-	9	5.2
Washington	806	145.6	91	16.1	219	42.4	123	23.3	20	3.8	21	3.5

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	154,079	174.6	17,159	19.8	33,239	38.0	28,995	31.6	3,993	4.3	6,022	6.8
New England	2,763	153.5	264	15.2	543	30.3	510	26.6	47	2.4	96	5.3
Connecticut	1,191	156.3	117	16.1	241	31.0	215	27.2	19	2.4	43	5.6
Maine	15	115.6	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,361	154.0	127	15.1	246	28.3	264	27.5	24	2.4	48	5.4
New Hampshire	18	91.0	-	-	-	-	-	-	-	-	-	-
Rhode Island	169	147.0	18	13.7	50	45.6	22	17.1	-	-	-	-
Vermont	9	121.4	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	24,606	162.6	2,666	17.9	5,330	35.3	4,526	29.3	666	4.3	978	6.4
New Jersey	5,195	174.1	610	21.2	1,086	36.5	964	31.1	128	4.0	208	6.8
New York	12,761	145.6	1,418	16.4	2,459	28.2	2,437	27.2	407	4.5	545	6.2
Pennsylvania	6,650	196.4	638	18.9	1,785	53.0	1,125	33.0	131	3.8	225	6.6
South Atlantic	48,206	166.0	5,435	19.0	9,503	33.0	9,418	30.9	1,254	4.1	1,952	6.7
Delaware	688	173.3	63	16.7	189	48.4	97	22.6	9	2.1	37	9.5
District of Columbia	2,137	186.3	253	21.4	467	40.8	364	32.4	42	4.1	86	7.5
Florida	9,183	152.0	1,067	18.1	1,572	26.3	1,920	30.3	293	4.5	345	5.7
Georgia	9,168	159.0	1,073	19.0	1,765	31.5	1,845	29.7	270	4.3	402	7.0
Maryland	6,680	172.9	709	19.0	1,456	38.0	1,284	30.9	156	3.7	266	6.7
North Carolina	8,139	169.6	890	18.7	1,589	33.1	1,550	31.3	193	3.9	338	7.1
South Carolina	5,339	167.8	621	19.8	984	30.8	1,001	30.6	158	4.9	222	7.1
Virginia	6,564	179.0	718	19.8	1,408	38.8	1,306	34.2	128	3.4	247	6.8
West Virginia	308	180.7	41	23.7	73	43.0	51	30.8	-	-	9	5.5
East North Central	25,844	195.9	2,748	21.2	6,440	49.0	4,581	33.7	622	4.5	913	6.9
Illinois	9,081	198.7	1,041	23.2	2,248	49.1	1,619	34.4	255	5.3	327	7.1
Indiana	2,437	197.3	257	21.2	615	50.6	434	34.0	51	3.8	96	7.9
Michigan	6,579	192.9	671	20.0	1,596	47.1	1,205	34.3	152	4.3	223	6.6
Ohio	6,650	194.4	665	19.6	1,708	50.1	1,155	33.2	133	3.8	225	6.6
Wisconsin	1,097	196.5	114	21.7	273	49.0	168	27.4	31	4.5	42	7.7
East South Central	15,558	182.5	1,872	22.0	3,267	38.9	2,966	33.8	492	5.7	648	7.7
Alabama	5,264	172.0	637	20.9	970	31.9	1,002	32.1	161	5.3	259	8.6
Kentucky	1,440	197.2	180	24.6	415	58.1	240	32.2	30	3.8	43	5.8
Mississippi	4,364	179.3	530	21.8	853	35.7	857	34.2	167	6.7	182	7.6
Tennessee	4,490	195.5	525	23.2	1,029	45.7	867	36.2	134	5.4	164	7.2

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	4,536	188.0	480	20.5	1,101	46.6	773	30.6	125	4.7	149	6.2
Iowa	205	182.3	27	24.4	46	43.8	34	28.4	7	4.5	9	8.5
Kansas	662	197.3	71	22.1	160	49.0	101	28.9	14	3.7	23	7.0
Minnesota	440	171.5	27	10.4	100	40.5	85	28.1	11	3.4	20	9.4
Missouri	2,944	188.2	317	20.6	727	47.0	517	32.2	89	5.5	87	5.5
Nebraska	275	202.4	38	29.2	66	49.6	35	23.7	-	-	10	6.6
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-
West South Central	19,554	185.1	2,262	21.9	4,164	40.1	3,794	34.2	534	4.7	742	7.1
Arkansas	1,913	187.7	254	24.4	398	39.7	340	32.6	62	5.8	69	7.0
Louisiana	6,137	191.4	689	21.8	1,298	40.6	1,153	35.0	190	5.7	231	7.4
Oklahoma	1,055	182.7	112	19.6	237	41.6	199	33.5	23	3.7	33	5.8
Texas	10,449	181.9	1,207	21.7	2,231	39.8	2,102	34.2	259	4.1	409	7.2
Mountain	1,280	138.5	145	16.1	277	30.8	237	23.7	23	2.3	57	6.3
Arizona	598	140.2	56	13.3	138	33.1	127	27.1	10	2.3	29	7.0
Colorado	521	148.8	61	17.8	107	31.4	86	22.9	8	2.0	18	5.4
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	114	120.7	19	21.0	20	22.1	19	19.3	-	-	7	7.2
Utah	32	101.7	-	-	8	26.6	-	-	-	-	-	-
Wyoming	9	124.6	-	-	-	-	-	-	-	-	-	-
Pacific	11,732	177.9	1,287	20.1	2,614	40.3	2,190	31.6	230	3.2	487	7.3
Alaska	35	111.3	-	-	11	38.2	-	-	-	-	-	-
California	10,199	181.6	1,116	20.3	2,235	40.4	1,925	32.7	202	3.3	433	7.7
Hawaii	27	68.4	-	-	-	-	9	20.5	-	-	-	-
Nevada	628	153.9	78	19.2	152	38.4	109	26.0	13	2.6	23	6.0
Oregon	198	156.5	23	19.2	48	40.9	34	24.7	-	-	8	6.2
Washington	645	173.2	63	18.2	163	45.0	108	26.2	10	2.2	20	5.1

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	154,079	109.9	17,159	11.5	33,239	24.2	28,995	21.4	3,993	3.1	6,022	4.4
New England	2,763	93.3	264	8.3	543	18.8	510	17.5	47	1.7	96	3.3
Connecticut	1,191	96.2	117	8.8	241	20.2	215	17.3	19	1.6	43	3.5
Maine	15	78.8	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,361	92.6	127	7.9	246	17.0	264	18.6	24	1.8	48	3.4
New Hampshire	18	56.0	-	-	-	-	-	-	-	-	-	-
Rhode Island	169	88.0	18	10.1	50	26.6	22	11.0	-	-	-	-
Vermont	9	86.7	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	24,606	102.5	2,666	10.3	5,330	22.3	4,526	19.7	666	3.1	978	4.2
New Jersey	5,195	108.0	610	11.9	1,086	22.6	964	20.8	128	2.9	208	4.5
New York	12,761	92.6	1,418	9.6	2,459	17.7	2,437	18.5	407	3.2	545	4.1
Pennsylvania	6,650	123.8	638	10.8	1,785	34.3	1,125	21.9	131	2.8	225	4.3
South Atlantic	48,206	104.6	5,435	11.1	9,503	21.0	9,418	21.1	1,254	2.9	1,952	4.3
Delaware	688	108.4	63	8.9	189	30.0	97	15.6	9	1.3	37	6.0
District of Columbia	2,137	117.7	253	12.6	467	26.1	364	21.9	42	3.1	86	4.8
Florida	9,183	96.9	1,067	10.6	1,572	16.8	1,920	20.9	293	3.3	345	3.7
Georgia	9,168	100.8	1,073	11.4	1,765	20.0	1,845	20.0	270	2.9	402	4.7
Maryland	6,680	106.0	709	10.9	1,456	23.4	1,284	20.7	156	2.6	266	4.3
North Carolina	8,139	107.7	890	11.1	1,589	21.8	1,550	21.3	193	2.9	338	4.6
South Carolina	5,339	106.4	621	11.7	984	20.1	1,001	21.3	158	3.4	222	4.4
Virginia	6,564	112.0	718	11.3	1,408	24.5	1,306	23.6	128	2.3	247	4.3
West Virginia	308	113.5	41	15.2	73	26.5	51	21.8	-	-	9	3.8
East North Central	25,844	123.5	2,748	12.4	6,440	31.2	4,581	22.8	622	3.3	913	4.4
Illinois	9,081	125.5	1,041	13.8	2,248	31.3	1,619	23.3	255	3.9	327	4.5
Indiana	2,437	123.6	257	12.2	615	31.9	434	22.8	51	2.8	96	4.9
Michigan	6,579	122.2	671	11.4	1,596	30.0	1,205	23.6	152	3.1	223	4.2
Ohio	6,650	122.2	665	11.4	1,708	32.2	1,155	22.2	133	2.8	225	4.3
Wisconsin	1,097	123.2	114	12.3	273	31.4	168	18.7	31	3.4	42	4.8
East South Central	15,558	116.3	1,872	13.2	3,267	25.3	2,966	22.9	492	3.9	648	4.9
Alabama	5,264	109.4	637	12.8	970	21.0	1,002	21.6	161	3.4	259	5.5
Kentucky	1,440	125.1	180	14.1	415	37.0	240	21.3	30	3.0	43	3.9
Mississippi	4,364	116.1	530	13.3	853	23.4	857	23.9	167	4.6	182	4.7
Tennessee	4,490	122.8	525	13.3	1,029	29.1	867	24.1	134	3.9	164	4.6

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	4,536	116.7	480	11.4	1,101	29.2	773	20.0	125	3.5	149	3.9
Iowa	205	112.1	27	14.3	46	26.6	34	20.0	7	3.6	9	4.1
Kansas	662	123.5	71	12.0	160	31.5	101	19.1	14	2.9	23	4.1
Minnesota	440	108.0	27	6.1	100	26.5	85	19.3	11	2.7	20	5.0
Missouri	2,944	117.0	317	11.6	727	29.4	517	20.7	89	4.0	87	3.6
Nebraska	275	119.7	38	14.4	66	29.4	35	16.8	-	-	10	5.3
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-
West South Central	19,554	116.9	2,262	12.8	4,164	25.8	3,794	23.2	534	3.3	742	4.4
Arkansas	1,913	119.6	254	14.1	398	26.3	340	22.1	62	4.1	69	4.7
Louisiana	6,137	121.4	689	13.0	1,298	26.4	1,153	23.6	190	4.1	231	4.4
Oklahoma	1,055	115.3	112	11.3	237	26.6	199	22.5	23	2.7	33	3.4
Texas	10,449	114.5	1,207	12.6	2,231	25.3	2,102	23.3	259	2.9	409	4.5
Mountain	1,280	85.1	145	9.3	277	19.1	237	15.8	23	1.5	57	3.8
Arizona	598	91.1	56	8.3	138	21.6	127	19.1	10	1.5	29	4.4
Colorado	521	86.8	61	9.8	107	18.7	86	14.5	8	1.3	18	3.0
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	114	68.1	19	10.9	20	11.1	19	12.1	-	-	7	4.6
Utah	32	69.5	-	-	8	19.6	-	-	-	-	-	-
Wyoming	9	67.5	-	-	-	-	-	-	-	-	-	-
Pacific	11,732	111.0	1,287	11.5	2,614	25.0	2,190	21.4	230	2.3	487	4.8
Alaska	35	63.4	-	-	11	22.9	-	-	-	-	-	-
California	10,199	113.6	1,116	11.7	2,235	25.1	1,925	22.2	202	2.4	433	5.0
Hawaii	27	42.7	-	-	-	-	9	14.4	-	-	-	-
Nevada	628	97.1	78	11.9	152	23.3	109	16.9	13	2.1	23	3.3
Oregon	198	95.8	23	11.0	48	24.5	34	16.1	-	-	8	3.8
Washington	645	105.9	63	9.5	163	27.8	108	17.5	10	1.6	20	3.3

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2005-2009, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	31,849	132.6	0.78	74.9	0.43	29,977	93.2	0.55	55.6	0.34
Oral Cavity & Pharynx	824	3.0	0.11	1.9	0.07	417	1.3	0.06	0.8	0.04
Digestive System	12,360	49.9	0.47	29.3	0.27	9,610	30.8	0.32	17.1	0.18
Esophagus	749	3.0	0.12	1.8	0.07	275	0.9	0.05	0.5	0.03
Stomach	2,123	9.0	0.20	4.9	0.11	1,674	5.3	0.13	3.0	0.08
Colon & Rectum	3,152	13.1	0.24	7.4	0.13	3,032	9.6	0.18	5.3	0.10
Liver	3,399	12.6	0.23	8.2	0.14	1,442	4.7	0.13	2.6	0.07
Pancreas	1,993	8.4	0.20	4.7	0.11	2,127	6.9	0.15	3.8	0.09
Respiratory System	8,644	36.9	0.41	20.3	0.22	5,838	18.7	0.25	10.6	0.15
Larynx	185	0.8	0.06	0.4	0.03	30	0.1	0.02	0.1	0.01
Lung & bronchus	8,392	35.9	0.41	19.7	0.22	5,761	18.5	0.25	10.5	0.14
Skin	202	0.8	0.06	0.5	0.03	157	0.5	0.04	0.3	0.02
Melanomas of the skin	119	0.5	0.04	0.3	0.03	109	0.3	0.03	0.2	0.02
Breast	22	0.1	0.02	0.0	0.01	4,148	11.9	0.19	8.3	0.13
Female Genital System	-	-	-	-	-	3,350	9.9	0.17	6.5	0.12
Cervix uteri	-	-	-	-	-	698	2.0	0.08	1.4	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	857	2.6	0.09	1.7	0.06
Ovary	-	-	-	-	-	1,667	5.0	0.12	3.2	0.08
Male Genital System	2,010	10.2	0.23	4.3	0.10	-	-	-	-	-
Prostate	1,949	10.0	0.23	4.2	0.10	-	-	-	-	-
Testis	45	0.1	0.02	0.1	0.02	-	-	-	-	-
Urinary System	1,339	5.9	0.17	3.1	0.09	713	2.3	0.09	1.2	0.05
Bladder	568	2.7	0.12	1.3	0.05	274	0.9	0.06	0.4	0.03
Kidney & renal pelvis	723	2.9	0.11	1.8	0.07	391	1.3	0.06	0.7	0.04
Brain & Other Nervous System	676	2.3	0.09	1.7	0.07	529	1.5	0.07	1.1	0.05
Endocrine System	217	0.8	0.06	0.6	0.04	353	1.1	0.06	0.7	0.04
Thyroid gland	130	0.5	0.05	0.3	0.03	259	0.8	0.05	0.5	0.03
Lymphomas	1,293	5.4	0.16	3.0	0.09	1,102	3.6	0.11	2.0	0.06
Hodgkin Lymphoma	61	0.2	0.03	0.2	0.02	47	0.1	0.02	0.1	0.01
Non-Hodgkin Lymphoma	1,232	5.2	0.16	2.9	0.08	1,055	3.4	0.11	1.9	0.06
Multiple Myeloma	498	2.1	0.10	1.2	0.05	436	1.4	0.07	0.8	0.04
Leukemias	1,234	4.9	0.15	3.0	0.09	1,010	3.1	0.10	2.0	0.07
Other, Ill-defined & Unknown	2,530	10.2	0.21	6.0	0.12	2,314	7.2	0.15	4.3	0.09

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	31,849	132.6	3,152	13.1	8,392	35.9	1,949	10.0	568	2.7	1,232	5.2
New England	857	125.4	72	10.1	225	34.7	41	9.3	9	1.6	36	4.6
Connecticut	181	112.2	8	3.0	44	27.5	9	10.2	-	-	12	7.3
Maine	16	93.6	-	-	7	45.3	-	-	-	-	-	-
Massachusetts	570	131.6	57	12.9	154	38.0	26	9.1	-	-	20	3.9
New Hampshire	29	98.7	-	-	6	22.0	-	-	-	-	-	-
Rhode Island	57	160.8	-	-	14	40.2	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	4,235	113.0	430	12.0	1,083	30.4	196	6.8	79	2.6	143	3.7
New Jersey	921	91.0	88	7.9	206	20.9	51	7.2	20	2.5	43	3.9
New York	2,865	123.3	312	14.1	752	34.1	124	6.7	51	2.7	89	3.8
Pennsylvania	449	105.9	30	8.7	125	30.5	21	6.5	8	1.7	11	2.6
South Atlantic	2,606	104.9	252	9.8	642	27.1	134	7.5	47	2.4	98	3.6
Delaware	28	76.7	-	-	8	30.5	-	-	-	-	-	-
District of Columbia	33	157.9	-	-	9	38.7	-	-	-	-	-	-
Florida	660	90.7	76	9.8	158	23.2	35	6.2	9	1.7	25	3.1
Georgia	347	99.2	36	10.9	74	21.3	21	8.9	11	4.9	-	-
Maryland	557	114.0	61	12.2	151	31.6	31	8.3	8	2.3	18	3.0
North Carolina	205	95.7	11	4.0	40	20.3	9	7.1	-	-	6	3.0
South Carolina	81	95.2	8	8.1	19	23.4	-	-	-	-	-	-
Virginia	687	125.9	55	9.6	181	34.3	29	8.0	12	2.4	35	5.9
West Virginia	8	46.8	-	-	-	-	-	-	-	-	-	-
East North Central	1,600	100.4	168	10.6	401	26.5	96	7.8	23	1.8	72	5.0
Illinois	917	109.4	104	12.4	260	32.1	56	8.6	10	1.4	36	4.8
Indiana	65	60.8	6	5.9	12	11.7	-	-	-	-	-	-
Michigan	279	93.5	27	8.0	57	20.8	21	9.4	-	-	13	4.5
Ohio	216	87.8	18	6.8	48	20.7	10	5.0	-	-	10	4.2
Wisconsin	123	112.1	13	16.4	24	23.1	-	-	-	-	8	9.9
East South Central	248	97.6	22	9.0	59	23.7	14	8.8	-	-	6	1.9
Alabama	36	50.9	-	-	7	8.7	-	-	-	-	-	-
Kentucky	61	144.4	6	11.1	11	29.5	-	-	-	-	-	-
Mississippi	44	128.6	-	-	17	53.6	-	-	-	-	-	-
Tennessee	107	94.2	11	10.2	24	21.3	8	11.2	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	650	136.6	56	13.5	143	30.1	27	8.8	10	2.8	26	5.8
Iowa	61	128.6	-	-	10	21.4	-	-	-	-	-	-
Kansas	121	163.7	16	25.2	30	45.5	6	11.6	-	-	6	6.5
Minnesota	294	158.7	18	10.5	64	34.6	11	9.4	6	4.6	11	7.0
Missouri	125	102.6	14	13.3	27	20.1	-	-	-	-	-	-
Nebraska	41	115.3	-	-	9	23.3	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	8	151.4	-	-	-	-	-	-	-	-	-	-
West South Central	1,586	116.8	142	11.4	404	31.4	78	8.5	23	2.3	71	5.2
Arkansas	50	150.2	6	18.8	8	24.7	-	-	-	-	-	-
Louisiana	115	121.1	9	7.6	35	39.7	8	14.4	-	-	6	5.1
Oklahoma	105	136.0	9	13.5	25	38.2	8	17.1	-	-	-	-
Texas	1,316	114.2	118	11.3	336	30.5	58	7.2	20	2.4	58	5.3
Mountain	673	116.6	62	11.8	169	29.7	57	12.7	8	1.7	27	4.8
Arizona	244	100.9	25	11.9	64	28.4	21	10.7	-	-	8	2.9
Colorado	203	124.1	13	9.8	57	34.4	14	11.0	-	-	12	6.5
Idaho	39	158.2	-	-	7	26.5	-	-	-	-	-	-
Montana	11	137.4	-	-	-	-	-	-	-	-	-	-
New Mexico	40	83.0	-	-	9	16.2	-	-	-	-	-	-
Utah	134	145.9	17	19.4	28	31.2	12	15.7	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	19,394	149.5	1,948	14.9	5,266	41.1	1,306	11.3	365	3.0	753	5.9
Alaska	81	147.3	11	19.6	21	45.6	-	-	-	-	-	-
California	13,294	144.4	1,322	14.3	3,576	39.5	846	10.6	241	2.9	512	5.6
Hawaii	4,128	173.3	450	19.0	1,162	49.0	348	14.1	85	3.5	169	7.0
Nevada	437	128.5	46	13.1	125	37.2	25	10.0	10	4.3	14	3.6
Oregon	314	144.8	22	10.2	78	38.3	15	8.3	-	-	18	9.0
Washington	1,140	155.3	97	12.9	304	42.1	71	12.2	23	3.7	39	5.9

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	31,849	74.9	3,152	7.4	8,392	19.7	1,949	4.2	568	1.3	1,232	2.9
New England	857	72.2	72	6.0	225	18.5	41	3.4	9	0.8	36	3.2
Connecticut	181	64.0	8	2.7	44	14.8	9	3.6	-	-	12	4.5
Maine	16	60.5	-	-	7	29.1	-	-	-	-	-	-
Massachusetts	570	76.9	57	7.6	154	20.4	26	3.2	-	-	20	2.8
New Hampshire	29	53.0	-	-	6	9.8	-	-	-	-	-	-
Rhode Island	57	82.0	-	-	14	19.8	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	4,235	64.1	430	6.5	1,083	16.5	196	3.0	79	1.2	143	2.1
New Jersey	921	52.5	88	4.9	206	11.9	51	3.0	20	1.2	43	2.3
New York	2,865	69.7	312	7.6	752	18.3	124	3.0	51	1.2	89	2.1
Pennsylvania	449	60.7	30	4.1	125	17.1	21	3.0	8	1.1	11	1.5
South Atlantic	2,606	60.7	252	5.8	642	15.1	134	3.3	47	1.1	98	2.3
Delaware	28	46.4	-	-	8	14.6	-	-	-	-	-	-
District of Columbia	33	80.8	-	-	9	21.2	-	-	-	-	-	-
Florida	660	52.6	76	6.0	158	12.4	35	2.8	9	0.7	25	2.1
Georgia	347	57.7	36	6.3	74	12.8	21	4.2	11	1.9	-	-
Maryland	557	65.7	61	6.9	151	18.0	31	3.6	8	0.9	18	2.0
North Carolina	205	57.3	11	3.0	40	11.9	9	2.9	-	-	6	1.5
South Carolina	81	56.8	8	5.5	19	13.1	-	-	-	-	-	-
Virginia	687	72.1	55	5.8	181	19.1	29	3.3	12	1.3	35	3.7
West Virginia	8	20.6	-	-	-	-	-	-	-	-	-	-
East North Central	1,600	55.9	168	6.0	401	14.1	96	3.5	23	0.8	72	2.5
Illinois	917	60.8	104	7.0	260	17.2	56	3.8	10	0.7	36	2.4
Indiana	65	35.8	6	3.1	12	7.2	-	-	-	-	-	-
Michigan	279	50.7	27	5.0	57	10.6	21	4.0	-	-	13	2.1
Ohio	216	50.0	18	4.3	48	11.3	10	2.4	-	-	10	2.3
Wisconsin	123	63.3	13	7.9	24	12.1	-	-	-	-	8	4.0
East South Central	248	56.8	22	5.1	59	14.0	14	3.4	-	-	6	1.4
Alabama	36	33.7	-	-	7	7.3	-	-	-	-	-	-
Kentucky	61	66.7	6	6.5	11	12.9	-	-	-	-	-	-
Mississippi	44	82.0	-	-	17	32.3	-	-	-	-	-	-
Tennessee	107	58.3	11	6.2	24	13.2	8	4.4	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	650	79.9	56	6.8	143	18.3	27	3.6	10	1.4	26	3.3
Iowa	61	71.4	-	-	10	11.7	-	-	-	-	-	-
Kansas	121	90.3	16	11.6	30	23.6	6	4.5	-	-	6	4.5
Minnesota	294	95.0	18	5.9	64	22.6	11	3.8	6	2.1	11	3.8
Missouri	125	60.7	14	6.7	27	12.9	-	-	-	-	-	-
Nebraska	41	73.6	-	-	9	16.3	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	8	82.6	-	-	-	-	-	-	-	-	-	-
West South Central	1,586	66.6	142	6.1	404	17.2	78	3.5	23	1.1	71	3.1
Arkansas	50	74.1	6	10.1	8	11.4	-	-	-	-	-	-
Louisiana	115	67.5	9	5.6	35	20.4	8	4.6	-	-	6	3.8
Oklahoma	105	79.6	9	7.4	25	20.0	8	6.6	-	-	-	-
Texas	1,316	65.4	118	5.9	336	17.0	58	3.1	20	1.1	58	3.0
Mountain	673	64.8	62	5.7	169	16.6	57	5.2	8	0.7	27	2.5
Arizona	244	59.3	25	5.8	64	15.7	21	5.2	-	-	8	1.9
Colorado	203	64.5	13	4.2	57	17.9	14	4.0	-	-	12	3.8
Idaho	39	74.6	-	-	7	13.9	-	-	-	-	-	-
Montana	11	64.3	-	-	-	-	-	-	-	-	-	-
New Mexico	40	54.6	-	-	9	12.3	-	-	-	-	-	-
Utah	134	83.2	17	9.8	28	18.5	12	7.1	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	19,394	85.0	1,948	8.6	5,266	22.9	1,306	4.8	365	1.4	753	3.2
Alaska	81	83.5	11	11.0	21	20.8	-	-	-	-	-	-
California	13,294	81.2	1,322	8.0	3,576	21.5	846	4.4	241	1.3	512	3.1
Hawaii	4,128	102.8	450	11.8	1,162	29.3	348	6.2	85	1.8	169	3.8
Nevada	437	77.5	46	8.2	125	22.4	25	4.1	10	1.7	14	2.4
Oregon	314	83.7	22	5.6	78	21.0	15	4.2	-	-	18	4.9
Washington	1,140	87.7	97	7.4	304	23.4	71	5.1	23	1.6	39	2.8

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	29,977	93.2	3,032	9.6	5,761	18.5	4,148	11.9	698	2.0	1,667	5.0
New England	685	82.0	74	9.4	128	16.7	80	8.0	14	1.3	32	3.7
Connecticut	159	88.4	13	7.8	26	15.3	22	9.6	-	-	11	7.0
Maine	16	73.9	-	-	-	-	-	-	-	-	-	-
Massachusetts	435	82.0	49	9.8	85	17.6	50	8.3	8	1.2	15	2.4
New Hampshire	31	72.4	-	-	8	20.5	-	-	-	-	-	-
Rhode Island	37	76.6	7	12.3	7	16.0	-	-	-	-	-	-
Vermont	7	71.1	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	3,608	77.0	383	8.6	648	14.7	546	10.3	90	1.7	228	4.4
New Jersey	910	71.9	76	6.5	148	12.4	184	12.5	23	1.5	57	3.9
New York	2,291	79.1	255	9.1	430	15.7	313	9.8	58	1.9	149	4.7
Pennsylvania	407	77.4	52	10.4	70	14.4	49	8.3	9	1.5	22	3.7
South Atlantic	2,800	84.3	254	7.8	551	17.5	373	9.6	92	2.2	172	4.9
Delaware	39	76.7	-	-	11	25.4	-	-	-	-	-	-
District of Columbia	28	75.4	-	-	-	-	7	17.1	-	-	-	-
Florida	825	82.2	76	7.7	182	18.9	104	9.1	30	2.3	55	5.1
Georgia	351	79.0	33	6.8	55	12.4	42	8.3	14	2.6	19	3.5
Maryland	488	80.1	48	8.2	79	13.7	71	10.1	13	1.8	27	4.0
North Carolina	252	89.5	22	8.8	52	19.7	27	7.4	11	2.8	10	3.0
South Carolina	99	87.2	9	8.6	27	26.8	11	9.2	-	-	-	-
Virginia	703	92.9	59	7.8	138	19.4	108	11.8	20	2.2	50	6.6
West Virginia	15	54.9	-	-	-	-	-	-	-	-	-	-
East North Central	1,705	79.8	180	8.6	315	15.1	227	9.4	36	1.4	108	4.9
Illinois	888	78.9	108	9.9	151	13.6	131	10.2	13	1.0	62	5.2
Indiana	88	63.5	9	6.5	23	16.9	9	6.2	-	-	6	4.2
Michigan	321	80.2	34	8.6	61	15.4	31	6.9	7	1.4	21	5.2
Ohio	274	84.8	18	5.3	61	20.1	45	12.5	6	1.3	8	2.5
Wisconsin	134	87.0	11	6.6	19	12.5	11	7.0	8	4.6	11	7.1
East South Central	331	90.6	25	6.8	80	23.3	42	9.3	11	2.4	16	3.4
Alabama	84	86.1	-	-	20	22.7	16	13.3	-	-	-	-
Kentucky	72	104.6	8	9.9	18	25.6	-	-	-	-	-	-
Mississippi	39	81.7	-	-	8	17.3	-	-	-	-	-	-
Tennessee	136	90.1	10	7.4	34	24.9	20	11.0	6	3.7	8	4.1

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	589	93.7	60	9.4	99	16.6	67	9.9	22	3.7	35	5.1
Iowa	61	93.7	-	-	16	24.9	-	-	-	-	-	-
Kansas	87	85.7	8	7.5	17	17.3	12	9.7	-	-	7	7.0
Minnesota	264	111.7	26	10.1	34	15.3	33	14.3	20	9.0	13	4.7
Missouri	128	78.0	13	8.9	21	14.0	14	6.4	-	-	12	7.1
Nebraska	34	75.6	-	-	9	18.8	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	10	100.2	-	-	-	-	-	-	-	-	-	-
West South Central	1,543	87.5	157	9.5	325	19.7	191	8.8	51	2.4	83	4.2
Arkansas	51	93.0	8	13.1	7	13.4	-	-	-	-	-	-
Louisiana	94	76.7	10	8.0	16	14.6	14	9.4	-	-	6	4.3
Oklahoma	136	113.1	21	19.2	32	26.0	13	9.0	8	7.0	-	-
Texas	1,262	86.1	118	8.7	270	19.9	161	9.0	37	2.1	72	4.4
Mountain	726	82.9	73	8.7	151	17.9	96	9.6	18	1.6	46	5.1
Arizona	246	69.1	22	6.4	51	15.5	33	7.4	7	1.6	20	5.4
Colorado	239	89.9	29	11.0	55	20.0	23	8.0	7	1.8	15	5.3
Idaho	31	76.0	-	-	7	18.9	7	15.5	-	-	-	-
Montana	21	126.0	-	-	-	-	-	-	-	-	-	-
New Mexico	64	92.9	-	-	14	22.4	6	7.2	-	-	-	-
Utah	115	94.4	9	8.5	19	17.9	22	16.0	-	-	-	-
Wyoming	10	93.0	-	-	-	-	-	-	-	-	-	-
Pacific	17,990	102.4	1,826	10.4	3,464	20.0	2,526	13.9	364	2.0	947	5.3
Alaska	76	92.9	-	-	18	22.8	11	10.3	-	-	-	-
California	12,615	100.9	1,315	10.6	2,342	19.0	1,787	13.6	263	2.0	681	5.3
Hawaii	3,426	111.9	336	10.8	723	23.4	465	16.2	50	1.9	168	5.7
Nevada	440	90.8	37	8.2	80	16.4	84	15.9	9	1.6	27	5.3
Oregon	301	98.6	35	11.9	61	21.0	36	10.9	12	3.2	16	4.8
Washington	1,132	104.0	99	9.2	240	22.7	143	12.1	29	2.3	53	4.7

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	29,977	55.6	3,032	5.3	5,761	10.5	4,148	8.3	698	1.4	1,667	3.2
New England	685	49.0	74	5.1	128	9.0	80	5.8	14	1.0	32	2.2
Connecticut	159	49.9	13	4.0	26	8.2	22	6.8	-	-	11	3.6
Maine	16	40.1	-	-	-	-	-	-	-	-	-	-
Massachusetts	435	49.5	49	5.4	85	9.3	50	6.0	8	1.0	15	1.5
New Hampshire	31	52.2	-	-	8	13.0	-	-	-	-	-	-
Rhode Island	37	47.0	7	8.8	7	8.3	-	-	-	-	-	-
Vermont	7	37.6	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	3,608	46.0	383	4.7	648	8.0	546	7.2	90	1.2	228	3.0
New Jersey	910	43.7	76	3.6	148	7.1	184	9.0	23	1.1	57	2.8
New York	2,291	47.1	255	5.0	430	8.5	313	6.8	58	1.2	149	3.2
Pennsylvania	407	45.6	52	5.7	70	7.7	49	5.4	9	1.0	22	2.6
South Atlantic	2,800	50.3	254	4.6	551	9.9	373	6.7	92	1.6	172	3.1
Delaware	39	51.4	-	-	11	13.8	-	-	-	-	-	-
District of Columbia	28	45.7	-	-	-	-	7	11.2	-	-	-	-
Florida	825	49.7	76	4.6	182	10.8	104	6.4	30	1.9	55	3.3
Georgia	351	47.2	33	4.3	55	7.3	42	5.2	14	1.6	19	2.6
Maryland	488	45.7	48	4.4	79	7.0	71	7.0	13	1.3	27	2.6
North Carolina	252	52.8	22	4.0	52	11.1	27	5.5	11	1.9	10	2.1
South Carolina	99	54.6	9	5.5	27	15.2	11	5.8	-	-	-	-
Virginia	703	55.3	59	4.8	138	11.0	108	8.6	20	1.5	50	3.9
West Virginia	15	37.0	-	-	-	-	-	-	-	-	-	-
East North Central	1,705	47.8	180	5.0	315	8.9	227	6.5	36	1.0	108	3.1
Illinois	888	47.0	108	5.7	151	8.0	131	7.3	13	0.7	62	3.4
Indiana	88	37.6	9	3.6	23	10.2	9	3.7	-	-	6	2.8
Michigan	321	50.8	34	5.3	61	10.1	31	5.0	7	1.2	21	3.3
Ohio	274	48.8	18	3.1	61	10.7	45	8.2	6	1.1	8	1.3
Wisconsin	134	51.7	11	3.9	19	7.7	11	4.8	8	2.9	11	4.3
East South Central	331	55.9	25	4.2	80	13.8	42	7.1	11	1.7	16	2.7
Alabama	84	55.6	-	-	20	13.1	16	10.3	-	-	-	-
Kentucky	72	61.1	8	7.5	18	14.8	-	-	-	-	-	-
Mississippi	39	46.2	-	-	8	9.1	-	-	-	-	-	-
Tennessee	136	56.8	10	3.9	34	15.5	20	8.3	6	2.4	8	3.2

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2005-2009, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	589	54.8	60	5.7	99	9.3	67	6.6	22	2.0	35	3.2
Iowa	61	53.9	-	-	16	13.8	-	-	-	-	-	-
Kansas	87	51.0	8	4.8	17	9.8	12	7.7	-	-	7	4.0
Minnesota	264	65.5	26	6.4	34	8.9	33	8.8	20	4.9	13	3.6
Missouri	128	45.7	13	4.8	21	7.6	14	5.1	-	-	12	3.9
Nebraska	34	43.8	-	-	9	11.0	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	10	59.0	-	-	-	-	-	-	-	-	-	-
West South Central	1,543	52.7	157	5.3	325	11.5	191	6.3	51	1.7	83	3.0
Arkansas	51	51.3	8	8.8	7	7.1	-	-	-	-	-	-
Louisiana	94	45.6	10	4.5	16	7.4	14	7.0	-	-	6	2.8
Oklahoma	136	72.8	21	10.5	32	18.7	13	6.3	8	4.0	-	-
Texas	1,262	51.7	118	4.8	270	11.5	161	6.4	37	1.5	72	3.1
Mountain	726	49.2	73	4.8	151	10.6	96	6.9	18	1.3	46	2.9
Arizona	246	42.3	22	3.7	51	8.9	33	6.2	7	1.2	20	3.4
Colorado	239	51.5	29	5.9	55	13.2	23	5.4	7	1.6	15	3.1
Idaho	31	45.6	-	-	7	9.5	7	11.5	-	-	-	-
Montana	21	85.3	-	-	-	-	-	-	-	-	-	-
New Mexico	64	57.8	-	-	14	12.7	6	5.3	-	-	-	-
Utah	115	54.2	9	3.9	19	9.1	22	9.7	-	-	-	-
Wyoming	10	59.2	-	-	-	-	-	-	-	-	-	-
Pacific	17,990	61.7	1,826	5.8	3,464	11.4	2,526	9.8	364	1.4	947	3.4
Alaska	76	55.9	-	-	18	12.5	11	8.4	-	-	-	-
California	12,615	60.6	1,315	5.8	2,342	10.8	1,787	9.6	263	1.4	681	3.5
Hawaii	3,426	68.6	336	6.5	723	14.0	465	11.1	50	1.4	168	3.6
Nevada	440	58.1	37	4.7	80	10.5	84	11.4	9	1.2	27	3.5
Oregon	301	59.3	35	6.6	61	11.9	36	7.7	12	2.4	16	3.4
Washington	1,132	61.5	99	5.1	240	13.0	143	8.2	29	1.7	53	3.0

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2005-2009, American Indian/Alaskan Native (AI/AN)**

<i>SITES</i>	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	6,692	143.2	1.91	84.8	1.05	6,218	105.7	1.39	65.4	0.86
Oral Cavity & Pharynx	151	2.9	0.26	1.9	0.16	66	1.1	0.14	0.7	0.09
Digestive System	2,079	42.3	1.01	25.9	0.58	1,601	28.0	0.72	16.3	0.42
Esophagus	243	4.9	0.34	3.1	0.20	72	1.2	0.14	0.7	0.09
Stomach	263	5.5	0.37	3.3	0.21	159	2.7	0.22	1.6	0.13
Colon & Rectum	687	14.3	0.59	8.6	0.33	634	11.1	0.45	6.4	0.26
Liver	399	7.2	0.39	4.9	0.25	181	3.2	0.25	1.8	0.14
Pancreas	340	7.2	0.43	4.3	0.24	337	6.0	0.34	3.5	0.20
Respiratory System	1,953	41.9	1.02	25.4	0.58	1,578	27.4	0.71	17.2	0.45
Larynx	79	1.6	0.20	1.0	0.12	15	0.3	0.07	0.2	0.04
Lung & bronchus	1,861	40.1	1.00	24.2	0.57	1,558	27.1	0.71	17.0	0.44
Skin	95	1.9	0.22	1.2	0.12	52	0.9	0.12	0.5	0.08
Melanomas of the skin	58	1.1	0.17	0.7	0.09	37	0.6	0.10	0.4	0.06
Breast	6	0.2	0.07	0.1	0.03	837	13.3	0.48	8.8	0.31
Female Genital System	-	-	-	-	-	687	11.1	0.44	7.3	0.29
Cervix uteri	-	-	-	-	-	184	2.6	0.20	2.0	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	138	2.4	0.21	1.5	0.13
Ovary	-	-	-	-	-	324	5.4	0.31	3.4	0.20
Male Genital System	596	16.6	0.72	7.5	0.31	-	-	-	-	-
Prostate	566	16.1	0.71	7.2	0.31	-	-	-	-	-
Testis	16	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	446	9.9	0.51	5.6	0.27	226	3.9	0.27	2.3	0.16
Bladder	122	3.1	0.30	1.5	0.14	59	1.1	0.15	0.5	0.07
Kidney & renal pelvis	315	6.6	0.40	4.0	0.23	163	2.7	0.22	1.7	0.14
Brain & Other Nervous System	128	2.2	0.21	1.6	0.14	105	1.6	0.16	1.1	0.11
Endocrine System	25	0.4	0.10	0.3	0.06	25	0.4	0.09	0.3	0.06
Thyroid gland	16	0.3	0.09	0.2	0.05	15	0.3	0.07	0.1	0.04
Lymphomas	205	4.3	0.33	2.6	0.18	188	3.3	0.25	1.9	0.14
Hodgkin Lymphoma	16	0.2	0.07	0.2	0.05	-	-	-	-	-
Non-Hodgkin Lymphoma	189	4.1	0.32	2.4	0.18	186	3.3	0.25	1.9	0.14
Multiple Myeloma	143	3.1	0.28	1.8	0.16	114	1.9	0.19	1.3	0.12
Leukemias	229	4.5	0.33	2.8	0.19	161	2.7	0.22	1.7	0.14
Other, Ill-defined & Unknown	636	13.0	0.56	8.0	0.32	578	10.0	0.43	6.0	0.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2005-2009, Hispanic Ethnicity**

<i>SITES</i>	MALES (HISPANIC)					FEMALES (HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	73,299	146.1	0.58	83.9	0.32	65,933	100.4	0.40	61.1	0.25
Oral Cavity & Pharynx	1,302	2.4	0.07	1.5	0.04	467	0.7	0.04	0.4	0.02
Digestive System	25,756	49.6	0.33	29.8	0.19	19,290	30.6	0.23	17.5	0.13
Esophagus	2,132	4.1	0.10	2.5	0.06	493	0.8	0.04	0.4	0.02
Stomach	3,822	7.3	0.13	4.3	0.07	2,861	4.3	0.08	2.6	0.05
Colon & Rectum	7,654	15.3	0.19	8.8	0.10	6,429	10.2	0.13	5.7	0.08
Liver	5,792	10.3	0.14	6.8	0.09	2,421	3.9	0.08	2.2	0.05
Pancreas	4,666	9.2	0.14	5.5	0.08	4,599	7.5	0.11	4.2	0.07
Respiratory System	15,369	32.7	0.28	18.4	0.15	8,826	14.4	0.16	8.2	0.09
Larynx	809	1.6	0.06	1.0	0.03	108	0.2	0.02	0.1	0.01
Lung & bronchus	14,408	30.7	0.27	17.2	0.15	8,627	14.0	0.15	8.1	0.09
Skin	883	1.7	0.06	1.0	0.03	520	0.8	0.04	0.5	0.02
Melanomas of the skin	564	1.0	0.05	0.6	0.03	395	0.6	0.03	0.4	0.02
Breast	59	0.1	0.02	0.1	0.01	10,476	14.9	0.15	10.0	0.10
Female Genital System	-	-	-	-	-	8,813	12.8	0.14	8.4	0.09
Cervix uteri	-	-	-	-	-	2,343	3.0	0.06	2.2	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,150	3.3	0.07	2.1	0.05
Ovary	-	-	-	-	-	3,884	5.9	0.10	3.7	0.06
Male Genital System	7,486	18.4	0.22	8.4	0.10	-	-	-	-	-
Prostate	6,977	17.8	0.22	7.9	0.10	-	-	-	-	-
Testis	320	0.3	0.02	0.2	0.01	-	-	-	-	-
Urinary System	4,273	8.9	0.15	4.9	0.08	2,227	3.6	0.08	2.0	0.04
Bladder	1,600	3.8	0.10	1.8	0.05	709	1.2	0.05	0.6	0.02
Kidney & renal pelvis	2,604	5.0	0.10	3.0	0.06	1,464	2.3	0.06	1.4	0.04
Brain & Other Nervous System	2,228	3.3	0.08	2.3	0.05	1,840	2.4	0.06	1.8	0.04
Endocrine System	464	0.7	0.04	0.5	0.02	580	0.8	0.04	0.5	0.02
Thyroid gland	275	0.5	0.03	0.3	0.02	399	0.6	0.03	0.4	0.02
Lymphomas	3,621	6.8	0.12	4.0	0.07	2,979	4.7	0.09	2.7	0.05
Hodgkin Lymphoma	336	0.5	0.03	0.3	0.02	249	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,285	6.3	0.12	3.6	0.07	2,730	4.3	0.08	2.4	0.05
Multiple Myeloma	1,615	3.3	0.09	1.9	0.05	1,435	2.3	0.06	1.4	0.04
Leukemias	3,672	5.9	0.11	3.8	0.07	2,908	3.9	0.08	2.6	0.05
Other, Ill-defined & Unknown	6,571	12.3	0.17	7.3	0.09	5,572	8.4	0.12	5.0	0.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2005-2009, Non-Hispanic Ethnicity**

<i>SITES</i>	MALES (NON-HISPANIC)					FEMALES (NON-HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,389,711	224.7	0.19	129.1	0.12	1,282,140	154.8	0.14	94.2	0.09
Oral Cavity & Pharynx	25,646	3.9	0.02	2.6	0.02	12,010	1.4	0.01	0.9	0.01
Digestive System	352,916	56.0	0.10	33.5	0.06	284,273	33.5	0.06	19.1	0.04
Esophagus	51,733	8.0	0.04	5.1	0.02	13,923	1.7	0.01	1.0	0.01
Stomach	29,693	4.8	0.03	2.8	0.02	20,333	2.4	0.02	1.4	0.01
Colon & Rectum	126,447	20.5	0.06	11.7	0.03	123,204	14.4	0.04	8.0	0.03
Liver	42,348	6.4	0.03	4.2	0.02	17,114	2.1	0.02	1.2	0.01
Pancreas	80,438	12.8	0.05	7.6	0.03	81,267	9.6	0.03	5.5	0.02
Respiratory System	445,323	70.9	0.11	42.2	0.07	345,636	42.3	0.07	26.1	0.05
Larynx	13,828	2.1	0.02	1.4	0.01	3,844	0.5	0.01	0.3	0.01
Lung & bronchus	428,806	68.3	0.11	40.6	0.06	340,163	41.6	0.07	25.7	0.05
Skin	36,691	5.9	0.03	3.5	0.02	18,632	2.3	0.02	1.4	0.01
Melanomas of the skin	27,338	4.4	0.03	2.7	0.02	14,734	1.8	0.02	1.2	0.01
Breast	1,909	0.3	0.01	0.2	0.00	193,055	23.7	0.05	15.4	0.04
Female Genital System	-	-	-	-	-	129,503	15.9	0.04	10.3	0.03
Cervix uteri	-	-	-	-	-	17,469	2.3	0.02	1.7	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	35,117	4.2	0.02	2.7	0.02
Ovary	-	-	-	-	-	69,114	8.4	0.03	5.3	0.02
Male Genital System	138,387	24.4	0.07	10.7	0.03	-	-	-	-	-
Prostate	135,728	23.9	0.07	10.4	0.03	-	-	-	-	-
Testis	1,456	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	85,731	14.2	0.05	7.6	0.03	43,589	5.1	0.02	2.8	0.02
Bladder	46,418	7.9	0.04	3.8	0.02	19,998	2.3	0.02	1.1	0.01
Kidney & renal pelvis	37,309	5.9	0.03	3.6	0.02	22,026	2.6	0.02	1.6	0.01
Brain & Other Nervous System	35,101	5.4	0.03	3.9	0.02	27,922	3.6	0.02	2.6	0.02
Endocrine System	5,150	0.8	0.01	0.6	0.01	6,223	0.8	0.01	0.5	0.01
Thyroid gland	3,056	0.5	0.01	0.3	0.01	4,156	0.5	0.01	0.3	0.00
Lymphomas	55,033	9.0	0.04	5.1	0.02	47,287	5.6	0.03	3.1	0.02
Hodgkin Lymphoma	3,145	0.5	0.01	0.3	0.01	2,550	0.3	0.01	0.2	0.01
Non-Hodgkin Lymphoma	51,888	8.5	0.04	4.7	0.02	44,737	5.3	0.03	2.8	0.02
Multiple Myeloma	27,181	4.4	0.03	2.4	0.02	23,340	2.8	0.02	1.5	0.01
Leukemias	59,155	9.8	0.04	5.5	0.02	44,889	5.4	0.03	3.2	0.02
Other, Ill-defined & Unknown	121,488	19.6	0.06	11.4	0.03	105,781	12.6	0.04	7.5	0.03

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified