Average-annual Registry-specific Cancer Incidence by Race, Ethnicity and Sex

Age-adjusted to the 2000 U.S. and World Population Standards

TABLE OF CONTENTS

Average-annual Registry-specific Cancer Incidence by Race, Ethnicity and Sex, Age-adjusted to the 2000 U.S. and World Population Standards

UNITED STATES REGISTRIES

Alabama 1
Alaska 9
Arizona 17
Arkansas 25
California 33
CA: Greater Bay Area 41
CA: Los Angeles 49
Colorado 57
Connecticut 65
Delaware 73
District of Columbia 81
Florida 89
Georgia 97
GA: Metropolitan Atlanta 105
Hawaii 113
Idaho 121
Illinois 129
Indiana 137
Iowa 145
Kansas 153
Kentucky 161
Louisiana 169
Maine 177
Maryland 185
Massachusetts 193
Michigan 201
MI: Metropolitan Detroit 209
Minnesota 217
Mississippi 225
Missouri 233
Montana 241
Nebraska 249
Nevada 257
New Hampshire 265
New Jersey 273
New Mexico 281
New York 289
New Carolina 297
North Dakota 305
Ohio 313
Oklahoma 321
Oregon 329

Pennsylvania 337
Rhode Island....345
South Carolina....353
South Dakota....361
Tennessee 369
Texas 377
Utah....385
Vermont....393
Virginia 401
Washington 409
WA: Seattle/Puget Sound....417
West Virginia 425
Wisconsin....433
Wyoming....441

UNITED STATES TERRITORY
Puerto Rico....449

CANADIAN REGISTRIES
Alberta....450
British Columbia 451
Manitoba 452
New Brunswick....453
Newfoundland and Labrador....454
Northwest Territories 455
Nova Scotia 456
Nunavut....457
Ontario 458
Prince Edward Island....459
Saskatchewan 460
Yukon....461

All Appendices are available on the NAACCR website:
http://www.naaccr.org/DataandPublications/CINAPubs.aspx

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	67,980	560.8	2.22	374.1	1.48	58,103	398.0	1.68	278.9	1.25
Oral Cavity & Pharynx	2,482	19.8	0.41	14.2	0.29	1,068	7.2	0.22	5.0	0.17
Lip	199	1.7	0.13	1.0	0.08	82	0.5	0.06	0.3	0.04
Tongue	653	5.1	0.20	3.8	0.15	282	1.9	0.12	1.4	0.09
Major salivary gland	246	2.2	0.14	1.4	0.09	128	0.9	0.08	0.6	0.06
Floor of mouth	113	0.9	0.08	0.6	0.06	63	0.4	0.05	0.3	0.04
Gum & other mouth	298	2.5	0.15	1.7	0.10	219	1.5	0.10	0.9	0.07
Nasopharynx	102	0.8	0.08	0.7	0.07	54	0.4	0.05	0.3	0.05
Oropharynx	141	1.1	0.10	0.8	0.07	40	0.3	0.04	0.2	0.03
Hypopharynx	170	1.2	0.10	1.0	0.08	40	0.3	0.04	0.2	0.03
Digestive System	12,464	103.3	0.95	67.9	0.62	9,978	66.6	0.68	43.1	0.47
Esophagus	1,066	8.4	0.26	5.9	0.18	260	1.7	0.11	1.1	0.07
Stomach	1,041	8.8	0.28	5.7	0.18	676	4.5	0.18	2.9	0.12
Small intestine	349	2.9	0.16	1.9	0.10	317	2.1	0.12	1.5	0.09
Colon excl. rectum	4,586	38.7	0.59	24.7	0.37	4,426	29.5	0.45	18.8	0.31
Rectum & rectosigmoid	1,881	15.4	0.37	10.7	0.25	1,281	8.7	0.25	5.9	0.18
Anus, anal canal & anorectum	182	1.5	0.11	1.1	0.08	304	2.1	0.12	1.5	0.09
Liver	1,185	9.2	0.28	6.6	0.20	434	2.9	0.14	1.9	0.10
Gallbladder	77	0.7	0.08	0.4	0.05	160	1.1	0.09	0.7	0.06
Pancreas	1,741	14.5	0.36	9.2	0.22	1,688	11.1	0.27	6.8	0.18
Respiratory System	13,248	109.5	0.98	69.9	0.62	8,590	56.6	0.62	37.5	0.43
Larynx	1,142	9.0	0.27	6.4	0.19	261	1.7	0.11	1.3	0.08
Lung & bronchus	11,948	99.2	0.93	62.6	0.59	8,237	54.2	0.60	35.7	0.42
Bones & Joints	115	1.0	0.10	0.8	0.08	108	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	416	3.6	0.18	2.7	0.14	381	2.8	0.15	2.3	0.13
Skin (excl. basal & sq.)	3,588	30.7	0.53	20.0	0.35	2,408	17.4	0.36	13.1	0.29
Melanomas of the skin	3,375	28.8	0.51	18.9	0.34	2,265	16.4	0.35	12.4	0.28
Breast (excl. *in situ*)	134	1.1	0.10	0.7	0.07	17,296	119.5	0.93	86.6	0.69
Female Genital System	-	-	-	-	-	6,219	43.2	0.56	31.7	0.43
Cervix uteri	-	-	-	-	-	1,067	8.5	0.27	6.7	0.21
Uterus Corpus	-	-	-	-	-	2,664	17.7	0.35	13.1	0.27
Uterus, NOS[1]	-	-	-	-	-	143	1.0	0.08	0.6	0.06
Ovary	-	-	-	-	-	1,766	12.0	0.29	8.4	0.22
Male Genital System	19,177	151.8	1.13	105.7	0.78	-	-	-	-	-
Prostate	18,534	146.1	1.10	100.6	0.75	-	-	-	-	-
Testis	510	4.6	0.21	4.3	0.19	-	-	-	-	-
Penis	108	0.9	0.09	0.6	0.06	-	-	-	-	-
Urinary System	6,730	57.3	0.72	36.1	0.45	2,944	19.7	0.37	13.3	0.27
Bladder (incl. *in situ*)	3,830	33.6	0.56	19.4	0.32	1,142	7.5	0.22	4.5	0.15
Kidney & renal pelvis	2,751	22.3	0.44	15.9	0.31	1,726	11.7	0.29	8.4	0.22
Ureter	112	1.0	0.10	0.5	0.05	55	0.4	0.05	0.2	0.03
Eye & Orbit	158	1.4	0.11	1.0	0.09	111	0.8	0.07	0.6	0.07
Brain & Other Nervous System	988	8.2	0.27	6.5	0.22	792	5.7	0.21	4.6	0.19
Brain	944	7.8	0.26	6.2	0.22	744	5.4	0.20	4.3	0.18
Endocrine System	643	5.3	0.21	4.2	0.17	1,741	13.4	0.33	11.0	0.28
Thyroid gland	555	4.6	0.20	3.5	0.15	1,650	12.7	0.32	10.4	0.27
Lymphomas	2,623	22.4	0.45	15.5	0.32	2,263	15.7	0.34	10.8	0.25
Hodgkin Lymphoma	321	2.7	0.16	2.4	0.14	247	2.0	0.13	1.8	0.12
Non-Hodgkin Lymphoma	2,302	19.6	0.42	13.0	0.28	2,016	13.7	0.31	9.0	0.22
Multiple Myeloma	913	7.7	0.26	4.8	0.16	758	5.0	0.18	3.2	0.13
Leukemias	1,774	15.7	0.38	10.6	0.27	1,372	9.6	0.26	7.1	0.23
Acute lymphocytic	178	1.6	0.12	1.8	0.15	135	1.1	0.10	1.4	0.13
Chronic lymphocytic	572	5.0	0.21	3.0	0.13	417	2.7	0.13	1.6	0.08
Acute myeloid	550	4.8	0.21	3.2	0.15	434	3.1	0.15	2.3	0.13
Chronic myeloid	177	1.6	0.12	1.0	0.08	152	1.1	0.09	0.8	0.07
Other leukemias	297	2.8	0.17	1.6	0.10	234	1.6	0.10	1.0	0.07
Mesothelioma	187	1.7	0.13	0.9	0.07	53	0.4	0.05	0.2	0.04
Kaposi Sarcoma	42	0.4	0.06	0.3	0.05	6	0.0	0.02	0.0	0.01
Ill-defined & Unknown	2,298	20.0	0.43	12.2	0.26	2,015	13.4	0.30	8.1	0.20
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	624	5.2	0.21	4.0	0.17	1,264	8.9	0.26	6.7	0.20
Breast (*in situ*)	19	0.2	0.04	0.1	0.03	3,820	26.3	0.43	19.7	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	52,171	543.7	2.44	360.6	1.65	44,788	403.5	1.96	283.7	1.48
Oral Cavity & Pharynx	1,993	20.3	0.47	14.5	0.34	857	7.5	0.26	5.1	0.19
Lip	192	2.0	0.15	1.2	0.09	77	0.6	0.07	0.4	0.05
Tongue	570	5.7	0.24	4.2	0.18	243	2.2	0.14	1.5	0.11
Major salivary gland	210	2.3	0.17	1.4	0.10	93	0.8	0.09	0.5	0.06
Floor of mouth	78	0.8	0.09	0.6	0.07	44	0.4	0.06	0.3	0.04
Gum & other mouth	225	2.4	0.16	1.6	0.11	167	1.4	0.11	0.8	0.07
Nasopharynx	71	0.7	0.09	0.6	0.07	37	0.4	0.06	0.3	0.06
Oropharynx	111	1.1	0.11	0.8	0.08	30	0.3	0.05	0.2	0.03
Hypopharynx	93	0.9	0.09	0.7	0.07	33	0.3	0.05	0.2	0.04
Digestive System	9,336	97.7	1.04	63.8	0.68	7,126	61.8	0.75	39.8	0.52
Esophagus	820	8.2	0.29	5.7	0.20	180	1.5	0.11	1.0	0.08
Stomach	674	7.2	0.28	4.6	0.18	400	3.5	0.18	2.2	0.12
Small intestine	249	2.6	0.17	1.7	0.11	215	1.9	0.13	1.3	0.10
Colon excl. rectum	3,426	36.4	0.64	23.0	0.41	3,172	27.5	0.50	17.3	0.34
Rectum & rectosigmoid	1,450	15.1	0.41	10.5	0.28	949	8.5	0.28	5.8	0.21
Anus, anal canal & anorectum	136	1.4	0.12	1.0	0.09	263	2.4	0.15	1.7	0.11
Liver	879	8.8	0.30	6.2	0.22	317	2.7	0.16	1.8	0.11
Gallbladder	55	0.6	0.09	0.3	0.05	103	0.9	0.09	0.6	0.06
Pancreas	1,355	14.1	0.39	8.8	0.25	1,193	10.1	0.30	6.1	0.20
Respiratory System	10,495	108.4	1.08	68.8	0.69	7,223	61.4	0.73	40.9	0.52
Larynx	862	8.6	0.30	6.1	0.21	214	1.9	0.13	1.4	0.10
Lung & bronchus	9,518	98.5	1.03	61.8	0.65	6,931	58.8	0.71	39.0	0.50
Bones & Joints	78	0.9	0.10	0.7	0.09	74	0.8	0.10	0.7	0.09
Soft Tissue (incl. heart)	316	3.6	0.21	2.7	0.17	254	2.5	0.16	2.1	0.15
Skin (excl. basal & sq.)	3,511	37.8	0.66	25.0	0.44	2,322	22.9	0.49	17.4	0.40
Melanomas of the skin	3,328	35.8	0.64	23.8	0.43	2,212	21.9	0.48	16.8	0.39
Breast (excl. *in situ*)	95	1.0	0.10	0.7	0.07	12,855	116.5	1.05	84.3	0.80
Female Genital System	-	-	-	-	-	4,702	43.8	0.66	32.4	0.51
Cervix uteri	-	-	-	-	-	716	8.1	0.31	6.6	0.26
Uterus Corpus	-	-	-	-	-	2,013	17.8	0.41	13.2	0.31
Uterus, NOS[1]	-	-	-	-	-	80	0.7	0.09	0.5	0.06
Ovary	-	-	-	-	-	1,429	12.8	0.35	9.1	0.26
Male Genital System	12,863	128.5	1.16	89.2	0.81	-	-	-	-	-
Prostate	12,313	121.7	1.12	83.2	0.77	-	-	-	-	-
Testis	445	5.6	0.27	5.3	0.26	-	-	-	-	-
Penis	87	0.9	0.10	0.6	0.07	-	-	-	-	-
Urinary System	5,731	60.9	0.83	38.3	0.53	2,328	20.3	0.43	13.7	0.32
Bladder (incl. *in situ*)	3,428	37.0	0.65	21.5	0.38	946	8.0	0.26	4.9	0.18
Kidney & renal pelvis	2,174	22.4	0.49	16.0	0.36	1,313	11.8	0.33	8.5	0.26
Ureter	98	1.1	0.11	0.6	0.06	54	0.5	0.06	0.3	0.04
Eye & Orbit	144	1.6	0.14	1.2	0.11	104	1.0	0.10	0.8	0.09
Brain & Other Nervous System	851	9.2	0.32	7.4	0.28	668	6.5	0.26	5.2	0.24
Brain	816	8.8	0.32	7.0	0.27	635	6.2	0.25	4.9	0.23
Endocrine System	539	5.8	0.25	4.5	0.21	1,341	14.5	0.41	11.9	0.35
Thyroid gland	475	5.1	0.24	3.8	0.18	1,280	13.8	0.40	11.3	0.34
Lymphomas	2,172	23.6	0.52	16.1	0.37	1,838	16.6	0.40	11.4	0.31
Hodgkin Lymphoma	231	2.7	0.18	2.4	0.17	190	2.2	0.16	2.0	0.16
Non-Hodgkin Lymphoma	1,941	20.9	0.49	13.7	0.33	1,648	14.4	0.36	9.4	0.26
Multiple Myeloma	598	6.3	0.26	3.9	0.16	422	3.6	0.18	2.2	0.12
Leukemias	1,418	15.9	0.43	10.7	0.32	1,088	10.1	0.32	7.5	0.28
Acute lymphocytic	129	1.6	0.14	1.9	0.18	106	1.3	0.13	1.6	0.17
Chronic lymphocytic	454	4.9	0.24	2.9	0.14	333	2.8	0.15	1.6	0.10
Acute myeloid	452	5.0	0.24	3.4	0.18	350	3.3	0.18	2.5	0.16
Chronic myeloid	147	1.7	0.14	1.1	0.09	117	1.1	0.11	0.8	0.09
Other leukemias	236	2.8	0.18	1.5	0.10	182	1.6	0.12	0.9	0.08
Mesothelioma	167	1.8	0.14	1.0	0.08	44	0.4	0.06	0.2	0.04
Kaposi Sarcoma	22	0.3	0.06	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	1,842	20.1	0.48	12.1	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	479	5.2	0.24	4.0	0.19	960	9.0	0.30	6.8	0.24
Breast (*in situ*)	10	0.1	0.04	0.1	0.03	2,865	26.1	0.50	19.6	0.39

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	14,273	599.2	5.37	410.4	3.49	12,422	378.1	3.45	264.4	2.47
Oral Cavity & Pharynx	448	16.7	0.84	12.7	0.61	186	5.4	0.40	4.1	0.31
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	75	2.8	0.34	2.1	0.25	32	0.9	0.16	0.7	0.13
Major salivary gland	33	1.2	0.21	1.0	0.17	31	0.9	0.17	0.7	0.13
Floor of mouth	35	1.4	0.26	1.0	0.17	18	0.5	0.13	0.4	0.09
Gum & other mouth	67	2.8	0.37	1.9	0.24	49	1.5	0.21	1.0	0.15
Nasopharynx	26	0.9	0.18	0.8	0.15	12	0.3	0.10	0.3	0.09
Oropharynx	29	1.2	0.23	0.8	0.16	10	0.3	0.09	0.2	0.07
Hypopharynx	72	2.5	0.31	2.0	0.24	6	0.1	0.06	0.1	0.06
Digestive System	2,966	126.5	2.49	84.5	1.57	2,713	83.5	1.63	54.2	1.09
Esophagus	236	9.1	0.63	6.7	0.44	77	2.4	0.28	1.5	0.18
Stomach	345	15.8	0.91	9.9	0.54	258	8.1	0.51	5.1	0.33
Small intestine	97	4.3	0.47	2.6	0.27	95	2.8	0.30	2.1	0.22
Colon excl. rectum	1,112	49.4	1.59	31.8	0.97	1,209	37.0	1.08	24.2	0.73
Rectum & rectosigmoid	393	16.2	0.87	11.2	0.57	308	9.3	0.54	6.2	0.37
Anus, anal canal & anorectum	44	1.9	0.31	1.3	0.20	38	1.1	0.18	0.8	0.13
Liver	285	10.3	0.65	7.9	0.48	106	3.2	0.32	2.1	0.21
Gallbladder	19	0.9	0.23	0.6	0.13	54	1.7	0.23	1.1	0.15
Pancreas	374	16.1	0.90	10.6	0.56	478	15.0	0.70	9.2	0.45
Respiratory System	2,663	114.9	2.39	75.5	1.49	1,293	39.7	1.12	26.0	0.76
Larynx	264	10.5	0.69	7.5	0.47	42	1.2	0.19	0.9	0.15
Lung & bronchus	2,365	103.1	2.27	67.1	1.40	1,237	38.0	1.10	24.8	0.74
Bones & Joints	33	1.2	0.21	1.0	0.18	31	0.9	0.16	0.8	0.15
Soft Tissue (incl. heart)	90	3.5	0.40	2.6	0.28	118	3.6	0.33	2.8	0.27
Skin (excl. basal & sq.)	43	1.7	0.28	1.3	0.20	52	1.6	0.22	1.1	0.16
Melanomas of the skin	21	0.9	0.19	0.6	0.14	26	0.8	0.16	0.5	0.11
Breast (excl. *in situ*)	37	1.6	0.29	1.0	0.17	4,150	125.3	1.98	91.6	1.46
Female Genital System	-	-	-	-	-	1,425	43.3	1.17	31.1	0.85
Cervix uteri	-	-	-	-	-	332	10.3	0.57	7.7	0.43
Uterus Corpus	-	-	-	-	-	623	18.7	0.76	13.6	0.56
Uterus, NOS[1]	-	-	-	-	-	62	1.9	0.25	1.1	0.15
Ovary	-	-	-	-	-	312	9.5	0.55	6.5	0.39
Male Genital System	5,399	222.6	3.24	155.4	2.14	-	-	-	-	-
Prostate	5,329	219.8	3.22	153.2	2.13	-	-	-	-	-
Testis	49	1.8	0.27	1.6	0.23	-	-	-	-	-
Penis	18	0.8	0.21	0.5	0.12	-	-	-	-	-
Urinary System	907	39.4	1.40	26.4	0.89	585	18.0	0.76	12.0	0.52
Bladder (incl. *in situ*)	348	16.6	0.95	10.1	0.55	176	5.6	0.43	3.2	0.26
Kidney & renal pelvis	542	22.0	1.00	15.9	0.69	402	12.2	0.62	8.7	0.45
Ureter	11	0.6	0.18	0.3	0.09	-	-	-	-	-
Eye & Orbit	11	0.4	0.12	0.4	0.13	7	0.2	0.08	0.2	0.08
Brain & Other Nervous System	127	4.8	0.46	3.9	0.35	113	3.4	0.32	2.8	0.28
Brain	119	4.5	0.43	3.7	0.34	99	3.0	0.30	2.4	0.26
Endocrine System	94	3.5	0.37	2.9	0.30	359	10.7	0.57	8.6	0.46
Thyroid gland	71	2.6	0.32	2.1	0.25	330	9.8	0.55	7.9	0.44
Lymphomas	392	15.5	0.83	11.8	0.60	370	11.3	0.60	8.3	0.45
Hodgkin Lymphoma	81	2.8	0.32	2.5	0.28	53	1.6	0.22	1.5	0.21
Non-Hodgkin Lymphoma	311	12.7	0.77	9.3	0.53	317	9.7	0.55	6.8	0.40
Multiple Myeloma	293	13.0	0.82	8.3	0.49	321	9.9	0.56	6.4	0.37
Leukemias	305	13.3	0.82	9.2	0.54	244	7.5	0.49	5.6	0.39
Acute lymphocytic	43	1.4	0.23	1.6	0.25	26	0.8	0.15	1.0	0.20
Chronic lymphocytic	90	4.1	0.47	2.5	0.27	66	2.1	0.26	1.2	0.16
Acute myeloid	89	3.9	0.44	2.7	0.29	78	2.4	0.27	1.8	0.22
Chronic myeloid	27	1.2	0.25	0.8	0.15	28	0.8	0.16	0.6	0.12
Other leukemias	56	2.7	0.39	1.6	0.22	46	1.4	0.21	0.9	0.14
Mesothelioma	19	0.9	0.22	0.6	0.13	9	0.3	0.10	0.2	0.08
Kaposi Sarcoma	20	0.7	0.17	0.6	0.14	-	-	-	-	-
Ill-defined & Unknown	426	18.9	0.99	12.1	0.60	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	137	5.4	0.49	4.1	0.35	291	8.8	0.53	6.6	0.40
Breast (*in situ*)	9	0.4	0.12	0.3	0.09	886	26.6	0.91	20.0	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	250	312.9	23.99	198.5	12.93	362	295.6	17.64	192.6	10.35
Oral Cavity & Pharynx	13	11.3	3.54	8.6	2.46	7	4.7	1.91	3.2	1.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	65	86.9	12.98	51.2	6.55	72	69.9	9.33	39.0	4.71
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	14.0	4.59	9.2	2.74	11	10.8	3.43	5.8	1.79
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	14.2	5.21	8.1	2.59	24	24.9	5.78	13.3	2.79
Rectum & rectosigmoid	14	19.9	6.44	11.8	3.25	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	20.2	5.84	12.6	3.22	9	6.0	2.19	4.5	1.52
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	12.0	5.99	4.8	2.11	10	11.7	4.18	5.5	1.78
Respiratory System	37	49.0	9.89	30.2	5.12	40	39.6	7.14	23.0	3.72
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	29	40.8	9.33	24.2	4.63	39	38.4	7.03	22.6	3.69
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	127	96.7	9.60	66.2	5.98
Female Genital System	-	-	-	-	-	38	25.1	4.29	19.8	3.28
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	14	9.2	2.59	7.1	1.92
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	18	11.9	2.94	9.9	2.39
Male Genital System	70	82.7	11.22	58.9	7.12	-	-	-	-	-
Prostate	69	81.9	11.19	58.2	7.09	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	38.6	9.77	19.7	4.24	-	-	-	-	-
Bladder (incl. *in situ*)	7	21.3	8.43	7.3	2.82	-	-	-	-	-
Kidney & renal pelvis	14	15.1	4.65	10.9	2.96	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	20	11.2	2.52	9.4	2.12
Thyroid gland	-	-	-	-	-	20	11.2	2.52	9.4	2.12
Lymphomas	11	8.7	2.77	7.8	2.41	17	15.0	4.22	8.8	2.19
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	6.2	2.70	4.5	1.91	7	5.0	1.96	4.2	1.59
Leukemias	6	9.3	5.10	5.1	2.22	10	6.6	2.25	5.7	1.85
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	8.5	4.25	4.2	1.77	11	12.6	4.27	5.6	1.75
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	7	6.0	2.41	3.6	1.37
Breast (*in situ*)	-	-	-	-	-	28	18.5	3.65	14.2	2.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28	201.0	48.76	130.4	25.39	29	180.5	35.13	133.5	25.96
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	56.3	29.56	36.1	14.17	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	48.7	19.50	30.6	11.66	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	40.9	17.83	25.6	10.55	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	8	47.3	17.16	34.6	12.56
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	50.0	28.94	30.0	12.74	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	445	243.8	14.29	167.0	8.84	411	206.9	11.65	146.5	7.84
Oral Cavity & Pharynx	13	4.8	1.53	4.3	1.38	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	98	53.7	6.66	35.3	3.89	60	37.7	5.29	25.7	3.52
Esophagus	7	4.5	2.04	2.6	1.04	-	-	-	-	-
Stomach	15	5.6	1.68	4.6	1.37	8	3.8	1.45	3.1	1.16
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	21	15.4	3.97	8.9	2.04	24	16.3	3.59	11.0	2.36
Rectum & rectosigmoid	19	8.7	2.56	6.1	1.55	9	5.9	2.09	3.9	1.37
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	6.3	2.25	4.4	1.43	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	16	8.7	2.66	5.5	1.52	8	6.0	2.23	3.3	1.22
Respiratory System	46	33.7	5.51	22.4	3.49	33	22.4	4.25	14.0	2.59
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	40	30.9	5.34	20.3	3.34	30	21.8	4.23	13.3	2.56
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	4.0	2.03	2.1	0.95	-	-	-	-	-
Skin (excl. basal & sq.)	8	5.4	2.41	2.6	1.06	-	-	-	-	-
Melanomas of the skin	8	5.4	2.41	2.6	1.06	6	1.7	0.78	1.6	0.75
Breast (excl. *in situ*)	-	-	-	-	-	108	53.8	5.70	39.4	4.07
Female Genital System	-	-	-	-	-	76	34.6	4.60	25.5	3.22
Cervix uteri	-	-	-	-	-	21	7.7	1.99	5.6	1.36
Uterus Corpus	-	-	-	-	-	27	13.0	2.76	10.0	2.09
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	18	9.9	2.71	6.5	1.65
Male Genital System	111	69.2	7.63	49.3	5.06	-	-	-	-	-
Prostate	94	66.8	7.60	46.9	5.02	-	-	-	-	-
Testis	17	2.4	0.64	2.5	0.63	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	40	19.5	3.82	14.2	2.53	14	8.8	2.58	5.5	1.52
Bladder (incl. *in situ*)	15	8.1	2.52	5.7	1.59	6	5.1	2.18	2.3	0.99
Kidney & renal pelvis	24	11.2	2.85	8.3	1.96	8	3.7	1.38	3.1	1.16
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	15	4.5	1.62	3.3	0.92	12	4.0	1.41	3.0	0.91
Brain	15	4.5	1.62	3.3	0.92	11	3.8	1.40	2.8	0.87
Endocrine System	7	2.4	1.03	2.0	0.87	37	12.3	2.37	9.3	1.60
Thyroid gland	7	2.4	1.03	2.0	0.87	36	11.8	2.32	8.9	1.55
Lymphomas	29	12.6	3.22	8.4	1.80	21	13.2	3.15	8.1	1.88
Hodgkin Lymphoma	6	1.0	0.48	0.9	0.41	-	-	-	-	-
Non-Hodgkin Lymphoma	23	11.6	3.19	7.5	1.75	-	-	-	-	-
Multiple Myeloma	8	6.3	2.53	3.5	1.31	-	-	-	-	-
Leukemias	35	14.6	3.80	9.2	1.86	12	2.9	0.94	3.0	0.90
Acute lymphocytic	17	2.2	0.55	3.0	0.73	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	11	6.2	2.68	3.0	1.10	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	11.5	3.01	8.7	2.11	17	8.9	2.39	6.5	1.67
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	12	6.4	2.13	4.4	1.38
Breast (*in situ*)	-	-	-	-	-	21	10.1	2.36	7.8	1.82

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	51,859	549.2	2.48	364.7	1.69	44,465	406.7	1.99	286.3	1.51
Oral Cavity & Pharynx	1,981	20.5	0.47	14.7	0.34	854	7.6	0.27	5.2	0.20
Lip	192	2.1	0.15	1.3	0.09	77	0.7	0.08	0.4	0.05
Tongue	567	5.7	0.25	4.3	0.19	242	2.2	0.14	1.5	0.11
Major salivary gland	208	2.4	0.17	1.4	0.10	93	0.8	0.09	0.6	0.06
Floor of mouth	77	0.8	0.09	0.6	0.07	44	0.4	0.06	0.3	0.05
Gum & other mouth	222	2.4	0.16	1.6	0.11	165	1.4	0.11	0.8	0.07
Nasopharynx	70	0.7	0.09	0.6	0.08	37	0.4	0.06	0.3	0.06
Oropharynx	111	1.1	0.11	0.8	0.08	30	0.3	0.05	0.2	0.03
Hypopharynx	93	0.9	0.09	0.7	0.07	33	0.3	0.05	0.2	0.04
Digestive System	9,264	98.4	1.05	64.3	0.70	7,082	62.2	0.75	40.1	0.53
Esophagus	815	8.3	0.30	5.7	0.21	179	1.5	0.11	1.0	0.08
Stomach	666	7.2	0.29	4.6	0.18	397	3.5	0.18	2.2	0.12
Small intestine	248	2.6	0.17	1.7	0.11	213	1.9	0.13	1.4	0.10
Colon excl. rectum	3,411	36.8	0.65	23.3	0.42	3,152	27.6	0.50	17.4	0.35
Rectum & rectosigmoid	1,436	15.3	0.41	10.6	0.29	944	8.6	0.29	5.9	0.21
Anus, anal canal & anorectum	136	1.4	0.12	1.0	0.09	262	2.4	0.15	1.8	0.12
Liver	868	8.8	0.31	6.2	0.22	314	2.7	0.16	1.7	0.11
Gallbladder	52	0.6	0.09	0.3	0.05	101	0.9	0.09	0.6	0.06
Pancreas	1,343	14.2	0.40	8.9	0.25	1,187	10.1	0.30	6.2	0.20
Respiratory System	10,463	109.5	1.10	69.5	0.70	7,194	61.8	0.74	41.2	0.52
Larynx	859	8.7	0.31	6.2	0.22	214	1.9	0.13	1.4	0.10
Lung & bronchus	9,491	99.5	1.05	62.4	0.66	6,904	59.2	0.72	39.3	0.51
Bones & Joints	76	0.9	0.11	0.7	0.09	71	0.8	0.10	0.7	0.09
Soft Tissue (incl. heart)	312	3.7	0.21	2.7	0.18	253	2.6	0.17	2.1	0.16
Skin (excl. basal & sq.)	3,506	38.6	0.67	25.6	0.46	2,315	23.4	0.50	17.9	0.42
Melanomas of the skin	3,323	36.5	0.65	24.4	0.45	2,206	22.4	0.49	17.2	0.41
Breast (excl. *in situ*)	94	1.0	0.10	0.7	0.07	12,770	117.5	1.07	85.1	0.81
Female Genital System	-	-	-	-	-	4,639	44.0	0.67	32.4	0.52
Cervix uteri	-	-	-	-	-	701	8.2	0.32	6.6	0.26
Uterus Corpus	-	-	-	-	-	1,987	17.8	0.41	13.2	0.31
Uterus, NOS[1]	-	-	-	-	-	77	0.7	0.09	0.5	0.06
Ovary	-	-	-	-	-	1,414	12.9	0.35	9.1	0.27
Male Genital System	12,799	129.8	1.18	90.2	0.83	-	-	-	-	-
Prostate	12,258	122.7	1.13	83.9	0.77	-	-	-	-	-
Testis	436	5.9	0.29	5.6	0.28	-	-	-	-	-
Penis	87	1.0	0.10	0.6	0.07	-	-	-	-	-
Urinary System	5,704	61.5	0.84	38.7	0.54	2,320	20.5	0.44	13.9	0.32
Bladder (incl. *in situ*)	3,417	37.4	0.66	21.7	0.39	943	8.0	0.27	4.9	0.18
Kidney & renal pelvis	2,159	22.7	0.50	16.2	0.37	1,308	11.9	0.34	8.6	0.27
Ureter	97	1.1	0.11	0.6	0.06	54	0.5	0.06	0.3	0.04
Eye & Orbit	140	1.6	0.14	1.2	0.11	102	1.0	0.10	0.8	0.09
Brain & Other Nervous System	839	9.4	0.33	7.6	0.30	659	6.6	0.27	5.3	0.25
Brain	804	8.9	0.32	7.2	0.28	627	6.2	0.26	5.0	0.24
Endocrine System	534	5.9	0.26	4.7	0.22	1,313	14.6	0.42	12.0	0.36
Thyroid gland	470	5.2	0.24	3.9	0.19	1,253	13.9	0.41	11.4	0.35
Lymphomas	2,148	23.8	0.53	16.3	0.38	1,824	16.8	0.40	11.6	0.31
Hodgkin Lymphoma	225	2.8	0.19	2.5	0.18	188	2.2	0.17	2.0	0.16
Non-Hodgkin Lymphoma	1,923	21.0	0.49	13.8	0.34	1,636	14.5	0.37	9.5	0.27
Multiple Myeloma	592	6.3	0.27	3.9	0.17	419	3.6	0.18	2.2	0.12
Leukemias	1,391	15.9	0.44	10.7	0.33	1,078	10.2	0.32	7.6	0.29
Acute lymphocytic	116	1.5	0.14	1.8	0.18	102	1.3	0.14	1.7	0.19
Chronic lymphocytic	450	4.9	0.24	2.9	0.14	333	2.8	0.16	1.6	0.10
Acute myeloid	443	5.0	0.24	3.4	0.18	345	3.3	0.19	2.5	0.16
Chronic myeloid	147	1.7	0.14	1.1	0.10	116	1.1	0.11	0.8	0.09
Other leukemias	235	2.8	0.19	1.5	0.11	182	1.6	0.12	1.0	0.09
Mesothelioma	167	1.9	0.15	1.0	0.08	44	0.4	0.06	0.2	0.04
Kaposi Sarcoma	22	0.3	0.06	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	1,827	20.3	0.49	12.2	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	474	5.3	0.25	4.0	0.20	949	9.1	0.31	6.9	0.25
Breast (*in situ*)	10	0.1	0.04	0.1	0.03	2,848	26.3	0.51	19.8	0.39

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alabama, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	14,261	602.3	5.40	412.7	3.51	12,408	379.8	3.47	265.6	2.49
Oral Cavity & Pharynx	448	16.8	0.84	12.8	0.61	186	5.4	0.41	4.1	0.31
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	75	2.8	0.34	2.1	0.25	32	0.9	0.16	0.7	0.13
Major salivary gland	33	1.2	0.21	1.0	0.17	31	0.9	0.17	0.7	0.14
Floor of mouth	35	1.4	0.26	1.0	0.17	18	0.5	0.13	0.4	0.09
Gum & other mouth	67	2.8	0.37	1.9	0.24	49	1.5	0.21	1.0	0.15
Nasopharynx	26	0.9	0.18	0.8	0.15	12	0.3	0.10	0.3	0.09
Oropharynx	29	1.2	0.23	0.8	0.16	10	0.3	0.09	0.2	0.07
Hypopharynx	72	2.5	0.31	2.0	0.24	6	0.1	0.06	0.1	0.06
Digestive System	2,964	127.1	2.50	85.0	1.58	2,710	83.8	1.64	54.4	1.10
Esophagus	236	9.2	0.63	6.8	0.45	77	2.4	0.28	1.6	0.18
Stomach	344	15.9	0.91	9.9	0.54	257	8.1	0.51	5.1	0.33
Small intestine	97	4.3	0.47	2.7	0.27	95	2.8	0.30	2.1	0.22
Colon excl. rectum	1,111	49.6	1.59	32.0	0.97	1,209	37.2	1.09	24.3	0.73
Rectum & rectosigmoid	393	16.3	0.88	11.3	0.58	306	9.3	0.54	6.1	0.37
Anus, anal canal & anorectum	44	1.9	0.31	1.3	0.20	38	1.1	0.18	0.8	0.13
Liver	285	10.4	0.66	8.0	0.48	106	3.3	0.32	2.1	0.22
Gallbladder	19	0.9	0.23	0.6	0.13	54	1.7	0.24	1.1	0.16
Pancreas	374	16.2	0.90	10.7	0.56	478	15.1	0.70	9.3	0.45
Respiratory System	2,659	115.4	2.40	75.9	1.49	1,292	39.8	1.13	26.2	0.76
Larynx	264	10.5	0.69	7.5	0.47	42	1.2	0.19	0.9	0.15
Lung & bronchus	2,361	103.6	2.29	67.4	1.41	1,236	38.2	1.11	24.9	0.74
Bones & Joints	33	1.2	0.21	1.0	0.18	31	0.9	0.16	0.8	0.15
Soft Tissue (incl. heart)	90	3.6	0.40	2.7	0.28	118	3.6	0.34	2.8	0.27
Skin (excl. basal & sq.)	43	1.8	0.28	1.3	0.20	52	1.6	0.23	1.1	0.16
Melanomas of the skin	21	0.9	0.20	0.6	0.14	26	0.8	0.16	0.5	0.11
Breast (excl. *in situ*)	37	1.6	0.29	1.0	0.17	4,145	125.9	1.99	92.1	1.47
Female Genital System	-	-	-	-	-	1,422	43.4	1.17	31.2	0.86
Cervix uteri	-	-	-	-	-	330	10.3	0.57	7.8	0.44
Uterus Corpus	-	-	-	-	-	623	18.8	0.77	13.7	0.56
Uterus, NOS[1]	-	-	-	-	-	62	1.9	0.25	1.1	0.16
Ovary	-	-	-	-	-	311	9.5	0.55	6.5	0.39
Male Genital System	5,394	223.8	3.26	156.2	2.16	-	-	-	-	-
Prostate	5,324	220.9	3.24	154.0	2.14	-	-	-	-	-
Testis	49	1.9	0.27	1.6	0.23	-	-	-	-	-
Penis	18	0.8	0.22	0.5	0.12	-	-	-	-	-
Urinary System	907	39.6	1.41	26.6	0.90	585	18.1	0.76	12.1	0.53
Bladder (incl. *in situ*)	348	16.7	0.96	10.1	0.55	176	5.6	0.43	3.2	0.26
Kidney & renal pelvis	542	22.2	1.01	16.0	0.70	402	12.3	0.62	8.8	0.46
Ureter	11	0.6	0.18	0.3	0.09	-	-	-	-	-
Eye & Orbit	11	0.4	0.12	0.4	0.14	7	0.2	0.08	0.2	0.08
Brain & Other Nervous System	127	4.9	0.46	3.9	0.36	113	3.4	0.33	2.8	0.28
Brain	119	4.5	0.44	3.7	0.35	99	3.0	0.31	2.4	0.26
Endocrine System	94	3.5	0.38	2.9	0.31	359	10.8	0.58	8.6	0.47
Thyroid gland	71	2.6	0.33	2.1	0.25	330	9.9	0.55	7.9	0.45
Lymphomas	392	15.6	0.84	11.9	0.61	370	11.3	0.60	8.3	0.45
Hodgkin Lymphoma	81	2.8	0.33	2.5	0.28	53	1.6	0.22	1.5	0.21
Non-Hodgkin Lymphoma	311	12.8	0.77	9.4	0.54	317	9.8	0.56	6.8	0.40
Multiple Myeloma	292	13.0	0.82	8.3	0.49	321	10.0	0.57	6.4	0.38
Leukemias	305	13.4	0.83	9.3	0.55	243	7.5	0.49	5.6	0.39
Acute lymphocytic	43	1.4	0.23	1.6	0.26	25	0.7	0.15	1.0	0.20
Chronic lymphocytic	90	4.1	0.47	2.5	0.27	66	2.1	0.27	1.2	0.16
Acute myeloid	89	3.9	0.44	2.7	0.30	78	2.4	0.28	1.8	0.22
Chronic myeloid	27	1.2	0.25	0.8	0.15	28	0.9	0.16	0.6	0.13
Other leukemias	56	2.7	0.39	1.6	0.22	46	1.4	0.21	0.9	0.14
Mesothelioma	19	0.9	0.22	0.6	0.13	9	0.3	0.10	0.2	0.08
Kaposi Sarcoma	20	0.7	0.17	0.6	0.14	-	-	-	-	-
Ill-defined & Unknown	426	19.0	0.99	12.2	0.60	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	137	5.4	0.49	4.1	0.36	291	8.9	0.53	6.6	0.40
Breast (*in situ*)	9	0.4	0.12	0.3	0.09	886	26.8	0.92	20.1	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	6,975	479.3	6.59	311.3	3.82	6,357	419.2	5.59	289.5	3.73
Oral Cavity & Pharynx	280	16.6	1.15	11.7	0.72	101	6.4	0.68	4.6	0.47
Lip	16	1.2	0.37	0.7	0.19	-	-	-	-	-
Tongue	92	4.9	0.57	3.8	0.40	33	2.0	0.37	1.5	0.27
Major salivary gland	14	1.1	0.33	0.7	0.18	12	0.7	0.22	0.5	0.16
Floor of mouth	12	0.6	0.18	0.5	0.15	6	0.3	0.13	0.3	0.10
Gum & other mouth	30	2.2	0.49	1.3	0.24	17	1.1	0.27	0.8	0.20
Nasopharynx	29	1.8	0.39	1.2	0.23	11	0.7	0.23	0.5	0.17
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	17	1.1	0.32	0.7	0.18	-	-	-	-	-
Digestive System	1,510	103.6	3.07	65.7	1.73	1,019	70.5	2.35	45.3	1.46
Esophagus	131	8.6	0.87	5.6	0.50	31	2.3	0.43	1.4	0.27
Stomach	139	9.6	0.91	6.1	0.53	83	5.9	0.69	3.7	0.42
Small intestine	28	2.0	0.44	1.3	0.24	24	1.5	0.33	1.0	0.21
Colon excl. rectum	486	36.0	1.88	21.6	1.00	443	32.0	1.61	19.8	0.97
Rectum & rectosigmoid	238	14.5	1.07	10.2	0.68	142	8.6	0.77	6.1	0.53
Anus, anal canal & anorectum	16	1.1	0.31	0.7	0.18	33	2.0	0.37	1.5	0.26
Liver	198	11.0	0.88	8.0	0.58	52	3.0	0.43	2.3	0.33
Gallbladder	8	0.7	0.29	0.4	0.13	18	1.2	0.30	0.8	0.19
Pancreas	192	14.5	1.20	8.5	0.62	141	10.1	0.91	6.3	0.55
Respiratory System	1,031	80.1	2.85	46.5	1.48	825	61.0	2.26	37.5	1.34
Larynx	76	5.0	0.66	3.3	0.38	12	0.7	0.21	0.5	0.14
Lung & bronchus	944	74.4	2.76	42.8	1.42	804	59.9	2.24	36.6	1.32
Bones & Joints	21	1.4	0.32	1.1	0.26	14	0.9	0.25	0.8	0.21
Soft Tissue (incl. heart)	58	3.5	0.52	2.8	0.37	42	2.8	0.46	2.1	0.35
Skin (excl. basal & sq.)	249	15.4	1.10	10.6	0.68	191	12.0	0.92	8.9	0.66
Melanomas of the skin	227	13.9	1.05	9.6	0.65	178	11.1	0.88	8.3	0.63
Breast (excl. *in situ*)	21	1.8	0.44	0.9	0.21	2,006	125.5	2.97	90.0	2.05
Female Genital System	-	-	-	-	-	803	49.6	1.86	36.6	1.32
Cervix uteri	-	-	-	-	-	124	7.3	0.67	6.0	0.55
Uterus Corpus	-	-	-	-	-	417	25.1	1.30	18.9	0.94
Uterus, NOS[1]	-	-	-	-	-	8	0.5	0.20	0.4	0.14
Ovary	-	-	-	-	-	177	11.5	0.92	7.8	0.60
Male Genital System	1,872	118.7	3.11	83.1	1.96	-	-	-	-	-
Prostate	1,747	111.8	3.04	77.0	1.88	-	-	-	-	-
Testis	111	5.9	0.57	5.4	0.52	-	-	-	-	-
Penis	12	0.9	0.29	0.6	0.16	-	-	-	-	-
Urinary System	778	57.3	2.37	34.7	1.27	316	21.9	1.31	13.9	0.81
Bladder (incl. *in situ*)	456	36.5	1.96	20.7	0.99	144	10.8	0.96	6.2	0.53
Kidney & renal pelvis	311	20.0	1.30	13.5	0.79	162	10.4	0.87	7.2	0.59
Ureter	6	0.5	0.24	0.3	0.12	8	0.5	0.20	0.4	0.14
Eye & Orbit	20	1.1	0.26	1.1	0.25	10	0.6	0.21	0.5	0.16
Brain & Other Nervous System	156	10.0	0.90	7.7	0.64	94	5.9	0.63	5.1	0.54
Brain	146	9.5	0.89	7.2	0.62	84	5.3	0.60	4.5	0.50
Endocrine System	104	5.8	0.61	4.6	0.47	295	17.4	1.04	14.5	0.86
Thyroid gland	93	5.2	0.57	4.1	0.43	282	16.6	1.02	13.8	0.84
Lymphomas	335	22.7	1.41	15.4	0.87	259	17.3	1.14	12.3	0.79
Hodgkin Lymphoma	36	2.3	0.42	1.8	0.31	42	2.6	0.41	2.4	0.38
Non-Hodgkin Lymphoma	299	20.5	1.34	13.6	0.81	217	14.7	1.06	9.9	0.69
Multiple Myeloma	87	7.0	0.86	4.0	0.44	58	4.1	0.58	2.5	0.34
Leukemias	209	14.7	1.16	10.2	0.74	123	8.1	0.77	6.2	0.59
Acute lymphocytic	23	1.3	0.28	1.6	0.34	18	1.1	0.27	1.2	0.30
Chronic lymphocytic	66	4.9	0.70	3.0	0.38	32	2.2	0.41	1.4	0.26
Acute myeloid	73	5.4	0.71	3.5	0.43	36	2.3	0.40	1.7	0.29
Chronic myeloid	27	1.6	0.36	1.2	0.24	21	1.4	0.33	1.0	0.22
Other leukemias	20	1.5	0.38	0.9	0.21	16	1.1	0.30	0.9	0.24
Mesothelioma	31	3.2	0.65	1.4	0.26	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	197	14.9	1.12	8.7	0.64
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	111	7.6	0.83	5.1	0.49	233	14.7	1.02	10.9	0.74
Breast (*in situ*)	-	-	-	-	-	534	31.3	1.42	24.1	1.06

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	5,495	475.4	7.37	308.5	4.29	4,709	414.3	6.45	284.1	4.27
Oral Cavity & Pharynx	220	16.3	1.27	11.5	0.80	71	6.2	0.78	4.2	0.51
Lip	16	1.6	0.46	0.9	0.24	-	-	-	-	-
Tongue	84	5.6	0.67	4.3	0.48	29	2.4	0.46	1.7	0.33
Major salivary gland	9	1.0	0.38	0.5	0.19	7	0.6	0.24	0.4	0.16
Floor of mouth	10	0.6	0.21	0.5	0.17	-	-	-	-	-
Gum & other mouth	25	2.4	0.60	1.3	0.27	9	0.9	0.30	0.6	0.20
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	11	0.7	0.24	0.5	0.16	-	-	-	-	-
Digestive System	1,070	92.5	3.27	58.6	1.84	662	60.7	2.53	38.8	1.55
Esophagus	111	9.1	1.00	6.0	0.58	23	2.3	0.51	1.4	0.31
Stomach	80	7.1	0.87	4.5	0.52	32	3.1	0.58	1.7	0.31
Small intestine	24	2.2	0.53	1.3	0.28	22	1.8	0.42	1.2	0.27
Colon excl. rectum	329	30.6	1.95	18.5	1.05	283	27.3	1.73	16.6	1.02
Rectum & rectosigmoid	163	12.4	1.12	8.7	0.70	95	7.3	0.80	5.4	0.57
Anus, anal canal & anorectum	12	0.9	0.28	0.7	0.20	28	2.2	0.46	1.6	0.31
Liver	141	9.7	0.93	6.9	0.60	29	2.0	0.38	1.8	0.35
Gallbladder	-	-	-	-	-	7	0.6	0.23	0.4	0.16
Pancreas	152	14.8	1.39	8.5	0.70	102	9.8	1.03	6.2	0.63
Respiratory System	773	74.1	3.06	43.5	1.60	615	60.9	2.62	37.0	1.54
Larynx	62	5.1	0.75	3.3	0.43	9	0.7	0.26	0.5	0.16
Lung & bronchus	702	68.4	2.96	39.7	1.53	599	59.7	2.60	36.2	1.52
Bones & Joints	15	1.4	0.39	0.9	0.25	13	1.2	0.35	1.0	0.30
Soft Tissue (incl. heart)	45	3.5	0.59	2.9	0.45	28	2.5	0.50	1.9	0.39
Skin (excl. basal & sq.)	228	18.1	1.36	12.3	0.83	172	14.4	1.16	10.7	0.84
Melanomas of the skin	211	16.6	1.30	11.3	0.80	163	13.5	1.12	10.1	0.82
Breast (excl. *in situ*)	19	2.0	0.52	1.1	0.25	1,509	125.8	3.46	89.3	2.35
Female Genital System	-	-	-	-	-	620	51.1	2.19	37.2	1.54
Cervix uteri	-	-	-	-	-	82	6.6	0.75	5.2	0.59
Uterus Corpus	-	-	-	-	-	339	27.0	1.57	20.1	1.12
Uterus, NOS[1]	-	-	-	-	-	7	0.6	0.23	0.5	0.18
Ovary	-	-	-	-	-	135	11.7	1.08	7.9	0.71
Male Genital System	1,547	122.4	3.54	86.0	2.24	-	-	-	-	-
Prostate	1,451	115.5	3.46	79.7	2.14	-	-	-	-	-
Testis	85	6.1	0.67	5.6	0.63	-	-	-	-	-
Penis	9	0.8	0.30	0.5	0.18	-	-	-	-	-
Urinary System	638	59.6	2.72	35.8	1.45	244	22.2	1.52	14.2	0.94
Bladder (incl. *in situ*)	395	39.4	2.28	22.4	1.15	120	11.8	1.15	6.9	0.65
Kidney & renal pelvis	233	19.2	1.45	12.9	0.87	115	9.6	0.96	6.7	0.64
Ureter	6	0.6	0.30	0.4	0.15	8	0.7	0.27	0.5	0.18
Eye & Orbit	16	1.0	0.26	1.1	0.30	8	0.7	0.26	0.4	0.16
Brain & Other Nervous System	132	10.9	1.06	8.6	0.80	73	6.2	0.77	5.3	0.66
Brain	123	10.3	1.03	8.0	0.77	67	5.8	0.74	4.9	0.63
Endocrine System	79	5.8	0.70	4.6	0.53	205	16.2	1.17	13.7	0.98
Thyroid gland	71	5.1	0.65	4.1	0.50	197	15.5	1.14	13.1	0.96
Lymphomas	278	24.5	1.66	16.1	1.00	212	19.1	1.39	13.8	0.99
Hodgkin Lymphoma	30	2.6	0.52	2.0	0.37	34	3.0	0.53	2.8	0.49
Non-Hodgkin Lymphoma	248	21.9	1.57	14.1	0.92	178	16.0	1.29	11.0	0.86
Multiple Myeloma	72	7.3	0.98	4.1	0.50	44	4.0	0.66	2.5	0.39
Leukemias	163	15.3	1.35	9.9	0.82	95	8.7	0.95	6.2	0.68
Acute lymphocytic	14	1.2	0.33	1.4	0.40	11	1.0	0.31	1.0	0.34
Chronic lymphocytic	64	6.0	0.87	3.6	0.46	32	2.9	0.54	1.9	0.34
Acute myeloid	51	5.0	0.78	2.9	0.42	26	2.3	0.48	1.6	0.32
Chronic myeloid	15	1.2	0.35	0.9	0.24	15	1.4	0.39	0.9	0.25
Other leukemias	19	1.9	0.49	1.1	0.27	11	1.2	0.37	0.8	0.28
Mesothelioma	30	4.0	0.81	1.8	0.33	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	135	14.0	1.28	7.7	0.69
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	83	7.3	0.92	4.9	0.55	167	14.1	1.15	10.5	0.85
Breast (*in situ*)	-	-	-	-	-	425	33.1	1.70	25.3	1.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	227	552.8	46.35	363.7	25.86	147	342.7	30.77	239.0	20.35
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	45	105.9	20.29	69.9	11.16	28	62.2	12.86	42.5	8.26
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	6	14.6	6.51	9.1	3.75
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	15	27.4	8.73	20.9	5.64	12	29.6	9.45	18.0	5.32
Rectum & rectosigmoid	6	11.9	5.38	9.9	4.23	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	16.1	5.75	13.1	4.45	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	28	91.4	21.01	48.8	9.63	13	36.9	10.84	22.6	6.45
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	26	88.8	20.93	46.6	9.50	13	36.9	10.84	22.6	6.45
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	55	132.9	19.36	91.1	12.69
Female Genital System	-	-	-	-	-	19	43.4	10.98	29.3	6.91
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	8	17.4	6.54	13.9	5.06
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	96	201.8	25.37	151.5	16.66	-	-	-	-	-
Prostate	94	199.5	25.32	149.4	16.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	78.9	18.93	45.4	9.58	6	13.7	6.11	9.0	3.83
Bladder (incl. *in situ*)	13	55.1	17.28	26.4	7.55	-	-	-	-	-
Kidney & renal pelvis	12	23.8	7.72	19.1	5.90	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	11.0	4.68	10.4	4.41
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	17.7	7.82	12.0	4.29	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	10.9	4.17	9.8	3.74	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	6	11.5	4.94	8.7	3.60
Breast (*in situ*)	-	-	-	-	-	18	46.9	11.96	30.4	7.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	263	369.9	27.25	232.1	14.69	339	295.2	16.94	210.7	11.69
Oral Cavity & Pharynx	11	12.5	4.79	8.8	2.75	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	6.3	2.44	5.5	2.12	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	74	104.9	14.43	61.1	7.29	56	54.5	7.73	33.9	4.63
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	13	18.5	5.94	11.0	3.13	8	8.3	2.97	6.0	2.12
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	24	38.8	9.28	20.5	4.27	21	20.8	4.85	12.2	2.71
Rectum & rectosigmoid	7	10.7	4.64	5.7	2.21	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	15.7	4.36	12.0	3.06	9	8.9	3.15	4.9	1.67
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	7.5	3.48	5.2	2.16	11	10.3	3.38	6.5	2.01
Respiratory System	38	72.4	13.51	38.6	6.38	35	33.1	5.89	22.2	3.84
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	38	72.4	13.51	38.6	6.38	34	32.4	5.86	21.5	3.76
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	6.9	2.45	5.8	2.06	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	114	90.7	8.85	68.1	6.47
Female Genital System	-	-	-	-	-	47	36.0	5.42	29.0	4.27
Cervix uteri	-	-	-	-	-	9	6.0	2.03	5.3	1.79
Uterus Corpus	-	-	-	-	-	27	20.5	4.04	16.8	3.26
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	7.4	2.56	5.8	1.97
Male Genital System	57	79.8	12.21	53.0	7.17	-	-	-	-	-
Prostate	55	78.4	12.17	51.6	7.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	33.2	7.71	22.4	4.49	11	11.7	3.69	6.4	1.98
Bladder (incl. *in situ*)	12	19.2	6.65	11.1	3.26	9	9.9	3.43	5.0	1.71
Kidney & renal pelvis	13	12.8	3.72	10.2	2.91	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	6.3	2.77	5.7	2.37	-	-	-	-	-
Brain	6	6.3	2.77	5.7	2.37	-	-	-	-	-
Endocrine System	9	8.4	3.00	6.7	2.29	33	26.6	4.75	21.7	3.82
Thyroid gland	8	7.6	2.88	6.0	2.18	33	26.6	4.75	21.7	3.82
Lymphomas	11	15.9	6.03	10.0	3.08	11	11.3	3.67	6.4	1.94
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	12	14.1	5.36	10.2	3.03	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	7	10.4	5.08	6.1	2.39	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	10	10.9	3.64	7.3	2.41
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	7	9.9	4.72	6.5	2.56	15	13.1	3.52	9.3	2.46
Breast (*in situ*)	-	-	-	-	-	24	17.5	3.64	14.6	3.01

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	934	500.9	18.31	326.7	10.86	1,128	507.2	15.82	357.5	10.83
Oral Cavity & Pharynx	44	21.9	3.73	15.2	2.33	22	9.0	1.97	7.0	1.52
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	6	2.3	0.96	2.0	0.84
Nasopharynx	18	9.9	2.65	6.0	1.44	6	2.9	1.20	1.9	0.80
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	6	4.3	1.96	2.3	0.97	-	-	-	-	-
Digestive System	317	168.5	10.57	109.7	6.27	269	127.5	8.13	84.6	5.26
Esophagus	14	6.8	2.01	4.3	1.16	7	3.1	1.23	2.2	0.84
Stomach	43	22.3	3.86	14.5	2.25	36	16.9	2.95	11.3	1.92
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	117	68.7	7.14	41.4	3.90	126	60.5	5.62	40.0	3.63
Rectum & rectosigmoid	61	29.1	4.06	21.2	2.75	38	17.2	2.91	11.6	1.92
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	31	14.9	3.03	10.6	1.94	11	4.7	1.43	3.8	1.16
Gallbladder	-	-	-	-	-	9	4.6	1.61	2.6	0.91
Pancreas	32	17.0	3.23	10.9	1.96	27	13.9	2.82	8.1	1.60
Respiratory System	191	116.3	9.24	68.1	5.01	160	79.6	6.59	50.0	4.05
Larynx	12	6.2	2.06	4.3	1.25	-	-	-	-	-
Lung & bronchus	177	108.7	8.95	63.2	4.83	156	78.3	6.55	48.8	4.00
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	10	3.8	1.32	3.0	0.96
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	8	3.4	1.22	2.7	0.96	10	4.6	1.50	3.4	1.08
Breast (excl. *in situ*)	-	-	-	-	-	322	139.1	8.04	103.4	5.85
Female Genital System	-	-	-	-	-	114	47.5	4.64	36.8	3.49
Cervix uteri	-	-	-	-	-	28	10.5	2.03	9.4	1.78
Uterus Corpus	-	-	-	-	-	42	16.9	2.69	13.5	2.12
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	27	12.3	2.46	8.7	1.71
Male Genital System	143	75.4	6.91	51.0	4.32	-	-	-	-	-
Prostate	118	65.3	6.57	42.6	3.99	-	-	-	-	-
Testis	22	8.2	1.80	7.3	1.57	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	85	47.7	5.75	30.3	3.34	53	24.6	3.57	16.3	2.28
Bladder (incl. *in situ*)	33	20.8	4.06	12.1	2.13	12	6.1	1.84	3.5	1.03
Kidney & renal pelvis	52	26.8	4.08	18.3	2.57	40	17.7	2.95	12.6	2.02
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	14	6.4	1.97	4.5	1.21	14	5.2	1.43	4.6	1.23
Brain	14	6.4	1.97	4.5	1.21	12	4.4	1.32	3.9	1.13
Endocrine System	13	5.5	1.67	4.5	1.27	45	17.8	2.78	14.1	2.13
Thyroid gland	11	5.1	1.64	3.8	1.17	43	17.1	2.73	13.5	2.09
Lymphomas	34	14.1	2.74	11.6	2.02	30	13.4	2.60	9.4	1.75
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	5.1	2.01	3.2	1.07	6	3.1	1.30	1.9	0.82
Leukemias	25	10.1	2.47	8.6	1.74	21	7.2	1.61	7.0	1.53
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	12	4.7	1.61	4.0	1.16	8	2.9	1.06	2.6	0.93
Chronic myeloid	7	3.5	1.66	2.4	0.92	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	36	19.7	3.67	12.8	2.15	49	23.5	3.56	14.9	2.19
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	16	7.0	1.90	5.5	1.38	44	18.4	2.91	13.5	2.07
Breast (*in situ*)	-	-	-	-	-	65	26.1	3.30	21.5	2.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	127	315.4	37.92	199.3	19.45	140	241.8	23.84	180.3	16.02
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	36	83.9	17.72	52.4	9.39	29	67.2	14.28	44.2	8.52
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	11	23.5	9.20	16.4	5.20	10	18.8	6.54	15.0	4.98
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	28.5	11.05	14.8	5.06	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	12	49.2	18.99	25.1	7.95	7	15.7	7.02	10.4	4.07
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	46.7	18.91	23.1	7.82	7	15.7	7.02	10.4	4.07
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	47	81.6	13.86	59.5	9.07
Female Genital System	-	-	-	-	-	16	23.2	6.26	19.1	5.01
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	6	10.8	4.84	8.7	3.77
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	33	90.0	21.58	56.5	10.91	-	-	-	-	-
Prostate	31	87.7	21.51	54.0	10.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	16.0	5.52	14.5	5.03	6	8.9	3.74	7.3	3.10
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	11.9	4.68	10.7	4.23	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	14	15.0	4.12	13.1	3.53
Thyroid gland	-	-	-	-	-	14	15.0	4.12	13.1	3.53
Lymphomas	12	27.5	9.69	18.7	5.90	7	10.0	4.38	8.4	3.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	12.1	5.22	9.4	3.83	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	18	27.9	6.90	23.0	5.65

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	5,383	479.6	7.49	311.5	4.38	4,589	419.3	6.61	287.4	4.39
Oral Cavity & Pharynx	219	16.7	1.30	11.8	0.82	70	6.4	0.81	4.3	0.53
Lip	16	1.6	0.47	0.9	0.24	-	-	-	-	-
Tongue	84	5.8	0.69	4.5	0.50	29	2.5	0.48	1.8	0.34
Major salivary gland	9	1.0	0.39	0.6	0.20	7	0.6	0.25	0.4	0.17
Floor of mouth	10	0.6	0.21	0.5	0.17	-	-	-	-	-
Gum & other mouth	25	2.5	0.61	1.3	0.27	9	0.9	0.31	0.6	0.21
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	11	0.7	0.24	0.6	0.17	-	-	-	-	-
Digestive System	1,036	92.3	3.31	58.4	1.86	640	60.8	2.57	38.8	1.59
Esophagus	110	9.3	1.02	6.1	0.60	23	2.4	0.53	1.5	0.32
Stomach	78	7.1	0.89	4.5	0.53	28	2.7	0.55	1.6	0.30
Small intestine	23	2.1	0.52	1.3	0.28	22	1.9	0.44	1.3	0.28
Colon excl. rectum	319	30.9	1.98	18.5	1.06	275	27.6	1.77	16.7	1.04
Rectum & rectosigmoid	158	12.5	1.14	8.7	0.71	92	7.4	0.83	5.4	0.58
Anus, anal canal & anorectum	12	0.9	0.29	0.7	0.20	28	2.3	0.48	1.6	0.32
Liver	131	9.0	0.89	6.6	0.59	28	2.0	0.39	1.8	0.36
Gallbladder	-	-	-	-	-	6	0.5	0.22	0.4	0.15
Pancreas	149	14.9	1.41	8.5	0.71	99	9.8	1.05	6.2	0.65
Respiratory System	766	75.1	3.11	44.2	1.63	610	62.3	2.69	37.9	1.58
Larynx	61	5.2	0.77	3.4	0.44	9	0.7	0.27	0.5	0.16
Lung & bronchus	697	69.3	3.00	40.4	1.56	594	61.1	2.67	37.1	1.57
Bones & Joints	13	1.2	0.36	0.9	0.25	12	1.2	0.35	1.0	0.30
Soft Tissue (incl. heart)	43	3.5	0.61	2.9	0.48	27	2.6	0.52	1.9	0.41
Skin (excl. basal & sq.)	226	18.4	1.39	12.5	0.85	172	15.0	1.21	11.2	0.88
Melanomas of the skin	210	17.0	1.33	11.7	0.83	163	14.1	1.16	10.6	0.86
Breast (excl. *in situ*)	19	2.0	0.53	1.1	0.25	1,466	126.7	3.54	90.0	2.41
Female Genital System	-	-	-	-	-	606	52.0	2.25	37.8	1.58
Cervix uteri	-	-	-	-	-	77	6.6	0.78	5.2	0.61
Uterus Corpus	-	-	-	-	-	334	27.6	1.61	20.5	1.15
Uterus, NOS[1]	-	-	-	-	-	6	0.5	0.23	0.4	0.18
Ovary	-	-	-	-	-	133	12.0	1.11	8.1	0.74
Male Genital System	1,518	123.5	3.60	86.8	2.29	-	-	-	-	-
Prostate	1,424	116.3	3.51	80.3	2.18	-	-	-	-	-
Testis	84	6.4	0.71	5.9	0.66	-	-	-	-	-
Penis	8	0.7	0.30	0.5	0.17	-	-	-	-	-
Urinary System	631	60.7	2.78	36.5	1.49	238	22.5	1.56	14.3	0.96
Bladder (incl. *in situ*)	394	40.3	2.33	22.9	1.18	118	12.0	1.18	7.0	0.67
Kidney & renal pelvis	227	19.5	1.48	13.0	0.89	111	9.7	0.98	6.7	0.66
Ureter	6	0.6	0.30	0.4	0.16	8	0.7	0.27	0.5	0.19
Eye & Orbit	16	1.1	0.28	1.1	0.32	8	0.7	0.26	0.5	0.17
Brain & Other Nervous System	129	11.1	1.09	8.8	0.83	69	6.2	0.78	5.3	0.68
Brain	120	10.5	1.06	8.1	0.79	63	5.7	0.76	4.8	0.65
Endocrine System	76	5.8	0.71	4.6	0.54	195	16.2	1.20	13.6	1.01
Thyroid gland	68	5.1	0.66	4.1	0.52	187	15.5	1.16	13.0	0.98
Lymphomas	267	24.2	1.67	15.9	1.01	205	19.2	1.42	13.9	1.02
Hodgkin Lymphoma	29	2.6	0.54	2.0	0.39	32	3.0	0.54	2.8	0.51
Non-Hodgkin Lymphoma	238	21.6	1.58	13.9	0.93	173	16.2	1.32	11.1	0.88
Multiple Myeloma	72	7.4	1.00	4.2	0.51	42	4.1	0.68	2.5	0.40
Leukemias	159	15.4	1.38	10.2	0.86	93	8.9	0.98	6.3	0.71
Acute lymphocytic	14	1.3	0.35	1.5	0.43	10	1.0	0.31	1.0	0.35
Chronic lymphocytic	64	6.2	0.89	3.7	0.48	32	3.0	0.55	1.9	0.35
Acute myeloid	48	4.8	0.78	2.9	0.43	26	2.4	0.49	1.6	0.33
Chronic myeloid	15	1.3	0.36	0.9	0.25	14	1.4	0.40	0.9	0.25
Other leukemias	18	1.9	0.50	1.1	0.28	11	1.2	0.38	0.9	0.30
Mesothelioma	30	4.1	0.83	1.8	0.34	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	133	14.3	1.31	7.9	0.71
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	79	7.4	0.94	4.9	0.57	162	14.2	1.18	10.6	0.87
Breast (*in situ*)	-	-	-	-	-	413	33.4	1.74	25.5	1.28

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alaska, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	223	564.8	47.49	373.2	26.76	145	360.8	32.49	251.4	21.50
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	45	110.0	20.97	72.8	11.59	26	62.2	13.35	41.6	8.38
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	15	28.5	8.94	21.8	5.89	12	31.5	10.02	19.2	5.66
Rectum & rectosigmoid	6	12.4	5.59	10.3	4.39	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	16.8	5.96	13.7	4.62	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	28	94.4	21.60	50.6	10.00	13	38.6	11.33	23.7	6.74
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	26	91.6	21.52	48.3	9.86	13	38.6	11.33	23.7	6.74
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	55	141.7	20.54	97.3	13.52
Female Genital System	-	-	-	-	-	19	46.4	11.69	31.5	7.41
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	8	18.7	6.95	14.9	5.41
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	94	203.5	25.68	155.1	17.23	-	-	-	-	-
Prostate	92	201.0	25.62	152.8	17.16	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	81.8	19.55	47.3	9.98	6	14.6	6.53	9.5	4.04
Bladder (incl. *in situ*)	13	57.0	17.83	27.4	7.86	-	-	-	-	-
Kidney & renal pelvis	12	24.8	8.02	19.9	6.14	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	11.7	4.98	11.2	4.71
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	16.7	7.78	10.8	4.11	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	11.6	4.43	10.6	4.01	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	6	12.3	5.26	9.3	3.85
Breast (*in situ*)	-	-	-	-	-	14	40.0	11.59	24.2	6.67

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	69,081	420.4	1.62	276.6	1.10	68,435	373.9	1.45	259.3	1.07
Oral Cavity & Pharynx	2,194	13.1	0.28	9.3	0.21	890	4.8	0.16	3.4	0.12
Lip	82	0.5	0.06	0.3	0.04	22	0.1	0.03	0.1	0.02
Tongue	724	4.3	0.16	3.1	0.12	278	1.5	0.09	1.1	0.07
Major salivary gland	244	1.5	0.10	1.0	0.06	141	0.8	0.07	0.6	0.05
Floor of mouth	108	0.6	0.06	0.5	0.05	44	0.2	0.04	0.2	0.03
Gum & other mouth	201	1.2	0.09	0.8	0.06	185	1.0	0.07	0.6	0.05
Nasopharynx	110	0.7	0.06	0.5	0.05	28	0.2	0.03	0.1	0.02
Oropharynx	90	0.5	0.06	0.4	0.04	40	0.2	0.03	0.1	0.02
Hypopharynx	95	0.6	0.06	0.4	0.04	28	0.1	0.03	0.1	0.02
Digestive System	13,899	84.9	0.73	54.7	0.48	10,726	57.0	0.56	35.4	0.37
Esophagus	1,248	7.5	0.21	4.9	0.14	300	1.6	0.09	1.0	0.06
Stomach	1,197	7.4	0.22	4.6	0.14	643	3.5	0.14	2.2	0.09
Small intestine	318	2.0	0.11	1.3	0.07	254	1.4	0.09	0.9	0.06
Colon excl. rectum	4,491	28.0	0.42	17.1	0.27	4,363	23.2	0.36	13.7	0.23
Rectum & rectosigmoid	2,056	12.5	0.28	8.5	0.19	1,417	7.7	0.21	5.3	0.15
Anus, anal canal & anorectum	172	1.1	0.08	0.7	0.06	309	1.6	0.09	1.1	0.07
Liver	1,723	10.0	0.24	7.4	0.18	676	3.5	0.14	2.4	0.10
Gallbladder	125	0.8	0.07	0.5	0.04	227	1.2	0.08	0.7	0.05
Pancreas	2,059	12.5	0.28	7.8	0.18	1,947	10.2	0.23	6.0	0.15
Respiratory System	10,442	64.0	0.63	38.2	0.39	9,206	48.4	0.51	29.6	0.33
Larynx	657	3.9	0.15	2.7	0.11	153	0.8	0.07	0.6	0.05
Lung & bronchus	9,626	59.2	0.61	34.8	0.37	8,942	47.0	0.50	28.6	0.32
Bones & Joints	151	1.0	0.08	0.9	0.07	145	0.9	0.07	0.8	0.07
Soft Tissue (incl. heart)	573	3.6	0.15	2.6	0.12	458	2.6	0.12	2.0	0.10
Skin (excl. basal & sq.)	3,733	23.2	0.38	14.9	0.26	2,321	13.1	0.28	9.5	0.21
Melanomas of the skin	3,482	21.6	0.37	14.0	0.25	2,194	12.4	0.27	9.1	0.21
Breast (excl. *in situ*)	283	1.7	0.10	1.2	0.07	20,179	111.0	0.80	79.9	0.59
Female Genital System	-	-	-	-	-	7,638	41.9	0.49	31.1	0.37
Cervix uteri	-	-	-	-	-	1,089	6.8	0.21	5.4	0.17
Uterus Corpus	-	-	-	-	-	3,654	19.5	0.33	14.7	0.25
Uterus, NOS[1]	-	-	-	-	-	208	1.1	0.08	0.8	0.06
Ovary	-	-	-	-	-	2,141	11.6	0.26	8.3	0.19
Male Genital System	16,537	96.1	0.76	68.9	0.55	-	-	-	-	-
Prostate	15,556	89.8	0.73	63.2	0.52	-	-	-	-	-
Testis	855	5.5	0.19	5.2	0.18	-	-	-	-	-
Penis	101	0.6	0.06	0.4	0.04	-	-	-	-	-
Urinary System	8,639	53.6	0.58	32.6	0.37	3,754	20.1	0.33	13.3	0.24
Bladder (incl. *in situ*)	5,070	31.9	0.45	17.7	0.26	1,580	8.3	0.21	4.8	0.13
Kidney & renal pelvis	3,402	20.7	0.36	14.3	0.26	2,089	11.4	0.25	8.2	0.19
Ureter	103	0.6	0.06	0.3	0.04	56	0.3	0.04	0.2	0.02
Eye & Orbit	143	0.9	0.07	0.7	0.07	153	0.9	0.07	0.8	0.07
Brain & Other Nervous System	1,244	7.6	0.22	6.1	0.19	1,031	5.9	0.19	4.9	0.17
Brain	1,175	7.2	0.21	5.7	0.18	959	5.5	0.18	4.5	0.16
Endocrine System	1,249	7.8	0.22	6.1	0.18	3,949	24.3	0.39	20.0	0.33
Thyroid gland	1,139	7.1	0.21	5.5	0.17	3,842	23.6	0.39	19.5	0.33
Lymphomas	3,304	20.7	0.36	14.0	0.26	2,784	15.2	0.29	10.5	0.22
Hodgkin Lymphoma	382	2.4	0.12	2.2	0.11	313	1.9	0.11	1.8	0.11
Non-Hodgkin Lymphoma	2,922	18.3	0.34	11.8	0.23	2,471	13.3	0.27	8.7	0.19
Multiple Myeloma	989	6.1	0.20	3.7	0.12	714	3.7	0.14	2.4	0.10
Leukemias	2,111	13.3	0.29	9.4	0.23	1,643	9.2	0.23	7.0	0.20
Acute lymphocytic	321	2.0	0.11	2.4	0.14	234	1.5	0.10	1.9	0.13
Chronic lymphocytic	573	3.6	0.15	2.0	0.09	383	2.0	0.10	1.1	0.06
Acute myeloid	652	4.1	0.16	2.7	0.11	593	3.3	0.14	2.4	0.11
Chronic myeloid	241	1.5	0.10	1.0	0.07	207	1.2	0.08	0.8	0.07
Other leukemias	324	2.1	0.12	1.3	0.08	226	1.2	0.08	0.8	0.06
Mesothelioma	276	1.8	0.11	0.9	0.06	75	0.4	0.05	0.2	0.03
Kaposi Sarcoma	67	0.5	0.06	0.4	0.05	-	-	-	-	-
Ill-defined & Unknown	3,247	20.6	0.37	11.9	0.22	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,165	7.3	0.22	5.3	0.16	2,541	14.2	0.29	10.1	0.22
Breast (*in situ*)	42	0.3	0.04	0.2	0.03	4,748	26.4	0.39	19.8	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	63,437	419.8	1.69	275.9	1.16	62,608	377.0	1.54	261.2	1.14
Oral Cavity & Pharynx	2,059	13.5	0.30	9.6	0.22	816	4.9	0.17	3.5	0.13
Lip	82	0.6	0.06	0.3	0.04	22	0.1	0.03	0.1	0.02
Tongue	688	4.5	0.17	3.3	0.13	262	1.6	0.10	1.1	0.08
Major salivary gland	233	1.6	0.11	1.0	0.07	122	0.7	0.07	0.5	0.05
Floor of mouth	99	0.6	0.06	0.5	0.05	43	0.2	0.04	0.2	0.03
Gum & other mouth	185	1.2	0.09	0.8	0.06	166	1.0	0.08	0.6	0.05
Nasopharynx	91	0.6	0.06	0.5	0.05	23	0.1	0.03	0.1	0.02
Oropharynx	84	0.5	0.06	0.4	0.04	40	0.2	0.04	0.2	0.03
Hypopharynx	88	0.6	0.06	0.4	0.04	26	0.2	0.03	0.1	0.02
Digestive System	12,589	83.6	0.75	53.7	0.50	9,667	56.0	0.58	34.6	0.39
Esophagus	1,170	7.6	0.23	5.0	0.15	276	1.6	0.10	1.0	0.06
Stomach	1,039	7.0	0.22	4.4	0.14	537	3.2	0.14	2.0	0.09
Small intestine	287	1.9	0.11	1.2	0.08	227	1.3	0.09	0.9	0.06
Colon excl. rectum	4,115	27.8	0.44	16.9	0.28	4,003	23.1	0.37	13.6	0.24
Rectum & rectosigmoid	1,853	12.3	0.29	8.3	0.20	1,272	7.7	0.22	5.3	0.16
Anus, anal canal & anorectum	166	1.1	0.09	0.8	0.06	290	1.7	0.10	1.2	0.07
Liver	1,488	9.5	0.25	6.9	0.19	562	3.2	0.14	2.2	0.10
Gallbladder	99	0.7	0.07	0.4	0.04	197	1.1	0.08	0.7	0.05
Pancreas	1,923	12.7	0.29	7.9	0.19	1,781	10.1	0.24	5.9	0.15
Respiratory System	9,876	65.1	0.66	38.9	0.41	8,683	49.5	0.54	30.3	0.35
Larynx	617	3.9	0.16	2.7	0.11	146	0.8	0.07	0.6	0.05
Lung & bronchus	9,111	60.1	0.64	35.4	0.39	8,441	48.1	0.53	29.3	0.34
Bones & Joints	127	0.9	0.08	0.8	0.08	122	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	515	3.6	0.16	2.6	0.13	401	2.5	0.13	1.9	0.11
Skin (excl. basal & sq.)	3,464	23.5	0.40	15.2	0.27	2,077	13.1	0.30	9.6	0.23
Melanomas of the skin	3,228	21.9	0.39	14.3	0.27	1,965	12.5	0.29	9.2	0.23
Breast (excl. *in situ*)	270	1.8	0.11	1.2	0.08	18,608	113.3	0.85	81.5	0.64
Female Genital System	-	-	-	-	-	6,868	41.7	0.52	30.9	0.40
Cervix uteri	-	-	-	-	-	939	6.7	0.23	5.3	0.18
Uterus Corpus	-	-	-	-	-	3,276	19.2	0.34	14.5	0.26
Uterus, NOS[1]	-	-	-	-	-	176	1.0	0.08	0.7	0.06
Ovary	-	-	-	-	-	1,957	11.7	0.27	8.3	0.20
Male Genital System	14,828	93.8	0.78	67.4	0.57	-	-	-	-	-
Prostate	13,942	87.1	0.75	61.4	0.54	-	-	-	-	-
Testis	765	5.8	0.21	5.5	0.20	-	-	-	-	-
Penis	96	0.6	0.07	0.4	0.05	-	-	-	-	-
Urinary System	8,106	54.4	0.61	32.9	0.39	3,433	20.1	0.35	13.2	0.25
Bladder (incl. *in situ*)	4,899	33.0	0.48	18.4	0.28	1,503	8.5	0.22	5.0	0.14
Kidney & renal pelvis	3,045	20.3	0.37	14.0	0.27	1,847	11.2	0.27	8.0	0.20
Ureter	100	0.7	0.07	0.4	0.04	55	0.3	0.04	0.2	0.02
Eye & Orbit	134	0.9	0.08	0.7	0.07	136	0.9	0.08	0.8	0.08
Brain & Other Nervous System	1,149	7.9	0.24	6.3	0.20	964	6.2	0.21	5.2	0.19
Brain	1,091	7.5	0.23	5.9	0.19	900	5.8	0.20	4.7	0.18
Endocrine System	1,135	7.9	0.24	6.2	0.19	3,518	24.8	0.43	20.5	0.36
Thyroid gland	1,040	7.3	0.23	5.7	0.18	3,426	24.2	0.42	19.9	0.36
Lymphomas	3,027	20.8	0.38	14.1	0.28	2,583	15.6	0.31	10.7	0.24
Hodgkin Lymphoma	329	2.4	0.13	2.2	0.12	282	2.0	0.12	1.9	0.12
Non-Hodgkin Lymphoma	2,698	18.4	0.36	11.9	0.25	2,301	13.5	0.29	8.8	0.20
Multiple Myeloma	873	5.8	0.20	3.5	0.13	638	3.6	0.15	2.3	0.10
Leukemias	1,937	13.5	0.31	9.4	0.24	1,462	9.0	0.24	6.8	0.21
Acute lymphocytic	263	1.9	0.12	2.2	0.15	185	1.4	0.10	1.7	0.13
Chronic lymphocytic	551	3.7	0.16	2.1	0.10	363	2.0	0.11	1.1	0.07
Acute myeloid	604	4.1	0.17	2.7	0.12	530	3.3	0.15	2.4	0.12
Chronic myeloid	212	1.5	0.10	1.0	0.07	174	1.1	0.08	0.8	0.07
Other leukemias	307	2.2	0.12	1.3	0.08	210	1.2	0.09	0.8	0.07
Mesothelioma	268	1.8	0.11	1.0	0.06	71	0.4	0.05	0.2	0.03
Kaposi Sarcoma	52	0.4	0.06	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	3,028	20.8	0.38	11.9	0.23	2,561	14.6	0.29	8.4	0.19
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,034	7.1	0.22	5.1	0.17	2,296	14.3	0.31	10.2	0.24
Breast (*in situ*)	35	0.2	0.04	0.2	0.03	4,349	26.9	0.42	20.2	0.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,942	402.6	10.37	272.5	6.31	1,761	326.9	8.14	227.4	5.51
Oral Cavity & Pharynx	40	7.6	1.32	5.5	0.89	20	3.6	0.83	2.7	0.61
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	2.2	0.79	1.4	0.47	-	-	-	-	-
Major salivary gland	-	-	-	-	-	7	1.2	0.48	0.9	0.33
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	415	91.0	5.12	58.0	2.91	325	64.9	3.75	41.2	2.34
Esophagus	21	4.8	1.12	3.2	0.70	8	1.7	0.64	1.0	0.36
Stomach	37	9.2	1.80	5.5	0.92	25	4.9	1.01	3.2	0.66
Small intestine	14	2.6	0.84	1.9	0.53	13	2.1	0.61	1.6	0.45
Colon excl. rectum	137	32.8	3.26	18.6	1.63	132	26.5	2.40	16.7	1.48
Rectum & rectosigmoid	46	9.7	1.67	6.0	0.91	46	8.8	1.35	6.0	0.90
Anus, anal canal & anorectum	-	-	-	-	-	8	1.4	0.50	1.1	0.38
Liver	77	13.3	1.61	10.6	1.23	18	3.8	0.94	2.2	0.54
Gallbladder	-	-	-	-	-	6	1.4	0.57	0.7	0.29
Pancreas	64	13.6	1.85	9.4	1.20	58	12.3	1.68	7.4	0.99
Respiratory System	272	66.0	4.48	39.6	2.45	241	49.7	3.33	31.3	2.06
Larynx	7	2.0	0.86	1.0	0.40	-	-	-	-	-
Lung & bronchus	259	62.9	4.37	37.8	2.39	234	48.4	3.30	30.4	2.03
Bones & Joints	-	-	-	-	-	8	1.3	0.50	1.0	0.34
Soft Tissue (incl. heart)	13	1.8	0.57	1.6	0.45	14	2.2	0.64	1.8	0.48
Skin (excl. basal & sq.)	8	1.8	0.68	1.0	0.36	6	1.0	0.45	0.7	0.31
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	6	1.8	0.81	0.9	0.36	541	96.7	4.32	70.1	3.06
Female Genital System	-	-	-	-	-	192	33.3	2.49	25.6	1.87
Cervix uteri	-	-	-	-	-	48	7.6	1.13	6.2	0.91
Uterus Corpus	-	-	-	-	-	79	13.9	1.61	11.0	1.25
Uterus, NOS[1]	-	-	-	-	-	18	3.1	0.75	2.4	0.58
Ovary	-	-	-	-	-	38	6.9	1.18	4.8	0.80
Male Genital System	665	127.9	5.49	94.8	3.75	-	-	-	-	-
Prostate	655	126.4	5.47	93.6	3.73	-	-	-	-	-
Testis	9	1.2	0.39	1.0	0.32	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	171	37.4	3.28	24.0	1.87	100	19.9	2.09	12.8	1.31
Bladder (incl. *in situ*)	59	15.6	2.27	8.7	1.15	31	7.0	1.30	3.8	0.70
Kidney & renal pelvis	110	21.2	2.31	15.0	1.46	68	12.7	1.63	8.9	1.09
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	31	4.4	0.90	4.0	0.74	18	2.9	0.73	2.5	0.59
Brain	31	4.4	0.90	4.0	0.74	14	2.4	0.68	1.9	0.52
Endocrine System	31	4.3	0.79	3.8	0.70	110	17.3	1.69	13.9	1.34
Thyroid gland	29	4.0	0.77	3.6	0.68	104	16.3	1.63	13.2	1.30
Lymphomas	101	17.4	2.02	12.7	1.28	53	8.5	1.23	6.6	0.92
Hodgkin Lymphoma	32	4.3	0.82	3.8	0.69	17	2.3	0.59	2.1	0.52
Non-Hodgkin Lymphoma	69	13.1	1.85	8.8	1.08	36	6.2	1.09	4.5	0.76
Multiple Myeloma	57	13.5	2.03	7.9	1.07	29	5.6	1.08	3.9	0.73
Leukemias	45	8.5	1.46	6.2	0.94	42	7.5	1.24	5.3	0.84
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	11	2.5	0.82	1.6	0.50	8	1.7	0.63	1.0	0.38
Acute myeloid	14	3.3	1.03	2.0	0.53	16	3.0	0.79	2.0	0.51
Chronic myeloid	12	1.8	0.53	1.6	0.46	9	1.5	0.53	1.1	0.38
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	1.0	0.38	0.8	0.29	-	-	-	-	-
Ill-defined & Unknown	73	16.8	2.23	10.8	1.29	60	12.1	1.63	7.7	1.01
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	37	6.5	1.25	4.5	0.75	76	14.1	1.71	9.6	1.11
Breast (*in situ*)	-	-	-	-	-	121	21.7	2.04	16.0	1.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	792	243.1	9.51	155.0	5.60	1,218	243.6	7.37	169.0	4.92
Oral Cavity & Pharynx	23	6.9	1.61	4.4	0.94	14	3.1	0.88	1.8	0.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	6	1.1	0.45	0.8	0.33
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	8	1.8	0.68	1.4	0.49	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	246	74.4	5.20	47.3	3.07	229	52.6	3.68	31.0	2.08
Esophagus	11	3.1	0.98	2.2	0.68	-	-	-	-	-
Stomach	24	8.9	1.94	4.6	0.96	30	7.2	1.37	4.1	0.75
Small intestine	6	1.7	0.75	1.1	0.45	-	-	-	-	-
Colon excl. rectum	61	18.8	2.70	11.7	1.52	69	15.7	2.01	9.1	1.11
Rectum & rectosigmoid	41	13.3	2.29	7.9	1.26	28	6.1	1.20	3.9	0.74
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	60	15.2	2.08	11.2	1.48	26	5.6	1.14	3.5	0.69
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	21	6.5	1.54	4.4	0.97	45	11.6	1.85	6.1	0.92
Respiratory System	125	44.0	4.31	25.0	2.26	132	29.5	2.72	18.2	1.60
Larynx	6	2.2	0.99	1.2	0.51	-	-	-	-	-
Lung & bronchus	119	41.9	4.19	23.7	2.20	130	29.2	2.71	17.9	1.59
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	11	2.7	0.86	2.4	0.72	12	2.1	0.65	1.7	0.52
Skin (excl. basal & sq.)	8	2.4	0.89	1.4	0.52	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	9	1.7	0.61	1.2	0.39
Breast (excl. *in situ*)	-	-	-	-	-	379	70.9	3.79	52.6	2.72
Female Genital System	-	-	-	-	-	153	28.0	2.36	21.0	1.71
Cervix uteri	-	-	-	-	-	27	4.5	0.86	3.5	0.68
Uterus Corpus	-	-	-	-	-	78	14.6	1.73	10.7	1.22
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	39	6.9	1.13	5.5	0.89
Male Genital System	148	44.1	3.88	30.5	2.54	-	-	-	-	-
Prostate	139	42.1	3.80	29.2	2.50	-	-	-	-	-
Testis	7	1.2	0.46	1.0	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	17.9	2.56	11.1	1.49	34	7.5	1.36	4.8	0.84
Bladder (incl. *in situ*)	30	10.1	1.97	5.8	1.08	13	3.2	0.93	1.7	0.49
Kidney & renal pelvis	26	7.5	1.60	5.0	1.01	20	4.2	0.97	2.9	0.67
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	7	1.7	0.75	1.4	0.53	15	2.8	0.73	2.7	0.73
Brain	7	1.7	0.75	1.4	0.53	15	2.8	0.73	2.7	0.73
Endocrine System	32	8.1	1.64	5.8	1.04	127	21.2	1.93	17.6	1.59
Thyroid gland	28	7.2	1.58	5.0	0.97	124	20.7	1.90	17.2	1.57
Lymphomas	50	15.1	2.35	9.3	1.33	36	7.0	1.21	5.4	0.92
Hodgkin Lymphoma	9	2.2	0.82	1.6	0.53	-	-	-	-	-
Non-Hodgkin Lymphoma	41	12.9	2.20	7.7	1.22	-	-	-	-	-
Multiple Myeloma	11	3.6	1.14	2.2	0.68	9	2.4	0.83	1.1	0.37
Leukemias	33	8.2	1.68	6.5	1.18	31	5.4	1.03	4.7	0.89
Acute lymphocytic	12	2.3	0.78	2.8	0.82	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	17	5.1	1.44	3.1	0.78	12	1.9	0.55	1.7	0.50
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	33	11.5	2.27	6.3	1.12	31	8.0	1.55	4.2	0.77
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	20	5.3	1.34	3.8	0.87	44	9.3	1.49	5.8	0.89
Breast (*in situ*)	-	-	-	-	-	114	21.0	2.05	15.8	1.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,573	316.6	8.78	204.8	5.25	1,788	268.9	6.62	193.2	4.64
Oral Cavity & Pharynx	44	8.3	1.39	5.6	0.86	21	3.2	0.72	2.2	0.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	1.5	0.52	1.2	0.39	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	8	1.4	0.56	0.9	0.34	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	457	90.8	4.61	59.8	2.84	390	63.8	3.36	41.9	2.16
Esophagus	31	6.1	1.18	4.2	0.76	9	1.6	0.55	0.9	0.31
Stomach	79	18.8	2.28	10.4	1.20	45	7.7	1.19	4.7	0.72
Small intestine	-	-	-	-	-	8	1.2	0.46	0.7	0.26
Colon excl. rectum	108	19.9	2.07	14.2	1.39	112	18.1	1.78	11.9	1.14
Rectum & rectosigmoid	67	11.3	1.47	8.4	1.04	42	6.2	0.99	4.6	0.71
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	85	16.3	1.91	10.9	1.20	63	9.9	1.30	7.3	0.94
Gallbladder	19	4.8	1.18	2.5	0.59	20	3.6	0.82	2.1	0.48
Pancreas	39	8.1	1.38	5.3	0.86	51	9.4	1.36	5.2	0.74
Respiratory System	102	23.1	2.45	14.0	1.41	107	18.0	1.81	11.4	1.13
Larynx	12	2.3	0.72	1.6	0.45	-	-	-	-	-
Lung & bronchus	87	20.3	2.33	12.1	1.31	99	16.7	1.74	10.6	1.09
Bones & Joints	14	1.6	0.45	1.5	0.40	7	0.8	0.33	0.8	0.29
Soft Tissue (incl. heart)	27	4.8	1.04	3.2	0.63	21	2.8	0.63	2.3	0.51
Skin (excl. basal & sq.)	-	-	-	-	-	28	4.3	0.87	2.9	0.56
Melanomas of the skin	16	3.3	0.88	2.2	0.57	21	3.3	0.76	2.2	0.49
Breast (excl. *in situ*)	-	-	-	-	-	351	50.6	2.78	38.3	2.07
Female Genital System	-	-	-	-	-	351	49.3	2.71	38.1	2.05
Cervix uteri	-	-	-	-	-	56	7.6	1.06	6.0	0.81
Uterus Corpus	-	-	-	-	-	183	25.0	1.89	20.0	1.49
Uterus, NOS[2]	-	-	-	-	-	8	1.2	0.46	0.8	0.27
Ovary	-	-	-	-	-	93	13.5	1.45	10.2	1.07
Male Genital System	376	81.6	4.60	50.0	2.62	-	-	-	-	-
Prostate	322	75.6	4.51	44.2	2.50	-	-	-	-	-
Testis	53	5.7	0.80	5.6	0.78	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	225	43.7	3.20	29.4	1.99	136	19.8	1.75	15.2	1.32
Bladder (incl. *in situ*)	33	8.0	1.54	4.4	0.78	14	2.3	0.64	1.6	0.44
Kidney & renal pelvis	191	35.4	2.79	24.9	1.83	122	17.5	1.62	13.6	1.24
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	37	5.5	1.06	4.5	0.75	20	2.5	0.59	2.2	0.50
Brain	29	4.3	0.93	3.6	0.67	17	2.1	0.51	1.9	0.46
Endocrine System	23	3.2	0.70	2.6	0.54	106	13.7	1.36	11.4	1.12
Thyroid gland	21	2.9	0.67	2.3	0.52	101	13.1	1.33	10.9	1.09
Lymphomas	64	12.1	1.68	7.9	1.00	65	10.2	1.31	7.2	0.90
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	36	7.8	1.43	4.8	0.81	33	5.7	1.03	3.4	0.60
Leukemias	43	6.9	1.23	5.2	0.80	59	8.1	1.11	6.6	0.87
Acute lymphocytic	11	1.2	0.39	1.3	0.39	17	1.8	0.45	2.0	0.48
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	14	2.3	0.71	1.7	0.47	23	3.2	0.70	2.6	0.55
Chronic myeloid	9	1.6	0.57	1.0	0.33	12	1.9	0.57	1.3	0.39
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	1.2	0.53	0.8	0.29	-	-	-	-	-
Ill-defined & Unknown	89	19.3	2.28	11.6	1.25	89	15.7	1.74	8.8	0.95
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	49	7.8	1.22	5.7	0.83	92	14.9	1.60	10.0	1.06
Breast (*in situ*)	-	-	-	-	-	64	8.8	1.13	7.1	0.90

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	8,058	341.7	4.23	224.0	2.57	9,439	318.2	3.47	219.1	2.31
Oral Cavity & Pharynx	184	7.6	0.61	5.1	0.39	90	2.9	0.32	2.2	0.23
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	37	1.5	0.26	1.1	0.18	28	0.9	0.19	0.7	0.13
Major salivary gland	21	1.1	0.25	0.6	0.12	21	0.6	0.13	0.5	0.11
Floor of mouth	12	0.4	0.13	0.3	0.10	-	-	-	-	-
Gum & other mouth	19	0.9	0.23	0.6	0.13	16	0.5	0.14	0.4	0.09
Nasopharynx	14	0.5	0.15	0.3	0.09	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	15	0.8	0.21	0.4	0.12	-	-	-	-	-
Digestive System	2,215	96.3	2.25	62.2	1.35	1,607	61.7	1.61	37.7	0.97
Esophagus	101	4.6	0.50	2.9	0.29	26	1.0	0.20	0.6	0.12
Stomach	246	11.4	0.80	6.9	0.45	173	6.7	0.53	4.0	0.31
Small intestine	46	1.8	0.29	1.3	0.20	40	1.4	0.23	1.0	0.16
Colon excl. rectum	600	26.6	1.20	16.7	0.70	544	21.1	0.95	12.5	0.55
Rectum & rectosigmoid	340	14.2	0.84	9.5	0.53	226	7.6	0.53	5.3	0.36
Anus, anal canal & anorectum	19	0.8	0.19	0.5	0.11	24	0.8	0.16	0.6	0.13
Liver	476	18.4	0.91	13.3	0.62	158	6.1	0.51	3.9	0.31
Gallbladder	30	1.5	0.30	0.9	0.17	64	2.5	0.33	1.6	0.20
Pancreas	265	12.4	0.83	7.6	0.48	263	11.1	0.71	6.1	0.39
Respiratory System	845	44.4	1.64	24.9	0.88	681	27.3	1.09	16.4	0.65
Larynx	68	3.1	0.42	2.0	0.25	12	0.5	0.14	0.3	0.08
Lung & bronchus	749	40.3	1.58	22.1	0.83	656	26.5	1.07	15.8	0.63
Bones & Joints	34	0.9	0.19	0.7	0.13	48	1.0	0.16	1.0	0.15
Soft Tissue (incl. heart)	94	2.9	0.35	2.2	0.23	81	2.2	0.27	1.8	0.21
Skin (excl. basal & sq.)	112	5.0	0.54	3.0	0.29	126	4.0	0.38	2.8	0.26
Melanomas of the skin	96	4.3	0.50	2.6	0.27	109	3.3	0.34	2.4	0.24
Breast (excl. *in situ*)	24	0.8	0.16	0.6	0.13	2,676	87.7	1.77	63.4	1.25
Female Genital System	-	-	-	-	-	1,289	40.3	1.18	29.8	0.85
Cervix uteri	-	-	-	-	-	305	8.4	0.50	6.5	0.38
Uterus Corpus	-	-	-	-	-	549	17.2	0.76	13.0	0.57
Uterus, NOS[1]	-	-	-	-	-	43	1.4	0.22	1.1	0.17
Ovary	-	-	-	-	-	329	10.9	0.64	7.7	0.43
Male Genital System	1,886	78.5	1.98	55.0	1.30	-	-	-	-	-
Prostate	1,605	72.1	1.93	49.2	1.25	-	-	-	-	-
Testis	243	4.8	0.32	4.7	0.30	-	-	-	-	-
Penis	34	1.5	0.29	0.9	0.16	-	-	-	-	-
Urinary System	872	38.5	1.43	24.5	0.85	571	20.0	0.88	13.4	0.58
Bladder (incl. *in situ*)	265	14.3	0.94	7.9	0.50	112	4.6	0.46	2.5	0.25
Kidney & renal pelvis	599	23.7	1.06	16.4	0.69	450	15.0	0.74	10.6	0.51
Ureter	-	-	-	-	-	6	0.3	0.12	0.1	0.06
Eye & Orbit	15	0.4	0.12	0.4	0.10	20	0.4	0.11	0.5	0.11
Brain & Other Nervous System	213	6.4	0.51	5.2	0.37	165	4.5	0.39	3.6	0.29
Brain	203	6.2	0.50	5.0	0.36	146	4.0	0.36	3.2	0.27
Endocrine System	207	6.5	0.50	5.0	0.36	825	22.1	0.81	17.9	0.63
Thyroid gland	171	5.4	0.46	4.1	0.32	808	21.6	0.80	17.5	0.63
Lymphomas	463	17.3	0.92	11.8	0.57	457	15.9	0.79	10.5	0.51
Hodgkin Lymphoma	88	2.2	0.26	1.9	0.21	62	1.5	0.21	1.3	0.17
Non-Hodgkin Lymphoma	375	15.1	0.88	9.9	0.53	395	14.4	0.77	9.2	0.48
Multiple Myeloma	151	7.0	0.62	4.3	0.36	118	4.6	0.44	2.8	0.26
Leukemias	372	11.2	0.70	8.7	0.47	330	9.3	0.57	7.3	0.41
Acute lymphocytic	140	2.5	0.22	2.9	0.25	109	2.1	0.23	2.4	0.23
Chronic lymphocytic	36	1.7	0.31	1.0	0.17	25	1.0	0.22	0.6	0.12
Acute myeloid	100	3.5	0.40	2.5	0.25	111	3.5	0.36	2.5	0.24
Chronic myeloid	41	1.2	0.21	1.0	0.16	42	1.3	0.22	0.9	0.14
Other leukemias	55	2.4	0.37	1.4	0.20	43	1.4	0.24	0.9	0.15
Mesothelioma	29	1.4	0.29	0.8	0.16	13	0.5	0.14	0.3	0.09
Kaposi Sarcoma	16	0.4	0.09	0.3	0.08	-	-	-	-	-
Ill-defined & Unknown	326	16.2	1.00	9.2	0.52	342	13.8	0.78	7.7	0.43
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	189	7.2	0.60	4.7	0.36	437	14.7	0.75	9.9	0.48
Breast (*in situ*)	-	-	-	-	-	624	19.6	0.81	15.2	0.62

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	55,808	434.5	1.88	287.3	1.35	53,600	389.7	1.77	271.6	1.36
Oral Cavity & Pharynx	1,884	14.8	0.35	10.7	0.26	733	5.3	0.20	3.8	0.16
Lip	79	0.7	0.08	0.4	0.05	19	0.1	0.03	0.1	0.02
Tongue	652	5.1	0.21	3.8	0.16	237	1.8	0.12	1.3	0.10
Major salivary gland	212	1.7	0.12	1.1	0.08	103	0.8	0.08	0.6	0.06
Floor of mouth	89	0.7	0.07	0.5	0.05	42	0.3	0.05	0.2	0.04
Gum & other mouth	168	1.3	0.10	0.9	0.07	152	1.1	0.09	0.7	0.06
Nasopharynx	77	0.6	0.08	0.5	0.06	19	0.1	0.04	0.1	0.03
Oropharynx	80	0.6	0.07	0.4	0.05	38	0.3	0.05	0.2	0.04
Hypopharynx	73	0.5	0.06	0.4	0.04	24	0.2	0.04	0.1	0.03
Digestive System	10,463	81.1	0.81	51.9	0.55	8,106	54.9	0.63	33.9	0.43
Esophagus	1,072	8.1	0.25	5.3	0.17	251	1.6	0.11	1.0	0.07
Stomach	801	6.2	0.22	3.9	0.15	366	2.5	0.13	1.5	0.09
Small intestine	244	1.9	0.12	1.2	0.08	191	1.3	0.10	0.9	0.07
Colon excl. rectum	3,537	27.8	0.48	16.9	0.31	3,476	23.3	0.41	13.7	0.27
Rectum & rectosigmoid	1,534	12.1	0.32	8.2	0.23	1,057	7.7	0.25	5.3	0.18
Anus, anal canal & anorectum	147	1.2	0.10	0.8	0.07	268	1.9	0.12	1.3	0.09
Liver	1,028	7.7	0.24	5.6	0.19	409	2.7	0.14	1.9	0.11
Gallbladder	70	0.5	0.07	0.3	0.04	134	0.9	0.08	0.5	0.05
Pancreas	1,663	12.7	0.32	7.9	0.21	1,521	10.0	0.26	5.9	0.17
Respiratory System	9,057	68.3	0.73	41.3	0.47	8,016	52.9	0.60	32.6	0.40
Larynx	552	4.1	0.18	2.9	0.13	134	0.9	0.08	0.7	0.06
Lung & bronchus	8,384	63.2	0.70	37.7	0.44	7,797	51.4	0.59	31.5	0.39
Bones & Joints	96	1.0	0.11	0.9	0.11	82	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	429	3.7	0.19	2.7	0.16	328	2.6	0.15	1.9	0.13
Skin (excl. basal & sq.)	3,362	27.4	0.49	18.2	0.35	1,957	15.8	0.38	11.8	0.31
Melanomas of the skin	3,140	25.6	0.47	17.1	0.34	1,862	15.2	0.37	11.4	0.30
Breast (excl. *in situ*)	246	1.9	0.13	1.3	0.09	16,052	118.8	0.99	85.6	0.74
Female Genital System	-	-	-	-	-	5,638	41.3	0.58	30.6	0.45
Cervix uteri	-	-	-	-	-	649	6.1	0.26	4.9	0.21
Uterus Corpus	-	-	-	-	-	2,762	19.3	0.38	14.5	0.30
Uterus, NOS[1]	-	-	-	-	-	134	0.9	0.08	0.6	0.06
Ovary	-	-	-	-	-	1,636	11.8	0.31	8.3	0.23
Male Genital System	13,065	97.2	0.87	70.1	0.65	-	-	-	-	-
Prostate	12,446	90.3	0.82	64.0	0.60	-	-	-	-	-
Testis	536	6.2	0.27	5.7	0.26	-	-	-	-	-
Penis	62	0.5	0.06	0.3	0.04	-	-	-	-	-
Urinary System	7,277	56.5	0.68	34.3	0.44	2,889	20.0	0.39	13.2	0.29
Bladder (incl. *in situ*)	4,647	35.7	0.53	20.1	0.32	1,393	9.2	0.25	5.5	0.17
Kidney & renal pelvis	2,476	19.7	0.41	13.5	0.30	1,422	10.3	0.29	7.4	0.23
Ureter	96	0.7	0.07	0.4	0.04	49	0.3	0.05	0.2	0.03
Eye & Orbit	120	1.0	0.10	0.8	0.10	119	1.0	0.10	0.8	0.10
Brain & Other Nervous System	951	8.4	0.28	6.7	0.26	806	6.9	0.26	5.8	0.26
Brain	902	7.9	0.27	6.2	0.24	761	6.4	0.25	5.3	0.24
Endocrine System	942	8.5	0.29	6.8	0.24	2,737	26.3	0.53	22.0	0.46
Thyroid gland	878	8.0	0.28	6.3	0.23	2,661	25.6	0.53	21.2	0.45
Lymphomas	2,593	21.6	0.44	14.9	0.34	2,151	15.8	0.36	11.1	0.29
Hodgkin Lymphoma	247	2.5	0.17	2.3	0.16	224	2.4	0.17	2.3	0.17
Non-Hodgkin Lymphoma	2,346	19.1	0.41	12.6	0.30	1,927	13.5	0.32	8.8	0.24
Multiple Myeloma	728	5.6	0.21	3.4	0.13	526	3.4	0.15	2.2	0.11
Leukemias	1,604	13.5	0.35	9.4	0.30	1,168	8.8	0.28	6.7	0.27
Acute lymphocytic	152	1.7	0.15	2.1	0.20	99	1.2	0.13	1.6	0.19
Chronic lymphocytic	515	4.0	0.18	2.3	0.11	338	2.2	0.12	1.2	0.08
Acute myeloid	508	4.1	0.19	2.7	0.15	425	3.3	0.17	2.4	0.14
Chronic myeloid	174	1.5	0.12	0.9	0.08	138	1.0	0.09	0.8	0.08
Other leukemias	255	2.1	0.14	1.3	0.10	168	1.2	0.09	0.7	0.08
Mesothelioma	241	1.9	0.12	1.0	0.07	59	0.4	0.05	0.2	0.03
Kaposi Sarcoma	36	0.4	0.07	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	2,714	21.5	0.42	12.5	0.27	2,233	14.7	0.32	8.6	0.22
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	857	7.4	0.26	5.5	0.22	1,889	14.6	0.36	10.6	0.29
Breast (*in situ*)	31	0.2	0.04	0.2	0.03	3,748	28.6	0.49	21.5	0.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arizona, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,915	423.1	10.93	287.2	6.69	1,727	347.9	8.69	243.1	5.95
Oral Cavity & Pharynx	38	7.8	1.39	5.7	0.93	20	3.9	0.89	2.9	0.67
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	2.3	0.84	1.5	0.50	-	-	-	-	-
Major salivary gland	-	-	-	-	-	7	1.3	0.52	0.9	0.36
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	409	95.4	5.38	61.0	3.08	320	68.6	3.98	43.8	2.50
Esophagus	21	5.1	1.18	3.4	0.75	8	1.9	0.68	1.0	0.38
Stomach	37	9.8	1.90	5.8	0.98	25	5.2	1.08	3.5	0.71
Small intestine	14	2.8	0.89	2.1	0.56	13	2.3	0.66	1.8	0.49
Colon excl. rectum	137	35.0	3.46	19.9	1.74	129	27.9	2.55	17.5	1.58
Rectum & rectosigmoid	45	10.2	1.76	6.3	0.96	46	9.4	1.44	6.4	0.97
Anus, anal canal & anorectum	-	-	-	-	-	7	1.3	0.52	1.0	0.39
Liver	77	14.1	1.71	11.3	1.31	18	4.1	1.00	2.4	0.58
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	61	13.8	1.92	9.6	1.24	58	13.1	1.79	7.9	1.06
Respiratory System	269	69.3	4.72	41.6	2.58	239	52.7	3.54	33.3	2.20
Larynx	7	2.1	0.91	1.1	0.42	-	-	-	-	-
Lung & bronchus	256	65.9	4.60	39.6	2.51	232	51.4	3.50	32.3	2.17
Bones & Joints	-	-	-	-	-	8	1.4	0.55	1.1	0.40
Soft Tissue (incl. heart)	13	2.1	0.62	1.8	0.52	14	2.5	0.70	2.0	0.56
Skin (excl. basal & sq.)	8	1.9	0.73	1.1	0.38	6	1.2	0.49	0.8	0.35
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	6	1.9	0.86	0.9	0.38	529	103.2	4.63	74.9	3.30
Female Genital System	-	-	-	-	-	188	35.4	2.66	27.4	2.02
Cervix uteri	-	-	-	-	-	46	8.2	1.23	6.7	0.99
Uterus Corpus	-	-	-	-	-	78	14.8	1.72	11.6	1.33
Uterus, NOS[1]	-	-	-	-	-	18	3.3	0.81	2.6	0.63
Ovary	-	-	-	-	-	37	7.2	1.23	5.2	0.86
Male Genital System	656	133.6	5.75	99.2	3.94	-	-	-	-	-
Prostate	646	132.0	5.73	97.9	3.92	-	-	-	-	-
Testis	9	1.3	0.44	1.1	0.36	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	170	39.7	3.48	25.4	1.99	97	20.8	2.20	13.5	1.40
Bladder (incl. *in situ*)	58	16.3	2.40	9.0	1.21	30	7.2	1.35	3.9	0.74
Kidney & renal pelvis	110	22.7	2.46	16.1	1.56	66	13.4	1.73	9.4	1.18
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	30	4.8	0.97	4.6	0.85	18	3.2	0.79	2.8	0.66
Brain	30	4.8	0.97	4.6	0.85	14	2.6	0.73	2.1	0.58
Endocrine System	31	4.7	0.86	4.2	0.77	109	19.1	1.87	15.4	1.49
Thyroid gland	29	4.4	0.84	4.0	0.75	103	18.0	1.80	14.6	1.44
Lymphomas	99	18.6	2.15	13.6	1.39	52	9.3	1.35	7.3	1.02
Hodgkin Lymphoma	31	4.7	0.89	4.2	0.77	16	2.5	0.65	2.3	0.58
Non-Hodgkin Lymphoma	68	13.9	1.96	9.4	1.16	36	6.8	1.18	4.9	0.84
Multiple Myeloma	55	13.9	2.14	8.1	1.11	28	5.8	1.14	4.1	0.78
Leukemias	45	9.1	1.55	6.7	1.01	38	7.6	1.31	5.4	0.89
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	11	2.6	0.87	1.7	0.53	8	1.8	0.67	1.1	0.40
Acute myeloid	14	3.5	1.09	2.1	0.57	16	3.3	0.86	2.3	0.58
Chronic myeloid	12	1.9	0.57	1.7	0.50	6	1.1	0.50	0.8	0.35
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	1.1	0.42	0.8	0.32	-	-	-	-	-
Ill-defined & Unknown	72	17.7	2.36	11.4	1.37	59	12.8	1.73	8.1	1.08
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	37	7.1	1.34	5.0	0.83	73	14.9	1.82	10.0	1.19
Breast (*in situ*)	-	-	-	-	-	120	23.3	2.19	17.2	1.59

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	41,060	533.5	2.69	357.6	1.83	33,887	382.8	2.12	269.4	1.59
Oral Cavity & Pharynx	1,550	19.6	0.51	14.4	0.37	556	6.2	0.27	4.4	0.20
Lip	113	1.5	0.14	1.0	0.10	23	0.2	0.05	0.1	0.03
Tongue	465	5.8	0.28	4.3	0.20	172	2.0	0.15	1.5	0.12
Major salivary gland	134	1.9	0.17	1.1	0.10	74	0.8	0.10	0.7	0.08
Floor of mouth	63	0.8	0.10	0.6	0.07	38	0.4	0.07	0.3	0.05
Gum & other mouth	185	2.3	0.17	1.7	0.12	129	1.4	0.12	0.8	0.09
Nasopharynx	63	0.8	0.11	0.7	0.09	11	0.1	0.04	0.1	0.03
Oropharynx	66	0.8	0.10	0.6	0.08	19	0.2	0.05	0.1	0.03
Hypopharynx	107	1.3	0.13	1.0	0.10	14	0.2	0.04	0.1	0.03
Digestive System	7,384	97.2	1.16	63.6	0.77	5,696	62.3	0.84	40.0	0.58
Esophagus	610	7.7	0.32	5.3	0.22	122	1.3	0.12	0.9	0.09
Stomach	584	7.9	0.33	4.9	0.21	333	3.6	0.20	2.4	0.14
Small intestine	228	3.0	0.20	2.0	0.14	172	1.9	0.15	1.3	0.11
Colon excl. rectum	2,615	35.1	0.70	21.9	0.44	2,631	28.8	0.57	18.0	0.38
Rectum & rectosigmoid	1,195	15.3	0.45	10.8	0.32	810	9.1	0.33	6.4	0.24
Anus, anal canal & anorectum	98	1.3	0.14	0.9	0.10	173	2.0	0.15	1.4	0.11
Liver	737	9.2	0.34	6.8	0.26	237	2.6	0.17	1.7	0.12
Gallbladder	48	0.7	0.10	0.4	0.06	97	1.0	0.11	0.6	0.07
Pancreas	1,027	13.6	0.43	8.5	0.28	903	9.7	0.33	5.8	0.21
Respiratory System	8,330	108.0	1.21	69.3	0.78	5,636	60.9	0.82	40.8	0.58
Larynx	577	7.1	0.30	5.3	0.22	164	1.8	0.15	1.4	0.11
Lung & bronchus	7,674	99.8	1.16	63.3	0.74	5,428	58.5	0.80	39.1	0.56
Bones & Joints	67	0.9	0.11	0.8	0.10	58	0.8	0.10	0.7	0.10
Soft Tissue (incl. heart)	221	3.0	0.21	2.3	0.17	212	2.6	0.18	2.2	0.17
Skin (excl. basal & sq.)	1,717	23.2	0.57	15.1	0.38	1,142	13.6	0.41	10.0	0.32
Melanomas of the skin	1,598	21.5	0.55	14.0	0.37	1,070	12.8	0.40	9.5	0.32
Breast (excl. *in situ*)	110	1.4	0.14	1.0	0.09	9,450	107.9	1.13	77.9	0.85
Female Genital System	-	-	-	-	-	3,856	44.9	0.74	33.5	0.57
Cervix uteri	-	-	-	-	-	726	9.8	0.37	7.8	0.30
Uterus Corpus	-	-	-	-	-	1,814	20.1	0.48	15.2	0.37
Uterus, NOS[1]	-	-	-	-	-	62	0.7	0.09	0.5	0.07
Ovary	-	-	-	-	-	903	10.3	0.35	7.4	0.27
Male Genital System	11,520	143.3	1.36	100.8	0.96	-	-	-	-	-
Prostate	11,134	137.8	1.33	95.9	0.93	-	-	-	-	-
Testis	304	4.4	0.26	4.2	0.24	-	-	-	-	-
Penis	67	0.9	0.11	0.6	0.07	-	-	-	-	-
Urinary System	4,294	57.4	0.89	36.0	0.57	1,829	20.4	0.48	13.9	0.36
Bladder (incl. *in situ*)	2,565	35.0	0.70	20.2	0.41	692	7.4	0.29	4.5	0.19
Kidney & renal pelvis	1,651	21.4	0.54	15.1	0.38	1,085	12.4	0.38	9.0	0.30
Ureter	57	0.8	0.10	0.5	0.06	33	0.3	0.06	0.2	0.04
Eye & Orbit	71	0.9	0.11	0.8	0.11	48	0.5	0.08	0.4	0.07
Brain & Other Nervous System	558	7.5	0.32	6.0	0.28	464	5.6	0.27	4.7	0.25
Brain	523	7.0	0.31	5.5	0.26	432	5.2	0.25	4.3	0.23
Endocrine System	424	5.6	0.28	4.4	0.22	1,106	14.3	0.44	11.7	0.37
Thyroid gland	369	4.9	0.26	3.7	0.20	1,054	13.7	0.43	11.1	0.36
Lymphomas	1,753	23.5	0.57	16.4	0.41	1,508	17.1	0.45	11.8	0.34
Hodgkin Lymphoma	230	3.2	0.21	2.9	0.20	171	2.3	0.18	2.1	0.17
Non-Hodgkin Lymphoma	1,523	20.3	0.53	13.5	0.36	1,337	14.9	0.41	9.8	0.29
Multiple Myeloma	583	7.7	0.33	4.8	0.21	423	4.7	0.23	3.1	0.16
Leukemias	1,043	14.4	0.45	10.1	0.34	723	8.3	0.31	6.3	0.28
Acute lymphocytic	122	1.7	0.16	2.1	0.20	62	0.8	0.11	1.1	0.15
Chronic lymphocytic	332	4.4	0.25	2.7	0.15	200	2.1	0.15	1.3	0.10
Acute myeloid	297	4.1	0.24	2.7	0.17	258	3.0	0.19	2.3	0.16
Chronic myeloid	119	1.6	0.15	1.1	0.11	90	1.0	0.11	0.7	0.09
Other leukemias	173	2.5	0.19	1.5	0.12	113	1.3	0.12	0.8	0.08
Mesothelioma	77	1.0	0.12	0.6	0.07	21	0.2	0.05	0.2	0.04
Kaposi Sarcoma	20	0.3	0.07	0.2	0.05	7	0.1	0.02	0.0	0.01
Ill-defined & Unknown	1,338	18.4	0.51	11.0	0.32	1,152	12.5	0.37	7.7	0.25
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	547	7.4	0.32	5.8	0.27	904	10.7	0.37	8.2	0.30
Breast (*in situ*)	15	0.2	0.05	0.1	0.04	2,118	24.3	0.54	18.3	0.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	34,916	515.8	2.81	343.9	1.93	29,137	382.3	2.30	269.2	1.74
Oral Cavity & Pharynx	1,366	19.8	0.55	14.5	0.40	490	6.3	0.29	4.4	0.22
Lip	111	1.6	0.16	1.1	0.11	21	0.3	0.06	0.2	0.04
Tongue	421	6.1	0.30	4.5	0.23	156	2.1	0.17	1.5	0.13
Major salivary gland	117	1.9	0.18	1.0	0.10	59	0.8	0.10	0.6	0.09
Floor of mouth	56	0.8	0.11	0.6	0.08	32	0.4	0.07	0.3	0.05
Gum & other mouth	164	2.3	0.19	1.7	0.13	117	1.4	0.14	0.9	0.09
Nasopharynx	45	0.7	0.10	0.5	0.08	9	0.1	0.04	0.1	0.04
Oropharynx	58	0.8	0.10	0.6	0.08	16	0.2	0.05	0.1	0.04
Hypopharynx	87	1.2	0.13	0.9	0.10	13	0.2	0.05	0.1	0.03
Digestive System	6,257	93.7	1.21	61.0	0.81	4,694	59.0	0.88	37.6	0.61
Esophagus	523	7.6	0.34	5.2	0.24	98	1.2	0.13	0.8	0.09
Stomach	457	7.0	0.33	4.4	0.22	252	3.1	0.20	2.0	0.14
Small intestine	182	2.7	0.20	1.8	0.14	142	1.8	0.16	1.3	0.12
Colon excl. rectum	2,260	34.4	0.74	21.3	0.47	2,189	27.4	0.60	16.8	0.40
Rectum & rectosigmoid	1,019	15.0	0.48	10.5	0.34	682	9.0	0.35	6.4	0.26
Anus, anal canal & anorectum	83	1.3	0.15	0.9	0.11	158	2.1	0.17	1.5	0.13
Liver	603	8.7	0.36	6.4	0.27	196	2.5	0.18	1.6	0.13
Gallbladder	44	0.7	0.11	0.4	0.06	76	0.9	0.11	0.6	0.07
Pancreas	876	13.1	0.45	8.2	0.29	716	8.7	0.33	5.2	0.22
Respiratory System	7,245	105.9	1.27	67.6	0.82	5,036	62.4	0.89	41.9	0.63
Larynx	465	6.6	0.31	4.8	0.23	135	1.8	0.16	1.3	0.12
Lung & bronchus	6,710	98.3	1.22	62.0	0.78	4,859	60.0	0.87	40.2	0.62
Bones & Joints	56	0.9	0.12	0.8	0.12	52	0.8	0.12	0.8	0.12
Soft Tissue (incl. heart)	181	2.9	0.22	2.1	0.17	174	2.5	0.19	2.1	0.19
Skin (excl. basal & sq.)	1,622	24.9	0.63	16.3	0.43	1,089	15.4	0.48	11.4	0.38
Melanomas of the skin	1,515	23.2	0.61	15.3	0.41	1,022	14.6	0.47	10.9	0.38
Breast (excl. *in situ*)	89	1.3	0.14	0.9	0.10	8,025	106.5	1.22	76.8	0.92
Female Genital System	-	-	-	-	-	3,301	45.2	0.81	33.9	0.63
Cervix uteri	-	-	-	-	-	565	9.5	0.41	7.5	0.33
Uterus Corpus	-	-	-	-	-	1,568	20.3	0.52	15.4	0.41
Uterus, NOS[1]	-	-	-	-	-	52	0.7	0.10	0.5	0.07
Ovary	-	-	-	-	-	800	10.7	0.39	7.7	0.30
Male Genital System	9,075	128.3	1.37	89.8	0.97	-	-	-	-	-
Prostate	8,714	122.1	1.33	84.2	0.92	-	-	-	-	-
Testis	287	5.1	0.31	4.9	0.29	-	-	-	-	-
Penis	63	1.0	0.12	0.6	0.08	-	-	-	-	-
Urinary System	3,915	59.0	0.96	36.9	0.62	1,599	20.5	0.53	14.0	0.39
Bladder (incl. *in situ*)	2,393	36.5	0.76	21.1	0.45	619	7.6	0.31	4.6	0.21
Kidney & renal pelvis	1,450	21.5	0.58	15.1	0.41	932	12.4	0.42	9.0	0.33
Ureter	54	0.8	0.11	0.5	0.07	30	0.4	0.07	0.2	0.04
Eye & Orbit	63	1.0	0.13	0.8	0.12	45	0.6	0.09	0.5	0.08
Brain & Other Nervous System	510	7.9	0.36	6.4	0.32	409	5.8	0.30	5.0	0.29
Brain	478	7.4	0.35	5.9	0.30	379	5.4	0.28	4.4	0.26
Endocrine System	378	5.8	0.31	4.5	0.25	966	15.2	0.51	12.5	0.43
Thyroid gland	331	5.0	0.28	3.8	0.22	924	14.6	0.50	11.9	0.41
Lymphomas	1,533	23.5	0.61	16.3	0.45	1,325	17.4	0.49	11.9	0.37
Hodgkin Lymphoma	182	3.0	0.23	2.8	0.22	141	2.3	0.20	2.0	0.19
Non-Hodgkin Lymphoma	1,351	20.5	0.57	13.5	0.39	1,184	15.1	0.45	9.8	0.32
Multiple Myeloma	435	6.5	0.32	4.0	0.20	298	3.7	0.22	2.4	0.15
Leukemias	914	14.5	0.49	10.2	0.38	612	8.2	0.34	6.4	0.32
Acute lymphocytic	95	1.7	0.18	2.1	0.23	54	0.9	0.13	1.3	0.19
Chronic lymphocytic	291	4.4	0.26	2.7	0.16	167	2.0	0.16	1.3	0.11
Acute myeloid	269	4.3	0.26	2.8	0.19	223	3.1	0.21	2.4	0.19
Chronic myeloid	104	1.6	0.16	1.1	0.12	78	1.0	0.12	0.7	0.10
Other leukemias	155	2.5	0.21	1.5	0.14	90	1.1	0.12	0.7	0.09
Mesothelioma	73	1.1	0.13	0.6	0.08	20	0.3	0.06	0.2	0.05
Kaposi Sarcoma	13	0.2	0.07	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	1,191	18.5	0.55	11.0	0.34	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	469	7.4	0.35	6.0	0.30	740	10.4	0.39	8.1	0.33
Breast (*in situ*)	13	0.2	0.06	0.1	0.04	1,784	23.9	0.58	18.0	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	4,767	575.6	8.96	402.1	5.93	3,985	368.3	5.96	260.8	4.29
Oral Cavity & Pharynx	155	16.5	1.41	12.7	1.04	56	5.1	0.69	3.7	0.51
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	36	4.0	0.71	2.8	0.47	14	1.3	0.35	1.0	0.27
Major salivary gland	14	1.6	0.45	1.1	0.30	13	1.2	0.34	0.9	0.26
Floor of mouth	6	0.5	0.22	0.4	0.18	-	-	-	-	-
Gum & other mouth	18	2.0	0.49	1.5	0.36	10	0.9	0.28	0.6	0.20
Nasopharynx	13	1.4	0.41	1.1	0.31	-	-	-	-	-
Oropharynx	8	0.9	0.33	0.7	0.24	-	-	-	-	-
Hypopharynx	19	2.1	0.51	1.7	0.39	-	-	-	-	-
Digestive System	999	124.9	4.25	82.6	2.66	875	82.3	2.84	54.1	1.92
Esophagus	83	9.8	1.15	6.7	0.75	21	1.9	0.42	1.3	0.30
Stomach	116	16.4	1.64	9.4	0.89	64	6.1	0.77	3.8	0.50
Small intestine	38	4.8	0.84	3.2	0.53	27	2.4	0.48	1.7	0.33
Colon excl. rectum	318	42.4	2.54	26.9	1.54	401	37.4	1.90	25.5	1.33
Rectum & rectosigmoid	152	16.9	1.45	12.5	1.03	105	9.5	0.95	6.5	0.67
Anus, anal canal & anorectum	14	1.7	0.50	1.1	0.30	10	0.9	0.30	0.7	0.22
Liver	107	10.7	1.09	8.6	0.84	29	2.8	0.53	1.7	0.33
Gallbladder	-	-	-	-	-	17	1.6	0.40	1.0	0.26
Pancreas	141	18.0	1.64	11.7	1.00	171	16.9	1.32	10.0	0.81
Respiratory System	995	124.2	4.23	83.4	2.69	540	51.1	2.25	34.5	1.54
Larynx	102	11.3	1.19	8.7	0.88	27	2.4	0.47	1.7	0.35
Lung & bronchus	886	111.9	4.05	74.2	2.54	511	48.5	2.20	32.6	1.50
Bones & Joints	9	0.9	0.32	0.7	0.23	6	0.5	0.22	0.4	0.18
Soft Tissue (incl. heart)	31	3.1	0.60	2.7	0.50	33	2.9	0.52	2.5	0.46
Skin (excl. basal & sq.)	14	1.4	0.40	1.2	0.31	-	-	-	-	-
Melanomas of the skin	7	0.7	0.30	0.6	0.21	7	0.7	0.29	0.5	0.18
Breast (excl. *in situ*)	18	2.2	0.58	1.4	0.33	1,174	106.6	3.17	78.5	2.36
Female Genital System	-	-	-	-	-	470	43.0	2.03	31.4	1.50
Cervix uteri	-	-	-	-	-	135	12.2	1.07	9.2	0.82
Uterus Corpus	-	-	-	-	-	211	19.1	1.34	14.3	1.02
Uterus, NOS[1]	-	-	-	-	-	10	0.9	0.29	0.6	0.21
Ovary	-	-	-	-	-	91	8.6	0.92	5.7	0.63
Male Genital System	1,654	192.9	5.07	141.5	3.54	-	-	-	-	-
Prostate	1,638	191.3	5.05	140.0	3.52	-	-	-	-	-
Testis	9	0.9	0.29	0.8	0.27	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	292	36.7	2.30	24.8	1.47	194	18.2	1.34	12.7	0.95
Bladder (incl. *in situ*)	110	15.9	1.62	9.2	0.90	49	4.9	0.71	3.0	0.46
Kidney & renal pelvis	176	20.0	1.60	15.0	1.15	141	12.9	1.11	9.4	0.82
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	43	4.7	0.79	3.7	0.58	46	4.2	0.63	3.4	0.51
Brain	40	4.4	0.77	3.5	0.56	45	4.0	0.62	3.3	0.51
Endocrine System	38	4.2	0.72	3.3	0.55	108	9.4	0.93	7.7	0.76
Thyroid gland	31	3.6	0.68	2.7	0.49	100	8.8	0.89	7.1	0.73
Lymphomas	166	18.4	1.53	14.0	1.10	139	12.4	1.08	9.6	0.84
Hodgkin Lymphoma	39	3.7	0.62	3.4	0.54	25	2.0	0.41	2.0	0.41
Non-Hodgkin Lymphoma	127	14.7	1.40	10.7	0.96	114	10.4	1.00	7.6	0.74
Multiple Myeloma	133	17.1	1.59	11.3	1.00	119	11.2	1.05	7.8	0.74
Leukemias	93	11.9	1.34	8.2	0.87	80	7.5	0.86	5.2	0.61
Acute lymphocytic	25	2.1	0.44	2.5	0.50	-	-	-	-	-
Chronic lymphocytic	21	3.0	0.68	1.8	0.40	19	1.8	0.42	1.2	0.29
Acute myeloid	23	3.3	0.73	2.0	0.42	28	2.6	0.49	2.0	0.39
Chronic myeloid	9	1.1	0.39	0.7	0.25	10	0.9	0.31	0.6	0.20
Other leukemias	15	2.5	0.67	1.3	0.34	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	0.5	0.22	0.5	0.21	-	-	-	-	-
Ill-defined & Unknown	114	15.2	1.54	9.5	0.90	130	12.4	1.11	8.1	0.75
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	67	7.9	1.03	5.6	0.70	151	14.2	1.18	9.8	0.83
Breast (*in situ*)	-	-	-	-	-	255	23.5	1.50	17.6	1.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	172	328.6	31.22	208.2	16.60	208	277.4	21.59	172.9	12.30
Oral Cavity & Pharynx	8	9.3	3.37	8.4	3.09	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	41	72.9	13.13	47.5	7.63	62	93.6	13.19	54.1	7.02
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	11	21.0	6.71	10.5	3.22
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	7.4	3.08	6.4	2.67	15	18.2	5.25	13.0	3.44
Rectum & rectosigmoid	11	17.0	6.04	11.9	3.68	11	15.8	5.41	8.8	2.67
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	12	21.7	6.96	13.9	4.17	10	13.4	4.61	8.6	2.79
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	9	16.4	5.97	8.1	2.75
Respiratory System	20	42.7	10.80	23.1	5.27	18	30.9	7.93	15.3	3.70
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	42.7	10.80	23.1	5.27	18	30.9	7.93	15.3	3.70
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	62	75.1	10.62	49.6	6.45
Female Genital System	-	-	-	-	-	19	20.8	5.27	15.3	3.57
Cervix uteri	-	-	-	-	-	10	8.7	2.78	7.9	2.52
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	45	90.3	16.44	59.7	9.20	-	-	-	-	-
Prostate	43	87.1	16.22	57.4	9.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	34.7	10.59	22.1	5.66	-	-	-	-	-
Bladder (incl. *in situ*)	11	28.1	10.20	16.2	5.06	-	-	-	-	-
Kidney & renal pelvis	6	6.6	2.83	5.9	2.54	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	12	10.9	3.32	8.6	2.55
Thyroid gland	-	-	-	-	-	12	10.9	3.32	8.6	2.55
Lymphomas	6	7.7	3.89	5.8	2.42	8	11.7	4.66	7.5	2.69
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	12.7	4.97	9.7	3.35	11	13.3	4.56	9.4	2.93
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	24.5	10.03	13.6	4.48	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	6	5.9	2.47	5.3	2.23
Breast (*in situ*)	-	-	-	-	-	14	15.1	4.42	10.4	2.81

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	519	329.1	18.24	214.2	10.32	560	283.4	14.46	203.9	9.43
Oral Cavity & Pharynx	19	8.9	2.38	7.2	1.75	6	2.4	1.01	2.1	0.93
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	3.4	1.31	3.1	1.22	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	110	70.4	8.36	45.9	4.76	90	60.9	7.46	38.8	4.37
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	13	10.3	3.39	6.0	1.86	9	6.0	2.34	3.7	1.28
Small intestine	-	-	-	-	-	7	3.0	1.32	2.2	0.93
Colon excl. rectum	33	21.4	4.56	14.3	2.67	27	19.9	4.43	11.7	2.37
Rectum & rectosigmoid	20	12.5	3.56	8.0	1.94	15	9.1	2.82	5.8	1.63
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	21	10.4	2.74	8.0	1.90	6	4.2	1.76	3.5	1.43
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	6.6	2.59	4.0	1.28	18	13.9	3.72	8.5	2.14
Respiratory System	82	63.9	8.59	37.6	4.40	37	26.0	4.78	17.6	3.01
Larynx	8	3.4	1.26	2.9	1.10	-	-	-	-	-
Lung & bronchus	71	59.5	8.47	33.6	4.20	35	24.3	4.57	16.8	2.95
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	11	4.5	1.96	2.7	0.89	8	1.4	0.50	1.5	0.55
Skin (excl. basal & sq.)	-	-	-	-	-	8	3.8	1.72	2.4	0.91
Melanomas of the skin	6	5.2	2.51	2.8	1.22	8	3.8	1.72	2.4	0.91
Breast (excl. *in situ*)	-	-	-	-	-	147	73.1	7.03	54.2	4.87
Female Genital System	-	-	-	-	-	110	51.1	5.79	38.5	4.02
Cervix uteri	-	-	-	-	-	42	16.2	2.88	12.8	2.19
Uterus Corpus	-	-	-	-	-	35	18.7	3.66	13.7	2.48
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	28	11.5	2.49	9.5	2.00
Male Genital System	113	77.3	8.69	52.8	5.30	-	-	-	-	-
Prostate	102	75.5	8.67	50.9	5.27	-	-	-	-	-
Testis	11	1.8	0.60	1.9	0.60	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	50	38.0	6.36	23.7	3.61	18	11.4	3.27	7.0	1.80
Bladder (incl. *in situ*)	24	23.8	5.54	12.1	2.60	-	-	-	-	-
Kidney & renal pelvis	25	13.1	2.93	10.9	2.42	17	10.4	3.10	6.3	1.68
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	4.5	1.46	4.3	1.35	19	7.8	2.39	6.0	1.55
Brain	12	4.4	1.46	4.1	1.33	16	7.3	2.37	5.4	1.51
Endocrine System	8	2.4	0.90	2.1	0.79	32	9.0	1.65	7.5	1.36
Thyroid gland	6	1.8	0.74	1.4	0.58	31	8.6	1.62	7.2	1.33
Lymphomas	38	16.9	3.94	11.6	2.19	30	11.6	2.35	9.8	1.93
Hodgkin Lymphoma	10	2.4	0.94	2.3	0.86	6	1.2	0.50	1.2	0.49
Non-Hodgkin Lymphoma	28	14.5	3.82	9.3	2.01	24	10.4	2.30	8.6	1.87
Multiple Myeloma	14	11.5	3.60	6.5	1.88	9	6.0	2.21	4.5	1.53
Leukemias	27	10.5	3.33	6.9	1.53	23	7.1	1.97	6.0	1.32
Acute lymphocytic	13	2.0	0.59	2.4	0.69	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	13	3.1	0.92	3.0	0.84
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	11.3	3.56	6.6	1.80	19	10.7	3.06	7.0	1.76
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	11	3.4	1.35	3.0	1.01	21	7.7	1.88	6.8	1.64
Breast (*in situ*)	-	-	-	-	-	28	12.5	2.72	9.5	1.98

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	34,512	522.1	2.87	348.9	1.99	28,706	386.0	2.35	272.2	1.79
Oral Cavity & Pharynx	1,348	20.2	0.56	14.8	0.42	485	6.4	0.30	4.5	0.23
Lip	111	1.7	0.16	1.2	0.12	21	0.3	0.06	0.2	0.04
Tongue	417	6.2	0.31	4.6	0.24	153	2.1	0.18	1.6	0.14
Major salivary gland	116	1.9	0.18	1.0	0.10	58	0.8	0.11	0.6	0.09
Floor of mouth	55	0.8	0.11	0.6	0.08	31	0.4	0.07	0.3	0.05
Gum & other mouth	157	2.3	0.19	1.6	0.13	117	1.5	0.14	0.9	0.10
Nasopharynx	44	0.7	0.11	0.6	0.09	9	0.1	0.04	0.1	0.04
Oropharynx	58	0.8	0.11	0.6	0.09	16	0.2	0.05	0.1	0.04
Hypopharynx	86	1.2	0.13	0.9	0.10	13	0.2	0.05	0.1	0.04
Digestive System	6,168	94.6	1.23	61.7	0.83	4,630	59.3	0.89	37.8	0.62
Esophagus	520	7.7	0.34	5.3	0.24	97	1.2	0.13	0.8	0.09
Stomach	446	7.0	0.34	4.4	0.22	246	3.1	0.20	2.0	0.14
Small intestine	181	2.8	0.21	1.9	0.15	138	1.8	0.16	1.3	0.12
Colon excl. rectum	2,232	34.8	0.75	21.6	0.48	2,173	27.7	0.61	17.1	0.41
Rectum & rectosigmoid	1,003	15.1	0.49	10.6	0.35	668	9.0	0.36	6.4	0.27
Anus, anal canal & anorectum	82	1.3	0.15	1.0	0.11	157	2.1	0.18	1.5	0.13
Liver	586	8.7	0.36	6.3	0.28	191	2.5	0.18	1.6	0.13
Gallbladder	43	0.7	0.11	0.4	0.06	74	0.9	0.11	0.5	0.07
Pancreas	867	13.2	0.46	8.3	0.29	704	8.7	0.33	5.2	0.22
Respiratory System	7,179	106.9	1.28	68.3	0.84	5,007	63.1	0.91	42.5	0.65
Larynx	458	6.7	0.32	4.9	0.23	133	1.8	0.16	1.3	0.12
Lung & bronchus	6,654	99.2	1.24	62.7	0.80	4,832	60.7	0.89	40.7	0.63
Bones & Joints	55	0.9	0.13	0.9	0.13	49	0.8	0.13	0.8	0.13
Soft Tissue (incl. heart)	173	2.9	0.22	2.1	0.18	167	2.5	0.20	2.1	0.20
Skin (excl. basal & sq.)	1,613	25.5	0.65	16.8	0.45	1,081	15.9	0.50	11.9	0.41
Melanomas of the skin	1,509	23.8	0.63	15.7	0.43	1,014	15.0	0.49	11.3	0.40
Breast (excl. *in situ*)	89	1.4	0.15	0.9	0.10	7,910	107.7	1.25	77.7	0.95
Female Genital System	-	-	-	-	-	3,213	45.3	0.83	33.9	0.65
Cervix uteri	-	-	-	-	-	534	9.4	0.42	7.5	0.34
Uterus Corpus	-	-	-	-	-	1,540	20.4	0.54	15.5	0.42
Uterus, NOS[1]	-	-	-	-	-	52	0.7	0.10	0.5	0.08
Ovary	-	-	-	-	-	776	10.6	0.39	7.6	0.31
Male Genital System	9,000	130.0	1.40	91.2	1.00	-	-	-	-	-
Prostate	8,648	123.4	1.35	85.2	0.94	-	-	-	-	-
Testis	278	5.5	0.33	5.2	0.32	-	-	-	-	-
Penis	63	1.0	0.13	0.6	0.09	-	-	-	-	-
Urinary System	3,875	59.7	0.98	37.4	0.63	1,585	20.8	0.54	14.2	0.41
Bladder (incl. *in situ*)	2,372	36.8	0.77	21.4	0.46	618	7.7	0.31	4.7	0.21
Kidney & renal pelvis	1,432	21.8	0.59	15.4	0.43	919	12.5	0.43	9.2	0.34
Ureter	53	0.8	0.11	0.5	0.07	30	0.4	0.07	0.2	0.04
Eye & Orbit	61	1.0	0.13	0.8	0.13	45	0.6	0.09	0.5	0.09
Brain & Other Nervous System	498	8.2	0.38	6.7	0.34	398	6.0	0.31	5.1	0.31
Brain	467	7.6	0.36	6.1	0.32	371	5.5	0.30	4.6	0.28
Endocrine System	370	5.9	0.32	4.6	0.26	940	15.5	0.53	12.8	0.45
Thyroid gland	325	5.1	0.29	3.9	0.23	899	14.9	0.52	12.2	0.43
Lymphomas	1,507	23.8	0.63	16.6	0.46	1,305	17.5	0.50	12.0	0.38
Hodgkin Lymphoma	173	3.1	0.24	2.8	0.23	136	2.3	0.21	2.1	0.20
Non-Hodgkin Lymphoma	1,334	20.8	0.58	13.8	0.40	1,169	15.2	0.46	9.9	0.33
Multiple Myeloma	423	6.4	0.32	3.9	0.20	291	3.7	0.22	2.3	0.15
Leukemias	891	14.6	0.50	10.3	0.40	593	8.2	0.35	6.4	0.33
Acute lymphocytic	82	1.6	0.18	2.0	0.24	51	1.0	0.14	1.4	0.21
Chronic lymphocytic	290	4.4	0.27	2.7	0.17	166	2.0	0.16	1.3	0.11
Acute myeloid	266	4.4	0.27	2.9	0.19	210	2.9	0.21	2.3	0.19
Chronic myeloid	102	1.6	0.17	1.1	0.12	77	1.1	0.13	0.7	0.10
Other leukemias	151	2.5	0.21	1.6	0.14	89	1.2	0.13	0.7	0.09
Mesothelioma	73	1.1	0.13	0.6	0.08	20	0.3	0.06	0.2	0.05
Kaposi Sarcoma	11	0.2	0.06	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	1,178	18.7	0.56	11.1	0.35	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	460	7.6	0.37	6.2	0.32	721	10.5	0.41	8.1	0.35
Breast (*in situ*)	13	0.2	0.06	0.1	0.04	1,760	24.2	0.60	18.2	0.46

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Arkansas, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	4,741	576.9	9.00	403.4	5.96	3,945	367.1	5.97	259.8	4.30
Oral Cavity & Pharynx	155	16.7	1.42	12.8	1.05	56	5.1	0.69	3.8	0.52
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	36	4.0	0.72	2.8	0.48	14	1.3	0.35	1.0	0.27
Major salivary gland	14	1.6	0.46	1.1	0.31	13	1.2	0.35	0.9	0.26
Floor of mouth	6	0.5	0.23	0.4	0.19	-	-	-	-	-
Gum & other mouth	18	2.0	0.49	1.5	0.37	10	0.9	0.29	0.6	0.20
Nasopharynx	13	1.4	0.41	1.1	0.31	-	-	-	-	-
Oropharynx	8	0.9	0.33	0.7	0.24	-	-	-	-	-
Hypopharynx	19	2.1	0.51	1.7	0.40	-	-	-	-	-
Digestive System	992	125.2	4.28	82.7	2.68	865	81.9	2.84	53.8	1.92
Esophagus	83	9.8	1.16	6.8	0.76	20	1.8	0.42	1.3	0.30
Stomach	116	16.6	1.65	9.5	0.90	64	6.1	0.78	3.8	0.51
Small intestine	38	4.9	0.85	3.2	0.54	24	2.2	0.45	1.5	0.32
Colon excl. rectum	315	42.4	2.55	26.9	1.55	396	37.1	1.90	25.3	1.33
Rectum & rectosigmoid	150	16.9	1.46	12.4	1.03	105	9.6	0.96	6.6	0.67
Anus, anal canal & anorectum	14	1.8	0.50	1.1	0.31	10	0.9	0.30	0.7	0.22
Liver	107	10.8	1.10	8.6	0.85	29	2.8	0.53	1.7	0.33
Gallbladder	-	-	-	-	-	17	1.6	0.40	1.0	0.26
Pancreas	140	18.0	1.65	11.7	1.00	170	17.0	1.33	9.9	0.81
Respiratory System	991	124.6	4.26	83.8	2.71	535	51.0	2.25	34.3	1.55
Larynx	101	11.3	1.19	8.7	0.88	27	2.4	0.48	1.7	0.35
Lung & bronchus	883	112.4	4.07	74.5	2.55	506	48.4	2.20	32.5	1.50
Bones & Joints	9	0.9	0.33	0.7	0.23	-	-	-	-	-
Soft Tissue (incl. heart)	31	3.2	0.61	2.8	0.51	33	3.0	0.53	2.5	0.47
Skin (excl. basal & sq.)	14	1.4	0.41	1.2	0.32	-	-	-	-	-
Melanomas of the skin	7	0.7	0.30	0.6	0.22	7	0.8	0.29	0.5	0.18
Breast (excl. *in situ*)	18	2.3	0.58	1.4	0.33	1,162	106.1	3.18	78.2	2.36
Female Genital System	-	-	-	-	-	466	43.0	2.03	31.4	1.50
Cervix uteri	-	-	-	-	-	133	12.1	1.07	9.2	0.82
Uterus Corpus	-	-	-	-	-	210	19.1	1.35	14.4	1.02
Uterus, NOS[1]	-	-	-	-	-	10	0.9	0.29	0.6	0.21
Ovary	-	-	-	-	-	90	8.6	0.92	5.7	0.63
Male Genital System	1,645	193.1	5.09	141.8	3.56	-	-	-	-	-
Prostate	1,629	191.4	5.07	140.4	3.54	-	-	-	-	-
Testis	9	0.9	0.30	0.8	0.28	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	291	36.9	2.32	24.9	1.48	192	18.1	1.34	12.7	0.95
Bladder (incl. *in situ*)	110	16.0	1.63	9.3	0.90	49	4.9	0.71	3.1	0.46
Kidney & renal pelvis	175	20.1	1.61	15.0	1.15	139	12.8	1.11	9.4	0.82
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	43	4.8	0.80	3.8	0.59	43	3.9	0.62	3.2	0.50
Brain	40	4.5	0.78	3.5	0.57	42	3.8	0.61	3.1	0.50
Endocrine System	38	4.3	0.73	3.4	0.55	108	9.5	0.93	7.8	0.77
Thyroid gland	31	3.7	0.69	2.7	0.50	100	8.9	0.90	7.2	0.73
Lymphomas	165	18.4	1.52	14.1	1.11	137	12.4	1.08	9.6	0.85
Hodgkin Lymphoma	39	3.8	0.63	3.4	0.55	25	2.0	0.41	2.0	0.41
Non-Hodgkin Lymphoma	126	14.6	1.39	10.7	0.97	112	10.4	1.00	7.5	0.74
Multiple Myeloma	131	17.0	1.59	11.2	1.00	118	11.2	1.06	7.8	0.74
Leukemias	92	11.8	1.34	8.3	0.88	80	7.6	0.87	5.2	0.61
Acute lymphocytic	25	2.1	0.45	2.5	0.51	-	-	-	-	-
Chronic lymphocytic	21	3.0	0.69	1.8	0.40	19	1.8	0.42	1.2	0.29
Acute myeloid	22	3.2	0.72	1.9	0.41	28	2.6	0.50	2.0	0.39
Chronic myeloid	9	1.1	0.40	0.7	0.25	10	1.0	0.31	0.6	0.20
Other leukemias	15	2.5	0.67	1.3	0.34	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	0.5	0.23	0.5	0.22	-	-	-	-	-
Ill-defined & Unknown	113	15.1	1.54	9.4	0.90	130	12.4	1.11	8.1	0.76
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	67	8.0	1.04	5.7	0.70	151	14.3	1.19	9.9	0.84
Breast (*in situ*)	-	-	-	-	-	255	23.7	1.51	17.7	1.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	405,442	485.6	0.78	317.1	0.52	392,237	394.8	0.64	272.4	0.46
Oral Cavity & Pharynx	13,735	15.6	0.14	11.0	0.10	5,931	5.9	0.08	4.1	0.06
Lip	983	1.2	0.04	0.7	0.02	392	0.4	0.02	0.2	0.01
Tongue	4,247	4.8	0.07	3.4	0.05	1,725	1.7	0.04	1.2	0.03
Major salivary gland	1,327	1.6	0.05	1.0	0.03	947	1.0	0.03	0.7	0.02
Floor of mouth	574	0.7	0.03	0.5	0.02	293	0.3	0.02	0.2	0.01
Gum & other mouth	1,301	1.5	0.04	1.0	0.03	1,119	1.1	0.03	0.7	0.02
Nasopharynx	982	1.1	0.04	0.8	0.03	435	0.4	0.02	0.3	0.02
Oropharynx	513	0.6	0.03	0.4	0.02	144	0.1	0.01	0.1	0.01
Hypopharynx	785	0.9	0.03	0.6	0.02	207	0.2	0.01	0.1	0.01
Digestive System	82,346	98.6	0.35	62.8	0.23	66,879	66.5	0.26	41.3	0.17
Esophagus	5,483	6.6	0.09	4.2	0.06	1,662	1.7	0.04	1.0	0.03
Stomach	8,481	10.4	0.12	6.4	0.07	5,684	5.7	0.08	3.6	0.05
Small intestine	1,832	2.2	0.05	1.4	0.03	1,549	1.5	0.04	1.0	0.03
Colon excl. rectum	25,657	31.5	0.20	19.1	0.12	25,937	25.7	0.16	15.4	0.10
Rectum & rectosigmoid	12,474	14.5	0.13	9.8	0.09	9,397	9.4	0.10	6.4	0.07
Anus, anal canal & anorectum	1,400	1.6	0.04	1.1	0.03	2,058	2.0	0.05	1.4	0.03
Liver	12,060	13.4	0.12	9.7	0.09	4,276	4.3	0.07	2.8	0.05
Gallbladder	599	0.8	0.03	0.4	0.02	1,443	1.4	0.04	0.9	0.02
Pancreas	10,638	13.1	0.13	7.9	0.08	10,438	10.4	0.10	6.1	0.06
Respiratory System	48,605	61.2	0.28	35.8	0.17	42,983	43.5	0.21	26.1	0.14
Larynx	3,597	4.3	0.07	2.8	0.05	760	0.8	0.03	0.5	0.02
Lung & bronchus	44,046	55.8	0.27	32.2	0.16	41,617	42.1	0.21	25.2	0.13
Bones & Joints	963	1.1	0.03	1.0	0.03	701	0.7	0.03	0.7	0.03
Soft Tissue (incl. heart)	3,469	4.1	0.07	3.0	0.05	2,774	2.8	0.05	2.2	0.05
Skin (excl. basal & sq.)	25,612	30.9	0.20	19.6	0.13	16,925	17.1	0.13	12.3	0.10
Melanomas of the skin	23,251	27.9	0.19	17.9	0.12	15,444	15.6	0.13	11.4	0.10
Breast (excl. *in situ*)	953	1.2	0.04	0.7	0.02	121,214	122.1	0.36	88.2	0.26
Female Genital System	-	-	-	-	-	47,585	47.6	0.22	35.2	0.17
Cervix uteri	-	-	-	-	-	7,293	7.7	0.09	6.1	0.07
Uterus Corpus	-	-	-	-	-	23,776	23.3	0.15	17.5	0.12
Uterus, NOS[1]	-	-	-	-	-	762	0.8	0.03	0.5	0.02
Ovary	-	-	-	-	-	12,060	12.1	0.11	8.7	0.08
Male Genital System	115,230	133.6	0.40	93.7	0.28	-	-	-	-	-
Prostate	108,921	126.9	0.39	87.6	0.27	-	-	-	-	-
Testis	5,406	5.6	0.08	5.4	0.07	-	-	-	-	-
Penis	694	0.8	0.03	0.5	0.02	-	-	-	-	-
Urinary System	43,002	53.3	0.26	32.0	0.16	17,961	18.0	0.14	11.5	0.09
Bladder (incl. *in situ*)	25,312	32.6	0.21	17.8	0.12	7,816	7.8	0.09	4.4	0.05
Kidney & renal pelvis	16,863	19.6	0.15	13.5	0.11	9,677	9.8	0.10	6.9	0.07
Ureter	509	0.7	0.03	0.4	0.02	329	0.3	0.02	0.2	0.01
Eye & Orbit	847	1.0	0.03	0.8	0.03	693	0.7	0.03	0.6	0.03
Brain & Other Nervous System	6,389	7.3	0.09	5.8	0.08	4,899	5.0	0.07	4.2	0.07
Brain	6,044	6.9	0.09	5.5	0.07	4,555	4.7	0.07	3.8	0.06
Endocrine System	6,018	6.7	0.09	5.3	0.07	17,747	18.6	0.14	15.4	0.12
Thyroid gland	5,326	5.9	0.08	4.6	0.06	17,099	17.9	0.14	14.7	0.12
Lymphomas	21,525	25.6	0.18	17.3	0.12	17,504	17.7	0.14	12.2	0.10
Hodgkin Lymphoma	2,521	2.7	0.06	2.4	0.05	2,053	2.1	0.05	2.0	0.05
Non-Hodgkin Lymphoma	19,004	22.8	0.17	14.9	0.11	15,451	15.5	0.13	10.2	0.09
Multiple Myeloma	6,047	7.4	0.10	4.5	0.06	4,590	4.6	0.07	2.9	0.05
Leukemias	13,318	16.0	0.14	11.4	0.11	9,682	9.9	0.10	7.5	0.09
Acute lymphocytic	2,024	2.2	0.05	2.6	0.06	1,586	1.7	0.04	2.1	0.06
Chronic lymphocytic	4,388	5.5	0.08	3.2	0.05	2,810	2.8	0.05	1.6	0.03
Acute myeloid	3,713	4.5	0.08	3.0	0.05	3,158	3.2	0.06	2.3	0.05
Chronic myeloid	1,667	2.0	0.05	1.3	0.03	1,129	1.1	0.03	0.8	0.03
Other leukemias	1,526	1.9	0.05	1.2	0.03	999	1.0	0.03	0.6	0.02
Mesothelioma	1,265	1.7	0.05	0.9	0.03	397	0.4	0.02	0.2	0.01
Kaposi Sarcoma	1,054	1.2	0.04	0.9	0.03	85	0.1	0.01	0.0	0.01
Ill-defined & Unknown	15,064	19.2	0.16	10.7	0.09	13,687	13.5	0.12	7.7	0.07
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6,196	7.2	0.09	5.2	0.07	12,776	12.9	0.12	9.1	0.09
Breast (*in situ*)	109	0.1	0.01	0.1	0.01	28,790	29.1	0.17	21.9	0.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	325,432	494.4	0.88	323.0	0.59	314,071	410.3	0.74	282.9	0.54
Oral Cavity & Pharynx	11,308	16.3	0.16	11.5	0.11	4,705	6.1	0.09	4.1	0.06
Lip	904	1.4	0.05	0.9	0.03	353	0.4	0.02	0.3	0.02
Tongue	3,680	5.2	0.09	3.8	0.06	1,419	1.8	0.05	1.3	0.04
Major salivary gland	1,113	1.7	0.05	1.1	0.03	720	1.0	0.04	0.7	0.03
Floor of mouth	502	0.7	0.03	0.5	0.02	250	0.3	0.02	0.2	0.01
Gum & other mouth	1,048	1.6	0.05	1.0	0.03	920	1.2	0.04	0.7	0.03
Nasopharynx	377	0.5	0.03	0.4	0.02	182	0.2	0.02	0.2	0.01
Oropharynx	433	0.6	0.03	0.4	0.02	116	0.1	0.01	0.1	0.01
Hypopharynx	639	0.9	0.04	0.6	0.03	176	0.2	0.02	0.2	0.01
Digestive System	63,539	96.5	0.39	61.4	0.25	51,008	65.1	0.29	40.4	0.20
Esophagus	4,772	7.3	0.11	4.6	0.07	1,330	1.7	0.05	1.0	0.03
Stomach	6,189	9.6	0.12	5.9	0.08	3,840	5.0	0.08	3.2	0.06
Small intestine	1,464	2.2	0.06	1.4	0.04	1,221	1.6	0.05	1.1	0.03
Colon excl. rectum	20,069	31.3	0.22	18.8	0.14	20,075	25.5	0.18	15.1	0.12
Rectum & rectosigmoid	9,578	14.2	0.15	9.6	0.10	7,051	9.1	0.11	6.2	0.08
Anus, anal canal & anorectum	1,164	1.7	0.05	1.2	0.04	1,820	2.3	0.06	1.7	0.04
Liver	8,389	11.8	0.13	8.6	0.10	2,829	3.6	0.07	2.4	0.05
Gallbladder	451	0.7	0.03	0.4	0.02	1,160	1.5	0.04	0.9	0.03
Pancreas	8,610	13.4	0.15	8.1	0.09	8,221	10.4	0.12	6.1	0.07
Respiratory System	38,556	61.3	0.32	35.7	0.19	35,262	45.7	0.25	27.3	0.16
Larynx	2,953	4.5	0.08	2.9	0.05	614	0.8	0.03	0.5	0.02
Lung & bronchus	34,841	55.7	0.30	32.0	0.18	34,180	44.3	0.24	26.3	0.15
Bones & Joints	805	1.2	0.04	1.1	0.04	565	0.8	0.03	0.7	0.03
Soft Tissue (incl. heart)	2,839	4.3	0.08	3.1	0.06	2,180	2.9	0.06	2.3	0.05
Skin (excl. basal & sq.)	23,225	35.6	0.24	22.5	0.15	14,974	19.8	0.16	14.3	0.12
Melanomas of the skin	21,248	32.4	0.23	20.8	0.15	13,778	18.3	0.16	13.3	0.12
Breast (excl. *in situ*)	780	1.2	0.04	0.8	0.03	96,564	127.0	0.41	91.3	0.31
Female Genital System	-	-	-	-	-	38,045	49.8	0.26	36.8	0.20
Cervix uteri	-	-	-	-	-	5,631	8.0	0.11	6.3	0.09
Uterus Corpus	-	-	-	-	-	18,924	24.3	0.18	18.1	0.14
Uterus, NOS[1]	-	-	-	-	-	557	0.7	0.03	0.5	0.02
Ovary	-	-	-	-	-	9,835	12.9	0.13	9.3	0.10
Male Genital System	88,630	130.2	0.45	92.1	0.32	-	-	-	-	-
Prostate	83,073	122.4	0.43	85.0	0.30	-	-	-	-	-
Testis	4,828	6.6	0.10	6.4	0.09	-	-	-	-	-
Penis	571	0.9	0.04	0.5	0.02	-	-	-	-	-
Urinary System	36,710	57.6	0.31	34.4	0.19	15,045	19.4	0.16	12.5	0.11
Bladder (incl. *in situ*)	22,059	35.7	0.24	19.5	0.14	6,658	8.4	0.11	4.9	0.07
Kidney & renal pelvis	13,960	20.8	0.18	14.3	0.12	8,030	10.5	0.12	7.4	0.09
Ureter	431	0.7	0.03	0.4	0.02	255	0.3	0.02	0.2	0.01
Eye & Orbit	740	1.1	0.04	0.9	0.03	629	0.8	0.03	0.7	0.03
Brain & Other Nervous System	5,503	8.0	0.11	6.4	0.09	4,144	5.5	0.09	4.6	0.08
Brain	5,228	7.6	0.11	6.0	0.09	3,867	5.2	0.08	4.2	0.07
Endocrine System	4,763	6.8	0.10	5.4	0.08	13,677	19.1	0.17	15.9	0.14
Thyroid gland	4,258	6.1	0.09	4.7	0.07	13,213	18.5	0.16	15.3	0.14
Lymphomas	17,678	26.8	0.21	18.1	0.14	14,270	18.7	0.16	12.9	0.12
Hodgkin Lymphoma	2,077	3.0	0.07	2.6	0.06	1,683	2.3	0.06	2.2	0.06
Non-Hodgkin Lymphoma	15,601	23.8	0.19	15.5	0.13	12,587	16.3	0.15	10.7	0.10
Multiple Myeloma	4,773	7.4	0.11	4.5	0.07	3,407	4.4	0.08	2.8	0.05
Leukemias	11,098	17.0	0.16	12.1	0.12	8,001	10.5	0.12	8.1	0.11
Acute lymphocytic	1,728	2.4	0.06	2.9	0.07	1,361	2.0	0.05	2.4	0.07
Chronic lymphocytic	3,747	5.9	0.10	3.5	0.06	2,412	3.0	0.06	1.8	0.04
Acute myeloid	3,021	4.7	0.09	3.1	0.06	2,497	3.3	0.07	2.4	0.05
Chronic myeloid	1,318	2.0	0.06	1.3	0.04	906	1.2	0.04	0.8	0.03
Other leukemias	1,284	2.0	0.06	1.3	0.04	825	1.0	0.04	0.7	0.03
Mesothelioma	1,155	1.9	0.06	1.0	0.03	351	0.5	0.02	0.3	0.02
Kaposi Sarcoma	795	1.2	0.04	0.9	0.03	69	0.1	0.01	0.0	0.01
Ill-defined & Unknown	12,535	20.1	0.18	11.2	0.11	11,175	14.0	0.13	7.9	0.09
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	4,947	7.4	0.11	5.3	0.08	10,081	13.2	0.13	9.3	0.10
Breast (*in situ*)	81	0.1	0.01	0.1	0.01	21,672	28.7	0.20	21.6	0.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,131	549.5	3.48	373.2	2.26	25,273	400.0	2.56	276.6	1.80
Oral Cavity & Pharynx	763	13.6	0.52	9.9	0.36	328	5.1	0.29	3.7	0.21
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	208	3.8	0.28	2.7	0.19	74	1.1	0.13	0.8	0.10
Major salivary gland	64	1.2	0.16	0.8	0.10	70	1.1	0.13	0.8	0.10
Floor of mouth	38	0.7	0.11	0.5	0.08	15	0.2	0.06	0.2	0.05
Gum & other mouth	72	1.3	0.16	0.9	0.11	69	1.1	0.14	0.7	0.09
Nasopharynx	53	1.0	0.14	0.7	0.10	18	0.3	0.07	0.2	0.05
Oropharynx	48	0.9	0.13	0.6	0.09	16	0.3	0.07	0.2	0.05
Hypopharynx	67	1.1	0.15	0.9	0.11	13	0.2	0.05	0.2	0.04
Digestive System	6,108	122.6	1.67	79.7	1.04	5,264	85.2	1.20	54.4	0.78
Esophagus	264	5.6	0.37	3.4	0.21	145	2.3	0.20	1.5	0.13
Stomach	597	13.0	0.56	7.7	0.32	473	7.9	0.37	4.7	0.22
Small intestine	213	4.3	0.32	2.8	0.20	164	2.6	0.21	1.8	0.14
Colon excl. rectum	2,127	44.7	1.03	27.7	0.61	2,197	35.9	0.78	22.6	0.50
Rectum & rectosigmoid	756	14.4	0.56	9.7	0.36	628	9.7	0.40	6.7	0.28
Anus, anal canal & anorectum	138	2.4	0.21	1.8	0.15	100	1.5	0.15	1.1	0.11
Liver	955	16.2	0.55	12.7	0.42	328	4.9	0.28	3.6	0.20
Gallbladder	51	1.2	0.17	0.7	0.10	82	1.3	0.14	0.9	0.10
Pancreas	803	16.4	0.62	10.5	0.38	868	14.4	0.50	8.7	0.31
Respiratory System	3,966	84.1	1.42	52.2	0.84	3,178	51.8	0.94	33.6	0.62
Larynx	333	6.6	0.38	4.4	0.25	90	1.4	0.15	1.0	0.11
Lung & bronchus	3,579	76.5	1.36	47.1	0.80	3,050	49.8	0.92	32.1	0.60
Bones & Joints	52	0.9	0.13	0.7	0.10	44	0.6	0.10	0.6	0.10
Soft Tissue (incl. heart)	211	3.8	0.28	2.9	0.20	199	3.1	0.22	2.4	0.17
Skin (excl. basal & sq.)	139	2.8	0.25	1.8	0.16	124	2.0	0.18	1.4	0.13
Melanomas of the skin	59	1.3	0.18	0.8	0.10	56	0.9	0.13	0.6	0.08
Breast (excl. *in situ*)	69	1.4	0.18	0.9	0.11	7,981	123.7	1.41	89.1	1.02
Female Genital System	-	-	-	-	-	2,952	45.7	0.86	33.6	0.63
Cervix uteri	-	-	-	-	-	499	7.7	0.35	5.9	0.27
Uterus Corpus	-	-	-	-	-	1,486	22.8	0.60	17.0	0.45
Uterus, NOS[1]	-	-	-	-	-	92	1.5	0.16	1.0	0.10
Ovary	-	-	-	-	-	645	10.1	0.41	7.2	0.29
Male Genital System	10,409	192.5	1.99	140.1	1.39	-	-	-	-	-
Prostate	10,241	189.6	1.97	137.9	1.38	-	-	-	-	-
Testis	121	1.8	0.17	1.6	0.15	-	-	-	-	-
Penis	37	0.9	0.15	0.5	0.08	-	-	-	-	-
Urinary System	2,331	47.5	1.05	30.6	0.64	1,188	19.3	0.57	12.6	0.38
Bladder (incl. *in situ*)	989	22.6	0.76	12.8	0.42	408	7.0	0.35	3.8	0.20
Kidney & renal pelvis	1,304	24.0	0.70	17.2	0.49	754	11.9	0.44	8.5	0.32
Ureter	14	0.4	0.10	0.2	0.05	12	0.2	0.06	0.1	0.04
Eye & Orbit	20	0.4	0.10	0.4	0.08	12	0.2	0.06	0.2	0.06
Brain & Other Nervous System	278	4.9	0.31	3.9	0.24	227	3.5	0.23	2.9	0.21
Brain	256	4.5	0.30	3.6	0.23	205	3.2	0.22	2.6	0.19
Endocrine System	254	4.5	0.30	3.4	0.22	813	12.3	0.44	9.9	0.35
Thyroid gland	197	3.5	0.26	2.6	0.19	756	11.4	0.42	9.1	0.34
Lymphomas	1,133	20.2	0.64	15.0	0.45	904	14.2	0.48	10.4	0.36
Hodgkin Lymphoma	205	3.1	0.22	2.8	0.19	167	2.4	0.19	2.3	0.18
Non-Hodgkin Lymphoma	928	17.1	0.60	12.2	0.41	737	11.8	0.44	8.2	0.31
Multiple Myeloma	686	14.3	0.58	9.0	0.35	653	10.5	0.42	6.9	0.28
Leukemias	697	14.0	0.57	9.5	0.37	502	8.0	0.36	5.8	0.27
Acute lymphocytic	80	1.2	0.14	1.4	0.16	61	0.9	0.12	1.0	0.13
Chronic lymphocytic	214	4.9	0.36	2.8	0.20	131	2.2	0.19	1.3	0.12
Acute myeloid	211	4.2	0.31	2.8	0.20	184	2.9	0.22	2.1	0.17
Chronic myeloid	107	2.0	0.20	1.4	0.14	72	1.1	0.13	0.8	0.10
Other leukemias	85	1.7	0.20	1.1	0.12	54	0.9	0.13	0.6	0.08
Mesothelioma	51	1.3	0.19	0.7	0.09	12	0.2	0.06	0.1	0.04
Kaposi Sarcoma	143	2.3	0.20	1.9	0.16	7	0.1	0.04	0.1	0.03
Ill-defined & Unknown	821	18.3	0.68	10.7	0.38	885	14.6	0.50	8.9	0.31
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	401	7.6	0.41	5.4	0.27	824	13.0	0.46	9.1	0.33
Breast (*in situ*)	10	0.2	0.08	0.1	0.04	1,862	28.6	0.67	21.2	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	37,396	324.1	1.72	207.6	1.11	45,306	297.5	1.41	208.0	1.03
Oral Cavity & Pharynx	1,309	10.4	0.30	7.5	0.21	740	4.9	0.18	3.5	0.13
Lip	12	0.1	0.03	0.1	0.02	14	0.1	0.03	0.0	0.01
Tongue	269	2.2	0.14	1.5	0.09	192	1.3	0.09	0.9	0.06
Major salivary gland	120	1.0	0.09	0.7	0.07	129	0.8	0.08	0.7	0.06
Floor of mouth	26	0.2	0.04	0.1	0.03	18	0.1	0.03	0.1	0.02
Gum & other mouth	138	1.1	0.10	0.8	0.07	97	0.7	0.07	0.4	0.04
Nasopharynx	533	4.1	0.18	3.1	0.14	225	1.4	0.10	1.1	0.08
Oropharynx	26	0.2	0.04	0.1	0.03	11	0.1	0.02	0.0	0.01
Hypopharynx	63	0.6	0.07	0.3	0.04	15	0.1	0.03	0.1	0.02
Digestive System	11,406	98.5	0.95	62.0	0.60	9,632	65.1	0.67	39.6	0.43
Esophagus	372	3.2	0.17	2.0	0.11	149	1.0	0.09	0.6	0.05
Stomach	1,600	14.5	0.37	8.4	0.22	1,294	8.8	0.25	5.3	0.15
Small intestine	132	1.2	0.10	0.7	0.06	144	1.0	0.08	0.6	0.06
Colon excl. rectum	3,023	26.4	0.49	16.3	0.31	3,328	22.4	0.39	13.7	0.25
Rectum & rectosigmoid	1,841	15.1	0.36	10.3	0.24	1,463	9.6	0.25	6.4	0.17
Anus, anal canal & anorectum	66	0.6	0.07	0.4	0.05	97	0.6	0.07	0.4	0.04
Liver	2,511	20.7	0.42	14.1	0.29	1,051	7.2	0.22	4.3	0.14
Gallbladder	93	0.9	0.09	0.5	0.05	188	1.3	0.09	0.7	0.06
Pancreas	1,132	10.2	0.31	5.9	0.18	1,258	8.7	0.25	4.9	0.15
Respiratory System	5,615	51.4	0.70	29.3	0.40	4,149	28.2	0.44	16.9	0.28
Larynx	242	2.1	0.14	1.3	0.09	41	0.3	0.04	0.2	0.03
Lung & bronchus	5,252	48.3	0.68	27.3	0.39	4,020	27.4	0.44	16.4	0.27
Bones & Joints	89	0.7	0.08	0.6	0.07	79	0.6	0.06	0.6	0.07
Soft Tissue (incl. heart)	343	2.9	0.16	2.1	0.12	334	2.2	0.12	1.9	0.11
Skin (excl. basal & sq.)	258	2.2	0.14	1.4	0.09	242	1.6	0.10	1.1	0.08
Melanomas of the skin	154	1.3	0.11	0.8	0.07	153	1.0	0.08	0.8	0.07
Breast (excl. *in situ*)	91	0.8	0.08	0.5	0.05	14,856	95.0	0.79	71.4	0.60
Female Genital System	-	-	-	-	-	5,886	37.2	0.49	28.3	0.38
Cervix uteri	-	-	-	-	-	1,021	6.6	0.21	5.0	0.16
Uterus Corpus	-	-	-	-	-	2,987	18.5	0.34	14.4	0.27
Uterus, NOS[1]	-	-	-	-	-	97	0.6	0.06	0.4	0.04
Ovary	-	-	-	-	-	1,487	9.6	0.25	7.2	0.19
Male Genital System	8,555	72.7	0.81	48.9	0.54	-	-	-	-	-
Prostate	8,210	70.2	0.79	46.6	0.53	-	-	-	-	-
Testis	260	1.8	0.11	1.8	0.12	-	-	-	-	-
Penis	59	0.5	0.07	0.3	0.04	-	-	-	-	-
Urinary System	3,095	27.5	0.51	16.4	0.31	1,398	9.5	0.26	5.8	0.17
Bladder (incl. *in situ*)	1,640	15.4	0.39	8.3	0.21	555	3.8	0.16	2.1	0.09
Kidney & renal pelvis	1,371	11.3	0.31	7.7	0.21	762	5.1	0.19	3.5	0.14
Ureter	59	0.6	0.08	0.3	0.04	60	0.4	0.05	0.2	0.03
Eye & Orbit	34	0.3	0.05	0.3	0.05	28	0.2	0.04	0.2	0.05
Brain & Other Nervous System	539	4.3	0.19	3.6	0.17	465	3.2	0.15	2.7	0.14
Brain	494	4.0	0.18	3.3	0.16	427	2.9	0.14	2.5	0.14
Endocrine System	893	6.9	0.24	5.4	0.19	2,921	18.9	0.35	15.3	0.29
Thyroid gland	772	6.0	0.22	4.6	0.17	2,805	18.1	0.34	14.6	0.28
Lymphomas	2,099	17.9	0.40	12.1	0.27	1,829	12.2	0.29	8.4	0.21
Hodgkin Lymphoma	186	1.4	0.10	1.3	0.10	164	1.1	0.09	1.0	0.08
Non-Hodgkin Lymphoma	1,913	16.5	0.39	10.8	0.26	1,665	11.1	0.28	7.4	0.19
Multiple Myeloma	478	4.2	0.20	2.6	0.12	438	2.9	0.14	1.8	0.09
Leukemias	1,095	9.4	0.29	7.1	0.23	906	6.2	0.21	5.0	0.19
Acute lymphocytic	192	1.5	0.11	1.9	0.14	147	1.1	0.09	1.4	0.13
Chronic lymphocytic	168	1.5	0.12	0.9	0.07	107	0.7	0.07	0.5	0.05
Acute myeloid	435	3.8	0.19	2.5	0.13	440	3.0	0.14	2.2	0.11
Chronic myeloid	189	1.6	0.12	1.1	0.08	113	0.8	0.07	0.5	0.06
Other leukemias	111	1.0	0.09	0.7	0.07	99	0.7	0.07	0.4	0.05
Mesothelioma	48	0.5	0.07	0.2	0.04	32	0.2	0.04	0.1	0.02
Kaposi Sarcoma	52	0.4	0.06	0.3	0.04	-	-	-	-	-
Ill-defined & Unknown	1,397	13.1	0.36	7.1	0.20	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	692	5.7	0.22	4.1	0.16	1,614	10.7	0.27	7.5	0.20
Breast (*in situ*)	9	0.1	0.02	0.1	0.02	4,723	30.0	0.44	23.1	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,034	234.3	8.10	153.0	4.84	1,106	213.1	6.77	141.9	4.35
Oral Cavity & Pharynx	55	10.7	1.63	7.7	1.06	15	3.1	0.85	1.9	0.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	14	3.0	0.94	2.0	0.55	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.4	0.58	1.0	0.37	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	258	58.4	4.04	37.6	2.38	197	40.5	3.05	24.6	1.79
Esophagus	18	4.7	1.24	2.7	0.65	8	1.5	0.56	1.0	0.36
Stomach	18	4.2	1.09	2.6	0.63	16	3.4	0.88	2.0	0.50
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	74	17.6	2.27	11.0	1.31	65	14.0	1.83	8.2	1.04
Rectum & rectosigmoid	31	6.6	1.31	4.6	0.84	34	6.3	1.15	4.1	0.71
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	70	14.0	1.85	10.0	1.22	27	4.9	1.00	3.5	0.68
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	25	6.2	1.37	3.5	0.71	23	4.8	1.05	3.0	0.63
Respiratory System	129	32.6	3.18	19.5	1.74	134	27.9	2.53	18.1	1.59
Larynx	15	3.0	0.86	2.1	0.56	-	-	-	-	-
Lung & bronchus	112	29.3	3.06	17.1	1.64	130	27.3	2.51	17.5	1.57
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	9	1.8	0.69	1.2	0.42	6	1.0	0.44	0.7	0.28
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	17	3.0	0.77	2.4	0.60	25	4.4	0.92	3.2	0.64
Breast (excl. *in situ*)	-	-	-	-	-	309	57.7	3.43	41.3	2.39
Female Genital System	-	-	-	-	-	152	26.6	2.27	19.2	1.58
Cervix uteri	-	-	-	-	-	30	4.5	0.82	3.8	0.70
Uterus Corpus	-	-	-	-	-	81	14.0	1.63	10.4	1.17
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	26	4.8	1.00	3.2	0.63
Male Genital System	244	54.0	3.78	37.6	2.45	-	-	-	-	-
Prostate	224	51.2	3.72	35.0	2.38	-	-	-	-	-
Testis	17	2.2	0.56	2.0	0.50	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	128	29.3	2.91	18.5	1.67	62	12.5	1.69	7.3	0.95
Bladder (incl. *in situ*)	50	13.0	2.07	7.3	1.05	13	3.0	0.87	1.4	0.41
Kidney & renal pelvis	75	15.5	1.98	10.7	1.26	49	9.5	1.45	5.9	0.86
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	14	2.2	0.61	1.9	0.53	11	2.0	0.64	1.5	0.46
Brain	13	2.1	0.60	1.8	0.51	11	2.0	0.64	1.5	0.46
Endocrine System	15	2.3	0.61	2.1	0.55	48	7.7	1.18	6.0	0.87
Thyroid gland	14	2.2	0.60	1.9	0.52	46	7.5	1.17	5.7	0.84
Lymphomas	59	14.4	2.09	8.5	1.12	42	8.1	1.33	5.3	0.83
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	3.6	1.01	2.3	0.62	14	3.1	0.88	1.6	0.44
Leukemias	36	8.7	1.66	5.3	0.90	37	6.8	1.19	4.8	0.80
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	8	2.1	0.84	1.2	0.44	8	1.7	0.63	1.2	0.42
Acute myeloid	13	3.0	0.93	1.8	0.52	15	2.8	0.79	1.9	0.50
Chronic myeloid	-	-	-	-	-	7	1.0	0.40	0.9	0.34
Other leukemias	7	2.1	0.88	1.0	0.40	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	44	10.5	1.72	6.8	1.04	45	10.5	1.64	5.3	0.81
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	21	4.2	1.03	2.9	0.66	28	4.8	0.96	3.7	0.72
Breast (*in situ*)	-	-	-	-	-	59	10.5	1.43	7.6	1.00

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	68,904	392.2	1.64	252.8	1.00	73,448	316.3	1.22	219.8	0.84
Oral Cavity & Pharynx	1,821	9.6	0.25	6.5	0.16	867	3.8	0.14	2.6	0.09
Lip	115	0.6	0.06	0.4	0.04	39	0.2	0.03	0.1	0.02
Tongue	447	2.4	0.12	1.6	0.08	237	1.1	0.07	0.7	0.05
Major salivary gland	216	1.1	0.09	0.7	0.05	201	0.8	0.06	0.6	0.04
Floor of mouth	70	0.4	0.05	0.3	0.03	33	0.2	0.03	0.1	0.02
Gum & other mouth	219	1.2	0.09	0.8	0.06	172	0.8	0.07	0.5	0.04
Nasopharynx	121	0.6	0.06	0.4	0.04	55	0.2	0.03	0.2	0.02
Oropharynx	81	0.4	0.05	0.3	0.04	15	0.1	0.02	0.0	0.01
Hypopharynx	147	0.9	0.08	0.6	0.05	19	0.1	0.02	0.1	0.01
Digestive System	17,409	100.9	0.83	63.5	0.50	13,542	65.2	0.58	40.6	0.36
Esophagus	806	5.0	0.19	3.0	0.11	182	0.9	0.07	0.6	0.04
Stomach	2,355	14.2	0.32	8.5	0.18	1,791	8.4	0.21	5.3	0.13
Small intestine	297	1.7	0.11	1.1	0.06	293	1.4	0.08	0.9	0.05
Colon excl. rectum	4,684	28.3	0.45	17.1	0.26	4,276	20.6	0.33	12.6	0.20
Rectum & rectosigmoid	2,696	14.4	0.30	9.6	0.19	1,842	8.2	0.20	5.6	0.13
Anus, anal canal & anorectum	196	0.9	0.07	0.6	0.05	268	1.2	0.08	0.8	0.05
Liver	3,458	18.3	0.34	12.7	0.22	1,301	6.4	0.18	4.1	0.12
Gallbladder	168	1.1	0.09	0.6	0.05	589	3.0	0.13	1.7	0.07
Pancreas	1,860	11.7	0.29	7.0	0.17	1,929	9.9	0.23	5.7	0.14
Respiratory System	5,773	39.7	0.56	21.9	0.30	4,597	23.6	0.36	13.9	0.21
Larynx	661	4.2	0.18	2.6	0.10	89	0.4	0.05	0.3	0.03
Lung & bronchus	4,887	34.5	0.52	18.6	0.28	4,377	22.7	0.35	13.2	0.21
Bones & Joints	310	1.0	0.07	0.9	0.05	207	0.7	0.05	0.6	0.04
Soft Tissue (incl. heart)	861	3.7	0.14	2.7	0.10	718	2.6	0.10	2.1	0.08
Skin (excl. basal & sq.)	1,077	5.9	0.20	3.7	0.12	1,275	5.3	0.15	3.7	0.11
Melanomas of the skin	850	4.7	0.18	2.9	0.10	1,036	4.2	0.14	3.0	0.10
Breast (excl. *in situ*)	107	0.6	0.07	0.4	0.04	21,571	89.3	0.63	65.3	0.46
Female Genital System	-	-	-	-	-	10,983	44.0	0.44	32.8	0.32
Cervix uteri	-	-	-	-	-	2,718	9.8	0.20	7.6	0.15
Uterus Corpus	-	-	-	-	-	4,740	19.4	0.29	14.8	0.22
Uterus, NOS[1]	-	-	-	-	-	171	0.7	0.06	0.5	0.04
Ovary	-	-	-	-	-	2,700	11.0	0.22	8.0	0.16
Male Genital System	20,514	118.9	0.90	80.4	0.58	-	-	-	-	-
Prostate	18,173	112.2	0.88	74.3	0.57	-	-	-	-	-
Testis	2,075	5.1	0.12	5.2	0.11	-	-	-	-	-
Penis	230	1.3	0.09	0.8	0.05	-	-	-	-	-
Urinary System	6,613	40.0	0.54	24.2	0.31	3,640	16.7	0.29	11.2	0.19
Bladder (incl. *in situ*)	2,632	18.7	0.39	9.9	0.20	887	4.5	0.16	2.6	0.09
Kidney & renal pelvis	3,907	20.8	0.36	14.1	0.23	2,704	11.9	0.24	8.4	0.17
Ureter	42	0.3	0.05	0.2	0.03	33	0.2	0.03	0.1	0.02
Eye & Orbit	147	0.6	0.06	0.5	0.04	138	0.5	0.05	0.4	0.04
Brain & Other Nervous System	1,415	5.7	0.17	4.5	0.12	1,135	4.2	0.13	3.4	0.10
Brain	1,322	5.4	0.17	4.2	0.12	1,044	3.9	0.13	3.2	0.10
Endocrine System	1,239	5.0	0.16	3.9	0.11	4,956	17.1	0.25	14.0	0.20
Thyroid gland	1,074	4.4	0.15	3.3	0.11	4,799	16.6	0.25	13.5	0.20
Lymphomas	4,599	23.1	0.39	15.5	0.24	3,919	17.2	0.29	11.6	0.19
Hodgkin Lymphoma	735	2.5	0.11	2.1	0.08	563	1.8	0.08	1.6	0.07
Non-Hodgkin Lymphoma	3,864	20.6	0.37	13.3	0.22	3,356	15.4	0.28	10.0	0.18
Multiple Myeloma	1,187	7.2	0.23	4.4	0.13	964	4.6	0.15	3.0	0.10
Leukemias	2,910	12.2	0.27	9.4	0.18	2,379	8.7	0.19	7.1	0.15
Acute lymphocytic	1,069	2.7	0.09	3.2	0.10	907	2.4	0.08	2.8	0.10
Chronic lymphocytic	376	2.5	0.14	1.4	0.08	288	1.5	0.09	0.9	0.05
Acute myeloid	809	3.9	0.16	2.6	0.10	727	2.9	0.11	2.1	0.08
Chronic myeloid	367	1.7	0.10	1.2	0.06	258	1.0	0.07	0.7	0.05
Other leukemias	289	1.5	0.10	1.0	0.06	199	0.9	0.07	0.6	0.04
Mesothelioma	221	1.6	0.11	0.8	0.06	81	0.4	0.05	0.3	0.03
Kaposi Sarcoma	346	1.3	0.08	1.0	0.05	35	0.2	0.03	0.1	0.02
Ill-defined & Unknown	2,355	15.5	0.35	8.5	0.18	2,441	12.4	0.26	7.1	0.15
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,265	5.8	0.19	4.1	0.12	2,593	10.9	0.23	7.7	0.15
Breast (*in situ*)	16	0.1	0.02	0.1	0.02	4,686	19.2	0.29	14.4	0.22

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	258,948	527.2	1.06	347.2	0.74	242,434	442.2	0.94	306.0	0.71
Oral Cavity & Pharynx	9,538	18.8	0.20	13.5	0.14	3,867	6.9	0.12	4.8	0.09
Lip	791	1.6	0.06	1.1	0.04	314	0.5	0.03	0.3	0.02
Tongue	3,247	6.3	0.11	4.7	0.08	1,187	2.1	0.06	1.5	0.05
Major salivary gland	899	1.9	0.06	1.1	0.04	531	1.0	0.05	0.7	0.04
Floor of mouth	434	0.8	0.04	0.6	0.03	217	0.4	0.03	0.3	0.02
Gum & other mouth	840	1.7	0.06	1.1	0.04	753	1.3	0.05	0.8	0.03
Nasopharynx	261	0.5	0.03	0.4	0.03	129	0.2	0.02	0.2	0.02
Oropharynx	355	0.7	0.04	0.5	0.03	101	0.2	0.02	0.1	0.01
Hypopharynx	495	1.0	0.04	0.7	0.03	158	0.3	0.02	0.2	0.02
Digestive System	46,506	94.0	0.44	59.8	0.29	37,787	64.3	0.34	39.8	0.23
Esophagus	3,983	7.9	0.13	5.1	0.08	1,153	1.9	0.06	1.1	0.04
Stomach	3,876	7.9	0.13	4.9	0.08	2,086	3.6	0.08	2.1	0.05
Small intestine	1,173	2.4	0.07	1.6	0.05	940	1.7	0.06	1.1	0.04
Colon excl. rectum	15,482	31.9	0.26	19.2	0.16	15,916	26.7	0.22	15.8	0.15
Rectum & rectosigmoid	6,963	14.1	0.17	9.6	0.12	5,277	9.5	0.14	6.4	0.10
Anus, anal canal & anorectum	972	2.0	0.06	1.4	0.05	1,558	2.8	0.07	2.0	0.05
Liver	5,004	9.5	0.14	6.9	0.10	1,555	2.7	0.07	1.8	0.05
Gallbladder	285	0.6	0.04	0.3	0.02	576	1.0	0.04	0.6	0.03
Pancreas	6,786	13.7	0.17	8.4	0.11	6,324	10.5	0.14	6.2	0.09
Respiratory System	32,888	67.3	0.38	39.8	0.23	30,776	52.5	0.31	31.7	0.20
Larynx	2,303	4.6	0.10	3.0	0.07	529	0.9	0.04	0.6	0.03
Lung & bronchus	30,042	61.6	0.36	36.0	0.22	29,907	51.0	0.30	30.6	0.20
Bones & Joints	498	1.2	0.06	1.1	0.06	363	0.9	0.05	0.8	0.05
Soft Tissue (incl. heart)	1,994	4.4	0.10	3.2	0.08	1,480	3.0	0.08	2.4	0.08
Skin (excl. basal & sq.)	22,203	46.3	0.32	30.2	0.22	13,787	27.3	0.25	20.3	0.20
Melanomas of the skin	20,443	42.6	0.30	28.2	0.21	12,814	25.6	0.24	19.2	0.19
Breast (excl. *in situ*)	675	1.4	0.05	0.9	0.03	75,554	140.5	0.53	101.2	0.40
Female Genital System	-	-	-	-	-	27,269	50.3	0.32	37.0	0.24
Cervix uteri	-	-	-	-	-	2,961	6.9	0.13	5.5	0.11
Uterus Corpus	-	-	-	-	-	14,288	25.2	0.22	18.8	0.17
Uterus, NOS[1]	-	-	-	-	-	392	0.7	0.04	0.5	0.03
Ovary	-	-	-	-	-	7,169	13.2	0.16	9.4	0.12
Male Genital System	69,457	135.6	0.53	96.8	0.38	-	-	-	-	-
Prostate	66,172	127.2	0.50	89.2	0.36	-	-	-	-	-
Testis	2,816	7.5	0.14	7.0	0.14	-	-	-	-	-
Penis	345	0.7	0.04	0.4	0.02	-	-	-	-	-
Urinary System	30,240	62.2	0.36	37.4	0.23	11,479	19.9	0.19	12.7	0.14
Bladder (incl. *in situ*)	19,496	40.4	0.29	22.4	0.17	5,796	9.6	0.13	5.6	0.08
Kidney & renal pelvis	10,124	20.6	0.21	14.3	0.15	5,375	9.8	0.14	6.9	0.11
Ureter	390	0.8	0.04	0.4	0.02	222	0.4	0.03	0.2	0.02
Eye & Orbit	599	1.3	0.05	1.0	0.05	495	0.9	0.05	0.7	0.04
Brain & Other Nervous System	4,108	9.1	0.15	7.5	0.14	3,039	6.3	0.12	5.2	0.12
Brain	3,923	8.7	0.14	7.0	0.13	2,851	5.8	0.12	4.8	0.11
Endocrine System	3,557	7.8	0.14	6.3	0.12	8,839	20.3	0.23	17.0	0.20
Thyroid gland	3,209	7.0	0.13	5.5	0.10	8,525	19.6	0.22	16.3	0.19
Lymphomas	13,195	28.2	0.25	19.3	0.19	10,452	19.4	0.20	13.6	0.16
Hodgkin Lymphoma	1,359	3.3	0.09	3.0	0.09	1,135	2.9	0.09	2.7	0.09
Non-Hodgkin Lymphoma	11,836	24.9	0.23	16.3	0.17	9,317	16.5	0.18	10.9	0.13
Multiple Myeloma	3,609	7.4	0.12	4.5	0.08	2,467	4.2	0.09	2.6	0.06
Leukemias	8,252	17.8	0.20	12.3	0.17	5,674	10.6	0.15	7.8	0.14
Acute lymphocytic	669	2.0	0.08	2.4	0.11	463	1.4	0.07	1.7	0.09
Chronic lymphocytic	3,388	6.9	0.12	4.1	0.07	2,139	3.6	0.08	2.1	0.05
Acute myeloid	2,224	4.8	0.10	3.1	0.08	1,786	3.3	0.08	2.4	0.07
Chronic myeloid	965	2.1	0.07	1.3	0.05	654	1.2	0.05	0.8	0.04
Other leukemias	1,006	2.1	0.07	1.4	0.05	632	1.1	0.05	0.7	0.04
Mesothelioma	937	2.0	0.07	1.0	0.04	272	0.5	0.03	0.3	0.02
Kaposi Sarcoma	467	1.1	0.05	0.9	0.04	38	0.1	0.01	0.0	0.01
Ill-defined & Unknown	10,225	21.3	0.21	11.9	0.13	8,796	14.4	0.16	8.2	0.11
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	3,722	8.1	0.14	5.9	0.11	7,566	14.2	0.17	10.1	0.14
Breast (*in situ*)	65	0.1	0.02	0.1	0.01	17,137	32.8	0.26	24.8	0.20

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
California, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	27,752	572.3	3.64	390.2	2.38	24,744	417.5	2.70	290.2	1.92
Oral Cavity & Pharynx	754	14.3	0.55	10.4	0.39	320	5.3	0.30	3.9	0.23
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	205	3.9	0.29	2.8	0.20	73	1.2	0.14	0.9	0.11
Major salivary gland	64	1.3	0.16	0.9	0.11	67	1.1	0.14	0.9	0.11
Floor of mouth	37	0.7	0.12	0.5	0.08	15	0.2	0.06	0.2	0.05
Gum & other mouth	72	1.4	0.17	1.0	0.12	69	1.2	0.15	0.8	0.10
Nasopharynx	53	1.0	0.15	0.8	0.11	18	0.3	0.08	0.2	0.06
Oropharynx	47	0.9	0.14	0.7	0.10	16	0.3	0.07	0.2	0.05
Hypopharynx	66	1.2	0.15	0.9	0.12	12	0.2	0.06	0.2	0.04
Digestive System	6,017	127.2	1.74	83.0	1.09	5,169	88.3	1.25	56.7	0.82
Esophagus	262	5.8	0.38	3.6	0.23	143	2.5	0.21	1.6	0.14
Stomach	589	13.4	0.59	8.1	0.34	462	8.1	0.38	4.8	0.24
Small intestine	213	4.6	0.33	3.0	0.21	159	2.7	0.22	1.8	0.15
Colon excl. rectum	2,102	46.4	1.07	28.9	0.64	2,159	37.3	0.82	23.5	0.53
Rectum & rectosigmoid	736	14.9	0.58	10.0	0.38	613	10.1	0.41	7.0	0.29
Anus, anal canal & anorectum	136	2.5	0.22	1.9	0.16	97	1.6	0.16	1.1	0.12
Liver	941	16.9	0.58	13.3	0.44	326	5.2	0.29	3.8	0.22
Gallbladder	51	1.2	0.18	0.7	0.10	79	1.3	0.15	0.9	0.10
Pancreas	790	17.0	0.64	10.9	0.39	859	15.0	0.52	9.1	0.33
Respiratory System	3,935	87.6	1.48	54.5	0.88	3,125	53.7	0.98	35.0	0.65
Larynx	331	6.9	0.40	4.7	0.26	87	1.4	0.15	1.1	0.12
Lung & bronchus	3,551	79.7	1.41	49.1	0.84	3,001	51.7	0.96	33.5	0.63
Bones & Joints	52	1.0	0.14	0.8	0.12	42	0.7	0.11	0.7	0.11
Soft Tissue (incl. heart)	208	4.0	0.29	3.1	0.22	191	3.2	0.24	2.5	0.19
Skin (excl. basal & sq.)	137	2.9	0.26	1.9	0.17	122	2.1	0.20	1.5	0.14
Melanomas of the skin	58	1.3	0.19	0.8	0.10	55	1.0	0.13	0.6	0.08
Breast (excl. *in situ*)	69	1.5	0.19	1.0	0.12	7,789	129.1	1.49	93.3	1.08
Female Genital System	-	-	-	-	-	2,890	47.9	0.91	35.3	0.67
Cervix uteri	-	-	-	-	-	486	8.2	0.38	6.3	0.29
Uterus Corpus	-	-	-	-	-	1,458	23.8	0.63	17.8	0.47
Uterus, NOS[1]	-	-	-	-	-	90	1.5	0.16	1.0	0.11
Ovary	-	-	-	-	-	633	10.7	0.43	7.7	0.32
Male Genital System	10,273	200.2	2.08	146.0	1.46	-	-	-	-	-
Prostate	10,118	197.2	2.06	143.7	1.45	-	-	-	-	-
Testis	109	1.9	0.18	1.6	0.16	-	-	-	-	-
Penis	36	0.9	0.16	0.5	0.08	-	-	-	-	-
Urinary System	2,304	49.5	1.10	32.0	0.68	1,167	20.1	0.60	13.2	0.41
Bladder (incl. *in situ*)	980	23.4	0.79	13.4	0.44	403	7.3	0.37	3.9	0.21
Kidney & renal pelvis	1,288	25.1	0.74	18.2	0.52	738	12.4	0.46	8.9	0.34
Ureter	14	0.4	0.11	0.2	0.05	12	0.2	0.06	0.1	0.04
Eye & Orbit	18	0.4	0.10	0.4	0.10	12	0.2	0.06	0.2	0.08
Brain & Other Nervous System	270	5.2	0.33	4.2	0.26	217	3.7	0.25	3.1	0.23
Brain	249	4.8	0.32	3.9	0.25	196	3.3	0.24	2.8	0.22
Endocrine System	244	4.7	0.31	3.6	0.24	790	13.0	0.47	10.6	0.39
Thyroid gland	189	3.6	0.27	2.7	0.20	734	12.1	0.45	9.7	0.37
Lymphomas	1,108	21.3	0.67	15.9	0.49	878	14.9	0.51	11.1	0.39
Hodgkin Lymphoma	198	3.4	0.24	3.0	0.22	160	2.6	0.21	2.5	0.20
Non-Hodgkin Lymphoma	910	17.9	0.63	12.9	0.44	718	12.4	0.47	8.6	0.34
Multiple Myeloma	682	15.0	0.61	9.4	0.37	645	11.0	0.44	7.2	0.30
Leukemias	683	14.7	0.60	10.1	0.40	495	8.5	0.39	6.2	0.31
Acute lymphocytic	78	1.4	0.16	1.6	0.19	60	1.0	0.13	1.1	0.16
Chronic lymphocytic	212	5.1	0.37	2.9	0.20	130	2.3	0.20	1.4	0.13
Acute myeloid	206	4.4	0.32	3.0	0.21	180	3.1	0.23	2.3	0.18
Chronic myeloid	106	2.1	0.22	1.5	0.15	72	1.2	0.14	0.9	0.11
Other leukemias	81	1.8	0.21	1.1	0.13	53	1.0	0.13	0.6	0.09
Mesothelioma	51	1.3	0.20	0.7	0.10	12	0.2	0.06	0.1	0.04
Kaposi Sarcoma	137	2.5	0.22	2.0	0.17	7	0.1	0.05	0.1	0.04
Ill-defined & Unknown	810	19.0	0.71	11.1	0.40	873	15.2	0.52	9.3	0.33
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	391	8.0	0.43	5.7	0.30	803	13.6	0.49	9.5	0.35
Breast (*in situ*)	10	0.2	0.08	0.1	0.04	1,822	29.8	0.71	22.1	0.53

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	80,497	494.9	1.79	323.5	1.19	77,493	401.0	1.46	276.5	1.07
Oral Cavity & Pharynx	2,675	15.3	0.30	11.0	0.22	1,200	6.2	0.18	4.3	0.13
Lip	154	0.9	0.08	0.6	0.05	79	0.4	0.04	0.2	0.03
Tongue	828	4.7	0.17	3.4	0.12	333	1.7	0.10	1.2	0.07
Major salivary gland	248	1.5	0.10	1.0	0.07	191	1.0	0.07	0.8	0.06
Floor of mouth	114	0.7	0.06	0.5	0.04	46	0.2	0.04	0.1	0.02
Gum & other mouth	236	1.4	0.09	0.9	0.06	227	1.2	0.08	0.7	0.05
Nasopharynx	323	1.8	0.10	1.4	0.08	140	0.7	0.06	0.6	0.05
Oropharynx	113	0.7	0.06	0.5	0.05	25	0.1	0.03	0.1	0.02
Hypopharynx	159	0.9	0.08	0.6	0.05	39	0.2	0.03	0.1	0.02
Digestive System	16,145	99.2	0.80	62.9	0.51	13,582	69.1	0.60	42.8	0.40
Esophagus	1,038	6.4	0.21	4.1	0.13	386	2.0	0.10	1.1	0.06
Stomach	1,639	10.5	0.26	6.2	0.16	1,151	6.0	0.18	3.6	0.12
Small intestine	373	2.3	0.12	1.5	0.08	329	1.7	0.09	1.2	0.07
Colon excl. rectum	4,854	30.6	0.45	18.5	0.28	5,249	26.6	0.37	16.1	0.24
Rectum & rectosigmoid	2,317	13.6	0.29	9.3	0.20	1,816	9.3	0.22	6.3	0.16
Anus, anal canal & anorectum	297	1.7	0.10	1.2	0.07	360	1.8	0.10	1.3	0.07
Liver	2,658	15.1	0.30	10.8	0.22	934	4.8	0.16	3.2	0.11
Gallbladder	98	0.6	0.07	0.4	0.04	275	1.4	0.09	0.8	0.05
Pancreas	2,138	13.6	0.30	8.1	0.18	2,137	10.7	0.24	6.2	0.15
Respiratory System	8,838	57.6	0.63	33.2	0.37	8,092	41.9	0.47	24.9	0.30
Larynx	629	4.0	0.16	2.5	0.10	121	0.6	0.06	0.4	0.04
Lung & bronchus	8,011	52.4	0.60	29.8	0.35	7,847	40.7	0.47	24.0	0.29
Bones & Joints	189	1.1	0.08	1.0	0.08	140	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	691	4.2	0.16	3.0	0.12	540	2.9	0.13	2.2	0.11
Skin (excl. basal & sq.)	5,295	32.8	0.46	20.8	0.30	3,633	19.0	0.32	13.7	0.24
Melanomas of the skin	4,805	29.6	0.44	19.0	0.28	3,305	17.3	0.31	12.6	0.23
Breast (excl. *in situ*)	182	1.1	0.09	0.7	0.06	24,217	125.5	0.82	91.4	0.61
Female Genital System	-	-	-	-	-	9,219	47.3	0.50	34.6	0.38
Cervix uteri	-	-	-	-	-	1,141	6.2	0.19	4.8	0.15
Uterus Corpus	-	-	-	-	-	4,917	24.8	0.36	18.3	0.27
Uterus, NOS[1]	-	-	-	-	-	84	0.4	0.05	0.3	0.03
Ovary	-	-	-	-	-	2,368	12.3	0.26	8.9	0.19
Male Genital System	24,221	143.7	0.95	101.2	0.67	-	-	-	-	-
Prostate	23,050	137.1	0.93	95.2	0.64	-	-	-	-	-
Testis	1,002	5.6	0.18	5.3	0.17	-	-	-	-	-
Penis	120	0.7	0.07	0.5	0.04	-	-	-	-	-
Urinary System	8,009	51.0	0.58	30.4	0.35	3,429	17.6	0.31	11.2	0.21
Bladder (incl. *in situ*)	4,771	31.5	0.47	17.2	0.26	1,603	8.1	0.21	4.6	0.13
Kidney & renal pelvis	3,062	18.3	0.34	12.6	0.23	1,722	9.0	0.22	6.3	0.17
Ureter	121	0.8	0.08	0.4	0.04	73	0.4	0.04	0.2	0.02
Eye & Orbit	140	0.9	0.07	0.6	0.06	124	0.7	0.06	0.5	0.06
Brain & Other Nervous System	1,249	7.4	0.21	5.9	0.18	1,002	5.4	0.17	4.5	0.16
Brain	1,178	7.0	0.21	5.6	0.18	921	5.0	0.17	4.0	0.15
Endocrine System	1,119	6.4	0.20	5.1	0.16	3,163	17.2	0.31	14.4	0.27
Thyroid gland	975	5.6	0.18	4.3	0.14	3,020	16.5	0.30	13.6	0.26
Lymphomas	4,610	28.2	0.42	19.4	0.30	3,586	18.7	0.32	13.1	0.24
Hodgkin Lymphoma	472	2.8	0.13	2.4	0.12	410	2.3	0.12	2.2	0.11
Non-Hodgkin Lymphoma	4,138	25.4	0.40	17.0	0.28	3,176	16.4	0.30	10.9	0.21
Multiple Myeloma	1,264	8.0	0.23	4.8	0.14	961	4.9	0.16	3.1	0.11
Leukemias	2,598	16.4	0.33	11.5	0.25	1,886	10.1	0.24	7.6	0.21
Acute lymphocytic	335	2.1	0.11	2.6	0.15	275	1.7	0.10	2.1	0.13
Chronic lymphocytic	939	6.0	0.20	3.5	0.12	634	3.2	0.13	1.9	0.08
Acute myeloid	730	4.7	0.18	3.0	0.12	614	3.3	0.13	2.4	0.11
Chronic myeloid	297	1.8	0.11	1.2	0.07	189	1.0	0.07	0.7	0.05
Other leukemias	297	1.9	0.11	1.2	0.07	174	0.9	0.07	0.6	0.05
Mesothelioma	248	1.7	0.11	0.8	0.05	88	0.5	0.05	0.3	0.03
Kaposi Sarcoma	272	1.5	0.09	1.2	0.08	26	0.1	0.03	0.1	0.02
Ill-defined & Unknown	2,752	18.2	0.35	9.9	0.20	2,605	13.0	0.26	7.2	0.16
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,258	7.5	0.22	5.5	0.16	2,611	13.6	0.27	9.6	0.20
Breast (*in situ*)	24	0.1	0.03	0.1	0.02	6,573	34.3	0.43	25.9	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	59,457	528.1	2.22	345.4	1.48	55,787	431.7	1.87	296.9	1.37
Oral Cavity & Pharynx	1,991	16.5	0.38	11.8	0.27	841	6.4	0.23	4.3	0.16
Lip	143	1.3	0.11	0.8	0.07	74	0.5	0.06	0.3	0.04
Tongue	699	5.7	0.22	4.2	0.16	257	2.0	0.12	1.4	0.09
Major salivary gland	193	1.7	0.13	1.1	0.08	118	0.9	0.09	0.7	0.07
Floor of mouth	98	0.8	0.09	0.6	0.06	39	0.3	0.05	0.2	0.03
Gum & other mouth	174	1.5	0.12	1.0	0.08	176	1.3	0.10	0.8	0.07
Nasopharynx	55	0.5	0.06	0.3	0.05	31	0.2	0.05	0.2	0.04
Oropharynx	92	0.8	0.08	0.6	0.06	17	0.1	0.03	0.1	0.02
Hypopharynx	121	1.0	0.10	0.7	0.07	32	0.2	0.04	0.2	0.03
Digestive System	10,885	96.7	0.95	61.0	0.61	9,049	67.7	0.73	41.8	0.49
Esophagus	844	7.6	0.27	4.8	0.17	283	2.1	0.13	1.2	0.08
Stomach	1,003	9.2	0.30	5.5	0.18	622	4.8	0.20	3.0	0.13
Small intestine	264	2.3	0.15	1.5	0.09	235	1.8	0.12	1.3	0.09
Colon excl. rectum	3,397	31.0	0.54	18.5	0.33	3,644	27.1	0.46	16.1	0.30
Rectum & rectosigmoid	1,547	13.3	0.35	9.1	0.24	1,175	9.0	0.27	6.1	0.19
Anus, anal canal & anorectum	244	2.1	0.13	1.4	0.09	304	2.3	0.13	1.6	0.10
Liver	1,468	11.9	0.32	8.6	0.23	482	3.7	0.17	2.5	0.13
Gallbladder	60	0.6	0.07	0.3	0.04	191	1.4	0.11	0.8	0.07
Pancreas	1,572	14.4	0.37	8.6	0.23	1,470	10.7	0.29	6.2	0.18
Respiratory System	5,887	55.3	0.74	31.6	0.43	5,862	44.6	0.60	26.0	0.37
Larynx	462	4.2	0.20	2.6	0.13	86	0.7	0.07	0.4	0.05
Lung & bronchus	5,292	50.0	0.70	28.2	0.41	5,695	43.4	0.59	25.2	0.37
Bones & Joints	149	1.3	0.11	1.2	0.11	106	1.0	0.09	0.9	0.09
Soft Tissue (incl. heart)	515	4.6	0.21	3.2	0.15	372	3.0	0.16	2.3	0.13
Skin (excl. basal & sq.)	5,024	45.1	0.65	28.6	0.42	3,394	27.0	0.47	19.5	0.36
Melanomas of the skin	4,607	41.1	0.62	26.4	0.40	3,122	25.0	0.46	18.3	0.35
Breast (excl. *in situ*)	131	1.2	0.11	0.7	0.07	17,270	135.0	1.05	97.8	0.78
Female Genital System	-	-	-	-	-	6,587	50.9	0.64	37.0	0.48
Cervix uteri	-	-	-	-	-	770	6.7	0.24	5.3	0.20
Uterus Corpus	-	-	-	-	-	3,506	26.5	0.46	19.3	0.34
Uterus, NOS[1]	-	-	-	-	-	53	0.4	0.05	0.3	0.04
Ovary	-	-	-	-	-	1,707	13.3	0.33	9.5	0.25
Male Genital System	17,729	151.6	1.17	107.4	0.83	-	-	-	-	-
Prostate	16,739	143.1	1.14	99.8	0.79	-	-	-	-	-
Testis	858	7.3	0.25	6.9	0.24	-	-	-	-	-
Penis	98	0.9	0.09	0.6	0.06	-	-	-	-	-
Urinary System	6,352	58.3	0.75	34.7	0.45	2,628	19.9	0.40	12.7	0.28
Bladder (incl. *in situ*)	3,902	36.9	0.60	20.1	0.34	1,271	9.4	0.27	5.4	0.17
Kidney & renal pelvis	2,316	20.1	0.43	13.9	0.30	1,286	10.0	0.28	7.0	0.22
Ureter	93	0.9	0.09	0.5	0.05	47	0.3	0.05	0.2	0.03
Eye & Orbit	126	1.1	0.10	0.8	0.08	116	0.9	0.09	0.7	0.08
Brain & Other Nervous System	978	8.5	0.28	6.8	0.24	764	6.2	0.23	5.2	0.21
Brain	931	8.1	0.27	6.4	0.23	701	5.7	0.22	4.6	0.20
Endocrine System	789	6.7	0.24	5.4	0.20	2,096	17.9	0.40	14.9	0.34
Thyroid gland	704	5.9	0.23	4.7	0.18	2,008	17.1	0.39	14.2	0.33
Lymphomas	3,479	31.1	0.54	21.3	0.38	2,634	20.5	0.41	14.2	0.31
Hodgkin Lymphoma	358	3.2	0.17	2.7	0.15	302	2.7	0.16	2.4	0.15
Non-Hodgkin Lymphoma	3,121	27.9	0.51	18.6	0.35	2,332	17.8	0.38	11.7	0.27
Multiple Myeloma	890	8.1	0.28	4.9	0.17	646	4.9	0.20	3.0	0.13
Leukemias	2,054	18.9	0.42	13.2	0.33	1,428	11.4	0.31	8.5	0.27
Acute lymphocytic	261	2.5	0.15	3.1	0.21	205	2.0	0.14	2.4	0.18
Chronic lymphocytic	801	7.3	0.26	4.3	0.16	531	4.0	0.18	2.3	0.11
Acute myeloid	536	5.0	0.22	3.2	0.15	424	3.4	0.17	2.4	0.14
Chronic myeloid	215	1.9	0.13	1.3	0.09	143	1.1	0.10	0.7	0.07
Other leukemias	241	2.2	0.14	1.4	0.10	125	1.0	0.09	0.6	0.07
Mesothelioma	224	2.2	0.15	1.1	0.07	68	0.5	0.06	0.3	0.04
Kaposi Sarcoma	213	1.8	0.13	1.4	0.10	21	0.1	0.03	0.1	0.02
Ill-defined & Unknown	2,041	19.2	0.43	10.4	0.25	1,905	13.7	0.32	7.6	0.20
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	875	7.7	0.26	5.6	0.20	1,785	13.9	0.34	9.9	0.26
Breast (*in situ*)	17	0.1	0.04	0.1	0.03	4,355	34.6	0.53	26.0	0.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	6,112	579.2	7.85	392.8	5.12	5,343	419.0	5.85	289.6	4.13
Oral Cavity & Pharynx	157	13.7	1.14	10.0	0.81	70	5.3	0.65	4.3	0.52
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	41	3.6	0.61	2.5	0.40	15	1.1	0.29	0.9	0.23
Major salivary gland	14	1.2	0.32	1.0	0.26	14	1.1	0.30	0.8	0.23
Floor of mouth	8	0.7	0.24	0.5	0.18	-	-	-	-	-
Gum & other mouth	16	1.4	0.36	1.0	0.26	11	0.8	0.26	0.7	0.22
Nasopharynx	9	1.0	0.33	0.6	0.20	-	-	-	-	-
Oropharynx	15	1.3	0.37	1.0	0.26	-	-	-	-	-
Hypopharynx	12	1.0	0.31	0.8	0.24	-	-	-	-	-
Digestive System	1,318	125.3	3.67	82.9	2.32	1,159	90.7	2.72	59.6	1.83
Esophagus	50	4.6	0.70	3.1	0.44	42	3.2	0.51	2.2	0.35
Stomach	132	14.2	1.30	8.3	0.74	121	9.8	0.91	5.8	0.56
Small intestine	53	5.4	0.77	3.5	0.49	30	2.4	0.44	1.6	0.31
Colon excl. rectum	415	42.3	2.20	25.9	1.30	436	34.5	1.69	22.5	1.12
Rectum & rectosigmoid	155	13.9	1.19	9.4	0.77	126	9.5	0.87	6.6	0.61
Anus, anal canal & anorectum	27	2.2	0.43	1.7	0.33	26	1.9	0.39	1.4	0.29
Liver	265	21.1	1.36	16.8	1.05	85	6.0	0.66	4.7	0.52
Gallbladder	11	1.3	0.39	0.8	0.23	28	2.2	0.42	1.4	0.28
Pancreas	169	16.3	1.33	10.8	0.84	212	17.2	1.20	10.5	0.76
Respiratory System	914	92.5	3.24	57.7	1.94	759	60.8	2.25	39.0	1.48
Larynx	75	7.7	0.94	4.8	0.56	17	1.3	0.32	1.0	0.24
Lung & bronchus	823	83.3	3.08	51.9	1.84	731	58.6	2.21	37.4	1.45
Bones & Joints	9	0.9	0.33	0.7	0.23	9	0.7	0.24	0.7	0.24
Soft Tissue (incl. heart)	41	4.3	0.71	2.8	0.45	42	3.3	0.51	2.4	0.40
Skin (excl. basal & sq.)	25	2.4	0.50	1.6	0.33	22	1.7	0.37	1.2	0.27
Melanomas of the skin	8	0.7	0.25	0.5	0.18	12	0.9	0.28	0.6	0.17
Breast (excl. *in situ*)	17	1.6	0.40	1.1	0.26	1,624	126.0	3.19	90.3	2.31
Female Genital System	-	-	-	-	-	579	44.6	1.89	33.0	1.41
Cervix uteri	-	-	-	-	-	75	5.9	0.69	4.5	0.53
Uterus Corpus	-	-	-	-	-	315	24.0	1.38	17.7	1.02
Uterus, NOS[1]	-	-	-	-	-	8	0.6	0.22	0.3	0.13
Ovary	-	-	-	-	-	138	10.8	0.93	8.0	0.70
Male Genital System	2,232	198.4	4.43	145.3	3.12	-	-	-	-	-
Prostate	2,202	195.8	4.40	143.2	3.10	-	-	-	-	-
Testis	22	1.8	0.39	1.6	0.34	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	500	51.5	2.44	31.5	1.44	250	20.0	1.29	12.8	0.88
Bladder (incl. *in situ*)	231	25.8	1.79	14.3	0.97	99	8.0	0.82	4.4	0.48
Kidney & renal pelvis	257	24.2	1.60	16.4	1.04	146	11.7	0.99	8.2	0.72
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	47	4.1	0.63	3.5	0.55	52	4.3	0.61	3.1	0.47
Brain	41	3.7	0.61	3.2	0.52	49	4.1	0.60	2.9	0.45
Endocrine System	43	4.0	0.63	2.9	0.45	111	8.5	0.82	7.0	0.69
Thyroid gland	30	2.9	0.55	1.9	0.36	97	7.5	0.78	5.9	0.61
Lymphomas	263	23.4	1.51	17.7	1.11	220	17.4	1.19	13.2	0.93
Hodgkin Lymphoma	47	3.9	0.58	3.3	0.49	37	2.8	0.47	2.8	0.47
Non-Hodgkin Lymphoma	216	19.5	1.39	14.3	1.00	183	14.5	1.10	10.4	0.81
Multiple Myeloma	169	17.7	1.44	10.6	0.83	141	11.3	0.97	7.1	0.63
Leukemias	159	16.7	1.40	10.7	0.88	103	8.1	0.82	5.9	0.64
Acute lymphocytic	13	1.0	0.29	1.2	0.34	13	1.0	0.28	0.9	0.27
Chronic lymphocytic	52	6.1	0.88	3.3	0.47	35	2.7	0.47	1.7	0.31
Acute myeloid	50	5.2	0.77	3.5	0.52	33	2.6	0.45	2.1	0.42
Chronic myeloid	28	2.7	0.53	1.8	0.34	14	1.1	0.30	0.8	0.23
Other leukemias	16	1.7	0.46	0.9	0.23	8	0.7	0.25	0.4	0.14
Mesothelioma	8	0.9	0.35	0.5	0.16	6	0.5	0.20	0.3	0.12
Kaposi Sarcoma	33	2.8	0.50	2.3	0.40	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	193	15.5	1.14	9.4	0.73
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	89	8.8	0.99	5.7	0.61	183	14.0	1.06	10.0	0.77
Breast (*in situ*)	-	-	-	-	-	364	27.9	1.49	20.6	1.10

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,185	347.3	3.10	222.5	2.02	15,476	312.3	2.53	218.4	1.85
Oral Cavity & Pharynx	497	11.8	0.54	8.7	0.40	275	5.5	0.34	4.0	0.25
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	80	2.0	0.23	1.3	0.15	56	1.1	0.15	0.8	0.11
Major salivary gland	38	1.0	0.16	0.7	0.12	53	1.1	0.15	0.9	0.13
Floor of mouth	8	0.2	0.07	0.2	0.06	-	-	-	-	-
Gum & other mouth	42	1.1	0.17	0.7	0.11	38	0.8	0.13	0.5	0.09
Nasopharynx	255	5.8	0.37	4.5	0.29	105	2.1	0.20	1.6	0.16
Oropharynx	6	0.2	0.07	0.1	0.04	-	-	-	-	-
Hypopharynx	24	0.6	0.14	0.4	0.08	-	-	-	-	-
Digestive System	3,789	99.1	1.65	62.4	1.05	3,226	66.8	1.19	40.5	0.76
Esophagus	139	3.6	0.32	2.3	0.20	59	1.3	0.17	0.7	0.10
Stomach	492	13.5	0.62	7.7	0.36	399	8.3	0.42	5.0	0.27
Small intestine	55	1.5	0.20	0.9	0.13	60	1.2	0.16	0.8	0.11
Colon excl. rectum	1,000	26.4	0.86	16.5	0.54	1,115	22.9	0.69	14.0	0.44
Rectum & rectosigmoid	572	14.3	0.61	9.6	0.41	479	9.7	0.45	6.4	0.31
Anus, anal canal & anorectum	21	0.5	0.11	0.4	0.08	25	0.5	0.10	0.3	0.07
Liver	896	22.5	0.77	15.2	0.52	357	7.5	0.40	4.5	0.26
Gallbladder	27	0.7	0.14	0.4	0.08	55	1.1	0.15	0.7	0.10
Pancreas	386	10.7	0.55	6.0	0.32	436	9.2	0.44	5.1	0.26
Respiratory System	1,974	55.1	1.27	31.0	0.73	1,434	29.9	0.80	18.0	0.50
Larynx	86	2.4	0.26	1.4	0.16	15	0.3	0.08	0.2	0.05
Lung & bronchus	1,844	51.6	1.23	28.8	0.70	1,388	29.0	0.78	17.3	0.49
Bones & Joints	27	0.7	0.13	0.6	0.12	21	0.5	0.11	0.5	0.12
Soft Tissue (incl. heart)	123	3.1	0.28	2.3	0.22	115	2.4	0.23	2.0	0.22
Skin (excl. basal & sq.)	97	2.5	0.26	1.7	0.18	99	2.0	0.21	1.4	0.16
Melanomas of the skin	56	1.5	0.20	1.0	0.14	57	1.2	0.16	0.9	0.13
Breast (excl. *in situ*)	33	0.9	0.16	0.6	0.10	5,099	100.4	1.42	75.4	1.08
Female Genital System	-	-	-	-	-	1,961	38.2	0.87	28.9	0.67
Cervix uteri	-	-	-	-	-	280	5.6	0.34	4.1	0.25
Uterus Corpus	-	-	-	-	-	1,053	20.1	0.63	15.5	0.49
Uterus, NOS[1]	-	-	-	-	-	21	0.4	0.09	0.3	0.06
Ovary	-	-	-	-	-	504	10.0	0.45	7.6	0.36
Male Genital System	3,240	84.6	1.52	56.5	1.02	-	-	-	-	-
Prostate	3,113	81.7	1.50	53.8	0.99	-	-	-	-	-
Testis	103	2.2	0.22	2.2	0.23	-	-	-	-	-
Penis	15	0.4	0.10	0.3	0.07	-	-	-	-	-
Urinary System	1,044	27.8	0.88	16.9	0.54	507	10.6	0.47	6.6	0.32
Bladder (incl. *in situ*)	563	15.7	0.67	8.7	0.38	206	4.4	0.31	2.4	0.18
Kidney & renal pelvis	451	11.3	0.54	7.8	0.38	273	5.6	0.34	3.9	0.26
Ureter	23	0.7	0.15	0.3	0.07	24	0.5	0.10	0.3	0.06
Eye & Orbit	10	0.3	0.08	0.3	0.09	6	0.1	0.05	0.2	0.07
Brain & Other Nervous System	214	5.2	0.37	4.3	0.32	168	3.5	0.27	2.9	0.25
Brain	197	4.8	0.35	4.0	0.31	153	3.2	0.26	2.7	0.24
Endocrine System	270	6.4	0.40	5.0	0.32	904	17.8	0.60	14.8	0.52
Thyroid gland	226	5.3	0.36	4.0	0.27	864	17.0	0.58	14.1	0.50
Lymphomas	799	20.6	0.75	14.2	0.53	681	13.9	0.54	9.9	0.41
Hodgkin Lymphoma	62	1.5	0.19	1.4	0.19	66	1.4	0.17	1.3	0.18
Non-Hodgkin Lymphoma	737	19.1	0.72	12.7	0.49	615	12.6	0.51	8.6	0.37
Multiple Myeloma	186	5.0	0.37	3.0	0.23	160	3.3	0.26	2.1	0.17
Leukemias	347	9.1	0.50	6.9	0.41	321	6.9	0.39	5.5	0.36
Acute lymphocytic	59	1.5	0.19	1.8	0.25	56	1.4	0.18	1.7	0.25
Chronic lymphocytic	63	1.8	0.23	1.0	0.13	48	1.0	0.14	0.6	0.09
Acute myeloid	138	3.6	0.31	2.5	0.23	149	3.1	0.26	2.2	0.20
Chronic myeloid	51	1.3	0.18	0.9	0.13	30	0.6	0.12	0.4	0.09
Other leukemias	36	1.0	0.16	0.7	0.12	38	0.8	0.13	0.5	0.10
Mesothelioma	15	0.5	0.12	0.2	0.06	14	0.3	0.08	0.2	0.05
Kaposi Sarcoma	17	0.4	0.09	0.3	0.08	-	-	-	-	-
Ill-defined & Unknown	503	14.4	0.65	7.8	0.36	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	257	6.5	0.41	4.6	0.30	570	11.5	0.48	8.0	0.36
Breast (*in situ*)	-	-	-	-	-	1,790	35.2	0.84	27.0	0.65

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	9,654	437.3	4.89	280.5	2.98	9,737	337.4	3.56	232.2	2.44
Oral Cavity & Pharynx	255	10.7	0.74	7.3	0.47	133	4.6	0.42	3.1	0.28
Lip	8	0.3	0.10	0.2	0.08	7	0.2	0.10	0.1	0.05
Tongue	69	3.0	0.39	2.0	0.25	34	1.2	0.22	0.8	0.14
Major salivary gland	31	1.5	0.30	0.9	0.16	25	0.8	0.16	0.5	0.11
Floor of mouth	8	0.4	0.14	0.2	0.08	-	-	-	-	-
Gum & other mouth	36	1.4	0.27	0.9	0.16	32	1.3	0.23	0.7	0.14
Nasopharynx	11	0.3	0.12	0.3	0.08	12	0.4	0.11	0.3	0.08
Oropharynx	11	0.6	0.18	0.4	0.11	-	-	-	-	-
Hypopharynx	25	1.2	0.25	0.8	0.17	-	-	-	-	-
Digestive System	2,342	107.8	2.43	67.3	1.45	1,853	70.8	1.69	43.6	1.06
Esophagus	119	5.7	0.56	3.5	0.34	30	1.2	0.22	0.7	0.14
Stomach	286	14.0	0.90	8.2	0.50	228	8.3	0.57	5.2	0.36
Small intestine	37	1.7	0.31	1.0	0.17	42	1.5	0.25	1.0	0.16
Colon excl. rectum	603	29.2	1.29	17.4	0.74	607	23.3	0.97	14.0	0.60
Rectum & rectosigmoid	335	13.8	0.83	9.2	0.52	227	7.9	0.54	5.4	0.37
Anus, anal canal & anorectum	28	1.0	0.20	0.7	0.14	31	1.1	0.21	0.7	0.13
Liver	519	21.6	1.03	15.2	0.69	201	7.9	0.58	5.1	0.37
Gallbladder	22	1.2	0.27	0.6	0.13	76	3.1	0.36	1.8	0.21
Pancreas	264	13.3	0.88	7.8	0.50	259	10.5	0.66	5.9	0.39
Respiratory System	748	41.0	1.60	22.5	0.85	643	26.3	1.06	15.5	0.64
Larynx	94	5.0	0.55	3.0	0.32	15	0.6	0.16	0.4	0.10
Lung & bronchus	628	35.3	1.50	18.8	0.78	610	25.1	1.04	14.7	0.63
Bones & Joints	41	1.0	0.19	0.9	0.15	24	0.6	0.14	0.6	0.12
Soft Tissue (incl. heart)	121	3.9	0.41	3.0	0.29	96	2.9	0.31	2.3	0.24
Skin (excl. basal & sq.)	174	8.1	0.69	4.5	0.36	214	7.0	0.50	4.9	0.35
Melanomas of the skin	129	6.0	0.59	3.4	0.31	171	5.5	0.44	3.9	0.31
Breast (excl. *in situ*)	17	0.9	0.24	0.6	0.14	2,823	94.7	1.84	69.2	1.34
Female Genital System	-	-	-	-	-	1,343	43.8	1.24	32.0	0.90
Cervix uteri	-	-	-	-	-	303	8.8	0.53	6.6	0.39
Uterus Corpus	-	-	-	-	-	614	20.8	0.86	15.5	0.64
Uterus, NOS[1]	-	-	-	-	-	12	0.5	0.14	0.3	0.10
Ovary	-	-	-	-	-	328	10.5	0.61	7.7	0.44
Male Genital System	3,101	143.2	2.78	97.4	1.82	-	-	-	-	-
Prostate	2,796	136.5	2.74	91.4	1.78	-	-	-	-	-
Testis	268	5.1	0.32	5.0	0.31	-	-	-	-	-
Penis	33	1.5	0.29	0.8	0.15	-	-	-	-	-
Urinary System	886	41.9	1.54	25.3	0.89	523	19.2	0.87	12.8	0.58
Bladder (incl. *in situ*)	379	21.3	1.16	11.1	0.59	142	5.7	0.49	3.3	0.29
Kidney & renal pelvis	498	20.1	0.99	13.9	0.65	374	13.1	0.70	9.3	0.50
Ureter	-	-	-	-	-	6	0.3	0.11	0.1	0.06
Eye & Orbit	16	0.7	0.19	0.5	0.12	17	0.5	0.13	0.5	0.12
Brain & Other Nervous System	195	6.2	0.50	4.9	0.37	157	4.6	0.39	3.8	0.31
Brain	186	6.0	0.50	4.7	0.36	143	4.3	0.38	3.4	0.29
Endocrine System	152	4.6	0.42	3.5	0.30	608	16.5	0.70	13.5	0.56
Thyroid gland	127	3.9	0.38	2.9	0.27	587	15.9	0.69	13.0	0.55
Lymphomas	685	27.6	1.20	17.9	0.72	530	18.6	0.85	12.5	0.57
Hodgkin Lymphoma	96	2.6	0.31	2.2	0.23	89	2.3	0.27	2.0	0.22
Non-Hodgkin Lymphoma	589	25.1	1.16	15.8	0.68	441	16.3	0.81	10.5	0.52
Multiple Myeloma	153	7.4	0.65	4.4	0.37	128	4.8	0.44	3.1	0.29
Leukemias	391	13.8	0.82	10.4	0.55	309	9.2	0.56	7.4	0.44
Acute lymphocytic	133	2.6	0.24	3.3	0.29	112	2.4	0.23	2.8	0.27
Chronic lymphocytic	66	3.6	0.48	2.0	0.25	49	1.9	0.28	1.2	0.18
Acute myeloid	112	4.5	0.49	3.0	0.29	105	3.5	0.36	2.5	0.25
Chronic myeloid	42	1.5	0.27	1.1	0.18	25	0.8	0.18	0.5	0.11
Other leukemias	38	1.6	0.28	1.1	0.19	18	0.6	0.14	0.4	0.10
Mesothelioma	34	2.2	0.39	1.0	0.17	14	0.5	0.15	0.4	0.10
Kaposi Sarcoma	64	1.7	0.25	1.3	0.17	10	0.4	0.14	0.2	0.06
Ill-defined & Unknown	279	14.6	0.95	7.9	0.49	312	12.4	0.72	7.1	0.43
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	187	6.6	0.55	4.8	0.37	363	12.1	0.66	8.7	0.47
Breast (*in situ*)	-	-	-	-	-	706	23.3	0.90	17.6	0.68

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	50,103	544.7	2.50	358.1	1.72	46,362	451.5	2.19	311.1	1.65
Oral Cavity & Pharynx	1,746	17.9	0.44	12.9	0.32	714	6.8	0.27	4.6	0.20
Lip	135	1.5	0.13	1.0	0.09	67	0.6	0.07	0.3	0.05
Tongue	633	6.5	0.26	4.8	0.20	226	2.2	0.15	1.5	0.11
Major salivary gland	164	1.8	0.15	1.1	0.10	94	1.0	0.11	0.7	0.09
Floor of mouth	90	0.9	0.10	0.6	0.07	36	0.3	0.06	0.2	0.04
Gum & other mouth	139	1.5	0.13	1.0	0.08	144	1.3	0.12	0.8	0.08
Nasopharynx	47	0.5	0.08	0.4	0.05	20	0.2	0.05	0.1	0.04
Oropharynx	82	0.8	0.10	0.6	0.07	17	0.2	0.04	0.1	0.03
Hypopharynx	96	1.0	0.10	0.7	0.07	31	0.3	0.05	0.2	0.04
Digestive System	8,599	92.9	1.03	58.6	0.67	7,255	66.1	0.81	40.7	0.54
Esophagus	728	7.8	0.30	4.9	0.19	253	2.3	0.15	1.3	0.09
Stomach	720	7.9	0.30	4.8	0.19	399	3.7	0.19	2.2	0.13
Small intestine	228	2.4	0.17	1.6	0.11	195	1.9	0.14	1.3	0.10
Colon excl. rectum	2,808	31.0	0.60	18.6	0.37	3,059	27.6	0.52	16.4	0.34
Rectum & rectosigmoid	1,221	13.0	0.38	9.0	0.27	962	9.2	0.31	6.2	0.22
Anus, anal canal & anorectum	217	2.3	0.16	1.6	0.11	273	2.5	0.16	1.8	0.12
Liver	964	9.5	0.31	6.9	0.23	284	2.6	0.16	1.7	0.12
Gallbladder	39	0.5	0.07	0.2	0.04	116	1.0	0.10	0.6	0.06
Pancreas	1,312	14.4	0.41	8.6	0.25	1,221	10.7	0.32	6.3	0.20
Respiratory System	5,163	57.7	0.82	33.2	0.49	5,242	48.2	0.69	28.2	0.44
Larynx	368	4.0	0.21	2.5	0.14	73	0.7	0.08	0.4	0.06
Lung & bronchus	4,687	52.5	0.78	29.9	0.46	5,106	46.9	0.68	27.4	0.43
Bones & Joints	110	1.3	0.14	1.2	0.15	82	1.1	0.13	1.0	0.13
Soft Tissue (incl. heart)	397	4.5	0.23	3.0	0.17	282	3.0	0.19	2.3	0.17
Skin (excl. basal & sq.)	4,856	54.0	0.79	34.9	0.54	3,185	33.7	0.63	24.9	0.50
Melanomas of the skin	4,482	49.7	0.76	32.6	0.52	2,956	31.6	0.61	23.5	0.48
Breast (excl. *in situ*)	114	1.2	0.12	0.8	0.07	14,537	144.4	1.24	104.7	0.93
Female Genital System	-	-	-	-	-	5,279	51.1	0.73	37.0	0.55
Cervix uteri	-	-	-	-	-	473	5.7	0.27	4.6	0.23
Uterus Corpus	-	-	-	-	-	2,909	27.1	0.52	19.7	0.39
Uterus, NOS[1]	-	-	-	-	-	42	0.4	0.06	0.3	0.05
Ovary	-	-	-	-	-	1,388	13.6	0.38	9.6	0.29
Male Genital System	14,757	153.1	1.29	109.2	0.93	-	-	-	-	-
Prostate	14,070	144.0	1.24	101.0	0.87	-	-	-	-	-
Testis	592	8.1	0.34	7.5	0.33	-	-	-	-	-
Penis	65	0.7	0.08	0.4	0.06	-	-	-	-	-
Urinary System	5,490	60.7	0.84	36.1	0.52	2,122	19.6	0.44	12.4	0.32
Bladder (incl. *in situ*)	3,530	39.6	0.68	21.8	0.39	1,137	10.2	0.31	5.9	0.20
Kidney & renal pelvis	1,834	19.7	0.47	13.6	0.34	921	8.9	0.31	6.2	0.25
Ureter	88	1.0	0.11	0.6	0.06	41	0.3	0.05	0.2	0.03
Eye & Orbit	110	1.2	0.12	0.9	0.10	99	1.0	0.11	0.8	0.10
Brain & Other Nervous System	788	9.2	0.34	7.5	0.33	618	6.8	0.29	5.7	0.29
Brain	749	8.7	0.33	7.0	0.31	569	6.2	0.28	5.1	0.27
Endocrine System	641	7.5	0.30	6.1	0.26	1,509	18.2	0.49	15.2	0.43
Thyroid gland	579	6.7	0.29	5.4	0.24	1,439	17.3	0.48	14.5	0.42
Lymphomas	2,810	32.1	0.62	22.3	0.47	2,117	20.9	0.48	14.6	0.38
Hodgkin Lymphoma	265	3.5	0.22	3.1	0.21	220	3.0	0.21	2.8	0.21
Non-Hodgkin Lymphoma	2,545	28.5	0.58	19.2	0.42	1,897	17.9	0.43	11.8	0.32
Multiple Myeloma	741	8.2	0.31	4.9	0.19	524	4.8	0.22	3.0	0.14
Leukemias	1,671	19.4	0.49	13.2	0.40	1,129	11.4	0.36	8.2	0.33
Acute lymphocytic	130	2.1	0.19	2.6	0.26	93	1.5	0.16	1.7	0.21
Chronic lymphocytic	737	8.1	0.30	4.8	0.18	487	4.5	0.21	2.6	0.14
Acute myeloid	424	4.9	0.24	3.1	0.17	323	3.2	0.19	2.3	0.17
Chronic myeloid	175	2.0	0.16	1.3	0.11	118	1.2	0.11	0.8	0.09
Other leukemias	205	2.3	0.17	1.5	0.12	108	1.1	0.11	0.7	0.10
Mesothelioma	190	2.2	0.16	1.1	0.08	55	0.5	0.07	0.3	0.04
Kaposi Sarcoma	152	1.8	0.15	1.4	0.12	11	0.1	0.03	0.0	0.02
Ill-defined & Unknown	1,768	19.8	0.48	10.7	0.28	1,602	13.8	0.36	7.5	0.23
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	700	7.9	0.31	5.9	0.25	1,455	14.4	0.40	10.2	0.31
Breast (*in situ*)	14	0.2	0.04	0.1	0.03	3,670	37.4	0.64	28.3	0.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Greater Bay Area, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	6,055	600.0	8.14	408.3	5.36	5,258	433.4	6.10	300.8	4.35
Oral Cavity & Pharynx	156	14.3	1.20	10.5	0.85	67	5.4	0.67	4.4	0.56
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	40	3.8	0.63	2.6	0.41	14	1.1	0.29	0.9	0.24
Major salivary gland	14	1.2	0.34	1.0	0.27	13	1.1	0.30	0.9	0.25
Floor of mouth	8	0.7	0.25	0.6	0.20	-	-	-	-	-
Gum & other mouth	16	1.5	0.38	1.1	0.28	11	0.9	0.27	0.7	0.24
Nasopharynx	9	1.0	0.35	0.6	0.21	-	-	-	-	-
Oropharynx	15	1.4	0.38	1.0	0.27	-	-	-	-	-
Hypopharynx	12	1.1	0.32	0.8	0.25	-	-	-	-	-
Digestive System	1,307	129.6	3.80	86.1	2.42	1,146	93.7	2.83	61.7	1.91
Esophagus	50	4.8	0.73	3.2	0.46	42	3.4	0.53	2.3	0.37
Stomach	132	14.8	1.35	8.7	0.77	120	10.1	0.94	6.1	0.59
Small intestine	53	5.6	0.81	3.6	0.51	29	2.4	0.45	1.6	0.31
Colon excl. rectum	410	43.6	2.28	26.8	1.35	431	35.6	1.75	23.3	1.17
Rectum & rectosigmoid	153	14.3	1.22	9.8	0.80	124	9.8	0.90	6.8	0.64
Anus, anal canal & anorectum	27	2.3	0.46	1.8	0.36	26	2.0	0.41	1.5	0.30
Liver	262	21.8	1.40	17.4	1.09	85	6.3	0.69	4.9	0.55
Gallbladder	11	1.3	0.41	0.8	0.25	27	2.2	0.43	1.4	0.29
Pancreas	169	17.0	1.39	11.2	0.88	209	17.6	1.25	10.8	0.79
Respiratory System	904	95.3	3.35	59.5	2.02	749	62.5	2.33	40.3	1.54
Larynx	75	8.1	0.98	5.0	0.59	16	1.3	0.33	0.9	0.24
Lung & bronchus	814	85.8	3.18	53.5	1.91	722	60.2	2.29	38.7	1.51
Bones & Joints	9	1.0	0.35	0.8	0.26	9	0.8	0.26	0.8	0.28
Soft Tissue (incl. heart)	41	4.6	0.75	3.0	0.50	40	3.3	0.54	2.5	0.42
Skin (excl. basal & sq.)	24	2.5	0.53	1.7	0.35	22	1.8	0.39	1.3	0.29
Melanomas of the skin	7	0.6	0.25	0.5	0.18	12	1.0	0.29	0.6	0.19
Breast (excl. *in situ*)	17	1.6	0.42	1.1	0.28	1,599	130.7	3.33	94.0	2.43
Female Genital System	-	-	-	-	-	569	46.3	1.98	34.3	1.48
Cervix uteri	-	-	-	-	-	75	6.4	0.75	4.9	0.58
Uterus Corpus	-	-	-	-	-	311	24.8	1.44	18.4	1.07
Uterus, NOS[1]	-	-	-	-	-	8	0.6	0.23	0.3	0.13
Ovary	-	-	-	-	-	133	11.1	0.98	8.2	0.74
Male Genital System	2,211	205.0	4.59	150.3	3.24	-	-	-	-	-
Prostate	2,182	202.2	4.55	148.0	3.21	-	-	-	-	-
Testis	21	2.0	0.44	1.7	0.37	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	495	53.3	2.53	32.7	1.50	247	20.7	1.34	13.3	0.92
Bladder (incl. *in situ*)	231	26.8	1.85	14.9	1.01	97	8.1	0.84	4.5	0.49
Kidney & renal pelvis	253	25.0	1.66	17.1	1.10	145	12.2	1.03	8.5	0.76
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	46	4.4	0.67	3.8	0.62	52	4.6	0.65	3.3	0.52
Brain	40	3.9	0.65	3.5	0.59	49	4.4	0.64	3.2	0.51
Endocrine System	42	4.1	0.66	3.0	0.48	108	8.9	0.87	7.3	0.74
Thyroid gland	29	2.9	0.57	2.0	0.37	94	7.8	0.82	6.1	0.65
Lymphomas	261	24.8	1.60	18.9	1.20	213	18.0	1.26	13.7	1.00
Hodgkin Lymphoma	46	4.2	0.64	3.6	0.55	33	2.8	0.50	2.8	0.49
Non-Hodgkin Lymphoma	215	20.6	1.47	15.2	1.07	180	15.1	1.15	11.0	0.87
Multiple Myeloma	168	18.3	1.49	11.0	0.86	138	11.6	1.01	7.4	0.66
Leukemias	158	17.6	1.46	11.3	0.95	100	8.4	0.86	6.2	0.71
Acute lymphocytic	12	1.0	0.31	1.2	0.39	13	1.1	0.32	1.0	0.31
Chronic lymphocytic	52	6.3	0.91	3.4	0.49	35	2.9	0.49	1.8	0.32
Acute myeloid	50	5.5	0.81	3.7	0.57	31	2.6	0.48	2.2	0.47
Chronic myeloid	28	2.9	0.56	1.9	0.37	14	1.2	0.32	0.9	0.25
Other leukemias	16	1.8	0.48	1.0	0.25	7	0.6	0.24	0.3	0.13
Mesothelioma	8	1.0	0.36	0.5	0.17	6	0.5	0.21	0.3	0.13
Kaposi Sarcoma	32	3.0	0.54	2.4	0.43	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	190	15.9	1.18	9.8	0.77
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	89	9.3	1.04	6.0	0.66	175	14.2	1.09	10.1	0.81
Breast (*in situ*)	-	-	-	-	-	360	29.0	1.56	21.5	1.16

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	96,378	463.5	1.53	303.5	1.01	97,373	378.1	1.22	261.8	0.89
Oral Cavity & Pharynx	3,053	14.0	0.26	9.8	0.18	1,385	5.3	0.15	3.6	0.10
Lip	172	0.8	0.07	0.5	0.04	71	0.3	0.03	0.2	0.02
Tongue	935	4.2	0.14	3.0	0.10	424	1.6	0.08	1.1	0.06
Major salivary gland	332	1.6	0.09	1.0	0.06	246	1.0	0.06	0.7	0.05
Floor of mouth	120	0.5	0.05	0.4	0.04	57	0.2	0.03	0.1	0.02
Gum & other mouth	325	1.5	0.09	1.0	0.06	265	1.0	0.06	0.6	0.04
Nasopharynx	234	1.0	0.07	0.8	0.05	112	0.4	0.04	0.3	0.03
Oropharynx	111	0.5	0.05	0.4	0.03	33	0.1	0.02	0.1	0.01
Hypopharynx	204	1.0	0.07	0.6	0.05	39	0.2	0.03	0.1	0.02
Digestive System	21,610	104.4	0.73	66.1	0.46	17,951	69.3	0.52	43.3	0.35
Esophagus	1,149	5.7	0.17	3.5	0.11	383	1.5	0.08	0.9	0.05
Stomach	2,635	13.0	0.26	8.0	0.16	1,960	7.6	0.17	4.8	0.12
Small intestine	446	2.1	0.10	1.4	0.07	388	1.5	0.08	1.0	0.05
Colon excl. rectum	6,742	33.3	0.41	20.2	0.26	6,759	26.0	0.32	15.8	0.21
Rectum & rectosigmoid	3,268	15.2	0.27	10.3	0.18	2,517	9.7	0.19	6.6	0.14
Anus, anal canal & anorectum	388	1.7	0.09	1.3	0.06	461	1.8	0.08	1.2	0.06
Liver	3,149	14.3	0.26	10.1	0.19	1,179	4.6	0.14	3.0	0.10
Gallbladder	181	0.9	0.07	0.5	0.04	456	1.8	0.08	1.1	0.05
Pancreas	2,552	12.6	0.26	7.6	0.16	2,601	10.1	0.20	5.8	0.12
Respiratory System	11,013	55.8	0.54	33.0	0.33	9,280	36.5	0.38	21.9	0.25
Larynx	924	4.4	0.15	2.9	0.10	185	0.7	0.05	0.5	0.04
Lung & bronchus	9,854	50.3	0.52	29.3	0.31	8,943	35.2	0.38	21.0	0.24
Bones & Joints	225	1.0	0.07	0.9	0.06	158	0.6	0.05	0.6	0.05
Soft Tissue (incl. heart)	836	3.9	0.14	2.9	0.10	707	2.8	0.11	2.2	0.09
Skin (excl. basal & sq.)	4,482	21.7	0.33	13.6	0.21	2,834	10.9	0.21	7.7	0.15
Melanomas of the skin	3,899	18.7	0.31	11.9	0.20	2,469	9.5	0.19	6.8	0.14
Breast (excl. *in situ*)	240	1.2	0.08	0.7	0.05	30,134	116.9	0.68	84.7	0.51
Female Genital System	-	-	-	-	-	12,981	50.1	0.44	37.3	0.34
Cervix uteri	-	-	-	-	-	2,229	8.8	0.19	6.9	0.15
Uterus Corpus	-	-	-	-	-	6,358	24.2	0.31	18.3	0.24
Uterus, NOS[1]	-	-	-	-	-	227	0.9	0.06	0.6	0.04
Ovary	-	-	-	-	-	3,219	12.5	0.22	9.1	0.17
Male Genital System	27,426	128.4	0.79	90.5	0.56	-	-	-	-	-
Prostate	25,821	122.0	0.78	84.6	0.54	-	-	-	-	-
Testis	1,345	5.2	0.14	5.1	0.14	-	-	-	-	-
Penis	202	1.0	0.07	0.6	0.04	-	-	-	-	-
Urinary System	10,042	50.1	0.51	30.1	0.31	4,245	16.5	0.26	10.7	0.18
Bladder (incl. *in situ*)	5,768	30.0	0.40	16.4	0.23	1,797	6.9	0.17	3.9	0.10
Kidney & renal pelvis	4,077	19.0	0.30	13.1	0.21	2,331	9.1	0.19	6.5	0.14
Ureter	101	0.5	0.05	0.3	0.03	73	0.3	0.03	0.2	0.02
Eye & Orbit	197	0.9	0.07	0.7	0.06	166	0.6	0.05	0.5	0.05
Brain & Other Nervous System	1,427	6.4	0.17	5.1	0.14	1,084	4.3	0.13	3.5	0.12
Brain	1,341	6.0	0.17	4.7	0.14	1,009	4.0	0.13	3.2	0.11
Endocrine System	1,575	6.9	0.18	5.4	0.14	4,889	19.2	0.28	15.8	0.23
Thyroid gland	1,409	6.1	0.17	4.7	0.13	4,725	18.6	0.27	15.2	0.23
Lymphomas	5,272	24.8	0.35	16.8	0.24	4,476	17.4	0.26	11.9	0.19
Hodgkin Lymphoma	658	2.7	0.11	2.4	0.10	529	2.1	0.09	1.9	0.09
Non-Hodgkin Lymphoma	4,614	22.1	0.33	14.4	0.22	3,947	15.4	0.25	10.0	0.17
Multiple Myeloma	1,501	7.4	0.20	4.5	0.12	1,189	4.6	0.14	3.0	0.09
Leukemias	3,362	15.9	0.28	11.6	0.21	2,439	9.6	0.20	7.5	0.17
Acute lymphocytic	583	2.5	0.10	2.9	0.13	430	1.8	0.09	2.2	0.12
Chronic lymphocytic	1,042	5.2	0.16	3.1	0.10	631	2.5	0.10	1.4	0.06
Acute myeloid	935	4.5	0.15	3.0	0.10	840	3.3	0.12	2.4	0.09
Chronic myeloid	400	1.8	0.09	1.3	0.07	291	1.1	0.07	0.8	0.05
Other leukemias	402	1.9	0.10	1.3	0.07	247	0.9	0.06	0.6	0.04
Mesothelioma	252	1.3	0.09	0.7	0.05	96	0.4	0.04	0.2	0.02
Kaposi Sarcoma	414	1.8	0.09	1.4	0.07	24	0.1	0.02	0.1	0.01
Ill-defined & Unknown	3,451	17.7	0.31	9.9	0.18	3,335	12.8	0.22	7.4	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,307	6.0	0.17	4.2	0.12	2,910	11.3	0.21	7.9	0.16
Breast (*in situ*)	35	0.2	0.03	0.1	0.02	6,563	25.5	0.32	19.3	0.24

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	70,210	466.2	1.80	304.8	1.19	71,206	391.4	1.48	270.4	1.08
Oral Cavity & Pharynx	2,292	14.5	0.31	10.1	0.22	989	5.4	0.17	3.6	0.12
Lip	167	1.1	0.09	0.7	0.05	61	0.3	0.04	0.2	0.03
Tongue	726	4.5	0.17	3.3	0.12	313	1.7	0.10	1.2	0.07
Major salivary gland	268	1.8	0.11	1.1	0.07	180	1.0	0.07	0.7	0.06
Floor of mouth	100	0.6	0.06	0.4	0.05	39	0.2	0.03	0.1	0.02
Gum & other mouth	241	1.6	0.10	1.0	0.07	186	1.0	0.07	0.6	0.05
Nasopharynx	84	0.5	0.06	0.4	0.04	50	0.3	0.04	0.2	0.03
Oropharynx	78	0.5	0.06	0.3	0.04	21	0.1	0.03	0.1	0.02
Hypopharynx	150	1.0	0.08	0.6	0.05	30	0.2	0.03	0.1	0.02
Digestive System	15,053	100.4	0.84	63.5	0.54	12,311	67.1	0.61	41.9	0.41
Esophagus	898	6.1	0.21	3.7	0.13	270	1.5	0.09	0.9	0.06
Stomach	1,753	11.7	0.29	7.4	0.18	1,262	6.9	0.20	4.5	0.14
Small intestine	334	2.2	0.12	1.4	0.08	258	1.4	0.09	1.0	0.06
Colon excl. rectum	4,718	32.3	0.48	19.4	0.29	4,579	24.8	0.37	14.8	0.24
Rectum & rectosigmoid	2,244	14.5	0.31	9.7	0.21	1,705	9.3	0.23	6.3	0.16
Anus, anal canal & anorectum	287	1.8	0.11	1.3	0.08	375	2.0	0.11	1.4	0.08
Liver	2,044	12.8	0.29	9.1	0.21	738	4.1	0.15	2.7	0.11
Gallbladder	125	0.9	0.08	0.5	0.05	368	2.0	0.11	1.2	0.07
Pancreas	1,879	12.9	0.30	7.7	0.19	1,837	10.0	0.24	5.8	0.15
Respiratory System	7,680	54.0	0.63	31.7	0.38	6,692	37.2	0.46	21.9	0.29
Larynx	704	4.7	0.18	3.1	0.12	128	0.7	0.06	0.5	0.04
Lung & bronchus	6,804	48.2	0.60	27.9	0.35	6,458	35.9	0.45	21.0	0.29
Bones & Joints	179	1.0	0.08	0.9	0.07	119	0.6	0.06	0.6	0.06
Soft Tissue (incl. heart)	651	4.1	0.17	3.0	0.12	517	2.8	0.13	2.2	0.11
Skin (excl. basal & sq.)	4,111	27.4	0.44	17.1	0.28	2,577	14.0	0.28	9.9	0.21
Melanomas of the skin	3,637	24.1	0.41	15.3	0.26	2,290	12.5	0.26	8.9	0.20
Breast (excl. *in situ*)	184	1.2	0.09	0.8	0.06	21,751	120.2	0.82	86.5	0.61
Female Genital System	-	-	-	-	-	9,694	53.2	0.55	39.5	0.42
Cervix uteri	-	-	-	-	-	1,634	9.2	0.23	7.2	0.18
Uterus Corpus	-	-	-	-	-	4,703	25.6	0.38	19.3	0.29
Uterus, NOS[1]	-	-	-	-	-	148	0.8	0.07	0.5	0.05
Ovary	-	-	-	-	-	2,454	13.5	0.27	9.8	0.21
Male Genital System	18,568	120.0	0.90	85.4	0.64	-	-	-	-	-
Prostate	17,193	112.6	0.88	78.6	0.61	-	-	-	-	-
Testis	1,186	6.1	0.18	6.0	0.18	-	-	-	-	-
Penis	152	1.0	0.08	0.6	0.05	-	-	-	-	-
Urinary System	7,945	54.8	0.63	32.7	0.38	3,276	18.0	0.32	11.7	0.22
Bladder (incl. *in situ*)	4,661	33.4	0.50	18.3	0.28	1,400	7.6	0.21	4.3	0.13
Kidney & renal pelvis	3,129	20.3	0.37	13.8	0.25	1,797	9.9	0.24	7.1	0.18
Ureter	80	0.6	0.07	0.3	0.04	51	0.3	0.04	0.1	0.02
Eye & Orbit	163	1.0	0.08	0.8	0.07	145	0.8	0.07	0.6	0.06
Brain & Other Nervous System	1,195	7.3	0.22	5.8	0.17	865	4.8	0.16	3.8	0.14
Brain	1,125	6.9	0.21	5.4	0.17	815	4.5	0.16	3.6	0.14
Endocrine System	1,178	7.0	0.21	5.5	0.16	3,584	20.0	0.34	16.5	0.28
Thyroid gland	1,062	6.3	0.20	4.8	0.15	3,468	19.3	0.33	15.9	0.27
Lymphomas	4,135	26.8	0.43	18.0	0.29	3,449	18.9	0.33	12.9	0.24
Hodgkin Lymphoma	528	3.0	0.13	2.6	0.12	415	2.2	0.11	2.1	0.11
Non-Hodgkin Lymphoma	3,607	23.8	0.41	15.4	0.27	3,034	16.7	0.31	10.8	0.21
Multiple Myeloma	1,088	7.4	0.23	4.5	0.14	756	4.2	0.15	2.7	0.10
Leukemias	2,642	17.1	0.34	12.4	0.26	1,866	10.3	0.24	8.0	0.21
Acute lymphocytic	489	2.7	0.12	3.2	0.15	372	2.1	0.11	2.6	0.14
Chronic lymphocytic	827	5.7	0.20	3.4	0.12	498	2.7	0.12	1.6	0.08
Acute myeloid	716	4.8	0.18	3.1	0.12	607	3.4	0.14	2.4	0.11
Chronic myeloid	295	1.9	0.11	1.3	0.08	210	1.2	0.08	0.8	0.06
Other leukemias	315	2.0	0.12	1.3	0.08	179	0.9	0.07	0.6	0.05
Mesothelioma	222	1.6	0.11	0.9	0.06	83	0.5	0.05	0.3	0.03
Kaposi Sarcoma	284	1.7	0.10	1.3	0.08	23	0.1	0.03	0.1	0.02
Ill-defined & Unknown	2,640	18.7	0.37	10.4	0.21	2,509	13.5	0.27	7.7	0.17
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	984	6.2	0.20	4.3	0.14	2,175	11.9	0.26	8.4	0.19
Breast (*in situ*)	25	0.1	0.03	0.1	0.02	4,431	24.6	0.37	18.6	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	11,121	555.3	5.47	379.5	3.67	10,819	403.9	3.93	280.2	2.82
Oral Cavity & Pharynx	312	14.6	0.86	10.6	0.61	144	5.4	0.46	3.8	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	89	4.1	0.45	3.1	0.33	39	1.4	0.23	1.0	0.17
Major salivary gland	21	1.1	0.24	0.7	0.15	27	1.0	0.20	0.7	0.14
Floor of mouth	13	0.7	0.19	0.4	0.12	8	0.3	0.10	0.2	0.08
Gum & other mouth	31	1.4	0.26	1.1	0.20	33	1.3	0.23	0.8	0.14
Nasopharynx	26	1.2	0.24	0.9	0.18	6	0.3	0.10	0.2	0.07
Oropharynx	21	1.0	0.23	0.7	0.16	8	0.3	0.11	0.2	0.07
Hypopharynx	31	1.4	0.26	1.1	0.20	-	-	-	-	-
Digestive System	2,490	127.8	2.67	82.8	1.69	2,305	86.5	1.82	54.8	1.20
Esophagus	120	6.5	0.62	3.9	0.37	59	2.2	0.29	1.4	0.19
Stomach	255	13.9	0.90	8.2	0.53	210	8.0	0.56	4.7	0.35
Small intestine	79	4.2	0.49	2.6	0.30	82	3.1	0.35	2.0	0.23
Colon excl. rectum	910	47.8	1.65	30.0	1.01	1,018	38.5	1.22	23.9	0.79
Rectum & rectosigmoid	301	14.8	0.89	10.0	0.59	276	10.0	0.61	7.1	0.44
Anus, anal canal & anorectum	67	3.0	0.38	2.4	0.29	45	1.6	0.24	1.2	0.18
Liver	325	14.8	0.85	11.4	0.64	112	4.1	0.39	2.9	0.29
Gallbladder	25	1.5	0.30	0.8	0.17	29	1.0	0.20	0.8	0.15
Pancreas	316	16.2	0.95	10.4	0.60	359	13.6	0.73	8.1	0.46
Respiratory System	1,562	82.7	2.17	51.5	1.33	1,305	48.8	1.37	32.4	0.93
Larynx	133	6.5	0.59	4.5	0.40	47	1.6	0.24	1.3	0.19
Lung & bronchus	1,402	74.8	2.08	46.1	1.26	1,245	46.7	1.34	30.7	0.91
Bones & Joints	19	0.9	0.21	0.8	0.18	15	0.6	0.16	0.6	0.16
Soft Tissue (incl. heart)	76	3.5	0.41	2.9	0.34	76	2.8	0.33	2.1	0.26
Skin (excl. basal & sq.)	63	3.3	0.42	2.2	0.28	45	1.7	0.26	1.3	0.20
Melanomas of the skin	30	1.7	0.32	1.0	0.18	15	0.6	0.15	0.4	0.10
Breast (excl. *in situ*)	33	1.7	0.32	1.1	0.19	3,429	127.1	2.19	91.2	1.60
Female Genital System	-	-	-	-	-	1,292	47.7	1.34	35.2	1.01
Cervix uteri	-	-	-	-	-	221	8.5	0.58	6.4	0.44
Uterus Corpus	-	-	-	-	-	664	24.1	0.95	18.0	0.72
Uterus, NOS[1]	-	-	-	-	-	38	1.4	0.23	1.0	0.17
Ovary	-	-	-	-	-	279	10.4	0.63	7.4	0.47
Male Genital System	4,067	193.1	3.13	141.3	2.25	-	-	-	-	-
Prostate	4,000	189.7	3.10	138.8	2.23	-	-	-	-	-
Testis	38	1.7	0.29	1.5	0.25	-	-	-	-	-
Penis	24	1.4	0.30	0.7	0.15	-	-	-	-	-
Urinary System	918	47.2	1.62	31.1	1.05	489	18.4	0.84	12.1	0.57
Bladder (incl. *in situ*)	425	23.7	1.20	13.7	0.68	173	6.7	0.52	3.7	0.30
Kidney & renal pelvis	482	22.9	1.08	17.0	0.79	306	11.3	0.65	8.2	0.48
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	0.3	0.13	0.4	0.15	-	-	-	-	-
Brain & Other Nervous System	103	4.8	0.49	4.0	0.40	84	3.2	0.36	3.0	0.36
Brain	96	4.5	0.48	3.7	0.39	72	2.8	0.33	2.5	0.34
Endocrine System	97	4.7	0.49	3.5	0.36	365	13.6	0.72	10.9	0.59
Thyroid gland	81	3.9	0.45	2.8	0.32	345	12.9	0.70	10.2	0.56
Lymphomas	427	20.5	1.03	15.1	0.74	362	13.9	0.74	10.1	0.56
Hodgkin Lymphoma	71	3.0	0.36	2.7	0.33	64	2.5	0.31	2.3	0.30
Non-Hodgkin Lymphoma	356	17.5	0.96	12.4	0.67	298	11.4	0.67	7.8	0.48
Multiple Myeloma	259	13.6	0.88	8.6	0.54	289	10.8	0.64	7.1	0.44
Leukemias	259	13.4	0.86	9.3	0.60	219	8.3	0.57	6.0	0.45
Acute lymphocytic	31	1.4	0.27	1.5	0.28	19	0.8	0.18	0.9	0.22
Chronic lymphocytic	77	4.4	0.52	2.5	0.30	52	2.0	0.28	1.1	0.17
Acute myeloid	73	3.7	0.45	2.6	0.31	86	3.2	0.35	2.4	0.28
Chronic myeloid	39	1.9	0.31	1.4	0.22	32	1.1	0.20	0.9	0.17
Other leukemias	39	2.0	0.32	1.4	0.23	30	1.2	0.22	0.8	0.16
Mesothelioma	17	1.0	0.25	0.6	0.14	-	-	-	-	-
Kaposi Sarcoma	74	3.4	0.40	2.9	0.34	-	-	-	-	-
Ill-defined & Unknown	339	19.0	1.07	11.0	0.61	392	14.8	0.75	9.2	0.49
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	123	6.2	0.58	4.4	0.41	293	11.2	0.66	7.7	0.47
Breast (*in situ*)	6	0.3	0.13	0.2	0.08	770	28.4	1.04	20.8	0.77

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	11,418	325.5	3.10	208.3	2.04	13,913	302.8	2.60	212.5	1.92
Oral Cavity & Pharynx	376	10.3	0.54	7.3	0.38	215	4.7	0.33	3.3	0.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	96	2.7	0.28	1.8	0.19	61	1.3	0.17	0.9	0.12
Major salivary gland	36	1.0	0.16	0.7	0.13	34	0.8	0.13	0.6	0.11
Floor of mouth	6	0.2	0.07	0.1	0.04	9	0.2	0.06	0.1	0.04
Gum & other mouth	42	1.1	0.18	0.7	0.12	35	0.8	0.13	0.5	0.09
Nasopharynx	122	3.3	0.30	2.5	0.23	53	1.1	0.16	0.9	0.13
Oropharynx	11	0.3	0.09	0.2	0.06	-	-	-	-	-
Hypopharynx	19	0.6	0.13	0.3	0.07	-	-	-	-	-
Digestive System	3,775	107.3	1.78	67.0	1.13	3,132	68.2	1.23	41.8	0.80
Esophagus	111	3.2	0.31	2.0	0.19	45	1.0	0.15	0.5	0.09
Stomach	599	17.6	0.73	10.1	0.43	472	10.4	0.48	6.1	0.30
Small intestine	29	0.9	0.16	0.5	0.10	44	0.9	0.14	0.7	0.10
Colon excl. rectum	1,020	29.2	0.93	17.9	0.58	1,094	23.7	0.72	14.8	0.48
Rectum & rectosigmoid	642	17.6	0.71	11.9	0.48	484	10.4	0.48	7.1	0.34
Anus, anal canal & anorectum	25	0.7	0.14	0.5	0.10	27	0.6	0.11	0.3	0.07
Liver	746	20.4	0.76	13.8	0.52	316	6.9	0.40	4.1	0.25
Gallbladder	31	0.9	0.17	0.5	0.09	58	1.3	0.17	0.7	0.10
Pancreas	341	10.0	0.55	5.8	0.33	385	8.5	0.44	4.8	0.26
Respiratory System	1,689	49.8	1.23	28.7	0.73	1,220	26.7	0.77	16.1	0.49
Larynx	79	2.2	0.25	1.4	0.17	10	0.2	0.07	0.1	0.05
Lung & bronchus	1,580	46.8	1.20	26.6	0.70	1,182	25.9	0.76	15.5	0.48
Bones & Joints	25	0.7	0.14	0.6	0.14	22	0.6	0.12	0.6	0.13
Soft Tissue (incl. heart)	93	2.8	0.29	2.0	0.23	98	2.2	0.23	1.8	0.22
Skin (excl. basal & sq.)	75	2.1	0.25	1.4	0.16	55	1.2	0.16	0.8	0.11
Melanomas of the skin	48	1.3	0.20	0.9	0.13	36	0.8	0.13	0.5	0.09
Breast (excl. *in situ*)	20	0.5	0.12	0.4	0.08	4,590	98.8	1.48	74.4	1.13
Female Genital System	-	-	-	-	-	1,855	39.6	0.93	30.2	0.72
Cervix uteri	-	-	-	-	-	339	7.5	0.41	5.8	0.32
Uterus Corpus	-	-	-	-	-	910	18.9	0.63	14.8	0.50
Uterus, NOS[1]	-	-	-	-	-	37	0.8	0.13	0.5	0.09
Ovary	-	-	-	-	-	476	10.4	0.48	7.8	0.37
Male Genital System	2,446	67.6	1.39	45.9	0.95	-	-	-	-	-
Prostate	2,346	64.9	1.37	43.5	0.92	-	-	-	-	-
Testis	66	1.8	0.22	1.8	0.23	-	-	-	-	-
Penis	21	0.6	0.13	0.4	0.09	-	-	-	-	-
Urinary System	1,034	30.2	0.96	17.7	0.58	427	9.3	0.46	5.7	0.31
Bladder (incl. *in situ*)	572	17.4	0.74	9.2	0.40	186	4.0	0.30	2.1	0.17
Kidney & renal pelvis	435	12.0	0.58	8.1	0.40	215	4.7	0.33	3.3	0.25
Ureter	17	0.5	0.13	0.3	0.06	18	0.4	0.10	0.2	0.05
Eye & Orbit	14	0.5	0.12	0.4	0.13	10	0.3	0.10	0.4	0.15
Brain & Other Nervous System	116	3.4	0.32	2.7	0.27	122	2.9	0.28	2.6	0.28
Brain	107	3.1	0.31	2.5	0.26	113	2.7	0.27	2.4	0.28
Endocrine System	284	7.6	0.46	6.2	0.38	865	19.4	0.67	15.6	0.55
Thyroid gland	251	6.7	0.43	5.3	0.34	841	18.8	0.66	15.0	0.54
Lymphomas	582	16.6	0.70	11.0	0.48	529	11.5	0.51	7.8	0.37
Hodgkin Lymphoma	44	1.2	0.18	1.1	0.17	38	0.9	0.15	0.8	0.14
Non-Hodgkin Lymphoma	538	15.4	0.68	9.9	0.45	491	10.6	0.48	7.0	0.34
Multiple Myeloma	129	3.8	0.34	2.2	0.20	122	2.7	0.24	1.6	0.16
Leukemias	337	9.9	0.55	7.7	0.49	268	6.2	0.39	4.8	0.36
Acute lymphocytic	55	1.8	0.25	2.3	0.34	34	1.0	0.17	1.2	0.24
Chronic lymphocytic	55	1.6	0.22	0.9	0.13	25	0.6	0.11	0.3	0.07
Acute myeloid	138	4.0	0.35	2.7	0.26	138	3.1	0.27	2.3	0.22
Chronic myeloid	52	1.5	0.21	1.0	0.15	38	0.8	0.14	0.6	0.10
Other leukemias	37	1.0	0.17	0.7	0.12	33	0.7	0.13	0.5	0.10
Mesothelioma	12	0.4	0.11	0.2	0.06	9	0.2	0.07	0.1	0.04
Kaposi Sarcoma	22	0.6	0.13	0.4	0.10	-	-	-	-	-
Ill-defined & Unknown	389	11.5	0.59	6.5	0.35	374	8.2	0.43	4.8	0.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	173	4.7	0.36	3.5	0.28	404	8.9	0.45	6.1	0.33
Breast (*in situ*)	-	-	-	-	-	1,277	27.3	0.77	21.2	0.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	23,559	374.8	2.68	244.1	1.64	25,935	301.4	1.94	210.3	1.34
Oral Cavity & Pharynx	613	9.2	0.41	6.2	0.26	308	3.6	0.22	2.4	0.14
Lip	34	0.5	0.10	0.3	0.06	12	0.2	0.05	0.1	0.03
Tongue	138	2.1	0.19	1.4	0.12	90	1.1	0.12	0.7	0.08
Major salivary gland	77	1.1	0.14	0.7	0.09	82	0.9	0.10	0.6	0.07
Floor of mouth	27	0.4	0.08	0.3	0.06	11	0.1	0.05	0.1	0.02
Gum & other mouth	83	1.3	0.16	0.9	0.10	53	0.7	0.10	0.4	0.06
Nasopharynx	41	0.6	0.10	0.4	0.06	20	0.2	0.05	0.2	0.04
Oropharynx	27	0.4	0.09	0.3	0.06	-	-	-	-	-
Hypopharynx	54	0.9	0.13	0.6	0.08	7	0.1	0.03	0.1	0.02
Digestive System	6,151	100.7	1.40	63.3	0.83	5,027	64.3	0.93	40.3	0.59
Esophagus	259	4.5	0.30	2.6	0.17	56	0.7	0.10	0.4	0.06
Stomach	949	15.7	0.56	9.6	0.32	766	9.5	0.36	6.1	0.23
Small intestine	111	1.7	0.18	1.2	0.11	103	1.3	0.13	0.9	0.09
Colon excl. rectum	1,648	28.0	0.75	16.9	0.43	1,522	19.5	0.52	12.0	0.32
Rectum & rectosigmoid	935	14.2	0.50	9.5	0.32	696	8.3	0.33	5.7	0.22
Anus, anal canal & anorectum	77	1.1	0.13	0.7	0.08	107	1.3	0.13	0.9	0.09
Liver	1,134	17.4	0.56	11.8	0.36	457	6.0	0.29	3.8	0.19
Gallbladder	67	1.3	0.16	0.7	0.09	251	3.3	0.21	1.9	0.13
Pancreas	618	10.9	0.47	6.7	0.28	636	8.6	0.35	5.0	0.21
Respiratory System	1,884	35.6	0.87	20.2	0.48	1,412	19.1	0.52	11.2	0.31
Larynx	249	4.3	0.30	2.7	0.17	30	0.4	0.07	0.2	0.04
Lung & bronchus	1,558	30.3	0.81	16.8	0.44	1,335	18.2	0.51	10.6	0.30
Bones & Joints	90	0.8	0.09	0.8	0.08	63	0.6	0.07	0.5	0.07
Soft Tissue (incl. heart)	284	3.7	0.25	2.6	0.16	236	2.4	0.16	1.9	0.13
Skin (excl. basal & sq.)	339	5.2	0.31	3.3	0.19	367	4.2	0.23	2.9	0.16
Melanomas of the skin	254	3.9	0.27	2.5	0.16	289	3.3	0.20	2.3	0.14
Breast (excl. *in situ*)	35	0.6	0.10	0.4	0.06	7,410	83.1	0.99	60.5	0.72
Female Genital System	-	-	-	-	-	4,323	46.9	0.74	35.1	0.55
Cervix uteri	-	-	-	-	-	1,078	10.9	0.34	8.4	0.26
Uterus Corpus	-	-	-	-	-	1,868	20.5	0.49	15.7	0.37
Uterus, NOS[1]	-	-	-	-	-	59	0.7	0.09	0.5	0.06
Ovary	-	-	-	-	-	1,062	11.6	0.37	8.6	0.27
Male Genital System	7,057	113.6	1.46	77.6	0.95	-	-	-	-	-
Prostate	6,269	107.1	1.44	71.5	0.92	-	-	-	-	-
Testis	692	5.1	0.20	5.2	0.20	-	-	-	-	-
Penis	82	1.2	0.14	0.8	0.09	-	-	-	-	-
Urinary System	2,145	36.5	0.86	22.0	0.49	1,200	14.8	0.44	9.8	0.29
Bladder (incl. *in situ*)	860	16.9	0.62	9.0	0.32	300	4.1	0.24	2.4	0.14
Kidney & renal pelvis	1,253	18.9	0.58	12.7	0.37	880	10.4	0.36	7.3	0.26
Ureter	18	0.4	0.09	0.2	0.05	13	0.2	0.05	0.1	0.03
Eye & Orbit	50	0.6	0.10	0.5	0.08	54	0.6	0.08	0.5	0.07
Brain & Other Nervous System	456	5.1	0.27	4.2	0.20	373	3.9	0.21	3.2	0.17
Brain	419	4.8	0.26	3.8	0.19	344	3.6	0.20	2.9	0.16
Endocrine System	438	5.1	0.27	4.0	0.20	1,712	16.7	0.42	13.6	0.33
Thyroid gland	387	4.6	0.26	3.5	0.18	1,647	16.1	0.41	13.0	0.33
Lymphomas	1,591	22.4	0.63	15.3	0.40	1,409	16.6	0.46	11.3	0.31
Hodgkin Lymphoma	256	2.6	0.19	2.2	0.14	195	1.8	0.13	1.6	0.12
Non-Hodgkin Lymphoma	1,335	19.8	0.60	13.1	0.37	1,214	14.8	0.44	9.7	0.29
Multiple Myeloma	403	6.6	0.36	4.2	0.22	323	4.2	0.24	2.7	0.15
Leukemias	983	11.5	0.43	9.2	0.30	820	8.5	0.31	7.2	0.26
Acute lymphocytic	372	2.9	0.16	3.4	0.18	310	2.5	0.15	3.0	0.17
Chronic lymphocytic	110	2.0	0.20	1.2	0.12	105	1.4	0.14	0.9	0.09
Acute myeloid	280	3.8	0.26	2.6	0.16	254	2.8	0.19	2.1	0.14
Chronic myeloid	116	1.3	0.14	1.0	0.10	96	1.1	0.11	0.8	0.08
Other leukemias	105	1.5	0.17	1.0	0.10	55	0.7	0.10	0.4	0.06
Mesothelioma	82	1.5	0.18	0.9	0.10	29	0.4	0.07	0.2	0.05
Kaposi Sarcoma	153	1.5	0.13	1.2	0.10	10	0.1	0.04	0.1	0.03
Ill-defined & Unknown	805	14.6	0.56	8.3	0.30	859	11.5	0.40	6.6	0.24
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	348	4.6	0.28	3.2	0.18	842	9.6	0.35	6.8	0.24
Breast (*in situ*)	7	0.1	0.03	0.1	0.03	1,495	16.7	0.44	12.5	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	47,517	522.2	2.44	344.8	1.72	45,811	453.6	2.21	315.1	1.69
Oral Cavity & Pharynx	1,694	18.3	0.45	13.0	0.33	688	6.6	0.26	4.5	0.21
Lip	133	1.5	0.13	0.9	0.08	49	0.4	0.07	0.3	0.05
Tongue	592	6.2	0.26	4.7	0.20	224	2.2	0.15	1.5	0.11
Major salivary gland	191	2.2	0.16	1.3	0.11	101	1.0	0.11	0.7	0.09
Floor of mouth	73	0.8	0.09	0.5	0.07	28	0.3	0.05	0.2	0.04
Gum & other mouth	162	1.8	0.14	1.2	0.10	134	1.2	0.11	0.7	0.07
Nasopharynx	44	0.5	0.08	0.4	0.07	30	0.3	0.07	0.3	0.07
Oropharynx	53	0.6	0.08	0.4	0.06	17	0.2	0.04	0.1	0.03
Hypopharynx	97	1.0	0.11	0.7	0.07	23	0.2	0.05	0.1	0.03
Digestive System	9,008	98.0	1.05	61.9	0.70	7,386	67.4	0.81	41.9	0.56
Esophagus	644	7.0	0.28	4.4	0.18	215	1.9	0.13	1.2	0.09
Stomach	816	8.9	0.32	5.5	0.21	511	4.6	0.21	2.8	0.14
Small intestine	224	2.4	0.16	1.6	0.11	159	1.5	0.13	1.0	0.09
Colon excl. rectum	3,099	34.0	0.62	20.5	0.39	3,095	27.7	0.52	16.6	0.35
Rectum & rectosigmoid	1,330	14.5	0.40	9.8	0.28	1,023	9.8	0.32	6.7	0.23
Anus, anal canal & anorectum	213	2.3	0.16	1.7	0.12	272	2.7	0.17	1.9	0.13
Liver	926	9.7	0.33	7.0	0.25	290	2.7	0.17	1.8	0.14
Gallbladder	58	0.7	0.09	0.4	0.05	119	1.1	0.10	0.7	0.07
Pancreas	1,275	13.7	0.39	8.3	0.25	1,211	10.8	0.32	6.3	0.21
Respiratory System	5,833	63.9	0.85	38.4	0.54	5,309	48.4	0.68	29.1	0.45
Larynx	458	4.9	0.23	3.3	0.16	99	0.9	0.10	0.7	0.07
Lung & bronchus	5,278	57.9	0.81	34.4	0.50	5,151	46.9	0.67	28.0	0.44
Bones & Joints	89	1.2	0.13	1.0	0.13	57	0.8	0.11	0.7	0.11
Soft Tissue (incl. heart)	372	4.5	0.24	3.4	0.22	284	3.1	0.20	2.4	0.19
Skin (excl. basal & sq.)	3,779	42.1	0.70	27.5	0.48	2,224	23.5	0.52	17.2	0.41
Melanomas of the skin	3,387	37.7	0.66	25.0	0.46	2,012	21.5	0.50	16.0	0.40
Breast (excl. *in situ*)	150	1.6	0.13	1.0	0.09	14,516	148.6	1.28	107.7	0.97
Female Genital System	-	-	-	-	-	5,437	55.2	0.78	40.8	0.60
Cervix uteri	-	-	-	-	-	575	7.3	0.32	5.7	0.25
Uterus Corpus	-	-	-	-	-	2,866	28.1	0.54	21.1	0.42
Uterus, NOS[1]	-	-	-	-	-	91	0.9	0.09	0.6	0.07
Ovary	-	-	-	-	-	1,403	14.2	0.39	10.2	0.31
Male Genital System	12,071	128.8	1.19	92.7	0.88	-	-	-	-	-
Prostate	11,467	120.7	1.14	85.5	0.82	-	-	-	-	-
Testis	507	7.0	0.31	6.6	0.31	-	-	-	-	-
Penis	73	0.8	0.10	0.5	0.06	-	-	-	-	-
Urinary System	5,837	64.3	0.85	38.9	0.55	2,097	19.6	0.45	12.7	0.34
Bladder (incl. *in situ*)	3,819	42.1	0.69	23.7	0.41	1,107	9.8	0.31	5.7	0.20
Kidney & renal pelvis	1,894	20.8	0.49	14.4	0.36	931	9.2	0.32	6.6	0.27
Ureter	62	0.7	0.09	0.4	0.05	38	0.4	0.06	0.2	0.04
Eye & Orbit	116	1.4	0.13	1.0	0.11	93	0.9	0.10	0.7	0.09
Brain & Other Nervous System	743	8.9	0.34	7.1	0.32	503	5.4	0.26	4.3	0.24
Brain	709	8.5	0.33	6.8	0.31	481	5.2	0.25	4.2	0.24
Endocrine System	751	9.0	0.34	7.1	0.29	1,907	23.7	0.57	19.8	0.49
Thyroid gland	685	8.1	0.32	6.4	0.26	1,854	23.1	0.56	19.2	0.48
Lymphomas	2,570	29.7	0.60	20.1	0.45	2,073	20.6	0.48	14.3	0.38
Hodgkin Lymphoma	275	3.6	0.22	3.3	0.22	223	3.0	0.21	3.0	0.23
Non-Hodgkin Lymphoma	2,295	26.1	0.55	16.9	0.39	1,850	17.6	0.43	11.3	0.31
Multiple Myeloma	692	7.5	0.29	4.5	0.18	439	4.1	0.20	2.6	0.14
Leukemias	1,684	19.3	0.49	13.4	0.40	1,062	10.6	0.35	7.6	0.33
Acute lymphocytic	121	2.0	0.19	2.4	0.26	66	1.2	0.15	1.5	0.22
Chronic lymphocytic	725	7.8	0.29	4.8	0.19	398	3.6	0.19	2.2	0.13
Acute myeloid	441	5.1	0.25	3.2	0.18	356	3.6	0.20	2.5	0.17
Chronic myeloid	184	2.1	0.16	1.5	0.12	116	1.1	0.11	0.7	0.08
Other leukemias	213	2.4	0.16	1.6	0.12	126	1.1	0.11	0.7	0.09
Mesothelioma	141	1.6	0.13	0.8	0.07	54	0.5	0.07	0.3	0.04
Kaposi Sarcoma	138	1.7	0.15	1.3	0.12	14	0.1	0.03	0.1	0.02
Ill-defined & Unknown	1,849	20.5	0.48	11.5	0.30	1,668	14.6	0.37	8.5	0.26
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	646	7.4	0.30	5.3	0.24	1,346	13.7	0.39	9.8	0.31
Breast (*in situ*)	18	0.2	0.05	0.2	0.04	2,975	31.8	0.60	24.2	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Los Angeles, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	10,956	576.6	5.71	395.9	3.87	10,590	418.4	4.11	291.5	2.98
Oral Cavity & Pharynx	308	15.2	0.90	11.2	0.65	143	5.7	0.48	4.1	0.35
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	88	4.3	0.47	3.2	0.35	39	1.5	0.25	1.1	0.18
Major salivary gland	21	1.1	0.26	0.7	0.16	27	1.1	0.21	0.8	0.16
Floor of mouth	13	0.7	0.20	0.4	0.13	8	0.3	0.11	0.2	0.08
Gum & other mouth	31	1.5	0.28	1.2	0.22	33	1.4	0.24	0.8	0.15
Nasopharynx	26	1.3	0.26	1.0	0.20	6	0.3	0.11	0.2	0.08
Oropharynx	20	1.1	0.24	0.7	0.16	8	0.3	0.12	0.2	0.07
Hypopharynx	31	1.5	0.28	1.2	0.21	-	-	-	-	-
Digestive System	2,449	132.1	2.77	86.1	1.77	2,261	89.1	1.89	56.7	1.26
Esophagus	118	6.7	0.64	4.1	0.38	58	2.3	0.31	1.5	0.20
Stomach	250	14.2	0.93	8.5	0.55	205	8.2	0.58	4.9	0.36
Small intestine	79	4.4	0.51	2.8	0.32	80	3.2	0.36	2.0	0.24
Colon excl. rectum	900	49.7	1.72	31.3	1.07	997	39.6	1.27	24.7	0.83
Rectum & rectosigmoid	293	15.3	0.92	10.4	0.62	272	10.4	0.64	7.4	0.47
Anus, anal canal & anorectum	65	3.2	0.40	2.5	0.31	43	1.6	0.25	1.2	0.19
Liver	321	15.4	0.89	11.9	0.67	112	4.3	0.41	3.1	0.31
Gallbladder	25	1.5	0.31	0.9	0.18	27	1.0	0.20	0.8	0.15
Pancreas	309	16.6	0.99	10.7	0.62	355	14.1	0.76	8.5	0.48
Respiratory System	1,545	85.7	2.26	53.6	1.39	1,286	50.5	1.42	33.6	0.98
Larynx	131	6.8	0.62	4.7	0.42	46	1.7	0.25	1.3	0.20
Lung & bronchus	1,387	77.6	2.16	47.9	1.31	1,227	48.2	1.39	31.9	0.95
Bones & Joints	19	1.0	0.23	0.9	0.21	14	0.7	0.18	0.6	0.18
Soft Tissue (incl. heart)	74	3.7	0.44	3.1	0.37	75	3.0	0.35	2.3	0.28
Skin (excl. basal & sq.)	62	3.4	0.44	2.3	0.30	44	1.8	0.28	1.4	0.22
Melanomas of the skin	30	1.8	0.34	1.0	0.19	15	0.6	0.16	0.4	0.11
Breast (excl. *in situ*)	33	1.8	0.33	1.1	0.20	3,341	131.4	2.30	94.6	1.69
Female Genital System	-	-	-	-	-	1,261	49.5	1.41	36.6	1.07
Cervix uteri	-	-	-	-	-	213	8.9	0.62	6.6	0.47
Uterus Corpus	-	-	-	-	-	650	24.9	0.99	18.6	0.75
Uterus, NOS[1]	-	-	-	-	-	37	1.4	0.24	1.1	0.18
Ovary	-	-	-	-	-	274	10.9	0.66	7.8	0.50
Male Genital System	4,004	200.1	3.26	146.7	2.35	-	-	-	-	-
Prostate	3,941	196.6	3.23	144.2	2.33	-	-	-	-	-
Testis	35	1.8	0.31	1.6	0.27	-	-	-	-	-
Penis	23	1.4	0.31	0.7	0.16	-	-	-	-	-
Urinary System	906	49.0	1.69	32.5	1.11	477	18.8	0.87	12.5	0.60
Bladder (incl. *in situ*)	419	24.4	1.24	14.2	0.71	170	6.9	0.53	3.8	0.31
Kidney & renal pelvis	477	24.0	1.13	17.9	0.85	297	11.6	0.68	8.5	0.51
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	0.3	0.14	0.4	0.19	-	-	-	-	-
Brain & Other Nervous System	102	5.2	0.53	4.4	0.45	78	3.3	0.38	3.0	0.39
Brain	95	4.9	0.52	4.0	0.43	67	2.9	0.35	2.6	0.36
Endocrine System	94	4.9	0.51	3.7	0.39	354	14.3	0.77	11.5	0.63
Thyroid gland	78	4.0	0.47	2.9	0.34	335	13.5	0.75	10.7	0.60
Lymphomas	420	21.6	1.09	16.0	0.80	355	14.6	0.79	10.8	0.62
Hodgkin Lymphoma	69	3.2	0.40	3.0	0.37	64	2.8	0.35	2.6	0.34
Non-Hodgkin Lymphoma	351	18.4	1.02	13.1	0.71	291	11.9	0.70	8.2	0.52
Multiple Myeloma	257	14.2	0.92	9.0	0.57	287	11.3	0.67	7.5	0.46
Leukemias	253	13.9	0.90	9.8	0.65	218	8.8	0.61	6.6	0.51
Acute lymphocytic	31	1.6	0.30	1.7	0.33	19	0.9	0.20	1.0	0.26
Chronic lymphocytic	76	4.5	0.54	2.6	0.31	51	2.1	0.29	1.2	0.17
Acute myeloid	71	3.8	0.47	2.7	0.33	86	3.4	0.37	2.6	0.31
Chronic myeloid	38	2.0	0.33	1.4	0.23	32	1.2	0.22	1.0	0.18
Other leukemias	37	2.0	0.34	1.4	0.25	30	1.3	0.23	0.8	0.18
Mesothelioma	17	1.0	0.26	0.6	0.15	-	-	-	-	-
Kaposi Sarcoma	72	3.7	0.44	3.1	0.38	-	-	-	-	-
Ill-defined & Unknown	335	19.6	1.11	11.4	0.64	388	15.3	0.79	9.5	0.52
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	118	6.3	0.60	4.6	0.44	287	11.7	0.70	8.1	0.50
Breast (*in situ*)	6	0.3	0.13	0.2	0.09	753	29.4	1.08	21.6	0.81

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	54,577	473.7	2.11	310.6	1.36	52,639	396.5	1.76	273.6	1.26
Oral Cavity & Pharynx	1,827	14.6	0.36	10.4	0.25	792	5.9	0.21	4.0	0.15
Lip	131	1.2	0.11	0.7	0.06	41	0.3	0.05	0.2	0.03
Tongue	585	4.5	0.19	3.4	0.14	225	1.7	0.11	1.1	0.08
Major salivary gland	157	1.5	0.12	0.8	0.07	123	0.9	0.09	0.7	0.07
Floor of mouth	69	0.6	0.07	0.4	0.05	51	0.4	0.05	0.2	0.04
Gum & other mouth	150	1.3	0.11	0.8	0.07	161	1.2	0.10	0.8	0.06
Nasopharynx	63	0.5	0.06	0.4	0.05	23	0.2	0.04	0.1	0.03
Oropharynx	66	0.5	0.07	0.4	0.05	21	0.2	0.03	0.1	0.02
Hypopharynx	87	0.7	0.08	0.5	0.05	21	0.2	0.04	0.1	0.02
Digestive System	9,640	84.4	0.90	53.3	0.55	7,808	59.3	0.68	36.2	0.44
Esophagus	806	7.0	0.26	4.4	0.16	203	1.5	0.11	0.9	0.07
Stomach	870	7.9	0.28	4.8	0.17	490	3.8	0.17	2.3	0.11
Small intestine	304	2.6	0.16	1.7	0.10	225	1.7	0.11	1.1	0.08
Colon excl. rectum	3,017	27.7	0.53	16.4	0.30	3,147	24.0	0.44	13.9	0.27
Rectum & rectosigmoid	1,451	12.3	0.34	8.2	0.22	1,007	7.6	0.24	5.0	0.17
Anus, anal canal & anorectum	151	1.2	0.10	0.9	0.07	277	2.0	0.12	1.5	0.09
Liver	1,187	9.1	0.28	6.7	0.20	452	3.4	0.16	2.2	0.11
Gallbladder	65	0.6	0.08	0.3	0.04	155	1.2	0.10	0.7	0.06
Pancreas	1,364	12.1	0.34	7.5	0.21	1,332	10.2	0.29	6.0	0.17
Respiratory System	6,202	57.9	0.76	33.8	0.44	5,811	44.8	0.60	27.2	0.38
Larynx	470	4.0	0.19	2.6	0.12	121	0.9	0.08	0.6	0.06
Lung & bronchus	5,609	52.8	0.73	30.4	0.42	5,608	43.3	0.59	26.2	0.37
Bones & Joints	116	1.0	0.09	0.9	0.08	97	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	421	3.6	0.18	2.6	0.13	354	2.7	0.15	2.2	0.13
Skin (excl. basal & sq.)	3,481	30.4	0.54	19.7	0.34	2,488	18.9	0.38	13.9	0.29
Melanomas of the skin	3,225	27.9	0.51	18.3	0.33	2,341	17.7	0.37	13.2	0.29
Breast (excl. *in situ*)	118	1.1	0.10	0.6	0.06	16,875	125.2	0.98	90.2	0.72
Female Genital System	-	-	-	-	-	5,980	43.9	0.58	32.3	0.43
Cervix uteri	-	-	-	-	-	762	5.9	0.22	4.7	0.18
Uterus Corpus	-	-	-	-	-	2,976	21.3	0.40	15.9	0.30
Uterus, NOS[1]	-	-	-	-	-	80	0.6	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,632	12.1	0.30	8.6	0.22
Male Genital System	17,039	140.0	1.12	98.7	0.77	-	-	-	-	-
Prostate	16,178	133.2	1.09	92.6	0.74	-	-	-	-	-
Testis	760	5.9	0.21	5.5	0.20	-	-	-	-	-
Penis	72	0.7	0.08	0.4	0.05	-	-	-	-	-
Urinary System	5,662	51.7	0.72	31.1	0.42	2,451	18.7	0.38	11.9	0.26
Bladder (incl. *in situ*)	3,403	32.5	0.58	18.1	0.32	1,083	8.3	0.26	4.8	0.16
Kidney & renal pelvis	2,140	18.0	0.40	12.4	0.27	1,309	9.9	0.28	6.9	0.20
Ureter	81	0.8	0.09	0.4	0.05	47	0.4	0.06	0.2	0.03
Eye & Orbit	127	1.0	0.10	0.9	0.08	115	0.9	0.08	0.7	0.08
Brain & Other Nervous System	959	7.9	0.26	6.4	0.22	749	5.8	0.21	4.7	0.19
Brain	907	7.5	0.26	6.0	0.21	703	5.4	0.21	4.4	0.18
Endocrine System	1,119	8.9	0.27	6.9	0.21	2,978	22.9	0.43	18.9	0.36
Thyroid gland	1,021	8.1	0.26	6.2	0.20	2,883	22.2	0.42	18.2	0.35
Lymphomas	2,952	25.5	0.49	17.5	0.33	2,331	17.8	0.38	12.2	0.27
Hodgkin Lymphoma	419	3.4	0.17	3.0	0.15	296	2.4	0.14	2.1	0.13
Non-Hodgkin Lymphoma	2,533	22.1	0.46	14.5	0.30	2,035	15.5	0.35	10.1	0.24
Multiple Myeloma	806	7.3	0.27	4.4	0.16	599	4.5	0.19	2.9	0.12
Leukemias	2,038	18.3	0.42	12.5	0.29	1,405	10.8	0.29	7.8	0.24
Acute lymphocytic	220	1.8	0.12	2.2	0.15	168	1.4	0.11	1.8	0.15
Chronic lymphocytic	765	6.9	0.26	4.2	0.15	471	3.6	0.17	2.1	0.10
Acute myeloid	488	4.4	0.21	2.9	0.14	383	3.0	0.15	2.0	0.12
Chronic myeloid	257	2.3	0.15	1.5	0.10	174	1.3	0.10	0.9	0.07
Other leukemias	308	2.9	0.17	1.7	0.10	209	1.6	0.11	0.9	0.07
Mesothelioma	142	1.5	0.13	0.7	0.06	48	0.4	0.05	0.2	0.03
Kaposi Sarcoma	57	0.5	0.06	0.4	0.05	-	-	-	-	-
Ill-defined & Unknown	1,871	18.2	0.44	9.9	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,186	10.2	0.31	7.0	0.21	2,664	20.3	0.40	14.0	0.29
Breast (*in situ*)	17	0.1	0.04	0.1	0.02	4,138	30.5	0.48	23.0	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	48,926	455.9	2.14	298.5	1.39	49,093	399.2	1.84	275.6	1.32
Oral Cavity & Pharynx	1,716	14.7	0.37	10.5	0.26	742	6.0	0.22	4.1	0.16
Lip	119	1.2	0.11	0.7	0.07	37	0.3	0.05	0.2	0.03
Tongue	550	4.5	0.20	3.4	0.15	216	1.7	0.12	1.2	0.09
Major salivary gland	149	1.5	0.13	0.9	0.07	111	0.9	0.09	0.7	0.07
Floor of mouth	67	0.6	0.07	0.4	0.05	48	0.4	0.06	0.2	0.04
Gum & other mouth	139	1.3	0.11	0.8	0.07	149	1.2	0.10	0.7	0.07
Nasopharynx	50	0.4	0.06	0.3	0.05	19	0.2	0.04	0.1	0.03
Oropharynx	64	0.5	0.07	0.4	0.05	20	0.2	0.04	0.1	0.03
Hypopharynx	81	0.8	0.09	0.5	0.05	21	0.2	0.04	0.1	0.02
Digestive System	8,907	83.6	0.92	52.7	0.57	7,188	58.5	0.70	35.7	0.45
Esophagus	781	7.2	0.27	4.6	0.17	190	1.5	0.11	0.9	0.07
Stomach	774	7.5	0.28	4.6	0.17	439	3.7	0.18	2.2	0.11
Small intestine	282	2.6	0.16	1.7	0.10	208	1.6	0.12	1.1	0.08
Colon excl. rectum	2,816	27.7	0.54	16.3	0.31	2,920	23.9	0.45	13.8	0.28
Rectum & rectosigmoid	1,347	12.2	0.35	8.1	0.23	927	7.5	0.25	5.0	0.17
Anus, anal canal & anorectum	141	1.2	0.11	0.9	0.07	264	2.1	0.13	1.5	0.10
Liver	1,029	8.6	0.28	6.3	0.20	388	3.1	0.16	2.0	0.11
Gallbladder	61	0.6	0.08	0.3	0.05	142	1.2	0.10	0.7	0.06
Pancreas	1,276	12.1	0.35	7.5	0.21	1,236	10.2	0.29	6.0	0.18
Respiratory System	5,784	57.5	0.78	33.5	0.45	5,477	45.2	0.62	27.5	0.39
Larynx	430	3.9	0.20	2.6	0.13	111	0.9	0.09	0.6	0.06
Lung & bronchus	5,239	52.6	0.75	30.2	0.43	5,290	43.7	0.61	26.4	0.38
Bones & Joints	108	1.0	0.10	0.9	0.09	87	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	391	3.6	0.19	2.6	0.14	329	2.7	0.15	2.3	0.14
Skin (excl. basal & sq.)	3,446	32.3	0.57	21.1	0.37	2,450	20.2	0.42	15.0	0.32
Melanomas of the skin	3,204	29.8	0.55	19.6	0.36	2,316	19.1	0.40	14.3	0.31
Breast (excl. *in situ*)	110	1.1	0.11	0.6	0.06	15,665	125.6	1.02	90.4	0.75
Female Genital System	-	-	-	-	-	5,600	44.5	0.61	32.7	0.45
Cervix uteri	-	-	-	-	-	688	5.9	0.23	4.7	0.19
Uterus Corpus	-	-	-	-	-	2,792	21.6	0.42	16.1	0.31
Uterus, NOS[1]	-	-	-	-	-	74	0.6	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,550	12.4	0.32	8.9	0.24
Male Genital System	13,863	121.6	1.07	86.2	0.74	-	-	-	-	-
Prostate	13,078	114.7	1.04	80.0	0.71	-	-	-	-	-
Testis	694	6.0	0.23	5.6	0.22	-	-	-	-	-
Penis	64	0.7	0.08	0.4	0.05	-	-	-	-	-
Urinary System	5,229	51.0	0.73	30.7	0.44	2,284	18.7	0.40	12.0	0.27
Bladder (incl. *in situ*)	3,130	31.9	0.59	17.7	0.32	999	8.2	0.26	4.7	0.16
Kidney & renal pelvis	1,984	17.9	0.42	12.3	0.28	1,226	10.0	0.29	6.9	0.21
Ureter	79	0.8	0.10	0.4	0.05	47	0.4	0.06	0.2	0.03
Eye & Orbit	115	1.0	0.10	0.8	0.08	107	0.9	0.08	0.7	0.08
Brain & Other Nervous System	908	8.1	0.28	6.6	0.23	706	5.9	0.23	4.9	0.20
Brain	858	7.7	0.27	6.2	0.22	665	5.6	0.22	4.5	0.19
Endocrine System	1,056	9.1	0.29	7.1	0.23	2,725	23.1	0.45	19.1	0.38
Thyroid gland	969	8.3	0.28	6.4	0.21	2,636	22.3	0.44	18.4	0.37
Lymphomas	2,702	25.3	0.50	17.2	0.34	2,173	18.0	0.39	12.3	0.28
Hodgkin Lymphoma	375	3.3	0.18	2.9	0.16	278	2.5	0.15	2.2	0.14
Non-Hodgkin Lymphoma	2,327	22.0	0.47	14.3	0.31	1,895	15.5	0.36	10.1	0.25
Multiple Myeloma	732	7.1	0.27	4.3	0.16	540	4.3	0.19	2.8	0.12
Leukemias	1,890	18.3	0.44	12.5	0.31	1,323	11.0	0.31	8.0	0.25
Acute lymphocytic	203	1.8	0.13	2.2	0.17	156	1.4	0.12	1.9	0.16
Chronic lymphocytic	705	6.8	0.27	4.1	0.16	441	3.6	0.17	2.1	0.11
Acute myeloid	460	4.5	0.21	3.0	0.15	368	3.1	0.16	2.1	0.12
Chronic myeloid	231	2.2	0.15	1.4	0.10	159	1.3	0.11	0.9	0.07
Other leukemias	291	3.0	0.18	1.7	0.10	199	1.6	0.12	0.9	0.08
Mesothelioma	139	1.6	0.14	0.7	0.06	45	0.4	0.06	0.2	0.03
Kaposi Sarcoma	48	0.4	0.06	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,782	18.6	0.45	10.0	0.25	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,095	10.1	0.32	7.0	0.22	2,432	20.1	0.41	13.8	0.30
Breast (*in situ*)	17	0.2	0.04	0.1	0.03	3,807	30.5	0.50	22.9	0.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,946	487.2	12.55	331.1	7.74	1,579	360.7	9.38	248.6	6.41
Oral Cavity & Pharynx	40	8.2	1.39	6.5	1.07	17	3.5	0.88	2.9	0.71
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	1.7	0.60	1.5	0.52	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	406	100.4	5.67	66.6	3.41	305	73.8	4.36	46.2	2.73
Esophagus	8	2.0	0.75	1.3	0.46	8	1.5	0.52	1.2	0.44
Stomach	47	12.3	2.02	7.8	1.16	19	4.2	1.00	2.9	0.68
Small intestine	15	3.8	1.07	2.4	0.63	12	3.0	0.88	1.8	0.55
Colon excl. rectum	125	34.5	3.54	20.5	1.90	123	30.4	2.83	18.3	1.71
Rectum & rectosigmoid	49	13.0	2.13	8.4	1.24	24	5.2	1.09	3.8	0.79
Anus, anal canal & anorectum	7	1.3	0.50	1.1	0.42	-	-	-	-	-
Liver	82	15.2	1.85	12.9	1.47	28	6.3	1.22	4.5	0.87
Gallbladder	-	-	-	-	-	7	1.7	0.66	1.0	0.37
Pancreas	58	15.6	2.26	10.2	1.38	61	16.2	2.13	9.0	1.19
Respiratory System	246	70.0	5.07	43.1	2.83	191	47.8	3.56	29.9	2.23
Larynx	24	5.8	1.29	3.9	0.81	9	2.0	0.67	1.6	0.54
Lung & bronchus	217	63.1	4.88	38.3	2.68	180	45.3	3.47	28.1	2.16
Bones & Joints	-	-	-	-	-	6	0.9	0.36	1.0	0.42
Soft Tissue (incl. heart)	15	3.3	0.94	2.3	0.61	11	2.1	0.66	1.9	0.58
Skin (excl. basal & sq.)	10	2.4	0.84	1.4	0.45	8	1.8	0.64	1.3	0.47
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	524	115.2	5.17	83.9	3.74
Female Genital System	-	-	-	-	-	158	34.5	2.83	25.2	2.06
Cervix uteri	-	-	-	-	-	29	6.0	1.15	4.6	0.87
Uterus Corpus	-	-	-	-	-	77	17.0	1.99	12.7	1.48
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	33	7.4	1.34	4.8	0.87
Male Genital System	757	186.7	7.63	131.7	4.93	-	-	-	-	-
Prostate	737	183.3	7.58	128.8	4.89	-	-	-	-	-
Testis	18	2.7	0.64	2.5	0.59	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	166	44.9	3.98	28.8	2.30	71	16.8	2.06	11.2	1.37
Bladder (incl. *in situ*)	68	21.1	2.98	12.4	1.55	18	4.7	1.15	2.5	0.61
Kidney & renal pelvis	98	23.8	2.65	16.4	1.70	53	12.0	1.70	8.7	1.23
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	16	2.7	0.72	2.7	0.68	19	3.6	0.88	3.2	0.74
Brain	15	2.4	0.63	2.5	0.64	17	3.1	0.78	2.9	0.72
Endocrine System	20	4.2	0.99	3.3	0.77	72	14.2	1.70	11.7	1.39
Thyroid gland	16	3.2	0.86	2.6	0.68	70	13.9	1.69	11.4	1.37
Lymphomas	112	22.4	2.36	17.4	1.68	67	15.2	1.93	10.8	1.34
Hodgkin Lymphoma	26	4.4	0.93	3.7	0.74	12	2.2	0.65	1.9	0.56
Non-Hodgkin Lymphoma	86	18.0	2.17	13.6	1.51	55	13.1	1.81	8.8	1.22
Multiple Myeloma	56	15.0	2.26	10.0	1.38	44	10.8	1.68	6.7	1.04
Leukemias	50	13.3	2.24	8.6	1.27	39	8.4	1.42	5.6	0.93
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	17	4.8	1.36	2.8	0.71	11	2.7	0.84	1.4	0.44
Acute myeloid	11	2.7	1.05	1.9	0.59	9	1.9	0.68	1.3	0.45
Chronic myeloid	12	3.3	1.03	2.0	0.58	10	2.0	0.65	1.5	0.47
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	36	9.3	1.77	6.0	1.03	45	11.7	1.79	6.7	1.03
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	44	12.1	2.10	7.4	1.16	97	21.6	2.25	15.6	1.62
Breast (*in situ*)	-	-	-	-	-	117	25.6	2.43	18.6	1.76

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	663	278.2	11.73	173.6	6.87	960	259.0	8.71	174.0	5.77
Oral Cavity & Pharynx	30	9.4	1.84	7.2	1.35	15	4.4	1.19	2.5	0.67
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	4.2	1.28	3.2	0.91	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	2.1	0.88	1.5	0.56	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	198	83.3	6.37	51.5	3.72	207	64.4	4.63	36.6	2.64
Esophagus	8	3.5	1.30	2.2	0.79	-	-	-	-	-
Stomach	37	16.8	2.99	9.2	1.55	22	7.2	1.58	3.8	0.83
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	41	18.2	3.06	10.9	1.73	73	22.5	2.72	12.8	1.55
Rectum & rectosigmoid	30	12.6	2.45	7.9	1.46	31	9.8	1.82	5.3	0.98
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	48	18.1	2.80	12.4	1.81	27	7.7	1.53	5.4	1.06
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	21	8.2	1.91	5.5	1.23	25	8.7	1.78	4.2	0.87
Respiratory System	105	52.2	5.41	27.7	2.75	93	28.1	3.01	17.2	1.84
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	99	49.8	5.31	26.2	2.67	93	28.1	3.01	17.2	1.84
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	7	1.6	0.63	1.2	0.48
Skin (excl. basal & sq.)	-	-	-	-	-	7	2.1	0.83	1.1	0.42
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	313	76.5	4.45	57.3	3.29
Female Genital System	-	-	-	-	-	104	25.1	2.54	19.0	1.90
Cervix uteri	-	-	-	-	-	22	5.2	1.15	4.0	0.87
Uterus Corpus	-	-	-	-	-	50	11.9	1.75	9.0	1.30
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	23	5.6	1.21	4.3	0.92
Male Genital System	123	53.3	5.15	33.8	3.10	-	-	-	-	-
Prostate	112	49.7	5.00	31.0	2.97	-	-	-	-	-
Testis	8	2.3	0.96	2.0	0.72	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	50	23.1	3.51	13.3	1.92	18	6.4	1.55	2.8	0.67
Bladder (incl. *in situ*)	23	13.3	2.90	5.6	1.20	8	3.1	1.08	1.2	0.43
Kidney & renal pelvis	24	8.6	1.87	6.8	1.42	10	3.4	1.10	1.6	0.51
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	18	6.8	1.74	4.5	1.07	13	3.3	0.95	2.9	0.83
Brain	17	6.5	1.71	4.3	1.05	12	3.1	0.92	2.7	0.81
Endocrine System	14	3.5	0.96	3.1	0.85	94	21.5	2.28	16.8	1.78
Thyroid gland	9	2.3	0.79	2.0	0.67	91	20.8	2.25	16.1	1.72
Lymphomas	55	19.7	2.91	13.9	1.92	33	9.1	1.65	6.1	1.09
Hodgkin Lymphoma	9	2.2	0.80	2.2	0.76	-	-	-	-	-
Non-Hodgkin Lymphoma	46	17.5	2.80	11.7	1.76	-	-	-	-	-
Multiple Myeloma	9	4.2	1.52	2.2	0.74	6	1.6	0.69	1.0	0.42
Leukemias	32	10.1	1.95	9.0	1.62	15	4.0	1.07	3.1	0.85
Acute lymphocytic	8	1.8	0.65	2.7	0.98	6	1.3	0.53	1.6	0.67
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	11	3.9	1.29	2.9	0.90	-	-	-	-	-
Chronic myeloid	6	1.8	0.80	1.6	0.68	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	8.5	2.27	4.1	1.02	30	9.8	1.84	5.2	0.99
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	15	6.2	1.78	3.5	0.92	74	19.5	2.36	13.7	1.63
Breast (*in situ*)	-	-	-	-	-	97	23.2	2.42	18.0	1.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	34	380.0	75.50	234.1	41.08	42	355.3	60.61	239.9	37.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	12	103.2	32.31	67.6	19.88
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	12	112.7	35.89	70.3	20.83
Female Genital System	-	-	-	-	-	6	43.9	21.08	30.9	12.88
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	101.5	44.31	46.9	19.21	-	-	-	-	-
Prostate	6	101.5	44.31	46.9	19.21	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	89.2	38.54	45.6	17.65	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	89.2	38.54	45.6	17.65	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	5,410	410.6	6.18	265.8	3.71	5,888	364.6	5.00	250.3	3.34
Oral Cavity & Pharynx	160	11.2	0.99	7.6	0.62	71	4.5	0.57	3.0	0.37
Lip	7	0.7	0.31	0.3	0.12	-	-	-	-	-
Tongue	43	2.9	0.48	2.2	0.34	23	1.5	0.32	1.0	0.21
Major salivary gland	14	1.0	0.31	0.7	0.19	10	0.5	0.17	0.4	0.13
Floor of mouth	7	0.3	0.13	0.3	0.12	-	-	-	-	-
Gum & other mouth	16	1.4	0.37	0.8	0.20	13	0.8	0.24	0.5	0.15
Nasopharynx	7	0.5	0.22	0.3	0.13	6	0.4	0.16	0.3	0.12
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	10	1.0	0.35	0.5	0.16	-	-	-	-	-
Digestive System	1,401	106.7	3.14	68.7	1.88	1,044	72.7	2.35	44.6	1.42
Esophagus	55	4.0	0.60	2.7	0.37	22	1.6	0.35	0.9	0.20
Stomach	152	12.3	1.09	7.4	0.62	109	7.6	0.76	4.3	0.42
Small intestine	46	3.5	0.58	2.2	0.34	24	1.4	0.30	1.1	0.22
Colon excl. rectum	399	31.6	1.75	19.6	1.00	340	24.4	1.38	14.6	0.81
Rectum & rectosigmoid	220	16.7	1.23	10.8	0.75	135	8.6	0.77	5.9	0.52
Anus, anal canal & anorectum	11	0.7	0.23	0.5	0.16	25	1.6	0.34	1.1	0.23
Liver	316	21.2	1.29	15.7	0.90	124	8.2	0.77	5.4	0.50
Gallbladder	12	1.5	0.43	0.6	0.17	36	2.7	0.47	1.6	0.27
Pancreas	131	10.4	1.00	6.5	0.58	150	11.0	0.94	6.4	0.54
Respiratory System	556	50.3	2.31	28.8	1.25	491	36.1	1.68	21.8	1.01
Larynx	59	5.0	0.70	3.1	0.41	12	0.8	0.25	0.6	0.17
Lung & bronchus	483	44.1	2.17	25.1	1.17	468	34.5	1.65	20.8	0.99
Bones & Joints	19	0.9	0.27	0.8	0.18	15	0.6	0.16	0.6	0.15
Soft Tissue (incl. heart)	61	3.9	0.59	2.6	0.34	47	2.3	0.35	2.0	0.30
Skin (excl. basal & sq.)	81	5.9	0.73	3.9	0.44	114	6.1	0.60	4.7	0.45
Melanomas of the skin	66	5.1	0.70	3.2	0.41	100	5.3	0.56	4.1	0.42
Breast (excl. *in situ*)	6	0.5	0.22	0.3	0.12	1,770	105.5	2.61	76.8	1.87
Female Genital System	-	-	-	-	-	726	41.7	1.62	30.6	1.16
Cervix uteri	-	-	-	-	-	157	7.6	0.64	6.0	0.49
Uterus Corpus	-	-	-	-	-	310	17.9	1.05	13.7	0.79
Uterus, NOS[1]	-	-	-	-	-	12	0.8	0.24	0.5	0.15
Ovary	-	-	-	-	-	192	11.7	0.89	8.0	0.59
Male Genital System	1,460	111.7	3.18	75.0	2.01	-	-	-	-	-
Prostate	1,302	104.8	3.12	69.3	1.96	-	-	-	-	-
Testis	133	4.5	0.40	4.4	0.39	-	-	-	-	-
Penis	20	1.8	0.45	1.0	0.23	-	-	-	-	-
Urinary System	558	44.2	2.06	27.6	1.20	335	21.8	1.25	14.2	0.79
Bladder (incl. *in situ*)	198	18.0	1.38	10.1	0.73	72	5.3	0.64	2.9	0.35
Kidney & renal pelvis	348	24.9	1.48	16.9	0.93	258	16.2	1.06	11.1	0.71
Ureter	6	0.7	0.27	0.3	0.13	-	-	-	-	-
Eye & Orbit	8	0.4	0.14	0.4	0.14	12	0.6	0.20	0.5	0.14
Brain & Other Nervous System	100	4.7	0.55	4.0	0.41	110	5.6	0.58	4.6	0.45
Brain	93	4.5	0.54	3.7	0.40	94	4.7	0.53	4.0	0.42
Endocrine System	143	7.4	0.68	6.0	0.52	448	21.8	1.08	17.8	0.86
Thyroid gland	130	6.8	0.64	5.4	0.49	433	21.2	1.06	17.2	0.84
Lymphomas	315	21.6	1.38	14.5	0.84	279	17.3	1.10	11.7	0.72
Hodgkin Lymphoma	49	2.2	0.37	1.8	0.27	46	2.3	0.36	1.8	0.28
Non-Hodgkin Lymphoma	266	19.4	1.33	12.6	0.80	233	15.0	1.04	9.9	0.66
Multiple Myeloma	99	7.8	0.85	4.9	0.51	85	6.0	0.67	3.7	0.41
Leukemias	216	13.5	1.09	9.5	0.66	170	9.1	0.77	6.9	0.54
Acute lymphocytic	69	2.3	0.31	2.7	0.33	54	1.9	0.29	2.2	0.31
Chronic lymphocytic	44	4.0	0.65	2.2	0.35	19	1.4	0.34	0.8	0.19
Acute myeloid	54	3.6	0.56	2.3	0.32	51	2.5	0.39	2.0	0.28
Chronic myeloid	29	1.8	0.37	1.2	0.22	21	1.4	0.32	0.9	0.20
Other leukemias	20	1.9	0.46	1.0	0.24	25	1.8	0.38	1.0	0.21
Mesothelioma	14	1.4	0.38	0.7	0.20	-	-	-	-	-
Kaposi Sarcoma	15	0.7	0.18	0.5	0.14	-	-	-	-	-
Ill-defined & Unknown	198	17.9	1.40	10.0	0.73	166	12.6	1.02	6.7	0.54
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	140	9.3	0.89	6.2	0.54	318	19.3	1.14	13.4	0.77
Breast (*in situ*)	-	-	-	-	-	408	23.5	1.20	17.9	0.90

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	43,655	460.7	2.29	302.2	1.51	43,329	402.0	1.98	277.7	1.44
Oral Cavity & Pharynx	1,560	15.2	0.40	10.9	0.28	672	6.1	0.24	4.2	0.18
Lip	113	1.3	0.12	0.7	0.07	32	0.3	0.05	0.2	0.04
Tongue	508	4.8	0.22	3.6	0.16	194	1.8	0.13	1.2	0.09
Major salivary gland	135	1.6	0.14	0.9	0.08	101	1.0	0.10	0.7	0.08
Floor of mouth	60	0.6	0.08	0.4	0.05	44	0.4	0.06	0.3	0.04
Gum & other mouth	124	1.3	0.12	0.9	0.08	136	1.2	0.11	0.8	0.07
Nasopharynx	43	0.4	0.06	0.3	0.06	13	0.1	0.03	0.1	0.03
Oropharynx	59	0.6	0.07	0.4	0.05	20	0.2	0.04	0.1	0.03
Hypopharynx	71	0.7	0.09	0.5	0.06	20	0.2	0.04	0.1	0.03
Digestive System	7,534	80.1	0.96	50.2	0.60	6,166	56.4	0.73	34.3	0.47
Esophagus	727	7.5	0.29	4.8	0.18	168	1.5	0.12	0.9	0.08
Stomach	625	6.8	0.28	4.1	0.17	333	3.1	0.18	1.9	0.11
Small intestine	237	2.5	0.17	1.6	0.11	185	1.6	0.12	1.1	0.09
Colon excl. rectum	2,426	27.0	0.57	15.8	0.33	2,588	23.7	0.48	13.6	0.29
Rectum & rectosigmoid	1,129	11.6	0.36	7.8	0.24	796	7.3	0.26	4.9	0.18
Anus, anal canal & anorectum	130	1.3	0.12	0.9	0.08	240	2.1	0.14	1.6	0.10
Liver	720	6.8	0.26	4.9	0.19	264	2.4	0.15	1.5	0.11
Gallbladder	49	0.5	0.08	0.3	0.05	106	1.0	0.10	0.6	0.06
Pancreas	1,147	12.3	0.38	7.6	0.23	1,087	10.0	0.31	5.9	0.19
Respiratory System	5,241	58.3	0.83	34.0	0.48	4,994	46.1	0.67	28.1	0.42
Larynx	373	3.8	0.20	2.5	0.13	99	0.9	0.09	0.6	0.07
Lung & bronchus	4,767	53.4	0.80	30.7	0.46	4,830	44.6	0.65	27.0	0.41
Bones & Joints	89	1.0	0.11	0.9	0.10	72	0.8	0.09	0.7	0.09
Soft Tissue (incl. heart)	331	3.6	0.20	2.7	0.16	283	2.8	0.17	2.3	0.16
Skin (excl. basal & sq.)	3,365	36.0	0.64	23.7	0.42	2,337	22.6	0.48	16.9	0.37
Melanomas of the skin	3,138	33.3	0.61	22.2	0.41	2,217	21.4	0.47	16.1	0.37
Breast (excl. *in situ*)	104	1.1	0.12	0.7	0.07	13,932	127.7	1.11	91.8	0.81
Female Genital System	-	-	-	-	-	4,890	44.4	0.65	32.6	0.49
Cervix uteri	-	-	-	-	-	536	5.5	0.25	4.4	0.20
Uterus Corpus	-	-	-	-	-	2,487	21.8	0.45	16.2	0.34
Uterus, NOS[1]	-	-	-	-	-	63	0.5	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,363	12.5	0.35	8.9	0.26
Male Genital System	12,460	122.8	1.14	87.5	0.80	-	-	-	-	-
Prostate	11,829	115.8	1.11	81.3	0.76	-	-	-	-	-
Testis	564	6.2	0.27	5.8	0.25	-	-	-	-	-
Penis	45	0.5	0.08	0.3	0.05	-	-	-	-	-
Urinary System	4,683	51.5	0.78	30.8	0.46	1,957	18.0	0.42	11.5	0.29
Bladder (incl. *in situ*)	2,936	33.4	0.64	18.6	0.35	929	8.5	0.28	5.0	0.18
Kidney & renal pelvis	1,644	16.9	0.43	11.5	0.30	974	9.0	0.30	6.3	0.22
Ureter	73	0.8	0.10	0.5	0.05	44	0.4	0.06	0.2	0.04
Eye & Orbit	108	1.2	0.11	0.9	0.10	96	0.9	0.09	0.7	0.08
Brain & Other Nervous System	811	8.6	0.31	7.0	0.27	600	5.9	0.25	4.8	0.23
Brain	768	8.1	0.30	6.6	0.26	573	5.6	0.24	4.6	0.22
Endocrine System	915	9.4	0.32	7.3	0.25	2,288	23.3	0.50	19.3	0.43
Thyroid gland	841	8.5	0.30	6.6	0.23	2,212	22.5	0.49	18.5	0.41
Lymphomas	2,394	25.9	0.55	17.8	0.39	1,902	17.9	0.42	12.3	0.31
Hodgkin Lymphoma	326	3.6	0.20	3.2	0.19	233	2.6	0.17	2.3	0.16
Non-Hodgkin Lymphoma	2,068	22.3	0.51	14.6	0.34	1,669	15.4	0.39	10.0	0.27
Multiple Myeloma	635	6.9	0.28	4.1	0.17	455	4.1	0.20	2.6	0.13
Leukemias	1,677	18.7	0.47	12.6	0.34	1,158	11.0	0.33	7.9	0.28
Acute lymphocytic	135	1.7	0.14	2.0	0.18	103	1.3	0.13	1.8	0.19
Chronic lymphocytic	661	7.2	0.29	4.3	0.17	422	3.8	0.19	2.3	0.12
Acute myeloid	408	4.5	0.23	3.0	0.16	319	3.0	0.17	2.1	0.13
Chronic myeloid	202	2.2	0.16	1.5	0.11	139	1.3	0.11	0.9	0.08
Other leukemias	271	3.1	0.20	1.8	0.12	175	1.6	0.12	0.9	0.09
Mesothelioma	125	1.6	0.15	0.7	0.07	41	0.4	0.06	0.2	0.04
Kaposi Sarcoma	33	0.3	0.06	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,590	18.6	0.48	10.0	0.26	1,486	13.6	0.36	7.5	0.22
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	960	10.3	0.34	7.2	0.25	2,130	20.1	0.45	13.9	0.33
Breast (*in situ*)	17	0.2	0.04	0.1	0.03	3,414	31.4	0.55	23.6	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Colorado, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,923	502.1	12.95	342.5	8.04	1,546	374.2	9.79	259.3	6.77
Oral Cavity & Pharynx	40	8.6	1.45	6.9	1.12	17	3.8	0.93	3.1	0.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	1.8	0.62	1.6	0.54	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	402	103.9	5.87	69.0	3.54	299	75.8	4.52	47.8	2.85
Esophagus	8	2.0	0.78	1.3	0.48	8	1.6	0.56	1.3	0.47
Stomach	47	12.8	2.10	8.1	1.21	18	4.3	1.04	2.9	0.71
Small intestine	15	4.0	1.11	2.5	0.66	11	2.9	0.89	1.7	0.54
Colon excl. rectum	123	35.5	3.66	21.1	1.96	122	31.5	2.94	19.2	1.80
Rectum & rectosigmoid	48	13.4	2.21	8.6	1.29	23	5.2	1.12	3.9	0.83
Anus, anal canal & anorectum	7	1.4	0.53	1.1	0.44	-	-	-	-	-
Liver	82	16.0	1.93	13.5	1.54	28	6.6	1.28	4.8	0.92
Gallbladder	-	-	-	-	-	7	1.7	0.69	1.0	0.39
Pancreas	58	16.2	2.34	10.6	1.43	61	16.9	2.21	9.4	1.25
Respiratory System	243	71.6	5.21	44.2	2.92	190	49.8	3.70	31.2	2.33
Larynx	24	6.0	1.34	4.0	0.85	9	2.1	0.70	1.7	0.57
Lung & bronchus	214	64.3	5.01	39.2	2.76	179	47.1	3.61	29.2	2.25
Bones & Joints	-	-	-	-	-	6	1.0	0.42	1.2	0.50
Soft Tissue (incl. heart)	15	3.5	0.99	2.5	0.66	10	2.1	0.70	2.0	0.64
Skin (excl. basal & sq.)	10	2.6	0.89	1.5	0.48	8	1.9	0.67	1.4	0.51
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	514	120.2	5.43	87.8	3.95
Female Genital System	-	-	-	-	-	154	35.6	2.95	26.2	2.16
Cervix uteri	-	-	-	-	-	27	5.9	1.17	4.7	0.91
Uterus Corpus	-	-	-	-	-	76	17.7	2.08	13.3	1.56
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	32	7.7	1.40	5.0	0.92
Male Genital System	745	191.3	7.85	135.3	5.10	-	-	-	-	-
Prostate	727	187.9	7.81	132.5	5.05	-	-	-	-	-
Testis	16	2.6	0.66	2.4	0.61	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	166	46.7	4.12	30.0	2.39	69	17.3	2.14	11.6	1.44
Bladder (incl. *in situ*)	68	21.9	3.08	12.9	1.61	18	4.9	1.20	2.6	0.64
Kidney & renal pelvis	98	24.8	2.74	17.1	1.77	51	12.3	1.77	9.0	1.29
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	16	3.0	0.77	2.9	0.75	17	3.6	0.91	3.1	0.79
Brain	15	2.6	0.68	2.7	0.72	16	3.3	0.84	3.0	0.78
Endocrine System	20	4.4	1.03	3.5	0.80	69	14.7	1.79	12.3	1.49
Thyroid gland	16	3.4	0.90	2.7	0.71	67	14.3	1.77	11.9	1.47
Lymphomas	109	22.8	2.39	18.2	1.78	65	15.8	2.01	11.2	1.43
Hodgkin Lymphoma	26	4.8	0.99	4.1	0.82	11	2.3	0.70	2.0	0.60
Non-Hodgkin Lymphoma	83	17.9	2.17	14.1	1.58	54	13.5	1.89	9.3	1.29
Multiple Myeloma	56	15.6	2.34	10.5	1.43	44	11.3	1.75	7.0	1.10
Leukemias	50	14.0	2.33	9.2	1.35	38	8.8	1.48	6.0	1.01
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	17	5.0	1.41	2.9	0.74	11	2.8	0.88	1.5	0.46
Acute myeloid	11	2.9	1.09	2.0	0.63	9	2.1	0.72	1.4	0.49
Chronic myeloid	12	3.4	1.06	2.0	0.61	9	1.9	0.66	1.4	0.49
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	35	9.5	1.83	6.1	1.07	44	12.0	1.86	6.9	1.07
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	44	12.7	2.19	7.8	1.22	90	21.1	2.28	15.4	1.66
Breast (*in situ*)	-	-	-	-	-	114	26.3	2.53	19.2	1.84

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	51,494	554.4	2.49	364.9	1.69	51,691	456.9	2.06	316.4	1.54
Oral Cavity & Pharynx	1,584	16.1	0.41	11.6	0.30	780	6.7	0.25	4.5	0.18
Lip	37	0.4	0.07	0.2	0.04	19	0.2	0.04	0.1	0.02
Tongue	551	5.6	0.24	4.1	0.18	245	2.1	0.14	1.5	0.10
Major salivary gland	158	1.7	0.14	1.1	0.10	138	1.2	0.11	0.8	0.08
Floor of mouth	96	1.0	0.10	0.7	0.07	55	0.5	0.06	0.3	0.04
Gum & other mouth	187	2.0	0.15	1.3	0.10	171	1.4	0.11	0.9	0.08
Nasopharynx	40	0.4	0.07	0.3	0.05	23	0.2	0.04	0.1	0.03
Oropharynx	75	0.7	0.09	0.5	0.06	14	0.1	0.03	0.1	0.02
Hypopharynx	102	1.1	0.11	0.7	0.07	38	0.3	0.05	0.2	0.04
Digestive System	9,743	105.3	1.09	66.2	0.70	8,178	68.7	0.78	42.2	0.53
Esophagus	836	8.9	0.32	5.7	0.21	229	1.9	0.13	1.2	0.09
Stomach	1,051	11.5	0.36	7.1	0.23	662	5.6	0.22	3.5	0.15
Small intestine	285	3.1	0.18	2.0	0.12	260	2.3	0.14	1.6	0.11
Colon excl. rectum	3,052	33.6	0.62	20.1	0.38	3,268	27.0	0.49	15.8	0.32
Rectum & rectosigmoid	1,373	14.6	0.40	9.8	0.27	1,104	9.5	0.29	6.4	0.21
Anus, anal canal & anorectum	119	1.3	0.12	0.9	0.08	203	1.7	0.12	1.2	0.09
Liver	1,092	11.1	0.34	7.9	0.25	333	2.9	0.16	1.9	0.12
Gallbladder	82	0.9	0.10	0.5	0.06	159	1.3	0.11	0.8	0.07
Pancreas	1,395	15.3	0.42	9.2	0.26	1,464	12.2	0.33	7.2	0.21
Respiratory System	7,303	80.3	0.96	48.4	0.59	6,899	59.5	0.73	37.1	0.49
Larynx	622	6.6	0.27	4.4	0.18	148	1.3	0.11	0.9	0.08
Lung & bronchus	6,581	72.6	0.91	43.3	0.56	6,682	57.6	0.72	35.7	0.48
Bones & Joints	103	1.2	0.12	1.0	0.11	81	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	349	3.8	0.21	2.8	0.16	280	2.7	0.17	2.1	0.15
Skin (excl. basal & sq.)	2,757	30.4	0.59	19.1	0.39	2,084	19.0	0.43	13.9	0.34
Melanomas of the skin	2,565	28.2	0.57	17.9	0.37	1,944	17.8	0.42	13.1	0.33
Breast (excl. *in situ*)	146	1.6	0.14	1.0	0.08	15,308	137.1	1.13	99.2	0.85
Female Genital System	-	-	-	-	-	6,028	53.3	0.70	39.3	0.54
Cervix uteri	-	-	-	-	-	601	6.2	0.26	4.8	0.21
Uterus Corpus	-	-	-	-	-	3,344	28.9	0.51	21.7	0.39
Uterus, NOS[1]	-	-	-	-	-	105	0.9	0.09	0.6	0.06
Ovary	-	-	-	-	-	1,421	12.6	0.34	9.1	0.26
Male Genital System	14,281	147.4	1.26	106.6	0.92	-	-	-	-	-
Prostate	13,650	139.9	1.22	100.1	0.88	-	-	-	-	-
Testis	515	6.2	0.28	5.7	0.26	-	-	-	-	-
Penis	86	1.0	0.11	0.6	0.06	-	-	-	-	-
Urinary System	6,442	70.9	0.90	42.7	0.56	2,699	23.2	0.46	14.6	0.32
Bladder (incl. *in situ*)	4,223	47.3	0.74	26.6	0.43	1,503	12.6	0.33	7.3	0.21
Kidney & renal pelvis	2,066	21.9	0.49	15.1	0.35	1,109	9.9	0.30	6.9	0.23
Ureter	103	1.2	0.12	0.6	0.07	64	0.5	0.07	0.3	0.04
Eye & Orbit	81	0.9	0.10	0.7	0.10	88	0.8	0.09	0.8	0.10
Brain & Other Nervous System	759	8.4	0.31	6.8	0.27	608	5.7	0.24	4.7	0.23
Brain	724	8.0	0.31	6.4	0.27	573	5.3	0.23	4.3	0.22
Endocrine System	935	10.1	0.34	8.1	0.28	2,767	28.2	0.55	23.3	0.47
Thyroid gland	858	9.2	0.32	7.3	0.26	2,676	27.3	0.54	22.6	0.46
Lymphomas	2,640	29.1	0.58	20.0	0.42	2,302	20.8	0.45	14.5	0.35
Hodgkin Lymphoma	329	3.7	0.21	3.4	0.20	293	3.1	0.18	2.8	0.18
Non-Hodgkin Lymphoma	2,311	25.4	0.54	16.6	0.37	2,009	17.7	0.41	11.7	0.30
Multiple Myeloma	698	7.6	0.29	4.7	0.19	614	5.2	0.21	3.3	0.15
Leukemias	1,746	19.5	0.47	13.1	0.35	1,261	11.2	0.33	8.1	0.29
Acute lymphocytic	140	1.6	0.14	2.0	0.18	126	1.5	0.13	1.9	0.19
Chronic lymphocytic	671	7.4	0.29	4.4	0.18	482	3.9	0.18	2.4	0.12
Acute myeloid	489	5.5	0.25	3.6	0.18	357	3.2	0.17	2.2	0.14
Chronic myeloid	224	2.5	0.17	1.7	0.12	156	1.4	0.12	1.0	0.09
Other leukemias	222	2.5	0.17	1.5	0.11	140	1.2	0.10	0.7	0.08
Mesothelioma	175	2.0	0.16	1.0	0.08	54	0.4	0.06	0.3	0.04
Kaposi Sarcoma	55	0.6	0.09	0.4	0.06	17	0.1	0.04	0.1	0.02
Ill-defined & Unknown	1,697	18.9	0.47	10.7	0.28	1,643	13.4	0.34	7.5	0.22
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	670	7.3	0.29	5.4	0.23	1,275	11.6	0.34	8.7	0.27
Breast (*in situ*)	27	0.3	0.06	0.2	0.04	5,056	46.3	0.66	35.0	0.51

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	45,893	549.0	2.61	360.4	1.80	46,509	463.5	2.23	321.5	1.69
Oral Cavity & Pharynx	1,446	16.4	0.44	11.8	0.32	698	6.7	0.26	4.5	0.19
Lip	36	0.4	0.07	0.3	0.04	18	0.2	0.04	0.1	0.03
Tongue	506	5.7	0.26	4.2	0.19	226	2.2	0.15	1.6	0.12
Major salivary gland	149	1.8	0.15	1.2	0.11	118	1.1	0.11	0.7	0.08
Floor of mouth	86	0.9	0.10	0.7	0.08	51	0.5	0.07	0.3	0.05
Gum & other mouth	169	2.0	0.16	1.3	0.11	155	1.4	0.12	0.9	0.09
Nasopharynx	31	0.4	0.07	0.3	0.05	19	0.2	0.04	0.1	0.03
Oropharynx	64	0.7	0.09	0.5	0.06	14	0.1	0.04	0.1	0.02
Hypopharynx	91	1.1	0.11	0.7	0.08	32	0.3	0.05	0.2	0.04
Digestive System	8,628	103.1	1.13	64.6	0.74	7,208	66.9	0.82	41.0	0.56
Esophagus	774	9.1	0.33	5.8	0.22	202	1.9	0.14	1.1	0.09
Stomach	925	11.2	0.37	6.8	0.24	546	5.1	0.23	3.1	0.16
Small intestine	252	3.0	0.19	1.9	0.13	222	2.1	0.15	1.5	0.11
Colon excl. rectum	2,708	32.9	0.64	19.6	0.40	2,916	26.5	0.51	15.4	0.34
Rectum & rectosigmoid	1,198	14.2	0.42	9.4	0.29	962	9.3	0.31	6.3	0.23
Anus, anal canal & anorectum	101	1.2	0.12	0.8	0.09	183	1.7	0.13	1.2	0.10
Liver	925	10.5	0.35	7.4	0.26	282	2.7	0.17	1.7	0.13
Gallbladder	71	0.9	0.11	0.5	0.06	144	1.3	0.12	0.8	0.07
Pancreas	1,264	15.2	0.44	9.1	0.27	1,313	12.0	0.34	7.1	0.23
Respiratory System	6,610	80.0	1.00	47.9	0.62	6,386	61.2	0.78	38.1	0.53
Larynx	530	6.2	0.28	4.1	0.18	133	1.3	0.12	0.9	0.08
Lung & bronchus	5,993	72.7	0.96	43.1	0.59	6,187	59.2	0.77	36.8	0.52
Bones & Joints	88	1.2	0.13	1.0	0.12	69	0.9	0.11	0.9	0.12
Soft Tissue (incl. heart)	307	3.8	0.22	2.7	0.17	251	2.8	0.19	2.2	0.17
Skin (excl. basal & sq.)	2,610	32.0	0.64	20.2	0.43	1,957	20.5	0.48	15.2	0.39
Melanomas of the skin	2,433	29.8	0.62	19.0	0.41	1,834	19.3	0.47	14.4	0.38
Breast (excl. *in situ*)	127	1.6	0.14	0.9	0.09	13,744	139.7	1.23	101.1	0.93
Female Genital System	-	-	-	-	-	5,392	53.9	0.76	39.8	0.58
Cervix uteri	-	-	-	-	-	497	6.1	0.28	4.8	0.23
Uterus Corpus	-	-	-	-	-	2,990	29.0	0.54	21.8	0.42
Uterus, NOS[1]	-	-	-	-	-	89	0.8	0.09	0.5	0.06
Ovary	-	-	-	-	-	1,310	13.1	0.37	9.4	0.29
Male Genital System	12,129	139.6	1.30	100.9	0.95	-	-	-	-	-
Prostate	11,541	131.1	1.25	93.5	0.89	-	-	-	-	-
Testis	483	7.1	0.33	6.6	0.31	-	-	-	-	-
Penis	81	1.0	0.11	0.6	0.07	-	-	-	-	-
Urinary System	6,000	72.8	0.96	43.6	0.60	2,467	23.6	0.49	14.8	0.34
Bladder (incl. *in situ*)	4,041	49.4	0.79	27.9	0.47	1,409	13.0	0.36	7.6	0.23
Kidney & renal pelvis	1,817	21.6	0.52	14.8	0.36	978	9.8	0.32	6.8	0.24
Ureter	95	1.2	0.12	0.7	0.07	61	0.6	0.07	0.3	0.05
Eye & Orbit	73	0.9	0.11	0.7	0.10	83	0.9	0.11	0.8	0.12
Brain & Other Nervous System	705	9.0	0.35	7.2	0.31	560	6.1	0.27	5.0	0.26
Brain	671	8.5	0.34	6.8	0.30	529	5.7	0.26	4.7	0.25
Endocrine System	833	10.4	0.37	8.4	0.31	2,426	29.2	0.62	24.1	0.53
Thyroid gland	765	9.5	0.35	7.6	0.29	2,349	28.4	0.61	23.4	0.52
Lymphomas	2,391	29.7	0.62	20.3	0.45	2,077	21.2	0.48	14.8	0.38
Hodgkin Lymphoma	287	3.9	0.23	3.5	0.22	261	3.3	0.21	3.0	0.21
Non-Hodgkin Lymphoma	2,104	25.8	0.57	16.8	0.40	1,816	17.9	0.44	11.8	0.32
Multiple Myeloma	574	6.9	0.29	4.2	0.19	482	4.5	0.21	2.8	0.15
Leukemias	1,602	20.0	0.51	13.5	0.39	1,151	11.5	0.36	8.6	0.34
Acute lymphocytic	126	1.8	0.16	2.2	0.22	120	1.7	0.16	2.3	0.24
Chronic lymphocytic	620	7.5	0.31	4.4	0.19	452	4.1	0.20	2.5	0.13
Acute myeloid	457	5.7	0.27	3.7	0.20	317	3.1	0.18	2.1	0.15
Chronic myeloid	198	2.5	0.18	1.7	0.13	139	1.5	0.13	1.0	0.10
Other leukemias	201	2.5	0.18	1.5	0.12	123	1.1	0.11	0.7	0.08
Mesothelioma	173	2.2	0.17	1.1	0.09	52	0.5	0.07	0.3	0.05
Kaposi Sarcoma	44	0.6	0.09	0.3	0.05	12	0.1	0.03	0.0	0.02
Ill-defined & Unknown	1,553	19.0	0.49	10.7	0.30	1,494	13.4	0.36	7.4	0.23
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	568	7.0	0.30	5.2	0.24	1,095	11.4	0.36	8.5	0.29
Breast (*in situ*)	24	0.3	0.06	0.2	0.04	4,497	47.3	0.72	35.7	0.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,799	567.9	9.96	387.8	6.38	3,643	390.8	6.62	269.8	4.58
Oral Cavity & Pharynx	99	13.5	1.45	10.0	1.02	50	5.3	0.76	3.8	0.54
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	31	4.1	0.77	3.2	0.58	10	1.2	0.38	0.7	0.22
Major salivary gland	-	-	-	-	-	12	1.3	0.37	1.0	0.28
Floor of mouth	7	0.9	0.37	0.7	0.26	-	-	-	-	-
Gum & other mouth	12	1.6	0.48	1.3	0.37	8	0.8	0.30	0.6	0.21
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	10	1.3	0.42	1.0	0.32	-	-	-	-	-
Hypopharynx	10	1.4	0.48	1.1	0.34	-	-	-	-	-
Digestive System	827	130.8	4.95	82.6	2.91	738	83.0	3.13	52.3	1.98
Esophagus	49	8.3	1.28	5.1	0.74	21	2.2	0.50	1.6	0.35
Stomach	96	16.5	1.82	9.9	1.03	90	10.5	1.13	6.3	0.69
Small intestine	26	4.1	0.88	2.6	0.52	32	3.4	0.62	2.4	0.43
Colon excl. rectum	261	44.3	2.99	26.0	1.63	270	30.3	1.89	19.0	1.19
Rectum & rectosigmoid	117	15.7	1.55	11.5	1.07	105	11.5	1.15	7.4	0.74
Anus, anal canal & anorectum	18	2.1	0.50	1.7	0.40	18	1.8	0.42	1.4	0.33
Liver	110	14.1	1.41	10.8	1.04	29	2.9	0.56	2.1	0.40
Gallbladder	8	1.6	0.60	0.8	0.29	12	1.4	0.41	0.9	0.26
Pancreas	112	18.6	1.93	11.2	1.08	121	14.2	1.33	8.3	0.79
Respiratory System	541	86.4	4.00	55.8	2.43	429	48.0	2.37	30.9	1.53
Larynx	72	11.0	1.38	7.6	0.91	14	1.5	0.41	1.0	0.26
Lung & bronchus	460	74.1	3.72	47.4	2.24	413	46.3	2.33	29.7	1.51
Bones & Joints	8	0.9	0.35	0.7	0.25	9	1.0	0.34	0.7	0.23
Soft Tissue (incl. heart)	29	3.6	0.73	2.9	0.55	23	2.1	0.45	2.0	0.43
Skin (excl. basal & sq.)	20	3.2	0.77	2.0	0.44	24	2.6	0.54	1.9	0.39
Melanomas of the skin	12	1.9	0.61	1.2	0.35	13	1.5	0.43	1.0	0.28
Breast (excl. *in situ*)	14	2.5	0.73	1.4	0.39	1,122	116.2	3.54	84.4	2.56
Female Genital System	-	-	-	-	-	449	47.4	2.28	33.9	1.63
Cervix uteri	-	-	-	-	-	68	7.2	0.89	5.0	0.62
Uterus Corpus	-	-	-	-	-	259	27.0	1.71	20.0	1.26
Uterus, NOS[1]	-	-	-	-	-	13	1.5	0.42	0.9	0.24
Ovary	-	-	-	-	-	71	7.7	0.94	5.2	0.63
Male Genital System	1,458	210.7	5.89	151.9	4.03	-	-	-	-	-
Prostate	1,437	207.7	5.85	149.9	4.01	-	-	-	-	-
Testis	13	1.5	0.42	1.2	0.34	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	289	42.4	2.72	28.8	1.72	171	18.7	1.46	12.8	1.01
Bladder (incl. *in situ*)	108	19.1	1.99	11.2	1.09	69	8.1	1.00	4.7	0.59
Kidney & renal pelvis	173	22.2	1.80	16.8	1.30	96	9.9	1.03	7.7	0.80
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	32	3.6	0.69	3.5	0.62	36	3.8	0.65	3.0	0.54
Brain	32	3.6	0.69	3.5	0.62	33	3.5	0.63	2.6	0.48
Endocrine System	47	6.7	1.05	4.8	0.72	166	16.0	1.26	13.1	1.03
Thyroid gland	40	5.9	1.01	4.1	0.66	156	15.0	1.22	12.2	0.99
Lymphomas	155	19.6	1.70	15.1	1.23	140	14.7	1.27	10.6	0.91
Hodgkin Lymphoma	31	3.1	0.56	2.9	0.53	24	2.3	0.48	1.9	0.40
Non-Hodgkin Lymphoma	124	16.5	1.61	12.2	1.11	116	12.4	1.18	8.7	0.82
Multiple Myeloma	98	16.4	1.79	10.0	1.03	112	12.6	1.22	8.0	0.78
Leukemias	82	11.7	1.41	7.9	0.89	72	7.9	0.95	5.1	0.62
Acute lymphocytic	10	1.3	0.46	1.0	0.32	-	-	-	-	-
Chronic lymphocytic	23	3.8	0.87	2.2	0.46	15	1.8	0.47	0.9	0.24
Acute myeloid	21	2.7	0.64	2.2	0.48	30	3.3	0.61	2.3	0.43
Chronic myeloid	15	2.1	0.59	1.4	0.36	12	1.2	0.36	0.8	0.24
Other leukemias	13	1.7	0.52	1.2	0.34	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	91	15.0	1.72	9.3	0.99	94	10.7	1.12	6.7	0.72
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	49	6.5	1.01	4.8	0.70	117	12.3	1.17	8.8	0.83
Breast (*in situ*)	-	-	-	-	-	407	40.7	2.05	31.0	1.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	619	270.9	12.60	181.5	7.48	725	254.0	10.49	175.2	6.67
Oral Cavity & Pharynx	19	8.2	2.27	5.3	1.27	17	5.5	1.47	4.1	1.03
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	3.0	1.31	1.9	0.73	-	-	-	-	-
Major salivary gland	-	-	-	-	-	6	1.4	0.58	1.2	0.53
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	174	80.4	7.14	51.6	4.01	135	56.3	5.38	33.9	2.97
Esophagus	12	5.6	1.83	3.3	0.98	-	-	-	-	-
Stomach	24	12.6	3.05	7.3	1.54	12	5.2	1.73	2.8	0.84
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	36	16.0	3.06	10.2	1.74	42	19.7	3.39	10.6	1.67
Rectum & rectosigmoid	24	10.6	2.39	7.2	1.50	17	5.9	1.54	4.3	1.06
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	43	16.8	3.00	12.2	1.93	17	5.4	1.37	4.1	1.01
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	16	9.3	2.73	5.3	1.36	20	9.9	2.38	4.9	1.12
Respiratory System	99	48.0	5.60	29.1	2.99	53	24.0	3.57	13.5	1.89
Larynx	7	2.6	1.08	1.8	0.68	-	-	-	-	-
Lung & bronchus	88	44.1	5.45	26.2	2.86	52	23.7	3.56	13.3	1.88
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	9	3.0	1.13	2.1	0.72	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	6	2.6	1.20	1.7	0.71
Breast (excl. *in situ*)	-	-	-	-	-	249	80.3	5.55	57.7	3.74
Female Genital System	-	-	-	-	-	83	27.3	3.24	21.0	2.37
Cervix uteri	-	-	-	-	-	12	3.8	1.18	2.9	0.86
Uterus Corpus	-	-	-	-	-	42	14.1	2.35	10.5	1.65
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	22	7.1	1.65	5.7	1.24
Male Genital System	120	50.0	4.95	37.6	3.48	-	-	-	-	-
Prostate	111	47.7	4.88	35.2	3.38	-	-	-	-	-
Testis	8	2.0	0.73	2.1	0.79	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	55	28.0	4.34	16.5	2.27	25	11.2	2.56	6.4	1.30
Bladder (incl. *in situ*)	30	17.3	3.56	9.8	1.82	11	5.7	1.87	2.9	0.90
Kidney & renal pelvis	22	8.6	2.09	5.8	1.26	13	4.7	1.52	3.2	0.90
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	3.2	0.95	3.4	1.02	-	-	-	-	-
Brain	12	3.2	0.95	3.4	1.02	-	-	-	-	-
Endocrine System	29	8.5	1.69	6.8	1.30	87	23.0	2.68	19.0	2.10
Thyroid gland	28	8.2	1.67	6.6	1.28	85	22.5	2.66	18.6	2.08
Lymphomas	35	15.0	2.94	10.7	1.85	31	11.0	2.15	8.3	1.52
Hodgkin Lymphoma	7	2.5	0.98	2.3	0.88	-	-	-	-	-
Non-Hodgkin Lymphoma	28	12.5	2.77	8.4	1.63	-	-	-	-	-
Multiple Myeloma	13	6.2	1.93	3.9	1.10	6	2.2	1.06	1.4	0.58
Leukemias	24	8.9	2.08	6.8	1.43	10	4.0	1.34	2.8	0.88
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	8	2.5	0.91	2.4	0.87	-	-	-	-	-
Chronic myeloid	6	2.4	1.19	1.5	0.62	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	8.4	2.36	4.5	1.11	13	4.1	1.23	3.2	0.91
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	18	6.8	1.96	5.3	1.29	21	6.1	1.36	5.2	1.19
Breast (*in situ*)	-	-	-	-	-	72	21.8	2.70	16.9	2.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	47	184.9	30.59	106.9	16.10	44	133.7	21.65	80.0	12.34
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	52.8	15.14	32.9	8.43	9	34.3	11.89	16.7	5.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	25.3	11.64	12.4	5.22	-	-	-	-	-
Rectum & rectosigmoid	6	13.7	5.62	11.8	4.94	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	52.8	18.01	24.7	7.97	6	16.1	7.04	11.2	4.67
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	52.8	18.01	24.7	7.97	6	16.1	7.04	11.2	4.67
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	16	44.7	12.05	28.4	7.19
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	39.3	13.47	26.5	8.61	-	-	-	-	-
Prostate	9	37.2	13.31	24.8	8.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	8	19.4	7.34	13.9	4.92

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,986	538.8	11.46	350.4	6.66	3,364	442.9	8.31	300.7	5.33
Oral Cavity & Pharynx	84	14.7	1.83	9.7	1.10	45	6.2	0.99	4.3	0.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	24	3.7	0.85	2.5	0.53	13	1.5	0.45	1.2	0.34
Major salivary gland	7	1.4	0.69	0.7	0.28	8	1.0	0.37	0.7	0.26
Floor of mouth	8	1.3	0.52	0.9	0.33	-	-	-	-	-
Gum & other mouth	13	2.5	0.77	1.6	0.46	15	2.3	0.63	1.5	0.39
Nasopharynx	6	1.4	0.65	0.7	0.29	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	8	1.6	0.57	1.2	0.43	-	-	-	-	-
Digestive System	758	134.6	5.70	87.7	3.31	569	85.2	3.85	52.4	2.25
Esophagus	38	6.9	1.24	4.9	0.81	17	2.6	0.67	1.7	0.42
Stomach	107	20.6	2.34	12.3	1.25	78	10.9	1.33	7.0	0.82
Small intestine	14	1.7	0.46	1.4	0.39	12	1.4	0.43	1.0	0.30
Colon excl. rectum	203	36.8	3.03	23.1	1.68	184	28.1	2.23	17.0	1.29
Rectum & rectosigmoid	98	17.3	2.02	11.0	1.16	71	9.1	1.17	6.3	0.77
Anus, anal canal & anorectum	12	1.7	0.62	1.1	0.34	21	2.8	0.64	2.0	0.45
Liver	171	25.6	2.21	19.6	1.55	37	6.0	1.05	3.5	0.59
Gallbladder	11	2.4	0.84	1.3	0.42	18	3.0	0.76	1.6	0.39
Pancreas	76	16.1	2.10	9.6	1.13	86	14.3	1.64	8.0	0.89
Respiratory System	341	71.4	4.35	43.2	2.41	264	43.1	2.82	25.4	1.61
Larynx	37	6.6	1.24	4.1	0.70	7	0.9	0.37	0.6	0.25
Lung & bronchus	300	64.2	4.16	38.7	2.29	253	41.7	2.78	24.5	1.58
Bones & Joints	7	0.9	0.41	0.7	0.30	7	0.6	0.24	0.6	0.24
Soft Tissue (incl. heart)	20	2.6	0.70	2.1	0.49	17	1.7	0.48	1.4	0.34
Skin (excl. basal & sq.)	36	6.1	1.21	4.0	0.69	60	7.2	1.02	5.1	0.68
Melanomas of the skin	28	4.1	0.87	3.1	0.60	48	5.7	0.89	4.2	0.62
Breast (excl. *in situ*)	-	-	-	-	-	986	123.4	4.23	88.4	2.89
Female Genital System	-	-	-	-	-	465	56.5	2.83	40.9	1.95
Cervix uteri	-	-	-	-	-	119	12.4	1.22	9.4	0.89
Uterus Corpus	-	-	-	-	-	215	27.2	1.98	20.3	1.42
Uterus, NOS[1]	-	-	-	-	-	7	0.8	0.34	0.5	0.21
Ovary	-	-	-	-	-	94	12.3	1.40	8.1	0.86
Male Genital System	782	142.2	5.72	97.7	3.61	-	-	-	-	-
Prostate	705	135.1	5.64	91.5	3.53	-	-	-	-	-
Testis	60	4.6	0.61	4.3	0.56	-	-	-	-	-
Penis	15	2.1	0.58	1.6	0.43	-	-	-	-	-
Urinary System	296	59.9	3.96	36.5	2.19	145	21.5	1.94	13.0	1.11
Bladder (incl. *in situ*)	159	36.5	3.23	20.4	1.66	64	11.2	1.48	6.0	0.77
Kidney & renal pelvis	130	21.5	2.16	15.1	1.37	78	9.9	1.22	6.8	0.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	0.5	0.22	0.6	0.23	9	0.8	0.26	0.9	0.29
Brain & Other Nervous System	61	7.5	1.21	5.9	0.80	40	4.8	0.87	3.4	0.55
Brain	59	7.2	1.19	5.7	0.77	35	4.1	0.79	3.0	0.51
Endocrine System	84	10.4	1.34	7.6	0.86	307	30.2	1.82	24.3	1.42
Thyroid gland	78	9.7	1.31	7.0	0.82	298	29.3	1.80	23.5	1.40
Lymphomas	221	32.6	2.69	22.5	1.60	197	25.7	2.02	17.3	1.26
Hodgkin Lymphoma	50	5.3	0.92	4.4	0.64	31	2.8	0.54	2.5	0.45
Non-Hodgkin Lymphoma	171	27.3	2.52	18.1	1.47	166	22.8	1.94	14.8	1.17
Multiple Myeloma	48	9.1	1.55	5.3	0.78	47	7.1	1.11	4.5	0.68
Leukemias	140	23.0	2.43	14.7	1.29	105	12.8	1.40	9.6	0.95
Acute lymphocytic	34	2.4	0.42	3.0	0.51	33	2.7	0.52	3.2	0.56
Chronic lymphocytic	29	6.3	1.33	3.5	0.68	16	3.0	0.77	1.5	0.39
Acute myeloid	46	9.0	1.63	5.0	0.76	29	3.6	0.73	2.5	0.48
Chronic myeloid	19	2.6	0.72	1.9	0.45	21	2.8	0.67	1.9	0.42
Other leukemias	12	2.6	0.90	1.3	0.40	6	0.7	0.33	0.5	0.21
Mesothelioma	7	1.5	0.63	0.9	0.36	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	6	1.0	0.45	0.5	0.23
Ill-defined & Unknown	85	19.4	2.47	10.1	1.13	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	45	6.2	1.14	4.5	0.69	106	12.5	1.33	9.0	0.90
Breast (*in situ*)	-	-	-	-	-	383	45.1	2.45	33.7	1.77

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	43,137	549.0	2.70	360.3	1.88	43,438	464.6	2.34	322.6	1.79
Oral Cavity & Pharynx	1,368	16.6	0.46	12.0	0.34	656	6.7	0.27	4.5	0.21
Lip	36	0.5	0.08	0.3	0.05	18	0.2	0.04	0.1	0.03
Tongue	484	5.8	0.27	4.3	0.20	215	2.2	0.16	1.6	0.12
Major salivary gland	142	1.9	0.16	1.2	0.12	110	1.1	0.12	0.7	0.09
Floor of mouth	78	0.9	0.10	0.7	0.08	47	0.5	0.07	0.3	0.05
Gum & other mouth	158	2.0	0.16	1.3	0.11	141	1.4	0.12	0.9	0.09
Nasopharynx	25	0.3	0.07	0.3	0.06	18	0.2	0.04	0.1	0.04
Oropharynx	61	0.7	0.09	0.5	0.07	13	0.1	0.04	0.1	0.02
Hypopharynx	84	1.0	0.12	0.7	0.08	31	0.3	0.06	0.2	0.04
Digestive System	7,918	100.4	1.15	62.4	0.75	6,693	65.7	0.84	40.0	0.58
Esophagus	737	9.2	0.34	5.9	0.23	186	1.8	0.14	1.1	0.09
Stomach	821	10.4	0.37	6.3	0.24	476	4.6	0.22	2.8	0.15
Small intestine	239	3.0	0.20	1.9	0.13	211	2.2	0.16	1.5	0.12
Colon excl. rectum	2,524	32.5	0.66	19.3	0.42	2,749	26.3	0.53	15.2	0.35
Rectum & rectosigmoid	1,107	14.1	0.43	9.4	0.30	901	9.3	0.32	6.2	0.24
Anus, anal canal & anorectum	90	1.1	0.12	0.8	0.09	164	1.7	0.13	1.2	0.10
Liver	760	9.1	0.34	6.2	0.24	249	2.6	0.17	1.7	0.14
Gallbladder	61	0.8	0.10	0.4	0.06	127	1.2	0.11	0.7	0.07
Pancreas	1,193	15.1	0.45	9.1	0.28	1,234	11.9	0.35	7.1	0.23
Respiratory System	6,288	80.2	1.03	48.0	0.64	6,139	62.2	0.82	38.9	0.56
Larynx	494	6.1	0.28	4.0	0.19	127	1.3	0.12	0.9	0.09
Lung & bronchus	5,710	72.9	0.98	43.2	0.61	5,950	60.2	0.80	37.5	0.54
Bones & Joints	81	1.2	0.14	1.1	0.14	63	0.9	0.12	0.9	0.13
Soft Tissue (incl. heart)	288	3.9	0.24	2.8	0.19	237	2.9	0.20	2.3	0.19
Skin (excl. basal & sq.)	2,576	33.9	0.68	21.6	0.47	1,902	22.0	0.54	16.4	0.43
Melanomas of the skin	2,407	31.6	0.66	20.3	0.45	1,790	20.9	0.52	15.7	0.42
Breast (excl. *in situ*)	123	1.6	0.15	1.0	0.09	12,843	141.1	1.30	102.2	0.98
Female Genital System	-	-	-	-	-	4,969	53.1	0.78	39.1	0.61
Cervix uteri	-	-	-	-	-	389	5.3	0.29	4.2	0.23
Uterus Corpus	-	-	-	-	-	2,797	29.0	0.56	21.8	0.44
Uterus, NOS[1]	-	-	-	-	-	82	0.8	0.09	0.5	0.07
Ovary	-	-	-	-	-	1,223	13.1	0.39	9.5	0.30
Male Genital System	11,415	139.8	1.34	101.3	0.99	-	-	-	-	-
Prostate	10,902	131.1	1.28	93.7	0.92	-	-	-	-	-
Testis	425	7.5	0.38	7.0	0.35	-	-	-	-	-
Penis	66	0.9	0.11	0.5	0.07	-	-	-	-	-
Urinary System	5,732	73.4	0.99	44.1	0.62	2,335	23.6	0.51	14.9	0.36
Bladder (incl. *in situ*)	3,894	50.0	0.81	28.3	0.49	1,349	13.2	0.37	7.7	0.24
Kidney & renal pelvis	1,702	21.7	0.54	14.8	0.38	909	9.8	0.34	6.7	0.26
Ureter	91	1.2	0.13	0.7	0.07	59	0.6	0.07	0.3	0.05
Eye & Orbit	68	0.9	0.11	0.7	0.10	75	0.9	0.12	0.8	0.13
Brain & Other Nervous System	647	9.1	0.37	7.3	0.34	521	6.2	0.29	5.1	0.29
Brain	615	8.6	0.36	6.8	0.32	495	5.9	0.28	4.8	0.28
Endocrine System	758	10.6	0.40	8.7	0.35	2,151	29.1	0.66	24.2	0.57
Thyroid gland	695	9.6	0.38	7.7	0.32	2,082	28.3	0.65	23.4	0.56
Lymphomas	2,192	29.4	0.65	20.0	0.48	1,893	20.8	0.51	14.5	0.41
Hodgkin Lymphoma	242	3.8	0.26	3.5	0.24	232	3.4	0.23	3.1	0.23
Non-Hodgkin Lymphoma	1,950	25.6	0.59	16.5	0.41	1,661	17.4	0.45	11.5	0.34
Multiple Myeloma	530	6.7	0.30	4.1	0.19	440	4.3	0.21	2.7	0.15
Leukemias	1,472	19.6	0.52	13.1	0.41	1,051	11.3	0.37	8.3	0.36
Acute lymphocytic	92	1.6	0.17	1.9	0.23	88	1.5	0.17	2.1	0.26
Chronic lymphocytic	596	7.6	0.32	4.5	0.20	436	4.2	0.21	2.5	0.14
Acute myeloid	414	5.5	0.28	3.6	0.20	291	3.1	0.19	2.1	0.16
Chronic myeloid	180	2.4	0.19	1.6	0.14	118	1.3	0.13	0.9	0.10
Other leukemias	190	2.5	0.18	1.5	0.12	118	1.2	0.11	0.7	0.09
Mesothelioma	166	2.2	0.17	1.1	0.09	48	0.4	0.06	0.3	0.05
Kaposi Sarcoma	39	0.5	0.09	0.3	0.05	8	0.1	0.02	0.0	0.01
Ill-defined & Unknown	1,476	19.0	0.50	10.6	0.31	1,414	13.2	0.37	7.3	0.24
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	529	7.2	0.32	5.4	0.26	1,000	11.2	0.38	8.4	0.31
Breast (*in situ*)	21	0.3	0.06	0.2	0.04	4,152	47.5	0.76	35.9	0.59

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Connecticut, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,708	592.8	10.45	407.8	6.79	3,540	408.8	7.00	284.8	4.92
Oral Cavity & Pharynx	98	14.3	1.53	10.7	1.09	50	5.7	0.82	4.1	0.59
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	31	4.4	0.82	3.4	0.62	10	1.2	0.40	0.7	0.23
Major salivary gland	-	-	-	-	-	12	1.4	0.41	1.1	0.32
Floor of mouth	7	1.0	0.40	0.7	0.28	-	-	-	-	-
Gum & other mouth	11	1.4	0.43	1.3	0.39	8	0.9	0.32	0.6	0.23
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	10	1.4	0.45	1.1	0.34	-	-	-	-	-
Hypopharynx	10	1.5	0.51	1.1	0.36	-	-	-	-	-
Digestive System	802	135.6	5.18	86.1	3.08	713	85.4	3.26	54.5	2.11
Esophagus	49	8.9	1.36	5.5	0.79	21	2.4	0.53	1.7	0.38
Stomach	94	17.4	1.92	10.4	1.09	89	11.0	1.19	6.7	0.73
Small intestine	26	4.4	0.94	2.8	0.56	32	3.7	0.67	2.6	0.47
Colon excl. rectum	252	45.6	3.11	26.8	1.71	262	31.4	1.98	19.8	1.26
Rectum & rectosigmoid	113	16.4	1.64	12.0	1.14	96	11.2	1.16	7.5	0.78
Anus, anal canal & anorectum	17	2.2	0.54	1.7	0.43	17	1.8	0.45	1.4	0.35
Liver	108	14.9	1.51	11.4	1.11	28	3.1	0.59	2.2	0.43
Gallbladder	7	1.6	0.62	0.7	0.28	11	1.4	0.42	0.8	0.26
Pancreas	108	19.0	1.99	11.6	1.13	118	14.6	1.38	8.8	0.84
Respiratory System	534	90.7	4.20	59.1	2.59	417	49.6	2.48	32.1	1.62
Larynx	71	11.6	1.46	8.0	0.97	13	1.5	0.42	1.0	0.27
Lung & bronchus	454	77.7	3.91	50.2	2.39	402	47.9	2.44	31.0	1.59
Bones & Joints	8	1.0	0.38	0.8	0.29	9	1.1	0.37	0.7	0.25
Soft Tissue (incl. heart)	29	4.0	0.79	3.3	0.62	22	2.3	0.50	2.2	0.49
Skin (excl. basal & sq.)	20	3.4	0.83	2.1	0.48	23	2.7	0.58	1.9	0.41
Melanomas of the skin	12	2.1	0.65	1.3	0.37	13	1.7	0.46	1.1	0.30
Breast (excl. *in situ*)	14	2.7	0.78	1.6	0.42	1,090	122.1	3.76	89.2	2.75
Female Genital System	-	-	-	-	-	435	49.4	2.41	35.6	1.74
Cervix uteri	-	-	-	-	-	65	7.5	0.95	5.3	0.67
Uterus Corpus	-	-	-	-	-	251	27.9	1.79	20.9	1.34
Uterus, NOS[1]	-	-	-	-	-	13	1.6	0.45	0.9	0.26
Ovary	-	-	-	-	-	70	8.3	1.00	5.6	0.69
Male Genital System	1,428	220.3	6.20	159.7	4.28	-	-	-	-	-
Prostate	1,408	217.2	6.15	157.6	4.25	-	-	-	-	-
Testis	12	1.6	0.46	1.3	0.37	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	280	43.9	2.84	30.1	1.82	166	19.4	1.53	13.5	1.09
Bladder (incl. *in situ*)	103	19.3	2.04	11.4	1.14	67	8.4	1.04	4.9	0.62
Kidney & renal pelvis	170	23.6	1.92	18.0	1.40	93	10.3	1.09	8.1	0.87
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	30	3.9	0.75	3.8	0.71	36	4.2	0.71	3.4	0.63
Brain	30	3.9	0.75	3.8	0.71	33	3.9	0.68	3.0	0.55
Endocrine System	44	6.7	1.08	4.9	0.75	159	17.1	1.37	14.1	1.14
Thyroid gland	38	5.9	1.03	4.3	0.70	149	16.0	1.33	13.1	1.08
Lymphomas	148	20.5	1.80	16.0	1.33	140	16.0	1.38	11.7	1.02
Hodgkin Lymphoma	28	3.2	0.60	3.0	0.57	24	2.6	0.53	2.2	0.46
Non-Hodgkin Lymphoma	120	17.3	1.69	13.0	1.20	116	13.4	1.27	9.5	0.90
Multiple Myeloma	96	17.1	1.87	10.5	1.09	110	13.2	1.28	8.4	0.83
Leukemias	80	12.3	1.49	8.5	0.96	70	8.4	1.01	5.4	0.67
Acute lymphocytic	10	1.4	0.50	1.2	0.38	-	-	-	-	-
Chronic lymphocytic	22	3.8	0.88	2.2	0.49	15	1.9	0.49	0.9	0.25
Acute myeloid	20	2.9	0.68	2.2	0.50	28	3.4	0.65	2.3	0.46
Chronic myeloid	15	2.3	0.64	1.5	0.40	12	1.4	0.40	0.9	0.27
Other leukemias	13	1.9	0.56	1.3	0.38	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	89	15.4	1.77	9.8	1.06	93	11.3	1.19	7.2	0.77
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	48	7.0	1.09	5.2	0.76	112	12.9	1.24	9.1	0.88
Breast (*in situ*)	-	-	-	-	-	394	42.6	2.18	32.6	1.66

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,751	578.7	5.04	384.7	3.42	12,480	446.3	4.07	310.1	3.01
Oral Cavity & Pharynx	444	18.1	0.88	13.0	0.64	183	6.4	0.48	4.5	0.36
Lip	18	0.8	0.20	0.5	0.12	6	0.2	0.09	0.2	0.07
Tongue	139	5.5	0.48	4.0	0.35	64	2.3	0.29	1.5	0.19
Major salivary gland	34	1.6	0.28	0.9	0.17	25	0.9	0.19	0.7	0.16
Floor of mouth	28	1.2	0.22	0.8	0.16	9	0.3	0.10	0.2	0.08
Gum & other mouth	63	2.7	0.35	1.8	0.24	40	1.4	0.22	0.9	0.15
Nasopharynx	14	0.6	0.16	0.5	0.13	-	-	-	-	-
Oropharynx	17	0.6	0.16	0.5	0.12	8	0.2	0.09	0.2	0.06
Hypopharynx	28	1.1	0.21	0.8	0.15	9	0.3	0.10	0.3	0.08
Digestive System	2,399	101.6	2.12	66.3	1.40	1,883	65.1	1.52	41.2	1.03
Esophagus	222	9.1	0.62	6.2	0.42	66	2.2	0.28	1.4	0.19
Stomach	216	9.3	0.64	5.9	0.41	114	4.0	0.39	2.6	0.26
Small intestine	69	2.9	0.36	1.9	0.24	65	2.4	0.30	1.5	0.21
Colon excl. rectum	742	32.2	1.21	20.2	0.77	769	26.4	0.96	15.8	0.62
Rectum & rectosigmoid	319	13.4	0.77	9.2	0.53	237	8.6	0.57	5.9	0.41
Anus, anal canal & anorectum	40	1.7	0.28	1.3	0.20	59	2.1	0.28	1.6	0.21
Liver	298	11.9	0.70	8.6	0.51	83	2.8	0.31	1.8	0.21
Gallbladder	21	0.9	0.21	0.6	0.13	54	1.9	0.26	1.1	0.17
Pancreas	376	15.8	0.83	10.0	0.53	326	11.1	0.62	6.9	0.41
Respiratory System	2,122	90.8	2.01	55.1	1.24	1,904	65.9	1.53	41.5	1.01
Larynx	147	6.1	0.51	4.1	0.35	57	1.9	0.26	1.3	0.19
Lung & bronchus	1,953	83.7	1.93	50.4	1.18	1,828	63.3	1.50	39.7	0.99
Bones & Joints	19	0.8	0.19	0.7	0.17	10	0.4	0.13	0.4	0.13
Soft Tissue (incl. heart)	80	3.6	0.41	2.8	0.33	70	2.7	0.33	2.2	0.31
Skin (excl. basal & sq.)	939	40.4	1.34	26.2	0.90	634	23.7	0.96	17.7	0.76
Melanomas of the skin	873	37.2	1.28	24.3	0.86	593	22.2	0.93	16.7	0.74
Breast (excl. *in situ*)	30	1.3	0.24	0.8	0.15	3,524	126.5	2.18	90.9	1.62
Female Genital System	-	-	-	-	-	1,457	52.1	1.39	38.7	1.07
Cervix uteri	-	-	-	-	-	215	8.7	0.61	7.0	0.50
Uterus Corpus	-	-	-	-	-	789	27.2	0.99	20.2	0.75
Uterus, NOS[1]	-	-	-	-	-	30	1.0	0.18	0.7	0.14
Ovary	-	-	-	-	-	299	10.7	0.63	7.6	0.48
Male Genital System	4,085	162.5	2.59	117.0	1.87	-	-	-	-	-
Prostate	3,959	156.3	2.53	111.6	1.81	-	-	-	-	-
Testis	106	5.1	0.50	4.8	0.47	-	-	-	-	-
Penis	16	0.8	0.20	0.4	0.11	-	-	-	-	-
Urinary System	1,515	66.2	1.74	40.4	1.08	684	24.0	0.93	16.0	0.67
Bladder (incl. *in situ*)	954	42.3	1.40	24.0	0.81	325	11.2	0.63	6.8	0.41
Kidney & renal pelvis	538	22.9	1.01	15.8	0.71	329	11.8	0.66	8.6	0.52
Ureter	17	0.7	0.18	0.5	0.12	22	0.7	0.16	0.4	0.10
Eye & Orbit	8	0.3	0.12	0.3	0.12	10	0.4	0.13	0.5	0.19
Brain & Other Nervous System	171	7.4	0.58	6.1	0.51	161	6.2	0.51	5.3	0.49
Brain	158	6.8	0.56	5.5	0.47	152	5.8	0.49	4.8	0.46
Endocrine System	162	7.1	0.57	5.5	0.45	511	21.2	0.96	17.2	0.80
Thyroid gland	149	6.5	0.54	4.9	0.42	489	20.3	0.94	16.5	0.78
Lymphomas	633	27.5	1.11	19.0	0.80	534	19.4	0.85	13.4	0.65
Hodgkin Lymphoma	91	4.1	0.43	3.6	0.40	54	2.4	0.33	2.3	0.33
Non-Hodgkin Lymphoma	542	23.4	1.03	15.3	0.70	480	17.0	0.79	11.2	0.57
Multiple Myeloma	184	7.9	0.60	5.0	0.38	183	6.5	0.49	4.3	0.34
Leukemias	420	18.8	0.93	12.7	0.69	294	10.6	0.64	7.7	0.53
Acute lymphocytic	42	1.9	0.30	2.4	0.39	28	1.3	0.24	1.6	0.33
Chronic lymphocytic	147	6.3	0.53	3.8	0.32	111	3.7	0.35	2.2	0.22
Acute myeloid	105	4.8	0.48	3.1	0.34	89	3.2	0.35	2.3	0.27
Chronic myeloid	61	2.7	0.35	1.7	0.23	39	1.6	0.26	1.1	0.20
Other leukemias	65	3.0	0.38	1.8	0.23	27	0.9	0.18	0.5	0.11
Mesothelioma	58	2.7	0.36	1.3	0.18	13	0.5	0.13	0.3	0.08
Kaposi Sarcoma	17	0.9	0.21	0.7	0.17	-	-	-	-	-
Ill-defined & Unknown	465	20.9	0.99	11.9	0.59	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	152	6.9	0.57	5.2	0.46	314	11.5	0.66	8.8	0.54
Breast (*in situ*)	-	-	-	-	-	1,147	41.2	1.24	31.0	0.95

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	11,272	577.7	5.55	381.5	3.82	10,200	458.1	4.69	319.0	3.53
Oral Cavity & Pharynx	380	19.0	1.00	13.6	0.73	149	6.5	0.55	4.6	0.41
Lip	17	0.9	0.22	0.5	0.13	-	-	-	-	-
Tongue	125	6.2	0.56	4.5	0.41	54	2.4	0.33	1.5	0.23
Major salivary gland	27	1.6	0.31	0.8	0.16	18	0.8	0.20	0.6	0.17
Floor of mouth	22	1.1	0.23	0.8	0.17	8	0.3	0.12	0.3	0.10
Gum & other mouth	51	2.7	0.38	1.8	0.28	33	1.4	0.26	0.9	0.19
Nasopharynx	11	0.6	0.18	0.4	0.13	-	-	-	-	-
Oropharynx	13	0.6	0.18	0.5	0.13	7	0.3	0.10	0.2	0.07
Hypopharynx	22	1.0	0.22	0.7	0.16	-	-	-	-	-
Digestive System	1,926	99.1	2.30	64.3	1.54	1,476	63.0	1.68	39.5	1.14
Esophagus	192	9.5	0.70	6.5	0.49	52	2.2	0.31	1.3	0.20
Stomach	152	7.8	0.65	4.9	0.42	77	3.4	0.41	2.2	0.28
Small intestine	52	2.7	0.38	1.7	0.25	44	1.9	0.29	1.2	0.20
Colon excl. rectum	606	31.8	1.32	19.7	0.85	625	26.1	1.07	15.3	0.69
Rectum & rectosigmoid	267	13.8	0.87	9.6	0.61	187	8.7	0.65	6.0	0.48
Anus, anal canal & anorectum	34	1.8	0.32	1.3	0.23	46	2.2	0.33	1.6	0.25
Liver	217	10.8	0.75	7.6	0.54	57	2.3	0.31	1.6	0.22
Gallbladder	13	0.7	0.19	0.4	0.12	45	1.9	0.29	1.2	0.20
Pancreas	312	15.8	0.91	9.9	0.59	252	10.4	0.67	6.5	0.45
Respiratory System	1,768	90.8	2.19	54.6	1.37	1,624	68.7	1.73	43.5	1.17
Larynx	119	6.1	0.56	4.0	0.38	44	1.9	0.29	1.3	0.22
Lung & bronchus	1,632	83.7	2.11	49.9	1.30	1,563	66.1	1.70	41.6	1.14
Bones & Joints	15	0.9	0.23	0.7	0.22	7	0.4	0.15	0.3	0.14
Soft Tissue (incl. heart)	63	3.5	0.45	2.7	0.38	51	2.5	0.38	2.0	0.36
Skin (excl. basal & sq.)	921	48.1	1.62	31.8	1.12	610	29.8	1.26	22.6	1.01
Melanomas of the skin	858	44.5	1.55	29.5	1.07	576	28.3	1.23	21.6	0.99
Breast (excl. *in situ*)	23	1.2	0.25	0.7	0.16	2,806	126.7	2.47	91.1	1.85
Female Genital System	-	-	-	-	-	1,191	54.1	1.63	40.4	1.27
Cervix uteri	-	-	-	-	-	166	9.3	0.75	7.5	0.62
Uterus Corpus	-	-	-	-	-	660	28.5	1.14	21.4	0.89
Uterus, NOS[1]	-	-	-	-	-	18	0.7	0.16	0.6	0.13
Ovary	-	-	-	-	-	245	11.0	0.72	7.7	0.53
Male Genital System	3,102	150.6	2.75	107.8	2.01	-	-	-	-	-
Prostate	2,991	143.3	2.66	101.3	1.90	-	-	-	-	-
Testis	94	6.3	0.66	6.0	0.63	-	-	-	-	-
Penis	14	0.9	0.23	0.5	0.13	-	-	-	-	-
Urinary System	1,329	69.9	1.96	42.6	1.23	574	25.2	1.08	17.0	0.80
Bladder (incl. *in situ*)	873	46.0	1.58	26.2	0.93	289	12.1	0.73	7.5	0.48
Kidney & renal pelvis	434	22.9	1.12	15.7	0.79	261	12.1	0.77	8.9	0.63
Ureter	16	0.8	0.21	0.6	0.14	18	0.7	0.18	0.4	0.12
Eye & Orbit	8	0.4	0.16	0.4	0.16	8	0.4	0.16	0.6	0.24
Brain & Other Nervous System	145	8.1	0.69	6.7	0.63	135	6.9	0.62	5.8	0.62
Brain	132	7.2	0.65	5.7	0.56	127	6.3	0.59	5.2	0.56
Endocrine System	134	7.5	0.67	5.8	0.53	394	22.4	1.17	18.0	0.97
Thyroid gland	125	7.0	0.64	5.3	0.50	379	21.5	1.15	17.4	0.95
Lymphomas	529	28.5	1.27	19.7	0.94	443	19.9	0.98	13.7	0.75
Hodgkin Lymphoma	75	4.6	0.54	4.0	0.50	40	2.4	0.40	2.3	0.39
Non-Hodgkin Lymphoma	454	24.0	1.15	15.6	0.79	403	17.5	0.89	11.4	0.64
Multiple Myeloma	123	6.3	0.58	3.9	0.37	125	5.5	0.51	3.6	0.36
Leukemias	350	19.0	1.04	12.7	0.79	242	11.0	0.74	8.0	0.65
Acute lymphocytic	30	1.9	0.35	2.3	0.47	20	1.3	0.31	1.7	0.42
Chronic lymphocytic	128	6.6	0.59	3.9	0.36	100	4.0	0.41	2.4	0.26
Acute myeloid	83	4.6	0.51	2.9	0.37	69	3.2	0.40	2.3	0.32
Chronic myeloid	53	2.8	0.39	1.8	0.27	30	1.6	0.30	1.1	0.24
Other leukemias	56	3.2	0.43	1.8	0.26	23	0.9	0.20	0.5	0.13
Mesothelioma	53	2.9	0.40	1.4	0.20	11	0.5	0.15	0.3	0.10
Kaposi Sarcoma	7	0.5	0.18	0.3	0.13	-	-	-	-	-
Ill-defined & Unknown	396	21.2	1.09	11.9	0.66	354	14.6	0.79	8.1	0.51
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	121	6.8	0.64	5.1	0.52	239	11.2	0.76	8.7	0.64
Breast (*in situ*)	-	-	-	-	-	895	41.1	1.42	30.8	1.09

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,226	603.6	13.73	420.7	9.00	1,993	411.1	9.48	284.8	6.53
Oral Cavity & Pharynx	58	13.7	1.90	10.9	1.44	24	4.6	0.97	3.5	0.73
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	2.9	0.81	2.4	0.68	7	1.4	0.53	1.0	0.39
Major salivary gland	7	1.6	0.60	1.5	0.56	-	-	-	-	-
Floor of mouth	6	1.4	0.59	1.1	0.45	-	-	-	-	-
Gum & other mouth	9	3.0	1.09	1.6	0.54	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	6	1.2	0.50	1.0	0.42	-	-	-	-	-
Digestive System	417	117.4	6.23	78.1	3.86	359	76.4	4.16	49.4	2.67
Esophagus	29	8.1	1.62	5.3	0.99	12	2.3	0.67	1.8	0.52
Stomach	55	16.7	2.46	10.4	1.41	31	6.7	1.24	4.3	0.78
Small intestine	15	3.7	1.01	2.7	0.69	20	4.5	1.03	2.9	0.66
Colon excl. rectum	125	35.4	3.41	23.6	2.13	135	28.4	2.52	18.5	1.63
Rectum & rectosigmoid	42	12.3	2.04	7.8	1.22	41	8.3	1.34	5.8	0.93
Anus, anal canal & anorectum	-	-	-	-	-	13	2.6	0.73	1.8	0.52
Liver	69	17.0	2.21	13.0	1.59	21	4.6	1.04	2.9	0.64
Gallbladder	7	2.7	1.10	1.3	0.51	7	1.7	0.65	0.9	0.36
Pancreas	58	16.4	2.31	11.0	1.46	63	13.9	1.80	8.6	1.11
Respiratory System	330	95.3	5.65	61.7	3.43	256	55.7	3.60	34.8	2.23
Larynx	27	7.6	1.61	5.3	1.02	12	2.5	0.74	1.5	0.43
Lung & bronchus	298	86.2	5.37	55.5	3.25	243	53.0	3.52	33.2	2.18
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	15	3.5	0.94	2.8	0.73	17	3.2	0.78	2.8	0.70
Skin (excl. basal & sq.)	6	1.6	0.70	1.2	0.48	17	3.3	0.82	2.6	0.65
Melanomas of the skin	-	-	-	-	-	10	2.0	0.65	1.4	0.44
Breast (excl. *in situ*)	-	-	-	-	-	629	126.2	5.16	90.1	3.65
Female Genital System	-	-	-	-	-	236	47.9	3.20	34.5	2.28
Cervix uteri	-	-	-	-	-	46	8.9	1.34	6.6	0.99
Uterus Corpus	-	-	-	-	-	116	23.8	2.27	17.0	1.61
Uterus, NOS[1]	-	-	-	-	-	12	2.5	0.74	1.7	0.51
Ovary	-	-	-	-	-	42	8.4	1.34	6.3	1.00
Male Genital System	898	231.8	8.18	170.4	5.73	-	-	-	-	-
Prostate	886	228.8	8.13	168.1	5.70	-	-	-	-	-
Testis	9	2.1	0.69	1.6	0.55	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	168	48.9	4.10	31.7	2.47	104	22.8	2.30	14.9	1.50
Bladder (incl. *in situ*)	70	22.3	2.90	13.5	1.62	33	7.6	1.36	4.3	0.77
Kidney & renal pelvis	97	26.0	2.83	18.1	1.86	65	13.7	1.75	9.8	1.25
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	25	5.9	1.25	5.1	1.03	22	4.5	0.99	3.7	0.86
Brain	25	5.9	1.25	5.1	1.03	21	4.3	0.96	3.6	0.86
Endocrine System	18	4.1	1.00	3.5	0.83	85	16.2	1.78	13.1	1.45
Thyroid gland	15	3.5	0.94	2.8	0.73	79	14.8	1.69	12.3	1.41
Lymphomas	90	22.8	2.59	16.6	1.77	85	17.3	1.93	12.7	1.42
Hodgkin Lymphoma	15	2.9	0.76	2.8	0.74	14	2.6	0.70	2.5	0.67
Non-Hodgkin Lymphoma	75	19.9	2.48	13.8	1.60	71	14.7	1.79	10.2	1.25
Multiple Myeloma	58	17.1	2.43	10.9	1.45	53	10.8	1.52	7.7	1.07
Leukemias	59	16.0	2.24	11.7	1.54	42	8.6	1.37	6.3	1.02
Acute lymphocytic	9	1.8	0.61	2.1	0.71	-	-	-	-	-
Chronic lymphocytic	16	5.0	1.35	3.1	0.78	9	2.1	0.72	1.1	0.37
Acute myeloid	22	5.8	1.34	4.2	0.90	17	3.5	0.87	2.4	0.59
Chronic myeloid	-	-	-	-	-	8	1.5	0.53	1.3	0.45
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	9	2.0	0.69	1.8	0.60	-	-	-	-	-
Ill-defined & Unknown	62	19.8	2.73	11.9	1.53	59	12.8	1.71	7.9	1.06
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	26	6.5	1.42	5.2	1.04	71	14.0	1.71	10.4	1.26
Breast (*in situ*)	-	-	-	-	-	222	42.3	2.89	33.3	2.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	131	247.1	23.92	165.6	14.68	190	283.4	22.26	194.8	14.32
Oral Cavity & Pharynx	-	-	-	-	-	8	10.6	3.96	8.3	2.98
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	34	70.2	13.64	42.3	7.34	35	64.4	11.89	36.4	6.19
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	18.4	8.46	9.6	3.71	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	12.9	5.32	8.5	3.24	6	10.9	4.90	6.3	2.61
Rectum & rectosigmoid	-	-	-	-	-	8	13.1	5.03	8.1	2.90
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	16.5	6.30	9.7	3.46	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	12	27.9	9.02	15.5	4.54	12	23.6	7.28	11.1	3.23
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	27.9	9.02	15.5	4.54	11	22.5	7.20	10.3	3.13
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	62	82.0	10.75	62.8	8.03
Female Genital System	-	-	-	-	-	20	28.1	6.77	20.3	4.59
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	9	13.4	4.70	8.8	2.94
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	13.5	4.71	10.5	3.37
Male Genital System	41	70.7	11.31	52.3	8.22	-	-	-	-	-
Prostate	41	70.7	11.31	52.3	8.22	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	13.2	5.86	7.5	3.09	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	7	8.9	3.44	7.5	2.93	27	32.1	6.28	26.2	5.10
Thyroid gland	7	8.9	3.44	7.5	2.93	26	30.8	6.14	25.2	4.99
Lymphomas	10	21.8	8.07	13.5	4.35	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	6	10.6	4.63	8.1	3.42	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	6	11.6	5.22	7.2	3.04
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	24	34.1	7.15	24.7	5.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	319	431.2	27.86	294.0	17.46	347	399.1	24.16	268.7	15.21
Oral Cavity & Pharynx	14	19.7	6.03	13.8	3.83	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	5.8	2.47	5.8	2.49	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	65	78.7	11.11	57.9	7.69	51	65.9	10.16	41.1	6.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	6.5	2.39	5.6	2.08	7	7.4	3.43	4.0	1.58
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	18	24.2	6.70	15.7	3.97	12	16.5	5.10	10.0	3.00
Rectum & rectosigmoid	10	11.8	3.99	10.8	3.65	7	8.7	3.57	5.9	2.28
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	13.2	4.21	10.6	3.33	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	12	14.9	4.76	10.9	3.34	13	17.8	5.45	11.0	3.20
Respiratory System	30	41.9	8.78	27.8	5.37	33	50.5	9.27	32.2	5.73
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	35.3	8.35	22.3	4.96	32	48.3	8.98	31.5	5.69
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	9	15.5	5.98	7.4	2.53	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	104	113.2	12.43	77.2	7.98
Female Genital System	-	-	-	-	-	45	47.5	7.85	35.3	5.58
Cervix uteri	-	-	-	-	-	16	11.5	3.05	10.0	2.66
Uterus Corpus	-	-	-	-	-	21	25.9	6.17	17.9	4.07
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	8.0	3.46	5.7	2.41
Male Genital System	108	161.0	17.28	110.0	11.02	-	-	-	-	-
Prostate	99	154.6	17.02	105.4	10.90	-	-	-	-	-
Testis	6	2.4	1.00	2.5	1.05	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	36.3	8.53	21.9	4.84	15	21.6	6.16	12.3	3.32
Bladder (incl. *in situ*)	11	23.2	7.38	12.2	3.75	7	12.7	5.07	5.5	2.12
Kidney & renal pelvis	12	13.2	4.29	9.7	3.06	7	7.5	3.19	5.6	2.23
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	34	26.8	4.93	22.0	3.96
Thyroid gland	-	-	-	-	-	33	26.0	4.88	21.5	3.93
Lymphomas	17	15.9	4.32	12.9	3.37	13	16.4	5.04	10.1	3.00
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	8.6	3.97	5.8	2.55	6	5.7	2.41	5.0	2.13
Leukemias	18	13.6	4.59	11.2	2.83	17	17.4	5.31	12.4	3.16
Acute lymphocytic	9	3.1	1.03	4.7	1.57	6	2.2	0.90	3.3	1.34
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	7.2	3.99	3.8	1.63	6	8.0	3.77	4.8	2.05
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	12	13.0	4.23	10.9	3.39	11	14.7	5.04	9.2	2.92
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6	4.6	2.01	4.2	1.83	10	8.3	2.81	7.3	2.45
Breast (*in situ*)	-	-	-	-	-	29	31.0	6.22	24.1	4.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	11,000	583.7	5.69	385.7	3.96	9,912	461.1	4.83	321.5	3.67
Oral Cavity & Pharynx	367	19.1	1.02	13.6	0.75	145	6.6	0.57	4.7	0.44
Lip	17	0.9	0.23	0.5	0.13	-	-	-	-	-
Tongue	119	6.1	0.57	4.4	0.41	53	2.4	0.34	1.6	0.24
Major salivary gland	27	1.6	0.32	0.8	0.17	18	0.9	0.22	0.7	0.19
Floor of mouth	21	1.1	0.24	0.7	0.17	8	0.4	0.13	0.3	0.10
Gum & other mouth	48	2.6	0.38	1.8	0.29	32	1.5	0.27	1.0	0.20
Nasopharynx	11	0.6	0.19	0.4	0.14	-	-	-	-	-
Oropharynx	12	0.6	0.18	0.4	0.13	6	0.2	0.10	0.2	0.07
Hypopharynx	20	1.0	0.22	0.7	0.16	-	-	-	-	-
Digestive System	1,874	99.9	2.36	64.7	1.59	1,431	62.7	1.70	39.2	1.16
Esophagus	191	9.7	0.72	6.7	0.50	50	2.2	0.31	1.3	0.20
Stomach	145	7.7	0.65	4.7	0.41	70	3.1	0.39	2.0	0.26
Small intestine	52	2.8	0.39	1.8	0.26	43	1.9	0.30	1.2	0.21
Colon excl. rectum	591	32.1	1.35	19.9	0.87	615	26.4	1.09	15.5	0.71
Rectum & rectosigmoid	261	14.2	0.90	9.8	0.64	181	8.7	0.67	6.0	0.49
Anus, anal canal & anorectum	33	1.8	0.33	1.3	0.24	45	2.2	0.35	1.7	0.27
Liver	208	10.8	0.76	7.6	0.56	56	2.4	0.32	1.6	0.23
Gallbladder	12	0.6	0.19	0.4	0.13	42	1.8	0.29	1.2	0.19
Pancreas	302	15.8	0.93	9.9	0.60	242	10.3	0.67	6.4	0.45
Respiratory System	1,739	91.8	2.24	55.1	1.39	1,598	69.5	1.77	44.1	1.20
Larynx	115	6.0	0.57	4.0	0.39	44	1.9	0.30	1.4	0.23
Lung & bronchus	1,611	84.9	2.15	50.6	1.33	1,537	66.8	1.73	42.0	1.17
Bones & Joints	15	0.9	0.25	0.8	0.24	7	0.4	0.16	0.3	0.17
Soft Tissue (incl. heart)	60	3.5	0.47	2.7	0.42	48	2.5	0.40	2.0	0.39
Skin (excl. basal & sq.)	910	49.5	1.68	33.0	1.19	606	31.3	1.34	23.9	1.10
Melanomas of the skin	849	45.8	1.61	30.7	1.14	572	29.7	1.31	22.9	1.08
Breast (excl. *in situ*)	22	1.2	0.26	0.7	0.16	2,720	126.8	2.53	91.3	1.90
Female Genital System	-	-	-	-	-	1,151	54.3	1.68	40.6	1.32
Cervix uteri	-	-	-	-	-	151	9.0	0.78	7.2	0.64
Uterus Corpus	-	-	-	-	-	642	28.6	1.17	21.6	0.91
Uterus, NOS[1]	-	-	-	-	-	18	0.7	0.17	0.6	0.14
Ovary	-	-	-	-	-	240	11.2	0.75	7.9	0.56
Male Genital System	3,014	151.3	2.81	108.5	2.06	-	-	-	-	-
Prostate	2,910	143.5	2.70	101.5	1.93	-	-	-	-	-
Testis	90	6.9	0.74	6.5	0.71	-	-	-	-	-
Penis	12	0.8	0.23	0.4	0.13	-	-	-	-	-
Urinary System	1,308	71.1	2.01	43.4	1.28	562	25.5	1.11	17.2	0.84
Bladder (incl. *in situ*)	863	46.6	1.62	26.7	0.96	283	12.2	0.74	7.6	0.50
Kidney & renal pelvis	423	23.2	1.16	15.9	0.83	256	12.3	0.81	9.1	0.66
Ureter	16	0.8	0.21	0.6	0.15	17	0.7	0.18	0.4	0.12
Eye & Orbit	8	0.5	0.18	0.4	0.19	8	0.5	0.19	0.7	0.30
Brain & Other Nervous System	141	8.4	0.74	7.1	0.71	131	7.1	0.67	6.0	0.68
Brain	129	7.5	0.69	6.1	0.63	124	6.6	0.63	5.4	0.61
Endocrine System	131	7.9	0.72	6.2	0.58	365	22.2	1.23	17.9	1.02
Thyroid gland	122	7.3	0.69	5.6	0.54	351	21.4	1.21	17.3	1.00
Lymphomas	515	29.2	1.32	20.2	1.00	432	20.2	1.02	14.0	0.80
Hodgkin Lymphoma	72	4.9	0.59	4.4	0.55	37	2.5	0.43	2.4	0.43
Non-Hodgkin Lymphoma	443	24.3	1.18	15.8	0.83	395	17.7	0.92	11.6	0.67
Multiple Myeloma	118	6.2	0.59	3.8	0.37	121	5.5	0.52	3.5	0.37
Leukemias	336	18.7	1.05	12.1	0.77	231	10.9	0.76	7.8	0.67
Acute lymphocytic	22	1.4	0.32	1.6	0.41	16	1.2	0.31	1.5	0.43
Chronic lymphocytic	127	6.7	0.60	4.0	0.37	99	4.1	0.41	2.4	0.27
Acute myeloid	78	4.4	0.51	2.7	0.35	66	3.2	0.41	2.2	0.32
Chronic myeloid	53	2.9	0.41	1.9	0.28	27	1.5	0.31	1.1	0.25
Other leukemias	56	3.3	0.46	1.9	0.28	23	1.0	0.21	0.6	0.13
Mesothelioma	51	2.8	0.40	1.4	0.20	11	0.5	0.16	0.3	0.10
Kaposi Sarcoma	7	0.5	0.20	0.4	0.15	-	-	-	-	-
Ill-defined & Unknown	384	21.1	1.10	11.7	0.66	345	14.5	0.80	8.0	0.51
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	115	6.9	0.67	5.2	0.55	230	11.3	0.79	8.8	0.68
Breast (*in situ*)	-	-	-	-	-	868	41.5	1.46	31.0	1.12

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Delaware, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,211	612.3	13.96	426.9	9.16	1,969	414.9	9.62	287.9	6.65
Oral Cavity & Pharynx	58	14.1	1.95	11.2	1.48	24	4.8	1.00	3.6	0.75
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	3.0	0.83	2.5	0.69	7	1.4	0.54	1.0	0.40
Major salivary gland	7	1.6	0.61	1.5	0.57	-	-	-	-	-
Floor of mouth	6	1.5	0.61	1.1	0.46	-	-	-	-	-
Gum & other mouth	9	3.0	1.11	1.6	0.55	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	6	1.2	0.51	1.1	0.43	-	-	-	-	-
Digestive System	414	119.1	6.33	79.1	3.93	355	76.8	4.20	49.9	2.72
Esophagus	29	8.3	1.65	5.4	1.01	12	2.3	0.69	1.8	0.53
Stomach	55	17.0	2.50	10.6	1.44	31	6.8	1.26	4.4	0.80
Small intestine	15	3.8	1.03	2.7	0.71	20	4.6	1.06	2.9	0.68
Colon excl. rectum	123	35.7	3.46	23.7	2.15	133	28.4	2.54	18.6	1.65
Rectum & rectosigmoid	41	12.3	2.06	7.7	1.22	40	8.3	1.36	5.8	0.95
Anus, anal canal & anorectum	-	-	-	-	-	13	2.6	0.74	1.8	0.52
Liver	69	17.4	2.26	13.3	1.62	21	4.7	1.06	2.9	0.65
Gallbladder	7	2.7	1.12	1.4	0.52	7	1.7	0.66	0.9	0.37
Pancreas	58	16.7	2.35	11.2	1.49	62	13.8	1.80	8.6	1.13
Respiratory System	329	96.8	5.74	62.7	3.49	253	56.1	3.64	35.1	2.26
Larynx	27	7.8	1.64	5.4	1.04	12	2.5	0.75	1.5	0.44
Lung & bronchus	297	87.5	5.46	56.4	3.30	240	53.4	3.56	33.5	2.21
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	15	3.6	0.97	2.9	0.76	17	3.3	0.80	2.9	0.72
Skin (excl. basal & sq.)	6	1.7	0.71	1.2	0.49	17	3.4	0.84	2.7	0.68
Melanomas of the skin	-	-	-	-	-	10	2.0	0.67	1.4	0.46
Breast (excl. *in situ*)	-	-	-	-	-	621	127.5	5.25	91.1	3.71
Female Genital System	-	-	-	-	-	233	48.3	3.25	34.9	2.33
Cervix uteri	-	-	-	-	-	45	8.9	1.36	6.7	1.01
Uterus Corpus	-	-	-	-	-	114	23.8	2.29	17.1	1.63
Uterus, NOS[1]	-	-	-	-	-	12	2.5	0.75	1.8	0.52
Ovary	-	-	-	-	-	42	8.6	1.37	6.5	1.04
Male Genital System	892	234.6	8.29	172.6	5.83	-	-	-	-	-
Prostate	880	231.5	8.24	170.3	5.79	-	-	-	-	-
Testis	9	2.1	0.72	1.7	0.57	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	167	49.6	4.17	32.2	2.52	104	23.2	2.34	15.2	1.54
Bladder (incl. *in situ*)	69	22.5	2.95	13.5	1.64	33	7.7	1.38	4.4	0.78
Kidney & renal pelvis	97	26.6	2.88	18.5	1.90	65	14.0	1.78	10.1	1.28
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	25	6.1	1.28	5.3	1.07	21	4.5	1.01	3.6	0.86
Brain	25	6.1	1.28	5.3	1.07	20	4.2	0.97	3.5	0.85
Endocrine System	18	4.2	1.02	3.6	0.86	85	16.7	1.84	13.6	1.51
Thyroid gland	15	3.6	0.96	2.9	0.75	79	15.3	1.74	12.7	1.46
Lymphomas	89	23.2	2.64	16.9	1.80	84	17.4	1.95	13.0	1.47
Hodgkin Lymphoma	15	3.0	0.79	3.0	0.77	14	2.7	0.73	2.6	0.71
Non-Hodgkin Lymphoma	74	20.1	2.52	13.9	1.63	70	14.7	1.81	10.4	1.29
Multiple Myeloma	57	17.3	2.46	11.0	1.46	53	11.0	1.55	7.8	1.09
Leukemias	57	16.0	2.28	11.7	1.58	38	8.0	1.33	5.5	0.93
Acute lymphocytic	9	1.9	0.64	2.2	0.75	-	-	-	-	-
Chronic lymphocytic	15	4.9	1.36	3.0	0.78	9	2.1	0.74	1.1	0.37
Acute myeloid	21	5.8	1.36	4.1	0.91	15	3.1	0.82	2.1	0.55
Chronic myeloid	-	-	-	-	-	8	1.5	0.55	1.3	0.47
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	9	2.2	0.72	1.9	0.63	-	-	-	-	-
Ill-defined & Unknown	62	20.2	2.78	12.2	1.57	59	13.0	1.74	8.1	1.08
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	26	6.7	1.46	5.5	1.10	70	14.2	1.74	10.5	1.28
Breast (*in situ*)	-	-	-	-	-	221	43.0	2.95	33.8	2.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	7,331	564.1	6.79	392.4	4.71	7,176	436.0	5.27	310.1	3.93
Oral Cavity & Pharynx	263	19.3	1.22	14.5	0.90	100	6.2	0.63	4.5	0.48
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	79	5.8	0.66	4.4	0.50	31	1.9	0.35	1.3	0.25
Major salivary gland	14	1.1	0.30	0.7	0.20	16	1.0	0.26	0.8	0.23
Floor of mouth	19	1.3	0.30	1.1	0.25	-	-	-	-	-
Gum & other mouth	34	2.6	0.46	1.8	0.32	20	1.1	0.26	0.8	0.19
Nasopharynx	16	1.2	0.31	0.9	0.23	-	-	-	-	-
Oropharynx	17	1.2	0.30	1.0	0.23	-	-	-	-	-
Hypopharynx	24	1.8	0.37	1.3	0.27	-	-	-	-	-
Digestive System	1,499	116.1	3.08	78.8	2.08	1,366	81.7	2.26	53.3	1.56
Esophagus	103	8.1	0.82	5.3	0.53	45	2.7	0.41	1.8	0.28
Stomach	132	10.9	0.97	6.7	0.60	119	7.0	0.66	4.3	0.43
Small intestine	57	4.4	0.61	3.0	0.41	46	2.6	0.40	2.0	0.31
Colon excl. rectum	451	36.0	1.74	23.3	1.12	519	31.3	1.40	20.1	0.96
Rectum & rectosigmoid	168	12.7	1.00	9.0	0.71	155	9.6	0.79	6.6	0.56
Anus, anal canal & anorectum	40	2.9	0.46	2.3	0.36	39	2.3	0.37	1.8	0.29
Liver	273	19.2	1.19	14.9	0.91	100	5.8	0.59	4.2	0.46
Gallbladder	11	1.0	0.31	0.5	0.17	40	2.4	0.39	1.8	0.29
Pancreas	219	17.2	1.19	11.5	0.80	233	13.7	0.92	7.9	0.57
Respiratory System	1,055	83.7	2.65	55.1	1.73	840	50.8	1.79	32.8	1.21
Larynx	107	8.2	0.81	5.8	0.57	23	1.4	0.30	1.0	0.21
Lung & bronchus	933	74.5	2.51	48.5	1.62	805	48.7	1.75	31.3	1.18
Bones & Joints	21	1.6	0.38	1.7	0.42	9	0.6	0.22	0.6	0.22
Soft Tissue (incl. heart)	50	3.9	0.57	3.0	0.46	46	2.8	0.43	2.3	0.40
Skin (excl. basal & sq.)	157	11.7	0.97	8.4	0.69	118	6.7	0.64	5.4	0.53
Melanomas of the skin	138	10.2	0.90	7.3	0.63	105	6.0	0.60	4.8	0.50
Breast (excl. *in situ*)	33	2.5	0.46	1.7	0.30	2,279	141.7	3.03	103.5	2.27
Female Genital System	-	-	-	-	-	902	54.4	1.85	40.2	1.40
Cervix uteri	-	-	-	-	-	146	9.6	0.82	7.3	0.62
Uterus Corpus	-	-	-	-	-	490	29.0	1.33	21.4	1.00
Uterus, NOS[1]	-	-	-	-	-	25	1.5	0.30	1.0	0.22
Ovary	-	-	-	-	-	168	10.0	0.79	7.4	0.61
Male Genital System	2,503	189.6	3.90	135.5	2.75	-	-	-	-	-
Prostate	2,415	184.1	3.86	130.5	2.70	-	-	-	-	-
Testis	78	4.8	0.56	4.4	0.52	-	-	-	-	-
Penis	9	0.7	0.23	0.5	0.16	-	-	-	-	-
Urinary System	591	46.9	1.98	30.6	1.30	325	19.6	1.11	12.7	0.77
Bladder (incl. *in situ*)	311	25.6	1.49	15.2	0.89	150	8.9	0.74	5.2	0.48
Kidney & renal pelvis	269	20.4	1.28	14.9	0.94	170	10.4	0.82	7.4	0.60
Ureter	8	0.7	0.24	0.4	0.13	-	-	-	-	-
Eye & Orbit	10	1.0	0.32	0.6	0.22	-	-	-	-	-
Brain & Other Nervous System	95	7.2	0.76	5.8	0.65	81	5.4	0.62	5.0	0.65
Brain	86	6.5	0.73	5.1	0.61	76	5.0	0.60	4.6	0.62
Endocrine System	132	9.2	0.82	7.3	0.66	358	21.4	1.17	18.0	0.99
Thyroid gland	120	8.2	0.77	6.5	0.60	349	20.9	1.16	17.4	0.97
Lymphomas	359	26.0	1.42	19.3	1.06	263	15.6	0.99	11.9	0.78
Hodgkin Lymphoma	65	4.5	0.58	3.8	0.49	52	2.8	0.41	2.5	0.36
Non-Hodgkin Lymphoma	294	21.5	1.30	15.6	0.94	211	12.8	0.90	9.4	0.70
Multiple Myeloma	132	10.7	0.96	6.8	0.60	112	6.7	0.64	4.3	0.44
Leukemias	171	14.1	1.11	9.7	0.83	128	7.6	0.70	6.3	0.67
Acute lymphocytic	23	2.0	0.43	2.4	0.53	21	1.5	0.34	2.0	0.48
Chronic lymphocytic	57	4.8	0.66	2.7	0.37	42	2.4	0.37	1.6	0.26
Acute myeloid	33	2.6	0.47	1.7	0.32	40	2.4	0.39	2.0	0.34
Chronic myeloid	22	1.8	0.39	1.2	0.28	6	0.4	0.16	0.2	0.09
Other leukemias	36	2.9	0.50	1.7	0.29	19	1.0	0.24	0.6	0.15
Mesothelioma	13	1.0	0.28	0.7	0.19	-	-	-	-	-
Kaposi Sarcoma	49	3.1	0.46	2.6	0.38	-	-	-	-	-
Ill-defined & Unknown	198	16.5	1.20	10.2	0.76	237	13.9	0.93	8.8	0.65
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	108	8.2	0.81	6.4	0.67	218	13.6	0.95	10.5	0.80
Breast (*in situ*)	-	-	-	-	-	632	40.1	1.62	30.0	1.23

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,960	379.3	9.00	253.9	5.98	2,055	376.4	8.74	265.8	6.33
Oral Cavity & Pharynx	73	13.7	1.67	10.2	1.20	39	7.1	1.21	4.9	0.81
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	30	5.5	1.04	4.1	0.76	12	2.1	0.64	1.5	0.46
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	6	1.1	0.46	0.8	0.35	-	-	-	-	-
Gum & other mouth	8	1.5	0.57	1.1	0.39	9	1.6	0.57	1.1	0.37
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	335	66.1	3.76	42.4	2.38	276	52.7	3.34	31.6	2.05
Esophagus	36	7.5	1.30	4.3	0.75	10	2.2	0.73	1.2	0.40
Stomach	28	5.5	1.08	3.5	0.68	30	5.4	1.04	3.2	0.63
Small intestine	12	2.2	0.65	1.6	0.46	6	0.9	0.41	0.7	0.30
Colon excl. rectum	86	17.5	1.97	10.1	1.12	100	19.2	2.03	11.1	1.20
Rectum & rectosigmoid	45	8.1	1.23	6.1	0.92	35	7.2	1.27	4.4	0.79
Anus, anal canal & anorectum	15	2.8	0.74	2.1	0.55	19	3.4	0.81	2.4	0.58
Liver	32	6.0	1.10	4.3	0.78	7	1.3	0.51	0.7	0.29
Gallbladder	-	-	-	-	-	6	1.3	0.53	0.8	0.34
Pancreas	58	11.6	1.59	7.6	1.02	42	7.7	1.23	4.3	0.74
Respiratory System	196	42.5	3.15	24.9	1.83	170	32.6	2.61	18.8	1.55
Larynx	13	2.5	0.74	1.7	0.48	-	-	-	-	-
Lung & bronchus	179	39.2	3.02	22.8	1.75	163	31.3	2.56	18.0	1.52
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	20	4.0	0.94	2.9	0.76	12	1.7	0.54	1.6	0.51
Skin (excl. basal & sq.)	110	19.9	2.01	14.0	1.36	-	-	-	-	-
Melanomas of the skin	100	17.8	1.88	12.7	1.30	74	11.3	1.40	9.0	1.12
Breast (excl. *in situ*)	12	2.6	0.77	1.5	0.46	789	149.1	5.52	109.3	4.04
Female Genital System	-	-	-	-	-	220	40.5	2.86	29.7	2.15
Cervix uteri	-	-	-	-	-	30	5.3	1.01	4.0	0.75
Uterus Corpus	-	-	-	-	-	126	23.3	2.16	17.0	1.56
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	43	8.2	1.34	6.2	1.12
Male Genital System	607	114.5	4.87	81.4	3.40	-	-	-	-	-
Prostate	549	107.0	4.73	74.8	3.23	-	-	-	-	-
Testis	55	6.8	1.06	6.3	1.04	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	197	39.6	2.94	25.2	1.85	76	14.5	1.75	8.4	1.03
Bladder (incl. *in situ*)	118	24.8	2.38	14.4	1.36	41	8.3	1.36	4.4	0.75
Kidney & renal pelvis	76	14.3	1.70	10.4	1.24	34	6.0	1.08	3.9	0.70
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	1.7	0.68	1.1	0.51	-	-	-	-	-
Brain & Other Nervous System	39	7.4	1.26	4.8	0.85	39	7.2	1.23	6.1	1.19
Brain	37	6.9	1.21	4.5	0.82	37	6.8	1.20	5.8	1.17
Endocrine System	67	9.7	1.26	8.1	1.03	153	23.4	2.09	20.2	1.84
Thyroid gland	62	8.7	1.17	7.4	0.98	150	22.9	2.07	19.6	1.78
Lymphomas	131	24.3	2.27	16.4	1.54	79	12.0	1.46	8.8	1.09
Hodgkin Lymphoma	25	4.1	0.91	3.6	0.87	24	2.6	0.61	2.3	0.51
Non-Hodgkin Lymphoma	106	20.2	2.08	12.8	1.28	55	9.4	1.33	6.5	0.96
Multiple Myeloma	25	5.0	1.05	3.1	0.65	19	3.6	0.86	2.1	0.51
Leukemias	67	13.2	1.72	8.2	1.12	40	7.0	1.21	6.0	1.15
Acute lymphocytic	-	-	-	-	-	6	1.3	0.58	1.9	0.88
Chronic lymphocytic	22	4.8	1.06	2.5	0.56	12	2.0	0.60	1.5	0.45
Acute myeloid	16	2.7	0.76	1.8	0.47	15	2.6	0.75	2.0	0.55
Chronic myeloid	9	1.6	0.57	1.1	0.41	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	8	1.7	0.62	1.0	0.36	-	-	-	-	-
Kaposi Sarcoma	13	1.7	0.51	1.4	0.41	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	59	11.7	1.59	7.6	1.11
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	32	6.1	1.12	4.2	0.79	56	9.8	1.40	7.7	1.20
Breast (*in situ*)	-	-	-	-	-	247	47.9	3.15	37.0	2.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	4,834	646.8	9.54	457.3	6.78	4,680	449.1	6.73	319.1	5.08
Oral Cavity & Pharynx	177	22.2	1.71	17.1	1.31	57	5.8	0.79	4.3	0.61
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	47	5.9	0.88	4.7	0.69	18	1.7	0.42	1.2	0.31
Major salivary gland	9	1.2	0.41	0.8	0.27	10	1.1	0.36	1.0	0.34
Floor of mouth	13	1.5	0.41	1.2	0.35	-	-	-	-	-
Gum & other mouth	23	3.0	0.65	2.2	0.46	10	0.9	0.28	0.6	0.21
Nasopharynx	12	1.6	0.49	1.3	0.38	-	-	-	-	-
Oropharynx	11	1.3	0.41	1.1	0.34	-	-	-	-	-
Hypopharynx	21	2.7	0.60	2.0	0.44	-	-	-	-	-
Digestive System	1,091	146.0	4.53	101.5	3.16	1,016	94.1	3.02	63.2	2.18
Esophagus	64	8.5	1.09	5.9	0.75	33	3.1	0.54	2.1	0.40
Stomach	97	14.0	1.46	8.5	0.90	81	7.5	0.85	4.5	0.56
Small intestine	41	5.6	0.90	3.8	0.61	39	3.6	0.59	2.7	0.46
Colon excl. rectum	341	47.1	2.61	31.5	1.76	398	36.9	1.89	24.4	1.34
Rectum & rectosigmoid	117	15.5	1.47	11.0	1.04	111	10.8	1.05	7.6	0.78
Anus, anal canal & anorectum	25	3.3	0.68	2.7	0.55	20	2.0	0.45	1.6	0.36
Liver	229	27.5	1.86	21.7	1.46	82	7.4	0.84	5.8	0.69
Gallbladder	8	1.3	0.45	0.7	0.25	28	2.7	0.52	2.1	0.41
Pancreas	148	20.1	1.69	13.9	1.18	181	16.2	1.23	9.6	0.79
Respiratory System	833	112.0	3.98	76.3	2.71	638	59.3	2.39	39.6	1.69
Larynx	92	12.2	1.30	8.8	0.93	19	1.8	0.42	1.3	0.30
Lung & bronchus	731	98.6	3.74	66.6	2.52	612	56.7	2.33	37.7	1.65
Bones & Joints	13	1.7	0.48	1.8	0.51	6	0.7	0.27	0.7	0.31
Soft Tissue (incl. heart)	25	3.4	0.69	2.8	0.60	30	3.1	0.58	2.3	0.48
Skin (excl. basal & sq.)	15	2.2	0.58	1.7	0.46	15	1.5	0.39	1.1	0.32
Melanomas of the skin	8	1.1	0.41	0.7	0.25	7	0.7	0.26	0.5	0.20
Breast (excl. *in situ*)	19	2.5	0.59	1.7	0.41	1,386	136.7	3.77	99.5	2.85
Female Genital System	-	-	-	-	-	617	59.3	2.45	44.1	1.89
Cervix uteri	-	-	-	-	-	101	11.1	1.14	8.5	0.88
Uterus Corpus	-	-	-	-	-	328	30.2	1.70	22.4	1.30
Uterus, NOS[1]	-	-	-	-	-	17	1.6	0.39	1.1	0.29
Ovary	-	-	-	-	-	121	11.6	1.08	8.6	0.84
Male Genital System	1,643	215.4	5.45	155.3	3.91	-	-	-	-	-
Prostate	1,624	212.9	5.42	153.1	3.88	-	-	-	-	-
Testis	13	1.8	0.50	1.6	0.48	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	357	49.0	2.66	32.3	1.78	228	21.1	1.43	14.2	1.04
Bladder (incl. *in situ*)	173	24.5	1.90	14.6	1.16	98	8.6	0.89	5.2	0.62
Kidney & renal pelvis	177	23.4	1.81	17.2	1.33	126	12.2	1.11	8.8	0.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	47	6.3	0.94	5.5	0.84	31	3.6	0.66	3.5	0.71
Brain	42	5.6	0.90	4.8	0.78	29	3.3	0.62	3.2	0.66
Endocrine System	55	7.4	1.03	5.5	0.78	163	17.4	1.41	14.1	1.16
Thyroid gland	50	6.7	0.98	4.9	0.72	157	16.8	1.39	13.6	1.14
Lymphomas	198	26.8	1.95	21.0	1.55	161	16.4	1.33	12.6	1.08
Hodgkin Lymphoma	37	5.2	0.87	4.3	0.72	25	2.9	0.59	2.5	0.53
Non-Hodgkin Lymphoma	161	21.6	1.75	16.8	1.37	136	13.5	1.19	10.1	0.94
Multiple Myeloma	104	14.5	1.47	9.3	0.94	88	8.1	0.88	5.3	0.62
Leukemias	85	12.5	1.38	8.8	1.04	75	7.1	0.84	5.4	0.74
Acute lymphocytic	14	1.9	0.51	2.5	0.69	11	1.2	0.37	1.3	0.45
Chronic lymphocytic	29	4.3	0.82	2.5	0.48	26	2.3	0.46	1.4	0.32
Acute myeloid	13	2.0	0.55	1.1	0.32	23	2.2	0.47	1.8	0.43
Chronic myeloid	11	1.6	0.49	1.0	0.33	-	-	-	-	-
Other leukemias	18	2.8	0.66	1.7	0.41	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	27	4.0	0.78	3.5	0.69	-	-	-	-	-
Ill-defined & Unknown	137	19.8	1.73	12.5	1.10	162	14.3	1.15	8.8	0.79
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	60	8.0	1.07	6.2	0.85	143	14.6	1.26	11.2	1.04
Breast (*in situ*)	-	-	-	-	-	341	33.3	1.84	24.4	1.39

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	117	401.8	39.61	262.3	25.38	160	321.4	26.95	233.6	19.60
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	33	121.4	21.99	78.2	13.91	34	79.4	14.15	48.5	8.64
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	31.5	11.54	18.1	6.57	11	25.7	8.05	16.8	5.22
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	7	24.1	9.48	17.0	6.59	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	16	59.6	15.66	34.6	8.99	14	33.7	9.26	23.2	6.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	56.3	15.30	31.6	8.50	12	28.8	8.59	19.6	5.72
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	39	72.9	12.23	56.1	9.40
Female Genital System	-	-	-	-	-	17	31.2	7.75	25.5	6.36
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	8	13.0	4.75	11.7	4.28
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	27	82.8	17.16	61.6	12.31	-	-	-	-	-
Prostate	23	78.6	17.03	57.2	12.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	34.9	12.27	19.7	6.66	6	13.6	5.72	9.9	4.08
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	21.6	9.27	13.1	5.43	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	20	26.1	6.50	21.9	5.42
Thyroid gland	-	-	-	-	-	20	26.1	6.50	21.9	5.42
Lymphomas	7	22.0	9.00	15.2	6.00	10	20.3	7.06	14.1	4.68
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	22.0	9.00	15.2	6.00	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	28.7	11.11	18.8	8.04	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	7	13.0	5.39	9.6	3.76
Breast (*in situ*)	-	-	-	-	-	18	35.8	8.69	25.9	6.28

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	265	336.3	24.43	241.7	15.90	306	317.0	19.25	227.1	13.40
Oral Cavity & Pharynx	11	12.5	4.33	8.9	2.82	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	65	81.9	11.63	59.8	7.88	61	71.8	9.71	43.4	5.78
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	14	18.4	5.58	13.2	3.72	12	11.1	3.48	8.4	2.52
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	18	21.4	5.85	15.5	3.94	16	19.2	5.04	10.7	2.79
Rectum & rectosigmoid	9	10.8	4.26	7.5	2.59	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	7	9.8	3.97	7.9	3.14	7	9.9	3.86	4.7	1.86
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	13.3	5.02	9.1	3.17	13	16.9	4.88	9.5	2.72
Respiratory System	19	31.3	8.40	19.2	4.62	21	29.1	6.54	16.0	3.62
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	25.2	7.51	15.2	4.09	21	29.1	6.54	16.0	3.62
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	73	74.4	9.07	57.9	6.90
Female Genital System	-	-	-	-	-	46	43.2	6.60	34.5	5.30
Cervix uteri	-	-	-	-	-	14	10.5	2.89	8.2	2.26
Uterus Corpus	-	-	-	-	-	21	20.4	4.54	16.9	3.74
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	6.3	2.62	4.9	2.13
Male Genital System	79	103.5	13.23	79.2	9.37	-	-	-	-	-
Prostate	66	96.4	13.06	71.3	9.04	-	-	-	-	-
Testis	12	6.1	1.89	6.8	2.19	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	24	29.3	7.21	19.6	4.27	13	15.0	4.33	9.3	2.66
Bladder (incl. *in situ*)	9	11.0	4.34	8.3	2.91	-	-	-	-	-
Kidney & renal pelvis	15	18.3	5.75	11.3	3.13	9	10.6	3.66	6.6	2.27
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	5.4	2.81	4.6	2.19	7	6.6	2.75	5.2	2.03
Brain	6	5.4	2.81	4.6	2.19	7	6.6	2.75	5.2	2.03
Endocrine System	7	5.6	2.36	5.0	2.10	26	22.0	4.43	18.4	3.70
Thyroid gland	7	5.6	2.36	5.0	2.10	26	22.0	4.43	18.4	3.70
Lymphomas	14	15.7	5.62	10.8	3.19	22	19.8	4.61	15.3	3.38
Hodgkin Lymphoma	-	-	-	-	-	7	4.8	2.16	3.5	1.33
Non-Hodgkin Lymphoma	-	-	-	-	-	15	15.0	4.08	11.8	3.11
Multiple Myeloma	6	10.9	5.09	6.0	2.56	7	8.0	3.31	4.8	1.87
Leukemias	12	14.4	5.24	10.4	3.34	8	5.5	2.05	5.7	2.08
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	12.7	5.74	7.1	2.93	12	12.4	3.85	9.4	2.78
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6	7.2	3.29	5.5	2.44	8	9.0	3.27	6.9	2.45
Breast (*in situ*)	-	-	-	-	-	24	22.4	4.76	16.7	3.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,796	388.8	9.56	259.4	6.37	1,864	395.6	9.71	279.5	7.09
Oral Cavity & Pharynx	67	14.3	1.80	10.5	1.30	35	7.4	1.32	5.0	0.89
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	28	5.8	1.13	4.4	0.84	12	2.4	0.74	1.8	0.54
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	6	1.2	0.51	0.9	0.39	-	-	-	-	-
Gum & other mouth	7	1.5	0.61	1.0	0.40	8	1.7	0.63	1.1	0.40
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	293	65.0	3.93	41.2	2.48	234	51.7	3.57	30.9	2.20
Esophagus	35	8.0	1.40	4.6	0.82	9	2.4	0.82	1.2	0.43
Stomach	17	3.9	0.97	2.3	0.59	20	4.3	1.00	2.3	0.56
Small intestine	10	2.1	0.67	1.5	0.47	-	-	-	-	-
Colon excl. rectum	76	17.1	2.05	9.7	1.16	90	19.8	2.23	11.6	1.34
Rectum & rectosigmoid	38	7.7	1.28	5.8	0.95	33	7.9	1.44	4.9	0.90
Anus, anal canal & anorectum	14	3.0	0.83	2.3	0.62	18	3.6	0.88	2.5	0.63
Liver	26	5.5	1.12	4.0	0.79	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	56	12.5	1.72	8.2	1.12	34	6.9	1.25	3.9	0.76
Respiratory System	187	44.5	3.35	26.0	1.96	160	34.8	2.88	20.1	1.72
Larynx	12	2.7	0.81	1.8	0.52	-	-	-	-	-
Lung & bronchus	172	41.0	3.22	23.9	1.88	153	33.4	2.83	19.3	1.68
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	18	3.9	0.95	2.6	0.63	10	1.9	0.63	1.7	0.63
Skin (excl. basal & sq.)	106	21.6	2.21	15.2	1.51	-	-	-	-	-
Melanomas of the skin	97	19.5	2.08	13.9	1.45	73	12.9	1.63	10.3	1.32
Breast (excl. *in situ*)	11	2.6	0.80	1.5	0.48	745	164.4	6.29	120.5	4.63
Female Genital System	-	-	-	-	-	193	41.0	3.08	29.6	2.23
Cervix uteri	-	-	-	-	-	19	4.2	1.01	3.2	0.74
Uterus Corpus	-	-	-	-	-	114	24.4	2.39	17.7	1.73
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	41	8.6	1.41	6.3	1.05
Male Genital System	556	117.0	5.16	82.7	3.58	-	-	-	-	-
Prostate	508	109.8	5.03	76.6	3.45	-	-	-	-	-
Testis	46	6.7	1.06	5.9	0.93	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	182	40.9	3.13	26.0	2.01	71	15.3	1.92	8.9	1.13
Bladder (incl. *in situ*)	112	26.0	2.55	15.0	1.46	40	9.2	1.52	4.9	0.83
Kidney & renal pelvis	67	14.2	1.78	10.5	1.36	30	5.9	1.16	3.9	0.76
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	1.9	0.76	1.3	0.65	-	-	-	-	-
Brain & Other Nervous System	37	7.9	1.38	5.3	0.99	33	7.4	1.40	6.3	1.42
Brain	35	7.4	1.33	5.0	0.97	31	7.0	1.37	6.0	1.40
Endocrine System	61	10.5	1.44	8.8	1.18	137	24.3	2.38	21.3	2.18
Thyroid gland	56	9.4	1.34	8.0	1.12	134	23.7	2.35	20.5	2.09
Lymphomas	124	25.7	2.44	17.4	1.64	66	11.3	1.52	8.4	1.16
Hodgkin Lymphoma	23	4.1	0.93	3.6	0.84	20	2.4	0.62	2.2	0.54
Non-Hodgkin Lymphoma	101	21.6	2.25	13.7	1.41	46	8.9	1.38	6.1	1.02
Multiple Myeloma	20	4.5	1.05	2.8	0.65	14	2.8	0.79	1.7	0.49
Leukemias	61	13.2	1.79	7.9	1.09	33	6.7	1.32	5.4	1.27
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	19	4.6	1.08	2.3	0.55	11	2.1	0.63	1.5	0.48
Acute myeloid	15	2.9	0.82	1.9	0.51	12	2.4	0.78	1.8	0.55
Chronic myeloid	8	1.7	0.63	1.2	0.50	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	8	1.8	0.67	1.1	0.40	-	-	-	-	-
Kaposi Sarcoma	9	1.4	0.51	1.2	0.41	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	53	12.2	1.75	8.0	1.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	26	5.7	1.15	3.9	0.82	49	9.8	1.54	7.8	1.42
Breast (*in situ*)	-	-	-	-	-	227	52.0	3.59	40.1	2.74

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
District of Columbia, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	4,802	654.2	9.68	463.1	6.90	4,638	453.3	6.83	322.2	5.16
Oral Cavity & Pharynx	175	22.4	1.74	17.2	1.32	57	5.9	0.81	4.4	0.63
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	47	6.0	0.89	4.8	0.70	18	1.8	0.43	1.2	0.31
Major salivary gland	9	1.2	0.41	0.8	0.28	10	1.2	0.37	1.0	0.34
Floor of mouth	12	1.3	0.39	1.2	0.34	-	-	-	-	-
Gum & other mouth	23	3.1	0.66	2.2	0.47	10	0.9	0.28	0.7	0.21
Nasopharynx	12	1.7	0.50	1.3	0.39	-	-	-	-	-
Oropharynx	11	1.4	0.42	1.1	0.35	-	-	-	-	-
Hypopharynx	21	2.7	0.62	2.0	0.45	-	-	-	-	-
Digestive System	1,083	147.5	4.60	102.6	3.20	1,010	95.1	3.06	63.9	2.21
Esophagus	64	8.7	1.11	6.0	0.77	33	3.1	0.55	2.2	0.41
Stomach	96	14.1	1.47	8.6	0.91	80	7.4	0.85	4.5	0.56
Small intestine	41	5.7	0.92	3.9	0.62	39	3.7	0.60	2.8	0.47
Colon excl. rectum	338	47.5	2.65	31.7	1.78	396	37.4	1.92	24.7	1.36
Rectum & rectosigmoid	116	15.7	1.49	11.1	1.06	111	11.0	1.07	7.8	0.80
Anus, anal canal & anorectum	25	3.4	0.70	2.8	0.56	19	1.9	0.45	1.5	0.36
Liver	228	27.9	1.89	22.0	1.48	82	7.6	0.85	5.9	0.70
Gallbladder	8	1.3	0.46	0.7	0.26	28	2.8	0.53	2.2	0.42
Pancreas	146	20.2	1.71	14.0	1.19	179	16.3	1.24	9.6	0.80
Respiratory System	826	112.8	4.02	77.0	2.75	636	60.1	2.43	40.2	1.72
Larynx	91	12.2	1.31	8.9	0.95	19	1.8	0.42	1.3	0.31
Lung & bronchus	725	99.4	3.78	67.2	2.56	610	57.4	2.37	38.3	1.68
Bones & Joints	13	1.8	0.50	1.8	0.52	6	0.7	0.28	0.7	0.32
Soft Tissue (incl. heart)	25	3.5	0.70	2.8	0.62	30	3.1	0.59	2.3	0.49
Skin (excl. basal & sq.)	15	2.3	0.60	1.7	0.48	15	1.5	0.40	1.1	0.33
Melanomas of the skin	8	1.2	0.42	0.7	0.26	7	0.7	0.26	0.5	0.21
Breast (excl. *in situ*)	19	2.5	0.60	1.8	0.42	1,371	137.9	3.83	100.2	2.89
Female Genital System	-	-	-	-	-	610	59.8	2.49	44.5	1.92
Cervix uteri	-	-	-	-	-	100	11.3	1.16	8.6	0.90
Uterus Corpus	-	-	-	-	-	325	30.5	1.72	22.5	1.32
Uterus, NOS[1]	-	-	-	-	-	17	1.6	0.40	1.1	0.30
Ovary	-	-	-	-	-	118	11.5	1.09	8.6	0.85
Male Genital System	1,637	218.3	5.53	157.5	3.98	-	-	-	-	-
Prostate	1,619	215.9	5.50	155.3	3.94	-	-	-	-	-
Testis	12	1.7	0.50	1.6	0.47	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	355	49.6	2.70	32.8	1.81	225	21.1	1.44	14.2	1.05
Bladder (incl. *in situ*)	173	24.9	1.93	14.8	1.18	96	8.5	0.89	5.2	0.63
Kidney & renal pelvis	175	23.7	1.84	17.4	1.36	125	12.3	1.12	8.8	0.84
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	46	6.4	0.97	5.5	0.87	31	3.7	0.68	3.6	0.74
Brain	41	5.7	0.92	4.8	0.80	29	3.4	0.64	3.3	0.69
Endocrine System	55	7.6	1.06	5.6	0.80	160	17.5	1.43	14.1	1.18
Thyroid gland	50	6.9	1.00	5.0	0.74	154	16.9	1.41	13.7	1.16
Lymphomas	197	27.4	2.01	21.5	1.59	158	16.5	1.35	12.7	1.10
Hodgkin Lymphoma	37	5.4	0.90	4.4	0.75	24	2.8	0.60	2.5	0.53
Non-Hodgkin Lymphoma	160	22.1	1.79	17.1	1.41	134	13.6	1.21	10.2	0.96
Multiple Myeloma	103	14.6	1.48	9.4	0.95	87	8.1	0.89	5.3	0.63
Leukemias	83	12.5	1.40	8.8	1.07	75	7.3	0.86	5.5	0.77
Acute lymphocytic	13	1.9	0.52	2.5	0.71	11	1.3	0.39	1.4	0.48
Chronic lymphocytic	28	4.2	0.81	2.4	0.48	26	2.3	0.47	1.5	0.33
Acute myeloid	13	2.0	0.56	1.1	0.33	23	2.3	0.48	1.8	0.45
Chronic myeloid	11	1.6	0.49	1.1	0.34	-	-	-	-	-
Other leukemias	18	2.8	0.68	1.7	0.43	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	26	4.0	0.79	3.5	0.71	-	-	-	-	-
Ill-defined & Unknown	136	19.9	1.75	12.6	1.12	160	14.2	1.16	8.7	0.79
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	60	8.2	1.09	6.4	0.88	143	14.9	1.29	11.4	1.07
Breast (*in situ*)	-	-	-	-	-	340	33.8	1.88	24.8	1.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	285,025	502.1	0.95	337.2	0.68	256,807	400.2	0.81	279.3	0.62
Oral Cavity & Pharynx	11,264	19.9	0.19	14.8	0.15	4,279	6.7	0.11	4.8	0.08
Lip	347	0.6	0.03	0.4	0.03	143	0.2	0.02	0.1	0.01
Tongue	3,537	6.2	0.11	4.7	0.08	1,240	1.9	0.06	1.4	0.04
Major salivary gland	908	1.6	0.06	1.0	0.04	536	0.9	0.04	0.6	0.03
Floor of mouth	593	1.0	0.04	0.8	0.03	230	0.3	0.02	0.2	0.02
Gum & other mouth	1,102	2.0	0.06	1.4	0.04	747	1.1	0.04	0.7	0.03
Nasopharynx	441	0.8	0.04	0.7	0.03	188	0.3	0.02	0.3	0.02
Oropharynx	617	1.1	0.04	0.8	0.03	225	0.3	0.02	0.3	0.02
Hypopharynx	806	1.4	0.05	1.0	0.04	215	0.3	0.02	0.2	0.02
Digestive System	52,932	93.5	0.41	61.2	0.28	42,382	62.3	0.31	39.4	0.22
Esophagus	4,572	7.9	0.12	5.2	0.08	1,223	1.8	0.05	1.1	0.03
Stomach	4,575	8.1	0.12	5.1	0.08	2,827	4.3	0.08	2.7	0.06
Small intestine	1,313	2.3	0.07	1.5	0.05	1,064	1.6	0.05	1.1	0.04
Colon excl. rectum	17,929	31.8	0.24	19.8	0.16	17,994	26.2	0.20	15.9	0.14
Rectum & rectosigmoid	7,405	13.2	0.15	9.2	0.11	5,247	8.0	0.11	5.5	0.08
Anus, anal canal & anorectum	973	1.8	0.06	1.3	0.04	1,659	2.6	0.07	1.9	0.05
Liver	5,805	10.1	0.13	7.5	0.10	1,920	2.9	0.07	2.0	0.05
Gallbladder	439	0.8	0.04	0.5	0.02	825	1.2	0.04	0.7	0.03
Pancreas	7,750	13.5	0.16	8.6	0.10	7,219	10.3	0.12	6.2	0.08
Respiratory System	48,454	84.0	0.38	53.4	0.26	39,633	57.6	0.29	37.1	0.21
Larynx	3,979	6.9	0.11	4.9	0.08	935	1.4	0.05	1.1	0.04
Lung & bronchus	43,791	75.8	0.36	47.5	0.24	38,281	55.5	0.29	35.5	0.20
Bones & Joints	599	1.2	0.05	1.2	0.05	477	0.9	0.04	0.9	0.05
Soft Tissue (incl. heart)	2,062	3.9	0.09	2.9	0.07	1,631	2.8	0.07	2.2	0.07
Skin (excl. basal & sq.)	15,960	28.8	0.23	18.3	0.16	9,476	15.6	0.17	11.3	0.13
Melanomas of the skin	14,618	26.4	0.22	16.9	0.15	8,844	14.6	0.16	10.7	0.13
Breast (excl. *in situ*)	885	1.6	0.05	1.0	0.04	71,908	115.2	0.44	83.3	0.34
Female Genital System	-	-	-	-	-	29,122	46.9	0.28	34.8	0.22
Cervix uteri	-	-	-	-	-	4,645	8.9	0.14	7.1	0.11
Uterus Corpus	-	-	-	-	-	14,017	21.5	0.19	16.0	0.14
Uterus, NOS[1]	-	-	-	-	-	615	0.9	0.04	0.7	0.03
Ovary	-	-	-	-	-	7,429	11.7	0.14	8.4	0.11
Male Genital System	73,136	124.7	0.47	89.5	0.35	-	-	-	-	-
Prostate	70,471	118.9	0.45	84.3	0.33	-	-	-	-	-
Testis	2,096	4.8	0.11	4.5	0.10	-	-	-	-	-
Penis	445	0.8	0.04	0.5	0.03	-	-	-	-	-
Urinary System	31,272	55.1	0.31	33.7	0.21	12,531	18.6	0.17	12.1	0.12
Bladder (incl. *in situ*)	19,904	34.9	0.25	19.7	0.15	5,952	8.4	0.11	5.0	0.07
Kidney & renal pelvis	10,713	19.1	0.19	13.4	0.14	6,208	9.6	0.13	6.8	0.10
Ureter	450	0.8	0.04	0.4	0.02	275	0.4	0.02	0.2	0.01
Eye & Orbit	544	1.0	0.04	0.8	0.04	434	0.7	0.04	0.6	0.04
Brain & Other Nervous System	3,939	7.6	0.12	6.3	0.11	3,198	5.6	0.10	4.7	0.10
Brain	3,717	7.2	0.12	5.9	0.11	2,970	5.1	0.10	4.3	0.09
Endocrine System	3,307	6.4	0.11	5.1	0.10	9,207	17.7	0.19	14.6	0.16
Thyroid gland	2,913	5.6	0.11	4.3	0.08	8,872	17.1	0.19	14.0	0.16
Lymphomas	13,215	24.6	0.22	17.2	0.17	10,888	17.3	0.17	12.2	0.14
Hodgkin Lymphoma	1,395	3.0	0.08	2.6	0.07	1,159	2.3	0.07	2.2	0.07
Non-Hodgkin Lymphoma	11,820	21.7	0.20	14.6	0.15	9,729	14.9	0.16	10.1	0.12
Multiple Myeloma	3,955	7.0	0.11	4.4	0.08	3,195	4.7	0.09	3.1	0.06
Leukemias	8,615	16.0	0.18	11.4	0.14	6,295	10.1	0.13	7.7	0.12
Acute lymphocytic	890	2.0	0.07	2.4	0.09	720	1.6	0.06	1.9	0.08
Chronic lymphocytic	2,784	4.9	0.09	2.9	0.06	1,925	2.7	0.06	1.6	0.04
Acute myeloid	2,634	4.9	0.10	3.2	0.07	2,002	3.2	0.08	2.3	0.06
Chronic myeloid	1,104	2.1	0.06	1.4	0.05	817	1.3	0.05	0.9	0.04
Other leukemias	1,203	2.2	0.07	1.5	0.05	831	1.3	0.05	0.9	0.04
Mesothelioma	860	1.5	0.05	0.8	0.03	259	0.4	0.02	0.2	0.02
Kaposi Sarcoma	451	1.0	0.05	0.8	0.04	59	0.1	0.01	0.1	0.01
Ill-defined & Unknown	13,575	24.3	0.21	14.4	0.14	11,833	16.9	0.16	10.1	0.11
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	4,415	8.4	0.13	6.1	0.10	9,442	15.0	0.16	10.6	0.13
Breast (*in situ*)	123	0.2	0.02	0.2	0.02	16,591	27.1	0.22	20.3	0.17

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	248,989	498.3	1.01	334.5	0.74	223,888	405.1	0.90	283.3	0.70
Oral Cavity & Pharynx	10,218	20.8	0.21	15.6	0.16	3,816	6.9	0.12	4.9	0.09
Lip	332	0.7	0.04	0.5	0.03	133	0.2	0.02	0.1	0.01
Tongue	3,286	6.6	0.12	5.0	0.09	1,137	2.1	0.06	1.5	0.05
Major salivary gland	826	1.7	0.06	1.1	0.04	456	0.9	0.04	0.6	0.03
Floor of mouth	537	1.1	0.05	0.8	0.04	206	0.4	0.03	0.3	0.02
Gum & other mouth	967	2.0	0.06	1.4	0.05	665	1.1	0.05	0.8	0.03
Nasopharynx	336	0.7	0.04	0.6	0.03	147	0.3	0.03	0.2	0.02
Oropharynx	538	1.1	0.05	0.8	0.04	203	0.4	0.03	0.3	0.02
Hypopharynx	695	1.4	0.05	1.0	0.04	189	0.3	0.02	0.2	0.02
Digestive System	45,625	91.3	0.43	59.7	0.30	36,118	60.5	0.33	38.1	0.23
Esophagus	4,173	8.2	0.13	5.5	0.09	1,061	1.7	0.05	1.1	0.04
Stomach	3,679	7.4	0.12	4.6	0.08	2,178	3.7	0.08	2.3	0.06
Small intestine	1,123	2.3	0.07	1.5	0.05	881	1.5	0.05	1.0	0.04
Colon excl. rectum	15,364	30.8	0.25	19.0	0.17	15,433	25.4	0.21	15.2	0.14
Rectum & rectosigmoid	6,451	13.1	0.17	9.1	0.12	4,525	8.0	0.12	5.5	0.09
Anus, anal canal & anorectum	869	1.9	0.07	1.4	0.05	1,503	2.8	0.07	2.0	0.06
Liver	4,818	9.6	0.14	7.1	0.11	1,552	2.6	0.07	1.8	0.05
Gallbladder	361	0.7	0.04	0.4	0.02	665	1.1	0.04	0.7	0.03
Pancreas	6,865	13.5	0.16	8.6	0.11	6,233	10.0	0.13	6.1	0.09
Respiratory System	43,396	84.6	0.41	53.8	0.28	36,429	60.5	0.32	39.1	0.23
Larynx	3,484	6.9	0.12	4.9	0.09	852	1.5	0.05	1.1	0.04
Lung & bronchus	39,299	76.3	0.39	47.9	0.26	35,213	58.3	0.32	37.5	0.22
Bones & Joints	511	1.3	0.06	1.2	0.06	401	1.0	0.05	1.0	0.06
Soft Tissue (incl. heart)	1,793	3.9	0.10	2.9	0.08	1,326	2.7	0.08	2.1	0.08
Skin (excl. basal & sq.)	15,384	31.6	0.26	20.4	0.18	9,010	17.7	0.20	13.0	0.16
Melanomas of the skin	14,123	29.0	0.25	19.0	0.18	8,459	16.8	0.19	12.4	0.16
Breast (excl. *in situ*)	754	1.5	0.06	1.0	0.04	61,814	115.5	0.49	83.5	0.37
Female Genital System	-	-	-	-	-	24,655	46.8	0.31	34.8	0.25
Cervix uteri	-	-	-	-	-	3,586	8.6	0.15	6.9	0.12
Uterus Corpus	-	-	-	-	-	11,927	21.4	0.20	16.0	0.16
Uterus, NOS[1]	-	-	-	-	-	447	0.8	0.04	0.5	0.03
Ovary	-	-	-	-	-	6,568	12.1	0.16	8.8	0.12
Male Genital System	59,950	116.4	0.48	83.4	0.36	-	-	-	-	-
Prostate	57,563	109.8	0.46	77.4	0.34	-	-	-	-	-
Testis	1,920	5.6	0.13	5.3	0.12	-	-	-	-	-
Penis	363	0.7	0.04	0.5	0.03	-	-	-	-	-
Urinary System	28,765	57.0	0.34	34.9	0.23	11,257	19.1	0.19	12.5	0.14
Bladder (incl. *in situ*)	18,680	36.4	0.27	20.7	0.17	5,497	8.8	0.12	5.2	0.08
Kidney & renal pelvis	9,472	19.3	0.20	13.5	0.15	5,432	9.8	0.14	6.9	0.11
Ureter	430	0.8	0.04	0.5	0.02	255	0.4	0.03	0.2	0.02
Eye & Orbit	513	1.1	0.05	0.9	0.05	404	0.8	0.04	0.7	0.05
Brain & Other Nervous System	3,492	8.0	0.14	6.6	0.13	2,859	6.0	0.12	5.2	0.12
Brain	3,313	7.5	0.14	6.2	0.13	2,666	5.5	0.11	4.7	0.12
Endocrine System	2,941	6.8	0.13	5.4	0.11	7,774	18.6	0.22	15.4	0.19
Thyroid gland	2,635	6.0	0.12	4.7	0.10	7,524	18.0	0.22	14.8	0.19
Lymphomas	11,640	24.9	0.24	17.4	0.18	9,501	17.4	0.19	12.3	0.15
Hodgkin Lymphoma	1,161	3.1	0.09	2.7	0.09	943	2.4	0.08	2.2	0.08
Non-Hodgkin Lymphoma	10,479	21.8	0.22	14.7	0.16	8,558	15.0	0.17	10.0	0.13
Multiple Myeloma	3,128	6.2	0.11	3.9	0.08	2,397	4.0	0.09	2.6	0.06
Leukemias	7,630	16.3	0.19	11.7	0.17	5,485	10.3	0.15	7.9	0.15
Acute lymphocytic	753	2.2	0.08	2.6	0.11	611	1.8	0.07	2.2	0.10
Chronic lymphocytic	2,567	5.1	0.10	3.0	0.07	1,743	2.8	0.07	1.6	0.05
Acute myeloid	2,306	4.8	0.10	3.2	0.08	1,721	3.2	0.08	2.3	0.07
Chronic myeloid	955	2.0	0.07	1.3	0.05	695	1.3	0.05	0.9	0.04
Other leukemias	1,049	2.2	0.07	1.5	0.05	715	1.3	0.05	0.9	0.04
Mesothelioma	822	1.6	0.06	0.9	0.03	243	0.4	0.03	0.3	0.02
Kaposi Sarcoma	295	0.8	0.05	0.6	0.04	33	0.1	0.01	0.0	0.01
Ill-defined & Unknown	12,132	24.3	0.22	14.4	0.15	10,366	16.7	0.17	9.9	0.12
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	3,783	8.4	0.14	6.1	0.11	7,894	14.7	0.18	10.4	0.14
Breast (*in situ*)	104	0.2	0.02	0.2	0.02	14,049	27.1	0.24	20.3	0.18

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,988	519.4	3.25	355.0	2.11	26,038	358.4	2.26	251.7	1.60
Oral Cavity & Pharynx	789	12.9	0.48	9.6	0.35	360	4.8	0.26	3.6	0.19
Lip	-	-	-	-	-	8	0.1	0.04	0.1	0.03
Tongue	177	2.9	0.22	2.2	0.16	66	0.9	0.11	0.6	0.08
Major salivary gland	62	1.0	0.14	0.7	0.09	63	0.8	0.11	0.6	0.08
Floor of mouth	46	0.8	0.13	0.6	0.08	20	0.3	0.06	0.2	0.04
Gum & other mouth	92	1.5	0.16	1.1	0.12	70	1.0	0.12	0.7	0.08
Nasopharynx	75	1.1	0.13	0.9	0.11	30	0.4	0.07	0.3	0.06
Oropharynx	70	1.2	0.15	0.8	0.10	17	0.2	0.05	0.2	0.04
Hypopharynx	102	1.7	0.18	1.3	0.13	21	0.3	0.06	0.2	0.05
Digestive System	5,845	107.6	1.51	70.3	0.93	5,069	72.1	1.03	46.5	0.68
Esophagus	317	5.7	0.34	3.9	0.22	131	1.9	0.17	1.2	0.11
Stomach	739	14.6	0.58	8.8	0.33	514	7.5	0.34	4.7	0.21
Small intestine	163	2.9	0.24	2.0	0.15	159	2.2	0.18	1.5	0.12
Colon excl. rectum	2,096	39.7	0.93	25.1	0.56	2,130	30.4	0.67	19.5	0.44
Rectum & rectosigmoid	717	12.7	0.51	8.6	0.33	564	7.8	0.33	5.3	0.23
Anus, anal canal & anorectum	87	1.4	0.16	1.0	0.11	127	1.7	0.15	1.3	0.11
Liver	752	11.8	0.45	9.0	0.33	260	3.5	0.22	2.5	0.16
Gallbladder	61	1.3	0.18	0.8	0.10	131	1.9	0.17	1.2	0.11
Pancreas	731	14.1	0.56	8.8	0.33	819	12.0	0.43	7.2	0.26
Respiratory System	4,279	80.7	1.32	52.0	0.81	2,627	37.4	0.74	24.5	0.49
Larynx	414	7.0	0.36	5.1	0.25	72	0.9	0.11	0.7	0.09
Lung & bronchus	3,809	72.7	1.26	46.2	0.76	2,508	35.9	0.73	23.3	0.48
Bones & Joints	67	0.9	0.12	0.9	0.10	64	0.8	0.10	0.7	0.09
Soft Tissue (incl. heart)	214	3.4	0.25	2.7	0.18	262	3.4	0.21	2.8	0.18
Skin (excl. basal & sq.)	115	2.1	0.21	1.4	0.13	137	1.9	0.16	1.4	0.12
Melanomas of the skin	67	1.3	0.17	0.8	0.10	79	1.1	0.13	0.7	0.09
Breast (excl. *in situ*)	111	2.0	0.20	1.3	0.13	7,980	107.4	1.22	78.4	0.89
Female Genital System	-	-	-	-	-	3,643	49.2	0.83	36.1	0.61
Cervix uteri	-	-	-	-	-	891	11.9	0.40	9.0	0.30
Uterus Corpus	-	-	-	-	-	1,697	23.0	0.57	16.9	0.42
Uterus, NOS[1]	-	-	-	-	-	145	2.0	0.17	1.4	0.12
Ovary	-	-	-	-	-	678	9.2	0.36	6.6	0.26
Male Genital System	11,086	194.6	1.95	138.3	1.33	-	-	-	-	-
Prostate	10,909	192.0	1.94	136.2	1.32	-	-	-	-	-
Testis	93	1.3	0.13	1.1	0.12	-	-	-	-	-
Penis	69	1.2	0.15	0.8	0.10	-	-	-	-	-
Urinary System	1,836	34.4	0.86	22.2	0.53	1,017	14.4	0.46	9.5	0.31
Bladder (incl. *in situ*)	752	15.9	0.62	9.0	0.33	333	5.1	0.28	2.9	0.16
Kidney & renal pelvis	1,045	17.7	0.58	12.7	0.40	648	8.9	0.36	6.3	0.26
Ureter	18	0.4	0.10	0.2	0.06	14	0.2	0.06	0.1	0.04
Eye & Orbit	22	0.3	0.06	0.3	0.07	21	0.3	0.06	0.3	0.07
Brain & Other Nervous System	338	4.9	0.28	4.4	0.24	272	3.6	0.22	3.0	0.19
Brain	307	4.5	0.27	4.0	0.23	244	3.2	0.21	2.6	0.18
Endocrine System	247	3.9	0.26	3.1	0.20	955	12.3	0.41	10.0	0.33
Thyroid gland	175	2.8	0.22	2.1	0.16	888	11.5	0.39	9.2	0.31
Lymphomas	1,246	20.4	0.62	14.9	0.43	1,064	14.1	0.44	10.7	0.34
Hodgkin Lymphoma	200	2.7	0.20	2.4	0.17	174	2.1	0.16	1.9	0.15
Non-Hodgkin Lymphoma	1,046	17.7	0.59	12.5	0.39	890	12.0	0.41	8.8	0.30
Multiple Myeloma	751	13.9	0.54	9.1	0.34	705	10.1	0.39	6.5	0.25
Leukemias	767	13.4	0.52	9.5	0.35	646	8.8	0.36	6.6	0.27
Acute lymphocytic	106	1.3	0.13	1.5	0.15	77	0.9	0.10	1.1	0.13
Chronic lymphocytic	161	3.1	0.26	1.9	0.15	138	2.0	0.17	1.3	0.11
Acute myeloid	252	4.6	0.31	3.1	0.20	225	3.1	0.21	2.2	0.15
Chronic myeloid	125	2.1	0.20	1.5	0.13	104	1.4	0.14	1.0	0.10
Other leukemias	123	2.3	0.22	1.5	0.14	102	1.4	0.14	1.0	0.10
Mesothelioma	24	0.5	0.12	0.3	0.06	11	0.2	0.05	0.1	0.03
Kaposi Sarcoma	140	2.1	0.18	1.7	0.14	23	0.3	0.06	0.2	0.05
Ill-defined & Unknown	1,111	21.4	0.69	13.3	0.40	1,182	17.2	0.51	10.6	0.32
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	482	8.2	0.40	5.8	0.27	1,189	16.4	0.48	11.4	0.34
Breast (*in situ*)	13	0.2	0.06	0.2	0.05	1,965	26.1	0.60	19.6	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,263	232.0	5.32	151.8	3.24	3,022	219.9	4.19	154.9	2.87
Oral Cavity & Pharynx	96	9.3	1.03	6.2	0.64	59	4.9	0.67	2.8	0.37
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	25	2.5	0.56	1.6	0.33	21	1.9	0.44	1.0	0.22
Major salivary gland	8	0.9	0.36	0.5	0.19	9	0.7	0.26	0.5	0.16
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	20	1.8	0.43	1.3	0.28	-	-	-	-	-
Nasopharynx	23	2.0	0.44	1.5	0.32	11	0.8	0.24	0.5	0.17
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	636	65.5	2.83	41.4	1.66	575	45.3	2.00	28.6	1.21
Esophagus	28	3.0	0.59	1.8	0.33	14	1.4	0.38	0.6	0.18
Stomach	78	8.6	1.08	5.0	0.57	63	4.6	0.61	3.2	0.41
Small intestine	10	0.9	0.32	0.6	0.20	12	1.0	0.30	0.6	0.17
Colon excl. rectum	175	17.7	1.47	11.6	0.88	192	14.9	1.14	9.5	0.70
Rectum & rectosigmoid	93	9.0	1.02	6.0	0.63	86	6.2	0.71	4.3	0.47
Anus, anal canal & anorectum	-	-	-	-	-	8	0.6	0.23	0.4	0.14
Liver	133	12.6	1.17	8.6	0.76	58	5.0	0.69	2.9	0.40
Gallbladder	11	1.4	0.44	0.7	0.20	18	1.5	0.38	0.9	0.22
Pancreas	63	7.2	1.00	4.2	0.53	68	5.7	0.74	3.3	0.41
Respiratory System	311	33.7	2.09	20.8	1.19	291	23.0	1.42	14.6	0.87
Larynx	21	1.9	0.42	1.4	0.32	-	-	-	-	-
Lung & bronchus	282	31.2	2.04	18.6	1.12	287	22.7	1.41	14.4	0.86
Bones & Joints	12	0.9	0.26	0.9	0.27	6	0.4	0.16	0.4	0.17
Soft Tissue (incl. heart)	17	1.4	0.35	1.3	0.32	27	2.1	0.43	1.7	0.34
Skin (excl. basal & sq.)	21	2.0	0.47	1.4	0.30	-	-	-	-	-
Melanomas of the skin	12	1.2	0.40	0.8	0.22	16	1.1	0.29	0.8	0.21
Breast (excl. *in situ*)	6	0.5	0.22	0.4	0.15	936	63.3	2.14	47.6	1.56
Female Genital System	-	-	-	-	-	380	25.9	1.38	19.2	0.99
Cervix uteri	-	-	-	-	-	76	5.2	0.62	3.8	0.43
Uterus Corpus	-	-	-	-	-	195	12.8	0.95	10.0	0.72
Uterus, NOS[1]	-	-	-	-	-	7	0.5	0.21	0.3	0.13
Ovary	-	-	-	-	-	83	5.7	0.65	4.2	0.47
Male Genital System	521	52.0	2.45	35.4	1.56	-	-	-	-	-
Prostate	495	49.7	2.40	33.5	1.52	-	-	-	-	-
Testis	16	1.1	0.28	1.2	0.32	-	-	-	-	-
Penis	7	0.6	0.25	0.4	0.16	-	-	-	-	-
Urinary System	153	16.7	1.51	10.2	0.83	79	6.7	0.80	4.1	0.50
Bladder (incl. *in situ*)	87	10.8	1.29	5.8	0.63	25	2.6	0.54	1.1	0.22
Kidney & renal pelvis	64	5.7	0.78	4.2	0.53	52	4.0	0.57	3.0	0.44
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	6	0.5	0.22	0.4	0.18
Brain & Other Nervous System	51	4.8	0.73	3.7	0.54	30	2.2	0.43	1.7	0.33
Brain	44	4.1	0.66	3.2	0.50	27	2.1	0.42	1.5	0.31
Endocrine System	54	4.4	0.63	3.8	0.54	262	17.1	1.07	13.9	0.88
Thyroid gland	45	3.7	0.58	3.0	0.46	252	16.4	1.05	13.2	0.84
Lymphomas	120	12.4	1.25	8.0	0.74	139	10.2	0.92	7.3	0.63
Hodgkin Lymphoma	11	1.0	0.35	0.8	0.24	20	1.2	0.28	1.2	0.28
Non-Hodgkin Lymphoma	109	11.4	1.20	7.2	0.70	119	9.0	0.87	6.1	0.57
Multiple Myeloma	37	4.0	0.73	2.4	0.40	42	3.4	0.56	2.1	0.32
Leukemias	99	9.6	1.06	7.3	0.77	66	4.6	0.58	4.1	0.55
Acute lymphocytic	18	1.4	0.33	1.9	0.46	-	-	-	-	-
Chronic lymphocytic	18	1.8	0.47	1.2	0.29	11	0.7	0.23	0.6	0.17
Acute myeloid	44	4.6	0.76	3.0	0.47	27	1.9	0.37	1.5	0.30
Chronic myeloid	7	0.5	0.21	0.5	0.17	7	0.4	0.17	0.3	0.13
Other leukemias	12	1.3	0.42	0.8	0.22	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	118	13.6	1.38	7.9	0.74	102	8.6	0.91	5.2	0.52
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	54	5.1	0.75	3.6	0.50	128	9.3	0.88	6.5	0.59
Breast (*in situ*)	-	-	-	-	-	249	16.8	1.10	12.6	0.80

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	77	218.9	28.04	133.9	15.54	60	138.0	18.54	92.7	12.14
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	21	57.5	13.83	36.7	8.15	13	31.4	9.08	20.1	5.64
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	16.6	7.37	10.9	4.54	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	23.8	8.22	17.4	5.62	9	19.1	6.55	14.9	5.03
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	19.5	7.61	13.3	4.79	9	19.1	6.55	14.9	5.03
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	17	39.8	10.01	26.6	6.56
Female Genital System	-	-	-	-	-	8	16.4	5.98	11.9	4.23
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	14	32.4	9.63	23.1	6.28	-	-	-	-	-
Prostate	14	32.4	9.63	23.1	6.28	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	30.2	10.35	18.6	5.69	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	9	26.1	9.93	15.1	5.13	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	9	16.9	5.69	14.3	4.83

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	36,894	452.7	2.41	300.3	1.61	36,665	347.8	1.82	243.1	1.34
Oral Cavity & Pharynx	1,281	15.1	0.43	10.7	0.31	501	4.7	0.21	3.2	0.15
Lip	44	0.5	0.08	0.3	0.05	14	0.1	0.03	0.1	0.02
Tongue	391	4.6	0.24	3.3	0.17	150	1.4	0.12	1.0	0.08
Major salivary gland	98	1.2	0.13	0.8	0.08	86	0.8	0.09	0.6	0.07
Floor of mouth	71	0.8	0.10	0.6	0.07	12	0.1	0.03	0.1	0.02
Gum & other mouth	143	1.8	0.15	1.2	0.10	104	1.0	0.10	0.6	0.07
Nasopharynx	69	0.7	0.09	0.6	0.07	31	0.3	0.05	0.2	0.04
Oropharynx	63	0.7	0.09	0.5	0.07	15	0.1	0.04	0.1	0.03
Hypopharynx	96	1.2	0.12	0.8	0.08	14	0.1	0.04	0.1	0.02
Digestive System	8,081	100.7	1.14	64.0	0.74	6,886	65.9	0.80	40.8	0.53
Esophagus	449	5.6	0.27	3.6	0.18	96	0.9	0.10	0.6	0.06
Stomach	879	11.0	0.38	6.8	0.24	658	6.3	0.25	4.0	0.17
Small intestine	171	2.1	0.16	1.3	0.11	170	1.6	0.12	1.1	0.09
Colon excl. rectum	2,825	36.1	0.69	21.9	0.43	2,823	27.1	0.51	16.2	0.33
Rectum & rectosigmoid	1,175	14.1	0.42	9.5	0.29	850	8.1	0.28	5.4	0.19
Anus, anal canal & anorectum	118	1.3	0.12	0.9	0.09	263	2.5	0.15	1.7	0.11
Liver	1,022	12.1	0.38	8.6	0.28	400	3.8	0.19	2.4	0.13
Gallbladder	78	1.0	0.12	0.6	0.07	203	1.9	0.14	1.2	0.09
Pancreas	1,022	13.0	0.41	8.0	0.26	1,055	10.1	0.31	6.0	0.20
Respiratory System	5,091	64.9	0.93	40.4	0.59	3,099	29.7	0.53	19.2	0.37
Larynx	580	7.1	0.30	4.8	0.20	108	1.0	0.10	0.7	0.07
Lung & bronchus	4,388	56.4	0.87	34.6	0.54	2,929	28.1	0.52	18.0	0.35
Bones & Joints	141	1.4	0.13	1.3	0.12	116	1.1	0.10	1.0	0.10
Soft Tissue (incl. heart)	312	3.5	0.20	2.6	0.15	275	2.6	0.16	2.0	0.13
Skin (excl. basal & sq.)	604	7.4	0.31	4.7	0.20	539	5.1	0.22	3.7	0.17
Melanomas of the skin	502	6.2	0.28	3.9	0.18	484	4.5	0.21	3.4	0.16
Breast (excl. *in situ*)	110	1.3	0.13	0.9	0.09	10,451	98.7	0.97	71.1	0.72
Female Genital System	-	-	-	-	-	4,922	46.4	0.66	34.1	0.50
Cervix uteri	-	-	-	-	-	1,043	9.8	0.30	7.6	0.24
Uterus Corpus	-	-	-	-	-	2,309	21.7	0.45	16.1	0.35
Uterus, NOS[1]	-	-	-	-	-	106	1.0	0.10	0.7	0.07
Ovary	-	-	-	-	-	1,192	11.3	0.33	8.2	0.25
Male Genital System	10,580	128.6	1.27	90.1	0.90	-	-	-	-	-
Prostate	10,020	123.3	1.25	85.3	0.87	-	-	-	-	-
Testis	453	3.9	0.19	3.9	0.19	-	-	-	-	-
Penis	90	1.1	0.12	0.7	0.08	-	-	-	-	-
Urinary System	3,685	47.0	0.79	28.7	0.49	1,580	15.1	0.38	9.7	0.26
Bladder (incl. *in situ*)	2,099	28.2	0.63	15.8	0.36	578	5.6	0.23	3.1	0.14
Kidney & renal pelvis	1,518	17.9	0.47	12.4	0.33	964	9.2	0.30	6.4	0.22
Ureter	44	0.6	0.08	0.4	0.06	26	0.2	0.05	0.1	0.03
Eye & Orbit	68	0.8	0.10	0.7	0.08	59	0.5	0.07	0.5	0.08
Brain & Other Nervous System	642	7.0	0.28	5.6	0.23	572	5.4	0.23	4.6	0.21
Brain	605	6.6	0.28	5.3	0.22	523	5.0	0.22	4.2	0.20
Endocrine System	603	6.4	0.26	5.1	0.21	2,561	23.9	0.47	19.7	0.40
Thyroid gland	547	5.8	0.25	4.5	0.20	2,478	23.2	0.47	18.9	0.39
Lymphomas	2,125	24.4	0.54	17.1	0.38	1,826	17.3	0.41	12.3	0.31
Hodgkin Lymphoma	337	3.3	0.19	2.8	0.16	239	2.2	0.14	2.0	0.13
Non-Hodgkin Lymphoma	1,788	21.0	0.51	14.3	0.35	1,587	15.1	0.38	10.3	0.27
Multiple Myeloma	533	6.7	0.30	4.2	0.19	506	4.8	0.21	3.2	0.15
Leukemias	1,247	14.5	0.42	10.7	0.32	1,053	10.0	0.31	8.2	0.28
Acute lymphocytic	267	2.5	0.16	3.0	0.19	245	2.3	0.15	2.8	0.19
Chronic lymphocytic	256	3.4	0.21	2.0	0.13	186	1.8	0.13	1.1	0.09
Acute myeloid	386	4.6	0.24	3.1	0.16	357	3.4	0.18	2.5	0.14
Chronic myeloid	177	2.1	0.16	1.4	0.11	140	1.3	0.11	0.9	0.08
Other leukemias	161	1.9	0.16	1.3	0.11	125	1.2	0.10	0.9	0.09
Mesothelioma	55	0.7	0.10	0.4	0.06	45	0.4	0.06	0.3	0.04
Kaposi Sarcoma	114	1.2	0.11	0.9	0.09	12	0.1	0.03	0.0	0.02
Ill-defined & Unknown	1,622	21.2	0.54	12.1	0.31	1,662	15.9	0.39	9.3	0.25
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	790	9.1	0.33	6.4	0.23	1,829	17.3	0.41	12.1	0.30
Breast (*in situ*)	17	0.2	0.05	0.1	0.04	2,531	23.8	0.47	18.0	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	214,586	512.0	1.14	345.2	0.85	189,628	420.6	1.04	294.5	0.82
Oral Cavity & Pharynx	9,018	22.5	0.24	16.9	0.19	3,338	7.5	0.14	5.4	0.11
Lip	290	0.8	0.05	0.5	0.04	119	0.3	0.02	0.2	0.02
Tongue	2,918	7.2	0.14	5.5	0.11	994	2.3	0.08	1.6	0.06
Major salivary gland	735	1.8	0.07	1.1	0.05	373	0.9	0.05	0.6	0.04
Floor of mouth	472	1.2	0.06	0.9	0.04	194	0.4	0.03	0.3	0.02
Gum & other mouth	831	2.1	0.07	1.5	0.06	565	1.2	0.05	0.8	0.04
Nasopharynx	274	0.7	0.05	0.6	0.04	117	0.3	0.03	0.2	0.02
Oropharynx	480	1.2	0.06	0.9	0.04	190	0.4	0.03	0.3	0.02
Hypopharynx	603	1.5	0.06	1.1	0.05	175	0.4	0.03	0.3	0.02
Digestive System	38,037	90.5	0.48	59.5	0.34	29,696	60.0	0.37	37.9	0.27
Esophagus	3,746	8.7	0.15	5.8	0.10	973	1.9	0.06	1.2	0.04
Stomach	2,866	6.7	0.13	4.2	0.09	1,578	3.2	0.09	2.0	0.06
Small intestine	964	2.3	0.08	1.5	0.06	722	1.5	0.06	1.1	0.05
Colon excl. rectum	12,689	30.1	0.27	18.8	0.19	12,779	25.2	0.24	15.1	0.16
Rectum & rectosigmoid	5,340	13.1	0.19	9.2	0.14	3,727	8.2	0.14	5.6	0.11
Anus, anal canal & anorectum	754	2.0	0.08	1.5	0.06	1,254	2.9	0.09	2.1	0.07
Liver	3,884	9.3	0.15	6.9	0.12	1,180	2.5	0.08	1.7	0.06
Gallbladder	289	0.7	0.04	0.4	0.02	477	0.9	0.04	0.6	0.03
Pancreas	5,902	13.6	0.18	8.7	0.13	5,271	10.1	0.14	6.1	0.10
Respiratory System	38,621	88.7	0.46	56.8	0.32	33,503	67.0	0.38	43.5	0.27
Larynx	2,940	7.0	0.13	5.0	0.10	746	1.6	0.06	1.2	0.05
Lung & bronchus	35,185	80.3	0.43	50.8	0.30	32,454	64.7	0.37	41.8	0.26
Bones & Joints	379	1.3	0.07	1.2	0.08	289	1.0	0.06	0.9	0.07
Soft Tissue (incl. heart)	1,504	4.1	0.11	3.1	0.10	1,073	2.7	0.09	2.2	0.09
Skin (excl. basal & sq.)	14,810	36.8	0.32	24.2	0.23	8,504	21.5	0.26	16.0	0.21
Melanomas of the skin	13,644	34.1	0.30	22.6	0.22	8,001	20.4	0.25	15.3	0.21
Breast (excl. *in situ*)	655	1.6	0.06	1.0	0.04	52,065	120.4	0.57	87.2	0.43
Female Genital System	-	-	-	-	-	20,063	47.3	0.36	35.2	0.29
Cervix uteri	-	-	-	-	-	2,632	8.6	0.18	6.9	0.15
Uterus Corpus	-	-	-	-	-	9,760	21.5	0.23	16.0	0.18
Uterus, NOS[1]	-	-	-	-	-	352	0.8	0.04	0.5	0.03
Ovary	-	-	-	-	-	5,446	12.4	0.18	8.9	0.14
Male Genital System	50,194	115.9	0.53	83.4	0.40	-	-	-	-	-
Prostate	48,334	108.6	0.50	76.9	0.37	-	-	-	-	-
Testis	1,495	6.3	0.17	5.9	0.16	-	-	-	-	-
Penis	278	0.7	0.04	0.4	0.03	-	-	-	-	-
Urinary System	25,288	58.9	0.38	36.2	0.26	9,767	20.1	0.22	13.1	0.16
Bladder (incl. *in situ*)	16,703	38.0	0.30	21.7	0.19	4,959	9.5	0.14	5.7	0.10
Kidney & renal pelvis	8,035	19.7	0.23	13.8	0.17	4,516	10.0	0.16	7.1	0.13
Ureter	387	0.9	0.04	0.5	0.03	230	0.4	0.03	0.2	0.02
Eye & Orbit	448	1.2	0.06	0.9	0.06	349	0.9	0.05	0.8	0.06
Brain & Other Nervous System	2,904	8.4	0.17	7.0	0.16	2,313	6.2	0.14	5.3	0.15
Brain	2,760	7.9	0.16	6.6	0.16	2,167	5.7	0.14	4.9	0.14
Endocrine System	2,368	7.0	0.15	5.6	0.14	5,379	17.0	0.25	14.2	0.22
Thyroid gland	2,113	6.1	0.14	4.8	0.12	5,203	16.5	0.25	13.6	0.21
Lymphomas	9,651	25.0	0.27	17.5	0.21	7,792	17.4	0.22	12.3	0.18
Hodgkin Lymphoma	845	3.0	0.11	2.7	0.11	720	2.5	0.10	2.3	0.10
Non-Hodgkin Lymphoma	8,806	22.0	0.24	14.7	0.19	7,072	14.9	0.19	10.0	0.15
Multiple Myeloma	2,644	6.2	0.12	3.8	0.08	1,946	3.9	0.09	2.5	0.07
Leukemias	6,470	16.6	0.22	11.8	0.19	4,493	10.2	0.17	7.6	0.17
Acute lymphocytic	505	2.0	0.10	2.5	0.13	376	1.5	0.08	1.9	0.12
Chronic lymphocytic	2,324	5.4	0.11	3.2	0.07	1,569	3.0	0.08	1.7	0.05
Acute myeloid	1,945	4.8	0.11	3.2	0.09	1,384	3.2	0.09	2.3	0.08
Chronic myeloid	792	2.0	0.08	1.3	0.06	561	1.3	0.06	0.9	0.05
Other leukemias	904	2.3	0.08	1.5	0.06	603	1.3	0.06	0.9	0.05
Mesothelioma	770	1.7	0.06	0.9	0.04	198	0.4	0.03	0.2	0.02
Kaposi Sarcoma	191	0.6	0.05	0.5	0.04	22	0.1	0.01	0.0	0.01
Ill-defined & Unknown	10,634	25.1	0.25	15.0	0.17	8,838	17.1	0.19	10.1	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	3,051	8.3	0.16	6.1	0.14	6,228	14.4	0.20	10.1	0.16
Breast (*in situ*)	89	0.2	0.03	0.2	0.02	11,703	28.0	0.28	21.0	0.21

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Florida, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	27,915	533.2	3.40	364.3	2.21	25,021	365.9	2.36	256.9	1.67
Oral Cavity & Pharynx	754	13.1	0.50	9.8	0.36	350	5.0	0.27	3.7	0.20
Lip	-	-	-	-	-	8	0.1	0.04	0.1	0.03
Tongue	163	2.8	0.23	2.1	0.17	62	0.9	0.12	0.6	0.08
Major salivary gland	59	1.1	0.15	0.7	0.10	61	0.9	0.11	0.7	0.09
Floor of mouth	44	0.8	0.14	0.6	0.09	20	0.3	0.07	0.2	0.05
Gum & other mouth	89	1.5	0.17	1.2	0.13	68	1.0	0.13	0.7	0.09
Nasopharynx	72	1.1	0.14	0.9	0.11	30	0.4	0.07	0.3	0.06
Oropharynx	69	1.2	0.16	0.9	0.11	17	0.2	0.06	0.2	0.04
Hypopharynx	101	1.8	0.18	1.3	0.13	21	0.3	0.07	0.2	0.05
Digestive System	5,654	111.0	1.58	72.5	0.98	4,887	73.7	1.07	47.6	0.70
Esophagus	304	5.8	0.35	3.9	0.23	126	1.9	0.17	1.2	0.11
Stomach	714	15.1	0.61	9.1	0.35	489	7.5	0.35	4.7	0.22
Small intestine	157	3.0	0.25	2.0	0.16	153	2.3	0.19	1.6	0.13
Colon excl. rectum	2,045	41.2	0.98	26.1	0.59	2,061	31.2	0.70	20.0	0.45
Rectum & rectosigmoid	696	13.1	0.53	8.9	0.34	544	8.0	0.35	5.4	0.24
Anus, anal canal & anorectum	86	1.5	0.17	1.1	0.12	120	1.7	0.16	1.3	0.12
Liver	712	11.8	0.47	9.1	0.35	255	3.7	0.23	2.6	0.17
Gallbladder	59	1.3	0.18	0.8	0.10	121	1.8	0.17	1.2	0.11
Pancreas	706	14.5	0.58	9.1	0.35	788	12.3	0.45	7.4	0.27
Respiratory System	4,139	83.2	1.38	53.6	0.84	2,559	38.6	0.78	25.4	0.52
Larynx	397	7.1	0.38	5.2	0.26	72	1.0	0.12	0.8	0.09
Lung & bronchus	3,687	75.1	1.32	47.7	0.80	2,441	36.9	0.76	24.1	0.50
Bones & Joints	60	0.8	0.11	0.8	0.11	64	0.9	0.11	0.8	0.10
Soft Tissue (incl. heart)	205	3.5	0.26	2.7	0.19	246	3.4	0.22	2.8	0.19
Skin (excl. basal & sq.)	109	2.1	0.22	1.4	0.13	129	1.9	0.17	1.4	0.12
Melanomas of the skin	65	1.4	0.19	0.8	0.10	74	1.1	0.13	0.7	0.09
Breast (excl. *in situ*)	107	2.0	0.21	1.4	0.14	7,670	109.7	1.27	80.0	0.93
Female Genital System	-	-	-	-	-	3,485	50.0	0.86	36.7	0.63
Cervix uteri	-	-	-	-	-	844	12.0	0.42	9.1	0.32
Uterus Corpus	-	-	-	-	-	1,623	23.4	0.59	17.1	0.43
Uterus, NOS[1]	-	-	-	-	-	140	2.0	0.18	1.5	0.13
Ovary	-	-	-	-	-	650	9.4	0.37	6.7	0.27
Male Genital System	10,685	199.7	2.04	141.8	1.39	-	-	-	-	-
Prostate	10,517	197.0	2.03	139.7	1.38	-	-	-	-	-
Testis	87	1.3	0.14	1.1	0.12	-	-	-	-	-
Penis	66	1.2	0.16	0.8	0.10	-	-	-	-	-
Urinary System	1,777	35.5	0.91	22.9	0.55	997	15.0	0.48	9.9	0.33
Bladder (incl. *in situ*)	723	16.3	0.65	9.2	0.35	323	5.2	0.29	2.9	0.17
Kidney & renal pelvis	1,020	18.4	0.61	13.2	0.42	639	9.3	0.37	6.6	0.27
Ureter	17	0.4	0.10	0.2	0.06	14	0.2	0.06	0.1	0.04
Eye & Orbit	21	0.3	0.07	0.3	0.07	18	0.2	0.06	0.3	0.07
Brain & Other Nervous System	307	4.7	0.29	4.3	0.25	261	3.7	0.23	3.0	0.20
Brain	277	4.3	0.27	3.9	0.24	234	3.3	0.22	2.7	0.18
Endocrine System	239	4.0	0.27	3.2	0.21	880	12.2	0.42	9.8	0.34
Thyroid gland	169	2.9	0.23	2.2	0.17	818	11.3	0.40	9.1	0.32
Lymphomas	1,184	20.7	0.64	15.2	0.45	1,017	14.4	0.46	11.0	0.35
Hodgkin Lymphoma	191	2.8	0.21	2.5	0.18	169	2.2	0.17	2.0	0.16
Non-Hodgkin Lymphoma	993	17.9	0.61	12.7	0.41	848	12.2	0.43	8.9	0.31
Multiple Myeloma	721	14.2	0.56	9.3	0.35	673	10.2	0.40	6.6	0.26
Leukemias	731	13.7	0.55	9.6	0.36	614	9.0	0.37	6.6	0.28
Acute lymphocytic	94	1.2	0.13	1.5	0.15	70	0.9	0.11	1.0	0.13
Chronic lymphocytic	157	3.2	0.28	2.0	0.16	131	2.0	0.18	1.3	0.11
Acute myeloid	241	4.7	0.33	3.1	0.20	217	3.2	0.22	2.3	0.16
Chronic myeloid	121	2.2	0.22	1.5	0.14	102	1.5	0.15	1.1	0.11
Other leukemias	118	2.3	0.23	1.5	0.14	94	1.4	0.14	1.0	0.10
Mesothelioma	23	0.6	0.13	0.3	0.06	11	0.2	0.05	0.1	0.03
Kaposi Sarcoma	136	2.2	0.20	1.8	0.15	23	0.3	0.07	0.3	0.05
Ill-defined & Unknown	1,063	21.8	0.72	13.6	0.42	1,137	17.6	0.53	10.9	0.34
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	463	8.4	0.42	5.9	0.28	1,138	16.7	0.50	11.6	0.35
Breast (*in situ*)	13	0.2	0.07	0.2	0.05	1,884	26.6	0.62	19.9	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	115,079	554.5	1.72	368.5	1.10	104,708	409.0	1.28	285.6	0.92
Oral Cavity & Pharynx	4,082	18.2	0.30	13.1	0.21	1,689	6.5	0.16	4.5	0.11
Lip	126	0.7	0.06	0.4	0.03	51	0.2	0.03	0.1	0.02
Tongue	1,198	5.2	0.16	3.9	0.11	481	1.8	0.09	1.3	0.06
Major salivary gland	383	2.0	0.11	1.2	0.06	250	1.0	0.06	0.7	0.05
Floor of mouth	211	0.9	0.07	0.7	0.05	73	0.3	0.03	0.2	0.02
Gum & other mouth	469	2.3	0.11	1.5	0.07	371	1.5	0.08	0.9	0.05
Nasopharynx	187	0.8	0.06	0.6	0.05	85	0.3	0.04	0.3	0.03
Oropharynx	189	0.8	0.06	0.6	0.04	45	0.2	0.03	0.1	0.02
Hypopharynx	294	1.4	0.08	0.9	0.05	57	0.2	0.03	0.2	0.02
Digestive System	20,674	99.8	0.73	65.1	0.46	16,747	65.8	0.52	42.2	0.34
Esophagus	1,689	7.8	0.20	5.3	0.13	457	1.8	0.08	1.1	0.05
Stomach	1,819	9.2	0.23	5.7	0.13	1,217	4.9	0.14	3.0	0.09
Small intestine	612	2.8	0.12	2.0	0.08	566	2.2	0.09	1.5	0.07
Colon excl. rectum	6,870	34.2	0.44	21.5	0.26	6,812	26.9	0.33	16.9	0.21
Rectum & rectosigmoid	3,365	15.4	0.28	10.7	0.19	2,534	9.8	0.20	6.9	0.14
Anus, anal canal & anorectum	375	1.7	0.09	1.2	0.06	564	2.1	0.09	1.5	0.07
Liver	2,245	9.9	0.22	7.1	0.15	734	2.9	0.11	1.9	0.07
Gallbladder	153	0.8	0.07	0.5	0.04	310	1.2	0.07	0.8	0.05
Pancreas	2,808	14.1	0.28	8.7	0.17	2,738	10.9	0.21	6.5	0.13
Respiratory System	19,539	98.0	0.74	61.0	0.44	14,319	56.3	0.48	36.5	0.32
Larynx	1,690	7.6	0.19	5.4	0.13	395	1.5	0.08	1.1	0.06
Lung & bronchus	17,565	89.0	0.71	54.7	0.42	13,756	54.1	0.47	35.0	0.31
Bones & Joints	232	1.0	0.07	0.9	0.06	185	0.7	0.06	0.7	0.06
Soft Tissue (incl. heart)	784	3.8	0.14	2.7	0.10	705	2.8	0.11	2.2	0.09
Skin (excl. basal & sq.)	6,854	33.7	0.43	21.9	0.27	4,815	19.0	0.28	14.1	0.21
Melanomas of the skin	6,449	31.5	0.41	20.6	0.26	4,520	17.8	0.27	13.3	0.21
Breast (excl. *in situ*)	270	1.3	0.09	0.9	0.05	32,018	123.5	0.70	89.3	0.51
Female Genital System	-	-	-	-	-	11,714	45.0	0.42	33.0	0.31
Cervix uteri	-	-	-	-	-	2,016	8.0	0.18	6.3	0.14
Uterus Corpus	-	-	-	-	-	5,358	20.0	0.28	15.0	0.21
Uterus, NOS[1]	-	-	-	-	-	171	0.6	0.05	0.4	0.03
Ovary	-	-	-	-	-	3,068	12.0	0.22	8.3	0.16
Male Genital System	34,001	155.3	0.88	109.8	0.60	-	-	-	-	-
Prostate	32,799	150.1	0.87	105.3	0.59	-	-	-	-	-
Testis	966	4.1	0.13	3.8	0.12	-	-	-	-	-
Penis	190	0.9	0.07	0.6	0.04	-	-	-	-	-
Urinary System	11,040	56.4	0.57	34.6	0.33	4,889	19.2	0.28	12.7	0.19
Bladder (incl. *in situ*)	6,265	34.0	0.45	19.2	0.25	2,002	8.0	0.18	4.7	0.11
Kidney & renal pelvis	4,534	20.9	0.33	14.7	0.22	2,780	10.7	0.21	7.7	0.15
Ureter	154	0.9	0.07	0.5	0.04	63	0.3	0.03	0.1	0.02
Eye & Orbit	209	0.9	0.07	0.8	0.06	183	0.7	0.06	0.7	0.05
Brain & Other Nervous System	1,652	7.6	0.20	6.0	0.15	1,318	5.3	0.15	4.4	0.13
Brain	1,565	7.2	0.19	5.6	0.15	1,217	4.9	0.14	4.0	0.13
Endocrine System	1,445	6.3	0.17	5.0	0.14	4,189	16.5	0.26	13.6	0.22
Thyroid gland	1,259	5.5	0.16	4.2	0.12	3,996	15.8	0.25	12.9	0.21
Lymphomas	5,205	25.1	0.36	17.4	0.25	4,267	17.0	0.26	11.9	0.19
Hodgkin Lymphoma	636	2.7	0.11	2.5	0.10	592	2.4	0.10	2.2	0.09
Non-Hodgkin Lymphoma	4,569	22.3	0.35	14.9	0.22	3,675	14.6	0.24	9.7	0.17
Multiple Myeloma	1,848	9.2	0.23	5.8	0.14	1,559	6.1	0.16	3.9	0.10
Leukemias	3,087	15.7	0.30	10.5	0.20	2,476	10.0	0.20	7.2	0.16
Acute lymphocytic	373	1.6	0.08	1.8	0.10	305	1.3	0.07	1.5	0.09
Chronic lymphocytic	977	5.2	0.17	3.0	0.10	668	2.7	0.10	1.6	0.06
Acute myeloid	931	4.7	0.16	3.1	0.10	840	3.4	0.12	2.4	0.09
Chronic myeloid	411	2.0	0.11	1.4	0.07	336	1.4	0.07	0.9	0.05
Other leukemias	395	2.2	0.12	1.3	0.07	327	1.3	0.07	0.8	0.05
Mesothelioma	216	1.2	0.08	0.7	0.05	76	0.3	0.03	0.2	0.02
Kaposi Sarcoma	373	1.6	0.09	1.4	0.07	21	0.1	0.02	0.1	0.01
Ill-defined & Unknown	3,568	19.3	0.34	11.0	0.19	3,538	14.3	0.24	8.3	0.15
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,679	7.9	0.20	5.7	0.14	3,370	13.2	0.23	9.3	0.17
Breast (*in situ*)	23	0.1	0.02	0.1	0.02	7,941	30.2	0.34	22.8	0.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	84,133	547.0	1.96	361.3	1.28	75,577	422.1	1.56	295.3	1.15
Oral Cavity & Pharynx	3,233	19.8	0.36	14.2	0.25	1,289	7.1	0.20	4.9	0.14
Lip	117	0.8	0.08	0.5	0.05	46	0.3	0.04	0.1	0.02
Tongue	998	5.9	0.19	4.4	0.14	406	2.2	0.11	1.6	0.08
Major salivary gland	328	2.3	0.13	1.4	0.08	173	1.0	0.08	0.7	0.06
Floor of mouth	158	0.9	0.08	0.7	0.06	55	0.3	0.04	0.2	0.03
Gum & other mouth	344	2.3	0.13	1.5	0.08	281	1.5	0.09	0.9	0.06
Nasopharynx	119	0.8	0.07	0.6	0.05	49	0.3	0.04	0.2	0.03
Oropharynx	136	0.8	0.07	0.6	0.05	32	0.2	0.03	0.1	0.02
Hypopharynx	198	1.3	0.09	0.8	0.06	36	0.2	0.03	0.1	0.02
Digestive System	14,340	93.7	0.81	60.5	0.51	11,052	60.8	0.59	38.7	0.39
Esophagus	1,231	7.7	0.23	5.2	0.15	277	1.5	0.09	0.9	0.06
Stomach	1,121	7.5	0.23	4.7	0.14	662	3.7	0.15	2.3	0.10
Small intestine	413	2.6	0.13	1.8	0.09	362	2.0	0.11	1.4	0.08
Colon excl. rectum	4,730	31.8	0.48	19.7	0.29	4,489	24.8	0.37	15.3	0.24
Rectum & rectosigmoid	2,409	15.1	0.32	10.4	0.22	1,725	9.6	0.23	6.7	0.17
Anus, anal canal & anorectum	254	1.6	0.10	1.1	0.07	442	2.4	0.11	1.7	0.09
Liver	1,501	9.2	0.25	6.4	0.17	466	2.6	0.12	1.7	0.09
Gallbladder	110	0.8	0.08	0.5	0.04	184	1.0	0.07	0.6	0.05
Pancreas	2,034	13.7	0.32	8.4	0.19	1,863	10.1	0.24	6.1	0.15
Respiratory System	14,884	98.9	0.84	61.2	0.51	11,288	61.4	0.59	39.9	0.39
Larynx	1,219	7.4	0.22	5.2	0.15	292	1.6	0.09	1.1	0.07
Lung & bronchus	13,438	90.0	0.81	54.9	0.48	10,882	59.2	0.57	38.3	0.39
Bones & Joints	161	1.1	0.09	1.0	0.08	125	0.8	0.07	0.8	0.08
Soft Tissue (incl. heart)	562	3.8	0.17	2.7	0.12	448	2.6	0.13	2.0	0.11
Skin (excl. basal & sq.)	6,619	43.4	0.55	28.8	0.36	4,507	26.4	0.40	20.0	0.32
Melanomas of the skin	6,279	40.9	0.53	27.4	0.35	4,299	25.2	0.39	19.3	0.31
Breast (excl. *in situ*)	180	1.2	0.09	0.8	0.06	22,445	124.5	0.84	89.8	0.62
Female Genital System	-	-	-	-	-	8,227	46.0	0.52	33.8	0.39
Cervix uteri	-	-	-	-	-	1,291	8.0	0.23	6.4	0.18
Uterus Corpus	-	-	-	-	-	3,722	20.0	0.33	15.0	0.25
Uterus, NOS[1]	-	-	-	-	-	78	0.4	0.05	0.3	0.03
Ovary	-	-	-	-	-	2,303	12.9	0.27	8.9	0.20
Male Genital System	21,986	135.2	0.94	95.3	0.65	-	-	-	-	-
Prostate	20,945	128.4	0.92	89.3	0.62	-	-	-	-	-
Testis	869	5.6	0.19	5.3	0.18	-	-	-	-	-
Penis	140	0.9	0.08	0.6	0.05	-	-	-	-	-
Urinary System	8,979	60.8	0.67	37.2	0.40	3,599	19.8	0.33	13.1	0.24
Bladder (incl. *in situ*)	5,424	38.1	0.54	21.6	0.30	1,611	8.8	0.22	5.3	0.14
Kidney & renal pelvis	3,342	21.1	0.38	14.7	0.26	1,908	10.5	0.24	7.5	0.18
Ureter	140	1.0	0.09	0.5	0.05	55	0.3	0.04	0.2	0.02
Eye & Orbit	188	1.2	0.09	0.9	0.07	156	0.9	0.08	0.8	0.07
Brain & Other Nervous System	1,344	8.7	0.24	6.9	0.20	997	5.9	0.19	4.9	0.18
Brain	1,284	8.3	0.24	6.5	0.19	936	5.5	0.18	4.6	0.17
Endocrine System	1,170	7.3	0.22	5.8	0.18	3,151	19.2	0.35	15.9	0.30
Thyroid gland	1,051	6.5	0.21	5.0	0.16	3,032	18.5	0.34	15.2	0.29
Lymphomas	3,946	26.2	0.43	18.0	0.30	3,178	18.0	0.32	12.5	0.24
Hodgkin Lymphoma	425	2.8	0.14	2.5	0.13	388	2.5	0.13	2.3	0.13
Non-Hodgkin Lymphoma	3,521	23.5	0.41	15.5	0.27	2,790	15.5	0.30	10.2	0.21
Multiple Myeloma	1,098	7.4	0.23	4.5	0.14	758	4.1	0.15	2.6	0.10
Leukemias	2,408	16.6	0.35	11.3	0.25	1,799	10.3	0.25	7.5	0.21
Acute lymphocytic	275	1.8	0.11	2.1	0.13	200	1.3	0.10	1.7	0.13
Chronic lymphocytic	799	5.5	0.20	3.2	0.12	520	2.9	0.13	1.6	0.08
Acute myeloid	719	5.0	0.19	3.2	0.13	602	3.5	0.14	2.5	0.12
Chronic myeloid	306	2.1	0.12	1.4	0.08	234	1.4	0.09	0.9	0.07
Other leukemias	309	2.3	0.14	1.3	0.08	243	1.3	0.09	0.8	0.06
Mesothelioma	188	1.3	0.10	0.8	0.06	65	0.3	0.04	0.2	0.03
Kaposi Sarcoma	118	0.8	0.07	0.6	0.06	11	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,729	19.5	0.39	11.0	0.22	2,482	13.7	0.28	7.9	0.17
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,200	7.9	0.23	5.7	0.17	2,273	12.8	0.27	9.1	0.21
Breast (*in situ*)	16	0.1	0.03	0.1	0.02	5,579	31.0	0.42	23.4	0.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,913	604.4	4.02	411.4	2.46	26,882	389.7	2.47	273.3	1.70
Oral Cavity & Pharynx	763	14.1	0.57	10.3	0.38	348	4.9	0.27	3.5	0.19
Lip	6	0.2	0.07	0.1	0.04	-	-	-	-	-
Tongue	180	3.3	0.27	2.4	0.18	61	0.9	0.11	0.6	0.08
Major salivary gland	49	0.8	0.13	0.6	0.09	71	1.0	0.12	0.7	0.09
Floor of mouth	51	0.9	0.13	0.7	0.10	16	0.3	0.07	0.2	0.04
Gum & other mouth	106	2.2	0.24	1.5	0.14	73	1.1	0.13	0.7	0.09
Nasopharynx	49	0.9	0.15	0.7	0.10	30	0.4	0.08	0.3	0.06
Oropharynx	51	0.9	0.13	0.7	0.10	13	0.2	0.05	0.1	0.04
Hypopharynx	94	1.8	0.21	1.2	0.13	19	0.3	0.06	0.2	0.05
Digestive System	5,801	121.7	1.82	80.9	1.08	5,293	80.5	1.15	52.3	0.74
Esophagus	436	8.8	0.47	6.2	0.30	174	2.6	0.21	1.8	0.14
Stomach	613	14.7	0.68	8.8	0.36	501	8.1	0.37	4.8	0.22
Small intestine	192	4.0	0.33	2.7	0.20	198	2.8	0.21	2.0	0.15
Colon excl. rectum	2,004	43.9	1.12	28.2	0.64	2,208	33.6	0.74	21.8	0.48
Rectum & rectosigmoid	857	16.0	0.61	11.6	0.40	740	10.6	0.40	7.4	0.28
Anus, anal canal & anorectum	119	2.0	0.20	1.5	0.14	116	1.6	0.15	1.2	0.11
Liver	626	10.7	0.48	8.3	0.34	216	3.1	0.22	2.2	0.15
Gallbladder	42	1.0	0.18	0.6	0.09	112	1.7	0.17	1.1	0.11
Pancreas	738	16.3	0.68	10.5	0.39	822	13.4	0.48	8.1	0.29
Respiratory System	4,453	100.7	1.71	64.6	0.98	2,887	44.2	0.86	29.5	0.56
Larynx	457	8.9	0.47	6.4	0.31	100	1.4	0.15	1.0	0.10
Lung & bronchus	3,946	90.9	1.63	57.5	0.93	2,738	42.1	0.84	28.0	0.55
Bones & Joints	63	0.9	0.13	0.8	0.11	51	0.7	0.09	0.6	0.09
Soft Tissue (incl. heart)	201	3.4	0.28	2.7	0.20	237	3.1	0.21	2.6	0.18
Skin (excl. basal & sq.)	106	2.2	0.24	1.5	0.14	137	2.0	0.18	1.4	0.12
Melanomas of the skin	53	1.3	0.20	0.8	0.11	67	1.0	0.13	0.6	0.08
Breast (excl. *in situ*)	88	1.9	0.22	1.2	0.13	8,894	123.3	1.35	90.0	0.97
Female Genital System	-	-	-	-	-	3,226	45.8	0.84	33.3	0.60
Cervix uteri	-	-	-	-	-	668	9.1	0.36	6.7	0.26
Uterus Corpus	-	-	-	-	-	1,521	21.7	0.58	16.0	0.42
Uterus, NOS[1]	-	-	-	-	-	90	1.3	0.15	0.9	0.10
Ovary	-	-	-	-	-	693	10.0	0.40	7.1	0.28
Male Genital System	11,490	236.1	2.46	165.8	1.57	-	-	-	-	-
Prostate	11,356	233.8	2.45	164.0	1.57	-	-	-	-	-
Testis	78	1.1	0.13	1.0	0.12	-	-	-	-	-
Penis	47	1.1	0.18	0.7	0.10	-	-	-	-	-
Urinary System	1,908	41.9	1.09	27.2	0.63	1,220	18.6	0.55	12.3	0.36
Bladder (incl. *in situ*)	748	19.3	0.80	11.0	0.41	363	6.2	0.34	3.4	0.19
Kidney & renal pelvis	1,136	22.0	0.73	15.8	0.48	836	12.1	0.43	8.7	0.31
Ureter	10	0.3	0.11	0.2	0.05	-	-	-	-	-
Eye & Orbit	16	0.2	0.06	0.3	0.07	20	0.3	0.06	0.3	0.08
Brain & Other Nervous System	269	4.7	0.33	3.8	0.24	288	3.9	0.23	3.4	0.21
Brain	246	4.3	0.31	3.5	0.22	252	3.4	0.22	3.0	0.20
Endocrine System	227	3.8	0.27	3.1	0.21	860	11.0	0.38	9.1	0.31
Thyroid gland	167	2.8	0.24	2.2	0.17	792	10.1	0.36	8.2	0.30
Lymphomas	1,155	20.8	0.69	15.5	0.46	1,014	14.2	0.46	10.7	0.34
Hodgkin Lymphoma	197	2.9	0.22	2.7	0.19	193	2.4	0.17	2.2	0.16
Non-Hodgkin Lymphoma	958	17.9	0.66	12.8	0.42	821	11.8	0.43	8.5	0.30
Multiple Myeloma	726	16.2	0.68	10.4	0.39	780	12.1	0.45	7.8	0.29
Leukemias	611	13.1	0.62	8.8	0.36	622	9.3	0.39	6.8	0.28
Acute lymphocytic	85	1.1	0.13	1.3	0.14	89	1.1	0.12	1.3	0.14
Chronic lymphocytic	164	4.4	0.39	2.4	0.19	141	2.2	0.19	1.4	0.12
Acute myeloid	191	4.0	0.33	2.6	0.19	216	3.2	0.23	2.3	0.16
Chronic myeloid	90	1.7	0.20	1.2	0.13	94	1.4	0.15	0.9	0.10
Other leukemias	81	2.0	0.25	1.2	0.13	82	1.3	0.15	0.8	0.09
Mesothelioma	25	0.8	0.17	0.4	0.07	10	0.1	0.05	0.1	0.03
Kaposi Sarcoma	245	3.5	0.23	3.1	0.20	9	0.1	0.04	0.1	0.03
Ill-defined & Unknown	766	18.5	0.77	11.1	0.41	986	15.7	0.52	9.5	0.31
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	419	8.5	0.47	5.8	0.29	995	14.5	0.48	10.0	0.32
Breast (*in situ*)	7	0.2	0.07	0.1	0.04	2,190	29.7	0.66	22.4	0.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,389	270.9	8.63	174.0	4.79	1,713	247.2	6.71	169.5	4.19
Oral Cavity & Pharynx	70	11.7	1.77	8.1	1.00	39	6.4	1.17	3.9	0.64
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	16	3.2	1.11	1.9	0.51	11	1.8	0.63	1.1	0.35
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	18	2.8	0.69	2.1	0.52	12	2.1	0.65	1.3	0.37
Nasopharynx	15	1.8	0.49	1.4	0.38	6	0.8	0.39	0.5	0.20
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	443	84.2	4.68	54.2	2.63	351	61.4	3.67	36.7	1.99
Esophagus	19	3.9	1.03	2.3	0.53	-	-	-	-	-
Stomach	74	14.6	1.96	9.1	1.08	53	10.0	1.53	5.6	0.78
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	102	18.2	2.10	12.3	1.25	92	17.2	2.01	9.8	1.04
Rectum & rectosigmoid	78	13.3	1.76	9.1	1.06	59	8.6	1.25	5.9	0.79
Anus, anal canal & anorectum	-	-	-	-	-	6	1.0	0.44	0.7	0.27
Liver	105	20.4	2.39	12.9	1.30	50	8.9	1.40	5.2	0.75
Gallbladder	-	-	-	-	-	12	2.0	0.68	1.2	0.36
Pancreas	33	7.2	1.42	4.2	0.74	45	8.4	1.39	4.6	0.69
Respiratory System	176	35.3	3.11	22.3	1.72	122	19.9	2.01	12.6	1.16
Larynx	9	1.5	0.54	1.1	0.37	-	-	-	-	-
Lung & bronchus	165	33.6	3.06	21.1	1.68	116	19.2	1.99	11.9	1.12
Bones & Joints	6	0.7	0.27	0.8	0.31	9	1.3	0.53	1.0	0.34
Soft Tissue (incl. heart)	15	2.4	0.66	1.9	0.49	11	1.4	0.47	1.2	0.39
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	7	0.9	0.37	0.7	0.28	8	1.3	0.51	0.8	0.28
Breast (excl. *in situ*)	-	-	-	-	-	573	71.7	3.24	53.7	2.28
Female Genital System	-	-	-	-	-	201	25.7	1.96	19.7	1.42
Cervix uteri	-	-	-	-	-	37	4.8	0.88	3.3	0.56
Uterus Corpus	-	-	-	-	-	89	11.7	1.33	9.0	0.97
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	62	7.3	0.97	5.9	0.77
Male Genital System	292	62.6	4.29	39.0	2.32	-	-	-	-	-
Prostate	282	61.3	4.27	37.9	2.29	-	-	-	-	-
Testis	7	0.7	0.26	0.7	0.29	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	113	24.1	2.69	14.6	1.41	56	9.6	1.45	6.0	0.82
Bladder (incl. *in situ*)	68	15.5	2.21	9.1	1.12	21	4.0	0.99	2.3	0.51
Kidney & renal pelvis	41	7.0	1.22	4.9	0.79	30	4.3	0.86	3.1	0.59
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	29	3.5	0.66	3.3	0.63	24	3.4	0.78	2.7	0.56
Brain	27	3.3	0.65	3.1	0.62	22	3.0	0.70	2.4	0.53
Endocrine System	40	6.0	1.08	4.4	0.72	141	15.8	1.41	12.7	1.10
Thyroid gland	36	5.3	1.01	3.8	0.65	136	15.1	1.38	12.0	1.06
Lymphomas	75	12.6	1.71	9.1	1.07	56	8.4	1.30	5.7	0.78
Hodgkin Lymphoma	12	1.4	0.41	1.2	0.37	8	0.8	0.29	0.9	0.33
Non-Hodgkin Lymphoma	63	11.3	1.66	7.8	1.01	48	7.6	1.27	4.8	0.70
Multiple Myeloma	22	4.3	1.04	2.8	0.61	17	2.9	0.79	1.7	0.42
Leukemias	45	8.1	1.55	5.3	0.83	45	6.1	1.04	4.8	0.75
Acute lymphocytic	-	-	-	-	-	13	1.3	0.37	1.5	0.45
Chronic lymphocytic	6	1.0	0.45	0.7	0.28	-	-	-	-	-
Acute myeloid	19	2.7	0.65	2.2	0.51	20	3.2	0.80	2.2	0.50
Chronic myeloid	10	2.2	0.82	1.1	0.36	7	0.7	0.26	0.6	0.23
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	49	12.8	2.16	6.6	0.96	51	9.9	1.57	5.4	0.78
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	44	7.5	1.35	4.9	0.76	79	11.7	1.43	8.3	0.96
Breast (*in situ*)	-	-	-	-	-	135	17.4	1.61	12.7	1.11

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,447	357.6	9.50	229.3	5.23	2,739	311.0	7.06	214.1	4.47
Oral Cavity & Pharynx	73	9.7	1.46	6.6	0.86	35	4.4	0.84	3.1	0.56
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	2.3	0.65	1.7	0.45	7	0.6	0.23	0.5	0.20
Major salivary gland	9	0.9	0.46	0.5	0.22	11	1.3	0.46	1.0	0.32
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	12	1.9	0.65	1.3	0.41	-	-	-	-	-
Nasopharynx	9	0.7	0.25	0.6	0.21	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	508	78.2	4.52	49.0	2.43	408	59.3	3.36	35.5	1.87
Esophagus	22	3.3	0.78	2.5	0.58	10	1.5	0.53	0.8	0.27
Stomach	87	13.1	2.03	7.1	0.89	64	8.1	1.20	4.9	0.68
Small intestine	19	2.3	0.65	1.8	0.45	12	1.3	0.46	0.8	0.24
Colon excl. rectum	131	21.7	2.44	12.8	1.25	126	20.2	2.04	11.0	1.03
Rectum & rectosigmoid	81	12.3	1.76	8.0	0.98	46	5.7	0.97	3.8	0.61
Anus, anal canal & anorectum	15	1.7	0.61	1.0	0.30	17	2.6	0.69	1.6	0.39
Liver	68	8.5	1.26	6.4	0.85	29	4.1	0.88	2.6	0.51
Gallbladder	8	1.0	0.46	0.7	0.29	16	2.7	0.72	1.7	0.44
Pancreas	57	11.4	1.83	6.8	0.96	62	9.7	1.37	6.0	0.80
Respiratory System	244	49.3	3.86	27.1	1.86	171	27.2	2.30	16.9	1.36
Larynx	22	3.6	0.98	2.2	0.52	-	-	-	-	-
Lung & bronchus	208	44.6	3.71	24.0	1.77	161	26.2	2.27	16.2	1.33
Bones & Joints	19	0.8	0.20	0.9	0.20	13	0.9	0.34	0.8	0.24
Soft Tissue (incl. heart)	33	3.5	0.87	2.4	0.50	26	2.1	0.53	1.7	0.38
Skin (excl. basal & sq.)	46	5.8	1.13	4.0	0.68	55	5.8	0.94	4.3	0.65
Melanomas of the skin	36	4.9	1.07	3.2	0.62	49	5.2	0.90	3.8	0.61
Breast (excl. *in situ*)	7	1.0	0.47	0.7	0.30	871	94.0	3.70	66.9	2.47
Female Genital System	-	-	-	-	-	412	42.1	2.44	31.4	1.71
Cervix uteri	-	-	-	-	-	138	11.0	1.08	8.8	0.84
Uterus Corpus	-	-	-	-	-	153	18.1	1.65	13.4	1.16
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	83	9.4	1.26	6.3	0.76
Male Genital System	730	116.5	5.31	77.9	3.16	-	-	-	-	-
Prostate	610	112.1	5.29	73.5	3.13	-	-	-	-	-
Testis	111	3.9	0.40	4.0	0.41	-	-	-	-	-
Penis	7	0.4	0.16	0.3	0.13	-	-	-	-	-
Urinary System	180	33.4	3.07	19.1	1.54	117	16.0	1.71	10.4	1.03
Bladder (incl. *in situ*)	78	19.4	2.55	9.5	1.12	37	6.3	1.16	3.5	0.60
Kidney & renal pelvis	99	13.5	1.69	9.2	1.02	77	8.9	1.17	6.7	0.82
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	9	0.5	0.20	0.6	0.21	8	0.9	0.42	0.5	0.22
Brain & Other Nervous System	66	3.1	0.49	3.2	0.45	45	3.5	0.71	2.9	0.49
Brain	64	3.0	0.49	3.1	0.45	45	3.5	0.71	2.9	0.49
Endocrine System	59	4.9	0.96	3.4	0.52	210	15.4	1.25	12.6	0.97
Thyroid gland	41	3.2	0.70	2.4	0.43	205	14.8	1.21	12.3	0.96
Lymphomas	207	21.0	2.13	14.4	1.19	148	15.6	1.57	11.0	0.99
Hodgkin Lymphoma	34	1.8	0.50	1.5	0.30	34	2.1	0.48	1.8	0.33
Non-Hodgkin Lymphoma	173	19.1	2.07	12.9	1.16	114	13.5	1.49	9.2	0.93
Multiple Myeloma	37	6.1	1.26	3.6	0.66	26	3.8	0.84	2.5	0.53
Leukemias	146	12.8	1.65	9.5	0.95	109	7.6	0.98	6.5	0.68
Acute lymphocytic	69	2.8	0.41	3.2	0.43	50	1.8	0.28	2.4	0.35
Chronic lymphocytic	13	2.2	0.75	1.3	0.39	-	-	-	-	-
Acute myeloid	33	3.7	0.93	2.5	0.52	35	3.3	0.72	2.4	0.45
Chronic myeloid	17	2.3	0.78	1.3	0.40	13	1.2	0.40	0.9	0.28
Other leukemias	14	1.8	0.73	1.1	0.36	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	21	1.7	0.55	1.1	0.29	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	82	12.3	1.57	6.8	0.81
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	58	5.4	1.07	3.7	0.57	106	11.9	1.37	8.4	0.90
Breast (*in situ*)	-	-	-	-	-	221	23.5	1.80	17.6	1.28

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	81,915	555.6	2.01	368.2	1.33	73,131	427.7	1.61	299.9	1.20
Oral Cavity & Pharynx	3,167	20.3	0.37	14.6	0.27	1,258	7.2	0.21	5.0	0.15
Lip	115	0.8	0.08	0.5	0.05	43	0.2	0.04	0.1	0.02
Tongue	981	6.1	0.20	4.6	0.15	399	2.3	0.12	1.6	0.09
Major salivary gland	319	2.3	0.13	1.4	0.08	164	1.0	0.08	0.7	0.06
Floor of mouth	155	1.0	0.08	0.7	0.06	55	0.3	0.04	0.2	0.03
Gum & other mouth	334	2.3	0.13	1.5	0.08	278	1.6	0.09	0.9	0.06
Nasopharynx	112	0.8	0.07	0.6	0.06	45	0.3	0.04	0.2	0.03
Oropharynx	134	0.8	0.07	0.6	0.05	31	0.2	0.03	0.1	0.02
Hypopharynx	194	1.3	0.09	0.9	0.06	35	0.2	0.03	0.1	0.02
Digestive System	13,881	94.5	0.83	61.1	0.53	10,688	60.9	0.60	38.8	0.41
Esophagus	1,211	7.9	0.23	5.4	0.16	270	1.5	0.09	0.9	0.06
Stomach	1,037	7.2	0.23	4.4	0.14	605	3.5	0.14	2.1	0.09
Small intestine	394	2.6	0.14	1.8	0.09	352	2.0	0.11	1.4	0.08
Colon excl. rectum	4,619	32.3	0.49	20.1	0.30	4,377	25.0	0.38	15.5	0.25
Rectum & rectosigmoid	2,336	15.4	0.33	10.7	0.22	1,682	9.8	0.24	6.9	0.18
Anus, anal canal & anorectum	240	1.6	0.11	1.1	0.07	426	2.4	0.12	1.7	0.09
Liver	1,445	9.3	0.25	6.5	0.17	439	2.5	0.12	1.6	0.09
Gallbladder	102	0.7	0.08	0.4	0.04	168	0.9	0.07	0.5	0.05
Pancreas	1,979	13.8	0.32	8.4	0.19	1,810	10.2	0.24	6.1	0.15
Respiratory System	14,656	100.5	0.86	62.4	0.53	11,136	62.5	0.60	40.7	0.41
Larynx	1,199	7.6	0.23	5.4	0.16	290	1.6	0.10	1.2	0.07
Lung & bronchus	13,244	91.5	0.82	56.0	0.50	10,738	60.3	0.59	39.0	0.40
Bones & Joints	142	1.1	0.09	0.9	0.08	112	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	530	3.9	0.17	2.8	0.13	424	2.6	0.13	2.1	0.12
Skin (excl. basal & sq.)	6,576	45.4	0.58	30.3	0.39	4,455	28.1	0.43	21.5	0.35
Melanomas of the skin	6,246	42.9	0.56	28.9	0.38	4,252	26.9	0.42	20.7	0.34
Breast (excl. *in situ*)	173	1.2	0.09	0.8	0.06	21,678	125.8	0.87	90.8	0.65
Female Genital System	-	-	-	-	-	7,849	46.2	0.53	33.9	0.41
Cervix uteri	-	-	-	-	-	1,162	8.0	0.24	6.4	0.20
Uterus Corpus	-	-	-	-	-	3,586	20.1	0.34	15.1	0.26
Uterus, NOS[1]	-	-	-	-	-	74	0.4	0.05	0.3	0.03
Ovary	-	-	-	-	-	2,224	13.0	0.28	9.0	0.21
Male Genital System	21,334	136.3	0.96	96.2	0.67	-	-	-	-	-
Prostate	20,406	129.3	0.94	90.1	0.64	-	-	-	-	-
Testis	764	5.9	0.21	5.4	0.20	-	-	-	-	-
Penis	133	0.9	0.08	0.6	0.05	-	-	-	-	-
Urinary System	8,810	61.9	0.68	38.1	0.42	3,496	20.0	0.34	13.3	0.24
Bladder (incl. *in situ*)	5,352	38.8	0.55	22.1	0.31	1,577	8.9	0.23	5.4	0.15
Kidney & renal pelvis	3,248	21.5	0.39	15.1	0.27	1,841	10.6	0.25	7.6	0.19
Ureter	139	1.0	0.09	0.5	0.05	53	0.3	0.04	0.2	0.02
Eye & Orbit	180	1.2	0.09	1.0	0.08	148	0.9	0.08	0.8	0.08
Brain & Other Nervous System	1,287	9.1	0.26	7.2	0.22	959	6.2	0.20	5.2	0.20
Brain	1,228	8.6	0.25	6.8	0.21	898	5.7	0.20	4.8	0.19
Endocrine System	1,113	7.6	0.23	6.0	0.19	2,952	19.6	0.37	16.2	0.32
Thyroid gland	1,012	6.9	0.22	5.3	0.17	2,838	18.8	0.36	15.5	0.31
Lymphomas	3,758	26.5	0.45	18.2	0.32	3,049	18.1	0.33	12.6	0.25
Hodgkin Lymphoma	395	2.9	0.15	2.6	0.14	359	2.5	0.14	2.4	0.14
Non-Hodgkin Lymphoma	3,363	23.6	0.42	15.6	0.28	2,690	15.6	0.31	10.2	0.21
Multiple Myeloma	1,063	7.4	0.24	4.5	0.14	736	4.1	0.15	2.6	0.10
Leukemias	2,287	16.7	0.36	11.4	0.26	1,709	10.4	0.26	7.5	0.22
Acute lymphocytic	223	1.7	0.12	2.0	0.14	165	1.3	0.10	1.6	0.14
Chronic lymphocytic	786	5.5	0.21	3.3	0.12	517	2.9	0.13	1.7	0.08
Acute myeloid	691	5.0	0.20	3.3	0.14	569	3.5	0.15	2.5	0.13
Chronic myeloid	291	2.1	0.13	1.4	0.09	222	1.4	0.09	0.9	0.07
Other leukemias	296	2.3	0.14	1.4	0.09	236	1.3	0.09	0.8	0.06
Mesothelioma	183	1.3	0.10	0.8	0.06	63	0.3	0.04	0.2	0.03
Kaposi Sarcoma	100	0.7	0.08	0.6	0.06	11	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,675	19.9	0.40	11.2	0.23	2,408	13.8	0.28	7.9	0.18
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,146	8.1	0.25	5.9	0.19	2,181	13.0	0.28	9.3	0.22
Breast (*in situ*)	13	0.1	0.02	0.1	0.02	5,384	31.4	0.44	23.7	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Georgia, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,766	609.0	4.05	414.5	2.49	26,693	392.0	2.49	275.0	1.72
Oral Cavity & Pharynx	761	14.2	0.57	10.4	0.38	344	4.9	0.27	3.5	0.19
Lip	6	0.2	0.08	0.1	0.04	-	-	-	-	-
Tongue	180	3.3	0.27	2.5	0.19	61	0.9	0.11	0.6	0.08
Major salivary gland	49	0.9	0.13	0.7	0.10	69	1.0	0.12	0.7	0.09
Floor of mouth	51	0.9	0.13	0.7	0.10	16	0.3	0.07	0.2	0.04
Gum & other mouth	105	2.2	0.24	1.5	0.15	71	1.1	0.13	0.7	0.08
Nasopharynx	49	0.9	0.15	0.7	0.10	30	0.4	0.08	0.3	0.06
Oropharynx	51	0.9	0.13	0.7	0.10	13	0.2	0.05	0.1	0.04
Hypopharynx	93	1.8	0.21	1.3	0.13	19	0.3	0.06	0.2	0.05
Digestive System	5,769	122.5	1.83	81.4	1.09	5,262	81.0	1.16	52.7	0.75
Esophagus	435	8.9	0.48	6.2	0.30	171	2.6	0.21	1.8	0.14
Stomach	612	14.8	0.68	8.9	0.37	495	8.1	0.38	4.8	0.22
Small intestine	192	4.1	0.33	2.7	0.20	196	2.9	0.21	2.0	0.15
Colon excl. rectum	1,990	44.2	1.13	28.4	0.65	2,197	33.8	0.75	22.0	0.48
Rectum & rectosigmoid	850	16.1	0.61	11.7	0.41	737	10.7	0.41	7.4	0.28
Anus, anal canal & anorectum	119	2.0	0.20	1.5	0.14	116	1.6	0.15	1.2	0.11
Liver	619	10.8	0.48	8.3	0.34	215	3.1	0.22	2.2	0.15
Gallbladder	42	1.0	0.18	0.6	0.10	112	1.7	0.17	1.2	0.11
Pancreas	736	16.5	0.69	10.6	0.40	820	13.5	0.49	8.1	0.29
Respiratory System	4,444	101.7	1.72	65.2	0.99	2,874	44.5	0.86	29.7	0.57
Larynx	456	9.0	0.47	6.5	0.31	99	1.4	0.15	1.0	0.10
Lung & bronchus	3,938	91.7	1.65	58.0	0.94	2,727	42.4	0.84	28.1	0.55
Bones & Joints	63	1.0	0.14	0.9	0.11	51	0.7	0.10	0.6	0.09
Soft Tissue (incl. heart)	200	3.5	0.28	2.8	0.20	235	3.2	0.21	2.7	0.18
Skin (excl. basal & sq.)	105	2.2	0.25	1.5	0.15	137	2.0	0.18	1.4	0.12
Melanomas of the skin	52	1.3	0.20	0.8	0.11	67	1.0	0.13	0.7	0.08
Breast (excl. *in situ*)	88	1.9	0.22	1.2	0.13	8,828	124.1	1.36	90.5	0.98
Female Genital System	-	-	-	-	-	3,206	46.1	0.84	33.5	0.60
Cervix uteri	-	-	-	-	-	666	9.2	0.37	6.8	0.27
Uterus Corpus	-	-	-	-	-	1,509	21.8	0.58	16.1	0.42
Uterus, NOS[1]	-	-	-	-	-	89	1.3	0.15	0.9	0.10
Ovary	-	-	-	-	-	690	10.1	0.40	7.2	0.28
Male Genital System	11,438	237.7	2.48	167.0	1.59	-	-	-	-	-
Prostate	11,307	235.3	2.47	165.2	1.58	-	-	-	-	-
Testis	75	1.1	0.13	1.0	0.12	-	-	-	-	-
Penis	47	1.1	0.18	0.7	0.10	-	-	-	-	-
Urinary System	1,903	42.3	1.10	27.5	0.64	1,212	18.7	0.56	12.4	0.37
Bladder (incl. *in situ*)	745	19.4	0.80	11.1	0.41	361	6.2	0.34	3.4	0.19
Kidney & renal pelvis	1,134	22.2	0.74	16.0	0.48	830	12.1	0.44	8.7	0.31
Ureter	10	0.3	0.11	0.2	0.05	-	-	-	-	-
Eye & Orbit	15	0.2	0.06	0.3	0.07	20	0.3	0.06	0.3	0.08
Brain & Other Nervous System	263	4.7	0.33	3.8	0.24	282	3.9	0.24	3.4	0.21
Brain	241	4.3	0.31	3.5	0.23	246	3.4	0.22	3.0	0.20
Endocrine System	227	3.8	0.28	3.1	0.21	857	11.2	0.39	9.2	0.32
Thyroid gland	167	2.9	0.24	2.2	0.17	789	10.2	0.37	8.3	0.30
Lymphomas	1,141	20.9	0.70	15.6	0.47	1,001	14.2	0.47	10.8	0.35
Hodgkin Lymphoma	193	2.9	0.22	2.7	0.19	189	2.4	0.18	2.2	0.16
Non-Hodgkin Lymphoma	948	18.1	0.66	12.9	0.43	812	11.9	0.43	8.6	0.31
Multiple Myeloma	724	16.3	0.68	10.5	0.40	778	12.2	0.45	7.9	0.29
Leukemias	593	13.1	0.62	8.7	0.36	606	9.2	0.39	6.6	0.28
Acute lymphocytic	69	1.0	0.13	1.1	0.13	76	1.0	0.11	1.1	0.13
Chronic lymphocytic	164	4.4	0.39	2.5	0.20	140	2.2	0.20	1.4	0.12
Acute myeloid	189	4.0	0.34	2.7	0.20	214	3.3	0.23	2.3	0.17
Chronic myeloid	90	1.7	0.20	1.3	0.14	94	1.4	0.15	1.0	0.10
Other leukemias	81	2.0	0.25	1.2	0.14	82	1.3	0.15	0.8	0.09
Mesothelioma	25	0.8	0.17	0.4	0.08	10	0.1	0.05	0.1	0.03
Kaposi Sarcoma	243	3.6	0.23	3.2	0.20	8	0.1	0.03	0.1	0.03
Ill-defined & Unknown	764	18.7	0.78	11.2	0.41	982	15.8	0.52	9.6	0.32
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	417	8.6	0.48	5.8	0.29	984	14.5	0.48	10.0	0.33
Breast (*in situ*)	7	0.2	0.07	0.1	0.04	2,177	30.0	0.66	22.6	0.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	34,003	554.2	3.26	368.1	2.03	33,150	413.1	2.34	287.0	1.63
Oral Cavity & Pharynx	1,138	16.7	0.54	11.9	0.36	483	6.1	0.29	4.1	0.19
Lip	33	0.6	0.12	0.3	0.06	12	0.1	0.04	0.1	0.03
Tongue	355	5.0	0.28	3.7	0.20	135	1.7	0.15	1.2	0.10
Major salivary gland	112	1.9	0.20	1.2	0.11	84	1.0	0.11	0.7	0.08
Floor of mouth	52	0.8	0.11	0.6	0.08	17	0.2	0.06	0.1	0.04
Gum & other mouth	123	1.9	0.19	1.3	0.12	112	1.5	0.14	0.9	0.09
Nasopharynx	67	0.9	0.12	0.7	0.09	21	0.2	0.06	0.2	0.04
Oropharynx	48	0.7	0.10	0.5	0.07	15	0.2	0.05	0.1	0.03
Hypopharynx	74	1.2	0.15	0.8	0.09	16	0.2	0.06	0.1	0.03
Digestive System	5,997	98.0	1.38	63.6	0.83	5,110	66.7	0.96	41.9	0.61
Esophagus	382	6.4	0.36	4.1	0.21	148	2.0	0.17	1.2	0.11
Stomach	613	10.5	0.46	6.5	0.27	425	5.8	0.29	3.4	0.17
Small intestine	188	2.9	0.23	2.0	0.15	170	2.1	0.17	1.5	0.12
Colon excl. rectum	1,908	32.6	0.81	20.3	0.47	2,020	26.4	0.61	16.4	0.38
Rectum & rectosigmoid	993	15.0	0.51	10.4	0.33	753	9.4	0.35	6.4	0.24
Anus, anal canal & anorectum	160	2.1	0.18	1.6	0.12	165	2.0	0.16	1.4	0.11
Liver	739	10.8	0.43	7.7	0.29	248	3.1	0.20	2.1	0.14
Gallbladder	52	0.9	0.14	0.6	0.08	104	1.4	0.14	0.9	0.09
Pancreas	766	13.5	0.53	8.3	0.30	821	11.2	0.40	6.5	0.24
Respiratory System	4,275	77.8	1.28	46.6	0.72	3,642	49.1	0.84	30.5	0.53
Larynx	378	6.0	0.34	4.1	0.21	79	0.9	0.10	0.7	0.08
Lung & bronchus	3,817	70.5	1.23	41.6	0.68	3,508	47.5	0.83	29.4	0.51
Bones & Joints	73	1.0	0.12	0.9	0.10	72	0.9	0.10	0.8	0.10
Soft Tissue (incl. heart)	262	4.0	0.27	3.0	0.19	238	2.9	0.19	2.3	0.16
Skin (excl. basal & sq.)	2,293	37.3	0.85	24.2	0.51	1,743	20.7	0.51	15.4	0.38
Melanomas of the skin	2,158	35.0	0.82	22.8	0.50	1,633	19.4	0.49	14.4	0.37
Breast (excl. *in situ*)	95	1.6	0.18	1.0	0.11	11,050	132.4	1.29	96.4	0.93
Female Genital System	-	-	-	-	-	3,752	45.4	0.76	32.9	0.55
Cervix uteri	-	-	-	-	-	617	7.1	0.29	5.5	0.22
Uterus Corpus	-	-	-	-	-	1,756	21.0	0.52	15.6	0.38
Uterus, NOS[1]	-	-	-	-	-	61	0.7	0.10	0.5	0.07
Ovary	-	-	-	-	-	1,013	12.7	0.41	8.7	0.28
Male Genital System	11,168	173.0	1.76	123.0	1.18	-	-	-	-	-
Prostate	10,764	168.0	1.74	118.7	1.16	-	-	-	-	-
Testis	342	3.9	0.22	3.7	0.20	-	-	-	-	-
Penis	43	0.8	0.13	0.5	0.07	-	-	-	-	-
Urinary System	3,019	53.9	1.06	32.5	0.60	1,338	17.6	0.50	11.3	0.32
Bladder (incl. *in situ*)	1,620	32.2	0.86	17.5	0.44	510	7.1	0.32	4.1	0.19
Kidney & renal pelvis	1,340	20.6	0.61	14.4	0.40	796	10.0	0.37	7.0	0.26
Ureter	34	0.7	0.12	0.4	0.06	22	0.3	0.07	0.2	0.04
Eye & Orbit	56	0.8	0.12	0.7	0.09	49	0.6	0.09	0.5	0.08
Brain & Other Nervous System	499	7.1	0.34	5.6	0.26	403	4.9	0.25	4.2	0.22
Brain	472	6.8	0.34	5.3	0.25	371	4.5	0.24	3.8	0.21
Endocrine System	560	7.5	0.33	5.9	0.26	1,570	17.9	0.46	14.6	0.38
Thyroid gland	487	6.5	0.31	5.0	0.23	1,489	16.9	0.44	13.7	0.36
Lymphomas	1,775	27.4	0.71	19.1	0.46	1,373	17.3	0.48	12.3	0.35
Hodgkin Lymphoma	239	2.9	0.20	2.7	0.18	197	2.2	0.16	2.2	0.16
Non-Hodgkin Lymphoma	1,536	24.4	0.68	16.4	0.43	1,176	15.1	0.45	10.2	0.31
Multiple Myeloma	601	10.4	0.46	6.4	0.27	522	6.7	0.30	4.4	0.20
Leukemias	886	15.1	0.55	10.1	0.35	749	9.6	0.36	7.0	0.28
Acute lymphocytic	114	1.4	0.14	1.6	0.16	106	1.3	0.12	1.5	0.15
Chronic lymphocytic	269	5.2	0.34	3.0	0.18	182	2.4	0.19	1.4	0.11
Acute myeloid	285	4.9	0.31	3.1	0.19	263	3.4	0.21	2.4	0.16
Chronic myeloid	115	1.8	0.18	1.2	0.12	107	1.4	0.14	0.9	0.09
Other leukemias	103	1.8	0.19	1.1	0.11	91	1.2	0.13	0.7	0.08
Mesothelioma	55	1.0	0.15	0.6	0.08	18	0.2	0.05	0.1	0.04
Kaposi Sarcoma	298	3.5	0.21	3.0	0.17	12	0.1	0.04	0.1	0.03
Ill-defined & Unknown	953	18.1	0.64	10.1	0.33	1,026	14.0	0.45	8.0	0.27
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	546	8.4	0.39	5.9	0.26	1,221	15.2	0.45	10.5	0.31
Breast (*in situ*)	11	0.1	0.04	0.1	0.04	3,083	36.2	0.67	27.3	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	21,002	548.0	3.98	360.2	2.54	20,081	433.8	3.12	302.0	2.25
Oral Cavity & Pharynx	826	19.5	0.71	14.0	0.50	322	6.9	0.39	4.6	0.27
Lip	30	0.9	0.17	0.5	0.09	8	0.2	0.06	0.1	0.03
Tongue	288	6.6	0.40	5.0	0.30	106	2.3	0.23	1.6	0.16
Major salivary gland	85	2.4	0.27	1.4	0.15	51	1.0	0.15	0.8	0.12
Floor of mouth	34	0.8	0.14	0.6	0.10	11	0.2	0.07	0.2	0.05
Gum & other mouth	80	2.0	0.23	1.4	0.16	71	1.5	0.18	0.9	0.11
Nasopharynx	31	0.7	0.13	0.6	0.11	9	0.2	0.06	0.2	0.06
Oropharynx	27	0.6	0.13	0.4	0.08	11	0.2	0.08	0.2	0.05
Hypopharynx	44	1.1	0.18	0.7	0.11	9	0.2	0.07	0.1	0.04
Digestive System	3,323	87.8	1.60	55.6	0.98	2,720	59.4	1.16	36.2	0.74
Esophagus	256	6.8	0.44	4.3	0.27	89	2.0	0.22	1.2	0.13
Stomach	289	7.7	0.48	4.8	0.29	189	4.2	0.32	2.5	0.19
Small intestine	108	2.6	0.27	1.8	0.18	89	1.9	0.21	1.3	0.15
Colon excl. rectum	1,066	29.3	0.95	17.6	0.55	1,067	23.3	0.73	13.9	0.45
Rectum & rectosigmoid	578	14.4	0.63	9.8	0.41	404	8.7	0.44	5.9	0.30
Anus, anal canal & anorectum	84	2.0	0.22	1.4	0.15	111	2.3	0.22	1.6	0.16
Liver	326	8.0	0.47	5.5	0.31	113	2.4	0.23	1.6	0.17
Gallbladder	37	1.0	0.17	0.6	0.10	40	0.9	0.14	0.5	0.08
Pancreas	464	12.9	0.63	7.7	0.37	468	10.3	0.49	5.7	0.29
Respiratory System	2,620	75.3	1.54	43.8	0.87	2,374	52.8	1.11	32.2	0.70
Larynx	235	6.1	0.42	4.0	0.26	45	0.9	0.14	0.7	0.11
Lung & bronchus	2,325	67.6	1.47	38.7	0.82	2,302	51.3	1.09	31.1	0.69
Bones & Joints	39	0.9	0.15	0.9	0.14	41	0.9	0.15	0.9	0.15
Soft Tissue (incl. heart)	148	3.8	0.33	2.8	0.24	117	2.6	0.25	2.0	0.20
Skin (excl. basal & sq.)	2,191	55.5	1.25	37.2	0.81	1,618	34.9	0.88	26.6	0.69
Melanomas of the skin	2,090	52.7	1.21	35.5	0.79	1,548	33.4	0.86	25.7	0.68
Breast (excl. *in situ*)	54	1.5	0.21	0.9	0.13	6,521	137.7	1.74	100.6	1.28
Female Genital System	-	-	-	-	-	2,183	46.4	1.01	33.7	0.75
Cervix uteri	-	-	-	-	-	313	7.0	0.40	5.5	0.32
Uterus Corpus	-	-	-	-	-	988	20.4	0.66	15.1	0.49
Uterus, NOS[1]	-	-	-	-	-	20	0.4	0.09	0.3	0.07
Ovary	-	-	-	-	-	670	14.5	0.57	10.0	0.41
Male Genital System	6,148	151.4	2.03	107.8	1.40	-	-	-	-	-
Prostate	5,821	144.1	1.99	101.3	1.35	-	-	-	-	-
Testis	288	6.2	0.37	5.8	0.35	-	-	-	-	-
Penis	27	0.8	0.16	0.5	0.09	-	-	-	-	-
Urinary System	2,095	58.6	1.35	34.9	0.78	824	18.1	0.64	11.6	0.43
Bladder (incl. *in situ*)	1,252	37.4	1.10	20.3	0.59	369	8.2	0.44	4.9	0.27
Kidney & renal pelvis	794	19.9	0.74	13.7	0.50	431	9.3	0.46	6.4	0.33
Ureter	29	0.8	0.16	0.5	0.09	17	0.4	0.09	0.2	0.06
Eye & Orbit	47	1.1	0.17	0.9	0.13	36	0.8	0.14	0.6	0.11
Brain & Other Nervous System	365	8.8	0.48	6.9	0.38	259	5.7	0.36	4.9	0.33
Brain	349	8.4	0.47	6.5	0.37	244	5.4	0.35	4.6	0.32
Endocrine System	410	9.2	0.47	7.3	0.37	994	21.7	0.70	17.9	0.59
Thyroid gland	373	8.3	0.44	6.5	0.34	956	20.9	0.68	17.0	0.57
Lymphomas	1,136	29.5	0.92	20.0	0.61	830	18.4	0.65	12.9	0.48
Hodgkin Lymphoma	131	3.0	0.26	2.7	0.24	107	2.5	0.24	2.5	0.25
Non-Hodgkin Lymphoma	1,005	26.6	0.88	17.3	0.56	723	15.9	0.61	10.5	0.41
Multiple Myeloma	282	8.0	0.50	4.7	0.29	199	4.3	0.31	2.7	0.20
Leukemias	597	16.4	0.70	10.9	0.47	458	10.1	0.48	7.3	0.39
Acute lymphocytic	66	1.6	0.20	1.8	0.24	55	1.3	0.18	1.6	0.23
Chronic lymphocytic	202	5.8	0.43	3.4	0.24	123	2.7	0.24	1.6	0.15
Acute myeloid	184	5.1	0.40	3.2	0.25	162	3.5	0.28	2.5	0.22
Chronic myeloid	70	1.8	0.23	1.2	0.15	62	1.4	0.18	0.9	0.13
Other leukemias	75	2.1	0.25	1.3	0.16	56	1.2	0.16	0.7	0.10
Mesothelioma	42	1.1	0.19	0.7	0.11	17	0.3	0.09	0.2	0.06
Kaposi Sarcoma	82	1.8	0.20	1.4	0.16	-	-	-	-	-
Ill-defined & Unknown	597	17.7	0.76	9.6	0.40	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	333	8.3	0.48	6.0	0.34	666	14.3	0.57	10.1	0.42
Breast (*in situ*)	-	-	-	-	-	1,918	40.3	0.94	30.5	0.71

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	11,782	608.0	6.63	415.0	3.94	11,750	403.9	4.00	281.8	2.66
Oral Cavity & Pharynx	265	12.4	0.90	8.6	0.55	129	4.4	0.42	3.1	0.27
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	59	2.6	0.40	1.9	0.25	19	0.6	0.15	0.4	0.10
Major salivary gland	22	0.8	0.18	0.7	0.15	30	1.0	0.19	0.7	0.13
Floor of mouth	16	0.7	0.21	0.5	0.13	-	-	-	-	-
Gum & other mouth	33	1.6	0.32	1.1	0.20	29	1.0	0.20	0.7	0.13
Nasopharynx	21	0.9	0.23	0.7	0.15	9	0.3	0.11	0.2	0.07
Oropharynx	19	0.8	0.21	0.6	0.15	-	-	-	-	-
Hypopharynx	29	1.6	0.34	1.0	0.19	7	0.3	0.10	0.2	0.07
Digestive System	2,328	120.5	2.98	80.3	1.72	2,164	80.7	1.86	52.1	1.15
Esophagus	116	6.3	0.67	4.3	0.41	56	2.1	0.30	1.4	0.19
Stomach	267	16.4	1.20	9.7	0.61	203	8.1	0.61	4.7	0.34
Small intestine	75	3.8	0.51	2.7	0.32	78	2.7	0.33	1.9	0.21
Colon excl. rectum	761	41.8	1.81	26.9	1.01	892	33.1	1.19	21.5	0.74
Rectum & rectosigmoid	353	15.6	0.96	11.4	0.63	309	10.7	0.65	7.3	0.42
Anus, anal canal & anorectum	74	2.7	0.36	2.0	0.24	49	1.5	0.22	1.2	0.17
Liver	333	14.1	0.90	10.7	0.60	105	3.7	0.39	2.5	0.25
Gallbladder	14	0.7	0.22	0.5	0.14	56	2.2	0.31	1.4	0.19
Pancreas	274	15.6	1.12	9.9	0.62	321	13.2	0.78	8.0	0.46
Respiratory System	1,520	89.6	2.71	56.3	1.48	1,198	45.5	1.41	30.0	0.89
Larynx	136	6.3	0.61	4.7	0.42	34	1.1	0.19	0.8	0.15
Lung & bronchus	1,368	82.6	2.64	51.0	1.42	1,139	43.6	1.38	28.6	0.87
Bones & Joints	30	1.1	0.26	0.9	0.17	23	0.7	0.16	0.6	0.14
Soft Tissue (incl. heart)	99	4.2	0.50	3.3	0.34	107	3.3	0.34	2.7	0.28
Skin (excl. basal & sq.)	52	2.5	0.44	1.7	0.24	53	1.7	0.25	1.3	0.18
Melanomas of the skin	25	1.5	0.36	0.9	0.18	27	1.0	0.20	0.7	0.13
Breast (excl. *in situ*)	39	2.1	0.38	1.3	0.22	4,099	131.6	2.19	95.5	1.52
Female Genital System	-	-	-	-	-	1,412	47.3	1.34	34.1	0.93
Cervix uteri	-	-	-	-	-	272	8.3	0.53	6.1	0.38
Uterus Corpus	-	-	-	-	-	694	23.4	0.95	17.3	0.67
Uterus, NOS[1]	-	-	-	-	-	38	1.3	0.24	0.9	0.15
Ovary	-	-	-	-	-	302	10.6	0.65	7.2	0.43
Male Genital System	4,726	242.2	4.08	170.6	2.55	-	-	-	-	-
Prostate	4,661	239.8	4.06	168.7	2.54	-	-	-	-	-
Testis	46	1.4	0.21	1.3	0.20	-	-	-	-	-
Penis	14	0.8	0.25	0.5	0.13	-	-	-	-	-
Urinary System	836	45.9	1.91	29.7	1.06	482	18.0	0.88	11.7	0.55
Bladder (incl. *in situ*)	317	21.2	1.41	12.1	0.70	126	5.7	0.53	3.0	0.27
Kidney & renal pelvis	512	24.3	1.28	17.4	0.79	351	12.1	0.69	8.6	0.47
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	0.2	0.07	0.2	0.09	9	0.3	0.10	0.3	0.12
Brain & Other Nervous System	108	4.5	0.52	3.6	0.35	128	3.8	0.36	3.5	0.32
Brain	98	4.2	0.51	3.2	0.34	114	3.5	0.35	3.1	0.31
Endocrine System	115	4.5	0.49	3.6	0.35	449	12.5	0.61	10.4	0.50
Thyroid gland	82	3.2	0.42	2.4	0.28	411	11.3	0.57	9.3	0.46
Lymphomas	574	23.0	1.11	17.9	0.77	497	16.2	0.78	12.1	0.56
Hodgkin Lymphoma	97	3.1	0.35	2.9	0.30	82	2.2	0.24	2.1	0.23
Non-Hodgkin Lymphoma	477	19.8	1.06	14.9	0.71	415	14.1	0.74	10.1	0.51
Multiple Myeloma	301	16.9	1.16	10.8	0.64	309	11.4	0.70	7.5	0.44
Leukemias	254	13.1	1.01	9.1	0.59	262	9.2	0.61	6.8	0.44
Acute lymphocytic	41	1.3	0.24	1.5	0.23	42	1.3	0.20	1.4	0.22
Chronic lymphocytic	61	4.4	0.67	2.4	0.32	59	2.3	0.32	1.4	0.19
Acute myeloid	86	4.3	0.57	2.9	0.32	87	3.0	0.35	2.2	0.25
Chronic myeloid	40	1.8	0.31	1.4	0.22	41	1.4	0.24	1.0	0.15
Other leukemias	26	1.3	0.32	0.9	0.19	33	1.2	0.22	0.8	0.14
Mesothelioma	10	0.8	0.29	0.4	0.13	-	-	-	-	-
Kaposi Sarcoma	207	6.3	0.44	5.6	0.39	7	0.2	0.07	0.2	0.06
Ill-defined & Unknown	312	18.4	1.27	11.2	0.66	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	178	9.4	0.85	6.1	0.47	491	17.3	0.84	11.5	0.53
Breast (*in situ*)	6	0.3	0.11	0.2	0.09	1,052	32.8	1.07	24.6	0.77

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	939	271.4	10.49	173.7	5.83	1,091	244.3	8.34	168.9	5.25
Oral Cavity & Pharynx	42	9.0	1.52	6.8	1.08	25	6.9	1.56	4.1	0.83
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	9	2.5	0.95	1.4	0.49
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	10	2.5	0.82	1.8	0.58	9	2.8	1.01	1.6	0.53
Nasopharynx	14	2.5	0.69	1.9	0.52	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	314	88.0	5.83	56.9	3.29	207	56.4	4.40	34.5	2.44
Esophagus	10	2.6	0.99	1.7	0.53	-	-	-	-	-
Stomach	54	16.3	2.61	10.0	1.38	33	10.0	1.94	5.6	0.99
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	70	18.6	2.59	12.7	1.56	52	14.2	2.23	8.7	1.22
Rectum & rectosigmoid	55	14.1	2.16	9.4	1.30	35	7.8	1.44	5.8	1.00
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	74	21.1	2.95	13.4	1.60	30	9.2	1.87	4.9	0.90
Gallbladder	-	-	-	-	-	7	1.6	0.65	1.2	0.45
Pancreas	26	7.9	1.75	4.8	0.96	30	8.5	1.73	4.9	0.91
Respiratory System	122	37.3	3.89	23.1	2.13	63	17.0	2.40	10.3	1.32
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	116	35.8	3.82	22.0	2.08	60	16.5	2.38	9.7	1.28
Bones & Joints	-	-	-	-	-	8	1.9	0.79	1.3	0.49
Soft Tissue (incl. heart)	11	2.6	0.84	2.0	0.61	10	2.1	0.74	1.7	0.57
Skin (excl. basal & sq.)	-	-	-	-	-	9	3.1	1.17	1.4	0.47
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	378	73.9	4.14	55.1	2.89
Female Genital System	-	-	-	-	-	131	25.9	2.46	20.1	1.80
Cervix uteri	-	-	-	-	-	24	4.8	1.09	3.4	0.70
Uterus Corpus	-	-	-	-	-	61	12.1	1.63	9.7	1.26
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	38	7.2	1.25	5.7	0.97
Male Genital System	191	63.0	5.38	38.2	2.82	-	-	-	-	-
Prostate	186	62.1	5.36	37.4	2.80	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	72	21.7	3.05	13.5	1.63	29	7.7	1.64	5.0	0.97
Bladder (incl. *in situ*)	43	13.0	2.33	8.1	1.26	13	3.8	1.20	2.3	0.65
Kidney & renal pelvis	26	6.7	1.48	4.7	0.94	13	2.8	0.87	2.1	0.63
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	21	3.7	0.84	3.5	0.79	12	2.4	0.79	2.0	0.61
Brain	20	3.6	0.83	3.4	0.78	11	2.2	0.78	1.8	0.57
Endocrine System	31	7.3	1.48	5.2	0.97	107	18.3	1.88	14.9	1.50
Thyroid gland	28	6.4	1.40	4.5	0.88	102	17.3	1.82	13.9	1.43
Lymphomas	48	11.6	1.85	8.4	1.24	35	8.7	1.69	5.7	0.97
Hodgkin Lymphoma	9	1.5	0.51	1.3	0.43	7	1.0	0.40	1.1	0.44
Non-Hodgkin Lymphoma	39	10.2	1.78	7.2	1.17	28	7.7	1.65	4.5	0.87
Multiple Myeloma	17	5.2	1.41	3.2	0.80	12	3.4	1.11	1.8	0.54
Leukemias	26	5.6	1.44	4.1	0.86	28	5.9	1.28	4.6	0.92
Acute lymphocytic	-	-	-	-	-	8	1.2	0.44	1.5	0.55
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	14	2.7	0.75	2.3	0.64	14	3.4	1.03	2.3	0.65
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	32	13.0	2.77	6.5	1.18	34	10.2	1.91	5.9	1.02
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	29	7.0	1.55	4.7	0.90	50	11.3	1.74	8.4	1.22
Breast (*in situ*)	-	-	-	-	-	93	19.4	2.20	13.6	1.44

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,153	369.1	14.99	234.0	8.02	1,376	320.4	10.57	216.3	6.49
Oral Cavity & Pharynx	36	8.6	2.11	5.8	1.13	19	4.7	1.27	3.3	0.84
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	1.4	0.51	1.2	0.45	-	-	-	-	-
Major salivary gland	7	1.5	1.00	0.7	0.34	7	1.4	0.58	1.2	0.50
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	248	85.6	7.39	53.6	3.89	193	57.5	4.85	33.8	2.63
Esophagus	11	2.9	1.01	2.5	0.84	6	2.0	0.93	1.1	0.47
Stomach	43	14.4	3.35	7.2	1.35	36	9.6	1.89	6.4	1.19
Small intestine	11	3.5	1.30	2.6	0.86	6	1.4	0.68	0.8	0.34
Colon excl. rectum	61	23.8	4.04	14.0	2.03	66	19.9	2.86	11.5	1.52
Rectum & rectosigmoid	38	14.9	3.19	9.0	1.64	21	5.7	1.50	3.3	0.78
Anus, anal canal & anorectum	9	1.8	0.95	1.0	0.42	7	2.0	0.84	1.2	0.48
Liver	34	10.1	2.21	7.3	1.38	9	2.4	0.98	1.6	0.58
Gallbladder	-	-	-	-	-	6	2.3	1.01	1.5	0.63
Pancreas	28	10.7	2.59	7.3	1.50	25	9.9	2.17	5.0	1.04
Respiratory System	105	44.9	5.63	25.1	2.72	70	25.1	3.34	14.3	1.83
Larynx	9	2.0	0.83	1.6	0.64	-	-	-	-	-
Lung & bronchus	85	41.0	5.48	22.2	2.60	67	24.3	3.29	14.0	1.81
Bones & Joints	-	-	-	-	-	8	1.4	0.71	1.1	0.45
Soft Tissue (incl. heart)	18	3.9	1.46	2.6	0.73	10	2.4	0.89	1.9	0.67
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	19	6.4	2.09	3.5	0.96	27	6.6	1.54	4.6	0.98
Breast (excl. *in situ*)	-	-	-	-	-	459	101.0	5.64	70.8	3.66
Female Genital System	-	-	-	-	-	210	42.6	3.60	31.3	2.44
Cervix uteri	-	-	-	-	-	68	9.6	1.36	7.7	1.08
Uterus Corpus	-	-	-	-	-	75	18.3	2.48	13.3	1.67
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	48	11.1	1.99	7.5	1.20
Male Genital System	333	124.1	8.61	80.7	4.92	-	-	-	-	-
Prostate	273	119.7	8.59	76.2	4.88	-	-	-	-	-
Testis	54	3.7	0.55	3.8	0.57	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	73	30.1	4.48	16.8	2.19	57	16.9	2.62	10.5	1.49
Bladder (incl. *in situ*)	30	17.6	3.75	8.2	1.57	20	7.2	1.82	4.1	0.97
Kidney & renal pelvis	42	12.2	2.43	8.3	1.49	35	8.6	1.70	6.1	1.11
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	37	3.9	0.89	3.8	0.76	24	3.0	0.92	2.5	0.57
Brain	35	3.7	0.88	3.6	0.75	24	3.0	0.92	2.5	0.57
Endocrine System	26	3.6	1.13	2.6	0.56	116	16.8	1.85	14.1	1.50
Thyroid gland	20	2.2	0.53	1.9	0.44	111	15.7	1.74	13.5	1.46
Lymphomas	106	22.3	3.40	15.2	1.81	73	16.3	2.39	11.3	1.47
Hodgkin Lymphoma	15	1.3	0.35	1.3	0.34	14	1.4	0.40	1.6	0.45
Non-Hodgkin Lymphoma	91	21.0	3.38	13.9	1.78	59	14.9	2.35	9.7	1.40
Multiple Myeloma	15	6.1	2.09	2.9	0.87	14	3.9	1.20	2.7	0.80
Leukemias	73	14.4	2.74	10.7	1.55	50	8.2	1.61	6.4	1.00
Acute lymphocytic	29	2.2	0.47	2.8	0.56	20	1.5	0.36	1.9	0.43
Chronic lymphocytic	10	3.4	1.33	2.2	0.77	-	-	-	-	-
Acute myeloid	21	3.9	1.24	3.3	0.91	20	4.0	1.21	2.8	0.72
Chronic myeloid	6	1.9	1.15	0.9	0.48	-	-	-	-	-
Other leukemias	7	3.1	1.63	1.5	0.65	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	19	2.9	1.12	1.8	0.53	-	-	-	-	-
Ill-defined & Unknown	25	8.3	2.30	5.4	1.25	37	12.1	2.32	6.4	1.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	20	3.7	1.29	2.6	0.72	59	13.5	2.15	9.5	1.39
Breast (*in situ*)	-	-	-	-	-	109	23.4	2.58	17.9	1.90

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	19,981	563.6	4.17	372.7	2.73	18,870	444.8	3.32	311.2	2.44
Oral Cavity & Pharynx	792	20.4	0.76	14.8	0.54	306	7.0	0.41	4.8	0.29
Lip	28	0.8	0.17	0.5	0.09	7	0.1	0.06	0.1	0.03
Tongue	280	7.0	0.43	5.3	0.32	102	2.4	0.24	1.6	0.17
Major salivary gland	78	2.4	0.28	1.4	0.17	46	1.0	0.16	0.8	0.13
Floor of mouth	34	0.9	0.15	0.6	0.11	11	0.2	0.08	0.2	0.06
Gum & other mouth	77	2.1	0.25	1.5	0.18	70	1.6	0.19	0.9	0.12
Nasopharynx	27	0.7	0.14	0.6	0.13	8	0.2	0.07	0.2	0.07
Oropharynx	27	0.7	0.14	0.5	0.09	10	0.2	0.08	0.2	0.05
Hypopharynx	43	1.2	0.19	0.8	0.12	8	0.2	0.07	0.1	0.04
Digestive System	3,103	88.4	1.66	56.0	1.03	2,550	59.4	1.20	36.3	0.78
Esophagus	247	7.0	0.46	4.4	0.29	84	2.0	0.22	1.2	0.14
Stomach	246	7.1	0.47	4.4	0.29	157	3.7	0.30	2.1	0.18
Small intestine	97	2.6	0.27	1.8	0.18	85	2.0	0.22	1.4	0.16
Colon excl. rectum	1,016	30.0	0.98	18.1	0.58	1,011	23.6	0.76	14.0	0.48
Rectum & rectosigmoid	543	14.6	0.66	10.1	0.44	384	8.9	0.46	6.1	0.33
Anus, anal canal & anorectum	76	2.0	0.23	1.4	0.16	105	2.4	0.24	1.7	0.17
Liver	300	7.9	0.48	5.4	0.32	104	2.4	0.25	1.7	0.19
Gallbladder	34	1.0	0.18	0.6	0.11	34	0.8	0.14	0.4	0.08
Pancreas	438	13.0	0.65	7.8	0.38	446	10.3	0.50	5.8	0.30
Respiratory System	2,524	76.8	1.59	44.8	0.91	2,312	54.4	1.16	33.4	0.74
Larynx	227	6.3	0.44	4.1	0.28	45	1.0	0.15	0.8	0.11
Lung & bronchus	2,248	69.0	1.51	39.7	0.86	2,242	52.8	1.14	32.2	0.72
Bones & Joints	34	1.0	0.17	0.9	0.17	33	0.9	0.16	0.8	0.16
Soft Tissue (incl. heart)	130	3.9	0.35	2.9	0.28	108	2.7	0.27	2.1	0.24
Skin (excl. basal & sq.)	2,169	60.2	1.35	40.9	0.90	1,591	39.2	1.01	30.4	0.81
Melanomas of the skin	2,073	57.2	1.31	39.2	0.88	1,523	37.6	0.99	29.3	0.80
Breast (excl. *in situ*)	51	1.5	0.22	0.9	0.13	6,126	141.0	1.84	103.3	1.37
Female Genital System	-	-	-	-	-	1,993	46.3	1.06	33.6	0.79
Cervix uteri	-	-	-	-	-	249	6.6	0.42	5.2	0.34
Uterus Corpus	-	-	-	-	-	924	20.6	0.69	15.3	0.52
Uterus, NOS[1]	-	-	-	-	-	18	0.4	0.09	0.3	0.07
Ovary	-	-	-	-	-	624	14.6	0.60	10.1	0.43
Male Genital System	5,856	154.4	2.11	110.5	1.47	-	-	-	-	-
Prostate	5,586	146.6	2.05	103.6	1.40	-	-	-	-	-
Testis	236	6.8	0.45	6.3	0.43	-	-	-	-	-
Penis	23	0.7	0.16	0.4	0.09	-	-	-	-	-
Urinary System	2,028	60.5	1.40	36.3	0.83	773	18.2	0.67	11.6	0.46
Bladder (incl. *in situ*)	1,224	38.5	1.14	21.2	0.62	351	8.3	0.45	4.9	0.28
Kidney & renal pelvis	756	20.6	0.78	14.3	0.54	400	9.4	0.48	6.4	0.35
Ureter	29	0.9	0.17	0.5	0.10	15	0.3	0.09	0.2	0.06
Eye & Orbit	44	1.2	0.18	0.9	0.15	32	0.8	0.15	0.6	0.11
Brain & Other Nervous System	335	9.3	0.53	7.2	0.43	241	6.2	0.41	5.3	0.40
Brain	320	8.8	0.51	6.8	0.41	226	5.8	0.40	5.0	0.39
Endocrine System	385	10.1	0.53	8.2	0.44	884	22.5	0.77	18.5	0.66
Thyroid gland	354	9.2	0.51	7.2	0.39	851	21.5	0.76	17.5	0.63
Lymphomas	1,045	30.5	0.98	20.8	0.68	767	18.7	0.69	13.2	0.53
Hodgkin Lymphoma	120	3.4	0.32	3.2	0.31	96	2.7	0.29	2.7	0.30
Non-Hodgkin Lymphoma	925	27.1	0.93	17.7	0.61	671	16.0	0.63	10.5	0.43
Multiple Myeloma	268	8.1	0.51	4.8	0.30	187	4.3	0.32	2.7	0.21
Leukemias	538	16.4	0.73	10.9	0.52	415	10.1	0.51	7.4	0.45
Acute lymphocytic	46	1.5	0.22	1.7	0.28	41	1.3	0.21	1.7	0.30
Chronic lymphocytic	192	5.9	0.44	3.4	0.25	122	2.8	0.26	1.6	0.16
Acute myeloid	167	5.1	0.41	3.2	0.27	143	3.4	0.30	2.4	0.24
Chronic myeloid	65	1.8	0.24	1.3	0.17	57	1.4	0.19	1.0	0.14
Other leukemias	68	2.1	0.26	1.3	0.18	52	1.2	0.17	0.7	0.11
Mesothelioma	39	1.2	0.19	0.7	0.12	16	0.3	0.09	0.2	0.06
Kaposi Sarcoma	66	1.8	0.22	1.4	0.17	-	-	-	-	-
Ill-defined & Unknown	574	18.1	0.79	9.8	0.43	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	314	8.8	0.52	6.5	0.39	617	14.6	0.60	10.3	0.46
Breast (*in situ*)	-	-	-	-	-	1,822	41.9	1.00	31.8	0.76

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Atlanta, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	11,691	613.5	6.71	418.5	3.99	11,643	406.5	4.04	283.8	2.69
Oral Cavity & Pharynx	265	12.6	0.92	8.8	0.55	126	4.4	0.42	3.0	0.27
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	59	2.7	0.41	1.9	0.25	19	0.6	0.16	0.4	0.10
Major salivary gland	22	0.8	0.19	0.7	0.15	28	0.9	0.19	0.7	0.13
Floor of mouth	16	0.7	0.21	0.5	0.14	-	-	-	-	-
Gum & other mouth	33	1.6	0.33	1.1	0.20	28	1.0	0.20	0.7	0.13
Nasopharynx	21	0.9	0.23	0.7	0.16	9	0.3	0.11	0.2	0.07
Oropharynx	19	0.8	0.21	0.6	0.15	-	-	-	-	-
Hypopharynx	29	1.6	0.34	1.0	0.19	7	0.3	0.11	0.2	0.07
Digestive System	2,309	121.6	3.02	80.9	1.74	2,146	81.2	1.88	52.5	1.16
Esophagus	115	6.3	0.68	4.3	0.41	55	2.1	0.30	1.4	0.19
Stomach	267	16.6	1.22	9.9	0.62	199	8.0	0.61	4.7	0.34
Small intestine	75	3.9	0.51	2.7	0.32	76	2.7	0.33	1.8	0.22
Colon excl. rectum	753	42.0	1.83	27.0	1.02	884	33.2	1.20	21.6	0.74
Rectum & rectosigmoid	350	15.7	0.97	11.6	0.64	308	10.8	0.66	7.4	0.43
Anus, anal canal & anorectum	74	2.8	0.37	2.1	0.24	49	1.5	0.23	1.2	0.17
Liver	328	14.2	0.91	10.7	0.61	105	3.8	0.39	2.6	0.26
Gallbladder	14	0.7	0.22	0.5	0.14	56	2.2	0.31	1.4	0.19
Pancreas	272	15.8	1.14	10.0	0.62	320	13.3	0.79	8.0	0.46
Respiratory System	1,513	90.6	2.75	56.8	1.50	1,194	45.9	1.42	30.3	0.90
Larynx	135	6.3	0.62	4.8	0.42	34	1.1	0.19	0.8	0.15
Lung & bronchus	1,362	83.5	2.67	51.5	1.43	1,136	44.1	1.40	28.9	0.88
Bones & Joints	30	1.1	0.26	0.9	0.17	23	0.7	0.16	0.7	0.14
Soft Tissue (incl. heart)	99	4.3	0.51	3.4	0.35	106	3.4	0.35	2.8	0.28
Skin (excl. basal & sq.)	51	2.6	0.44	1.7	0.25	53	1.7	0.25	1.3	0.18
Melanomas of the skin	24	1.5	0.36	0.9	0.18	27	1.0	0.20	0.7	0.13
Breast (excl. *in situ*)	39	2.1	0.39	1.4	0.23	4,060	132.5	2.21	96.2	1.54
Female Genital System	-	-	-	-	-	1,399	47.5	1.36	34.3	0.94
Cervix uteri	-	-	-	-	-	272	8.4	0.54	6.3	0.39
Uterus Corpus	-	-	-	-	-	686	23.4	0.95	17.3	0.68
Uterus, NOS[1]	-	-	-	-	-	37	1.3	0.24	0.9	0.15
Ovary	-	-	-	-	-	300	10.6	0.66	7.3	0.43
Male Genital System	4,696	243.9	4.12	171.9	2.58	-	-	-	-	-
Prostate	4,632	241.5	4.10	170.0	2.57	-	-	-	-	-
Testis	45	1.4	0.22	1.3	0.20	-	-	-	-	-
Penis	14	0.8	0.26	0.5	0.13	-	-	-	-	-
Urinary System	833	46.4	1.93	30.1	1.07	476	18.0	0.89	11.7	0.55
Bladder (incl. *in situ*)	316	21.3	1.42	12.2	0.70	124	5.6	0.53	3.0	0.28
Kidney & renal pelvis	510	24.6	1.29	17.6	0.81	347	12.2	0.70	8.6	0.47
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	9	0.3	0.10	0.4	0.13
Brain & Other Nervous System	104	4.5	0.53	3.5	0.35	123	3.8	0.36	3.4	0.32
Brain	95	4.2	0.52	3.2	0.34	109	3.4	0.35	3.0	0.30
Endocrine System	115	4.6	0.50	3.7	0.36	449	12.8	0.63	10.6	0.51
Thyroid gland	82	3.3	0.43	2.5	0.28	411	11.5	0.58	9.5	0.47
Lymphomas	563	23.0	1.12	17.9	0.78	490	16.3	0.79	12.2	0.57
Hodgkin Lymphoma	93	3.1	0.35	2.9	0.31	80	2.2	0.25	2.1	0.24
Non-Hodgkin Lymphoma	470	19.9	1.06	15.0	0.71	410	14.1	0.75	10.1	0.51
Multiple Myeloma	300	17.1	1.17	10.9	0.65	308	11.5	0.70	7.6	0.44
Leukemias	243	13.1	1.02	8.8	0.58	255	9.2	0.61	6.7	0.43
Acute lymphocytic	32	1.1	0.23	1.2	0.21	36	1.1	0.19	1.2	0.21
Chronic lymphocytic	61	4.5	0.68	2.5	0.32	59	2.3	0.33	1.5	0.19
Acute myeloid	84	4.3	0.57	2.9	0.33	86	3.1	0.36	2.2	0.25
Chronic myeloid	40	1.8	0.32	1.4	0.23	41	1.4	0.24	1.0	0.16
Other leukemias	26	1.4	0.32	0.9	0.19	33	1.2	0.22	0.8	0.14
Mesothelioma	10	0.8	0.29	0.4	0.13	-	-	-	-	-
Kaposi Sarcoma	205	6.5	0.45	5.8	0.41	6	0.2	0.06	0.1	0.06
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	177	9.5	0.86	6.2	0.48	483	17.3	0.85	11.5	0.53
Breast (*in situ*)	6	0.3	0.12	0.2	0.10	1,046	33.2	1.09	24.8	0.78

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	17,152	466.5	3.64	306.1	2.47	16,574	403.9	3.23	287.5	2.45
Oral Cavity & Pharynx	651	17.1	0.69	12.4	0.50	286	6.9	0.42	4.8	0.32
Lip	13	0.4	0.10	0.2	0.07	11	0.3	0.08	0.2	0.06
Tongue	204	5.4	0.39	3.9	0.28	85	2.0	0.22	1.3	0.16
Major salivary gland	73	2.0	0.24	1.4	0.17	54	1.4	0.19	1.1	0.16
Floor of mouth	28	0.7	0.14	0.6	0.11	10	0.3	0.08	0.2	0.06
Gum & other mouth	66	1.8	0.23	1.2	0.15	64	1.5	0.19	1.0	0.14
Nasopharynx	60	1.6	0.21	1.3	0.17	26	0.7	0.14	0.6	0.12
Oropharynx	25	0.6	0.12	0.5	0.10	10	0.2	0.06	0.1	0.05
Hypopharynx	63	1.6	0.21	1.1	0.15	11	0.3	0.08	0.2	0.06
Digestive System	4,198	113.1	1.78	73.9	1.19	3,050	70.1	1.30	44.1	0.89
Esophagus	244	6.6	0.43	4.3	0.28	47	1.1	0.16	0.7	0.11
Stomach	464	12.9	0.61	7.5	0.37	318	7.2	0.41	4.3	0.27
Small intestine	76	2.1	0.24	1.5	0.17	58	1.3	0.18	0.8	0.12
Colon excl. rectum	1,279	34.6	0.99	22.4	0.65	1,131	26.1	0.80	16.5	0.55
Rectum & rectosigmoid	775	20.5	0.75	14.6	0.54	464	11.1	0.53	8.0	0.39
Anus, anal canal & anorectum	34	0.9	0.15	0.7	0.12	53	1.3	0.18	0.9	0.13
Liver	555	14.5	0.63	10.1	0.44	220	5.0	0.34	3.0	0.22
Gallbladder	33	0.9	0.16	0.5	0.10	45	1.0	0.16	0.6	0.10
Pancreas	554	15.1	0.65	9.1	0.41	542	12.2	0.54	7.0	0.34
Respiratory System	2,394	65.3	1.36	39.6	0.85	1,726	39.8	0.98	25.0	0.66
Larynx	177	4.5	0.34	3.1	0.24	30	0.7	0.13	0.5	0.10
Lung & bronchus	2,167	59.5	1.30	35.5	0.80	1,666	38.4	0.96	23.9	0.64
Bones & Joints	32	1.0	0.17	1.0	0.18	25	0.7	0.14	0.6	0.15
Soft Tissue (incl. heart)	143	3.9	0.33	3.1	0.27	118	3.0	0.29	2.3	0.25
Skin (excl. basal & sq.)	1,113	30.2	0.93	20.8	0.65	618	15.5	0.64	11.9	0.52
Melanomas of the skin	1,019	27.5	0.88	19.2	0.63	563	14.2	0.62	11.1	0.50
Breast (excl. *in situ*)	36	1.0	0.17	0.6	0.11	5,270	130.2	1.84	96.4	1.40
Female Genital System	-	-	-	-	-	1,994	50.7	1.17	38.9	0.92
Cervix uteri	-	-	-	-	-	266	7.7	0.49	6.1	0.39
Uterus Corpus	-	-	-	-	-	1,157	28.8	0.87	22.4	0.68
Uterus, NOS[1]	-	-	-	-	-	20	0.5	0.11	0.3	0.08
Ovary	-	-	-	-	-	373	9.5	0.51	7.1	0.40
Male Genital System	4,153	111.7	1.77	74.1	1.20	-	-	-	-	-
Prostate	3,925	105.0	1.71	68.2	1.13	-	-	-	-	-
Testis	187	5.6	0.41	5.2	0.39	-	-	-	-	-
Penis	21	0.6	0.13	0.4	0.09	-	-	-	-	-
Urinary System	1,578	43.7	1.12	26.6	0.71	675	15.8	0.62	10.2	0.44
Bladder (incl. *in situ*)	856	24.1	0.84	13.3	0.48	277	6.1	0.38	3.5	0.24
Kidney & renal pelvis	677	18.4	0.72	12.6	0.50	379	9.2	0.48	6.6	0.37
Ureter	28	0.8	0.15	0.4	0.09	15	0.3	0.09	0.1	0.04
Eye & Orbit	23	0.6	0.13	0.5	0.11	21	0.6	0.13	0.6	0.15
Brain & Other Nervous System	173	4.9	0.38	4.2	0.35	128	3.3	0.30	3.0	0.30
Brain	164	4.6	0.37	3.9	0.34	119	3.1	0.29	2.7	0.29
Endocrine System	309	8.6	0.50	6.8	0.40	869	24.5	0.85	20.3	0.72
Thyroid gland	272	7.5	0.47	5.8	0.37	838	23.8	0.84	19.6	0.71
Lymphomas	861	23.7	0.83	16.1	0.59	676	16.4	0.65	11.3	0.50
Hodgkin Lymphoma	66	1.9	0.24	1.8	0.23	58	1.7	0.23	1.6	0.23
Non-Hodgkin Lymphoma	795	21.8	0.79	14.3	0.54	618	14.7	0.61	9.7	0.44
Multiple Myeloma	243	6.6	0.43	4.2	0.28	172	3.9	0.31	2.6	0.22
Leukemias	529	15.0	0.67	10.7	0.52	383	9.7	0.51	7.5	0.46
Acute lymphocytic	57	1.7	0.23	2.1	0.30	40	1.2	0.20	1.5	0.26
Chronic lymphocytic	162	4.4	0.35	2.9	0.23	90	2.1	0.23	1.3	0.15
Acute myeloid	174	5.0	0.39	3.2	0.27	158	4.1	0.34	3.1	0.29
Chronic myeloid	78	2.2	0.26	1.5	0.17	47	1.2	0.17	0.8	0.13
Other leukemias	58	1.7	0.23	1.0	0.15	48	1.1	0.16	0.7	0.14
Mesothelioma	34	1.0	0.17	0.5	0.09	7	0.2	0.07	0.1	0.05
Kaposi Sarcoma	17	0.5	0.11	0.4	0.09	-	-	-	-	-
Ill-defined & Unknown	665	18.7	0.74	10.8	0.46	556	12.6	0.55	7.8	0.39
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	270	7.7	0.48	5.4	0.36	474	11.8	0.56	8.3	0.42
Breast (*in situ*)	-	-	-	-	-	1,421	35.6	0.97	27.1	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	6,097	554.8	7.51	367.4	5.07	4,663	461.5	7.11	324.0	5.30
Oral Cavity & Pharynx	271	22.5	1.44	16.6	1.04	100	9.5	0.99	6.5	0.70
Lip	9	0.9	0.31	0.6	0.20	6	0.7	0.28	0.4	0.19
Tongue	92	7.8	0.85	5.9	0.63	27	2.6	0.52	1.8	0.36
Major salivary gland	27	2.5	0.50	1.5	0.29	15	1.5	0.40	1.0	0.30
Floor of mouth	14	1.0	0.27	0.8	0.23	6	0.7	0.28	0.5	0.20
Gum & other mouth	21	1.9	0.43	1.2	0.28	22	2.0	0.43	1.3	0.29
Nasopharynx	7	0.6	0.23	0.5	0.19	-	-	-	-	-
Oropharynx	13	1.0	0.28	0.8	0.22	-	-	-	-	-
Hypopharynx	21	1.7	0.39	1.3	0.28	-	-	-	-	-
Digestive System	1,122	100.6	3.16	65.1	2.00	661	63.7	2.58	39.7	1.67
Esophagus	99	9.2	0.97	5.7	0.59	21	1.9	0.42	1.3	0.28
Stomach	83	7.8	0.89	4.8	0.54	24	2.4	0.50	1.4	0.32
Small intestine	26	2.3	0.47	1.7	0.33	19	1.8	0.44	1.3	0.31
Colon excl. rectum	361	33.0	1.83	20.6	1.12	259	25.4	1.64	14.8	1.02
Rectum & rectosigmoid	187	16.2	1.24	11.3	0.85	117	10.9	1.06	7.7	0.75
Anus, anal canal & anorectum	22	1.7	0.39	1.4	0.30	35	3.5	0.62	2.5	0.44
Liver	149	11.9	1.02	8.8	0.74	32	2.9	0.53	1.8	0.35
Gallbladder	8	0.9	0.33	0.4	0.16	-	-	-	-	-
Pancreas	145	13.7	1.20	8.1	0.69	106	10.5	1.05	6.0	0.63
Respiratory System	703	63.6	2.53	38.9	1.50	500	47.7	2.21	29.0	1.37
Larynx	75	5.9	0.72	4.2	0.50	16	1.2	0.32	1.0	0.25
Lung & bronchus	610	56.1	2.40	33.5	1.39	478	46.0	2.18	27.7	1.34
Bones & Joints	10	1.4	0.50	1.4	0.56	-	-	-	-	-
Soft Tissue (incl. heart)	59	5.6	0.80	4.7	0.77	26	2.7	0.57	2.1	0.51
Skin (excl. basal & sq.)	941	87.5	3.01	57.5	1.99	463	46.8	2.29	34.2	1.73
Melanomas of the skin	887	82.2	2.91	54.5	1.95	440	44.6	2.25	33.1	1.71
Breast (excl. *in situ*)	17	1.8	0.44	1.0	0.26	1,433	140.1	3.89	100.9	2.83
Female Genital System	-	-	-	-	-	498	48.6	2.30	36.4	1.77
Cervix uteri	-	-	-	-	-	64	7.5	0.97	6.2	0.81
Uterus Corpus	-	-	-	-	-	256	23.2	1.53	17.3	1.13
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	103	11.0	1.16	8.4	0.93
Male Genital System	1,367	118.3	3.38	82.1	2.33	-	-	-	-	-
Prostate	1,263	107.1	3.18	71.9	2.06	-	-	-	-	-
Testis	90	9.9	1.09	9.3	1.07	-	-	-	-	-
Penis	13	1.1	0.33	0.9	0.24	-	-	-	-	-
Urinary System	648	62.2	2.56	36.9	1.52	192	18.4	1.38	12.0	0.96
Bladder (incl. *in situ*)	394	39.1	2.06	21.2	1.10	90	8.7	0.95	5.0	0.57
Kidney & renal pelvis	235	21.1	1.45	14.8	1.03	100	9.5	0.99	6.9	0.78
Ureter	9	1.0	0.34	0.5	0.17	-	-	-	-	-
Eye & Orbit	15	1.4	0.38	0.9	0.23	11	1.3	0.42	1.3	0.50
Brain & Other Nervous System	76	7.2	0.91	6.4	0.93	61	6.5	0.91	5.8	0.97
Brain	73	7.0	0.90	6.2	0.93	59	6.1	0.88	5.4	0.90
Endocrine System	93	8.5	0.93	6.9	0.76	191	22.9	1.74	19.4	1.53
Thyroid gland	88	8.2	0.91	6.7	0.76	184	22.0	1.70	18.4	1.45
Lymphomas	313	28.5	1.71	20.1	1.25	189	18.8	1.46	13.4	1.17
Hodgkin Lymphoma	31	3.3	0.64	3.0	0.62	20	2.7	0.63	2.6	0.67
Non-Hodgkin Lymphoma	282	25.2	1.59	17.1	1.08	169	16.1	1.31	10.8	0.96
Multiple Myeloma	84	7.5	0.87	4.7	0.53	45	4.3	0.66	2.9	0.46
Leukemias	184	18.9	1.49	13.3	1.26	121	13.2	1.28	10.2	1.22
Acute lymphocytic	15	2.6	0.72	3.4	0.97	11	1.9	0.60	2.6	0.88
Chronic lymphocytic	88	8.2	0.92	4.9	0.54	48	4.9	0.72	2.9	0.45
Acute myeloid	42	4.2	0.67	2.7	0.47	37	3.9	0.68	2.8	0.56
Chronic myeloid	21	2.2	0.49	1.2	0.26	13	1.5	0.43	1.1	0.31
Other leukemias	18	1.8	0.43	1.1	0.27	12	1.1	0.32	0.8	0.33
Mesothelioma	10	0.9	0.31	0.6	0.18	6	0.6	0.27	0.4	0.19
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	162	15.6	1.28	9.0	0.86
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	86	8.7	0.99	6.4	0.78	104	10.5	1.09	7.7	0.85
Breast (*in situ*)	-	-	-	-	-	342	32.7	1.86	25.2	1.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	240	449.6	33.75	324.5	22.11	122	328.8	33.88	242.3	23.60
Oral Cavity & Pharynx	6	16.3	7.30	9.7	4.22	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	48	68.5	10.68	58.3	8.89	10	35.9	12.57	20.6	7.04
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	18	29.0	7.34	24.3	6.04	-	-	-	-	-
Rectum & rectosigmoid	7	8.0	3.05	6.6	2.58	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	10.3	3.65	8.7	3.11	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	7.9	3.26	7.3	3.06	-	-	-	-	-
Respiratory System	27	66.8	14.98	37.1	7.42	8	30.8	11.94	22.5	8.31
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	23	57.2	13.85	31.3	6.79	7	28.6	11.73	20.7	8.10
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	49	125.8	20.08	94.4	14.51
Female Genital System	-	-	-	-	-	15	40.3	11.62	30.8	8.53
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	7	20.0	8.44	16.7	6.74
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	100	173.7	19.30	138.9	14.50	-	-	-	-	-
Prostate	99	173.2	19.30	138.2	14.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	19	38.9	9.95	28.8	6.98	8	21.6	8.46	16.1	6.05
Bladder (incl. *in situ*)	11	23.5	7.78	17.6	5.48	-	-	-	-	-
Kidney & renal pelvis	8	15.3	6.21	11.2	4.32	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	11	19.3	6.30	16.4	5.28
Thyroid gland	-	-	-	-	-	10	18.6	6.26	15.1	5.12
Lymphomas	11	17.3	6.92	11.9	3.98	6	20.2	9.71	11.7	4.93
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	6	20.2	9.71	11.7	4.93
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	18.6	7.34	12.5	4.12	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	19.8	8.90	9.9	4.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	7	11.2	4.94	8.7	3.63	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	6	17.7	8.11	13.7	6.05

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	10,471	417.8	4.14	270.2	2.82	11,429	376.4	3.62	267.6	2.76
Oral Cavity & Pharynx	356	14.1	0.76	10.0	0.55	182	6.0	0.46	4.2	0.35
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	105	4.2	0.42	2.8	0.29	57	1.8	0.24	1.2	0.18
Major salivary gland	42	1.7	0.27	1.3	0.21	39	1.4	0.23	1.1	0.19
Floor of mouth	13	0.5	0.14	0.4	0.11	-	-	-	-	-
Gum & other mouth	39	1.6	0.26	1.0	0.16	40	1.3	0.21	0.8	0.15
Nasopharynx	53	2.1	0.30	1.7	0.24	21	0.8	0.17	0.6	0.15
Oropharynx	11	0.4	0.12	0.3	0.10	-	-	-	-	-
Hypopharynx	42	1.6	0.25	1.1	0.17	7	0.2	0.09	0.2	0.06
Digestive System	2,988	117.8	2.19	77.3	1.50	2,347	71.9	1.52	45.4	1.06
Esophagus	141	5.5	0.47	3.7	0.32	26	0.8	0.16	0.5	0.11
Stomach	377	15.1	0.79	8.8	0.49	293	8.7	0.53	5.3	0.36
Small intestine	48	1.9	0.28	1.4	0.20	38	1.1	0.18	0.7	0.13
Colon excl. rectum	891	35.3	1.20	23.1	0.82	853	26.4	0.93	17.0	0.65
Rectum & rectosigmoid	566	22.2	0.95	16.0	0.70	337	11.0	0.61	7.9	0.46
Anus, anal canal & anorectum	12	0.5	0.14	0.3	0.10	16	0.5	0.13	0.3	0.09
Liver	393	15.4	0.79	10.5	0.56	187	5.6	0.42	3.4	0.28
Gallbladder	24	0.9	0.19	0.6	0.12	40	1.2	0.19	0.6	0.12
Pancreas	398	15.6	0.79	9.6	0.51	431	12.7	0.63	7.4	0.41
Respiratory System	1,643	65.2	1.63	39.6	1.04	1,202	37.1	1.09	23.4	0.75
Larynx	97	3.7	0.38	2.5	0.27	13	0.4	0.12	0.3	0.09
Lung & bronchus	1,517	60.4	1.57	36.2	0.99	1,165	35.9	1.07	22.5	0.73
Bones & Joints	22	0.9	0.19	0.9	0.20	20	0.7	0.16	0.6	0.16
Soft Tissue (incl. heart)	81	3.3	0.37	2.6	0.30	86	2.9	0.32	2.2	0.28
Skin (excl. basal & sq.)	113	4.6	0.44	3.1	0.31	91	3.0	0.32	2.2	0.27
Melanomas of the skin	82	3.3	0.37	2.4	0.28	61	2.0	0.27	1.6	0.23
Breast (excl. *in situ*)	17	0.7	0.16	0.4	0.11	3,702	125.0	2.10	93.1	1.63
Female Genital System	-	-	-	-	-	1,440	50.6	1.37	39.0	1.09
Cervix uteri	-	-	-	-	-	191	7.5	0.56	5.8	0.44
Uterus Corpus	-	-	-	-	-	879	30.6	1.05	24.0	0.84
Uterus, NOS[1]	-	-	-	-	-	15	0.5	0.12	0.3	0.09
Ovary	-	-	-	-	-	255	8.7	0.56	6.5	0.45
Male Genital System	2,587	103.4	2.06	66.5	1.38	-	-	-	-	-
Prostate	2,476	98.6	2.01	62.4	1.32	-	-	-	-	-
Testis	87	3.8	0.41	3.6	0.39	-	-	-	-	-
Penis	7	0.3	0.11	0.1	0.06	-	-	-	-	-
Urinary System	890	35.8	1.22	21.7	0.78	470	14.7	0.70	9.4	0.49
Bladder (incl. *in situ*)	441	17.8	0.86	9.6	0.50	180	5.2	0.40	2.8	0.25
Kidney & renal pelvis	423	17.0	0.84	11.5	0.59	273	9.0	0.56	6.4	0.42
Ureter	19	0.7	0.17	0.4	0.11	13	0.4	0.11	0.2	0.05
Eye & Orbit	6	0.2	0.10	0.3	0.11	10	0.4	0.12	0.4	0.14
Brain & Other Nervous System	89	3.7	0.40	3.2	0.37	64	2.3	0.30	2.0	0.30
Brain	85	3.6	0.39	3.0	0.35	57	2.0	0.28	1.8	0.28
Endocrine System	205	8.4	0.60	6.5	0.48	642	24.5	0.99	20.2	0.83
Thyroid gland	174	7.1	0.55	5.4	0.43	620	23.8	0.98	19.6	0.82
Lymphomas	516	20.8	0.93	13.8	0.66	458	14.9	0.72	10.1	0.55
Hodgkin Lymphoma	31	1.3	0.24	1.3	0.23	36	1.4	0.24	1.3	0.24
Non-Hodgkin Lymphoma	485	19.5	0.90	12.5	0.62	422	13.5	0.68	8.8	0.49
Multiple Myeloma	147	5.9	0.49	3.7	0.32	117	3.6	0.34	2.4	0.24
Leukemias	314	12.9	0.74	9.1	0.57	231	7.8	0.53	6.0	0.47
Acute lymphocytic	38	1.5	0.24	1.8	0.31	26	1.0	0.20	1.1	0.26
Chronic lymphocytic	56	2.2	0.30	1.5	0.20	25	0.7	0.15	0.4	0.09
Acute myeloid	128	5.3	0.48	3.4	0.34	117	4.1	0.39	3.1	0.33
Chronic myeloid	56	2.3	0.31	1.6	0.23	29	0.9	0.17	0.6	0.13
Other leukemias	36	1.5	0.25	0.8	0.17	34	1.0	0.18	0.7	0.15
Mesothelioma	24	1.0	0.20	0.5	0.11	-	-	-	-	-
Kaposi Sarcoma	11	0.4	0.13	0.3	0.11	-	-	-	-	-
Ill-defined & Unknown	462	18.6	0.88	10.7	0.55	366	11.1	0.60	6.9	0.42
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	172	7.1	0.55	4.9	0.41	353	11.9	0.65	8.3	0.49
Breast (*in situ*)	-	-	-	-	-	1,058	36.5	1.15	27.6	0.89

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	651	463.1	20.01	291.4	11.70	695	399.5	15.90	267.0	10.37
Oral Cavity & Pharynx	32	19.8	3.80	14.7	2.65	12	7.7	2.34	4.6	1.35
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	4.7	2.14	2.7	1.13	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	166	115.0	9.77	74.6	5.91	129	82.9	7.60	49.3	4.47
Esophagus	10	6.2	2.12	4.3	1.38	-	-	-	-	-
Stomach	21	15.8	3.74	10.0	2.23	11	5.9	1.85	4.2	1.31
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	49	34.8	5.41	22.4	3.27	56	37.2	5.15	20.9	2.89
Rectum & rectosigmoid	18	13.1	3.48	7.1	1.70	16	8.8	2.26	6.9	1.74
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	34	20.1	3.67	15.5	2.71	8	5.6	2.03	2.8	1.03
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	26	20.7	4.36	12.3	2.47	22	15.6	3.43	8.4	1.85
Respiratory System	95	74.1	8.23	44.6	4.68	86	54.9	6.16	34.0	3.76
Larynx	12	6.6	1.98	5.4	1.60	-	-	-	-	-
Lung & bronchus	79	64.6	7.82	37.4	4.30	83	53.1	6.06	32.9	3.71
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	6.1	2.43	3.2	1.16	6	3.8	1.60	2.3	0.97
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	19	9.7	2.46	7.5	1.76	14	6.3	1.69	5.8	1.58
Breast (excl. *in situ*)	-	-	-	-	-	229	125.3	8.65	87.5	5.89
Female Genital System	-	-	-	-	-	72	39.0	4.78	28.7	3.46
Cervix uteri	-	-	-	-	-	16	7.8	2.01	6.1	1.55
Uterus Corpus	-	-	-	-	-	34	18.6	3.31	13.9	2.44
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	6.9	2.15	4.3	1.34
Male Genital System	141	104.7	9.65	64.5	5.56	-	-	-	-	-
Prostate	125	96.7	9.35	59.2	5.39	-	-	-	-	-
Testis	12	4.1	1.23	3.5	1.03	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	63	46.0	6.39	27.6	3.57	33	20.1	3.64	13.0	2.34
Bladder (incl. *in situ*)	27	23.1	4.89	11.5	2.24	11	7.1	2.18	4.9	1.52
Kidney & renal pelvis	34	21.0	3.89	14.9	2.64	22	13.1	2.91	8.1	1.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	6.6	2.15	5.1	1.45	7	2.9	1.15	2.6	1.02
Brain	12	5.5	1.83	4.6	1.39	7	2.9	1.15	2.6	1.02
Endocrine System	12	6.5	1.97	5.3	1.58	27	11.4	2.30	9.7	1.88
Thyroid gland	10	5.6	1.87	4.6	1.51	25	10.5	2.17	8.8	1.79
Lymphomas	33	24.8	4.79	14.7	2.62	30	16.2	3.17	10.9	2.03
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	10.1	3.04	6.0	1.70	12	7.5	2.25	4.1	1.23
Leukemias	24	16.4	3.89	10.0	2.10	16	8.5	2.30	6.1	1.54
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	6	5.2	2.34	2.5	1.02	-	-	-	-	-
Acute myeloid	6	5.5	2.35	3.0	1.24	9	4.8	1.67	3.5	1.18
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	20	16.3	3.96	9.1	2.08	18	10.1	2.56	7.1	1.71
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	19	10.9	2.89	7.3	1.71	17	9.0	2.28	6.2	1.53
Breast (*in situ*)	-	-	-	-	-	76	38.5	4.54	29.9	3.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	5,695	554.7	7.81	368.4	5.38	4,289	461.7	7.49	325.3	5.69
Oral Cavity & Pharynx	249	22.2	1.48	16.4	1.07	93	9.5	1.02	6.6	0.74
Lip	9	1.0	0.34	0.6	0.22	6	0.7	0.30	0.5	0.21
Tongue	90	8.1	0.90	6.1	0.67	24	2.4	0.51	1.6	0.36
Major salivary gland	24	2.4	0.51	1.4	0.30	13	1.5	0.43	1.0	0.32
Floor of mouth	13	1.0	0.28	0.8	0.23	-	-	-	-	-
Gum & other mouth	16	1.5	0.40	1.0	0.27	21	2.0	0.46	1.3	0.31
Nasopharynx	6	0.6	0.24	0.4	0.19	-	-	-	-	-
Oropharynx	12	1.0	0.29	0.8	0.23	-	-	-	-	-
Hypopharynx	19	1.7	0.40	1.2	0.29	-	-	-	-	-
Digestive System	1,029	98.2	3.22	63.4	2.04	592	61.1	2.63	38.1	1.72
Esophagus	93	9.2	1.00	5.6	0.60	21	2.0	0.45	1.3	0.30
Stomach	73	7.3	0.89	4.5	0.54	20	2.0	0.46	1.1	0.25
Small intestine	26	2.5	0.51	1.8	0.36	18	1.9	0.47	1.3	0.33
Colon excl. rectum	332	32.2	1.87	20.1	1.15	227	24.0	1.67	14.1	1.06
Rectum & rectosigmoid	174	15.9	1.26	11.2	0.87	107	10.7	1.08	7.5	0.77
Anus, anal canal & anorectum	22	1.9	0.42	1.5	0.33	31	3.4	0.64	2.4	0.46
Liver	129	10.9	1.02	8.0	0.73	27	2.5	0.51	1.7	0.35
Gallbladder	8	1.0	0.35	0.5	0.17	-	-	-	-	-
Pancreas	133	13.4	1.22	7.8	0.70	98	10.3	1.08	5.9	0.65
Respiratory System	648	62.2	2.59	37.9	1.53	460	47.1	2.29	28.4	1.41
Larynx	67	5.5	0.72	3.9	0.49	15	1.2	0.33	1.0	0.26
Lung & bronchus	565	55.2	2.45	32.9	1.42	440	45.4	2.25	27.1	1.38
Bones & Joints	8	1.4	0.58	1.5	0.67	-	-	-	-	-
Soft Tissue (incl. heart)	53	5.5	0.85	4.9	0.91	23	2.6	0.59	2.1	0.58
Skin (excl. basal & sq.)	922	92.4	3.22	60.7	2.15	449	50.2	2.53	36.8	1.92
Melanomas of the skin	872	87.0	3.12	57.7	2.10	428	48.1	2.48	35.6	1.90
Breast (excl. *in situ*)	14	1.6	0.44	0.8	0.23	1,312	138.3	4.05	99.9	2.95
Female Genital System	-	-	-	-	-	461	49.7	2.47	37.2	1.92
Cervix uteri	-	-	-	-	-	54	7.2	1.03	6.0	0.86
Uterus Corpus	-	-	-	-	-	241	24.0	1.64	17.7	1.21
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	99	11.8	1.28	9.2	1.06
Male Genital System	1,277	117.9	3.50	82.3	2.46	-	-	-	-	-
Prostate	1,183	106.3	3.27	71.5	2.12	-	-	-	-	-
Testis	82	10.5	1.21	10.0	1.23	-	-	-	-	-
Penis	12	1.1	0.34	0.8	0.25	-	-	-	-	-
Urinary System	606	62.0	2.65	36.6	1.58	171	17.9	1.43	11.7	1.02
Bladder (incl. *in situ*)	377	39.9	2.15	21.6	1.15	85	8.9	1.00	5.1	0.59
Kidney & renal pelvis	212	20.2	1.47	14.2	1.07	84	8.8	1.02	6.5	0.83
Ureter	7	0.8	0.32	0.4	0.15	-	-	-	-	-
Eye & Orbit	15	1.5	0.41	0.9	0.25	11	1.5	0.49	1.6	0.63
Brain & Other Nervous System	67	7.0	0.97	6.2	1.03	57	6.8	1.03	6.3	1.16
Brain	65	6.9	0.96	6.1	1.03	55	6.4	0.98	5.7	1.07
Endocrine System	86	8.7	1.00	7.1	0.83	174	23.4	1.88	19.6	1.65
Thyroid gland	81	8.3	0.98	6.8	0.82	169	22.8	1.86	19.0	1.59
Lymphomas	292	28.9	1.81	20.7	1.37	172	18.7	1.55	13.4	1.29
Hodgkin Lymphoma	30	3.7	0.72	3.5	0.74	17	2.8	0.73	2.7	0.77
Non-Hodgkin Lymphoma	262	25.2	1.66	17.2	1.16	155	15.9	1.37	10.7	1.04
Multiple Myeloma	76	7.2	0.88	4.5	0.54	38	3.8	0.65	2.6	0.45
Leukemias	168	18.6	1.57	13.2	1.38	114	13.8	1.40	10.8	1.41
Acute lymphocytic	12	2.6	0.80	3.3	1.08	10	2.1	0.70	2.8	1.04
Chronic lymphocytic	83	8.3	0.96	5.0	0.56	47	5.2	0.78	3.0	0.48
Acute myeloid	36	3.8	0.66	2.5	0.52	34	4.0	0.74	2.9	0.63
Chronic myeloid	20	2.2	0.52	1.2	0.27	11	1.4	0.43	1.1	0.34
Other leukemias	17	1.8	0.45	1.1	0.29	12	1.2	0.36	1.0	0.41
Mesothelioma	10	1.0	0.33	0.6	0.19	6	0.7	0.29	0.5	0.22
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	152	15.5	1.32	8.7	0.86
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	75	8.4	1.04	6.2	0.86	97	10.6	1.15	7.7	0.91
Breast (*in situ*)	-	-	-	-	-	305	31.7	1.93	24.4	1.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Hawaii, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	237	473.6	35.63	343.6	23.49	118	360.2	37.81	265.0	26.31
Oral Cavity & Pharynx	6	17.0	7.61	10.2	4.43	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	47	72.5	11.35	61.0	9.40	9	36.4	13.51	19.8	7.19
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	18	31.0	7.80	26.0	6.44	-	-	-	-	-
Rectum & rectosigmoid	7	8.6	3.29	7.1	2.78	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	11.0	3.91	9.3	3.33	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	8.5	3.50	7.8	3.29	-	-	-	-	-
Respiratory System	26	66.4	15.24	38.2	7.79	8	34.5	13.36	25.3	9.33
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	55.6	13.76	31.8	7.06	7	32.0	13.12	23.2	9.10
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	46	134.0	22.22	100.2	15.96
Female Genital System	-	-	-	-	-	15	45.6	13.14	34.9	9.68
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	7	22.6	9.51	18.9	7.62
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	100	184.8	20.42	148.1	15.44	-	-	-	-	-
Prostate	99	184.2	20.42	147.4	15.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	19	41.2	10.47	30.6	7.40	8	24.4	9.51	18.4	6.95
Bladder (incl. *in situ*)	11	24.9	8.18	18.8	5.83	-	-	-	-	-
Kidney & renal pelvis	8	16.2	6.53	11.8	4.56	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	11	22.0	7.19	18.8	6.08
Thyroid gland	-	-	-	-	-	10	21.1	7.12	17.2	5.85
Lymphomas	10	18.3	7.70	12.3	4.26	6	23.1	11.19	13.3	5.61
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	6	23.1	11.19	13.3	5.61
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	20.0	7.73	13.7	4.50	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	22.0	10.02	10.8	4.59	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	7	11.9	5.22	9.3	3.86	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	6	20.0	9.13	15.5	6.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	19,635	510.4	3.73	332.7	2.46	17,223	410.9	3.19	284.2	2.31
Oral Cavity & Pharynx	707	17.8	0.68	12.4	0.48	323	7.7	0.43	5.0	0.30
Lip	132	3.6	0.32	2.1	0.19	68	1.6	0.20	0.9	0.11
Tongue	206	5.0	0.36	3.7	0.26	87	2.1	0.23	1.4	0.16
Major salivary gland	50	1.3	0.19	0.8	0.12	47	1.1	0.17	0.8	0.13
Floor of mouth	37	0.9	0.15	0.7	0.11	12	0.3	0.09	0.2	0.06
Gum & other mouth	67	1.7	0.22	1.1	0.15	56	1.3	0.18	0.8	0.11
Nasopharynx	21	0.5	0.11	0.4	0.09	10	0.2	0.07	0.2	0.06
Oropharynx	22	0.5	0.11	0.4	0.08	6	0.1	0.06	0.1	0.03
Hypopharynx	24	0.6	0.13	0.4	0.09	7	0.2	0.06	0.1	0.04
Digestive System	3,315	86.4	1.54	55.3	0.99	2,611	61.1	1.21	38.0	0.80
Esophagus	319	8.2	0.47	5.3	0.30	57	1.3	0.18	0.8	0.12
Stomach	254	6.8	0.44	4.2	0.27	134	3.1	0.27	1.9	0.18
Small intestine	90	2.3	0.25	1.6	0.17	84	1.9	0.21	1.4	0.16
Colon excl. rectum	1,098	29.3	0.91	18.0	0.56	1,100	25.6	0.79	15.3	0.50
Rectum & rectosigmoid	533	13.5	0.60	9.2	0.41	343	8.2	0.45	5.5	0.32
Anus, anal canal & anorectum	47	1.2	0.18	0.8	0.12	117	2.8	0.26	2.1	0.20
Liver	318	7.6	0.44	5.5	0.32	94	2.1	0.22	1.5	0.16
Gallbladder	25	0.7	0.14	0.4	0.08	59	1.4	0.18	0.9	0.12
Pancreas	494	12.9	0.60	8.1	0.37	465	10.9	0.51	6.2	0.31
Respiratory System	2,398	64.3	1.34	37.9	0.80	2,104	49.2	1.09	30.6	0.71
Larynx	164	4.1	0.33	2.8	0.22	44	1.0	0.16	0.8	0.12
Lung & bronchus	2,192	59.1	1.29	34.3	0.76	2,027	47.4	1.07	29.3	0.69
Bones & Joints	44	1.1	0.17	1.0	0.16	39	1.0	0.16	0.9	0.15
Soft Tissue (incl. heart)	128	3.4	0.31	2.6	0.24	120	2.9	0.27	2.2	0.22
Skin (excl. basal & sq.)	1,289	33.6	0.96	22.6	0.65	851	21.1	0.74	16.0	0.58
Melanomas of the skin	1,215	31.6	0.93	21.4	0.64	810	20.1	0.72	15.3	0.56
Breast (excl. *in situ*)	48	1.3	0.19	0.8	0.12	4,988	118.9	1.72	84.5	1.25
Female Genital System	-	-	-	-	-	1,955	46.1	1.06	34.2	0.81
Cervix uteri	-	-	-	-	-	236	6.3	0.42	4.9	0.33
Uterus Corpus	-	-	-	-	-	1,022	23.3	0.74	17.7	0.57
Uterus, NOS[1]	-	-	-	-	-	36	0.9	0.15	0.7	0.12
Ovary	-	-	-	-	-	498	11.7	0.53	8.3	0.40
Male Genital System	6,006	150.0	1.98	103.1	1.36	-	-	-	-	-
Prostate	5,736	142.7	1.93	96.4	1.30	-	-	-	-	-
Testis	245	6.6	0.43	6.2	0.40	-	-	-	-	-
Penis	20	0.6	0.13	0.3	0.08	-	-	-	-	-
Urinary System	2,248	60.4	1.30	36.0	0.79	859	20.2	0.70	13.3	0.49
Bladder (incl. *in situ*)	1,426	39.2	1.06	21.8	0.60	380	8.9	0.46	5.2	0.29
Kidney & renal pelvis	758	19.5	0.72	13.2	0.49	453	10.7	0.51	7.8	0.39
Ureter	25	0.7	0.14	0.4	0.08	19	0.5	0.11	0.2	0.06
Eye & Orbit	38	0.9	0.15	0.7	0.12	43	1.0	0.16	0.8	0.14
Brain & Other Nervous System	329	8.5	0.48	6.8	0.39	209	5.1	0.36	4.2	0.32
Brain	311	8.0	0.46	6.4	0.38	191	4.7	0.34	3.7	0.29
Endocrine System	315	8.1	0.47	6.4	0.37	1,009	26.4	0.85	22.1	0.72
Thyroid gland	290	7.5	0.45	5.8	0.35	994	26.1	0.84	21.7	0.71
Lymphomas	960	25.1	0.83	17.1	0.58	796	19.2	0.69	13.0	0.50
Hodgkin Lymphoma	116	3.0	0.28	2.7	0.26	98	2.5	0.26	2.4	0.26
Non-Hodgkin Lymphoma	844	22.1	0.78	14.4	0.51	698	16.7	0.64	10.6	0.43
Multiple Myeloma	309	8.3	0.49	4.9	0.29	183	4.3	0.32	2.6	0.20
Leukemias	713	19.0	0.73	13.1	0.53	516	12.2	0.55	8.6	0.42
Acute lymphocytic	70	1.7	0.20	2.2	0.28	53	1.3	0.18	1.5	0.22
Chronic lymphocytic	306	7.9	0.46	5.0	0.29	202	4.7	0.33	2.9	0.21
Acute myeloid	164	4.5	0.36	2.9	0.24	124	3.0	0.27	2.0	0.19
Chronic myeloid	91	2.6	0.27	1.7	0.19	78	1.9	0.22	1.3	0.16
Other leukemias	82	2.3	0.26	1.3	0.15	59	1.4	0.18	0.9	0.13
Mesothelioma	75	2.1	0.25	1.1	0.13	19	0.5	0.11	0.3	0.06
Kaposi Sarcoma	7	0.2	0.08	0.1	0.06	-	-	-	-	-
Ill-defined & Unknown	706	20.0	0.77	10.7	0.42	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	291	7.9	0.47	5.5	0.34	549	13.3	0.58	9.5	0.44
Breast (*in situ*)	-	-	-	-	-	1,043	24.9	0.79	18.9	0.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	18,820	502.1	3.74	327.2	2.48	16,675	409.7	3.23	283.5	2.35
Oral Cavity & Pharynx	684	17.7	0.69	12.3	0.48	311	7.6	0.44	4.9	0.30
Lip	123	3.5	0.32	2.0	0.19	61	1.5	0.19	0.8	0.11
Tongue	198	5.0	0.36	3.7	0.27	86	2.1	0.23	1.5	0.17
Major salivary gland	49	1.3	0.19	0.8	0.13	45	1.1	0.17	0.8	0.13
Floor of mouth	37	0.9	0.16	0.7	0.11	12	0.3	0.09	0.2	0.07
Gum & other mouth	66	1.8	0.22	1.2	0.15	56	1.4	0.19	0.8	0.12
Nasopharynx	18	0.4	0.10	0.3	0.08	9	0.2	0.07	0.2	0.06
Oropharynx	22	0.5	0.11	0.4	0.08	6	0.1	0.06	0.1	0.04
Hypopharynx	24	0.6	0.13	0.4	0.09	7	0.2	0.06	0.1	0.05
Digestive System	3,175	84.8	1.54	54.2	0.99	2,498	59.9	1.22	37.2	0.81
Esophagus	310	8.2	0.47	5.3	0.31	56	1.3	0.18	0.8	0.12
Stomach	234	6.4	0.43	3.9	0.26	125	3.0	0.27	1.8	0.17
Small intestine	87	2.3	0.25	1.6	0.17	80	1.9	0.21	1.4	0.16
Colon excl. rectum	1,047	28.6	0.90	17.6	0.56	1,063	25.4	0.79	15.1	0.51
Rectum & rectosigmoid	509	13.2	0.60	9.0	0.41	319	7.8	0.45	5.3	0.32
Anus, anal canal & anorectum	47	1.3	0.19	0.8	0.12	112	2.8	0.27	2.1	0.20
Liver	293	7.2	0.43	5.2	0.31	85	2.0	0.22	1.4	0.16
Gallbladder	24	0.7	0.14	0.4	0.08	52	1.2	0.18	0.8	0.11
Pancreas	487	13.1	0.61	8.2	0.38	456	10.9	0.52	6.3	0.32
Respiratory System	2,345	64.2	1.36	37.9	0.81	2,057	49.2	1.10	30.7	0.72
Larynx	160	4.1	0.33	2.8	0.22	44	1.1	0.16	0.8	0.12
Lung & bronchus	2,145	59.1	1.30	34.3	0.77	1,981	47.4	1.08	29.3	0.70
Bones & Joints	44	1.2	0.18	1.1	0.17	36	0.9	0.16	0.8	0.15
Soft Tissue (incl. heart)	123	3.4	0.31	2.5	0.24	115	2.9	0.27	2.2	0.23
Skin (excl. basal & sq.)	1,267	33.9	0.98	22.9	0.67	841	21.7	0.76	16.4	0.60
Melanomas of the skin	1,206	32.2	0.95	21.9	0.65	804	20.7	0.75	15.7	0.59
Breast (excl. *in situ*)	48	1.3	0.19	0.8	0.12	4,842	118.9	1.74	84.6	1.28
Female Genital System	-	-	-	-	-	1,883	45.8	1.08	33.9	0.82
Cervix uteri	-	-	-	-	-	225	6.2	0.42	4.9	0.34
Uterus Corpus	-	-	-	-	-	977	23.0	0.75	17.4	0.57
Uterus, NOS[1]	-	-	-	-	-	35	0.9	0.15	0.7	0.12
Ovary	-	-	-	-	-	486	11.8	0.54	8.4	0.41
Male Genital System	5,611	143.7	1.96	98.8	1.35	-	-	-	-	-
Prostate	5,354	136.4	1.91	92.2	1.28	-	-	-	-	-
Testis	233	6.6	0.44	6.3	0.42	-	-	-	-	-
Penis	20	0.6	0.13	0.3	0.08	-	-	-	-	-
Urinary System	2,174	59.9	1.31	35.6	0.79	828	20.0	0.71	13.1	0.49
Bladder (incl. *in situ*)	1,383	38.8	1.07	21.6	0.60	366	8.8	0.47	5.1	0.29
Kidney & renal pelvis	728	19.2	0.73	13.0	0.50	438	10.6	0.52	7.7	0.40
Ureter	25	0.7	0.14	0.4	0.08	18	0.4	0.11	0.2	0.06
Eye & Orbit	38	0.9	0.16	0.8	0.13	42	1.0	0.16	0.9	0.15
Brain & Other Nervous System	323	8.6	0.49	7.0	0.41	206	5.2	0.37	4.3	0.33
Brain	305	8.1	0.47	6.5	0.39	188	4.8	0.35	3.8	0.30
Endocrine System	308	8.3	0.48	6.6	0.39	974	26.6	0.87	22.2	0.74
Thyroid gland	284	7.6	0.46	5.9	0.36	959	26.3	0.87	21.9	0.73
Lymphomas	929	25.0	0.84	17.0	0.59	777	19.3	0.71	13.1	0.52
Hodgkin Lymphoma	112	3.0	0.29	2.8	0.27	94	2.6	0.27	2.5	0.26
Non-Hodgkin Lymphoma	817	22.0	0.79	14.2	0.52	683	16.7	0.65	10.7	0.44
Multiple Myeloma	296	8.2	0.49	4.8	0.29	174	4.2	0.32	2.5	0.20
Leukemias	689	18.9	0.73	13.1	0.54	499	12.2	0.56	8.5	0.43
Acute lymphocytic	66	1.7	0.21	2.2	0.28	48	1.2	0.18	1.5	0.23
Chronic lymphocytic	293	7.8	0.46	4.9	0.29	198	4.7	0.34	2.9	0.22
Acute myeloid	160	4.5	0.36	3.0	0.25	121	3.0	0.28	2.0	0.20
Chronic myeloid	90	2.6	0.28	1.7	0.19	76	1.9	0.23	1.3	0.17
Other leukemias	80	2.3	0.26	1.3	0.15	56	1.4	0.18	0.9	0.14
Mesothelioma	74	2.2	0.26	1.1	0.13	17	0.4	0.10	0.2	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	575	13.7	0.58	7.9	0.37
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	279	7.7	0.47	5.4	0.34	530	13.3	0.59	9.4	0.44
Breast (*in situ*)	-	-	-	-	-	1,007	24.8	0.80	18.9	0.61

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	71	416.3	61.12	300.2	38.55	40	332.9	57.18	236.6	40.06
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	130.1	38.55	79.5	20.36	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	35.8	13.63	31.9	12.22	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	32.9	13.32	29.7	12.03	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	13	103.4	31.86	60.7	17.92
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	24	122.9	29.60	96.1	20.64	-	-	-	-	-
Prostate	23	121.5	29.57	94.4	20.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	102	299.6	31.92	179.9	18.50	162	292.9	24.08	200.8	16.30
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	34	92.3	17.20	56.9	10.16	40	78.4	12.93	48.2	7.90
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	24.2	8.86	16.0	5.85	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	18.4	7.69	9.3	3.51	10	18.3	6.02	11.6	3.83
Rectum & rectosigmoid	7	17.2	7.01	11.4	4.43	6	12.3	5.28	6.4	2.65
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	7	13.9	5.68	12.2	4.77	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	6	11.8	4.96	7.7	3.25
Respiratory System	14	53.1	14.68	25.2	7.01	17	36.9	9.28	21.7	5.49
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	43.8	13.14	22.1	6.66	16	35.0	9.08	20.1	5.23
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	51	85.5	12.37	62.8	9.00
Female Genital System	-	-	-	-	-	18	30.0	7.33	22.1	5.37
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	11	18.8	5.85	14.9	4.59
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	20	55.5	13.23	39.5	9.10	-	-	-	-	-
Prostate	19	54.4	13.18	38.2	9.00	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	18.4	7.98	9.4	3.94	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	9	14.2	4.96	10.9	3.72
Thyroid gland	-	-	-	-	-	9	14.2	4.96	10.9	3.72
Lymphomas	8	20.1	7.62	12.7	4.62	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	18.6	7.44	12.7	4.97	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	6	10.6	4.62	7.2	3.01
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6	22.2	9.76	10.6	4.38	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	16	27.5	7.07	18.8	4.81

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	93	424.5	49.76	259.7	27.16	126	457.5	44.70	316.3	28.41
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	92.7	23.91	54.9	12.70	36	130.4	24.02	90.6	15.21
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	9	52.9	19.97	27.2	9.14	14	47.6	13.50	35.6	9.55
Rectum & rectosigmoid	-	-	-	-	-	11	46.8	15.99	28.1	8.51
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	7	27.3	10.92	19.3	7.36	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	57.5	20.62	26.0	8.70	13	55.2	17.01	31.8	8.90
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	57.5	20.62	26.0	8.70	13	55.2	17.01	31.8	8.90
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	31	109.5	20.63	77.9	14.12
Female Genital System	-	-	-	-	-	17	59.1	16.09	41.7	10.20
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	8	22.6	8.05	19.4	6.93
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	30	121.9	24.37	83.5	15.36	-	-	-	-	-
Prostate	28	115.7	23.97	78.5	14.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	34.7	11.21	26.6	8.52	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	8	27.9	10.11	20.9	7.47	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	43.4	17.93	24.2	8.19	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	7	30.3	12.91	17.3	6.58
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	645	396.0	18.68	247.9	10.27	642	331.3	14.95	229.5	9.51
Oral Cavity & Pharynx	17	10.8	2.89	7.6	1.88	11	8.6	2.83	4.3	1.35
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	133	89.4	9.03	53.7	4.83	106	60.9	6.55	41.8	4.22
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	10	7.4	2.80	4.1	1.36	10	6.8	2.32	4.5	1.44
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	37	27.2	5.09	14.9	2.54	37	20.0	3.68	13.8	2.38
Rectum & rectosigmoid	16	9.3	2.64	6.6	1.72	15	7.9	2.24	5.7	1.53
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	33	20.3	4.17	12.7	2.30	7	3.5	1.36	3.1	1.20
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	15	11.2	3.32	6.6	1.76	20	13.7	3.32	8.7	1.99
Respiratory System	56	45.6	6.94	24.1	3.30	48	32.6	5.03	21.9	3.23
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	41.4	6.73	21.1	3.10	45	30.9	4.92	20.6	3.13
Bones & Joints	6	1.8	0.83	1.7	0.73	-	-	-	-	-
Soft Tissue (incl. heart)	12	4.4	1.82	3.2	1.01	6	2.5	1.25	1.8	0.74
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	18	14.8	4.00	7.1	1.74	17	6.6	1.85	5.3	1.36
Breast (excl. *in situ*)	-	-	-	-	-	153	79.8	7.32	53.7	4.53
Female Genital System	-	-	-	-	-	83	33.5	3.98	27.4	3.17
Cervix uteri	-	-	-	-	-	21	6.2	1.41	5.3	1.21
Uterus Corpus	-	-	-	-	-	43	19.4	3.19	15.3	2.44
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	5.6	1.64	4.7	1.38
Male Genital System	178	109.7	9.56	73.1	5.71	-	-	-	-	-
Prostate	155	105.4	9.51	68.6	5.63	-	-	-	-	-
Testis	22	4.0	0.87	4.3	0.91	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	77	55.4	7.31	31.8	3.76	35	20.7	3.90	14.1	2.47
Bladder (incl. *in situ*)	35	31.1	5.79	16.5	2.83	6	4.4	1.93	2.8	1.16
Kidney & renal pelvis	42	24.4	4.47	15.3	2.48	26	13.4	2.92	10.0	2.04
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	18	6.6	2.08	4.9	1.25	11	4.6	1.70	3.7	1.19
Brain	17	6.4	2.08	4.7	1.23	9	4.2	1.67	3.3	1.15
Endocrine System	12	3.6	1.47	2.9	0.87	68	23.6	3.17	19.4	2.48
Thyroid gland	7	1.8	0.72	1.6	0.61	67	23.4	3.16	19.2	2.47
Lymphomas	39	20.0	3.92	13.2	2.25	41	22.7	4.11	14.8	2.40
Hodgkin Lymphoma	9	2.5	0.87	2.1	0.71	8	2.3	0.87	2.3	0.84
Non-Hodgkin Lymphoma	30	17.5	3.82	11.1	2.13	33	20.3	4.02	12.5	2.25
Multiple Myeloma	13	7.4	2.29	5.3	1.51	14	9.2	2.70	5.8	1.59
Leukemias	37	9.4	1.88	9.4	1.65	22	9.8	2.69	6.8	1.53
Acute lymphocytic	15	2.0	0.52	3.1	0.79	7	1.8	1.08	1.7	0.64
Chronic lymphocytic	8	3.5	1.33	3.0	1.10	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	7	2.2	1.03	1.8	0.74	-	-	-	-	-
Other leukemias	-	-	-	-	-	6	3.7	1.80	2.2	0.95
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	18	11.6	3.37	6.3	1.60	20	13.0	3.35	6.8	1.56
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	14	5.2	1.61	4.2	1.22	28	13.2	2.99	8.8	1.78
Breast (*in situ*)	-	-	-	-	-	41	20.4	3.49	15.2	2.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	18,233	508.5	3.85	332.2	2.58	16,061	414.0	3.34	287.0	2.46
Oral Cavity & Pharynx	668	18.2	0.72	12.7	0.51	301	7.7	0.45	5.0	0.31
Lip	118	3.5	0.33	2.0	0.19	59	1.5	0.20	0.8	0.11
Tongue	195	5.2	0.38	3.8	0.28	83	2.2	0.24	1.5	0.17
Major salivary gland	49	1.4	0.20	0.9	0.13	44	1.2	0.18	0.8	0.14
Floor of mouth	35	0.9	0.16	0.7	0.12	12	0.3	0.09	0.2	0.07
Gum & other mouth	64	1.8	0.23	1.2	0.15	56	1.4	0.19	0.9	0.12
Nasopharynx	18	0.5	0.11	0.3	0.08	8	0.2	0.07	0.1	0.07
Oropharynx	22	0.5	0.12	0.4	0.09	-	-	-	-	-
Hypopharynx	21	0.6	0.13	0.4	0.09	7	0.2	0.06	0.1	0.05
Digestive System	3,051	85.0	1.57	54.5	1.03	2,395	59.6	1.24	36.9	0.83
Esophagus	305	8.4	0.49	5.4	0.32	55	1.3	0.18	0.8	0.12
Stomach	225	6.5	0.44	3.9	0.27	115	2.9	0.27	1.7	0.17
Small intestine	84	2.3	0.26	1.6	0.18	80	1.9	0.22	1.5	0.17
Colon excl. rectum	1,014	28.9	0.93	17.8	0.58	1,026	25.4	0.81	15.0	0.52
Rectum & rectosigmoid	495	13.5	0.62	9.1	0.42	305	7.8	0.46	5.3	0.33
Anus, anal canal & anorectum	44	1.2	0.19	0.8	0.12	108	2.8	0.28	2.1	0.21
Liver	262	6.7	0.43	4.9	0.31	78	1.9	0.22	1.3	0.17
Gallbladder	21	0.6	0.14	0.3	0.08	49	1.2	0.17	0.7	0.11
Pancreas	472	13.2	0.62	8.2	0.39	437	10.8	0.52	6.2	0.32
Respiratory System	2,297	65.2	1.39	38.7	0.84	2,011	49.8	1.13	31.0	0.74
Larynx	156	4.1	0.34	2.8	0.23	43	1.1	0.17	0.8	0.13
Lung & bronchus	2,105	60.0	1.34	35.0	0.79	1,938	48.0	1.11	29.7	0.72
Bones & Joints	38	1.1	0.18	1.1	0.18	33	0.9	0.16	0.8	0.16
Soft Tissue (incl. heart)	112	3.3	0.32	2.4	0.25	109	2.9	0.29	2.2	0.24
Skin (excl. basal & sq.)	1,248	35.2	1.02	24.0	0.71	823	22.7	0.81	17.2	0.64
Melanomas of the skin	1,188	33.5	0.99	23.0	0.70	787	21.7	0.79	16.5	0.63
Breast (excl. *in situ*)	45	1.3	0.19	0.8	0.12	4,694	120.9	1.81	86.2	1.33
Female Genital System	-	-	-	-	-	1,805	46.2	1.11	34.1	0.85
Cervix uteri	-	-	-	-	-	205	6.1	0.44	4.8	0.35
Uterus Corpus	-	-	-	-	-	937	23.1	0.77	17.4	0.59
Uterus, NOS[1]	-	-	-	-	-	33	0.9	0.16	0.7	0.12
Ovary	-	-	-	-	-	474	12.0	0.57	8.6	0.43
Male Genital System	5,458	145.8	2.02	100.4	1.40	-	-	-	-	-
Prostate	5,222	138.2	1.95	93.5	1.32	-	-	-	-	-
Testis	213	6.9	0.48	6.5	0.45	-	-	-	-	-
Penis	19	0.6	0.13	0.3	0.08	-	-	-	-	-
Urinary System	2,102	60.2	1.34	35.9	0.82	794	20.0	0.72	13.1	0.51
Bladder (incl. *in situ*)	1,351	39.3	1.09	22.0	0.62	360	8.9	0.48	5.2	0.30
Kidney & renal pelvis	688	19.1	0.74	12.9	0.51	412	10.5	0.53	7.6	0.41
Ureter	25	0.7	0.15	0.4	0.08	16	0.4	0.10	0.2	0.06
Eye & Orbit	37	1.0	0.16	0.8	0.13	41	1.1	0.17	0.9	0.16
Brain & Other Nervous System	306	8.8	0.52	7.2	0.44	195	5.3	0.39	4.4	0.35
Brain	289	8.3	0.50	6.7	0.42	179	4.9	0.37	3.9	0.33
Endocrine System	297	8.6	0.51	6.8	0.41	909	27.1	0.92	22.7	0.79
Thyroid gland	277	8.0	0.49	6.2	0.39	895	26.8	0.92	22.4	0.78
Lymphomas	892	25.3	0.87	17.4	0.62	740	19.4	0.73	13.3	0.54
Hodgkin Lymphoma	103	3.1	0.31	2.9	0.30	88	2.7	0.29	2.6	0.29
Non-Hodgkin Lymphoma	789	22.2	0.81	14.5	0.54	652	16.7	0.67	10.7	0.46
Multiple Myeloma	283	8.2	0.50	4.8	0.30	161	4.0	0.32	2.4	0.20
Leukemias	654	19.0	0.76	12.9	0.56	479	12.3	0.57	8.6	0.45
Acute lymphocytic	53	1.6	0.22	2.1	0.30	41	1.2	0.19	1.4	0.24
Chronic lymphocytic	285	7.9	0.48	4.9	0.30	195	4.8	0.35	2.9	0.22
Acute myeloid	155	4.6	0.38	3.0	0.26	118	3.1	0.29	2.0	0.21
Chronic myeloid	83	2.6	0.28	1.6	0.20	73	2.0	0.23	1.4	0.18
Other leukemias	78	2.3	0.27	1.3	0.16	52	1.3	0.19	0.9	0.14
Mesothelioma	71	2.1	0.26	1.1	0.14	16	0.4	0.10	0.2	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	555	13.7	0.59	7.9	0.39
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	267	7.9	0.50	5.6	0.36	502	13.2	0.60	9.4	0.46
Breast (*in situ*)	-	-	-	-	-	967	25.1	0.83	19.1	0.64

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Idaho, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	68	468.7	71.72	331.8	44.00	39	366.6	62.67	259.8	43.99
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	153.2	46.06	92.9	24.04	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	35.1	14.26	30.5	12.53	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	31.7	13.85	28.0	12.27	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	13	119.2	35.71	71.4	20.77
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	22	129.6	33.02	99.7	22.58	-	-	-	-	-
Prostate	21	127.8	32.97	97.6	22.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	165,378	546.2	1.37	359.2	0.92	162,596	439.8	1.11	304.9	0.82
Oral Cavity & Pharynx	5,722	17.7	0.24	12.9	0.17	2,459	6.6	0.14	4.6	0.10
Lip	255	0.9	0.06	0.5	0.03	94	0.3	0.03	0.2	0.02
Tongue	1,578	4.8	0.12	3.6	0.09	703	1.9	0.07	1.4	0.05
Major salivary gland	505	1.7	0.08	1.1	0.05	371	1.0	0.05	0.8	0.04
Floor of mouth	330	1.0	0.05	0.7	0.04	148	0.4	0.03	0.3	0.02
Gum & other mouth	705	2.2	0.09	1.6	0.06	536	1.4	0.06	0.9	0.04
Nasopharynx	270	0.8	0.05	0.7	0.04	112	0.3	0.03	0.2	0.02
Oropharynx	356	1.1	0.06	0.8	0.04	111	0.3	0.03	0.2	0.02
Hypopharynx	455	1.4	0.07	1.0	0.05	103	0.3	0.03	0.2	0.02
Digestive System	32,667	108.8	0.62	68.8	0.39	27,369	71.7	0.44	44.5	0.30
Esophagus	2,781	9.1	0.18	5.9	0.11	812	2.1	0.07	1.3	0.05
Stomach	2,990	10.1	0.19	6.2	0.12	1,814	4.8	0.12	3.0	0.08
Small intestine	898	3.0	0.10	1.9	0.07	821	2.2	0.08	1.5	0.06
Colon excl. rectum	11,088	37.9	0.37	22.9	0.22	11,614	30.3	0.29	18.0	0.19
Rectum & rectosigmoid	5,346	17.3	0.24	11.6	0.16	3,772	10.0	0.17	6.8	0.12
Anus, anal canal & anorectum	440	1.4	0.07	1.0	0.05	703	1.9	0.07	1.3	0.05
Liver	3,047	9.5	0.18	6.7	0.13	1,122	3.0	0.09	2.0	0.07
Gallbladder	279	1.0	0.06	0.6	0.04	657	1.7	0.07	1.1	0.05
Pancreas	4,449	15.0	0.23	9.3	0.14	4,458	11.5	0.18	7.0	0.11
Respiratory System	26,807	90.9	0.57	55.6	0.35	23,260	62.1	0.41	39.5	0.28
Larynx	2,175	6.9	0.15	4.7	0.10	604	1.6	0.07	1.2	0.05
Lung & bronchus	24,286	82.8	0.54	50.0	0.33	22,440	59.9	0.41	37.9	0.27
Bones & Joints	289	0.9	0.06	0.8	0.05	239	0.7	0.05	0.7	0.05
Soft Tissue (incl. heart)	1,167	3.9	0.12	2.9	0.09	1,010	2.8	0.09	2.3	0.08
Skin (excl. basal & sq.)	7,316	24.4	0.29	15.9	0.19	5,635	16.0	0.22	12.1	0.17
Melanomas of the skin	6,775	22.6	0.28	14.7	0.19	5,218	14.9	0.21	11.4	0.17
Breast (excl. *in situ*)	400	1.3	0.07	0.8	0.04	46,743	127.7	0.60	92.0	0.45
Female Genital System	-	-	-	-	-	19,662	53.3	0.39	39.5	0.30
Cervix uteri	-	-	-	-	-	2,769	8.1	0.16	6.4	0.13
Uterus Corpus	-	-	-	-	-	10,489	27.8	0.28	20.9	0.21
Uterus, NOS[1]	-	-	-	-	-	276	0.7	0.05	0.5	0.03
Ovary	-	-	-	-	-	4,442	12.1	0.18	8.6	0.14
Male Genital System	45,989	145.7	0.70	103.3	0.49	-	-	-	-	-
Prostate	43,891	138.9	0.68	97.3	0.47	-	-	-	-	-
Testis	1,784	5.7	0.14	5.4	0.13	-	-	-	-	-
Penis	249	0.9	0.06	0.5	0.03	-	-	-	-	-
Urinary System	18,584	63.2	0.47	38.6	0.29	8,586	22.8	0.25	14.8	0.18
Bladder (incl. *in situ*)	10,972	38.6	0.38	21.6	0.22	3,735	9.7	0.16	5.7	0.10
Kidney & renal pelvis	7,215	23.2	0.28	16.2	0.20	4,604	12.5	0.19	8.7	0.14
Ureter	253	0.9	0.06	0.5	0.03	175	0.5	0.04	0.2	0.02
Eye & Orbit	308	1.0	0.06	0.8	0.05	248	0.7	0.05	0.6	0.05
Brain & Other Nervous System	2,360	7.6	0.16	6.1	0.13	1,990	5.6	0.13	4.7	0.12
Brain	2,260	7.3	0.16	5.8	0.13	1,844	5.2	0.12	4.3	0.11
Endocrine System	2,430	7.7	0.16	6.1	0.13	7,151	21.2	0.25	17.5	0.21
Thyroid gland	2,189	6.9	0.15	5.3	0.12	6,913	20.5	0.25	16.9	0.21
Lymphomas	7,992	26.8	0.31	17.9	0.21	7,021	19.1	0.23	13.3	0.18
Hodgkin Lymphoma	1,015	3.3	0.10	2.8	0.09	855	2.6	0.09	2.4	0.09
Non-Hodgkin Lymphoma	6,977	23.5	0.29	15.1	0.19	6,166	16.5	0.21	10.9	0.15
Multiple Myeloma	2,303	7.8	0.17	4.8	0.10	1,931	5.1	0.12	3.2	0.08
Leukemias	5,034	17.2	0.25	11.9	0.18	3,847	10.4	0.17	7.5	0.14
Acute lymphocytic	588	1.9	0.08	2.4	0.10	429	1.4	0.07	1.6	0.09
Chronic lymphocytic	1,683	5.8	0.14	3.4	0.09	1,079	2.8	0.09	1.6	0.05
Acute myeloid	1,516	5.2	0.14	3.3	0.09	1,388	3.7	0.10	2.6	0.08
Chronic myeloid	665	2.3	0.09	1.5	0.06	515	1.4	0.06	1.0	0.05
Other leukemias	582	2.0	0.09	1.2	0.05	436	1.1	0.05	0.7	0.04
Mesothelioma	564	2.1	0.09	1.1	0.05	188	0.5	0.04	0.3	0.02
Kaposi Sarcoma	177	0.6	0.05	0.5	0.03	26	0.1	0.01	0.0	0.01
Ill-defined & Unknown	5,269	18.6	0.26	10.5	0.15	5,231	13.5	0.19	7.8	0.12
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	2,555	8.5	0.17	6.0	0.13	5,384	14.8	0.21	10.6	0.16
Breast (*in situ*)	31	0.1	0.02	0.1	0.01	12,224	33.9	0.31	25.7	0.24

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	136,904	537.7	1.48	352.0	0.99	134,790	443.9	1.23	308.0	0.92
Oral Cavity & Pharynx	4,738	17.5	0.26	12.7	0.19	2,029	6.6	0.15	4.6	0.11
Lip	235	1.0	0.06	0.6	0.04	87	0.3	0.03	0.2	0.02
Tongue	1,376	5.0	0.14	3.7	0.10	612	2.0	0.08	1.4	0.06
Major salivary gland	423	1.7	0.08	1.1	0.06	292	1.0	0.06	0.7	0.05
Floor of mouth	269	1.0	0.06	0.7	0.05	119	0.4	0.04	0.3	0.03
Gum & other mouth	555	2.1	0.09	1.5	0.06	454	1.5	0.07	0.9	0.05
Nasopharynx	165	0.6	0.05	0.5	0.04	67	0.2	0.03	0.2	0.02
Oropharynx	274	1.0	0.06	0.7	0.05	87	0.3	0.03	0.2	0.02
Hypopharynx	350	1.3	0.07	0.9	0.05	78	0.2	0.03	0.2	0.02
Digestive System	26,452	104.5	0.65	65.6	0.42	21,922	68.8	0.48	42.4	0.32
Esophagus	2,419	9.4	0.20	6.0	0.13	643	2.0	0.08	1.2	0.05
Stomach	2,257	9.0	0.19	5.6	0.12	1,321	4.2	0.12	2.6	0.08
Small intestine	697	2.7	0.11	1.8	0.07	617	2.0	0.08	1.3	0.06
Colon excl. rectum	8,967	36.2	0.39	21.6	0.24	9,370	29.1	0.31	17.1	0.20
Rectum & rectosigmoid	4,415	17.0	0.26	11.4	0.18	3,043	9.8	0.18	6.6	0.13
Anus, anal canal & anorectum	331	1.3	0.07	0.9	0.05	595	1.9	0.08	1.4	0.06
Liver	2,290	8.5	0.18	5.9	0.13	849	2.7	0.09	1.8	0.07
Gallbladder	215	0.9	0.06	0.5	0.04	514	1.6	0.07	1.0	0.05
Pancreas	3,734	14.8	0.25	9.2	0.16	3,626	11.2	0.19	6.7	0.13
Respiratory System	22,345	89.6	0.61	54.4	0.38	19,509	62.7	0.46	39.8	0.31
Larynx	1,773	6.7	0.16	4.6	0.11	476	1.5	0.07	1.1	0.05
Lung & bronchus	20,275	81.7	0.58	48.9	0.36	18,854	60.6	0.45	38.3	0.30
Bones & Joints	246	1.0	0.06	0.8	0.06	185	0.7	0.05	0.7	0.05
Soft Tissue (incl. heart)	975	3.9	0.13	2.9	0.10	804	2.8	0.10	2.3	0.09
Skin (excl. basal & sq.)	6,836	27.1	0.33	17.7	0.22	5,165	18.2	0.26	13.9	0.21
Melanomas of the skin	6,376	25.2	0.32	16.6	0.22	4,825	17.1	0.25	13.2	0.20
Breast (excl. *in situ*)	318	1.3	0.07	0.8	0.05	38,541	128.8	0.67	92.8	0.50
Female Genital System	-	-	-	-	-	16,182	53.7	0.43	39.9	0.33
Cervix uteri	-	-	-	-	-	1,986	7.4	0.17	5.8	0.14
Uterus Corpus	-	-	-	-	-	8,856	28.7	0.31	21.7	0.24
Uterus, NOS[1]	-	-	-	-	-	182	0.6	0.05	0.4	0.03
Ovary	-	-	-	-	-	3,726	12.3	0.21	8.8	0.16
Male Genital System	35,949	135.6	0.73	96.4	0.52	-	-	-	-	-
Prostate	34,034	127.9	0.71	89.4	0.50	-	-	-	-	-
Testis	1,649	6.7	0.17	6.3	0.16	-	-	-	-	-
Penis	214	0.9	0.06	0.5	0.04	-	-	-	-	-
Urinary System	16,448	66.1	0.52	40.2	0.33	7,264	23.3	0.28	15.1	0.20
Bladder (incl. *in situ*)	10,061	41.4	0.42	23.2	0.24	3,255	10.1	0.18	6.0	0.12
Kidney & renal pelvis	6,026	23.1	0.30	16.1	0.22	3,791	12.5	0.21	8.7	0.16
Ureter	233	1.0	0.06	0.5	0.04	163	0.5	0.04	0.3	0.02
Eye & Orbit	289	1.1	0.07	0.8	0.05	216	0.7	0.05	0.6	0.05
Brain & Other Nervous System	2,078	8.2	0.18	6.5	0.15	1,746	6.1	0.15	5.1	0.14
Brain	1,997	7.8	0.18	6.2	0.15	1,623	5.7	0.14	4.6	0.13
Endocrine System	2,121	8.1	0.18	6.4	0.15	6,053	22.7	0.30	18.8	0.25
Thyroid gland	1,947	7.4	0.17	5.8	0.13	5,866	22.1	0.29	18.2	0.25
Lymphomas	6,912	27.7	0.34	18.4	0.23	6,031	19.9	0.26	13.8	0.20
Hodgkin Lymphoma	814	3.3	0.12	2.8	0.10	689	2.7	0.10	2.5	0.10
Non-Hodgkin Lymphoma	6,098	24.4	0.32	15.6	0.21	5,342	17.2	0.24	11.3	0.17
Multiple Myeloma	1,752	7.0	0.17	4.3	0.11	1,382	4.3	0.12	2.7	0.08
Leukemias	4,278	17.5	0.27	12.1	0.21	3,246	10.6	0.19	7.7	0.17
Acute lymphocytic	490	2.0	0.09	2.5	0.12	364	1.5	0.08	1.8	0.10
Chronic lymphocytic	1,429	5.8	0.16	3.4	0.09	924	2.8	0.09	1.6	0.06
Acute myeloid	1,306	5.4	0.15	3.4	0.10	1,166	3.8	0.11	2.6	0.09
Chronic myeloid	553	2.3	0.10	1.5	0.07	423	1.4	0.07	0.9	0.05
Other leukemias	500	2.1	0.09	1.2	0.06	369	1.1	0.06	0.7	0.04
Mesothelioma	530	2.3	0.10	1.2	0.05	178	0.6	0.04	0.3	0.03
Kaposi Sarcoma	102	0.4	0.04	0.3	0.03	19	0.1	0.01	0.0	0.01
Ill-defined & Unknown	4,535	18.8	0.28	10.6	0.17	4,318	13.2	0.21	7.6	0.13
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	2,160	8.6	0.19	6.1	0.14	4,469	15.0	0.23	10.8	0.18
Breast (*in situ*)	22	0.1	0.02	0.1	0.01	9,865	33.9	0.35	25.7	0.27

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	21,926	615.4	4.38	421.1	2.89	21,593	433.5	2.99	300.5	2.12
Oral Cavity & Pharynx	737	18.9	0.73	14.0	0.52	328	6.4	0.36	4.8	0.27
Lip	7	0.2	0.08	0.1	0.05	-	-	-	-	-
Tongue	141	3.7	0.33	2.7	0.23	61	1.2	0.15	0.9	0.12
Major salivary gland	60	1.7	0.23	1.1	0.15	57	1.1	0.15	0.8	0.12
Floor of mouth	58	1.4	0.20	1.1	0.14	27	0.5	0.10	0.4	0.08
Gum & other mouth	96	2.5	0.27	1.8	0.19	65	1.3	0.16	0.9	0.12
Nasopharynx	60	1.5	0.20	1.2	0.15	29	0.6	0.11	0.4	0.08
Oropharynx	73	1.7	0.21	1.4	0.16	23	0.5	0.10	0.3	0.07
Hypopharynx	98	2.6	0.27	1.9	0.19	24	0.5	0.10	0.3	0.07
Digestive System	4,884	140.9	2.13	92.3	1.34	4,485	91.0	1.38	58.6	0.91
Esophagus	311	8.7	0.52	5.9	0.34	151	2.9	0.24	2.0	0.17
Stomach	546	16.8	0.76	10.1	0.44	387	8.0	0.41	5.0	0.27
Small intestine	166	4.8	0.39	3.1	0.25	178	3.6	0.27	2.5	0.19
Colon excl. rectum	1,742	52.0	1.31	33.0	0.80	1,921	39.3	0.91	24.7	0.59
Rectum & rectosigmoid	679	18.5	0.75	12.9	0.50	548	10.8	0.47	7.5	0.33
Anus, anal canal & anorectum	99	2.7	0.28	1.9	0.19	95	1.9	0.20	1.3	0.14
Liver	551	13.9	0.62	10.6	0.46	191	3.8	0.28	2.6	0.20
Gallbladder	50	1.6	0.24	0.9	0.13	121	2.4	0.22	1.6	0.15
Pancreas	603	18.0	0.77	11.3	0.47	704	14.5	0.55	8.8	0.35
Respiratory System	3,840	111.9	1.90	72.8	1.19	3,322	67.5	1.19	44.1	0.79
Larynx	372	9.9	0.53	7.0	0.37	114	2.2	0.21	1.7	0.16
Lung & bronchus	3,432	101.1	1.82	65.1	1.13	3,177	64.7	1.16	42.0	0.77
Bones & Joints	32	0.8	0.14	0.7	0.12	35	0.7	0.11	0.6	0.10
Soft Tissue (incl. heart)	133	3.4	0.31	2.7	0.24	172	3.4	0.26	2.7	0.21
Skin (excl. basal & sq.)	77	2.1	0.26	1.5	0.17	91	1.8	0.19	1.3	0.15
Melanomas of the skin	26	0.8	0.17	0.5	0.09	33	0.7	0.12	0.4	0.08
Breast (excl. *in situ*)	67	1.9	0.24	1.3	0.16	6,318	125.4	1.60	90.8	1.17
Female Genital System	-	-	-	-	-	2,618	51.6	1.02	38.1	0.77
Cervix uteri	-	-	-	-	-	634	12.5	0.50	9.8	0.40
Uterus Corpus	-	-	-	-	-	1,192	23.3	0.68	17.1	0.51
Uterus, NOS[1]	-	-	-	-	-	83	1.6	0.18	1.2	0.13
Ovary	-	-	-	-	-	507	10.1	0.45	7.1	0.33
Male Genital System	7,778	211.6	2.51	151.7	1.74	-	-	-	-	-
Prostate	7,685	209.4	2.50	149.9	1.73	-	-	-	-	-
Testis	56	1.3	0.17	1.2	0.16	-	-	-	-	-
Penis	29	0.8	0.16	0.5	0.10	-	-	-	-	-
Urinary System	1,624	46.6	1.22	31.1	0.78	1,082	22.2	0.68	14.3	0.46
Bladder (incl. *in situ*)	637	20.1	0.84	11.9	0.48	380	8.2	0.42	4.5	0.24
Kidney & renal pelvis	961	25.6	0.87	18.7	0.61	680	13.5	0.53	9.5	0.38
Ureter	12	0.4	0.13	0.2	0.06	7	0.2	0.06	0.1	0.03
Eye & Orbit	10	0.2	0.08	0.2	0.08	16	0.3	0.07	0.4	0.11
Brain & Other Nervous System	196	4.7	0.35	4.0	0.29	164	3.3	0.26	2.7	0.23
Brain	183	4.4	0.34	3.7	0.28	149	3.0	0.25	2.4	0.21
Endocrine System	170	4.2	0.34	3.3	0.26	631	12.4	0.50	10.0	0.40
Thyroid gland	116	2.9	0.28	2.2	0.21	594	11.6	0.48	9.3	0.39
Lymphomas	734	19.4	0.75	14.3	0.53	694	13.9	0.53	10.5	0.41
Hodgkin Lymphoma	150	3.5	0.30	3.1	0.25	127	2.4	0.22	2.3	0.21
Non-Hodgkin Lymphoma	584	15.9	0.69	11.2	0.47	567	11.5	0.49	8.2	0.36
Multiple Myeloma	462	13.4	0.66	8.7	0.41	476	9.8	0.45	6.2	0.30
Leukemias	510	14.7	0.70	10.0	0.45	416	8.5	0.42	5.9	0.31
Acute lymphocytic	50	1.0	0.14	1.2	0.18	38	0.7	0.12	0.8	0.14
Chronic lymphocytic	165	5.2	0.43	3.1	0.25	107	2.2	0.22	1.3	0.14
Acute myeloid	157	4.7	0.40	2.9	0.24	162	3.3	0.27	2.2	0.19
Chronic myeloid	82	2.2	0.26	1.6	0.18	61	1.2	0.16	0.9	0.11
Other leukemias	56	1.6	0.24	1.1	0.14	48	1.0	0.15	0.6	0.10
Mesothelioma	27	0.9	0.18	0.5	0.10	7	0.1	0.06	0.1	0.04
Kaposi Sarcoma	59	1.5	0.19	1.2	0.16	6	0.1	0.05	0.1	0.04
Ill-defined & Unknown	586	18.3	0.80	10.9	0.46	732	15.3	0.57	9.4	0.37
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	287	7.7	0.48	5.6	0.34	671	13.5	0.53	9.5	0.38
Breast (*in situ*)	8	0.2	0.09	0.2	0.05	1,777	34.6	0.83	26.2	0.63

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,351	293.3	5.60	187.8	3.27	3,976	266.8	4.42	187.7	3.03
Oral Cavity & Pharynx	169	12.7	1.05	9.4	0.73	72	4.8	0.59	3.4	0.41
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	37	2.8	0.48	2.0	0.33	21	1.3	0.29	1.0	0.23
Major salivary gland	15	1.2	0.33	0.9	0.24	16	1.2	0.30	0.7	0.18
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	43	3.2	0.54	2.4	0.37	11	0.8	0.24	0.5	0.16
Nasopharynx	43	2.8	0.43	2.3	0.36	16	1.0	0.27	0.8	0.19
Oropharynx	8	0.9	0.34	0.4	0.16	-	-	-	-	-
Hypopharynx	6	0.7	0.29	0.4	0.14	-	-	-	-	-
Digestive System	1,001	89.9	3.14	55.7	1.77	719	53.6	2.10	32.6	1.23
Esophagus	38	3.6	0.65	2.1	0.34	14	1.2	0.33	0.6	0.15
Stomach	151	14.0	1.27	8.3	0.68	84	6.6	0.76	3.7	0.41
Small intestine	25	2.2	0.48	1.4	0.28	18	1.2	0.30	0.8	0.20
Colon excl. rectum	255	24.0	1.66	14.2	0.90	227	17.0	1.19	10.2	0.69
Rectum & rectosigmoid	183	15.1	1.22	10.2	0.76	134	9.5	0.86	6.1	0.53
Anus, anal canal & anorectum	-	-	-	-	-	10	0.6	0.19	0.5	0.16
Liver	171	14.7	1.24	9.7	0.75	64	4.7	0.61	3.0	0.39
Gallbladder	11	1.0	0.34	0.6	0.18	17	1.4	0.34	0.8	0.20
Pancreas	94	8.9	1.01	5.1	0.53	97	7.4	0.79	4.4	0.45
Respiratory System	469	45.2	2.31	26.1	1.21	299	22.4	1.36	13.8	0.81
Larynx	15	1.3	0.38	0.8	0.21	-	-	-	-	-
Lung & bronchus	444	43.2	2.27	24.8	1.18	292	21.8	1.34	13.5	0.80
Bones & Joints	8	0.6	0.22	0.6	0.21	7	0.6	0.22	0.5	0.20
Soft Tissue (incl. heart)	39	3.0	0.55	2.2	0.35	18	1.3	0.32	0.9	0.21
Skin (excl. basal & sq.)	27	2.0	0.41	1.4	0.27	26	1.7	0.35	1.2	0.25
Melanomas of the skin	19	1.4	0.37	1.0	0.23	18	1.2	0.30	0.8	0.21
Breast (excl. *in situ*)	10	0.9	0.33	0.6	0.18	1,430	89.3	2.44	67.9	1.81
Female Genital System	-	-	-	-	-	517	33.3	1.52	24.5	1.09
Cervix uteri	-	-	-	-	-	68	4.2	0.53	3.2	0.39
Uterus Corpus	-	-	-	-	-	266	17.0	1.08	12.6	0.78
Uterus, NOS[1]	-	-	-	-	-	9	0.6	0.22	0.4	0.14
Ovary	-	-	-	-	-	146	9.4	0.81	7.1	0.60
Male Genital System	780	64.1	2.51	43.9	1.58	-	-	-	-	-
Prostate	742	61.8	2.48	41.8	1.54	-	-	-	-	-
Testis	33	1.9	0.34	1.8	0.33	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	262	24.5	1.69	14.7	0.91	106	7.9	0.80	5.1	0.51
Bladder (incl. *in situ*)	125	12.8	1.29	7.0	0.63	41	3.2	0.52	1.9	0.30
Kidney & renal pelvis	127	10.6	1.03	7.1	0.64	58	4.2	0.57	2.9	0.40
Ureter	8	0.8	0.32	0.4	0.15	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	61	4.7	0.66	3.7	0.48	52	3.3	0.47	2.8	0.41
Brain	59	4.6	0.66	3.5	0.47	49	3.0	0.45	2.6	0.40
Endocrine System	93	6.2	0.68	5.1	0.54	347	20.2	1.12	16.6	0.91
Thyroid gland	86	5.8	0.65	4.6	0.50	335	19.4	1.09	15.9	0.89
Lymphomas	186	16.4	1.33	10.5	0.78	151	10.3	0.88	7.2	0.61
Hodgkin Lymphoma	23	1.4	0.31	1.3	0.28	17	0.9	0.23	0.9	0.23
Non-Hodgkin Lymphoma	163	15.0	1.29	9.1	0.73	134	9.4	0.85	6.3	0.56
Multiple Myeloma	57	5.2	0.74	3.2	0.42	36	2.6	0.45	1.6	0.28
Leukemias	96	9.2	1.04	5.9	0.62	91	6.5	0.71	4.8	0.54
Acute lymphocytic	15	1.0	0.25	1.3	0.35	16	1.0	0.25	1.3	0.34
Chronic lymphocytic	15	1.9	0.53	0.8	0.22	7	0.6	0.23	0.3	0.12
Acute myeloid	39	4.1	0.73	2.2	0.36	43	3.2	0.51	2.0	0.31
Chronic myeloid	14	1.1	0.33	0.8	0.20	17	1.2	0.30	0.7	0.18
Other leukemias	13	1.1	0.32	0.7	0.20	8	0.6	0.22	0.5	0.18
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	84	8.1	0.99	4.7	0.52	96	8.4	0.89	4.1	0.43
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	65	5.2	0.71	3.7	0.46	147	9.9	0.84	7.2	0.61
Breast (*in situ*)	-	-	-	-	-	451	28.1	1.35	21.9	1.04

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	9,033	401.3	4.93	257.6	2.85	9,482	338.2	3.81	232.4	2.47
Oral Cavity & Pharynx	264	10.2	0.72	7.1	0.46	120	4.3	0.43	2.9	0.27
Lip	14	0.5	0.14	0.4	0.10	7	0.4	0.14	0.2	0.07
Tongue	71	2.7	0.36	1.9	0.24	40	1.5	0.25	1.0	0.16
Major salivary gland	28	1.1	0.23	0.8	0.16	20	0.6	0.16	0.5	0.12
Floor of mouth	10	0.4	0.14	0.3	0.09	-	-	-	-	-
Gum & other mouth	39	1.8	0.33	1.1	0.18	33	1.2	0.22	0.8	0.14
Nasopharynx	14	0.5	0.18	0.3	0.09	10	0.2	0.07	0.2	0.06
Oropharynx	18	0.6	0.16	0.5	0.12	-	-	-	-	-
Hypopharynx	23	1.1	0.27	0.7	0.15	-	-	-	-	-
Digestive System	2,116	98.2	2.47	60.7	1.38	1,650	69.9	1.85	43.0	1.09
Esophagus	106	5.2	0.57	3.1	0.32	29	1.4	0.28	0.8	0.15
Stomach	309	14.9	0.98	8.8	0.53	222	8.7	0.64	5.5	0.38
Small intestine	45	1.8	0.32	1.3	0.20	36	1.6	0.29	0.9	0.16
Colon excl. rectum	532	25.0	1.26	15.2	0.69	497	20.9	1.01	12.9	0.60
Rectum & rectosigmoid	335	14.4	0.91	9.4	0.54	231	8.2	0.59	5.7	0.39
Anus, anal canal & anorectum	23	0.8	0.18	0.6	0.13	42	1.7	0.28	1.1	0.17
Liver	384	16.9	0.99	11.2	0.59	123	5.6	0.54	3.4	0.31
Gallbladder	28	1.4	0.31	0.8	0.16	81	3.6	0.42	2.2	0.25
Pancreas	239	12.4	0.91	7.2	0.48	254	12.0	0.80	6.8	0.44
Respiratory System	809	45.8	1.80	25.6	0.93	671	30.0	1.23	18.0	0.72
Larynx	92	4.6	0.53	2.9	0.31	19	0.8	0.19	0.5	0.12
Lung & bronchus	680	40.2	1.70	22.0	0.87	641	28.9	1.21	17.3	0.70
Bones & Joints	33	0.7	0.14	0.7	0.12	27	0.6	0.13	0.6	0.11
Soft Tissue (incl. heart)	114	3.6	0.43	2.5	0.25	99	2.8	0.33	2.2	0.22
Skin (excl. basal & sq.)	127	5.0	0.53	3.4	0.32	166	5.4	0.47	3.9	0.31
Melanomas of the skin	96	4.1	0.48	2.7	0.29	138	4.4	0.42	3.2	0.28
Breast (excl. *in situ*)	15	0.5	0.15	0.4	0.11	2,585	86.5	1.83	63.4	1.29
Female Genital System	-	-	-	-	-	1,469	48.0	1.37	35.1	0.95
Cervix uteri	-	-	-	-	-	375	10.8	0.61	8.2	0.44
Uterus Corpus	-	-	-	-	-	678	22.0	0.91	16.8	0.67
Uterus, NOS[1]	-	-	-	-	-	16	0.7	0.18	0.5	0.12
Ovary	-	-	-	-	-	306	10.5	0.67	7.2	0.43
Male Genital System	2,751	124.3	2.69	84.0	1.67	-	-	-	-	-
Prostate	2,441	118.4	2.66	78.6	1.64	-	-	-	-	-
Testis	278	4.7	0.30	4.6	0.28	-	-	-	-	-
Penis	29	1.1	0.24	0.8	0.15	-	-	-	-	-
Urinary System	871	40.7	1.61	24.9	0.89	502	19.2	0.93	12.8	0.59
Bladder (incl. *in situ*)	318	19.3	1.21	10.1	0.59	136	6.3	0.58	3.5	0.31
Kidney & renal pelvis	543	21.0	1.06	14.5	0.66	358	12.5	0.72	9.1	0.49
Ureter	8	0.4	0.15	0.2	0.08	6	0.3	0.11	0.2	0.09
Eye & Orbit	22	0.6	0.15	0.5	0.12	24	0.6	0.15	0.6	0.13
Brain & Other Nervous System	208	6.1	0.53	4.7	0.35	162	4.8	0.44	3.6	0.29
Brain	195	5.9	0.52	4.5	0.34	142	4.2	0.41	3.2	0.28
Endocrine System	193	5.2	0.44	4.1	0.31	785	20.4	0.79	16.6	0.61
Thyroid gland	168	4.8	0.44	3.6	0.30	760	19.8	0.77	16.0	0.60
Lymphomas	610	24.4	1.20	15.3	0.66	512	18.5	0.91	12.4	0.57
Hodgkin Lymphoma	126	3.7	0.41	2.7	0.25	94	2.3	0.28	2.0	0.21
Non-Hodgkin Lymphoma	484	20.7	1.13	12.7	0.61	418	16.2	0.87	10.5	0.53
Multiple Myeloma	182	8.2	0.69	5.4	0.42	122	5.1	0.50	3.3	0.31
Leukemias	420	12.9	0.81	9.7	0.50	313	9.3	0.61	7.1	0.42
Acute lymphocytic	170	2.7	0.22	3.4	0.26	122	2.4	0.26	2.6	0.24
Chronic lymphocytic	36	1.9	0.36	1.1	0.19	22	1.1	0.25	0.5	0.11
Acute myeloid	114	4.6	0.53	2.9	0.28	101	3.6	0.40	2.4	0.25
Chronic myeloid	59	2.1	0.33	1.4	0.19	49	1.5	0.23	1.1	0.17
Other leukemias	41	1.6	0.31	1.0	0.17	19	0.6	0.17	0.5	0.11
Mesothelioma	29	1.5	0.33	0.9	0.17	11	0.4	0.13	0.3	0.10
Kaposi Sarcoma	29	0.8	0.18	0.6	0.12	-	-	-	-	-
Ill-defined & Unknown	240	12.5	0.94	6.9	0.47	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	162	5.5	0.55	3.8	0.32	361	11.9	0.69	8.6	0.47
Breast (*in situ*)	-	-	-	-	-	717	23.2	0.91	17.8	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	128,478	551.8	1.57	362.8	1.07	125,884	455.2	1.32	316.8	1.00
Oral Cavity & Pharynx	4,492	18.4	0.28	13.4	0.21	1,917	6.9	0.16	4.8	0.12
Lip	223	1.0	0.07	0.6	0.04	80	0.3	0.03	0.2	0.02
Tongue	1,308	5.3	0.15	4.0	0.11	576	2.1	0.09	1.5	0.07
Major salivary gland	396	1.8	0.09	1.1	0.06	273	1.0	0.06	0.8	0.05
Floor of mouth	259	1.0	0.06	0.8	0.05	118	0.4	0.04	0.3	0.03
Gum & other mouth	521	2.2	0.10	1.5	0.07	422	1.4	0.07	0.9	0.05
Nasopharynx	153	0.6	0.05	0.5	0.04	57	0.2	0.03	0.2	0.02
Oropharynx	256	1.0	0.07	0.8	0.05	86	0.3	0.03	0.2	0.03
Hypopharynx	328	1.3	0.08	0.9	0.05	76	0.3	0.03	0.2	0.02
Digestive System	24,449	105.3	0.69	66.2	0.44	20,354	68.7	0.50	42.3	0.34
Esophagus	2,316	9.8	0.21	6.3	0.14	614	2.1	0.08	1.3	0.06
Stomach	1,968	8.6	0.20	5.2	0.12	1,107	3.7	0.12	2.2	0.08
Small intestine	653	2.8	0.11	1.8	0.07	583	2.0	0.09	1.4	0.06
Colon excl. rectum	8,460	37.1	0.41	22.2	0.25	8,902	29.7	0.32	17.4	0.21
Rectum & rectosigmoid	4,099	17.4	0.28	11.6	0.19	2,828	9.9	0.19	6.7	0.14
Anus, anal canal & anorectum	309	1.3	0.08	0.9	0.06	555	2.0	0.09	1.4	0.07
Liver	1,923	7.9	0.18	5.5	0.13	733	2.5	0.09	1.6	0.07
Gallbladder	189	0.9	0.06	0.5	0.04	436	1.4	0.07	0.9	0.05
Pancreas	3,508	15.1	0.26	9.4	0.17	3,384	11.2	0.20	6.8	0.13
Respiratory System	21,588	93.3	0.65	57.0	0.41	18,867	65.3	0.48	41.7	0.33
Larynx	1,686	7.0	0.17	4.8	0.12	458	1.6	0.08	1.2	0.06
Lung & bronchus	19,641	85.2	0.62	51.4	0.38	18,240	63.1	0.48	40.0	0.32
Bones & Joints	215	1.0	0.07	0.9	0.07	163	0.7	0.06	0.7	0.06
Soft Tissue (incl. heart)	869	4.0	0.14	3.0	0.11	709	2.8	0.11	2.3	0.11
Skin (excl. basal & sq.)	6,723	29.5	0.37	19.6	0.25	5,012	20.3	0.30	15.7	0.24
Melanomas of the skin	6,291	27.6	0.35	18.4	0.25	4,697	19.2	0.29	14.9	0.24
Breast (excl. *in situ*)	304	1.3	0.08	0.8	0.05	36,102	133.2	0.72	96.0	0.54
Female Genital System	-	-	-	-	-	14,827	54.1	0.46	40.2	0.35
Cervix uteri	-	-	-	-	-	1,651	7.1	0.18	5.6	0.15
Uterus Corpus	-	-	-	-	-	8,221	29.1	0.33	22.0	0.26
Uterus, NOS[1]	-	-	-	-	-	168	0.6	0.05	0.4	0.04
Ovary	-	-	-	-	-	3,446	12.5	0.22	9.0	0.17
Male Genital System	33,430	137.8	0.77	98.3	0.56	-	-	-	-	-
Prostate	31,807	129.6	0.74	90.9	0.52	-	-	-	-	-
Testis	1,387	7.2	0.19	6.7	0.18	-	-	-	-	-
Penis	187	0.8	0.06	0.5	0.04	-	-	-	-	-
Urinary System	15,628	68.1	0.55	41.6	0.35	6,799	23.5	0.29	15.3	0.21
Bladder (incl. *in situ*)	9,757	43.2	0.44	24.4	0.26	3,130	10.4	0.19	6.2	0.13
Kidney & renal pelvis	5,520	23.4	0.32	16.3	0.23	3,459	12.5	0.22	8.7	0.17
Ureter	225	1.0	0.07	0.6	0.04	157	0.5	0.04	0.3	0.02
Eye & Orbit	267	1.2	0.07	0.9	0.06	198	0.8	0.06	0.6	0.06
Brain & Other Nervous System	1,877	8.5	0.20	6.8	0.18	1,596	6.4	0.17	5.4	0.16
Brain	1,808	8.1	0.20	6.5	0.17	1,491	5.9	0.16	4.9	0.15
Endocrine System	1,941	8.6	0.20	6.8	0.17	5,309	23.4	0.33	19.4	0.28
Thyroid gland	1,790	7.9	0.19	6.1	0.15	5,144	22.7	0.33	18.8	0.28
Lymphomas	6,336	28.2	0.36	18.9	0.26	5,551	20.2	0.28	14.1	0.22
Hodgkin Lymphoma	698	3.4	0.13	2.9	0.12	601	2.9	0.12	2.7	0.12
Non-Hodgkin Lymphoma	5,638	24.8	0.34	16.0	0.23	4,950	17.3	0.25	11.4	0.19
Multiple Myeloma	1,577	6.9	0.18	4.2	0.11	1,268	4.2	0.12	2.7	0.08
Leukemias	3,895	17.7	0.29	12.2	0.23	2,953	10.6	0.20	7.7	0.18
Acute lymphocytic	338	1.8	0.10	2.3	0.14	250	1.3	0.09	1.7	0.12
Chronic lymphocytic	1,398	6.1	0.17	3.6	0.10	903	2.9	0.10	1.7	0.07
Acute myeloid	1,198	5.4	0.16	3.5	0.11	1,070	3.8	0.12	2.6	0.10
Chronic myeloid	497	2.3	0.10	1.5	0.07	378	1.4	0.07	0.9	0.06
Other leukemias	464	2.1	0.10	1.2	0.06	352	1.2	0.06	0.7	0.05
Mesothelioma	504	2.3	0.10	1.2	0.06	167	0.6	0.05	0.3	0.03
Kaposi Sarcoma	76	0.4	0.04	0.3	0.03	14	0.0	0.01	0.0	0.01
Ill-defined & Unknown	4,307	19.3	0.30	10.9	0.18	4,078	13.3	0.22	7.7	0.15
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	2,008	9.0	0.20	6.5	0.16	4,127	15.4	0.25	11.2	0.20
Breast (*in situ*)	20	0.1	0.02	0.1	0.01	9,179	35.2	0.38	26.7	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Illinois, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	21,812	622.5	4.43	426.6	2.93	21,438	437.7	3.03	303.9	2.16
Oral Cavity & Pharynx	737	19.2	0.74	14.3	0.53	325	6.4	0.36	4.8	0.28
Lip	7	0.2	0.09	0.1	0.05	-	-	-	-	-
Tongue	141	3.8	0.33	2.7	0.23	59	1.2	0.15	0.9	0.12
Major salivary gland	60	1.7	0.23	1.2	0.15	57	1.2	0.16	0.9	0.12
Floor of mouth	58	1.5	0.20	1.1	0.14	27	0.5	0.10	0.4	0.08
Gum & other mouth	96	2.5	0.27	1.8	0.19	64	1.3	0.16	0.9	0.12
Nasopharynx	60	1.5	0.20	1.2	0.16	29	0.6	0.11	0.5	0.09
Oropharynx	73	1.8	0.21	1.4	0.17	23	0.5	0.10	0.3	0.07
Hypopharynx	98	2.6	0.27	1.9	0.20	24	0.5	0.10	0.3	0.07
Digestive System	4,857	142.4	2.15	93.4	1.36	4,451	91.7	1.39	59.0	0.92
Esophagus	310	8.8	0.52	6.0	0.34	151	3.0	0.25	2.0	0.17
Stomach	542	16.9	0.77	10.2	0.45	385	8.0	0.42	5.0	0.27
Small intestine	166	4.9	0.40	3.2	0.25	177	3.6	0.27	2.5	0.19
Colon excl. rectum	1,733	52.5	1.33	33.4	0.82	1,907	39.6	0.92	24.9	0.60
Rectum & rectosigmoid	678	18.8	0.76	13.1	0.51	540	10.8	0.47	7.5	0.34
Anus, anal canal & anorectum	98	2.7	0.29	1.9	0.19	94	1.9	0.20	1.3	0.14
Liver	548	14.0	0.62	10.8	0.47	188	3.8	0.28	2.6	0.20
Gallbladder	50	1.7	0.25	1.0	0.14	121	2.4	0.22	1.7	0.16
Pancreas	599	18.2	0.78	11.4	0.47	700	14.6	0.56	8.9	0.35
Respiratory System	3,821	113.0	1.92	73.7	1.21	3,311	68.2	1.20	44.6	0.80
Larynx	370	10.0	0.54	7.1	0.38	114	2.2	0.21	1.7	0.16
Lung & bronchus	3,415	102.1	1.84	65.8	1.14	3,166	65.3	1.18	42.4	0.78
Bones & Joints	32	0.8	0.15	0.7	0.12	34	0.7	0.12	0.6	0.11
Soft Tissue (incl. heart)	131	3.5	0.32	2.7	0.24	171	3.4	0.27	2.8	0.22
Skin (excl. basal & sq.)	76	2.1	0.26	1.5	0.17	91	1.8	0.20	1.4	0.15
Melanomas of the skin	25	0.8	0.17	0.5	0.09	33	0.7	0.12	0.4	0.08
Breast (excl. *in situ*)	67	1.9	0.24	1.3	0.16	6,274	126.8	1.62	91.9	1.19
Female Genital System	-	-	-	-	-	2,595	52.1	1.04	38.5	0.78
Cervix uteri	-	-	-	-	-	625	12.7	0.51	9.9	0.41
Uterus Corpus	-	-	-	-	-	1,184	23.5	0.69	17.3	0.51
Uterus, NOS[1]	-	-	-	-	-	82	1.6	0.18	1.2	0.13
Ovary	-	-	-	-	-	502	10.2	0.46	7.2	0.33
Male Genital System	7,740	214.0	2.55	153.5	1.77	-	-	-	-	-
Prostate	7,649	211.7	2.53	151.7	1.76	-	-	-	-	-
Testis	54	1.3	0.18	1.2	0.16	-	-	-	-	-
Penis	29	0.8	0.16	0.5	0.10	-	-	-	-	-
Urinary System	1,621	47.3	1.24	31.6	0.80	1,074	22.3	0.69	14.5	0.46
Bladder (incl. *in situ*)	637	20.4	0.85	12.1	0.49	375	8.2	0.43	4.5	0.25
Kidney & renal pelvis	958	26.0	0.88	19.0	0.62	677	13.7	0.53	9.7	0.39
Ureter	12	0.4	0.13	0.2	0.06	7	0.2	0.06	0.1	0.04
Eye & Orbit	10	0.2	0.08	0.2	0.08	15	0.3	0.08	0.4	0.11
Brain & Other Nervous System	194	4.8	0.36	4.1	0.30	162	3.3	0.26	2.8	0.23
Brain	181	4.5	0.35	3.8	0.29	148	3.0	0.25	2.5	0.22
Endocrine System	170	4.3	0.35	3.4	0.27	623	12.5	0.51	10.1	0.41
Thyroid gland	116	3.0	0.29	2.3	0.21	588	11.8	0.49	9.4	0.40
Lymphomas	729	19.7	0.77	14.5	0.55	687	14.1	0.54	10.6	0.42
Hodgkin Lymphoma	147	3.5	0.30	3.1	0.26	127	2.5	0.23	2.4	0.21
Non-Hodgkin Lymphoma	582	16.2	0.71	11.4	0.48	560	11.6	0.49	8.3	0.36
Multiple Myeloma	459	13.5	0.66	8.8	0.42	475	9.9	0.46	6.3	0.30
Leukemias	503	14.9	0.70	10.1	0.46	409	8.5	0.43	5.9	0.32
Acute lymphocytic	48	1.0	0.14	1.3	0.19	37	0.8	0.12	0.8	0.14
Chronic lymphocytic	163	5.2	0.43	3.1	0.25	106	2.2	0.22	1.3	0.14
Acute myeloid	155	4.8	0.41	3.0	0.24	159	3.3	0.27	2.3	0.19
Chronic myeloid	81	2.3	0.26	1.6	0.18	59	1.2	0.16	0.9	0.12
Other leukemias	56	1.7	0.24	1.1	0.15	48	1.0	0.15	0.7	0.10
Mesothelioma	26	0.9	0.19	0.5	0.10	7	0.1	0.06	0.1	0.04
Kaposi Sarcoma	58	1.5	0.20	1.2	0.16	6	0.1	0.06	0.1	0.04
Ill-defined & Unknown	581	18.4	0.81	11.0	0.46	728	15.4	0.58	9.5	0.37
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	283	7.8	0.48	5.7	0.34	668	13.7	0.54	9.6	0.39
Breast (*in situ*)	8	0.2	0.09	0.2	0.06	1,766	35.0	0.84	26.4	0.64

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	81,184	513.0	1.84	338.3	1.23	80,337	425.1	1.53	296.5	1.13
Oral Cavity & Pharynx	2,911	17.3	0.33	12.6	0.24	1,212	6.3	0.19	4.5	0.14
Lip	129	0.9	0.08	0.5	0.05	52	0.2	0.04	0.1	0.02
Tongue	829	4.9	0.17	3.6	0.13	355	1.9	0.10	1.3	0.07
Major salivary gland	220	1.5	0.10	0.9	0.06	181	1.0	0.07	0.7	0.06
Floor of mouth	160	0.9	0.08	0.7	0.06	76	0.4	0.05	0.3	0.03
Gum & other mouth	295	1.8	0.11	1.3	0.07	232	1.2	0.08	0.8	0.05
Nasopharynx	103	0.6	0.06	0.5	0.05	47	0.2	0.04	0.2	0.03
Oropharynx	151	0.9	0.07	0.7	0.06	43	0.2	0.03	0.2	0.03
Hypopharynx	189	1.1	0.08	0.8	0.06	52	0.3	0.04	0.2	0.03
Digestive System	15,811	100.1	0.82	64.1	0.53	13,533	69.4	0.61	43.8	0.41
Esophagus	1,655	10.2	0.26	6.8	0.17	363	1.8	0.10	1.2	0.07
Stomach	1,166	7.5	0.23	4.7	0.14	695	3.6	0.14	2.3	0.09
Small intestine	446	2.8	0.13	1.9	0.09	459	2.4	0.11	1.7	0.08
Colon excl. rectum	5,391	35.2	0.49	21.3	0.30	5,997	30.6	0.40	18.4	0.26
Rectum & rectosigmoid	2,562	15.8	0.32	10.8	0.22	1,819	9.5	0.23	6.5	0.16
Anus, anal canal & anorectum	218	1.3	0.09	1.0	0.07	441	2.3	0.11	1.7	0.09
Liver	1,425	8.3	0.23	6.0	0.16	515	2.6	0.12	1.8	0.09
Gallbladder	116	0.8	0.08	0.4	0.04	280	1.4	0.09	0.8	0.06
Pancreas	2,200	14.1	0.31	8.8	0.19	2,111	10.6	0.24	6.6	0.16
Respiratory System	15,858	101.5	0.83	63.5	0.52	12,433	64.5	0.59	42.1	0.40
Larynx	1,196	7.2	0.21	5.0	0.15	386	2.0	0.10	1.5	0.08
Lung & bronchus	14,487	93.2	0.79	57.6	0.49	11,937	61.9	0.57	40.2	0.39
Bones & Joints	161	1.0	0.08	0.9	0.08	137	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	545	3.5	0.15	2.6	0.12	496	2.7	0.13	2.2	0.11
Skin (excl. basal & sq.)	3,759	24.2	0.40	15.7	0.27	2,877	16.1	0.31	12.1	0.24
Melanomas of the skin	3,417	21.9	0.38	14.4	0.25	2,699	15.2	0.30	11.5	0.24
Breast (excl. *in situ*)	200	1.3	0.09	0.8	0.06	22,319	119.0	0.81	86.1	0.61
Female Genital System	-	-	-	-	-	9,458	50.1	0.52	37.0	0.40
Cervix uteri	-	-	-	-	-	1,267	7.5	0.22	6.0	0.17
Uterus Corpus	-	-	-	-	-	5,035	26.0	0.37	19.5	0.29
Uterus, NOS[1]	-	-	-	-	-	80	0.4	0.04	0.2	0.03
Ovary	-	-	-	-	-	2,199	11.6	0.25	8.2	0.19
Male Genital System	19,023	115.2	0.86	80.8	0.60	-	-	-	-	-
Prostate	18,052	108.9	0.83	75.3	0.57	-	-	-	-	-
Testis	807	5.2	0.19	4.9	0.18	-	-	-	-	-
Penis	128	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	9,283	60.2	0.64	37.3	0.40	4,308	22.4	0.35	14.8	0.25
Bladder (incl. *in situ*)	5,454	36.4	0.50	20.8	0.29	1,761	8.9	0.22	5.3	0.14
Kidney & renal pelvis	3,629	22.4	0.38	15.7	0.27	2,417	12.8	0.27	9.1	0.20
Ureter	120	0.8	0.08	0.4	0.04	85	0.4	0.05	0.2	0.03
Eye & Orbit	158	1.0	0.08	0.8	0.07	145	0.8	0.07	0.7	0.07
Brain & Other Nervous System	1,355	8.4	0.23	7.1	0.21	1,018	5.7	0.18	4.9	0.17
Brain	1,289	8.0	0.23	6.7	0.20	933	5.2	0.17	4.4	0.16
Endocrine System	1,050	6.5	0.20	5.2	0.17	2,991	17.8	0.33	14.7	0.28
Thyroid gland	899	5.5	0.19	4.3	0.15	2,868	17.1	0.33	14.0	0.27
Lymphomas	4,183	26.9	0.43	18.5	0.30	3,575	19.1	0.32	13.5	0.25
Hodgkin Lymphoma	531	3.4	0.15	3.0	0.13	419	2.6	0.13	2.4	0.12
Non-Hodgkin Lymphoma	3,652	23.5	0.40	15.5	0.27	3,156	16.5	0.30	11.1	0.22
Multiple Myeloma	1,217	7.9	0.23	4.8	0.14	938	4.8	0.16	3.0	0.11
Leukemias	2,553	16.8	0.34	11.5	0.25	1,957	10.5	0.24	7.6	0.20
Acute lymphocytic	269	1.7	0.11	2.1	0.14	228	1.4	0.09	1.7	0.12
Chronic lymphocytic	861	5.7	0.20	3.3	0.12	571	2.9	0.12	1.7	0.08
Acute myeloid	802	5.3	0.19	3.4	0.13	679	3.7	0.14	2.5	0.11
Chronic myeloid	329	2.1	0.12	1.5	0.09	268	1.4	0.09	1.0	0.07
Other leukemias	292	1.9	0.11	1.2	0.07	211	1.1	0.08	0.7	0.06
Mesothelioma	289	2.0	0.12	1.0	0.06	71	0.4	0.04	0.2	0.03
Kaposi Sarcoma	44	0.3	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	2,784	18.8	0.36	10.7	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,259	8.0	0.23	5.8	0.17	2,631	14.2	0.28	10.3	0.22
Breast (*in situ*)	19	0.1	0.03	0.1	0.02	4,957	26.7	0.39	20.1	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	73,762	505.3	1.90	333.2	1.28	73,217	425.3	1.61	297.1	1.20
Oral Cavity & Pharynx	2,701	17.4	0.34	12.8	0.25	1,116	6.4	0.20	4.5	0.15
Lip	123	0.9	0.08	0.5	0.05	50	0.3	0.04	0.1	0.02
Tongue	780	5.0	0.18	3.7	0.14	335	2.0	0.11	1.4	0.08
Major salivary gland	205	1.5	0.11	0.9	0.07	167	1.0	0.08	0.8	0.06
Floor of mouth	145	0.9	0.08	0.7	0.06	69	0.4	0.05	0.3	0.04
Gum & other mouth	268	1.8	0.11	1.2	0.08	207	1.2	0.08	0.7	0.06
Nasopharynx	90	0.6	0.06	0.5	0.05	44	0.2	0.04	0.2	0.03
Oropharynx	138	0.9	0.08	0.7	0.06	40	0.2	0.03	0.2	0.03
Hypopharynx	167	1.1	0.08	0.8	0.06	45	0.3	0.04	0.2	0.03
Digestive System	14,290	98.0	0.84	62.5	0.54	12,125	67.6	0.63	42.5	0.43
Esophagus	1,555	10.4	0.27	6.9	0.18	317	1.7	0.10	1.1	0.07
Stomach	1,004	7.0	0.23	4.3	0.14	567	3.2	0.14	2.0	0.09
Small intestine	390	2.6	0.14	1.8	0.09	401	2.3	0.12	1.6	0.08
Colon excl. rectum	4,912	34.7	0.51	20.9	0.31	5,430	30.1	0.42	18.0	0.27
Rectum & rectosigmoid	2,325	15.6	0.33	10.6	0.23	1,630	9.3	0.24	6.3	0.17
Anus, anal canal & anorectum	205	1.3	0.10	1.0	0.07	421	2.5	0.12	1.8	0.09
Liver	1,203	7.7	0.23	5.5	0.16	429	2.4	0.12	1.6	0.09
Gallbladder	107	0.8	0.08	0.4	0.04	243	1.3	0.09	0.8	0.05
Pancreas	2,004	13.8	0.32	8.6	0.20	1,909	10.4	0.24	6.5	0.16
Respiratory System	14,599	100.8	0.85	63.1	0.54	11,472	64.8	0.61	42.4	0.43
Larynx	1,083	7.1	0.22	4.9	0.15	354	2.0	0.11	1.5	0.09
Lung & bronchus	13,358	92.7	0.82	57.3	0.51	11,020	62.2	0.60	40.5	0.41
Bones & Joints	145	1.0	0.09	0.9	0.08	114	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	486	3.5	0.16	2.5	0.12	446	2.7	0.13	2.2	0.12
Skin (excl. basal & sq.)	3,488	24.4	0.42	15.8	0.28	2,666	16.7	0.33	12.6	0.26
Melanomas of the skin	3,184	22.1	0.40	14.5	0.27	2,498	15.7	0.32	12.0	0.26
Breast (excl. *in situ*)	175	1.2	0.09	0.8	0.06	20,291	119.0	0.85	86.0	0.64
Female Genital System	-	-	-	-	-	8,698	50.8	0.56	37.5	0.43
Cervix uteri	-	-	-	-	-	1,101	7.4	0.23	5.9	0.19
Uterus Corpus	-	-	-	-	-	4,668	26.5	0.40	19.9	0.30
Uterus, NOS[1]	-	-	-	-	-	64	0.3	0.04	0.2	0.03
Ovary	-	-	-	-	-	2,060	11.9	0.27	8.4	0.20
Male Genital System	16,605	109.0	0.86	76.7	0.61	-	-	-	-	-
Prostate	15,694	102.2	0.84	70.7	0.58	-	-	-	-	-
Testis	765	5.7	0.21	5.3	0.20	-	-	-	-	-
Penis	114	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	8,664	60.7	0.67	37.5	0.42	3,935	22.3	0.36	14.7	0.26
Bladder (incl. *in situ*)	5,168	37.0	0.53	21.2	0.31	1,605	8.8	0.22	5.2	0.15
Kidney & renal pelvis	3,305	22.3	0.40	15.5	0.28	2,212	12.9	0.28	9.2	0.21
Ureter	118	0.9	0.08	0.5	0.04	79	0.4	0.05	0.2	0.03
Eye & Orbit	152	1.0	0.09	0.8	0.07	138	0.9	0.08	0.7	0.07
Brain & Other Nervous System	1,265	8.7	0.25	7.4	0.23	958	6.0	0.20	5.2	0.19
Brain	1,205	8.3	0.24	6.9	0.22	883	5.5	0.19	4.7	0.18
Endocrine System	986	6.7	0.22	5.5	0.18	2,755	18.6	0.36	15.4	0.31
Thyroid gland	855	5.8	0.20	4.6	0.16	2,651	17.9	0.36	14.7	0.30
Lymphomas	3,896	27.4	0.45	18.8	0.32	3,271	19.1	0.34	13.5	0.26
Hodgkin Lymphoma	473	3.4	0.16	3.0	0.15	367	2.6	0.14	2.4	0.13
Non-Hodgkin Lymphoma	3,423	24.0	0.42	15.8	0.28	2,904	16.6	0.31	11.1	0.23
Multiple Myeloma	1,066	7.5	0.23	4.5	0.14	762	4.3	0.16	2.7	0.11
Leukemias	2,371	17.1	0.36	11.8	0.27	1,784	10.5	0.25	7.7	0.22
Acute lymphocytic	243	1.8	0.12	2.3	0.15	208	1.5	0.10	1.8	0.14
Chronic lymphocytic	798	5.7	0.21	3.3	0.12	517	2.8	0.12	1.6	0.08
Acute myeloid	748	5.4	0.20	3.5	0.14	623	3.7	0.15	2.6	0.12
Chronic myeloid	303	2.2	0.13	1.5	0.09	246	1.5	0.10	1.0	0.07
Other leukemias	279	2.0	0.12	1.2	0.08	190	1.1	0.08	0.7	0.06
Mesothelioma	272	2.0	0.12	1.1	0.07	70	0.4	0.05	0.2	0.03
Kaposi Sarcoma	27	0.2	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	2,574	18.7	0.38	10.6	0.22	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,126	7.9	0.24	5.8	0.18	2,327	14.0	0.30	10.1	0.23
Breast (*in situ*)	11	0.1	0.02	0.1	0.02	4,438	26.4	0.40	19.8	0.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	5,571	539.3	7.72	362.6	4.94	5,829	418.8	5.59	288.6	3.91
Oral Cavity & Pharynx	162	14.1	1.17	10.4	0.83	75	5.3	0.62	3.6	0.43
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	41	3.6	0.59	2.8	0.44	16	1.1	0.28	0.8	0.21
Major salivary gland	10	0.9	0.28	0.7	0.21	10	0.7	0.22	0.5	0.15
Floor of mouth	11	1.0	0.32	0.7	0.22	6	0.4	0.15	0.3	0.12
Gum & other mouth	15	1.4	0.39	0.9	0.24	17	1.3	0.31	0.8	0.21
Nasopharynx	9	0.7	0.26	0.6	0.20	-	-	-	-	-
Oropharynx	13	1.2	0.36	0.8	0.24	-	-	-	-	-
Hypopharynx	20	1.9	0.45	1.2	0.27	6	0.4	0.19	0.3	0.11
Digestive System	1,283	125.5	3.75	82.7	2.35	1,218	89.4	2.61	57.8	1.72
Esophagus	90	9.2	1.03	5.8	0.63	43	3.2	0.49	2.0	0.31
Stomach	129	13.4	1.27	8.0	0.72	113	8.6	0.82	5.2	0.51
Small intestine	47	4.3	0.66	2.9	0.43	55	3.9	0.54	2.7	0.38
Colon excl. rectum	402	40.9	2.18	26.1	1.32	491	37.0	1.70	22.8	1.07
Rectum & rectosigmoid	183	17.5	1.38	11.9	0.90	149	10.4	0.87	7.4	0.62
Anus, anal canal & anorectum	12	1.1	0.35	0.7	0.22	18	1.3	0.31	0.9	0.22
Liver	193	15.3	1.14	12.6	0.93	69	4.6	0.56	3.5	0.43
Gallbladder	7	0.8	0.31	0.4	0.16	32	2.1	0.39	1.5	0.28
Pancreas	180	18.8	1.51	11.5	0.87	184	13.6	1.02	8.9	0.68
Respiratory System	1,153	119.5	3.74	74.8	2.25	885	66.0	2.26	42.2	1.48
Larynx	105	9.8	1.02	6.8	0.67	31	2.3	0.42	1.6	0.29
Lung & bronchus	1,036	108.6	3.59	67.3	2.13	843	63.0	2.21	40.1	1.44
Bones & Joints	14	1.0	0.27	0.9	0.25	19	1.2	0.27	1.1	0.26
Soft Tissue (incl. heart)	44	3.7	0.61	2.8	0.44	40	2.7	0.43	2.0	0.33
Skin (excl. basal & sq.)	28	2.5	0.50	1.8	0.34	19	1.4	0.33	0.9	0.21
Melanomas of the skin	11	0.9	0.26	0.7	0.21	12	0.9	0.27	0.5	0.17
Breast (excl. *in situ*)	23	2.7	0.60	1.5	0.31	1,752	122.9	2.99	89.7	2.19
Female Genital System	-	-	-	-	-	617	43.5	1.78	31.7	1.31
Cervix uteri	-	-	-	-	-	131	8.8	0.78	6.8	0.60
Uterus Corpus	-	-	-	-	-	303	21.7	1.27	15.8	0.93
Uterus, NOS[1]	-	-	-	-	-	14	1.0	0.28	0.6	0.17
Ovary	-	-	-	-	-	109	7.7	0.75	5.5	0.54
Male Genital System	1,637	151.8	3.97	108.4	2.73	-	-	-	-	-
Prostate	1,603	148.9	3.94	106.3	2.70	-	-	-	-	-
Testis	19	1.3	0.30	1.2	0.27	-	-	-	-	-
Penis	11	1.1	0.38	0.7	0.22	-	-	-	-	-
Urinary System	454	44.6	2.25	29.6	1.41	285	21.1	1.27	13.6	0.84
Bladder (incl. *in situ*)	166	18.9	1.57	10.7	0.84	96	7.4	0.76	4.5	0.48
Kidney & renal pelvis	281	24.8	1.58	18.5	1.12	178	12.9	0.98	8.7	0.68
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	71	6.2	0.80	4.7	0.57	49	3.2	0.47	2.7	0.40
Brain	67	5.8	0.78	4.5	0.55	39	2.5	0.42	2.2	0.36
Endocrine System	50	3.9	0.58	3.3	0.47	155	10.3	0.84	8.5	0.69
Thyroid gland	35	2.8	0.50	2.2	0.38	139	9.4	0.81	7.5	0.65
Lymphomas	208	18.6	1.39	13.2	0.93	220	15.4	1.06	11.3	0.78
Hodgkin Lymphoma	48	3.7	0.56	3.1	0.45	45	2.9	0.44	2.5	0.38
Non-Hodgkin Lymphoma	160	14.9	1.27	10.2	0.82	175	12.5	0.96	8.8	0.69
Multiple Myeloma	136	13.8	1.26	8.6	0.75	158	11.9	0.96	7.4	0.62
Leukemias	115	10.7	1.09	7.5	0.71	131	9.5	0.85	6.5	0.59
Acute lymphocytic	19	1.1	0.27	1.3	0.30	15	0.9	0.24	1.0	0.26
Chronic lymphocytic	30	3.2	0.62	2.0	0.37	32	2.5	0.46	1.4	0.27
Acute myeloid	41	4.2	0.71	2.6	0.41	50	3.6	0.52	2.5	0.37
Chronic myeloid	18	1.5	0.38	1.1	0.26	18	1.2	0.29	0.9	0.23
Other leukemias	7	0.7	0.29	0.5	0.19	16	1.2	0.31	0.6	0.17
Mesothelioma	16	1.9	0.51	1.1	0.27	-	-	-	-	-
Kaposi Sarcoma	16	1.2	0.30	1.0	0.26	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	200	14.7	1.06	9.2	0.68
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	105	9.5	1.01	6.6	0.65	256	18.2	1.16	12.3	0.80
Breast (*in situ*)	6	0.5	0.23	0.4	0.16	457	31.8	1.51	24.0	1.14

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	395	303.4	18.65	180.3	9.34	519	264.4	12.98	176.5	7.94
Oral Cavity & Pharynx	17	11.2	3.14	7.2	1.81	8	3.5	1.34	2.8	1.00
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	3.3	1.42	2.7	1.13	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	116	88.0	9.84	53.0	5.05	98	60.7	6.76	34.4	3.55
Esophagus	6	5.0	2.23	2.6	1.11	-	-	-	-	-
Stomach	25	22.0	5.44	12.0	2.47	11	5.8	1.87	3.8	1.17
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	21	15.3	4.04	9.5	2.13	34	21.5	4.14	11.7	2.05
Rectum & rectosigmoid	21	13.6	3.26	9.5	2.12	11	5.3	1.70	3.7	1.14
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	22	14.1	3.59	9.8	2.13	13	8.3	2.51	4.6	1.30
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	13	9.9	3.12	6.0	1.68	16	10.3	2.81	5.4	1.39
Respiratory System	58	53.5	8.26	27.8	3.73	52	33.6	5.02	18.8	2.65
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	53	51.4	8.20	26.0	3.63	52	33.6	5.02	18.8	2.65
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	150	65.8	5.90	49.1	4.11
Female Genital System	-	-	-	-	-	69	31.7	4.23	22.4	2.75
Cervix uteri	-	-	-	-	-	21	8.9	2.09	6.5	1.46
Uterus Corpus	-	-	-	-	-	28	13.1	2.63	9.5	1.82
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	17	8.2	2.38	5.6	1.39
Male Genital System	80	62.6	8.35	37.8	4.30	-	-	-	-	-
Prostate	72	59.9	8.28	35.0	4.17	-	-	-	-	-
Testis	6	1.7	0.72	1.9	0.81	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	20.3	4.90	12.7	2.56	13	6.5	1.96	5.0	1.42
Bladder (incl. *in situ*)	12	9.4	3.23	5.7	1.69	6	3.4	1.44	2.3	0.95
Kidney & renal pelvis	13	10.2	3.64	6.5	1.85	7	3.2	1.33	2.7	1.05
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	11	4.3	1.43	3.8	1.20	10	3.8	1.26	3.8	1.21
Brain	10	4.0	1.39	3.6	1.17	10	3.8	1.26	3.8	1.21
Endocrine System	6	3.5	1.95	2.7	1.13	46	16.3	2.55	13.5	2.05
Thyroid gland	-	-	-	-	-	44	15.4	2.46	12.8	1.97
Lymphomas	27	14.5	3.31	10.5	2.10	29	16.4	3.41	10.9	2.07
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	7	5.3	2.04	2.4	0.93
Leukemias	19	11.8	3.78	8.1	1.95	12	6.6	2.18	4.5	1.32
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	2.7	1.20	2.5	1.06	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	18	21.5	5.84	9.3	2.26	14	7.5	2.14	5.0	1.36
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	17	9.0	2.44	5.8	1.44
Breast (*in situ*)	-	-	-	-	-	31	13.6	2.57	10.2	1.88

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	8	160.0	62.89	87.5	31.58	7	125.3	55.97	93.3	38.79
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,300	335.0	10.87	216.1	6.45	1,470	325.3	9.40	226.9	6.29
Oral Cavity & Pharynx	32	6.7	1.39	4.7	0.89	18	4.1	1.08	2.8	0.69
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	11	2.1	0.73	1.5	0.49	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	299	81.8	5.47	49.4	3.03	267	68.8	4.56	43.7	2.82
Esophagus	17	4.4	1.22	3.1	0.80	-	-	-	-	-
Stomach	45	12.6	2.19	7.3	1.16	27	6.0	1.26	4.2	0.84
Small intestine	6	1.4	0.72	0.9	0.39	11	3.0	0.97	2.0	0.63
Colon excl. rectum	78	23.5	3.03	12.9	1.54	90	24.1	2.73	15.1	1.68
Rectum & rectosigmoid	47	11.0	1.83	7.7	1.20	45	10.4	1.69	7.1	1.11
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	49	11.7	1.95	7.5	1.11	27	6.7	1.39	4.3	0.87
Gallbladder	-	-	-	-	-	8	2.0	0.80	1.2	0.43
Pancreas	37	11.4	2.13	6.8	1.17	35	10.0	1.81	5.9	1.04
Respiratory System	151	45.9	4.18	27.3	2.35	114	33.0	3.27	20.4	2.00
Larynx	12	3.7	1.17	2.2	0.66	6	1.7	0.77	0.9	0.36
Lung & bronchus	131	41.4	4.00	24.4	2.24	107	31.0	3.17	19.3	1.95
Bones & Joints	6	0.6	0.26	0.6	0.25	7	1.0	0.40	1.0	0.41
Soft Tissue (incl. heart)	22	4.1	1.15	2.6	0.59	14	2.4	0.73	1.9	0.53
Skin (excl. basal & sq.)	22	5.6	1.41	3.7	0.85	-	-	-	-	-
Melanomas of the skin	16	3.9	1.18	2.5	0.68	28	5.5	1.17	3.8	0.78
Breast (excl. *in situ*)	-	-	-	-	-	410	83.6	4.48	63.2	3.30
Female Genital System	-	-	-	-	-	198	40.7	3.16	30.2	2.29
Cervix uteri	-	-	-	-	-	52	9.3	1.46	7.1	1.06
Uterus Corpus	-	-	-	-	-	84	17.6	2.06	13.9	1.60
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	50	10.7	1.64	7.3	1.10
Male Genital System	342	93.9	5.75	63.2	3.65	-	-	-	-	-
Prostate	295	88.9	5.67	58.8	3.58	-	-	-	-	-
Testis	41	3.9	0.80	3.5	0.56	-	-	-	-	-
Penis	6	1.2	0.56	0.9	0.41	-	-	-	-	-
Urinary System	151	40.5	3.82	25.5	2.22	72	19.3	2.44	12.1	1.50
Bladder (incl. *in situ*)	65	20.6	2.90	11.2	1.47	18	5.7	1.41	3.0	0.76
Kidney & renal pelvis	85	19.8	2.48	14.2	1.66	54	13.6	1.99	9.0	1.29
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	7	1.2	0.54	1.1	0.44
Brain & Other Nervous System	28	4.0	1.02	3.4	0.70	27	3.6	0.86	3.1	0.62
Brain	27	4.0	1.02	3.3	0.70	25	3.3	0.84	2.9	0.59
Endocrine System	27	4.2	0.99	3.4	0.74	118	17.7	1.83	14.5	1.43
Thyroid gland	19	3.0	0.80	2.5	0.65	113	17.1	1.80	13.8	1.39
Lymphomas	77	16.6	2.34	10.8	1.37	64	13.1	1.86	9.3	1.25
Hodgkin Lymphoma	16	2.0	0.64	1.5	0.39	14	1.7	0.52	1.4	0.38
Non-Hodgkin Lymphoma	61	14.6	2.25	9.3	1.31	50	11.4	1.78	7.9	1.19
Multiple Myeloma	24	5.8	1.30	4.4	0.94	21	6.5	1.48	4.1	0.92
Leukemias	66	9.7	1.62	8.0	1.08	61	12.5	1.93	8.3	1.16
Acute lymphocytic	-	-	-	-	-	19	2.4	0.76	2.0	0.49
Chronic lymphocytic	6	1.8	0.81	1.0	0.45	6	2.0	0.85	1.2	0.51
Acute myeloid	12	2.1	0.84	1.4	0.41	21	4.4	1.14	2.8	0.65
Chronic myeloid	14	3.3	1.01	2.4	0.70	7	1.7	0.74	0.9	0.37
Other leukemias	-	-	-	-	-	8	2.0	0.75	1.4	0.53
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	45	13.0	2.22	7.9	1.26	39	11.1	1.91	6.7	1.13
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	23	4.6	1.23	3.0	0.68	64	12.6	1.73	9.4	1.25
Breast (*in situ*)	-	-	-	-	-	109	22.6	2.32	17.3	1.74

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	72,533	509.9	1.94	336.6	1.31	71,827	428.0	1.64	299.2	1.23
Oral Cavity & Pharynx	2,672	17.8	0.35	13.0	0.26	1,098	6.5	0.20	4.6	0.15
Lip	123	0.9	0.08	0.5	0.05	50	0.3	0.04	0.1	0.02
Tongue	769	5.0	0.19	3.8	0.14	330	2.0	0.11	1.4	0.08
Major salivary gland	203	1.5	0.11	0.9	0.07	166	1.0	0.08	0.8	0.07
Floor of mouth	145	0.9	0.08	0.7	0.06	67	0.4	0.05	0.3	0.04
Gum & other mouth	266	1.9	0.12	1.3	0.08	204	1.2	0.08	0.7	0.06
Nasopharynx	90	0.6	0.06	0.5	0.05	43	0.2	0.04	0.2	0.03
Oropharynx	137	0.9	0.08	0.7	0.06	39	0.2	0.03	0.2	0.03
Hypopharynx	163	1.1	0.09	0.8	0.06	44	0.3	0.04	0.2	0.03
Digestive System	14,005	98.4	0.85	62.9	0.55	11,873	67.5	0.63	42.4	0.43
Esophagus	1,539	10.5	0.27	7.0	0.18	314	1.7	0.10	1.1	0.07
Stomach	962	6.9	0.23	4.3	0.14	542	3.2	0.14	1.9	0.09
Small intestine	384	2.7	0.14	1.8	0.09	390	2.3	0.12	1.6	0.09
Colon excl. rectum	4,837	34.9	0.51	21.1	0.32	5,344	30.2	0.42	18.0	0.28
Rectum & rectosigmoid	2,280	15.7	0.34	10.7	0.23	1,589	9.3	0.24	6.3	0.17
Anus, anal canal & anorectum	203	1.4	0.10	1.0	0.07	419	2.5	0.13	1.9	0.10
Liver	1,157	7.6	0.23	5.4	0.17	403	2.3	0.12	1.5	0.09
Gallbladder	104	0.8	0.08	0.4	0.04	235	1.3	0.09	0.7	0.05
Pancreas	1,969	13.9	0.32	8.7	0.20	1,877	10.5	0.25	6.5	0.17
Respiratory System	14,456	102.0	0.87	63.9	0.55	11,360	65.5	0.62	42.9	0.43
Larynx	1,072	7.2	0.22	5.0	0.16	349	2.1	0.11	1.6	0.09
Lung & bronchus	13,234	93.8	0.83	58.1	0.52	10,914	62.9	0.61	40.9	0.42
Bones & Joints	139	1.1	0.09	1.0	0.09	107	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	465	3.4	0.16	2.5	0.13	432	2.8	0.14	2.3	0.13
Skin (excl. basal & sq.)	3,467	25.0	0.43	16.3	0.29	2,638	17.1	0.34	13.0	0.28
Melanomas of the skin	3,169	22.7	0.41	14.9	0.28	2,473	16.1	0.34	12.3	0.27
Breast (excl. *in situ*)	175	1.2	0.09	0.8	0.06	19,903	119.7	0.87	86.5	0.65
Female Genital System	-	-	-	-	-	8,513	51.0	0.57	37.7	0.44
Cervix uteri	-	-	-	-	-	1,052	7.4	0.23	5.9	0.19
Uterus Corpus	-	-	-	-	-	4,591	26.7	0.40	20.1	0.31
Uterus, NOS[1]	-	-	-	-	-	64	0.3	0.04	0.2	0.03
Ovary	-	-	-	-	-	2,012	11.9	0.27	8.4	0.20
Male Genital System	16,286	109.5	0.88	77.2	0.62	-	-	-	-	-
Prostate	15,420	102.7	0.85	71.1	0.58	-	-	-	-	-
Testis	726	5.8	0.22	5.5	0.21	-	-	-	-	-
Penis	108	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	8,520	61.2	0.68	37.8	0.43	3,866	22.5	0.37	14.9	0.27
Bladder (incl. *in situ*)	5,109	37.4	0.53	21.5	0.31	1,587	8.9	0.23	5.3	0.15
Kidney & renal pelvis	3,221	22.3	0.40	15.5	0.28	2,161	12.9	0.28	9.2	0.22
Ureter	118	0.9	0.08	0.5	0.05	79	0.4	0.05	0.3	0.03
Eye & Orbit	150	1.1	0.09	0.8	0.08	131	0.9	0.08	0.7	0.07
Brain & Other Nervous System	1,238	8.9	0.26	7.6	0.24	933	6.1	0.21	5.3	0.20
Brain	1,179	8.5	0.25	7.1	0.23	860	5.6	0.20	4.8	0.19
Endocrine System	959	6.8	0.23	5.6	0.19	2,641	18.6	0.37	15.4	0.32
Thyroid gland	836	5.9	0.21	4.7	0.17	2,542	18.0	0.37	14.8	0.31
Lymphomas	3,821	27.7	0.46	19.1	0.33	3,212	19.3	0.35	13.6	0.27
Hodgkin Lymphoma	457	3.5	0.17	3.2	0.16	353	2.6	0.14	2.5	0.14
Non-Hodgkin Lymphoma	3,364	24.2	0.43	16.0	0.29	2,859	16.7	0.32	11.2	0.23
Multiple Myeloma	1,044	7.5	0.24	4.5	0.14	743	4.2	0.16	2.7	0.11
Leukemias	2,308	17.2	0.36	11.8	0.28	1,728	10.5	0.26	7.7	0.23
Acute lymphocytic	213	1.7	0.12	2.2	0.16	189	1.5	0.11	1.8	0.15
Chronic lymphocytic	792	5.8	0.21	3.4	0.12	513	2.8	0.13	1.6	0.08
Acute myeloid	737	5.5	0.21	3.5	0.14	603	3.7	0.15	2.5	0.12
Chronic myeloid	290	2.1	0.13	1.5	0.09	239	1.5	0.10	1.0	0.07
Other leukemias	276	2.0	0.12	1.2	0.08	184	1.1	0.08	0.7	0.06
Mesothelioma	267	2.0	0.13	1.1	0.07	69	0.4	0.05	0.2	0.03
Kaposi Sarcoma	26	0.2	0.04	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,535	18.8	0.38	10.7	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,104	8.0	0.25	5.9	0.19	2,266	14.0	0.30	10.2	0.24
Breast (*in situ*)	11	0.1	0.02	0.1	0.02	4,332	26.4	0.41	19.8	0.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Indiana, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	5,554	544.0	7.78	366.3	5.00	5,791	421.3	5.64	290.7	3.95
Oral Cavity & Pharynx	162	14.3	1.19	10.5	0.84	75	5.3	0.63	3.7	0.44
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	41	3.6	0.60	2.8	0.44	16	1.1	0.28	0.8	0.21
Major salivary gland	10	0.9	0.29	0.7	0.22	10	0.7	0.22	0.5	0.15
Floor of mouth	11	1.0	0.32	0.7	0.22	6	0.4	0.16	0.3	0.12
Gum & other mouth	15	1.5	0.40	0.9	0.25	17	1.3	0.32	0.8	0.21
Nasopharynx	9	0.7	0.27	0.6	0.21	-	-	-	-	-
Oropharynx	13	1.2	0.37	0.8	0.24	-	-	-	-	-
Hypopharynx	20	1.9	0.45	1.2	0.28	6	0.5	0.19	0.3	0.11
Digestive System	1,280	126.5	3.77	83.5	2.38	1,211	89.9	2.63	58.2	1.74
Esophagus	90	9.3	1.04	5.9	0.64	43	3.2	0.50	2.0	0.32
Stomach	129	13.6	1.29	8.1	0.73	113	8.7	0.83	5.2	0.51
Small intestine	47	4.3	0.67	2.9	0.44	55	3.9	0.54	2.8	0.38
Colon excl. rectum	401	41.2	2.19	26.3	1.34	487	37.0	1.71	22.9	1.08
Rectum & rectosigmoid	182	17.6	1.39	12.0	0.91	147	10.4	0.88	7.4	0.63
Anus, anal canal & anorectum	12	1.2	0.35	0.7	0.22	18	1.3	0.31	0.9	0.22
Liver	193	15.5	1.16	12.8	0.94	69	4.6	0.57	3.5	0.44
Gallbladder	7	0.8	0.32	0.4	0.17	32	2.2	0.39	1.5	0.28
Pancreas	179	18.9	1.51	11.6	0.88	183	13.7	1.03	8.9	0.68
Respiratory System	1,151	120.5	3.77	75.6	2.27	883	66.5	2.28	42.6	1.49
Larynx	105	9.9	1.03	6.8	0.68	30	2.2	0.42	1.6	0.29
Lung & bronchus	1,034	109.5	3.61	67.9	2.15	842	63.6	2.23	40.5	1.45
Bones & Joints	14	1.0	0.28	0.9	0.25	19	1.2	0.28	1.2	0.27
Soft Tissue (incl. heart)	44	3.8	0.62	2.9	0.45	40	2.7	0.44	2.1	0.34
Skin (excl. basal & sq.)	27	2.4	0.51	1.8	0.35	18	1.4	0.33	0.9	0.21
Melanomas of the skin	10	0.8	0.26	0.7	0.21	12	0.9	0.27	0.6	0.17
Breast (excl. *in situ*)	23	2.8	0.61	1.5	0.31	1,740	123.7	3.02	90.3	2.21
Female Genital System	-	-	-	-	-	613	43.8	1.80	31.9	1.32
Cervix uteri	-	-	-	-	-	129	8.8	0.79	6.9	0.61
Uterus Corpus	-	-	-	-	-	301	21.8	1.28	15.9	0.94
Uterus, NOS[1]	-	-	-	-	-	14	1.1	0.29	0.6	0.17
Ovary	-	-	-	-	-	109	7.8	0.76	5.5	0.55
Male Genital System	1,634	153.1	4.01	109.5	2.76	-	-	-	-	-
Prostate	1,600	150.2	3.97	107.3	2.73	-	-	-	-	-
Testis	19	1.4	0.32	1.2	0.28	-	-	-	-	-
Penis	11	1.2	0.38	0.7	0.22	-	-	-	-	-
Urinary System	453	45.1	2.27	29.9	1.43	282	21.1	1.28	13.7	0.85
Bladder (incl. *in situ*)	165	19.0	1.58	10.7	0.85	96	7.4	0.77	4.5	0.48
Kidney & renal pelvis	281	25.2	1.59	18.8	1.14	175	12.8	0.99	8.7	0.68
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	70	6.2	0.81	4.7	0.57	48	3.2	0.47	2.7	0.41
Brain	66	5.9	0.79	4.5	0.56	38	2.5	0.42	2.2	0.36
Endocrine System	50	4.0	0.59	3.4	0.48	153	10.4	0.85	8.6	0.70
Thyroid gland	35	2.9	0.50	2.3	0.39	137	9.4	0.82	7.6	0.65
Lymphomas	207	18.8	1.41	13.5	0.95	218	15.5	1.07	11.4	0.80
Hodgkin Lymphoma	48	3.8	0.57	3.2	0.46	45	3.0	0.45	2.6	0.39
Non-Hodgkin Lymphoma	159	15.1	1.29	10.3	0.83	173	12.5	0.97	8.8	0.69
Multiple Myeloma	136	14.0	1.27	8.7	0.76	157	11.9	0.97	7.5	0.62
Leukemias	114	10.8	1.10	7.6	0.72	129	9.4	0.85	6.5	0.60
Acute lymphocytic	19	1.2	0.28	1.4	0.31	15	0.9	0.24	1.0	0.27
Chronic lymphocytic	30	3.2	0.63	2.0	0.37	31	2.5	0.45	1.4	0.26
Acute myeloid	40	4.2	0.71	2.6	0.42	50	3.7	0.53	2.5	0.38
Chronic myeloid	18	1.5	0.38	1.1	0.26	18	1.2	0.29	1.0	0.23
Other leukemias	7	0.7	0.29	0.5	0.19	15	1.2	0.30	0.6	0.16
Mesothelioma	16	1.9	0.52	1.1	0.27	-	-	-	-	-
Kaposi Sarcoma	16	1.2	0.31	1.1	0.27	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	199	14.8	1.07	9.3	0.69
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	105	9.7	1.02	6.7	0.67	256	18.4	1.17	12.5	0.81
Breast (*in situ*)	6	0.5	0.24	0.4	0.16	455	32.1	1.53	24.2	1.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	44,683	545.6	2.62	358.8	1.80	41,767	439.4	2.22	304.7	1.68
Oral Cavity & Pharynx	1,529	18.2	0.47	12.9	0.34	619	6.4	0.27	4.5	0.20
Lip	198	2.5	0.18	1.4	0.11	47	0.5	0.07	0.3	0.05
Tongue	398	4.6	0.24	3.4	0.18	180	1.9	0.14	1.4	0.11
Major salivary gland	117	1.5	0.14	0.9	0.09	90	1.0	0.11	0.8	0.09
Floor of mouth	81	0.9	0.10	0.7	0.08	43	0.4	0.07	0.3	0.05
Gum & other mouth	190	2.3	0.17	1.5	0.12	131	1.3	0.11	0.8	0.08
Nasopharynx	53	0.6	0.09	0.5	0.07	21	0.2	0.05	0.2	0.04
Oropharynx	51	0.6	0.08	0.4	0.06	20	0.2	0.05	0.1	0.04
Hypopharynx	89	1.1	0.11	0.7	0.08	20	0.2	0.05	0.1	0.03
Digestive System	8,354	102.0	1.13	64.9	0.75	7,065	68.9	0.85	41.9	0.58
Esophagus	794	9.5	0.34	6.3	0.23	164	1.6	0.13	1.0	0.09
Stomach	618	7.6	0.31	4.8	0.20	320	3.1	0.18	2.0	0.13
Small intestine	264	3.2	0.20	2.1	0.14	201	2.1	0.15	1.4	0.11
Colon excl. rectum	3,071	38.3	0.70	22.8	0.44	3,351	31.9	0.57	17.9	0.36
Rectum & rectosigmoid	1,311	15.9	0.45	10.8	0.31	882	9.2	0.32	6.2	0.23
Anus, anal canal & anorectum	106	1.3	0.12	1.0	0.10	207	2.2	0.16	1.6	0.12
Liver	664	7.7	0.30	5.6	0.23	232	2.3	0.16	1.6	0.13
Gallbladder	60	0.8	0.10	0.4	0.06	139	1.4	0.12	0.8	0.08
Pancreas	1,171	14.3	0.42	8.8	0.27	1,116	10.6	0.33	6.4	0.22
Respiratory System	7,370	90.2	1.06	55.8	0.68	5,526	55.8	0.77	35.9	0.53
Larynx	623	7.3	0.30	5.2	0.21	138	1.5	0.13	1.1	0.10
Lung & bronchus	6,645	81.7	1.01	49.7	0.64	5,320	53.6	0.75	34.3	0.52
Bones & Joints	101	1.3	0.13	1.3	0.13	76	0.9	0.11	0.9	0.11
Soft Tissue (incl. heart)	317	4.0	0.23	3.1	0.19	251	2.8	0.19	2.3	0.17
Skin (excl. basal & sq.)	2,409	30.2	0.62	19.9	0.43	1,935	23.0	0.54	17.9	0.45
Melanomas of the skin	2,204	27.6	0.60	18.5	0.42	1,786	21.4	0.53	16.9	0.44
Breast (excl. *in situ*)	86	1.1	0.12	0.6	0.07	11,392	123.0	1.19	88.0	0.90
Female Genital System	-	-	-	-	-	5,181	55.8	0.80	41.1	0.62
Cervix uteri	-	-	-	-	-	532	7.0	0.31	5.6	0.25
Uterus Corpus	-	-	-	-	-	2,884	30.5	0.58	23.0	0.45
Uterus, NOS[1]	-	-	-	-	-	78	0.8	0.09	0.5	0.07
Ovary	-	-	-	-	-	1,153	12.1	0.37	8.4	0.28
Male Genital System	11,371	134.3	1.28	94.9	0.92	-	-	-	-	-
Prostate	10,781	126.2	1.23	87.7	0.87	-	-	-	-	-
Testis	475	6.7	0.31	6.3	0.29	-	-	-	-	-
Penis	81	1.0	0.11	0.6	0.07	-	-	-	-	-
Urinary System	5,372	66.3	0.92	40.7	0.59	2,129	21.4	0.48	14.0	0.34
Bladder (incl. *in situ*)	3,249	40.4	0.72	23.1	0.43	915	8.8	0.30	5.4	0.20
Kidney & renal pelvis	1,988	24.1	0.55	16.7	0.39	1,142	12.0	0.36	8.3	0.27
Ureter	83	1.1	0.12	0.6	0.06	51	0.5	0.07	0.3	0.05
Eye & Orbit	108	1.3	0.13	1.0	0.10	103	1.1	0.11	0.9	0.11
Brain & Other Nervous System	686	8.7	0.34	7.0	0.29	562	6.4	0.28	5.3	0.26
Brain	651	8.3	0.33	6.6	0.28	524	5.9	0.27	4.8	0.25
Endocrine System	632	8.0	0.32	6.4	0.27	1,597	20.4	0.53	17.0	0.45
Thyroid gland	568	7.2	0.31	5.5	0.24	1,548	19.9	0.52	16.5	0.44
Lymphomas	2,444	30.8	0.63	20.7	0.45	2,036	21.2	0.49	14.6	0.37
Hodgkin Lymphoma	257	3.5	0.22	3.1	0.20	206	2.6	0.19	2.4	0.18
Non-Hodgkin Lymphoma	2,187	27.4	0.59	17.6	0.40	1,830	18.6	0.45	12.2	0.33
Multiple Myeloma	608	7.6	0.31	4.5	0.19	516	5.2	0.23	3.3	0.16
Leukemias	1,537	19.3	0.50	13.1	0.37	1,208	12.3	0.37	8.8	0.31
Acute lymphocytic	128	1.7	0.15	2.2	0.20	109	1.4	0.14	1.7	0.18
Chronic lymphocytic	633	7.8	0.31	4.7	0.20	480	4.6	0.22	2.8	0.15
Acute myeloid	409	5.2	0.26	3.3	0.18	348	3.6	0.20	2.4	0.15
Chronic myeloid	206	2.6	0.19	1.7	0.13	149	1.5	0.13	1.0	0.10
Other leukemias	161	2.0	0.16	1.2	0.11	122	1.2	0.12	0.8	0.09
Mesothelioma	127	1.6	0.14	0.8	0.08	33	0.3	0.06	0.2	0.04
Kaposi Sarcoma	16	0.2	0.06	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	1,616	20.5	0.51	11.2	0.31	1,538	14.1	0.37	8.0	0.25
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	690	8.8	0.34	6.6	0.27	1,472	16.1	0.44	11.9	0.35
Breast (*in situ*)	6	0.1	0.03	0.0	0.02	2,616	29.1	0.58	21.8	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	43,092	540.4	2.64	355.3	1.83	40,590	439.6	2.26	305.0	1.72
Oral Cavity & Pharynx	1,477	18.1	0.48	12.8	0.35	602	6.5	0.27	4.5	0.21
Lip	193	2.5	0.18	1.4	0.11	47	0.5	0.07	0.3	0.05
Tongue	385	4.6	0.24	3.4	0.18	177	1.9	0.15	1.4	0.11
Major salivary gland	114	1.5	0.14	0.9	0.09	87	1.0	0.11	0.7	0.09
Floor of mouth	80	0.9	0.11	0.7	0.08	42	0.4	0.07	0.3	0.05
Gum & other mouth	180	2.3	0.17	1.5	0.12	124	1.2	0.11	0.7	0.08
Nasopharynx	47	0.6	0.08	0.4	0.07	21	0.3	0.06	0.2	0.05
Oropharynx	49	0.6	0.08	0.4	0.06	19	0.2	0.05	0.1	0.04
Hypopharynx	88	1.1	0.12	0.8	0.08	18	0.2	0.04	0.1	0.03
Digestive System	8,066	101.0	1.14	64.1	0.76	6,862	68.5	0.86	41.6	0.59
Esophagus	785	9.6	0.35	6.4	0.24	161	1.6	0.13	1.0	0.09
Stomach	595	7.5	0.31	4.7	0.21	299	3.0	0.18	1.9	0.13
Small intestine	257	3.2	0.20	2.1	0.14	193	2.0	0.15	1.4	0.11
Colon excl. rectum	2,991	38.2	0.71	22.8	0.44	3,276	31.9	0.58	17.9	0.37
Rectum & rectosigmoid	1,271	15.8	0.45	10.8	0.32	858	9.2	0.33	6.2	0.24
Anus, anal canal & anorectum	100	1.2	0.12	0.9	0.10	201	2.2	0.16	1.6	0.12
Liver	592	7.0	0.29	5.1	0.22	213	2.2	0.15	1.6	0.13
Gallbladder	56	0.7	0.10	0.4	0.06	135	1.3	0.12	0.8	0.08
Pancreas	1,132	14.1	0.43	8.7	0.27	1,080	10.5	0.33	6.3	0.22
Respiratory System	7,181	90.0	1.07	55.6	0.69	5,370	55.5	0.77	35.8	0.54
Larynx	606	7.3	0.30	5.2	0.22	134	1.5	0.13	1.1	0.10
Lung & bronchus	6,483	81.5	1.02	49.6	0.65	5,170	53.3	0.76	34.1	0.53
Bones & Joints	96	1.3	0.14	1.3	0.14	74	1.0	0.12	0.9	0.12
Soft Tissue (incl. heart)	300	3.9	0.23	3.0	0.20	245	2.9	0.19	2.3	0.18
Skin (excl. basal & sq.)	2,345	30.2	0.64	20.0	0.44	1,865	23.1	0.56	18.0	0.46
Melanomas of the skin	2,148	27.7	0.61	18.6	0.43	1,720	21.5	0.54	17.0	0.45
Breast (excl. *in situ*)	84	1.1	0.12	0.6	0.07	11,112	123.7	1.21	88.5	0.92
Female Genital System	-	-	-	-	-	5,050	56.0	0.82	41.3	0.63
Cervix uteri	-	-	-	-	-	500	6.9	0.32	5.5	0.26
Uterus Corpus	-	-	-	-	-	2,822	30.7	0.59	23.2	0.46
Uterus, NOS[1]	-	-	-	-	-	75	0.7	0.09	0.5	0.06
Ovary	-	-	-	-	-	1,128	12.1	0.37	8.4	0.28
Male Genital System	10,809	131.0	1.28	92.7	0.93	-	-	-	-	-
Prostate	10,249	122.8	1.23	85.4	0.87	-	-	-	-	-
Testis	453	6.9	0.33	6.4	0.31	-	-	-	-	-
Penis	78	1.0	0.11	0.6	0.07	-	-	-	-	-
Urinary System	5,205	65.8	0.92	40.4	0.60	2,047	21.1	0.48	13.7	0.35
Bladder (incl. *in situ*)	3,150	40.1	0.72	22.8	0.43	879	8.6	0.30	5.2	0.20
Kidney & renal pelvis	1,921	24.0	0.56	16.6	0.40	1,097	11.8	0.37	8.1	0.28
Ureter	83	1.1	0.12	0.6	0.07	51	0.5	0.07	0.3	0.05
Eye & Orbit	105	1.4	0.13	1.0	0.10	95	1.1	0.11	0.9	0.11
Brain & Other Nervous System	666	8.8	0.35	7.1	0.31	548	6.5	0.29	5.5	0.28
Brain	636	8.4	0.34	6.7	0.30	511	6.0	0.28	4.9	0.26
Endocrine System	611	8.1	0.33	6.5	0.28	1,536	20.7	0.54	17.2	0.47
Thyroid gland	551	7.2	0.32	5.6	0.25	1,492	20.1	0.54	16.7	0.46
Lymphomas	2,360	30.7	0.64	20.6	0.46	1,990	21.4	0.50	14.7	0.38
Hodgkin Lymphoma	245	3.5	0.23	3.1	0.21	198	2.7	0.20	2.5	0.19
Non-Hodgkin Lymphoma	2,115	27.2	0.60	17.5	0.41	1,792	18.7	0.46	12.2	0.33
Multiple Myeloma	588	7.5	0.31	4.4	0.19	486	5.0	0.23	3.1	0.16
Leukemias	1,484	19.2	0.51	13.1	0.39	1,173	12.3	0.37	8.8	0.32
Acute lymphocytic	125	1.8	0.16	2.3	0.22	105	1.4	0.14	1.7	0.19
Chronic lymphocytic	608	7.7	0.31	4.6	0.20	464	4.5	0.22	2.8	0.15
Acute myeloid	399	5.2	0.26	3.4	0.19	341	3.6	0.20	2.4	0.16
Chronic myeloid	196	2.6	0.19	1.6	0.13	142	1.5	0.13	1.0	0.10
Other leukemias	156	2.0	0.16	1.2	0.11	121	1.3	0.12	0.9	0.10
Mesothelioma	126	1.6	0.14	0.8	0.08	32	0.3	0.06	0.2	0.05
Kaposi Sarcoma	13	0.2	0.06	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	1,576	20.4	0.52	11.2	0.31	1,503	14.1	0.38	8.0	0.25
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	664	8.9	0.35	6.7	0.28	1,411	16.0	0.44	11.7	0.36
Breast (*in situ*)	6	0.1	0.03	0.0	0.02	2,531	29.1	0.60	21.7	0.46

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	730	579.2	24.75	387.5	14.95	624	445.6	18.62	308.4	12.79
Oral Cavity & Pharynx	21	12.1	2.86	9.5	2.16	6	4.6	1.92	2.9	1.22
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	168	133.0	11.88	86.9	6.97	125	92.7	8.59	60.7	5.65
Esophagus	7	6.3	2.67	4.2	1.60	-	-	-	-	-
Stomach	14	11.6	3.65	7.4	2.05	14	9.2	2.65	6.2	1.70
Small intestine	6	5.1	2.46	2.8	1.21	8	5.5	2.01	4.0	1.44
Colon excl. rectum	48	40.6	6.73	25.3	3.80	54	42.9	6.03	26.0	3.70
Rectum & rectosigmoid	22	17.3	4.50	10.7	2.39	11	7.4	2.28	5.0	1.53
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	32	19.0	3.71	14.8	2.70	7	4.7	1.79	3.8	1.49
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	30	25.2	5.06	17.0	3.20	22	17.3	3.78	10.9	2.46
Respiratory System	134	114.9	11.41	74.4	6.68	107	86.3	8.63	53.7	5.39
Larynx	13	10.4	3.15	7.7	2.20	-	-	-	-	-
Lung & bronchus	113	100.1	10.81	63.7	6.22	105	84.9	8.57	52.5	5.32
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	3.7	1.24	3.5	1.13	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	161	109.7	8.95	81.0	6.55
Female Genital System	-	-	-	-	-	64	42.8	5.59	33.0	4.27
Cervix uteri	-	-	-	-	-	18	10.3	2.54	8.3	2.03
Uterus Corpus	-	-	-	-	-	27	19.5	3.85	15.1	2.99
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	8.7	2.64	5.5	1.66
Male Genital System	214	165.3	12.56	119.6	8.48	-	-	-	-	-
Prostate	206	161.9	12.50	116.3	8.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	66	58.7	8.45	34.6	4.43	39	27.1	4.55	18.9	3.14
Bladder (incl. *in situ*)	25	29.1	6.66	14.2	2.91	9	6.1	2.12	4.3	1.46
Kidney & renal pelvis	41	29.6	5.21	20.4	3.34	30	21.1	4.02	14.6	2.77
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	5.7	2.21	4.4	1.50	7	3.6	1.47	3.4	1.34
Brain	8	4.6	2.02	3.3	1.26	6	3.2	1.44	2.9	1.27
Endocrine System	11	7.4	2.69	4.9	1.53	21	12.5	2.93	9.9	2.25
Thyroid gland	7	5.3	2.45	3.0	1.17	19	11.7	2.87	9.1	2.17
Lymphomas	34	22.6	4.48	16.4	2.96	25	14.8	3.10	11.7	2.40
Hodgkin Lymphoma	7	2.9	1.24	2.8	1.14	-	-	-	-	-
Non-Hodgkin Lymphoma	27	19.6	4.31	13.6	2.73	-	-	-	-	-
Multiple Myeloma	13	11.4	3.56	7.8	2.25	25	19.3	3.96	13.4	2.79
Leukemias	19	15.8	4.18	9.6	2.29	16	10.1	2.77	6.9	1.79
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	10	10.4	3.68	5.0	1.62	7	5.9	2.27	3.3	1.32
Acute myeloid	6	4.2	1.87	3.6	1.52	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	22	23.2	5.78	12.1	2.68	21	17.8	4.00	9.5	2.17
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6	2.4	1.02	2.1	0.87	19	10.5	2.52	8.8	2.05
Breast (*in situ*)	-	-	-	-	-	52	33.9	4.81	27.8	3.93

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	231	370.2	30.23	222.2	15.31	235	248.7	18.19	165.6	11.07
Oral Cavity & Pharynx	8	7.8	2.87	7.1	2.60	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	73	112.0	16.22	68.6	8.40	53	69.3	10.50	39.7	5.56
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	9	14.2	5.21	8.8	2.96	6	10.5	4.43	4.0	1.68
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	15	28.3	8.93	14.7	3.98	10	10.8	3.60	7.7	2.48
Rectum & rectosigmoid	8	7.8	3.42	5.3	2.01	8	7.5	2.85	5.8	2.09
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	30	47.5	11.17	28.9	5.55	12	16.5	5.21	9.0	2.63
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	10	13.8	4.93	7.2	2.33
Respiratory System	37	70.8	13.72	38.1	6.46	26	33.5	7.31	19.8	3.97
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	32	64.0	13.22	33.9	6.14	25	31.4	6.99	19.2	3.92
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	69	66.8	8.59	48.5	5.97
Female Genital System	-	-	-	-	-	28	22.7	4.54	18.0	3.47
Cervix uteri	-	-	-	-	-	8	6.3	2.25	5.2	1.85
Uterus Corpus	-	-	-	-	-	10	8.1	2.57	7.0	2.24
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	5.3	1.94	4.6	1.67
Male Genital System	42	72.6	13.89	44.7	7.15	-	-	-	-	-
Prostate	38	70.3	13.83	42.6	7.06	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	32.9	10.61	15.2	4.25	8	9.8	3.80	5.7	2.04
Bladder (incl. *in situ*)	11	27.8	10.05	12.5	3.94	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	20	13.6	3.45	11.0	2.50
Thyroid gland	-	-	-	-	-	18	12.1	3.27	9.5	2.28
Lymphomas	21	26.9	6.64	19.1	4.24	9	10.0	3.66	6.1	2.11
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	6	8.7	4.40	4.5	2.00	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	17.5	7.46	8.8	3.08	8	10.0	3.98	6.4	2.31
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6	9.0	4.31	5.0	2.09	12	10.4	3.21	8.3	2.43
Breast (*in situ*)	-	-	-	-	-	16	15.3	4.10	11.0	2.81

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	32	536.3	109.67	384.9	70.99	44	609.2	102.43	396.9	60.45
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	221.7	72.32	151.2	45.33	8	132.4	52.10	78.8	27.94
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	104.1	45.53	78.6	33.32	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	7	120.2	50.51	68.1	25.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	7	120.2	50.51	68.1	25.81
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	13	153.1	45.85	113.1	31.70
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	415	313.9	19.01	198.2	10.58	479	283.6	14.95	199.8	9.86
Oral Cavity & Pharynx	7	4.7	1.88	4.1	1.63	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	112	86.2	9.87	54.1	5.50	69	52.9	7.07	31.9	4.10
Esophagus	7	6.3	2.59	4.5	1.74	-	-	-	-	-
Stomach	14	9.8	3.36	6.0	1.81	11	7.9	2.63	5.4	1.73
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	29	21.1	4.77	14.0	2.80	21	18.1	4.32	9.7	2.27
Rectum & rectosigmoid	22	14.7	3.78	9.7	2.21	10	8.1	2.93	3.9	1.31
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	19	13.1	3.70	8.6	2.11	8	4.9	1.96	3.1	1.13
Gallbladder	-	-	-	-	-	8	5.7	2.11	4.9	1.79
Pancreas	15	14.4	4.40	7.5	2.07	-	-	-	-	-
Respiratory System	42	44.3	7.87	22.3	3.61	32	28.8	5.39	17.6	3.24
Larynx	7	6.8	3.04	3.8	1.48	-	-	-	-	-
Lung & bronchus	31	35.0	7.05	16.9	3.17	31	28.3	5.37	17.2	3.22
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	11	4.9	1.80	4.0	1.36
Skin (excl. basal & sq.)	7	5.8	2.87	2.8	1.13	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	10	4.4	1.57	3.0	1.00
Breast (excl. *in situ*)	-	-	-	-	-	134	71.4	6.80	53.3	4.86
Female Genital System	-	-	-	-	-	86	44.0	5.53	34.8	4.10
Cervix uteri	-	-	-	-	-	27	12.4	2.70	9.9	2.08
Uterus Corpus	-	-	-	-	-	33	15.8	3.10	13.6	2.58
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	19	11.7	3.28	7.9	2.00
Male Genital System	95	74.9	8.98	51.6	5.68	-	-	-	-	-
Prostate	79	71.3	8.92	48.1	5.61	-	-	-	-	-
Testis	15	3.1	0.84	3.1	0.82	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	37.1	7.13	19.8	3.46	30	19.5	3.99	14.1	2.79
Bladder (incl. *in situ*)	16	18.6	5.17	9.7	2.50	9	7.3	2.63	4.3	1.54
Kidney & renal pelvis	17	14.6	4.29	8.4	2.19	21	12.2	3.00	9.8	2.33
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	17	5.1	1.49	5.3	1.42	6	1.3	0.59	1.5	0.60
Brain	16	4.9	1.48	5.1	1.41	6	1.3	0.59	1.5	0.60
Endocrine System	12	4.5	1.41	4.2	1.29	42	19.2	3.55	14.8	2.49
Thyroid gland	8	3.3	1.23	3.0	1.13	40	17.7	3.34	13.8	2.37
Lymphomas	29	15.5	3.92	10.3	2.14	18	12.3	3.29	9.1	2.28
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	27	13.1	3.70	9.9	2.16	17	9.3	2.93	5.8	1.47
Acute lymphocytic	13	2.2	0.67	3.1	0.86	6	1.8	0.85	1.9	0.80
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	9	7.3	3.12	3.9	1.38	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	13.1	3.93	8.0	2.11	9	6.6	2.44	3.5	1.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	13	6.7	2.51	4.2	1.26	24	15.7	3.65	10.6	2.34
Breast (*in situ*)	-	-	-	-	-	34	21.1	4.03	15.3	2.81

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	42,694	544.6	2.68	358.4	1.86	40,120	442.0	2.30	306.9	1.75
Oral Cavity & Pharynx	1,470	18.4	0.49	13.0	0.35	598	6.5	0.28	4.6	0.21
Lip	192	2.5	0.19	1.5	0.11	47	0.5	0.07	0.3	0.05
Tongue	384	4.7	0.24	3.5	0.18	175	1.9	0.15	1.4	0.12
Major salivary gland	114	1.5	0.15	0.9	0.09	86	1.0	0.11	0.8	0.09
Floor of mouth	80	0.9	0.11	0.7	0.08	41	0.4	0.07	0.3	0.05
Gum & other mouth	179	2.3	0.18	1.5	0.12	124	1.2	0.12	0.8	0.08
Nasopharynx	47	0.6	0.09	0.5	0.07	21	0.3	0.06	0.2	0.05
Oropharynx	49	0.6	0.08	0.5	0.07	19	0.2	0.05	0.1	0.04
Hypopharynx	88	1.1	0.12	0.8	0.09	18	0.2	0.05	0.1	0.03
Digestive System	7,958	101.3	1.15	64.3	0.77	6,793	68.7	0.87	41.7	0.59
Esophagus	778	9.7	0.35	6.5	0.24	160	1.6	0.13	1.0	0.09
Stomach	581	7.4	0.31	4.6	0.21	288	2.9	0.18	1.8	0.13
Small intestine	255	3.3	0.21	2.1	0.14	193	2.1	0.15	1.4	0.11
Colon excl. rectum	2,962	38.4	0.72	22.9	0.45	3,255	32.0	0.58	18.0	0.38
Rectum & rectosigmoid	1,252	15.9	0.46	10.8	0.32	848	9.2	0.33	6.2	0.24
Anus, anal canal & anorectum	99	1.2	0.13	0.9	0.10	200	2.3	0.17	1.6	0.13
Liver	573	6.9	0.29	5.0	0.22	205	2.1	0.15	1.5	0.14
Gallbladder	55	0.7	0.10	0.4	0.06	127	1.3	0.12	0.8	0.08
Pancreas	1,118	14.2	0.43	8.7	0.28	1,077	10.6	0.34	6.4	0.23
Respiratory System	7,140	90.6	1.09	56.1	0.70	5,338	55.9	0.78	36.1	0.55
Larynx	599	7.3	0.30	5.2	0.22	133	1.5	0.13	1.1	0.10
Lung & bronchus	6,453	82.2	1.04	50.0	0.66	5,139	53.7	0.77	34.4	0.53
Bones & Joints	95	1.4	0.14	1.4	0.15	74	1.0	0.12	1.0	0.13
Soft Tissue (incl. heart)	296	4.0	0.24	3.1	0.21	234	2.8	0.19	2.3	0.18
Skin (excl. basal & sq.)	2,338	30.8	0.65	20.4	0.46	1,854	23.7	0.58	18.6	0.48
Melanomas of the skin	2,144	28.2	0.62	19.1	0.44	1,710	22.1	0.56	17.5	0.47
Breast (excl. *in situ*)	83	1.1	0.12	0.6	0.07	10,983	124.3	1.23	89.0	0.93
Female Genital System	-	-	-	-	-	4,965	56.0	0.82	41.2	0.64
Cervix uteri	-	-	-	-	-	473	6.7	0.32	5.4	0.26
Uterus Corpus	-	-	-	-	-	2,789	30.8	0.60	23.2	0.47
Uterus, NOS[1]	-	-	-	-	-	74	0.7	0.09	0.5	0.06
Ovary	-	-	-	-	-	1,110	12.1	0.38	8.4	0.28
Male Genital System	10,719	132.0	1.29	93.5	0.94	-	-	-	-	-
Prostate	10,175	123.6	1.24	86.0	0.88	-	-	-	-	-
Testis	438	7.1	0.34	6.6	0.32	-	-	-	-	-
Penis	77	1.0	0.11	0.6	0.07	-	-	-	-	-
Urinary System	5,172	66.4	0.94	40.8	0.61	2,017	21.1	0.49	13.7	0.35
Bladder (incl. *in situ*)	3,135	40.4	0.73	23.0	0.44	870	8.7	0.30	5.2	0.21
Kidney & renal pelvis	1,905	24.3	0.57	16.9	0.41	1,076	11.7	0.37	8.0	0.28
Ureter	81	1.1	0.12	0.6	0.07	51	0.5	0.07	0.3	0.05
Eye & Orbit	104	1.4	0.14	1.0	0.11	90	1.0	0.11	0.8	0.10
Brain & Other Nervous System	649	8.9	0.36	7.1	0.31	542	6.7	0.30	5.6	0.29
Brain	620	8.5	0.35	6.8	0.31	505	6.1	0.28	5.0	0.27
Endocrine System	599	8.2	0.34	6.6	0.29	1,495	20.8	0.56	17.4	0.48
Thyroid gland	543	7.4	0.33	5.7	0.26	1,453	20.3	0.55	16.9	0.47
Lymphomas	2,332	31.1	0.65	20.8	0.47	1,972	21.6	0.51	14.9	0.40
Hodgkin Lymphoma	240	3.6	0.24	3.2	0.22	195	2.8	0.21	2.6	0.20
Non-Hodgkin Lymphoma	2,092	27.4	0.61	17.6	0.42	1,777	18.8	0.46	12.3	0.34
Multiple Myeloma	584	7.5	0.32	4.4	0.20	481	5.0	0.23	3.1	0.16
Leukemias	1,458	19.3	0.51	13.1	0.39	1,157	12.4	0.38	8.9	0.33
Acute lymphocytic	113	1.7	0.16	2.2	0.22	100	1.5	0.15	1.8	0.20
Chronic lymphocytic	606	7.7	0.32	4.7	0.20	461	4.6	0.22	2.8	0.15
Acute myeloid	390	5.2	0.27	3.4	0.19	338	3.6	0.21	2.4	0.16
Chronic myeloid	194	2.6	0.19	1.6	0.13	140	1.5	0.13	1.0	0.10
Other leukemias	155	2.1	0.17	1.2	0.11	118	1.2	0.12	0.8	0.10
Mesothelioma	126	1.6	0.15	0.8	0.08	32	0.3	0.06	0.2	0.05
Kaposi Sarcoma	11	0.2	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	1,560	20.5	0.52	11.3	0.32	1,495	14.2	0.38	8.0	0.26
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	651	9.0	0.36	6.8	0.29	1,388	16.1	0.45	11.8	0.37
Breast (*in situ*)	6	0.1	0.03	0.0	0.02	2,498	29.3	0.60	21.9	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Iowa, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	727	586.9	25.09	393.6	15.19	622	453.6	18.95	314.2	13.04
Oral Cavity & Pharynx	21	12.3	2.92	9.7	2.20	6	4.6	1.95	3.0	1.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	167	135.0	12.08	88.2	7.08	125	94.5	8.75	61.9	5.76
Esophagus	7	6.4	2.69	4.3	1.63	-	-	-	-	-
Stomach	14	11.9	3.73	7.6	2.09	14	9.5	2.70	6.4	1.75
Small intestine	6	5.2	2.49	2.9	1.23	8	5.6	2.05	4.0	1.47
Colon excl. rectum	48	41.3	6.85	25.8	3.86	54	43.7	6.13	26.5	3.76
Rectum & rectosigmoid	21	17.2	4.58	10.6	2.41	11	7.6	2.33	5.1	1.57
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	32	19.4	3.78	15.2	2.75	7	4.7	1.82	3.9	1.51
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	30	25.6	5.13	17.2	3.24	22	17.6	3.85	11.1	2.50
Respiratory System	133	114.8	11.41	75.1	6.76	107	87.8	8.77	54.6	5.48
Larynx	13	10.6	3.19	7.8	2.23	-	-	-	-	-
Lung & bronchus	112	99.8	10.79	64.1	6.28	105	86.4	8.71	53.4	5.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	3.8	1.28	3.7	1.17	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	160	111.6	9.11	82.4	6.68
Female Genital System	-	-	-	-	-	64	43.8	5.70	33.8	4.36
Cervix uteri	-	-	-	-	-	18	10.7	2.62	8.6	2.09
Uterus Corpus	-	-	-	-	-	27	19.8	3.92	15.4	3.04
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	8.9	2.69	5.7	1.70
Male Genital System	214	168.1	12.77	121.7	8.61	-	-	-	-	-
Prostate	206	164.6	12.70	118.2	8.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	66	59.9	8.62	35.3	4.52	39	27.7	4.64	19.4	3.21
Bladder (incl. *in situ*)	25	29.7	6.81	14.5	2.97	9	6.2	2.18	4.4	1.50
Kidney & renal pelvis	41	30.2	5.28	20.8	3.40	30	21.5	4.10	15.0	2.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	5.8	2.25	4.5	1.53	7	3.7	1.51	3.5	1.37
Brain	8	4.7	2.05	3.4	1.29	6	3.3	1.47	3.0	1.30
Endocrine System	11	7.5	2.73	5.0	1.57	21	12.8	2.99	10.2	2.31
Thyroid gland	7	5.4	2.48	3.1	1.20	19	12.0	2.92	9.4	2.22
Lymphomas	34	23.0	4.55	16.8	3.01	25	15.2	3.18	12.0	2.47
Hodgkin Lymphoma	7	3.1	1.27	3.0	1.18	-	-	-	-	-
Non-Hodgkin Lymphoma	27	20.0	4.37	13.9	2.77	-	-	-	-	-
Multiple Myeloma	13	11.7	3.64	7.9	2.29	25	19.7	4.04	13.7	2.84
Leukemias	19	16.0	4.23	9.8	2.33	16	10.4	2.84	7.1	1.84
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	10	10.6	3.72	5.1	1.64	7	6.0	2.31	3.3	1.34
Acute myeloid	6	4.3	1.89	3.6	1.54	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	23.2	5.90	11.9	2.71	20	17.4	4.01	9.2	2.15
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6	2.5	1.06	2.2	0.90	18	9.8	2.34	8.7	2.07
Breast (*in situ*)	-	-	-	-	-	51	34.0	4.86	27.9	3.98

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	38,387	541.9	2.81	360.2	1.92	34,968	427.3	2.34	298.9	1.75
Oral Cavity & Pharynx	1,259	17.1	0.49	12.3	0.36	475	5.7	0.27	4.0	0.20
Lip	122	1.8	0.17	1.0	0.10	22	0.3	0.06	0.2	0.04
Tongue	374	5.0	0.26	3.8	0.20	153	1.8	0.15	1.3	0.11
Major salivary gland	139	2.0	0.17	1.2	0.11	68	0.8	0.10	0.6	0.08
Floor of mouth	51	0.6	0.09	0.5	0.07	26	0.3	0.06	0.2	0.05
Gum & other mouth	148	2.1	0.17	1.4	0.12	106	1.2	0.12	0.7	0.08
Nasopharynx	52	0.7	0.10	0.6	0.09	12	0.2	0.05	0.1	0.04
Oropharynx	53	0.7	0.09	0.5	0.07	19	0.2	0.05	0.2	0.04
Hypopharynx	52	0.7	0.10	0.5	0.07	17	0.2	0.05	0.1	0.04
Digestive System	6,715	94.8	1.18	61.5	0.78	5,434	63.7	0.88	40.5	0.61
Esophagus	549	7.6	0.33	5.1	0.23	132	1.5	0.13	1.0	0.09
Stomach	559	7.9	0.34	5.0	0.22	288	3.4	0.21	2.2	0.14
Small intestine	180	2.6	0.20	1.7	0.13	165	2.0	0.16	1.4	0.11
Colon excl. rectum	2,463	35.7	0.73	21.9	0.46	2,497	29.1	0.60	17.8	0.40
Rectum & rectosigmoid	1,069	14.8	0.46	10.3	0.32	727	8.7	0.33	6.0	0.24
Anus, anal canal & anorectum	76	1.0	0.12	0.8	0.09	170	2.1	0.16	1.5	0.12
Liver	604	7.9	0.33	5.9	0.25	215	2.5	0.17	1.7	0.13
Gallbladder	51	0.7	0.10	0.5	0.07	109	1.3	0.13	0.7	0.08
Pancreas	919	13.1	0.44	8.2	0.28	850	9.8	0.34	6.1	0.23
Respiratory System	5,805	82.8	1.10	52.0	0.71	4,679	55.3	0.82	35.9	0.57
Larynx	454	6.1	0.29	4.3	0.21	103	1.2	0.12	0.9	0.09
Lung & bronchus	5,267	75.5	1.06	46.8	0.67	4,521	53.4	0.81	34.5	0.56
Bones & Joints	79	1.1	0.13	1.0	0.12	65	0.9	0.11	0.8	0.10
Soft Tissue (incl. heart)	323	4.6	0.26	3.5	0.21	258	3.2	0.21	2.6	0.18
Skin (excl. basal & sq.)	2,248	32.2	0.69	21.4	0.47	1,600	20.8	0.53	15.8	0.43
Melanomas of the skin	2,079	29.7	0.66	19.9	0.46	1,483	19.4	0.52	14.9	0.42
Breast (excl. *in situ*)	99	1.4	0.14	0.9	0.09	9,979	123.2	1.26	88.5	0.95
Female Genital System	-	-	-	-	-	3,830	47.5	0.79	34.9	0.60
Cervix uteri	-	-	-	-	-	492	7.1	0.33	5.6	0.26
Uterus Corpus	-	-	-	-	-	1,922	23.2	0.54	17.3	0.42
Uterus, NOS[1]	-	-	-	-	-	86	1.0	0.11	0.7	0.09
Ovary	-	-	-	-	-	954	11.7	0.39	8.3	0.29
Male Genital System	10,917	150.2	1.46	104.8	1.03	-	-	-	-	-
Prostate	10,440	143.1	1.43	98.5	0.99	-	-	-	-	-
Testis	407	6.0	0.30	5.6	0.28	-	-	-	-	-
Penis	56	0.8	0.11	0.5	0.07	-	-	-	-	-
Urinary System	4,377	62.8	0.97	39.0	0.62	1,882	22.5	0.53	15.0	0.38
Bladder (incl. *in situ*)	2,673	39.1	0.77	22.6	0.46	795	9.1	0.33	5.6	0.22
Kidney & renal pelvis	1,604	22.2	0.57	15.7	0.41	1,028	12.7	0.40	9.0	0.31
Ureter	64	0.9	0.12	0.5	0.07	45	0.5	0.08	0.3	0.05
Eye & Orbit	80	1.1	0.13	0.8	0.10	71	0.9	0.11	0.8	0.11
Brain & Other Nervous System	594	8.4	0.35	6.7	0.29	453	5.8	0.28	4.8	0.25
Brain	558	7.8	0.34	6.2	0.28	417	5.3	0.27	4.4	0.24
Endocrine System	634	8.8	0.36	7.0	0.29	1,787	24.9	0.60	20.3	0.50
Thyroid gland	584	8.1	0.34	6.4	0.27	1,732	24.2	0.59	19.7	0.49
Lymphomas	1,823	26.3	0.63	17.8	0.44	1,580	19.3	0.50	13.4	0.38
Hodgkin Lymphoma	202	2.9	0.21	2.5	0.18	184	2.6	0.19	2.3	0.18
Non-Hodgkin Lymphoma	1,621	23.4	0.59	15.3	0.40	1,396	16.7	0.46	11.1	0.33
Multiple Myeloma	512	7.4	0.33	4.6	0.21	401	4.7	0.24	2.9	0.16
Leukemias	1,300	18.9	0.53	13.1	0.40	979	11.8	0.39	8.6	0.32
Acute lymphocytic	141	2.0	0.17	2.5	0.22	90	1.2	0.13	1.6	0.18
Chronic lymphocytic	472	6.8	0.32	4.1	0.20	310	3.6	0.21	2.3	0.14
Acute myeloid	329	4.8	0.27	3.3	0.20	286	3.6	0.22	2.5	0.17
Chronic myeloid	168	2.5	0.19	1.6	0.13	140	1.7	0.15	1.2	0.11
Other leukemias	190	2.8	0.21	1.7	0.13	153	1.7	0.14	1.1	0.11
Mesothelioma	89	1.3	0.14	0.7	0.08	20	0.2	0.05	0.2	0.04
Kaposi Sarcoma	12	0.2	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	1,521	22.4	0.58	12.9	0.35	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	465	6.6	0.31	4.8	0.24	980	12.3	0.40	9.1	0.32
Breast (*in situ*)	13	0.2	0.05	0.1	0.04	2,047	25.7	0.58	19.2	0.44

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	34,906	528.6	2.88	350.2	1.98	32,014	421.5	2.42	294.6	1.82
Oral Cavity & Pharynx	1,138	16.7	0.50	12.0	0.37	439	5.7	0.28	3.9	0.21
Lip	114	1.8	0.17	1.0	0.10	19	0.2	0.05	0.2	0.04
Tongue	348	5.0	0.27	3.8	0.21	143	1.8	0.16	1.3	0.12
Major salivary gland	131	2.1	0.18	1.2	0.11	59	0.8	0.10	0.6	0.08
Floor of mouth	50	0.7	0.10	0.5	0.08	25	0.3	0.07	0.2	0.05
Gum & other mouth	126	1.9	0.17	1.3	0.12	102	1.3	0.13	0.8	0.09
Nasopharynx	36	0.5	0.09	0.5	0.08	10	0.2	0.05	0.1	0.04
Oropharynx	47	0.6	0.09	0.5	0.07	17	0.2	0.05	0.2	0.04
Hypopharynx	43	0.6	0.09	0.5	0.07	16	0.2	0.05	0.1	0.04
Digestive System	6,108	92.6	1.20	59.6	0.80	4,908	61.5	0.90	38.9	0.62
Esophagus	525	7.7	0.34	5.2	0.24	115	1.4	0.13	0.9	0.09
Stomach	501	7.6	0.35	4.8	0.22	244	3.1	0.20	2.0	0.14
Small intestine	162	2.5	0.20	1.6	0.13	143	1.9	0.16	1.2	0.11
Colon excl. rectum	2,255	35.0	0.75	21.4	0.47	2,262	28.0	0.60	16.9	0.40
Rectum & rectosigmoid	971	14.5	0.47	10.0	0.33	662	8.6	0.34	5.8	0.25
Anus, anal canal & anorectum	66	1.0	0.12	0.7	0.09	160	2.1	0.17	1.5	0.13
Liver	506	7.2	0.32	5.3	0.25	179	2.2	0.17	1.6	0.13
Gallbladder	42	0.6	0.10	0.4	0.06	101	1.3	0.13	0.8	0.08
Pancreas	855	13.0	0.45	8.1	0.29	787	9.8	0.36	6.1	0.24
Respiratory System	5,338	81.2	1.13	50.7	0.73	4,330	54.7	0.85	35.5	0.59
Larynx	409	5.9	0.29	4.2	0.21	92	1.2	0.12	0.9	0.10
Lung & bronchus	4,854	74.2	1.08	45.7	0.69	4,186	52.8	0.83	34.1	0.58
Bones & Joints	70	1.1	0.13	1.0	0.12	53	0.8	0.11	0.7	0.10
Soft Tissue (incl. heart)	287	4.5	0.27	3.4	0.22	227	3.1	0.21	2.5	0.19
Skin (excl. basal & sq.)	2,136	32.9	0.72	21.8	0.50	1,475	20.9	0.56	15.9	0.45
Melanomas of the skin	1,981	30.5	0.70	20.4	0.48	1,369	19.6	0.55	15.1	0.44
Breast (excl. *in situ*)	88	1.3	0.14	0.8	0.09	9,130	121.5	1.30	87.1	0.98
Female Genital System	-	-	-	-	-	3,535	47.5	0.82	34.8	0.63
Cervix uteri	-	-	-	-	-	433	6.9	0.34	5.4	0.27
Uterus Corpus	-	-	-	-	-	1,776	23.2	0.56	17.3	0.43
Uterus, NOS[1]	-	-	-	-	-	73	0.9	0.11	0.7	0.09
Ovary	-	-	-	-	-	907	12.0	0.41	8.5	0.31
Male Genital System	9,608	141.7	1.47	98.9	1.04	-	-	-	-	-
Prostate	9,169	134.4	1.43	92.5	1.00	-	-	-	-	-
Testis	376	6.3	0.33	5.9	0.31	-	-	-	-	-
Penis	54	0.9	0.12	0.5	0.07	-	-	-	-	-
Urinary System	4,106	62.8	1.00	39.0	0.64	1,740	22.4	0.55	14.9	0.40
Bladder (incl. *in situ*)	2,543	39.5	0.79	22.8	0.48	748	9.2	0.34	5.6	0.23
Kidney & renal pelvis	1,468	21.9	0.58	15.3	0.42	935	12.6	0.42	9.0	0.32
Ureter	63	1.0	0.13	0.5	0.07	44	0.5	0.08	0.3	0.05
Eye & Orbit	74	1.1	0.13	0.9	0.11	70	1.0	0.12	0.8	0.12
Brain & Other Nervous System	552	8.5	0.37	6.8	0.31	428	6.0	0.30	5.0	0.27
Brain	520	8.0	0.36	6.2	0.29	395	5.5	0.29	4.6	0.26
Endocrine System	582	8.8	0.37	7.0	0.30	1,592	24.5	0.63	20.0	0.53
Thyroid gland	536	8.1	0.36	6.4	0.28	1,546	23.9	0.62	19.4	0.52
Lymphomas	1,680	26.1	0.65	17.6	0.46	1,447	19.0	0.51	13.2	0.39
Hodgkin Lymphoma	181	2.9	0.22	2.5	0.19	171	2.7	0.21	2.4	0.20
Non-Hodgkin Lymphoma	1,499	23.3	0.61	15.1	0.42	1,276	16.4	0.47	10.7	0.34
Multiple Myeloma	455	7.1	0.34	4.3	0.22	350	4.4	0.24	2.7	0.16
Leukemias	1,185	18.6	0.55	13.0	0.42	901	11.7	0.40	8.6	0.34
Acute lymphocytic	128	2.0	0.18	2.6	0.24	83	1.3	0.15	1.7	0.20
Chronic lymphocytic	430	6.6	0.32	3.9	0.20	277	3.4	0.21	2.2	0.14
Acute myeloid	300	4.7	0.28	3.2	0.20	268	3.6	0.23	2.5	0.18
Chronic myeloid	152	2.4	0.20	1.6	0.14	128	1.6	0.15	1.1	0.12
Other leukemias	175	2.8	0.21	1.7	0.13	145	1.7	0.15	1.1	0.11
Mesothelioma	88	1.4	0.15	0.8	0.09	20	0.3	0.06	0.2	0.04
Kaposi Sarcoma	7	0.1	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	1,404	22.1	0.60	12.6	0.36	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	412	6.3	0.32	4.7	0.24	881	12.0	0.42	9.0	0.34
Breast (*in situ*)	9	0.1	0.04	0.1	0.03	1,833	25.0	0.60	18.6	0.46

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,919	610.8	15.12	423.8	9.90	1,669	444.0	11.06	305.7	7.74
Oral Cavity & Pharynx	63	18.3	2.45	14.0	1.81	21	5.4	1.20	3.9	0.87
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	2.4	0.79	2.1	0.70	-	-	-	-	-
Major salivary gland	-	-	-	-	-	7	1.9	0.73	1.3	0.52
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	11	3.4	1.09	2.5	0.76	-	-	-	-	-
Nasopharynx	6	1.4	0.59	1.2	0.52	-	-	-	-	-
Oropharynx	6	1.6	0.64	1.4	0.57	-	-	-	-	-
Hypopharynx	9	3.0	1.04	2.2	0.74	-	-	-	-	-
Digestive System	382	119.3	6.60	83.8	4.39	337	90.9	5.03	58.4	3.32
Esophagus	16	5.4	1.46	3.7	0.94	11	3.0	0.93	1.8	0.56
Stomach	41	12.8	2.16	8.9	1.41	28	7.9	1.52	4.6	0.92
Small intestine	11	3.1	1.01	2.1	0.64	12	3.2	0.93	2.5	0.72
Colon excl. rectum	128	44.6	4.29	27.9	2.53	156	41.9	3.41	27.4	2.28
Rectum & rectosigmoid	58	17.1	2.37	12.9	1.74	34	8.9	1.56	5.8	1.03
Anus, anal canal & anorectum	6	1.5	0.61	1.2	0.49	6	1.6	0.65	1.3	0.53
Liver	61	15.9	2.15	13.2	1.73	21	5.4	1.20	3.6	0.81
Gallbladder	-	-	-	-	-	6	1.8	0.74	0.8	0.36
Pancreas	47	14.7	2.28	10.8	1.61	47	12.9	1.90	7.8	1.21
Respiratory System	341	114.6	6.68	77.6	4.29	244	67.4	4.38	43.9	2.93
Larynx	30	10.1	1.97	7.2	1.34	8	2.0	0.73	1.5	0.53
Lung & bronchus	305	102.2	6.31	69.0	4.04	234	64.9	4.31	42.1	2.87
Bones & Joints	6	1.6	0.75	1.2	0.49	6	1.2	0.52	1.2	0.50
Soft Tissue (incl. heart)	16	3.5	0.94	3.0	0.75	23	5.8	1.25	4.5	0.96
Skin (excl. basal & sq.)	7	1.9	0.77	1.5	0.58	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	9	3.0	1.13	1.7	0.58	495	128.9	5.89	94.6	4.35
Female Genital System	-	-	-	-	-	160	42.0	3.38	30.3	2.46
Cervix uteri	-	-	-	-	-	19	5.1	1.19	3.6	0.84
Uterus Corpus	-	-	-	-	-	85	22.2	2.46	16.1	1.79
Uterus, NOS[1]	-	-	-	-	-	9	2.5	0.87	1.7	0.58
Ovary	-	-	-	-	-	27	7.1	1.39	5.3	1.04
Male Genital System	678	213.4	8.83	151.5	5.96	-	-	-	-	-
Prostate	665	211.0	8.80	149.1	5.92	-	-	-	-	-
Testis	11	2.0	0.62	2.0	0.61	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	140	46.2	4.28	30.3	2.62	80	22.2	2.53	13.6	1.60
Bladder (incl. *in situ*)	47	18.8	2.98	10.5	1.56	23	6.6	1.40	3.7	0.82
Kidney & renal pelvis	88	25.3	2.90	18.9	2.06	57	15.6	2.11	9.9	1.37
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	23	6.2	1.52	4.7	0.99	15	3.5	0.93	3.0	0.79
Brain	22	6.1	1.51	4.5	0.97	13	3.1	0.89	2.5	0.72
Endocrine System	33	8.3	1.50	6.9	1.24	88	22.4	2.43	17.1	1.85
Thyroid gland	29	7.2	1.37	6.0	1.14	85	21.6	2.38	16.5	1.82
Lymphomas	61	18.0	2.50	13.1	1.72	59	15.2	2.02	11.5	1.53
Hodgkin Lymphoma	12	3.4	1.07	2.4	0.70	6	1.4	0.59	1.3	0.52
Non-Hodgkin Lymphoma	49	14.6	2.26	10.7	1.57	53	13.8	1.93	10.2	1.44
Multiple Myeloma	45	15.8	2.58	9.7	1.47	40	11.2	1.80	6.5	1.09
Leukemias	49	16.0	2.52	10.5	1.53	32	8.1	1.46	5.7	1.05
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	12	4.1	1.25	2.7	0.81	9	2.5	0.85	1.3	0.46
Acute myeloid	20	6.7	1.69	4.3	0.98	11	2.8	0.84	2.2	0.68
Chronic myeloid	8	2.6	1.00	1.7	0.61	6	1.6	0.68	1.0	0.43
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	63	23.1	3.15	13.8	1.78	65	18.6	2.34	10.7	1.41
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	33	12.3	2.32	7.1	1.26	52	13.4	1.90	9.0	1.29
Breast (*in situ*)	-	-	-	-	-	99	25.3	2.58	19.5	1.99

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	345	330.4	20.78	216.2	11.88	430	294.1	15.54	204.4	10.06
Oral Cavity & Pharynx	21	14.8	3.36	12.2	2.75	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	8	5.5	2.04	4.5	1.63	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	91	83.3	9.87	57.8	6.15	68	53.2	7.03	34.1	4.21
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	9.2	3.86	4.8	1.81	9	4.8	1.60	3.9	1.33
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	23	23.6	5.67	15.5	3.28	27	22.8	4.80	13.3	2.62
Rectum & rectosigmoid	11	7.9	2.52	6.4	2.00	7	4.2	1.60	3.7	1.43
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	21	18.1	4.55	12.7	2.81	9	8.2	2.88	4.7	1.58
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	10	9.9	3.35	6.7	2.13	-	-	-	-	-
Respiratory System	47	51.8	8.64	30.4	4.49	53	43.0	6.39	26.0	3.63
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	43	48.3	8.46	27.5	4.25	52	42.5	6.36	25.5	3.59
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	8.2	3.23	5.8	1.87	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	133	84.6	7.92	61.1	5.40
Female Genital System	-	-	-	-	-	51	32.9	4.99	23.8	3.39
Cervix uteri	-	-	-	-	-	14	7.5	2.09	6.1	1.68
Uterus Corpus	-	-	-	-	-	27	17.3	3.57	12.7	2.47
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	6.1	2.27	4.1	1.48
Male Genital System	84	85.0	10.55	54.6	6.05	-	-	-	-	-
Prostate	79	82.9	10.51	52.4	5.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	34.5	7.78	17.6	3.46	11	9.3	3.06	5.5	1.68
Bladder (incl. *in situ*)	14	24.2	7.14	10.1	2.73	-	-	-	-	-
Kidney & renal pelvis	13	10.4	3.08	7.5	2.12	9	8.2	2.94	4.5	1.52
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	6	3.7	1.66	3.2	1.34
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	51	26.0	3.80	22.1	3.16
Thyroid gland	-	-	-	-	-	48	24.7	3.72	21.0	3.09
Lymphomas	24	17.6	4.39	13.0	2.76	18	11.5	2.86	9.4	2.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	19	16.2	4.69	11.2	2.67	13	9.3	2.91	6.6	1.89
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	7	5.6	2.83	3.7	1.47	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	9.0	3.50	6.1	1.97	14	12.5	3.69	6.5	1.79
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6	4.0	1.65	3.6	1.48	17	10.9	2.86	8.0	1.98
Breast (*in situ*)	-	-	-	-	-	27	17.1	3.57	12.2	2.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,173	406.5	13.70	258.7	8.04	1,244	342.4	10.67	239.5	7.19
Oral Cavity & Pharynx	29	8.5	1.83	6.0	1.18	19	5.2	1.32	3.7	0.91
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	2.1	0.81	1.8	0.67	9	2.7	0.98	1.8	0.64
Major salivary gland	6	2.0	1.05	1.0	0.43	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	6	2.1	0.98	1.0	0.43	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	247	92.1	6.59	56.9	3.81	199	62.3	4.74	41.5	3.10
Esophagus	18	7.0	1.83	4.3	1.06	-	-	-	-	-
Stomach	26	10.6	2.35	5.7	1.19	27	7.2	1.51	5.3	1.07
Small intestine	9	3.6	1.35	2.1	0.70	-	-	-	-	-
Colon excl. rectum	83	32.4	4.00	19.2	2.23	79	25.9	3.11	16.4	1.95
Rectum & rectosigmoid	40	14.1	2.53	8.7	1.45	24	7.8	1.70	5.1	1.09
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	40	12.5	2.22	9.0	1.48	13	3.9	1.21	2.6	0.77
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	23	9.3	2.09	6.1	1.30	25	8.1	1.70	5.7	1.19
Respiratory System	121	50.8	5.12	29.7	2.80	99	33.1	3.53	20.5	2.18
Larynx	11	4.7	1.60	2.5	0.76	-	-	-	-	-
Lung & bronchus	106	44.8	4.79	26.5	2.66	93	31.7	3.47	19.4	2.13
Bones & Joints	7	1.1	0.46	1.2	0.47	6	0.7	0.30	0.8	0.32
Soft Tissue (incl. heart)	20	4.8	1.36	3.4	0.85	13	3.4	1.08	2.2	0.65
Skin (excl. basal & sq.)	-	-	-	-	-	27	5.3	1.14	4.1	0.83
Melanomas of the skin	17	5.6	1.65	3.5	0.91	27	5.3	1.14	4.1	0.83
Breast (excl. *in situ*)	-	-	-	-	-	326	89.7	5.34	64.3	3.74
Female Genital System	-	-	-	-	-	160	40.4	3.44	30.1	2.51
Cervix uteri	-	-	-	-	-	51	11.6	1.76	8.9	1.31
Uterus Corpus	-	-	-	-	-	66	16.4	2.12	13.3	1.72
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	35	9.7	1.80	6.6	1.17
Male Genital System	321	117.5	7.33	77.3	4.53	-	-	-	-	-
Prostate	281	110.3	7.16	71.9	4.43	-	-	-	-	-
Testis	33	4.0	0.74	3.9	0.70	-	-	-	-	-
Penis	6	3.1	1.35	1.4	0.60	-	-	-	-	-
Urinary System	144	51.7	4.96	31.2	2.76	62	18.8	2.60	13.3	1.78
Bladder (incl. *in situ*)	42	17.5	3.01	9.7	1.58	13	5.4	1.55	3.0	0.87
Kidney & renal pelvis	101	33.9	3.94	21.3	2.25	47	12.8	2.05	9.8	1.52
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	29	6.3	1.52	4.7	0.95	18	3.3	0.97	2.9	0.72
Brain	28	6.3	1.52	4.6	0.94	16	3.2	0.97	2.6	0.69
Endocrine System	28	6.4	1.36	5.0	1.03	123	25.4	2.50	20.9	2.00
Thyroid gland	25	5.5	1.19	4.5	0.98	120	24.5	2.44	20.3	1.96
Lymphomas	65	18.0	2.70	12.2	1.66	75	21.7	2.79	14.5	1.79
Hodgkin Lymphoma	11	2.0	0.79	1.4	0.43	12	2.2	0.77	1.7	0.49
Non-Hodgkin Lymphoma	54	16.0	2.58	10.8	1.60	63	19.5	2.68	12.9	1.72
Multiple Myeloma	24	9.6	2.26	4.9	1.05	18	6.4	1.60	3.4	0.85
Leukemias	58	9.4	1.62	8.7	1.25	47	8.7	1.50	7.4	1.16
Acute lymphocytic	27	2.5	0.52	3.3	0.63	21	2.5	0.64	3.0	0.70
Chronic lymphocytic	-	-	-	-	-	6	1.6	0.65	1.4	0.58
Acute myeloid	14	3.2	1.11	2.6	0.76	12	2.2	0.73	1.7	0.52
Chronic myeloid	8	1.8	0.82	1.2	0.48	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	42	17.2	2.98	9.5	1.55	49	17.9	2.74	9.5	1.43
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	27	8.0	1.84	5.5	1.13	53	14.3	2.21	10.3	1.52
Breast (*in situ*)	-	-	-	-	-	64	16.7	2.19	12.9	1.68

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	33,861	536.0	2.96	356.1	2.06	30,876	425.8	2.51	297.8	1.90
Oral Cavity & Pharynx	1,114	17.2	0.53	12.4	0.39	422	5.7	0.28	3.9	0.21
Lip	114	1.9	0.18	1.1	0.11	18	0.2	0.06	0.2	0.04
Tongue	341	5.2	0.29	3.9	0.22	135	1.8	0.16	1.3	0.12
Major salivary gland	126	2.0	0.18	1.2	0.11	56	0.8	0.11	0.6	0.08
Floor of mouth	49	0.7	0.10	0.6	0.08	23	0.3	0.07	0.2	0.05
Gum & other mouth	122	1.9	0.18	1.3	0.12	100	1.3	0.13	0.8	0.09
Nasopharynx	36	0.6	0.10	0.5	0.09	10	0.2	0.06	0.1	0.05
Oropharynx	46	0.7	0.10	0.5	0.08	17	0.2	0.06	0.2	0.04
Hypopharynx	42	0.6	0.10	0.5	0.08	16	0.2	0.06	0.2	0.04
Digestive System	5,889	93.2	1.24	60.1	0.83	4,729	61.4	0.92	38.7	0.64
Esophagus	507	7.8	0.35	5.3	0.24	110	1.4	0.13	0.9	0.10
Stomach	478	7.6	0.35	4.8	0.23	219	2.8	0.20	1.8	0.14
Small intestine	156	2.5	0.21	1.6	0.14	140	1.9	0.17	1.3	0.12
Colon excl. rectum	2,182	35.3	0.77	21.6	0.49	2,190	28.0	0.62	16.9	0.41
Rectum & rectosigmoid	934	14.6	0.49	10.1	0.35	642	8.7	0.35	5.9	0.26
Anus, anal canal & anorectum	65	1.0	0.13	0.8	0.10	157	2.2	0.18	1.6	0.14
Liver	473	7.0	0.33	5.2	0.25	168	2.2	0.17	1.5	0.14
Gallbladder	40	0.6	0.10	0.4	0.07	97	1.3	0.13	0.8	0.09
Pancreas	834	13.2	0.47	8.2	0.30	764	9.8	0.36	6.1	0.25
Respiratory System	5,227	82.5	1.16	51.6	0.75	4,240	55.5	0.87	36.1	0.61
Larynx	398	5.9	0.30	4.2	0.22	92	1.2	0.13	0.9	0.10
Lung & bronchus	4,757	75.4	1.11	46.6	0.71	4,102	53.6	0.85	34.7	0.59
Bones & Joints	63	1.1	0.14	1.0	0.13	49	0.8	0.12	0.6	0.10
Soft Tissue (incl. heart)	268	4.5	0.28	3.4	0.23	214	3.1	0.22	2.5	0.21
Skin (excl. basal & sq.)	2,117	34.4	0.76	23.0	0.53	1,449	22.0	0.61	16.8	0.49
Melanomas of the skin	1,967	32.0	0.74	21.6	0.52	1,343	20.6	0.59	16.0	0.48
Breast (excl. *in situ*)	84	1.3	0.15	0.8	0.09	8,824	123.1	1.35	88.3	1.02
Female Genital System	-	-	-	-	-	3,389	47.8	0.85	35.1	0.65
Cervix uteri	-	-	-	-	-	387	6.7	0.35	5.3	0.28
Uterus Corpus	-	-	-	-	-	1,717	23.4	0.58	17.4	0.45
Uterus, NOS[1]	-	-	-	-	-	72	0.9	0.11	0.7	0.09
Ovary	-	-	-	-	-	874	12.2	0.42	8.6	0.32
Male Genital System	9,330	143.4	1.51	100.4	1.08	-	-	-	-	-
Prostate	8,926	135.8	1.46	93.6	1.02	-	-	-	-	-
Testis	347	6.7	0.36	6.2	0.34	-	-	-	-	-
Penis	48	0.8	0.12	0.5	0.08	-	-	-	-	-
Urinary System	3,975	63.3	1.02	39.3	0.66	1,685	22.7	0.57	15.1	0.42
Bladder (incl. *in situ*)	2,504	40.3	0.82	23.4	0.50	736	9.3	0.35	5.7	0.24
Kidney & renal pelvis	1,377	21.5	0.59	15.1	0.43	894	12.6	0.44	9.0	0.33
Ureter	62	1.0	0.13	0.5	0.07	43	0.5	0.08	0.3	0.05
Eye & Orbit	71	1.2	0.14	0.8	0.11	67	1.0	0.12	0.8	0.12
Brain & Other Nervous System	527	8.7	0.39	7.0	0.34	413	6.3	0.32	5.2	0.30
Brain	496	8.1	0.37	6.4	0.32	381	5.7	0.30	4.7	0.28
Endocrine System	557	9.1	0.40	7.3	0.33	1,478	24.6	0.66	20.1	0.56
Thyroid gland	514	8.4	0.38	6.6	0.30	1,434	23.9	0.65	19.4	0.54
Lymphomas	1,620	26.6	0.67	18.0	0.48	1,382	19.1	0.53	13.2	0.41
Hodgkin Lymphoma	171	3.0	0.23	2.7	0.21	159	2.7	0.22	2.5	0.21
Non-Hodgkin Lymphoma	1,449	23.6	0.63	15.4	0.43	1,223	16.3	0.48	10.7	0.35
Multiple Myeloma	433	7.0	0.34	4.3	0.22	336	4.4	0.24	2.7	0.16
Leukemias	1,133	18.8	0.57	13.0	0.45	857	11.7	0.42	8.5	0.36
Acute lymphocytic	103	1.9	0.19	2.5	0.26	63	1.2	0.15	1.5	0.21
Chronic lymphocytic	427	6.8	0.33	4.0	0.21	272	3.5	0.22	2.2	0.15
Acute myeloid	288	4.8	0.29	3.3	0.22	257	3.6	0.23	2.5	0.18
Chronic myeloid	144	2.4	0.21	1.6	0.15	124	1.7	0.15	1.2	0.12
Other leukemias	171	2.8	0.22	1.7	0.14	141	1.8	0.16	1.1	0.13
Mesothelioma	84	1.4	0.15	0.8	0.09	20	0.3	0.06	0.2	0.04
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	386	6.4	0.33	4.7	0.26	831	12.0	0.43	8.9	0.35
Breast (*in situ*)	8	0.1	0.04	0.1	0.03	1,773	25.4	0.62	19.0	0.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kansas, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,911	621.0	15.36	431.3	10.08	1,654	450.7	11.26	311.2	7.92
Oral Cavity & Pharynx	62	18.4	2.48	14.0	1.82	21	5.5	1.22	4.0	0.89
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	2.5	0.80	2.2	0.71	-	-	-	-	-
Major salivary gland	-	-	-	-	-	7	2.0	0.75	1.4	0.53
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	11	3.5	1.11	2.5	0.78	-	-	-	-	-
Nasopharynx	6	1.5	0.62	1.3	0.53	-	-	-	-	-
Oropharynx	6	1.6	0.66	1.4	0.58	-	-	-	-	-
Hypopharynx	8	2.8	1.02	1.9	0.70	-	-	-	-	-
Digestive System	382	121.7	6.71	85.6	4.47	335	92.2	5.12	59.5	3.40
Esophagus	16	5.5	1.48	3.8	0.96	11	3.1	0.94	1.8	0.57
Stomach	41	13.0	2.20	9.1	1.44	28	8.1	1.55	4.7	0.94
Small intestine	11	3.2	1.03	2.2	0.66	12	3.2	0.95	2.5	0.74
Colon excl. rectum	128	45.4	4.36	28.5	2.57	155	42.6	3.47	28.0	2.34
Rectum & rectosigmoid	58	17.4	2.42	13.2	1.77	33	8.9	1.58	5.7	1.04
Anus, anal canal & anorectum	6	1.5	0.62	1.2	0.51	6	1.6	0.66	1.3	0.54
Liver	61	16.3	2.19	13.5	1.77	21	5.5	1.22	3.7	0.83
Gallbladder	-	-	-	-	-	6	1.8	0.75	0.8	0.37
Pancreas	47	15.0	2.32	11.0	1.64	47	13.1	1.93	7.9	1.24
Respiratory System	341	116.6	6.78	79.0	4.37	240	67.4	4.42	44.1	2.97
Larynx	30	10.3	2.00	7.3	1.36	8	2.1	0.75	1.5	0.55
Lung & bronchus	305	104.0	6.41	70.3	4.11	230	64.8	4.34	42.3	2.91
Bones & Joints	6	1.6	0.77	1.3	0.52	6	1.3	0.56	1.3	0.53
Soft Tissue (incl. heart)	16	3.6	0.97	3.1	0.79	23	6.0	1.29	4.7	1.00
Skin (excl. basal & sq.)	7	1.9	0.79	1.6	0.60	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	9	3.1	1.15	1.8	0.60	491	131.4	6.02	96.5	4.46
Female Genital System	-	-	-	-	-	158	42.4	3.43	30.8	2.51
Cervix uteri	-	-	-	-	-	18	5.0	1.20	3.6	0.87
Uterus Corpus	-	-	-	-	-	84	22.4	2.49	16.2	1.82
Uterus, NOS[1]	-	-	-	-	-	9	2.6	0.89	1.7	0.59
Ovary	-	-	-	-	-	27	7.3	1.42	5.4	1.06
Male Genital System	677	217.1	8.97	154.2	6.06	-	-	-	-	-
Prostate	664	214.5	8.94	151.7	6.02	-	-	-	-	-
Testis	11	2.1	0.66	2.1	0.65	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	139	46.9	4.34	30.8	2.67	80	22.6	2.57	13.9	1.63
Bladder (incl. *in situ*)	47	19.1	3.03	10.7	1.58	23	6.7	1.42	3.7	0.83
Kidney & renal pelvis	87	25.7	2.95	19.2	2.10	57	15.9	2.14	10.2	1.40
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	23	6.4	1.56	4.9	1.04	14	3.5	0.95	2.9	0.79
Brain	22	6.3	1.55	4.7	1.02	13	3.3	0.92	2.6	0.76
Endocrine System	31	8.1	1.51	6.8	1.25	88	23.3	2.52	17.8	1.93
Thyroid gland	27	7.0	1.38	5.9	1.15	85	22.4	2.47	17.1	1.89
Lymphomas	59	17.9	2.53	13.0	1.73	58	15.4	2.06	11.6	1.57
Hodgkin Lymphoma	12	3.5	1.10	2.5	0.73	6	1.5	0.63	1.3	0.55
Non-Hodgkin Lymphoma	47	14.4	2.27	10.5	1.57	52	13.9	1.97	10.3	1.47
Multiple Myeloma	45	16.1	2.62	9.9	1.50	39	11.2	1.82	6.4	1.09
Leukemias	48	16.2	2.57	10.6	1.57	32	8.4	1.51	5.9	1.09
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	12	4.1	1.27	2.8	0.82	9	2.6	0.86	1.3	0.47
Acute myeloid	19	6.7	1.71	4.2	0.99	11	2.9	0.87	2.3	0.70
Chronic myeloid	8	2.7	1.02	1.8	0.63	6	1.7	0.70	1.1	0.45
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	63	23.5	3.20	14.1	1.82	65	19.0	2.39	11.0	1.45
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	33	12.5	2.36	7.3	1.30	52	13.9	1.95	9.3	1.34
Breast (*in situ*)	-	-	-	-	-	99	25.9	2.65	20.0	2.04

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	65,469	598.2	2.41	396.6	1.60	60,567	466.6	1.93	327.5	1.43
Oral Cavity & Pharynx	2,458	21.1	0.44	15.4	0.32	920	7.0	0.23	5.0	0.17
Lip	224	2.2	0.15	1.3	0.09	54	0.4	0.06	0.3	0.04
Tongue	624	5.2	0.21	4.0	0.16	257	2.0	0.12	1.4	0.09
Major salivary gland	157	1.5	0.12	1.0	0.08	106	0.8	0.08	0.6	0.06
Floor of mouth	154	1.3	0.11	1.0	0.08	48	0.4	0.05	0.3	0.04
Gum & other mouth	243	2.2	0.15	1.5	0.10	183	1.4	0.10	0.9	0.07
Nasopharynx	89	0.8	0.09	0.6	0.07	34	0.3	0.05	0.2	0.04
Oropharynx	112	1.0	0.09	0.7	0.07	23	0.2	0.04	0.1	0.03
Hypopharynx	174	1.4	0.11	1.1	0.08	38	0.3	0.05	0.2	0.03
Digestive System	12,059	110.5	1.04	71.9	0.67	9,758	73.5	0.75	46.6	0.51
Esophagus	996	8.7	0.28	6.1	0.20	217	1.6	0.11	1.0	0.07
Stomach	935	8.7	0.29	5.5	0.18	539	4.1	0.18	2.6	0.12
Small intestine	322	2.9	0.17	2.0	0.11	309	2.4	0.14	1.6	0.10
Colon excl. rectum	4,418	41.9	0.65	25.8	0.40	4,365	32.8	0.50	20.0	0.33
Rectum & rectosigmoid	2,089	18.6	0.42	12.8	0.29	1,486	11.3	0.30	7.7	0.21
Anus, anal canal & anorectum	175	1.6	0.12	1.1	0.09	337	2.6	0.14	1.9	0.11
Liver	1,099	9.4	0.29	6.7	0.21	372	2.8	0.15	1.9	0.11
Gallbladder	71	0.7	0.08	0.4	0.05	183	1.3	0.10	0.8	0.06
Pancreas	1,555	14.3	0.38	9.2	0.24	1,409	10.5	0.28	6.4	0.18
Respiratory System	14,357	131.4	1.13	83.8	0.71	11,222	83.9	0.80	56.2	0.56
Larynx	1,130	9.6	0.29	7.0	0.21	340	2.6	0.14	2.0	0.11
Lung & bronchus	13,071	120.4	1.09	75.8	0.68	10,795	80.7	0.79	53.8	0.55
Bones & Joints	106	1.0	0.10	0.9	0.09	94	0.8	0.09	0.8	0.09
Soft Tissue (incl. heart)	391	3.8	0.20	2.7	0.15	309	2.5	0.15	2.1	0.13
Skin (excl. basal & sq.)	3,461	32.6	0.57	21.3	0.37	2,551	20.9	0.42	15.8	0.34
Melanomas of the skin	3,234	30.3	0.55	20.0	0.36	2,417	19.8	0.41	15.1	0.33
Breast (excl. *in situ*)	98	0.9	0.09	0.6	0.06	15,747	121.3	0.98	88.1	0.74
Female Genital System	-	-	-	-	-	6,388	49.8	0.64	37.1	0.49
Cervix uteri	-	-	-	-	-	996	8.7	0.28	6.9	0.23
Uterus Corpus	-	-	-	-	-	3,158	23.8	0.43	18.1	0.33
Uterus, NOS[1]	-	-	-	-	-	53	0.4	0.06	0.3	0.04
Ovary	-	-	-	-	-	1,417	11.0	0.30	7.7	0.22
Male Genital System	14,902	129.7	1.09	91.1	0.76	-	-	-	-	-
Prostate	14,173	122.6	1.06	84.9	0.72	-	-	-	-	-
Testis	569	5.5	0.23	5.2	0.22	-	-	-	-	-
Penis	133	1.3	0.11	0.8	0.07	-	-	-	-	-
Urinary System	7,250	68.4	0.83	42.6	0.51	3,253	24.8	0.44	16.7	0.32
Bladder (incl. *in situ*)	4,160	40.8	0.65	23.3	0.37	1,325	9.8	0.27	6.0	0.18
Kidney & renal pelvis	2,949	26.2	0.50	18.6	0.35	1,823	14.2	0.34	10.2	0.26
Ureter	80	0.8	0.09	0.4	0.05	72	0.5	0.06	0.3	0.04
Eye & Orbit	151	1.4	0.12	1.1	0.10	116	0.9	0.09	0.7	0.08
Brain & Other Nervous System	956	8.8	0.29	7.1	0.25	785	6.5	0.24	5.6	0.23
Brain	904	8.3	0.28	6.6	0.23	733	6.0	0.23	5.1	0.21
Endocrine System	882	7.8	0.27	6.3	0.22	2,484	21.4	0.44	17.8	0.37
Thyroid gland	784	6.9	0.25	5.4	0.20	2,419	20.9	0.43	17.2	0.37
Lymphomas	3,012	28.3	0.53	19.2	0.37	2,562	19.8	0.40	13.8	0.30
Hodgkin Lymphoma	310	2.9	0.17	2.6	0.15	285	2.5	0.15	2.3	0.15
Non-Hodgkin Lymphoma	2,702	25.4	0.50	16.6	0.33	2,277	17.3	0.37	11.5	0.26
Multiple Myeloma	853	8.0	0.28	5.0	0.17	646	4.8	0.19	3.0	0.13
Leukemias	1,986	19.1	0.44	13.0	0.31	1,486	11.7	0.31	8.4	0.26
Acute lymphocytic	173	1.6	0.13	2.0	0.16	143	1.3	0.11	1.7	0.15
Chronic lymphocytic	768	7.4	0.28	4.3	0.16	538	4.0	0.18	2.3	0.11
Acute myeloid	558	5.5	0.24	3.5	0.15	457	3.6	0.17	2.5	0.13
Chronic myeloid	263	2.5	0.16	1.7	0.11	202	1.6	0.11	1.2	0.09
Other leukemias	224	2.1	0.15	1.4	0.10	146	1.1	0.09	0.7	0.07
Mesothelioma	144	1.4	0.12	0.8	0.07	52	0.4	0.06	0.3	0.04
Kaposi Sarcoma	44	0.4	0.07	0.3	0.05	7	0.0	0.02	0.0	0.01
Ill-defined & Unknown	2,359	23.5	0.50	13.5	0.29	2,187	16.4	0.36	9.6	0.23
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,005	9.5	0.31	6.8	0.23	2,307	18.2	0.39	12.8	0.29
Breast (*in situ*)	13	0.1	0.03	0.1	0.02	3,275	25.4	0.45	19.0	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	60,189	589.5	2.48	389.9	1.65	56,250	467.9	2.01	328.9	1.50
Oral Cavity & Pharynx	2,282	21.1	0.45	15.4	0.33	853	7.0	0.24	5.0	0.18
Lip	206	2.2	0.16	1.3	0.09	51	0.4	0.06	0.3	0.04
Tongue	581	5.2	0.22	4.0	0.17	243	2.0	0.13	1.5	0.10
Major salivary gland	146	1.5	0.13	0.9	0.08	98	0.8	0.08	0.6	0.07
Floor of mouth	144	1.3	0.11	1.0	0.08	43	0.3	0.05	0.2	0.04
Gum & other mouth	230	2.2	0.15	1.5	0.10	163	1.3	0.11	0.8	0.07
Nasopharynx	78	0.7	0.09	0.6	0.07	28	0.2	0.05	0.2	0.04
Oropharynx	102	0.9	0.09	0.7	0.07	19	0.2	0.04	0.1	0.03
Hypopharynx	155	1.4	0.11	1.0	0.08	38	0.3	0.05	0.2	0.04
Digestive System	11,130	109.3	1.07	70.9	0.69	8,915	72.2	0.78	45.7	0.53
Esophagus	937	8.8	0.29	6.1	0.20	194	1.6	0.11	0.9	0.07
Stomach	853	8.4	0.30	5.3	0.19	478	3.9	0.18	2.5	0.12
Small intestine	284	2.8	0.17	1.9	0.11	273	2.3	0.14	1.5	0.10
Colon excl. rectum	4,108	41.7	0.67	25.6	0.41	3,997	32.3	0.52	19.7	0.34
Rectum & rectosigmoid	1,941	18.6	0.43	12.8	0.30	1,371	11.3	0.31	7.7	0.22
Anus, anal canal & anorectum	161	1.6	0.13	1.1	0.09	316	2.6	0.15	1.9	0.11
Liver	960	8.9	0.30	6.3	0.21	322	2.6	0.15	1.7	0.10
Gallbladder	62	0.6	0.08	0.4	0.05	163	1.3	0.10	0.8	0.06
Pancreas	1,448	14.3	0.39	9.1	0.24	1,295	10.3	0.29	6.3	0.19
Respiratory System	13,439	131.1	1.16	83.6	0.74	10,521	84.5	0.83	56.8	0.59
Larynx	1,031	9.4	0.30	6.8	0.22	316	2.6	0.15	2.0	0.12
Lung & bronchus	12,261	120.2	1.12	75.8	0.70	10,123	81.2	0.82	54.3	0.57
Bones & Joints	98	1.0	0.10	0.9	0.10	88	0.8	0.09	0.8	0.09
Soft Tissue (incl. heart)	356	3.7	0.20	2.7	0.15	281	2.5	0.15	2.0	0.14
Skin (excl. basal & sq.)	3,374	34.1	0.60	22.3	0.40	2,447	21.7	0.45	16.5	0.36
Melanomas of the skin	3,164	31.8	0.58	21.0	0.39	2,325	20.7	0.44	15.8	0.35
Breast (excl. *in situ*)	90	0.9	0.10	0.6	0.06	14,523	120.8	1.02	87.9	0.77
Female Genital System	-	-	-	-	-	5,989	50.7	0.67	37.7	0.52
Cervix uteri	-	-	-	-	-	914	8.9	0.30	7.0	0.24
Uterus Corpus	-	-	-	-	-	2,963	24.2	0.45	18.4	0.35
Uterus, NOS[1]	-	-	-	-	-	46	0.4	0.06	0.2	0.04
Ovary	-	-	-	-	-	1,348	11.3	0.31	7.9	0.23
Male Genital System	12,935	120.8	1.09	84.6	0.76	-	-	-	-	-
Prostate	12,242	113.4	1.05	78.0	0.72	-	-	-	-	-
Testis	539	5.8	0.25	5.6	0.24	-	-	-	-	-
Penis	127	1.3	0.12	0.8	0.07	-	-	-	-	-
Urinary System	6,813	68.6	0.86	42.7	0.53	3,029	24.9	0.46	16.8	0.33
Bladder (incl. *in situ*)	3,945	41.1	0.67	23.4	0.38	1,250	9.9	0.28	6.1	0.19
Kidney & renal pelvis	2,737	26.1	0.51	18.6	0.37	1,681	14.2	0.35	10.2	0.27
Ureter	80	0.9	0.10	0.5	0.05	70	0.6	0.07	0.3	0.04
Eye & Orbit	144	1.5	0.13	1.1	0.11	114	1.0	0.09	0.7	0.08
Brain & Other Nervous System	908	9.0	0.31	7.4	0.26	743	6.7	0.25	5.8	0.24
Brain	865	8.6	0.30	6.8	0.25	700	6.2	0.24	5.3	0.23
Endocrine System	827	8.0	0.28	6.5	0.24	2,322	22.0	0.47	18.3	0.40
Thyroid gland	741	7.1	0.27	5.6	0.21	2,265	21.5	0.46	17.8	0.39
Lymphomas	2,808	28.3	0.55	19.1	0.38	2,404	20.1	0.42	13.9	0.31
Hodgkin Lymphoma	284	2.9	0.18	2.6	0.16	257	2.5	0.16	2.3	0.16
Non-Hodgkin Lymphoma	2,524	25.4	0.52	16.5	0.34	2,147	17.5	0.38	11.6	0.27
Multiple Myeloma	773	7.7	0.29	4.8	0.18	556	4.5	0.19	2.7	0.12
Leukemias	1,846	19.1	0.46	12.9	0.33	1,372	11.6	0.32	8.4	0.27
Acute lymphocytic	157	1.7	0.13	2.1	0.18	130	1.4	0.12	1.7	0.17
Chronic lymphocytic	711	7.3	0.28	4.3	0.16	503	4.0	0.18	2.3	0.11
Acute myeloid	528	5.5	0.25	3.5	0.16	412	3.5	0.17	2.4	0.13
Chronic myeloid	243	2.5	0.17	1.7	0.11	186	1.6	0.12	1.1	0.09
Other leukemias	207	2.1	0.15	1.4	0.10	141	1.2	0.10	0.8	0.08
Mesothelioma	140	1.5	0.13	0.8	0.07	48	0.4	0.06	0.3	0.04
Kaposi Sarcoma	36	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	2,190	23.3	0.51	13.4	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	930	9.5	0.32	6.8	0.24	2,106	18.0	0.40	12.6	0.30
Breast (*in situ*)	10	0.1	0.03	0.1	0.02	2,972	24.9	0.47	18.7	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,938	631.6	10.90	427.4	6.96	3,693	455.9	7.66	311.5	5.34
Oral Cavity & Pharynx	129	18.6	1.75	13.9	1.25	48	5.6	0.83	3.9	0.58
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	32	4.1	0.76	3.4	0.61	9	1.0	0.34	0.8	0.26
Major salivary gland	10	1.4	0.46	1.1	0.36	-	-	-	-	-
Floor of mouth	8	1.1	0.41	0.9	0.34	-	-	-	-	-
Gum & other mouth	9	1.5	0.54	1.0	0.33	13	1.5	0.43	1.0	0.28
Nasopharynx	9	1.2	0.42	1.0	0.33	-	-	-	-	-
Oropharynx	9	1.4	0.52	0.9	0.31	-	-	-	-	-
Hypopharynx	16	2.6	0.70	1.6	0.41	-	-	-	-	-
Digestive System	825	131.3	4.96	88.1	3.14	740	92.0	3.45	59.3	2.29
Esophagus	53	8.2	1.21	5.6	0.79	21	2.6	0.59	1.6	0.37
Stomach	72	12.5	1.60	7.7	0.93	48	6.2	0.91	3.9	0.60
Small intestine	35	5.9	1.08	3.6	0.62	34	3.9	0.69	2.9	0.52
Colon excl. rectum	272	45.8	3.01	29.3	1.82	330	41.6	2.33	25.5	1.49
Rectum & rectosigmoid	122	19.5	1.91	13.0	1.21	91	10.8	1.16	7.1	0.78
Anus, anal canal & anorectum	13	2.1	0.63	1.5	0.41	19	2.3	0.54	1.6	0.39
Liver	128	16.2	1.50	13.2	1.19	39	4.3	0.71	3.4	0.57
Gallbladder	8	1.7	0.63	0.9	0.32	17	2.3	0.56	1.4	0.36
Pancreas	104	16.6	1.76	11.2	1.12	107	13.6	1.34	9.1	0.92
Respiratory System	863	149.6	5.50	94.5	3.29	662	84.8	3.37	54.0	2.20
Larynx	90	13.7	1.56	9.8	1.06	23	2.8	0.59	2.1	0.45
Lung & bronchus	766	134.9	5.26	83.9	3.10	635	81.5	3.31	51.7	2.14
Bones & Joints	7	1.0	0.40	0.7	0.25	6	0.7	0.29	0.6	0.25
Soft Tissue (incl. heart)	27	3.6	0.74	2.9	0.56	21	2.4	0.54	2.0	0.44
Skin (excl. basal & sq.)	15	2.1	0.59	1.5	0.40	-	-	-	-	-
Melanomas of the skin	7	1.2	0.50	0.8	0.31	12	1.5	0.44	1.1	0.33
Breast (excl. *in situ*)	8	1.3	0.53	0.9	0.30	1,089	132.2	4.09	93.6	2.93
Female Genital System	-	-	-	-	-	337	40.9	2.27	29.5	1.66
Cervix uteri	-	-	-	-	-	63	7.3	0.93	5.6	0.73
Uterus Corpus	-	-	-	-	-	164	20.2	1.61	14.5	1.17
Uterus, NOS[1]	-	-	-	-	-	7	0.9	0.35	0.6	0.24
Ovary	-	-	-	-	-	61	7.6	0.99	5.2	0.69
Male Genital System	1,133	172.1	5.50	125.3	3.80	-	-	-	-	-
Prostate	1,112	169.4	5.46	123.0	3.77	-	-	-	-	-
Testis	15	1.6	0.42	1.5	0.40	-	-	-	-	-
Penis	6	1.1	0.46	0.7	0.30	-	-	-	-	-
Urinary System	350	59.2	3.42	37.6	2.06	198	24.8	1.80	16.7	1.24
Bladder (incl. *in situ*)	143	27.7	2.48	15.6	1.34	59	7.9	1.05	4.5	0.63
Kidney & renal pelvis	199	29.8	2.26	21.1	1.53	133	16.2	1.44	11.6	1.04
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	41	6.0	1.03	4.4	0.71	33	3.5	0.63	3.3	0.59
Brain	36	5.3	0.98	3.8	0.65	26	2.8	0.57	2.5	0.51
Endocrine System	45	5.8	0.93	4.9	0.74	112	13.6	1.30	10.8	1.04
Thyroid gland	34	4.5	0.82	3.6	0.63	105	12.7	1.26	10.1	1.00
Lymphomas	163	24.1	2.05	16.9	1.34	133	15.3	1.35	11.8	1.06
Hodgkin Lymphoma	19	2.1	0.48	1.9	0.45	27	2.9	0.56	2.7	0.52
Non-Hodgkin Lymphoma	144	22.0	2.00	14.9	1.26	106	12.4	1.23	9.2	0.93
Multiple Myeloma	77	13.6	1.66	8.3	0.97	84	10.6	1.18	6.9	0.79
Leukemias	89	14.4	1.68	9.8	1.05	83	10.4	1.17	7.5	0.86
Acute lymphocytic	10	1.0	0.33	1.2	0.37	-	-	-	-	-
Chronic lymphocytic	34	6.6	1.22	3.6	0.63	22	2.9	0.63	1.7	0.38
Acute myeloid	21	3.7	0.87	2.3	0.51	38	5.0	0.84	3.4	0.57
Chronic myeloid	13	1.6	0.49	1.4	0.40	11	1.2	0.36	1.1	0.33
Other leukemias	11	1.5	0.48	1.3	0.39	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	0.8	0.32	0.7	0.28	-	-	-	-	-
Ill-defined & Unknown	151	27.1	2.39	16.1	1.34	122	16.1	1.49	9.2	0.89
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	57	8.9	1.28	6.2	0.83	160	20.0	1.61	13.7	1.12
Breast (*in situ*)	-	-	-	-	-	270	32.5	2.02	23.8	1.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	165	227.3	21.68	151.4	12.17	261	248.4	17.15	167.9	10.62
Oral Cavity & Pharynx	10	11.1	3.63	9.1	2.97	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	55	70.5	11.06	48.2	6.69	63	76.4	10.62	42.8	5.48
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	7.2	2.85	6.1	2.39	9	11.5	4.32	6.0	2.04
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	16	25.4	7.45	14.6	3.74	23	28.9	6.72	15.8	3.35
Rectum & rectosigmoid	9	9.1	3.07	8.1	2.72	9	9.3	3.30	5.9	1.97
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	11.4	4.52	7.6	2.52	9	11.4	4.21	6.7	2.25
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	7	9.3	3.66	4.6	1.76
Respiratory System	27	51.5	12.42	28.7	5.71	26	30.6	6.56	18.2	3.61
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	26	51.0	12.41	27.8	5.64	26	30.6	6.56	18.2	3.61
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	72	59.4	7.41	44.9	5.41
Female Genital System	-	-	-	-	-	30	26.3	5.39	18.7	3.49
Cervix uteri	-	-	-	-	-	7	6.5	2.68	4.5	1.72
Uterus Corpus	-	-	-	-	-	16	15.1	4.33	10.6	2.70
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	27	42.5	9.35	26.2	5.11	-	-	-	-	-
Prostate	24	41.0	9.31	24.1	4.95	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	7.8	3.04	6.8	2.59	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	28	19.4	3.77	16.2	3.11
Thyroid gland	-	-	-	-	-	28	19.4	3.77	16.2	3.11
Lymphomas	12	13.1	4.61	10.4	3.04	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	7.1	2.50	6.8	2.39	11	9.8	3.41	6.1	1.91
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	6	6.2	2.93	3.0	1.25
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	12	9.6	2.95	7.8	2.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	18	16.1	4.28	13.9	3.33
Breast (*in situ*)	-	-	-	-	-	21	17.7	4.02	13.9	3.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	395	292.1	17.81	202.3	11.18	336	244.3	14.90	168.8	9.87
Oral Cavity & Pharynx	16	9.8	2.76	7.7	2.04	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	80	63.4	8.43	42.2	5.14	53	46.8	6.96	26.1	3.79
Esophagus	7	5.8	2.43	4.2	1.65	-	-	-	-	-
Stomach	8	5.3	2.08	4.4	1.68	6	4.3	1.93	3.0	1.29
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	23	20.0	4.90	12.2	2.80	22	19.5	4.53	10.6	2.43
Rectum & rectosigmoid	13	10.0	3.41	6.6	2.10	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	10.5	2.79	8.7	2.31	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	7.9	3.67	3.8	1.60	8	8.0	2.97	4.0	1.48
Respiratory System	68	62.3	8.74	40.5	5.20	35	29.8	5.35	21.0	3.74
Larynx	6	6.4	3.01	3.9	1.70	-	-	-	-	-
Lung & bronchus	58	52.7	7.98	34.5	4.76	32	27.3	5.13	18.8	3.50
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	1.7	0.76	1.6	0.69	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	7	4.2	1.80	3.4	1.35
Breast (excl. *in situ*)	-	-	-	-	-	76	60.2	7.52	38.4	4.64
Female Genital System	-	-	-	-	-	49	34.9	5.55	25.4	3.87
Cervix uteri	-	-	-	-	-	18	9.9	2.52	8.5	2.17
Uterus Corpus	-	-	-	-	-	16	10.9	3.04	7.5	1.98
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	10.9	3.52	6.9	2.16
Male Genital System	83	67.1	8.38	49.3	5.75	-	-	-	-	-
Prostate	72	64.6	8.34	47.0	5.70	-	-	-	-	-
Testis	10	2.0	0.65	2.0	0.63	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	31.3	6.42	17.2	3.14	12	9.9	3.01	7.5	2.27
Bladder (incl. *in situ*)	13	16.5	5.00	7.6	2.23	-	-	-	-	-
Kidney & renal pelvis	22	12.7	3.41	8.9	2.10	8	6.1	2.30	4.7	1.75
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	5.1	1.91	4.7	1.53	15	6.8	2.22	6.2	1.81
Brain	11	4.9	1.91	4.5	1.51	13	6.4	2.21	5.7	1.77
Endocrine System	10	4.8	2.06	3.4	1.21	33	15.7	3.13	13.0	2.45
Thyroid gland	8	4.3	2.02	2.9	1.15	33	15.7	3.13	13.0	2.45
Lymphomas	31	16.8	4.04	11.8	2.45	18	11.2	2.96	9.2	2.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	6	6.0	2.57	3.8	1.61
Leukemias	31	17.9	4.15	13.3	2.74	13	5.7	1.83	5.6	1.71
Acute lymphocytic	7	1.3	0.49	1.8	0.67	-	-	-	-	-
Chronic lymphocytic	7	8.7	3.44	5.1	1.96	-	-	-	-	-
Acute myeloid	9	5.0	1.97	3.9	1.48	6	2.9	1.37	2.9	1.33
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	6.2	2.33	5.3	1.94	6	4.7	2.11	3.5	1.52
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	16	5.8	1.85	4.8	1.38	11	6.2	2.09	4.7	1.49
Breast (*in situ*)	-	-	-	-	-	16	10.3	2.63	8.8	2.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	59,829	592.8	2.50	392.4	1.67	55,942	470.4	2.03	330.8	1.52
Oral Cavity & Pharynx	2,266	21.3	0.46	15.5	0.33	849	7.1	0.25	5.0	0.18
Lip	206	2.2	0.16	1.3	0.09	51	0.4	0.06	0.3	0.04
Tongue	577	5.3	0.22	4.0	0.17	242	2.0	0.13	1.5	0.10
Major salivary gland	146	1.5	0.13	1.0	0.08	98	0.8	0.09	0.6	0.07
Floor of mouth	143	1.3	0.11	1.0	0.08	42	0.3	0.05	0.2	0.04
Gum & other mouth	229	2.3	0.15	1.5	0.10	163	1.3	0.11	0.8	0.07
Nasopharynx	76	0.7	0.09	0.6	0.07	28	0.3	0.05	0.2	0.04
Oropharynx	102	0.9	0.10	0.7	0.07	19	0.2	0.04	0.1	0.03
Hypopharynx	155	1.4	0.11	1.0	0.08	37	0.3	0.05	0.2	0.04
Digestive System	11,057	109.8	1.08	71.3	0.70	8,867	72.5	0.78	45.9	0.53
Esophagus	931	8.8	0.30	6.1	0.21	193	1.6	0.11	0.9	0.07
Stomach	845	8.5	0.30	5.4	0.19	472	3.9	0.18	2.5	0.12
Small intestine	283	2.8	0.17	1.9	0.11	273	2.3	0.14	1.6	0.10
Colon excl. rectum	4,087	41.9	0.68	25.7	0.41	3,978	32.4	0.52	19.8	0.34
Rectum & rectosigmoid	1,930	18.7	0.44	12.9	0.30	1,367	11.3	0.31	7.8	0.23
Anus, anal canal & anorectum	161	1.6	0.13	1.1	0.09	314	2.7	0.15	1.9	0.11
Liver	945	8.9	0.30	6.3	0.21	319	2.6	0.15	1.7	0.11
Gallbladder	62	0.6	0.08	0.4	0.05	160	1.3	0.10	0.8	0.06
Pancreas	1,443	14.4	0.39	9.2	0.25	1,287	10.4	0.29	6.3	0.19
Respiratory System	13,378	131.7	1.17	84.1	0.74	10,493	85.0	0.84	57.1	0.59
Larynx	1,025	9.4	0.30	6.9	0.22	314	2.6	0.15	2.0	0.12
Lung & bronchus	12,210	120.8	1.13	76.2	0.71	10,097	81.7	0.82	54.6	0.58
Bones & Joints	96	1.0	0.11	0.9	0.10	87	0.9	0.09	0.8	0.10
Soft Tissue (incl. heart)	350	3.7	0.20	2.7	0.15	277	2.5	0.15	2.0	0.14
Skin (excl. basal & sq.)	3,369	34.6	0.61	22.7	0.41	2,438	22.0	0.46	16.7	0.37
Melanomas of the skin	3,159	32.2	0.59	21.3	0.39	2,318	21.0	0.45	16.1	0.36
Breast (excl. *in situ*)	89	0.9	0.10	0.6	0.06	14,453	121.6	1.03	88.5	0.78
Female Genital System	-	-	-	-	-	5,943	50.9	0.68	37.9	0.52
Cervix uteri	-	-	-	-	-	898	8.9	0.30	7.0	0.24
Uterus Corpus	-	-	-	-	-	2,947	24.3	0.46	18.5	0.36
Uterus, NOS[1]	-	-	-	-	-	45	0.4	0.06	0.2	0.04
Ovary	-	-	-	-	-	1,338	11.3	0.32	8.0	0.24
Male Genital System	12,865	121.4	1.10	85.1	0.77	-	-	-	-	-
Prostate	12,182	113.9	1.06	78.4	0.72	-	-	-	-	-
Testis	530	6.0	0.26	5.7	0.25	-	-	-	-	-
Penis	126	1.3	0.12	0.8	0.07	-	-	-	-	-
Urinary System	6,778	69.0	0.86	43.0	0.54	3,018	25.1	0.47	16.9	0.34
Bladder (incl. *in situ*)	3,933	41.3	0.68	23.6	0.39	1,246	10.0	0.29	6.1	0.19
Kidney & renal pelvis	2,715	26.3	0.52	18.7	0.37	1,674	14.3	0.36	10.3	0.27
Ureter	79	0.9	0.10	0.5	0.05	70	0.6	0.07	0.3	0.04
Eye & Orbit	144	1.5	0.13	1.1	0.11	113	1.0	0.09	0.8	0.08
Brain & Other Nervous System	897	9.1	0.31	7.4	0.27	729	6.7	0.25	5.7	0.25
Brain	854	8.7	0.30	6.9	0.26	688	6.2	0.24	5.3	0.23
Endocrine System	818	8.1	0.29	6.5	0.24	2,291	22.2	0.48	18.5	0.41
Thyroid gland	733	7.2	0.27	5.7	0.22	2,234	21.6	0.47	17.9	0.40
Lymphomas	2,780	28.4	0.55	19.2	0.38	2,387	20.1	0.42	14.0	0.32
Hodgkin Lymphoma	280	3.0	0.18	2.7	0.17	254	2.6	0.16	2.4	0.16
Non-Hodgkin Lymphoma	2,500	25.4	0.52	16.5	0.35	2,133	17.6	0.39	11.6	0.27
Multiple Myeloma	771	7.8	0.29	4.8	0.18	551	4.4	0.19	2.7	0.13
Leukemias	1,816	19.1	0.46	12.9	0.33	1,359	11.7	0.32	8.4	0.28
Acute lymphocytic	150	1.7	0.14	2.1	0.18	125	1.4	0.12	1.7	0.17
Chronic lymphocytic	704	7.3	0.28	4.3	0.17	503	4.0	0.18	2.3	0.11
Acute myeloid	519	5.5	0.25	3.5	0.16	406	3.5	0.18	2.4	0.13
Chronic myeloid	238	2.5	0.17	1.6	0.11	186	1.6	0.12	1.2	0.10
Other leukemias	205	2.1	0.15	1.4	0.10	139	1.2	0.10	0.8	0.08
Mesothelioma	140	1.5	0.13	0.8	0.07	47	0.4	0.06	0.2	0.04
Kaposi Sarcoma	33	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	2,182	23.5	0.52	13.5	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	914	9.6	0.32	6.8	0.24	2,095	18.1	0.40	12.7	0.31
Breast (*in situ*)	10	0.1	0.03	0.1	0.02	2,957	25.1	0.47	18.8	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Kentucky, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,926	636.8	11.00	431.2	7.03	3,679	458.4	7.72	313.7	5.39
Oral Cavity & Pharynx	129	18.8	1.77	14.0	1.26	48	5.7	0.84	3.9	0.59
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	32	4.2	0.77	3.4	0.61	9	1.0	0.34	0.8	0.26
Major salivary gland	10	1.4	0.46	1.1	0.37	-	-	-	-	-
Floor of mouth	8	1.1	0.41	0.9	0.34	-	-	-	-	-
Gum & other mouth	9	1.5	0.54	1.0	0.33	13	1.5	0.43	1.0	0.28
Nasopharynx	9	1.2	0.43	1.0	0.33	-	-	-	-	-
Oropharynx	9	1.4	0.53	0.9	0.32	-	-	-	-	-
Hypopharynx	16	2.6	0.71	1.6	0.42	-	-	-	-	-
Digestive System	823	132.4	5.01	88.9	3.17	737	92.3	3.47	59.6	2.31
Esophagus	53	8.2	1.22	5.7	0.80	21	2.6	0.59	1.6	0.37
Stomach	72	12.7	1.62	7.8	0.94	48	6.2	0.91	4.0	0.60
Small intestine	35	6.0	1.09	3.7	0.63	34	4.0	0.69	2.9	0.52
Colon excl. rectum	271	46.2	3.04	29.6	1.84	328	41.6	2.34	25.5	1.50
Rectum & rectosigmoid	122	19.7	1.93	13.2	1.22	91	10.9	1.17	7.2	0.79
Anus, anal canal & anorectum	13	2.2	0.63	1.5	0.42	19	2.3	0.55	1.6	0.39
Liver	127	16.2	1.50	13.2	1.20	38	4.3	0.71	3.4	0.57
Gallbladder	8	1.7	0.63	0.9	0.33	17	2.3	0.57	1.4	0.36
Pancreas	104	16.7	1.78	11.3	1.13	107	13.7	1.35	9.1	0.93
Respiratory System	861	150.6	5.54	95.3	3.32	658	85.0	3.39	54.2	2.21
Larynx	90	13.9	1.58	9.9	1.07	23	2.8	0.59	2.1	0.46
Lung & bronchus	764	135.6	5.29	84.5	3.13	631	81.6	3.32	51.8	2.16
Bones & Joints	7	1.0	0.41	0.7	0.26	6	0.7	0.29	0.6	0.26
Soft Tissue (incl. heart)	27	3.6	0.75	2.9	0.57	21	2.5	0.55	2.0	0.45
Skin (excl. basal & sq.)	15	2.1	0.59	1.5	0.41	-	-	-	-	-
Melanomas of the skin	7	1.3	0.51	0.8	0.31	12	1.5	0.44	1.1	0.33
Breast (excl. *in situ*)	8	1.3	0.54	0.9	0.31	1,086	133.2	4.13	94.4	2.96
Female Genital System	-	-	-	-	-	337	41.3	2.30	29.8	1.68
Cervix uteri	-	-	-	-	-	63	7.4	0.94	5.7	0.74
Uterus Corpus	-	-	-	-	-	164	20.4	1.62	14.7	1.18
Uterus, NOS[1]	-	-	-	-	-	7	0.9	0.35	0.6	0.24
Ovary	-	-	-	-	-	61	7.6	1.00	5.2	0.70
Male Genital System	1,126	173.0	5.54	125.8	3.83	-	-	-	-	-
Prostate	1,105	170.3	5.50	123.5	3.80	-	-	-	-	-
Testis	15	1.6	0.43	1.6	0.41	-	-	-	-	-
Penis	6	1.1	0.46	0.7	0.30	-	-	-	-	-
Urinary System	350	59.9	3.45	38.1	2.08	197	24.8	1.81	16.8	1.25
Bladder (incl. *in situ*)	143	28.0	2.51	15.8	1.35	59	8.0	1.06	4.6	0.63
Kidney & renal pelvis	199	30.2	2.29	21.4	1.55	132	16.2	1.44	11.7	1.06
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	41	6.1	1.04	4.5	0.72	33	3.6	0.64	3.4	0.61
Brain	36	5.4	1.00	3.9	0.67	26	2.9	0.58	2.6	0.53
Endocrine System	45	5.9	0.95	5.0	0.75	111	13.6	1.32	10.9	1.05
Thyroid gland	34	4.5	0.83	3.7	0.64	104	12.8	1.27	10.2	1.01
Lymphomas	163	24.5	2.08	17.2	1.37	132	15.3	1.36	11.9	1.07
Hodgkin Lymphoma	19	2.1	0.49	2.0	0.46	27	2.9	0.57	2.7	0.53
Non-Hodgkin Lymphoma	144	22.4	2.02	15.2	1.28	105	12.4	1.23	9.2	0.93
Multiple Myeloma	77	13.8	1.68	8.4	0.98	84	10.7	1.19	6.9	0.80
Leukemias	88	14.5	1.70	9.8	1.07	83	10.5	1.19	7.6	0.87
Acute lymphocytic	10	1.0	0.34	1.2	0.39	-	-	-	-	-
Chronic lymphocytic	34	6.7	1.23	3.6	0.63	22	2.9	0.63	1.7	0.38
Acute myeloid	21	3.7	0.88	2.3	0.52	38	5.1	0.84	3.4	0.58
Chronic myeloid	13	1.7	0.50	1.5	0.41	11	1.2	0.37	1.1	0.33
Other leukemias	10	1.5	0.48	1.2	0.39	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	0.9	0.33	0.8	0.29	-	-	-	-	-
Ill-defined & Unknown	151	27.4	2.41	16.3	1.36	121	16.1	1.49	9.2	0.89
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	57	9.0	1.30	6.3	0.85	160	20.2	1.63	13.8	1.14
Breast (*in situ*)	-	-	-	-	-	269	32.7	2.03	24.0	1.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	64,326	595.5	2.42	399.3	1.62	53,762	417.9	1.83	292.1	1.34
Oral Cavity & Pharynx	2,263	19.8	0.43	14.4	0.31	857	6.6	0.23	4.6	0.17
Lip	136	1.4	0.12	0.8	0.07	30	0.2	0.04	0.1	0.03
Tongue	644	5.5	0.22	4.1	0.17	255	1.9	0.12	1.4	0.09
Major salivary gland	173	1.7	0.13	1.1	0.09	102	0.8	0.08	0.6	0.06
Floor of mouth	132	1.1	0.10	0.9	0.08	52	0.4	0.06	0.3	0.04
Gum & other mouth	269	2.5	0.16	1.7	0.10	194	1.5	0.11	1.0	0.08
Nasopharynx	124	1.1	0.10	0.9	0.08	31	0.3	0.05	0.2	0.04
Oropharynx	107	0.9	0.09	0.7	0.07	32	0.2	0.04	0.2	0.03
Hypopharynx	194	1.6	0.12	1.2	0.09	43	0.3	0.05	0.2	0.04
Digestive System	12,524	116.1	1.07	76.5	0.70	9,693	74.2	0.76	47.6	0.52
Esophagus	965	8.7	0.29	5.9	0.19	262	2.0	0.12	1.3	0.08
Stomach	1,136	10.8	0.33	6.9	0.21	694	5.4	0.21	3.4	0.14
Small intestine	342	3.1	0.18	2.1	0.12	299	2.3	0.13	1.6	0.10
Colon excl. rectum	4,326	41.4	0.65	26.1	0.41	4,136	31.7	0.50	20.0	0.33
Rectum & rectosigmoid	2,033	18.3	0.42	12.8	0.29	1,427	11.0	0.30	7.8	0.22
Anus, anal canal & anorectum	188	1.7	0.12	1.2	0.09	258	2.0	0.13	1.4	0.09
Liver	1,472	12.6	0.34	9.2	0.24	422	3.2	0.16	2.2	0.11
Gallbladder	93	0.9	0.10	0.5	0.06	172	1.3	0.10	0.8	0.07
Pancreas	1,589	14.9	0.39	9.5	0.25	1,604	12.2	0.31	7.1	0.19
Respiratory System	11,258	105.8	1.03	67.7	0.65	7,724	58.8	0.68	38.4	0.46
Larynx	1,059	9.3	0.30	6.7	0.21	279	2.1	0.13	1.5	0.10
Lung & bronchus	10,061	95.2	0.98	60.1	0.61	7,356	56.0	0.66	36.4	0.45
Bones & Joints	100	0.9	0.09	0.9	0.09	97	0.8	0.09	0.9	0.09
Soft Tissue (incl. heart)	443	4.1	0.20	3.2	0.16	401	3.2	0.16	2.7	0.15
Skin (excl. basal & sq.)	2,436	23.5	0.49	15.2	0.32	1,528	12.4	0.32	9.4	0.26
Melanomas of the skin	2,191	21.0	0.46	13.7	0.30	1,377	11.2	0.31	8.5	0.25
Breast (excl. *in situ*)	129	1.2	0.11	0.8	0.07	15,656	121.9	0.99	88.0	0.74
Female Genital System	-	-	-	-	-	5,293	41.5	0.58	30.8	0.44
Cervix uteri	-	-	-	-	-	1,079	9.3	0.29	7.3	0.23
Uterus Corpus	-	-	-	-	-	2,304	17.5	0.37	13.1	0.28
Uterus, NOS[1]	-	-	-	-	-	95	0.7	0.08	0.5	0.05
Ovary	-	-	-	-	-	1,246	9.6	0.28	6.8	0.20
Male Genital System	18,811	166.8	1.25	117.9	0.87	-	-	-	-	-
Prostate	18,209	161.1	1.23	113.1	0.85	-	-	-	-	-
Testis	476	4.5	0.21	4.0	0.19	-	-	-	-	-
Penis	97	0.9	0.10	0.6	0.06	-	-	-	-	-
Urinary System	6,593	62.9	0.80	40.0	0.51	3,131	23.9	0.43	16.1	0.31
Bladder (incl. *in situ*)	3,370	33.7	0.60	19.4	0.34	1,062	8.1	0.25	4.8	0.16
Kidney & renal pelvis	3,058	27.6	0.51	19.7	0.36	1,987	15.3	0.35	10.9	0.26
Ureter	103	1.1	0.11	0.6	0.06	54	0.4	0.05	0.2	0.04
Eye & Orbit	82	0.8	0.09	0.6	0.07	69	0.5	0.07	0.5	0.07
Brain & Other Nervous System	744	6.9	0.26	5.6	0.22	631	5.1	0.21	4.5	0.20
Brain	704	6.5	0.25	5.3	0.21	580	4.7	0.20	4.1	0.19
Endocrine System	763	6.8	0.25	5.4	0.20	2,143	17.9	0.39	14.7	0.33
Thyroid gland	662	6.0	0.24	4.6	0.18	2,068	17.2	0.39	14.1	0.32
Lymphomas	2,909	27.8	0.53	18.9	0.36	2,446	19.2	0.39	13.3	0.29
Hodgkin Lymphoma	348	3.2	0.17	2.8	0.15	299	2.5	0.15	2.3	0.14
Non-Hodgkin Lymphoma	2,561	24.6	0.50	16.1	0.33	2,147	16.7	0.36	11.0	0.26
Multiple Myeloma	868	8.4	0.30	5.2	0.18	716	5.5	0.21	3.6	0.14
Leukemias	1,652	16.2	0.41	10.8	0.28	1,269	10.1	0.29	7.3	0.24
Acute lymphocytic	155	1.4	0.11	1.6	0.14	138	1.2	0.10	1.4	0.13
Chronic lymphocytic	547	5.3	0.23	3.2	0.14	349	2.7	0.15	1.5	0.09
Acute myeloid	474	4.7	0.22	3.0	0.14	440	3.5	0.17	2.5	0.13
Chronic myeloid	259	2.5	0.16	1.7	0.11	185	1.5	0.11	1.1	0.08
Other leukemias	217	2.2	0.15	1.4	0.10	157	1.2	0.10	0.8	0.07
Mesothelioma	235	2.4	0.16	1.3	0.09	81	0.6	0.07	0.4	0.05
Kaposi Sarcoma	94	0.9	0.10	0.7	0.07	13	0.1	0.03	0.1	0.02
Ill-defined & Unknown	2,422	24.2	0.51	14.2	0.30	2,014	15.5	0.35	9.3	0.23
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	827	7.8	0.28	5.7	0.21	1,644	13.0	0.33	9.4	0.25
Breast (*in situ*)	16	0.2	0.04	0.1	0.03	3,304	25.6	0.45	19.0	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	46,132	582.1	2.77	387.3	1.88	38,246	422.0	2.20	295.5	1.66
Oral Cavity & Pharynx	1,712	20.8	0.51	15.1	0.37	632	6.8	0.28	4.8	0.21
Lip	129	1.8	0.16	1.0	0.09	26	0.3	0.05	0.2	0.04
Tongue	523	6.2	0.28	4.7	0.21	197	2.1	0.15	1.5	0.12
Major salivary gland	137	1.8	0.16	1.1	0.10	67	0.7	0.09	0.5	0.07
Floor of mouth	96	1.1	0.12	0.9	0.09	45	0.5	0.07	0.3	0.05
Gum & other mouth	200	2.5	0.18	1.7	0.12	142	1.5	0.13	1.0	0.09
Nasopharynx	69	0.8	0.10	0.7	0.09	17	0.2	0.05	0.1	0.04
Oropharynx	66	0.8	0.10	0.6	0.07	23	0.3	0.05	0.2	0.04
Hypopharynx	118	1.4	0.13	1.0	0.09	28	0.3	0.06	0.2	0.04
Digestive System	8,474	107.2	1.19	69.7	0.78	6,352	67.8	0.86	42.9	0.59
Esophagus	713	8.8	0.34	5.9	0.23	166	1.7	0.13	1.1	0.09
Stomach	637	8.2	0.33	5.2	0.21	341	3.7	0.20	2.3	0.14
Small intestine	216	2.7	0.19	1.8	0.13	171	1.8	0.14	1.3	0.11
Colon excl. rectum	2,973	38.6	0.73	24.0	0.46	2,729	28.9	0.56	17.9	0.38
Rectum & rectosigmoid	1,427	17.6	0.48	12.3	0.33	961	10.7	0.35	7.5	0.26
Anus, anal canal & anorectum	126	1.6	0.14	1.1	0.10	203	2.2	0.16	1.6	0.12
Liver	877	10.6	0.37	7.4	0.26	250	2.7	0.17	1.8	0.13
Gallbladder	54	0.7	0.10	0.4	0.06	96	1.0	0.10	0.6	0.07
Pancreas	1,156	14.7	0.44	9.3	0.28	1,120	11.7	0.35	6.7	0.22
Respiratory System	7,906	100.4	1.15	63.2	0.73	5,752	60.9	0.81	39.6	0.56
Larynx	715	8.7	0.33	6.1	0.23	187	2.0	0.15	1.5	0.11
Lung & bronchus	7,093	90.5	1.10	56.2	0.69	5,495	58.2	0.79	37.7	0.54
Bones & Joints	61	0.8	0.11	0.7	0.10	72	1.0	0.12	1.0	0.13
Soft Tissue (incl. heart)	313	4.1	0.24	3.1	0.19	256	3.1	0.20	2.6	0.19
Skin (excl. basal & sq.)	2,361	30.8	0.65	20.3	0.44	1,465	17.5	0.47	13.5	0.39
Melanomas of the skin	2,152	28.0	0.62	18.6	0.42	1,339	16.1	0.45	12.6	0.37
Breast (excl. *in situ*)	87	1.1	0.12	0.7	0.08	10,860	120.3	1.18	86.5	0.88
Female Genital System	-	-	-	-	-	3,604	40.7	0.70	30.3	0.54
Cervix uteri	-	-	-	-	-	637	8.5	0.35	6.8	0.28
Uterus Corpus	-	-	-	-	-	1,581	17.1	0.44	12.8	0.34
Uterus, NOS[1]	-	-	-	-	-	51	0.5	0.08	0.4	0.06
Ovary	-	-	-	-	-	908	9.9	0.34	7.0	0.25
Male Genital System	12,463	150.1	1.38	106.0	0.97	-	-	-	-	-
Prostate	11,969	143.2	1.34	100.0	0.93	-	-	-	-	-
Testis	410	5.8	0.29	5.4	0.27	-	-	-	-	-
Penis	69	0.9	0.11	0.6	0.07	-	-	-	-	-
Urinary System	5,294	67.9	0.96	43.2	0.62	2,324	24.9	0.53	16.9	0.38
Bladder (incl. *in situ*)	2,875	37.9	0.72	22.1	0.43	835	8.7	0.31	5.4	0.20
Kidney & renal pelvis	2,284	28.2	0.60	20.1	0.44	1,432	15.6	0.42	11.2	0.32
Ureter	94	1.3	0.13	0.7	0.08	45	0.4	0.07	0.3	0.04
Eye & Orbit	71	0.9	0.11	0.7	0.09	61	0.7	0.09	0.7	0.11
Brain & Other Nervous System	587	7.8	0.33	6.4	0.29	494	6.0	0.28	5.3	0.28
Brain	559	7.4	0.32	6.0	0.28	456	5.5	0.26	4.8	0.26
Endocrine System	633	8.0	0.33	6.3	0.26	1,646	20.7	0.53	17.1	0.45
Thyroid gland	567	7.2	0.31	5.5	0.24	1,597	20.2	0.52	16.6	0.44
Lymphomas	2,271	29.9	0.64	20.0	0.44	1,899	20.8	0.49	14.1	0.36
Hodgkin Lymphoma	243	3.2	0.21	2.8	0.19	201	2.6	0.19	2.4	0.18
Non-Hodgkin Lymphoma	2,028	26.6	0.60	17.1	0.40	1,698	18.2	0.45	11.8	0.32
Multiple Myeloma	514	6.8	0.31	4.0	0.18	363	3.9	0.21	2.5	0.14
Leukemias	1,314	17.6	0.50	11.8	0.36	944	10.7	0.36	8.0	0.32
Acute lymphocytic	111	1.6	0.15	1.9	0.20	113	1.6	0.16	2.1	0.21
Chronic lymphocytic	459	6.0	0.28	3.6	0.17	284	3.0	0.18	1.7	0.11
Acute myeloid	363	4.9	0.26	3.0	0.17	304	3.4	0.20	2.5	0.17
Chronic myeloid	210	2.8	0.20	1.9	0.13	129	1.4	0.13	1.0	0.10
Other leukemias	171	2.3	0.18	1.5	0.12	114	1.2	0.12	0.8	0.09
Mesothelioma	197	2.6	0.19	1.5	0.11	64	0.7	0.08	0.4	0.06
Kaposi Sarcoma	54	0.8	0.11	0.5	0.07	9	0.1	0.03	0.0	0.02
Ill-defined & Unknown	1,820	24.4	0.59	14.2	0.35	1,449	15.3	0.41	9.2	0.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	608	8.0	0.33	6.0	0.26	1,170	13.3	0.40	9.7	0.32
Breast (*in situ*)	8	0.1	0.04	0.1	0.02	2,342	26.1	0.55	19.4	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	17,563	652.2	5.29	448.7	3.43	14,970	421.0	3.51	295.2	2.49
Oral Cavity & Pharynx	535	17.6	0.81	13.3	0.58	212	5.7	0.40	4.3	0.30
Lip	7	0.2	0.10	0.2	0.07	-	-	-	-	-
Tongue	117	4.0	0.39	3.0	0.28	55	1.4	0.19	1.1	0.15
Major salivary gland	36	1.2	0.21	0.9	0.16	34	1.0	0.17	0.7	0.13
Floor of mouth	36	1.0	0.18	0.9	0.15	7	0.2	0.07	0.2	0.06
Gum & other mouth	67	2.4	0.32	1.6	0.20	49	1.4	0.20	1.0	0.14
Nasopharynx	50	1.6	0.24	1.3	0.18	9	0.2	0.08	0.2	0.07
Oropharynx	41	1.4	0.24	1.0	0.16	9	0.3	0.09	0.2	0.06
Hypopharynx	74	2.4	0.29	1.8	0.22	15	0.4	0.10	0.3	0.08
Digestive System	3,873	144.2	2.50	97.3	1.58	3,211	92.0	1.66	60.0	1.10
Esophagus	243	8.7	0.60	6.0	0.39	94	2.5	0.27	1.8	0.19
Stomach	482	19.1	0.94	12.3	0.57	331	9.8	0.55	6.0	0.34
Small intestine	122	4.6	0.45	3.1	0.28	125	3.5	0.32	2.4	0.22
Colon excl. rectum	1,308	51.1	1.52	33.1	0.93	1,368	39.5	1.09	25.7	0.72
Rectum & rectosigmoid	579	21.1	0.94	14.5	0.61	447	12.1	0.59	8.7	0.42
Anus, anal canal & anorectum	61	1.8	0.24	1.5	0.19	54	1.6	0.22	1.1	0.15
Liver	547	17.1	0.78	13.5	0.59	157	4.3	0.35	3.1	0.25
Gallbladder	36	1.6	0.29	0.9	0.16	74	2.1	0.25	1.4	0.16
Pancreas	420	16.0	0.85	10.5	0.52	463	13.6	0.65	8.2	0.40
Respiratory System	3,260	125.2	2.36	82.9	1.47	1,919	54.7	1.28	36.5	0.86
Larynx	338	11.6	0.67	8.6	0.48	92	2.4	0.25	1.8	0.20
Lung & bronchus	2,886	112.4	2.25	73.3	1.38	1,808	51.7	1.24	34.3	0.83
Bones & Joints	35	0.9	0.15	1.0	0.17	25	0.6	0.13	0.6	0.13
Soft Tissue (incl. heart)	117	3.8	0.38	3.0	0.29	138	3.7	0.32	3.0	0.27
Skin (excl. basal & sq.)	62	2.3	0.30	1.6	0.21	53	1.6	0.22	1.0	0.15
Melanomas of the skin	29	1.1	0.22	0.7	0.14	29	0.9	0.17	0.5	0.10
Breast (excl. *in situ*)	42	1.6	0.27	1.1	0.17	4,676	129.3	1.93	94.6	1.41
Female Genital System	-	-	-	-	-	1,617	45.2	1.15	32.9	0.84
Cervix uteri	-	-	-	-	-	424	11.9	0.59	8.9	0.44
Uterus Corpus	-	-	-	-	-	693	19.2	0.75	14.2	0.55
Uterus, NOS[1]	-	-	-	-	-	42	1.2	0.19	0.8	0.12
Ovary	-	-	-	-	-	321	9.0	0.51	6.3	0.37
Male Genital System	6,180	225.8	3.07	159.2	2.05	-	-	-	-	-
Prostate	6,083	222.2	3.05	156.6	2.04	-	-	-	-	-
Testis	57	1.9	0.26	1.5	0.21	-	-	-	-	-
Penis	26	1.1	0.24	0.6	0.13	-	-	-	-	-
Urinary System	1,255	49.1	1.49	32.2	0.92	786	22.5	0.82	14.9	0.55
Bladder (incl. *in situ*)	466	20.5	1.02	11.8	0.55	218	6.5	0.45	3.8	0.27
Kidney & renal pelvis	760	27.2	1.05	19.7	0.72	543	15.3	0.67	10.6	0.47
Ureter	9	0.5	0.17	0.2	0.08	9	0.2	0.08	0.2	0.06
Eye & Orbit	10	0.3	0.10	0.3	0.10	7	0.2	0.08	0.2	0.07
Brain & Other Nervous System	146	4.6	0.41	4.0	0.34	129	3.4	0.31	3.1	0.28
Brain	135	4.3	0.39	3.7	0.32	117	3.1	0.29	2.8	0.27
Endocrine System	116	3.7	0.36	3.1	0.29	460	12.3	0.59	10.1	0.48
Thyroid gland	83	2.7	0.31	2.2	0.24	434	11.6	0.57	9.4	0.46
Lymphomas	604	20.8	0.90	15.7	0.64	515	14.3	0.64	10.9	0.50
Hodgkin Lymphoma	95	2.8	0.30	2.5	0.26	88	2.2	0.24	2.2	0.23
Non-Hodgkin Lymphoma	509	18.0	0.85	13.1	0.59	427	12.1	0.60	8.8	0.44
Multiple Myeloma	346	13.6	0.79	8.8	0.48	349	10.1	0.55	6.5	0.36
Leukemias	323	12.2	0.74	8.5	0.48	306	8.7	0.51	6.2	0.37
Acute lymphocytic	39	1.0	0.17	1.1	0.18	23	0.6	0.14	0.6	0.13
Chronic lymphocytic	86	3.4	0.39	2.2	0.24	62	1.9	0.24	1.1	0.15
Acute myeloid	105	4.1	0.43	2.7	0.27	126	3.5	0.32	2.6	0.24
Chronic myeloid	47	1.7	0.26	1.2	0.17	54	1.5	0.21	1.1	0.16
Other leukemias	46	2.0	0.32	1.2	0.18	41	1.2	0.19	0.8	0.13
Mesothelioma	38	1.7	0.29	0.9	0.16	17	0.5	0.12	0.3	0.09
Kaposi Sarcoma	39	1.3	0.21	1.1	0.17	-	-	-	-	-
Ill-defined & Unknown	582	23.7	1.06	14.7	0.62	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	206	7.5	0.57	5.3	0.37	449	12.7	0.61	8.9	0.44
Breast (*in situ*)	7	0.3	0.13	0.2	0.07	934	25.4	0.85	18.9	0.63

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	406	315.0	17.80	205.1	10.39	382	234.8	12.98	162.8	8.50
Oral Cavity & Pharynx	9	6.6	2.47	4.1	1.39	12	7.4	2.27	5.1	1.47
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	132	92.6	9.10	64.6	5.73	96	65.4	7.29	41.1	4.26
Esophagus	7	4.9	2.07	3.4	1.30	-	-	-	-	-
Stomach	15	13.6	4.03	7.7	2.01	20	13.4	3.29	8.5	1.93
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	36	27.8	5.33	18.0	3.05	29	20.6	4.19	11.8	2.23
Rectum & rectosigmoid	15	8.6	2.28	7.1	1.86	9	5.8	2.10	4.0	1.35
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	41	24.2	3.95	19.5	3.12	12	5.6	1.63	4.9	1.43
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	7	3.9	1.50	3.5	1.34	17	10.7	2.74	7.7	1.88
Respiratory System	71	61.0	8.39	35.4	4.27	38	27.5	4.79	16.3	2.69
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	62	53.4	7.85	31.1	4.02	38	27.5	4.79	16.3	2.69
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	4.9	2.18	3.4	1.30	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	89	52.9	5.96	37.4	4.01
Female Genital System	-	-	-	-	-	51	26.1	3.76	21.1	2.98
Cervix uteri	-	-	-	-	-	12	6.5	1.93	5.4	1.57
Uterus Corpus	-	-	-	-	-	21	10.8	2.42	8.5	1.86
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	14	6.4	1.72	5.4	1.46
Male Genital System	83	69.9	8.46	43.6	4.85	-	-	-	-	-
Prostate	80	68.2	8.39	42.2	4.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	27.0	5.71	15.2	2.90	13	8.3	2.44	6.0	1.75
Bladder (incl. *in situ*)	20	22.2	5.44	11.0	2.48	6	4.2	1.81	2.8	1.15
Kidney & renal pelvis	7	3.8	1.44	3.6	1.37	7	4.1	1.64	3.3	1.32
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	8	4.4	1.62	4.4	1.65	7	3.5	1.34	4.0	1.62
Brain	7	3.9	1.54	3.8	1.51	6	3.0	1.24	3.2	1.37
Endocrine System	11	7.1	2.36	5.1	1.56	31	14.2	2.59	12.7	2.34
Thyroid gland	9	5.8	2.18	4.0	1.38	31	14.2	2.59	12.7	2.34
Lymphomas	24	13.4	2.81	12.1	2.54	20	11.9	2.93	9.0	2.08
Hodgkin Lymphoma	8	4.2	1.50	4.2	1.55	6	3.0	1.32	2.8	1.20
Non-Hodgkin Lymphoma	16	9.2	2.38	7.9	2.01	14	8.8	2.62	6.2	1.70
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	4.8	1.68	5.2	1.81	6	3.9	1.71	2.4	1.00
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	13	10.2	3.24	6.3	1.79	12	9.8	3.04	4.8	1.42
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	10	4.8	1.55	4.6	1.48	16	8.6	2.39	6.6	1.67
Breast (*in situ*)	-	-	-	-	-	23	11.5	2.46	9.6	2.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	19	236.9	65.67	166.7	39.01	18	162.1	38.62	136.3	32.24
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	83.7	32.60	56.5	21.47	6	52.4	21.42	45.5	18.59
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,112	398.2	13.03	260.6	8.06	1,049	329.0	10.35	225.8	7.23
Oral Cavity & Pharynx	45	13.6	2.21	10.0	1.54	17	5.3	1.32	3.3	0.83
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	2.3	0.96	1.6	0.61	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	8	3.2	1.28	1.5	0.53	7	2.0	0.79	1.3	0.52
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	217	80.8	5.96	50.7	3.54	213	71.5	4.96	44.1	3.16
Esophagus	16	5.4	1.44	3.9	1.00	6	2.1	0.87	1.1	0.48
Stomach	30	12.7	2.43	7.7	1.44	20	7.0	1.60	3.9	0.90
Small intestine	-	-	-	-	-	8	2.5	0.90	1.8	0.65
Colon excl. rectum	51	21.0	3.19	12.2	1.75	71	23.3	2.80	14.6	1.83
Rectum & rectosigmoid	37	13.4	2.41	8.4	1.42	29	9.7	1.82	6.4	1.23
Anus, anal canal & anorectum	-	-	-	-	-	8	2.7	0.96	1.6	0.59
Liver	41	13.8	2.35	9.0	1.44	15	4.9	1.27	3.5	0.93
Gallbladder	-	-	-	-	-	10	3.5	1.12	2.1	0.70
Pancreas	22	8.0	1.86	4.8	1.07	35	11.8	2.02	6.8	1.22
Respiratory System	134	54.2	4.99	32.9	2.91	86	29.3	3.19	17.7	2.00
Larynx	14	6.0	1.73	3.4	0.94	-	-	-	-	-
Lung & bronchus	117	47.5	4.67	28.9	2.73	83	28.2	3.13	17.1	1.97
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	2.3	0.80	2.3	0.75	13	3.6	1.05	3.0	0.85
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	13	3.9	1.13	3.0	0.86	19	6.1	1.43	3.9	0.92
Breast (excl. *in situ*)	-	-	-	-	-	280	86.8	5.25	62.7	3.85
Female Genital System	-	-	-	-	-	142	42.9	3.67	31.0	2.68
Cervix uteri	-	-	-	-	-	35	9.5	1.64	7.2	1.25
Uterus Corpus	-	-	-	-	-	63	19.7	2.52	14.4	1.85
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	31	9.9	1.81	6.9	1.29
Male Genital System	335	125.5	7.35	83.3	4.67	-	-	-	-	-
Prostate	313	121.1	7.26	80.0	4.61	-	-	-	-	-
Testis	17	2.6	0.68	2.6	0.65	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	111	41.3	4.24	25.6	2.50	60	18.6	2.44	13.3	1.78
Bladder (incl. *in situ*)	48	20.4	3.10	11.5	1.70	22	7.2	1.56	4.7	1.06
Kidney & renal pelvis	61	20.5	2.87	13.7	1.81	37	11.0	1.84	8.4	1.43
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	17	3.2	0.80	3.4	0.87	15	4.1	1.10	3.4	0.88
Brain	15	2.8	0.75	3.0	0.82	13	3.4	0.98	2.9	0.82
Endocrine System	26	7.2	1.54	5.6	1.14	61	16.1	2.12	14.0	1.82
Thyroid gland	24	6.6	1.47	5.1	1.09	59	15.7	2.10	13.5	1.79
Lymphomas	81	24.2	2.97	17.5	2.01	65	20.2	2.57	13.1	1.70
Hodgkin Lymphoma	11	2.4	0.76	2.3	0.72	8	2.0	0.73	1.9	0.70
Non-Hodgkin Lymphoma	70	21.8	2.87	15.1	1.88	57	18.2	2.46	11.2	1.55
Multiple Myeloma	16	6.1	1.67	3.8	0.97	13	4.1	1.14	3.2	0.91
Leukemias	45	10.9	1.84	9.8	1.51	28	8.3	1.64	5.5	1.09
Acute lymphocytic	-	-	-	-	-	9	2.0	0.70	2.2	0.74
Chronic lymphocytic	6	1.8	0.76	1.6	0.67	6	2.2	0.89	0.8	0.35
Acute myeloid	12	3.5	1.17	2.6	0.77	-	-	-	-	-
Chronic myeloid	6	2.1	0.92	1.3	0.56	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	2.5	1.04	1.3	0.52	-	-	-	-	-
Ill-defined & Unknown	43	18.6	3.16	9.1	1.42	27	8.8	1.72	5.7	1.15
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	16	4.8	1.39	3.2	0.83	35	10.1	1.74	7.2	1.27
Breast (*in situ*)	-	-	-	-	-	54	16.8	2.32	12.1	1.68

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	45,107	588.1	2.83	391.7	1.93	37,284	425.0	2.25	297.9	1.70
Oral Cavity & Pharynx	1,671	21.1	0.53	15.2	0.38	616	6.9	0.28	4.8	0.21
Lip	127	1.8	0.16	1.0	0.10	26	0.3	0.05	0.2	0.04
Tongue	516	6.3	0.29	4.8	0.22	193	2.2	0.16	1.5	0.12
Major salivary gland	136	1.9	0.17	1.2	0.11	65	0.7	0.09	0.5	0.07
Floor of mouth	93	1.1	0.12	0.9	0.09	44	0.5	0.08	0.3	0.05
Gum & other mouth	194	2.5	0.19	1.7	0.13	136	1.5	0.13	0.9	0.09
Nasopharynx	65	0.8	0.10	0.7	0.09	16	0.2	0.05	0.1	0.03
Oropharynx	65	0.8	0.10	0.6	0.07	23	0.3	0.06	0.2	0.04
Hypopharynx	117	1.4	0.13	1.0	0.10	28	0.3	0.06	0.2	0.05
Digestive System	8,272	108.1	1.22	70.3	0.80	6,158	67.7	0.88	42.9	0.60
Esophagus	698	8.9	0.34	5.9	0.23	161	1.7	0.14	1.1	0.09
Stomach	611	8.1	0.34	5.1	0.21	322	3.5	0.20	2.2	0.14
Small intestine	214	2.7	0.19	1.9	0.13	164	1.8	0.14	1.3	0.11
Colon excl. rectum	2,926	39.2	0.74	24.4	0.47	2,669	29.1	0.57	18.0	0.38
Rectum & rectosigmoid	1,393	17.7	0.49	12.5	0.34	934	10.8	0.36	7.5	0.27
Anus, anal canal & anorectum	121	1.5	0.14	1.1	0.11	196	2.2	0.16	1.6	0.12
Liver	837	10.5	0.37	7.3	0.26	236	2.6	0.17	1.7	0.13
Gallbladder	51	0.7	0.10	0.4	0.06	86	0.9	0.10	0.6	0.07
Pancreas	1,134	14.9	0.45	9.4	0.29	1,085	11.7	0.36	6.7	0.23
Respiratory System	7,779	101.7	1.18	64.1	0.75	5,674	61.9	0.83	40.3	0.57
Larynx	701	8.8	0.34	6.2	0.24	185	2.1	0.16	1.5	0.12
Lung & bronchus	6,983	91.7	1.12	57.0	0.70	5,419	59.0	0.81	38.3	0.56
Bones & Joints	59	0.8	0.11	0.7	0.11	68	1.0	0.12	1.0	0.14
Soft Tissue (incl. heart)	305	4.2	0.25	3.2	0.20	243	3.0	0.20	2.5	0.19
Skin (excl. basal & sq.)	2,344	31.8	0.67	21.0	0.46	1,446	18.1	0.49	14.0	0.40
Melanomas of the skin	2,139	28.9	0.64	19.3	0.44	1,321	16.6	0.47	13.0	0.39
Breast (excl. *in situ*)	86	1.1	0.12	0.7	0.08	10,596	121.2	1.21	87.2	0.90
Female Genital System	-	-	-	-	-	3,478	40.6	0.71	30.2	0.55
Cervix uteri	-	-	-	-	-	607	8.4	0.35	6.8	0.29
Uterus Corpus	-	-	-	-	-	1,524	17.0	0.45	12.8	0.34
Uterus, NOS[1]	-	-	-	-	-	48	0.5	0.08	0.4	0.06
Ovary	-	-	-	-	-	879	9.9	0.34	7.0	0.26
Male Genital System	12,166	151.2	1.40	107.0	1.00	-	-	-	-	-
Prostate	11,688	144.0	1.36	100.7	0.95	-	-	-	-	-
Testis	397	6.1	0.31	5.6	0.29	-	-	-	-	-
Penis	66	0.9	0.11	0.6	0.07	-	-	-	-	-
Urinary System	5,187	68.7	0.98	43.8	0.63	2,269	25.1	0.54	17.0	0.39
Bladder (incl. *in situ*)	2,829	38.4	0.74	22.4	0.44	815	8.8	0.31	5.4	0.21
Kidney & renal pelvis	2,225	28.5	0.62	20.3	0.45	1,398	15.8	0.43	11.3	0.33
Ureter	92	1.3	0.14	0.7	0.08	44	0.4	0.07	0.3	0.04
Eye & Orbit	70	1.0	0.12	0.7	0.10	59	0.7	0.10	0.7	0.11
Brain & Other Nervous System	575	7.9	0.34	6.5	0.31	479	6.0	0.29	5.4	0.29
Brain	548	7.6	0.33	6.2	0.29	443	5.5	0.27	4.9	0.27
Endocrine System	608	8.1	0.34	6.4	0.27	1,591	20.9	0.54	17.3	0.46
Thyroid gland	544	7.2	0.32	5.6	0.25	1,543	20.3	0.53	16.7	0.45
Lymphomas	2,195	30.0	0.65	20.0	0.46	1,839	20.8	0.50	14.2	0.37
Hodgkin Lymphoma	232	3.3	0.22	2.9	0.20	195	2.7	0.20	2.4	0.19
Non-Hodgkin Lymphoma	1,963	26.7	0.62	17.1	0.41	1,644	18.1	0.46	11.7	0.32
Multiple Myeloma	499	6.8	0.31	4.0	0.19	352	3.9	0.21	2.5	0.14
Leukemias	1,271	17.6	0.50	11.7	0.36	921	10.8	0.37	8.2	0.33
Acute lymphocytic	95	1.4	0.15	1.7	0.19	104	1.6	0.16	2.0	0.22
Chronic lymphocytic	454	6.1	0.29	3.6	0.18	278	3.0	0.18	1.7	0.11
Acute myeloid	351	4.9	0.27	3.0	0.17	301	3.5	0.21	2.5	0.18
Chronic myeloid	204	2.8	0.20	1.9	0.14	127	1.5	0.13	1.1	0.10
Other leukemias	167	2.3	0.19	1.5	0.12	111	1.2	0.12	0.8	0.09
Mesothelioma	193	2.7	0.20	1.5	0.11	64	0.7	0.09	0.4	0.06
Kaposi Sarcoma	47	0.7	0.11	0.5	0.07	6	0.1	0.03	0.0	0.02
Ill-defined & Unknown	1,780	24.6	0.60	14.3	0.36	1,425	15.5	0.42	9.3	0.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	592	8.2	0.34	6.2	0.27	1,138	13.3	0.41	9.8	0.33
Breast (*in situ*)	8	0.1	0.04	0.1	0.02	2,290	26.3	0.56	19.6	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Louisiana, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	17,501	655.9	5.33	451.3	3.46	14,907	422.6	3.53	296.4	2.50
Oral Cavity & Pharynx	532	17.7	0.82	13.3	0.59	211	5.8	0.40	4.3	0.30
Lip	7	0.2	0.10	0.2	0.07	-	-	-	-	-
Tongue	117	4.0	0.39	3.0	0.28	55	1.4	0.20	1.1	0.15
Major salivary gland	36	1.2	0.21	0.9	0.16	34	1.0	0.17	0.7	0.13
Floor of mouth	36	1.1	0.18	0.9	0.15	7	0.2	0.07	0.2	0.06
Gum & other mouth	66	2.4	0.32	1.6	0.20	48	1.4	0.20	1.0	0.14
Nasopharynx	50	1.6	0.25	1.3	0.18	9	0.2	0.08	0.2	0.07
Oropharynx	41	1.4	0.24	1.0	0.16	9	0.3	0.09	0.2	0.06
Hypopharynx	72	2.3	0.29	1.8	0.22	15	0.4	0.11	0.3	0.08
Digestive System	3,861	145.0	2.52	97.9	1.60	3,196	92.2	1.67	60.1	1.10
Esophagus	242	8.7	0.61	6.0	0.39	93	2.5	0.27	1.8	0.19
Stomach	478	19.1	0.94	12.3	0.57	330	9.8	0.55	6.0	0.35
Small intestine	121	4.6	0.45	3.1	0.28	125	3.5	0.32	2.4	0.22
Colon excl. rectum	1,305	51.4	1.53	33.3	0.93	1,359	39.6	1.10	25.7	0.72
Rectum & rectosigmoid	577	21.2	0.95	14.6	0.62	446	12.2	0.59	8.7	0.42
Anus, anal canal & anorectum	61	1.9	0.24	1.5	0.20	53	1.6	0.22	1.1	0.15
Liver	547	17.3	0.78	13.6	0.59	156	4.3	0.35	3.1	0.25
Gallbladder	36	1.6	0.29	0.9	0.16	74	2.1	0.25	1.4	0.16
Pancreas	420	16.2	0.85	10.6	0.52	463	13.7	0.65	8.2	0.40
Respiratory System	3,254	126.0	2.37	83.5	1.49	1,912	54.9	1.28	36.7	0.86
Larynx	338	11.7	0.68	8.7	0.48	92	2.4	0.25	1.9	0.20
Lung & bronchus	2,880	113.1	2.27	73.9	1.40	1,802	52.0	1.25	34.4	0.84
Bones & Joints	35	0.9	0.16	1.0	0.17	25	0.6	0.13	0.6	0.13
Soft Tissue (incl. heart)	116	3.9	0.38	3.1	0.29	138	3.7	0.32	3.1	0.27
Skin (excl. basal & sq.)	62	2.3	0.31	1.7	0.21	53	1.6	0.22	1.0	0.15
Melanomas of the skin	29	1.1	0.22	0.7	0.14	29	0.9	0.17	0.5	0.10
Breast (excl. *in situ*)	42	1.6	0.27	1.1	0.17	4,662	130.0	1.94	95.1	1.42
Female Genital System	-	-	-	-	-	1,609	45.4	1.15	33.0	0.85
Cervix uteri	-	-	-	-	-	422	12.0	0.59	9.0	0.45
Uterus Corpus	-	-	-	-	-	689	19.2	0.75	14.2	0.55
Uterus, NOS[1]	-	-	-	-	-	42	1.2	0.20	0.8	0.13
Ovary	-	-	-	-	-	321	9.0	0.52	6.4	0.37
Male Genital System	6,156	226.8	3.09	160.0	2.07	-	-	-	-	-
Prostate	6,061	223.4	3.07	157.5	2.05	-	-	-	-	-
Testis	56	1.9	0.26	1.5	0.21	-	-	-	-	-
Penis	25	1.1	0.23	0.6	0.13	-	-	-	-	-
Urinary System	1,251	49.4	1.50	32.4	0.93	783	22.6	0.82	14.9	0.55
Bladder (incl. *in situ*)	464	20.7	1.03	11.8	0.56	217	6.5	0.45	3.8	0.27
Kidney & renal pelvis	758	27.4	1.06	19.9	0.73	541	15.4	0.68	10.7	0.47
Ureter	9	0.5	0.17	0.2	0.08	9	0.2	0.08	0.2	0.06
Eye & Orbit	10	0.3	0.11	0.3	0.10	7	0.2	0.08	0.2	0.08
Brain & Other Nervous System	142	4.5	0.41	3.9	0.34	129	3.5	0.31	3.1	0.29
Brain	132	4.2	0.39	3.7	0.32	117	3.1	0.29	2.8	0.27
Endocrine System	116	3.7	0.36	3.1	0.29	454	12.3	0.59	10.0	0.48
Thyroid gland	83	2.8	0.32	2.2	0.25	429	11.6	0.57	9.4	0.46
Lymphomas	601	20.9	0.91	15.8	0.65	513	14.4	0.65	11.0	0.50
Hodgkin Lymphoma	95	2.9	0.30	2.6	0.26	87	2.2	0.24	2.1	0.23
Non-Hodgkin Lymphoma	506	18.1	0.86	13.2	0.59	426	12.2	0.60	8.8	0.44
Multiple Myeloma	345	13.7	0.79	8.9	0.48	347	10.1	0.55	6.5	0.36
Leukemias	321	12.2	0.74	8.5	0.48	304	8.8	0.51	6.2	0.37
Acute lymphocytic	38	1.0	0.17	1.1	0.18	23	0.6	0.14	0.6	0.13
Chronic lymphocytic	85	3.4	0.40	2.2	0.24	62	1.9	0.24	1.1	0.15
Acute myeloid	105	4.1	0.43	2.8	0.27	126	3.5	0.32	2.6	0.24
Chronic myeloid	47	1.7	0.26	1.2	0.18	53	1.5	0.21	1.1	0.16
Other leukemias	46	2.1	0.33	1.2	0.19	40	1.2	0.19	0.8	0.13
Mesothelioma	38	1.7	0.30	0.9	0.16	17	0.5	0.12	0.3	0.09
Kaposi Sarcoma	39	1.3	0.21	1.1	0.17	-	-	-	-	-
Ill-defined & Unknown	580	23.8	1.07	14.8	0.62	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	206	7.6	0.57	5.3	0.38	448	12.8	0.62	8.9	0.44
Breast (*in situ*)	7	0.3	0.13	0.2	0.07	932	25.6	0.86	19.1	0.64

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	21,434	546.3	3.83	357.9	2.61	20,473	452.8	3.27	313.9	2.45
Oral Cavity & Pharynx	762	18.4	0.69	13.4	0.50	303	6.5	0.38	4.4	0.28
Lip	51	1.3	0.19	0.8	0.11	23	0.4	0.10	0.2	0.05
Tongue	208	5.0	0.35	3.8	0.27	93	2.0	0.21	1.3	0.15
Major salivary gland	55	1.5	0.21	0.9	0.14	33	0.8	0.14	0.5	0.11
Floor of mouth	50	1.2	0.18	0.9	0.13	17	0.3	0.08	0.2	0.06
Gum & other mouth	84	2.1	0.23	1.4	0.16	59	1.3	0.18	0.9	0.14
Nasopharynx	20	0.4	0.10	0.4	0.08	7	0.2	0.06	0.1	0.05
Oropharynx	30	0.8	0.14	0.5	0.10	10	0.2	0.06	0.1	0.05
Hypopharynx	64	1.5	0.19	1.1	0.14	8	0.2	0.06	0.1	0.04
Digestive System	3,743	95.9	1.60	60.2	1.03	3,163	67.0	1.22	40.7	0.82
Esophagus	472	11.6	0.55	7.5	0.36	117	2.4	0.22	1.5	0.15
Stomach	303	7.8	0.46	4.9	0.29	160	3.4	0.28	2.1	0.19
Small intestine	118	3.0	0.28	2.0	0.19	102	2.2	0.23	1.5	0.16
Colon excl. rectum	1,211	32.0	0.94	18.9	0.57	1,305	27.6	0.78	15.8	0.50
Rectum & rectosigmoid	568	14.5	0.62	9.8	0.43	416	9.1	0.46	6.0	0.33
Anus, anal canal & anorectum	68	1.7	0.22	1.3	0.16	107	2.3	0.23	1.6	0.17
Liver	284	7.0	0.42	4.7	0.30	96	2.1	0.22	1.4	0.18
Gallbladder	29	0.7	0.14	0.4	0.09	67	1.5	0.18	0.8	0.11
Pancreas	557	14.1	0.61	8.5	0.38	570	11.7	0.50	7.0	0.33
Respiratory System	3,676	93.7	1.58	57.7	0.99	3,245	69.2	1.23	44.4	0.84
Larynx	272	6.6	0.41	4.4	0.28	73	1.6	0.19	1.2	0.14
Lung & bronchus	3,359	85.8	1.51	52.3	0.94	3,141	66.9	1.21	42.7	0.82
Bones & Joints	42	1.3	0.20	1.2	0.20	29	0.8	0.15	0.7	0.15
Soft Tissue (incl. heart)	128	3.6	0.32	2.7	0.28	103	2.5	0.25	2.0	0.24
Skin (excl. basal & sq.)	1,154	30.0	0.91	19.6	0.61	886	20.9	0.73	15.4	0.58
Melanomas of the skin	1,044	26.9	0.86	18.0	0.59	805	19.1	0.70	14.2	0.56
Breast (excl. *in situ*)	68	1.8	0.22	1.0	0.13	5,574	124.4	1.72	89.8	1.29
Female Genital System	-	-	-	-	-	2,426	53.6	1.13	40.1	0.88
Cervix uteri	-	-	-	-	-	225	6.1	0.43	4.9	0.36
Uterus Corpus	-	-	-	-	-	1,423	30.5	0.83	23.3	0.65
Uterus, NOS[1]	-	-	-	-	-	29	0.6	0.12	0.4	0.08
Ovary	-	-	-	-	-	483	10.6	0.50	7.7	0.38
Male Genital System	5,344	128.6	1.80	91.0	1.29	-	-	-	-	-
Prostate	5,084	120.2	1.72	83.6	1.20	-	-	-	-	-
Testis	204	6.9	0.49	6.6	0.48	-	-	-	-	-
Penis	46	1.2	0.19	0.7	0.10	-	-	-	-	-
Urinary System	2,698	70.4	1.39	42.5	0.86	1,099	23.6	0.73	15.6	0.52
Bladder (incl. *in situ*)	1,812	47.8	1.15	27.1	0.67	595	12.5	0.52	7.6	0.34
Kidney & renal pelvis	832	21.1	0.75	14.7	0.54	475	10.5	0.50	7.6	0.39
Ureter	37	1.0	0.17	0.5	0.09	19	0.4	0.10	0.2	0.06
Eye & Orbit	46	1.2	0.17	0.9	0.15	46	1.0	0.16	0.8	0.15
Brain & Other Nervous System	339	9.2	0.52	7.9	0.49	251	6.2	0.41	5.4	0.41
Brain	322	8.8	0.51	7.4	0.48	228	5.7	0.39	4.8	0.39
Endocrine System	298	8.2	0.49	6.5	0.42	752	20.7	0.79	17.5	0.70
Thyroid gland	271	7.4	0.47	5.8	0.38	722	19.8	0.77	16.7	0.67
Lymphomas	1,044	27.9	0.89	18.9	0.64	908	20.6	0.71	14.5	0.55
Hodgkin Lymphoma	111	3.3	0.33	3.1	0.32	96	2.9	0.31	2.8	0.31
Non-Hodgkin Lymphoma	933	24.6	0.83	15.8	0.55	812	17.7	0.64	11.7	0.46
Multiple Myeloma	264	6.8	0.43	4.1	0.26	221	4.5	0.31	2.9	0.21
Leukemias	760	20.4	0.76	14.1	0.60	543	12.1	0.54	8.8	0.48
Acute lymphocytic	52	1.7	0.24	2.3	0.35	45	1.4	0.22	1.7	0.30
Chronic lymphocytic	332	8.5	0.48	5.2	0.29	223	4.6	0.32	2.8	0.21
Acute myeloid	210	5.7	0.41	3.7	0.29	166	3.7	0.30	2.7	0.25
Chronic myeloid	91	2.5	0.26	1.6	0.19	63	1.4	0.18	1.0	0.14
Other leukemias	75	2.0	0.23	1.3	0.17	46	1.0	0.15	0.6	0.10
Mesothelioma	92	2.5	0.27	1.4	0.15	44	0.9	0.14	0.5	0.09
Kaposi Sarcoma	16	0.5	0.12	0.3	0.09	-	-	-	-	-
Ill-defined & Unknown	960	26.0	0.86	14.4	0.50	880	18.3	0.63	10.4	0.41
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	221	6.0	0.42	4.4	0.32	417	10.0	0.51	7.3	0.40
Breast (*in situ*)	10	0.3	0.09	0.2	0.08	1,492	33.9	0.90	25.5	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	20,963	542.8	3.85	355.7	2.63	20,133	452.7	3.30	313.9	2.48
Oral Cavity & Pharynx	746	18.4	0.69	13.3	0.50	299	6.5	0.39	4.4	0.28
Lip	50	1.3	0.19	0.7	0.11	22	0.4	0.09	0.2	0.05
Tongue	203	5.0	0.36	3.8	0.27	93	2.0	0.21	1.4	0.15
Major salivary gland	54	1.5	0.21	0.9	0.14	32	0.7	0.14	0.5	0.11
Floor of mouth	49	1.2	0.18	0.9	0.13	17	0.3	0.08	0.2	0.06
Gum & other mouth	83	2.1	0.23	1.4	0.16	57	1.3	0.18	0.9	0.14
Nasopharynx	20	0.4	0.10	0.4	0.08	7	0.2	0.06	0.1	0.05
Oropharynx	30	0.8	0.14	0.5	0.10	10	0.2	0.06	0.1	0.05
Hypopharynx	64	1.5	0.19	1.1	0.14	8	0.2	0.06	0.1	0.04
Digestive System	3,668	95.3	1.61	59.8	1.04	3,111	66.8	1.23	40.6	0.83
Esophagus	468	11.7	0.55	7.5	0.36	115	2.4	0.22	1.5	0.15
Stomach	298	7.7	0.46	4.9	0.29	157	3.4	0.28	2.1	0.19
Small intestine	116	3.0	0.28	1.9	0.19	100	2.2	0.23	1.5	0.16
Colon excl. rectum	1,183	31.7	0.94	18.7	0.57	1,286	27.5	0.79	15.7	0.50
Rectum & rectosigmoid	560	14.5	0.63	9.8	0.44	406	9.1	0.47	6.0	0.33
Anus, anal canal & anorectum	67	1.8	0.22	1.3	0.16	106	2.3	0.23	1.6	0.17
Liver	269	6.7	0.42	4.4	0.29	91	2.0	0.21	1.3	0.19
Gallbladder	28	0.7	0.14	0.4	0.08	67	1.5	0.18	0.8	0.11
Pancreas	550	14.2	0.62	8.5	0.38	563	11.7	0.51	7.0	0.33
Respiratory System	3,650	94.3	1.59	58.1	1.00	3,212	69.5	1.25	44.7	0.86
Larynx	269	6.6	0.41	4.4	0.28	72	1.6	0.19	1.2	0.14
Lung & bronchus	3,336	86.4	1.53	52.6	0.95	3,109	67.2	1.22	42.9	0.83
Bones & Joints	40	1.2	0.20	1.1	0.21	26	0.7	0.14	0.6	0.13
Soft Tissue (incl. heart)	124	3.5	0.33	2.8	0.29	102	2.5	0.26	2.1	0.25
Skin (excl. basal & sq.)	1,113	29.5	0.91	19.3	0.62	843	20.4	0.73	15.0	0.58
Melanomas of the skin	1,008	26.5	0.86	17.8	0.59	766	18.6	0.70	13.9	0.56
Breast (excl. *in situ*)	66	1.8	0.22	1.0	0.13	5,490	124.7	1.74	90.0	1.30
Female Genital System	-	-	-	-	-	2,390	53.7	1.14	40.2	0.89
Cervix uteri	-	-	-	-	-	217	6.1	0.43	4.9	0.36
Uterus Corpus	-	-	-	-	-	1,408	30.6	0.84	23.4	0.65
Uterus, NOS[1]	-	-	-	-	-	28	0.6	0.12	0.4	0.08
Ovary	-	-	-	-	-	476	10.7	0.51	7.7	0.39
Male Genital System	5,154	125.9	1.80	89.4	1.30	-	-	-	-	-
Prostate	4,898	117.4	1.72	81.8	1.19	-	-	-	-	-
Testis	201	7.1	0.51	6.7	0.49	-	-	-	-	-
Penis	45	1.2	0.19	0.7	0.10	-	-	-	-	-
Urinary System	2,661	70.5	1.40	42.6	0.87	1,087	23.7	0.74	15.7	0.53
Bladder (incl. *in situ*)	1,788	47.8	1.15	27.1	0.67	589	12.5	0.53	7.7	0.35
Kidney & renal pelvis	819	21.1	0.76	14.7	0.55	469	10.6	0.50	7.6	0.40
Ureter	37	1.0	0.17	0.5	0.09	19	0.4	0.10	0.3	0.06
Eye & Orbit	44	1.1	0.18	0.9	0.16	45	1.0	0.16	0.8	0.16
Brain & Other Nervous System	335	9.3	0.53	8.0	0.51	248	6.3	0.42	5.4	0.42
Brain	318	8.9	0.52	7.5	0.49	227	5.8	0.40	4.9	0.40
Endocrine System	290	8.2	0.50	6.6	0.43	732	20.7	0.80	17.5	0.71
Thyroid gland	264	7.4	0.47	5.8	0.38	703	19.9	0.78	16.7	0.68
Lymphomas	1,020	27.8	0.90	18.8	0.65	890	20.5	0.72	14.4	0.56
Hodgkin Lymphoma	110	3.5	0.34	3.2	0.33	93	2.9	0.31	2.8	0.32
Non-Hodgkin Lymphoma	910	24.4	0.83	15.6	0.56	797	17.6	0.64	11.6	0.46
Multiple Myeloma	258	6.7	0.43	4.1	0.26	217	4.5	0.31	2.8	0.21
Leukemias	741	20.2	0.76	14.0	0.61	532	12.1	0.55	8.7	0.49
Acute lymphocytic	47	1.6	0.25	2.2	0.36	44	1.4	0.23	1.7	0.31
Chronic lymphocytic	327	8.5	0.48	5.2	0.30	219	4.6	0.32	2.8	0.21
Acute myeloid	206	5.7	0.41	3.7	0.29	163	3.7	0.31	2.7	0.26
Chronic myeloid	88	2.4	0.26	1.6	0.19	60	1.3	0.18	0.9	0.14
Other leukemias	73	2.0	0.24	1.3	0.17	46	1.0	0.15	0.6	0.10
Mesothelioma	91	2.5	0.27	1.4	0.15	44	0.9	0.14	0.5	0.09
Kaposi Sarcoma	14	0.4	0.11	0.3	0.08	-	-	-	-	-
Ill-defined & Unknown	948	26.1	0.86	14.3	0.50	865	18.2	0.64	10.4	0.42
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	215	5.9	0.42	4.3	0.33	409	10.0	0.52	7.3	0.41
Breast (*in situ*)	10	0.3	0.10	0.2	0.08	1,460	33.7	0.91	25.3	0.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	110	411.2	44.83	308.3	30.84	57	266.4	37.64	208.1	28.58
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	73.9	17.57	58.2	13.05	13	64.7	18.97	49.7	14.10
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	33.9	14.42	22.7	8.94	6	38.2	16.35	26.3	10.94
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	29.0	13.54	18.4	7.82	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	16	69.1	18.07	55.9	14.46
Female Genital System	-	-	-	-	-	7	30.9	12.67	24.1	9.53
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	42	158.7	27.55	120.5	19.39	-	-	-	-	-
Prostate	41	157.1	27.50	118.4	19.28	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	37.1	13.77	27.4	9.07	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	16.7	6.88	15.0	6.30	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	18.4	7.83	16.1	6.91	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	26.0	13.20	18.3	7.92	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	51	233.2	36.30	163.5	23.55	89	288.9	35.36	193.8	21.34
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	72.6	18.88	50.9	12.26	14	41.3	11.42	31.9	8.74
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	30.3	14.27	15.9	6.62	6	18.6	7.88	13.5	5.66
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	26.4	9.35	21.4	7.61	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	32.8	13.70	22.6	8.71	9	42.1	14.72	18.2	6.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	29.5	13.29	20.2	8.36	9	42.1	14.72	18.2	6.28
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	27	84.9	19.00	55.8	10.97
Female Genital System	-	-	-	-	-	11	32.6	10.77	20.8	6.38
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	8	44.5	16.81	30.1	10.79	-	-	-	-	-
Prostate	8	44.5	16.81	30.1	10.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	8	18.5	6.92	15.4	5.48
Thyroid gland	-	-	-	-	-	7	14.1	5.36	13.7	5.24
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	8	18.8	6.64	15.4	5.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	55	540.8	77.28	407.4	55.81	39	345.9	59.08	251.4	40.57
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	113.3	36.01	81.6	25.01	8	62.8	22.52	50.7	18.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	71.8	27.99	55.1	21.05	6	54.5	24.71	36.3	15.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	61.8	26.16	47.8	19.75	6	54.5	24.71	36.3	15.02
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	10	80.9	25.96	65.2	20.72
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	15	151.4	42.22	109.3	28.59	-	-	-	-	-
Prostate	14	145.5	41.81	102.2	27.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	79.0	29.97	53.6	19.31	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	74	350.6	44.57	223.5	27.16	48	190.1	28.60	122.4	18.31
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	15	66.8	18.32	48.6	12.94	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	11	68.0	21.22	34.5	11.00	11	46.8	14.57	28.6	8.93
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	64.9	21.00	32.2	10.77	11	46.8	14.57	28.6	8.93
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	13	41.3	11.71	33.9	9.58
Female Genital System	-	-	-	-	-	6	22.0	9.33	15.3	6.36
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	56.8	17.80	38.0	11.34	-	-	-	-	-
Prostate	9	48.6	17.11	30.8	10.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	64.8	19.99	36.1	10.98	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	35.5	14.20	23.6	9.43	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	6	30.4	12.56	14.2	6.13
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	13	40.2	11.23	33.2	9.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	20,899	543.8	3.86	356.5	2.64	20,094	454.6	3.32	315.4	2.50
Oral Cavity & Pharynx	743	18.4	0.69	13.3	0.51	297	6.5	0.39	4.4	0.29
Lip	50	1.3	0.19	0.7	0.11	22	0.4	0.10	0.2	0.05
Tongue	201	4.9	0.36	3.8	0.27	93	2.0	0.21	1.4	0.15
Major salivary gland	54	1.5	0.21	0.9	0.14	32	0.7	0.14	0.5	0.11
Floor of mouth	48	1.2	0.18	0.9	0.13	17	0.3	0.08	0.2	0.06
Gum & other mouth	83	2.1	0.23	1.4	0.16	57	1.4	0.19	0.9	0.14
Nasopharynx	20	0.4	0.10	0.4	0.08	7	0.2	0.06	0.1	0.05
Oropharynx	30	0.8	0.15	0.5	0.10	10	0.2	0.07	0.1	0.05
Hypopharynx	64	1.5	0.20	1.1	0.14	8	0.2	0.06	0.1	0.04
Digestive System	3,653	95.4	1.62	59.8	1.04	3,110	67.1	1.24	40.8	0.83
Esophagus	466	11.7	0.56	7.5	0.36	115	2.4	0.23	1.5	0.15
Stomach	297	7.8	0.46	4.9	0.30	157	3.4	0.28	2.1	0.19
Small intestine	114	2.9	0.28	1.9	0.19	100	2.2	0.23	1.5	0.16
Colon excl. rectum	1,181	31.7	0.94	18.8	0.58	1,286	27.6	0.79	15.8	0.50
Rectum & rectosigmoid	558	14.6	0.63	9.9	0.44	406	9.2	0.47	6.0	0.33
Anus, anal canal & anorectum	67	1.8	0.22	1.3	0.16	106	2.3	0.23	1.6	0.17
Liver	267	6.7	0.42	4.4	0.29	91	2.0	0.22	1.3	0.19
Gallbladder	28	0.7	0.14	0.4	0.09	67	1.5	0.19	0.8	0.11
Pancreas	547	14.2	0.62	8.5	0.38	563	11.8	0.51	7.0	0.33
Respiratory System	3,640	94.4	1.60	58.2	1.01	3,203	69.6	1.25	44.8	0.86
Larynx	268	6.6	0.41	4.4	0.28	72	1.6	0.19	1.2	0.14
Lung & bronchus	3,327	86.5	1.53	52.8	0.95	3,100	67.3	1.23	43.0	0.83
Bones & Joints	40	1.2	0.20	1.2	0.21	26	0.7	0.14	0.6	0.13
Soft Tissue (incl. heart)	124	3.6	0.33	2.8	0.29	102	2.5	0.26	2.1	0.25
Skin (excl. basal & sq.)	1,112	29.6	0.91	19.4	0.62	842	20.5	0.74	15.1	0.59
Melanomas of the skin	1,007	26.6	0.86	17.9	0.60	765	18.8	0.71	14.0	0.57
Breast (excl. *in situ*)	66	1.8	0.23	1.0	0.13	5,481	125.2	1.75	90.4	1.31
Female Genital System	-	-	-	-	-	2,385	53.9	1.14	40.4	0.89
Cervix uteri	-	-	-	-	-	216	6.1	0.44	4.9	0.36
Uterus Corpus	-	-	-	-	-	1,405	30.7	0.84	23.5	0.66
Uterus, NOS[1]	-	-	-	-	-	28	0.6	0.12	0.4	0.08
Ovary	-	-	-	-	-	475	10.7	0.51	7.8	0.39
Male Genital System	5,144	126.3	1.81	89.6	1.30	-	-	-	-	-
Prostate	4,890	117.7	1.72	82.1	1.20	-	-	-	-	-
Testis	199	7.1	0.51	6.8	0.50	-	-	-	-	-
Penis	45	1.2	0.19	0.7	0.11	-	-	-	-	-
Urinary System	2,653	70.6	1.40	42.7	0.88	1,085	23.8	0.74	15.7	0.54
Bladder (incl. *in situ*)	1,785	47.9	1.16	27.2	0.67	588	12.5	0.53	7.7	0.35
Kidney & renal pelvis	814	21.1	0.76	14.7	0.55	468	10.6	0.51	7.7	0.40
Ureter	37	1.0	0.17	0.5	0.09	19	0.4	0.10	0.3	0.06
Eye & Orbit	44	1.1	0.18	0.9	0.16	45	1.0	0.16	0.9	0.16
Brain & Other Nervous System	331	9.3	0.53	7.9	0.51	248	6.3	0.43	5.4	0.42
Brain	314	8.8	0.52	7.5	0.50	227	5.8	0.41	5.0	0.41
Endocrine System	288	8.2	0.50	6.6	0.43	730	20.9	0.81	17.7	0.72
Thyroid gland	263	7.4	0.47	5.8	0.39	701	20.0	0.79	16.8	0.69
Lymphomas	1,016	27.9	0.90	18.8	0.65	889	20.6	0.72	14.5	0.57
Hodgkin Lymphoma	108	3.4	0.34	3.2	0.33	93	3.0	0.32	2.8	0.32
Non-Hodgkin Lymphoma	908	24.4	0.83	15.7	0.56	796	17.7	0.65	11.7	0.47
Multiple Myeloma	254	6.6	0.43	4.0	0.26	216	4.5	0.31	2.8	0.21
Leukemias	740	20.3	0.77	14.1	0.61	532	12.2	0.55	8.8	0.50
Acute lymphocytic	47	1.7	0.25	2.3	0.37	44	1.5	0.23	1.8	0.32
Chronic lymphocytic	327	8.5	0.48	5.2	0.30	219	4.6	0.32	2.8	0.21
Acute myeloid	205	5.7	0.41	3.7	0.29	163	3.8	0.31	2.7	0.27
Chronic myeloid	88	2.4	0.26	1.6	0.19	60	1.3	0.18	0.9	0.14
Other leukemias	73	2.0	0.24	1.3	0.17	46	1.0	0.15	0.6	0.10
Mesothelioma	91	2.5	0.27	1.4	0.15	44	0.9	0.15	0.5	0.09
Kaposi Sarcoma	14	0.4	0.11	0.3	0.08	-	-	-	-	-
Ill-defined & Unknown	946	26.1	0.87	14.3	0.50	859	18.2	0.64	10.4	0.42
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	212	5.9	0.42	4.3	0.32	409	10.1	0.52	7.4	0.41
Breast (*in situ*)	10	0.3	0.10	0.2	0.08	1,449	33.6	0.91	25.3	0.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maine, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	107	425.8	47.07	317.5	32.09	55	272.8	39.22	211.7	29.55
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	77.6	18.37	61.1	13.69	13	67.8	19.73	52.2	14.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	35.6	15.28	23.7	9.31	6	40.8	17.47	28.0	11.68
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	30.5	14.41	19.3	8.18	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	14	64.0	17.90	50.5	13.91
Female Genital System	-	-	-	-	-	7	32.9	13.51	25.6	10.14
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	41	163.8	28.77	124.1	20.15	-	-	-	-	-
Prostate	40	161.9	28.71	121.8	20.02	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	36.7	14.47	26.7	9.31	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	17.6	7.26	15.8	6.66	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	19.2	8.15	16.8	7.21	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	70,479	512.0	1.99	340.5	1.32	70,998	419.5	1.60	290.8	1.17
Oral Cavity & Pharynx	2,351	16.0	0.34	11.5	0.24	992	5.8	0.19	4.1	0.14
Lip	58	0.4	0.06	0.3	0.04	29	0.2	0.03	0.1	0.02
Tongue	776	5.2	0.19	3.8	0.14	296	1.7	0.10	1.2	0.08
Major salivary gland	220	1.7	0.12	1.1	0.07	172	1.0	0.08	0.8	0.06
Floor of mouth	117	0.8	0.08	0.6	0.05	43	0.2	0.04	0.2	0.03
Gum & other mouth	246	1.8	0.12	1.2	0.08	206	1.2	0.09	0.8	0.06
Nasopharynx	114	0.8	0.07	0.6	0.06	52	0.3	0.04	0.2	0.03
Oropharynx	109	0.7	0.07	0.5	0.05	38	0.2	0.04	0.1	0.02
Hypopharynx	186	1.3	0.10	0.9	0.07	44	0.3	0.04	0.2	0.03
Digestive System	13,027	95.7	0.86	61.0	0.55	11,203	65.2	0.63	41.0	0.42
Esophagus	1,143	8.3	0.25	5.4	0.16	291	1.7	0.10	1.0	0.06
Stomach	1,199	9.1	0.27	5.6	0.17	813	4.7	0.17	3.0	0.11
Small intestine	408	2.9	0.15	2.0	0.10	371	2.1	0.11	1.5	0.08
Colon excl. rectum	4,119	31.1	0.50	18.9	0.30	4,484	26.1	0.40	15.8	0.26
Rectum & rectosigmoid	1,840	13.1	0.32	8.8	0.21	1,453	8.5	0.23	5.8	0.16
Anus, anal canal & anorectum	216	1.5	0.10	1.1	0.08	340	1.9	0.11	1.4	0.08
Liver	1,560	10.3	0.27	7.6	0.20	515	3.0	0.13	2.0	0.10
Gallbladder	108	0.9	0.08	0.5	0.05	235	1.4	0.09	0.8	0.06
Pancreas	1,919	14.4	0.34	8.8	0.21	1,962	11.5	0.26	7.0	0.17
Respiratory System	10,219	77.0	0.79	47.2	0.48	9,493	56.1	0.58	35.0	0.38
Larynx	812	5.7	0.21	3.9	0.14	242	1.4	0.09	1.0	0.06
Lung & bronchus	9,225	70.0	0.75	42.3	0.45	9,122	53.9	0.57	33.5	0.37
Bones & Joints	138	1.0	0.09	0.9	0.08	115	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	515	3.8	0.17	2.8	0.13	434	2.6	0.13	2.1	0.11
Skin (excl. basal & sq.)	3,981	29.5	0.48	19.1	0.31	2,846	17.2	0.33	12.8	0.26
Melanomas of the skin	3,712	27.4	0.46	17.9	0.30	2,646	16.1	0.32	12.0	0.25
Breast (excl. *in situ*)	248	1.8	0.12	1.2	0.08	22,090	129.9	0.89	93.7	0.66
Female Genital System	-	-	-	-	-	8,218	47.9	0.54	35.1	0.40
Cervix uteri	-	-	-	-	-	1,062	6.7	0.21	5.2	0.17
Uterus Corpus	-	-	-	-	-	4,288	24.4	0.38	18.2	0.29
Uterus, NOS[1]	-	-	-	-	-	183	1.1	0.08	0.7	0.06
Ovary	-	-	-	-	-	1,964	11.5	0.26	8.1	0.19
Male Genital System	21,392	146.4	1.03	106.1	0.74	-	-	-	-	-
Prostate	20,665	141.1	1.01	101.4	0.72	-	-	-	-	-
Testis	619	4.5	0.18	4.1	0.17	-	-	-	-	-
Penis	83	0.6	0.07	0.4	0.05	-	-	-	-	-
Urinary System	7,334	55.8	0.67	33.7	0.41	3,459	20.4	0.35	13.2	0.24
Bladder (incl. *in situ*)	4,349	34.5	0.54	19.1	0.30	1,543	9.1	0.23	5.2	0.14
Kidney & renal pelvis	2,849	20.2	0.39	14.0	0.27	1,829	10.8	0.26	7.7	0.19
Ureter	90	0.7	0.08	0.4	0.04	53	0.3	0.05	0.2	0.03
Eye & Orbit	66	0.5	0.06	0.5	0.06	73	0.4	0.05	0.4	0.05
Brain & Other Nervous System	1,061	7.7	0.24	6.1	0.20	865	5.4	0.19	4.6	0.18
Brain	1,004	7.3	0.23	5.8	0.19	778	4.9	0.18	4.0	0.16
Endocrine System	1,190	8.2	0.24	6.6	0.20	3,391	21.4	0.37	17.5	0.31
Thyroid gland	1,058	7.3	0.23	5.7	0.18	3,277	20.7	0.37	16.9	0.30
Lymphomas	3,291	24.3	0.43	16.9	0.31	2,858	17.2	0.33	12.2	0.25
Hodgkin Lymphoma	461	3.3	0.16	3.0	0.14	351	2.3	0.13	2.1	0.12
Non-Hodgkin Lymphoma	2,830	21.0	0.41	13.9	0.27	2,507	14.9	0.30	10.1	0.22
Multiple Myeloma	1,004	7.5	0.24	4.6	0.15	970	5.6	0.18	3.6	0.12
Leukemias	2,008	15.6	0.36	10.3	0.25	1,608	9.7	0.25	7.2	0.21
Acute lymphocytic	200	1.5	0.11	1.7	0.12	189	1.3	0.10	1.6	0.13
Chronic lymphocytic	622	4.9	0.20	2.7	0.11	452	2.6	0.12	1.5	0.08
Acute myeloid	627	4.8	0.20	3.2	0.14	563	3.4	0.15	2.5	0.12
Chronic myeloid	251	1.9	0.13	1.3	0.08	172	1.0	0.08	0.7	0.06
Other leukemias	308	2.5	0.14	1.5	0.09	232	1.4	0.09	0.9	0.07
Mesothelioma	205	1.7	0.12	0.9	0.06	75	0.5	0.05	0.3	0.03
Kaposi Sarcoma	96	0.7	0.07	0.6	0.06	14	0.1	0.03	0.1	0.02
Ill-defined & Unknown	2,353	18.7	0.40	10.5	0.23	2,294	13.2	0.28	7.4	0.17
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,036	7.6	0.24	5.5	0.18	2,140	12.9	0.28	9.1	0.22
Breast (*in situ*)	35	0.2	0.04	0.2	0.03	5,824	34.1	0.45	25.8	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	49,686	506.7	2.33	334.1	1.57	49,247	430.7	1.99	299.1	1.49
Oral Cavity & Pharynx	1,794	17.3	0.42	12.5	0.30	744	6.5	0.24	4.5	0.18
Lip	50	0.5	0.08	0.3	0.05	26	0.2	0.04	0.1	0.03
Tongue	665	6.3	0.25	4.7	0.19	247	2.2	0.14	1.5	0.11
Major salivary gland	164	1.8	0.14	1.1	0.09	120	1.1	0.10	0.8	0.09
Floor of mouth	91	0.9	0.09	0.6	0.07	34	0.3	0.05	0.2	0.03
Gum & other mouth	165	1.7	0.13	1.1	0.09	145	1.2	0.11	0.8	0.07
Nasopharynx	57	0.6	0.08	0.4	0.06	27	0.2	0.05	0.2	0.04
Oropharynx	70	0.6	0.08	0.5	0.06	26	0.2	0.04	0.1	0.03
Hypopharynx	117	1.2	0.11	0.8	0.07	29	0.2	0.05	0.2	0.04
Digestive System	8,741	89.6	0.98	56.4	0.63	7,223	60.5	0.73	37.8	0.50
Esophagus	896	9.1	0.31	5.8	0.20	203	1.7	0.12	1.0	0.08
Stomach	701	7.3	0.28	4.4	0.17	421	3.5	0.18	2.2	0.12
Small intestine	253	2.6	0.16	1.7	0.11	213	1.8	0.13	1.2	0.09
Colon excl. rectum	2,821	29.5	0.57	17.8	0.35	2,943	24.5	0.46	14.5	0.30
Rectum & rectosigmoid	1,327	13.3	0.37	9.0	0.26	964	8.3	0.27	5.7	0.20
Anus, anal canal & anorectum	133	1.3	0.12	0.9	0.08	256	2.2	0.14	1.7	0.11
Liver	839	8.0	0.28	5.7	0.20	293	2.5	0.15	1.6	0.11
Gallbladder	66	0.7	0.09	0.4	0.05	152	1.3	0.10	0.7	0.06
Pancreas	1,323	13.8	0.39	8.3	0.24	1,279	10.6	0.30	6.4	0.20
Respiratory System	7,348	76.6	0.91	46.4	0.56	6,997	59.3	0.72	36.8	0.48
Larynx	547	5.4	0.24	3.6	0.16	163	1.4	0.11	1.0	0.08
Lung & bronchus	6,682	69.9	0.87	41.8	0.53	6,750	57.2	0.71	35.3	0.47
Bones & Joints	97	1.1	0.11	1.0	0.11	82	0.9	0.10	0.8	0.10
Soft Tissue (incl. heart)	355	3.8	0.21	2.8	0.16	260	2.3	0.15	1.9	0.14
Skin (excl. basal & sq.)	3,789	39.2	0.65	25.9	0.44	2,676	25.0	0.50	18.9	0.40
Melanomas of the skin	3,571	36.8	0.63	24.5	0.43	2,529	23.7	0.49	18.0	0.39
Breast (excl. *in situ*)	157	1.6	0.13	1.0	0.08	14,819	130.3	1.10	93.6	0.82
Female Genital System	-	-	-	-	-	5,624	49.1	0.67	36.2	0.51
Cervix uteri	-	-	-	-	-	585	6.0	0.26	4.8	0.21
Uterus Corpus	-	-	-	-	-	2,981	25.3	0.47	19.1	0.36
Uterus, NOS[1]	-	-	-	-	-	110	0.9	0.09	0.6	0.07
Ovary	-	-	-	-	-	1,402	12.2	0.33	8.6	0.25
Male Genital System	13,327	128.8	1.14	93.0	0.83	-	-	-	-	-
Prostate	12,737	122.0	1.11	87.1	0.79	-	-	-	-	-
Testis	517	6.0	0.27	5.5	0.25	-	-	-	-	-
Penis	55	0.6	0.08	0.4	0.05	-	-	-	-	-
Urinary System	5,746	60.2	0.81	36.1	0.50	2,442	20.8	0.43	13.4	0.30
Bladder (incl. *in situ*)	3,643	39.0	0.66	21.7	0.38	1,188	9.8	0.29	5.7	0.18
Kidney & renal pelvis	1,993	20.0	0.46	13.8	0.32	1,191	10.4	0.31	7.4	0.24
Ureter	77	0.8	0.10	0.5	0.05	44	0.4	0.06	0.2	0.04
Eye & Orbit	53	0.6	0.08	0.5	0.09	65	0.6	0.07	0.5	0.07
Brain & Other Nervous System	814	8.6	0.31	6.8	0.26	633	6.0	0.25	5.0	0.24
Brain	771	8.1	0.30	6.4	0.26	580	5.5	0.24	4.5	0.22
Endocrine System	898	9.1	0.31	7.3	0.25	2,315	23.6	0.51	19.5	0.43
Thyroid gland	825	8.4	0.30	6.6	0.24	2,258	23.1	0.50	19.0	0.42
Lymphomas	2,482	26.0	0.53	17.9	0.39	2,076	18.5	0.42	13.0	0.33
Hodgkin Lymphoma	304	3.4	0.20	3.1	0.19	236	2.6	0.17	2.3	0.16
Non-Hodgkin Lymphoma	2,178	22.7	0.50	14.8	0.34	1,840	15.9	0.38	10.8	0.28
Multiple Myeloma	585	6.1	0.26	3.7	0.16	486	4.0	0.19	2.5	0.12
Leukemias	1,515	16.5	0.43	10.9	0.32	1,129	10.0	0.31	7.4	0.28
Acute lymphocytic	137	1.6	0.14	1.8	0.17	124	1.4	0.13	1.8	0.19
Chronic lymphocytic	481	5.1	0.24	2.8	0.13	337	2.7	0.15	1.6	0.10
Acute myeloid	474	5.1	0.24	3.4	0.17	383	3.4	0.18	2.5	0.15
Chronic myeloid	182	2.0	0.15	1.3	0.10	117	1.0	0.10	0.7	0.07
Other leukemias	241	2.7	0.17	1.6	0.11	168	1.4	0.11	0.8	0.08
Mesothelioma	178	2.0	0.15	1.1	0.08	64	0.6	0.07	0.3	0.05
Kaposi Sarcoma	32	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,775	19.3	0.47	10.7	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	716	7.6	0.29	5.4	0.22	1,447	12.9	0.35	9.1	0.27
Breast (*in situ*)	17	0.2	0.04	0.1	0.03	3,805	34.0	0.56	25.9	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	17,622	542.1	4.43	370.9	2.83	18,217	399.5	3.05	276.7	2.11
Oral Cavity & Pharynx	468	13.2	0.66	9.7	0.45	198	4.2	0.31	3.1	0.22
Lip	6	0.2	0.07	0.1	0.05	-	-	-	-	-
Tongue	90	2.6	0.29	1.9	0.20	36	0.8	0.13	0.6	0.10
Major salivary gland	48	1.4	0.21	1.0	0.14	44	0.9	0.14	0.7	0.11
Floor of mouth	23	0.6	0.13	0.5	0.10	8	0.2	0.07	0.1	0.03
Gum & other mouth	61	1.9	0.26	1.3	0.17	45	1.0	0.15	0.7	0.11
Nasopharynx	37	0.9	0.16	0.8	0.13	17	0.3	0.08	0.3	0.07
Oropharynx	38	1.2	0.20	0.8	0.13	12	0.3	0.08	0.2	0.05
Hypopharynx	67	1.9	0.25	1.4	0.17	14	0.3	0.08	0.2	0.06
Digestive System	3,605	114.6	2.09	74.6	1.26	3,401	77.2	1.37	48.8	0.86
Esophagus	227	7.2	0.52	4.9	0.33	83	1.9	0.22	1.2	0.13
Stomach	379	13.2	0.74	7.9	0.41	303	7.1	0.42	4.3	0.25
Small intestine	133	4.1	0.39	2.8	0.25	138	3.0	0.26	2.0	0.17
Colon excl. rectum	1,117	37.8	1.24	23.2	0.70	1,348	30.7	0.86	19.1	0.54
Rectum & rectosigmoid	408	12.4	0.67	8.4	0.42	393	8.6	0.44	5.7	0.30
Anus, anal canal & anorectum	81	2.0	0.23	1.6	0.18	77	1.6	0.18	1.2	0.13
Liver	603	15.9	0.70	12.2	0.50	182	3.8	0.29	2.8	0.22
Gallbladder	36	1.3	0.24	0.8	0.13	74	1.7	0.21	1.0	0.13
Pancreas	523	17.5	0.84	10.9	0.48	611	14.3	0.60	8.7	0.36
Respiratory System	2,563	84.8	1.82	53.7	1.07	2,245	51.4	1.12	33.1	0.72
Larynx	253	7.5	0.50	5.3	0.33	74	1.6	0.20	1.1	0.13
Lung & bronchus	2,263	75.8	1.73	47.5	1.01	2,135	49.0	1.09	31.5	0.70
Bones & Joints	30	0.8	0.16	0.7	0.12	28	0.6	0.11	0.6	0.11
Soft Tissue (incl. heart)	140	4.0	0.37	3.1	0.27	154	3.3	0.27	2.6	0.22
Skin (excl. basal & sq.)	64	2.0	0.28	1.4	0.18	85	1.9	0.21	1.4	0.16
Melanomas of the skin	32	1.1	0.21	0.7	0.13	44	1.0	0.15	0.7	0.11
Breast (excl. *in situ*)	79	2.6	0.32	1.7	0.19	6,114	129.1	1.69	93.7	1.22
Female Genital System	-	-	-	-	-	2,109	45.2	1.01	32.7	0.73
Cervix uteri	-	-	-	-	-	385	8.2	0.43	6.1	0.32
Uterus Corpus	-	-	-	-	-	1,063	22.5	0.71	16.5	0.51
Uterus, NOS[1]	-	-	-	-	-	69	1.6	0.20	1.0	0.12
Ovary	-	-	-	-	-	448	9.6	0.47	6.9	0.33
Male Genital System	6,967	203.9	2.63	147.4	1.79	-	-	-	-	-
Prostate	6,870	201.4	2.61	145.2	1.77	-	-	-	-	-
Testis	67	1.6	0.20	1.5	0.19	-	-	-	-	-
Penis	24	0.8	0.17	0.5	0.10	-	-	-	-	-
Urinary System	1,314	42.2	1.26	27.6	0.77	884	20.3	0.70	13.3	0.46
Bladder (incl. *in situ*)	518	18.7	0.89	11.0	0.49	289	7.1	0.43	4.0	0.24
Kidney & renal pelvis	774	22.8	0.88	16.1	0.59	578	12.8	0.55	9.1	0.39
Ureter	9	0.3	0.11	0.2	0.06	6	0.2	0.07	0.1	0.04
Eye & Orbit	10	0.3	0.10	0.3	0.10	7	0.1	0.05	0.2	0.08
Brain & Other Nervous System	190	5.2	0.40	4.3	0.32	181	3.9	0.30	3.5	0.28
Brain	179	5.0	0.40	4.1	0.31	155	3.4	0.28	3.0	0.26
Endocrine System	200	5.4	0.40	4.3	0.31	748	15.4	0.57	12.4	0.46
Thyroid gland	153	4.1	0.34	3.2	0.26	703	14.4	0.55	11.6	0.44
Lymphomas	662	18.7	0.78	14.1	0.55	642	13.8	0.56	10.3	0.42
Hodgkin Lymphoma	136	3.4	0.30	3.0	0.26	100	2.1	0.21	2.0	0.20
Non-Hodgkin Lymphoma	526	15.3	0.72	11.1	0.49	542	11.8	0.52	8.4	0.37
Multiple Myeloma	373	12.3	0.69	7.7	0.40	440	9.8	0.49	6.4	0.31
Leukemias	382	12.2	0.69	8.4	0.44	381	8.8	0.46	6.2	0.34
Acute lymphocytic	48	1.1	0.16	1.3	0.19	50	1.1	0.16	1.1	0.17
Chronic lymphocytic	99	3.4	0.37	2.1	0.21	88	2.1	0.23	1.3	0.14
Acute myeloid	123	4.0	0.39	2.7	0.25	147	3.4	0.29	2.4	0.20
Chronic myeloid	58	1.9	0.27	1.2	0.16	40	0.9	0.14	0.6	0.10
Other leukemias	54	1.9	0.29	1.1	0.15	56	1.3	0.18	0.8	0.12
Mesothelioma	22	1.0	0.22	0.4	0.10	11	0.2	0.07	0.2	0.06
Kaposi Sarcoma	55	1.4	0.19	1.2	0.16	9	0.2	0.07	0.1	0.05
Ill-defined & Unknown	498	17.4	0.86	10.4	0.47	580	13.9	0.59	8.1	0.35
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	249	7.6	0.53	5.4	0.35	563	12.4	0.54	8.7	0.38
Breast (*in situ*)	14	0.4	0.12	0.3	0.08	1,681	35.0	0.88	25.9	0.64

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,758	268.4	6.94	172.7	4.17	2,259	267.8	5.90	183.6	3.94
Oral Cavity & Pharynx	61	7.9	1.08	6.1	0.78	35	3.9	0.69	2.8	0.48
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	14	1.8	0.51	1.4	0.37	9	0.9	0.30	0.7	0.24
Major salivary gland	6	0.7	0.28	0.6	0.24	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	13	1.8	0.55	1.4	0.38	11	1.3	0.40	0.9	0.27
Nasopharynx	15	1.7	0.44	1.5	0.38	8	1.0	0.35	0.6	0.23
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	520	80.2	3.81	49.8	2.20	397	53.5	2.83	31.2	1.59
Esophagus	16	2.2	0.60	1.6	0.41	-	-	-	-	-
Stomach	93	15.0	1.70	8.9	0.93	65	8.3	1.08	5.1	0.64
Small intestine	16	1.9	0.48	1.5	0.39	11	1.2	0.39	0.9	0.28
Colon excl. rectum	128	21.7	2.09	12.2	1.09	126	17.0	1.60	9.7	0.88
Rectum & rectosigmoid	77	10.8	1.31	7.3	0.84	53	6.6	0.94	4.3	0.60
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	95	13.4	1.47	9.2	0.95	36	5.2	0.91	2.8	0.48
Gallbladder	-	-	-	-	-	7	0.9	0.37	0.6	0.22
Pancreas	59	9.7	1.36	5.6	0.74	57	8.7	1.19	4.5	0.60
Respiratory System	233	39.6	2.83	22.6	1.49	191	25.8	1.96	15.1	1.11
Larynx	8	1.8	0.69	0.7	0.25	-	-	-	-	-
Lung & bronchus	216	36.5	2.70	21.0	1.44	186	25.1	1.93	14.7	1.09
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	13	1.6	0.43	1.3	0.38	12	1.4	0.43	1.0	0.30
Skin (excl. basal & sq.)	10	1.5	0.49	1.0	0.31	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	6	0.6	0.23	0.6	0.23
Breast (excl. *in situ*)	10	1.3	0.42	1.0	0.30	797	87.3	3.20	64.3	2.30
Female Genital System	-	-	-	-	-	292	31.9	1.94	23.7	1.40
Cervix uteri	-	-	-	-	-	52	5.4	0.77	4.2	0.59
Uterus Corpus	-	-	-	-	-	137	15.0	1.33	11.1	0.96
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	83	9.1	1.04	6.8	0.75
Male Genital System	435	63.4	3.25	43.4	2.09	-	-	-	-	-
Prostate	418	61.3	3.20	41.6	2.05	-	-	-	-	-
Testis	14	1.5	0.41	1.4	0.38	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	152	26.6	2.36	14.8	1.22	66	9.1	1.18	5.3	0.67
Bladder (incl. *in situ*)	101	18.8	2.05	9.8	0.98	28	4.3	0.84	2.2	0.43
Kidney & renal pelvis	48	7.3	1.14	4.8	0.70	32	3.8	0.71	2.7	0.49
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	35	5.1	0.97	3.8	0.66	29	3.6	0.70	3.3	0.67
Brain	33	4.5	0.86	3.6	0.65	26	3.3	0.68	2.9	0.63
Endocrine System	69	8.3	1.03	6.9	0.84	224	23.2	1.58	18.6	1.27
Thyroid gland	63	7.6	0.99	6.2	0.79	216	22.4	1.55	17.8	1.23
Lymphomas	88	12.6	1.44	8.8	0.96	78	9.5	1.14	6.6	0.78
Hodgkin Lymphoma	11	1.3	0.40	1.1	0.35	6	0.7	0.30	0.6	0.27
Non-Hodgkin Lymphoma	77	11.4	1.38	7.7	0.89	72	8.9	1.10	6.0	0.73
Multiple Myeloma	23	3.8	0.85	2.2	0.46	19	2.7	0.65	1.4	0.33
Leukemias	51	7.2	1.09	5.3	0.76	38	4.6	0.78	3.9	0.68
Acute lymphocytic	7	0.8	0.29	0.8	0.32	8	0.9	0.32	1.2	0.45
Chronic lymphocytic	9	1.4	0.51	0.8	0.28	-	-	-	-	-
Acute myeloid	20	3.0	0.72	2.0	0.45	22	2.6	0.57	1.9	0.42
Chronic myeloid	6	0.8	0.33	0.6	0.27	-	-	-	-	-
Other leukemias	9	1.2	0.47	1.0	0.35	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	47	7.8	1.24	4.6	0.68	65	9.3	1.20	5.1	0.64
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	38	6.6	1.20	3.8	0.63	80	9.5	1.11	6.4	0.73
Breast (*in situ*)	-	-	-	-	-	218	23.1	1.60	17.8	1.21

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,488	323.7	10.28	207.8	5.88	1,940	295.5	7.42	204.1	4.88
Oral Cavity & Pharynx	43	8.8	1.61	6.0	1.00	28	4.4	0.93	2.9	0.58
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	14	3.8	1.19	2.1	0.60	9	1.6	0.58	0.9	0.31
Major salivary gland	8	1.6	0.65	1.3	0.48	8	1.2	0.48	0.9	0.32
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	7	1.1	0.46	0.7	0.29
Nasopharynx	7	0.6	0.23	0.5	0.19	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	315	69.6	4.74	44.4	2.75	311	55.7	3.41	35.9	2.13
Esophagus	13	3.2	1.07	1.9	0.57	-	-	-	-	-
Stomach	56	10.9	1.86	6.6	0.99	42	7.3	1.23	4.8	0.78
Small intestine	9	2.2	0.89	1.3	0.49	16	2.1	0.55	1.7	0.44
Colon excl. rectum	89	20.8	2.67	12.8	1.48	93	16.6	1.85	10.8	1.17
Rectum & rectosigmoid	38	7.1	1.40	5.0	0.90	45	7.2	1.17	5.0	0.77
Anus, anal canal & anorectum	-	-	-	-	-	8	1.4	0.51	1.1	0.39
Liver	61	13.1	1.97	9.0	1.25	27	5.3	1.10	2.8	0.55
Gallbladder	-	-	-	-	-	13	2.9	0.83	1.6	0.45
Pancreas	29	7.4	1.57	4.8	0.95	41	7.8	1.30	5.1	0.83
Respiratory System	119	34.1	3.59	19.0	1.84	127	25.2	2.37	15.2	1.41
Larynx	10	3.5	1.21	1.7	0.57	-	-	-	-	-
Lung & bronchus	98	29.4	3.35	16.2	1.71	119	24.1	2.34	14.3	1.37
Bones & Joints	-	-	-	-	-	6	0.8	0.38	0.6	0.25
Soft Tissue (incl. heart)	20	3.2	0.90	2.4	0.60	15	2.0	0.59	1.4	0.38
Skin (excl. basal & sq.)	-	-	-	-	-	42	6.7	1.13	4.5	0.73
Melanomas of the skin	33	6.9	1.52	4.0	0.77	36	5.7	1.04	4.0	0.70
Breast (excl. *in situ*)	-	-	-	-	-	585	85.1	3.83	61.9	2.69
Female Genital System	-	-	-	-	-	295	40.0	2.58	29.0	1.79
Cervix uteri	-	-	-	-	-	76	7.5	0.91	6.0	0.72
Uterus Corpus	-	-	-	-	-	128	19.1	1.84	13.8	1.28
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	69	9.6	1.29	6.9	0.88
Male Genital System	462	100.7	5.50	70.5	3.51	-	-	-	-	-
Prostate	409	96.8	5.47	66.8	3.46	-	-	-	-	-
Testis	44	2.8	0.44	2.8	0.44	-	-	-	-	-
Penis	8	1.0	0.45	0.8	0.31	-	-	-	-	-
Urinary System	125	38.1	3.93	19.3	1.82	72	12.2	1.58	7.8	0.97
Bladder (incl. *in situ*)	61	21.7	3.08	10.0	1.32	20	4.1	0.97	2.3	0.54
Kidney & renal pelvis	62	16.0	2.43	9.0	1.22	51	7.9	1.22	5.4	0.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	45	5.3	1.01	4.6	0.76	42	4.9	0.86	4.2	0.69
Brain	43	5.1	1.01	4.4	0.75	39	4.7	0.84	3.9	0.66
Endocrine System	42	4.0	0.68	3.5	0.60	180	20.7	1.72	16.4	1.30
Thyroid gland	37	3.6	0.66	3.1	0.57	177	20.5	1.71	16.1	1.29
Lymphomas	107	17.5	2.23	12.0	1.30	94	15.2	1.76	9.4	1.02
Hodgkin Lymphoma	27	2.6	0.71	2.3	0.48	12	1.4	0.44	1.1	0.33
Non-Hodgkin Lymphoma	80	14.9	2.11	9.8	1.20	82	13.8	1.70	8.3	0.97
Multiple Myeloma	25	7.1	1.64	4.1	0.88	29	4.7	0.95	3.3	0.63
Leukemias	87	13.1	1.97	9.0	1.08	69	9.5	1.36	6.8	0.85
Acute lymphocytic	21	1.4	0.31	1.5	0.34	22	1.7	0.42	2.1	0.45
Chronic lymphocytic	10	2.7	0.98	1.5	0.48	10	2.4	0.79	1.1	0.37
Acute myeloid	27	3.2	0.87	2.5	0.55	21	2.8	0.73	2.0	0.45
Chronic myeloid	15	2.2	0.86	1.3	0.38	7	1.1	0.47	0.6	0.26
Other leukemias	14	3.6	1.16	2.2	0.61	9	1.5	0.55	1.0	0.33
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	42	10.5	2.00	5.9	0.99	40	7.8	1.36	4.2	0.70
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	36	5.9	1.29	4.1	0.77	75	10.7	1.39	7.4	0.90
Breast (*in situ*)	-	-	-	-	-	169	22.9	1.90	17.4	1.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	48,584	517.6	2.41	342.7	1.65	47,820	440.8	2.09	306.9	1.57
Oral Cavity & Pharynx	1,758	17.8	0.44	12.9	0.32	723	6.6	0.25	4.6	0.19
Lip	48	0.6	0.08	0.4	0.06	25	0.2	0.04	0.1	0.03
Tongue	653	6.5	0.26	4.9	0.20	240	2.2	0.15	1.6	0.11
Major salivary gland	158	1.8	0.14	1.1	0.10	114	1.1	0.11	0.9	0.09
Floor of mouth	89	0.9	0.10	0.6	0.07	34	0.3	0.05	0.2	0.04
Gum & other mouth	164	1.7	0.14	1.2	0.09	141	1.3	0.11	0.8	0.08
Nasopharynx	53	0.5	0.08	0.4	0.06	26	0.2	0.05	0.2	0.03
Oropharynx	68	0.6	0.08	0.5	0.06	25	0.2	0.04	0.1	0.03
Hypopharynx	114	1.2	0.11	0.8	0.07	29	0.3	0.05	0.2	0.04
Digestive System	8,502	90.7	1.01	57.2	0.65	6,995	61.2	0.75	38.3	0.52
Esophagus	886	9.3	0.32	6.0	0.21	200	1.7	0.12	1.1	0.08
Stomach	663	7.2	0.29	4.3	0.18	388	3.3	0.18	2.0	0.12
Small intestine	246	2.6	0.17	1.7	0.11	201	1.8	0.13	1.2	0.10
Colon excl. rectum	2,749	29.9	0.58	18.0	0.36	2,882	25.0	0.48	14.9	0.32
Rectum & rectosigmoid	1,301	13.7	0.39	9.3	0.27	933	8.4	0.29	5.8	0.21
Anus, anal canal & anorectum	132	1.4	0.12	1.0	0.09	249	2.2	0.15	1.7	0.11
Liver	791	7.9	0.29	5.6	0.21	273	2.4	0.15	1.6	0.11
Gallbladder	63	0.7	0.09	0.4	0.05	140	1.2	0.10	0.7	0.06
Pancreas	1,304	14.1	0.40	8.5	0.25	1,247	10.8	0.31	6.5	0.21
Respiratory System	7,264	78.3	0.94	47.6	0.58	6,902	60.8	0.75	37.9	0.50
Larynx	538	5.6	0.24	3.7	0.17	161	1.4	0.11	1.0	0.08
Lung & bronchus	6,613	71.5	0.90	43.0	0.55	6,660	58.7	0.73	36.3	0.49
Bones & Joints	94	1.1	0.12	1.1	0.12	78	0.9	0.11	0.9	0.11
Soft Tissue (incl. heart)	339	3.9	0.22	2.8	0.18	249	2.4	0.16	2.0	0.16
Skin (excl. basal & sq.)	3,761	41.0	0.69	27.3	0.47	2,639	26.6	0.54	20.2	0.44
Melanomas of the skin	3,546	38.6	0.66	25.9	0.46	2,498	25.4	0.53	19.4	0.43
Breast (excl. *in situ*)	153	1.6	0.14	1.0	0.09	14,391	133.5	1.15	96.1	0.86
Female Genital System	-	-	-	-	-	5,400	49.6	0.70	36.6	0.53
Cervix uteri	-	-	-	-	-	530	5.9	0.27	4.6	0.21
Uterus Corpus	-	-	-	-	-	2,885	25.7	0.49	19.4	0.38
Uterus, NOS[1]	-	-	-	-	-	105	0.9	0.10	0.7	0.07
Ovary	-	-	-	-	-	1,349	12.3	0.35	8.7	0.26
Male Genital System	12,999	131.1	1.18	94.9	0.86	-	-	-	-	-
Prostate	12,445	123.7	1.13	88.4	0.81	-	-	-	-	-
Testis	487	6.7	0.31	6.0	0.28	-	-	-	-	-
Penis	49	0.5	0.08	0.3	0.05	-	-	-	-	-
Urinary System	5,648	61.4	0.83	37.1	0.52	2,395	21.3	0.45	13.8	0.32
Bladder (incl. *in situ*)	3,597	39.7	0.68	22.2	0.39	1,174	10.1	0.30	5.9	0.19
Kidney & renal pelvis	1,942	20.4	0.48	14.2	0.34	1,159	10.7	0.32	7.6	0.25
Ureter	76	0.9	0.10	0.5	0.06	43	0.4	0.06	0.2	0.04
Eye & Orbit	50	0.6	0.08	0.5	0.09	60	0.5	0.07	0.4	0.07
Brain & Other Nervous System	785	9.0	0.33	7.2	0.29	603	6.2	0.26	5.2	0.26
Brain	743	8.5	0.32	6.8	0.28	550	5.6	0.25	4.6	0.24
Endocrine System	868	9.6	0.34	7.7	0.28	2,184	24.4	0.54	20.2	0.46
Thyroid gland	797	8.7	0.32	6.9	0.26	2,129	23.9	0.54	19.7	0.46
Lymphomas	2,397	26.6	0.56	18.4	0.41	2,006	19.0	0.44	13.5	0.35
Hodgkin Lymphoma	283	3.5	0.21	3.2	0.21	226	2.7	0.19	2.5	0.18
Non-Hodgkin Lymphoma	2,114	23.1	0.52	15.2	0.36	1,780	16.2	0.40	11.0	0.30
Multiple Myeloma	574	6.2	0.26	3.8	0.16	466	4.0	0.19	2.4	0.13
Leukemias	1,442	16.6	0.45	11.0	0.34	1,080	10.0	0.32	7.4	0.30
Acute lymphocytic	118	1.6	0.15	1.8	0.19	106	1.4	0.14	1.7	0.20
Chronic lymphocytic	474	5.2	0.24	2.9	0.14	332	2.8	0.16	1.6	0.10
Acute myeloid	452	5.2	0.25	3.4	0.18	367	3.5	0.19	2.5	0.16
Chronic myeloid	170	2.0	0.15	1.3	0.11	114	1.1	0.10	0.7	0.08
Other leukemias	228	2.6	0.18	1.6	0.12	161	1.4	0.11	0.8	0.09
Mesothelioma	175	2.0	0.15	1.1	0.09	64	0.6	0.08	0.3	0.05
Kaposi Sarcoma	32	0.4	0.07	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,743	19.6	0.48	10.9	0.29	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	687	7.8	0.31	5.6	0.24	1,391	13.2	0.37	9.3	0.29
Breast (*in situ*)	16	0.2	0.04	0.1	0.03	3,673	34.8	0.59	26.5	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Maryland, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	17,528	547.1	4.48	374.7	2.87	18,055	402.3	3.08	279.0	2.14
Oral Cavity & Pharynx	467	13.4	0.66	9.8	0.46	196	4.2	0.31	3.1	0.23
Lip	6	0.2	0.07	0.1	0.05	-	-	-	-	-
Tongue	89	2.6	0.30	1.9	0.20	36	0.8	0.14	0.6	0.10
Major salivary gland	48	1.4	0.22	1.0	0.15	43	0.9	0.14	0.7	0.11
Floor of mouth	23	0.6	0.14	0.5	0.10	8	0.2	0.07	0.1	0.04
Gum & other mouth	61	1.9	0.26	1.3	0.17	44	1.0	0.15	0.7	0.11
Nasopharynx	37	0.9	0.16	0.8	0.13	17	0.3	0.09	0.3	0.07
Oropharynx	38	1.2	0.20	0.8	0.13	12	0.3	0.09	0.2	0.05
Hypopharynx	67	1.9	0.25	1.4	0.17	14	0.3	0.08	0.2	0.06
Digestive System	3,580	115.4	2.11	75.2	1.27	3,372	77.6	1.38	49.1	0.87
Esophagus	225	7.2	0.52	4.9	0.33	83	1.9	0.22	1.2	0.13
Stomach	374	13.2	0.75	7.9	0.41	301	7.2	0.43	4.3	0.26
Small intestine	133	4.2	0.39	2.9	0.25	135	3.0	0.27	2.0	0.17
Colon excl. rectum	1,112	38.2	1.25	23.4	0.71	1,338	31.0	0.87	19.2	0.54
Rectum & rectosigmoid	405	12.5	0.68	8.4	0.43	390	8.6	0.45	5.8	0.30
Anus, anal canal & anorectum	80	2.0	0.24	1.7	0.19	77	1.6	0.19	1.2	0.14
Liver	597	16.0	0.71	12.2	0.51	178	3.8	0.30	2.8	0.22
Gallbladder	36	1.3	0.24	0.8	0.13	74	1.8	0.21	1.1	0.13
Pancreas	520	17.6	0.85	11.0	0.49	605	14.3	0.60	8.8	0.37
Respiratory System	2,548	85.5	1.84	54.1	1.09	2,230	51.7	1.13	33.4	0.73
Larynx	252	7.5	0.51	5.3	0.34	74	1.7	0.20	1.1	0.13
Lung & bronchus	2,250	76.4	1.75	47.8	1.02	2,121	49.3	1.10	31.7	0.71
Bones & Joints	30	0.8	0.16	0.7	0.13	28	0.6	0.12	0.6	0.11
Soft Tissue (incl. heart)	139	4.1	0.37	3.2	0.28	153	3.4	0.28	2.7	0.23
Skin (excl. basal & sq.)	64	2.1	0.28	1.4	0.18	84	1.9	0.21	1.4	0.16
Melanomas of the skin	32	1.1	0.22	0.7	0.13	43	1.0	0.16	0.7	0.11
Breast (excl. *in situ*)	79	2.7	0.33	1.7	0.19	6,061	130.2	1.71	94.6	1.24
Female Genital System	-	-	-	-	-	2,086	45.4	1.02	32.9	0.74
Cervix uteri	-	-	-	-	-	379	8.3	0.43	6.2	0.32
Uterus Corpus	-	-	-	-	-	1,052	22.6	0.72	16.6	0.52
Uterus, NOS[1]	-	-	-	-	-	69	1.7	0.21	1.0	0.12
Ovary	-	-	-	-	-	442	9.7	0.47	6.9	0.34
Male Genital System	6,934	205.6	2.65	148.7	1.81	-	-	-	-	-
Prostate	6,839	203.1	2.64	146.6	1.79	-	-	-	-	-
Testis	65	1.6	0.20	1.5	0.19	-	-	-	-	-
Penis	24	0.8	0.17	0.5	0.10	-	-	-	-	-
Urinary System	1,312	42.7	1.28	27.9	0.78	878	20.5	0.71	13.4	0.47
Bladder (incl. *in situ*)	516	18.8	0.90	11.1	0.49	286	7.2	0.44	4.0	0.24
Kidney & renal pelvis	774	23.2	0.89	16.4	0.60	575	12.9	0.55	9.2	0.40
Ureter	9	0.3	0.11	0.2	0.07	6	0.2	0.07	0.1	0.04
Eye & Orbit	10	0.3	0.11	0.3	0.10	7	0.1	0.06	0.2	0.08
Brain & Other Nervous System	187	5.3	0.41	4.4	0.33	179	4.0	0.30	3.5	0.29
Brain	176	5.0	0.40	4.1	0.32	153	3.4	0.28	3.0	0.26
Endocrine System	198	5.5	0.41	4.3	0.31	736	15.5	0.58	12.5	0.47
Thyroid gland	151	4.1	0.35	3.3	0.27	691	14.5	0.56	11.7	0.45
Lymphomas	658	18.9	0.79	14.3	0.57	636	14.0	0.57	10.4	0.43
Hodgkin Lymphoma	134	3.4	0.31	3.0	0.27	99	2.1	0.22	2.0	0.21
Non-Hodgkin Lymphoma	524	15.5	0.73	11.3	0.50	537	11.8	0.53	8.4	0.37
Multiple Myeloma	369	12.4	0.70	7.7	0.41	437	9.9	0.49	6.4	0.31
Leukemias	380	12.4	0.69	8.6	0.45	378	8.9	0.47	6.3	0.35
Acute lymphocytic	48	1.1	0.17	1.3	0.20	50	1.2	0.17	1.2	0.18
Chronic lymphocytic	99	3.4	0.37	2.1	0.22	87	2.1	0.23	1.3	0.14
Acute myeloid	121	4.0	0.40	2.7	0.26	145	3.4	0.29	2.4	0.21
Chronic myeloid	58	1.9	0.27	1.2	0.16	40	0.9	0.14	0.6	0.10
Other leukemias	54	1.9	0.29	1.1	0.16	56	1.3	0.18	0.9	0.12
Mesothelioma	22	1.0	0.22	0.5	0.10	11	0.2	0.07	0.2	0.06
Kaposi Sarcoma	55	1.4	0.20	1.2	0.17	9	0.2	0.07	0.2	0.05
Ill-defined & Unknown	496	17.6	0.87	10.5	0.48	574	13.9	0.60	8.1	0.35
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	249	7.8	0.54	5.5	0.35	557	12.5	0.54	8.8	0.39
Breast (*in situ*)	14	0.4	0.12	0.3	0.08	1,673	35.4	0.89	26.2	0.65

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	89,798	539.2	1.83	359.0	1.26	93,487	458.6	1.54	319.1	1.15
Oral Cavity & Pharynx	3,093	17.6	0.32	12.9	0.24	1,406	6.8	0.18	4.7	0.14
Lip	88	0.5	0.06	0.3	0.04	63	0.3	0.04	0.2	0.02
Tongue	940	5.3	0.18	4.0	0.13	428	2.0	0.10	1.4	0.07
Major salivary gland	271	1.7	0.10	1.1	0.07	182	0.9	0.07	0.6	0.05
Floor of mouth	168	0.9	0.07	0.7	0.06	64	0.3	0.04	0.2	0.03
Gum & other mouth	353	2.1	0.11	1.4	0.08	304	1.4	0.08	0.9	0.06
Nasopharynx	149	0.9	0.07	0.7	0.06	43	0.2	0.04	0.2	0.03
Oropharynx	140	0.8	0.07	0.6	0.05	53	0.3	0.04	0.2	0.03
Hypopharynx	252	1.5	0.09	1.0	0.07	64	0.3	0.04	0.2	0.03
Digestive System	16,796	101.5	0.80	64.4	0.52	14,318	66.6	0.57	40.7	0.38
Esophagus	1,795	10.6	0.26	7.0	0.17	489	2.3	0.11	1.4	0.07
Stomach	1,576	9.7	0.25	5.9	0.16	975	4.5	0.15	2.7	0.10
Small intestine	414	2.5	0.12	1.6	0.08	379	1.8	0.10	1.3	0.07
Colon excl. rectum	4,953	30.8	0.45	18.2	0.27	5,816	26.8	0.36	15.6	0.23
Rectum & rectosigmoid	2,512	14.9	0.30	10.1	0.21	1,934	9.3	0.22	6.2	0.15
Anus, anal canal & anorectum	242	1.4	0.09	1.0	0.06	406	2.0	0.10	1.4	0.08
Liver	2,061	11.8	0.26	8.3	0.19	581	2.7	0.12	1.9	0.09
Gallbladder	132	0.8	0.07	0.5	0.04	321	1.5	0.09	0.9	0.06
Pancreas	2,294	14.0	0.30	8.6	0.19	2,484	11.3	0.23	6.7	0.15
Respiratory System	13,380	82.4	0.73	50.1	0.45	13,542	65.2	0.57	41.6	0.39
Larynx	998	5.8	0.19	3.9	0.13	335	1.6	0.09	1.2	0.07
Lung & bronchus	12,189	75.4	0.70	45.3	0.43	13,081	62.9	0.56	40.0	0.38
Bones & Joints	158	1.0	0.08	0.9	0.07	158	0.9	0.07	0.8	0.07
Soft Tissue (incl. heart)	601	3.7	0.15	2.8	0.13	540	2.7	0.12	2.1	0.11
Skin (excl. basal & sq.)	4,751	29.2	0.43	18.7	0.28	3,895	19.7	0.32	14.6	0.25
Melanomas of the skin	4,350	26.6	0.41	17.3	0.27	3,602	18.3	0.31	13.7	0.25
Breast (excl. *in situ*)	213	1.3	0.09	0.8	0.06	27,371	136.5	0.84	98.5	0.63
Female Genital System	-	-	-	-	-	10,752	52.6	0.52	38.8	0.40
Cervix uteri	-	-	-	-	-	970	5.3	0.17	4.2	0.14
Uterus Corpus	-	-	-	-	-	6,073	29.3	0.38	22.0	0.29
Uterus, NOS[1]	-	-	-	-	-	139	0.6	0.06	0.4	0.04
Ovary	-	-	-	-	-	2,520	12.3	0.25	8.9	0.19
Male Genital System	24,982	143.1	0.92	104.4	0.68	-	-	-	-	-
Prostate	23,808	135.6	0.90	97.8	0.65	-	-	-	-	-
Testis	985	6.3	0.20	5.9	0.19	-	-	-	-	-
Penis	148	0.9	0.08	0.6	0.05	-	-	-	-	-
Urinary System	10,598	65.3	0.65	40.3	0.41	4,852	23.1	0.34	14.9	0.24
Bladder (incl. *in situ*)	6,702	42.2	0.52	24.0	0.31	2,542	11.8	0.24	7.0	0.15
Kidney & renal pelvis	3,676	21.7	0.37	15.5	0.27	2,184	10.8	0.24	7.6	0.18
Ureter	150	1.0	0.08	0.5	0.05	99	0.5	0.05	0.2	0.03
Eye & Orbit	176	1.1	0.08	0.8	0.07	147	0.8	0.06	0.7	0.07
Brain & Other Nervous System	1,302	8.0	0.22	6.5	0.20	1,130	5.9	0.18	5.0	0.18
Brain	1,221	7.4	0.22	6.0	0.19	1,065	5.5	0.17	4.6	0.17
Endocrine System	1,885	11.1	0.26	9.0	0.22	5,358	29.9	0.42	24.8	0.35
Thyroid gland	1,734	10.2	0.25	8.1	0.20	5,232	29.2	0.41	24.1	0.35
Lymphomas	4,505	27.6	0.42	19.0	0.30	3,888	19.1	0.31	13.5	0.24
Hodgkin Lymphoma	577	3.6	0.15	3.2	0.14	487	2.8	0.13	2.5	0.12
Non-Hodgkin Lymphoma	3,928	24.0	0.39	15.8	0.27	3,401	16.4	0.29	10.9	0.21
Multiple Myeloma	1,275	7.8	0.22	4.9	0.14	1,063	5.0	0.16	3.1	0.11
Leukemias	2,679	16.7	0.33	11.6	0.25	2,020	10.1	0.23	7.6	0.21
Acute lymphocytic	270	1.8	0.11	2.3	0.15	231	1.5	0.10	1.9	0.14
Chronic lymphocytic	951	5.8	0.19	3.5	0.12	648	3.0	0.12	1.8	0.08
Acute myeloid	771	4.8	0.18	3.1	0.12	673	3.4	0.13	2.5	0.11
Chronic myeloid	323	2.0	0.11	1.3	0.08	211	1.0	0.07	0.7	0.06
Other leukemias	364	2.3	0.12	1.4	0.08	257	1.2	0.08	0.7	0.06
Mesothelioma	344	2.2	0.12	1.1	0.07	108	0.5	0.05	0.3	0.03
Kaposi Sarcoma	106	0.7	0.07	0.5	0.05	24	0.1	0.02	0.1	0.02
Ill-defined & Unknown	2,954	18.9	0.35	10.2	0.20	2,915	13.1	0.25	7.4	0.16
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,163	7.1	0.21	5.3	0.17	2,325	11.6	0.25	8.6	0.20
Breast (*in situ*)	25	0.2	0.03	0.1	0.02	8,841	45.2	0.49	34.7	0.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	80,698	533.5	1.91	355.1	1.32	85,716	466.6	1.64	325.0	1.24
Oral Cavity & Pharynx	2,864	18.0	0.34	13.2	0.26	1,296	6.9	0.20	4.7	0.15
Lip	82	0.5	0.06	0.3	0.04	62	0.3	0.04	0.2	0.02
Tongue	895	5.5	0.19	4.2	0.14	404	2.1	0.11	1.5	0.08
Major salivary gland	249	1.7	0.11	1.1	0.07	163	0.9	0.07	0.6	0.06
Floor of mouth	159	1.0	0.08	0.7	0.06	60	0.3	0.04	0.2	0.03
Gum & other mouth	316	2.1	0.12	1.4	0.08	278	1.4	0.09	0.9	0.06
Nasopharynx	103	0.7	0.07	0.5	0.05	26	0.1	0.03	0.1	0.03
Oropharynx	135	0.8	0.07	0.6	0.06	49	0.3	0.04	0.2	0.03
Hypopharynx	233	1.5	0.10	1.0	0.07	60	0.3	0.04	0.2	0.03
Digestive System	15,043	99.8	0.83	63.0	0.54	12,943	65.8	0.60	40.1	0.40
Esophagus	1,707	11.1	0.27	7.3	0.18	451	2.3	0.11	1.4	0.07
Stomach	1,374	9.2	0.25	5.6	0.16	828	4.2	0.15	2.4	0.10
Small intestine	357	2.4	0.13	1.6	0.09	349	1.9	0.10	1.3	0.08
Colon excl. rectum	4,492	30.6	0.46	18.0	0.28	5,324	26.7	0.38	15.5	0.25
Rectum & rectosigmoid	2,250	14.8	0.32	9.9	0.22	1,722	9.1	0.23	6.0	0.16
Anus, anal canal & anorectum	214	1.3	0.09	1.0	0.07	374	2.0	0.11	1.5	0.08
Liver	1,656	10.4	0.26	7.3	0.19	475	2.5	0.12	1.6	0.09
Gallbladder	109	0.8	0.07	0.4	0.04	275	1.4	0.09	0.8	0.06
Pancreas	2,139	14.3	0.31	8.8	0.20	2,280	11.4	0.25	6.7	0.16
Respiratory System	12,402	83.3	0.76	50.8	0.48	12,833	67.8	0.61	43.3	0.42
Larynx	924	5.9	0.20	4.0	0.14	315	1.7	0.10	1.2	0.07
Lung & bronchus	11,309	76.2	0.73	45.9	0.45	12,408	65.5	0.60	41.7	0.41
Bones & Joints	149	1.1	0.09	1.0	0.09	144	1.0	0.08	0.9	0.09
Soft Tissue (incl. heart)	547	3.8	0.17	2.9	0.14	480	2.7	0.13	2.1	0.12
Skin (excl. basal & sq.)	4,384	29.7	0.46	19.1	0.30	3,532	20.2	0.35	15.0	0.28
Melanomas of the skin	4,021	27.1	0.44	17.7	0.29	3,266	18.8	0.34	14.2	0.27
Breast (excl. *in situ*)	195	1.3	0.10	0.8	0.06	25,210	140.1	0.91	101.1	0.68
Female Genital System	-	-	-	-	-	9,872	53.7	0.55	39.7	0.43
Cervix uteri	-	-	-	-	-	803	5.1	0.19	4.1	0.15
Uterus Corpus	-	-	-	-	-	5,626	30.1	0.41	22.7	0.32
Uterus, NOS[1]	-	-	-	-	-	120	0.6	0.06	0.4	0.04
Ovary	-	-	-	-	-	2,332	12.7	0.27	9.2	0.21
Male Genital System	21,273	134.1	0.94	98.3	0.69	-	-	-	-	-
Prostate	20,186	126.0	0.90	91.0	0.65	-	-	-	-	-
Testis	924	7.0	0.23	6.6	0.22	-	-	-	-	-
Penis	129	0.9	0.08	0.5	0.05	-	-	-	-	-
Urinary System	9,952	67.2	0.69	41.4	0.44	4,513	23.6	0.36	15.2	0.26
Bladder (incl. *in situ*)	6,368	43.6	0.56	24.8	0.33	2,398	12.1	0.25	7.2	0.17
Kidney & renal pelvis	3,376	22.1	0.39	15.8	0.29	1,997	10.9	0.25	7.7	0.20
Ureter	143	1.0	0.08	0.6	0.05	93	0.5	0.05	0.2	0.03
Eye & Orbit	169	1.1	0.09	0.9	0.08	141	0.8	0.07	0.7	0.08
Brain & Other Nervous System	1,220	8.4	0.25	7.0	0.22	1,048	6.2	0.20	5.2	0.20
Brain	1,149	7.9	0.24	6.4	0.21	995	5.8	0.19	4.9	0.19
Endocrine System	1,667	11.2	0.28	9.1	0.24	4,604	29.8	0.45	24.8	0.39
Thyroid gland	1,539	10.3	0.27	8.2	0.22	4,498	29.1	0.45	24.1	0.38
Lymphomas	4,104	28.0	0.44	19.2	0.32	3,549	19.5	0.34	13.8	0.26
Hodgkin Lymphoma	507	3.6	0.16	3.2	0.15	443	3.0	0.14	2.7	0.14
Non-Hodgkin Lymphoma	3,597	24.4	0.41	16.0	0.29	3,106	16.5	0.31	11.1	0.22
Multiple Myeloma	1,105	7.4	0.23	4.6	0.15	892	4.5	0.16	2.8	0.11
Leukemias	2,458	17.0	0.35	11.9	0.28	1,830	10.1	0.25	7.6	0.23
Acute lymphocytic	237	1.9	0.13	2.5	0.17	200	1.6	0.11	2.0	0.16
Chronic lymphocytic	869	5.8	0.20	3.5	0.13	593	3.0	0.13	1.7	0.08
Acute myeloid	722	5.0	0.19	3.2	0.13	610	3.4	0.14	2.5	0.12
Chronic myeloid	297	2.1	0.12	1.3	0.08	185	1.0	0.08	0.7	0.06
Other leukemias	333	2.3	0.13	1.4	0.08	242	1.2	0.08	0.8	0.06
Mesothelioma	336	2.4	0.13	1.2	0.07	103	0.5	0.05	0.3	0.04
Kaposi Sarcoma	81	0.6	0.07	0.4	0.05	18	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,749	19.1	0.37	10.3	0.21	2,708	13.2	0.26	7.4	0.18
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,051	7.2	0.23	5.4	0.19	2,088	11.7	0.26	8.7	0.22
Breast (*in situ*)	19	0.1	0.03	0.1	0.02	8,055	46.4	0.53	35.6	0.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	4,686	537.5	8.49	371.5	5.53	4,258	363.5	5.69	256.3	4.03
Oral Cavity & Pharynx	118	12.7	1.27	9.0	0.84	54	4.5	0.63	3.3	0.46
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	27	2.8	0.57	2.1	0.41	7	0.6	0.23	0.4	0.15
Major salivary gland	14	1.9	0.57	1.0	0.28	10	0.7	0.24	0.6	0.20
Floor of mouth	7	0.7	0.27	0.5	0.19	-	-	-	-	-
Gum & other mouth	18	1.8	0.46	1.4	0.34	13	1.2	0.34	0.8	0.21
Nasopharynx	6	0.6	0.24	0.5	0.19	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	13	1.3	0.39	1.0	0.29	-	-	-	-	-
Digestive System	959	114.2	4.01	74.2	2.44	814	72.6	2.60	47.0	1.71
Esophagus	56	6.9	1.00	4.4	0.60	28	2.5	0.48	1.7	0.32
Stomach	107	14.2	1.48	8.4	0.83	85	7.8	0.86	4.7	0.53
Small intestine	40	5.0	0.86	3.0	0.49	23	2.2	0.48	1.4	0.30
Colon excl. rectum	290	36.2	2.30	22.6	1.36	287	25.9	1.56	16.3	1.00
Rectum & rectosigmoid	108	11.2	1.16	7.9	0.78	112	9.2	0.89	6.7	0.64
Anus, anal canal & anorectum	22	2.0	0.46	1.5	0.33	17	1.4	0.35	1.1	0.26
Liver	176	17.9	1.45	13.4	1.03	47	3.9	0.58	3.1	0.46
Gallbladder	16	2.2	0.61	1.3	0.32	35	3.3	0.57	2.0	0.35
Pancreas	111	14.7	1.51	8.8	0.85	143	13.0	1.10	8.0	0.70
Respiratory System	584	76.5	3.41	46.5	1.96	449	40.4	1.95	26.7	1.30
Larynx	49	6.4	0.97	4.2	0.60	14	1.3	0.35	0.9	0.24
Lung & bronchus	517	68.3	3.24	41.0	1.84	427	38.5	1.91	25.3	1.26
Bones & Joints	-	-	-	-	-	7	0.5	0.18	0.5	0.19
Soft Tissue (incl. heart)	25	2.3	0.51	1.8	0.35	41	3.3	0.53	2.7	0.43
Skin (excl. basal & sq.)	15	1.6	0.44	1.2	0.32	23	1.8	0.39	1.4	0.30
Melanomas of the skin	7	0.7	0.29	0.6	0.23	14	1.2	0.34	0.8	0.22
Breast (excl. *in situ*)	10	1.3	0.44	0.8	0.25	1,296	107.8	3.05	78.8	2.23
Female Genital System	-	-	-	-	-	491	41.1	1.89	30.3	1.39
Cervix uteri	-	-	-	-	-	97	8.0	0.83	5.9	0.61
Uterus Corpus	-	-	-	-	-	255	21.5	1.37	16.0	1.02
Uterus, NOS[1]	-	-	-	-	-	13	1.2	0.34	0.8	0.23
Ovary	-	-	-	-	-	90	7.4	0.79	5.5	0.59
Male Genital System	1,934	213.0	5.16	158.1	3.66	-	-	-	-	-
Prostate	1,898	209.7	5.13	155.4	3.63	-	-	-	-	-
Testis	18	1.3	0.32	1.3	0.31	-	-	-	-	-
Penis	13	1.4	0.42	0.9	0.26	-	-	-	-	-
Urinary System	332	39.1	2.32	25.7	1.44	196	17.6	1.29	11.6	0.86
Bladder (incl. *in situ*)	141	19.3	1.75	11.0	0.95	67	6.5	0.80	3.5	0.46
Kidney & renal pelvis	187	19.3	1.51	14.4	1.07	128	11.1	1.00	8.0	0.73
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	47	4.7	0.75	3.6	0.54	47	3.7	0.55	3.2	0.49
Brain	41	4.1	0.72	3.2	0.51	40	3.2	0.52	2.7	0.44
Endocrine System	80	7.5	0.89	6.1	0.70	317	24.5	1.40	20.0	1.14
Thyroid gland	66	6.3	0.82	5.0	0.62	305	23.5	1.37	19.2	1.11
Lymphomas	226	22.2	1.61	16.6	1.12	190	16.1	1.20	11.4	0.85
Hodgkin Lymphoma	42	3.2	0.50	3.0	0.46	25	1.9	0.38	1.5	0.32
Non-Hodgkin Lymphoma	184	19.0	1.53	13.7	1.02	165	14.2	1.14	9.8	0.79
Multiple Myeloma	127	16.0	1.54	9.9	0.89	136	12.3	1.08	7.8	0.69
Leukemias	86	8.8	1.05	6.8	0.75	79	6.6	0.76	5.0	0.59
Acute lymphocytic	15	1.0	0.26	1.3	0.35	14	1.0	0.27	1.2	0.32
Chronic lymphocytic	23	2.7	0.62	1.8	0.39	14	1.2	0.33	0.9	0.23
Acute myeloid	22	1.9	0.44	1.7	0.38	30	2.5	0.46	1.9	0.35
Chronic myeloid	12	1.2	0.37	0.9	0.25	13	1.1	0.31	0.7	0.20
Other leukemias	14	1.9	0.56	1.1	0.30	8	0.8	0.28	0.4	0.15
Mesothelioma	6	1.0	0.42	0.5	0.22	-	-	-	-	-
Kaposi Sarcoma	22	2.0	0.45	1.5	0.33	-	-	-	-	-
Ill-defined & Unknown	112	14.4	1.48	9.0	0.86	112	10.2	0.98	6.1	0.61
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	56	6.2	0.93	4.2	0.57	134	11.3	1.00	8.2	0.73
Breast (*in situ*)	-	-	-	-	-	452	37.0	1.77	27.9	1.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,962	325.7	7.90	211.8	4.89	2,266	290.8	6.40	207.4	4.47
Oral Cavity & Pharynx	83	11.6	1.37	8.3	0.93	45	6.1	0.95	3.9	0.60
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	1.3	0.45	0.9	0.32	15	2.3	0.61	1.5	0.39
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	15	2.3	0.64	1.5	0.40	9	1.3	0.45	0.8	0.27
Nasopharynx	39	4.7	0.80	3.7	0.60	14	1.5	0.42	1.1	0.30
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	599	99.0	4.34	64.2	2.67	432	63.4	3.18	39.7	1.97
Esophagus	27	4.8	1.02	2.8	0.56	9	1.4	0.47	0.8	0.29
Stomach	74	12.8	1.62	7.8	0.92	59	8.6	1.17	5.5	0.73
Small intestine	10	1.4	0.45	1.1	0.34	-	-	-	-	-
Colon excl. rectum	123	22.1	2.13	13.4	1.23	152	22.4	1.90	13.6	1.13
Rectum & rectosigmoid	91	14.1	1.58	9.7	1.03	69	9.4	1.19	6.2	0.77
Anus, anal canal & anorectum	-	-	-	-	-	6	0.8	0.34	0.6	0.27
Liver	200	30.8	2.32	21.3	1.54	53	7.8	1.11	5.2	0.74
Gallbladder	-	-	-	-	-	9	1.2	0.43	0.8	0.29
Pancreas	33	6.0	1.11	3.7	0.65	50	8.0	1.17	4.6	0.66
Respiratory System	333	61.8	3.60	35.9	2.00	210	31.5	2.26	19.5	1.39
Larynx	12	2.1	0.65	1.2	0.36	-	-	-	-	-
Lung & bronchus	317	59.1	3.53	34.3	1.96	199	30.2	2.22	18.4	1.33
Bones & Joints	7	0.9	0.35	0.8	0.31	6	0.6	0.28	0.4	0.18
Soft Tissue (incl. heart)	20	2.9	0.69	2.2	0.49	16	1.8	0.46	1.6	0.41
Skin (excl. basal & sq.)	15	2.1	0.59	1.5	0.41	20	2.3	0.56	1.8	0.42
Melanomas of the skin	-	-	-	-	-	13	1.5	0.43	1.2	0.33
Breast (excl. *in situ*)	8	1.4	0.52	1.0	0.34	693	82.8	3.25	63.3	2.45
Female Genital System	-	-	-	-	-	259	31.1	2.01	23.2	1.47
Cervix uteri	-	-	-	-	-	49	5.7	0.85	4.2	0.61
Uterus Corpus	-	-	-	-	-	127	15.7	1.44	11.6	1.05
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	70	8.1	1.01	6.2	0.75
Male Genital System	398	69.3	3.67	45.3	2.31	-	-	-	-	-
Prostate	373	66.8	3.63	42.7	2.25	-	-	-	-	-
Testis	19	1.6	0.37	1.9	0.46	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	151	25.8	2.29	15.9	1.32	59	8.6	1.17	5.5	0.74
Bladder (incl. *in situ*)	77	14.6	1.81	8.1	0.95	16	2.5	0.66	1.4	0.36
Kidney & renal pelvis	69	10.3	1.32	7.3	0.90	37	5.1	0.87	3.5	0.60
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	28	4.2	0.89	3.2	0.64	26	2.9	0.60	2.9	0.59
Brain	25	3.7	0.81	2.8	0.58	24	2.7	0.58	2.7	0.57
Endocrine System	93	11.5	1.24	9.5	1.01	279	29.7	1.86	24.0	1.47
Thyroid gland	84	10.1	1.14	8.6	0.96	273	29.0	1.83	23.4	1.45
Lymphomas	95	13.7	1.55	9.9	1.05	84	11.2	1.30	7.7	0.86
Hodgkin Lymphoma	15	1.6	0.48	1.4	0.35	11	1.0	0.34	0.9	0.29
Non-Hodgkin Lymphoma	80	12.1	1.47	8.6	0.99	73	10.2	1.26	6.7	0.81
Multiple Myeloma	23	3.9	0.86	2.5	0.54	14	2.0	0.55	1.4	0.38
Leukemias	55	8.2	1.21	5.8	0.81	61	7.2	0.95	6.7	0.89
Acute lymphocytic	14	1.5	0.42	1.6	0.46	-	-	-	-	-
Chronic lymphocytic	10	1.8	0.60	1.1	0.35	6	0.8	0.33	0.7	0.27
Acute myeloid	22	3.6	0.84	2.2	0.48	29	3.4	0.66	2.9	0.56
Chronic myeloid	-	-	-	-	-	8	0.9	0.32	0.7	0.27
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	50	8.9	1.34	5.4	0.78	59	9.2	1.25	5.4	0.73
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	40	5.8	1.00	4.3	0.70	76	10.0	1.19	7.2	0.85
Breast (*in situ*)	-	-	-	-	-	264	31.2	1.97	24.5	1.53

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	53	195.7	28.92	134.5	18.93	62	202.7	26.68	148.4	19.25
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	47.9	14.35	34.1	9.65	10	33.3	10.96	20.4	6.59
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	32.4	12.26	19.4	6.97	12	42.3	12.57	31.7	9.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	27.6	11.78	14.7	6.11	11	38.7	12.05	28.5	8.73
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	16	53.4	13.82	40.4	10.20
Female Genital System	-	-	-	-	-	7	22.7	8.92	15.8	6.09
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	14	51.0	14.98	33.5	9.25	-	-	-	-	-
Prostate	11	46.0	14.70	27.4	8.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,053	432.8	9.10	293.2	5.53	3,207	318.5	6.15	222.0	4.03
Oral Cavity & Pharynx	133	17.6	1.74	12.5	1.13	55	6.4	0.95	3.6	0.51
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	36	4.6	0.86	3.5	0.61	14	1.9	0.54	1.0	0.29
Major salivary gland	9	1.4	0.54	0.8	0.29	9	0.9	0.34	0.6	0.23
Floor of mouth	10	1.2	0.40	1.1	0.34	-	-	-	-	-
Gum & other mouth	19	2.2	0.56	1.7	0.41	13	1.4	0.46	0.8	0.22
Nasopharynx	6	0.5	0.23	0.4	0.19	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	13	1.9	0.59	1.2	0.34	-	-	-	-	-
Digestive System	656	97.5	4.42	63.2	2.56	541	63.0	2.94	38.5	1.70
Esophagus	23	3.7	0.86	2.5	0.53	24	3.0	0.67	1.8	0.37
Stomach	109	16.2	1.79	10.5	1.05	63	6.9	0.96	4.3	0.56
Small intestine	17	2.6	0.76	1.6	0.39	21	1.9	0.44	1.4	0.32
Colon excl. rectum	141	22.2	2.19	13.8	1.21	188	22.6	1.78	13.4	1.00
Rectum & rectosigmoid	96	15.0	1.76	9.2	0.98	60	6.1	0.86	4.0	0.53
Anus, anal canal & anorectum	7	0.6	0.24	0.5	0.21	23	2.4	0.55	1.6	0.34
Liver	165	20.9	1.86	15.3	1.23	44	5.7	0.92	3.4	0.52
Gallbladder	-	-	-	-	-	18	2.0	0.51	1.2	0.29
Pancreas	72	12.3	1.68	7.1	0.87	67	8.5	1.12	5.0	0.62
Respiratory System	304	53.1	3.45	31.7	1.87	224	26.8	1.92	16.9	1.15
Larynx	39	5.4	0.98	3.9	0.64	9	1.0	0.35	0.7	0.23
Lung & bronchus	255	46.6	3.28	26.9	1.73	205	25.1	1.87	15.5	1.11
Bones & Joints	12	0.9	0.34	0.7	0.22	10	0.6	0.21	0.6	0.19
Soft Tissue (incl. heart)	22	1.8	0.48	1.5	0.34	27	2.0	0.41	1.7	0.34
Skin (excl. basal & sq.)	25	3.5	0.84	2.3	0.48	37	3.2	0.59	2.4	0.40
Melanomas of the skin	18	2.2	0.60	1.6	0.40	28	2.3	0.49	1.7	0.34
Breast (excl. *in situ*)	-	-	-	-	-	927	88.3	3.11	64.9	2.19
Female Genital System	-	-	-	-	-	427	39.7	2.08	29.3	1.46
Cervix uteri	-	-	-	-	-	99	8.6	0.96	6.2	0.64
Uterus Corpus	-	-	-	-	-	209	19.0	1.39	14.9	1.06
Uterus, NOS[1]	-	-	-	-	-	6	0.7	0.31	0.4	0.16
Ovary	-	-	-	-	-	77	7.3	0.90	5.4	0.64
Male Genital System	1,068	155.6	5.32	110.8	3.50	-	-	-	-	-
Prostate	1,002	150.8	5.28	106.7	3.46	-	-	-	-	-
Testis	54	3.3	0.46	3.0	0.41	-	-	-	-	-
Penis	12	1.5	0.46	1.1	0.34	-	-	-	-	-
Urinary System	255	36.1	2.69	23.2	1.52	135	14.8	1.38	9.7	0.86
Bladder (incl. *in situ*)	99	18.1	2.09	10.2	1.06	49	6.1	0.94	3.5	0.52
Kidney & renal pelvis	150	17.3	1.67	12.5	1.07	81	8.0	0.96	5.8	0.66
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	7	0.6	0.23	0.5	0.21	-	-	-	-	-
Brain & Other Nervous System	67	7.4	1.16	5.4	0.70	56	4.4	0.67	3.7	0.50
Brain	64	7.2	1.15	5.1	0.68	51	4.1	0.66	3.4	0.48
Endocrine System	73	6.7	0.90	5.3	0.65	359	27.1	1.53	22.0	1.19
Thyroid gland	65	6.2	0.88	4.8	0.63	349	26.2	1.50	21.4	1.17
Lymphomas	196	22.5	1.96	15.7	1.19	178	17.6	1.47	12.2	0.94
Hodgkin Lymphoma	46	4.1	0.79	3.0	0.47	38	2.8	0.52	2.4	0.40
Non-Hodgkin Lymphoma	150	18.4	1.79	12.7	1.10	140	14.8	1.37	9.8	0.85
Multiple Myeloma	53	8.3	1.29	5.4	0.77	57	6.4	0.91	4.2	0.56
Leukemias	98	9.8	1.24	7.6	0.81	100	9.1	1.04	7.1	0.72
Acute lymphocytic	30	1.5	0.29	1.9	0.35	28	1.5	0.31	2.0	0.38
Chronic lymphocytic	11	2.3	0.75	1.2	0.37	12	1.5	0.46	0.9	0.26
Acute myeloid	32	2.8	0.59	2.3	0.44	36	3.9	0.72	2.5	0.43
Chronic myeloid	13	1.5	0.50	1.0	0.28	17	1.6	0.41	1.1	0.27
Other leukemias	12	1.7	0.55	1.2	0.36	7	0.7	0.30	0.5	0.21
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	15	1.3	0.43	1.0	0.27	-	-	-	-	-
Ill-defined & Unknown	64	9.6	1.45	6.0	0.78	65	8.2	1.11	4.5	0.57
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	61	6.3	0.95	4.9	0.66	88	7.3	0.83	5.8	0.64
Breast (*in situ*)	-	-	-	-	-	352	32.0	1.81	24.3	1.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	77,678	534.0	1.95	355.8	1.36	82,442	469.8	1.70	327.6	1.29
Oral Cavity & Pharynx	2,733	18.0	0.35	13.2	0.26	1,243	6.9	0.20	4.8	0.15
Lip	80	0.5	0.06	0.3	0.04	58	0.3	0.04	0.2	0.02
Tongue	859	5.6	0.19	4.2	0.15	392	2.1	0.11	1.5	0.08
Major salivary gland	241	1.7	0.11	1.1	0.08	156	0.9	0.08	0.6	0.06
Floor of mouth	149	0.9	0.08	0.7	0.06	58	0.3	0.04	0.2	0.03
Gum & other mouth	299	2.0	0.12	1.4	0.08	266	1.4	0.09	0.9	0.06
Nasopharynx	98	0.7	0.07	0.5	0.06	24	0.1	0.03	0.1	0.03
Oropharynx	129	0.8	0.07	0.6	0.06	47	0.3	0.04	0.2	0.03
Hypopharynx	221	1.5	0.10	1.0	0.07	55	0.3	0.04	0.2	0.03
Digestive System	14,378	98.9	0.84	62.3	0.55	12,409	65.3	0.61	39.7	0.41
Esophagus	1,669	11.2	0.28	7.5	0.19	428	2.2	0.11	1.4	0.07
Stomach	1,273	8.8	0.25	5.3	0.16	766	3.9	0.15	2.3	0.10
Small intestine	338	2.4	0.13	1.6	0.09	328	1.8	0.10	1.3	0.08
Colon excl. rectum	4,357	30.7	0.47	18.1	0.29	5,144	26.6	0.39	15.5	0.25
Rectum & rectosigmoid	2,149	14.7	0.32	9.9	0.22	1,664	9.2	0.23	6.1	0.17
Anus, anal canal & anorectum	205	1.3	0.10	1.0	0.07	349	2.0	0.11	1.5	0.08
Liver	1,504	9.8	0.26	6.8	0.18	434	2.3	0.11	1.5	0.08
Gallbladder	105	0.8	0.07	0.4	0.04	257	1.3	0.09	0.8	0.05
Pancreas	2,057	14.2	0.32	8.7	0.20	2,212	11.4	0.25	6.7	0.16
Respiratory System	12,085	83.9	0.78	51.2	0.49	12,582	69.0	0.63	44.2	0.43
Larynx	882	5.9	0.20	4.0	0.14	302	1.7	0.10	1.2	0.07
Lung & bronchus	11,045	76.8	0.74	46.4	0.46	12,178	66.7	0.62	42.5	0.42
Bones & Joints	136	1.0	0.09	0.9	0.09	132	1.0	0.09	0.9	0.09
Soft Tissue (incl. heart)	522	3.9	0.17	2.9	0.15	451	2.7	0.14	2.1	0.13
Skin (excl. basal & sq.)	4,333	30.6	0.47	19.8	0.32	3,471	21.1	0.37	15.8	0.30
Melanomas of the skin	3,975	28.0	0.45	18.3	0.31	3,213	19.7	0.36	14.9	0.29
Breast (excl. *in situ*)	192	1.3	0.10	0.8	0.06	24,273	141.7	0.94	102.4	0.71
Female Genital System	-	-	-	-	-	9,422	53.6	0.57	39.6	0.44
Cervix uteri	-	-	-	-	-	708	4.8	0.19	3.8	0.15
Uterus Corpus	-	-	-	-	-	5,399	30.2	0.42	22.7	0.33
Uterus, NOS[1]	-	-	-	-	-	113	0.6	0.06	0.4	0.04
Ovary	-	-	-	-	-	2,254	12.9	0.28	9.3	0.22
Male Genital System	20,284	133.1	0.95	97.6	0.71	-	-	-	-	-
Prostate	19,251	124.5	0.91	90.0	0.66	-	-	-	-	-
Testis	879	7.5	0.26	7.0	0.24	-	-	-	-	-
Penis	120	0.9	0.08	0.5	0.05	-	-	-	-	-
Urinary System	9,679	67.6	0.70	41.7	0.45	4,377	23.8	0.37	15.4	0.27
Bladder (incl. *in situ*)	6,244	44.1	0.57	25.2	0.34	2,353	12.3	0.26	7.3	0.17
Kidney & renal pelvis	3,232	22.1	0.40	15.7	0.29	1,912	10.9	0.26	7.7	0.21
Ureter	139	1.0	0.09	0.5	0.05	90	0.5	0.05	0.3	0.03
Eye & Orbit	162	1.2	0.09	0.9	0.09	137	0.9	0.08	0.8	0.09
Brain & Other Nervous System	1,158	8.5	0.26	7.1	0.24	991	6.2	0.21	5.3	0.21
Brain	1,091	8.0	0.25	6.5	0.22	942	5.9	0.20	4.9	0.20
Endocrine System	1,592	11.4	0.29	9.3	0.25	4,260	29.9	0.48	24.9	0.41
Thyroid gland	1,472	10.5	0.28	8.4	0.23	4,161	29.2	0.47	24.1	0.40
Lymphomas	3,922	28.1	0.46	19.3	0.34	3,361	19.4	0.35	13.7	0.28
Hodgkin Lymphoma	471	3.7	0.17	3.3	0.16	408	3.0	0.15	2.8	0.15
Non-Hodgkin Lymphoma	3,451	24.4	0.42	16.0	0.30	2,953	16.4	0.31	10.9	0.23
Multiple Myeloma	1,057	7.3	0.23	4.6	0.15	845	4.4	0.16	2.8	0.11
Leukemias	2,359	17.1	0.36	12.0	0.30	1,730	10.0	0.26	7.5	0.24
Acute lymphocytic	208	1.9	0.14	2.5	0.19	174	1.5	0.12	1.9	0.17
Chronic lymphocytic	850	5.9	0.20	3.6	0.13	577	3.0	0.13	1.8	0.08
Acute myeloid	693	5.0	0.19	3.2	0.13	574	3.3	0.15	2.4	0.12
Chronic myeloid	286	2.1	0.12	1.3	0.09	170	1.0	0.08	0.6	0.06
Other leukemias	322	2.3	0.13	1.4	0.09	235	1.2	0.08	0.8	0.07
Mesothelioma	332	2.4	0.13	1.2	0.07	98	0.5	0.05	0.3	0.04
Kaposi Sarcoma	68	0.5	0.07	0.3	0.04	16	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,686	19.2	0.38	10.4	0.22	2,644	13.3	0.27	7.5	0.18
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	993	7.2	0.23	5.5	0.20	2,003	11.8	0.28	8.8	0.23
Breast (*in situ*)	19	0.1	0.03	0.1	0.02	7,695	46.9	0.55	35.9	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Massachusetts, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	4,360	568.2	9.25	394.2	6.08	3,950	387.1	6.27	274.9	4.50
Oral Cavity & Pharynx	109	13.1	1.35	9.6	0.93	48	4.6	0.67	3.4	0.51
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	25	3.0	0.63	2.2	0.45	-	-	-	-	-
Major salivary gland	13	1.9	0.59	1.1	0.31	9	0.8	0.26	0.7	0.23
Floor of mouth	7	0.7	0.31	0.6	0.21	-	-	-	-	-
Gum & other mouth	17	2.0	0.51	1.5	0.38	12	1.3	0.37	0.8	0.25
Nasopharynx	6	0.6	0.27	0.5	0.22	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	13	1.5	0.44	1.2	0.33	-	-	-	-	-
Digestive System	903	121.5	4.37	79.6	2.70	761	77.0	2.84	50.1	1.89
Esophagus	56	7.8	1.13	5.0	0.68	27	2.8	0.54	1.8	0.36
Stomach	100	14.5	1.56	9.0	0.91	81	8.4	0.95	5.1	0.59
Small intestine	40	5.7	0.97	3.4	0.55	22	2.4	0.52	1.5	0.33
Colon excl. rectum	266	37.7	2.49	23.7	1.48	269	27.4	1.70	17.5	1.11
Rectum & rectosigmoid	99	11.5	1.24	8.3	0.85	102	9.7	0.97	7.0	0.71
Anus, anal canal & anorectum	22	2.3	0.52	1.8	0.38	16	1.5	0.38	1.2	0.30
Liver	164	18.9	1.57	14.4	1.14	42	3.9	0.62	3.1	0.49
Gallbladder	16	2.5	0.68	1.4	0.36	34	3.7	0.64	2.2	0.39
Pancreas	108	16.2	1.68	9.7	0.95	137	14.0	1.21	8.6	0.78
Respiratory System	554	81.7	3.72	49.9	2.16	427	43.7	2.15	29.0	1.45
Larynx	46	6.7	1.05	4.4	0.66	14	1.5	0.40	1.0	0.28
Lung & bronchus	491	72.9	3.53	44.1	2.03	406	41.5	2.10	27.5	1.41
Bones & Joints	-	-	-	-	-	7	0.6	0.23	0.6	0.24
Soft Tissue (incl. heart)	24	2.6	0.59	2.0	0.41	38	3.6	0.60	3.0	0.50
Skin (excl. basal & sq.)	13	1.6	0.48	1.2	0.35	21	1.9	0.43	1.5	0.34
Melanomas of the skin	6	0.8	0.32	0.6	0.25	13	1.3	0.36	0.9	0.25
Breast (excl. *in situ*)	8	1.3	0.47	0.7	0.27	1,200	115.1	3.37	84.6	2.49
Female Genital System	-	-	-	-	-	459	44.2	2.10	32.6	1.55
Cervix uteri	-	-	-	-	-	88	8.3	0.89	6.2	0.67
Uterus Corpus	-	-	-	-	-	243	23.6	1.54	17.5	1.14
Uterus, NOS[1]	-	-	-	-	-	12	1.3	0.37	0.8	0.25
Ovary	-	-	-	-	-	83	7.9	0.88	5.9	0.66
Male Genital System	1,777	222.2	5.60	164.9	3.98	-	-	-	-	-
Prostate	1,747	218.9	5.56	162.3	3.95	-	-	-	-	-
Testis	15	1.4	0.36	1.3	0.34	-	-	-	-	-
Penis	10	1.3	0.44	0.8	0.27	-	-	-	-	-
Urinary System	313	42.1	2.56	27.7	1.60	184	18.8	1.41	12.5	0.96
Bladder (incl. *in situ*)	131	20.3	1.90	11.6	1.03	61	6.6	0.85	3.6	0.49
Kidney & renal pelvis	179	21.3	1.69	15.9	1.21	122	12.1	1.12	8.8	0.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	43	5.0	0.83	3.9	0.60	45	4.2	0.64	3.7	0.57
Brain	37	4.3	0.78	3.4	0.56	39	3.7	0.61	3.1	0.52
Endocrine System	76	8.3	1.00	6.8	0.80	283	25.7	1.55	21.2	1.28
Thyroid gland	62	6.9	0.92	5.4	0.70	273	24.8	1.52	20.4	1.24
Lymphomas	211	23.8	1.77	18.2	1.27	172	16.6	1.29	12.0	0.95
Hodgkin Lymphoma	37	3.3	0.55	3.2	0.53	22	1.9	0.42	1.6	0.35
Non-Hodgkin Lymphoma	174	20.5	1.68	15.0	1.16	150	14.7	1.22	10.4	0.88
Multiple Myeloma	117	16.8	1.67	10.3	0.97	123	12.7	1.16	8.0	0.75
Leukemias	78	9.2	1.14	7.3	0.85	71	6.9	0.84	5.5	0.68
Acute lymphocytic	15	1.3	0.33	1.7	0.44	13	1.2	0.33	1.4	0.39
Chronic lymphocytic	21	2.8	0.65	1.9	0.42	12	1.2	0.36	0.8	0.25
Acute myeloid	18	1.9	0.48	1.7	0.40	27	2.6	0.51	2.1	0.40
Chronic myeloid	11	1.3	0.42	0.9	0.29	11	1.0	0.32	0.8	0.23
Other leukemias	13	2.0	0.60	1.2	0.33	8	0.9	0.32	0.5	0.17
Mesothelioma	6	1.1	0.47	0.6	0.24	-	-	-	-	-
Kaposi Sarcoma	21	2.2	0.51	1.7	0.38	-	-	-	-	-
Ill-defined & Unknown	104	15.2	1.61	9.4	0.94	106	10.9	1.08	6.7	0.68
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	56	7.2	1.05	4.9	0.67	130	12.7	1.14	9.3	0.85
Breast (*in situ*)	-	-	-	-	-	419	39.6	1.96	30.1	1.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	140,331	544.8	1.49	361.1	1.01	129,203	428.6	1.22	298.8	0.91
Oral Cavity & Pharynx	4,603	16.9	0.25	12.3	0.19	2,010	6.6	0.15	4.7	0.11
Lip	178	0.7	0.06	0.4	0.03	66	0.2	0.03	0.1	0.02
Tongue	1,389	5.0	0.14	3.8	0.10	561	1.9	0.08	1.4	0.06
Major salivary gland	383	1.6	0.08	1.0	0.05	276	1.0	0.06	0.7	0.05
Floor of mouth	296	1.1	0.06	0.8	0.05	135	0.4	0.04	0.3	0.03
Gum & other mouth	532	2.0	0.09	1.4	0.06	487	1.6	0.07	1.0	0.05
Nasopharynx	189	0.7	0.05	0.5	0.04	66	0.2	0.03	0.2	0.02
Oropharynx	245	0.9	0.06	0.7	0.04	79	0.2	0.03	0.2	0.02
Hypopharynx	337	1.3	0.07	0.9	0.05	81	0.2	0.03	0.2	0.02
Digestive System	24,991	97.6	0.63	62.3	0.41	20,618	65.8	0.47	40.9	0.31
Esophagus	2,477	9.4	0.19	6.2	0.13	657	2.1	0.08	1.3	0.05
Stomach	2,380	9.4	0.20	5.9	0.13	1,342	4.3	0.12	2.7	0.08
Small intestine	665	2.6	0.10	1.7	0.07	594	2.0	0.08	1.3	0.06
Colon excl. rectum	7,965	32.0	0.37	19.4	0.23	8,422	26.8	0.30	15.8	0.19
Rectum & rectosigmoid	3,810	14.7	0.24	9.8	0.16	2,784	9.1	0.18	6.2	0.13
Anus, anal canal & anorectum	345	1.4	0.08	0.9	0.05	612	2.0	0.08	1.4	0.06
Liver	2,418	8.7	0.18	6.3	0.13	923	2.9	0.10	1.9	0.07
Gallbladder	204	0.8	0.06	0.5	0.04	422	1.3	0.07	0.8	0.04
Pancreas	3,659	14.3	0.24	8.9	0.15	3,637	11.4	0.19	6.9	0.13
Respiratory System	22,710	89.3	0.61	55.4	0.38	19,299	62.2	0.45	40.1	0.31
Larynx	1,798	6.7	0.16	4.6	0.11	529	1.7	0.08	1.3	0.06
Lung & bronchus	20,592	81.4	0.58	49.9	0.36	18,593	59.9	0.45	38.4	0.30
Bones & Joints	278	1.1	0.07	1.0	0.06	225	0.8	0.06	0.8	0.06
Soft Tissue (incl. heart)	994	4.0	0.13	3.0	0.11	845	3.0	0.11	2.5	0.10
Skin (excl. basal & sq.)	6,423	25.5	0.33	16.9	0.22	4,932	17.6	0.26	13.2	0.21
Melanomas of the skin	5,815	22.9	0.31	15.4	0.21	4,450	16.0	0.25	12.2	0.20
Breast (excl. *in situ*)	381	1.5	0.08	1.0	0.05	36,257	121.4	0.65	87.4	0.49
Female Genital System	-	-	-	-	-	15,928	53.0	0.43	39.3	0.33
Cervix uteri	-	-	-	-	-	1,770	6.9	0.17	5.5	0.14
Uterus Corpus	-	-	-	-	-	8,611	27.7	0.30	20.9	0.23
Uterus, NOS[1]	-	-	-	-	-	318	1.0	0.06	0.7	0.04
Ovary	-	-	-	-	-	3,759	12.5	0.21	8.9	0.16
Male Genital System	41,494	154.1	0.77	109.0	0.55	-	-	-	-	-
Prostate	39,915	147.3	0.76	103.1	0.53	-	-	-	-	-
Testis	1,300	5.7	0.16	5.3	0.15	-	-	-	-	-
Penis	219	0.9	0.06	0.5	0.04	-	-	-	-	-
Urinary System	15,974	63.9	0.52	39.1	0.32	7,096	23.0	0.28	15.2	0.20
Bladder (incl. *in situ*)	9,815	40.3	0.41	22.7	0.24	3,311	10.4	0.18	6.3	0.12
Kidney & renal pelvis	5,771	22.0	0.30	15.5	0.21	3,586	11.9	0.20	8.6	0.16
Ureter	203	0.9	0.06	0.4	0.03	122	0.4	0.04	0.2	0.02
Eye & Orbit	230	0.9	0.06	0.8	0.06	189	0.7	0.05	0.6	0.05
Brain & Other Nervous System	2,043	8.1	0.18	6.6	0.16	1,640	5.8	0.15	5.0	0.14
Brain	1,930	7.6	0.18	6.1	0.15	1,511	5.3	0.14	4.5	0.13
Endocrine System	1,798	7.0	0.17	5.6	0.14	5,140	19.6	0.28	16.3	0.24
Thyroid gland	1,593	6.2	0.16	4.8	0.12	4,949	18.9	0.28	15.6	0.23
Lymphomas	6,925	27.9	0.34	19.1	0.24	5,853	19.6	0.26	13.9	0.20
Hodgkin Lymphoma	815	3.4	0.12	3.0	0.11	636	2.5	0.10	2.3	0.10
Non-Hodgkin Lymphoma	6,110	24.5	0.32	16.1	0.22	5,217	17.1	0.24	11.5	0.18
Multiple Myeloma	1,996	7.9	0.18	4.9	0.11	1,573	5.0	0.13	3.1	0.09
Leukemias	4,221	17.2	0.27	11.7	0.20	3,094	10.4	0.19	7.6	0.17
Acute lymphocytic	415	1.8	0.09	2.1	0.11	333	1.4	0.08	1.7	0.10
Chronic lymphocytic	1,539	6.1	0.16	3.7	0.10	1,017	3.2	0.10	1.9	0.06
Acute myeloid	1,211	4.9	0.14	3.2	0.10	1,015	3.4	0.11	2.4	0.09
Chronic myeloid	566	2.3	0.10	1.5	0.07	366	1.2	0.07	0.9	0.05
Other leukemias	490	2.0	0.09	1.2	0.06	363	1.2	0.06	0.8	0.05
Mesothelioma	451	1.9	0.09	1.0	0.05	141	0.5	0.04	0.3	0.02
Kaposi Sarcoma	116	0.5	0.05	0.4	0.04	19	0.1	0.01	0.0	0.01
Ill-defined & Unknown	4,703	19.4	0.29	11.0	0.17	4,344	13.6	0.21	8.0	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,910	7.7	0.18	5.5	0.13	4,223	14.3	0.23	10.2	0.18
Breast (*in situ*)	64	0.2	0.03	0.2	0.02	9,758	32.9	0.34	24.7	0.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	117,835	525.2	1.56	346.4	1.06	109,368	425.3	1.32	296.8	1.00
Oral Cavity & Pharynx	3,924	16.6	0.27	12.1	0.20	1,713	6.5	0.16	4.6	0.12
Lip	159	0.7	0.06	0.4	0.04	58	0.2	0.03	0.1	0.02
Tongue	1,239	5.2	0.15	3.9	0.11	497	1.9	0.09	1.4	0.07
Major salivary gland	334	1.5	0.09	1.0	0.06	236	1.0	0.06	0.7	0.06
Floor of mouth	249	1.0	0.07	0.8	0.05	107	0.4	0.04	0.3	0.03
Gum & other mouth	459	2.0	0.10	1.4	0.07	420	1.6	0.08	1.0	0.06
Nasopharynx	156	0.7	0.06	0.5	0.04	50	0.2	0.03	0.1	0.02
Oropharynx	187	0.8	0.06	0.6	0.04	66	0.2	0.03	0.2	0.02
Hypopharynx	247	1.1	0.07	0.7	0.05	65	0.2	0.03	0.2	0.02
Digestive System	20,692	92.7	0.66	58.6	0.43	16,777	61.8	0.49	38.0	0.33
Esophagus	2,221	9.6	0.21	6.4	0.14	551	2.0	0.09	1.2	0.06
Stomach	1,944	8.8	0.20	5.5	0.13	963	3.5	0.12	2.2	0.08
Small intestine	540	2.4	0.11	1.6	0.07	433	1.7	0.08	1.1	0.06
Colon excl. rectum	6,606	30.5	0.38	18.2	0.24	6,991	25.6	0.31	14.9	0.20
Rectum & rectosigmoid	3,226	14.3	0.26	9.5	0.17	2,269	8.7	0.19	5.9	0.14
Anus, anal canal & anorectum	285	1.3	0.08	0.9	0.05	536	2.0	0.09	1.5	0.07
Liver	1,710	7.2	0.18	5.0	0.13	690	2.5	0.10	1.6	0.07
Gallbladder	164	0.7	0.06	0.4	0.04	332	1.2	0.07	0.7	0.04
Pancreas	3,085	13.8	0.25	8.5	0.16	2,955	10.7	0.20	6.3	0.13
Respiratory System	19,275	86.4	0.63	53.3	0.40	16,558	61.8	0.49	39.8	0.33
Larynx	1,468	6.3	0.17	4.3	0.12	439	1.7	0.08	1.2	0.06
Lung & bronchus	17,535	78.9	0.61	48.1	0.38	15,967	59.6	0.48	38.1	0.33
Bones & Joints	239	1.1	0.07	1.0	0.07	178	0.8	0.06	0.8	0.06
Soft Tissue (incl. heart)	844	4.0	0.14	3.0	0.12	671	2.9	0.11	2.4	0.11
Skin (excl. basal & sq.)	6,024	27.5	0.36	18.3	0.25	4,490	19.2	0.30	14.6	0.24
Melanomas of the skin	5,480	24.9	0.34	16.8	0.24	4,092	17.7	0.29	13.6	0.23
Breast (excl. *in situ*)	299	1.3	0.08	0.8	0.05	30,545	120.2	0.71	86.5	0.53
Female Genital System	-	-	-	-	-	13,600	53.3	0.47	39.6	0.36
Cervix uteri	-	-	-	-	-	1,369	6.6	0.18	5.2	0.15
Uterus Corpus	-	-	-	-	-	7,428	28.1	0.33	21.2	0.26
Uterus, NOS[1]	-	-	-	-	-	250	0.9	0.06	0.6	0.05
Ovary	-	-	-	-	-	3,260	12.8	0.23	9.1	0.18
Male Genital System	32,933	140.4	0.79	99.3	0.56	-	-	-	-	-
Prostate	31,492	132.8	0.76	92.6	0.53	-	-	-	-	-
Testis	1,208	6.5	0.19	6.1	0.18	-	-	-	-	-
Penis	184	0.8	0.06	0.5	0.04	-	-	-	-	-
Urinary System	14,109	64.4	0.55	39.2	0.35	6,096	22.9	0.30	15.2	0.22
Bladder (incl. *in situ*)	8,996	41.8	0.45	23.6	0.26	2,980	10.8	0.20	6.6	0.13
Kidney & renal pelvis	4,762	20.9	0.31	14.8	0.23	2,948	11.5	0.22	8.3	0.17
Ureter	189	0.9	0.07	0.5	0.04	112	0.4	0.04	0.2	0.02
Eye & Orbit	209	1.0	0.07	0.8	0.06	164	0.7	0.06	0.6	0.06
Brain & Other Nervous System	1,823	8.4	0.20	7.0	0.18	1,430	6.1	0.17	5.2	0.16
Brain	1,727	8.0	0.20	6.5	0.17	1,324	5.6	0.16	4.7	0.15
Endocrine System	1,570	7.2	0.19	5.7	0.15	4,332	20.2	0.32	16.9	0.27
Thyroid gland	1,410	6.5	0.18	5.0	0.14	4,186	19.5	0.31	16.3	0.27
Lymphomas	6,083	28.3	0.37	19.3	0.27	5,110	20.1	0.29	14.1	0.23
Hodgkin Lymphoma	690	3.5	0.13	3.1	0.12	533	2.6	0.12	2.4	0.11
Non-Hodgkin Lymphoma	5,393	24.8	0.35	16.2	0.24	4,577	17.4	0.26	11.7	0.20
Multiple Myeloma	1,564	7.0	0.18	4.3	0.11	1,153	4.3	0.13	2.6	0.08
Leukemias	3,648	17.2	0.29	11.7	0.22	2,686	10.6	0.21	7.8	0.19
Acute lymphocytic	347	1.8	0.10	2.2	0.13	286	1.5	0.09	1.9	0.13
Chronic lymphocytic	1,338	6.1	0.17	3.6	0.10	885	3.2	0.11	1.9	0.07
Acute myeloid	1,076	5.0	0.16	3.3	0.11	891	3.5	0.12	2.4	0.10
Chronic myeloid	464	2.2	0.11	1.4	0.07	311	1.2	0.07	0.8	0.05
Other leukemias	423	2.0	0.10	1.2	0.07	313	1.2	0.07	0.8	0.05
Mesothelioma	429	2.1	0.10	1.1	0.05	128	0.5	0.04	0.3	0.03
Kaposi Sarcoma	60	0.3	0.04	0.2	0.03	12	0.0	0.01	0.0	0.01
Ill-defined & Unknown	4,110	19.3	0.31	10.8	0.18	3,725	13.4	0.23	7.9	0.15
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,579	7.4	0.19	5.3	0.14	3,424	13.7	0.24	9.8	0.19
Breast (*in situ*)	44	0.2	0.03	0.1	0.02	8,109	32.3	0.37	24.3	0.28

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	17,465	632.8	5.04	435.6	3.36	15,789	426.8	3.46	296.7	2.46
Oral Cavity & Pharynx	528	17.1	0.78	13.2	0.58	229	6.0	0.41	4.4	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	113	3.7	0.37	2.8	0.27	45	1.1	0.17	0.9	0.14
Major salivary gland	27	1.0	0.20	0.7	0.13	28	0.7	0.14	0.6	0.11
Floor of mouth	41	1.3	0.22	1.0	0.16	23	0.6	0.12	0.4	0.09
Gum & other mouth	52	1.8	0.26	1.3	0.18	51	1.4	0.20	0.9	0.13
Nasopharynx	24	0.8	0.16	0.6	0.13	12	0.3	0.09	0.3	0.08
Oropharynx	48	1.5	0.22	1.2	0.18	12	0.3	0.08	0.2	0.07
Hypopharynx	80	2.7	0.32	2.0	0.23	15	0.4	0.11	0.3	0.07
Digestive System	3,597	132.2	2.33	88.3	1.50	3,246	88.8	1.59	57.3	1.06
Esophagus	222	8.1	0.58	5.5	0.37	98	2.6	0.27	1.7	0.18
Stomach	373	14.7	0.80	9.1	0.48	307	8.6	0.50	5.2	0.31
Small intestine	108	4.4	0.44	2.6	0.26	146	4.0	0.34	2.6	0.23
Colon excl. rectum	1,122	43.0	1.35	27.6	0.84	1,209	33.4	0.98	21.2	0.64
Rectum & rectosigmoid	452	16.2	0.80	10.9	0.52	411	10.9	0.55	7.5	0.39
Anus, anal canal & anorectum	57	2.0	0.27	1.5	0.20	60	1.6	0.21	1.1	0.14
Liver	591	18.7	0.80	14.7	0.61	199	5.1	0.37	3.6	0.27
Gallbladder	32	1.3	0.25	0.8	0.14	78	2.1	0.24	1.4	0.16
Pancreas	519	19.5	0.90	12.7	0.57	609	16.9	0.70	10.4	0.45
Respiratory System	3,026	115.0	2.20	74.2	1.38	2,386	65.5	1.37	42.7	0.91
Larynx	298	10.2	0.62	7.3	0.43	83	2.2	0.24	1.6	0.18
Lung & bronchus	2,691	103.5	2.10	65.9	1.30	2,285	62.9	1.34	40.6	0.89
Bones & Joints	30	1.0	0.19	0.8	0.15	41	1.0	0.16	0.9	0.15
Soft Tissue (incl. heart)	108	3.5	0.35	2.8	0.28	138	3.8	0.32	3.1	0.27
Skin (excl. basal & sq.)	61	2.1	0.28	1.5	0.20	90	2.4	0.26	1.7	0.19
Melanomas of the skin	27	1.0	0.20	0.7	0.13	34	0.9	0.16	0.6	0.11
Breast (excl. *in situ*)	72	2.7	0.34	1.8	0.21	4,565	122.0	1.84	88.2	1.34
Female Genital System	-	-	-	-	-	1,830	48.4	1.15	35.7	0.86
Cervix uteri	-	-	-	-	-	321	8.7	0.49	6.6	0.38
Uterus Corpus	-	-	-	-	-	927	24.1	0.81	18.0	0.61
Uterus, NOS[1]	-	-	-	-	-	61	1.6	0.21	1.1	0.15
Ovary	-	-	-	-	-	385	10.3	0.53	7.4	0.39
Male Genital System	6,396	224.5	2.95	162.2	2.06	-	-	-	-	-
Prostate	6,313	221.7	2.93	160.0	2.05	-	-	-	-	-
Testis	45	1.3	0.20	1.3	0.19	-	-	-	-	-
Penis	28	1.1	0.22	0.6	0.12	-	-	-	-	-
Urinary System	1,403	53.4	1.50	34.3	0.93	789	21.6	0.78	14.4	0.54
Bladder (incl. *in situ*)	523	21.5	0.99	12.5	0.56	249	7.0	0.45	4.0	0.27
Kidney & renal pelvis	854	30.7	1.10	21.3	0.74	516	14.0	0.63	9.9	0.46
Ureter	9	0.5	0.16	0.2	0.07	9	0.2	0.08	0.2	0.06
Eye & Orbit	12	0.3	0.11	0.4	0.12	13	0.3	0.09	0.4	0.13
Brain & Other Nervous System	159	5.3	0.44	4.2	0.35	157	4.2	0.34	3.7	0.31
Brain	145	4.8	0.42	3.8	0.33	143	3.8	0.32	3.4	0.30
Endocrine System	138	4.6	0.40	3.6	0.31	540	14.4	0.63	11.5	0.51
Thyroid gland	108	3.6	0.36	2.8	0.27	498	13.3	0.60	10.6	0.48
Lymphomas	616	21.2	0.89	15.7	0.64	527	14.3	0.63	10.7	0.49
Hodgkin Lymphoma	92	2.8	0.30	2.5	0.26	85	2.2	0.24	2.0	0.23
Non-Hodgkin Lymphoma	524	18.4	0.84	13.3	0.59	442	12.1	0.59	8.7	0.43
Multiple Myeloma	397	15.4	0.81	9.7	0.50	383	10.5	0.55	6.7	0.36
Leukemias	396	14.5	0.77	10.2	0.52	318	8.7	0.49	6.3	0.38
Acute lymphocytic	52	1.5	0.21	1.6	0.23	31	0.8	0.14	0.9	0.18
Chronic lymphocytic	124	4.8	0.45	3.1	0.29	102	2.9	0.29	1.6	0.17
Acute myeloid	99	3.7	0.40	2.4	0.25	105	2.8	0.28	2.1	0.22
Chronic myeloid	72	2.6	0.32	1.9	0.23	43	1.2	0.18	0.9	0.14
Other leukemias	49	1.9	0.29	1.2	0.17	37	1.0	0.17	0.7	0.13
Mesothelioma	17	0.7	0.17	0.4	0.10	11	0.3	0.10	0.2	0.06
Kaposi Sarcoma	50	1.6	0.23	1.4	0.20	-	-	-	-	-
Ill-defined & Unknown	459	17.8	0.88	10.8	0.52	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	238	9.0	0.61	6.0	0.40	616	17.0	0.69	11.6	0.49
Breast (*in situ*)	16	0.6	0.17	0.4	0.10	1,273	33.9	0.97	25.2	0.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,112	278.4	9.43	177.4	5.38	1,328	259.8	7.68	176.6	4.91
Oral Cavity & Pharynx	39	8.3	1.49	6.0	0.98	19	4.0	0.99	2.6	0.60
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	2.7	0.81	1.8	0.51	6	1.4	0.60	0.8	0.34
Major salivary gland	6	1.4	0.62	1.0	0.40	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	8	1.9	0.83	1.2	0.45	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	273	69.4	4.74	42.8	2.62	240	53.7	3.73	31.8	2.07
Esophagus	9	2.4	0.96	1.5	0.50	-	-	-	-	-
Stomach	35	8.7	1.68	5.4	0.94	49	11.1	1.73	6.5	0.93
Small intestine	7	1.3	0.51	1.1	0.41	-	-	-	-	-
Colon excl. rectum	73	18.8	2.46	11.4	1.34	69	15.3	1.98	9.1	1.10
Rectum & rectosigmoid	45	11.6	1.99	6.8	1.04	32	6.9	1.30	4.2	0.75
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	62	15.1	2.16	9.9	1.27	19	4.1	1.02	2.6	0.60
Gallbladder	-	-	-	-	-	6	1.5	0.65	0.8	0.34
Pancreas	17	4.6	1.27	2.8	0.68	36	8.7	1.58	4.7	0.80
Respiratory System	135	37.6	3.71	22.3	1.94	141	32.9	2.94	19.4	1.65
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	129	36.4	3.68	21.3	1.89	134	31.3	2.88	18.5	1.61
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	15	3.4	1.07	2.2	0.59	11	1.8	0.59	1.5	0.46
Skin (excl. basal & sq.)	9	1.8	0.66	1.4	0.46	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	9	1.6	0.60	1.0	0.33
Breast (excl. *in situ*)	-	-	-	-	-	439	78.5	3.96	57.6	2.78
Female Genital System	-	-	-	-	-	188	34.7	2.71	24.9	1.83
Cervix uteri	-	-	-	-	-	30	5.4	1.04	3.9	0.72
Uterus Corpus	-	-	-	-	-	94	16.5	1.77	12.6	1.31
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	51	10.3	1.59	6.6	0.94
Male Genital System	304	76.4	4.80	49.8	2.87	-	-	-	-	-
Prostate	291	74.5	4.76	48.0	2.83	-	-	-	-	-
Testis	13	1.9	0.60	1.8	0.50	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	87	23.6	2.82	14.1	1.53	35	7.4	1.36	4.9	0.85
Bladder (incl. *in situ*)	45	13.6	2.28	7.5	1.13	10	2.1	0.69	1.4	0.45
Kidney & renal pelvis	41	9.8	1.66	6.4	1.01	23	4.9	1.11	3.2	0.69
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	22	5.2	1.29	3.3	0.72	19	3.6	0.90	2.6	0.60
Brain	21	5.1	1.29	3.2	0.71	15	2.9	0.84	2.0	0.54
Endocrine System	41	7.6	1.31	5.8	0.93	93	14.6	1.58	11.7	1.24
Thyroid gland	33	5.5	1.00	4.4	0.78	91	14.3	1.57	11.3	1.21
Lymphomas	71	16.0	2.18	10.9	1.30	59	11.3	1.58	8.2	1.09
Hodgkin Lymphoma	10	1.5	0.51	1.5	0.48	-	-	-	-	-
Non-Hodgkin Lymphoma	61	14.4	2.12	9.3	1.21	-	-	-	-	-
Multiple Myeloma	15	3.8	1.09	2.6	0.67	12	2.7	0.84	1.7	0.49
Leukemias	47	10.5	1.76	7.7	1.13	25	4.8	1.07	3.5	0.72
Acute lymphocytic	-	-	-	-	-	7	1.0	0.38	1.1	0.42
Chronic lymphocytic	8	2.3	0.95	1.4	0.49	-	-	-	-	-
Acute myeloid	21	4.8	1.18	3.3	0.73	11	2.0	0.68	1.4	0.45
Chronic myeloid	7	1.4	0.57	1.1	0.41	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	40	11.6	2.14	6.4	1.04	32	7.1	1.37	4.2	0.76
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	29	5.6	1.17	4.1	0.78	61	12.1	1.65	8.5	1.10
Breast (*in situ*)	-	-	-	-	-	142	24.6	2.17	18.4	1.56

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	371	505.8	29.83	328.3	17.31	395	446.0	23.96	305.9	15.61
Oral Cavity & Pharynx	14	19.0	5.65	12.3	3.32	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	8.2	3.76	5.6	2.29	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	92	117.0	13.66	77.8	8.22	55	58.5	8.40	43.1	5.88
Esophagus	9	13.2	4.85	8.4	2.84	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	25	32.2	7.23	21.2	4.28	28	29.5	5.90	22.1	4.23
Rectum & rectosigmoid	19	21.5	5.34	15.5	3.60	10	10.1	3.37	7.8	2.51
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	18.6	5.34	13.1	3.31	6	6.5	2.86	4.4	1.84
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	10	11.3	3.82	8.1	2.60	-	-	-	-	-
Respiratory System	83	129.4	16.04	78.2	8.72	77	92.8	11.37	59.6	6.88
Larynx	10	16.9	6.18	9.3	3.01	-	-	-	-	-
Lung & bronchus	71	110.1	14.71	67.0	8.08	75	90.6	11.25	57.8	6.77
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	104	108.9	11.24	79.5	7.89
Female Genital System	-	-	-	-	-	42	42.5	6.94	32.8	5.14
Cervix uteri	-	-	-	-	-	11	9.6	2.91	9.1	2.83
Uterus Corpus	-	-	-	-	-	17	16.8	4.25	13.6	3.33
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	13.3	4.36	7.8	2.38
Male Genital System	76	102.7	13.24	67.7	7.88	-	-	-	-	-
Prostate	67	93.5	12.88	60.3	7.47	-	-	-	-	-
Testis	9	9.2	3.07	7.4	2.50	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	37	49.3	9.61	32.2	5.40	35	43.8	7.90	26.5	4.53
Bladder (incl. *in situ*)	15	24.1	7.52	14.0	3.71	6	8.5	3.61	4.5	1.85
Kidney & renal pelvis	19	22.2	5.73	15.6	3.61	29	35.4	7.03	22.0	4.13
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	4.8	1.96	4.4	1.82	8	9.2	3.53	6.3	2.27
Brain	6	4.8	1.96	4.4	1.82	8	9.2	3.53	6.3	2.27
Endocrine System	7	7.2	2.74	6.4	2.44	18	17.6	4.23	14.8	3.49
Thyroid gland	6	6.0	2.47	5.3	2.20	17	16.6	4.12	13.9	3.40
Lymphomas	13	14.0	4.06	11.6	3.25	16	20.8	5.57	11.9	3.03
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	13	16.9	5.03	12.3	3.43	11	12.7	4.06	8.9	2.73
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	26.7	7.58	15.1	3.72	12	20.4	6.07	7.9	2.30
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	9	10.4	3.71	6.7	2.25
Breast (*in situ*)	-	-	-	-	-	27	30.9	6.26	20.6	4.00

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,027	406.0	10.05	259.1	5.96	1,950	316.3	7.60	221.7	5.21
Oral Cavity & Pharynx	58	10.3	1.48	6.9	0.94	23	3.8	0.84	2.6	0.56
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	11	1.6	0.51	1.3	0.40	-	-	-	-	-
Major salivary gland	-	-	-	-	-	8	1.1	0.41	0.8	0.30
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.5	0.61	0.7	0.27	-	-	-	-	-
Nasopharynx	6	1.3	0.58	0.7	0.29	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	501	102.7	5.09	63.4	2.93	297	56.2	3.41	33.9	2.05
Esophagus	19	4.1	1.05	2.3	0.56	-	-	-	-	-
Stomach	58	13.2	1.90	7.6	1.03	29	5.5	1.07	3.2	0.62
Small intestine	12	2.2	0.68	1.6	0.47	6	0.9	0.39	0.7	0.29
Colon excl. rectum	160	35.2	3.07	20.5	1.67	84	16.2	1.85	9.4	1.07
Rectum & rectosigmoid	74	14.1	1.81	8.6	1.04	44	7.8	1.24	5.3	0.84
Anus, anal canal & anorectum	-	-	-	-	-	16	2.8	0.73	1.8	0.47
Liver	96	17.2	1.95	12.1	1.27	22	4.3	0.96	2.4	0.54
Gallbladder	-	-	-	-	-	9	1.8	0.62	1.1	0.39
Pancreas	50	10.3	1.61	6.4	0.94	59	11.3	1.54	6.7	0.91
Respiratory System	248	58.4	4.02	33.5	2.19	189	35.1	2.65	23.7	1.78
Larynx	30	6.0	1.18	4.0	0.76	6	0.9	0.38	0.8	0.32
Lung & bronchus	209	51.1	3.81	28.5	2.03	182	34.0	2.62	22.7	1.75
Bones & Joints	6	0.5	0.23	0.5	0.22	7	1.0	0.40	0.8	0.30
Soft Tissue (incl. heart)	25	3.7	0.86	2.8	0.58	18	1.6	0.40	1.7	0.41
Skin (excl. basal & sq.)	40	7.3	1.30	4.9	0.81	45	6.5	1.05	4.7	0.74
Melanomas of the skin	32	5.6	1.10	4.0	0.73	35	5.2	0.94	3.8	0.68
Breast (excl. *in situ*)	-	-	-	-	-	508	81.0	3.76	59.1	2.70
Female Genital System	-	-	-	-	-	348	53.0	3.00	39.5	2.19
Cervix uteri	-	-	-	-	-	79	10.3	1.21	8.1	0.94
Uterus Corpus	-	-	-	-	-	167	25.8	2.08	20.2	1.61
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	66	10.8	1.42	7.1	0.91
Male Genital System	559	111.7	5.18	75.9	3.31	-	-	-	-	-
Prostate	502	105.8	5.10	70.8	3.24	-	-	-	-	-
Testis	51	4.4	0.64	4.4	0.62	-	-	-	-	-
Penis	6	1.5	0.65	0.8	0.34	-	-	-	-	-
Urinary System	217	45.0	3.39	27.3	1.92	107	18.0	1.83	12.6	1.26
Bladder (incl. *in situ*)	89	21.9	2.51	11.8	1.30	29	5.4	1.05	3.5	0.68
Kidney & renal pelvis	125	22.2	2.21	15.0	1.39	78	12.5	1.50	9.0	1.06
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	36	4.8	1.02	3.9	0.68	32	4.3	0.85	3.3	0.62
Brain	34	4.4	0.98	3.6	0.63	26	3.6	0.78	2.7	0.55
Endocrine System	24	3.5	0.80	2.8	0.60	139	17.0	1.54	14.0	1.23
Thyroid gland	21	3.3	0.79	2.6	0.59	135	16.6	1.53	13.6	1.21
Lymphomas	132	23.9	2.39	15.6	1.41	104	16.7	1.76	11.3	1.16
Hodgkin Lymphoma	29	4.2	0.92	3.1	0.60	17	2.6	0.70	1.7	0.44
Non-Hodgkin Lymphoma	103	19.7	2.21	12.5	1.28	87	14.1	1.62	9.6	1.07
Multiple Myeloma	31	7.0	1.37	3.8	0.71	21	4.3	0.97	2.4	0.53
Leukemias	73	10.9	1.58	7.9	0.97	58	8.3	1.20	6.4	0.88
Acute lymphocytic	20	1.3	0.30	1.6	0.37	19	1.9	0.50	1.9	0.45
Chronic lymphocytic	12	2.2	0.67	1.7	0.49	-	-	-	-	-
Acute myeloid	22	3.8	0.96	2.4	0.54	25	4.2	0.91	2.9	0.60
Chronic myeloid	9	2.0	0.74	1.1	0.37	8	1.2	0.42	0.9	0.31
Other leukemias	10	1.6	0.69	1.1	0.35	-	-	-	-	-
Mesothelioma	6	1.6	0.68	0.9	0.38	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	66	14.1	1.92	8.5	1.08	50	9.1	1.35	5.2	0.76
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	32	6.1	1.22	4.0	0.73	85	13.1	1.52	9.4	1.06
Breast (*in situ*)	-	-	-	-	-	117	18.4	1.76	13.9	1.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	116,105	528.7	1.59	349.1	1.09	107,700	428.4	1.35	299.2	1.02
Oral Cavity & Pharynx	3,879	16.8	0.28	12.2	0.20	1,694	6.6	0.17	4.7	0.13
Lip	154	0.7	0.06	0.4	0.04	57	0.2	0.03	0.1	0.02
Tongue	1,230	5.3	0.15	4.0	0.12	494	2.0	0.09	1.4	0.07
Major salivary gland	332	1.6	0.09	1.0	0.06	228	1.0	0.07	0.7	0.06
Floor of mouth	245	1.0	0.07	0.8	0.05	107	0.4	0.04	0.3	0.03
Gum & other mouth	454	2.0	0.10	1.4	0.07	416	1.6	0.08	1.0	0.06
Nasopharynx	151	0.7	0.06	0.5	0.04	49	0.2	0.03	0.1	0.02
Oropharynx	184	0.8	0.06	0.6	0.04	66	0.2	0.03	0.2	0.02
Hypopharynx	244	1.1	0.07	0.7	0.05	64	0.2	0.03	0.2	0.02
Digestive System	20,258	92.7	0.67	58.5	0.43	16,530	62.0	0.49	38.2	0.34
Esophagus	2,203	9.7	0.21	6.5	0.14	548	2.0	0.09	1.2	0.06
Stomach	1,893	8.7	0.21	5.4	0.13	941	3.5	0.12	2.2	0.08
Small intestine	529	2.4	0.11	1.6	0.07	428	1.7	0.08	1.1	0.06
Colon excl. rectum	6,467	30.5	0.39	18.2	0.24	6,922	25.8	0.32	15.0	0.21
Rectum & rectosigmoid	3,161	14.3	0.26	9.5	0.18	2,227	8.7	0.19	5.9	0.14
Anus, anal canal & anorectum	280	1.3	0.08	0.9	0.05	521	2.0	0.09	1.5	0.07
Liver	1,634	7.0	0.18	4.9	0.13	669	2.5	0.10	1.6	0.07
Gallbladder	160	0.7	0.06	0.4	0.04	325	1.2	0.07	0.7	0.04
Pancreas	3,040	13.9	0.26	8.5	0.16	2,912	10.7	0.20	6.4	0.13
Respiratory System	19,065	87.1	0.64	53.8	0.40	16,396	62.4	0.50	40.2	0.34
Larynx	1,446	6.3	0.17	4.3	0.12	434	1.7	0.08	1.3	0.06
Lung & bronchus	17,355	79.5	0.62	48.6	0.38	15,811	60.1	0.49	38.5	0.33
Bones & Joints	233	1.2	0.08	1.0	0.08	172	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	822	4.0	0.14	3.0	0.12	660	2.9	0.12	2.4	0.11
Skin (excl. basal & sq.)	5,990	28.0	0.37	18.7	0.26	4,453	19.7	0.31	15.0	0.25
Melanomas of the skin	5,453	25.4	0.35	17.2	0.25	4,063	18.2	0.30	14.0	0.24
Breast (excl. *in situ*)	296	1.4	0.08	0.8	0.05	30,108	121.2	0.72	87.3	0.54
Female Genital System	-	-	-	-	-	13,294	53.4	0.48	39.6	0.37
Cervix uteri	-	-	-	-	-	1,296	6.5	0.19	5.2	0.15
Uterus Corpus	-	-	-	-	-	7,288	28.2	0.34	21.2	0.26
Uterus, NOS[1]	-	-	-	-	-	246	0.9	0.06	0.6	0.05
Ovary	-	-	-	-	-	3,200	12.8	0.23	9.2	0.18
Male Genital System	32,460	141.2	0.80	99.9	0.57	-	-	-	-	-
Prostate	31,072	133.5	0.77	93.2	0.54	-	-	-	-	-
Testis	1,160	6.6	0.20	6.2	0.19	-	-	-	-	-
Penis	179	0.8	0.06	0.5	0.04	-	-	-	-	-
Urinary System	13,913	64.8	0.56	39.4	0.35	6,002	23.0	0.31	15.2	0.22
Bladder (incl. *in situ*)	8,918	42.2	0.45	23.8	0.27	2,954	10.9	0.21	6.6	0.14
Kidney & renal pelvis	4,647	20.9	0.31	14.8	0.23	2,880	11.5	0.22	8.3	0.17
Ureter	189	0.9	0.07	0.5	0.04	112	0.4	0.04	0.2	0.02
Eye & Orbit	208	1.0	0.07	0.8	0.07	162	0.7	0.06	0.6	0.06
Brain & Other Nervous System	1,791	8.6	0.21	7.1	0.19	1,403	6.2	0.17	5.3	0.17
Brain	1,697	8.1	0.20	6.6	0.18	1,301	5.6	0.16	4.8	0.16
Endocrine System	1,550	7.4	0.19	5.9	0.16	4,214	20.4	0.33	17.1	0.28
Thyroid gland	1,391	6.6	0.18	5.1	0.14	4,072	19.7	0.32	16.5	0.28
Lymphomas	5,978	28.6	0.38	19.6	0.28	5,022	20.2	0.29	14.2	0.23
Hodgkin Lymphoma	670	3.5	0.14	3.1	0.13	517	2.7	0.12	2.5	0.12
Non-Hodgkin Lymphoma	5,308	25.0	0.35	16.4	0.24	4,505	17.5	0.27	11.8	0.20
Multiple Myeloma	1,539	7.1	0.18	4.3	0.12	1,135	4.3	0.13	2.6	0.09
Leukemias	3,586	17.3	0.30	11.8	0.23	2,633	10.7	0.22	7.9	0.20
Acute lymphocytic	329	1.8	0.10	2.2	0.14	268	1.5	0.10	2.0	0.13
Chronic lymphocytic	1,331	6.2	0.17	3.6	0.10	882	3.2	0.11	1.9	0.07
Acute myeloid	1,056	5.1	0.16	3.3	0.11	866	3.5	0.12	2.4	0.10
Chronic myeloid	456	2.2	0.11	1.4	0.07	306	1.2	0.07	0.8	0.05
Other leukemias	414	2.0	0.10	1.2	0.06	311	1.2	0.07	0.8	0.05
Mesothelioma	424	2.1	0.10	1.1	0.06	128	0.5	0.04	0.3	0.03
Kaposi Sarcoma	59	0.3	0.04	0.2	0.03	11	0.0	0.01	0.0	0.01
Ill-defined & Unknown	4,054	19.5	0.31	10.9	0.18	3,683	13.5	0.23	7.9	0.16
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,554	7.5	0.19	5.4	0.15	3,350	13.7	0.25	9.9	0.20
Breast (*in situ*)	44	0.2	0.03	0.1	0.02	8,003	32.7	0.38	24.6	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Michigan, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	17,403	636.1	5.07	438.3	3.38	15,726	429.3	3.49	298.6	2.49
Oral Cavity & Pharynx	523	17.2	0.78	13.2	0.58	228	6.1	0.41	4.5	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	113	3.8	0.37	2.8	0.27	45	1.1	0.17	0.9	0.14
Major salivary gland	27	1.0	0.20	0.7	0.14	28	0.8	0.14	0.6	0.11
Floor of mouth	41	1.4	0.22	1.0	0.16	23	0.6	0.13	0.4	0.09
Gum & other mouth	52	1.8	0.26	1.3	0.18	51	1.4	0.20	0.9	0.14
Nasopharynx	24	0.8	0.16	0.6	0.13	12	0.3	0.09	0.3	0.08
Oropharynx	48	1.5	0.23	1.2	0.18	12	0.3	0.08	0.2	0.07
Hypopharynx	78	2.7	0.32	2.0	0.23	15	0.4	0.11	0.3	0.07
Digestive System	3,584	132.8	2.34	88.8	1.51	3,233	89.2	1.60	57.6	1.06
Esophagus	222	8.2	0.58	5.5	0.38	97	2.6	0.27	1.7	0.18
Stomach	372	14.8	0.81	9.2	0.48	305	8.6	0.50	5.2	0.32
Small intestine	108	4.4	0.44	2.6	0.26	145	4.0	0.34	2.6	0.23
Colon excl. rectum	1,116	43.1	1.36	27.7	0.85	1,206	33.6	0.98	21.3	0.65
Rectum & rectosigmoid	451	16.3	0.81	11.0	0.53	411	11.0	0.55	7.6	0.39
Anus, anal canal & anorectum	57	2.0	0.28	1.5	0.20	59	1.6	0.21	1.1	0.14
Liver	589	18.8	0.81	14.8	0.62	199	5.2	0.37	3.7	0.27
Gallbladder	32	1.3	0.25	0.8	0.15	78	2.1	0.24	1.4	0.17
Pancreas	517	19.6	0.91	12.7	0.57	604	16.9	0.70	10.4	0.45
Respiratory System	3,015	115.5	2.21	74.6	1.39	2,376	65.8	1.38	42.9	0.92
Larynx	296	10.3	0.63	7.3	0.43	82	2.2	0.24	1.6	0.18
Lung & bronchus	2,682	104.0	2.11	66.3	1.31	2,276	63.1	1.35	40.8	0.89
Bones & Joints	30	1.0	0.19	0.8	0.15	41	1.1	0.17	1.0	0.15
Soft Tissue (incl. heart)	108	3.5	0.35	2.9	0.28	136	3.8	0.33	3.1	0.28
Skin (excl. basal & sq.)	60	2.1	0.28	1.5	0.20	90	2.4	0.26	1.7	0.19
Melanomas of the skin	26	1.0	0.20	0.7	0.13	34	0.9	0.16	0.6	0.11
Breast (excl. *in situ*)	72	2.8	0.34	1.8	0.22	4,545	122.7	1.85	88.7	1.36
Female Genital System	-	-	-	-	-	1,826	48.8	1.16	36.0	0.87
Cervix uteri	-	-	-	-	-	321	8.8	0.50	6.7	0.39
Uterus Corpus	-	-	-	-	-	924	24.3	0.82	18.1	0.61
Uterus, NOS[1]	-	-	-	-	-	61	1.6	0.21	1.1	0.15
Ovary	-	-	-	-	-	384	10.4	0.54	7.4	0.40
Male Genital System	6,383	225.9	2.97	163.3	2.08	-	-	-	-	-
Prostate	6,300	223.1	2.95	161.1	2.06	-	-	-	-	-
Testis	45	1.4	0.21	1.3	0.20	-	-	-	-	-
Penis	28	1.1	0.22	0.6	0.12	-	-	-	-	-
Urinary System	1,399	53.8	1.51	34.5	0.94	786	21.7	0.79	14.5	0.55
Bladder (incl. *in situ*)	522	21.6	0.99	12.6	0.56	248	7.0	0.45	4.1	0.28
Kidney & renal pelvis	851	30.9	1.11	21.4	0.75	514	14.1	0.63	10.0	0.46
Ureter	9	0.5	0.16	0.2	0.07	9	0.2	0.08	0.2	0.06
Eye & Orbit	12	0.4	0.11	0.4	0.13	12	0.3	0.09	0.4	0.13
Brain & Other Nervous System	157	5.3	0.45	4.3	0.35	156	4.2	0.34	3.7	0.32
Brain	143	4.8	0.43	3.9	0.33	142	3.9	0.33	3.4	0.30
Endocrine System	137	4.6	0.41	3.6	0.32	540	14.6	0.64	11.7	0.52
Thyroid gland	107	3.6	0.36	2.8	0.27	498	13.5	0.61	10.7	0.49
Lymphomas	612	21.3	0.90	15.9	0.65	523	14.4	0.64	10.7	0.49
Hodgkin Lymphoma	91	2.8	0.30	2.5	0.27	85	2.3	0.25	2.1	0.23
Non-Hodgkin Lymphoma	521	18.5	0.85	13.4	0.60	438	12.1	0.59	8.7	0.43
Multiple Myeloma	394	15.4	0.81	9.7	0.50	383	10.6	0.55	6.7	0.36
Leukemias	392	14.5	0.77	10.2	0.53	315	8.7	0.50	6.3	0.39
Acute lymphocytic	52	1.5	0.22	1.6	0.23	31	0.8	0.15	1.0	0.18
Chronic lymphocytic	123	4.8	0.45	3.2	0.29	101	2.9	0.29	1.6	0.17
Acute myeloid	97	3.7	0.40	2.4	0.25	105	2.9	0.28	2.1	0.22
Chronic myeloid	71	2.6	0.32	1.9	0.23	41	1.1	0.18	0.9	0.14
Other leukemias	49	1.9	0.29	1.2	0.18	37	1.0	0.17	0.8	0.13
Mesothelioma	17	0.7	0.17	0.4	0.11	11	0.3	0.10	0.2	0.07
Kaposi Sarcoma	50	1.6	0.23	1.4	0.20	-	-	-	-	-
Ill-defined & Unknown	458	17.9	0.88	10.9	0.52	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	237	9.0	0.62	6.1	0.40	611	17.0	0.70	11.6	0.49
Breast (*in situ*)	15	0.6	0.17	0.4	0.10	1,271	34.2	0.98	25.5	0.73

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	58,515	613.6	2.60	405.1	1.75	54,558	459.2	2.01	317.9	1.49
Oral Cavity & Pharynx	1,867	18.2	0.43	13.4	0.32	807	6.8	0.24	4.8	0.19
Lip	49	0.5	0.08	0.3	0.05	22	0.2	0.04	0.1	0.03
Tongue	554	5.3	0.23	4.0	0.17	209	1.7	0.12	1.2	0.09
Major salivary gland	146	1.6	0.13	1.0	0.09	122	1.1	0.10	0.8	0.09
Floor of mouth	128	1.2	0.11	0.9	0.08	55	0.4	0.06	0.3	0.04
Gum & other mouth	199	2.1	0.15	1.4	0.10	197	1.6	0.12	1.1	0.08
Nasopharynx	88	0.9	0.10	0.7	0.07	37	0.3	0.05	0.3	0.05
Oropharynx	89	0.8	0.09	0.7	0.07	36	0.3	0.05	0.2	0.04
Hypopharynx	153	1.6	0.13	1.1	0.09	37	0.3	0.05	0.2	0.04
Digestive System	10,575	110.8	1.11	70.7	0.71	9,128	73.9	0.79	45.9	0.53
Esophagus	851	8.7	0.31	5.8	0.20	280	2.2	0.14	1.4	0.09
Stomach	1,069	11.4	0.36	7.1	0.23	707	5.8	0.22	3.5	0.15
Small intestine	291	3.1	0.19	1.9	0.12	257	2.1	0.14	1.4	0.09
Colon excl. rectum	3,228	34.9	0.63	21.0	0.39	3,614	29.3	0.50	17.3	0.32
Rectum & rectosigmoid	1,525	15.7	0.41	10.5	0.28	1,249	10.2	0.29	6.9	0.21
Anus, anal canal & anorectum	155	1.6	0.13	1.1	0.09	231	1.9	0.12	1.3	0.09
Liver	1,274	12.1	0.35	8.8	0.25	421	3.4	0.17	2.3	0.12
Gallbladder	86	0.9	0.10	0.5	0.06	171	1.4	0.11	0.9	0.07
Pancreas	1,624	17.2	0.44	10.6	0.27	1,701	13.6	0.34	8.1	0.22
Respiratory System	9,255	99.8	1.06	60.9	0.66	8,370	69.2	0.77	43.8	0.52
Larynx	746	7.5	0.28	5.2	0.20	212	1.7	0.12	1.3	0.09
Lung & bronchus	8,384	91.0	1.02	54.8	0.62	8,087	66.9	0.76	42.0	0.50
Bones & Joints	96	1.0	0.10	1.0	0.10	80	0.8	0.09	0.6	0.08
Soft Tissue (incl. heart)	361	3.9	0.21	3.0	0.17	340	3.1	0.17	2.5	0.16
Skin (excl. basal & sq.)	2,181	23.4	0.51	15.1	0.34	1,707	15.3	0.38	11.6	0.31
Melanomas of the skin	1,887	20.1	0.47	13.2	0.32	1,498	13.6	0.36	10.4	0.29
Breast (excl. *in situ*)	128	1.4	0.12	0.9	0.08	15,223	129.3	1.07	93.0	0.80
Female Genital System	-	-	-	-	-	6,649	56.0	0.70	41.4	0.54
Cervix uteri	-	-	-	-	-	794	7.5	0.27	5.9	0.22
Uterus Corpus	-	-	-	-	-	3,565	29.3	0.50	21.9	0.38
Uterus, NOS[1]	-	-	-	-	-	107	0.9	0.09	0.6	0.06
Ovary	-	-	-	-	-	1,648	13.8	0.35	9.9	0.26
Male Genital System	18,414	185.7	1.41	131.5	0.99	-	-	-	-	-
Prostate	17,801	178.9	1.38	125.5	0.96	-	-	-	-	-
Testis	509	5.7	0.26	5.3	0.24	-	-	-	-	-
Penis	81	0.8	0.10	0.5	0.06	-	-	-	-	-
Urinary System	6,482	70.0	0.89	42.6	0.55	2,979	24.5	0.46	16.2	0.33
Bladder (incl. *in situ*)	3,831	42.6	0.70	23.9	0.41	1,349	10.9	0.30	6.5	0.20
Kidney & renal pelvis	2,514	25.7	0.53	18.0	0.37	1,546	13.0	0.34	9.2	0.26
Ureter	72	0.9	0.10	0.4	0.05	52	0.4	0.06	0.2	0.04
Eye & Orbit	83	0.9	0.10	0.8	0.10	62	0.6	0.07	0.5	0.08
Brain & Other Nervous System	762	8.0	0.30	6.4	0.25	623	5.6	0.23	4.7	0.22
Brain	719	7.6	0.29	6.0	0.24	576	5.1	0.22	4.2	0.21
Endocrine System	787	8.1	0.29	6.3	0.24	2,430	22.8	0.47	18.8	0.40
Thyroid gland	704	7.2	0.28	5.6	0.22	2,352	22.1	0.47	18.1	0.39
Lymphomas	2,737	29.5	0.58	20.4	0.41	2,383	20.5	0.43	14.4	0.33
Hodgkin Lymphoma	338	3.7	0.20	3.3	0.19	271	2.7	0.17	2.5	0.16
Non-Hodgkin Lymphoma	2,399	25.8	0.54	17.1	0.37	2,112	17.8	0.39	11.9	0.29
Multiple Myeloma	933	10.0	0.34	6.2	0.21	762	6.2	0.23	3.9	0.15
Leukemias	1,855	20.3	0.48	13.5	0.34	1,321	11.2	0.32	8.0	0.26
Acute lymphocytic	160	1.7	0.14	2.0	0.17	128	1.3	0.12	1.6	0.16
Chronic lymphocytic	693	7.5	0.29	4.5	0.18	452	3.6	0.17	2.1	0.11
Acute myeloid	514	5.7	0.26	3.7	0.17	432	3.7	0.18	2.4	0.14
Chronic myeloid	280	3.1	0.19	2.0	0.12	196	1.7	0.12	1.1	0.09
Other leukemias	208	2.3	0.16	1.4	0.11	113	1.0	0.09	0.7	0.07
Mesothelioma	153	1.7	0.14	0.9	0.08	43	0.3	0.05	0.2	0.03
Kaposi Sarcoma	90	1.0	0.11	0.8	0.09	17	0.1	0.03	0.1	0.02
Ill-defined & Unknown	1,756	19.8	0.48	10.9	0.28	1,634	13.0	0.33	7.6	0.22
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	932	10.0	0.33	6.9	0.24	2,137	18.0	0.40	12.3	0.30
Breast (*in situ*)	21	0.2	0.05	0.1	0.03	4,269	36.5	0.57	27.5	0.44

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	43,446	596.0	2.93	389.2	1.98	40,896	467.0	2.38	324.1	1.79
Oral Cavity & Pharynx	1,424	18.3	0.50	13.3	0.36	606	6.9	0.29	5.0	0.23
Lip	48	0.7	0.10	0.4	0.07	19	0.2	0.05	0.1	0.03
Tongue	457	5.8	0.28	4.3	0.21	165	1.8	0.15	1.3	0.11
Major salivary gland	116	1.6	0.15	1.0	0.10	95	1.2	0.13	0.9	0.11
Floor of mouth	94	1.1	0.12	0.9	0.09	36	0.4	0.07	0.3	0.05
Gum & other mouth	156	2.1	0.17	1.4	0.12	152	1.7	0.14	1.1	0.10
Nasopharynx	65	0.9	0.11	0.6	0.08	24	0.3	0.06	0.2	0.06
Oropharynx	57	0.7	0.10	0.6	0.07	26	0.3	0.06	0.2	0.04
Hypopharynx	89	1.2	0.13	0.8	0.09	25	0.3	0.06	0.2	0.05
Digestive System	7,547	103.2	1.21	64.5	0.78	6,313	67.6	0.88	41.2	0.59
Esophagus	680	9.1	0.36	6.0	0.24	201	2.1	0.15	1.3	0.10
Stomach	762	10.5	0.39	6.5	0.25	432	4.7	0.23	2.8	0.16
Small intestine	203	2.8	0.20	1.8	0.13	141	1.6	0.14	1.0	0.09
Colon excl. rectum	2,329	32.7	0.69	19.3	0.42	2,565	27.3	0.55	15.6	0.36
Rectum & rectosigmoid	1,127	15.2	0.46	10.1	0.31	871	9.6	0.34	6.4	0.24
Anus, anal canal & anorectum	107	1.5	0.14	1.0	0.10	180	2.0	0.15	1.4	0.12
Liver	739	9.4	0.35	6.4	0.25	254	2.7	0.17	1.8	0.13
Gallbladder	61	0.9	0.11	0.5	0.06	114	1.2	0.12	0.7	0.08
Pancreas	1,178	16.2	0.48	9.8	0.30	1,185	12.5	0.37	7.4	0.24
Respiratory System	6,841	95.7	1.18	57.5	0.73	6,385	70.3	0.90	44.2	0.61
Larynx	527	7.0	0.31	4.8	0.21	145	1.6	0.14	1.2	0.11
Lung & bronchus	6,219	87.4	1.13	51.8	0.69	6,186	68.1	0.88	42.5	0.59
Bones & Joints	67	1.0	0.12	1.0	0.13	60	0.8	0.11	0.7	0.10
Soft Tissue (incl. heart)	280	4.1	0.25	3.0	0.21	229	2.9	0.20	2.3	0.19
Skin (excl. basal & sq.)	2,099	29.2	0.65	19.0	0.44	1,602	20.3	0.52	15.6	0.43
Melanomas of the skin	1,838	25.5	0.61	16.9	0.42	1,443	18.5	0.50	14.4	0.42
Breast (excl. *in situ*)	80	1.1	0.13	0.7	0.08	11,249	130.2	1.26	93.6	0.94
Female Genital System	-	-	-	-	-	5,059	58.3	0.84	43.3	0.66
Cervix uteri	-	-	-	-	-	502	6.9	0.32	5.4	0.26
Uterus Corpus	-	-	-	-	-	2,768	31.1	0.61	23.4	0.47
Uterus, NOS[1]	-	-	-	-	-	60	0.6	0.09	0.5	0.07
Ovary	-	-	-	-	-	1,306	14.9	0.42	10.7	0.33
Male Genital System	12,653	167.5	1.53	117.9	1.08	-	-	-	-	-
Prostate	12,122	159.2	1.48	110.4	1.03	-	-	-	-	-
Testis	457	7.3	0.35	6.8	0.33	-	-	-	-	-
Penis	58	0.8	0.11	0.5	0.07	-	-	-	-	-
Urinary System	5,265	73.4	1.03	44.4	0.65	2,318	25.6	0.55	16.8	0.39
Bladder (incl. *in situ*)	3,366	47.8	0.84	26.9	0.49	1,137	12.2	0.37	7.4	0.25
Kidney & renal pelvis	1,787	23.9	0.58	16.7	0.42	1,119	12.7	0.39	9.0	0.30
Ureter	62	0.9	0.12	0.4	0.06	43	0.4	0.07	0.3	0.04
Eye & Orbit	73	1.0	0.12	0.9	0.12	57	0.7	0.10	0.6	0.09
Brain & Other Nervous System	617	8.8	0.36	7.1	0.32	491	6.1	0.28	5.1	0.28
Brain	585	8.3	0.35	6.7	0.31	461	5.7	0.27	4.7	0.27
Endocrine System	646	8.9	0.36	7.0	0.29	1,879	25.5	0.61	21.2	0.52
Thyroid gland	594	8.2	0.34	6.3	0.27	1,830	24.8	0.60	20.6	0.51
Lymphomas	2,198	31.3	0.68	21.4	0.50	1,912	22.2	0.53	15.7	0.42
Hodgkin Lymphoma	256	3.9	0.25	3.6	0.24	199	2.9	0.21	2.8	0.21
Non-Hodgkin Lymphoma	1,942	27.4	0.64	17.8	0.44	1,713	19.3	0.48	12.9	0.36
Multiple Myeloma	582	8.2	0.35	4.9	0.21	433	4.7	0.23	2.9	0.15
Leukemias	1,475	21.1	0.56	14.1	0.42	1,030	11.9	0.38	8.5	0.33
Acute lymphocytic	122	1.9	0.18	2.3	0.23	103	1.6	0.16	2.0	0.22
Chronic lymphocytic	556	7.8	0.34	4.5	0.20	358	3.8	0.20	2.2	0.13
Acute myeloid	423	6.1	0.30	3.9	0.21	339	3.8	0.22	2.5	0.16
Chronic myeloid	204	2.9	0.21	1.8	0.14	147	1.7	0.14	1.1	0.10
Other leukemias	170	2.4	0.19	1.5	0.13	83	1.0	0.11	0.6	0.08
Mesothelioma	143	2.1	0.18	1.1	0.10	35	0.4	0.06	0.2	0.04
Kaposi Sarcoma	42	0.6	0.10	0.4	0.06	12	0.1	0.04	0.1	0.02
Ill-defined & Unknown	1,414	20.5	0.55	11.1	0.32	1,226	12.7	0.38	7.3	0.25
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	699	9.9	0.38	6.9	0.29	1,530	17.4	0.46	12.0	0.36
Breast (*in situ*)	12	0.2	0.05	0.1	0.03	3,094	36.6	0.67	27.6	0.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,496	689.6	6.21	475.7	4.18	12,354	450.5	4.13	312.1	2.95
Oral Cavity & Pharynx	404	18.6	0.96	14.5	0.73	178	6.3	0.48	4.6	0.35
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	88	4.0	0.44	3.1	0.33	39	1.3	0.22	1.0	0.17
Major salivary gland	23	1.2	0.26	0.8	0.18	24	0.9	0.18	0.7	0.14
Floor of mouth	32	1.5	0.28	1.1	0.20	18	0.6	0.15	0.5	0.11
Gum & other mouth	37	1.8	0.30	1.4	0.23	40	1.5	0.24	1.0	0.16
Nasopharynx	17	0.8	0.19	0.6	0.16	8	0.3	0.10	0.2	0.08
Oropharynx	30	1.3	0.25	1.1	0.20	9	0.3	0.09	0.2	0.08
Hypopharynx	61	3.0	0.40	2.2	0.29	12	0.5	0.14	0.3	0.08
Digestive System	2,794	144.1	2.86	96.6	1.87	2,611	95.5	1.90	61.4	1.27
Esophagus	166	8.4	0.68	5.8	0.46	77	2.8	0.32	1.9	0.22
Stomach	282	15.4	0.96	9.7	0.59	234	8.7	0.58	5.3	0.37
Small intestine	84	4.7	0.54	2.9	0.32	112	4.1	0.40	2.7	0.26
Colon excl. rectum	829	44.8	1.63	28.5	1.01	978	36.2	1.18	22.7	0.77
Rectum & rectosigmoid	353	17.9	0.99	12.2	0.66	341	12.0	0.66	8.5	0.48
Anus, anal canal & anorectum	47	2.4	0.35	1.8	0.26	49	1.7	0.25	1.2	0.18
Liver	486	21.8	1.03	17.0	0.78	157	5.5	0.44	3.8	0.32
Gallbladder	24	1.3	0.28	0.8	0.17	55	1.9	0.26	1.3	0.18
Pancreas	429	22.5	1.14	14.8	0.73	495	18.3	0.84	11.2	0.54
Respiratory System	2,299	123.4	2.69	78.9	1.68	1,885	69.6	1.63	45.5	1.10
Larynx	213	10.4	0.75	7.4	0.51	66	2.4	0.30	1.8	0.22
Lung & bronchus	2,061	111.7	2.57	70.6	1.59	1,805	66.8	1.60	43.2	1.07
Bones & Joints	24	1.1	0.23	0.9	0.20	19	0.7	0.17	0.6	0.14
Soft Tissue (incl. heart)	66	3.0	0.38	2.6	0.33	101	3.8	0.38	3.0	0.32
Skin (excl. basal & sq.)	36	1.8	0.31	1.4	0.23	70	2.6	0.31	1.8	0.23
Melanomas of the skin	14	0.7	0.20	0.5	0.15	29	1.0	0.20	0.7	0.13
Breast (excl. *in situ*)	45	2.4	0.37	1.6	0.24	3,569	129.2	2.20	93.2	1.61
Female Genital System	-	-	-	-	-	1,418	50.7	1.37	37.4	1.03
Cervix uteri	-	-	-	-	-	269	10.0	0.61	7.7	0.48
Uterus Corpus	-	-	-	-	-	714	25.1	0.96	18.6	0.71
Uterus, NOS[1]	-	-	-	-	-	45	1.6	0.25	1.1	0.17
Ovary	-	-	-	-	-	290	10.4	0.62	7.5	0.46
Male Genital System	5,053	249.7	3.67	180.8	2.58	-	-	-	-	-
Prostate	4,986	246.6	3.65	178.3	2.56	-	-	-	-	-
Testis	37	1.7	0.28	1.6	0.27	-	-	-	-	-
Penis	23	1.2	0.27	0.7	0.16	-	-	-	-	-
Urinary System	1,092	58.2	1.84	37.7	1.17	611	22.4	0.92	15.2	0.66
Bladder (incl. *in situ*)	396	22.5	1.18	13.2	0.68	190	7.0	0.51	4.1	0.32
Kidney & renal pelvis	673	34.2	1.37	23.8	0.94	402	14.8	0.75	10.6	0.56
Ureter	8	0.5	0.20	0.2	0.09	8	0.3	0.10	0.2	0.07
Eye & Orbit	8	0.3	0.11	0.5	0.17	-	-	-	-	-
Brain & Other Nervous System	118	5.7	0.55	4.6	0.44	110	4.1	0.39	3.4	0.35
Brain	108	5.2	0.52	4.1	0.41	97	3.6	0.37	3.0	0.33
Endocrine System	106	5.3	0.53	4.0	0.40	425	15.6	0.77	12.4	0.62
Thyroid gland	81	4.1	0.47	3.0	0.34	397	14.5	0.74	11.5	0.59
Lymphomas	461	22.7	1.09	17.1	0.82	400	14.8	0.75	10.9	0.58
Hodgkin Lymphoma	71	3.3	0.39	2.9	0.35	62	2.3	0.29	2.0	0.27
Non-Hodgkin Lymphoma	390	19.4	1.02	14.2	0.74	338	12.5	0.69	8.8	0.51
Multiple Myeloma	333	17.9	1.02	11.4	0.64	318	11.7	0.67	7.3	0.43
Leukemias	306	16.3	0.97	11.0	0.65	250	9.3	0.60	6.7	0.47
Acute lymphocytic	34	1.4	0.25	1.6	0.28	21	0.8	0.17	1.0	0.23
Chronic lymphocytic	102	5.6	0.58	3.5	0.36	76	2.9	0.33	1.6	0.20
Acute myeloid	75	4.2	0.50	2.5	0.30	84	3.1	0.35	2.3	0.27
Chronic myeloid	62	3.2	0.42	2.3	0.29	42	1.5	0.24	1.1	0.17
Other leukemias	33	1.8	0.33	1.1	0.20	27	1.0	0.20	0.7	0.15
Mesothelioma	9	0.5	0.16	0.3	0.11	8	0.3	0.11	0.2	0.07
Kaposi Sarcoma	45	2.1	0.32	1.9	0.29	-	-	-	-	-
Ill-defined & Unknown	297	16.7	1.01	9.9	0.59	373	13.7	0.72	8.4	0.46
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	200	10.6	0.78	7.3	0.53	544	20.3	0.88	13.5	0.61
Breast (*in situ*)	8	0.5	0.17	0.3	0.09	1,022	36.9	1.18	27.5	0.88

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	724	283.1	11.88	181.9	6.83	824	263.8	9.86	181.2	6.41
Oral Cavity & Pharynx	26	8.8	1.97	6.0	1.20	16	6.1	1.63	3.7	0.96
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	2.6	1.12	1.6	0.60	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	6	2.2	1.16	1.3	0.55	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	169	67.4	5.89	42.1	3.27	146	53.9	4.79	31.7	2.65
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	17	7.2	2.02	4.4	1.07	38	14.2	2.49	8.2	1.34
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	45	16.9	2.84	11.2	1.68	44	16.6	2.68	9.5	1.45
Rectum & rectosigmoid	29	12.0	2.59	6.9	1.29	19	6.0	1.45	4.1	0.95
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	44	16.4	2.74	11.1	1.68	7	2.4	0.96	1.6	0.60
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	5.7	1.97	2.9	0.88	18	7.0	1.78	3.8	0.92
Respiratory System	81	34.4	4.36	20.8	2.32	70	27.0	3.43	15.7	1.90
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	75	32.2	4.25	19.2	2.24	67	25.8	3.36	15.1	1.86
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	3.2	1.26	2.3	0.74	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	6	1.9	0.87	1.4	0.59	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	278	81.0	5.10	59.8	3.62
Female Genital System	-	-	-	-	-	120	36.4	3.55	26.0	2.40
Cervix uteri	-	-	-	-	-	13	3.5	1.01	2.8	0.77
Uterus Corpus	-	-	-	-	-	62	18.0	2.41	13.3	1.71
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	37	12.4	2.23	8.1	1.35
Male Genital System	220	86.4	6.41	56.2	3.81	-	-	-	-	-
Prostate	211	83.7	6.34	53.8	3.71	-	-	-	-	-
Testis	9	2.7	0.97	2.4	0.83	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	49	21.3	3.40	12.3	1.77	23	7.4	1.66	5.4	1.15
Bladder (incl. *in situ*)	23	12.1	2.78	6.0	1.25	-	-	-	-	-
Kidney & renal pelvis	25	8.9	1.94	6.1	1.23	16	5.0	1.33	3.9	0.99
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	22	9.6	2.38	5.3	1.15	13	3.6	1.05	3.2	0.91
Brain	22	9.6	2.38	5.3	1.15	12	3.3	1.02	3.0	0.88
Endocrine System	22	6.1	1.37	4.9	1.08	70	19.0	2.39	15.2	1.89
Thyroid gland	18	4.8	1.14	3.9	0.94	69	18.8	2.38	14.8	1.85
Lymphomas	47	17.1	2.82	11.8	1.75	43	13.6	2.20	10.5	1.64
Hodgkin Lymphoma	7	2.0	0.79	2.0	0.78	7	1.9	0.73	2.1	0.83
Non-Hodgkin Lymphoma	40	15.0	2.71	9.8	1.57	36	11.7	2.07	8.3	1.41
Multiple Myeloma	11	3.4	1.05	2.8	0.85	6	2.7	1.15	1.4	0.56
Leukemias	27	10.1	2.25	7.1	1.39	12	4.2	1.36	2.5	0.74
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	6	2.9	1.36	1.5	0.64	-	-	-	-	-
Acute myeloid	13	4.2	1.31	3.5	0.97	7	2.4	1.00	1.3	0.51
Chronic myeloid	6	2.6	1.20	1.5	0.61	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	22	9.2	2.25	5.7	1.24	15	5.4	1.51	3.2	0.84
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	21	6.1	1.54	4.7	1.05	40	12.1	2.00	8.9	1.41
Breast (*in situ*)	-	-	-	-	-	105	29.4	3.00	22.7	2.23

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,036	552.1	18.58	358.6	11.63	1,155	498.4	15.36	341.2	10.49
Oral Cavity & Pharynx	34	15.9	2.95	11.0	1.94	20	8.5	1.99	5.8	1.36
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	6	2.0	0.85	1.5	0.63
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	252	135.7	9.24	85.1	5.60	184	87.4	6.69	50.8	3.93
Esophagus	10	4.6	1.55	3.3	1.11	-	-	-	-	-
Stomach	29	16.8	3.32	10.4	2.01	17	8.1	2.05	4.7	1.19
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	79	45.0	5.47	26.0	3.07	61	29.8	3.94	15.6	2.10
Rectum & rectosigmoid	43	22.1	3.66	14.1	2.25	27	11.1	2.20	8.6	1.72
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	36	18.6	3.36	12.2	2.09	12	6.5	1.91	3.4	1.05
Gallbladder	-	-	-	-	-	6	3.0	1.28	1.6	0.70
Pancreas	35	17.5	3.18	12.0	2.12	35	17.0	2.98	9.2	1.63
Respiratory System	130	81.4	7.57	46.4	4.22	130	64.9	5.85	42.1	3.86
Larynx	14	7.8	2.21	5.0	1.40	-	-	-	-	-
Lung & bronchus	114	73.0	7.23	40.8	3.97	127	63.9	5.82	41.3	3.83
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	13	5.7	1.81	3.9	1.13	7	1.6	0.63	1.8	0.67
Skin (excl. basal & sq.)	-	-	-	-	-	28	10.3	2.03	8.0	1.59
Melanomas of the skin	17	9.0	2.34	6.1	1.54	22	8.1	1.82	6.4	1.44
Breast (excl. *in situ*)	-	-	-	-	-	300	127.9	7.67	94.1	5.63
Female Genital System	-	-	-	-	-	182	73.3	5.70	52.7	4.06
Cervix uteri	-	-	-	-	-	38	13.2	2.26	10.5	1.77
Uterus Corpus	-	-	-	-	-	89	35.6	3.92	26.8	2.96
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	38	16.3	2.77	10.4	1.75
Male Genital System	286	151.6	9.58	108.0	6.62	-	-	-	-	-
Prostate	262	145.3	9.49	102.2	6.51	-	-	-	-	-
Testis	24	6.2	1.31	5.9	1.22	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	118	64.2	6.38	38.3	3.69	66	29.6	3.80	19.7	2.55
Bladder (incl. *in situ*)	48	30.3	4.65	15.6	2.35	20	10.3	2.37	6.0	1.43
Kidney & renal pelvis	68	32.8	4.29	22.2	2.83	44	18.6	2.94	13.2	2.07
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	18	7.2	2.00	5.2	1.28	15	5.6	1.59	4.0	1.07
Brain	17	6.7	1.92	4.8	1.18	12	4.2	1.36	2.9	0.87
Endocrine System	11	4.7	1.57	4.0	1.26	74	24.7	3.02	20.3	2.45
Thyroid gland	10	4.5	1.57	3.7	1.23	74	24.7	3.02	20.3	2.45
Lymphomas	56	25.8	3.81	16.9	2.37	65	27.8	3.65	18.2	2.36
Hodgkin Lymphoma	6	1.5	0.62	1.5	0.60	8	2.9	1.15	2.3	0.85
Non-Hodgkin Lymphoma	50	24.4	3.75	15.4	2.29	57	24.9	3.46	15.8	2.20
Multiple Myeloma	17	10.0	2.57	6.2	1.56	16	7.4	1.91	4.3	1.11
Leukemias	45	20.6	3.47	14.2	2.24	31	13.0	2.48	9.4	1.77
Acute lymphocytic	6	1.4	0.62	1.5	0.62	8	2.2	0.84	2.4	0.87
Chronic lymphocytic	8	3.9	1.44	3.1	1.14	-	-	-	-	-
Acute myeloid	16	7.4	2.04	4.9	1.29	11	5.4	1.71	3.2	1.03
Chronic myeloid	6	4.1	1.72	2.0	0.86	-	-	-	-	-
Other leukemias	9	3.9	1.57	2.8	0.97	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	24	13.3	2.95	8.0	1.70	33	15.1	2.73	8.9	1.64
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	16	9.2	2.49	5.4	1.42	48	19.6	3.02	12.8	1.96
Breast (*in situ*)	-	-	-	-	-	68	29.0	3.66	20.9	2.62

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	42,493	597.4	2.97	390.3	2.01	39,839	466.6	2.42	323.9	1.83
Oral Cavity & Pharynx	1,394	18.4	0.50	13.4	0.37	587	6.9	0.29	4.9	0.23
Lip	46	0.7	0.10	0.4	0.07	18	0.2	0.05	0.1	0.03
Tongue	453	5.9	0.28	4.4	0.21	161	1.8	0.15	1.3	0.11
Major salivary gland	115	1.6	0.16	1.1	0.11	89	1.2	0.13	0.9	0.11
Floor of mouth	91	1.1	0.12	0.9	0.09	35	0.4	0.07	0.3	0.05
Gum & other mouth	151	2.1	0.18	1.4	0.12	149	1.7	0.14	1.1	0.11
Nasopharynx	60	0.8	0.11	0.6	0.08	23	0.3	0.06	0.3	0.06
Oropharynx	55	0.7	0.10	0.5	0.08	25	0.3	0.06	0.2	0.04
Hypopharynx	88	1.2	0.13	0.8	0.09	25	0.3	0.06	0.2	0.05
Digestive System	7,314	102.4	1.22	63.9	0.79	6,144	67.2	0.88	41.0	0.60
Esophagus	670	9.2	0.36	6.0	0.24	199	2.1	0.15	1.3	0.10
Stomach	733	10.4	0.39	6.4	0.25	417	4.6	0.23	2.8	0.16
Small intestine	199	2.8	0.20	1.8	0.13	136	1.5	0.14	1.0	0.09
Colon excl. rectum	2,260	32.5	0.70	19.1	0.43	2,508	27.2	0.56	15.6	0.36
Rectum & rectosigmoid	1,088	15.1	0.47	10.0	0.32	845	9.6	0.34	6.4	0.24
Anus, anal canal & anorectum	106	1.5	0.15	1.0	0.10	177	2.0	0.15	1.5	0.12
Liver	705	9.1	0.35	6.3	0.25	243	2.6	0.17	1.8	0.13
Gallbladder	59	0.9	0.11	0.5	0.06	108	1.1	0.11	0.7	0.08
Pancreas	1,145	16.2	0.49	9.7	0.30	1,155	12.4	0.38	7.3	0.25
Respiratory System	6,722	96.1	1.20	57.8	0.74	6,268	70.5	0.91	44.3	0.62
Larynx	514	7.0	0.32	4.8	0.22	143	1.6	0.14	1.3	0.11
Lung & bronchus	6,115	87.7	1.15	52.1	0.70	6,071	68.2	0.89	42.6	0.60
Bones & Joints	64	1.0	0.13	1.0	0.13	60	0.8	0.11	0.7	0.10
Soft Tissue (incl. heart)	268	4.0	0.25	3.0	0.21	224	2.9	0.20	2.3	0.19
Skin (excl. basal & sq.)	2,077	29.8	0.67	19.4	0.46	1,575	20.7	0.54	15.9	0.45
Melanomas of the skin	1,821	26.0	0.62	17.3	0.43	1,422	18.9	0.52	14.7	0.43
Breast (excl. *in situ*)	79	1.1	0.13	0.7	0.08	10,970	130.3	1.28	93.6	0.96
Female Genital System	-	-	-	-	-	4,893	57.8	0.85	42.9	0.66
Cervix uteri	-	-	-	-	-	465	6.7	0.32	5.2	0.26
Uterus Corpus	-	-	-	-	-	2,687	30.9	0.61	23.2	0.47
Uterus, NOS[1]	-	-	-	-	-	58	0.6	0.08	0.5	0.06
Ovary	-	-	-	-	-	1,274	14.9	0.43	10.8	0.34
Male Genital System	12,396	168.0	1.55	118.2	1.10	-	-	-	-	-
Prostate	11,888	159.6	1.50	110.7	1.04	-	-	-	-	-
Testis	434	7.4	0.36	6.9	0.34	-	-	-	-	-
Penis	58	0.8	0.11	0.5	0.07	-	-	-	-	-
Urinary System	5,154	73.6	1.05	44.5	0.66	2,259	25.4	0.55	16.7	0.40
Bladder (incl. *in situ*)	3,320	48.2	0.85	27.2	0.50	1,118	12.2	0.38	7.5	0.25
Kidney & renal pelvis	1,724	23.7	0.59	16.6	0.42	1,080	12.6	0.39	8.9	0.31
Ureter	62	0.9	0.12	0.4	0.06	42	0.4	0.07	0.2	0.04
Eye & Orbit	71	1.0	0.13	0.9	0.12	55	0.7	0.10	0.6	0.09
Brain & Other Nervous System	600	8.9	0.37	7.2	0.33	479	6.1	0.29	5.2	0.29
Brain	569	8.4	0.36	6.8	0.32	450	5.7	0.28	4.8	0.28
Endocrine System	636	9.1	0.37	7.2	0.30	1,809	25.5	0.62	21.2	0.54
Thyroid gland	585	8.3	0.35	6.5	0.28	1,760	24.8	0.61	20.6	0.53
Lymphomas	2,146	31.6	0.70	21.7	0.51	1,854	22.1	0.53	15.6	0.42
Hodgkin Lymphoma	250	4.0	0.26	3.7	0.25	191	3.0	0.22	2.8	0.22
Non-Hodgkin Lymphoma	1,896	27.5	0.65	18.0	0.45	1,663	19.2	0.49	12.8	0.36
Multiple Myeloma	568	8.2	0.35	4.9	0.21	417	4.6	0.23	2.9	0.16
Leukemias	1,433	21.1	0.57	14.1	0.43	1,004	11.9	0.39	8.6	0.35
Acute lymphocytic	116	1.9	0.18	2.3	0.24	96	1.6	0.17	2.0	0.23
Chronic lymphocytic	549	7.8	0.34	4.6	0.21	355	3.8	0.21	2.2	0.13
Acute myeloid	408	6.0	0.30	3.9	0.21	328	3.8	0.22	2.5	0.17
Chronic myeloid	199	2.9	0.21	1.8	0.14	145	1.7	0.14	1.1	0.10
Other leukemias	161	2.3	0.19	1.4	0.12	80	1.0	0.11	0.6	0.09
Mesothelioma	140	2.1	0.18	1.1	0.10	35	0.4	0.06	0.2	0.04
Kaposi Sarcoma	41	0.6	0.10	0.4	0.06	11	0.1	0.03	0.1	0.02
Ill-defined & Unknown	1,390	20.6	0.56	11.2	0.33	1,195	12.7	0.38	7.3	0.26
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	685	10.0	0.39	7.0	0.30	1,488	17.3	0.47	11.9	0.37
Breast (*in situ*)	12	0.2	0.05	0.1	0.04	3,033	36.8	0.69	27.8	0.53

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Metropolitan Detroit, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,439	690.9	6.24	476.8	4.20	12,298	451.4	4.14	312.8	2.96
Oral Cavity & Pharynx	401	18.6	0.96	14.5	0.73	178	6.4	0.49	4.6	0.36
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	88	4.0	0.44	3.1	0.33	39	1.3	0.22	1.1	0.17
Major salivary gland	23	1.2	0.26	0.8	0.18	24	0.9	0.18	0.7	0.14
Floor of mouth	32	1.6	0.28	1.1	0.20	18	0.6	0.15	0.5	0.11
Gum & other mouth	37	1.8	0.31	1.4	0.23	40	1.5	0.24	1.0	0.16
Nasopharynx	17	0.8	0.19	0.6	0.16	8	0.3	0.10	0.2	0.08
Oropharynx	30	1.3	0.25	1.1	0.21	9	0.3	0.09	0.2	0.08
Hypopharynx	60	3.0	0.40	2.2	0.29	12	0.5	0.14	0.3	0.08
Digestive System	2,779	144.2	2.86	96.7	1.87	2,601	95.7	1.91	61.5	1.27
Esophagus	166	8.5	0.69	5.8	0.46	76	2.7	0.32	1.9	0.22
Stomach	282	15.4	0.96	9.7	0.59	232	8.7	0.58	5.2	0.37
Small intestine	83	4.7	0.54	2.9	0.32	112	4.2	0.40	2.7	0.27
Colon excl. rectum	821	44.6	1.63	28.4	1.01	976	36.3	1.18	22.8	0.77
Rectum & rectosigmoid	351	17.9	1.00	12.2	0.66	341	12.1	0.67	8.5	0.48
Anus, anal canal & anorectum	47	2.4	0.36	1.8	0.26	49	1.8	0.25	1.2	0.18
Liver	484	21.9	1.04	17.0	0.79	157	5.5	0.45	3.8	0.32
Gallbladder	24	1.3	0.28	0.8	0.17	55	1.9	0.26	1.3	0.18
Pancreas	427	22.5	1.14	14.8	0.73	490	18.2	0.84	11.2	0.54
Respiratory System	2,291	123.6	2.70	79.1	1.69	1,875	69.6	1.64	45.5	1.10
Larynx	212	10.5	0.75	7.4	0.51	65	2.3	0.30	1.8	0.22
Lung & bronchus	2,054	111.9	2.58	70.7	1.60	1,796	66.8	1.61	43.3	1.07
Bones & Joints	24	1.1	0.24	0.9	0.20	19	0.7	0.17	0.6	0.15
Soft Tissue (incl. heart)	66	3.0	0.39	2.6	0.33	99	3.8	0.38	3.0	0.32
Skin (excl. basal & sq.)	36	1.8	0.31	1.4	0.23	70	2.6	0.31	1.8	0.23
Melanomas of the skin	14	0.7	0.20	0.5	0.15	29	1.0	0.20	0.7	0.13
Breast (excl. *in situ*)	45	2.4	0.38	1.6	0.24	3,554	129.4	2.21	93.4	1.62
Female Genital System	-	-	-	-	-	1,412	50.9	1.38	37.5	1.03
Cervix uteri	-	-	-	-	-	269	10.0	0.62	7.8	0.49
Uterus Corpus	-	-	-	-	-	710	25.1	0.96	18.6	0.72
Uterus, NOS[1]	-	-	-	-	-	45	1.6	0.25	1.1	0.17
Ovary	-	-	-	-	-	288	10.4	0.62	7.5	0.47
Male Genital System	5,037	250.5	3.69	181.4	2.60	-	-	-	-	-
Prostate	4,970	247.3	3.67	178.8	2.58	-	-	-	-	-
Testis	37	1.7	0.28	1.6	0.27	-	-	-	-	-
Penis	23	1.2	0.27	0.7	0.16	-	-	-	-	-
Urinary System	1,087	58.3	1.85	37.8	1.17	607	22.4	0.93	15.2	0.66
Bladder (incl. *in situ*)	395	22.5	1.18	13.2	0.69	189	7.0	0.51	4.1	0.32
Kidney & renal pelvis	669	34.2	1.38	23.8	0.94	399	14.8	0.76	10.6	0.57
Ureter	8	0.5	0.20	0.3	0.09	8	0.3	0.10	0.2	0.07
Eye & Orbit	8	0.3	0.11	0.5	0.17	-	-	-	-	-
Brain & Other Nervous System	117	5.7	0.55	4.6	0.44	109	4.1	0.39	3.4	0.35
Brain	107	5.2	0.53	4.1	0.42	96	3.6	0.37	3.0	0.33
Endocrine System	105	5.2	0.53	4.0	0.40	425	15.7	0.77	12.5	0.63
Thyroid gland	80	4.0	0.47	3.0	0.34	397	14.6	0.74	11.6	0.59
Lymphomas	458	22.7	1.10	17.2	0.82	397	14.8	0.75	10.9	0.58
Hodgkin Lymphoma	71	3.3	0.40	2.9	0.35	62	2.3	0.30	2.1	0.28
Non-Hodgkin Lymphoma	387	19.4	1.03	14.2	0.74	335	12.5	0.69	8.8	0.51
Multiple Myeloma	331	17.8	1.02	11.4	0.64	318	11.8	0.68	7.4	0.44
Leukemias	303	16.2	0.97	11.0	0.66	247	9.3	0.60	6.6	0.47
Acute lymphocytic	34	1.5	0.26	1.6	0.28	21	0.8	0.18	1.0	0.23
Chronic lymphocytic	101	5.6	0.58	3.5	0.36	75	2.9	0.33	1.6	0.20
Acute myeloid	74	4.1	0.50	2.5	0.31	84	3.2	0.35	2.3	0.28
Chronic myeloid	61	3.2	0.43	2.2	0.30	40	1.5	0.24	1.0	0.17
Other leukemias	33	1.8	0.33	1.1	0.21	27	1.0	0.20	0.7	0.15
Mesothelioma	9	0.5	0.16	0.3	0.12	8	0.3	0.11	0.2	0.07
Kaposi Sarcoma	45	2.1	0.32	2.0	0.30	-	-	-	-	-
Ill-defined & Unknown	297	16.8	1.02	9.9	0.59	372	13.8	0.73	8.4	0.47
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	199	10.6	0.78	7.3	0.54	539	20.2	0.89	13.4	0.62
Breast (*in situ*)	7	0.4	0.17	0.2	0.09	1,019	37.1	1.18	27.6	0.88

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Minnesota, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	71,060	534.9	2.05	353.8	1.38	65,844	432.6	1.72	303.0	1.28
Oral Cavity & Pharynx	2,355	16.9	0.36	11.9	0.25	1,085	7.0	0.22	4.9	0.16
Lip	259	2.0	0.13	1.2	0.08	85	0.5	0.06	0.3	0.04
Tongue	658	4.6	0.18	3.4	0.14	332	2.1	0.12	1.6	0.09
Major salivary gland	189	1.5	0.11	0.9	0.07	145	1.0	0.08	0.7	0.07
Floor of mouth	117	0.8	0.08	0.6	0.06	64	0.4	0.05	0.3	0.04
Gum & other mouth	266	2.0	0.12	1.3	0.08	243	1.5	0.10	1.0	0.07
Nasopharynx	90	0.7	0.07	0.5	0.05	36	0.2	0.04	0.2	0.03
Oropharynx	90	0.6	0.07	0.4	0.05	29	0.2	0.03	0.1	0.02
Hypopharynx	154	1.1	0.09	0.8	0.06	33	0.2	0.04	0.2	0.03
Digestive System	11,996	91.2	0.85	57.5	0.55	10,016	63.7	0.65	39.6	0.44
Esophagus	1,069	8.0	0.25	5.1	0.16	351	2.2	0.12	1.4	0.08
Stomach	1,043	8.1	0.25	4.9	0.16	560	3.6	0.16	2.3	0.11
Small intestine	374	2.8	0.15	1.9	0.10	306	2.0	0.12	1.4	0.08
Colon excl. rectum	4,133	32.4	0.51	19.1	0.31	4,434	28.0	0.43	16.2	0.27
Rectum & rectosigmoid	1,908	13.9	0.33	9.6	0.23	1,311	8.5	0.24	5.9	0.17
Anus, anal canal & anorectum	156	1.2	0.09	0.8	0.06	280	1.8	0.11	1.3	0.08
Liver	867	6.0	0.21	4.4	0.15	364	2.3	0.12	1.5	0.09
Gallbladder	95	0.8	0.08	0.4	0.04	246	1.6	0.10	1.0	0.07
Pancreas	1,756	13.3	0.33	8.4	0.21	1,456	9.2	0.25	5.7	0.16
Respiratory System	8,981	69.2	0.75	42.6	0.47	7,920	51.8	0.59	33.3	0.40
Larynx	715	5.3	0.20	3.5	0.13	166	1.1	0.09	0.8	0.06
Lung & bronchus	8,104	62.7	0.71	38.2	0.44	7,663	50.1	0.58	32.1	0.39
Bones & Joints	157	1.2	0.10	1.1	0.09	110	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	492	3.7	0.17	2.9	0.14	404	2.8	0.14	2.3	0.13
Skin (excl. basal & sq.)	4,599	34.9	0.52	23.1	0.35	3,815	26.5	0.44	20.5	0.35
Melanomas of the skin	4,151	31.3	0.50	21.0	0.34	3,501	24.5	0.42	19.1	0.34
Breast (excl. *in situ*)	170	1.3	0.10	0.8	0.07	19,725	130.2	0.95	94.2	0.71
Female Genital System	-	-	-	-	-	7,884	51.4	0.59	37.9	0.45
Cervix uteri	-	-	-	-	-	815	6.0	0.21	4.8	0.17
Uterus Corpus	-	-	-	-	-	4,422	28.3	0.43	21.1	0.33
Uterus, NOS[1]	-	-	-	-	-	67	0.4	0.05	0.2	0.03
Ovary	-	-	-	-	-	1,743	11.4	0.28	8.3	0.21
Male Genital System	21,172	152.9	1.07	108.9	0.77	-	-	-	-	-
Prostate	20,096	144.6	1.04	101.6	0.73	-	-	-	-	-
Testis	895	6.9	0.23	6.4	0.22	-	-	-	-	-
Penis	130	1.0	0.09	0.6	0.06	-	-	-	-	-
Urinary System	8,094	62.7	0.71	38.3	0.45	3,230	20.7	0.37	13.6	0.26
Bladder (incl. *in situ*)	4,967	39.6	0.57	22.1	0.33	1,561	9.7	0.25	5.8	0.16
Kidney & renal pelvis	2,924	21.5	0.41	15.4	0.30	1,582	10.5	0.27	7.6	0.20
Ureter	119	1.0	0.09	0.5	0.05	59	0.3	0.05	0.2	0.03
Eye & Orbit	114	0.8	0.08	0.7	0.07	98	0.6	0.07	0.6	0.07
Brain & Other Nervous System	1,100	8.2	0.25	6.8	0.22	808	5.7	0.20	5.0	0.19
Brain	1,047	7.8	0.25	6.4	0.21	752	5.3	0.20	4.6	0.18
Endocrine System	967	7.2	0.24	5.7	0.19	2,549	18.7	0.38	15.6	0.32
Thyroid gland	866	6.4	0.22	5.0	0.17	2,479	18.2	0.37	15.1	0.31
Lymphomas	4,133	31.8	0.50	21.4	0.35	3,279	21.5	0.38	14.6	0.28
Hodgkin Lymphoma	487	3.7	0.17	3.2	0.15	363	2.7	0.14	2.5	0.14
Non-Hodgkin Lymphoma	3,646	28.1	0.47	18.2	0.32	2,916	18.8	0.36	12.1	0.25
Multiple Myeloma	1,016	7.8	0.25	4.8	0.16	756	4.8	0.18	3.0	0.12
Leukemias	2,817	21.9	0.42	14.5	0.30	1,777	11.6	0.28	8.6	0.24
Acute lymphocytic	211	1.6	0.11	2.0	0.15	204	1.5	0.11	2.0	0.15
Chronic lymphocytic	1,239	9.5	0.27	5.8	0.17	651	4.0	0.16	2.5	0.11
Acute myeloid	655	5.2	0.21	3.2	0.13	479	3.2	0.15	2.2	0.11
Chronic myeloid	393	3.1	0.16	1.9	0.10	249	1.6	0.11	1.1	0.08
Other leukemias	319	2.4	0.14	1.6	0.10	194	1.2	0.09	0.8	0.07
Mesothelioma	268	2.2	0.14	1.2	0.08	84	0.5	0.06	0.3	0.04
Kaposi Sarcoma	42	0.3	0.05	0.2	0.04	7	0.0	0.02	0.0	0.01
Ill-defined & Unknown	2,587	20.7	0.41	11.5	0.24	2,297	14.3	0.31	8.3	0.20
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	777	5.9	0.21	4.6	0.18	1,244	8.5	0.25	6.7	0.20
Breast (*in situ*)	19	0.2	0.04	0.1	0.02	4,705	31.5	0.47	23.8	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Minnesota, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	65,585	522.2	2.08	344.5	1.41	61,150	427.5	1.77	299.2	1.33
Oral Cavity & Pharynx	2,181	16.6	0.36	11.7	0.26	992	6.7	0.22	4.8	0.17
Lip	246	2.0	0.13	1.2	0.08	76	0.5	0.06	0.3	0.04
Tongue	615	4.6	0.19	3.4	0.14	309	2.1	0.12	1.6	0.10
Major salivary gland	176	1.5	0.11	0.8	0.07	133	1.0	0.09	0.7	0.07
Floor of mouth	108	0.8	0.08	0.6	0.06	56	0.4	0.05	0.3	0.04
Gum & other mouth	250	2.0	0.13	1.3	0.09	228	1.5	0.10	1.0	0.07
Nasopharynx	63	0.5	0.06	0.4	0.05	24	0.2	0.04	0.1	0.03
Oropharynx	86	0.6	0.07	0.5	0.05	26	0.2	0.03	0.1	0.02
Hypopharynx	137	1.1	0.09	0.7	0.06	30	0.2	0.04	0.2	0.03
Digestive System	10,961	88.1	0.86	55.0	0.55	9,193	61.5	0.66	37.9	0.44
Esophagus	1,027	8.1	0.26	5.2	0.17	316	2.1	0.12	1.3	0.08
Stomach	923	7.5	0.25	4.5	0.16	474	3.2	0.15	2.0	0.11
Small intestine	341	2.8	0.15	1.8	0.10	283	2.0	0.12	1.3	0.08
Colon excl. rectum	3,850	31.8	0.52	18.6	0.32	4,158	27.5	0.44	15.8	0.28
Rectum & rectosigmoid	1,755	13.6	0.33	9.3	0.23	1,175	8.1	0.24	5.6	0.18
Anus, anal canal & anorectum	145	1.1	0.10	0.8	0.07	258	1.8	0.11	1.3	0.08
Liver	658	4.9	0.19	3.4	0.14	291	2.0	0.12	1.3	0.08
Gallbladder	85	0.7	0.08	0.4	0.04	222	1.5	0.10	0.9	0.07
Pancreas	1,629	13.0	0.33	8.2	0.21	1,359	9.0	0.25	5.5	0.17
Respiratory System	8,406	68.0	0.76	41.8	0.48	7,472	51.3	0.60	32.9	0.41
Larynx	663	5.2	0.21	3.4	0.14	150	1.1	0.09	0.7	0.06
Lung & bronchus	7,590	61.6	0.72	37.4	0.45	7,244	49.7	0.59	31.8	0.40
Bones & Joints	141	1.2	0.10	1.1	0.10	98	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	439	3.6	0.18	2.8	0.15	353	2.7	0.15	2.2	0.14
Skin (excl. basal & sq.)	4,333	35.0	0.54	23.2	0.37	3,515	26.7	0.46	20.7	0.38
Melanomas of the skin	3,938	31.6	0.51	21.4	0.36	3,240	24.8	0.45	19.5	0.37
Breast (excl. *in situ*)	157	1.3	0.10	0.8	0.07	18,544	130.5	0.98	94.4	0.74
Female Genital System	-	-	-	-	-	7,315	50.8	0.61	37.5	0.47
Cervix uteri	-	-	-	-	-	675	5.5	0.22	4.4	0.18
Uterus Corpus	-	-	-	-	-	4,162	28.3	0.45	21.0	0.34
Uterus, NOS[1]	-	-	-	-	-	63	0.4	0.05	0.2	0.03
Ovary	-	-	-	-	-	1,638	11.4	0.29	8.3	0.22
Male Genital System	19,260	146.8	1.08	104.8	0.78	-	-	-	-	-
Prostate	18,277	138.2	1.04	97.2	0.74	-	-	-	-	-
Testis	815	7.2	0.26	6.7	0.24	-	-	-	-	-
Penis	120	1.0	0.09	0.6	0.06	-	-	-	-	-
Urinary System	7,642	62.3	0.73	38.0	0.46	3,025	20.4	0.38	13.5	0.27
Bladder (incl. *in situ*)	4,749	39.6	0.58	22.1	0.34	1,478	9.6	0.26	5.7	0.17
Kidney & renal pelvis	2,693	21.0	0.41	15.0	0.30	1,469	10.3	0.28	7.5	0.21
Ureter	119	1.0	0.09	0.5	0.05	54	0.3	0.05	0.2	0.03
Eye & Orbit	108	0.8	0.08	0.7	0.07	95	0.7	0.07	0.6	0.08
Brain & Other Nervous System	1,013	8.3	0.26	6.8	0.23	746	5.7	0.22	5.0	0.21
Brain	967	7.9	0.26	6.4	0.23	698	5.3	0.21	4.6	0.20
Endocrine System	897	7.3	0.25	5.7	0.20	2,288	18.6	0.40	15.6	0.34
Thyroid gland	808	6.5	0.23	5.0	0.18	2,222	18.1	0.39	15.1	0.34
Lymphomas	3,823	31.4	0.52	21.0	0.36	3,022	21.0	0.39	14.3	0.30
Hodgkin Lymphoma	437	3.7	0.18	3.2	0.16	327	2.8	0.16	2.6	0.15
Non-Hodgkin Lymphoma	3,386	27.7	0.48	17.8	0.32	2,695	18.3	0.36	11.7	0.25
Multiple Myeloma	942	7.6	0.25	4.7	0.16	684	4.6	0.18	2.9	0.12
Leukemias	2,576	21.2	0.43	14.0	0.30	1,602	11.1	0.29	8.1	0.25
Acute lymphocytic	155	1.4	0.11	1.7	0.15	161	1.4	0.11	1.8	0.16
Chronic lymphocytic	1,143	9.2	0.28	5.6	0.17	598	3.9	0.16	2.3	0.11
Acute myeloid	618	5.2	0.21	3.2	0.14	436	3.0	0.15	2.1	0.11
Chronic myeloid	366	3.1	0.16	1.9	0.11	236	1.6	0.11	1.1	0.08
Other leukemias	294	2.4	0.14	1.6	0.10	171	1.1	0.09	0.8	0.07
Mesothelioma	260	2.2	0.14	1.2	0.08	81	0.6	0.06	0.3	0.04
Kaposi Sarcoma	30	0.3	0.05	0.2	0.04	6	0.0	0.02	0.0	0.01
Ill-defined & Unknown	2,416	20.3	0.42	11.2	0.25	2,119	13.7	0.31	7.9	0.20
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	698	5.8	0.22	4.5	0.18	1,108	8.3	0.26	6.4	0.21
Breast (*in situ*)	16	0.1	0.03	0.1	0.02	4,380	31.4	0.48	23.7	0.37

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Minnesota, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,907	523.9	14.45	369.0	9.03	1,503	367.5	10.57	256.3	6.87
Oral Cavity & Pharynx	56	14.1	2.23	10.6	1.52	27	5.7	1.18	4.6	0.93
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	14	3.1	0.96	2.5	0.73	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.7	0.78	1.2	0.45	6	1.1	0.48	0.9	0.40
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	6	1.3	0.55	1.2	0.50	-	-	-	-	-
Digestive System	398	115.7	7.04	77.5	4.14	311	82.7	5.18	55.2	3.24
Esophagus	19	6.4	1.72	4.0	0.95	21	5.8	1.39	3.7	0.85
Stomach	51	15.4	2.61	10.2	1.53	34	9.0	1.69	6.0	1.08
Small intestine	17	4.0	1.13	3.0	0.78	16	3.4	0.90	2.8	0.72
Colon excl. rectum	102	29.8	3.57	19.6	2.07	100	28.1	3.12	17.2	1.77
Rectum & rectosigmoid	34	9.4	2.09	5.9	1.08	39	8.8	1.56	6.6	1.08
Anus, anal canal & anorectum	-	-	-	-	-	6	1.7	0.78	1.1	0.46
Liver	89	22.5	2.86	16.9	1.89	32	8.0	1.55	6.0	1.11
Gallbladder	-	-	-	-	-	6	1.5	0.67	1.0	0.43
Pancreas	62	20.2	3.04	13.2	1.76	41	11.6	1.98	7.5	1.21
Respiratory System	272	87.8	6.33	56.6	3.62	177	50.0	4.09	33.0	2.56
Larynx	32	8.9	1.82	6.8	1.24	9	2.2	0.79	1.7	0.57
Lung & bronchus	237	78.4	6.06	49.5	3.39	162	46.4	3.96	30.4	2.47
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	21	3.1	0.71	3.0	0.70	18	4.2	1.16	2.9	0.71
Skin (excl. basal & sq.)	13	3.0	0.97	2.4	0.74	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	10	2.3	0.90	1.6	0.53	424	92.8	4.92	70.3	3.55
Female Genital System	-	-	-	-	-	168	41.9	3.59	29.1	2.33
Cervix uteri	-	-	-	-	-	37	6.6	1.12	5.8	0.99
Uterus Corpus	-	-	-	-	-	76	19.9	2.51	13.8	1.64
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	29	7.5	1.58	4.6	0.88
Male Genital System	667	178.2	8.05	132.3	5.45	-	-	-	-	-
Prostate	645	175.1	8.02	129.4	5.41	-	-	-	-	-
Testis	19	2.5	0.62	2.4	0.57	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	151	43.0	4.25	29.2	2.55	80	24.7	3.07	13.9	1.60
Bladder (incl. *in situ*)	58	20.4	3.24	11.8	1.64	29	10.7	2.13	5.1	0.97
Kidney & renal pelvis	93	22.6	2.75	17.5	1.95	48	12.9	2.11	8.2	1.23
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	27	5.8	1.47	4.0	0.83	27	5.2	1.23	3.7	0.73
Brain	26	5.6	1.46	3.9	0.83	24	4.4	1.10	3.3	0.69
Endocrine System	21	3.3	0.83	3.0	0.71	63	10.9	1.50	9.1	1.19
Thyroid gland	16	2.8	0.78	2.3	0.63	62	10.7	1.49	8.9	1.19
Lymphomas	101	23.0	2.79	17.3	1.89	63	13.7	1.93	10.2	1.34
Hodgkin Lymphoma	24	3.3	0.72	3.1	0.67	14	1.9	0.54	1.9	0.53
Non-Hodgkin Lymphoma	77	19.7	2.70	14.2	1.77	49	11.7	1.86	8.3	1.24
Multiple Myeloma	34	10.1	2.12	6.8	1.25	44	12.4	2.08	7.6	1.19
Leukemias	63	14.3	2.29	10.7	1.46	43	8.8	1.58	6.7	1.07
Acute lymphocytic	-	-	-	-	-	10	1.3	0.50	1.5	0.51
Chronic lymphocytic	21	5.8	1.49	4.1	0.95	7	1.8	0.72	1.3	0.52
Acute myeloid	9	2.1	0.77	1.9	0.67	19	3.5	0.92	2.7	0.66
Chronic myeloid	12	2.5	0.90	1.8	0.54	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	60	17.5	2.75	11.7	1.64	48	12.9	2.08	8.5	1.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	19	4.9	1.42	3.4	0.85	37	7.0	1.25	5.9	1.02
Breast (*in situ*)	-	-	-	-	-	102	20.6	2.17	16.7	1.71

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Minnesota, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	765	295.5	12.19	191.1	7.12	978	269.4	9.37	186.2	6.16
Oral Cavity & Pharynx	43	13.0	2.22	9.6	1.53	23	6.2	1.39	4.3	0.93
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	3.2	1.31	1.8	0.68	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	18	5.0	1.31	3.7	0.92	9	2.4	0.85	1.8	0.61
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	245	99.7	7.12	62.8	4.11	188	60.5	4.72	37.0	2.78
Esophagus	9	4.2	1.48	2.6	0.86	-	-	-	-	-
Stomach	34	16.1	3.06	8.9	1.55	21	6.9	1.62	3.8	0.88
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	57	23.2	3.39	14.5	1.98	52	15.6	2.30	10.4	1.48
Rectum & rectosigmoid	28	9.3	1.95	6.7	1.30	37	11.4	2.05	6.6	1.12
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	62	23.5	3.38	15.4	2.01	21	7.5	1.70	4.4	1.00
Gallbladder	-	-	-	-	-	9	3.3	1.17	1.8	0.63
Pancreas	29	12.8	2.64	7.8	1.48	27	8.7	1.76	5.7	1.13
Respiratory System	91	38.3	4.46	23.7	2.53	81	25.6	2.99	17.4	1.99
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	85	35.7	4.31	22.2	2.46	78	24.9	2.97	16.9	1.96
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	1.0	0.45	1.1	0.46	8	2.1	0.88	1.3	0.49
Skin (excl. basal & sq.)	-	-	-	-	-	8	2.2	0.83	1.6	0.61
Melanomas of the skin	7	3.8	1.67	1.8	0.70	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	263	68.8	4.55	49.4	3.14
Female Genital System	-	-	-	-	-	142	36.9	3.33	27.3	2.36
Cervix uteri	-	-	-	-	-	41	11.3	1.90	7.8	1.25
Uterus Corpus	-	-	-	-	-	62	14.8	1.96	12.1	1.59
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	26	7.2	1.55	5.0	1.02
Male Genital System	126	53.7	5.22	35.1	3.17	-	-	-	-	-
Prostate	120	51.9	5.15	33.8	3.12	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	64	26.3	3.73	16.0	2.06	17	6.1	1.56	3.4	0.86
Bladder (incl. *in situ*)	34	15.4	2.95	9.0	1.58	7	2.4	0.96	1.7	0.64
Kidney & renal pelvis	29	10.1	2.15	6.8	1.30	8	2.7	1.01	1.5	0.53
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	17	3.0	0.84	3.2	0.80	9	1.6	0.64	1.6	0.55
Brain	15	2.8	0.82	2.8	0.75	9	1.6	0.64	1.6	0.55
Endocrine System	23	5.1	1.24	4.1	0.88	93	19.4	2.20	15.5	1.68
Thyroid gland	17	4.2	1.18	3.0	0.75	91	18.8	2.15	15.2	1.67
Lymphomas	47	14.9	2.51	10.8	1.65	57	15.6	2.28	10.7	1.48
Hodgkin Lymphoma	-	-	-	-	-	6	1.0	0.44	1.0	0.42
Non-Hodgkin Lymphoma	-	-	-	-	-	51	14.6	2.24	9.7	1.42
Multiple Myeloma	12	4.8	1.51	3.4	1.01	6	2.1	0.92	1.3	0.52
Leukemias	41	12.3	2.47	8.8	1.41	38	8.0	1.45	7.1	1.19
Acute lymphocytic	16	2.3	0.59	3.1	0.77	13	2.1	0.63	2.6	0.73
Chronic lymphocytic	6	3.0	1.30	1.7	0.70	-	-	-	-	-
Acute myeloid	11	4.5	1.73	2.3	0.70	13	3.1	1.00	2.2	0.62
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	6	1.4	0.63	1.2	0.51
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	35	17.7	3.41	9.2	1.58	43	14.1	2.34	7.9	1.24
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	11	2.6	0.91	2.2	0.71	43	8.9	1.49	7.6	1.20
Breast (*in situ*)	-	-	-	-	-	82	21.0	2.43	16.2	1.83

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Minnesota, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	828	424.4	18.51	270.3	10.45	911	368.4	14.45	255.0	9.26
Oral Cavity & Pharynx	24	11.1	2.77	7.5	1.66	12	4.7	1.62	3.4	1.12
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	4.3	1.78	2.6	0.92	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	176	92.2	8.65	57.4	4.78	140	66.2	6.39	44.3	4.04
Esophagus	13	10.9	3.38	5.6	1.63	6	2.2	1.10	1.3	0.57
Stomach	28	13.2	3.20	8.2	1.75	16	4.9	1.38	4.0	1.10
Small intestine	6	2.3	1.05	2.1	0.97	-	-	-	-	-
Colon excl. rectum	37	18.7	3.79	11.8	2.15	41	20.0	3.55	13.5	2.28
Rectum & rectosigmoid	26	14.6	3.60	8.8	1.91	24	9.1	2.12	6.6	1.45
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	35	13.3	2.53	10.9	2.02	9	5.0	1.82	3.3	1.16
Gallbladder	-	-	-	-	-	7	4.4	1.80	2.5	0.99
Pancreas	21	12.8	3.48	6.5	1.57	14	8.2	2.42	4.9	1.38
Respiratory System	82	54.9	7.06	32.4	3.78	58	33.3	4.74	21.7	2.97
Larynx	6	4.0	1.89	2.2	0.93	6	3.3	1.46	2.2	0.94
Lung & bronchus	74	50.4	6.79	29.7	3.64	48	28.2	4.38	18.3	2.75
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	11	2.3	0.74	1.9	0.61	11	3.1	1.21	2.4	0.79
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	16	7.6	2.30	5.2	1.42	20	7.0	1.95	4.6	1.16
Breast (excl. *in situ*)	-	-	-	-	-	261	105.1	7.50	73.7	4.92
Female Genital System	-	-	-	-	-	145	55.5	5.38	39.5	3.59
Cervix uteri	-	-	-	-	-	36	9.2	1.71	7.3	1.37
Uterus Corpus	-	-	-	-	-	72	31.6	4.28	21.9	2.78
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	28	9.5	2.00	7.5	1.53
Male Genital System	200	113.4	9.44	76.9	5.84	-	-	-	-	-
Prostate	174	109.6	9.40	73.3	5.79	-	-	-	-	-
Testis	23	3.3	0.76	3.3	0.74	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	101	66.5	8.01	35.0	3.77	49	21.8	3.66	14.4	2.25
Bladder (incl. *in situ*)	54	44.0	6.80	21.3	3.02	9	5.7	2.12	2.8	1.03
Kidney & renal pelvis	46	21.9	4.20	13.2	2.20	38	15.0	2.87	10.9	1.93
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	31	7.6	1.88	6.2	1.30	12	3.4	1.28	2.8	0.95
Brain	31	7.6	1.88	6.2	1.30	10	2.9	1.24	2.5	0.91
Endocrine System	20	4.7	1.13	4.2	1.02	67	17.6	2.60	14.1	1.96
Thyroid gland	19	4.4	1.09	3.9	0.98	66	17.2	2.58	13.8	1.93
Lymphomas	69	24.2	3.86	18.1	2.60	44	17.7	3.25	11.9	2.00
Hodgkin Lymphoma	17	3.0	0.90	2.9	0.82	6	1.5	0.84	1.3	0.60
Non-Hodgkin Lymphoma	52	21.2	3.75	15.1	2.46	38	16.3	3.14	10.6	1.91
Multiple Myeloma	9	4.3	1.66	3.1	1.13	9	3.5	1.32	2.4	0.84
Leukemias	49	10.5	2.20	8.8	1.45	48	14.0	2.77	10.4	1.66
Acute lymphocytic	16	1.9	0.57	2.5	0.68	24	3.3	0.78	4.0	0.86
Chronic lymphocytic	-	-	-	-	-	7	4.9	1.93	2.6	1.02
Acute myeloid	16	4.3	1.78	2.6	0.74	6	3.4	1.63	1.4	0.60
Chronic myeloid	9	1.8	0.66	1.6	0.61	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	30	18.4	4.13	10.1	2.05	25	13.3	3.09	7.4	1.59
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	20	5.6	1.53	5.4	1.41	24	9.4	2.30	6.4	1.44
Breast (*in situ*)	-	-	-	-	-	66	24.7	3.38	19.6	2.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Minnesota, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	64,960	525.2	2.10	347.2	1.44	60,432	429.9	1.80	301.3	1.35
Oral Cavity & Pharynx	2,166	16.8	0.37	11.8	0.26	982	6.8	0.22	4.8	0.17
Lip	245	2.1	0.13	1.2	0.08	76	0.5	0.06	0.3	0.04
Tongue	611	4.7	0.19	3.4	0.14	304	2.1	0.13	1.6	0.10
Major salivary gland	175	1.5	0.11	0.8	0.07	131	1.0	0.09	0.7	0.07
Floor of mouth	107	0.8	0.08	0.6	0.06	56	0.4	0.05	0.3	0.04
Gum & other mouth	247	2.0	0.13	1.3	0.09	226	1.5	0.10	1.0	0.07
Nasopharynx	62	0.5	0.06	0.4	0.05	24	0.2	0.04	0.1	0.03
Oropharynx	86	0.7	0.07	0.5	0.05	26	0.2	0.03	0.1	0.02
Hypopharynx	136	1.1	0.09	0.7	0.06	30	0.2	0.04	0.2	0.03
Digestive System	10,829	88.2	0.86	55.2	0.56	9,084	61.5	0.66	37.8	0.45
Esophagus	1,016	8.1	0.26	5.2	0.17	310	2.1	0.12	1.3	0.08
Stomach	904	7.5	0.25	4.5	0.16	460	3.2	0.15	2.0	0.10
Small intestine	335	2.8	0.15	1.8	0.10	280	2.0	0.12	1.3	0.09
Colon excl. rectum	3,824	32.0	0.53	18.8	0.32	4,123	27.6	0.44	15.9	0.28
Rectum & rectosigmoid	1,733	13.7	0.34	9.4	0.23	1,158	8.1	0.24	5.6	0.18
Anus, anal canal & anorectum	142	1.1	0.10	0.8	0.07	256	1.8	0.11	1.3	0.09
Liver	632	4.8	0.19	3.3	0.14	285	1.9	0.12	1.3	0.09
Gallbladder	84	0.7	0.08	0.4	0.04	217	1.5	0.10	0.9	0.07
Pancreas	1,614	13.1	0.33	8.2	0.21	1,350	9.0	0.25	5.6	0.17
Respiratory System	8,339	68.3	0.76	42.0	0.48	7,420	51.5	0.61	33.1	0.41
Larynx	658	5.2	0.21	3.4	0.14	144	1.0	0.09	0.7	0.06
Lung & bronchus	7,530	61.8	0.72	37.5	0.45	7,202	50.0	0.60	32.0	0.41
Bones & Joints	141	1.3	0.11	1.1	0.10	96	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	433	3.7	0.18	2.8	0.15	349	2.7	0.15	2.3	0.15
Skin (excl. basal & sq.)	4,318	35.6	0.55	23.7	0.38	3,497	27.3	0.48	21.3	0.39
Melanomas of the skin	3,925	32.2	0.52	21.8	0.37	3,224	25.5	0.46	20.1	0.38
Breast (excl. *in situ*)	154	1.3	0.10	0.8	0.07	18,323	131.2	0.99	95.0	0.75
Female Genital System	-	-	-	-	-	7,203	50.9	0.62	37.5	0.47
Cervix uteri	-	-	-	-	-	650	5.5	0.22	4.4	0.18
Uterus Corpus	-	-	-	-	-	4,103	28.3	0.45	21.1	0.35
Uterus, NOS[1]	-	-	-	-	-	63	0.4	0.05	0.2	0.03
Ovary	-	-	-	-	-	1,617	11.4	0.29	8.3	0.22
Male Genital System	19,096	147.6	1.09	105.5	0.79	-	-	-	-	-
Prostate	18,135	138.8	1.05	97.7	0.74	-	-	-	-	-
Testis	796	7.5	0.27	6.9	0.25	-	-	-	-	-
Penis	117	1.0	0.09	0.6	0.06	-	-	-	-	-
Urinary System	7,562	62.5	0.73	38.2	0.47	2,984	20.4	0.38	13.5	0.28
Bladder (incl. *in situ*)	4,701	39.6	0.59	22.1	0.34	1,471	9.7	0.26	5.8	0.17
Kidney & renal pelvis	2,662	21.2	0.42	15.2	0.31	1,437	10.3	0.28	7.4	0.22
Ureter	118	1.0	0.09	0.5	0.05	54	0.3	0.05	0.2	0.03
Eye & Orbit	108	0.9	0.09	0.7	0.08	95	0.7	0.08	0.6	0.08
Brain & Other Nervous System	992	8.3	0.27	6.9	0.24	739	5.9	0.22	5.2	0.22
Brain	946	7.9	0.26	6.5	0.23	693	5.5	0.22	4.8	0.21
Endocrine System	881	7.4	0.25	5.8	0.21	2,235	18.8	0.41	15.8	0.35
Thyroid gland	793	6.6	0.24	5.1	0.19	2,169	18.3	0.41	15.2	0.35
Lymphomas	3,774	31.6	0.52	21.2	0.37	2,987	21.1	0.40	14.4	0.30
Hodgkin Lymphoma	425	3.8	0.19	3.3	0.17	323	2.9	0.16	2.6	0.16
Non-Hodgkin Lymphoma	3,349	27.8	0.49	17.9	0.33	2,664	18.3	0.36	11.7	0.26
Multiple Myeloma	936	7.7	0.26	4.7	0.16	679	4.6	0.18	2.9	0.12
Leukemias	2,549	21.4	0.43	14.1	0.31	1,573	11.1	0.29	8.2	0.25
Acute lymphocytic	150	1.4	0.12	1.8	0.16	149	1.4	0.12	1.8	0.16
Chronic lymphocytic	1,141	9.3	0.28	5.7	0.18	593	3.9	0.16	2.4	0.11
Acute myeloid	607	5.2	0.21	3.2	0.14	432	3.1	0.15	2.1	0.12
Chronic myeloid	359	3.0	0.16	1.9	0.11	231	1.6	0.11	1.1	0.08
Other leukemias	292	2.4	0.14	1.6	0.10	168	1.1	0.09	0.8	0.07
Mesothelioma	260	2.2	0.14	1.2	0.08	79	0.5	0.06	0.3	0.04
Kaposi Sarcoma	30	0.3	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	2,392	20.3	0.42	11.3	0.25	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	686	5.9	0.23	4.6	0.19	1,093	8.4	0.26	6.5	0.22
Breast (*in situ*)	16	0.1	0.04	0.1	0.02	4,321	31.5	0.49	23.8	0.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Minnesota, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,897	535.7	14.81	377.1	9.25	1,489	372.1	10.72	260.0	6.99
Oral Cavity & Pharynx	55	14.3	2.28	10.8	1.55	26	5.5	1.17	4.5	0.91
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	14	3.2	0.99	2.6	0.75	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.7	0.80	1.2	0.47	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	6	1.3	0.56	1.2	0.51	-	-	-	-	-
Digestive System	397	118.5	7.22	79.3	4.24	310	83.9	5.25	56.2	3.30
Esophagus	19	6.6	1.76	4.1	0.98	21	5.9	1.41	3.8	0.86
Stomach	50	15.5	2.67	10.2	1.55	34	9.1	1.72	6.2	1.10
Small intestine	17	4.1	1.16	3.1	0.80	16	3.4	0.92	2.8	0.73
Colon excl. rectum	102	30.6	3.67	20.1	2.13	99	28.1	3.14	17.4	1.80
Rectum & rectosigmoid	34	9.6	2.15	6.0	1.11	39	9.0	1.59	6.7	1.11
Anus, anal canal & anorectum	-	-	-	-	-	6	1.8	0.79	1.1	0.47
Liver	89	23.1	2.93	17.3	1.94	32	8.2	1.58	6.2	1.13
Gallbladder	-	-	-	-	-	6	1.5	0.68	1.1	0.44
Pancreas	62	20.7	3.12	13.5	1.81	41	11.8	2.02	7.7	1.24
Respiratory System	272	90.0	6.49	58.0	3.71	177	51.0	4.17	33.7	2.61
Larynx	32	9.2	1.87	6.9	1.27	9	2.2	0.81	1.7	0.58
Lung & bronchus	237	80.4	6.21	50.7	3.48	162	47.3	4.03	31.1	2.52
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	21	3.2	0.73	3.1	0.72	18	4.3	1.18	3.0	0.73
Skin (excl. basal & sq.)	13	3.1	1.00	2.5	0.76	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	10	2.4	0.92	1.7	0.54	419	94.0	5.00	71.2	3.61
Female Genital System	-	-	-	-	-	164	41.4	3.58	29.1	2.36
Cervix uteri	-	-	-	-	-	37	6.8	1.15	6.0	1.02
Uterus Corpus	-	-	-	-	-	73	19.2	2.45	13.6	1.65
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	28	7.5	1.60	4.5	0.88
Male Genital System	664	181.9	8.24	135.1	5.57	-	-	-	-	-
Prostate	642	178.7	8.21	132.1	5.53	-	-	-	-	-
Testis	19	2.6	0.64	2.5	0.59	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	151	44.1	4.36	30.0	2.61	79	25.0	3.12	14.0	1.62
Bladder (incl. *in situ*)	58	20.9	3.32	12.1	1.68	28	10.7	2.15	5.0	0.96
Kidney & renal pelvis	93	23.2	2.82	17.9	2.00	48	13.2	2.15	8.4	1.26
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	27	5.9	1.51	4.2	0.86	27	5.3	1.25	3.9	0.76
Brain	26	5.8	1.50	4.0	0.85	24	4.6	1.13	3.4	0.72
Endocrine System	21	3.4	0.86	3.1	0.73	63	11.2	1.54	9.4	1.23
Thyroid gland	16	2.8	0.81	2.4	0.65	62	11.0	1.53	9.2	1.22
Lymphomas	98	23.2	2.86	17.4	1.93	62	13.9	1.97	10.3	1.37
Hodgkin Lymphoma	23	3.3	0.74	3.1	0.68	13	1.9	0.55	1.8	0.53
Non-Hodgkin Lymphoma	75	19.9	2.76	14.4	1.81	49	12.0	1.89	8.5	1.26
Multiple Myeloma	34	10.4	2.17	6.9	1.29	44	12.7	2.12	7.8	1.21
Leukemias	62	14.7	2.35	10.9	1.49	42	9.0	1.61	6.7	1.09
Acute lymphocytic	-	-	-	-	-	9	1.3	0.51	1.5	0.51
Chronic lymphocytic	21	6.0	1.53	4.2	0.98	7	1.8	0.74	1.3	0.53
Acute myeloid	9	2.2	0.79	1.9	0.69	19	3.6	0.94	2.8	0.68
Chronic myeloid	11	2.5	0.92	1.7	0.54	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	59	17.9	2.82	11.9	1.68	48	13.2	2.12	8.7	1.31
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	18	4.7	1.42	3.2	0.82	36	6.8	1.21	5.8	1.01
Breast (*in situ*)	-	-	-	-	-	101	20.9	2.22	17.0	1.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	41,079	577.5	2.94	386.6	1.96	34,933	406.0	2.20	284.9	1.63
Oral Cavity & Pharynx	1,529	20.5	0.54	14.9	0.39	585	6.8	0.28	4.8	0.21
Lip	98	1.5	0.16	0.9	0.09	19	0.2	0.05	0.2	0.04
Tongue	397	5.1	0.26	3.9	0.20	146	1.7	0.14	1.2	0.11
Major salivary gland	104	1.6	0.16	1.0	0.10	90	1.1	0.12	0.8	0.09
Floor of mouth	75	1.1	0.12	0.7	0.08	41	0.5	0.08	0.3	0.06
Gum & other mouth	185	2.6	0.20	1.8	0.14	126	1.4	0.13	0.9	0.08
Nasopharynx	77	1.1	0.12	0.8	0.09	19	0.2	0.05	0.2	0.05
Oropharynx	71	0.9	0.10	0.7	0.08	24	0.3	0.05	0.2	0.04
Hypopharynx	153	2.0	0.17	1.5	0.12	26	0.3	0.06	0.2	0.04
Digestive System	7,951	112.5	1.30	74.2	0.85	6,479	73.4	0.92	47.7	0.64
Esophagus	637	8.7	0.35	6.1	0.24	155	1.7	0.14	1.2	0.10
Stomach	680	9.8	0.39	6.3	0.25	422	4.8	0.24	3.0	0.16
Small intestine	189	2.6	0.20	1.8	0.13	201	2.3	0.16	1.7	0.12
Colon excl. rectum	2,924	42.2	0.81	27.0	0.51	2,983	33.8	0.63	21.7	0.43
Rectum & rectosigmoid	1,242	17.2	0.50	12.0	0.35	833	9.6	0.34	6.8	0.25
Anus, anal canal & anorectum	119	1.7	0.16	1.2	0.11	202	2.3	0.16	1.6	0.12
Liver	786	10.4	0.38	7.5	0.27	243	2.7	0.18	1.8	0.12
Gallbladder	44	0.7	0.11	0.4	0.06	102	1.1	0.11	0.7	0.08
Pancreas	1,095	15.8	0.49	10.0	0.31	1,027	11.5	0.36	6.9	0.23
Respiratory System	8,221	117.1	1.33	74.3	0.84	5,259	59.4	0.83	39.6	0.58
Larynx	712	9.5	0.37	6.8	0.26	170	2.0	0.15	1.5	0.12
Lung & bronchus	7,429	106.4	1.27	66.7	0.79	5,047	56.9	0.81	37.7	0.56
Bones & Joints	78	1.1	0.13	1.0	0.12	69	0.9	0.11	0.8	0.11
Soft Tissue (incl. heart)	260	3.7	0.23	2.9	0.19	207	2.5	0.18	2.0	0.16
Skin (excl. basal & sq.)	1,727	25.3	0.63	16.4	0.41	1,178	14.4	0.43	10.7	0.33
Melanomas of the skin	1,612	23.5	0.60	15.3	0.39	1,079	13.2	0.41	9.8	0.32
Breast (excl. *in situ*)	69	1.0	0.12	0.6	0.08	9,946	116.8	1.19	84.9	0.89
Female Genital System	-	-	-	-	-	3,678	43.5	0.73	32.2	0.56
Cervix uteri	-	-	-	-	-	749	9.7	0.36	7.6	0.29
Uterus Corpus	-	-	-	-	-	1,693	19.3	0.48	14.3	0.36
Uterus, NOS[1]	-	-	-	-	-	40	0.5	0.07	0.3	0.05
Ovary	-	-	-	-	-	823	9.6	0.34	6.9	0.26
Male Genital System	11,528	154.8	1.49	108.9	1.03	-	-	-	-	-
Prostate	11,176	149.7	1.46	104.6	1.00	-	-	-	-	-
Testis	254	3.7	0.23	3.4	0.22	-	-	-	-	-
Penis	85	1.2	0.14	0.8	0.09	-	-	-	-	-
Urinary System	3,968	57.8	0.95	36.4	0.59	1,922	22.0	0.51	14.7	0.36
Bladder (incl. *in situ*)	2,040	30.9	0.71	17.8	0.41	672	7.5	0.29	4.4	0.19
Kidney & renal pelvis	1,854	25.7	0.62	17.9	0.43	1,202	13.9	0.41	10.0	0.31
Ureter	48	0.7	0.11	0.4	0.06	31	0.4	0.06	0.2	0.04
Eye & Orbit	78	1.0	0.12	0.9	0.11	48	0.6	0.09	0.5	0.09
Brain & Other Nervous System	517	7.3	0.33	5.9	0.28	441	5.3	0.26	4.4	0.23
Brain	496	7.0	0.32	5.7	0.27	419	5.0	0.25	4.2	0.23
Endocrine System	414	5.7	0.28	4.4	0.23	1,214	15.4	0.45	12.5	0.38
Thyroid gland	356	4.9	0.26	3.7	0.20	1,161	14.8	0.44	11.9	0.36
Lymphomas	1,672	24.3	0.61	16.7	0.43	1,424	16.6	0.45	11.2	0.33
Hodgkin Lymphoma	204	2.9	0.21	2.6	0.19	156	2.1	0.17	1.8	0.16
Non-Hodgkin Lymphoma	1,468	21.4	0.58	14.1	0.38	1,268	14.6	0.41	9.4	0.29
Multiple Myeloma	635	9.1	0.37	5.8	0.24	547	6.2	0.27	4.1	0.19
Leukemias	1,012	14.9	0.48	10.3	0.34	793	9.4	0.34	6.7	0.27
Acute lymphocytic	107	1.5	0.14	1.7	0.17	92	1.2	0.13	1.4	0.16
Chronic lymphocytic	319	4.7	0.27	2.8	0.16	202	2.3	0.16	1.3	0.10
Acute myeloid	319	4.7	0.27	3.1	0.18	280	3.4	0.20	2.3	0.15
Chronic myeloid	127	1.8	0.17	1.3	0.12	109	1.3	0.13	0.9	0.10
Other leukemias	140	2.2	0.19	1.3	0.12	110	1.2	0.12	0.8	0.08
Mesothelioma	93	1.5	0.16	0.8	0.08	30	0.3	0.06	0.2	0.04
Kaposi Sarcoma	26	0.4	0.09	0.3	0.06	11	0.1	0.04	0.1	0.03
Ill-defined & Unknown	1,301	19.6	0.56	11.8	0.34	1,102	12.4	0.38	7.6	0.26
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	471	6.8	0.32	4.9	0.24	986	11.9	0.38	8.7	0.30
Breast (*in situ*)	11	0.1	0.04	0.1	0.03	1,956	22.8	0.52	17.2	0.40

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,293	554.2	3.38	368.7	2.29	23,910	408.5	2.72	287.4	2.06
Oral Cavity & Pharynx	1,101	21.1	0.65	15.3	0.48	436	7.4	0.36	5.1	0.27
Lip	96	2.0	0.21	1.2	0.13	19	0.3	0.08	0.2	0.06
Tongue	305	5.6	0.33	4.3	0.25	117	2.0	0.19	1.4	0.15
Major salivary gland	86	1.8	0.21	1.1	0.13	60	1.0	0.14	0.7	0.11
Floor of mouth	53	1.0	0.14	0.7	0.10	32	0.5	0.10	0.4	0.08
Gum & other mouth	127	2.5	0.23	1.7	0.16	97	1.5	0.16	0.9	0.10
Nasopharynx	44	0.8	0.13	0.7	0.10	9	0.2	0.05	0.1	0.05
Oropharynx	41	0.7	0.12	0.6	0.09	16	0.3	0.07	0.2	0.05
Hypopharynx	83	1.6	0.18	1.2	0.13	14	0.2	0.06	0.2	0.05
Digestive System	5,221	102.6	1.46	67.6	0.97	4,047	65.6	1.05	42.2	0.74
Esophagus	386	7.4	0.39	5.2	0.27	89	1.4	0.16	1.0	0.11
Stomach	370	7.4	0.39	4.6	0.25	229	3.7	0.25	2.2	0.17
Small intestine	128	2.5	0.22	1.7	0.15	105	1.8	0.18	1.3	0.13
Colon excl. rectum	1,866	37.3	0.89	23.8	0.57	1,808	29.3	0.70	18.5	0.48
Rectum & rectosigmoid	867	16.8	0.59	11.7	0.41	531	9.0	0.40	6.4	0.30
Anus, anal canal & anorectum	85	1.7	0.19	1.2	0.14	161	2.7	0.21	1.9	0.16
Liver	561	10.6	0.46	7.5	0.33	160	2.6	0.21	1.7	0.15
Gallbladder	26	0.6	0.12	0.3	0.06	58	0.9	0.12	0.6	0.08
Pancreas	750	14.8	0.55	9.4	0.36	685	10.8	0.42	6.4	0.27
Respiratory System	5,731	112.1	1.51	69.9	0.95	3,958	63.9	1.03	43.0	0.74
Larynx	421	7.9	0.40	5.6	0.28	116	2.0	0.19	1.6	0.15
Lung & bronchus	5,253	103.0	1.45	63.6	0.91	3,814	61.4	1.01	41.0	0.71
Bones & Joints	48	1.1	0.16	0.9	0.15	38	0.8	0.13	0.7	0.12
Soft Tissue (incl. heart)	174	3.6	0.28	2.8	0.23	109	2.0	0.20	1.6	0.18
Skin (excl. basal & sq.)	1,683	34.2	0.86	22.7	0.58	1,120	21.2	0.66	16.1	0.53
Melanomas of the skin	1,583	32.1	0.83	21.4	0.57	1,051	20.0	0.64	15.3	0.52
Breast (excl. *in situ*)	41	0.8	0.13	0.5	0.08	6,563	113.2	1.44	82.0	1.09
Female Genital System	-	-	-	-	-	2,364	42.5	0.91	31.6	0.70
Cervix uteri	-	-	-	-	-	396	8.6	0.45	6.8	0.36
Uterus Corpus	-	-	-	-	-	1,074	18.4	0.58	13.8	0.45
Uterus, NOS[1]	-	-	-	-	-	17	0.3	0.07	0.2	0.06
Ovary	-	-	-	-	-	593	10.3	0.44	7.4	0.33
Male Genital System	6,990	130.0	1.59	91.5	1.13	-	-	-	-	-
Prostate	6,693	123.3	1.54	85.7	1.07	-	-	-	-	-
Testis	224	5.3	0.35	4.9	0.34	-	-	-	-	-
Penis	61	1.2	0.16	0.8	0.10	-	-	-	-	-
Urinary System	3,080	61.8	1.14	38.8	0.73	1,325	22.0	0.62	14.8	0.45
Bladder (incl. *in situ*)	1,744	35.6	0.87	20.6	0.51	518	8.2	0.37	5.0	0.25
Kidney & renal pelvis	1,269	24.9	0.72	17.3	0.51	769	13.2	0.49	9.4	0.38
Ureter	46	0.9	0.14	0.5	0.08	29	0.5	0.08	0.2	0.05
Eye & Orbit	65	1.3	0.16	1.0	0.15	39	0.7	0.12	0.6	0.12
Brain & Other Nervous System	404	8.4	0.43	6.9	0.38	355	6.6	0.37	5.6	0.34
Brain	388	8.1	0.42	6.6	0.37	339	6.3	0.36	5.3	0.33
Endocrine System	342	6.9	0.38	5.4	0.31	849	17.3	0.61	14.2	0.52
Thyroid gland	303	6.1	0.36	4.6	0.28	818	16.7	0.60	13.6	0.51
Lymphomas	1,276	26.1	0.75	17.7	0.53	1,095	18.5	0.57	12.5	0.43
Hodgkin Lymphoma	128	2.9	0.26	2.5	0.23	102	2.2	0.23	2.0	0.21
Non-Hodgkin Lymphoma	1,148	23.3	0.70	15.2	0.48	993	16.3	0.53	10.5	0.38
Multiple Myeloma	369	7.4	0.40	4.6	0.25	250	4.0	0.26	2.6	0.18
Leukemias	738	15.3	0.58	10.5	0.43	574	10.0	0.43	7.2	0.37
Acute lymphocytic	70	1.6	0.19	1.9	0.24	65	1.4	0.18	1.6	0.23
Chronic lymphocytic	250	5.0	0.33	3.0	0.20	152	2.4	0.20	1.4	0.13
Acute myeloid	230	4.7	0.32	3.1	0.22	202	3.6	0.26	2.5	0.21
Chronic myeloid	85	1.7	0.19	1.2	0.14	70	1.2	0.15	0.8	0.11
Other leukemias	103	2.2	0.23	1.4	0.14	85	1.3	0.15	0.8	0.11
Mesothelioma	76	1.6	0.19	0.8	0.10	25	0.4	0.09	0.3	0.06
Kaposi Sarcoma	12	0.3	0.09	0.2	0.06	8	0.1	0.05	0.1	0.02
Ill-defined & Unknown	942	19.6	0.66	11.7	0.40	755	12.1	0.45	7.5	0.32
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	333	7.0	0.39	5.0	0.29	641	11.6	0.47	8.5	0.38
Breast (*in situ*)	7	0.1	0.04	0.1	0.04	1,293	22.5	0.64	17.0	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	12,457	645.0	6.23	437.6	3.98	10,727	406.6	4.00	285.1	2.85
Oral Cavity & Pharynx	408	18.6	0.98	14.0	0.70	146	5.3	0.45	4.0	0.34
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	87	3.8	0.43	3.0	0.32	27	1.0	0.19	0.7	0.14
Major salivary gland	18	0.9	0.25	0.6	0.15	30	1.1	0.21	0.8	0.16
Floor of mouth	20	0.9	0.21	0.7	0.15	9	0.3	0.11	0.2	0.07
Gum & other mouth	52	2.5	0.37	1.8	0.26	29	1.1	0.21	0.8	0.15
Nasopharynx	32	1.7	0.32	1.1	0.20	10	0.3	0.10	0.3	0.10
Oropharynx	30	1.2	0.24	1.0	0.19	8	0.3	0.10	0.2	0.08
Hypopharynx	68	3.1	0.40	2.4	0.29	12	0.4	0.11	0.3	0.09
Digestive System	2,654	140.2	2.94	91.5	1.80	2,365	91.3	1.91	59.9	1.28
Esophagus	248	12.1	0.83	8.6	0.55	65	2.4	0.30	1.8	0.22
Stomach	301	16.5	1.03	10.3	0.60	187	7.4	0.55	4.6	0.35
Small intestine	60	3.0	0.41	2.0	0.27	95	3.5	0.37	2.6	0.27
Colon excl. rectum	1,039	57.3	1.92	36.0	1.13	1,154	44.7	1.34	29.0	0.89
Rectum & rectosigmoid	360	18.0	1.02	12.5	0.66	290	10.9	0.65	7.7	0.47
Anus, anal canal & anorectum	34	1.5	0.27	1.2	0.21	40	1.5	0.24	1.0	0.17
Liver	204	8.9	0.67	6.8	0.48	72	2.7	0.32	1.8	0.22
Gallbladder	17	1.0	0.26	0.6	0.15	42	1.7	0.26	1.0	0.17
Pancreas	340	19.1	1.12	11.8	0.65	336	13.2	0.73	8.1	0.47
Respiratory System	2,455	130.4	2.83	85.7	1.75	1,275	49.8	1.43	33.0	0.96
Larynx	286	13.8	0.87	9.9	0.60	54	1.9	0.27	1.5	0.21
Lung & bronchus	2,146	115.5	2.68	75.0	1.64	1,208	47.4	1.39	31.1	0.93
Bones & Joints	27	1.1	0.23	1.0	0.19	29	1.0	0.19	1.0	0.18
Soft Tissue (incl. heart)	83	3.6	0.41	3.1	0.34	95	3.4	0.35	2.8	0.30
Skin (excl. basal & sq.)	38	2.1	0.36	1.3	0.21	52	1.9	0.27	1.4	0.21
Melanomas of the skin	23	1.3	0.30	0.8	0.16	23	0.9	0.19	0.6	0.13
Breast (excl. *in situ*)	27	1.7	0.35	0.9	0.18	3,320	123.4	2.18	90.4	1.61
Female Genital System	-	-	-	-	-	1,262	47.6	1.36	34.5	1.00
Cervix uteri	-	-	-	-	-	334	12.4	0.69	9.3	0.52
Uterus Corpus	-	-	-	-	-	602	22.9	0.95	16.4	0.69
Uterus, NOS[1]	-	-	-	-	-	22	0.8	0.18	0.5	0.12
Ovary	-	-	-	-	-	218	8.3	0.57	5.9	0.41
Male Genital System	4,429	226.3	3.65	157.1	2.39	-	-	-	-	-
Prostate	4,380	223.9	3.63	155.4	2.38	-	-	-	-	-
Testis	24	1.0	0.20	0.9	0.18	-	-	-	-	-
Penis	24	1.4	0.30	0.8	0.17	-	-	-	-	-
Urinary System	866	46.2	1.69	30.4	1.05	582	22.4	0.95	15.0	0.65
Bladder (incl. *in situ*)	285	16.9	1.08	10.0	0.60	147	6.0	0.50	3.2	0.28
Kidney & renal pelvis	574	28.9	1.29	20.2	0.85	425	16.1	0.80	11.6	0.58
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	10	0.3	0.11	0.4	0.14	8	0.3	0.09	0.4	0.13
Brain & Other Nervous System	109	4.8	0.50	4.1	0.40	81	2.8	0.32	2.5	0.29
Brain	104	4.7	0.50	3.9	0.39	75	2.6	0.31	2.3	0.28
Endocrine System	62	2.6	0.34	2.2	0.28	346	12.4	0.68	10.0	0.55
Thyroid gland	46	1.9	0.29	1.6	0.24	324	11.6	0.66	9.3	0.53
Lymphomas	379	18.1	1.00	13.7	0.71	320	12.1	0.69	8.5	0.49
Hodgkin Lymphoma	76	3.1	0.37	2.8	0.32	54	1.8	0.25	1.7	0.24
Non-Hodgkin Lymphoma	303	15.1	0.93	10.9	0.63	266	10.2	0.64	6.8	0.43
Multiple Myeloma	261	14.0	0.93	9.2	0.58	295	11.6	0.69	7.7	0.46
Leukemias	268	13.7	0.91	9.7	0.60	215	8.1	0.56	5.9	0.43
Acute lymphocytic	36	1.3	0.22	1.5	0.25	26	0.9	0.17	1.1	0.21
Chronic lymphocytic	67	3.7	0.48	2.4	0.30	50	2.1	0.30	1.1	0.17
Acute myeloid	87	4.8	0.55	3.1	0.34	75	2.9	0.34	2.0	0.24
Chronic myeloid	42	1.9	0.32	1.5	0.23	39	1.4	0.22	1.1	0.18
Other leukemias	36	2.1	0.38	1.2	0.21	25	0.9	0.19	0.6	0.13
Mesothelioma	17	1.0	0.25	0.6	0.14	-	-	-	-	-
Kaposi Sarcoma	14	0.7	0.20	0.5	0.14	-	-	-	-	-
Ill-defined & Unknown	350	19.6	1.13	12.2	0.66	328	12.9	0.73	8.0	0.47
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	134	6.5	0.60	4.8	0.42	331	12.3	0.69	9.1	0.52
Breast (*in situ*)	-	-	-	-	-	648	23.8	0.95	17.9	0.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	146	334.3	31.34	224.0	18.97	167	261.9	22.10	180.1	14.22
Oral Cavity & Pharynx	12	26.2	8.66	16.4	4.81	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	46	108.6	18.01	68.6	10.32	41	70.0	11.99	44.1	7.00
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	16.3	6.32	11.5	4.18	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	17.7	7.69	9.9	3.81	12	18.2	5.92	12.9	3.77
Rectum & rectosigmoid	12	27.7	8.49	19.0	5.59	8	13.6	5.08	9.2	3.30
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	26.9	9.80	14.2	4.57	7	13.0	5.31	7.0	2.68
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	22	53.5	12.52	37.4	8.10	20	42.9	10.28	20.9	4.74
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	50.0	12.27	33.8	7.69	19	39.0	9.50	19.6	4.56
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	31	43.0	8.18	32.3	5.89
Female Genital System	-	-	-	-	-	31	42.2	7.96	33.7	6.11
Cervix uteri	-	-	-	-	-	10	12.3	3.89	10.4	3.31
Uterus Corpus	-	-	-	-	-	10	11.8	3.76	10.4	3.30
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	12.8	4.78	9.3	3.33
Male Genital System	28	68.2	14.48	46.1	8.89	-	-	-	-	-
Prostate	26	65.9	14.39	44.2	8.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	19.3	7.36	13.0	4.43	6	10.2	4.55	6.4	2.66
Bladder (incl. *in situ*)	6	13.3	6.39	8.7	3.61	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	7	11.9	4.62	10.4	4.07	12	13.1	3.81	11.9	3.45
Thyroid gland	-	-	-	-	-	12	13.1	3.81	11.9	3.45
Lymphomas	7	13.3	5.72	9.7	3.84	7	10.0	3.89	8.1	3.10
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	7	13.3	5.72	9.7	3.84	7	10.0	3.89	8.1	3.10
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	8	15.5	6.07	9.5	3.41
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	8	9.6	3.39	9.8	3.65
Breast (*in situ*)	-	-	-	-	-	12	22.1	7.25	13.1	3.84

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	48	463.6	79.07	314.9	47.04	63	435.8	60.64	326.5	41.78
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	143.8	39.44	106.3	27.46	22	174.7	42.66	114.6	24.96
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	9	73.2	30.53	49.1	16.67
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	56.0	23.62	45.9	19.41	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	15	94.7	24.67	81.9	21.30
Female Genital System	-	-	-	-	-	8	49.5	17.60	42.9	15.33
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	9	101.0	43.91	59.8	20.95	-	-	-	-	-
Prostate	7	92.9	43.53	51.5	20.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	7	46.3	19.04	37.4	14.29
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	187	197.2	17.49	136.2	10.88	187	194.6	15.35	145.3	11.13
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	37	50.1	9.51	30.9	5.34	31	37.7	7.19	25.0	4.68
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	6	10.2	4.47	5.6	2.33	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	9	11.0	4.24	7.3	2.55	16	18.0	4.82	12.1	3.14
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	11.4	4.42	7.6	2.57	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	21	27.5	6.63	18.9	4.26	20	24.2	5.57	19.4	4.41
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	23.3	6.22	15.5	3.86	20	24.2	5.57	19.4	4.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	6	3.2	1.59	2.9	1.39	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	47	44.3	6.74	35.4	5.39
Female Genital System	-	-	-	-	-	26	25.3	5.42	20.2	4.23
Cervix uteri	-	-	-	-	-	7	6.5	2.69	5.8	2.35
Uterus Corpus	-	-	-	-	-	10	9.3	3.17	7.8	2.65
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	5.0	2.16	4.8	2.06
Male Genital System	61	67.0	10.12	47.0	6.50	-	-	-	-	-
Prostate	46	58.4	9.50	40.9	6.23	-	-	-	-	-
Testis	12	3.7	1.12	3.5	1.04	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	13.0	4.38	8.6	2.53	12	12.3	3.84	9.2	2.76
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	10	8.8	3.42	6.1	2.05	7	5.8	2.32	5.0	1.96
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	16	15.4	4.10	11.1	2.84
Thyroid gland	-	-	-	-	-	15	14.6	4.01	10.4	2.74
Lymphomas	12	10.6	3.80	7.9	2.47	14	18.2	5.30	10.0	2.81
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	5.4	3.12	3.7	1.45	7	3.4	1.37	3.8	1.44
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	6.6	2.77	5.9	2.43	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6	6.2	3.22	3.8	1.73	6	6.3	2.84	3.7	1.51
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,122	559.3	3.42	372.6	2.34	23,735	410.9	2.75	289.2	2.09
Oral Cavity & Pharynx	1,097	21.4	0.66	15.5	0.48	435	7.5	0.37	5.2	0.28
Lip	96	2.1	0.22	1.3	0.14	19	0.3	0.08	0.2	0.06
Tongue	304	5.7	0.33	4.4	0.26	117	2.1	0.20	1.4	0.15
Major salivary gland	85	1.8	0.21	1.1	0.13	60	1.1	0.14	0.8	0.11
Floor of mouth	53	1.1	0.15	0.7	0.10	32	0.6	0.10	0.4	0.08
Gum & other mouth	127	2.6	0.24	1.8	0.17	96	1.5	0.16	0.9	0.11
Nasopharynx	43	0.8	0.13	0.6	0.10	9	0.2	0.06	0.1	0.05
Oropharynx	41	0.7	0.12	0.6	0.09	16	0.3	0.07	0.2	0.05
Hypopharynx	82	1.6	0.18	1.1	0.13	14	0.2	0.06	0.2	0.05
Digestive System	5,188	103.6	1.48	68.3	0.98	4,020	65.9	1.06	42.4	0.74
Esophagus	385	7.5	0.39	5.2	0.27	89	1.5	0.16	1.0	0.11
Stomach	364	7.4	0.40	4.6	0.25	228	3.7	0.25	2.2	0.17
Small intestine	126	2.5	0.22	1.7	0.15	105	1.8	0.18	1.3	0.13
Colon excl. rectum	1,858	37.7	0.90	24.1	0.58	1,793	29.3	0.71	18.5	0.49
Rectum & rectosigmoid	865	17.1	0.60	11.9	0.42	529	9.1	0.41	6.4	0.30
Anus, anal canal & anorectum	85	1.7	0.19	1.3	0.14	159	2.7	0.22	2.0	0.16
Liver	552	10.6	0.46	7.5	0.33	157	2.5	0.21	1.7	0.15
Gallbladder	26	0.6	0.12	0.3	0.06	58	0.9	0.12	0.6	0.08
Pancreas	748	14.9	0.56	9.5	0.36	681	10.9	0.42	6.5	0.28
Respiratory System	5,712	113.1	1.53	70.6	0.97	3,938	64.2	1.04	43.2	0.74
Larynx	418	8.0	0.40	5.6	0.28	116	2.0	0.19	1.6	0.15
Lung & bronchus	5,237	103.9	1.47	64.2	0.92	3,794	61.7	1.02	41.2	0.72
Bones & Joints	46	1.1	0.16	0.9	0.15	37	0.8	0.13	0.7	0.12
Soft Tissue (incl. heart)	173	3.7	0.29	2.8	0.24	109	2.1	0.21	1.6	0.19
Skin (excl. basal & sq.)	1,678	34.8	0.87	23.1	0.60	1,118	21.6	0.67	16.4	0.55
Melanomas of the skin	1,578	32.6	0.84	21.9	0.58	1,049	20.4	0.66	15.6	0.53
Breast (excl. *in situ*)	41	0.8	0.13	0.5	0.09	6,519	113.9	1.45	82.5	1.10
Female Genital System	-	-	-	-	-	2,340	42.8	0.92	31.8	0.71
Cervix uteri	-	-	-	-	-	389	8.7	0.46	6.8	0.37
Uterus Corpus	-	-	-	-	-	1,065	18.5	0.58	13.9	0.45
Uterus, NOS[1]	-	-	-	-	-	16	0.3	0.07	0.2	0.05
Ovary	-	-	-	-	-	588	10.4	0.44	7.4	0.34
Male Genital System	6,932	130.7	1.61	92.1	1.14	-	-	-	-	-
Prostate	6,650	124.0	1.55	86.2	1.08	-	-	-	-	-
Testis	212	5.3	0.37	5.0	0.35	-	-	-	-	-
Penis	59	1.2	0.16	0.8	0.10	-	-	-	-	-
Urinary System	3,069	62.5	1.16	39.2	0.74	1,313	22.1	0.62	14.8	0.46
Bladder (incl. *in situ*)	1,742	35.9	0.88	20.9	0.52	513	8.2	0.37	5.0	0.25
Kidney & renal pelvis	1,260	25.1	0.73	17.5	0.52	762	13.2	0.49	9.4	0.38
Ureter	46	1.0	0.15	0.5	0.08	29	0.5	0.09	0.2	0.05
Eye & Orbit	65	1.3	0.16	1.1	0.15	39	0.7	0.12	0.6	0.13
Brain & Other Nervous System	402	8.6	0.44	7.1	0.40	351	6.7	0.37	5.6	0.35
Brain	386	8.3	0.43	6.8	0.39	335	6.4	0.36	5.3	0.34
Endocrine System	338	7.0	0.39	5.5	0.32	835	17.4	0.63	14.4	0.54
Thyroid gland	299	6.2	0.37	4.7	0.29	805	16.8	0.61	13.7	0.52
Lymphomas	1,265	26.5	0.76	17.9	0.54	1,081	18.5	0.58	12.5	0.44
Hodgkin Lymphoma	126	3.0	0.27	2.6	0.25	101	2.3	0.23	2.0	0.22
Non-Hodgkin Lymphoma	1,139	23.5	0.72	15.3	0.49	980	16.3	0.53	10.5	0.38
Multiple Myeloma	364	7.4	0.40	4.5	0.25	247	4.0	0.26	2.6	0.18
Leukemias	730	15.4	0.59	10.6	0.44	567	10.0	0.44	7.1	0.37
Acute lymphocytic	67	1.6	0.20	1.9	0.25	61	1.4	0.18	1.6	0.23
Chronic lymphocytic	250	5.1	0.33	3.0	0.20	152	2.4	0.20	1.4	0.13
Acute myeloid	227	4.7	0.32	3.1	0.23	200	3.6	0.26	2.5	0.21
Chronic myeloid	84	1.7	0.19	1.2	0.14	70	1.3	0.16	0.8	0.11
Other leukemias	102	2.2	0.23	1.3	0.14	84	1.3	0.15	0.8	0.10
Mesothelioma	75	1.6	0.19	0.8	0.10	25	0.4	0.09	0.3	0.06
Kaposi Sarcoma	11	0.3	0.09	0.2	0.06	8	0.1	0.05	0.1	0.03
Ill-defined & Unknown	936	19.7	0.66	11.8	0.41	753	12.2	0.46	7.6	0.33
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	327	7.0	0.40	5.1	0.30	636	11.7	0.48	8.6	0.40
Breast (*in situ*)	7	0.1	0.04	0.1	0.04	1,288	22.7	0.65	17.2	0.51

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Mississippi, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	12,446	648.8	6.27	440.2	4.00	10,720	408.5	4.02	286.4	2.86
Oral Cavity & Pharynx	408	18.7	0.99	14.1	0.70	146	5.4	0.45	4.0	0.34
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	87	3.9	0.43	3.0	0.33	27	1.0	0.19	0.7	0.14
Major salivary gland	18	1.0	0.25	0.6	0.15	30	1.1	0.21	0.9	0.16
Floor of mouth	20	0.9	0.21	0.7	0.15	9	0.3	0.11	0.2	0.07
Gum & other mouth	52	2.5	0.37	1.8	0.26	29	1.1	0.21	0.8	0.15
Nasopharynx	32	1.7	0.33	1.1	0.20	10	0.3	0.11	0.3	0.10
Oropharynx	30	1.2	0.24	1.0	0.19	8	0.3	0.10	0.2	0.08
Hypopharynx	68	3.1	0.40	2.4	0.30	12	0.4	0.12	0.3	0.09
Digestive System	2,651	141.0	2.96	92.0	1.81	2,363	91.7	1.92	60.1	1.29
Esophagus	248	12.2	0.83	8.6	0.56	65	2.4	0.30	1.8	0.22
Stomach	301	16.6	1.04	10.3	0.60	187	7.4	0.55	4.7	0.36
Small intestine	60	3.0	0.42	2.1	0.27	95	3.6	0.37	2.6	0.27
Colon excl. rectum	1,039	57.7	1.93	36.2	1.14	1,153	44.9	1.35	29.1	0.90
Rectum & rectosigmoid	359	18.0	1.03	12.5	0.67	290	10.9	0.65	7.8	0.47
Anus, anal canal & anorectum	34	1.5	0.27	1.2	0.21	40	1.5	0.24	1.1	0.17
Liver	203	8.9	0.67	6.8	0.48	72	2.7	0.33	1.8	0.22
Gallbladder	17	1.0	0.26	0.6	0.15	41	1.6	0.26	1.0	0.17
Pancreas	339	19.1	1.12	11.8	0.65	336	13.2	0.74	8.1	0.47
Respiratory System	2,454	131.2	2.85	86.3	1.77	1,275	50.1	1.43	33.1	0.96
Larynx	286	13.9	0.88	10.0	0.60	54	1.9	0.27	1.5	0.21
Lung & bronchus	2,145	116.2	2.70	75.4	1.65	1,208	47.7	1.40	31.3	0.93
Bones & Joints	27	1.1	0.23	1.0	0.19	29	1.0	0.19	1.0	0.18
Soft Tissue (incl. heart)	83	3.6	0.42	3.1	0.34	95	3.4	0.36	2.8	0.30
Skin (excl. basal & sq.)	37	2.0	0.36	1.3	0.21	52	1.9	0.27	1.5	0.21
Melanomas of the skin	23	1.4	0.30	0.8	0.16	23	0.9	0.19	0.6	0.13
Breast (excl. *in situ*)	27	1.7	0.35	0.9	0.18	3,318	124.0	2.19	90.9	1.62
Female Genital System	-	-	-	-	-	1,260	47.8	1.37	34.6	1.00
Cervix uteri	-	-	-	-	-	334	12.5	0.69	9.3	0.53
Uterus Corpus	-	-	-	-	-	601	23.0	0.96	16.4	0.69
Uterus, NOS[1]	-	-	-	-	-	22	0.8	0.18	0.5	0.12
Ovary	-	-	-	-	-	217	8.3	0.57	5.9	0.41
Male Genital System	4,428	227.7	3.68	158.1	2.41	-	-	-	-	-
Prostate	4,379	225.3	3.66	156.3	2.40	-	-	-	-	-
Testis	24	1.0	0.21	0.9	0.18	-	-	-	-	-
Penis	24	1.4	0.31	0.9	0.18	-	-	-	-	-
Urinary System	865	46.5	1.70	30.6	1.05	582	22.5	0.95	15.1	0.65
Bladder (incl. *in situ*)	285	17.0	1.08	10.1	0.60	147	6.0	0.50	3.2	0.28
Kidney & renal pelvis	573	29.1	1.30	20.3	0.86	425	16.2	0.80	11.7	0.58
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	10	0.3	0.11	0.4	0.14	8	0.3	0.10	0.4	0.13
Brain & Other Nervous System	107	4.8	0.50	4.0	0.39	81	2.8	0.32	2.5	0.29
Brain	102	4.6	0.49	3.8	0.39	75	2.6	0.31	2.3	0.28
Endocrine System	62	2.6	0.35	2.2	0.29	346	12.5	0.68	10.1	0.55
Thyroid gland	46	1.9	0.30	1.6	0.24	324	11.7	0.66	9.4	0.53
Lymphomas	378	18.3	1.01	13.8	0.71	320	12.1	0.69	8.6	0.50
Hodgkin Lymphoma	76	3.1	0.37	2.8	0.33	54	1.8	0.25	1.7	0.24
Non-Hodgkin Lymphoma	302	15.1	0.93	10.9	0.64	266	10.3	0.64	6.8	0.44
Multiple Myeloma	261	14.1	0.94	9.3	0.58	295	11.6	0.69	7.7	0.47
Leukemias	268	13.8	0.92	9.8	0.60	215	8.1	0.57	5.9	0.43
Acute lymphocytic	36	1.3	0.22	1.5	0.25	26	0.9	0.17	1.1	0.22
Chronic lymphocytic	67	3.7	0.48	2.4	0.30	50	2.1	0.30	1.1	0.17
Acute myeloid	87	4.8	0.56	3.1	0.34	75	2.9	0.34	2.0	0.24
Chronic myeloid	42	2.0	0.32	1.5	0.23	39	1.4	0.22	1.1	0.19
Other leukemias	36	2.1	0.38	1.2	0.21	25	0.9	0.19	0.6	0.13
Mesothelioma	17	1.0	0.25	0.6	0.15	-	-	-	-	-
Kaposi Sarcoma	14	0.7	0.20	0.5	0.14	-	-	-	-	-
Ill-defined & Unknown	349	19.7	1.14	12.3	0.67	327	13.0	0.73	8.0	0.47
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	134	6.5	0.61	4.9	0.43	331	12.4	0.69	9.2	0.52
Breast (*in situ*)	-	-	-	-	-	648	24.0	0.96	18.0	0.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	79,156	511.4	1.85	341.7	1.27	77,812	427.0	1.56	297.2	1.16
Oral Cavity & Pharynx	2,802	17.3	0.33	12.8	0.25	1,188	6.5	0.19	4.6	0.14
Lip	166	1.2	0.09	0.7	0.06	49	0.3	0.04	0.2	0.03
Tongue	775	4.7	0.17	3.6	0.13	348	1.9	0.11	1.4	0.08
Major salivary gland	193	1.3	0.10	0.8	0.06	156	0.9	0.07	0.6	0.06
Floor of mouth	156	0.9	0.08	0.7	0.06	55	0.3	0.04	0.2	0.03
Gum & other mouth	335	2.1	0.12	1.5	0.08	258	1.4	0.09	0.9	0.06
Nasopharynx	101	0.6	0.06	0.5	0.05	39	0.2	0.04	0.2	0.03
Oropharynx	151	0.9	0.07	0.7	0.06	57	0.3	0.04	0.2	0.03
Hypopharynx	201	1.2	0.09	0.9	0.06	50	0.3	0.04	0.2	0.03
Digestive System	15,408	100.2	0.82	64.9	0.54	12,759	67.4	0.61	42.3	0.41
Esophagus	1,398	8.9	0.24	6.0	0.16	356	1.9	0.10	1.2	0.07
Stomach	1,099	7.2	0.22	4.6	0.14	665	3.5	0.14	2.2	0.10
Small intestine	412	2.6	0.13	1.8	0.09	413	2.2	0.11	1.5	0.08
Colon excl. rectum	5,380	36.1	0.50	21.8	0.31	5,607	29.4	0.40	17.6	0.26
Rectum & rectosigmoid	2,420	15.5	0.32	10.6	0.22	1,708	9.3	0.23	6.4	0.17
Anus, anal canal & anorectum	251	1.6	0.10	1.2	0.08	410	2.2	0.11	1.7	0.09
Liver	1,626	9.7	0.25	7.2	0.18	515	2.7	0.12	1.9	0.09
Gallbladder	118	0.8	0.07	0.5	0.04	247	1.3	0.08	0.7	0.05
Pancreas	2,112	13.8	0.31	8.7	0.20	2,054	10.7	0.24	6.5	0.16
Respiratory System	15,443	100.7	0.83	63.2	0.53	12,571	66.9	0.60	43.7	0.42
Larynx	1,193	7.4	0.22	5.2	0.15	340	1.8	0.10	1.4	0.08
Lung & bronchus	14,064	92.1	0.79	57.1	0.50	12,117	64.4	0.59	41.8	0.41
Bones & Joints	155	1.0	0.09	1.0	0.08	124	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	578	3.8	0.16	2.9	0.13	448	2.6	0.13	2.1	0.11
Skin (excl. basal & sq.)	3,755	24.9	0.41	16.4	0.28	2,520	14.9	0.30	11.3	0.24
Melanomas of the skin	3,515	23.2	0.40	15.4	0.27	2,369	14.1	0.30	10.8	0.24
Breast (excl. *in situ*)	146	1.0	0.08	0.6	0.05	22,499	124.7	0.85	89.7	0.64
Female Genital System	-	-	-	-	-	8,765	48.8	0.53	36.0	0.41
Cervix uteri	-	-	-	-	-	1,303	8.4	0.24	6.7	0.19
Uterus Corpus	-	-	-	-	-	4,612	24.8	0.37	18.4	0.28
Uterus, NOS[1]	-	-	-	-	-	128	0.7	0.06	0.5	0.05
Ovary	-	-	-	-	-	1,888	10.3	0.24	7.3	0.18
Male Genital System	19,460	119.6	0.87	86.6	0.64	-	-	-	-	-
Prostate	18,629	113.6	0.85	81.4	0.61	-	-	-	-	-
Testis	710	5.2	0.20	4.7	0.18	-	-	-	-	-
Penis	98	0.7	0.07	0.4	0.04	-	-	-	-	-
Urinary System	8,611	57.1	0.63	35.5	0.40	4,037	21.6	0.35	14.3	0.25
Bladder (incl. *in situ*)	4,935	33.5	0.49	19.1	0.28	1,651	8.6	0.22	5.1	0.14
Kidney & renal pelvis	3,494	22.3	0.39	15.6	0.27	2,262	12.4	0.27	8.8	0.20
Ureter	123	0.9	0.08	0.5	0.04	82	0.4	0.05	0.2	0.03
Eye & Orbit	145	1.0	0.08	0.7	0.07	140	0.8	0.07	0.6	0.06
Brain & Other Nervous System	1,191	7.8	0.23	6.5	0.21	990	5.8	0.19	4.9	0.18
Brain	1,131	7.4	0.22	6.1	0.20	915	5.3	0.18	4.4	0.17
Endocrine System	1,069	7.0	0.22	5.5	0.18	2,986	18.8	0.35	15.6	0.30
Thyroid gland	949	6.2	0.20	4.7	0.16	2,898	18.3	0.35	15.1	0.29
Lymphomas	3,796	25.3	0.42	17.4	0.30	3,230	18.0	0.32	12.5	0.24
Hodgkin Lymphoma	458	3.1	0.15	2.7	0.13	360	2.4	0.13	2.1	0.12
Non-Hodgkin Lymphoma	3,338	22.2	0.39	14.6	0.27	2,870	15.6	0.30	10.3	0.21
Multiple Myeloma	1,036	6.8	0.22	4.3	0.14	940	5.0	0.16	3.1	0.11
Leukemias	2,406	16.2	0.34	11.2	0.25	1,823	10.1	0.24	7.5	0.21
Acute lymphocytic	224	1.5	0.10	1.9	0.13	191	1.3	0.09	1.6	0.13
Chronic lymphocytic	782	5.2	0.19	3.2	0.12	494	2.5	0.12	1.5	0.08
Acute myeloid	722	4.8	0.18	3.2	0.13	603	3.3	0.14	2.4	0.11
Chronic myeloid	302	2.0	0.12	1.4	0.08	247	1.4	0.09	1.0	0.07
Other leukemias	376	2.6	0.14	1.5	0.09	288	1.5	0.09	0.9	0.07
Mesothelioma	208	1.5	0.10	0.8	0.05	68	0.4	0.05	0.2	0.03
Kaposi Sarcoma	52	0.4	0.05	0.3	0.04	6	0.0	0.01	0.0	0.01
Ill-defined & Unknown	2,895	19.9	0.38	11.3	0.22	2,718	14.0	0.27	7.9	0.17
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,236	8.3	0.24	6.0	0.18	2,614	14.7	0.30	10.5	0.23
Breast (*in situ*)	9	0.1	0.02	0.0	0.01	4,895	27.6	0.40	20.7	0.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	70,584	504.6	1.93	336.3	1.33	68,861	426.0	1.67	296.9	1.25
Oral Cavity & Pharynx	2,543	17.4	0.35	12.9	0.26	1,073	6.6	0.21	4.7	0.16
Lip	161	1.2	0.10	0.7	0.06	48	0.3	0.04	0.2	0.03
Tongue	719	4.8	0.18	3.7	0.14	324	2.1	0.12	1.5	0.09
Major salivary gland	172	1.3	0.10	0.8	0.07	129	0.8	0.07	0.6	0.06
Floor of mouth	140	0.9	0.08	0.7	0.06	50	0.3	0.04	0.2	0.03
Gum & other mouth	306	2.1	0.12	1.5	0.09	233	1.4	0.09	0.9	0.06
Nasopharynx	77	0.5	0.06	0.4	0.05	32	0.2	0.04	0.2	0.03
Oropharynx	135	0.9	0.08	0.7	0.06	50	0.3	0.04	0.2	0.03
Hypopharynx	165	1.1	0.09	0.8	0.06	46	0.3	0.04	0.2	0.03
Digestive System	13,367	96.2	0.85	61.9	0.56	11,027	64.9	0.63	40.7	0.43
Esophagus	1,270	8.9	0.25	6.0	0.17	310	1.8	0.10	1.2	0.07
Stomach	906	6.6	0.22	4.1	0.14	534	3.2	0.14	2.0	0.10
Small intestine	343	2.5	0.13	1.7	0.09	341	2.1	0.11	1.4	0.08
Colon excl. rectum	4,710	34.8	0.52	21.0	0.32	4,914	28.6	0.42	17.0	0.27
Rectum & rectosigmoid	2,178	15.5	0.34	10.6	0.23	1,474	9.1	0.24	6.2	0.18
Anus, anal canal & anorectum	208	1.5	0.10	1.1	0.08	370	2.3	0.12	1.7	0.10
Liver	1,261	8.5	0.24	6.2	0.18	393	2.3	0.12	1.6	0.09
Gallbladder	105	0.8	0.08	0.4	0.05	215	1.2	0.08	0.7	0.05
Pancreas	1,863	13.4	0.32	8.5	0.20	1,768	10.2	0.25	6.2	0.16
Respiratory System	13,883	99.7	0.86	62.2	0.55	11,207	66.7	0.64	43.6	0.45
Larynx	1,065	7.3	0.23	5.2	0.16	303	1.8	0.11	1.4	0.08
Lung & bronchus	12,646	91.1	0.82	56.1	0.52	10,802	64.2	0.63	41.7	0.43
Bones & Joints	132	1.0	0.09	0.9	0.09	111	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	522	3.9	0.17	2.9	0.14	387	2.6	0.14	2.1	0.12
Skin (excl. basal & sq.)	3,658	26.8	0.45	17.8	0.31	2,448	16.6	0.35	12.7	0.28
Melanomas of the skin	3,440	25.2	0.44	16.9	0.30	2,309	15.8	0.34	12.1	0.28
Breast (excl. *in situ*)	123	0.9	0.08	0.6	0.05	19,782	123.8	0.90	89.0	0.68
Female Genital System	-	-	-	-	-	7,771	49.1	0.57	36.3	0.44
Cervix uteri	-	-	-	-	-	1,083	8.2	0.26	6.5	0.21
Uterus Corpus	-	-	-	-	-	4,107	25.0	0.40	18.6	0.31
Uterus, NOS[1]	-	-	-	-	-	104	0.6	0.06	0.4	0.05
Ovary	-	-	-	-	-	1,717	10.6	0.26	7.6	0.20
Male Genital System	16,819	114.4	0.90	82.9	0.66	-	-	-	-	-
Prostate	16,035	107.8	0.86	77.1	0.62	-	-	-	-	-
Testis	674	5.8	0.22	5.3	0.21	-	-	-	-	-
Penis	87	0.6	0.07	0.4	0.05	-	-	-	-	-
Urinary System	7,981	58.3	0.66	36.1	0.42	3,602	21.7	0.37	14.3	0.27
Bladder (incl. *in situ*)	4,696	34.8	0.52	19.9	0.30	1,500	8.7	0.23	5.2	0.15
Kidney & renal pelvis	3,111	22.1	0.40	15.4	0.29	1,987	12.3	0.28	8.7	0.22
Ureter	117	0.9	0.08	0.5	0.05	77	0.4	0.05	0.2	0.03
Eye & Orbit	141	1.1	0.09	0.8	0.08	135	0.9	0.08	0.7	0.07
Brain & Other Nervous System	1,105	8.1	0.25	6.9	0.23	913	6.2	0.21	5.3	0.20
Brain	1,054	7.7	0.24	6.5	0.22	850	5.7	0.20	4.7	0.19
Endocrine System	993	7.3	0.24	5.8	0.20	2,661	19.6	0.39	16.2	0.33
Thyroid gland	886	6.5	0.22	5.0	0.18	2,598	19.1	0.39	15.8	0.33
Lymphomas	3,453	25.6	0.44	17.5	0.32	2,933	18.3	0.35	12.7	0.27
Hodgkin Lymphoma	391	3.1	0.16	2.7	0.14	312	2.4	0.14	2.2	0.13
Non-Hodgkin Lymphoma	3,062	22.6	0.41	14.8	0.29	2,621	15.9	0.32	10.5	0.23
Multiple Myeloma	846	6.2	0.21	3.8	0.14	736	4.3	0.16	2.7	0.11
Leukemias	2,159	16.1	0.35	11.2	0.27	1,611	10.0	0.26	7.4	0.23
Acute lymphocytic	194	1.6	0.11	1.9	0.15	156	1.2	0.10	1.6	0.14
Chronic lymphocytic	703	5.1	0.19	3.1	0.12	442	2.5	0.12	1.5	0.08
Acute myeloid	658	4.8	0.19	3.3	0.14	531	3.3	0.15	2.4	0.12
Chronic myeloid	267	2.0	0.12	1.4	0.09	220	1.4	0.10	1.0	0.08
Other leukemias	337	2.6	0.14	1.5	0.09	262	1.5	0.10	0.9	0.07
Mesothelioma	201	1.5	0.11	0.8	0.06	64	0.4	0.05	0.2	0.03
Kaposi Sarcoma	32	0.3	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	2,626	19.8	0.39	11.2	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,085	8.2	0.25	5.9	0.19	2,216	14.2	0.31	10.3	0.24
Breast (*in situ*)	7	0.1	0.02	0.0	0.01	4,262	27.3	0.43	20.5	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	7,313	578.7	7.22	400.7	4.76	7,747	448.0	5.17	309.8	3.65
Oral Cavity & Pharynx	212	14.8	1.07	11.5	0.80	92	5.2	0.55	3.9	0.41
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	46	3.3	0.51	2.5	0.38	19	1.0	0.24	0.8	0.19
Major salivary gland	19	1.4	0.35	1.0	0.23	22	1.2	0.27	1.0	0.21
Floor of mouth	16	1.1	0.28	0.9	0.23	-	-	-	-	-
Gum & other mouth	23	1.7	0.38	1.3	0.27	16	0.9	0.23	0.7	0.17
Nasopharynx	12	0.7	0.19	0.6	0.18	6	0.4	0.15	0.2	0.10
Oropharynx	14	1.1	0.31	0.7	0.20	7	0.4	0.15	0.3	0.11
Hypopharynx	35	2.5	0.44	1.8	0.31	-	-	-	-	-
Digestive System	1,757	140.9	3.60	94.5	2.29	1,535	90.6	2.35	57.6	1.54
Esophagus	118	9.4	0.92	6.5	0.60	41	2.3	0.37	1.5	0.24
Stomach	165	13.5	1.13	8.9	0.71	109	6.5	0.63	3.9	0.39
Small intestine	63	5.0	0.66	3.5	0.45	66	3.9	0.49	2.6	0.33
Colon excl. rectum	579	50.7	2.25	31.2	1.32	625	37.5	1.52	23.4	0.98
Rectum & rectosigmoid	212	16.1	1.18	11.5	0.80	203	11.5	0.82	8.1	0.58
Anus, anal canal & anorectum	40	2.7	0.43	2.2	0.34	39	2.2	0.35	1.6	0.27
Liver	303	20.1	1.21	16.0	0.93	99	5.5	0.57	3.9	0.41
Gallbladder	11	1.0	0.31	0.5	0.17	26	1.6	0.32	0.9	0.18
Pancreas	217	18.6	1.35	11.6	0.80	260	15.8	1.00	9.3	0.61
Respiratory System	1,416	116.0	3.28	77.7	2.10	1,241	73.0	2.11	47.6	1.40
Larynx	121	9.4	0.91	6.6	0.61	32	1.8	0.31	1.4	0.25
Lung & bronchus	1,283	105.8	3.14	70.4	2.00	1,198	70.6	2.07	45.7	1.37
Bones & Joints	19	1.2	0.30	1.1	0.25	9	0.5	0.17	0.4	0.15
Soft Tissue (incl. heart)	48	3.4	0.53	2.6	0.38	54	3.0	0.41	2.5	0.35
Skin (excl. basal & sq.)	28	2.4	0.49	1.5	0.28	17	0.9	0.22	0.8	0.20
Melanomas of the skin	13	1.1	0.35	0.7	0.19	11	0.6	0.18	0.5	0.15
Breast (excl. *in situ*)	20	1.5	0.36	1.1	0.25	2,375	134.8	2.81	97.2	2.05
Female Genital System	-	-	-	-	-	842	48.2	1.69	35.0	1.24
Cervix uteri	-	-	-	-	-	183	10.4	0.78	7.8	0.59
Uterus Corpus	-	-	-	-	-	434	24.7	1.20	18.3	0.90
Uterus, NOS[1]	-	-	-	-	-	20	1.2	0.28	0.8	0.19
Ovary	-	-	-	-	-	138	8.0	0.69	5.4	0.48
Male Genital System	2,249	172.8	3.86	125.4	2.68	-	-	-	-	-
Prostate	2,222	170.8	3.84	123.9	2.67	-	-	-	-	-
Testis	19	1.3	0.30	1.0	0.24	-	-	-	-	-
Penis	8	0.7	0.27	0.4	0.15	-	-	-	-	-
Urinary System	539	42.9	1.97	29.5	1.29	389	22.7	1.17	15.2	0.80
Bladder (incl. *in situ*)	183	16.3	1.28	10.2	0.76	132	8.0	0.71	4.8	0.44
Kidney & renal pelvis	349	26.0	1.47	18.9	1.03	250	14.3	0.92	10.2	0.67
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	66	4.6	0.61	3.8	0.47	62	3.5	0.46	2.8	0.37
Brain	60	4.3	0.60	3.4	0.45	52	3.0	0.42	2.4	0.34
Endocrine System	56	4.4	0.63	3.0	0.41	236	13.0	0.86	10.9	0.72
Thyroid gland	45	3.6	0.57	2.4	0.37	212	11.7	0.81	9.6	0.67
Lymphomas	281	20.3	1.29	15.3	0.93	238	13.7	0.90	10.1	0.68
Hodgkin Lymphoma	58	3.6	0.51	3.1	0.41	42	2.2	0.34	2.1	0.34
Non-Hodgkin Lymphoma	223	16.7	1.18	12.2	0.83	196	11.5	0.83	8.0	0.59
Multiple Myeloma	176	15.0	1.21	9.7	0.74	196	11.5	0.83	7.8	0.58
Leukemias	200	16.4	1.25	11.1	0.80	174	10.1	0.78	7.5	0.59
Acute lymphocytic	21	1.1	0.25	1.4	0.31	23	1.1	0.24	1.4	0.29
Chronic lymphocytic	66	5.8	0.77	3.6	0.45	48	2.9	0.42	1.8	0.27
Acute myeloid	52	4.5	0.67	2.8	0.39	54	3.1	0.43	2.2	0.31
Chronic myeloid	31	2.6	0.51	1.6	0.30	24	1.4	0.29	1.0	0.21
Other leukemias	30	2.4	0.45	1.7	0.31	25	1.5	0.30	1.0	0.21
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	17	1.1	0.27	0.9	0.22	-	-	-	-	-
Ill-defined & Unknown	222	20.3	1.47	11.7	0.80	278	17.0	1.03	10.1	0.64
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	126	9.3	0.89	6.8	0.61	331	19.5	1.09	12.8	0.73
Breast (*in situ*)	-	-	-	-	-	568	32.2	1.37	23.8	1.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	458	299.7	15.91	183.3	8.71	613	272.5	12.02	183.0	7.52
Oral Cavity & Pharynx	24	13.7	3.27	8.5	1.80	12	4.9	1.50	3.5	1.03
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	8	4.1	1.69	2.7	0.96	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	151	96.8	8.98	60.5	5.00	107	53.5	5.62	32.5	3.18
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	13	10.0	3.17	5.0	1.42	17	6.9	1.89	5.1	1.25
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	45	29.1	4.89	18.3	2.77	33	17.5	3.27	9.9	1.76
Rectum & rectosigmoid	18	9.7	2.52	6.9	1.65	14	5.8	1.60	4.4	1.18
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	40	24.0	4.26	15.7	2.52	18	10.0	2.55	5.4	1.28
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	15	11.0	3.33	6.4	1.67	11	6.3	2.05	3.3	1.02
Respiratory System	67	49.7	6.81	28.4	3.51	67	36.7	4.77	20.2	2.52
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	64	46.6	6.54	27.3	3.45	64	35.6	4.73	19.3	2.46
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	6	2.2	0.96	1.9	0.78
Breast (excl. *in situ*)	-	-	-	-	-	190	77.1	5.93	57.5	4.23
Female Genital System	-	-	-	-	-	76	30.9	3.76	22.1	2.57
Cervix uteri	-	-	-	-	-	21	8.4	1.94	5.8	1.27
Uterus Corpus	-	-	-	-	-	30	12.1	2.29	9.0	1.67
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	20	7.9	1.92	5.8	1.32
Male Genital System	86	54.9	6.59	36.0	3.92	-	-	-	-	-
Prostate	78	52.1	6.50	33.3	3.79	-	-	-	-	-
Testis	7	2.1	0.83	2.3	0.90	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	32	23.8	4.64	12.9	2.30	15	7.5	2.12	4.5	1.20
Bladder (incl. *in situ*)	18	16.0	4.10	7.3	1.72	-	-	-	-	-
Kidney & renal pelvis	13	7.2	2.11	5.1	1.45	9	4.6	1.71	2.8	0.96
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	5.1	1.85	3.6	1.18	7	3.0	1.34	2.3	0.88
Brain	10	5.1	1.85	3.6	1.18	7	3.0	1.34	2.3	0.88
Endocrine System	12	4.6	1.39	3.7	1.08	56	18.2	2.54	14.8	2.01
Thyroid gland	11	4.2	1.33	3.4	1.04	55	17.8	2.51	14.5	1.99
Lymphomas	27	21.3	4.65	10.7	2.10	35	17.5	3.32	10.6	1.83
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	4.2	1.51	3.3	1.19	-	-	-	-	-
Leukemias	13	7.4	2.33	4.8	1.35	13	4.3	1.25	4.3	1.24
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	8	2.4	0.87	2.3	0.83
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	14	9.3	2.76	5.5	1.49	21	13.1	3.17	6.3	1.40
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	7	4.0	1.74	2.6	1.00	37	16.0	2.80	11.0	1.84
Breast (*in situ*)	-	-	-	-	-	42	16.5	2.62	12.9	2.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	708	305.3	12.95	199.8	7.90	833	303.8	11.31	208.2	7.57
Oral Cavity & Pharynx	23	9.6	2.24	6.3	1.36	9	2.9	1.01	2.3	0.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	2.7	1.18	1.9	0.75	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	173	81.1	6.88	48.6	3.87	145	63.7	5.55	36.8	3.20
Esophagus	7	2.7	1.11	2.0	0.77	-	-	-	-	-
Stomach	24	11.5	2.58	6.8	1.48	16	6.1	1.59	4.0	1.03
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	55	28.1	4.20	15.9	2.25	51	23.8	3.47	12.1	1.77
Rectum & rectosigmoid	23	9.7	2.27	6.3	1.37	17	7.1	1.81	4.7	1.20
Anus, anal canal & anorectum	6	2.5	1.15	1.7	0.71	7	2.9	1.17	1.9	0.74
Liver	29	11.8	2.51	7.7	1.50	9	3.7	1.37	2.2	0.75
Gallbladder	6	3.4	1.48	1.6	0.68	6	3.2	1.35	1.4	0.60
Pancreas	15	7.2	2.07	4.2	1.13	21	9.5	2.15	5.3	1.21
Respiratory System	85	42.0	4.99	25.9	2.92	68	29.2	3.69	19.7	2.48
Larynx	7	3.4	1.39	2.0	0.79	-	-	-	-	-
Lung & bronchus	72	37.6	4.78	22.9	2.79	68	29.2	3.69	19.7	2.48
Bones & Joints	6	0.9	0.38	1.0	0.41	-	-	-	-	-
Soft Tissue (incl. heart)	8	2.6	1.07	1.8	0.67	8	2.6	0.99	1.8	0.67
Skin (excl. basal & sq.)	11	4.6	1.55	3.2	1.00	-	-	-	-	-
Melanomas of the skin	11	4.6	1.55	3.2	1.00	11	2.8	0.87	2.4	0.74
Breast (excl. *in situ*)	-	-	-	-	-	226	78.7	5.54	57.9	4.03
Female Genital System	-	-	-	-	-	131	43.5	4.05	33.0	3.04
Cervix uteri	-	-	-	-	-	32	9.9	1.85	7.2	1.34
Uterus Corpus	-	-	-	-	-	54	18.1	2.61	14.1	2.02
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	34	11.1	2.04	8.6	1.54
Male Genital System	176	78.0	6.47	54.4	4.29	-	-	-	-	-
Prostate	150	73.5	6.40	50.2	4.21	-	-	-	-	-
Testis	24	4.0	0.85	3.7	0.78	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	71	33.0	4.32	21.1	2.61	45	19.9	3.11	11.3	1.78
Bladder (incl. *in situ*)	32	16.3	3.12	10.1	1.84	23	10.2	2.22	5.6	1.22
Kidney & renal pelvis	37	16.1	2.95	10.4	1.80	22	9.7	2.18	5.7	1.30
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	18	4.4	1.20	4.2	1.08	14	3.6	1.14	2.8	0.76
Brain	16	3.9	1.15	3.8	1.04	13	3.4	1.13	2.6	0.74
Endocrine System	15	4.3	1.26	3.5	0.95	65	18.0	2.41	14.3	1.87
Thyroid gland	11	3.6	1.20	2.8	0.89	64	17.8	2.40	14.1	1.86
Lymphomas	54	19.5	3.07	13.6	1.95	45	16.7	2.73	10.8	1.68
Hodgkin Lymphoma	9	3.2	1.29	2.2	0.78	7	2.0	0.90	1.3	0.49
Non-Hodgkin Lymphoma	45	16.3	2.79	11.3	1.78	38	14.7	2.58	9.5	1.61
Multiple Myeloma	12	5.3	1.70	3.3	0.99	10	4.7	1.54	2.8	0.92
Leukemias	36	11.7	2.48	7.7	1.38	26	6.1	1.42	5.0	0.99
Acute lymphocytic	13	1.9	0.56	2.1	0.60	11	1.3	0.39	2.0	0.60
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	9	4.4	1.71	2.1	0.74	9	3.1	1.11	1.7	0.59
Chronic myeloid	6	2.3	1.18	1.4	0.62	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	7.1	1.98	4.6	1.18	18	7.8	1.93	4.6	1.13
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	16	4.8	1.32	3.7	0.98	35	11.6	2.13	8.1	1.45
Breast (*in situ*)	-	-	-	-	-	65	21.7	2.81	17.0	2.20

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	69,994	508.2	1.96	339.1	1.35	68,173	428.7	1.69	299.0	1.27
Oral Cavity & Pharynx	2,527	17.6	0.36	13.1	0.27	1,067	6.6	0.21	4.7	0.16
Lip	160	1.2	0.10	0.7	0.06	48	0.3	0.04	0.2	0.03
Tongue	714	4.9	0.19	3.7	0.14	322	2.1	0.12	1.5	0.09
Major salivary gland	170	1.3	0.10	0.8	0.07	127	0.8	0.07	0.6	0.06
Floor of mouth	139	0.9	0.08	0.7	0.06	49	0.3	0.04	0.2	0.03
Gum & other mouth	304	2.2	0.13	1.5	0.09	233	1.4	0.09	0.9	0.07
Nasopharynx	77	0.5	0.06	0.5	0.05	32	0.2	0.04	0.2	0.04
Oropharynx	135	0.9	0.08	0.7	0.06	50	0.3	0.04	0.2	0.03
Hypopharynx	164	1.1	0.09	0.8	0.06	45	0.3	0.04	0.2	0.03
Digestive System	13,221	96.5	0.85	62.2	0.57	10,909	65.1	0.64	40.8	0.44
Esophagus	1,264	9.0	0.26	6.1	0.18	305	1.8	0.11	1.1	0.07
Stomach	885	6.5	0.22	4.1	0.14	521	3.2	0.14	2.0	0.10
Small intestine	341	2.5	0.14	1.7	0.10	337	2.1	0.12	1.4	0.09
Colon excl. rectum	4,661	35.0	0.52	21.1	0.32	4,873	28.7	0.42	17.1	0.28
Rectum & rectosigmoid	2,157	15.6	0.34	10.6	0.24	1,460	9.2	0.25	6.2	0.18
Anus, anal canal & anorectum	203	1.5	0.10	1.1	0.08	363	2.3	0.12	1.7	0.10
Liver	1,241	8.5	0.24	6.2	0.18	387	2.3	0.12	1.6	0.09
Gallbladder	100	0.8	0.08	0.4	0.05	210	1.2	0.08	0.7	0.06
Pancreas	1,851	13.5	0.32	8.5	0.21	1,752	10.3	0.25	6.2	0.17
Respiratory System	13,811	100.5	0.87	62.7	0.56	11,148	67.2	0.65	44.0	0.45
Larynx	1,059	7.4	0.23	5.2	0.16	303	1.9	0.11	1.4	0.09
Lung & bronchus	12,585	91.9	0.83	56.6	0.52	10,743	64.6	0.63	42.0	0.44
Bones & Joints	128	1.0	0.09	0.9	0.09	108	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	514	3.9	0.18	2.9	0.14	379	2.6	0.14	2.1	0.13
Skin (excl. basal & sq.)	3,647	27.2	0.46	18.1	0.32	2,436	16.9	0.36	12.9	0.29
Melanomas of the skin	3,429	25.6	0.45	17.2	0.31	2,301	16.1	0.35	12.4	0.28
Breast (excl. *in situ*)	123	0.9	0.08	0.6	0.06	19,589	124.6	0.92	89.6	0.69
Female Genital System	-	-	-	-	-	7,668	49.3	0.58	36.5	0.45
Cervix uteri	-	-	-	-	-	1,059	8.2	0.26	6.6	0.21
Uterus Corpus	-	-	-	-	-	4,065	25.1	0.40	18.7	0.31
Uterus, NOS[1]	-	-	-	-	-	103	0.6	0.06	0.4	0.05
Ovary	-	-	-	-	-	1,691	10.6	0.27	7.6	0.20
Male Genital System	16,679	115.2	0.91	83.5	0.67	-	-	-	-	-
Prostate	15,916	108.5	0.87	77.6	0.63	-	-	-	-	-
Testis	655	5.9	0.23	5.4	0.22	-	-	-	-	-
Penis	85	0.6	0.07	0.4	0.05	-	-	-	-	-
Urinary System	7,922	58.7	0.67	36.4	0.43	3,566	21.8	0.37	14.4	0.27
Bladder (incl. *in situ*)	4,670	35.1	0.52	20.1	0.31	1,481	8.7	0.23	5.2	0.15
Kidney & renal pelvis	3,080	22.3	0.41	15.6	0.29	1,970	12.4	0.29	8.9	0.22
Ureter	117	0.9	0.08	0.5	0.05	77	0.4	0.05	0.2	0.03
Eye & Orbit	138	1.1	0.09	0.8	0.08	132	0.9	0.08	0.7	0.07
Brain & Other Nervous System	1,090	8.2	0.25	7.0	0.24	901	6.2	0.22	5.3	0.21
Brain	1,040	7.8	0.25	6.6	0.23	839	5.8	0.21	4.8	0.19
Endocrine System	981	7.4	0.24	5.9	0.20	2,610	19.7	0.40	16.3	0.34
Thyroid gland	877	6.6	0.23	5.1	0.18	2,548	19.3	0.39	15.9	0.33
Lymphomas	3,404	25.8	0.45	17.6	0.33	2,897	18.4	0.35	12.8	0.27
Hodgkin Lymphoma	384	3.1	0.16	2.7	0.15	307	2.4	0.14	2.2	0.14
Non-Hodgkin Lymphoma	3,020	22.6	0.42	14.9	0.29	2,590	16.0	0.32	10.5	0.23
Multiple Myeloma	837	6.2	0.22	3.8	0.14	728	4.3	0.16	2.7	0.11
Leukemias	2,129	16.2	0.36	11.2	0.27	1,588	10.0	0.26	7.4	0.23
Acute lymphocytic	183	1.6	0.12	1.9	0.15	146	1.2	0.10	1.5	0.14
Chronic lymphocytic	699	5.1	0.20	3.2	0.12	441	2.5	0.12	1.5	0.08
Acute myeloid	650	4.9	0.19	3.3	0.14	524	3.3	0.15	2.4	0.12
Chronic myeloid	261	2.0	0.13	1.3	0.09	218	1.4	0.10	1.0	0.08
Other leukemias	336	2.6	0.15	1.5	0.09	259	1.5	0.10	0.9	0.08
Mesothelioma	201	1.6	0.11	0.8	0.06	63	0.4	0.05	0.2	0.03
Kaposi Sarcoma	32	0.3	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	2,610	19.9	0.40	11.3	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,077	8.3	0.26	6.0	0.20	2,189	14.3	0.32	10.3	0.25
Breast (*in situ*)	7	0.1	0.02	0.0	0.01	4,205	27.4	0.43	20.6	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Missouri, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	7,296	582.1	7.27	403.1	4.79	7,725	450.2	5.20	311.4	3.67
Oral Cavity & Pharynx	211	14.9	1.08	11.6	0.81	91	5.2	0.55	3.9	0.41
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	45	3.3	0.51	2.5	0.38	18	1.0	0.24	0.8	0.18
Major salivary gland	19	1.4	0.35	1.0	0.23	22	1.3	0.27	1.0	0.21
Floor of mouth	16	1.1	0.28	0.9	0.23	-	-	-	-	-
Gum & other mouth	23	1.8	0.38	1.3	0.27	16	0.9	0.23	0.7	0.17
Nasopharynx	12	0.7	0.20	0.6	0.18	6	0.4	0.15	0.2	0.10
Oropharynx	14	1.1	0.31	0.7	0.20	7	0.4	0.15	0.3	0.11
Hypopharynx	35	2.5	0.45	1.8	0.32	-	-	-	-	-
Digestive System	1,754	141.8	3.62	95.1	2.31	1,530	90.9	2.36	57.8	1.54
Esophagus	118	9.5	0.93	6.5	0.61	41	2.3	0.37	1.5	0.24
Stomach	165	13.6	1.14	9.0	0.71	109	6.6	0.64	3.9	0.40
Small intestine	63	5.0	0.67	3.5	0.45	66	4.0	0.50	2.6	0.33
Colon excl. rectum	578	51.0	2.26	31.3	1.33	622	37.5	1.53	23.5	0.98
Rectum & rectosigmoid	212	16.2	1.18	11.6	0.81	203	11.5	0.82	8.1	0.59
Anus, anal canal & anorectum	40	2.7	0.44	2.2	0.35	39	2.2	0.36	1.6	0.27
Liver	302	20.2	1.22	16.1	0.94	98	5.5	0.57	3.9	0.41
Gallbladder	11	1.0	0.31	0.6	0.17	25	1.6	0.31	0.8	0.18
Pancreas	216	18.7	1.36	11.7	0.81	260	15.9	1.00	9.4	0.61
Respiratory System	1,415	116.8	3.30	78.2	2.11	1,237	73.2	2.12	47.7	1.41
Larynx	121	9.5	0.92	6.6	0.61	32	1.8	0.32	1.4	0.25
Lung & bronchus	1,282	106.5	3.16	70.9	2.01	1,194	70.8	2.08	45.9	1.38
Bones & Joints	19	1.2	0.30	1.1	0.25	9	0.5	0.17	0.4	0.15
Soft Tissue (incl. heart)	48	3.5	0.54	2.6	0.38	54	3.0	0.41	2.5	0.35
Skin (excl. basal & sq.)	28	2.4	0.50	1.5	0.28	17	0.9	0.22	0.8	0.20
Melanomas of the skin	13	1.1	0.35	0.7	0.19	11	0.6	0.18	0.5	0.15
Breast (excl. *in situ*)	20	1.5	0.36	1.1	0.25	2,370	135.6	2.83	97.8	2.06
Female Genital System	-	-	-	-	-	839	48.4	1.70	35.1	1.25
Cervix uteri	-	-	-	-	-	183	10.5	0.79	7.9	0.60
Uterus Corpus	-	-	-	-	-	432	24.7	1.21	18.3	0.90
Uterus, NOS[1]	-	-	-	-	-	20	1.3	0.28	0.8	0.19
Ovary	-	-	-	-	-	137	8.0	0.70	5.4	0.49
Male Genital System	2,240	173.4	3.88	125.8	2.70	-	-	-	-	-
Prostate	2,214	171.5	3.86	124.4	2.68	-	-	-	-	-
Testis	18	1.2	0.30	1.0	0.24	-	-	-	-	-
Penis	8	0.7	0.27	0.4	0.15	-	-	-	-	-
Urinary System	537	43.2	1.98	29.6	1.30	388	22.8	1.17	15.3	0.81
Bladder (incl. *in situ*)	183	16.4	1.29	10.2	0.77	131	8.0	0.71	4.8	0.44
Kidney & renal pelvis	347	26.1	1.48	19.0	1.03	250	14.4	0.92	10.3	0.67
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	66	4.7	0.62	3.9	0.48	62	3.6	0.46	2.8	0.38
Brain	60	4.4	0.60	3.5	0.46	52	3.0	0.42	2.4	0.35
Endocrine System	56	4.5	0.64	3.1	0.42	236	13.1	0.87	11.0	0.73
Thyroid gland	45	3.7	0.58	2.4	0.37	212	11.8	0.82	9.8	0.68
Lymphomas	281	20.5	1.30	15.5	0.94	235	13.7	0.91	10.1	0.68
Hodgkin Lymphoma	58	3.7	0.51	3.2	0.42	41	2.2	0.35	2.1	0.34
Non-Hodgkin Lymphoma	223	16.8	1.19	12.4	0.84	194	11.5	0.84	8.0	0.59
Multiple Myeloma	175	15.1	1.21	9.7	0.74	196	11.6	0.84	7.9	0.58
Leukemias	200	16.6	1.26	11.2	0.81	174	10.1	0.78	7.5	0.60
Acute lymphocytic	21	1.1	0.26	1.4	0.31	23	1.2	0.24	1.4	0.30
Chronic lymphocytic	66	5.9	0.77	3.6	0.45	48	2.9	0.43	1.8	0.27
Acute myeloid	52	4.6	0.67	2.8	0.40	54	3.2	0.44	2.2	0.31
Chronic myeloid	31	2.6	0.51	1.7	0.30	24	1.4	0.29	1.0	0.22
Other leukemias	30	2.4	0.46	1.7	0.31	25	1.5	0.30	1.0	0.21
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	17	1.1	0.28	0.9	0.23	-	-	-	-	-
Ill-defined & Unknown	222	20.5	1.48	11.8	0.80	278	17.1	1.04	10.2	0.65
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	126	9.4	0.90	6.9	0.62	329	19.5	1.09	12.8	0.74
Breast (*in situ*)	-	-	-	-	-	565	32.3	1.38	23.8	1.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	14,666	508.4	4.32	334.2	2.91	12,999	424.5	3.84	294.6	2.85
Oral Cavity & Pharynx	477	16.0	0.75	11.3	0.54	236	7.9	0.53	5.5	0.40
Lip	55	2.0	0.28	1.1	0.16	28	0.9	0.18	0.6	0.12
Tongue	138	4.5	0.39	3.3	0.29	62	2.2	0.29	1.6	0.22
Major salivary gland	40	1.5	0.24	0.9	0.15	25	0.8	0.18	0.6	0.14
Floor of mouth	22	0.7	0.15	0.5	0.11	19	0.6	0.14	0.4	0.10
Gum & other mouth	46	1.6	0.24	1.1	0.17	52	1.6	0.22	1.2	0.18
Nasopharynx	18	0.6	0.15	0.5	0.13	9	0.3	0.11	0.2	0.08
Oropharynx	14	0.5	0.13	0.3	0.09	8	0.2	0.09	0.2	0.06
Hypopharynx	31	1.1	0.19	0.7	0.13	-	-	-	-	-
Digestive System	2,503	87.1	1.79	55.6	1.16	2,015	63.4	1.45	39.9	0.98
Esophagus	244	8.4	0.55	5.4	0.36	79	2.5	0.28	1.5	0.18
Stomach	182	6.4	0.48	4.0	0.31	113	3.6	0.35	2.3	0.23
Small intestine	63	2.1	0.27	1.4	0.18	78	2.5	0.29	1.7	0.20
Colon excl. rectum	877	31.0	1.07	18.9	0.67	837	26.3	0.93	15.7	0.60
Rectum & rectosigmoid	454	15.6	0.75	10.7	0.53	313	10.0	0.58	6.9	0.42
Anus, anal canal & anorectum	31	1.0	0.19	0.8	0.14	65	2.1	0.26	1.6	0.21
Liver	178	5.7	0.44	4.1	0.32	74	2.3	0.27	1.7	0.21
Gallbladder	11	0.4	0.13	0.3	0.08	31	0.9	0.17	0.6	0.12
Pancreas	356	12.5	0.68	7.6	0.42	294	9.1	0.54	5.5	0.35
Respiratory System	2,030	71.9	1.63	42.5	0.98	1,730	54.3	1.33	33.6	0.87
Larynx	152	5.0	0.41	3.4	0.28	35	1.1	0.18	0.8	0.14
Lung & bronchus	1,852	66.0	1.57	38.4	0.93	1,682	52.8	1.31	32.5	0.85
Bones & Joints	16	0.7	0.17	0.6	0.18	26	0.9	0.19	0.8	0.19
Soft Tissue (incl. heart)	106	4.0	0.40	3.0	0.31	87	3.0	0.34	2.7	0.34
Skin (excl. basal & sq.)	835	29.7	1.06	20.0	0.73	602	21.5	0.92	16.3	0.73
Melanomas of the skin	774	27.4	1.02	18.8	0.71	567	20.3	0.89	15.6	0.71
Breast (excl. *in situ*)	31	1.1	0.20	0.7	0.13	3,797	124.2	2.08	89.0	1.54
Female Genital System	-	-	-	-	-	1,482	47.6	1.28	34.7	0.97
Cervix uteri	-	-	-	-	-	173	6.5	0.52	5.3	0.43
Uterus Corpus	-	-	-	-	-	812	25.3	0.92	18.6	0.69
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	395	12.5	0.64	8.7	0.48
Male Genital System	4,358	142.1	2.21	100.7	1.58	-	-	-	-	-
Prostate	4,151	133.5	2.12	93.0	1.47	-	-	-	-	-
Testis	171	7.3	0.57	7.0	0.54	-	-	-	-	-
Penis	30	1.1	0.20	0.6	0.11	-	-	-	-	-
Urinary System	1,610	57.5	1.47	34.6	0.91	633	20.1	0.82	13.3	0.58
Bladder (incl. *in situ*)	1,044	37.8	1.20	21.0	0.68	329	10.4	0.58	6.3	0.38
Kidney & renal pelvis	545	18.9	0.84	13.1	0.59	292	9.4	0.57	6.8	0.44
Ureter	16	0.6	0.14	0.3	0.09	9	0.2	0.08	0.1	0.04
Eye & Orbit	36	1.2	0.21	1.0	0.19	29	1.0	0.18	0.8	0.15
Brain & Other Nervous System	234	8.7	0.59	7.2	0.52	170	6.0	0.47	4.9	0.43
Brain	225	8.3	0.57	6.9	0.50	158	5.5	0.46	4.4	0.41
Endocrine System	232	8.8	0.60	6.9	0.49	564	21.9	0.96	18.4	0.83
Thyroid gland	210	7.9	0.57	6.0	0.44	548	21.4	0.95	18.0	0.82
Lymphomas	715	25.7	0.99	17.5	0.70	563	18.7	0.81	13.2	0.63
Hodgkin Lymphoma	87	3.4	0.38	3.1	0.35	72	2.7	0.33	2.6	0.34
Non-Hodgkin Lymphoma	628	22.3	0.91	14.4	0.61	491	15.9	0.74	10.5	0.53
Multiple Myeloma	223	7.9	0.54	4.8	0.34	145	4.5	0.38	2.6	0.24
Leukemias	542	19.6	0.86	13.0	0.63	335	11.2	0.63	8.4	0.56
Acute lymphocytic	31	1.3	0.24	1.6	0.31	34	1.5	0.26	1.9	0.36
Chronic lymphocytic	253	8.9	0.57	5.2	0.34	132	4.0	0.36	2.4	0.23
Acute myeloid	137	5.0	0.43	3.4	0.33	93	3.2	0.35	2.4	0.29
Chronic myeloid	62	2.2	0.29	1.5	0.21	43	1.4	0.21	0.9	0.15
Other leukemias	59	2.1	0.29	1.3	0.19	33	1.1	0.19	0.7	0.14
Mesothelioma	40	1.5	0.24	0.8	0.13	17	0.6	0.15	0.4	0.09
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	568	17.6	0.76	10.1	0.49
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	228	8.3	0.57	5.9	0.42	427	14.4	0.73	10.2	0.55
Breast (*in situ*)	-	-	-	-	-	843	28.1	1.00	21.2	0.76

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,743	497.0	4.36	326.3	2.96	12,154	417.5	3.93	289.7	2.93
Oral Cavity & Pharynx	454	15.9	0.77	11.3	0.55	211	7.3	0.52	5.1	0.39
Lip	53	2.0	0.28	1.1	0.16	27	0.9	0.19	0.6	0.13
Tongue	135	4.6	0.40	3.4	0.30	55	2.1	0.29	1.5	0.21
Major salivary gland	34	1.3	0.23	0.8	0.14	21	0.7	0.16	0.5	0.13
Floor of mouth	21	0.7	0.15	0.5	0.11	15	0.5	0.13	0.3	0.09
Gum & other mouth	44	1.6	0.25	1.1	0.17	47	1.5	0.22	1.0	0.18
Nasopharynx	15	0.6	0.15	0.5	0.14	8	0.3	0.11	0.2	0.08
Oropharynx	14	0.5	0.13	0.3	0.09	7	0.2	0.09	0.1	0.06
Hypopharynx	30	1.1	0.20	0.7	0.13	-	-	-	-	-
Digestive System	2,343	85.0	1.80	54.0	1.18	1,860	61.0	1.46	38.1	0.98
Esophagus	236	8.5	0.57	5.5	0.37	75	2.4	0.29	1.5	0.19
Stomach	172	6.3	0.49	3.9	0.32	106	3.4	0.34	2.2	0.23
Small intestine	61	2.1	0.28	1.4	0.18	74	2.5	0.30	1.7	0.21
Colon excl. rectum	822	30.2	1.08	18.3	0.67	765	25.0	0.93	14.8	0.60
Rectum & rectosigmoid	420	15.1	0.76	10.4	0.53	289	9.7	0.59	6.6	0.42
Anus, anal canal & anorectum	29	1.0	0.20	0.8	0.15	63	2.1	0.27	1.6	0.21
Liver	151	5.1	0.43	3.6	0.31	65	2.0	0.26	1.5	0.20
Gallbladder	10	0.4	0.13	0.3	0.09	27	0.8	0.16	0.6	0.11
Pancreas	347	12.7	0.70	7.7	0.43	278	8.9	0.55	5.3	0.35
Respiratory System	1,894	69.9	1.64	41.0	0.98	1,616	52.7	1.34	32.8	0.88
Larynx	140	4.8	0.41	3.2	0.28	33	1.1	0.19	0.8	0.15
Lung & bronchus	1,731	64.2	1.58	37.2	0.93	1,571	51.2	1.32	31.6	0.86
Bones & Joints	14	0.6	0.17	0.6	0.18	22	0.9	0.19	0.8	0.20
Soft Tissue (incl. heart)	95	3.7	0.40	2.7	0.31	83	3.1	0.36	2.8	0.37
Skin (excl. basal & sq.)	798	29.7	1.09	20.0	0.75	574	21.9	0.96	16.6	0.77
Melanomas of the skin	745	27.6	1.05	18.9	0.74	543	20.7	0.94	15.9	0.75
Breast (excl. *in situ*)	29	1.0	0.20	0.7	0.13	3,577	123.8	2.15	88.6	1.59
Female Genital System	-	-	-	-	-	1,379	46.4	1.30	33.8	0.98
Cervix uteri	-	-	-	-	-	149	6.0	0.52	4.8	0.43
Uterus Corpus	-	-	-	-	-	760	24.7	0.93	18.2	0.70
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	372	12.4	0.66	8.6	0.49
Male Genital System	4,030	136.9	2.21	97.5	1.59	-	-	-	-	-
Prostate	3,834	128.0	2.12	89.5	1.48	-	-	-	-	-
Testis	160	7.5	0.61	7.2	0.58	-	-	-	-	-
Penis	30	1.1	0.21	0.6	0.12	-	-	-	-	-
Urinary System	1,517	56.2	1.48	33.6	0.91	588	19.6	0.83	12.9	0.59
Bladder (incl. *in situ*)	1,000	37.5	1.21	20.7	0.69	318	10.5	0.60	6.4	0.40
Kidney & renal pelvis	496	17.9	0.83	12.4	0.59	258	8.8	0.56	6.3	0.44
Ureter	16	0.6	0.15	0.4	0.09	9	0.3	0.09	0.1	0.04
Eye & Orbit	32	1.1	0.20	0.9	0.16	28	1.0	0.19	0.7	0.15
Brain & Other Nervous System	225	8.9	0.61	7.4	0.55	160	6.0	0.49	4.9	0.46
Brain	216	8.5	0.60	7.0	0.53	149	5.6	0.47	4.5	0.43
Endocrine System	214	8.7	0.62	6.7	0.50	519	21.8	1.00	18.3	0.87
Thyroid gland	193	7.8	0.58	5.8	0.44	503	21.2	0.99	17.8	0.85
Lymphomas	686	25.9	1.02	17.7	0.74	538	18.9	0.84	13.5	0.67
Hodgkin Lymphoma	82	3.5	0.40	3.2	0.38	71	3.0	0.36	2.9	0.38
Non-Hodgkin Lymphoma	604	22.4	0.94	14.5	0.63	467	15.9	0.76	10.6	0.55
Multiple Myeloma	214	7.9	0.55	4.8	0.35	139	4.5	0.39	2.6	0.24
Leukemias	521	19.6	0.88	13.1	0.66	315	11.1	0.65	8.2	0.58
Acute lymphocytic	28	1.3	0.26	1.6	0.32	29	1.5	0.28	1.9	0.39
Chronic lymphocytic	244	8.9	0.58	5.2	0.35	127	4.1	0.37	2.5	0.24
Acute myeloid	131	4.9	0.44	3.5	0.35	88	3.2	0.36	2.3	0.29
Chronic myeloid	61	2.3	0.30	1.6	0.22	40	1.3	0.22	0.8	0.15
Other leukemias	57	2.2	0.29	1.3	0.20	31	1.0	0.19	0.6	0.13
Mesothelioma	39	1.5	0.24	0.8	0.13	17	0.7	0.16	0.4	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	528	16.9	0.76	9.6	0.48
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	218	8.4	0.59	6.0	0.44	405	14.5	0.75	10.2	0.56
Breast (*in situ*)	-	-	-	-	-	810	28.6	1.05	21.6	0.80

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	41	463.8	82.27	319.2	53.63	22	485.6	111.26	281.4	64.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	6	133.3	57.21	84.2	36.11
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	140.5	49.48	87.1	30.10	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	124.6	46.86	77.1	28.39	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	156.2	48.25	109.0	31.99	-	-	-	-	-
Prostate	13	156.2	48.25	109.0	31.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	21	213.2	51.66	126.6	28.25	66	308.2	39.64	221.1	27.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	10	53.2	17.63	36.5	11.82
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	6	29.9	12.89	17.3	7.07
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	6	29.9	12.89	17.3	7.07
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	20	87.2	20.25	67.3	15.24
Female Genital System	-	-	-	-	-	17	78.9	19.88	57.8	14.27
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	9	37.9	13.11	27.8	9.34
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	483	599.1	31.39	390.8	18.08	550	544.1	25.04	367.3	15.88
Oral Cavity & Pharynx	12	11.5	3.57	8.4	2.45	12	10.8	3.30	7.7	2.22
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	118	135.9	14.05	90.7	8.49	117	118.9	11.66	79.2	7.43
Esophagus	7	8.9	3.70	5.5	2.09	-	-	-	-	-
Stomach	8	10.1	3.91	6.3	2.24	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	37	41.2	7.48	28.8	4.80	56	58.4	8.23	39.1	5.30
Rectum & rectosigmoid	30	34.2	6.93	23.2	4.30	18	15.9	3.86	12.2	2.93
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	19	18.6	5.23	13.9	3.28	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	12	12.3	3.80	7.7	2.27
Respiratory System	85	125.1	15.71	74.1	8.16	71	82.5	10.40	45.8	5.53
Larynx	10	15.4	6.16	9.5	3.07	-	-	-	-	-
Lung & bronchus	74	108.9	14.43	64.0	7.54	68	79.6	10.26	43.8	5.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	7	6.6	2.61	4.4	1.69
Melanomas of the skin	9	12.0	5.01	7.2	2.49	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	146	138.5	12.44	100.1	8.40
Female Genital System	-	-	-	-	-	66	60.2	7.85	43.8	5.45
Cervix uteri	-	-	-	-	-	18	14.6	3.51	12.2	2.90
Uterus Corpus	-	-	-	-	-	31	28.5	5.32	20.5	3.72
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	17	17.2	4.58	11.1	2.74
Male Genital System	113	141.4	14.99	95.3	9.09	-	-	-	-	-
Prostate	109	138.2	14.90	92.5	8.98	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	70.1	10.83	45.2	6.13	35	35.0	6.38	23.5	4.05
Bladder (incl. *in situ*)	16	24.7	7.02	14.0	3.56	-	-	-	-	-
Kidney & renal pelvis	40	45.5	8.25	31.1	5.00	31	29.6	5.63	20.9	3.81
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	8	5.4	2.05	5.7	2.03	7	5.4	2.27	4.3	1.63
Brain	8	5.4	2.05	5.7	2.03	6	4.8	2.19	3.5	1.45
Endocrine System	13	10.6	3.12	9.8	2.75	27	20.9	4.08	17.8	3.45
Thyroid gland	12	10.3	3.10	9.1	2.66	27	20.9	4.08	17.8	3.45
Lymphomas	14	16.2	4.96	10.6	2.85	15	19.3	5.52	10.2	2.66
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	11.4	4.62	5.9	2.23	-	-	-	-	-
Leukemias	13	16.5	5.55	9.6	2.70	14	12.3	3.84	9.5	2.55
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	23	32.8	7.78	19.4	4.10	26	28.2	6.00	16.4	3.26
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	7	10.9	5.10	6.0	2.32	15	14.5	4.22	10.0	2.62
Breast (*in situ*)	-	-	-	-	-	25	22.3	4.64	16.3	3.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	163	483.7	42.03	296.6	23.87	199	442.8	33.11	318.1	23.05
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	33	103.0	19.63	59.0	10.52	41	97.0	15.86	62.2	9.96
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	11	33.3	10.75	21.8	6.77	9	21.6	7.55	13.7	4.72
Rectum & rectosigmoid	-	-	-	-	-	7	13.5	5.12	10.8	4.13
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	28.3	10.44	14.7	5.00	8	21.4	7.83	13.1	4.77
Respiratory System	25	90.5	19.59	46.6	9.53	20	51.4	11.91	34.9	7.95
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	85.8	19.39	42.0	9.14	20	51.4	11.91	34.9	7.95
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	9	26.8	9.74	17.7	6.07	-	-	-	-	-
Melanomas of the skin	9	26.8	9.74	17.7	6.07	7	11.9	4.56	9.7	3.67
Breast (excl. *in situ*)	-	-	-	-	-	58	134.5	18.40	96.7	12.96
Female Genital System	-	-	-	-	-	20	41.5	9.56	31.9	7.25
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	8	16.7	6.16	12.0	4.28
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	18.7	6.40	15.0	5.09
Male Genital System	43	117.6	19.49	83.5	13.06	-	-	-	-	-
Prostate	41	114.4	19.35	80.9	12.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	50.7	13.61	31.7	8.09	10	25.7	8.51	16.1	5.22
Bladder (incl. *in situ*)	7	25.9	10.37	13.8	5.30	-	-	-	-	-
Kidney & renal pelvis	8	22.0	8.34	15.4	5.59	6	13.1	5.49	10.0	4.12
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	12.1	5.47	10.2	4.28	14	25.0	7.41	21.0	5.70
Thyroid gland	-	-	-	-	-	13	24.2	7.36	19.6	5.53
Lymphomas	7	20.4	8.58	11.8	4.54	11	25.1	8.19	17.9	5.52
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	6	7.3	3.15	8.0	3.26	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	31.8	12.40	11.8	4.55	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	10	23.7	7.80	17.1	5.51
Breast (*in situ*)	-	-	-	-	-	7	14.5	5.65	11.8	4.54

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,595	497.3	4.39	326.7	2.99	11,962	416.2	3.95	288.6	2.95
Oral Cavity & Pharynx	450	16.0	0.78	11.3	0.56	210	7.3	0.53	5.1	0.39
Lip	53	2.0	0.28	1.1	0.17	26	0.9	0.19	0.6	0.13
Tongue	134	4.6	0.41	3.4	0.30	55	2.1	0.30	1.5	0.22
Major salivary gland	33	1.3	0.23	0.8	0.14	21	0.7	0.17	0.5	0.13
Floor of mouth	21	0.7	0.15	0.5	0.11	15	0.5	0.13	0.3	0.09
Gum & other mouth	43	1.6	0.25	1.1	0.17	47	1.5	0.22	1.1	0.18
Nasopharynx	15	0.6	0.16	0.5	0.14	8	0.3	0.11	0.2	0.08
Oropharynx	14	0.5	0.13	0.3	0.09	7	0.2	0.09	0.1	0.06
Hypopharynx	30	1.1	0.20	0.7	0.13	-	-	-	-	-
Digestive System	2,313	84.9	1.81	54.0	1.19	1,822	60.4	1.46	37.6	0.98
Esophagus	234	8.5	0.57	5.5	0.38	74	2.4	0.29	1.5	0.19
Stomach	167	6.2	0.49	3.9	0.32	101	3.3	0.33	2.0	0.22
Small intestine	61	2.1	0.28	1.4	0.19	72	2.5	0.30	1.6	0.21
Colon excl. rectum	814	30.3	1.09	18.3	0.68	757	25.1	0.94	14.8	0.61
Rectum & rectosigmoid	416	15.1	0.76	10.4	0.54	283	9.6	0.59	6.5	0.42
Anus, anal canal & anorectum	29	1.0	0.20	0.8	0.15	61	2.0	0.27	1.6	0.21
Liver	150	5.1	0.43	3.6	0.31	64	2.0	0.26	1.5	0.20
Gallbladder	9	0.3	0.12	0.2	0.07	26	0.8	0.16	0.5	0.11
Pancreas	338	12.5	0.70	7.6	0.43	270	8.8	0.54	5.2	0.35
Respiratory System	1,871	69.7	1.65	40.9	0.99	1,596	52.6	1.34	32.6	0.88
Larynx	138	4.8	0.42	3.2	0.28	33	1.1	0.19	0.8	0.15
Lung & bronchus	1,711	64.1	1.58	37.2	0.94	1,551	51.1	1.32	31.5	0.87
Bones & Joints	14	0.7	0.18	0.6	0.18	22	0.9	0.20	0.8	0.21
Soft Tissue (incl. heart)	94	3.7	0.40	2.7	0.32	80	3.1	0.36	2.7	0.38
Skin (excl. basal & sq.)	789	29.8	1.10	20.0	0.76	566	21.9	0.97	16.6	0.77
Melanomas of the skin	736	27.7	1.06	19.0	0.74	536	20.7	0.94	15.9	0.76
Breast (excl. *in situ*)	29	1.0	0.20	0.7	0.13	3,520	123.5	2.16	88.4	1.60
Female Genital System	-	-	-	-	-	1,359	46.3	1.30	33.7	0.99
Cervix uteri	-	-	-	-	-	147	6.1	0.53	4.9	0.44
Uterus Corpus	-	-	-	-	-	752	24.8	0.93	18.3	0.70
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	363	12.2	0.66	8.5	0.49
Male Genital System	3,994	137.3	2.23	97.8	1.61	-	-	-	-	-
Prostate	3,800	128.3	2.13	89.7	1.49	-	-	-	-	-
Testis	158	7.6	0.62	7.3	0.60	-	-	-	-	-
Penis	30	1.1	0.21	0.6	0.12	-	-	-	-	-
Urinary System	1,501	56.2	1.49	33.6	0.92	578	19.5	0.84	12.9	0.60
Bladder (incl. *in situ*)	993	37.6	1.22	20.8	0.69	314	10.5	0.61	6.4	0.40
Kidney & renal pelvis	488	17.8	0.84	12.4	0.60	252	8.6	0.56	6.3	0.44
Ureter	15	0.6	0.15	0.3	0.09	9	0.3	0.09	0.1	0.04
Eye & Orbit	32	1.1	0.21	0.9	0.16	28	1.0	0.19	0.7	0.15
Brain & Other Nervous System	221	8.9	0.62	7.3	0.55	157	6.0	0.50	4.9	0.47
Brain	212	8.5	0.60	6.9	0.53	146	5.5	0.48	4.5	0.44
Endocrine System	209	8.7	0.63	6.7	0.51	505	21.6	1.01	18.1	0.87
Thyroid gland	188	7.7	0.59	5.8	0.45	490	21.0	1.00	17.7	0.86
Lymphomas	680	26.1	1.03	17.9	0.75	529	18.8	0.85	13.5	0.67
Hodgkin Lymphoma	81	3.5	0.41	3.3	0.39	69	2.9	0.37	2.8	0.37
Non-Hodgkin Lymphoma	599	22.5	0.95	14.6	0.64	460	15.9	0.77	10.6	0.56
Multiple Myeloma	213	7.9	0.56	4.9	0.35	138	4.6	0.40	2.6	0.24
Leukemias	515	19.6	0.89	12.9	0.65	311	11.1	0.66	8.3	0.59
Acute lymphocytic	23	1.1	0.23	1.3	0.29	29	1.5	0.29	2.0	0.40
Chronic lymphocytic	244	9.0	0.59	5.2	0.35	127	4.1	0.37	2.5	0.25
Acute myeloid	130	5.0	0.45	3.5	0.36	86	3.2	0.36	2.3	0.29
Chronic myeloid	61	2.3	0.31	1.6	0.23	38	1.3	0.21	0.8	0.15
Other leukemias	57	2.2	0.30	1.3	0.21	31	1.0	0.20	0.7	0.14
Mesothelioma	39	1.5	0.24	0.8	0.13	17	0.7	0.16	0.4	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	524	17.0	0.76	9.6	0.49
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	218	8.5	0.60	6.1	0.46	395	14.3	0.75	10.0	0.56
Breast (*in situ*)	-	-	-	-	-	803	28.9	1.06	21.7	0.81

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Montana, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	41	489.9	86.99	335.9	56.05	20	548.7	133.39	300.8	72.10
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	147.8	52.23	91.1	31.33	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	131.4	49.59	80.8	29.59	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	164.9	51.11	114.4	33.36	-	-	-	-	-
Prostate	13	164.9	51.11	114.4	33.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	23,037	501.8	3.36	330.0	2.29	22,238	417.2	2.87	289.2	2.14
Oral Cavity & Pharynx	774	16.3	0.59	11.4	0.43	351	6.4	0.35	4.4	0.26
Lip	104	2.3	0.23	1.4	0.14	23	0.4	0.08	0.2	0.05
Tongue	212	4.4	0.31	3.3	0.23	107	2.0	0.19	1.4	0.14
Major salivary gland	71	1.6	0.19	0.9	0.12	50	0.9	0.13	0.6	0.10
Floor of mouth	31	0.6	0.11	0.5	0.08	21	0.4	0.09	0.3	0.06
Gum & other mouth	106	2.3	0.22	1.4	0.14	84	1.5	0.17	1.0	0.13
Nasopharynx	35	0.7	0.13	0.6	0.10	10	0.2	0.07	0.2	0.06
Oropharynx	31	0.6	0.11	0.5	0.09	-	-	-	-	-
Hypopharynx	41	0.9	0.14	0.6	0.10	9	0.2	0.06	0.1	0.05
Digestive System	4,455	97.2	1.48	61.3	0.96	3,760	67.1	1.12	41.0	0.76
Esophagus	420	8.9	0.44	5.9	0.30	102	1.8	0.18	1.1	0.12
Stomach	348	7.7	0.42	4.7	0.26	172	3.1	0.24	1.9	0.17
Small intestine	125	2.7	0.25	1.8	0.17	77	1.4	0.17	1.0	0.13
Colon excl. rectum	1,635	36.6	0.92	21.6	0.57	1,775	31.0	0.76	18.0	0.49
Rectum & rectosigmoid	724	15.4	0.58	10.5	0.40	533	10.1	0.45	6.8	0.32
Anus, anal canal & anorectum	54	1.1	0.16	0.8	0.12	99	1.9	0.19	1.3	0.14
Liver	354	7.4	0.40	5.1	0.28	108	2.0	0.20	1.4	0.15
Gallbladder	32	0.7	0.13	0.4	0.07	82	1.4	0.16	0.8	0.10
Pancreas	622	13.5	0.55	8.5	0.36	593	10.4	0.44	6.1	0.28
Respiratory System	3,514	77.6	1.33	47.5	0.84	2,842	51.9	0.99	33.2	0.68
Larynx	270	5.6	0.35	4.0	0.25	69	1.3	0.16	0.9	0.12
Lung & bronchus	3,186	70.7	1.27	42.6	0.79	2,741	50.0	0.97	31.9	0.67
Bones & Joints	52	1.1	0.16	1.0	0.15	30	0.6	0.12	0.5	0.11
Soft Tissue (incl. heart)	171	3.8	0.29	2.8	0.23	135	2.6	0.23	2.1	0.20
Skin (excl. basal & sq.)	1,075	23.7	0.73	16.0	0.51	862	17.2	0.60	13.1	0.48
Melanomas of the skin	986	21.7	0.70	14.8	0.49	794	16.1	0.59	12.3	0.47
Breast (excl. *in situ*)	57	1.3	0.17	0.8	0.11	6,415	122.7	1.57	88.1	1.18
Female Genital System	-	-	-	-	-	2,501	47.9	0.98	35.5	0.76
Cervix uteri	-	-	-	-	-	303	6.9	0.41	5.6	0.33
Uterus Corpus	-	-	-	-	-	1,369	25.6	0.71	19.4	0.55
Uterus, NOS[1]	-	-	-	-	-	38	0.6	0.10	0.4	0.07
Ovary	-	-	-	-	-	560	10.5	0.45	7.3	0.34
Male Genital System	6,280	133.1	1.71	92.9	1.21	-	-	-	-	-
Prostate	5,951	125.7	1.66	86.3	1.15	-	-	-	-	-
Testis	282	6.4	0.39	6.0	0.37	-	-	-	-	-
Penis	36	0.8	0.13	0.5	0.08	-	-	-	-	-
Urinary System	2,609	57.8	1.15	35.3	0.73	1,129	20.7	0.63	13.3	0.44
Bladder (incl. *in situ*)	1,531	34.8	0.90	19.4	0.53	465	8.2	0.39	4.7	0.25
Kidney & renal pelvis	1,029	21.8	0.69	15.4	0.50	627	11.8	0.48	8.2	0.36
Ureter	35	0.8	0.14	0.4	0.07	27	0.5	0.09	0.3	0.06
Eye & Orbit	59	1.3	0.17	1.1	0.16	45	0.9	0.13	0.7	0.13
Brain & Other Nervous System	381	8.4	0.44	6.9	0.38	326	6.4	0.37	5.3	0.34
Brain	368	8.1	0.43	6.6	0.37	308	6.1	0.35	4.9	0.32
Endocrine System	329	7.1	0.40	5.7	0.33	990	21.4	0.70	17.9	0.59
Thyroid gland	292	6.3	0.38	5.0	0.30	968	21.0	0.69	17.4	0.58
Lymphomas	1,216	26.9	0.78	18.5	0.57	1,096	20.5	0.63	14.2	0.48
Hodgkin Lymphoma	160	3.5	0.28	3.3	0.27	126	2.8	0.25	2.6	0.24
Non-Hodgkin Lymphoma	1,056	23.4	0.73	15.2	0.50	970	17.7	0.58	11.6	0.42
Multiple Myeloma	357	7.9	0.43	4.8	0.26	272	4.8	0.30	3.1	0.21
Leukemias	754	16.8	0.62	11.6	0.47	580	10.5	0.45	7.7	0.37
Acute lymphocytic	85	1.8	0.20	2.4	0.27	49	1.0	0.15	1.2	0.19
Chronic lymphocytic	290	6.5	0.38	3.8	0.24	198	3.3	0.24	2.0	0.17
Acute myeloid	188	4.3	0.31	2.7	0.21	185	3.4	0.26	2.5	0.21
Chronic myeloid	99	2.1	0.22	1.5	0.16	70	1.4	0.17	1.0	0.13
Other leukemias	92	2.2	0.23	1.3	0.14	78	1.4	0.16	1.0	0.13
Mesothelioma	65	1.5	0.19	0.8	0.10	27	0.5	0.09	0.3	0.06
Kaposi Sarcoma	6	0.1	0.06	0.1	0.05	-	-	-	-	-
Ill-defined & Unknown	883	19.9	0.68	11.5	0.42	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	328	7.1	0.40	5.6	0.33	593	11.5	0.49	8.7	0.40
Breast (*in situ*)	-	-	-	-	-	1,469	29.1	0.77	21.9	0.59

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	21,607	493.1	3.40	324.4	2.34	20,956	414.2	2.95	287.2	2.21
Oral Cavity & Pharynx	721	15.9	0.60	11.1	0.43	333	6.4	0.36	4.4	0.27
Lip	102	2.4	0.24	1.4	0.15	21	0.4	0.08	0.2	0.05
Tongue	202	4.4	0.32	3.3	0.24	102	2.0	0.20	1.4	0.15
Major salivary gland	66	1.5	0.19	0.9	0.12	47	0.9	0.14	0.6	0.11
Floor of mouth	29	0.6	0.11	0.5	0.09	20	0.4	0.09	0.3	0.07
Gum & other mouth	98	2.2	0.22	1.3	0.14	82	1.5	0.17	1.0	0.13
Nasopharynx	23	0.5	0.10	0.4	0.08	6	0.1	0.06	0.1	0.04
Oropharynx	27	0.6	0.11	0.4	0.09	-	-	-	-	-
Hypopharynx	39	0.9	0.14	0.6	0.10	8	0.2	0.06	0.1	0.05
Digestive System	4,143	94.5	1.49	59.4	0.97	3,521	65.6	1.14	39.8	0.77
Esophagus	399	8.8	0.45	5.9	0.31	91	1.7	0.18	1.0	0.12
Stomach	320	7.4	0.42	4.4	0.26	153	2.9	0.24	1.8	0.17
Small intestine	119	2.7	0.26	1.8	0.18	70	1.4	0.17	1.0	0.13
Colon excl. rectum	1,527	35.7	0.93	21.0	0.57	1,683	30.6	0.77	17.7	0.50
Rectum & rectosigmoid	685	15.3	0.59	10.4	0.41	494	9.8	0.45	6.6	0.33
Anus, anal canal & anorectum	51	1.1	0.16	0.8	0.12	94	1.9	0.20	1.3	0.14
Liver	292	6.4	0.38	4.3	0.27	92	1.8	0.19	1.2	0.15
Gallbladder	29	0.7	0.12	0.4	0.07	75	1.3	0.16	0.8	0.10
Pancreas	594	13.4	0.56	8.5	0.37	563	10.3	0.45	5.9	0.29
Respiratory System	3,312	76.3	1.34	46.6	0.85	2,702	51.6	1.01	33.0	0.70
Larynx	251	5.4	0.35	3.8	0.25	64	1.3	0.17	0.9	0.12
Lung & bronchus	3,009	69.7	1.29	41.9	0.80	2,609	49.7	0.99	31.7	0.68
Bones & Joints	49	1.2	0.17	1.1	0.16	28	0.6	0.12	0.5	0.11
Soft Tissue (incl. heart)	161	3.8	0.30	2.8	0.24	129	2.7	0.24	2.2	0.21
Skin (excl. basal & sq.)	975	22.6	0.74	15.3	0.52	765	16.4	0.61	12.4	0.49
Melanomas of the skin	892	20.7	0.70	14.1	0.50	703	15.2	0.59	11.6	0.47
Breast (excl. *in situ*)	50	1.2	0.17	0.7	0.11	6,070	122.6	1.62	88.2	1.22
Female Genital System	-	-	-	-	-	2,395	48.6	1.02	36.2	0.79
Cervix uteri	-	-	-	-	-	277	6.9	0.43	5.5	0.34
Uterus Corpus	-	-	-	-	-	1,328	26.3	0.74	19.9	0.58
Uterus, NOS[1]	-	-	-	-	-	36	0.6	0.11	0.4	0.07
Ovary	-	-	-	-	-	541	10.7	0.47	7.5	0.36
Male Genital System	5,842	129.7	1.72	90.8	1.23	-	-	-	-	-
Prostate	5,525	121.8	1.66	83.8	1.16	-	-	-	-	-
Testis	272	6.8	0.42	6.4	0.40	-	-	-	-	-
Penis	35	0.8	0.13	0.5	0.08	-	-	-	-	-
Urinary System	2,513	58.1	1.17	35.5	0.75	1,074	20.6	0.65	13.3	0.46
Bladder (incl. *in situ*)	1,489	35.2	0.92	19.6	0.54	444	8.1	0.40	4.7	0.26
Kidney & renal pelvis	976	21.7	0.71	15.3	0.52	594	11.8	0.50	8.2	0.37
Ureter	34	0.8	0.14	0.4	0.07	27	0.5	0.10	0.3	0.07
Eye & Orbit	54	1.2	0.17	1.1	0.16	42	0.9	0.14	0.7	0.13
Brain & Other Nervous System	364	8.6	0.46	7.0	0.40	308	6.4	0.38	5.3	0.35
Brain	352	8.3	0.45	6.7	0.39	292	6.1	0.37	4.9	0.34
Endocrine System	315	7.3	0.42	5.9	0.35	920	21.5	0.73	17.9	0.62
Thyroid gland	281	6.5	0.39	5.1	0.32	900	21.1	0.72	17.6	0.61
Lymphomas	1,159	27.1	0.81	18.6	0.59	1,033	20.3	0.65	14.1	0.50
Hodgkin Lymphoma	150	3.6	0.30	3.3	0.28	113	2.7	0.26	2.6	0.26
Non-Hodgkin Lymphoma	1,009	23.5	0.75	15.3	0.52	920	17.6	0.59	11.5	0.43
Multiple Myeloma	333	7.7	0.43	4.6	0.27	245	4.5	0.29	2.9	0.21
Leukemias	705	16.6	0.63	11.6	0.49	533	10.1	0.46	7.5	0.39
Acute lymphocytic	80	1.9	0.22	2.5	0.29	47	1.1	0.16	1.3	0.21
Chronic lymphocytic	268	6.2	0.38	3.7	0.24	181	3.2	0.24	1.9	0.17
Acute myeloid	183	4.4	0.33	2.7	0.22	170	3.3	0.26	2.4	0.21
Chronic myeloid	87	2.0	0.21	1.4	0.17	60	1.2	0.16	0.9	0.13
Other leukemias	87	2.1	0.23	1.3	0.15	75	1.4	0.17	0.9	0.13
Mesothelioma	64	1.5	0.19	0.8	0.11	27	0.5	0.10	0.3	0.07
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	311	7.2	0.42	5.6	0.34	562	11.7	0.51	8.9	0.42
Breast (*in situ*)	-	-	-	-	-	1,388	29.1	0.80	21.9	0.61

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	799	583.8	22.84	391.4	14.24	719	447.4	17.26	302.1	11.54
Oral Cavity & Pharynx	29	17.5	3.39	14.3	2.74	7	4.7	1.81	3.2	1.25
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	200	155.4	12.18	97.6	7.10	165	106.9	8.57	69.0	5.52
Esophagus	16	10.6	2.87	7.3	1.84	7	5.1	1.96	2.9	1.12
Stomach	16	10.9	2.92	7.5	1.93	13	8.8	2.49	5.3	1.50
Small intestine	-	-	-	-	-	6	3.3	1.38	3.0	1.25
Colon excl. rectum	77	65.5	8.24	38.3	4.50	67	43.6	5.50	26.9	3.39
Rectum & rectosigmoid	17	13.4	3.51	8.4	2.10	21	12.8	2.87	9.1	2.02
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	36	22.8	4.03	18.0	3.08	10	6.0	1.95	4.5	1.47
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	21	17.2	4.15	10.4	2.33	27	17.4	3.45	11.5	2.29
Respiratory System	151	117.3	10.35	74.1	6.20	97	63.1	6.60	41.2	4.31
Larynx	14	10.0	2.86	6.9	1.90	-	-	-	-	-
Lung & bronchus	133	105.2	9.89	65.2	5.81	91	60.4	6.51	38.8	4.19
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	2.8	1.17	2.6	1.06	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	6	4.7	2.10	2.9	1.23	213	131.4	9.26	90.4	6.33
Female Genital System	-	-	-	-	-	53	31.5	4.44	22.3	3.13
Cervix uteri	-	-	-	-	-	14	7.4	2.00	5.9	1.58
Uterus Corpus	-	-	-	-	-	22	13.6	3.00	9.7	2.11
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	5.0	1.83	3.2	1.15
Male Genital System	248	175.4	12.17	127.4	8.31	-	-	-	-	-
Prostate	245	174.2	12.15	126.2	8.28	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	41.1	6.39	25.7	3.60	44	29.2	4.57	18.3	2.84
Bladder (incl. *in situ*)	18	12.5	3.37	8.9	2.14	13	9.8	2.75	5.2	1.50
Kidney & renal pelvis	36	28.6	5.43	16.9	2.89	30	19.0	3.61	12.7	2.37
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	9	4.6	1.79	3.6	1.20	13	6.0	1.83	5.3	1.48
Brain	8	4.1	1.72	3.2	1.14	11	5.4	1.78	4.5	1.35
Endocrine System	7	3.7	1.46	3.2	1.28	28	13.6	2.60	11.7	2.22
Thyroid gland	-	-	-	-	-	26	12.7	2.51	10.8	2.13
Lymphomas	24	16.0	3.71	10.8	2.25	30	17.7	3.33	12.7	2.34
Hodgkin Lymphoma	6	2.3	0.98	2.4	0.98	7	3.6	1.45	2.8	1.07
Non-Hodgkin Lymphoma	18	13.7	3.58	8.4	2.03	23	14.0	3.00	9.9	2.08
Multiple Myeloma	19	12.6	3.15	8.3	1.95	24	16.1	3.38	9.6	2.03
Leukemias	17	11.1	3.32	7.3	1.82	17	9.3	2.37	7.6	1.87
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	7	4.6	1.79	3.1	1.20
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	6	3.6	1.61	2.6	1.06	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	17.4	4.07	10.2	2.29	23	15.5	3.39	8.6	1.85
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	7	4.5	1.83	3.7	1.42	18	12.1	2.97	6.5	1.59
Breast (*in situ*)	-	-	-	-	-	47	27.9	4.16	20.9	3.09

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	158	360.8	33.46	229.7	18.72	176	261.5	21.95	181.5	13.96
Oral Cavity & Pharynx	13	26.5	9.36	16.2	4.78	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	8.4	3.37	7.2	2.92	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	53	127.4	20.26	78.3	10.92	31	56.1	11.16	33.7	6.15
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	16	43.4	12.79	22.1	5.64	13	22.0	6.72	13.8	3.87
Rectum & rectosigmoid	9	21.7	8.34	13.0	4.41	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	38.6	11.05	25.4	6.43	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	21	43.5	10.64	30.0	6.73	22	41.2	9.68	24.5	5.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	37.6	10.02	25.4	6.17	22	41.2	9.68	24.5	5.28
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	49	68.5	10.49	49.8	7.24
Female Genital System	-	-	-	-	-	22	31.4	7.46	22.3	4.84
Cervix uteri	-	-	-	-	-	8	11.7	4.91	8.3	3.00
Uterus Corpus	-	-	-	-	-	7	8.2	3.16	6.7	2.59
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	8.4	3.52	6.4	2.65
Male Genital System	29	70.5	14.75	43.7	8.29	-	-	-	-	-
Prostate	24	64.4	14.37	38.5	7.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	36.1	12.18	19.0	5.56	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	15.2	6.67	10.4	3.97	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	22	24.0	5.44	19.8	4.36
Thyroid gland	-	-	-	-	-	22	24.0	5.44	19.8	4.36
Lymphomas	10	18.0	6.00	14.2	4.60	9	11.7	4.32	8.8	2.95
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	8	10.2	3.76	9.4	3.38
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	18.4	8.58	9.4	3.94	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	16	25.2	6.92	16.7	4.21

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	77	408.7	61.32	260.8	31.65	104	407.4	45.48	266.3	27.12
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	117.5	31.51	75.0	16.83	15	54.9	15.35	43.1	11.39
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	7	26.8	11.13	19.6	7.53
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	7	25.6	10.20	22.0	8.86	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	15	117.2	37.11	63.5	17.03	14	67.5	19.99	39.3	10.82
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	13	108.9	36.59	56.5	16.17	13	60.4	18.70	37.0	10.58
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	34	129.2	25.16	81.9	14.59
Female Genital System	-	-	-	-	-	11	48.0	16.77	27.1	8.49
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	17	100.4	33.54	58.6	15.03	-	-	-	-	-
Prostate	15	96.0	33.39	54.9	14.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	30.7	10.87	27.3	9.70	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	6	19.7	8.50	17.9	7.76	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	6	20.8	9.89	14.4	6.01
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	6	20.8	9.89	14.4	6.01
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	547	343.7	17.96	230.1	10.64	643	363.6	16.44	250.3	10.61
Oral Cavity & Pharynx	23	11.5	2.73	9.3	2.08	6	4.3	1.97	2.9	1.28
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	5.2	2.10	3.7	1.37	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	115	78.2	8.78	48.6	4.84	104	68.7	7.62	42.7	4.45
Esophagus	8	7.4	3.00	3.4	1.29	-	-	-	-	-
Stomach	19	10.2	2.81	7.2	1.80	11	7.6	2.56	4.5	1.41
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	26	19.8	4.75	11.5	2.41	33	22.1	4.35	14.0	2.58
Rectum & rectosigmoid	21	13.0	3.37	9.0	2.09	17	9.8	2.68	6.7	1.77
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	20	11.3	2.90	8.5	1.99	9	5.0	1.93	3.5	1.23
Gallbladder	-	-	-	-	-	7	4.7	1.96	3.2	1.27
Pancreas	11	8.1	2.87	4.8	1.52	9	7.6	2.70	4.2	1.45
Respiratory System	49	39.8	6.35	25.5	3.81	41	28.2	4.82	19.8	3.24
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	45	35.9	5.90	23.8	3.70	38	27.2	4.77	18.7	3.17
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	4.5	2.17	2.8	1.19	14	5.4	1.73	4.5	1.25
Skin (excl. basal & sq.)	-	-	-	-	-	13	7.7	2.49	4.6	1.41
Melanomas of the skin	6	3.3	1.78	1.9	0.88	13	7.7	2.49	4.6	1.41
Breast (excl. *in situ*)	-	-	-	-	-	184	100.9	8.38	71.2	5.63
Female Genital System	-	-	-	-	-	97	51.3	5.99	36.4	3.97
Cervix uteri	-	-	-	-	-	22	7.8	1.86	6.2	1.40
Uterus Corpus	-	-	-	-	-	42	24.0	4.16	17.4	2.86
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	18	7.8	2.19	5.3	1.30
Male Genital System	146	105.5	10.15	70.4	6.10	-	-	-	-	-
Prostate	128	100.3	10.03	65.5	5.96	-	-	-	-	-
Testis	16	3.3	0.89	3.5	0.90	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	64	40.2	6.03	27.4	3.70	24	13.5	3.09	9.8	2.12
Bladder (incl. *in situ*)	18	13.5	3.53	9.1	2.26	7	4.4	1.85	2.8	1.12
Kidney & renal pelvis	45	25.7	4.77	17.6	2.84	17	9.1	2.48	7.0	1.80
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	20	6.5	1.98	5.3	1.28	11	4.2	1.57	3.4	1.04
Brain	20	6.5	1.98	5.3	1.28	9	3.6	1.50	2.8	0.96
Endocrine System	18	8.1	2.37	6.4	1.69	52	21.2	3.34	16.3	2.44
Thyroid gland	12	6.1	2.07	4.7	1.48	52	21.2	3.34	16.3	2.44
Lymphomas	36	18.7	4.17	11.8	2.19	41	25.3	4.51	16.9	2.83
Hodgkin Lymphoma	8	1.5	0.55	1.6	0.58	8	2.0	0.74	1.9	0.68
Non-Hodgkin Lymphoma	28	17.2	4.14	10.1	2.11	33	23.3	4.45	15.0	2.75
Multiple Myeloma	-	-	-	-	-	10	7.1	2.43	4.5	1.47
Leukemias	26	4.7	1.05	5.8	1.18	25	9.8	2.33	8.7	1.94
Acute lymphocytic	16	2.3	0.60	3.2	0.81	6	0.9	0.38	1.4	0.56
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	1.5	0.70	1.6	0.71	7	3.4	1.35	3.1	1.24
Chronic myeloid	-	-	-	-	-	6	1.8	0.81	1.6	0.75
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	26	15.5	3.88	10.1	2.18	21	16.0	3.88	8.6	2.02
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	19	7.4	2.26	5.8	1.48	37	16.4	3.28	12.1	2.14
Breast (*in situ*)	-	-	-	-	-	39	19.5	3.34	15.7	2.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	21,096	498.2	3.48	328.2	2.42	20,362	416.4	3.02	289.1	2.28
Oral Cavity & Pharynx	700	16.0	0.62	11.2	0.44	328	6.5	0.37	4.5	0.28
Lip	100	2.4	0.24	1.4	0.15	21	0.4	0.08	0.2	0.05
Tongue	194	4.5	0.33	3.3	0.25	102	2.0	0.21	1.4	0.16
Major salivary gland	64	1.5	0.19	0.9	0.12	46	0.9	0.14	0.7	0.11
Floor of mouth	28	0.6	0.12	0.5	0.09	19	0.4	0.09	0.3	0.07
Gum & other mouth	96	2.2	0.23	1.3	0.15	80	1.5	0.18	1.0	0.13
Nasopharynx	21	0.5	0.10	0.4	0.08	6	0.1	0.06	0.1	0.05
Oropharynx	27	0.6	0.12	0.5	0.09	-	-	-	-	-
Hypopharynx	38	0.9	0.14	0.6	0.10	8	0.2	0.06	0.1	0.05
Digestive System	4,037	95.1	1.52	59.9	1.00	3,423	65.3	1.15	39.5	0.78
Esophagus	391	8.9	0.46	6.0	0.32	90	1.7	0.18	1.0	0.12
Stomach	303	7.2	0.42	4.2	0.26	142	2.7	0.24	1.7	0.17
Small intestine	115	2.7	0.26	1.9	0.18	68	1.4	0.17	1.0	0.13
Colon excl. rectum	1,504	36.2	0.95	21.4	0.59	1,651	30.7	0.78	17.8	0.51
Rectum & rectosigmoid	665	15.5	0.61	10.5	0.43	478	9.7	0.46	6.6	0.34
Anus, anal canal & anorectum	50	1.1	0.16	0.8	0.12	91	1.9	0.20	1.3	0.14
Liver	274	6.2	0.38	4.2	0.27	83	1.7	0.19	1.1	0.14
Gallbladder	28	0.7	0.12	0.4	0.08	68	1.2	0.15	0.7	0.10
Pancreas	584	13.6	0.57	8.6	0.38	556	10.5	0.45	6.0	0.30
Respiratory System	3,267	77.3	1.37	47.3	0.87	2,664	52.2	1.03	33.4	0.72
Larynx	250	5.6	0.36	4.0	0.26	62	1.3	0.17	0.9	0.13
Lung & bronchus	2,967	70.5	1.31	42.4	0.82	2,573	50.3	1.01	32.1	0.70
Bones & Joints	48	1.3	0.18	1.1	0.18	28	0.7	0.13	0.6	0.12
Soft Tissue (incl. heart)	155	3.8	0.31	2.9	0.26	116	2.5	0.24	2.0	0.21
Skin (excl. basal & sq.)	968	23.4	0.77	16.0	0.54	754	17.0	0.65	13.0	0.52
Melanomas of the skin	886	21.4	0.73	14.7	0.52	692	15.8	0.63	12.2	0.51
Breast (excl. *in situ*)	49	1.2	0.17	0.7	0.11	5,901	123.4	1.66	88.9	1.26
Female Genital System	-	-	-	-	-	2,303	48.5	1.05	36.1	0.82
Cervix uteri	-	-	-	-	-	255	6.8	0.44	5.4	0.36
Uterus Corpus	-	-	-	-	-	1,288	26.3	0.75	20.0	0.59
Uterus, NOS[1]	-	-	-	-	-	33	0.6	0.10	0.4	0.07
Ovary	-	-	-	-	-	523	10.7	0.48	7.5	0.37
Male Genital System	5,705	130.9	1.76	91.8	1.27	-	-	-	-	-
Prostate	5,404	122.6	1.69	84.4	1.19	-	-	-	-	-
Testis	257	7.3	0.46	6.8	0.43	-	-	-	-	-
Penis	34	0.8	0.14	0.4	0.08	-	-	-	-	-
Urinary System	2,451	58.4	1.20	35.6	0.77	1,050	20.7	0.66	13.4	0.47
Bladder (incl. *in situ*)	1,473	35.7	0.94	19.9	0.56	437	8.2	0.40	4.8	0.26
Kidney & renal pelvis	931	21.5	0.72	15.1	0.53	577	11.9	0.51	8.2	0.39
Ureter	33	0.8	0.15	0.4	0.07	27	0.5	0.10	0.3	0.07
Eye & Orbit	53	1.3	0.18	1.1	0.18	42	0.9	0.15	0.8	0.15
Brain & Other Nervous System	346	8.7	0.48	7.2	0.43	297	6.6	0.40	5.5	0.39
Brain	334	8.4	0.47	6.9	0.42	283	6.3	0.39	5.2	0.37
Endocrine System	298	7.3	0.44	5.9	0.37	875	21.8	0.76	18.3	0.66
Thyroid gland	269	6.6	0.41	5.3	0.34	855	21.4	0.76	17.9	0.65
Lymphomas	1,124	27.4	0.83	19.0	0.62	997	20.3	0.67	14.2	0.52
Hodgkin Lymphoma	142	3.7	0.32	3.4	0.30	106	2.8	0.28	2.6	0.27
Non-Hodgkin Lymphoma	982	23.7	0.77	15.6	0.54	891	17.6	0.61	11.5	0.44
Multiple Myeloma	328	7.9	0.44	4.7	0.27	235	4.4	0.30	2.8	0.21
Leukemias	681	16.8	0.65	11.6	0.51	510	10.0	0.46	7.3	0.40
Acute lymphocytic	65	1.8	0.23	2.3	0.30	41	1.0	0.17	1.2	0.22
Chronic lymphocytic	268	6.4	0.39	3.8	0.25	177	3.2	0.24	1.9	0.17
Acute myeloid	177	4.4	0.33	2.7	0.22	165	3.3	0.27	2.4	0.22
Chronic myeloid	85	2.0	0.22	1.5	0.17	54	1.1	0.16	0.8	0.13
Other leukemias	86	2.2	0.24	1.3	0.16	73	1.4	0.17	1.0	0.14
Mesothelioma	63	1.6	0.20	0.8	0.11	27	0.5	0.10	0.3	0.07
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	294	7.2	0.43	5.7	0.36	530	11.5	0.52	8.7	0.43
Breast (*in situ*)	-	-	-	-	-	1,352	29.5	0.82	22.1	0.63

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nebraska, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	794	594.6	23.30	399.7	14.58	714	456.2	17.63	308.1	11.81
Oral Cavity & Pharynx	29	17.9	3.48	14.7	2.82	7	4.8	1.86	3.3	1.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	197	156.9	12.38	98.7	7.23	164	108.8	8.74	70.1	5.63
Esophagus	16	10.8	2.94	7.5	1.89	7	5.2	2.00	3.0	1.14
Stomach	15	9.9	2.73	7.2	1.92	13	9.0	2.56	5.4	1.54
Small intestine	-	-	-	-	-	6	3.4	1.41	3.1	1.28
Colon excl. rectum	77	67.1	8.43	39.3	4.61	67	44.6	5.62	27.6	3.47
Rectum & rectosigmoid	17	13.7	3.59	8.6	2.16	21	13.1	2.94	9.3	2.08
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	35	22.8	4.10	17.9	3.10	10	6.2	1.99	4.6	1.51
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	20	17.1	4.21	10.2	2.35	26	17.3	3.49	11.3	2.28
Respiratory System	151	120.0	10.58	75.9	6.35	95	63.5	6.70	41.1	4.35
Larynx	14	10.2	2.92	7.1	1.94	-	-	-	-	-
Lung & bronchus	133	107.6	10.10	66.8	5.95	90	61.0	6.61	39.1	4.25
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	2.9	1.22	2.7	1.10	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	6	4.9	2.15	3.0	1.26	212	134.2	9.47	92.5	6.49
Female Genital System	-	-	-	-	-	53	32.3	4.56	23.0	3.22
Cervix uteri	-	-	-	-	-	14	7.7	2.07	6.1	1.64
Uterus Corpus	-	-	-	-	-	22	14.0	3.06	9.9	2.16
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	5.1	1.88	3.3	1.18
Male Genital System	247	179.2	12.45	130.1	8.50	-	-	-	-	-
Prostate	244	177.9	12.43	128.9	8.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	42.2	6.56	26.5	3.70	44	29.9	4.66	18.8	2.91
Bladder (incl. *in situ*)	18	12.9	3.47	9.1	2.20	13	10.0	2.81	5.3	1.54
Kidney & renal pelvis	36	29.4	5.57	17.4	2.97	30	19.4	3.69	13.1	2.44
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	9	4.8	1.84	3.8	1.27	13	6.3	1.89	5.6	1.56
Brain	8	4.3	1.78	3.4	1.21	11	5.6	1.84	4.7	1.42
Endocrine System	7	3.8	1.51	3.3	1.31	28	14.1	2.70	12.2	2.31
Thyroid gland	-	-	-	-	-	26	13.2	2.60	11.2	2.20
Lymphomas	24	16.5	3.79	11.1	2.32	29	17.7	3.39	12.7	2.39
Hodgkin Lymphoma	6	2.5	1.03	2.5	1.04	6	3.3	1.43	2.5	1.05
Non-Hodgkin Lymphoma	18	14.0	3.65	8.6	2.08	23	14.4	3.08	10.2	2.15
Multiple Myeloma	19	12.9	3.23	8.6	2.00	24	16.5	3.46	9.9	2.09
Leukemias	17	11.4	3.41	7.6	1.89	17	9.6	2.42	7.8	1.92
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	7	4.7	1.82	3.2	1.23
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	6	3.7	1.65	2.6	1.09	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	20	16.6	3.99	10.1	2.31	23	15.9	3.47	8.9	1.91
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	7	4.6	1.87	3.8	1.46	18	12.4	3.04	6.7	1.64
Breast (*in situ*)	-	-	-	-	-	47	28.7	4.28	21.5	3.18

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	31,266	472.1	2.78	305.5	1.77	27,937	393.3	2.39	267.9	1.68
Oral Cavity & Pharynx	1,081	15.2	0.47	10.9	0.33	393	5.4	0.28	3.7	0.20
Lip	58	0.9	0.12	0.6	0.08	13	0.2	0.05	0.1	0.03
Tongue	356	4.9	0.27	3.6	0.19	128	1.7	0.15	1.3	0.11
Major salivary gland	102	1.6	0.16	1.0	0.10	68	0.9	0.12	0.7	0.08
Floor of mouth	42	0.6	0.09	0.4	0.07	22	0.3	0.06	0.2	0.04
Gum & other mouth	82	1.2	0.14	0.8	0.09	67	1.0	0.12	0.6	0.08
Nasopharynx	46	0.6	0.09	0.5	0.07	18	0.3	0.06	0.2	0.05
Oropharynx	77	1.0	0.12	0.8	0.09	18	0.2	0.06	0.2	0.04
Hypopharynx	64	0.9	0.11	0.6	0.08	7	0.1	0.04	0.1	0.02
Digestive System	6,110	93.1	1.24	58.7	0.77	4,402	62.5	0.96	38.9	0.61
Esophagus	611	9.2	0.39	5.8	0.24	140	1.9	0.17	1.3	0.11
Stomach	474	7.3	0.35	4.5	0.21	290	4.2	0.25	2.6	0.16
Small intestine	127	2.0	0.18	1.2	0.11	86	1.2	0.13	0.8	0.09
Colon excl. rectum	2,091	32.7	0.74	19.8	0.44	1,846	26.6	0.63	15.8	0.39
Rectum & rectosigmoid	1,030	15.3	0.50	10.1	0.32	649	9.1	0.36	6.0	0.24
Anus, anal canal & anorectum	104	1.5	0.15	1.1	0.11	156	2.2	0.18	1.5	0.12
Liver	598	8.4	0.36	6.0	0.25	243	3.4	0.22	2.2	0.15
Gallbladder	37	0.6	0.10	0.3	0.06	73	1.0	0.12	0.6	0.07
Pancreas	841	13.0	0.47	7.9	0.28	716	10.0	0.38	6.2	0.24
Respiratory System	4,780	74.3	1.12	44.4	0.65	4,271	60.0	0.94	36.8	0.58
Larynx	327	4.6	0.26	3.2	0.18	76	1.1	0.13	0.7	0.08
Lung & bronchus	4,398	68.9	1.08	40.5	0.62	4,160	58.4	0.92	35.7	0.57
Bones & Joints	74	1.1	0.13	1.0	0.12	48	0.7	0.10	0.6	0.10
Soft Tissue (incl. heart)	238	3.6	0.24	2.6	0.18	176	2.5	0.19	2.0	0.16
Skin (excl. basal & sq.)	1,235	19.1	0.57	12.1	0.35	887	12.7	0.43	9.0	0.32
Melanomas of the skin	1,122	17.2	0.53	11.0	0.34	813	11.6	0.41	8.3	0.30
Breast (excl. *in situ*)	87	1.3	0.15	0.8	0.09	8,097	112.4	1.27	79.6	0.91
Female Genital System	-	-	-	-	-	2,942	40.3	0.76	29.9	0.57
Cervix uteri	-	-	-	-	-	517	7.4	0.33	5.9	0.27
Uterus Corpus	-	-	-	-	-	1,359	18.1	0.50	13.6	0.38
Uterus, NOS[1]	-	-	-	-	-	51	0.7	0.10	0.5	0.07
Ovary	-	-	-	-	-	758	10.6	0.39	7.5	0.28
Male Genital System	8,814	126.7	1.40	86.6	0.94	-	-	-	-	-
Prostate	8,451	121.4	1.37	81.8	0.90	-	-	-	-	-
Testis	315	4.6	0.26	4.3	0.25	-	-	-	-	-
Penis	31	0.5	0.10	0.3	0.05	-	-	-	-	-
Urinary System	3,584	56.4	0.98	33.8	0.58	1,455	20.7	0.55	13.0	0.36
Bladder (incl. *in situ*)	2,260	36.8	0.81	20.6	0.44	701	10.1	0.39	5.8	0.23
Kidney & renal pelvis	1,206	17.6	0.52	12.2	0.36	712	10.0	0.38	6.9	0.27
Ureter	36	0.6	0.10	0.3	0.05	22	0.3	0.07	0.2	0.04
Eye & Orbit	51	0.8	0.11	0.5	0.08	35	0.5	0.08	0.4	0.08
Brain & Other Nervous System	446	6.6	0.32	5.1	0.26	329	4.7	0.26	3.7	0.22
Brain	432	6.4	0.32	4.9	0.25	307	4.4	0.25	3.4	0.21
Endocrine System	523	7.4	0.33	5.8	0.26	1,712	24.7	0.61	20.4	0.51
Thyroid gland	489	6.9	0.32	5.4	0.25	1,678	24.2	0.60	20.0	0.50
Lymphomas	1,423	21.6	0.59	14.7	0.41	1,133	16.2	0.49	11.2	0.35
Hodgkin Lymphoma	164	2.4	0.19	2.1	0.17	128	1.9	0.17	1.7	0.16
Non-Hodgkin Lymphoma	1,259	19.3	0.56	12.6	0.37	1,005	14.3	0.46	9.4	0.31
Multiple Myeloma	347	5.2	0.29	3.3	0.18	253	3.6	0.23	2.2	0.14
Leukemias	1,089	17.4	0.55	11.9	0.39	702	10.2	0.39	7.2	0.30
Acute lymphocytic	142	2.1	0.18	2.5	0.22	89	1.3	0.14	1.6	0.19
Chronic lymphocytic	412	6.6	0.34	3.8	0.19	242	3.5	0.23	2.0	0.13
Acute myeloid	280	4.4	0.27	2.9	0.19	209	3.0	0.21	2.1	0.16
Chronic myeloid	92	1.5	0.16	1.0	0.11	63	0.9	0.12	0.6	0.08
Other leukemias	163	2.8	0.23	1.6	0.13	99	1.5	0.15	0.8	0.09
Mesothelioma	92	1.5	0.17	0.8	0.09	25	0.4	0.07	0.2	0.05
Kaposi Sarcoma	43	0.7	0.10	0.5	0.08	-	-	-	-	-
Ill-defined & Unknown	1,249	20.1	0.60	11.8	0.34	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	346	5.3	0.29	3.7	0.20	642	9.1	0.37	6.4	0.27
Breast (*in situ*)	23	0.3	0.07	0.2	0.05	1,714	23.4	0.58	17.4	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	25,411	451.2	2.93	292.1	1.89	23,339	400.3	2.66	273.1	1.89
Oral Cavity & Pharynx	926	15.4	0.52	11.0	0.37	324	5.4	0.31	3.8	0.22
Lip	50	0.9	0.13	0.6	0.08	12	0.2	0.06	0.1	0.04
Tongue	310	5.1	0.29	3.7	0.21	110	1.8	0.17	1.3	0.13
Major salivary gland	82	1.5	0.17	0.9	0.11	52	0.9	0.13	0.6	0.09
Floor of mouth	38	0.6	0.11	0.4	0.07	16	0.3	0.06	0.2	0.05
Gum & other mouth	70	1.2	0.15	0.8	0.10	61	1.1	0.14	0.7	0.09
Nasopharynx	31	0.5	0.09	0.4	0.07	8	0.1	0.05	0.1	0.03
Oropharynx	66	1.0	0.13	0.8	0.10	16	0.3	0.07	0.2	0.05
Hypopharynx	61	1.0	0.13	0.7	0.09	6	0.1	0.04	0.1	0.02
Digestive System	5,064	90.6	1.32	56.9	0.82	3,569	61.3	1.04	37.9	0.67
Esophagus	555	9.7	0.43	6.2	0.27	115	1.9	0.18	1.3	0.12
Stomach	368	6.6	0.36	4.1	0.22	213	3.7	0.26	2.3	0.17
Small intestine	109	1.9	0.19	1.3	0.13	68	1.1	0.14	0.8	0.10
Colon excl. rectum	1,737	31.9	0.79	19.2	0.47	1,512	26.3	0.69	15.4	0.42
Rectum & rectosigmoid	835	14.7	0.52	9.6	0.34	508	8.7	0.39	5.7	0.27
Anus, anal canal & anorectum	90	1.6	0.17	1.1	0.12	140	2.4	0.20	1.6	0.14
Liver	447	7.4	0.36	5.3	0.26	179	3.0	0.22	1.9	0.15
Gallbladder	30	0.5	0.10	0.3	0.06	62	1.0	0.13	0.6	0.08
Pancreas	726	13.1	0.50	8.0	0.30	604	10.2	0.42	6.4	0.27
Respiratory System	4,128	74.8	1.21	44.6	0.71	3,776	63.9	1.06	39.1	0.66
Larynx	281	4.6	0.28	3.3	0.20	67	1.2	0.15	0.7	0.10
Lung & bronchus	3,804	69.4	1.17	40.8	0.68	3,685	62.2	1.04	38.0	0.65
Bones & Joints	63	1.1	0.14	1.1	0.14	36	0.6	0.11	0.6	0.11
Soft Tissue (incl. heart)	201	3.7	0.27	2.6	0.20	143	2.5	0.21	2.0	0.18
Skin (excl. basal & sq.)	1,145	20.7	0.63	13.3	0.41	820	14.4	0.51	10.4	0.38
Melanomas of the skin	1,044	18.7	0.60	12.2	0.39	759	13.3	0.49	9.6	0.37
Breast (excl. *in situ*)	70	1.3	0.16	0.8	0.10	6,744	114.7	1.42	81.1	1.02
Female Genital System	-	-	-	-	-	2,466	41.5	0.85	30.8	0.64
Cervix uteri	-	-	-	-	-	418	7.6	0.38	6.1	0.30
Uterus Corpus	-	-	-	-	-	1,131	18.4	0.56	13.9	0.42
Uterus, NOS[1]	-	-	-	-	-	40	0.7	0.11	0.5	0.08
Ovary	-	-	-	-	-	650	11.0	0.44	7.8	0.32
Male Genital System	6,295	106.2	1.38	73.2	0.94	-	-	-	-	-
Prostate	5,971	100.3	1.34	67.8	0.89	-	-	-	-	-
Testis	282	5.1	0.31	4.9	0.30	-	-	-	-	-
Penis	27	0.5	0.11	0.3	0.06	-	-	-	-	-
Urinary System	3,180	58.3	1.07	35.2	0.64	1,248	21.4	0.62	13.5	0.41
Bladder (incl. *in situ*)	2,026	38.2	0.88	21.5	0.49	605	10.4	0.43	6.0	0.26
Kidney & renal pelvis	1,070	18.5	0.58	12.8	0.40	608	10.4	0.43	7.1	0.31
Ureter	33	0.6	0.11	0.3	0.06	21	0.4	0.08	0.2	0.05
Eye & Orbit	49	0.9	0.13	0.6	0.10	33	0.6	0.10	0.5	0.10
Brain & Other Nervous System	395	7.0	0.36	5.4	0.29	283	4.9	0.30	3.9	0.25
Brain	382	6.8	0.36	5.1	0.28	263	4.6	0.29	3.6	0.24
Endocrine System	421	7.2	0.36	5.6	0.28	1,341	24.5	0.68	20.4	0.58
Thyroid gland	392	6.7	0.34	5.1	0.27	1,312	24.0	0.67	19.9	0.57
Lymphomas	1,176	21.2	0.64	14.4	0.44	913	15.9	0.54	11.1	0.39
Hodgkin Lymphoma	136	2.4	0.21	2.1	0.19	112	2.1	0.20	1.9	0.19
Non-Hodgkin Lymphoma	1,040	18.8	0.60	12.3	0.40	801	13.8	0.50	9.2	0.35
Multiple Myeloma	273	4.8	0.30	3.1	0.19	200	3.5	0.25	2.0	0.15
Leukemias	867	16.4	0.58	11.5	0.43	543	9.6	0.42	7.0	0.34
Acute lymphocytic	126	2.4	0.21	2.8	0.27	71	1.4	0.16	1.7	0.22
Chronic lymphocytic	290	5.4	0.33	3.1	0.19	167	2.8	0.22	1.6	0.13
Acute myeloid	235	4.4	0.29	2.9	0.20	174	3.0	0.23	2.2	0.18
Chronic myeloid	77	1.5	0.18	1.0	0.12	55	1.0	0.14	0.7	0.10
Other leukemias	139	2.8	0.25	1.6	0.14	76	1.3	0.16	0.7	0.10
Mesothelioma	86	1.6	0.18	0.9	0.10	24	0.4	0.09	0.3	0.06
Kaposi Sarcoma	30	0.6	0.10	0.4	0.08	-	-	-	-	-
Ill-defined & Unknown	1,042	19.5	0.63	11.5	0.37	876	15.3	0.52	8.8	0.32
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	290	5.2	0.32	3.7	0.23	506	8.8	0.40	6.2	0.29
Breast (*in situ*)	19	0.3	0.07	0.2	0.05	1,343	22.6	0.63	16.8	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,885	425.3	10.75	280.2	6.53	1,816	349.1	8.50	240.5	5.70
Oral Cavity & Pharynx	46	9.0	1.41	7.1	1.05	22	4.0	0.87	2.9	0.63
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	16	2.9	0.74	2.5	0.62	-	-	-	-	-
Major salivary gland	9	1.8	0.65	1.4	0.46	6	1.1	0.47	0.8	0.33
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	482	113.2	5.69	71.0	3.27	365	71.8	3.91	48.0	2.54
Esophagus	32	8.0	1.58	4.7	0.84	13	2.7	0.80	1.7	0.47
Stomach	49	11.6	1.84	7.3	1.05	25	5.5	1.14	3.2	0.65
Small intestine	14	4.8	1.41	2.1	0.57	11	2.2	0.69	1.4	0.43
Colon excl. rectum	173	39.0	3.22	25.7	1.98	169	33.0	2.64	22.4	1.74
Rectum & rectosigmoid	68	14.8	1.94	9.8	1.20	50	9.6	1.40	6.5	0.92
Anus, anal canal & anorectum	6	1.3	0.57	0.8	0.33	8	1.4	0.49	1.1	0.38
Liver	60	13.0	1.89	8.9	1.17	17	3.1	0.78	2.3	0.56
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	60	15.3	2.16	8.7	1.14	56	11.4	1.58	7.3	0.98
Respiratory System	329	77.8	4.67	49.2	2.74	244	49.2	3.28	31.5	2.05
Larynx	25	5.6	1.22	3.8	0.77	-	-	-	-	-
Lung & bronchus	297	71.0	4.49	44.3	2.60	236	47.9	3.25	30.4	2.01
Bones & Joints	8	1.4	0.56	1.2	0.43	-	-	-	-	-
Soft Tissue (incl. heart)	18	3.1	0.76	2.6	0.62	7	1.3	0.52	0.9	0.36
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	6	1.2	0.50	0.9	0.39	-	-	-	-	-
Breast (excl. *in situ*)	10	2.2	0.77	1.4	0.44	571	106.1	4.58	76.5	3.23
Female Genital System	-	-	-	-	-	179	32.4	2.49	24.4	1.84
Cervix uteri	-	-	-	-	-	44	7.6	1.16	6.1	0.92
Uterus Corpus	-	-	-	-	-	82	14.8	1.68	11.1	1.24
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	33	6.5	1.19	4.4	0.77
Male Genital System	561	122.2	5.60	84.4	3.60	-	-	-	-	-
Prostate	552	120.6	5.57	83.2	3.58	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	132	30.7	2.98	19.5	1.72	105	21.6	2.19	13.4	1.33
Bladder (incl. *in situ*)	60	16.3	2.35	8.8	1.15	42	9.0	1.44	5.1	0.81
Kidney & renal pelvis	62	11.9	1.60	9.3	1.19	59	11.5	1.54	7.8	1.03
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	23	4.1	0.93	3.7	0.78	21	4.0	0.91	2.9	0.65
Brain	22	4.0	0.92	3.5	0.76	19	3.7	0.88	2.6	0.62
Endocrine System	27	5.3	1.12	3.9	0.75	81	13.9	1.56	11.3	1.26
Thyroid gland	24	4.8	1.09	3.4	0.70	79	13.6	1.55	11.0	1.24
Lymphomas	72	15.0	1.94	10.2	1.22	66	12.4	1.58	8.8	1.09
Hodgkin Lymphoma	13	2.0	0.56	1.9	0.53	7	1.2	0.45	1.0	0.38
Non-Hodgkin Lymphoma	59	13.0	1.86	8.3	1.10	59	11.2	1.52	7.8	1.02
Multiple Myeloma	37	8.8	1.58	5.5	0.92	26	5.4	1.11	3.3	0.66
Leukemias	49	10.5	1.69	7.3	1.06	38	8.1	1.38	5.0	0.84
Acute lymphocytic	8	1.2	0.43	1.4	0.48	7	1.3	0.53	1.1	0.44
Chronic lymphocytic	14	3.4	1.01	2.0	0.53	12	2.9	0.87	1.4	0.42
Acute myeloid	19	3.9	0.99	2.8	0.64	13	2.3	0.66	1.8	0.52
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	6	1.6	0.65	0.7	0.28
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	79	19.8	2.46	11.5	1.31	84	17.1	1.95	10.7	1.18
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	27	6.1	1.32	3.9	0.76	64	12.4	1.59	8.4	1.07
Breast (*in situ*)	-	-	-	-	-	121	23.1	2.16	16.1	1.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,177	262.4	8.49	163.6	4.85	1,668	249.7	6.48	173.1	4.35
Oral Cavity & Pharynx	40	8.8	1.52	5.4	0.87	27	3.7	0.74	2.7	0.52
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	12	2.4	0.72	1.6	0.47	-	-	-	-	-
Major salivary gland	-	-	-	-	-	8	1.0	0.34	0.8	0.28
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	1.6	0.66	1.0	0.36	8	1.0	0.36	0.8	0.30
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	384	84.5	4.79	53.4	2.76	325	52.4	3.13	31.6	1.78
Esophagus	16	3.3	0.88	2.1	0.54	8	1.4	0.57	0.8	0.28
Stomach	43	10.4	1.80	6.0	0.92	41	6.6	1.09	3.8	0.61
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	114	26.1	2.72	15.7	1.48	116	18.7	1.88	11.5	1.08
Rectum & rectosigmoid	80	16.4	2.06	11.4	1.29	54	7.7	1.11	5.3	0.72
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	72	14.8	1.91	10.3	1.25	39	6.5	1.11	3.8	0.63
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	41	9.2	1.56	5.4	0.85	37	6.2	1.09	3.5	0.58
Respiratory System	204	46.5	3.58	27.4	1.94	156	24.0	2.05	15.3	1.23
Larynx	7	1.4	0.53	1.0	0.37	-	-	-	-	-
Lung & bronchus	195	44.7	3.52	26.2	1.89	151	23.2	2.02	14.8	1.22
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	9	1.7	0.59	1.5	0.53	16	2.4	0.62	2.1	0.55
Skin (excl. basal & sq.)	9	2.1	0.83	1.3	0.43	8	1.3	0.47	0.9	0.33
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	505	71.1	3.31	52.1	2.33
Female Genital System	-	-	-	-	-	202	27.6	1.99	21.1	1.50
Cervix uteri	-	-	-	-	-	36	5.0	0.85	3.7	0.63
Uterus Corpus	-	-	-	-	-	97	13.1	1.36	10.0	1.03
Uterus, NOS[1]	-	-	-	-	-	7	0.9	0.37	0.7	0.26
Ovary	-	-	-	-	-	55	7.5	1.03	5.9	0.82
Male Genital System	213	46.7	3.55	29.2	2.02	-	-	-	-	-
Prostate	209	46.2	3.54	28.6	1.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	97	23.7	2.72	13.3	1.37	44	7.5	1.22	5.1	0.87
Bladder (incl. *in situ*)	42	11.8	2.03	5.5	0.87	16	3.1	0.84	1.5	0.40
Kidney & renal pelvis	52	10.7	1.64	7.3	1.02	25	4.0	0.86	3.2	0.75
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	16	3.0	0.79	2.5	0.65	18	2.8	0.69	2.2	0.57
Brain	16	3.0	0.79	2.5	0.65	18	2.8	0.69	2.2	0.57
Endocrine System	47	8.4	1.25	6.8	1.02	194	26.9	1.97	21.5	1.57
Thyroid gland	45	8.0	1.22	6.3	0.94	191	26.5	1.95	21.2	1.56
Lymphomas	48	10.2	1.59	6.8	1.01	66	10.8	1.42	7.1	0.91
Hodgkin Lymphoma	7	1.2	0.44	1.2	0.48	6	1.0	0.42	1.1	0.48
Non-Hodgkin Lymphoma	41	9.0	1.52	5.6	0.89	60	9.7	1.35	6.0	0.78
Multiple Myeloma	11	2.7	0.91	1.6	0.48	7	1.1	0.41	0.7	0.26
Leukemias	36	7.7	1.41	5.7	1.01	42	6.9	1.12	5.2	0.90
Acute lymphocytic	-	-	-	-	-	8	1.3	0.48	1.5	0.61
Chronic lymphocytic	6	1.0	0.42	0.8	0.33	9	1.6	0.56	0.8	0.28
Acute myeloid	15	3.6	1.05	2.4	0.67	15	2.6	0.71	1.7	0.46
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	8	1.9	0.73	1.0	0.37	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	1.3	0.55	0.8	0.35	-	-	-	-	-
Ill-defined & Unknown	48	13.5	2.18	6.6	0.97	52	10.3	1.54	5.0	0.71
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	14	3.5	1.07	2.0	0.56	57	9.0	1.26	5.9	0.80
Breast (*in situ*)	-	-	-	-	-	148	20.6	1.74	15.3	1.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	162	226.4	20.49	135.9	10.83	170	186.5	15.20	125.7	9.75
Oral Cavity & Pharynx	7	8.3	3.58	5.3	2.02	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	45	58.1	9.85	35.5	5.35	40	46.6	7.84	30.0	4.80
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	13	16.2	5.18	9.7	2.72	15	16.4	4.48	11.1	2.91
Rectum & rectosigmoid	9	15.1	5.55	7.6	2.54	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	9	7.9	2.66	6.9	2.33	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	10	13.1	4.64	8.1	2.59	8	8.0	2.98	6.2	2.23
Respiratory System	28	49.4	10.21	25.6	4.89	22	26.3	5.92	16.9	3.65
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	27	48.2	10.14	24.6	4.78	21	24.6	5.67	16.3	3.60
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	42	45.8	7.48	31.0	4.84
Female Genital System	-	-	-	-	-	25	24.9	5.27	17.8	3.59
Cervix uteri	-	-	-	-	-	8	7.9	2.90	5.6	1.98
Uterus Corpus	-	-	-	-	-	9	7.7	2.64	6.0	2.01
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	33	47.7	9.65	28.8	5.09	-	-	-	-	-
Prostate	31	46.5	9.61	27.3	4.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	24.4	7.12	12.6	3.19	8	8.8	3.25	6.2	2.23
Bladder (incl. *in situ*)	6	10.6	4.73	4.7	1.95	-	-	-	-	-
Kidney & renal pelvis	10	13.9	5.32	7.8	2.52	6	6.3	2.73	4.4	1.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	14	13.0	3.59	9.9	2.65
Thyroid gland	-	-	-	-	-	14	13.0	3.59	9.9	2.65
Lymphomas	7	5.7	2.18	5.8	2.19	7	9.1	3.69	4.7	1.77
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	7	9.1	3.69	4.7	1.77
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	8	10.4	4.45	6.7	2.41	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	12	11.2	3.36	9.0	2.62

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,658	348.2	7.99	222.8	4.52	2,819	290.8	6.10	197.1	3.84
Oral Cavity & Pharynx	69	7.6	1.07	5.4	0.68	31	3.5	0.67	2.4	0.45
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	17	2.2	0.65	1.4	0.36	9	1.2	0.42	0.7	0.24
Major salivary gland	6	0.7	0.35	0.4	0.17	9	0.8	0.30	0.6	0.21
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	8	1.2	0.48	0.7	0.24	6	0.8	0.32	0.6	0.23
Nasopharynx	7	0.6	0.25	0.5	0.21	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	607	82.2	3.92	51.5	2.18	465	57.4	2.92	34.2	1.63
Esophagus	52	7.3	1.20	4.2	0.61	-	-	-	-	-
Stomach	81	12.9	1.66	7.3	0.84	56	6.1	0.92	3.7	0.52
Small intestine	12	1.1	0.32	0.9	0.27	6	0.7	0.30	0.5	0.20
Colon excl. rectum	175	25.6	2.28	15.2	1.20	173	22.9	1.89	12.8	1.00
Rectum & rectosigmoid	106	13.0	1.47	8.6	0.87	59	6.2	0.90	4.0	0.54
Anus, anal canal & anorectum	10	0.8	0.27	0.6	0.20	13	1.2	0.37	1.0	0.28
Liver	81	8.8	1.08	6.6	0.76	34	4.5	0.85	2.7	0.48
Gallbladder	6	0.5	0.21	0.4	0.18	15	2.1	0.58	1.2	0.30
Pancreas	60	8.5	1.26	5.3	0.71	73	9.5	1.21	5.6	0.67
Respiratory System	270	44.5	3.06	24.6	1.54	219	30.2	2.18	17.4	1.20
Larynx	22	2.9	0.69	2.0	0.44	-	-	-	-	-
Lung & bronchus	240	40.3	2.93	21.9	1.46	213	29.5	2.16	16.9	1.18
Bones & Joints	12	0.8	0.27	0.8	0.24	-	-	-	-	-
Soft Tissue (incl. heart)	23	2.4	0.60	1.7	0.37	25	1.9	0.42	1.5	0.31
Skin (excl. basal & sq.)	-	-	-	-	-	55	5.4	0.81	3.7	0.52
Melanomas of the skin	28	3.5	0.79	2.3	0.47	42	4.1	0.69	2.9	0.47
Breast (excl. *in situ*)	6	1.1	0.51	0.6	0.24	810	77.6	2.98	55.5	2.02
Female Genital System	-	-	-	-	-	387	36.6	2.03	27.2	1.43
Cervix uteri	-	-	-	-	-	99	7.5	0.81	6.0	0.63
Uterus Corpus	-	-	-	-	-	157	15.0	1.28	11.6	0.95
Uterus, NOS[1]	-	-	-	-	-	11	1.3	0.42	0.8	0.26
Ovary	-	-	-	-	-	94	10.0	1.13	6.9	0.73
Male Genital System	771	103.5	4.25	69.2	2.58	-	-	-	-	-
Prostate	685	99.1	4.22	65.0	2.54	-	-	-	-	-
Testis	81	4.0	0.47	3.9	0.45	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	277	38.0	2.68	23.2	1.46	145	15.6	1.41	10.9	0.93
Bladder (incl. *in situ*)	119	20.8	2.14	11.1	1.05	39	4.9	0.85	3.1	0.51
Kidney & renal pelvis	149	16.0	1.54	11.2	0.97	102	10.1	1.08	7.5	0.76
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	7	0.6	0.29	0.4	0.17	6	0.4	0.19	0.5	0.19
Brain & Other Nervous System	52	4.7	0.81	3.8	0.57	44	4.0	0.71	2.9	0.45
Brain	49	4.6	0.81	3.7	0.56	41	3.7	0.70	2.7	0.43
Endocrine System	63	5.6	0.84	4.4	0.59	302	21.7	1.35	18.0	1.08
Thyroid gland	59	5.3	0.83	4.1	0.58	297	21.5	1.35	17.7	1.07
Lymphomas	178	19.2	1.76	13.0	1.04	115	13.1	1.38	8.2	0.79
Hodgkin Lymphoma	34	2.3	0.48	2.0	0.35	13	0.8	0.24	0.8	0.24
Non-Hodgkin Lymphoma	144	16.9	1.69	11.0	0.97	102	12.3	1.36	7.4	0.75
Multiple Myeloma	43	6.1	1.14	3.7	0.60	27	3.2	0.68	1.9	0.37
Leukemias	138	12.4	1.44	9.1	0.82	92	7.9	0.97	6.0	0.64
Acute lymphocytic	58	2.5	0.36	3.2	0.43	33	1.6	0.30	1.9	0.33
Chronic lymphocytic	17	2.8	0.74	1.6	0.39	16	1.8	0.48	1.3	0.33
Acute myeloid	31	3.7	0.86	2.1	0.40	26	2.4	0.55	1.7	0.34
Chronic myeloid	12	1.0	0.33	0.7	0.22	9	0.8	0.30	0.6	0.19
Other leukemias	20	2.4	0.74	1.5	0.36	8	1.3	0.48	0.6	0.21
Mesothelioma	9	1.4	0.59	0.7	0.25	-	-	-	-	-
Kaposi Sarcoma	10	0.5	0.17	0.4	0.14	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	90	12.0	1.40	6.4	0.70
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	53	6.1	1.08	4.0	0.59	67	6.6	0.89	4.6	0.58
Breast (*in situ*)	-	-	-	-	-	175	17.4	1.41	12.8	0.99

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	22,961	468.4	3.20	305.0	2.14	20,683	420.6	3.02	288.4	2.21
Oral Cavity & Pharynx	862	16.6	0.58	12.0	0.42	295	5.9	0.35	4.1	0.26
Lip	47	1.0	0.15	0.7	0.10	11	0.2	0.07	0.2	0.05
Tongue	293	5.5	0.33	4.0	0.24	101	1.9	0.20	1.5	0.16
Major salivary gland	77	1.7	0.20	1.1	0.13	44	0.9	0.15	0.6	0.11
Floor of mouth	37	0.7	0.12	0.5	0.08	15	0.3	0.07	0.2	0.05
Gum & other mouth	62	1.2	0.16	0.8	0.11	55	1.1	0.16	0.7	0.10
Nasopharynx	26	0.5	0.09	0.4	0.08	7	0.1	0.05	0.1	0.04
Oropharynx	64	1.1	0.14	0.9	0.11	16	0.3	0.08	0.2	0.06
Hypopharynx	56	1.0	0.14	0.7	0.10	6	0.1	0.05	0.1	0.03
Digestive System	4,481	91.7	1.42	57.8	0.90	3,137	62.0	1.13	38.5	0.74
Esophagus	504	10.0	0.46	6.4	0.29	110	2.2	0.21	1.4	0.15
Stomach	289	5.9	0.36	3.7	0.22	160	3.2	0.26	1.9	0.17
Small intestine	97	2.0	0.21	1.3	0.14	65	1.3	0.17	0.9	0.13
Colon excl. rectum	1,572	32.9	0.86	19.9	0.52	1,354	27.0	0.75	16.0	0.47
Rectum & rectosigmoid	734	14.9	0.57	9.7	0.37	453	9.0	0.43	5.9	0.30
Anus, anal canal & anorectum	80	1.7	0.19	1.2	0.14	129	2.6	0.23	1.7	0.16
Liver	371	7.1	0.38	5.1	0.27	146	2.7	0.23	1.8	0.16
Gallbladder	24	0.5	0.11	0.3	0.06	48	0.9	0.13	0.5	0.08
Pancreas	667	13.6	0.55	8.4	0.34	533	10.3	0.46	6.5	0.30
Respiratory System	3,865	78.5	1.30	47.4	0.79	3,569	68.6	1.17	42.4	0.75
Larynx	260	4.9	0.31	3.5	0.22	65	1.3	0.17	0.9	0.12
Lung & bronchus	3,570	72.9	1.26	43.2	0.75	3,484	66.8	1.15	41.2	0.73
Bones & Joints	51	1.3	0.18	1.2	0.18	32	0.8	0.14	0.7	0.14
Soft Tissue (incl. heart)	178	4.0	0.31	2.9	0.25	119	2.5	0.24	2.0	0.22
Skin (excl. basal & sq.)	1,117	23.7	0.74	15.6	0.50	768	16.9	0.63	12.4	0.50
Melanomas of the skin	1,019	21.6	0.70	14.3	0.48	719	15.8	0.61	11.7	0.49
Breast (excl. *in situ*)	65	1.3	0.17	0.8	0.10	5,980	121.2	1.62	85.9	1.18
Female Genital System	-	-	-	-	-	2,095	42.5	0.96	31.6	0.74
Cervix uteri	-	-	-	-	-	325	7.8	0.45	6.2	0.36
Uterus Corpus	-	-	-	-	-	983	18.9	0.62	14.2	0.47
Uterus, NOS[1]	-	-	-	-	-	29	0.6	0.11	0.4	0.08
Ovary	-	-	-	-	-	557	11.2	0.49	8.0	0.37
Male Genital System	5,636	108.5	1.49	75.1	1.04	-	-	-	-	-
Prostate	5,394	102.2	1.44	69.5	0.97	-	-	-	-	-
Testis	205	5.5	0.39	5.1	0.37	-	-	-	-	-
Penis	24	0.5	0.11	0.3	0.06	-	-	-	-	-
Urinary System	2,912	60.8	1.16	36.9	0.72	1,115	22.1	0.68	13.8	0.46
Bladder (incl. *in situ*)	1,912	40.3	0.95	23.0	0.54	574	11.3	0.48	6.5	0.30
Kidney & renal pelvis	924	18.7	0.64	13.1	0.46	510	10.3	0.47	7.0	0.34
Ureter	30	0.7	0.12	0.3	0.07	20	0.4	0.09	0.2	0.05
Eye & Orbit	42	0.9	0.14	0.6	0.12	27	0.6	0.12	0.5	0.13
Brain & Other Nervous System	345	7.6	0.43	5.9	0.37	240	5.3	0.36	4.2	0.32
Brain	335	7.4	0.42	5.7	0.36	223	4.8	0.34	3.8	0.30
Endocrine System	362	7.8	0.43	6.2	0.35	1,053	25.5	0.82	21.3	0.71
Thyroid gland	337	7.2	0.41	5.5	0.32	1,029	24.9	0.81	20.7	0.69
Lymphomas	1,018	22.0	0.71	15.1	0.52	807	17.1	0.62	12.1	0.49
Hodgkin Lymphoma	106	2.6	0.26	2.2	0.24	99	2.6	0.27	2.4	0.26
Non-Hodgkin Lymphoma	912	19.4	0.67	12.9	0.47	708	14.4	0.56	9.7	0.41
Multiple Myeloma	234	4.6	0.31	3.0	0.20	175	3.5	0.27	2.0	0.16
Leukemias	737	16.5	0.63	11.2	0.50	457	9.7	0.47	7.1	0.43
Acute lymphocytic	69	1.9	0.24	2.2	0.31	39	1.2	0.20	1.7	0.30
Chronic lymphocytic	276	5.8	0.36	3.3	0.21	152	2.9	0.24	1.7	0.15
Acute myeloid	205	4.5	0.32	3.0	0.24	152	3.2	0.27	2.3	0.21
Chronic myeloid	66	1.6	0.21	1.1	0.16	46	1.0	0.15	0.7	0.12
Other leukemias	121	2.7	0.26	1.5	0.14	68	1.4	0.17	0.8	0.12
Mesothelioma	78	1.7	0.19	0.9	0.11	22	0.4	0.10	0.3	0.07
Kaposi Sarcoma	21	0.5	0.11	0.4	0.09	-	-	-	-	-
Ill-defined & Unknown	957	20.3	0.68	12.0	0.42	792	15.9	0.58	9.3	0.38
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	240	5.2	0.35	3.7	0.26	444	9.4	0.47	6.8	0.37
Breast (*in situ*)	16	0.3	0.08	0.2	0.05	1,184	24.0	0.72	17.9	0.54

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nevada, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,869	439.7	11.10	290.8	6.80	1,776	359.5	8.82	248.4	5.97
Oral Cavity & Pharynx	45	9.2	1.46	7.3	1.09	22	4.2	0.91	3.1	0.67
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	16	3.1	0.77	2.6	0.65	-	-	-	-	-
Major salivary gland	9	1.9	0.68	1.4	0.49	6	1.2	0.49	0.8	0.35
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	479	117.2	5.87	73.7	3.41	354	73.3	4.04	48.7	2.62
Esophagus	31	8.1	1.63	4.7	0.86	13	2.9	0.83	1.8	0.49
Stomach	49	12.1	1.90	7.6	1.10	25	5.7	1.19	3.4	0.69
Small intestine	14	4.9	1.45	2.2	0.59	9	1.9	0.68	1.2	0.40
Colon excl. rectum	171	40.3	3.32	26.6	2.05	164	33.7	2.73	22.8	1.80
Rectum & rectosigmoid	68	15.4	2.02	10.3	1.26	49	9.9	1.46	6.7	0.96
Anus, anal canal & anorectum	6	1.3	0.59	0.9	0.35	8	1.5	0.53	1.2	0.41
Liver	60	13.5	1.96	9.3	1.22	16	3.1	0.79	2.3	0.57
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	60	15.8	2.22	9.1	1.18	56	11.8	1.65	7.6	1.03
Respiratory System	328	80.4	4.82	51.0	2.85	240	50.5	3.39	32.4	2.12
Larynx	25	5.8	1.26	4.0	0.80	-	-	-	-	-
Lung & bronchus	296	73.4	4.63	45.8	2.69	232	49.1	3.35	31.2	2.08
Bones & Joints	8	1.5	0.59	1.3	0.48	-	-	-	-	-
Soft Tissue (incl. heart)	18	3.4	0.81	2.9	0.68	7	1.4	0.56	1.0	0.39
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	6	1.2	0.52	1.0	0.40	-	-	-	-	-
Breast (excl. *in situ*)	10	2.3	0.79	1.4	0.46	561	109.9	4.77	79.5	3.39
Female Genital System	-	-	-	-	-	173	33.2	2.59	25.1	1.93
Cervix uteri	-	-	-	-	-	41	7.6	1.22	6.1	0.96
Uterus Corpus	-	-	-	-	-	79	15.0	1.73	11.3	1.29
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	33	6.9	1.25	4.7	0.82
Male Genital System	554	125.4	5.75	86.9	3.73	-	-	-	-	-
Prostate	546	123.9	5.72	85.7	3.70	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	132	32.0	3.09	20.5	1.81	103	22.0	2.25	13.8	1.38
Bladder (incl. *in situ*)	60	16.9	2.42	9.1	1.19	41	9.0	1.47	5.3	0.84
Kidney & renal pelvis	62	12.5	1.67	9.8	1.27	58	11.8	1.60	8.1	1.08
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	22	4.3	0.97	3.9	0.85	21	4.3	0.97	3.2	0.71
Brain	21	4.1	0.96	3.7	0.82	19	3.9	0.94	2.9	0.68
Endocrine System	27	5.6	1.18	4.1	0.80	79	14.6	1.66	11.8	1.34
Thyroid gland	24	5.1	1.14	3.6	0.74	77	14.2	1.64	11.5	1.31
Lymphomas	71	15.6	2.02	10.8	1.29	65	13.1	1.67	9.2	1.16
Hodgkin Lymphoma	13	2.2	0.63	2.1	0.59	7	1.3	0.50	1.1	0.42
Non-Hodgkin Lymphoma	58	13.4	1.92	8.7	1.15	58	11.8	1.59	8.1	1.08
Multiple Myeloma	37	9.2	1.64	5.7	0.95	25	5.4	1.13	3.4	0.69
Leukemias	47	10.7	1.74	7.5	1.11	37	8.3	1.43	5.2	0.90
Acute lymphocytic	7	1.2	0.45	1.3	0.50	7	1.4	0.56	1.2	0.50
Chronic lymphocytic	13	3.4	1.03	1.9	0.54	12	3.1	0.91	1.5	0.44
Acute myeloid	19	4.1	1.03	2.9	0.68	12	2.2	0.67	1.8	0.54
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	6	1.6	0.67	0.7	0.29
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	79	20.5	2.54	12.0	1.37	82	17.5	2.01	11.0	1.23
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	26	6.2	1.36	4.0	0.79	62	12.7	1.66	8.7	1.12
Breast (*in situ*)	-	-	-	-	-	118	23.6	2.23	16.6	1.54

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	19,891	558.1	4.09	369.2	2.74	18,582	458.4	3.45	318.1	2.55
Oral Cavity & Pharynx	640	16.5	0.67	12.2	0.49	262	6.6	0.42	4.4	0.30
Lip	19	0.6	0.15	0.3	0.07	15	0.4	0.10	0.2	0.04
Tongue	208	5.4	0.39	4.0	0.28	83	2.1	0.23	1.3	0.16
Major salivary gland	60	1.7	0.23	1.1	0.15	20	0.5	0.12	0.4	0.11
Floor of mouth	31	0.7	0.14	0.6	0.11	22	0.6	0.12	0.3	0.08
Gum & other mouth	64	1.8	0.24	1.1	0.15	52	1.3	0.18	0.8	0.13
Nasopharynx	18	0.5	0.12	0.4	0.10	11	0.3	0.09	0.2	0.08
Oropharynx	33	0.8	0.15	0.6	0.11	10	0.3	0.08	0.2	0.05
Hypopharynx	51	1.2	0.18	0.9	0.13	7	0.2	0.07	0.1	0.05
Digestive System	3,316	93.7	1.68	58.9	1.06	2,655	64.1	1.27	39.2	0.83
Esophagus	443	12.5	0.61	7.8	0.38	99	2.4	0.24	1.5	0.16
Stomach	263	7.5	0.48	4.7	0.30	157	3.8	0.31	2.2	0.19
Small intestine	111	3.2	0.31	2.0	0.20	90	2.2	0.24	1.5	0.17
Colon excl. rectum	1,004	29.5	0.96	17.5	0.57	1,105	26.7	0.82	15.6	0.52
Rectum & rectosigmoid	502	13.6	0.63	9.2	0.43	396	9.7	0.50	6.4	0.34
Anus, anal canal & anorectum	45	1.2	0.18	0.9	0.13	99	2.4	0.25	1.6	0.17
Liver	289	7.4	0.45	5.3	0.33	81	1.9	0.22	1.3	0.15
Gallbladder	31	1.0	0.18	0.5	0.10	50	1.3	0.18	0.7	0.11
Pancreas	502	14.4	0.66	8.7	0.40	432	10.3	0.50	6.1	0.32
Respiratory System	2,888	83.5	1.60	50.7	0.97	2,705	66.1	1.30	41.9	0.86
Larynx	222	6.2	0.43	4.0	0.27	69	1.6	0.20	1.2	0.15
Lung & bronchus	2,606	75.7	1.53	45.3	0.91	2,608	63.8	1.27	40.3	0.84
Bones & Joints	32	0.9	0.17	0.9	0.17	45	1.4	0.21	1.3	0.22
Soft Tissue (incl. heart)	116	3.6	0.34	2.6	0.27	102	2.7	0.27	2.5	0.30
Skin (excl. basal & sq.)	1,198	34.7	1.04	22.0	0.67	952	24.4	0.82	18.1	0.65
Melanomas of the skin	1,106	31.7	0.99	20.5	0.65	893	23.0	0.80	17.2	0.63
Breast (excl. *in situ*)	51	1.5	0.21	0.9	0.13	5,508	135.1	1.86	97.1	1.37
Female Genital System	-	-	-	-	-	2,252	54.2	1.17	40.1	0.89
Cervix uteri	-	-	-	-	-	181	5.1	0.39	4.1	0.33
Uterus Corpus	-	-	-	-	-	1,341	31.4	0.88	23.7	0.67
Uterus, NOS[1]	-	-	-	-	-	32	0.7	0.13	0.4	0.09
Ovary	-	-	-	-	-	485	11.9	0.55	8.6	0.42
Male Genital System	5,694	149.5	2.05	108.5	1.47	-	-	-	-	-
Prostate	5,431	140.7	1.97	100.8	1.39	-	-	-	-	-
Testis	229	7.7	0.52	7.1	0.49	-	-	-	-	-
Penis	27	0.9	0.17	0.5	0.09	-	-	-	-	-
Urinary System	2,502	72.2	1.49	44.0	0.92	973	23.6	0.77	15.1	0.53
Bladder (incl. *in situ*)	1,698	50.2	1.25	28.8	0.72	540	12.9	0.57	7.8	0.37
Kidney & renal pelvis	752	20.3	0.76	14.4	0.55	412	10.2	0.52	7.1	0.39
Ureter	29	0.9	0.17	0.5	0.09	17	0.4	0.10	0.2	0.05
Eye & Orbit	31	0.9	0.17	0.8	0.16	36	0.9	0.16	0.7	0.14
Brain & Other Nervous System	312	9.3	0.54	7.6	0.50	246	6.7	0.45	6.0	0.46
Brain	291	8.7	0.52	6.9	0.46	228	6.2	0.43	5.4	0.43
Endocrine System	305	8.6	0.51	6.9	0.42	772	21.4	0.79	17.6	0.67
Thyroid gland	276	7.7	0.48	6.0	0.38	752	20.9	0.79	17.2	0.66
Lymphomas	1,033	30.2	0.97	20.8	0.69	812	20.3	0.73	14.3	0.56
Hodgkin Lymphoma	142	4.5	0.38	3.9	0.34	82	2.5	0.28	2.2	0.27
Non-Hodgkin Lymphoma	891	25.8	0.89	16.9	0.60	730	17.8	0.67	12.1	0.49
Multiple Myeloma	255	7.1	0.46	4.5	0.29	185	4.6	0.34	2.8	0.22
Leukemias	644	19.0	0.77	13.0	0.57	408	10.4	0.53	7.7	0.46
Acute lymphocytic	60	2.0	0.26	2.4	0.34	43	1.4	0.22	1.7	0.30
Chronic lymphocytic	284	8.2	0.50	5.0	0.30	150	3.5	0.29	2.2	0.20
Acute myeloid	154	4.6	0.38	2.9	0.25	128	3.3	0.30	2.3	0.24
Chronic myeloid	76	2.1	0.26	1.5	0.18	46	1.2	0.18	0.8	0.12
Other leukemias	70	2.1	0.26	1.2	0.15	41	1.0	0.16	0.7	0.14
Mesothelioma	74	2.4	0.28	1.2	0.14	20	0.5	0.11	0.3	0.07
Kaposi Sarcoma	8	0.2	0.07	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	792	24.3	0.88	13.6	0.51	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	276	7.9	0.49	6.0	0.39	461	11.9	0.57	9.2	0.47
Breast (*in situ*)	-	-	-	-	-	1,464	35.7	0.95	27.2	0.73

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	19,445	557.6	4.13	369.3	2.78	18,262	461.0	3.51	320.3	2.60
Oral Cavity & Pharynx	621	16.3	0.68	12.0	0.49	256	6.6	0.42	4.4	0.30
Lip	18	0.6	0.14	0.3	0.07	15	0.4	0.10	0.2	0.05
Tongue	206	5.5	0.40	4.1	0.29	83	2.1	0.24	1.4	0.17
Major salivary gland	58	1.7	0.23	1.1	0.15	19	0.5	0.13	0.4	0.11
Floor of mouth	31	0.8	0.14	0.6	0.11	22	0.6	0.12	0.4	0.08
Gum & other mouth	60	1.7	0.23	1.1	0.14	50	1.3	0.18	0.8	0.13
Nasopharynx	13	0.3	0.10	0.3	0.08	9	0.3	0.09	0.2	0.08
Oropharynx	33	0.8	0.15	0.6	0.11	10	0.3	0.08	0.2	0.05
Hypopharynx	47	1.2	0.18	0.9	0.13	7	0.2	0.07	0.1	0.05
Digestive System	3,234	93.4	1.70	58.7	1.07	2,608	64.2	1.29	39.3	0.85
Esophagus	440	12.7	0.62	7.9	0.39	96	2.4	0.25	1.5	0.16
Stomach	260	7.6	0.49	4.7	0.30	152	3.7	0.31	2.2	0.20
Small intestine	109	3.2	0.31	2.0	0.20	88	2.2	0.24	1.5	0.18
Colon excl. rectum	978	29.3	0.97	17.4	0.58	1,087	26.8	0.83	15.6	0.53
Rectum & rectosigmoid	490	13.6	0.63	9.2	0.43	391	9.8	0.51	6.4	0.35
Anus, anal canal & anorectum	42	1.1	0.17	0.8	0.13	97	2.4	0.25	1.6	0.18
Liver	271	7.0	0.44	5.1	0.33	77	1.9	0.22	1.3	0.16
Gallbladder	30	0.9	0.18	0.5	0.10	49	1.2	0.18	0.7	0.11
Pancreas	491	14.4	0.67	8.7	0.40	428	10.3	0.51	6.1	0.32
Respiratory System	2,853	84.1	1.62	51.1	0.99	2,677	66.7	1.31	42.3	0.87
Larynx	220	6.2	0.43	4.0	0.28	68	1.6	0.20	1.2	0.15
Lung & bronchus	2,574	76.2	1.55	45.7	0.93	2,581	64.4	1.29	40.6	0.85
Bones & Joints	31	0.9	0.17	0.9	0.17	44	1.4	0.22	1.4	0.23
Soft Tissue (incl. heart)	113	3.6	0.35	2.6	0.28	100	2.7	0.28	2.5	0.32
Skin (excl. basal & sq.)	1,156	34.3	1.04	21.8	0.67	923	24.4	0.83	18.1	0.66
Melanomas of the skin	1,067	31.4	0.99	20.3	0.65	866	23.0	0.81	17.2	0.65
Breast (excl. *in situ*)	50	1.5	0.21	0.9	0.13	5,424	136.2	1.90	98.0	1.40
Female Genital System	-	-	-	-	-	2,209	54.4	1.19	40.2	0.90
Cervix uteri	-	-	-	-	-	171	4.9	0.39	4.0	0.33
Uterus Corpus	-	-	-	-	-	1,318	31.6	0.89	23.8	0.68
Uterus, NOS[1]	-	-	-	-	-	30	0.7	0.13	0.4	0.08
Ovary	-	-	-	-	-	477	12.0	0.56	8.7	0.43
Male Genital System	5,542	148.6	2.06	108.2	1.49	-	-	-	-	-
Prostate	5,284	139.6	1.98	100.3	1.40	-	-	-	-	-
Testis	225	8.0	0.54	7.4	0.51	-	-	-	-	-
Penis	26	0.8	0.17	0.4	0.09	-	-	-	-	-
Urinary System	2,470	72.7	1.51	44.5	0.94	955	23.6	0.78	15.1	0.54
Bladder (incl. *in situ*)	1,677	50.4	1.27	29.0	0.73	527	12.8	0.57	7.8	0.37
Kidney & renal pelvis	741	20.5	0.78	14.6	0.57	407	10.3	0.52	7.2	0.39
Ureter	29	0.9	0.18	0.5	0.09	17	0.4	0.10	0.2	0.05
Eye & Orbit	31	0.9	0.18	0.8	0.17	36	1.0	0.16	0.7	0.15
Brain & Other Nervous System	304	9.4	0.56	7.7	0.51	244	6.9	0.46	6.3	0.49
Brain	284	8.8	0.54	6.9	0.47	227	6.4	0.44	5.7	0.46
Endocrine System	293	8.5	0.51	6.7	0.42	753	21.7	0.82	17.8	0.70
Thyroid gland	265	7.6	0.48	5.9	0.38	733	21.2	0.81	17.5	0.69
Lymphomas	1,011	30.4	0.99	21.0	0.71	797	20.4	0.74	14.5	0.57
Hodgkin Lymphoma	136	4.5	0.39	3.9	0.36	80	2.5	0.29	2.3	0.28
Non-Hodgkin Lymphoma	875	25.9	0.90	17.0	0.61	717	17.9	0.68	12.2	0.50
Multiple Myeloma	249	7.1	0.46	4.5	0.29	182	4.6	0.35	2.8	0.22
Leukemias	632	19.1	0.78	13.0	0.58	398	10.4	0.54	7.7	0.47
Acute lymphocytic	58	2.0	0.27	2.4	0.35	40	1.4	0.22	1.6	0.30
Chronic lymphocytic	280	8.2	0.51	5.0	0.31	146	3.4	0.29	2.2	0.20
Acute myeloid	149	4.5	0.38	2.8	0.24	125	3.3	0.31	2.3	0.24
Chronic myeloid	75	2.2	0.26	1.5	0.19	46	1.2	0.18	0.8	0.13
Other leukemias	70	2.1	0.26	1.2	0.15	41	1.0	0.17	0.8	0.14
Mesothelioma	74	2.4	0.28	1.2	0.15	19	0.5	0.11	0.3	0.07
Kaposi Sarcoma	8	0.2	0.07	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	773	24.1	0.89	13.5	0.51	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	263	7.7	0.49	5.9	0.39	446	11.8	0.58	9.2	0.48
Breast (*in situ*)	-	-	-	-	-	1,432	35.8	0.97	27.3	0.74

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	131	474.1	48.26	324.3	29.56	70	258.4	33.19	185.2	23.00
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	30	91.4	18.34	70.3	13.48	9	33.5	11.71	23.1	8.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	26.5	10.16	19.8	7.41	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	21.8	10.15	14.6	6.21	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	19.9	8.57	16.2	6.82	-	-	-	-	-
Respiratory System	16	68.7	19.92	41.9	10.85	11	40.2	12.37	31.2	9.76
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	66.3	19.78	39.9	10.68	11	40.2	12.37	31.2	9.76
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	24	98.0	21.26	63.8	13.49
Female Genital System	-	-	-	-	-	10	33.0	11.27	25.4	8.26
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	51	181.7	29.08	131.2	18.97	-	-	-	-	-
Prostate	51	181.7	29.08	131.2	18.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	47.5	17.52	27.3	8.86	-	-	-	-	-
Bladder (incl. *in situ*)	6	32.1	14.98	17.3	7.23	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	24.3	10.97	15.0	6.04	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	108	292.0	33.60	172.2	17.20	124	197.8	19.95	139.9	12.99
Oral Cavity & Pharynx	10	19.7	7.44	13.1	4.44	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	24	58.8	13.68	36.3	7.73	22	42.7	10.37	27.4	5.99
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	19.3	8.15	12.0	4.92	10	21.1	7.56	13.5	4.30
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	16.8	7.11	10.7	3.87	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	38.0	12.60	17.7	5.64	6	7.8	3.27	6.5	2.76
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	33.4	11.71	15.9	5.37	6	7.8	3.27	6.5	2.76
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	39	54.4	9.34	41.9	6.96
Female Genital System	-	-	-	-	-	19	26.6	6.50	20.5	4.75
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	12	17.9	5.61	13.2	3.84
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	22	57.4	13.45	39.1	8.43	-	-	-	-	-
Prostate	22	57.4	13.45	39.1	8.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	41.9	15.95	17.1	5.89	-	-	-	-	-
Bladder (incl. *in situ*)	6	30.0	13.21	11.3	4.71	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	12	14.8	4.36	12.1	3.62
Thyroid gland	-	-	-	-	-	12	14.8	4.36	12.1	3.62
Lymphomas	9	21.8	8.63	13.4	4.62	7	16.2	6.79	8.2	3.18
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	7	16.2	6.79	8.2	3.18
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	6	7.3	3.04	8.5	3.60	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	24.7	11.73	10.8	4.43	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	11	21.6	7.39	17.4	5.35	8	9.2	3.29	7.4	2.69
Breast (*in situ*)	-	-	-	-	-	18	24.5	6.23	17.4	4.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	216	594.4	46.73	372.2	26.65	254	454.8	31.76	320.5	20.89
Oral Cavity & Pharynx	8	23.5	9.24	15.1	5.66	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	40	119.9	21.74	71.9	11.89	40	80.2	14.09	51.3	8.39
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	9	27.8	10.92	15.4	5.23	17	34.5	9.38	22.5	5.66
Rectum & rectosigmoid	7	18.8	8.39	11.1	4.55	6	11.1	4.93	7.5	3.12
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	16.2	7.71	11.1	4.70	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	19.5	8.54	12.8	5.40	-	-	-	-	-
Respiratory System	21	70.7	16.75	41.6	9.36	31	69.9	13.66	43.7	8.10
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	64.1	16.29	35.5	8.66	30	68.6	13.60	42.8	8.05
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	7	17.1	7.41	11.4	4.57	-	-	-	-	-
Melanomas of the skin	7	17.1	7.41	11.4	4.57	10	15.9	5.57	11.3	3.71
Breast (excl. *in situ*)	-	-	-	-	-	71	120.2	15.66	86.4	10.62
Female Genital System	-	-	-	-	-	32	58.2	11.21	43.2	7.94
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	17	32.1	8.47	23.3	5.87
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	14.8	5.67	11.0	4.01
Male Genital System	63	168.8	24.25	113.4	15.04	-	-	-	-	-
Prostate	55	160.1	24.04	105.6	14.78	-	-	-	-	-
Testis	7	7.0	2.70	6.4	2.43	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	30	81.8	16.88	51.8	9.80	9	20.3	7.24	13.5	4.67
Bladder (incl. *in situ*)	15	44.1	12.76	27.4	7.35	-	-	-	-	-
Kidney & renal pelvis	14	32.8	9.90	22.6	6.23	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	22	28.2	6.14	22.9	5.00
Thyroid gland	-	-	-	-	-	21	27.0	6.01	22.0	4.92
Lymphomas	10	20.1	7.85	13.5	4.51	10	12.0	3.99	11.2	3.66
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	13	29.8	10.35	20.2	5.93	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	8	27.9	11.25	12.7	4.64	7	18.4	7.46	10.2	4.05
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	12	20.5	6.73	14.1	4.17
Breast (*in situ*)	-	-	-	-	-	22	34.0	7.54	28.8	6.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	19,263	558.1	4.15	369.9	2.81	18,033	460.8	3.53	320.1	2.63
Oral Cavity & Pharynx	614	16.3	0.68	12.0	0.50	253	6.6	0.43	4.4	0.30
Lip	18	0.6	0.15	0.3	0.07	15	0.4	0.10	0.2	0.05
Tongue	202	5.5	0.40	4.0	0.29	83	2.1	0.24	1.4	0.17
Major salivary gland	57	1.7	0.23	1.1	0.15	18	0.5	0.13	0.4	0.11
Floor of mouth	31	0.8	0.14	0.6	0.11	22	0.6	0.13	0.4	0.08
Gum & other mouth	60	1.7	0.23	1.1	0.15	50	1.3	0.19	0.8	0.13
Nasopharynx	13	0.3	0.10	0.3	0.08	8	0.2	0.08	0.2	0.06
Oropharynx	33	0.8	0.15	0.6	0.11	10	0.3	0.08	0.2	0.05
Hypopharynx	46	1.1	0.17	0.9	0.13	6	0.2	0.07	0.1	0.05
Digestive System	3,204	93.5	1.70	58.8	1.08	2,569	63.9	1.29	39.0	0.85
Esophagus	438	12.7	0.63	7.9	0.39	96	2.4	0.25	1.5	0.17
Stomach	257	7.6	0.49	4.7	0.31	148	3.6	0.31	2.1	0.19
Small intestine	108	3.2	0.32	2.1	0.21	86	2.2	0.24	1.5	0.18
Colon excl. rectum	972	29.5	0.97	17.5	0.59	1,070	26.5	0.83	15.4	0.52
Rectum & rectosigmoid	485	13.6	0.64	9.2	0.43	385	9.8	0.51	6.4	0.36
Anus, anal canal & anorectum	42	1.1	0.18	0.8	0.13	95	2.4	0.25	1.6	0.18
Liver	267	7.0	0.45	5.1	0.33	75	1.8	0.22	1.3	0.15
Gallbladder	28	0.9	0.17	0.5	0.10	49	1.3	0.18	0.7	0.11
Pancreas	487	14.4	0.67	8.7	0.40	424	10.4	0.51	6.1	0.33
Respiratory System	2,834	84.3	1.63	51.2	0.99	2,649	66.7	1.32	42.2	0.87
Larynx	217	6.2	0.44	4.0	0.28	68	1.7	0.21	1.2	0.15
Lung & bronchus	2,558	76.3	1.55	45.8	0.93	2,554	64.3	1.30	40.6	0.85
Bones & Joints	31	1.0	0.18	0.9	0.18	41	1.4	0.22	1.3	0.23
Soft Tissue (incl. heart)	113	3.7	0.36	2.7	0.29	97	2.7	0.29	2.5	0.32
Skin (excl. basal & sq.)	1,150	34.6	1.05	22.0	0.68	912	24.5	0.84	18.1	0.67
Melanomas of the skin	1,061	31.6	1.00	20.5	0.66	856	23.1	0.82	17.3	0.66
Breast (excl. *in situ*)	49	1.5	0.21	0.9	0.13	5,361	136.2	1.91	98.0	1.41
Female Genital System	-	-	-	-	-	2,183	54.5	1.20	40.3	0.91
Cervix uteri	-	-	-	-	-	170	5.0	0.40	4.1	0.34
Uterus Corpus	-	-	-	-	-	1,302	31.6	0.90	23.8	0.68
Uterus, NOS[1]	-	-	-	-	-	30	0.7	0.13	0.4	0.08
Ovary	-	-	-	-	-	471	12.0	0.57	8.7	0.43
Male Genital System	5,488	148.6	2.07	108.2	1.50	-	-	-	-	-
Prostate	5,238	139.6	1.99	100.3	1.41	-	-	-	-	-
Testis	218	8.0	0.55	7.3	0.52	-	-	-	-	-
Penis	25	0.8	0.17	0.4	0.09	-	-	-	-	-
Urinary System	2,443	72.6	1.52	44.4	0.94	947	23.7	0.79	15.2	0.55
Bladder (incl. *in situ*)	1,662	50.5	1.27	29.0	0.74	523	12.8	0.57	7.8	0.37
Kidney & renal pelvis	730	20.5	0.78	14.6	0.57	403	10.3	0.53	7.2	0.40
Ureter	28	0.9	0.17	0.5	0.09	17	0.4	0.10	0.2	0.05
Eye & Orbit	31	1.0	0.18	0.8	0.18	36	1.0	0.17	0.7	0.15
Brain & Other Nervous System	300	9.4	0.56	7.7	0.52	241	7.0	0.47	6.4	0.51
Brain	281	8.8	0.54	7.0	0.48	224	6.5	0.45	5.7	0.47
Endocrine System	289	8.5	0.52	6.8	0.43	734	21.5	0.83	17.7	0.70
Thyroid gland	261	7.6	0.49	5.9	0.39	715	21.1	0.82	17.4	0.70
Lymphomas	1,004	30.6	1.00	21.1	0.72	788	20.4	0.75	14.4	0.58
Hodgkin Lymphoma	134	4.5	0.40	4.0	0.37	75	2.4	0.29	2.2	0.27
Non-Hodgkin Lymphoma	870	26.1	0.91	17.2	0.62	713	17.9	0.69	12.3	0.51
Multiple Myeloma	246	7.1	0.46	4.5	0.30	180	4.6	0.35	2.8	0.22
Leukemias	620	19.0	0.79	12.9	0.58	393	10.4	0.54	7.7	0.48
Acute lymphocytic	53	1.9	0.27	2.3	0.35	39	1.4	0.23	1.7	0.31
Chronic lymphocytic	276	8.2	0.51	5.0	0.31	146	3.5	0.29	2.3	0.20
Acute myeloid	146	4.5	0.38	2.8	0.25	123	3.3	0.31	2.3	0.24
Chronic myeloid	75	2.2	0.26	1.5	0.19	45	1.2	0.18	0.8	0.13
Other leukemias	70	2.2	0.27	1.2	0.15	40	1.0	0.17	0.8	0.15
Mesothelioma	73	2.4	0.28	1.2	0.15	19	0.5	0.11	0.3	0.07
Kaposi Sarcoma	8	0.2	0.07	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	766	24.1	0.89	13.5	0.51	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	259	7.7	0.50	5.9	0.40	435	11.7	0.58	9.1	0.48
Breast (*in situ*)	-	-	-	-	-	1,415	35.9	0.98	27.3	0.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Hampshire, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	124	497.5	51.64	341.0	31.80	67	288.9	37.84	206.0	26.11
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	27	92.8	19.59	70.9	14.25	9	39.2	13.61	27.1	9.42
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	29.5	11.28	22.1	8.21	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	16	75.7	21.79	46.4	11.96	10	41.9	13.49	32.1	10.51
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	73.1	21.63	44.2	11.77	10	41.9	13.49	32.1	10.51
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	22	106.8	24.17	68.3	15.09
Female Genital System	-	-	-	-	-	10	38.8	13.28	29.7	9.67
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	48	190.9	31.32	136.6	20.30	-	-	-	-	-
Prostate	48	190.9	31.32	136.6	20.30	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	43.3	16.85	26.9	9.19	-	-	-	-	-
Bladder (incl. *in situ*)	6	34.8	16.05	18.9	7.88	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	27.4	12.40	17.0	6.77	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	122,931	564.7	1.64	371.3	1.11	121,865	450.5	1.31	312.5	0.98
Oral Cavity & Pharynx	3,459	15.0	0.26	10.8	0.19	1,664	6.1	0.15	4.3	0.11
Lip	120	0.6	0.05	0.3	0.03	79	0.3	0.03	0.2	0.02
Tongue	1,118	4.8	0.15	3.5	0.11	478	1.8	0.08	1.2	0.06
Major salivary gland	386	1.8	0.10	1.1	0.06	301	1.1	0.07	0.8	0.05
Floor of mouth	146	0.6	0.05	0.5	0.04	97	0.4	0.04	0.3	0.03
Gum & other mouth	374	1.7	0.09	1.2	0.06	342	1.2	0.07	0.8	0.05
Nasopharynx	194	0.9	0.06	0.7	0.05	86	0.3	0.04	0.3	0.03
Oropharynx	166	0.7	0.06	0.5	0.04	58	0.2	0.03	0.1	0.02
Hypopharynx	236	1.0	0.07	0.7	0.05	59	0.2	0.03	0.2	0.02
Digestive System	22,771	105.3	0.71	66.0	0.46	20,153	71.3	0.51	43.6	0.34
Esophagus	1,767	8.1	0.20	5.2	0.13	568	2.0	0.08	1.2	0.06
Stomach	2,365	11.2	0.23	6.8	0.15	1,615	5.7	0.15	3.5	0.10
Small intestine	545	2.5	0.11	1.6	0.07	530	1.9	0.09	1.3	0.06
Colon excl. rectum	7,349	34.8	0.41	20.6	0.25	8,315	29.1	0.33	17.1	0.21
Rectum & rectosigmoid	3,554	16.1	0.28	10.6	0.18	2,843	10.3	0.20	6.8	0.14
Anus, anal canal & anorectum	321	1.4	0.08	1.0	0.06	555	2.0	0.09	1.4	0.06
Liver	2,361	10.1	0.21	7.2	0.15	802	2.9	0.10	1.9	0.08
Gallbladder	219	1.1	0.07	0.6	0.04	471	1.7	0.08	1.0	0.05
Pancreas	3,302	15.3	0.27	9.4	0.17	3,412	12.0	0.21	7.0	0.13
Respiratory System	16,159	76.3	0.61	45.9	0.38	15,463	55.7	0.45	34.9	0.31
Larynx	1,287	5.8	0.17	3.9	0.11	376	1.4	0.07	1.0	0.05
Lung & bronchus	14,601	69.3	0.58	41.1	0.35	14,909	53.7	0.45	33.5	0.30
Bones & Joints	261	1.2	0.08	1.1	0.07	213	0.9	0.06	0.9	0.07
Soft Tissue (incl. heart)	919	4.3	0.14	3.2	0.12	776	3.0	0.11	2.5	0.10
Skin (excl. basal & sq.)	6,530	30.2	0.38	19.4	0.25	4,764	18.2	0.27	13.2	0.21
Melanomas of the skin	6,052	27.9	0.37	18.0	0.24	4,414	16.9	0.26	12.4	0.20
Breast (excl. *in situ*)	317	1.5	0.08	0.9	0.05	34,800	130.2	0.71	94.2	0.53
Female Genital System	-	-	-	-	-	14,987	55.4	0.46	40.8	0.35
Cervix uteri	-	-	-	-	-	1,959	8.0	0.18	6.2	0.15
Uterus Corpus	-	-	-	-	-	8,062	29.2	0.33	21.8	0.25
Uterus, NOS[1]	-	-	-	-	-	280	1.0	0.06	0.7	0.04
Ovary	-	-	-	-	-	3,510	13.0	0.22	9.4	0.17
Male Genital System	37,097	164.1	0.87	116.3	0.62	-	-	-	-	-
Prostate	35,673	157.3	0.85	110.3	0.60	-	-	-	-	-
Testis	1,210	5.8	0.17	5.4	0.16	-	-	-	-	-
Penis	166	0.8	0.06	0.5	0.04	-	-	-	-	-
Urinary System	13,844	65.4	0.57	39.3	0.35	6,169	22.3	0.29	14.4	0.20
Bladder (incl. *in situ*)	8,659	42.1	0.46	23.3	0.26	3,189	11.3	0.20	6.7	0.13
Kidney & renal pelvis	4,853	21.7	0.32	15.2	0.23	2,794	10.4	0.20	7.3	0.15
Ureter	199	1.0	0.07	0.5	0.04	125	0.4	0.04	0.2	0.02
Eye & Orbit	165	0.8	0.06	0.6	0.05	117	0.5	0.04	0.4	0.05
Brain & Other Nervous System	1,850	8.6	0.20	6.9	0.17	1,434	5.7	0.15	4.8	0.15
Brain	1,722	8.0	0.19	6.4	0.17	1,314	5.2	0.15	4.3	0.14
Endocrine System	2,326	10.4	0.22	8.3	0.18	6,686	27.8	0.35	22.9	0.30
Thyroid gland	2,108	9.4	0.21	7.3	0.16	6,492	27.0	0.34	22.2	0.29
Lymphomas	6,245	29.1	0.37	20.1	0.27	5,573	21.0	0.29	14.8	0.22
Hodgkin Lymphoma	794	3.7	0.13	3.3	0.12	684	3.0	0.12	2.8	0.12
Non-Hodgkin Lymphoma	5,451	25.4	0.35	16.8	0.24	4,889	17.9	0.26	11.9	0.19
Multiple Myeloma	1,810	8.4	0.20	5.3	0.13	1,541	5.5	0.14	3.6	0.10
Leukemias	3,941	18.5	0.30	12.9	0.23	2,955	11.1	0.21	8.1	0.18
Acute lymphocytic	393	1.9	0.10	2.2	0.12	299	1.4	0.08	1.7	0.11
Chronic lymphocytic	1,551	7.2	0.19	4.4	0.12	1,050	3.7	0.11	2.2	0.07
Acute myeloid	1,023	4.9	0.16	3.2	0.11	914	3.4	0.12	2.4	0.09
Chronic myeloid	468	2.2	0.10	1.5	0.07	349	1.3	0.07	1.0	0.06
Other leukemias	506	2.3	0.11	1.6	0.08	343	1.3	0.07	0.9	0.06
Mesothelioma	519	2.6	0.12	1.3	0.06	158	0.6	0.05	0.4	0.03
Kaposi Sarcoma	146	0.7	0.06	0.5	0.04	43	0.2	0.02	0.1	0.02
Ill-defined & Unknown	4,572	22.2	0.33	12.5	0.20	4,369	15.1	0.23	8.6	0.15
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,787	8.2	0.20	6.0	0.15	3,259	12.3	0.22	9.0	0.17
Breast (*in situ*)	48	0.2	0.03	0.1	0.02	10,798	41.2	0.40	31.5	0.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	102,787	573.9	1.82	377.0	1.25	102,122	468.9	1.51	326.4	1.15
Oral Cavity & Pharynx	2,918	15.5	0.29	11.1	0.21	1,416	6.5	0.18	4.5	0.13
Lip	112	0.6	0.06	0.4	0.04	75	0.3	0.04	0.2	0.03
Tongue	981	5.2	0.17	3.8	0.12	415	1.9	0.10	1.4	0.07
Major salivary gland	341	2.0	0.11	1.2	0.07	253	1.2	0.08	0.8	0.06
Floor of mouth	122	0.6	0.06	0.5	0.04	89	0.4	0.04	0.3	0.03
Gum & other mouth	279	1.5	0.09	1.0	0.07	290	1.3	0.08	0.8	0.06
Nasopharynx	113	0.6	0.06	0.5	0.05	58	0.3	0.04	0.2	0.03
Oropharynx	134	0.7	0.06	0.5	0.05	45	0.2	0.03	0.1	0.02
Hypopharynx	192	1.0	0.07	0.7	0.05	47	0.2	0.03	0.1	0.02
Digestive System	18,678	104.4	0.78	65.2	0.50	16,449	70.2	0.56	42.6	0.38
Esophagus	1,519	8.3	0.22	5.4	0.15	454	1.9	0.09	1.2	0.06
Stomach	1,897	10.8	0.25	6.5	0.16	1,202	5.2	0.15	3.1	0.10
Small intestine	441	2.5	0.12	1.6	0.08	426	1.9	0.09	1.3	0.07
Colon excl. rectum	6,098	34.7	0.45	20.5	0.28	6,917	29.0	0.36	16.9	0.24
Rectum & rectosigmoid	2,940	16.3	0.31	10.7	0.21	2,307	10.2	0.22	6.8	0.16
Anus, anal canal & anorectum	256	1.4	0.09	1.0	0.06	484	2.2	0.10	1.6	0.08
Liver	1,751	9.3	0.23	6.5	0.16	606	2.7	0.11	1.8	0.08
Gallbladder	176	1.0	0.08	0.6	0.04	368	1.6	0.08	0.9	0.06
Pancreas	2,764	15.4	0.30	9.5	0.19	2,826	11.9	0.23	6.9	0.15
Respiratory System	13,721	77.7	0.67	46.6	0.42	13,418	58.8	0.52	37.0	0.35
Larynx	1,066	5.8	0.18	3.9	0.12	316	1.4	0.08	1.0	0.06
Lung & bronchus	12,434	70.6	0.64	41.8	0.39	12,956	56.7	0.51	35.6	0.34
Bones & Joints	224	1.4	0.09	1.3	0.09	182	1.0	0.08	1.0	0.08
Soft Tissue (incl. heart)	781	4.5	0.16	3.3	0.13	616	3.0	0.13	2.4	0.12
Skin (excl. basal & sq.)	6,235	35.1	0.45	22.7	0.30	4,507	21.8	0.34	16.0	0.27
Melanomas of the skin	5,815	32.6	0.43	21.3	0.29	4,206	20.5	0.33	15.2	0.26
Breast (excl. *in situ*)	260	1.4	0.09	0.9	0.06	28,652	134.5	0.82	97.4	0.62
Female Genital System	-	-	-	-	-	12,469	57.8	0.53	42.7	0.41
Cervix uteri	-	-	-	-	-	1,458	7.9	0.21	6.2	0.17
Uterus Corpus	-	-	-	-	-	6,862	31.0	0.38	23.2	0.29
Uterus, NOS[1]	-	-	-	-	-	188	0.8	0.06	0.6	0.05
Ovary	-	-	-	-	-	2,955	13.7	0.26	9.9	0.20
Male Genital System	29,320	158.4	0.94	112.6	0.68	-	-	-	-	-
Prostate	28,046	150.3	0.91	105.3	0.65	-	-	-	-	-
Testis	1,099	7.1	0.22	6.7	0.21	-	-	-	-	-
Penis	133	0.8	0.07	0.4	0.04	-	-	-	-	-
Urinary System	12,334	69.9	0.64	42.1	0.40	5,337	23.5	0.33	15.2	0.24
Bladder (incl. *in situ*)	7,950	45.8	0.52	25.5	0.30	2,861	12.2	0.23	7.3	0.16
Kidney & renal pelvis	4,087	22.4	0.36	15.7	0.26	2,317	10.7	0.23	7.5	0.18
Ureter	188	1.1	0.08	0.6	0.05	116	0.5	0.04	0.3	0.03
Eye & Orbit	154	0.9	0.07	0.7	0.07	110	0.5	0.05	0.5	0.06
Brain & Other Nervous System	1,608	9.4	0.24	7.6	0.21	1,243	6.3	0.18	5.3	0.18
Brain	1,506	8.8	0.23	7.1	0.20	1,148	5.8	0.18	4.8	0.17
Endocrine System	1,997	11.3	0.26	9.1	0.21	5,536	30.5	0.42	25.3	0.36
Thyroid gland	1,826	10.3	0.25	8.1	0.20	5,396	29.7	0.42	24.6	0.36
Lymphomas	5,343	30.7	0.43	21.1	0.31	4,794	22.4	0.34	15.8	0.27
Hodgkin Lymphoma	644	3.9	0.16	3.5	0.15	568	3.4	0.15	3.1	0.14
Non-Hodgkin Lymphoma	4,699	26.8	0.40	17.6	0.28	4,226	19.0	0.30	12.7	0.22
Multiple Myeloma	1,407	7.9	0.21	4.9	0.14	1,101	4.8	0.15	3.1	0.10
Leukemias	3,315	19.1	0.34	13.3	0.26	2,469	11.5	0.24	8.4	0.21
Acute lymphocytic	308	2.0	0.11	2.4	0.15	245	1.5	0.10	1.9	0.14
Chronic lymphocytic	1,314	7.4	0.21	4.5	0.13	888	3.7	0.13	2.3	0.09
Acute myeloid	887	5.2	0.18	3.4	0.13	775	3.6	0.13	2.5	0.11
Chronic myeloid	376	2.1	0.11	1.5	0.08	273	1.3	0.08	0.9	0.07
Other leukemias	430	2.4	0.12	1.6	0.09	288	1.3	0.08	0.9	0.07
Mesothelioma	490	2.9	0.13	1.5	0.07	150	0.7	0.05	0.4	0.04
Kaposi Sarcoma	94	0.6	0.06	0.4	0.04	29	0.1	0.02	0.1	0.02
Ill-defined & Unknown	3,908	22.7	0.37	12.6	0.22	3,644	15.0	0.26	8.5	0.17
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,455	8.3	0.22	6.0	0.17	2,601	12.3	0.25	9.0	0.20
Breast (*in situ*)	37	0.2	0.03	0.1	0.02	8,876	43.2	0.47	33.0	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,737	579.8	5.27	393.7	3.41	13,511	401.0	3.50	277.2	2.46
Oral Cavity & Pharynx	319	12.3	0.73	9.1	0.51	169	4.7	0.37	3.7	0.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	83	3.1	0.36	2.4	0.26	42	1.2	0.19	0.9	0.14
Major salivary gland	25	1.0	0.20	0.7	0.14	34	1.0	0.17	0.7	0.13
Floor of mouth	16	0.6	0.16	0.5	0.13	7	0.2	0.07	0.2	0.06
Gum & other mouth	36	1.5	0.27	1.0	0.17	30	0.9	0.16	0.6	0.12
Nasopharynx	35	1.2	0.22	1.0	0.17	14	0.4	0.10	0.3	0.09
Oropharynx	26	0.9	0.18	0.7	0.15	12	0.3	0.10	0.2	0.07
Hypopharynx	33	1.4	0.26	0.9	0.16	11	0.3	0.09	0.2	0.07
Digestive System	2,805	121.5	2.45	78.6	1.50	2,722	83.3	1.62	52.4	1.04
Esophagus	187	8.1	0.63	5.3	0.39	94	2.8	0.30	1.9	0.20
Stomach	286	13.4	0.84	8.2	0.49	276	8.6	0.52	5.1	0.32
Small intestine	86	3.8	0.43	2.3	0.25	88	2.7	0.29	1.7	0.19
Colon excl. rectum	893	41.1	1.47	24.9	0.85	1,073	32.9	1.02	20.6	0.65
Rectum & rectosigmoid	383	15.8	0.86	10.7	0.55	351	10.6	0.57	6.9	0.38
Anus, anal canal & anorectum	61	2.2	0.29	1.6	0.21	59	1.8	0.23	1.2	0.16
Liver	399	14.4	0.76	11.2	0.57	120	3.5	0.32	2.4	0.22
Gallbladder	27	1.3	0.28	0.8	0.15	71	2.1	0.25	1.4	0.17
Pancreas	397	17.4	0.93	11.3	0.57	471	14.7	0.69	8.9	0.43
Respiratory System	1,887	85.2	2.09	53.8	1.26	1,649	50.5	1.26	31.9	0.81
Larynx	173	7.1	0.57	5.0	0.38	52	1.5	0.21	1.1	0.15
Lung & bronchus	1,680	76.9	1.99	47.8	1.18	1,576	48.4	1.24	30.4	0.79
Bones & Joints	24	0.7	0.16	0.7	0.16	18	0.5	0.12	0.5	0.12
Soft Tissue (incl. heart)	101	3.5	0.37	3.0	0.31	112	3.2	0.31	2.7	0.27
Skin (excl. basal & sq.)	55	2.0	0.29	1.5	0.21	59	1.7	0.23	1.3	0.18
Melanomas of the skin	20	0.8	0.19	0.5	0.12	34	1.0	0.17	0.8	0.14
Breast (excl. *in situ*)	41	1.8	0.30	1.2	0.18	4,140	119.4	1.88	86.9	1.38
Female Genital System	-	-	-	-	-	1,751	51.0	1.24	37.1	0.91
Cervix uteri	-	-	-	-	-	375	10.7	0.56	8.1	0.43
Uterus Corpus	-	-	-	-	-	833	24.2	0.85	17.8	0.63
Uterus, NOS[1]	-	-	-	-	-	74	2.2	0.25	1.5	0.18
Ovary	-	-	-	-	-	346	10.4	0.57	7.1	0.39
Male Genital System	5,498	225.7	3.21	159.9	2.18	-	-	-	-	-
Prostate	5,433	223.3	3.19	158.0	2.17	-	-	-	-	-
Testis	43	1.4	0.22	1.3	0.20	-	-	-	-	-
Penis	19	0.8	0.20	0.5	0.12	-	-	-	-	-
Urinary System	1,042	46.1	1.52	29.7	0.93	634	19.5	0.79	12.7	0.53
Bladder (incl. *in situ*)	449	22.5	1.13	12.6	0.61	238	7.7	0.51	4.2	0.29
Kidney & renal pelvis	577	22.8	1.00	16.6	0.70	376	11.2	0.58	8.2	0.44
Ureter	-	-	-	-	-	6	0.2	0.09	0.1	0.03
Eye & Orbit	-	-	-	-	-	6	0.2	0.08	0.2	0.09
Brain & Other Nervous System	134	5.1	0.47	4.0	0.35	117	3.3	0.31	3.2	0.32
Brain	119	4.6	0.45	3.5	0.33	100	2.9	0.29	2.7	0.29
Endocrine System	139	5.2	0.46	4.1	0.35	475	13.3	0.62	10.8	0.50
Thyroid gland	110	4.1	0.41	3.1	0.30	437	12.2	0.59	9.8	0.47
Lymphomas	550	20.6	0.94	15.5	0.67	482	14.2	0.65	10.5	0.50
Hodgkin Lymphoma	105	3.4	0.34	3.0	0.30	81	2.3	0.26	2.1	0.24
Non-Hodgkin Lymphoma	445	17.2	0.87	12.5	0.60	401	11.9	0.60	8.4	0.43
Multiple Myeloma	317	14.0	0.83	8.9	0.51	359	10.7	0.57	7.1	0.39
Leukemias	303	12.8	0.80	9.0	0.53	260	8.0	0.50	5.8	0.39
Acute lymphocytic	38	1.1	0.19	1.5	0.24	25	0.7	0.15	0.9	0.19
Chronic lymphocytic	86	4.1	0.48	2.4	0.26	71	2.3	0.27	1.3	0.16
Acute myeloid	89	3.8	0.44	2.6	0.28	81	2.4	0.27	1.9	0.22
Chronic myeloid	49	1.9	0.29	1.4	0.20	52	1.6	0.22	1.1	0.16
Other leukemias	41	1.8	0.31	1.2	0.18	31	1.0	0.18	0.6	0.12
Mesothelioma	25	1.3	0.27	0.7	0.15	6	0.2	0.08	0.1	0.04
Kaposi Sarcoma	41	1.4	0.22	1.2	0.18	11	0.3	0.09	0.3	0.08
Ill-defined & Unknown	-	-	-	-	-	541	16.8	0.73	10.0	0.45
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	173	7.2	0.59	5.0	0.39	415	12.3	0.61	8.7	0.44
Breast (*in situ*)	10	0.4	0.14	0.3	0.09	1,123	31.7	0.96	24.1	0.73

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,956	284.6	5.12	183.4	2.96	4,713	266.6	4.14	187.5	2.78
Oral Cavity & Pharynx	183	11.7	0.99	8.0	0.60	63	3.4	0.46	2.4	0.31
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	44	2.8	0.48	2.0	0.30	19	1.1	0.26	0.7	0.17
Major salivary gland	16	1.2	0.33	0.7	0.19	11	0.5	0.15	0.4	0.12
Floor of mouth	6	0.5	0.23	0.3	0.12	-	-	-	-	-
Gum & other mouth	53	3.5	0.55	2.4	0.33	13	0.8	0.23	0.5	0.14
Nasopharynx	38	2.1	0.36	1.6	0.26	13	0.6	0.17	0.5	0.14
Oropharynx	6	0.4	0.18	0.3	0.11	-	-	-	-	-
Hypopharynx	11	0.9	0.29	0.5	0.15	-	-	-	-	-
Digestive System	1,039	77.2	2.73	47.6	1.49	785	50.6	1.94	31.1	1.12
Esophagus	50	3.9	0.63	2.3	0.33	18	1.3	0.34	0.7	0.17
Stomach	156	12.1	1.10	7.1	0.58	109	7.2	0.75	4.2	0.41
Small intestine	13	0.7	0.19	0.6	0.16	13	0.7	0.22	0.5	0.14
Colon excl. rectum	272	21.7	1.51	12.7	0.78	241	15.8	1.10	9.4	0.61
Rectum & rectosigmoid	174	11.2	0.94	7.7	0.59	143	8.5	0.76	5.7	0.48
Anus, anal canal & anorectum	-	-	-	-	-	8	0.5	0.19	0.3	0.11
Liver	180	12.1	1.02	8.1	0.61	68	4.4	0.57	2.8	0.36
Gallbladder	15	0.9	0.26	0.7	0.19	29	1.9	0.39	1.2	0.22
Pancreas	116	9.7	1.03	5.5	0.52	104	6.8	0.72	4.2	0.41
Respiratory System	476	38.2	1.96	22.1	1.02	360	24.1	1.36	14.5	0.77
Larynx	38	2.6	0.47	1.7	0.28	7	0.4	0.16	0.3	0.11
Lung & bronchus	426	34.8	1.89	19.8	0.97	346	23.3	1.34	13.8	0.75
Bones & Joints	9	0.4	0.15	0.4	0.15	11	0.6	0.19	0.5	0.17
Soft Tissue (incl. heart)	27	1.5	0.33	1.4	0.29	39	2.0	0.34	1.6	0.26
Skin (excl. basal & sq.)	32	2.4	0.49	1.5	0.26	26	1.5	0.31	1.0	0.19
Melanomas of the skin	21	1.8	0.46	1.0	0.22	15	0.9	0.26	0.6	0.15
Breast (excl. *in situ*)	12	1.0	0.32	0.6	0.16	1,686	87.8	2.24	65.9	1.62
Female Genital System	-	-	-	-	-	614	33.0	1.41	24.2	0.99
Cervix uteri	-	-	-	-	-	95	4.8	0.52	3.6	0.37
Uterus Corpus	-	-	-	-	-	294	15.1	0.92	11.8	0.69
Uterus, NOS[1]	-	-	-	-	-	14	1.0	0.28	0.5	0.14
Ovary	-	-	-	-	-	174	9.7	0.79	6.9	0.53
Male Genital System	1,041	73.2	2.51	48.8	1.52	-	-	-	-	-
Prostate	998	70.6	2.47	46.6	1.49	-	-	-	-	-
Testis	35	1.7	0.29	1.7	0.30	-	-	-	-	-
Penis	7	0.7	0.31	0.3	0.13	-	-	-	-	-
Urinary System	302	22.9	1.50	13.8	0.80	128	8.0	0.76	5.0	0.45
Bladder (incl. *in situ*)	154	13.2	1.20	7.2	0.59	48	3.2	0.49	1.8	0.27
Kidney & renal pelvis	138	8.8	0.84	6.2	0.53	75	4.5	0.55	3.0	0.35
Ureter	6	0.5	0.21	0.3	0.11	-	-	-	-	-
Eye & Orbit	6	0.3	0.11	0.3	0.15	-	-	-	-	-
Brain & Other Nervous System	85	4.7	0.54	4.1	0.46	57	3.2	0.45	2.7	0.38
Brain	80	4.4	0.53	3.8	0.44	51	2.9	0.44	2.4	0.35
Endocrine System	153	8.3	0.73	6.4	0.53	484	23.5	1.11	19.0	0.89
Thyroid gland	135	7.3	0.68	5.6	0.49	471	22.7	1.08	18.4	0.87
Lymphomas	235	16.0	1.18	11.1	0.74	193	11.7	0.90	8.2	0.61
Hodgkin Lymphoma	33	1.8	0.31	1.8	0.33	24	1.2	0.25	1.2	0.26
Non-Hodgkin Lymphoma	202	14.2	1.14	9.3	0.66	169	10.5	0.87	7.0	0.55
Multiple Myeloma	60	4.4	0.64	2.7	0.35	53	3.1	0.45	2.2	0.30
Leukemias	140	9.1	0.85	7.0	0.61	103	6.1	0.64	4.9	0.52
Acute lymphocytic	36	2.2	0.40	2.2	0.38	24	1.2	0.25	1.5	0.33
Chronic lymphocytic	30	2.3	0.47	1.4	0.25	7	0.5	0.21	0.3	0.10
Acute myeloid	33	2.1	0.39	1.6	0.28	47	3.0	0.46	1.9	0.29
Chronic myeloid	27	1.7	0.35	1.2	0.24	13	0.7	0.19	0.5	0.15
Other leukemias	14	0.8	0.24	0.6	0.18	12	0.7	0.23	0.7	0.21
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	148	12.6	1.21	7.1	0.60	109	7.9	0.81	4.4	0.43
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	97	6.1	0.68	4.6	0.48	167	9.5	0.78	6.9	0.55
Breast (*in situ*)	-	-	-	-	-	634	31.6	1.29	24.9	1.00

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	9,916	461.1	5.16	299.1	3.08	10,333	355.9	3.66	245.5	2.47
Oral Cavity & Pharynx	262	11.5	0.79	7.8	0.49	139	4.8	0.43	3.2	0.28
Lip	12	0.7	0.23	0.4	0.12	-	-	-	-	-
Tongue	79	3.5	0.43	2.4	0.27	33	1.2	0.23	0.8	0.14
Major salivary gland	25	1.2	0.28	0.7	0.14	26	0.9	0.18	0.6	0.12
Floor of mouth	10	0.4	0.14	0.3	0.10	-	-	-	-	-
Gum & other mouth	27	1.1	0.24	0.8	0.16	37	1.3	0.23	0.8	0.14
Nasopharynx	24	1.1	0.24	0.7	0.15	11	0.3	0.09	0.3	0.08
Oropharynx	12	0.5	0.15	0.4	0.11	-	-	-	-	-
Hypopharynx	21	1.0	0.25	0.7	0.15	-	-	-	-	-
Digestive System	2,221	105.6	2.49	66.2	1.44	1,854	71.7	1.73	43.3	1.03
Esophagus	122	6.2	0.61	3.6	0.34	32	1.3	0.24	0.8	0.14
Stomach	318	16.2	1.01	9.5	0.55	257	9.7	0.63	5.9	0.38
Small intestine	41	1.9	0.33	1.2	0.19	42	1.6	0.25	1.0	0.17
Colon excl. rectum	642	31.9	1.40	19.2	0.78	638	25.1	1.03	14.7	0.60
Rectum & rectosigmoid	344	14.6	0.87	10.0	0.56	268	9.7	0.62	6.2	0.39
Anus, anal canal & anorectum	35	1.4	0.27	1.0	0.17	71	2.6	0.32	1.8	0.22
Liver	337	14.3	0.86	9.9	0.55	101	3.8	0.40	2.4	0.25
Gallbladder	23	1.3	0.30	0.7	0.16	57	2.2	0.31	1.4	0.19
Pancreas	255	12.4	0.86	7.8	0.50	276	11.2	0.70	6.4	0.40
Respiratory System	1,008	53.9	1.85	31.6	1.02	760	29.5	1.11	18.3	0.68
Larynx	120	6.0	0.60	3.7	0.35	24	0.9	0.20	0.6	0.12
Lung & bronchus	857	46.8	1.74	27.0	0.94	716	27.9	1.08	17.3	0.66
Bones & Joints	37	1.0	0.19	0.9	0.16	42	1.1	0.18	1.2	0.18
Soft Tissue (incl. heart)	103	3.6	0.41	2.7	0.28	70	2.2	0.28	1.6	0.20
Skin (excl. basal & sq.)	135	5.8	0.57	3.8	0.33	143	4.8	0.42	3.3	0.28
Melanomas of the skin	110	4.6	0.50	3.0	0.30	122	4.0	0.38	2.8	0.26
Breast (excl. *in situ*)	14	0.7	0.21	0.4	0.11	2,905	94.9	1.83	69.2	1.31
Female Genital System	-	-	-	-	-	1,504	49.7	1.34	36.1	0.95
Cervix uteri	-	-	-	-	-	360	10.7	0.58	8.1	0.44
Uterus Corpus	-	-	-	-	-	694	23.5	0.92	17.2	0.66
Uterus, NOS[1]	-	-	-	-	-	28	1.0	0.19	0.7	0.13
Ovary	-	-	-	-	-	313	10.4	0.62	7.6	0.44
Male Genital System	3,208	150.9	2.90	102.1	1.84	-	-	-	-	-
Prostate	2,978	145.0	2.86	96.8	1.81	-	-	-	-	-
Testis	196	4.5	0.34	4.3	0.31	-	-	-	-	-
Penis	29	1.3	0.27	0.9	0.17	-	-	-	-	-
Urinary System	877	44.2	1.67	26.1	0.90	455	17.0	0.83	10.9	0.52
Bladder (incl. *in situ*)	436	25.8	1.35	13.5	0.66	168	7.0	0.56	3.9	0.31
Kidney & renal pelvis	420	17.1	0.93	11.9	0.60	278	9.7	0.61	6.7	0.41
Ureter	9	0.5	0.19	0.3	0.10	-	-	-	-	-
Eye & Orbit	10	0.4	0.12	0.3	0.10	13	0.4	0.11	0.4	0.10
Brain & Other Nervous System	226	7.3	0.55	6.0	0.41	159	4.8	0.40	4.0	0.33
Brain	210	6.8	0.54	5.7	0.40	143	4.4	0.39	3.6	0.31
Endocrine System	212	6.7	0.50	5.5	0.39	892	25.3	0.87	20.3	0.69
Thyroid gland	192	6.2	0.48	4.9	0.37	871	24.6	0.86	19.8	0.68
Lymphomas	678	26.7	1.17	18.5	0.73	571	19.4	0.85	13.8	0.59
Hodgkin Lymphoma	99	2.8	0.32	2.5	0.25	106	2.8	0.29	2.7	0.26
Non-Hodgkin Lymphoma	579	23.8	1.13	16.1	0.69	465	16.6	0.81	11.1	0.53
Multiple Myeloma	178	8.4	0.70	5.3	0.41	162	6.1	0.50	3.9	0.31
Leukemias	362	14.8	0.91	10.5	0.56	316	10.4	0.62	7.9	0.46
Acute lymphocytic	88	2.2	0.26	2.5	0.28	81	2.1	0.24	2.3	0.26
Chronic lymphocytic	59	3.5	0.49	1.9	0.25	56	2.3	0.32	1.3	0.17
Acute myeloid	94	3.9	0.47	2.7	0.29	103	3.5	0.37	2.5	0.25
Chronic myeloid	60	2.7	0.40	1.6	0.22	38	1.2	0.21	0.9	0.15
Other leukemias	61	2.5	0.38	1.7	0.22	38	1.3	0.22	0.9	0.16
Mesothelioma	25	1.3	0.29	0.8	0.16	12	0.4	0.13	0.3	0.08
Kaposi Sarcoma	22	0.7	0.17	0.5	0.11	-	-	-	-	-
Ill-defined & Unknown	338	17.8	1.09	10.1	0.56	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	205	7.4	0.59	5.5	0.40	337	10.7	0.61	8.0	0.45
Breast (*in situ*)	-	-	-	-	-	867	27.0	0.94	20.7	0.71

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	93,920	588.6	1.96	388.3	1.37	92,873	485.7	1.67	339.6	1.29
Oral Cavity & Pharynx	2,678	16.1	0.32	11.6	0.23	1,290	6.7	0.20	4.7	0.15
Lip	101	0.6	0.06	0.4	0.04	70	0.3	0.04	0.2	0.03
Tongue	907	5.4	0.18	4.0	0.14	383	2.1	0.11	1.5	0.09
Major salivary gland	318	2.1	0.12	1.2	0.07	231	1.2	0.09	0.9	0.07
Floor of mouth	113	0.7	0.06	0.5	0.05	84	0.4	0.05	0.3	0.04
Gum & other mouth	256	1.6	0.10	1.1	0.07	256	1.3	0.08	0.8	0.06
Nasopharynx	91	0.6	0.06	0.4	0.05	48	0.3	0.04	0.2	0.04
Oropharynx	123	0.7	0.07	0.5	0.05	44	0.2	0.03	0.1	0.02
Hypopharynx	173	1.0	0.08	0.7	0.06	44	0.2	0.03	0.2	0.03
Digestive System	16,635	103.9	0.82	64.8	0.54	14,791	70.1	0.60	42.6	0.41
Esophagus	1,404	8.6	0.23	5.6	0.16	425	2.0	0.10	1.2	0.07
Stomach	1,607	10.1	0.26	6.1	0.16	979	4.6	0.15	2.7	0.10
Small intestine	403	2.6	0.13	1.7	0.09	388	1.9	0.10	1.3	0.07
Colon excl. rectum	5,510	34.9	0.48	20.7	0.30	6,346	29.5	0.39	17.2	0.26
Rectum & rectosigmoid	2,624	16.4	0.33	10.7	0.22	2,067	10.4	0.24	6.9	0.17
Anus, anal canal & anorectum	224	1.4	0.09	0.9	0.07	420	2.2	0.11	1.6	0.08
Liver	1,444	8.6	0.23	6.0	0.17	513	2.5	0.12	1.7	0.09
Gallbladder	153	1.0	0.08	0.5	0.05	314	1.5	0.09	0.9	0.06
Pancreas	2,529	15.7	0.32	9.6	0.20	2,579	11.9	0.24	6.9	0.16
Respiratory System	12,796	80.1	0.72	48.3	0.45	12,715	62.1	0.56	39.3	0.39
Larynx	954	5.8	0.19	3.9	0.13	296	1.5	0.09	1.1	0.07
Lung & bronchus	11,648	73.0	0.69	43.5	0.43	12,292	60.0	0.55	37.8	0.38
Bones & Joints	189	1.4	0.11	1.3	0.11	144	0.9	0.08	0.9	0.09
Soft Tissue (incl. heart)	688	4.6	0.18	3.4	0.15	560	3.2	0.15	2.7	0.15
Skin (excl. basal & sq.)	6,117	39.0	0.51	25.6	0.35	4,378	24.9	0.40	18.6	0.33
Melanomas of the skin	5,717	36.4	0.49	24.1	0.34	4,096	23.5	0.39	17.7	0.32
Breast (excl. *in situ*)	246	1.5	0.10	1.0	0.06	26,053	140.7	0.91	102.0	0.69
Female Genital System	-	-	-	-	-	11,118	58.7	0.58	43.5	0.45
Cervix uteri	-	-	-	-	-	1,130	7.3	0.23	5.8	0.19
Uterus Corpus	-	-	-	-	-	6,245	32.0	0.41	24.0	0.32
Uterus, NOS[1]	-	-	-	-	-	164	0.8	0.06	0.6	0.05
Ovary	-	-	-	-	-	2,673	14.1	0.29	10.3	0.23
Male Genital System	26,541	160.9	1.01	114.9	0.74	-	-	-	-	-
Prostate	25,469	152.0	0.97	106.9	0.69	-	-	-	-	-
Testis	924	7.9	0.27	7.4	0.26	-	-	-	-	-
Penis	110	0.7	0.07	0.4	0.04	-	-	-	-	-
Urinary System	11,541	72.7	0.69	43.9	0.44	4,930	24.3	0.36	15.8	0.26
Bladder (incl. *in situ*)	7,557	47.9	0.56	26.9	0.33	2,712	12.8	0.25	7.8	0.17
Kidney & renal pelvis	3,703	23.0	0.39	16.1	0.28	2,067	10.8	0.25	7.7	0.20
Ureter	182	1.1	0.09	0.6	0.05	112	0.5	0.05	0.3	0.03
Eye & Orbit	144	1.0	0.08	0.8	0.08	98	0.6	0.06	0.5	0.07
Brain & Other Nervous System	1,408	9.7	0.27	8.0	0.25	1,096	6.5	0.21	5.6	0.21
Brain	1,318	9.0	0.26	7.3	0.23	1,017	6.0	0.20	5.0	0.20
Endocrine System	1,803	12.3	0.30	9.9	0.25	4,746	31.9	0.49	26.7	0.43
Thyroid gland	1,652	11.2	0.29	8.9	0.24	4,624	31.1	0.48	25.9	0.42
Lymphomas	4,746	31.3	0.47	21.6	0.35	4,281	22.9	0.37	16.2	0.30
Hodgkin Lymphoma	565	4.4	0.19	3.9	0.18	476	3.6	0.17	3.3	0.17
Non-Hodgkin Lymphoma	4,181	26.9	0.43	17.7	0.30	3,805	19.3	0.33	12.8	0.25
Multiple Myeloma	1,247	7.8	0.22	4.8	0.15	964	4.7	0.16	3.0	0.11
Leukemias	2,993	19.6	0.37	13.6	0.29	2,184	11.4	0.26	8.4	0.24
Acute lymphocytic	233	1.9	0.13	2.3	0.17	170	1.4	0.11	1.7	0.15
Chronic lymphocytic	1,260	7.8	0.22	4.8	0.14	840	3.9	0.14	2.4	0.09
Acute myeloid	802	5.3	0.19	3.4	0.14	683	3.6	0.15	2.5	0.12
Chronic myeloid	324	2.1	0.12	1.5	0.09	239	1.3	0.09	0.9	0.07
Other leukemias	374	2.4	0.12	1.6	0.09	252	1.3	0.09	0.8	0.07
Mesothelioma	465	3.0	0.14	1.6	0.08	138	0.7	0.06	0.4	0.04
Kaposi Sarcoma	74	0.5	0.06	0.3	0.05	25	0.1	0.02	0.1	0.02
Ill-defined & Unknown	3,609	23.1	0.39	12.8	0.24	3,362	15.3	0.28	8.6	0.18
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,276	8.5	0.24	6.2	0.20	2,310	12.6	0.28	9.2	0.23
Breast (*in situ*)	33	0.2	0.04	0.1	0.03	8,109	46.0	0.53	35.2	0.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Jersey, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,286	606.7	5.57	413.6	3.64	12,968	415.0	3.69	287.7	2.62
Oral Cavity & Pharynx	306	12.7	0.76	9.5	0.55	161	4.9	0.39	3.8	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	79	3.2	0.38	2.4	0.28	41	1.2	0.20	0.9	0.14
Major salivary gland	25	1.1	0.22	0.8	0.16	31	1.0	0.17	0.8	0.14
Floor of mouth	15	0.6	0.16	0.5	0.13	7	0.2	0.07	0.2	0.06
Gum & other mouth	33	1.5	0.27	1.0	0.17	29	0.9	0.17	0.7	0.13
Nasopharynx	34	1.3	0.24	1.0	0.18	14	0.4	0.11	0.4	0.10
Oropharynx	25	0.9	0.19	0.8	0.16	11	0.3	0.10	0.2	0.07
Hypopharynx	32	1.4	0.27	1.0	0.17	10	0.3	0.10	0.2	0.08
Digestive System	2,722	127.4	2.60	82.7	1.61	2,625	86.0	1.70	54.2	1.10
Esophagus	185	8.7	0.67	5.7	0.42	92	3.0	0.31	2.0	0.21
Stomach	273	13.6	0.87	8.5	0.52	265	8.8	0.55	5.2	0.34
Small intestine	85	4.1	0.47	2.5	0.27	86	2.8	0.31	1.8	0.20
Colon excl. rectum	868	43.1	1.56	26.2	0.90	1,035	33.9	1.07	21.3	0.69
Rectum & rectosigmoid	370	16.6	0.92	11.2	0.59	338	11.0	0.61	7.2	0.40
Anus, anal canal & anorectum	58	2.2	0.30	1.7	0.22	55	1.8	0.24	1.2	0.16
Liver	382	15.0	0.80	11.7	0.60	117	3.6	0.34	2.5	0.23
Gallbladder	27	1.4	0.30	0.8	0.16	70	2.2	0.27	1.5	0.19
Pancreas	389	18.4	0.99	12.0	0.62	453	15.1	0.72	9.2	0.45
Respiratory System	1,837	89.4	2.21	56.6	1.34	1,607	52.5	1.33	33.4	0.86
Larynx	169	7.5	0.61	5.3	0.41	48	1.5	0.22	1.1	0.16
Lung & bronchus	1,637	80.6	2.11	50.3	1.26	1,539	50.4	1.30	31.9	0.84
Bones & Joints	22	0.8	0.17	0.8	0.17	15	0.5	0.12	0.4	0.12
Soft Tissue (incl. heart)	99	3.9	0.40	3.4	0.35	103	3.3	0.33	2.8	0.29
Skin (excl. basal & sq.)	53	2.2	0.32	1.6	0.23	55	1.8	0.24	1.3	0.19
Melanomas of the skin	19	0.8	0.21	0.6	0.13	30	0.9	0.17	0.8	0.15
Breast (excl. *in situ*)	41	1.9	0.32	1.3	0.20	3,979	124.4	2.00	90.6	1.47
Female Genital System	-	-	-	-	-	1,670	52.6	1.30	38.3	0.96
Cervix uteri	-	-	-	-	-	361	11.2	0.60	8.5	0.46
Uterus Corpus	-	-	-	-	-	788	24.6	0.89	18.1	0.66
Uterus, NOS[1]	-	-	-	-	-	73	2.3	0.27	1.6	0.19
Ovary	-	-	-	-	-	332	10.8	0.60	7.3	0.42
Male Genital System	5,335	236.6	3.40	167.9	2.33	-	-	-	-	-
Prostate	5,275	234.1	3.39	166.0	2.31	-	-	-	-	-
Testis	39	1.5	0.24	1.3	0.21	-	-	-	-	-
Penis	18	0.9	0.21	0.5	0.13	-	-	-	-	-
Urinary System	1,007	48.0	1.61	31.2	1.00	611	20.2	0.83	13.2	0.57
Bladder (incl. *in situ*)	427	22.9	1.18	13.0	0.64	230	7.9	0.53	4.4	0.30
Kidney & renal pelvis	566	24.3	1.07	17.8	0.76	362	11.6	0.62	8.5	0.47
Ureter	-	-	-	-	-	6	0.2	0.09	0.1	0.04
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	123	5.2	0.49	4.1	0.38	110	3.5	0.34	3.4	0.35
Brain	109	4.6	0.47	3.6	0.36	93	3.0	0.31	2.8	0.32
Endocrine System	133	5.4	0.48	4.3	0.39	447	13.8	0.66	11.2	0.54
Thyroid gland	104	4.2	0.43	3.3	0.32	409	12.6	0.63	10.1	0.51
Lymphomas	512	21.2	0.99	16.1	0.72	457	14.6	0.69	10.9	0.53
Hodgkin Lymphoma	92	3.4	0.36	3.0	0.32	76	2.4	0.28	2.3	0.27
Non-Hodgkin Lymphoma	420	17.8	0.92	13.1	0.65	381	12.2	0.63	8.7	0.46
Multiple Myeloma	304	14.4	0.87	9.2	0.54	340	10.8	0.60	7.2	0.40
Leukemias	288	13.3	0.84	9.4	0.57	243	8.1	0.52	5.9	0.41
Acute lymphocytic	32	1.1	0.20	1.4	0.26	21	0.7	0.15	0.8	0.20
Chronic lymphocytic	84	4.3	0.51	2.5	0.28	65	2.2	0.28	1.2	0.16
Acute myeloid	86	4.0	0.47	2.7	0.30	76	2.5	0.29	1.9	0.23
Chronic myeloid	46	2.0	0.31	1.5	0.22	51	1.7	0.24	1.2	0.18
Other leukemias	40	1.9	0.32	1.2	0.20	30	1.0	0.19	0.7	0.13
Mesothelioma	25	1.3	0.29	0.8	0.16	6	0.2	0.08	0.1	0.04
Kaposi Sarcoma	40	1.5	0.24	1.3	0.21	11	0.3	0.10	0.3	0.09
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	166	7.6	0.63	5.4	0.43	395	12.8	0.65	9.0	0.47
Breast (*in situ*)	10	0.5	0.15	0.3	0.09	1,079	33.1	1.02	25.1	0.78

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	22,784	431.2	2.92	287.8	1.98	21,721	367.2	2.54	256.9	1.87
Oral Cavity & Pharynx	801	14.4	0.52	10.5	0.38	314	5.2	0.30	3.6	0.22
Lip	80	1.5	0.17	1.0	0.11	20	0.3	0.08	0.2	0.05
Tongue	239	4.1	0.27	3.2	0.21	86	1.4	0.15	1.0	0.12
Major salivary gland	88	1.7	0.19	1.1	0.13	57	1.0	0.13	0.7	0.10
Floor of mouth	37	0.7	0.11	0.5	0.08	12	0.2	0.06	0.1	0.04
Gum & other mouth	67	1.3	0.16	0.9	0.11	66	1.1	0.14	0.6	0.08
Nasopharynx	32	0.6	0.12	0.5	0.09	17	0.3	0.07	0.3	0.07
Oropharynx	32	0.6	0.10	0.4	0.07	6	0.1	0.04	0.1	0.03
Hypopharynx	53	1.0	0.13	0.7	0.09	10	0.2	0.05	0.1	0.04
Digestive System	4,771	90.5	1.34	59.4	0.89	3,563	59.0	1.00	37.6	0.68
Esophagus	362	6.8	0.36	4.4	0.24	81	1.3	0.15	0.8	0.10
Stomach	470	9.1	0.43	5.7	0.27	293	5.0	0.30	3.1	0.20
Small intestine	124	2.3	0.21	1.6	0.15	99	1.7	0.17	1.2	0.12
Colon excl. rectum	1,388	26.9	0.74	16.9	0.47	1,384	22.9	0.63	14.2	0.41
Rectum & rectosigmoid	758	14.3	0.53	9.8	0.37	508	8.4	0.38	5.8	0.27
Anus, anal canal & anorectum	54	1.0	0.14	0.7	0.10	104	1.7	0.17	1.3	0.13
Liver	718	12.7	0.49	9.4	0.36	222	3.7	0.25	2.3	0.17
Gallbladder	49	1.0	0.14	0.6	0.09	101	1.7	0.17	1.1	0.12
Pancreas	624	12.0	0.49	7.5	0.31	555	9.1	0.39	5.5	0.25
Respiratory System	2,839	55.3	1.06	33.2	0.64	2,345	38.5	0.80	23.5	0.52
Larynx	236	4.3	0.29	2.9	0.20	43	0.7	0.10	0.5	0.08
Lung & bronchus	2,542	49.7	1.01	29.4	0.60	2,279	37.4	0.79	22.8	0.51
Bones & Joints	57	1.1	0.15	1.0	0.14	41	0.7	0.12	0.7	0.11
Soft Tissue (incl. heart)	193	3.9	0.29	2.7	0.21	165	2.9	0.23	2.3	0.20
Skin (excl. basal & sq.)	1,337	26.0	0.73	16.9	0.48	890	15.4	0.53	11.4	0.41
Melanomas of the skin	1,220	23.6	0.69	15.4	0.46	812	14.1	0.51	10.5	0.39
Breast (excl. *in situ*)	67	1.2	0.16	0.8	0.11	6,659	112.1	1.41	80.9	1.04
Female Genital System	-	-	-	-	-	2,721	45.9	0.90	34.3	0.69
Cervix uteri	-	-	-	-	-	392	7.5	0.39	6.1	0.32
Uterus Corpus	-	-	-	-	-	1,365	22.5	0.62	16.9	0.48
Uterus, NOS[1]	-	-	-	-	-	45	0.8	0.12	0.6	0.09
Ovary	-	-	-	-	-	708	11.7	0.45	8.5	0.34
Male Genital System	6,497	117.7	1.49	82.9	1.06	-	-	-	-	-
Prostate	6,136	110.4	1.44	76.3	0.99	-	-	-	-	-
Testis	297	6.1	0.36	5.9	0.34	-	-	-	-	-
Penis	56	1.1	0.15	0.7	0.09	-	-	-	-	-
Urinary System	2,280	44.2	0.95	27.6	0.60	1,004	16.8	0.54	11.3	0.38
Bladder (incl. *in situ*)	1,311	26.1	0.74	14.8	0.42	364	6.0	0.32	3.6	0.20
Kidney & renal pelvis	934	17.5	0.59	12.4	0.42	615	10.4	0.43	7.4	0.32
Ureter	25	0.5	0.11	0.3	0.06	16	0.3	0.07	0.2	0.04
Eye & Orbit	39	0.8	0.12	0.6	0.10	26	0.4	0.09	0.4	0.08
Brain & Other Nervous System	335	6.4	0.36	5.1	0.30	266	4.8	0.30	3.8	0.26
Brain	317	6.0	0.35	4.8	0.29	240	4.3	0.28	3.4	0.25
Endocrine System	364	6.9	0.37	5.4	0.30	1,165	21.9	0.66	18.0	0.55
Thyroid gland	334	6.3	0.35	5.0	0.28	1,139	21.5	0.65	17.7	0.55
Lymphomas	1,072	20.5	0.64	14.6	0.47	929	15.8	0.53	11.3	0.41
Hodgkin Lymphoma	131	2.6	0.23	2.2	0.20	108	2.0	0.20	1.9	0.19
Non-Hodgkin Lymphoma	941	18.0	0.60	12.4	0.42	821	13.8	0.49	9.4	0.36
Multiple Myeloma	316	6.1	0.35	3.9	0.23	248	4.1	0.26	2.6	0.17
Leukemias	799	15.7	0.57	11.2	0.43	585	10.0	0.42	7.4	0.35
Acute lymphocytic	95	1.8	0.19	2.3	0.25	65	1.2	0.15	1.5	0.21
Chronic lymphocytic	312	6.0	0.35	3.7	0.21	216	3.5	0.24	2.1	0.15
Acute myeloid	201	4.1	0.29	2.7	0.20	155	2.7	0.22	1.8	0.17
Chronic myeloid	103	2.1	0.21	1.3	0.14	83	1.4	0.16	1.1	0.13
Other leukemias	88	1.7	0.19	1.1	0.13	66	1.1	0.13	0.8	0.11
Mesothelioma	80	1.6	0.18	0.9	0.10	22	0.4	0.09	0.2	0.05
Kaposi Sarcoma	41	0.9	0.14	0.6	0.11	-	-	-	-	-
Ill-defined & Unknown	896	18.0	0.62	10.5	0.37	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	324	6.4	0.36	4.7	0.28	660	11.4	0.46	8.3	0.35
Breast (*in situ*)	12	0.2	0.07	0.2	0.05	1,200	20.1	0.59	15.2	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	20,782	435.0	3.09	290.9	2.12	19,632	373.0	2.73	261.2	2.02
Oral Cavity & Pharynx	756	15.1	0.56	11.1	0.42	286	5.2	0.32	3.6	0.23
Lip	77	1.6	0.19	1.0	0.12	19	0.4	0.08	0.2	0.06
Tongue	227	4.4	0.30	3.4	0.23	83	1.5	0.17	1.1	0.13
Major salivary gland	82	1.8	0.20	1.2	0.14	49	0.9	0.14	0.7	0.10
Floor of mouth	37	0.7	0.12	0.5	0.08	12	0.2	0.07	0.2	0.05
Gum & other mouth	64	1.3	0.17	0.9	0.12	57	1.0	0.14	0.6	0.08
Nasopharynx	25	0.6	0.12	0.4	0.09	12	0.2	0.06	0.2	0.07
Oropharynx	30	0.6	0.11	0.4	0.08	6	0.1	0.04	0.1	0.03
Hypopharynx	48	1.0	0.14	0.7	0.10	10	0.2	0.06	0.1	0.04
Digestive System	4,285	89.9	1.40	59.0	0.94	3,149	58.0	1.05	36.8	0.72
Esophagus	347	7.2	0.39	4.6	0.26	79	1.4	0.16	0.9	0.11
Stomach	403	8.6	0.44	5.5	0.29	244	4.6	0.30	2.8	0.20
Small intestine	115	2.4	0.23	1.6	0.16	91	1.7	0.18	1.2	0.13
Colon excl. rectum	1,274	27.2	0.78	17.1	0.50	1,246	22.9	0.66	14.2	0.44
Rectum & rectosigmoid	665	14.0	0.56	9.5	0.38	453	8.4	0.40	5.7	0.29
Anus, anal canal & anorectum	52	1.1	0.15	0.8	0.11	98	1.9	0.19	1.4	0.14
Liver	640	12.6	0.51	9.4	0.38	171	3.1	0.24	2.0	0.17
Gallbladder	32	0.7	0.12	0.4	0.07	77	1.4	0.17	0.9	0.12
Pancreas	561	11.9	0.51	7.4	0.33	503	9.1	0.41	5.5	0.27
Respiratory System	2,670	57.0	1.13	34.3	0.69	2,242	40.8	0.87	25.1	0.57
Larynx	219	4.4	0.31	3.0	0.21	39	0.7	0.11	0.5	0.08
Lung & bronchus	2,396	51.4	1.07	30.4	0.64	2,183	39.7	0.86	24.3	0.56
Bones & Joints	52	1.2	0.17	1.1	0.17	34	0.7	0.12	0.6	0.12
Soft Tissue (incl. heart)	175	4.0	0.31	2.8	0.23	151	3.1	0.26	2.5	0.23
Skin (excl. basal & sq.)	1,258	27.2	0.79	17.7	0.52	791	15.4	0.56	11.4	0.44
Melanomas of the skin	1,159	24.9	0.75	16.4	0.51	734	14.4	0.55	10.7	0.43
Breast (excl. *in situ*)	64	1.3	0.17	0.9	0.11	6,156	116.8	1.53	84.3	1.14
Female Genital System	-	-	-	-	-	2,376	45.2	0.96	33.7	0.74
Cervix uteri	-	-	-	-	-	343	7.6	0.43	6.2	0.35
Uterus Corpus	-	-	-	-	-	1,181	21.8	0.65	16.3	0.50
Uterus, NOS[1]	-	-	-	-	-	40	0.8	0.12	0.5	0.09
Ovary	-	-	-	-	-	624	11.6	0.47	8.5	0.36
Male Genital System	5,928	118.3	1.57	83.9	1.12	-	-	-	-	-
Prostate	5,620	110.9	1.51	77.2	1.05	-	-	-	-	-
Testis	253	6.3	0.40	6.0	0.38	-	-	-	-	-
Penis	47	1.0	0.15	0.6	0.10	-	-	-	-	-
Urinary System	2,084	44.5	1.00	27.7	0.63	885	16.5	0.57	11.0	0.41
Bladder (incl. *in situ*)	1,257	27.3	0.79	15.6	0.46	343	6.2	0.34	3.7	0.22
Kidney & renal pelvis	794	16.5	0.60	11.7	0.43	518	9.8	0.44	7.0	0.34
Ureter	25	0.6	0.12	0.3	0.06	16	0.3	0.07	0.2	0.05
Eye & Orbit	34	0.7	0.13	0.6	0.11	23	0.5	0.10	0.4	0.09
Brain & Other Nervous System	311	6.7	0.39	5.4	0.33	247	5.1	0.34	4.1	0.30
Brain	296	6.4	0.38	5.1	0.32	223	4.6	0.31	3.6	0.28
Endocrine System	327	6.9	0.39	5.5	0.32	1,042	22.8	0.73	18.9	0.62
Thyroid gland	299	6.4	0.38	5.0	0.30	1,017	22.3	0.72	18.5	0.61
Lymphomas	954	20.5	0.68	14.4	0.50	828	16.0	0.57	11.4	0.44
Hodgkin Lymphoma	116	2.6	0.25	2.2	0.22	97	2.1	0.22	2.0	0.22
Non-Hodgkin Lymphoma	838	17.8	0.63	12.2	0.44	731	13.8	0.52	9.4	0.39
Multiple Myeloma	277	5.9	0.36	3.7	0.23	216	4.0	0.28	2.5	0.18
Leukemias	693	15.3	0.59	10.8	0.46	498	9.7	0.44	7.0	0.37
Acute lymphocytic	76	1.8	0.20	2.3	0.27	54	1.2	0.17	1.6	0.23
Chronic lymphocytic	272	5.8	0.36	3.5	0.22	182	3.3	0.25	1.9	0.16
Acute myeloid	182	4.2	0.31	2.7	0.21	145	2.9	0.25	2.0	0.19
Chronic myeloid	84	1.9	0.21	1.2	0.14	62	1.2	0.16	0.9	0.12
Other leukemias	79	1.8	0.20	1.1	0.14	55	1.0	0.14	0.6	0.10
Mesothelioma	73	1.6	0.19	0.9	0.11	19	0.4	0.09	0.2	0.06
Kaposi Sarcoma	34	0.8	0.14	0.6	0.11	-	-	-	-	-
Ill-defined & Unknown	807	17.9	0.64	10.4	0.39	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	269	6.1	0.38	4.4	0.28	582	11.4	0.49	8.3	0.38
Breast (*in situ*)	12	0.3	0.08	0.2	0.05	1,110	21.0	0.65	15.9	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	390	372.7	20.37	252.7	12.99	284	283.3	17.12	191.1	11.78
Oral Cavity & Pharynx	8	6.4	2.32	5.6	2.01	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	61	57.5	8.00	38.7	5.03	55	55.4	7.59	36.0	5.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	7.4	2.89	5.0	1.80	6	5.6	2.33	4.5	1.86
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	14	14.7	4.21	8.8	2.39	19	19.4	4.49	10.8	2.64
Rectum & rectosigmoid	13	11.6	3.48	8.3	2.33	8	7.7	2.77	5.9	2.11
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	5.9	2.13	5.4	1.94	6	6.0	2.47	4.2	1.78
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	8.7	3.16	5.8	1.98	9	10.1	3.38	5.3	1.89
Respiratory System	72	78.7	9.96	47.2	5.65	29	29.7	5.62	19.0	3.70
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	69	74.9	9.71	45.1	5.52	29	29.7	5.62	19.0	3.70
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	6	5.9	2.44	3.5	1.53
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	96	95.8	9.94	69.4	7.27
Female Genital System	-	-	-	-	-	36	35.0	5.95	25.0	4.29
Cervix uteri	-	-	-	-	-	6	5.8	2.40	4.2	1.75
Uterus Corpus	-	-	-	-	-	24	23.8	4.96	16.7	3.52
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	140	130.7	11.89	90.1	7.73	-	-	-	-	-
Prostate	138	128.7	11.79	88.7	7.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	33.1	6.13	22.3	3.88	10	10.7	3.43	5.0	1.72
Bladder (incl. *in situ*)	13	14.4	4.29	8.8	2.46	-	-	-	-	-
Kidney & renal pelvis	20	16.8	3.91	13.0	2.95	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	6.0	2.52	3.9	1.63	12	11.7	3.41	8.7	2.53
Thyroid gland	-	-	-	-	-	12	11.7	3.41	8.7	2.53
Lymphomas	25	20.0	4.29	16.0	3.24	9	8.4	2.86	6.2	2.14
Hodgkin Lymphoma	6	3.6	1.53	3.5	1.44	-	-	-	-	-
Non-Hodgkin Lymphoma	19	16.4	4.01	12.5	2.90	9	8.4	2.86	6.2	2.14
Multiple Myeloma	8	9.4	3.64	5.0	1.80	-	-	-	-	-
Leukemias	12	10.1	3.03	8.3	2.44	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	14	12.9	3.72	9.4	2.54	13	14.2	3.98	6.5	1.93
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	8	7.7	3.12	4.6	1.63	7	6.1	2.33	5.3	2.04
Breast (*in situ*)	-	-	-	-	-	18	17.8	4.28	13.8	3.28

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	164	282.4	24.30	176.8	14.01	208	219.0	15.79	156.7	11.18
Oral Cavity & Pharynx	6	8.2	3.44	6.6	2.70	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	47	78.6	12.60	48.6	7.17	36	39.7	6.97	26.1	4.43
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	6	14.6	6.33	6.6	2.69	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	13.3	5.52	6.6	2.50	7	7.5	2.91	5.8	2.19
Rectum & rectosigmoid	-	-	-	-	-	7	6.4	2.47	4.6	1.75
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	26.3	7.23	16.6	4.21	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	8.9	3.90	6.3	2.60	8	9.4	3.54	6.0	2.15
Respiratory System	25	39.5	8.72	26.9	5.43	25	29.0	6.07	17.6	3.62
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	21	32.3	7.62	22.9	5.05	23	27.4	5.97	16.2	3.48
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	49	50.1	7.40	36.1	5.25
Female Genital System	-	-	-	-	-	27	26.0	5.09	20.5	3.98
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	20	20.0	4.54	15.4	3.49
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	42	78.9	13.12	46.6	7.28	-	-	-	-	-
Prostate	41	77.7	13.07	45.8	7.23	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	19.7	7.06	9.3	3.14	9	9.8	3.37	7.5	2.50
Bladder (incl. *in situ*)	7	17.3	6.86	7.5	2.86	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	6	6.8	2.85	5.0	2.06
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	26	24.7	4.95	19.0	3.76
Thyroid gland	-	-	-	-	-	26	24.7	4.95	19.0	3.76
Lymphomas	9	12.8	4.60	9.5	3.18	13	13.7	3.96	10.4	2.98
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	9	12.8	4.60	9.5	3.18	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	7	8.1	3.17	7.1	3.06
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	19.5	7.88	7.4	2.84	6	7.0	3.02	4.3	1.83
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	13	12.6	3.56	10.6	3.00
Breast (*in situ*)	-	-	-	-	-	8	7.3	2.60	6.2	2.19

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,014	321.7	10.89	209.6	6.68	1,206	279.6	8.27	197.6	5.79
Oral Cavity & Pharynx	23	6.9	1.51	5.1	1.07	21	5.1	1.16	3.5	0.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	7	1.6	0.60	1.2	0.44
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	332	105.9	6.22	68.3	3.80	280	69.9	4.29	44.1	2.69
Esophagus	10	3.1	1.02	2.2	0.72	-	-	-	-	-
Stomach	49	18.9	2.85	9.8	1.43	36	8.9	1.52	5.6	0.96
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	78	24.0	2.93	15.9	1.83	91	22.7	2.45	14.2	1.52
Rectum & rectosigmoid	60	16.8	2.28	12.4	1.62	30	6.5	1.20	5.1	0.95
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	49	16.1	2.47	10.0	1.44	39	10.1	1.66	5.9	0.97
Gallbladder	13	4.3	1.26	2.6	0.74	20	5.3	1.21	3.0	0.70
Pancreas	45	14.6	2.33	9.5	1.44	35	9.1	1.58	5.5	0.96
Respiratory System	59	20.5	2.85	11.9	1.58	37	10.4	1.74	5.3	0.91
Larynx	9	3.2	1.09	2.0	0.66	-	-	-	-	-
Lung & bronchus	45	16.1	2.55	9.1	1.37	34	9.5	1.66	5.0	0.89
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	13	3.5	1.06	2.7	0.75	8	1.6	0.56	1.4	0.49
Skin (excl. basal & sq.)	15	4.9	1.41	2.9	0.76	20	4.7	1.09	3.1	0.72
Melanomas of the skin	8	2.5	0.99	1.5	0.53	12	3.0	0.90	1.8	0.52
Breast (excl. *in situ*)	-	-	-	-	-	282	61.8	3.75	47.8	2.88
Female Genital System	-	-	-	-	-	238	52.4	3.47	40.2	2.63
Cervix uteri	-	-	-	-	-	32	7.0	1.25	5.5	0.97
Uterus Corpus	-	-	-	-	-	119	25.7	2.39	20.1	1.86
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	68	15.6	1.95	11.3	1.39
Male Genital System	240	80.7	5.60	50.1	3.28	-	-	-	-	-
Prostate	199	72.0	5.40	42.3	3.04	-	-	-	-	-
Testis	35	6.6	1.15	6.5	1.10	-	-	-	-	-
Penis	6	2.1	0.92	1.3	0.53	-	-	-	-	-
Urinary System	130	41.2	3.89	27.4	2.44	86	19.4	2.15	14.0	1.54
Bladder (incl. *in situ*)	22	8.9	2.01	4.7	1.01	7	1.4	0.56	1.1	0.44
Kidney & renal pelvis	107	32.1	3.31	22.5	2.20	78	17.8	2.07	12.7	1.47
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	15	3.4	0.91	3.1	0.82	12	2.6	0.79	1.9	0.58
Brain	12	2.9	0.86	2.5	0.74	11	2.5	0.78	1.7	0.54
Endocrine System	21	5.1	1.14	4.1	0.91	70	15.5	1.89	12.0	1.45
Thyroid gland	20	4.7	1.07	3.9	0.88	69	15.3	1.89	11.9	1.44
Lymphomas	45	13.2	2.12	9.6	1.44	51	12.0	1.72	8.2	1.16
Hodgkin Lymphoma	7	1.7	0.67	1.5	0.59	-	-	-	-	-
Non-Hodgkin Lymphoma	38	11.5	2.01	8.0	1.32	-	-	-	-	-
Multiple Myeloma	20	5.9	1.40	3.9	0.88	19	4.8	1.12	3.0	0.72
Leukemias	40	9.5	1.66	8.3	1.33	31	5.7	1.05	5.7	1.03
Acute lymphocytic	14	2.5	0.72	3.0	0.82	8	1.4	0.50	1.6	0.59
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	9	2.1	0.83	1.8	0.60	-	-	-	-	-
Chronic myeloid	9	2.5	0.88	1.9	0.64	12	2.1	0.63	2.0	0.57
Other leukemias	-	-	-	-	-	6	1.1	0.47	1.2	0.48
Mesothelioma	6	2.3	1.00	1.1	0.46	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	50	17.8	2.72	10.2	1.47	43	11.9	1.85	6.0	0.95
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	34	9.3	1.77	6.7	1.16	52	12.3	1.77	8.2	1.16
Breast (*in situ*)	-	-	-	-	-	48	10.6	1.57	8.0	1.17

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	6,947	389.2	4.84	259.5	3.17	7,047	336.5	4.06	235.2	2.89
Oral Cavity & Pharynx	206	11.0	0.79	7.7	0.55	76	3.6	0.41	2.5	0.30
Lip	16	1.0	0.25	0.5	0.14	-	-	-	-	-
Tongue	44	2.2	0.34	1.8	0.27	19	0.9	0.20	0.7	0.15
Major salivary gland	27	1.5	0.31	1.0	0.19	21	1.0	0.22	0.7	0.16
Floor of mouth	13	0.8	0.22	0.5	0.13	-	-	-	-	-
Gum & other mouth	19	1.0	0.24	0.7	0.17	15	0.8	0.20	0.4	0.10
Nasopharynx	9	0.5	0.16	0.4	0.12	-	-	-	-	-
Oropharynx	8	0.5	0.18	0.3	0.11	-	-	-	-	-
Hypopharynx	19	1.0	0.25	0.7	0.16	-	-	-	-	-
Digestive System	1,949	109.1	2.56	72.3	1.66	1,355	66.5	1.83	42.0	1.19
Esophagus	104	5.9	0.60	3.8	0.38	20	1.0	0.22	0.6	0.15
Stomach	214	12.4	0.88	7.8	0.54	141	7.0	0.59	4.4	0.38
Small intestine	37	2.0	0.34	1.4	0.24	30	1.4	0.26	1.0	0.19
Colon excl. rectum	514	29.7	1.36	19.0	0.85	502	24.5	1.11	15.7	0.73
Rectum & rectosigmoid	322	17.7	1.02	12.0	0.68	188	9.0	0.66	6.0	0.46
Anus, anal canal & anorectum	15	0.8	0.20	0.6	0.15	24	1.1	0.22	0.8	0.17
Liver	442	22.8	1.12	16.7	0.80	112	5.5	0.52	3.5	0.34
Gallbladder	18	1.1	0.27	0.7	0.16	44	2.2	0.33	1.3	0.21
Pancreas	201	11.8	0.87	7.4	0.53	210	10.5	0.73	6.2	0.45
Respiratory System	761	46.8	1.75	27.2	1.01	634	31.6	1.27	19.4	0.80
Larynx	85	5.0	0.56	3.1	0.34	18	0.9	0.21	0.6	0.14
Lung & bronchus	655	40.7	1.64	23.2	0.93	608	30.3	1.24	18.5	0.79
Bones & Joints	28	1.2	0.24	1.1	0.22	14	0.6	0.17	0.6	0.15
Soft Tissue (incl. heart)	63	3.5	0.46	2.4	0.31	53	2.5	0.35	1.9	0.27
Skin (excl. basal & sq.)	120	6.7	0.63	4.4	0.41	116	5.6	0.52	4.0	0.38
Melanomas of the skin	94	5.2	0.55	3.4	0.36	98	4.7	0.48	3.4	0.35
Breast (excl. *in situ*)	17	1.1	0.27	0.6	0.15	2,116	99.6	2.19	73.2	1.63
Female Genital System	-	-	-	-	-	900	42.1	1.42	31.0	1.06
Cervix uteri	-	-	-	-	-	175	8.2	0.63	6.5	0.50
Uterus Corpus	-	-	-	-	-	392	18.2	0.93	13.5	0.70
Uterus, NOS[1]	-	-	-	-	-	16	0.8	0.19	0.6	0.14
Ovary	-	-	-	-	-	251	11.8	0.75	8.4	0.54
Male Genital System	1,970	108.0	2.51	75.3	1.72	-	-	-	-	-
Prostate	1,807	100.4	2.44	68.8	1.64	-	-	-	-	-
Testis	131	5.6	0.50	5.4	0.47	-	-	-	-	-
Penis	28	1.7	0.33	1.1	0.20	-	-	-	-	-
Urinary System	624	35.6	1.48	23.0	0.94	364	17.6	0.93	11.6	0.63
Bladder (incl. *in situ*)	241	15.1	1.01	8.5	0.56	105	5.3	0.52	3.1	0.32
Kidney & renal pelvis	373	19.8	1.06	14.2	0.75	253	12.0	0.76	8.4	0.55
Ureter	8	0.5	0.19	0.3	0.10	-	-	-	-	-
Eye & Orbit	14	0.7	0.19	0.6	0.15	8	0.3	0.13	0.3	0.11
Brain & Other Nervous System	96	4.8	0.51	3.8	0.39	88	4.1	0.44	3.3	0.36
Brain	92	4.6	0.51	3.6	0.38	76	3.5	0.41	2.8	0.34
Endocrine System	144	7.3	0.62	5.6	0.47	480	21.9	1.01	18.1	0.84
Thyroid gland	134	6.8	0.60	5.2	0.45	468	21.4	1.00	17.7	0.83
Lymphomas	349	18.7	1.04	13.1	0.71	331	15.5	0.86	11.3	0.65
Hodgkin Lymphoma	50	2.5	0.36	1.9	0.28	56	2.4	0.32	2.2	0.30
Non-Hodgkin Lymphoma	299	16.2	0.97	11.2	0.66	275	13.1	0.80	9.2	0.57
Multiple Myeloma	114	6.6	0.64	4.2	0.40	85	4.2	0.46	2.7	0.30
Leukemias	206	11.0	0.81	8.0	0.57	177	8.4	0.64	5.9	0.47
Acute lymphocytic	43	1.5	0.23	2.1	0.32	29	1.2	0.22	1.3	0.24
Chronic lymphocytic	47	2.9	0.43	1.7	0.25	36	1.8	0.31	1.1	0.19
Acute myeloid	61	3.5	0.46	2.3	0.30	66	3.3	0.41	2.1	0.27
Chronic myeloid	32	1.9	0.34	1.1	0.20	23	1.1	0.22	0.8	0.16
Other leukemias	23	1.3	0.28	0.8	0.18	23	1.1	0.24	0.7	0.16
Mesothelioma	29	1.9	0.36	1.0	0.19	9	0.4	0.15	0.3	0.10
Kaposi Sarcoma	23	1.2	0.26	0.9	0.19	-	-	-	-	-
Ill-defined & Unknown	234	14.2	0.97	8.3	0.56	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	120	6.3	0.59	4.7	0.43	253	11.9	0.76	8.6	0.56
Breast (*in situ*)	-	-	-	-	-	372	17.3	0.91	13.1	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,993	458.5	4.02	308.0	2.88	12,769	394.1	3.72	277.0	2.87
Oral Cavity & Pharynx	551	17.4	0.77	12.9	0.59	212	6.3	0.46	4.3	0.34
Lip	61	1.9	0.25	1.3	0.17	17	0.5	0.14	0.4	0.11
Tongue	183	5.6	0.44	4.4	0.35	64	1.8	0.24	1.3	0.18
Major salivary gland	55	1.9	0.27	1.3	0.19	29	0.9	0.19	0.7	0.16
Floor of mouth	24	0.7	0.15	0.5	0.11	11	0.4	0.11	0.3	0.08
Gum & other mouth	45	1.4	0.21	0.9	0.15	42	1.2	0.19	0.7	0.13
Nasopharynx	16	0.6	0.16	0.5	0.14	8	0.2	0.10	0.2	0.08
Oropharynx	22	0.7	0.16	0.5	0.12	-	-	-	-	-
Hypopharynx	29	0.9	0.17	0.6	0.12	8	0.2	0.09	0.2	0.06
Digestive System	2,363	77.5	1.65	50.1	1.11	1,832	53.3	1.30	34.0	0.91
Esophagus	244	7.6	0.49	4.9	0.32	59	1.7	0.22	1.0	0.15
Stomach	193	6.5	0.48	4.1	0.32	105	3.1	0.31	1.8	0.21
Small intestine	78	2.5	0.29	1.7	0.20	62	1.8	0.24	1.2	0.17
Colon excl. rectum	768	25.5	0.95	15.8	0.61	759	22.0	0.83	13.4	0.57
Rectum & rectosigmoid	345	11.8	0.66	7.9	0.46	272	8.2	0.53	5.7	0.39
Anus, anal canal & anorectum	38	1.2	0.20	0.9	0.15	75	2.4	0.30	1.8	0.22
Liver	203	6.2	0.45	4.6	0.34	64	1.8	0.24	1.1	0.16
Gallbladder	15	0.5	0.12	0.3	0.07	33	1.0	0.18	0.7	0.13
Pancreas	365	12.0	0.65	7.5	0.42	297	8.4	0.50	5.2	0.34
Respiratory System	1,915	62.0	1.45	37.9	0.92	1,615	45.5	1.16	28.1	0.77
Larynx	136	4.2	0.37	3.0	0.27	22	0.6	0.14	0.5	0.10
Lung & bronchus	1,745	56.7	1.39	34.1	0.86	1,581	44.5	1.15	27.4	0.75
Bones & Joints	25	1.1	0.24	1.0	0.25	21	0.7	0.18	0.7	0.19
Soft Tissue (incl. heart)	112	4.2	0.42	3.1	0.35	99	3.6	0.40	3.0	0.40
Skin (excl. basal & sq.)	1,142	39.6	1.23	26.3	0.86	684	23.0	0.95	17.4	0.78
Melanomas of the skin	1,069	37.1	1.19	24.9	0.85	641	21.7	0.93	16.6	0.76
Breast (excl. *in situ*)	47	1.4	0.21	1.0	0.15	4,082	125.6	2.09	90.0	1.56
Female Genital System	-	-	-	-	-	1,503	46.6	1.29	34.9	1.02
Cervix uteri	-	-	-	-	-	173	6.9	0.58	5.6	0.48
Uterus Corpus	-	-	-	-	-	799	23.8	0.90	17.8	0.69
Uterus, NOS[1]	-	-	-	-	-	24	0.7	0.16	0.5	0.12
Ovary	-	-	-	-	-	382	11.6	0.63	8.6	0.51
Male Genital System	4,018	123.9	2.02	88.6	1.48	-	-	-	-	-
Prostate	3,868	116.2	1.91	81.5	1.35	-	-	-	-	-
Testis	127	6.9	0.63	6.6	0.61	-	-	-	-	-
Penis	19	0.6	0.15	0.4	0.10	-	-	-	-	-
Urinary System	1,480	48.7	1.30	29.8	0.83	537	15.9	0.72	10.8	0.56
Bladder (incl. *in situ*)	1,022	33.5	1.07	19.4	0.65	240	6.8	0.45	4.1	0.30
Kidney & renal pelvis	434	14.4	0.72	9.9	0.52	279	8.7	0.56	6.4	0.47
Ureter	17	0.5	0.14	0.3	0.08	12	0.3	0.10	0.2	0.06
Eye & Orbit	22	0.8	0.19	0.6	0.17	15	0.5	0.14	0.4	0.15
Brain & Other Nervous System	215	7.8	0.57	6.3	0.54	162	5.8	0.51	4.6	0.48
Brain	204	7.4	0.55	6.0	0.52	149	5.2	0.47	4.1	0.45
Endocrine System	185	6.9	0.55	5.7	0.49	574	23.1	1.05	19.2	0.90
Thyroid gland	167	6.2	0.51	5.0	0.43	561	22.6	1.04	18.8	0.89
Lymphomas	614	21.9	0.93	15.6	0.74	503	15.8	0.75	11.1	0.60
Hodgkin Lymphoma	66	3.0	0.39	2.6	0.36	41	1.9	0.31	1.8	0.32
Non-Hodgkin Lymphoma	548	18.9	0.84	13.0	0.64	462	13.9	0.68	9.2	0.51
Multiple Myeloma	170	5.9	0.47	3.7	0.31	133	3.9	0.35	2.4	0.23
Leukemias	496	17.7	0.84	12.5	0.71	328	10.7	0.64	8.1	0.64
Acute lymphocytic	35	2.0	0.35	2.4	0.46	25	1.5	0.32	2.1	0.47
Chronic lymphocytic	228	7.3	0.50	4.6	0.32	149	4.2	0.36	2.5	0.23
Acute myeloid	122	4.4	0.41	2.8	0.30	80	2.6	0.32	1.8	0.27
Chronic myeloid	53	1.9	0.27	1.3	0.22	41	1.4	0.23	1.0	0.18
Other leukemias	58	2.1	0.29	1.4	0.22	33	1.0	0.19	0.7	0.18
Mesothelioma	44	1.4	0.22	0.8	0.13	10	0.3	0.11	0.2	0.09
Kaposi Sarcoma	13	0.6	0.17	0.4	0.13	-	-	-	-	-
Ill-defined & Unknown	581	19.8	0.85	11.6	0.54	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	154	5.9	0.50	4.3	0.41	334	11.1	0.66	8.1	0.55
Breast (*in situ*)	10	0.4	0.11	0.2	0.08	754	23.4	0.91	17.8	0.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Mexico, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	379	405.6	22.40	277.1	14.46	272	320.6	19.73	218.2	13.86
Oral Cavity & Pharynx	7	6.3	2.41	5.5	2.10	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	60	63.6	8.93	42.6	5.58	53	62.1	8.63	40.3	5.82
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	8	8.5	3.29	5.7	2.04	6	6.6	2.72	5.2	2.19
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	14	16.5	4.71	9.8	2.67	19	22.5	5.21	12.9	3.18
Rectum & rectosigmoid	12	12.0	3.79	8.5	2.47	8	8.9	3.21	6.8	2.45
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	6.6	2.36	6.0	2.15	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	9.6	3.52	6.5	2.20	9	11.4	3.82	6.0	2.16
Respiratory System	71	86.0	10.97	51.8	6.24	28	32.7	6.29	21.1	4.20
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	68	81.8	10.69	49.6	6.10	28	32.7	6.29	21.1	4.20
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	6	7.6	3.15	4.7	2.10
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	90	107.2	11.48	77.8	8.46
Female Genital System	-	-	-	-	-	35	39.5	6.79	28.5	4.98
Cervix uteri	-	-	-	-	-	6	7.1	2.93	5.1	2.17
Uterus Corpus	-	-	-	-	-	23	26.1	5.55	18.5	4.00
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	138	143.8	13.18	99.0	8.58	-	-	-	-	-
Prostate	136	141.4	13.05	97.0	8.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	33.9	6.47	23.8	4.37	10	12.1	3.86	5.7	1.97
Bladder (incl. *in situ*)	13	16.1	4.81	9.9	2.76	-	-	-	-	-
Kidney & renal pelvis	18	17.8	4.33	14.0	3.38	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	6.9	2.88	4.6	1.88	12	14.9	4.38	11.1	3.26
Thyroid gland	-	-	-	-	-	12	14.9	4.38	11.1	3.26
Lymphomas	24	22.7	4.87	17.9	3.71	9	10.2	3.46	7.7	2.66
Hodgkin Lymphoma	6	4.5	1.89	4.4	1.84	-	-	-	-	-
Non-Hodgkin Lymphoma	18	18.1	4.49	13.5	3.22	9	10.2	3.46	7.7	2.66
Multiple Myeloma	7	8.4	3.47	5.0	1.90	-	-	-	-	-
Leukemias	12	11.5	3.43	9.7	2.86	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	13	13.2	3.98	9.7	2.72	13	16.1	4.51	7.5	2.24
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	7	8.5	3.55	4.9	1.88	7	7.5	2.85	6.5	2.48
Breast (*in situ*)	-	-	-	-	-	16	19.1	4.83	14.7	3.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	271,229	568.6	1.11	376.3	0.75	267,810	451.2	0.89	313.9	0.66
Oral Cavity & Pharynx	7,798	15.6	0.18	11.3	0.13	3,762	6.3	0.10	4.4	0.08
Lip	301	0.6	0.04	0.4	0.02	152	0.2	0.02	0.1	0.01
Tongue	2,347	4.6	0.10	3.4	0.07	1,063	1.8	0.05	1.3	0.04
Major salivary gland	762	1.7	0.06	1.0	0.04	623	1.1	0.04	0.8	0.04
Floor of mouth	382	0.8	0.04	0.5	0.03	210	0.3	0.02	0.2	0.02
Gum & other mouth	942	2.0	0.06	1.3	0.04	801	1.3	0.05	0.8	0.03
Nasopharynx	568	1.1	0.05	0.9	0.04	234	0.4	0.03	0.3	0.02
Oropharynx	407	0.8	0.04	0.6	0.03	148	0.2	0.02	0.2	0.02
Hypopharynx	545	1.1	0.05	0.8	0.03	137	0.2	0.02	0.2	0.01
Digestive System	51,048	107.7	0.49	68.4	0.31	44,384	71.8	0.35	44.4	0.23
Esophagus	3,958	8.2	0.13	5.3	0.09	1,313	2.1	0.06	1.3	0.04
Stomach	5,606	12.0	0.16	7.4	0.10	3,700	6.0	0.10	3.7	0.07
Small intestine	1,284	2.7	0.08	1.8	0.05	1,240	2.1	0.06	1.4	0.04
Colon excl. rectum	15,887	34.3	0.28	20.6	0.17	17,672	28.3	0.22	16.8	0.14
Rectum & rectosigmoid	7,357	15.3	0.18	10.2	0.12	5,862	9.7	0.13	6.5	0.09
Anus, anal canal & anorectum	853	1.7	0.06	1.3	0.04	1,219	2.0	0.06	1.5	0.04
Liver	6,117	12.0	0.16	8.7	0.12	2,031	3.3	0.08	2.2	0.06
Gallbladder	500	1.1	0.05	0.6	0.03	1,073	1.7	0.05	1.0	0.03
Pancreas	7,401	15.8	0.19	9.6	0.12	7,653	12.2	0.14	7.2	0.09
Respiratory System	38,115	81.6	0.43	49.9	0.27	35,003	57.4	0.31	36.5	0.21
Larynx	3,149	6.4	0.12	4.4	0.08	866	1.4	0.05	1.0	0.04
Lung & bronchus	34,374	73.9	0.41	44.6	0.25	33,765	55.3	0.31	35.0	0.21
Bones & Joints	533	1.1	0.05	1.0	0.05	459	0.9	0.04	0.8	0.04
Soft Tissue (incl. heart)	1,977	4.2	0.10	3.1	0.08	1,664	2.9	0.07	2.3	0.07
Skin (excl. basal & sq.)	11,544	24.7	0.23	15.8	0.15	8,821	15.4	0.17	11.2	0.13
Melanomas of the skin	10,546	22.5	0.22	14.5	0.15	8,037	14.1	0.16	10.3	0.13
Breast (excl. *in situ*)	707	1.5	0.06	1.0	0.04	74,991	128.6	0.48	92.9	0.36
Female Genital System	-	-	-	-	-	32,976	55.7	0.31	41.1	0.24
Cervix uteri	-	-	-	-	-	4,301	8.0	0.12	6.2	0.10
Uterus Corpus	-	-	-	-	-	17,930	29.7	0.22	22.1	0.17
Uterus, NOS[1]	-	-	-	-	-	538	0.9	0.04	0.6	0.03
Ovary	-	-	-	-	-	7,592	12.8	0.15	9.3	0.11
Male Genital System	79,738	160.9	0.58	114.5	0.42	-	-	-	-	-
Prostate	76,375	153.7	0.57	108.3	0.40	-	-	-	-	-
Testis	2,800	6.0	0.11	5.5	0.11	-	-	-	-	-
Penis	447	1.0	0.05	0.6	0.03	-	-	-	-	-
Urinary System	30,669	66.0	0.38	40.2	0.24	13,469	22.1	0.19	14.4	0.14
Bladder (incl. *in situ*)	19,011	41.8	0.31	23.6	0.18	6,618	10.6	0.13	6.3	0.09
Kidney & renal pelvis	10,880	22.4	0.22	15.7	0.16	6,418	10.8	0.14	7.7	0.11
Ureter	398	0.9	0.04	0.5	0.03	287	0.5	0.03	0.3	0.02
Eye & Orbit	515	1.1	0.05	0.9	0.04	474	0.9	0.04	0.8	0.04
Brain & Other Nervous System	3,680	7.8	0.13	6.3	0.11	3,100	5.6	0.10	4.8	0.10
Brain	3,459	7.3	0.13	5.8	0.11	2,828	5.1	0.10	4.3	0.09
Endocrine System	4,971	10.2	0.15	8.2	0.12	14,611	27.5	0.23	22.8	0.20
Thyroid gland	4,478	9.2	0.14	7.2	0.11	14,118	26.6	0.23	22.0	0.19
Lymphomas	14,253	30.2	0.26	21.0	0.19	12,326	21.0	0.19	14.8	0.15
Hodgkin Lymphoma	1,826	3.8	0.09	3.4	0.08	1,459	2.8	0.08	2.6	0.07
Non-Hodgkin Lymphoma	12,427	26.4	0.24	17.6	0.17	10,867	18.1	0.18	12.2	0.13
Multiple Myeloma	4,460	9.4	0.14	5.9	0.09	3,858	6.3	0.10	4.0	0.07
Leukemias	9,173	19.8	0.21	13.6	0.16	6,939	11.7	0.14	8.6	0.13
Acute lymphocytic	832	1.9	0.06	2.3	0.08	655	1.4	0.06	1.7	0.08
Chronic lymphocytic	3,857	8.2	0.13	5.0	0.08	2,689	4.3	0.08	2.6	0.06
Acute myeloid	2,375	5.2	0.11	3.3	0.07	1,941	3.3	0.08	2.4	0.06
Chronic myeloid	1,069	2.3	0.07	1.5	0.05	873	1.5	0.05	1.0	0.04
Other leukemias	1,040	2.2	0.07	1.5	0.05	781	1.3	0.05	0.9	0.04
Mesothelioma	815	1.9	0.07	1.0	0.04	232	0.4	0.03	0.2	0.02
Kaposi Sarcoma	682	1.5	0.06	1.1	0.04	121	0.2	0.02	0.1	0.01
Ill-defined & Unknown	10,551	23.4	0.23	13.2	0.14	10,620	16.7	0.17	9.6	0.11
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	4,389	9.3	0.14	6.8	0.11	9,296	15.8	0.17	11.3	0.13
Breast (*in situ*)	95	0.2	0.02	0.1	0.01	24,714	43.5	0.28	33.2	0.22

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	217,956	574.8	1.25	378.6	0.86	215,849	472.7	1.05	329.0	0.79
Oral Cavity & Pharynx	6,301	16.0	0.20	11.6	0.15	2,957	6.4	0.12	4.5	0.09
Lip	282	0.7	0.04	0.5	0.03	141	0.3	0.02	0.2	0.02
Tongue	2,008	5.0	0.11	3.8	0.09	865	1.9	0.07	1.4	0.05
Major salivary gland	621	1.7	0.07	1.0	0.04	470	1.1	0.05	0.8	0.04
Floor of mouth	328	0.8	0.05	0.6	0.03	176	0.4	0.03	0.3	0.02
Gum & other mouth	765	2.0	0.07	1.3	0.05	641	1.3	0.05	0.8	0.04
Nasopharynx	241	0.6	0.04	0.5	0.03	110	0.3	0.03	0.2	0.02
Oropharynx	329	0.8	0.05	0.6	0.03	114	0.2	0.02	0.2	0.02
Hypopharynx	396	1.0	0.05	0.7	0.04	106	0.2	0.02	0.2	0.02
Digestive System	39,418	104.3	0.53	65.5	0.35	34,303	70.3	0.39	43.1	0.27
Esophagus	3,327	8.7	0.15	5.6	0.10	1,036	2.1	0.07	1.2	0.04
Stomach	3,964	10.6	0.17	6.5	0.11	2,473	5.1	0.11	3.1	0.07
Small intestine	1,008	2.7	0.08	1.8	0.06	935	2.0	0.07	1.4	0.05
Colon excl. rectum	12,500	33.7	0.30	20.0	0.19	13,940	28.2	0.25	16.4	0.16
Rectum & rectosigmoid	5,831	15.3	0.20	10.2	0.14	4,567	9.8	0.15	6.5	0.11
Anus, anal canal & anorectum	633	1.6	0.07	1.2	0.05	969	2.1	0.07	1.5	0.05
Liver	3,999	10.0	0.16	7.1	0.12	1,322	2.8	0.08	1.9	0.06
Gallbladder	348	0.9	0.05	0.5	0.03	766	1.5	0.06	0.9	0.04
Pancreas	6,134	16.3	0.21	9.9	0.13	6,156	12.3	0.16	7.2	0.11
Respiratory System	31,519	83.8	0.48	51.2	0.30	29,633	62.1	0.37	39.6	0.25
Larynx	2,558	6.6	0.13	4.5	0.09	679	1.5	0.06	1.1	0.04
Lung & bronchus	28,476	75.9	0.46	45.7	0.28	28,662	60.0	0.36	38.0	0.25
Bones & Joints	426	1.2	0.06	1.1	0.06	359	0.9	0.05	0.9	0.05
Soft Tissue (incl. heart)	1,587	4.3	0.11	3.2	0.09	1,297	3.0	0.09	2.4	0.08
Skin (excl. basal & sq.)	10,995	29.5	0.29	19.1	0.19	8,298	19.2	0.22	14.2	0.17
Melanomas of the skin	10,124	27.1	0.27	17.7	0.19	7,638	17.8	0.21	13.3	0.17
Breast (excl. *in situ*)	572	1.5	0.06	1.0	0.04	59,785	134.4	0.56	97.0	0.43
Female Genital System	-	-	-	-	-	25,678	56.8	0.36	42.0	0.28
Cervix uteri	-	-	-	-	-	2,834	7.2	0.14	5.7	0.11
Uterus Corpus	-	-	-	-	-	14,209	30.8	0.26	23.1	0.20
Uterus, NOS[1]	-	-	-	-	-	339	0.7	0.04	0.5	0.03
Ovary	-	-	-	-	-	6,143	13.5	0.18	9.8	0.14
Male Genital System	59,640	152.1	0.63	108.2	0.46	-	-	-	-	-
Prostate	56,653	143.4	0.61	100.5	0.43	-	-	-	-	-
Testis	2,547	7.5	0.15	6.9	0.14	-	-	-	-	-
Penis	349	1.0	0.05	0.5	0.03	-	-	-	-	-
Urinary System	26,927	71.9	0.44	43.9	0.28	11,442	24.1	0.23	15.8	0.17
Bladder (incl. *in situ*)	17,325	46.8	0.36	26.6	0.21	5,870	11.9	0.16	7.2	0.11
Kidney & renal pelvis	8,938	23.4	0.25	16.3	0.18	5,203	11.4	0.16	8.1	0.13
Ureter	365	1.0	0.05	0.5	0.03	253	0.5	0.03	0.3	0.02
Eye & Orbit	462	1.2	0.06	0.9	0.05	426	1.0	0.05	0.9	0.05
Brain & Other Nervous System	3,099	8.5	0.16	6.8	0.14	2,595	6.3	0.13	5.3	0.12
Brain	2,932	8.0	0.15	6.4	0.13	2,381	5.7	0.12	4.8	0.12
Endocrine System	4,117	11.1	0.18	8.9	0.15	11,419	29.8	0.29	24.8	0.24
Thyroid gland	3,750	10.1	0.17	8.0	0.13	11,055	28.9	0.28	23.9	0.24
Lymphomas	11,763	31.8	0.30	21.9	0.22	10,168	22.5	0.23	15.8	0.18
Hodgkin Lymphoma	1,420	4.0	0.11	3.6	0.10	1,129	3.1	0.09	2.9	0.09
Non-Hodgkin Lymphoma	10,343	27.8	0.28	18.4	0.19	9,039	19.4	0.21	12.9	0.15
Multiple Myeloma	3,239	8.6	0.15	5.3	0.10	2,582	5.3	0.11	3.3	0.07
Leukemias	7,784	21.2	0.24	14.5	0.19	5,802	12.7	0.17	9.3	0.15
Acute lymphocytic	654	2.0	0.08	2.5	0.11	523	1.6	0.07	2.0	0.10
Chronic lymphocytic	3,395	9.0	0.16	5.4	0.10	2,384	4.8	0.10	2.9	0.07
Acute myeloid	1,987	5.4	0.12	3.5	0.09	1,580	3.5	0.09	2.5	0.08
Chronic myeloid	872	2.4	0.08	1.5	0.06	691	1.5	0.06	1.0	0.05
Other leukemias	876	2.4	0.08	1.5	0.06	624	1.3	0.06	0.9	0.05
Mesothelioma	760	2.1	0.08	1.1	0.04	209	0.4	0.03	0.3	0.02
Kaposi Sarcoma	407	1.2	0.06	0.8	0.04	80	0.2	0.02	0.1	0.01
Ill-defined & Unknown	8,940	24.4	0.26	13.7	0.16	8,816	17.3	0.19	9.9	0.13
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	3,551	9.7	0.16	7.0	0.13	7,272	16.2	0.20	11.6	0.16
Breast (*in situ*)	66	0.2	0.02	0.1	0.02	19,641	46.2	0.34	35.4	0.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	37,995	585.5	3.17	403.5	2.09	36,790	387.4	2.04	271.1	1.47
Oral Cavity & Pharynx	920	13.0	0.45	9.8	0.33	495	5.1	0.23	3.7	0.17
Lip	10	0.1	0.05	0.1	0.03	6	0.1	0.03	0.0	0.02
Tongue	224	3.2	0.22	2.4	0.16	128	1.3	0.12	0.9	0.09
Major salivary gland	92	1.3	0.15	1.0	0.10	95	1.0	0.10	0.7	0.08
Floor of mouth	47	0.7	0.11	0.5	0.07	24	0.2	0.05	0.2	0.04
Gum & other mouth	116	1.7	0.16	1.2	0.12	98	1.0	0.10	0.7	0.08
Nasopharynx	72	1.0	0.12	0.8	0.09	36	0.4	0.06	0.3	0.05
Oropharynx	61	0.9	0.11	0.7	0.09	29	0.3	0.06	0.2	0.04
Hypopharynx	113	1.6	0.15	1.2	0.12	27	0.3	0.05	0.2	0.04
Digestive System	7,802	123.6	1.48	81.1	0.93	7,463	79.7	0.93	50.7	0.61
Esophagus	470	7.6	0.37	4.9	0.23	233	2.5	0.16	1.6	0.11
Stomach	945	16.2	0.56	9.7	0.32	818	8.9	0.32	5.2	0.19
Small intestine	226	3.4	0.24	2.4	0.16	268	2.8	0.17	2.0	0.12
Colon excl. rectum	2,436	40.2	0.86	25.2	0.52	2,836	30.4	0.58	19.0	0.37
Rectum & rectosigmoid	969	14.6	0.50	10.1	0.33	882	9.2	0.31	6.4	0.22
Anus, anal canal & anorectum	193	2.6	0.19	2.0	0.15	222	2.3	0.16	1.7	0.11
Liver	1,275	17.6	0.52	13.5	0.38	448	4.7	0.22	3.2	0.16
Gallbladder	110	2.0	0.20	1.1	0.11	215	2.3	0.16	1.4	0.10
Pancreas	940	15.3	0.53	9.8	0.32	1,215	13.1	0.38	8.0	0.24
Respiratory System	4,762	77.6	1.19	49.8	0.73	4,198	44.5	0.70	29.3	0.47
Larynx	468	7.2	0.35	5.0	0.23	170	1.7	0.13	1.3	0.10
Lung & bronchus	4,235	69.6	1.13	44.1	0.69	3,967	42.2	0.68	27.5	0.45
Bones & Joints	55	0.6	0.09	0.6	0.09	64	0.7	0.08	0.6	0.08
Soft Tissue (incl. heart)	255	3.6	0.24	2.9	0.18	267	2.8	0.17	2.3	0.15
Skin (excl. basal & sq.)	148	2.2	0.19	1.6	0.13	175	1.8	0.14	1.4	0.11
Melanomas of the skin	68	1.0	0.13	0.7	0.09	99	1.0	0.10	0.8	0.08
Breast (excl. *in situ*)	103	1.7	0.17	1.1	0.11	10,881	113.6	1.10	82.6	0.81
Female Genital System	-	-	-	-	-	5,283	54.9	0.76	40.0	0.57
Cervix uteri	-	-	-	-	-	1,035	10.9	0.34	8.2	0.26
Uterus Corpus	-	-	-	-	-	2,782	28.6	0.55	20.9	0.41
Uterus, NOS[1]	-	-	-	-	-	173	1.8	0.14	1.3	0.10
Ovary	-	-	-	-	-	938	9.8	0.32	7.1	0.24
Male Genital System	15,871	238.2	1.98	170.7	1.37	-	-	-	-	-
Prostate	15,673	235.4	1.97	168.6	1.36	-	-	-	-	-
Testis	107	1.3	0.13	1.2	0.12	-	-	-	-	-
Penis	76	1.2	0.15	0.8	0.09	-	-	-	-	-
Urinary System	2,469	39.7	0.85	25.8	0.53	1,516	16.2	0.42	10.9	0.30
Bladder (incl. *in situ*)	1,052	18.7	0.61	10.7	0.34	531	5.8	0.25	3.4	0.16
Kidney & renal pelvis	1,361	20.1	0.57	14.5	0.40	949	10.0	0.33	7.2	0.25
Ureter	15	0.3	0.07	0.2	0.04	11	0.1	0.04	0.1	0.02
Eye & Orbit	34	0.4	0.08	0.5	0.08	30	0.3	0.06	0.4	0.07
Brain & Other Nervous System	345	4.7	0.27	4.0	0.22	317	3.4	0.19	2.9	0.18
Brain	313	4.3	0.26	3.6	0.21	282	3.0	0.18	2.5	0.17
Endocrine System	384	5.4	0.28	4.1	0.21	1,424	14.7	0.39	12.0	0.32
Thyroid gland	300	4.2	0.25	3.2	0.19	1,337	13.8	0.38	11.2	0.31
Lymphomas	1,659	23.5	0.61	17.7	0.44	1,484	15.6	0.41	11.7	0.32
Hodgkin Lymphoma	305	3.8	0.22	3.4	0.19	265	2.7	0.17	2.5	0.16
Non-Hodgkin Lymphoma	1,354	19.7	0.56	14.3	0.39	1,219	12.9	0.37	9.2	0.27
Multiple Myeloma	1,010	16.3	0.54	10.6	0.34	1,085	11.5	0.35	7.6	0.24
Leukemias	823	12.6	0.47	9.1	0.32	727	7.8	0.29	5.9	0.24
Acute lymphocytic	90	1.1	0.12	1.3	0.14	70	0.8	0.09	0.9	0.12
Chronic lymphocytic	256	4.2	0.28	2.7	0.17	180	2.0	0.15	1.2	0.09
Acute myeloid	236	3.7	0.26	2.6	0.17	239	2.5	0.16	2.0	0.14
Chronic myeloid	122	1.8	0.17	1.3	0.12	117	1.2	0.12	0.9	0.09
Other leukemias	119	1.9	0.18	1.3	0.12	121	1.3	0.12	0.9	0.09
Mesothelioma	30	0.5	0.10	0.3	0.06	16	0.2	0.04	0.1	0.03
Kaposi Sarcoma	223	3.0	0.20	2.4	0.16	28	0.3	0.06	0.2	0.04
Ill-defined & Unknown	1,102	18.9	0.60	11.4	0.35	1,337	14.4	0.40	8.9	0.26
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	511	7.6	0.36	5.5	0.25	1,329	14.1	0.39	10.0	0.29
Breast (*in situ*)	22	0.3	0.06	0.2	0.05	3,270	33.7	0.60	25.5	0.45

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	10,638	346.7	3.60	226.8	2.24	11,748	305.4	2.91	217.7	2.06
Oral Cavity & Pharynx	490	14.0	0.67	10.2	0.46	261	6.7	0.43	4.8	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	80	2.3	0.27	1.6	0.19	58	1.5	0.20	1.1	0.14
Major salivary gland	42	1.3	0.21	0.9	0.14	46	1.2	0.18	0.9	0.14
Floor of mouth	6	0.3	0.12	0.1	0.05	-	-	-	-	-
Gum & other mouth	50	1.6	0.24	1.0	0.15	51	1.5	0.22	0.9	0.13
Nasopharynx	249	6.7	0.44	5.2	0.33	85	2.0	0.22	1.6	0.17
Oropharynx	15	0.5	0.13	0.3	0.08	-	-	-	-	-
Hypopharynx	29	0.9	0.18	0.6	0.11	-	-	-	-	-
Digestive System	3,224	104.6	1.97	67.4	1.20	2,203	63.2	1.39	38.6	0.84
Esophagus	139	4.4	0.40	3.0	0.25	36	1.0	0.18	0.6	0.11
Stomach	634	20.9	0.89	13.3	0.53	368	10.3	0.55	6.5	0.34
Small intestine	35	1.1	0.19	0.7	0.13	24	0.6	0.13	0.4	0.09
Colon excl. rectum	748	25.5	1.00	15.6	0.58	730	21.0	0.81	12.7	0.48
Rectum & rectosigmoid	443	13.7	0.69	9.3	0.45	322	8.8	0.50	5.7	0.33
Anus, anal canal & anorectum	14	0.5	0.13	0.3	0.08	18	0.5	0.12	0.3	0.07
Liver	733	21.7	0.86	15.4	0.58	226	6.5	0.45	4.0	0.27
Gallbladder	37	1.2	0.21	0.8	0.13	86	2.6	0.29	1.5	0.17
Pancreas	277	9.8	0.63	5.7	0.35	255	7.8	0.51	4.4	0.28
Respiratory System	1,652	58.8	1.54	34.2	0.85	1,027	29.7	0.96	18.0	0.58
Larynx	103	3.3	0.34	2.1	0.21	13	0.4	0.10	0.2	0.06
Lung & bronchus	1,511	54.3	1.49	31.3	0.81	995	28.9	0.95	17.4	0.56
Bones & Joints	39	1.1	0.18	1.0	0.18	25	0.7	0.14	0.7	0.14
Soft Tissue (incl. heart)	99	2.9	0.31	2.2	0.23	79	2.1	0.24	1.7	0.20
Skin (excl. basal & sq.)	51	1.8	0.28	1.1	0.15	70	1.8	0.22	1.4	0.17
Melanomas of the skin	33	1.3	0.24	0.7	0.12	37	0.9	0.16	0.7	0.12
Breast (excl. *in situ*)	19	0.7	0.17	0.4	0.09	3,527	86.6	1.49	65.7	1.12
Female Genital System	-	-	-	-	-	1,571	38.8	1.00	29.1	0.74
Cervix uteri	-	-	-	-	-	334	8.2	0.46	6.1	0.34
Uterus Corpus	-	-	-	-	-	702	17.2	0.67	13.0	0.50
Uterus, NOS[1]	-	-	-	-	-	22	0.5	0.12	0.4	0.09
Ovary	-	-	-	-	-	438	11.0	0.54	8.2	0.40
Male Genital System	2,148	68.5	1.57	46.8	1.02	-	-	-	-	-
Prostate	2,041	65.6	1.54	44.4	0.99	-	-	-	-	-
Testis	82	2.0	0.23	1.9	0.22	-	-	-	-	-
Penis	16	0.5	0.14	0.3	0.08	-	-	-	-	-
Urinary System	952	32.8	1.14	19.7	0.65	340	9.6	0.54	6.2	0.35
Bladder (incl. *in situ*)	486	18.0	0.87	10.1	0.46	140	4.3	0.37	2.3	0.20
Kidney & renal pelvis	436	13.6	0.69	9.0	0.44	179	4.7	0.36	3.5	0.27
Ureter	18	0.7	0.19	0.4	0.09	21	0.7	0.15	0.3	0.08
Eye & Orbit	13	0.3	0.10	0.3	0.10	12	0.3	0.09	0.4	0.13
Brain & Other Nervous System	188	5.2	0.40	4.6	0.36	136	3.4	0.30	3.0	0.28
Brain	173	4.8	0.38	4.2	0.34	121	3.0	0.28	2.7	0.27
Endocrine System	386	10.1	0.53	8.3	0.43	1,385	32.0	0.88	26.6	0.73
Thyroid gland	347	9.0	0.50	7.3	0.40	1,348	31.0	0.86	25.8	0.71
Lymphomas	541	17.0	0.78	11.8	0.52	435	11.4	0.57	8.3	0.41
Hodgkin Lymphoma	59	1.6	0.22	1.4	0.18	40	0.9	0.14	0.9	0.15
Non-Hodgkin Lymphoma	482	15.4	0.75	10.4	0.49	395	10.5	0.55	7.4	0.38
Multiple Myeloma	140	4.6	0.42	2.9	0.24	114	3.2	0.31	2.1	0.20
Leukemias	314	9.8	0.59	7.8	0.47	224	6.1	0.42	5.3	0.39
Acute lymphocytic	65	1.9	0.24	2.4	0.31	46	1.3	0.20	1.6	0.26
Chronic lymphocytic	43	1.5	0.25	0.9	0.14	28	0.8	0.16	0.5	0.10
Acute myeloid	135	4.3	0.39	2.9	0.26	94	2.6	0.27	2.0	0.22
Chronic myeloid	45	1.4	0.22	1.0	0.15	34	0.9	0.16	0.7	0.13
Other leukemias	26	0.8	0.17	0.6	0.12	22	0.6	0.12	0.5	0.12
Mesothelioma	20	0.9	0.20	0.4	0.09	7	0.2	0.07	0.1	0.05
Kaposi Sarcoma	13	0.3	0.09	0.3	0.08	-	-	-	-	-
Ill-defined & Unknown	349	13.1	0.75	7.4	0.40	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	223	6.6	0.47	4.8	0.33	469	12.2	0.58	8.8	0.42
Breast (*in situ*)	-	-	-	-	-	1,374	33.1	0.91	25.9	0.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	248	526.2	36.44	342.9	21.99	267	470.7	29.80	311.9	19.47
Oral Cavity & Pharynx	8	15.2	5.77	11.7	4.17	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	69	140.5	18.45	91.7	11.16	42	77.0	12.27	46.0	7.21
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	6	13.0	5.66	8.4	3.48	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	17	42.5	11.09	22.2	5.46	14	26.2	7.20	14.4	3.96
Rectum & rectosigmoid	15	29.6	8.48	20.0	5.23	12	21.6	6.42	14.0	4.09
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	15	24.7	6.74	19.4	5.05	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	19.4	6.98	12.7	4.24	-	-	-	-	-
Respiratory System	43	101.2	17.04	58.7	9.02	42	77.3	12.39	46.8	7.36
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	40	95.9	16.76	54.8	8.74	42	77.3	12.39	46.8	7.36
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	6	8.9	3.64	7.4	3.04
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	72	126.3	15.40	84.2	10.08
Female Genital System	-	-	-	-	-	36	59.8	10.30	43.8	7.45
Cervix uteri	-	-	-	-	-	8	13.4	4.77	10.5	3.71
Uterus Corpus	-	-	-	-	-	15	25.0	6.65	17.4	4.57
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	14.8	5.18	10.3	3.51
Male Genital System	65	140.3	18.60	94.1	11.74	-	-	-	-	-
Prostate	62	136.5	18.47	90.0	11.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	19	43.3	10.79	27.2	6.27	21	37.1	8.35	25.8	5.68
Bladder (incl. *in situ*)	9	24.3	8.68	13.1	4.39	9	16.5	5.72	10.5	3.55
Kidney & renal pelvis	10	19.0	6.40	14.1	4.47	12	20.6	6.08	15.3	4.44
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	9	16.9	5.83	11.3	3.97
Thyroid gland	-	-	-	-	-	8	15.6	5.70	9.2	3.35
Lymphomas	16	30.6	8.19	21.9	5.51	10	18.9	6.17	11.3	3.65
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	10	18.9	6.17	11.3	3.65
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	9	14.4	4.92	12.2	4.13
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	8	20.9	8.14	10.8	3.83	6	10.3	4.29	6.8	2.86
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	8	14.2	5.18	8.5	3.06
Breast (*in situ*)	-	-	-	-	-	10	15.4	4.91	12.3	3.91

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	25,470	495.3	3.37	329.0	2.10	26,287	363.2	2.28	253.6	1.60
Oral Cavity & Pharynx	811	14.6	0.55	10.4	0.37	345	4.8	0.26	3.3	0.18
Lip	12	0.3	0.09	0.1	0.04	8	0.1	0.04	0.1	0.03
Tongue	201	3.7	0.27	2.6	0.19	84	1.1	0.13	0.8	0.09
Major salivary gland	69	1.3	0.17	0.9	0.11	60	0.8	0.10	0.6	0.08
Floor of mouth	53	1.0	0.15	0.7	0.09	16	0.2	0.06	0.1	0.04
Gum & other mouth	132	2.4	0.23	1.7	0.15	89	1.3	0.14	0.8	0.09
Nasopharynx	56	0.9	0.12	0.7	0.10	28	0.4	0.07	0.3	0.05
Oropharynx	56	1.1	0.15	0.8	0.10	15	0.2	0.06	0.1	0.04
Hypopharynx	68	1.3	0.17	0.9	0.11	13	0.2	0.05	0.1	0.04
Digestive System	5,928	117.9	1.67	75.9	1.00	4,983	73.0	1.05	45.8	0.67
Esophagus	323	6.8	0.41	4.3	0.24	112	1.7	0.16	1.0	0.10
Stomach	787	16.1	0.62	10.0	0.36	630	9.2	0.37	5.7	0.23
Small intestine	120	2.3	0.23	1.5	0.14	134	1.8	0.16	1.3	0.11
Colon excl. rectum	1,666	34.5	0.92	21.3	0.53	1,605	23.9	0.61	14.4	0.37
Rectum & rectosigmoid	795	14.7	0.57	10.0	0.36	649	9.1	0.36	6.2	0.25
Anus, anal canal & anorectum	110	1.8	0.18	1.3	0.12	176	2.4	0.19	1.7	0.13
Liver	1,186	21.5	0.67	15.4	0.45	449	6.5	0.31	4.3	0.21
Gallbladder	85	1.8	0.21	1.1	0.12	182	2.7	0.20	1.7	0.13
Pancreas	629	13.4	0.58	8.2	0.33	724	11.0	0.42	6.5	0.25
Respiratory System	2,759	59.5	1.22	36.4	0.70	2,150	31.8	0.70	20.0	0.45
Larynx	392	7.6	0.41	5.2	0.27	87	1.2	0.13	0.9	0.09
Lung & bronchus	2,295	50.7	1.14	30.3	0.64	2,014	29.9	0.68	18.6	0.43
Bones & Joints	68	0.9	0.12	0.8	0.10	58	0.7	0.09	0.7	0.09
Soft Tissue (incl. heart)	207	3.3	0.26	2.5	0.17	194	2.5	0.18	2.0	0.15
Skin (excl. basal & sq.)	267	4.8	0.33	3.2	0.20	291	4.0	0.24	2.7	0.16
Melanomas of the skin	201	3.7	0.29	2.4	0.17	223	3.1	0.21	2.1	0.14
Breast (excl. *in situ*)	53	0.9	0.14	0.7	0.09	7,478	100.9	1.19	73.3	0.86
Female Genital System	-	-	-	-	-	3,707	49.6	0.83	36.3	0.61
Cervix uteri	-	-	-	-	-	838	10.8	0.38	8.1	0.28
Uterus Corpus	-	-	-	-	-	1,843	24.7	0.58	18.3	0.43
Uterus, NOS[1]	-	-	-	-	-	59	0.8	0.10	0.6	0.08
Ovary	-	-	-	-	-	705	9.5	0.36	6.9	0.27
Male Genital System	8,454	163.4	1.90	113.3	1.25	-	-	-	-	-
Prostate	7,951	157.1	1.87	108.0	1.23	-	-	-	-	-
Testis	394	4.1	0.22	3.9	0.20	-	-	-	-	-
Penis	93	1.8	0.21	1.1	0.12	-	-	-	-	-
Urinary System	2,012	41.9	1.02	25.6	0.58	1,141	16.4	0.50	10.8	0.33
Bladder (incl. *in situ*)	984	23.4	0.80	12.8	0.42	432	6.6	0.32	3.8	0.19
Kidney & renal pelvis	976	17.2	0.59	12.2	0.40	673	9.3	0.36	6.6	0.26
Ureter	22	0.5	0.12	0.3	0.06	25	0.4	0.08	0.2	0.05
Eye & Orbit	55	0.9	0.13	0.7	0.10	53	0.7	0.10	0.6	0.09
Brain & Other Nervous System	416	6.5	0.35	5.2	0.26	373	4.8	0.25	4.0	0.22
Brain	392	6.2	0.34	4.9	0.25	343	4.4	0.24	3.7	0.21
Endocrine System	451	6.7	0.34	5.1	0.25	2,023	24.8	0.56	20.5	0.46
Thyroid gland	391	5.8	0.32	4.4	0.23	1,962	24.0	0.55	19.8	0.45
Lymphomas	1,670	28.2	0.77	19.9	0.50	1,407	19.2	0.53	13.8	0.38
Hodgkin Lymphoma	302	4.0	0.25	3.4	0.20	211	2.5	0.17	2.3	0.16
Non-Hodgkin Lymphoma	1,368	24.3	0.73	16.5	0.45	1,196	16.8	0.50	11.5	0.34
Multiple Myeloma	508	10.4	0.50	6.6	0.30	469	6.8	0.32	4.4	0.21
Leukemias	824	14.6	0.57	10.5	0.37	701	9.4	0.37	7.3	0.29
Acute lymphocytic	196	2.3	0.18	2.6	0.19	168	1.9	0.15	2.2	0.18
Chronic lymphocytic	179	4.0	0.32	2.4	0.18	122	1.9	0.17	1.1	0.10
Acute myeloid	243	4.4	0.32	3.0	0.19	234	3.2	0.21	2.3	0.16
Chronic myeloid	109	1.9	0.21	1.3	0.12	86	1.2	0.13	0.8	0.09
Other leukemias	97	1.9	0.22	1.2	0.12	91	1.3	0.14	0.9	0.09
Mesothelioma	45	1.0	0.17	0.6	0.08	17	0.3	0.06	0.2	0.04
Kaposi Sarcoma	149	2.3	0.21	1.7	0.14	23	0.3	0.07	0.2	0.04
Ill-defined & Unknown	793	17.4	0.68	10.0	0.36	874	13.2	0.46	7.8	0.27
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	450	7.5	0.39	5.4	0.26	1,081	14.6	0.45	10.5	0.33
Breast (*in situ*)	7	0.1	0.04	0.1	0.03	2,652	35.0	0.69	26.7	0.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	197,635	584.1	1.34	385.5	0.93	194,316	486.3	1.15	339.2	0.88
Oral Cavity & Pharynx	5,640	16.2	0.22	11.7	0.16	2,665	6.6	0.13	4.6	0.10
Lip	276	0.8	0.05	0.5	0.03	133	0.3	0.03	0.2	0.02
Tongue	1,843	5.2	0.12	3.9	0.09	792	2.0	0.07	1.5	0.06
Major salivary gland	568	1.7	0.07	1.1	0.05	421	1.1	0.06	0.8	0.05
Floor of mouth	283	0.8	0.05	0.6	0.04	164	0.4	0.03	0.3	0.02
Gum & other mouth	659	1.9	0.08	1.3	0.05	567	1.3	0.06	0.8	0.04
Nasopharynx	199	0.6	0.04	0.5	0.04	87	0.2	0.03	0.2	0.02
Oropharynx	279	0.8	0.05	0.6	0.04	101	0.3	0.03	0.2	0.02
Hypopharynx	342	1.0	0.05	0.7	0.04	94	0.2	0.02	0.2	0.02
Digestive System	34,521	102.0	0.56	63.8	0.37	30,196	69.3	0.41	42.4	0.28
Esophagus	3,048	8.9	0.16	5.8	0.11	939	2.1	0.07	1.3	0.05
Stomach	3,299	9.8	0.17	6.0	0.11	1,939	4.4	0.10	2.6	0.07
Small intestine	911	2.7	0.09	1.8	0.06	827	2.0	0.07	1.4	0.05
Colon excl. rectum	11,141	33.4	0.32	19.8	0.20	12,656	28.6	0.26	16.7	0.18
Rectum & rectosigmoid	5,182	15.3	0.22	10.2	0.15	4,037	9.8	0.16	6.6	0.12
Anus, anal canal & anorectum	546	1.6	0.07	1.1	0.05	826	2.1	0.07	1.5	0.06
Liver	3,019	8.5	0.16	6.0	0.12	950	2.2	0.08	1.5	0.06
Gallbladder	285	0.9	0.05	0.5	0.03	608	1.3	0.06	0.8	0.04
Pancreas	5,606	16.5	0.22	10.0	0.14	5,549	12.3	0.17	7.3	0.11
Respiratory System	29,155	85.9	0.51	52.6	0.33	27,827	65.8	0.40	42.1	0.28
Larynx	2,227	6.4	0.14	4.4	0.10	603	1.5	0.06	1.1	0.05
Lung & bronchus	26,507	78.1	0.49	47.2	0.31	26,978	63.7	0.40	40.6	0.27
Bones & Joints	370	1.3	0.07	1.1	0.07	316	1.0	0.06	0.9	0.06
Soft Tissue (incl. heart)	1,424	4.5	0.12	3.3	0.10	1,126	3.1	0.10	2.4	0.09
Skin (excl. basal & sq.)	10,772	32.6	0.32	21.4	0.22	8,048	21.9	0.26	16.4	0.21
Melanomas of the skin	9,952	30.1	0.31	19.9	0.21	7,445	20.5	0.25	15.4	0.20
Breast (excl. *in situ*)	533	1.6	0.07	1.0	0.05	53,706	138.9	0.62	100.4	0.47
Female Genital System	-	-	-	-	-	22,684	57.4	0.39	42.5	0.31
Cervix uteri	-	-	-	-	-	2,159	6.5	0.15	5.1	0.12
Uterus Corpus	-	-	-	-	-	12,745	31.6	0.29	23.6	0.22
Uterus, NOS[1]	-	-	-	-	-	291	0.7	0.04	0.4	0.03
Ovary	-	-	-	-	-	5,554	14.0	0.20	10.2	0.15
Male Genital System	53,381	152.7	0.67	108.9	0.49	-	-	-	-	-
Prostate	50,811	143.3	0.64	100.6	0.46	-	-	-	-	-
Testis	2,218	8.3	0.18	7.6	0.17	-	-	-	-	-
Penis	274	0.8	0.05	0.5	0.03	-	-	-	-	-
Urinary System	25,266	75.0	0.48	46.0	0.31	10,503	25.0	0.25	16.4	0.19
Bladder (incl. *in situ*)	16,483	49.1	0.39	28.1	0.23	5,506	12.5	0.17	7.7	0.12
Kidney & renal pelvis	8,160	24.1	0.27	16.8	0.20	4,660	11.7	0.18	8.3	0.14
Ureter	345	1.0	0.06	0.6	0.03	231	0.5	0.04	0.3	0.02
Eye & Orbit	417	1.3	0.06	1.0	0.06	382	1.1	0.06	0.9	0.06
Brain & Other Nervous System	2,752	8.9	0.17	7.2	0.16	2,286	6.5	0.14	5.6	0.14
Brain	2,601	8.3	0.17	6.6	0.15	2,096	5.9	0.14	5.0	0.13
Endocrine System	3,740	11.9	0.20	9.6	0.17	9,767	30.7	0.32	25.5	0.28
Thyroid gland	3,422	10.8	0.19	8.6	0.15	9,453	29.8	0.32	24.7	0.27
Lymphomas	10,409	32.0	0.32	22.1	0.24	9,010	22.7	0.25	16.0	0.20
Hodgkin Lymphoma	1,173	4.1	0.12	3.7	0.11	961	3.2	0.11	3.0	0.11
Non-Hodgkin Lymphoma	9,236	28.0	0.30	18.5	0.21	8,049	19.5	0.23	13.0	0.17
Multiple Myeloma	2,850	8.4	0.16	5.1	0.10	2,226	5.1	0.11	3.2	0.08
Leukemias	7,116	21.8	0.26	14.9	0.21	5,236	13.0	0.19	9.4	0.17
Acute lymphocytic	497	2.0	0.09	2.4	0.12	374	1.4	0.08	1.8	0.11
Chronic lymphocytic	3,261	9.5	0.17	5.8	0.11	2,290	5.2	0.11	3.2	0.08
Acute myeloid	1,775	5.5	0.13	3.5	0.09	1,389	3.5	0.10	2.4	0.08
Chronic myeloid	783	2.4	0.09	1.6	0.06	631	1.6	0.07	1.1	0.05
Other leukemias	800	2.4	0.09	1.6	0.06	552	1.3	0.06	0.9	0.05
Mesothelioma	718	2.2	0.08	1.2	0.05	196	0.5	0.03	0.3	0.02
Kaposi Sarcoma	291	1.0	0.06	0.6	0.04	64	0.1	0.02	0.1	0.01
Ill-defined & Unknown	8,280	25.0	0.28	14.0	0.17	8,078	17.7	0.21	10.1	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	3,199	10.1	0.18	7.4	0.15	6,438	16.4	0.22	11.8	0.17
Breast (*in situ*)	62	0.2	0.02	0.1	0.02	17,508	48.1	0.37	36.8	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New York, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	34,511	613.1	3.47	423.7	2.31	33,435	406.2	2.25	284.8	1.63
Oral Cavity & Pharynx	811	13.2	0.48	10.1	0.36	454	5.4	0.26	4.0	0.19
Lip	7	0.1	0.04	0.1	0.03	6	0.1	0.03	0.0	0.02
Tongue	202	3.3	0.24	2.5	0.18	118	1.4	0.13	1.0	0.10
Major salivary gland	79	1.3	0.15	1.0	0.11	87	1.1	0.12	0.8	0.09
Floor of mouth	41	0.7	0.12	0.5	0.08	22	0.3	0.05	0.2	0.04
Gum & other mouth	99	1.7	0.17	1.2	0.13	89	1.1	0.12	0.8	0.08
Nasopharynx	62	1.0	0.13	0.8	0.10	31	0.4	0.07	0.3	0.06
Oropharynx	55	0.9	0.13	0.7	0.09	27	0.3	0.06	0.2	0.04
Hypopharynx	101	1.7	0.17	1.3	0.13	26	0.3	0.06	0.2	0.04
Digestive System	7,051	128.8	1.62	84.6	1.02	6,780	82.9	1.02	52.9	0.67
Esophagus	433	7.9	0.40	5.3	0.26	219	2.6	0.18	1.7	0.12
Stomach	849	16.9	0.61	10.1	0.35	745	9.3	0.35	5.5	0.21
Small intestine	208	3.7	0.27	2.5	0.18	250	3.0	0.19	2.1	0.14
Colon excl. rectum	2,220	42.3	0.95	26.4	0.57	2,584	31.7	0.63	19.9	0.41
Rectum & rectosigmoid	866	15.1	0.54	10.4	0.36	797	9.6	0.34	6.6	0.24
Anus, anal canal & anorectum	177	2.8	0.22	2.2	0.16	196	2.3	0.17	1.7	0.12
Liver	1,138	17.9	0.55	13.9	0.42	392	4.7	0.24	3.2	0.17
Gallbladder	91	1.9	0.21	1.1	0.11	194	2.4	0.17	1.5	0.11
Pancreas	863	16.1	0.58	10.3	0.36	1,118	13.8	0.42	8.4	0.27
Respiratory System	4,434	83.0	1.31	53.4	0.81	3,921	47.6	0.77	31.4	0.52
Larynx	417	7.5	0.38	5.1	0.25	162	1.9	0.15	1.4	0.11
Lung & bronchus	3,964	74.6	1.25	47.5	0.76	3,701	45.0	0.75	29.5	0.50
Bones & Joints	48	0.7	0.10	0.7	0.10	56	0.7	0.09	0.7	0.09
Soft Tissue (incl. heart)	228	3.8	0.26	3.1	0.21	250	3.0	0.19	2.5	0.17
Skin (excl. basal & sq.)	130	2.3	0.21	1.6	0.14	152	1.9	0.15	1.4	0.12
Melanomas of the skin	56	1.0	0.14	0.7	0.09	80	1.0	0.11	0.7	0.08
Breast (excl. *in situ*)	93	1.8	0.19	1.1	0.12	9,849	119.2	1.21	86.6	0.90
Female Genital System	-	-	-	-	-	4,811	57.7	0.84	42.1	0.63
Cervix uteri	-	-	-	-	-	925	11.4	0.38	8.5	0.29
Uterus Corpus	-	-	-	-	-	2,530	29.8	0.60	21.9	0.45
Uterus, NOS[1]	-	-	-	-	-	164	2.0	0.16	1.4	0.11
Ovary	-	-	-	-	-	867	10.5	0.36	7.6	0.27
Male Genital System	14,484	249.8	2.17	179.7	1.51	-	-	-	-	-
Prostate	14,330	247.3	2.16	177.7	1.50	-	-	-	-	-
Testis	78	1.2	0.13	1.1	0.12	-	-	-	-	-
Penis	63	1.2	0.16	0.8	0.10	-	-	-	-	-
Urinary System	2,236	41.5	0.93	27.0	0.58	1,382	17.0	0.46	11.4	0.33
Bladder (incl. *in situ*)	956	19.5	0.67	11.2	0.37	486	6.0	0.28	3.5	0.17
Kidney & renal pelvis	1,233	21.0	0.63	15.3	0.44	863	10.5	0.36	7.6	0.28
Ureter	13	0.3	0.08	0.2	0.04	9	0.1	0.04	0.1	0.02
Eye & Orbit	27	0.4	0.08	0.5	0.09	23	0.3	0.06	0.4	0.09
Brain & Other Nervous System	298	4.9	0.29	4.1	0.25	277	3.5	0.21	3.0	0.20
Brain	271	4.4	0.28	3.7	0.24	243	3.0	0.20	2.6	0.19
Endocrine System	340	5.5	0.31	4.3	0.24	1,233	14.9	0.43	12.2	0.36
Thyroid gland	265	4.3	0.27	3.3	0.20	1,155	14.0	0.42	11.3	0.34
Lymphomas	1,453	23.9	0.66	18.2	0.48	1,333	16.3	0.45	12.4	0.36
Hodgkin Lymphoma	268	4.0	0.25	3.5	0.22	239	3.0	0.19	2.7	0.18
Non-Hodgkin Lymphoma	1,185	19.9	0.61	14.7	0.43	1,094	13.3	0.41	9.6	0.31
Multiple Myeloma	921	17.1	0.59	11.1	0.37	1,002	12.2	0.39	8.0	0.26
Leukemias	725	13.1	0.51	9.3	0.36	647	8.0	0.32	6.2	0.27
Acute lymphocytic	65	1.0	0.12	1.2	0.15	61	0.8	0.10	1.0	0.14
Chronic lymphocytic	233	4.4	0.31	2.8	0.18	167	2.1	0.16	1.2	0.10
Acute myeloid	214	3.9	0.28	2.7	0.19	209	2.6	0.18	2.0	0.15
Chronic myeloid	110	1.9	0.19	1.4	0.13	102	1.2	0.12	1.0	0.10
Other leukemias	103	1.9	0.20	1.3	0.13	108	1.3	0.13	0.9	0.10
Mesothelioma	28	0.6	0.12	0.3	0.06	12	0.1	0.04	0.1	0.03
Kaposi Sarcoma	198	3.1	0.22	2.6	0.18	26	0.3	0.07	0.2	0.05
Ill-defined & Unknown	1,006	19.9	0.66	12.0	0.39	1,227	15.2	0.44	9.4	0.29
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	457	7.9	0.39	5.9	0.28	1,189	14.6	0.43	10.4	0.32
Breast (*in situ*)	20	0.3	0.07	0.3	0.06	2,929	34.9	0.65	26.5	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	126,950	546.6	1.58	365.1	1.05	117,455	417.9	1.24	293.2	0.91
Oral Cavity & Pharynx	4,586	18.6	0.28	13.7	0.21	1,934	6.8	0.16	4.8	0.12
Lip	171	0.8	0.06	0.5	0.04	70	0.3	0.03	0.1	0.02
Tongue	1,358	5.4	0.15	4.1	0.11	534	1.9	0.08	1.3	0.06
Major salivary gland	381	1.8	0.09	1.1	0.06	273	1.0	0.06	0.8	0.05
Floor of mouth	257	1.0	0.07	0.8	0.05	121	0.4	0.04	0.3	0.03
Gum & other mouth	476	2.0	0.09	1.4	0.07	401	1.4	0.07	0.9	0.05
Nasopharynx	183	0.7	0.06	0.6	0.04	91	0.3	0.03	0.3	0.03
Oropharynx	260	1.0	0.06	0.8	0.05	83	0.3	0.03	0.2	0.02
Hypopharynx	352	1.4	0.08	1.0	0.06	98	0.3	0.03	0.2	0.03
Digestive System	21,952	94.9	0.66	62.2	0.43	17,992	62.8	0.47	40.4	0.32
Esophagus	1,919	8.1	0.19	5.4	0.13	474	1.6	0.08	1.1	0.05
Stomach	1,936	8.5	0.20	5.5	0.13	1,293	4.5	0.13	2.8	0.09
Small intestine	754	3.2	0.12	2.2	0.08	668	2.4	0.09	1.6	0.07
Colon excl. rectum	7,256	32.4	0.39	20.2	0.24	7,425	25.9	0.30	16.2	0.20
Rectum & rectosigmoid	3,297	13.9	0.25	9.7	0.17	2,356	8.3	0.17	5.8	0.13
Anus, anal canal & anorectum	331	1.4	0.08	1.0	0.06	578	2.0	0.09	1.5	0.07
Liver	2,423	9.7	0.20	7.1	0.15	758	2.6	0.10	1.8	0.07
Gallbladder	179	0.8	0.06	0.5	0.04	326	1.1	0.06	0.7	0.04
Pancreas	3,070	13.4	0.25	8.5	0.16	2,974	10.3	0.19	6.2	0.12
Respiratory System	23,111	101.1	0.69	63.6	0.43	16,873	58.4	0.45	38.2	0.31
Larynx	1,806	7.5	0.18	5.2	0.12	496	1.7	0.08	1.3	0.06
Lung & bronchus	20,990	92.3	0.66	57.5	0.40	16,203	56.1	0.45	36.5	0.30
Bones & Joints	246	1.1	0.07	1.0	0.07	199	0.8	0.06	0.7	0.05
Soft Tissue (incl. heart)	926	4.1	0.14	3.0	0.11	757	2.8	0.10	2.3	0.09
Skin (excl. basal & sq.)	7,154	32.1	0.39	20.6	0.25	5,080	18.9	0.27	14.1	0.21
Melanomas of the skin	6,708	30.0	0.38	19.4	0.24	4,801	17.9	0.26	13.5	0.21
Breast (excl. *in situ*)	375	1.6	0.09	1.1	0.06	35,631	127.1	0.68	91.9	0.51
Female Genital System	-	-	-	-	-	13,229	47.0	0.41	34.5	0.32
Cervix uteri	-	-	-	-	-	1,796	7.1	0.17	5.6	0.14
Uterus Corpus	-	-	-	-	-	6,708	23.1	0.29	17.2	0.22
Uterus, NOS[1]	-	-	-	-	-	234	0.8	0.06	0.6	0.04
Ovary	-	-	-	-	-	3,219	11.5	0.21	8.1	0.15
Male Genital System	35,404	144.5	0.79	102.9	0.56	-	-	-	-	-
Prostate	34,061	138.7	0.77	97.7	0.54	-	-	-	-	-
Testis	1,113	4.9	0.15	4.5	0.14	-	-	-	-	-
Penis	195	0.9	0.06	0.6	0.04	-	-	-	-	-
Urinary System	13,583	60.8	0.54	37.7	0.33	6,081	21.3	0.28	14.2	0.20
Bladder (incl. *in situ*)	7,913	36.7	0.43	20.9	0.24	2,588	8.9	0.18	5.3	0.11
Kidney & renal pelvis	5,383	22.7	0.32	16.0	0.22	3,329	11.8	0.21	8.5	0.16
Ureter	194	0.9	0.07	0.5	0.04	112	0.4	0.04	0.2	0.02
Eye & Orbit	233	1.0	0.07	0.8	0.05	183	0.7	0.05	0.6	0.05
Brain & Other Nervous System	1,838	7.9	0.19	6.4	0.16	1,477	5.5	0.15	4.6	0.14
Brain	1,739	7.5	0.18	6.0	0.15	1,373	5.1	0.14	4.3	0.13
Endocrine System	1,744	7.4	0.18	5.8	0.14	4,807	18.7	0.27	15.5	0.23
Thyroid gland	1,557	6.6	0.17	5.0	0.13	4,647	18.1	0.27	14.9	0.23
Lymphomas	5,710	25.2	0.34	17.4	0.24	4,846	17.6	0.26	12.3	0.19
Hodgkin Lymphoma	694	3.0	0.12	2.6	0.10	576	2.3	0.10	2.1	0.09
Non-Hodgkin Lymphoma	5,016	22.2	0.32	14.8	0.22	4,270	15.2	0.24	10.2	0.17
Multiple Myeloma	1,955	8.6	0.20	5.4	0.13	1,696	5.9	0.14	3.7	0.10
Leukemias	3,598	16.3	0.28	11.3	0.20	2,805	10.1	0.19	7.5	0.16
Acute lymphocytic	400	1.7	0.09	2.1	0.11	311	1.3	0.08	1.6	0.10
Chronic lymphocytic	1,307	5.9	0.17	3.6	0.10	905	3.1	0.10	1.8	0.07
Acute myeloid	1,023	4.7	0.15	3.0	0.10	879	3.2	0.11	2.3	0.09
Chronic myeloid	485	2.2	0.10	1.4	0.07	391	1.4	0.07	1.0	0.06
Other leukemias	383	1.8	0.09	1.1	0.06	319	1.1	0.06	0.7	0.05
Mesothelioma	328	1.6	0.09	0.8	0.05	78	0.3	0.03	0.2	0.02
Kaposi Sarcoma	95	0.4	0.04	0.4	0.04	13	0.0	0.01	0.0	0.01
Ill-defined & Unknown	4,112	19.3	0.31	11.1	0.18	3,774	13.1	0.22	7.8	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,794	7.9	0.19	5.7	0.14	3,976	14.4	0.23	10.5	0.18
Breast (*in situ*)	60	0.3	0.03	0.2	0.02	8,110	28.9	0.33	21.7	0.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	99,788	534.9	1.74	355.4	1.17	92,437	423.6	1.42	297.7	1.07
Oral Cavity & Pharynx	3,612	18.5	0.31	13.6	0.23	1,552	7.0	0.18	4.9	0.14
Lip	163	0.9	0.07	0.5	0.04	66	0.3	0.04	0.2	0.02
Tongue	1,130	5.7	0.17	4.3	0.13	459	2.1	0.10	1.5	0.08
Major salivary gland	319	1.8	0.11	1.1	0.07	203	1.0	0.07	0.7	0.06
Floor of mouth	188	0.9	0.07	0.7	0.05	96	0.4	0.04	0.3	0.03
Gum & other mouth	345	1.8	0.10	1.3	0.07	322	1.4	0.08	0.9	0.05
Nasopharynx	117	0.6	0.06	0.5	0.04	65	0.3	0.04	0.2	0.03
Oropharynx	176	0.9	0.07	0.7	0.05	64	0.3	0.03	0.2	0.03
Hypopharynx	235	1.2	0.08	0.9	0.06	73	0.3	0.04	0.2	0.03
Digestive System	16,613	89.5	0.71	58.1	0.47	13,286	58.9	0.52	37.7	0.36
Esophagus	1,544	8.1	0.21	5.4	0.14	337	1.5	0.08	0.9	0.05
Stomach	1,352	7.4	0.21	4.7	0.13	820	3.6	0.13	2.3	0.09
Small intestine	546	2.9	0.13	2.0	0.09	469	2.1	0.10	1.5	0.07
Colon excl. rectum	5,519	30.5	0.42	18.8	0.26	5,553	24.6	0.34	15.2	0.22
Rectum & rectosigmoid	2,562	13.6	0.27	9.4	0.19	1,758	8.0	0.20	5.6	0.14
Anus, anal canal & anorectum	233	1.2	0.08	0.9	0.06	485	2.2	0.10	1.7	0.08
Liver	1,735	8.9	0.22	6.3	0.16	528	2.4	0.10	1.6	0.08
Gallbladder	119	0.7	0.06	0.4	0.04	230	1.0	0.06	0.6	0.04
Pancreas	2,376	12.8	0.27	8.0	0.17	2,195	9.5	0.21	5.7	0.13
Respiratory System	18,299	98.6	0.75	61.4	0.47	13,909	60.9	0.52	39.8	0.36
Larynx	1,310	6.7	0.19	4.6	0.13	384	1.7	0.09	1.3	0.07
Lung & bronchus	16,725	90.4	0.72	55.8	0.44	13,381	58.5	0.51	38.1	0.35
Bones & Joints	193	1.1	0.08	1.0	0.08	154	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	750	4.2	0.16	3.1	0.13	555	2.7	0.12	2.2	0.11
Skin (excl. basal & sq.)	6,993	38.8	0.47	25.3	0.31	4,908	24.2	0.35	18.3	0.28
Melanomas of the skin	6,598	36.5	0.46	24.0	0.31	4,684	23.2	0.35	17.7	0.28
Breast (excl. *in situ*)	276	1.5	0.09	1.0	0.06	27,617	127.1	0.78	91.7	0.58
Female Genital System	-	-	-	-	-	10,243	47.2	0.48	34.8	0.37
Cervix uteri	-	-	-	-	-	1,239	6.7	0.19	5.3	0.16
Uterus Corpus	-	-	-	-	-	5,237	23.2	0.33	17.4	0.25
Uterus, NOS[1]	-	-	-	-	-	144	0.7	0.06	0.4	0.04
Ovary	-	-	-	-	-	2,602	11.9	0.24	8.4	0.18
Male Genital System	25,449	129.3	0.83	91.7	0.59	-	-	-	-	-
Prostate	24,283	122.5	0.80	85.6	0.56	-	-	-	-	-
Testis	995	5.9	0.19	5.5	0.18	-	-	-	-	-
Penis	146	0.8	0.07	0.5	0.04	-	-	-	-	-
Urinary System	11,555	63.6	0.61	39.2	0.38	4,797	21.4	0.31	14.2	0.23
Bladder (incl. *in situ*)	7,077	39.8	0.49	22.8	0.28	2,186	9.5	0.21	5.7	0.13
Kidney & renal pelvis	4,224	22.3	0.35	15.6	0.25	2,476	11.4	0.23	8.2	0.18
Ureter	175	1.0	0.08	0.5	0.04	99	0.4	0.04	0.2	0.03
Eye & Orbit	217	1.2	0.08	0.9	0.07	170	0.8	0.06	0.7	0.06
Brain & Other Nervous System	1,566	8.6	0.22	7.0	0.19	1,228	6.1	0.18	5.1	0.17
Brain	1,493	8.2	0.22	6.6	0.19	1,159	5.7	0.17	4.7	0.16
Endocrine System	1,472	8.0	0.21	6.3	0.17	3,765	19.8	0.33	16.5	0.29
Thyroid gland	1,334	7.2	0.20	5.5	0.16	3,655	19.2	0.33	16.0	0.28
Lymphomas	4,729	26.2	0.39	17.9	0.28	3,939	18.2	0.30	12.6	0.23
Hodgkin Lymphoma	519	3.0	0.13	2.6	0.12	419	2.3	0.12	2.1	0.11
Non-Hodgkin Lymphoma	4,210	23.2	0.37	15.3	0.25	3,520	15.9	0.27	10.5	0.20
Multiple Myeloma	1,314	7.2	0.20	4.5	0.13	1,036	4.5	0.14	2.7	0.09
Leukemias	3,039	17.2	0.32	12.0	0.24	2,256	10.5	0.23	7.8	0.20
Acute lymphocytic	321	1.9	0.11	2.4	0.14	250	1.5	0.10	1.9	0.13
Chronic lymphocytic	1,119	6.2	0.19	3.7	0.11	757	3.2	0.12	1.9	0.07
Acute myeloid	869	4.9	0.17	3.2	0.12	696	3.3	0.13	2.3	0.10
Chronic myeloid	404	2.3	0.12	1.5	0.08	297	1.4	0.08	1.0	0.06
Other leukemias	326	1.9	0.11	1.2	0.07	256	1.2	0.07	0.7	0.05
Mesothelioma	301	1.8	0.11	0.9	0.05	65	0.3	0.04	0.2	0.02
Kaposi Sarcoma	40	0.2	0.04	0.2	0.03	7	0.0	0.01	0.0	0.01
Ill-defined & Unknown	3,370	19.4	0.34	11.2	0.20	2,950	12.9	0.24	7.7	0.16
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,447	8.0	0.22	5.9	0.17	3,031	14.3	0.27	10.5	0.21
Breast (*in situ*)	45	0.2	0.04	0.2	0.03	6,274	29.2	0.38	22.0	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	24,225	604.0	4.18	415.4	2.70	22,091	399.9	2.74	280.9	1.96
Oral Cavity & Pharynx	877	20.1	0.72	14.9	0.51	323	5.5	0.31	4.2	0.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	203	4.5	0.34	3.4	0.24	66	1.2	0.14	0.8	0.10
Major salivary gland	51	1.3	0.19	0.9	0.13	60	1.1	0.14	0.8	0.11
Floor of mouth	66	1.5	0.20	1.1	0.14	20	0.3	0.08	0.3	0.06
Gum & other mouth	113	2.6	0.26	1.9	0.18	65	1.1	0.14	0.8	0.10
Nasopharynx	52	1.2	0.18	0.9	0.12	15	0.2	0.06	0.2	0.06
Oropharynx	80	1.8	0.21	1.4	0.15	18	0.3	0.07	0.2	0.06
Hypopharynx	110	2.6	0.26	1.9	0.18	22	0.4	0.08	0.3	0.06
Digestive System	4,798	120.1	1.88	80.8	1.18	4,236	77.5	1.21	50.4	0.81
Esophagus	347	8.4	0.48	5.9	0.32	123	2.1	0.20	1.5	0.14
Stomach	508	13.7	0.66	8.5	0.38	409	7.7	0.38	4.7	0.24
Small intestine	196	4.7	0.36	3.3	0.24	180	3.3	0.25	2.3	0.17
Colon excl. rectum	1,594	42.1	1.14	26.9	0.68	1,733	31.7	0.78	20.6	0.51
Rectum & rectosigmoid	657	15.7	0.65	11.1	0.44	519	9.2	0.41	6.3	0.29
Anus, anal canal & anorectum	94	2.2	0.23	1.6	0.17	84	1.5	0.17	1.1	0.12
Liver	582	11.9	0.52	9.5	0.40	185	3.2	0.24	2.4	0.18
Gallbladder	55	1.5	0.22	0.9	0.13	85	1.6	0.17	1.0	0.11
Pancreas	638	16.6	0.71	10.7	0.43	719	13.6	0.51	8.3	0.32
Respiratory System	4,411	115.2	1.87	75.4	1.15	2,683	49.2	0.97	33.0	0.66
Larynx	470	11.3	0.56	8.0	0.37	105	1.8	0.18	1.4	0.14
Lung & bronchus	3,899	102.9	1.78	66.7	1.08	2,552	46.9	0.95	31.3	0.64
Bones & Joints	49	1.0	0.14	0.9	0.13	40	0.7	0.11	0.7	0.11
Soft Tissue (incl. heart)	150	3.6	0.31	2.6	0.22	186	3.3	0.25	2.7	0.20
Skin (excl. basal & sq.)	86	2.3	0.26	1.5	0.16	93	1.7	0.18	1.2	0.13
Melanomas of the skin	47	1.3	0.21	0.8	0.12	46	0.8	0.13	0.6	0.09
Breast (excl. *in situ*)	92	2.3	0.26	1.6	0.16	7,127	127.1	1.53	92.8	1.12
Female Genital System	-	-	-	-	-	2,616	47.3	0.94	34.1	0.69
Cervix uteri	-	-	-	-	-	478	8.6	0.40	6.5	0.30
Uterus Corpus	-	-	-	-	-	1,302	23.5	0.66	16.9	0.48
Uterus, NOS[1]	-	-	-	-	-	79	1.5	0.17	0.9	0.11
Ovary	-	-	-	-	-	536	9.8	0.43	6.9	0.31
Male Genital System	8,937	215.4	2.45	153.9	1.65	-	-	-	-	-
Prostate	8,796	212.2	2.43	151.4	1.63	-	-	-	-	-
Testis	84	1.7	0.19	1.6	0.17	-	-	-	-	-
Penis	48	1.3	0.20	0.8	0.12	-	-	-	-	-
Urinary System	1,775	46.3	1.19	30.5	0.73	1,165	21.4	0.64	14.6	0.45
Bladder (incl. *in situ*)	695	20.2	0.83	12.0	0.46	349	6.7	0.36	3.9	0.22
Kidney & renal pelvis	1,051	25.2	0.83	18.1	0.56	792	14.2	0.51	10.4	0.38
Ureter	15	0.5	0.13	0.2	0.06	11	0.2	0.07	0.1	0.04
Eye & Orbit	14	0.3	0.09	0.3	0.09	9	0.2	0.05	0.2	0.07
Brain & Other Nervous System	213	4.7	0.35	4.0	0.28	205	3.7	0.26	3.2	0.24
Brain	190	4.2	0.33	3.5	0.26	179	3.2	0.24	2.8	0.23
Endocrine System	215	4.8	0.34	3.8	0.26	794	14.1	0.51	11.2	0.41
Thyroid gland	172	3.9	0.31	3.0	0.23	753	13.4	0.50	10.6	0.39
Lymphomas	843	19.9	0.73	14.7	0.51	774	14.1	0.51	10.5	0.39
Hodgkin Lymphoma	148	3.0	0.25	2.7	0.22	144	2.5	0.21	2.3	0.20
Non-Hodgkin Lymphoma	695	16.8	0.68	12.0	0.46	630	11.5	0.47	8.2	0.34
Multiple Myeloma	595	16.0	0.71	10.2	0.42	626	11.5	0.47	7.6	0.31
Leukemias	450	11.5	0.59	8.1	0.39	470	8.7	0.41	6.3	0.31
Acute lymphocytic	51	1.0	0.15	1.1	0.15	40	0.7	0.11	0.9	0.14
Chronic lymphocytic	162	4.4	0.38	2.8	0.22	131	2.4	0.22	1.5	0.14
Acute myeloid	123	3.3	0.32	2.2	0.20	160	2.9	0.24	2.2	0.19
Chronic myeloid	66	1.5	0.20	1.2	0.14	86	1.6	0.18	1.1	0.12
Other leukemias	48	1.3	0.20	0.9	0.13	53	1.0	0.14	0.6	0.10
Mesothelioma	25	0.8	0.17	0.4	0.08	12	0.2	0.07	0.1	0.04
Kaposi Sarcoma	51	1.1	0.16	1.0	0.14	6	0.1	0.05	0.1	0.03
Ill-defined & Unknown	644	18.7	0.80	10.8	0.43	726	13.7	0.52	8.1	0.32
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	307	7.9	0.49	5.3	0.31	833	15.2	0.53	10.8	0.39
Breast (*in situ*)	14	0.3	0.09	0.2	0.06	1,625	28.6	0.72	21.4	0.54

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	795	253.2	10.70	164.7	6.02	1,108	257.9	8.70	172.6	5.32
Oral Cavity & Pharynx	35	9.6	1.81	6.7	1.16	23	4.8	1.14	3.5	0.75
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	1.7	0.76	1.2	0.47	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	12	3.9	1.24	2.5	0.74	-	-	-	-	-
Nasopharynx	10	2.2	0.74	1.8	0.59	8	1.4	0.48	1.2	0.42
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	201	64.1	5.43	41.4	3.01	185	49.8	4.07	30.1	2.27
Esophagus	10	4.5	1.78	2.5	0.80	8	2.3	0.90	1.3	0.45
Stomach	32	10.2	2.14	6.4	1.18	32	8.6	1.70	5.2	0.94
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	37	13.9	2.76	8.2	1.39	48	13.6	2.19	7.9	1.16
Rectum & rectosigmoid	31	7.5	1.62	5.8	1.09	37	8.7	1.62	5.6	0.94
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	56	15.9	2.40	11.1	1.52	22	5.0	1.15	3.6	0.79
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	13	4.3	1.37	2.7	0.75	21	6.2	1.43	3.7	0.82
Respiratory System	108	41.7	4.79	22.9	2.27	110	32.2	3.35	18.9	1.83
Larynx	6	3.5	1.60	1.3	0.57	-	-	-	-	-
Lung & bronchus	98	37.7	4.50	20.9	2.17	109	32.0	3.34	18.8	1.83
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	6	1.2	0.51	1.1	0.45
Skin (excl. basal & sq.)	7	2.5	1.11	1.3	0.50	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	7	2.3	0.97	1.1	0.42
Breast (excl. *in situ*)	-	-	-	-	-	332	69.3	4.13	50.4	2.83
Female Genital System	-	-	-	-	-	148	30.1	2.68	22.2	1.87
Cervix uteri	-	-	-	-	-	24	5.6	1.28	3.5	0.73
Uterus Corpus	-	-	-	-	-	64	12.9	1.74	9.4	1.20
Uterus, NOS[1]	-	-	-	-	-	8	1.5	0.54	1.3	0.49
Ovary	-	-	-	-	-	38	7.6	1.32	6.0	0.99
Male Genital System	169	54.0	4.57	37.4	2.92	-	-	-	-	-
Prostate	162	53.0	4.55	36.5	2.90	-	-	-	-	-
Testis	6	0.8	0.31	0.7	0.29	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	80	31.1	4.17	17.7	2.03	32	10.3	2.02	5.3	0.96
Bladder (incl. *in situ*)	50	20.4	3.43	11.4	1.65	17	6.6	1.73	3.0	0.74
Kidney & renal pelvis	28	9.6	2.22	5.8	1.13	13	2.8	0.86	2.0	0.56
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	21	4.2	1.07	3.8	0.86	14	2.9	0.94	2.1	0.58
Brain	20	4.1	1.05	3.6	0.83	10	2.3	0.88	1.5	0.50
Endocrine System	29	6.4	1.33	5.1	0.98	119	20.8	2.13	16.3	1.53
Thyroid gland	23	5.3	1.24	3.9	0.84	112	19.8	2.09	15.5	1.50
Lymphomas	54	14.5	2.51	10.2	1.45	56	13.9	2.12	8.7	1.20
Hodgkin Lymphoma	7	1.0	0.38	1.0	0.38	-	-	-	-	-
Non-Hodgkin Lymphoma	47	13.5	2.48	9.2	1.39	-	-	-	-	-
Multiple Myeloma	15	4.9	1.37	3.2	0.85	14	4.3	1.31	2.2	0.61
Leukemias	38	8.6	1.76	7.3	1.24	25	4.5	0.97	4.7	0.96
Acute lymphocytic	13	1.9	0.52	2.8	0.77	10	1.4	0.45	2.1	0.66
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	14	3.3	0.93	2.5	0.70	8	1.7	0.62	1.4	0.51
Chronic myeloid	6	1.4	0.71	0.9	0.40	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	29	8.7	1.91	5.9	1.13	32	10.8	2.10	5.2	0.93
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	12	3.4	1.14	2.3	0.68	44	8.9	1.45	7.2	1.12
Breast (*in situ*)	-	-	-	-	-	79	15.3	1.81	12.4	1.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	134	418.7	42.10	268.9	23.44	131	341.3	32.22	226.9	20.03
Oral Cavity & Pharynx	9	27.3	10.92	17.9	6.02	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	30	89.0	17.82	60.2	11.10	25	70.9	15.24	42.5	8.58
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	24.6	9.40	16.2	5.77	6	16.6	7.23	10.0	4.15
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	7	16.8	6.52	13.5	5.14	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	7	24.5	9.87	11.4	4.37
Respiratory System	29	101.6	22.07	61.3	11.46	10	24.9	8.10	18.7	5.95
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	28	97.8	21.74	58.9	11.21	9	21.0	7.13	17.2	5.77
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	35	82.5	14.75	59.8	10.18
Female Genital System	-	-	-	-	-	18	41.0	10.03	31.7	7.56
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	10	23.6	7.85	17.0	5.42
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	28	95.1	21.31	57.4	10.94	-	-	-	-	-
Prostate	25	90.5	21.14	52.4	10.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	53.5	15.57	31.3	7.89	11	37.5	12.40	17.7	5.38
Bladder (incl. *in situ*)	7	32.7	13.85	14.7	5.60	-	-	-	-	-
Kidney & renal pelvis	9	20.8	7.11	16.5	5.56	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	11.3	4.61	10.8	4.45
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	21.8	9.51	13.5	5.17	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	7	15.1	5.73	12.6	4.79

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,081	325.6	9.51	214.9	5.44	2,378	311.7	7.83	214.6	4.92
Oral Cavity & Pharynx	62	8.7	1.36	6.6	0.96	31	4.5	0.95	3.1	0.61
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	16	1.8	0.52	1.4	0.40	11	1.5	0.52	1.0	0.33
Major salivary gland	11	1.3	0.56	1.0	0.37	9	1.0	0.39	0.9	0.33
Floor of mouth	6	0.8	0.36	0.7	0.32	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	441	75.6	4.64	48.4	2.59	346	55.1	3.47	36.0	2.11
Esophagus	20	4.3	1.14	2.8	0.67	8	1.3	0.57	0.7	0.27
Stomach	92	16.3	2.20	10.1	1.20	48	7.4	1.25	5.3	0.84
Small intestine	10	2.3	0.83	1.3	0.46	9	1.4	0.53	1.0	0.35
Colon excl. rectum	102	19.2	2.44	11.7	1.29	102	16.5	1.89	10.9	1.16
Rectum & rectosigmoid	69	9.1	1.46	6.1	0.86	52	7.1	1.17	5.1	0.80
Anus, anal canal & anorectum	-	-	-	-	-	13	2.3	0.72	1.4	0.42
Liver	83	11.5	1.62	8.5	1.03	28	5.3	1.13	3.3	0.65
Gallbladder	-	-	-	-	-	8	1.8	0.68	1.0	0.35
Pancreas	35	7.1	1.46	4.6	0.83	53	8.2	1.35	4.9	0.74
Respiratory System	193	40.8	3.58	25.1	1.95	174	34.0	2.90	19.9	1.60
Larynx	22	4.9	1.24	3.4	0.74	7	0.8	0.32	0.7	0.28
Lung & bronchus	162	35.2	3.35	21.0	1.79	157	31.7	2.82	18.3	1.53
Bones & Joints	21	1.0	0.28	1.1	0.27	9	0.4	0.15	0.4	0.15
Soft Tissue (incl. heart)	42	4.2	1.03	3.0	0.58	33	3.2	0.73	2.5	0.50
Skin (excl. basal & sq.)	51	7.3	1.42	4.4	0.73	-	-	-	-	-
Melanomas of the skin	43	6.0	1.29	3.5	0.65	41	4.9	0.99	3.2	0.56
Breast (excl. *in situ*)	-	-	-	-	-	678	85.9	3.92	61.8	2.65
Female Genital System	-	-	-	-	-	380	42.0	2.63	31.1	1.81
Cervix uteri	-	-	-	-	-	142	12.2	1.26	9.5	0.91
Uterus Corpus	-	-	-	-	-	128	16.1	1.68	12.0	1.18
Uterus, NOS[1]	-	-	-	-	-	8	0.8	0.30	0.7	0.28
Ovary	-	-	-	-	-	74	9.3	1.33	6.6	0.85
Male Genital System	532	95.5	5.15	64.4	3.10	-	-	-	-	-
Prostate	432	91.1	5.12	60.0	3.06	-	-	-	-	-
Testis	90	3.3	0.37	3.5	0.38	-	-	-	-	-
Penis	10	1.2	0.49	0.9	0.34	-	-	-	-	-
Urinary System	175	30.8	3.00	19.1	1.63	103	16.1	1.88	10.4	1.10
Bladder (incl. *in situ*)	55	14.1	2.22	7.6	1.09	26	6.0	1.29	2.8	0.58
Kidney & renal pelvis	118	16.2	1.98	11.3	1.20	76	9.8	1.33	7.4	0.93
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	7	0.5	0.29	0.5	0.21
Brain & Other Nervous System	72	5.4	0.99	4.6	0.69	50	4.0	0.75	3.6	0.59
Brain	66	5.2	0.98	4.4	0.69	39	3.0	0.66	2.6	0.48
Endocrine System	68	6.2	1.13	4.4	0.66	201	14.9	1.26	12.6	1.02
Thyroid gland	62	6.0	1.12	4.2	0.65	193	14.1	1.20	12.1	1.00
Lymphomas	152	17.6	2.11	11.5	1.11	122	18.3	2.01	11.5	1.15
Hodgkin Lymphoma	30	2.4	0.75	1.6	0.35	16	1.2	0.39	1.0	0.31
Non-Hodgkin Lymphoma	122	15.2	1.97	9.9	1.06	106	17.0	1.97	10.5	1.11
Multiple Myeloma	34	6.3	1.32	4.3	0.81	34	6.4	1.22	4.0	0.72
Leukemias	154	11.9	1.63	9.6	0.97	103	9.9	1.36	7.8	0.88
Acute lymphocytic	80	2.8	0.37	3.6	0.43	52	2.3	0.42	2.7	0.41
Chronic lymphocytic	7	1.3	0.59	0.8	0.34	12	2.4	0.75	1.6	0.47
Acute myeloid	41	4.9	1.19	3.2	0.63	26	3.6	0.88	2.3	0.52
Chronic myeloid	18	2.3	0.82	1.4	0.41	7	1.0	0.43	0.7	0.28
Other leukemias	8	0.7	0.29	0.6	0.27	6	0.7	0.39	0.5	0.22
Mesothelioma	9	1.2	0.51	0.9	0.35	-	-	-	-	-
Kaposi Sarcoma	7	0.3	0.12	0.3	0.10	-	-	-	-	-
Ill-defined & Unknown	61	11.4	1.91	6.5	0.94	58	10.2	1.62	5.5	0.79
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	42	4.8	1.14	3.0	0.56	101	12.9	1.61	8.7	0.96
Breast (*in situ*)	-	-	-	-	-	169	19.0	1.61	15.3	1.28

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	98,065	542.5	1.78	361.2	1.21	90,416	428.5	1.46	301.7	1.11
Oral Cavity & Pharynx	3,563	19.0	0.33	14.0	0.24	1,522	7.1	0.19	4.9	0.14
Lip	160	0.9	0.07	0.6	0.05	66	0.3	0.04	0.2	0.03
Tongue	1,118	5.8	0.18	4.4	0.14	448	2.1	0.10	1.5	0.08
Major salivary gland	310	1.8	0.11	1.1	0.07	195	1.0	0.07	0.7	0.06
Floor of mouth	185	1.0	0.07	0.7	0.05	94	0.4	0.05	0.3	0.03
Gum & other mouth	341	1.9	0.10	1.3	0.07	321	1.5	0.08	0.9	0.06
Nasopharynx	115	0.6	0.06	0.5	0.05	63	0.3	0.04	0.2	0.03
Oropharynx	175	0.9	0.07	0.7	0.05	61	0.3	0.03	0.2	0.03
Hypopharynx	234	1.2	0.08	0.9	0.06	72	0.3	0.04	0.2	0.03
Digestive System	16,252	90.3	0.73	58.7	0.48	12,991	59.1	0.53	37.9	0.37
Esophagus	1,529	8.3	0.22	5.5	0.14	330	1.5	0.08	0.9	0.06
Stomach	1,283	7.2	0.21	4.6	0.13	777	3.5	0.13	2.2	0.09
Small intestine	539	2.9	0.13	2.0	0.09	462	2.2	0.10	1.5	0.07
Colon excl. rectum	5,436	31.0	0.43	19.2	0.27	5,466	24.8	0.34	15.4	0.23
Rectum & rectosigmoid	2,498	13.7	0.28	9.5	0.20	1,717	8.1	0.20	5.7	0.15
Anus, anal canal & anorectum	233	1.3	0.09	0.9	0.06	475	2.2	0.11	1.7	0.08
Liver	1,667	8.8	0.22	6.3	0.16	502	2.3	0.11	1.6	0.08
Gallbladder	114	0.6	0.06	0.4	0.04	223	1.0	0.07	0.6	0.04
Pancreas	2,346	13.0	0.28	8.2	0.17	2,151	9.5	0.21	5.7	0.13
Respiratory System	18,145	100.0	0.76	62.5	0.48	13,755	61.6	0.53	40.3	0.37
Larynx	1,294	6.8	0.19	4.7	0.13	377	1.7	0.09	1.3	0.07
Lung & bronchus	16,595	91.8	0.73	56.7	0.45	13,244	59.2	0.52	38.6	0.36
Bones & Joints	174	1.1	0.08	1.0	0.08	146	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	714	4.3	0.16	3.2	0.13	525	2.7	0.12	2.2	0.11
Skin (excl. basal & sq.)	6,945	40.1	0.49	26.3	0.33	4,868	25.4	0.38	19.4	0.31
Melanomas of the skin	6,558	37.7	0.48	25.0	0.33	4,646	24.3	0.37	18.7	0.30
Breast (excl. *in situ*)	274	1.5	0.10	1.0	0.06	27,065	128.9	0.80	93.1	0.60
Female Genital System	-	-	-	-	-	9,917	47.3	0.49	34.9	0.38
Cervix uteri	-	-	-	-	-	1,117	6.4	0.20	5.1	0.16
Uterus Corpus	-	-	-	-	-	5,130	23.4	0.33	17.6	0.26
Uterus, NOS[1]	-	-	-	-	-	136	0.6	0.06	0.4	0.04
Ovary	-	-	-	-	-	2,540	12.0	0.25	8.5	0.18
Male Genital System	25,026	130.8	0.85	92.9	0.60	-	-	-	-	-
Prostate	23,946	123.6	0.82	86.5	0.57	-	-	-	-	-
Testis	919	6.3	0.21	5.8	0.20	-	-	-	-	-
Penis	136	0.8	0.07	0.5	0.04	-	-	-	-	-
Urinary System	11,410	64.5	0.62	39.9	0.39	4,708	21.6	0.32	14.4	0.24
Bladder (incl. *in situ*)	7,031	40.4	0.49	23.2	0.29	2,164	9.6	0.21	5.8	0.14
Kidney & renal pelvis	4,126	22.6	0.36	15.9	0.26	2,410	11.5	0.24	8.3	0.19
Ureter	174	1.0	0.08	0.6	0.04	99	0.4	0.04	0.2	0.03
Eye & Orbit	212	1.2	0.08	0.9	0.07	163	0.8	0.07	0.7	0.06
Brain & Other Nervous System	1,502	8.9	0.23	7.3	0.21	1,187	6.2	0.19	5.3	0.19
Brain	1,434	8.4	0.23	6.8	0.20	1,126	5.9	0.18	4.9	0.18
Endocrine System	1,415	8.2	0.22	6.5	0.19	3,607	20.3	0.35	17.0	0.30
Thyroid gland	1,283	7.4	0.21	5.7	0.17	3,504	19.7	0.34	16.4	0.30
Lymphomas	4,599	26.6	0.40	18.3	0.29	3,828	18.4	0.31	12.8	0.24
Hodgkin Lymphoma	494	3.2	0.14	2.8	0.13	407	2.5	0.13	2.2	0.12
Non-Hodgkin Lymphoma	4,105	23.5	0.38	15.5	0.26	3,421	15.9	0.28	10.5	0.20
Multiple Myeloma	1,284	7.3	0.21	4.5	0.13	1,008	4.5	0.14	2.7	0.09
Leukemias	2,900	17.1	0.33	11.8	0.25	2,159	10.4	0.23	7.7	0.21
Acute lymphocytic	249	1.7	0.11	2.1	0.15	202	1.4	0.10	1.7	0.14
Chronic lymphocytic	1,112	6.3	0.19	3.8	0.12	745	3.2	0.12	1.9	0.08
Acute myeloid	832	4.9	0.17	3.2	0.12	672	3.3	0.13	2.3	0.10
Chronic myeloid	387	2.3	0.12	1.5	0.08	290	1.4	0.09	1.0	0.07
Other leukemias	320	1.9	0.11	1.2	0.08	250	1.2	0.08	0.7	0.06
Mesothelioma	293	1.8	0.11	0.9	0.05	62	0.3	0.04	0.2	0.02
Kaposi Sarcoma	34	0.2	0.04	0.2	0.03	7	0.0	0.01	0.0	0.01
Ill-defined & Unknown	3,323	19.6	0.35	11.4	0.21	2,898	13.0	0.25	7.7	0.17
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,408	8.3	0.23	6.1	0.18	2,944	14.5	0.28	10.7	0.22
Breast (*in situ*)	45	0.2	0.04	0.2	0.03	6,137	29.6	0.39	22.3	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Carolina, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	24,150	609.1	4.22	419.2	2.73	21,998	403.2	2.76	283.7	1.98
Oral Cavity & Pharynx	876	20.3	0.73	15.1	0.52	323	5.6	0.32	4.2	0.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	203	4.6	0.34	3.5	0.25	66	1.2	0.15	0.8	0.11
Major salivary gland	51	1.3	0.19	0.9	0.14	60	1.1	0.14	0.9	0.11
Floor of mouth	65	1.5	0.20	1.1	0.14	20	0.3	0.08	0.3	0.06
Gum & other mouth	113	2.6	0.26	2.0	0.19	65	1.1	0.14	0.8	0.10
Nasopharynx	52	1.2	0.18	0.9	0.13	15	0.2	0.06	0.2	0.06
Oropharynx	80	1.8	0.22	1.4	0.16	18	0.3	0.07	0.2	0.06
Hypopharynx	110	2.7	0.27	1.9	0.18	22	0.4	0.08	0.3	0.06
Digestive System	4,783	121.2	1.89	81.5	1.19	4,221	78.0	1.22	50.7	0.81
Esophagus	344	8.4	0.49	6.0	0.32	123	2.2	0.20	1.5	0.14
Stomach	504	13.7	0.66	8.6	0.39	408	7.7	0.39	4.7	0.25
Small intestine	194	4.7	0.37	3.3	0.24	180	3.3	0.25	2.3	0.18
Colon excl. rectum	1,590	42.5	1.16	27.2	0.69	1,725	31.9	0.78	20.7	0.52
Rectum & rectosigmoid	657	15.9	0.66	11.2	0.44	517	9.3	0.42	6.4	0.29
Anus, anal canal & anorectum	94	2.2	0.24	1.6	0.17	82	1.5	0.17	1.0	0.12
Liver	580	12.0	0.53	9.6	0.40	184	3.2	0.24	2.4	0.18
Gallbladder	55	1.6	0.23	1.0	0.13	85	1.6	0.18	1.0	0.11
Pancreas	638	16.7	0.72	10.9	0.43	718	13.7	0.52	8.3	0.33
Respiratory System	4,397	116.0	1.89	76.0	1.16	2,675	49.5	0.98	33.3	0.66
Larynx	468	11.4	0.56	8.0	0.37	105	1.8	0.18	1.4	0.14
Lung & bronchus	3,888	103.6	1.79	67.2	1.09	2,544	47.2	0.95	31.5	0.65
Bones & Joints	49	1.0	0.15	0.9	0.13	39	0.7	0.11	0.6	0.11
Soft Tissue (incl. heart)	149	3.6	0.32	2.7	0.22	185	3.4	0.25	2.7	0.21
Skin (excl. basal & sq.)	86	2.3	0.27	1.5	0.16	93	1.7	0.18	1.3	0.14
Melanomas of the skin	47	1.3	0.21	0.8	0.12	46	0.9	0.13	0.6	0.09
Breast (excl. *in situ*)	92	2.4	0.27	1.6	0.17	7,085	128.1	1.55	93.5	1.14
Female Genital System	-	-	-	-	-	2,606	47.7	0.95	34.5	0.70
Cervix uteri	-	-	-	-	-	476	8.7	0.40	6.6	0.31
Uterus Corpus	-	-	-	-	-	1,298	23.7	0.67	17.0	0.48
Uterus, NOS[1]	-	-	-	-	-	79	1.5	0.17	0.9	0.11
Ovary	-	-	-	-	-	532	9.8	0.43	6.9	0.32
Male Genital System	8,911	217.0	2.47	155.1	1.66	-	-	-	-	-
Prostate	8,771	213.7	2.45	152.5	1.65	-	-	-	-	-
Testis	83	1.8	0.20	1.6	0.18	-	-	-	-	-
Penis	48	1.3	0.20	0.8	0.12	-	-	-	-	-
Urinary System	1,770	46.7	1.20	30.8	0.74	1,161	21.5	0.64	14.7	0.45
Bladder (incl. *in situ*)	694	20.4	0.84	12.1	0.46	348	6.7	0.37	3.9	0.22
Kidney & renal pelvis	1,047	25.4	0.84	18.3	0.57	789	14.4	0.52	10.5	0.39
Ureter	15	0.5	0.13	0.2	0.06	11	0.2	0.07	0.1	0.04
Eye & Orbit	14	0.3	0.09	0.3	0.09	9	0.2	0.06	0.2	0.07
Brain & Other Nervous System	213	4.8	0.35	4.1	0.29	204	3.7	0.27	3.3	0.25
Brain	190	4.3	0.33	3.6	0.27	178	3.3	0.25	2.9	0.23
Endocrine System	214	4.8	0.34	3.9	0.27	790	14.3	0.52	11.4	0.42
Thyroid gland	171	3.9	0.31	3.0	0.23	749	13.6	0.50	10.8	0.40
Lymphomas	839	20.2	0.74	14.9	0.52	772	14.3	0.52	10.7	0.40
Hodgkin Lymphoma	148	3.1	0.26	2.8	0.23	144	2.6	0.22	2.4	0.20
Non-Hodgkin Lymphoma	691	17.0	0.69	12.2	0.47	628	11.6	0.47	8.4	0.35
Multiple Myeloma	594	16.2	0.72	10.3	0.43	623	11.5	0.47	7.6	0.32
Leukemias	446	11.6	0.60	8.2	0.39	469	8.8	0.41	6.4	0.32
Acute lymphocytic	50	1.0	0.15	1.1	0.16	40	0.7	0.11	0.9	0.15
Chronic lymphocytic	162	4.5	0.38	2.8	0.22	131	2.5	0.22	1.5	0.14
Acute myeloid	121	3.3	0.33	2.2	0.21	159	3.0	0.24	2.2	0.19
Chronic myeloid	66	1.6	0.21	1.2	0.15	86	1.6	0.18	1.1	0.12
Other leukemias	47	1.3	0.20	0.9	0.13	53	1.0	0.14	0.7	0.10
Mesothelioma	24	0.8	0.16	0.4	0.08	12	0.2	0.07	0.2	0.04
Kaposi Sarcoma	50	1.1	0.16	1.0	0.14	6	0.1	0.05	0.1	0.04
Ill-defined & Unknown	643	18.9	0.81	11.0	0.44	725	13.8	0.52	8.2	0.33
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	306	8.0	0.49	5.4	0.32	830	15.3	0.54	10.9	0.40
Breast (*in situ*)	13	0.3	0.09	0.2	0.06	1,618	28.9	0.73	21.5	0.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	9,378	517.1	5.43	340.6	3.73	8,290	411.5	4.68	288.3	3.54
Oral Cavity & Pharynx	305	16.4	0.96	11.6	0.69	126	6.3	0.58	4.5	0.44
Lip	57	3.3	0.44	1.9	0.26	17	0.7	0.18	0.4	0.12
Tongue	79	4.2	0.48	3.1	0.36	34	1.7	0.29	1.3	0.23
Major salivary gland	24	1.3	0.27	0.9	0.18	10	0.5	0.17	0.4	0.13
Floor of mouth	20	1.1	0.25	0.8	0.18	9	0.5	0.16	0.4	0.12
Gum & other mouth	30	1.6	0.31	1.1	0.21	29	1.5	0.29	1.0	0.21
Nasopharynx	9	0.4	0.14	0.3	0.12	-	-	-	-	-
Oropharynx	9	0.5	0.16	0.3	0.11	-	-	-	-	-
Hypopharynx	14	0.7	0.20	0.6	0.15	6	0.3	0.12	0.2	0.09
Digestive System	1,728	95.9	2.35	61.4	1.56	1,410	64.4	1.77	40.4	1.24
Esophagus	141	7.9	0.67	5.1	0.45	38	1.8	0.29	1.3	0.22
Stomach	140	7.8	0.67	4.7	0.43	92	4.3	0.47	2.7	0.32
Small intestine	56	3.0	0.41	2.2	0.31	36	1.8	0.31	1.3	0.23
Colon excl. rectum	655	36.7	1.45	22.5	0.94	681	30.6	1.21	18.2	0.82
Rectum & rectosigmoid	325	18.0	1.02	12.4	0.72	209	9.9	0.70	6.8	0.52
Anus, anal canal & anorectum	16	0.9	0.24	0.6	0.15	24	1.1	0.23	0.8	0.18
Liver	71	3.8	0.45	2.6	0.33	27	1.2	0.24	0.8	0.18
Gallbladder	19	1.0	0.23	0.7	0.16	23	1.0	0.21	0.6	0.14
Pancreas	250	13.9	0.90	8.5	0.57	197	8.8	0.65	5.2	0.43
Respiratory System	1,328	74.4	2.07	44.4	1.30	990	47.3	1.53	31.3	1.09
Larynx	106	5.6	0.55	4.0	0.40	26	1.3	0.25	0.9	0.19
Lung & bronchus	1,213	68.3	1.99	40.1	1.23	950	45.4	1.50	29.9	1.06
Bones & Joints	19	1.1	0.26	0.9	0.23	12	0.6	0.18	0.5	0.18
Soft Tissue (incl. heart)	63	3.5	0.45	2.7	0.37	68	3.5	0.44	2.7	0.38
Skin (excl. basal & sq.)	454	25.4	1.22	17.4	0.87	407	22.1	1.14	17.5	0.95
Melanomas of the skin	421	23.6	1.17	16.3	0.84	371	20.4	1.10	16.3	0.92
Breast (excl. *in situ*)	24	1.4	0.29	0.9	0.20	2,375	122.2	2.60	88.0	1.96
Female Genital System	-	-	-	-	-	892	45.7	1.58	33.6	1.22
Cervix uteri	-	-	-	-	-	107	6.6	0.66	5.3	0.54
Uterus Corpus	-	-	-	-	-	496	24.6	1.13	18.2	0.87
Uterus, NOS[1]	-	-	-	-	-	10	0.5	0.15	0.4	0.13
Ovary	-	-	-	-	-	199	10.1	0.75	7.1	0.56
Male Genital System	2,789	148.7	2.86	105.2	2.07	-	-	-	-	-
Prostate	2,668	141.4	2.78	99.0	1.98	-	-	-	-	-
Testis	102	6.3	0.64	5.6	0.56	-	-	-	-	-
Penis	14	0.8	0.21	0.4	0.12	-	-	-	-	-
Urinary System	1,039	58.3	1.84	35.2	1.17	436	20.9	1.03	13.5	0.74
Bladder (incl. *in situ*)	663	37.3	1.47	21.1	0.88	182	8.5	0.65	5.1	0.44
Kidney & renal pelvis	363	20.3	1.08	13.8	0.76	246	12.1	0.79	8.1	0.58
Ureter	8	0.4	0.16	0.2	0.08	-	-	-	-	-
Eye & Orbit	12	0.7	0.20	0.5	0.14	7	0.4	0.14	0.5	0.19
Brain & Other Nervous System	123	6.7	0.62	5.5	0.55	98	5.0	0.52	4.0	0.46
Brain	117	6.4	0.60	5.2	0.53	92	4.6	0.49	3.6	0.43
Endocrine System	119	6.9	0.65	5.3	0.51	380	21.8	1.16	18.1	0.98
Thyroid gland	111	6.5	0.63	4.9	0.48	366	21.0	1.14	17.6	0.97
Lymphomas	466	26.4	1.25	17.7	0.88	433	20.9	1.04	14.4	0.79
Hodgkin Lymphoma	65	3.7	0.47	3.3	0.43	41	2.5	0.40	2.2	0.37
Non-Hodgkin Lymphoma	401	22.8	1.16	14.4	0.77	392	18.5	0.97	12.2	0.70
Multiple Myeloma	134	7.5	0.66	4.3	0.40	100	4.7	0.48	2.9	0.32
Leukemias	348	19.6	1.07	13.4	0.81	240	11.4	0.77	8.2	0.64
Acute lymphocytic	25	1.5	0.31	1.9	0.41	20	1.3	0.29	1.6	0.39
Chronic lymphocytic	166	9.2	0.73	5.6	0.46	111	4.9	0.48	3.1	0.34
Acute myeloid	89	5.0	0.54	3.3	0.39	65	3.2	0.42	2.2	0.31
Chronic myeloid	30	1.7	0.32	1.2	0.24	21	1.0	0.22	0.6	0.15
Other leukemias	38	2.1	0.35	1.4	0.26	23	1.0	0.21	0.6	0.15
Mesothelioma	41	2.3	0.36	1.3	0.22	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	312	14.0	0.82	8.2	0.54
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	106	6.0	0.60	4.2	0.43	195	10.2	0.76	7.5	0.60
Breast (*in situ*)	8	0.4	0.14	0.3	0.12	525	28.0	1.26	20.9	0.97

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	8,974	512.9	5.51	337.2	3.80	7,881	408.2	4.79	286.2	3.65
Oral Cavity & Pharynx	290	16.2	0.97	11.4	0.70	119	6.2	0.59	4.4	0.44
Lip	57	3.4	0.45	1.9	0.27	17	0.8	0.19	0.5	0.13
Tongue	75	4.1	0.49	3.1	0.37	33	1.7	0.30	1.3	0.24
Major salivary gland	23	1.3	0.27	0.8	0.18	10	0.5	0.18	0.4	0.14
Floor of mouth	19	1.1	0.26	0.8	0.18	9	0.5	0.17	0.4	0.13
Gum & other mouth	29	1.6	0.31	1.1	0.21	28	1.5	0.30	1.0	0.22
Nasopharynx	7	0.3	0.13	0.3	0.11	-	-	-	-	-
Oropharynx	8	0.4	0.15	0.3	0.11	-	-	-	-	-
Hypopharynx	14	0.7	0.20	0.6	0.16	-	-	-	-	-
Digestive System	1,640	94.5	2.37	60.2	1.59	1,337	62.9	1.78	39.3	1.25
Esophagus	130	7.5	0.67	4.9	0.45	34	1.6	0.29	1.1	0.21
Stomach	134	7.7	0.67	4.7	0.43	88	4.2	0.47	2.6	0.32
Small intestine	54	3.0	0.42	2.3	0.32	35	1.8	0.32	1.3	0.25
Colon excl. rectum	625	36.3	1.47	22.2	0.95	655	30.3	1.23	18.0	0.83
Rectum & rectosigmoid	307	17.7	1.03	12.1	0.73	192	9.4	0.70	6.4	0.51
Anus, anal canal & anorectum	15	0.9	0.24	0.5	0.15	23	1.1	0.24	0.8	0.18
Liver	64	3.5	0.45	2.4	0.33	22	1.0	0.22	0.6	0.17
Gallbladder	17	0.9	0.22	0.6	0.16	19	0.8	0.20	0.5	0.13
Pancreas	239	13.9	0.91	8.4	0.58	190	8.7	0.66	5.2	0.45
Respiratory System	1,254	72.5	2.07	42.9	1.29	909	44.8	1.52	29.5	1.08
Larynx	96	5.3	0.55	3.7	0.39	23	1.2	0.25	0.9	0.19
Lung & bronchus	1,149	66.7	1.99	38.9	1.23	874	43.1	1.49	28.3	1.06
Bones & Joints	17	1.0	0.26	0.8	0.22	11	0.6	0.18	0.5	0.20
Soft Tissue (incl. heart)	61	3.5	0.46	2.8	0.39	66	3.5	0.46	2.7	0.39
Skin (excl. basal & sq.)	449	26.3	1.27	18.1	0.91	401	23.3	1.22	18.6	1.03
Melanomas of the skin	417	24.5	1.22	17.0	0.89	367	21.6	1.18	17.4	1.00
Breast (excl. *in situ*)	24	1.4	0.30	1.0	0.21	2,264	122.2	2.68	87.8	2.02
Female Genital System	-	-	-	-	-	845	45.0	1.61	33.1	1.25
Cervix uteri	-	-	-	-	-	96	6.4	0.68	5.1	0.55
Uterus Corpus	-	-	-	-	-	472	24.2	1.14	17.9	0.88
Uterus, NOS[1]	-	-	-	-	-	10	0.5	0.16	0.4	0.14
Ovary	-	-	-	-	-	193	10.2	0.77	7.2	0.58
Male Genital System	2,693	148.8	2.92	105.2	2.11	-	-	-	-	-
Prostate	2,586	141.8	2.83	99.2	2.02	-	-	-	-	-
Testis	90	6.1	0.66	5.4	0.57	-	-	-	-	-
Penis	12	0.7	0.20	0.4	0.11	-	-	-	-	-
Urinary System	999	57.9	1.86	34.9	1.19	410	20.3	1.04	13.0	0.74
Bladder (incl. *in situ*)	643	37.2	1.49	21.1	0.90	175	8.4	0.66	5.0	0.44
Kidney & renal pelvis	343	19.9	1.09	13.4	0.77	229	11.6	0.79	7.8	0.59
Ureter	8	0.4	0.16	0.2	0.08	-	-	-	-	-
Eye & Orbit	11	0.6	0.20	0.4	0.14	-	-	-	-	-
Brain & Other Nervous System	115	6.6	0.62	5.3	0.55	91	4.8	0.53	3.9	0.48
Brain	109	6.2	0.61	5.0	0.53	87	4.5	0.51	3.6	0.45
Endocrine System	115	7.1	0.68	5.4	0.54	366	22.5	1.22	18.7	1.04
Thyroid gland	107	6.6	0.66	5.0	0.51	352	21.7	1.20	18.2	1.03
Lymphomas	445	26.3	1.27	17.6	0.91	420	21.2	1.08	14.6	0.82
Hodgkin Lymphoma	64	3.9	0.50	3.5	0.46	40	2.6	0.42	2.3	0.40
Non-Hodgkin Lymphoma	381	22.4	1.17	14.1	0.78	380	18.6	0.99	12.3	0.72
Multiple Myeloma	126	7.3	0.66	4.1	0.40	97	4.7	0.49	2.9	0.34
Leukemias	332	19.4	1.09	13.2	0.83	233	11.5	0.79	8.3	0.69
Acute lymphocytic	22	1.5	0.33	1.8	0.43	18	1.4	0.33	1.8	0.45
Chronic lymphocytic	162	9.3	0.74	5.7	0.47	110	5.1	0.50	3.2	0.35
Acute myeloid	83	4.8	0.54	3.2	0.38	63	3.2	0.43	2.2	0.32
Chronic myeloid	27	1.6	0.31	1.1	0.24	19	0.9	0.20	0.5	0.14
Other leukemias	38	2.2	0.37	1.5	0.28	23	1.0	0.22	0.6	0.16
Mesothelioma	39	2.2	0.36	1.3	0.22	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	303	14.1	0.84	8.3	0.57
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	100	5.9	0.60	4.2	0.45	186	10.2	0.78	7.5	0.62
Breast (*in situ*)	8	0.4	0.15	0.3	0.12	506	28.4	1.31	21.1	1.00

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	44	542.3	117.61	327.6	55.36	17	318.2	92.72	195.5	51.22
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	110.6	47.40	76.3	27.53	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	117.4	65.71	51.8	23.59	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	117.4	65.71	51.8	23.59	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	6	105.7	51.07	66.5	27.97
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	117.6	36.55	99.5	29.55	-	-	-	-	-
Prostate	13	117.6	36.55	99.5	29.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	20	240.2	61.44	169.0	39.03	31	293.4	60.23	176.6	32.94
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	8	76.1	29.93	50.2	18.42
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	248	613.4	45.93	418.5	27.16	253	497.1	33.51	351.0	22.40
Oral Cavity & Pharynx	9	18.1	6.30	14.0	4.76	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	56	131.1	19.59	90.9	12.32	45	96.3	15.73	62.1	9.41
Esophagus	8	23.5	9.44	13.5	4.83	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	20	42.1	10.12	32.7	7.40	19	45.5	11.47	25.8	6.04
Rectum & rectosigmoid	10	18.4	6.02	14.9	4.77	7	10.6	4.01	8.4	3.19
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	7	18.2	8.11	11.7	4.50	-	-	-	-	-
Respiratory System	50	133.8	21.18	90.0	12.85	58	122.2	16.75	82.4	11.03
Larynx	10	19.5	6.20	18.0	5.75	-	-	-	-	-
Lung & bronchus	40	114.4	20.25	72.0	11.49	54	115.5	16.41	77.0	10.68
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	68	118.8	15.12	94.1	11.56
Female Genital System	-	-	-	-	-	31	59.2	11.42	40.8	7.39
Cervix uteri	-	-	-	-	-	9	17.7	6.71	12.2	4.08
Uterus Corpus	-	-	-	-	-	14	26.2	7.30	17.6	4.72
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	56	129.6	18.74	96.0	13.01	-	-	-	-	-
Prostate	49	117.8	18.14	85.5	12.38	-	-	-	-	-
Testis	6	8.8	3.68	8.6	3.54	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	29	86.8	20.99	50.3	9.85	17	39.2	10.55	25.3	6.21
Bladder (incl. *in situ*)	12	52.0	19.00	23.8	7.36	-	-	-	-	-
Kidney & renal pelvis	17	34.8	8.92	26.5	6.55	12	30.1	9.70	17.9	5.23
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	8.9	4.08	8.3	3.45	-	-	-	-	-
Brain	6	8.9	4.08	8.3	3.45	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	22.0	8.73	14.4	4.84	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	9	15.6	6.33	13.2	4.49	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	12	42.0	15.32	22.8	6.87	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	9	16.7	5.71	13.3	4.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	35	325.6	66.21	199.3	36.18	29	208.8	42.68	135.9	26.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	80.9	36.68	41.7	17.58	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	80.9	36.68	41.7	17.58	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	9	65.7	23.33	44.7	15.14
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	80.5	33.37	49.4	19.49	-	-	-	-	-
Prostate	7	80.5	33.37	49.4	19.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	8,948	514.8	5.54	338.7	3.83	7,862	410.1	4.82	287.9	3.68
Oral Cavity & Pharynx	290	16.3	0.98	11.5	0.71	118	6.1	0.59	4.4	0.44
Lip	57	3.4	0.45	1.9	0.27	17	0.8	0.19	0.5	0.13
Tongue	75	4.2	0.49	3.1	0.37	33	1.7	0.31	1.3	0.24
Major salivary gland	23	1.3	0.27	0.9	0.19	9	0.5	0.17	0.3	0.13
Floor of mouth	19	1.1	0.26	0.8	0.18	9	0.5	0.17	0.4	0.13
Gum & other mouth	29	1.6	0.31	1.1	0.21	28	1.5	0.30	1.0	0.22
Nasopharynx	7	0.3	0.13	0.3	0.12	-	-	-	-	-
Oropharynx	8	0.4	0.15	0.3	0.11	-	-	-	-	-
Hypopharynx	14	0.8	0.20	0.6	0.16	-	-	-	-	-
Digestive System	1,636	94.9	2.39	60.5	1.60	1,336	63.2	1.80	39.5	1.26
Esophagus	129	7.5	0.67	4.9	0.46	34	1.6	0.29	1.1	0.21
Stomach	134	7.7	0.68	4.7	0.44	88	4.2	0.47	2.6	0.32
Small intestine	54	3.1	0.43	2.3	0.32	35	1.8	0.32	1.3	0.25
Colon excl. rectum	625	36.5	1.48	22.3	0.96	654	30.4	1.24	18.1	0.84
Rectum & rectosigmoid	306	17.8	1.04	12.2	0.73	192	9.5	0.70	6.4	0.52
Anus, anal canal & anorectum	15	0.9	0.24	0.5	0.15	23	1.1	0.24	0.8	0.18
Liver	63	3.5	0.45	2.4	0.34	22	1.0	0.22	0.6	0.17
Gallbladder	17	0.9	0.23	0.7	0.16	19	0.8	0.20	0.5	0.13
Pancreas	238	13.9	0.91	8.4	0.58	190	8.8	0.66	5.3	0.45
Respiratory System	1,249	72.5	2.08	43.0	1.30	908	45.0	1.52	29.6	1.08
Larynx	96	5.3	0.55	3.7	0.39	23	1.2	0.25	0.9	0.19
Lung & bronchus	1,144	66.7	2.00	38.9	1.23	873	43.2	1.49	28.4	1.06
Bones & Joints	17	1.1	0.26	0.8	0.23	11	0.6	0.18	0.5	0.20
Soft Tissue (incl. heart)	61	3.6	0.46	2.8	0.40	64	3.4	0.45	2.7	0.39
Skin (excl. basal & sq.)	448	26.5	1.28	18.3	0.92	401	23.7	1.24	18.9	1.04
Melanomas of the skin	417	24.7	1.24	17.2	0.90	367	21.9	1.20	17.7	1.01
Breast (excl. *in situ*)	24	1.4	0.30	1.0	0.21	2,259	122.9	2.70	88.3	2.04
Female Genital System	-	-	-	-	-	844	45.3	1.62	33.4	1.26
Cervix uteri	-	-	-	-	-	95	6.4	0.68	5.1	0.55
Uterus Corpus	-	-	-	-	-	472	24.3	1.15	18.0	0.89
Uterus, NOS[1]	-	-	-	-	-	10	0.5	0.16	0.4	0.14
Ovary	-	-	-	-	-	193	10.3	0.78	7.3	0.59
Male Genital System	2,686	149.3	2.93	105.6	2.12	-	-	-	-	-
Prostate	2,579	142.2	2.84	99.5	2.03	-	-	-	-	-
Testis	90	6.2	0.67	5.5	0.59	-	-	-	-	-
Penis	12	0.7	0.20	0.4	0.11	-	-	-	-	-
Urinary System	995	58.0	1.87	35.0	1.20	408	20.3	1.04	13.0	0.74
Bladder (incl. *in situ*)	641	37.3	1.49	21.2	0.90	175	8.4	0.67	5.1	0.45
Kidney & renal pelvis	341	19.9	1.10	13.5	0.78	227	11.6	0.79	7.7	0.59
Ureter	8	0.4	0.16	0.2	0.09	-	-	-	-	-
Eye & Orbit	11	0.6	0.20	0.4	0.14	-	-	-	-	-
Brain & Other Nervous System	115	6.6	0.63	5.4	0.56	91	4.9	0.54	4.0	0.49
Brain	109	6.3	0.61	5.1	0.54	87	4.6	0.51	3.6	0.45
Endocrine System	115	7.2	0.69	5.5	0.54	364	22.6	1.23	18.9	1.05
Thyroid gland	107	6.7	0.67	5.1	0.52	350	21.8	1.21	18.3	1.04
Lymphomas	445	26.6	1.29	17.8	0.92	418	21.2	1.09	14.7	0.83
Hodgkin Lymphoma	64	4.0	0.51	3.6	0.47	40	2.6	0.43	2.4	0.41
Non-Hodgkin Lymphoma	381	22.6	1.18	14.3	0.79	378	18.6	1.00	12.3	0.73
Multiple Myeloma	125	7.3	0.66	4.1	0.40	96	4.7	0.50	2.9	0.34
Leukemias	329	19.4	1.09	13.2	0.84	232	11.5	0.80	8.4	0.70
Acute lymphocytic	21	1.5	0.33	1.8	0.43	17	1.3	0.33	1.8	0.46
Chronic lymphocytic	161	9.2	0.74	5.6	0.47	110	5.1	0.50	3.2	0.35
Acute myeloid	83	4.9	0.55	3.2	0.39	63	3.3	0.44	2.2	0.33
Chronic myeloid	27	1.6	0.31	1.1	0.25	19	0.9	0.20	0.5	0.14
Other leukemias	37	2.2	0.37	1.5	0.28	23	1.0	0.22	0.6	0.16
Mesothelioma	39	2.2	0.36	1.3	0.22	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	303	14.2	0.85	8.4	0.57
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	100	5.9	0.61	4.2	0.45	185	10.2	0.79	7.5	0.63
Breast (*in situ*)	8	0.4	0.15	0.3	0.13	505	28.5	1.32	21.3	1.01

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
North Dakota, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	42	541.0	118.97	325.7	56.06	17	327.6	94.88	202.3	52.96
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	113.5	48.60	78.2	28.06	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	119.7	66.53	53.2	24.11	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	119.7	66.53	53.2	24.11	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	6	108.9	52.26	68.7	28.87
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	121.1	37.45	102.5	30.31	-	-	-	-	-
Prostate	13	121.1	37.45	102.5	30.31	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	156,181	522.1	1.35	344.3	0.91	151,053	421.7	1.11	293.4	0.83
Oral Cavity & Pharynx	5,102	16.1	0.23	11.8	0.17	2,141	5.9	0.13	4.2	0.10
Lip	156	0.5	0.04	0.3	0.03	46	0.1	0.02	0.1	0.01
Tongue	1,662	5.2	0.13	3.9	0.10	655	1.8	0.07	1.3	0.05
Major salivary gland	501	1.8	0.08	1.1	0.05	350	1.0	0.06	0.7	0.04
Floor of mouth	260	0.8	0.05	0.6	0.04	130	0.4	0.03	0.2	0.02
Gum & other mouth	487	1.6	0.07	1.1	0.05	412	1.1	0.06	0.7	0.04
Nasopharynx	191	0.6	0.04	0.5	0.04	79	0.2	0.03	0.2	0.02
Oropharynx	270	0.8	0.05	0.6	0.04	87	0.2	0.03	0.2	0.02
Hypopharynx	332	1.1	0.06	0.7	0.04	75	0.2	0.02	0.1	0.02
Digestive System	29,473	99.1	0.59	62.9	0.38	24,591	65.6	0.43	40.8	0.29
Esophagus	2,857	9.4	0.18	6.1	0.12	751	2.0	0.07	1.2	0.05
Stomach	2,574	8.8	0.18	5.4	0.11	1,485	4.0	0.11	2.4	0.07
Small intestine	776	2.6	0.10	1.7	0.06	743	2.1	0.08	1.4	0.06
Colon excl. rectum	10,235	35.4	0.36	21.2	0.22	10,677	28.4	0.28	16.9	0.18
Rectum & rectosigmoid	4,484	14.9	0.23	10.0	0.15	3,294	9.0	0.16	6.1	0.12
Anus, anal canal & anorectum	407	1.3	0.07	1.0	0.05	754	2.1	0.08	1.5	0.06
Liver	2,736	8.5	0.17	6.1	0.12	918	2.4	0.08	1.7	0.06
Gallbladder	223	0.8	0.05	0.5	0.03	497	1.3	0.06	0.8	0.04
Pancreas	4,159	14.0	0.22	8.7	0.14	4,213	11.0	0.17	6.7	0.11
Respiratory System	28,430	95.6	0.58	59.9	0.37	22,994	62.3	0.42	40.4	0.29
Larynx	2,152	6.9	0.15	4.8	0.11	667	1.8	0.07	1.4	0.06
Lung & bronchus	25,904	87.5	0.55	54.2	0.35	22,110	59.8	0.41	38.6	0.28
Bones & Joints	296	1.1	0.06	0.9	0.06	219	0.7	0.05	0.6	0.05
Soft Tissue (incl. heart)	1,048	3.6	0.11	2.7	0.09	894	2.6	0.09	2.0	0.08
Skin (excl. basal & sq.)	7,479	25.6	0.30	16.8	0.20	5,957	18.1	0.24	13.8	0.19
Melanomas of the skin	6,904	23.5	0.29	15.6	0.20	5,549	17.0	0.23	13.0	0.19
Breast (excl. *in situ*)	390	1.3	0.07	0.8	0.04	42,707	120.5	0.60	86.4	0.45
Female Genital System	-	-	-	-	-	18,124	51.0	0.39	37.8	0.30
Cervix uteri	-	-	-	-	-	2,292	7.5	0.16	6.0	0.13
Uterus Corpus	-	-	-	-	-	9,683	26.4	0.27	19.9	0.21
Uterus, NOS[1]	-	-	-	-	-	433	1.2	0.06	0.8	0.04
Ovary	-	-	-	-	-	4,237	11.9	0.19	8.5	0.14
Male Genital System	41,529	133.6	0.67	93.4	0.47	-	-	-	-	-
Prostate	39,769	127.1	0.65	87.7	0.45	-	-	-	-	-
Testis	1,435	5.4	0.14	5.0	0.14	-	-	-	-	-
Penis	257	0.9	0.06	0.5	0.03	-	-	-	-	-
Urinary System	17,827	61.2	0.47	37.4	0.29	8,084	21.9	0.25	14.4	0.18
Bladder (incl. *in situ*)	11,005	38.5	0.37	21.8	0.22	3,603	9.4	0.16	5.6	0.10
Kidney & renal pelvis	6,502	21.5	0.27	15.0	0.19	4,274	12.0	0.19	8.6	0.14
Ureter	231	0.8	0.05	0.5	0.03	150	0.4	0.03	0.2	0.02
Eye & Orbit	299	1.0	0.06	0.8	0.05	281	0.8	0.05	0.7	0.05
Brain & Other Nervous System	2,373	8.1	0.17	6.6	0.15	1,965	5.8	0.13	4.7	0.13
Brain	2,224	7.6	0.16	6.1	0.14	1,789	5.3	0.13	4.3	0.12
Endocrine System	2,036	6.9	0.16	5.4	0.13	6,192	20.1	0.26	16.7	0.22
Thyroid gland	1,818	6.1	0.15	4.8	0.12	5,984	19.4	0.26	16.1	0.22
Lymphomas	7,551	25.9	0.30	17.9	0.22	6,371	17.9	0.23	12.5	0.18
Hodgkin Lymphoma	869	3.1	0.11	2.8	0.10	696	2.3	0.09	2.2	0.09
Non-Hodgkin Lymphoma	6,682	22.8	0.28	15.1	0.19	5,675	15.6	0.21	10.3	0.15
Multiple Myeloma	2,017	6.9	0.16	4.2	0.10	1,764	4.7	0.11	3.0	0.08
Leukemias	4,297	15.0	0.23	10.4	0.18	3,251	9.2	0.17	6.7	0.14
Acute lymphocytic	455	1.6	0.08	2.0	0.10	335	1.2	0.06	1.4	0.09
Chronic lymphocytic	1,271	4.3	0.12	2.6	0.08	857	2.2	0.08	1.3	0.05
Acute myeloid	1,286	4.5	0.13	2.9	0.09	1,090	3.1	0.10	2.2	0.08
Chronic myeloid	515	1.8	0.08	1.2	0.06	371	1.1	0.06	0.8	0.04
Other leukemias	770	2.8	0.10	1.7	0.07	598	1.6	0.07	0.9	0.05
Mesothelioma	468	1.7	0.08	0.9	0.04	144	0.4	0.03	0.2	0.02
Kaposi Sarcoma	102	0.4	0.04	0.3	0.03	16	0.0	0.01	0.0	0.01
Ill-defined & Unknown	5,464	19.1	0.26	11.1	0.16	5,358	14.0	0.20	8.3	0.13
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,878	6.5	0.15	5.0	0.12	3,879	11.3	0.19	8.5	0.15
Breast (*in situ*)	50	0.2	0.02	0.1	0.02	9,372	26.9	0.28	20.2	0.22

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	135,032	505.4	1.40	332.3	0.95	132,899	421.0	1.19	293.0	0.89
Oral Cavity & Pharynx	4,607	16.4	0.25	12.0	0.18	1,906	6.0	0.14	4.2	0.11
Lip	152	0.6	0.05	0.4	0.03	42	0.1	0.02	0.1	0.01
Tongue	1,527	5.4	0.14	4.1	0.11	595	1.9	0.08	1.4	0.06
Major salivary gland	461	1.8	0.09	1.1	0.06	309	1.0	0.06	0.8	0.05
Floor of mouth	232	0.8	0.05	0.6	0.04	115	0.4	0.03	0.2	0.02
Gum & other mouth	445	1.7	0.08	1.1	0.05	372	1.1	0.06	0.7	0.04
Nasopharynx	148	0.5	0.05	0.4	0.04	60	0.2	0.03	0.1	0.02
Oropharynx	224	0.7	0.05	0.6	0.04	67	0.2	0.03	0.2	0.02
Hypopharynx	273	1.0	0.06	0.7	0.04	69	0.2	0.03	0.2	0.02
Digestive System	25,550	96.1	0.61	60.6	0.40	21,241	63.7	0.45	39.5	0.31
Esophagus	2,644	9.6	0.19	6.4	0.13	648	1.9	0.08	1.2	0.05
Stomach	2,172	8.2	0.18	5.1	0.11	1,154	3.5	0.11	2.1	0.07
Small intestine	640	2.4	0.10	1.6	0.06	612	1.9	0.08	1.3	0.06
Colon excl. rectum	8,958	34.5	0.37	20.6	0.23	9,351	27.8	0.29	16.4	0.19
Rectum & rectosigmoid	3,956	14.7	0.24	9.8	0.16	2,895	8.9	0.17	6.0	0.12
Anus, anal canal & anorectum	343	1.2	0.07	0.9	0.05	686	2.2	0.08	1.6	0.06
Liver	2,100	7.4	0.17	5.2	0.12	711	2.1	0.08	1.4	0.06
Gallbladder	187	0.7	0.05	0.4	0.03	423	1.2	0.06	0.8	0.04
Pancreas	3,644	13.7	0.23	8.4	0.15	3,643	10.7	0.18	6.5	0.12
Respiratory System	25,205	94.4	0.61	59.0	0.39	20,357	62.2	0.44	40.4	0.31
Larynx	1,872	6.7	0.16	4.7	0.11	573	1.8	0.08	1.4	0.06
Lung & bronchus	22,999	86.4	0.58	53.4	0.37	19,593	59.7	0.43	38.6	0.30
Bones & Joints	255	1.0	0.07	0.9	0.06	192	0.7	0.05	0.7	0.05
Soft Tissue (incl. heart)	922	3.6	0.12	2.6	0.10	767	2.6	0.10	2.0	0.08
Skin (excl. basal & sq.)	6,911	26.5	0.33	17.5	0.22	5,388	18.9	0.27	14.4	0.22
Melanomas of the skin	6,417	24.5	0.31	16.3	0.21	5,036	17.8	0.26	13.7	0.21
Breast (excl. *in situ*)	334	1.3	0.07	0.8	0.05	37,424	119.9	0.64	85.9	0.48
Female Genital System	-	-	-	-	-	16,180	51.9	0.42	38.5	0.33
Cervix uteri	-	-	-	-	-	1,920	7.3	0.17	5.9	0.14
Uterus Corpus	-	-	-	-	-	8,725	27.1	0.30	20.4	0.23
Uterus, NOS[1]	-	-	-	-	-	374	1.1	0.06	0.7	0.04
Ovary	-	-	-	-	-	3,842	12.2	0.20	8.8	0.16
Male Genital System	33,180	119.4	0.67	83.5	0.47	-	-	-	-	-
Prostate	31,526	112.2	0.64	77.3	0.45	-	-	-	-	-
Testis	1,354	6.0	0.17	5.6	0.16	-	-	-	-	-
Penis	238	0.9	0.06	0.5	0.04	-	-	-	-	-
Urinary System	16,083	61.5	0.49	37.4	0.31	7,176	22.0	0.27	14.4	0.19
Bladder (incl. *in situ*)	10,104	39.2	0.40	22.1	0.23	3,232	9.4	0.17	5.6	0.11
Kidney & renal pelvis	5,691	21.2	0.29	14.7	0.20	3,760	12.0	0.20	8.6	0.16
Ureter	216	0.8	0.06	0.5	0.03	138	0.4	0.03	0.2	0.02
Eye & Orbit	289	1.1	0.07	0.9	0.06	270	0.9	0.06	0.7	0.05
Brain & Other Nervous System	2,168	8.5	0.19	6.8	0.16	1,783	6.0	0.15	4.9	0.14
Brain	2,034	7.9	0.18	6.4	0.16	1,627	5.5	0.14	4.4	0.13
Endocrine System	1,831	7.1	0.17	5.6	0.14	5,375	20.4	0.29	16.9	0.25
Thyroid gland	1,655	6.4	0.16	4.9	0.13	5,208	19.8	0.28	16.4	0.24
Lymphomas	6,806	26.2	0.32	18.0	0.23	5,711	18.2	0.25	12.7	0.19
Hodgkin Lymphoma	759	3.1	0.12	2.8	0.11	596	2.3	0.10	2.2	0.10
Non-Hodgkin Lymphoma	6,047	23.1	0.30	15.2	0.21	5,115	15.8	0.23	10.5	0.17
Multiple Myeloma	1,641	6.2	0.16	3.8	0.10	1,374	4.1	0.11	2.6	0.08
Leukemias	3,876	15.3	0.25	10.6	0.19	2,875	9.2	0.18	6.8	0.16
Acute lymphocytic	403	1.7	0.09	2.1	0.12	294	1.2	0.07	1.5	0.10
Chronic lymphocytic	1,149	4.3	0.13	2.6	0.08	773	2.3	0.08	1.4	0.06
Acute myeloid	1,173	4.6	0.14	3.0	0.10	950	3.1	0.10	2.2	0.09
Chronic myeloid	453	1.8	0.09	1.2	0.06	316	1.0	0.06	0.7	0.05
Other leukemias	698	2.8	0.11	1.7	0.07	542	1.6	0.07	0.9	0.05
Mesothelioma	440	1.7	0.08	0.9	0.05	133	0.4	0.03	0.2	0.02
Kaposi Sarcoma	73	0.3	0.04	0.2	0.03	13	0.0	0.01	0.0	0.01
Ill-defined & Unknown	4,861	18.9	0.28	11.0	0.17	4,734	13.9	0.21	8.2	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,611	6.3	0.16	5.0	0.14	3,343	11.2	0.20	8.4	0.16
Breast (*in situ*)	38	0.1	0.02	0.1	0.02	8,031	26.4	0.30	19.8	0.23

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	15,776	567.8	4.73	386.7	3.14	14,920	402.3	3.33	278.0	2.38
Oral Cavity & Pharynx	425	14.0	0.70	10.4	0.51	193	5.1	0.37	3.7	0.28
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	116	3.9	0.38	2.9	0.27	47	1.2	0.18	0.9	0.14
Major salivary gland	33	1.1	0.20	0.8	0.15	36	0.9	0.16	0.7	0.12
Floor of mouth	25	0.8	0.17	0.6	0.12	12	0.3	0.09	0.2	0.06
Gum & other mouth	32	1.1	0.20	0.8	0.14	32	0.8	0.15	0.6	0.12
Nasopharynx	31	0.9	0.17	0.8	0.14	12	0.3	0.10	0.2	0.06
Oropharynx	42	1.3	0.21	1.0	0.16	20	0.5	0.12	0.4	0.10
Hypopharynx	57	2.0	0.27	1.5	0.20	6	0.2	0.08	0.1	0.04
Digestive System	3,310	120.4	2.20	79.1	1.41	2,841	77.5	1.47	49.0	0.97
Esophagus	180	6.8	0.53	4.4	0.34	89	2.4	0.26	1.5	0.17
Stomach	339	13.3	0.75	8.1	0.45	275	7.7	0.47	4.7	0.30
Small intestine	119	4.5	0.43	2.8	0.27	116	3.1	0.29	2.2	0.21
Colon excl. rectum	1,098	42.3	1.34	26.0	0.80	1,133	30.8	0.92	19.3	0.61
Rectum & rectosigmoid	388	13.4	0.71	9.2	0.48	295	7.9	0.47	5.3	0.33
Anus, anal canal & anorectum	57	1.8	0.25	1.5	0.20	62	1.7	0.22	1.1	0.15
Liver	541	16.3	0.72	13.1	0.57	182	4.7	0.35	3.3	0.26
Gallbladder	33	1.2	0.22	0.8	0.15	57	1.5	0.20	0.9	0.13
Pancreas	460	17.3	0.85	10.9	0.52	521	14.5	0.64	8.6	0.40
Respiratory System	2,971	111.8	2.14	71.9	1.35	2,454	66.8	1.36	43.4	0.92
Larynx	251	8.7	0.57	6.1	0.39	91	2.4	0.25	1.8	0.19
Lung & bronchus	2,689	102.0	2.05	65.0	1.28	2,341	63.8	1.33	41.1	0.89
Bones & Joints	31	0.9	0.18	0.8	0.15	16	0.4	0.10	0.3	0.09
Soft Tissue (incl. heart)	97	3.1	0.33	2.6	0.26	112	3.0	0.28	2.3	0.22
Skin (excl. basal & sq.)	56	2.1	0.30	1.3	0.18	68	1.8	0.23	1.3	0.17
Melanomas of the skin	25	1.1	0.22	0.6	0.12	35	1.0	0.17	0.6	0.11
Breast (excl. *in situ*)	49	1.8	0.28	1.1	0.17	4,480	119.8	1.81	86.7	1.34
Female Genital System	-	-	-	-	-	1,577	41.9	1.07	30.8	0.80
Cervix uteri	-	-	-	-	-	283	7.7	0.46	6.0	0.37
Uterus Corpus	-	-	-	-	-	781	20.5	0.74	15.1	0.56
Uterus, NOS[1]	-	-	-	-	-	58	1.6	0.21	1.0	0.15
Ovary	-	-	-	-	-	323	8.7	0.49	6.2	0.36
Male Genital System	5,458	191.3	2.70	136.4	1.88	-	-	-	-	-
Prostate	5,404	189.5	2.69	135.0	1.87	-	-	-	-	-
Testis	36	1.1	0.18	1.0	0.17	-	-	-	-	-
Penis	14	0.6	0.16	0.3	0.09	-	-	-	-	-
Urinary System	1,294	47.6	1.39	31.5	0.90	745	20.2	0.75	13.6	0.53
Bladder (incl. *in situ*)	548	22.2	0.99	12.9	0.57	260	7.2	0.45	4.3	0.28
Kidney & renal pelvis	725	24.6	0.95	18.1	0.68	464	12.4	0.58	9.0	0.44
Ureter	11	0.5	0.14	0.3	0.08	11	0.3	0.10	0.2	0.06
Eye & Orbit	8	0.2	0.08	0.3	0.09	9	0.2	0.07	0.2	0.09
Brain & Other Nervous System	145	4.7	0.42	3.7	0.31	153	4.0	0.33	3.3	0.28
Brain	134	4.4	0.40	3.4	0.30	135	3.5	0.31	2.9	0.27
Endocrine System	137	4.5	0.40	3.5	0.31	567	15.3	0.65	12.3	0.53
Thyroid gland	100	3.4	0.35	2.5	0.26	533	14.4	0.63	11.6	0.51
Lymphomas	567	19.1	0.83	14.4	0.61	495	13.2	0.60	9.7	0.46
Hodgkin Lymphoma	83	2.6	0.30	2.2	0.25	81	2.0	0.23	2.0	0.22
Non-Hodgkin Lymphoma	484	16.5	0.78	12.2	0.56	414	11.1	0.55	7.8	0.40
Multiple Myeloma	345	13.2	0.74	8.2	0.45	364	10.1	0.53	6.3	0.35
Leukemias	323	11.6	0.68	8.1	0.46	293	7.9	0.47	5.6	0.35
Acute lymphocytic	35	0.9	0.16	1.0	0.17	28	0.7	0.13	0.7	0.14
Chronic lymphocytic	93	3.6	0.39	2.2	0.24	58	1.6	0.21	0.9	0.13
Acute myeloid	88	3.2	0.36	2.2	0.24	119	3.2	0.30	2.3	0.22
Chronic myeloid	46	1.5	0.23	1.2	0.17	41	1.1	0.18	0.8	0.14
Other leukemias	61	2.4	0.32	1.5	0.20	47	1.3	0.19	0.9	0.14
Mesothelioma	23	1.0	0.21	0.5	0.12	11	0.3	0.09	0.2	0.06
Kaposi Sarcoma	22	0.7	0.14	0.6	0.13	-	-	-	-	-
Ill-defined & Unknown	515	19.7	0.92	12.0	0.54	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	210	7.3	0.53	5.2	0.37	437	11.8	0.57	8.6	0.43
Breast (*in situ*)	11	0.4	0.12	0.3	0.09	1,113	29.8	0.91	21.9	0.67

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	759	240.2	9.99	150.2	5.53	1,019	235.9	7.94	160.6	5.11
Oral Cavity & Pharynx	15	4.3	1.33	2.8	0.73	15	3.7	1.03	2.5	0.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	6	1.2	0.52	1.1	0.45	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	202	67.3	5.44	40.4	2.87	167	45.7	3.78	26.6	2.09
Esophagus	9	3.7	1.43	1.7	0.58	-	-	-	-	-
Stomach	29	9.9	2.09	5.6	1.05	26	7.0	1.46	4.0	0.79
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	42	13.8	2.44	8.6	1.35	62	16.5	2.25	10.1	1.30
Rectum & rectosigmoid	44	13.7	2.37	8.9	1.36	15	3.9	1.05	2.4	0.62
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	43	13.8	2.47	8.8	1.35	13	4.1	1.20	1.9	0.53
Gallbladder	-	-	-	-	-	8	2.2	0.81	1.4	0.48
Pancreas	22	8.9	2.10	4.4	0.94	19	5.5	1.36	3.0	0.70
Respiratory System	98	36.1	4.15	19.5	2.00	93	27.4	3.00	14.7	1.55
Larynx	7	2.0	0.85	1.2	0.47	-	-	-	-	-
Lung & bronchus	89	33.6	4.05	17.9	1.92	90	26.7	2.96	14.3	1.53
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	1.9	0.90	1.1	0.48	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	356	75.5	4.22	54.7	2.93
Female Genital System	-	-	-	-	-	137	29.3	2.66	21.7	1.88
Cervix uteri	-	-	-	-	-	29	5.9	1.16	4.5	0.84
Uterus Corpus	-	-	-	-	-	65	13.7	1.79	10.3	1.29
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	35	8.3	1.51	5.7	0.97
Male Genital System	199	61.9	4.89	39.9	2.85	-	-	-	-	-
Prostate	184	59.3	4.84	37.4	2.78	-	-	-	-	-
Testis	12	2.1	0.61	2.1	0.62	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	53	15.8	2.37	10.3	1.43	25	5.9	1.27	4.0	0.83
Bladder (incl. *in situ*)	29	9.7	1.97	5.7	1.07	7	2.2	0.86	1.1	0.43
Kidney & renal pelvis	23	5.8	1.28	4.3	0.92	17	3.6	0.91	2.8	0.70
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	26	6.4	1.44	5.7	1.13	9	1.6	0.53	1.4	0.48
Brain	25	6.2	1.44	5.4	1.09	9	1.6	0.53	1.4	0.48
Endocrine System	28	5.7	1.10	4.9	0.95	99	17.1	1.76	15.2	1.56
Thyroid gland	25	5.0	1.03	4.2	0.85	96	16.6	1.74	14.6	1.52
Lymphomas	48	13.0	2.21	8.9	1.31	44	12.2	1.98	7.0	1.08
Hodgkin Lymphoma	7	1.3	0.50	1.3	0.51	8	1.8	0.69	1.4	0.51
Non-Hodgkin Lymphoma	41	11.7	2.16	7.6	1.21	36	10.4	1.86	5.6	0.95
Multiple Myeloma	9	3.5	1.35	1.8	0.60	10	2.6	0.86	1.7	0.54
Leukemias	30	7.1	1.50	6.4	1.20	24	4.9	1.05	4.7	1.00
Acute lymphocytic	-	-	-	-	-	6	1.0	0.41	1.5	0.63
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	15	3.0	0.78	3.2	0.86	11	2.2	0.68	2.0	0.63
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	32	12.6	2.52	6.3	1.13	29	8.0	1.61	4.5	0.86
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	16	4.4	1.22	3.1	0.80	31	6.7	1.27	5.5	1.01
Breast (*in situ*)	-	-	-	-	-	108	23.0	2.31	17.0	1.65

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,258	313.2	9.83	203.2	6.00	1,144	229.1	7.19	159.5	4.88
Oral Cavity & Pharynx	33	7.5	1.39	5.9	1.07	17	3.6	0.90	2.6	0.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	6	1.5	0.61	1.0	0.41
Major salivary gland	6	1.2	0.56	0.8	0.36	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	282	68.8	4.57	44.4	2.76	210	47.9	3.46	28.6	2.05
Esophagus	20	5.3	1.31	3.2	0.74	-	-	-	-	-
Stomach	38	10.1	1.82	6.0	1.03	18	3.9	0.97	2.4	0.59
Small intestine	6	1.8	0.77	1.1	0.48	-	-	-	-	-
Colon excl. rectum	81	20.2	2.51	12.9	1.50	89	20.7	2.29	12.1	1.33
Rectum & rectosigmoid	42	9.0	1.52	6.6	1.06	27	5.5	1.10	3.8	0.75
Anus, anal canal & anorectum	-	-	-	-	-	6	1.3	0.53	1.0	0.40
Liver	58	12.7	1.85	8.9	1.21	16	3.5	0.93	2.2	0.58
Gallbladder	-	-	-	-	-	9	2.3	0.79	1.2	0.44
Pancreas	27	7.2	1.55	4.1	0.83	30	7.2	1.37	4.1	0.79
Respiratory System	147	44.1	3.92	24.5	2.11	102	23.7	2.43	15.2	1.57
Larynx	11	3.0	0.98	1.9	0.58	-	-	-	-	-
Lung & bronchus	130	40.1	3.76	21.7	1.98	100	23.2	2.41	14.9	1.55
Bones & Joints	-	-	-	-	-	8	1.4	0.57	0.9	0.32
Soft Tissue (incl. heart)	10	2.2	0.84	1.4	0.47	6	0.8	0.39	0.8	0.32
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	22	5.4	1.29	3.8	0.85	27	4.4	0.91	3.5	0.71
Breast (excl. *in situ*)	-	-	-	-	-	302	59.6	3.59	43.3	2.57
Female Genital System	-	-	-	-	-	170	31.7	2.56	23.6	1.86
Cervix uteri	-	-	-	-	-	51	8.6	1.28	6.6	0.95
Uterus Corpus	-	-	-	-	-	78	15.6	1.84	11.5	1.33
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	37	6.8	1.19	4.9	0.83
Male Genital System	372	96.6	5.45	65.3	3.51	-	-	-	-	-
Prostate	338	91.8	5.36	61.4	3.44	-	-	-	-	-
Testis	27	2.9	0.60	2.7	0.54	-	-	-	-	-
Penis	6	1.5	0.68	0.9	0.37	-	-	-	-	-
Urinary System	121	31.5	3.16	19.5	1.85	51	10.6	1.55	7.4	1.08
Bladder (incl. *in situ*)	64	18.6	2.52	10.6	1.38	12	2.8	0.83	1.6	0.49
Kidney & renal pelvis	57	12.9	1.91	8.9	1.24	39	7.8	1.31	5.8	0.96
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	1.1	0.61	0.7	0.31	-	-	-	-	-
Brain & Other Nervous System	23	4.3	1.05	3.1	0.69	18	2.5	0.66	2.5	0.62
Brain	22	4.2	1.04	3.0	0.68	18	2.5	0.66	2.5	0.62
Endocrine System	24	4.1	0.93	3.0	0.64	78	10.8	1.29	9.7	1.13
Thyroid gland	21	3.7	0.89	2.6	0.59	76	10.6	1.28	9.4	1.11
Lymphomas	83	17.6	2.25	11.2	1.29	60	11.7	1.63	8.1	1.09
Hodgkin Lymphoma	15	1.9	0.56	1.7	0.46	10	1.2	0.38	1.1	0.36
Non-Hodgkin Lymphoma	68	15.7	2.18	9.4	1.21	50	10.6	1.58	7.0	1.03
Multiple Myeloma	17	5.1	1.31	2.9	0.73	12	3.0	0.89	2.0	0.58
Leukemias	50	6.9	1.17	6.1	0.90	28	4.4	0.96	3.6	0.70
Acute lymphocytic	18	1.4	0.34	1.9	0.44	11	1.0	0.34	1.3	0.40
Chronic lymphocytic	7	1.4	0.61	1.0	0.40	-	-	-	-	-
Acute myeloid	12	2.3	0.78	1.6	0.49	7	1.2	0.49	0.9	0.36
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	2.0	0.86	1.2	0.46	-	-	-	-	-
Ill-defined & Unknown	47	13.3	2.11	8.4	1.27	47	11.2	1.70	6.6	1.01
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	22	3.2	0.86	2.4	0.51	40	7.0	1.15	5.6	0.91
Breast (*in situ*)	-	-	-	-	-	86	17.2	1.91	13.3	1.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	134,056	508.8	1.42	334.9	0.97	131,964	424.3	1.20	295.6	0.91
Oral Cavity & Pharynx	4,582	16.5	0.25	12.2	0.19	1,892	6.0	0.14	4.3	0.11
Lip	151	0.6	0.05	0.4	0.03	42	0.1	0.02	0.1	0.01
Tongue	1,525	5.4	0.14	4.2	0.11	589	1.9	0.08	1.4	0.06
Major salivary gland	457	1.8	0.09	1.1	0.06	305	1.0	0.06	0.8	0.05
Floor of mouth	230	0.8	0.05	0.6	0.04	114	0.4	0.03	0.2	0.02
Gum & other mouth	443	1.7	0.08	1.1	0.06	370	1.1	0.06	0.7	0.04
Nasopharynx	148	0.5	0.05	0.4	0.04	60	0.2	0.03	0.1	0.02
Oropharynx	222	0.8	0.05	0.6	0.04	67	0.2	0.03	0.2	0.02
Hypopharynx	271	1.0	0.06	0.7	0.04	69	0.2	0.03	0.2	0.02
Digestive System	25,327	96.5	0.62	60.9	0.40	21,065	63.9	0.45	39.6	0.31
Esophagus	2,628	9.7	0.19	6.4	0.13	646	1.9	0.08	1.2	0.05
Stomach	2,142	8.2	0.18	5.1	0.12	1,140	3.5	0.11	2.1	0.07
Small intestine	635	2.4	0.10	1.6	0.06	610	1.9	0.08	1.3	0.06
Colon excl. rectum	8,892	34.7	0.37	20.7	0.23	9,275	27.9	0.30	16.5	0.20
Rectum & rectosigmoid	3,920	14.8	0.24	9.9	0.16	2,871	8.9	0.17	6.1	0.12
Anus, anal canal & anorectum	341	1.2	0.07	0.9	0.05	680	2.2	0.09	1.6	0.06
Liver	2,059	7.4	0.17	5.2	0.12	699	2.1	0.08	1.4	0.06
Gallbladder	187	0.7	0.05	0.4	0.03	418	1.2	0.06	0.8	0.04
Pancreas	3,624	13.8	0.23	8.5	0.15	3,617	10.7	0.18	6.5	0.12
Respiratory System	25,078	95.0	0.61	59.5	0.39	20,270	62.6	0.45	40.7	0.31
Larynx	1,862	6.8	0.16	4.7	0.11	573	1.8	0.08	1.4	0.06
Lung & bronchus	22,887	87.0	0.59	53.9	0.37	19,507	60.2	0.44	38.9	0.30
Bones & Joints	254	1.1	0.07	0.9	0.07	188	0.7	0.05	0.7	0.06
Soft Tissue (incl. heart)	914	3.7	0.12	2.7	0.10	762	2.6	0.10	2.0	0.09
Skin (excl. basal & sq.)	6,889	26.8	0.33	17.7	0.23	5,366	19.2	0.27	14.7	0.22
Melanomas of the skin	6,398	24.8	0.32	16.6	0.22	5,015	18.1	0.27	13.9	0.22
Breast (excl. *in situ*)	332	1.3	0.07	0.8	0.05	37,183	121.0	0.65	86.7	0.48
Female Genital System	-	-	-	-	-	16,043	52.2	0.43	38.8	0.33
Cervix uteri	-	-	-	-	-	1,884	7.4	0.18	5.9	0.14
Uterus Corpus	-	-	-	-	-	8,661	27.3	0.30	20.6	0.23
Uterus, NOS[1]	-	-	-	-	-	373	1.1	0.06	0.7	0.04
Ovary	-	-	-	-	-	3,807	12.3	0.21	8.9	0.16
Male Genital System	32,917	120.0	0.67	84.1	0.48	-	-	-	-	-
Prostate	31,292	112.7	0.65	77.7	0.45	-	-	-	-	-
Testis	1,332	6.2	0.17	5.7	0.16	-	-	-	-	-
Penis	232	0.9	0.06	0.5	0.04	-	-	-	-	-
Urinary System	15,985	61.9	0.50	37.7	0.32	7,133	22.1	0.27	14.6	0.20
Bladder (incl. *in situ*)	10,053	39.4	0.40	22.3	0.23	3,220	9.5	0.17	5.6	0.11
Kidney & renal pelvis	5,644	21.4	0.29	14.8	0.21	3,729	12.1	0.20	8.6	0.16
Ureter	216	0.8	0.06	0.5	0.03	138	0.4	0.03	0.2	0.02
Eye & Orbit	285	1.1	0.07	0.9	0.06	268	0.9	0.06	0.8	0.06
Brain & Other Nervous System	2,149	8.6	0.19	7.0	0.17	1,768	6.1	0.15	5.0	0.15
Brain	2,016	8.0	0.18	6.5	0.16	1,612	5.6	0.14	4.5	0.14
Endocrine System	1,815	7.2	0.17	5.7	0.14	5,315	20.6	0.29	17.1	0.25
Thyroid gland	1,641	6.5	0.16	5.0	0.13	5,150	20.0	0.29	16.6	0.25
Lymphomas	6,742	26.4	0.33	18.2	0.24	5,659	18.3	0.25	12.7	0.20
Hodgkin Lymphoma	750	3.2	0.12	2.9	0.11	586	2.4	0.10	2.2	0.10
Non-Hodgkin Lymphoma	5,992	23.2	0.31	15.3	0.21	5,073	15.9	0.23	10.5	0.17
Multiple Myeloma	1,628	6.2	0.16	3.8	0.10	1,366	4.1	0.11	2.6	0.08
Leukemias	3,837	15.4	0.25	10.7	0.20	2,854	9.3	0.18	6.9	0.16
Acute lymphocytic	390	1.8	0.09	2.2	0.12	286	1.3	0.08	1.6	0.10
Chronic lymphocytic	1,142	4.4	0.13	2.6	0.08	769	2.3	0.08	1.4	0.06
Acute myeloid	1,162	4.6	0.14	3.0	0.10	945	3.1	0.11	2.2	0.09
Chronic myeloid	450	1.8	0.09	1.2	0.06	315	1.0	0.06	0.7	0.05
Other leukemias	693	2.8	0.11	1.7	0.07	539	1.6	0.07	1.0	0.05
Mesothelioma	437	1.8	0.09	0.9	0.05	131	0.4	0.03	0.2	0.02
Kaposi Sarcoma	68	0.3	0.04	0.2	0.03	11	0.0	0.01	0.0	0.01
Ill-defined & Unknown	4,817	19.0	0.28	11.0	0.17	4,690	13.9	0.21	8.2	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,593	6.4	0.16	5.0	0.14	3,308	11.3	0.20	8.5	0.17
Breast (*in situ*)	38	0.1	0.02	0.1	0.02	7,959	26.6	0.31	20.0	0.23

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ohio, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	15,739	572.1	4.77	389.9	3.17	14,886	405.7	3.37	280.6	2.41
Oral Cavity & Pharynx	424	14.1	0.71	10.5	0.52	193	5.2	0.38	3.7	0.28
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	116	3.9	0.38	2.9	0.27	47	1.3	0.19	0.9	0.14
Major salivary gland	32	1.1	0.20	0.8	0.15	36	1.0	0.16	0.7	0.12
Floor of mouth	25	0.8	0.17	0.6	0.12	12	0.3	0.10	0.2	0.06
Gum & other mouth	32	1.1	0.21	0.8	0.15	32	0.8	0.15	0.6	0.12
Nasopharynx	31	0.9	0.17	0.8	0.14	12	0.4	0.10	0.2	0.06
Oropharynx	42	1.3	0.21	1.0	0.16	20	0.5	0.12	0.4	0.10
Hypopharynx	57	2.0	0.28	1.5	0.20	6	0.2	0.08	0.1	0.04
Digestive System	3,303	121.3	2.22	79.8	1.42	2,833	78.0	1.48	49.3	0.98
Esophagus	180	6.8	0.53	4.5	0.34	89	2.5	0.26	1.5	0.17
Stomach	337	13.3	0.76	8.1	0.45	275	7.8	0.47	4.7	0.30
Small intestine	118	4.5	0.43	2.8	0.27	116	3.2	0.30	2.2	0.21
Colon excl. rectum	1,094	42.5	1.35	26.1	0.81	1,129	31.0	0.93	19.4	0.61
Rectum & rectosigmoid	388	13.5	0.72	9.3	0.48	294	8.0	0.47	5.4	0.33
Anus, anal canal & anorectum	57	1.9	0.25	1.5	0.20	62	1.7	0.22	1.2	0.15
Liver	541	16.4	0.73	13.3	0.58	182	4.7	0.36	3.4	0.26
Gallbladder	33	1.2	0.23	0.9	0.15	56	1.5	0.20	0.9	0.13
Pancreas	460	17.5	0.85	11.0	0.53	519	14.6	0.65	8.7	0.41
Respiratory System	2,968	112.6	2.16	72.5	1.36	2,448	67.2	1.37	43.7	0.93
Larynx	251	8.7	0.58	6.1	0.40	91	2.4	0.25	1.8	0.19
Lung & bronchus	2,686	102.8	2.07	65.6	1.30	2,335	64.2	1.34	41.4	0.90
Bones & Joints	31	1.0	0.18	0.9	0.16	15	0.4	0.10	0.3	0.09
Soft Tissue (incl. heart)	97	3.2	0.34	2.6	0.27	112	3.0	0.29	2.3	0.23
Skin (excl. basal & sq.)	56	2.2	0.30	1.4	0.19	68	1.9	0.23	1.3	0.17
Melanomas of the skin	25	1.1	0.22	0.6	0.12	35	1.0	0.17	0.6	0.11
Breast (excl. *in situ*)	49	1.9	0.28	1.2	0.17	4,472	121.0	1.83	87.6	1.36
Female Genital System	-	-	-	-	-	1,573	42.3	1.08	31.1	0.81
Cervix uteri	-	-	-	-	-	281	7.7	0.47	6.1	0.37
Uterus Corpus	-	-	-	-	-	779	20.6	0.75	15.2	0.56
Uterus, NOS[1]	-	-	-	-	-	58	1.6	0.21	1.1	0.15
Ovary	-	-	-	-	-	323	8.8	0.49	6.3	0.36
Male Genital System	5,440	192.5	2.72	137.3	1.90	-	-	-	-	-
Prostate	5,387	190.7	2.71	135.8	1.89	-	-	-	-	-
Testis	35	1.1	0.18	1.0	0.17	-	-	-	-	-
Penis	14	0.6	0.16	0.3	0.09	-	-	-	-	-
Urinary System	1,293	48.1	1.40	31.8	0.90	743	20.4	0.76	13.7	0.53
Bladder (incl. *in situ*)	547	22.3	1.00	13.0	0.57	260	7.3	0.45	4.3	0.29
Kidney & renal pelvis	725	24.8	0.96	18.3	0.69	462	12.5	0.59	9.1	0.44
Ureter	11	0.5	0.14	0.3	0.08	11	0.3	0.10	0.2	0.06
Eye & Orbit	7	0.2	0.08	0.2	0.09	9	0.2	0.08	0.3	0.09
Brain & Other Nervous System	144	4.8	0.42	3.8	0.32	152	4.1	0.33	3.3	0.29
Brain	133	4.4	0.41	3.4	0.31	134	3.6	0.31	3.0	0.28
Endocrine System	136	4.6	0.41	3.6	0.31	567	15.6	0.66	12.6	0.54
Thyroid gland	99	3.4	0.35	2.5	0.26	533	14.6	0.64	11.8	0.52
Lymphomas	563	19.3	0.84	14.5	0.62	495	13.3	0.61	9.9	0.46
Hodgkin Lymphoma	82	2.7	0.30	2.2	0.25	81	2.1	0.24	2.0	0.23
Non-Hodgkin Lymphoma	481	16.6	0.79	12.3	0.57	414	11.2	0.56	7.9	0.41
Multiple Myeloma	345	13.3	0.75	8.3	0.46	362	10.1	0.54	6.3	0.35
Leukemias	323	11.7	0.69	8.2	0.47	292	8.0	0.47	5.7	0.36
Acute lymphocytic	35	0.9	0.16	1.0	0.17	28	0.7	0.14	0.8	0.15
Chronic lymphocytic	93	3.6	0.39	2.3	0.24	58	1.6	0.21	0.9	0.13
Acute myeloid	88	3.2	0.36	2.2	0.24	118	3.3	0.30	2.3	0.23
Chronic myeloid	46	1.5	0.23	1.2	0.18	41	1.1	0.18	0.9	0.14
Other leukemias	61	2.4	0.33	1.5	0.20	47	1.3	0.19	0.9	0.14
Mesothelioma	23	1.0	0.21	0.6	0.12	11	0.3	0.09	0.2	0.06
Kaposi Sarcoma	22	0.7	0.15	0.6	0.13	-	-	-	-	-
Ill-defined & Unknown	515	19.9	0.92	12.2	0.55	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	210	7.4	0.53	5.3	0.37	436	12.0	0.58	8.7	0.44
Breast (*in situ*)	11	0.4	0.12	0.3	0.09	1,110	30.1	0.91	22.1	0.68

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	48,932	520.1	2.40	342.6	1.61	45,056	411.8	1.97	287.3	1.46
Oral Cavity & Pharynx	1,963	20.0	0.46	14.4	0.33	767	6.9	0.25	4.7	0.18
Lip	301	3.3	0.20	2.0	0.12	126	1.1	0.10	0.7	0.07
Tongue	493	4.8	0.22	3.7	0.17	189	1.7	0.13	1.2	0.10
Major salivary gland	193	2.2	0.16	1.4	0.10	93	0.9	0.09	0.6	0.07
Floor of mouth	88	0.9	0.09	0.7	0.07	43	0.4	0.06	0.2	0.04
Gum & other mouth	175	1.8	0.14	1.3	0.10	125	1.2	0.10	0.7	0.07
Nasopharynx	59	0.6	0.08	0.5	0.06	28	0.3	0.05	0.2	0.04
Oropharynx	89	0.9	0.09	0.7	0.07	25	0.2	0.04	0.2	0.03
Hypopharynx	111	1.1	0.10	0.8	0.08	31	0.3	0.05	0.2	0.04
Digestive System	9,031	96.3	1.03	62.7	0.68	7,487	66.7	0.78	42.8	0.54
Esophagus	758	7.9	0.29	5.4	0.20	215	1.9	0.13	1.2	0.09
Stomach	693	7.5	0.29	4.7	0.19	361	3.2	0.17	2.1	0.12
Small intestine	218	2.3	0.16	1.5	0.11	211	1.9	0.14	1.3	0.10
Colon excl. rectum	3,224	35.1	0.63	21.8	0.40	3,244	28.9	0.51	17.8	0.34
Rectum & rectosigmoid	1,441	15.2	0.41	10.4	0.28	1,091	9.9	0.31	7.0	0.22
Anus, anal canal & anorectum	149	1.6	0.13	1.1	0.10	257	2.3	0.15	1.8	0.11
Liver	923	9.1	0.31	6.8	0.23	426	3.7	0.18	2.7	0.14
Gallbladder	67	0.8	0.09	0.4	0.05	166	1.4	0.11	0.9	0.08
Pancreas	1,257	13.5	0.39	8.5	0.25	1,157	10.1	0.30	6.2	0.20
Respiratory System	9,145	97.5	1.04	61.2	0.66	7,056	62.3	0.75	40.9	0.52
Larynx	613	6.3	0.26	4.4	0.18	176	1.6	0.12	1.2	0.09
Lung & bronchus	8,425	90.1	1.00	56.1	0.63	6,821	60.2	0.74	39.3	0.51
Bones & Joints	107	1.1	0.11	1.0	0.10	91	1.0	0.10	0.9	0.10
Soft Tissue (incl. heart)	322	3.5	0.20	2.7	0.16	255	2.5	0.16	2.0	0.14
Skin (excl. basal & sq.)	2,128	23.3	0.52	15.0	0.34	1,449	14.0	0.37	10.2	0.29
Melanomas of the skin	1,942	21.1	0.49	13.7	0.32	1,330	12.8	0.36	9.4	0.28
Breast (excl. *in situ*)	143	1.5	0.13	1.0	0.09	12,948	119.2	1.07	85.3	0.79
Female Genital System	-	-	-	-	-	4,955	46.3	0.67	34.4	0.52
Cervix uteri	-	-	-	-	-	890	9.5	0.33	7.6	0.26
Uterus Corpus	-	-	-	-	-	2,224	20.0	0.43	15.0	0.33
Uterus, NOS[1]	-	-	-	-	-	112	1.0	0.10	0.7	0.07
Ovary	-	-	-	-	-	1,281	11.7	0.33	8.2	0.25
Male Genital System	13,091	135.0	1.20	92.0	0.82	-	-	-	-	-
Prostate	12,542	128.8	1.17	86.6	0.79	-	-	-	-	-
Testis	454	5.1	0.24	4.7	0.22	-	-	-	-	-
Penis	72	0.8	0.10	0.5	0.06	-	-	-	-	-
Urinary System	5,278	57.3	0.80	35.9	0.51	2,433	21.9	0.45	14.8	0.33
Bladder (incl. *in situ*)	3,017	33.6	0.62	19.4	0.37	921	8.1	0.27	4.9	0.18
Kidney & renal pelvis	2,188	22.9	0.50	16.1	0.36	1,452	13.2	0.35	9.6	0.27
Ureter	54	0.6	0.08	0.4	0.05	43	0.4	0.06	0.2	0.04
Eye & Orbit	100	1.1	0.11	0.7	0.08	67	0.7	0.08	0.5	0.07
Brain & Other Nervous System	674	7.1	0.28	5.7	0.24	594	5.7	0.24	4.6	0.21
Brain	645	6.8	0.27	5.4	0.23	552	5.3	0.23	4.2	0.20
Endocrine System	577	6.2	0.26	4.8	0.21	1,558	15.9	0.41	13.1	0.35
Thyroid gland	497	5.4	0.25	4.0	0.19	1,500	15.4	0.41	12.6	0.34
Lymphomas	2,279	24.8	0.53	16.7	0.37	1,942	17.7	0.41	12.3	0.31
Hodgkin Lymphoma	267	2.9	0.18	2.5	0.16	224	2.3	0.16	2.2	0.15
Non-Hodgkin Lymphoma	2,012	21.9	0.50	14.2	0.33	1,718	15.4	0.38	10.1	0.27
Multiple Myeloma	634	6.9	0.28	4.2	0.17	533	4.7	0.20	3.0	0.14
Leukemias	1,487	16.5	0.44	11.2	0.31	1,163	10.6	0.32	7.9	0.27
Acute lymphocytic	154	1.6	0.13	2.0	0.17	128	1.3	0.12	1.7	0.16
Chronic lymphocytic	532	6.0	0.26	3.4	0.15	376	3.3	0.17	1.9	0.11
Acute myeloid	386	4.2	0.22	2.8	0.15	335	3.1	0.17	2.2	0.14
Chronic myeloid	183	2.1	0.16	1.4	0.11	157	1.5	0.12	1.1	0.09
Other leukemias	232	2.7	0.18	1.6	0.11	167	1.5	0.12	0.9	0.08
Mesothelioma	106	1.2	0.12	0.7	0.07	38	0.4	0.06	0.2	0.04
Kaposi Sarcoma	27	0.3	0.06	0.2	0.05	7	0.1	0.02	0.0	0.01
Ill-defined & Unknown	1,840	20.5	0.49	12.5	0.31	1,713	15.3	0.38	9.6	0.26
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	582	6.3	0.27	4.7	0.20	1,270	12.0	0.34	8.8	0.27
Breast (*in situ*)	16	0.2	0.04	0.1	0.03	2,531	23.3	0.47	17.4	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	40,511	496.0	2.51	326.2	1.70	37,246	397.3	2.11	276.7	1.58
Oral Cavity & Pharynx	1,695	20.1	0.50	14.4	0.36	667	7.0	0.28	4.8	0.20
Lip	282	3.6	0.22	2.1	0.13	122	1.2	0.11	0.8	0.08
Tongue	430	5.0	0.24	3.8	0.19	164	1.8	0.14	1.3	0.11
Major salivary gland	165	2.1	0.17	1.3	0.11	80	0.8	0.10	0.6	0.07
Floor of mouth	74	0.8	0.10	0.6	0.08	40	0.4	0.06	0.2	0.04
Gum & other mouth	143	1.7	0.14	1.2	0.10	105	1.1	0.11	0.7	0.07
Nasopharynx	43	0.5	0.08	0.4	0.06	21	0.2	0.05	0.2	0.04
Oropharynx	70	0.8	0.10	0.6	0.08	19	0.2	0.05	0.1	0.03
Hypopharynx	87	1.0	0.11	0.7	0.08	26	0.3	0.05	0.2	0.04
Digestive System	7,392	90.9	1.08	58.9	0.71	6,039	62.0	0.81	39.4	0.56
Esophagus	655	7.9	0.31	5.3	0.22	177	1.8	0.14	1.1	0.09
Stomach	548	6.8	0.30	4.3	0.19	252	2.6	0.16	1.6	0.11
Small intestine	180	2.1	0.16	1.5	0.11	174	1.8	0.14	1.2	0.10
Colon excl. rectum	2,683	33.6	0.66	20.7	0.42	2,634	26.9	0.54	16.3	0.36
Rectum & rectosigmoid	1,162	14.2	0.43	9.7	0.30	868	9.2	0.32	6.4	0.24
Anus, anal canal & anorectum	129	1.6	0.14	1.2	0.10	229	2.5	0.17	1.9	0.13
Liver	699	8.0	0.31	6.0	0.24	314	3.3	0.19	2.3	0.15
Gallbladder	45	0.6	0.09	0.3	0.05	116	1.2	0.11	0.8	0.08
Pancreas	1,043	12.9	0.41	8.0	0.26	967	9.7	0.31	5.8	0.21
Respiratory System	7,770	94.7	1.09	59.1	0.70	5,920	60.3	0.79	39.6	0.55
Larynx	513	6.1	0.27	4.2	0.19	144	1.5	0.13	1.2	0.10
Lung & bronchus	7,158	87.4	1.05	54.1	0.66	5,730	58.3	0.78	38.0	0.54
Bones & Joints	83	1.1	0.12	0.9	0.11	72	1.0	0.12	0.9	0.11
Soft Tissue (incl. heart)	261	3.3	0.21	2.6	0.17	204	2.4	0.17	2.0	0.16
Skin (excl. basal & sq.)	1,911	24.1	0.56	15.6	0.38	1,292	14.8	0.43	10.9	0.33
Melanomas of the skin	1,755	22.0	0.53	14.4	0.36	1,189	13.7	0.41	10.1	0.32
Breast (excl. *in situ*)	118	1.5	0.14	1.0	0.09	10,763	115.7	1.14	82.8	0.86
Female Genital System	-	-	-	-	-	4,031	44.5	0.72	33.0	0.56
Cervix uteri	-	-	-	-	-	674	8.9	0.36	7.1	0.29
Uterus Corpus	-	-	-	-	-	1,827	19.3	0.46	14.6	0.36
Uterus, NOS[1]	-	-	-	-	-	94	1.0	0.11	0.7	0.08
Ovary	-	-	-	-	-	1,051	11.2	0.35	7.8	0.26
Male Genital System	10,239	121.1	1.22	82.9	0.85	-	-	-	-	-
Prostate	9,786	114.8	1.18	77.4	0.80	-	-	-	-	-
Testis	375	5.3	0.28	4.9	0.26	-	-	-	-	-
Penis	58	0.7	0.10	0.4	0.06	-	-	-	-	-
Urinary System	4,576	56.9	0.86	35.6	0.55	1,983	20.6	0.47	13.9	0.35
Bladder (incl. *in situ*)	2,725	34.4	0.67	19.9	0.40	793	8.0	0.29	4.9	0.19
Kidney & renal pelvis	1,789	21.7	0.52	15.2	0.38	1,134	12.0	0.37	8.7	0.28
Ureter	47	0.6	0.09	0.3	0.05	42	0.4	0.07	0.3	0.05
Eye & Orbit	89	1.1	0.12	0.8	0.09	62	0.7	0.09	0.6	0.08
Brain & Other Nervous System	580	7.3	0.31	5.9	0.27	496	5.6	0.26	4.5	0.24
Brain	554	7.0	0.30	5.6	0.26	463	5.2	0.25	4.1	0.22
Endocrine System	485	6.3	0.29	4.8	0.23	1,288	16.2	0.46	13.3	0.39
Thyroid gland	422	5.5	0.27	4.1	0.21	1,245	15.7	0.46	12.8	0.38
Lymphomas	1,927	24.4	0.57	16.4	0.40	1,647	17.5	0.44	12.2	0.34
Hodgkin Lymphoma	210	2.8	0.20	2.4	0.18	185	2.4	0.18	2.3	0.18
Non-Hodgkin Lymphoma	1,717	21.6	0.53	14.0	0.36	1,462	15.1	0.40	9.9	0.29
Multiple Myeloma	509	6.4	0.29	3.8	0.18	405	4.1	0.21	2.6	0.14
Leukemias	1,256	16.3	0.47	11.2	0.36	944	10.1	0.34	7.3	0.29
Acute lymphocytic	122	1.7	0.15	2.2	0.21	98	1.3	0.14	1.6	0.18
Chronic lymphocytic	448	5.7	0.27	3.2	0.16	320	3.2	0.18	1.8	0.12
Acute myeloid	324	4.1	0.23	2.7	0.17	271	2.9	0.18	2.0	0.15
Chronic myeloid	157	2.1	0.17	1.4	0.12	119	1.3	0.12	0.9	0.10
Other leukemias	205	2.7	0.19	1.6	0.13	136	1.4	0.12	0.8	0.09
Mesothelioma	91	1.2	0.12	0.6	0.07	32	0.3	0.06	0.2	0.04
Kaposi Sarcoma	14	0.2	0.06	0.1	0.04	6	0.1	0.02	0.0	0.01
Ill-defined & Unknown	1,515	19.4	0.51	11.6	0.32	1,395	14.4	0.39	8.9	0.27
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	475	6.1	0.28	4.5	0.22	1,047	11.7	0.37	8.6	0.29
Breast (*in situ*)	16	0.2	0.05	0.2	0.04	2,125	23.0	0.51	17.2	0.39

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,033	607.7	12.06	400.3	7.39	2,707	418.0	8.24	291.1	5.75
Oral Cavity & Pharynx	95	16.1	1.76	12.6	1.31	35	5.4	0.93	3.7	0.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	2.8	0.67	2.4	0.57	8	1.3	0.48	0.7	0.26
Major salivary gland	14	2.3	0.65	1.8	0.49	-	-	-	-	-
Floor of mouth	6	1.0	0.44	0.9	0.35	-	-	-	-	-
Gum & other mouth	12	2.0	0.65	1.5	0.43	9	1.5	0.51	0.9	0.33
Nasopharynx	8	1.2	0.43	1.0	0.35	-	-	-	-	-
Oropharynx	7	1.7	0.70	0.9	0.36	-	-	-	-	-
Hypopharynx	15	2.6	0.70	2.1	0.56	-	-	-	-	-
Digestive System	602	119.5	5.35	77.7	3.22	522	82.0	3.68	54.2	2.45
Esophagus	28	5.5	1.12	3.7	0.72	11	1.7	0.54	1.2	0.36
Stomach	72	16.2	2.08	9.2	1.10	46	7.7	1.16	4.9	0.75
Small intestine	20	4.1	1.01	2.6	0.59	15	2.3	0.60	1.5	0.40
Colon excl. rectum	198	40.2	3.14	25.4	1.84	223	34.8	2.39	22.8	1.58
Rectum & rectosigmoid	81	14.3	1.75	10.2	1.15	77	11.5	1.34	8.4	0.98
Anus, anal canal & anorectum	8	1.8	0.70	1.0	0.37	6	0.8	0.35	0.7	0.29
Liver	70	12.3	1.62	9.1	1.11	28	4.1	0.78	3.0	0.58
Gallbladder	8	2.2	0.80	1.1	0.40	16	2.9	0.74	1.5	0.39
Pancreas	100	19.9	2.16	13.1	1.33	82	13.0	1.48	8.7	0.98
Respiratory System	563	113.8	5.22	74.7	3.20	370	59.9	3.19	38.6	2.07
Larynx	50	9.6	1.50	6.6	0.95	14	2.4	0.66	1.5	0.42
Lung & bronchus	511	103.8	4.99	67.8	3.05	348	56.2	3.09	36.4	2.01
Bones & Joints	-	-	-	-	-	7	0.9	0.33	0.8	0.32
Soft Tissue (incl. heart)	26	3.9	0.86	3.2	0.64	18	2.5	0.62	2.1	0.50
Skin (excl. basal & sq.)	15	3.5	1.01	2.0	0.53	-	-	-	-	-
Melanomas of the skin	9	1.8	0.66	1.3	0.43	7	1.1	0.44	0.6	0.25
Breast (excl. *in situ*)	10	1.9	0.66	1.2	0.38	858	129.9	4.54	94.5	3.29
Female Genital System	-	-	-	-	-	301	46.5	2.75	32.9	1.94
Cervix uteri	-	-	-	-	-	62	9.3	1.21	7.0	0.91
Uterus Corpus	-	-	-	-	-	132	20.5	1.83	14.4	1.28
Uterus, NOS[1]	-	-	-	-	-	7	1.1	0.44	0.8	0.29
Ovary	-	-	-	-	-	82	12.8	1.45	8.8	1.00
Male Genital System	1,127	231.5	7.49	151.8	4.60	-	-	-	-	-
Prostate	1,109	228.2	7.45	149.4	4.56	-	-	-	-	-
Testis	12	1.7	0.50	1.4	0.42	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	193	39.9	3.13	25.1	1.84	142	22.5	1.94	14.5	1.27
Bladder (incl. *in situ*)	85	19.0	2.25	11.2	1.24	44	7.6	1.16	3.9	0.62
Kidney & renal pelvis	104	19.6	2.08	13.4	1.33	97	14.7	1.54	10.6	1.10
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	27	4.2	0.91	3.5	0.68	36	5.1	0.88	4.2	0.72
Brain	27	4.2	0.91	3.5	0.68	32	4.5	0.82	3.8	0.69
Endocrine System	28	5.0	1.05	3.7	0.71	77	10.9	1.27	8.8	1.02
Thyroid gland	21	4.0	0.97	2.7	0.60	69	9.8	1.21	7.9	0.97
Lymphomas	101	17.5	1.92	12.6	1.27	87	12.9	1.43	9.5	1.04
Hodgkin Lymphoma	26	3.3	0.65	3.1	0.61	14	1.8	0.48	1.7	0.45
Non-Hodgkin Lymphoma	75	14.2	1.80	9.5	1.11	73	11.1	1.34	7.8	0.94
Multiple Myeloma	68	14.6	1.93	9.2	1.14	64	10.1	1.29	6.8	0.87
Leukemias	62	12.9	1.86	7.9	1.02	70	10.7	1.31	8.0	0.98
Acute lymphocytic	9	1.3	0.49	1.2	0.39	6	0.6	0.25	0.9	0.36
Chronic lymphocytic	18	4.4	1.13	2.3	0.56	16	2.7	0.69	1.9	0.47
Acute myeloid	17	2.9	0.78	2.1	0.52	23	3.6	0.77	2.5	0.54
Chronic myeloid	9	2.3	0.85	1.2	0.40	12	1.7	0.49	1.3	0.39
Other leukemias	9	2.0	0.77	1.1	0.37	13	2.1	0.58	1.4	0.40
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	1.1	0.45	0.9	0.33	-	-	-	-	-
Ill-defined & Unknown	102	21.1	2.29	13.5	1.36	105	16.5	1.65	10.9	1.10
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	38	5.6	0.98	4.6	0.76	72	10.6	1.28	7.7	0.93
Breast (*in situ*)	-	-	-	-	-	153	22.7	1.88	17.0	1.40

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	383	384.3	23.04	240.4	12.60	519	326.3	15.51	223.6	9.98
Oral Cavity & Pharynx	13	9.0	2.64	7.5	2.12	8	5.5	2.09	3.3	1.19
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	123	125.7	13.56	76.3	7.07	120	88.2	8.79	49.8	4.62
Esophagus	9	9.7	3.95	6.1	2.09	-	-	-	-	-
Stomach	12	12.5	3.82	7.9	2.32	16	12.4	3.48	6.5	1.65
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	36	41.3	8.60	23.2	4.01	49	35.8	5.56	19.5	2.83
Rectum & rectosigmoid	26	24.3	5.85	16.0	3.24	15	9.8	2.70	6.3	1.64
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	23	20.7	4.84	12.6	2.68	14	8.8	2.59	6.4	1.72
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	12	10.9	3.46	7.5	2.20	10	9.6	3.24	4.6	1.46
Respiratory System	59	61.6	8.99	36.9	4.88	64	48.0	6.47	28.6	3.62
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	51	54.9	8.61	32.0	4.56	62	46.9	6.43	27.8	3.57
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	8	4.5	1.64	3.9	1.41
Skin (excl. basal & sq.)	6	6.8	3.54	4.2	1.77	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	150	83.2	7.10	63.4	5.24
Female Genital System	-	-	-	-	-	71	36.9	4.54	30.0	3.61
Cervix uteri	-	-	-	-	-	25	12.3	2.50	10.3	2.10
Uterus Corpus	-	-	-	-	-	31	16.6	3.13	12.7	2.31
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	6.5	1.97	5.6	1.63
Male Genital System	80	77.8	9.84	52.1	5.94	-	-	-	-	-
Prostate	74	73.7	9.62	49.1	5.81	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	34.2	7.62	19.2	3.72	9	7.4	2.64	4.3	1.44
Bladder (incl. *in situ*)	13	15.7	5.02	8.9	2.52	-	-	-	-	-
Kidney & renal pelvis	15	18.5	5.73	10.3	2.73	6	5.2	2.29	2.7	1.13
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	9	4.7	1.60	4.7	1.64
Brain	-	-	-	-	-	9	4.7	1.60	4.7	1.64
Endocrine System	8	6.3	2.52	4.2	1.50	26	13.6	2.80	10.9	2.17
Thyroid gland	7	5.7	2.45	3.7	1.43	26	13.6	2.80	10.9	2.17
Lymphomas	21	17.9	4.78	12.5	2.83	18	10.7	2.74	7.4	1.76
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	15	15.9	4.97	9.3	2.47	9	4.8	1.68	5.0	1.75
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	6.2	2.91	3.1	1.31	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	16	14.2	3.90	9.5	2.42	19	14.1	3.59	8.3	1.92
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	8	5.8	2.30	4.3	1.53	13	8.6	2.52	5.6	1.58
Breast (*in situ*)	-	-	-	-	-	31	17.0	3.19	13.1	2.37

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,732	610.5	10.99	398.3	6.56	4,000	529.0	8.64	364.6	5.86
Oral Cavity & Pharynx	138	19.8	1.84	14.6	1.25	48	6.3	0.95	4.3	0.63
Lip	13	2.5	0.78	1.5	0.41	-	-	-	-	-
Tongue	37	4.6	0.76	3.9	0.64	12	1.5	0.43	1.1	0.33
Major salivary gland	9	1.4	0.52	0.9	0.30	6	0.9	0.39	0.5	0.19
Floor of mouth	8	1.3	0.53	0.9	0.32	-	-	-	-	-
Gum & other mouth	14	1.9	0.54	1.4	0.39	7	1.0	0.38	0.7	0.25
Nasopharynx	6	0.7	0.28	0.6	0.25	-	-	-	-	-
Oropharynx	11	1.6	0.49	1.1	0.35	-	-	-	-	-
Hypopharynx	8	1.1	0.44	0.9	0.30	-	-	-	-	-
Digestive System	795	128.5	4.99	84.0	3.00	734	99.9	3.81	65.3	2.45
Esophagus	57	8.8	1.25	6.0	0.79	23	3.0	0.65	2.1	0.45
Stomach	51	8.6	1.31	5.4	0.77	42	5.6	0.89	3.8	0.59
Small intestine	13	2.0	0.61	1.4	0.38	16	2.3	0.58	1.5	0.38
Colon excl. rectum	261	44.9	3.06	27.9	1.74	304	42.2	2.50	26.8	1.57
Rectum & rectosigmoid	148	22.8	2.06	15.5	1.29	121	15.9	1.49	11.0	1.01
Anus, anal canal & anorectum	11	1.4	0.43	1.2	0.36	20	2.5	0.58	1.8	0.40
Liver	121	18.0	1.77	12.5	1.15	64	8.5	1.11	5.5	0.71
Gallbladder	11	2.0	0.67	1.2	0.36	29	4.1	0.79	2.4	0.46
Pancreas	91	15.2	1.75	9.7	1.02	92	12.6	1.37	8.2	0.87
Respiratory System	723	124.1	5.03	77.9	2.92	682	94.3	3.73	61.1	2.38
Larynx	43	6.4	1.04	4.6	0.71	15	1.8	0.48	1.4	0.37
Lung & bronchus	677	117.3	4.91	72.9	2.82	662	91.9	3.69	59.2	2.34
Bones & Joints	17	2.0	0.52	1.8	0.43	10	1.1	0.38	1.0	0.31
Soft Tissue (incl. heart)	27	4.5	0.98	2.9	0.55	20	2.3	0.54	1.9	0.44
Skin (excl. basal & sq.)	100	17.3	1.95	10.5	1.06	73	9.4	1.13	6.8	0.80
Melanomas of the skin	88	15.5	1.86	9.2	0.98	63	8.2	1.07	5.8	0.74
Breast (excl. *in situ*)	10	1.9	0.66	1.1	0.34	1,015	132.7	4.29	93.8	2.98
Female Genital System	-	-	-	-	-	482	61.1	2.86	45.0	2.07
Cervix uteri	-	-	-	-	-	114	14.0	1.35	11.0	1.04
Uterus Corpus	-	-	-	-	-	211	26.5	1.88	19.6	1.36
Uterus, NOS[2]	-	-	-	-	-	11	1.4	0.43	1.0	0.31
Ovary	-	-	-	-	-	118	15.5	1.47	11.0	1.02
Male Genital System	877	143.1	5.29	94.8	3.22	-	-	-	-	-
Prostate	824	136.8	5.20	89.3	3.13	-	-	-	-	-
Testis	46	5.0	0.75	4.8	0.70	-	-	-	-	-
Penis	7	1.3	0.53	0.7	0.27	-	-	-	-	-
Urinary System	428	69.8	3.68	45.3	2.21	270	35.9	2.26	24.3	1.51
Bladder (incl. *in situ*)	162	30.4	2.63	17.1	1.36	64	9.5	1.22	5.3	0.68
Kidney & renal pelvis	259	38.3	2.53	27.4	1.71	204	26.2	1.89	18.8	1.34
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	9	1.4	0.52	0.9	0.30	-	-	-	-	-
Brain & Other Nervous System	58	8.2	1.22	6.1	0.80	48	5.3	0.80	4.7	0.69
Brain	56	8.0	1.22	5.9	0.79	45	5.1	0.78	4.4	0.66
Endocrine System	48	6.1	0.93	5.0	0.72	135	15.8	1.39	13.3	1.15
Thyroid gland	39	5.1	0.87	4.0	0.65	129	15.0	1.35	12.7	1.13
Lymphomas	183	29.2	2.42	19.4	1.45	164	21.8	1.78	14.7	1.17
Hodgkin Lymphoma	21	2.4	0.56	2.1	0.47	21	2.3	0.54	2.1	0.46
Non-Hodgkin Lymphoma	162	26.8	2.36	17.3	1.37	143	19.5	1.69	12.6	1.08
Multiple Myeloma	41	7.2	1.25	4.3	0.68	57	7.7	1.05	5.2	0.70
Leukemias	109	17.9	1.91	11.6	1.12	100	12.1	1.26	9.7	0.98
Acute lymphocytic	15	1.4	0.40	1.6	0.42	14	1.2	0.34	1.6	0.43
Chronic lymphocytic	34	6.3	1.18	3.6	0.62	21	3.1	0.69	1.8	0.39
Acute myeloid	35	5.8	1.06	3.7	0.63	34	4.2	0.74	3.3	0.57
Chronic myeloid	10	1.8	0.61	1.1	0.34	17	1.9	0.48	1.7	0.41
Other leukemias	15	2.6	0.76	1.6	0.42	14	1.7	0.46	1.3	0.36
Mesothelioma	10	2.0	0.68	1.1	0.35	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	154	22.1	1.85	12.9	1.07
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	51	7.5	1.20	5.3	0.74	122	15.7	1.46	11.5	1.05
Breast (*in situ*)	-	-	-	-	-	188	23.2	1.74	17.7	1.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,060	345.8	13.13	219.5	7.30	1,297	378.8	12.03	258.0	7.60
Oral Cavity & Pharynx	36	9.3	1.84	6.9	1.24	20	6.2	1.58	3.8	0.88
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	2.5	0.88	2.0	0.71	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	263	90.8	6.75	56.6	3.74	242	81.5	5.88	50.6	3.42
Esophagus	10	3.3	1.18	2.3	0.78	7	2.4	1.01	1.4	0.53
Stomach	26	9.3	2.20	5.5	1.18	20	5.7	1.45	3.6	0.87
Small intestine	6	1.7	0.72	1.6	0.67	8	2.7	1.06	1.6	0.60
Colon excl. rectum	67	23.8	3.57	13.5	1.76	92	30.2	3.54	19.3	2.11
Rectum & rectosigmoid	57	18.7	3.02	12.0	1.70	34	11.1	2.12	7.1	1.28
Anus, anal canal & anorectum	7	2.5	1.09	1.5	0.60	10	2.7	1.00	1.6	0.51
Liver	41	12.0	2.24	8.4	1.40	20	5.5	1.40	4.3	1.01
Gallbladder	-	-	-	-	-	8	3.1	1.21	1.8	0.67
Pancreas	38	16.9	3.16	9.5	1.63	34	14.8	2.70	8.1	1.44
Respiratory System	124	52.1	5.41	29.6	2.80	123	45.7	4.45	29.3	2.73
Larynx	10	4.6	1.75	2.5	0.84	-	-	-	-	-
Lung & bronchus	111	46.4	5.07	26.3	2.62	118	44.1	4.38	28.3	2.69
Bones & Joints	-	-	-	-	-	9	1.7	0.81	1.2	0.46
Soft Tissue (incl. heart)	14	3.2	1.35	2.0	0.59	10	1.8	0.74	1.4	0.44
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	13	4.0	1.38	2.5	0.77	16	4.6	1.29	3.4	0.89
Breast (excl. *in situ*)	-	-	-	-	-	358	104.1	6.17	71.8	4.01
Female Genital System	-	-	-	-	-	194	49.4	3.99	37.2	2.84
Cervix uteri	-	-	-	-	-	61	11.7	1.66	9.7	1.34
Uterus Corpus	-	-	-	-	-	60	15.6	2.15	12.7	1.73
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	60	17.1	2.50	12.0	1.63
Male Genital System	250	87.9	6.65	56.0	3.79	-	-	-	-	-
Prostate	203	81.5	6.51	51.0	3.71	-	-	-	-	-
Testis	42	4.0	0.65	4.1	0.64	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	107	34.6	4.14	21.4	2.23	59	17.6	2.59	11.9	1.63
Bladder (incl. *in situ*)	41	18.0	3.22	9.4	1.54	15	6.4	1.76	3.7	0.98
Kidney & renal pelvis	66	16.5	2.60	11.9	1.62	44	11.2	1.91	8.2	1.30
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	32	7.2	1.83	4.9	0.99	23	4.3	1.09	3.7	0.82
Brain	32	7.2	1.83	4.9	0.99	19	3.8	1.07	3.1	0.78
Endocrine System	18	2.6	0.66	2.4	0.59	68	13.5	1.96	10.6	1.39
Thyroid gland	11	1.8	0.57	1.5	0.50	65	13.2	1.95	10.3	1.37
Lymphomas	61	15.3	2.48	11.1	1.57	70	20.1	2.81	13.8	1.76
Hodgkin Lymphoma	13	1.6	0.47	1.5	0.42	18	2.8	0.78	2.6	0.66
Non-Hodgkin Lymphoma	48	13.7	2.44	9.6	1.52	52	17.4	2.70	11.2	1.63
Multiple Myeloma	21	8.1	1.98	5.2	1.20	8	3.9	1.43	1.8	0.65
Leukemias	63	12.2	2.28	9.4	1.33	45	8.4	1.65	7.0	1.14
Acute lymphocytic	32	3.4	0.92	3.6	0.65	18	2.0	0.58	2.4	0.62
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	14	2.7	0.87	2.5	0.75	16	3.8	1.25	2.5	0.70
Chronic myeloid	9	2.2	0.95	1.5	0.57	6	1.2	0.51	1.1	0.49
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	43	14.0	2.73	8.8	1.45	43	13.0	2.26	8.7	1.40
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	19	3.7	1.35	2.4	0.60	42	11.2	2.01	8.1	1.34
Breast (*in situ*)	-	-	-	-	-	59	14.8	2.10	11.4	1.56

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	39,718	503.5	2.57	332.0	1.77	36,213	400.3	2.17	279.0	1.63
Oral Cavity & Pharynx	1,663	20.6	0.52	14.8	0.38	653	7.1	0.29	4.8	0.21
Lip	279	3.6	0.22	2.2	0.14	121	1.3	0.12	0.8	0.08
Tongue	421	5.1	0.25	3.9	0.19	162	1.8	0.15	1.3	0.11
Major salivary gland	163	2.2	0.18	1.4	0.12	80	0.9	0.10	0.6	0.07
Floor of mouth	72	0.8	0.10	0.6	0.08	40	0.4	0.07	0.3	0.04
Gum & other mouth	140	1.7	0.15	1.2	0.11	102	1.1	0.11	0.7	0.07
Nasopharynx	42	0.5	0.08	0.4	0.07	21	0.2	0.06	0.2	0.05
Oropharynx	70	0.8	0.10	0.6	0.08	19	0.2	0.05	0.2	0.04
Hypopharynx	86	1.0	0.11	0.8	0.08	25	0.3	0.05	0.2	0.04
Digestive System	7,206	91.7	1.10	59.6	0.74	5,858	61.8	0.83	39.3	0.58
Esophagus	648	8.1	0.32	5.5	0.22	172	1.8	0.14	1.1	0.09
Stomach	529	6.8	0.30	4.3	0.19	241	2.5	0.17	1.6	0.11
Small intestine	176	2.2	0.17	1.5	0.12	169	1.8	0.14	1.2	0.10
Colon excl. rectum	2,639	34.1	0.68	21.1	0.43	2,561	26.9	0.54	16.3	0.36
Rectum & rectosigmoid	1,126	14.4	0.44	9.8	0.31	842	9.3	0.33	6.5	0.24
Anus, anal canal & anorectum	122	1.6	0.14	1.1	0.11	221	2.4	0.17	1.8	0.13
Liver	666	7.9	0.31	5.9	0.24	299	3.2	0.19	2.3	0.15
Gallbladder	45	0.6	0.09	0.3	0.05	109	1.1	0.11	0.7	0.08
Pancreas	1,014	12.9	0.41	8.1	0.26	941	9.6	0.32	5.8	0.21
Respiratory System	7,673	96.2	1.12	60.2	0.72	5,814	60.8	0.81	39.9	0.57
Larynx	506	6.2	0.28	4.3	0.20	142	1.6	0.13	1.2	0.11
Lung & bronchus	7,071	88.8	1.07	55.1	0.68	5,628	58.8	0.79	38.4	0.55
Bones & Joints	80	1.1	0.13	1.0	0.12	64	0.9	0.12	0.8	0.12
Soft Tissue (incl. heart)	251	3.4	0.22	2.6	0.19	195	2.4	0.18	2.0	0.17
Skin (excl. basal & sq.)	1,901	25.0	0.59	16.3	0.40	1,275	15.4	0.45	11.4	0.36
Melanomas of the skin	1,746	22.8	0.56	15.0	0.38	1,176	14.3	0.43	10.6	0.35
Breast (excl. *in situ*)	114	1.5	0.14	1.0	0.09	10,487	116.9	1.18	83.7	0.88
Female Genital System	-	-	-	-	-	3,865	44.5	0.74	32.9	0.57
Cervix uteri	-	-	-	-	-	621	8.9	0.37	7.0	0.30
Uterus Corpus	-	-	-	-	-	1,773	19.4	0.48	14.7	0.37
Uterus, NOS[1]	-	-	-	-	-	89	1.0	0.11	0.7	0.08
Ovary	-	-	-	-	-	1,005	11.0	0.36	7.7	0.27
Male Genital System	10,067	123.0	1.25	84.4	0.87	-	-	-	-	-
Prostate	9,650	116.5	1.21	78.8	0.83	-	-	-	-	-
Testis	343	5.5	0.30	5.0	0.28	-	-	-	-	-
Penis	54	0.7	0.10	0.4	0.06	-	-	-	-	-
Urinary System	4,490	57.6	0.88	36.1	0.57	1,934	20.7	0.48	14.0	0.36
Bladder (incl. *in situ*)	2,692	34.9	0.68	20.3	0.41	780	8.0	0.29	4.9	0.20
Kidney & renal pelvis	1,736	21.9	0.54	15.3	0.39	1,098	12.1	0.38	8.7	0.30
Ureter	47	0.6	0.09	0.3	0.05	42	0.5	0.07	0.3	0.05
Eye & Orbit	87	1.1	0.13	0.8	0.10	60	0.7	0.10	0.6	0.09
Brain & Other Nervous System	551	7.4	0.32	6.1	0.29	480	5.8	0.27	4.6	0.26
Brain	525	7.0	0.31	5.7	0.28	449	5.4	0.26	4.2	0.24
Endocrine System	469	6.5	0.31	4.9	0.25	1,230	16.5	0.49	13.6	0.42
Thyroid gland	412	5.7	0.29	4.2	0.22	1,190	16.0	0.48	13.1	0.41
Lymphomas	1,882	24.9	0.59	16.8	0.42	1,590	17.5	0.45	12.1	0.35
Hodgkin Lymphoma	201	2.9	0.21	2.5	0.19	169	2.4	0.19	2.2	0.19
Non-Hodgkin Lymphoma	1,681	22.0	0.55	14.3	0.37	1,421	15.1	0.41	9.9	0.29
Multiple Myeloma	491	6.3	0.29	3.8	0.18	399	4.2	0.21	2.7	0.15
Leukemias	1,204	16.3	0.48	11.1	0.37	913	10.1	0.35	7.3	0.31
Acute lymphocytic	96	1.5	0.16	2.0	0.22	87	1.3	0.15	1.6	0.20
Chronic lymphocytic	446	5.8	0.28	3.3	0.16	318	3.2	0.18	1.9	0.12
Acute myeloid	313	4.1	0.24	2.7	0.17	260	2.8	0.18	2.0	0.15
Chronic myeloid	149	2.1	0.17	1.4	0.13	115	1.3	0.13	1.0	0.10
Other leukemias	200	2.7	0.20	1.7	0.13	133	1.4	0.13	0.9	0.09
Mesothelioma	91	1.2	0.13	0.6	0.07	30	0.3	0.06	0.2	0.04
Kaposi Sarcoma	13	0.2	0.06	0.1	0.04	6	0.1	0.02	0.0	0.01
Ill-defined & Unknown	1,485	19.6	0.52	11.8	0.33	1,360	14.4	0.40	9.0	0.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	461	6.2	0.30	4.6	0.23	1,010	11.8	0.39	8.6	0.31
Breast (*in situ*)	16	0.2	0.06	0.2	0.04	2,082	23.4	0.53	17.5	0.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oklahoma, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,010	613.2	12.20	404.4	7.49	2,682	421.0	8.33	294.0	5.84
Oral Cavity & Pharynx	95	16.5	1.79	12.8	1.33	35	5.5	0.95	3.8	0.66
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	2.8	0.68	2.4	0.58	8	1.3	0.49	0.7	0.26
Major salivary gland	14	2.3	0.66	1.9	0.51	-	-	-	-	-
Floor of mouth	6	1.1	0.44	0.9	0.36	-	-	-	-	-
Gum & other mouth	12	2.1	0.66	1.5	0.44	9	1.5	0.52	1.0	0.33
Nasopharynx	8	1.2	0.44	1.0	0.35	-	-	-	-	-
Oropharynx	7	1.7	0.71	1.0	0.37	-	-	-	-	-
Hypopharynx	15	2.7	0.71	2.2	0.57	-	-	-	-	-
Digestive System	600	121.1	5.42	78.8	3.27	518	82.4	3.71	54.7	2.48
Esophagus	28	5.5	1.14	3.8	0.73	11	1.8	0.55	1.2	0.37
Stomach	72	16.5	2.12	9.4	1.12	46	7.8	1.18	5.0	0.76
Small intestine	20	4.2	1.03	2.7	0.60	15	2.3	0.61	1.5	0.40
Colon excl. rectum	198	40.8	3.19	25.9	1.87	221	34.9	2.40	23.0	1.60
Rectum & rectosigmoid	80	14.5	1.77	10.3	1.17	76	11.6	1.35	8.4	0.99
Anus, anal canal & anorectum	8	1.8	0.71	1.1	0.38	6	0.9	0.35	0.7	0.30
Liver	70	12.5	1.64	9.3	1.13	28	4.1	0.80	3.0	0.59
Gallbladder	8	2.2	0.81	1.1	0.41	16	2.9	0.75	1.5	0.40
Pancreas	99	19.9	2.17	13.2	1.35	82	13.2	1.50	8.8	1.00
Respiratory System	557	114.7	5.28	75.2	3.24	367	60.2	3.22	38.9	2.10
Larynx	49	9.5	1.50	6.6	0.96	14	2.5	0.67	1.5	0.42
Lung & bronchus	506	104.8	5.06	68.4	3.09	345	56.4	3.11	36.6	2.04
Bones & Joints	-	-	-	-	-	7	0.9	0.35	0.9	0.34
Soft Tissue (incl. heart)	25	3.9	0.87	3.2	0.65	18	2.6	0.63	2.2	0.52
Skin (excl. basal & sq.)	15	3.5	1.03	2.1	0.54	-	-	-	-	-
Melanomas of the skin	9	1.8	0.67	1.3	0.44	7	1.1	0.44	0.6	0.26
Breast (excl. *in situ*)	10	1.9	0.67	1.2	0.39	851	131.3	4.60	95.5	3.35
Female Genital System	-	-	-	-	-	297	46.6	2.77	33.1	1.97
Cervix uteri	-	-	-	-	-	61	9.4	1.22	7.1	0.92
Uterus Corpus	-	-	-	-	-	131	20.7	1.85	14.5	1.30
Uterus, NOS[1]	-	-	-	-	-	7	1.2	0.44	0.8	0.30
Ovary	-	-	-	-	-	80	12.7	1.45	8.7	1.00
Male Genital System	1,116	232.4	7.56	152.6	4.64	-	-	-	-	-
Prostate	1,098	229.1	7.50	150.2	4.61	-	-	-	-	-
Testis	12	1.8	0.52	1.5	0.43	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	192	40.4	3.18	25.4	1.86	141	22.7	1.96	14.7	1.29
Bladder (incl. *in situ*)	84	19.2	2.28	11.3	1.25	44	7.6	1.17	4.0	0.63
Kidney & renal pelvis	104	19.9	2.11	13.6	1.36	96	14.9	1.56	10.7	1.12
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	27	4.4	0.93	3.6	0.71	35	5.1	0.90	4.2	0.73
Brain	27	4.4	0.93	3.6	0.71	31	4.5	0.84	3.8	0.70
Endocrine System	28	5.1	1.06	3.8	0.72	76	11.1	1.30	9.0	1.04
Thyroid gland	21	4.1	0.99	2.8	0.61	68	10.0	1.23	8.1	0.99
Lymphomas	101	17.9	1.96	12.9	1.30	86	13.0	1.44	9.6	1.06
Hodgkin Lymphoma	26	3.4	0.68	3.2	0.63	14	1.8	0.50	1.8	0.47
Non-Hodgkin Lymphoma	75	14.5	1.83	9.7	1.14	72	11.2	1.35	7.9	0.95
Multiple Myeloma	68	14.8	1.96	9.4	1.15	63	10.0	1.29	6.8	0.88
Leukemias	62	13.1	1.88	8.1	1.04	68	10.6	1.32	8.0	0.99
Acute lymphocytic	9	1.3	0.50	1.2	0.42	-	-	-	-	-
Chronic lymphocytic	18	4.5	1.15	2.4	0.57	16	2.8	0.70	1.9	0.48
Acute myeloid	17	3.0	0.80	2.2	0.53	22	3.5	0.76	2.5	0.54
Chronic myeloid	9	2.3	0.86	1.2	0.40	12	1.7	0.50	1.4	0.40
Other leukemias	9	2.0	0.78	1.1	0.38	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	7	1.2	0.46	0.9	0.34	-	-	-	-	-
Ill-defined & Unknown	100	21.0	2.30	13.5	1.37	105	16.7	1.67	11.1	1.13
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	37	5.7	1.00	4.6	0.76	72	10.8	1.30	7.9	0.95
Breast (*in situ*)	-	-	-	-	-	153	23.1	1.91	17.3	1.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	50,358	489.5	2.23	322.7	1.51	49,677	427.9	1.97	296.6	1.45
Oral Cavity & Pharynx	1,731	15.8	0.39	11.7	0.29	746	6.4	0.24	4.4	0.17
Lip	106	1.1	0.10	0.7	0.07	23	0.2	0.04	0.1	0.02
Tongue	567	5.0	0.22	3.8	0.16	238	2.0	0.13	1.4	0.10
Major salivary gland	157	1.6	0.13	1.0	0.08	99	0.9	0.09	0.6	0.07
Floor of mouth	80	0.7	0.08	0.5	0.06	56	0.5	0.06	0.3	0.05
Gum & other mouth	135	1.3	0.12	0.9	0.08	160	1.4	0.11	0.8	0.07
Nasopharynx	61	0.6	0.07	0.4	0.06	25	0.2	0.05	0.2	0.05
Oropharynx	92	0.8	0.09	0.6	0.07	23	0.2	0.04	0.1	0.03
Hypopharynx	84	0.8	0.09	0.5	0.06	21	0.2	0.04	0.1	0.03
Digestive System	9,471	92.3	0.97	59.2	0.63	7,613	63.6	0.75	39.6	0.50
Esophagus	936	9.1	0.30	5.8	0.19	240	2.0	0.13	1.2	0.08
Stomach	750	7.5	0.28	4.7	0.18	409	3.5	0.18	2.2	0.12
Small intestine	254	2.4	0.16	1.7	0.11	218	1.8	0.13	1.3	0.09
Colon excl. rectum	2,903	29.3	0.56	17.5	0.34	3,053	25.4	0.47	14.7	0.30
Rectum & rectosigmoid	1,446	13.9	0.38	9.5	0.26	998	8.6	0.28	5.9	0.20
Anus, anal canal & anorectum	162	1.5	0.12	1.1	0.09	337	2.8	0.16	2.1	0.12
Liver	1,221	10.8	0.32	8.1	0.24	392	3.2	0.17	2.2	0.12
Gallbladder	66	0.7	0.08	0.4	0.05	147	1.2	0.10	0.7	0.07
Pancreas	1,340	13.1	0.37	8.1	0.23	1,298	10.7	0.30	6.4	0.20
Respiratory System	7,254	72.3	0.87	43.1	0.52	6,921	58.1	0.71	35.5	0.46
Larynx	448	4.3	0.21	2.8	0.14	107	0.9	0.09	0.6	0.06
Lung & bronchus	6,692	66.9	0.84	39.5	0.50	6,753	56.6	0.70	34.5	0.45
Bones & Joints	99	1.0	0.11	0.9	0.10	82	0.9	0.10	0.8	0.10
Soft Tissue (incl. heart)	397	4.0	0.21	3.0	0.17	308	2.8	0.16	2.1	0.13
Skin (excl. basal & sq.)	3,223	31.6	0.57	21.5	0.40	2,740	25.3	0.50	19.4	0.40
Melanomas of the skin	3,073	30.1	0.56	20.6	0.39	2,626	24.3	0.49	18.8	0.39
Breast (excl. *in situ*)	99	1.0	0.10	0.6	0.06	14,881	128.4	1.08	92.0	0.80
Female Genital System	-	-	-	-	-	5,913	50.8	0.68	37.4	0.52
Cervix uteri	-	-	-	-	-	669	6.8	0.27	5.4	0.22
Uterus Corpus	-	-	-	-	-	3,161	26.2	0.48	19.7	0.37
Uterus, NOS[1]	-	-	-	-	-	64	0.5	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,479	12.6	0.34	8.9	0.25
Male Genital System	14,043	130.1	1.13	91.3	0.79	-	-	-	-	-
Prostate	13,366	122.8	1.09	84.9	0.75	-	-	-	-	-
Testis	590	6.3	0.26	5.9	0.25	-	-	-	-	-
Penis	65	0.7	0.08	0.4	0.05	-	-	-	-	-
Urinary System	5,815	58.3	0.78	35.0	0.48	2,460	20.6	0.43	13.4	0.30
Bladder (incl. *in situ*)	3,658	37.4	0.63	20.8	0.36	1,166	9.5	0.29	5.7	0.18
Kidney & renal pelvis	2,035	19.6	0.45	13.6	0.32	1,237	10.6	0.31	7.4	0.23
Ureter	82	0.9	0.10	0.4	0.05	39	0.3	0.05	0.2	0.03
Eye & Orbit	132	1.3	0.12	1.0	0.10	103	0.9	0.09	0.8	0.10
Brain & Other Nervous System	882	8.7	0.30	7.2	0.27	684	6.4	0.25	5.3	0.23
Brain	848	8.4	0.29	6.9	0.26	640	5.9	0.24	4.9	0.22
Endocrine System	692	6.9	0.27	5.5	0.22	1,938	19.2	0.45	15.9	0.38
Thyroid gland	622	6.2	0.25	4.8	0.20	1,863	18.5	0.44	15.3	0.37
Lymphomas	2,549	25.6	0.52	17.6	0.37	2,089	18.0	0.41	12.6	0.31
Hodgkin Lymphoma	308	3.2	0.18	2.8	0.17	242	2.5	0.16	2.3	0.16
Non-Hodgkin Lymphoma	2,241	22.5	0.48	14.7	0.33	1,847	15.6	0.37	10.3	0.26
Multiple Myeloma	642	6.4	0.26	3.9	0.16	459	3.7	0.18	2.4	0.12
Leukemias	1,439	14.8	0.40	10.1	0.30	1,080	9.4	0.29	7.0	0.26
Acute lymphocytic	159	1.7	0.14	2.1	0.18	137	1.5	0.13	1.9	0.18
Chronic lymphocytic	503	5.0	0.23	2.9	0.14	327	2.6	0.15	1.6	0.10
Acute myeloid	424	4.4	0.22	2.7	0.14	373	3.2	0.17	2.3	0.14
Chronic myeloid	167	1.7	0.14	1.1	0.09	108	0.9	0.09	0.7	0.07
Other leukemias	186	1.9	0.14	1.2	0.09	135	1.1	0.10	0.7	0.07
Mesothelioma	162	1.7	0.14	0.9	0.07	70	0.6	0.07	0.3	0.04
Kaposi Sarcoma	31	0.3	0.06	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,697	17.3	0.43	10.0	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	650	6.5	0.26	4.9	0.21	1,217	10.9	0.32	8.2	0.26
Breast (*in situ*)	15	0.1	0.04	0.1	0.03	3,478	30.7	0.54	23.0	0.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	46,775	481.2	2.28	317.2	1.55	46,724	428.3	2.04	297.3	1.51
Oral Cavity & Pharynx	1,611	15.7	0.40	11.5	0.30	697	6.3	0.25	4.3	0.18
Lip	101	1.1	0.11	0.7	0.07	23	0.2	0.04	0.1	0.03
Tongue	533	5.1	0.23	3.8	0.17	226	2.0	0.14	1.4	0.10
Major salivary gland	152	1.6	0.14	1.0	0.09	92	0.9	0.10	0.6	0.07
Floor of mouth	76	0.7	0.09	0.5	0.06	52	0.5	0.07	0.3	0.05
Gum & other mouth	127	1.3	0.12	0.9	0.08	153	1.4	0.12	0.8	0.08
Nasopharynx	47	0.5	0.07	0.4	0.05	15	0.1	0.04	0.1	0.04
Oropharynx	88	0.8	0.09	0.6	0.07	21	0.2	0.04	0.1	0.03
Hypopharynx	70	0.7	0.08	0.5	0.06	18	0.2	0.04	0.1	0.03
Digestive System	8,706	89.6	0.98	57.4	0.64	7,080	62.4	0.76	38.8	0.51
Esophagus	890	9.1	0.31	5.8	0.20	219	1.9	0.13	1.1	0.08
Stomach	683	7.2	0.28	4.5	0.18	353	3.1	0.17	2.0	0.12
Small intestine	239	2.4	0.16	1.6	0.11	210	1.9	0.13	1.4	0.10
Colon excl. rectum	2,683	28.6	0.56	17.1	0.35	2,877	25.2	0.48	14.7	0.31
Rectum & rectosigmoid	1,320	13.5	0.38	9.2	0.26	920	8.4	0.29	5.7	0.21
Anus, anal canal & anorectum	153	1.6	0.13	1.1	0.10	324	2.9	0.17	2.1	0.12
Liver	1,042	9.7	0.31	7.3	0.23	337	3.0	0.17	2.0	0.13
Gallbladder	55	0.6	0.08	0.3	0.05	134	1.1	0.10	0.7	0.07
Pancreas	1,276	13.1	0.38	8.1	0.24	1,224	10.6	0.31	6.4	0.20
Respiratory System	6,804	71.4	0.88	42.4	0.54	6,582	58.2	0.73	35.7	0.47
Larynx	414	4.2	0.21	2.7	0.14	102	0.9	0.09	0.6	0.07
Lung & bronchus	6,284	66.1	0.85	39.0	0.51	6,421	56.7	0.72	34.7	0.47
Bones & Joints	90	1.0	0.11	0.9	0.11	78	0.9	0.10	0.9	0.11
Soft Tissue (incl. heart)	367	4.0	0.21	3.0	0.17	286	2.7	0.17	2.1	0.14
Skin (excl. basal & sq.)	3,140	32.7	0.60	22.4	0.42	2,647	26.4	0.53	20.4	0.43
Melanomas of the skin	2,994	31.2	0.58	21.5	0.41	2,543	25.5	0.52	19.7	0.42
Breast (excl. *in situ*)	97	1.0	0.11	0.6	0.06	14,034	129.0	1.12	92.4	0.83
Female Genital System	-	-	-	-	-	5,547	50.8	0.71	37.4	0.54
Cervix uteri	-	-	-	-	-	596	6.7	0.28	5.2	0.22
Uterus Corpus	-	-	-	-	-	2,974	26.2	0.49	19.7	0.38
Uterus, NOS[1]	-	-	-	-	-	63	0.6	0.07	0.4	0.05
Ovary	-	-	-	-	-	1,390	12.6	0.35	8.9	0.26
Male Genital System	12,789	125.2	1.13	88.0	0.80	-	-	-	-	-
Prostate	12,165	117.8	1.09	81.5	0.75	-	-	-	-	-
Testis	545	6.5	0.28	6.0	0.26	-	-	-	-	-
Penis	60	0.6	0.08	0.4	0.05	-	-	-	-	-
Urinary System	5,453	57.7	0.80	34.6	0.50	2,295	20.3	0.44	13.2	0.31
Bladder (incl. *in situ*)	3,434	36.9	0.64	20.4	0.37	1,093	9.4	0.29	5.6	0.19
Kidney & renal pelvis	1,905	19.5	0.46	13.5	0.33	1,146	10.4	0.32	7.3	0.24
Ureter	80	0.9	0.10	0.5	0.05	38	0.3	0.06	0.2	0.03
Eye & Orbit	130	1.4	0.13	1.1	0.11	99	1.0	0.10	0.9	0.11
Brain & Other Nervous System	836	8.9	0.32	7.4	0.28	643	6.5	0.27	5.5	0.25
Brain	802	8.5	0.31	7.0	0.27	602	6.0	0.25	5.0	0.24
Endocrine System	632	6.8	0.28	5.4	0.23	1,770	19.2	0.47	16.0	0.40
Thyroid gland	570	6.1	0.26	4.7	0.21	1,706	18.5	0.46	15.5	0.39
Lymphomas	2,404	25.7	0.54	17.7	0.39	1,967	18.1	0.42	12.8	0.33
Hodgkin Lymphoma	281	3.2	0.19	2.9	0.18	230	2.6	0.17	2.4	0.17
Non-Hodgkin Lymphoma	2,123	22.6	0.50	14.8	0.35	1,737	15.6	0.38	10.4	0.28
Multiple Myeloma	588	6.2	0.26	3.7	0.16	421	3.6	0.18	2.2	0.12
Leukemias	1,355	14.8	0.41	10.0	0.31	1,005	9.3	0.30	7.0	0.28
Acute lymphocytic	145	1.8	0.15	2.2	0.19	122	1.5	0.14	1.9	0.19
Chronic lymphocytic	479	5.0	0.23	2.9	0.14	303	2.5	0.15	1.5	0.10
Acute myeloid	394	4.3	0.22	2.7	0.15	350	3.3	0.18	2.3	0.14
Chronic myeloid	158	1.7	0.14	1.1	0.09	103	0.9	0.09	0.6	0.07
Other leukemias	179	2.0	0.15	1.2	0.10	127	1.1	0.10	0.7	0.07
Mesothelioma	158	1.8	0.14	0.9	0.08	70	0.6	0.07	0.3	0.04
Kaposi Sarcoma	26	0.3	0.06	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	1,589	17.1	0.44	9.9	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	591	6.3	0.27	4.8	0.21	1,105	10.6	0.33	8.0	0.27
Breast (*in situ*)	13	0.1	0.04	0.1	0.03	3,239	30.7	0.56	23.0	0.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	753	517.2	21.36	346.2	12.93	539	373.3	16.68	248.3	11.00
Oral Cavity & Pharynx	15	9.3	2.66	6.4	1.71	8	5.4	2.01	3.6	1.27
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	171	119.0	10.26	79.7	6.24	101	74.5	7.67	44.6	4.59
Esophagus	8	6.2	2.47	3.9	1.39	-	-	-	-	-
Stomach	13	10.5	3.29	6.2	1.75	9	6.8	2.32	4.1	1.42
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	68	50.3	6.83	32.2	3.99	41	31.2	5.05	17.3	2.81
Rectum & rectosigmoid	19	13.0	3.41	8.3	1.96	8	6.4	2.32	3.6	1.30
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	43	27.4	4.69	20.0	3.12	7	4.1	1.58	3.0	1.17
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	10	6.3	2.20	4.8	1.54	17	12.6	3.14	7.9	1.97
Respiratory System	120	94.7	9.69	58.5	5.44	75	57.6	6.87	36.3	4.31
Larynx	9	5.5	1.90	4.7	1.58	-	-	-	-	-
Lung & bronchus	110	88.5	9.48	53.2	5.17	73	56.3	6.81	35.1	4.22
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	4.0	1.82	2.7	1.02	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	172	116.1	9.15	80.1	6.26
Female Genital System	-	-	-	-	-	57	37.1	5.05	27.4	3.72
Cervix uteri	-	-	-	-	-	12	6.8	2.00	5.4	1.57
Uterus Corpus	-	-	-	-	-	28	18.2	3.53	13.7	2.65
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	9.4	2.67	6.6	1.88
Male Genital System	260	169.5	11.75	120.3	7.67	-	-	-	-	-
Prostate	257	168.5	11.73	119.2	7.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	66	47.6	6.74	29.1	3.67	33	22.2	3.98	15.4	2.75
Bladder (incl. *in situ*)	27	21.9	4.81	12.3	2.42	8	6.2	2.25	3.3	1.24
Kidney & renal pelvis	37	23.5	4.41	15.7	2.64	24	15.5	3.25	11.7	2.42
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	6	3.4	1.44	2.9	1.21
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	2.6	1.10	2.5	1.05	21	12.3	2.76	9.3	2.06
Thyroid gland	-	-	-	-	-	19	10.8	2.50	8.5	1.98
Lymphomas	25	14.1	3.28	9.9	2.01	12	8.0	2.46	5.7	1.69
Hodgkin Lymphoma	9	3.8	1.26	3.3	1.10	-	-	-	-	-
Non-Hodgkin Lymphoma	16	10.3	3.03	6.6	1.69	-	-	-	-	-
Multiple Myeloma	24	14.8	3.32	10.7	2.25	14	9.4	2.58	6.0	1.67
Leukemias	16	10.2	2.98	7.0	1.80	14	8.4	2.41	5.9	1.61
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	2.9	1.22	2.5	1.03	7	3.8	1.54	3.0	1.17
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	29	23.9	5.07	13.3	2.52	19	13.7	3.29	7.7	1.86
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	15	8.3	2.36	6.3	1.67	26	15.6	3.15	12.8	2.55
Breast (*in situ*)	-	-	-	-	-	45	27.3	4.17	22.2	3.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	929	334.0	11.72	212.2	7.10	1,147	281.8	8.64	195.7	5.94
Oral Cavity & Pharynx	31	9.0	1.71	6.5	1.18	24	5.5	1.15	4.1	0.86
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	2.3	0.86	1.8	0.64	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	11	3.0	0.96	2.2	0.67	9	1.8	0.60	1.6	0.54
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	310	114.5	6.95	69.0	3.99	229	60.2	4.13	38.3	2.60
Esophagus	17	6.4	1.66	3.9	0.96	7	1.6	0.61	1.1	0.44
Stomach	36	13.9	2.46	7.7	1.30	31	7.9	1.48	5.1	0.94
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	72	29.0	3.63	15.9	1.92	64	17.2	2.23	10.3	1.33
Rectum & rectosigmoid	40	14.8	2.51	8.7	1.40	29	6.9	1.32	5.1	0.97
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	98	32.9	3.54	22.0	2.27	30	8.5	1.59	5.2	0.98
Gallbladder	6	2.1	0.92	1.5	0.61	9	2.2	0.78	1.4	0.47
Pancreas	23	9.5	2.11	5.0	1.05	37	10.8	1.83	6.1	1.03
Respiratory System	143	58.3	5.14	33.0	2.81	123	36.0	3.35	19.7	1.85
Larynx	7	2.2	0.90	1.6	0.63	-	-	-	-	-
Lung & bronchus	134	55.4	5.04	30.9	2.72	123	36.0	3.35	19.7	1.85
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	11	3.1	1.00	2.6	0.80	14	3.3	0.90	2.5	0.68
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	6	1.3	0.56	1.1	0.44
Breast (excl. *in situ*)	-	-	-	-	-	351	80.0	4.39	60.6	3.29
Female Genital System	-	-	-	-	-	152	33.0	2.74	26.2	2.16
Cervix uteri	-	-	-	-	-	38	8.0	1.33	6.6	1.09
Uterus Corpus	-	-	-	-	-	67	14.3	1.79	11.3	1.40
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	42	9.3	1.47	7.4	1.17
Male Genital System	184	65.1	5.07	44.7	3.34	-	-	-	-	-
Prostate	169	61.6	4.97	41.7	3.25	-	-	-	-	-
Testis	11	2.2	0.68	2.2	0.67	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	65	24.7	3.28	14.3	1.80	30	8.3	1.58	5.0	0.93
Bladder (incl. *in situ*)	28	12.4	2.46	6.0	1.15	9	2.7	0.93	1.3	0.45
Kidney & renal pelvis	35	11.4	2.05	7.9	1.35	21	5.6	1.27	3.7	0.81
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	20	5.1	1.19	5.1	1.18	18	4.6	1.13	3.7	0.93
Brain	20	5.1	1.19	5.1	1.18	17	4.4	1.11	3.3	0.85
Endocrine System	36	9.0	1.54	7.4	1.26	85	18.2	2.04	14.7	1.62
Thyroid gland	31	7.7	1.42	6.2	1.12	76	16.1	1.90	13.1	1.53
Lymphomas	55	18.0	2.61	12.5	1.72	45	12.6	1.95	7.5	1.16
Hodgkin Lymphoma	6	1.8	0.79	1.2	0.51	-	-	-	-	-
Non-Hodgkin Lymphoma	49	16.3	2.49	11.3	1.64	-	-	-	-	-
Multiple Myeloma	12	4.8	1.47	2.8	0.82	9	2.2	0.75	1.5	0.52
Leukemias	23	7.5	1.68	5.8	1.24	26	6.5	1.30	5.3	1.10
Acute lymphocytic	-	-	-	-	-	6	1.5	0.61	1.5	0.63
Chronic lymphocytic	-	-	-	-	-	8	2.2	0.78	1.5	0.55
Acute myeloid	14	4.7	1.35	3.2	0.90	9	2.2	0.76	1.8	0.65
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	29	12.0	2.39	6.1	1.15	32	9.3	1.70	5.0	0.95
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	23	7.1	1.58	4.6	0.98	42	11.1	1.78	7.3	1.15
Breast (*in situ*)	-	-	-	-	-	106	24.3	2.43	18.4	1.81

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	492	433.1	22.62	276.6	12.68	605	481.6	21.52	306.7	12.69
Oral Cavity & Pharynx	13	8.8	2.67	6.9	1.93	10	6.3	2.11	4.8	1.55
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	4.2	1.98	3.0	1.23	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	123	106.6	10.74	69.2	6.33	112	94.8	9.79	57.6	5.54
Esophagus	10	10.2	3.57	5.4	1.73	6	6.3	2.72	3.3	1.38
Stomach	-	-	-	-	-	10	7.7	2.56	5.6	1.79
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	27	23.0	4.83	16.0	3.11	34	32.4	6.00	18.0	3.14
Rectum & rectosigmoid	26	24.4	5.36	13.9	2.78	24	17.9	3.94	12.0	2.49
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	24	18.0	3.99	13.4	2.78	11	6.2	1.97	5.0	1.56
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	20	16.1	4.01	10.9	2.48	11	11.7	3.76	5.5	1.69
Respiratory System	97	97.9	11.56	57.9	5.97	104	95.0	10.12	55.2	5.51
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	89	91.4	11.18	53.5	5.75	102	93.8	10.08	54.0	5.44
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	7	4.7	1.92	3.4	1.33	-	-	-	-	-
Skin (excl. basal & sq.)	17	13.4	3.73	8.6	2.11	-	-	-	-	-
Melanomas of the skin	17	13.4	3.73	8.6	2.11	19	11.2	2.62	9.5	2.20
Breast (excl. *in situ*)	-	-	-	-	-	154	117.6	10.41	76.9	6.30
Female Genital System	-	-	-	-	-	75	53.3	6.81	35.9	4.20
Cervix uteri	-	-	-	-	-	13	8.0	2.37	5.7	1.59
Uterus Corpus	-	-	-	-	-	42	27.1	4.57	20.0	3.14
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	18	16.1	4.16	9.1	2.17
Male Genital System	87	80.3	10.08	49.5	5.40	-	-	-	-	-
Prostate	75	73.9	9.88	43.6	5.11	-	-	-	-	-
Testis	9	4.1	1.38	4.0	1.35	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	51	44.0	7.11	27.6	3.93	29	20.5	4.13	14.7	2.79
Bladder (incl. *in situ*)	23	23.6	5.50	13.4	2.82	-	-	-	-	-
Kidney & renal pelvis	25	16.8	3.70	12.6	2.55	24	16.6	3.64	12.2	2.54
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	8.0	3.14	5.6	1.82	10	8.5	2.97	5.4	1.71
Brain	10	8.0	3.14	5.6	1.82	10	8.5	2.97	5.4	1.71
Endocrine System	7	3.7	1.40	3.5	1.33	16	10.5	2.78	7.8	1.97
Thyroid gland	-	-	-	-	-	16	10.5	2.78	7.8	1.97
Lymphomas	26	21.8	4.99	14.0	2.78	19	18.2	4.52	9.8	2.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	8.5	2.78	6.0	1.83	8	5.2	1.89	4.3	1.55
Leukemias	15	7.8	2.07	8.0	2.11	15	12.0	3.41	7.7	2.02
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	6	5.7	2.54	3.2	1.33
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	22.6	5.71	12.8	2.83	21	17.8	4.30	10.4	2.31
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	7	5.7	2.81	3.7	1.42	11	7.8	2.53	5.5	1.67
Breast (*in situ*)	-	-	-	-	-	23	18.6	4.31	11.1	2.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,578	410.7	12.72	255.4	6.91	1,744	362.6	10.02	249.4	6.37
Oral Cavity & Pharynx	47	11.3	1.97	7.7	1.20	25	6.3	1.40	4.4	0.94
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	16	4.3	1.25	2.9	0.75	-	-	-	-	-
Major salivary gland	9	2.1	0.88	1.3	0.49	9	2.2	0.82	1.5	0.53
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	399	108.6	6.55	66.1	3.52	277	66.6	4.51	42.6	2.69
Esophagus	28	7.5	1.65	4.9	0.98	6	1.5	0.67	0.9	0.40
Stomach	43	11.3	2.05	7.1	1.18	37	6.5	1.23	5.0	0.89
Small intestine	9	2.4	1.04	1.4	0.49	6	1.1	0.47	1.0	0.43
Colon excl. rectum	91	26.5	3.37	14.8	1.66	88	22.6	2.70	13.2	1.48
Rectum & rectosigmoid	58	16.0	2.61	9.0	1.28	32	5.8	1.13	4.7	0.87
Anus, anal canal & anorectum	-	-	-	-	-	13	4.0	1.19	2.1	0.61
Liver	90	21.4	2.66	14.8	1.65	27	7.3	1.55	4.5	0.89
Gallbladder	-	-	-	-	-	17	3.6	0.95	2.6	0.66
Pancreas	51	15.6	2.55	9.0	1.33	34	9.4	1.77	5.9	1.06
Respiratory System	145	47.6	4.61	26.8	2.31	159	46.8	4.01	28.0	2.31
Larynx	15	4.5	1.37	2.7	0.74	-	-	-	-	-
Lung & bronchus	124	42.2	4.38	23.2	2.16	155	46.0	3.98	27.6	2.29
Bones & Joints	-	-	-	-	-	8	0.9	0.33	0.8	0.31
Soft Tissue (incl. heart)	30	4.9	1.27	3.2	0.66	17	2.9	0.85	2.2	0.57
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	28	7.6	1.82	4.2	0.86	46	7.6	1.30	5.8	0.91
Breast (excl. *in situ*)	-	-	-	-	-	474	97.3	5.02	69.4	3.38
Female Genital System	-	-	-	-	-	237	43.7	3.25	31.7	2.21
Cervix uteri	-	-	-	-	-	56	7.9	1.15	6.3	0.90
Uterus Corpus	-	-	-	-	-	110	20.1	2.15	15.3	1.57
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	48	10.6	1.78	6.8	1.03
Male Genital System	385	102.6	6.18	68.1	3.66	-	-	-	-	-
Prostate	345	98.6	6.11	64.6	3.60	-	-	-	-	-
Testis	35	3.0	0.73	2.8	0.49	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	179	50.4	4.57	29.3	2.34	95	23.8	2.73	15.1	1.61
Bladder (incl. *in situ*)	70	24.2	3.38	12.5	1.57	22	6.4	1.48	4.0	0.87
Kidney & renal pelvis	106	24.8	2.99	16.2	1.70	71	16.8	2.24	10.8	1.35
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	44	6.3	1.36	4.9	0.84	43	4.9	0.85	4.7	0.77
Brain	42	6.2	1.36	4.8	0.84	37	4.2	0.80	4.0	0.72
Endocrine System	39	6.3	1.33	4.7	0.83	137	19.2	1.94	15.0	1.38
Thyroid gland	34	5.8	1.31	4.2	0.81	131	18.0	1.84	14.2	1.33
Lymphomas	113	23.5	2.89	15.3	1.60	90	17.7	2.24	12.0	1.37
Hodgkin Lymphoma	17	2.6	0.94	1.6	0.42	19	1.8	0.47	1.8	0.44
Non-Hodgkin Lymphoma	96	20.9	2.73	13.7	1.55	71	15.9	2.19	10.2	1.30
Multiple Myeloma	23	6.3	1.55	4.3	0.92	22	5.1	1.18	3.7	0.82
Leukemias	70	11.3	1.90	8.5	1.14	66	8.6	1.41	7.0	0.92
Acute lymphocytic	30	1.8	0.33	2.4	0.44	25	1.7	0.37	2.2	0.43
Chronic lymphocytic	13	3.1	0.99	2.2	0.64	-	-	-	-	-
Acute myeloid	15	3.6	1.21	2.2	0.64	26	4.2	1.11	2.9	0.61
Chronic myeloid	6	1.9	0.96	1.0	0.43	6	0.7	0.30	0.6	0.26
Other leukemias	6	0.8	0.37	0.7	0.32	-	-	-	-	-
Mesothelioma	10	3.6	1.35	1.8	0.61	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	49	16.9	2.90	8.4	1.28	40	10.1	1.82	5.9	0.99
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	33	5.5	1.38	3.7	0.72	70	12.3	1.67	9.9	1.26
Breast (*in situ*)	-	-	-	-	-	113	21.8	2.28	15.8	1.57

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	45,378	486.7	2.34	321.8	1.62	45,099	432.1	2.12	300.5	1.59
Oral Cavity & Pharynx	1,571	16.0	0.42	11.8	0.31	672	6.4	0.25	4.4	0.19
Lip	100	1.1	0.11	0.7	0.08	22	0.2	0.04	0.1	0.03
Tongue	520	5.2	0.23	3.9	0.18	221	2.1	0.15	1.5	0.11
Major salivary gland	143	1.6	0.14	1.0	0.09	83	0.8	0.10	0.6	0.07
Floor of mouth	74	0.7	0.09	0.5	0.06	51	0.5	0.07	0.3	0.05
Gum & other mouth	126	1.4	0.12	0.9	0.09	150	1.4	0.12	0.8	0.08
Nasopharynx	43	0.4	0.07	0.3	0.06	12	0.1	0.03	0.1	0.03
Oropharynx	87	0.9	0.10	0.6	0.07	21	0.2	0.04	0.1	0.03
Hypopharynx	67	0.7	0.09	0.5	0.06	17	0.2	0.04	0.1	0.03
Digestive System	8,364	89.5	1.00	57.4	0.66	6,836	62.4	0.78	38.7	0.53
Esophagus	868	9.2	0.32	5.9	0.21	215	1.9	0.14	1.1	0.09
Stomach	647	7.1	0.29	4.4	0.18	320	2.9	0.17	1.8	0.11
Small intestine	231	2.4	0.17	1.7	0.11	204	1.9	0.14	1.4	0.11
Colon excl. rectum	2,601	28.8	0.58	17.2	0.36	2,798	25.3	0.49	14.7	0.32
Rectum & rectosigmoid	1,269	13.5	0.39	9.3	0.27	892	8.5	0.30	5.8	0.21
Anus, anal canal & anorectum	152	1.6	0.14	1.2	0.10	311	2.9	0.17	2.1	0.13
Liver	963	9.3	0.31	7.0	0.24	315	2.9	0.17	2.0	0.13
Gallbladder	54	0.6	0.09	0.3	0.05	118	1.0	0.10	0.6	0.06
Pancreas	1,232	13.1	0.38	8.1	0.24	1,194	10.6	0.32	6.4	0.20
Respiratory System	6,683	72.4	0.90	43.1	0.55	6,438	58.6	0.75	36.0	0.49
Larynx	401	4.2	0.22	2.8	0.14	100	0.9	0.09	0.6	0.07
Lung & bronchus	6,181	67.0	0.87	39.7	0.53	6,280	57.1	0.74	35.0	0.48
Bones & Joints	85	1.1	0.12	1.0	0.12	70	0.9	0.11	0.9	0.12
Soft Tissue (incl. heart)	339	3.9	0.22	3.0	0.19	269	2.7	0.18	2.1	0.16
Skin (excl. basal & sq.)	3,111	34.3	0.63	23.6	0.45	2,601	27.9	0.57	21.7	0.47
Melanomas of the skin	2,967	32.6	0.62	22.7	0.44	2,499	27.0	0.56	21.1	0.46
Breast (excl. *in situ*)	94	1.0	0.11	0.6	0.07	13,579	130.4	1.16	93.5	0.86
Female Genital System	-	-	-	-	-	5,323	51.1	0.73	37.6	0.56
Cervix uteri	-	-	-	-	-	543	6.7	0.30	5.2	0.24
Uterus Corpus	-	-	-	-	-	2,870	26.3	0.51	19.8	0.39
Uterus, NOS[1]	-	-	-	-	-	61	0.6	0.08	0.4	0.05
Ovary	-	-	-	-	-	1,344	12.7	0.36	9.0	0.27
Male Genital System	12,432	126.5	1.16	89.1	0.83	-	-	-	-	-
Prostate	11,846	118.6	1.12	82.1	0.77	-	-	-	-	-
Testis	511	7.1	0.32	6.5	0.30	-	-	-	-	-
Penis	57	0.6	0.09	0.4	0.05	-	-	-	-	-
Urinary System	5,294	58.0	0.82	34.9	0.51	2,207	20.3	0.45	13.2	0.32
Bladder (incl. *in situ*)	3,369	37.3	0.66	20.7	0.38	1,072	9.5	0.30	5.7	0.19
Kidney & renal pelvis	1,813	19.4	0.47	13.5	0.34	1,081	10.3	0.33	7.3	0.26
Ureter	79	0.9	0.10	0.5	0.05	38	0.4	0.06	0.2	0.03
Eye & Orbit	125	1.4	0.13	1.1	0.11	94	1.0	0.11	0.9	0.12
Brain & Other Nervous System	798	9.2	0.34	7.7	0.31	603	6.6	0.28	5.5	0.27
Brain	766	8.8	0.33	7.3	0.30	568	6.1	0.27	5.1	0.26
Endocrine System	595	6.9	0.29	5.5	0.25	1,641	19.3	0.50	16.2	0.43
Thyroid gland	537	6.2	0.28	4.8	0.22	1,583	18.7	0.49	15.7	0.42
Lymphomas	2,301	26.0	0.56	18.0	0.42	1,884	18.2	0.44	12.9	0.34
Hodgkin Lymphoma	267	3.4	0.21	3.1	0.21	211	2.6	0.19	2.5	0.19
Non-Hodgkin Lymphoma	2,034	22.7	0.52	14.9	0.36	1,673	15.6	0.40	10.4	0.29
Multiple Myeloma	567	6.2	0.26	3.7	0.16	401	3.5	0.18	2.2	0.12
Leukemias	1,294	14.9	0.43	10.1	0.33	946	9.2	0.32	6.9	0.30
Acute lymphocytic	117	1.7	0.16	2.0	0.21	101	1.5	0.15	1.9	0.22
Chronic lymphocytic	469	5.1	0.24	2.9	0.14	298	2.6	0.15	1.5	0.10
Acute myeloid	382	4.4	0.23	2.7	0.16	326	3.2	0.18	2.1	0.14
Chronic myeloid	153	1.8	0.15	1.1	0.10	97	0.9	0.10	0.6	0.07
Other leukemias	173	2.0	0.15	1.2	0.11	124	1.1	0.10	0.7	0.08
Mesothelioma	152	1.7	0.14	0.9	0.08	69	0.6	0.08	0.3	0.05
Kaposi Sarcoma	24	0.3	0.06	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	1,549	17.2	0.45	10.0	0.28	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	559	6.4	0.28	4.9	0.23	1,040	10.6	0.35	8.0	0.28
Breast (*in situ*)	13	0.1	0.04	0.1	0.03	3,129	31.1	0.58	23.4	0.44

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Oregon, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	739	531.3	21.94	359.3	13.52	531	392.2	17.55	261.4	11.67
Oral Cavity & Pharynx	15	9.9	2.82	6.9	1.83	8	5.8	2.13	3.8	1.37
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	167	121.0	10.44	82.5	6.52	101	78.3	8.03	47.2	4.86
Esophagus	8	6.5	2.56	4.1	1.46	-	-	-	-	-
Stomach	13	11.0	3.41	6.5	1.85	9	7.1	2.42	4.3	1.49
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	67	51.2	6.93	33.4	4.16	41	32.7	5.27	18.2	2.97
Rectum & rectosigmoid	18	12.2	3.21	8.4	2.03	8	6.8	2.44	3.9	1.39
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	42	28.2	4.87	20.7	3.26	7	4.4	1.69	3.2	1.25
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	6.2	2.25	4.7	1.58	17	13.4	3.31	8.4	2.10
Respiratory System	116	94.4	9.77	59.2	5.59	75	60.4	7.18	38.3	4.55
Larynx	9	5.8	2.01	5.0	1.68	-	-	-	-	-
Lung & bronchus	106	87.8	9.54	53.7	5.30	73	59.1	7.11	37.0	4.45
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	3.8	1.87	2.6	1.07	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	168	121.6	9.64	83.8	6.62
Female Genital System	-	-	-	-	-	56	39.4	5.39	29.1	3.97
Cervix uteri	-	-	-	-	-	12	7.6	2.22	6.0	1.75
Uterus Corpus	-	-	-	-	-	27	19.0	3.73	14.1	2.79
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	9.9	2.82	7.1	2.00
Male Genital System	257	175.5	12.17	124.9	7.99	-	-	-	-	-
Prostate	254	174.3	12.15	123.7	7.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	65	49.5	6.99	30.4	3.85	33	23.5	4.21	16.4	2.93
Bladder (incl. *in situ*)	27	22.8	4.98	12.9	2.53	8	6.4	2.34	3.5	1.30
Kidney & renal pelvis	36	24.3	4.59	16.3	2.78	24	16.6	3.46	12.5	2.59
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	6	3.7	1.55	3.1	1.32
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	6	2.8	1.18	2.7	1.13	19	12.4	2.90	9.2	2.13
Thyroid gland	-	-	-	-	-	17	10.7	2.62	8.3	2.04
Lymphomas	25	15.2	3.47	10.8	2.19	12	8.5	2.59	6.1	1.82
Hodgkin Lymphoma	9	4.2	1.42	3.7	1.23	-	-	-	-	-
Non-Hodgkin Lymphoma	16	11.0	3.17	7.1	1.81	-	-	-	-	-
Multiple Myeloma	24	15.7	3.49	11.4	2.38	14	10.0	2.73	6.5	1.80
Leukemias	15	10.5	3.10	7.3	1.91	13	8.6	2.52	5.9	1.71
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	6	3.2	1.32	2.7	1.11	6	3.7	1.59	2.8	1.18
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	29	24.9	5.23	14.0	2.64	19	14.5	3.45	8.3	2.00
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	15	9.0	2.53	6.9	1.82	26	16.8	3.38	13.9	2.77
Breast (*in situ*)	-	-	-	-	-	45	29.3	4.46	23.9	3.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	195,179	559.2	1.29	371.2	0.89	191,524	458.3	1.08	320.1	0.82
Oral Cavity & Pharynx	6,097	17.0	0.22	12.3	0.16	2,801	6.6	0.13	4.7	0.10
Lip	274	0.8	0.05	0.5	0.03	135	0.3	0.03	0.2	0.02
Tongue	1,846	5.1	0.12	3.8	0.09	845	2.0	0.07	1.5	0.05
Major salivary gland	571	1.7	0.07	1.1	0.05	427	1.0	0.05	0.7	0.04
Floor of mouth	365	1.0	0.05	0.7	0.04	154	0.4	0.03	0.2	0.02
Gum & other mouth	702	2.0	0.08	1.4	0.05	613	1.4	0.06	0.9	0.04
Nasopharynx	231	0.7	0.04	0.5	0.04	103	0.3	0.03	0.2	0.02
Oropharynx	273	0.7	0.05	0.6	0.03	77	0.2	0.02	0.1	0.02
Hypopharynx	436	1.2	0.06	0.8	0.04	115	0.3	0.03	0.2	0.02
Digestive System	37,138	106.6	0.56	67.8	0.37	31,439	70.2	0.41	43.4	0.28
Esophagus	3,289	9.3	0.16	6.1	0.11	902	2.0	0.07	1.2	0.05
Stomach	3,407	9.9	0.17	6.1	0.11	1,973	4.4	0.10	2.7	0.07
Small intestine	986	2.8	0.09	1.9	0.06	855	2.0	0.07	1.4	0.05
Colon excl. rectum	12,337	36.2	0.33	21.6	0.21	13,534	29.8	0.26	17.6	0.17
Rectum & rectosigmoid	5,744	16.5	0.22	10.9	0.15	4,215	9.8	0.16	6.6	0.11
Anus, anal canal & anorectum	477	1.4	0.06	1.0	0.05	847	2.0	0.07	1.5	0.06
Liver	3,873	10.4	0.17	7.6	0.13	1,288	2.9	0.08	2.0	0.06
Gallbladder	297	0.9	0.05	0.5	0.03	675	1.5	0.06	0.8	0.04
Pancreas	5,192	14.9	0.21	9.3	0.14	5,323	11.5	0.16	6.9	0.11
Respiratory System	31,019	89.4	0.51	55.2	0.33	25,883	59.0	0.37	38.2	0.26
Larynx	2,434	6.8	0.14	4.7	0.10	646	1.5	0.06	1.1	0.05
Lung & bronchus	28,168	81.3	0.49	49.6	0.31	24,975	56.8	0.37	36.7	0.26
Bones & Joints	364	1.1	0.06	1.0	0.06	287	0.8	0.05	0.7	0.05
Soft Tissue (incl. heart)	1,354	4.1	0.11	2.9	0.09	1,099	2.9	0.09	2.3	0.08
Skin (excl. basal & sq.)	9,442	27.6	0.29	18.1	0.20	7,032	18.2	0.23	13.5	0.18
Melanomas of the skin	8,706	25.4	0.28	16.8	0.19	6,517	17.0	0.22	12.7	0.17
Breast (excl. *in situ*)	567	1.6	0.07	1.0	0.05	52,354	128.1	0.58	92.1	0.44
Female Genital System	-	-	-	-	-	23,667	57.4	0.38	42.6	0.30
Cervix uteri	-	-	-	-	-	2,675	7.7	0.16	6.2	0.13
Uterus Corpus	-	-	-	-	-	13,232	31.3	0.28	23.7	0.22
Uterus, NOS[1]	-	-	-	-	-	205	0.4	0.03	0.2	0.02
Ovary	-	-	-	-	-	5,335	12.8	0.18	9.1	0.14
Male Genital System	51,286	141.2	0.63	101.6	0.46	-	-	-	-	-
Prostate	48,994	133.6	0.61	94.8	0.44	-	-	-	-	-
Testis	1,970	6.7	0.15	6.2	0.14	-	-	-	-	-
Penis	236	0.7	0.05	0.4	0.03	-	-	-	-	-
Urinary System	23,446	68.3	0.45	42.0	0.29	10,187	23.4	0.24	15.4	0.17
Bladder (incl. *in situ*)	15,033	44.2	0.37	25.2	0.22	4,967	10.9	0.16	6.6	0.11
Kidney & renal pelvis	7,930	22.7	0.26	16.0	0.19	4,923	11.9	0.17	8.4	0.14
Ureter	294	0.9	0.05	0.5	0.03	203	0.4	0.03	0.2	0.02
Eye & Orbit	258	0.8	0.05	0.6	0.05	205	0.5	0.04	0.5	0.05
Brain & Other Nervous System	2,771	8.4	0.16	6.9	0.15	2,347	6.1	0.13	5.1	0.13
Brain	2,621	7.9	0.16	6.3	0.14	2,140	5.5	0.12	4.5	0.12
Endocrine System	3,684	11.0	0.18	8.8	0.15	10,618	30.9	0.31	25.6	0.26
Thyroid gland	3,401	10.1	0.18	7.9	0.14	10,324	30.0	0.31	24.8	0.26
Lymphomas	10,084	29.8	0.30	20.4	0.22	8,706	20.9	0.23	14.5	0.18
Hodgkin Lymphoma	1,169	3.7	0.11	3.3	0.10	981	3.0	0.10	2.7	0.10
Non-Hodgkin Lymphoma	8,915	26.1	0.28	17.1	0.19	7,725	17.9	0.21	11.8	0.15
Multiple Myeloma	2,684	7.7	0.15	4.8	0.10	2,253	5.1	0.11	3.2	0.08
Leukemias	6,018	17.9	0.23	12.5	0.18	4,635	11.1	0.17	8.2	0.15
Acute lymphocytic	570	1.9	0.08	2.3	0.10	459	1.5	0.07	1.8	0.10
Chronic lymphocytic	2,180	6.3	0.14	3.9	0.09	1,531	3.3	0.09	2.0	0.06
Acute myeloid	1,734	5.1	0.13	3.4	0.09	1,508	3.7	0.10	2.6	0.08
Chronic myeloid	786	2.4	0.09	1.6	0.06	595	1.4	0.06	1.0	0.05
Other leukemias	748	2.2	0.08	1.4	0.06	542	1.2	0.06	0.8	0.04
Mesothelioma	775	2.3	0.08	1.2	0.05	244	0.5	0.04	0.3	0.02
Kaposi Sarcoma	187	0.6	0.05	0.5	0.04	16	0.0	0.01	0.0	0.01
Ill-defined & Unknown	8,005	23.7	0.27	13.4	0.16	7,751	16.5	0.19	9.5	0.13
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	2,951	8.8	0.16	6.4	0.13	6,362	15.7	0.20	11.3	0.16
Breast (*in situ*)	86	0.2	0.03	0.2	0.02	13,643	34.5	0.30	26.1	0.23

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	170,707	541.1	1.33	358.4	0.93	168,881	454.6	1.15	318.0	0.88
Oral Cavity & Pharynx	5,446	16.9	0.23	12.2	0.17	2,478	6.6	0.14	4.6	0.10
Lip	259	0.8	0.05	0.5	0.03	120	0.3	0.03	0.2	0.02
Tongue	1,688	5.2	0.13	3.9	0.10	769	2.1	0.08	1.5	0.06
Major salivary gland	512	1.7	0.08	1.1	0.05	379	1.1	0.06	0.8	0.05
Floor of mouth	326	1.0	0.06	0.7	0.04	140	0.4	0.03	0.2	0.02
Gum & other mouth	621	2.0	0.08	1.3	0.06	541	1.4	0.06	0.9	0.04
Nasopharynx	163	0.5	0.04	0.4	0.03	75	0.2	0.03	0.2	0.02
Oropharynx	230	0.7	0.05	0.5	0.04	64	0.2	0.02	0.1	0.02
Hypopharynx	373	1.1	0.06	0.8	0.04	95	0.3	0.03	0.2	0.02
Digestive System	32,424	102.8	0.58	64.8	0.38	27,330	67.6	0.42	41.6	0.29
Esophagus	3,029	9.4	0.17	6.2	0.12	750	1.8	0.07	1.1	0.05
Stomach	2,963	9.4	0.18	5.8	0.11	1,572	3.8	0.10	2.3	0.07
Small intestine	848	2.7	0.09	1.8	0.07	730	1.9	0.07	1.3	0.05
Colon excl. rectum	10,936	35.2	0.34	20.9	0.21	12,074	29.4	0.28	17.2	0.18
Rectum & rectosigmoid	5,153	16.4	0.23	10.9	0.16	3,699	9.7	0.17	6.5	0.12
Anus, anal canal & anorectum	403	1.3	0.06	0.9	0.05	739	2.0	0.08	1.5	0.06
Liver	2,850	8.6	0.16	6.1	0.12	956	2.4	0.08	1.6	0.06
Gallbladder	250	0.8	0.05	0.4	0.03	578	1.4	0.06	0.8	0.04
Pancreas	4,625	14.6	0.22	9.1	0.14	4,589	11.0	0.17	6.5	0.11
Respiratory System	27,558	87.1	0.53	53.7	0.34	22,689	57.5	0.39	37.3	0.27
Larynx	2,109	6.5	0.14	4.5	0.10	537	1.4	0.06	1.1	0.05
Lung & bronchus	25,078	79.3	0.51	48.3	0.32	21,921	55.5	0.38	35.8	0.27
Bones & Joints	318	1.2	0.07	1.1	0.07	251	0.8	0.05	0.7	0.06
Soft Tissue (incl. heart)	1,218	4.1	0.12	2.9	0.10	928	2.7	0.09	2.2	0.09
Skin (excl. basal & sq.)	8,664	28.1	0.31	18.5	0.21	6,342	18.8	0.25	14.1	0.20
Melanomas of the skin	7,995	25.9	0.30	17.2	0.21	5,897	17.6	0.24	13.3	0.19
Breast (excl. *in situ*)	500	1.6	0.07	1.0	0.05	46,412	127.9	0.62	92.0	0.47
Female Genital System	-	-	-	-	-	21,082	57.8	0.41	43.0	0.32
Cervix uteri	-	-	-	-	-	2,136	7.3	0.16	5.8	0.14
Uterus Corpus	-	-	-	-	-	11,971	31.9	0.30	24.2	0.24
Uterus, NOS[1]	-	-	-	-	-	156	0.3	0.03	0.2	0.02
Ovary	-	-	-	-	-	4,828	13.1	0.20	9.4	0.15
Male Genital System	42,187	128.7	0.64	93.0	0.47	-	-	-	-	-
Prostate	40,027	120.2	0.61	85.3	0.44	-	-	-	-	-
Testis	1,872	7.6	0.18	7.1	0.17	-	-	-	-	-
Penis	209	0.7	0.05	0.4	0.03	-	-	-	-	-
Urinary System	21,596	69.1	0.48	42.4	0.31	9,077	23.3	0.25	15.3	0.19
Bladder (incl. *in situ*)	14,158	45.4	0.39	25.9	0.23	4,557	11.1	0.17	6.8	0.12
Kidney & renal pelvis	6,985	22.2	0.27	15.6	0.20	4,250	11.5	0.18	8.1	0.14
Ureter	277	0.9	0.05	0.5	0.03	191	0.4	0.03	0.2	0.02
Eye & Orbit	243	0.8	0.05	0.7	0.05	192	0.6	0.04	0.5	0.05
Brain & Other Nervous System	2,519	8.6	0.18	7.1	0.16	2,135	6.4	0.15	5.4	0.14
Brain	2,394	8.1	0.17	6.6	0.15	1,961	5.8	0.14	4.7	0.13
Endocrine System	3,365	11.4	0.20	9.2	0.17	9,313	31.7	0.34	26.3	0.29
Thyroid gland	3,122	10.5	0.19	8.3	0.16	9,076	30.9	0.34	25.5	0.29
Lymphomas	9,056	29.8	0.32	20.4	0.23	7,819	21.0	0.25	14.5	0.19
Hodgkin Lymphoma	1,029	3.8	0.12	3.4	0.11	839	3.0	0.11	2.8	0.11
Non-Hodgkin Lymphoma	8,027	26.0	0.30	17.0	0.21	6,980	18.0	0.22	11.7	0.16
Multiple Myeloma	2,225	7.1	0.15	4.3	0.10	1,765	4.4	0.11	2.8	0.07
Leukemias	5,397	17.8	0.25	12.4	0.20	4,074	11.0	0.18	8.2	0.17
Acute lymphocytic	464	1.9	0.09	2.2	0.11	393	1.5	0.08	1.9	0.11
Chronic lymphocytic	1,982	6.3	0.14	3.9	0.09	1,381	3.3	0.09	2.0	0.06
Acute myeloid	1,591	5.2	0.13	3.4	0.10	1,327	3.6	0.11	2.6	0.09
Chronic myeloid	699	2.3	0.09	1.5	0.06	513	1.4	0.06	1.0	0.05
Other leukemias	661	2.2	0.09	1.4	0.06	460	1.2	0.06	0.7	0.04
Mesothelioma	745	2.4	0.09	1.3	0.05	232	0.6	0.04	0.3	0.03
Kaposi Sarcoma	101	0.4	0.04	0.3	0.03	11	0.0	0.01	0.0	0.00
Ill-defined & Unknown	7,145	23.2	0.28	13.1	0.17	6,751	15.9	0.20	9.2	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	2,613	8.7	0.17	6.4	0.14	5,598	15.6	0.22	11.3	0.18
Breast (*in situ*)	72	0.2	0.03	0.2	0.02	11,834	34.0	0.32	25.8	0.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	16,266	610.3	5.04	419.2	3.35	16,839	456.1	3.55	319.1	2.57
Oral Cavity & Pharynx	459	16.6	0.81	11.8	0.56	226	6.0	0.41	4.4	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	108	3.9	0.39	2.8	0.27	52	1.4	0.19	1.0	0.14
Major salivary gland	39	1.5	0.25	0.9	0.15	32	0.8	0.15	0.6	0.11
Floor of mouth	34	1.3	0.23	0.9	0.16	11	0.3	0.10	0.2	0.06
Gum & other mouth	48	1.7	0.26	1.3	0.19	50	1.3	0.19	1.0	0.14
Nasopharynx	32	1.0	0.18	0.8	0.14	16	0.4	0.10	0.3	0.09
Oropharynx	38	1.5	0.25	1.0	0.17	13	0.4	0.10	0.3	0.07
Hypopharynx	54	2.1	0.29	1.4	0.19	18	0.5	0.12	0.4	0.08
Digestive System	3,640	136.8	2.39	92.4	1.56	3,236	88.0	1.56	57.3	1.06
Esophagus	197	7.6	0.57	5.2	0.38	129	3.5	0.31	2.3	0.21
Stomach	344	14.1	0.80	8.6	0.48	305	8.4	0.49	5.1	0.31
Small intestine	117	4.7	0.46	3.0	0.29	110	3.0	0.29	2.0	0.19
Colon excl. rectum	1,104	43.5	1.38	27.8	0.85	1,180	32.2	0.95	20.6	0.63
Rectum & rectosigmoid	432	16.0	0.81	10.7	0.52	388	10.4	0.53	7.2	0.38
Anus, anal canal & anorectum	65	2.1	0.28	1.6	0.20	90	2.4	0.25	1.8	0.20
Liver	776	25.0	0.93	19.9	0.73	235	6.1	0.40	4.5	0.31
Gallbladder	39	1.6	0.27	1.0	0.17	73	2.0	0.23	1.2	0.15
Pancreas	444	17.2	0.86	11.4	0.55	588	16.2	0.68	10.1	0.44
Respiratory System	2,789	113.3	2.25	71.6	1.38	2,703	73.9	1.44	49.1	0.99
Larynx	266	10.2	0.66	7.0	0.44	99	2.7	0.27	1.8	0.19
Lung & bronchus	2,495	102.1	2.15	63.8	1.31	2,580	70.6	1.41	46.8	0.97
Bones & Joints	32	1.0	0.18	0.8	0.15	24	0.6	0.13	0.6	0.12
Soft Tissue (incl. heart)	97	3.3	0.35	2.5	0.26	128	3.4	0.30	2.7	0.25
Skin (excl. basal & sq.)	50	1.8	0.27	1.3	0.19	46	1.3	0.19	0.9	0.14
Melanomas of the skin	33	1.2	0.23	0.9	0.15	24	0.7	0.14	0.4	0.09
Breast (excl. *in situ*)	58	2.3	0.32	1.5	0.19	4,714	127.6	1.88	92.2	1.39
Female Genital System	-	-	-	-	-	1,929	51.8	1.19	38.0	0.90
Cervix uteri	-	-	-	-	-	399	10.9	0.55	8.3	0.43
Uterus Corpus	-	-	-	-	-	965	25.6	0.83	19.1	0.63
Uterus, NOS[1]	-	-	-	-	-	32	0.9	0.15	0.5	0.10
Ovary	-	-	-	-	-	370	10.0	0.53	6.9	0.38
Male Genital System	5,450	196.6	2.79	142.8	1.97	-	-	-	-	-
Prostate	5,378	194.4	2.78	140.9	1.96	-	-	-	-	-
Testis	53	1.5	0.22	1.4	0.19	-	-	-	-	-
Penis	16	0.6	0.16	0.4	0.10	-	-	-	-	-
Urinary System	1,346	52.4	1.51	34.4	0.95	884	24.0	0.82	16.0	0.57
Bladder (incl. *in situ*)	542	23.4	1.05	13.6	0.60	314	8.6	0.49	5.0	0.31
Kidney & renal pelvis	787	28.3	1.06	20.4	0.74	547	14.8	0.64	10.6	0.47
Ureter	9	0.3	0.11	0.2	0.08	10	0.3	0.10	0.1	0.05
Eye & Orbit	10	0.2	0.08	0.3	0.11	7	0.2	0.06	0.2	0.09
Brain & Other Nervous System	170	5.4	0.44	4.5	0.35	126	3.3	0.30	2.9	0.27
Brain	157	5.0	0.43	4.1	0.34	114	3.0	0.28	2.6	0.26
Endocrine System	190	6.7	0.51	4.8	0.36	835	22.4	0.78	18.3	0.64
Thyroid gland	163	5.8	0.48	4.1	0.32	796	21.4	0.77	17.4	0.63
Lymphomas	664	22.6	0.92	17.0	0.67	584	15.7	0.66	11.9	0.51
Hodgkin Lymphoma	104	3.0	0.30	2.7	0.27	109	2.9	0.28	2.6	0.26
Non-Hodgkin Lymphoma	560	19.6	0.87	14.3	0.61	475	12.8	0.59	9.2	0.44
Multiple Myeloma	357	14.1	0.79	9.0	0.49	420	11.5	0.57	7.4	0.38
Leukemias	339	12.4	0.72	9.0	0.50	345	9.3	0.51	6.8	0.39
Acute lymphocytic	62	1.7	0.22	1.9	0.24	41	1.0	0.16	1.0	0.17
Chronic lymphocytic	82	3.4	0.39	2.1	0.24	72	2.0	0.24	1.3	0.16
Acute myeloid	100	3.8	0.41	2.5	0.26	129	3.5	0.31	2.5	0.24
Chronic myeloid	50	1.8	0.26	1.3	0.18	56	1.5	0.20	1.1	0.15
Other leukemias	45	1.8	0.28	1.2	0.18	47	1.3	0.19	0.9	0.13
Mesothelioma	22	1.1	0.24	0.5	0.11	7	0.2	0.07	0.1	0.04
Kaposi Sarcoma	68	2.0	0.24	1.8	0.22	-	-	-	-	-
Ill-defined & Unknown	525	21.8	1.00	13.1	0.59	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	231	8.5	0.59	5.8	0.39	548	14.9	0.65	10.5	0.47
Breast (*in situ*)	8	0.3	0.10	0.2	0.07	1,393	37.2	1.01	27.8	0.76

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,574	259.6	7.37	166.7	4.26	1,983	258.3	6.24	177.8	4.05
Oral Cavity & Pharynx	77	11.7	1.52	7.9	0.91	35	4.8	0.89	3.1	0.53
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	2.7	0.82	1.7	0.44	8	1.1	0.41	0.7	0.25
Major salivary gland	9	1.2	0.42	0.9	0.29	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	13	1.9	0.57	1.3	0.36	10	1.4	0.48	0.9	0.29
Nasopharynx	30	4.3	0.90	3.0	0.55	9	0.9	0.31	0.8	0.27
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	453	71.7	3.77	47.5	2.26	372	58.3	3.25	33.0	1.74
Esophagus	20	3.7	0.93	2.1	0.47	14	2.2	0.62	1.4	0.37
Stomach	59	9.7	1.42	6.3	0.82	55	8.5	1.25	4.9	0.67
Small intestine	10	1.1	0.37	1.0	0.32	-	-	-	-	-
Colon excl. rectum	108	18.4	2.00	11.2	1.09	97	14.4	1.58	8.6	0.89
Rectum & rectosigmoid	67	9.7	1.28	6.9	0.85	48	7.0	1.10	4.1	0.61
Anus, anal canal & anorectum	-	-	-	-	-	9	1.4	0.52	0.8	0.27
Liver	119	17.4	1.74	12.4	1.15	54	8.7	1.26	4.9	0.68
Gallbladder	6	1.6	0.73	0.7	0.30	14	2.5	0.70	1.2	0.34
Pancreas	40	6.5	1.15	4.4	0.70	53	9.5	1.37	4.5	0.63
Respiratory System	248	47.6	3.38	26.4	1.70	174	27.0	2.19	15.7	1.21
Larynx	16	2.4	0.65	1.7	0.43	-	-	-	-	-
Lung & bronchus	224	43.9	3.28	23.8	1.61	168	26.2	2.16	15.2	1.18
Bones & Joints	7	0.7	0.26	0.7	0.27	-	-	-	-	-
Soft Tissue (incl. heart)	9	1.1	0.39	1.0	0.34	17	1.6	0.40	1.6	0.39
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	10	1.3	0.46	1.0	0.31	13	1.9	0.57	1.1	0.32
Breast (excl. *in situ*)	-	-	-	-	-	577	68.2	2.96	51.3	2.15
Female Genital System	-	-	-	-	-	240	28.1	1.91	21.6	1.41
Cervix uteri	-	-	-	-	-	59	7.0	0.98	5.0	0.66
Uterus Corpus	-	-	-	-	-	101	11.6	1.20	9.3	0.93
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	58	6.3	0.84	5.3	0.70
Male Genital System	318	54.2	3.35	35.1	1.98	-	-	-	-	-
Prostate	303	52.6	3.32	33.7	1.95	-	-	-	-	-
Testis	10	0.9	0.28	0.9	0.28	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	111	19.1	2.07	12.0	1.15	59	8.2	1.15	5.6	0.75
Bladder (incl. *in situ*)	67	13.0	1.80	7.3	0.90	19	3.1	0.78	1.6	0.38
Kidney & renal pelvis	39	5.5	0.97	4.2	0.68	37	4.5	0.79	3.7	0.63
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	22	2.3	0.50	2.3	0.52	23	2.6	0.58	2.2	0.48
Brain	19	2.0	0.47	2.0	0.48	21	2.4	0.56	2.0	0.46
Endocrine System	70	8.1	1.01	6.8	0.83	245	24.8	1.65	21.2	1.38
Thyroid gland	62	7.3	0.96	6.0	0.77	235	23.8	1.61	20.2	1.34
Lymphomas	101	16.0	1.78	10.0	1.01	83	10.6	1.25	7.6	0.85
Hodgkin Lymphoma	12	1.2	0.39	1.0	0.30	12	1.3	0.39	1.1	0.33
Non-Hodgkin Lymphoma	89	14.7	1.74	9.0	0.96	71	9.4	1.19	6.5	0.78
Multiple Myeloma	26	5.7	1.28	2.9	0.57	20	2.8	0.65	1.9	0.43
Leukemias	61	8.6	1.25	6.7	0.89	52	7.1	1.08	5.1	0.73
Acute lymphocytic	15	1.5	0.39	1.9	0.52	12	1.2	0.34	1.5	0.46
Chronic lymphocytic	7	1.1	0.42	0.8	0.29	8	1.3	0.48	0.7	0.24
Acute myeloid	20	2.6	0.63	2.2	0.49	25	3.5	0.77	2.3	0.47
Chronic myeloid	10	1.6	0.64	1.0	0.32	-	-	-	-	-
Other leukemias	9	1.7	0.65	0.9	0.29	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	55	10.6	1.62	5.7	0.78	63	10.8	1.47	5.6	0.72
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	40	5.0	0.82	4.2	0.68	87	11.2	1.29	8.0	0.87
Breast (*in situ*)	-	-	-	-	-	207	23.8	1.71	18.7	1.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,646	448.9	8.60	297.1	5.12	3,612	344.3	6.24	241.3	4.14
Oral Cavity & Pharynx	113	13.3	1.44	9.1	0.89	52	5.0	0.76	3.5	0.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	22	2.6	0.66	1.6	0.37	15	1.4	0.40	1.0	0.26
Major salivary gland	8	1.1	0.47	0.6	0.22	9	0.7	0.27	0.5	0.18
Floor of mouth	11	1.2	0.40	0.8	0.25	-	-	-	-	-
Gum & other mouth	12	1.8	0.61	1.1	0.33	7	0.6	0.26	0.5	0.18
Nasopharynx	7	0.5	0.20	0.4	0.18	-	-	-	-	-
Oropharynx	7	0.8	0.36	0.6	0.22	-	-	-	-	-
Hypopharynx	15	1.4	0.38	1.2	0.33	-	-	-	-	-
Digestive System	907	115.6	4.43	74.2	2.55	615	66.4	2.87	43.0	1.79
Esophagus	52	7.6	1.17	4.7	0.67	14	1.7	0.48	1.1	0.30
Stomach	96	13.2	1.56	8.2	0.87	70	7.4	0.95	5.2	0.64
Small intestine	17	2.2	0.66	1.3	0.33	19	1.8	0.46	1.2	0.29
Colon excl. rectum	260	37.0	2.62	21.9	1.40	204	22.3	1.68	14.1	1.01
Rectum & rectosigmoid	130	14.9	1.50	10.1	0.92	84	7.7	0.90	5.5	0.61
Anus, anal canal & anorectum	19	1.8	0.49	1.2	0.29	22	2.0	0.46	1.4	0.31
Liver	204	21.0	1.65	15.8	1.14	66	7.8	1.01	4.8	0.61
Gallbladder	6	1.0	0.46	0.6	0.23	23	2.4	0.54	1.5	0.32
Pancreas	84	12.1	1.50	7.4	0.84	76	9.0	1.09	5.6	0.66
Respiratory System	400	57.0	3.22	35.2	1.81	285	32.0	2.02	20.6	1.25
Larynx	52	6.2	0.97	4.4	0.63	20	1.7	0.41	1.4	0.33
Lung & bronchus	340	50.4	3.07	30.3	1.69	263	30.1	1.98	19.1	1.21
Bones & Joints	11	0.6	0.20	0.6	0.19	14	1.0	0.30	0.8	0.21
Soft Tissue (incl. heart)	26	2.3	0.56	1.7	0.35	38	2.9	0.53	2.4	0.40
Skin (excl. basal & sq.)	48	5.7	1.00	3.6	0.54	45	4.1	0.67	2.8	0.43
Melanomas of the skin	37	4.1	0.78	2.7	0.47	33	3.0	0.56	2.1	0.37
Breast (excl. *in situ*)	-	-	-	-	-	971	90.3	3.11	65.7	2.17
Female Genital System	-	-	-	-	-	575	51.1	2.31	37.4	1.61
Cervix uteri	-	-	-	-	-	169	12.2	1.00	9.8	0.77
Uterus Corpus	-	-	-	-	-	251	23.2	1.56	17.4	1.13
Uterus, NOS[1]	-	-	-	-	-	6	0.7	0.33	0.3	0.14
Ovary	-	-	-	-	-	95	9.2	1.02	6.2	0.66
Male Genital System	1,083	134.5	4.59	93.3	2.93	-	-	-	-	-
Prostate	1,004	129.9	4.54	89.5	2.90	-	-	-	-	-
Testis	72	3.4	0.41	3.3	0.39	-	-	-	-	-
Penis	6	1.1	0.50	0.5	0.20	-	-	-	-	-
Urinary System	306	41.9	2.77	25.7	1.52	177	18.4	1.51	11.7	0.90
Bladder (incl. *in situ*)	159	26.6	2.36	14.4	1.17	66	8.1	1.07	4.3	0.54
Kidney & renal pelvis	138	14.2	1.38	10.6	0.95	106	9.5	1.00	7.0	0.70
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	8	0.5	0.22	0.5	0.18	8	0.5	0.21	0.4	0.16
Brain & Other Nervous System	74	5.9	0.82	4.8	0.60	62	4.9	0.69	4.1	0.54
Brain	68	5.6	0.81	4.5	0.58	54	4.4	0.67	3.6	0.51
Endocrine System	76	6.6	0.87	5.0	0.60	304	21.4	1.32	17.5	1.03
Thyroid gland	65	5.9	0.84	4.4	0.57	295	20.9	1.31	17.0	1.01
Lymphomas	249	23.4	1.79	17.2	1.15	183	17.2	1.40	12.2	0.93
Hodgkin Lymphoma	54	3.3	0.51	3.1	0.44	40	2.5	0.45	2.2	0.35
Non-Hodgkin Lymphoma	195	20.1	1.71	14.1	1.06	143	14.7	1.33	10.0	0.86
Multiple Myeloma	71	10.1	1.36	5.8	0.71	56	6.1	0.88	4.1	0.56
Leukemias	145	13.1	1.37	9.8	0.86	98	7.3	0.83	6.2	0.64
Acute lymphocytic	47	2.5	0.45	2.7	0.41	33	1.7	0.34	2.0	0.35
Chronic lymphocytic	25	4.0	0.90	2.3	0.47	14	1.6	0.44	1.0	0.28
Acute myeloid	38	3.6	0.71	2.6	0.45	36	2.7	0.47	2.2	0.39
Chronic myeloid	16	1.2	0.37	0.9	0.24	8	0.9	0.32	0.6	0.20
Other leukemias	19	1.8	0.49	1.3	0.32	7	0.5	0.23	0.4	0.14
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	10	0.6	0.21	0.5	0.16	-	-	-	-	-
Ill-defined & Unknown	109	15.8	1.75	9.1	0.90	124	15.0	1.45	8.7	0.80
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	73	7.3	1.04	5.1	0.63	159	14.0	1.19	10.5	0.86
Breast (*in situ*)	-	-	-	-	-	296	26.1	1.61	19.4	1.16

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	167,926	544.7	1.35	361.3	0.95	165,956	457.9	1.18	320.7	0.91
Oral Cavity & Pharynx	5,351	17.0	0.24	12.3	0.18	2,432	6.6	0.14	4.7	0.11
Lip	257	0.8	0.05	0.5	0.03	118	0.3	0.03	0.2	0.02
Tongue	1,670	5.2	0.13	3.9	0.10	755	2.1	0.08	1.5	0.06
Major salivary gland	507	1.7	0.08	1.1	0.05	371	1.1	0.06	0.8	0.05
Floor of mouth	317	1.0	0.06	0.7	0.04	137	0.4	0.03	0.3	0.02
Gum & other mouth	611	2.0	0.08	1.3	0.06	535	1.4	0.06	0.9	0.05
Nasopharynx	159	0.5	0.04	0.4	0.03	74	0.2	0.03	0.2	0.02
Oropharynx	225	0.7	0.05	0.5	0.04	62	0.2	0.02	0.1	0.02
Hypopharynx	358	1.1	0.06	0.8	0.04	92	0.3	0.03	0.2	0.02
Digestive System	31,707	102.7	0.59	64.8	0.39	26,816	67.6	0.43	41.5	0.30
Esophagus	2,986	9.5	0.18	6.3	0.12	738	1.8	0.07	1.1	0.05
Stomach	2,877	9.3	0.18	5.8	0.11	1,515	3.8	0.10	2.3	0.07
Small intestine	833	2.7	0.09	1.8	0.07	716	1.9	0.08	1.3	0.06
Colon excl. rectum	10,728	35.3	0.35	20.9	0.22	11,895	29.5	0.28	17.2	0.19
Rectum & rectosigmoid	5,048	16.4	0.24	10.9	0.16	3,632	9.7	0.17	6.5	0.12
Anus, anal canal & anorectum	392	1.3	0.07	0.9	0.05	719	2.0	0.08	1.5	0.06
Liver	2,707	8.4	0.16	5.9	0.12	907	2.3	0.08	1.6	0.06
Gallbladder	246	0.8	0.05	0.4	0.03	558	1.4	0.06	0.8	0.04
Pancreas	4,553	14.7	0.22	9.1	0.14	4,527	11.0	0.17	6.6	0.11
Respiratory System	27,239	87.7	0.54	54.2	0.35	22,457	58.1	0.40	37.6	0.28
Larynx	2,068	6.5	0.15	4.5	0.10	520	1.4	0.06	1.0	0.05
Lung & bronchus	24,805	80.0	0.51	48.8	0.33	21,708	56.1	0.39	36.2	0.27
Bones & Joints	311	1.2	0.07	1.1	0.07	240	0.8	0.06	0.7	0.06
Soft Tissue (incl. heart)	1,194	4.1	0.12	3.0	0.10	901	2.8	0.10	2.2	0.09
Skin (excl. basal & sq.)	8,626	28.7	0.32	19.0	0.22	6,307	19.3	0.26	14.5	0.21
Melanomas of the skin	7,966	26.5	0.30	17.7	0.21	5,869	18.2	0.25	13.8	0.20
Breast (excl. *in situ*)	495	1.6	0.07	1.0	0.05	45,615	129.0	0.63	92.8	0.48
Female Genital System	-	-	-	-	-	20,622	57.9	0.42	43.1	0.33
Cervix uteri	-	-	-	-	-	2,005	7.1	0.17	5.6	0.14
Uterus Corpus	-	-	-	-	-	11,766	32.1	0.30	24.4	0.24
Uterus, NOS[1]	-	-	-	-	-	152	0.3	0.03	0.2	0.02
Ovary	-	-	-	-	-	4,752	13.2	0.20	9.5	0.15
Male Genital System	41,427	129.4	0.65	93.5	0.48	-	-	-	-	-
Prostate	39,333	120.6	0.62	85.7	0.45	-	-	-	-	-
Testis	1,812	7.9	0.19	7.3	0.18	-	-	-	-	-
Penis	204	0.7	0.05	0.4	0.03	-	-	-	-	-
Urinary System	21,357	69.8	0.48	42.9	0.32	8,937	23.4	0.26	15.4	0.19
Bladder (incl. *in situ*)	14,027	45.8	0.39	26.2	0.24	4,501	11.2	0.17	6.8	0.12
Kidney & renal pelvis	6,883	22.5	0.28	15.8	0.20	4,170	11.6	0.19	8.2	0.15
Ureter	275	0.9	0.05	0.5	0.03	188	0.5	0.03	0.2	0.02
Eye & Orbit	237	0.8	0.06	0.7	0.05	185	0.6	0.05	0.5	0.05
Brain & Other Nervous System	2,452	8.7	0.18	7.2	0.17	2,084	6.5	0.15	5.5	0.15
Brain	2,332	8.2	0.18	6.7	0.16	1,916	5.9	0.14	4.8	0.14
Endocrine System	3,305	11.7	0.21	9.5	0.18	9,071	32.2	0.35	26.7	0.31
Thyroid gland	3,070	10.8	0.20	8.6	0.16	8,842	31.4	0.35	25.9	0.30
Lymphomas	8,862	30.0	0.33	20.5	0.24	7,674	21.1	0.25	14.7	0.20
Hodgkin Lymphoma	985	3.8	0.13	3.4	0.12	813	3.1	0.11	2.9	0.11
Non-Hodgkin Lymphoma	7,877	26.2	0.30	17.1	0.21	6,861	18.1	0.23	11.8	0.17
Multiple Myeloma	2,170	7.0	0.15	4.3	0.10	1,718	4.3	0.11	2.7	0.07
Leukemias	5,293	18.0	0.25	12.6	0.20	4,001	11.1	0.19	8.3	0.18
Acute lymphocytic	436	1.9	0.09	2.3	0.12	371	1.6	0.09	2.0	0.12
Chronic lymphocytic	1,962	6.3	0.14	3.9	0.09	1,372	3.4	0.09	2.1	0.06
Acute myeloid	1,562	5.2	0.14	3.4	0.10	1,299	3.7	0.11	2.6	0.09
Chronic myeloid	687	2.3	0.09	1.5	0.07	505	1.4	0.07	1.0	0.05
Other leukemias	646	2.2	0.09	1.4	0.06	454	1.2	0.06	0.7	0.04
Mesothelioma	741	2.4	0.09	1.3	0.05	228	0.6	0.04	0.3	0.03
Kaposi Sarcoma	96	0.4	0.04	0.3	0.03	10	0.0	0.01	0.0	0.00
Ill-defined & Unknown	7,063	23.3	0.28	13.2	0.17	6,658	16.0	0.20	9.2	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	2,563	8.9	0.18	6.5	0.14	5,471	15.7	0.22	11.4	0.18
Breast (*in situ*)	71	0.2	0.03	0.2	0.02	11,600	34.3	0.33	26.0	0.26

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Pennsylvania, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	16,056	624.6	5.18	429.8	3.46	16,648	467.1	3.66	327.5	2.66
Oral Cavity & Pharynx	457	17.1	0.84	12.2	0.58	223	6.2	0.42	4.5	0.31
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	108	4.0	0.41	2.9	0.28	51	1.4	0.20	1.0	0.14
Major salivary gland	39	1.5	0.26	1.0	0.16	31	0.8	0.15	0.6	0.11
Floor of mouth	33	1.3	0.23	0.9	0.16	11	0.3	0.10	0.2	0.07
Gum & other mouth	47	1.7	0.26	1.3	0.20	50	1.4	0.20	1.0	0.15
Nasopharynx	32	1.0	0.19	0.8	0.15	16	0.4	0.11	0.3	0.09
Oropharynx	38	1.5	0.26	1.0	0.17	13	0.4	0.10	0.3	0.07
Hypopharynx	54	2.1	0.30	1.5	0.20	17	0.5	0.12	0.3	0.09
Digestive System	3,602	140.3	2.46	94.9	1.61	3,207	89.8	1.60	58.6	1.10
Esophagus	196	7.9	0.59	5.3	0.39	127	3.5	0.32	2.4	0.22
Stomach	343	14.6	0.83	8.9	0.49	301	8.5	0.50	5.2	0.32
Small intestine	117	4.9	0.47	3.1	0.30	109	3.1	0.30	2.0	0.20
Colon excl. rectum	1,090	44.5	1.42	28.5	0.88	1,173	33.0	0.97	21.1	0.65
Rectum & rectosigmoid	426	16.4	0.83	11.0	0.54	383	10.6	0.55	7.4	0.39
Anus, anal canal & anorectum	64	2.2	0.29	1.6	0.20	90	2.5	0.26	1.9	0.20
Liver	765	25.6	0.96	20.4	0.75	232	6.2	0.41	4.6	0.32
Gallbladder	38	1.6	0.28	1.1	0.17	71	2.0	0.24	1.2	0.16
Pancreas	443	17.7	0.89	11.7	0.57	584	16.6	0.69	10.3	0.45
Respiratory System	2,759	115.7	2.31	73.3	1.42	2,676	75.3	1.47	50.2	1.02
Larynx	264	10.5	0.67	7.2	0.45	98	2.7	0.28	1.9	0.20
Lung & bronchus	2,469	104.3	2.20	65.4	1.34	2,554	71.8	1.44	47.8	0.99
Bones & Joints	30	1.0	0.19	0.8	0.16	23	0.6	0.13	0.6	0.13
Soft Tissue (incl. heart)	96	3.4	0.36	2.7	0.28	123	3.4	0.31	2.7	0.26
Skin (excl. basal & sq.)	46	1.7	0.27	1.3	0.19	45	1.3	0.19	0.9	0.14
Melanomas of the skin	30	1.2	0.22	0.8	0.16	24	0.7	0.14	0.4	0.10
Breast (excl. *in situ*)	58	2.4	0.33	1.5	0.20	4,664	131.1	1.94	95.0	1.44
Female Genital System	-	-	-	-	-	1,909	53.1	1.23	39.1	0.93
Cervix uteri	-	-	-	-	-	393	11.3	0.57	8.6	0.45
Uterus Corpus	-	-	-	-	-	956	26.2	0.86	19.6	0.65
Uterus, NOS[1]	-	-	-	-	-	30	0.8	0.15	0.5	0.10
Ovary	-	-	-	-	-	368	10.3	0.54	7.1	0.39
Male Genital System	5,386	201.0	2.87	146.3	2.03	-	-	-	-	-
Prostate	5,317	198.7	2.85	144.3	2.01	-	-	-	-	-
Testis	51	1.6	0.23	1.4	0.20	-	-	-	-	-
Penis	15	0.6	0.17	0.4	0.11	-	-	-	-	-
Urinary System	1,330	53.6	1.54	35.3	0.99	873	24.5	0.84	16.4	0.59
Bladder (incl. *in situ*)	537	23.9	1.08	13.9	0.61	312	8.7	0.50	5.1	0.31
Kidney & renal pelvis	776	29.0	1.09	21.0	0.77	538	15.1	0.66	10.8	0.49
Ureter	9	0.3	0.12	0.2	0.08	10	0.3	0.10	0.1	0.05
Eye & Orbit	10	0.3	0.09	0.4	0.12	7	0.2	0.07	0.3	0.10
Brain & Other Nervous System	167	5.6	0.46	4.8	0.38	123	3.4	0.31	3.0	0.29
Brain	155	5.2	0.44	4.4	0.36	111	3.1	0.30	2.7	0.27
Endocrine System	186	6.9	0.53	5.0	0.37	821	23.2	0.82	19.0	0.67
Thyroid gland	160	6.0	0.50	4.2	0.34	782	22.1	0.80	18.0	0.66
Lymphomas	647	23.2	0.95	17.4	0.70	576	16.2	0.68	12.3	0.53
Hodgkin Lymphoma	101	3.1	0.32	2.9	0.29	104	3.0	0.29	2.7	0.27
Non-Hodgkin Lymphoma	546	20.0	0.90	14.6	0.63	472	13.2	0.62	9.6	0.46
Multiple Myeloma	350	14.4	0.81	9.2	0.50	417	11.8	0.58	7.6	0.39
Leukemias	324	12.6	0.74	9.0	0.51	338	9.5	0.52	7.0	0.40
Acute lymphocytic	52	1.6	0.23	1.7	0.25	37	1.0	0.17	1.0	0.17
Chronic lymphocytic	82	3.5	0.40	2.2	0.25	71	2.0	0.24	1.3	0.17
Acute myeloid	96	3.9	0.42	2.5	0.27	127	3.6	0.32	2.6	0.24
Chronic myeloid	50	1.8	0.27	1.4	0.19	56	1.6	0.21	1.2	0.16
Other leukemias	44	1.8	0.29	1.2	0.18	47	1.3	0.19	0.9	0.14
Mesothelioma	21	1.0	0.23	0.5	0.11	7	0.2	0.08	0.1	0.04
Kaposi Sarcoma	66	2.1	0.26	1.9	0.23	-	-	-	-	-
Ill-defined & Unknown	521	22.3	1.03	13.5	0.60	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	226	8.7	0.61	6.0	0.41	539	15.3	0.67	10.8	0.49
Breast (*in situ*)	8	0.3	0.11	0.2	0.07	1,378	38.2	1.04	28.5	0.79

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	14,813	544.3	4.56	359.8	3.12	15,346	456.4	3.80	317.9	2.86
Oral Cavity & Pharynx	478	17.0	0.79	11.9	0.57	197	6.0	0.44	4.2	0.33
Lip	13	0.5	0.14	0.3	0.08	8	0.2	0.08	0.1	0.05
Tongue	153	5.4	0.45	3.8	0.33	57	1.6	0.22	1.2	0.18
Major salivary gland	42	1.6	0.26	1.0	0.17	36	1.2	0.21	0.9	0.16
Floor of mouth	27	0.9	0.18	0.7	0.13	6	0.2	0.08	0.1	0.05
Gum & other mouth	60	2.3	0.30	1.4	0.19	44	1.4	0.22	1.0	0.16
Nasopharynx	22	0.8	0.18	0.6	0.13	8	0.3	0.10	0.2	0.07
Oropharynx	30	1.0	0.20	0.8	0.14	14	0.4	0.11	0.3	0.07
Hypopharynx	47	1.6	0.24	1.2	0.18	8	0.2	0.08	0.1	0.06
Digestive System	2,725	100.6	1.96	63.0	1.27	2,437	67.2	1.41	40.9	0.95
Esophagus	271	9.9	0.61	6.6	0.42	82	2.2	0.25	1.4	0.17
Stomach	277	10.2	0.62	6.1	0.39	167	4.5	0.37	2.7	0.24
Small intestine	76	2.9	0.34	1.9	0.23	88	2.5	0.28	1.8	0.21
Colon excl. rectum	786	30.0	1.09	17.6	0.66	1,017	27.1	0.88	15.5	0.57
Rectum & rectosigmoid	407	14.8	0.75	9.7	0.51	314	9.1	0.54	6.2	0.39
Anus, anal canal & anorectum	34	1.2	0.22	0.9	0.15	77	2.1	0.25	1.5	0.19
Liver	305	10.5	0.61	7.5	0.45	96	2.9	0.30	1.8	0.21
Gallbladder	26	1.0	0.20	0.5	0.11	64	1.8	0.23	1.1	0.15
Pancreas	396	14.7	0.75	8.8	0.47	356	9.7	0.53	5.5	0.34
Respiratory System	2,369	88.8	1.86	53.6	1.16	2,323	66.8	1.42	43.1	0.99
Larynx	217	7.9	0.55	5.2	0.37	73	2.2	0.26	1.5	0.19
Lung & bronchus	2,128	79.9	1.77	47.7	1.09	2,228	64.0	1.39	41.0	0.96
Bones & Joints	20	0.8	0.18	0.6	0.16	17	0.6	0.14	0.5	0.13
Soft Tissue (incl. heart)	114	4.2	0.40	3.1	0.31	82	2.6	0.30	2.1	0.27
Skin (excl. basal & sq.)	739	27.7	1.04	17.9	0.70	654	20.4	0.83	15.1	0.66
Melanomas of the skin	666	24.8	0.98	16.3	0.67	594	18.8	0.80	14.1	0.64
Breast (excl. *in situ*)	47	1.7	0.26	1.1	0.17	4,273	129.9	2.04	94.3	1.54
Female Genital System	-	-	-	-	-	1,779	53.0	1.29	39.6	1.01
Cervix uteri	-	-	-	-	-	179	6.3	0.49	5.0	0.39
Uterus Corpus	-	-	-	-	-	982	28.7	0.94	21.5	0.72
Uterus, NOS[1]	-	-	-	-	-	43	1.2	0.19	0.8	0.14
Ovary	-	-	-	-	-	341	10.1	0.56	7.5	0.44
Male Genital System	3,940	138.7	2.26	101.0	1.65	-	-	-	-	-
Prostate	3,739	130.6	2.18	93.9	1.57	-	-	-	-	-
Testis	174	7.1	0.55	6.5	0.50	-	-	-	-	-
Penis	21	0.8	0.17	0.4	0.10	-	-	-	-	-
Urinary System	1,904	71.4	1.67	43.0	1.05	877	25.7	0.90	16.8	0.65
Bladder (incl. *in situ*)	1,233	46.8	1.36	26.4	0.80	484	13.7	0.64	8.4	0.44
Kidney & renal pelvis	636	23.2	0.94	15.9	0.66	370	11.3	0.61	8.1	0.48
Ureter	16	0.7	0.17	0.4	0.09	16	0.4	0.10	0.2	0.06
Eye & Orbit	23	0.8	0.17	0.7	0.17	17	0.6	0.15	0.6	0.16
Brain & Other Nervous System	191	7.3	0.54	5.8	0.47	160	5.2	0.43	4.4	0.41
Brain	186	7.1	0.53	5.6	0.46	149	4.8	0.41	4.1	0.39
Endocrine System	283	10.5	0.64	8.8	0.56	833	29.3	1.04	24.1	0.88
Thyroid gland	261	9.6	0.61	7.9	0.51	809	28.5	1.03	23.5	0.86
Lymphomas	753	28.2	1.05	19.8	0.77	682	20.5	0.81	14.3	0.63
Hodgkin Lymphoma	107	4.1	0.41	3.8	0.38	79	2.8	0.32	2.6	0.32
Non-Hodgkin Lymphoma	646	24.1	0.96	16.0	0.67	603	17.7	0.75	11.7	0.54
Multiple Myeloma	190	7.1	0.53	4.4	0.33	171	4.9	0.39	3.0	0.26
Leukemias	471	17.9	0.84	12.3	0.64	336	9.8	0.55	6.8	0.47
Acute lymphocytic	39	1.6	0.26	1.8	0.33	27	1.1	0.21	1.3	0.28
Chronic lymphocytic	162	6.0	0.48	3.7	0.31	117	3.3	0.31	2.1	0.21
Acute myeloid	134	5.0	0.44	3.2	0.31	97	2.8	0.29	1.8	0.22
Chronic myeloid	62	2.4	0.30	1.7	0.24	43	1.2	0.20	0.8	0.14
Other leukemias	74	2.8	0.34	1.8	0.23	52	1.5	0.21	1.0	0.16
Mesothelioma	56	2.2	0.29	1.1	0.16	11	0.3	0.09	0.2	0.06
Kaposi Sarcoma	23	0.9	0.18	0.7	0.14	6	0.1	0.06	0.1	0.03
Ill-defined & Unknown	487	18.6	0.86	10.8	0.52	491	13.4	0.63	7.9	0.44
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	201	7.3	0.53	5.7	0.43	393	12.1	0.63	8.8	0.50
Breast (*in situ*)	-	-	-	-	-	1,168	36.7	1.10	27.8	0.85

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,769	543.2	4.72	359.6	3.27	14,498	466.2	4.03	325.6	3.06
Oral Cavity & Pharynx	450	17.2	0.83	12.0	0.59	186	6.2	0.47	4.3	0.36
Lip	12	0.5	0.15	0.3	0.09	8	0.2	0.08	0.1	0.05
Tongue	145	5.5	0.47	3.9	0.34	54	1.7	0.24	1.2	0.19
Major salivary gland	41	1.7	0.27	1.1	0.18	33	1.2	0.21	0.9	0.17
Floor of mouth	26	0.9	0.19	0.7	0.14	6	0.2	0.09	0.1	0.06
Gum & other mouth	56	2.3	0.31	1.4	0.19	41	1.4	0.23	1.0	0.18
Nasopharynx	19	0.8	0.18	0.5	0.13	7	0.3	0.10	0.2	0.07
Oropharynx	29	1.1	0.20	0.8	0.15	14	0.4	0.11	0.3	0.08
Hypopharynx	45	1.7	0.25	1.2	0.19	7	0.2	0.08	0.1	0.06
Digestive System	2,528	100.1	2.03	62.4	1.31	2,266	66.5	1.46	40.2	0.99
Esophagus	257	10.1	0.64	6.7	0.44	78	2.2	0.26	1.4	0.18
Stomach	246	9.7	0.63	5.8	0.39	145	4.2	0.37	2.5	0.25
Small intestine	70	2.9	0.35	1.9	0.24	87	2.7	0.30	1.9	0.22
Colon excl. rectum	737	30.0	1.13	17.5	0.69	957	26.9	0.91	15.2	0.59
Rectum & rectosigmoid	385	15.0	0.78	9.9	0.53	289	9.2	0.57	6.1	0.41
Anus, anal canal & anorectum	30	1.2	0.22	0.8	0.15	74	2.2	0.27	1.6	0.20
Liver	265	9.9	0.62	7.0	0.45	85	2.7	0.30	1.7	0.21
Gallbladder	24	1.0	0.20	0.5	0.11	55	1.6	0.22	0.9	0.14
Pancreas	378	14.9	0.78	9.0	0.49	338	9.8	0.56	5.6	0.35
Respiratory System	2,263	90.2	1.93	54.7	1.21	2,202	67.7	1.48	43.6	1.03
Larynx	204	8.0	0.57	5.3	0.39	68	2.2	0.27	1.5	0.20
Lung & bronchus	2,038	81.4	1.83	48.8	1.14	2,113	64.8	1.45	41.5	1.00
Bones & Joints	20	0.9	0.20	0.7	0.18	12	0.5	0.14	0.4	0.13
Soft Tissue (incl. heart)	110	4.4	0.43	3.3	0.35	76	2.7	0.32	2.2	0.30
Skin (excl. basal & sq.)	724	29.2	1.11	19.0	0.76	638	21.9	0.91	16.3	0.73
Melanomas of the skin	652	26.1	1.04	17.4	0.73	579	20.2	0.88	15.3	0.71
Breast (excl. *in situ*)	46	1.8	0.27	1.2	0.18	4,047	133.5	2.17	96.9	1.64
Female Genital System	-	-	-	-	-	1,691	54.6	1.37	40.8	1.07
Cervix uteri	-	-	-	-	-	162	6.4	0.52	5.1	0.42
Uterus Corpus	-	-	-	-	-	943	29.8	1.00	22.4	0.77
Uterus, NOS[1]	-	-	-	-	-	39	1.1	0.19	0.8	0.14
Ovary	-	-	-	-	-	324	10.3	0.59	7.7	0.47
Male Genital System	3,474	131.3	2.28	96.4	1.69	-	-	-	-	-
Prostate	3,284	122.5	2.18	88.7	1.59	-	-	-	-	-
Testis	166	7.9	0.62	7.2	0.57	-	-	-	-	-
Penis	18	0.7	0.17	0.4	0.10	-	-	-	-	-
Urinary System	1,837	73.5	1.75	44.4	1.11	832	26.2	0.94	17.2	0.70
Bladder (incl. *in situ*)	1,199	48.3	1.42	27.3	0.85	462	14.0	0.68	8.6	0.46
Kidney & renal pelvis	606	23.9	0.99	16.4	0.71	348	11.6	0.65	8.2	0.52
Ureter	16	0.7	0.18	0.4	0.10	15	0.4	0.11	0.2	0.06
Eye & Orbit	22	0.9	0.19	0.7	0.19	16	0.6	0.16	0.6	0.19
Brain & Other Nervous System	189	7.9	0.59	6.5	0.54	154	5.5	0.47	4.8	0.47
Brain	184	7.7	0.58	6.3	0.53	144	5.1	0.45	4.4	0.45
Endocrine System	254	10.4	0.67	8.7	0.59	773	30.5	1.14	25.2	0.97
Thyroid gland	237	9.6	0.64	8.0	0.55	752	29.8	1.12	24.6	0.95
Lymphomas	703	28.6	1.10	20.2	0.82	650	21.1	0.86	14.8	0.67
Hodgkin Lymphoma	95	4.2	0.44	3.9	0.42	75	3.0	0.36	2.8	0.36
Non-Hodgkin Lymphoma	608	24.4	1.01	16.3	0.71	575	18.1	0.79	11.9	0.57
Multiple Myeloma	175	7.1	0.54	4.3	0.35	150	4.6	0.39	2.8	0.26
Leukemias	442	18.1	0.88	12.5	0.68	317	10.0	0.59	7.1	0.52
Acute lymphocytic	35	1.7	0.29	1.8	0.35	25	1.1	0.24	1.4	0.33
Chronic lymphocytic	160	6.4	0.51	4.0	0.33	114	3.4	0.33	2.2	0.23
Acute myeloid	126	5.1	0.46	3.2	0.32	91	2.8	0.31	1.8	0.25
Chronic myeloid	55	2.3	0.31	1.7	0.26	39	1.2	0.20	0.7	0.14
Other leukemias	66	2.8	0.35	1.8	0.25	48	1.5	0.22	1.0	0.18
Mesothelioma	54	2.2	0.30	1.2	0.17	10	0.3	0.09	0.2	0.06
Kaposi Sarcoma	21	0.9	0.20	0.7	0.16	-	-	-	-	-
Ill-defined & Unknown	457	18.6	0.88	10.7	0.54	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	182	7.3	0.55	5.7	0.46	356	11.9	0.66	8.6	0.52
Breast (*in situ*)	-	-	-	-	-	1,101	37.8	1.17	28.7	0.90

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	553	472.1	22.29	310.6	13.61	555	354.5	15.46	251.9	11.10
Oral Cavity & Pharynx	17	12.1	3.28	8.4	2.11	8	4.9	1.79	3.4	1.26
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	109	93.4	9.88	62.2	6.14	108	72.0	7.10	48.4	4.87
Esophagus	6	5.9	2.66	3.5	1.47	-	-	-	-	-
Stomach	21	20.3	4.94	12.2	2.74	14	9.3	2.55	6.2	1.74
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	23	21.6	4.86	13.9	2.98	34	22.2	3.91	15.7	2.77
Rectum & rectosigmoid	9	9.2	3.38	4.9	1.68	14	8.1	2.22	6.5	1.78
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	24	14.7	3.11	12.9	2.68	8	5.7	2.04	4.4	1.61
Gallbladder	-	-	-	-	-	7	4.4	1.69	3.8	1.47
Pancreas	11	9.9	3.21	6.6	2.05	17	12.4	3.08	6.4	1.65
Respiratory System	75	73.9	9.40	42.7	5.05	92	61.6	6.58	43.5	4.71
Larynx	11	11.1	3.70	6.0	1.86	-	-	-	-	-
Lung & bronchus	63	61.6	8.57	36.0	4.64	89	60.2	6.52	42.3	4.66
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	153	94.9	7.85	70.0	5.85
Female Genital System	-	-	-	-	-	53	33.4	4.71	25.1	3.55
Cervix uteri	-	-	-	-	-	6	3.9	1.60	3.3	1.35
Uterus Corpus	-	-	-	-	-	25	15.9	3.25	11.6	2.40
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	6.2	2.02	4.7	1.51
Male Genital System	207	169.1	13.01	118.0	8.45	-	-	-	-	-
Prostate	201	165.1	12.84	115.3	8.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	39	33.3	5.84	21.7	3.60	27	18.2	3.59	11.7	2.35
Bladder (incl. *in situ*)	18	16.5	4.23	10.3	2.49	11	8.3	2.53	4.7	1.52
Kidney & renal pelvis	19	14.5	3.67	10.3	2.43	16	9.9	2.54	7.0	1.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	6	3.7	1.59	3.0	1.26
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	19	14.8	3.86	10.1	2.39	39	22.3	3.68	17.7	2.91
Thyroid gland	16	12.4	3.49	8.4	2.17	37	20.9	3.53	17.0	2.86
Lymphomas	32	24.9	5.00	16.3	2.96	18	12.2	3.01	6.9	1.67
Hodgkin Lymphoma	9	5.9	2.30	4.4	1.49	-	-	-	-	-
Non-Hodgkin Lymphoma	23	19.1	4.44	11.9	2.56	-	-	-	-	-
Multiple Myeloma	11	11.1	3.64	6.3	1.96	18	11.0	2.66	8.0	1.95
Leukemias	19	17.5	4.59	10.0	2.36	14	8.9	2.46	6.3	1.74
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	6	6.7	3.04	3.1	1.29	-	-	-	-	-
Other leukemias	7	5.3	2.21	3.7	1.43	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	16	13.6	3.61	9.6	2.49	11	7.2	2.24	4.6	1.49
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	13	9.3	2.87	6.7	1.92	23	12.9	2.79	9.4	2.02
Breast (*in situ*)	-	-	-	-	-	39	22.3	3.65	17.2	2.82

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	151	302.1	27.69	200.0	16.58	142	223.2	20.26	150.5	12.86
Oral Cavity & Pharynx	6	7.6	3.24	6.6	2.77	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	51	102.6	15.95	69.8	9.92	23	40.2	9.01	25.9	5.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	12.9	5.24	9.3	3.54	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	19.7	6.72	14.6	4.65	6	11.7	4.98	7.1	2.91
Rectum & rectosigmoid	7	13.8	5.75	9.3	3.54	6	9.3	4.18	6.6	2.70
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	13	24.5	7.56	18.1	5.10	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	12	32.6	10.29	17.0	4.96	13	24.0	7.14	13.0	3.70
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	11	31.2	10.20	15.6	4.75	13	24.0	7.14	13.0	3.70
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	48	70.1	10.77	50.6	7.38
Female Genital System	-	-	-	-	-	21	31.0	7.29	22.1	4.89
Cervix uteri	-	-	-	-	-	7	11.6	4.97	6.8	2.61
Uterus Corpus	-	-	-	-	-	8	10.4	3.70	8.8	3.16
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	9.1	3.85	6.4	2.67
Male Genital System	34	69.9	13.25	45.5	7.92	-	-	-	-	-
Prostate	32	67.8	13.15	43.6	7.80	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	19.8	7.41	13.0	4.36	7	12.6	5.20	7.7	2.95
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	7	7.8	3.05	7.5	2.94	10	12.1	3.98	9.8	3.15
Thyroid gland	6	6.5	2.80	5.8	2.42	9	10.8	3.78	8.8	2.98
Lymphomas	11	20.1	6.69	13.2	4.05	6	7.3	3.00	7.1	3.02
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	6	7.3	3.00	7.1	3.02
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	6	11.8	5.82	7.7	3.28	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	17.6	6.67	12.2	4.13	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	16	25.7	6.97	17.2	4.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	10	327.7	104.44	278.9	88.75	12	350.2	107.74	204.7	61.43
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	557	399.6	20.02	266.5	11.81	559	288.2	13.36	198.2	8.69
Oral Cavity & Pharynx	21	12.4	3.17	9.2	2.11	7	4.0	1.71	2.2	0.87
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	4.8	2.21	3.2	1.32	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	122	89.1	9.64	57.4	5.43	89	54.7	6.26	33.1	3.62
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	15	9.4	2.83	6.7	1.78	11	6.3	2.13	3.3	1.02
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	30	23.4	5.28	12.9	2.49	22	14.0	3.21	8.3	1.81
Rectum & rectosigmoid	19	12.9	3.36	9.0	2.13	11	6.0	1.97	4.0	1.26
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	24	14.5	3.56	10.9	2.32	13	8.9	2.58	5.4	1.53
Gallbladder	-	-	-	-	-	7	4.2	1.70	2.7	1.04
Pancreas	13	10.6	3.28	6.7	1.93	12	6.9	2.20	4.2	1.26
Respiratory System	62	56.6	8.22	32.8	4.30	38	22.1	3.89	14.1	2.36
Larynx	7	5.0	2.14	3.4	1.33	-	-	-	-	-
Lung & bronchus	54	51.4	7.94	29.1	4.08	36	21.4	3.86	13.5	2.32
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	8	4.9	2.39	2.4	0.90	6	3.3	1.57	2.0	0.82
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	6	3.7	1.65	2.0	0.84
Breast (excl. *in situ*)	-	-	-	-	-	159	74.2	6.28	56.8	4.67
Female Genital System	-	-	-	-	-	80	40.4	4.92	28.9	3.36
Cervix uteri	-	-	-	-	-	19	7.9	1.92	6.3	1.52
Uterus Corpus	-	-	-	-	-	30	12.8	2.44	10.9	2.06
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	6.8	2.14	4.5	1.35
Male Genital System	179	129.3	10.97	94.3	7.27	-	-	-	-	-
Prostate	171	126.7	10.93	91.9	7.22	-	-	-	-	-
Testis	7	2.2	0.84	1.9	0.74	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	39	33.2	6.20	19.0	3.15	26	15.0	3.23	9.3	1.88
Bladder (incl. *in situ*)	20	20.9	5.23	10.5	2.43	-	-	-	-	-
Kidney & renal pelvis	19	12.4	3.33	8.5	2.01	20	10.6	2.61	6.9	1.58
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	4.8	1.96	3.5	1.15	10	4.7	1.67	3.5	1.15
Brain	9	4.6	1.95	3.2	1.10	8	3.9	1.55	2.6	0.97
Endocrine System	17	8.2	2.34	6.7	1.73	54	21.6	3.14	17.3	2.43
Thyroid gland	15	6.4	1.77	5.9	1.62	54	21.6	3.14	17.3	2.43
Lymphomas	35	21.3	4.54	13.3	2.38	32	15.6	3.03	11.2	2.06
Hodgkin Lymphoma	13	5.4	1.95	4.5	1.31	-	-	-	-	-
Non-Hodgkin Lymphoma	22	15.9	4.10	8.8	1.99	-	-	-	-	-
Multiple Myeloma	10	6.2	2.09	5.0	1.67	16	10.3	2.80	5.8	1.48
Leukemias	24	12.5	3.23	8.7	1.85	9	4.6	1.73	2.9	1.01
Acute lymphocytic	6	2.0	0.84	1.8	0.74	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	7	5.1	2.42	2.8	1.12	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	20	16.4	4.32	9.9	2.33	24	13.2	2.99	8.3	1.76
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	9	4.5	1.90	3.4	1.20	25	12.1	2.78	7.4	1.51
Breast (*in situ*)	-	-	-	-	-	57	25.4	3.58	19.6	2.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

RHODE ISLAND

350 Incidence – Hispanic/Latino, All Races

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	13,079	540.5	4.83	358.2	3.39	13,814	470.0	4.20	329.2	3.24
Oral Cavity & Pharynx	428	17.1	0.84	12.0	0.61	177	6.2	0.49	4.3	0.37
Lip	12	0.5	0.15	0.3	0.10	8	0.2	0.09	0.1	0.06
Tongue	140	5.6	0.49	4.0	0.36	50	1.6	0.25	1.2	0.20
Major salivary gland	37	1.6	0.27	0.9	0.17	30	1.1	0.22	0.9	0.18
Floor of mouth	26	1.0	0.20	0.7	0.15	6	0.2	0.10	0.1	0.06
Gum & other mouth	52	2.1	0.30	1.3	0.19	40	1.5	0.25	1.0	0.19
Nasopharynx	18	0.8	0.18	0.5	0.13	7	0.3	0.11	0.2	0.08
Oropharynx	27	1.1	0.21	0.8	0.15	14	0.4	0.12	0.3	0.08
Hypopharynx	43	1.7	0.26	1.2	0.19	6	0.2	0.07	0.1	0.06
Digestive System	2,386	98.7	2.06	61.3	1.34	2,153	65.9	1.49	39.8	1.02
Esophagus	251	10.3	0.66	6.9	0.46	75	2.2	0.27	1.4	0.19
Stomach	226	9.3	0.63	5.5	0.39	133	3.9	0.35	2.3	0.24
Small intestine	67	2.9	0.37	1.9	0.25	81	2.7	0.30	1.9	0.23
Colon excl. rectum	699	29.6	1.14	17.2	0.70	928	27.2	0.94	15.4	0.61
Rectum & rectosigmoid	365	15.0	0.80	9.9	0.55	275	9.3	0.59	6.2	0.44
Anus, anal canal & anorectum	29	1.2	0.22	0.8	0.16	67	2.1	0.26	1.5	0.20
Liver	240	9.4	0.62	6.6	0.45	73	2.4	0.29	1.5	0.20
Gallbladder	23	1.0	0.21	0.5	0.11	48	1.4	0.21	0.8	0.13
Pancreas	362	14.8	0.79	8.9	0.50	322	9.8	0.57	5.6	0.36
Respiratory System	2,171	89.9	1.96	54.5	1.24	2,134	68.5	1.53	44.3	1.07
Larynx	195	8.0	0.58	5.3	0.40	66	2.2	0.28	1.5	0.21
Lung & bronchus	1,957	81.0	1.86	48.6	1.16	2,047	65.5	1.49	42.1	1.03
Bones & Joints	18	0.9	0.21	0.7	0.19	12	0.5	0.16	0.5	0.15
Soft Tissue (incl. heart)	100	4.3	0.44	3.3	0.37	68	2.6	0.33	2.1	0.30
Skin (excl. basal & sq.)	701	29.8	1.15	19.5	0.80	614	22.8	0.98	17.2	0.81
Melanomas of the skin	634	26.8	1.09	18.0	0.78	555	21.0	0.94	16.1	0.79
Breast (excl. *in situ*)	45	1.8	0.28	1.2	0.19	3,880	135.8	2.27	98.6	1.72
Female Genital System	-	-	-	-	-	1,612	55.2	1.44	41.3	1.13
Cervix uteri	-	-	-	-	-	145	6.3	0.55	5.0	0.45
Uterus Corpus	-	-	-	-	-	910	30.4	1.04	22.8	0.81
Uterus, NOS[1]	-	-	-	-	-	37	1.2	0.20	0.8	0.15
Ovary	-	-	-	-	-	312	10.6	0.63	7.9	0.50
Male Genital System	3,268	129.8	2.33	95.3	1.73	-	-	-	-	-
Prostate	3,089	120.4	2.21	87.0	1.61	-	-	-	-	-
Testis	155	8.5	0.70	7.7	0.64	-	-	-	-	-
Penis	18	0.7	0.17	0.4	0.11	-	-	-	-	-
Urinary System	1,782	74.3	1.79	45.1	1.16	792	26.2	0.98	17.2	0.74
Bladder (incl. *in situ*)	1,167	48.6	1.45	27.7	0.88	447	14.2	0.70	8.7	0.49
Kidney & renal pelvis	583	24.3	1.03	16.7	0.75	324	11.4	0.67	8.1	0.54
Ureter	16	0.7	0.18	0.4	0.10	15	0.4	0.11	0.2	0.07
Eye & Orbit	21	0.9	0.20	0.8	0.23	14	0.6	0.16	0.5	0.18
Brain & Other Nervous System	176	7.9	0.62	6.5	0.58	140	5.5	0.50	4.7	0.50
Brain	172	7.8	0.61	6.4	0.58	131	5.0	0.47	4.4	0.49
Endocrine System	238	10.7	0.72	8.9	0.63	703	30.9	1.22	25.7	1.05
Thyroid gland	222	9.8	0.68	8.1	0.58	682	30.1	1.21	25.0	1.03
Lymphomas	661	28.4	1.13	20.2	0.86	618	21.2	0.90	14.9	0.72
Hodgkin Lymphoma	83	4.1	0.46	3.7	0.44	73	3.3	0.41	3.2	0.42
Non-Hodgkin Lymphoma	578	24.3	1.04	16.4	0.74	545	17.9	0.81	11.7	0.58
Multiple Myeloma	166	7.0	0.55	4.2	0.35	135	4.3	0.38	2.6	0.25
Leukemias	415	17.9	0.90	12.5	0.73	304	10.2	0.63	7.4	0.60
Acute lymphocytic	30	1.6	0.31	1.9	0.41	23	1.2	0.28	1.6	0.40
Chronic lymphocytic	155	6.4	0.53	4.1	0.34	111	3.5	0.34	2.2	0.24
Acute myeloid	119	5.0	0.47	3.1	0.33	89	2.9	0.33	1.9	0.28
Chronic myeloid	52	2.3	0.33	1.7	0.29	36	1.1	0.20	0.7	0.14
Other leukemias	59	2.5	0.34	1.6	0.24	45	1.5	0.23	1.0	0.21
Mesothelioma	52	2.2	0.31	1.2	0.17	10	0.3	0.10	0.2	0.06
Kaposi Sarcoma	19	0.9	0.21	0.7	0.16	-	-	-	-	-
Ill-defined & Unknown	432	18.2	0.89	10.4	0.55	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	172	7.3	0.58	5.8	0.50	330	11.7	0.68	8.5	0.55
Breast (*in situ*)	-	-	-	-	-	1,041	38.1	1.22	28.9	0.95

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Rhode Island, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	486	505.3	25.25	335.6	15.70	481	380.6	17.67	274.6	13.01
Oral Cavity & Pharynx	15	12.9	3.71	9.0	2.39	7	5.2	2.01	4.0	1.58
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	101	104.6	11.41	71.1	7.29	90	74.0	7.93	50.7	5.60
Esophagus	6	7.1	3.15	4.3	1.80	-	-	-	-	-
Stomach	20	23.7	5.84	14.4	3.32	13	10.8	3.03	7.2	2.11
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	20	22.3	5.33	15.6	3.56	30	24.2	4.49	17.3	3.27
Rectum & rectosigmoid	8	9.6	3.78	5.0	1.83	12	8.9	2.60	7.1	2.12
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	23	17.2	3.72	15.1	3.22	-	-	-	-	-
Gallbladder	-	-	-	-	-	6	4.8	1.98	4.2	1.75
Pancreas	10	10.9	3.70	7.1	2.30	13	11.6	3.25	5.7	1.72
Respiratory System	69	81.7	10.77	48.3	5.96	84	68.1	7.56	48.9	5.55
Larynx	10	12.7	4.37	6.7	2.19	-	-	-	-	-
Lung & bronchus	58	67.6	9.75	40.7	5.48	81	66.2	7.48	47.4	5.48
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	135	104.8	9.15	78.5	6.99
Female Genital System	-	-	-	-	-	50	39.0	5.62	29.2	4.25
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	25	19.5	3.97	14.4	2.99
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	7.7	2.49	5.9	1.91
Male Genital System	173	174.2	14.59	120.4	9.45	-	-	-	-	-
Prostate	168	170.0	14.40	117.5	9.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	37	38.6	6.91	24.8	4.23	21	17.2	3.82	11.1	2.55
Bladder (incl. *in situ*)	17	19.1	5.01	11.7	2.92	10	8.9	2.84	5.1	1.76
Kidney & renal pelvis	18	16.8	4.33	11.7	2.86	11	8.3	2.56	6.0	1.84
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	15	14.5	4.18	10.3	2.73	32	23.6	4.25	18.8	3.41
Thyroid gland	13	13.5	4.12	8.7	2.49	31	22.6	4.12	18.5	3.39
Lymphomas	26	24.0	5.24	16.8	3.39	16	13.2	3.41	7.7	1.99
Hodgkin Lymphoma	8	5.2	1.85	4.9	1.76	-	-	-	-	-
Non-Hodgkin Lymphoma	18	18.8	4.91	11.9	2.90	-	-	-	-	-
Multiple Myeloma	10	12.2	4.20	6.6	2.19	14	10.7	2.89	7.9	2.17
Leukemias	17	18.9	5.16	11.4	2.83	13	10.4	2.94	7.3	2.11
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	6	8.0	3.61	3.7	1.56	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	15.1	4.13	10.8	2.90	9	7.5	2.56	4.8	1.75
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	12	10.8	3.43	7.8	2.33	17	11.9	2.97	8.9	2.24
Breast (*in situ*)	-	-	-	-	-	32	23.4	4.19	18.4	3.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	63,617	538.7	2.21	357.6	1.46	57,339	408.6	1.74	285.6	1.28
Oral Cavity & Pharynx	2,363	19.0	0.40	13.9	0.29	879	6.3	0.22	4.5	0.16
Lip	75	0.7	0.08	0.4	0.05	22	0.2	0.03	0.1	0.02
Tongue	675	5.3	0.21	4.0	0.16	267	1.9	0.12	1.4	0.09
Major salivary gland	210	1.9	0.14	1.2	0.08	122	0.9	0.08	0.7	0.07
Floor of mouth	154	1.2	0.10	0.9	0.07	59	0.4	0.05	0.3	0.04
Gum & other mouth	249	2.1	0.14	1.4	0.09	171	1.2	0.09	0.7	0.06
Nasopharynx	90	0.7	0.08	0.6	0.06	47	0.4	0.05	0.3	0.04
Oropharynx	133	1.0	0.09	0.8	0.07	35	0.2	0.04	0.2	0.03
Hypopharynx	189	1.5	0.11	1.1	0.08	29	0.2	0.04	0.1	0.03
Digestive System	11,477	98.0	0.95	64.0	0.61	9,440	65.7	0.69	42.2	0.47
Esophagus	1,058	8.7	0.28	5.9	0.18	270	1.8	0.11	1.2	0.08
Stomach	1,106	9.6	0.30	6.2	0.19	651	4.5	0.18	2.9	0.12
Small intestine	349	2.9	0.16	2.0	0.11	307	2.1	0.12	1.5	0.09
Colon excl. rectum	3,817	33.4	0.56	21.0	0.35	3,957	27.5	0.44	17.4	0.30
Rectum & rectosigmoid	1,613	13.4	0.34	9.4	0.24	1,179	8.3	0.25	5.8	0.18
Anus, anal canal & anorectum	176	1.5	0.11	1.1	0.08	290	2.0	0.12	1.4	0.09
Liver	1,209	9.7	0.29	6.9	0.20	375	2.6	0.14	1.8	0.10
Gallbladder	91	0.9	0.09	0.5	0.05	201	1.4	0.10	0.8	0.06
Pancreas	1,654	14.5	0.37	8.9	0.22	1,668	11.6	0.29	6.9	0.18
Respiratory System	11,777	100.6	0.96	63.2	0.59	8,204	56.4	0.63	36.8	0.43
Larynx	1,073	8.7	0.27	6.0	0.19	248	1.7	0.11	1.3	0.08
Lung & bronchus	10,563	90.6	0.91	56.3	0.56	7,855	54.0	0.62	35.1	0.42
Bones & Joints	121	1.1	0.10	0.9	0.09	87	0.7	0.08	0.6	0.07
Soft Tissue (incl. heart)	410	3.8	0.19	2.6	0.14	348	2.7	0.15	2.2	0.13
Skin (excl. basal & sq.)	3,530	30.8	0.54	20.1	0.35	2,526	19.1	0.39	14.4	0.31
Melanomas of the skin	3,306	28.7	0.52	18.9	0.34	2,413	18.2	0.38	13.9	0.30
Breast (excl. *in situ*)	228	2.0	0.14	1.3	0.09	17,537	125.3	0.97	90.3	0.72
Female Genital System	-	-	-	-	-	6,181	44.2	0.58	32.5	0.44
Cervix uteri	-	-	-	-	-	978	8.0	0.26	6.3	0.21
Uterus Corpus	-	-	-	-	-	3,085	21.1	0.39	15.7	0.29
Uterus, NOS[1]	-	-	-	-	-	115	0.8	0.07	0.5	0.05
Ovary	-	-	-	-	-	1,392	9.9	0.27	7.0	0.20
Male Genital System	17,964	143.3	1.11	101.1	0.77	-	-	-	-	-
Prostate	17,391	138.1	1.08	96.5	0.74	-	-	-	-	-
Testis	468	4.3	0.20	4.0	0.19	-	-	-	-	-
Penis	88	0.8	0.09	0.5	0.05	-	-	-	-	-
Urinary System	6,186	55.0	0.73	33.5	0.44	2,892	20.3	0.38	13.6	0.27
Bladder (incl. *in situ*)	3,595	33.1	0.57	18.5	0.32	1,239	8.6	0.25	5.1	0.16
Kidney & renal pelvis	2,458	20.7	0.43	14.3	0.30	1,563	11.1	0.29	8.1	0.22
Ureter	102	0.9	0.09	0.5	0.05	56	0.4	0.05	0.2	0.03
Eye & Orbit	91	0.8	0.09	0.6	0.07	85	0.6	0.07	0.6	0.07
Brain & Other Nervous System	892	7.6	0.26	6.0	0.22	679	5.1	0.20	4.3	0.19
Brain	854	7.2	0.25	5.7	0.21	643	4.8	0.19	4.1	0.18
Endocrine System	702	6.0	0.23	4.6	0.18	2,122	16.8	0.37	13.8	0.31
Thyroid gland	611	5.2	0.22	3.9	0.16	2,030	16.1	0.37	13.1	0.30
Lymphomas	2,609	23.0	0.46	15.9	0.33	2,182	15.9	0.35	11.1	0.26
Hodgkin Lymphoma	327	2.9	0.16	2.6	0.15	287	2.4	0.15	2.2	0.14
Non-Hodgkin Lymphoma	2,282	20.0	0.43	13.3	0.29	1,895	13.5	0.32	8.9	0.22
Multiple Myeloma	990	8.6	0.28	5.4	0.17	847	5.9	0.20	3.7	0.14
Leukemias	1,795	16.5	0.40	11.1	0.28	1,280	9.3	0.27	6.7	0.22
Acute lymphocytic	184	1.7	0.12	2.0	0.16	122	1.0	0.10	1.3	0.13
Chronic lymphocytic	623	5.6	0.23	3.3	0.14	416	2.9	0.14	1.7	0.09
Acute myeloid	521	4.9	0.22	3.0	0.14	411	3.0	0.15	2.0	0.11
Chronic myeloid	232	2.1	0.15	1.4	0.09	167	1.2	0.10	0.9	0.08
Other leukemias	235	2.2	0.15	1.3	0.09	164	1.2	0.09	0.8	0.07
Mesothelioma	156	1.4	0.12	0.8	0.06	42	0.3	0.05	0.2	0.03
Kaposi Sarcoma	39	0.4	0.06	0.3	0.05	9	0.1	0.02	0.0	0.02
Ill-defined & Unknown	2,287	20.9	0.45	12.3	0.27	1,999	14.0	0.32	8.2	0.20
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	845	7.5	0.27	5.4	0.19	1,821	13.2	0.32	9.6	0.24
Breast (*in situ*)	28	0.2	0.05	0.2	0.03	4,203	29.9	0.47	22.3	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	47,385	521.0	2.47	342.7	1.65	43,054	416.8	2.06	291.8	1.54
Oral Cavity & Pharynx	1,808	19.2	0.46	14.0	0.34	682	6.5	0.26	4.6	0.19
Lip	66	0.7	0.09	0.5	0.06	21	0.2	0.04	0.1	0.03
Tongue	555	5.8	0.25	4.3	0.19	214	2.1	0.14	1.5	0.11
Major salivary gland	187	2.2	0.17	1.3	0.10	82	0.8	0.09	0.6	0.08
Floor of mouth	109	1.1	0.11	0.8	0.08	48	0.4	0.07	0.3	0.05
Gum & other mouth	174	1.9	0.15	1.3	0.10	137	1.3	0.11	0.8	0.07
Nasopharynx	49	0.6	0.08	0.4	0.06	31	0.3	0.06	0.3	0.05
Oropharynx	90	0.9	0.10	0.7	0.08	26	0.3	0.05	0.2	0.04
Hypopharynx	115	1.2	0.11	0.9	0.08	18	0.2	0.04	0.1	0.03
Digestive System	8,094	89.9	1.03	58.0	0.67	6,509	60.5	0.77	38.6	0.52
Esophagus	733	7.8	0.30	5.3	0.20	187	1.7	0.12	1.1	0.08
Stomach	634	7.1	0.29	4.5	0.18	342	3.1	0.17	2.0	0.12
Small intestine	243	2.6	0.17	1.8	0.12	194	1.8	0.13	1.3	0.10
Colon excl. rectum	2,743	31.1	0.61	19.3	0.38	2,746	25.5	0.50	15.7	0.33
Rectum & rectosigmoid	1,203	13.1	0.39	9.2	0.27	892	8.6	0.30	6.0	0.22
Anus, anal canal & anorectum	127	1.4	0.12	1.0	0.09	234	2.2	0.15	1.6	0.11
Liver	874	9.3	0.32	6.4	0.23	256	2.4	0.15	1.7	0.12
Gallbladder	62	0.8	0.10	0.4	0.06	129	1.2	0.11	0.7	0.07
Pancreas	1,164	13.2	0.40	7.9	0.24	1,131	10.3	0.31	6.1	0.20
Respiratory System	8,982	98.5	1.07	61.0	0.66	6,620	60.6	0.76	39.5	0.52
Larynx	717	7.6	0.29	5.2	0.20	181	1.7	0.13	1.3	0.10
Lung & bronchus	8,164	89.7	1.02	55.0	0.63	6,363	58.2	0.74	37.8	0.50
Bones & Joints	95	1.2	0.13	1.0	0.12	65	0.8	0.10	0.6	0.09
Soft Tissue (incl. heart)	309	3.7	0.22	2.6	0.16	231	2.4	0.17	2.0	0.15
Skin (excl. basal & sq.)	3,392	38.2	0.68	25.2	0.45	2,385	25.2	0.53	19.2	0.43
Melanomas of the skin	3,191	35.8	0.65	23.8	0.44	2,301	24.3	0.52	18.7	0.43
Breast (excl. *in situ*)	158	1.8	0.14	1.1	0.09	12,917	125.3	1.13	89.9	0.84
Female Genital System	-	-	-	-	-	4,458	44.1	0.68	32.7	0.52
Cervix uteri	-	-	-	-	-	640	7.7	0.32	6.1	0.25
Uterus Corpus	-	-	-	-	-	2,212	20.8	0.45	15.7	0.35
Uterus, NOS[1]	-	-	-	-	-	61	0.6	0.07	0.4	0.06
Ovary	-	-	-	-	-	1,071	10.4	0.33	7.3	0.25
Male Genital System	11,782	121.8	1.16	85.5	0.81	-	-	-	-	-
Prostate	11,293	115.5	1.12	79.8	0.76	-	-	-	-	-
Testis	418	5.5	0.27	5.1	0.26	-	-	-	-	-
Penis	58	0.7	0.09	0.4	0.06	-	-	-	-	-
Urinary System	5,217	59.4	0.85	35.9	0.52	2,204	20.9	0.46	13.9	0.33
Bladder (incl. *in situ*)	3,246	37.6	0.68	21.2	0.38	999	9.2	0.30	5.6	0.19
Kidney & renal pelvis	1,863	20.5	0.49	14.1	0.34	1,134	11.1	0.34	8.0	0.26
Ureter	86	1.0	0.11	0.5	0.06	48	0.4	0.06	0.2	0.03
Eye & Orbit	82	0.9	0.11	0.7	0.09	76	0.8	0.09	0.7	0.09
Brain & Other Nervous System	751	8.5	0.32	6.7	0.27	561	5.9	0.26	4.9	0.25
Brain	722	8.1	0.31	6.4	0.26	534	5.6	0.25	4.6	0.24
Endocrine System	579	6.6	0.28	5.2	0.23	1,628	18.6	0.48	15.3	0.40
Thyroid gland	517	5.9	0.26	4.5	0.21	1,571	17.9	0.47	14.8	0.39
Lymphomas	2,113	24.2	0.54	16.5	0.38	1,731	17.0	0.42	11.7	0.32
Hodgkin Lymphoma	232	2.9	0.19	2.5	0.18	208	2.6	0.18	2.3	0.17
Non-Hodgkin Lymphoma	1,881	21.3	0.51	13.9	0.34	1,523	14.4	0.38	9.4	0.27
Multiple Myeloma	630	7.1	0.29	4.3	0.18	465	4.3	0.20	2.6	0.13
Leukemias	1,443	17.2	0.47	11.8	0.35	975	9.7	0.32	7.0	0.28
Acute lymphocytic	147	2.0	0.16	2.5	0.22	96	1.2	0.13	1.6	0.18
Chronic lymphocytic	507	5.8	0.27	3.4	0.16	317	2.9	0.16	1.7	0.11
Acute myeloid	431	5.1	0.25	3.3	0.17	313	3.1	0.18	2.1	0.14
Chronic myeloid	171	2.1	0.16	1.3	0.10	116	1.2	0.11	0.8	0.09
Other leukemias	187	2.3	0.17	1.4	0.11	133	1.3	0.12	0.8	0.09
Mesothelioma	143	1.6	0.14	0.9	0.08	38	0.3	0.06	0.2	0.04
Kaposi Sarcoma	17	0.2	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	1,790	21.0	0.51	12.3	0.31	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	650	7.7	0.31	5.6	0.24	1,307	13.0	0.37	9.5	0.29
Breast (*in situ*)	19	0.2	0.05	0.1	0.03	3,100	30.2	0.56	22.6	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	14,951	581.0	5.11	398.3	3.29	13,433	386.1	3.40	270.2	2.42
Oral Cavity & Pharynx	527	18.1	0.83	13.9	0.61	183	5.2	0.39	3.8	0.29
Lip	7	0.3	0.11	0.2	0.08	-	-	-	-	-
Tongue	113	3.7	0.36	3.0	0.28	51	1.4	0.20	1.1	0.16
Major salivary gland	21	0.8	0.18	0.6	0.13	37	1.1	0.18	0.8	0.14
Floor of mouth	44	1.5	0.23	1.2	0.18	11	0.3	0.09	0.2	0.07
Gum & other mouth	68	2.3	0.30	1.8	0.22	33	1.0	0.17	0.6	0.11
Nasopharynx	38	1.2	0.20	1.1	0.17	11	0.3	0.10	0.2	0.08
Oropharynx	43	1.6	0.26	1.1	0.17	7	0.2	0.07	0.1	0.05
Hypopharynx	73	2.7	0.34	1.9	0.22	11	0.3	0.10	0.2	0.07
Digestive System	3,232	127.6	2.42	85.0	1.51	2,779	80.7	1.56	52.5	1.03
Esophagus	316	11.7	0.71	8.3	0.47	82	2.3	0.26	1.6	0.18
Stomach	457	19.1	0.96	12.2	0.57	295	8.9	0.53	5.4	0.33
Small intestine	99	3.5	0.38	2.6	0.27	106	3.0	0.30	2.1	0.21
Colon excl. rectum	1,036	42.7	1.43	27.2	0.85	1,151	32.8	0.99	22.0	0.67
Rectum & rectosigmoid	377	14.1	0.78	9.9	0.51	272	7.6	0.47	5.4	0.34
Anus, anal canal & anorectum	47	1.8	0.27	1.3	0.19	51	1.5	0.21	0.9	0.14
Liver	307	10.1	0.61	7.9	0.46	100	2.8	0.29	1.9	0.20
Gallbladder	27	1.2	0.25	0.8	0.15	71	2.1	0.26	1.3	0.16
Pancreas	475	19.7	0.98	12.4	0.58	521	15.8	0.70	9.5	0.43
Respiratory System	2,702	108.6	2.25	71.2	1.38	1,512	43.4	1.14	29.1	0.77
Larynx	347	12.9	0.75	9.0	0.49	66	1.8	0.23	1.3	0.17
Lung & bronchus	2,316	94.1	2.11	61.1	1.28	1,421	40.9	1.11	27.3	0.75
Bones & Joints	25	0.8	0.16	0.7	0.15	18	0.5	0.12	0.4	0.10
Soft Tissue (incl. heart)	89	3.5	0.40	2.5	0.27	109	3.1	0.31	2.5	0.25
Skin (excl. basal & sq.)	35	1.3	0.23	1.0	0.17	68	2.0	0.25	1.3	0.17
Melanomas of the skin	15	0.5	0.14	0.4	0.11	43	1.3	0.20	0.8	0.13
Breast (excl. *in situ*)	65	2.8	0.37	1.7	0.21	4,393	124.3	1.91	90.8	1.40
Female Genital System	-	-	-	-	-	1,632	47.0	1.19	33.5	0.86
Cervix uteri	-	-	-	-	-	314	9.2	0.53	7.0	0.40
Uterus Corpus	-	-	-	-	-	837	23.8	0.84	17.0	0.60
Uterus, NOS[1]	-	-	-	-	-	52	1.5	0.22	1.0	0.14
Ovary	-	-	-	-	-	300	8.8	0.52	6.0	0.36
Male Genital System	5,552	208.7	3.00	148.2	2.01	-	-	-	-	-
Prostate	5,484	206.1	2.98	146.3	1.99	-	-	-	-	-
Testis	40	1.4	0.23	1.2	0.20	-	-	-	-	-
Penis	25	1.0	0.23	0.7	0.13	-	-	-	-	-
Urinary System	901	36.5	1.30	24.0	0.81	662	19.2	0.76	13.0	0.53
Bladder (incl. *in situ*)	307	13.9	0.85	8.1	0.47	227	6.9	0.47	3.8	0.27
Kidney & renal pelvis	571	21.7	0.97	15.3	0.65	417	11.8	0.59	8.8	0.45
Ureter	15	0.5	0.15	0.4	0.11	7	0.2	0.07	0.1	0.05
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	127	4.6	0.43	3.8	0.34	107	3.1	0.30	2.8	0.29
Brain	118	4.3	0.42	3.5	0.33	99	2.8	0.29	2.6	0.28
Endocrine System	109	4.1	0.42	3.1	0.30	457	13.1	0.62	10.5	0.50
Thyroid gland	81	3.2	0.38	2.3	0.26	422	12.1	0.60	9.6	0.48
Lymphomas	447	16.7	0.84	12.5	0.60	411	12.0	0.60	8.9	0.46
Hodgkin Lymphoma	89	3.1	0.34	2.7	0.28	78	2.3	0.26	2.0	0.23
Non-Hodgkin Lymphoma	358	13.6	0.76	9.8	0.53	333	9.7	0.54	6.9	0.39
Multiple Myeloma	341	13.9	0.81	9.1	0.49	368	10.7	0.57	7.0	0.38
Leukemias	292	12.2	0.77	8.2	0.49	259	7.6	0.48	5.5	0.37
Acute lymphocytic	35	1.0	0.18	1.2	0.21	22	0.6	0.14	0.7	0.16
Chronic lymphocytic	85	3.7	0.43	2.3	0.25	68	2.0	0.25	1.3	0.16
Acute myeloid	83	3.9	0.45	2.3	0.25	96	2.8	0.30	2.0	0.21
Chronic myeloid	48	1.9	0.29	1.3	0.20	46	1.3	0.20	1.0	0.15
Other leukemias	41	1.8	0.30	1.1	0.17	27	0.8	0.16	0.5	0.11
Mesothelioma	13	0.6	0.19	0.3	0.09	-	-	-	-	-
Kaposi Sarcoma	22	0.7	0.15	0.7	0.15	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	462	13.9	0.66	8.2	0.41
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	175	6.9	0.56	4.8	0.36	484	14.0	0.65	9.9	0.47
Breast (*in situ*)	8	0.3	0.10	0.2	0.08	1,048	29.4	0.93	21.8	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	281	281.6	20.90	174.9	10.74	406	283.1	15.53	185.2	9.32
Oral Cavity & Pharynx	8	5.3	1.95	4.1	1.49	6	3.8	1.75	2.4	0.99
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	76	63.9	8.56	43.6	5.11	90	71.0	8.29	41.1	4.38
Esophagus	7	7.4	3.17	3.8	1.47	-	-	-	-	-
Stomach	9	6.1	2.09	4.7	1.59	8	7.4	2.91	3.5	1.26
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	17	14.2	3.82	10.2	2.50	33	26.9	5.13	15.5	2.72
Rectum & rectosigmoid	11	11.1	4.42	7.0	2.21	10	7.0	2.41	4.5	1.43
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	18	16.0	4.33	10.2	2.44	14	10.9	3.13	6.4	1.73
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	6.0	2.01	5.0	1.70	11	9.7	3.37	4.9	1.50
Respiratory System	56	62.7	10.64	37.4	5.15	44	36.8	5.95	20.7	3.14
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	53	60.3	10.55	35.5	5.03	44	36.8	5.95	20.7	3.14
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	135	83.1	7.69	60.2	5.23
Female Genital System	-	-	-	-	-	48	30.4	4.89	21.5	3.14
Cervix uteri	-	-	-	-	-	13	7.8	2.30	5.8	1.63
Uterus Corpus	-	-	-	-	-	14	8.4	2.37	6.2	1.68
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	17	10.1	2.76	7.7	1.89
Male Genital System	62	71.4	10.96	40.1	5.20	-	-	-	-	-
Prostate	57	68.7	10.88	37.5	5.07	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	13.1	3.44	9.8	2.46	6	7.6	3.38	2.9	1.22
Bladder (incl. *in situ*)	8	5.5	1.94	4.7	1.68	-	-	-	-	-
Kidney & renal pelvis	6	6.3	2.70	4.0	1.62	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	9	9.2	3.67	5.8	1.96	-	-	-	-	-
Brain	9	9.2	3.67	5.8	1.96	-	-	-	-	-
Endocrine System	6	5.8	2.99	3.4	1.42	25	13.1	2.64	10.9	2.20
Thyroid gland	6	5.8	2.99	3.4	1.42	25	13.1	2.64	10.9	2.20
Lymphomas	17	18.3	5.80	10.0	2.57	14	12.2	3.50	6.4	1.74
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	14	12.2	3.50	6.4	1.74
Multiple Myeloma	6	7.3	3.96	4.2	1.79	-	-	-	-	-
Leukemias	7	7.0	3.84	4.3	1.79	9	5.3	1.87	5.3	1.85
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	9.9	3.62	6.7	2.12	9	5.9	2.08	4.1	1.37
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	10	6.2	1.97	5.4	1.74	12	7.4	2.33	5.2	1.52
Breast (*in situ*)	-	-	-	-	-	30	17.9	3.56	13.4	2.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	71	179.9	26.08	105.3	12.87	58	125.0	17.97	81.5	10.82
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	39.9	10.74	25.0	6.02	10	23.1	7.92	14.4	4.60
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	21.7	8.01	13.8	4.44	10	20.2	7.11	13.2	4.22
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	14.1	6.13	9.5	3.64	9	18.3	6.85	11.5	3.88
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	20	39.4	9.30	27.8	6.29
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	21	50.5	12.90	31.5	7.00	-	-	-	-	-
Prostate	20	49.3	12.84	30.4	6.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	6	11.7	5.13	8.0	3.28

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	707	319.6	15.15	210.8	8.71	786	326.4	13.25	226.6	8.54
Oral Cavity & Pharynx	23	8.4	2.21	6.2	1.44	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	2.9	1.05	2.5	0.92	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	152	71.7	7.30	45.4	4.00	121	62.7	6.27	39.2	3.70
Esophagus	11	5.2	1.86	3.6	1.16	-	-	-	-	-
Stomach	28	11.5	2.89	7.0	1.49	11	4.6	1.52	3.3	1.06
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	44	23.4	4.41	13.7	2.25	40	19.7	3.43	12.5	2.05
Rectum & rectosigmoid	18	6.2	1.69	4.9	1.24	20	8.6	2.12	6.0	1.39
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	29	13.0	2.92	9.5	1.87	6	3.1	1.44	1.8	0.77
Gallbladder	-	-	-	-	-	8	4.7	1.80	2.9	1.08
Pancreas	10	6.4	2.55	2.9	0.99	20	12.7	3.02	7.1	1.62
Respiratory System	100	55.7	6.63	34.7	3.68	68	37.2	4.93	22.4	2.81
Larynx	12	7.5	2.37	4.7	1.38	-	-	-	-	-
Lung & bronchus	85	47.7	6.19	29.6	3.40	66	36.7	4.91	21.8	2.77
Bones & Joints	9	1.8	0.73	1.9	0.69	-	-	-	-	-
Soft Tissue (incl. heart)	19	4.0	1.29	3.1	0.78	12	3.2	1.22	2.5	0.77
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	11	5.8	2.30	3.1	1.03	23	6.7	1.48	5.9	1.30
Breast (excl. *in situ*)	-	-	-	-	-	245	92.8	6.54	70.5	4.75
Female Genital System	-	-	-	-	-	106	39.3	4.42	27.8	2.89
Cervix uteri	-	-	-	-	-	28	6.7	1.32	5.4	1.09
Uterus Corpus	-	-	-	-	-	46	19.1	3.14	13.9	2.15
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	25	9.9	2.32	6.7	1.42
Male Genital System	172	76.9	6.80	57.9	4.75	-	-	-	-	-
Prostate	140	71.9	6.68	53.8	4.68	-	-	-	-	-
Testis	28	3.4	0.71	3.3	0.66	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	34.3	5.41	18.5	2.63	37	17.5	3.19	11.6	1.99
Bladder (incl. *in situ*)	26	18.5	4.21	8.9	1.85	6	3.0	1.31	2.3	0.95
Kidney & renal pelvis	30	14.6	3.18	9.3	1.83	31	14.4	2.90	9.3	1.75
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	17	3.5	1.00	3.4	0.95	21	6.2	1.58	5.3	1.23
Brain	17	3.5	1.00	3.4	0.95	21	6.2	1.58	5.3	1.23
Endocrine System	21	5.7	1.51	4.5	1.11	43	11.9	2.00	9.8	1.59
Thyroid gland	19	5.3	1.47	4.1	1.08	41	11.7	1.98	9.5	1.57
Lymphomas	41	14.7	3.28	9.0	1.63	42	17.9	3.21	12.3	2.01
Hodgkin Lymphoma	12	1.8	0.58	1.7	0.54	6	1.4	0.66	1.4	0.60
Non-Hodgkin Lymphoma	29	12.9	3.23	7.3	1.54	36	16.5	3.14	10.9	1.92
Multiple Myeloma	8	3.8	1.55	2.5	0.97	-	-	-	-	-
Leukemias	44	10.2	2.16	8.9	1.54	28	11.1	2.57	7.5	1.52
Acute lymphocytic	19	2.9	1.12	3.1	0.75	11	2.0	0.71	2.3	0.74
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	8	2.3	1.04	1.9	0.79	-	-	-	-	-
Chronic myeloid	7	1.7	0.74	1.4	0.63	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	24	18.5	4.40	8.5	1.80	22	10.8	2.54	7.1	1.58
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	11	3.0	1.26	2.2	0.76	27	8.9	1.88	7.2	1.49
Breast (*in situ*)	-	-	-	-	-	65	25.8	3.57	18.3	2.38

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	46,792	525.8	2.51	346.3	1.69	42,375	419.6	2.10	294.1	1.58
Oral Cavity & Pharynx	1,792	19.5	0.48	14.3	0.35	677	6.7	0.26	4.7	0.20
Lip	66	0.8	0.10	0.5	0.07	21	0.2	0.04	0.1	0.03
Tongue	548	5.9	0.26	4.4	0.19	213	2.1	0.15	1.5	0.11
Major salivary gland	185	2.3	0.17	1.3	0.11	81	0.8	0.10	0.6	0.08
Floor of mouth	109	1.1	0.11	0.9	0.08	48	0.5	0.07	0.3	0.05
Gum & other mouth	173	1.9	0.15	1.3	0.10	135	1.3	0.11	0.8	0.07
Nasopharynx	47	0.6	0.08	0.4	0.06	31	0.3	0.06	0.3	0.05
Oropharynx	89	0.9	0.10	0.7	0.08	26	0.3	0.05	0.2	0.04
Hypopharynx	114	1.2	0.11	0.9	0.09	18	0.2	0.04	0.1	0.03
Digestive System	7,964	90.3	1.04	58.3	0.68	6,405	60.6	0.77	38.7	0.53
Esophagus	722	7.9	0.30	5.3	0.20	184	1.7	0.12	1.1	0.08
Stomach	612	7.0	0.29	4.4	0.18	333	3.1	0.17	2.0	0.12
Small intestine	241	2.6	0.17	1.8	0.12	192	1.8	0.14	1.3	0.10
Colon excl. rectum	2,704	31.3	0.62	19.4	0.39	2,714	25.6	0.50	15.8	0.33
Rectum & rectosigmoid	1,186	13.3	0.40	9.3	0.28	872	8.6	0.30	6.0	0.22
Anus, anal canal & anorectum	126	1.4	0.13	1.0	0.09	232	2.3	0.15	1.7	0.12
Liver	852	9.3	0.33	6.4	0.23	251	2.4	0.16	1.7	0.12
Gallbladder	62	0.8	0.10	0.4	0.06	122	1.1	0.10	0.7	0.07
Pancreas	1,155	13.3	0.40	8.0	0.24	1,113	10.3	0.31	6.1	0.20
Respiratory System	8,894	99.2	1.08	61.5	0.67	6,564	61.1	0.77	39.8	0.52
Larynx	708	7.7	0.30	5.3	0.20	180	1.7	0.13	1.3	0.10
Lung & bronchus	8,088	90.4	1.03	55.5	0.64	6,309	58.6	0.75	38.1	0.51
Bones & Joints	86	1.1	0.13	1.0	0.12	64	0.8	0.10	0.7	0.10
Soft Tissue (incl. heart)	293	3.6	0.22	2.5	0.16	221	2.4	0.17	2.0	0.16
Skin (excl. basal & sq.)	3,379	39.1	0.70	25.9	0.47	2,363	25.8	0.55	19.8	0.45
Melanomas of the skin	3,180	36.6	0.67	24.5	0.46	2,280	25.0	0.55	19.3	0.44
Breast (excl. *in situ*)	156	1.8	0.15	1.1	0.09	12,699	125.9	1.15	90.4	0.86
Female Genital System	-	-	-	-	-	4,367	44.3	0.70	32.8	0.54
Cervix uteri	-	-	-	-	-	617	7.8	0.33	6.1	0.26
Uterus Corpus	-	-	-	-	-	2,171	20.9	0.46	15.8	0.36
Uterus, NOS[1]	-	-	-	-	-	59	0.5	0.07	0.4	0.06
Ovary	-	-	-	-	-	1,050	10.4	0.33	7.3	0.25
Male Genital System	11,648	122.9	1.17	86.3	0.83	-	-	-	-	-
Prostate	11,184	116.4	1.13	80.5	0.78	-	-	-	-	-
Testis	396	5.7	0.29	5.3	0.28	-	-	-	-	-
Penis	56	0.7	0.09	0.4	0.06	-	-	-	-	-
Urinary System	5,168	59.9	0.86	36.3	0.53	2,171	21.0	0.46	14.0	0.34
Bladder (incl. *in situ*)	3,222	37.9	0.69	21.4	0.39	993	9.3	0.30	5.6	0.20
Kidney & renal pelvis	1,839	20.7	0.50	14.3	0.35	1,107	11.1	0.34	8.0	0.27
Ureter	85	1.0	0.11	0.5	0.06	48	0.4	0.06	0.2	0.03
Eye & Orbit	81	1.0	0.11	0.7	0.09	74	0.8	0.09	0.7	0.09
Brain & Other Nervous System	739	8.7	0.33	6.9	0.29	545	5.9	0.27	5.0	0.26
Brain	710	8.3	0.32	6.6	0.28	518	5.6	0.26	4.7	0.25
Endocrine System	558	6.7	0.29	5.2	0.24	1,589	18.9	0.49	15.7	0.42
Thyroid gland	498	5.9	0.27	4.5	0.21	1,534	18.3	0.49	15.1	0.41
Lymphomas	2,079	24.5	0.56	16.8	0.40	1,699	17.1	0.43	11.8	0.33
Hodgkin Lymphoma	222	2.9	0.20	2.6	0.19	203	2.6	0.19	2.4	0.18
Non-Hodgkin Lymphoma	1,857	21.6	0.52	14.2	0.35	1,496	14.4	0.38	9.4	0.27
Multiple Myeloma	622	7.1	0.29	4.3	0.18	461	4.3	0.20	2.6	0.13
Leukemias	1,406	17.3	0.48	11.7	0.36	953	9.7	0.33	7.1	0.29
Acute lymphocytic	128	1.9	0.17	2.4	0.23	86	1.2	0.13	1.5	0.19
Chronic lymphocytic	504	5.9	0.27	3.4	0.16	314	2.9	0.17	1.7	0.11
Acute myeloid	423	5.2	0.26	3.3	0.18	309	3.1	0.18	2.1	0.15
Chronic myeloid	167	2.1	0.17	1.3	0.10	113	1.2	0.12	0.8	0.09
Other leukemias	184	2.3	0.17	1.3	0.11	131	1.3	0.12	0.9	0.09
Mesothelioma	143	1.7	0.14	0.9	0.08	35	0.3	0.06	0.2	0.04
Kaposi Sarcoma	16	0.2	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	1,768	21.2	0.52	12.4	0.31	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	642	8.0	0.32	5.8	0.25	1,285	13.2	0.38	9.6	0.31
Breast (*in situ*)	18	0.2	0.05	0.1	0.03	3,046	30.4	0.57	22.7	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Carolina, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	14,915	583.8	5.13	400.6	3.31	13,400	388.0	3.42	271.7	2.43
Oral Cavity & Pharynx	525	18.2	0.84	14.0	0.62	183	5.2	0.39	3.9	0.29
Lip	7	0.3	0.11	0.2	0.08	-	-	-	-	-
Tongue	113	3.7	0.36	3.0	0.28	51	1.4	0.20	1.1	0.16
Major salivary gland	21	0.8	0.18	0.6	0.13	37	1.1	0.18	0.8	0.14
Floor of mouth	43	1.4	0.23	1.1	0.18	11	0.3	0.09	0.2	0.07
Gum & other mouth	68	2.3	0.30	1.8	0.22	33	1.0	0.18	0.6	0.11
Nasopharynx	38	1.2	0.21	1.1	0.17	11	0.3	0.10	0.3	0.08
Oropharynx	43	1.6	0.26	1.1	0.17	7	0.2	0.07	0.1	0.06
Hypopharynx	73	2.7	0.34	1.9	0.23	11	0.3	0.10	0.2	0.07
Digestive System	3,225	128.2	2.43	85.5	1.52	2,772	81.0	1.57	52.7	1.04
Esophagus	316	11.8	0.71	8.4	0.47	82	2.3	0.26	1.6	0.18
Stomach	455	19.1	0.96	12.2	0.58	294	8.9	0.53	5.4	0.33
Small intestine	98	3.5	0.38	2.6	0.27	105	3.0	0.30	2.1	0.21
Colon excl. rectum	1,035	42.9	1.44	27.4	0.86	1,148	32.9	0.99	22.1	0.68
Rectum & rectosigmoid	377	14.2	0.79	9.9	0.52	272	7.7	0.48	5.4	0.34
Anus, anal canal & anorectum	47	1.8	0.28	1.3	0.19	51	1.5	0.21	0.9	0.14
Liver	305	10.1	0.61	7.9	0.46	99	2.8	0.29	1.9	0.20
Gallbladder	27	1.2	0.25	0.8	0.15	70	2.1	0.26	1.3	0.16
Pancreas	474	19.8	0.98	12.5	0.58	521	15.8	0.71	9.5	0.44
Respiratory System	2,694	109.0	2.26	71.5	1.39	1,506	43.5	1.15	29.2	0.78
Larynx	346	13.0	0.75	9.0	0.49	66	1.8	0.23	1.3	0.17
Lung & bronchus	2,309	94.4	2.12	61.4	1.29	1,415	41.0	1.11	27.3	0.75
Bones & Joints	25	0.8	0.16	0.8	0.15	18	0.5	0.12	0.4	0.10
Soft Tissue (incl. heart)	88	3.6	0.40	2.5	0.27	108	3.1	0.31	2.5	0.26
Skin (excl. basal & sq.)	35	1.3	0.23	1.0	0.17	68	2.0	0.25	1.3	0.17
Melanomas of the skin	15	0.5	0.14	0.4	0.11	43	1.3	0.20	0.8	0.13
Breast (excl. *in situ*)	65	2.8	0.38	1.7	0.22	4,385	125.1	1.93	91.4	1.42
Female Genital System	-	-	-	-	-	1,627	47.2	1.19	33.7	0.86
Cervix uteri	-	-	-	-	-	314	9.3	0.53	7.1	0.41
Uterus Corpus	-	-	-	-	-	834	23.8	0.84	17.0	0.60
Uterus, NOS[1]	-	-	-	-	-	51	1.5	0.21	1.0	0.14
Ovary	-	-	-	-	-	299	8.8	0.52	6.0	0.36
Male Genital System	5,544	209.8	3.01	149.1	2.02	-	-	-	-	-
Prostate	5,476	207.2	3.00	147.1	2.00	-	-	-	-	-
Testis	40	1.4	0.23	1.2	0.20	-	-	-	-	-
Penis	25	1.1	0.23	0.7	0.13	-	-	-	-	-
Urinary System	897	36.6	1.31	24.1	0.81	660	19.3	0.77	13.1	0.54
Bladder (incl. *in situ*)	307	13.9	0.85	8.1	0.47	227	6.9	0.47	3.9	0.27
Kidney & renal pelvis	567	21.7	0.97	15.3	0.65	415	11.9	0.59	8.8	0.46
Ureter	15	0.5	0.15	0.4	0.11	7	0.2	0.07	0.1	0.05
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	127	4.6	0.43	3.9	0.35	106	3.1	0.30	2.8	0.29
Brain	118	4.3	0.42	3.6	0.34	98	2.8	0.29	2.6	0.28
Endocrine System	109	4.2	0.42	3.1	0.30	457	13.2	0.63	10.6	0.51
Thyroid gland	81	3.2	0.38	2.3	0.26	422	12.2	0.60	9.7	0.48
Lymphomas	447	16.9	0.84	12.7	0.61	410	12.1	0.61	9.0	0.46
Hodgkin Lymphoma	89	3.1	0.35	2.7	0.29	78	2.3	0.26	2.0	0.24
Non-Hodgkin Lymphoma	358	13.7	0.77	10.0	0.53	332	9.8	0.55	6.9	0.40
Multiple Myeloma	341	14.0	0.81	9.1	0.50	368	10.8	0.57	7.0	0.38
Leukemias	290	12.3	0.78	8.3	0.49	257	7.6	0.48	5.5	0.37
Acute lymphocytic	35	1.1	0.18	1.3	0.22	22	0.6	0.14	0.7	0.17
Chronic lymphocytic	85	3.7	0.43	2.3	0.25	68	2.0	0.25	1.3	0.16
Acute myeloid	83	3.9	0.46	2.3	0.26	95	2.8	0.30	2.0	0.22
Chronic myeloid	46	1.8	0.29	1.3	0.19	46	1.3	0.20	1.0	0.15
Other leukemias	41	1.8	0.31	1.1	0.18	26	0.8	0.16	0.5	0.11
Mesothelioma	12	0.6	0.18	0.3	0.09	-	-	-	-	-
Kaposi Sarcoma	21	0.7	0.15	0.7	0.15	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	462	14.0	0.66	8.3	0.41
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	174	7.0	0.56	4.8	0.37	481	14.0	0.65	9.9	0.48
Breast (*in situ*)	8	0.3	0.10	0.2	0.08	1,044	29.5	0.93	21.9	0.69

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	10,769	495.0	4.85	327.2	3.33	10,121	416.7	4.28	288.1	3.20
Oral Cavity & Pharynx	373	16.4	0.86	11.9	0.64	165	6.9	0.55	4.9	0.42
Lip	50	2.3	0.33	1.4	0.22	20	0.7	0.16	0.4	0.10
Tongue	103	4.4	0.44	3.4	0.34	53	2.3	0.33	1.7	0.25
Major salivary gland	35	1.6	0.28	0.9	0.17	24	1.1	0.23	0.9	0.20
Floor of mouth	20	0.8	0.19	0.7	0.15	10	0.4	0.13	0.3	0.09
Gum & other mouth	40	1.8	0.28	1.2	0.20	24	0.9	0.19	0.6	0.13
Nasopharynx	11	0.5	0.16	0.4	0.13	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	19	0.8	0.19	0.6	0.14	7	0.3	0.10	0.2	0.09
Digestive System	2,045	94.4	2.12	60.0	1.40	1,745	66.8	1.65	40.5	1.12
Esophagus	192	8.9	0.65	5.6	0.43	47	1.8	0.27	1.1	0.19
Stomach	155	7.3	0.59	4.3	0.37	92	3.6	0.39	2.3	0.27
Small intestine	54	2.6	0.36	1.7	0.25	44	1.8	0.28	1.1	0.19
Colon excl. rectum	772	36.2	1.32	22.0	0.84	786	29.4	1.09	16.8	0.70
Rectum & rectosigmoid	374	17.1	0.90	11.7	0.63	266	10.6	0.67	7.2	0.49
Anus, anal canal & anorectum	24	1.1	0.22	0.7	0.16	44	2.0	0.31	1.5	0.24
Liver	124	5.4	0.49	3.9	0.36	50	2.0	0.28	1.3	0.20
Gallbladder	15	0.7	0.18	0.4	0.11	41	1.5	0.24	0.8	0.14
Pancreas	261	12.0	0.75	7.3	0.48	278	10.4	0.65	6.0	0.42
Respiratory System	1,625	75.3	1.89	45.6	1.20	1,291	51.0	1.45	32.3	0.99
Larynx	124	5.7	0.52	3.7	0.35	33	1.4	0.24	1.0	0.19
Lung & bronchus	1,480	68.6	1.81	41.1	1.13	1,247	49.2	1.42	31.0	0.97
Bones & Joints	17	0.8	0.19	0.7	0.19	10	0.5	0.17	0.5	0.18
Soft Tissue (incl. heart)	82	3.9	0.43	2.8	0.34	60	2.6	0.35	2.1	0.30
Skin (excl. basal & sq.)	477	22.2	1.03	15.4	0.74	418	19.0	0.97	14.5	0.78
Melanomas of the skin	445	20.7	1.00	14.5	0.72	389	17.8	0.94	13.7	0.76
Breast (excl. *in situ*)	23	1.1	0.23	0.6	0.14	2,982	125.9	2.38	90.8	1.80
Female Genital System	-	-	-	-	-	1,118	47.3	1.46	34.9	1.13
Cervix uteri	-	-	-	-	-	131	6.7	0.60	5.4	0.49
Uterus Corpus	-	-	-	-	-	631	26.1	1.07	19.4	0.82
Uterus, NOS[1]	-	-	-	-	-	12	0.5	0.14	0.4	0.11
Ovary	-	-	-	-	-	247	10.2	0.67	7.3	0.51
Male Genital System	3,052	135.8	2.50	96.2	1.80	-	-	-	-	-
Prostate	2,923	129.3	2.43	90.2	1.72	-	-	-	-	-
Testis	112	5.8	0.56	5.6	0.53	-	-	-	-	-
Penis	14	0.6	0.17	0.3	0.10	-	-	-	-	-
Urinary System	1,170	54.9	1.63	33.5	1.04	510	20.1	0.92	13.0	0.66
Bladder (incl. *in situ*)	723	34.4	1.29	18.9	0.75	249	9.3	0.61	5.7	0.41
Kidney & renal pelvis	426	19.6	0.97	14.0	0.71	248	10.3	0.67	7.2	0.50
Ureter	12	0.6	0.17	0.3	0.10	12	0.4	0.13	0.2	0.07
Eye & Orbit	9	0.4	0.13	0.3	0.12	6	0.2	0.10	0.2	0.08
Brain & Other Nervous System	167	7.7	0.61	6.4	0.53	137	6.2	0.54	5.0	0.48
Brain	162	7.5	0.60	6.1	0.51	129	5.8	0.53	4.6	0.46
Endocrine System	146	7.0	0.59	5.5	0.48	418	20.4	1.03	17.1	0.88
Thyroid gland	133	6.3	0.56	4.8	0.44	399	19.6	1.01	16.3	0.85
Lymphomas	560	26.5	1.14	18.0	0.82	467	19.4	0.93	13.7	0.72
Hodgkin Lymphoma	58	2.8	0.37	2.6	0.36	55	2.7	0.37	2.3	0.34
Non-Hodgkin Lymphoma	502	23.7	1.08	15.4	0.74	412	16.7	0.85	11.4	0.63
Multiple Myeloma	178	8.4	0.64	5.1	0.40	136	5.1	0.45	3.0	0.29
Leukemias	366	17.5	0.93	12.1	0.70	254	10.3	0.66	7.1	0.52
Acute lymphocytic	37	1.8	0.30	2.2	0.38	23	1.1	0.23	1.2	0.28
Chronic lymphocytic	136	6.2	0.54	3.8	0.34	99	3.8	0.40	2.4	0.28
Acute myeloid	108	5.3	0.52	3.3	0.35	77	3.2	0.38	2.2	0.28
Chronic myeloid	40	1.9	0.31	1.3	0.23	28	1.0	0.20	0.6	0.14
Other leukemias	45	2.2	0.33	1.5	0.24	27	1.1	0.22	0.6	0.14
Mesothelioma	25	1.2	0.25	0.7	0.14	10	0.4	0.12	0.2	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	143	6.8	0.58	4.8	0.43	261	10.9	0.70	7.9	0.54
Breast (*in situ*)	-	-	-	-	-	709	31.1	1.20	23.1	0.92

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	10,177	493.9	4.98	326.7	3.46	9,460	415.0	4.45	286.8	3.34
Oral Cavity & Pharynx	352	16.5	0.89	11.9	0.66	156	6.9	0.58	5.0	0.44
Lip	47	2.3	0.34	1.4	0.22	20	0.7	0.17	0.4	0.11
Tongue	100	4.5	0.46	3.5	0.36	52	2.5	0.35	1.8	0.27
Major salivary gland	35	1.7	0.29	1.0	0.18	21	1.0	0.23	0.8	0.20
Floor of mouth	17	0.8	0.19	0.6	0.15	9	0.4	0.13	0.2	0.09
Gum & other mouth	37	1.7	0.29	1.2	0.21	23	0.9	0.20	0.6	0.13
Nasopharynx	10	0.5	0.17	0.4	0.15	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	19	0.8	0.20	0.6	0.15	7	0.3	0.11	0.2	0.09
Digestive System	1,892	91.9	2.15	58.0	1.42	1,617	64.8	1.68	39.0	1.14
Esophagus	181	8.7	0.66	5.6	0.44	39	1.6	0.26	1.0	0.18
Stomach	141	6.9	0.59	4.1	0.37	79	3.2	0.38	2.0	0.26
Small intestine	53	2.7	0.37	1.8	0.26	41	1.8	0.28	1.1	0.20
Colon excl. rectum	722	35.5	1.34	21.4	0.85	748	29.3	1.12	16.7	0.73
Rectum & rectosigmoid	342	16.6	0.92	11.3	0.64	243	10.2	0.68	6.9	0.50
Anus, anal canal & anorectum	22	1.0	0.22	0.7	0.16	44	2.2	0.34	1.6	0.26
Liver	95	4.4	0.46	3.1	0.34	37	1.5	0.25	0.9	0.18
Gallbladder	12	0.6	0.17	0.3	0.10	36	1.4	0.23	0.7	0.14
Pancreas	254	12.1	0.77	7.5	0.50	260	10.1	0.65	5.8	0.42
Respiratory System	1,514	73.4	1.91	44.3	1.21	1,188	49.5	1.47	31.5	1.02
Larynx	109	5.3	0.51	3.4	0.34	33	1.5	0.26	1.1	0.21
Lung & bronchus	1,386	67.2	1.83	40.1	1.14	1,145	47.7	1.44	30.1	0.99
Bones & Joints	16	0.8	0.21	0.7	0.20	8	0.5	0.17	0.5	0.18
Soft Tissue (incl. heart)	76	3.8	0.45	2.8	0.36	52	2.4	0.35	1.8	0.29
Skin (excl. basal & sq.)	473	23.5	1.10	16.4	0.80	411	20.4	1.06	15.8	0.87
Melanomas of the skin	442	22.0	1.07	15.4	0.77	383	19.2	1.03	14.9	0.85
Breast (excl. *in situ*)	22	1.1	0.24	0.6	0.15	2,812	127.3	2.50	91.6	1.89
Female Genital System	-	-	-	-	-	1,038	46.6	1.50	34.3	1.16
Cervix uteri	-	-	-	-	-	100	5.6	0.59	4.6	0.48
Uterus Corpus	-	-	-	-	-	600	26.3	1.11	19.5	0.85
Uterus, NOS[1]	-	-	-	-	-	11	0.5	0.15	0.4	0.12
Ovary	-	-	-	-	-	233	10.2	0.69	7.3	0.53
Male Genital System	2,909	136.6	2.57	96.9	1.87	-	-	-	-	-
Prostate	2,790	129.7	2.49	90.5	1.77	-	-	-	-	-
Testis	104	6.2	0.62	6.0	0.60	-	-	-	-	-
Penis	12	0.6	0.17	0.3	0.09	-	-	-	-	-
Urinary System	1,112	54.8	1.67	33.3	1.07	477	19.8	0.94	12.8	0.67
Bladder (incl. *in situ*)	707	35.1	1.34	19.3	0.78	244	9.6	0.64	5.9	0.44
Kidney & renal pelvis	384	18.7	0.97	13.3	0.72	221	9.7	0.68	6.6	0.50
Ureter	12	0.6	0.18	0.3	0.10	11	0.4	0.13	0.2	0.07
Eye & Orbit	8	0.4	0.13	0.3	0.10	6	0.2	0.10	0.2	0.08
Brain & Other Nervous System	165	8.4	0.67	7.0	0.60	124	6.1	0.57	4.8	0.50
Brain	160	8.1	0.66	6.7	0.58	119	5.8	0.56	4.5	0.48
Endocrine System	136	7.1	0.63	5.7	0.53	392	21.3	1.12	17.8	0.95
Thyroid gland	125	6.5	0.60	4.9	0.47	375	20.5	1.10	17.0	0.93
Lymphomas	534	27.1	1.19	18.6	0.88	440	19.5	0.97	13.9	0.77
Hodgkin Lymphoma	55	3.0	0.41	2.8	0.41	51	2.7	0.40	2.5	0.38
Non-Hodgkin Lymphoma	479	24.1	1.12	15.7	0.79	389	16.7	0.88	11.4	0.67
Multiple Myeloma	170	8.4	0.65	5.1	0.41	132	5.2	0.47	3.1	0.30
Leukemias	350	17.8	0.97	12.5	0.77	235	10.1	0.69	6.9	0.54
Acute lymphocytic	33	1.9	0.33	2.3	0.43	17	0.9	0.23	1.0	0.27
Chronic lymphocytic	133	6.3	0.55	3.9	0.36	97	4.0	0.42	2.5	0.29
Acute myeloid	101	5.3	0.54	3.4	0.38	71	3.2	0.39	2.1	0.30
Chronic myeloid	39	2.0	0.33	1.4	0.25	27	1.1	0.21	0.7	0.15
Other leukemias	44	2.3	0.35	1.6	0.27	23	1.0	0.22	0.6	0.14
Mesothelioma	25	1.3	0.26	0.7	0.15	9	0.3	0.12	0.2	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	133	6.7	0.60	4.8	0.46	240	10.8	0.72	7.7	0.55
Breast (*in situ*)	-	-	-	-	-	684	32.2	1.27	24.0	0.98

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	46	299.0	55.98	212.9	35.44	33	290.6	55.31	212.2	38.54
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	90.1	34.06	59.2	18.98	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	10	73.0	23.84	65.7	21.48
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	11	80.7	29.76	54.1	18.11	-	-	-	-	-
Prostate	10	78.0	29.64	52.1	18.00	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	19	263.1	75.18	173.0	43.10	46	313.9	54.95	215.2	33.21
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	15	134.9	42.04	79.4	21.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	9	57.8	21.78	35.7	12.06
Female Genital System	-	-	-	-	-	7	38.5	15.73	31.3	12.34
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	460	566.2	29.85	381.9	18.16	494	464.2	22.03	316.4	14.44
Oral Cavity & Pharynx	18	20.4	5.29	14.3	3.43	7	4.9	1.89	4.6	1.74
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	122	150.6	15.48	101.0	9.33	91	93.3	10.24	57.8	6.16
Esophagus	11	16.4	5.19	9.9	3.02	7	7.6	3.00	4.1	1.57
Stomach	10	14.0	4.93	7.5	2.40	8	7.1	2.61	5.3	1.89
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	43	52.9	9.13	36.0	5.61	30	31.2	5.98	19.4	3.60
Rectum & rectosigmoid	28	27.5	5.45	22.4	4.31	19	17.3	4.11	12.4	2.88
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	16	16.8	4.46	13.2	3.37	7	8.0	3.16	4.1	1.58
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	12	13.1	3.99	7.1	2.10
Respiratory System	89	128.7	15.30	76.8	8.29	86	96.7	10.86	54.6	6.01
Larynx	15	20.1	5.52	12.9	3.39	-	-	-	-	-
Lung & bronchus	73	108.1	14.26	63.2	7.53	85	95.9	10.84	53.8	5.96
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	5.5	2.51	4.3	1.81	6	5.5	2.44	3.8	1.59
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	129	112.5	10.23	86.2	7.67
Female Genital System	-	-	-	-	-	61	50.6	6.69	38.9	5.02
Cervix uteri	-	-	-	-	-	23	18.1	3.88	14.7	3.09
Uterus Corpus	-	-	-	-	-	25	20.5	4.26	15.6	3.14
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	8.2	2.78	6.2	2.07
Male Genital System	111	130.9	13.68	94.2	9.09	-	-	-	-	-
Prostate	104	126.5	13.58	90.1	8.95	-	-	-	-	-
Testis	6	3.5	1.47	3.5	1.42	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	48	53.9	8.71	39.3	5.78	23	21.3	4.76	13.7	2.90
Bladder (incl. *in situ*)	11	17.3	6.09	9.8	3.02	-	-	-	-	-
Kidney & renal pelvis	37	36.6	6.23	29.5	4.93	19	16.7	4.10	11.6	2.68
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	8	4.9	1.85	4.9	1.74
Brain	-	-	-	-	-	6	3.9	1.68	3.7	1.54
Endocrine System	-	-	-	-	-	18	11.6	2.80	11.0	2.60
Thyroid gland	-	-	-	-	-	17	11.2	2.77	10.5	2.55
Lymphomas	15	15.4	4.49	11.0	2.89	19	18.0	4.27	12.8	2.96
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	19	18.0	4.27	12.8	2.96
Multiple Myeloma	7	10.8	4.34	6.1	2.32	-	-	-	-	-
Leukemias	10	9.5	3.18	7.4	2.38	14	12.7	3.70	9.1	2.48
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	22	31.2	7.93	18.9	4.15	24	27.0	5.82	14.1	2.94
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	12	9.9	3.09	7.3	2.13
Breast (*in situ*)	-	-	-	-	-	15	11.9	3.12	9.8	2.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	56	240.6	36.84	173.7	25.18	43	188.8	31.60	129.1	20.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	48.0	17.21	30.0	9.92	9	45.1	15.86	29.5	10.12
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	35.2	15.36	25.2	10.72	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	15	64.8	18.15	48.1	12.96
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	15	74.4	20.40	59.0	15.65	-	-	-	-	-
Prostate	15	74.4	20.40	59.0	15.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	17.5	9.37	10.2	4.33	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	6	17.5	9.37	10.2	4.33	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	10,128	496.0	5.01	328.3	3.50	9,420	417.3	4.49	288.6	3.38
Oral Cavity & Pharynx	348	16.4	0.90	11.9	0.67	155	7.0	0.58	5.0	0.45
Lip	47	2.3	0.34	1.4	0.23	20	0.8	0.17	0.4	0.11
Tongue	99	4.6	0.47	3.5	0.37	52	2.5	0.36	1.8	0.27
Major salivary gland	35	1.7	0.29	1.0	0.18	21	1.0	0.24	0.9	0.21
Floor of mouth	17	0.8	0.19	0.6	0.15	9	0.4	0.13	0.2	0.09
Gum & other mouth	36	1.7	0.29	1.2	0.21	22	0.9	0.20	0.6	0.13
Nasopharynx	10	0.6	0.18	0.5	0.15	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	18	0.8	0.19	0.6	0.14	7	0.3	0.11	0.2	0.09
Digestive System	1,883	92.3	2.16	58.3	1.43	1,608	64.9	1.68	39.0	1.14
Esophagus	181	8.8	0.66	5.6	0.44	39	1.6	0.26	1.0	0.18
Stomach	139	6.8	0.59	4.1	0.37	79	3.2	0.38	2.0	0.26
Small intestine	53	2.7	0.38	1.8	0.27	41	1.8	0.29	1.1	0.20
Colon excl. rectum	719	35.6	1.35	21.5	0.86	743	29.2	1.12	16.6	0.73
Rectum & rectosigmoid	341	16.8	0.93	11.4	0.65	241	10.1	0.68	6.9	0.50
Anus, anal canal & anorectum	22	1.0	0.22	0.7	0.16	44	2.2	0.34	1.6	0.26
Liver	92	4.4	0.46	3.1	0.33	36	1.4	0.24	0.9	0.18
Gallbladder	12	0.6	0.17	0.3	0.10	36	1.4	0.23	0.7	0.14
Pancreas	254	12.2	0.78	7.6	0.50	260	10.2	0.66	5.9	0.43
Respiratory System	1,509	73.7	1.92	44.5	1.22	1,187	49.8	1.48	31.8	1.03
Larynx	107	5.2	0.51	3.3	0.34	33	1.5	0.26	1.1	0.21
Lung & bronchus	1,383	67.5	1.84	40.3	1.15	1,144	48.0	1.45	30.3	1.00
Bones & Joints	15	0.8	0.21	0.7	0.20	7	0.5	0.17	0.5	0.18
Soft Tissue (incl. heart)	76	3.9	0.46	2.8	0.37	51	2.4	0.35	1.7	0.28
Skin (excl. basal & sq.)	472	23.7	1.12	16.6	0.81	411	20.8	1.08	16.0	0.89
Melanomas of the skin	442	22.2	1.08	15.6	0.79	383	19.5	1.05	15.2	0.86
Breast (excl. *in situ*)	22	1.1	0.24	0.6	0.15	2,798	128.0	2.52	92.1	1.91
Female Genital System	-	-	-	-	-	1,036	47.0	1.52	34.6	1.18
Cervix uteri	-	-	-	-	-	99	5.7	0.60	4.6	0.49
Uterus Corpus	-	-	-	-	-	600	26.6	1.12	19.7	0.86
Uterus, NOS[1]	-	-	-	-	-	11	0.5	0.15	0.4	0.12
Ovary	-	-	-	-	-	232	10.3	0.70	7.3	0.54
Male Genital System	2,895	137.2	2.59	97.3	1.89	-	-	-	-	-
Prostate	2,776	130.0	2.50	90.7	1.78	-	-	-	-	-
Testis	104	6.5	0.64	6.2	0.62	-	-	-	-	-
Penis	12	0.6	0.17	0.3	0.09	-	-	-	-	-
Urinary System	1,109	55.2	1.68	33.5	1.08	477	20.0	0.95	12.9	0.68
Bladder (incl. *in situ*)	706	35.3	1.34	19.5	0.79	244	9.7	0.64	6.0	0.44
Kidney & renal pelvis	382	18.8	0.98	13.4	0.73	221	9.8	0.69	6.7	0.51
Ureter	12	0.6	0.18	0.3	0.10	11	0.4	0.13	0.2	0.07
Eye & Orbit	8	0.4	0.13	0.3	0.10	6	0.2	0.10	0.2	0.08
Brain & Other Nervous System	163	8.4	0.67	7.1	0.62	122	6.0	0.57	4.7	0.50
Brain	158	8.1	0.66	6.7	0.59	117	5.8	0.56	4.4	0.48
Endocrine System	136	7.3	0.64	5.8	0.54	389	21.6	1.14	18.0	0.97
Thyroid gland	125	6.6	0.61	5.0	0.48	372	20.7	1.12	17.2	0.95
Lymphomas	529	27.1	1.20	18.6	0.89	437	19.5	0.98	13.9	0.78
Hodgkin Lymphoma	55	3.1	0.42	2.9	0.42	49	2.7	0.40	2.4	0.38
Non-Hodgkin Lymphoma	474	24.0	1.12	15.7	0.79	388	16.8	0.89	11.5	0.68
Multiple Myeloma	170	8.4	0.66	5.1	0.41	131	5.2	0.47	3.1	0.31
Leukemias	347	17.9	0.98	12.6	0.78	235	10.2	0.70	7.0	0.55
Acute lymphocytic	32	1.9	0.34	2.3	0.44	17	0.9	0.23	1.0	0.28
Chronic lymphocytic	133	6.4	0.56	3.9	0.36	97	4.0	0.42	2.6	0.30
Acute myeloid	99	5.3	0.54	3.3	0.38	71	3.2	0.40	2.2	0.30
Chronic myeloid	39	2.0	0.33	1.4	0.25	27	1.1	0.22	0.7	0.15
Other leukemias	44	2.3	0.35	1.6	0.28	23	1.0	0.22	0.6	0.14
Mesothelioma	25	1.3	0.26	0.7	0.15	9	0.4	0.12	0.2	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	132	6.8	0.60	4.8	0.47	239	10.8	0.73	7.7	0.56
Breast (*in situ*)	-	-	-	-	-	684	32.6	1.29	24.3	0.99

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
South Dakota, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	46	315.2	59.57	223.6	37.39	33	309.8	59.30	225.6	41.05
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	95.2	36.37	62.2	20.04	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	10	77.2	25.23	69.5	22.78
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	11	85.5	31.88	57.0	19.16	-	-	-	-	-
Prostate	10	82.7	31.75	54.9	19.05	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	88,627	552.7	1.92	369.2	1.28	80,165	420.1	1.51	296.9	1.12
Oral Cavity & Pharynx	3,201	18.9	0.34	13.9	0.25	1,231	6.4	0.18	4.5	0.14
Lip	181	1.2	0.09	0.7	0.06	52	0.3	0.04	0.2	0.02
Tongue	954	5.5	0.18	4.2	0.14	359	1.8	0.10	1.3	0.08
Major salivary gland	293	1.9	0.12	1.2	0.07	169	0.9	0.07	0.7	0.06
Floor of mouth	164	0.9	0.07	0.7	0.06	68	0.3	0.04	0.2	0.03
Gum & other mouth	368	2.3	0.12	1.5	0.08	284	1.5	0.09	0.9	0.06
Nasopharynx	148	0.9	0.08	0.7	0.06	56	0.3	0.04	0.3	0.04
Oropharynx	132	0.8	0.07	0.6	0.05	43	0.2	0.03	0.2	0.02
Hypopharynx	185	1.0	0.08	0.8	0.06	41	0.2	0.03	0.2	0.03
Digestive System	15,694	98.9	0.82	64.4	0.53	12,732	65.4	0.59	42.1	0.40
Esophagus	1,386	8.4	0.23	5.7	0.16	314	1.6	0.09	1.0	0.06
Stomach	1,319	8.5	0.24	5.3	0.15	812	4.2	0.15	2.7	0.10
Small intestine	450	2.8	0.14	1.9	0.09	395	2.1	0.11	1.4	0.08
Colon excl. rectum	5,449	35.4	0.50	21.8	0.30	5,579	28.6	0.39	17.8	0.26
Rectum & rectosigmoid	2,420	14.9	0.31	10.3	0.21	1,749	9.1	0.22	6.4	0.16
Anus, anal canal & anorectum	262	1.6	0.10	1.2	0.07	459	2.4	0.11	1.7	0.09
Liver	1,651	9.6	0.24	7.0	0.18	568	2.9	0.12	2.0	0.09
Gallbladder	105	0.7	0.07	0.4	0.04	163	0.8	0.07	0.5	0.04
Pancreas	2,114	13.4	0.30	8.5	0.19	2,041	10.4	0.23	6.4	0.15
Respiratory System	17,221	107.9	0.85	68.9	0.54	12,708	64.4	0.58	43.1	0.40
Larynx	1,340	7.9	0.22	5.7	0.16	385	2.0	0.10	1.5	0.08
Lung & bronchus	15,713	98.9	0.82	62.5	0.51	12,183	61.7	0.56	41.1	0.39
Bones & Joints	164	1.1	0.09	0.9	0.07	147	0.9	0.07	0.8	0.07
Soft Tissue (incl. heart)	592	3.8	0.16	2.9	0.13	512	2.8	0.13	2.2	0.11
Skin (excl. basal & sq.)	4,460	28.9	0.45	18.7	0.29	3,177	17.5	0.32	13.1	0.25
Melanomas of the skin	4,162	26.8	0.43	17.5	0.28	2,995	16.5	0.31	12.4	0.24
Breast (excl. *in situ*)	259	1.7	0.11	1.1	0.07	22,992	120.6	0.81	87.8	0.61
Female Genital System	-	-	-	-	-	8,724	46.2	0.50	34.2	0.39
Cervix uteri	-	-	-	-	-	1,460	8.7	0.23	6.8	0.19
Uterus Corpus	-	-	-	-	-	4,042	20.7	0.33	15.5	0.25
Uterus, NOS[1]	-	-	-	-	-	165	0.8	0.07	0.6	0.05
Ovary	-	-	-	-	-	2,208	11.6	0.25	8.2	0.19
Male Genital System	23,824	141.4	0.94	99.2	0.65	-	-	-	-	-
Prostate	22,934	135.5	0.92	94.0	0.63	-	-	-	-	-
Testis	726	4.8	0.18	4.5	0.17	-	-	-	-	-
Penis	137	0.9	0.08	0.6	0.05	-	-	-	-	-
Urinary System	9,259	59.6	0.64	37.4	0.40	4,043	20.9	0.33	14.3	0.24
Bladder (incl. *in situ*)	5,300	35.5	0.50	20.3	0.29	1,593	8.1	0.20	5.0	0.13
Kidney & renal pelvis	3,776	22.9	0.38	16.4	0.27	2,363	12.4	0.26	9.1	0.20
Ureter	124	0.8	0.07	0.5	0.04	63	0.3	0.04	0.2	0.03
Eye & Orbit	183	1.2	0.09	0.9	0.08	161	0.9	0.07	0.7	0.07
Brain & Other Nervous System	1,240	7.8	0.23	6.5	0.20	1,088	6.0	0.19	5.2	0.18
Brain	1,194	7.5	0.22	6.2	0.19	1,020	5.6	0.18	4.7	0.17
Endocrine System	1,255	7.8	0.22	6.2	0.18	3,277	19.1	0.34	16.0	0.29
Thyroid gland	1,130	7.0	0.21	5.4	0.17	3,163	18.4	0.33	15.3	0.28
Lymphomas	3,909	25.1	0.41	17.4	0.29	3,463	18.3	0.32	12.8	0.24
Hodgkin Lymphoma	450	2.9	0.14	2.6	0.13	407	2.5	0.13	2.3	0.12
Non-Hodgkin Lymphoma	3,459	22.2	0.39	14.8	0.26	3,056	15.8	0.29	10.5	0.21
Multiple Myeloma	1,196	7.6	0.23	4.8	0.14	929	4.7	0.16	3.1	0.11
Leukemias	2,574	17.0	0.34	11.8	0.25	1,918	10.2	0.24	7.6	0.20
Acute lymphocytic	272	1.8	0.11	2.2	0.14	201	1.3	0.09	1.6	0.12
Chronic lymphocytic	990	6.5	0.21	3.9	0.13	640	3.2	0.13	1.9	0.08
Acute myeloid	750	5.0	0.19	3.3	0.13	597	3.2	0.13	2.2	0.10
Chronic myeloid	266	1.8	0.11	1.2	0.07	237	1.3	0.08	0.9	0.06
Other leukemias	296	2.0	0.12	1.3	0.08	243	1.3	0.08	0.9	0.07
Mesothelioma	204	1.4	0.10	0.8	0.06	66	0.3	0.04	0.2	0.03
Kaposi Sarcoma	57	0.4	0.05	0.3	0.04	6	0.0	0.01	0.0	0.01
Ill-defined & Unknown	3,335	22.3	0.40	13.3	0.24	2,991	15.3	0.28	9.2	0.19
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,439	9.2	0.25	6.7	0.19	2,999	16.2	0.30	11.6	0.23
Breast (*in situ*)	29	0.2	0.03	0.1	0.02	5,135	26.9	0.38	20.2	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	76,375	545.8	2.03	363.7	1.37	68,576	423.2	1.65	299.7	1.25
Oral Cavity & Pharynx	2,843	19.4	0.37	14.2	0.27	1,083	6.6	0.20	4.6	0.15
Lip	175	1.3	0.10	0.8	0.06	47	0.3	0.04	0.2	0.03
Tongue	872	5.8	0.20	4.4	0.15	324	2.0	0.11	1.4	0.09
Major salivary gland	268	2.0	0.13	1.3	0.08	145	0.9	0.08	0.7	0.06
Floor of mouth	140	0.9	0.08	0.7	0.06	59	0.3	0.05	0.2	0.03
Gum & other mouth	323	2.3	0.13	1.5	0.09	252	1.5	0.10	0.9	0.06
Nasopharynx	117	0.8	0.08	0.6	0.06	43	0.3	0.04	0.2	0.04
Oropharynx	100	0.7	0.07	0.5	0.05	38	0.2	0.04	0.2	0.03
Hypopharynx	152	1.0	0.08	0.7	0.06	32	0.2	0.04	0.1	0.03
Digestive System	13,106	94.7	0.85	61.3	0.55	10,484	62.7	0.62	40.1	0.43
Esophagus	1,201	8.4	0.25	5.6	0.17	257	1.5	0.10	0.9	0.06
Stomach	1,037	7.6	0.24	4.7	0.15	612	3.6	0.15	2.3	0.10
Small intestine	363	2.6	0.14	1.8	0.10	310	1.9	0.11	1.3	0.08
Colon excl. rectum	4,570	33.9	0.52	20.8	0.32	4,617	27.4	0.41	17.0	0.27
Rectum & rectosigmoid	2,062	14.7	0.33	10.1	0.23	1,464	9.0	0.24	6.3	0.18
Anus, anal canal & anorectum	223	1.6	0.11	1.2	0.08	415	2.6	0.13	1.9	0.10
Liver	1,303	8.9	0.25	6.3	0.18	439	2.6	0.13	1.8	0.09
Gallbladder	86	0.7	0.07	0.4	0.04	129	0.8	0.07	0.5	0.05
Pancreas	1,800	12.9	0.31	8.2	0.20	1,688	9.9	0.25	6.1	0.16
Respiratory System	15,008	107.0	0.90	68.0	0.57	11,221	66.0	0.63	44.3	0.44
Larynx	1,139	7.8	0.24	5.5	0.17	326	2.0	0.11	1.5	0.09
Lung & bronchus	13,719	98.1	0.86	61.8	0.54	10,775	63.3	0.62	42.3	0.43
Bones & Joints	142	1.1	0.10	0.9	0.08	119	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	492	3.7	0.17	2.8	0.14	403	2.6	0.13	2.1	0.12
Skin (excl. basal & sq.)	4,354	32.3	0.50	21.1	0.33	3,078	20.5	0.38	15.5	0.30
Melanomas of the skin	4,078	30.1	0.48	19.9	0.32	2,918	19.5	0.37	14.8	0.30
Breast (excl. *in situ*)	216	1.6	0.11	1.0	0.07	19,318	119.4	0.88	86.8	0.66
Female Genital System	-	-	-	-	-	7,397	46.7	0.56	34.6	0.43
Cervix uteri	-	-	-	-	-	1,126	8.2	0.25	6.5	0.20
Uterus Corpus	-	-	-	-	-	3,474	21.1	0.37	15.8	0.28
Uterus, NOS[1]	-	-	-	-	-	126	0.8	0.07	0.5	0.05
Ovary	-	-	-	-	-	1,933	12.0	0.28	8.5	0.21
Male Genital System	19,595	132.9	0.98	93.2	0.68	-	-	-	-	-
Prostate	18,780	126.2	0.95	87.3	0.65	-	-	-	-	-
Testis	673	5.6	0.22	5.3	0.21	-	-	-	-	-
Penis	119	0.9	0.08	0.6	0.05	-	-	-	-	-
Urinary System	8,416	61.7	0.69	38.7	0.44	3,486	21.1	0.36	14.6	0.27
Bladder (incl. *in situ*)	4,963	37.4	0.55	21.4	0.31	1,439	8.5	0.23	5.3	0.15
Kidney & renal pelvis	3,287	23.0	0.41	16.5	0.30	1,973	12.2	0.28	9.0	0.22
Ureter	113	0.8	0.08	0.5	0.05	57	0.3	0.04	0.2	0.03
Eye & Orbit	171	1.3	0.10	1.0	0.08	152	1.0	0.08	0.8	0.08
Brain & Other Nervous System	1,125	8.4	0.26	7.0	0.23	970	6.5	0.21	5.5	0.21
Brain	1,084	8.0	0.25	6.6	0.22	913	6.0	0.21	5.0	0.20
Endocrine System	1,128	8.2	0.25	6.6	0.21	2,878	20.6	0.39	17.3	0.34
Thyroid gland	1,036	7.5	0.24	5.9	0.19	2,795	20.0	0.39	16.7	0.33
Lymphomas	3,433	25.4	0.45	17.5	0.32	3,061	19.0	0.35	13.2	0.27
Hodgkin Lymphoma	355	2.8	0.15	2.5	0.14	332	2.5	0.14	2.3	0.14
Non-Hodgkin Lymphoma	3,078	22.7	0.42	14.9	0.28	2,729	16.5	0.32	10.9	0.23
Multiple Myeloma	926	6.7	0.23	4.2	0.14	677	4.0	0.15	2.6	0.11
Leukemias	2,265	17.3	0.37	11.9	0.28	1,644	10.4	0.26	7.8	0.24
Acute lymphocytic	225	1.9	0.13	2.3	0.16	166	1.3	0.11	1.7	0.15
Chronic lymphocytic	892	6.6	0.23	4.0	0.14	541	3.1	0.14	1.9	0.09
Acute myeloid	663	5.0	0.20	3.3	0.14	521	3.3	0.15	2.3	0.12
Chronic myeloid	222	1.7	0.12	1.1	0.08	203	1.3	0.09	0.9	0.07
Other leukemias	263	2.0	0.13	1.3	0.08	213	1.3	0.09	0.9	0.08
Mesothelioma	192	1.5	0.11	0.8	0.06	59	0.4	0.05	0.2	0.03
Kaposi Sarcoma	27	0.2	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	2,936	22.4	0.43	13.3	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,239	9.2	0.27	6.8	0.21	2,579	16.5	0.33	11.9	0.26
Breast (*in situ*)	21	0.1	0.03	0.1	0.02	4,332	26.9	0.42	20.2	0.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	11,025	599.7	6.27	408.2	3.96	10,472	405.2	4.06	285.4	2.87
Oral Cavity & Pharynx	311	14.2	0.87	10.9	0.63	131	4.9	0.44	3.6	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	71	3.2	0.40	2.5	0.31	31	1.1	0.21	0.9	0.16
Major salivary gland	19	1.2	0.31	0.7	0.15	24	0.9	0.18	0.7	0.14
Floor of mouth	20	0.8	0.19	0.7	0.15	9	0.3	0.11	0.3	0.09
Gum & other mouth	33	1.4	0.26	1.1	0.20	27	1.1	0.21	0.7	0.14
Nasopharynx	28	1.1	0.22	1.0	0.19	10	0.4	0.11	0.3	0.10
Oropharynx	32	1.6	0.32	1.1	0.20	-	-	-	-	-
Hypopharynx	28	1.2	0.25	1.0	0.20	8	0.3	0.10	0.2	0.08
Digestive System	2,335	129.9	2.96	85.1	1.79	2,049	81.8	1.86	53.2	1.22
Esophagus	172	8.8	0.74	6.3	0.49	52	2.0	0.28	1.4	0.20
Stomach	244	14.8	1.04	8.9	0.58	179	7.4	0.57	4.7	0.36
Small intestine	83	4.3	0.52	3.1	0.34	81	3.2	0.36	2.1	0.24
Colon excl. rectum	809	47.2	1.82	29.8	1.07	906	36.6	1.25	23.1	0.80
Rectum & rectosigmoid	315	16.5	1.02	11.5	0.66	239	9.1	0.61	6.4	0.43
Anus, anal canal & anorectum	32	1.6	0.30	1.1	0.20	41	1.5	0.24	1.1	0.18
Liver	308	14.3	0.89	10.6	0.62	112	4.1	0.40	2.9	0.28
Gallbladder	18	1.2	0.30	0.6	0.15	31	1.2	0.22	0.8	0.15
Pancreas	289	17.3	1.12	10.6	0.64	319	13.4	0.77	8.2	0.48
Respiratory System	2,105	119.7	2.86	78.4	1.74	1,384	55.5	1.53	37.0	1.03
Larynx	196	9.9	0.77	7.0	0.51	55	2.0	0.28	1.4	0.20
Lung & bronchus	1,894	109.1	2.75	70.8	1.66	1,310	52.8	1.50	35.1	1.00
Bones & Joints	16	0.6	0.15	0.6	0.16	25	0.9	0.19	0.8	0.17
Soft Tissue (incl. heart)	91	4.6	0.53	3.4	0.36	96	3.5	0.37	2.8	0.30
Skin (excl. basal & sq.)	31	1.6	0.31	1.1	0.20	39	1.5	0.24	1.1	0.18
Melanomas of the skin	18	1.1	0.28	0.6	0.16	22	0.9	0.19	0.6	0.13
Breast (excl. *in situ*)	41	2.1	0.37	1.5	0.24	3,351	125.5	2.22	92.7	1.64
Female Genital System	-	-	-	-	-	1,191	45.2	1.34	33.5	0.99
Cervix uteri	-	-	-	-	-	290	10.8	0.64	8.3	0.49
Uterus Corpus	-	-	-	-	-	533	20.2	0.90	15.2	0.67
Uterus, NOS[1]	-	-	-	-	-	36	1.5	0.25	0.9	0.16
Ovary	-	-	-	-	-	236	9.0	0.60	6.5	0.43
Male Genital System	3,842	205.7	3.62	144.2	2.37	-	-	-	-	-
Prostate	3,785	203.0	3.60	142.1	2.35	-	-	-	-	-
Testis	36	1.5	0.27	1.3	0.22	-	-	-	-	-
Penis	17	0.9	0.25	0.6	0.15	-	-	-	-	-
Urinary System	746	42.2	1.70	27.5	1.02	527	21.2	0.95	14.1	0.64
Bladder (incl. *in situ*)	283	18.2	1.18	10.6	0.64	142	6.2	0.53	3.4	0.30
Kidney & renal pelvis	450	23.1	1.19	16.4	0.79	376	14.6	0.77	10.5	0.56
Ureter	8	0.5	0.20	0.3	0.12	-	-	-	-	-
Eye & Orbit	9	0.3	0.10	0.4	0.15	6	0.2	0.10	0.2	0.09
Brain & Other Nervous System	97	4.1	0.45	3.8	0.39	102	3.7	0.38	3.4	0.35
Brain	94	4.0	0.44	3.7	0.38	92	3.4	0.36	3.0	0.33
Endocrine System	98	4.5	0.48	3.6	0.37	326	11.7	0.66	9.9	0.56
Thyroid gland	69	3.3	0.42	2.5	0.30	296	10.6	0.63	8.8	0.52
Lymphomas	407	19.5	1.05	14.8	0.74	355	13.4	0.73	9.9	0.54
Hodgkin Lymphoma	83	3.4	0.39	3.0	0.33	68	2.3	0.28	2.2	0.27
Non-Hodgkin Lymphoma	324	16.1	0.98	11.7	0.66	287	11.1	0.67	7.7	0.47
Multiple Myeloma	257	14.9	1.02	9.5	0.60	244	9.9	0.65	6.5	0.43
Leukemias	241	12.7	0.91	9.1	0.59	227	8.9	0.61	6.3	0.44
Acute lymphocytic	31	1.1	0.20	1.3	0.24	26	0.9	0.17	1.0	0.20
Chronic lymphocytic	73	4.0	0.52	2.6	0.31	78	3.3	0.38	2.0	0.24
Acute myeloid	72	3.9	0.52	2.7	0.33	68	2.6	0.33	1.8	0.23
Chronic myeloid	40	2.2	0.38	1.4	0.23	30	1.1	0.21	0.8	0.15
Other leukemias	25	1.4	0.32	0.9	0.19	25	1.0	0.21	0.6	0.14
Mesothelioma	12	0.6	0.17	0.5	0.14	-	-	-	-	-
Kaposi Sarcoma	25	1.0	0.21	0.9	0.19	-	-	-	-	-
Ill-defined & Unknown	361	21.5	1.26	13.1	0.70	413	17.2	0.86	10.2	0.53
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	176	9.0	0.75	6.3	0.48	372	14.5	0.77	10.1	0.54
Breast (*in situ*)	8	0.4	0.16	0.3	0.09	727	27.5	1.04	20.3	0.77

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	465	332.3	19.13	206.4	9.89	577	280.1	13.19	190.1	8.10
Oral Cavity & Pharynx	24	14.6	3.94	9.5	2.03	6	3.4	1.67	2.2	0.90
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	3.8	1.64	2.7	1.03	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	135	101.4	11.03	61.0	5.43	117	61.0	6.33	39.2	3.69
Esophagus	6	4.8	2.31	2.5	1.04	-	-	-	-	-
Stomach	26	18.1	4.38	11.4	2.30	14	8.1	2.44	4.8	1.32
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	39	34.9	6.87	18.3	3.01	31	14.8	2.99	10.3	1.88
Rectum & rectosigmoid	28	22.4	5.65	13.0	2.60	27	14.0	3.02	9.1	1.78
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	20	10.7	2.56	8.2	1.85	12	6.9	2.15	4.1	1.20
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	7	3.2	1.23	2.9	1.11	18	9.2	2.48	6.1	1.49
Respiratory System	57	41.2	6.61	25.9	3.52	64	37.6	5.25	21.3	2.71
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	54	40.1	6.57	25.0	3.48	62	36.2	5.14	20.8	2.68
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	8	4.0	1.72	3.2	1.16
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	12	10.5	4.13	6.3	1.90	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	184	80.3	6.51	58.0	4.37
Female Genital System	-	-	-	-	-	76	31.2	3.80	24.1	2.81
Cervix uteri	-	-	-	-	-	24	9.3	2.02	6.8	1.42
Uterus Corpus	-	-	-	-	-	17	6.8	1.72	5.7	1.41
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	30	13.0	2.50	10.2	1.88
Male Genital System	103	77.8	8.91	47.5	4.76	-	-	-	-	-
Prostate	98	76.1	8.88	46.0	4.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	32	24.5	4.95	13.7	2.46	14	9.5	2.93	5.0	1.38
Bladder (incl. *in situ*)	15	14.0	4.08	6.9	1.80	-	-	-	-	-
Kidney & renal pelvis	16	9.7	2.70	6.3	1.60	6	3.8	1.85	2.2	0.94
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	8	2.6	0.93	2.5	0.93	9	3.4	1.14	3.4	1.18
Brain	8	2.6	0.93	2.5	0.93	8	3.0	1.08	3.1	1.13
Endocrine System	18	8.6	2.24	6.8	1.65	39	13.9	2.35	11.9	1.95
Thyroid gland	15	7.0	2.02	5.4	1.43	38	13.6	2.31	11.6	1.93
Lymphomas	28	17.7	4.27	11.4	2.26	21	12.4	3.15	7.2	1.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	21	10.9	2.72	8.7	1.96	15	6.3	1.69	5.9	1.57
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	7	4.6	1.88	3.0	1.16	-	-	-	-	-
Acute myeloid	7	3.8	1.70	2.5	0.97	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	12	9.2	3.43	5.8	1.73	12	9.6	3.02	4.3	1.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	14	7.9	2.33	5.6	1.54	30	15.1	3.13	10.0	1.86
Breast (*in situ*)	-	-	-	-	-	53	21.3	3.04	17.3	2.41

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	728	293.9	13.90	192.3	7.93	719	245.2	10.73	172.0	7.01
Oral Cavity & Pharynx	27	10.6	2.46	7.9	1.63	7	1.9	0.76	1.6	0.63
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	4.4	1.63	3.0	1.01	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	161	69.7	6.78	45.0	3.88	115	47.6	5.07	30.4	3.03
Esophagus	7	3.9	1.68	2.4	0.95	-	-	-	-	-
Stomach	27	12.8	3.00	7.9	1.70	16	7.5	2.20	3.9	1.04
Small intestine	8	3.9	1.72	2.0	0.77	-	-	-	-	-
Colon excl. rectum	43	20.5	3.82	12.9	2.14	37	16.5	3.06	9.9	1.73
Rectum & rectosigmoid	17	5.3	1.46	4.2	1.11	18	5.9	1.56	4.7	1.20
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	27	9.9	2.25	7.2	1.48	15	5.7	1.69	4.2	1.17
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	21	9.1	2.56	5.4	1.31	14	6.2	1.89	3.8	1.10
Respiratory System	75	37.6	5.26	22.3	2.78	55	26.4	3.85	17.0	2.41
Larynx	8	2.2	0.81	1.8	0.70	-	-	-	-	-
Lung & bronchus	62	34.9	5.19	19.9	2.67	51	24.3	3.69	15.5	2.29
Bones & Joints	7	2.0	1.24	1.2	0.50	-	-	-	-	-
Soft Tissue (incl. heart)	7	1.4	0.62	1.2	0.53	6	0.8	0.33	0.8	0.32
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	14	4.1	1.22	3.4	0.99	23	6.7	1.69	4.9	1.12
Breast (excl. *in situ*)	-	-	-	-	-	193	72.4	5.85	51.2	3.93
Female Genital System	-	-	-	-	-	106	30.2	3.35	23.2	2.49
Cervix uteri	-	-	-	-	-	41	9.4	1.55	7.6	1.28
Uterus Corpus	-	-	-	-	-	37	10.7	2.00	8.3	1.52
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	22	8.0	1.96	5.6	1.29
Male Genital System	185	86.2	7.56	57.0	4.50	-	-	-	-	-
Prostate	156	82.5	7.50	53.6	4.44	-	-	-	-	-
Testis	24	2.3	0.50	2.3	0.50	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	64	31.9	4.79	18.8	2.54	29	9.5	2.08	6.9	1.39
Bladder (incl. *in situ*)	22	12.3	3.02	7.3	1.63	8	4.0	1.55	1.9	0.72
Kidney & renal pelvis	40	18.4	3.59	11.0	1.91	21	5.5	1.39	4.9	1.18
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	24	6.0	1.85	4.2	0.98	16	3.4	1.24	3.0	0.87
Brain	21	5.6	1.83	3.8	0.95	15	3.3	1.23	2.9	0.86
Endocrine System	16	3.1	0.88	2.6	0.74	65	13.4	1.90	11.2	1.55
Thyroid gland	14	2.9	0.86	2.4	0.72	62	12.9	1.87	10.7	1.52
Lymphomas	51	14.3	2.92	9.9	1.64	39	13.9	2.70	8.6	1.53
Hodgkin Lymphoma	12	2.0	0.72	2.0	0.68	16	3.1	0.88	2.6	0.73
Non-Hodgkin Lymphoma	39	12.3	2.83	7.9	1.50	23	10.7	2.56	6.0	1.35
Multiple Myeloma	7	2.2	0.86	2.0	0.80	-	-	-	-	-
Leukemias	52	8.1	1.80	7.6	1.23	30	8.1	1.92	5.9	1.16
Acute lymphocytic	28	2.6	0.51	3.4	0.66	12	1.2	0.36	1.6	0.47
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	8	2.7	1.44	1.7	0.73	9	3.6	1.41	1.8	0.64
Chronic myeloid	6	1.4	0.80	1.1	0.54	-	-	-	-	-
Other leukemias	10	1.4	0.51	1.4	0.51	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	27	14.2	3.48	6.9	1.48	26	9.6	2.23	6.0	1.27
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	22	7.5	2.36	4.5	1.13	32	10.9	2.22	7.6	1.45
Breast (*in situ*)	-	-	-	-	-	51	16.5	2.51	12.3	1.79

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	75,872	551.6	2.06	368.3	1.40	68,037	427.5	1.68	303.2	1.27
Oral Cavity & Pharynx	2,821	19.7	0.38	14.4	0.28	1,079	6.7	0.21	4.7	0.16
Lip	175	1.3	0.11	0.8	0.07	47	0.3	0.04	0.2	0.03
Tongue	864	5.9	0.21	4.5	0.16	323	2.0	0.11	1.5	0.09
Major salivary gland	266	2.0	0.13	1.3	0.08	144	0.9	0.08	0.7	0.06
Floor of mouth	138	0.9	0.08	0.7	0.06	59	0.4	0.05	0.2	0.03
Gum & other mouth	321	2.3	0.13	1.5	0.09	252	1.5	0.10	0.9	0.07
Nasopharynx	112	0.8	0.08	0.6	0.06	42	0.3	0.04	0.2	0.04
Oropharynx	100	0.7	0.07	0.5	0.05	38	0.2	0.04	0.2	0.03
Hypopharynx	152	1.0	0.09	0.8	0.06	32	0.2	0.04	0.1	0.03
Digestive System	12,997	95.5	0.86	62.0	0.56	10,408	63.1	0.63	40.4	0.43
Esophagus	1,195	8.5	0.25	5.7	0.17	257	1.5	0.10	0.9	0.06
Stomach	1,018	7.6	0.25	4.7	0.15	602	3.6	0.15	2.3	0.10
Small intestine	357	2.6	0.14	1.8	0.10	309	1.9	0.11	1.3	0.08
Colon excl. rectum	4,540	34.2	0.52	21.0	0.32	4,591	27.6	0.42	17.2	0.28
Rectum & rectosigmoid	2,051	14.9	0.34	10.3	0.23	1,450	9.1	0.24	6.4	0.18
Anus, anal canal & anorectum	221	1.6	0.11	1.2	0.08	412	2.6	0.13	1.9	0.10
Liver	1,284	8.9	0.25	6.4	0.18	426	2.6	0.13	1.7	0.09
Gallbladder	85	0.7	0.07	0.4	0.04	128	0.8	0.07	0.5	0.05
Pancreas	1,790	13.0	0.32	8.3	0.20	1,683	10.0	0.25	6.1	0.16
Respiratory System	14,955	108.0	0.91	68.8	0.58	11,175	66.5	0.64	44.7	0.45
Larynx	1,135	7.9	0.24	5.6	0.17	325	2.0	0.11	1.5	0.09
Lung & bronchus	13,673	99.1	0.87	62.4	0.55	10,732	63.8	0.62	42.7	0.44
Bones & Joints	139	1.1	0.10	0.9	0.09	118	0.9	0.08	0.8	0.08
Soft Tissue (incl. heart)	487	3.8	0.18	2.9	0.15	400	2.7	0.14	2.1	0.13
Skin (excl. basal & sq.)	4,341	32.9	0.51	21.6	0.34	3,055	20.9	0.39	15.8	0.31
Melanomas of the skin	4,068	30.7	0.50	20.4	0.34	2,897	19.9	0.38	15.1	0.31
Breast (excl. *in situ*)	216	1.6	0.11	1.0	0.07	19,173	120.7	0.89	87.8	0.67
Female Genital System	-	-	-	-	-	7,315	47.1	0.57	34.9	0.44
Cervix uteri	-	-	-	-	-	1,094	8.3	0.26	6.6	0.21
Uterus Corpus	-	-	-	-	-	3,443	21.3	0.37	16.0	0.29
Uterus, NOS[1]	-	-	-	-	-	126	0.8	0.07	0.5	0.05
Ovary	-	-	-	-	-	1,918	12.1	0.28	8.6	0.21
Male Genital System	19,484	134.1	0.99	94.2	0.69	-	-	-	-	-
Prostate	18,689	127.2	0.96	88.0	0.65	-	-	-	-	-
Testis	657	5.9	0.23	5.5	0.22	-	-	-	-	-
Penis	116	0.9	0.08	0.6	0.05	-	-	-	-	-
Urinary System	8,364	62.3	0.70	39.1	0.45	3,462	21.3	0.37	14.7	0.28
Bladder (incl. *in situ*)	4,945	37.8	0.55	21.7	0.32	1,433	8.5	0.23	5.4	0.15
Kidney & renal pelvis	3,255	23.3	0.42	16.8	0.31	1,955	12.3	0.29	9.1	0.23
Ureter	112	0.8	0.08	0.5	0.05	57	0.3	0.04	0.2	0.03
Eye & Orbit	166	1.3	0.10	1.0	0.09	150	1.0	0.08	0.8	0.08
Brain & Other Nervous System	1,107	8.6	0.26	7.2	0.24	959	6.6	0.22	5.6	0.22
Brain	1,068	8.2	0.26	6.8	0.23	902	6.1	0.21	5.2	0.21
Endocrine System	1,117	8.5	0.26	6.8	0.22	2,835	21.0	0.41	17.7	0.35
Thyroid gland	1,026	7.7	0.25	6.1	0.20	2,755	20.4	0.40	17.1	0.35
Lymphomas	3,399	25.8	0.45	17.8	0.33	3,028	19.1	0.36	13.4	0.28
Hodgkin Lymphoma	347	2.9	0.16	2.6	0.15	319	2.5	0.14	2.3	0.14
Non-Hodgkin Lymphoma	3,052	22.9	0.43	15.1	0.29	2,709	16.6	0.33	11.0	0.24
Multiple Myeloma	919	6.7	0.23	4.2	0.14	677	4.0	0.16	2.6	0.11
Leukemias	2,228	17.4	0.38	11.9	0.29	1,619	10.4	0.27	7.8	0.24
Acute lymphocytic	205	1.8	0.13	2.2	0.17	154	1.3	0.11	1.7	0.16
Chronic lymphocytic	892	6.7	0.23	4.0	0.14	539	3.2	0.14	1.9	0.09
Acute myeloid	656	5.1	0.20	3.3	0.14	514	3.3	0.15	2.3	0.12
Chronic myeloid	216	1.7	0.12	1.1	0.08	200	1.3	0.10	0.9	0.08
Other leukemias	259	2.0	0.13	1.2	0.08	212	1.3	0.10	0.9	0.08
Mesothelioma	190	1.5	0.11	0.8	0.06	59	0.4	0.05	0.2	0.03
Kaposi Sarcoma	27	0.2	0.05	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,915	22.6	0.43	13.5	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,223	9.4	0.28	7.0	0.22	2,553	16.7	0.34	12.1	0.27
Breast (*in situ*)	21	0.2	0.03	0.1	0.02	4,290	27.1	0.42	20.4	0.33

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Tennessee, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	11,001	602.8	6.31	410.5	3.99	10,446	407.3	4.09	286.8	2.89
Oral Cavity & Pharynx	311	14.3	0.87	11.0	0.64	130	4.9	0.44	3.6	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	71	3.2	0.40	2.6	0.31	31	1.2	0.21	0.9	0.16
Major salivary gland	19	1.2	0.31	0.7	0.15	24	0.9	0.18	0.7	0.15
Floor of mouth	20	0.8	0.19	0.7	0.15	9	0.3	0.11	0.3	0.09
Gum & other mouth	33	1.4	0.26	1.1	0.20	27	1.1	0.22	0.7	0.14
Nasopharynx	28	1.1	0.23	1.0	0.19	10	0.4	0.12	0.3	0.10
Oropharynx	32	1.7	0.32	1.1	0.21	-	-	-	-	-
Hypopharynx	28	1.2	0.25	1.0	0.20	8	0.3	0.10	0.2	0.08
Digestive System	2,330	130.6	2.98	85.6	1.81	2,042	82.1	1.87	53.4	1.22
Esophagus	172	8.9	0.74	6.3	0.49	52	2.0	0.28	1.4	0.20
Stomach	244	14.9	1.05	9.0	0.59	178	7.4	0.57	4.7	0.36
Small intestine	83	4.4	0.53	3.1	0.35	80	3.1	0.36	2.1	0.24
Colon excl. rectum	806	47.3	1.83	29.9	1.07	903	36.7	1.25	23.2	0.80
Rectum & rectosigmoid	314	16.6	1.02	11.6	0.66	239	9.2	0.61	6.5	0.43
Anus, anal canal & anorectum	32	1.6	0.30	1.1	0.20	40	1.5	0.24	1.1	0.18
Liver	307	14.3	0.89	10.7	0.62	111	4.0	0.40	2.9	0.28
Gallbladder	18	1.2	0.30	0.6	0.16	31	1.2	0.22	0.8	0.15
Pancreas	289	17.5	1.13	10.7	0.64	319	13.5	0.77	8.3	0.48
Respiratory System	2,100	120.2	2.87	78.7	1.75	1,383	55.8	1.54	37.3	1.03
Larynx	195	9.9	0.77	7.0	0.51	55	2.0	0.28	1.5	0.20
Lung & bronchus	1,890	109.6	2.76	71.1	1.67	1,309	53.1	1.51	35.3	1.01
Bones & Joints	16	0.6	0.15	0.6	0.16	25	0.9	0.19	0.8	0.17
Soft Tissue (incl. heart)	91	4.6	0.54	3.4	0.37	95	3.5	0.37	2.8	0.30
Skin (excl. basal & sq.)	31	1.6	0.31	1.1	0.20	39	1.5	0.25	1.1	0.18
Melanomas of the skin	18	1.1	0.28	0.6	0.16	22	0.9	0.19	0.6	0.13
Breast (excl. *in situ*)	41	2.2	0.38	1.5	0.24	3,343	126.2	2.23	93.2	1.65
Female Genital System	-	-	-	-	-	1,190	45.5	1.35	33.7	1.00
Cervix uteri	-	-	-	-	-	290	10.9	0.65	8.4	0.50
Uterus Corpus	-	-	-	-	-	532	20.4	0.91	15.3	0.68
Uterus, NOS[1]	-	-	-	-	-	36	1.5	0.26	0.9	0.16
Ovary	-	-	-	-	-	236	9.1	0.61	6.5	0.44
Male Genital System	3,832	206.5	3.64	144.8	2.38	-	-	-	-	-
Prostate	3,776	203.8	3.62	142.7	2.37	-	-	-	-	-
Testis	35	1.5	0.27	1.3	0.22	-	-	-	-	-
Penis	17	0.9	0.25	0.6	0.15	-	-	-	-	-
Urinary System	744	42.4	1.71	27.6	1.03	527	21.3	0.95	14.2	0.64
Bladder (incl. *in situ*)	283	18.3	1.19	10.6	0.64	142	6.3	0.54	3.4	0.31
Kidney & renal pelvis	448	23.2	1.20	16.4	0.79	376	14.7	0.78	10.5	0.56
Ureter	8	0.5	0.20	0.3	0.12	-	-	-	-	-
Eye & Orbit	9	0.3	0.10	0.4	0.15	6	0.2	0.10	0.2	0.09
Brain & Other Nervous System	96	4.2	0.46	3.8	0.40	99	3.7	0.38	3.3	0.35
Brain	93	4.0	0.45	3.7	0.39	90	3.3	0.36	2.9	0.33
Endocrine System	98	4.5	0.49	3.6	0.38	322	11.7	0.66	9.8	0.56
Thyroid gland	69	3.3	0.42	2.5	0.31	292	10.6	0.63	8.8	0.52
Lymphomas	406	19.7	1.06	14.9	0.75	355	13.5	0.74	10.0	0.55
Hodgkin Lymphoma	82	3.4	0.39	3.0	0.34	68	2.3	0.28	2.2	0.27
Non-Hodgkin Lymphoma	324	16.3	0.99	11.9	0.67	287	11.2	0.68	7.8	0.48
Multiple Myeloma	257	15.0	1.03	9.5	0.61	244	10.0	0.66	6.5	0.43
Leukemias	241	12.8	0.92	9.2	0.60	227	9.0	0.61	6.4	0.44
Acute lymphocytic	31	1.1	0.20	1.3	0.24	26	0.9	0.17	1.0	0.21
Chronic lymphocytic	73	4.1	0.52	2.7	0.32	78	3.3	0.38	2.0	0.24
Acute myeloid	72	4.0	0.52	2.8	0.33	68	2.7	0.33	1.8	0.23
Chronic myeloid	40	2.2	0.39	1.5	0.23	30	1.1	0.21	0.8	0.15
Other leukemias	25	1.4	0.33	1.0	0.19	25	1.0	0.21	0.7	0.14
Mesothelioma	12	0.6	0.17	0.5	0.14	-	-	-	-	-
Kaposi Sarcoma	25	1.1	0.22	0.9	0.19	-	-	-	-	-
Ill-defined & Unknown	361	21.7	1.27	13.2	0.71	413	17.3	0.87	10.3	0.53
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	176	9.1	0.76	6.4	0.49	372	14.7	0.78	10.2	0.55
Breast (*in situ*)	8	0.4	0.16	0.3	0.10	725	27.6	1.05	20.4	0.77

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	257,147	488.5	1.00	320.9	0.65	241,171	384.4	0.79	267.0	0.57
Oral Cavity & Pharynx	9,194	16.1	0.17	11.6	0.12	3,663	5.8	0.10	4.0	0.07
Lip	423	0.8	0.04	0.5	0.03	109	0.2	0.02	0.1	0.01
Tongue	2,833	4.8	0.09	3.6	0.07	1,153	1.8	0.05	1.3	0.04
Major salivary gland	804	1.6	0.06	1.0	0.04	604	1.0	0.04	0.7	0.03
Floor of mouth	412	0.7	0.04	0.5	0.03	159	0.2	0.02	0.2	0.01
Gum & other mouth	969	1.8	0.06	1.2	0.04	664	1.1	0.04	0.7	0.03
Nasopharynx	433	0.7	0.04	0.6	0.03	155	0.2	0.02	0.2	0.02
Oropharynx	488	0.8	0.04	0.6	0.03	132	0.2	0.02	0.1	0.01
Hypopharynx	596	1.1	0.05	0.7	0.03	162	0.3	0.02	0.2	0.01
Digestive System	53,755	101.4	0.45	66.0	0.29	40,176	64.2	0.32	40.8	0.22
Esophagus	3,782	7.1	0.12	4.7	0.08	923	1.5	0.05	0.9	0.03
Stomach	4,671	9.1	0.14	5.7	0.08	3,062	4.9	0.09	3.1	0.06
Small intestine	1,397	2.6	0.07	1.8	0.05	1,178	1.9	0.05	1.3	0.04
Colon excl. rectum	17,180	33.4	0.26	20.9	0.16	15,725	25.2	0.20	15.7	0.13
Rectum & rectosigmoid	8,213	15.0	0.17	10.2	0.11	5,262	8.3	0.12	5.7	0.08
Anus, anal canal & anorectum	738	1.3	0.05	0.9	0.04	1,132	1.8	0.05	1.3	0.04
Liver	8,477	14.6	0.16	10.6	0.12	2,961	4.7	0.09	3.1	0.06
Gallbladder	397	0.8	0.04	0.5	0.02	979	1.6	0.05	1.0	0.03
Pancreas	6,814	13.4	0.17	8.2	0.10	6,489	10.5	0.13	6.2	0.08
Respiratory System	40,404	80.3	0.41	48.9	0.25	30,013	48.6	0.28	30.4	0.18
Larynx	3,377	6.2	0.11	4.2	0.07	812	1.3	0.04	0.9	0.03
Lung & bronchus	36,375	73.0	0.40	43.8	0.23	28,818	46.7	0.28	29.1	0.18
Bones & Joints	695	1.2	0.05	1.0	0.04	606	1.0	0.04	0.9	0.04
Soft Tissue (incl. heart)	2,039	3.7	0.08	2.8	0.06	1,617	2.6	0.06	2.1	0.05
Skin (excl. basal & sq.)	9,904	19.1	0.20	12.2	0.13	6,562	10.5	0.13	7.8	0.10
Melanomas of the skin	9,074	17.4	0.19	11.2	0.12	6,049	9.6	0.13	7.2	0.10
Breast (excl. *in situ*)	568	1.1	0.05	0.7	0.03	71,507	113.1	0.43	81.8	0.32
Female Genital System	-	-	-	-	-	27,864	43.9	0.27	32.6	0.20
Cervix uteri	-	-	-	-	-	5,725	9.2	0.12	7.4	0.10
Uterus Corpus	-	-	-	-	-	12,132	18.8	0.17	14.1	0.13
Uterus, NOS[1]	-	-	-	-	-	799	1.3	0.05	0.9	0.03
Ovary	-	-	-	-	-	7,048	11.2	0.14	7.9	0.10
Male Genital System	66,219	121.8	0.49	84.0	0.33	-	-	-	-	-
Prostate	62,491	115.7	0.48	78.6	0.32	-	-	-	-	-
Testis	3,060	4.8	0.09	4.6	0.08	-	-	-	-	-
Penis	562	1.1	0.05	0.7	0.03	-	-	-	-	-
Urinary System	26,966	53.1	0.33	32.8	0.20	12,625	20.1	0.18	13.4	0.13
Bladder (incl. *in situ*)	13,401	28.2	0.25	15.7	0.14	4,077	6.6	0.10	3.9	0.06
Kidney & renal pelvis	13,133	24.0	0.22	16.7	0.15	8,283	13.1	0.15	9.3	0.11
Ureter	293	0.6	0.04	0.3	0.02	179	0.3	0.02	0.2	0.01
Eye & Orbit	455	0.8	0.04	0.7	0.03	427	0.7	0.03	0.6	0.03
Brain & Other Nervous System	4,352	7.6	0.12	6.2	0.10	3,494	5.5	0.09	4.7	0.09
Brain	4,056	7.1	0.11	5.7	0.09	3,195	5.0	0.09	4.3	0.08
Endocrine System	4,081	7.0	0.11	5.5	0.09	11,402	18.2	0.17	14.9	0.14
Thyroid gland	3,597	6.2	0.11	4.7	0.08	10,993	17.5	0.17	14.3	0.14
Lymphomas	13,156	24.8	0.22	16.8	0.15	10,865	17.4	0.17	12.0	0.12
Hodgkin Lymphoma	1,751	2.9	0.07	2.5	0.06	1,295	2.0	0.06	1.9	0.05
Non-Hodgkin Lymphoma	11,405	21.8	0.21	14.3	0.14	9,570	15.4	0.16	10.1	0.11
Multiple Myeloma	4,100	8.1	0.13	5.0	0.08	3,385	5.5	0.10	3.4	0.06
Leukemias	8,795	17.0	0.19	11.7	0.13	6,571	10.5	0.13	7.8	0.11
Acute lymphocytic	1,331	2.1	0.06	2.5	0.07	1,019	1.6	0.05	1.9	0.06
Chronic lymphocytic	2,748	5.6	0.11	3.3	0.06	1,860	3.0	0.07	1.7	0.04
Acute myeloid	2,209	4.4	0.10	2.8	0.06	1,830	2.9	0.07	2.1	0.05
Chronic myeloid	1,190	2.3	0.07	1.5	0.04	859	1.4	0.05	0.9	0.03
Other leukemias	1,317	2.6	0.08	1.6	0.05	1,003	1.6	0.05	1.1	0.04
Mesothelioma	737	1.6	0.06	0.9	0.03	224	0.4	0.02	0.2	0.02
Kaposi Sarcoma	446	0.8	0.04	0.6	0.03	67	0.1	0.01	0.1	0.01
Ill-defined & Unknown	11,281	23.3	0.23	13.4	0.13	10,103	16.4	0.16	9.5	0.10
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	4,962	9.1	0.13	6.5	0.09	10,233	16.4	0.16	11.5	0.12
Breast (*in situ*)	48	0.1	0.01	0.1	0.01	15,130	23.8	0.20	17.9	0.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	221,313	486.8	1.07	319.5	0.70	206,661	388.6	0.86	270.5	0.63
Oral Cavity & Pharynx	8,228	16.8	0.19	12.1	0.14	3,196	6.0	0.11	4.1	0.08
Lip	410	0.9	0.05	0.6	0.03	101	0.2	0.02	0.1	0.01
Tongue	2,628	5.2	0.10	3.9	0.08	1,053	2.0	0.06	1.4	0.04
Major salivary gland	727	1.7	0.06	1.0	0.04	504	1.0	0.04	0.7	0.03
Floor of mouth	362	0.7	0.04	0.5	0.03	132	0.2	0.02	0.2	0.02
Gum & other mouth	838	1.8	0.06	1.2	0.04	584	1.1	0.05	0.7	0.03
Nasopharynx	312	0.6	0.04	0.5	0.03	102	0.2	0.02	0.1	0.01
Oropharynx	427	0.9	0.04	0.6	0.03	111	0.2	0.02	0.1	0.01
Hypopharynx	493	1.0	0.05	0.7	0.03	143	0.3	0.02	0.2	0.02
Digestive System	45,216	99.0	0.48	64.2	0.31	33,395	62.3	0.34	39.6	0.23
Esophagus	3,369	7.3	0.13	4.8	0.08	789	1.5	0.05	0.9	0.03
Stomach	3,784	8.5	0.14	5.3	0.09	2,446	4.6	0.09	3.0	0.06
Small intestine	1,159	2.5	0.07	1.7	0.05	951	1.8	0.06	1.2	0.04
Colon excl. rectum	14,427	32.5	0.28	20.2	0.17	12,990	24.3	0.22	15.0	0.14
Rectum & rectosigmoid	7,087	15.1	0.18	10.3	0.12	4,397	8.2	0.12	5.6	0.09
Anus, anal canal & anorectum	625	1.3	0.05	0.9	0.04	1,026	1.9	0.06	1.4	0.04
Liver	6,784	13.8	0.17	9.9	0.12	2,457	4.6	0.09	3.0	0.06
Gallbladder	315	0.7	0.04	0.4	0.03	828	1.5	0.05	1.0	0.04
Pancreas	5,862	13.2	0.18	8.1	0.11	5,382	10.1	0.14	6.0	0.09
Respiratory System	34,542	78.9	0.44	47.8	0.26	25,954	48.9	0.31	30.5	0.20
Larynx	2,854	6.0	0.12	4.1	0.08	670	1.2	0.05	0.9	0.04
Lung & bronchus	31,124	71.7	0.42	42.8	0.25	24,964	47.0	0.30	29.2	0.20
Bones & Joints	606	1.2	0.05	1.1	0.05	513	1.0	0.04	0.9	0.04
Soft Tissue (incl. heart)	1,771	3.8	0.09	2.9	0.07	1,350	2.6	0.07	2.1	0.06
Skin (excl. basal & sq.)	9,480	21.1	0.22	13.6	0.14	6,226	11.9	0.15	8.9	0.12
Melanomas of the skin	8,736	19.3	0.21	12.6	0.14	5,781	11.0	0.15	8.3	0.11
Breast (excl. *in situ*)	483	1.1	0.05	0.7	0.03	60,856	114.2	0.47	82.5	0.35
Female Genital System	-	-	-	-	-	23,940	45.0	0.29	33.6	0.23
Cervix uteri	-	-	-	-	-	4,706	9.3	0.14	7.4	0.11
Uterus Corpus	-	-	-	-	-	10,479	19.3	0.19	14.6	0.15
Uterus, NOS[1]	-	-	-	-	-	622	1.2	0.05	0.8	0.03
Ovary	-	-	-	-	-	6,221	11.7	0.15	8.3	0.11
Male Genital System	54,928	116.8	0.51	80.7	0.35	-	-	-	-	-
Prostate	51,448	109.9	0.50	74.5	0.33	-	-	-	-	-
Testis	2,903	5.6	0.11	5.4	0.10	-	-	-	-	-
Penis	490	1.1	0.05	0.7	0.03	-	-	-	-	-
Urinary System	24,302	55.0	0.36	34.1	0.22	10,992	20.5	0.20	13.7	0.14
Bladder (incl. *in situ*)	12,373	29.6	0.27	16.5	0.15	3,639	6.8	0.11	4.0	0.07
Kidney & renal pelvis	11,533	24.5	0.23	17.0	0.16	7,125	13.3	0.16	9.5	0.12
Ureter	278	0.7	0.04	0.4	0.02	162	0.3	0.02	0.2	0.01
Eye & Orbit	430	0.9	0.05	0.7	0.04	386	0.7	0.04	0.6	0.03
Brain & Other Nervous System	3,886	8.0	0.13	6.6	0.11	3,100	5.9	0.11	5.0	0.10
Brain	3,621	7.5	0.13	6.1	0.10	2,850	5.4	0.10	4.5	0.09
Endocrine System	3,615	7.4	0.13	5.8	0.10	9,865	19.1	0.19	15.7	0.16
Thyroid gland	3,220	6.6	0.12	5.0	0.09	9,549	18.5	0.19	15.2	0.16
Lymphomas	11,676	25.7	0.24	17.4	0.17	9,539	18.0	0.19	12.3	0.14
Hodgkin Lymphoma	1,498	3.0	0.08	2.6	0.07	1,082	2.1	0.06	1.9	0.06
Non-Hodgkin Lymphoma	10,178	22.7	0.23	14.8	0.15	8,457	15.9	0.17	10.4	0.12
Multiple Myeloma	3,294	7.5	0.13	4.6	0.08	2,526	4.8	0.10	2.9	0.06
Leukemias	7,815	17.5	0.20	12.1	0.14	5,799	10.9	0.14	8.1	0.12
Acute lymphocytic	1,181	2.2	0.07	2.7	0.08	906	1.7	0.06	2.1	0.07
Chronic lymphocytic	2,480	5.8	0.12	3.4	0.07	1,698	3.2	0.08	1.8	0.05
Acute myeloid	1,955	4.5	0.10	2.9	0.07	1,578	3.0	0.08	2.2	0.06
Chronic myeloid	1,020	2.3	0.07	1.5	0.05	733	1.4	0.05	1.0	0.04
Other leukemias	1,179	2.7	0.08	1.7	0.05	884	1.7	0.06	1.1	0.04
Mesothelioma	690	1.7	0.07	0.9	0.04	202	0.4	0.03	0.3	0.02
Kaposi Sarcoma	323	0.7	0.04	0.5	0.03	49	0.1	0.01	0.0	0.01
Ill-defined & Unknown	10,028	23.7	0.24	13.7	0.14	8,773	16.4	0.18	9.6	0.11
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	4,242	9.2	0.14	6.5	0.10	8,579	16.2	0.18	11.5	0.13
Breast (*in situ*)	39	0.1	0.01	0.1	0.01	12,557	23.5	0.21	17.7	0.16

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,658	563.1	3.69	377.8	2.28	27,413	401.1	2.50	277.6	1.72
Oral Cavity & Pharynx	725	12.8	0.52	9.3	0.35	352	4.9	0.27	3.6	0.20
Lip	9	0.2	0.06	0.1	0.04	-	-	-	-	-
Tongue	148	2.7	0.24	1.9	0.16	66	0.9	0.11	0.7	0.08
Major salivary gland	53	1.0	0.15	0.7	0.10	83	1.1	0.13	0.8	0.09
Floor of mouth	46	0.7	0.11	0.5	0.08	23	0.3	0.07	0.2	0.05
Gum & other mouth	88	1.6	0.19	1.2	0.13	60	0.9	0.12	0.6	0.08
Nasopharynx	57	0.9	0.13	0.7	0.10	32	0.4	0.08	0.3	0.06
Oropharynx	57	1.0	0.15	0.7	0.10	20	0.3	0.06	0.2	0.05
Hypopharynx	92	1.8	0.21	1.2	0.13	17	0.2	0.06	0.2	0.04
Digestive System	6,824	132.2	1.78	88.3	1.09	5,538	83.9	1.16	54.2	0.75
Esophagus	335	6.6	0.40	4.4	0.25	119	1.8	0.17	1.2	0.11
Stomach	676	14.9	0.64	8.8	0.35	456	7.2	0.35	4.3	0.21
Small intestine	201	4.0	0.32	2.6	0.19	206	3.0	0.22	2.1	0.15
Colon excl. rectum	2,292	46.7	1.08	30.1	0.64	2,317	35.1	0.75	22.8	0.49
Rectum & rectosigmoid	881	16.0	0.60	11.1	0.38	671	9.6	0.38	6.7	0.26
Anus, anal canal & anorectum	102	1.6	0.17	1.2	0.12	96	1.3	0.14	1.0	0.10
Liver	1,283	20.4	0.62	15.9	0.46	351	4.9	0.27	3.5	0.19
Gallbladder	65	1.5	0.20	0.9	0.11	126	2.0	0.18	1.3	0.12
Pancreas	793	16.4	0.65	10.5	0.38	948	15.2	0.51	9.0	0.30
Respiratory System	5,072	108.7	1.68	68.5	0.98	3,480	54.3	0.95	35.2	0.61
Larynx	484	9.3	0.47	6.4	0.30	138	1.9	0.17	1.4	0.12
Lung & bronchus	4,524	98.2	1.60	61.3	0.93	3,295	51.8	0.93	33.2	0.60
Bones & Joints	65	0.9	0.12	0.8	0.10	67	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	200	3.3	0.26	2.5	0.18	209	2.8	0.20	2.2	0.16
Skin (excl. basal & sq.)	132	2.4	0.23	1.6	0.15	119	1.7	0.16	1.2	0.12
Melanomas of the skin	62	1.3	0.18	0.8	0.10	68	1.0	0.13	0.7	0.08
Breast (excl. *in situ*)	72	1.5	0.20	1.0	0.12	8,453	118.5	1.33	86.2	0.96
Female Genital System	-	-	-	-	-	3,037	43.3	0.81	31.3	0.58
Cervix uteri	-	-	-	-	-	811	10.9	0.39	8.4	0.30
Uterus Corpus	-	-	-	-	-	1,259	18.2	0.53	13.2	0.38
Uterus, NOS[1]	-	-	-	-	-	154	2.3	0.19	1.6	0.13
Ovary	-	-	-	-	-	602	8.8	0.37	6.0	0.25
Male Genital System	9,126	176.1	2.03	122.1	1.31	-	-	-	-	-
Prostate	8,964	173.3	2.01	120.1	1.30	-	-	-	-	-
Testis	90	1.2	0.13	1.1	0.11	-	-	-	-	-
Penis	58	1.3	0.19	0.7	0.10	-	-	-	-	-
Urinary System	2,144	43.9	1.05	28.0	0.62	1,406	21.3	0.59	14.0	0.39
Bladder (incl. *in situ*)	750	18.1	0.73	9.9	0.37	362	5.9	0.32	3.4	0.19
Kidney & renal pelvis	1,366	25.1	0.75	17.8	0.49	1,017	14.9	0.48	10.4	0.34
Ureter	9	0.2	0.09	0.1	0.04	11	0.2	0.06	0.1	0.04
Eye & Orbit	13	0.1	0.04	0.2	0.06	29	0.3	0.06	0.5	0.09
Brain & Other Nervous System	325	5.1	0.31	4.2	0.24	290	3.8	0.23	3.4	0.21
Brain	311	4.9	0.31	4.0	0.23	256	3.3	0.21	3.0	0.19
Endocrine System	275	4.2	0.28	3.4	0.21	935	12.4	0.42	9.8	0.33
Thyroid gland	209	3.3	0.25	2.6	0.18	857	11.3	0.40	8.9	0.31
Lymphomas	1,123	18.8	0.62	14.0	0.42	1,002	14.1	0.46	10.5	0.34
Hodgkin Lymphoma	202	2.8	0.21	2.4	0.17	174	2.1	0.16	2.0	0.15
Non-Hodgkin Lymphoma	921	16.0	0.59	11.5	0.39	828	12.0	0.43	8.5	0.30
Multiple Myeloma	710	15.0	0.62	9.3	0.36	783	12.3	0.45	7.8	0.29
Leukemias	728	14.1	0.59	9.8	0.37	578	8.5	0.36	6.0	0.26
Acute lymphocytic	89	1.2	0.13	1.3	0.14	65	0.8	0.10	0.9	0.12
Chronic lymphocytic	220	4.8	0.36	3.0	0.21	135	2.1	0.19	1.3	0.12
Acute myeloid	187	3.6	0.29	2.5	0.18	194	2.8	0.21	2.0	0.15
Chronic myeloid	121	2.2	0.22	1.6	0.15	88	1.3	0.14	0.9	0.10
Other leukemias	111	2.3	0.25	1.4	0.14	96	1.5	0.15	0.9	0.10
Mesothelioma	40	1.0	0.17	0.5	0.09	14	0.2	0.05	0.1	0.04
Kaposi Sarcoma	114	1.6	0.15	1.4	0.13	17	0.2	0.06	0.2	0.04
Ill-defined & Unknown	970	21.4	0.77	12.7	0.42	1,104	17.7	0.55	10.5	0.33
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	520	9.4	0.46	6.7	0.30	1,234	18.1	0.53	12.5	0.36
Breast (*in situ*)	9	0.2	0.06	0.1	0.04	1,928	26.9	0.63	20.0	0.46

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	4,353	264.7	4.66	165.7	2.56	5,195	233.0	3.53	160.3	2.27
Oral Cavity & Pharynx	179	9.1	0.78	6.2	0.48	90	4.3	0.49	2.8	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	35	1.8	0.35	1.2	0.21	24	1.1	0.24	0.7	0.15
Major salivary gland	13	0.6	0.18	0.4	0.11	14	0.5	0.15	0.5	0.13
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	31	1.6	0.31	1.1	0.20	15	0.9	0.24	0.5	0.13
Nasopharynx	60	2.8	0.41	2.1	0.27	20	0.8	0.19	0.6	0.13
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	9	0.8	0.32	0.4	0.12	-	-	-	-	-
Digestive System	1,366	81.4	2.55	50.9	1.40	1,008	52.5	1.81	31.7	1.01
Esophagus	62	4.3	0.63	2.4	0.32	13	0.8	0.23	0.4	0.12
Stomach	173	10.9	0.96	6.5	0.50	137	7.5	0.70	4.2	0.36
Small intestine	21	1.0	0.26	0.7	0.17	11	0.6	0.20	0.3	0.09
Colon excl. rectum	345	21.9	1.38	13.0	0.71	325	16.4	1.00	10.1	0.57
Rectum & rectosigmoid	182	10.3	0.89	6.7	0.51	149	6.5	0.57	4.6	0.38
Anus, anal canal & anorectum	-	-	-	-	-	6	0.3	0.15	0.2	0.09
Liver	369	19.7	1.15	13.4	0.71	144	8.0	0.73	4.7	0.39
Gallbladder	11	0.8	0.27	0.5	0.14	18	0.9	0.24	0.6	0.14
Pancreas	123	7.8	0.80	4.6	0.42	129	7.6	0.73	4.1	0.37
Respiratory System	612	41.5	1.93	23.7	0.97	463	25.5	1.28	14.8	0.70
Larynx	19	1.4	0.38	0.7	0.16	-	-	-	-	-
Lung & bronchus	574	39.1	1.87	22.3	0.95	450	24.9	1.27	14.4	0.69
Bones & Joints	17	0.6	0.15	0.7	0.17	16	0.6	0.16	0.6	0.17
Soft Tissue (incl. heart)	41	2.2	0.41	1.5	0.25	36	1.5	0.27	1.1	0.19
Skin (excl. basal & sq.)	36	2.2	0.44	1.3	0.22	28	1.5	0.31	0.9	0.17
Melanomas of the skin	30	1.8	0.37	1.1	0.20	21	1.1	0.28	0.6	0.14
Breast (excl. *in situ*)	12	0.7	0.22	0.4	0.12	1,630	64.8	1.70	48.7	1.22
Female Genital System	-	-	-	-	-	651	26.3	1.10	19.6	0.78
Cervix uteri	-	-	-	-	-	143	5.5	0.49	4.0	0.34
Uterus Corpus	-	-	-	-	-	294	11.5	0.71	8.9	0.52
Uterus, NOS[1]	-	-	-	-	-	15	0.6	0.15	0.4	0.11
Ovary	-	-	-	-	-	180	7.8	0.62	5.7	0.43
Male Genital System	829	53.0	2.11	32.9	1.16	-	-	-	-	-
Prostate	786	51.3	2.08	31.5	1.14	-	-	-	-	-
Testis	30	1.0	0.18	0.9	0.17	-	-	-	-	-
Penis	11	0.7	0.23	0.4	0.12	-	-	-	-	-
Urinary System	320	19.4	1.24	12.2	0.69	137	7.1	0.66	4.2	0.37
Bladder (incl. *in situ*)	168	11.5	1.02	6.6	0.52	50	2.9	0.45	1.5	0.22
Kidney & renal pelvis	146	7.5	0.69	5.4	0.45	80	3.8	0.46	2.5	0.29
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	8	0.4	0.15	0.3	0.12
Brain & Other Nervous System	102	5.0	0.57	3.9	0.40	77	2.9	0.35	2.7	0.33
Brain	90	4.2	0.51	3.5	0.37	65	2.5	0.32	2.2	0.29
Endocrine System	130	6.0	0.59	4.6	0.41	456	16.6	0.82	13.3	0.64
Thyroid gland	110	5.1	0.55	3.8	0.37	443	15.9	0.79	12.9	0.63
Lymphomas	253	14.1	1.04	9.4	0.60	230	10.9	0.79	7.3	0.50
Hodgkin Lymphoma	34	1.5	0.30	1.2	0.22	24	0.9	0.19	0.9	0.19
Non-Hodgkin Lymphoma	219	12.6	1.00	8.1	0.56	206	10.0	0.77	6.4	0.46
Multiple Myeloma	73	4.8	0.64	2.8	0.33	50	2.7	0.42	1.6	0.23
Leukemias	174	9.3	0.84	7.0	0.55	147	6.5	0.59	5.2	0.45
Acute lymphocytic	47	1.7	0.27	2.1	0.32	36	1.3	0.22	1.6	0.28
Chronic lymphocytic	20	1.5	0.37	0.8	0.18	17	0.6	0.16	0.6	0.14
Acute myeloid	54	3.3	0.53	2.1	0.29	46	2.3	0.38	1.5	0.23
Chronic myeloid	35	2.0	0.40	1.3	0.22	30	1.3	0.27	0.9	0.17
Other leukemias	18	0.8	0.23	0.7	0.17	18	0.9	0.24	0.6	0.15
Mesothelioma	-	-	-	-	-	6	0.2	0.11	0.2	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	202	15.1	1.25	8.0	0.58	162	8.8	0.76	5.2	0.41
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	124	7.0	0.73	4.5	0.41	277	13.0	0.86	8.6	0.52
Breast (*in situ*)	-	-	-	-	-	492	19.1	0.90	14.9	0.68

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	31	218.2	42.39	124.9	22.70	20	106.9	24.87	76.8	17.32
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	88.0	27.80	46.1	13.44	8	40.8	15.13	30.0	10.69
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	7	35.2	13.55	28.2	10.67
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	9	57.7	21.08	34.5	11.53	-	-	-	-	-
Prostate	8	52.8	20.51	30.8	10.95	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	49,238	399.9	1.99	256.6	1.19	51,720	322.8	1.48	224.2	1.01
Oral Cavity & Pharynx	1,239	9.2	0.28	6.4	0.19	601	3.8	0.16	2.6	0.11
Lip	41	0.3	0.06	0.2	0.03	14	0.1	0.03	0.1	0.02
Tongue	334	2.5	0.15	1.7	0.10	190	1.2	0.09	0.8	0.06
Major salivary gland	130	1.1	0.10	0.7	0.06	150	0.9	0.08	0.6	0.05
Floor of mouth	63	0.4	0.06	0.3	0.04	14	0.1	0.03	0.1	0.02
Gum & other mouth	169	1.3	0.11	0.9	0.07	110	0.8	0.07	0.5	0.05
Nasopharynx	59	0.4	0.06	0.3	0.04	24	0.1	0.03	0.1	0.02
Oropharynx	59	0.5	0.07	0.3	0.04	9	0.1	0.02	0.0	0.01
Hypopharynx	108	0.8	0.09	0.6	0.06	18	0.1	0.03	0.1	0.02
Digestive System	13,534	110.9	1.04	70.7	0.62	9,743	66.9	0.70	42.0	0.44
Esophagus	604	5.2	0.23	3.2	0.13	149	1.1	0.09	0.6	0.05
Stomach	1,588	13.7	0.38	8.2	0.21	1,192	8.0	0.24	5.0	0.15
Small intestine	243	1.9	0.13	1.3	0.08	246	1.7	0.11	1.1	0.07
Colon excl. rectum	3,779	31.8	0.56	20.0	0.33	3,113	21.0	0.39	13.5	0.25
Rectum & rectosigmoid	2,034	15.7	0.38	10.5	0.24	1,213	7.7	0.23	5.4	0.16
Anus, anal canal & anorectum	122	0.9	0.09	0.6	0.06	137	0.9	0.08	0.6	0.05
Liver	3,084	23.6	0.46	15.9	0.29	1,197	8.6	0.26	5.2	0.15
Gallbladder	136	1.2	0.11	0.7	0.06	407	2.8	0.14	1.8	0.09
Pancreas	1,370	12.1	0.36	7.3	0.20	1,382	10.2	0.28	5.9	0.16
Respiratory System	5,325	50.5	0.74	29.0	0.41	3,221	23.6	0.43	13.9	0.25
Larynx	662	5.4	0.23	3.5	0.14	94	0.6	0.07	0.4	0.04
Lung & bronchus	4,502	44.0	0.70	24.6	0.38	3,045	22.4	0.42	13.1	0.25
Bones & Joints	232	1.1	0.09	1.0	0.07	184	0.9	0.07	0.8	0.06
Soft Tissue (incl. heart)	537	3.4	0.17	2.5	0.11	438	2.4	0.12	1.9	0.09
Skin (excl. basal & sq.)	562	4.6	0.21	2.8	0.12	645	3.7	0.15	2.7	0.11
Melanomas of the skin	456	3.7	0.19	2.3	0.11	534	3.1	0.14	2.3	0.10
Breast (excl. *in situ*)	90	0.8	0.09	0.5	0.05	14,647	88.5	0.75	64.7	0.55
Female Genital System	-	-	-	-	-	7,798	45.1	0.53	33.7	0.39
Cervix uteri	-	-	-	-	-	2,194	11.6	0.26	9.1	0.20
Uterus Corpus	-	-	-	-	-	3,213	18.6	0.34	14.4	0.26
Uterus, NOS[1]	-	-	-	-	-	216	1.4	0.10	0.9	0.07
Ovary	-	-	-	-	-	1,737	10.5	0.26	7.5	0.18
Male Genital System	12,090	101.0	1.00	66.0	0.61	-	-	-	-	-
Prostate	10,585	94.2	0.98	59.9	0.59	-	-	-	-	-
Testis	1,245	4.8	0.14	4.8	0.14	-	-	-	-	-
Penis	238	1.9	0.13	1.2	0.08	-	-	-	-	-
Urinary System	5,146	42.2	0.64	26.7	0.38	2,974	19.4	0.37	13.1	0.25
Bladder (incl. *in situ*)	1,604	15.8	0.42	8.6	0.22	520	3.8	0.17	2.2	0.10
Kidney & renal pelvis	3,481	25.9	0.48	17.8	0.31	2,419	15.3	0.32	10.7	0.22
Ureter	45	0.4	0.07	0.2	0.04	20	0.2	0.04	0.1	0.02
Eye & Orbit	89	0.5	0.06	0.4	0.05	77	0.4	0.05	0.4	0.04
Brain & Other Nervous System	1,008	5.8	0.21	4.7	0.15	880	4.4	0.16	3.9	0.13
Brain	937	5.4	0.20	4.4	0.15	799	4.0	0.15	3.5	0.13
Endocrine System	956	5.9	0.21	4.5	0.15	3,394	17.7	0.31	14.3	0.25
Thyroid gland	832	5.3	0.20	3.9	0.14	3,296	17.2	0.31	13.9	0.25
Lymphomas	3,047	22.3	0.46	14.7	0.27	2,613	16.8	0.34	11.2	0.23
Hodgkin Lymphoma	557	3.0	0.15	2.4	0.11	392	2.0	0.11	1.6	0.08
Non-Hodgkin Lymphoma	2,490	19.3	0.43	12.3	0.25	2,221	14.9	0.33	9.5	0.21
Multiple Myeloma	885	7.6	0.28	4.7	0.16	686	4.8	0.19	3.0	0.12
Leukemias	1,995	12.4	0.33	9.3	0.21	1,619	8.7	0.23	7.0	0.18
Acute lymphocytic	705	2.6	0.11	3.0	0.12	561	2.2	0.10	2.5	0.11
Chronic lymphocytic	256	2.4	0.16	1.4	0.09	190	1.4	0.11	0.8	0.06
Acute myeloid	490	3.6	0.19	2.3	0.11	445	2.6	0.13	1.9	0.09
Chronic myeloid	286	1.9	0.13	1.3	0.08	198	1.2	0.09	0.8	0.06
Other leukemias	258	1.9	0.14	1.2	0.08	225	1.3	0.09	1.0	0.07
Mesothelioma	121	1.1	0.11	0.6	0.06	36	0.2	0.04	0.2	0.03
Kaposi Sarcoma	170	1.1	0.10	0.7	0.06	33	0.3	0.05	0.1	0.02
Ill-defined & Unknown	2,212	19.5	0.46	11.2	0.24	2,131	15.3	0.35	8.7	0.20
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,125	7.9	0.27	5.4	0.17	2,335	14.4	0.31	10.0	0.21
Breast (*in situ*)	-	-	-	-	-	2,709	16.1	0.32	12.3	0.24

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	172,939	519.2	1.28	344.3	0.87	155,800	414.8	1.08	290.1	0.81
Oral Cavity & Pharynx	7,006	19.9	0.24	14.6	0.18	2,606	6.9	0.14	4.8	0.10
Lip	370	1.1	0.06	0.7	0.04	87	0.2	0.02	0.1	0.02
Tongue	2,298	6.4	0.14	4.9	0.10	866	2.3	0.08	1.6	0.06
Major salivary gland	601	1.9	0.08	1.1	0.05	357	1.0	0.05	0.7	0.04
Floor of mouth	300	0.8	0.05	0.6	0.04	119	0.3	0.03	0.2	0.02
Gum & other mouth	671	2.0	0.08	1.3	0.05	476	1.2	0.06	0.7	0.04
Nasopharynx	253	0.7	0.05	0.6	0.04	78	0.2	0.02	0.2	0.02
Oropharynx	369	1.0	0.05	0.8	0.04	102	0.3	0.03	0.2	0.02
Hypopharynx	387	1.1	0.06	0.8	0.04	126	0.3	0.03	0.2	0.02
Digestive System	31,817	95.1	0.55	61.9	0.36	23,831	60.9	0.40	38.7	0.28
Esophagus	2,774	8.1	0.16	5.4	0.10	642	1.6	0.07	1.0	0.04
Stomach	2,209	6.7	0.15	4.2	0.09	1,268	3.3	0.09	2.1	0.06
Small intestine	916	2.7	0.09	1.9	0.06	713	1.9	0.07	1.3	0.05
Colon excl. rectum	10,687	32.8	0.32	20.4	0.21	9,948	25.3	0.26	15.5	0.17
Rectum & rectosigmoid	5,082	15.1	0.22	10.3	0.15	3,212	8.4	0.15	5.8	0.11
Anus, anal canal & anorectum	504	1.5	0.07	1.1	0.05	889	2.3	0.08	1.7	0.06
Liver	3,724	10.3	0.17	7.5	0.13	1,270	3.3	0.09	2.2	0.07
Gallbladder	181	0.5	0.04	0.3	0.03	431	1.1	0.05	0.6	0.03
Pancreas	4,505	13.6	0.21	8.4	0.13	4,027	10.1	0.16	6.1	0.10
Respiratory System	29,283	88.1	0.53	54.3	0.33	22,799	57.8	0.39	36.7	0.26
Larynx	2,199	6.3	0.14	4.3	0.09	577	1.5	0.06	1.1	0.05
Lung & bronchus	26,681	80.7	0.50	49.0	0.31	21,982	55.7	0.38	35.1	0.25
Bones & Joints	376	1.3	0.07	1.1	0.06	333	1.1	0.06	1.0	0.06
Soft Tissue (incl. heart)	1,243	4.0	0.12	3.2	0.10	921	2.7	0.09	2.3	0.09
Skin (excl. basal & sq.)	8,929	27.6	0.30	18.3	0.20	5,596	16.3	0.23	12.5	0.18
Melanomas of the skin	8,288	25.5	0.29	17.1	0.20	5,261	15.4	0.22	11.9	0.18
Breast (excl. *in situ*)	394	1.2	0.06	0.8	0.04	46,460	124.2	0.59	89.8	0.44
Female Genital System	-	-	-	-	-	16,255	44.2	0.36	32.8	0.28
Cervix uteri	-	-	-	-	-	2,552	8.3	0.17	6.7	0.14
Uterus Corpus	-	-	-	-	-	7,310	18.9	0.23	14.2	0.17
Uterus, NOS[1]	-	-	-	-	-	410	1.1	0.05	0.7	0.04
Ovary	-	-	-	-	-	4,503	12.1	0.18	8.5	0.14
Male Genital System	43,259	123.9	0.61	86.9	0.43	-	-	-	-	-
Prostate	41,263	116.8	0.59	80.5	0.40	-	-	-	-	-
Testis	1,674	6.1	0.15	5.7	0.14	-	-	-	-	-
Penis	257	0.8	0.05	0.5	0.03	-	-	-	-	-
Urinary System	19,229	58.9	0.43	36.5	0.28	8,062	20.8	0.24	13.9	0.17
Bladder (incl. *in situ*)	10,799	33.9	0.33	19.2	0.19	3,127	7.9	0.14	4.7	0.09
Kidney & renal pelvis	8,093	23.9	0.27	16.7	0.19	4,740	12.5	0.19	8.9	0.14
Ureter	235	0.8	0.05	0.4	0.03	143	0.4	0.03	0.2	0.02
Eye & Orbit	344	1.1	0.06	0.8	0.05	310	0.9	0.05	0.7	0.05
Brain & Other Nervous System	2,890	9.2	0.18	7.7	0.16	2,229	6.6	0.14	5.6	0.14
Brain	2,695	8.6	0.17	7.1	0.15	2,057	6.0	0.14	5.1	0.13
Endocrine System	2,675	8.3	0.17	6.6	0.14	6,523	20.2	0.26	16.8	0.22
Thyroid gland	2,400	7.4	0.16	5.7	0.12	6,305	19.6	0.25	16.2	0.22
Lymphomas	8,661	27.2	0.30	18.7	0.22	6,962	18.7	0.23	13.0	0.18
Hodgkin Lymphoma	947	3.3	0.11	2.9	0.10	696	2.3	0.09	2.2	0.09
Non-Hodgkin Lymphoma	7,714	23.9	0.28	15.8	0.19	6,266	16.4	0.21	10.8	0.15
Multiple Myeloma	2,423	7.4	0.15	4.5	0.10	1,856	4.7	0.11	2.9	0.07
Leukemias	5,841	18.7	0.25	12.6	0.19	4,196	11.4	0.18	8.2	0.16
Acute lymphocytic	481	1.8	0.08	2.2	0.11	347	1.3	0.07	1.6	0.10
Chronic lymphocytic	2,229	6.9	0.15	4.1	0.09	1,512	3.8	0.10	2.2	0.06
Acute myeloid	1,470	4.7	0.13	3.0	0.09	1,137	3.1	0.09	2.2	0.08
Chronic myeloid	739	2.4	0.09	1.5	0.06	537	1.5	0.07	1.0	0.05
Other leukemias	922	3.0	0.10	1.9	0.07	663	1.8	0.07	1.1	0.05
Mesothelioma	569	1.8	0.08	1.0	0.04	168	0.4	0.03	0.3	0.02
Kaposi Sarcoma	158	0.6	0.05	0.4	0.04	16	0.0	0.01	0.0	0.01
Ill-defined & Unknown	7,842	25.0	0.29	14.5	0.17	6,677	16.9	0.21	10.0	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	3,145	10.0	0.18	7.3	0.14	6,305	17.3	0.23	12.4	0.18
Breast (*in situ*)	36	0.1	0.02	0.1	0.01	9,920	26.8	0.28	20.2	0.21

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Texas, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,409	572.4	3.75	384.5	2.33	27,073	406.8	2.55	282.0	1.76
Oral Cavity & Pharynx	720	13.0	0.53	9.5	0.36	348	4.9	0.27	3.7	0.20
Lip	9	0.2	0.06	0.1	0.04	-	-	-	-	-
Tongue	148	2.8	0.25	2.0	0.17	64	0.9	0.11	0.7	0.09
Major salivary gland	52	1.0	0.15	0.7	0.10	82	1.2	0.13	0.9	0.10
Floor of mouth	45	0.7	0.11	0.5	0.08	23	0.3	0.07	0.2	0.05
Gum & other mouth	87	1.6	0.19	1.2	0.13	60	0.9	0.12	0.6	0.09
Nasopharynx	57	0.9	0.13	0.7	0.10	32	0.4	0.08	0.4	0.06
Oropharynx	56	1.0	0.15	0.7	0.10	20	0.3	0.06	0.2	0.05
Hypopharynx	92	1.9	0.22	1.3	0.13	17	0.2	0.06	0.2	0.05
Digestive System	6,772	134.5	1.81	89.9	1.12	5,463	84.7	1.18	54.8	0.77
Esophagus	331	6.7	0.41	4.5	0.25	118	1.8	0.17	1.2	0.11
Stomach	671	15.1	0.65	9.0	0.35	453	7.3	0.35	4.4	0.21
Small intestine	201	4.1	0.32	2.7	0.19	199	3.0	0.22	2.1	0.15
Colon excl. rectum	2,282	47.6	1.11	30.7	0.66	2,291	35.5	0.76	23.1	0.50
Rectum & rectosigmoid	871	16.3	0.61	11.3	0.39	657	9.6	0.39	6.7	0.27
Anus, anal canal & anorectum	102	1.6	0.17	1.2	0.12	96	1.4	0.14	1.0	0.11
Liver	1,271	20.7	0.63	16.2	0.47	348	5.0	0.28	3.5	0.19
Gallbladder	64	1.5	0.20	0.9	0.11	122	1.9	0.18	1.3	0.12
Pancreas	786	16.7	0.66	10.7	0.39	936	15.4	0.52	9.0	0.31
Respiratory System	5,044	110.5	1.71	69.8	1.00	3,445	54.9	0.97	35.6	0.63
Larynx	481	9.4	0.47	6.5	0.30	137	1.9	0.17	1.4	0.13
Lung & bronchus	4,499	99.9	1.63	62.4	0.95	3,261	52.3	0.94	33.6	0.61
Bones & Joints	64	0.9	0.13	0.9	0.11	66	0.8	0.11	0.8	0.10
Soft Tissue (incl. heart)	196	3.4	0.27	2.6	0.19	206	2.9	0.21	2.3	0.17
Skin (excl. basal & sq.)	130	2.4	0.23	1.7	0.15	118	1.8	0.17	1.3	0.12
Melanomas of the skin	61	1.3	0.18	0.8	0.10	67	1.0	0.13	0.7	0.08
Breast (excl. *in situ*)	72	1.6	0.20	1.0	0.12	8,343	120.3	1.35	87.5	0.98
Female Genital System	-	-	-	-	-	2,999	44.0	0.83	31.9	0.59
Cervix uteri	-	-	-	-	-	797	11.1	0.40	8.6	0.31
Uterus Corpus	-	-	-	-	-	1,246	18.5	0.54	13.4	0.39
Uterus, NOS[1]	-	-	-	-	-	153	2.3	0.20	1.6	0.13
Ovary	-	-	-	-	-	594	8.9	0.38	6.1	0.26
Male Genital System	9,036	178.6	2.07	123.9	1.33	-	-	-	-	-
Prostate	8,880	175.8	2.05	121.9	1.32	-	-	-	-	-
Testis	87	1.2	0.13	1.1	0.12	-	-	-	-	-
Penis	55	1.3	0.19	0.7	0.10	-	-	-	-	-
Urinary System	2,123	44.5	1.07	28.5	0.63	1,392	21.6	0.60	14.3	0.40
Bladder (incl. *in situ*)	742	18.3	0.74	10.0	0.38	359	6.0	0.33	3.5	0.19
Kidney & renal pelvis	1,354	25.6	0.76	18.1	0.50	1,006	15.1	0.49	10.6	0.34
Ureter	8	0.2	0.09	0.1	0.04	11	0.2	0.06	0.1	0.04
Eye & Orbit	13	0.2	0.04	0.2	0.07	29	0.4	0.07	0.5	0.10
Brain & Other Nervous System	320	5.2	0.32	4.4	0.25	287	3.9	0.24	3.5	0.22
Brain	306	5.0	0.31	4.1	0.24	256	3.5	0.22	3.1	0.21
Endocrine System	268	4.3	0.28	3.4	0.21	923	12.7	0.43	10.1	0.34
Thyroid gland	206	3.4	0.25	2.6	0.19	845	11.6	0.41	9.1	0.32
Lymphomas	1,109	19.2	0.64	14.3	0.44	986	14.4	0.47	10.7	0.35
Hodgkin Lymphoma	200	2.9	0.21	2.5	0.18	168	2.2	0.17	2.0	0.16
Non-Hodgkin Lymphoma	909	16.4	0.60	11.8	0.40	818	12.2	0.44	8.7	0.31
Multiple Myeloma	705	15.2	0.63	9.5	0.36	779	12.5	0.46	7.9	0.29
Leukemias	721	14.4	0.60	10.0	0.38	569	8.6	0.37	6.1	0.27
Acute lymphocytic	86	1.2	0.14	1.3	0.15	64	0.8	0.11	1.0	0.13
Chronic lymphocytic	219	4.9	0.36	3.0	0.21	134	2.2	0.19	1.3	0.12
Acute myeloid	185	3.7	0.30	2.5	0.19	192	2.9	0.21	2.0	0.15
Chronic myeloid	121	2.3	0.23	1.6	0.15	87	1.3	0.14	0.9	0.10
Other leukemias	110	2.4	0.25	1.5	0.14	92	1.4	0.16	0.9	0.10
Mesothelioma	40	1.0	0.17	0.6	0.09	13	0.2	0.05	0.1	0.04
Kaposi Sarcoma	111	1.6	0.16	1.4	0.13	17	0.2	0.06	0.2	0.05
Ill-defined & Unknown	965	21.8	0.78	13.0	0.43	1,090	17.9	0.56	10.6	0.34
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	510	9.5	0.47	6.8	0.31	1,217	18.3	0.54	12.7	0.37
Breast (*in situ*)	9	0.2	0.06	0.1	0.04	1,912	27.4	0.65	20.4	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	25,069	480.6	3.12	321.2	2.08	21,619	368.0	2.54	260.2	1.84
Oral Cavity & Pharynx	631	11.7	0.48	8.4	0.34	296	5.0	0.30	3.6	0.22
Lip	56	1.1	0.15	0.7	0.10	18	0.3	0.08	0.2	0.06
Tongue	205	3.6	0.26	2.8	0.20	76	1.3	0.15	0.9	0.11
Major salivary gland	97	1.9	0.20	1.2	0.13	74	1.2	0.14	1.0	0.11
Floor of mouth	32	0.6	0.11	0.4	0.08	16	0.3	0.07	0.2	0.05
Gum & other mouth	51	1.0	0.15	0.7	0.09	59	1.0	0.14	0.6	0.09
Nasopharynx	25	0.4	0.09	0.3	0.07	9	0.1	0.05	0.1	0.04
Oropharynx	26	0.4	0.09	0.4	0.07	6	0.1	0.04	0.1	0.03
Hypopharynx	28	0.5	0.10	0.4	0.07	9	0.1	0.05	0.1	0.04
Digestive System	3,915	75.8	1.24	49.3	0.81	3,117	54.1	0.98	34.5	0.65
Esophagus	302	5.8	0.34	3.8	0.23	50	0.9	0.13	0.5	0.08
Stomach	281	5.6	0.34	3.5	0.21	182	3.2	0.24	2.0	0.16
Small intestine	165	3.2	0.25	2.1	0.17	122	2.1	0.19	1.5	0.14
Colon excl. rectum	1,253	24.7	0.71	15.7	0.45	1,215	21.2	0.62	12.9	0.39
Rectum & rectosigmoid	637	12.0	0.49	8.1	0.33	478	8.2	0.38	5.9	0.28
Anus, anal canal & anorectum	51	1.0	0.14	0.7	0.09	93	1.5	0.16	1.2	0.12
Liver	381	6.8	0.35	5.1	0.26	131	2.3	0.20	1.5	0.13
Gallbladder	35	0.7	0.12	0.4	0.07	66	1.2	0.15	0.7	0.09
Pancreas	632	12.6	0.51	7.9	0.32	542	9.5	0.41	5.6	0.26
Respiratory System	1,911	38.7	0.91	23.7	0.56	1,428	25.0	0.67	15.9	0.44
Larynx	160	3.1	0.25	2.1	0.17	38	0.7	0.11	0.5	0.08
Lung & bronchus	1,698	34.7	0.86	20.9	0.52	1,354	23.7	0.65	15.0	0.43
Bones & Joints	111	1.7	0.17	1.6	0.15	54	0.8	0.10	0.7	0.10
Soft Tissue (incl. heart)	238	4.2	0.28	3.1	0.21	174	2.8	0.22	2.2	0.18
Skin (excl. basal & sq.)	2,421	46.9	0.98	30.3	0.63	1,566	26.0	0.67	19.6	0.51
Melanomas of the skin	2,257	43.5	0.94	28.3	0.61	1,455	24.1	0.64	18.3	0.49
Breast (excl. *in situ*)	53	1.0	0.14	0.7	0.10	6,589	113.8	1.42	81.0	1.03
Female Genital System	-	-	-	-	-	2,696	45.5	0.89	33.5	0.66
Cervix uteri	-	-	-	-	-	312	5.2	0.30	4.2	0.24
Uterus Corpus	-	-	-	-	-	1,483	24.9	0.65	18.6	0.50
Uterus, NOS[1]	-	-	-	-	-	17	0.3	0.07	0.2	0.05
Ovary	-	-	-	-	-	681	11.6	0.45	8.2	0.33
Male Genital System	8,741	164.7	1.81	115.6	1.26	-	-	-	-	-
Prostate	8,209	156.8	1.77	108.4	1.22	-	-	-	-	-
Testis	481	6.9	0.33	6.5	0.30	-	-	-	-	-
Penis	35	0.7	0.12	0.5	0.08	-	-	-	-	-
Urinary System	2,380	48.3	1.01	29.1	0.62	918	15.9	0.53	10.5	0.36
Bladder (incl. *in situ*)	1,446	30.7	0.82	16.9	0.46	328	5.8	0.32	3.3	0.20
Kidney & renal pelvis	887	16.6	0.57	11.6	0.40	566	9.6	0.41	7.0	0.30
Ureter	29	0.6	0.12	0.3	0.06	15	0.3	0.07	0.1	0.04
Eye & Orbit	68	1.2	0.16	0.9	0.11	50	0.8	0.12	0.6	0.10
Brain & Other Nervous System	495	8.2	0.38	6.8	0.31	381	6.0	0.31	5.1	0.27
Brain	467	7.8	0.38	6.4	0.30	362	5.7	0.31	4.8	0.26
Endocrine System	558	9.6	0.41	7.5	0.32	1,751	28.4	0.69	23.7	0.57
Thyroid gland	515	8.9	0.40	7.0	0.31	1,710	27.7	0.68	23.1	0.56
Lymphomas	1,430	26.9	0.73	18.1	0.49	1,052	17.8	0.56	12.3	0.40
Hodgkin Lymphoma	197	3.0	0.22	2.7	0.19	156	2.4	0.20	2.2	0.18
Non-Hodgkin Lymphoma	1,233	23.9	0.70	15.4	0.45	896	15.4	0.52	10.2	0.36
Multiple Myeloma	418	8.4	0.42	5.2	0.26	269	4.7	0.29	2.9	0.19
Leukemias	923	17.1	0.58	11.9	0.40	635	10.4	0.42	7.8	0.33
Acute lymphocytic	126	1.6	0.15	2.0	0.18	106	1.3	0.13	1.8	0.17
Chronic lymphocytic	363	7.5	0.40	4.3	0.24	205	3.6	0.25	2.1	0.16
Acute myeloid	234	4.4	0.29	3.0	0.20	178	3.0	0.23	2.1	0.17
Chronic myeloid	110	2.0	0.19	1.4	0.14	78	1.3	0.15	1.0	0.12
Other leukemias	90	1.7	0.18	1.1	0.12	68	1.2	0.14	0.7	0.10
Mesothelioma	74	1.6	0.19	0.8	0.10	15	0.2	0.06	0.2	0.04
Kaposi Sarcoma	16	0.3	0.07	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	686	14.5	0.57	8.0	0.32	628	10.8	0.44	6.2	0.27
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	502	8.9	0.41	6.6	0.30	1,066	17.9	0.56	13.2	0.42
Breast (*in situ*)	13	0.2	0.07	0.2	0.05	1,412	24.3	0.65	18.4	0.50

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	24,164	482.6	3.18	323.5	2.14	20,710	370.0	2.60	262.3	1.90
Oral Cavity & Pharynx	602	11.6	0.48	8.4	0.35	280	5.0	0.30	3.5	0.22
Lip	55	1.2	0.16	0.7	0.10	18	0.3	0.08	0.2	0.06
Tongue	201	3.7	0.27	2.9	0.20	70	1.2	0.15	0.9	0.11
Major salivary gland	91	1.9	0.20	1.2	0.13	70	1.2	0.15	1.0	0.12
Floor of mouth	30	0.6	0.10	0.4	0.08	16	0.3	0.08	0.2	0.05
Gum & other mouth	50	1.0	0.15	0.7	0.10	57	1.0	0.14	0.6	0.09
Nasopharynx	20	0.4	0.08	0.3	0.06	8	0.1	0.05	0.1	0.04
Oropharynx	25	0.4	0.09	0.4	0.07	-	-	-	-	-
Hypopharynx	26	0.5	0.10	0.4	0.07	8	0.1	0.05	0.1	0.04
Digestive System	3,735	75.4	1.26	49.1	0.83	2,942	53.3	0.99	34.0	0.67
Esophagus	297	5.9	0.35	4.0	0.23	47	0.9	0.13	0.5	0.08
Stomach	262	5.4	0.34	3.4	0.22	166	3.0	0.24	1.9	0.16
Small intestine	162	3.2	0.26	2.2	0.17	121	2.2	0.20	1.5	0.14
Colon excl. rectum	1,215	24.9	0.73	15.9	0.47	1,158	21.1	0.63	12.8	0.40
Rectum & rectosigmoid	599	11.8	0.49	7.9	0.33	450	8.1	0.39	5.8	0.28
Anus, anal canal & anorectum	49	1.0	0.14	0.7	0.10	88	1.5	0.17	1.2	0.13
Liver	334	6.2	0.35	4.6	0.26	116	2.1	0.20	1.4	0.13
Gallbladder	35	0.7	0.12	0.4	0.07	58	1.1	0.15	0.6	0.09
Pancreas	610	12.6	0.52	7.9	0.33	521	9.5	0.42	5.7	0.27
Respiratory System	1,826	38.3	0.92	23.6	0.57	1,354	24.6	0.68	15.8	0.45
Larynx	152	3.0	0.25	2.1	0.17	35	0.6	0.11	0.5	0.08
Lung & bronchus	1,622	34.3	0.87	20.8	0.53	1,285	23.4	0.66	14.9	0.44
Bones & Joints	105	1.7	0.17	1.6	0.16	53	0.8	0.11	0.8	0.11
Soft Tissue (incl. heart)	230	4.3	0.29	3.2	0.22	168	2.9	0.23	2.3	0.18
Skin (excl. basal & sq.)	2,396	48.4	1.01	31.4	0.66	1,543	27.1	0.70	20.4	0.54
Melanomas of the skin	2,233	44.9	0.97	29.4	0.64	1,435	25.2	0.67	19.1	0.52
Breast (excl. *in situ*)	52	1.0	0.15	0.7	0.10	6,332	114.8	1.46	81.7	1.06
Female Genital System	-	-	-	-	-	2,572	45.5	0.91	33.5	0.68
Cervix uteri	-	-	-	-	-	296	5.3	0.31	4.2	0.25
Uterus Corpus	-	-	-	-	-	1,398	24.6	0.67	18.4	0.50
Uterus, NOS[1]	-	-	-	-	-	17	0.3	0.07	0.2	0.05
Ovary	-	-	-	-	-	663	11.9	0.47	8.4	0.34
Male Genital System	8,402	164.6	1.84	116.0	1.29	-	-	-	-	-
Prostate	7,893	156.5	1.80	108.6	1.25	-	-	-	-	-
Testis	463	7.2	0.34	6.8	0.32	-	-	-	-	-
Penis	33	0.7	0.12	0.4	0.08	-	-	-	-	-
Urinary System	2,323	49.0	1.04	29.6	0.63	879	15.9	0.54	10.5	0.37
Bladder (incl. *in situ*)	1,425	31.3	0.85	17.3	0.48	314	5.7	0.33	3.3	0.20
Kidney & renal pelvis	852	16.6	0.58	11.7	0.41	542	9.7	0.42	7.0	0.31
Ureter	29	0.6	0.12	0.3	0.07	14	0.3	0.07	0.1	0.04
Eye & Orbit	67	1.3	0.16	0.9	0.12	50	0.9	0.12	0.7	0.10
Brain & Other Nervous System	485	8.5	0.40	7.1	0.33	367	6.1	0.32	5.2	0.28
Brain	457	8.1	0.39	6.6	0.32	349	5.8	0.32	5.0	0.27
Endocrine System	536	9.7	0.43	7.7	0.33	1,683	29.0	0.72	24.2	0.60
Thyroid gland	495	8.9	0.41	7.0	0.32	1,646	28.4	0.71	23.6	0.59
Lymphomas	1,385	27.3	0.75	18.4	0.51	1,013	18.0	0.57	12.5	0.41
Hodgkin Lymphoma	188	3.1	0.23	2.7	0.20	152	2.5	0.20	2.2	0.19
Non-Hodgkin Lymphoma	1,197	24.2	0.72	15.7	0.47	861	15.5	0.54	10.2	0.37
Multiple Myeloma	400	8.4	0.43	5.2	0.27	251	4.6	0.29	2.9	0.19
Leukemias	890	17.2	0.60	12.0	0.42	613	10.5	0.43	7.9	0.34
Acute lymphocytic	116	1.6	0.15	1.9	0.18	102	1.4	0.14	1.8	0.19
Chronic lymphocytic	354	7.5	0.41	4.4	0.24	203	3.7	0.26	2.2	0.16
Acute myeloid	227	4.4	0.30	3.1	0.21	167	2.9	0.23	2.1	0.17
Chronic myeloid	107	2.0	0.20	1.4	0.14	75	1.4	0.16	1.0	0.12
Other leukemias	86	1.7	0.18	1.1	0.13	66	1.2	0.15	0.8	0.10
Mesothelioma	71	1.6	0.19	0.8	0.10	14	0.2	0.06	0.2	0.04
Kaposi Sarcoma	9	0.2	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	650	14.1	0.57	7.9	0.32	596	10.7	0.44	6.1	0.27
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	482	9.0	0.42	6.7	0.31	1,021	18.1	0.57	13.3	0.43
Breast (*in situ*)	12	0.2	0.07	0.2	0.05	1,358	24.6	0.67	18.7	0.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	218	505.0	41.84	346.1	25.59	141	347.3	32.60	241.2	21.53
Oral Cavity & Pharynx	9	17.5	7.52	11.0	3.98	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	41	97.0	18.45	65.1	11.06	27	77.6	16.11	46.2	9.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	28.2	10.98	15.2	5.31	11	34.9	11.12	18.7	6.03
Rectum & rectosigmoid	7	15.0	6.70	10.9	4.57	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	17	33.6	9.22	28.5	7.44	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	23	70.4	17.13	43.1	9.50	14	43.6	12.37	27.7	7.77
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	61.9	15.89	39.7	9.26	13	41.2	12.13	25.2	7.35
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	43	101.6	16.60	78.2	12.34
Female Genital System	-	-	-	-	-	10	28.9	9.77	19.6	6.54
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	6	19.4	8.47	11.3	4.92
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	84	195.3	25.57	138.5	16.42	-	-	-	-	-
Prostate	80	192.0	25.51	135.2	16.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	37.4	11.46	25.3	6.80	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	11	25.3	9.19	18.0	5.94	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	11	18.8	6.48	15.3	4.88
Thyroid gland	-	-	-	-	-	11	18.8	6.48	15.3	4.88
Lymphomas	8	13.6	5.83	10.7	4.34	11	25.0	9.16	15.5	5.00
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	8	7.6	3.00	8.3	3.12	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	21.6	9.40	13.2	5.33	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	7	14.2	5.42	12.7	4.92
Breast (*in situ*)	-	-	-	-	-	13	36.6	10.96	24.6	7.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	353	295.6	17.33	193.9	10.64	479	290.6	14.12	201.1	9.44
Oral Cavity & Pharynx	12	8.9	2.83	6.3	1.84	10	5.8	1.92	4.2	1.36
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	99	79.8	8.75	54.6	5.64	88	62.4	6.98	38.8	4.26
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	14	12.6	3.70	7.4	2.03	13	10.6	3.04	5.4	1.56
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	20	17.8	4.32	11.3	2.61	27	17.8	3.60	12.3	2.43
Rectum & rectosigmoid	20	15.0	3.61	10.8	2.47	16	10.7	2.80	7.3	1.87
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	24	15.9	3.43	13.0	2.74	6	4.8	2.08	2.4	1.02
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	15	12.1	3.41	8.9	2.33	11	8.8	2.74	5.0	1.55
Respiratory System	28	26.9	5.45	16.1	3.14	41	30.9	5.07	16.4	2.66
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	27	26.1	5.38	15.4	3.05	38	29.0	4.91	15.3	2.57
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	6	3.2	1.40	2.3	0.98
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	150	87.1	7.50	63.5	5.30
Female Genital System	-	-	-	-	-	80	44.7	5.27	33.8	3.87
Cervix uteri	-	-	-	-	-	10	5.0	1.64	4.0	1.30
Uterus Corpus	-	-	-	-	-	55	31.1	4.40	23.3	3.23
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	6.3	2.04	4.5	1.39
Male Genital System	108	97.2	10.12	64.4	6.34	-	-	-	-	-
Prostate	98	93.1	10.02	60.2	6.19	-	-	-	-	-
Testis	7	2.5	1.01	2.5	0.95	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	19.7	4.79	10.7	2.47	18	12.2	3.05	7.5	1.81
Bladder (incl. *in situ*)	11	12.2	3.95	5.5	1.68	9	7.1	2.47	3.8	1.32
Kidney & renal pelvis	8	6.0	2.29	4.8	1.76	8	4.3	1.58	3.4	1.21
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	9	3.9	1.37	3.9	1.33
Brain	-	-	-	-	-	8	3.6	1.33	3.4	1.25
Endocrine System	13	7.7	2.23	5.9	1.68	36	17.1	2.97	14.4	2.45
Thyroid gland	11	6.8	2.13	5.2	1.59	32	15.5	2.86	12.7	2.31
Lymphomas	23	15.3	3.76	10.3	2.23	16	8.6	2.32	6.1	1.56
Hodgkin Lymphoma	6	2.9	1.28	2.8	1.17	-	-	-	-	-
Non-Hodgkin Lymphoma	17	12.4	3.54	7.6	1.90	-	-	-	-	-
Multiple Myeloma	6	6.1	2.64	3.2	1.36	6	4.0	1.70	2.8	1.17
Leukemias	8	5.7	2.42	4.1	1.54	7	3.8	1.56	3.3	1.27
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	14	14.5	4.20	7.3	1.98	10	6.1	2.08	3.6	1.16
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	12	7.9	2.55	6.2	1.86	23	12.5	2.68	9.8	2.09
Breast (*in situ*)	-	-	-	-	-	32	17.8	3.24	13.5	2.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	74	293.6	38.80	169.2	20.05	88	227.6	25.69	164.9	18.00
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	67.4	18.23	40.1	9.63	25	72.0	15.28	48.5	9.92
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	7	22.8	9.12	12.8	4.98
Rectum & rectosigmoid	6	13.8	5.73	12.5	5.23	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	55.9	19.15	24.2	7.69	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	55.9	19.15	24.2	7.69	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	14	37.5	10.61	25.4	6.94
Female Genital System	-	-	-	-	-	20	52.3	12.23	37.5	8.61
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	13	30.5	8.74	25.2	7.12
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	21	86.2	20.69	51.4	11.38	-	-	-	-	-
Prostate	18	78.6	20.19	45.1	10.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	11	23.2	7.13	19.7	6.01
Thyroid gland	-	-	-	-	-	11	23.2	7.13	19.7	6.01
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,329	414.8	13.68	269.1	7.91	1,459	351.0	10.48	242.0	6.71
Oral Cavity & Pharynx	31	9.8	2.04	6.5	1.24	12	3.1	1.01	2.2	0.66
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	1.6	0.74	1.0	0.41	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	285	92.6	6.56	58.4	3.67	240	72.2	5.15	43.7	2.95
Esophagus	11	2.7	0.92	2.1	0.69	-	-	-	-	-
Stomach	34	12.9	2.65	6.5	1.19	32	9.2	1.81	5.9	1.10
Small intestine	6	2.2	1.08	1.1	0.49	7	2.4	0.97	1.5	0.57
Colon excl. rectum	74	22.8	3.10	16.2	1.98	86	25.5	3.05	15.6	1.76
Rectum & rectosigmoid	49	14.7	2.62	8.5	1.31	29	6.6	1.36	5.0	0.97
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	56	16.2	2.49	12.2	1.69	13	4.0	1.24	2.2	0.63
Gallbladder	-	-	-	-	-	9	2.4	0.92	1.5	0.52
Pancreas	38	14.6	2.76	8.6	1.45	45	16.0	2.55	8.5	1.31
Respiratory System	107	43.9	4.83	24.2	2.45	92	31.4	3.49	18.3	1.96
Larynx	10	2.5	0.85	2.2	0.75	-	-	-	-	-
Lung & bronchus	92	39.6	4.66	21.0	2.28	90	31.0	3.48	18.0	1.95
Bones & Joints	12	1.4	0.49	1.5	0.50	-	-	-	-	-
Soft Tissue (incl. heart)	22	3.7	1.13	3.1	0.72	14	2.5	0.89	1.9	0.53
Skin (excl. basal & sq.)	-	-	-	-	-	41	7.1	1.22	5.8	0.98
Melanomas of the skin	23	7.8	1.95	4.3	0.96	35	6.5	1.19	5.2	0.95
Breast (excl. *in situ*)	-	-	-	-	-	406	96.9	5.32	69.6	3.64
Female Genital System	-	-	-	-	-	195	43.2	3.49	31.6	2.40
Cervix uteri	-	-	-	-	-	46	8.0	1.31	6.3	1.00
Uterus Corpus	-	-	-	-	-	97	23.2	2.59	16.9	1.80
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	39	9.1	1.67	6.5	1.12
Male Genital System	422	146.4	8.20	96.2	4.91	-	-	-	-	-
Prostate	367	139.1	8.10	89.7	4.81	-	-	-	-	-
Testis	47	4.2	0.64	4.5	0.66	-	-	-	-	-
Penis	7	2.8	1.14	1.8	0.71	-	-	-	-	-
Urinary System	117	36.5	3.93	24.0	2.36	63	17.0	2.39	10.8	1.43
Bladder (incl. *in situ*)	49	17.3	2.81	11.0	1.64	-	-	-	-	-
Kidney & renal pelvis	68	19.2	2.74	13.1	1.70	55	13.6	2.04	9.4	1.35
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	39	6.6	1.53	5.3	0.94	31	4.6	1.01	4.1	0.80
Brain	36	6.3	1.52	5.0	0.92	29	4.3	0.98	3.8	0.76
Endocrine System	41	8.7	1.69	6.4	1.10	169	28.2	2.45	23.0	1.89
Thyroid gland	34	7.5	1.55	5.5	1.05	162	26.9	2.38	21.7	1.81
Lymphomas	89	22.5	3.07	14.8	1.75	76	16.6	2.21	12.4	1.52
Hodgkin Lymphoma	21	3.6	1.05	2.7	0.67	22	3.3	0.85	2.9	0.65
Non-Hodgkin Lymphoma	68	18.9	2.89	12.1	1.62	54	13.3	2.04	9.6	1.37
Multiple Myeloma	29	7.1	1.47	5.6	1.11	17	5.7	1.51	3.1	0.79
Leukemias	59	9.7	1.74	8.4	1.22	52	8.2	1.53	6.7	0.99
Acute lymphocytic	-	-	-	-	-	26	1.9	0.37	2.8	0.55
Chronic lymphocytic	8	2.4	0.96	1.7	0.61	6	1.9	0.83	1.2	0.50
Acute myeloid	14	3.5	1.27	2.7	0.79	13	2.8	0.96	1.8	0.55
Chronic myeloid	7	0.9	0.41	0.8	0.37	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	36	12.0	2.39	7.4	1.30	43	13.0	2.19	7.8	1.23
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	37	7.9	1.60	6.2	1.11	64	14.7	2.11	10.3	1.38
Breast (*in situ*)	-	-	-	-	-	88	19.8	2.26	15.5	1.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	22,876	487.8	3.29	327.8	2.23	19,291	371.8	2.71	263.8	1.99
Oral Cavity & Pharynx	572	11.8	0.50	8.6	0.37	268	5.1	0.32	3.6	0.23
Lip	55	1.2	0.17	0.8	0.11	18	0.4	0.09	0.3	0.06
Tongue	194	3.9	0.28	3.0	0.22	67	1.3	0.16	0.9	0.11
Major salivary gland	86	1.9	0.21	1.2	0.13	66	1.3	0.16	1.0	0.13
Floor of mouth	27	0.5	0.10	0.4	0.08	15	0.3	0.08	0.2	0.05
Gum & other mouth	47	1.0	0.15	0.7	0.10	55	1.1	0.14	0.7	0.10
Nasopharynx	19	0.4	0.09	0.3	0.07	8	0.1	0.05	0.1	0.04
Oropharynx	24	0.5	0.09	0.4	0.08	-	-	-	-	-
Hypopharynx	23	0.5	0.10	0.3	0.07	8	0.1	0.05	0.1	0.04
Digestive System	3,464	74.6	1.29	48.6	0.85	2,714	52.4	1.02	33.5	0.69
Esophagus	286	6.1	0.37	4.0	0.25	43	0.8	0.13	0.5	0.09
Stomach	229	5.0	0.34	3.2	0.22	134	2.6	0.23	1.6	0.15
Small intestine	156	3.3	0.27	2.2	0.18	114	2.2	0.21	1.5	0.15
Colon excl. rectum	1,145	25.0	0.75	15.9	0.49	1,076	20.9	0.65	12.7	0.42
Rectum & rectosigmoid	555	11.7	0.51	7.9	0.35	422	8.2	0.40	5.9	0.30
Anus, anal canal & anorectum	47	1.0	0.15	0.7	0.10	85	1.6	0.17	1.2	0.13
Liver	281	5.6	0.34	4.2	0.25	106	2.0	0.20	1.4	0.14
Gallbladder	32	0.7	0.13	0.4	0.07	51	1.0	0.14	0.6	0.09
Pancreas	573	12.5	0.53	7.9	0.34	478	9.2	0.42	5.5	0.27
Respiratory System	1,722	38.1	0.94	23.5	0.59	1,266	24.4	0.69	15.7	0.47
Larynx	143	3.0	0.26	2.0	0.18	34	0.7	0.12	0.5	0.09
Lung & bronchus	1,532	34.1	0.89	20.8	0.55	1,199	23.1	0.67	14.8	0.45
Bones & Joints	96	1.8	0.19	1.7	0.17	48	0.8	0.12	0.8	0.12
Soft Tissue (incl. heart)	208	4.3	0.31	3.2	0.23	154	2.9	0.24	2.3	0.19
Skin (excl. basal & sq.)	2,368	51.3	1.08	33.6	0.71	1,502	28.9	0.76	21.9	0.59
Melanomas of the skin	2,210	47.7	1.04	31.5	0.69	1,400	26.9	0.73	20.6	0.57
Breast (excl. *in situ*)	51	1.1	0.16	0.8	0.11	5,935	115.9	1.53	82.5	1.12
Female Genital System	-	-	-	-	-	2,381	45.4	0.94	33.4	0.71
Cervix uteri	-	-	-	-	-	250	4.9	0.32	3.9	0.25
Uterus Corpus	-	-	-	-	-	1,304	24.6	0.69	18.4	0.53
Uterus, NOS[1]	-	-	-	-	-	14	0.3	0.07	0.2	0.05
Ovary	-	-	-	-	-	624	12.0	0.49	8.5	0.36
Male Genital System	7,989	166.2	1.90	117.4	1.34	-	-	-	-	-
Prostate	7,534	157.8	1.85	109.9	1.29	-	-	-	-	-
Testis	417	7.6	0.38	7.0	0.35	-	-	-	-	-
Penis	26	0.6	0.12	0.4	0.07	-	-	-	-	-
Urinary System	2,208	49.4	1.07	29.8	0.66	817	15.7	0.56	10.4	0.39
Bladder (incl. *in situ*)	1,376	31.9	0.87	17.6	0.50	309	6.0	0.34	3.5	0.21
Kidney & renal pelvis	786	16.4	0.60	11.5	0.42	488	9.3	0.43	6.8	0.32
Ureter	29	0.7	0.13	0.4	0.07	11	0.2	0.07	0.1	0.04
Eye & Orbit	64	1.3	0.17	1.0	0.13	48	0.9	0.13	0.7	0.11
Brain & Other Nervous System	446	8.7	0.42	7.2	0.35	337	6.2	0.34	5.4	0.31
Brain	421	8.3	0.41	6.7	0.34	321	5.9	0.34	5.1	0.30
Endocrine System	495	9.9	0.45	7.8	0.36	1,518	29.2	0.76	24.4	0.64
Thyroid gland	461	9.2	0.44	7.3	0.34	1,488	28.6	0.76	23.9	0.63
Lymphomas	1,298	27.6	0.78	18.6	0.53	939	18.0	0.60	12.4	0.43
Hodgkin Lymphoma	168	3.1	0.24	2.8	0.22	130	2.4	0.21	2.2	0.19
Non-Hodgkin Lymphoma	1,130	24.5	0.75	15.9	0.49	809	15.6	0.56	10.3	0.38
Multiple Myeloma	372	8.3	0.44	5.1	0.27	235	4.6	0.30	2.8	0.20
Leukemias	833	17.5	0.62	12.1	0.44	563	10.6	0.45	7.8	0.36
Acute lymphocytic	89	1.4	0.15	1.7	0.19	77	1.2	0.14	1.6	0.19
Chronic lymphocytic	346	7.8	0.43	4.6	0.26	197	3.8	0.27	2.2	0.17
Acute myeloid	214	4.5	0.32	3.1	0.22	155	3.0	0.24	2.1	0.18
Chronic myeloid	100	2.1	0.21	1.5	0.15	70	1.4	0.17	1.0	0.13
Other leukemias	84	1.7	0.19	1.2	0.14	64	1.2	0.15	0.8	0.11
Mesothelioma	68	1.6	0.19	0.8	0.11	13	0.2	0.07	0.2	0.05
Kaposi Sarcoma	6	0.1	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	616	14.2	0.58	7.9	0.33	553	10.5	0.45	6.0	0.28
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	447	9.2	0.44	6.8	0.33	958	18.5	0.61	13.6	0.46
Breast (*in situ*)	12	0.2	0.07	0.2	0.05	1,273	24.9	0.71	18.9	0.54

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Utah, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	212	551.7	45.86	379.7	28.20	133	386.1	36.65	271.0	24.59
Oral Cavity & Pharynx	9	20.3	8.58	12.8	4.59	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	40	107.0	20.41	71.7	12.21	26	87.2	18.28	51.7	10.73
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	31.6	12.21	17.2	5.90	11	40.3	12.73	21.7	6.95
Rectum & rectosigmoid	7	16.8	7.33	12.2	5.03	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	17	37.3	10.17	31.9	8.26	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	22	71.9	17.80	46.4	10.42	14	50.2	14.15	32.0	8.90
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	19	62.1	16.25	42.4	10.13	13	47.4	13.88	29.1	8.43
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	39	108.6	18.20	85.9	14.09
Female Genital System	-	-	-	-	-	10	33.7	11.22	22.9	7.55
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	6	22.4	9.64	13.1	5.62
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	83	214.9	28.19	152.1	18.03	-	-	-	-	-
Prostate	79	210.9	28.11	148.2	17.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	42.2	12.82	28.5	7.61	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	11	28.6	10.24	20.4	6.64	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	10	21.1	7.48	17.5	5.76
Thyroid gland	-	-	-	-	-	10	21.1	7.48	17.5	5.76
Lymphomas	8	15.4	6.45	12.2	4.84	9	24.3	9.52	14.9	5.11
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	8.5	3.46	9.0	3.54	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	22.3	10.27	12.8	5.57	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	7	17.5	6.62	15.5	5.95
Breast (*in situ*)	-	-	-	-	-	11	35.2	11.11	25.5	7.93

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	9,117	514.7	5.57	339.0	3.72	8,833	439.8	4.83	304.9	3.57
Oral Cavity & Pharynx	313	16.3	0.95	12.5	0.73	130	6.3	0.57	4.7	0.45
Lip	11	0.6	0.19	0.4	0.12	6	0.3	0.12	0.2	0.10
Tongue	107	5.4	0.54	4.4	0.44	35	1.7	0.30	1.3	0.22
Major salivary gland	28	1.6	0.31	1.1	0.22	24	1.3	0.27	1.1	0.24
Floor of mouth	12	0.5	0.16	0.5	0.13	10	0.5	0.15	0.3	0.11
Gum & other mouth	30	1.7	0.32	1.2	0.23	28	1.3	0.25	0.8	0.17
Nasopharynx	15	0.8	0.23	0.6	0.17	-	-	-	-	-
Oropharynx	10	0.5	0.16	0.4	0.12	-	-	-	-	-
Hypopharynx	19	1.0	0.23	0.7	0.16	6	0.3	0.10	0.2	0.08
Digestive System	1,600	90.8	2.34	57.8	1.50	1,305	63.0	1.79	37.0	1.16
Esophagus	172	9.5	0.75	6.1	0.48	51	2.4	0.35	1.4	0.22
Stomach	103	6.2	0.63	3.6	0.37	51	2.4	0.35	1.4	0.23
Small intestine	33	1.9	0.34	1.3	0.24	35	1.8	0.31	1.1	0.20
Colon excl. rectum	500	28.9	1.33	17.6	0.82	551	26.1	1.14	14.0	0.68
Rectum & rectosigmoid	260	14.5	0.93	9.9	0.64	175	8.6	0.67	5.6	0.46
Anus, anal canal & anorectum	21	1.2	0.26	0.8	0.18	41	2.0	0.32	1.5	0.24
Liver	172	9.2	0.72	6.5	0.53	38	1.9	0.33	1.5	0.29
Gallbladder	14	0.8	0.21	0.5	0.15	30	1.5	0.28	0.8	0.16
Pancreas	260	15.0	0.96	9.1	0.58	245	11.7	0.77	6.9	0.48
Respiratory System	1,450	83.4	2.26	51.1	1.38	1,338	64.8	1.81	41.7	1.21
Larynx	125	6.7	0.62	4.6	0.43	35	1.7	0.29	1.3	0.22
Lung & bronchus	1,303	75.4	2.15	45.6	1.30	1,292	62.5	1.77	39.9	1.18
Bones & Joints	16	1.0	0.26	1.0	0.28	13	0.7	0.21	0.6	0.20
Soft Tissue (incl. heart)	68	4.3	0.53	2.9	0.40	45	2.5	0.40	2.0	0.36
Skin (excl. basal & sq.)	644	37.6	1.53	24.2	1.00	495	25.9	1.21	19.8	0.97
Melanomas of the skin	605	35.2	1.48	22.6	0.96	472	24.7	1.18	19.0	0.95
Breast (excl. *in situ*)	16	0.9	0.23	0.5	0.14	2,574	128.0	2.60	93.3	1.95
Female Genital System	-	-	-	-	-	1,109	54.0	1.67	39.4	1.25
Cervix uteri	-	-	-	-	-	78	4.4	0.52	3.5	0.42
Uterus Corpus	-	-	-	-	-	664	31.8	1.27	23.5	0.95
Uterus, NOS[1]	-	-	-	-	-	15	0.7	0.18	0.5	0.14
Ovary	-	-	-	-	-	241	11.8	0.78	8.3	0.58
Male Genital System	2,439	129.4	2.71	91.2	1.90	-	-	-	-	-
Prostate	2,321	121.6	2.61	84.4	1.78	-	-	-	-	-
Testis	91	6.3	0.68	5.8	0.63	-	-	-	-	-
Penis	22	1.2	0.27	0.7	0.16	-	-	-	-	-
Urinary System	1,061	61.7	1.95	37.5	1.20	428	20.6	1.02	13.0	0.70
Bladder (incl. *in situ*)	678	39.9	1.58	23.2	0.92	233	11.0	0.74	6.4	0.46
Kidney & renal pelvis	360	20.3	1.10	13.7	0.75	185	9.1	0.69	6.4	0.53
Ureter	12	0.8	0.23	0.4	0.11	9	0.5	0.16	0.2	0.08
Eye & Orbit	18	0.9	0.23	0.7	0.16	15	0.7	0.19	0.5	0.16
Brain & Other Nervous System	161	9.1	0.75	7.6	0.67	112	5.9	0.58	4.7	0.51
Brain	153	8.7	0.73	7.3	0.66	105	5.5	0.56	4.3	0.48
Endocrine System	119	7.0	0.67	5.6	0.57	337	20.9	1.18	17.7	1.04
Thyroid gland	110	6.5	0.64	5.0	0.50	329	20.4	1.16	17.0	0.99
Lymphomas	486	28.7	1.34	19.6	0.95	389	20.1	1.06	14.3	0.82
Hodgkin Lymphoma	62	4.0	0.52	3.3	0.46	46	3.0	0.45	2.8	0.42
Non-Hodgkin Lymphoma	424	24.7	1.24	16.3	0.84	343	17.2	0.95	11.6	0.70
Multiple Myeloma	127	7.5	0.69	4.5	0.42	85	3.9	0.43	2.5	0.29
Leukemias	268	16.0	1.01	11.0	0.76	184	9.5	0.72	6.8	0.62
Acute lymphocytic	24	1.6	0.34	1.8	0.40	18	1.3	0.31	1.6	0.43
Chronic lymphocytic	103	6.1	0.62	3.5	0.36	66	3.2	0.40	1.9	0.25
Acute myeloid	84	5.0	0.57	3.2	0.39	59	3.0	0.40	2.0	0.29
Chronic myeloid	31	1.9	0.34	1.3	0.25	24	1.3	0.27	0.9	0.22
Other leukemias	26	1.4	0.29	1.1	0.25	17	0.7	0.18	0.4	0.11
Mesothelioma	33	2.1	0.37	1.1	0.21	6	0.3	0.11	0.1	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	268	12.5	0.79	7.0	0.49
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	138	8.5	0.75	6.3	0.59	331	17.5	1.00	12.7	0.77
Breast (*in situ*)	-	-	-	-	-	738	37.0	1.40	28.2	1.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	8,998	516.0	5.62	340.2	3.78	8,732	442.2	4.89	307.2	3.63
Oral Cavity & Pharynx	306	16.2	0.96	12.4	0.74	129	6.4	0.58	4.7	0.45
Lip	11	0.6	0.20	0.4	0.12	6	0.3	0.13	0.2	0.10
Tongue	105	5.4	0.55	4.4	0.45	35	1.8	0.31	1.3	0.23
Major salivary gland	28	1.6	0.32	1.1	0.22	24	1.3	0.27	1.1	0.25
Floor of mouth	12	0.6	0.16	0.5	0.13	10	0.5	0.15	0.3	0.11
Gum & other mouth	28	1.6	0.32	1.1	0.23	28	1.3	0.25	0.8	0.17
Nasopharynx	14	0.8	0.22	0.6	0.17	-	-	-	-	-
Oropharynx	10	0.5	0.16	0.4	0.12	-	-	-	-	-
Hypopharynx	18	1.0	0.23	0.7	0.16	6	0.3	0.11	0.2	0.08
Digestive System	1,583	91.2	2.37	58.1	1.52	1,283	62.6	1.80	36.8	1.16
Esophagus	172	9.6	0.76	6.1	0.48	51	2.5	0.35	1.5	0.23
Stomach	100	6.1	0.63	3.5	0.37	48	2.3	0.34	1.3	0.21
Small intestine	33	1.9	0.34	1.4	0.24	35	1.8	0.31	1.1	0.21
Colon excl. rectum	494	28.9	1.34	17.7	0.83	545	26.1	1.15	14.0	0.68
Rectum & rectosigmoid	259	14.7	0.95	10.1	0.65	175	8.8	0.68	5.7	0.47
Anus, anal canal & anorectum	21	1.2	0.27	0.8	0.19	40	2.0	0.33	1.5	0.24
Liver	168	9.1	0.73	6.5	0.54	34	1.7	0.30	1.3	0.28
Gallbladder	14	0.8	0.21	0.5	0.15	30	1.5	0.28	0.8	0.16
Pancreas	257	15.1	0.97	9.1	0.59	240	11.6	0.77	6.7	0.48
Respiratory System	1,434	83.7	2.28	51.3	1.40	1,326	65.1	1.83	41.9	1.23
Larynx	123	6.7	0.63	4.6	0.43	35	1.7	0.30	1.3	0.23
Lung & bronchus	1,289	75.6	2.17	45.8	1.32	1,280	62.8	1.79	40.1	1.20
Bones & Joints	16	1.1	0.27	1.1	0.29	13	0.7	0.22	0.6	0.21
Soft Tissue (incl. heart)	68	4.4	0.55	3.0	0.41	44	2.6	0.41	2.1	0.38
Skin (excl. basal & sq.)	638	37.8	1.54	24.4	1.02	492	26.4	1.24	20.1	0.99
Melanomas of the skin	599	35.3	1.49	22.8	0.98	469	25.1	1.21	19.4	0.98
Breast (excl. *in situ*)	16	0.9	0.23	0.6	0.14	2,546	128.8	2.64	94.0	1.98
Female Genital System	-	-	-	-	-	1,101	54.6	1.70	39.8	1.28
Cervix uteri	-	-	-	-	-	77	4.5	0.53	3.5	0.42
Uterus Corpus	-	-	-	-	-	660	32.2	1.29	23.8	0.97
Uterus, NOS[1]	-	-	-	-	-	15	0.7	0.18	0.5	0.14
Ovary	-	-	-	-	-	238	11.9	0.79	8.4	0.59
Male Genital System	2,392	129.0	2.73	90.9	1.91	-	-	-	-	-
Prostate	2,274	120.9	2.62	83.9	1.79	-	-	-	-	-
Testis	91	6.5	0.70	6.0	0.66	-	-	-	-	-
Penis	22	1.2	0.27	0.8	0.17	-	-	-	-	-
Urinary System	1,052	62.0	1.97	37.7	1.21	425	20.8	1.03	13.1	0.72
Bladder (incl. *in situ*)	672	40.1	1.59	23.3	0.93	231	11.0	0.74	6.4	0.46
Kidney & renal pelvis	357	20.4	1.12	13.8	0.76	184	9.2	0.70	6.5	0.54
Ureter	12	0.8	0.23	0.4	0.11	9	0.5	0.17	0.2	0.08
Eye & Orbit	17	0.9	0.22	0.7	0.16	14	0.7	0.19	0.4	0.16
Brain & Other Nervous System	161	9.3	0.76	7.8	0.69	111	6.0	0.59	4.8	0.52
Brain	153	8.9	0.75	7.5	0.68	104	5.5	0.57	4.3	0.49
Endocrine System	117	7.1	0.68	5.7	0.58	328	21.1	1.21	17.9	1.07
Thyroid gland	108	6.5	0.65	5.0	0.51	320	20.5	1.19	17.2	1.02
Lymphomas	480	28.8	1.36	19.7	0.96	383	20.2	1.07	14.4	0.83
Hodgkin Lymphoma	61	4.0	0.53	3.4	0.47	46	3.1	0.47	2.9	0.44
Non-Hodgkin Lymphoma	419	24.7	1.25	16.3	0.84	337	17.1	0.96	11.5	0.71
Multiple Myeloma	125	7.5	0.69	4.5	0.42	82	3.8	0.43	2.4	0.29
Leukemias	264	16.0	1.02	11.1	0.78	183	9.6	0.73	6.9	0.64
Acute lymphocytic	24	1.7	0.35	1.9	0.42	18	1.3	0.32	1.7	0.45
Chronic lymphocytic	101	6.0	0.62	3.5	0.36	66	3.2	0.40	1.9	0.25
Acute myeloid	83	5.0	0.57	3.2	0.40	58	3.0	0.40	2.0	0.29
Chronic myeloid	31	1.9	0.35	1.3	0.26	24	1.3	0.28	0.9	0.23
Other leukemias	25	1.4	0.28	1.1	0.26	17	0.7	0.18	0.4	0.12
Mesothelioma	33	2.1	0.37	1.2	0.21	6	0.3	0.11	0.1	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	266	12.6	0.79	7.0	0.49
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	136	8.6	0.76	6.4	0.61	322	17.5	1.01	12.6	0.78
Breast (*in situ*)	-	-	-	-	-	728	37.2	1.42	28.4	1.09

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	35	319.5	62.31	228.4	40.44	19	215.4	54.70	131.2	31.56
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	58.9	28.07	39.6	16.78	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	17	163.7	45.78	113.3	28.49	-	-	-	-	-
Prostate	17	163.7	45.78	113.3	28.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	25	239.1	52.21	161.4	33.24	44	284.3	48.21	188.2	29.11
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	9	81.6	29.51	59.7	20.18	11	81.0	27.96	46.6	14.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	7	61.0	24.60	31.4	12.17
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	7	61.0	24.60	31.4	12.17
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	13	84.9	25.93	56.7	16.20
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	31	227.8	44.35	151.5	28.55	34	201.1	36.72	138.3	25.57
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	14	81.5	22.84	60.9	17.10
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	56.2	22.55	34.7	13.88	-	-	-	-	-
Prostate	7	56.2	22.55	34.7	13.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	58.9	25.26	32.5	14.14	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	8,971	518.1	5.65	341.7	3.80	8,699	443.9	4.92	308.5	3.66
Oral Cavity & Pharynx	305	16.3	0.97	12.5	0.75	129	6.4	0.58	4.8	0.46
Lip	11	0.6	0.20	0.4	0.12	6	0.3	0.13	0.2	0.10
Tongue	105	5.5	0.55	4.4	0.45	35	1.8	0.31	1.3	0.23
Major salivary gland	28	1.6	0.32	1.1	0.22	24	1.3	0.28	1.1	0.26
Floor of mouth	12	0.6	0.16	0.5	0.13	10	0.5	0.15	0.3	0.11
Gum & other mouth	28	1.6	0.32	1.1	0.23	28	1.3	0.25	0.9	0.17
Nasopharynx	14	0.8	0.22	0.6	0.17	-	-	-	-	-
Oropharynx	10	0.5	0.16	0.4	0.13	-	-	-	-	-
Hypopharynx	18	1.0	0.23	0.7	0.16	6	0.3	0.11	0.2	0.08
Digestive System	1,580	91.6	2.38	58.4	1.53	1,279	62.8	1.81	36.9	1.17
Esophagus	172	9.7	0.76	6.2	0.49	50	2.4	0.35	1.4	0.22
Stomach	100	6.2	0.63	3.5	0.37	48	2.3	0.34	1.3	0.22
Small intestine	33	1.9	0.35	1.4	0.24	35	1.8	0.31	1.1	0.21
Colon excl. rectum	494	29.1	1.35	17.8	0.83	544	26.3	1.16	14.0	0.69
Rectum & rectosigmoid	258	14.7	0.95	10.1	0.65	173	8.7	0.68	5.7	0.47
Anus, anal canal & anorectum	21	1.2	0.27	0.8	0.19	40	2.0	0.33	1.5	0.24
Liver	167	9.1	0.73	6.5	0.54	34	1.7	0.31	1.3	0.28
Gallbladder	14	0.8	0.22	0.5	0.15	30	1.5	0.28	0.8	0.16
Pancreas	256	15.2	0.97	9.2	0.59	240	11.7	0.77	6.8	0.48
Respiratory System	1,431	84.1	2.29	51.5	1.41	1,323	65.4	1.84	42.2	1.24
Larynx	123	6.8	0.63	4.7	0.43	35	1.7	0.30	1.3	0.23
Lung & bronchus	1,286	76.0	2.18	46.0	1.32	1,277	63.1	1.80	40.3	1.20
Bones & Joints	16	1.1	0.28	1.1	0.30	13	0.7	0.22	0.6	0.21
Soft Tissue (incl. heart)	68	4.4	0.55	3.1	0.42	44	2.6	0.41	2.1	0.38
Skin (excl. basal & sq.)	636	37.9	1.55	24.5	1.03	492	26.6	1.25	20.3	1.01
Melanomas of the skin	598	35.5	1.50	22.9	0.98	469	25.4	1.22	19.5	0.99
Breast (excl. *in situ*)	16	0.9	0.23	0.6	0.14	2,532	129.1	2.65	94.2	1.99
Female Genital System	-	-	-	-	-	1,097	54.7	1.70	39.9	1.28
Cervix uteri	-	-	-	-	-	77	4.5	0.54	3.5	0.43
Uterus Corpus	-	-	-	-	-	657	32.2	1.29	23.8	0.97
Uterus, NOS[1]	-	-	-	-	-	15	0.7	0.19	0.5	0.14
Ovary	-	-	-	-	-	237	11.9	0.80	8.4	0.59
Male Genital System	2,386	129.5	2.74	91.3	1.93	-	-	-	-	-
Prostate	2,268	121.4	2.63	84.2	1.80	-	-	-	-	-
Testis	91	6.6	0.72	6.1	0.67	-	-	-	-	-
Penis	22	1.3	0.28	0.8	0.17	-	-	-	-	-
Urinary System	1,047	62.1	1.98	37.8	1.22	424	20.8	1.04	13.2	0.72
Bladder (incl. *in situ*)	670	40.3	1.60	23.4	0.94	231	11.1	0.74	6.4	0.46
Kidney & renal pelvis	354	20.4	1.12	13.8	0.76	183	9.2	0.70	6.5	0.54
Ureter	12	0.8	0.23	0.4	0.11	9	0.5	0.17	0.2	0.08
Eye & Orbit	17	0.9	0.23	0.7	0.17	14	0.7	0.19	0.4	0.16
Brain & Other Nervous System	161	9.4	0.77	7.9	0.70	111	6.1	0.60	4.8	0.53
Brain	153	9.0	0.76	7.5	0.69	104	5.6	0.57	4.4	0.50
Endocrine System	116	7.1	0.69	5.7	0.59	327	21.3	1.23	18.1	1.08
Thyroid gland	108	6.6	0.66	5.1	0.52	319	20.8	1.21	17.3	1.03
Lymphomas	477	28.8	1.36	19.7	0.97	381	20.3	1.08	14.5	0.84
Hodgkin Lymphoma	60	4.0	0.54	3.4	0.47	45	3.1	0.47	2.9	0.45
Non-Hodgkin Lymphoma	417	24.8	1.25	16.3	0.85	336	17.2	0.97	11.6	0.71
Multiple Myeloma	125	7.6	0.70	4.5	0.42	82	3.8	0.43	2.4	0.29
Leukemias	263	16.1	1.02	11.1	0.78	182	9.6	0.74	6.9	0.65
Acute lymphocytic	24	1.7	0.36	1.9	0.43	18	1.4	0.33	1.7	0.46
Chronic lymphocytic	101	6.1	0.62	3.5	0.37	66	3.2	0.40	1.9	0.26
Acute myeloid	83	5.0	0.57	3.2	0.40	57	2.9	0.40	1.9	0.29
Chronic myeloid	30	1.8	0.35	1.3	0.25	24	1.3	0.28	0.9	0.23
Other leukemias	25	1.4	0.29	1.1	0.26	17	0.8	0.18	0.4	0.12
Mesothelioma	33	2.1	0.38	1.2	0.21	6	0.3	0.11	0.1	0.06
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	263	12.5	0.79	7.0	0.49
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	134	8.6	0.77	6.4	0.61	319	17.4	1.02	12.5	0.78
Breast (*in situ*)	-	-	-	-	-	728	37.5	1.43	28.6	1.10

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Vermont, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	33	325.9	65.28	231.9	42.19	19	225.3	56.54	138.6	33.32
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	6	63.3	30.61	42.1	17.81	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	17	170.7	47.40	118.7	29.87	-	-	-	-	-
Prostate	17	170.7	47.40	118.7	29.87	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	92,908	485.4	1.65	320.9	1.08	90,896	397.6	1.34	275.0	0.97
Oral Cavity & Pharynx	3,248	15.9	0.29	11.4	0.20	1,299	5.6	0.16	3.8	0.11
Lip	116	0.6	0.06	0.4	0.04	52	0.2	0.03	0.1	0.02
Tongue	964	4.6	0.15	3.4	0.11	390	1.7	0.09	1.1	0.06
Major salivary gland	264	1.5	0.09	0.9	0.06	186	0.8	0.06	0.6	0.05
Floor of mouth	188	0.9	0.07	0.7	0.05	74	0.3	0.04	0.2	0.03
Gum & other mouth	330	1.7	0.10	1.1	0.06	277	1.2	0.07	0.8	0.05
Nasopharynx	129	0.6	0.06	0.5	0.04	65	0.3	0.04	0.2	0.03
Oropharynx	219	1.0	0.07	0.8	0.05	53	0.2	0.03	0.2	0.02
Hypopharynx	242	1.2	0.08	0.8	0.05	57	0.2	0.03	0.2	0.02
Digestive System	17,099	90.0	0.71	57.7	0.45	14,311	62.0	0.53	38.8	0.35
Esophagus	1,531	7.9	0.21	5.2	0.13	416	1.8	0.09	1.1	0.06
Stomach	1,552	8.4	0.22	5.2	0.13	968	4.2	0.14	2.6	0.09
Small intestine	504	2.7	0.12	1.7	0.08	473	2.1	0.10	1.4	0.07
Colon excl. rectum	5,603	30.3	0.42	18.7	0.26	5,918	25.7	0.34	15.5	0.22
Rectum & rectosigmoid	2,505	12.7	0.26	8.7	0.18	1,987	8.7	0.20	5.8	0.14
Anus, anal canal & anorectum	273	1.4	0.08	1.0	0.06	472	2.0	0.09	1.4	0.07
Liver	1,838	8.9	0.21	6.3	0.15	610	2.6	0.11	1.8	0.08
Gallbladder	165	0.9	0.07	0.5	0.04	263	1.1	0.07	0.7	0.05
Pancreas	2,507	13.5	0.28	8.3	0.17	2,413	10.4	0.21	6.2	0.14
Respiratory System	15,733	85.0	0.70	52.1	0.42	12,614	54.9	0.50	34.5	0.33
Larynx	1,209	6.1	0.18	4.2	0.12	291	1.2	0.07	0.9	0.05
Lung & bronchus	14,311	77.9	0.67	47.1	0.40	12,174	53.0	0.49	33.2	0.32
Bones & Joints	168	0.9	0.07	0.8	0.07	127	0.6	0.06	0.6	0.06
Soft Tissue (incl. heart)	698	3.7	0.14	2.7	0.11	622	2.8	0.11	2.2	0.10
Skin (excl. basal & sq.)	4,798	25.8	0.38	16.4	0.24	3,436	15.4	0.27	11.2	0.20
Melanomas of the skin	4,474	23.9	0.37	15.3	0.23	3,199	14.4	0.26	10.5	0.20
Breast (excl. *in situ*)	280	1.5	0.09	0.9	0.06	28,621	124.6	0.75	89.8	0.55
Female Genital System	-	-	-	-	-	10,533	45.6	0.45	33.1	0.34
Cervix uteri	-	-	-	-	-	1,337	6.3	0.17	4.9	0.14
Uterus Corpus	-	-	-	-	-	5,377	22.7	0.31	16.7	0.23
Uterus, NOS[1]	-	-	-	-	-	226	1.0	0.06	0.6	0.04
Ovary	-	-	-	-	-	2,697	11.8	0.23	8.3	0.17
Male Genital System	26,739	131.6	0.83	94.0	0.58	-	-	-	-	-
Prostate	25,706	126.3	0.81	89.4	0.56	-	-	-	-	-
Testis	860	4.4	0.15	4.1	0.14	-	-	-	-	-
Penis	137	0.7	0.07	0.5	0.04	-	-	-	-	-
Urinary System	9,588	52.3	0.55	31.9	0.33	4,398	19.1	0.29	12.6	0.20
Bladder (incl. *in situ*)	5,600	32.0	0.44	17.9	0.25	1,921	8.3	0.19	4.9	0.12
Kidney & renal pelvis	3,798	19.2	0.32	13.4	0.22	2,364	10.3	0.21	7.4	0.16
Ureter	141	0.8	0.07	0.4	0.04	83	0.4	0.04	0.2	0.03
Eye & Orbit	111	0.6	0.05	0.5	0.05	86	0.4	0.04	0.3	0.04
Brain & Other Nervous System	1,446	7.4	0.20	6.2	0.17	1,207	5.5	0.16	4.6	0.15
Brain	1,374	7.1	0.20	5.8	0.17	1,130	5.1	0.16	4.2	0.14
Endocrine System	1,308	6.5	0.18	5.2	0.15	4,038	18.8	0.30	15.6	0.25
Thyroid gland	1,169	5.8	0.17	4.5	0.13	3,917	18.2	0.30	15.1	0.25
Lymphomas	4,419	23.6	0.36	16.0	0.25	3,745	16.6	0.28	11.6	0.21
Hodgkin Lymphoma	533	2.7	0.12	2.4	0.11	484	2.3	0.11	2.1	0.10
Non-Hodgkin Lymphoma	3,886	20.9	0.35	13.6	0.23	3,261	14.3	0.25	9.4	0.18
Multiple Myeloma	1,369	7.4	0.21	4.6	0.13	1,158	5.0	0.15	3.1	0.10
Leukemias	2,476	13.6	0.28	9.5	0.21	1,900	8.6	0.20	6.3	0.17
Acute lymphocytic	317	1.7	0.09	1.9	0.12	248	1.3	0.08	1.6	0.11
Chronic lymphocytic	737	4.1	0.16	2.4	0.09	520	2.2	0.10	1.3	0.06
Acute myeloid	784	4.3	0.16	2.9	0.11	648	2.9	0.12	2.1	0.09
Chronic myeloid	266	1.5	0.09	0.9	0.06	219	1.0	0.07	0.7	0.05
Other leukemias	372	2.1	0.11	1.3	0.07	265	1.2	0.07	0.7	0.05
Mesothelioma	337	2.0	0.11	1.0	0.06	93	0.4	0.04	0.2	0.03
Kaposi Sarcoma	76	0.4	0.05	0.3	0.04	6	0.0	0.01	0.0	0.01
Ill-defined & Unknown	3,015	17.2	0.32	9.8	0.18	2,702	11.7	0.23	6.6	0.14
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,344	7.0	0.20	5.1	0.15	2,575	11.4	0.23	8.2	0.17
Breast (*in situ*)	51	0.3	0.04	0.2	0.03	8,212	35.6	0.40	26.9	0.30

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	71,335	470.6	1.81	309.0	1.20	70,914	403.2	1.54	279.1	1.13
Oral Cavity & Pharynx	2,654	16.5	0.33	11.8	0.23	1,059	5.9	0.19	4.0	0.13
Lip	112	0.8	0.07	0.5	0.05	49	0.3	0.04	0.1	0.02
Tongue	825	5.0	0.18	3.7	0.13	340	1.9	0.11	1.3	0.08
Major salivary gland	217	1.5	0.11	0.9	0.06	145	0.8	0.07	0.6	0.05
Floor of mouth	149	0.9	0.08	0.7	0.06	62	0.3	0.04	0.2	0.03
Gum & other mouth	267	1.8	0.11	1.1	0.07	227	1.3	0.09	0.8	0.06
Nasopharynx	85	0.5	0.06	0.4	0.05	32	0.2	0.03	0.1	0.03
Oropharynx	157	0.9	0.08	0.7	0.06	41	0.2	0.04	0.1	0.02
Hypopharynx	174	1.1	0.09	0.7	0.06	41	0.2	0.04	0.1	0.02
Digestive System	12,672	84.1	0.77	53.5	0.49	10,568	58.6	0.58	36.3	0.39
Esophagus	1,236	8.0	0.24	5.2	0.15	303	1.7	0.10	1.0	0.06
Stomach	1,046	7.1	0.22	4.4	0.14	643	3.6	0.14	2.2	0.10
Small intestine	347	2.3	0.13	1.5	0.08	329	1.8	0.10	1.2	0.07
Colon excl. rectum	4,257	29.0	0.46	17.7	0.28	4,425	24.5	0.37	14.6	0.24
Rectum & rectosigmoid	1,891	12.1	0.29	8.3	0.20	1,497	8.5	0.22	5.7	0.16
Anus, anal canal & anorectum	208	1.3	0.09	0.9	0.07	390	2.1	0.11	1.6	0.08
Liver	1,183	7.4	0.22	5.1	0.15	389	2.2	0.11	1.4	0.08
Gallbladder	102	0.7	0.07	0.4	0.04	190	1.0	0.08	0.6	0.05
Pancreas	1,910	12.9	0.30	7.8	0.18	1,784	9.7	0.23	5.8	0.15
Respiratory System	12,375	83.4	0.77	50.8	0.47	10,247	57.0	0.57	35.9	0.38
Larynx	884	5.6	0.19	3.8	0.13	223	1.2	0.08	0.9	0.06
Lung & bronchus	11,316	76.6	0.74	46.2	0.45	9,909	55.1	0.56	34.5	0.37
Bones & Joints	128	0.9	0.08	0.8	0.08	101	0.7	0.07	0.7	0.07
Soft Tissue (incl. heart)	549	3.8	0.17	2.8	0.13	467	2.8	0.13	2.2	0.12
Skin (excl. basal & sq.)	4,379	29.5	0.46	18.9	0.30	3,058	18.2	0.34	13.3	0.26
Melanomas of the skin	4,111	27.6	0.44	17.8	0.29	2,878	17.2	0.33	12.7	0.25
Breast (excl. *in situ*)	206	1.4	0.10	0.9	0.06	22,060	125.5	0.86	90.3	0.64
Female Genital System	-	-	-	-	-	8,315	47.0	0.53	34.2	0.40
Cervix uteri	-	-	-	-	-	913	5.9	0.20	4.7	0.16
Uterus Corpus	-	-	-	-	-	4,322	23.7	0.37	17.5	0.28
Uterus, NOS[1]	-	-	-	-	-	162	0.9	0.07	0.6	0.05
Ovary	-	-	-	-	-	2,195	12.5	0.27	8.8	0.20
Male Genital System	18,764	116.8	0.88	82.9	0.62	-	-	-	-	-
Prostate	17,856	110.5	0.85	77.3	0.59	-	-	-	-	-
Testis	768	5.4	0.20	5.0	0.18	-	-	-	-	-
Penis	113	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,948	54.2	0.63	32.9	0.38	3,450	19.2	0.33	12.6	0.24
Bladder (incl. *in situ*)	4,870	34.3	0.50	19.3	0.29	1,624	8.9	0.22	5.3	0.14
Kidney & renal pelvis	2,905	18.7	0.36	13.0	0.25	1,739	9.9	0.24	7.0	0.18
Ureter	129	0.9	0.08	0.5	0.04	66	0.4	0.05	0.2	0.03
Eye & Orbit	96	0.6	0.06	0.5	0.06	81	0.5	0.06	0.4	0.06
Brain & Other Nervous System	1,219	8.2	0.24	6.7	0.21	1,016	6.2	0.20	5.1	0.19
Brain	1,168	7.8	0.23	6.4	0.20	959	5.8	0.19	4.8	0.18
Endocrine System	1,051	6.8	0.21	5.4	0.17	3,086	19.6	0.36	16.3	0.31
Thyroid gland	968	6.2	0.20	4.9	0.16	3,011	19.2	0.36	15.9	0.30
Lymphomas	3,571	24.1	0.41	16.3	0.29	2,994	17.2	0.32	11.9	0.24
Hodgkin Lymphoma	387	2.6	0.14	2.3	0.12	356	2.4	0.13	2.2	0.12
Non-Hodgkin Lymphoma	3,184	21.5	0.39	14.0	0.26	2,638	14.8	0.29	9.7	0.21
Multiple Myeloma	913	6.2	0.21	3.7	0.13	702	3.8	0.15	2.4	0.10
Leukemias	2,018	14.1	0.32	9.8	0.24	1,494	8.8	0.23	6.4	0.20
Acute lymphocytic	255	1.8	0.12	2.2	0.15	188	1.4	0.10	1.6	0.13
Chronic lymphocytic	608	4.2	0.17	2.5	0.10	422	2.3	0.11	1.3	0.07
Acute myeloid	641	4.5	0.18	3.0	0.13	495	2.9	0.13	2.1	0.11
Chronic myeloid	215	1.5	0.10	1.0	0.07	169	1.0	0.08	0.7	0.06
Other leukemias	299	2.2	0.13	1.3	0.08	220	1.2	0.09	0.8	0.06
Mesothelioma	300	2.2	0.13	1.1	0.07	78	0.4	0.05	0.3	0.03
Kaposi Sarcoma	39	0.3	0.04	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	2,453	17.5	0.36	9.8	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,032	6.9	0.22	5.0	0.17	1,942	11.2	0.26	8.1	0.20
Breast (*in situ*)	34	0.2	0.04	0.1	0.03	6,177	35.4	0.46	26.8	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	17,809	572.9	4.58	390.9	2.98	15,999	388.8	3.13	269.7	2.21
Oral Cavity & Pharynx	498	14.5	0.69	10.9	0.50	181	4.2	0.32	3.2	0.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	109	3.2	0.32	2.4	0.23	30	0.7	0.12	0.5	0.10
Major salivary gland	32	0.9	0.17	0.7	0.13	26	0.6	0.11	0.5	0.10
Floor of mouth	36	1.1	0.19	0.8	0.14	11	0.3	0.08	0.2	0.06
Gum & other mouth	47	1.5	0.24	1.0	0.14	39	0.9	0.15	0.7	0.11
Nasopharynx	31	0.8	0.16	0.7	0.12	27	0.6	0.12	0.5	0.10
Oropharynx	59	1.8	0.25	1.3	0.17	12	0.3	0.08	0.2	0.06
Hypopharynx	63	1.8	0.24	1.3	0.17	14	0.3	0.09	0.2	0.06
Digestive System	3,591	117.9	2.11	76.7	1.30	3,084	76.2	1.40	49.0	0.92
Esophagus	258	8.3	0.55	5.6	0.36	105	2.6	0.25	1.7	0.17
Stomach	378	13.4	0.74	8.0	0.42	243	6.2	0.40	3.7	0.25
Small intestine	139	4.6	0.42	3.0	0.26	123	3.0	0.28	2.1	0.19
Colon excl. rectum	1,135	38.4	1.23	24.4	0.73	1,280	31.8	0.90	19.9	0.58
Rectum & rectosigmoid	473	15.2	0.75	10.0	0.47	371	8.8	0.47	6.1	0.33
Anus, anal canal & anorectum	57	1.6	0.23	1.2	0.16	74	1.8	0.21	1.2	0.15
Liver	487	13.2	0.63	10.3	0.47	145	3.4	0.29	2.4	0.21
Gallbladder	47	1.7	0.27	1.0	0.15	54	1.4	0.19	0.9	0.13
Pancreas	530	18.2	0.84	11.4	0.50	548	13.7	0.60	8.6	0.38
Respiratory System	3,013	104.6	2.03	65.5	1.21	2,052	51.4	1.16	32.8	0.76
Larynx	304	9.5	0.58	6.7	0.39	63	1.5	0.20	1.1	0.14
Lung & bronchus	2,677	94.2	1.94	58.1	1.14	1,962	49.2	1.13	31.3	0.74
Bones & Joints	31	0.8	0.16	0.8	0.15	22	0.5	0.11	0.5	0.11
Soft Tissue (incl. heart)	117	3.4	0.33	2.7	0.25	121	2.9	0.27	2.3	0.21
Skin (excl. basal & sq.)	60	1.8	0.25	1.3	0.17	84	2.1	0.23	1.4	0.16
Melanomas of the skin	27	1.0	0.20	0.6	0.11	40	1.0	0.16	0.6	0.10
Breast (excl. *in situ*)	66	2.1	0.28	1.4	0.18	5,384	128.3	1.78	92.9	1.30
Female Genital System	-	-	-	-	-	1,732	41.8	1.02	30.0	0.74
Cervix uteri	-	-	-	-	-	315	7.5	0.43	5.8	0.33
Uterus Corpus	-	-	-	-	-	843	20.1	0.71	14.5	0.52
Uterus, NOS[1]	-	-	-	-	-	61	1.5	0.19	1.1	0.14
Ovary	-	-	-	-	-	377	9.3	0.49	6.4	0.34
Male Genital System	6,826	209.2	2.68	151.8	1.86	-	-	-	-	-
Prostate	6,746	206.9	2.67	149.9	1.85	-	-	-	-	-
Testis	52	1.3	0.19	1.2	0.17	-	-	-	-	-
Penis	24	0.8	0.17	0.5	0.10	-	-	-	-	-
Urinary System	1,361	45.9	1.33	29.6	0.82	831	20.3	0.72	13.9	0.50
Bladder (incl. *in situ*)	558	21.5	0.97	12.1	0.52	247	6.4	0.41	3.6	0.24
Kidney & renal pelvis	793	24.0	0.90	17.3	0.62	562	13.4	0.57	9.9	0.43
Ureter	6	0.3	0.12	0.1	0.05	13	0.3	0.10	0.2	0.06
Eye & Orbit	10	0.3	0.08	0.3	0.09	-	-	-	-	-
Brain & Other Nervous System	148	4.1	0.36	3.6	0.31	146	3.5	0.29	2.8	0.25
Brain	133	3.7	0.33	3.2	0.29	131	3.1	0.27	2.6	0.24
Endocrine System	154	4.5	0.38	3.5	0.29	565	13.1	0.56	10.8	0.46
Thyroid gland	113	3.3	0.33	2.5	0.24	530	12.3	0.54	10.1	0.45
Lymphomas	632	19.6	0.83	14.0	0.56	568	13.8	0.59	10.2	0.44
Hodgkin Lymphoma	111	2.9	0.29	2.6	0.25	102	2.4	0.24	2.2	0.22
Non-Hodgkin Lymphoma	521	16.6	0.78	11.4	0.51	466	11.4	0.54	8.0	0.38
Multiple Myeloma	413	14.2	0.75	8.9	0.45	426	10.7	0.53	6.7	0.34
Leukemias	352	11.4	0.65	8.2	0.45	312	7.7	0.44	5.7	0.35
Acute lymphocytic	40	1.0	0.16	1.2	0.19	33	0.8	0.14	1.0	0.18
Chronic lymphocytic	98	3.6	0.39	2.1	0.22	83	2.1	0.24	1.3	0.15
Acute myeloid	117	3.6	0.36	2.7	0.26	119	2.9	0.27	2.1	0.20
Chronic myeloid	44	1.5	0.24	1.0	0.15	39	0.9	0.15	0.7	0.12
Other leukemias	53	1.7	0.25	1.2	0.17	38	0.9	0.15	0.6	0.11
Mesothelioma	37	1.3	0.23	0.8	0.13	10	0.3	0.08	0.2	0.05
Kaposi Sarcoma	30	0.8	0.15	0.7	0.13	-	-	-	-	-
Ill-defined & Unknown	470	16.5	0.82	10.2	0.48	474	12.0	0.56	7.1	0.35
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	228	6.9	0.49	5.1	0.34	489	11.8	0.54	8.5	0.40
Breast (*in situ*)	15	0.4	0.12	0.3	0.09	1,619	38.1	0.96	28.3	0.72

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,035	265.6	6.70	169.0	3.80	2,766	254.7	5.22	175.7	3.40
Oral Cavity & Pharynx	65	7.8	1.11	5.2	0.66	33	2.9	0.54	2.2	0.38
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	2.0	0.51	1.4	0.33	7	0.7	0.27	0.4	0.16
Major salivary gland	11	1.4	0.45	0.9	0.27	10	0.8	0.28	0.7	0.22
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	10	1.2	0.42	0.8	0.24	7	0.6	0.25	0.5	0.19
Nasopharynx	12	1.4	0.49	0.9	0.28	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	637	84.6	3.85	51.9	2.09	522	54.1	2.56	33.0	1.46
Esophagus	30	4.3	0.87	2.4	0.45	7	0.9	0.36	0.5	0.18
Stomach	96	12.6	1.45	7.8	0.80	72	7.5	0.96	4.4	0.53
Small intestine	11	1.7	0.61	0.9	0.27	10	0.9	0.28	0.7	0.21
Colon excl. rectum	151	21.1	2.01	12.3	1.02	162	16.3	1.39	10.2	0.81
Rectum & rectosigmoid	110	12.8	1.40	8.9	0.87	94	9.0	1.00	5.8	0.61
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	140	17.9	1.72	11.5	0.98	66	7.3	0.96	4.3	0.54
Gallbladder	16	2.4	0.64	1.3	0.32	18	2.0	0.50	1.2	0.28
Pancreas	49	7.0	1.16	4.1	0.59	62	7.2	1.00	3.9	0.50
Respiratory System	282	41.0	2.77	23.9	1.44	270	30.1	1.97	17.4	1.08
Larynx	16	2.4	0.66	1.4	0.35	-	-	-	-	-
Lung & bronchus	261	38.2	2.68	22.1	1.39	260	29.1	1.94	16.8	1.05
Bones & Joints	6	0.5	0.20	0.5	0.21	-	-	-	-	-
Soft Tissue (incl. heart)	20	2.2	0.60	1.6	0.37	23	1.9	0.43	1.5	0.34
Skin (excl. basal & sq.)	12	1.6	0.52	0.9	0.27	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	15	1.4	0.38	0.9	0.24
Breast (excl. *in situ*)	-	-	-	-	-	909	76.6	2.69	56.9	1.91
Female Genital System	-	-	-	-	-	322	27.1	1.61	20.0	1.13
Cervix uteri	-	-	-	-	-	62	5.0	0.67	3.8	0.49
Uterus Corpus	-	-	-	-	-	141	11.7	1.03	8.8	0.75
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	100	8.6	0.93	6.3	0.64
Male Genital System	438	53.3	2.78	37.4	1.80	-	-	-	-	-
Prostate	414	51.3	2.74	35.6	1.76	-	-	-	-	-
Testis	21	1.7	0.36	1.5	0.35	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	172	24.5	2.10	14.3	1.10	73	7.9	1.00	4.6	0.55
Bladder (incl. *in situ*)	97	14.6	1.68	8.2	0.85	32	3.8	0.73	2.0	0.35
Kidney & renal pelvis	69	9.0	1.20	5.6	0.68	38	3.7	0.65	2.4	0.40
Ureter	6	0.9	0.39	0.5	0.20	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	46	4.9	0.87	4.1	0.62	32	2.9	0.55	2.1	0.39
Brain	44	4.8	0.86	3.9	0.61	32	2.9	0.55	2.1	0.39
Endocrine System	71	7.0	0.94	5.3	0.64	291	21.9	1.33	17.9	1.08
Thyroid gland	62	6.2	0.89	4.5	0.58	282	21.1	1.30	17.2	1.05
Lymphomas	132	17.9	1.83	11.0	0.98	119	11.2	1.12	7.8	0.73
Hodgkin Lymphoma	22	2.6	0.67	1.8	0.40	19	1.3	0.32	1.3	0.31
Non-Hodgkin Lymphoma	110	15.3	1.70	9.2	0.89	100	9.9	1.07	6.5	0.67
Multiple Myeloma	29	4.0	0.83	2.4	0.44	24	2.7	0.59	1.6	0.33
Leukemias	55	7.0	1.07	4.7	0.65	59	5.5	0.77	4.7	0.65
Acute lymphocytic	11	1.0	0.32	1.2	0.35	21	1.7	0.39	2.2	0.50
Chronic lymphocytic	11	1.8	0.63	0.9	0.29	-	-	-	-	-
Acute myeloid	20	2.2	0.54	1.6	0.37	28	2.8	0.58	1.8	0.36
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	61	8.3	1.22	5.0	0.65	61	7.1	1.00	3.9	0.51
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	51	6.1	0.99	4.1	0.59	99	8.9	0.96	6.3	0.64
Breast (*in situ*)	-	-	-	-	-	320	25.4	1.47	19.9	1.12

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,803	308.8	9.25	198.0	5.16	2,478	298.2	6.89	204.9	4.37
Oral Cavity & Pharynx	41	5.2	1.00	3.9	0.68	40	5.1	0.94	3.3	0.55
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	0.9	0.33	0.8	0.30	11	1.3	0.45	0.8	0.25
Major salivary gland	-	-	-	-	-	11	1.6	0.54	1.0	0.33
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	9	1.0	0.42	0.6	0.21
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	429	76.7	4.70	46.3	2.47	417	61.6	3.38	38.0	1.95
Esophagus	15	2.8	0.89	1.7	0.50	-	-	-	-	-
Stomach	83	15.7	2.23	8.6	1.06	57	8.4	1.25	5.0	0.70
Small intestine	10	1.4	0.58	0.9	0.32	11	1.5	0.48	1.1	0.35
Colon excl. rectum	119	21.0	2.44	13.1	1.32	145	21.0	1.95	13.3	1.17
Rectum & rectosigmoid	57	11.1	1.85	6.2	0.90	44	5.5	0.95	3.6	0.57
Anus, anal canal & anorectum	6	0.6	0.26	0.5	0.22	14	1.5	0.43	1.2	0.33
Liver	63	9.8	1.53	6.8	0.93	37	6.6	1.17	3.9	0.67
Gallbladder	10	1.4	0.51	1.2	0.41	16	2.6	0.72	1.5	0.39
Pancreas	45	8.2	1.52	5.0	0.83	60	9.9	1.42	5.4	0.72
Respiratory System	169	38.2	3.54	21.1	1.74	165	25.5	2.20	15.4	1.25
Larynx	17	2.9	0.81	2.2	0.57	-	-	-	-	-
Lung & bronchus	145	34.8	3.44	18.3	1.63	157	24.8	2.19	14.7	1.22
Bones & Joints	-	-	-	-	-	6	0.4	0.16	0.4	0.16
Soft Tissue (incl. heart)	25	2.6	0.80	1.8	0.39	31	3.6	0.79	2.3	0.42
Skin (excl. basal & sq.)	25	3.7	0.97	2.6	0.58	-	-	-	-	-
Melanomas of the skin	19	3.3	0.95	2.2	0.56	23	2.6	0.64	1.8	0.39
Breast (excl. *in situ*)	-	-	-	-	-	708	77.2	3.23	57.8	2.31
Female Genital System	-	-	-	-	-	390	43.9	2.57	31.0	1.68
Cervix uteri	-	-	-	-	-	124	11.8	1.23	8.6	0.83
Uterus Corpus	-	-	-	-	-	134	16.3	1.59	11.6	1.06
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	98	11.0	1.30	7.8	0.84
Male Genital System	508	93.4	4.99	63.0	3.01	-	-	-	-	-
Prostate	457	90.8	4.97	60.4	2.99	-	-	-	-	-
Testis	47	2.3	0.37	2.3	0.36	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	171	29.6	2.80	19.8	1.65	88	12.8	1.54	7.9	0.88
Bladder (incl. *in situ*)	68	14.7	2.12	9.0	1.16	31	5.5	1.07	2.9	0.54
Kidney & renal pelvis	99	14.1	1.79	10.1	1.14	57	7.3	1.10	5.0	0.70
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	52	3.8	0.67	3.6	0.54	43	4.3	0.79	3.5	0.57
Brain	48	3.5	0.65	3.2	0.51	38	3.9	0.76	3.1	0.54
Endocrine System	49	4.6	0.87	3.6	0.58	275	22.5	1.51	18.7	1.20
Thyroid gland	43	4.0	0.80	3.1	0.53	270	22.2	1.50	18.4	1.19
Lymphomas	151	21.6	2.39	14.1	1.32	127	15.5	1.59	10.8	1.01
Hodgkin Lymphoma	24	2.1	0.57	1.8	0.45	25	2.0	0.48	1.8	0.38
Non-Hodgkin Lymphoma	127	19.5	2.32	12.3	1.25	102	13.5	1.52	9.0	0.94
Multiple Myeloma	26	5.5	1.31	3.2	0.67	33	5.9	1.11	3.1	0.56
Leukemias	84	8.9	1.46	6.7	0.83	72	7.3	1.06	5.6	0.70
Acute lymphocytic	-	-	-	-	-	34	2.2	0.44	2.4	0.43
Chronic lymphocytic	7	1.3	0.65	0.7	0.27	-	-	-	-	-
Acute myeloid	25	2.5	0.71	2.0	0.48	25	3.7	0.83	2.2	0.46
Chronic myeloid	16	2.5	0.89	1.4	0.40	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	0.9	0.55	0.5	0.26	-	-	-	-	-
Ill-defined & Unknown	54	12.5	2.05	6.9	1.00	53	9.3	1.41	4.8	0.69
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	36	3.3	0.77	2.5	0.47	87	9.2	1.14	6.9	0.79
Breast (*in situ*)	-	-	-	-	-	229	24.5	1.79	18.8	1.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	69,814	477.6	1.86	314.5	1.25	68,808	408.7	1.60	283.5	1.18
Oral Cavity & Pharynx	2,618	17.0	0.34	12.2	0.24	1,024	6.0	0.19	4.0	0.14
Lip	110	0.8	0.07	0.5	0.05	49	0.3	0.04	0.1	0.02
Tongue	818	5.2	0.19	3.9	0.14	331	1.9	0.11	1.3	0.08
Major salivary gland	212	1.6	0.11	0.9	0.07	136	0.8	0.07	0.6	0.05
Floor of mouth	146	0.9	0.08	0.7	0.06	61	0.3	0.05	0.2	0.03
Gum & other mouth	263	1.8	0.11	1.1	0.07	218	1.3	0.09	0.8	0.06
Nasopharynx	80	0.5	0.06	0.4	0.05	29	0.2	0.03	0.1	0.03
Oropharynx	157	1.0	0.08	0.8	0.06	41	0.2	0.04	0.2	0.03
Hypopharynx	172	1.1	0.09	0.8	0.06	41	0.2	0.04	0.2	0.03
Digestive System	12,301	84.6	0.78	53.9	0.50	10,205	58.6	0.59	36.3	0.40
Esophagus	1,221	8.2	0.24	5.3	0.16	300	1.7	0.10	1.0	0.06
Stomach	977	6.8	0.22	4.2	0.14	590	3.4	0.14	2.1	0.09
Small intestine	338	2.4	0.13	1.5	0.09	319	1.9	0.11	1.2	0.07
Colon excl. rectum	4,155	29.3	0.47	17.9	0.29	4,304	24.6	0.38	14.7	0.25
Rectum & rectosigmoid	1,842	12.3	0.29	8.5	0.20	1,458	8.7	0.23	5.8	0.17
Anus, anal canal & anorectum	202	1.3	0.10	1.0	0.07	377	2.2	0.11	1.6	0.09
Liver	1,130	7.3	0.22	5.1	0.16	359	2.1	0.11	1.4	0.08
Gallbladder	93	0.7	0.07	0.4	0.04	176	1.0	0.08	0.6	0.05
Pancreas	1,869	13.0	0.31	7.9	0.19	1,732	9.7	0.24	5.8	0.15
Respiratory System	12,225	84.7	0.79	51.8	0.48	10,118	58.2	0.59	36.8	0.39
Larynx	868	5.7	0.20	3.9	0.13	222	1.3	0.09	0.9	0.07
Lung & bronchus	11,188	77.9	0.76	47.1	0.46	9,786	56.2	0.58	35.3	0.38
Bones & Joints	123	0.9	0.09	0.9	0.09	95	0.7	0.08	0.7	0.08
Soft Tissue (incl. heart)	529	3.9	0.17	2.8	0.14	439	2.8	0.14	2.2	0.12
Skin (excl. basal & sq.)	4,357	30.6	0.48	19.7	0.31	3,036	19.2	0.36	14.2	0.28
Melanomas of the skin	4,094	28.7	0.46	18.6	0.30	2,859	18.1	0.35	13.5	0.28
Breast (excl. *in situ*)	203	1.4	0.10	0.9	0.06	21,451	127.8	0.89	92.1	0.66
Female Genital System	-	-	-	-	-	7,987	47.2	0.54	34.4	0.41
Cervix uteri	-	-	-	-	-	809	5.7	0.21	4.5	0.17
Uterus Corpus	-	-	-	-	-	4,214	24.0	0.38	17.8	0.29
Uterus, NOS[1]	-	-	-	-	-	159	0.9	0.07	0.6	0.05
Ovary	-	-	-	-	-	2,108	12.5	0.28	8.8	0.21
Male Genital System	18,357	118.3	0.90	84.2	0.64	-	-	-	-	-
Prostate	17,490	111.5	0.87	78.2	0.60	-	-	-	-	-
Testis	731	5.8	0.22	5.4	0.21	-	-	-	-	-
Penis	109	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	7,802	55.1	0.64	33.5	0.40	3,375	19.5	0.34	12.9	0.25
Bladder (incl. *in situ*)	4,811	34.8	0.51	19.6	0.29	1,597	9.0	0.23	5.4	0.15
Kidney & renal pelvis	2,821	19.0	0.37	13.2	0.26	1,691	10.1	0.25	7.2	0.19
Ureter	127	0.9	0.08	0.5	0.05	66	0.4	0.05	0.2	0.03
Eye & Orbit	93	0.6	0.07	0.5	0.06	80	0.5	0.06	0.5	0.07
Brain & Other Nervous System	1,173	8.4	0.25	7.0	0.23	979	6.3	0.21	5.3	0.20
Brain	1,125	8.0	0.25	6.6	0.22	925	6.0	0.20	5.0	0.19
Endocrine System	1,008	7.0	0.23	5.6	0.19	2,850	19.6	0.38	16.3	0.32
Thyroid gland	930	6.4	0.22	5.0	0.17	2,779	19.1	0.37	15.9	0.32
Lymphomas	3,448	24.4	0.43	16.6	0.30	2,892	17.4	0.33	12.1	0.25
Hodgkin Lymphoma	369	2.8	0.15	2.5	0.14	336	2.5	0.14	2.3	0.13
Non-Hodgkin Lymphoma	3,079	21.7	0.40	14.1	0.27	2,556	14.9	0.30	9.8	0.22
Multiple Myeloma	889	6.2	0.21	3.8	0.13	675	3.8	0.15	2.4	0.10
Leukemias	1,949	14.3	0.33	10.0	0.26	1,434	8.9	0.24	6.5	0.22
Acute lymphocytic	229	1.9	0.12	2.2	0.16	161	1.3	0.11	1.6	0.14
Chronic lymphocytic	603	4.3	0.18	2.5	0.11	418	2.3	0.12	1.3	0.07
Acute myeloid	620	4.5	0.19	3.0	0.13	471	2.9	0.14	2.1	0.11
Chronic myeloid	201	1.4	0.10	0.9	0.07	167	1.0	0.08	0.7	0.06
Other leukemias	296	2.2	0.13	1.3	0.09	217	1.3	0.09	0.8	0.06
Mesothelioma	299	2.2	0.13	1.2	0.07	77	0.4	0.05	0.3	0.03
Kaposi Sarcoma	35	0.3	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	2,405	17.6	0.37	9.9	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,000	7.1	0.23	5.2	0.18	1,865	11.4	0.27	8.2	0.21
Breast (*in situ*)	33	0.2	0.04	0.2	0.03	5,979	36.0	0.48	27.3	0.37

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Virginia, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	17,762	578.8	4.63	395.4	3.02	15,917	392.8	3.17	272.8	2.25
Oral Cavity & Pharynx	497	14.7	0.69	11.0	0.50	180	4.2	0.32	3.2	0.25
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	109	3.2	0.32	2.5	0.24	29	0.7	0.13	0.5	0.10
Major salivary gland	32	0.9	0.17	0.7	0.13	26	0.6	0.12	0.5	0.10
Floor of mouth	36	1.1	0.19	0.8	0.14	11	0.3	0.08	0.2	0.06
Gum & other mouth	47	1.6	0.24	1.0	0.15	39	0.9	0.15	0.7	0.11
Nasopharynx	31	0.8	0.16	0.7	0.13	27	0.6	0.12	0.5	0.10
Oropharynx	59	1.8	0.25	1.3	0.17	12	0.3	0.08	0.2	0.06
Hypopharynx	63	1.8	0.24	1.4	0.17	14	0.3	0.09	0.2	0.06
Digestive System	3,583	119.0	2.13	77.6	1.32	3,066	76.8	1.41	49.4	0.93
Esophagus	258	8.3	0.55	5.7	0.36	105	2.6	0.26	1.7	0.18
Stomach	377	13.5	0.75	8.1	0.42	243	6.3	0.41	3.7	0.25
Small intestine	139	4.7	0.42	3.0	0.26	123	3.1	0.28	2.1	0.20
Colon excl. rectum	1,132	38.8	1.24	24.6	0.74	1,273	32.0	0.91	20.1	0.59
Rectum & rectosigmoid	471	15.4	0.76	10.1	0.47	369	8.9	0.47	6.1	0.33
Anus, anal canal & anorectum	57	1.7	0.23	1.2	0.16	74	1.8	0.21	1.2	0.15
Liver	487	13.4	0.64	10.4	0.48	143	3.4	0.29	2.4	0.21
Gallbladder	47	1.8	0.27	1.0	0.15	54	1.4	0.19	0.9	0.13
Pancreas	530	18.4	0.85	11.5	0.51	543	13.7	0.60	8.6	0.39
Respiratory System	3,008	105.6	2.05	66.2	1.23	2,038	51.7	1.17	33.0	0.76
Larynx	304	9.6	0.59	6.8	0.39	62	1.5	0.20	1.1	0.15
Lung & bronchus	2,672	95.1	1.96	58.7	1.15	1,949	49.5	1.14	31.4	0.74
Bones & Joints	31	0.9	0.17	0.8	0.15	22	0.5	0.11	0.5	0.12
Soft Tissue (incl. heart)	115	3.4	0.33	2.7	0.26	121	3.0	0.27	2.3	0.22
Skin (excl. basal & sq.)	60	1.8	0.25	1.4	0.18	84	2.1	0.23	1.4	0.16
Melanomas of the skin	27	1.0	0.20	0.6	0.12	40	1.0	0.16	0.6	0.10
Breast (excl. *in situ*)	66	2.2	0.29	1.4	0.18	5,359	129.8	1.80	94.1	1.32
Female Genital System	-	-	-	-	-	1,727	42.3	1.03	30.4	0.76
Cervix uteri	-	-	-	-	-	313	7.6	0.44	5.9	0.34
Uterus Corpus	-	-	-	-	-	841	20.4	0.72	14.7	0.52
Uterus, NOS[1]	-	-	-	-	-	60	1.5	0.19	1.1	0.14
Ovary	-	-	-	-	-	377	9.4	0.49	6.5	0.35
Male Genital System	6,808	211.2	2.71	153.3	1.89	-	-	-	-	-
Prostate	6,729	208.9	2.69	151.4	1.87	-	-	-	-	-
Testis	51	1.4	0.20	1.3	0.18	-	-	-	-	-
Penis	24	0.8	0.17	0.5	0.11	-	-	-	-	-
Urinary System	1,359	46.4	1.34	30.0	0.83	830	20.6	0.73	14.1	0.51
Bladder (incl. *in situ*)	557	21.7	0.97	12.2	0.53	247	6.4	0.42	3.6	0.25
Kidney & renal pelvis	792	24.3	0.91	17.5	0.63	561	13.6	0.58	10.1	0.44
Ureter	6	0.3	0.12	0.1	0.05	13	0.4	0.10	0.2	0.06
Eye & Orbit	10	0.3	0.09	0.3	0.10	-	-	-	-	-
Brain & Other Nervous System	148	4.2	0.36	3.8	0.32	145	3.5	0.30	2.9	0.26
Brain	133	3.8	0.34	3.4	0.30	130	3.1	0.28	2.6	0.25
Endocrine System	154	4.6	0.39	3.6	0.30	560	13.3	0.57	11.0	0.48
Thyroid gland	113	3.3	0.33	2.5	0.24	525	12.5	0.55	10.3	0.46
Lymphomas	629	19.9	0.84	14.2	0.57	564	14.0	0.60	10.3	0.45
Hodgkin Lymphoma	110	3.0	0.30	2.6	0.26	101	2.4	0.24	2.3	0.23
Non-Hodgkin Lymphoma	519	16.9	0.79	11.6	0.52	463	11.5	0.55	8.1	0.39
Multiple Myeloma	412	14.3	0.75	9.0	0.45	423	10.7	0.53	6.8	0.34
Leukemias	349	11.5	0.66	8.3	0.46	310	7.8	0.45	5.8	0.36
Acute lymphocytic	40	1.0	0.16	1.2	0.20	32	0.8	0.14	1.0	0.18
Chronic lymphocytic	98	3.6	0.39	2.1	0.22	83	2.1	0.24	1.3	0.15
Acute myeloid	117	3.7	0.37	2.8	0.26	119	3.0	0.28	2.2	0.21
Chronic myeloid	42	1.4	0.24	0.9	0.15	38	0.9	0.15	0.7	0.12
Other leukemias	52	1.7	0.25	1.2	0.17	38	0.9	0.16	0.7	0.11
Mesothelioma	37	1.3	0.24	0.8	0.14	10	0.3	0.08	0.2	0.05
Kaposi Sarcoma	29	0.8	0.15	0.7	0.13	-	-	-	-	-
Ill-defined & Unknown	467	16.7	0.83	10.2	0.48	471	12.1	0.56	7.2	0.35
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	227	7.0	0.49	5.2	0.35	486	12.0	0.55	8.5	0.40
Breast (*in situ*)	15	0.5	0.12	0.3	0.09	1,607	38.4	0.97	28.5	0.73

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	86,803	524.1	1.83	341.7	1.20	83,832	444.3	1.57	305.6	1.13
Oral Cavity & Pharynx	2,889	16.3	0.31	11.6	0.22	1,374	7.2	0.20	5.0	0.14
Lip	216	1.4	0.10	0.8	0.06	97	0.5	0.05	0.3	0.03
Tongue	910	5.0	0.17	3.7	0.12	418	2.2	0.11	1.5	0.08
Major salivary gland	234	1.4	0.10	0.9	0.06	192	1.0	0.08	0.8	0.06
Floor of mouth	142	0.8	0.07	0.6	0.05	81	0.4	0.05	0.3	0.03
Gum & other mouth	289	1.8	0.11	1.1	0.07	273	1.4	0.09	0.9	0.06
Nasopharynx	118	0.7	0.06	0.5	0.05	50	0.3	0.04	0.2	0.03
Oropharynx	99	0.5	0.06	0.4	0.04	38	0.2	0.03	0.1	0.02
Hypopharynx	138	0.8	0.07	0.5	0.05	53	0.3	0.04	0.2	0.03
Digestive System	15,837	95.6	0.78	60.6	0.49	12,735	66.6	0.60	40.9	0.39
Esophagus	1,441	8.7	0.24	5.5	0.15	410	2.1	0.11	1.3	0.07
Stomach	1,411	8.7	0.24	5.4	0.15	764	4.0	0.15	2.5	0.10
Small intestine	441	2.7	0.13	1.7	0.08	396	2.0	0.10	1.4	0.07
Colon excl. rectum	4,753	29.7	0.44	17.8	0.27	4,958	26.2	0.38	15.3	0.24
Rectum & rectosigmoid	2,272	13.3	0.29	9.0	0.19	1,691	8.9	0.22	6.1	0.16
Anus, anal canal & anorectum	260	1.5	0.09	1.1	0.07	469	2.4	0.11	1.7	0.08
Liver	2,032	11.0	0.25	8.1	0.18	672	3.4	0.14	2.3	0.10
Gallbladder	131	0.8	0.08	0.5	0.04	267	1.4	0.09	0.8	0.05
Pancreas	2,258	13.9	0.30	8.4	0.18	2,176	11.3	0.25	6.5	0.15
Respiratory System	11,894	75.3	0.71	44.0	0.42	10,907	57.8	0.56	35.3	0.36
Larynx	797	4.8	0.17	3.1	0.11	212	1.1	0.08	0.8	0.06
Lung & bronchus	10,873	69.2	0.68	40.0	0.39	10,558	55.9	0.56	33.9	0.35
Bones & Joints	173	1.0	0.08	0.9	0.08	140	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	619	3.8	0.16	2.7	0.12	528	2.9	0.13	2.2	0.11
Skin (excl. basal & sq.)	5,470	33.0	0.46	21.9	0.31	4,431	24.3	0.37	18.0	0.29
Melanomas of the skin	4,995	29.9	0.44	20.1	0.29	4,112	22.6	0.36	16.9	0.28
Breast (excl. *in situ*)	184	1.1	0.09	0.7	0.05	25,595	135.0	0.86	96.6	0.63
Female Genital System	-	-	-	-	-	9,686	50.5	0.52	36.8	0.39
Cervix uteri	-	-	-	-	-	1,194	6.9	0.20	5.5	0.16
Uterus Corpus	-	-	-	-	-	4,984	25.2	0.36	18.7	0.27
Uterus, NOS[1]	-	-	-	-	-	104	0.5	0.05	0.3	0.04
Ovary	-	-	-	-	-	2,488	13.1	0.27	9.1	0.19
Male Genital System	24,746	141.7	0.93	99.9	0.65	-	-	-	-	-
Prostate	23,428	133.9	0.90	92.9	0.62	-	-	-	-	-
Testis	1,144	6.8	0.20	6.3	0.19	-	-	-	-	-
Penis	114	0.7	0.07	0.4	0.04	-	-	-	-	-
Urinary System	9,687	60.9	0.64	36.3	0.38	3,953	20.8	0.34	13.4	0.23
Bladder (incl. *in situ*)	5,830	37.9	0.51	20.8	0.28	1,820	9.5	0.23	5.6	0.14
Kidney & renal pelvis	3,653	21.6	0.37	14.8	0.25	2,038	10.8	0.24	7.6	0.18
Ureter	118	0.8	0.07	0.4	0.04	59	0.3	0.04	0.2	0.03
Eye & Orbit	167	1.0	0.08	0.7	0.06	137	0.8	0.07	0.7	0.07
Brain & Other Nervous System	1,446	8.5	0.23	6.9	0.19	1,162	6.3	0.19	5.5	0.18
Brain	1,364	8.0	0.22	6.5	0.19	1,073	5.8	0.18	4.9	0.17
Endocrine System	1,258	7.3	0.21	5.8	0.17	3,656	20.8	0.35	17.2	0.30
Thyroid gland	1,149	6.6	0.20	5.2	0.16	3,547	20.2	0.35	16.7	0.29
Lymphomas	4,731	29.0	0.43	19.7	0.30	3,669	19.7	0.33	13.5	0.24
Hodgkin Lymphoma	566	3.3	0.14	3.0	0.13	397	2.3	0.12	2.2	0.12
Non-Hodgkin Lymphoma	4,165	25.6	0.41	16.7	0.27	3,272	17.3	0.31	11.3	0.21
Multiple Myeloma	1,210	7.6	0.22	4.6	0.14	932	4.9	0.16	3.0	0.11
Leukemias	2,977	18.7	0.35	12.6	0.25	2,085	11.2	0.25	8.2	0.21
Acute lymphocytic	288	1.8	0.10	2.2	0.14	233	1.4	0.09	1.8	0.13
Chronic lymphocytic	1,219	7.5	0.22	4.5	0.13	809	4.1	0.15	2.5	0.09
Acute myeloid	765	4.9	0.18	3.1	0.12	588	3.2	0.13	2.3	0.11
Chronic myeloid	362	2.3	0.12	1.5	0.08	253	1.4	0.09	0.9	0.07
Other leukemias	343	2.1	0.12	1.4	0.08	202	1.1	0.08	0.7	0.06
Mesothelioma	352	2.4	0.13	1.2	0.07	116	0.6	0.06	0.4	0.04
Kaposi Sarcoma	119	0.7	0.07	0.6	0.05	9	0.0	0.02	0.0	0.01
Ill-defined & Unknown	3,044	20.1	0.37	11.0	0.21	2,717	14.2	0.28	8.2	0.18
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,871	11.3	0.27	8.2	0.20	3,584	19.1	0.33	13.8	0.25
Breast (*in situ*)	21	0.1	0.03	0.1	0.02	6,859	36.3	0.45	27.1	0.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	78,491	527.0	1.93	343.5	1.28	75,468	451.9	1.69	311.3	1.23
Oral Cavity & Pharynx	2,615	16.5	0.33	11.7	0.24	1,243	7.3	0.21	5.1	0.15
Lip	208	1.5	0.10	0.9	0.06	90	0.5	0.05	0.3	0.04
Tongue	843	5.2	0.18	3.8	0.14	383	2.3	0.12	1.6	0.09
Major salivary gland	212	1.5	0.10	0.9	0.06	175	1.1	0.08	0.8	0.07
Floor of mouth	128	0.8	0.07	0.6	0.05	76	0.4	0.05	0.3	0.04
Gum & other mouth	259	1.8	0.11	1.1	0.07	247	1.4	0.09	0.9	0.06
Nasopharynx	62	0.4	0.05	0.3	0.04	26	0.1	0.03	0.1	0.02
Oropharynx	89	0.5	0.06	0.4	0.04	35	0.2	0.04	0.1	0.03
Hypopharynx	127	0.8	0.07	0.6	0.05	50	0.3	0.04	0.2	0.03
Digestive System	13,779	92.5	0.81	58.3	0.51	11,191	65.4	0.63	40.1	0.41
Esophagus	1,356	9.0	0.25	5.7	0.16	377	2.2	0.11	1.3	0.07
Stomach	1,169	8.0	0.24	5.0	0.15	589	3.5	0.15	2.1	0.10
Small intestine	391	2.6	0.14	1.7	0.09	359	2.1	0.11	1.4	0.08
Colon excl. rectum	4,247	29.5	0.46	17.6	0.28	4,470	26.3	0.40	15.4	0.25
Rectum & rectosigmoid	1,962	12.9	0.30	8.7	0.20	1,449	8.6	0.23	5.9	0.16
Anus, anal canal & anorectum	241	1.5	0.10	1.1	0.07	450	2.6	0.12	1.9	0.09
Liver	1,552	9.4	0.25	6.9	0.18	479	2.7	0.13	1.9	0.10
Gallbladder	110	0.8	0.08	0.4	0.04	228	1.3	0.09	0.7	0.05
Pancreas	2,053	14.0	0.32	8.4	0.19	1,968	11.3	0.26	6.6	0.16
Respiratory System	10,820	75.5	0.74	44.1	0.44	10,004	59.1	0.60	36.2	0.39
Larynx	716	4.7	0.18	3.1	0.12	194	1.1	0.08	0.8	0.06
Lung & bronchus	9,906	69.4	0.72	40.1	0.42	9,690	57.3	0.59	34.8	0.38
Bones & Joints	158	1.1	0.09	1.0	0.09	126	0.9	0.08	0.8	0.08
Soft Tissue (incl. heart)	550	3.9	0.17	2.7	0.13	479	3.0	0.14	2.3	0.12
Skin (excl. basal & sq.)	5,279	35.6	0.50	23.8	0.34	4,268	26.9	0.42	20.2	0.33
Melanomas of the skin	4,838	32.4	0.48	21.9	0.33	3,978	25.2	0.41	19.1	0.32
Breast (excl. *in situ*)	171	1.2	0.09	0.7	0.06	23,057	137.8	0.93	98.4	0.68
Female Genital System	-	-	-	-	-	8,685	51.3	0.56	37.4	0.42
Cervix uteri	-	-	-	-	-	1,006	6.8	0.22	5.5	0.18
Uterus Corpus	-	-	-	-	-	4,494	25.6	0.39	19.0	0.30
Uterus, NOS[1]	-	-	-	-	-	90	0.5	0.06	0.3	0.04
Ovary	-	-	-	-	-	2,250	13.3	0.29	9.2	0.21
Male Genital System	22,249	141.7	0.98	99.9	0.69	-	-	-	-	-
Prostate	21,057	133.2	0.95	92.4	0.65	-	-	-	-	-
Testis	1,042	7.4	0.23	6.9	0.22	-	-	-	-	-
Penis	96	0.7	0.07	0.4	0.04	-	-	-	-	-
Urinary System	8,935	62.1	0.67	37.0	0.41	3,634	21.4	0.36	13.8	0.25
Bladder (incl. *in situ*)	5,480	39.2	0.54	21.5	0.30	1,698	9.8	0.24	5.7	0.15
Kidney & renal pelvis	3,267	21.6	0.39	14.8	0.27	1,850	11.1	0.26	7.7	0.20
Ureter	108	0.8	0.08	0.4	0.04	58	0.3	0.04	0.2	0.03
Eye & Orbit	159	1.1	0.09	0.8	0.07	125	0.8	0.07	0.7	0.07
Brain & Other Nervous System	1,323	8.8	0.25	7.2	0.21	1,065	6.7	0.21	5.8	0.20
Brain	1,255	8.4	0.24	6.7	0.21	988	6.2	0.20	5.2	0.19
Endocrine System	1,126	7.5	0.23	5.9	0.19	3,065	20.5	0.38	17.0	0.32
Thyroid gland	1,035	6.8	0.22	5.3	0.17	2,973	19.9	0.37	16.5	0.32
Lymphomas	4,288	29.5	0.46	20.1	0.32	3,279	19.9	0.36	13.7	0.26
Hodgkin Lymphoma	501	3.5	0.16	3.1	0.14	343	2.4	0.13	2.2	0.13
Non-Hodgkin Lymphoma	3,787	26.0	0.43	17.0	0.29	2,936	17.5	0.33	11.4	0.23
Multiple Myeloma	1,064	7.4	0.23	4.4	0.14	804	4.7	0.17	2.9	0.11
Leukemias	2,719	19.1	0.37	12.8	0.27	1,882	11.3	0.27	8.4	0.23
Acute lymphocytic	240	1.8	0.11	2.1	0.15	193	1.4	0.10	1.8	0.14
Chronic lymphocytic	1,148	7.8	0.24	4.7	0.14	766	4.3	0.16	2.6	0.10
Acute myeloid	694	4.9	0.19	3.1	0.13	518	3.1	0.14	2.2	0.11
Chronic myeloid	324	2.3	0.13	1.5	0.09	222	1.3	0.09	0.9	0.07
Other leukemias	313	2.2	0.13	1.4	0.08	183	1.1	0.08	0.8	0.07
Mesothelioma	342	2.5	0.14	1.3	0.07	111	0.7	0.06	0.4	0.04
Kaposi Sarcoma	105	0.8	0.08	0.6	0.06	6	0.0	0.01	0.0	0.01
Ill-defined & Unknown	2,809	20.4	0.39	11.2	0.22	2,444	14.2	0.29	8.2	0.19
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,638	11.2	0.28	8.2	0.22	3,064	18.6	0.35	13.3	0.26
Breast (*in situ*)	19	0.1	0.03	0.1	0.02	5,984	36.0	0.48	26.9	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,684	559.6	12.45	379.3	7.59	1,936	405.8	9.81	276.7	6.49
Oral Cavity & Pharynx	73	12.5	1.66	9.4	1.14	20	3.5	0.81	3.1	0.71
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	3.2	0.81	2.5	0.63	-	-	-	-	-
Major salivary gland	7	1.8	0.81	0.9	0.33	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	1.1	0.52	0.8	0.32	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	587	125.1	5.99	81.1	3.48	356	79.6	4.48	49.9	2.74
Esophagus	18	2.7	0.68	2.2	0.55	8	1.7	0.63	1.0	0.38
Stomach	67	16.9	2.37	9.9	1.25	28	6.0	1.20	3.5	0.69
Small intestine	25	5.4	1.24	3.5	0.73	18	3.8	0.97	2.4	0.58
Colon excl. rectum	146	32.9	3.15	20.2	1.74	123	26.8	2.56	17.6	1.65
Rectum & rectosigmoid	64	13.0	1.91	8.5	1.11	38	7.7	1.35	5.3	0.87
Anus, anal canal & anorectum	11	1.4	0.42	1.1	0.33	6	1.2	0.51	1.0	0.40
Liver	133	25.8	2.58	18.3	1.65	43	9.0	1.47	6.1	0.96
Gallbladder	-	-	-	-	-	7	1.9	0.73	0.7	0.29
Pancreas	80	18.0	2.32	11.1	1.29	59	15.0	2.05	8.0	1.09
Respiratory System	362	88.4	5.28	54.8	2.97	239	57.1	3.88	36.4	2.44
Larynx	36	8.2	1.58	5.1	0.87	8	1.6	0.59	1.0	0.37
Lung & bronchus	320	78.8	5.00	48.8	2.82	225	54.6	3.82	34.5	2.39
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	22	3.7	1.00	2.5	0.55	13	2.3	0.70	1.8	0.52
Skin (excl. basal & sq.)	19	3.6	0.98	2.5	0.60	10	1.9	0.63	1.6	0.51
Melanomas of the skin	9	2.4	0.90	1.4	0.48	-	-	-	-	-
Breast (excl. *in situ*)	6	1.6	0.74	0.9	0.37	619	123.5	5.24	88.8	3.67
Female Genital System	-	-	-	-	-	192	40.4	3.12	27.6	2.04
Cervix uteri	-	-	-	-	-	35	6.5	1.16	5.0	0.86
Uterus Corpus	-	-	-	-	-	92	20.7	2.29	13.7	1.48
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	46	9.6	1.52	6.2	0.94
Male Genital System	975	194.4	7.05	140.1	4.65	-	-	-	-	-
Prostate	959	191.7	6.99	138.2	4.62	-	-	-	-	-
Testis	9	0.9	0.31	0.9	0.31	-	-	-	-	-
Penis	6	1.7	0.81	0.9	0.38	-	-	-	-	-
Urinary System	239	47.7	3.52	33.3	2.23	87	18.2	2.09	12.4	1.37
Bladder (incl. *in situ*)	73	16.7	2.22	10.8	1.31	24	5.0	1.09	3.3	0.70
Kidney & renal pelvis	161	29.0	2.57	21.7	1.77	61	12.5	1.72	8.7	1.16
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	31	4.1	0.81	3.7	0.68	22	3.2	0.72	3.2	0.69
Brain	28	3.8	0.79	3.4	0.66	20	3.0	0.69	2.9	0.66
Endocrine System	23	4.0	0.98	3.0	0.65	87	14.8	1.66	12.0	1.30
Thyroid gland	16	2.5	0.73	2.0	0.51	80	13.8	1.61	11.0	1.25
Lymphomas	130	21.5	2.17	16.5	1.49	100	18.5	1.98	13.5	1.39
Hodgkin Lymphoma	27	3.4	0.70	3.1	0.61	24	3.2	0.67	3.2	0.65
Non-Hodgkin Lymphoma	103	18.0	2.05	13.4	1.37	76	15.2	1.87	10.4	1.23
Multiple Myeloma	74	17.3	2.29	10.9	1.31	58	13.7	1.90	8.4	1.14
Leukemias	68	16.3	2.35	9.8	1.22	44	9.8	1.57	6.0	0.94
Acute lymphocytic	14	1.5	0.39	1.7	0.47	-	-	-	-	-
Chronic lymphocytic	20	5.0	1.26	3.1	0.72	12	3.2	0.94	1.5	0.47
Acute myeloid	15	4.9	1.41	2.2	0.58	15	3.0	0.84	1.9	0.51
Chronic myeloid	13	3.4	1.16	1.7	0.50	6	1.2	0.52	0.9	0.39
Other leukemias	6	1.5	0.65	1.0	0.41	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	63	17.3	2.48	9.3	1.21	78	17.4	2.09	10.8	1.27
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	66	12.1	1.74	8.8	1.12	119	23.4	2.32	16.6	1.56
Breast (*in situ*)	-	-	-	-	-	195	39.9	3.02	28.0	2.06

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,291	345.3	6.45	220.5	3.90	4,467	315.7	4.84	214.5	3.31
Oral Cavity & Pharynx	115	10.5	1.04	7.5	0.71	65	4.5	0.57	3.1	0.40
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	25	2.1	0.44	1.7	0.35	20	1.4	0.32	0.9	0.22
Major salivary gland	8	0.7	0.28	0.5	0.19	9	0.6	0.20	0.5	0.18
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	17	1.7	0.46	1.1	0.27	12	0.9	0.28	0.5	0.16
Nasopharynx	46	4.1	0.64	2.9	0.43	18	1.1	0.27	0.9	0.20
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	1,062	109.0	3.58	70.3	2.19	903	68.1	2.33	41.0	1.41
Esophagus	33	3.6	0.67	2.1	0.38	16	1.3	0.33	0.7	0.18
Stomach	147	16.3	1.43	9.9	0.82	128	9.9	0.90	5.7	0.52
Small intestine	16	1.8	0.47	1.1	0.27	9	0.6	0.21	0.4	0.15
Colon excl. rectum	249	25.5	1.75	16.5	1.06	257	18.9	1.21	11.5	0.74
Rectum & rectosigmoid	168	16.5	1.36	10.9	0.85	150	10.4	0.87	7.2	0.60
Anus, anal canal & anorectum	-	-	-	-	-	6	0.4	0.18	0.3	0.11
Liver	257	24.0	1.59	17.0	1.07	126	9.8	0.89	5.9	0.54
Gallbladder	12	1.7	0.52	0.8	0.23	29	2.3	0.44	1.3	0.25
Pancreas	96	10.6	1.15	6.4	0.67	111	9.1	0.89	4.7	0.47
Respiratory System	508	61.2	2.89	33.2	1.50	464	36.6	1.74	20.8	1.01
Larynx	18	2.0	0.51	1.1	0.27	-	-	-	-	-
Lung & bronchus	477	58.2	2.83	31.2	1.45	450	35.6	1.72	20.1	0.98
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	28	2.3	0.46	1.9	0.38	25	1.7	0.35	1.4	0.29
Skin (excl. basal & sq.)	23	2.5	0.56	1.4	0.30	25	1.7	0.36	1.3	0.27
Melanomas of the skin	12	1.0	0.30	0.7	0.21	15	1.0	0.26	0.7	0.20
Breast (excl. *in situ*)	-	-	-	-	-	1,400	93.7	2.55	69.3	1.88
Female Genital System	-	-	-	-	-	579	38.2	1.62	28.3	1.20
Cervix uteri	-	-	-	-	-	100	6.5	0.67	4.8	0.49
Uterus Corpus	-	-	-	-	-	285	18.5	1.12	14.0	0.84
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	151	10.1	0.85	7.4	0.62
Male Genital System	653	67.2	2.79	45.4	1.80	-	-	-	-	-
Prostate	606	63.9	2.74	42.5	1.74	-	-	-	-	-
Testis	37	2.4	0.40	2.3	0.38	-	-	-	-	-
Penis	6	0.5	0.19	0.4	0.17	-	-	-	-	-
Urinary System	275	31.2	2.01	18.2	1.11	121	9.2	0.86	5.7	0.55
Bladder (incl. *in situ*)	157	18.7	1.58	10.5	0.85	49	4.0	0.58	2.1	0.31
Kidney & renal pelvis	112	11.6	1.17	7.3	0.70	66	4.8	0.60	3.4	0.45
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	52	4.4	0.66	3.8	0.55	50	3.4	0.50	3.0	0.46
Brain	47	4.1	0.64	3.5	0.53	45	3.1	0.47	2.6	0.42
Endocrine System	69	5.7	0.72	4.5	0.55	377	23.7	1.24	19.0	1.00
Thyroid gland	61	5.1	0.68	3.9	0.51	367	23.0	1.22	18.4	0.98
Lymphomas	210	20.3	1.52	13.8	0.96	190	14.0	1.05	9.0	0.69
Hodgkin Lymphoma	25	1.7	0.36	1.7	0.34	18	1.1	0.26	1.1	0.27
Non-Hodgkin Lymphoma	185	18.6	1.47	12.1	0.90	172	13.0	1.01	7.9	0.64
Multiple Myeloma	52	5.3	0.77	3.4	0.48	43	3.3	0.51	2.0	0.32
Leukemias	115	11.1	1.12	8.3	0.80	94	6.7	0.70	5.1	0.56
Acute lymphocytic	21	1.4	0.32	2.0	0.45	19	1.3	0.30	1.4	0.35
Chronic lymphocytic	20	2.3	0.54	1.3	0.30	10	0.7	0.24	0.5	0.16
Acute myeloid	40	4.2	0.71	2.7	0.44	41	2.9	0.46	2.1	0.34
Chronic myeloid	21	2.2	0.52	1.4	0.31	14	0.9	0.25	0.7	0.18
Other leukemias	13	1.1	0.31	0.9	0.25	10	0.8	0.27	0.4	0.15
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	110	12.9	1.32	7.3	0.71	123	10.1	0.93	4.9	0.47
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	107	9.9	1.03	6.8	0.67	245	17.1	1.12	12.2	0.81
Breast (*in situ*)	-	-	-	-	-	558	36.7	1.58	27.7	1.19

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,070	546.3	20.12	338.8	10.59	1,173	469.4	14.99	318.2	9.41
Oral Cavity & Pharynx	52	22.4	3.59	15.1	2.12	18	6.5	1.71	4.6	1.09
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	16	5.5	1.43	4.3	1.10	6	2.6	1.15	1.6	0.68
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	6	3.6	1.71	1.9	0.80	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	295	143.0	10.26	90.7	5.42	195	82.7	6.51	52.7	3.82
Esophagus	29	11.3	2.42	8.4	1.57	7	3.1	1.33	1.9	0.71
Stomach	18	12.7	3.76	6.3	1.55	12	4.8	1.49	3.4	0.98
Small intestine	-	-	-	-	-	6	2.7	1.19	1.6	0.65
Colon excl. rectum	67	38.5	5.74	21.6	2.72	68	29.6	3.92	18.5	2.27
Rectum & rectosigmoid	47	20.8	3.49	14.2	2.09	33	13.4	2.55	8.7	1.54
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	83	34.3	4.52	24.1	2.70	21	8.6	2.10	5.4	1.19
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	23	12.0	3.19	7.4	1.60	29	12.5	2.55	8.0	1.50
Respiratory System	156	92.2	8.62	52.5	4.28	163	72.9	6.24	45.2	3.59
Larynx	19	13.1	3.46	6.4	1.49	-	-	-	-	-
Lung & bronchus	133	77.3	7.84	44.8	3.96	157	70.2	6.13	43.5	3.52
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	12	5.2	1.82	3.5	1.03	9	3.3	1.20	2.2	0.73
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	17	10.4	3.21	5.7	1.42	19	6.8	1.67	5.2	1.20
Breast (excl. *in situ*)	-	-	-	-	-	366	140.3	7.95	98.8	5.23
Female Genital System	-	-	-	-	-	139	50.2	4.60	36.4	3.12
Cervix uteri	-	-	-	-	-	35	11.4	1.95	9.0	1.54
Uterus Corpus	-	-	-	-	-	66	24.4	3.27	17.3	2.16
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	25	9.1	2.01	6.5	1.32
Male Genital System	224	108.6	8.39	72.4	4.91	-	-	-	-	-
Prostate	198	101.3	8.26	65.4	4.72	-	-	-	-	-
Testis	24	6.5	1.35	6.3	1.28	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	129	70.5	7.43	40.8	3.68	53	21.1	3.12	15.3	2.13
Bladder (incl. *in situ*)	51	33.5	5.53	16.8	2.42	13	5.6	1.67	3.9	1.09
Kidney & renal pelvis	75	34.7	4.77	23.0	2.72	40	15.5	2.63	11.4	1.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	24	8.5	2.07	7.0	1.45	12	3.8	1.13	3.4	1.00
Brain	22	7.3	1.83	6.3	1.37	9	2.7	0.95	2.6	0.87
Endocrine System	19	6.1	1.44	5.3	1.23	50	17.0	2.52	13.3	1.89
Thyroid gland	19	6.1	1.44	5.3	1.23	50	17.0	2.52	13.3	1.89
Lymphomas	58	28.8	4.52	18.0	2.40	52	22.8	3.47	14.5	2.04
Hodgkin Lymphoma	7	1.9	0.71	1.8	0.68	-	-	-	-	-
Non-Hodgkin Lymphoma	51	27.0	4.46	16.2	2.30	-	-	-	-	-
Multiple Myeloma	10	4.6	1.57	3.2	1.02	17	6.0	1.55	4.8	1.18
Leukemias	29	17.0	4.03	9.5	1.83	30	11.3	2.26	8.3	1.54
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	8	6.0	2.48	2.9	1.06	7	3.0	1.22	2.1	0.80
Acute myeloid	9	4.3	1.72	2.5	0.85	11	3.9	1.31	3.0	0.92
Chronic myeloid	-	-	-	-	-	6	2.2	0.97	1.4	0.59
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	35	22.2	4.57	11.9	2.07	40	21.0	3.60	11.0	1.76
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	26	12.9	3.30	8.3	1.69	67	23.2	3.01	18.0	2.22
Breast (*in situ*)	-	-	-	-	-	74	26.6	3.27	20.1	2.37

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,537	382.4	9.37	240.0	5.13	2,905	349.8	7.57	240.8	4.77
Oral Cavity & Pharynx	77	9.2	1.28	6.4	0.79	32	4.2	0.88	2.6	0.49
Lip	8	0.8	0.40	0.5	0.20	-	-	-	-	-
Tongue	18	1.8	0.46	1.5	0.37	12	1.7	0.58	1.0	0.31
Major salivary gland	10	1.1	0.44	0.7	0.24	8	0.7	0.34	0.5	0.20
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	8	1.5	0.66	0.7	0.28	-	-	-	-	-
Nasopharynx	7	0.6	0.24	0.6	0.22	-	-	-	-	-
Oropharynx	8	1.1	0.50	0.7	0.25	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	581	88.9	4.44	56.6	2.50	440	65.9	3.53	40.9	2.05
Esophagus	51	9.0	1.50	5.3	0.78	8	1.6	0.59	0.7	0.27
Stomach	67	10.0	1.53	6.1	0.81	45	6.1	1.07	3.8	0.60
Small intestine	16	2.6	0.79	1.5	0.42	15	1.8	0.52	1.3	0.34
Colon excl. rectum	129	18.9	1.98	12.4	1.16	123	18.7	1.88	11.7	1.11
Rectum & rectosigmoid	69	8.6	1.23	6.2	0.81	70	8.7	1.19	6.0	0.77
Anus, anal canal & anorectum	8	0.7	0.26	0.6	0.21	17	2.2	0.60	1.5	0.38
Liver	129	18.1	1.93	12.2	1.13	32	5.1	1.01	2.9	0.54
Gallbladder	9	1.5	0.60	0.9	0.32	17	2.9	0.77	1.8	0.44
Pancreas	67	13.1	1.84	7.6	0.96	69	12.4	1.64	6.6	0.83
Respiratory System	232	48.3	3.66	25.5	1.74	194	30.8	2.45	19.3	1.44
Larynx	13	3.4	1.06	1.5	0.42	-	-	-	-	-
Lung & bronchus	204	42.1	3.39	22.6	1.64	182	29.3	2.39	18.2	1.40
Bones & Joints	18	1.5	0.53	1.1	0.27	18	1.2	0.34	1.2	0.31
Soft Tissue (incl. heart)	34	2.9	0.68	2.2	0.42	32	2.4	0.48	2.1	0.39
Skin (excl. basal & sq.)	53	7.8	1.31	4.9	0.74	87	9.3	1.19	6.5	0.75
Melanomas of the skin	40	5.7	1.11	3.7	0.64	75	7.6	1.05	5.5	0.68
Breast (excl. *in situ*)	-	-	-	-	-	821	96.1	3.79	69.2	2.56
Female Genital System	-	-	-	-	-	432	47.5	2.63	34.6	1.78
Cervix uteri	-	-	-	-	-	124	10.6	1.08	8.4	0.81
Uterus Corpus	-	-	-	-	-	180	20.3	1.68	15.4	1.21
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	103	13.0	1.49	8.7	0.91
Male Genital System	678	109.5	4.98	70.0	2.85	-	-	-	-	-
Prostate	580	104.1	4.92	65.2	2.80	-	-	-	-	-
Testis	89	4.0	0.46	4.0	0.44	-	-	-	-	-
Penis	8	1.3	0.55	0.7	0.28	-	-	-	-	-
Urinary System	243	41.6	3.22	24.5	1.67	140	18.4	1.79	12.3	1.10
Bladder (incl. *in situ*)	105	21.3	2.41	11.5	1.17	31	5.7	1.11	3.1	0.56
Kidney & renal pelvis	136	20.0	2.11	12.7	1.17	107	12.4	1.38	9.0	0.93
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	6	0.3	0.14	0.4	0.16	9	0.4	0.15	0.5	0.17
Brain & Other Nervous System	75	6.3	0.97	5.2	0.68	58	5.1	0.89	3.9	0.56
Brain	71	6.0	0.96	5.0	0.66	52	4.5	0.82	3.5	0.53
Endocrine System	55	4.5	0.77	3.7	0.55	260	20.7	1.49	16.8	1.12
Thyroid gland	45	4.0	0.75	3.2	0.53	256	20.3	1.48	16.4	1.10
Lymphomas	189	22.3	2.11	15.0	1.23	165	20.6	1.92	13.4	1.12
Hodgkin Lymphoma	39	3.0	0.62	2.5	0.45	35	2.4	0.48	2.1	0.39
Non-Hodgkin Lymphoma	150	19.3	2.01	12.5	1.14	130	18.2	1.86	11.3	1.05
Multiple Myeloma	44	7.4	1.31	4.7	0.75	34	5.5	1.05	3.2	0.57
Leukemias	146	12.6	1.54	9.4	0.88	106	9.0	1.14	7.1	0.75
Acute lymphocytic	58	2.5	0.36	2.9	0.39	44	1.9	0.31	2.3	0.35
Chronic lymphocytic	15	3.1	0.93	1.6	0.45	17	3.1	0.80	1.8	0.45
Acute myeloid	39	3.7	0.82	2.7	0.48	23	2.3	0.61	1.6	0.37
Chronic myeloid	21	1.7	0.49	1.3	0.32	12	1.2	0.40	0.9	0.26
Other leukemias	13	1.5	0.66	0.9	0.30	10	0.6	0.19	0.6	0.18
Mesothelioma	11	2.9	0.98	1.3	0.40	-	-	-	-	-
Kaposi Sarcoma	19	1.6	0.50	1.1	0.29	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	74	12.3	1.60	6.9	0.85
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	73	6.4	1.03	4.6	0.61	171	18.2	1.66	13.0	1.07
Breast (*in situ*)	-	-	-	-	-	198	22.8	1.81	16.8	1.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	76,105	533.8	1.99	349.0	1.33	72,734	456.6	1.75	315.0	1.29
Oral Cavity & Pharynx	2,546	16.8	0.34	12.0	0.25	1,216	7.5	0.22	5.2	0.16
Lip	200	1.5	0.10	0.8	0.06	90	0.5	0.06	0.3	0.04
Tongue	826	5.3	0.19	4.0	0.14	371	2.3	0.12	1.6	0.09
Major salivary gland	203	1.5	0.11	0.9	0.07	168	1.1	0.09	0.8	0.07
Floor of mouth	126	0.8	0.07	0.6	0.05	75	0.5	0.05	0.3	0.04
Gum & other mouth	252	1.8	0.12	1.1	0.08	243	1.5	0.10	0.9	0.07
Nasopharynx	57	0.4	0.05	0.3	0.04	26	0.2	0.03	0.1	0.02
Oropharynx	82	0.5	0.06	0.4	0.04	34	0.2	0.04	0.2	0.03
Hypopharynx	124	0.8	0.08	0.6	0.05	50	0.3	0.04	0.2	0.03
Digestive System	13,239	92.7	0.83	58.4	0.53	10,785	65.3	0.65	40.1	0.43
Esophagus	1,313	9.1	0.26	5.7	0.16	371	2.2	0.12	1.3	0.07
Stomach	1,104	7.8	0.24	4.9	0.15	547	3.3	0.15	2.0	0.09
Small intestine	376	2.6	0.14	1.7	0.09	345	2.1	0.12	1.4	0.08
Colon excl. rectum	4,126	29.9	0.48	17.8	0.29	4,353	26.5	0.41	15.5	0.26
Rectum & rectosigmoid	1,900	13.1	0.31	8.9	0.21	1,385	8.6	0.24	5.9	0.17
Anus, anal canal & anorectum	233	1.6	0.10	1.1	0.08	433	2.6	0.13	1.9	0.10
Liver	1,433	9.0	0.25	6.6	0.18	450	2.7	0.13	1.9	0.10
Gallbladder	101	0.7	0.08	0.4	0.04	212	1.2	0.09	0.7	0.05
Pancreas	1,988	14.0	0.32	8.5	0.20	1,906	11.3	0.27	6.6	0.17
Respiratory System	10,601	76.5	0.76	44.9	0.45	9,821	60.0	0.62	36.8	0.40
Larynx	704	4.8	0.19	3.2	0.12	190	1.1	0.08	0.8	0.06
Lung & bronchus	9,714	70.3	0.73	40.8	0.43	9,519	58.1	0.61	35.4	0.39
Bones & Joints	140	1.1	0.09	1.0	0.09	111	0.9	0.09	0.8	0.09
Soft Tissue (incl. heart)	516	3.9	0.18	2.7	0.13	447	3.0	0.15	2.3	0.13
Skin (excl. basal & sq.)	5,227	37.2	0.53	25.0	0.36	4,185	28.4	0.45	21.4	0.36
Melanomas of the skin	4,798	33.9	0.50	23.1	0.35	3,904	26.6	0.44	20.2	0.35
Breast (excl. *in situ*)	169	1.2	0.09	0.7	0.06	22,276	139.6	0.96	99.8	0.71
Female Genital System	-	-	-	-	-	8,275	51.2	0.58	37.4	0.44
Cervix uteri	-	-	-	-	-	887	6.6	0.23	5.3	0.19
Uterus Corpus	-	-	-	-	-	4,322	25.8	0.40	19.1	0.30
Uterus, NOS[1]	-	-	-	-	-	89	0.5	0.06	0.3	0.04
Ovary	-	-	-	-	-	2,155	13.3	0.30	9.3	0.22
Male Genital System	21,603	143.3	1.00	101.4	0.71	-	-	-	-	-
Prostate	20,503	134.4	0.97	93.5	0.66	-	-	-	-	-
Testis	958	7.9	0.26	7.4	0.24	-	-	-	-	-
Penis	89	0.7	0.07	0.4	0.04	-	-	-	-	-
Urinary System	8,710	63.0	0.69	37.7	0.43	3,498	21.5	0.37	13.8	0.26
Bladder (incl. *in situ*)	5,377	39.7	0.55	21.9	0.31	1,667	10.0	0.25	5.9	0.16
Kidney & renal pelvis	3,147	21.8	0.40	15.0	0.28	1,747	11.0	0.27	7.7	0.21
Ureter	107	0.8	0.08	0.4	0.04	58	0.3	0.05	0.2	0.03
Eye & Orbit	154	1.1	0.09	0.8	0.07	117	0.8	0.08	0.7	0.07
Brain & Other Nervous System	1,252	9.0	0.26	7.3	0.23	1,013	6.9	0.23	6.0	0.23
Brain	1,188	8.5	0.25	6.8	0.22	941	6.4	0.22	5.4	0.21
Endocrine System	1,073	7.7	0.24	6.2	0.20	2,819	20.6	0.40	17.1	0.34
Thyroid gland	992	7.1	0.23	5.6	0.18	2,731	20.0	0.40	16.5	0.34
Lymphomas	4,106	30.0	0.48	20.4	0.34	3,127	19.9	0.37	13.7	0.28
Hodgkin Lymphoma	465	3.6	0.17	3.2	0.16	310	2.5	0.14	2.3	0.14
Non-Hodgkin Lymphoma	3,641	26.3	0.45	17.2	0.30	2,817	17.5	0.34	11.4	0.24
Multiple Myeloma	1,024	7.4	0.24	4.4	0.14	770	4.6	0.17	2.9	0.11
Leukemias	2,588	19.1	0.39	12.8	0.29	1,786	11.3	0.28	8.4	0.25
Acute lymphocytic	189	1.7	0.12	2.0	0.16	157	1.4	0.11	1.8	0.16
Chronic lymphocytic	1,135	8.0	0.24	4.8	0.15	749	4.4	0.16	2.6	0.11
Acute myeloid	659	4.9	0.20	3.1	0.13	496	3.1	0.15	2.3	0.12
Chronic myeloid	303	2.3	0.14	1.4	0.09	211	1.3	0.10	1.0	0.08
Other leukemias	302	2.2	0.13	1.4	0.09	173	1.1	0.09	0.7	0.07
Mesothelioma	332	2.5	0.14	1.3	0.07	108	0.7	0.07	0.4	0.04
Kaposi Sarcoma	87	0.7	0.08	0.5	0.06	6	0.0	0.02	0.0	0.01
Ill-defined & Unknown	2,738	20.6	0.40	11.3	0.23	2,374	14.3	0.30	8.3	0.20
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,570	11.5	0.30	8.5	0.24	2,905	18.6	0.36	13.3	0.27
Breast (*in situ*)	19	0.1	0.03	0.1	0.02	5,793	36.7	0.50	27.5	0.37

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Washington, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,657	573.1	12.75	390.2	7.84	1,903	417.1	10.12	285.4	6.74
Oral Cavity & Pharynx	73	13.0	1.71	9.8	1.18	17	3.1	0.77	2.7	0.67
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	3.3	0.84	2.6	0.65	-	-	-	-	-
Major salivary gland	7	1.9	0.83	0.9	0.34	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	1.2	0.54	0.9	0.34	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	580	127.9	6.14	83.2	3.59	352	82.0	4.62	51.4	2.84
Esophagus	15	2.2	0.60	1.9	0.51	7	1.5	0.60	0.9	0.33
Stomach	67	17.4	2.44	10.3	1.29	27	6.1	1.23	3.6	0.71
Small intestine	25	5.6	1.28	3.6	0.76	18	4.0	1.01	2.5	0.61
Colon excl. rectum	146	34.0	3.25	21.0	1.80	123	27.9	2.65	18.4	1.72
Rectum & rectosigmoid	63	13.4	1.96	8.8	1.15	38	8.1	1.40	5.5	0.91
Anus, anal canal & anorectum	11	1.5	0.44	1.2	0.35	6	1.2	0.53	1.0	0.42
Liver	131	26.0	2.60	18.7	1.69	42	9.2	1.52	6.3	1.00
Gallbladder	-	-	-	-	-	7	1.9	0.75	0.8	0.30
Pancreas	79	18.4	2.38	11.4	1.33	59	15.5	2.11	8.3	1.13
Respiratory System	361	90.8	5.42	56.5	3.07	237	58.4	3.98	37.4	2.52
Larynx	36	8.5	1.63	5.3	0.90	8	1.6	0.62	1.1	0.39
Lung & bronchus	319	80.9	5.13	50.3	2.91	223	55.8	3.91	35.5	2.47
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	22	4.0	1.04	2.7	0.59	13	2.5	0.74	2.0	0.56
Skin (excl. basal & sq.)	19	3.8	1.02	2.6	0.62	8	1.6	0.59	1.3	0.47
Melanomas of the skin	9	2.4	0.92	1.5	0.50	-	-	-	-	-
Breast (excl. *in situ*)	6	1.7	0.76	0.9	0.38	610	127.3	5.42	92.0	3.82
Female Genital System	-	-	-	-	-	190	41.9	3.23	28.6	2.13
Cervix uteri	-	-	-	-	-	35	6.9	1.22	5.3	0.91
Uterus Corpus	-	-	-	-	-	91	21.3	2.37	14.2	1.53
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	45	9.8	1.57	6.4	0.98
Male Genital System	967	198.9	7.22	143.8	4.79	-	-	-	-	-
Prostate	952	196.2	7.16	141.9	4.76	-	-	-	-	-
Testis	9	1.0	0.34	1.0	0.34	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	236	49.0	3.62	34.2	2.31	85	18.8	2.16	12.7	1.42
Bladder (incl. *in situ*)	73	17.3	2.29	11.2	1.36	24	5.2	1.13	3.5	0.73
Kidney & renal pelvis	158	29.7	2.65	22.2	1.83	59	12.8	1.77	8.9	1.20
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	30	4.2	0.84	3.9	0.72	20	3.1	0.72	3.1	0.70
Brain	27	3.9	0.81	3.5	0.70	18	2.8	0.68	2.8	0.67
Endocrine System	23	4.2	1.01	3.2	0.69	85	15.5	1.74	12.5	1.37
Thyroid gland	16	2.7	0.76	2.1	0.53	78	14.4	1.69	11.4	1.31
Lymphomas	129	22.4	2.25	17.3	1.57	96	18.6	2.02	13.9	1.46
Hodgkin Lymphoma	26	3.6	0.74	3.2	0.64	23	3.4	0.71	3.3	0.70
Non-Hodgkin Lymphoma	103	18.9	2.12	14.1	1.43	73	15.3	1.89	10.6	1.28
Multiple Myeloma	72	17.6	2.35	11.1	1.35	58	14.2	1.97	8.7	1.18
Leukemias	66	16.2	2.34	10.0	1.26	44	10.2	1.63	6.3	0.99
Acute lymphocytic	13	1.5	0.41	1.8	0.52	-	-	-	-	-
Chronic lymphocytic	19	4.6	1.17	3.0	0.72	12	3.3	0.97	1.6	0.49
Acute myeloid	15	5.0	1.44	2.3	0.60	15	3.2	0.87	2.1	0.55
Chronic myeloid	13	3.6	1.20	1.8	0.52	6	1.3	0.54	1.0	0.41
Other leukemias	6	1.5	0.67	1.0	0.43	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	61	17.3	2.51	9.4	1.24	78	18.2	2.16	11.3	1.33
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	66	12.7	1.81	9.2	1.17	117	24.2	2.40	17.3	1.64
Breast (*in situ*)	-	-	-	-	-	194	41.6	3.14	29.2	2.15

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	60,993	549.3	2.30	356.8	1.49	58,938	458.4	1.93	314.2	1.38
Oral Cavity & Pharynx	1,997	16.6	0.38	11.8	0.27	954	7.3	0.24	5.1	0.17
Lip	124	1.2	0.11	0.7	0.06	60	0.5	0.06	0.3	0.04
Tongue	649	5.2	0.21	3.9	0.16	287	2.2	0.13	1.5	0.10
Major salivary gland	160	1.5	0.12	0.9	0.07	127	1.0	0.09	0.8	0.07
Floor of mouth	108	0.9	0.09	0.7	0.06	58	0.5	0.06	0.3	0.04
Gum & other mouth	211	1.9	0.13	1.2	0.09	208	1.6	0.11	1.0	0.07
Nasopharynx	93	0.8	0.09	0.6	0.06	37	0.3	0.05	0.2	0.04
Oropharynx	62	0.5	0.07	0.4	0.05	25	0.2	0.04	0.1	0.03
Hypopharynx	91	0.8	0.09	0.5	0.06	42	0.3	0.05	0.2	0.04
Digestive System	11,035	99.1	0.98	62.6	0.61	8,781	67.8	0.74	41.3	0.48
Esophagus	944	8.5	0.29	5.3	0.18	264	2.0	0.13	1.2	0.08
Stomach	992	9.1	0.30	5.7	0.18	539	4.2	0.18	2.6	0.12
Small intestine	330	3.0	0.17	1.9	0.11	267	2.0	0.13	1.3	0.09
Colon excl. rectum	3,252	30.2	0.55	18.1	0.33	3,340	26.1	0.46	15.2	0.29
Rectum & rectosigmoid	1,568	13.6	0.35	9.2	0.24	1,191	9.2	0.27	6.3	0.19
Anus, anal canal & anorectum	187	1.6	0.12	1.1	0.08	320	2.4	0.14	1.7	0.10
Liver	1,503	12.1	0.32	8.8	0.23	491	3.7	0.17	2.5	0.12
Gallbladder	92	0.9	0.10	0.5	0.05	191	1.4	0.11	0.8	0.06
Pancreas	1,555	14.4	0.38	8.6	0.22	1,494	11.5	0.30	6.6	0.18
Respiratory System	8,089	77.2	0.89	44.6	0.51	7,432	58.3	0.69	35.1	0.44
Larynx	541	4.8	0.22	3.1	0.14	136	1.0	0.09	0.7	0.07
Lung & bronchus	7,387	70.9	0.85	40.5	0.48	7,206	56.6	0.68	33.8	0.42
Bones & Joints	116	1.0	0.10	0.9	0.09	87	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	428	3.9	0.19	2.7	0.14	373	3.0	0.16	2.3	0.14
Skin (excl. basal & sq.)	4,050	36.4	0.59	23.9	0.39	3,277	26.1	0.47	19.4	0.36
Melanomas of the skin	3,680	32.7	0.56	21.9	0.37	3,024	24.1	0.45	18.1	0.35
Breast (excl. *in situ*)	126	1.2	0.11	0.7	0.07	18,126	139.8	1.06	100.1	0.77
Female Genital System	-	-	-	-	-	6,836	52.0	0.64	37.7	0.48
Cervix uteri	-	-	-	-	-	840	6.9	0.24	5.5	0.20
Uterus Corpus	-	-	-	-	-	3,488	25.9	0.45	19.0	0.33
Uterus, NOS[1]	-	-	-	-	-	54	0.4	0.06	0.3	0.04
Ovary	-	-	-	-	-	1,773	13.6	0.33	9.4	0.24
Male Genital System	17,600	150.6	1.17	105.8	0.81	-	-	-	-	-
Prostate	16,625	142.3	1.14	98.4	0.78	-	-	-	-	-
Testis	843	7.1	0.25	6.7	0.23	-	-	-	-	-
Penis	86	0.8	0.09	0.5	0.05	-	-	-	-	-
Urinary System	6,704	63.1	0.79	37.5	0.47	2,755	21.4	0.42	13.7	0.28
Bladder (incl. *in situ*)	4,006	39.2	0.64	21.5	0.35	1,283	9.9	0.28	5.7	0.17
Kidney & renal pelvis	2,564	22.5	0.46	15.3	0.31	1,400	10.9	0.30	7.6	0.22
Ureter	67	0.7	0.09	0.3	0.04	36	0.3	0.05	0.2	0.03
Eye & Orbit	112	1.0	0.10	0.8	0.08	91	0.8	0.08	0.7	0.08
Brain & Other Nervous System	990	8.6	0.28	7.1	0.24	819	6.6	0.23	5.8	0.23
Brain	929	8.1	0.27	6.6	0.23	756	6.0	0.22	5.2	0.21
Endocrine System	884	7.5	0.26	5.9	0.21	2,593	21.3	0.42	17.5	0.36
Thyroid gland	805	6.8	0.24	5.3	0.19	2,527	20.7	0.42	17.1	0.35
Lymphomas	3,366	30.5	0.54	20.6	0.37	2,619	20.6	0.41	14.1	0.30
Hodgkin Lymphoma	395	3.4	0.17	3.0	0.16	283	2.4	0.15	2.3	0.14
Non-Hodgkin Lymphoma	2,971	27.1	0.51	17.6	0.34	2,336	18.2	0.38	11.9	0.27
Multiple Myeloma	854	8.0	0.28	4.8	0.17	690	5.3	0.21	3.3	0.13
Leukemias	2,124	19.8	0.44	13.2	0.31	1,482	11.7	0.31	8.5	0.26
Acute lymphocytic	178	1.6	0.12	2.0	0.16	150	1.4	0.11	1.7	0.15
Chronic lymphocytic	910	8.3	0.29	5.0	0.17	598	4.6	0.19	2.7	0.12
Acute myeloid	530	5.1	0.23	3.1	0.14	427	3.4	0.17	2.4	0.13
Chronic myeloid	270	2.6	0.16	1.6	0.10	180	1.4	0.11	1.0	0.08
Other leukemias	236	2.1	0.14	1.4	0.09	127	1.0	0.09	0.6	0.07
Mesothelioma	243	2.5	0.16	1.2	0.08	72	0.6	0.07	0.3	0.04
Kaposi Sarcoma	107	1.0	0.09	0.7	0.07	8	0.1	0.02	0.0	0.01
Ill-defined & Unknown	2,168	21.4	0.47	11.7	0.26	1,943	15.0	0.35	8.6	0.22
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,479	13.1	0.35	9.4	0.26	2,918	22.7	0.43	16.2	0.32
Breast (*in situ*)	10	0.1	0.03	0.1	0.02	5,178	40.0	0.57	29.9	0.43

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	53,911	556.5	2.47	361.3	1.62	51,699	470.6	2.12	323.5	1.54
Oral Cavity & Pharynx	1,776	17.0	0.42	12.1	0.29	840	7.6	0.27	5.2	0.19
Lip	118	1.3	0.12	0.7	0.07	54	0.5	0.07	0.3	0.04
Tongue	593	5.5	0.23	4.1	0.17	257	2.3	0.15	1.6	0.11
Major salivary gland	141	1.5	0.13	0.9	0.08	115	1.1	0.10	0.8	0.08
Floor of mouth	101	0.9	0.10	0.7	0.07	53	0.5	0.07	0.3	0.05
Gum & other mouth	189	1.9	0.14	1.2	0.09	184	1.6	0.12	1.0	0.08
Nasopharynx	40	0.4	0.06	0.3	0.05	17	0.2	0.04	0.1	0.03
Oropharynx	55	0.5	0.07	0.4	0.05	23	0.2	0.04	0.2	0.04
Hypopharynx	82	0.8	0.09	0.5	0.06	40	0.4	0.06	0.2	0.04
Digestive System	9,250	95.4	1.02	59.8	0.64	7,411	66.1	0.79	40.1	0.51
Esophagus	882	9.1	0.32	5.6	0.20	238	2.1	0.14	1.2	0.08
Stomach	783	8.2	0.30	5.1	0.19	383	3.5	0.18	2.1	0.12
Small intestine	286	3.0	0.18	1.9	0.11	233	2.1	0.14	1.4	0.09
Colon excl. rectum	2,815	30.0	0.58	17.8	0.35	2,915	26.3	0.50	15.1	0.31
Rectum & rectosigmoid	1,299	13.0	0.37	8.8	0.25	971	8.7	0.29	6.0	0.20
Anus, anal canal & anorectum	170	1.7	0.13	1.2	0.09	306	2.7	0.16	1.9	0.11
Liver	1,077	9.9	0.31	7.2	0.23	316	2.7	0.16	1.9	0.11
Gallbladder	73	0.8	0.10	0.4	0.05	155	1.3	0.11	0.7	0.07
Pancreas	1,380	14.5	0.40	8.6	0.24	1,312	11.6	0.33	6.7	0.20
Respiratory System	7,170	77.5	0.94	44.8	0.55	6,653	60.1	0.75	36.3	0.48
Larynx	480	4.9	0.23	3.1	0.15	120	1.1	0.10	0.8	0.07
Lung & bronchus	6,551	71.2	0.90	40.6	0.52	6,458	58.3	0.74	35.0	0.47
Bones & Joints	106	1.1	0.11	1.1	0.11	78	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	373	4.0	0.21	2.8	0.16	327	3.1	0.18	2.4	0.15
Skin (excl. basal & sq.)	3,904	40.4	0.66	26.8	0.44	3,150	30.1	0.55	22.5	0.43
Melanomas of the skin	3,564	36.5	0.63	24.6	0.43	2,922	28.0	0.53	21.2	0.42
Breast (excl. *in situ*)	114	1.2	0.12	0.7	0.07	15,921	144.1	1.17	103.0	0.86
Female Genital System	-	-	-	-	-	5,965	53.2	0.71	38.5	0.53
Cervix uteri	-	-	-	-	-	682	6.9	0.27	5.6	0.22
Uterus Corpus	-	-	-	-	-	3,067	26.5	0.49	19.5	0.37
Uterus, NOS[1]	-	-	-	-	-	45	0.4	0.06	0.2	0.04
Ovary	-	-	-	-	-	1,561	14.0	0.36	9.6	0.26
Male Genital System	15,493	151.9	1.26	106.8	0.88	-	-	-	-	-
Prostate	14,619	142.6	1.22	98.6	0.83	-	-	-	-	-
Testis	760	8.0	0.29	7.5	0.28	-	-	-	-	-
Penis	72	0.8	0.10	0.4	0.05	-	-	-	-	-
Urinary System	6,066	65.0	0.86	38.6	0.52	2,476	22.2	0.46	14.2	0.32
Bladder (incl. *in situ*)	3,716	41.1	0.69	22.5	0.38	1,176	10.4	0.31	6.1	0.19
Kidney & renal pelvis	2,231	22.6	0.49	15.4	0.34	1,237	11.3	0.33	7.8	0.25
Ureter	58	0.6	0.09	0.3	0.05	36	0.3	0.05	0.2	0.03
Eye & Orbit	107	1.1	0.11	0.8	0.09	82	0.8	0.09	0.7	0.09
Brain & Other Nervous System	883	9.1	0.31	7.4	0.27	744	7.2	0.27	6.4	0.27
Brain	833	8.5	0.30	6.9	0.26	690	6.6	0.26	5.7	0.25
Endocrine System	775	7.8	0.29	6.2	0.24	2,085	21.0	0.47	17.4	0.40
Thyroid gland	710	7.1	0.27	5.5	0.21	2,034	20.5	0.46	17.0	0.39
Lymphomas	2,981	31.3	0.59	21.1	0.41	2,289	21.1	0.45	14.6	0.34
Hodgkin Lymphoma	340	3.6	0.20	3.2	0.18	235	2.5	0.17	2.4	0.17
Non-Hodgkin Lymphoma	2,641	27.7	0.55	18.0	0.37	2,054	18.6	0.42	12.2	0.29
Multiple Myeloma	723	7.8	0.30	4.6	0.18	575	5.1	0.22	3.2	0.14
Leukemias	1,905	20.4	0.48	13.5	0.34	1,318	12.1	0.34	8.9	0.30
Acute lymphocytic	143	1.6	0.14	2.0	0.18	125	1.5	0.13	1.9	0.19
Chronic lymphocytic	848	8.8	0.31	5.3	0.19	561	4.9	0.21	2.9	0.13
Acute myeloid	471	5.2	0.24	3.2	0.16	365	3.4	0.18	2.4	0.15
Chronic myeloid	234	2.6	0.17	1.6	0.11	153	1.4	0.11	1.0	0.09
Other leukemias	209	2.2	0.16	1.4	0.10	114	1.0	0.10	0.7	0.08
Mesothelioma	232	2.7	0.18	1.3	0.09	69	0.6	0.08	0.4	0.05
Kaposi Sarcoma	94	1.0	0.11	0.8	0.08	-	-	-	-	-
Ill-defined & Unknown	1,959	21.9	0.51	11.9	0.29	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,271	13.3	0.38	9.5	0.29	2,446	22.4	0.47	15.9	0.35
Breast (*in situ*)	8	0.1	0.03	0.1	0.02	4,386	40.0	0.62	29.9	0.47

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,406	570.7	13.40	389.6	8.23	1,809	427.3	10.69	289.2	7.01
Oral Cavity & Pharynx	59	11.1	1.62	8.6	1.16	19	3.8	0.91	3.2	0.75
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	2.6	0.77	2.1	0.60	-	-	-	-	-
Major salivary gland	7	1.4	0.63	1.0	0.37	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	1.3	0.59	1.0	0.37	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	514	125.3	6.42	81.4	3.73	333	83.7	4.87	52.1	2.96
Esophagus	16	2.8	0.75	2.3	0.61	6	1.4	0.59	0.8	0.34
Stomach	53	14.8	2.36	8.9	1.26	29	7.1	1.40	4.1	0.79
Small intestine	23	5.8	1.38	3.8	0.82	18	4.1	1.05	2.8	0.67
Colon excl. rectum	125	31.6	3.27	19.7	1.84	115	28.1	2.77	18.4	1.77
Rectum & rectosigmoid	58	14.3	2.22	9.0	1.23	34	8.0	1.48	5.3	0.92
Anus, anal canal & anorectum	10	1.4	0.45	1.1	0.35	-	-	-	-	-
Liver	127	28.7	2.93	20.3	1.86	40	9.3	1.57	6.5	1.05
Gallbladder	-	-	-	-	-	7	2.1	0.83	0.8	0.32
Pancreas	65	16.4	2.35	10.2	1.32	51	14.6	2.15	7.5	1.10
Respiratory System	331	94.0	5.86	57.9	3.29	217	58.7	4.19	36.6	2.58
Larynx	33	8.6	1.73	5.5	0.98	8	1.8	0.67	1.2	0.41
Lung & bronchus	291	83.6	5.54	51.4	3.11	203	55.9	4.12	34.5	2.52
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	20	4.3	1.18	2.8	0.64	14	2.7	0.79	2.3	0.61
Skin (excl. basal & sq.)	15	3.3	1.03	2.3	0.61	8	1.7	0.62	1.4	0.50
Melanomas of the skin	7	1.9	0.83	1.3	0.49	-	-	-	-	-
Breast (excl. *in situ*)	7	2.0	0.86	1.1	0.44	581	130.8	5.74	93.7	3.99
Female Genital System	-	-	-	-	-	184	43.5	3.43	29.6	2.24
Cervix uteri	-	-	-	-	-	30	6.4	1.24	4.8	0.90
Uterus Corpus	-	-	-	-	-	92	23.0	2.55	15.3	1.64
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	42	9.9	1.63	6.4	1.01
Male Genital System	874	195.6	7.47	143.1	5.02	-	-	-	-	-
Prostate	860	192.7	7.41	141.1	4.98	-	-	-	-	-
Testis	7	0.8	0.32	0.9	0.32	-	-	-	-	-
Penis	6	1.9	0.92	1.0	0.43	-	-	-	-	-
Urinary System	217	49.4	3.82	34.8	2.45	82	19.4	2.29	13.0	1.49
Bladder (incl. *in situ*)	65	16.9	2.38	11.1	1.43	21	4.9	1.14	3.1	0.71
Kidney & renal pelvis	147	30.3	2.81	22.8	1.94	59	13.7	1.91	9.5	1.28
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	33	5.0	0.95	4.7	0.83	18	3.1	0.76	3.0	0.73
Brain	30	4.6	0.92	4.3	0.80	16	2.8	0.73	2.7	0.69
Endocrine System	17	3.3	0.96	2.6	0.64	81	15.6	1.81	12.5	1.42
Thyroid gland	11	2.0	0.70	1.5	0.48	76	14.7	1.77	11.7	1.37
Lymphomas	121	22.8	2.36	17.6	1.66	94	19.6	2.18	14.4	1.52
Hodgkin Lymphoma	24	3.6	0.78	3.2	0.67	24	3.7	0.77	3.6	0.74
Non-Hodgkin Lymphoma	97	19.2	2.23	14.4	1.52	70	15.9	2.04	10.8	1.33
Multiple Myeloma	71	18.7	2.55	11.8	1.45	56	14.8	2.10	8.8	1.22
Leukemias	62	17.1	2.55	10.4	1.35	40	10.0	1.69	6.1	1.01
Acute lymphocytic	12	1.4	0.42	1.8	0.52	-	-	-	-	-
Chronic lymphocytic	16	4.6	1.25	2.9	0.75	12	3.6	1.06	1.7	0.52
Acute myeloid	15	5.6	1.60	2.5	0.66	16	3.5	0.96	2.4	0.61
Chronic myeloid	12	3.7	1.28	1.9	0.56	6	1.3	0.57	1.0	0.43
Other leukemias	7	1.8	0.75	1.3	0.49	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	1.4	0.73	0.9	0.36	-	-	-	-	-
Ill-defined & Unknown	52	15.8	2.51	8.6	1.23	72	17.9	2.23	11.1	1.36
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	61	13.2	1.98	9.3	1.24	112	24.5	2.51	17.7	1.72
Breast (*in situ*)	-	-	-	-	-	183	41.6	3.25	29.6	2.25

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,043	356.5	6.91	226.9	4.18	4,115	324.3	5.18	219.7	3.54
Oral Cavity & Pharynx	108	11.0	1.12	7.8	0.76	60	4.6	0.61	3.2	0.43
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	24	2.3	0.48	1.8	0.38	18	1.4	0.34	0.9	0.23
Major salivary gland	8	0.8	0.31	0.6	0.21	9	0.7	0.23	0.6	0.20
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	13	1.5	0.47	0.9	0.25	12	1.0	0.31	0.6	0.18
Nasopharynx	45	4.5	0.71	3.2	0.48	15	1.0	0.27	0.8	0.21
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	986	113.1	3.85	72.5	2.34	834	70.2	2.49	41.8	1.50
Esophagus	29	3.6	0.72	2.1	0.39	15	1.4	0.37	0.7	0.18
Stomach	140	17.1	1.54	10.4	0.89	115	10.0	0.95	5.6	0.54
Small intestine	16	2.0	0.53	1.2	0.30	8	0.6	0.22	0.4	0.16
Colon excl. rectum	231	26.5	1.88	17.0	1.13	233	19.1	1.29	11.6	0.79
Rectum & rectosigmoid	157	17.2	1.47	11.3	0.91	144	11.1	0.94	7.7	0.65
Anus, anal canal & anorectum	-	-	-	-	-	6	0.5	0.20	0.3	0.13
Liver	233	24.4	1.70	17.1	1.14	116	10.0	0.95	6.0	0.57
Gallbladder	12	1.9	0.57	0.9	0.25	27	2.4	0.47	1.3	0.27
Pancreas	85	10.2	1.18	6.4	0.70	105	9.5	0.95	5.0	0.51
Respiratory System	456	61.1	3.04	33.0	1.57	440	38.4	1.87	22.0	1.10
Larynx	14	1.8	0.51	1.0	0.26	-	-	-	-	-
Lung & bronchus	432	58.4	2.98	31.2	1.52	429	37.5	1.85	21.4	1.07
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	26	2.4	0.49	2.0	0.40	23	1.7	0.37	1.5	0.32
Skin (excl. basal & sq.)	24	2.8	0.63	1.7	0.34	21	1.6	0.37	1.2	0.29
Melanomas of the skin	12	1.1	0.34	0.8	0.25	11	0.8	0.24	0.6	0.19
Breast (excl. *in situ*)	-	-	-	-	-	1,272	94.9	2.71	70.1	1.99
Female Genital System	-	-	-	-	-	536	39.6	1.75	29.2	1.28
Cervix uteri	-	-	-	-	-	91	6.7	0.72	4.9	0.52
Uterus Corpus	-	-	-	-	-	264	19.1	1.20	14.4	0.90
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	141	10.6	0.92	7.7	0.67
Male Genital System	607	70.5	3.03	47.3	1.94	-	-	-	-	-
Prostate	565	67.3	2.99	44.3	1.88	-	-	-	-	-
Testis	34	2.5	0.43	2.4	0.42	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	252	32.0	2.14	18.5	1.18	115	9.8	0.93	6.0	0.60
Bladder (incl. *in situ*)	138	18.4	1.66	10.2	0.88	46	4.1	0.62	2.1	0.33
Kidney & renal pelvis	108	12.5	1.29	7.9	0.77	63	5.1	0.66	3.6	0.48
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	46	4.4	0.70	3.7	0.57	47	3.6	0.53	3.1	0.49
Brain	41	4.1	0.68	3.4	0.55	43	3.3	0.51	2.7	0.44
Endocrine System	66	6.1	0.79	4.8	0.60	349	24.6	1.34	19.7	1.08
Thyroid gland	58	5.4	0.74	4.1	0.55	339	23.8	1.31	19.1	1.06
Lymphomas	192	20.5	1.60	14.1	1.03	173	14.2	1.11	9.2	0.74
Hodgkin Lymphoma	24	1.9	0.40	1.8	0.38	16	1.1	0.27	1.0	0.27
Non-Hodgkin Lymphoma	168	18.7	1.55	12.2	0.96	157	13.1	1.07	8.1	0.68
Multiple Myeloma	48	5.6	0.85	3.5	0.50	43	3.7	0.57	2.2	0.35
Leukemias	106	11.3	1.18	8.7	0.87	87	7.0	0.76	5.3	0.61
Acute lymphocytic	19	1.5	0.34	2.1	0.49	17	1.3	0.32	1.4	0.37
Chronic lymphocytic	19	2.2	0.54	1.4	0.33	10	0.9	0.28	0.6	0.18
Acute myeloid	34	4.1	0.74	2.6	0.45	39	3.1	0.50	2.2	0.37
Chronic myeloid	20	2.2	0.55	1.5	0.34	13	1.0	0.27	0.7	0.20
Other leukemias	14	1.3	0.35	1.1	0.30	8	0.8	0.27	0.4	0.15
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	107	13.9	1.44	7.9	0.78	108	10.0	0.98	4.6	0.47
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	99	10.3	1.11	7.0	0.72	240	18.7	1.23	13.4	0.89
Breast (*in situ*)	-	-	-	-	-	514	37.7	1.69	28.6	1.27

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	762	632.0	27.93	390.2	14.56	832	536.2	20.51	356.2	12.53
Oral Cavity & Pharynx	34	23.1	4.64	15.6	2.73	13	6.2	1.79	5.1	1.45
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	12	6.7	2.05	5.1	1.51	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	220	172.3	14.76	108.4	7.57	146	99.0	9.03	63.2	5.30
Esophagus	17	9.6	2.76	7.1	1.76	-	-	-	-	-
Stomach	12	12.0	4.42	6.3	1.90	9	5.0	1.73	4.3	1.44
Small intestine	-	-	-	-	-	6	5.1	2.28	2.5	1.01
Colon excl. rectum	53	51.2	8.73	27.5	3.92	54	36.7	5.45	23.6	3.25
Rectum & rectosigmoid	29	18.4	3.80	14.1	2.67	21	13.2	3.21	8.6	1.90
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	65	44.4	6.82	30.3	3.87	15	10.2	2.93	6.0	1.58
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	21	17.6	5.07	11.0	2.52	23	16.2	3.72	10.3	2.19
Respiratory System	119	116.3	12.47	65.9	6.17	109	79.4	8.37	48.2	4.68
Larynx	12	11.4	3.70	6.4	1.86	-	-	-	-	-
Lung & bronchus	103	101.9	11.81	57.5	5.79	104	75.8	8.17	46.0	4.58
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	4.5	2.31	2.9	1.20	8	4.7	1.86	3.0	1.07
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	8	7.5	3.18	4.1	1.46	17	9.1	2.42	6.8	1.67
Breast (excl. *in situ*)	-	-	-	-	-	261	162.8	11.07	110.8	6.96
Female Genital System	-	-	-	-	-	101	57.6	6.26	41.5	4.19
Cervix uteri	-	-	-	-	-	28	14.8	2.86	11.5	2.19
Uterus Corpus	-	-	-	-	-	45	25.5	4.18	18.5	2.79
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	20	12.3	3.08	8.2	1.86
Male Genital System	155	116.4	10.82	81.0	6.65	-	-	-	-	-
Prostate	140	110.0	10.69	75.1	6.47	-	-	-	-	-
Testis	15	6.4	1.67	5.9	1.54	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	90	86.6	10.95	47.6	5.17	36	24.9	4.56	16.5	2.80
Bladder (incl. *in situ*)	37	44.0	8.48	20.8	3.54	9	6.7	2.45	4.2	1.43
Kidney & renal pelvis	51	40.5	6.72	25.8	3.71	26	16.9	3.60	11.9	2.37
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	18	9.1	2.30	8.4	2.02	-	-	-	-	-
Brain	17	8.7	2.27	7.8	1.95	-	-	-	-	-
Endocrine System	11	5.9	1.87	4.8	1.49	34	18.8	3.45	14.2	2.47
Thyroid gland	11	5.9	1.87	4.8	1.49	34	18.8	3.45	14.2	2.47
Lymphomas	43	33.1	6.04	21.0	3.26	37	28.0	5.03	16.6	2.78
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	4.2	2.00	3.0	1.24	12	7.4	2.38	5.1	1.49
Leukemias	20	19.0	5.61	10.2	2.41	23	14.3	3.30	10.2	2.16
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	7	8.2	3.83	4.0	1.59	-	-	-	-	-
Acute myeloid	7	5.7	2.72	3.1	1.21	7	4.0	1.74	3.1	1.18
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	24	23.7	5.82	12.9	2.71	27	20.3	4.34	11.8	2.30
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	20	16.3	4.87	10.9	2.54	50	27.6	4.17	21.0	3.01
Breast (*in situ*)	-	-	-	-	-	61	34.7	4.79	25.3	3.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,531	456.4	14.87	282.0	7.87	1,841	435.3	11.93	292.2	7.31
Oral Cavity & Pharynx	58	14.0	2.29	9.7	1.37	17	3.8	1.11	2.5	0.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	2.7	0.72	2.3	0.63	-	-	-	-	-
Major salivary gland	7	1.8	0.89	1.0	0.43	6	1.2	0.60	0.8	0.35
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	7	2.1	0.96	1.1	0.46	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	340	106.1	7.17	64.3	3.76	261	78.3	5.47	46.7	3.06
Esophagus	29	10.0	2.32	5.7	1.14	-	-	-	-	-
Stomach	26	8.7	2.23	4.8	1.04	28	8.3	1.85	4.5	0.93
Small intestine	10	3.4	1.24	2.1	0.70	7	1.2	0.50	1.1	0.44
Colon excl. rectum	76	25.7	3.64	14.8	1.82	71	23.0	3.04	13.2	1.66
Rectum & rectosigmoid	42	10.5	2.05	7.0	1.19	40	9.9	1.82	6.5	1.10
Anus, anal canal & anorectum	-	-	-	-	-	11	3.0	1.02	1.9	0.59
Liver	86	22.7	3.05	15.6	1.80	21	6.8	1.64	3.7	0.84
Gallbladder	6	1.8	0.89	1.1	0.50	9	3.0	1.10	1.7	0.58
Pancreas	35	13.8	2.76	7.5	1.33	43	14.3	2.37	8.2	1.30
Respiratory System	144	60.5	6.00	30.6	2.68	152	46.1	4.15	29.3	2.47
Larynx	9	3.9	1.57	1.8	0.62	-	-	-	-	-
Lung & bronchus	126	53.6	5.64	27.2	2.54	141	43.8	4.06	27.4	2.40
Bones & Joints	13	1.9	0.74	1.5	0.46	11	1.5	0.50	1.5	0.48
Soft Tissue (incl. heart)	22	3.3	0.92	2.8	0.67	18	2.7	0.74	2.3	0.59
Skin (excl. basal & sq.)	41	12.5	2.52	7.6	1.31	57	11.7	1.91	7.6	1.10
Melanomas of the skin	29	8.5	2.08	5.4	1.11	51	10.1	1.72	6.8	1.03
Breast (excl. *in situ*)	-	-	-	-	-	533	119.5	5.91	85.3	3.94
Female Genital System	-	-	-	-	-	255	56.5	4.14	39.8	2.68
Cervix uteri	-	-	-	-	-	64	10.0	1.46	7.9	1.07
Uterus Corpus	-	-	-	-	-	102	24.3	2.72	17.4	1.82
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	70	16.9	2.35	11.3	1.43
Male Genital System	396	117.6	7.18	78.4	4.23	-	-	-	-	-
Prostate	331	111.7	7.12	73.0	4.18	-	-	-	-	-
Testis	61	4.9	0.66	4.8	0.63	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	174	59.0	5.59	33.9	2.77	90	23.8	2.92	15.0	1.68
Bladder (incl. *in situ*)	73	31.5	4.38	15.8	1.93	27	9.7	2.03	5.0	0.99
Kidney & renal pelvis	99	26.7	3.43	17.5	1.94	60	13.3	2.04	9.4	1.31
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	6	0.6	0.26	0.7	0.27
Brain & Other Nervous System	43	6.9	1.47	5.7	0.99	39	6.8	1.46	4.8	0.82
Brain	40	6.6	1.45	5.3	0.96	36	6.2	1.37	4.4	0.79
Endocrine System	33	4.7	0.95	4.1	0.79	167	25.4	2.36	20.2	1.70
Thyroid gland	28	4.2	0.92	3.6	0.76	165	25.0	2.34	19.8	1.68
Lymphomas	100	23.8	3.20	15.8	1.81	109	24.9	2.90	16.3	1.68
Hodgkin Lymphoma	22	3.1	0.89	2.4	0.60	22	3.3	0.94	2.6	0.63
Non-Hodgkin Lymphoma	78	20.7	3.07	13.3	1.70	87	21.5	2.74	13.6	1.56
Multiple Myeloma	23	7.1	1.80	4.9	1.09	18	6.7	1.71	3.4	0.82
Leukemias	75	13.9	2.42	9.7	1.29	59	11.1	1.81	8.3	1.17
Acute lymphocytic	25	2.1	0.45	2.4	0.48	19	1.8	0.47	2.1	0.50
Chronic lymphocytic	11	3.8	1.36	2.3	0.73	11	3.9	1.26	2.4	0.73
Acute myeloid	19	3.7	1.24	2.3	0.60	16	3.6	1.09	2.3	0.62
Chronic myeloid	12	1.7	0.59	1.6	0.53	-	-	-	-	-
Other leukemias	8	2.6	1.38	1.2	0.52	-	-	-	-	-
Mesothelioma	9	5.6	2.01	2.4	0.81	-	-	-	-	-
Kaposi Sarcoma	14	2.6	1.02	1.7	0.54	-	-	-	-	-
Ill-defined & Unknown	41	16.7	3.21	8.4	1.40	47	15.4	2.50	8.4	1.30
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	54	9.3	1.85	6.4	1.01	124	24.9	2.70	17.6	1.71
Breast (*in situ*)	-	-	-	-	-	154	33.1	3.02	24.2	2.06

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	52,500	560.3	2.52	364.5	1.67	49,991	471.8	2.17	324.6	1.59
Oral Cavity & Pharynx	1,723	17.1	0.42	12.2	0.30	826	7.7	0.28	5.3	0.20
Lip	115	1.3	0.12	0.7	0.07	54	0.5	0.07	0.3	0.04
Tongue	578	5.6	0.24	4.2	0.18	253	2.4	0.15	1.7	0.11
Major salivary gland	134	1.5	0.13	0.9	0.08	110	1.1	0.11	0.8	0.09
Floor of mouth	99	1.0	0.10	0.7	0.07	52	0.5	0.07	0.3	0.05
Gum & other mouth	185	1.9	0.15	1.3	0.10	182	1.6	0.13	1.0	0.08
Nasopharynx	37	0.4	0.06	0.3	0.05	17	0.2	0.04	0.1	0.03
Oropharynx	49	0.5	0.07	0.3	0.05	22	0.2	0.04	0.2	0.04
Hypopharynx	79	0.8	0.09	0.5	0.06	40	0.4	0.06	0.3	0.04
Digestive System	8,950	95.2	1.04	59.7	0.66	7,179	65.8	0.80	40.0	0.52
Esophagus	859	9.1	0.32	5.7	0.20	234	2.1	0.14	1.2	0.09
Stomach	758	8.1	0.30	5.1	0.19	357	3.3	0.18	2.0	0.12
Small intestine	276	3.0	0.18	1.9	0.12	227	2.1	0.14	1.4	0.10
Colon excl. rectum	2,745	30.2	0.59	18.0	0.36	2,850	26.4	0.51	15.2	0.32
Rectum & rectosigmoid	1,262	13.1	0.38	8.9	0.26	935	8.7	0.29	6.0	0.21
Anus, anal canal & anorectum	165	1.7	0.13	1.2	0.09	295	2.6	0.16	1.9	0.12
Liver	1,007	9.6	0.31	7.0	0.23	298	2.6	0.16	1.8	0.12
Gallbladder	67	0.8	0.10	0.4	0.05	147	1.3	0.11	0.7	0.07
Pancreas	1,347	14.6	0.41	8.7	0.25	1,277	11.5	0.33	6.6	0.20
Respiratory System	7,032	78.0	0.96	45.2	0.56	6,510	60.3	0.77	36.4	0.49
Larynx	472	5.0	0.23	3.2	0.15	116	1.1	0.10	0.8	0.07
Lung & bronchus	6,430	71.6	0.92	41.0	0.53	6,326	58.6	0.75	35.1	0.47
Bones & Joints	93	1.1	0.11	1.0	0.12	68	0.8	0.10	0.7	0.10
Soft Tissue (incl. heart)	351	4.0	0.22	2.7	0.16	309	3.1	0.18	2.4	0.16
Skin (excl. basal & sq.)	3,865	41.6	0.69	27.7	0.47	3,097	31.2	0.58	23.5	0.46
Melanomas of the skin	3,536	37.8	0.65	25.6	0.45	2,872	29.1	0.56	22.1	0.45
Breast (excl. *in situ*)	112	1.2	0.12	0.8	0.07	15,422	144.9	1.20	103.6	0.88
Female Genital System	-	-	-	-	-	5,726	52.9	0.72	38.3	0.54
Cervix uteri	-	-	-	-	-	622	6.7	0.28	5.4	0.23
Uterus Corpus	-	-	-	-	-	2,971	26.5	0.50	19.6	0.37
Uterus, NOS[1]	-	-	-	-	-	44	0.4	0.06	0.2	0.04
Ovary	-	-	-	-	-	1,496	13.8	0.37	9.5	0.27
Male Genital System	15,126	153.1	1.28	107.8	0.90	-	-	-	-	-
Prostate	14,313	143.5	1.24	99.3	0.85	-	-	-	-	-
Testis	702	8.3	0.32	7.8	0.30	-	-	-	-	-
Penis	70	0.8	0.10	0.4	0.05	-	-	-	-	-
Urinary System	5,904	65.2	0.87	38.8	0.53	2,392	22.1	0.47	14.1	0.32
Bladder (incl. *in situ*)	3,645	41.3	0.70	22.7	0.39	1,150	10.4	0.32	6.1	0.20
Kidney & renal pelvis	2,142	22.5	0.50	15.4	0.35	1,181	11.1	0.33	7.7	0.25
Ureter	57	0.7	0.09	0.3	0.05	36	0.3	0.06	0.2	0.03
Eye & Orbit	105	1.1	0.11	0.8	0.09	76	0.8	0.10	0.7	0.10
Brain & Other Nervous System	843	9.2	0.33	7.5	0.29	708	7.3	0.29	6.5	0.29
Brain	796	8.6	0.31	7.0	0.28	657	6.7	0.27	5.8	0.27
Endocrine System	743	8.0	0.30	6.4	0.25	1,927	20.7	0.49	17.2	0.42
Thyroid gland	683	7.2	0.28	5.7	0.23	1,878	20.2	0.48	16.7	0.41
Lymphomas	2,886	31.7	0.61	21.5	0.43	2,185	20.9	0.46	14.4	0.35
Hodgkin Lymphoma	319	3.7	0.21	3.3	0.19	214	2.5	0.18	2.4	0.18
Non-Hodgkin Lymphoma	2,567	28.0	0.57	18.2	0.38	1,971	18.4	0.43	12.0	0.30
Multiple Myeloma	705	7.8	0.30	4.6	0.18	560	5.1	0.22	3.2	0.14
Leukemias	1,836	20.5	0.49	13.5	0.35	1,265	12.1	0.35	8.9	0.32
Acute lymphocytic	119	1.6	0.15	1.9	0.19	109	1.5	0.14	2.0	0.21
Chronic lymphocytic	838	9.0	0.32	5.4	0.19	550	4.9	0.22	2.9	0.14
Acute myeloid	454	5.2	0.25	3.2	0.16	351	3.4	0.19	2.4	0.16
Chronic myeloid	223	2.5	0.17	1.6	0.12	149	1.4	0.12	1.0	0.09
Other leukemias	202	2.2	0.16	1.4	0.11	106	1.0	0.10	0.6	0.07
Mesothelioma	224	2.6	0.18	1.3	0.09	67	0.6	0.08	0.4	0.05
Kaposi Sarcoma	81	0.9	0.11	0.7	0.08	-	-	-	-	-
Ill-defined & Unknown	1,921	22.1	0.52	12.1	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,220	13.4	0.39	9.6	0.30	2,334	22.2	0.48	15.8	0.36
Breast (*in situ*)	8	0.1	0.03	0.1	0.02	4,242	40.2	0.63	30.1	0.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Seattle/Puget Sound, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,381	581.1	13.66	398.2	8.45	1,775	435.1	10.94	295.9	7.23
Oral Cavity & Pharynx	59	11.4	1.67	8.9	1.20	18	3.8	0.93	3.2	0.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	2.6	0.79	2.1	0.62	-	-	-	-	-
Major salivary gland	7	1.5	0.65	1.0	0.38	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	7	1.4	0.61	1.0	0.39	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	509	127.5	6.54	83.2	3.82	329	85.6	4.99	53.3	3.04
Esophagus	15	2.6	0.68	2.2	0.58	6	1.4	0.61	0.8	0.35
Stomach	53	15.2	2.41	9.2	1.29	28	7.2	1.43	4.1	0.81
Small intestine	23	6.0	1.42	3.9	0.85	18	4.3	1.08	2.9	0.70
Colon excl. rectum	124	32.4	3.35	20.2	1.89	115	29.1	2.86	19.0	1.84
Rectum & rectosigmoid	58	14.8	2.27	9.3	1.27	34	8.3	1.52	5.5	0.96
Anus, anal canal & anorectum	10	1.5	0.47	1.2	0.37	-	-	-	-	-
Liver	125	28.7	2.93	20.6	1.90	39	9.5	1.61	6.6	1.08
Gallbladder	-	-	-	-	-	7	2.2	0.85	0.9	0.34
Pancreas	64	16.7	2.41	10.5	1.36	50	14.7	2.17	7.5	1.11
Respiratory System	330	96.0	5.98	59.4	3.37	215	59.7	4.27	37.5	2.65
Larynx	33	8.9	1.77	5.6	1.01	8	1.8	0.69	1.2	0.43
Lung & bronchus	290	85.3	5.65	52.6	3.19	201	56.8	4.19	35.3	2.58
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	20	4.4	1.21	3.0	0.68	14	2.9	0.83	2.4	0.66
Skin (excl. basal & sq.)	15	3.4	1.06	2.4	0.64	6	1.3	0.56	1.1	0.44
Melanomas of the skin	7	1.9	0.85	1.3	0.50	-	-	-	-	-
Breast (excl. *in situ*)	7	2.0	0.88	1.2	0.46	571	133.5	5.88	96.1	4.13
Female Genital System	-	-	-	-	-	182	44.8	3.53	30.5	2.32
Cervix uteri	-	-	-	-	-	30	6.7	1.29	5.1	0.94
Uterus Corpus	-	-	-	-	-	91	23.6	2.62	15.7	1.69
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	41	10.0	1.67	6.5	1.04
Male Genital System	864	198.3	7.59	145.5	5.12	-	-	-	-	-
Prostate	851	195.4	7.53	143.5	5.09	-	-	-	-	-
Testis	7	0.9	0.34	0.9	0.35	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	215	50.7	3.92	35.7	2.52	78	19.3	2.31	12.9	1.51
Bladder (incl. *in situ*)	65	17.4	2.44	11.5	1.47	21	5.1	1.17	3.3	0.74
Kidney & renal pelvis	145	30.9	2.88	23.3	2.00	55	13.4	1.91	9.2	1.29
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	32	5.1	0.98	4.8	0.87	17	3.0	0.76	3.0	0.74
Brain	29	4.7	0.95	4.4	0.84	15	2.7	0.72	2.6	0.69
Endocrine System	17	3.5	0.99	2.7	0.68	79	16.1	1.88	12.9	1.48
Thyroid gland	11	2.1	0.72	1.6	0.50	74	15.2	1.84	12.0	1.42
Lymphomas	119	23.5	2.43	18.2	1.72	90	19.6	2.20	14.6	1.57
Hodgkin Lymphoma	23	3.7	0.81	3.3	0.70	23	3.8	0.81	3.7	0.78
Non-Hodgkin Lymphoma	96	19.8	2.29	14.9	1.57	67	15.7	2.05	10.9	1.37
Multiple Myeloma	68	18.8	2.60	11.8	1.48	55	14.9	2.13	9.0	1.25
Leukemias	62	17.7	2.62	10.8	1.41	40	10.4	1.74	6.4	1.05
Acute lymphocytic	12	1.6	0.45	2.0	0.58	-	-	-	-	-
Chronic lymphocytic	16	4.7	1.29	3.0	0.77	12	3.7	1.09	1.8	0.54
Acute myeloid	15	5.7	1.64	2.6	0.68	16	3.7	0.99	2.5	0.64
Chronic myeloid	12	3.8	1.31	1.9	0.57	6	1.4	0.60	1.1	0.45
Other leukemias	7	1.8	0.77	1.3	0.51	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	6	1.5	0.75	0.9	0.38	-	-	-	-	-
Ill-defined & Unknown	51	15.7	2.52	8.7	1.25	72	18.5	2.30	11.5	1.41
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	61	13.6	2.04	9.7	1.29	111	25.4	2.59	18.5	1.80
Breast (*in situ*)	-	-	-	-	-	181	42.6	3.34	30.4	2.32

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	29,504	541.2	3.24	358.4	2.20	26,891	436.7	2.75	308.5	2.09
Oral Cavity & Pharynx	1,027	18.1	0.58	13.3	0.43	397	6.3	0.33	4.4	0.25
Lip	40	0.7	0.12	0.5	0.08	20	0.3	0.07	0.2	0.05
Tongue	292	5.0	0.30	3.9	0.23	99	1.6	0.16	1.1	0.12
Major salivary gland	80	1.6	0.18	0.9	0.11	50	0.8	0.12	0.6	0.09
Floor of mouth	80	1.4	0.16	1.0	0.12	29	0.4	0.07	0.3	0.05
Gum & other mouth	115	2.0	0.20	1.4	0.13	90	1.4	0.15	0.9	0.11
Nasopharynx	42	0.8	0.12	0.7	0.11	18	0.3	0.08	0.3	0.08
Oropharynx	52	0.9	0.12	0.7	0.10	17	0.3	0.07	0.2	0.05
Hypopharynx	65	1.2	0.15	0.8	0.10	18	0.3	0.07	0.2	0.05
Digestive System	5,559	102.2	1.41	65.9	0.92	4,357	67.5	1.05	42.9	0.73
Esophagus	552	9.7	0.42	6.6	0.29	101	1.6	0.16	1.0	0.11
Stomach	483	8.8	0.41	5.7	0.27	269	4.2	0.27	2.8	0.19
Small intestine	135	2.4	0.21	1.6	0.15	117	1.9	0.18	1.3	0.13
Colon excl. rectum	2,083	38.9	0.88	24.3	0.56	1,999	30.6	0.70	18.6	0.47
Rectum & rectosigmoid	888	16.3	0.56	10.8	0.38	659	10.6	0.43	7.2	0.31
Anus, anal canal & anorectum	64	1.2	0.16	0.8	0.11	145	2.3	0.20	1.7	0.15
Liver	445	7.9	0.39	5.5	0.28	152	2.3	0.19	1.6	0.15
Gallbladder	38	0.7	0.12	0.4	0.07	78	1.2	0.14	0.7	0.09
Pancreas	687	12.6	0.49	8.0	0.32	649	9.7	0.39	6.0	0.26
Respiratory System	6,225	112.7	1.47	72.0	0.94	4,612	70.8	1.06	47.4	0.75
Larynx	498	8.6	0.39	6.1	0.28	155	2.4	0.20	1.8	0.16
Lung & bronchus	5,650	102.8	1.40	64.8	0.89	4,399	67.4	1.03	44.9	0.73
Bones & Joints	54	1.1	0.16	1.1	0.16	31	0.6	0.11	0.5	0.11
Soft Tissue (incl. heart)	202	4.1	0.29	2.9	0.23	143	2.5	0.22	2.0	0.19
Skin (excl. basal & sq.)	1,436	27.5	0.75	17.9	0.50	1,031	19.1	0.62	14.7	0.51
Melanomas of the skin	1,351	25.8	0.72	17.0	0.49	968	18.0	0.60	13.9	0.49
Breast (excl. *in situ*)	86	1.6	0.18	1.0	0.11	6,799	111.2	1.39	80.4	1.05
Female Genital System	-	-	-	-	-	3,456	57.9	1.02	43.8	0.80
Cervix uteri	-	-	-	-	-	511	10.3	0.47	8.2	0.38
Uterus Corpus	-	-	-	-	-	1,840	29.6	0.71	22.8	0.56
Uterus, NOS[1]	-	-	-	-	-	55	0.9	0.13	0.7	0.10
Ovary	-	-	-	-	-	783	12.9	0.48	9.2	0.36
Male Genital System	6,914	121.4	1.50	83.7	1.04	-	-	-	-	-
Prostate	6,597	114.1	1.44	77.3	0.97	-	-	-	-	-
Testis	248	5.9	0.38	5.5	0.36	-	-	-	-	-
Penis	60	1.2	0.15	0.7	0.10	-	-	-	-	-
Urinary System	3,405	64.0	1.13	40.2	0.73	1,562	24.6	0.64	16.7	0.47
Bladder (incl. *in situ*)	2,074	39.5	0.89	23.0	0.53	715	10.9	0.42	6.8	0.29
Kidney & renal pelvis	1,249	22.9	0.67	16.4	0.49	809	13.1	0.48	9.6	0.37
Ureter	52	1.0	0.14	0.6	0.08	28	0.4	0.08	0.3	0.05
Eye & Orbit	37	0.7	0.12	0.4	0.07	50	0.9	0.13	0.7	0.13
Brain & Other Nervous System	390	7.6	0.39	6.4	0.37	326	5.9	0.34	4.9	0.32
Brain	374	7.2	0.38	6.1	0.36	307	5.6	0.33	4.6	0.31
Endocrine System	373	7.1	0.38	5.9	0.33	1,106	21.6	0.68	18.0	0.59
Thyroid gland	347	6.6	0.37	5.3	0.30	1,079	21.1	0.67	17.5	0.57
Lymphomas	1,327	25.3	0.72	17.7	0.53	1,148	18.6	0.56	12.9	0.44
Hodgkin Lymphoma	142	3.1	0.26	2.8	0.25	115	2.4	0.23	2.2	0.23
Non-Hodgkin Lymphoma	1,185	22.3	0.67	14.9	0.46	1,033	16.2	0.52	10.7	0.37
Multiple Myeloma	380	7.0	0.37	4.3	0.23	282	4.3	0.26	2.7	0.18
Leukemias	907	17.9	0.61	12.3	0.47	639	10.6	0.43	7.7	0.38
Acute lymphocytic	85	2.0	0.22	2.3	0.28	56	1.3	0.17	1.5	0.23
Chronic lymphocytic	331	6.3	0.35	3.8	0.22	210	3.1	0.22	1.9	0.15
Acute myeloid	253	5.0	0.32	3.2	0.22	207	3.5	0.25	2.5	0.20
Chronic myeloid	129	2.5	0.23	1.8	0.17	96	1.6	0.17	1.2	0.14
Other leukemias	109	2.1	0.21	1.3	0.13	70	1.0	0.13	0.6	0.09
Mesothelioma	119	2.3	0.21	1.2	0.12	20	0.3	0.07	0.2	0.05
Kaposi Sarcoma	11	0.2	0.07	0.2	0.06	6	0.1	0.03	0.0	0.01
Ill-defined & Unknown	1,052	20.4	0.65	11.8	0.39	926	14.0	0.47	8.2	0.31
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	313	6.1	0.36	4.5	0.28	673	11.1	0.45	8.2	0.36
Breast (*in situ*)	7	0.1	0.04	0.1	0.03	1,343	22.1	0.62	16.5	0.48

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,442	540.5	3.29	357.7	2.25	26,039	438.0	2.81	309.5	2.14
Oral Cavity & Pharynx	996	18.2	0.59	13.5	0.44	388	6.4	0.33	4.5	0.25
Lip	39	0.7	0.12	0.5	0.08	20	0.3	0.07	0.2	0.06
Tongue	286	5.1	0.31	4.0	0.24	96	1.6	0.17	1.1	0.12
Major salivary gland	79	1.6	0.19	0.9	0.11	48	0.8	0.12	0.6	0.09
Floor of mouth	78	1.4	0.16	1.0	0.12	29	0.4	0.08	0.3	0.06
Gum & other mouth	112	2.1	0.20	1.4	0.14	88	1.4	0.15	0.9	0.11
Nasopharynx	40	0.8	0.12	0.6	0.11	17	0.3	0.08	0.3	0.08
Oropharynx	46	0.8	0.12	0.6	0.09	16	0.3	0.07	0.2	0.05
Hypopharynx	63	1.2	0.15	0.8	0.11	18	0.3	0.07	0.2	0.05
Digestive System	5,348	101.9	1.43	65.6	0.94	4,195	67.1	1.06	42.7	0.74
Esophagus	542	9.9	0.44	6.7	0.30	96	1.5	0.16	1.0	0.11
Stomach	462	8.7	0.42	5.6	0.27	254	4.1	0.27	2.7	0.19
Small intestine	127	2.4	0.21	1.6	0.15	111	1.9	0.18	1.2	0.13
Colon excl. rectum	2,000	38.7	0.89	24.1	0.57	1,932	30.6	0.71	18.5	0.48
Rectum & rectosigmoid	857	16.3	0.57	10.9	0.39	635	10.6	0.44	7.2	0.32
Anus, anal canal & anorectum	62	1.2	0.16	0.8	0.11	144	2.4	0.21	1.8	0.16
Liver	410	7.6	0.39	5.3	0.28	145	2.3	0.19	1.6	0.15
Gallbladder	35	0.7	0.12	0.4	0.06	73	1.1	0.13	0.7	0.09
Pancreas	674	12.8	0.51	8.1	0.33	622	9.6	0.39	5.9	0.26
Respiratory System	6,045	113.1	1.49	72.3	0.96	4,510	71.6	1.08	48.0	0.77
Larynx	483	8.6	0.40	6.1	0.29	151	2.5	0.21	1.9	0.16
Lung & bronchus	5,489	103.1	1.43	65.1	0.91	4,301	68.1	1.06	45.4	0.75
Bones & Joints	52	1.1	0.16	1.1	0.16	29	0.6	0.11	0.5	0.11
Soft Tissue (incl. heart)	191	4.0	0.30	2.9	0.24	138	2.5	0.22	2.0	0.19
Skin (excl. basal & sq.)	1,427	28.3	0.77	18.5	0.52	1,022	19.7	0.64	15.2	0.53
Melanomas of the skin	1,344	26.6	0.75	17.6	0.51	963	18.6	0.63	14.5	0.52
Breast (excl. *in situ*)	82	1.6	0.18	1.0	0.11	6,555	110.9	1.42	80.2	1.07
Female Genital System	-	-	-	-	-	3,324	57.8	1.04	43.7	0.82
Cervix uteri	-	-	-	-	-	487	10.2	0.48	8.1	0.39
Uterus Corpus	-	-	-	-	-	1,761	29.3	0.72	22.6	0.57
Uterus, NOS[1]	-	-	-	-	-	52	0.9	0.13	0.7	0.11
Ovary	-	-	-	-	-	759	12.9	0.49	9.3	0.37
Male Genital System	6,537	119.0	1.51	82.0	1.05	-	-	-	-	-
Prostate	6,220	111.3	1.45	75.3	0.98	-	-	-	-	-
Testis	248	6.3	0.40	5.9	0.38	-	-	-	-	-
Penis	60	1.2	0.16	0.7	0.10	-	-	-	-	-
Urinary System	3,329	64.7	1.15	40.7	0.75	1,520	24.8	0.65	16.9	0.49
Bladder (incl. *in situ*)	2,038	40.0	0.91	23.4	0.54	700	11.0	0.43	6.9	0.29
Kidney & renal pelvis	1,211	23.0	0.68	16.5	0.50	785	13.2	0.49	9.7	0.38
Ureter	51	1.0	0.14	0.6	0.08	27	0.4	0.08	0.3	0.05
Eye & Orbit	37	0.7	0.12	0.4	0.08	48	0.8	0.13	0.7	0.12
Brain & Other Nervous System	376	7.6	0.40	6.5	0.38	317	6.0	0.35	5.0	0.33
Brain	360	7.2	0.39	6.1	0.37	298	5.6	0.34	4.6	0.32
Endocrine System	358	7.2	0.39	5.9	0.34	1,067	21.8	0.69	18.2	0.60
Thyroid gland	333	6.6	0.38	5.3	0.31	1,040	21.2	0.69	17.7	0.59
Lymphomas	1,281	25.4	0.73	17.6	0.53	1,114	18.7	0.58	13.1	0.45
Hodgkin Lymphoma	133	3.0	0.27	2.7	0.25	111	2.4	0.24	2.3	0.24
Non-Hodgkin Lymphoma	1,148	22.4	0.68	14.9	0.47	1,003	16.2	0.52	10.8	0.38
Multiple Myeloma	361	6.9	0.37	4.3	0.23	268	4.2	0.26	2.7	0.18
Leukemias	870	17.8	0.62	12.2	0.48	627	10.8	0.45	7.9	0.40
Acute lymphocytic	82	2.0	0.23	2.3	0.29	54	1.3	0.18	1.6	0.25
Chronic lymphocytic	319	6.2	0.36	3.7	0.22	206	3.2	0.23	1.9	0.15
Acute myeloid	245	5.0	0.33	3.2	0.23	204	3.6	0.26	2.5	0.21
Chronic myeloid	123	2.5	0.24	1.8	0.17	94	1.7	0.18	1.2	0.14
Other leukemias	101	2.0	0.20	1.2	0.13	69	1.1	0.13	0.7	0.09
Mesothelioma	118	2.3	0.22	1.3	0.12	20	0.3	0.08	0.2	0.05
Kaposi Sarcoma	10	0.2	0.07	0.2	0.05	6	0.1	0.03	0.0	0.01
Ill-defined & Unknown	1,024	20.5	0.66	11.9	0.40	891	13.9	0.48	8.1	0.31
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	298	6.1	0.36	4.5	0.29	648	11.2	0.46	8.2	0.37
Breast (*in situ*)	7	0.1	0.04	0.1	0.03	1,299	22.1	0.63	16.5	0.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	850	560.5	20.98	386.3	13.59	612	365.5	15.08	256.3	11.15
Oral Cavity & Pharynx	25	16.0	3.46	11.1	2.28	7	4.7	1.80	3.6	1.39
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	183	118.3	9.49	82.2	6.25	124	72.6	6.66	46.4	4.60
Esophagus	8	5.1	1.89	4.2	1.50	-	-	-	-	-
Stomach	18	11.8	3.03	7.7	1.88	12	7.2	2.11	3.8	1.24
Small intestine	8	5.9	2.25	3.7	1.33	-	-	-	-	-
Colon excl. rectum	72	47.0	6.04	31.9	3.85	49	28.5	4.16	17.3	2.74
Rectum & rectosigmoid	27	18.5	3.80	12.2	2.42	15	9.4	2.45	6.2	1.69
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	32	18.1	3.51	13.9	2.54	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	7.3	2.39	5.4	1.64	24	13.1	2.73	8.1	1.86
Respiratory System	151	107.6	9.53	70.0	5.83	85	48.9	5.38	32.9	3.85
Larynx	11	6.0	1.92	4.8	1.47	-	-	-	-	-
Lung & bronchus	137	99.4	9.23	63.8	5.58	81	46.7	5.26	31.4	3.76
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	6.5	2.23	4.3	1.39	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	186	114.2	8.57	84.4	6.51
Female Genital System	-	-	-	-	-	66	39.0	4.92	28.7	3.76
Cervix uteri	-	-	-	-	-	12	7.6	2.24	6.3	1.84
Uterus Corpus	-	-	-	-	-	36	21.0	3.59	15.8	2.78
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	14	8.0	2.20	5.4	1.57
Male Genital System	291	190.3	12.16	133.7	8.04	-	-	-	-	-
Prostate	291	190.3	12.16	133.7	8.04	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	60	38.7	5.47	26.2	3.44	33	20.6	3.64	13.2	2.48
Bladder (incl. *in situ*)	26	18.4	3.96	11.6	2.32	11	7.0	2.14	4.3	1.40
Kidney & renal pelvis	33	19.9	3.74	14.2	2.52	20	12.4	2.83	8.1	1.96
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	11	6.3	1.97	5.9	1.83	6	3.2	1.34	2.5	1.23
Brain	11	6.3	1.97	5.9	1.83	6	3.2	1.34	2.5	1.23
Endocrine System	10	4.9	1.63	4.0	1.30	19	11.6	2.70	8.7	2.10
Thyroid gland	9	4.4	1.56	3.6	1.24	19	11.6	2.70	8.7	2.10
Lymphomas	32	18.9	3.67	14.8	2.66	21	12.3	2.74	8.5	1.99
Hodgkin Lymphoma	6	2.4	1.00	2.8	1.14	-	-	-	-	-
Non-Hodgkin Lymphoma	26	16.5	3.53	12.0	2.40	-	-	-	-	-
Multiple Myeloma	18	12.7	3.33	7.9	1.89	13	7.9	2.22	5.2	1.56
Leukemias	27	16.1	3.36	12.2	2.43	10	6.2	2.00	4.3	1.46
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	6	3.9	1.73	2.6	1.11	-	-	-	-	-
Acute myeloid	7	3.5	1.35	3.0	1.15	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	6	4.1	1.79	2.6	1.07	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	23	18.2	4.16	9.5	2.03	30	16.7	3.10	11.1	2.29
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	12	7.3	2.21	6.1	1.77	21	12.6	2.80	8.0	1.94
Breast (*in situ*)	-	-	-	-	-	31	19.7	3.61	14.3	2.67

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	42	177.2	33.85	110.0	17.37	73	203.3	25.41	150.7	17.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	33.7	11.03	25.6	8.13	8	21.5	8.20	15.7	5.58
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	41.6	15.62	26.2	8.36	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	38.6	15.33	24.0	8.06	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	27	65.4	12.71	54.9	10.60
Female Genital System	-	-	-	-	-	11	37.5	12.53	21.5	6.50
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	6	23.1	10.33	12.1	4.97
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	11	35.2	11.00	27.0	8.20	-	-	-	-	-
Prostate	11	35.2	11.00	27.0	8.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	10	24.7	7.84	19.7	6.26
Thyroid gland	-	-	-	-	-	10	24.7	7.84	19.7	6.26
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Insufficient data for the calculation of AIAN CHSDA statistics

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	52	134.3	19.91	104.6	14.84	44	115.3	17.75	88.4	13.56
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	48.0	12.70	31.9	8.18	9	22.2	7.45	18.9	6.37
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	21.2	7.96	15.9	5.69	7	17.9	7.02	13.3	5.21
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	19.1	7.67	14.1	5.41	6	16.5	6.88	11.7	4.93
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	8	22.2	7.96	15.8	5.73
Female Genital System	-	-	-	-	-	10	28.1	9.01	20.3	6.48
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	15	38.4	10.14	33.3	8.75	-	-	-	-	-
Prostate	14	37.0	10.05	31.6	8.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	28,406	543.1	3.31	359.4	2.26	26,004	440.1	2.82	311.1	2.15
Oral Cavity & Pharynx	996	18.3	0.60	13.6	0.45	388	6.4	0.34	4.5	0.26
Lip	39	0.8	0.12	0.5	0.08	20	0.3	0.07	0.2	0.06
Tongue	286	5.2	0.31	4.0	0.24	96	1.6	0.17	1.1	0.13
Major salivary gland	79	1.6	0.19	0.9	0.11	48	0.8	0.12	0.6	0.09
Floor of mouth	78	1.4	0.16	1.1	0.12	29	0.4	0.08	0.3	0.06
Gum & other mouth	112	2.1	0.20	1.4	0.14	88	1.4	0.15	0.9	0.11
Nasopharynx	40	0.8	0.12	0.7	0.11	17	0.3	0.08	0.3	0.08
Oropharynx	46	0.8	0.12	0.6	0.09	16	0.3	0.07	0.2	0.05
Hypopharynx	63	1.2	0.15	0.8	0.11	18	0.3	0.07	0.2	0.05
Digestive System	5,338	102.3	1.44	65.8	0.94	4,189	67.4	1.07	42.8	0.74
Esophagus	541	9.9	0.44	6.7	0.30	96	1.5	0.16	1.0	0.11
Stomach	459	8.7	0.42	5.6	0.27	251	4.1	0.27	2.7	0.19
Small intestine	126	2.3	0.21	1.6	0.15	110	1.8	0.18	1.2	0.13
Colon excl. rectum	1,998	38.9	0.89	24.2	0.57	1,931	30.7	0.71	18.6	0.48
Rectum & rectosigmoid	856	16.4	0.58	10.9	0.39	634	10.7	0.44	7.3	0.32
Anus, anal canal & anorectum	62	1.2	0.16	0.8	0.11	144	2.4	0.21	1.8	0.16
Liver	409	7.6	0.39	5.3	0.28	145	2.3	0.20	1.6	0.15
Gallbladder	35	0.7	0.12	0.4	0.06	73	1.1	0.13	0.7	0.09
Pancreas	674	12.9	0.51	8.2	0.33	622	9.7	0.40	6.0	0.26
Respiratory System	6,041	113.7	1.50	72.7	0.97	4,503	71.8	1.09	48.2	0.78
Larynx	483	8.7	0.40	6.1	0.29	151	2.5	0.21	1.9	0.16
Lung & bronchus	5,485	103.6	1.43	65.4	0.91	4,295	68.4	1.06	45.6	0.75
Bones & Joints	52	1.1	0.16	1.1	0.16	29	0.6	0.12	0.5	0.11
Soft Tissue (incl. heart)	190	4.0	0.30	2.9	0.24	138	2.5	0.22	2.0	0.20
Skin (excl. basal & sq.)	1,427	28.5	0.78	18.6	0.53	1,022	19.9	0.65	15.3	0.54
Melanomas of the skin	1,344	26.8	0.75	17.7	0.52	963	18.8	0.63	14.6	0.52
Breast (excl. *in situ*)	82	1.6	0.18	1.0	0.12	6,547	111.5	1.43	80.6	1.07
Female Genital System	-	-	-	-	-	3,317	58.1	1.05	43.9	0.82
Cervix uteri	-	-	-	-	-	485	10.2	0.48	8.1	0.39
Uterus Corpus	-	-	-	-	-	1,756	29.4	0.73	22.7	0.57
Uterus, NOS[1]	-	-	-	-	-	52	0.9	0.13	0.7	0.11
Ovary	-	-	-	-	-	759	13.0	0.49	9.3	0.37
Male Genital System	6,525	119.4	1.52	82.3	1.06	-	-	-	-	-
Prostate	6,209	111.7	1.45	75.5	0.98	-	-	-	-	-
Testis	247	6.4	0.41	5.9	0.39	-	-	-	-	-
Penis	60	1.2	0.16	0.7	0.10	-	-	-	-	-
Urinary System	3,325	65.0	1.16	40.9	0.75	1,517	24.9	0.66	17.0	0.49
Bladder (incl. *in situ*)	2,035	40.2	0.91	23.5	0.54	699	11.1	0.43	6.9	0.30
Kidney & renal pelvis	1,210	23.2	0.69	16.6	0.51	783	13.2	0.49	9.7	0.39
Ureter	51	1.0	0.14	0.6	0.08	27	0.4	0.08	0.3	0.05
Eye & Orbit	37	0.7	0.12	0.4	0.08	48	0.8	0.13	0.7	0.12
Brain & Other Nervous System	375	7.6	0.41	6.5	0.39	317	6.1	0.36	5.1	0.34
Brain	359	7.3	0.40	6.2	0.37	298	5.7	0.34	4.7	0.32
Endocrine System	357	7.2	0.40	6.0	0.34	1,067	22.0	0.70	18.4	0.61
Thyroid gland	332	6.7	0.38	5.4	0.31	1,040	21.4	0.69	17.8	0.59
Lymphomas	1,278	25.5	0.73	17.7	0.54	1,111	18.7	0.58	13.1	0.45
Hodgkin Lymphoma	132	3.0	0.27	2.7	0.25	110	2.4	0.24	2.3	0.24
Non-Hodgkin Lymphoma	1,146	22.5	0.68	14.9	0.47	1,001	16.3	0.53	10.8	0.38
Multiple Myeloma	361	7.0	0.38	4.3	0.23	268	4.2	0.26	2.7	0.18
Leukemias	870	17.9	0.63	12.3	0.49	627	10.9	0.45	8.0	0.40
Acute lymphocytic	82	2.0	0.23	2.4	0.30	54	1.3	0.18	1.6	0.25
Chronic lymphocytic	319	6.3	0.36	3.8	0.22	206	3.2	0.23	2.0	0.15
Acute myeloid	245	5.1	0.33	3.3	0.23	204	3.6	0.26	2.6	0.21
Chronic myeloid	123	2.6	0.24	1.8	0.18	94	1.7	0.18	1.2	0.14
Other leukemias	101	2.0	0.21	1.2	0.13	69	1.1	0.13	0.7	0.10
Mesothelioma	118	2.3	0.22	1.3	0.12	20	0.3	0.08	0.2	0.05
Kaposi Sarcoma	10	0.2	0.07	0.2	0.05	6	0.1	0.03	0.0	0.01
Ill-defined & Unknown	1,024	20.6	0.66	12.0	0.40	890	13.9	0.48	8.2	0.31
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	297	6.2	0.37	4.5	0.29	647	11.2	0.46	8.3	0.37
Breast (*in situ*)	7	0.1	0.04	0.1	0.03	1,296	22.2	0.64	16.6	0.49

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
West Virginia, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	847	565.2	21.20	389.2	13.71	612	369.3	15.25	259.2	11.29
Oral Cavity & Pharynx	25	16.1	3.49	11.2	2.30	7	4.7	1.82	3.7	1.41
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	182	118.9	9.57	82.5	6.29	124	73.3	6.72	46.9	4.65
Esophagus	8	5.1	1.91	4.2	1.51	-	-	-	-	-
Stomach	18	11.9	3.05	7.8	1.89	12	7.3	2.13	3.8	1.26
Small intestine	8	5.9	2.27	3.7	1.34	-	-	-	-	-
Colon excl. rectum	71	46.9	6.07	31.6	3.85	49	28.7	4.20	17.5	2.77
Rectum & rectosigmoid	27	18.7	3.84	12.4	2.45	15	9.5	2.47	6.2	1.71
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	32	18.3	3.55	14.0	2.58	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	7.4	2.41	5.4	1.66	24	13.2	2.76	8.2	1.89
Respiratory System	149	107.9	9.61	69.9	5.86	85	49.3	5.42	33.2	3.88
Larynx	11	6.1	1.94	4.8	1.48	-	-	-	-	-
Lung & bronchus	135	99.5	9.30	63.7	5.61	81	47.1	5.31	31.7	3.80
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	10	6.6	2.28	4.4	1.41	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	186	115.5	8.68	85.4	6.59
Female Genital System	-	-	-	-	-	66	39.5	4.98	29.1	3.81
Cervix uteri	-	-	-	-	-	12	7.8	2.28	6.4	1.87
Uterus Corpus	-	-	-	-	-	36	21.2	3.63	15.9	2.82
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	14	8.1	2.22	5.4	1.58
Male Genital System	291	192.2	12.29	135.0	8.12	-	-	-	-	-
Prostate	291	192.2	12.29	135.0	8.12	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	60	39.2	5.54	26.5	3.48	33	20.8	3.67	13.3	2.50
Bladder (incl. *in situ*)	26	18.6	4.02	11.7	2.35	11	7.1	2.15	4.4	1.42
Kidney & renal pelvis	33	20.2	3.80	14.4	2.55	20	12.5	2.85	8.2	1.98
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	11	6.4	2.00	6.0	1.87	6	3.3	1.36	2.5	1.26
Brain	11	6.4	2.00	6.0	1.87	6	3.3	1.36	2.5	1.26
Endocrine System	10	5.0	1.64	4.1	1.31	19	11.7	2.73	8.8	2.13
Thyroid gland	9	4.5	1.57	3.7	1.26	19	11.7	2.73	8.8	2.13
Lymphomas	32	19.2	3.72	15.1	2.70	21	12.5	2.77	8.6	2.02
Hodgkin Lymphoma	6	2.5	1.03	2.9	1.18	-	-	-	-	-
Non-Hodgkin Lymphoma	26	16.7	3.58	12.2	2.43	-	-	-	-	-
Multiple Myeloma	18	12.8	3.37	8.0	1.91	13	8.0	2.24	5.3	1.57
Leukemias	27	16.3	3.41	12.4	2.48	10	6.3	2.02	4.3	1.48
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	6	4.0	1.75	2.7	1.12	-	-	-	-	-
Acute myeloid	7	3.6	1.37	3.1	1.18	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	6	4.2	1.81	2.6	1.09	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	23	18.5	4.22	9.6	2.06	30	16.9	3.13	11.3	2.32
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	12	7.4	2.23	6.1	1.78	21	12.7	2.83	8.1	1.97
Breast (*in situ*)	-	-	-	-	-	31	19.9	3.65	14.4	2.70

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	77,725	524.4	1.92	344.5	1.30	73,312	430.7	1.63	298.4	1.21
Oral Cavity & Pharynx	2,588	16.5	0.33	12.0	0.24	1,202	7.0	0.21	4.9	0.16
Lip	170	1.2	0.09	0.7	0.06	64	0.4	0.05	0.2	0.03
Tongue	800	5.0	0.18	3.8	0.14	341	2.0	0.11	1.4	0.08
Major salivary gland	207	1.5	0.10	0.9	0.07	172	1.0	0.08	0.8	0.07
Floor of mouth	173	1.1	0.08	0.8	0.06	85	0.5	0.05	0.4	0.04
Gum & other mouth	268	1.8	0.11	1.2	0.07	272	1.5	0.10	1.0	0.07
Nasopharynx	86	0.5	0.06	0.4	0.05	33	0.2	0.04	0.2	0.03
Oropharynx	130	0.8	0.07	0.6	0.05	49	0.3	0.04	0.2	0.03
Hypopharynx	216	1.3	0.09	1.0	0.07	46	0.3	0.04	0.2	0.03
Digestive System	14,072	95.7	0.82	59.9	0.53	11,642	65.1	0.62	39.8	0.41
Esophagus	1,389	9.2	0.25	6.0	0.17	379	2.1	0.11	1.3	0.07
Stomach	1,322	9.1	0.25	5.6	0.16	690	4.0	0.16	2.5	0.11
Small intestine	446	3.0	0.15	2.0	0.10	363	2.1	0.11	1.4	0.08
Colon excl. rectum	4,606	32.2	0.48	19.0	0.29	4,982	27.6	0.40	15.9	0.26
Rectum & rectosigmoid	2,081	13.9	0.31	9.3	0.21	1,408	8.1	0.22	5.5	0.16
Anus, anal canal & anorectum	172	1.2	0.09	0.8	0.06	325	1.9	0.11	1.4	0.08
Liver	1,241	7.9	0.23	5.5	0.16	462	2.6	0.12	1.7	0.09
Gallbladder	110	0.8	0.08	0.4	0.04	241	1.3	0.09	0.7	0.05
Pancreas	2,147	14.6	0.32	9.0	0.20	2,066	11.4	0.26	7.0	0.17
Respiratory System	11,514	78.8	0.75	48.2	0.47	9,761	56.1	0.58	36.0	0.39
Larynx	929	5.9	0.20	4.2	0.14	225	1.3	0.09	0.9	0.07
Lung & bronchus	10,430	71.8	0.72	43.3	0.44	9,456	54.4	0.57	34.8	0.39
Bones & Joints	155	1.1	0.09	0.9	0.08	120	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	571	3.9	0.17	2.9	0.13	478	3.0	0.14	2.3	0.12
Skin (excl. basal & sq.)	3,782	25.8	0.43	17.1	0.29	3,034	19.2	0.36	14.7	0.29
Melanomas of the skin	3,568	24.3	0.41	16.2	0.28	2,854	18.1	0.35	13.9	0.28
Breast (excl. *in situ*)	237	1.6	0.11	1.0	0.07	21,047	125.6	0.89	89.8	0.66
Female Genital System	-	-	-	-	-	8,690	50.9	0.56	37.6	0.43
Cervix uteri	-	-	-	-	-	891	6.0	0.21	4.8	0.17
Uterus Corpus	-	-	-	-	-	4,794	27.4	0.40	20.5	0.31
Uterus, NOS[1]	-	-	-	-	-	189	1.1	0.08	0.7	0.06
Ovary	-	-	-	-	-	2,102	12.4	0.28	8.8	0.21
Male Genital System	21,313	137.5	0.96	98.1	0.69	-	-	-	-	-
Prostate	20,243	129.6	0.93	91.1	0.66	-	-	-	-	-
Testis	922	6.8	0.23	6.3	0.21	-	-	-	-	-
Penis	115	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	9,210	63.8	0.68	38.6	0.42	3,927	22.4	0.37	14.7	0.26
Bladder (incl. *in situ*)	5,668	40.1	0.54	22.5	0.31	1,763	9.8	0.24	5.8	0.16
Kidney & renal pelvis	3,362	22.4	0.39	15.4	0.28	2,066	12.1	0.27	8.6	0.21
Ureter	124	0.9	0.08	0.5	0.05	82	0.5	0.05	0.3	0.03
Eye & Orbit	125	0.8	0.08	0.6	0.06	134	0.8	0.07	0.7	0.07
Brain & Other Nervous System	1,281	8.7	0.25	7.2	0.22	1,003	6.2	0.20	5.2	0.19
Brain	1,218	8.3	0.24	6.7	0.21	924	5.7	0.19	4.7	0.18
Endocrine System	1,050	7.1	0.22	5.8	0.19	2,809	19.0	0.37	15.8	0.31
Thyroid gland	931	6.3	0.21	5.0	0.17	2,700	18.3	0.36	15.2	0.31
Lymphomas	4,088	28.3	0.45	19.0	0.32	3,472	20.5	0.36	14.1	0.27
Hodgkin Lymphoma	481	3.4	0.16	3.0	0.14	431	3.0	0.15	2.7	0.14
Non-Hodgkin Lymphoma	3,607	24.9	0.42	16.0	0.28	3,041	17.5	0.33	11.4	0.23
Multiple Myeloma	1,215	8.3	0.24	5.1	0.15	959	5.4	0.18	3.4	0.12
Leukemias	3,101	21.7	0.40	14.5	0.29	2,150	12.7	0.28	9.5	0.25
Acute lymphocytic	257	1.9	0.12	2.3	0.15	210	1.5	0.11	1.9	0.15
Chronic lymphocytic	1,276	8.8	0.25	5.3	0.16	778	4.3	0.16	2.6	0.10
Acute myeloid	804	5.7	0.20	3.6	0.14	607	3.6	0.15	2.6	0.12
Chronic myeloid	389	2.8	0.14	1.7	0.09	312	1.8	0.11	1.3	0.08
Other leukemias	375	2.6	0.14	1.7	0.09	243	1.4	0.09	1.0	0.08
Mesothelioma	285	2.1	0.12	1.1	0.07	97	0.5	0.06	0.3	0.03
Kaposi Sarcoma	33	0.2	0.04	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	3,105	22.3	0.41	12.3	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,283	8.9	0.25	6.6	0.20	2,416	14.7	0.31	10.8	0.24
Breast (*in situ*)	28	0.2	0.04	0.1	0.02	5,345	32.4	0.45	24.5	0.35

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	71,839	511.5	1.94	336.0	1.32	67,758	424.3	1.68	294.5	1.26
Oral Cavity & Pharynx	2,389	16.2	0.34	11.7	0.25	1,115	6.9	0.21	4.8	0.16
Lip	164	1.2	0.10	0.7	0.06	62	0.4	0.05	0.2	0.03
Tongue	748	5.0	0.19	3.8	0.14	320	2.0	0.12	1.4	0.09
Major salivary gland	195	1.5	0.11	0.9	0.07	156	1.0	0.08	0.8	0.07
Floor of mouth	160	1.1	0.09	0.8	0.06	78	0.5	0.06	0.3	0.04
Gum & other mouth	245	1.7	0.11	1.1	0.08	258	1.5	0.10	1.0	0.07
Nasopharynx	73	0.5	0.06	0.4	0.05	22	0.2	0.03	0.1	0.03
Oropharynx	114	0.8	0.07	0.6	0.05	45	0.3	0.04	0.2	0.03
Hypopharynx	192	1.3	0.09	0.9	0.07	44	0.3	0.04	0.2	0.03
Digestive System	12,812	91.8	0.83	57.2	0.53	10,595	62.5	0.62	38.1	0.42
Esophagus	1,303	9.1	0.26	5.9	0.17	340	2.0	0.11	1.2	0.07
Stomach	1,182	8.6	0.25	5.2	0.16	579	3.5	0.15	2.2	0.10
Small intestine	410	2.9	0.15	1.9	0.10	321	1.9	0.11	1.3	0.08
Colon excl. rectum	4,243	31.2	0.49	18.3	0.30	4,618	26.9	0.41	15.3	0.26
Rectum & rectosigmoid	1,903	13.4	0.31	9.0	0.21	1,303	8.0	0.23	5.4	0.16
Anus, anal canal & anorectum	159	1.1	0.09	0.8	0.06	297	1.9	0.11	1.4	0.08
Liver	1,013	6.9	0.22	4.7	0.15	369	2.2	0.12	1.4	0.09
Gallbladder	98	0.7	0.07	0.4	0.04	223	1.3	0.09	0.7	0.06
Pancreas	1,978	14.1	0.32	8.7	0.20	1,868	10.9	0.26	6.7	0.17
Respiratory System	10,495	75.3	0.75	46.1	0.47	8,921	54.2	0.58	34.7	0.40
Larynx	866	5.8	0.20	4.1	0.14	194	1.2	0.09	0.9	0.06
Lung & bronchus	9,491	68.5	0.71	41.2	0.44	8,653	52.5	0.57	33.6	0.39
Bones & Joints	142	1.1	0.09	0.9	0.09	109	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	538	4.0	0.18	2.9	0.14	433	2.9	0.14	2.3	0.13
Skin (excl. basal & sq.)	3,560	25.8	0.44	17.1	0.30	2,792	19.2	0.38	14.7	0.31
Melanomas of the skin	3,353	24.2	0.43	16.2	0.29	2,620	18.1	0.37	14.0	0.30
Breast (excl. *in situ*)	216	1.5	0.11	1.0	0.07	19,714	125.5	0.92	89.8	0.68
Female Genital System	-	-	-	-	-	8,071	50.5	0.58	37.2	0.44
Cervix uteri	-	-	-	-	-	744	5.5	0.21	4.5	0.17
Uterus Corpus	-	-	-	-	-	4,510	27.4	0.42	20.5	0.32
Uterus, NOS[1]	-	-	-	-	-	159	1.0	0.08	0.7	0.06
Ovary	-	-	-	-	-	1,988	12.5	0.29	9.0	0.22
Male Genital System	19,623	133.9	0.97	95.5	0.71	-	-	-	-	-
Prostate	18,608	125.5	0.94	88.0	0.66	-	-	-	-	-
Testis	875	7.3	0.25	6.8	0.24	-	-	-	-	-
Penis	108	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	8,780	63.8	0.69	38.5	0.43	3,659	22.1	0.37	14.5	0.27
Bladder (incl. *in situ*)	5,493	40.6	0.56	22.8	0.32	1,699	9.9	0.25	5.9	0.16
Kidney & renal pelvis	3,121	22.0	0.40	15.1	0.28	1,872	11.7	0.28	8.3	0.22
Ureter	115	0.9	0.08	0.5	0.05	74	0.4	0.05	0.2	0.03
Eye & Orbit	122	0.9	0.08	0.7	0.07	127	0.8	0.08	0.7	0.07
Brain & Other Nervous System	1,195	8.8	0.26	7.3	0.23	930	6.3	0.21	5.2	0.20
Brain	1,139	8.4	0.25	6.8	0.22	860	5.8	0.20	4.8	0.19
Endocrine System	967	7.1	0.23	5.7	0.20	2,587	19.3	0.39	16.1	0.34
Thyroid gland	862	6.3	0.22	5.0	0.18	2,494	18.7	0.39	15.6	0.33
Lymphomas	3,832	28.1	0.46	18.8	0.33	3,266	20.5	0.37	14.2	0.29
Hodgkin Lymphoma	432	3.4	0.16	2.9	0.15	394	3.0	0.16	2.8	0.15
Non-Hodgkin Lymphoma	3,400	24.8	0.43	15.9	0.29	2,872	17.5	0.34	11.4	0.24
Multiple Myeloma	1,080	7.8	0.24	4.7	0.15	837	5.0	0.18	3.1	0.12
Leukemias	2,894	21.5	0.41	14.4	0.30	1,977	12.6	0.29	9.4	0.26
Acute lymphocytic	227	1.9	0.13	2.3	0.17	191	1.6	0.12	2.0	0.16
Chronic lymphocytic	1,220	8.8	0.26	5.4	0.16	739	4.3	0.16	2.6	0.11
Acute myeloid	739	5.5	0.21	3.5	0.14	551	3.5	0.15	2.5	0.13
Chronic myeloid	361	2.7	0.15	1.6	0.09	287	1.8	0.11	1.3	0.08
Other leukemias	347	2.6	0.14	1.6	0.10	209	1.3	0.10	1.0	0.08
Mesothelioma	275	2.1	0.13	1.1	0.07	92	0.5	0.06	0.3	0.04
Kaposi Sarcoma	24	0.2	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	2,895	21.7	0.41	12.0	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,194	8.9	0.26	6.6	0.21	2,225	14.5	0.32	10.7	0.25
Breast (*in situ*)	25	0.2	0.04	0.1	0.03	4,957	32.2	0.47	24.4	0.36

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,631	673.1	12.60	464.5	7.94	3,147	453.1	8.46	317.0	5.77
Oral Cavity & Pharynx	109	17.4	1.82	13.1	1.29	46	5.8	0.88	4.7	0.70
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	24	3.9	0.89	2.8	0.58	12	1.4	0.42	1.2	0.35
Major salivary gland	8	1.4	0.54	1.0	0.36	6	0.7	0.30	0.6	0.24
Floor of mouth	11	2.0	0.66	1.5	0.45	-	-	-	-	-
Gum & other mouth	12	1.7	0.50	1.4	0.42	8	1.1	0.40	0.8	0.28
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	15	2.6	0.74	2.0	0.52	-	-	-	-	-
Digestive System	801	150.7	6.00	102.2	3.72	595	89.5	3.84	59.7	2.51
Esophagus	56	10.0	1.45	7.2	0.99	26	3.5	0.73	2.5	0.49
Stomach	87	17.1	2.02	11.4	1.25	69	11.5	1.44	6.8	0.85
Small intestine	33	6.7	1.33	4.1	0.74	34	4.9	0.87	3.5	0.62
Colon excl. rectum	251	51.2	3.66	32.8	2.13	233	35.2	2.41	23.6	1.59
Rectum & rectosigmoid	95	16.7	1.91	11.6	1.22	60	8.4	1.14	5.6	0.74
Anus, anal canal & anorectum	11	1.6	0.53	1.1	0.33	12	1.4	0.40	1.2	0.36
Liver	154	23.0	1.96	19.1	1.58	39	5.6	0.94	3.8	0.63
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	94	20.5	2.42	12.4	1.32	98	15.4	1.62	10.1	1.04
Respiratory System	657	136.4	5.97	87.3	3.50	505	77.3	3.58	52.5	2.39
Larynx	50	9.2	1.44	6.4	0.93	26	3.4	0.69	2.7	0.55
Lung & bronchus	597	125.4	5.75	79.8	3.35	478	73.7	3.51	49.7	2.33
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	24	3.1	0.69	2.7	0.56	32	4.6	0.86	3.0	0.54
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	11	2.8	0.95	1.5	0.46	7	0.8	0.31	0.7	0.25
Breast (excl. *in situ*)	14	2.0	0.55	1.6	0.45	893	124.0	4.31	89.6	3.05
Female Genital System	-	-	-	-	-	350	47.3	2.64	35.9	1.96
Cervix uteri	-	-	-	-	-	88	11.0	1.21	8.8	0.95
Uterus Corpus	-	-	-	-	-	158	22.3	1.84	16.8	1.37
Uterus, NOS[1]	-	-	-	-	-	20	3.1	0.72	1.9	0.44
Ovary	-	-	-	-	-	57	7.4	1.03	5.6	0.76
Male Genital System	1,229	217.3	6.92	159.1	4.67	-	-	-	-	-
Prostate	1,208	214.5	6.88	156.8	4.64	-	-	-	-	-
Testis	15	1.6	0.42	1.5	0.38	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	259	49.3	3.47	32.7	2.09	166	25.1	2.04	16.6	1.32
Bladder (incl. *in situ*)	93	22.0	2.56	12.5	1.32	34	5.5	1.00	3.4	0.60
Kidney & renal pelvis	157	25.4	2.25	18.9	1.56	126	18.4	1.72	12.6	1.14
Ureter	6	1.3	0.58	0.9	0.38	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	36	4.2	0.76	3.9	0.67	27	3.4	0.71	2.6	0.52
Brain	34	4.0	0.75	3.7	0.65	23	2.7	0.62	2.3	0.49
Endocrine System	35	5.1	0.92	4.0	0.69	113	14.0	1.38	10.9	1.04
Thyroid gland	28	4.1	0.84	3.2	0.62	102	12.4	1.28	9.9	1.00
Lymphomas	137	21.8	2.11	15.9	1.41	114	16.0	1.59	11.2	1.07
Hodgkin Lymphoma	35	3.8	0.66	3.6	0.61	24	2.7	0.58	2.3	0.48
Non-Hodgkin Lymphoma	102	18.0	2.01	12.4	1.27	90	13.3	1.48	8.9	0.96
Multiple Myeloma	101	20.3	2.31	13.2	1.34	92	15.3	1.66	9.1	0.98
Leukemias	103	18.3	2.10	12.5	1.27	87	12.6	1.45	8.7	0.96
Acute lymphocytic	14	1.2	0.34	1.5	0.39	10	1.0	0.35	1.1	0.35
Chronic lymphocytic	34	8.0	1.53	4.8	0.84	24	4.2	0.89	2.6	0.54
Acute myeloid	25	3.9	0.93	2.8	0.57	19	2.6	0.65	1.8	0.41
Chronic myeloid	17	3.1	0.83	2.1	0.52	18	2.6	0.65	1.7	0.41
Other leukemias	13	2.1	0.65	1.4	0.40	16	2.2	0.58	1.6	0.40
Mesothelioma	7	1.4	0.58	1.0	0.37	-	-	-	-	-
Kaposi Sarcoma	6	0.9	0.39	0.6	0.27	-	-	-	-	-
Ill-defined & Unknown	93	20.7	2.42	12.2	1.30	106	15.8	1.62	10.2	1.01
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	49	7.8	1.28	5.6	0.82	103	14.1	1.46	10.3	1.03
Breast (*in situ*)	-	-	-	-	-	278	38.7	2.42	28.3	1.73

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	434	295.5	16.60	180.6	8.98	616	296.2	12.94	198.5	8.24
Oral Cavity & Pharynx	20	9.0	2.08	7.5	1.73	16	7.1	1.93	5.1	1.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	2.8	1.17	2.4	0.98	-	-	-	-	-
Major salivary gland	-	-	-	-	-	6	2.6	1.12	1.8	0.76
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	8	3.6	1.31	3.0	1.08	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	126	86.9	8.94	53.1	4.87	128	72.8	6.81	42.6	3.87
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	28	22.6	4.83	12.8	2.48	22	13.9	3.13	6.7	1.48
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	16	11.8	3.36	6.8	1.74	33	20.4	3.73	10.4	1.86
Rectum & rectosigmoid	28	18.7	4.14	11.3	2.23	16	8.1	2.13	5.9	1.52
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	30	16.4	3.41	12.1	2.26	19	9.9	2.41	6.4	1.51
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	8.7	2.90	4.8	1.49	18	10.1	2.52	6.1	1.46
Respiratory System	51	43.7	6.91	21.7	3.14	57	33.2	4.65	19.9	2.71
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	43	39.2	6.64	18.9	2.96	54	31.7	4.57	18.6	2.61
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	173	82.2	6.64	57.2	4.46
Female Genital System	-	-	-	-	-	82	33.5	3.94	25.3	2.88
Cervix uteri	-	-	-	-	-	22	9.0	2.10	6.3	1.41
Uterus Corpus	-	-	-	-	-	45	18.3	2.90	13.9	2.13
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	4.0	1.28	3.3	1.07
Male Genital System	73	52.4	6.96	33.9	4.06	-	-	-	-	-
Prostate	66	50.6	6.92	32.2	4.01	-	-	-	-	-
Testis	7	1.8	0.75	1.7	0.67	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	22.2	4.70	12.7	2.47	21	12.0	2.81	6.5	1.46
Bladder (incl. *in situ*)	17	14.5	3.89	7.9	1.94	9	5.5	1.93	2.8	0.97
Kidney & renal pelvis	10	7.8	2.64	4.8	1.54	11	5.9	1.97	3.2	0.99
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	14	6.3	2.10	5.1	1.43	8	3.1	1.28	2.4	0.87
Brain	12	5.7	2.05	4.5	1.37	7	2.6	1.18	1.9	0.74
Endocrine System	25	9.0	2.10	7.7	1.63	55	20.3	2.95	16.6	2.34
Thyroid gland	22	7.8	1.97	6.5	1.45	54	19.6	2.87	16.2	2.30
Lymphomas	36	22.8	4.51	14.7	2.55	29	12.5	2.62	8.5	1.64
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	6	3.7	1.56	2.2	0.90
Leukemias	25	15.9	4.09	9.1	1.89	21	5.8	1.41	6.8	1.52
Acute lymphocytic	8	1.9	0.72	2.6	0.95	6	1.2	0.49	2.0	0.82
Chronic lymphocytic	6	5.1	2.32	2.5	1.02	-	-	-	-	-
Acute myeloid	-	-	-	-	-	13	3.5	1.04	4.0	1.16
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	20	14.5	3.84	8.5	1.97	12	7.1	2.24	3.4	1.00
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	14	5.0	1.45	4.6	1.32	29	13.9	2.78	9.4	1.79
Breast (*in situ*)	-	-	-	-	-	48	20.7	3.08	16.5	2.42

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	395	677.8	40.82	428.8	21.99	429	546.6	28.00	383.3	18.71
Oral Cavity & Pharynx	26	37.0	8.65	26.0	5.16	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	10.3	3.79	8.0	2.86	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	7	11.1	5.26	7.4	2.83	-	-	-	-	-
Digestive System	92	159.8	19.85	97.8	10.42	67	91.0	11.96	56.1	6.93
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	13.7	4.21	11.6	3.53	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	29	56.0	12.65	31.1	5.93	20	28.1	6.78	16.7	3.77
Rectum & rectosigmoid	22	35.4	8.42	22.5	4.86	9	9.0	3.00	7.6	2.53
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	9	12.7	4.38	9.5	3.21	13	21.5	6.37	10.2	2.88
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	23.8	8.30	12.1	3.68	-	-	-	-	-
Respiratory System	81	165.1	21.46	93.7	10.60	89	124.6	14.05	79.9	8.59
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	75	155.9	21.05	86.7	10.21	86	122.1	13.97	77.4	8.46
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	7	9.0	3.66	6.4	2.41
Melanomas of the skin	-	-	-	-	-	7	9.0	3.66	6.4	2.41
Breast (excl. *in situ*)	-	-	-	-	-	100	117.3	12.12	89.7	9.05
Female Genital System	-	-	-	-	-	55	61.6	8.60	48.4	6.58
Cervix uteri	-	-	-	-	-	15	16.5	4.39	12.7	3.29
Uterus Corpus	-	-	-	-	-	23	24.7	5.23	20.8	4.38
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	16.1	4.71	11.4	3.18
Male Genital System	89	149.5	19.60	98.8	10.74	-	-	-	-	-
Prostate	79	139.0	19.31	90.2	10.38	-	-	-	-	-
Testis	10	10.6	3.37	8.6	2.73	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	37	56.1	9.97	39.2	6.52	33	40.9	7.36	31.5	5.53
Bladder (incl. *in situ*)	9	14.6	5.22	10.3	3.43	-	-	-	-	-
Kidney & renal pelvis	27	39.6	8.27	27.8	5.41	26	31.6	6.39	24.6	4.86
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	8	7.3	2.64	8.0	2.85
Brain	-	-	-	-	-	8	7.3	2.64	8.0	2.85
Endocrine System	6	6.8	2.94	5.7	2.35	13	13.0	3.65	12.1	3.37
Thyroid gland	6	6.8	2.94	5.7	2.35	12	11.8	3.45	11.2	3.25
Lymphomas	19	33.7	9.46	20.4	4.72	17	23.7	6.14	15.8	3.89
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	16.5	6.44	10.5	3.37	14	18.9	5.42	12.9	3.48
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	9	13.8	4.90	8.2	2.75
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	14	23.2	7.37	14.8	3.99	16	26.3	6.88	14.0	3.57
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	7	11.6	6.76	7.6	3.07	20	23.8	5.41	18.5	4.16
Breast (*in situ*)	-	-	-	-	-	22	26.2	5.75	20.2	4.34

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	1,201	417.9	14.56	266.7	8.32	1,290	353.3	11.21	241.8	7.20
Oral Cavity & Pharynx	37	12.8	2.45	8.8	1.54	13	4.5	1.39	2.5	0.73
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	2.5	1.06	1.7	0.67	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	284	106.8	7.48	66.7	4.22	206	68.0	5.25	41.4	3.05
Esophagus	17	7.5	2.16	4.1	1.04	-	-	-	-	-
Stomach	39	18.7	3.45	9.7	1.64	26	6.1	1.36	4.5	0.97
Small intestine	7	2.6	1.24	1.5	0.64	6	2.5	1.09	1.2	0.51
Colon excl. rectum	58	21.8	3.32	13.9	1.94	76	27.6	3.43	16.3	1.97
Rectum & rectosigmoid	43	13.9	2.55	9.3	1.54	32	8.5	1.70	5.7	1.06
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	70	22.0	3.08	16.0	2.01	20	8.1	1.91	4.5	1.05
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	36	15.1	2.90	8.9	1.59	21	7.8	1.86	4.4	0.99
Respiratory System	111	49.0	5.33	26.5	2.65	105	37.5	3.93	24.4	2.48
Larynx	14	3.8	1.17	2.8	0.79	7	2.6	1.08	1.4	0.57
Lung & bronchus	92	43.7	5.13	22.7	2.48	97	34.8	3.78	22.8	2.41
Bones & Joints	9	0.7	0.25	1.0	0.32	6	0.7	0.30	0.8	0.32
Soft Tissue (incl. heart)	14	2.2	0.77	1.9	0.59	10	1.6	0.64	1.5	0.52
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	14	4.8	1.64	2.7	0.81	27	6.2	1.45	4.1	0.85
Breast (excl. *in situ*)	-	-	-	-	-	343	91.5	5.50	65.4	3.76
Female Genital System	-	-	-	-	-	198	47.7	3.75	36.8	2.79
Cervix uteri	-	-	-	-	-	42	8.0	1.37	6.5	1.10
Uterus Corpus	-	-	-	-	-	93	23.2	2.58	18.8	2.06
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	55	13.8	2.10	9.9	1.42
Male Genital System	326	110.8	7.17	77.6	4.60	-	-	-	-	-
Prostate	280	104.4	7.06	72.0	4.50	-	-	-	-	-
Testis	40	4.7	0.98	4.3	0.72	-	-	-	-	-
Penis	6	1.7	0.78	1.3	0.59	-	-	-	-	-
Urinary System	106	36.8	4.28	23.1	2.40	56	18.3	2.72	11.7	1.65
Bladder (incl. *in situ*)	50	19.8	3.30	11.2	1.70	13	5.8	1.67	3.1	0.89
Kidney & renal pelvis	56	17.1	2.72	11.8	1.70	43	12.5	2.14	8.6	1.39
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	30	6.6	1.50	5.1	1.04	23	3.9	1.00	3.3	0.73
Brain	29	6.5	1.50	5.0	1.03	20	3.5	0.97	2.9	0.69
Endocrine System	21	3.9	0.97	3.6	0.87	114	19.9	2.15	16.3	1.64
Thyroid gland	20	3.9	0.97	3.5	0.87	111	19.2	2.08	15.8	1.63
Lymphomas	88	26.2	3.56	17.0	2.02	65	16.5	2.39	11.7	1.55
Hodgkin Lymphoma	16	2.0	0.54	1.9	0.49	11	1.4	0.50	1.5	0.49
Non-Hodgkin Lymphoma	72	24.2	3.52	15.1	1.96	54	15.1	2.34	10.2	1.47
Multiple Myeloma	25	10.8	2.50	5.2	1.10	20	6.9	1.68	3.9	0.91
Leukemias	70	19.3	3.19	12.9	1.76	60	14.3	2.29	9.7	1.36
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	11	4.8	1.61	2.9	0.93	12	4.8	1.48	2.5	0.75
Acute myeloid	26	7.9	2.07	5.2	1.14	15	3.7	1.19	2.4	0.68
Chronic myeloid	8	3.1	1.39	1.7	0.65	10	2.2	0.84	1.5	0.50
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	50	22.8	3.76	12.0	1.79	36	14.2	2.54	7.2	1.25
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	28	6.1	1.58	4.1	0.87	50	13.8	2.28	8.8	1.35
Breast (*in situ*)	-	-	-	-	-	83	21.2	2.56	15.7	1.83

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	70,824	515.0	1.97	338.9	1.35	66,633	426.8	1.71	296.6	1.29
Oral Cavity & Pharynx	2,358	16.4	0.34	11.9	0.25	1,103	7.0	0.22	4.9	0.17
Lip	163	1.2	0.10	0.7	0.06	61	0.4	0.05	0.2	0.03
Tongue	742	5.1	0.19	3.9	0.15	316	2.0	0.12	1.5	0.09
Major salivary gland	193	1.5	0.11	0.9	0.07	156	1.0	0.09	0.8	0.07
Floor of mouth	155	1.1	0.09	0.8	0.07	78	0.5	0.06	0.4	0.04
Gum & other mouth	240	1.7	0.11	1.1	0.08	254	1.5	0.10	1.0	0.07
Nasopharynx	71	0.5	0.06	0.4	0.05	21	0.2	0.04	0.1	0.03
Oropharynx	112	0.8	0.07	0.6	0.06	45	0.3	0.04	0.2	0.03
Hypopharynx	190	1.3	0.09	0.9	0.07	44	0.3	0.04	0.2	0.03
Digestive System	12,566	91.9	0.83	57.3	0.54	10,420	62.5	0.63	38.1	0.43
Esophagus	1,288	9.2	0.26	6.0	0.17	338	2.0	0.11	1.2	0.07
Stomach	1,147	8.5	0.25	5.1	0.16	557	3.4	0.15	2.1	0.10
Small intestine	404	2.9	0.15	1.9	0.10	315	2.0	0.11	1.4	0.08
Colon excl. rectum	4,193	31.5	0.49	18.5	0.30	4,551	26.9	0.41	15.4	0.26
Rectum & rectosigmoid	1,864	13.4	0.32	9.0	0.22	1,278	8.0	0.23	5.4	0.17
Anus, anal canal & anorectum	158	1.1	0.09	0.8	0.06	292	1.9	0.11	1.4	0.09
Liver	953	6.6	0.22	4.5	0.15	352	2.2	0.12	1.4	0.09
Gallbladder	98	0.7	0.08	0.4	0.04	219	1.3	0.09	0.7	0.05
Pancreas	1,945	14.1	0.33	8.7	0.21	1,852	11.0	0.26	6.7	0.18
Respiratory System	10,400	75.9	0.76	46.5	0.48	8,829	54.5	0.59	34.9	0.40
Larynx	853	5.9	0.20	4.1	0.15	188	1.2	0.09	0.8	0.07
Lung & bronchus	9,413	69.0	0.72	41.6	0.45	8,567	52.9	0.58	33.8	0.40
Bones & Joints	135	1.1	0.10	0.9	0.09	104	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	524	4.0	0.18	2.9	0.15	424	2.9	0.15	2.3	0.13
Skin (excl. basal & sq.)	3,545	26.3	0.45	17.5	0.31	2,763	19.7	0.39	15.2	0.32
Melanomas of the skin	3,341	24.7	0.44	16.6	0.30	2,596	18.6	0.38	14.4	0.31
Breast (excl. *in situ*)	214	1.6	0.11	1.0	0.07	19,415	126.5	0.93	90.6	0.70
Female Genital System	-	-	-	-	-	7,903	50.5	0.59	37.3	0.45
Cervix uteri	-	-	-	-	-	709	5.5	0.21	4.4	0.18
Uterus Corpus	-	-	-	-	-	4,432	27.5	0.42	20.6	0.33
Uterus, NOS[1]	-	-	-	-	-	159	1.0	0.08	0.7	0.06
Ovary	-	-	-	-	-	1,939	12.5	0.29	8.9	0.22
Male Genital System	19,366	134.8	0.99	96.3	0.72	-	-	-	-	-
Prostate	18,387	126.2	0.95	88.6	0.67	-	-	-	-	-
Testis	844	7.6	0.27	7.1	0.25	-	-	-	-	-
Penis	103	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	8,693	64.4	0.70	38.9	0.44	3,611	22.2	0.38	14.7	0.28
Bladder (incl. *in situ*)	5,451	40.9	0.56	23.0	0.33	1,687	10.0	0.25	6.0	0.17
Kidney & renal pelvis	3,076	22.2	0.41	15.3	0.29	1,836	11.7	0.28	8.4	0.22
Ureter	115	0.9	0.08	0.5	0.05	74	0.4	0.05	0.2	0.03
Eye & Orbit	118	0.9	0.08	0.7	0.07	126	0.8	0.08	0.7	0.07
Brain & Other Nervous System	1,169	9.0	0.27	7.5	0.25	909	6.4	0.22	5.3	0.21
Brain	1,114	8.5	0.26	7.0	0.24	842	5.9	0.21	4.9	0.20
Endocrine System	947	7.3	0.24	5.9	0.20	2,486	19.4	0.40	16.2	0.35
Thyroid gland	843	6.5	0.23	5.2	0.19	2,396	18.8	0.40	15.6	0.34
Lymphomas	3,756	28.3	0.47	19.0	0.34	3,211	20.7	0.38	14.3	0.29
Hodgkin Lymphoma	420	3.5	0.17	3.0	0.16	385	3.1	0.16	2.8	0.16
Non-Hodgkin Lymphoma	3,336	24.9	0.44	16.0	0.30	2,826	17.6	0.34	11.5	0.25
Multiple Myeloma	1,055	7.7	0.24	4.7	0.15	820	4.9	0.18	3.1	0.12
Leukemias	2,834	21.5	0.41	14.5	0.31	1,920	12.5	0.30	9.4	0.27
Acute lymphocytic	210	1.9	0.13	2.3	0.18	174	1.6	0.13	2.0	0.17
Chronic lymphocytic	1,211	8.9	0.26	5.4	0.16	728	4.3	0.16	2.6	0.11
Acute myeloid	715	5.5	0.21	3.4	0.14	537	3.5	0.16	2.5	0.13
Chronic myeloid	354	2.7	0.15	1.7	0.10	277	1.8	0.11	1.2	0.09
Other leukemias	344	2.6	0.14	1.7	0.10	204	1.3	0.10	1.0	0.09
Mesothelioma	271	2.1	0.13	1.1	0.07	90	0.5	0.06	0.3	0.04
Kaposi Sarcoma	22	0.2	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	2,851	21.8	0.41	12.1	0.25	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	1,171	9.0	0.27	6.7	0.22	2,182	14.7	0.33	10.8	0.26
Breast (*in situ*)	24	0.2	0.04	0.1	0.03	4,884	32.5	0.48	24.6	0.37

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wisconsin, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	3,616	684.9	12.84	472.4	8.08	3,126	458.7	8.58	321.4	5.87
Oral Cavity & Pharynx	108	17.6	1.85	13.2	1.30	46	5.9	0.90	4.8	0.72
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	24	4.0	0.91	2.8	0.59	12	1.5	0.42	1.2	0.36
Major salivary gland	8	1.4	0.55	1.0	0.37	6	0.8	0.31	0.6	0.25
Floor of mouth	11	2.1	0.68	1.5	0.46	-	-	-	-	-
Gum & other mouth	12	1.7	0.51	1.4	0.43	8	1.1	0.41	0.8	0.29
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	15	2.7	0.76	2.0	0.53	-	-	-	-	-
Digestive System	797	153.3	6.11	103.8	3.78	591	90.4	3.88	60.4	2.54
Esophagus	56	10.2	1.48	7.4	1.01	25	3.4	0.73	2.4	0.48
Stomach	87	17.4	2.06	11.6	1.28	69	11.7	1.46	6.9	0.86
Small intestine	33	6.8	1.35	4.2	0.75	34	5.0	0.89	3.6	0.63
Colon excl. rectum	251	52.3	3.73	33.5	2.18	231	35.5	2.43	23.9	1.61
Rectum & rectosigmoid	95	17.1	1.95	11.8	1.25	60	8.6	1.16	5.8	0.76
Anus, anal canal & anorectum	10	1.5	0.53	1.0	0.33	12	1.4	0.40	1.3	0.37
Liver	153	23.3	2.00	19.3	1.61	38	5.5	0.93	3.8	0.63
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	94	20.9	2.47	12.7	1.34	98	15.6	1.65	10.2	1.06
Respiratory System	656	139.1	6.09	88.9	3.56	499	77.5	3.61	52.7	2.41
Larynx	50	9.4	1.46	6.5	0.94	25	3.3	0.68	2.7	0.54
Lung & bronchus	596	127.8	5.86	81.2	3.42	473	74.1	3.55	49.9	2.35
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	24	3.2	0.71	2.8	0.57	31	4.6	0.87	3.0	0.54
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	11	2.9	0.97	1.5	0.47	7	0.8	0.32	0.7	0.25
Breast (excl. *in situ*)	14	2.0	0.56	1.7	0.46	888	126.0	4.39	91.1	3.11
Female Genital System	-	-	-	-	-	347	48.0	2.68	36.4	1.99
Cervix uteri	-	-	-	-	-	88	11.3	1.24	9.1	0.98
Uterus Corpus	-	-	-	-	-	156	22.4	1.86	16.9	1.38
Uterus, NOS[1]	-	-	-	-	-	20	3.1	0.73	2.0	0.45
Ovary	-	-	-	-	-	57	7.5	1.05	5.8	0.78
Male Genital System	1,224	220.7	7.04	161.5	4.75	-	-	-	-	-
Prostate	1,203	217.8	7.00	159.2	4.72	-	-	-	-	-
Testis	15	1.6	0.43	1.5	0.39	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	257	50.1	3.54	33.2	2.13	166	25.5	2.08	16.9	1.34
Bladder (incl. *in situ*)	92	22.3	2.60	12.5	1.34	34	5.6	1.01	3.4	0.61
Kidney & renal pelvis	156	25.9	2.30	19.3	1.59	126	18.8	1.75	12.9	1.17
Ureter	6	1.3	0.59	0.9	0.38	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	36	4.3	0.78	4.1	0.69	27	3.5	0.72	2.7	0.53
Brain	34	4.1	0.77	3.9	0.67	23	2.8	0.63	2.4	0.50
Endocrine System	35	5.2	0.94	4.1	0.71	113	14.4	1.41	11.3	1.07
Thyroid gland	28	4.2	0.86	3.3	0.64	102	12.8	1.31	10.2	1.03
Lymphomas	135	22.2	2.16	16.2	1.44	113	16.2	1.61	11.4	1.09
Hodgkin Lymphoma	34	3.8	0.68	3.6	0.63	23	2.6	0.57	2.3	0.48
Non-Hodgkin Lymphoma	101	18.3	2.05	12.6	1.29	90	13.6	1.50	9.1	0.98
Multiple Myeloma	101	20.7	2.35	13.4	1.37	91	15.3	1.66	9.2	0.99
Leukemias	103	18.8	2.15	12.9	1.30	87	12.8	1.47	9.0	0.98
Acute lymphocytic	14	1.3	0.36	1.5	0.41	10	1.0	0.36	1.2	0.37
Chronic lymphocytic	34	8.2	1.56	4.9	0.85	24	4.3	0.90	2.6	0.55
Acute myeloid	25	4.0	0.95	2.9	0.59	19	2.6	0.66	1.8	0.43
Chronic myeloid	17	3.2	0.85	2.1	0.53	18	2.7	0.66	1.8	0.42
Other leukemias	13	2.1	0.67	1.5	0.41	16	2.2	0.59	1.6	0.41
Mesothelioma	7	1.4	0.59	1.0	0.37	-	-	-	-	-
Kaposi Sarcoma	6	0.9	0.40	0.7	0.28	-	-	-	-	-
Ill-defined & Unknown	93	21.2	2.47	12.5	1.33	106	16.1	1.64	10.4	1.03
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	49	8.0	1.31	5.7	0.84	102	14.2	1.47	10.4	1.05
Breast (*in situ*)	-	-	-	-	-	274	39.0	2.45	28.5	1.75

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	6,939	472.4	5.88	311.7	3.88	5,966	387.6	5.14	270.5	3.74
Oral Cavity & Pharynx	250	16.1	1.06	11.4	0.74	93	5.9	0.63	4.3	0.47
Lip	22	1.6	0.35	1.0	0.22	12	0.7	0.21	0.6	0.18
Tongue	77	4.8	0.56	3.5	0.40	27	1.7	0.33	1.3	0.26
Major salivary gland	20	1.6	0.38	0.9	0.20	11	0.7	0.21	0.5	0.18
Floor of mouth	8	0.5	0.18	0.3	0.12	7	0.4	0.16	0.3	0.11
Gum & other mouth	31	2.1	0.39	1.4	0.28	17	1.2	0.29	0.7	0.19
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	8	0.6	0.21	0.4	0.14	-	-	-	-	-
Hypopharynx	15	0.9	0.25	0.7	0.17	-	-	-	-	-
Digestive System	1,211	82.7	2.47	53.0	1.57	871	55.7	1.92	35.1	1.28
Esophagus	117	7.6	0.73	5.2	0.49	28	1.8	0.35	1.1	0.23
Stomach	108	7.6	0.75	4.6	0.46	38	2.5	0.41	1.5	0.28
Small intestine	38	2.6	0.43	1.7	0.28	25	1.5	0.31	1.1	0.23
Colon excl. rectum	429	31.0	1.55	18.5	0.92	381	24.7	1.29	14.9	0.82
Rectum & rectosigmoid	217	13.9	0.98	9.9	0.69	137	8.6	0.75	6.1	0.54
Anus, anal canal & anorectum	10	0.6	0.19	0.4	0.14	25	1.5	0.31	1.1	0.23
Liver	108	6.8	0.68	4.6	0.46	37	2.4	0.40	1.6	0.29
Gallbladder	7	0.5	0.18	0.3	0.12	14	0.9	0.26	0.6	0.18
Pancreas	137	9.5	0.84	5.9	0.52	137	8.6	0.75	5.0	0.46
Respiratory System	885	61.9	2.15	37.6	1.30	748	48.2	1.79	30.1	1.17
Larynx	75	4.9	0.58	3.4	0.41	24	1.5	0.31	1.0	0.22
Lung & bronchus	791	55.7	2.05	33.1	1.21	710	45.8	1.75	28.4	1.13
Bones & Joints	16	1.1	0.29	1.0	0.27	15	1.1	0.29	0.9	0.24
Soft Tissue (incl. heart)	70	4.8	0.59	3.7	0.48	37	2.3	0.39	1.8	0.33
Skin (excl. basal & sq.)	410	29.3	1.50	19.2	0.99	303	20.5	1.21	15.2	0.93
Melanomas of the skin	381	26.8	1.42	18.1	0.97	293	19.9	1.19	14.7	0.92
Breast (excl. *in situ*)	26	1.7	0.34	1.2	0.23	1,735	111.2	2.74	79.9	2.01
Female Genital System	-	-	-	-	-	717	46.6	1.79	34.7	1.36
Cervix uteri	-	-	-	-	-	115	8.4	0.81	6.8	0.66
Uterus Corpus	-	-	-	-	-	339	21.0	1.17	15.6	0.88
Uterus, NOS[1]	-	-	-	-	-	10	0.6	0.20	0.4	0.14
Ovary	-	-	-	-	-	193	12.8	0.94	9.0	0.68
Male Genital System	2,086	134.1	3.04	94.3	2.11	-	-	-	-	-
Prostate	1,986	127.1	2.96	88.0	2.01	-	-	-	-	-
Testis	86	6.2	0.68	5.6	0.61	-	-	-	-	-
Penis	9	0.6	0.20	0.4	0.14	-	-	-	-	-
Urinary System	811	57.6	2.09	35.3	1.28	335	21.7	1.21	14.1	0.83
Bladder (incl. *in situ*)	511	37.1	1.70	21.4	0.97	181	11.8	0.89	7.0	0.56
Kidney & renal pelvis	286	19.5	1.19	13.3	0.82	144	9.3	0.79	6.7	0.59
Ureter	11	0.8	0.26	0.4	0.14	9	0.6	0.19	0.3	0.12
Eye & Orbit	23	1.5	0.32	1.1	0.24	10	0.6	0.20	0.5	0.21
Brain & Other Nervous System	121	8.2	0.77	6.9	0.68	95	6.6	0.69	5.3	0.59
Brain	115	7.9	0.75	6.6	0.67	88	6.1	0.67	4.8	0.55
Endocrine System	105	6.9	0.70	5.3	0.53	280	20.1	1.24	16.7	1.04
Thyroid gland	94	6.2	0.66	4.7	0.50	275	19.8	1.23	16.4	1.03
Lymphomas	301	21.6	1.28	13.9	0.84	244	16.0	1.05	11.5	0.79
Hodgkin Lymphoma	40	2.7	0.44	2.3	0.39	29	2.2	0.41	1.9	0.38
Non-Hodgkin Lymphoma	261	18.8	1.20	11.6	0.75	215	13.8	0.96	9.6	0.70
Multiple Myeloma	92	6.7	0.71	3.8	0.41	66	4.1	0.51	2.7	0.35
Leukemias	239	16.5	1.11	11.6	0.81	150	9.9	0.83	7.6	0.69
Acute lymphocytic	21	1.4	0.32	1.8	0.41	16	1.1	0.29	1.5	0.39
Chronic lymphocytic	98	6.8	0.72	4.2	0.43	61	3.9	0.50	2.6	0.35
Acute myeloid	67	4.6	0.59	3.1	0.41	39	2.5	0.42	1.7	0.29
Chronic myeloid	30	2.0	0.38	1.5	0.29	15	1.1	0.29	0.8	0.22
Other leukemias	23	1.6	0.34	0.9	0.20	19	1.3	0.29	1.0	0.26
Mesothelioma	27	2.2	0.43	1.0	0.20	9	0.6	0.20	0.3	0.11
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	258	16.5	1.05	9.9	0.67
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	96	6.4	0.68	4.9	0.53	180	11.9	0.91	8.2	0.66
Breast (*in situ*)	-	-	-	-	-	319	20.3	1.17	15.0	0.87

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2008-2012, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	6,815	477.8	6.00	315.6	3.97	5,809	390.4	5.25	272.5	3.83
Oral Cavity & Pharynx	245	16.2	1.07	11.5	0.76	90	5.9	0.64	4.3	0.48
Lip	22	1.6	0.36	1.0	0.23	11	0.7	0.21	0.6	0.18
Tongue	77	4.9	0.58	3.6	0.42	27	1.7	0.34	1.3	0.27
Major salivary gland	20	1.7	0.38	0.9	0.20	11	0.7	0.22	0.6	0.19
Floor of mouth	8	0.5	0.19	0.3	0.13	6	0.4	0.15	0.2	0.11
Gum & other mouth	30	2.1	0.40	1.5	0.29	17	1.2	0.30	0.7	0.19
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	8	0.6	0.21	0.4	0.14	-	-	-	-	-
Hypopharynx	13	0.8	0.23	0.6	0.17	-	-	-	-	-
Digestive System	1,175	82.7	2.50	53.1	1.60	838	55.2	1.94	34.8	1.29
Esophagus	115	7.7	0.75	5.3	0.50	27	1.8	0.35	1.1	0.24
Stomach	106	7.6	0.76	4.6	0.47	34	2.3	0.40	1.4	0.27
Small intestine	38	2.6	0.44	1.7	0.29	24	1.4	0.30	1.0	0.22
Colon excl. rectum	417	30.9	1.57	18.6	0.94	367	24.6	1.31	14.8	0.83
Rectum & rectosigmoid	206	13.5	0.98	9.6	0.69	132	8.6	0.76	6.1	0.56
Anus, anal canal & anorectum	10	0.6	0.20	0.4	0.14	25	1.6	0.33	1.1	0.24
Liver	101	6.6	0.68	4.5	0.46	35	2.3	0.40	1.5	0.29
Gallbladder	7	0.5	0.19	0.3	0.12	11	0.7	0.22	0.5	0.16
Pancreas	135	9.7	0.86	6.0	0.53	135	8.7	0.77	5.1	0.47
Respiratory System	871	62.6	2.19	37.9	1.33	729	48.4	1.82	30.2	1.19
Larynx	75	5.0	0.60	3.5	0.42	22	1.4	0.31	1.0	0.22
Lung & bronchus	779	56.4	2.09	33.4	1.23	695	46.2	1.78	28.6	1.15
Bones & Joints	15	1.1	0.30	1.0	0.28	14	1.0	0.29	0.9	0.25
Soft Tissue (incl. heart)	70	5.0	0.61	3.9	0.51	36	2.3	0.40	1.8	0.34
Skin (excl. basal & sq.)	409	30.2	1.55	19.8	1.03	298	21.0	1.25	15.6	0.97
Melanomas of the skin	380	27.7	1.47	18.7	1.01	288	20.4	1.24	15.2	0.96
Breast (excl. *in situ*)	26	1.7	0.35	1.2	0.24	1,702	113.0	2.81	81.2	2.07
Female Genital System	-	-	-	-	-	698	47.0	1.83	34.9	1.39
Cervix uteri	-	-	-	-	-	108	8.2	0.81	6.6	0.66
Uterus Corpus	-	-	-	-	-	331	21.3	1.20	15.8	0.90
Uterus, NOS[1]	-	-	-	-	-	10	0.6	0.21	0.4	0.14
Ovary	-	-	-	-	-	190	13.0	0.97	9.2	0.71
Male Genital System	2,048	135.5	3.10	95.2	2.15	-	-	-	-	-
Prostate	1,954	128.5	3.01	89.0	2.05	-	-	-	-	-
Testis	80	6.1	0.70	5.5	0.62	-	-	-	-	-
Penis	9	0.6	0.21	0.4	0.14	-	-	-	-	-
Urinary System	798	58.3	2.13	35.7	1.31	327	21.8	1.23	14.2	0.85
Bladder (incl. *in situ*)	507	37.8	1.73	21.8	1.00	180	12.1	0.92	7.1	0.58
Kidney & renal pelvis	277	19.5	1.21	13.3	0.83	139	9.2	0.80	6.7	0.61
Ureter	11	0.9	0.27	0.4	0.14	7	0.5	0.18	0.3	0.11
Eye & Orbit	23	1.5	0.33	1.1	0.26	10	0.7	0.21	0.6	0.22
Brain & Other Nervous System	119	8.4	0.79	7.2	0.72	91	6.6	0.71	5.3	0.60
Brain	113	8.1	0.78	6.9	0.71	84	6.1	0.68	4.8	0.57
Endocrine System	104	7.1	0.72	5.4	0.56	271	20.2	1.27	16.8	1.07
Thyroid gland	93	6.4	0.69	4.9	0.52	266	19.9	1.26	16.5	1.06
Lymphomas	297	22.0	1.32	14.2	0.87	239	16.2	1.07	11.7	0.82
Hodgkin Lymphoma	40	2.9	0.47	2.5	0.41	28	2.2	0.42	2.0	0.40
Non-Hodgkin Lymphoma	257	19.1	1.23	11.8	0.77	211	14.0	0.99	9.7	0.72
Multiple Myeloma	92	6.8	0.73	4.0	0.42	60	3.9	0.51	2.5	0.35
Leukemias	234	16.6	1.13	11.6	0.82	146	10.0	0.85	7.6	0.70
Acute lymphocytic	19	1.4	0.32	1.7	0.40	15	1.1	0.30	1.5	0.41
Chronic lymphocytic	97	6.9	0.73	4.3	0.44	59	3.8	0.51	2.6	0.36
Acute myeloid	66	4.7	0.60	3.2	0.42	39	2.6	0.43	1.7	0.30
Chronic myeloid	29	2.0	0.39	1.6	0.30	15	1.1	0.30	0.8	0.23
Other leukemias	23	1.6	0.35	1.0	0.21	18	1.2	0.30	0.9	0.25
Mesothelioma	25	2.1	0.42	1.0	0.20	9	0.6	0.21	0.3	0.11
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	251	16.5	1.06	9.8	0.68
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	95	6.6	0.70	5.0	0.54	177	12.0	0.93	8.3	0.68
Breast (*in situ*)	-	-	-	-	-	312	20.6	1.20	15.2	0.90

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2008-2012, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	30	251.7	50.26	148.2	28.18	25	216.2	44.11	170.5	35.73
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	93.6	31.84	47.5	15.71	6	51.9	21.28	33.0	15.06
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	66.2	28.34	29.7	12.75	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	8	60.9	22.61	46.8	17.10	-	-	-	-	-
Prostate	8	60.9	22.61	46.8	17.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2008-2012, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	15	168.4	45.90	133.2	35.80	34	277.7	49.87	173.9	30.63
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	10	93.9	31.15	48.0	15.63
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	8	61.0	22.35	43.3	15.89
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	79.5	31.38	62.3	24.25	-	-	-	-	-
Prostate	6	68.4	29.38	53.1	22.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2008-2012, American Indian/Alaskan Native (AI/AN) for CHSDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	60	437.0	63.99	280.0	36.71	70	400.2	50.93	284.0	34.38
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	145.5	37.77	86.9	20.17	11	62.8	20.42	43.5	13.27
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	6	30.3	13.18	22.8	9.35
Rectum & rectosigmoid	7	45.9	19.28	32.3	12.30	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	7	51.9	22.20	34.7	13.40	7	45.4	18.46	30.8	11.79
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	6	39.6	17.52	25.7	10.64
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	19	102.0	24.21	79.3	18.41
Female Genital System	-	-	-	-	-	8	44.2	16.32	33.3	11.87
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[2]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	17	109.5	30.12	80.0	19.67	-	-	-	-	-
Prostate	12	90.0	28.78	58.8	17.22	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	66.1	24.16	43.8	13.96	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	50.8	22.49	29.9	11.39	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[2] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2008-2012, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	242	340.1	23.85	214.4	14.05	258	334.6	21.54	233.4	15.02
Oral Cavity & Pharynx	11	13.6	4.39	9.2	2.82	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	55	76.8	11.45	47.1	6.48	42	59.7	9.49	37.3	5.98
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	6	9.9	4.59	4.7	1.95	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	15	22.1	6.26	12.6	3.32	12	17.7	5.29	10.7	3.18
Rectum & rectosigmoid	20	27.0	6.64	18.7	4.26	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	9.0	3.41	6.2	2.18	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	12	17.0	5.05	10.3	3.10
Respiratory System	29	50.6	9.92	26.4	5.02	21	31.1	6.95	18.8	4.29
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	43.3	9.32	21.7	4.54	17	24.1	6.00	16.0	4.02
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	6	7.8	3.29	6.2	2.61
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	79	99.6	11.48	72.2	8.37
Female Genital System	-	-	-	-	-	30	35.1	6.65	27.8	5.19
Cervix uteri	-	-	-	-	-	14	15.5	4.30	12.5	3.39
Uterus Corpus	-	-	-	-	-	8	9.8	3.54	7.9	2.85
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	7.5	3.12	6.1	2.53
Male Genital System	66	89.4	11.77	59.8	7.49	-	-	-	-	-
Prostate	61	84.6	11.57	56.0	7.29	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	33	47.2	8.91	29.6	5.22	23	29.9	6.39	21.4	4.55
Bladder (incl. *in situ*)	14	20.8	6.00	13.1	3.54	9	12.1	4.15	7.6	2.61
Kidney & renal pelvis	17	21.6	5.62	14.4	3.55	14	17.8	4.87	13.7	3.72
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	5.3	2.29	5.2	2.14	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	15	15.3	4.07	13.3	3.52
Thyroid gland	-	-	-	-	-	14	14.3	3.93	12.5	3.42
Lymphomas	12	17.4	5.54	10.3	3.01	13	16.1	4.70	10.8	3.06
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	12.5	4.69	8.7	2.80	7	7.6	3.11	6.6	2.55
Acute lymphocytic	6	5.0	2.31	5.1	2.11	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	8	10.9	4.28	7.1	2.57	8	11.3	4.10	7.0	2.64
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	14	19.2	5.32	12.7	3.47
Breast (*in situ*)	-	-	-	-	-	14	18.3	5.00	12.5	3.44

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2008-2012, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	6,576	484.6	6.19	320.9	4.14	5,555	392.7	5.42	274.2	3.97
Oral Cavity & Pharynx	234	16.3	1.10	11.5	0.78	88	6.1	0.67	4.5	0.51
Lip	20	1.5	0.36	0.9	0.22	11	0.7	0.23	0.6	0.19
Tongue	74	5.0	0.60	3.6	0.43	26	1.7	0.35	1.3	0.27
Major salivary gland	20	1.8	0.40	0.9	0.22	11	0.8	0.24	0.6	0.21
Floor of mouth	8	0.5	0.20	0.4	0.13	-	-	-	-	-
Gum & other mouth	26	1.9	0.39	1.4	0.30	17	1.3	0.32	0.8	0.20
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	8	0.6	0.23	0.4	0.15	-	-	-	-	-
Hypopharynx	13	0.8	0.24	0.6	0.18	-	-	-	-	-
Digestive System	1,120	82.9	2.57	53.3	1.65	796	54.7	1.98	34.5	1.32
Esophagus	115	8.1	0.79	5.6	0.53	26	1.8	0.35	1.1	0.23
Stomach	100	7.5	0.77	4.6	0.48	30	2.1	0.39	1.3	0.27
Small intestine	37	2.7	0.46	1.7	0.30	20	1.2	0.28	0.9	0.21
Colon excl. rectum	402	31.4	1.62	18.9	0.98	355	24.8	1.34	14.9	0.86
Rectum & rectosigmoid	186	12.9	0.98	9.2	0.69	132	9.0	0.80	6.4	0.59
Anus, anal canal & anorectum	10	0.6	0.21	0.5	0.15	21	1.4	0.32	1.0	0.23
Liver	93	6.4	0.69	4.3	0.47	34	2.4	0.42	1.6	0.31
Gallbladder	7	0.5	0.19	0.3	0.12	11	0.7	0.23	0.5	0.16
Pancreas	131	9.8	0.89	6.1	0.55	123	8.3	0.77	4.8	0.47
Respiratory System	842	63.2	2.25	38.5	1.37	708	49.2	1.88	30.7	1.23
Larynx	70	5.0	0.61	3.5	0.43	20	1.3	0.30	1.0	0.23
Lung & bronchus	755	57.0	2.14	34.0	1.27	678	47.2	1.84	29.2	1.19
Bones & Joints	15	1.2	0.32	1.1	0.31	14	1.1	0.32	0.9	0.27
Soft Tissue (incl. heart)	70	5.3	0.66	4.2	0.56	31	2.1	0.39	1.7	0.35
Skin (excl. basal & sq.)	406	31.7	1.63	20.9	1.10	292	21.9	1.33	16.3	1.03
Melanomas of the skin	378	29.2	1.56	19.8	1.08	283	21.3	1.31	15.9	1.02
Breast (excl. *in situ*)	25	1.8	0.36	1.2	0.24	1,625	113.3	2.89	81.3	2.13
Female Genital System	-	-	-	-	-	668	47.4	1.90	35.2	1.44
Cervix uteri	-	-	-	-	-	94	7.7	0.83	6.3	0.67
Uterus Corpus	-	-	-	-	-	323	21.8	1.25	16.1	0.94
Uterus, NOS[1]	-	-	-	-	-	10	0.7	0.21	0.4	0.15
Ovary	-	-	-	-	-	184	13.3	1.01	9.4	0.74
Male Genital System	1,983	137.6	3.20	96.9	2.23	-	-	-	-	-
Prostate	1,894	130.4	3.10	90.5	2.11	-	-	-	-	-
Testis	76	6.4	0.75	5.8	0.68	-	-	-	-	-
Penis	8	0.6	0.21	0.4	0.14	-	-	-	-	-
Urinary System	765	58.6	2.19	35.8	1.35	304	21.2	1.24	13.6	0.85
Bladder (incl. *in situ*)	493	38.4	1.79	22.1	1.03	171	12.0	0.93	7.1	0.59
Kidney & renal pelvis	260	19.3	1.23	13.2	0.86	125	8.6	0.79	6.3	0.61
Ureter	9	0.7	0.24	0.4	0.13	7	0.5	0.18	0.3	0.11
Eye & Orbit	20	1.4	0.32	1.1	0.27	10	0.7	0.23	0.6	0.25
Brain & Other Nervous System	113	8.6	0.84	7.3	0.76	87	6.8	0.75	5.5	0.65
Brain	109	8.4	0.83	7.1	0.76	80	6.2	0.72	5.0	0.61
Endocrine System	103	7.5	0.77	5.8	0.60	256	20.6	1.34	17.1	1.12
Thyroid gland	92	6.8	0.74	5.2	0.56	252	20.3	1.33	16.8	1.11
Lymphomas	286	22.4	1.37	14.5	0.91	227	16.1	1.10	11.7	0.85
Hodgkin Lymphoma	37	2.9	0.49	2.5	0.43	26	2.2	0.44	2.0	0.43
Non-Hodgkin Lymphoma	249	19.5	1.28	12.1	0.80	201	13.9	1.00	9.7	0.73
Multiple Myeloma	89	6.9	0.75	4.0	0.44	59	4.0	0.53	2.6	0.37
Leukemias	225	16.9	1.17	11.8	0.85	139	10.0	0.88	7.6	0.73
Acute lymphocytic	14	1.1	0.31	1.4	0.40	12	1.0	0.31	1.3	0.41
Chronic lymphocytic	96	7.2	0.76	4.4	0.47	58	3.9	0.53	2.7	0.37
Acute myeloid	66	5.0	0.64	3.4	0.45	37	2.6	0.45	1.7	0.30
Chronic myeloid	27	2.0	0.40	1.6	0.32	14	1.1	0.31	0.9	0.24
Other leukemias	22	1.6	0.35	1.0	0.22	18	1.3	0.32	1.0	0.27
Mesothelioma	25	2.2	0.44	1.0	0.21	8	0.6	0.20	0.3	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	243	16.8	1.10	9.9	0.70
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	93	6.9	0.74	5.2	0.57	163	11.6	0.94	8.1	0.70
Breast (*in situ*)	-	-	-	-	-	298	20.5	1.22	15.2	0.92

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Wyoming, 2008-2012, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	29	264.2	53.06	152.2	29.42	25	236.7	48.35	187.4	39.29
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	99.2	33.63	50.3	16.63	6	55.0	22.58	35.0	16.02
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	69.8	29.83	31.3	13.43	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	8	64.7	23.95	49.7	18.13	-	-	-	-	-
Prostate	8	64.7	23.95	49.7	18.13	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Puerto Rico, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	38,308	401.1	2.08	266.3	1.43	32,879	292.5	1.65	208.5	1.25
Oral Cavity & Pharynx	1,526	15.9	0.41	11.0	0.29	537	4.7	0.21	3.1	0.15
Lip	47	0.5	0.08	0.3	0.05	27	0.2	0.05	0.1	0.03
Tongue	365	3.8	0.20	2.7	0.14	148	1.3	0.11	0.9	0.08
Major salivary gland	143	1.6	0.13	1.1	0.09	99	0.9	0.09	0.7	0.07
Floor of mouth	98	1.0	0.10	0.7	0.07	18	0.2	0.04	0.1	0.03
Gum & other mouth	230	2.4	0.16	1.6	0.11	131	1.2	0.10	0.7	0.07
Nasopharynx	75	0.8	0.09	0.6	0.07	15	0.1	0.04	0.1	0.03
Oropharynx	98	1.0	0.10	0.7	0.07	14	0.1	0.03	0.1	0.02
Hypopharynx	151	1.5	0.13	1.0	0.09	17	0.1	0.03	0.1	0.02
Digestive System	9,149	96.7	1.03	61.8	0.67	6,877	58.4	0.71	36.3	0.47
Esophagus	610	6.4	0.26	4.1	0.17	162	1.4	0.11	0.7	0.06
Stomach	1,002	10.9	0.35	6.4	0.21	729	6.1	0.23	3.6	0.15
Small intestine	168	1.8	0.14	1.2	0.10	131	1.1	0.10	0.7	0.07
Colon excl. rectum	3,438	36.6	0.63	22.9	0.41	3,092	26.3	0.48	16.5	0.32
Rectum & rectosigmoid	1,495	15.6	0.41	10.6	0.29	971	8.4	0.27	5.7	0.20
Anus, anal canal & anorectum	119	1.2	0.11	0.9	0.09	202	1.7	0.12	1.1	0.08
Liver	1,177	12.1	0.36	8.1	0.25	447	3.7	0.18	2.1	0.11
Gallbladder	57	0.6	0.08	0.4	0.05	151	1.3	0.10	0.8	0.07
Pancreas	759	8.0	0.30	5.0	0.19	720	6.1	0.23	3.5	0.14
Respiratory System	3,093	32.7	0.60	20.1	0.38	1,490	12.6	0.33	7.9	0.22
Larynx	636	6.6	0.27	4.4	0.18	70	0.6	0.07	0.4	0.05
Lung & bronchus	2,364	25.1	0.53	14.9	0.32	1,359	11.4	0.31	7.0	0.20
Bones & Joints	85	0.9	0.10	0.8	0.10	69	0.7	0.08	0.6	0.09
Soft Tissue (incl. heart)	214	2.4	0.16	1.7	0.13	196	1.9	0.14	1.5	0.13
Skin (excl. basal & sq.)	448	4.9	0.24	3.3	0.17	351	3.2	0.18	2.3	0.13
Melanomas of the skin	346	3.8	0.21	2.5	0.14	239	2.2	0.14	1.5	0.11
Breast (excl. *in situ*)	88	0.9	0.10	0.6	0.07	9,816	87.0	0.90	63.7	0.68
Female Genital System	-	-	-	-	-	4,928	44.7	0.65	33.9	0.51
Cervix uteri	-	-	-	-	-	1,217	12.2	0.36	9.7	0.29
Uterus Corpus	-	-	-	-	-	2,361	20.5	0.43	15.8	0.34
Uterus, NOS[1]	-	-	-	-	-	136	1.2	0.11	0.8	0.08
Ovary	-	-	-	-	-	834	7.5	0.26	5.3	0.20
Male Genital System	15,669	158.8	1.29	107.1	0.89	-	-	-	-	-
Prostate	15,112	152.6	1.26	101.9	0.85	-	-	-	-	-
Testis	304	3.6	0.21	3.4	0.20	-	-	-	-	-
Penis	237	2.5	0.16	1.7	0.11	-	-	-	-	-
Urinary System	2,654	28.7	0.57	17.4	0.36	1,201	10.3	0.30	6.6	0.21
Bladder (incl. *in situ*)	1,608	17.6	0.45	9.8	0.26	595	5.0	0.21	2.8	0.13
Kidney & renal pelvis	958	10.1	0.33	7.1	0.24	555	4.9	0.21	3.6	0.17
Ureter	29	0.3	0.06	0.1	0.03	24	0.2	0.04	0.1	0.02
Eye & Orbit	84	0.9	0.10	0.7	0.08	42	0.4	0.06	0.3	0.07
Brain & Other Nervous System	471	5.1	0.24	4.3	0.22	416	3.8	0.19	3.2	0.18
Brain	426	4.6	0.23	3.9	0.20	345	3.2	0.17	2.6	0.16
Endocrine System	737	8.1	0.31	6.5	0.25	3,299	32.4	0.58	26.6	0.48
Thyroid gland	689	7.6	0.30	6.0	0.24	3,261	32.0	0.57	26.2	0.48
Lymphomas	1,634	17.8	0.45	13.1	0.34	1,554	13.9	0.36	10.3	0.29
Hodgkin Lymphoma	271	3.1	0.19	2.7	0.17	232	2.3	0.16	2.1	0.15
Non-Hodgkin Lymphoma	1,363	14.8	0.41	10.4	0.30	1,322	11.6	0.32	8.2	0.24
Multiple Myeloma	512	5.5	0.25	3.4	0.16	456	3.9	0.18	2.5	0.13
Leukemias	869	9.7	0.33	7.0	0.27	719	6.7	0.25	5.2	0.24
Acute lymphocytic	110	1.3	0.12	1.6	0.16	90	1.0	0.11	1.3	0.15
Chronic lymphocytic	189	2.1	0.15	1.2	0.09	114	0.9	0.09	0.5	0.05
Acute myeloid	201	2.2	0.16	1.6	0.12	191	1.9	0.14	1.5	0.12
Chronic myeloid	110	1.2	0.12	0.8	0.09	125	1.1	0.10	0.8	0.08
Other leukemias	259	2.9	0.18	1.8	0.13	199	1.8	0.13	1.1	0.10
Mesothelioma	24	0.3	0.05	0.1	0.03	8	0.1	0.02	0.0	0.02
Kaposi Sarcoma	109	1.3	0.12	0.9	0.09	15	0.2	0.04	0.1	0.03
Ill-defined & Unknown	942	10.3	0.34	6.2	0.22	905	7.8	0.26	4.5	0.17
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	234	2.6	0.17	2.2	0.15	481	4.5	0.21	3.6	0.17
Breast (*in situ*)	11	0.1	0.03	0.1	0.03	1,775	15.8	0.38	11.9	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Alberta, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	41,543	501.0	2.55	323.5	1.64	37,608	400.8	2.09	275.6	1.50
Oral Cavity & Pharynx	1,221	13.0	0.39	9.5	0.28	501	5.3	0.24	3.6	0.17
Lip	72	0.9	0.11	0.5	0.06	30	0.3	0.06	0.2	0.04
Tongue	366	3.8	0.21	2.9	0.15	158	1.7	0.13	1.1	0.09
Major salivary gland	90	1.1	0.12	0.7	0.07	70	0.7	0.09	0.6	0.07
Floor of mouth	74	0.8	0.09	0.6	0.07	36	0.4	0.07	0.3	0.04
Gum & other mouth	141	1.6	0.14	1.1	0.10	93	1.0	0.10	0.6	0.07
Nasopharynx	99	1.1	0.11	0.8	0.08	35	0.4	0.06	0.3	0.05
Oropharynx	56	0.6	0.08	0.4	0.06	19	0.2	0.05	0.1	0.03
Hypopharynx	76	0.9	0.10	0.6	0.07	11	0.1	0.03	0.1	0.02
Digestive System	9,097	111.7	1.22	68.6	0.74	6,747	72.5	0.89	44.4	0.58
Esophagus	662	7.9	0.32	5.1	0.20	172	1.8	0.14	1.1	0.09
Stomach	829	10.5	0.38	6.2	0.22	446	4.8	0.23	2.9	0.15
Small intestine	188	2.2	0.16	1.4	0.11	153	1.6	0.13	1.1	0.09
Colon excl. rectum	3,167	40.2	0.74	23.6	0.43	2,783	30.1	0.58	17.7	0.36
Rectum & rectosigmoid	2,145	25.3	0.57	16.6	0.37	1,217	12.9	0.37	8.4	0.26
Anus, anal canal & anorectum	85	0.9	0.10	0.7	0.07	158	1.6	0.13	1.2	0.10
Liver	644	7.1	0.29	5.0	0.20	213	2.3	0.16	1.5	0.11
Gallbladder	80	1.1	0.13	0.5	0.06	151	1.6	0.13	1.0	0.09
Pancreas	927	11.8	0.40	6.8	0.23	952	10.3	0.34	6.1	0.21
Respiratory System	5,299	67.9	0.96	40.0	0.57	4,821	52.8	0.77	33.6	0.51
Larynx	328	3.9	0.22	2.6	0.15	57	0.6	0.08	0.4	0.06
Lung & bronchus	4,866	62.9	0.93	36.5	0.54	4,706	51.5	0.76	32.7	0.50
Bones & Joints	88	1.0	0.10	0.9	0.10	66	0.7	0.09	0.7	0.09
Soft Tissue (incl. heart)	300	3.5	0.21	2.6	0.16	222	2.3	0.16	1.9	0.14
Skin (excl. basal & sq.)	1,675	19.6	0.50	12.8	0.32	1,421	14.9	0.40	11.0	0.30
Melanomas of the skin	1,509	17.4	0.47	11.6	0.31	1,291	13.5	0.38	10.1	0.29
Breast (excl. *in situ*)	57	0.7	0.10	0.4	0.06	10,987	115.8	1.12	82.8	0.82
Female Genital System	-	-	-	-	-	4,430	46.0	0.70	34.3	0.53
Cervix uteri	-	-	-	-	-	734	7.7	0.29	6.2	0.23
Uterus Corpus	-	-	-	-	-	2,320	23.8	0.50	18.1	0.39
Uterus, NOS[1]	-	-	-	-	-	31	0.3	0.06	0.2	0.04
Ovary	-	-	-	-	-	947	10.0	0.33	7.1	0.24
Male Genital System	11,961	138.8	1.32	95.3	0.89	-	-	-	-	-
Prostate	11,276	132.0	1.29	89.2	0.86	-	-	-	-	-
Testis	584	5.6	0.23	5.3	0.22	-	-	-	-	-
Penis	80	1.0	0.12	0.6	0.07	-	-	-	-	-
Urinary System	4,430	55.3	0.86	33.4	0.52	1,793	19.2	0.46	12.6	0.32
Bladder (incl. *in situ*)	2,801	36.6	0.72	20.7	0.40	840	9.0	0.32	5.5	0.20
Kidney & renal pelvis	1,524	17.3	0.46	11.9	0.31	902	9.6	0.32	6.8	0.24
Ureter	61	0.8	0.11	0.5	0.06	43	0.5	0.07	0.2	0.04
Eye & Orbit	102	1.2	0.13	0.9	0.09	84	0.9	0.10	0.8	0.10
Brain & Other Nervous System	695	7.7	0.30	6.3	0.26	459	4.9	0.23	4.3	0.22
Brain	662	7.4	0.30	5.9	0.25	431	4.6	0.23	4.0	0.21
Endocrine System	614	6.5	0.27	5.2	0.22	1,673	17.6	0.43	14.5	0.36
Thyroid gland	529	5.5	0.25	4.4	0.19	1,618	17.0	0.43	14.0	0.35
Lymphomas	2,145	25.1	0.56	17.3	0.39	1,640	17.7	0.44	12.1	0.32
Hodgkin Lymphoma	263	2.7	0.17	2.5	0.16	190	2.0	0.15	1.9	0.14
Non-Hodgkin Lymphoma	1,882	22.4	0.54	14.8	0.35	1,450	15.7	0.42	10.3	0.29
Multiple Myeloma	588	7.3	0.31	4.4	0.19	418	4.5	0.22	2.8	0.15
Leukemias	1,658	20.3	0.52	13.7	0.36	1,054	11.5	0.36	8.1	0.28
Acute lymphocytic	121	1.4	0.13	1.7	0.17	96	1.1	0.11	1.3	0.14
Chronic lymphocytic	850	10.5	0.37	6.4	0.23	487	5.3	0.24	3.3	0.16
Acute myeloid	362	4.5	0.24	3.0	0.17	282	3.1	0.19	2.1	0.14
Chronic myeloid	186	2.2	0.17	1.5	0.11	120	1.3	0.12	0.9	0.09
Other leukemias	139	1.7	0.15	1.1	0.10	69	0.7	0.09	0.5	0.07
Mesothelioma	187	2.5	0.19	1.4	0.10	40	0.4	0.07	0.3	0.05
Kaposi Sarcoma	32	0.3	0.06	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	1,394	18.4	0.51	10.3	0.29	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	386	4.4	0.23	3.2	0.17	620	6.6	0.27	4.9	0.20
Breast (*in situ*)	6	0.1	0.02	0.0	0.02	1,490	15.5	0.41	11.9	0.31

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
British Columbia, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	60,294	472.8	1.96	301.6	1.31	54,679	388.1	1.69	265.7	1.25
Oral Cavity & Pharynx	1,798	13.3	0.32	9.8	0.24	849	6.0	0.21	4.1	0.15
Lip	92	0.7	0.08	0.4	0.04	38	0.3	0.04	0.1	0.03
Tongue	569	4.1	0.18	3.2	0.14	234	1.6	0.11	1.1	0.08
Major salivary gland	121	1.0	0.09	0.6	0.06	121	0.9	0.08	0.7	0.07
Floor of mouth	101	0.7	0.07	0.6	0.06	46	0.3	0.05	0.2	0.04
Gum & other mouth	198	1.5	0.11	1.0	0.08	192	1.3	0.10	0.8	0.07
Nasopharynx	163	1.3	0.10	1.0	0.08	66	0.5	0.06	0.4	0.05
Oropharynx	73	0.5	0.06	0.4	0.05	26	0.2	0.04	0.1	0.03
Hypopharynx	95	0.7	0.07	0.5	0.05	24	0.2	0.03	0.1	0.02
Digestive System	13,705	107.8	0.94	65.9	0.59	10,503	72.1	0.71	43.5	0.47
Esophagus	972	7.5	0.25	4.7	0.16	341	2.4	0.13	1.4	0.08
Stomach	1,226	9.7	0.28	5.9	0.18	695	4.8	0.19	2.9	0.12
Small intestine	264	2.1	0.13	1.3	0.08	195	1.4	0.10	0.9	0.07
Colon excl. rectum	4,880	39.1	0.57	22.7	0.34	4,577	31.3	0.47	18.2	0.30
Rectum & rectosigmoid	2,957	22.8	0.43	14.7	0.28	1,859	12.8	0.30	8.2	0.21
Anus, anal canal & anorectum	168	1.3	0.10	0.9	0.07	294	2.0	0.12	1.5	0.09
Liver	1,106	8.3	0.25	5.7	0.18	348	2.4	0.13	1.6	0.10
Gallbladder	114	0.9	0.09	0.5	0.05	210	1.4	0.10	0.9	0.07
Pancreas	1,475	11.7	0.31	6.9	0.19	1,348	9.2	0.25	5.3	0.16
Respiratory System	8,110	63.9	0.72	38.0	0.44	7,270	50.3	0.60	31.6	0.40
Larynx	512	3.9	0.17	2.5	0.12	102	0.7	0.07	0.5	0.05
Lung & bronchus	7,471	59.0	0.69	34.7	0.42	7,101	49.1	0.59	30.8	0.39
Bones & Joints	145	1.2	0.10	1.1	0.10	90	0.7	0.08	0.7	0.09
Soft Tissue (incl. heart)	395	3.3	0.17	2.4	0.14	343	2.6	0.14	2.0	0.13
Skin (excl. basal & sq.)	2,803	22.1	0.42	14.8	0.29	2,347	17.4	0.37	13.0	0.29
Melanomas of the skin	2,591	20.3	0.41	13.8	0.28	2,188	16.3	0.36	12.2	0.28
Breast (excl. *in situ*)	122	1.0	0.09	0.6	0.05	15,879	114.0	0.92	82.3	0.69
Female Genital System	-	-	-	-	-	6,434	46.0	0.58	33.7	0.44
Cervix uteri	-	-	-	-	-	882	7.3	0.25	5.7	0.20
Uterus Corpus	-	-	-	-	-	3,362	23.2	0.41	17.4	0.31
Uterus, NOS[1]	-	-	-	-	-	42	0.3	0.04	0.2	0.03
Ovary	-	-	-	-	-	1,538	10.9	0.28	7.7	0.21
Male Genital System	17,032	129.6	1.01	86.0	0.69	-	-	-	-	-
Prostate	16,213	122.3	0.98	79.5	0.64	-	-	-	-	-
Testis	675	6.1	0.24	5.8	0.23	-	-	-	-	-
Penis	102	0.8	0.09	0.5	0.05	-	-	-	-	-
Urinary System	6,394	51.2	0.65	30.0	0.40	2,376	16.4	0.34	10.3	0.24
Bladder (incl. *in situ*)	4,475	36.2	0.55	20.0	0.32	1,379	9.4	0.26	5.5	0.17
Kidney & renal pelvis	1,810	14.0	0.34	9.5	0.24	930	6.6	0.22	4.5	0.17
Ureter	78	0.6	0.07	0.4	0.04	55	0.4	0.05	0.2	0.03
Eye & Orbit	113	0.9	0.09	0.8	0.08	109	0.9	0.08	0.7	0.09
Brain & Other Nervous System	918	7.4	0.25	6.0	0.23	670	5.3	0.21	4.5	0.22
Brain	883	7.1	0.25	5.8	0.22	636	5.0	0.20	4.2	0.21
Endocrine System	585	4.7	0.20	3.8	0.17	1,434	11.5	0.31	9.6	0.27
Thyroid gland	498	4.0	0.18	3.1	0.15	1,349	10.8	0.30	8.9	0.25
Lymphomas	2,949	23.7	0.44	16.2	0.32	2,400	17.2	0.36	12.1	0.28
Hodgkin Lymphoma	285	2.4	0.15	2.3	0.14	245	2.1	0.14	2.0	0.14
Non-Hodgkin Lymphoma	2,664	21.3	0.42	13.9	0.29	2,155	15.1	0.33	10.0	0.24
Multiple Myeloma	807	6.3	0.22	3.9	0.14	644	4.5	0.18	2.7	0.11
Leukemias	1,989	16.2	0.37	11.4	0.30	1,353	9.9	0.28	7.3	0.25
Acute lymphocytic	161	1.7	0.13	2.1	0.18	120	1.2	0.12	1.6	0.17
Chronic lymphocytic	893	6.9	0.24	4.3	0.15	530	3.6	0.16	2.2	0.11
Acute myeloid	466	3.8	0.18	2.4	0.13	371	2.7	0.15	2.0	0.12
Chronic myeloid	249	2.1	0.13	1.4	0.10	167	1.2	0.09	0.8	0.07
Other leukemias	220	1.7	0.12	1.2	0.08	165	1.1	0.09	0.7	0.07
Mesothelioma	308	2.5	0.15	1.3	0.08	52	0.4	0.05	0.2	0.04
Kaposi Sarcoma	57	0.5	0.07	0.4	0.05	7	0.0	0.02	0.0	0.01
Ill-defined & Unknown	2,064	17.0	0.38	9.4	0.22	1,919	13.0	0.30	7.2	0.19
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	290	2.4	0.15	1.8	0.12	466	3.5	0.16	2.6	0.14
Breast (*in situ*)	13	0.1	0.03	0.1	0.02	2,589	18.9	0.38	14.6	0.29

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Manitoba, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	15,917	507.2	4.08	324.2	2.71	16,044	435.2	3.51	298.1	2.60
Oral Cavity & Pharynx	619	18.9	0.77	13.1	0.54	263	7.2	0.45	4.9	0.34
Lip	184	6.0	0.45	3.5	0.27	61	1.5	0.20	0.8	0.12
Tongue	124	3.8	0.34	2.8	0.26	47	1.3	0.20	1.0	0.15
Major salivary gland	32	1.0	0.18	0.7	0.12	45	1.3	0.20	1.1	0.18
Floor of mouth	42	1.1	0.18	1.0	0.15	12	0.3	0.10	0.2	0.06
Gum & other mouth	59	1.8	0.23	1.2	0.16	54	1.4	0.20	0.9	0.14
Nasopharynx	34	1.1	0.19	0.8	0.14	13	0.4	0.12	0.4	0.10
Oropharynx	15	0.4	0.11	0.3	0.08	8	0.2	0.08	0.1	0.04
Hypopharynx	45	1.4	0.21	0.9	0.14	6	0.2	0.06	0.1	0.04
Digestive System	3,907	125.0	2.03	77.1	1.29	3,090	79.6	1.46	48.3	0.98
Esophagus	217	6.7	0.46	4.5	0.32	63	1.6	0.20	0.9	0.14
Stomach	401	12.8	0.65	7.8	0.41	186	4.8	0.36	2.7	0.23
Small intestine	86	2.8	0.30	1.7	0.19	77	2.1	0.24	1.4	0.17
Colon excl. rectum	1,467	48.0	1.27	27.9	0.76	1,402	35.7	0.98	21.1	0.64
Rectum & rectosigmoid	954	29.9	0.98	19.8	0.66	589	15.7	0.66	10.3	0.47
Anus, anal canal & anorectum	27	0.8	0.16	0.6	0.11	60	1.6	0.21	1.2	0.16
Liver	189	5.9	0.43	4.0	0.31	80	2.0	0.23	1.2	0.15
Gallbladder	28	0.9	0.17	0.5	0.11	69	1.8	0.22	1.1	0.15
Pancreas	403	12.9	0.65	7.7	0.40	408	10.3	0.52	6.0	0.34
Respiratory System	2,362	76.3	1.59	45.6	0.98	2,325	61.8	1.30	39.3	0.89
Larynx	143	4.4	0.37	2.9	0.25	28	0.8	0.15	0.5	0.11
Lung & bronchus	2,181	70.7	1.54	41.8	0.94	2,269	60.3	1.29	38.3	0.88
Bones & Joints	27	0.9	0.17	0.8	0.17	29	0.9	0.17	0.9	0.17
Soft Tissue (incl. heart)	101	3.3	0.33	2.5	0.28	79	2.3	0.27	2.0	0.25
Skin (excl. basal & sq.)	521	16.5	0.73	10.7	0.49	471	13.3	0.63	9.4	0.48
Melanomas of the skin	458	14.4	0.68	9.5	0.46	420	11.9	0.60	8.5	0.46
Breast (excl. *in situ*)	32	1.1	0.19	0.6	0.12	4,363	120.7	1.86	86.7	1.40
Female Genital System	-	-	-	-	-	1,982	55.4	1.27	41.3	0.98
Cervix uteri	-	-	-	-	-	247	7.8	0.51	6.2	0.41
Uterus Corpus	-	-	-	-	-	1,066	29.0	0.90	21.8	0.70
Uterus, NOS[1]	-	-	-	-	-	28	0.7	0.14	0.6	0.11
Ovary	-	-	-	-	-	451	12.7	0.61	9.3	0.47
Male Genital System	3,663	114.1	1.92	76.8	1.32	-	-	-	-	-
Prostate	3,434	106.4	1.85	70.0	1.23	-	-	-	-	-
Testis	183	6.2	0.46	5.9	0.44	-	-	-	-	-
Penis	32	1.0	0.19	0.7	0.12	-	-	-	-	-
Urinary System	1,832	58.8	1.39	36.1	0.89	768	20.2	0.75	13.2	0.53
Bladder (incl. *in situ*)	1,031	33.7	1.06	19.2	0.63	345	8.8	0.48	5.2	0.32
Kidney & renal pelvis	764	23.8	0.88	16.3	0.62	399	10.9	0.55	7.6	0.42
Ureter	22	0.7	0.16	0.4	0.08	14	0.3	0.09	0.2	0.05
Eye & Orbit	24	0.7	0.15	0.6	0.14	25	0.7	0.14	0.5	0.12
Brain & Other Nervous System	222	7.1	0.48	5.6	0.41	181	5.4	0.41	4.5	0.38
Brain	211	6.7	0.47	5.2	0.39	173	5.1	0.40	4.1	0.35
Endocrine System	175	5.5	0.42	4.5	0.36	515	16.2	0.73	13.4	0.61
Thyroid gland	158	4.9	0.40	3.9	0.32	504	15.9	0.72	13.1	0.60
Lymphomas	798	25.4	0.91	17.2	0.64	702	19.3	0.74	13.4	0.58
Hodgkin Lymphoma	79	2.5	0.29	2.3	0.27	68	2.2	0.27	2.1	0.27
Non-Hodgkin Lymphoma	719	22.9	0.87	14.9	0.59	634	17.1	0.69	11.3	0.51
Multiple Myeloma	221	7.1	0.48	4.3	0.30	159	4.0	0.33	2.4	0.21
Leukemias	655	21.1	0.84	14.6	0.63	399	10.9	0.56	8.1	0.49
Acute lymphocytic	54	1.9	0.25	2.5	0.36	34	1.2	0.21	1.6	0.29
Chronic lymphocytic	309	9.8	0.56	6.1	0.36	168	4.2	0.33	2.6	0.23
Acute myeloid	162	5.3	0.43	3.3	0.28	102	2.9	0.29	2.2	0.25
Chronic myeloid	68	2.2	0.27	1.5	0.19	55	1.5	0.20	0.9	0.14
Other leukemias	62	2.0	0.26	1.2	0.17	40	1.1	0.18	0.7	0.15
Mesothelioma	81	2.7	0.30	1.6	0.18	12	0.3	0.09	0.2	0.06
Kaposi Sarcoma	11	0.4	0.11	0.2	0.08	-	-	-	-	-
Ill-defined & Unknown	666	22.3	0.87	12.1	0.50	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	222	7.2	0.49	5.1	0.37	389	10.8	0.56	7.9	0.44
Breast (*in situ*)	-	-	-	-	-	605	17.2	0.71	13.2	0.55

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
New Brunswick, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	12,482	554.4	5.11	364.7	3.43	10,584	414.1	4.13	286.7	3.11
Oral Cavity & Pharynx	296	12.6	0.76	9.2	0.55	137	5.5	0.48	3.8	0.36
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	81	3.4	0.39	2.5	0.29	44	1.8	0.28	1.2	0.19
Major salivary gland	23	1.2	0.26	0.7	0.17	15	0.6	0.17	0.6	0.16
Floor of mouth	22	1.0	0.21	0.6	0.14	9	0.4	0.12	0.2	0.08
Gum & other mouth	32	1.4	0.25	0.9	0.17	22	0.9	0.19	0.6	0.15
Nasopharynx	13	0.5	0.15	0.5	0.14	-	-	-	-	-
Oropharynx	13	0.5	0.13	0.4	0.11	-	-	-	-	-
Hypopharynx	17	0.7	0.18	0.5	0.13	7	0.3	0.11	0.2	0.08
Digestive System	2,544	115.0	2.35	71.3	1.47	1,959	73.5	1.69	44.1	1.10
Esophagus	187	8.3	0.62	5.2	0.40	45	1.7	0.26	0.9	0.16
Stomach	248	11.5	0.75	6.9	0.45	125	4.8	0.44	2.9	0.29
Small intestine	47	2.1	0.32	1.4	0.21	46	1.8	0.27	1.3	0.21
Colon excl. rectum	935	42.7	1.44	25.9	0.88	908	33.8	1.14	19.1	0.70
Rectum & rectosigmoid	655	28.8	1.16	18.6	0.75	344	13.2	0.73	8.8	0.52
Anus, anal canal & anorectum	14	0.6	0.16	0.4	0.12	41	1.6	0.25	1.2	0.20
Liver	76	3.4	0.40	2.3	0.29	33	1.3	0.22	0.7	0.13
Gallbladder	17	0.7	0.19	0.5	0.12	36	1.3	0.23	0.7	0.12
Pancreas	271	12.5	0.78	7.5	0.47	281	10.4	0.63	6.0	0.39
Respiratory System	2,139	97.3	2.16	58.4	1.31	1,538	58.2	1.50	37.9	1.03
Larynx	128	5.4	0.49	3.7	0.33	19	0.8	0.18	0.5	0.13
Lung & bronchus	1,992	90.9	2.09	53.9	1.24	1,505	56.9	1.49	37.0	1.01
Bones & Joints	24	1.2	0.25	1.0	0.22	13	0.8	0.22	0.8	0.26
Soft Tissue (incl. heart)	63	2.9	0.38	2.4	0.34	59	2.8	0.38	2.3	0.39
Skin (excl. basal & sq.)	456	20.8	1.00	13.7	0.67	447	18.7	0.91	13.7	0.71
Melanomas of the skin	419	19.0	0.96	12.6	0.64	402	16.8	0.87	12.4	0.67
Breast (excl. *in situ*)	26	1.1	0.23	0.7	0.15	2,860	112.2	2.15	80.0	1.59
Female Genital System	-	-	-	-	-	1,083	42.4	1.32	31.2	1.02
Cervix uteri	-	-	-	-	-	144	6.7	0.57	5.3	0.48
Uterus Corpus	-	-	-	-	-	545	20.5	0.89	15.2	0.68
Uterus, NOS[1]	-	-	-	-	-	19	0.7	0.16	0.5	0.13
Ovary	-	-	-	-	-	274	10.6	0.66	7.7	0.51
Male Genital System	3,663	152.3	2.59	109.6	1.86	-	-	-	-	-
Prostate	3,527	144.9	2.51	102.9	1.76	-	-	-	-	-
Testis	104	5.9	0.58	5.7	0.58	-	-	-	-	-
Penis	26	1.2	0.25	0.8	0.16	-	-	-	-	-
Urinary System	1,392	63.3	1.74	39.5	1.10	632	23.9	0.97	16.3	0.72
Bladder (incl. *in situ*)	855	40.0	1.40	22.9	0.81	282	10.4	0.63	6.4	0.42
Kidney & renal pelvis	511	22.1	1.00	15.9	0.73	340	13.1	0.72	9.6	0.58
Ureter	16	0.7	0.19	0.5	0.12	7	0.3	0.10	0.2	0.07
Eye & Orbit	10	0.5	0.17	0.4	0.15	21	0.9	0.21	0.9	0.26
Brain & Other Nervous System	164	7.6	0.61	5.8	0.51	133	5.6	0.51	4.5	0.49
Brain	160	7.4	0.60	5.6	0.50	130	5.5	0.51	4.4	0.49
Endocrine System	176	7.9	0.61	6.2	0.49	509	22.5	1.03	18.8	0.89
Thyroid gland	167	7.5	0.60	5.9	0.48	499	22.1	1.02	18.4	0.87
Lymphomas	568	26.7	1.15	18.6	0.86	468	18.6	0.88	13.1	0.68
Hodgkin Lymphoma	44	2.4	0.36	2.2	0.36	32	1.6	0.30	1.6	0.30
Non-Hodgkin Lymphoma	524	24.4	1.09	16.3	0.78	436	16.9	0.83	11.5	0.61
Multiple Myeloma	170	7.6	0.60	4.7	0.37	125	4.6	0.42	2.7	0.26
Leukemias	401	18.8	0.97	13.0	0.75	289	12.5	0.77	10.1	0.78
Acute lymphocytic	29	1.7	0.32	2.0	0.42	33	2.2	0.40	3.1	0.59
Chronic lymphocytic	209	9.3	0.66	5.8	0.41	107	4.1	0.41	2.5	0.26
Acute myeloid	80	3.8	0.43	2.5	0.29	78	3.4	0.40	2.6	0.36
Chronic myeloid	41	2.0	0.32	1.4	0.24	23	0.9	0.20	0.7	0.15
Other leukemias	42	2.1	0.33	1.4	0.25	48	1.9	0.28	1.3	0.20
Mesothelioma	51	2.4	0.34	1.3	0.19	11	0.4	0.13	0.3	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	68	3.3	0.41	2.5	0.34	105	4.4	0.44	3.4	0.36
Breast (*in situ*)	-	-	-	-	-	441	17.2	0.84	13.4	0.66

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Newfoundland and Labrador, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	8,848	569.3	6.33	370.6	4.13	7,421	433.8	5.15	299.0	3.76
Oral Cavity & Pharynx	249	15.4	1.02	10.9	0.71	84	5.0	0.56	3.7	0.43
Lip	49	3.2	0.48	2.1	0.30	8	0.5	0.16	0.2	0.08
Tongue	55	3.4	0.47	2.5	0.35	19	1.2	0.28	0.9	0.23
Major salivary gland	14	1.0	0.28	0.6	0.18	16	1.0	0.27	0.8	0.21
Floor of mouth	16	1.0	0.27	0.7	0.17	-	-	-	-	-
Gum & other mouth	25	1.6	0.33	1.0	0.21	14	0.9	0.24	0.6	0.17
Nasopharynx	11	0.7	0.22	0.6	0.20	-	-	-	-	-
Oropharynx	6	0.4	0.16	0.2	0.10	-	-	-	-	-
Hypopharynx	17	1.0	0.25	0.7	0.18	-	-	-	-	-
Digestive System	2,319	152.2	3.31	94.2	2.02	1,711	99.0	2.43	60.6	1.56
Esophagus	83	5.3	0.62	3.3	0.37	34	2.0	0.34	1.0	0.20
Stomach	303	21.1	1.27	12.5	0.75	153	9.1	0.75	5.5	0.49
Small intestine	47	3.2	0.48	2.1	0.33	23	1.4	0.30	0.9	0.21
Colon excl. rectum	981	65.5	2.19	38.8	1.27	885	51.0	1.74	30.6	1.10
Rectum & rectosigmoid	563	35.1	1.54	23.5	1.01	294	16.9	1.00	11.5	0.70
Anus, anal canal & anorectum	11	0.7	0.22	0.5	0.15	27	1.5	0.30	1.1	0.22
Liver	85	5.2	0.59	3.5	0.39	28	1.6	0.30	0.9	0.18
Gallbladder	10	0.7	0.23	0.4	0.12	27	1.7	0.32	0.8	0.16
Pancreas	157	10.2	0.85	6.4	0.52	144	8.3	0.70	4.8	0.43
Respiratory System	1,436	93.5	2.58	56.3	1.52	837	47.3	1.66	31.0	1.11
Larynx	106	6.3	0.64	4.5	0.44	16	0.8	0.21	0.6	0.16
Lung & bronchus	1,314	86.3	2.49	51.1	1.44	817	46.2	1.64	30.3	1.10
Bones & Joints	13	1.0	0.28	1.0	0.30	10	0.8	0.26	0.8	0.30
Soft Tissue (incl. heart)	37	2.4	0.42	1.7	0.30	43	2.8	0.44	2.2	0.43
Skin (excl. basal & sq.)	266	17.6	1.12	11.7	0.75	235	14.4	0.96	10.5	0.75
Melanomas of the skin	240	15.8	1.06	10.6	0.71	209	12.7	0.90	9.5	0.71
Breast (excl. *in situ*)	14	0.9	0.24	0.6	0.15	1,892	108.7	2.55	77.2	1.86
Female Genital System	-	-	-	-	-	952	56.0	1.87	42.1	1.45
Cervix uteri	-	-	-	-	-	145	10.0	0.85	8.3	0.74
Uterus Corpus	-	-	-	-	-	502	28.2	1.29	21.3	0.98
Uterus, NOS[1]	-	-	-	-	-	18	1.1	0.27	0.8	0.20
Ovary	-	-	-	-	-	195	11.3	0.83	8.1	0.62
Male Genital System	2,410	143.7	3.05	100.2	2.08	-	-	-	-	-
Prostate	2,337	138.4	2.99	95.7	2.00	-	-	-	-	-
Testis	39	3.2	0.52	3.1	0.52	-	-	-	-	-
Penis	30	1.9	0.36	1.3	0.24	-	-	-	-	-
Urinary System	870	58.3	2.07	34.9	1.21	431	24.8	1.22	16.6	0.87
Bladder (incl. *in situ*)	489	34.3	1.63	18.7	0.86	157	9.0	0.73	5.4	0.46
Kidney & renal pelvis	369	23.1	1.25	15.8	0.84	262	15.0	0.95	10.8	0.73
Ureter	8	0.6	0.23	0.2	0.09	8	0.5	0.18	0.3	0.10
Eye & Orbit	15	1.1	0.29	0.8	0.25	-	-	-	-	-
Brain & Other Nervous System	142	9.4	0.83	7.4	0.71	93	5.7	0.62	4.7	0.58
Brain	136	9.0	0.81	7.1	0.69	91	5.6	0.61	4.6	0.57
Endocrine System	137	9.1	0.81	7.3	0.70	331	21.6	1.23	17.7	1.04
Thyroid gland	123	8.1	0.76	6.2	0.60	320	20.9	1.21	17.0	1.01
Lymphomas	365	24.3	1.33	17.7	1.01	344	20.5	1.13	14.5	0.87
Hodgkin Lymphoma	39	3.0	0.50	2.7	0.48	28	2.1	0.41	2.1	0.43
Non-Hodgkin Lymphoma	326	21.3	1.23	15.0	0.89	316	18.4	1.06	12.4	0.76
Multiple Myeloma	102	6.6	0.68	4.2	0.42	82	4.8	0.54	2.9	0.34
Leukemias	199	13.8	1.03	10.8	0.92	127	8.1	0.75	6.5	0.73
Acute lymphocytic	23	2.1	0.45	2.7	0.63	12	1.1	0.33	1.4	0.46
Chronic lymphocytic	80	5.1	0.59	3.3	0.38	37	2.1	0.35	1.5	0.25
Acute myeloid	47	3.3	0.50	2.5	0.43	38	2.5	0.42	1.9	0.37
Chronic myeloid	28	1.8	0.37	1.3	0.27	20	1.3	0.29	0.9	0.23
Other leukemias	21	1.5	0.35	0.9	0.20	20	1.1	0.26	0.9	0.26
Mesothelioma	15	0.9	0.26	0.6	0.16	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	239	13.9	0.91	7.5	0.53
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	45	2.9	0.47	2.2	0.37	76	4.6	0.54	3.1	0.40
Breast (*in situ*)	-	-	-	-	-	299	16.9	1.00	13.0	0.77

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Northwest Territories, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	320	468.1	31.20	295.6	17.25	344	470.6	28.19	323.2	18.20
Oral Cavity & Pharynx	15	20.6	6.68	13.3	3.57	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	98	131.6	15.34	88.7	9.39	96	149.0	16.83	92.0	9.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	17.0	5.53	11.6	3.56	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	39	55.4	10.24	34.9	5.80	44	62.4	10.54	39.6	6.24
Rectum & rectosigmoid	24	34.5	7.98	23.5	5.01	25	41.2	8.97	26.0	5.36
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	11	11.7	4.05	9.1	2.93	12	23.2	7.01	13.5	4.02
Respiratory System	48	88.5	14.43	48.4	7.22	37	67.8	11.94	39.1	6.66
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	44	83.2	14.12	44.2	6.88	37	67.8	11.94	39.1	6.66
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	9	9.6	3.33	8.8	3.06
Melanomas of the skin	-	-	-	-	-	9	9.6	3.33	8.8	3.06
Breast (excl. *in situ*)	-	-	-	-	-	112	128.3	13.24	97.8	9.61
Female Genital System	-	-	-	-	-	33	40.5	7.84	29.8	5.42
Cervix uteri	-	-	-	-	-	8	8.4	3.44	6.0	2.15
Uterus Corpus	-	-	-	-	-	16	20.0	5.43	15.7	4.09
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	10.4	4.35	6.7	2.66
Male Genital System	70	91.9	13.14	63.4	7.89	-	-	-	-	-
Prostate	59	83.4	12.88	54.4	7.41	-	-	-	-	-
Testis	11	8.5	2.60	9.0	2.73	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	42.7	10.36	24.7	5.01	12	19.5	6.07	13.9	4.16
Bladder (incl. *in situ*)	9	17.2	7.18	9.7	3.38	-	-	-	-	-
Kidney & renal pelvis	17	23.2	7.10	13.5	3.40	9	14.4	5.19	10.5	3.63
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	13	11.9	3.32	9.6	2.71
Thyroid gland	-	-	-	-	-	12	10.9	3.16	8.9	2.60
Lymphomas	17	25.6	7.50	16.0	4.10	12	14.0	4.50	9.9	2.93
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	14.8	6.58	6.3	2.49	-	-	-	-	-
Leukemias	10	9.5	3.33	8.3	2.73	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	16	30.2	8.84	15.9	4.06	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	16	19.2	5.38	13.6	3.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nova Scotia, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	15,272	551.1	4.58	354.7	3.02	14,280	442.2	3.80	301.6	2.80
Oral Cavity & Pharynx	428	14.3	0.71	10.5	0.52	184	5.5	0.41	3.6	0.29
Lip	22	0.8	0.17	0.5	0.11	12	0.3	0.09	0.2	0.06
Tongue	137	4.4	0.38	3.4	0.30	61	1.8	0.24	1.3	0.18
Major salivary gland	28	1.1	0.22	0.6	0.13	18	0.6	0.15	0.4	0.10
Floor of mouth	25	0.8	0.17	0.6	0.12	9	0.3	0.09	0.1	0.05
Gum & other mouth	48	1.6	0.24	1.2	0.17	35	1.0	0.18	0.6	0.13
Nasopharynx	17	0.6	0.14	0.4	0.11	8	0.2	0.08	0.2	0.06
Oropharynx	23	0.7	0.16	0.6	0.12	-	-	-	-	-
Hypopharynx	27	0.9	0.18	0.6	0.12	8	0.2	0.08	0.1	0.05
Digestive System	3,533	128.5	2.22	78.6	1.37	2,905	86.9	1.64	52.9	1.09
Esophagus	254	9.1	0.58	5.8	0.37	96	2.8	0.29	1.7	0.19
Stomach	300	11.1	0.66	6.8	0.41	151	4.6	0.38	2.6	0.24
Small intestine	67	2.4	0.30	1.6	0.21	61	1.9	0.25	1.2	0.17
Colon excl. rectum	1,403	51.9	1.42	30.1	0.83	1,508	44.8	1.17	26.6	0.76
Rectum & rectosigmoid	833	29.5	1.05	19.1	0.68	462	14.1	0.67	9.2	0.47
Anus, anal canal & anorectum	28	1.0	0.20	0.7	0.14	66	2.1	0.27	1.5	0.20
Liver	181	6.2	0.48	4.2	0.32	42	1.2	0.18	0.7	0.12
Gallbladder	28	1.1	0.21	0.6	0.11	45	1.3	0.20	0.7	0.12
Pancreas	324	12.0	0.68	7.1	0.41	348	10.4	0.57	6.0	0.36
Respiratory System	2,547	92.9	1.89	55.5	1.13	2,219	66.6	1.43	41.9	0.95
Larynx	155	5.5	0.45	3.6	0.29	38	1.2	0.20	0.8	0.14
Lung & bronchus	2,362	86.3	1.82	51.2	1.08	2,157	64.6	1.41	40.6	0.93
Bones & Joints	27	1.2	0.23	1.0	0.22	22	0.9	0.21	0.8	0.23
Soft Tissue (incl. heart)	80	3.0	0.35	2.1	0.26	58	2.1	0.29	2.0	0.32
Skin (excl. basal & sq.)	733	26.8	1.02	17.9	0.69	656	21.7	0.87	16.1	0.69
Melanomas of the skin	675	24.5	0.97	16.5	0.66	619	20.5	0.85	15.2	0.66
Breast (excl. *in situ*)	46	1.7	0.25	1.0	0.16	3,853	120.8	2.00	86.9	1.49
Female Genital System	-	-	-	-	-	1,435	44.7	1.22	32.7	0.93
Cervix uteri	-	-	-	-	-	208	8.0	0.57	6.2	0.46
Uterus Corpus	-	-	-	-	-	693	20.6	0.80	15.7	0.62
Uterus, NOS[1]	-	-	-	-	-	20	0.6	0.14	0.4	0.10
Ovary	-	-	-	-	-	339	10.2	0.57	7.1	0.42
Male Genital System	3,834	131.2	2.17	90.9	1.51	-	-	-	-	-
Prostate	3,662	124.0	2.10	84.5	1.42	-	-	-	-	-
Testis	126	5.6	0.51	5.3	0.49	-	-	-	-	-
Penis	40	1.3	0.22	0.9	0.15	-	-	-	-	-
Urinary System	1,771	65.1	1.59	39.4	0.98	828	24.7	0.88	16.3	0.63
Bladder (incl. *in situ*)	1,070	40.5	1.27	22.5	0.71	376	11.0	0.58	6.8	0.38
Kidney & renal pelvis	663	23.2	0.92	16.1	0.66	426	12.9	0.64	9.2	0.49
Ureter	25	1.0	0.20	0.5	0.10	19	0.6	0.13	0.3	0.07
Eye & Orbit	20	0.7	0.17	0.6	0.18	17	0.6	0.17	0.7	0.22
Brain & Other Nervous System	225	8.6	0.59	6.4	0.48	167	5.6	0.45	4.4	0.41
Brain	219	8.4	0.59	6.2	0.48	165	5.5	0.45	4.3	0.41
Endocrine System	185	6.8	0.52	5.7	0.47	434	15.8	0.79	12.9	0.66
Thyroid gland	159	5.8	0.47	4.5	0.37	415	15.1	0.77	12.2	0.64
Lymphomas	713	26.8	1.03	18.4	0.74	589	18.7	0.79	13.1	0.62
Hodgkin Lymphoma	74	3.1	0.37	2.7	0.33	60	2.5	0.33	2.3	0.32
Non-Hodgkin Lymphoma	639	23.7	0.97	15.7	0.67	529	16.2	0.72	10.9	0.53
Multiple Myeloma	198	7.2	0.53	4.4	0.32	149	4.5	0.38	2.8	0.25
Leukemias	395	15.1	0.79	11.1	0.67	267	8.8	0.57	6.9	0.58
Acute lymphocytic	28	1.5	0.30	2.1	0.43	23	1.2	0.27	1.7	0.41
Chronic lymphocytic	152	5.3	0.44	3.5	0.30	91	2.7	0.29	1.8	0.21
Acute myeloid	112	4.4	0.43	2.8	0.32	80	2.6	0.30	1.9	0.27
Chronic myeloid	51	1.9	0.27	1.2	0.18	35	1.2	0.21	0.8	0.18
Other leukemias	52	2.0	0.29	1.3	0.20	38	1.1	0.18	0.7	0.13
Mesothelioma	65	2.6	0.33	1.3	0.17	16	0.5	0.12	0.3	0.07
Kaposi Sarcoma	8	0.3	0.12	0.2	0.09	-	-	-	-	-
Ill-defined & Unknown	464	18.1	0.86	9.7	0.47	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	85	3.1	0.35	2.4	0.28	131	4.3	0.39	3.3	0.32
Breast (*in situ*)	-	-	-	-	-	556	17.6	0.77	13.7	0.60

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Nunavut, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	143	401.4	44.55	264.9	23.68	136	398.9	43.11	262.0	24.16
Oral Cavity & Pharynx	12	24.4	7.94	19.9	6.09	8	18.0	7.33	14.7	5.67
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	9	19.6	7.44	15.2	5.43	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	38	100.0	21.24	64.7	11.22	34	101.5	22.85	63.3	11.68
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	16	43.4	15.08	28.7	7.73	13	42.2	14.27	24.6	7.12
Rectum & rectosigmoid	7	16.1	7.45	10.3	4.13	9	32.3	15.36	18.4	6.91
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	7	18.4	8.19	12.5	4.98
Respiratory System	44	164.5	32.18	97.0	15.39	41	161.3	29.79	97.7	15.91
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	44	164.5	32.18	97.0	15.39	41	161.3	29.79	97.7	15.91
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. *in situ*)	-	-	-	-	-	24	63.6	15.87	42.9	9.35
Female Genital System	-	-	-	-	-	9	13.7	4.68	11.5	3.98
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	21	53.5	16.35	36.1	8.47	-	-	-	-	-
Prostate	16	37.0	10.47	28.8	7.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	19.6	6.50	17.3	5.75	7	21.0	9.32	14.4	5.73
Bladder (incl. *in situ*)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	7	14.0	5.55	12.7	5.01	6	20.1	9.27	13.3	5.62
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Ontario, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	177,386	515.0	1.24	335.8	0.84	169,058	422.1	1.04	295.0	0.78
Oral Cavity & Pharynx	5,493	15.2	0.21	10.8	0.15	2,587	6.4	0.13	4.4	0.09
Lip	503	1.5	0.07	0.9	0.04	193	0.5	0.03	0.3	0.02
Tongue	1,460	3.9	0.10	2.9	0.08	673	1.7	0.06	1.2	0.05
Major salivary gland	590	1.8	0.07	1.1	0.05	410	1.0	0.05	0.8	0.04
Floor of mouth	322	0.9	0.05	0.6	0.04	139	0.3	0.03	0.2	0.02
Gum & other mouth	689	2.0	0.08	1.3	0.05	538	1.3	0.06	0.8	0.04
Nasopharynx	344	1.0	0.05	0.8	0.04	176	0.5	0.04	0.4	0.03
Oropharynx	213	0.6	0.04	0.4	0.03	67	0.2	0.02	0.1	0.01
Hypopharynx	360	1.0	0.05	0.7	0.04	81	0.2	0.02	0.1	0.02
Digestive System	38,502	112.3	0.58	70.4	0.37	30,289	73.3	0.43	45.3	0.29
Esophagus	2,744	7.9	0.15	5.1	0.10	899	2.1	0.07	1.3	0.05
Stomach	3,880	11.5	0.19	7.0	0.12	2,340	5.7	0.12	3.5	0.08
Small intestine	864	2.5	0.09	1.6	0.06	760	1.9	0.07	1.3	0.05
Colon excl. rectum	14,245	42.3	0.36	25.4	0.22	13,655	32.9	0.28	19.6	0.19
Rectum & rectosigmoid	7,877	22.5	0.26	14.8	0.17	5,065	12.3	0.18	8.1	0.12
Anus, anal canal & anorectum	524	1.5	0.07	1.0	0.05	742	1.8	0.07	1.3	0.05
Liver	2,571	7.2	0.14	4.9	0.10	791	1.9	0.07	1.3	0.05
Gallbladder	269	0.8	0.05	0.5	0.03	562	1.4	0.06	0.8	0.04
Pancreas	3,623	10.5	0.18	6.6	0.11	3,691	8.9	0.15	5.3	0.10
Respiratory System	23,820	70.0	0.46	42.4	0.29	20,684	50.2	0.35	32.3	0.24
Larynx	1,626	4.6	0.12	3.0	0.08	305	0.7	0.04	0.5	0.03
Lung & bronchus	21,727	64.1	0.44	38.4	0.27	20,040	48.6	0.35	31.1	0.24
Bones & Joints	417	1.3	0.06	1.1	0.06	285	0.8	0.05	0.8	0.05
Soft Tissue (incl. heart)	1,641	4.9	0.12	3.6	0.10	1,241	3.3	0.10	2.7	0.09
Skin (excl. basal & sq.)	8,120	23.9	0.27	15.5	0.18	6,541	16.8	0.21	12.3	0.16
Melanomas of the skin	7,441	21.8	0.26	14.3	0.17	6,065	15.6	0.20	11.4	0.16
Breast (excl. *in situ*)	399	1.2	0.06	0.7	0.04	45,507	113.9	0.54	82.8	0.41
Female Genital System	-	-	-	-	-	20,965	52.4	0.37	38.9	0.28
Cervix uteri	-	-	-	-	-	2,960	8.3	0.15	6.5	0.12
Uterus Corpus	-	-	-	-	-	10,545	25.5	0.25	19.2	0.19
Uterus, NOS[1]	-	-	-	-	-	212	0.5	0.04	0.3	0.03
Ovary	-	-	-	-	-	5,290	13.3	0.18	9.6	0.14
Male Genital System	47,423	132.7	0.62	92.0	0.44	-	-	-	-	-
Prostate	45,016	125.3	0.60	85.4	0.41	-	-	-	-	-
Testis	1,963	6.1	0.14	5.8	0.13	-	-	-	-	-
Penis	326	1.0	0.06	0.6	0.03	-	-	-	-	-
Urinary System	21,169	62.9	0.44	37.7	0.27	8,605	21.0	0.23	13.6	0.16
Bladder (incl. *in situ*)	14,319	43.4	0.37	24.5	0.21	4,669	11.2	0.17	6.7	0.11
Kidney & renal pelvis	5,626	15.8	0.21	11.1	0.15	3,436	8.6	0.15	6.1	0.12
Ureter	153	0.5	0.04	0.3	0.02	119	0.3	0.03	0.2	0.02
Eye & Orbit	363	1.1	0.06	0.8	0.05	331	0.9	0.05	0.7	0.05
Brain & Other Nervous System	2,830	8.3	0.16	6.8	0.14	2,238	6.0	0.13	5.0	0.12
Brain	2,681	7.9	0.15	6.4	0.14	2,084	5.6	0.13	4.6	0.12
Endocrine System	3,213	9.2	0.16	7.5	0.14	10,560	29.2	0.29	24.2	0.24
Thyroid gland	2,856	8.1	0.15	6.5	0.12	10,253	28.4	0.28	23.4	0.24
Lymphomas	8,966	26.4	0.28	18.3	0.21	7,657	19.4	0.22	13.7	0.17
Hodgkin Lymphoma	967	2.9	0.09	2.7	0.09	851	2.5	0.09	2.3	0.09
Non-Hodgkin Lymphoma	7,999	23.4	0.27	15.6	0.18	6,806	16.9	0.21	11.3	0.15
Multiple Myeloma	2,447	7.3	0.15	4.3	0.09	1,975	4.8	0.11	2.8	0.07
Leukemias	5,924	17.9	0.24	12.4	0.18	4,404	11.3	0.17	8.2	0.15
Acute lymphocytic	458	1.6	0.07	2.0	0.10	384	1.3	0.07	1.7	0.10
Chronic lymphocytic	2,622	7.7	0.15	4.7	0.09	1,687	4.0	0.10	2.4	0.06
Acute myeloid	1,267	3.8	0.11	2.5	0.08	1,124	2.9	0.09	2.1	0.07
Chronic myeloid	669	2.0	0.08	1.3	0.05	512	1.3	0.06	0.9	0.04
Other leukemias	908	2.8	0.09	1.9	0.07	697	1.8	0.07	1.2	0.06
Mesothelioma	743	2.3	0.08	1.2	0.05	166	0.4	0.03	0.3	0.02
Kaposi Sarcoma	104	0.3	0.03	0.2	0.02	29	0.1	0.01	0.0	0.01
Ill-defined & Unknown	5,812	17.9	0.24	10.1	0.14	4,994	12.0	0.17	7.0	0.12
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	53	0.1	0.02	0.1	0.02	9,540	24.0	0.25	18.4	0.19

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Prince Edward Island, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	2,351	567.6	12.05	363.5	7.83	1,975	411.6	9.50	280.4	6.99
Oral Cavity & Pharynx	77	17.8	2.09	12.0	1.41	28	5.8	1.13	3.8	0.82
Lip	8	2.0	0.71	1.1	0.42	-	-	-	-	-
Tongue	27	5.8	1.15	4.3	0.84	8	1.6	0.56	1.0	0.40
Major salivary gland	6	1.7	0.72	0.8	0.32	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	1.7	0.67	1.1	0.45	8	1.5	0.55	0.9	0.46
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	8	1.8	0.66	1.2	0.42	-	-	-	-	-
Digestive System	488	119.3	5.54	73.0	3.43	409	82.8	4.19	49.7	2.72
Esophagus	39	9.4	1.55	6.2	1.06	12	2.7	0.80	1.7	0.53
Stomach	40	9.9	1.59	6.1	0.99	14	2.6	0.72	1.5	0.45
Small intestine	10	2.7	0.87	1.4	0.47	12	2.4	0.70	1.6	0.51
Colon excl. rectum	199	50.0	3.64	28.7	2.10	210	42.5	3.00	24.1	1.86
Rectum & rectosigmoid	97	22.4	2.33	14.8	1.54	60	12.5	1.65	8.1	1.14
Anus, anal canal & anorectum	-	-	-	-	-	10	2.1	0.67	1.5	0.50
Liver	29	7.0	1.32	4.5	0.85	7	1.4	0.52	0.8	0.33
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	56	13.5	1.86	8.5	1.18	50	9.7	1.39	6.1	0.93
Respiratory System	415	100.3	5.05	60.3	3.05	255	52.0	3.30	32.6	2.18
Larynx	25	5.9	1.22	3.9	0.80	-	-	-	-	-
Lung & bronchus	386	93.4	4.88	55.8	2.92	251	51.1	3.27	31.8	2.14
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	14	3.6	1.00	2.5	0.75	15	3.3	0.90	2.7	0.79
Skin (excl. basal & sq.)	-	-	-	-	-	114	25.2	2.42	18.2	1.87
Melanomas of the skin	98	25.1	2.61	16.0	1.71	105	23.0	2.30	16.7	1.77
Breast (excl. *in situ*)	-	-	-	-	-	570	117.7	5.05	84.1	3.73
Female Genital System	-	-	-	-	-	198	41.9	3.06	30.2	2.29
Cervix uteri	-	-	-	-	-	34	8.4	1.49	6.9	1.23
Uterus Corpus	-	-	-	-	-	85	17.0	1.88	12.1	1.39
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	50	10.4	1.50	6.8	1.02
Male Genital System	714	164.5	6.34	112.8	4.36	-	-	-	-	-
Prostate	689	156.7	6.15	106.1	4.12	-	-	-	-	-
Testis	19	6.1	1.40	5.9	1.39	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	245	59.8	3.93	36.7	2.43	94	18.6	1.96	12.3	1.36
Bladder (incl. *in situ*)	144	36.3	3.10	20.2	1.73	49	9.7	1.41	6.0	0.95
Kidney & renal pelvis	94	22.0	2.34	15.4	1.66	36	7.1	1.20	5.2	0.90
Ureter	7	1.6	0.62	1.1	0.41	8	1.6	0.59	1.0	0.37
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	31	8.2	1.51	6.3	1.27	19	4.5	1.07	3.1	0.87
Brain	31	8.2	1.51	6.3	1.27	17	3.9	0.99	2.8	0.82
Endocrine System	18	4.7	1.14	3.4	0.88	43	11.7	1.85	10.6	1.84
Thyroid gland	15	3.8	1.00	2.8	0.77	41	10.9	1.76	9.3	1.57
Lymphomas	87	22.6	2.49	15.3	1.79	89	19.1	2.09	14.3	1.74
Hodgkin Lymphoma	10	3.1	1.00	2.7	0.93	8	2.1	0.78	1.9	0.72
Non-Hodgkin Lymphoma	77	19.5	2.28	12.7	1.52	81	17.0	1.94	12.4	1.58
Multiple Myeloma	33	8.1	1.46	4.8	0.86	28	5.7	1.10	3.2	0.67
Leukemias	50	13.1	1.89	8.2	1.27	43	9.1	1.44	6.8	1.34
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	24	6.0	1.24	3.5	0.75	16	3.2	0.82	2.0	0.53
Acute myeloid	10	2.5	0.81	1.5	0.49	10	2.1	0.69	1.7	0.67
Chronic myeloid	6	1.9	0.79	1.1	0.48	6	1.2	0.51	0.9	0.37
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	10	2.4	0.77	1.5	0.48	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	58	14.8	2.00	8.4	1.15	62	11.9	1.55	7.0	1.00
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	6	1.7	0.71	0.9	0.43	17	3.7	0.92	2.4	0.76
Breast (*in situ*)	-	-	-	-	-	102	21.5	2.18	16.3	1.68

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Saskatchewan, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	14,133	501.2	4.26	324.8	2.92	13,106	409.7	3.67	282.1	2.75
Oral Cavity & Pharynx	382	13.4	0.69	9.5	0.51	163	5.0	0.40	3.2	0.29
Lip	57	2.1	0.28	1.2	0.17	13	0.4	0.10	0.2	0.05
Tongue	103	3.5	0.35	2.7	0.27	46	1.5	0.22	1.0	0.17
Major salivary gland	33	1.2	0.22	0.9	0.16	24	0.7	0.16	0.5	0.11
Floor of mouth	20	0.7	0.15	0.5	0.11	13	0.4	0.11	0.3	0.08
Gum & other mouth	39	1.4	0.23	0.9	0.15	29	0.9	0.16	0.5	0.11
Nasopharynx	11	0.4	0.13	0.3	0.10	6	0.2	0.07	0.1	0.06
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	22	0.8	0.17	0.6	0.12	-	-	-	-	-
Digestive System	3,358	118.9	2.07	74.0	1.36	2,648	78.4	1.56	48.9	1.08
Esophagus	200	7.0	0.50	4.5	0.34	55	1.7	0.23	1.1	0.16
Stomach	322	11.4	0.64	7.0	0.41	164	4.9	0.39	3.0	0.27
Small intestine	81	2.8	0.32	1.8	0.21	61	2.0	0.26	1.4	0.19
Colon excl. rectum	1,302	46.0	1.29	28.3	0.83	1,188	34.7	1.03	20.9	0.70
Rectum & rectosigmoid	791	28.0	1.01	18.0	0.67	510	15.5	0.70	10.5	0.51
Anus, anal canal & anorectum	26	0.9	0.18	0.6	0.13	52	1.6	0.23	1.1	0.17
Liver	127	4.4	0.40	3.1	0.30	53	1.6	0.22	0.9	0.15
Gallbladder	24	0.9	0.19	0.5	0.12	62	1.9	0.24	1.1	0.15
Pancreas	343	12.3	0.67	7.3	0.42	349	10.1	0.56	6.0	0.37
Respiratory System	2,029	72.6	1.63	43.9	1.04	1,895	57.8	1.35	36.9	0.94
Larynx	114	4.0	0.38	2.6	0.26	27	0.9	0.17	0.6	0.12
Lung & bronchus	1,882	67.3	1.56	40.5	0.99	1,850	56.4	1.33	35.9	0.92
Bones & Joints	22	0.8	0.18	0.8	0.18	16	0.6	0.14	0.5	0.16
Soft Tissue (incl. heart)	103	3.7	0.37	2.6	0.28	71	2.4	0.29	1.9	0.26
Skin (excl. basal & sq.)	414	14.7	0.73	9.6	0.50	371	12.2	0.66	8.9	0.51
Melanomas of the skin	375	13.3	0.70	8.8	0.48	335	11.1	0.63	8.2	0.49
Breast (excl. *in situ*)	29	1.1	0.20	0.6	0.12	3,605	114.8	1.96	81.8	1.48
Female Genital System	-	-	-	-	-	1,522	49.5	1.30	36.7	1.02
Cervix uteri	-	-	-	-	-	235	9.1	0.61	7.5	0.50
Uterus Corpus	-	-	-	-	-	740	23.4	0.88	17.7	0.69
Uterus, NOS[1]	-	-	-	-	-	19	0.5	0.13	0.3	0.09
Ovary	-	-	-	-	-	390	12.3	0.64	8.7	0.49
Male Genital System	3,870	134.5	2.19	91.4	1.54	-	-	-	-	-
Prostate	3,656	126.3	2.11	84.1	1.46	-	-	-	-	-
Testis	167	6.6	0.51	6.2	0.48	-	-	-	-	-
Penis	37	1.3	0.22	0.8	0.15	-	-	-	-	-
Urinary System	1,650	59.0	1.47	36.1	0.95	717	21.8	0.84	14.4	0.61
Bladder (incl. *in situ*)	1,029	37.0	1.16	21.3	0.71	344	10.1	0.56	6.4	0.39
Kidney & renal pelvis	592	21.0	0.87	14.2	0.62	355	11.2	0.61	7.8	0.46
Ureter	12	0.4	0.13	0.3	0.08	14	0.4	0.11	0.2	0.07
Eye & Orbit	16	0.6	0.15	0.4	0.10	30	1.0	0.19	0.9	0.20
Brain & Other Nervous System	206	7.6	0.53	6.4	0.49	162	5.5	0.44	4.6	0.41
Brain	195	7.1	0.52	6.0	0.47	154	5.2	0.43	4.3	0.39
Endocrine System	126	4.8	0.43	3.9	0.37	349	13.0	0.71	11.0	0.62
Thyroid gland	113	4.2	0.41	3.4	0.33	328	12.2	0.69	10.1	0.58
Lymphomas	694	25.2	0.97	17.6	0.72	598	18.9	0.79	13.3	0.61
Hodgkin Lymphoma	101	3.7	0.38	3.3	0.35	64	2.4	0.30	2.2	0.29
Non-Hodgkin Lymphoma	593	21.4	0.89	14.3	0.63	534	16.5	0.73	11.1	0.54
Multiple Myeloma	178	6.3	0.48	3.7	0.30	159	5.0	0.40	3.3	0.29
Leukemias	586	20.9	0.87	14.7	0.68	392	12.3	0.64	9.2	0.57
Acute lymphocytic	38	1.5	0.24	2.1	0.35	40	1.6	0.26	2.0	0.35
Chronic lymphocytic	296	10.3	0.61	6.4	0.40	181	5.3	0.40	3.3	0.28
Acute myeloid	132	4.8	0.42	3.3	0.31	102	3.4	0.34	2.5	0.29
Chronic myeloid	55	1.9	0.26	1.4	0.21	32	1.0	0.19	0.8	0.15
Other leukemias	65	2.4	0.30	1.5	0.21	37	1.0	0.16	0.6	0.13
Mesothelioma	59	2.1	0.28	1.3	0.18	14	0.4	0.12	0.3	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	118	4.3	0.40	3.1	0.30	177	5.8	0.45	4.3	0.35
Breast (*in situ*)	-	-	-	-	-	478	15.6	0.73	12.2	0.58

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
Yukon, 2008-2012, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Count*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites (invasive & in situ bladder)	312	367.9	23.61	248.8	14.38	295	366.7	23.30	255.3	15.31
Oral Cavity & Pharynx	21	18.0	4.06	15.2	3.38	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	5.6	2.15	4.8	1.85	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	72	90.4	12.35	55.7	6.69	54	70.5	10.52	47.2	6.61
Esophagus	7	11.0	5.21	5.5	2.18	-	-	-	-	-
Stomach	13	14.1	4.43	9.6	2.72	7	6.8	2.64	5.9	2.30
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	21	30.3	7.42	16.6	3.67	22	33.0	7.57	20.3	4.46
Rectum & rectosigmoid	14	16.6	5.11	10.4	2.82	17	17.4	4.55	13.9	3.45
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	7	6.1	2.46	5.2	2.01	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	52	61.8	9.34	43.6	6.12	43	60.7	10.02	40.2	6.29
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	58.4	9.18	40.5	5.92	42	58.7	9.82	38.9	6.17
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	9	10.1	3.55	8.0	2.78	12	12.6	3.69	10.8	3.18
Breast (excl. *in situ*)	-	-	-	-	-	103	119.2	12.69	87.1	8.83
Female Genital System	-	-	-	-	-	34	37.2	6.98	27.8	4.94
Cervix uteri	-	-	-	-	-	8	7.6	2.75	6.7	2.44
Uterus Corpus	-	-	-	-	-	13	13.8	4.29	9.8	2.77
Uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	8.1	3.05	6.7	2.51
Male Genital System	80	99.0	12.68	64.5	7.32	-	-	-	-	-
Prostate	74	90.9	12.14	59.4	7.01	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	24	33.2	7.71	18.6	3.84	16	21.1	5.81	13.4	3.40
Bladder (incl. *in situ*)	20	29.8	7.51	15.5	3.52	9	13.2	4.79	7.5	2.56
Kidney & renal pelvis	-	-	-	-	-	6	5.5	2.27	5.1	2.10
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	6	4.8	2.01	4.4	1.84	-	-	-	-	-
Brain	6	4.8	2.01	4.4	1.84	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	20	20.8	5.22	16.4	3.88	8	12.0	4.60	7.7	2.81
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	7	6.9	2.73	5.6	2.16	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	9.6	3.54	7.0	2.36	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & ONS[1] (*benign/borderline*)	-	-	-	-	-	-	-	-	-	-
Breast (*in situ*)	-	-	-	-	-	11	12.7	4.18	9.4	2.95

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

\- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System