



**Average-annual NAACCR Combined Cancer
Incidence Rates
for the United States, Canada and North America**

**Age-Adjusted to the 2000 U.S. and
World Population Standard**



TABLE OF CONTENTS

Average-annual Age-adjusted NAACCR Combined Cancer Incidence Rates for the United States, Canada and North America

<i>Map: Registries included in U.S. Combined Incidence for All Races</i>	1
Combined Registries, All Races (2000 U.S. and World populations).....	2
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
All Races, Males (World population)	3
All Races, Females (World population).....	5
<i>Map: Registries included in U.S. Combined Incidence for White</i>	7
Combined Registries, White (2000 U.S. and World populations)	8
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
White, Males (World population)	9
White, Females (World population).....	11
<i>Map: Registries included in U.S. Combined Incidence for Black</i>	13
Combined Registries, Black (2000 U.S. and World populations).....	14
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
Black, Males (World population).....	15
Black, Females (World population)	17
<i>Map: Registries included in U.S. Combined Incidence for Asian/Pacific Islander</i>	19
Combined Registries, Asian/Pacific Islander (2000 U.S. and World populations)	20
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
Asian/Pacific Islander, Males (World population).....	21
Asian/Pacific Islander, Females (World population)	23
<i>Map: Selected CHSDA Counties included in U.S. Combined Incidence for American Indian/Alaskan Native</i>	25
Combined Registries, American Indian/Alaskan Native (2000 U.S. and World populations).....	26
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
American Indian/Alaskan Native, Males (World population).....	27
American Indian/Alaskan Native, Females (World population)	29
Combined Registries, Hispanic/Latino (2000 U.S. and World populations).....	31
Combined Registries, Non-Hispanic White (2000 U.S. and World populations)	32
Combined Registries, Non-Hispanic Black (2000 U.S. and World populations).....	33
<i>Map: Registries included in Canadian Combined Incidence for All Races</i>	35
Combined Registries, All Races (2000 U.S. and World populations).....	36
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
All Races, Males (2000 U.S. and World populations)	37
All Races, Females (2000 U.S. and World populations).....	38
<i>Map: Registries included in North American Combined Incidence for All Races</i>	39
Combined Registries, All Races (2000 U.S. and World populations).....	40
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
All Races, Males (World population)	41
All Races, Females (World population).....	43
<i>Map: Registries included in U.S. Pediatric Cancer Incidence</i>	46
Age-adjusted Rates (2000 U.S. and World populations) (Ages 0-14, Ages 0-19)	
All Races, Males	47
All Races, Females.....	48
White, Males	49
White, Females	50
Black, Males	51
Black, Females	52
Asian/Pacific Islander, Males.....	53
Asian/Pacific Islander, Females	54
American Indian/Alaskan Native, Males	55
American Indian/Alaskan Native, Females.....	56
Hispanic/Latino, All Races, Males.....	57
Hispanic/Latina, All Races, Females	58
Non-Hispanic White, Males.....	59
Non-Hispanic White, Females	60
Non-Hispanic Black, Males	61
Non-Hispanic Black, Females.....	62

Contents

<i>Map: Registries included in Canadian Pediatric Cancer Incidence</i>	64
Age-adjusted Rates (2000 U.S. and World populations) (Ages 0-14, Ages 0-19)	
All Races, Males.....	65
All Races, Females	66
<i>Map: Registries included in North American Pediatric Cancer Incidence</i>	68
Age-adjusted Rates (2000 U.S. and World populations) (Ages 0-14, Ages 0-19)	
All Races, Males.....	69
All Races, Females	70

**All Appendices are available on the NAACCR website:
<http://www.naacr.org/DataandPublications/CINAPubs.aspx>**

NAACCR U.S. Combined Incidence 2009-2013, All Races Combined



Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,873,834	338.9	0.18	981,409	86.5	0.09	554,620	45.6	0.06	349,299	29.8	0.05	258,135	20.3	0.04	192,376	16.9	0.04
Alabama	67,937	366.1	1.45	18,121	96.3	0.73	11,747	60.1	0.57	6,446	34.6	0.44	3,960	19.5	0.32	3,364	18.3	0.33
Alaska	6,928	298.9	3.67	1,629	68.9	1.74	949	41.2	1.36	729	31.0	1.17	451	19.7	0.94	232	9.7	0.65
Arizona	71,065	275.3	1.09	15,085	59.1	0.49	9,820	34.2	0.36	6,613	25.1	0.32	5,306	17.8	0.26	4,046	15.6	0.26
Arkansas	41,689	356.4	1.82	10,623	89.8	0.89	7,837	63.4	0.74	3,870	32.7	0.55	2,670	20.5	0.41	1,762	15.2	0.38
California	406,993	308.8	0.50	105,657	82.2	0.26	43,596	30.8	0.15	37,551	27.7	0.15	25,591	17.4	0.11	24,180	18.0	0.12
CA: Greater Bay Area	80,876	315.0	1.15	22,377	89.3	0.61	8,074	29.0	0.34	7,009	26.4	0.33	4,858	16.9	0.25	5,116	19.6	0.28
CA: Los Angeles	95,948	293.9	0.98	24,930	79.1	0.51	9,623	27.7	0.29	9,833	29.2	0.30	5,815	16.1	0.22	3,930	11.7	0.19
Colorado	54,754	300.6	1.32	15,528	85.3	0.69	5,499	28.5	0.39	4,487	23.9	0.36	3,554	18.2	0.31	3,336	18.3	0.32
Connecticut	51,263	356.4	1.66	13,037	93.2	0.83	6,551	42.2	0.54	4,350	29.0	0.46	4,316	26.6	0.43	2,564	17.5	0.37
Delaware	14,227	384.5	3.36	3,953	107.8	1.75	2,011	50.3	1.16	1,059	28.0	0.89	974	23.6	0.79	929	25.0	0.86
District of Columbia	7,216	379.3	4.59	2,277	120.7	2.56	921	46.8	1.57	621	32.0	1.31	304	14.7	0.87	145	7.5	0.63
Florida	285,677	329.2	0.67	67,879	79.1	0.32	43,734	46.0	0.23	25,046	28.1	0.19	20,023	19.2	0.15	15,700	17.6	0.15
Georgia	116,323	360.3	1.07	31,711	98.1	0.56	17,727	53.2	0.40	10,423	31.8	0.31	6,415	18.9	0.24	6,815	21.1	0.26
GA: Metropolitan Atlanta	34,328	356.6	1.95	10,322	108.7	1.08	3,828	39.9	0.65	2,942	29.8	0.56	1,690	17.5	0.43	2,282	23.3	0.49
Hawaii	17,102	299.5	2.42	3,717	63.1	1.07	2,173	34.7	0.78	2,029	36.1	0.83	858	13.1	0.47	1,020	18.7	0.61
Idaho	19,712	323.6	2.39	5,513	89.5	1.23	2,170	32.8	0.72	1,657	26.8	0.68	1,466	21.7	0.59	1,264	21.6	0.63
Illinois	164,402	349.7	0.89	41,862	90.5	0.45	24,276	48.8	0.32	16,253	33.4	0.27	11,111	21.5	0.21	6,891	14.7	0.18
Indiana	81,339	331.8	1.21	17,395	70.9	0.55	14,461	56.1	0.48	7,890	31.3	0.36	5,579	20.8	0.29	3,451	14.3	0.25
Iowa	44,738	352.7	1.77	10,442	83.0	0.84	6,657	48.7	0.63	4,291	32.4	0.52	3,252	22.6	0.42	2,302	19.0	0.42
Kansas	38,243	351.5	1.88	10,001	92.3	0.95	5,242	45.3	0.65	3,473	31.1	0.55	2,701	22.1	0.45	2,103	19.7	0.45
Kentucky	66,488	394.6	1.58	14,049	82.2	0.70	13,128	74.1	0.66	6,568	38.3	0.48	4,183	22.9	0.36	3,312	20.1	0.36
Louisiana	64,790	392.8	1.58	17,988	108.8	0.82	9,988	58.0	0.59	6,287	37.6	0.49	3,519	19.8	0.34	2,353	14.4	0.31
Maine	21,288	347.0	2.54	4,645	74.1	1.11	3,448	52.0	0.92	1,762	28.1	0.71	1,822	26.7	0.65	1,099	18.5	0.59
Maryland	71,491	336.3	1.30	20,404	97.3	0.69	9,196	41.0	0.44	5,867	26.7	0.36	4,652	19.8	0.30	3,841	18.0	0.30
Massachusetts	89,030	348.4	1.22	22,631	90.5	0.61	12,019	43.6	0.41	7,325	27.3	0.33	6,747	23.6	0.30	4,361	16.9	0.27
Michigan	139,453	351.7	0.98	38,205	96.4	0.50	20,411	48.2	0.35	11,631	28.4	0.27	9,849	22.3	0.23	5,811	15.1	0.21
MI: Metropolitan Detroit	58,269	396.6	1.71	17,185	118.6	0.92	8,222	52.6	0.60	4,708	30.8	0.47	3,892	23.9	0.40	1,945	13.3	0.32
Mississippi	41,349	381.2	1.93	10,976	100.6	0.97	7,388	64.8	0.77	4,240	38.8	0.61	2,095	17.9	0.40	1,651	15.4	0.39
Missouri	79,804	337.5	1.25	17,905	76.4	0.58	14,180	56.2	0.49	7,787	31.8	0.37	5,056	19.1	0.28	3,617	15.6	0.27

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, All Races, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	14,835	329.9	2.86	4,082	88.6	1.41	1,813	36.4	0.89	1,340	29.3	0.84	1,054	20.6	0.66	842	19.9	0.73
Nebraska	23,151	325.5	2.25	5,799	82.0	1.11	3,235	42.1	0.77	2,289	30.7	0.68	1,567	19.4	0.52	1,038	15.3	0.50
New Hampshire	19,928	359.8	2.67	5,318	95.5	1.33	2,594	43.6	0.88	1,487	25.8	0.70	1,737	28.6	0.71	1,137	20.4	0.63
New Jersey	123,225	364.3	1.08	34,573	104.2	0.57	14,547	40.0	0.34	10,819	30.6	0.31	8,732	22.9	0.26	6,190	18.0	0.24
New York	271,118	368.7	0.74	73,986	102.5	0.38	34,160	43.4	0.24	22,879	29.9	0.21	19,154	23.2	0.18	10,984	14.8	0.15
North Carolina	127,950	356.8	1.03	33,114	91.8	0.51	21,224	56.0	0.39	10,497	29.0	0.29	8,064	20.6	0.24	7,019	19.7	0.24
North Dakota	9,545	339.5	3.68	2,531	91.3	1.87	1,265	40.7	1.22	993	35.2	1.18	700	21.8	0.88	448	16.9	0.85
Ohio	157,000	340.4	0.90	38,617	83.6	0.43	25,851	52.9	0.34	14,624	30.6	0.26	11,297	21.9	0.21	7,106	15.8	0.20
Oklahoma	49,218	337.9	1.58	12,076	81.7	0.76	8,380	54.4	0.61	4,742	32.3	0.49	3,107	19.4	0.36	2,069	14.2	0.33
Oregon	50,620	315.6	1.47	12,483	76.9	0.70	6,724	38.5	0.49	4,343	26.4	0.42	3,784	20.8	0.35	3,231	20.9	0.38
Pennsylvania	195,607	365.8	0.88	47,111	89.3	0.42	28,233	48.7	0.30	17,936	32.0	0.25	15,250	25.0	0.21	9,390	17.8	0.19
Rhode Island	14,620	348.9	3.05	3,427	83.9	1.46	2,123	46.8	1.06	1,153	26.0	0.81	1,242	26.3	0.79	705	17.0	0.68
South Carolina	64,683	352.5	1.43	16,888	90.8	0.71	10,614	54.7	0.54	5,449	29.7	0.41	3,838	19.0	0.31	3,463	19.2	0.34
South Dakota	10,848	321.5	3.26	2,789	83.7	1.63	1,487	39.8	1.09	1,123	32.6	1.03	726	18.7	0.74	496	15.6	0.74
Tennessee	89,042	362.0	1.25	22,092	88.3	0.60	15,936	61.5	0.50	7,647	30.5	0.36	5,398	20.0	0.28	4,289	17.7	0.28
Texas	258,571	312.1	0.63	59,988	72.8	0.30	36,114	41.8	0.22	25,572	30.4	0.19	13,714	15.4	0.14	9,393	11.2	0.12
Utah	25,308	313.0	2.02	7,885	100.3	1.15	1,745	20.6	0.51	1,914	23.2	0.55	1,477	16.8	0.45	2,386	29.0	0.61
Vermont	9,140	331.2	3.65	2,151	75.7	1.66	1,326	44.7	1.26	740	26.2	1.00	688	22.8	0.90	663	24.3	0.99
Virginia	93,277	313.1	1.05	24,574	82.9	0.53	14,277	45.5	0.39	8,198	26.9	0.30	5,719	17.7	0.24	4,650	15.5	0.23
Washington	87,714	334.9	1.17	22,828	87.3	0.59	10,927	38.9	0.38	7,041	26.3	0.32	5,995	20.6	0.28	5,164	20.2	0.29
WA: Seattle/Puget Sound	61,586	349.1	1.45	16,214	92.5	0.74	7,383	39.2	0.47	4,843	26.9	0.40	4,103	21.2	0.34	3,807	21.9	0.36
West Virginia	29,605	353.7	2.17	6,340	73.1	0.94	5,663	63.8	0.88	2,964	34.5	0.66	2,128	23.2	0.53	1,359	16.7	0.48
Wisconsin	78,607	340.8	1.27	19,645	86.0	0.63	10,485	42.4	0.43	6,642	27.7	0.35	5,788	22.4	0.31	3,814	17.0	0.29
Wyoming	6,921	303.8	3.79	1,879	80.7	1.89	768	31.1	1.15	652	28.0	1.13	522	21.3	0.96	391	18.0	0.95

¹. Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

². See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³. Abbreviations: S.E. - Standard Error

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2009-2013, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,720,357	291.4	0.16	1,087,392	89.0	0.09	488,929	33.8	0.05	324,925	22.2	0.04	234,076	19.1	0.04	165,707	17.1	0.04
Alabama	58,593	277.7	1.24	17,529	86.6	0.69	8,249	35.2	0.41	5,633	24.2	0.35	2,858	13.7	0.27	1,627	10.2	0.26
Alaska	6,407	284.7	3.65	2,021	88.7	2.01	775	33.8	1.24	609	26.4	1.09	426	18.8	0.93	285	13.8	0.83
Arizona	70,558	260.5	1.06	20,729	79.9	0.59	9,149	28.1	0.31	5,871	18.9	0.27	4,071	16.0	0.26	3,913	19.6	0.33
Arkansas	35,027	275.2	1.60	9,887	80.5	0.86	5,596	39.4	0.56	3,414	24.0	0.45	1,947	16.0	0.38	1,080	11.3	0.36
California	397,585	270.0	0.46	123,281	87.7	0.26	41,788	24.5	0.13	34,740	21.0	0.12	25,419	18.2	0.12	17,941	15.2	0.12
CA: Greater Bay Area	78,139	272.6	1.05	24,595	90.8	0.60	7,959	23.5	0.29	6,733	20.9	0.28	5,209	18.8	0.27	3,113	13.9	0.26
CA: Los Angeles	98,549	259.9	0.88	30,557	84.2	0.50	8,885	20.3	0.23	9,123	21.7	0.24	6,859	19.3	0.24	5,014	15.9	0.23
Colorado	53,692	272.1	1.24	17,252	90.0	0.71	5,677	25.5	0.36	4,190	18.6	0.31	3,200	16.5	0.30	3,070	19.2	0.36
Connecticut	52,346	318.4	1.54	15,507	99.5	0.85	6,772	35.7	0.47	4,227	21.6	0.38	3,494	22.1	0.39	2,789	23.6	0.47
Delaware	12,924	315.1	3.01	3,714	93.3	1.62	1,852	39.3	0.97	979	21.0	0.73	867	21.8	0.78	528	17.8	0.81
District of Columbia	7,448	315.6	3.92	2,339	103.5	2.24	834	32.1	1.19	689	27.1	1.11	522	22.4	1.02	384	18.7	0.99
Florida	261,280	278.5	0.61	73,524	83.4	0.33	38,511	34.9	0.19	22,949	20.8	0.16	15,139	17.0	0.15	9,192	14.2	0.16
Georgia	107,514	286.0	0.91	32,770	89.1	0.51	13,920	34.2	0.30	9,482	23.6	0.25	5,803	15.7	0.21	4,154	13.2	0.21
GA: Metropolitan Atlanta	34,318	287.2	1.60	11,440	96.5	0.92	3,602	28.8	0.50	2,795	22.2	0.43	1,927	16.4	0.38	1,537	13.9	0.36
Hawaii	17,041	292.2	2.46	5,536	99.4	1.42	1,707	24.0	0.63	1,581	24.1	0.67	1,242	23.6	0.70	853	20.0	0.71
Idaho	17,532	282.4	2.28	5,127	84.5	1.24	2,056	28.7	0.67	1,395	19.7	0.57	1,082	18.3	0.58	964	20.9	0.69
Illinois	163,811	303.6	0.81	47,617	92.7	0.45	22,258	36.7	0.26	15,068	24.0	0.22	11,107	21.7	0.21	7,191	17.5	0.21
Indiana	81,539	297.2	1.13	22,790	86.6	0.61	12,110	40.1	0.39	7,742	24.4	0.31	5,256	19.9	0.29	2,947	14.4	0.28
Iowa	41,999	304.8	1.67	11,429	87.7	0.89	5,292	33.6	0.51	4,104	23.4	0.42	3,030	23.7	0.46	1,560	16.6	0.44
Kansas	35,295	298.8	1.74	9,973	87.7	0.94	4,596	34.3	0.55	3,101	22.6	0.45	2,053	18.1	0.42	1,793	20.4	0.50
Kentucky	61,843	329.4	1.43	16,035	88.6	0.73	10,911	53.1	0.54	5,867	27.7	0.39	3,353	18.8	0.34	2,453	17.3	0.37
Louisiana	54,950	294.6	1.34	16,115	89.2	0.74	7,444	36.2	0.44	5,535	27.4	0.39	2,541	14.2	0.29	2,198	14.9	0.33
Maine	20,636	312.5	2.44	5,624	89.4	1.28	3,169	42.0	0.80	1,686	21.2	0.58	1,461	23.3	0.64	761	17.4	0.69
Maryland	72,637	292.8	1.16	22,547	94.1	0.65	9,177	32.9	0.36	5,921	21.3	0.30	4,673	19.4	0.29	3,526	17.9	0.31
Massachusetts	93,935	316.2	1.13	27,653	98.3	0.63	13,099	39.0	0.37	7,574	21.3	0.28	6,263	22.1	0.29	5,251	23.9	0.34
Michigan	130,635	299.0	0.91	37,127	88.6	0.49	18,660	37.8	0.30	11,011	21.6	0.23	9,099	21.6	0.24	5,123	16.1	0.24
MI: Metropolitan Detroit	55,118	318.2	1.48	15,664	94.7	0.80	8,057	41.2	0.49	4,775	23.7	0.38	3,722	22.5	0.38	2,452	18.8	0.40
Mississippi	35,330	286.0	1.63	10,017	84.6	0.89	5,099	37.6	0.56	3,797	28.2	0.49	1,758	14.7	0.37	1,239	12.8	0.38
Missouri	78,957	298.0	1.16	22,791	89.9	0.63	12,385	41.8	0.40	7,123	23.1	0.30	4,922	19.4	0.29	2,892	14.8	0.29

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	13,254	294.9	2.83	3,825	87.9	1.52	1,785	33.5	0.85	1,112	21.5	0.71	828	18.7	0.69	563	18.3	0.82
Nebraska	22,256	288.3	2.13	6,383	87.1	1.17	2,782	31.9	0.66	2,196	23.6	0.57	1,455	20.2	0.56	992	17.9	0.59
New Hampshire	19,034	320.1	2.53	5,705	99.4	1.38	2,690	40.6	0.83	1,468	20.9	0.60	1,432	24.7	0.68	787	17.9	0.68
New Jersey	123,978	314.6	0.98	35,523	95.0	0.53	14,957	33.1	0.29	11,099	23.8	0.25	8,658	22.9	0.26	6,787	23.0	0.29
New York	270,543	313.8	0.66	75,737	92.8	0.36	33,895	34.5	0.20	22,863	22.6	0.17	18,801	22.8	0.17	14,718	22.8	0.20
North Carolina	120,674	294.1	0.91	36,821	92.9	0.51	16,588	36.2	0.30	9,740	21.6	0.24	7,175	17.8	0.22	4,819	15.1	0.23
North Dakota	8,449	290.4	3.52	2,437	89.7	1.98	1,004	30.9	1.07	875	25.1	0.97	498	18.0	0.86	383	18.1	0.97
Ohio	153,101	295.9	0.83	43,608	87.6	0.45	22,389	38.5	0.28	13,644	22.4	0.21	10,387	20.9	0.22	6,415	17.3	0.23
Oklahoma	45,409	286.7	1.45	12,941	84.5	0.79	6,731	38.0	0.49	4,324	24.6	0.41	2,371	15.8	0.34	1,630	13.6	0.35
Oregon	50,186	294.2	1.43	15,140	91.6	0.79	6,710	33.5	0.44	3,951	19.8	0.35	3,298	20.2	0.37	1,950	15.8	0.37
Pennsylvania	193,738	321.9	0.82	53,137	92.6	0.43	25,073	36.3	0.25	17,377	23.7	0.21	13,734	24.1	0.22	10,598	25.4	0.26
Rhode Island	15,544	319.4	2.85	4,317	94.3	1.54	2,243	40.7	0.94	1,292	21.3	0.68	1,070	22.9	0.74	821	23.6	0.86
South Carolina	58,783	286.6	1.27	17,995	90.7	0.71	8,116	35.0	0.41	5,031	22.4	0.34	3,322	16.4	0.30	2,134	13.6	0.31
South Dakota	10,540	296.8	3.23	3,119	93.9	1.82	1,306	32.2	0.98	1,061	23.9	0.85	693	20.8	0.84	420	17.0	0.87
Tennessee	81,705	297.0	1.12	23,626	88.4	0.60	12,332	40.5	0.38	7,217	23.6	0.30	4,404	16.5	0.26	3,228	15.5	0.28
Texas	245,830	265.3	0.56	72,872	81.1	0.31	28,923	28.2	0.17	21,168	21.1	0.15	13,677	15.5	0.14	11,536	14.7	0.14
Utah	22,315	261.0	1.82	6,694	79.9	1.01	1,422	15.2	0.42	1,672	18.0	0.46	1,569	19.2	0.50	1,823	24.1	0.57
Vermont	8,947	304.8	3.55	2,604	93.3	1.94	1,292	39.1	1.16	711	19.0	0.80	700	24.2	0.96	331	16.8	0.99
Virginia	93,143	276.6	0.97	29,379	90.5	0.55	12,304	32.6	0.31	7,883	21.0	0.25	5,770	17.4	0.24	4,141	15.8	0.25
Washington	85,366	304.1	1.12	26,264	96.8	0.62	10,614	33.0	0.34	6,596	20.9	0.28	5,203	19.0	0.27	3,664	17.0	0.29
WA: Seattle/Puget Sound	59,783	311.4	1.36	18,559	100.0	0.76	7,218	32.7	0.41	4,521	21.2	0.34	3,612	19.2	0.33	2,591	17.3	0.35
West Virginia	27,279	311.1	2.10	7,026	82.7	1.07	4,352	43.8	0.71	2,644	25.3	0.55	1,943	23.7	0.57	1,116	18.2	0.59
Wisconsin	74,765	300.6	1.21	21,560	91.2	0.66	9,644	34.7	0.38	6,206	20.4	0.29	5,151	21.5	0.31	2,840	15.9	0.31
Wyoming	6,004	266.9	3.69	1,745	78.9	1.98	691	27.0	1.09	507	19.9	0.95	351	16.0	0.88	297	17.5	1.06

¹ Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

NAACCR U.S. Combined Incidence 2009-2013, The White Population



Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2009-2013, White

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	3,254,086	506.7	0.29	334.4	0.19	3,128,652	424.3	0.25	295.6	0.18
Oral Cavity & Pharynx	117,942	17.6	0.05	12.7	0.04	48,205	6.4	0.03	4.5	0.02
Lip	6,538	1.0	0.01	0.6	0.01	2,415	0.3	0.01	0.2	0.00
Tongue	37,223	5.5	0.03	4.1	0.02	14,660	2.0	0.02	1.4	0.01
Major salivary gland	10,605	1.7	0.02	1.1	0.01	6,851	1.0	0.01	0.7	0.01
Floor of mouth	5,812	0.8	0.01	0.6	0.01	2,675	0.4	0.01	0.2	0.00
Gum & other mouth	12,030	1.9	0.02	1.2	0.01	9,851	1.3	0.01	0.8	0.01
Nasopharynx	3,814	0.6	0.01	0.5	0.01	1,525	0.2	0.01	0.2	0.00
Oropharynx	5,503	0.8	0.01	0.6	0.01	1,701	0.2	0.01	0.2	0.00
Hypopharynx	7,199	1.1	0.01	0.7	0.01	1,821	0.2	0.01	0.2	0.00
Digestive System	607,871	94.8	0.12	60.8	0.08	488,182	63.3	0.09	39.6	0.06
Esophagus	54,849	8.4	0.04	5.5	0.02	13,746	1.7	0.02	1.1	0.01
Stomach	52,727	8.4	0.04	5.2	0.02	30,305	4.0	0.02	2.5	0.02
Small intestine	16,307	2.5	0.02	1.7	0.01	14,253	1.9	0.02	1.3	0.01
Colon excl. rectum	196,626	31.4	0.07	19.1	0.05	201,136	25.9	0.06	15.5	0.04
Rectum & rectosigmoid	92,526	14.3	0.05	9.7	0.03	65,377	8.8	0.04	6.0	0.03
Anus, anal canal & anorectum	9,391	1.4	0.02	1.0	0.01	16,966	2.3	0.02	1.6	0.01
Liver	65,978	9.6	0.04	6.9	0.03	22,015	2.9	0.02	1.9	0.01
Gallbladder	4,671	0.8	0.01	0.4	0.01	10,003	1.3	0.01	0.8	0.01
Pancreas	88,894	13.9	0.05	8.6	0.03	83,670	10.6	0.04	6.3	0.02
Respiratory System	521,330	81.9	0.12	50.2	0.07	439,402	57.2	0.09	36.3	0.06
Larynx	40,464	6.1	0.03	4.2	0.02	10,592	1.4	0.01	1.0	0.01
Lung & bronchus	473,308	74.6	0.11	45.1	0.07	424,203	55.1	0.09	34.8	0.06
Bones & Joints	6,741	1.1	0.01	1.0	0.01	5,340	0.8	0.01	0.8	0.01
Soft Tissue (incl. heart)	24,271	3.9	0.03	2.9	0.02	18,937	2.7	0.02	2.2	0.02
Skin (excl. basal & sq.)	197,070	31.4	0.07	20.3	0.05	137,270	19.8	0.05	14.7	0.04
Melanomas of the skin	182,803	29.0	0.07	19.0	0.05	128,292	18.6	0.05	14.0	0.04
Breast (excl. in situ)	8,186	1.3	0.01	0.8	0.01	905,706	124.3	0.13	89.5	0.10
Female Genital System	-	-	-	-	-	364,552	49.9	0.08	36.9	0.07
Cervix uteri	-	-	-	-	-	46,030	7.4	0.04	5.9	0.03
Uterus Corpus	-	-	-	-	-	190,817	25.2	0.06	19.0	0.05
Uterus, NOS ¹	-	-	-	-	-	5,627	0.7	0.01	0.5	0.01
Ovary	-	-	-	-	-	88,406	12.0	0.04	8.6	0.03
Male Genital System	811,363	120.6	0.14	85.8	0.10	-	-	-	-	-
Prostate	768,438	113.2	0.13	79.2	0.09	-	-	-	-	-
Testis	36,311	6.4	0.03	6.0	0.03	-	-	-	-	-
Penis	5,235	0.8	0.01	0.5	0.01	-	-	-	-	-
Urinary System	386,166	61.5	0.10	37.5	0.06	161,994	21.3	0.05	14.0	0.04
Bladder (incl. in situ)	236,688	38.4	0.08	21.6	0.05	73,664	9.4	0.04	5.6	0.02
Kidney & renal pelvis	141,326	21.8	0.06	15.2	0.04	83,949	11.4	0.04	8.1	0.03
Ureter	5,286	0.9	0.01	0.5	0.01	3,152	0.4	0.01	0.2	0.00
Eye & Orbit	6,693	1.1	0.01	0.8	0.01	5,625	0.8	0.01	0.7	0.01
Brain & Other Nervous System	51,790	8.3	0.04	6.8	0.03	41,475	6.1	0.03	5.1	0.03
Brain	49,127	7.9	0.04	6.3	0.03	38,604	5.6	0.03	4.6	0.03
Endocrine System	51,701	8.2	0.04	6.5	0.03	142,096	22.5	0.06	18.6	0.05
Thyroid gland	47,045	7.5	0.04	5.8	0.03	137,906	21.8	0.06	18.0	0.05
Lymphomas	166,635	26.8	0.07	18.2	0.05	138,351	18.9	0.05	13.1	0.04
Hodgkin Lymphoma	18,751	3.1	0.02	2.8	0.02	15,139	2.5	0.02	2.3	0.02
Non-Hodgkin Lymphoma	147,884	23.6	0.06	15.4	0.04	123,212	16.4	0.05	10.8	0.03
Multiple Myeloma	45,789	7.3	0.03	4.4	0.02	34,685	4.5	0.02	2.8	0.02
Leukemias	109,144	17.8	0.05	12.3	0.04	79,238	10.9	0.04	8.1	0.04
Acute lymphocytic	11,111	1.9	0.02	2.4	0.02	8,704	1.5	0.02	1.9	0.02
Chronic lymphocytic	39,480	6.3	0.03	3.7	0.02	25,920	3.3	0.02	2.0	0.01
Acute myeloid	31,427	5.1	0.03	3.3	0.02	25,185	3.5	0.02	2.5	0.02
Chronic myeloid	13,532	2.2	0.02	1.5	0.01	9,890	1.4	0.01	1.0	0.01
Other leukemias	13,594	2.2	0.02	1.4	0.01	9,539	1.3	0.01	0.8	0.01
Mesothelioma	11,324	1.9	0.02	1.0	0.01	3,425	0.4	0.01	0.3	0.01
Kaposi Sarcoma	3,172	0.5	0.01	0.4	0.01	439	0.1	0.00	0.0	0.00
Ill-defined & Unknown	126,898	20.8	0.06	11.8	0.04	113,730	14.4	0.04	8.3	0.03
Selected tumors (non-invasive)										
Brain & ONS ¹ (benign/borderline)	51,077	8.2	0.04	6.0	0.03	102,943	14.3	0.05	10.4	0.04
Breast (in situ)	879	0.1	0.00	0.1	0.00	220,088	30.9	0.07	23.3	0.05

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2009-2013, White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,254,086	334.4	0.19	768,438	79.2	0.09	473,308	45.1	0.07	289,152	28.8	0.06	236,688	21.6	0.05	182,803	19.0	0.05
Alabama	52,017	353.0	1.63	11,995	79.5	0.74	9,317	59.1	0.63	4,829	32.6	0.49	3,522	21.5	0.38	3,318	23.2	0.43
Alaska	5,399	293.1	4.10	1,357	71.7	1.99	697	37.9	1.46	479	25.7	1.20	396	21.6	1.10	215	11.4	0.80
Arizona	65,330	275.5	1.15	13,570	57.7	0.51	9,289	34.9	0.38	6,018	24.7	0.34	5,119	18.5	0.27	3,806	16.2	0.28
Arkansas	35,505	343.9	1.92	8,304	78.8	0.89	6,824	61.9	0.78	3,316	31.8	0.58	2,496	21.5	0.45	1,675	16.5	0.43
California	325,822	315.0	0.57	80,041	79.4	0.29	34,183	30.5	0.17	29,015	27.2	0.17	22,241	19.1	0.13	22,108	21.0	0.15
CA: Greater Bay Area	59,183	335.2	1.44	16,020	92.8	0.75	5,255	27.1	0.39	4,714	25.7	0.39	3,962	19.9	0.33	4,855	27.1	0.40
CA: Los Angeles	69,722	295.1	1.16	16,475	72.9	0.58	6,598	26.2	0.34	6,812	27.9	0.35	4,697	18.0	0.27	3,607	14.8	0.25
Colorado	49,251	290.1	1.35	12,671	74.4	0.67	5,125	28.3	0.40	4,156	23.7	0.38	3,294	17.9	0.32	3,312	19.7	0.35
Connecticut	45,566	352.1	1.76	10,979	86.9	0.85	5,939	41.9	0.57	3,841	28.5	0.49	4,107	27.8	0.46	2,440	18.8	0.41
Delaware	11,640	382.4	3.78	2,949	96.7	1.83	1,689	50.4	1.29	865	27.8	1.00	888	25.7	0.91	920	30.9	1.09
District of Columbia	1,994	250.0	5.85	530	70.0	3.08	180	21.7	1.66	130	15.7	1.41	124	14.8	1.37	108	13.1	1.29
Florida	249,046	327.0	0.73	54,981	72.3	0.32	39,248	46.6	0.25	21,448	27.3	0.20	18,761	20.2	0.16	15,106	19.7	0.18
Georgia	84,773	354.0	1.25	19,992	82.6	0.59	13,599	53.8	0.47	7,198	29.7	0.36	5,544	21.4	0.29	6,609	28.0	0.35
GA: Metropolitan Atlanta	21,058	349.5	2.46	5,493	92.1	1.26	2,351	37.6	0.79	1,634	26.4	0.66	1,291	20.3	0.58	2,209	36.6	0.79
Hawaii	6,080	353.2	4.87	1,217	66.6	1.94	609	32.3	1.34	511	29.2	1.33	396	20.3	1.05	888	52.3	1.85
Idaho	18,887	318.3	2.41	5,135	85.4	1.22	2,116	32.7	0.73	1,586	26.3	0.68	1,425	21.6	0.59	1,257	22.1	0.65
Illinois	136,098	343.5	0.97	32,419	83.3	0.47	20,235	47.8	0.35	13,214	32.0	0.29	10,168	23.1	0.24	6,507	16.6	0.22
Indiana	73,966	327.4	1.26	15,100	66.6	0.55	13,368	56.0	0.50	7,193	30.8	0.38	5,276	21.2	0.30	3,234	14.6	0.27
Iowa	43,180	350.0	1.80	9,947	81.0	0.84	6,485	48.5	0.63	4,162	32.3	0.53	3,162	22.5	0.43	2,239	19.1	0.43
Kansas	34,681	341.6	1.93	8,733	86.3	0.95	4,819	44.2	0.67	3,143	30.1	0.56	2,566	22.4	0.47	1,968	19.9	0.47
Kentucky	61,255	389.3	1.63	12,150	75.7	0.70	12,357	74.4	0.68	6,096	38.0	0.50	3,996	23.2	0.38	3,261	21.3	0.39
Louisiana	46,123	379.4	1.84	11,679	95.4	0.90	6,957	53.7	0.66	4,283	34.7	0.55	2,984	22.4	0.43	2,300	19.6	0.43
Maine	20,867	345.9	2.57	4,491	72.7	1.11	3,429	52.5	0.93	1,732	28.0	0.71	1,799	26.7	0.66	1,069	18.4	0.60
Maryland	50,158	330.1	1.55	12,447	83.0	0.76	6,621	40.5	0.52	4,020	25.5	0.42	3,857	22.4	0.38	3,722	24.9	0.43
Massachusetts	79,563	343.6	1.29	18,990	83.5	0.62	11,092	44.0	0.44	6,572	26.9	0.35	6,404	24.5	0.32	4,066	17.5	0.29
Michigan	116,686	336.6	1.04	29,786	85.5	0.51	17,384	46.5	0.37	9,644	26.8	0.29	8,998	23.1	0.26	5,430	16.3	0.23
MI: Metropolitan Detroit	43,379	382.7	1.95	11,700	104.4	0.99	6,108	49.9	0.67	3,382	28.4	0.51	3,414	27.0	0.49	1,892	17.1	0.42
Mississippi	28,388	363.7	2.27	6,496	81.8	1.04	5,155	61.1	0.88	2,756	35.1	0.69	1,787	20.7	0.51	1,624	21.7	0.57
Missouri	71,094	332.3	1.31	15,366	72.3	0.59	12,702	55.1	0.51	6,898	31.1	0.39	4,805	19.9	0.30	3,554	17.1	0.30

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	13,924	323.1	2.92	3,787	85.7	1.42	1,686	35.0	0.89	1,254	28.5	0.85	1,013	20.5	0.67	801	20.0	0.75
Nebraska	21,725	320.9	2.31	5,378	79.6	1.12	3,060	41.5	0.79	2,150	30.2	0.69	1,520	19.7	0.54	963	15.0	0.51
New Hampshire	19,436	359.5	2.71	5,164	94.9	1.34	2,558	43.9	0.89	1,448	25.8	0.71	1,704	28.6	0.72	1,084	20.0	0.64
New Jersey	102,055	367.9	1.22	26,716	98.2	0.62	12,336	40.7	0.38	8,885	30.4	0.34	7,946	25.0	0.30	5,886	21.1	0.29
New York	217,161	371.7	0.84	54,341	94.6	0.42	28,210	44.5	0.28	18,015	29.4	0.23	17,394	26.2	0.21	10,539	18.1	0.19
North Carolina	100,320	347.2	1.14	23,415	79.9	0.53	16,863	54.3	0.43	8,009	27.4	0.32	7,175	22.4	0.27	6,887	24.3	0.31
North Dakota	9,145	337.5	3.77	2,446	91.3	1.91	1,201	39.7	1.22	945	34.7	1.20	684	22.1	0.91	444	17.7	0.89
Ohio	135,716	329.0	0.94	30,413	73.3	0.43	22,964	52.2	0.36	12,843	30.0	0.28	10,370	22.2	0.23	6,621	16.6	0.22
Oklahoma	40,642	321.8	1.68	9,371	72.8	0.77	7,106	52.5	0.65	3,860	30.2	0.51	2,801	19.9	0.39	1,890	15.2	0.37
Oregon	47,349	312.9	1.52	11,529	75.0	0.71	6,306	37.9	0.50	4,009	25.8	0.43	3,593	20.8	0.36	3,182	22.0	0.41
Pennsylvania	171,728	354.7	0.92	38,527	80.5	0.42	25,286	47.8	0.32	15,988	31.3	0.26	14,387	25.8	0.23	8,561	18.1	0.21
Rhode Island	13,569	349.1	3.20	3,008	79.2	1.48	2,025	47.7	1.12	1,081	26.2	0.85	1,208	27.2	0.84	688	18.0	0.73
South Carolina	48,239	338.4	1.62	10,881	74.5	0.73	8,187	53.4	0.61	3,946	27.8	0.46	3,448	21.6	0.38	3,364	24.3	0.44
South Dakota	10,233	321.0	3.40	2,668	84.4	1.68	1,383	38.6	1.10	1,041	31.6	1.04	711	19.2	0.77	491	16.6	0.79
Tennessee	76,813	357.9	1.35	18,019	81.8	0.62	13,895	60.8	0.53	6,470	29.6	0.38	5,093	21.4	0.31	4,224	20.3	0.33
Texas	221,232	309.9	0.68	48,872	68.5	0.31	30,789	40.8	0.24	21,555	29.7	0.21	12,604	16.3	0.15	9,046	12.6	0.14
Utah	24,270	314.0	2.07	7,518	99.7	1.17	1,667	20.5	0.52	1,826	23.2	0.56	1,454	17.2	0.47	2,339	29.8	0.63
Vermont	8,973	331.0	3.69	2,099	75.0	1.66	1,303	44.6	1.27	728	26.2	1.01	680	22.9	0.91	657	24.6	1.01
Virginia	71,155	300.3	1.17	16,764	70.6	0.55	11,234	44.5	0.43	6,197	25.6	0.33	4,943	19.0	0.28	4,185	17.6	0.28
Washington	79,022	336.6	1.25	20,349	86.4	0.62	9,960	39.2	0.40	6,193	25.7	0.34	5,624	21.3	0.30	4,945	21.8	0.32
WA: Seattle/Puget Sound	54,413	354.8	1.59	14,248	92.9	0.79	6,550	39.6	0.50	4,121	26.2	0.42	3,814	22.3	0.37	3,650	24.4	0.42
West Virginia	28,551	353.5	2.22	5,992	71.4	0.94	5,503	64.1	0.89	2,859	34.5	0.68	2,087	23.5	0.54	1,350	17.3	0.50
Wisconsin	72,681	332.6	1.31	18,009	83.0	0.63	9,614	40.7	0.43	6,115	26.8	0.36	5,614	22.8	0.32	3,530	16.7	0.30
Wyoming	6,778	307.2	3.88	1,847	81.7	1.93	753	31.4	1.17	630	28.0	1.16	520	21.9	0.99	390	18.6	1.00

¹. Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

². See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³. Abbreviations: S.E. - Standard Error

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,128,652	295.6	0.18	905,706	89.5	0.10	424,203	34.8	0.06	266,513	21.5	0.05	196,444	19.5	0.05	137,906	18.0	0.05
Alabama	45,023	282.1	1.47	12,999	84.3	0.79	6,903	38.3	0.49	4,074	22.8	0.40	2,118	13.7	0.32	1,282	11.3	0.34
Alaska	4,682	276.0	4.16	1,516	87.8	2.30	564	32.5	1.40	381	21.7	1.14	341	19.7	1.09	195	12.9	0.95
Arizona	64,402	262.7	1.14	19,033	81.4	0.63	8,620	28.8	0.33	5,343	18.7	0.28	3,626	15.7	0.27	3,479	20.1	0.36
Arkansas	30,050	274.7	1.75	8,350	79.0	0.93	5,020	40.6	0.61	2,838	22.8	0.47	1,676	16.2	0.42	942	12.1	0.42
California	317,067	280.5	0.54	97,760	90.8	0.30	34,120	25.6	0.15	26,582	20.6	0.14	20,057	18.8	0.14	13,776	15.7	0.14
CA: Greater Bay Area	55,780	292.5	1.35	17,342	96.6	0.77	5,716	24.5	0.36	4,543	20.7	0.34	3,683	19.9	0.34	2,057	14.5	0.33
CA: Los Angeles	71,758	268.1	1.07	21,960	85.9	0.60	6,312	20.1	0.27	6,199	20.6	0.28	5,006	20.0	0.29	3,675	16.6	0.28
Colorado	50,066	274.5	1.30	16,030	90.4	0.74	5,325	25.5	0.37	3,889	18.5	0.32	2,981	16.7	0.31	2,807	19.4	0.38
Connecticut	46,860	322.9	1.69	13,872	101.5	0.93	6,248	36.6	0.51	3,716	21.0	0.40	3,101	22.2	0.42	2,413	24.3	0.53
Delaware	10,514	324.2	3.54	2,952	93.2	1.86	1,564	41.1	1.12	787	20.5	0.82	709	22.8	0.91	408	18.9	1.00
District of Columbia	2,120	265.1	6.17	803	106.6	3.91	172	18.7	1.52	131	14.9	1.40	124	16.4	1.52	168	21.4	1.82
Florida	226,964	282.3	0.69	62,948	83.4	0.37	35,276	36.7	0.22	19,652	20.2	0.17	12,755	16.8	0.16	7,767	15.1	0.19
Georgia	77,066	295.6	1.14	22,746	89.3	0.62	10,941	37.3	0.37	6,280	21.9	0.29	3,926	15.4	0.25	3,110	15.5	0.29
GA: Metropolitan Atlanta	20,618	303.7	2.23	6,681	100.8	1.27	2,328	30.4	0.67	1,477	19.3	0.53	1,040	15.5	0.49	959	16.9	0.56
Hawaii	4,716	320.8	5.24	1,483	102.2	2.84	476	27.1	1.32	358	21.2	1.23	270	18.0	1.15	184	18.2	1.43
Idaho	16,973	281.8	2.32	4,972	84.5	1.26	2,012	28.8	0.68	1,336	19.4	0.58	1,035	18.1	0.58	931	21.1	0.71
Illinois	135,444	306.9	0.91	39,082	93.3	0.50	18,630	37.0	0.29	12,094	22.9	0.23	9,271	22.4	0.24	6,081	18.9	0.25
Indiana	74,320	298.4	1.20	20,687	86.5	0.64	11,167	40.4	0.41	7,000	24.0	0.32	4,875	20.3	0.30	2,713	15.0	0.30
Iowa	40,810	305.5	1.72	11,145	88.3	0.91	5,159	33.6	0.52	4,012	23.4	0.43	2,955	23.8	0.47	1,504	16.9	0.46
Kansas	32,273	294.8	1.81	9,142	86.7	0.97	4,240	33.8	0.57	2,838	21.9	0.46	1,892	18.1	0.44	1,605	20.2	0.53
Kentucky	57,421	331.2	1.50	14,810	88.5	0.77	10,216	53.6	0.56	5,379	27.3	0.41	3,129	19.1	0.36	2,281	17.8	0.39
Louisiana	38,975	298.6	1.66	11,122	87.6	0.88	5,560	37.5	0.54	3,634	25.0	0.45	1,701	13.7	0.35	1,679	17.4	0.45
Maine	20,291	312.7	2.48	5,542	89.8	1.30	3,132	42.1	0.81	1,655	21.1	0.59	1,445	23.3	0.65	732	17.2	0.69
Maryland	50,147	302.4	1.49	15,023	94.3	0.82	6,772	34.9	0.46	3,850	20.0	0.36	3,221	20.3	0.37	2,434	20.4	0.44
Massachusetts	85,644	321.3	1.22	25,318	100.7	0.68	12,365	40.6	0.40	6,856	21.1	0.29	5,773	22.7	0.31	4,494	23.9	0.38
Michigan	110,294	297.0	0.99	31,203	87.7	0.53	15,932	37.4	0.32	9,041	20.3	0.24	7,806	21.9	0.26	4,346	16.8	0.27
MI: Metropolitan Detroit	41,271	325.3	1.79	11,563	95.4	0.95	6,127	41.6	0.58	3,361	21.8	0.43	2,854	23.8	0.47	1,912	21.5	0.53
Mississippi	24,073	289.0	2.07	6,582	81.6	1.08	3,817	40.7	0.71	2,335	24.9	0.57	1,130	14.4	0.46	867	14.7	0.53
Missouri	69,817	297.7	1.25	20,002	89.1	0.68	11,047	41.7	0.43	6,240	22.5	0.32	4,382	19.6	0.31	2,589	15.5	0.32

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	12,393	290.5	2.91	3,603	87.7	1.57	1,659	32.5	0.86	1,019	20.5	0.72	771	18.2	0.70	521	18.3	0.86
Nebraska	20,969	287.0	2.20	6,051	87.5	1.21	2,639	31.6	0.67	2,069	23.1	0.58	1,405	20.8	0.58	926	18.2	0.63
New Hampshire	18,659	321.9	2.59	5,619	100.6	1.41	2,656	40.9	0.84	1,439	20.9	0.61	1,401	24.8	0.69	753	17.8	0.69
New Jersey	102,944	327.1	1.14	29,003	97.9	0.62	12,943	35.1	0.34	9,126	23.5	0.28	7,264	24.1	0.30	5,601	25.5	0.36
New York	216,995	329.1	0.79	60,016	96.8	0.42	28,702	37.5	0.24	17,925	22.3	0.19	14,740	23.6	0.20	11,362	24.6	0.24
North Carolina	94,590	298.3	1.06	28,421	92.6	0.58	13,645	37.7	0.34	7,262	20.5	0.26	5,532	17.9	0.25	3,777	16.2	0.28
North Dakota	8,033	288.7	3.64	2,326	89.8	2.05	936	29.5	1.06	830	24.5	0.98	475	17.9	0.88	363	18.5	1.03
Ohio	134,554	295.9	0.90	38,185	87.2	0.48	19,810	38.4	0.30	11,930	21.9	0.23	9,320	21.5	0.24	5,595	17.8	0.25
Oklahoma	37,384	276.0	1.57	10,674	81.4	0.85	5,598	36.5	0.52	3,507	22.8	0.43	1,934	15.2	0.36	1,351	13.8	0.40
Oregon	47,208	295.5	1.50	14,290	92.2	0.82	6,382	33.7	0.45	3,688	19.6	0.36	3,111	20.3	0.38	1,774	15.8	0.40
Pennsylvania	171,349	320.6	0.89	47,219	92.9	0.47	22,165	35.6	0.26	15,454	23.2	0.22	12,364	24.5	0.23	9,320	26.3	0.29
Rhode Island	14,653	327.2	3.06	4,064	96.7	1.64	2,137	41.5	0.99	1,207	20.9	0.71	1,025	23.8	0.79	762	24.9	0.95
South Carolina	44,104	292.7	1.53	13,282	90.5	0.84	6,519	37.5	0.49	3,575	21.0	0.39	2,330	16.1	0.35	1,650	15.4	0.40
South Dakota	9,854	296.6	3.39	2,931	94.4	1.91	1,202	31.4	1.00	1,000	23.6	0.88	663	21.3	0.89	393	17.7	0.95
Tennessee	69,792	300.0	1.24	19,834	87.5	0.66	10,908	41.9	0.42	5,992	22.8	0.32	3,763	16.8	0.29	2,836	16.8	0.33
Texas	208,876	267.2	0.62	61,355	81.2	0.34	24,916	28.3	0.19	17,381	20.2	0.16	11,587	15.7	0.15	9,842	15.4	0.16
Utah	21,317	262.6	1.88	6,424	80.6	1.04	1,352	15.1	0.43	1,581	17.8	0.47	1,480	18.9	0.51	1,744	24.6	0.60
Vermont	8,804	306.2	3.61	2,568	93.7	1.97	1,273	39.2	1.17	703	19.1	0.81	696	24.5	0.97	321	16.9	1.01
Virginia	72,216	280.3	1.13	22,498	90.8	0.64	9,987	34.0	0.36	5,850	19.8	0.28	4,575	18.1	0.28	3,172	16.8	0.31
Washington	76,556	309.7	1.21	23,582	98.6	0.68	9,697	33.7	0.37	5,853	20.8	0.30	4,679	19.4	0.29	3,084	17.0	0.32
WA: Seattle/Puget Sound	52,320	321.2	1.52	16,271	103.2	0.85	6,438	33.7	0.45	3,863	20.9	0.37	3,168	19.7	0.36	2,096	17.4	0.40
West Virginia	26,385	312.1	2.14	6,764	82.5	1.08	4,248	44.2	0.73	2,546	25.3	0.56	1,870	23.7	0.58	1,076	18.4	0.60
Wisconsin	69,171	297.0	1.26	20,170	91.2	0.69	8,874	33.7	0.39	5,785	20.0	0.30	4,821	21.4	0.32	2,606	16.1	0.33
Wyoming	5,834	269.1	3.79	1,705	79.9	2.04	677	27.3	1.11	490	19.9	0.96	339	16.0	0.91	290	17.8	1.10

¹ Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

NAACCR U.S. Combined Incidence 2009-2013, The Black Population



**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2009-2013, Black**

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	429,644	566.2	0.93	387.7	0.60	407,491	401.0	0.64	279.9	0.45
Oral Cavity & Pharynx	12,323	14.7	0.14	11.0	0.10	5,387	5.1	0.07	3.8	0.05
Lip	89	0.1	0.01	0.1	0.01	68	0.1	0.01	0.0	0.01
Tongue	2,797	3.3	0.07	2.5	0.05	1,128	1.1	0.03	0.8	0.02
Major salivary gland	911	1.1	0.04	0.8	0.03	1,041	1.0	0.03	0.8	0.02
Floor of mouth	794	0.9	0.04	0.7	0.03	313	0.3	0.02	0.2	0.01
Gum & other mouth	1,422	1.8	0.05	1.3	0.03	1,091	1.1	0.03	0.7	0.02
Nasopharynx	916	1.0	0.04	0.8	0.03	377	0.4	0.02	0.3	0.02
Oropharynx	971	1.2	0.04	0.9	0.03	310	0.3	0.02	0.2	0.01
Hypopharynx	1,544	1.9	0.05	1.4	0.04	304	0.3	0.02	0.2	0.01
Digestive System	92,017	123.0	0.44	81.7	0.27	80,915	81.1	0.29	52.5	0.19
Esophagus	5,660	7.4	0.11	5.1	0.07	2,380	2.3	0.05	1.5	0.03
Stomach	9,995	14.5	0.16	8.9	0.09	7,542	7.8	0.09	4.7	0.06
Small intestine	3,091	4.2	0.08	2.8	0.05	3,212	3.2	0.06	2.2	0.04
Colon excl. rectum	30,008	42.0	0.26	26.7	0.16	32,354	32.6	0.18	20.9	0.12
Rectum & rectosigmoid	11,834	15.1	0.15	10.4	0.10	9,703	9.4	0.10	6.5	0.07
Anus, anal canal & anorectum	1,669	2.0	0.05	1.5	0.04	1,771	1.7	0.04	1.2	0.03
Liver	14,007	15.8	0.14	12.4	0.11	4,536	4.3	0.06	3.1	0.05
Gallbladder	900	1.4	0.05	0.8	0.03	1,915	1.9	0.04	1.2	0.03
Pancreas	12,082	16.9	0.16	10.8	0.10	13,778	14.2	0.12	8.6	0.08
Respiratory System	70,322	98.4	0.40	63.2	0.24	51,890	52.3	0.23	34.2	0.16
Larynx	6,830	8.7	0.11	6.1	0.08	1,820	1.7	0.04	1.3	0.03
Lung & bronchus	62,622	88.6	0.38	56.3	0.23	49,444	50.0	0.23	32.5	0.15
Bones & Joints	826	0.9	0.03	0.8	0.03	779	0.7	0.03	0.7	0.02
Soft Tissue (incl. heart)	3,016	3.6	0.07	2.8	0.05	3,320	3.2	0.06	2.6	0.05
Skin (excl. basal & sq.)	1,635	2.1	0.06	1.5	0.04	1,846	1.8	0.04	1.3	0.03
Melanomas of the skin	786	1.1	0.04	0.7	0.03	968	1.0	0.03	0.6	0.02
Breast (excl. <i>in situ</i>)	1,364	1.9	0.06	1.2	0.03	126,854	122.6	0.35	89.1	0.26
Female Genital System	-	-	-	-	-	48,807	47.2	0.22	34.4	0.16
Cervix uteri	-	-	-	-	-	9,902	9.6	0.10	7.3	0.07
Uterus Corpus	-	-	-	-	-	23,963	23.0	0.15	16.9	0.11
Uterus, NOS ¹	-	-	-	-	-	1,659	1.6	0.04	1.1	0.03
Ovary	-	-	-	-	-	9,521	9.3	0.10	6.6	0.07
Male Genital System	155,316	197.6	0.53	141.6	0.36	-	-	-	-	-
Prostate	153,082	195.0	0.53	139.6	0.36	-	-	-	-	-
Testis	1,380	1.4	0.04	1.3	0.03	-	-	-	-	-
Penis	685	1.0	0.04	0.6	0.02	-	-	-	-	-
Urinary System	32,223	44.2	0.26	28.9	0.16	19,651	19.8	0.14	13.2	0.10
Bladder (incl. <i>in situ</i>)	12,644	19.5	0.19	11.3	0.10	6,277	6.6	0.09	3.8	0.05
Kidney & renal pelvis	19,064	23.8	0.18	17.2	0.13	12,922	12.7	0.11	9.1	0.08
Ureter	221	0.4	0.03	0.2	0.01	177	0.2	0.01	0.1	0.01
Eye & Orbit	257	0.3	0.02	0.3	0.02	242	0.2	0.01	0.3	0.02
Brain & Other Nervous System	4,190	4.8	0.08	4.0	0.06	3,728	3.5	0.06	3.1	0.05
Brain	3,873	4.5	0.08	3.7	0.06	3,313	3.2	0.06	2.7	0.05
Endocrine System	3,973	4.7	0.08	3.6	0.06	15,039	14.2	0.12	11.5	0.10
Thyroid gland	3,086	3.7	0.07	2.8	0.05	14,055	13.3	0.11	10.7	0.09
Lymphomas	16,522	20.1	0.17	14.9	0.12	14,584	14.2	0.12	10.6	0.09
Hodgkin Lymphoma	2,984	3.1	0.06	2.8	0.05	2,504	2.3	0.05	2.1	0.04
Non-Hodgkin Lymphoma	13,538	17.0	0.16	12.1	0.11	12,080	11.9	0.11	8.5	0.08
Multiple Myeloma	10,755	15.1	0.16	9.6	0.09	11,106	11.2	0.11	7.3	0.07
Leukemias	9,885	13.2	0.14	9.2	0.09	8,627	8.6	0.09	6.2	0.07
Acute lymphocytic	1,219	1.2	0.03	1.3	0.04	914	0.8	0.03	0.9	0.03
Chronic lymphocytic	2,940	4.3	0.08	2.6	0.05	2,219	2.3	0.05	1.4	0.03
Acute myeloid	2,947	4.0	0.08	2.7	0.05	3,036	3.0	0.06	2.2	0.04
Chronic myeloid	1,493	1.9	0.05	1.4	0.04	1,354	1.3	0.04	1.0	0.03
Other leukemias	1,286	1.8	0.05	1.2	0.03	1,104	1.1	0.03	0.7	0.02
Mesothelioma	541	0.9	0.04	0.5	0.02	211	0.2	0.02	0.1	0.01
Kaposi Sarcoma	1,490	1.6	0.04	1.4	0.04	163	0.2	0.01	0.1	0.01
Ill-defined & Unknown	12,989	19.1	0.18	11.5	0.10	14,342	14.8	0.13	9.0	0.08
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	6,321	8.1	0.11	5.7	0.07	14,741	14.6	0.12	10.2	0.09
Breast (<i>in situ</i>)	217	0.3	0.02	0.2	0.01	32,888	31.4	0.18	23.5	0.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	429,644	387.7	0.60	153,082	139.6	0.36	62,622	56.3	0.23	41,842	37.1	0.18	19,064	17.2	0.13	14,656	12.9	0.11
Alabama	14,429	402.5	3.40	5,284	146.8	2.04	2,367	65.3	1.36	1,533	42.6	1.10	583	16.5	0.69	346	9.3	0.51
Alaska	229	339.7	23.87	88	130.7	14.85	31	51.3	9.53	23	32.7	7.16	9	13.1	4.72	11	14.3	4.73
Arizona	2,041	269.2	6.07	644	86.9	3.49	270	36.6	2.27	195	24.4	1.78	121	15.7	1.46	85	11.0	1.21
Arkansas	4,914	402.0	5.83	1,657	136.3	3.40	931	75.7	2.52	485	39.5	1.82	186	15.3	1.14	121	9.5	0.87
California	28,114	361.3	2.19	10,094	131.3	1.33	3,538	44.9	0.77	2,816	35.4	0.68	1,322	16.9	0.47	1,058	13.7	0.43
CA: Greater Bay Area	6,138	385.2	5.00	2,194	138.8	3.00	805	49.3	1.77	549	33.3	1.44	284	17.8	1.08	293	18.3	1.08
CA: Los Angeles	10,970	365.5	3.56	3,900	132.0	2.14	1,371	43.8	1.21	1,168	37.9	1.13	482	16.5	0.77	352	12.0	0.65
Colorado	1,995	321.4	7.40	728	119.5	4.55	215	36.0	2.53	186	29.5	2.23	99	15.8	1.63	95	14.4	1.52
Connecticut	3,849	378.3	6.18	1,412	142.0	3.83	477	47.0	2.18	363	34.4	1.83	171	16.3	1.26	113	11.0	1.05
Delaware	2,334	421.1	8.79	930	168.2	5.56	296	52.8	3.10	171	30.3	2.34	117	20.8	1.94	80	14.2	1.60
District of Columbia	4,703	441.1	6.62	1,531	142.5	3.71	719	64.5	2.46	460	42.6	2.04	185	17.6	1.33	241	22.6	1.48
Florida	29,150	341.0	2.02	10,864	129.2	1.25	3,745	43.3	0.72	2,851	32.7	0.62	1,080	12.7	0.39	801	9.2	0.33
Georgia	29,357	398.7	2.36	11,209	154.0	1.48	3,935	54.6	0.88	2,973	39.5	0.74	1,205	16.1	0.47	752	9.7	0.36
GA: Metropolitan Atlanta	11,974	399.3	3.74	4,550	155.0	2.35	1,347	47.5	1.32	1,156	37.6	1.14	545	17.6	0.78	396	12.3	0.64
Hawaii	234	300.6	20.62	88	113.9	12.61	24	30.3	6.38	23	26.9	5.99	7	9.4	3.87	9	10.0	3.40
Idaho	79	320.6	38.40	27	109.4	21.95	9	38.7	13.54	7	29.9	12.18	-	-	-	6	20.7	9.50
Illinois	21,775	408.3	2.81	7,333	139.3	1.65	3,460	63.8	1.10	2,410	44.4	0.92	984	18.7	0.60	621	11.7	0.48
Indiana	5,647	356.6	4.82	1,628	104.4	2.63	1,005	63.2	2.03	578	36.4	1.54	318	20.3	1.15	207	13.1	0.93
Iowa	746	376.7	14.34	219	118.0	8.24	122	65.2	6.10	73	33.7	4.09	44	21.3	3.36	31	13.6	2.51
Kansas	1,923	410.3	9.56	646	139.6	5.62	307	65.9	3.84	191	40.2	2.98	90	19.1	2.06	66	13.9	1.74
Kentucky	3,988	417.0	6.74	1,132	120.0	3.64	733	77.0	2.91	399	41.2	2.11	212	22.3	1.56	141	14.2	1.22
Louisiana	17,879	442.4	3.35	6,084	151.2	1.96	2,939	72.1	1.35	1,915	46.9	1.08	783	19.8	0.72	597	14.3	0.59
Maine	108	284.1	28.51	36	97.4	16.92	-	-	-	6	13.1	5.68	6	14.0	5.85	-	-	-
Maryland	18,200	369.0	2.77	6,989	142.1	1.72	2,308	46.6	0.98	1,573	31.4	0.80	787	15.8	0.57	702	13.7	0.52
Massachusetts	4,846	364.1	5.32	1,906	147.3	3.43	537	40.2	1.77	417	30.3	1.51	179	13.3	1.01	211	15.4	1.08
Michigan	17,461	426.7	3.28	6,220	154.0	1.98	2,649	63.6	1.26	1,586	37.9	0.97	884	21.8	0.74	637	15.5	0.62
MI: Metropolitan Detroit	13,375	463.2	4.08	4,869	170.5	2.48	2,002	67.4	1.54	1,202	40.6	1.19	681	23.8	0.93	507	17.4	0.78
Mississippi	12,605	429.3	3.87	4,361	149.1	2.29	2,200	74.6	1.61	1,449	48.7	1.30	570	19.7	0.84	222	7.2	0.49
Missouri	7,440	395.0	4.65	2,201	118.4	2.56	1,334	70.7	1.97	760	39.8	1.47	362	19.1	1.02	341	17.6	0.97

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	45	351.2	55.85	16	138.2	36.20	7	63.1	24.82	-	-	-	-	-	-	-	-	-
Nebraska	824	389.6	13.94	258	127.8	8.16	136	64.2	5.66	89	42.4	4.64	38	17.2	2.87	39	18.9	3.10
New Hampshire	132	293.1	26.39	51	115.8	16.68	11	26.5	8.23	14	29.1	8.18	6	13.6	5.67	6	13.1	5.54
New Jersey	13,747	381.9	3.30	5,342	150.4	2.08	1,674	46.1	1.14	1,277	34.6	0.98	603	16.8	0.69	403	11.0	0.55
New York	38,475	396.3	2.04	15,736	163.6	1.32	4,224	42.7	0.66	3,362	33.8	0.59	1,482	15.4	0.41	1,383	14.3	0.39
North Carolina	24,435	403.4	2.61	8,692	143.4	1.55	3,943	64.9	1.04	2,238	36.5	0.78	1,108	18.5	0.56	677	10.7	0.42
North Dakota	44	270.6	45.33	12	73.3	22.61	7	52.3	22.15	-	-	-	-	-	-	-	-	-
Ohio	15,787	377.7	3.07	5,327	129.5	1.81	2,664	62.9	1.25	1,463	33.7	0.90	747	18.2	0.68	591	14.1	0.59
Oklahoma	3,146	400.1	7.24	1,142	147.6	4.44	512	66.1	2.97	300	36.9	2.16	127	15.8	1.43	85	10.7	1.17
Oregon	786	344.7	12.58	261	115.7	7.33	113	50.7	4.86	84	37.2	4.15	41	16.5	2.64	47	21.1	3.12
Pennsylvania	16,442	412.1	3.27	5,261	133.3	1.87	2,555	63.7	1.28	1,524	37.2	0.97	848	21.5	0.75	857	21.5	0.74
Rhode Island	562	300.4	13.02	195	105.6	7.77	69	38.2	4.69	36	20.6	3.51	22	11.3	2.47	24	11.4	2.37
South Carolina	15,270	393.8	3.22	5,471	140.8	1.92	2,357	59.9	1.24	1,437	36.7	0.98	612	16.1	0.66	356	8.9	0.48
South Dakota	50	177.3	27.07	7	20.7	7.97	7	23.5	9.57	-	-	-	-	-	-	-	-	-
Tennessee	11,117	395.9	3.82	3,782	136.1	2.25	1,930	69.2	1.60	1,072	37.9	1.18	471	16.6	0.78	358	12.0	0.64
Texas	29,010	365.5	2.19	8,905	113.4	1.23	4,500	58.2	0.88	3,156	39.1	0.71	1,413	17.6	0.48	1,436	17.3	0.47
Utah	236	356.5	25.36	88	143.7	16.51	20	36.5	8.60	27	37.3	8.03	13	21.1	6.35	17	26.1	6.89
Vermont	38	229.8	39.10	18	110.2	27.05	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	18,081	384.1	2.90	6,723	143.8	1.78	2,687	56.5	1.11	1,635	33.9	0.85	841	17.9	0.63	523	10.8	0.48
Washington	2,749	366.7	7.23	966	131.1	4.36	316	45.5	2.63	220	28.8	2.01	163	20.9	1.69	141	18.7	1.63
WA: Seattle/Puget Sound	2,479	379.2	7.87	878	136.1	4.74	293	49.0	2.94	190	28.3	2.13	143	21.1	1.82	137	20.9	1.85
West Virginia	841	368.7	13.00	283	124.8	7.60	131	59.7	5.32	86	37.0	4.07	40	17.2	2.76	37	15.5	2.63
Wisconsin	3,752	462.2	7.75	1,228	153.1	4.48	598	76.4	3.21	359	44.1	2.39	174	20.2	1.57	168	20.3	1.61
Wyoming	29	112.6	21.50	7	31.3	11.96	-	-	-	6	21.2	9.12	-	-	-	-	-	-

¹ Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2009-2013, Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	407,491	279.9	0.45	126,854	89.1	0.26	49,444	32.5	0.15	42,057	27.4	0.14	25,622	18.0	0.11	14,055	10.7	0.09
Alabama	12,664	265.3	2.45	4,250	92.2	1.45	1,281	25.3	0.73	1,482	29.0	0.79	710	14.8	0.58	313	7.4	0.42
Alaska	152	238.6	19.83	59	94.9	12.67	10	18.6	5.95	15	21.1	5.55	7	10.8	4.18	-	-	-
Arizona	1,895	232.5	5.42	579	71.3	3.00	237	29.3	1.94	190	23.1	1.71	115	14.7	1.39	109	13.3	1.29
Arkansas	4,155	266.7	4.29	1,258	82.1	2.38	513	31.8	1.46	509	31.6	1.46	235	15.5	1.04	103	7.3	0.73
California	25,713	275.0	1.77	8,135	88.7	1.01	3,099	31.7	0.59	2,793	28.3	0.56	1,647	18.3	0.46	791	9.4	0.34
CA: Greater Bay Area	5,364	286.7	4.08	1,634	89.5	2.28	729	36.8	1.42	557	28.3	1.25	345	18.9	1.04	96	5.8	0.60
CA: Los Angeles	10,955	279.1	2.79	3,494	91.4	1.60	1,267	30.4	0.89	1,237	29.3	0.87	731	19.4	0.73	352	10.3	0.56
Colorado	1,649	250.9	6.32	551	85.0	3.69	194	29.0	2.15	142	20.8	1.80	94	14.5	1.54	81	12.7	1.42
Connecticut	3,806	273.8	4.54	1,151	83.9	2.51	431	30.0	1.48	380	26.1	1.37	286	21.2	1.27	174	13.3	1.02
Delaware	2,113	292.3	6.50	668	93.2	3.66	262	34.1	2.16	179	24.0	1.83	144	20.4	1.72	88	13.2	1.42
District of Columbia	4,882	329.2	5.14	1,425	100.5	2.85	635	38.9	1.66	519	32.3	1.54	365	24.6	1.35	174	14.6	1.17
Florida	26,944	250.8	1.57	8,263	78.4	0.88	2,625	23.5	0.47	2,688	23.8	0.47	1,918	18.3	0.43	948	9.5	0.31
Georgia	28,078	275.4	1.68	9,338	91.3	0.96	2,820	27.5	0.53	3,007	28.7	0.53	1,749	17.6	0.43	853	8.7	0.30
GA: Metropolitan Atlanta	12,280	281.1	2.59	4,320	96.6	1.49	1,192	28.3	0.83	1,204	27.5	0.81	799	18.8	0.68	443	9.8	0.47
Hawaii	121	236.4	22.73	46	86.9	13.59	10	27.0	8.76	8	15.1	5.76	7	14.4	5.85	8	12.8	4.78
Idaho	38	211.6	36.52	11	54.6	17.53	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	22,071	301.6	2.11	6,571	93.2	1.18	3,222	41.5	0.76	2,466	31.6	0.67	1,348	18.9	0.53	618	9.6	0.39
Indiana	5,988	289.9	3.86	1,838	92.0	2.19	870	40.7	1.43	631	29.1	1.20	319	16.1	0.92	150	8.0	0.66
Iowa	642	304.3	12.41	160	76.8	6.22	96	46.2	4.89	61	28.7	3.81	35	18.5	3.20	21	9.9	2.24
Kansas	1,650	297.9	7.58	483	90.9	4.23	240	41.7	2.81	163	28.6	2.32	97	17.9	1.87	76	14.6	1.71
Kentucky	3,786	311.9	5.27	1,082	91.8	2.87	655	51.2	2.09	429	33.0	1.68	188	16.3	1.23	120	11.1	1.03
Louisiana	15,331	295.6	2.46	4,843	95.8	1.41	1,827	33.8	0.81	1,840	34.1	0.82	798	15.7	0.57	470	10.1	0.47
Maine	65	215.6	27.73	17	52.0	12.91	6	23.6	9.88	-	-	-	6	22.0	9.33	-	-	-
Maryland	18,869	278.3	2.08	6,367	95.1	1.21	2,177	30.9	0.68	1,762	24.4	0.60	1,197	17.8	0.52	753	12.2	0.45
Massachusetts	4,478	258.4	3.96	1,359	79.3	2.19	461	26.0	1.25	415	23.0	1.16	279	16.6	1.01	301	18.2	1.06
Michigan	16,175	299.1	2.45	4,764	90.9	1.35	2,350	40.9	0.88	1,631	28.5	0.74	1,039	19.6	0.62	533	11.3	0.50
MI: Metropolitan Detroit	12,501	311.5	2.92	3,671	94.7	1.61	1,820	42.7	1.05	1,307	30.5	0.89	783	19.8	0.73	428	12.3	0.61
Mississippi	10,935	285.0	2.82	3,366	90.2	1.59	1,252	31.6	0.92	1,429	35.6	0.98	607	16.1	0.67	345	9.9	0.54
Missouri	7,908	311.2	3.62	2,427	98.3	2.04	1,209	45.2	1.35	785	29.3	1.08	472	19.2	0.91	216	9.5	0.66

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	21	232.2	52.92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	726	297.5	11.30	209	85.2	6.02	102	43.8	4.45	83	32.7	3.68	28	12.0	2.32	25	9.9	2.01
New Hampshire	65	157.1	20.16	24	59.7	12.58	9	23.9	8.31	7	15.8	6.14	6	13.9	5.83	-	-	-
New Jersey	13,875	278.4	2.44	4,267	87.5	1.37	1,609	30.3	0.78	1,400	26.5	0.73	947	19.4	0.64	445	9.8	0.47
New York	37,648	271.5	1.46	11,125	82.8	0.80	3,993	27.0	0.44	3,646	24.4	0.42	3,015	22.1	0.41	1,491	12.2	0.32
North Carolina	22,903	282.8	1.93	7,429	94.0	1.12	2,641	31.1	0.62	2,248	26.2	0.57	1,440	18.0	0.48	800	11.0	0.40
North Dakota	20	191.6	45.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	15,288	280.7	2.38	4,618	87.8	1.34	2,397	41.4	0.89	1,426	24.4	0.68	887	16.8	0.58	573	12.3	0.52
Oklahoma	2,775	290.0	5.65	860	92.2	3.21	381	38.6	2.04	284	28.6	1.75	149	15.7	1.31	77	8.7	1.01
Oregon	587	260.4	11.02	187	84.7	6.33	80	35.1	4.05	50	20.4	3.00	32	15.4	2.77	26	11.3	2.24
Pennsylvania	17,313	321.3	2.55	4,783	91.6	1.37	2,624	46.5	0.95	1,579	27.6	0.73	1,077	20.6	0.65	842	18.2	0.63
Rhode Island	570	245.4	10.64	177	76.6	5.94	78	34.7	4.08	48	20.3	3.03	25	10.8	2.25	39	17.1	2.79
South Carolina	13,827	272.2	2.40	4,470	90.8	1.39	1,534	28.4	0.75	1,380	26.0	0.72	942	18.3	0.61	443	9.8	0.48
South Dakota	40	203.4	33.10	16	85.0	21.56	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	10,809	285.9	2.83	3,470	93.4	1.62	1,338	34.2	0.96	1,129	28.2	0.87	594	16.3	0.68	311	9.1	0.52
Texas	28,243	276.2	1.69	8,749	85.9	0.94	3,344	32.4	0.58	3,021	28.8	0.54	1,535	15.5	0.40	941	9.5	0.31
Utah	138	223.4	19.97	36	61.0	10.47	10	18.1	5.95	18	31.3	7.78	6	10.8	4.61	11	14.3	4.50
Vermont	21	132.7	30.17	8	54.7	19.99	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	16,545	271.6	2.19	5,597	94.4	1.29	2,004	31.0	0.72	1,687	26.1	0.66	939	15.7	0.53	532	10.0	0.44
Washington	1,988	269.9	6.22	648	88.6	3.56	231	32.9	2.24	157	21.4	1.75	104	14.2	1.42	95	12.4	1.28
WA: Seattle/Puget Sound	1,855	282.7	6.74	607	93.2	3.87	214	34.1	2.41	153	23.4	1.95	98	15.0	1.55	89	13.0	1.40
West Virginia	646	263.4	11.15	198	86.0	6.46	82	31.5	3.73	72	25.8	3.31	36	14.8	2.63	21	10.0	2.28
Wisconsin	3,311	322.7	5.72	958	93.9	3.08	491	48.8	2.26	284	27.2	1.65	188	19.3	1.43	116	11.0	1.03
Wyoming	24	133.0	28.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

NAACCR U.S. Combined Incidence 2009-2013, The Asian/Pacific Islander Population



Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2009-2013, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Count	Adj. Rate		Adj. Rate		Count	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	99,327	310.2	1.03	198.7	0.64	121,602	287.1	0.84	200.2	0.59
Oral Cavity & Pharynx	3,915	10.9	0.18	7.8	0.13	2,097	4.9	0.11	3.5	0.08
Lip	34	0.1	0.02	0.1	0.01	30	0.1	0.02	0.0	0.01
Tongue	820	2.4	0.09	1.6	0.06	575	1.4	0.06	0.9	0.04
Major salivary gland	366	1.1	0.06	0.7	0.04	370	0.8	0.04	0.6	0.03
Floor of mouth	78	0.2	0.03	0.2	0.02	54	0.1	0.02	0.1	0.01
Gum & other mouth	604	1.7	0.07	1.2	0.05	352	0.9	0.05	0.5	0.03
Nasopharynx	1,345	3.5	0.10	2.7	0.07	520	1.1	0.05	0.9	0.04
Oropharynx	84	0.3	0.03	0.2	0.02	34	0.1	0.01	0.0	0.01
Hypopharynx	206	0.7	0.05	0.4	0.03	46	0.1	0.02	0.1	0.01
Digestive System	29,874	92.9	0.56	58.8	0.35	23,771	59.8	0.40	36.4	0.24
Esophagus	1,147	3.6	0.11	2.3	0.07	386	1.0	0.05	0.6	0.03
Stomach	4,393	14.4	0.23	8.5	0.13	3,308	8.4	0.15	5.0	0.09
Small intestine	435	1.3	0.06	0.9	0.04	372	0.9	0.05	0.6	0.03
Colon excl. rectum	7,524	23.9	0.29	14.8	0.17	7,706	19.3	0.22	11.8	0.14
Rectum & rectosigmoid	4,783	13.9	0.21	9.5	0.14	3,582	8.5	0.15	5.7	0.10
Anus, anal canal & anorectum	154	0.5	0.04	0.3	0.02	236	0.6	0.04	0.4	0.02
Liver	6,447	18.9	0.25	12.9	0.16	2,579	6.6	0.13	4.0	0.08
Gallbladder	293	1.0	0.06	0.6	0.03	596	1.5	0.06	0.9	0.04
Pancreas	3,023	10.0	0.19	5.8	0.11	3,312	8.7	0.15	4.8	0.09
Respiratory System	14,780	49.9	0.43	28.6	0.24	11,345	29.1	0.28	17.3	0.17
Larynx	727	2.3	0.09	1.4	0.05	118	0.3	0.03	0.2	0.02
Lung & bronchus	13,710	46.6	0.42	26.5	0.23	11,021	28.3	0.28	16.8	0.17
Bones & Joints	296	0.8	0.05	0.7	0.04	221	0.5	0.04	0.5	0.04
Soft Tissue (incl. heart)	941	2.6	0.09	2.0	0.07	874	2.0	0.07	1.6	0.06
Skin (excl. basal & sq.)	766	2.4	0.09	1.5	0.06	733	1.7	0.07	1.2	0.05
Melanomas of the skin	486	1.5	0.07	1.0	0.04	489	1.2	0.05	0.8	0.04
Breast (excl. <i>in situ</i>)	194	0.6	0.04	0.4	0.03	39,551	89.3	0.46	66.6	0.34
Female Genital System	-	-	-	-	-	15,762	35.3	0.29	26.6	0.22
Cervix uteri	-	-	-	-	-	2,769	6.1	0.12	4.6	0.09
Uterus Corpus	-	-	-	-	-	7,927	17.5	0.20	13.4	0.15
Uterus, NOS ¹	-	-	-	-	-	240	0.6	0.04	0.4	0.03
Ovary	-	-	-	-	-	3,979	9.1	0.15	6.8	0.11
Male Genital System	21,469	66.1	0.47	44.0	0.30	-	-	-	-	-
Prostate	20,405	63.5	0.46	41.7	0.30	-	-	-	-	-
Testis	834	1.8	0.06	1.8	0.06	-	-	-	-	-
Penis	138	0.4	0.04	0.3	0.02	-	-	-	-	-
Urinary System	8,206	26.9	0.31	16.0	0.18	3,610	9.1	0.15	5.6	0.10
Bladder (incl. <i>in situ</i>)	4,320	15.2	0.24	8.2	0.13	1,411	3.7	0.10	2.0	0.06
Kidney & renal pelvis	3,654	10.8	0.19	7.3	0.12	2,008	4.8	0.11	3.3	0.08
Ureter	168	0.6	0.05	0.3	0.02	140	0.4	0.03	0.2	0.02
Eye & Orbit	103	0.3	0.03	0.3	0.03	105	0.3	0.02	0.3	0.03
Brain & Other Nervous System	1,599	4.3	0.11	3.6	0.09	1,333	3.1	0.09	2.7	0.08
Brain	1,464	4.0	0.11	3.3	0.09	1,204	2.8	0.08	2.4	0.08
Endocrine System	2,914	7.6	0.14	6.0	0.11	10,035	21.7	0.22	17.7	0.18
Thyroid gland	2,573	6.7	0.14	5.2	0.10	9,705	20.9	0.22	17.1	0.18
Lymphomas	5,666	17.1	0.24	11.5	0.16	4,799	11.6	0.17	7.9	0.12
Hodgkin Lymphoma	595	1.5	0.06	1.3	0.06	474	1.0	0.05	1.0	0.05
Non-Hodgkin Lymphoma	5,071	15.6	0.23	10.2	0.15	4,325	10.6	0.16	7.0	0.11
Multiple Myeloma	1,454	4.7	0.13	2.8	0.08	1,183	2.9	0.09	1.9	0.06
Leukemias	3,201	9.6	0.18	7.1	0.13	2,567	6.2	0.12	5.0	0.11
Acute lymphocytic	591	1.5	0.06	1.8	0.08	500	1.2	0.05	1.5	0.07
Chronic lymphocytic	510	1.7	0.08	1.0	0.04	294	0.7	0.04	0.5	0.03
Acute myeloid	1,267	3.9	0.12	2.6	0.08	1,161	2.8	0.08	2.0	0.06
Chronic myeloid	500	1.4	0.07	1.0	0.05	350	0.8	0.05	0.6	0.03
Other leukemias	333	1.1	0.06	0.7	0.04	262	0.6	0.04	0.5	0.03
Mesothelioma	146	0.5	0.05	0.3	0.02	64	0.2	0.02	0.1	0.01
Kaposi Sarcoma	127	0.3	0.03	0.2	0.02	9	0.0	0.01	0.0	0.00
Ill-defined & Unknown	3,676	12.7	0.22	7.1	0.12	3,543	9.3	0.16	5.2	0.09
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	2,205	6.4	0.14	4.5	0.10	4,838	11.4	0.17	8.1	0.12
Breast (<i>in situ</i>)	34	0.1	0.02	0.1	0.01	12,591	28.1	0.25	21.6	0.19

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2009-2013, Asian/Pacific Islander, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	99,327	198.7	0.64	20,405	41.7	0.30	13,710	26.5	0.23	12,307	24.3	0.22	6,920	13.8	0.17	5,071	10.2	0.15
Alabama	250	182.3	11.87	70	53.9	6.52	28	21.6	4.20	20	14.1	3.21	18	13.4	3.22	10	6.9	2.24
Alaska	284	235.2	14.27	56	49.3	6.70	39	35.8	5.83	41	32.1	5.12	17	12.5	3.09	16	13.6	3.46
Arizona	822	150.9	5.35	160	31.4	2.51	119	22.1	2.05	97	17.5	1.81	64	11.4	1.45	41	7.1	1.13
Arkansas	270	301.0	18.99	47	57.0	8.57	33	38.8	6.87	36	36.1	6.14	20	21.1	4.85	10	9.7	3.16
California	38,382	202.7	1.07	8,104	43.7	0.50	5,467	26.9	0.38	4,984	26.0	0.38	2,746	14.7	0.29	2,001	10.8	0.25
CA: Greater Bay Area	13,600	218.4	1.95	3,089	50.9	0.94	1,955	28.9	0.68	1,651	26.2	0.66	988	16.0	0.52	745	12.3	0.47
CA: Los Angeles	11,492	201.5	1.98	2,244	39.9	0.86	1,587	25.6	0.67	1,676	29.0	0.73	804	14.1	0.52	591	10.5	0.46
Colorado	726	179.9	6.80	123	32.1	2.93	101	25.2	2.54	74	18.3	2.16	54	12.9	1.78	52	12.4	1.75
Connecticut	636	174.5	7.08	104	30.7	3.04	88	24.3	2.64	65	17.2	2.18	42	11.7	1.85	33	9.5	1.71
Delaware	139	161.8	13.94	33	39.1	6.85	16	18.3	4.63	12	13.5	3.91	9	10.1	3.38	8	10.2	3.70
District of Columbia	131	283.2	25.93	24	57.0	11.86	16	34.3	8.91	18	37.2	9.13	10	22.8	7.36	-	-	-
Florida	2,322	144.7	3.05	486	30.3	1.38	304	18.3	1.06	281	17.0	1.02	137	8.3	0.71	121	7.4	0.68
Georgia	1,503	174.7	4.62	284	35.4	2.13	177	21.2	1.63	196	21.9	1.60	120	13.5	1.26	74	8.6	1.02
GA: Metropolitan Atlanta	1,019	175.0	5.63	175	32.9	2.53	124	22.1	2.03	136	22.5	1.97	86	14.1	1.56	47	8.0	1.19
Hawaii	10,389	265.1	2.78	2,320	57.6	1.25	1,523	35.5	0.97	1,467	39.1	1.07	471	12.6	0.61	503	12.9	0.62
Idaho	109	181.9	17.98	21	39.8	8.87	12	20.8	6.22	14	21.0	5.73	8	13.1	4.78	6	9.1	3.80
Illinois	3,460	182.8	3.14	721	38.0	1.42	484	25.3	1.15	441	23.2	1.11	194	10.3	0.74	176	9.3	0.71
Indiana	444	188.2	9.18	78	35.2	4.02	54	24.8	3.43	48	20.0	2.95	21	9.2	2.05	24	8.9	1.89
Iowa	245	219.8	14.63	41	42.8	6.76	32	31.5	5.69	28	23.4	4.53	36	32.5	5.64	13	11.0	3.11
Kansas	363	213.8	11.44	72	45.3	5.39	44	26.8	4.09	44	25.3	3.90	28	16.0	3.07	22	11.6	2.55
Kentucky	183	152.2	11.62	28	26.0	4.96	24	21.9	4.67	27	22.3	4.39	14	10.8	3.01	8	6.0	2.16
Louisiana	449	212.4	10.22	87	43.4	4.72	73	34.0	4.04	56	25.6	3.47	46	21.0	3.17	15	7.1	1.86
Maine	49	147.4	21.59	9	29.8	10.05	-	-	-	6	14.7	6.10	-	-	-	-	-	-
Maryland	1,842	169.9	4.01	403	37.7	1.89	222	19.9	1.35	199	17.9	1.28	110	9.9	0.95	93	8.6	0.91
Massachusetts	2,064	210.4	4.73	383	41.6	2.16	327	33.1	1.86	214	21.7	1.51	206	20.7	1.47	89	9.0	0.98
Michigan	1,164	174.9	5.19	298	46.2	2.69	129	19.8	1.76	134	19.8	1.73	69	10.4	1.27	65	9.5	1.20
MI: Metropolitan Detroit	763	180.8	6.61	223	53.4	3.59	79	19.0	2.15	84	19.5	2.15	46	11.0	1.64	38	8.8	1.45
Mississippi	159	234.9	19.05	29	46.7	8.79	24	37.2	7.71	19	27.2	6.37	13	17.6	4.97	6	8.3	3.52
Missouri	488	185.4	8.51	79	32.0	3.62	70	27.8	3.36	65	24.8	3.12	47	17.5	2.59	25	9.1	1.84

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, Asian/Pacific Islander, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	32	187.9	33.87	8	51.0	18.12	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	163	221.0	17.67	22	32.8	7.04	22	30.0	6.52	28	36.7	7.05	18	25.4	6.09	10	13.0	4.20
New Hampshire	107	163.0	16.25	26	42.5	8.46	12	19.9	5.83	9	14.9	5.08	8	10.0	3.63	-	-	-
New Jersey	4,204	183.2	2.87	1,032	45.2	1.41	456	19.6	0.93	464	19.9	0.93	224	9.6	0.65	205	8.8	0.62
New York	11,215	226.5	2.18	2,124	43.3	0.95	1,562	30.4	0.78	1,232	24.3	0.70	817	16.4	0.58	528	10.7	0.48
North Carolina	899	171.5	5.87	183	37.9	2.83	119	23.3	2.19	82	15.6	1.78	57	10.3	1.39	50	9.0	1.32
North Dakota	26	215.6	44.30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	817	152.7	5.41	204	39.3	2.76	110	20.7	2.00	83	16.1	1.78	47	8.9	1.31	41	7.2	1.14
Oklahoma	407	237.2	11.98	72	45.0	5.36	57	33.6	4.51	64	36.5	4.67	26	14.5	2.89	19	11.4	2.67
Oregon	943	204.2	6.77	162	37.3	2.97	134	29.3	2.58	118	24.7	2.31	105	22.9	2.28	44	9.3	1.42
Pennsylvania	1,739	172.6	4.19	316	32.6	1.85	257	25.5	1.61	191	18.5	1.35	131	13.0	1.14	94	9.0	0.94
Rhode Island	150	188.8	15.65	28	36.7	7.02	15	19.3	5.02	13	16.8	4.70	18	24.0	5.72	13	14.7	4.13
South Carolina	288	165.5	9.97	54	32.8	4.54	46	27.5	4.12	32	18.5	3.34	18	9.9	2.36	18	9.6	2.36
South Dakota	28	209.2	43.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	466	190.6	9.04	102	44.4	4.44	54	23.2	3.24	56	22.9	3.13	22	8.7	1.87	28	11.0	2.16
Texas	4,469	156.9	2.38	795	29.1	1.04	577	20.7	0.87	537	18.5	0.81	421	14.3	0.71	242	8.2	0.54
Utah	397	203.8	10.51	111	63.6	6.13	30	15.3	2.87	39	19.7	3.25	28	14.1	2.75	13	5.7	1.62
Vermont	33	200.8	36.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,127	165.4	3.64	390	31.3	1.60	297	23.3	1.37	260	19.9	1.25	146	11.3	0.95	106	8.2	0.81
Washington	3,387	212.8	3.71	610	40.0	1.64	474	28.9	1.35	431	26.7	1.30	280	17.4	1.05	187	11.6	0.86
WA: Seattle/Puget Sound	3,148	220.0	3.98	566	41.5	1.76	433	29.2	1.43	404	27.7	1.40	259	17.9	1.12	172	12.0	0.93
West Virginia	53	130.2	18.31	12	27.5	8.02	12	28.8	8.40	8	19.4	6.91	-	-	-	-	-	-
Wisconsin	488	192.2	9.00	79	36.3	4.13	51	21.4	3.07	54	20.7	2.92	43	16.3	2.56	35	13.3	2.35
Wyoming	16	135.7	34.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: S.E. - Standard Error

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2009-2013, Asian/Pacific Islander, Females**

	All Sites			Breast			Colon & Rectum			Lung & Bronchus			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	121,602	200.2	0.59	39,551	66.6	0.34	11,288	17.5	0.17	11,021	16.8	0.17	9,705	17.1	0.18	8,167	13.8	0.15
Alabama	376	185.6	9.73	131	64.1	5.67	31	15.8	2.88	38	19.8	3.26	21	9.4	2.07	14	6.6	1.79
Alaska	358	212.2	11.45	110	62.6	6.04	26	14.9	2.96	43	25.3	3.94	31	19.6	3.57	31	18.7	3.39
Arizona	1,309	170.9	4.80	417	55.0	2.71	101	12.6	1.27	134	17.1	1.50	128	16.9	1.52	84	10.8	1.19
Arkansas	337	259.9	14.48	100	74.6	7.61	34	27.0	4.71	28	21.9	4.22	20	13.9	3.19	11	9.0	2.72
California	46,973	206.8	1.00	15,506	71.6	0.59	4,747	19.0	0.29	4,199	16.2	0.26	3,018	15.3	0.29	3,281	15.1	0.27
CA: Greater Bay Area	15,978	215.4	1.80	5,354	75.8	1.06	1,538	18.9	0.51	1,475	17.3	0.48	904	14.3	0.50	1,126	15.8	0.48
CA: Los Angeles	14,294	212.0	1.90	4,730	74.4	1.11	1,559	20.7	0.56	1,235	15.6	0.47	916	16.1	0.55	1,016	16.0	0.51
Colorado	993	170.5	5.55	318	56.1	3.19	98	16.2	1.69	104	17.7	1.79	106	17.7	1.75	59	10.2	1.36
Connecticut	790	179.7	6.54	278	61.2	3.74	63	14.7	1.88	55	13.3	1.82	99	20.4	2.11	44	10.6	1.62
Delaware	201	195.0	13.95	68	65.7	8.01	9	8.8	2.97	17	15.3	3.76	24	22.0	4.53	9	8.5	2.83
District of Columbia	176	243.9	19.34	40	56.0	9.26	19	27.3	6.43	15	21.4	5.66	21	22.9	5.50	10	13.2	4.34
Florida	3,214	154.4	2.78	1,034	49.6	1.55	272	12.6	0.78	309	14.4	0.83	246	12.3	0.79	221	10.6	0.72
Georgia	1,841	170.7	4.05	601	53.1	2.20	159	15.3	1.23	141	13.5	1.15	154	12.9	1.06	101	9.5	0.96
GA: Metropolitan Atlanta	1,188	172.1	5.11	395	54.0	2.76	96	14.6	1.52	76	11.6	1.34	115	14.9	1.43	74	11.0	1.30
Hawaii	11,779	273.6	2.79	3,905	96.6	1.65	1,189	24.9	0.80	1,204	22.7	0.73	628	20.0	0.83	945	25.3	0.86
Idaho	166	199.2	15.94	57	68.3	9.23	15	15.8	4.25	17	20.6	5.22	8	9.4	3.38	13	17.1	4.77
Illinois	4,181	187.1	2.95	1,530	69.4	1.79	380	16.2	0.84	301	13.0	0.76	357	16.4	0.88	299	13.4	0.78
Indiana	546	174.2	7.62	162	49.8	4.00	47	15.3	2.27	52	17.7	2.49	43	11.3	1.76	37	12.0	2.01
Iowa	249	162.4	10.53	76	50.4	5.89	17	11.9	2.94	22	15.4	3.33	19	9.8	2.28	15	9.4	2.47
Kansas	418	186.4	9.29	110	47.7	4.62	33	14.8	2.62	58	27.3	3.63	54	22.3	3.09	24	10.6	2.17
Kentucky	284	170.0	10.28	81	46.8	5.29	33	20.7	3.66	29	18.7	3.51	32	18.1	3.25	19	11.5	2.68
Louisiana	427	171.7	8.48	104	41.3	4.10	35	13.7	2.35	44	17.3	2.66	39	15.6	2.57	28	10.8	2.05
Maine	100	206.1	21.21	27	53.6	10.50	8	17.9	6.45	13	26.4	7.63	15	29.1	7.55	-	-	-
Maryland	2,398	184.1	3.84	810	62.3	2.20	203	14.9	1.06	186	13.6	1.02	236	18.6	1.24	159	12.3	0.98
Massachusetts	2,400	206.2	4.32	747	64.2	2.39	211	17.7	1.25	219	18.8	1.30	272	21.8	1.35	124	10.7	0.98
Michigan	1,446	182.1	4.85	504	63.2	2.84	100	12.4	1.25	152	19.5	1.60	105	12.5	1.24	100	12.7	1.28
MI: Metropolitan Detroit	913	190.1	6.38	332	68.5	3.79	65	13.1	1.64	79	16.6	1.89	72	14.5	1.77	63	13.0	1.65
Mississippi	179	183.7	14.04	35	35.0	5.99	19	19.6	4.55	24	23.4	4.88	17	16.6	4.06	10	10.0	3.19
Missouri	672	191.8	7.53	214	61.8	4.27	50	14.7	2.11	68	19.2	2.37	58	14.9	1.99	31	8.6	1.57

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, Asian/Pacific Islander, Females**


	All Sites			Breast			Colon & Rectum			Lung & Bronchus			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	77	251.3	29.19	26	83.9	16.70	6	20.5	8.59	8	25.3	9.16	-	-	-	9	27.1	9.09
Nebraska	191	188.3	13.86	54	51.8	7.15	15	15.0	3.91	23	23.5	4.97	22	19.0	4.15	9	8.6	2.91
New Hampshire	138	149.1	13.08	41	42.3	6.81	15	18.5	4.85	9	10.0	3.40	14	13.0	3.57	14	16.5	4.56
New Jersey	4,978	188.0	2.72	1,801	66.8	1.58	391	14.4	0.74	358	13.4	0.71	499	18.8	0.86	344	13.0	0.70
New York	12,551	222.3	2.04	3,806	67.8	1.11	1,045	17.5	0.55	1,077	17.9	0.56	1,467	27.0	0.71	804	14.2	0.51
North Carolina	1,229	179.0	5.22	383	54.0	2.81	89	13.3	1.43	122	19.3	1.77	115	14.8	1.41	78	11.1	1.28
North Dakota	30	153.1	29.08	-	-	-	-	-	-	-	-	-	6	23.4	9.90	-	-	-
Ohio	1,120	168.3	5.11	386	56.7	2.91	81	12.1	1.36	105	15.6	1.54	109	16.2	1.58	70	10.6	1.28
Oklahoma	552	225.0	9.72	156	62.7	5.08	63	23.9	3.06	65	27.3	3.43	30	12.0	2.21	36	14.3	2.41
Oregon	1,218	197.6	5.81	358	59.1	3.17	116	18.0	1.72	113	17.2	1.68	95	15.7	1.64	67	10.7	1.32
Pennsylvania	2,130	179.1	3.94	617	51.4	2.09	164	13.6	1.08	188	15.8	1.17	240	19.5	1.28	108	9.2	0.89
Rhode Island	151	153.6	12.72	47	47.8	7.04	12	12.7	3.69	12	11.8	3.49	10	9.7	3.15	10	10.6	3.37
South Carolina	442	188.0	9.05	150	63.5	5.22	45	19.0	2.86	45	19.0	2.85	27	11.3	2.20	20	8.3	1.87
South Dakota	52	216.2	31.21	13	47.7	13.43	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	593	183.8	7.70	187	56.3	4.19	60	19.0	2.49	60	19.1	2.49	43	12.5	1.94	26	8.1	1.61
Texas	5,318	153.1	2.13	1,709	47.9	1.17	499	14.4	0.65	477	14.1	0.65	454	12.4	0.59	310	8.8	0.50
Utah	528	209.7	9.35	160	63.5	5.11	48	20.3	3.00	43	16.7	2.64	41	15.8	2.53	59	23.5	3.12
Vermont	45	175.2	26.71	12	48.8	14.40	-	-	-	7	29.8	11.55	-	-	-	-	-	-
Virginia	2,925	175.0	3.29	984	58.2	1.87	251	14.9	0.95	267	16.0	0.99	327	18.9	1.07	160	9.5	0.75
Washington	4,741	216.7	3.25	1,476	69.7	1.84	420	18.5	0.93	499	21.1	0.98	366	17.6	0.94	300	14.2	0.83
WA: Seattle/Puget Sound	4,362	221.1	3.45	1,339	70.3	1.95	396	19.3	1.00	463	21.7	1.05	339	18.3	1.01	280	14.7	0.89
West Virginia	87	174.4	19.16	32	62.1	11.03	-	-	-	-	-	-	10	21.3	7.00	8	15.1	5.35
Wisconsin	662	202.4	8.10	177	55.4	4.27	51	15.2	2.19	57	19.0	2.58	63	17.4	2.29	54	16.3	2.27
Wyoming	31	151.5	28.09	8	38.6	14.20	-	-	-	-	-	-	-	-	-	-	-	-

¹ Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

NAACCR U.S. Combined Incidence 2009-2013, The American Indian/Alaskan Native CHSDA Counties Population



UNITED STATES

25 Combined Incidence – American Indian/Alaskan Native

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2009-2013, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties**

SITES	Count	MALES (AI/AN)				FEMALES (AI/AN)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	12,352	426.7	4.28	278.4	2.53	13,768	387.3	3.46	266.3	2.30
Oral Cavity & Pharynx	510	15.6	0.77	11.2	0.50	209	5.8	0.42	4.0	0.28
Lip	25	1.0	0.23	0.6	0.11	-	-	-	-	-
Tongue	126	3.6	0.34	2.7	0.25	54	1.5	0.21	1.1	0.14
Major salivary gland	34	1.0	0.19	0.7	0.13	32	0.9	0.17	0.6	0.11
Floor of mouth	33	1.1	0.22	0.8	0.13	11	0.3	0.10	0.2	0.06
Gum & other mouth	47	1.5	0.24	1.0	0.15	34	1.0	0.17	0.6	0.11
Nasopharynx	42	1.2	0.21	0.9	0.14	22	0.6	0.14	0.4	0.08
Oropharynx	32	1.0	0.20	0.7	0.13	7	0.2	0.06	0.1	0.05
Hypopharynx	48	1.7	0.27	1.1	0.16	10	0.3	0.09	0.2	0.07
Digestive System	3,180	108.2	2.13	70.9	1.27	2,676	78.8	1.60	51.0	1.00
Esophagus	213	7.5	0.56	4.7	0.33	85	2.6	0.29	1.6	0.17
Stomach	304	11.2	0.72	6.8	0.39	214	6.5	0.47	4.1	0.29
Small intestine	45	1.4	0.24	1.0	0.15	54	1.6	0.22	1.0	0.14
Colon excl. rectum	927	33.8	1.24	21.0	0.70	1,003	30.1	1.00	19.1	0.61
Rectum & rectosigmoid	569	17.6	0.81	12.5	0.53	412	11.1	0.57	7.9	0.39
Anus, anal canal & anorectum	31	0.9	0.17	0.7	0.12	61	1.6	0.21	1.2	0.15
Liver	583	17.5	0.79	12.8	0.54	280	8.1	0.51	5.3	0.32
Gallbladder	59	2.5	0.37	1.4	0.18	90	2.9	0.32	1.7	0.18
Pancreas	316	11.1	0.69	7.1	0.40	324	10.0	0.58	6.1	0.34
Respiratory System	2,021	77.5	1.90	46.7	1.05	1,873	57.5	1.39	36.2	0.85
Larynx	159	5.4	0.47	3.6	0.29	34	0.9	0.15	0.7	0.12
Lung & bronchus	1,832	71.3	1.83	42.4	1.00	1,820	56.2	1.38	35.2	0.84
Bones & Joints	61	1.4	0.20	1.3	0.17	36	0.8	0.13	0.7	0.12
Soft Tissue (incl. heart)	119	3.6	0.37	2.5	0.23	102	2.6	0.27	2.0	0.20
Skin (excl. basal & sq.)	259	9.0	0.63	5.7	0.36	245	6.5	0.44	4.7	0.31
Melanomas of the skin	227	7.8	0.58	4.9	0.33	206	5.5	0.40	4.0	0.28
Breast (excl. <i>in situ</i>)	20	0.7	0.18	0.5	0.10	3,623	98.1	1.70	70.9	1.19
Female Genital System	-	-	-	-	-	1,794	47.1	1.16	34.8	0.83
Cervix uteri	-	-	-	-	-	391	9.7	0.51	7.7	0.39
Uterus Corpus	-	-	-	-	-	855	21.9	0.78	16.6	0.57
Uterus, NOS ¹	-	-	-	-	-	27	0.8	0.16	0.5	0.10
Ovary	-	-	-	-	-	402	11.1	0.58	7.8	0.39
Male Genital System	2,632	90.7	1.95	60.5	1.19	-	-	-	-	-
Prostate	2,375	85.1	1.92	55.4	1.15	-	-	-	-	-
Testis	240	5.0	0.33	4.8	0.31	-	-	-	-	-
Penis	15	0.6	0.16	0.3	0.09	-	-	-	-	-
Urinary System	1,444	49.9	1.46	32.3	0.86	848	24.0	0.86	16.3	0.57
Bladder (incl. <i>in situ</i>)	467	19.0	0.98	10.7	0.50	187	5.9	0.46	3.5	0.26
Kidney & renal pelvis	956	29.9	1.06	21.2	0.69	650	17.6	0.72	12.6	0.50
Ureter	12	0.4	0.13	0.3	0.08	7	0.3	0.10	0.1	0.05
Eye & Orbit	21	0.5	0.14	0.5	0.10	21	0.5	0.11	0.4	0.10
Brain & Other Nervous System	203	5.3	0.42	4.4	0.31	147	3.5	0.31	3.0	0.25
Brain	186	4.8	0.40	4.0	0.29	133	3.2	0.29	2.7	0.23
Endocrine System	177	4.5	0.36	3.7	0.28	582	14.1	0.60	11.5	0.48
Thyroid gland	156	4.0	0.34	3.3	0.26	559	13.5	0.59	11.1	0.47
Lymphomas	552	18.3	0.88	12.2	0.53	504	14.7	0.69	9.7	0.44
Hodgkin Lymphoma	65	1.5	0.20	1.3	0.17	44	1.0	0.16	0.9	0.13
Non-Hodgkin Lymphoma	487	16.8	0.86	10.9	0.50	460	13.7	0.67	8.8	0.42
Multiple Myeloma	191	7.2	0.58	4.4	0.32	183	5.5	0.43	3.5	0.26
Leukemias	369	11.8	0.70	8.2	0.43	360	9.6	0.54	7.2	0.39
Acute lymphocytic	61	1.3	0.18	1.4	0.18	74	1.5	0.18	1.6	0.19
Chronic lymphocytic	78	3.0	0.38	1.7	0.20	62	2.0	0.26	1.2	0.15
Acute myeloid	126	4.0	0.40	2.7	0.25	127	3.5	0.33	2.5	0.22
Chronic myeloid	47	1.5	0.24	1.0	0.15	61	1.5	0.21	1.2	0.16
Other leukemias	57	2.0	0.31	1.3	0.17	36	1.1	0.19	0.7	0.11
Mesothelioma	30	1.4	0.29	0.7	0.13	9	0.3	0.09	0.2	0.06
Kaposi Sarcoma	18	0.5	0.15	0.4	0.09	-	-	-	-	-
Ill-defined & Unknown	545	20.5	0.99	12.5	0.54	554	18.0	0.80	10.2	0.44
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	235	7.2	0.54	5.1	0.34	488	13.1	0.62	9.6	0.44
Breast (<i>in situ</i>)	-	-	-	-	-	672	17.4	0.69	13.3	0.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Statistics exclude data for KS for all years.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, American Indian/Alaskan Native for CHSDA³ Counties, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ⁴		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Utah	78	174.1	20.08	18	42.9	10.22	8	19.2	6.82	10	22.2	7.17	6	14.0	5.80	-	-	-
Washington	1,055	316.5	9.92	199	61.9	4.45	132	41.4	3.66	114	33.7	3.22	76	22.4	2.62	85	23.5	2.58
WA: Seattle/Puget Sound	733	356.3	13.48	137	69.1	6.00	95	49.5	5.18	77	37.0	4.33	47	22.9	3.42	63	27.5	3.53
Wisconsin	419	428.4	21.28	81	85.8	9.72	73	78.6	9.33	53	52.3	7.33	31	30.4	5.52	10	11.5	3.74
Wyoming	70	323.2	39.20	13	62.5	17.51	9	44.1	15.04	9	39.0	13.11	7	28.8	10.93	6	24.2	9.95

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined. Statistics exclude data for KS for all years.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

^{4.} Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2009-2013, American Indian/Alaskan Native for CHSDA³ Counties, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ⁴			Kidney & Renal Pelvis		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Utah	99	176.7	18.17	16	29.2	7.43	-	-	-	10	19.1	6.13	13	24.2	6.84	-	-	-
Washington	1,218	315.5	9.13	387	100.0	5.13	150	39.7	3.28	103	26.2	2.61	68	17.3	2.12	41	10.6	1.68
WA: Seattle/Puget Sound	842	343.1	11.96	274	111.3	6.80	93	38.4	4.03	75	30.4	3.55	49	19.5	2.82	26	10.7	2.12
Wisconsin	466	400.4	18.75	116	99.6	9.33	85	73.1	8.04	36	29.8	5.02	25	21.6	4.36	24	22.0	4.51
Wyoming	83	329.6	36.62	25	100.2	20.25	7	28.4	10.86	10	38.0	12.06	-	-	-	-	-	-

¹ Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined. Statistics exclude data for KS for all years.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

⁴ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2009-2013, Hispanic/Latino, All Races

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	260,840	398.1	0.85	259.2	0.52	279,731	329.6	0.65	229.0	0.44
Oral Cavity & Pharynx	7,610	10.8	0.13	7.5	0.09	3,452	4.1	0.07	2.8	0.05
Lip	301	0.5	0.03	0.3	0.02	127	0.2	0.02	0.1	0.01
Tongue	2,026	2.9	0.07	2.0	0.05	974	1.2	0.04	0.8	0.03
Major salivary gland	745	1.1	0.04	0.7	0.03	728	0.8	0.03	0.6	0.02
Floor of mouth	371	0.5	0.03	0.4	0.02	122	0.2	0.02	0.1	0.01
Gum & other mouth	958	1.4	0.05	0.9	0.03	699	0.9	0.04	0.6	0.02
Nasopharynx	461	0.6	0.03	0.4	0.02	202	0.2	0.02	0.2	0.01
Oropharynx	368	0.5	0.03	0.4	0.02	84	0.1	0.01	0.1	0.01
Hypopharynx	600	0.9	0.04	0.6	0.03	97	0.1	0.01	0.1	0.01
Digestive System	64,647	100.3	0.43	64.1	0.26	50,808	66.0	0.30	41.2	0.19
Esophagus	3,071	5.0	0.10	3.1	0.06	794	1.1	0.04	0.6	0.02
Stomach	8,197	13.1	0.16	8.0	0.09	6,192	7.8	0.10	4.9	0.06
Small intestine	1,318	2.0	0.06	1.3	0.04	1,259	1.6	0.05	1.0	0.03
Colon excl. rectum	17,922	29.0	0.24	17.8	0.14	16,830	22.0	0.17	13.5	0.11
Rectum & rectosigmoid	9,568	13.9	0.15	9.3	0.10	6,509	7.8	0.10	5.4	0.07
Anus, anal canal & anorectum	752	1.0	0.04	0.7	0.03	1,314	1.6	0.05	1.1	0.03
Liver	12,926	18.3	0.17	12.9	0.12	4,817	6.4	0.09	4.0	0.06
Gallbladder	687	1.2	0.05	0.7	0.03	1,964	2.6	0.06	1.6	0.04
Pancreas	7,226	12.1	0.15	7.3	0.09	7,475	10.3	0.12	6.0	0.07
Respiratory System	27,087	48.3	0.31	28.0	0.17	19,765	26.8	0.20	16.3	0.12
Larynx	3,137	5.0	0.10	3.2	0.06	553	0.7	0.03	0.5	0.02
Lung & bronchus	23,056	42.2	0.30	23.9	0.16	18,719	25.6	0.19	15.4	0.12
Bones & Joints	1,094	1.0	0.03	0.9	0.03	891	0.8	0.03	0.7	0.02
Soft Tissue (incl. heart)	2,916	3.4	0.07	2.5	0.05	2,460	2.5	0.05	2.0	0.04
Skin (excl. basal & sq.)	4,107	6.2	0.11	3.9	0.06	4,590	5.1	0.08	3.7	0.06
Melanomas of the skin	3,365	5.1	0.10	3.2	0.06	3,883	4.3	0.07	3.1	0.05
Breast (excl. <i>in situ</i>)	499	0.8	0.04	0.5	0.02	80,127	91.7	0.33	66.7	0.24
Female Genital System	-	-	-	-	-	40,641	45.1	0.23	33.5	0.17
Cervix uteri	-	-	-	-	-	9,872	9.9	0.10	7.7	0.08
Uterus Corpus	-	-	-	-	-	18,334	20.7	0.16	15.7	0.12
Uterus, NOS ¹	-	-	-	-	-	827	1.0	0.04	0.7	0.02
Ovary	-	-	-	-	-	9,045	10.2	0.11	7.4	0.08
Male Genital System	72,043	110.9	0.45	75.8	0.29	-	-	-	-	-
Prostate	64,639	104.9	0.44	70.4	0.28	-	-	-	-	-
Testis	6,355	4.5	0.06	4.4	0.06	-	-	-	-	-
Penis	922	1.4	0.05	0.9	0.03	-	-	-	-	-
Urinary System	25,715	41.4	0.28	25.5	0.16	13,992	17.4	0.15	11.6	0.10
Bladder (incl. <i>in situ</i>)	10,626	20.0	0.21	10.8	0.11	3,703	5.1	0.09	2.9	0.05
Kidney & renal pelvis	14,696	20.7	0.19	14.2	0.12	10,053	11.9	0.12	8.4	0.09
Ureter	242	0.4	0.03	0.2	0.02	143	0.2	0.02	0.1	0.01
Eye & Orbit	532	0.6	0.03	0.5	0.02	514	0.5	0.02	0.5	0.02
Brain & Other Nervous System	5,416	5.9	0.09	4.8	0.07	4,548	4.5	0.07	3.8	0.06
Brain	5,052	5.6	0.09	4.5	0.06	4,112	4.1	0.07	3.4	0.05
Endocrine System	5,321	5.9	0.09	4.6	0.06	20,919	20.3	0.15	16.5	0.12
Thyroid gland	4,662	5.2	0.08	4.0	0.06	20,339	19.7	0.14	16.0	0.11
Lymphomas	16,875	22.8	0.20	15.3	0.12	14,480	17.2	0.15	11.7	0.10
Hodgkin Lymphoma	2,908	2.8	0.06	2.3	0.04	2,224	2.0	0.05	1.7	0.04
Non-Hodgkin Lymphoma	13,967	20.0	0.19	13.0	0.11	12,256	15.2	0.14	10.0	0.09
Multiple Myeloma	4,790	7.8	0.12	4.8	0.07	3,969	5.2	0.09	3.3	0.05
Leukemias	10,900	13.1	0.15	9.8	0.10	8,669	9.0	0.10	7.1	0.08
Acute lymphocytic	3,497	2.5	0.05	2.9	0.05	2,722	2.0	0.04	2.4	0.05
Chronic lymphocytic	1,610	2.8	0.08	1.7	0.04	1,147	1.6	0.05	0.9	0.03
Acute myeloid	3,071	4.2	0.09	2.8	0.05	2,803	3.1	0.06	2.3	0.04
Chronic myeloid	1,506	2.0	0.06	1.3	0.04	1,077	1.2	0.04	0.9	0.03
Other leukemias	1,216	1.7	0.06	1.1	0.03	920	1.1	0.04	0.7	0.02
Mesothelioma	676	1.2	0.05	0.7	0.03	261	0.3	0.02	0.2	0.01
Kaposi Sarcoma	1,017	1.1	0.04	0.8	0.03	140	0.2	0.02	0.1	0.01
Ill-defined & Unknown	9,595	16.6	0.19	9.3	0.10	9,505	12.9	0.14	7.3	0.08
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	5,491	7.0	0.11	4.9	0.07	11,633	13.4	0.13	9.4	0.09
Breast (<i>in situ</i>)	60	0.1	0.01	0.1	0.01	19,665	22.0	0.16	16.7	0.12

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

UNITED STATES

31 Combined Incidence – Hispanic/Latino, All Races

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2009-2013, Non-Hispanic White

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,013,609	519.3	0.31	343.8	0.21	2,868,431	436.0	0.27	304.5	0.20
Oral Cavity & Pharynx	110,873	18.5	0.06	13.4	0.04	44,995	6.7	0.03	4.7	0.02
Lip	6,252	1.1	0.01	0.7	0.01	2,290	0.3	0.01	0.2	0.00
Tongue	35,340	5.8	0.03	4.4	0.02	13,744	2.1	0.02	1.5	0.01
Major salivary gland	9,903	1.8	0.02	1.1	0.01	6,184	1.0	0.01	0.7	0.01
Floor of mouth	5,465	0.9	0.01	0.7	0.01	2,560	0.4	0.01	0.3	0.01
Gum & other mouth	11,167	1.9	0.02	1.3	0.01	9,201	1.3	0.01	0.8	0.01
Nasopharynx	3,400	0.6	0.01	0.5	0.01	1,343	0.2	0.01	0.2	0.01
Oropharynx	5,155	0.8	0.01	0.6	0.01	1,626	0.2	0.01	0.2	0.00
Hypopharynx	6,641	1.1	0.01	0.8	0.01	1,730	0.3	0.01	0.2	0.00
Digestive System	547,297	94.3	0.13	60.5	0.09	440,807	63.1	0.10	39.5	0.07
Esophagus	51,946	8.7	0.04	5.8	0.03	13,012	1.8	0.02	1.1	0.01
Stomach	45,070	7.8	0.04	4.9	0.02	24,536	3.5	0.02	2.2	0.02
Small intestine	15,073	2.6	0.02	1.7	0.01	13,096	1.9	0.02	1.3	0.01
Colon excl. rectum	179,843	31.7	0.08	19.3	0.05	185,493	26.3	0.06	15.7	0.04
Rectum & rectosigmoid	83,584	14.4	0.05	9.8	0.04	59,369	8.9	0.04	6.1	0.03
Anus, anal canal & anorectum	8,697	1.5	0.02	1.1	0.01	15,731	2.4	0.02	1.7	0.01
Liver	53,865	8.7	0.04	6.3	0.03	17,486	2.5	0.02	1.7	0.02
Gallbladder	4,026	0.7	0.01	0.4	0.01	8,150	1.1	0.01	0.7	0.01
Pancreas	82,096	14.1	0.05	8.7	0.03	76,683	10.7	0.04	6.4	0.03
Respiratory System	495,989	85.1	0.12	52.5	0.08	420,929	60.3	0.09	38.5	0.06
Larynx	37,528	6.2	0.03	4.3	0.02	10,078	1.5	0.02	1.1	0.01
Lung & bronchus	451,733	77.7	0.12	47.3	0.07	406,708	58.2	0.09	37.0	0.06
Bones & Joints	5,708	1.1	0.02	1.0	0.02	4,518	0.9	0.01	0.8	0.01
Soft Tissue (incl. heart)	21,556	4.0	0.03	3.0	0.02	16,649	2.8	0.02	2.2	0.02
Skin (excl. basal & sq.)	193,219	34.4	0.08	22.5	0.05	132,999	22.2	0.06	16.7	0.05
Melanomas of the skin	179,635	31.9	0.08	21.1	0.05	124,651	21.0	0.06	15.9	0.05
Breast (excl. <i>in situ</i>)	7,727	1.3	0.02	0.8	0.01	831,253	128.3	0.15	92.5	0.11
Female Genital System	-	-	-	-	-	326,759	50.2	0.09	37.2	0.07
Cervix uteri	-	-	-	-	-	36,912	7.0	0.04	5.6	0.03
Uterus Corpus	-	-	-	-	-	173,840	25.6	0.06	19.2	0.05
Uterus, NOS ¹	-	-	-	-	-	4,853	0.7	0.01	0.5	0.01
Ovary	-	-	-	-	-	79,880	12.2	0.04	8.7	0.03
Male Genital System	747,261	122.6	0.14	87.5	0.11	-	-	-	-	-
Prostate	711,246	114.8	0.14	80.6	0.10	-	-	-	-	-
Testis	30,378	6.8	0.04	6.3	0.04	-	-	-	-	-
Penis	4,372	0.8	0.01	0.5	0.01	-	-	-	-	-
Urinary System	362,064	63.4	0.11	38.7	0.07	148,865	21.7	0.06	14.3	0.04
Bladder (incl. <i>in situ</i>)	226,727	40.0	0.09	22.6	0.05	70,211	9.8	0.04	5.9	0.02
Kidney & renal pelvis	127,548	21.9	0.06	15.3	0.05	74,498	11.3	0.04	8.1	0.03
Ureter	5,058	0.9	0.01	0.5	0.01	3,015	0.4	0.01	0.2	0.00
Eye & Orbit	6,197	1.1	0.01	0.9	0.01	5,154	0.8	0.01	0.7	0.01
Brain & Other Nervous System	46,701	8.7	0.04	7.2	0.04	37,226	6.3	0.03	5.4	0.03
Brain	44,366	8.2	0.04	6.7	0.04	34,754	5.8	0.03	4.9	0.03
Endocrine System	46,735	8.7	0.04	7.0	0.03	122,728	23.1	0.07	19.2	0.06
Thyroid gland	42,676	7.9	0.04	6.2	0.03	119,077	22.4	0.07	18.6	0.06
Lymphomas	150,987	27.3	0.07	18.7	0.05	124,916	19.1	0.06	13.3	0.04
Hodgkin Lymphoma	16,080	3.3	0.03	2.9	0.02	13,101	2.6	0.02	2.4	0.02
Non-Hodgkin Lymphoma	134,907	24.0	0.07	15.7	0.05	111,815	16.5	0.05	10.9	0.04
Multiple Myeloma	41,397	7.2	0.04	4.4	0.02	31,095	4.4	0.03	2.7	0.02
Leukemias	99,031	18.1	0.06	12.4	0.05	71,155	10.9	0.04	8.0	0.04
Acute lymphocytic	7,858	1.8	0.02	2.2	0.03	6,142	1.4	0.02	1.7	0.03
Chronic lymphocytic	38,011	6.6	0.03	4.0	0.02	24,867	3.4	0.02	2.1	0.01
Acute myeloid	28,539	5.2	0.03	3.3	0.02	22,567	3.5	0.02	2.5	0.02
Chronic myeloid	12,139	2.2	0.02	1.5	0.01	8,901	1.4	0.02	1.0	0.01
Other leukemias	12,484	2.3	0.02	1.4	0.01	8,678	1.3	0.01	0.8	0.01
Mesothelioma	10,674	1.9	0.02	1.0	0.01	3,175	0.5	0.01	0.3	0.01
Kaposi Sarcoma	2,251	0.5	0.01	0.3	0.01	318	0.0	0.00	0.0	0.00
Ill-defined & Unknown	117,942	21.2	0.06	12.1	0.04	104,890	14.6	0.05	8.5	0.03
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	46,021	8.5	0.04	6.3	0.03	92,248	14.6	0.05	10.6	0.04
Breast (<i>in situ</i>)	825	0.1	0.01	0.1	0.00	202,079	32.1	0.07	24.3	0.06

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2009-2013, Non-Hispanic Black

SITES	Count	MALES (NON-HISPANIC BLACK)				FEMALES (NON-HISPANIC BLACK)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	421,880	577.3	0.95	395.8	0.62	399,154	408.5	0.66	285.5	0.47
Oral Cavity & Pharynx	12,093	15.0	0.14	11.2	0.10	5,274	5.2	0.07	3.9	0.05
Lip	85	0.1	0.01	0.1	0.01	68	0.1	0.01	0.1	0.01
Tongue	2,736	3.4	0.07	2.5	0.05	1,102	1.1	0.03	0.8	0.02
Major salivary gland	892	1.2	0.04	0.8	0.03	1,012	1.0	0.03	0.8	0.02
Floor of mouth	781	1.0	0.04	0.7	0.03	309	0.3	0.02	0.2	0.01
Gum & other mouth	1,386	1.8	0.05	1.3	0.04	1,069	1.1	0.03	0.8	0.02
Nasopharynx	902	1.1	0.04	0.9	0.03	372	0.4	0.02	0.3	0.02
Oropharynx	962	1.2	0.04	0.9	0.03	306	0.3	0.02	0.2	0.01
Hypopharynx	1,523	1.9	0.05	1.4	0.04	298	0.3	0.02	0.2	0.01
Digestive System	90,395	125.4	0.45	83.4	0.28	79,343	82.5	0.30	53.5	0.20
Esophagus	5,586	7.6	0.11	5.2	0.07	2,344	2.4	0.05	1.6	0.03
Stomach	9,776	14.7	0.16	9.0	0.09	7,381	7.9	0.09	4.8	0.06
Small intestine	3,062	4.3	0.08	2.8	0.05	3,155	3.2	0.06	2.2	0.04
Colon excl. rectum	29,546	42.9	0.27	27.3	0.16	31,805	33.2	0.19	21.3	0.12
Rectum & rectosigmoid	11,615	15.4	0.15	10.7	0.10	9,490	9.6	0.10	6.7	0.07
Anus, anal canal & anorectum	1,637	2.0	0.05	1.5	0.04	1,722	1.7	0.04	1.2	0.03
Liver	13,697	16.0	0.14	12.6	0.11	4,415	4.3	0.07	3.1	0.05
Gallbladder	881	1.4	0.05	0.8	0.03	1,858	1.9	0.05	1.2	0.03
Pancreas	11,903	17.2	0.17	11.0	0.10	13,546	14.4	0.13	8.8	0.08
Respiratory System	69,493	100.8	0.41	64.8	0.25	51,167	53.4	0.24	35.0	0.16
Larynx	6,737	8.9	0.12	6.3	0.08	1,800	1.8	0.04	1.3	0.03
Lung & bronchus	61,908	90.8	0.39	57.7	0.24	48,756	51.0	0.24	33.2	0.16
Bones & Joints	802	0.9	0.03	0.8	0.03	757	0.7	0.03	0.7	0.03
Soft Tissue (incl. heart)	2,951	3.7	0.07	2.9	0.05	3,240	3.2	0.06	2.6	0.05
Skin (excl. basal & sq.)	1,589	2.2	0.06	1.5	0.04	1,796	1.9	0.04	1.3	0.03
Melanomas of the skin	755	1.1	0.04	0.7	0.03	936	1.0	0.03	0.6	0.02
Breast (excl. <i>in situ</i>)	1,347	2.0	0.06	1.2	0.03	124,289	125.1	0.36	91.0	0.26
Female Genital System	-	-	-	-	-	47,672	48.0	0.22	35.1	0.16
Cervix uteri	-	-	-	-	-	9,627	9.8	0.10	7.4	0.08
Uterus Corpus	-	-	-	-	-	23,388	23.3	0.16	17.1	0.11
Uterus, NOS ¹	-	-	-	-	-	1,634	1.7	0.04	1.1	0.03
Ovary	-	-	-	-	-	9,336	9.5	0.10	6.7	0.07
Male Genital System	152,387	201.0	0.55	144.2	0.37	-	-	-	-	-
Prostate	150,262	198.4	0.54	142.1	0.37	-	-	-	-	-
Testis	1,299	1.4	0.04	1.3	0.04	-	-	-	-	-
Penis	660	1.0	0.04	0.6	0.02	-	-	-	-	-
Urinary System	31,690	45.1	0.27	29.6	0.17	19,317	20.2	0.15	13.5	0.10
Bladder (incl. <i>in situ</i>)	12,416	19.9	0.19	11.5	0.10	6,171	6.7	0.09	3.9	0.05
Kidney & renal pelvis	18,776	24.4	0.19	17.7	0.13	12,699	13.0	0.12	9.3	0.09
Ureter	215	0.4	0.03	0.2	0.01	175	0.2	0.01	0.1	0.01
Eye & Orbit	247	0.3	0.02	0.3	0.02	228	0.2	0.02	0.3	0.02
Brain & Other Nervous System	4,059	4.9	0.08	4.1	0.07	3,624	3.6	0.06	3.2	0.06
Brain	3,755	4.6	0.08	3.8	0.06	3,222	3.2	0.06	2.8	0.05
Endocrine System	3,875	4.8	0.08	3.7	0.06	14,536	14.4	0.12	11.7	0.10
Thyroid gland	3,010	3.7	0.07	2.8	0.05	13,574	13.4	0.12	10.8	0.09
Lymphomas	16,067	20.4	0.17	15.2	0.12	14,187	14.4	0.12	10.8	0.09
Hodgkin Lymphoma	2,890	3.2	0.06	2.8	0.05	2,430	2.3	0.05	2.2	0.04
Non-Hodgkin Lymphoma	13,177	17.2	0.16	12.4	0.11	11,757	12.1	0.11	8.6	0.08
Multiple Myeloma	10,541	15.4	0.16	9.8	0.10	10,890	11.4	0.11	7.4	0.07
Leukemias	9,620	13.5	0.15	9.4	0.10	8,400	8.7	0.10	6.3	0.07
Acute lymphocytic	1,141	1.2	0.04	1.4	0.04	866	0.8	0.03	1.0	0.03
Chronic lymphocytic	2,895	4.4	0.09	2.7	0.05	2,184	2.3	0.05	1.4	0.03
Acute myeloid	2,873	4.1	0.08	2.7	0.05	2,954	3.1	0.06	2.2	0.04
Chronic myeloid	1,462	1.9	0.05	1.4	0.04	1,322	1.3	0.04	1.0	0.03
Other leukemias	1,249	1.8	0.06	1.2	0.03	1,074	1.1	0.04	0.7	0.02
Mesothelioma	532	0.9	0.04	0.5	0.02	207	0.2	0.02	0.1	0.01
Kaposi Sarcoma	1,444	1.6	0.04	1.4	0.04	158	0.2	0.01	0.1	0.01
Ill-defined & Unknown	12,748	19.5	0.19	11.8	0.11	14,069	15.0	0.13	9.1	0.08
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	6,197	8.3	0.11	5.9	0.08	14,373	14.8	0.13	10.4	0.09
Breast (<i>in situ</i>)	215	0.3	0.02	0.2	0.01	32,163	32.0	0.18	23.9	0.14

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

UNITED STATES

33 Combined Incidence – Non-Hispanic Black

NAACCR Canadian Combined Incidence 2009-2013, All Races Combined



CANADA

35 Combined Incidence – All Races

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR Canadian Combined, 2009-2013, All Races

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	172,224	495.9	1.22	318.8	0.81	158,935	409.1	1.04	280.6	0.76
Oral Cavity & Pharynx	5,273	14.2	0.20	10.3	0.15	2,288	5.8	0.12	4.0	0.09
Lip	503	1.5	0.07	0.9	0.04	176	0.4	0.03	0.2	0.02
Tongue	1,526	4.0	0.10	3.0	0.08	637	1.6	0.06	1.1	0.05
Major salivary gland	370	1.1	0.06	0.7	0.04	316	0.8	0.05	0.6	0.04
Floor of mouth	303	0.8	0.05	0.6	0.03	133	0.3	0.03	0.2	0.02
Gum & other mouth	557	1.5	0.07	1.0	0.05	458	1.1	0.05	0.7	0.04
Nasopharynx	362	1.0	0.05	0.8	0.04	139	0.4	0.03	0.3	0.03
Oropharynx	206	0.5	0.04	0.4	0.03	64	0.2	0.02	0.1	0.01
Hypopharynx	319	0.9	0.05	0.6	0.03	65	0.2	0.02	0.1	0.01
Digestive System	39,873	115.5	0.59	71.2	0.37	30,580	76.6	0.44	46.7	0.29
Esophagus	2,693	7.6	0.15	4.9	0.10	824	2.0	0.07	1.2	0.05
Stomach	3,562	10.5	0.18	6.3	0.11	1,859	4.7	0.11	2.8	0.07
Small intestine	822	2.4	0.08	1.5	0.05	642	1.6	0.07	1.1	0.05
Colon excl. rectum	14,528	43.0	0.36	25.3	0.22	13,749	34.4	0.30	20.2	0.19
Rectum & rectosigmoid	9,183	25.9	0.28	16.9	0.18	5,393	13.6	0.19	9.0	0.13
Anus, anal canal & anorectum	389	1.1	0.06	0.7	0.04	759	1.9	0.07	1.4	0.05
Liver	2,627	7.2	0.14	5.0	0.10	839	2.1	0.07	1.3	0.05
Gallbladder	321	1.0	0.06	0.5	0.03	605	1.5	0.06	0.9	0.04
Pancreas	4,176	12.3	0.19	7.3	0.12	4,037	10.0	0.16	5.9	0.10
Respiratory System	24,254	71.2	0.47	42.2	0.28	21,548	54.6	0.38	34.4	0.25
Larynx	1,465	4.1	0.11	2.7	0.07	276	0.7	0.04	0.5	0.03
Lung & bronchus	22,417	66.1	0.45	38.7	0.27	21,057	53.3	0.37	33.5	0.25
Bones & Joints	354	1.1	0.06	1.0	0.06	269	0.8	0.05	0.8	0.05
Soft Tissue (incl. heart)	1,154	3.4	0.10	2.6	0.08	889	2.4	0.08	1.9	0.08
Skin (excl. basal & sq.)	7,209	20.9	0.25	13.7	0.17	6,230	16.6	0.21	12.2	0.16
Melanomas of the skin	6,553	18.9	0.24	12.5	0.16	5,732	15.3	0.21	11.3	0.16
Breast (excl. <i>in situ</i>)	341	1.0	0.05	0.6	0.03	44,759	115.8	0.56	83.2	0.41
Female Genital System	-	-	-	-	-	18,684	48.3	0.36	35.7	0.28
Cervix uteri	-	-	-	-	-	2,617	7.7	0.15	6.1	0.12
Uterus Corpus	-	-	-	-	-	9,737	24.3	0.25	18.4	0.19
Uterus, NOS ¹	-	-	-	-	-	196	0.5	0.03	0.3	0.02
Ovary	-	-	-	-	-	4,301	11.1	0.17	7.9	0.13
Male Genital System	45,762	126.8	0.61	86.2	0.42	-	-	-	-	-
Prostate	43,366	119.5	0.59	79.8	0.39	-	-	-	-	-
Testis	1,933	5.9	0.14	5.6	0.13	-	-	-	-	-
Penis	356	1.1	0.06	0.6	0.04	-	-	-	-	-
Urinary System	19,226	56.5	0.42	34.1	0.26	7,846	19.8	0.23	12.8	0.16
Bladder (incl. <i>in situ</i>)	12,209	36.8	0.34	20.6	0.19	3,888	9.7	0.16	5.8	0.10
Kidney & renal pelvis	6,629	18.5	0.23	12.8	0.16	3,730	9.6	0.16	6.8	0.12
Ureter	239	0.7	0.05	0.4	0.03	173	0.4	0.03	0.2	0.02
Eye & Orbit	298	0.9	0.05	0.7	0.04	280	0.8	0.05	0.6	0.04
Brain & Other Nervous System	2,632	7.7	0.15	6.2	0.13	1,909	5.3	0.12	4.4	0.12
Brain	2,521	7.3	0.15	5.9	0.13	1,816	5.0	0.12	4.1	0.11
Endocrine System	2,128	6.1	0.13	4.9	0.11	5,560	15.9	0.22	13.1	0.18
Thyroid gland	1,860	5.3	0.12	4.1	0.10	5,326	15.2	0.21	12.4	0.18
Lymphomas	8,544	25.0	0.28	17.1	0.20	6,849	17.9	0.22	12.5	0.17
Hodgkin Lymphoma	906	2.7	0.09	2.5	0.09	684	2.0	0.08	1.9	0.08
Non-Hodgkin Lymphoma	7,638	22.3	0.26	14.6	0.18	6,165	15.8	0.20	10.5	0.15
Multiple Myeloma	2,441	7.1	0.15	4.3	0.09	1,812	4.6	0.11	2.8	0.07
Leukemias	6,154	18.3	0.24	12.6	0.18	4,027	10.7	0.17	7.9	0.15
Acute lymphocytic	453	1.6	0.07	2.0	0.10	364	1.3	0.07	1.7	0.10
Chronic lymphocytic	2,875	8.3	0.16	5.1	0.10	1,665	4.2	0.10	2.6	0.07
Acute myeloid	1,492	4.5	0.12	2.9	0.08	1,123	3.0	0.09	2.1	0.07
Chronic myeloid	715	2.1	0.08	1.4	0.06	451	1.2	0.06	0.8	0.04
Other leukemias	619	1.8	0.08	1.2	0.05	424	1.1	0.05	0.7	0.04
Mesothelioma	805	2.5	0.09	1.3	0.05	157	0.4	0.03	0.3	0.02
Kaposi Sarcoma	113	0.3	0.03	0.2	0.02	19	0.0	0.01	0.0	0.01
Ill-defined & Unknown	5,663	17.4	0.24	9.6	0.14	5,229	12.9	0.18	7.4	0.12
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,205	3.6	0.10	2.6	0.08	2,094	5.6	0.12	4.1	0.10
Breast (<i>in situ</i>)	25	0.1	0.01	0.1	0.01	6,647	17.4	0.22	13.4	0.17

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined³, 2009-2013, All Races, Males**

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Bladder			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined	172,224	495.9	1.22	43,366	119.5	0.59	23,711	68.9	0.46	22,417	66.1	0.45	12,209	36.8	0.34	7,638	22.3	0.26
Alberta	42,435	493.4	2.49	11,162	125.2	1.23	5,405	64.4	0.91	4,959	61.7	0.91	2,889	36.3	0.70	1,918	22.3	0.53
British Columbia	61,794	470.1	1.92	15,998	116.5	0.94	8,176	62.6	0.70	7,560	57.9	0.68	4,657	36.6	0.54	2,769	21.5	0.42
Manitoba	16,074	501.3	4.02	3,437	103.8	1.80	2,396	75.3	1.56	2,166	68.7	1.50	1,043	33.3	1.05	741	23.1	0.86
New Brunswick	12,532	543.5	5.01	3,215	128.3	2.32	1,641	71.6	1.82	2,019	89.5	2.05	929	42.4	1.43	531	24.1	1.07
Newfoundland and Labrador	8,998	559.5	6.18	2,286	130.0	2.84	1,566	99.2	2.62	1,319	83.5	2.41	543	36.2	1.63	371	23.5	1.27
Northwest Territory	339	486.3	31.42	62	87.0	12.99	61	92.5	13.68	47	80.9	13.41	9	16.9	6.95	15	23.4	7.20
Nova Scotia	15,610	551.4	4.54	3,633	119.8	2.04	2,255	80.1	1.73	2,401	85.9	1.80	1,106	40.6	1.25	693	25.2	0.99
Saskatchewan	14,100	490.2	4.18	3,488	117.4	2.01	2,170	75.3	1.64	1,895	66.8	1.55	1,011	35.9	1.14	584	20.8	0.87
Yukon	342	387.5	23.74	85	98.5	12.20	41	51.6	9.11	51	62.4	9.58	22	27.6	6.69	16	16.2	4.59

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates² for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined³, 2009-2013, All Races, Males**

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Bladder			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined	172,224	318.8	0.81	43,366	79.8	0.39	23,711	42.3	0.28	22,417	38.7	0.27	12,209	20.6	0.19	7,638	14.6	0.18
Alberta	42,435	317.7	1.59	11,162	84.7	0.82	5,405	39.2	0.55	4,959	35.8	0.52	2,889	20.6	0.40	1,918	14.6	0.34
British Columbia	61,794	299.7	1.29	15,998	75.8	0.62	8,176	38.0	0.44	7,560	33.7	0.41	4,657	20.0	0.31	2,769	14.0	0.29
Manitoba	16,074	320.7	2.66	3,437	68.1	1.20	2,396	46.5	0.99	2,166	40.5	0.91	1,043	19.1	0.62	741	14.9	0.58
New Brunswick	12,532	356.0	3.35	3,215	90.8	1.63	1,641	45.2	1.16	2,019	52.7	1.21	929	24.0	0.82	531	15.9	0.75
Newfoundland and Labrador	8,998	366.8	4.06	2,286	90.4	1.91	1,566	61.2	1.59	1,319	49.5	1.39	543	20.3	0.89	371	16.8	0.94
Northwest Territory	339	307.7	17.41	62	55.6	7.38	61	57.2	7.59	47	45.8	6.86	9	9.5	3.30	15	14.0	3.81
Nova Scotia	15,610	354.0	3.00	3,633	81.2	1.37	2,255	48.6	1.06	2,401	50.2	1.05	1,106	22.8	0.71	693	16.6	0.68
Saskatchewan	14,100	317.3	2.85	3,488	78.6	1.39	2,170	47.1	1.07	1,895	40.0	0.97	1,011	20.2	0.68	584	13.9	0.62
Yukon	342	261.9	14.55	85	64.4	7.08	41	30.0	4.76	51	40.6	5.74	22	16.1	3.46	16	11.6	2.99

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

² Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

³ See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

⁴ Abbreviations: S.E. - Standard Error

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined³, 2009-2013, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ⁴			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined	158,935	409.1	1.04	44,759	115.8	0.56	21,057	53.3	0.37	19,142	48.0	0.35	9,933	24.8	0.25	6,165	15.8	0.20
Alberta	38,857	402.1	2.07	11,380	116.6	1.11	4,833	51.3	0.75	4,135	43.2	0.68	2,487	24.8	0.50	1,433	15.0	0.40
British Columbia	56,674	392.9	1.68	16,384	114.8	0.91	7,345	49.4	0.58	6,698	44.7	0.56	3,565	24.0	0.41	2,253	15.5	0.33
Manitoba	16,252	435.8	3.50	4,379	119.6	1.85	2,282	59.7	1.27	1,990	50.9	1.17	1,164	31.3	0.93	646	17.2	0.69
New Brunswick	10,862	417.1	4.11	2,887	111.2	2.12	1,522	56.3	1.46	1,283	47.4	1.35	611	22.4	0.92	450	17.2	0.83
Newfoundland and Labrador	7,660	437.6	5.13	1,968	110.6	2.56	891	48.8	1.66	1,203	67.7	1.99	512	28.3	1.29	315	17.9	1.03
Northwest Territory	339	433.5	26.04	110	123.7	12.87	33	55.7	10.45	67	87.2	11.81	17	20.0	5.26	9	10.1	3.70
Nova Scotia	14,566	443.4	3.78	3,810	117.4	1.96	2,200	64.5	1.39	1,965	57.6	1.33	791	22.9	0.83	529	15.8	0.71
Saskatchewan	13,412	414.8	3.68	3,728	117.4	1.97	1,907	57.7	1.34	1,763	51.7	1.26	772	23.9	0.88	523	15.9	0.71
Yukon	313	375.8	23.19	113	129.8	13.28	44	62.2	10.08	38	44.0	7.85	14	14.0	4.17	7	10.5	4.30

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates² for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined³, 2009-2013, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ⁴			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined	158,935	280.6	0.76	44,759	83.2	0.41	21,057	33.5	0.25	19,142	29.1	0.23	9,933	18.7	0.19	6,165	10.5	0.15
Alberta	38,857	276.5	1.48	11,380	83.6	0.81	4,833	32.3	0.49	4,135	26.2	0.44	2,487	18.7	0.39	1,433	9.8	0.28
British Columbia	56,674	268.6	1.24	16,384	82.9	0.68	7,345	30.7	0.38	6,698	26.9	0.36	3,565	18.0	0.31	2,253	10.3	0.24
Manitoba	16,252	299.6	2.59	4,379	85.9	1.38	2,282	38.0	0.87	1,990	31.1	0.79	1,164	23.5	0.72	646	11.1	0.49
New Brunswick	10,862	288.1	3.09	2,887	79.4	1.58	1,522	36.5	0.99	1,283	28.0	0.87	611	16.7	0.70	450	11.9	0.63
Newfoundland and Labrador	7,660	303.2	3.76	1,968	78.8	1.87	891	31.9	1.11	1,203	42.1	1.29	512	21.3	0.97	315	12.5	0.77
Northwest Territory	339	304.7	17.21	110	93.3	9.21	33	33.3	5.99	67	60.0	7.60	17	15.7	3.96	9	6.7	2.26
Nova Scotia	14,566	303.4	2.80	3,810	84.4	1.46	2,200	40.7	0.93	1,965	35.4	0.88	791	17.4	0.65	529	10.6	0.51
Saskatchewan	13,412	284.6	2.74	3,728	83.5	1.48	1,907	36.4	0.91	1,763	32.3	0.87	772	18.2	0.69	523	10.5	0.52
Yukon	313	259.1	15.11	113	92.4	8.93	44	39.4	6.09	38	30.8	5.13	14	10.1	2.72	7	5.8	2.24

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

² Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

³ See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

⁴ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

NAACCR North American Combined Incidence 2009-2013, All Races Combined



**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR North American Combined, 2009-2013, All Races**

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate	S.E.	Adj. Rate	S.E.	Adj. Rate	S.E.	Adj. Rate	S.E.	
		2000 U.S.	World	2000 U.S.	World	2000 U.S.	World	2000 U.S.	World	
All Sites (invasive & in situ bladder)	4,046,058	511.4	0.26	338.0	0.17	3,879,292	418.1	0.22	290.9	0.16
Oral Cavity & Pharynx	141,713	17.0	0.05	12.3	0.03	59,025	6.3	0.03	4.4	0.02
Lip	7,419	1.0	0.01	0.6	0.01	2,783	0.3	0.01	0.2	0.00
Tongue	42,990	5.1	0.02	3.8	0.02	17,286	1.8	0.01	1.3	0.01
Major salivary gland	12,443	1.6	0.02	1.0	0.01	8,754	1.0	0.01	0.7	0.01
Floor of mouth	7,084	0.8	0.01	0.6	0.01	3,228	0.3	0.01	0.2	0.00
Gum & other mouth	14,904	1.9	0.02	1.3	0.01	11,985	1.3	0.01	0.8	0.01
Nasopharynx	6,572	0.8	0.01	0.6	0.01	2,623	0.3	0.01	0.2	0.00
Oropharynx	6,857	0.8	0.01	0.6	0.01	2,127	0.2	0.00	0.2	0.00
Hypopharynx	9,374	1.1	0.01	0.8	0.01	2,264	0.2	0.01	0.2	0.00
Digestive System	781,112	99.0	0.11	63.7	0.07	632,365	66.1	0.08	41.5	0.06
Esophagus	64,979	8.1	0.03	5.3	0.02	17,556	1.8	0.01	1.1	0.01
Stomach	71,782	9.3	0.04	5.8	0.02	43,825	4.6	0.02	2.9	0.02
Small intestine	20,924	2.6	0.02	1.8	0.01	18,733	2.0	0.01	1.4	0.01
Colon excl. rectum	252,372	32.8	0.07	20.1	0.04	258,308	27.0	0.05	16.3	0.04
Rectum & rectosigmoid	120,638	15.0	0.04	10.2	0.03	85,759	9.1	0.03	6.3	0.02
Anus, anal canal & anorectum	11,773	1.5	0.01	1.0	0.01	19,977	2.1	0.02	1.5	0.01
Liver	90,772	10.6	0.04	7.8	0.03	30,633	3.2	0.02	2.2	0.01
Gallbladder	6,301	0.8	0.01	0.5	0.01	13,340	1.4	0.01	0.8	0.01
Pancreas	109,249	14.0	0.04	8.7	0.03	105,784	10.9	0.03	6.5	0.02
Respiratory System	636,470	81.9	0.10	50.3	0.07	528,681	55.5	0.08	35.2	0.05
Larynx	50,126	6.1	0.03	4.2	0.02	12,938	1.4	0.01	1.0	0.01
Lung & bronchus	577,037	74.6	0.10	45.2	0.06	509,986	53.5	0.08	33.8	0.05
Bones & Joints	8,401	1.1	0.01	1.0	0.01	6,764	0.8	0.01	0.8	0.01
Soft Tissue (incl. heart)	29,996	3.9	0.02	2.9	0.02	24,487	2.8	0.02	2.2	0.02
Skin (excl. basal & sq.)	215,691	27.9	0.06	18.0	0.04	153,807	17.3	0.04	12.8	0.03
Melanomas of the skin	198,929	25.6	0.06	16.7	0.04	142,704	16.1	0.04	12.0	0.03
Breast (excl. <i>in situ</i>)	10,212	1.3	0.01	0.8	0.01	1,132,151	123.0	0.12	88.7	0.09
Female Genital System	-	-	-	-	-	455,252	49.1	0.07	36.3	0.06
Cervix uteri	-	-	-	-	-	62,935	7.6	0.03	6.0	0.02
Uterus Corpus	-	-	-	-	-	236,161	24.7	0.05	18.5	0.04
Uterus, NOS ¹	-	-	-	-	-	7,848	0.8	0.01	0.6	0.01
Ovary	-	-	-	-	-	107,586	11.6	0.04	8.3	0.03
Male Genital System	1,074,802	129.6	0.13	92.0	0.09	-	-	-	-	-
Prostate	1,024,775	123.0	0.12	86.2	0.09	-	-	-	-	-
Testis	41,686	5.5	0.03	5.1	0.03	-	-	-	-	-
Penis	6,538	0.9	0.01	0.5	0.01	-	-	-	-	-
Urinary System	453,187	59.0	0.09	36.0	0.06	196,393	20.8	0.05	13.6	0.03
Bladder (incl. <i>in situ</i>)	270,344	36.2	0.07	20.3	0.04	86,745	9.0	0.03	5.3	0.02
Kidney & renal pelvis	173,427	21.5	0.05	15.1	0.04	104,335	11.2	0.04	8.0	0.03
Ureter	5,954	0.8	0.01	0.4	0.01	3,672	0.4	0.01	0.2	0.00
Eye & Orbit	7,555	1.0	0.01	0.8	0.01	6,403	0.7	0.01	0.6	0.01
Brain & Other Nervous System	61,107	7.8	0.03	6.3	0.03	49,155	5.6	0.03	4.7	0.02
Brain	57,791	7.3	0.03	5.9	0.03	45,554	5.2	0.02	4.3	0.02
Endocrine System	61,935	7.8	0.03	6.2	0.03	176,867	21.2	0.05	17.6	0.04
Thyroid gland	55,671	7.0	0.03	5.4	0.02	171,033	20.6	0.05	16.9	0.04
Lymphomas	201,249	26.0	0.06	17.8	0.04	167,866	18.2	0.05	12.7	0.03
Hodgkin Lymphoma	23,718	3.1	0.02	2.7	0.02	19,155	2.4	0.02	2.2	0.02
Non-Hodgkin Lymphoma	177,531	23.0	0.06	15.1	0.04	148,711	15.9	0.04	10.5	0.03
Multiple Myeloma	61,341	7.9	0.03	4.9	0.02	49,568	5.2	0.02	3.3	0.02
Leukemias	131,528	17.3	0.05	11.9	0.04	96,711	10.6	0.03	7.8	0.03
Acute lymphocytic	13,748	1.8	0.02	2.2	0.02	10,779	1.4	0.01	1.7	0.02
Chronic lymphocytic	47,352	6.1	0.03	3.7	0.02	31,062	3.2	0.02	1.9	0.01
Acute myeloid	37,584	5.0	0.03	3.2	0.02	30,943	3.4	0.02	2.4	0.02
Chronic myeloid	16,647	2.2	0.02	1.5	0.01	12,385	1.4	0.01	1.0	0.01
Other leukemias	16,197	2.2	0.02	1.4	0.01	11,542	1.2	0.01	0.8	0.01
Mesothelioma	12,903	1.8	0.02	0.9	0.01	3,886	0.4	0.01	0.2	0.00
Kaposi Sarcoma	5,175	0.7	0.01	0.5	0.01	674	0.1	0.00	0.0	0.00
Ill-defined & Unknown	151,681	20.4	0.05	11.6	0.03	139,237	14.4	0.04	8.3	0.03
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	62,256	8.0	0.03	5.8	0.02	127,268	14.0	0.04	10.1	0.03
Breast (<i>in situ</i>)	1,197	0.1	0.00	0.1	0.00	276,665	30.4	0.06	23.0	0.05

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined², 2009-2013, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,873,834	338.9	0.18	981,409	86.5	0.09	554,620	45.6	0.06	349,299	29.8	0.05	258,135	20.3	0.04	192,376	16.9	0.04
Alabama	67,937	366.1	1.45	18,121	96.3	0.73	11,747	60.1	0.57	6,446	34.6	0.44	3,960	19.5	0.32	3,364	18.3	0.33
Alaska	6,928	298.9	3.67	1,629	68.9	1.74	949	41.2	1.36	729	31.0	1.17	451	19.7	0.94	232	9.7	0.65
Arizona	71,065	275.3	1.09	15,085	59.1	0.49	9,820	34.2	0.36	6,613	25.1	0.32	5,306	17.8	0.26	4,046	15.6	0.26
Arkansas	41,689	356.4	1.82	10,623	89.8	0.89	7,837	63.4	0.74	3,870	32.7	0.55	2,670	20.5	0.41	1,762	15.2	0.38
California	406,993	308.8	0.50	105,657	82.2	0.26	43,596	30.8	0.15	37,551	27.7	0.15	25,591	17.4	0.11	24,180	18.0	0.12
CA: Greater Bay Area	80,876	315.0	1.15	22,377	89.3	0.61	8,074	29.0	0.34	7,009	26.4	0.33	4,858	16.9	0.25	5,116	19.6	0.28
CA: Los Angeles	95,948	293.9	0.98	24,930	79.1	0.51	9,623	27.7	0.29	9,833	29.2	0.30	5,815	16.1	0.22	3,930	11.7	0.19
Colorado	54,754	300.6	1.32	15,528	85.3	0.69	5,499	28.5	0.39	4,487	23.9	0.36	3,554	18.2	0.31	3,336	18.3	0.32
Connecticut	51,263	356.4	1.66	13,037	93.2	0.83	6,551	42.2	0.54	4,350	29.0	0.46	4,316	26.6	0.43	2,564	17.5	0.37
Delaware	14,227	384.5	3.36	3,953	107.8	1.75	2,011	50.3	1.16	1,059	28.0	0.89	974	23.6	0.79	929	25.0	0.86
District of Columbia	7,216	379.3	4.59	2,277	120.7	2.56	921	46.8	1.57	621	32.0	1.31	304	14.7	0.87	145	7.5	0.63
Florida	285,677	329.2	0.67	67,879	79.1	0.32	43,734	46.0	0.23	25,046	28.1	0.19	20,023	19.2	0.15	15,700	17.6	0.15
Georgia	116,323	360.3	1.07	31,711	98.1	0.56	17,727	53.2	0.40	10,423	31.8	0.31	6,415	18.9	0.24	6,815	21.1	0.26
GA: Metropolitan Atlanta	34,328	356.6	1.95	10,322	108.7	1.08	3,828	39.9	0.65	2,942	29.8	0.56	1,690	17.5	0.43	2,282	23.3	0.49
Hawaii	17,102	299.5	2.42	3,717	63.1	1.07	2,173	34.7	0.78	2,029	36.1	0.83	858	13.1	0.47	1,020	18.7	0.61
Idaho	19,712	323.6	2.39	5,513	89.5	1.23	2,170	32.8	0.72	1,657	26.8	0.68	1,466	21.7	0.59	1,264	21.6	0.63
Illinois	164,402	349.7	0.89	41,862	90.5	0.45	24,276	48.8	0.32	16,253	33.4	0.27	11,111	21.5	0.21	6,891	14.7	0.18
Indiana	81,339	331.8	1.21	17,395	70.9	0.55	14,461	56.1	0.48	7,890	31.3	0.36	5,579	20.8	0.29	3,451	14.3	0.25
Iowa	44,738	352.7	1.77	10,442	83.0	0.84	6,657	48.7	0.63	4,291	32.4	0.52	3,252	22.6	0.42	2,302	19.0	0.42
Kansas	38,243	351.5	1.88	10,001	92.3	0.95	5,242	45.3	0.65	3,473	31.1	0.55	2,701	22.1	0.45	2,103	19.7	0.45
Kentucky	66,488	394.6	1.58	14,049	82.2	0.70	13,128	74.1	0.66	6,568	38.3	0.48	4,183	22.9	0.36	3,312	20.1	0.36
Louisiana	64,790	392.8	1.58	17,988	108.8	0.82	9,988	58.0	0.59	6,287	37.6	0.49	3,519	19.8	0.34	2,353	14.4	0.31
Maine	21,288	347.0	2.54	4,645	74.1	1.11	3,448	52.0	0.92	1,762	28.1	0.71	1,822	26.7	0.65	1,099	18.5	0.59
Maryland	71,491	336.3	1.30	20,404	97.3	0.69	9,196	41.0	0.44	5,867	26.7	0.36	4,652	19.8	0.30	3,841	18.0	0.30
Massachusetts	89,030	348.4	1.22	22,631	90.5	0.61	12,019	43.6	0.41	7,325	27.3	0.33	6,747	23.6	0.30	4,361	16.9	0.27
Michigan	139,453	351.7	0.98	38,205	96.4	0.50	20,411	48.2	0.35	11,631	28.4	0.27	9,849	22.3	0.23	5,811	15.1	0.21
MI: Metropolitan Detroit	58,269	396.6	1.71	17,185	118.6	0.92	8,222	52.6	0.60	4,708	30.8	0.47	3,892	23.9	0.40	1,945	13.3	0.32
Mississippi	41,349	381.2	1.93	10,976	100.6	0.97	7,388	64.8	0.77	4,240	38.8	0.61	2,095	17.9	0.40	1,651	15.4	0.39
Missouri	79,804	337.5	1.25	17,905	76.4	0.58	14,180	56.2	0.49	7,787	31.8	0.37	5,056	19.1	0.28	3,617	15.6	0.27
Montana	14,835	329.9	2.86	4,082	88.6	1.41	1,813	36.4	0.89	1,340	29.3	0.84	1,054	20.6	0.66	842	19.9	0.73
Nebraska	23,151	325.5	2.25	5,799	82.0	1.11	3,235	42.1	0.77	2,289	30.7	0.68	1,567	19.4	0.52	1,038	15.3	0.50
New Hampshire	19,928	359.8	2.67	5,318	95.5	1.33	2,594	43.6	0.88	1,487	25.8	0.70	1,737	28.6	0.71	1,137	20.4	0.63
New Jersey	123,225	364.3	1.08	34,573	104.2	0.57	14,547	40.0	0.34	10,819	30.6	0.31	8,732	22.9	0.26	6,190	18.0	0.24
New York	271,118	368.7	0.74	73,986	102.5	0.38	34,160	43.4	0.24	22,879	29.9	0.21	19,154	23.2	0.18	10,984	14.8	0.15

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined², 2009-2013, All Races, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
North Carolina	127,950	356.8	1.03	33,114	91.8	0.51	21,224	56.0	0.39	10,497	29.0	0.29	8,064	20.6	0.24	7,019	19.7	0.24
North Dakota	9,545	339.5	3.68	2,531	91.3	1.87	1,265	40.7	1.22	993	35.2	1.18	700	21.8	0.88	448	16.9	0.85
Ohio	157,000	340.4	0.90	38,617	83.6	0.43	25,851	52.9	0.34	14,624	30.6	0.26	11,297	21.9	0.21	7,106	15.8	0.20
Oklahoma	49,218	337.9	1.58	12,076	81.7	0.76	8,380	54.4	0.61	4,742	32.3	0.49	3,107	19.4	0.36	2,069	14.2	0.33
Oregon	50,620	315.6	1.47	12,483	76.9	0.70	6,724	38.5	0.49	4,343	26.4	0.42	3,784	20.8	0.35	3,231	20.9	0.38
Pennsylvania	195,607	365.8	0.88	47,111	89.3	0.42	28,233	48.7	0.30	17,936	32.0	0.25	15,250	25.0	0.21	9,390	17.8	0.19
Rhode Island	14,620	348.9	3.05	3,427	83.9	1.46	2,123	46.8	1.06	1,153	26.0	0.81	1,242	26.3	0.79	705	17.0	0.68
South Carolina	64,683	352.5	1.43	16,888	90.8	0.71	10,614	54.7	0.54	5,449	29.7	0.41	3,838	19.0	0.31	3,463	19.2	0.34
South Dakota	10,848	321.5	3.26	2,789	83.7	1.63	1,487	39.8	1.09	1,123	32.6	1.03	726	18.7	0.74	496	15.6	0.74
Tennessee	89,042	362.0	1.25	22,092	88.3	0.60	15,936	61.5	0.50	7,647	30.5	0.36	5,398	20.0	0.28	4,289	17.7	0.28
Texas	258,571	312.1	0.63	59,988	72.8	0.30	36,114	41.8	0.22	25,572	30.4	0.19	13,714	15.4	0.14	9,393	11.2	0.12
Utah	25,308	313.0	2.02	7,885	100.3	1.15	1,745	20.6	0.51	1,914	23.2	0.55	1,477	16.8	0.45	2,386	29.0	0.61
Vermont	9,140	331.2	3.65	2,151	75.7	1.66	1,326	44.7	1.26	740	26.2	1.00	688	22.8	0.90	663	24.3	0.99
Virginia	93,277	313.1	1.05	24,574	82.9	0.53	14,277	45.5	0.39	8,198	26.9	0.30	5,719	17.7	0.24	4,650	15.5	0.23
Washington	87,714	334.9	1.17	22,828	87.3	0.59	10,927	38.9	0.38	7,041	26.3	0.32	5,995	20.6	0.28	5,164	20.2	0.29
WA: Seattle/Puget Sound	61,586	349.1	1.45	16,214	92.5	0.74	7,383	39.2	0.47	4,843	26.9	0.40	4,103	21.2	0.34	3,807	21.9	0.36
West Virginia	29,605	353.7	2.17	6,340	73.1	0.94	5,663	63.8	0.88	2,964	34.5	0.66	2,128	23.2	0.53	1,359	16.7	0.48
Wisconsin	78,607	340.8	1.27	19,645	86.0	0.63	10,485	42.4	0.43	6,642	27.7	0.35	5,788	22.4	0.31	3,814	17.0	0.29
Wyoming	6,921	303.8	3.79	1,879	80.7	1.89	768	31.1	1.15	652	28.0	1.13	522	21.3	0.96	391	18.0	0.95
NAACCR Canadian Combined	172,224	318.8	0.81	43,366	79.8	0.39	22,417	38.7	0.27	23,711	42.3	0.28	12,209	20.6	0.19	6,553	12.5	0.16
Alberta	42,435	317.7	1.59	11,162	84.7	0.82	4,959	35.8	0.52	5,405	39.2	0.55	2,889	20.6	0.40	1,539	11.4	0.30
British Columbia	61,794	299.7	1.29	15,998	75.8	0.62	7,560	33.7	0.41	8,176	38.0	0.44	4,657	20.0	0.31	2,760	14.1	0.28
Manitoba	16,074	320.7	2.66	3,437	68.1	1.20	2,166	40.5	0.91	2,396	46.5	0.99	1,043	19.1	0.62	491	9.9	0.47
New Brunswick	12,532	356.0	3.35	3,215	90.8	1.63	2,019	52.7	1.21	1,641	45.2	1.16	929	24.0	0.82	415	12.2	0.63
Newfoundland and Labrador	8,998	366.8	4.06	2,286	90.4	1.91	1,319	49.5	1.39	1,566	61.2	1.59	543	20.3	0.89	246	10.6	0.71
Northwest Territory	339	307.7	17.41	62	55.6	7.38	47	45.8	6.86	61	57.2	7.59	9	9.5	3.30	7	4.8	1.83
Nova Scotia	15,610	354.0	3.00	3,633	81.2	1.37	2,401	50.2	1.05	2,255	48.6	1.06	1,106	22.8	0.71	701	17.0	0.68
Saskatchewan	14,100	317.3	2.85	3,488	78.6	1.39	1,895	40.0	0.97	2,170	47.1	1.07	1,011	20.2	0.68	387	8.9	0.48
Yukon	342	261.9	14.55	85	64.4	7.08	51	40.6	5.74	41	30.0	4.76	22	16.1	3.46	7	6.1	2.44
NAACCR North American Combined	4,046,058	338.0	0.17	1,024,775	86.2	0.09	577,037	45.2	0.06	373,010	30.3	0.05	270,344	20.3	0.04	198,929	16.7	0.04

¹ Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR North American Combined², 2009-2013, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,720,357	291.4	0.16	1,087,392	89.0	0.09	488,929	33.8	0.05	324,925	22.2	0.04	234,076	19.1	0.04	165,707	17.1	0.04
Alabama	58,593	277.7	1.24	17,529	86.6	0.69	8,249	35.2	0.41	5,633	24.2	0.35	2,858	13.7	0.27	1,627	10.2	0.26
Alaska	6,407	284.7	3.65	2,021	88.7	2.01	775	33.8	1.24	609	26.4	1.09	426	18.8	0.93	285	13.8	0.83
Arizona	70,558	260.5	1.06	20,729	79.9	0.59	9,149	28.1	0.31	5,871	18.9	0.27	4,071	16.0	0.26	3,913	19.6	0.33
Arkansas	35,027	275.2	1.60	9,887	80.5	0.86	5,596	39.4	0.56	3,414	24.0	0.45	1,947	16.0	0.38	1,080	11.3	0.36
California	397,585	270.0	0.46	123,281	87.7	0.26	41,788	24.5	0.13	34,740	21.0	0.12	25,419	18.2	0.12	17,941	15.2	0.12
CA: Greater Bay Area	78,139	272.6	1.05	24,595	90.8	0.60	7,959	23.5	0.29	6,733	20.9	0.28	5,209	18.8	0.27	3,113	13.9	0.26
CA: Los Angeles	98,549	259.9	0.88	30,557	84.2	0.50	8,885	20.3	0.23	9,123	21.7	0.24	6,859	19.3	0.24	5,014	15.9	0.23
Colorado	53,692	272.1	1.24	17,252	90.0	0.71	5,677	25.5	0.36	4,190	18.6	0.31	3,200	16.5	0.30	3,070	19.2	0.36
Connecticut	52,346	318.4	1.54	15,507	99.5	0.85	6,772	35.7	0.47	4,227	21.6	0.38	3,494	22.1	0.39	2,789	23.6	0.47
Delaware	12,924	315.1	3.01	3,714	93.3	1.62	1,852	39.3	0.97	979	21.0	0.73	867	21.8	0.78	528	17.8	0.81
District of Columbia	7,448	315.6	3.92	2,339	103.5	2.24	834	32.1	1.19	689	27.1	1.11	522	22.4	1.02	384	18.7	0.99
Florida	261,280	278.5	0.61	73,524	83.4	0.33	38,511	34.9	0.19	22,949	20.8	0.16	15,139	17.0	0.15	9,192	14.2	0.16
Georgia	107,514	286.0	0.91	32,770	89.1	0.51	13,920	34.2	0.30	9,482	23.6	0.25	5,803	15.7	0.21	4,154	13.2	0.21
GA: Metropolitan Atlanta	34,318	287.2	1.60	11,440	96.5	0.92	3,602	28.8	0.50	2,795	22.2	0.43	1,927	16.4	0.38	1,537	13.9	0.36
Hawaii	17,041	292.2	2.46	5,536	99.4	1.42	1,707	24.0	0.63	1,581	24.1	0.67	1,242	23.6	0.70	853	20.0	0.71
Idaho	17,532	282.4	2.28	5,127	84.5	1.24	2,056	28.7	0.67	1,395	19.7	0.57	1,082	18.3	0.58	964	20.9	0.69
Illinois	163,811	303.6	0.81	47,617	92.7	0.45	22,258	36.7	0.26	15,068	24.0	0.22	11,107	21.7	0.21	7,191	17.5	0.21
Indiana	81,539	297.2	1.13	22,790	86.6	0.61	12,110	40.1	0.39	7,742	24.4	0.31	5,256	19.9	0.29	2,947	14.4	0.28
Iowa	41,999	304.8	1.67	11,429	87.7	0.89	5,292	33.6	0.51	4,104	23.4	0.42	3,030	23.7	0.46	1,560	16.6	0.44
Kansas	35,295	298.8	1.74	9,973	87.7	0.94	4,596	34.3	0.55	3,101	22.6	0.45	2,053	18.1	0.42	1,793	20.4	0.50
Kentucky	61,843	329.4	1.43	16,035	88.6	0.73	10,911	53.1	0.54	5,867	27.7	0.39	3,353	18.8	0.34	2,453	17.3	0.37
Louisiana	54,950	294.6	1.34	16,115	89.2	0.74	7,444	36.2	0.44	5,535	27.4	0.39	2,541	14.2	0.29	2,198	14.9	0.33
Maine	20,636	312.5	2.44	5,624	89.4	1.28	3,169	42.0	0.80	1,686	21.2	0.58	1,461	23.3	0.64	761	17.4	0.69
Maryland	72,637	292.8	1.16	22,547	94.1	0.65	9,177	32.9	0.36	5,921	21.3	0.30	4,673	19.4	0.29	3,526	17.9	0.31
Massachusetts	93,935	316.2	1.13	27,653	98.3	0.63	13,099	39.0	0.37	7,574	21.3	0.28	6,263	22.1	0.29	5,251	23.9	0.34
Michigan	130,635	299.0	0.91	37,127	88.6	0.49	18,660	37.8	0.30	11,011	21.6	0.23	9,099	21.6	0.24	5,123	16.1	0.24
MI: Metropolitan Detroit	55,118	318.2	1.48	15,664	94.7	0.80	8,057	41.2	0.49	4,775	23.7	0.38	3,722	22.5	0.38	2,452	18.8	0.40
Mississippi	35,330	286.0	1.63	10,017	84.6	0.89	5,099	37.6	0.56	3,797	28.2	0.49	1,758	14.7	0.37	1,239	12.8	0.38
Missouri	78,957	298.0	1.16	22,791	89.9	0.63	12,385	41.8	0.40	7,123	23.1	0.30	4,922	19.4	0.29	2,892	14.8	0.29
Montana	13,254	294.9	2.83	3,825	87.9	1.52	1,785	33.5	0.85	1,112	21.5	0.71	828	18.7	0.69	563	18.3	0.82
Nebraska	22,256	288.3	2.13	6,383	87.1	1.17	2,782	31.9	0.66	2,196	23.6	0.57	1,455	20.2	0.56	992	17.9	0.59
New Hampshire	19,034	320.1	2.53	5,705	99.4	1.38	2,690	40.6	0.83	1,468	20.9	0.60	1,432	24.7	0.68	787	17.9	0.68
New Jersey	123,978	314.6	0.98	35,523	95.0	0.53	14,957	33.1	0.29	11,099	23.8	0.25	8,658	22.9	0.26	6,787	23.0	0.29
New York	270,543	313.8	0.66	75,737	92.8	0.36	33,895	34.5	0.20	22,863	22.6	0.17	18,801	22.8	0.17	14,718	22.8	0.20

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined², 2009-2013, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
North Carolina	120,674	294.1	0.91	36,821	92.9	0.51	16,588	36.2	0.30	9,740	21.6	0.24	7,175	17.8	0.22	4,819	15.1	0.23
North Dakota	8,449	290.4	3.52	2,437	89.7	1.98	1,004	30.9	1.07	875	25.1	0.97	498	18.0	0.86	383	18.1	0.97
Ohio	153,101	295.9	0.83	43,608	87.6	0.45	22,389	38.5	0.28	13,644	22.4	0.21	10,387	20.9	0.22	6,415	17.3	0.23
Oklahoma	45,409	286.7	1.45	12,941	84.5	0.79	6,731	38.0	0.49	4,324	24.6	0.41	2,371	15.8	0.34	1,630	13.6	0.35
Oregon	50,186	294.2	1.43	15,140	91.6	0.79	6,710	33.5	0.44	3,951	19.8	0.35	3,298	20.2	0.37	1,950	15.8	0.37
Pennsylvania	193,738	321.9	0.82	53,137	92.6	0.43	25,073	36.3	0.25	17,377	23.7	0.21	13,734	24.1	0.22	10,598	25.4	0.26
Rhode Island	15,544	319.4	2.85	4,317	94.3	1.54	2,243	40.7	0.94	1,292	21.3	0.68	1,070	22.9	0.74	821	23.6	0.86
South Carolina	58,783	286.6	1.27	17,995	90.7	0.71	8,116	35.0	0.41	5,031	22.4	0.34	3,322	16.4	0.30	2,134	13.6	0.31
South Dakota	10,540	296.8	3.23	3,119	93.9	1.82	1,306	32.2	0.98	1,061	23.9	0.85	693	20.8	0.84	420	17.0	0.87
Tennessee	81,705	297.0	1.12	23,626	88.4	0.60	12,332	40.5	0.38	7,217	23.6	0.30	4,404	16.5	0.26	3,228	15.5	0.28
Texas	245,830	265.3	0.56	72,872	81.1	0.31	28,923	28.2	0.17	21,168	21.1	0.15	13,677	15.5	0.14	11,536	14.7	0.14
Utah	22,315	261.0	1.82	6,694	79.9	1.01	1,422	15.2	0.42	1,672	18.0	0.46	1,569	19.2	0.50	1,823	24.1	0.57
Vermont	8,947	304.8	3.55	2,604	93.3	1.94	1,292	39.1	1.16	711	19.0	0.80	700	24.2	0.96	331	16.8	0.99
Virginia	93,143	276.6	0.97	29,379	90.5	0.55	12,304	32.6	0.31	7,883	21.0	0.25	5,770	17.4	0.24	4,141	15.8	0.25
Washington	85,366	304.1	1.12	26,264	96.8	0.62	10,614	33.0	0.34	6,596	20.9	0.28	5,203	19.0	0.27	3,664	17.0	0.29
WA: Seattle/Puget Sound	59,783	311.4	1.36	18,559	100.0	0.76	7,218	32.7	0.41	4,521	21.2	0.34	3,612	19.2	0.33	2,591	17.3	0.35
West Virginia	27,279	311.1	2.10	7,026	82.7	1.07	4,352	43.8	0.71	2,644	25.3	0.55	1,943	23.7	0.57	1,116	18.2	0.59
Wisconsin	74,765	300.6	1.21	21,560	91.2	0.66	9,644	34.7	0.38	6,206	20.4	0.29	5,151	21.5	0.31	2,840	15.9	0.31
Wyoming	6,004	266.9	3.69	1,745	78.9	1.98	691	27.0	1.09	507	19.9	0.95	351	16.0	0.88	297	17.5	1.06
NAACCR Canadian Combined	158,935	280.6	0.76	44,759	83.2	0.41	21,057	33.5	0.25	19,142	29.1	0.23	9,933	18.7	0.19	5,326	12.4	0.18
Alberta	38,857	276.5	1.48	11,380	83.6	0.81	4,833	32.3	0.49	4,135	26.2	0.44	2,487	18.7	0.39	1,702	14.4	0.35
British Columbia	56,674	268.6	1.24	16,384	82.9	0.68	7,345	30.7	0.38	6,698	26.9	0.36	3,565	18.0	0.31	1,432	9.2	0.26
Manitoba	16,252	299.6	2.59	4,379	85.9	1.38	2,282	38.0	0.87	1,990	31.1	0.79	1,164	23.5	0.72	505	12.7	0.59
New Brunswick	10,862	288.1	3.09	2,887	79.4	1.58	1,522	36.5	0.99	1,283	28.0	0.87	611	16.7	0.70	503	18.2	0.87
Newfoundland and Labrador	7,660	303.2	3.76	1,968	78.8	1.87	891	31.9	1.11	1,203	42.1	1.29	512	21.3	0.97	373	19.1	1.05
Northwest Territory	339	304.7	17.21	110	93.3	9.21	33	33.3	5.99	67	60.0	7.60	17	15.7	3.96	9	6.6	2.24
Nova Scotia	14,566	303.4	2.80	3,810	84.4	1.46	2,200	40.7	0.93	1,965	35.4	0.88	791	17.4	0.65	448	13.3	0.67
Saskatchewan	13,412	284.6	2.74	3,728	83.5	1.48	1,907	36.4	0.91	1,763	32.3	0.87	772	18.2	0.69	349	10.4	0.58
Yukon	313	259.1	15.11	113	92.4	8.93	44	39.4	6.09	38	30.8	5.13	14	10.1	2.72	-	-	-
NAACCR North American Combined	3,879,292	290.9	0.16	1,132,151	88.7	0.09	509,986	33.8	0.05	344,067	22.5	0.04	244,009	19.1	0.04	171,033	16.9	0.04

¹ Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

NAACCR U.S. Combined Pediatric Cancer Incidence 2009-2013



Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, All Races, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	26,526	175.1	1.07	181.9	1.13	38,654	187.7	0.95	191.7	0.99
I. Leukemias	8,470	55.8	0.61	58.9	0.65	10,536	51.4	0.50	54.3	0.54
I(a). Lymphoid leukemias	6,542	43.1	0.53	45.6	0.57	7,690	37.6	0.43	40.2	0.46
I(b). Acute myeloid leukemias	1,137	7.5	0.22	7.8	0.24	1,649	8.0	0.20	8.2	0.21
II. Lymphomas & reticuloendothelial neoplasms	3,737	24.8	0.41	24.1	0.40	6,661	32.2	0.39	30.9	0.38
II(a). Hodgkin lymphomas	983	6.5	0.21	5.9	0.19	2,633	12.6	0.25	11.5	0.22
II(b, c, e). Non-Hodgkin lymphomas	1,940	12.9	0.29	12.4	0.28	3,136	15.2	0.27	14.6	0.26
III. CNS ³ & misc. intracranial & intraspinal neoplasms	5,606	37.1	0.49	38.0	0.51	6,899	33.8	0.41	34.9	0.42
III(a). Ependymomas and choroids plexus tumor	505	3.3	0.15	3.6	0.16	599	2.9	0.12	3.2	0.13
III(b). Astrocytomas	2,750	18.2	0.35	18.4	0.35	3,476	17.0	0.29	17.3	0.30
III(c). Intracranial and intraspinal embryonal tumors	1,293	8.5	0.24	9.0	0.25	1,469	7.2	0.19	7.7	0.20
III(d). Other gliomas	888	5.9	0.20	5.9	0.20	1,125	5.5	0.16	5.5	0.17
IV. Neuroblastoma and other peripheral nervous cell tumors	1,772	11.6	0.28	13.4	0.32	1,811	8.9	0.21	10.6	0.25
IV(a). Neuroblastoma & ganglioneuroblastoma	1,740	11.4	0.27	13.2	0.32	1,760	8.6	0.21	10.3	0.25
V. Retinoblastoma	635	4.1	0.16	4.9	0.20	635	3.1	0.12	3.8	0.15
VI. Renal Tumors	1,238	8.1	0.23	9.2	0.26	1,336	6.5	0.18	7.5	0.21
VI(a). Nephroblastoma and other nonepithelial renal tumors	1,167	7.6	0.22	8.7	0.26	1,186	5.8	0.17	6.8	0.20
VII. Hepatic tumors	536	3.5	0.15	4.0	0.18	589	2.9	0.12	3.4	0.14
VII(a). Hepatoblastoma	463	3.0	0.14	3.6	0.17	465	2.3	0.11	2.8	0.13
VIII. Malignant bone tumors	1,087	7.2	0.22	6.5	0.20	2,007	9.7	0.22	8.9	0.20
VIII(a). Osteosarcomas	586	3.9	0.16	3.5	0.14	1,112	5.4	0.16	4.9	0.15
VIII(c). Ewing tumor and related sarcomas of bone	403	2.7	0.13	2.5	0.12	690	3.3	0.13	3.1	0.12
IX. Soft tissue and other extraosseous sarcomas	1,756	11.6	0.28	11.8	0.28	2,629	12.8	0.25	12.8	0.25
IX(a). Rhabdomyosarcomas	849	5.6	0.19	5.9	0.20	1,064	5.2	0.16	5.4	0.17
X. Germ cell & trophoblastic tumors & neoplasms of gonads	698	4.6	0.17	4.7	0.18	2,916	13.8	0.26	12.9	0.24
X(a). Intracranial & intraspinal germ cell tumors	293	2.0	0.11	1.8	0.10	509	2.5	0.11	2.3	0.10
X(c). Malignant gonadal germ cell tumors	260	1.7	0.11	1.9	0.12	2,112	9.9	0.22	9.2	0.20
XI. Other malignant epithelial neoplasms and melanomas	893	5.9	0.20	5.4	0.18	2,508	12.0	0.24	11.0	0.22
XI(b). Thyroid carcinomas	247	1.6	0.10	1.5	0.09	714	3.4	0.13	3.1	0.12
XI(d). Malignant melanomas	264	1.8	0.11	1.7	0.10	719	3.4	0.13	3.2	0.12
XII. Other & unspecified malignant neoplasms	98	0.6	0.06	0.7	0.07	127	0.6	0.05	0.7	0.06

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, All Races, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	22,912	157.9	1.04	163.9	1.09	33,861	172.1	0.94	175.2	0.96
I. Leukemias	7,087	48.7	0.58	51.9	0.62	8,477	43.3	0.47	46.3	0.51
I(a). Lymphoid leukemias	5,333	36.6	0.50	39.3	0.54	5,872	30.1	0.39	32.8	0.43
I(b). Acute myeloid leukemias	1,105	7.6	0.23	8.0	0.24	1,608	8.2	0.20	8.4	0.21
II. Lymphomas & reticuloendothelial neoplasms	2,102	14.6	0.32	14.1	0.31	4,453	22.5	0.34	21.3	0.32
II(a). Hodgkin lymphomas	622	4.3	0.17	3.8	0.15	2,303	11.5	0.24	10.4	0.22
II(b, c, e). Non-Hodgkin lymphomas	916	6.4	0.21	6.1	0.20	1,533	7.8	0.20	7.4	0.19
III. CNS ³ & misc. intracranial & intraspinal neoplasms	4,775	33.0	0.48	33.8	0.49	5,815	29.8	0.39	30.8	0.41
III(a). Ependymomas and choroids plexus tumor	389	2.7	0.14	2.9	0.15	464	2.4	0.11	2.6	0.12
III(b). Astrocytomas	2,505	17.3	0.35	17.6	0.35	3,120	16.0	0.29	16.3	0.30
III(c). Intracranial and intraspinal embryonal tumors	844	5.8	0.20	6.2	0.22	931	4.8	0.16	5.2	0.17
III(d). Other gliomas	882	6.1	0.21	6.1	0.21	1,105	5.7	0.17	5.7	0.17
IV. Neuroblastoma and other peripheral nervous cell tumors	1,594	10.9	0.27	12.6	0.32	1,629	8.3	0.21	9.9	0.25
IV(a). Neuroblastoma & ganglioneuroblastoma	1,566	10.7	0.27	12.4	0.32	1,584	8.1	0.20	9.7	0.24
V. Retinoblastoma	675	4.6	0.18	5.5	0.21	676	3.5	0.13	4.3	0.16
VI. Renal Tumors	1,392	9.5	0.26	10.7	0.29	1,502	7.7	0.20	8.8	0.23
VI(a). Nephroblastoma and other nonepithelial renal tumors	1,329	9.1	0.25	10.3	0.28	1,349	6.9	0.19	8.1	0.22
VII. Hepatic tumors	330	2.3	0.12	2.5	0.14	405	2.1	0.10	2.3	0.12
VII(a). Hepatoblastoma	274	1.9	0.11	2.2	0.13	277	1.4	0.09	1.7	0.10
VIII. Malignant bone tumors	1,009	7.0	0.22	6.4	0.20	1,558	8.0	0.20	7.4	0.19
VIII(a). Osteosarcomas	583	4.1	0.17	3.6	0.15	900	4.6	0.15	4.2	0.14
VIII(c). Ewing tumor and related sarcomas of bone	339	2.4	0.13	2.2	0.12	487	2.5	0.11	2.4	0.11
IX. Soft tissue and other extrasosseous sarcomas	1,520	10.5	0.27	10.5	0.27	2,217	11.3	0.24	11.2	0.24
IX(a). Rhabdomyosarcomas	674	4.6	0.18	4.8	0.19	830	4.2	0.15	4.4	0.16
X. Germ cell & trophoblastic tumors & neoplasms of gonads	928	6.4	0.21	6.3	0.21	1,720	8.7	0.21	8.4	0.20
X(a). Intracranial & intraspinal germ cell tumors	165	1.1	0.09	1.1	0.09	196	1.0	0.07	1.0	0.07
X(c). Malignant gonadal germ cell tumors	442	3.1	0.15	2.8	0.13	912	4.6	0.15	4.2	0.14
XI. Other malignant epithelial neoplasms and melanomas	1,390	9.7	0.26	8.7	0.24	5,208	26.0	0.36	23.6	0.33
XI(b). Thyroid carcinomas	690	4.8	0.18	4.2	0.16	2,977	14.9	0.27	13.3	0.24
XI(d). Malignant melanomas	312	2.2	0.12	2.1	0.12	1,017	5.1	0.16	4.7	0.15
XII. Other & unspecified malignant neoplasms	110	0.8	0.07	0.8	0.08	201	1.0	0.07	1.0	0.07

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, White, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	20,855	181.9	1.26	189.2	1.32	30,733	197.0	1.12	201.1	1.16
I. Leukemias	6,777	59.0	0.72	62.4	0.77	8,439	54.4	0.59	57.5	0.63
I(a). Lymphoid leukemias	5,338	46.5	0.64	49.3	0.68	6,293	40.7	0.51	43.5	0.55
I(b). Acute myeloid leukemias	839	7.3	0.25	7.6	0.27	1,249	8.0	0.23	8.2	0.23
II. Lymphomas & reticuloendothelial neoplasms	2,892	25.3	0.47	24.7	0.46	5,217	33.3	0.46	31.9	0.45
II(a). Hodgkin lymphomas	756	6.6	0.24	6.0	0.22	2,106	13.3	0.29	12.1	0.26
II(b, c, e). Non-Hodgkin lymphomas	1,454	12.7	0.33	12.3	0.33	2,360	15.1	0.31	14.5	0.30
III. CNS ³ & misc. intracranial & intraspinal neoplasms	4,470	39.0	0.58	40.0	0.60	5,517	35.7	0.48	36.8	0.50
III(a). Ependymomas and choroids plexus tumor	404	3.5	0.17	3.8	0.19	480	3.1	0.14	3.4	0.16
III(b). Astrocytomas	2,223	19.4	0.41	19.7	0.42	2,805	18.1	0.34	18.4	0.35
III(c). Intracranial and intraspinal embryonal tumors	1,034	9.0	0.28	9.5	0.30	1,176	7.6	0.22	8.1	0.24
III(d). Other gliomas	687	6.0	0.23	6.0	0.23	885	5.7	0.19	5.7	0.20
IV. Neuroblastoma and other peripheral nervous cell tumors	1,394	12.1	0.32	14.1	0.38	1,427	9.3	0.25	11.1	0.29
IV(a). Neuroblastoma & ganglioneuroblastoma	1,368	11.9	0.32	13.8	0.38	1,386	9.0	0.24	10.8	0.29
V. Retinoblastoma	478	4.2	0.19	4.9	0.23	478	3.1	0.14	3.8	0.18
VI. Renal Tumors	924	8.0	0.26	9.1	0.30	989	6.4	0.20	7.4	0.24
VI(a). Nephroblastoma and other nonepithelial renal tumors	879	7.6	0.26	8.7	0.30	891	5.8	0.19	6.8	0.23
VII. Hepatic tumors	399	3.5	0.17	4.0	0.20	438	2.8	0.14	3.3	0.16
VII(a). Hepatoblastoma	340	2.9	0.16	3.5	0.19	342	2.2	0.12	2.7	0.15
VIII. Malignant bone tumors	863	7.6	0.26	6.8	0.23	1,613	10.3	0.26	9.4	0.24
VIII(a). Osteosarcomas	427	3.7	0.18	3.3	0.16	836	5.3	0.18	4.8	0.17
VIII(c). Ewing tumor and related sarcomas of bone	367	3.2	0.17	3.0	0.16	627	4.0	0.16	3.7	0.15
IX. Soft tissue and other extraosseous sarcomas	1,318	11.5	0.32	11.7	0.33	1,952	12.5	0.28	12.6	0.29
IX(a). Rhabdomyosarcomas	636	5.5	0.22	5.8	0.23	796	5.1	0.18	5.4	0.19
X. Germ cell & trophoblastic tumors & neoplasms of gonads	560	4.9	0.21	5.0	0.21	2,545	15.9	0.32	14.8	0.30
X(a). Intracranial & intraspinal germ cell tumors	235	2.1	0.13	1.9	0.12	401	2.6	0.13	2.4	0.12
X(c). Malignant gonadal germ cell tumors	212	1.8	0.13	2.0	0.14	1,910	11.8	0.27	10.9	0.25
XI. Other malignant epithelial neoplasms and melanomas	700	6.1	0.23	5.6	0.21	2,018	12.7	0.28	11.6	0.26
XI(b). Thyroid carcinomas	206	1.8	0.13	1.6	0.11	607	3.8	0.16	3.4	0.14
XI(d). Malignant melanomas	233	2.0	0.13	2.0	0.13	657	4.1	0.16	3.8	0.15
XII. Other & unspecified malignant neoplasms	80	0.7	0.08	0.8	0.09	100	0.6	0.06	0.7	0.07

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, White, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	17,949	164.1	1.22	170.6	1.29	26,700	179.9	1.10	183.3	1.14
I. Leukemias	5,745	52.4	0.69	56.0	0.74	6,838	46.4	0.56	49.8	0.61
I(a). Lymphoid leukemias	4,411	40.2	0.61	43.2	0.66	4,871	33.1	0.47	36.2	0.52
I(b). Acute myeloid leukemias	842	7.7	0.27	8.1	0.28	1,224	8.3	0.24	8.5	0.25
II. Lymphomas & reticuloendothelial neoplasms	1,639	15.0	0.37	14.6	0.36	3,506	23.4	0.40	22.2	0.38
II(a). Hodgkin lymphomas	480	4.4	0.20	3.9	0.18	1,836	12.1	0.28	10.9	0.26
II(b, c, e). Non-Hodgkin lymphomas	690	6.3	0.24	6.1	0.23	1,153	7.8	0.23	7.4	0.22
III. CNS ³ & misc. intracranial & intraspinal neoplasms	3,761	34.4	0.56	35.3	0.58	4,590	31.2	0.46	32.2	0.48
III(a). Ependymomas and choroids plexus tumor	314	2.9	0.16	3.1	0.18	377	2.6	0.13	2.8	0.14
III(b). Astrocytomas	1,998	18.3	0.41	18.6	0.42	2,492	16.9	0.34	17.3	0.35
III(c). Intracranial and intraspinal embryonal tumors	671	6.1	0.24	6.6	0.26	737	5.0	0.18	5.5	0.20
III(d). Other gliomas	682	6.3	0.24	6.2	0.24	859	5.8	0.20	5.8	0.20
IV. Neuroblastoma and other peripheral nervous cell tumors	1,243	11.3	0.32	13.1	0.37	1,270	8.6	0.24	10.3	0.29
IV(a). Neuroblastoma & ganglioneuroblastoma	1,222	11.1	0.32	13.0	0.37	1,236	8.4	0.24	10.1	0.29
V. Retinoblastoma	491	4.5	0.20	5.3	0.24	492	3.4	0.15	4.1	0.19
VI. Renal Tumors	1,016	9.2	0.29	10.4	0.33	1,100	7.5	0.23	8.6	0.26
VI(a). Nephroblastoma and other nonepithelial renal tumors	976	8.9	0.28	10.1	0.32	994	6.8	0.21	7.9	0.25
VII. Hepatic tumors	256	2.3	0.15	2.6	0.17	309	2.1	0.12	2.4	0.14
VII(a). Hepatoblastoma	214	1.9	0.13	2.3	0.16	217	1.5	0.10	1.8	0.12
VIII. Malignant bone tumors	795	7.3	0.26	6.6	0.24	1,215	8.2	0.24	7.6	0.22
VIII(a). Osteosarcomas	430	4.0	0.19	3.5	0.17	656	4.4	0.17	4.0	0.16
VIII(c). Ewing tumor and related sarcomas of bone	300	2.8	0.16	2.6	0.15	432	2.9	0.14	2.8	0.13
IX. Soft tissue and other extrasosseous sarcomas	1,123	10.3	0.31	10.4	0.31	1,650	11.1	0.27	11.1	0.28
IX(a). Rhabdomyosarcomas	496	4.5	0.20	4.7	0.21	610	4.1	0.17	4.3	0.18
X. Germ cell & trophoblastic tumors & neoplasms of gonads	665	6.1	0.24	6.0	0.24	1,239	8.3	0.24	8.0	0.23
X(a). Intracranial & intraspinal germ cell tumors	125	1.2	0.10	1.1	0.10	146	1.0	0.08	1.0	0.08
X(c). Malignant gonadal germ cell tumors	314	2.9	0.16	2.6	0.15	655	4.4	0.17	4.0	0.16
XI. Other malignant epithelial neoplasms and melanomas	1,137	10.4	0.31	9.5	0.28	4,345	28.7	0.44	26.0	0.40
XI(b). Thyroid carcinomas	583	5.4	0.22	4.7	0.19	2,521	16.6	0.33	14.9	0.30
XI(d). Malignant melanomas	272	2.5	0.15	2.4	0.15	930	6.2	0.20	5.7	0.19
XII. Other & unspecified malignant neoplasms	78	0.7	0.08	0.8	0.09	146	1.0	0.08	1.0	0.08

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Black, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	3,372	132.6	2.29	136.3	2.36	4,749	137.0	1.99	139.3	2.05
I. Leukemias	914	35.9	1.19	37.2	1.24	1,164	33.7	0.99	35.0	1.04
I(a). Lymphoid leukemias	631	24.8	0.99	25.8	1.03	740	21.5	0.79	22.7	0.84
I(b). Acute myeloid leukemias	171	6.7	0.51	7.0	0.54	239	6.9	0.44	7.1	0.46
II. Lymphomas & reticuloendothelial neoplasms	489	19.5	0.88	18.5	0.84	892	25.6	0.86	24.2	0.82
II(a). Hodgkin lymphomas	154	6.2	0.50	5.7	0.46	370	10.5	0.55	9.7	0.51
II(b, c, e). Non-Hodgkin lymphomas	285	11.4	0.67	10.7	0.64	469	13.5	0.63	12.8	0.60
III. CNS ³ & misc. intracranial & intraspinal neoplasms	712	28.1	1.05	28.6	1.08	886	25.8	0.87	26.5	0.90
III(a). Ependymomas and choroids plexus tumor	60	2.3	0.30	2.5	0.33	69	2.0	0.24	2.2	0.26
III(b). Astrocytomas	333	13.2	0.72	13.3	0.74	433	12.6	0.61	12.8	0.62
III(c). Intracranial and intraspinal embryonal tumors	157	6.2	0.49	6.5	0.52	181	5.3	0.39	5.6	0.42
III(d). Other gliomas	130	5.2	0.45	5.1	0.45	162	4.7	0.37	4.7	0.37
IV. Neuroblastoma and other peripheral nervous cell tumors	239	9.2	0.60	10.5	0.68	244	7.0	0.45	8.3	0.53
IV(a). Neuroblastoma & ganglioneuroblastoma	233	9.0	0.59	10.3	0.68	235	6.8	0.44	8.0	0.52
V. Retinoblastoma	94	3.6	0.37	4.3	0.44	94	2.7	0.28	3.3	0.34
VI. Renal Tumors	240	9.3	0.60	10.5	0.68	263	7.6	0.47	8.7	0.54
VI(a). Nephroblastoma and other nonepithelial renal tumors	221	8.5	0.57	9.8	0.66	223	6.4	0.43	7.6	0.51
VII. Hepatic tumors	65	2.5	0.31	2.9	0.36	73	2.1	0.24	2.4	0.29
VII(a). Hepatoblastoma	58	2.2	0.29	2.6	0.34	58	1.7	0.22	2.0	0.27
VIII. Malignant bone tumors	138	5.5	0.47	4.9	0.42	250	7.2	0.46	6.5	0.41
VIII(a). Osteosarcomas	114	4.6	0.43	4.0	0.38	200	5.8	0.41	5.2	0.37
VIII(c). Ewing tumor and related sarcomas of bone	9	0.4	0.12	0.3	0.11	17	0.5	0.12	0.4	0.11
IX. Soft tissue and other extraosseous sarcomas	307	12.1	0.69	12.2	0.70	473	13.6	0.63	13.5	0.63
IX(a). Rhabdomyosarcomas	155	6.1	0.49	6.3	0.51	198	5.7	0.41	5.9	0.43
X. Germ cell & trophoblastic tumors & neoplasms of gonads	47	1.8	0.27	1.9	0.28	121	3.4	0.31	3.3	0.30
X(a). Intracranial & intraspinal germ cell tumors	23	0.9	0.19	0.8	0.17	47	1.3	0.20	1.2	0.18
X(c). Malignant gonadal germ cell tumors	9	0.3	0.11	0.4	0.14	48	1.3	0.19	1.3	0.19
XI. Other malignant epithelial neoplasms and melanomas	114	4.5	0.43	4.2	0.39	267	7.6	0.47	7.0	0.43
XI(b). Thyroid carcinomas	20	0.8	0.18	0.7	0.16	43	1.2	0.19	1.1	0.17
XI(d). Malignant melanomas	12	0.5	0.14	0.5	0.14	16	0.5	0.12	0.5	0.12
XII. Other & unspecified malignant neoplasms	13	0.5	0.14	0.6	0.16	22	0.6	0.13	0.7	0.14

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Black, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	3,027	123.2	2.24	126.4	2.31	4,364	130.1	1.97	131.8	2.02
I. Leukemias	695	28.2	1.07	29.5	1.13	866	25.9	0.88	27.2	0.93
I(a). Lymphoid leukemias	450	18.3	0.86	19.2	0.91	495	14.9	0.67	16.0	0.73
I(b). Acute myeloid leukemias	157	6.4	0.51	6.6	0.53	227	6.7	0.45	6.9	0.46
II. Lymphomas & reticuloendothelial neoplasms	283	11.7	0.69	10.9	0.65	604	17.8	0.73	16.6	0.68
II(a). Hodgkin lymphomas	108	4.5	0.43	3.9	0.38	331	9.7	0.53	8.7	0.48
II(b, c, e). Non-Hodgkin lymphomas	140	5.8	0.49	5.5	0.46	238	7.1	0.46	6.7	0.44
III. CNS ³ & misc. intracranial & intraspinal neoplasms	659	26.9	1.05	27.4	1.08	797	24.1	0.85	24.8	0.89
III(a). Ependymomas and choroids plexus tumor	50	2.0	0.29	2.2	0.31	58	1.7	0.23	1.9	0.25
III(b). Astrocytomas	320	13.1	0.73	13.2	0.74	399	12.0	0.60	12.2	0.62
III(c). Intracranial and intraspinal embryonal tumors	97	3.9	0.40	4.2	0.43	110	3.3	0.32	3.6	0.34
III(d). Other gliomas	148	6.1	0.50	6.1	0.50	177	5.4	0.41	5.5	0.41
IV. Neuroblastoma and other peripheral nervous cell tumors	231	9.2	0.61	10.5	0.70	235	7.0	0.46	8.3	0.54
IV(a). Neuroblastoma & ganglioneuroblastoma	225	9.0	0.60	10.3	0.69	228	6.8	0.45	8.1	0.54
V. Retinoblastoma	119	4.7	0.43	5.6	0.51	119	3.5	0.32	4.3	0.40
VI. Renal Tumors	284	11.4	0.68	12.6	0.75	305	9.2	0.52	10.3	0.59
VI(a). Nephroblastoma and other nonepithelial renal tumors	267	10.7	0.66	12.0	0.74	267	8.0	0.49	9.3	0.57
VII. Hepatic tumors	42	1.7	0.26	1.8	0.28	56	1.7	0.22	1.8	0.24
VII(a). Hepatoblastoma	34	1.4	0.23	1.5	0.26	34	1.0	0.17	1.2	0.20
VIII. Malignant bone tumors	142	5.9	0.49	5.3	0.45	225	6.8	0.45	6.2	0.42
VIII(a). Osteosarcomas	108	4.5	0.43	4.0	0.39	170	5.1	0.39	4.7	0.36
VIII(c). Ewing tumor and related sarcomas of bone	16	0.7	0.16	0.6	0.16	21	0.6	0.14	0.6	0.14
IX. Soft tissue and other extrasosseous sarcomas	267	10.9	0.67	10.7	0.66	389	11.6	0.59	11.4	0.58
IX(a). Rhabdomyosarcomas	115	4.7	0.44	4.8	0.45	144	4.3	0.36	4.4	0.37
X. Germ cell & trophoblastic tumors & neoplasms of gonads	150	6.1	0.50	6.0	0.50	290	8.6	0.50	8.2	0.49
X(a). Intracranial & intraspinal germ cell tumors	20	0.8	0.18	0.8	0.17	26	0.8	0.15	0.7	0.15
X(c). Malignant gonadal germ cell tumors	79	3.3	0.37	3.0	0.34	161	4.8	0.38	4.4	0.35
XI. Other malignant epithelial neoplasms and melanomas	128	5.3	0.47	4.8	0.42	432	12.6	0.61	11.4	0.55
XI(b). Thyroid carcinomas	45	1.9	0.28	1.6	0.25	191	5.5	0.40	5.0	0.36
XI(d). Malignant melanomas	14	0.6	0.15	0.6	0.15	20	0.6	0.13	0.6	0.13
XII. Other & unspecified malignant neoplasms	27	1.1	0.21	1.1	0.22	46	1.4	0.20	1.4	0.20

¹ Rates are per million population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Asian/Pacific Islander, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	1,254	143.7	4.06	149.8	4.25	1,748	150.0	3.59	154.1	3.71
I. Leukemias	448	51.0	2.41	54.1	2.57	552	47.1	2.01	50.0	2.14
I(a). Lymphoid leukemias	326	37.1	2.05	39.4	2.19	381	32.5	1.66	34.8	1.79
I(b). Acute myeloid leukemias	80	9.1	1.02	9.8	1.10	103	8.8	0.87	9.3	0.93
II. Lymphomas & reticuloendothelial neoplasms	188	21.8	1.60	21.7	1.59	298	25.8	1.50	25.3	1.47
II(a). Hodgkin lymphomas	43	5.1	0.78	4.7	0.72	90	7.9	0.83	7.3	0.77
II(b, c, e). Non-Hodgkin lymphomas	104	12.1	1.19	11.9	1.17	164	14.2	1.11	13.8	1.09
III. CNS ³ & misc. intracranial & intraspinal neoplasms	224	25.8	1.72	26.4	1.77	253	21.8	1.37	22.7	1.43
III(a). Ependymomas and choroids plexus tumor	24	2.7	0.55	3.0	0.62	29	2.4	0.45	2.7	0.51
III(b). Astrocytomas	96	11.2	1.14	11.1	1.14	115	10.0	0.93	10.0	0.94
III(c). Intracranial and intraspinal embryonal tumors	56	6.4	0.85	6.7	0.90	58	4.9	0.65	5.4	0.71
III(d). Other gliomas	41	4.7	0.74	4.7	0.74	43	3.7	0.57	3.8	0.58
IV. Neuroblastoma and other peripheral nervous cell tumors	80	8.9	0.99	10.3	1.16	80	6.6	0.74	8.0	0.90
IV(a). Neuroblastoma & ganglioneuroblastoma	80	8.9	0.99	10.3	1.16	80	6.6	0.74	8.0	0.90
V. Retinoblastoma	30	3.3	0.61	3.9	0.71	30	2.5	0.45	3.0	0.55
VI. Renal Tumors	28	3.1	0.59	3.5	0.67	36	3.0	0.51	3.3	0.56
VI(a). Nephroblastoma and other nonepithelial renal tumors	25	2.8	0.56	3.2	0.64	30	2.5	0.46	2.9	0.53
VII. Hepatic tumors	37	4.1	0.68	4.7	0.78	41	3.4	0.53	4.0	0.62
VII(a). Hepatoblastoma	33	3.6	0.63	4.3	0.75	33	2.7	0.47	3.3	0.58
VIII. Malignant bone tumors	51	6.1	0.85	5.5	0.78	93	8.2	0.85	7.5	0.78
VIII(a). Osteosarcomas	27	3.2	0.62	2.9	0.56	47	4.1	0.60	3.8	0.55
VIII(c). Ewing tumor and related sarcomas of bone	15	1.8	0.46	1.6	0.42	33	2.9	0.50	2.6	0.46
IX. Soft tissue and other extraosseous sarcomas	69	7.9	0.95	8.2	1.00	111	9.5	0.91	9.6	0.92
IX(a). Rhabdomyosarcomas	33	3.8	0.66	3.9	0.69	38	3.3	0.53	3.4	0.56
X. Germ cell & trophoblastic tumors & neoplasms of gonads	58	6.7	0.88	6.9	0.91	140	12.1	1.02	11.6	0.99
X(a). Intracranial & intraspinal germ cell tumors	27	3.2	0.62	3.0	0.57	52	4.6	0.63	4.2	0.59
X(c). Malignant gonadal germ cell tumors	24	2.7	0.55	3.1	0.63	66	5.6	0.69	5.6	0.70
XI. Other malignant epithelial neoplasms and melanomas	38	4.6	0.74	4.1	0.66	111	9.7	0.92	8.8	0.84
XI(b). Thyroid carcinomas	11	1.3	0.40	1.2	0.35	33	2.9	0.50	2.6	0.45
XI(d). Malignant melanomas	6	0.7	0.29	0.7	0.27	11	1.0	0.29	0.9	0.27
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Asian/Pacific Islander, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	1,067	125.8	3.86	131.0	4.04	1,539	136.5	3.48	139.4	3.58
I. Leukemias	372	43.5	2.26	46.2	2.41	441	38.8	1.85	41.4	1.98
I(a). Lymphoid leukemias	276	32.2	1.94	34.4	2.08	297	26.0	1.51	28.4	1.66
I(b). Acute myeloid leukemias	63	7.4	0.94	7.8	0.98	93	8.3	0.86	8.4	0.88
II. Lymphomas & reticuloendothelial neoplasms	97	11.5	1.17	11.6	1.18	187	16.7	1.22	16.2	1.19
II(a). Hodgkin lymphomas	18	2.2	0.52	2.0	0.46	73	6.6	0.77	5.9	0.69
II(b, c, e). Non-Hodgkin lymphomas	52	6.2	0.86	6.0	0.84	85	7.6	0.82	7.3	0.80
III. CNS ³ & misc. intracranial & intraspinal neoplasms	175	20.6	1.56	21.3	1.62	218	19.3	1.31	19.9	1.36
III(a). Ependymomas and choroids plexus tumor	13	1.5	0.42	1.6	0.45	17	1.5	0.36	1.6	0.39
III(b). Astrocytomas	85	10.0	1.09	10.3	1.13	108	9.6	0.92	9.9	0.96
III(c). Intracranial and intraspinal embryonal tumors	44	5.2	0.78	5.4	0.83	49	4.3	0.62	4.6	0.66
III(d). Other gliomas	28	3.3	0.63	3.3	0.62	39	3.5	0.56	3.4	0.55
IV. Neuroblastoma and other peripheral nervous cell tumors	72	8.3	0.98	9.7	1.15	76	6.6	0.75	7.8	0.90
IV(a). Neuroblastoma & ganglioneuroblastoma	71	8.2	0.97	9.6	1.14	72	6.2	0.73	7.5	0.89
V. Retinoblastoma	42	4.8	0.74	5.8	0.89	42	3.6	0.56	4.5	0.69
VI. Renal Tumors	40	4.6	0.73	5.2	0.82	42	3.6	0.56	4.2	0.65
VI(a). Nephroblastoma and other nonepithelial renal tumors	38	4.4	0.71	4.9	0.80	38	3.3	0.53	3.8	0.62
VII. Hepatic tumors	20	2.3	0.52	2.6	0.59	23	2.0	0.42	2.3	0.48
VII(a). Hepatoblastoma	17	2.0	0.48	2.3	0.56	17	1.5	0.36	1.8	0.43
VIII. Malignant bone tumors	46	5.6	0.82	5.1	0.75	69	6.2	0.75	5.8	0.70
VIII(a). Osteosarcomas	31	3.8	0.68	3.4	0.61	43	3.9	0.60	3.6	0.55
VIII(c). Ewing tumor and related sarcomas of bone	14	1.7	0.45	1.6	0.42	21	1.9	0.41	1.8	0.39
IX. Soft tissue and other extrasosseous sarcomas	64	7.6	0.95	7.7	0.97	89	7.9	0.84	8.0	0.85
IX(a). Rhabdomyosarcomas	32	3.7	0.66	4.0	0.71	40	3.5	0.56	3.7	0.60
X. Germ cell & trophoblastic tumors & neoplasms of gonads	69	8.3	1.00	8.1	0.98	118	10.6	0.98	10.2	0.95
X(a). Intracranial & intraspinal germ cell tumors	14	1.7	0.45	1.6	0.42	18	1.6	0.38	1.5	0.37
X(c). Malignant gonadal germ cell tumors	32	3.9	0.70	3.5	0.62	58	5.3	0.69	4.8	0.63
XI. Other malignant epithelial neoplasms and melanomas	68	8.3	1.01	7.6	0.92	229	20.7	1.37	18.8	1.24
XI(b). Thyroid carcinomas	39	4.8	0.77	4.2	0.67	167	15.1	1.17	13.5	1.05
XI(d). Malignant melanomas	10	1.2	0.37	1.2	0.40	14	1.2	0.33	1.3	0.35
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, American Indian/Alaskan Native for CHSDA³ Counties, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ⁴	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	185	133.0	9.79	138.4	10.22	267	145.3	8.91	148.2	9.12
I. Leukemias	53	38.0	5.23	39.9	5.50	66	35.7	4.40	37.4	4.62
I(a). Lymphoid leukemias	32	22.9	4.06	24.2	4.29	38	20.5	3.33	21.7	3.54
I(b). Acute myeloid leukemias	12	8.4	2.44	9.2	2.67	18	9.7	2.28	10.2	2.41
II. Lymphomas & reticuloendothelial neoplasms	29	21.3	3.96	21.0	3.91	44	24.3	3.67	23.8	3.60
II(a). Hodgkin lymphomas	-	-	-	-	-	9	5.0	1.68	4.7	1.56
II(b, c, e). Non-Hodgkin lymphomas	18	13.2	3.12	13.0	3.08	28	15.5	2.93	15.1	2.86
III. CNS ⁴ & misc. intracranial & intraspinal neoplasms	47	34.4	5.03	34.3	5.03	57	31.3	4.15	31.6	4.20
III(a). Ependymomas and choroids plexus tumor	8	5.8	2.06	5.9	2.09	9	4.9	1.64	5.1	1.70
III(b). Astrocytomas	20	14.6	3.28	14.6	3.27	25	13.8	2.75	13.8	2.77
III(c). Intracranial and intraspinal embryonal tumors	9	6.5	2.18	6.7	2.25	11	6.0	1.81	6.2	1.88
III(d). Other gliomas	7	5.1	1.95	5.1	1.93	8	4.4	1.56	4.4	1.58
IV. Neuroblastoma and other peripheral nervous cell tumors	8	5.4	1.91	6.5	2.30	9	4.6	1.54	5.5	1.85
IV(a). Neuroblastoma & ganglioneuroblastoma	8	5.4	1.91	6.5	2.30	8	4.0	1.43	5.0	1.78
V. Retinoblastoma	7	4.8	1.81	5.6	2.10	7	3.6	1.35	4.3	1.63
VI. Renal Tumors	7	4.7	1.79	5.7	2.15	7	3.5	1.34	4.4	1.67
VI(a). Nephroblastoma and other nonepithelial renal tumors	7	4.7	1.79	5.7	2.15	7	3.5	1.34	4.4	1.67
VII. Hepatic tumors	9	6.1	2.02	7.3	2.43	9	4.5	1.51	5.7	1.88
VII(a). Hepatoblastoma	9	6.1	2.02	7.3	2.43	9	4.5	1.51	5.7	1.88
VIII. Malignant bone tumors	13	9.6	2.67	9.3	2.59	17	9.4	2.29	9.2	2.24
VIII(a). Osteosarcomas	6	4.6	1.86	4.1	1.68	8	4.5	1.60	4.2	1.48
VIII(c). Ewing tumor and related sarcomas of bone	7	5.1	1.92	5.2	1.97	8	4.4	1.54	4.5	1.61
IX. Soft tissue and other extraosseous sarcomas	-	-	-	-	-	16	8.8	2.20	8.4	2.12
IX(a). Rhabdomyosarcomas	-	-	-	-	-	-	-	-	-	-
X. Germ cell & trophoblastic tumors & neoplasms of gonads	-	-	-	-	-	20	11.0	2.47	10.4	2.33
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	-	-	16	8.8	2.21	8.3	2.07
XI. Other malignant epithelial neoplasms and melanomas	-	-	-	-	-	15	8.4	2.18	7.5	1.94
XI(b). Thyroid carcinomas	-	-	-	-	-	-	-	-	-	-
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined. Statistics exclude cases diagnosed for KS for all years.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

⁴ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, American Indian/Alaskan Native for CHSDA³ Counties, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ⁴	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	136	101.8	8.74	102.8	8.85	215	122.3	8.35	120.9	8.28
I. Leukemias	47	35.1	5.13	35.8	5.25	64	36.2	4.53	36.6	4.60
I(a). Lymphoid leukemias	33	24.5	4.27	25.5	4.46	36	20.1	3.35	21.3	3.57
I(b). Acute myeloid leukemias	7	5.4	2.06	5.0	1.88	18	10.5	2.47	9.6	2.26
II. Lymphomas & reticuloendothelial neoplasms	11	8.3	2.51	8.2	2.49	24	13.8	2.82	13.2	2.69
II(a). Hodgkin lymphomas	-	-	-	-	-	6	3.4	1.41	3.3	1.34
II(b, c, e). Non-Hodgkin lymphomas	-	-	-	-	-	11	6.4	1.94	5.8	1.76
III. CNS ⁴ & misc. intracranial & intraspinal neoplasms	26	19.5	3.83	19.7	3.87	33	18.7	3.25	18.9	3.30
III(a). Ependymomas and choroids plexus tumor	-	-	-	-	-	-	-	-	-	-
III(b). Astrocytomas	12	9.1	2.62	9.0	2.61	16	9.1	2.28	9.1	2.28
III(c). Intracranial and intraspinal embryonal tumors	6	4.2	1.70	5.0	2.04	6	3.1	1.27	3.9	1.58
III(d). Other gliomas	-	-	-	-	-	8	4.7	1.65	4.3	1.53
IV. Neuroblastoma and other peripheral nervous cell tumors	-	-	-	-	-	-	-	-	-	-
IV(a). Neuroblastoma & ganglioneuroblastoma	-	-	-	-	-	-	-	-	-	-
V. Retinoblastoma	-	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	7	5.1	1.92	5.5	2.09	8	4.4	1.55	4.8	1.70
VI(a). Nephroblastoma and other nonepithelial renal tumors	6	4.3	1.76	4.8	1.96	6	3.2	1.32	3.7	1.52
VII. Hepatic tumors	-	-	-	-	-	-	-	-	-	-
VII(a). Hepatoblastoma	-	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	8	6.2	2.20	5.6	2.00	13	7.6	2.10	7.0	1.94
VIII(a). Osteosarcomas	-	-	-	-	-	10	5.9	1.86	5.2	1.65
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	-	-	-	-
IX. Soft tissue and other extrasosseous sarcomas	11	8.4	2.52	8.1	2.45	18	10.3	2.44	9.9	2.35
IX(a). Rhabdomyosarcomas	-	-	-	-	-	8	4.6	1.63	4.5	1.58
X. Germ cell & trophoblastic tumors & neoplasms of gonads	-	-	-	-	-	8	4.6	1.63	4.3	1.54
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	-	-	6	3.5	1.43	3.2	1.30
XI. Other malignant epithelial neoplasms and melanomas	9	7.1	2.36	6.2	2.07	34	19.9	3.41	17.9	3.06
XI(b). Thyroid carcinomas	-	-	-	-	-	15	8.8	2.27	7.8	2.02
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined. Statistics exclude cases diagnosed for KS for all years.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

⁴ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Hispanic/Latino, All Races, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	6,218	170.7	2.17	176.6	2.25	8,779	184.9	1.98	188.0	2.01
I. Leukemias	2,457	67.1	1.36	70.1	1.42	3,061	63.7	1.15	66.4	1.20
I(a). Lymphoid leukemias	1,910	52.1	1.20	54.5	1.25	2,304	47.8	1.00	50.1	1.05
I(b). Acute myeloid leukemias	316	8.7	0.49	9.0	0.51	434	9.1	0.44	9.3	0.45
II. Lymphomas & reticuloendothelial neoplasms	889	25.0	0.84	24.6	0.83	1,339	28.7	0.79	28.0	0.77
II(a). Hodgkin lymphomas	252	7.3	0.46	6.7	0.42	501	11.0	0.49	10.2	0.45
II(b, c, e). Non-Hodgkin lymphomas	393	11.1	0.56	10.8	0.54	578	12.4	0.52	12.0	0.50
III. CNS ³ & misc. intracranial & intraspinal neoplasms	1,026	28.2	0.88	29.0	0.91	1,240	25.9	0.74	26.8	0.76
III(a). Ependymomas and choroids plexus tumor	123	3.3	0.30	3.6	0.32	144	2.9	0.25	3.2	0.27
III(b). Astrocytomas	447	12.4	0.59	12.5	0.59	565	11.9	0.50	12.1	0.51
III(c). Intracranial and intraspinal embryonal tumors	267	7.2	0.44	7.7	0.47	298	6.1	0.35	6.6	0.38
III(d). Other gliomas	151	4.2	0.34	4.2	0.34	182	3.8	0.28	3.9	0.29
IV. Neuroblastoma and other peripheral nervous cell tumors	296	7.7	0.45	9.0	0.52	304	5.9	0.34	7.1	0.41
IV(a). Neuroblastoma & ganglioneuroblastoma	286	7.4	0.44	8.7	0.51	289	5.6	0.33	6.8	0.40
V. Retinoblastoma	184	4.7	0.35	5.6	0.41	184	3.6	0.26	4.4	0.32
VI. Renal Tumors	243	6.4	0.41	7.2	0.46	257	5.1	0.32	5.9	0.37
VI(a). Nephroblastoma and other nonepithelial renal tumors	230	6.0	0.40	6.8	0.45	231	4.5	0.30	5.3	0.35
VII. Hepatic tumors	144	3.8	0.31	4.3	0.36	157	3.1	0.25	3.6	0.29
VII(a). Hepatoblastoma	123	3.2	0.29	3.7	0.34	124	2.4	0.22	2.9	0.26
VIII. Malignant bone tumors	242	7.1	0.46	6.4	0.41	442	9.8	0.47	8.9	0.42
VIII(a). Osteosarcomas	139	4.1	0.35	3.6	0.31	262	5.8	0.36	5.3	0.33
VIII(c). Ewing tumor and related sarcomas of bone	84	2.4	0.27	2.2	0.24	134	2.9	0.25	2.7	0.24
IX. Soft tissue and other extraosseous sarcomas	364	10.1	0.53	10.2	0.54	515	10.9	0.48	10.9	0.48
IX(a). Rhabdomyosarcomas	169	4.6	0.36	4.8	0.37	215	4.5	0.31	4.6	0.32
X. Germ cell & trophoblastic tumors & neoplasms of gonads	192	5.3	0.39	5.4	0.39	898	19.7	0.66	18.3	0.61
X(a). Intracranial & intraspinal germ cell tumors	71	2.1	0.25	1.9	0.22	121	2.7	0.24	2.5	0.22
X(c). Malignant gonadal germ cell tumors	88	2.4	0.25	2.6	0.28	681	15.0	0.57	13.8	0.53
XI. Other malignant epithelial neoplasms and melanomas	156	4.6	0.37	4.1	0.33	354	7.8	0.42	7.1	0.38
XI(b). Thyroid carcinomas	52	1.5	0.21	1.4	0.19	126	2.8	0.25	2.5	0.23
XI(d). Malignant melanomas	31	0.9	0.16	0.8	0.15	50	1.1	0.15	1.0	0.15
XII. Other & unspecified malignant neoplasms	25	0.7	0.13	0.7	0.15	28	0.6	0.11	0.6	0.12

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Hispanic/Latina, All Races, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	5,419	155.0	2.11	160.1	2.18	7,435	163.9	1.91	166.9	1.94
I. Leukemias	2,061	58.3	1.29	61.6	1.36	2,410	51.9	1.06	55.1	1.13
I(a). Lymphoid leukemias	1,593	44.9	1.13	47.7	1.20	1,781	38.1	0.91	41.0	0.97
I(b). Acute myeloid leukemias	303	8.7	0.50	9.0	0.52	403	8.9	0.44	9.1	0.45
II. Lymphomas & reticuloendothelial neoplasms	524	15.4	0.68	15.0	0.66	883	20.1	0.68	19.2	0.65
II(a). Hodgkin lymphomas	146	4.5	0.37	4.0	0.33	394	9.2	0.47	8.4	0.42
II(b, c, e). Non-Hodgkin lymphomas	214	6.4	0.44	6.0	0.41	313	7.1	0.40	6.8	0.38
III. CNS³ & misc. intracranial & intraspinal neoplasms	943	26.9	0.88	27.8	0.91	1,098	23.8	0.72	24.8	0.75
III(a). Ependymomas and choroids plexus tumor	99	2.8	0.28	3.0	0.30	116	2.5	0.23	2.7	0.25
III(b). Astrocytomas	455	13.1	0.62	13.3	0.63	552	12.1	0.52	12.4	0.53
III(c). Intracranial and intraspinal embryonal tumors	194	5.4	0.39	5.9	0.42	210	4.4	0.31	4.9	0.34
III(d). Other gliomas	161	4.7	0.37	4.6	0.37	180	3.9	0.29	4.0	0.30
IV. Neuroblastoma and other peripheral nervous cell tumors	261	7.1	0.44	8.2	0.51	266	5.4	0.33	6.5	0.40
IV(a). Neuroblastoma & ganglioneuroblastoma	257	6.9	0.43	8.1	0.51	258	5.2	0.33	6.3	0.39
V. Retinoblastoma	179	4.8	0.36	5.7	0.43	179	3.6	0.27	4.4	0.33
VI. Renal Tumors	272	7.4	0.45	8.4	0.51	295	6.1	0.36	7.0	0.41
VI(a). Nephroblastoma and other nonepithelial renal tumors	263	7.2	0.44	8.2	0.51	271	5.5	0.34	6.5	0.40
VII. Hepatic tumors	87	2.4	0.26	2.7	0.29	97	2.0	0.21	2.3	0.23
VII(a). Hepatoblastoma	73	2.0	0.23	2.3	0.27	75	1.5	0.18	1.8	0.21
VIII. Malignant bone tumors	238	7.2	0.47	6.6	0.43	332	7.6	0.42	7.1	0.39
VIII(a). Osteosarcomas	141	4.3	0.36	3.8	0.32	196	4.5	0.33	4.1	0.30
VIII(c). Ewing tumor and related sarcomas of bone	73	2.2	0.26	2.1	0.24	97	2.2	0.22	2.1	0.21
IX. Soft tissue and other extraosseous sarcomas	318	9.3	0.52	9.2	0.52	460	10.3	0.48	10.2	0.47
IX(a). Rhabdomyosarcomas	135	3.9	0.33	4.0	0.34	167	3.7	0.28	3.8	0.29
X. Germ cell & trophoblastic tumors & neoplasms of gonads	238	7.1	0.46	6.7	0.44	454	10.4	0.49	9.8	0.46
X(a). Intracranial & intraspinal germ cell tumors	33	1.0	0.17	0.9	0.16	40	0.9	0.14	0.9	0.14
X(c). Malignant gonadal germ cell tumors	141	4.3	0.36	3.9	0.32	284	6.6	0.39	6.0	0.36
XI. Other malignant epithelial neoplasms and melanomas	270	8.3	0.50	7.4	0.45	916	21.5	0.71	19.5	0.64
XI(b). Thyroid carcinomas	151	4.7	0.38	4.1	0.33	620	14.6	0.59	13.1	0.53
XI(d). Malignant melanomas	47	1.4	0.20	1.3	0.20	71	1.6	0.19	1.5	0.18
XII. Other & unspecified malignant neoplasms	28	0.8	0.15	0.8	0.16	45	1.0	0.15	1.0	0.15

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Non-Hispanic White, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	15,168	184.0	1.49	191.8	1.58	22,660	199.0	1.32	203.4	1.38
I. Leukemias	4,539	55.2	0.82	58.7	0.88	5,630	50.2	0.67	53.4	0.72
I(a). Lymphoid leukemias	3,589	43.6	0.73	46.6	0.79	4,174	37.4	0.58	40.4	0.63
I(b). Acute myeloid leukemias	564	6.8	0.29	7.1	0.30	860	7.5	0.26	7.7	0.27
II. Lymphomas & reticuloendothelial neoplasms	2,094	25.2	0.55	24.6	0.54	4,007	34.5	0.55	33.0	0.53
II(a). Hodgkin lymphomas	525	6.2	0.27	5.6	0.24	1,644	13.8	0.34	12.5	0.31
II(b, c, e). Non-Hodgkin lymphomas	1,111	13.4	0.40	13.0	0.39	1,850	16.1	0.37	15.5	0.36
III. CNS³ & misc. intracranial & intraspinal neoplasms	3,518	42.6	0.72	43.7	0.75	4,371	38.9	0.59	40.1	0.62
III(a). Ependymomas and choroids plexus tumor	289	3.5	0.21	3.8	0.23	346	3.1	0.17	3.4	0.19
III(b). Astrocytomas	1,811	21.9	0.52	22.2	0.53	2,287	20.3	0.42	20.7	0.44
III(c). Intracranial and intraspinal embryonal tumors	785	9.5	0.34	10.0	0.36	898	8.1	0.27	8.6	0.29
III(d). Other gliomas	547	6.6	0.28	6.6	0.29	718	6.3	0.24	6.4	0.24
IV. Neuroblastoma and other peripheral nervous cell tumors	1,126	13.9	0.41	16.1	0.48	1,151	10.6	0.31	12.6	0.37
IV(a). Neuroblastoma & ganglioneuroblastoma	1,109	13.7	0.41	15.9	0.48	1,124	10.3	0.31	12.4	0.37
V. Retinoblastoma	309	3.8	0.22	4.5	0.26	309	2.9	0.16	3.5	0.20
VI. Renal Tumors	705	8.6	0.33	9.8	0.37	756	6.9	0.25	8.0	0.29
VI(a). Nephroblastoma and other nonepithelial renal tumors	672	8.2	0.32	9.4	0.37	683	6.3	0.24	7.4	0.28
VII. Hepatic tumors	269	3.3	0.20	3.8	0.23	296	2.7	0.16	3.1	0.18
VII(a). Hepatoblastoma	229	2.8	0.19	3.3	0.22	230	2.1	0.14	2.6	0.17
VIII. Malignant bone tumors	632	7.5	0.30	6.8	0.27	1,194	10.2	0.30	9.4	0.27
VIII(a). Osteosarcomas	297	3.5	0.20	3.1	0.18	591	5.0	0.21	4.6	0.19
VIII(c). Ewing tumor and related sarcomas of bone	285	3.4	0.20	3.2	0.19	497	4.3	0.19	4.0	0.18
IX. Soft tissue and other extraosseous sarcomas	985	11.9	0.38	12.2	0.39	1,480	13.0	0.34	13.1	0.35
IX(a). Rhabdomyosarcomas	479	5.8	0.27	6.1	0.28	597	5.3	0.22	5.6	0.23
X. Germ cell & trophoblastic tumors & neoplasms of gonads	384	4.6	0.24	4.8	0.25	1,707	14.3	0.35	13.4	0.33
X(a). Intracranial & intraspinal germ cell tumors	168	2.0	0.15	1.8	0.14	287	2.5	0.15	2.3	0.14
X(c). Malignant gonadal germ cell tumors	133	1.6	0.14	1.8	0.16	1,277	10.6	0.30	9.7	0.28
XI. Other malignant epithelial neoplasms and melanomas	552	6.6	0.28	6.1	0.26	1,687	14.2	0.35	13.0	0.32
XI(b). Thyroid carcinomas	156	1.9	0.15	1.6	0.13	485	4.1	0.19	3.7	0.17
XI(d). Malignant melanomas	205	2.5	0.17	2.4	0.17	614	5.2	0.21	4.8	0.20
XII. Other & unspecified malignant neoplasms	55	0.7	0.09	0.8	0.10	72	0.6	0.08	0.7	0.09

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Non-Hispanic White, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	12,998	165.8	1.45	172.8	1.54	19,911	183.7	1.30	187.2	1.35
I. Leukemias	3,846	49.2	0.79	52.8	0.86	4,625	43.5	0.64	46.9	0.70
I(a). Lymphoid leukemias	2,935	37.5	0.69	40.5	0.76	3,218	30.5	0.54	33.6	0.60
I(b). Acute myeloid leukemias	572	7.3	0.31	7.7	0.33	869	8.0	0.27	8.2	0.28
II. Lymphomas & reticuloendothelial neoplasms	1,165	14.7	0.43	14.3	0.42	2,710	24.4	0.47	23.0	0.45
II(a). Hodgkin lymphomas	349	4.3	0.23	3.8	0.20	1,484	13.0	0.34	11.7	0.30
II(b, c, e). Non-Hodgkin lymphomas	493	6.2	0.28	6.0	0.28	866	7.9	0.27	7.6	0.26
III. CNS ³ & misc. intracranial & intraspinal neoplasms	2,902	37.0	0.69	37.9	0.71	3,589	33.6	0.56	34.7	0.59
III(a). Ependymomas and choroids plexus tumor	221	2.8	0.19	3.1	0.21	267	2.5	0.15	2.7	0.17
III(b). Astrocytomas	1,587	20.2	0.51	20.5	0.52	1,991	18.6	0.42	19.0	0.43
III(c). Intracranial and intraspinal embryonal tumors	497	6.4	0.29	6.8	0.31	549	5.2	0.22	5.6	0.24
III(d). Other gliomas	531	6.7	0.29	6.7	0.29	693	6.4	0.25	6.4	0.25
IV. Neuroblastoma and other peripheral nervous cell tumors	1,004	13.0	0.41	15.1	0.48	1,026	9.9	0.31	11.9	0.37
IV(a). Neuroblastoma & ganglioneuroblastoma	986	12.8	0.41	14.9	0.47	999	9.7	0.31	11.6	0.37
V. Retinoblastoma	326	4.2	0.23	5.1	0.28	327	3.2	0.18	3.9	0.22
VI. Renal Tumors	778	10.0	0.36	11.3	0.41	840	8.0	0.28	9.2	0.32
VI(a). Nephroblastoma and other nonepithelial renal tumors	746	9.6	0.35	10.9	0.40	757	7.3	0.26	8.5	0.31
VII. Hepatic tumors	174	2.2	0.17	2.6	0.20	219	2.1	0.14	2.3	0.16
VII(a). Hepatoblastoma	146	1.9	0.16	2.2	0.18	147	1.4	0.12	1.7	0.14
VIII. Malignant bone tumors	573	7.2	0.30	6.5	0.28	909	8.3	0.28	7.7	0.26
VIII(a). Osteosarcomas	300	3.8	0.22	3.3	0.19	477	4.3	0.20	4.0	0.18
VIII(c). Ewing tumor and related sarcomas of bone	230	2.9	0.19	2.7	0.18	340	3.1	0.17	2.9	0.16
IX. Soft tissue and other extraosseous sarcomas	836	10.6	0.37	10.8	0.38	1,228	11.3	0.32	11.4	0.33
IX(a). Rhabdomyosarcomas	373	4.8	0.25	5.0	0.26	457	4.3	0.20	4.5	0.21
X. Germ cell & trophoblastic tumors & neoplasms of gonads	447	5.7	0.27	5.7	0.27	821	7.5	0.26	7.3	0.26
X(a). Intracranial & intraspinal germ cell tumors	94	1.2	0.12	1.2	0.12	108	1.0	0.10	1.0	0.10
X(c). Malignant gonadal germ cell tumors	183	2.3	0.17	2.1	0.16	395	3.5	0.18	3.3	0.16
XI. Other malignant epithelial neoplasms and melanomas	894	11.2	0.38	10.2	0.34	3,512	31.0	0.52	28.1	0.48
XI(b). Thyroid carcinomas	443	5.5	0.26	4.8	0.23	1,953	17.2	0.39	15.4	0.35
XI(d). Malignant melanomas	234	3.0	0.19	2.9	0.19	869	7.7	0.26	7.2	0.25
XII. Other & unspecified malignant neoplasms	53	0.7	0.09	0.7	0.10	105	1.0	0.09	1.0	0.10

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Non-Hispanic Black, Males

Cancer Types	Ages 0-14						Ages 0-19				
	2000 U.S.			World			2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.	
All Sites	3,205	138.3	2.44	142.2	2.53	4,526	142.4	2.12	145.0	2.18	
I. Leukemias	843	36.4	1.25	37.7	1.31	1,082	34.2	1.04	35.5	1.09	
I(a). Lymphoid leukemias	584	25.2	1.04	26.2	1.09	684	21.8	0.83	23.0	0.89	
I(b). Acute myeloid leukemias	153	6.6	0.53	6.9	0.56	219	6.9	0.46	7.1	0.48	
II. Lymphomas & reticuloendothelial neoplasms	461	20.1	0.94	19.0	0.89	854	26.6	0.91	25.0	0.87	
II(a). Hodgkin lymphomas	146	6.4	0.53	5.9	0.49	357	11.0	0.58	10.1	0.54	
II(b, c, e). Non-Hodgkin lymphomas	271	11.8	0.72	11.1	0.68	451	14.1	0.67	13.3	0.63	
III. CNS ³ & misc. intracranial & intraspinal neoplasms	682	29.6	1.13	30.1	1.16	847	27.0	0.93	27.7	0.96	
III(a). Ependymomas and choroids plexus tumor	56	2.4	0.32	2.6	0.35	65	2.1	0.26	2.2	0.28	
III(b). Astrocytomas	318	13.8	0.77	14.0	0.79	412	13.1	0.64	13.3	0.66	
III(c). Intracranial and intraspinal embryonal tumors	151	6.5	0.53	6.8	0.56	174	5.6	0.42	5.9	0.45	
III(d). Other gliomas	125	5.4	0.49	5.4	0.48	155	5.0	0.40	4.9	0.40	
IV. Neuroblastoma and other peripheral nervous cell tumors	229	9.8	0.65	11.1	0.74	234	7.5	0.49	8.8	0.58	
IV(a). Neuroblastoma & ganglioneuroblastoma	224	9.5	0.64	10.9	0.73	226	7.2	0.48	8.5	0.57	
V. Retinoblastoma	92	3.9	0.41	4.6	0.48	92	2.9	0.30	3.6	0.37	
VI. Renal Tumors	236	10.1	0.66	11.4	0.74	259	8.2	0.51	9.4	0.59	
VI(a). Nephroblastoma and other nonepithelial renal tumors	217	9.3	0.63	10.6	0.72	219	7.0	0.47	8.3	0.56	
VII. Hepatic tumors	64	2.7	0.34	3.1	0.39	72	2.3	0.27	2.6	0.31	
VII(a). Hepatoblastoma	57	2.4	0.32	2.8	0.38	57	1.8	0.24	2.2	0.29	
VIII. Malignant bone tumors	134	5.8	0.50	5.2	0.45	240	7.5	0.48	6.8	0.44	
VIII(a). Osteosarcomas	111	4.8	0.46	4.3	0.41	192	6.0	0.43	5.4	0.39	
VIII(c). Ewing tumor and related sarcomas of bone	8	0.4	0.12	0.3	0.11	15	0.5	0.12	0.4	0.11	
IX. Soft tissue and other extraosseous sarcomas	296	12.8	0.74	12.9	0.76	456	14.3	0.67	14.2	0.68	
IX(a). Rhabdomyosarcomas	149	6.4	0.53	6.7	0.55	191	6.0	0.44	6.3	0.46	
X. Germ cell & trophoblastic tumors & neoplasms of gonads	41	1.8	0.28	1.8	0.28	106	3.2	0.31	3.1	0.31	
X(a). Intracranial & intraspinal germ cell tumors	20	0.9	0.19	0.8	0.17	42	1.3	0.20	1.2	0.18	
X(c). Malignant gonadal germ cell tumors	6	0.3	0.10	0.3	0.12	40	1.2	0.19	1.1	0.18	
XI. Other malignant epithelial neoplasms and melanomas	114	5.0	0.46	4.6	0.43	262	8.1	0.50	7.4	0.46	
XI(b). Thyroid carcinomas	20	0.9	0.19	0.8	0.17	42	1.3	0.20	1.2	0.18	
XI(d). Malignant melanomas	12	0.5	0.15	0.5	0.15	16	0.5	0.13	0.5	0.13	
XII. Other & unspecified malignant neoplasms	13	0.6	0.15	0.6	0.18	22	0.7	0.15	0.7	0.16	

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2009-2013, Non-Hispanic Black, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	2,879	128.4	2.39	131.9	2.48	4,156	135.0	2.10	137.0	2.15
I. Leukemias	646	28.8	1.13	30.1	1.19	806	26.4	0.93	27.7	0.99
I(a). Lymphoid leukemias	418	18.6	0.91	19.6	0.96	459	15.2	0.71	16.3	0.77
I(b). Acute myeloid leukemias	142	6.3	0.53	6.6	0.56	207	6.7	0.47	6.9	0.49
II. Lymphomas & reticuloendothelial neoplasms	273	12.3	0.74	11.6	0.70	585	18.7	0.77	17.4	0.73
II(a). Hodgkin lymphomas	102	4.6	0.45	4.0	0.40	318	10.0	0.56	9.0	0.51
II(b, c, e). Non-Hodgkin lymphomas	136	6.1	0.53	5.8	0.50	232	7.5	0.49	7.1	0.47
III. CNS ³ & misc. intracranial & intraspinal neoplasms	630	28.2	1.12	28.8	1.16	760	25.1	0.91	25.8	0.95
III(a). Ependymomas and choroids plexus tumor	49	2.2	0.31	2.3	0.34	57	1.9	0.25	2.0	0.27
III(b). Astrocytomas	304	13.6	0.78	13.8	0.80	379	12.5	0.64	12.7	0.66
III(c). Intracranial and intraspinal embryonal tumors	91	4.0	0.42	4.3	0.45	103	3.4	0.33	3.7	0.36
III(d). Other gliomas	142	6.4	0.54	6.4	0.54	168	5.6	0.43	5.7	0.44
IV. Neuroblastoma and other peripheral nervous cell tumors	221	9.7	0.66	11.1	0.75	225	7.4	0.49	8.7	0.59
IV(a). Neuroblastoma & ganglioneuroblastoma	216	9.5	0.65	10.9	0.74	219	7.2	0.49	8.5	0.58
V. Retinoblastoma	116	5.1	0.47	6.0	0.56	116	3.8	0.35	4.7	0.43
VI. Renal Tumors	274	12.2	0.73	13.4	0.81	295	9.7	0.57	11.0	0.64
VI(a). Nephroblastoma and other nonepithelial renal tumors	258	11.4	0.71	12.8	0.80	258	8.6	0.53	9.9	0.62
VII. Hepatic tumors	40	1.8	0.28	1.9	0.30	54	1.8	0.24	1.9	0.26
VII(a). Hepatoblastoma	32	1.4	0.25	1.6	0.28	32	1.1	0.19	1.2	0.22
VIII. Malignant bone tumors	136	6.1	0.53	5.5	0.48	215	7.0	0.48	6.4	0.44
VIII(a). Osteosarcomas	102	4.6	0.46	4.1	0.41	161	5.2	0.41	4.8	0.38
VIII(c). Ewing tumor and related sarcomas of bone	16	0.7	0.18	0.7	0.18	21	0.7	0.15	0.7	0.15
IX. Soft tissue and other extraosseous sarcomas	256	11.5	0.72	11.2	0.71	374	12.2	0.63	11.9	0.62
IX(a). Rhabdomyosarcomas	111	5.0	0.47	5.0	0.48	138	4.5	0.39	4.6	0.40
X. Germ cell & trophoblastic tumors & neoplasms of gonads	141	6.3	0.53	6.2	0.53	276	8.8	0.53	8.5	0.52
X(a). Intracranial & intraspinal germ cell tumors	19	0.9	0.20	0.8	0.18	25	0.8	0.16	0.8	0.16
X(c). Malignant gonadal germ cell tumors	75	3.4	0.39	3.1	0.36	153	4.9	0.40	4.5	0.37
XI. Other malignant epithelial neoplasms and melanomas	121	5.4	0.49	4.9	0.45	406	12.7	0.63	11.5	0.57
XI(b). Thyroid carcinomas	43	1.9	0.29	1.7	0.26	179	5.6	0.42	5.0	0.38
XI(d). Malignant melanomas	11	0.5	0.15	0.5	0.15	16	0.5	0.13	0.5	0.13
XII. Other & unspecified malignant neoplasms	25	1.1	0.22	1.2	0.24	44	1.4	0.21	1.4	0.22

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

NAACCR Canadian Combined Pediatric Cancer Incidence 2009-2013



**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR Canadian Combined², 2009-2013, All Races, Males**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	910	162.7	5.40	168.4	5.62	1,395	178.5	4.79	181.2	4.93
I. Leukemias	290	51.7	3.04	54.8	3.24	370	48.1	2.51	50.8	2.68
I(a). Lymphoid leukemias	240	42.9	2.77	45.5	2.95	285	37.4	2.22	39.9	2.39
I(b). Acute myeloid leukemias	32	5.6	0.99	5.9	1.06	51	6.4	0.90	6.6	0.94
II. Lymphomas & reticuloendothelial neoplasms	131	23.7	2.07	22.6	1.99	251	31.8	2.01	30.1	1.92
II(a). Hodgkin lymphomas	35	6.4	1.08	5.7	0.97	99	12.3	1.24	11.1	1.13
II(b, c, e). Non-Hodgkin lymphomas	74	13.4	1.56	12.9	1.51	125	16.0	1.44	15.3	1.39
III. CNS ³ & misc. intracranial & intraspinal neoplasms	180	32.5	2.42	32.9	2.46	224	29.5	1.97	30.1	2.03
III(a). Ependymomas and choroids plexus tumor	16	2.8	0.69	3.2	0.79	24	3.0	0.62	3.3	0.68
III(b). Astrocytomas	82	14.9	1.65	14.7	1.64	104	13.7	1.35	13.7	1.36
III(c). Intracranial and intraspinal embryonal tumors	48	8.6	1.24	9.0	1.31	56	7.4	0.99	7.8	1.05
III(d). Other gliomas	27	4.9	0.94	4.8	0.92	33	4.4	0.76	4.3	0.76
IV. Neuroblastoma and other peripheral nervous cell tumors	71	12.3	1.47	14.2	1.69	72	9.4	1.10	11.1	1.32
IV(a). Neuroblastoma & ganglioneuroblastoma	70	12.2	1.46	14.1	1.69	70	9.1	1.09	10.9	1.31
V. Retinoblastoma	21	3.6	0.79	4.3	0.94	21	2.7	0.59	3.3	0.73
VI. Renal Tumors	43	7.6	1.16	8.5	1.31	46	6.0	0.89	6.9	1.03
VI(a). Nephroblastoma and other nonepithelial renal tumors	42	7.4	1.15	8.4	1.29	43	5.7	0.87	6.6	1.01
VII. Hepatic tumors	20	3.5	0.78	4.0	0.90	24	3.1	0.63	3.5	0.73
VII(a). Hepatoblastoma	16	2.8	0.69	3.3	0.82	16	2.1	0.52	2.5	0.63
VIII. Malignant bone tumors	35	6.4	1.07	5.9	1.00	68	8.6	1.05	8.0	0.98
VIII(a). Osteosarcomas	20	3.7	0.82	3.3	0.74	38	4.9	0.79	4.4	0.72
VIII(c). Ewing tumor and related sarcomas of bone	15	2.7	0.69	2.6	0.67	27	3.4	0.66	3.2	0.63
IX. Soft tissue and other extraosseous sarcomas	59	10.6	1.38	10.8	1.41	95	12.1	1.25	12.1	1.26
IX(a). Rhabdomyosarcomas	39	7.0	1.12	7.3	1.17	48	6.3	0.91	6.6	0.96
X. Germ cell & trophoblastic tumors & neoplasms of gonads	28	5.0	0.95	4.9	0.94	129	15.6	1.37	14.4	1.28
X(a). Intracranial & intraspinal germ cell tumors	15	2.7	0.70	2.5	0.64	28	3.6	0.68	3.3	0.62
X(c). Malignant gonadal germ cell tumors	7	1.2	0.47	1.3	0.48	93	11.0	1.14	10.0	1.04
XI. Other malignant epithelial neoplasms and melanomas	25	4.5	0.90	4.1	0.82	87	10.6	1.14	9.6	1.04
XI(b). Thyroid carcinomas	6	1.1	0.45	1.0	0.40	27	3.3	0.63	3.0	0.57
XI(d). Malignant melanomas	9	1.6	0.53	1.6	0.53	20	2.5	0.56	2.4	0.54
XII. Other & unspecified malignant neoplasms	7	1.2	0.47	1.4	0.53	8	1.0	0.37	1.2	0.42

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR Canadian Combined², 2009-2013, All Races, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	797	149.9	5.31	157.6	5.62	1,168	158.6	4.65	163.7	4.86
I. Leukemias	262	49.2	3.04	52.7	3.28	305	42.2	2.42	45.6	2.64
I(a). Lymphoid leukemias	198	37.1	2.64	40.2	2.87	214	29.8	2.04	32.9	2.27
I(b). Acute myeloid leukemias	39	7.3	1.17	7.7	1.24	58	7.8	1.03	8.1	1.08
II. Lymphomas & reticuloendothelial neoplasms	93	17.7	1.84	17.3	1.81	177	23.8	1.79	22.8	1.74
II(a). Hodgkin lymphomas	25	4.8	0.96	4.2	0.83	87	11.4	1.22	10.2	1.09
II(b, c, e). Non-Hodgkin lymphomas	43	8.2	1.26	8.0	1.23	64	8.8	1.10	8.6	1.08
III. CNS ³ & misc. intracranial & intraspinal neoplasms	158	29.9	2.38	31.3	2.51	197	27.3	1.95	28.7	2.07
III(a). Ependymomas and choroids plexus tumor	14	2.6	0.69	2.9	0.78	21	2.8	0.62	3.0	0.67
III(b). Astrocytomas	80	15.2	1.70	15.7	1.77	102	14.1	1.40	14.7	1.47
III(c). Intracranial and intraspinal embryonal tumors	35	6.6	1.11	7.0	1.19	37	5.2	0.85	5.7	0.94
III(d). Other gliomas	25	4.8	0.96	4.9	0.99	33	4.6	0.80	4.7	0.83
IV. Neuroblastoma and other peripheral nervous cell tumors	64	11.7	1.46	13.6	1.71	68	9.3	1.12	11.0	1.34
IV(a). Neuroblastoma & ganglioneuroblastoma	64	11.7	1.46	13.6	1.71	66	9.0	1.11	10.8	1.33
V. Retinoblastoma	19	3.4	0.79	4.1	0.95	19	2.6	0.59	3.2	0.74
VI. Renal Tumors	47	8.7	1.27	10.0	1.46	50	6.9	0.97	8.1	1.15
VI(a). Nephroblastoma and other nonepithelial renal tumors	46	8.5	1.25	9.8	1.45	46	6.4	0.94	7.6	1.12
VII. Hepatic tumors	8	1.5	0.52	1.7	0.60	8	1.1	0.39	1.3	0.47
VII(a). Hepatoblastoma	8	1.5	0.52	1.7	0.60	8	1.1	0.39	1.3	0.47
VIII. Malignant bone tumors	37	7.1	1.17	6.5	1.08	70	9.4	1.13	8.7	1.05
VIII(a). Osteosarcomas	18	3.5	0.82	3.0	0.71	37	5.0	0.82	4.4	0.73
VIII(c). Ewing tumor and related sarcomas of bone	18	3.4	0.81	3.3	0.79	25	3.4	0.69	3.4	0.68
IX. Soft tissue and other extrasosseous sarcomas	45	8.5	1.27	8.6	1.29	71	9.6	1.14	9.6	1.15
IX(a). Rhabdomyosarcomas	19	3.6	0.83	3.8	0.87	25	3.4	0.69	3.6	0.73
X. Germ cell & trophoblastic tumors & neoplasms of gonads	30	5.6	1.03	5.7	1.06	54	7.2	0.99	7.1	0.99
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	17	3.3	0.79	3.0	0.73	33	4.4	0.78	4.1	0.72
XI. Other malignant epithelial neoplasms and melanomas	33	6.4	1.11	5.7	0.99	147	19.0	1.57	17.2	1.42
XI(b). Thyroid carcinomas	14	2.7	0.72	2.4	0.63	72	9.3	1.10	8.3	0.98
XI(d). Malignant melanomas	8	1.6	0.55	1.5	0.52	23	3.0	0.64	2.8	0.59
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

NAACCR North American Combined Pediatric Cancer Incidence 2009-2013



**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR North American Combined², 2009-2013, All Races, Males**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	27,436	174.6	1.05	181.4	1.11	40,049	187.3	0.94	191.3	0.97
I. Leukemias	8,760	55.7	0.59	58.8	0.63	10,906	51.3	0.49	54.2	0.52
I(a). Lymphoid leukemias	6,782	43.1	0.52	45.6	0.56	7,975	37.6	0.42	40.2	0.45
I(b). Acute myeloid leukemias	1,169	7.4	0.22	7.8	0.23	1,700	7.9	0.19	8.2	0.20
II. Lymphomas & reticuloendothelial neoplasms	3,868	24.8	0.40	24.1	0.39	6,912	32.2	0.39	30.9	0.38
II(a). Hodgkin lymphomas	1,018	6.5	0.21	5.9	0.19	2,732	12.6	0.24	11.5	0.22
II(b, c, e). Non-Hodgkin lymphomas	2,014	12.9	0.29	12.5	0.28	3,261	15.3	0.27	14.7	0.26
III. CNS ³ & misc. intracranial & intraspinal neoplasms	5,786	36.9	0.49	37.8	0.50	7,123	33.6	0.40	34.7	0.42
III(a). Ependymomas and choroids plexus tumor	521	3.3	0.14	3.6	0.16	623	2.9	0.12	3.2	0.13
III(b). Astrocytomas	2,832	18.1	0.34	18.3	0.35	3,580	16.9	0.28	17.2	0.29
III(c). Intracranial and intraspinal embryonal tumors	1,341	8.5	0.23	9.0	0.25	1,525	7.2	0.18	7.7	0.20
III(d). Other gliomas	915	5.9	0.19	5.8	0.19	1,158	5.5	0.16	5.5	0.16
IV. Neuroblastoma and other peripheral nervous cell tumors	1,843	11.6	0.27	13.5	0.31	1,883	8.9	0.20	10.6	0.25
IV(a). Neuroblastoma & ganglioneuroblastoma	1,810	11.4	0.27	13.3	0.31	1,830	8.6	0.20	10.4	0.24
V. Retinoblastoma	656	4.1	0.16	4.9	0.19	656	3.1	0.12	3.8	0.15
VI. Renal Tumors	1,281	8.1	0.23	9.2	0.26	1,382	6.5	0.17	7.5	0.20
VI(a). Nephroblastoma and other nonepithelial renal tumors	1,209	7.6	0.22	8.7	0.25	1,229	5.8	0.17	6.8	0.20
VII. Hepatic tumors	556	3.5	0.15	4.0	0.17	613	2.9	0.12	3.4	0.14
VII(a). Hepatoblastoma	479	3.0	0.14	3.6	0.16	481	2.3	0.10	2.8	0.13
VIII. Malignant bone tumors	1,122	7.2	0.22	6.5	0.20	2,075	9.7	0.21	8.9	0.20
VIII(a). Osteosarcomas	606	3.9	0.16	3.5	0.14	1,150	5.4	0.16	4.9	0.14
VIII(c). Ewing tumor and related sarcomas of bone	418	2.7	0.13	2.5	0.12	717	3.4	0.13	3.1	0.12
IX. Soft tissue and other extraosseous sarcomas	1,815	11.6	0.27	11.8	0.28	2,724	12.7	0.24	12.8	0.25
IX(a). Rhabdomyosarcomas	888	5.6	0.19	5.9	0.20	1,112	5.2	0.16	5.5	0.17
X. Germ cell & trophoblastic tumors & neoplasms of gonads	726	4.6	0.17	4.7	0.18	3,045	13.9	0.25	13.0	0.24
X(a). Intracranial & intraspinal germ cell tumors	308	2.0	0.11	1.8	0.10	537	2.5	0.11	2.3	0.10
X(c). Malignant gonadal germ cell tumors	267	1.7	0.10	1.9	0.11	2,205	10.0	0.21	9.2	0.20
XI. Other malignant epithelial neoplasms and melanomas	918	5.9	0.19	5.4	0.18	2,595	11.9	0.23	10.9	0.22
XI(b). Thyroid carcinomas	253	1.6	0.10	1.4	0.09	741	3.4	0.13	3.1	0.11
XI(d). Malignant melanomas	273	1.7	0.11	1.7	0.10	739	3.4	0.13	3.2	0.12
XII. Other & unspecified malignant neoplasms	105	0.7	0.06	0.7	0.07	135	0.6	0.05	0.7	0.06

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR North American Combined², 2009-2013, All Races, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	23,709	157.7	1.02	163.7	1.07	35,029	171.6	0.92	174.8	0.95
I. Leukemias	7,349	48.7	0.57	51.9	0.61	8,782	43.3	0.46	46.3	0.50
I(a). Lymphoid leukemias	5,531	36.7	0.49	39.3	0.53	6,086	30.1	0.39	32.8	0.42
I(b). Acute myeloid leukemias	1,144	7.6	0.22	8.0	0.24	1,666	8.2	0.20	8.4	0.21
II. Lymphomas & reticuloendothelial neoplasms	2,195	14.7	0.31	14.2	0.31	4,630	22.5	0.33	21.3	0.32
II(a). Hodgkin lymphomas	647	4.3	0.17	3.8	0.15	2,390	11.5	0.24	10.3	0.21
II(b, c, e). Non-Hodgkin lymphomas	959	6.4	0.21	6.2	0.20	1,597	7.8	0.20	7.5	0.19
III. CNS ³ & misc. intracranial & intraspinal neoplasms	4,933	32.9	0.47	33.7	0.48	6,012	29.7	0.38	30.7	0.40
III(a). Ependymomas and choroids plexus tumor	403	2.7	0.13	2.9	0.14	485	2.4	0.11	2.6	0.12
III(b). Astrocytomas	2,585	17.2	0.34	17.5	0.35	3,222	15.9	0.28	16.3	0.29
III(c). Intracranial and intraspinal embryonal tumors	879	5.8	0.20	6.2	0.21	968	4.8	0.15	5.2	0.17
III(d). Other gliomas	907	6.1	0.20	6.0	0.20	1,138	5.6	0.17	5.6	0.17
IV. Neuroblastoma and other peripheral nervous cell tumors	1,658	10.9	0.27	12.7	0.31	1,697	8.4	0.20	10.0	0.24
IV(a). Neuroblastoma & ganglioneuroblastoma	1,630	10.7	0.27	12.5	0.31	1,650	8.1	0.20	9.8	0.24
V. Retinoblastoma	694	4.6	0.17	5.4	0.21	695	3.4	0.13	4.2	0.16
VI. Renal Tumors	1,439	9.5	0.25	10.7	0.28	1,552	7.6	0.19	8.8	0.22
VI(a). Nephroblastoma and other nonepithelial renal tumors	1,375	9.1	0.24	10.3	0.28	1,395	6.9	0.18	8.1	0.22
VII. Hepatic tumors	338	2.2	0.12	2.5	0.14	413	2.0	0.10	2.3	0.11
VII(a). Hepatoblastoma	282	1.9	0.11	2.2	0.13	285	1.4	0.08	1.7	0.10
VIII. Malignant bone tumors	1,046	7.0	0.22	6.4	0.20	1,628	8.0	0.20	7.4	0.18
VIII(a). Osteosarcomas	601	4.0	0.16	3.6	0.15	937	4.6	0.15	4.2	0.14
VIII(c). Ewing tumor and related sarcomas of bone	357	2.4	0.13	2.2	0.12	512	2.5	0.11	2.4	0.11
IX. Soft tissue and other extrasosseous sarcomas	1,565	10.4	0.26	10.5	0.27	2,288	11.2	0.23	11.2	0.24
IX(a). Rhabdomyosarcomas	693	4.6	0.18	4.8	0.18	855	4.2	0.14	4.4	0.15
X. Germ cell & trophoblastic tumors & neoplasms of gonads	958	6.4	0.21	6.3	0.21	1,774	8.7	0.21	8.3	0.20
X(a). Intracranial & intraspinal germ cell tumors	167	1.1	0.09	1.1	0.08	199	1.0	0.07	1.0	0.07
X(c). Malignant gonadal germ cell tumors	459	3.1	0.14	2.8	0.13	945	4.6	0.15	4.2	0.14
XI. Other malignant epithelial neoplasms and melanomas	1,423	9.5	0.25	8.6	0.23	5,355	25.8	0.35	23.3	0.32
XI(b). Thyroid carcinomas	704	4.7	0.18	4.1	0.16	3,049	14.6	0.27	13.1	0.24
XI(d). Malignant melanomas	320	2.1	0.12	2.1	0.12	1,040	5.0	0.16	4.7	0.15
XII. Other & unspecified malignant neoplasms	111	0.7	0.07	0.8	0.07	203	1.0	0.07	1.0	0.07

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.