

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
10	Record Type	R	.	R	.	R	.	.	T	T	NAACCR	Revised
20	Patient ID Number	R	.	.	R	R	.	.	.	T	Reporting Registry	
21	Patient System ID-Hosp	T	.	NAACCR	
30	Registry Type	T	NAACCR	
35	FIN Coding System	NAACCR	
37	Reserved 00		
40	Registry ID	R	.	.	R	R	.	.	T	T	NAACCR	Revised
45	NPI--Registry ID	.	.	.	R*	NAACCR	
50	NAACCR Record Version	R	.	R	T	T	NAACCR	Revised
60	Tumor Record Number	.	.	.	S	S	.	.	T	T	NAACCR	
70	Addr at DX--City	R	R	R	R	.	.	.	T	T	CoC	
80	Addr at DX--State	R	R	R	R	.	.	.	T	T	CoC	
90	County at DX	R	R	R	R	R	.	.	T	T	FIPS/SEER	
100	Addr at DX--Postal Code	R	R	R	R	.	R	R	T	T	CoC	
110	Census Tract 1970/80/90	RH*	.	.	RH	RH	.	.	.	T*	SEER	
120	Census Cod Sys 1970/80/90	RH*	.	.	RH	RH	.	.	.	T*	SEER	
130	Census Tract 2000	R	.	.	R	R	.	.	.	T*	NAACCR	
140	Census Tract Cod Sys--Alt		Retired
150	Marital Status at DX	.	.	.	R	R	SEER	
160	Race 1	R	R	R	R	R	.	.	T	T	SEER/CoC	
161	Race 2	R	R	R	R	R	.	.	T	T	SEER/CoC	
162	Race 3	R	R	R	R	R	.	.	T	T	SEER/CoC	
163	Race 4	R	R	R	R	R	.	.	T	T	SEER/CoC	
164	Race 5	R	R	R	R	R	.	.	T	T	SEER/CoC	
170	Race Coding Sys--Current	.	R	R	T	T	NAACCR	
180	Race Coding Sys--Original	.	R	R	T	T	NAACCR	
190	Spanish/Hispanic Origin	R	R	R	R	R	.	.	T	T	SEER/CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
191	NHIA Derived Hisp Origin	D	.	.	D	R	NAACCR	
192	IHS Link	R*	.	.	.	R	NPCR	
200	Computed Ethnicity	R	.	.	D	R	SEER	
210	Computed Ethnicity Source	R	.	.	R	R	SEER	
220	Sex	R	R	R	R	R	.	.	T	T	SEER/CoC	
230	Age at Diagnosis	R	R	R	R	R	SEER/CoC	
240	Birth Date	R	R	R	R	R	R	R	T	T	SEER/CoC	
250	Birthplace	R*	R	R	R	R	.	.	T*	T	SEER/CoC	
260	Religion	Varies	
270	Occupation Code--Census	R*	Census/NPCR	
280	Industry Code--Census	R*	Census/NPCR	
290	Occupation Source	R*	NPCR	
300	Industry Source	R*	NPCR	
310	Text--Usual Occupation	R*	T*	T*	NPCR	
320	Text--Usual Industry	R*	T*	T*	NPCR	
330	Occup/Ind Coding System	R*	NPCR	
340	Tobacco History	Varies	
350	Alcohol History	Varies	
360	Family History of Cancer	Varies	
362	Census Block Group 2000	.	.	.	S	Census	Revised
364	Census Tr Cert 1970/80/90	RH*	.	.	RH	RH	SEER	
365	Census Tr Certainty 2000	R	.	.	R	R	NAACCR	
366	GIS Coordinate Quality	R*	.	.	S	NAACCR	
368	CensusBlockGroup 70/80/90	.	.	.	S	Census	New
370	Reserved 01		
380	Sequence Number--Central	R	.	.	R	R	.	.	.	T	SEER	
390	Date of Diagnosis	R	R	R	R	R	.	.	T	T	SEER/CoC	
400	Primary Site	R	R	R	R	R	.	.	T	T	SEER/CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
410	Laterality	R	R	R	R	R	.	.	T	T	SEER/CoC	
419	Morph --Type&Behav ICD-O-2		
420	Histology (92-00) ICD-O-2	RH	RH	RH	RH	RH	RH	RH	TH	TH	SEER/CoC	
430	Behavior (92-00) ICD-O-2	RH	RH	RH	RH	RH	RH	RH	TH	TH	SEER/CoC	
440	Grade	R	R	R	R	R	R	R	T	T	SEER/CoC	
442	Ambiguous Terminology DX	.	R	R	R	R	SEER	
443	Date of Conclusive DX	.	R	R	R	R	SEER	
444	Mult Tum Rpt as One Prim	.	R	R	R	R	SEER	
445	Date of Multiple Tumors	.	R	R	R	R	SEER	
446	Multiplicity Counter	.	R	R	R	R	SEER	
447	Number of Tumors/Hist		Retired
450	Site Coding Sys--Current	R	R	R	T	T	NAACCR	
460	Site Coding Sys--Original	.	R	R	T	T	NAACCR	
470	Morph Coding Sys --Current	R	R	R	T	T	NAACCR	
480	Morph Coding Sys --Originl	.	R	R	T	T	NAACCR	
490	Diagnostic Confirmation	R	R	R	R	R	.	.	T	T	SEER/CoC	
500	Type of Reporting Source	R	.	.	R	R	.	.	T	T	SEER	
501	Casefinding Source	.	.	.	R	R	.	.	T*	T*	NAACCR	
510	Screening Date	NAACCR	
520	Screening Result	NAACCR	
521	Morph --Type&Behav ICD-O-3		
522	Histologic Type ICD-O-3	R	R	R	R	R	R	R	T	T	SEER/CoC	
523	Behavior Code ICD-O-3	R	R	R	R	R	R	R	T	T	SEER/CoC	
530	Reserved 02		
535	Reserved 25		
538	Reporting Hospital FAN		Retired
540	Reporting Facility	R	R	R	R	.	.	.	T	.	CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
545	NPI --Reporting Facility	R*	R*	R*	R*	NAACCR	
550	Accession Number--Hosp	.	R	R	R	.	.	.	T*	.	CoC	
560	Sequence Number--Hospital	.	R	R	R	.	.	.	T	.	CoC	
570	Abstracted By	.	R	R	R	CoC	
580	Date of 1st Contact	R	R	R	T	.	CoC	
590	Date of Inpatient Adm	NAACCR	
600	Date of Inpatient Disch	NAACCR	
610	Class of Case	R	R	R	RC	.	.	.	T	.	CoC	
615	Reserved 26		
620	Year First Seen This CA		Retired
630	Primary Payer at DX	R*	R	R	R	R	CoC	
640	Inpatient/Outpt Status		Retired
650	Presentation at CA Conf		Retired
660	Date of CA Conference		Retired
670	RX Hosp -- Surg Prim Site	.	R	R	R	.	.	.	T*	.	CoC	
672	RX Hosp -- Scope Reg LN Sur	.	R	R	R	.	.	.	T*	.	CoC	
674	RX Hosp -- Surg Oth Reg/Dis	.	R	R	R	.	.	.	T*	.	CoC	
676	RX Hosp -- Reg LN Removed	.	.	RH	T*	.	CoC	
680	Reserved 03		
690	RX Hosp -- Radiation	.	.	.	RH	.	.	.	TH*	.	SEER/CoC	
700	RX Hosp -- Chemo	.	R	R	R	.	.	.	T*	.	CoC	
710	RX Hosp -- Hormone	.	R	R	R	.	.	.	T*	.	CoC	
720	RX Hosp -- BRM	.	R	R	R	.	.	.	T*	.	CoC	
730	RX Hosp -- Other	.	R	R	R	.	.	.	T*	.	CoC	
740	RX Hosp -- DX/Stg Proc	.	R	R	CoC	
741	Reserved 28		
742	RX Hosp -- Screen/BX Proc1		Retired

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
743	RX Hosp -- Screen/BX Proc2											Retired
744	RX Hosp -- Screen/BX Proc3											Retired
745	RX Hosp -- Screen/BX Proc4											Retired
746	RX Hosp -- Surg Site 98-02	.	.	RH	RH	.	.	.	TH*	.	CoC	
747	RX Hosp -- Scope Reg 98-02	.	.	RH	RH	.	.	.	TH*	.	CoC	
748	RX Hosp -- Surg Oth 98-02	.	.	RH	RH	.	.	.	TH*	.	CoC	
750	Reserved 04		
759	SEER Summary Stage 2000	RH	RH	RH	.	S	.	.	TH*	TH*	SEER	
760	SEER Summary Stage 1977	RH	RH	RH	.	S	.	.	TH*	TH*	SEER	
765	Reserved 29		
770	Loc/Reg/Distant Stage											Retired
779	Extent of Disease 10-Dig											
780	EOD--Tumor Size	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	
790	EOD--Extension	.	.	.	RH	RH	.	.	TH*	TH*	SEER	
800	EOD--Extension Prost Path	.	.	.	RH	RH	.	.	TH*	TH*	SEER	
810	EOD--Lymph Node Involv	.	.	.	RH	RH	.	.	TH*	TH*	SEER	
820	Regional Nodes Positive	.	R	R	R	R	R*	R*	T*	T*	SEER/CoC	
830	Regional Nodes Examined	.	R	R	R	R	R*	R*	T*	T*	SEER/CoC	
840	EOD--Old 13 Digit	.	.	.	RH	RH	SEER	
850	EOD--Old 2 Digit	.	.	.	RH	RH	SEER	
860	EOD--Old 4 Digit	.	.	.	RH	RH	SEER	
870	Coding System for EOD	.	.	.	RH	RH	.	.	.	TH*	SEER	
880	TNM Path T	.	R	R	T*	T*	AJCC	
890	TNM Path N	.	R	R	T*	T*	AJCC	
900	TNM Path M	.	R	R	T*	T*	AJCC	
910	TNM Path Stage Group	.	R	R	T*	T*	AJCC	
920	TNM Path Descriptor	.	R	R	T*	T*	CoC	
930	TNM Path Staged By	.	R	R	T*	T*	CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
940	TNM Clin T	.	R	R	T*	T*	AJCC	
950	TNM Clin N	.	R	R	T*	T*	AJCC	
960	TNM Clin M	.	R	R	T*	T*	AJCC	
970	TNM Clin Stage Group	.	R	R	T*	T*	AJCC	
980	TNM Clin Descriptor	.	R	R	T*	T*	CoC	
990	TNM Clin Staged By	.	R	R	T*	T*	CoC	
995	Reserved 30		
1000	TNM Other T											Retired
1010	TNM Other N											Retired
1020	TNM Other M											Retired
1030	TNM Other Stage Group											Retired
1040	TNM Other Staged By											Retired
1050	TNM Other Descriptor											Retired
1060	TNM Edition Number	.	R	R	T*	T*	CoC	
1065	Reserved 31		
1070	Other Staging System											Retired
1080	Date of 1st Positive BX	NAACCR	
1090	Site of Distant Met 1	.	.	RH	CoC	
1100	Site of Distant Met 2	.	.	RH	CoC	
1110	Site of Distant Met 3	.	.	RH	CoC	
1120	Pediatric Stage	CoC	
1130	Pediatric Staging System	CoC	
1140	Pediatric Staged By	CoC	
1150	Tumor Marker 1	.	.	RH	RH	RH	.	.	TH*	TH*	SEER	
1160	Tumor Marker 2	.	.	RH	RH	RH	.	.	TH*	TH*	SEER	
1170	Tumor Marker 3	.	.	RH	RH	RH	.	.	TH*	TH*	SEER	
1180	Reserved 05		
1190	Reserved 06		

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1200	RX Date--Surgery	.	R	R	S	.	.	.	T*	T*	CoC	
1210	RX Date--Radiation	.	R	R	S	.	.	.	T*	T*	CoC	
1220	RX Date--Chemo	TH*	TH*	NAACCR	
1230	RX Date--Hormone	TH*	TH*	NAACCR	
1240	RX Date--BRM	.	.	.	S	.	.	.	TH*	TH*	NAACCR	
1250	RX Date--Other	.	R	R	S	.	.	.	T*	T*	CoC	
1260	Date of Initial RX--SEER	R#	.	.	R	R	.	.	T*	T*	SEER	
1270	Date of 1st Crs RXcCoC	R#	R	R	T*	T*	CoC	
1280	RX Date--DX/Stg Proc	.	R	R	CoC	
1290	RX Summ--Surg Prim Site	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1292	RX Summ--Scope Reg LN Sur	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1294	RX Summ--Surg Oth Reg/Dis	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1296	RX Summ--Reg LN Examined	.	.	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	
1300	Reserved 07		
1310	RX Summ--Surgical Approch	.	.	RH	CoC	
1320	RX Summ--Surgical Margins	.	R	R	CoC	
1330	RX Summ--Reconstruct 1st	.	.	.	RH	RH	SEER	
1340	Reason for No Surgery	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1350	RX Summ--DX/Stg Proc	.	R	R	CoC	
1355	Reserved 22		
1360	RX Summ--Radiation	D	.	.	R	R	.	.	TH*	TH*	SEER	Revised
1370	RX Summ--Rad to CNS	.	.	.	R	R	SEER/CoC	
1380	RX Summ--Surg/Rad Seq	R	R	R	R	R	.	.	T	T*	SEER/CoC	
1390	RX Summ--Chemo	R	R	R	R	R	.	.	T*	T*	SEER/CoC	
1400	RX Summ--Hormone	R	R	R	R	R	.	.	T*	T*	SEER/CoC	
1410	RX Summ--BRM	R	R	R	R	R	.	.	T*	T*	SEER/CoC	
1420	RX Summ--Other	R	R	R	R	R	.	.	T*	T*	SEER/CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1430	Reason for No Radiation	.	R	R	CoC	
1435	Reserved 32		
1440	Reason for No Chemo											Retired
1450	Reason for No Hormone											Retired
1460	RX Coding System--Current	R	R	R	.	RH	.	.	T*	T*	NAACCR	
1465	Reserved 33		
1470	Protocol Eligibility Stat											Retired
1480	Protocol Participation											Retired
1490	Referral to Support Serv											Retired
1500	First Course Calc Method	NAACCR	
1510	Rad--Regional Dose: CGY	.	R	R	T	.	CoC	
1520	Rad--No of Treatment Vol	.	R	R	T	.	CoC	
1530	Rad--Elapsed RX Days											Retired
1535	Reserved 34		
1540	Rad--Treatment Volume	.	R	R	T	.	CoC	
1550	Rad--Location of RX	.	R	R	T	.	CoC	
1555	Reserved 35		
1560	Rad--Intent of Treatment											Retired
1570	Rad--Regional RX Modality	R	R	R	RC	.	.	.	T	T*	CoC	
1580	Rad--RX Completion Status											Retired
1590	Rad--Local Control Status											Retired
1600	Chemotherapy Field 1											Retired
1610	Chemotherapy Field 2											Retired
1620	Chemotherapy Field 3											Retired
1630	Chemotherapy Field 4											Retired
1635	Reserved 23		
1639	RX Summ--Systemic/Sur Seq	R	R	R	R	R	.	.	T	T	CoC	
1640	RX Summ--Surgery Type	.	.	.	RH	RH	.	.	TH*	TH*	SEER	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1641	Reserved 36
1642	RX Summ--Screen/BX Proc1	Retired
1643	RX Summ--Screen/BX Proc2	Retired
1644	RX Summ--Screen/BX Proc3	Retired
1645	RX Summ--Screen/BX Proc4	Retired
1646	RX Summ--Surg Site 98-02	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	
1647	RX Summ--Scope Reg 98-02	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	
1648	RX Summ--Surg Oth 98-02	.	RH	RH	RH	RH	.	.	TH*	TH*	SEER/CoC	
1650	Reserved 08
1660	Subsq RX 2nd Course Date	CoC	
1670	Subsq RX 2nd Course Codes		
1671	Subsq RX 2nd Course Surg	CoC	
1672	Subsq RX 2nd Course Rad	CoC	
1673	Subsq RX 2nd Course Chemo	CoC	
1674	Subsq RX 2nd Course Horm	CoC	
1675	Subsq RX 2nd Course BRM	CoC	
1676	Subsq RX 2nd Course Oth	CoC	
1677	Subsq RX 2nd --Scope LN SU	CoC	
1678	Subsq RX 2nd --Surg Oth	CoC	
1679	Subsq RX 2nd --Reg LN Rem	CoC	
1680	Subsq RX 3rd Course Date	CoC	
1690	Subsq RX 3rd Course Codes		
1691	Subsq RX 3rd Course Surg	CoC	
1692	Subsq RX 3rd Course Rad	CoC	
1693	Subsq RX 3rd Course Chemo	CoC	
1694	Subsq RX 3rd Course Horm	CoC	
1695	Subsq RX 3rd Course BRM	CoC	
1696	Subsq RX 3rd Course Oth	CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1697	Subsq RX 3rd--Scope LN Su	CoC	
1698	Subsq RX 3rd--Surg Oth	CoC	
1699	Subsq RX 3rd--Reg LN Rem	CoC	
1700	Subsq RX 4th Course Date	CoC	
1710	Subsq RX 4th Course Codes		
1711	Subsq RX 4th Course Surg	CoC	
1712	Subsq RX 4th Course Rad	CoC	
1713	Subsq RX 4th Course Chemo	CoC	
1714	Subsq RX 4th Course Horm	CoC	
1715	Subsq RX 4th Course BRM	CoC	
1716	Subsq RX 4th Course Oth	CoC	
1717	Subsq RX 4th--Scope LN Su	CoC	
1718	Subsq RX 4th--Surg Oth	CoC	
1719	Subsq RX 4th--Reg LN Rem	CoC	
1720	Subsq RX 5th Course Date		Retired
1725	Reserved 37		
1726	Reserved 38		
1730	Subsq RX 5th Course Codes		Retired
1731	Subsq RX 5th Course Surg		Retired
1732	Subsq RX 5th Course Rad		Retired
1733	Subsq RX 5th Course Chemo		Retired
1734	Subsq RX 5th Course Horm		Retired
1735	Subsq RX 5th Course BRM		Retired
1736	Subsq RX 5th Course Oth		Retired
1737	Subsq RX 5th--Scope LN Su		Retired
1738	Subsq RX 5th--Surg Oth		Retired
1739	Subsq RX 5th--Reg LN Rem		Retired
1740	Reserved 09		

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1741	Subsq RX--Reconstruct Del	CoC	
1750	Date of Last Contact	R	R	R	R	R	.	.	T	T	SEER/CoC	
1760	Vital Status	R	R	R	R	R	.	.	T	T	SEER/CoC	
1770	Cancer Status	.	R	R	CoC	
1780	Quality of Survival	CoC	
1790	Follow-Up Source	R*	R	R	T*	.	CoC	Revised
1791	Follow-up Source Central	R	T*	NAACCR	
1800	Next Follow-Up Source	.	R	CoC	
1810	Addr Current --City	.	R	.	R	.	.	.	T*	.	CoC	
1820	Addr Current --State	.	R	.	R	.	.	.	T*	.	CoC	
1830	Addr Current --Postal Code	.	R	.	R	.	.	.	T*	.	CoC	
1835	Reserved 10		
1840	County--Current	NAACCR	
1842	Follow-Up Contact--City	.	.	.	R	.	.	.	T*	.	SEER	
1844	Follow-Up Contact--State	.	.	.	R	.	.	.	T*	.	SEER	
1846	Follow-Up Contact--Postal	.	.	.	R	.	.	.	T*	.	SEER	
1850	Unusual Follow-Up Method	CoC	
1860	Recurrence Date--1st	.	R	R	RC	.	.	.	T*	.	CoC	
1870	Recurrence Distant Sites		Retired
1871	Recurrence Distant Site 1	NAACCR	
1872	Recurrence Distant Site 2	NAACCR	
1873	Recurrence Distant Site 3	NAACCR	
1880	Recurrence Type --1st	.	R	R	RC	.	.	.	T*	.	CoC	
1890	Recurrence Type --1st--Oth		Retired
1895	Reserved 39		
1900	Reserved 11		
1910	Cause of Death	R	.	.	R	R	.	.	.	T	SEER	
1920	ICD Revision Number	R	.	.	R	R	.	.	.	T	SEER	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1930	Autopsy	NAACCR	
1940	Place of Death	R	T*	T*	NPCR	
1960	Site (73-91) ICD-O-1	.	.	.	RH	RH	SEER	
1970	Morph (73-91) ICD-O-1		
1971	Histology (73-91) ICD-O-1	.	.	.	RH	RH	SEER	
1972	Behavior (73-91) ICD-O-1	.	.	.	RH	RH	SEER	
1973	Grade (73-91) ICD-O-1	.	.	.	RH	RH	SEER	
1980	ICD-O-2 Conversion Flag	.	R	R	R	R	.	.	T*	T*	SEER	
1981	Over-ride SS/NodesPos	T*	T*	NAACCR	
1982	Over-ride SS/TNM-N	T*	T*	NAACCR	
1983	Over-ride SS/TNM-M	T*	T*	NAACCR	
1984	Over-ride SS/DisMet1	T*	T*	NAACCR	
1985	Over-ride Acsn/Class/Seq	.	R	R	T*	T*	CoC	
1986	Over-ride HospSeq/DxConf	.	R	R	T*	T*	CoC	
1987	Over-ride CoC-Site/Type	.	R	R	T*	T*	CoC	
1988	Over-ride HospSeq/Site	.	R	R	T*	T*	CoC	
1989	Over-ride Site/TNM-StgGrp	.	R	R	T*	T*	CoC	
1990	Over-ride Age/Site/Morph	R	R	R	R	R	.	.	T*	T*	SEER	
2000	Over-ride SeqNo/DxConf	R	.	.	R	R	.	.	T*	T*	SEER	
2010	Over-ride Site/Lat/SeqNo	R	.	.	R	R	.	.	T*	T*	SEER	
2020	Over-ride Surg/DxConf	R	R	R	R	R	.	.	T*	T*	SEER	
2030	Over-ride Site/Type	R	R	R	R	R	.	.	T*	T*	SEER	
2040	Over-ride Histology	R	R	R	R	R	.	.	T*	T*	SEER	
2050	Over-ride Report Source	R	.	.	R	R	.	.	T*	T*	SEER	
2060	Over-ride Ill-define Site	R	.	.	R	R	.	.	T*	T*	SEER	
2070	Over-ride Leuk, Lymphoma	R	R	R	R	R	.	.	T*	T*	SEER	
2071	Over-ride Site/Behavior	R	R	R	R	R	.	.	T*	T*	SEER	
2072	Over-ride Site/EOD/DX Dt	.	.	.	R	R	.	.	T*	T*	SEER	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
2073	Over-ride Site/Lat/EOD	.	.	.	R	R	.	.	T*	T*	SEER	
2074	Over-ride Site/Lat/Morph	R	R	R	R	R	.	.	T*	T*	SEER	
2080	Reserved 13											Retired
2081	CRC CHECKSUM	.	.	.	S	S	NAACCR	
2082	Reserved 24		
2090	Date Case Completed	NAACCR	
2100	Date Case Last Changed	NAACCR	
2110	Date Case Report Exported	R	.	R	T	.	NPCR	
2111	Date Case Report Received	R	NPCR	
2112	Date Case Report Loaded	R	NPCR	
2113	Date Tumor Record Availbl	R	NPCR	
2114	Future Use Timeliness 1											Retired
2115	Future Use Timeliness 2											Retired
2116	ICD-O-3 Conversion Flag	R	R	R	R	R	.	.	T	T	SEER/CoC	
2120	SEER Coding Sys --Current	R	.	.	T*	T*	NAACCR	
2130	SEER Coding Sys --Original	R	.	.	T*	T*	NAACCR	
2140	CoC Coding Sys --Current	.	R	R	T*	T*	CoC	
2150	CoC Coding Sys --Original	.	R	R	T*	T*	CoC	
2160	Subsq Report for Primary											Retired
2161	Reserved 20											Retired
2170	Vendor Name	.	.	R	T	T	NAACCR	
2180	SEER Type of Follow-Up	.	.	.	R	R	SEER	
2190	SEER Record Number	R	SEER	
2200	Diagnostic Proc 73-87	.	.	.	RH	RH	SEER	
2210	Reserved 14											Retired
2220	State/Requestor Items	Varies	
2230	Name--Last	R	R	.	R	.	.	.	T	T	NAACCR	
2240	Name--First	R	R	.	R	.	.	.	T	T	NAACCR	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
2250	Name--Middle	R	R	.	R	.	.	.	T*	T*	CoC	
2260	Name--Prefix	SEER	
2270	Name--Suffix	.	.	.	R	.	.	.	T*	T*	SEER	
2280	Name--Alias	R	.	.	R	.	.	.	T*	T*	SEER	
2290	Name--Spouse/Parent	NAACCR	
2300	Medical Record Number	R	R	.	R	.	.	.	T	.	CoC	
2310	Military Record No Suffix	.	R	CoC	
2320	Social Security Number	R	R	.	R	.	.	.	T	T	CoC	
2330	Addr at DX --No & Street	R	R	.	R	.	.	.	T	T	CoC	
2335	Addr at DX --Supplementl	R	R	.	R	.	.	.	T*	T*	CoC	
2350	Addr Current --No & Street	.	R	.	R	.	.	.	T*	T*	CoC	
2352	Latitude	R*	.	.	S	NAACCR	
2354	Longitude	R*	.	.	S	NAACCR	
2355	Addr Current --Supplementl	.	R	.	R	.	.	.	T*	.	CoC	
2360	Telephone	.	R	.	R	.	.	.	T*	T*	CoC	
2370	DC State											Retired
2371	Reserved 21											Retired
2380	DC State File Number	R	.	.	R*	T*	State	
2390	Name--Maiden	R	.	.	R	.	.	.	T*	T*	SEER	
2392	Follow-Up Contact--No&St	.	.	.	R	SEER	
2393	Follow-Up Contact--Suppl	.	.	.	R	SEER	
2394	Follow-Up Contact--Name	.	.	.	R	SEER	
2400	Reserved 16											Retired
2410	Institution Referred From	.	R	T*	.	CoC	
2415	NPI--Inst Referred From	.	R*	NAACCR	
2420	Institution Referred To	.	R	T*	.	CoC	
2425	NPI--Inst Referred To	.	R*	NAACCR	
2430	Last Follow-Up Hospital											Retired

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
2435	Reserved 40		
2440	Following Registry	.	R	.	R	CoC	
2445	NPI --Following Registry	.	.	.	R*	NAACCR	
2450	Reserved 17		Retired
2460	Physician--Managing	NAACCR	
2465	NPI --Physician--Managing	.	R	NAACCR	Revised
2470	Physician--Follow-Up	.	R	.	R	.	.	.	T*	T*	CoC	
2475	NPI--Physician--Follow-Up	.	R*	R*	R*	NAACCR	
2480	Physician--Primary Surg	.	R	CoC	
2485	NPI --Physician--Primary Surg	.	R*	R*	NAACCR	
2490	Physician 3	.	R	CoC	
2495	NPI--Physician 3	.	R*	R*	NAACCR	
2500	Physician 4	.	R	CoC	
2505	NPI--Physician 4	.	R*	R*	NAACCR	
2520	Text--DX Proc--PE	R^	.	.	R	.	.	.	T*	T*	NPCR	
2530	Text--DX Proc--X-ray/Scan	R^	.	.	R	.	.	.	T*	T*	NPCR	
2540	Text--DX Proc--Scopes	R^	.	.	R	.	.	.	T*	T*	NPCR	
2550	Text--DX Proc--Lab Tests	R^	.	.	R	.	.	.	T*	T*	NPCR	
2560	Text--DX Proc--Op	R^	.	.	R	.	.	.	T*	T*	NPCR	
2570	Text--DX Proc--Path	R^	.	.	R	.	.	.	T*	T*	NPCR	
2580	Text--Primary Site Title	R^	.	.	R	.	.	.	T*	T*	NPCR	
2590	Text--Histology Title	R^	.	.	R	.	.	.	T*	T*	NPCR	
2600	Text--Staging	R^	.	.	R	.	.	.	T*	T*	NPCR	
2610	RX Text--Surgery	R^	.	.	R	.	.	.	T*	T*	NPCR	
2620	RX Text--Radiation (Beam)	R^	.	.	R	.	.	.	T*	T*	NPCR	
2630	RX Text--Radiation Other	R^	.	.	R	.	.	.	T*	T*	NPCR	
2640	RX Text--Chemo	R^	.	.	R	.	.	.	T*	T*	NPCR	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
2650	RX Text--Hormone	R^	.	.	R	.	.	.	T*	T*	NPCR	
2660	RX Text--BRM	R^	.	.	R	.	.	.	T*	T*	NPCR	
2670	RX Text--Other	R^	.	.	R	.	.	.	T*	T*	NPCR	
2680	Text--Remarks	.	.	.	R	.	.	.	T*	T*	NPCR	
2690	Text--Place of Diagnosis	NPCR	
2700	Reserved 19		
2800	CS Tumor Size	R	R	R	R	R	R*	R*	T	T	AJCC	Revised
2810	CS Extension	R	R	R	R	R	R*	R*	T	T	AJCC	
2820	CS Tumor Size/Ext Eval	R	R	R	.	.	R*	R*	T*	T*	AJCC	Revised
2830	CS Lymph Nodes	R	R	R	R	R	R*	R*	T	T	AJCC	
2840	CS Reg Node Eval	.	R	R	.	.	R*	R*	T*	T*	AJCC	
2850	CS Mets at DX	R	R	R	R	R	R*	R*	T	T	AJCC	
2860	CS Mets Eval	.	R	R	.	.	R*	R*	T*	T*	AJCC	
2880	CS Site-Specific Factor 1	RS	R	R	R	R	R*	R*	T	T	AJCC	
2890	CS Site-Specific Factor 2	.	R	R	R	R	R*	R*	T	T	AJCC	
2900	CS Site-Specific Factor 3	RS	R	R	R	R	R*	R*	T	T	AJCC	
2910	CS Site-Specific Factor 4	.	R	R	R	R	R*	R*	T	T	AJCC	
2920	CS Site-Specific Factor 5	.	R	R	R	R	R*	R*	T	T	AJCC	
2930	CS Site-Specific Factor 6	.	R	R	R	R	R*	R*	T	T	AJCC	
2935	CS Version 1st	R	R	R	R	R	R*	R*	.	.	AJCC	
2936	CS Version Latest	R	R	R	R	R	R*	R*	.	.	AJCC	
2940	Derived AJCC T	.	D	D	D	D	R*	R*	T*	T*	AJCC	
2950	Derived AJCC T Descriptor	.	D	D	.	.	R*	R*	T*	T*	AJCC	
2960	Derived AJCC N	.	D	D	D	D	R*	R*	T*	T*	AJCC	
2970	Derived AJCC N Descriptor	.	D	D	.	.	R*	R*	T*	T*	AJCC	
2980	Derived AJCC M	.	D	D	D	D	R*	R*	T*	T*	AJCC	
2990	Derived AJCC M Descriptor	.	D	D	.	.	R*	R*	T*	T*	AJCC	
3000	Derived AJCC Stage Group	.	D	D	D	D	R*	R*	T*	T*	AJCC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
3010	Derived SS1977	.	D	D	D	D	R*	R*	T*	T*	AJCC	
3020	Derived SS2000	D	D	D	D	D	R*	R*	T*	T*	AJCC	
3030	Derived AJCC --Flag	.	R	R	D	D	R*	R*	T*	T*	AJCC	
3040	Derived SS1977 --Flag	.	R	R	D	D	R*	R*	T*	T*	AJCC	
3050	Derived SS2000 --Flag	D	R	R	D	D	R*	R*	T*	T*	AJCC	
3100	Archive FIN	.	R	R	CoC	
3105	NPI--Archive FIN	.	R*	R*	NAACCR	
3110	Comorbid/Complication 1	.	R	R	T*	.	CoC	
3120	Comorbid/Complication 2	.	R	R	T*	.	CoC	
3130	Comorbid/Complication 3	.	R	R	T*	.	CoC	
3140	Comorbid/Complication 4	.	R	R	T*	.	CoC	
3150	Comorbid/Complication 5	.	R	R	T*	.	CoC	
3160	Comorbid/Complication 6	.	R	R	T*	.	CoC	
3161	Comorbid/Complication 7	.	R	R	T*	.	CoC	
3162	Comorbid/Complication 8	.	R	R	T*	.	CoC	
3163	Comorbid/Complication 9	.	R	R	T*	.	CoC	
3164	Comorbid/Complication 10	.	R	R	T*	.	CoC	
3165	ICD Revision Comorbid	.	R	R	T*	.	CoC	
3170	RX Date--Most Defn Surg	.	R	R	T*	.	CoC	
3180	RX Date--Surgical Disch	.	R	R	CoC	
3190	Readm Same Hosp 30 Days	.	R	R	CoC	
3200	Rad--Boost RX Modality	.	R	R	RC	.	.	.	T*	T*	CoC	
3210	Rad--Boost Dose cGy	.	R	R	CoC	
3220	RX Date--Radiation Ended	.	R	R	CoC	
3230	RX Date--Systemic	.	R	R	S	.	.	.	T*	T*	CoC	
3250	RX Summ--Transplnt/Endocr	R	R	R	R	R	.	.	T*	T*	CoC	
3260	Pain Assessment											Retired
3270	RX Summ --Palliative Proc	.	R	R	T*	.	CoC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR	CoC		SEER		CCCR		Exchange Elements		Source of Standard	Note
		Collect	Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
3280	RX Hosp --Palliative Proc	.	R	R	T*	.	CoC	
3300	RuralUrban Continuum 1993	D	NAACCR	
3310	RuralUrban Continuum 2003	D	NAACCR	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.