

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
10	Record Type	•	•	R	•	R	NAACCR	
20	Patient ID Number	R	•	•	R	R	Reporting Registry	
30	Registry Type	•	•	•	•	•	NAACCR	
35	FIN Coding System	S	•	•	•	•	NAACCR	
37	Reserved 00	•	•	•	•	•		
40	Registry ID	S	•	•	R	R	NAACCR	
50	NAACCR Record Version	R	•	R	•	•	NAACCR	
60	Tumor Record Number	S	•	•	•	•	NAACCR	Revised
70	Addr at DX–City	R	R	R	R	•	COC	
80	Addr at DX–State	R	R	R	R	•	NAACCR	
90	County at DX	R	R	R	R	R	FIPS/SEER	
100	Addr at DX–Postal Code	R	R	R	R	•	NAACCR	
110	Census Tract 1970/80/90	RH	•	•	RH	RH	SEER	
120	Census Cod Sys 1970/80/90	RH	•	•	RH	RH	SEER	
130	Census Tract 2000	R	•	•	R	R	SEER	
140	Census Tract Cod Sys--Alt	•	•	•	•	•	NAACCR	Retired
150	Marital Status at DX	S	•	•	R	R	SEER	
160	Race 1	R	R	R	R	R	SEER/COC	
161	Race 2	R	R	R	R	R	SEER/COC	
162	Race 3	R	R	R	R	R	SEER/COC	
163	Race 4	R	R	R	R	R	SEER/COC	
164	Race 5	R	R	R	R	R	SEER/COC	
170	Race Coding Sys--Current	•	R	R	•	•	NAACCR	
180	Race Coding Sys--Original	•	R	R	•	•	NAACCR	
190	Spanish/Hispanic Origin	R	R	R	R	R	SEER/COC	
200	Computed Ethnicity	S	•	•	R	R	NAACCR	
210	Computed Ethnicity Source	S	•	•	R	R	NAACCR	
220	Sex	R	R	R	R	R	SEER/COC	
230	Age at Diagnosis	R	R	R	R	R	SEER/COC	
240	Birth Date	R	R	R	R	R	SEER/COC	
250	Birthplace	R*	R	R	R	R	SEER/COC	
260	Religion	•	•	•	•	•	Varies	
270	Occupation Code--Census	S	•	•	•	•	Census/NPCR	
280	Industry Code--Census	S	•	•	•	•	Census/NPCR	
290	Occupation Source	S	•	•	•	•	NPCR	
300	Industry Source	S	•	•	•	•	NPCR	
310	Text--Usual Occupation	R*	•	•	•	•	NPCR	
320	Text--Usual Industry	R*	•	•	•	•	NPCR	
330	Occup/Ind Coding System	S	•	•	•	•	NPCR	
340	Tobacco History	•	•	•	•	•	Varies	

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available.  
 \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
350	Alcohol History	•	•	•	•	•	Varies	
360	Family History of Cancer	•	•	•	•	•	Varies	
362	Census Tract Block Group	•	•	•	•	•	Census	
364	Census Tr Cert 1970/80/90	RH	•	•	RH	RH	SEER	
365	Census Tr Certainty 2000	R	•	•	R	R	SEER	
370	Reserved 01	•	•	•	•	•		
380	Sequence Number--Central	R	•	•	R	R	NAACCR	
390	Date of Diagnosis	R	R	R	R	R	SEER/COC	
400	Primary Site	R	R	R	R	R	SEER/COC	
410	Laterality	R	R	R	R	R	SEER/COC	
419	Morph--Type&Behav ICD-O-2							
420	Histology (92-00) ICD-O-2	RH	•	RH	RH	RH	SEER/COC	
430	Behavior (92-00) ICD-O-2	RH	•	RH	RH	RH	SEER/COC	
440	Grade	R	R	R	R	R	SEER/COC	
450	Site Coding Sys--Current	S	R	R	•	•	NAACCR	
460	Site Coding Sys--Original	•	R	R	•	•	NAACCR	
470	Morph Coding Sys--Current	S	R	R	•	•	NAACCR	
480	Morph Coding Sys--Originl	•	R	R	•	•	NAACCR	
490	Diagnostic Confirmation	R	R	R	R	R	SEER/COC	
500	Type of Reporting Source	R	•	•	R	R	SEER	
510	Screening Date	•	•	•	•	•	COC	
520	Screening Result	•	•	•	•	•	COC	
521	Morph--Type&Behav ICD-O-3							
522	Histologic Type ICD-O-3	R	R	R	R	R	SEER/COC	
523	Behavior Code ICD-O-3	R	R	R	R	R	SEER/COC	
530	Reserved 02	•	•	•	•	•		
538	Reporting Hospital FAN	•	•	•	•	•	COC	
540	Reporting Hospital	S	R	R	R	•	COC	
550	Accession Number--Hosp	S	R	R	R	•	COC	
560	Sequence Number--Hospital	S	R	R	R	•	COC	
570	Abstracted By	•	R	R	R	•	COC	
580	Date of 1st Contact	R	R	R	•	•	NAACCR	
590	Date of Inpatient Adm	•	•	•	•	•	COC	
600	Date of Inpatient Disch	•	•	•	•	•	COC	
610	Class of Case	S	R	R	RC	•	COC	
620	Year First Seen This CA	•	•	•	•	•	COC	
630	Primary Payer at DX	•	R	R	•	•	COC	
640	Inpatient/Outpt Status	•	•	•	•	•	COC	
650	Presentation at CA Conf	•	•	•	•	•	COC	
660	Date of CA Conference	•	•	•	•	•	COC	

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available. \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
670	RX Hosp –Surg Prim Site	•	R	R	R	•	COC	
672	RX Hosp –Scope Reg LN Sur	•	R	R	R	•	COC	
674	RX Hosp –Surg Oth Reg/Dis	•	R	R	R	•	COC	
676	RX Hosp –Reg LN Removed	•	•	RH	•	•	COC	Revised
680	Reserved 03	•	•	•	•	•		
690	RX Hosp –Radiation	•	•	RH	RH	•	SEER	Revised
700	RX Hosp –Chemo	•	R	R	R	•	COC	
710	RX Hosp –Hormone	•	R	R	R	•	COC	
720	RX Hosp –BRM	•	R	R	R	•	COC	
730	RX Hosp –Other	•	R	R	R	•	COC	
740	RX Hosp –DX/Stg Proc	•	R	R	•	•	COC	
742	RX Hosp –Screen/BX Proc1	•	•	•	•	•	COC	
743	RX Hosp –Screen/BX Proc2	•	•	•	•	•	COC	
744	RX Hosp –Screen/BX Proc3	•	•	•	•	•	COC	
745	RX Hosp –Screen/BX Proc4	•	•	•	•	•	COC	
746	RX Hosp –Surg Site 98-02	•	•	RH	RH	•	COC	Revised
747	RX Hosp –Scope Reg 98-02	•	•	RH	RH	•	COC	Revised
748	RX Hosp –Surg Oth 98-02	•	•	RH	RH	•	COC	Revised
750	Reserved 04	•	•	•	•	•		
759	SEER Summary Stage 2000	RH	R	R	•	•	SEER	Revised
760	SEER Summary Stage 1977	RH	RH	RH	•	•	SEER	
770	Loc/Reg/Distant Stage	•	•	•	•	•	Varies	
779	Extent of Disease 10-Dig							
780	EOD--Tumor Size	•	•	RH	RH	RH	SEER/COC	Revised
790	EOD--Extension	•	•	•	RH	RH	SEER	Revised
800	EOD--Extension Prost Path	•	•	•	RH	RH	SEER	Revised
810	EOD--Lymph Node Involv	•	•	•	RH	RH	SEER	Revised
820	Regional Nodes Positive	S	R	R	R	R	SEER/COC	
830	Regional Nodes Examined	S	R	R	R	R	SEER/COC	
840	EOD--Old 13 Digit	•	•	•	RH	RH	SEER	
850	EOD--Old 2 Digit	•	•	•	RH	RH	SEER	
860	EOD--Old 4 Digit	•	•	•	RH	RH	SEER	
870	Coding System for EOD	•	•	•	R	R	SEER	
880	TNM Path T	•	R	R	•	•	AJCC	
890	TNM Path N	•	R	R	•	•	AJCC	
900	TNM Path M	•	R	R	•	•	AJCC	
910	TNM Path Stage Group	•	R	R	•	•	AJCC	
920	TNM Path Descriptor	•	R	R	•	•	COC	
930	TNM Path Staged By	•	R	R	•	•	COC	
940	TNM Clin T	•	R	R	•	•	AJCC	

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available.  
 \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
950	TNM Clin N	•	R	R	•	•	AJCC	
960	TNM Clin M	•	R	R	•	•	AJCC	
970	TNM Clin Stage Group	•	R	R	•	•	AJCC	
980	TNM Clin Descriptor	•	R	R	•	•	COC	
990	TNM Clin Staged By	•	R	R	•	•	COC	
1000	TNM Other T	•	•	•	•	•	AJCC	
1010	TNM Other N	•	•	•	•	•	AJCC	
1020	TNM Other M	•	•	•	•	•	AJCC	
1030	TNM Other Stage Group	•	•	•	•	•	AJCC	
1040	TNM Other Staged By	•	•	•	•	•	COC	
1050	TNM Other Descriptor	•	•	•	•	•	COC	
1060	TNM Edition Number	•	R	R	•	•	COC	
1070	Other Staging System	•	•	•	•	•	COC	
1080	Date of 1st Positive BX	•	•	•	•	•	COC	
1090	Site of Distant Met 1	•	•	RH	•	•	COC	
1100	Site of Distant Met 2	•	•	RH	•	•	COC	
1110	Site of Distant Met 3	•	•	RH	•	•	COC	
1120	Pediatric Stage	•	•	•	•	•	COC	
1130	Pediatric Staging System	•	•	•	•	•	COC	
1140	Pediatric Staged By	•	•	•	•	•	COC	
1150	Tumor Marker 1	•	RH	RH	RH	RH	SEER	Revised
1160	Tumor Marker 2	•	RH	RH	RH	RH	SEER	Revised
1170	Tumor Marker 3	•	RH	RH	RH	RH	SEER	Revised
1180	Reserved 05	•	•	•	•	•		
1190	Reserved 06	•	•	•	•	•		
1200	RX Date-Surgery	S	R	R	•	•	COC	
1210	RX Date-Radiation	S	R	R	•	•	COC	
1220	RX Date-Chemo	•	•	•	•	•	COC	
1230	RX Date-Hormone	•	•	•	•	•	COC	
1240	RX Date-BRM	•	•	•	•	•	COC	
1250	RX Date-Other	S	R	R	•	•	COC	
1260	Date of Initial RX-SEER	#	•	•	R	R	SEER	
1270	Date of 1st Crs RX-COC	#	R	R	•	•	COC	
1280	RX Date-DX/Stg Proc	•	R	R	•	•	COC	
1290	RX Summ-Surg Prim Site	R	R	R	R	R	SEER/COC	
1292	RX Summ-Scope Reg LN Sur	R	R	R	R	R	SEER/COC	
1294	RX Summ-Surg Oth Reg/Dis	R	R	R	R	R	SEER/COC	
1296	RX Summ-Reg LN Examined	RH	•	RH	RH	RH	SEER/COC	Revised
1300	Reserved 07	•	•	•	•	•		
1310	RX Summ-Surgical Approach	•	•	RH	•	•	COC	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available.  
 \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
1320	RX Summ--Surgical Margins	•	R	R	•	•	COC	
1330	RX Summ--Reconstruct 1st	•	•	•	RH	RH	COC	
1340	Reason for No Surgery	S	R	R	R	R	SEER/COC	
1350	RX Summ--DX/Stg Proc	•	R	R	•	•	COC	
1355	Reserved 22	•	•	•	•	•		
1360	RX Summ--Radiation	•	•	RH	R	R	SEER	Revised
1370	RX Summ--Rad to CNS	•	•	•	RH	RH	SEER/COC	
1380	RX Summ--Surg/Rad Seq	S	R	R	R	R	SEER/COC	
1390	RX Summ--Chemo	S	R	R	R	R	SEER/COC	
1400	RX Summ--Hormone	S	R	R	R	R	SEER/COC	
1410	RX Summ--BRM	S	R	R	R	R	SEER/COC	
1420	RX Summ--Other	S	R	R	R	R	SEER/COC	
1430	Reason for No Radiation	S	R	R	•	•	COC	
1440	Reason for No Chemo	•	•	•	•	•	COC	
1450	Reason for No Hormone	•	•	•	•	•	COC	
1460	RX Coding System--Current	R	R	R	•	RH	NAACCR	Revised
1470	Protocol Eligibility Stat	•	•	•	•	•	COC	
1480	Protocol Participation	•	•	•	•	•	COC	
1490	Referral to Support Serv	•	•	•	•	•	COC	
1500	First Course Calc Method	•	•	•	•	•	NAACCR	
1510	Rad--Regional Dose: cGy	•	R	R	•	•	COC	
1520	Rad--No of Treatment Vol	•	R	R	•	•	COC	
1530	Rad--Elapsed RX Days	•	•	•	•	•	COC	
1540	Rad--Treatment Volume	•	R	R	•	•	COC	
1550	Rad--Location of RX	•	R	R	•	•	COC	
1560	Rad--Intent of Treatment	•	•	•	•	•	COC	
1570	Rad--Regional RX Modality	S	R	R	RC	•	COC	
1580	Rad--RX Completion Status	•	•	•	•	•	COC	
1590	Rad--Local Control Status	•	•	•	•	•	COC	
1600	Chemotherapy Field 1	•	•	•	•	•	COC	Retired
1610	Chemotherapy Field 2	•	•	•	•	•	COC	Retired
1620	Chemotherapy Field 3	•	•	•	•	•	COC	Retired
1630	Chemotherapy Field 4	•	•	•	•	•	COC	Retired
1635	Reserved 23	•	•	•	•	•		
1640	RX Summ--Surgery Type	•	•	•	RH	RH	SEER	
1642	RX Summ--Screen/BX Proc1	•	•	•	•	•	COC	
1643	RX Summ--Screen/BX Proc2	•	•	•	•	•	COC	
1644	RX Summ--Screen/BX Proc3	•	•	•	•	•	COC	
1645	RX Summ--Screen/BX Proc4	•	•	•	•	•	COC	
1646	RX Summ--Surg Site 98-02	RH	•	RH	RH	RH	SEER/COC	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available.  
 \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
1647	RX Summ--Scope Reg 98-02	RH	•	RH	RH	RH	SEER/COC	Revised
1648	RX Summ--Surg Oth 98-02	RH	•	RH	RH	RH	SEER/COC	Revised
1650	Reserved 08	•	•	•	•	•		
1660	Subsq RX 2nd Course Date	•	•	•	•	•	COC	
1670	Subsq RX 2nd Course Codes							
1671	Subsq RX 2nd Course Surg	•	•	•	•	•	COC	
1672	Subsq RX 2nd Course Rad	•	•	•	•	•	COC	
1673	Subsq RX 2nd Course Chemo	•	•	•	•	•	COC	
1674	Subsq RX 2nd Course Horm	•	•	•	•	•	COC	
1675	Subsq RX 2nd Course BRM	•	•	•	•	•	COC	
1676	Subsq RX 2nd Course Oth	•	•	•	•	•	COC	
1677	Subsq RX 2nd--Scope LN SU	•	•	•	•	•	COC	
1678	Subsq RX 2nd--Surg Oth	•	•	•	•	•	COC	
1679	Subsq RX 2nd--Reg LN Rem	•	•	•	•	•	COC	
1680	Subsq RX 3rd Course Date	•	•	•	•	•	COC	
1690	Subsq RX 3rd Course Codes							
1691	Subsq RX 3rd Course Surg	•	•	•	•	•	COC	
1692	Subsq RX 3rd Course Rad	•	•	•	•	•	COC	
1693	Subsq RX 3rd Course Chemo	•	•	•	•	•	COC	
1694	Subsq RX 3rd Course Horm	•	•	•	•	•	COC	
1695	Subsq RX 3rd Course BRM	•	•	•	•	•	COC	
1696	Subsq RX 3rd Course Oth	•	•	•	•	•	COC	
1697	Subsq RX 3rd--Scope LN Su	•	•	•	•	•	COC	
1698	Subsq RX 3rd--Surg Oth	•	•	•	•	•	COC	
1699	Subsq RX 3rd--Reg LN Rem	•	•	•	•	•	COC	
1700	Subsq RX 4th Course Date	•	•	•	•	•	COC	
1710	Subsq RX 4th Course Codes							
1711	Subsq RX 4th Course Surg	•	•	•	•	•	COC	
1712	Subsq RX 4th Course Rad	•	•	•	•	•	COC	
1713	Subsq RX 4th Course Chemo	•	•	•	•	•	COC	
1714	Subsq RX 4th Course Horm	•	•	•	•	•	COC	
1715	Subsq RX 4th Course BRM	•	•	•	•	•	COC	
1716	Subsq RX 4th Course Oth	•	•	•	•	•	COC	
1717	Subsq RX 4th--Scope LN Su	•	•	•	•	•	COC	
1718	Subsq RX 4th--Surg Oth	•	•	•	•	•	COC	
1719	Subsq RX 4th--Reg LN Rem	•	•	•	•	•	COC	
1720	Subsq RX 5th Course Date	•	•	•	•	•	NAACCR	
1730	Subsq RX 5th Course Codes							
1731	Subsq RX 5th Course Surg	•	•	•	•	•	NAACCR	
1732	Subsq RX 5th Course Rad	•	•	•	•	•	NAACCR	

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available.  
 \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
1733	Subsq RX 5th Course Chemo	•	•	•	•	•	NAACCR	
1734	Subsq RX 5th Course Horm	•	•	•	•	•	NAACCR	
1735	Subsq RX 5th Course BRM	•	•	•	•	•	NAACCR	
1736	Subsq RX 5th Course Oth	•	•	•	•	•	NAACCR	
1737	Subsq RX 5th--Scope LN Su	•	•	•	•	•	NAACCR	
1738	Subsq RX 5th--Surg Oth	•	•	•	•	•	NAACCR	
1739	Subsq RX 5th--Reg LN Rem	•	•	•	•	•	NAACCR	
1740	Reserved 09	•	•	•	•	•		
1741	Subsq RX--Reconstruct Del	•	•	•	•	•	COC	
1750	Date of Last Contact	R	R	R	R	R	SEER/COC	
1760	Vital Status	R	R	R	R	R	SEER/COC	
1770	Cancer Stat us	•	R	R	•	•	COC	
1780	Quality of Survival	•	•	•	•	•	COC	
1790	Follow-Up Source	•	R	•	•	•	COC	
1800	Next Follow-Up Source	•	R	•	•	•	COC	
1810	Addr Current--City	•	R	•	R	•	COC	
1820	Addr Current--State	•	R	•	R	•	NAACCR	
1830	Addr Current--Postal Code	•	R	•	R	•	NAACCR	
1835	Reserved 10	•	•	•	•	•		
1840	County--Current	•	•	•	•	•	COC	
1842	Follow-Up Contact--City	•	•	•	R	•	NAACCR	
1844	Follow-Up Contact--State	•	•	•	R	•	NAACCR	
1846	Follow-Up Contact--Postal	•	•	•	R	•	NAACCR	
1850	Unusual Follow-Up Method	•	•	•	•	•	COC	
1860	Recurrence Date--1st	S	R	R	RC	•	COC	
1871	Recurrence Distant Site 1	•	•	•	•	•	COC	
1872	Recurrence Distant Site 2	•	•	•	•	•	COC	
1873	Recurrence Distant Site 3	•	•	•	•	•	COC	
1880	Recurrence Type--1st	S	R	R	RC	•	COC	
1890	Recurrence Type--1st--Oth	•	•	•	•	•	COC	
1900	Reserved 11	•	•	•	•	•		
1910	Cause of Death	R	•	•	R	R	SEER/COC	
1920	ICD Revision Number	R	•	•	R	R	SEER/COC	
1930	Autopsy	•	•	•	•	•	COC	
1940	Place of Death	S	•	•	•	•	NAACCR	
1950	Reserved 12	•	•	•	•	•		
1960	Site (73-91) ICD-O-1	•	•	RH	RH	RH	SEER	
1970	Morph (73-91) ICD-O-1							
1971	Histology (73-91) ICD-O-1	•	•	RH	RH	RH	SEER	
1972	Behavior (73-91) ICD-O-1	•	•	RH	RH	RH	SEER	

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available. \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
1973	Grade (73-91) ICD-O-1	•	•	RH	RH	RH	SEER	
1980	ICD-O-2 Conversion Flag	•	R	R	RH	RH	SEER	
1981	Over-ride SS/NodesPos	•	•	•	•	•	NAACCR	
1982	Over-ride SS/TNM-N	•	•	•	•	•	NAACCR	
1983	Over-ride SS/TNM-M	•	•	•	•	•	NAACCR	
1984	Over-ride SS/DisMet1	•	•	•	•	•	NAACCR	
1985	Over-ride Acsn/Class/Seq	•	R	R	•	•	NAACCR	
1986	Over-ride HospSeq/DxConf	•	R	R	•	•	NAACCR	
1987	Over-ride COC-Site/Type	•	R	R	•	•	NAACCR	
1988	Over-ride HospSeq/Site	•	R	R	•	•	NAACCR	
1989	Over-ride Site/TNM-StgGrp	•	R	R	•	•	NAACCR	
1990	Over-ride Age/Site/Morph	R	R	R	R	R	SEER	
2000	Over-ride SeqNo/DxConf	R	•	•	R	R	SEER	
2010	Over-ride Site/Lat/SeqNo	S	•	•	R	R	SEER	
2020	Over-ride Surg/DxConf	R	R	R	R	R	SEER	
2030	Over-ride Site/Type	R	R	R	R	R	SEER	
2040	Over-ride Histology	R	R	R	R	R	SEER	
2050	Over-ride Report Source	R	•	•	R	R	SEER	
2060	Over-ride Ill-define Site	R	•	•	R	R	SEER	
2070	Over-ride Leuk, Lymphoma	R	R	R	R	R	SEER	
2071	Over-ride Site/Behavior	R	R	R	R	R	SEER	
2072	Over-ride Site/EOD/DX Dt	S	•	•	R	R	SEER	
2073	Over-ride Site/Lat/EOD	S	•	•	R	R	SEER	
2074	Over-ride Site/Lat/Morph	R	R	R	R	R	SEER	
2080	Reserved 24	•	•	•	•	•		
2081	CRC CHECKSUM	•	•	•	•	•	NAACCR	
2090	Date Case Completed	•	•	•	•	•	Varies	
2100	Date Case Last Changed	•	•	•	•	•	Varies	
2110	Date Case Report Exported	S	•	R	•	•	NAACCR	
2111	Date Case Report Received	R	•	•	•	•	NAACCR	
2112	Date Case Report Loaded	S	•	•	•	•	NAACCR	
2113	Date Tumor Record Availbl	S	•	•	•	•	NAACCR	
2114	Future Use Timeliness 1	•	•	•	•	•		Retired
2115	Future Use Timeliness 2	•	•	•	•	•		Retired
2116	ICD-O-3 Conversion Flag	R	R	R	R	R	SEER/COC	
2120	SEER Coding Sys-Current	S	•	•	•	•	NAACCR	
2130	SEER Coding Sys-Original	S	•	•	•	•	NAACCR	
2140	COC Coding Sys-Current	S	R	R	•	•	COC	
2150	COC Coding Sys-Original	S	R	R	•	•	NAACCR	
2160	Subsq Report for Primary	•	•	•	•	•	NAACCR	Retired

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available. \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.



*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
2161	Reserved 20	•	•	•	•	•		Retired
2170	Vendor Name	•	•	R	•	•	NAACCR	
2180	SEER Type of Follow-Up	•	•	•	R	R	SEER	
2190	SEER Record Number	•	•	•	•	R	SEER	Revised
2200	Diagnostic Proc 73-87	•	•	•	RH	RH	SEER	
2210	Reserved 14	•	•	•	•	•		Retired
2220	State/Requestor Items	•	•	•	•	•	Varies	
2230	Name--Last	R	R	•	R	•	NAACCR	
2240	Name--First	R	R	•	R	•	NAACCR	
2250	Name--Middle	R	R	•	R	•	COC	
2260	Name--Prefix	•	•	•	•	•	COC	
2270	Name--Suffix	•	•	•	R	•	COC	
2280	Name--Alias	S	•	•	R	•	COC	
2290	Name--Spouse/Parent	•	•	•	•	•	Varies	
2300	Medical Record Number	S	R	•	R	•	NAACCR	
2310	Military Record No Suffix	•	R	•	•	•	COC	
2320	Social Security Number	R	R	•	R	•	COC	
2330	Addr at DX--No & Street	S	R	•	R	•	COC	
2335	Addr at DX--Supplementl	S	R	•	•	•	NAACCR	
2350	Addr Current--No & Street	•	R	•	R	•	COC	
2352	Latitude	•	•	•	•	•	NAACCR	
2354	Longitude	•	•	•	•	•	NAACCR	
2355	Addr Current--Supplementl	•	R	•	•	•	NAACCR	
2360	Telephone	•	R	•	R	•	COC	
2370	DC State	•	•	•	•	•		Retired
2371	Reserved 21	•	•	•	•	•		Retired
2380	DC State File Number	S	•	•	•	•	State	
2390	Name--Maiden	S	•	•	R	•	NAACCR	
2392	Follow-Up Contact--No&St	•	•	•	R	•	NAACCR	
2393	Follow-Up Contact--Suppl	•	•	•	•	•	NAACCR	
2394	Follow-Up Contact--Name	•	•	•	R	•	NAACCR	
2400	Reserved 16	•	•	•	•	•		Retired
2410	Institution Referred From	•	R	•	•	•	NAACCR	
2420	Institution Referred To	•	R	•	•	•	NAACCR	
2430	Last Follow-Up Hospital	•	•	•	•	•	NAACCR	
2440	Following Registry	•	R	•	R	•	NAACCR	
2450	Reserved 17	•	•	•	•	•		Retired
2460	Physician--Managing	•	•	•	•	•	COC	
2470	Physician--Follow-Up	•	R	•	R	•	COC	
2480	Physician--Primary Surg	•	R	•	•	•	COC	

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available. \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
2490	Physician 3	•	R	•	•	•	COC	
2500	Physician 4	•	R	•	•	•	COC	
2520	Text--DX Proc--PE	R^	•	•	R	•	NAACCR	
2530	Text--DX Proc--X-ray/Scan	R^	•	•	R	•	NAACCR	
2540	Text--DX Proc--Scopes	R^	•	•	R	•	NAACCR	
2550	Text--DX Proc--Lab Tests	R^	•	•	R	•	NAACCR	
2560	Text--DX Proc--Op	R^	•	•	R	•	NAACCR	
2570	Text--DX Proc--Path	R^	•	•	R	•	NAACCR	
2580	Text--Primary Site Title	S	•	•	R	•	NAACCR	
2590	Text--Histology Title	S	•	•	R	•	NAACCR	
2600	Text--Staging	R^	•	•	R	•	NAACCR	
2610	RX Text--Surgery	R^	•	•	R	•	NAACCR	
2620	RX Text--Radiation (Beam)	S	•	•	R	•	NAACCR	
2630	RX Text--Radiation Other	S	•	•	R	•	NAACCR	
2640	RX Text--Chemo	S	•	•	R	•	NAACCR	
2650	RX Text--Hormone	S	•	•	R	•	NAACCR	
2660	RX Text--BRM	S	•	•	R	•	NAACCR	
2670	RX Text--Other	S	•	•	R	•	NAACCR	
2680	Text--Remarks	S	•	•	R	•	NAACCR	
2690	Place of Diagnosis	S	•	•	•	•	NAACCR	
2700	Reserved 19	•	•	•	•	•		
2800	CS Tumor Size	S	R	R	R	R	AJCC	Revised
2810	CS Extension	R	R	R	R	R	AJCC	Revised
2820	CS Tumor Size/Ext Eval	S	R	R	•	•	AJCC	Revised
2830	CS Lymph Nodes	R	R	R	R	R	AJCC	Revised
2840	CS Reg Nodes Eval	S	R	R	•	•	AJCC	Revised
2850	CS Mets at DX	R	R	R	R	R	AJCC	Revised
2860	CS Mets Eval	S	R	R	•	•	AJCC	Revised
2880	CS Site-Specific Factor 1	RS	R	R	R	R	AJCC	Revised
2890	CS Site-Specific Factor 2	S	R	R	R	R	AJCC	Revised
2900	CS Site-Specific Factor 3	RS	R	R	R	R	AJCC	Revised
2910	CS Site-Specific Factor 4	S	R	R	R	R	AJCC	Revised
2920	CS Site-Specific Factor 5	S	R	R	R	R	AJCC	Revised
2930	CS Site-Specific Factor 6	S	R	R	R	R	AJCC	Revised
2935	CS Version 1st	R	R	R	R	R	AJCC	New
2936	CS Version Latest	R	R	R	R	R	AJCC	New
2940	Derived AJCC T	D	R	R	D	D	AJCC	Revised
2950	Derived AJCC T Descriptor	D	R	R	•	•	AJCC	Revised
2960	Derived AJCC N	D	R	R	D	D	AJCC	Revised
2970	Derived AJCC N Descriptor	D	R	R	•	•	AJCC	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available.  
 \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

*Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Eighth Edition*

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
2980	Derived AJCC M	D	R	R	D	D	AJCC	Revised
2990	Derived AJCC M Descriptor	D	R	R	•	•	AJCC	Revised
3000	Derived AJCC Stage Group	D	R	R	D	D	AJCC	Revised
3010	Derived SS1977	D	R	R	D	D	AJCC	Revised
3020	Derived SS2000	D	R	R	D	D	AJCC	Revised
3030	Derived AJCC–Flag	D	R	R	D	D	AJCC	Revised
3040	Derived SS1977–Flag	D	R	R	D	D	AJCC	Revised
3050	Derived SS2000–Flag	D	R	R	D	D	AJCC	Revised
3100	Archive FIN	•	R	R	•	•	COC	
3110	Comorbid/Complication 1	•	R	R	•	•	COC	
3120	Comorbid/Complication 2	•	R	R	•	•	COC	
3130	Comorbid/Complication 3	•	R	R	•	•	COC	
3140	Comorbid/Complication 4	•	R	R	•	•	COC	
3150	Comorbid/Complication 5	•	R	R	•	•	COC	
3160	Comorbid/Complication 6	•	R	R	•	•	COC	
3170	RX Date–Most Defin Surg	S	R	R	•	•	COC	
3180	RX Date–Surgical Disch	•	R	R	•	•	COC	
3190	Readm Same Hosp 30 Days	•	R	R	•	•	COC	
3200	Rad–Boost RX Modality	•	R	R	RC	•	COC	
3210	Rad–Boost Dose cGy	•	R	R	•	•	COC	
3220	RX Date–Radiation Ended	•	R	R	•	•	COC	
3230	RX Date–Systemic	S	R	R	•	•	COC	
3250	RX Summ–Transplnt/Endocr	S	R	R	R	R	COC	
3260	Pain Assessment	•	•	•	•	•	COC	Retired
3270	RX Summ–Palliative Proc	•	R	R	•	•	COC	
3280	RX Hosp–Palliative Proc	•	R	R	•	•	COC	
3300	RuralUrban Continuum 1993	D	•	•	•	•	NAACCR	Revised
3310	RuralUrban Continuum 2000	D	•	•	•	•	NAACCR	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = Not in dataset but available.  
 \* = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.