

CHAPTER VIII

REQUIRED STATUS TABLE (ITEM # ORDER)

The following table presents Version 11 of the NAACCR required status summarizing the requirements and recommendations for collection of each item by standard-setting groups. This version of the table replaces all previous versions of the required status table (both the printed Version 11 document and the May 2005 posting on the NAACCR website). Rows with a change from Version 10.2 are marked “Revised,” “New,” or “Retired” in the “Note” column of the table. Since NPCR has begun specifying both a “Collect” and a “Transmit” requirement, all rows in the table were revised, compared to Version 10.2. Implementers should compare this table with the table in 10.2 to identify changes that have been made to other standard-setters’ requirements. Revised and new items are summarized in appendix F.

NPCR Refers to requirements and recommendations of the NPCR regarding data items that should be collected or computed by NPCR state registries. Note: Personal identifying data items that are collected are not transmitted to CDC.

CoC Refers to requirements of CoC. Facilities should refer to the CoC *FORDS Manual* for further clarification of required fields.

SEER Refers to requirements of NCI’s SEER Program. Facilities and central registries should refer to the *SEER Program Code Manual* for further clarification of required fields.

Exchange Elements for Hospital to Central and Central to Central

The target audience for this set of requirements is comprised of the various designers of registry software, at the hospital, central registry, and national levels. In the Exchange Elements columns data items marked are either required by key national organizations for cancer reporting or are of special importance in the unambiguous communication of reports and the proper linking of records. A clear distinction is made between items required for facilities reporting to central registries (labeled Hosp -> Central), and those items that central registries should use when sending cases to other central registries (labeled Central -> Central). ‘T’ is used when the data are vital to a complete exchange record. If a data item is unknown, it should have the proper code for unknown assigned. It is not specified how registries should handle records that have empty T fields. ‘T*’ means the vendor should convey the data if it is available for any of the cases, and otherwise they can leave the field empty. The receiving end (central registry) may, of course, ignore these items if they so choose. ‘TH’ means only certain cases diagnosed before 2004 may require these fields. Some central registries have additional required data fields. For these, vendors should contact the central registry directly.

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
10	Record Type	.	R	.	R	.	R	T	T	NAACCR	Revised
20	Patient ID Number	R	R	.	.	R	R	.	T	Reporting Registry	Revised
21	Patient System ID-Hosp	T	.	NAACCR	New
30	Registry Type	T	NAACCR	Revised
35	FIN Coding System	NAACCR	Revised
37	Reserved 00		Revised
40	Registry ID	.	R	.	.	R	R	T	T	NAACCR	Revised
50	NAACCR Record Version	.	R	.	R	.	.	T	T	NAACCR	Revised
60	Tumor Record Number	S	S	T	T	NAACCR	Revised
70	Addr at DX—City	R	.	R	R	R	.	T	T	COC	Revised
80	Addr at DX—State	R	R	R	R	R	.	T	T	COC	Revised
90	County at DX	R	R	R	R	R	R	T	T	FIPS/SEER	Revised
100	Addr at DX—Postal Code	R	R	R	R	R	.	T	T	COC	Revised
110	Census Tract 1970/80/90	RH*	RH*	.	.	RH	RH	.	T*	SEER	Revised
120	Census Cod Sys 1970/80/90	RH*	RH*	.	.	RH	RH	.	T*	SEER	Revised
130	Census Tract 2000	R	R	.	.	R	R	.	T*	NAACCR	Revised
140	Census Tract Cod Sys--Alt		Retired
150	Marital Status at DX	R	R	.	.	SEER	Revised
160	Race 1	R	R	R	R	R	R	T	T	SEER/COC	Revised
161	Race 2	R	R	R	R	R	R	T	T	SEER/COC	Revised
162	Race 3	R	R	R	R	R	R	T	T	SEER/COC	Revised
163	Race 4	R	R	R	R	R	R	T	T	SEER/COC	Revised
164	Race 5	R	R	R	R	R	R	T	T	SEER/COC	Revised
170	Race Coding Sys--Current	.	.	R	R	.	.	T	T	NAACCR	Revised
180	Race Coding Sys--Original	.	.	R	R	.	.	T	T	NAACCR	Revised
190	Spanish/Hispanic Origin	R	R	R	R	R	R	T	T	SEER/COC	Revised
191	NHIA Derived Hisp Origin	D	R	.	.	.	R	.	.	NAACCR	Revised
192	IHS Link	R*	R*	.	.	.	R	.	.	NPCR	New
200	Computed Ethnicity	R	R	.	.	R	R	.	.	SEER	Revised
210	Computed Ethnicity Source	R	R	.	.	R	R	.	.	SEER	Revised
220	Sex	R	R	R	R	R	R	T	T	SEER/COC	Revised
230	Age at Diagnosis	R	R	R	R	R	R	.	.	SEER/COC	Revised
240	Birth Date	R	R	R	R	R	R	T	T	SEER/COC	Revised
250	Birthplace	R*	R*	R	R	R	R	T*	T	SEER/COC	Revised
260	Religion	Varies	Revised
270	Occupation Code--Census	R*	R*	Census/NPCR	Revised
280	Industry Code--Census	R*	R*	Census/NPCR	Revised
290	Occupation Source	R*	R*	NPCR	Revised
300	Industry Source	R*	R*	NPCR	Revised
310	Text--Usual Occupation	R*	T*	T*	NPCR	Revised
320	Text--Usual Industry	R*	T*	T*	NPCR	Revised
330	Occup/Ind Coding System	R*	R*	NPCR	Revised
340	Tobacco History	Varies	Revised
350	Alcohol History	Varies	Revised
360	Family History of Cancer	Varies	Revised
362	Census Tract Block Group	Census	Revised
364	Census Tr Cert 1970/80/90	RH*	RH*	.	.	RH	RH	.	.	SEER	Revised
365	Census Tr Certainty 2000	R	R	.	.	R	R	.	.	NAACCR	Revised
366	GIS Coordinate Quality	R*	R*	NAACCR	New
370	Reserved 01		Revised
380	Sequence Number--Central	R	R	.	.	R	R	.	T	SEER	Revised
390	Date of Diagnosis	R	R	R	R	R	R	T	T	SEER/COC	Revised
400	Primary Site	R	R	R	R	R	R	T	T	SEER/COC	Revised
410	Laterality	R	R	R	R	R	R	T	T	SEER/COC	Revised
419	Morph--Type&Behav ICD-O-2		
420	Histology (92-00) ICD-O-2	RH	RH	RH	RH	RH	RH	TH	TH	SEER/COC	Revised
430	Behavior (92-00) ICD-O-2	RH	RH	RH	RH	RH	RH	TH	TH	SEER/COC	Revised
440	Grade	R	R	R	R	R	R	T	T	SEER/COC	Revised
442	Ambiguous Terminology DX	SEER	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T*- transmit data if available for any case in exchange record.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Tenth Edition

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
443	Date of Conclusive DX	SEER	New
444	Mult Tum Rpt as One Prim	SEER	New
445	Date of Multiple Tumors	SEER	New
446	Multiplicity Counter	SEER	New
447	Number of Tumors/Hist	NAACCR	New
450	Site Coding Sys--Current	R	R	R	R	.	.	T	T	NAACCR	Revised
460	Site Coding Sys--Original	.	.	R	R	.	.	T	T	NAACCR	Revised
470	Morph Coding Sys--Current	R	R	R	R	.	.	T	T	NAACCR	Revised
480	Morph Coding Sys--Originl	.	.	R	R	.	.	T	T	NAACCR	Revised
490	Diagnostic Confirmation	R	R	R	R	R	R	T	T	SEER/COC	Revised
500	Type of Reporting Source	R	R	.	.	R	R	T	T	SEER	Revised
501	Casefinding Source	T*	T*	NAACCR	New
510	Screening Date	NAACCR	Revised
520	Screening Result	NAACCR	Revised
521	Morph--Type&Behav ICD-O-3		
522	Histologic Type ICD-O-3	R	R	R	R	R	R	T	T	SEER/COC	Revised
523	Behavior Code ICD-O-3	R	R	R	R	R	R	T	T	SEER/COC	Revised
530	Reserved 02		Revised
535	Reserved 25		New
538	Reporting Hospital FAN		Retired
540	Reporting Hospital	R	.	R	R	R	.	T	.	COC	Revised
550	Accession Number--Hosp	.	.	R	R	R	.	T*	.	COC	Revised
560	Sequence Number--Hospital	.	.	R	R	R	.	T	.	COC	Revised
570	Abstracted By	.	.	R	R	R	.	.	.	COC	Revised
580	Date of 1st Contact	R	.	R	R	.	.	T	.	COC	Revised
590	Date of Inpatient Adm	NAACCR	Revised
600	Date of Inpatient Disch	NAACCR	Revised
610	Class of Case	R	.	R	R	RC	.	T	.	COC	Revised
615	Reserved 26		New
620	Year First Seen This CA		Retired
630	Primary Payer at DX	R	R	R	R	COC	Revised
635	Reserved 27		New
640	Inpatient/Outpt Status		Retired
650	Presentation at CA Conf		Retired
660	Date of CA Conference		Retired
670	RX Hosp--Surg Prim Site	.	.	R	R	R	.	T*	.	COC	Revised
672	RX Hosp--Scope Reg LN Sur	.	.	R	R	R	.	T*	.	COC	Revised
674	RX Hosp--Surg Oth Reg/Dis	.	.	R	R	R	.	T*	.	COC	Revised
676	RX Hosp--Reg LN Removed	.	.	.	RH	.	.	T*	.	COC	Revised
680	Reserved 03		Revised
690	RX Hosp--Radiation	.	.	.	RH	RH	.	TH*	.	SEER/COC	Revised
700	RX Hosp--Chemo	.	.	R	R	R	.	T*	.	COC	Revised
710	RX Hosp--Hormone	.	.	R	R	R	.	T*	.	COC	Revised
720	RX Hosp--BRM	.	.	R	R	R	.	T*	.	COC	Revised
730	RX Hosp--Other	.	.	R	R	R	.	T*	.	COC	Revised
740	RX Hosp--DX/Stg Proc	.	.	R	R	COC	Revised
741	Reserved 28		New
742	RX Hosp--Screen/BX Proc1		Retired
743	RX Hosp--Screen/BX Proc2		Retired
744	RX Hosp--Screen/BX Proc3		Retired
745	RX Hosp--Screen/BX Proc4		Retired
746	RX Hosp--Surg Site 98-02	.	.	.	RH	RH	.	TH*	.	COC	Revised
747	RX Hosp--Scope Reg 98-02	.	.	.	RH	RH	.	TH*	.	COC	Revised
748	RX Hosp--Surg Oth 98-02	.	.	.	RH	RH	.	TH*	.	COC	Revised
750	Reserved 04		Revised
759	SEER Summary Stage 2000	RH	RH	RH	RH	.	S	TH*	TH*	SEER	Revised
760	SEER Summary Stage 1977	RH	RH	RH	RH	.	S	TH*	TH*	SEER	Revised
765	Reserved 29		New
770	Loc/Reg/Distant Stage		Retired
779	Extent of Disease 10-Dig		

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T*- transmit data if available for any case in exchange record.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Tenth Edition

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
780	EOD--Tumor Size	.	.	RH	RH	RH	RH	TH*	TH*	SEER/COC	Revised
790	EOD--Extension	RH	RH	TH*	TH*	SEER	Revised
800	EOD--Extension Prost Path	RH	RH	TH*	TH*	SEER	Revised
810	EOD--Lymph Node Involv	RH	RH	TH*	TH*	SEER	Revised
820	Regional Nodes Positive	.	.	R	R	R	R	T*	T*	SEER/COC	Revised
830	Regional Nodes Examined	.	.	R	R	R	R	T*	T*	SEER/COC	Revised
840	EOD--Old 13 Digit	RH	RH	.	.	SEER	Revised
850	EOD--Old 2 Digit	RH	RH	.	.	SEER	Revised
860	EOD--Old 4 Digit	RH	RH	.	.	SEER	Revised
870	Coding System for EOD	RH	RH	.	TH*	SEER	Revised
880	TNM Path T	.	.	R	R	.	.	T*	T*	AJCC	Revised
890	TNM Path N	.	.	R	R	.	.	T*	T*	AJCC	Revised
900	TNM Path M	.	.	R	R	.	.	T*	T*	AJCC	Revised
910	TNM Path Stage Group	.	.	R	R	.	.	T*	T*	AJCC	Revised
920	TNM Path Descriptor	.	.	R	R	.	.	T*	T*	COC	Revised
930	TNM Path Staged By	.	.	R	R	.	.	T*	T*	COC	Revised
940	TNM Clin T	.	.	R	R	.	.	T*	T*	AJCC	Revised
950	TNM Clin N	.	.	R	R	.	.	T*	T*	AJCC	Revised
960	TNM Clin M	.	.	R	R	.	.	T*	T*	AJCC	Revised
970	TNM Clin Stage Group	.	.	R	R	.	.	T*	T*	AJCC	Revised
980	TNM Clin Descriptor	.	.	R	R	.	.	T*	T*	COC	Revised
990	TNM Clin Staged By	.	.	R	R	.	.	T*	T*	COC	Revised
995	Reserved 30		New
1000	TNM Other T		Retired
1010	TNM Other N		Retired
1020	TNM Other M		Retired
1030	TNM Other Stage Group		Retired
1040	TNM Other Staged By		Retired
1050	TNM Other Descriptor		Retired
1060	TNM Edition Number	.	.	R	R	.	.	T*	T*	COC	Revised
1065	Reserved 31		New
1070	Other Staging System		Retired
1080	Date of 1st Positive BX	NAACCR	Revised
1090	Site of Distant Met 1	.	.	.	RH	COC	Revised
1100	Site of Distant Met 2	.	.	.	RH	COC	Revised
1110	Site of Distant Met 3	.	.	.	RH	COC	Revised
1120	Pediatric Stage	COC	Revised
1130	Pediatric Staging System	COC	Revised
1140	Pediatric Staged By	COC	Revised
1150	Tumor Marker 1	.	.	.	RH	RH	RH	TH*	TH*	SEER	Revised
1160	Tumor Marker 2	.	.	.	RH	RH	RH	TH*	TH*	SEER	Revised
1170	Tumor Marker 3	.	.	.	RH	RH	RH	TH*	TH*	SEER	Revised
1180	Reserved 05		Revised
1190	Reserved 06		Revised
1200	RX Date--Surgery	.	.	R	R	S	.	T*	T*	COC	Revised
1210	RX Date--Radiation	.	.	R	R	S	.	T*	T*	COC	Revised
1220	RX Date--Chemo	TH*	TH*	NAACCR	Revised
1230	RX Date--Hormone	TH*	TH*	NAACCR	Revised
1240	RX Date--BRM	S	.	TH*	TH*	NAACCR	Revised
1250	RX Date--Other	.	.	R	R	S	.	T*	T*	COC	Revised
1260	Date of Initial RX--SEER	R#	R#	.	.	R	R	T*	T*	SEER	Revised
1270	Date of 1st Crs RX--COC	R#	R#	R	R	.	.	T*	T*	COC	Revised
1280	RX Date--DX/Stg Proc	.	.	R	R	COC	Revised
1290	RX Summ--Surg Prim Site	R	R	R	R	R	R	T	T*	SEER/COC	Revised
1292	RX Summ--Scope Reg LN Sur	R	R	R	R	R	R	T	T*	SEER/COC	Revised
1294	RX Summ--Surg Oth Reg/Dis	R	R	R	R	R	R	T	T*	SEER/COC	Revised
1296	RX Summ--Reg LN Examined	.	.	.	RH	RH	RH	TH*	TH*	SEER/COC	Revised
1300	Reserved 07		Revised
1310	RX Summ--Surgical Approch	.	.	.	RH	COC	Revised
1320	RX Summ--Surgical Margins	.	.	R	R	COC	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T*- transmit data if available for any case in exchange record.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Tenth Edition

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp-> Central	Central-> Central		
1330	RX Summ--Reconstruct 1st	RH	RH	.	.	SEER	Revised
1340	Reason for No Surgery	R	R	R	R	R	R	T	T*	SEER/COC	Revised
1350	RX Summ--DX/Stg Proc	.	.	R	R	COC	Revised
1355	Reserved 22		Revised
1360	RX Summ--Radiation	.	.	.	RH	R	R	TH*	TH*	SEER	Revised
1370	RX Summ--Rad to CNS	R	R	.	.	SEER/COC	Revised
1380	RX Summ--Surg/Rad Seq	R	R	R	R	R	R	T	T*	SEER/COC	Revised
1390	RX Summ--Chemo	R	R	R	R	R	R	T*	T*	SEER/COC	Revised
1400	RX Summ--Hormone	R	R	R	R	R	R	T*	T*	SEER/COC	Revised
1410	RX Summ--BRM	R	R	R	R	R	R	T*	T*	SEER/COC	Revised
1420	RX Summ--Other	R	R	R	R	R	R	T*	T*	SEER/COC	Revised
1430	Reason for No Radiation	.	.	R	R	COC	Revised
1435	Reserved 32		New
1440	Reason for No Chemo										Retired
1450	Reason for No Hormone										Retired
1460	RX Coding System--Current	R	R	R	R	.	RH	T*	T*	NAACCR	Revised
1465	Reserved 33		New
1470	Protocol Eligibility Stat										Retired
1480	Protocol Participation										Retired
1490	Referral to Support Serv										Retired
1500	First Course Calc Method	NAACCR	Revised
1510	Rad--Regional Dose: CGY	.	.	R	R	.	.	T	.	COC	Revised
1520	Rad--No of Treatment Vol	.	.	R	R	.	.	T	.	COC	Revised
1530	Rad--Elapsed RX Days										Retired
1535	Reserved 34		New
1540	Rad--Treatment Volume	.	.	R	R	.	.	T	.	COC	Revised
1550	Rad--Location of RX	.	.	R	R	.	.	T	.	COC	Revised
1555	Reserved 35		New
1560	Rad--Intent of Treatment										Retired
1570	Rad--Regional RX Modality	R	R	R	R	RC	.	T	T*	COC	Revised
1580	Rad--RX Completion Status										Retired
1590	Rad--Local Control Status										Retired
1600	Chemotherapy Field 1										Retired
1610	Chemotherapy Field 2										Retired
1620	Chemotherapy Field 3										Retired
1630	Chemotherapy Field 4										Retired
1635	Reserved 23		Revised
1639	RX Summ--Systemic/Sur Seq	R	R	R	R	.	.	T	T	COC	New
1640	RX Summ--Surgery Type	RH	RH	TH*	TH*	SEER	Revised
1641	Reserved 36		New
1642	RX Summ--Screen/BX Proc1										Retired
1643	RX Summ--Screen/BX Proc2										Retired
1644	RX Summ--Screen/BX Proc3										Retired
1645	RX Summ--Screen/BX Proc4										Retired
1646	RX Summ--Surg Site 98-02	.	.	RH	RH	RH	RH	TH*	TH*	SEER/COC	Revised
1647	RX Summ--Scope Reg 98-02	.	.	RH	RH	RH	RH	TH*	TH*	SEER/COC	Revised
1648	RX Summ--Surg Oth 98-02	.	.	RH	RH	RH	RH	TH*	TH*	SEER/COC	Revised
1650	Reserved 08		Revised
1660	Subsq RX 2nd Course Date	COC	Revised
1670	Subsq RX 2nd Course Codes										Revised
1671	Subsq RX 2nd Course Surg	COC	Revised
1672	Subsq RX 2nd Course Rad	COC	Revised
1673	Subsq RX 2nd Course Chemo	COC	Revised
1674	Subsq RX 2nd Course Horm	COC	Revised
1675	Subsq RX 2nd Course BRM	COC	Revised
1676	Subsq RX 2nd Course Oth	COC	Revised
1677	Subsq RX 2nd--Scope LN SU	COC	Revised
1678	Subsq RX 2nd--Surg Oth	COC	Revised
1679	Subsq RX 2nd--Reg LN Rem	COC	Revised
1680	Subsq RX 3rd Course Date	COC	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T* - transmit data if available for any case in exchange record.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Tenth Edition

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
1690	Subsq RX 3rd Course Codes										Revised
1691	Subsq RX 3rd Course Surg	COC	Revised
1692	Subsq RX 3rd Course Rad	COC	Revised
1693	Subsq RX 3rd Course Chemo	COC	Revised
1694	Subsq RX 3rd Course Horm	COC	Revised
1695	Subsq RX 3rd Course BRM	COC	Revised
1696	Subsq RX 3rd Course Oth	COC	Revised
1697	Subsq RX 3rd--Scope LN Su	COC	Revised
1698	Subsq RX 3rd--Surg Oth	COC	Revised
1699	Subsq RX 3rd--Reg LN Rem	COC	Revised
1700	Subsq RX 4th Course Date	COC	Revised
1710	Subsq RX 4th Course Codes										Revised
1711	Subsq RX 4th Course Surg	COC	Revised
1712	Subsq RX 4th Course Rad	COC	Revised
1713	Subsq RX 4th Course Chemo	COC	Revised
1714	Subsq RX 4th Course Horm	COC	Revised
1715	Subsq RX 4th Course BRM	COC	Revised
1716	Subsq RX 4th Course Oth	COC	Revised
1717	Subsq RX 4th--Scope LN Su	COC	Revised
1718	Subsq RX 4th--Surg Oth	COC	Revised
1719	Subsq RX 4th--Reg LN Rem	COC	Revised
1720	Subsq RX 5th Course Date										Retired
1725	Reserved 37		New
1726	Reserved 38		New
1730	Subsq RX 5th Course Codes										Retired
1731	Subsq RX 5th Course Surg										Retired
1732	Subsq RX 5th Course Rad										Retired
1733	Subsq RX 5th Course Chemo										Retired
1734	Subsq RX 5th Course Horm										Retired
1735	Subsq RX 5th Course BRM										Retired
1736	Subsq RX 5th Course Oth										Retired
1737	Subsq RX 5th--Scope LN Su										Retired
1738	Subsq RX 5th--Surg Oth										Retired
1739	Subsq RX 5th--Reg LN Rem										Retired
1740	Reserved 09		Revised
1741	Subsq RX--Reconstruct Del	COC	Revised
1750	Date of Last Contact	R	R	R	R	R	R	T	T	SEER/COC	Revised
1760	Vital Status	R	R	R	R	R	R	T	T	SEER/COC	Revised
1770	Cancer Status	.	.	R	R	COC	Revised
1780	Quality of Survival	COC	Revised
1790	Follow-Up Source	.	.	R	R	.	.	T*	.	COC	Revised
1791	Follow-up Source Central	R	R	T*	NAACCR	New
1800	Next Follow-Up Source	.	.	R	COC	Revised
1810	Addr Current--City	.	.	R	.	R	.	T*	.	COC	Revised
1820	Addr Current--State	.	.	R	.	R	.	T*	.	COC	Revised
1830	Addr Current--Postal Code	.	.	R	.	R	.	T*	.	COC	Revised
1835	Reserved 10		Revised
1840	County--Current	NAACCR	Revised
1842	Follow-Up Contact--City	R	.	T*	.	SEER	Revised
1844	Follow-Up Contact--State	R	.	T*	.	SEER	Revised
1846	Follow-Up Contact--Postal	R	.	T*	.	SEER	Revised
1850	Unusual Follow-Up Method	COC	Revised
1860	Recurrence Date--1st	.	.	R	R	RC	.	T*	.	COC	Revised
1870	Recurrence Distant Sites										Retired
1871	Recurrence Distant Site 1	NAACCR	Revised
1872	Recurrence Distant Site 2	NAACCR	Revised
1873	Recurrence Distant Site 3	NAACCR	Revised
1880	Recurrence Type--1st	.	.	R	R	RC	.	T*	.	COC	Revised
1890	Recurrence Type--1st-Oth										Retired
1895	Reserved 39		New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T*- transmit data if available for any case in exchange record.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Tenth Edition

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
1900	Reserved 11		Revised
1910	Cause of Death	R	R	.	.	R	R	.	T	SEER	Revised
1920	ICD Revision Number	R	R	.	.	R	R	.	T	SEER	Revised
1930	Autopsy	NAACCR	Revised
1940	Place of Death	R	T*	T*	NPCR	Revised
1950	Reserved 12		Revised
1960	Site (73-91) ICD-O-1	RH	RH	.	.	SEER	Revised
1970	Morph (73-91) ICD-O-1		
1971	Histology (73-91) ICD-O-1	RH	RH	.	.	SEER	Revised
1972	Behavior (73-91) ICD-O-1	RH	RH	.	.	SEER	Revised
1973	Grade (73-91) ICD-O-1	RH	RH	.	.	SEER	Revised
1980	ICD-O-2 Conversion Flag	.	.	R	R	R	R	T*	T*	SEER	Revised
1981	Over-ride SS/NodesPos	T*	T*	NAACCR	Revised
1982	Over-ride SS/TNM-N	T*	T*	NAACCR	Revised
1983	Over-ride SS/TNM-M	T*	T*	NAACCR	Revised
1984	Over-ride SS/DisMet1	T*	T*	NAACCR	Revised
1985	Over-ride Acsn/Class/Seq	.	.	R	R	.	.	T*	T*	COC	Revised
1986	Over-ride HospSeq/DxConf	.	.	R	R	.	.	T*	T*	COC	Revised
1987	Over-ride COC-Site/Type	.	.	R	R	.	.	T*	T*	COC	Revised
1988	Over-ride HospSeq/Site	.	.	R	R	.	.	T*	T*	COC	Revised
1989	Over-ride Site/TNM-StgGrp	.	.	R	R	.	.	T*	T*	COC	Revised
1990	Over-ride Age/Site/Morph	R	R	R	R	R	R	T*	T*	SEER	Revised
2000	Over-ride SeqNo/DxConf	R	R	.	.	R	R	T*	T*	SEER	Revised
2010	Over-ride Site/Lat/SeqNo	R	R	.	.	R	R	T*	T*	SEER	Revised
2020	Over-ride Surg/DxConf	R	R	R	R	R	R	T*	T*	SEER	Revised
2030	Over-ride Site/Type	R	R	R	R	R	R	T*	T*	SEER	Revised
2040	Over-ride Histology	R	R	R	R	R	R	T*	T*	SEER	Revised
2050	Over-ride Report Source	R	R	.	.	R	R	T*	T*	SEER	Revised
2060	Over-ride Ill-define Site	R	R	.	.	R	R	T*	T*	SEER	Revised
2070	Over-ride Leuk, Lymphoma	R	R	R	R	R	R	T*	T*	SEER	Revised
2071	Over-ride Site/Behavior	R	R	R	R	R	R	T*	T*	SEER	Revised
2072	Over-ride Site/EOD/DX Dt	R	R	T*	T*	SEER	Revised
2073	Over-ride Site/Lat/EOD	R	R	T*	T*	SEER	Revised
2074	Over-ride Site/Lat/Morph	R	R	R	R	R	R	T*	T*	SEER	Revised
2080	Reserved 13		Retired
2081	CRC CHECKSUM	S	S	.	.	NAACCR	Revised
2082	Reserved 24		Revised
2090	Date Case Completed	NAACCR	Revised
2100	Date Case Last Changed	NAACCR	Revised
2110	Date Case Report Exported	R	.	.	R	.	.	T	.	NPCR	Revised
2111	Date Case Report Received	R	NPCR	Revised
2112	Date Case Report Loaded	R	NPCR	Revised
2113	Date Tumor Record Availbl	R	NPCR	Revised
2114	Future Use Timeliness 1		Retired
2115	Future Use Timeliness 2		Retired
2116	ICD-O-3 Conversion Flag	R	R	R	R	R	R	T	T	SEER/COC	Revised
2120	SEER Coding Sys--Current	R	T*	T*	NAACCR	Revised
2130	SEER Coding Sys--Original	R	T*	T*	NAACCR	Revised
2140	COC Coding Sys--Current	.	.	R	R	.	.	T*	T*	COC	Revised
2150	COC Coding Sys--Original	.	.	R	R	.	.	T*	T*	COC	Revised
2160	Subsq Report for Primary		Retired
2161	Reserved 20		Retired
2170	Vendor Name	.	.	.	R	.	.	T	T	NAACCR	Revised
2180	SEER Type of Follow-Up	R	R	.	.	SEER	Revised
2190	SEER Record Number	R	.	.	SEER	Revised
2200	Diagnostic Proc 73-87	RH	RH	.	.	SEER	Revised
2210	Reserved 14		Retired
2220	State/Requestor Items	Varies	Revised
2230	Name--Last	R	.	R	.	R	.	T	T	NAACCR	Revised
2240	Name--First	R	.	R	.	R	.	T	T	NAACCR	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T*- transmit data if available for any case in exchange record.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Tenth Edition

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
2250	Name--Middle	R	.	R	.	R	.	T*	T*	COC	Revised
2260	Name--Prefix	SEER	Revised
2270	Name--Suffix	R	.	T*	T*	SEER	Revised
2280	Name--Alias	R	.	.	.	R	.	T*	T*	SEER	Revised
2290	Name--Spouse/Parent	NAACCR	Revised
2300	Medical Record Number	R	.	R	.	R	.	T	.	COC	Revised
2310	Military Record No Suffix	.	.	R	COC	Revised
2320	Social Security Number	R	.	R	.	R	.	T	T	COC	Revised
2330	Addr at DX--No & Street	R	.	R	.	R	.	T	T	COC	Revised
2335	Addr at DX--Supplementl	R	.	R	.	.	R	T*	T*	COC	Revised
2350	Addr Current--No & Street	.	.	R	.	R	.	T*	T*	COC	Revised
2352	Latitude	R*	R*	.	.	S	.	.	.	NAACCR	Revised
2354	Longitude	R*	R*	.	.	S	.	.	.	NAACCR	Revised
2355	Addr Current--Supplementl	.	.	R	.	R	.	T*	.	COC	Revised
2360	Telephone	.	.	R	.	R	.	T*	T*	COC	Revised
2370	DC State		Retired
2371	Reserved 21		Retired
2380	DC State File Number	R	T*	State	Revised
2390	Name--Maiden	R	.	.	.	R	.	T*	T*	SEER	Revised
2392	Follow-Up Contact--No&St	R	.	.	.	SEER	Revised
2393	Follow-Up Contact--Suppl	R	.	.	.	SEER	Revised
2394	Follow-Up Contact--Name	R	.	.	.	SEER	Revised
2400	Reserved 16		Retired
2410	Institution Referred From	.	.	R	.	.	.	T*	.	COC	Revised
2420	Institution Referred To	.	.	R	.	.	.	T*	.	COC	Revised
2430	Last Follow-Up Hospital		Retired
2435	Reserved 40		New
2440	Following Registry	.	.	R	.	R	.	.	.	COC	Revised
2450	Reserved 17		Retired
2460	Physician--Managing	NAACCR	Revised
2470	Physician--Follow-Up	.	.	R	.	R	.	T*	T*	COC	Revised
2480	Physician--Primary Surg	.	.	R	COC	Revised
2490	Physician 3	.	.	R	COC	Revised
2500	Physician 4	.	.	R	COC	Revised
2520	Text--DX Proc--PE	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2530	Text--DX Proc--X-ray/Scan	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2540	Text--DX Proc--Scopes	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2550	Text--DX Proc--Lab Tests	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2560	Text--DX Proc--Op	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2570	Text--DX Proc--Path	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2580	Text--Primary Site Title	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2590	Text--Histology Title	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2600	Text--Staging	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2610	RX Text--Surgery	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2620	RX Text--Radiation (Beam)	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2630	RX Text--Radiation Other	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2640	RX Text--Chemo	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2650	RX Text--Hormone	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2660	RX Text--BRM	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2670	RX Text--Other	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2680	Text--Remarks	R	.	T*	T*	NPCR	Revised
2690	Place of Diagnosis	NPCR	Revised
2700	Reserved 19		Revised
2800	CS Tumor Size	.	.	R	R	R	R	T	T	AJCC	Revised
2810	CS Extension	R	.	R	R	R	R	T	T	AJCC	Revised
2820	CS Tumor SizeExt Eval	.	.	R	R	.	.	T*	T*	AJCC	Revised
2830	CS Lymph Nodes	R	.	R	R	R	R	T	T	AJCC	Revised
2840	CS Reg Node Eval	.	.	R	R	.	.	T*	T*	AJCC	Revised
2850	CS Mets at DX	R	.	R	R	R	R	T	T	AJCC	Revised
2860	CS Mets Eval	.	.	R	R	.	.	T*	T*	AJCC	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T*- transmit data if available for any case in exchange record.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Tenth Edition

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
2880	CS Site-Specific Factor 1	RS	.	R	R	R	R	T	T	AJCC	Revised
2890	CS Site-Specific Factor 2	.	.	R	R	R	R	T	T	AJCC	Revised
2900	CS Site-Specific Factor 3	RS	.	R	R	R	R	T	T	AJCC	Revised
2910	CS Site-Specific Factor 4	.	.	R	R	R	R	T	T	AJCC	Revised
2920	CS Site-Specific Factor 5	.	.	R	R	R	R	T	T	AJCC	Revised
2930	CS Site-Specific Factor 6	.	.	R	R	R	R	T	T	AJCC	Revised
2935	CS Version 1st	R	.	R	R	R	R	.	.	AJCC	Revised
2936	CS Version Latest	R	.	R	R	R	R	.	.	AJCC	Revised
2940	Derived AJCC T	.	.	D	D	D	D	T*	T*	AJCC	Revised
2950	Derived AJCC T Descriptor	.	.	D	D	.	.	T*	T*	AJCC	Revised
2960	Derived AJCC N	.	.	D	D	D	D	T*	T*	AJCC	Revised
2970	Derived AJCC N Descriptor	.	.	D	D	.	.	T*	T*	AJCC	Revised
2980	Derived AJCC M	.	.	D	D	D	D	T*	T*	AJCC	Revised
2990	Derived AJCC M Descriptor	.	.	D	D	.	.	T*	T*	AJCC	Revised
3000	Derived AJCC Stage Group	.	.	D	D	D	D	T*	T*	AJCC	Revised
3010	Derived SS1977	.	.	D	D	D	D	T*	T*	AJCC	Revised
3020	Derived SS2000	D	R	D	D	D	D	T*	T*	AJCC	Revised
3030	Derived AJCC--Flag	.	.	R	R	D	D	T*	T*	AJCC	Revised
3040	Derived SS1977-Flag	.	.	R	R	D	D	T*	T*	AJCC	Revised
3050	Derived SS2000-Flag	D	R	R	R	D	D	T*	T*	AJCC	Revised
3100	Archive FIN	.	.	R	R	COC	Revised
3110	Comorbid/Complication 1	.	.	R	R	.	.	T*	.	COC	Revised
3120	Comorbid/Complication 2	.	.	R	R	.	.	T*	.	COC	Revised
3130	Comorbid/Complication 3	.	.	R	R	.	.	T*	.	COC	Revised
3140	Comorbid/Complication 4	.	.	R	R	.	.	T*	.	COC	Revised
3150	Comorbid/Complication 5	.	.	R	R	.	.	T*	.	COC	Revised
3160	Comorbid/Complication 6	.	.	R	R	.	.	T*	.	COC	Revised
3161	Comorbid/Complication 7	.	.	R	R	.	.	T*	.	COC	New
3162	Comorbid/Complication 8	.	.	R	R	.	.	T*	.	COC	New
3163	Comorbid/Complication 9	.	.	R	R	.	.	T*	.	COC	New
3164	Comorbid/Complication 10	.	.	R	R	.	.	T*	.	COC	New
3165	ICD Revision Comorbid	.	.	R	R	.	.	T*	.	COC	New
3170	RX Date--Most Defin Surg	.	.	R	R	.	.	T*	.	COC	Revised
3180	RX Date--Surgical Disch	.	.	R	R	COC	Revised
3190	Readm Same Hosp 30 Days	.	.	R	R	COC	Revised
3200	Rad--Boost RX Modality	.	.	R	R	RC	.	T*	T*	COC	Revised
3210	Rad--Boost Dose cGy	.	.	R	R	COC	Revised
3220	RX Date--Radiation Ended	.	.	R	R	COC	Revised
3230	RX Date--Systemic	.	.	R	R	.	.	T*	T*	COC	Revised
3250	RX Summ--Transpint/Endocr	R	R	R	R	R	R	T*	T*	COC	Revised
3260	Pain Assessment		Retired
3270	RX Summ--Palliative Proc	.	.	R	R	.	.	T*	.	COC	Revised
3280	RX Hosp--Palliative Proc	.	.	R	R	.	.	T*	.	COC	Revised
3300	RuralUrban Continuum 1993	D	NAACCR	Revised
3310	RuralUrban Continuum 2000	D	NAACCR	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. * = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T*- transmit data if available for any case in exchange record.