

ERRATA

Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
p. 51-62: Revised All footnotes in Chapter IX

Chapter IX REQUIRED STATUS TABLE (ITEM # ORDER)

The following table presents version 9 of the NAACCR required status summarizing the requirements and recommendations for collection of each item by standard-setting groups. Differences from version 8 are marked “Revised”, “New”, or “Retired” in the “Note” column of the table. Summarized changes are in Appendix F.

The following abbreviations and symbols are used in the table:

NAACCR Exc	Refers to NAACCR minimum requirements for a data exchange record
NAACCR Inc	Refers to NAACCR recommendations for a central registry collecting incidence data
NAACCR Full	Refers to NAACCR recommendations for a central registry collecting incidence data plus treatment, detailed staging, and follow-up
NPCR	Refers to requirements and recommendations of the CDC’s National Program of Cancer Registries
COC	Refers to requirements and recommendations of the Commission on Cancer of ACoS
SEER	Refers to requirements of the NCI’s SEER Program

Special note: In the following table, NAACCR Exc, NAACCR Inc, and NAACCR Full are identified as Exc, Inc, and Full respectively.

Note: A new code has been added. + = See Chapter XI Data Dictionary for details related to required status for these data items.

Note: A new code has been added. ^ = these text requirements may be met with one or several text block fields.

Note: Source of Standard has been added to the Required Status Table in Version 9.

Note: The code # was revised from “funded by NPCR may” to “funded by NAACCR Full registries may.”

<p>Codes for Recommendations: R = required S = supplementary/recommended . = not in data set but available O = optional * = when available @ = required for breast cancer only \$ = requirements differ by year # = Central registries may code available data using 1998 SEER or 1998 COC data items, codes, and rules. See Vol. 2, chap. V. + = See Chapter XI Data Dictionary for details related to required status for these data items. ^ = these text requirements may be met with one or several text block fields Special note: Exc, Inc, and Full headings are NAACCR Exc, NAACCR Inc, and NAACCR Full.</p>

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
10	Record Type	R	NAACCR	
20	Patient ID Number	R	R	R	R	.	R	Reporting Registry	Revised
30	Registry Type	R	NAACCR	
35	FIN Coding System	R	R	R	S	.	.	NAACCR	
37	Reserved for expansion		
40	Registry ID	R	.	.	S	.	R	NAACCR	
50	NAACCR Record Version	R	.	.	S	S	.	NAACCR	Revised
60	Tumor Record Number	R	R	R	S	.	R	NAACCR	
70	Addr at DX--City	.	R	R	R	R	.	COC	
80	Addr at DX--State	R	R	R	R	R	.	NAACCR	
90	County at DX	R	R	R	R	R	R	FIPS/SEER	
100	Addr at DX--Postal Code	.	R	R	R	R	.	NAACCR	
110	Census Tract	.	R	R	R	O	R	SEER	
120	Census Tract Coding Sys	.	R	R	R	O	R	SEER	
130	Census Tract--Alternate	.	.	R	.	.	.	NAACCR	
140	Census Tract Cod Sys--Alt	.	.	R	.	.	.	NAACCR	
150	Marital Status at DX	.	R	R	S	O	R	SEER/COC	
160	Race 1	R	R	R	R	R	R	SEER/COC	
161	Race 2	R	R	R	R	R	R	SEER/COC	Revised
162	Race 3	R	R	R	R	R	R	SEER/COC	Revised
163	Race 4	R	R	R	R	R	R	SEER/COC	Revised
164	Race 5	R	R	R	R	R	R	SEER/COC	Revised
170	Race Coding Sys--Current	R	NAACCR	
180	Race Coding Sys--Original	R	NAACCR	
190	Spanish/Hispanic Origin	.	R	R	R	R	R	SEER/COC	
200	Computed Ethnicity	.	.	R	S	.	R	NAACCR	
210	Computed Ethnicity Source	.	.	R	S	.	R	NAACCR	
220	Sex	R	R	R	R	R	R	SEER/COC	
230	Age at Diagnosis	.	R	R	R	S	R	SEER/COC	Revised
240	Birth Date	R	R	R	R	R	R	SEER/COC	
250	Birthplace	.	R	R	R*	O	R	SEER/COC	Revised
260	Religion	Varies	
270	Occupation Code--Census	.	.	.	S	.	.	Census/NPCR	
280	Industry Code--Census	.	.	.	S	.	.	Census/NPCR	
290	Occupation Source	.	.	.	S	.	.	NPCR	
300	Industry Source	.	.	.	S	.	.	NPCR	
310	Text--Usual Occupation	.	.	.	R*	O	.	NPCR	

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
 Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
320	Text--Usual Industry	.	.	.	R*	O	.	NPCR	
330	Occup/Ind Coding System	.	.	.	S	.	.	NPCR	
340	Tobacco History	O	.	Varies	
350	Alcohol History	O	.	Varies	
360	Family History of Cancer	O	.	Varies	
362	Census Tract Block Group	Census	
364	Census Tract Certainty	.	.	.	R	.	R	SEER	Revised
370	Reserved for Expansion		
380	Sequence Number--Central	R*	R	R	R	.	R	NAACCR	Revised
390	Date of Diagnosis	R	R	R	R	R	R	SEER/COC	
400	Primary Site	R	R	R	R	R	R	SEER/COC	
410	Laterality	R	R	R	R	R	R	SEER/COC	
420	Histology (92-00) ICD-O-2	R	R	R	R+	R	R	SEER/COC	Revised
430	Behavior (92-00) ICD-O-2	R	R	R	R+	R	R	SEER/COC	Revised
440	Grade	R	R	R	R	R	R	SEER/COC	
450	Site Coding Sys--Current	R	.	.	S	.	.	NAACCR	Revised
460	Site Coding Sys--Original	R	NAACCR	
470	Morph Coding Sys--Current	R	.	.	S	.	.	NAACCR	Revised
480	Morph Coding Sys--Original	R	NAACCR	
490	Diagnostic Confirmation	R	R	R	R	R	R	SEER/COC	
500	Type of Reporting Source	.	R	R	R	O	R	SEER	
510	Screening Date	O	.	COC	
520	Screening Result	O	.	COC	
522	Histologic Type ICD-O-3	R	R	R	R+	R	R	SEER/COC	New
523	Behavior Code ICD-O-3	R	R	R	R+	R	R	SEER/COC	New
530	Reserved for Expansion		
538	Reporting Hospital FAN	R	.	COC	
540	Reporting Hospital	.	R	R	S	R	.	COC	
550	Accession Number--Hosp	.	R	R	S	R	.	COC	
560	Sequence Number--Hospital	R	R	R	S	R	.	COC	Revised
570	Abstracted By	R	.	COC	
580	Date of Adm/1st Contact	.	R	R	R	.	.	NAACCR	
590	Date of Inpatient Adm	S	.	COC	
600	Date of Inpatient Disch	.	.	S	.	S	.	COC	Revised
610	Class of Case	.	.	R	S	R	.	COC	

Codes for Recommendations: R = required S = supplementary/recommended . = not in data set but available O = optional * = when available @ = required for breast cancer only \$ = requirements differ by year # = Central registries may code available data using 1998 SEER or 1998 COC data items, codes, and rules. See Vol. 2, chap. V. + = See Chapter XI Data Dictionary for details related to required status for these data items. ^ = these text requirements may be met with one or several text block fields Special note: Exc, Inc, and Full headings are NAACCR Exc, NAACCR Inc, and NAACCR Full.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
620	Year First Seen This CA	.	.	R	.	R	.	COC	
630	Primary Payer at DX	R	.	COC	
640	Inpatient/Outpt Status	O	.	COC	
650	Presentation at CA Conf	S	.	COC	
660	Date of CA Conference	O	.	COC	
670	RX Hosp--Surg Prim Site	.	.	S	.	S	.	COC	
672	RX Hosp--Scope Reg LN Sur	.	.	S	.	S	.	COC	
674	RX Hosp--Surg Oth Reg/Dis	.	.	S	.	S	.	COC	
676	RX Hosp--Reg LN Examined	.	.	S	.	S	.	COC	
680	Reserved for Expansion		
690	RX Hosp--Radiation	.	.	S	.	S	.	COC	
700	RX Hosp--Chemo	.	.	S	.	S	.	COC	
710	RX Hosp--Hormone	.	.	S	.	S	.	COC	
720	RX Hosp--BRM	.	.	S	.	S	.	COC	
730	RX Hosp--Other	.	.	S	.	S	.	COC	
740	RX Hosp--DX/Stg/Pall Proc	S	.	COC	Revised
742	RX Hosp--Screen/BX Proc1	COC	Revised
743	RX Hosp--Screen/BX Proc2	COC	Revised
744	RX Hosp--Screen/BX Proc3	COC	Revised
745	RX Hosp--Screen/BX Proc4	COC	Revised
750	Reserved for Expansion		
759	SEER Summary Stage 2000	R	R	R	R+	R	R	SEER	New
760	SEER Summary Stage 1977	R	R	R	R+	R	.	SEER	Revised
770	Loc/Reg/Distant Stage	Varies	
780	EOD--Tumor Size	.	.	R	S	R	R	SEER/COC	
790	EOD--Extension	.	.	.	S	S	R	SEER	Revised
800	EOD--Extension Prost Path	.	.	.	S	.	R	SEER	Revised
810	EOD--Lymph Node Involv	.	.	.	S	S	R	SEER	Revised
820	Regional Nodes Positive	.	.	R	S	R	R	SEER/COC	
830	Regional Nodes Examined	.	.	R	S	R	R	SEER/COC	
840	EOD--Old 13 Digit	R	SEER	
850	EOD--Old 2 Digit	R	SEER	
860	EOD--Old 4 Digit	R	SEER	
870	Coding System for EOD	R	SEER	
880	TNM Path T	.	.	R	.	R	.	AJCC	
890	TNM Path N	.	.	R	.	R	.	AJCC	
900	TNM Path M	.	.	R	.	R	.	AJCC	

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
 Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
910	TNM Path Stage Group	.	.	R	.	R	.	AJCC	
920	TNM Path Descriptor	S	.	AJCC	
930	TNM Path Staged By	R	.	COC	
940	TNM Clin T	.	.	R	.	R	.	AJCC	
950	TNM Clin N	.	.	R	.	R	.	AJCC	
960	TNM Clin M	.	.	R	.	R	.	AJCC	
970	TNM Clin Stage Group	.	.	R	.	R	.	AJCC	
980	TNM Clin Descriptor	S	.	COC	
990	TNM Clin Staged By	R	.	COC	
1000	TNM Other T	S	.	AJCC	
1010	TNM Other N	S	.	AJCC	
1020	TNM Other M	S	.	AJCC	
1030	TNM Other Stage Group	S	.	AJCC	
1040	TNM Other Staged By	R	.	COC	
1050	TNM Other Descriptor	S	.	COC	
1060	TNM Edition Number	.	.	R	.	R	.	COC	
1070	Other Staging System	O	.	COC	
1080	Date of 1st Positive BX	O	.	COC	
1090	Site of Distant Met 1	S	.	COC	
1100	Site of Distant Met 2	S	.	COC	
1110	Site of Distant Met 3	S	.	COC	
1120	Pediatric Stage	R	.	COC	
1130	Pediatric Staging System	R	.	COC	
1140	Pediatric Staged By	R	.	COC	
1150	Tumor Marker 1	S	R	SEER/COC	
1160	Tumor Marker 2	S	R	SEER/COC	
1170	Tumor Marker 3	S	R	SEER/COC	
1180	Reserved for Expansion		
1190	Reserved for Expansion		
1200	RX Date--Surgery	.	.	R	S	R	.	COC	Revised
1210	RX Date--Radiation	.	.	R	S	R	.	COC	Revised
1220	RX Date--Chemo	.	.	R	S	R	.	COC	Revised
1230	RX Date--Hormone	.	.	R	S	R	.	COC	Revised
1240	RX Date--BRM	.	.	R	S	R	.	COC	Revised
1250	RX Date--Other	.	.	R	S	R	.	COC	Revised

Codes for Recommendations: R = required S = supplementary/recommended . = not in data set but available O = optional * = when available @ = required for breast cancer only \$ = requirements differ by year # = Central registries may code available data using 1998 SEER or 1998 COC data items, codes, and rules. See Vol. 2, chap. V. + = See Chapter XI Data Dictionary for details related to required status for these data items. ^ = these text requirements may be met with one or several text block fields Special note: Exc, Inc, and Full headings are NAACCR Exc, NAACCR Inc, and NAACCR Full.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
1260	Date of Initial RX--SEER	.	.	#	#	.	R	SEER	Revised
1270	Date of 1st Crs RX--COC	.	.	#	#	R	.	COC	Revised
1280	RX Date--DX/Stg/Pall Proc	R	.	COC	Revised
1290	RX Summ--Surg Prim Site	.	.	R	R	R	R	SEER/COC	Revised
1292	RX Summ--Scope Reg LN Sur	.	.	R	R	R	R	SEER/COC	Revised
1294	RX Summ--Surg Oth Reg/Dis	.	.	R	R	R	R	SEER/COC	Revised
1296	RX Summ--Reg LN Examined	.	.	R	R	R	R	SEER/COC	Revised
1300	Reserved for Expansion		
1310	RX Summ--Surgical Approach	R	.	COC	Revised
1320	RX Summ--Surgical Margins	R	.	COC	Revised
1330	RX Summ--Reconstruct 1st	.	.	.	S	R	@	COC	Revised
1340	Reason for No CA Dir Surg	.	.	R	S	S	R	SEER/COC	Revised
1350	RX Summ--DX/Stg/Pall Proc	.	.	#	.	R	.	COC	Revised
1360	RX Summ--Radiation	.	.	#	S	R	R	SEER/COC	Revised
1370	RX Summ--Rad to CNS	O	S	SEER/COC	Revised
1380	RX Summ--Surg/Rad Seq	.	.	R	S	O	R	SEER/COC	Revised
1390	RX Summ--Chemo	.	.	#	S	R	R	SEER/COC	Revised
1400	RX Summ--Hormone	.	.	#	S	R	R	SEER/COC	Revised
1410	RX Summ--BRM	.	.	R	S	R	R	SEER/COC	Revised
1420	RX Summ--Other	.	.	R	S	R	R	SEER/COC	Revised
1430	Reason for No Radiation	.	.	#	S	S	.	COC	Revised
1440	Reason for No Chemo	.	.	#	S	S	.	COC	Revised
1450	Reason for No Hormone	.	.	#	S	S	.	COC	Revised
1460	RX Coding System--Current	R	.	R	R	.	.	NAACCR	Revised
1470	Protocol Eligibility Stat	S	.	COC	
1480	Protocol Participation	S	.	COC	
1490	Referral to Support Serv	S	.	COC	
1500	First Course Calc Method	.	.	R	.	.	.	NAACCR	Revised
1510	Rad--Regional Dose: cGy	O	.	COC	
1520	Rad--No of Treatment Vol	O	.	COC	
1530	Rad--Elapsed RX Days	O	.	COC	
1540	Rad--Treatment Volume	O	.	COC	
1550	Rad--Location of RX	O	.	COC	
1560	Rad--Intent of Treatment	O	.	COC	
1570	Rad--Regional RX Modality	O	.	COC	
1580	Rad--RX Completion Status	O	.	COC	
1590	Rad--Local Control Status	O	.	COC	

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
 Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
1600	Chemotherapy Field 1	O	.	COC	
1610	Chemotherapy Field 2	O	.	COC	
1620	Chemotherapy Field 3	O	.	COC	
1630	Chemotherapy Field 4	O	.	COC	
1640	RX Summ--Surgery Type	.	.	#	.	.	S	SEER	Revised
1642	RX Summ--Screen/BX Proc1	R	.	COC	Revised
1643	RX Summ-- Screen/BX Proc2	R	.	COC	Revised
1644	RX Summ-- Screen/BX Proc3	R	.	COC	Revised
1645	RX Summ-- Screen/BX Proc4	R	.	COC	Revised
1650	Reserved for Expansion		
1660	Subsq RX 2nd Course Date	S	.	COC	
1671	Subsq RX 2nd Course Surg	S	.	COC	
1672	Subsq RX 2nd Course Rad	S	.	COC	
1673	Subsq RX 2nd Course Chemo	S	.	COC	
1674	Subsq RX 2nd Course Horm	S	.	COC	
1675	Subsq RX 2nd Course BRM	S	.	COC	
1676	Subsq RX 2nd Course Oth	S	.	COC	
1677	Subsq RX 2nd--Scope LN SU	S	.	COC	
1678	Subsq RX 2nd--Surg Oth	S	.	COC	
1679	Subsq RX 2nd--Reg LN Rem	S	.	COC	
1680	Subsq RX 3rd Course Date	S	.	COC	
1691	Subsq RX 3rd Course Surg	S	.	COC	
1692	Subsq RX 3rd Course Rad	S	.	COC	
1693	Subsq RX 3rd Course Chemo	S	.	COC	
1694	Subsq RX 3rd Course Horm	S	.	COC	
1695	Subsq RX 3rd Course BRM	S	.	COC	
1696	Subsq RX 3rd Course Oth	S	.	COC	
1697	Subsq RX 3rd--Scope LN Su	S	.	COC	
1698	Subsq RX 3rd--Surg Oth	S	.	COC	
1699	Subsq RX 3rd--Reg LN Rem	S	.	COC	
1700	Subsq RX 4th Course Date	S	.	COC	
1711	Subsq RX 4th Course Surg	S	.	COC	
1712	Subsq RX 4th Course Rad	S	.	COC	
1713	Subsq RX 4th Course Chemo	S	.	COC	
1714	Subsq RX 4th Course Horm	S	.	COC	

Codes for Recommendations: R = required S = supplementary/recommended . = not in data set but available O = optional * = when available @ = required for breast cancer only \$ = requirements differ by year # = Central registries may code available data using 1998 SEER or 1998 COC data items, codes, and rules. See Vol. 2, chap. V. + = See Chapter XI Data Dictionary for details related to required status for these data items. ^ = these text requirements may be met with one or several text block fields Special note: Exc, Inc, and Full headings are NAACCR Exc, NAACCR Inc, and NAACCR Full.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
1715	Subsq RX 4th Course BRM	S	.	COC	
1716	Subsq RX 4th Course Oth	S	.	COC	
1717	Subsq RX 4th--Scope LN Su	S	.	COC	
1718	Subsq RX 4th--Surg Oth	S	.	COC	
1719	Subsq RX 4th--Reg LN Rem	S	.	COC	
1720	Subsq RX 5th Course Date	NAACCR	
1731	Subsq RX 5th Course Surg	NAACCR	
1732	Subsq RX 5th Course Rad	NAACCR	
1733	Subsq RX 5th Course Chemo	NAACCR	
1734	Subsq RX 5th Course Horm	NAACCR	
1735	Subsq RX 5th Course BRM	NAACCR	
1736	Subsq RX 5th Course Oth	NAACCR	
1737	Subsq RX 5th--Scope LN Su	NAACCR	
1738	Subsq RX 5th--Surg Oth	NAACCR	
1739	Subsq RX 5th--Reg LN Rem	NAACCR	
1740	Reserved for Expansion		
1741	Subsq RX--Reconstruct Del	R	.	COC	
1750	Date of Last Contact	R*	R*	R	R	R	R	SEER/COC	
1760	Vital Status	R*	R*	R	R	R	R	SEER/COC	
1770	Cancer Status	.	.	R	.	R	.	COC	
1780	Quality of Survival	O	.	COC	
1790	Follow-Up Source	.	.	R	.	S	.	COC	
1800	Next Follow-Up Source	S	.	COC	
1810	Addr Current--City	.	.	R	.	R	.	COC	
1820	Addr Current--State	.	.	R	.	R	.	NAACCR	
1830	Addr Current--Postal Code	.	.	R	.	R	.	NAACCR	
1835	Reserved for Expansion		
1840	County--Current	O	.	COC	
1842	Follow-Up Contact--City	NAACCR	
1844	Follow-Up Contact--State	NAACCR	
1846	Follow-Up Contact--Postal	NAACCR	
1850	Unusual Follow-Up Method	O	.	COC	
1860	Recurrence Date--1st	.	.	R	.	R	.	COC	
1871	Recurrence Distant Site 1	O	.	COC	
1872	Recurrence Distant Site 2	O	.	COC	
1873	Recurrence Distant Site 3	O	.	COC	
1880	Recurrence Type--1st	.	.	R	.	R	.	COC	

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
 Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
1890	Recurrence Type--1st--Oth	S	.	COC	
1900	Reserved for Expansion		
1910	Cause of Death	.	R	R	R	O	R	SEER/COC	
1920	ICD Revision Number	.	R	R	R	O	R	SEER/COC	Revised
1930	Autopsy	O	.	COC	
1940	Place of Death	.	R	R	S	.	.	NAACCR	
1950	Reserved for Expansion		
1960	Site (73-91) ICD-O-1	.	.	R	.	.	R	SEER	
1971	Histology (73-91) ICD-O-1	.	.	R	.	.	R	SEER	
1972	Behavior (73-91) ICD-O-1	.	.	R	.	.	R	SEER	
1973	Grade (73-91) ICD-O-1	.	.	R	.	.	R	SEER	
1980	ICD-O-2 Conversion Flag	.	.	R	.	.	R	SEER	
1981	Over-ride SS/NodesPos	R	R	R	.	.	.	NAACCR	New
1982	Over-ride SS/TNM-N	R	R	R	.	.	.	NAACCR	New
1983	Over-ride SS/TNM-M	R	R	R	.	.	.	NAACCR	New
1984	Over-ride SS/DisMet1	R	R	R	.	.	.	NAACCR	New
1985	Over-ride Acsn/Class/Seq	R	R	R	.	.	.	NAACCR	New
1986	Over-ride HospSeq/DxConf	R	R	R	.	.	.	NAACCR	New
1987	Over-ride COC-Site/Type	R	R	R	.	.	.	NAACCR	New
1988	Over-ride HospSeq/Site	R	R	R	.	.	.	NAACCR	New
1989	Over-ride Site/TNM-StgGrp	R	R	R	.	.	.	NAACCR	New
1990	Over-ride Age/Site/Morph	.	R	R	R	.	R	SEER	Revised
2000	Over-ride SeqNo/DxConf	.	R	R	R	.	R	SEER	Revised
2010	Over-ride Site/Lat/SeqNo	.	R	R	S	.	R	SEER	
2020	Over-ride Surg/DxConf	.	R	R	R	.	R	SEER	Revised
2030	Over-ride Site/Type	.	R	R	R	.	R	SEER	Revised
2040	Over-ride Histology	.	R	R	R	.	R	SEER	Revised
2050	Over-ride Report Source	.	R	R	R	.	R	SEER	Revised
2060	Over-ride Ill-define Site	.	R	R	R	.	R	SEER	Revised
2070	Over-ride Leuk, Lymphoma	.	R	R	R	.	R	SEER	Revised
2071	Over-ride Site/Behavior	.	R	R	R	.	R	SEER	Revised
2072	Over-ride Site/EOD/DX Dt	.	R	R	S	.	R	SEER	
2073	Over-ride Site/Lat/EOD	.	R	R	S	.	R	SEER	
2074	Over-ride Site/Lat/Morph	.	R	R	R	.	R	SEER	Revised
2081	CRC CHECKSUM	NAACCR	

Codes for Recommendations: R = required S = supplementary/recommended . = not in data set but available O = optional * = when available @ = required for breast cancer only \$ = requirements differ by year # = Central registries may code available data using 1998 SEER or 1998 COC data items, codes, and rules. See Vol. 2, chap. V. + = See Chapter XI Data Dictionary for details related to required status for these data items. ^ = these text requirements may be met with one or several text block fields Special note: Exc, Inc, and Full headings are NAACCR Exc, NAACCR Inc, and NAACCR Full.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
2090	Date Case Completed	Varies	
2100	Date Case Last Changed	Varies	
2110	Date Case Report Exported	S	S	S	S	.	.	NAACCR	
2111	Date Case Report Received	.	S	S	R	.	.	NAACCR	Revised
2112	Date Case Report Loaded	.	S	S	S	.	.	NAACCR	
2113	Date Tumor Record Availbl	.	S	S	S	.	.	NAACCR	
2114	Future Use Timeliness 1		
2115	Future Use Timeliness 2		
2116	ICD-O-3 Conversion Flag	R	R	R	R	R	R	SEER/COC	New
2120	SEER Coding Sys--Current	R	.	.	S	.	.	NAACCR	
2130	SEER Coding Sys--Original	R	.	.	S	.	.	NAACCR	
2140	COC Coding Sys--Current	R	.	.	S	R	.	COC	
2150	COC Coding Sys--Original	R	.	.	S	.	.	NAACCR	
2160	Subsq Report for Primary	NAACCR	Retired
2161	Reserved for Expansion		
2170	Vendor Name	R	.	R	.	.	.	NAACCR	
2180	SEER Type of Follow-Up	R	SEER	
2190	SEER Record Number	R	SEER	
2200	Diagnostic Proc 73-87	R	SEER	
2210	Reserved for Expansion		
2220	State/Requestor Items	Varies	
2230	Name--Last	.	R	R	R	R	.	NAACCR	
2240	Name--First	.	R	R	R	R	.	NAACCR	
2250	Name--Middle	.	R	R	R	R	.	COC	
2260	Name--Prefix	O	.	COC	
2270	Name--Suffix	S	.	COC	
2280	Name--Alias	.	R	R	S	S	.	COC	
2290	Name--Spouse/Parent	Varies	
2300	Medical Record Number	.	.	R	S	R	.	NAACCR	
2310	Military Record No Suffix	S	.	COC	Revised
2320	Social Security Number	.	R	R	R	R	.	COC	
2330	Addr at DX--No & Street	.	R	R	S	R	.	COC	
2350	Addr Current--No & Street	.	.	R	.	R	.	COC	
2360	Telephone	.	.	R	.	R	.	COC	
2370	DC State		Retired
2371	Reserved for Expansion		
2380	DC State File Number	.	R	R	S	.	.	State	

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
 Chapter IX: Required Status Table (Item # Order)

Item #	Item Name	Exc	Inc	Full	NPCR	COC	SEER	Source of Standard	Note
2390	Name--Maiden	.	R	R	S	S	.	NAACCR	
2392	Follow-Up Contact--No&St	NAACCR	
2394	Follow-Up Contact--Name	NAACCR	
2400	Reserved for Expansion		
2410	Institution Referred From	.	.	R	.	S	.	NAACCR	
2420	Institution Referred To	.	.	R	.	S	.	NAACCR	
2430	Last Follow-Up Hospital	NAACCR	
2440	Following Registry	O	.	NAACCR	
2450	Reserved for Expansion		
2460	Physician--Managing	S	.	COC	
2470	Physician--Follow-Up	.	.	R	.	R	.	COC	
2480	Physician--Primary Surg	R	.	COC	
2490	Physician 3	S	.	COC	
2500	Physician 4	S	.	COC	
2520	Text--DX Proc--PE	.	.	S	R^	.	.	NAACCR	Revised
2530	Text--DX Proc--X-ray/scan	.	.	S	R^	.	.	NAACCR	Revised
2540	Text--DX Proc--Scopes	.	.	S	R^	.	.	NAACCR	Revised
2550	Text--DX Proc--Lab Tests	.	.	S	R^	.	.	NAACCR	Revised
2560	Text--DX Proc--Op	.	.	S	R^	.	.	NAACCR	Revised
2570	Text--DX Proc--Path	.	.	S	R^	.	.	NAACCR	Revised
2580	Text--Primary Site Title	.	.	S	S	.	.	NAACCR	
2590	Text--Histology Title	.	.	S	S	.	.	NAACCR	
2600	Text--Staging	.	.	S	R^	.	.	NAACCR	Revised
2610	RX Text--Surgery	.	.	S	R^	.	.	NAACCR	Revised
2620	RX Text--Radiation (Beam)	.	.	S	S	.	.	NAACCR	
2630	RX Text--Radiation Other	.	.	S	S	.	.	NAACCR	
2640	RX Text--Chemo	.	.	S	S	.	.	NAACCR	
2650	RX Text--Hormone	.	.	S	S	.	.	NAACCR	
2660	RX Text--BRM	.	.	S	S	.	.	NAACCR	
2670	RX Text--Other	.	.	S	S	.	.	NAACCR	
2680	Text--Remarks	.	.	S	S	.	.	NAACCR	
2690	Place of Diagnosis	.	.	S	S	.	.	NAACCR	
2700	Reserved for Expansion		

Codes for Recommendations: R = required S = supplementary/recommended . = not in data set but available O = optional * = when available @ = required for breast cancer only \$ = requirements differ by year # = Central registries may code available data using 1998 SEER or 1998 COC data items, codes, and rules. See Vol. 2, chap. V. + = See Chapter XI Data Dictionary for details related to required status for these data items. ^ = these text requirements may be met with one or several text block fields Special note: Exc, Inc, and Full headings are NAACCR Exc, NAACCR Inc, and NAACCR Full.

ERRATUM

Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
p. 89: Revised Census Tract Codes

CENSUS TRACT

Alternate Name	Item #	Length	Source of Standard	Column #
Census Tract/Block Numbering Area (BNA) (SEER)	110	6	SEER	56-61

Description

Code for the census tract of the patient's residence at the time of diagnosis for the reportable tumor. SEER used this field for cases reported before 1998. If the patient has more than one tumor, the codes may be different for each tumor.

Codes are those used by the U.S. Bureau of the Census. Census Bureau codes for block numbering area (BNA) are also entered in this field. BNAs were first used in the 1990 census, but were not used for the states of California, Connecticut, Delaware, Hawaii, New Jersey, Rhode Island, and the District of Columbia.

Both census tracts and BNAs have a 4-digit basic number and may also have a 2-digit suffix. Census tract numbers range from 0001.00 to 9499.99. BNA numbers range from 9501.00 to 9989.99. See the Census Bureau's "Area Classification"³¹ for further details.

Rationale

Allows central registries to calculate incidence rates for geographical areas having population estimates. The U.S. Bureau of the Census provides population data for census tracts. Those rates can be used for general surveillance or special geographical and socioeconomic analysis.

Codes

Census Tract Codes 000100-949999
BNA Codes 950100-998999

000000 Areas not census-tracted
999999 Area census-tracted, but census tract is not available

CENSUS TRACT BLOCK GROUP

Alternate Name	Item #	Length	Source of Standard	Column #
	362	1	Census	187-187

Description

NAACCR has not adopted standards for this item.

ERRATUM
Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
 p. 94: Revised Class of Case

CLASS OF CASE

Alternate Name	Item #	Length	Source of Standard	Column #
	610	1	COC	324-324

Description

For a hospital registry, divides cases into those included in reports on patient treatment and outcome (analytic) and those that are not included (nonanalytic). Class of Case codes 0-2 are analytic, i.e., were diagnosed and/or received all or part of their first course of treatment or had treatment planning at the reporting hospital or staff physician's office. Class of case codes 3-5, 8 and 9 are nonanalytic, i.e. received all of their first course of therapy at another institution or were diagnosed at autopsy or by death certificate only. Class of case 6 codes are analytic for diagnosis dates prior to January 1, 2000; they are non-analytic for diagnosis dates on or after January 1, 2000.

Codes

- 0 First diagnosed at the reporting institution since the registry's reference date and all of the first course of therapy elsewhere
- 1 First diagnosed and all or part of the first course of therapy at the reporting institution
- 2 First diagnosed elsewhere and treatment plan developed and documented and/or the first course of therapy given at the reporting institution after the registry's reference date
- 3 First diagnosed and all of the first course of therapy elsewhere
- 4 First diagnosed and first course of therapy at the reporting institution before the reference date of the registry
- 5 First diagnosed at autopsy
- 6 Diagnosed and all of the first course of treatment only in a staff physician's office
- 8 Diagnosis established only by death certificate *
- 9 Unknown *

**Note:* Codes 8 and 9 are used in central registries only.

ERRATUM

Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
p. 103: Revised Description

DATE CASE REPORT RECEIVED

Alternate Name	Item #	Length	Source of Standard	Column #
	2111	8	NAACCR	996-1003

Description

Date the electronic or paper abstract is received by the central cancer registry from the reporting facility. Abstracts submitted via diskette and paper abstracts must be manually date-stamped. However, when diskettes are processed by the computer system, the Date Case Report Received can be supplied by the central registry for the batch of records. Abstracts submitted by modem or a file transfer protocol can automatically be date- and time-stamped by the computer system when the data arrive at the central registry.

This item is not yet well defined for use when a central registry is creating a transmission record for a consolidated tumor record from multiple case reports. NAACCR committees will continue to refine the definition. See Chapter V, Unresolved Issues, for discussion of differences between SEER and COC items.

DATE OF 1ST CRS RX--COC (Revised)

Alternate Name	Item #	Length	Source of Standard	Column #
Date of First Course Treatment (COC)	1270	8	COC	593-600
Date Started (pre 96 COC)				

Description

Date of initiation of the first cancer-directed therapy for the cancer being reported, using COC definition of first course. The date of first treatment includes the date a decision was made not to treat the patient. See *ROADS*, 1998 Supplement for details.

Clarification of NPCR Required Status

Central registries funded by NPCR are required to collect either Data Item 1260 - Date of Initial RX--SEER or Data Item 1270 - Date of 1st Crs RX--COC.

DATE OF 1ST POSITIVE BX

Alternate Name	Item #	Length	Source of Standard	Column #
Date of First Positive Biopsy (COC)	1080	8	COC	468-475

Description

Date of first positive tissue biopsy/positive histology.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
Chapter IX: Required Status Table (Item # Order)

Codes (in addition to valid dates)

00000000 Positive biopsy never obtained

ERRATUM

Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
p. 131: Revised Code 6 is the NAACCR Standard

MORPH CODING SYS--CURRENT (Revised)

Alternate Name	Item #	Length	Source of Standard	Column #
	470	1	NAACCR	240-240

Description

Code that best describes how morphology is currently coded. If converted, this field shows the system it is converted to.

Codes

- 1 ICD-O, 1st edition
- 2 ICD-O, 1986 Field Trial
- 3 ICD-O, 1988 Field Trial
- 4 ICD-O, 2nd edition
- 5 ICD-O, 2nd edition, plus REAL lymphoma codes effective 1/1/95
- 6 ICD-O, 2nd edition, plus FAB codes effective 1/1/98
- 7 ICD-O-3
- 9 Other

Note: Code 7 is the NAACCR standard.

MORPH CODING SYS--ORIGINAL (Revised)

Alternate Name	Item #	Length	Source of Standard	Column #
	480	1	NAACCR	241-241

Description

Code that best describes how morphology was originally coded. If later converted, this field shows the original codes used.

Codes

- 1 ICD-O, 1st edition
- 2 ICD-O, 1986 Field Trial
- 3 ICD-O, 1988 Field Trial
- 4 ICD-O 2nd edition
- 5 ICD-O, 2nd edition, plus REAL lymphoma codes effective 1/1/95
- 6 ICD-O, 2nd edition, plus FAB codes effective 1/1/98
- 7 ICD-O-3
- 9 Other

ERRATUM

Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
p. 195: Revised RX HOSP--REG LN Examined

RX HOSP--REG LN REMOVED

Alternate Name	Item #	Length	Source of Standard	Column #
Number of Regional Lymph Nodes Examined at This Facility (COC)	676	2	COC	345-346

Description

Describes number of regional lymph nodes examined as part of the first course of treatment. This item reflects that portion of the first course of treatment given at the reporting facility.

Rationale

If central registries wish to study the treatment given at particular hospitals, these hospital-level data items must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course treatment information on the case. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing the extent of treatment given at a particular hospital also helps resolve coding issues.

Codes

- 00 No regional lymph nodes examined
- 01 One regional lymph node examined
- 02 Two regional lymph nodes examined
- ..
- ..
- 90 Ninety or more regional lymph nodes examined
- 95 No regional lymph node(s) removed, but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a samplings and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as a dissection and number of lymph nodes unknown/not stated.
- 98 Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

ERRATUM
Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
 p. 220: Revised Description

SEER SUMMARY STAGE 2000 (New)

Alternate Name	Item #	Length	Source of Standard	Column #
	759	1	SEER	387-387

Description

Code for summary stage at the initial diagnosis or treatment of the reportable tumor. For hospital registries, COC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see SEER Summary Staging Manual 2000.

Summary stage should include all information available through completion of surgery (ies) in the first course of treatment or within four months of diagnosis in the absence of disease progression, whichever is longer.

Rationale

Stage information is important when evaluating the effects of cancer control programs. It is crucial in understanding whether changes over time in incidence rates or outcomes are due to earlier detection of the cancers. In addition, cancer treatment cannot be studied without knowing the stage at diagnosis.

Codes

- 0 In situ
- 1 Localized
- 2 Regional, direct extension only
- 3 Regional, regional lymph nodes only
- 4 Regional, direct extension and regional lymph nodes
- 5 Regional, NOS
- 7 Distant
- 9 Unstaged

Clarification of NAACCR and NPCR Required Status

Summary stage is required. The correct data item to use (and corresponding code manual) is determined by the year in which the cancer was diagnosed. Cancers diagnosed on or after January 1, 2001 should be assigned a summary stage according to SEER Summary Stage Manual 2000 and the code should be reported in Data Item 759 - SEER Summary Stage 2000. Cancers diagnosed before January 1, 2001 should be assigned a summary stage according to SEER Summary Stage Guide 1977 and the code should be reported in Data Item 760 - SEER Summary Stage 1977.

ERRATUM

Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
p. 225: Revised Code 4 is the NAACCR Standard

SITE CODING SYS--CURRENT (Revised)

Alternate Name	Item #	Length	Source of Standard	Column #
	450	1	NAACCR	238-238

Description

Code that best describes how the primary site currently is coded. If converted, this field shows the system it is converted to.

Codes

- 1 ICD-8 and MONTNAC
- 2 ICD-9
- 3 ICD-O, 1st edition
- 4 ICD-O, 2nd edition
- 5 ICD-O, 3rd edition
- 6 ICD-10
- 9 Other

Note: Code 5 is the NAACCR standard.

SITE CODING SYS--ORIGINAL (Revised)

Alternate Name	Item #	Length	Source of Standard	Column #
	460	1	NAACCR	239-239

Description

Code that best describes how primary site was originally coded. If later converted, this field shows the original coding system used.

Codes

- 1 ICD-8 and MONTNAC
- 2 ICD-9
- 3 ICD-O, 1st edition
- 4 ICD-O, 2nd edition
- 5 ICD-O, 3rd edition
- 6 ICD-10
- 9 Other

ERRATUM

Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
p. 298: Revised Year First Seen This CA

VENDOR NAME

Alternate Name	Item #	Length	Source of Standard	Column #
	2170	10	NAACCR	981-990

Description

System-generated. Name of the computer services vendor who programmed the system submitting this data. Abbreviate as necessary and keep a consistent name throughout all submissions. Include software version number where available. Code is self-assigned by vendor.

Rationale

This is used to track which vendor and which software version submitted the case. It helps define the source and extent of a problem discovered in data submitted by a software provider.

VITAL STATUS

Alternate Name	Item #	Length	Source of Standard	Column #
	1760	1	SEER/COC	799-799

Description

Vital status of the patient as of the date entered in item 1750 (Date of Last Contact).

Codes

- 0 Dead (COC)
- 1 Alive
- 4 Dead (SEER)

YEAR FIRST SEEN THIS CA

Alternate Name	Item #	Length	Source of Standard	Column #
Accession Year (pre 96 COC)	620	4	COC	325-328
Year First Seen for this Primary (COC)				

Description

Year patient was first seen at the reporting institution for diagnosis and/or treatment of this primary, since the reference date of the registry. It is **not** the year that the registrar accessioned the case.

Rationale

This data item is used by hospital registries to organize their case reporting into individual years. It differs from the first four digits of the Accession Number, since the year is case-specific rather than patient-specific, and from the diagnosis year since it relates to the specific facility and not the tumor.

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
Chapter IX: Required Status Table (Item # Order)

Central registries that wish to compare their data with hospital case lists can make use of this field to create equivalent reports.

ERRATUM

Standards for Cancer Registries, Volume II

Data Standards and Data Dictionary, Record Layout Version 9

p. 306: FIPS codes for Missouri Counties (next page)

107 Norman
 109 Olmsted
 111 Otter Tail
 113 Pennington
 115 Pine
 117 Pipestone
 119 Polk
 121 Pope
 123 Ramsey
 125 Red Lake
 127 Redwood
 129 Renville
 131 Rice
 133 Rock
 135 Roseau
 137 St. Louis
 139 Scott
 141 Sherburne
 143 Sibley
 145 Stearns
 147 Steele
 149 Stevens
 151 Swift
 153 Todd
 155 Traverse
 157 Wabasha
 159 Wadena
 161 Waseca
 163 Washington
 165 Watonwan
 167 Wilkin
 169 Winona
 171 Wright
 173 Yellow Medicine

STATE NAME:
MISSISSIPPI
ALPHABETIC CODE:
MS
NUMERIC CODE: 28

CODE COUNTY
NAME

001 Adams
 003 Alcorn
 005 Amite
 007 Attala
 009 Benton
 011 Bolivar
 013 Calhoun
 015 Carroll
 017 Chickasaw
 019 Choctaw
 021 Claiborne
 023 Clarke
 025 Clay
 027 Coahoma
 029 Copiah
 031 Covington
 033 DeSoto
 035 Forrest

037 Franklin
 039 George
 041 Greene
 043 Grenada
 045 Hancock
 047 Harrison
 049 Hinds
 051 Holmes
 053 Humphreys
 055 Issaquena
 057 Itawamba
 059 Jackson
 061 Jasper
 063 Jefferson
 065 Jefferson Davis
 067 Jones
 069 Kemper
 071 Lafayette
 073 Lamar
 075 Lauderdale
 077 Lawrence
 079 Leake
 081 Lee
 083 Leflore
 085 Lincoln
 087 Lowndes
 089 Madison
 091 Marion
 093 Marshall
 095 Monroe
 097 Montgomery
 099 Neshoba
 101 Newton
 103 Noxubee
 105 Oktibbeha
 107 Panola
 109 Pearl River
 111 Perry
 113 Pike
 115 Pontotoc
 117 Prentiss
 119 Quitman
 121 Rankin
 123 Scott
 125 Sharkey
 127 Simpson
 129 Smith
 131 Stone
 133 Sunflower
 135 Tallahatchie
 137 Tate
 139 Tippah
 141 Tishomingo
 143 Tunica
 145 Union
 147 Walthall
 149 Warren
 151 Washington
 153 Wayne
 155 Webster
 157 Wilkinson
 159 Winston

161 Yalobusha
 163 Yazoo

NAME:
MISSOURI
ALPHABETIC CODE:
MO
NUMERIC CODE: 29

CODE COUNTY

NAME
 001 Adair
 003 Andrew
 005 Atchison
 007 Audrain
 009 Barry
 011 Barton
 013 Bates
 015 Benton
 017 Bollinger
 019 Boone
 021 Buchanan
 023 Butler
 025 Caldwell
 027 Callaway
 029 Camden
 031 Cape Girardeau
 033 Carroll
 035 Carter
 037 Cass
 039 Cedar
 041 Chariton
 043 Christian
 045 Clark
 047 Clay
 049 Clinton
 051 Cole
 053 Cooper
 055 Crawford
 057 Dade
 059 Dallas
 061 Daviess
 063 DeKalb
 065 Dent
 067 Douglas
 069 Dunklin
 071 Franklin
 073 Gasconade
 075 Gentry
 077 Greene
 079 Grundy
 081 Harrison
 083 Henry
 085 Hickory
 087 Holt
 089 Howard
 091 Howell
 093 Iron
 095 Jackson
 097 Jasper
 099 Jefferson

101 Johnson
 103 Knox
 105 Laclede
 107 Lafayette
 109 Lawrence
 111 Lewis
 113 Lincoln
 115 Linn
 117 Livingston
 119 McDonald
 121 Macon
 123 Madison
 125 Maries
 127 Marion
 129 Mercer
 131 Miller
 133 Mississippi
 135 Moniteau
 137 Monroe
 139 Montgomery
 141 Morgan
 143 New Madrid
 145 Newton
 147 Nodaway
 149 Oregon
 151 Osage
 153 Ozark
 155 Pemiscot
 157 Perry
 159 Pettis
 161 Phelps
 163 Pike
 165 Platte
 167 Polk
 169 Pulaski
 171 Putnam
 173 Ralls
 175 Randolph
 177 Ray
 179 Reynolds
 181 Ripley
 183 St. Charles
 185 St. Clair
 186 Ste. Genevieve
 187 St. Francois
 189 St. Louis County
 195 Saline
 197 Schuyler
 199 Scotland
 201 Scott
 203 Shannon
 205 Shebly
 207 Stoddard
 209 Stone
 211 Sullivan
 213 Taney
 215 Texas

Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary, Fifth Edition
Chapter IX: Required Status Table (Item # Order)

ERRATUM

Standards for Cancer Registries, Volume II
Data Standards and Data Dictionary, Record Layout Version 9
p. 327 Registry ID (next page)

Table Name: REGID.DBF

00000200 Maine Cancer Incidence Registry
00000300 New Hampshire State Cancer Registry
00000400 Vermont Cancer Registry
00000500 Massachusetts Cancer Registry
00000580 Southeast Massachusetts Cancer Registry
00000581 Greater Lowell Cancer Program
00000600 Rhode Island Cancer Registry
00000700 Connecticut Tumor Registry
00000800 New Jersey State Cancer Registry
00001100 New York State Cancer Registry
00001180 Rochester Regional Tumor Registry
00001400 Pennsylvania Cancer Registry
00001480 Pennsylvania - Northeast Regional Cancer Ctr.
00001480 Northeast Regional Cancer Center
00001500 National Cancer Institute SEER Program
00001500 SEER Program, National Cancer Institute
00001501 SEER San Francisco-Oakland SMSA
00001502 SEER Connecticut
00001520 SEER Metropolitan Detroit
00001521 SEER Hawaii
00001522 SEER Iowa
00001523 SEER New Mexico
00001525 SEER Seattle-Puget Sound
00001526 SEER Utah
00001527 SEER Metropolitan Atlanta
00001531 SEER San Jose-Monterey
00001533 SEER Arizona Indians
00001535 SEER Los Angeles
00001537 SEER Rural Georgia
00001680 National Cancer Data Base
00001700 Delaware State Cancer Registry
00001801 Central Brain Tumor Registry of the U.S.
00001900 U.S. Army Central Registry (ACTUR)
00001900 Automated Central Tumor Registry (ACTUR)
00002100 Maryland Cancer Registry
00002200 District of Columbia Central Cancer Registry
00002300 Virginia Cancer Registry
00002400 West Virginia Cancer Registry
00002500 North Carolina Central Cancer Registry
00002600 South Carolina Central Cancer Registry
00002601 Savannah River Region Cancer Registry in SC
00002601 South Carolina - Savannah River Region in SC
00003100 Tennessee Cancer Reporting System
00003300 Georgia Center for Cancer Statistics
00003300 Georgia Cancer Registry
00003301 Georgia - Metropolitan Atlanta Cancer Registry
00003301 Metropolitan Atlanta Cancer Registry
00003302 Georgia - Rural Georgia Cancer Registry
00003302 Rural Georgia Cancer Registry
00003303 Georgia - Savannah River Region Cancer Regsty
00003303 Savannah River Region Cancer Registry in GA
00003500 Florida Cancer Data System
00003700 Alabama State Cancer Registry
00003900 Mississippi State Cancer Registry
00004100 Michigan Cancer Surveillance System
00004101 Michigan Cancer Foundation, CA
Surveillance Detroit Metropolitan Area
00004101 Detroit Metropolitan
00004300 Ohio Bureau of Chronic Disease
00004301 Cancer Data System, Inc.
00004301 Ohio - Cancer Data System, Inc.
00004500 Indiana State Cancer Registry
00004700 Kentucky Cancer Registry
00005100 Wisconsin Cancer Reporting System
00005200 Minnesota Cancer Surveillance System
00005300 Iowa State Health Registry
00005300 State Health Registry of Iowa
00005400 North Dakota Cancer Registry
00005600 Montana Central Tumor Registry
00006100 Illinois State Cancer Registry
00006300 Missouri Cancer Registry
00006500 Kansas - Cancer Data Service
00006500 Cancer Data Service
00006700 Nebraska Cancer Registry
00007100 Arkansas CART I
00007300 Louisiana Tumor Registry
00007301 New Orleans Regional Cancer Registry
00007301 Louisiana Region I
00007302 Baton Rouge Regional Tumor Registry
00007302 Louisiana Region II
00007303 Southeast Louisiana Regional Cancer Registry
00007303 Louisiana Region III
00007304 Acadiana Tumor Registry
00007304 Louisiana Region IV
00007305 Southwest Louisiana Regional Tumor Registry
00007305 Louisiana Region V
00007306 Central Louisiana Regional Tumor Registry
00007306 Louisiana Region VI
00007307 Northwest Louisiana Regional Tumor Registry
00007307 Louisiana Region VII
00007308 Northeast Louisiana Regional Tumor Registry
00007308 Louisiana Region VIII
00007309 New Orleans / Southeast Louisiana Reg. CA
RegLouisiana's regions I and III combined
00007310 North Louisiana Regional Tumor Registry.
Louisiana's regions VI, VII, and VIII
00007500 Oklahoma State Department of Health
00007580 Eastern Oklahoma Regional Registry
00007580 Oklahoma - Eastern Regional Registry
00007700 Texas Cancer Incidence Reporting System
00008100 Cancer Data Registry of Idaho
00008100 Idaho Cancer Data Registry
00008200 Wyoming Central Tumor Registry
00008300 Colorado Central Cancer Registry
00008400 Utah Cancer Registry
00008500 Nevada Statewide Cancer Registry
00008600 New Mexico Tumor Registry
00008601 Arizona Indians. Data collected by New Mexico
Tumor Reg.
00008700 Arizona Cancer Registry
00009100 Alaska State Cancer Registry
00009101 Alaska Area Native Health Service
00009300 Washington State Cancer Registry
00009301 Cancer Surveillance System Fred Hutchinson.
Seattle Puget Sound area, 13 counties
00009301 Washington - Seattle-Puget Sound
00009302 Eastern Washington State Cancer Registry
00009302 Washington - Eastern State Cancer Registry
00009380 Spokane Central Tumor Registry (multi-hospital)