

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
10	Record Type	.	.	R	.	R	NAACCR	Revised
20	Patient ID Number	R	.	.	R	R	Reporting Registry	
30	Registry Type	NAACCR	
35	FIN Coding System	S	NAACCR	
37	Reserved 00		
40	Registry ID	S	.	.	R	R	NAACCR	
50	NAACCR Record Version	R	.	R	.	.	NAACCR	Revised
60	Tumor Record Number	S	.	.	R	R	NAACCR	
70	Addr at DX--City	R	R	R	R	.	COC	Revised
80	Addr at DX--State	R	R	R	R	.	NAACCR	Revised
90	County at DX	R	R	R	R	R	FIPS/SEER	
100	Addr at DX--Postal Code	R	R	R	R	.	NAACCR	Revised
110	Census Tract 1970/80/90	RH	.	.	RH	RH	SEER	Revised
120	Census Cod Sys 1970/80/90	RH	.	.	RH	RH	SEER	Revised
130	Census Tract 2000	R	.	.	R	R	SEER	Revised
140	Census Tract Cod Sys--Alt	NAACCR	Retired
150	Marital Status at DX	S	.	.	R	R	SEER	Revised
160	Race 1	R	R	R	R	R	SEER/COC	
161	Race 2	R	R	R	R	R	SEER/COC	
162	Race 3	R	R	R	R	R	SEER/COC	
163	Race 4	R	R	R	R	R	SEER/COC	
164	Race 5	R	R	R	R	R	SEER/COC	
170	Race Coding Sys--Current	.	R	R	.	.	NAACCR	Revised
180	Race Coding Sys--Original	.	R	R	.	.	NAACCR	Revised
190	Spanish/Hispanic Origin	R	R	R	R	R	SEER/COC	
200	Computed Ethnicity	S	.	.	R	R	NAACCR	
210	Computed Ethnicity Source	S	.	.	R	R	NAACCR	
220	Sex	R	R	R	R	R	SEER/COC	
230	Age at Diagnosis	R	R	R	R	R	SEER/COC	Revised
240	Birth Date	R	R	R	R	R	SEER/COC	
250	Birthplace	R*	R	R	R	R	SEER/COC	Revised
260	Religion	Varies	
270	Occupation Code--Census	S	Census/NPCR	
280	Industry Code--Census	S	Census/NPCR	
290	Occupation Source	S	NPCR	
300	Industry Source	S	NPCR	
310	Text--Usual Occupation	R*	NPCR	Revised
320	Text--Usual Industry	R*	NPCR	Revised
330	Occup/Ind Coding System	S	NPCR	
340	Tobacco History	Varies	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
350	Alcohol History	Varies	Revised
360	Family History of Cancer	Varies	Revised
362	Census Tract Block Group	Census	
364	Census Tr Cert 1970/80/90	RH	.	.	RH	RH	SEER	Revised
365	Census Tr Certainty 2000	R	.	.	R	R	SEER	New
370	Reserved 01		
380	Sequence Number--Central	R	.	.	R	R	NAACCR	
390	Date of Diagnosis	R	R	R	R	R	SEER/COC	
400	Primary Site	R	R	R	R	R	SEER/COC	
410	Laterality	R	R	R	R	R	SEER/COC	
419	Morph--Type&Behav ICD-O-2							
420	Histology (92-00) ICD-O-2	RH	.	RH	RH	RH	SEER/COC	Revised
430	Behavior (92-00) ICD-O-2	RH	.	RH	RH	RH	SEER/COC	Revised
440	Grade	R	R	R	R	R	SEER/COC	
450	Site Coding Sys--Current	S	R	R	.	.	NAACCR	Revised
460	Site Coding Sys--Original	.	R	R	.	.	NAACCR	Revised
470	Morph Coding Sys--Current	S	R	R	.	.	NAACCR	Revised
480	Morph Coding Sys--Originl	.	R	R	.	.	NAACCR	Revised
490	Diagnostic Confirmation	R	R	R	R	R	SEER/COC	
500	Type of Reporting Source	R	.	.	R	R	SEER	Revised
510	Screening Date	COC	Revised
520	Screening Result	COC	Revised
521	Morph--Type&Behav ICD-O-3							
522	Histologic Type ICD-O-3	R	R	R	R	R	SEER/COC	
523	Behavior Code ICD-O-3	R	R	R	R	R	SEER/COC	
530	Reserved 02		
538	Reporting Hospital FAN	COC	Revised
540	Reporting Hospital	S	R	R	R	.	COC	Revised
550	Accession Number--Hosp	S	R	R	R	.	COC	Revised
560	Sequence Number--Hospital	S	R	R	R	.	COC	Revised
570	Abstracted By	.	R	R	R	.	COC	Revised
580	Date of 1st Contact	R	R	R	.	.	NAACCR	Revised
590	Date of Inpatient Adm	COC	Revised
600	Date of Inpatient Disch	COC	Revised
610	Class of Case	S	R	R	RC	.	COC	Revised
620	Year First Seen This CA	COC	Revised
630	Primary Payer at DX	.	R	R	.	.	COC	
640	Inpatient/Outpt Status	COC	Revised
650	Presentation at CA Conf	COC	Revised
660	Date of CA Conference	COC	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
670	RX Hosp--Surg Prim Site	.	R	R	R	.	COC	Revised
672	RX Hosp--Scope Reg LN Sur	.	R	R	R	.	COC	Revised
674	RX Hosp--Surg Oth Reg/Dis	.	R	R	R	.	COC	Revised
676	RX Hosp--Reg LN Removed	COC	Revised
680	Reserved 03		
690	RX Hosp--Radiation	.	.	.	R	.	SEER	Revised
700	RX Hosp--Chemo	.	R	R	R	.	COC	Revised
710	RX Hosp--Hormone	.	R	R	R	.	COC	Revised
720	RX Hosp--BRM	.	R	R	R	.	COC	Revised
730	RX Hosp--Other	.	R	R	R	.	COC	Revised
740	RX Hosp--DX/Stg Proc	.	R	R	.	.	COC	Revised
742	RX Hosp--Screen/BX Proc1	COC	
743	RX Hosp--Screen/BX Proc2	COC	
744	RX Hosp--Screen/BX Proc3	COC	
745	RX Hosp--Screen/BX Proc4	COC	
746	RX Hosp--Surg Site 98-02	.	RH*	RH*	RH/R	.	COC	New
747	RX Hosp--Scope Reg 98-02	.	RH*	RH*	RH/R	.	COC	New
748	RX Hosp--Surg Oth 98-02	.	RH*	RH*	RH/R	.	COC	New
750	Reserved 04		
759	SEER Summary Stage 2000	R	R	R	.	.	SEER	Revised
760	SEER Summary Stage 1977	RH	RH	RH	.	.	SEER	Revised
770	Loc/Reg/Distant Stage	Varies	
779	Extent of Disease 10-Dig							
780	EOD--Tumor Size	S	R	R	R	R	SEER/COC	
790	EOD--Extension	S	.	.	R	R	SEER	Revised
800	EOD--Extension Prost Path	S	.	.	R	R	SEER	
810	EOD--Lymph Node Invol	S	.	.	R	R	SEER	Revised
820	Regional Nodes Positive	S	R	R	R	R	SEER/COC	
830	Regional Nodes Examined	S	R	R	R	R	SEER/COC	
840	EOD--Old 13 Digit	.	.	.	RH	RH	SEER	Revised
850	EOD--Old 2 Digit	.	.	.	RH	RH	SEER	Revised
860	EOD--Old 4 Digit	.	.	.	RH	RH	SEER	Revised
870	Coding System for EOD	.	.	.	R	R	SEER	
880	TNM Path T	.	R	R	.	.	AJCC	
890	TNM Path N	.	R	R	.	.	AJCC	
900	TNM Path M	.	R	R	.	.	AJCC	
910	TNM Path Stage Group	.	R	R	.	.	AJCC	
920	TNM Path Descriptor	.	R	R	.	.	COC	Revised
930	TNM Path Staged By	.	R	R	.	.	COC	
940	TNM Clin T	.	R	R	.	.	AJCC	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
950	TNM Clin N	.	R	R	.	.	AJCC	
960	TNM Clin M	.	R	R	.	.	AJCC	
970	TNM Clin Stage Group	.	R	R	.	.	AJCC	
980	TNM Clin Descriptor	.	R	R	.	.	COC	Revised
990	TNM Clin Staged By	.	R	R	.	.	COC	
1000	TNM Other T	AJCC	Revised
1010	TNM Other N	AJCC	Revised
1020	TNM Other M	AJCC	Revised
1030	TNM Other Stage Group	AJCC	Revised
1040	TNM Other Staged By	COC	Revised
1050	TNM Other Descriptor	COC	Revised
1060	TNM Edition Number	.	R	R	.	.	COC	
1070	Other Staging System	COC	Revised
1080	Date of 1st Positive BX	COC	Revised
1090	Site of Distant Met 1	.	.	RH	.	.	COC	Revised
1100	Site of Distant Met 2	.	.	RH	.	.	COC	Revised
1110	Site of Distant Met 3	.	.	RH	.	.	COC	Revised
1120	Pediatric Stage	COC	Revised
1130	Pediatric Staging System	COC	Revised
1140	Pediatric Staged By	COC	Revised
1150	Tumor Marker 1	.	RH	RH	R	R	SEER	Revised
1160	Tumor Marker 2	.	RH	RH	R	R	SEER	Revised
1170	Tumor Marker 3	.	RH	RH	R	R	SEER	Revised
1180	Reserved 05		
1190	Reserved 06		
1200	RX Date--Surgery	S	R	R	.	.	COC	
1210	RX Date--Radiation	S	R	R	.	.	COC	
1220	RX Date--Chemo	COC	Revised
1230	RX Date--Hormone	COC	Revised
1240	RX Date--BRM	COC	Revised
1250	RX Date--Other	S	R	R	.	.	COC	
1260	Date of Initial RX--SEER	#	.	.	R	R	SEER	
1270	Date of 1st Crs RX--COC	#	R	R	.	.	COC	
1280	RX Date--DX/Stg Proc	.	R	R	.	.	COC	
1290	RX Summ--Surg Prim Site	R	R	R	R	R	SEER/COC	
1292	RX Summ--Scope Reg LN Sur	R	R	R	R	R	SEER/COC	
1294	RX Summ--Surg Oth Reg/Dis	R	R	R	R	R	SEER/COC	
1296	RX Summ--Reg LN Examined	.	.	.	RH	RH	SEER/COC	Revised
1300	Reserved 07		
1310	RX Summ--Surgical Approach	COC	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
1320	RX Summ--Surgical Margins	.	R	R	.	.	COC	
1330	RX Summ--Reconstruct 1st	.	.	.	RH	RH	COC	Revised
1340	Reason for No Surgery	S	R	R	R	R	SEER/COC	Revised
1350	RX Summ--DX/Stg Proc	.	R	R	.	.	COC	
1360	RX Summ--Radiation	.	.	.	R	R	SEER	Revised
1370	RX Summ--Rad to CNS	.	.	.	RH	RH	SEER/COC	Revised
1380	RX Summ--Surg/Rad Seq	S	R	R	R	R	SEER/COC	Revised
1390	RX Summ--Chemo	S	R	R	R	R	SEER/COC	
1400	RX Summ--Hormone	S	R	R	R	R	SEER/COC	
1410	RX Summ--BRM	S	R	R	R	R	SEER/COC	
1420	RX Summ--Other	S	R	R	R	R	SEER/COC	
1430	Reason for No Radiation	S	R	R	.	.	COC	Revised
1440	Reason for No Chemo	COC	Revised
1450	Reason for No Hormone	COC	Revised
1460	RX Coding System--Current	R	R	R	.	R	NAACCR	Revised
1470	Protocol Eligibility Stat	COC	Revised
1480	Protocol Participation	COC	Revised
1490	Referral to Support Serv	COC	Revised
1500	First Course Calc Method	NAACCR	
1510	Rad--Regional Dose: cGy	.	R	R	.	.	COC	Revised
1520	Rad--No of Treatment Vol	.	R	R	.	.	COC	Revised
1530	Rad--Elapsed RX Days	COC	Revised
1540	Rad--Treatment Volume	.	R	R	.	.	COC	Revised
1550	Rad--Location of RX	.	R	R	.	.	COC	Revised
1560	Rad--Intent of Treatment	COC	Revised
1570	Rad--Regional RX Modality	S	R	R	RC	.	COC	Revised
1580	Rad--RX Completion Status	COC	Revised
1590	Rad--Local Control Status	COC	Revised
1600	Chemotherapy Field 1	COC	Revised
1610	Chemotherapy Field 2	COC	Revised
1620	Chemotherapy Field 3	COC	Revised
1630	Chemotherapy Field 4	COC	Revised
1640	RX Summ--Surgery Type	.	.	.	RH	RH	SEER	Revised
1642	RX Summ--Screen/BX Proc1	COC	Revised
1643	RX Summ--Screen/BX Proc2	COC	Revised
1644	RX Summ--Screen/BX Proc3	COC	Revised
1645	RX Summ--Screen/BX Proc4	COC	Revised
1646	RX Summ--Surg Site 98-02	RH	RH	RH	RH/R	RH/R	SEER/COC	New
1647	RX Summ--Scope Reg 98-02	RH	RH	RH	RH/R	RH/R	SEER/COC	New
1648	RX Summ--Surg Oth 98-02	RH	RH	RH	RH/R	RH/R	SEER/COC	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
1650	Reserved 08		
1660	Subsq RX 2nd Course Date	COC	Revised
1670	Subsq RX 2nd Course Codes							
1671	Subsq RX 2nd Course Surg	COC	Revised
1672	Subsq RX 2nd Course Rad	COC	Revised
1673	Subsq RX 2nd Course Chemo	COC	Revised
1674	Subsq RX 2nd Course Horm	COC	Revised
1675	Subsq RX 2nd Course BRM	COC	Revised
1676	Subsq RX 2nd Course Oth	COC	Revised
1677	Subsq RX 2nd--Scope LN SU	COC	Revised
1678	Subsq RX 2nd--Surg Oth	COC	Revised
1679	Subsq RX 2nd--Reg LN Rem	COC	Revised
1680	Subsq RX 3rd Course Date	COC	Revised
1690	Subsq RX 3rd Course Codes							
1691	Subsq RX 3rd Course Surg	COC	Revised
1692	Subsq RX 3rd Course Rad	COC	Revised
1693	Subsq RX 3rd Course Chemo	COC	Revised
1694	Subsq RX 3rd Course Horm	COC	Revised
1695	Subsq RX 3rd Course BRM	COC	Revised
1696	Subsq RX 3rd Course Oth	COC	Revised
1697	Subsq RX 3rd--Scope LN Su	COC	Revised
1698	Subsq RX 3rd--Surg Oth	COC	Revised
1699	Subsq RX 3rd--Reg LN Rem	COC	Revised
1700	Subsq RX 4th Course Date	COC	Revised
1710	Subsq RX 4th Course Codes							
1711	Subsq RX 4th Course Surg	COC	Revised
1712	Subsq RX 4th Course Rad	COC	Revised
1713	Subsq RX 4th Course Chemo	COC	Revised
1714	Subsq RX 4th Course Horm	COC	Revised
1715	Subsq RX 4th Course BRM	COC	Revised
1716	Subsq RX 4th Course Oth	COC	Revised
1717	Subsq RX 4th--Scope LN Su	COC	Revised
1718	Subsq RX 4th--Surg Oth	COC	Revised
1719	Subsq RX 4th--Reg LN Rem	COC	Revised
1720	Subsq RX 5th Course Date	NAACCR	Revised
1730	Subsq RX 5th Course Codes							
1731	Subsq RX 5th Course Surg	NAACCR	Revised
1732	Subsq RX 5th Course Rad	NAACCR	Revised
1733	Subsq RX 5th Course Chemo	NAACCR	Revised
1734	Subsq RX 5th Course Horm	NAACCR	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
1735	Subsq RX 5th Course BRM	NAACCR	Revised
1736	Subsq RX 5th Course Oth	NAACCR	Revised
1737	Subsq RX 5th--Scope LN Su	NAACCR	Revised
1738	Subsq RX 5th--Surg Oth	NAACCR	Revised
1739	Subsq RX 5th--Reg LN Rem	NAACCR	Revised
1740	Reserved 09		
1741	Subsq RX--Reconstruct Del	COC	Revised
1750	Date of Last Contact	R	R	R	R	R	SEER/COC	
1760	Vital Status	R	R	R	R	R	SEER/COC	
1770	Cancer Status	.	R	R	.	.	COC	
1780	Quality of Survival	COC	Revised
1790	Follow-Up Source	.	R	.	.	.	COC	Revised
1800	Next Follow-Up Source	.	R	.	.	.	COC	Revised
1810	Addr Current--City	.	R	.	R	.	COC	Revised
1820	Addr Current--State	.	R	.	R	.	NAACCR	Revised
1830	Addr Current--Postal Code	.	R	.	R	.	NAACCR	Revised
1835	Reserved 10		
1840	County--Current	COC	Revised
1842	Follow-Up Contact--City	.	.	.	R	.	NAACCR	Revised
1844	Follow-Up Contact--State	.	.	.	R	.	NAACCR	Revised
1846	Follow-Up Contact--Postal	.	.	.	R	.	NAACCR	Revised
1850	Unusual Follow-Up Method	COC	Revised
1860	Recurrence Date--1st	S	R	R	RC	.	COC	Revised
1871	Recurrence Distant Site 1	COC	Revised
1872	Recurrence Distant Site 2	COC	Revised
1873	Recurrence Distant Site 3	COC	Revised
1880	Recurrence Type--1st	S	R	R	RC	.	COC	Revised
1890	Recurrence Type--1st--Oth	COC	Revised
1900	Reserved 11		
1910	Cause of Death	R	.	.	R	R	SEER/COC	Revised
1920	ICD Revision Number	R	.	.	R	R	SEER/COC	Revised
1930	Autopsy	COC	Revised
1940	Place of Death	S	NAACCR	
1950	Reserved 12		
1960	Site (73-91) ICD-O-1	.	.	RH	RH	RH	SEER	Revised
1970	Morph (73-91) ICD-O-1	.	.					
1971	Histology (73-91) ICD-O-1	.	.	RH	RH	RH	SEER	Revised
1972	Behavior (73-91) ICD-O-1	.	.	RH	RH	RH	SEER	Revised
1973	Grade (73-91) ICD-O-1	.	.	RH	RH	RH	SEER	Revised
1980	ICD-O-2 Conversion Flag	.	R	R	RH	RH	SEER	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
1981	Over-ride SS/NodesPos	NAACCR	
1982	Over-ride SS/TNM-N	NAACCR	
1983	Over-ride SS/TNM-M	NAACCR	
1984	Over-ride SS/DisMet1	NAACCR	
1985	Over-ride Acsn/Class/Seq	.	R	R	.	.	NAACCR	Revised
1986	Over-ride HospSeq/DxConf	.	R	R	.	.	NAACCR	Revised
1987	Over-ride COC-Site/Type	.	R	R	.	.	NAACCR	Revised
1988	Over-ride HospSeq/Site	.	R	R	.	.	NAACCR	Revised
1989	Over-ride Site/TNM-StgGrp	.	R	R	.	.	NAACCR	Revised
1990	Over-ride Age/Site/Morph	R	R	R	R	R	SEER	Revised
2000	Over-ride SeqNo/DxConf	R	.	.	R	R	SEER	
2010	Over-ride Site/Lat/SeqNo	S	.	.	R	R	SEER	
2020	Over-ride Surg/DxConf	R	R	R	R	R	SEER	Revised
2030	Over-ride Site/Type	R	R	R	R	R	SEER	Revised
2040	Over-ride Histology	R	R	R	R	R	SEER	Revised
2050	Over-ride Report Source	R	.	.	R	R	SEER	
2060	Over-ride Ill-define Site	R	.	.	R	R	SEER	
2070	Over-ride Leuk, Lymphoma	R	R	R	R	R	SEER	Revised
2071	Over-ride Site/Behavior	R	R	R	R	R	SEER	Revised
2072	Over-ride Site/EOD/DX Dt	S	.	.	R	R	SEER	
2073	Over-ride Site/Lat/EOD	S	.	.	R	R	SEER	
2074	Over-ride Site/Lat/Morph	R	R	R	R	R	SEER	Revised
2081	CRC CHECKSUM	NAACCR	
2090	Date Case Completed	Varies	
2100	Date Case Last Changed	Varies	
2110	Date Case Report Exported	S	.	R	.	.	NAACCR	Revised
2111	Date Case Report Received	R	NAACCR	
2112	Date Case Report Loaded	S	NAACCR	
2113	Date Tumor Record Availbl	S	NAACCR	
2114	Future Use Timeliness 1		
2115	Future Use Timeliness 2		
2116	ICD-O-3 Conversion Flag	R	R	R	R	R	SEER/COC	
2120	SEER Coding Sys--Current	S	NAACCR	
2130	SEER Coding Sys--Original	S	NAACCR	
2140	COC Coding Sys--Current	S	R	R	.	.	COC	Revised
2150	COC Coding Sys--Original	S	R	R	.	.	NAACCR	Revised
2160	Subsq Report for Primary	NAACCR	Retired
2161	Reserved 20		Retired
2170	Vendor Name	.	.	R	.	.	NAACCR	Revised
2180	SEER Type of Follow-Up	.	.	.	R	R	SEER	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
2190	SEER Record Number	.	.	.	R	R	SEER	
2200	Diagnostic Proc 73-87	.	.	.	RH	RH	SEER	Revised
2210	Reserved 14		
2220	State/Requestor Items	Varies	
2230	Name--Last	R	R	.	R	.	NAACCR	Revised
2240	Name--First	R	R	.	R	.	NAACCR	Revised
2250	Name--Middle	R	R	.	R	.	COC	Revised
2260	Name--Prefix	COC	Revised
2270	Name--Suffix	.	.	.	R	.	COC	Revised
2280	Name--Alias	S	.	.	R	.	COC	Revised
2290	Name--Spouse/Parent	Varies	
2300	Medical Record Number	S	R	.	R	.	NAACCR	Revised
2310	Military Record No Suffix	.	R	.	.	.	COC	
2320	Social Security Number	R	R	.	R	.	COC	Revised
2330	Addr at DX--No & Street	S	R	.	R	.	COC	Revised
2335	Addr at DX--Supplementl	S	R	.	.	.	NAACCR	New
2350	Addr Current--No & Street	S	R	.	R	.	COC	Revised
2352	Latitude	NAACCR	New
2354	Longitude	NAACCR	New
2355	Addr Current--Supplementl	.	R	.	.	.	NAACCR	New
2360	Telephone	.	R	.	R	.	COC	Revised
2370	DC State		Retired
2371	Reserved for Expansion		Retired
2380	DC State File Number	S	State	
2390	Name--Maiden	S	.	.	R	.	NAACCR	Revised
2392	Follow-Up Contact--No&St	.	.	.	R	.	NAACCR	Revised
2393	Follow-Up Contact--Suppl	NAACCR	New
2394	Follow-Up Contact--Name	.	.	.	R	.	NAACCR	Revised
2400	Reserved 16		Retired
2410	Institution Referred From	.	R	.	.	.	NAACCR	Revised
2420	Institution Referred To	.	R	.	.	.	NAACCR	Revised
2430	Last Follow-Up Hospital	NAACCR	
2440	Following Registry	.	R	.	R	.	NAACCR	Revised
2450	Reserved 17		Retired
2460	Physician--Managing	COC	Revised
2470	Physician--Follow-Up	.	R	.	R	.	COC	
2480	Physician--Primary Surg	.	R	.	.	.	COC	
2490	Physician 3	.	R	.	.	.	COC	Revised
2500	Physician 4	.	R	.	.	.	COC	Revised
2520	Text--DX Proc--PE	R^	.	.	R	.	NAACCR	Revised

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
2530	Text--DX Proc--X-ray/Scan	R^	.	.	R	.	NAACCR	Revised
2540	Text--DX Proc--Scopes	R^	.	.	R	.	NAACCR	Revised
2550	Text--DX Proc--Lab Tests	R^	.	.	R	.	NAACCR	Revised
2560	Text--DX Proc--Op	R^	.	.	R	.	NAACCR	Revised
2570	Text--DX Proc--Path	R^	.	.	R	.	NAACCR	Revised
2580	Text--Primary Site Title	S	.	.	R	.	NAACCR	Revised
2590	Text--Histology Title	S	.	.	R	.	NAACCR	Revised
2600	Text--Staging	R^	.	.	R	.	NAACCR	Revised
2610	RX Text--Surgery	R^	.	.	R	.	NAACCR	Revised
2620	RX Text--Radiation (Beam)	S	.	.	R	.	NAACCR	Revised
2630	RX Text--Radiation Other	S	.	.	R	.	NAACCR	Revised
2640	RX Text--Chemo	S	.	.	R	.	NAACCR	Revised
2650	RX Text--Hormone	S	.	.	R	.	NAACCR	Revised
2660	RX Text--BRM	S	.	.	R	.	NAACCR	Revised
2670	RX Text--Other	S	.	.	R	.	NAACCR	Revised
2680	Text--Remarks	S	.	.	R	.	NAACCR	Revised
2690	Place of Diagnosis	S	NAACCR	
2700	Reserved 19		
2800	CS Tumor Size						AJCC	New
2810	CS Extension						AJCC	New
2820	CS Tumor Size/Ext Eval						AJCC	New
2830	CS Lymph Nodes						AJCC	New
2840	CS Reg Nodes Eval						AJCC	New
2850	CS Mets at DX						AJCC	New
2860	CS Mets Eval						AJCC	New
2880	CS Site-Specific Factor 1						AJCC	New
2890	CS Site-Specific Factor 2						AJCC	New
2900	CS Site-Specific Factor 3						AJCC	New
2910	CS Site-Specific Factor 4						AJCC	New
2920	CS Site-Specific Factor 5						AJCC	New
2930	CS Site-Specific Factor 6						AJCC	New
2940	Derived AJCC T						AJCC	New
2950	Derived AJCC T Descriptor						AJCC	New
2960	Derived AJCC N						AJCC	New
2970	Derived AJCC N Descriptor						AJCC	New
2980	Derived AJCC M						AJCC	New
2990	Derived AJCC M Descriptor						AJCC	New
3000	Derived AJCC Stage Group						AJCC	New
3010	Derived SS1977						AJCC	New
3020	Derived SS2000						AJCC	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.

Item #	Item Name	NPCR	COC Collect	COC Transmit	SEER Collect	SEER Transmit	Source of Standard	Note
3030	Derived AJCC--Flag						AJCC	New
3040	Derived SS1977--Flag						AJCC	New
3050	Derived SS2000--Flag						AJCC	New
3100	Archive FIN	.	R	R	.	.	COC	New
3110	Comorbid/Complication 1	.	R	R	.	.	COC	New
3120	Comorbid/Complication 2	.	R	R	.	.	COC	New
3130	Comorbid/Complication 3	.	R	R	.	.	COC	New
3140	Comorbid/Complication 4	.	R	R	.	.	COC	New
3150	Comorbid/Complication 5	.	R	R	.	.	COC	New
3160	Comorbid/Complication 6	.	R	R	.	.	COC	New
3170	RX Date--Most Defin Surg	S	R	R	.	.	COC	New
3180	RX Date--Surgical Disch	.	R	R	.	.	COC	New
3190	Readm Same Hosp 30 Days	.	R	R	.	.	COC	New
3200	Rad--Boost RX Modality	.	R	R	RC	.	COC	New
3210	Rad--Boost Dose cGy	.	R	R	.	.	COC	New
3220	RX Date--Radiation Ended	.	R	R	.	.	COC	New
3230	RX Date--Systemic	S	R	R	.	.	COC	New
3250	RX Summ--Transplnt/Endocr	S	R	R	R	R	COC	New
3260	Pain Assessment	.	R	R	.	.	COC	New
3270	RX Summ--Palliative Proc	.	R	R	.	.	COC	New
3280	RX Hosp--Palliative Proc	.	R	R	.	.	COC	New
3300	RuralUrban Continuum 1993	D	.	.	D	D	NAACCR	New
3310	RuralUrban Continuum 2000	D	.	.	D	D	NAACCR	New

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. T = Required status to be determined based upon implementation date of CS (see note on the first page of Chapter IX). = Not in dataset but available. * = When available. # = Central registries may code available data using either SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields.