

# **North American Association of Central Cancer Registries**

## **Standards for Cancer Registries Volume II**

### **Data Standards and Data Dictionary**

**Tenth Edition  
Record Layout Version 11**

**Edited By  
Lori A. Havener  
Dianne Hultstrom**

**November 2004**

#### **Sponsoring Organizations**

American Cancer Society  
American College of Surgeons  
American Joint Committee on Cancer  
Canadian Association of Provincial Cancer Agencies  
Centers for Disease Control and Prevention  
Health Canada  
National Cancer Institute  
National Cancer Registrars Association  
Statistics Canada



**Edited By**

Lori A. Havener, CTR  
Program Manager of Standards, NAACCR, Inc.

Dianne Hultstrom, BS, RHIT, CTR  
Chair, Volume II Workgroup of the Uniform Data Standards Committee

Comments and suggestions on this and other NAACCR standards documents are welcome. Please send your comments to the Editor or any member of the NAACCR Board of Directors.

**The other volumes in the series, Standards for Cancer Registries, are:****❖ Volume I, *Data Exchange Standards and Record Description***

Intended for programmers and selected users of central cancer registry data, this Volume provides the record layouts and specifications for a number of standard NAACCR record formats, including: the standard record layouts for data exchange among central cancer registries; an update/correction record layout; and an analysis record layout that provides standard recodes for grouping selected variables such as race and primary site, as well as algorithms for converting data from one version of the International Classification of Diseases for Oncology to another. The Volume is released annually as an electronic document and posted on the NAACCR Website.

**❖ Volume III, *Standards for Completeness, Quality, Analysis, and Management of Data***

Intended for central registries, this provides detailed standards for many aspects of the operation of a population-based cancer registry.

Copies of all standards documents can be viewed or downloaded from NAACCR's website at:  
**<http://www.naacr.org>**. For additional paper copies, write to the NAACCR Executive Office at: 2121 W. White Oaks Drive, Suite C, Springfield, IL, 62704-6495.

**Suggested citation**

Havener L, Hultstrom D, editors. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Tenth Edition, Version 11. Springfield, IL: North American Association of Central Cancer Registries, November 2004.

**Acknowledgment**

We are very grateful to Tricia Kulmacz for providing technical support and to the NAACCR Volume II workgroup of the Uniform Data Standards Committee for their dedication and many hours to prepare this document.

This project has been funded in part with Federal funds from the National Cancer Institute, National Institutes of Health, Department of Health & Human Services under Contract No. HHSN26120044401C and ADB No. N02-PC-44401. Production and distribution of this Volume was provided in part by Cooperative Agreement Number U75/CCU523346 from the Centers of Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC. The NAACCR Board of Directors adopted these standards in November 2004.



## TABLE OF CONTENTS

<b>NAACCR Board Of Directors 2004-2005 .....</b>	<b>vii</b>
<b>Uniform Data Standards Committee 2004-2005 .....</b>	<b>ix</b>
<b>Members Of The Volume II Work Group 2004-2005 .....</b>	<b>xi</b>
<b>Standard Setting Organizations .....</b>	<b>xiii</b>
<b>Preface To The Tenth Edition .....</b>	<b>xv</b>
<b>Chapter I: Problem Statement, Goals, And Scope Of This Document .....</b>	<b>1</b>
<b>Chapter II: Historical Background And Status Of U.S. Standards .....</b>	<b>9</b>
<b>Chapter III: Standards For Tumor Inclusion And Reportability .....</b>	<b>19</b>
<b>Chapter IV: Recommended Data Edits And Software Coordination Of Standards .....</b>	<b>25</b>
<b>Chapter V: Unresolved Issues .....</b>	<b>29</b>
<b>Chapter VI: References .....</b>	<b>37</b>
<b>Chapter VII: Record Layout Table (Column # Order) .....</b>	<b>41</b>
<b>Chapter VIII: Required Status Table (Item # Order) .....</b>	<b>55</b>
<b>Chapter IX: Data Descriptor Table (Item # Order) .....</b>	<b>65</b>
<b>Chapter X: Data Dictionary .....</b>	<b>81</b>
<b>Appendix A: Fips Codes For Counties And Equivalent Entities .....</b>	<b>323</b>
<b>Appendix B: Edits Tables For Selected Data Items .....</b>	<b>339</b>
<b>Appendix C: Abbreviations And Acronyms Used .....</b>	<b>353</b>
<b>Appendix D: Alternate Names .....</b>	<b>355</b>
<b>Appendix E: Grouped Data Items .....</b>	<b>365</b>
<b>Appendix F: Tables And Data Dictionary Revisions .....</b>	<b>367</b>
<b>Appendix G: Recommended Abbreviations For Abstractors .....</b>	<b>377</b>
<b>Index .....</b>	<b>403</b>



## NAACCR BOARD OF DIRECTORS 2004-2005

**President:**

Dennis Deapen, DrPH 2003-05  
Cancer Surveillance Program of Los Angeles  
1540 Alcazar Street, CHP 204  
Los Angeles, CA 90033  
Telephone: (323) 442-1574  
Fax: (323) 442-2301  
E-mail: ddeapen@hsc.usc.edu

**President Elect:**

Betsy Kohler, MPH, CTR 2004-05  
New Jersey State Cancer Registry  
Cancer Epidemiology Services  
New Jersey Department of Health and Senior Services  
P.O. Box 369  
Trenton, NJ 08625-0369  
Telephone: (609) 588-3500  
Fax: (609) 588-3638  
E-mail: betsy.kohler@doh.state.nj.us

**Treasurer:**

Lilia C. O'Connor, MBA, RHIT, CTR 2003-05  
California Cancer Registry  
California Department of Health Services  
1700 Tribute Road, Suite 100  
Sacramento, CA 95815-4402  
Telephone: (916) 779-0355  
Fax: (916) 779-0264  
E-mail: loconnor@ccr.ca.gov

**Executive Director *ex officio*:**

Holly L. Howe, PhD  
NAACCR, Inc.  
2121 W. White Oaks Drive, Suite C  
Springfield, IL 62704-6495  
Telephone: (217) 698-0800, ext. 2  
Fax: (217) 698-0188  
E-mail: hhowe@naacccr.org

**Representative, Sponsoring Member Organization:**

Connie Bura 2000-06  
American College of Surgeons  
Commission on Cancer  
633 N. Saint Clair Street  
Chicago, IL 60611-3211  
Telephone: (312) 202-5290  
Fax: (312) 202-5009  
E-mail: cbura@facs.org

**Members at Large:**

Jane E. Braun, MS, CTR 2004-06  
Minnesota Cancer Surveillance System  
Minnesota Department of Health  
717 Delaware SE  
Minneapolis, MN 55440-9441  
Telephone: (612) 676-5231  
Fax: (612) 676-5099  
E-mail: jane.braun@health.state.mn.us

Mignon Dryden, CTR 2001-05  
Cancer Registry of Northern California  
1560 Humboldt Road, Suite 4  
Chico, CA 95928  
Telephone: (530) 345-2483  
Fax: (530) 345-3214  
E-mail: mdryden@healthcollaborative.com

Susan T. Gershman, MS, MPH, PhD, CTR 2002-06  
Massachusetts Cancer Registry  
Department of Public Health  
250 Washington Street, Sixth Floor  
Boston, MA 02108-4619  
Telephone: (617) 624-5646  
Fax: (617) 624-5695  
E-mail: susan.gershman@state.ma.us

Michael D. Green, CTR 2004-05  
Hawaii Tumor Registry  
1236 Lauhala St.  
Honolulu, HI 96813  
Telephone: (808) 586-9750  
Fax: (808) 587-0024  
E-mail: Michael@crch.hawaii.edu

Maureen MacIntyre, BSN, MHSA 2003-05  
Nova Scotia Cancer Registry  
5820 University Avenue  
Halifax, Nova Scotia B3H 1V7  
Canada  
Telephone: (902) 473-6084  
Fax: (902) 428-4277  
E-mail: maureen.macintyre@ccns.nshealth.ca

Maria J. Schymura, PhD  
New York State Cancer Registry  
Corning Tower, Room 536  
Empire State Plaza  
Albany, NY 12237-0679  
Telephone: (518) 474-2255  
Fax: (518) 473-6789  
E-mail: mjs08@health.state.ny.us

2002-06



## UNIFORM DATA STANDARDS COMMITTEE 2004-2005

**Andrew Stewart, MA\***

**Chair**

American College of Surgeons  
Commission on Cancer  
633 N. Saint Clair Street  
Chicago, IL 60611-3211  
Telephone: (312) 202-5285  
Fax: (312) 202-5009  
E-mail: [astewart@facs.org](mailto:astewart@facs.org)

**Toshi Abe, MSW, CTR**

New Jersey State Cancer Registry  
P.O. Box 369  
3635 Quakerbridge Road  
Trenton, NJ 08625-0369  
Telephone: (609) 588-3500  
Fax: (609) 588-3638  
E-mail: [toshi.abe@doh.state.nj.us](mailto:toshi.abe@doh.state.nj.us)

**Patricia Andrews, MPH, CTR\***

Louisiana Tumor Registry  
1600 Canal Street, Suite 900A  
New Orleans, LA 70112  
Telephone: (504) 568-4795  
Fax: (504) 568-2493  
E-mail: [pandre@lsuhsc.edu](mailto:pandre@lsuhsc.edu)

**Sally Bushhouse, DVM, PhD\***

Minnesota Cancer Surveillance  
System  
Minnesota Department of Health  
P.O. Box 9441  
717 Delaware, S.E.  
Minneapolis, MN 55440  
Telephone: (612) 676-5216  
Fax: (612) 676-5099  
E-mail:  
[sally.bushhouse@state.mn.us](mailto:sally.bushhouse@state.mn.us)

**Susan Capron \***

2443 W. Moffat  
Chicago, IL 60647  
Telephone: (773) 278-6207  
Fax: (773) 278-0116  
E-mail: [scapron@mindspring.com](mailto:scapron@mindspring.com)

**Dianne Cleveland, RHIA, CTR**

Onco, Inc.  
317 Fairhaven Court  
Hurst, TX 76054  
Telephone: (817) 497-3209  
E-mail: [dcleveland@oncolog.com](mailto:dcleveland@oncolog.com)

**Michel Cormier**

Statistics Canada  
120 Parkdale Avenue  
Tunney's Pasture  
Main Building, Room 2200  
Ottawa, Ontario K1A 0T6  
Canada  
Telephone: (613) 951-1775  
Fax: (613) 951-0792  
E-mail: [michel.cormier@statcan.ca](mailto:michel.cormier@statcan.ca)

**April Fritz, RHIT, CTR**

Cancer Statistics Branch  
Surveillance Epidemiology and End  
Results Program  
Division of Cancer Control and  
Population Sciences  
National Cancer Institute  
National Institutes of Health  
6116 Executive Boulevard, Suite 504  
Bethesda, MD 20892-8316  
Telephone: (301) 402-1625  
Fax: (301) 496-9949  
E-mail: [april.fritz@nih.gov](mailto:april.fritz@nih.gov)

**Barry Gordon, PhD\***

C/NET Solutions  
1936 University Avenue, Suite 112  
Berkeley, CA 94704  
Telephone: (510) 540-0778  
Fax: (510) 549-8929  
E-mail: [barryg@askcnet.org](mailto:barryg@askcnet.org)

**Maria Halama, MD, CTR\***

New Jersey State Cancer Registry  
P.O. Box 369  
3635 Quakerbridge Road  
Trenton, NJ 08625-0369  
Telephone: (609) 588-3500  
Fax: (609) 588-3638  
E-mail: [maria.halama@doh.state.nj.us](mailto:maria.halama@doh.state.nj.us)

**Lori Havener, CTR**

NAACCR, Inc.  
2121 W. White Oaks Drive, Suite C  
Springfield, IL 62704-6495  
Telephone: (217) 698-0800, ext. 5  
Fax: (217) 698-0188  
E-mail: [lhavener@naaccr.org](mailto:lhavener@naaccr.org)

**Megsys Casuso Herna, CTR\***

Florida Cancer Data System  
University of Miami School of  
Medicine  
P.O. Box 016960 (D4-11)  
Miami, FL 33101  
Telephone: (305) 243-2625  
Fax: (305) 243-4871  
E-mail: [MHerna@med.miami.edu](mailto:MHerna@med.miami.edu)

**Dianne Hultstrom, RHIT, CTR\***

IMPAC Medical Systems, Inc.  
16 Robert Road  
Acton, MA 01720  
Telephone: (978) 897-5330  
Fax: (978) 461-2872  
E-mail: [dhultstrom@impac.com](mailto:dhultstrom@impac.com)

**Annette A. Hurlbut, RHIT, CTR**

IMPAC Medical Systems, Inc.  
46 Leo-Mar Drive  
Fulton, NY 13069  
Telephone: (315) 593-7130  
Fax: (315) 598-4737  
E-mail: [ahurlbut@impac.com](mailto:ahurlbut@impac.com)

**Carol Johnson, BS, CTR**

Cancer Statistics Branch  
Surveillance Epidemiology and End  
Results Program  
Division of Cancer Control and  
Population Sciences  
National Cancer Institute  
National Institutes of Health  
6116 Executive Boulevard, Suite  
504  
Bethesda, MD 20892-8316  
Telephone: (301) 402-6226  
Fax: (301) 496-9949  
E-mail: [johnsoca@mail.nih.gov](mailto:johnsoca@mail.nih.gov)

\*Voting Member

**Amy Kahn, MS, CTR\***

New York State Cancer Registry  
Corning Tower, Room 536  
Empire State Plaza  
Albany, NY 12237-0679  
Telephone: (518) 474-2255  
Fax: (518) 473-6789  
E-mail: ark02@health.state.ny.us

**Karen Ledford**

CDC  
NCCDHP/DCPC/CSB  
4770 Buford Highway, N.E.  
MS K-53  
Atlanta, GA 30341-3724  
Telephone: (770) 488-4869  
Fax: (770) 488-4759  
E-mail: kledford@cdc.gov

**Fran Michaud, BS, CTR\***

CDC  
NCCDHP/DCPC/CSB  
4770 Buford Highway, N.E.  
MS K-53  
Atlanta, GA 30341-3724  
Telephone: (770) 488-4378  
Fax: (770) 488-4759  
E-mail: fhm2@cdc.gov

**David O'Brien, PhD\***

Alaska Cancer Registry  
Section of Epidemiology, Department  
of Health  
P.O. Box 240249  
3601 C Street, Suite 540  
Anchorage, AK 99524-0249  
Telephone: (907) 269-8047  
Fax: (907) 562-7802  
E-mail:  
david\_obrien@health.state.ak.us

**Lynn Ries, MS\***

Cancer Statistics Branch  
Surveillance Epidemiology and End  
Results Program  
Division of Cancer Control and  
Population Sciences  
National Cancer Institute  
National Institutes of Health  
6130 Executive Boulevard,  
Room 343J  
Bethesda, MD 20892-8316  
Telephone: (301) 402-5259  
Fax: (301) 496-9949  
E-mail: lr44c@nih.gov

**Winnie Roshala, BA, CTR\***

National Cancer Registrars  
Association  
California Cancer Registry  
1700 Tribute Road, #100  
Sacramento, CA 95815-4402  
Telephone: (916) 779-0313  
Fax: (916) 779-0264  
E-mail: wroshala@ccr.ca.gov

**Brian Schexnayder, CTR**

ORC Macro  
11785 Beltsville Dr.  
Suite 846  
Calverton, MD 20705  
Telephone: (301) 572-0400  
Fax: (301) 572-0390  
E-mail:  
Brian.D.Schexnayder@orcmacro.com

**Nancy Schlag, BS, CTR\***

California Cancer Registry  
1700 Tribute Road, Suite 100  
Sacramento, CA 95815-4402  
Telephone: (916) 779-0310  
Fax: (916) 779-0264  
E-mail: nschlag@ccr.ca.gov

**Maria Schymura, PhD**

New York State Cancer Registry  
Corning Tower, Room 536  
Empire State Plaza  
Albany, NY 12237-0679  
Telephone: (518) 474-2255  
Fax: (518) 474-2086  
E-mail: mjs08@health.state.ny.us

**Jennifer Seiffert, MLIS, CTR\***

Northrop Grumman  
2796 W 250 S  
Warsaw, IN 46580  
Telephone: (574) 267-7332  
Fax: (574) 267-7332  
E-mail: jenesei@insightbb.com

**Jan Snodgrass, CTR\***

Illinois State Cancer Registry  
605 W. Jefferson  
Springfield, IL 62761  
Telephone: (217) 785-7132  
Fax: (217) 524-1770  
E-mail: jsnodgra@idph.state.il.us

\*Voting Member

## **MEMBERS OF THE VOLUME II WORK GROUP 2004-2005**

**Dianne Hultstrom, RHIT, CTR  
Chair**

IMPAC Medical Systems, Inc.  
16 Robert Road  
Acton, MA 01720  
Telephone: (978) 897-5330  
Fax: (978) 461-2872  
E-mail: dhultstrom@impac.com

**Lori A. Havener, CTR**

Program Manager of Standards  
NAACCR, Inc.  
2121 W. White Oaks Drive, Suite C  
Springfield, IL 62704-6495  
Telephone: (217) 698-0800, ext. 5  
Fax: (217) 698-0188  
E-mail: lhavener@naaccr.org

**Jane Abe, CTR**

John Muir/Mt. Diablo Health  
System  
940 Stannage Avenue  
Albany, CA 94706  
Telephone: (510) 526-2379  
Fax: (925) 674-2587  
E-mail: jane.abbe@pacbell.net

**Toshi Abe, MSW, CTR**

New Jersey State Cancer Registry  
P.O. Box 369  
3635 Quaker Bridge Road  
Trenton, NJ 08625-0369  
Telephone: (609) 588-3500  
Fax: (609) 588-3638  
E-mail: toshi.abbe@doh.state.nj.us

**Patricia Andrews, MPH, CTR**

Louisiana Tumor Registry  
1600 Canal Street, Suite 900A  
New Orleans, LA 70112-1393  
Telephone: (504) 568-4795  
Fax: (504) 568-2493  
E-mail: pandre@lsuhsc.edu

**Sally Bushhouse, DVM, PhD**

Minnesota Cancer Surveillance  
System  
Minnesota Department of Health  
P.O. Box 9441  
717 Delaware, S.E.  
Minneapolis, MN 55440  
Telephone: (612) 676-5216  
Fax: (612) 676-5099  
E-mail:  
sally.bushhouse@state.mn.us

**Susan Capron**

2443 W. Moffat Street  
Chicago, IL 60647  
Telephone: (773) 278-6207  
Fax: (773) 278-0116  
E-mail: scapron@mindspring.com

**Ingrid Friesen**

Statistics Canada  
402 Budz Crescent  
Saskatoon, Saskatchewan  
S7N, 4M5  
Canada  
Telephone: (306) 652-3876  
Fax: (306) 652-3886  
E-mail: ifriesen@sasktel.net

**April Fritz, RHIT, CTR**

Cancer Statistics Branch  
Surveillance Epidemiology and End  
Results Program  
Division of Cancer Control and  
Population Sciences  
National Cancer Institute  
National Institutes of Health  
6116 Executive Boulevard,  
Suite 504  
Bethesda, MD 20892-8316  
Telephone: (301) 402-1625  
Fax: (301) 496-9949  
E-mail: april.fritz@nih.gov

**Carol Hahn-Johnson, BS, CTR**

Cancer Statistics Branch  
Surveillance Research Program  
Division of Cancer Control and  
Population Sciences  
National Cancer Institute  
National Institutes of Health  
6116 Executive Boulevard,  
Suite 504  
MSC 8316  
Bethesda, MD 20892-8316  
Rockville, MD 20852 (courier or  
overnight delivery)  
Telephone: (301) 402-6226  
Fax: (301) 496-9949  
E-mail: johnsoca@mail.nih.gov

**Megsys Casuso Herna, CTR**

Florida Cancer Data System  
University of Miami School of  
Medicine  
P.O. Box 016960 (D4-11)  
Miami, FL 33101  
Telephone: (305) 243-2625  
Fax: (305) 243-4871  
E-mail: M.Herna@med.miami.edu

**Coreen Hildebrand, CTR, HIT**

Manitoba Cancer Registry  
675 McDermot Street  
Winnipeg, Manitoba R3E 0V9  
Canada  
Telephone: (204) 787-2103  
Fax: (204) 786-0628  
E-mail:  
coreen.hildebrand@cancercare.  
mb.ca

**Ryan Intlekofer, RN, CTR**

CDC  
NCCDPHP/DCPC/CSB  
4770 Buford Highway, N.E.  
MS K-53  
Atlanta, GA 30341-3724  
Telephone: (770) 488-1075  
Fax: (770) 488-4759  
E-mail: rbi1@cdc.gov

**Amy Kahn, MS, CTR**

New York State Cancer Registry  
Corning Tower, Room 536  
Empire State Plaza  
Albany, NY 12237-0679  
Telephone: (518) 474-2255  
Fax: (518) 473-6789  
E-mail: ark02@health.state.ny.us

**David O'Brien, PhD**

Alaska Cancer Registry  
EPI-Cancer  
Division of Public Health  
Department of Health and Social  
Services  
P.O. Box 240249  
3601 C Street, Suite 540  
Anchorage, AK 99524-0249  
Telephone: (907) 269-8047  
Fax: (907) 561-1896  
E-mail:  
david\_obrien@health.state.ak.us

**Judy Paradies, CTR**

Nebraska Cancer Registry  
Health and Human Services  
8601 West Dodge Road, Suite 114A  
Omaha, NE 68114  
Telephone: (402) 354-3393  
Fax: (402) 354-3388  
E-mail: judy.paradies@nmhs.org

**Steven Peace, BS, CTR**

Cancer Statistics Branch  
Surveillance Research Program  
Division of Cancer Control and  
Population Sciences  
National Cancer Institute  
National Institutes of Health  
6116 Executive Boulevard,  
Suite 504  
MSC 8316  
Bethesda, MD 20892-8316  
Rockville, MD 20852 (courier or  
overnight delivery)  
Telephone: (301) 594-8494  
Fax: (301) 496-9949  
E-mail: peaces@mail.nih.gov

**Jerri Linn Phillips, MA, CTR**

American College of Surgeons  
National Cancer Data Base  
633 N. Saint Clair Street  
Chicago, IL 60611-3211  
Telephone: (312) 202-5514  
Fax: (312) 202-5009  
E-mail: jphillips@facs.org

**Lynn Ries, MS**

Cancer Statistics Branch  
Surveillance Epidemiology and End  
Results Program  
Division of Cancer Control and  
Population Sciences  
National Cancer Institute  
National Institutes of Health  
6130 Executive Boulevard,  
Room 343J  
Bethesda, MD 20892-8316  
Telephone: (301) 402-5259  
Fax: (301) 496-9949  
E-mail: lr44c@nih.gov

**Castine Verrill, MS**

Epidemiologist  
Maine Cancer Registry  
Key Bank Plaza, Fourth Floor  
11 State House Station  
Augusta, ME 04333  
Telephone: (207) 287-5272  
Fax: (207) 287-4631  
E-mail: castine.verrill@state.me.us

**Sue Vest, CTR**

Missouri Cancer Registry  
Missouri Department of Health  
P.O. Box 570  
920 Wildwood  
Jefferson City, MO 65109  
Telephone: (573) 884-9655  
Fax: (573) 882-6158  
E-mail: vests@health.missouri.edu

## STANDARD SETTING ORGANIZATIONS

### **American College of Surgeons (ACoS)**

633 N. Saint Clair Street  
Chicago, IL 60611-3211  
Telephone: (312) 202-5000  
Fax: (312) 202-5001  
E-mail: [postmaster@facs.org](mailto:postmaster@facs.org)  
Website: [www.facs.org](http://www.facs.org)

### **American Joint Committee on Cancer (AJCC)**

633 N. Saint Clair Street  
Chicago, IL 60611-3211  
Telephone: (312) 202-5290  
E-mail: [sburkhardt@facs.org](mailto:sburkhardt@facs.org)  
Website: [cancerstaging.org](http://cancerstaging.org)

### **Centers for Disease Control and Prevention (CDC)**

National Program of Cancer Registries (NPCR)  
Division of Cancer Prevention and Control  
National Center for Chronic Disease  
Prevention and Health Promotion  
4770 Buford Hwy, NE  
MS K53  
Atlanta, GA 30341-3717  
Telephone: (770) 488-4783  
Fax: (770) 488-4759  
Website: [www.cdc.gov/cancer/npcr](http://www.cdc.gov/cancer/npcr)

### **Canadian Council of Cancer Registries**

c/o Statistics Canada  
Canadian Cancer Registry  
Health Statistics Section  
Health Statistics Division  
Main Building, Room 2200, Section F  
120 Parkdale Avenue  
Ottawa, ON K1A 0T6  
Telephone: (613) 951-1630  
Fax: (613) 951-0792  
Website: [www.statcan.ca](http://www.statcan.ca)

### **Commission on Cancer (CoC)**

633 N. Saint Clair Street  
Chicago, IL 60611-3211  
Telephone: (312) 202-5085  
E-mail: [coc@facs.org](mailto:coc@facs.org)  
Website: [www.facs.org](http://www.facs.org)

### **National Cancer Institute SEER Program**

Cancer Surveillance Research Program  
Division of Cancer Control and Population Sciences  
6116 Executive Blvd. - MSC 8316  
Suite 504  
Bethesda, MD 20892-8316  
Telephone: (301) 496-8510  
Fax: (301) 496-9949  
E-mail: [cancer.gov\\_staff@mail.nih.gov](mailto:cancer.gov_staff@mail.nih.gov)  
Website: [www.seer.cancer.gov](http://www.seer.cancer.gov)

### **National Cancer Registrars Association (NCRA)**

1340 Braddock Place #203  
Alexandria, VA 22314  
Telephone: (703) 299-6640  
Fax: (703) 299-6620  
E-mail: [info@ncra-usa.org](mailto:info@ncra-usa.org)  
Website: [www.ncra-usa.org](http://www.ncra-usa.org)

### **North American Association of Central Cancer Registries, Inc. (NAACCR)**

2121 West White Oaks Drive  
Springfield, IL 62704-6495  
Telephone: (217) 698-0800  
Fax: (217) 698-0188  
E-mail: [info@naaccr.org](mailto:info@naaccr.org)  
Website: [www.naaccr.org](http://www.naaccr.org)



## **PREFACE TO THE TENTH EDITION**

NAACCR continues its strong commitment to all its members in North America to maintain standardization of cancer registry data, as evidenced in the publication of this Tenth Edition of NAACCR Standards for Cancer Registry Volume II: *Data Standards and Data Dictionary*. Standardization of cancer registry data is a core component of cancer registration and surveillance and provides the foundation for developing comparable data among registries that can then be combined for the compilation of national or regional rates. Standardization also allows data from different registries to be used for comparison of variations in cancer rates among different populations and across geographic boundaries.

I believe that these revisions will assist our members in achieving the NAACCR mission, namely, providing current, high-quality, and useful data for the cancer surveillance community and cancer control researchers with the ultimate goal of reducing cancer morbidity and mortality in North America. **Please note that black vertical lines in the outside margins highlight revisions from the previous version.**

This Volume includes 17 new data items representing a variety of current issues such as comorbidities, multiple primary rules, Indian Health Service linkage, geographic information systems, casefinding, treatment, and follow-up. Several data items have been retired. These changes were proposed by NAACCR committees and workgroups and the sponsoring members including the National Cancer Institute's Surveillance, Epidemiology and End Results Program, the Centers for Disease Control and Prevention's National Program for Cancer Registries, and the American College of Surgeons' Commission on Cancer. On behalf of the NAACCR Board of Directors, I express our gratitude to all of the sponsoring members and committees for their support of the work that this Volume represents.

The NAACCR Board of Directors would like to extend a special thanks to Lori Havener and Dianne Hultstrom, editors of this volume for their leadership, dedication and hard work in bringing this document to completion. The Board of Directors also would like to recognize the leadership of Andrew Stewart, Chair of the Uniform Data Standards Committee.

Dennis Deapen, DrPH  
President





## **CHAPTER I**

### **PROBLEM STATEMENT, GOALS, AND SCOPE OF THIS DOCUMENT**

#### **THE PROBLEM**

In the late 1980s, increased efforts to pool data collected by different cancer registries for different purposes drew attention to problems encountered as a result of insufficient data standardization. It became clear to the cancer registry community that the lack of standardization had a substantial cost and limited more widespread use of valuable data. Three examples follow:

##### **Electronic Submission of Hospital Registry Data to State or Other Central Registries**

Central registries recognized that data quality and collection efficiency could be improved with electronic data reporting by means of a diskette, modem, or the Internet. Many registries have established systems for receiving electronic data from multiple sources. Often, these data were collected using different software, different data variables, different codes, and different coding rules. Central registries experienced the frustration of mapping submission files into their own data systems. Software providers were frustrated at the need to prepare submissions for multiple state registries that differed from each other and followed different models of electronic data collection.

##### **North American Association of Central Cancer Registries Data Evaluation and Publications Committee Activities**

The North American Association of Central Cancer Registries (NAACCR) requested statistical analysis files from its member registries in the standard NAACCR Data Exchange Record Layout<sup>1</sup> to prepare descriptive epidemiological data about the participating areas. However, data sets submitted by the participants differed; the original codes, data formats, edits, and coding rules varied; and a significant amount of work was required to produce comparable summary statistics.

##### **National Cancer Data Base**

The National Cancer Data Base (NCDB) is a joint project of the American College of Surgeons' (ACoS) Commission on Cancer (COC) and the American Cancer Society (ACS) that pools data submitted by participating hospitals to address questions of clinical interest. Discrepancies in codes, format, and data sets, however, required effort and interpretation before the data could successfully be pooled.

Data items used by different registries or software systems varied in their definition and codes, even when they had the same name and were intended to represent the same information. Other problems encountered in pooling data included the lack of standardization regarding the use of blanks in fields and the inconsistent use of blanks, dashes, and defined codes for "unknown" data. More substantial discrepancies were less easy to detect and correct. Hospitals were faced with conflicting standards when they were both reporting to a central registry and maintaining a database consistent with COC standards, and the requirements were not the same.

#### **THE SOLUTION**

Many of NAACCR's sponsoring organizations, including the National Cancer Institute (NCI), the Centers for Disease Control and Prevention (CDC), and COC recognized that increasing standardization is an essential step in decreasing the costs associated with data collection; making more efficient use of increasingly limited human

resources needed for data collection, management, and analysis; and obtaining more useful data that can be compared across registries and geographic areas.

Preparation of a statement of consensus on data standards for cancer registries was proposed by the NCDB and the NAACCR Data Exchange Committee, and prepared by a subcommittee of NAACCR's Uniform Data Standards Committee. At the same time, CDC entered into an agreement with NAACCR—one of the projects to be accomplished under that agreement was the preparation of broader standards for population-based cancer registries. The two efforts were complementary, producing separate but related documents that together specified NAACCR standards. The continued support from CDC has enabled continued development and maintenance of standards. The results of these efforts are the following standards documents published to date:

**NAACCR Standards Volume I:**

Havener L, Abe T, Bushhouse S, Gordon B, Hamlyn E, Hill K, Hurlbut A, Menck H, editors. Standards for Cancer Registries Volume I: Data Exchange and Data Descriptions, Version 11. Springfield, IL: North American Association of Central Cancer Registries, November 2004.

Havener L, Abe T, Bushhouse S, Gordon B, Hill K, Hurlbut A, Seiffert J, editors. Standards for Cancer Registries Volume I: Data Exchange and Data Descriptions, Version 10.1. Springfield, IL: North American Association of Central Cancer Registries, July 2003.

Abe T and Seiffert J, editors. North American Association of Center Cancer Registries, Standards for Cancer Registries, Volume I, Data Exchange Standards and Record Description. Version 9. Springfield, IL: North American Association of Central Cancer Registries, September 7, 2000.

North American Association of Central Cancer Registries. Standards for Cancer Registries, Volume I, Data Exchange Standards and Record Description. Version 7. Sacramento (CA): North American Association of Central Cancer Registries; January 1, 1999.

North American Association of Central Cancer Registries. Standards for Cancer Registries, Volume I, Data Exchange Standards and Record Description. Version 6. Sacramento (CA): North American Association of Central Cancer Registries; March 20, 1998.

Gordon B and Seiffert J, editors. Standards for Cancer Registries, Volume I, Data Exchange Standards and Record Description. Version 5.1. Sacramento (CA): North American Association of Central Cancer Registries; 1997.

Gordon B, editor. Standards for Cancer Registries, Volume I, Data Exchange Standards and Record Description. Version 3.0. Sacramento (CA): American Association of Central Cancer Registries; February 1994.

**NAACCR Standards Volume II:**

Havener L, Hultstrom D, editors. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Ninth Edition. Version 10.2. Springfield (IL): North American Association of Central Cancer Registries; March 2004.

Hultstrom D, Havener L, editors. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Eighth Edition. Version 10.1. Springfield (IL): North American Association of Central Cancer Registries; March 2003.

Hultstrom D, editor. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Seventh Edition. Version 10. Springfield (IL): North American Association of Central Cancer Registries; March 2002.

Hultstrom D, editor. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Sixth Edition. Version 9.1. Springfield (IL): North American Association of Central Cancer Registries; March 4, 2001.

Johnson CH, editor. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Fifth Edition. Version 9. Sacramento (CA): North American Association of Central Cancer Registries; May 15, 2000.

Johnson CH, editor. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Fourth Edition. Version 8. Sacramento (CA): North American Association of Central Cancer Registries; March 30, 1999.

Seiffert J, editor. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Changed Data Dictionary Entries Only. Sacramento (CA): North American Association of Central Cancer Registries; April 13, 1998.

Seiffert J, editor. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Third Edition. Version 6. Sacramento (CA): North American Association of Central Cancer Registries; March 20, 1998.

Seiffert J, editor. Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Second Edition. Version 5.1. Sacramento (CA): North American Association of Central Cancer Registries; March 14, 1997.

Menck HR and Seiffert J, editors. Standards for Cancer Registries, Volume II: Data Standards and Data Dictionary. Version 3.0. Sacramento (CA): American Association of Central Cancer Registries; February 14, 1994.

**NAACCR Standards Volume III:**

Havener L, editor. Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, and Management of Data, Springfield, IL: North American Association of Central Cancer Registries, October 2004.

North American Association of Central Cancer Registries. Standards for Completeness, Quality, Analysis, and Management of Data, Volume III. Springfield (IL): North American Association of Central Cancer Registries; September 2000.

Seiffert J, editor. Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, and Management of Data. Sacramento (CA): American Association of Central Cancer Registries; February 14, 1994.

#### **NAACCR Standards Volume IV:**

Seiffert J, Capron S, and Tebbel J, editors. Standards for Cancer Registries Volume IV: Standard Data Edits. Sacramento (CA): North American Association of Central Cancer Registries; April 4, 1996.

[Updated annually and available on the NAACCR website [www.naacr.org](http://www.naacr.org).]

### **GOAL OF THIS DOCUMENT**

The goal of this document, which describes and publishes continuing, modified, and new data items and codes as well as the specification for transmission of data in record layout Version 11, is to define the NAACCR data standards for cancer registration for use by central registries, hospital-based registries, and other groups in North America as of January 1, 2006. Although the new and modified codes and the layout are available for use on that date, some registries may continue to use compatible earlier versions of the NAACCR record layout.

Objectives of the standardization effort, and of this document, are to:

- ❖ Provide a comprehensive reference to ensure uniform data collection
- ❖ Reduce the need for redundant coding and data recording between agencies
- ❖ Facilitate the collection of comparable data among groups
- ❖ Provide a resource document to help registries that are establishing or revising their databases
- ❖ Encourage the adoption of these standards by all parties.

This document will be used by new and existing facility-based and central cancer registries to ensure that the definitions and codes used within their programs are standard and consistent with those used by regional and national databases. Other potential users include registry software providers and those using registry data, especially if they are combining data from multiple sources or exchanging data. National standard-setting groups, such as ACoS, CDC, NAACCR, and NCI also will benefit.

The present document uses the same structure and philosophy as NAACCR's data exchange standards. Where a standard exists for an item or type of data, the standard is incorporated by reference. Where a variety of standards are in use, alternate coding schemes are provided, but the different items are kept separate or another data field is used to indicate which coding standard was used.

The NAACCR data exchange layout incorporates several record types that are combinations of standard components, such as demographic information, patient confidential information, and text. Thus, the different purposes and constraints of data exchange can be accommodated without the requirement for separate formats (see Volume I for specifics).

## SCOPE OF THIS DOCUMENT: WHAT STANDARDS ARE INCLUDED?

A variety of standards for cancer registries can be specified. Some standards apply to the data themselves, and other standards record activities in the registration process, such as death clearance procedures, follow-up methods, or quality control. Yet another standard might address the completeness of coverage of a population-based central registry, and still another the qualifications and adequacy of staffing.

The present document is limited to standards regarding data rather than procedures. More specifically, it focuses on a subset of possible data standards that NAACCR considers important to establish. These include:

### ❖ **Reportability**

Reportability specifies the rules for which tumors are to be included in the registry (see Chapter III).

### ❖ **Data Items or Elements To Be Included**

Data items or elements consist of required or recommended data items that a registry should collect and include in its database. Chapter VIII contains standards for data set items.

*Example: “Sex” is a standard data element on the list in Chapter VIII.*

### ❖ **Standardized Item Numbers and Item Names**

For ease and consistency of reference, all items are assigned both item numbers and names (e.g., the item “Sex” is assigned the item number 220). The item number is intended to be permanent and will not change in future NAACCR standards publications. Assignment of permanent numbers was necessary because standard-setting organizations have changed item names over time or have applied similar names to items with different definitions. Item numbers allow the required precision of reference. When data items have been deleted the item numbers are retired; item numbers will never be reused for a different data item. Data item numbers were not assigned consecutively to allow insertion of related items in the future. Ranges of available data item numbers have been assigned to different uses, as follows:

Range	Use
00001 - 04999	Data items in new case layouts, record types I, C, A, or M.
05000 - 06999	Data items in Analysis/Research record only.
07000 - 08999	Pathology Laboratory record.
09000 - 09099	Data items in Update/Correction record only.
09100 - 09499	Future use.
09500 - 09999	Data items for Local use.
10000 - 10499	System variables for Local use.
20000 - 20999	Data items for International use. (These data items are not within the purview of NAACCR, and NAACCR will not use the data item numbers in this range.)
99000 - 99999	Data items for Patient Care Evaluation studies. These may be assigned by ACoS or others. A large range is allotted because many new items may be assigned each year for individual studies.

Refer to NAACCR Standards Volume I for additional information on record layouts.

The NAACCR data item names are assigned to meet the needs of NAACCR and its data standards publications. Where possible, the NAACCR item name is the same as that used by the standard setter. However, the following constraints are placed on the names:

- **Length**

Data item names are limited to 25 characters because that is the maximum length for item names in the EDITS software system (see Chapter IV). Standardized abbreviations, punctuation, and spacing are used when necessary (i.e., the word “first” always is entered “1st,” “treatment” is “RX,” and so on). Other limitations will be imposed as needed. Thus, item names can be identical in this data standards volume and the NAACCR Metafile.

- **Consistency**

Consistency was attempted in formatting names and in using special characters. The character “--” is used to distinguish among item names built on the same stem name.

*Example: “Sequence Number--Hospital” and “Sequence Number--Central” are the names of two differently defined sequence numbers.*

- **Interrelated Items, Fields, and Subfields**

To make the relationship among items more apparent, a constant term was consistently added to the stem of the name.

*Example: All of the names of treatment fields related to radiation therapy begin with “Rad,” so that in a list of item names they will appear together:*

*Rad--No of Treatment Vol*

*Rad--Elapsed RX Days*

- ❖ **Record Layout/Data Exchange**

Record layout/data exchange identifies the position of the data item in a standard flat file data exchange record. These positions are indicated in Chapter VII. Also, see Volume I<sup>1</sup> in this series for information on the data exchange and other NAACCR standard layouts.

*Example: “Sex” is in character position 118 in the NAACCR Data Exchange Record Layout Version 11.*

- ❖ **Codes**

Codes identify allowable values, their meanings, and data entry formats for data items. Chapters IX and X specify the standard codes for each data item.

*Example for the item “Sex”:*

*Codes*

- 1 Male*
- 2 Female*
- 3 Other (Hermaphrodite)*
- 4 Transsexual*
- 9 Not stated*

When it is necessary to collect more specific information than that represented by the standard codes, every effort should be made to ensure that the more specific codes would accurately collapse into the categories represented by the standard codes. This approach permits diversity without compromising inter-registry comparability or meta-analyses.

❖ **Coding Rules**

Coding rules are the rules and interpretations for deciding the correct code for a given tumor. Coding rules are defined in the documentation of other standard-setting organizations. For each data item, Chapters VIII and X list a “Source of Standard,” and the documentation of this source should be consulted for coding rule standards.

*Hypothetical Example: A coding rule might state what code to assign for sex when the medical record states the patient is female and the death certificate states male.*





## **CHAPTER II**

### **HISTORICAL BACKGROUND AND STATUS OF U.S. STANDARDS**

#### **STANDARD-SETTING ORGANIZATIONS AND OTHER STANDARDS DOCUMENTS**

Several organizations have played a major role in the development of cancer registry standards. They are listed in alphabetical order.

##### **American Cancer Society**

ACS historically has supported the development of standardized cancer classification systems, publishing the first code manual for the morphology of neoplasms in 1951. ACS has long supported the standard-setting programs of ACoS, including the Fundamental Tumor Registry Operations Education Program, the Registry Operations and Data Standards, and the American Joint Committee on Cancer (AJCC).

##### **American College of Surgeons**

Since the 1950s, ACoS has taken a leading role in establishing standards for hospital-based cancer programs and the cancer registries that are a part of such programs. Through its Approvals Program, COC implements its requirements for case management, registry operation and case inclusion, and data set specifications as published in:

- ❖ *Cancer Program Standards 2004*,<sup>28</sup> which presents standards for the full range of cancer program activities, including the registry.
- ❖ *Facility Oncology Registry Data Standards (FORDS): Revised for 2004*,<sup>2</sup> which specifies standards for cases to be included in the registry, data items to be collected, and the codes and coding rules for those items.

COC requires approved cancer programs to use the codes and coding instructions published by COC.

Through NCDB, COC provides data quality feedback to facilities, software providers, and the general cancer registry community. Hospitals in the Approvals Program are required to submit non-confidential registry data to NCDB, and COC monitors the quality of data submissions in accordance with existing published standards for approved programs.

FORDS, the Cancer Program Standards, and the NCDB Call for Data announcements, instructions, and technical specifications are available to download at no charge at <http://www.facs.org>. COC maintains an interactive Inquiry and Response Database to answer questions about all cancer-related requirements at the same site.

### **American Joint Committee on Cancer**

AJCC formulates and publishes systems of classification of tumors by their anatomic site and histology through use of the Tumor, Node, Metastasis (TNM) staging system. The TNM staging system is the U.S. standard used by the medical profession to select the most effective treatments and determine prognosis to facilitate the management of cancer care. AJCC is dedicated to the ideal that all cancer cases should be staged, and it publishes the *Cancer Staging Manual*,<sup>5</sup> now in its Sixth Edition as well as the *Collaborative Staging Manual and Coding Instructions*.<sup>11</sup>

### **National Cancer Registrars Association**

An organization of cancer data professionals founded as the National Tumor Registrars Association in 1974, the National Cancer Registrars Association (NCRA) has been instrumental in the training and certification of cancer registrars. NCRA has produced a variety of educational materials, including guidelines for a college curriculum in cancer registry management, a planning manual for registry staffing, training materials for staging of cancer, and a publication on using cancer data to promote the services of the cancer registry. A college-level cancer registry methods textbook also was published (*Cancer Registry Management: Principles and Practice*, 2<sup>nd</sup> Edition, 2004).<sup>41</sup>

Since 1983, NCRA has promoted the certification of cancer registrars through a semi-annual examination. More than 4,000 Certified Tumor Registrars (CTRs) successfully have completed the exam, which evaluates technical knowledge of methods of cancer data collection, management, and quality control, as well as *International Classification of Diseases-Oncology* (ICD-O) topography and morphology coding and AJCC and Surveillance, Epidemiology and End Results (SEER) Program staging systems. To maintain their credentials, CTRs are required to complete 20 hours of continuing education every 2 years, which can be obtained by participating in conferences and teleconferences that NCRA has precertified, and by obtaining a passing score on quizzes in NCRA's *Journal of Registry Management*.

Membership in NCRA is open to anyone interested in cancer data collection. For further information, contact NCRA on the Web at: <http://www.ncra-usa.org>.

### **National Coordinating Council for Cancer Surveillance**

Founded in 1995, the National Coordinating Council for Cancer Surveillance (NCCCS) meets biannually to coordinate surveillance activities within the United States through communication and collaboration among major national cancer organizations, ensuring that the needs of cancer patients and the communities in which they live are fully served; that scarce resources are maximally used; and that the burden of cancer in the United States is adequately measured and ultimately reduced. NCCCS includes representatives from the Armed Forces Institute of Pathology, ACoS, ACS, AJCC, CDC-NPCR, CDC-NCHS, NCI-SEER, NCI-Applied Research Program, NCRA, and NAACCR. Current priorities for NCCCS include building coordination among cancer incidence surveillance and other cancer surveillance systems; electronic medical records and real-time reporting; improving source information to measure disparity (race, ethnicity, socioeconomic status); non-hospital reporting; and defining a decision process for incidence surveillance expansion, both in the addition of data elements and modification of surveillance systems.

### **National Program of Cancer Registries**

CDC has worked to improve registry data nationwide since 1992, when Congress authorized the establishment of the National Program of Cancer Registries (NPCR) through the Cancer Registries Amendment Act (Public Law 102-515).<sup>36</sup> CDC provides funds to 45 states, 3 territories, and the District of Columbia to assist in planning or enhancing cancer registries, developing model legislation and regulations for programs to increase the viability of registry operations, setting standards for data, providing training for registry personnel, and helping establish computerized reporting and data processing systems.

CDC has contributed substantially to the development of data standards through its financial support of NAACCR, as well as by funding and developing EDITS, a software system that facilitates the coordination of data standards (see Chapter IV). In administering NPCR, CDC requires participating central registries to collect data items that conform to NAACCR's standards. NPCR staff also continue to maintain Registry Plus™, a suite of publicly accessible free software programs made available by CDC to facilitate the implementation of NPCR.

To maximize the benefits of state-based cancer registries, CDC uses the NPCR-Cancer Surveillance System (CSS) for receiving, assessing, enhancing, aggregating, and disseminating data from NPCR-funded registries. This system of cancer statistics provides valuable feedback to improve the quality and usefulness of registry data and monitor the impact of cancer prevention and control programs. In 2002, the CDC published the first edition of the United States Cancer Statistics (USCS) in collaboration with NCI and contributions from NAACCR. This report contained 1999 incidence data from 37 states and metropolitan areas. In 2004 the third edition of this joint publication was released. This edition contained 2001 incidence data from 43 state cancer registries (34 NPCR, 4 NPCR/SEER, and 5 SEER, the District of Columbia NPCR and 6 SEER metropolitan areas). In total the cancer registries whose data are included in this report cover 92% of the U.S. population. For additional information on NPCR, visit the CDC/NPCR website at: <http://www.cdc.gov/cancer/npcr/index.htm>.

### **North American Association of Central Cancer Registries**

The American Association of Central Cancer Registries (AACCR) was established in 1987, and with the addition in 1995 of Canadian registries as members, the name was changed to the North American Association of Central Cancer Registries (NAACCR). Members are population-based cancer registries in the United States and Canada, national cancer and vital statistics organizations in both countries, and other organizations and individuals interested in cancer registration and surveillance. NAACCR is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population-based registries for high-quality data; evaluates, aggregates, and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR welcomes membership from cancer registries and other organizations or individuals that are concerned with the collection, analysis, and publication of data on cancer incidence.

### **Surveillance Epidemiology and End Results Program**

NCI's SEER Program has collected standardized data to measure progress in cancer prevention and control for more than 25 years. Established by a Federal mandate—the National Cancer Act of 1971—the SEER Program is an organizational descendent of the NCI-sponsored End Results Group (1956-72) and the Third National Cancer Survey (1969-71).

Seven population-based registries have provided data continuously since the SEER Program began in 1973: the States of Connecticut, Iowa, New Mexico, Utah, and Hawaii; and the Metropolitan Areas of Detroit and San Francisco-Oakland. In 1974-75, the regions of Seattle-Puget Sound and Metropolitan Atlanta were added. These areas, plus the rural Georgia region added in 1978, cover about 9.5 percent of the U.S. population. In 1992, the SEER Program added two additional regions in California—Los Angeles and San Jose-Monterey—bringing coverage of the U.S. population to 14 percent. These regions were selected for their epidemiologically significant population subgroups and, in fact, oversample minority populations in the United States. In 2001, four states were added—Kentucky, Louisiana, New Jersey, and the remainder of California—resulting in coverage of about 26 percent of the U.S. population.

The purpose of the SEER Program, as stated in the National Cancer Act legislation, is to collect, analyze, and disseminate data useful in the prevention, diagnosis, and treatment of cancer. The goals of the Program are to:

- ❖ Monitor annual cancer incidence trends to identify patterns of cancer occurring in population subgroups
- ❖ Provide continuing information on changes over time in the extent of disease (EOD) at diagnosis, trends in therapy, and associated changes in patient survival
- ❖ Promote studies to identify factors that can be studied and applied to achieve cancer prevention and control.

These goals illustrate that the aim of the SEER Program is providing cancer surveillance over time. As a result, changes in standards are carefully considered for their impact both on future data and compatibility with previous data.

Participating registries are required to submit data twice per year in a standard format using standardized definitions and codes (currently the *SEER Program Code Manual*,<sup>3</sup> and *SEER Extent of Disease-1998: Codes and Coding Instructions*, Third Edition).<sup>6</sup> However, the individual SEER registries have not used standardized data collection methods or data management methods locally, and they differ in the extent to which they impose data requirements on the reporting facilities in their areas.

Standardized edits, developed by SEER and shared with participating registries, are applied to data submissions, and the results are returned to the participating registries.

SEER Program publications relating to data standards include:

- ❖ A series of eight self-instructional manuals for cancer registrars<sup>39</sup> covering abstracting, coding, terminology, anatomy, treatment, statistics, and other aspects of cancer registry operations. Book 8 in the series is a comprehensive list of drugs used in treating cancer and is the standard reference for drug-treatment coding rules.
- ❖ *SEER Extent of Disease-1998: Codes and Coding Instructions*, Third Edition.<sup>6</sup> This document includes site-specific codes and coding guidelines to describe spread of tumor in anatomic terms. EOD is a 10-digit code that includes 3 digits for size of tumor, 2 digits for tumor extension, 1 digit for lymph node involvement, 2 digits for the number of regional lymph nodes examined, and 2 digits for the number of positive regional lymph nodes. SEER always has collected EOD information and collapses this information into different staging schemes.
- ❖ *The SEER Program Code Manual*.<sup>3</sup> This manual includes comprehensive codes and coding guidelines for the data elements required by SEER.
- ❖ *Comparative Staging Guide for Cancer*.<sup>4</sup> This guide illustrates the relationships among EOD codes, the summary staging system, and the Third Edition of the TNM Staging System. A revision updating the comparative staging to the Fifth Edition of the TNM Staging System is in development.
- ❖ *Summary Staging Guide for the Cancer Surveillance, Epidemiology and End Results Reporting Program*.<sup>9</sup> Originally published in April 1977, and most recently reprinted in July 1986, this is the standard for localized-regional-distant staging for tumors diagnosed between 1977 and 2000.

- ❖ *SEER Summary Staging Manual 2000*.<sup>10</sup> Published in 2001, is the standard for summary stage for cases diagnosed January 1, 2001, and after.

There is no charge for single copies of SEER Program publications. To place an order or to obtain further information, go to the SEER Program Website at: <http://seer.cancer.gov/Publications>.

### **World Health Organization**

The World Health Organization (WHO), an agency of the United Nations, is responsible for publishing and maintaining the international standard for diagnosis coding systems. Selected publications include:

- ❖ *International Classification of Diseases (ICD-9, the Ninth Revision)*, as modified by the Health Care Financing Administration<sup>13</sup>
- ❖ *International Statistical Classification of Diseases and Related Health Problems (ICD-10, the 10th Revision)*<sup>12</sup>
- ❖ *International Classification of Diseases for Oncology*.<sup>14, 15</sup>

These publications are world-standard diagnosis coding systems.

ICD-9 was adapted for use in the United States as the Clinical Modification of ICD-9<sup>13</sup> (ICD-9-CM), and is the current standard for coding medical record diagnoses in health information management departments in U.S. health care facilities. ICD-10 was implemented for coding causes of death on death certificates in the United States effective January 1, 1999.

The Second Edition of ICD-O became the standard for coding cancer diagnoses in the United States in 1992. An extensive revision of the morphology codes, especially the Lymphoma and Leukemia Section, was field-tested for the 1999 and 2000 diagnosis years, and the Third Edition of ICD-O<sup>15</sup> has been implemented for 2001 diagnoses.

WHO publications are sold through the following two agencies in the United States:

Q Corporation  
49 Sheridan Avenue  
Albany, NY 12210  
(518) 436-9686

College of American Pathologists  
325 Waukegan Road  
Northfield, IL 60076  
(800) 323-4040  
<http://www.cap.org/index.cfm>

In the United States, the contact for further information on ICD-O is the Expert on Nomenclature and Coding at SEER (<http://seer.cancer.gov>).

## **HISTORICAL BACKGROUND OF STANDARDS COORDINATION**

Because the various standard-setting organizations use their data for different purposes, some data elements had different meanings, depending on the organization using the data. A long history of cooperation has been evident among organizations interested in cancer data to resolve the discrepancies between organizations in their interpretation of data elements.

The earliest standard setters were COC and SEER. The End Results Group, predecessor of SEER, published coding rules and guidelines as early as the 1950s; COC published its first data collection manual, the *Supplement on the Tumor Registry*, in conjunction with its *Cancer Program Manual 1981*. At that time, hospital-based cancer registries often used COC's recommended codes and coding rules, and SEER central registries used those of the SEER Program. The two systems were not always in agreement. As a result, COC and SEER began working together in the early 1980s to make the codes and definitions in their manuals consistent.

COC and SEER attempted to define one common set of data item definitions, field lengths, and codes for use by both SEER registries and hospital-based registries. By 1988, the collaboration resulted in the publication of both COC's *Data Acquisition Manual* and the *SEER Program Code Manual*, with data items and codes in substantial agreement. Having more congruent data sets allowed for easier data sharing and data comparisons, especially with the advent of personal computers that were sufficiently powerful to analyze large amounts of cancer data. This achievement helped set precedents for cooperation in data management, and maintaining congruence whenever possible has continued to be a top priority for these two groups.

During the same period, the California Cancer Registry was developing a statewide automated system that allows facilities to report electronically to the state registry system. One region in California was a SEER registry at that time, and a large number of hospitals maintained COC-approved programs. To facilitate implementation of standards within its program, the California Cancer Registry requested that SEER and COC establish a formal committee to pursue data standardization and requested membership on this committee.

The function of that committee was transferred to NAACCR's Uniform Data Standards Committee (UDSC) when it was established in 1987. Membership was expanded to include all of the major standard-setting organizations and representation from registry software vendors and central registries. This Committee has made enormous progress toward standardization. A major success occurred when all of the participating groups agreed to implement the Second Edition of ICD-O simultaneously for tumors diagnosed in 1992 and later. In 1993, NAACCR convened a multidisciplinary conference to address the issue of collecting data on preinvasive cervical neoplasia, resulting in specific recommendations for member registries to cease collection of cervical carcinoma *in situ*. UDSC provides a national forum to discuss data issues and reach consensus on data standards. Given the extensive effort required to maintain uniform standards, in 2000, a subsidiary of UDSC, the Volume II Work Group, was formed to focus on the annual updates, revisions, and additions to compendiums of national standards.

CDC added another strong voice for standardization. CDC requires that the registries in 45 states, the District of Columbia, and U.S. Territories funded by NPCR use standard data items and codes. CDC is a sponsoring member of NAACCR, and has participated in committee activities of NAACCR. Through its contractor, CDC provides quality control activities for participants in NPCR and has facilitated the setting of standards and encouraged their adoption. The EDITS project described in Chapter IV is an example of the innovative approach CDC has supported.

At the time of this revision to Volume II, the major organizations agree in principle that their data standards will be consistent wherever possible. There are, however, areas where agreement has not been reached. These are discussed in detail in Chapter V. It also must be realized that standardization is not always desirable or feasible. For example, although the NAACCR standard for entry of dates is MMDDCCYY, SEER collects only month and year of birth date and date of death. SEER does not want to receive date of birth or death because of potential compromises to patient confidentiality, although individual SEER registries may collect this information.

Despite the progress made toward standardization and the near-universal agreement that standardization is desirable, much remains to be done. Implementation of existing standards is not uniform, and implementation of changes in standards is not always synchronized. SEER and COC will continue to publish separate coding manuals on different update schedules. Coding rules and rule interpretations sometimes are determined informally and documented marginally. Standardized data edits must be updated, maintained, and used by all registries.

In Canada, cancer registries at the provincial and territorial level joined together with Statistics Canada, a national agency, to form the Canadian Council of Cancer Registries. This process started in 1986 and led to the development of common national standards for the Canadian Cancer Registry, which were implemented with a reference date of January 1, 1992. A Data Quality Committee, which reports to the Council, is responsible for making recommendations to set national standards, and will review and monitor data quality and resolve any inconsistencies in procedures, coding, or other activities affecting data comparability.

NAACCR hopes that documenting existing standards, recommending standards where they do not yet exist, and publishing the results in a concise and authoritative form will enable registries and software providers to move forward in achieving comparable data that can be more widely used.

### **Schedule of Revisions to NAACCR Standards Documents**

In 2000, the NAACCR Board of Directors established a Standards Implementation Task Force to review the current timeline for changes to data standards and to recommend guidelines for a new timeline that will meet the needs of the standard-setting organizations, central cancer registries, vendors, and reporting facilities. The Standards Implementation Task Force developed guidelines for **major** changes to be implemented on a 3-year cycle, with all standard setters adhering to the same 3-year cycle. Implementation of the process began January 2003, with the next implementation date for major changes occurring on January 1, 2006 (i.e., then 2009, 2012, 2015, etc.). These changes require the publication of a new Version of the NAACCR Volume II Data Dictionary and Data Standards (e.g., from Version 10.x to Version 11.0). **Minor** changes will be implemented on an annual cycle. These changes will be published in an update of the current Version of the NAACCR Volume II Data Dictionary and Data Standards (e.g., Version 10.1 [*Exception:* An updated Version will not be published the year a new Version is published, minor changes will be included in the new Version]). The intent is to allow the ability to fix errors and clarify codes or add new codes should they be necessary during the interval between the scheduled major revisions and updates. See the *Standards Implementation Guidelines*<sup>42</sup> for definitions of major and minor changes and additional information.

All NAACCR members are encouraged to present suggestions or comments on proposed changes to the standards to the Uniform Data Standards Committee. The NAACCR Website, <http://www.naacccr.org>, provides the name of the Committee Chair and forms for proposing additions or revisions.

**Record Layouts:**

Eleven versions of the NAACCR layout have been released. All registries should begin using Version 11 in January 2006:

- ❖ Version 11 (dated November 2004)
- ❖ Version 10.2 (dated March 2004)
- ❖ Version 10.1 (dated March 2003)
- ❖ Version 10 (dated March 2002)
- ❖ Version 9.1 (dated March 2001)
- ❖ Version 9 (dated May 2000)
- ❖ Version 8 (dated April 1999)
- ❖ Version 7 (dated April 13, 1998)
- ❖ Version 6 (dated January 23, 1998, and as slightly revised, dated March 20, 1998)
- ❖ Version 5.1 (dated March 12, 1997)
- ❖ Version 5 (dated April 10, 1996)
- ❖ Version 4 (dated 1994).

Please refer to Table 1 on the following page for more detail.

Standards for Tumor Inclusions, Reportability, and Multiple Primary Rules are in Chapter III.



**Table 1. Record Layout Table With References.**

NAACCR	Release Date	Effective Date*	Reference Manuals Accommodated	NAACCR Metafile Version
Version 4	02/14/1994	01/01/1994	COC/ACOS Data Acquisition Manual, 1994 SEER Program Code Manual, 1992 WHO ICD-O-2, 1990 SEER Summary Staging Guide, 1977 AJCC Staging Manual, Fourth Edition, 1992 SEER Extent of Disease Manual, 1992	Metafile Version 4
Version 5	04/10/1996	01/01/1996	<b>COC/ROADS, 1996</b> SEER Program Code Manual, 1992 WHO ICD-O-2, 1990 SEER Summary Staging Guide, 1977 AJCC Staging Manual, Fourth Edition, 1992 SEER Extent of Disease Manual, 1992	Metafile Version 5
Version 5.1	03/12/1997	01/01/1997	Same as Version 5	Metafile Version 5
Version 6	01/23/1998 Rev 3/20/1998	01/01/1998	<b>COC/ROADS, 1996, Rev. 1998</b> <b>SEER Program Code Manual, 1998</b> WHO ICD-O-2, 1990 SEER Summary Staging Guide, 1977 <b>AJCC Staging Manual, Fifth Edition, 1997</b> <b>SEER Extent of Disease Manual, 1998</b>	Metafile Version 6
Version 7	04/13/1998	01/01/1999	Same as Version 6	Metafile Version 7
Version 8	03/30/1999	01/01/2000	Same as Versions 6 and 7	Metafile Version 8
Version 9	05/15/2000	01/01/2001	COC/ROADS, 1996, Rev. 1998 SEER Program Code Manual, 1998 <b>WHO ICD-O-3, 2000</b> <b>SEER Summary Staging Manual, 2000</b> AJCC Staging Manual, Fifth Edition, 1997 SEER Extent of Disease Manual, 1998	Metafile Version 9
Version 9.1	03/21/2001	01/01/2002	Same as Version 9	Metafile Version 9
Version 10	03/20/2002	01/01/2003	<b>COC FORDS</b> <b>SEER Program Code Manual</b> WHO ICD-O-3, 2000 SEER Summary Staging Manual, 2000 <b>AJCC Staging Manual, Sixth Edition, 2002</b> <b>Collaborative Staging Manual and Coding Instructions, Version 1.0 (implementation 01/01/2004)</b>	Metafile Version 10
Version 10.1	03/2003	01/01/2004	Same as Version 10	Metafile Version 10 (most recent)
Version 10.2	03/2004	01/01/2005	Same as Version 10	Metafile Version 10 (most recent)
Version 11	10/2004	01/01/2006	Same as Version 10	Metafile Version 11 (most recent)

Bolded text indicates changes from previous version.

\* Either the date of diagnosis or year first seen for this cancer may have been used by some standard-setters. Refer to the Data Dictionary or to the standard-setter reference manuals for clarification of date requirements.



## CHAPTER III

### STANDARDS FOR TUMOR INCLUSION AND REPORTABILITY

Due to continued efforts by standard-setting organizations, facility-based registries and population-based central registries now follow nearly identical standards for determining tumors that are reportable and are to be included in the registry; however, some differences remain. COC stipulates the tumors that must be included in approved facility registries, while most population-based registries, at a minimum, follow the standards set by SEER or NPCR. The *Cancer Program Standards*,<sup>28</sup> the COC FORDS manual,<sup>2</sup> SEER Program Code manuals,<sup>3,6</sup> and the NPCR Program Announcement<sup>40</sup> should be consulted for more details.

Standards for tumor reportability are defined by the following criteria:

#### **Reference Date**

The reference date is the effective date cancer registration starts in a specified at-risk population or in a specific facility. It is not the date the registry is organized or the date work begins. Tumors diagnosed on or after the reference date must be included. The reference date typically begins on January 1 of a calendar year, but sometimes it is another date.

#### **Residency**

For a population-based registry, it is essential to include all tumors occurring in the at-risk population, and rules must be in place for determining the members of that population. The goal is to use the same rules for the patient's demographic data at the time of diagnosis as those used by the Census Bureau in enumerating the population. For example, a population-based registry must have rules for determining residency of part-year residents, institutionalized persons, homeless persons, military personnel, and students. See the *SEER Program Code Manual*<sup>3</sup> for specific instructions.

NAACCR recommends that population-based registries include in their database tumor reports of non-residents from facilities in their catchment areas to:

- ❖ Share tumor information that otherwise may go unreported with the resident's population-based registry.
- ❖ Facilitate death clearance and other record linkages.
- ❖ Allow preparation of complete and accurate reports to individual facilities.

Hospital-based registries are less concerned with residency of the patient than the reason for admission, and hospital registries might not collect data for certain categories of patients that the central registry must include, such as patients admitted to a hospice unit or transient patients who receive interim care to avoid interrupting a course of therapy. Also, COC does not require complete abstracting of tumors that are "nonanalytic" for the facility. Therefore, for the central registry, clear rules that are well documented, widely distributed, and accepted are essential to prevent missed case reports (source records).

#### **Reportable List**

COC, NPCR, and SEER have achieved greater consensus on reportable tumors in the past few years (see Table 2). For all tumors diagnosed from January 1, 1992, through December 31, 2000, all three standard setters required the inclusion of all neoplasms in the *International Classification of Diseases for Oncology*, Second

Edition<sup>15</sup> (ICD-O-2) with a behavior code of 2 or 3 (*in situ* or malignant), with the exception of squamous cell and basal cell carcinoma of the skin and carcinoma *in situ* of the cervix uteri since 1996. (See the CARCINOMA *IN SITU* OF THE CERVIX, CIN, AND THE BETHESDA SYSTEM Section later in this Chapter).

For all tumors diagnosed on or after January 1, 2001, all three organizations require the inclusion of all neoplasms in the International Classification of Diseases for Oncology, Third Edition<sup>14</sup> (ICD-O-3) with a behavior code of 2 or 3 (*in situ* or malignant), with the exception of squamous cell and basal cell carcinoma of the skin, prostatic intraepithelial neoplasia (PIN) III, carcinoma *in situ* (CIS) of the cervix, and cervical intraepithelial neoplasia (CIN) III. Code M9421 (juvenile astrocytoma, pilocytic astrocytoma, or piloid astrocytoma), with a behavior code of 1 (borderline) in ICD-O-3, is reportable as M9421/3. Prior to 2003, COC considered basal and squamous skin cancers that were AJCC stage group II or higher at diagnosis as reportable.

In addition, all three organizations require the inclusion of all non-malignant primary intracranial and central nervous system (CNS) tumors diagnosed on or after January 1, 2004. Specifically, non-malignant primary intracranial and CNS tumors of any morphology in ICD-O-3<sup>14</sup> having a behavior code of 0 or 1 (benign/borderline) occurring in the following sites: brain, meninges, spinal cord, cranial nerves and other parts of the CNS, pituitary gland, pineal gland, and craniopharyngeal duct are reportable (see Table 3).

### ***In Situ/Invasive***

It is important to distinguish between the morphologic condition of *in situ* as it is represented in ICD-O-2 or ICD-O-3 behavior codes and Tis as it is defined for the purpose of prognostic staging in the *AJCC Cancer Staging Manual*. Some morphologic and disease descriptive terms that are invasive in ICD-O-2/ICD-O-3 or localized in the SEER *Summary Staging Guide/SEER Summary Staging Manual 2000* are Tis in the *AJCC Cancer Staging Manual*. Some examples are:

- ❖ Paget's disease of the nipple (8540/3) (an "invasive" code in ICD-O-2 and ICD-O-3) *with no underlying tumor* is classified as Tis in AJCC Sixth Edition.
- ❖ For colon/rectum, "invasion of the lamina propria" (intramucosal) with no extension through the muscularis mucosae into the submucosa is classified as Tis according to AJCC Sixth Edition but localized in SEER Summary Stage 2000.

Whether a tumor diagnosis is *in situ* or invasive is important because it affects how the tumor will be reported in published statistics. Some tumors staged by central cancer registries using SEER Summary Stage or SEER EOD codes as "localized" can be classified as Tis or Stage 0 when coded according to AJCC or when EOD codes are converted to AJCC. Some tumors classified as invasive in the behavior code can be classified as Tis or Stage 0 when coded according to AJCC Sixth Edition or when EOD codes are converted to AJCC Sixth Edition. These differences should be considered when data are being compared. For more information on differences in staging classifications and current activities toward improving the situation, see Chapter V.

### **Multiple Primary Rules**

The method used for counting tumors affects the comparability of cancer rates among registries. It is important that identical rules have been used for counting multiple tumors in the patient—whether in the same organ, on opposite sides of paired organs, in different sites or subsites—and whether they were diagnosed at the same or different times. SEER rules are the *de facto* standard in the United States for both central and hospital-based registries. See the *SEER Program Code Manual*<sup>3</sup> for details.

SEER rules are not identical to the international standard recommended by the International Agency for Research on Cancer (IARC) and the International Association of Cancer Registries (IACR).<sup>37</sup> The IARC rules have the effect of defining fewer cases than do the SEER rules.

The following addition to SEER multiple primary rules was reviewed by UDSC and adopted on April 26, 1994, effective with tumors diagnosed in 1995 and later.

If there is an *in situ* followed by an invasive cancer at the same site more than 2 months apart, report as two primaries even if stated to be a recurrence. The invasive primary should be reported with the date of the *invasive* diagnosis (*SEER Program Code Manual*).

This important rule affects how the tumor will be counted in published statistics. With the exception of bladder, *in situ* tumors are not usually included in published incidence rates. Without the reporting of these invasive cancers, for example, rates of invasive breast cancer would be underreported. COC, with an emphasis on clinical data, has not adopted this exception to the general rule.

SEER has convened a task force to review and revise the histology coding rules and the multiple primary coding rules in a manner that will promote consistent, standardized coding of histologies and multiple primaries on the data collection level. The revised histology coding rules and multiple primary coding rules will be available for a January 2006 implementation of these standards.

## **CARCINOMA *IN SITU* OF THE CERVIX, CIN, AND THE BETHESDA SYSTEM**

The term “pre-invasive cervical neoplasia” refers to carcinoma *in situ* of the cervix and conditions viewed as equivalent to it or on a continuum with it. Diagnostic terminology for pre-invasive cervical neoplasia has changed significantly over time, from the four-tiered system of dysplasia and carcinoma *in situ*, to the three-tiered system of CIN, to the two-tiered Bethesda System, with high- and low-grade squamous intraepithelial lesions (SIL). In the past, cancer registries generally considered carcinoma *in situ* of the cervix reportable, but they differed in which of these other terms they considered synonymous with carcinoma *in situ* and hence reportable. Consequently, data were not comparable over time or across registries.

NAACCR convened a multidisciplinary working group in April 1993 to review the problem and make recommendations for its membership. The recommendation was that “population-based registries discontinue routine collection of data on pre-invasive cervical neoplasia unless there is strong local need and interest and sufficient resources are available to collect all [high-grade squamous intraepithelial lesions] and its equivalent terms.”<sup>33</sup> NAACCR and NPCR adopted this recommendation at that time. SEER and COC adopted it effective for cases diagnosed January 1, 1996 forward.

### **Ambiguous Terminology**

In most circumstances, the diagnosis of cancer, as recorded in the patient’s medical record, clearly is synonymous with reportable cancer. However, in those situations where the physician is not certain of the diagnosis, the associated terminology in the medical record reflects that uncertainty and is ambiguous. COC and SEER are in agreement in regard to the list of terms considered as diagnostic of cancer and a list of terms not considered as cancer. These terms are shown in Table 2.

**Table 2. NAACCR Layout Version 11: Comparison of Reportable Cancers: COC, SEER, and NPCR.**

	<b>COC</b>	<b>SEER</b>	<b>NPCR</b>
<b>Reportable Diagnoses</b>  On or after 1/1/2005	1. Behavior code of 2 or 3 in ICD-O-3.  2. Non-malignant (behavior codes 0 and 1) primary intracranial and central nervous system tumors, including juvenile astrocytoma (M9421/3)* for primary sites as defined in Table 3.	1. Behavior code of 2 or 3 in ICD-O-3.  2. Non-malignant (behavior codes 0 and 1) primary intracranial and central nervous system tumors, including juvenile astrocytoma (M9421/3)* for primary sites as defined in Table 3.	1. Behavior code of 2 or 3 in ICD-O-3 (includes VIN III, VAIN III, AIN III).  2. Non-malignant (behavior codes 0 and 1) primary intracranial and central nervous system tumors, including juvenile astrocytoma (M9421/3)* for primary sites as defined in Table 3.
<b>Exceptions (not reportable)</b>	1. Skin cancers (C44._) with histology 8000-8110 (after 1/1/2003); prior to that date, AJCC stage groups 2-4 in this group were reportable.  2. CIS of the cervix and CIN III (after 1/1/96).  3. PIN III (after 1/1/96).  4. VIN III (after 1/1/96).  5. VAIN III (after 1/1/96).  6. AIN (after 1/1/96).	1. Skin cancers (C44._) with histologies 8000-8005, 8010-8046, 8050-8084, 8090-8110.  2. CIS of the cervix and CIN III (after 1/1/96).  3. PIN III (after 1/1/2001).	1. Skin cancers (C44._) with histologies 8000-8005, 8010-8046, 8050-8084, 8090-8110.  2. CIS of the cervix and CIN III.  3. PIN III (after 1/1/2001).
<b>Multiple Primary Rules</b>	Follows SEER rules with the following exception: when there is an <i>in situ</i> followed by an invasive cancer at the same site more than 2 months apart, do not report the invasive cancer as a second primary if stated by the physician to be a recurrence.	Follows SEER rules.	Follows SEER rules.
<b>Ambiguous Terminology Considered as Diagnostic of Cancer</b>	apparent(ly) appears comparable with compatible with consistent with favors malignant appearing most likely presumed probable suspect(ed) suspicious (for) typical of  Exception: if the cytology is reported as “suspicious” and neither a positive biopsy nor a physician’s clinical impression supports the cytology findings, do not consider as diagnosis of cancer.	apparent(ly) appears comparable with compatible with consistent with favors malignant appearing most likely presumed probable suspect(ed) suspicious (for) typical of  Exception: if the cytology is reported as “suspicious” and neither a positive biopsy nor a physician’s clinical impression supports the cytology findings, do not consider as diagnosis of cancer.	Not addressed.
<b>Ambiguous Terminology NOT Considered as Diagnostic of Cancer</b>	cannot be ruled out equivocal possible potentially malignant questionable suggests worrisome	cannot be ruled out equivocal possible potentially malignant questionable suggests worrisome	Not addressed.

\* Juvenile astrocytomas should be reported as 9421/3.

**Table 3. Primary Site Codes for Non-Malignant Primary Intracranial and Central Nervous System Tumors (non-malignant primary intracranial and central nervous system tumors with a behavior code of 0 or 1 [benign/borderline] regardless of histologic type for these topography codes).**

<b>Topography</b>	
<b>Codes</b>	<b>Description</b>
C70.0 C70.1 C70.9	Meninges Cerebral Meninges Spinal meninges Meninges, NOS
C71.0 C71.1 C71.2 C71.3 C71.4 C71.5 C71.6 C71.7 C71.8 C71.9	Brain Cerebrum Frontal lobe Temporal lobe Parietal lobe Occipital lobe Ventricle, NOS Cerebellum, NOS Brain stem Overlapping lesion of brain Brain, NOS
C72.0 C72.1 C72.2 C72.3 C72.4 C72.5 C72.8 C72.9	Spinal Cord, Cranial Nerves, and Other Parts of the Central Nervous System Spinal cord Cauda equina Olfactory nerve Optic nerve Acoustic nerve Cranial nerve, NOS Overlapping lesion of brain and central nervous system Nervous system, NOS
C75.1 C75.2 C75.3	Other Endocrine Glands and Related Structures Pituitary gland Craniopharyngeal duct Pineal gland





## **CHAPTER IV**

### **RECOMMENDED DATA EDITS AND SOFTWARE COORDINATION OF STANDARDS**

#### **Definitions**

“Data edits” refer to computer software algorithms that check the content of data fields against an encoded set of acceptable codes and subsequently provide feedback on the quality of the data. Data edits verify that only acceptable values are used for codes and, more importantly, enforce relationships between the codes in related data items. Data edits can apply pass/fail criteria to data, so that a particular code or set of entries is determined to be either correct or incorrect. Incorrect data will have to be corrected to pass subsequent edits. Other types of edits indicate possible (or probable) errors that require human review for resolution. Many of these possible errors are tied to over-ride flags that indicate that the data in a record (or records) have been reviewed and, while unlikely, are correct.

Generally, there are three types of edits:

- ❖ Single-field edits or item edits are those that look at only one data field at a time. For example, an edit of the item “Sex” would verify that only valid values are used in the field.
- ❖ Interfield edits or multi-field edits are those that compare the codes of a data item with those in other related data items. For example, a common interfield edit compares the code for “Sex” with the code for “Primary Site,” and identifies female prostate cancer as an error.
- ❖ Interrecord edits or multi-record edits compare data on more than one record, commonly for those situations where a patient has multiple tumors. They compare the code of a data item in one record for a particular tumor with the same data item in another record or tumor. For example, an interrecord edit compares sequence numbers in multiple tumors to ensure that they have been assigned in chronological order for the patient’s cancers.

#### **Challenges**

There are at least six challenges to the standardization of data edits across central and hospital-based cancer registries. These include:

- ❖ Registry systems that encode an edit from standard specifications may be written in different computer languages, with possible differences in translation detail.
- ❖ Each implementation of an agreed-upon standard specification may be programmed differently, despite intent to encode a standard meaning.
- ❖ Complete edits are not always performed at the time of data entry.
- ❖ Documentation of the edit algorithms often is difficult for both data analysts and data collectors to obtain and use.

- ❖ Consolidated data collected via different data entry tools may encourage “apples” and “oranges” to be equated, without the users’ knowledge.
- ❖ When standards change, synchronized implementation is difficult, due to the release schedules of software providers and their limited ability to respond to changes at a given time.

Comparable results can only be reasonably expected when identical edits are applied to cancer registry data.

### **The EDITS Software**

The EDITS Software Project began with an informal discussion about promoting and supporting data processing standards after a 1990 meeting of the NAACCR Data Evaluation and Publication Committee. A small group of registry operators, software producers, and data consumers identified a missing element of standard setting: an executable version of a standard that could be applied directly to data in a variety of processing scenarios without reinterpretation by programmers. Producers of cancer registry software who intended to adhere to a published standard had to write their own computer code to implement the edit-checking algorithms. The solution would need to be flexible in many dimensions to accommodate the many technical, operational, scientific, economic, and agency considerations that determine the cancer registry milieu.

Although EDITS handles single-field and interfield type edits routinely and interactively, the software’s ability to process interrecord edits is limited. CDC has developed a separate freestanding batch program to accommodate interrecord edits (NPCR Interrecord Edits Utility). This edit typically is applied as a freestanding batch program and run at the time of data submission.

The EDITS software consists of three main components: EditWriter, the EDITS Application Program Interface (API), and the Generic EDITS Driver Program (GenEDITS).

#### ❖ **EditWriter**

The EditWriter is a versatile and complete development environment for defining, testing, documenting, and distributing data standards. It also provides a means of maintaining the definition of a standard as it matures and changes over time. Data checking can be as complete and as complicated as the applications require.

The output of EditWriter is the EDITS Metafile, a compiled database that contains all of the logic, tables, and constant values needed to check fields of data for validity. Single-field and interfield checks are included in the NAACCR Metafile. The metafiles produced by EditWriter can be copied and used on a variety of operating systems UNIX. The metafiles also can be used on hardware platforms other than the PC.

#### ❖ **EDITS Application Program Interface**

The EDITS API can be incorporated into programs of many descriptions, including programs for interactive data entry, after-the-fact verification of data, recoding, reformatting, and vertical or horizontal subsetting. Any language product for Windows should be able to use the EDITS API. Additionally, applications written in C and compiled with modern compilers for MS-DOS, UNIX, and VAX/VMS operating systems can include the EDITS engine. The EDITS API is distributed as a Windows Dynamic Link Library and as C source code.

### ❖ **Generic EDITS Driver Program**

GenEDITS is a configurable application for editing any data file with any EDITS Metafile. GenEDITS is the fastest way to apply standard edits to data and obtain a report of data errors. Because GenEDITS already incorporates the EDITS API, no programming is required.

### **The EDITS Language**

Using the EDITS language—a simplified programming language designed to validate data—specifies the algorithms that check data. The language includes a collection of powerful and specialized built-in functions that often reduce the complete validation of a data item to a single program statement. When complicated data relationships exist within a record, the EDITS language can express an arbitrarily complex validation schema, including multiple fields, multiple table look-ups, nested control statements, local and global variables, and external functions.

For additional information about EDITS or to download the EDITS software, see CDC's Division of Cancer Prevention and Control Website at: <ftp://nccdnc:cdsc1998@sftp.cdc.gov/edits>.

### **The EDITS Metafile**

EDITS Metafiles contain everything needed to edit a data file, except the data. Metafiles provide portability of edits, in that the same edits can be applied to different data formats for different purposes. EDITS Metafiles are created and modified using EditWriter. The key components of a metafile include: agencies, data dictionary, record layouts, edits, edit sets, error messages, and user look-up tables.

### **SEER\*Edits**

For many years, the SEER Program has maintained a library of standardized edits written in IBM COBOL,<sup>34</sup> which it applied to data submissions from the participating SEER registries. Over the years as experience and expertise increased, SEER has fine-tuned and expanded the edits and has made these edits available to SEER and other registries. In addition, the logic of the SEER edits has been used as the foundation for the EDITS project where SEER is the source of standard for the item or items.

As more and more computer processing moved away from the mainframe environment, the SEER Program decided to reprogram their edits in C++. This change has allowed the SEER edit engine to be ported to and compiled on a variety of hardware platforms. The edit engine includes the entire field, interfield, and interrecord edits in the COBOL edits plus new and revised edits needed because of the introduction of ICD-O-3. The SEER\*Edits package replaces the COBOL edits and the COBOL edits are no longer being maintained. SEER\*Edits can be used as a stand-alone package for the SEER areas to use before submission of data to SEER, or the edits can be incorporated individually by SEER registries for use in their data entry programs or routine editing of data. Data are input into the stand-alone version of SEER\*Edits in NAACCR format. The SEER\*Edits package also includes report-generating functions including manipulation of errors to facilitate data correction, a follow-up report, and a surveillance report. Any change made to the SEER\*Edits package also is made to the SEER metafile for the EDITS project and vice versa to keep them synchronized.

### **NAACCR Standard Edits and the NAACCR Metafile**

NAACCR has made increased standardization of data edits a priority, facilitated by the EDITS software, which provides a mechanism for standardized, transportable, and updateable edits to be provided through a “public library.” The goals are to help limit standards proliferation when there is no compelling need to be different, and to provide comprehensive public documentation in a current and readily accessible form in those instances where standards must differ.

The NAACCR Metafile is a comprehensive database of cancer registry standards and consists of a collection of tables that contain all the information needed to test data fields for validity and acceptability. The NAACCR Metafile specifically includes the following: look-up tables, translation tables, choice lists, data dictionary of standard fields, local field name table, error messages, executable single- and multi-field validation logic, text descriptions of edits, sets of fields defining standard records, standard-setter list, description of local data storage, data-entry help, standards documentation text, EDITS system help, and EDITS language reference.

NAACCR first made standard edits available in 1996. These edits corresponded to its 1995 record layout and data dictionary, as Volume IV in its Standards series.<sup>29</sup> Since that time, NAACCR has posted standard edits on the Internet that correspond to the annual record layouts and data dictionaries. For example, “Revised Version 10 Metafile--NAACCR10D” refers to the current standard edits in the NAACCR Version 10 record layout. The “D” notation indicates the fourth revision to the Version 10 record layout standard edits. The hardcopy Volume IV has been discontinued in favor of electronic publication using EditWriter. The EDITS Software with general instructions and various current and previous metafiles containing the most recent and historical public standards for cancer registry data are available on the NAACCR Website at: <http://www.naaccr.org/>. Click on Registration Standards, NAACCR Standards, and Standard Data Edits.

## CHAPTER V

### UNRESOLVED ISSUES

Over time, there have been inconsistencies in coding standards required by major standard-setting organizations concerning the item sets required, the codes and coding instructions employed, and the timing of adoption of new or revised codes that affect the use of data compiled over several years and from multiple sources. These issues are described below. The standards for tumor inclusion, reportability, and multiple primary rules are addressed separately in Chapter III.

The Uniform Data Standards Committee (UDSC) will continue to seek consensus on unresolved issues. Before new standards can be agreed upon, all interested parties must be provided sufficient time to study the proposals. Once UDSC approves new standards, there must be adequate time for implementation. All members are encouraged to present suggestions or comments on proposed changes to the standards to UDSC. The NAACCR Website, <http://www.naacr.org>, provides the name of the Committee Chair and forms for proposing additions or revisions.

This chapter describes coding issues affecting each of the following types of measures:

- county
- ethnicity
- patient names
- occupation and industry
- sequence numbers
- staging descriptors
- timing of first course treatment
- treatment descriptors
- vital status codes

The descriptions in this chapter are intended to provide a summary of coding issues. The original manuals should be consulted when a particular data use requires more detail. This chapter does not track changes made in individual codes over time. Some changes are noted in the individual item dictionary descriptions, and further information can be obtained from historic versions of this volume and from the individual standard-setters associated with the items.

#### **County-Current [1840] and County at DX [90]**

NAACCR has adopted the Federal Information Processing Standards (FIPS) codes for county as the standard in this volume (see Appendix A for codes). However, standards for codes used vary somewhat by standard setter. For cancers diagnosed prior to 2002, the use of FIPS codes was not universally adopted. For this reason, users of data should determine which codes were used for coding County at DX in a particular file, since no field indicating “County at DX Coding System” is included in the NAACCR layout.

- ❖ The SEER Program requires the use of FIPS codes for counties in the United States, plus the special code 999 (unknown).

- ❖ COC requires the use of FIPS county codes as their standard, plus the special codes 998 and 999. However, the *FORDS Manual* also provides for use of geocodes for countries of residence outside the United States and Canada to be used in this field.
- ❖ NPCR requires the use of FIPS codes for counties in the United States, plus the special code 999, starting with cancers diagnosed on or after January 1, 2002.

### **Spanish/Hispanic Origin (Hispanic Ethnicity) [190-210]**

Although agreement on standard codes for the data item “Spanish/Hispanic Origin [190]” has been reached, substantial variation persists among registries in how Hispanic ethnicity or Spanish/Hispanic Origin is determined. Procedures for determining ethnicity include:

- ❖ Recording ethnicity from information found in the medical record.
- ❖ Recording ethnicity based on a combination of patient demographic information that may include last name, maiden name, birthplace, or a statement of ethnicity in the record.
- ❖ Recording ethnicity based on a manual or computer matching of a documented surname, either last name or maiden name, against one or more listings of Spanish surnames. Common Spanish surname listings include: the 1980 and 1990 Census Bureau lists, the University of New Mexico GUESS list, and regional listings of Spanish surnames common to a particular geographic region (for example, the Florida list).
- ❖ Recording the ethnicity based on the application of a computer algorithm to available data items that may include last name, maiden name, birthplace, race, or sex to assign ethnicity.

Population-based registries should attempt to categorize their cases using a method that best approximates the method used by the Census Bureau to determine ethnicity in the population denominators. A standard best method has not been determined.

Attempts have been made to evaluate and improve numerator data based on various methodologic approaches to determining Spanish/Hispanic Origin. NAACCR sponsored a symposium in Atlanta, GA, in January 1996 to discuss methodologic issues faced when attempting to measure cancer among Hispanics. A report was prepared and is available on the NAACCR Website (<http://www.naaccr.org>) under the heading “Epidemiologic Reports.” In 1999, a research group was formed from representatives of NAACCR to address issues of definition and to produce comparable data for Hispanic ethnicities across the United States. The group operating under the auspices of the NAACCR Data Evaluation and Publications Committee led to the creation of a NAACCR approach to Hispanic identification, an algorithm which uses a combination of NAACCR variables to directly or indirectly assign ethnicity, the NAACCR Hispanic Identification Algorithm (NHIA).

Registries continue to use different methods to code Hispanic ethnicity. Users of the data must be able to determine how Hispanic ethnicity coding was assigned in a particular file. Based on historical and current discussions, NAACCR includes the field Spanish/Hispanic Origin [190] for direct recording of ethnicity from the medical record, as well as fields for Computed Ethnicity [200], Computed Ethnicity Source [210], and NHIA Derived Hispanic Origin [191].

### **Name--Last [2230]**

The COC *FORDS Manual* allows embedded spaces, hyphens, apostrophes, and punctuation in the last name field. NAACCR standards allow no embedded spaces or punctuation, except hyphens. For COC and other registries that perform follow-up, the field is used for direct communication with patients and for follow-up with family members or other medical providers, where the patient's representation of the last name is important. At the central registry level, as reflected in the NAACCR standard, last names may be used in matching routines that do not necessarily accept embedded spaces or punctuation. Central registries can, if they choose, strip submitted spaces and apostrophes from Name-Last when the field is stored or when it is passed to a matching routine. Neither COC nor NAACCR standards allow the last name field to be blank.

### **Name--Maiden [2390]**

This data item is not in the COC *FORDS Manual*. For tumors diagnosed prior to 2003, however, the COC *ROADS Manual* allowed embedded spaces, hyphens, apostrophes, and other special characters and punctuation in the maiden name field. SEER became the Source of Standard for this item in 2003 when its use was discontinued by COC, but SEER has not published specifications for allowable values. NAACCR standards allow no embedded spaces or punctuation, except hyphens. At the central registry level, as reflected in the NAACCR standard, maiden names may be used in matching routines that do not necessarily accept embedded spaces or punctuation. Central registries can, if they choose, strip submitted spaces and apostrophes from Name-Maiden when the field is stored or when it is passed to a matching routine. Both SEER and NAACCR standards allow the maiden name field to be blank.

### **Occupation and Industry [270-330]**

Most population-based registries have found the collection of usual occupation and industry data to be difficult and of limited utility, and for many years no consensus on data items and codes for occupation and industry had been achieved. In 1992, the Cancer Registries Amendment Act required collection of occupation or industry data to the extent available in the medical record by central registries funded by NPCR.<sup>36</sup> In response to this mandate, CDC sponsored a meeting of experts in occupational health and cancer epidemiology in 1995. Recommendations from the meeting resulted in the adoption of data items and codes by the NAACCR UDSC in August 1995.<sup>25</sup> These standards were included in Versions 6 and later of NAACCR's data standards.

Data on usual occupation and industry are unavailable in an unknown, but significant, proportion of medical records. Even when available, the quality of the data in the medical record is generally untested and often limited to less useful information such as "retired." Concurrently, this information generally is available in text format on death certificates and, in some states, on the associated state mortality data files. Some state mortality data files also contain the associated occupation and industry codes in addition to the text data. Much work remains to be done to improve the availability and capture of this potentially important information.

NAACCR will continue to discuss the quality and completeness of occupation and industry data and will reconsider the inclusion of occupation and industry in its recommended data sets.

### **Sequence Number [380 and 560]**

As discussed in Chapter III, SEER, NPCR, and COC have different standards for determining tumors that are reportable and are to be included in the registry. In addition to collecting these required tumors, some registries also collect and assign sequence numbers to other tumors such as cervix carcinoma *in situ* or PIN III.

Two sequence number data items, one assigned by the reporting facility, Sequence Number--Hospital [560], and one assigned by the central registry, Sequence Number--Central [380], are now in use. The time period of both Sequence Number data items is a person's lifetime, although with earlier definitions of Sequence Number--Central [380], central registries historically assigned the numbers from the reference date of the registry. When reportability of a particular tumor changes over time, both the type and the timing of tumors may affect the assignment of sequence numbers, so it is possible for two patients having similar cancer histories to be characterized by different sets of sequence numbers.

Numerous operational issues, such as storage of multiple facility-specific sequence numbers, appropriate linkage rules, and feedback of data to hospitals, have arisen because of policy differences from state to state. When attempting to use the Sequence Number--Central to identify individuals who have had only one lifetime cancer, it is important to realize the definitions used to make that determination vary and that sequencing may be handled differently in different systems.

## **CANCER STAGING**

### **AJCC TNM Stage, SEER EOD, SEER Historic Stage, SEER Summary Stage (1977 and 2000), and Collaborative Staging [759-1070, 1090-1170, 2800-3050]**

Historically, four major staging schemes have been widely used in cancer registries in the United States. The schemes, AJCC TNM, SEER Extent of Disease, SEER Historic Stage, and SEER Summary Stage, differ in complexity, purpose, structure, rules, and definitions. AJCC TNM staging provides forward flexibility and clinical utility. SEER EOD provides longitudinal stability for epidemiological studies. And, SEER Historic and Summary Stage provide population surveillance staging capability.

In January 2004 the Collaborative Staging System was introduced to reduce duplication of effort and provide a common staging schema for registry use and from which the other major staging categories could be electronically derived. All United States registries are required to use the Collaborative Staging System for cases diagnosed January 1, 2004 and after.

The historic schemes were designed for different purposes at different times, and are not easily compared. There have been several editions of the *AJCC TNM Cancer Staging Manual*, and conversion between versions is often not possible. SEER published the *Comparative Staging Guide for Cancer*<sup>4</sup> in 1993 as an attempt to present comprehensive, site-specific comparisons of the AJCC TNM, SEER EOD, and SEER Summary Staging schemes as an aid in data collection and interpretation. This guide covered the major cancer sites of colon and rectum, lung and bronchus, breast, female genital, prostate gland, and urinary bladder. According to the guide:

- ❖ Changes over time in methods of cancer screening, diagnosis, staging, and treatment have affected the distribution of stage of disease.
- ❖ Changes over time in the classification schemes themselves can complicate data analysis and obscure the meaning of time trends. Various other staging schemes also are in use. Several oncology subspecialties have developed staging systems applying to a limited number of cancer sites.



For these reasons, comparing cancer registry data by stage over time or across registries, or using pooled data collected by different registries applying different staging schema, is problematic<sup>4</sup>.

For a discussion of staging issues that affect rules for case inclusion and reportability, see Chapter III, especially the paragraphs “*In Situ/Invasive*” and “*Multiple Primary Rules*”.

A summary of the major staging schemes is provided below.

❖ **The American Joint Committee on Cancer’s TNM System (AJCC TNM)**

In its Sixth Edition, the *AJCC Cancer Staging Manual* includes a clinically oriented, site-specific staging system that consists of separate categories for the tumor, nodes, and metastases. The TNM categories then are grouped by stage, from 0 to IV. COC standards for approved cancer programs require that the registry data contain the clinical and pathologic T, N, and M components as they are recorded by the managing physician in the patient record. If the physician does not also provide the stage group, the registrar must provide it.

❖ **SEER Extent of Disease (SEER EOD)**

This site-specific 10-digit coding scheme<sup>6</sup> was required for SEER registries until December 31, 2003. Other state and central registries also used it. EOD was designed to allow collapse of the codes into the stage groupings of several different staging systems, including AJCC stage group.

❖ **SEER Summary Stage**

This site-specific single-digit coding scheme was required for NPCR registries until December 31, 2003, and it was also used by some SEER registries. In addition, COC required the coding of SEER Summary Stage when a corresponding AJCC TNM site code scheme was not available until Collaborative Stage was implemented. There are two related data items: SEER Summary Stage 1977 [760] and SEER Summary Stage 2000 [759]. Cancers diagnosed on or after January 1, 2001, were assigned a summary stage according to the *SEER Summary Staging Manual, 2000*,<sup>10</sup> and the code should be reported in the SEER Summary Stage 2000 [759] data item. Cancers diagnosed before January 1, 2001, were assigned a summary stage according to *Summary Stage Guide, Cancer Surveillance Epidemiology and End Results Reporting, SEER Program, April 1977*,<sup>9</sup> and the code was reported in the SEER Summary Stage 1977 [760] data item (see NAACCR Guidelines for Implementation of SEER Summary Stage 2000).

❖ **SEER Historic Stage**

When SEER stage data are published, the stage categories used are those used by an earlier program, the End Results Group. The Historic Stage variable has been defined consistently over time to facilitate trend analyses, and the categories are not identical to those in the SEER Summary Stage.

❖ **Collaborative Stage**

The Collaborative Stage (CS) data set is a combination of data items (most of which have traditionally been collected as a part of regular cancer surveillance activities) that include tumor size, extension, lymph node status, metastatic status, evaluation fields describing the hierarchy of the data collected, and relevant site-specific information. This unified data set was specifically designed for cancer reporting and includes an algorithm which derives three different staging systems from the data collected and resolves subtle staging rule differences. The three systems for which staging currently can be derived include AJCC TNM 6<sup>th</sup> Edition, SEER Summary Stage 1977, and SEER Summary Stage 2000.

COC requires registrars to code all Collaborative Stage components. SEER and NPCR require a subset of the Collaborative Stage components be collected.

### **Tumor Size Rules [780]**

Over the years, some of the rules for describing tumor size changed several times, and discrepancies existed between the COC and SEER data. With the implementation of the Collaborative Stage coding system in 2004, all the differences between the two groups guidelines for tumor size have now been resolved.

The sites for which the tumor size guidelines differed are listed below. Users of registry data must be aware of possible discrepancies in the meaning of the information recorded in this variable before the diagnosis years indicated in parenthesis.

Melanomas (2002)

Microscopic foci (2003)

Most lesions smaller than 2 millimeters (2004)

Breast and Lung lesions smaller than 3 millimeters (2004)

Mycosis fungoides, Sezary disease, lymphomas, Kaposi sarcoma (2004)

### **TREATMENT**

Historically, NPCR has recommended collecting the date and type of first course of definitive treatment when available.<sup>30</sup> For the 1996-1997 diagnosis years, NPCR-funded registries were required to collect and process available treatment information using either the (1995 or 1996) SEER Program treatment data set or the (1995 or 1996) COC treatment data set.

For 1998-2000, NPCR had a similar recommendation. NPCR-funded registries adopted either the SEER 1998 or the COC 1998 treatment data set, and were encouraged to use the data item “RX Coding System--Current” [1460] to indicate how treatment was coded for a specific record.

Beginning with 2003 diagnoses, the COC *FORDS*<sup>2</sup> redefined some treatment fields and added others. Some new and redefined data fields along with dates of treatment are required by NPCR. For the 2003 and forward diagnosis years, NPCR will require the collection of first course of treatment data items when available and will require the submission of the NPCR required surgery data items. NPCR will use the same codes as COC *FORDS*, but will not collect all the data fields. See the list of data items (Chapter VIII) that NPCR registries collect.

SEER will use the same codes as the COC *FORDS* but may not collect all of the fields. For example, SEER areas will not collect Rad--Treatment Volume. See the list of data items (Chapter VIII) that SEER areas collect and that SEER requires the SEER registries to transmit to NCI. SEER areas will use the field Rad--Regional RX Modality [1570] from COC hospitals to complete RX Summ--Radiation [1360].

### **RX Summ--Rad to CNS [1370]**

This item is maintained in the transmission file for use with historic data. COC discontinued collection of the item for cases diagnosed on or after January 1, 1996, and SEER discontinued collecting it for tumors diagnosed beginning in 1998. Both organizations instructed coders to record radiation to the central nervous system following those dates as radiation. SEER retains the codes for earlier cases and also converts the data into an appropriate radiation field. The item is no longer supported in any form by COC.

### **Time Period for First Course of Treatment [1260, 1270, 1500]**

SEER and COC have historically defined first course treatment differently. The differences affect representation of the date first course treatment begins and the instructions for determining what constitutes first course treatment. The NAACCR record layout contains a data item, First Course Calc Method [1500], to record which organization's definition was followed.

The NAACCR record layout provides two data items that indicate the date of the start of the first course of treatment: Date of 1st CRS RX--COC [1270] as defined by COC, and Date of Initial RX--SEER [1260] as defined by SEER. The difference between these two definitions is that COC defines the date the physician decides not to treat the patient as the date of initial treatment, while SEER considers such a decision to be no treatment and the date is recorded as zeros.

The SEER and COC definitions of treatment to be included as "first course" have become increasingly congruent, differing now primarily in their "fall-back" recommendations that apply when no treatment plan is recorded, no standard facility practice applies, no protocol applies, no physician is able to provide assistance, and no record of treatment failure or recurrence of disease is available. In that extreme instance, COC recommends a 4-month cutoff for the beginning of first-course treatment, and SEER applies a 1-year cutoff. Users of historical treatment data should be aware that the definitions of "first course" have changed over time and have been disjointed in the past. The applicable coding manuals and standard-setting organizations should be consulted for specifics.

Users of treatment data also should be aware that registries differ in the amount of treatment data collected in terms of the types of treatment included, non-hospital treatment locations surveyed, items covered (see the previous section), and the use of all codes provided for each item. Thus, treatment data are likely to be inconsistent among registries and to have varying levels of completeness, especially for treatment given in physicians' offices or other non-hospital settings.

### **Vital Status [1760]**

Both SEER and COC use code 1 in this field to indicate that the patient is alive. However, these programs use codes 4 and 0, respectively, to indicate that the patient is dead. Both programs have long-standing historical reasons to retain their coding. No agreement has been reached on this data item.

### **Canadian Data**

The NAACCR data standards adopted thus far do not adequately deal with data from places outside the United States. Changes have been made to accommodate postal codes, standard abbreviations for provinces/territories, and other fields in Canadian data. Future versions of this document will review and increasingly incorporate standards established for Canadian cancer registries.



## **CHAPTER VI**

### **REFERENCES**

#### **Code Manuals and Record Layouts**

1. Abe T and Seiffert J, editors. North American Association of Center Cancer Registries, Standards for Cancer Registries, Volume I, Data Exchange Standards and Record Description. Version 9. Springfield, IL: North American Association of Center Cancer Registries; September 7, 2000. (Electronic version only; available at <http://www.naaccr.org>.)
2. American College of Surgeons Commission on Cancer. Facility Oncology Registry Data Standards: Revised for 2004 (FORDS). Chicago: American College of Surgeons Commission on Cancer; 2002 (updated 2004).
3. Surveillance, Epidemiology, and End Results Program. The SEER Program Code Manual. Third Edition, Revision 1. Bethesda, MD: National Institutes of Health, National Cancer Institute; January 1998 (updated January 2003). NIH Pub. No. 98-1999.  
  
Surveillance, Epidemiology, and End Results Program. The SEER Program Code Manual 2004. Fourth Edition. Bethesda, MD: National Institutes of Health, National Cancer Institute; January 2004. NIH Pub. No. 04-5581.

#### **Stage and Extent of Disease Manuals**

4. Surveillance, Epidemiology, and End Results Program. Comparative Staging Guide for Cancer, Major Cancer Sites. Version 1.1. Bethesda, MD: National Institutes of Health, National Cancer Institute; June 1993. NIH Pub. No. 93-3640.
5. American Joint Committee on Cancer. AJCC Cancer Staging Manual. Green F, et al., editors. Sixth Edition. New York: Springer-Verlag; 2002. (See also: Editions 1, 2, 3, and 4, which were published by Lippincott-Raven under the title Manual for Staging of Cancer; and Edition 5, published by Lippincott-Raven under the title of AJCC Cancer Staging Manual.)
6. Surveillance, Epidemiology, and End Results Program. Extent of Disease--1998: Codes and Coding Instructions. Third Edition. Bethesda, MD: National Institutes of Health, National Cancer Institute; January 1998. NIH Pub. No. 98-2313.
7. Shambaugh EM, Ries LG, and Young JL. Extent of Disease: New 4-Digit Schemes: Codes and Coding Instructions. National Institutes of Health, National Cancer Institute; March 31, 1984.
8. Surveillance, Epidemiology, and End Results Program. Extent of Disease: Codes and Coding Instructions. Bethesda, MD: National Institutes of Health, National Cancer Institute; April 1977.
9. Surveillance, Epidemiology, and End Results Program. Summary Staging Guide for the Cancer Surveillance, Epidemiology, and End Results Reporting (SEER) Program. Bethesda, MD: National Institutes of Health, National Cancer Institute; April 1977. NIH Pub. No. 86-2313. (Reprinted July 1986.)

10. Surveillance, Epidemiology, and End Results Program. Summary Staging Manual 2000. Bethesda, MD: National Institutes of Health, National Cancer Institute; 2001.
11. Collaborative Stage Task Force of the American Joint Committee on Cancer. Collaborative Staging Manual and Coding Instructions, Version 1.0. Jointly published by American Joint Committee on Cancer (Chicago, IL) and U.S. Department of Health and Human Services (Bethesda, MD), 2003.

### **Disease Classifications**

12. World Health Organization. International Statistical Classification of Diseases and Related Health Problems (ICD-10). 10th Revision. Volume 1 (of 3). Geneva: World Health Organization; 1992.
13. Health Care Financing Administration. The International Classification of Diseases, Clinical Modification (ICD-9-CM). Ninth Revision. Fourth Edition. Washington, DC: U.S. Public Health Service; 1991.
14. Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin L, Parkin D, et al., editors. International Classification of Diseases for Oncology. Third Edition. Geneva: World Health Organization; 2000.
15. Percy C, VanHolten V, and Muir C, editors. International Classification of Diseases for Oncology. Second Edition. Geneva: World Health Organization; 1990.
16. Percy C and VanHolten V, editors. International Classification of Diseases for Oncology. Field Trial Edition. World Health Organization; March 1988.
17. Percy C and VanHolten V, editors. International Classification of Diseases for Oncology, Morphology. Field Trial Edition. World Health Organization; 1988.
18. Percy C and VanHolten V, editors. International Classification of Diseases for Oncology, Morphology. Field Trial Edition. World Health Organization; 1987.
19. World Health Organization. Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death. Ninth Revision. Geneva: World Health Organization; 1977.
20. World Health Organization. International Classification of Diseases for Oncology. First Edition. Geneva: World Health Organization; 1976.
21. National Center for Health Statistics. International Classification of Diseases, Adapted for Use in the United States. Eighth Revision. Volume 2. Washington, DC: U.S. Department of Health, Education, and Welfare, Public Health Service; December 1968. PHS Pub. No. 1693.

### **Occupation and Industry Classification and Coding**

22. Centers for Disease Control and Prevention. Recommendations for Occupation and Industry Data Items. (NPCR program document). Atlanta: Centers for Disease Control and Prevention; July 20, 1995. (Note: This material is a memo to the Chair, NAACCR Uniform Data Standards Committee, dated July 20, 1995, including a report of a June 18, 1995 meeting.)

23. National Center for Health Statistics. Instructional Manual Part 19: Industry and Occupation Coding for Death Certificates, 1999. Hyattsville, MD: National Center for Health Statistics; October, 1999. (Updated.)
24. U.S. Department of Commerce Bureau of the Census. 1990 Census of Population and Housing, Alphabetical Index of Industries and Occupations. Washington, DC: U.S. Government Printing Office; 1990.
25. National Center for Health Statistics. Guidelines for Reporting Occupation and Industry on Death Certificates. Hyattsville, MD: National Center for Health Statistics; March 1988. PHS Pub. No. 88-1149.
26. U.S. Census Bureau, Housing and Household Economic Statistics Division. Census 2000 “Alphabetical Indexes of Industries and Occupations.” Available at: <http://www.census.gov/hhes/www/ioindex/view.html>. (Accessed November 27, 2001).
27. *Standard Occupational Classification (SOC) System Manual: 2000*. (Book and CD-ROM) U.S. Office of Management and Budget. Lanham, MD: Bernan Press; and Springfield, VA: National Technical Information Service; 2000. Also see: <http://www.ntis.gov/product/standard-occupational-classification.htm>.

#### **Other References**

28. American College of Surgeons Commission on Cancer 2004. Chicago: American College of Surgeons Commission on Cancer; 2003.
29. North American Association of Central Cancer Registries. Standard Data Edits. In: Seiffert JE, Capron S, and Tebbell J, editors. Standards for Cancer Registries. Volume IV. Sacramento, CA: North American Association of Central Cancer Registries; April 4, 1996. (Note: Updated metafiles corresponding to changes in data standards are issued periodically. These are available from the NAACCR Website at: <http://www.naacr.org>.)
30. Centers for Disease Control and Prevention. Program Announcement No. 426: 1994 National Program of Cancer Registries (NPCR). Atlanta: Centers for Disease Control and Prevention; March 1994. (NPCR program document.)
31. Menck HR and Smart CR, editors. Central Cancer Registries: Design, Management, and Use. Langhorne, PA: Harwood Academic Publishers; 1994.
32. North American Association of Central Cancer Registries. Standards for Completeness, Quality, Analysis, and Management of Data. In: Standards for Cancer Registries. Volume III. North American Association of Central Cancer Registries; September 2000.
33. (North) American Association of Central Cancer Registries. Working Group on Pre-Invasive Cervical Neoplasia and Population-Based Cancer Registries: Final Subcommittee Report. ([N]AACCR Conference held April 5-6, 1993, Rockville, MD. Adopted by the [N]AACCR Executive Board May 1993 and amended November 1993.)

34. Surveillance, Epidemiology, and End Results Program. SEER Edit Documentation. Bethesda, MD: National Institutes of Health, National Cancer Institute; May 1993.
35. U.S. Department of Commerce Bureau of the Census. Appendix A: Area Classifications. In: 1990 Census of Population: General Population Characteristics. Washington, DC: U.S. Government Printing Office; 1990.
36. Cancer Registries Amendment Act, Pub. No. 102-515, 106 Stat 3372 (October 24, 1992).
37. Jensen OM, Parkin DM, MacLennan R, Muir CS, and Skeet RG, editors. Cancer Registration: Principles and Methods. Lyon: International Agency for Research on Cancer; 1991. IARC Scientific Pub. No. 95.
38. National Cancer Registrars Association. Registry Staffing Manual. Lenexa, KS: National Cancer Registrars Association; 1989. (A joint study and report from the National Cancer Registrars Association, Inc., and the American College of Surgeons Commission on Cancer, with financial support of the American Cancer Society.)
39. Shambaugh E, editor-in-chief. SEER Program Self-Instructional Manual for Cancer Registrars. Bethesda, MD: National Institutes of Health, National Cancer Institute. (Various years.)  
  
Book One: Objectives and Functions of a Tumor Registry. Third Edition; 1999.  
  
Book Two: Cancer Characteristics and Selection of Cases. Third Edition; 1992.  
  
Book Three: Tumor Registrar Vocabulary: The Composition of Medical Terms. Second Edition; 1993.  
  
Book Four: Human Anatomy as Related to Tumor Formation. Second Edition; 1993.  
  
Book Five: Abstracting a Medical Record: Patient Identification, History, and Examinations. Second Edition; 1993.  
  
Book Six: Classification for Extent of Disease; 1977.  
  
Book Seven: Statistics and Epidemiology for Tumor Registrars; 1994.  
  
Book Eight: Antineoplastic Drugs. Third Edition; 1993.
40. Centers for Disease Control and Prevention. Program Announcement No. 00027: National Program of Cancer Registries. Atlanta: Centers for Disease Control and Prevention; January 2000. (NPCR program document.)
41. Hutchison C, Menck H, Burch M, Gottschalk R, editors. Cancer Registry Management: Principles and Practice. Second Edition. Dubuque, Iowa: Kendall Hunt; 2004.
42. Hultstrom D, Gershman S, Havener L, editors. *Standards Implementation Guidelines*. Springfield (IL): North American Association of Central Cancer Registries, January 2003. 9 pp.



## **CHAPTER VII**

### **RECORD LAYOUT TABLE (COLUMN # ORDER)**

The following table presents Version 11 of the NAACCR record layout. The table has column number, length, item number, item name, section, and note fields. Differences from Version 10.2 are marked “Revised” or “New” in the “Note” column of the table. Revised and new items are summarized in Appendix F. Please note that “Retired” items are not reflected in this table.

Column #	Length	Item #	Item Name	Section	Note
1-1	1	10	Record Type	Record ID	
2-9	8	20	Patient ID Number	Record ID	
10-10	1	30	Registry Type	Record ID	
11-11	1	35	FIN Coding System	Record ID	
12-18	7	37	Reserved 00	Record ID	
19-19	1	50	NAACCR Record Version	Record ID	
20-29	10	40	Registry ID	Record ID	
30-31	2	60	Tumor Record Number	Record ID	
32-39	8	21	Patient System ID-Hosp	Record ID	New
40-51	12	370	Reserved 01	Record ID	Revised
52-71	20	70	Addr at DX--City	Demographic	
72-73	2	80	Addr at DX--State	Demographic	
74-82	9	100	Addr at DX--Postal Code	Demographic	
83-85	3	90	County at DX	Demographic	
86-91	6	110	Census Tract 1970/80/90	Demographic	
92-92	1	120	Census Cod Sys 1970/80/90	Demographic	
93-98	6	130	Census Tract 2000	Demographic	
99-99	1	362	Census Tract Block Group	Demographic	
100-100	1	364	Census Tr Cert 1970/80/90	Demographic	
101-101	1	365	Census Tr Certainty 2000	Demographic	
102-102	1	150	Marital Status at DX	Demographic	
103-104	2	160	Race 1	Demographic	
105-106	2	161	Race 2	Demographic	
107-108	2	162	Race 3	Demographic	
109-110	2	163	Race 4	Demographic	
111-112	2	164	Race 5	Demographic	
113-113	1	170	Race Coding Sys--Current	Demographic	
114-114	1	180	Race Coding Sys--Original	Demographic	
115-115	1	190	Spanish/Hispanic Origin	Demographic	
116-116	1	200	Computed Ethnicity	Demographic	
117-117	1	210	Computed Ethnicity Source	Demographic	
118-118	1	220	Sex	Demographic	
119-121	3	230	Age at Diagnosis	Demographic	
122-129	8	240	Birth Date	Demographic	
130-132	3	250	Birthplace	Demographic	
133-134	2	260	Religion	Demographic	

Column #	Length	Item #	Item Name	Section	Note
135-137	3	270	Occupation Code--Census	Demographic	
138-140	3	280	Industry Code--Census	Demographic	
141-141	1	290	Occupation Source	Demographic	
142-142	1	300	Industry Source	Demographic	
143-182	40	310	Text--Usual Occupation	Demographic	
183-222	40	320	Text--Usual Industry	Demographic	
223-223	1	330	Occup/Ind Coding System	Demographic	
224-224	1	340	Tobacco History	Demographic	
225-225	1	350	Alcohol History	Demographic	
226-226	1	360	Family History of Cancer	Demographic	
227-228	2	3300	RuralUrban Continuum 1993	Demographic	
229-230	2	3310	RuralUrban Continuum 2000	Demographic	
231-231	1	191	NHIA Derived Hisp Origin	Demographic	
232-232	1	192	IHS Link	Demographic	New
233-234	2	366	GIS Coordinate Quality	Demographic	New
235-280	46	530	Reserved 02	Demographic	Revised
281-282	2	380	Sequence Number--Central	Cancer Identification	
283-290	8	390	Date of Diagnosis	Cancer Identification	
291-294	4	400	Primary Site	Cancer Identification	
295-295	1	410	Laterality	Cancer Identification	
296-300	5	419	Morph--Type&Behav ICD-O-2	Cancer Identification	Group
296-299	4	420	Histology (92-00) ICD-O-2	Cancer Identification	Subfield
300-300	1	430	Behavior (92-00) ICD-O-2	Cancer Identification	Subfield
301-305	5	521	Morph--Type&Behav ICD-O-3	Cancer Identification	Group
301-304	4	522	Histologic Type ICD-O-3	Cancer Identification	Subfield
305-305	1	523	Behavior Code ICD-O-3	Cancer Identification	Subfield
306-306	1	440	Grade	Cancer Identification	
307-307	1	450	Site Coding Sys--Current	Cancer Identification	
308-308	1	460	Site Coding Sys--Original	Cancer Identification	
309-309	1	470	Morph Coding Sys--Current	Cancer Identification	
310-310	1	480	Morph Coding Sys--Originl	Cancer Identification	
311-311	1	490	Diagnostic Confirmation	Cancer Identification	
312-312	1	500	Type of Reporting Source	Cancer Identification	
313-320	8	510	Screening Date	Cancer Identification	
321-321	1	520	Screening Result	Cancer Identification	
322-323	2	501	Casefinding Source	Cancer Identification	New

Column #	Length	Item #	Item Name	Section	Note
324-324	1	442	Ambiguous Terminology DX	Cancer Identification	New
325-332	8	443	Date of Conclusive DX	Cancer Identification	New
333-334	2	444	Mult Tum Rpt as One Prim	Cancer Identification	New
335-342	8	445	Date of Multiple Tumors	Cancer Identification	New
343-344	2	446	Multiplicity Counter	Cancer Identification	New
345-346	2	447	Number of Tumors/Hist	Cancer Identification	New
347-371	25	680	Reserved 03	Cancer Identification	Revised
372-381	10	535	Reserved 25	Hospital-Specific	New
382-391	10	540	Reporting Hospital	Hospital-Specific	
392-401	10	3100	Archive FIN	Hospital-Specific	
402-410	9	550	Accession Number--Hosp	Hospital-Specific	
411-412	2	560	Sequence Number--Hospital	Hospital-Specific	
413-415	3	570	Abstracted By	Hospital-Specific	
416-423	8	580	Date of 1st Contact	Hospital-Specific	
424-431	8	590	Date of Inpatient Adm	Hospital-Specific	
432-439	8	600	Date of Inpatient Disch	Hospital-Specific	
440-440	1	610	Class of Case	Hospital-Specific	
441-444	4	615	Reserved 26	Hospital-Specific	New
445-446	2	630	Primary Payer at DX	Hospital-Specific	
447-456	10	635	Reserved 27	Hospital-Specific	New
457-458	2	670	RX Hosp--Surg Prim Site	Hospital-Specific	
459-459	1	672	RX Hosp--Scope Reg LN Sur	Hospital-Specific	
460-460	1	674	RX Hosp--Surg Oth Reg/Dis	Hospital-Specific	
461-462	2	676	RX Hosp--Reg LN Removed	Hospital-Specific	
463-463	1	690	RX Hosp--Radiation	Hospital-Specific	
464-465	2	700	RX Hosp--Chemo	Hospital-Specific	
466-467	2	710	RX Hosp--Hormone	Hospital-Specific	
468-469	2	720	RX Hosp--BRM	Hospital-Specific	
470-470	1	730	RX Hosp--Other	Hospital-Specific	
471-472	2	740	RX Hosp--DX/Stg Proc	Hospital-Specific	
473-473	1	3280	RX Hosp--Palliative Proc	Hospital-Specific	
474-477	4	741	Reserved 28	Hospital-Specific	New
478-479	2	746	RX Hosp--Surg Site 98-02	Treatment-1st Course	
480-480	1	747	RX Hosp--Scope Reg 98-02	Treatment-1st Course	
481-481	1	748	RX Hosp--Surg Oth 98-02	Treatment-1st Course	
482-527	46	750	Reserved 04	Hospital-Specific	

Column #	Length	Item #	Item Name	Section	Note
528-528	1	759	SEER Summary Stage 2000	Stage/Prognostic Factors	
529-529	1	760	SEER Summary Stage 1977	Stage/Prognostic Factors	
530-530	1	765	Reserved 29	Stage/Prognostic Factors	New
531-542	12	779	Extent of Disease 10-Dig	Stage/Prognostic Factors	Group
531-533	3	780	EOD--Tumor Size	Stage/Prognostic Factors	Subfield
534-535	2	790	EOD--Extension	Stage/Prognostic Factors	Subfield
536-537	2	800	EOD--Extension Prost Path	Stage/Prognostic Factors	Subfield
538-538	1	810	EOD--Lymph Node Involv	Stage/Prognostic Factors	Subfield
539-540	2	820	Regional Nodes Positive	Stage/Prognostic Factors	Subfield
541-542	2	830	Regional Nodes Examined	Stage/Prognostic Factors	Subfield
543-555	13	840	EOD--Old 13 Digit	Stage/Prognostic Factors	
556-557	2	850	EOD--Old 2 Digit	Stage/Prognostic Factors	
558-561	4	860	EOD--Old 4 Digit	Stage/Prognostic Factors	
562-562	1	870	Coding System for EOD	Stage/Prognostic Factors	
563-564	2	880	TNM Path T	Stage/Prognostic Factors	
565-566	2	890	TNM Path N	Stage/Prognostic Factors	
567-568	2	900	TNM Path M	Stage/Prognostic Factors	
569-570	2	910	TNM Path Stage Group	Stage/Prognostic Factors	
571-571	1	920	TNM Path Descriptor	Stage/Prognostic Factors	
572-572	1	930	TNM Path Staged By	Stage/Prognostic Factors	
573-574	2	940	TNM Clin T	Stage/Prognostic Factors	
575-576	2	950	TNM Clin N	Stage/Prognostic Factors	
577-578	2	960	TNM Clin M	Stage/Prognostic Factors	
579-580	2	970	TNM Clin Stage Group	Stage/Prognostic Factors	
581-581	1	980	TNM Clin Descriptor	Stage/Prognostic Factors	
582-582	1	990	TNM Clin Staged By	Stage/Prognostic Factors	
583-592	10	995	Reserved 30	Stage/Prognostic Factors	New
593-594	2	1060	TNM Edition Number	Stage/Prognostic Factors	
595-609	15	1065	Reserved 31	Stage/Prognostic Factors	New
610-617	8	1080	Date of 1st Positive BX	Stage/Prognostic Factors	
618-618	1	1090	Site of Distant Met 1	Stage/Prognostic Factors	
619-619	1	1100	Site of Distant Met 2	Stage/Prognostic Factors	
620-620	1	1110	Site of Distant Met 3	Stage/Prognostic Factors	
621-622	2	1120	Pediatric Stage	Stage/Prognostic Factors	
623-624	2	1130	Pediatric Staging System	Stage/Prognostic Factors	
625-625	1	1140	Pediatric Staged By	Stage/Prognostic Factors	

Column #	Length	Item #	Item Name	Section	Note
626-626	1	1150	Tumor Marker 1	Stage/Prognostic Factors	
627-627	1	1160	Tumor Marker 2	Stage/Prognostic Factors	
628-628	1	1170	Tumor Marker 3	Stage/Prognostic Factors	
629-631	3	2800	CS Tumor Size	Stage/Prognostic Factors	
632-633	2	2810	CS Extension	Stage/Prognostic Factors	
634-634	1	2820	CS Tumor Size/Ext Eval	Stage/Prognostic Factors	
635-636	2	2830	CS Lymph Nodes	Stage/Prognostic Factors	
637-637	1	2840	CS Reg Node Eval	Stage/Prognostic Factors	
638-639	2	2850	CS Mets at DX	Stage/Prognostic Factors	
640-640	1	2860	CS Mets Eval	Stage/Prognostic Factors	
641-643	3	2880	CS Site-Specific Factor 1	Stage/Prognostic Factors	
644-646	3	2890	CS Site-Specific Factor 2	Stage/Prognostic Factors	
647-649	3	2900	CS Site-Specific Factor 3	Stage/Prognostic Factors	
650-652	3	2910	CS Site-Specific Factor 4	Stage/Prognostic Factors	
653-655	3	2920	CS Site-Specific Factor 5	Stage/Prognostic Factors	
656-658	3	2930	CS Site-Specific Factor 6	Stage/Prognostic Factors	
659-660	2	2940	Derived AJCC T	Stage/Prognostic Factors	
661-661	1	2950	Derived AJCC T Descriptor	Stage/Prognostic Factors	
662-663	2	2960	Derived AJCC N	Stage/Prognostic Factors	
664-664	1	2970	Derived AJCC N Descriptor	Stage/Prognostic Factors	
665-666	2	2980	Derived AJCC M	Stage/Prognostic Factors	
667-667	1	2990	Derived AJCC M Descriptor	Stage/Prognostic Factors	
668-669	2	3000	Derived AJCC Stage Group	Stage/Prognostic Factors	
670-670	1	3010	Derived SS1977	Stage/Prognostic Factors	
671-671	1	3020	Derived SS2000	Stage/Prognostic Factors	
672-672	1	3030	Derived AJCC--Flag	Stage/Prognostic Factors	
673-673	1	3040	Derived SS1977-Flag	Stage/Prognostic Factors	
674-674	1	3050	Derived SS2000-Flag	Stage/Prognostic Factors	
675-679	5	3110	Comorbid/Complication 1	Stage/Prognostic Factors	
680-684	5	3120	Comorbid/Complication 2	Stage/Prognostic Factors	
685-689	5	3130	Comorbid/Complication 3	Stage/Prognostic Factors	
690-694	5	3140	Comorbid/Complication 4	Stage/Prognostic Factors	
695-699	5	3150	Comorbid/Complication 5	Stage/Prognostic Factors	
700-704	5	3160	Comorbid/Complication 6	Stage/Prognostic Factors	
705-710	6	2935	CS Version 1st	Stage/Prognostic Factors	
711-716	6	2936	CS Version Latest	Stage/Prognostic Factors	

Column #	Length	Item #	Item Name	Section	Note
717-721	5	3161	Comorbid/Complication 7	Stage/Prognostic Factors	New
722-726	5	3162	Comorbid/Complication 8	Stage/Prognostic Factors	New
727-731	5	3163	Comorbid/Complication 9	Stage/Prognostic Factors	New
732-736	5	3164	Comorbid/Complication 10	Stage/Prognostic Factors	New
737-737	1	3165	ICD Revision Comorbid	Stage/Prognostic Factors	New
738-754	17	1180	Reserved 05	Stage/Prognostic Factors	Revised
755-762	8	1200	RX Date--Surgery	Treatment-1st Course	
763-770	8	3170	RX Date--Most Defin Surg	Treatment-1st Course	
771-778	8	3180	RX Date--Surgical Disch	Treatment-1st Course	
779-786	8	1210	RX Date--Radiation	Treatment-1st Course	
787-794	8	3220	RX Date--Radiation Ended	Treatment-1st Course	
795-802	8	3230	RX Date--Systemic	Treatment-1st Course	
803-810	8	1220	RX Date--Chemo	Treatment-1st Course	
811-818	8	1230	RX Date--Hormone	Treatment-1st Course	
819-826	8	1240	RX Date--BRM	Treatment-1st Course	
827-834	8	1250	RX Date--Other	Treatment-1st Course	
835-842	8	1260	Date of Initial RX--SEER	Treatment-1st Course	
843-850	8	1270	Date of 1st Crs RX--COC	Treatment-1st Course	
851-858	8	1280	RX Date--DX/Stg Proc	Treatment-1st Course	
859-860	2	1290	RX Summ--Surg Prim Site	Treatment-1st Course	
861-861	1	1292	RX Summ--Scope Reg LN Sur	Treatment-1st Course	
862-862	1	1294	RX Summ--Surg Oth Reg/Dis	Treatment-1st Course	
863-864	2	1296	RX Summ--Reg LN Examined	Treatment-1st Course	
865-865	1	1310	RX Summ--Surgical Approch	Treatment-1st Course	
866-866	1	1320	RX Summ--Surgical Margins	Treatment-1st Course	
867-867	1	1330	RX Summ--Reconstruct 1st	Treatment-1st Course	
868-868	1	1340	Reason for No Surgery	Treatment-1st Course	
869-870	2	1350	RX Summ--DX/Stg Proc	Treatment-1st Course	
871-871	1	3270	RX Summ--Palliative Proc	Treatment-1st Course	
872-872	1	1355	Reserved 22	Treatment-1st Course	
873-873	1	1360	RX Summ--Radiation	Treatment-1st Course	
874-874	1	1370	RX Summ--Rad to CNS	Treatment-1st Course	
875-875	1	1380	RX Summ--Surg/Rad Seq	Treatment-1st Course	
876-877	2	3250	RX Summ--Transplnt/Endocr	Treatment-1st Course	
878-879	2	1390	RX Summ--Chemo	Treatment-1st Course	
880-881	2	1400	RX Summ--Hormone	Treatment-1st Course	

Column #	Length	Item #	Item Name	Section	Note
882-883	2	1410	RX Summ--BRM	Treatment-1st Course	
884-884	1	1420	RX Summ--Other	Treatment-1st Course	
885-885	1	1430	Reason for No Radiation	Treatment-1st Course	
886-887	2	1435	Reserved 32	Treatment-1st Course	New
888-889	2	1460	RX Coding System--Current	Treatment-1st Course	
890-893	4	1465	Reserved 33	Treatment-1st Course	New
894-894	1	1500	First Course Calc Method	Treatment-1st Course	
895-899	5	1510	Rad--Regional Dose: CGY	Treatment-1st Course	
900-901	2	1520	Rad--No of Treatment Vol	Treatment-1st Course	
902-904	3	1535	Reserved 34	Treatment-1st Course	New
905-906	2	1540	Rad--Treatment Volume	Treatment-1st Course	
907-907	1	1550	Rad--Location of RX	Treatment-1st Course	
908-908	1	1555	Reserved 35	Treatment-1st Course	New
909-910	2	1570	Rad--Regional RX Modality	Treatment-1st Course	
911-912	2	3200	Rad--Boost RX Modality	Treatment-1st Course	
913-917	5	3210	Rad--Boost Dose cGy	Treatment-1st Course	
918-930	13	1635	Reserved 23	Treatment-1st Course	Revised
931-931	1	1639	RX Summ--Systemic Sur Seq	Treatment-1st Course	New
932-933	2	1640	RX Summ--Surgery Type	Treatment-1st Course	
934-937	4	1641	Reserved 36	Treatment-1st Course	New
938-938	1	3190	Readm Same Hosp 30 Days	Treatment-1st Course	
939-940	2	1646	RX Summ--Surg Site 98-02	Treatment-1st Course	
941-941	1	1647	RX Summ--Scope Reg 98-02	Treatment-1st Course	
942-942	1	1648	RX Summ--Surg Oth 98-02	Treatment-1st Course	
943-987	45	1190	Reserved 06	Treatment-1st Course	
988-995	8	1660	Subsq RX 2nd Course Date	Treatment-Subsequent & Other	
996-1002	7	1670	Subsq RX 2nd Course Codes	Treatment-Subsequent & Other	Group
996-997	2	1671	Subsq RX 2nd Course Surg	Treatment-Subsequent & Other	Subfield
998-998	1	1672	Subsq RX 2nd Course Rad	Treatment-Subsequent & Other	Subfield
999-999	1	1673	Subsq RX 2nd Course Chemo	Treatment-Subsequent & Other	Subfield
1000-1000	1	1674	Subsq RX 2nd Course Horm	Treatment-Subsequent & Other	Subfield
1001-1001	1	1675	Subsq RX 2nd Course BRM	Treatment-Subsequent & Other	Subfield
1002-1002	1	1676	Subsq RX 2nd Course Oth	Treatment-Subsequent & Other	Subfield
1003-1010	8	1680	Subsq RX 3rd Course Date	Treatment-Subsequent & Other	
1011-1017	7	1690	Subsq RX 3rd Course Codes	Treatment-Subsequent & Other	Group
1011-1012	2	1691	Subsq RX 3rd Course Surg	Treatment-Subsequent & Other	Subfield



Column #	Length	Item #	Item Name	Section	Note
1013-1013	1	1692	Subsq RX 3rd Course Rad	Treatment-Subsequent & Other	Subfield
1014-1014	1	1693	Subsq RX 3rd Course Chemo	Treatment-Subsequent & Other	Subfield
1015-1015	1	1694	Subsq RX 3rd Course Horm	Treatment-Subsequent & Other	Subfield
1016-1016	1	1695	Subsq RX 3rd Course BRM	Treatment-Subsequent & Other	Subfield
1017-1017	1	1696	Subsq RX 3rd Course Oth	Treatment-Subsequent & Other	Subfield
1018-1025	8	1700	Subsq RX 4th Course Date	Treatment-Subsequent & Other	
1026-1032	7	1710	Subsq RX 4th Course Codes	Treatment-Subsequent & Other	Group
1026-1027	2	1711	Subsq RX 4th Course Surg	Treatment-Subsequent & Other	Subfield
1028-1028	1	1712	Subsq RX 4th Course Rad	Treatment-Subsequent & Other	Subfield
1029-1029	1	1713	Subsq RX 4th Course Chemo	Treatment-Subsequent & Other	Subfield
1030-1030	1	1714	Subsq RX 4th Course Horm	Treatment-Subsequent & Other	Subfield
1031-1031	1	1715	Subsq RX 4th Course BRM	Treatment-Subsequent & Other	Subfield
1032-1032	1	1716	Subsq RX 4th Course Oth	Treatment-Subsequent & Other	Subfield
1033-1047	15	1725	Reserved 37	Treatment-Subsequent & Other	New
1048-1048	1	1677	Subsq RX 2nd--Scope LN SU	Treatment-Subsequent & Other	
1049-1049	1	1678	Subsq RX 2nd--Surg Oth	Treatment-Subsequent & Other	
1050-1051	2	1679	Subsq RX 2nd--Reg LN Rem	Treatment-Subsequent & Other	
1052-1052	1	1697	Subsq RX 3rd--Scope LN Su	Treatment-Subsequent & Other	
1053-1053	1	1698	Subsq RX 3rd--Surg Oth	Treatment-Subsequent & Other	
1054-1055	2	1699	Subsq RX 3rd--Reg LN Rem	Treatment-Subsequent & Other	
1056-1056	1	1717	Subsq RX 4th--Scope LN Su	Treatment-Subsequent & Other	
1057-1057	1	1718	Subsq RX 4th--Surg Oth	Treatment-Subsequent & Other	
1058-1059	2	1719	Subsq RX 4th--Reg LN Rem	Treatment-Subsequent & Other	
1060-1063	4	1726	Reserved 38	Treatment-Subsequent & Other	New
1064-1064	1	1741	Subsq RX--Reconstruct Del	Treatment-Subsequent & Other	
1065-1114	50	1300	Reserved 07	Treatment-Subsequent & Other	
1115-1115	1	1981	Over-ride SS/NodesPos	Edit Overrides/Conversion History/System Admin	
1116-1116	1	1982	Over-ride SS/TNM-N	Edit Overrides/Conversion History/System Admin	
1117-1117	1	1983	Over-ride SS/TNM-M	Edit Overrides/Conversion History/System Admin	
1118-1118	1	1984	Over-ride SS/DisMet1	Edit Overrides/Conversion History/System Admin	
1119-1119	1	1985	Over-ride Acsp/Class/Seq	Edit Overrides/Conversion History/System Admin	
1120-1120	1	1986	Over-ride HospSeq/DxConf	Edit Overrides/Conversion History/System Admin	
1121-1121	1	1987	Over-ride COC-Site/Type	Edit Overrides/Conversion History/System Admin	

Column #	Length	Item #	Item Name	Section	Note
1122-1122	1	1988	Over-ride HospSeq/Site	Edit Overrides/Conversion History/System Admin	
1123-1123	1	1989	Over-ride Site/TNM-StgGrp	Edit Overrides/Conversion History/System Admin	
1124-1124	1	1990	Over-ride Age/Site/Morph	Edit Overrides/Conversion History/System Admin	
1125-1125	1	2000	Over-ride SeqNo/DxConf	Edit Overrides/Conversion History/System Admin	
1126-1126	1	2010	Over-ride Site/Lat/SeqNo	Edit Overrides/Conversion History/System Admin	
1127-1127	1	2020	Over-ride Surg/DxConf	Edit Overrides/Conversion History/System Admin	
1128-1128	1	2030	Over-ride Site/Type	Edit Overrides/Conversion History/System Admin	
1129-1129	1	2040	Over-ride Histology	Edit Overrides/Conversion History/System Admin	
1130-1130	1	2050	Over-ride Report Source	Edit Overrides/Conversion History/System Admin	
1131-1131	1	2060	Over-ride Ill-define Site	Edit Overrides/Conversion History/System Admin	
1132-1132	1	2070	Over-ride Leuk, Lymphoma	Edit Overrides/Conversion History/System Admin	
1133-1133	1	2071	Over-ride Site/Behavior	Edit Overrides/Conversion History/System Admin	
1134-1134	1	2072	Over-ride Site/EOD/DX Dt	Edit Overrides/Conversion History/System Admin	
1135-1135	1	2073	Over-ride Site/Lat/EOD	Edit Overrides/Conversion History/System Admin	
1136-1136	1	2074	Over-ride Site/Lat/Morph	Edit Overrides/Conversion History/System Admin	
1137-1140	4	1960	Site (73-91) ICD-O-1	Edit Overrides/Conversion History/System Admin	
1141-1146	6	1970	Morph (73-91) ICD-O-1	Edit Overrides/Conversion History/System Admin	Group
1141-1144	4	1971	Histology (73-91) ICD-O-1	Edit Overrides/Conversion History/System Admin	Subfield
1145-1145	1	1972	Behavior (73-91) ICD-O-1	Edit Overrides/Conversion History/System Admin	Subfield
1146-1146	1	1973	Grade (73-91) ICD-O-1	Edit Overrides/Conversion History/System Admin	Subfield
1147-1147	1	1980	ICD-O-2 Conversion Flag	Edit Overrides/Conversion History/System Admin	
1148-1163	16	2082	Reserved 24	Edit Overrides/Conversion History/System Admin	
1164-1173	10	2081	CRC CHECKSUM	Edit Overrides/Conversion History/System Admin	
1174-1181	8	2090	Date Case Completed	Edit Overrides/Conversion History/System Admin	
1182-1189	8	2100	Date Case Last Changed	Edit Overrides/Conversion History/System Admin	
1190-1197	8	2110	Date Case Report Exported	Edit Overrides/Conversion History/System Admin	

Column #	Length	Item #	Item Name	Section	Note
1198-1198	1	2120	SEER Coding Sys--Current	Edit Overrides/Conversion History/System Admin	
1199-1199	1	2130	SEER Coding Sys--Original	Edit Overrides/Conversion History/System Admin	
1200-1201	2	2140	COC Coding Sys--Current	Edit Overrides/Conversion History/System Admin	
1202-1203	2	2150	COC Coding Sys--Original	Edit Overrides/Conversion History/System Admin	
1204-1213	10	2170	Vendor Name	Edit Overrides/Conversion History/System Admin	
1214-1214	1	2180	SEER Type of Follow-Up	Edit Overrides/Conversion History/System Admin	
1215-1216	2	2190	SEER Record Number	Edit Overrides/Conversion History/System Admin	
1217-1218	2	2200	Diagnostic Proc 73-87	Edit Overrides/Conversion History/System Admin	
1219-1226	8	2111	Date Case Report Received	Edit Overrides/Conversion History/System Admin	
1227-1234	8	2112	Date Case Report Loaded	Edit Overrides/Conversion History/System Admin	
1235-1242	8	2113	Date Tumor Record Availbl	Edit Overrides/Conversion History/System Admin	
1243-1243	1	2116	ICD-O-3 Conversion Flag	Edit Overrides/Conversion History/System Admin	
1244-1293	50	1650	Reserved 08	Edit Overrides/Conversion History/System Admin	
1294-1301	8	1750	Date of Last Contact	Follow-up/Recurrence/Death	
1302-1302	1	1760	Vital Status	Follow-up/Recurrence/Death	
1303-1303	1	1770	Cancer Status	Follow-up/Recurrence/Death	
1304-1304	1	1780	Quality of Survival	Follow-up/Recurrence/Death	
1305-1305	1	1790	Follow-Up Source	Follow-up/Recurrence/Death	
1306-1306	1	1800	Next Follow-Up Source	Follow-up/Recurrence/Death	
1307-1326	20	1810	Addr Current--City	Follow-up/Recurrence/Death	
1327-1328	2	1820	Addr Current--State	Follow-up/Recurrence/Death	
1329-1337	9	1830	Addr Current--Postal Code	Follow-up/Recurrence/Death	
1338-1340	3	1840	County--Current	Follow-up/Recurrence/Death	
1341-1341	1	1850	Unusual Follow-Up Method	Follow-up/Recurrence/Death	
1342-1349	8	1860	Recurrence Date--1st	Follow-up/Recurrence/Death	
1350-1350	1	1871	Recurrence Distant Site 1	Follow-up/Recurrence/Death	
1351-1351	1	1872	Recurrence Distant Site 2	Follow-up/Recurrence/Death	
1352-1352	1	1873	Recurrence Distant Site 3	Follow-up/Recurrence/Death	
1353-1354	2	1880	Recurrence Type--1st	Follow-up/Recurrence/Death	
1355-1356	2	1895	Reserved 39	Follow-up/Recurrence/Death	New
1357-1376	20	1842	Follow-Up Contact--City	Follow-up/Recurrence/Death	

Column #	Length	Item #	Item Name	Section	Note
1377-1378	2	1844	Follow-Up Contact--State	Follow-up/Recurrence/Death	
1379-1387	9	1846	Follow-Up Contact--Postal	Follow-up/Recurrence/Death	
1388-1391	4	1910	Cause of Death	Follow-up/Recurrence/Death	
1392-1392	1	1920	ICD Revision Number	Follow-up/Recurrence/Death	
1393-1393	1	1930	Autopsy	Follow-up/Recurrence/Death	
1394-1396	3	1940	Place of Death	Follow-up/Recurrence/Death	
1397-1398	2	1791	Follow-up Source Central	Follow-up/Recurrence/Death	New
1399-1446	48	1740	Reserved 09	Follow-up/Recurrence/Death	Revised
1447-1946	500	2220	State/Requestor Items	Special Use	
1947-1971	25	2230	Name--Last	Patient-Confidential	
1972-1985	14	2240	Name--First	Patient-Confidential	
1986-1999	14	2250	Name--Middle	Patient-Confidential	
2000-2002	3	2260	Name--Prefix	Patient-Confidential	
2003-2005	3	2270	Name--Suffix	Patient-Confidential	
2006-2020	15	2280	Name--Alias	Patient-Confidential	
2021-2035	15	2390	Name--Maiden	Patient-Confidential	
2036-2085	50	2290	Name--Spouse/Parent	Patient-Confidential	
2086-2096	11	2300	Medical Record Number	Patient-Confidential	
2097-2098	2	2310	Military Record No Suffix	Patient-Confidential	
2099-2107	9	2320	Social Security Number	Patient-Confidential	
2108-2147	40	2330	Addr at DX--No & Street	Patient-Confidential	
2148-2187	40	2335	Addr at DX--Supplementl	Patient-Confidential	
2188-2227	40	2350	Addr Current--No & Street	Patient-Confidential	
2228-2267	40	2355	Addr Current--Supplementl	Patient-Confidential	
2268-2277	10	2360	Telephone	Patient-Confidential	
2278-2283	6	2380	DC State File Number	Patient-Confidential	
2284-2313	30	2394	Follow-Up Contact--Name	Patient-Confidential	
2314-2353	40	2392	Follow-Up Contact--No&St	Patient-Confidential	
2354-2393	40	2393	Follow-Up Contact--Suppl	Patient-Confidential	
2394-2403	10	2352	Latitude	Patient-Confidential	
2404-2414	11	2354	Longitude	Patient-Confidential	
2415-2464	50	1835	Reserved 10	Patient-Confidential	
2465-2474	10	2435	Reserved 40	Hospital-Confidential	New
2475-2484	10	2440	Following Registry	Hospital-Confidential	
2485-2494	10	2410	Institution Referred From	Hospital-Confidential	
2495-2504	10	2420	Institution Referred To	Hospital-Confidential	

Column #	Length	Item #	Item Name	Section	Note
2505-2554	50	1900	Reserved 11	Hospital-Confidential	
2555-2562	8	2460	Physician--Managing	Other-Confidential	
2563-2570	8	2470	Physician--Follow-Up	Other-Confidential	
2571-2578	8	2480	Physician--Primary Surg	Other-Confidential	
2579-2586	8	2490	Physician 3	Other-Confidential	
2587-2594	8	2500	Physician 4	Other-Confidential	
2595-2644	50	1950	Reserved 12	Other-Confidential	
2645-2844	200	2520	Text--DX Proc--PE	Text-Diagnosis	
2845-3094	250	2530	Text--DX Proc--X-ray/Scan	Text-Diagnosis	
3095-3344	250	2540	Text--DX Proc--Scopes	Text-Diagnosis	
3345-3594	250	2550	Text--DX Proc--Lab Tests	Text-Diagnosis	
3595-3844	250	2560	Text--DX Proc--Op	Text-Diagnosis	
3845-4094	250	2570	Text--DX Proc--Path	Text-Diagnosis	
4095-4134	40	2580	Text--Primary Site Title	Text-Diagnosis	
4135-4174	40	2590	Text--Histology Title	Text-Diagnosis	
4175-4474	300	2600	Text--Staging	Text-Diagnosis	
4475-4624	150	2610	RX Text--Surgery	Text-Treatment	
4625-4774	150	2620	RX Text--Radiation (Beam)	Text-Treatment	
4775-4924	150	2630	RX Text--Radiation Other	Text-Treatment	
4925-5124	200	2640	RX Text--Chemo	Text-Treatment	
5125-5324	200	2650	RX Text--Hormone	Text-Treatment	
5325-5424	100	2660	RX Text--BRM	Text-Treatment	
5425-5524	100	2670	RX Text--Other	Text-Treatment	
5525-5874	350	2680	Text--Remarks	Text-Miscellaneous	
5875-5924	50	2690	Place of Diagnosis	Text-Miscellaneous	
5925-6694	770	2700	Reserved 19	Text-Miscellaneous	



## CHAPTER VIII

### REQUIRED STATUS TABLE (ITEM # ORDER)

The following table presents Version 11 of the NAACCR required status summarizing the requirements and recommendations for collection of each item by standard-setting groups. Differences from Version 10.2 are marked “Revised,” “New,” or “Retired” in the “Note” column of the table. Revised and new items are summarized in Appendix F.

<b>NPCR</b>	Refers to requirements and recommendations of the NPCR regarding data items that should be collected or computed by NPCR state registries. Note: Personal identifying data items that are collected are not transmitted to CDC.
<b>COC</b>	Refers to requirements of COC. Facilities should refer to the COC <i>FORDS Manual</i> for further clarification of required fields.
<b>SEER</b>	Refers to requirements of NCI’s SEER Program. Facilities and central registries should refer to the <i>SEER Program Code Manual</i> for further clarification of required fields.

#### Exchange Elements for Hospital to Central and Central to Central

The target audience for this set of requirements is comprised of the various designers of registry software, at the hospital, central registry, and national levels. In the Exchange Elements columns data items marked are either required by key national organizations for cancer reporting or are of special importance in the unambiguous communication of reports and the proper linking of records. A clear distinction is made between items required for facilities reporting to central registries (labeled Hosp -> Central), and those items that central registries should use when sending cases to other central registries (labeled Central -> Central). ‘T’ is used when the data is vital to a complete exchange record. If a data item is unknown, it should have the proper code for unknown assigned. It is not specified how registries should handle records that have empty T fields. ‘T\*’ means the vendor should convey the data if it is available for any of the cases, and otherwise they can leave the field empty. The receiving end (central registry) may, of course, ignore these items if they so choose. ‘TH’ means only certain cases diagnosed before 2004 may require these fields. Some central registries have additional required data fields. For these, vendors should contact the central registry directly.

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
10	Record Type	.	R	.	R	.	R	T	T	NAACCR	Revised
20	Patient ID Number	R	R	.	.	R	R	.	T	Reporting Registry	Revised
21	Patient System ID-Hosp	.	.	.	.	.	.	T	.	NAACCR	New
30	Registry Type	.	.	.	.	.	.	.	T	NAACCR	Revised
35	FIN Coding System	.	.	.	.	.	.	.	.	NAACCR	Revised
37	Reserved 00	.	.	.	.	.	.	.	.		Revised
40	Registry ID	.	R	.	.	R	R	T	T	NAACCR	Revised
50	NAACCR Record Version	.	R	.	R	.	.	T	T	NAACCR	Revised
60	Tumor Record Number	.	.	.	.	S	S	T	T	NAACCR	Revised
70	Addr at DX--City	R	.	R	R	R	.	T	T	COC	Revised
80	Addr at DX--State	R	R	R	R	R	.	T	T	COC	Revised
90	County at DX	R	R	R	R	R	R	T	T	FIPS/SEER	Revised
100	Addr at DX--Postal Code	R	R	R	R	R	.	T	T	COC	Revised
110	Census Tract 1970/80/90	RH*	RH*	.	.	RH	RH	.	T*	SEER	Revised
120	Census Cod Sys 1970/80/90	RH*	RH*	.	.	RH	RH	.	T*	SEER	Revised
130	Census Tract 2000	R	R	.	.	R	R	.	T*	NAACCR	Revised
140	Census Tract Cod Sys--Alt	.	.	.	.	.	.	.	.		Retired
150	Marital Status at DX	.	.	.	.	R	R	.	.	SEER	Revised
160	Race 1	R	R	R	R	R	R	T	T	SEER/COC	Revised
161	Race 2	R	R	R	R	R	R	T	T	SEER/COC	Revised
162	Race 3	R	R	R	R	R	R	T	T	SEER/COC	Revised
163	Race 4	R	R	R	R	R	R	T	T	SEER/COC	Revised
164	Race 5	R	R	R	R	R	R	T	T	SEER/COC	Revised
170	Race Coding Sys--Current	.	.	R	R	.	.	T	T	NAACCR	Revised
180	Race Coding Sys--Original	.	.	R	R	.	.	T	T	NAACCR	Revised
190	Spanish/Hispanic Origin	R	R	R	R	R	R	T	T	SEER/COC	Revised
191	NHIA Derived Hisp Origin	D	R	.	.	R	R	.	.	NAACCR	Revised
192	IHS Link	R*	R*	.	.	.	.	.	.	NPCR	New
200	Computed Ethnicity	R	R	.	.	R	R	.	.	SEER	Revised
210	Computed Ethnicity Source	R	R	.	.	R	R	.	.	SEER	Revised
220	Sex	R	R	R	R	R	R	T	T	SEER/COC	Revised
230	Age at Diagnosis	R	R	R	R	R	R	.	.	SEER/COC	Revised
240	Birth Date	R	R	R	R	R	R	T	T	SEER/COC	Revised
250	Birthplace	R*	R*	R	R	R	R	T*	T	SEER/COC	Revised
260	Religion	.	.	.	.	.	.	.	.	Varies	Revised
270	Occupation Code--Census	R*	R*	.	.	.	.	.	.	Census/NPCR	Revised
280	Industry Code--Census	R*	R*	.	.	.	.	.	.	Census/NPCR	Revised
290	Occupation Source	R*	R*	.	.	.	.	.	.	NPCR	Revised
300	Industry Source	R*	R*	.	.	.	.	.	.	NPCR	Revised
310	Text--Usual Occupation	R*	.	.	.	.	.	T*	T*	NPCR	Revised
320	Text--Usual Industry	R*	.	.	.	.	.	T*	T*	NPCR	Revised
330	Occup/Ind Coding System	R*	R*	.	.	.	.	.	.	NPCR	Revised
340	Tobacco History	.	.	.	.	.	.	.	.	Varies	Revised
350	Alcohol History	.	.	.	.	.	.	.	.	Varies	Revised
360	Family History of Cancer	.	.	.	.	.	.	.	.	Varies	Revised
362	Census Tract Block Group	.	.	.	.	.	.	.	.	Census	Revised
364	Census Tr Cert 1970/80/90	RH*	RH*	.	.	RH	RH	.	.	SEER	Revised
365	Census Tr Certainty 2000	R	R	.	.	R	R	.	.	NAACCR	Revised
366	GIS Coordinate Quality	R*	R*	.	.	.	.	.	.	NAACCR	New
370	Reserved 01	.	.	.	.	.	.	.	.		Revised
380	Sequence Number--Central	R	R	.	.	R	R	.	T	SEER	Revised
390	Date of Diagnosis	R	R	R	R	R	R	T	T	SEER/COC	Revised
400	Primary Site	R	R	R	R	R	R	T	T	SEER/COC	Revised
410	Laterality	R	R	R	R	R	R	T	T	SEER/COC	Revised
419	Morph--Type&Behav ICD-O-2	.	.	.	.	.	.	.	.		
420	Histology (92-00) ICD-O-2	RH	RH	RH	RH	RH	RH	TH	TH	SEER/COC	Revised
430	Behavior (92-00) ICD-O-2	RH	RH	RH	RH	RH	RH	TH	TH	SEER/COC	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. \* = No recommendations. \* = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T\*– transmit data if available for any case in exchange record.



Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
440	Grade	R	R	R	R	R	R	T	T	SEER/COC	Revised
442	Ambiguous Terminology DX	.	.	.	.	R	R	T*	T*	SEER	New
443	Date of Conclusive DX	.	.	.	.	R	R	T*	T*	SEER	New
444	Mult Tum Rpt as One Prim	.	.	.	.	R	R	T*	T*	SEER	New
445	Date of Multiple Tumors	.	.	.	.	R	R	T*	T*	SEER	New
446	Multiplicity Counter	.	.	.	.	R	R	T*	T*	SEER	New
447	Number of Tumors/Hist	.	.	.	.	R	R	T*	T*	NAACCR	New
450	Site Coding Sys--Current	R	R	R	R	.	.	T	T	NAACCR	Revised
460	Site Coding Sys--Original	.	.	R	R	.	.	T	T	NAACCR	Revised
470	Morph Coding Sys--Current	R	R	R	R	.	.	T	T	NAACCR	Revised
480	Morph Coding Sys--Originl	.	.	R	R	.	.	T	T	NAACCR	Revised
490	Diagnostic Confirmation	R	R	R	R	R	R	T	T	SEER/COC	Revised
500	Type of Reporting Source	R	R	.	.	R	R	T	T	SEER	Revised
501	Casefinding Source	R	.	.	.	R	R	T*	T*	NAACCR	New
510	Screening Date	.	.	.	.	.	.	.	.	NAACCR	Revised
520	Screening Result	.	.	.	.	.	.	.	.	NAACCR	Revised
521	Morph--Type&Behav ICD-O-3	.	.	.	.	.	.	.	.		
522	Histologic Type ICD-O-3	R	R	R	R	R	R	T	T	SEER/COC	Revised
523	Behavior Code ICD-O-3	R	R	R	R	R	R	T	T	SEER/COC	Revised
530	Reserved 02	.	.	.	.	.	.	.	.		Revised
535	Reserved 25	.	.	.	.	.	.	.	.		New
538	Reporting Hospital FAN	.	.	.	.	.	.	.	.		Retired
540	Reporting Hospital	R	.	R	R	R	.	T	.	COC	Revised
550	Accession Number--Hosp	.	.	R	R	R	.	T*	.	COC	Revised
560	Sequence Number--Hospital	.	.	R	R	R	.	T	.	COC	Revised
570	Abstracted By	.	.	R	R	R	.	.	.	COC	Revised
580	Date of 1st Contact	R	.	R	R	.	.	T	.	COC	Revised
590	Date of Inpatient Adm	.	.	.	.	.	.	.	.	NAACCR	Revised
600	Date of Inpatient Disch	.	.	.	.	.	.	.	.	NAACCR	Revised
610	Class of Case	R	.	R	R	RC	.	T	.	COC	Revised
615	Reserved 26	.	.	.	.	.	.	.	.		New
620	Year First Seen This CA	.	.	.	.	.	.	.	.		Retired
630	Primary Payer at DX	R	R	R	R	.	.	.	.	COC	Revised
635	Reserved 27	.	.	.	.	.	.	.	.		New
640	Inpatient/Outpt Status	.	.	.	.	.	.	.	.		Retired
650	Presentation at CA Conf	.	.	.	.	.	.	.	.		Retired
660	Date of CA Conference	.	.	.	.	.	.	.	.		Retired
670	RX Hosp--Surg Prim Site	.	.	R	R	R	.	T*	.	COC	Revised
672	RX Hosp--Scope Reg LN Sur	.	.	R	R	R	.	T*	.	COC	Revised
674	RX Hosp--Surg Oth Reg/Dis	.	.	R	R	R	.	T*	.	COC	Revised
676	RX Hosp--Reg LN Removed	.	.	.	RH	.	.	T*	.	COC	Revised
680	Reserved 03	.	.	.	.	.	.	.	.		Revised
690	RX Hosp--Radiation	.	.	.	RH	RH	.	TH*	.	SEER/COC	Revised
700	RX Hosp--Chemo	.	.	R	R	R	.	T*	.	COC	Revised
710	RX Hosp--Hormone	.	.	R	R	R	.	T*	.	COC	Revised
720	RX Hosp--BRM	.	.	R	R	R	.	T*	.	COC	Revised
730	RX Hosp--Other	.	.	R	R	R	.	T*	.	COC	Revised
740	RX Hosp--DX/Stg Proc	.	.	R	R	.	.	.	.	COC	Revised
741	Reserved 28	.	.	.	.	.	.	.	.		New
742	RX Hosp--Screen/BX Proc1	.	.	.	.	.	.	.	.		Retired
743	RX Hosp--Screen/BX Proc2	.	.	.	.	.	.	.	.		Retired
744	RX Hosp--Screen/BX Proc3	.	.	.	.	.	.	.	.		Retired
745	RX Hosp--Screen/BX Proc4	.	.	.	.	.	.	.	.		Retired
746	RX Hosp--Surg Site 98-02	.	.	.	RH	RH	.	TH*	.	COC	Revised
747	RX Hosp--Scope Reg 98-02	.	.	.	RH	RH	.	TH*	.	COC	Revised
748	RX Hosp--Surg Oth 98-02	.	.	.	RH	RH	.	TH*	.	COC	Revised
750	Reserved 04	.	.	.	.	.	.	.	.		Revised
759	SEER Summary Stage 2000	RH	RH	RH	RH	.	S	TH*	TH*	SEER	Revised
760	SEER Summary Stage 1977	RH	RH	RH	RH	.	S	TH*	TH*	SEER	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. \* = No recommendations. \* = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T\* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
765	Reserved 29	.	.	.	.	.	.	.	.		New
770	Loc/Reg/Distant Stage	.	.	.	.	.	.	.	.		Retired
779	Extent of Disease 10-Dig	.	.	.	.	.	.	.	.		
780	EOD--Tumor Size	.	.	RH	RH	RH	RH	TH*	TH*	SEER/COC	Revised
790	EOD--Extension	.	.	.	.	RH	RH	TH*	TH*	SEER	Revised
800	EOD--Extension Prost Path	.	.	.	.	RH	RH	TH*	TH*	SEER	Revised
810	EOD--Lymph Node Involv	.	.	.	.	RH	RH	TH*	TH*	SEER	Revised
820	Regional Nodes Positive	.	.	R	R	R	R	T*	T*	SEER/COC	Revised
830	Regional Nodes Examined	.	.	R	R	R	R	T*	T*	SEER/COC	Revised
840	EOD--Old 13 Digit	.	.	.	.	RH	RH	.	.	SEER	Revised
850	EOD--Old 2 Digit	.	.	.	.	RH	RH	.	.	SEER	Revised
860	EOD--Old 4 Digit	.	.	.	.	RH	RH	.	.	SEER	Revised
870	Coding System for EOD	.	.	.	.	RH	RH	.	TH*	SEER	Revised
880	TNM Path T	.	.	R	R	.	.	T*	T*	AJCC	Revised
890	TNM Path N	.	.	R	R	.	.	T*	T*	AJCC	Revised
900	TNM Path M	.	.	R	R	.	.	T*	T*	AJCC	Revised
910	TNM Path Stage Group	.	.	R	R	.	.	T*	T*	AJCC	Revised
920	TNM Path Descriptor	.	.	R	R	.	.	T*	T*	COC	Revised
930	TNM Path Staged By	.	.	R	R	.	.	T*	T*	COC	Revised
940	TNM Clin T	.	.	R	R	.	.	T*	T*	AJCC	Revised
950	TNM Clin N	.	.	R	R	.	.	T*	T*	AJCC	Revised
960	TNM Clin M	.	.	R	R	.	.	T*	T*	AJCC	Revised
970	TNM Clin Stage Group	.	.	R	R	.	.	T*	T*	AJCC	Revised
980	TNM Clin Descriptor	.	.	R	R	.	.	T*	T*	COC	Revised
990	TNM Clin Staged By	.	.	R	R	.	.	T*	T*	COC	Revised
995	Reserved 30	.	.	.	.	.	.	.	.		New
1000	TNM Other T	.	.	.	.	.	.	.	.		Retired
1010	TNM Other N	.	.	.	.	.	.	.	.		Retired
1020	TNM Other M	.	.	.	.	.	.	.	.		Retired
1030	TNM Other Stage Group	.	.	.	.	.	.	.	.		Retired
1040	TNM Other Staged By	.	.	.	.	.	.	.	.		Retired
1050	TNM Other Descriptor	.	.	.	.	.	.	.	.		Retired
1060	TNM Edition Number	.	.	R	R	.	.	T*	T*	COC	Revised
1065	Reserved 31	.	.	.	.	.	.	.	.		New
1070	Other Staging System	.	.	.	.	.	.	.	.		Retired
1080	Date of 1st Positive BX	.	.	.	.	.	.	.	.	NAACCR	Revised
1090	Site of Distant Met 1	.	.	.	RH	.	.	.	.	COC	Revised
1100	Site of Distant Met 2	.	.	.	RH	.	.	.	.	COC	Revised
1110	Site of Distant Met 3	.	.	.	RH	.	.	.	.	COC	Revised
1120	Pediatric Stage	.	.	.	.	.	.	.	.	COC	Revised
1130	Pediatric Staging System	.	.	.	.	.	.	.	.	COC	Revised
1140	Pediatric Staged By	.	.	.	.	.	.	.	.	COC	Revised
1150	Tumor Marker 1	.	.	.	RH	RH	RH	TH*	TH*	SEER	Revised
1160	Tumor Marker 2	.	.	.	RH	RH	RH	TH*	TH*	SEER	Revised
1170	Tumor Marker 3	.	.	.	RH	RH	RH	TH*	TH*	SEER	Revised
1180	Reserved 05	.	.	.	.	.	.	.	.		Revised
1190	Reserved 06	.	.	.	.	.	.	.	.		Revised
1200	RX Date--Surgery	.	.	R	R	S	.	T*	T*	COC	Revised
1210	RX Date--Radiation	.	.	R	R	S	.	T*	T*	COC	Revised
1220	RX Date--Chemo	.	.	.	.	.	.	TH*	TH*	NAACCR	Revised
1230	RX Date--Hormone	.	.	.	.	.	.	TH*	TH*	NAACCR	Revised
1240	RX Date--BRM	.	.	.	.	S	.	TH*	TH*	NAACCR	Revised
1250	RX Date--Other	.	.	R	R	S	.	T*	T*	COC	Revised
1260	Date of Initial RX--SEER	R#	R#	.	.	R	R	T*	T*	SEER	Revised
1270	Date of 1st Crs RX--COC	R#	R#	R	R	.	.	T*	T*	COC	Revised
1280	RX Date--DX/Stg Proc	.	.	R	R	.	.	.	.	COC	Revised
1290	RX Summ--Surg Prim Site	R	R	R	R	R	R	T	T*	SEER/COC	Revised
1292	RX Summ--Scope Reg LN Sur	R	R	R	R	R	R	T	T*	SEER/COC	Revised
1294	RX Summ--Surg Oth Reg/Dis	R	R	R	R	R	R	T	T*	SEER/COC	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. \* = No recommendations. \* = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T\*– transmit data if available for any case in exchange record.

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
1296	RX Summ--Reg LN Examined	RH	.	.	RH	RH	RH	TH*	TH*	SEER/COC	Revised
1300	Reserved 07	.	.	.	.	.	.	.	.		Revised
1310	RX Summ--Surgical Approach	.	.	.	RH	.	.	.	.	COC	Revised
1320	RX Summ--Surgical Margins	.	.	R	R	.	.	.	.	COC	Revised
1330	RX Summ--Reconstruct 1st	.	.	.	.	RH	RH	.	.	SEER	Revised
1340	Reason for No Surgery	R	R	R	R	R	R	T	T*	SEER/COC	Revised
1350	RX Summ--DX/Stg Proc	.	.	R	R	.	.	.	.	COC	Revised
1355	Reserved 22	.	.	.	.	.	.	.	.		Revised
1360	RX Summ--Radiation	.	.	.	RH	R	R	TH*	TH*	SEER	Revised
1370	RX Summ--Rad to CNS	.	.	.	.	R	R	.	.	SEER/COC	Revised
1380	RX Summ--Surg/Rad Seq	R	R	R	R	R	R	T	T*	SEER/COC	Revised
1390	RX Summ--Chemo	R	R	R	R	R	R	T*	T*	SEER/COC	Revised
1400	RX Summ--Hormone	R	R	R	R	R	R	T*	T*	SEER/COC	Revised
1410	RX Summ--BRM	R	R	R	R	R	R	T*	T*	SEER/COC	Revised
1420	RX Summ--Other	R	R	R	R	R	R	T*	T*	SEER/COC	Revised
1430	Reason for No Radiation	.	.	R	R	.	.	.	.	COC	Revised
1435	Reserved 32	.	.	.	.	.	.	.	.		New
1440	Reason for No Chemo	.	.	.	.	.	.	.	.		Retired
1450	Reason for No Hormone	.	.	.	.	.	.	.	.		Retired
1460	RX Coding System--Current	R	R	R	R	.	RH	T*	T*	NAACCR	Revised
1465	Reserved 33	.	.	.	.	.	.	.	.		New
1470	Protocol Eligibility Stat	.	.	.	.	.	.	.	.		Retired
1480	Protocol Participation	.	.	.	.	.	.	.	.		Retired
1490	Referral to Support Serv	.	.	.	.	.	.	.	.		Retired
1500	First Course Calc Method	.	.	.	.	.	.	.	.	NAACCR	Revised
1510	Rad--Regional Dose: CGY	.	.	R	R	.	.	T	.	COC	Revised
1520	Rad--No of Treatment Vol	.	.	R	R	.	.	T	.	COC	Revised
1530	Rad--Elapsed RX Days	.	.	.	.	.	.	.	.		Retired
1535	Reserved 34	.	.	.	.	.	.	.	.		New
1540	Rad--Treatment Volume	.	.	R	R	.	.	T	.	COC	Revised
1550	Rad--Location of RX	.	.	R	R	.	.	T	.	COC	Revised
1555	Reserved 35	.	.	.	.	.	.	.	.		New
1560	Rad--Intent of Treatment	.	.	.	.	.	.	.	.		Retired
1570	Rad--Regional RX Modality	R	R	R	R	RC	.	T	T*	COC	Revised
1580	Rad--RX Completion Status	.	.	.	.	.	.	.	.		Retired
1590	Rad--Local Control Status	.	.	.	.	.	.	.	.		Retired
1600	Chemotherapy Field 1	.	.	.	.	.	.	.	.		Retired
1610	Chemotherapy Field 2	.	.	.	.	.	.	.	.		Retired
1620	Chemotherapy Field 3	.	.	.	.	.	.	.	.		Retired
1630	Chemotherapy Field 4	.	.	.	.	.	.	.	.		Retired
1635	Reserved 23	.	.	.	.	.	.	.	.		Revised
1639	RX Summ--Systemic Sur Seq	R	R	R	R	R	R	T	T	COC	New
1640	RX Summ--Surgery Type	.	.	.	.	RH	RH	TH*	TH*	SEER	Revised
1641	Reserved 36	.	.	.	.	.	.	.	.		New
1642	RX Summ--Screen/BX Proc1	.	.	.	.	.	.	.	.		Retired
1643	RX Summ--Screen/BX Proc2	.	.	.	.	.	.	.	.		Retired
1644	RX Summ--Screen/BX Proc3	.	.	.	.	.	.	.	.		Retired
1645	RX Summ--Screen/BX Proc4	.	.	.	.	.	.	.	.		Retired
1646	RX Summ--Surg Site 98-02	RH	.	RH	RH	RH	RH	TH*	TH*	SEER/COC	Revised
1647	RX Summ--Scope Reg 98-02	RH	.	RH	RH	RH	RH	TH*	TH*	SEER/COC	Revised
1648	RX Summ--Surg Oth 98-02	RH	.	RH	RH	RH	RH	TH*	TH*	SEER/COC	Revised
1650	Reserved 08	.	.	.	.	.	.	.	.		Revised
1660	Subsq RX 2nd Course Date	.	.	.	.	.	.	.	.	COC	Revised
1670	Subsq RX 2nd Course Codes	.	.	.	.	.	.	.	.		Revised
1671	Subsq RX 2nd Course Surg	.	.	.	.	.	.	.	.	COC	Revised
1672	Subsq RX 2nd Course Rad	.	.	.	.	.	.	.	.	COC	Revised
1673	Subsq RX 2nd Course Chemo	.	.	.	.	.	.	.	.	COC	Revised
1674	Subsq RX 2nd Course Horm	.	.	.	.	.	.	.	.	COC	Revised
1675	Subsq RX 2nd Course BRM	.	.	.	.	.	.	.	.	COC	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. \* = No recommendations. \* = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T\* - transmit data if available for any case in exchange record.

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
1676	Subsq RX 2nd Course Oth	.	.	.	.	.	.	.	.	COC	Revised
1677	Subsq RX 2nd--Scope LN SU	.	.	.	.	.	.	.	.	COC	Revised
1678	Subsq RX 2nd--Surg Oth	.	.	.	.	.	.	.	.	COC	Revised
1679	Subsq RX 2nd--Reg LN Rem	.	.	.	.	.	.	.	.	COC	Revised
1680	Subsq RX 3rd Course Date	.	.	.	.	.	.	.	.	COC	Revised
1690	Subsq RX 3rd Course Codes	.	.	.	.	.	.	.	.		Revised
1691	Subsq RX 3rd Course Surg	.	.	.	.	.	.	.	.	COC	Revised
1692	Subsq RX 3rd Course Rad	.	.	.	.	.	.	.	.	COC	Revised
1693	Subsq RX 3rd Course Chemo	.	.	.	.	.	.	.	.	COC	Revised
1694	Subsq RX 3rd Course Horm	.	.	.	.	.	.	.	.	COC	Revised
1695	Subsq RX 3rd Course BRM	.	.	.	.	.	.	.	.	COC	Revised
1696	Subsq RX 3rd Course Oth	.	.	.	.	.	.	.	.	COC	Revised
1697	Subsq RX 3rd--Scope LN Su	.	.	.	.	.	.	.	.	COC	Revised
1698	Subsq RX 3rd--Surg Oth	.	.	.	.	.	.	.	.	COC	Revised
1699	Subsq RX 3rd--Reg LN Rem	.	.	.	.	.	.	.	.	COC	Revised
1700	Subsq RX 4th Course Date	.	.	.	.	.	.	.	.	COC	Revised
1710	Subsq RX 4th Course Codes	.	.	.	.	.	.	.	.		Revised
1711	Subsq RX 4th Course Surg	.	.	.	.	.	.	.	.	COC	Revised
1712	Subsq RX 4th Course Rad	.	.	.	.	.	.	.	.	COC	Revised
1713	Subsq RX 4th Course Chemo	.	.	.	.	.	.	.	.	COC	Revised
1714	Subsq RX 4th Course Horm	.	.	.	.	.	.	.	.	COC	Revised
1715	Subsq RX 4th Course BRM	.	.	.	.	.	.	.	.	COC	Revised
1716	Subsq RX 4th Course Oth	.	.	.	.	.	.	.	.	COC	Revised
1717	Subsq RX 4th--Scope LN Su	.	.	.	.	.	.	.	.	COC	Revised
1718	Subsq RX 4th--Surg Oth	.	.	.	.	.	.	.	.	COC	Revised
1719	Subsq RX 4th--Reg LN Rem	.	.	.	.	.	.	.	.	COC	Revised
1720	Subsq RX 5th Course Date	.	.	.	.	.	.	.	.		Retired
1725	Reserved 37	.	.	.	.	.	.	.	.		New
1726	Reserved 38	.	.	.	.	.	.	.	.		New
1730	Subsq RX 5th Course Codes	.	.	.	.	.	.	.	.		Retired
1731	Subsq RX 5th Course Surg	.	.	.	.	.	.	.	.		Retired
1732	Subsq RX 5th Course Rad	.	.	.	.	.	.	.	.		Retired
1733	Subsq RX 5th Course Chemo	.	.	.	.	.	.	.	.		Retired
1734	Subsq RX 5th Course Horm	.	.	.	.	.	.	.	.		Retired
1735	Subsq RX 5th Course BRM	.	.	.	.	.	.	.	.		Retired
1736	Subsq RX 5th Course Oth	.	.	.	.	.	.	.	.		Retired
1737	Subsq RX 5th--Scope LN Su	.	.	.	.	.	.	.	.		Retired
1738	Subsq RX 5th--Surg Oth	.	.	.	.	.	.	.	.		Retired
1739	Subsq RX 5th--Reg LN Rem	.	.	.	.	.	.	.	.		Retired
1740	Reserved 09	.	.	.	.	.	.	.	.		Revised
1741	Subsq RX--Reconstruct Del	.	.	.	.	.	.	.	.	COC	Revised
1750	Date of Last Contact	R	R	R	R	R	R	T	T	SEER/COC	Revised
1760	Vital Status	R	R	R	R	R	R	T	T	SEER/COC	Revised
1770	Cancer Status	.	.	R	R	.	.	.	.	COC	Revised
1780	Quality of Survival	.	.	.	.	.	.	.	.	COC	Revised
1790	Follow-Up Source	.	.	R	R	.	.	T*	.	COC	Revised
1791	Follow-up Source Central	R	R	.	.	.	.	.	T*	NAACCR	New
1800	Next Follow-Up Source	.	.	R	.	.	.	.	.	COC	Revised
1810	Addr Current--City	.	.	R	.	R	.	T*	.	COC	Revised
1820	Addr Current--State	.	.	R	.	R	.	T*	.	COC	Revised
1830	Addr Current--Postal Code	.	.	R	.	R	.	T*	.	COC	Revised
1835	Reserved 10	.	.	.	.	.	.	.	.		Revised
1840	County--Current	.	.	.	.	.	.	.	.	NAACCR	Revised
1842	Follow-Up Contact--City	.	.	.	.	R	.	T*	.	SEER	Revised
1844	Follow-Up Contact--State	.	.	.	.	R	.	T*	.	SEER	Revised
1846	Follow-Up Contact--Postal	.	.	.	.	R	.	T*	.	SEER	Revised
1850	Unusual Follow-Up Method	.	.	.	.	.	.	.	.	COC	Revised
1860	Recurrence Date--1st	.	.	R	R	RC	.	T*	.	COC	Revised
1870	Recurrence Distant Sites	.	.	.	.	.	.	.	.		Retired

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. • = No recommendations. \* = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T\*– transmit data if available for any case in exchange record.

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
1871	Recurrence Distant Site 1	.	.	.	.	.	.	.	.	NAACCR	Revised
1872	Recurrence Distant Site 2	.	.	.	.	.	.	.	.	NAACCR	Revised
1873	Recurrence Distant Site 3	.	.	.	.	.	.	.	.	NAACCR	Revised
1880	Recurrence Type--1st	.	.	R	R	RC	.	T*	.	COC	Revised
1890	Recurrence Type--1st-Oth	.	.	.	.	.	.	.	.		Retired
1895	Reserved 39	.	.	.	.	.	.	.	.		New
1900	Reserved 11	.	.	.	.	.	.	.	.		Revised
1910	Cause of Death	R	R	.	.	R	R	.	T	SEER	Revised
1920	ICD Revision Number	R	R	.	.	R	R	.	T	SEER	Revised
1930	Autopsy	.	.	.	.	.	.	.	.	NAACCR	Revised
1940	Place of Death	R	.	.	.	.	.	T*	T*	NPCR	Revised
1950	Reserved 12	.	.	.	.	.	.	.	.		Revised
1960	Site (73-91) ICD-O-1	.	.	.	.	RH	RH	.	.	SEER	Revised
1970	Morph (73-91) ICD-O-1	.	.	.	.	.	.	.	.		
1971	Histology (73-91) ICD-O-1	.	.	.	.	RH	RH	.	.	SEER	Revised
1972	Behavior (73-91) ICD-O-1	.	.	.	.	RH	RH	.	.	SEER	Revised
1973	Grade (73-91) ICD-O-1	.	.	.	.	RH	RH	.	.	SEER	Revised
1980	ICD-O-2 Conversion Flag	.	.	R	R	R	R	T*	T*	SEER	Revised
1981	Over-ride SS/NodesPos	.	.	.	.	.	.	T*	T*	NAACCR	Revised
1982	Over-ride SS/TNM-N	.	.	.	.	.	.	T*	T*	NAACCR	Revised
1983	Over-ride SS/TNM-M	.	.	.	.	.	.	T*	T*	NAACCR	Revised
1984	Over-ride SS/DisMet1	.	.	.	.	.	.	T*	T*	NAACCR	Revised
1985	Over-ride Acsn/Class/Seq	.	.	R	R	.	.	T*	T*	COC	Revised
1986	Over-ride HospSeq/DxConf	.	.	R	R	.	.	T*	T*	COC	Revised
1987	Over-ride COC-Site/Type	.	.	R	R	.	.	T*	T*	COC	Revised
1988	Over-ride HospSeq/Site	.	.	R	R	.	.	T*	T*	COC	Revised
1989	Over-ride Site/TNM-StgGrp	.	.	R	R	.	.	T*	T*	COC	Revised
1990	Over-ride Age/Site/Morph	R	R	R	R	R	R	T*	T*	SEER	Revised
2000	Over-ride SeqNo/DxConf	R	R	.	.	R	R	T*	T*	SEER	Revised
2010	Over-ride Site/Lat/SeqNo	R	R	.	.	R	R	T*	T*	SEER	Revised
2020	Over-ride Surg/DxConf	R	R	R	R	R	R	T*	T*	SEER	Revised
2030	Over-ride Site/Type	R	R	R	R	R	R	T*	T*	SEER	Revised
2040	Over-ride Histology	R	R	R	R	R	R	T*	T*	SEER	Revised
2050	Over-ride Report Source	R	R	.	.	R	R	T*	T*	SEER	Revised
2060	Over-ride Ill-define Site	R	R	.	.	R	R	T*	T*	SEER	Revised
2070	Over-ride Leuk, Lymphoma	R	R	R	R	R	R	T*	T*	SEER	Revised
2071	Over-ride Site/Behavior	R	R	R	R	R	R	T*	T*	SEER	Revised
2072	Over-ride Site/EOD/DX Dt	.	.	.	.	R	R	T*	T*	SEER	Revised
2073	Over-ride Site/Lat/EOD	.	.	.	.	R	R	T*	T*	SEER	Revised
2074	Over-ride Site/Lat/Morph	R	R	R	R	R	R	T*	T*	SEER	Revised
2080	Reserved 13	.	.	.	.	.	.	.	.		Retired
2081	CRC CHECKSUM	.	.	.	.	S	S	.	.	NAACCR	Revised
2082	Reserved 24	.	.	.	.	.	.	.	.		Revised
2090	Date Case Completed	.	.	.	.	.	.	.	.	NAACCR	Revised
2100	Date Case Last Changed	.	.	.	.	.	.	.	.	NAACCR	Revised
2110	Date Case Report Exported	R	.	.	R	.	.	T	.	NPCR	Revised
2111	Date Case Report Received	R	.	.	.	.	.	.	.	NPCR	Revised
2112	Date Case Report Loaded	R	.	.	.	.	.	.	.	NPCR	Revised
2113	Date Tumor Record Availbl	R	.	.	.	.	.	.	.	NPCR	Revised
2114	Future Use Timeliness 1	.	.	.	.	.	.	.	.		Retired
2115	Future Use Timeliness 2	.	.	.	.	.	.	.	.		Retired
2116	ICD-O-3 Conversion Flag	R	R	R	R	R	R	T	T	SEER/COC	Revised
2120	SEER Coding Sys--Current	.	.	.	.	.	R	T*	T*	NAACCR	Revised
2130	SEER Coding Sys--Original	.	.	.	.	.	R	T*	T*	NAACCR	Revised
2140	COC Coding Sys--Current	.	.	R	R	.	.	T*	T*	COC	Revised
2150	COC Coding Sys--Original	.	.	R	R	.	.	T*	T*	COC	Revised
2160	Subsq Report for Primary	.	.	.	.	.	.	.	.		Retired
2161	Reserved 20	.	.	.	.	.	.	.	.		Retired
2170	Vendor Name	.	.	.	R	.	.	T	T	NAACCR	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. \* = No recommendations. \* = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T\*- transmit data if available for any case in exchange record.

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
2180	SEER Type of Follow-Up	.	.	.	.	R	R	.	.	SEER	Revised
2190	SEER Record Number	.	.	.	.	.	R	.	.	SEER	Revised
2200	Diagnostic Proc 73-87	.	.	.	.	RH	RH	.	.	SEER	Revised
2210	Reserved 14	.	.	.	.	.	.	.	.		Retired
2220	State/Requestor Items	.	.	.	.	.	.	.	.	Varies	Revised
2230	Name--Last	R	.	R	.	R	.	T	T	NAACCR	Revised
2240	Name--First	R	.	R	.	R	.	T	T	NAACCR	Revised
2250	Name--Middle	R	.	R	.	R	.	T*	T*	COC	Revised
2260	Name--Prefix	.	.	.	.	.	.	.	.	SEER	Revised
2270	Name--Suffix	.	.	.	.	R	.	T*	T*	SEER	Revised
2280	Name--Alias	R	.	.	.	R	.	T*	T*	SEER	Revised
2290	Name--Spouse/Parent	.	.	.	.	.	.	.	.	NAACCR	Revised
2300	Medical Record Number	R	.	R	.	R	.	T	.	COC	Revised
2310	Military Record No Suffix	.	.	R	.	.	.	.	.	COC	Revised
2320	Social Security Number	R	.	R	.	R	.	T	T	COC	Revised
2330	Addr at DX--No & Street	R	.	R	.	R	.	T	T	COC	Revised
2335	Addr at DX--Supplementl	R	.	R	.	.	R	T*	T*	COC	Revised
2350	Addr Current--No & Street	.	.	R	.	R	.	T*	T*	COC	Revised
2352	Latitude	.	.	.	.	S	.	.	.	NAACCR	Revised
2354	Longitude	.	.	.	.	S	.	.	.	NAACCR	Revised
2355	Addr Current--Supplementl	.	.	R	.	R	.	T*	.	COC	Revised
2360	Telephone	.	.	R	.	R	.	T*	T*	COC	Revised
2370	DC State	.	.	.	.	.	.	.	.		Retired
2371	Reserved 21	.	.	.	.	.	.	.	.		Retired
2380	DC State File Number	R	.	.	.	.	.	.	T*	State	Revised
2390	Name--Maiden	R	.	.	.	R	.	T*	T*	SEER	Revised
2392	Follow-Up Contact--No&St	.	.	.	.	R	.	.	.	SEER	Revised
2393	Follow-Up Contact--Suppl	.	.	.	.	R	.	.	.	SEER	Revised
2394	Follow-Up Contact--Name	.	.	.	.	R	.	.	.	SEER	Revised
2400	Reserved 16	.	.	.	.	.	.	.	.		Retired
2410	Institution Referred From	.	.	R	.	.	.	T*	.	COC	Revised
2420	Institution Referred To	.	.	R	.	.	.	T*	.	COC	Revised
2430	Last Follow-Up Hospital	.	.	.	.	.	.	.	.		Retired
2435	Reserved 40	.	.	.	.	.	.	.	.		New
2440	Following Registry	.	.	R	.	R	.	.	.	COC	Revised
2450	Reserved 17	.	.	.	.	.	.	.	.		Retired
2460	Physician--Managing	.	.	.	.	.	.	.	.	NAACCR	Revised
2470	Physician--Follow-Up	.	.	R	.	R	.	T*	T*	COC	Revised
2480	Physician--Primary Surg	.	.	R	.	.	.	.	.	COC	Revised
2490	Physician 3	.	.	R	.	.	.	.	.	COC	Revised
2500	Physician 4	.	.	R	.	.	.	.	.	COC	Revised
2520	Text--DX Proc--PE	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2530	Text--DX Proc--X-ray/Scan	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2540	Text--DX Proc--Scopes	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2550	Text--DX Proc--Lab Tests	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2560	Text--DX Proc--Op	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2570	Text--DX Proc--Path	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2580	Text--Primary Site Title	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2590	Text--Histology Title	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2600	Text--Staging	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2610	RX Text--Surgery	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2620	RX Text--Radiation (Beam)	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2630	RX Text--Radiation Other	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2640	RX Text--Chemo	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2650	RX Text--Hormone	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2660	RX Text--BRM	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2670	RX Text--Other	R^	.	.	.	R	.	T*	T*	NPCR	Revised
2680	Text--Remarks	.	.	.	.	R	.	T*	T*	NPCR	Revised
2690	Place of Diagnosis	.	.	.	.	.	.	.	.	NPCR	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. \* = No recommendations. \* = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T\*– transmit data if available for any case in exchange record.

Item	Item Name	NPCR		COC		SEER		Exchange Elements		Source of Standard	Note
		Collect	Transmit	Collect	Transmit	Collect	Transmit	Hosp->Central	Central->Central		
2700	Reserved 19	.	.	.	.	.	.	.	.		Revised
2800	CS Tumor Size	.	.	R	R	R	R	T	T	AJCC	Revised
2810	CS Extension	R	.	R	R	R	R	T	T	AJCC	Revised
2820	CS Tumor SizeExt Eval	.	.	R	R	.	.	T*	T*	AJCC	Revised
2830	CS Lymph Nodes	R	.	R	R	R	R	T	T	AJCC	Revised
2840	CS Reg Node Eval	.	.	R	R	.	.	T*	T*	AJCC	Revised
2850	CS Mets at DX	R	.	R	R	R	R	T	T	AJCC	Revised
2860	CS Mets Eval	.	.	R	R	.	.	T*	T*	AJCC	Revised
2880	CS Site-Specific Factor 1	RS	.	R	R	R	R	T	T	AJCC	Revised
2890	CS Site-Specific Factor 2	.	.	R	R	R	R	T	T	AJCC	Revised
2900	CS Site-Specific Factor 3	RS	.	R	R	R	R	T	T	AJCC	Revised
2910	CS Site-Specific Factor 4	.	.	R	R	R	R	T	T	AJCC	Revised
2920	CS Site-Specific Factor 5	.	.	R	R	R	R	T	T	AJCC	Revised
2930	CS Site-Specific Factor 6	.	.	R	R	R	R	T	T	AJCC	Revised
2935	CS Version 1st	R	.	R	R	R	R	.	.	AJCC	Revised
2936	CS Version Latest	R	.	R	R	R	R	.	.	AJCC	Revised
2940	Derived AJCC T	.	.	D	D	D	D	T*	T*	AJCC	Revised
2950	Derived AJCC T Descriptor	.	.	D	D	.	.	T*	T*	AJCC	Revised
2960	Derived AJCC N	.	.	D	D	D	D	T*	T*	AJCC	Revised
2970	Derived AJCC N Descriptor	.	.	D	D	.	.	T*	T*	AJCC	Revised
2980	Derived AJCC M	.	.	D	D	D	D	T*	T*	AJCC	Revised
2990	Derived AJCC M Descriptor	.	.	D	D	.	.	T*	T*	AJCC	Revised
3000	Derived AJCC Stage Group	.	.	D	D	D	D	T*	T*	AJCC	Revised
3010	Derived SS1977	.	.	D	D	D	D	T*	T*	AJCC	Revised
3020	Derived SS2000	.	.	D	D	D	D	T*	T*	AJCC	Revised
3030	Derived AJCC--Flag	.	.	R	R	D	D	T*	T*	AJCC	Revised
3040	Derived SS1977-Flag	D	R	R	R	D	D	T*	T*	AJCC	Revised
3050	Derived SS2000-Flag	D	R	R	R	D	D	T*	T*	AJCC	Revised
3100	Archive FIN	.	.	R	R	.	.	.	.	COC	Revised
3110	Comorbid/Complication 1	.	.	R	R	.	.	T*	.	COC	Revised
3120	Comorbid/Complication 2	.	.	R	R	.	.	T*	.	COC	Revised
3130	Comorbid/Complication 3	.	.	R	R	.	.	T*	.	COC	Revised
3140	Comorbid/Complication 4	.	.	R	R	.	.	T*	.	COC	Revised
3150	Comorbid/Complication 5	.	.	R	R	.	.	T*	.	COC	Revised
3160	Comorbid/Complication 6	.	.	R	R	.	.	T*	.	COC	Revised
3161	Comorbid/Complication 7	.	.	R	R	.	.	T*	.	COC	New
3162	Comorbid/Complication 8	.	.	R	R	.	.	T*	.	COC	New
3163	Comorbid/Complication 9	.	.	R	R	.	.	T*	.	COC	New
3164	Comorbid/Complication 10	.	.	R	R	.	.	T*	.	COC	New
3165	ICD Revision Comorbid	.	.	R	R	.	.	T*	.	COC	New
3170	RX Date--Most Defin Surg	.	.	R	R	.	.	T*	.	COC	Revised
3180	RX Date--Surgical Disch	.	.	R	R	.	.	.	.	COC	Revised
3190	Readm Same Hosp 30 Days	.	.	R	R	.	.	.	.	COC	Revised
3200	Rad--Boost RX Modality	.	.	R	R	RC	.	T*	T*	COC	Revised
3210	Rad--Boost Dose cGy	.	.	R	R	.	.	.	.	COC	Revised
3220	RX Date--Radiation Ended	.	.	R	R	.	.	.	.	COC	Revised
3230	RX Date--Systemic	.	.	R	R	.	.	T*	T*	COC	Revised
3250	RX Summ--Transplnt/Endocr	R	R	R	R	R	R	T*	T*	COC	Revised
3260	Pain Assessment										Retired
3270	RX Summ--Palliative Proc	.	.	R	R	.	.	T*	.	COC	Revised
3280	RX Hosp--Palliative Proc	.	.	R	R	.	.	T*	.	COC	Revised
3300	RuralUrban Continuum 1993	D	.	.	.	.	.	.	.	NAACCR	Revised
3310	RuralUrban Continuum 2000	D	.	.	.	.	.	.	.	NAACCR	Revised

**Codes for Recommendations:** R = Required. RH = Historically collected and currently transmitted. RC = Collected by SEER from COC-approved hospitals. RS = Required, site specific. S = Supplementary/recommended. D = Derived. . = No recommendations. \* = When available. # = Central registries may code available data using either the SEER or COC data item and associated rules. ^ = These text requirements may be met with one or several text block fields. T = data is vital to complete exchange record. TH – cases diagnosed before 2004, transmit data if available in exchange record. T\*- transmit data if available for any case in exchange record.





## CHAPTER IX

### DATA DESCRIPTOR TABLE (ITEM # ORDER)

The following table presents Version 11 of the NAACCR data descriptor table summarizing the item number, item name, format, allowable values, and length of each item. The data type for all data items is “character.” Differences from Version 10.2 are marked “Revised,” “New,” or “Retired” in the “Note” column of the table. Revised and new items are summarized in Appendix F. A program that generates a file of records in the NAACCR data exchange format should handle instances where information is unavailable for any given field.

#### General Rules:

- ❖ When ALL of the records in the file to be generated contain no information on a specific data item, then the corresponding columns in the exchange record should be left as blanks.

*Example:* You are submitting data in NAACCR 11 format, but your registry does not collect data on AJCC stage. The columns in the file you generate that are supposed to contain the information on AJCC stage should all contain blanks.

- ❖ When some of the records contain information for a given field, and other records will not contain information for that field, then the code that indicates “unknown,” “not available,” or “not applicable” (as appropriate) must be written in the corresponding columns in the exchange record.

*Example:* You are submitting data in NAACCR 11 format, and you collect information on surgery date. However, in some cases the date is not there because your program stores it as a date-time variable and either no surgery was given, it is unknown whether surgery was given, or it was an autopsy or death certificate-only (DCO) case. Those columns in the file you generate must contain no blanks; instead, the columns should contain “99999999” when it is unknown whether or not surgery was given or when the case was DCO, and “00000000” when no surgery was given or autopsy-only.

*Exception:* You are submitting in the NAACCR 11 format, and cases diagnosed in the years 1997-2001 are included. The Morph--Type&Behavior ICD-O-2 fields should contain the original ICD-O-2 codes for cases diagnosed in or before 2000, but the fields should be blank for cases diagnosed in 2001 (unless you have back-translated the ICD-O-3 morphology codes).

All “blanks” must be transmitted as the appropriate number of “spaces” (ASCII 20h), never as nulls or as numeric fields with no value assigned. Nulls may shift the record contents out of column alignment, and numeric fields with no value assigned to them erroneously transmit zeroes as code content.

Date fields are recorded in the month, day, year format (MMDDCCYY), with 99 for unknown day or month and 9999 for unknown year. For example:

- 00000000 No date
- 99999999 Unknown date
- 01992003 Example of date when the month and year are known but the day is unknown
- 99992003 Example of date when the year is known but the month and day are unknown.

Item #	Item Name	Format	Allowable Values	Length	Note
10	Record Type		I, C, A, U, R, M, L	1	
20	Patient ID Number	Right justified, zero filled		8	
21	Patient System ID-Hosp	Right justified, zero filled		8	New
30	Registry Type		1-3	1	
35	FIN Coding System		1-3, 9	1	
37	Reserved 00			7	
40	Registry ID	Right justified, zero filled	10-digit number. Reference to EDITS table REGID.DBF in Appendix B	10	
50	NAACCR Record Version		Blank, 1, 4-9, A, B	1	Revised
60	Tumor Record Number	Right justified, zero filled	01-99	2	
70	Addr at DX--City	Mixed case letters, special characters only as allowed by USPS, embedded spaces allowed, left justified, blank filled	City Name or UNKNOWN	20	
80	Addr at DX--State	Upper case	Refer to EDITS table STATE.DBF in Appendix B	2	
90	County at DX	Right justified, zero filled	See Appendix A for county codes for each state. For non-U.S. residents, COC uses Appendix B (BPLACE.DBF). Also 998, 999	3	
100	Addr at DX--Postal Code	Numbers or upper case letters. No special characters or embedded spaces allowed. Left justified, blank filled	5-digit or 9-digit U.S. ZIP codes; 6-character Canadian postal codes; valid postal codes from other countries, 888888888, 999999999, 88888+4 blanks, 99999+4blanks	9	
110	Census Tract 1970/80/90	Right justified, zero filled	Census Tract Codes 000100-949999, BNA Codes 950100-998999, 000000, 999999, blank	6	
120	Census Cod Sys 1970/80/90		0-3, blank	1	
130	Census Tract 2000	Right justified, zero filled	Census Tract Codes 000100-999998, 000000, 999999, blank	6	Revised
140	Census Tract Cod Sys--Alt				Retired
150	Marital Status at DX		1-5, 9	1	
160	Race 1	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 96-99	2	
161	Race 2	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 88, 96-99, blank	2	
162	Race 3	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 88, 96-99, blank	2	
163	Race 4	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 88, 96-99, blank	2	
164	Race 5	Right justified, zero filled	01-14, 20-22, 25-28, 30-32, 88, 96-99, blank	2	
170	Race Coding Sys--Current		1-6, 9	1	
180	Race Coding Sys--Original		1-6, 9	1	
190	Spanish/Hispanic Origin		0-8, 9	1	
191	NHIA Derived Hisp Origin		0-8, blank	1	
192	IHS Link		0, 1, blank	1	New

Item #	Item Name	Format	Allowable Values	Length	Note
200	Computed Ethnicity		0-7, blank	1	
210	Computed Ethnicity Source		0-9, blank	1	
220	Sex		1-4, 9	1	
230	Age at Diagnosis	Right justified, zero filled	000-120, 999	3	
240	Birth Date	MMDDCCYY	Valid date or 99999999	8	
250	Birthplace	Right justified, zero filled	Reference to EDITS table BPLACE.DBF in Appendix B	3	
260	Religion	No standard	Any	2	
270	Occupation Code--Census		Reference Industry and Occupation Coding for Death Certificates	3	
280	Industry Code--Census		Reference Industry and Occupation Coding for Death Certificates	3	
290	Occupation Source		0-3, 7-9, blank	1	
300	Industry Source		0-3, 7-9, blank	1	
310	Text--Usual Occupation	Free text	Neither carriage return nor line feed characters allowed	40	
320	Text--Usual Industry	Free text	Neither carriage return nor line feed characters allowed	40	
330	Occup/Ind Coding System		1-4, 7, 9, blank	1	
340	Tobacco History	No standard	Any	1	
350	Alcohol History	No standard	Any	1	
360	Family History of Cancer	No standard	Any	1	
362	Census Tract Block Group	No standard	Refer to Census Bureau	1	
364	Census Tr Cert 1970/80/90		1-6, 9, blank	1	Revised
365	Census Tr Certainty 2000		1-6, 9, blank	1	Revised
366	GIS Coordinate Quality		01-12, 98, 99, blank	2	New
370	Reserved 01			12	
380	Sequence Number--Central	Right justified, zero filled	00-35, 60-87, 88, 98, 99	2	
390	Date of Diagnosis	MMDDCCYY	Valid date or 99999999	8	
400	Primary Site	C followed by 3 digits, no special characters, no embedded blanks	Refer to ICD-O-3 (decimals are dropped)	4	Revised
410	Laterality		0-4, 9	1	
419	Morph--Type&Behav ICD-O-2		Reference to ICD-0-2	5	
420	Histology (92-00) ICD-O-2		Refer to ICD-0-2	4	Revised
430	Behavior (92-00) ICD-O-2		0-3, Refer to ICD-0-2	1	Revised
440	Grade		1-9	1	
442	Ambiguous Terminology DX		0-2, 9	1	New
443	Date of Conclusive DX		Valid date, 00000000, 88888888, 99999999	8	New
444	Mult Tum Rpt as One Prim		00, 10-12, 20, 30-32, 40, 80, 88, 99	2	New
445	Date of Multiple Tumors		Valid date, 00000000, 88888888, 99999999	8	New
446	Multiplicity Counter		01-88, 99	2	New
447	Number of Tumors/Hist		11-13, 21-23, 96-99	2	New
450	Site Coding Sys--Current		1-6, 9	1	
460	Site Coding Sys--Original		1-6, 9	1	
470	Morph Coding Sys--Current		1-7, 9	1	
480	Morph Coding Sys--Originl		1-7, 9	1	

Item #	Item Name	Format	Allowable Values	Length	Note
490	Diagnostic Confirmation		1, 2, 4-9	1	
500	Type of Reporting Source		1-8	1	
501	Casefinding Source		10, 20-30, 40, 50, 60, 70, 75, 80, 85, 90, 95, 99	2	New
510	Screening Date	MMDDCCYY	Valid date, 00000000, 99999999	8	
520	Screening Result		0-4, 8, 9	1	
521	Morph--Type&Behav ICD-O-3		Reference to ICD-O-3	5	
522	Histologic Type ICD-O-3		Refer to ICD-O-3	4	Revised
523	Behavior Code ICD-O-3		0-3, Refer to ICD-O-3	1	Revised
530	Reserved 02			46	
535	Reserved 25			10	New
538	Reporting Hospital FAN				Retired
540	Reporting Hospital	Right justified, zero filled	10-digit number	10	
550	Accession Number--Hosp		9-digit number	9	
560	Sequence Number--Hospital	Right justified, zero filled	00-35, 60-87, 88, 99	2	
570	Abstracted By	No special characters	Letters and numbers	3	
580	Date of 1st Contact	MMDDCCYY	Valid dates or 99999999	8	
590	Date of Inpatient Adm	MMDDCCYY	Valid dates, 00000000, 99999999	8	
600	Date of Inpatient Disch	MMDDCCYY	Valid dates, 00000000, 99999999	8	
610	Class of Case		0-9	1	
615	Reserved 26			4	New
620	Year First Seen This CA				Retired
630	Primary Payer at DX	Right justified, zero filled	01, 02, 10, 20, 31, 35, 36, 50-56, 99	2	
635	Reserved 27			10	New
640	Inpatient/Outpt Status				Retired
650	Presentation at CA Conf				Retired
660	Date of CA Conference				Retired
670	RX Hosp--Surg Prim Site	Right justified, zero filled	00, 10-80, 90, 98, 99 (site specific)	2	
672	RX Hosp--Scope Reg LN Sur		0-7, 9	1	
674	RX Hosp--Surg Oth Reg/Dis		0-5, 9	1	
676	RX Hosp--Reg LN Removed		00-90, 95-99	2	
680	Reserved 03			25	
690	RX Hosp--Radiation		0-5, 9	1	
700	RX Hosp--Chemo	Right justified, zero filled	00-03, 82, 85-88, 99	2	
710	RX Hosp--Hormone	Right justified, zero filled	00, 01, 82, 85-88, 99	2	
720	RX Hosp--BRM	Right justified, zero filled	00, 01, 82, 85-88, 99	2	
730	RX Hosp--Other		0-3, 6-9	1	
740	RX Hosp--DX/Stg Proc	Right justified, zero filled	00-07, 09	2	
741	Reserved 28			4	New
742	RX Hosp--Screen/BX Proc1				Retired
743	RX Hosp--Screen/BX Proc2				Retired
744	RX Hosp--Screen/BX Proc3				Retired
745	RX Hosp--Screen/BX Proc4				Retired
746	RX Hosp--Surg Site 98-02	Right justified, zero filled	00, 10-90, 99 (site specific)	2	Revised
747	RX Hosp--Scope Reg 98-02		0-9 (site specific)	1	Revised

Item #	Item Name	Format	Allowable Values	Length	Note
748	RX Hosp--Surg Oth 98-02		0-9 (site specific)	1	Revised
750	Reserved 04			46	
759	SEER Summary Stage 2000		0-5, 7, 8, 9	1	
760	SEER Summary Stage 1977		0-5, 7, 8, 9	1	
765	Reserved 29			1	New
770	Loc/Reg/Distant Stage				Retired
779	Extent of Disease 10-Dig			12	
780	EOD--Tumor Size	Right justified, zero filled	See respective source references	3	
790	EOD--Extension	Right justified, zero filled	Reference SEER Extent of Disease manual	2	
800	EOD--Extension Prost Path	Right justified, zero filled	Reference SEER Extent of Disease manual	2	
810	EOD--Lymph Node Involv		Reference SEER Extent of Disease manual	1	
820	Regional Nodes Positive	Right justified, zero filled	See respective source references	2	
830	Regional Nodes Examined	Right justified, zero filled	See respective source references	2	
840	EOD--Old 13 Digit	Numeric and special characters		13	
850	EOD--Old 2 Digit	Numeric plus special characters "&" and "dash" ("-")		2	
860	EOD--Old 4 Digit			4	
870	Coding System for EOD		0-4	1	
880	TNM Path T	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
890	TNM Path N	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
900	TNM Path M	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
910	TNM Path Stage Group	Upper case, alphanumeric. Convert AJCC Roman numerals to Arabic numerals. Left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, 99, blank	2	
920	TNM Path Descriptor		0-6, 9	1	
930	TNM Path Staged By		0-9	1	
940	TNM Clin T	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
950	TNM Clin N	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
960	TNM Clin M	Upper case, alphanumeric, left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, blank	2	
970	TNM Clin Stage Group	Upper case, alphanumeric. Convert AJCC Roman numerals to Arabic numerals. Left justified, blank filled	See AJCC Cancer Staging Manual and FORDS Manual; also 88, 99, blank	2	
980	TNM Clin Descriptor		0-6, 9	1	
990	TNM Clin Staged By		0-9	1	
995	Reserved 30			10	New
1000	TNM Other T				Retired
1010	TNM Other N				Retired

Item #	Item Name	Format	Allowable Values	Length	Note
1020	TNM Other M				Retired
1030	TNM Other Stage Group				Retired
1040	TNM Other Staged By				Retired
1050	TNM Other Descriptor				Retired
1060	TNM Edition Number	Right justified, zero filled	00-06, 88, 99	2	
1065	Reserved 31			15	New
1070	Other Staging System				Retired
1080	Date of 1st Positive BX	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1090	Site of Distant Met 1		0-9	1	
1100	Site of Distant Met 2		0-9	1	
1110	Site of Distant Met 3		0-9	1	
1120	Pediatric Stage		Reference to EDITS table PEDSTAGE.DBF.CODE in Appendix B	2	
1130	Pediatric Staging System		00-15, 88, 97, 99	2	
1140	Pediatric Staged By		0-9	1	
1150	Tumor Marker 1		0-6, 8, 9	1	
1160	Tumor Marker 2		0-6, 8, 9	1	
1170	Tumor Marker 3		0-6, 8, 9	1	
1180	Reserved 05			17	
1190	Reserved 06			45	
1200	RX Date--Surgery	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1210	RX Date--Radiation	MMDDCCYY	Valid dates, 00000000, 88888888, 99999999	8	
1220	RX Date--Chemo	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1230	RX Date--Hormone	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1240	RX Date--BRM	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1250	RX Date--Other	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1260	Date of Initial RX--SEER	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1270	Date of 1st Crs RX--COC	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1280	RX Date--DX/Stg Proc	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1290	RX Summ--Surg Prim Site	Right justified, zero filled	00, 10-80, 90, 98, 99 (site specific)	2	
1292	RX Summ--Scope Reg LN Sur		0-7, 9	1	
1294	RX Summ--Surg Oth Reg/Dis		0-5, 9	1	
1296	RX Summ--Reg LN Examined	Right justified, zero filled	00-90, 95-99	2	
1300	Reserved 07			50	
1310	RX Summ--Surgical Approch		0-9 (site-specific)	1	
1320	RX Summ--Surgical Margins		0-3, 7-9	1	
1330	RX Summ--Reconstruct 1st		0-9 (site-specific)	1	
1340	Reason for No Surgery		0-2, 5-9	1	
1350	RX Summ--DX/Stg Proc	Right justified, zero filled	00-07, 09	2	

Item #	Item Name	Format	Allowable Values	Length	Note
1355	Reserved 22			1	
1360	RX Summ--Radiation		0-5, 7-9	1	
1370	RX Summ--Rad to CNS		0, 1, 7-9	1	
1380	RX Summ--Surg/Rad Seq		0, 2-6, 9	1	
1390	RX Summ--Chemo	Right justified, zero filled	00-03, 82, 85-88, 99	2	
1400	RX Summ--Hormone	Right justified, zero filled	00, 01, 82, 85-88, 99	2	
1410	RX Summ--BRM	Right justified, zero filled	00, 01, 82, 85-88, 99	2	
1420	RX Summ--Other		0-3, 6-9	1	
1430	Reason for No Radiation		0-2, 5-9	1	
1435	Reserved 32			2	New
1440	Reason for No Chemo				Retired
1450	Reason for No Hormone				Retired
1460	RX Coding System--Current	Right justified, zero filled	00-06, 99	2	
1465	Reserved 33			4	New
1470	Protocol Eligibility Stat				Retired
1480	Protocol Participation				Retired
1490	Referral to Support Serv				Retired
1500	First Course Calc Method		1, 2, 9	1	
1510	Rad--Regional Dose: CGY	Right justified, zero filled	00000-99999	5	
1520	Rad--No of Treatment Vol	Right justified, zero filled	00-99	2	
1530	Rad--Elapsed RX Days				Retired
1535	Reserved 34			3	New
1540	Rad--Treatment Volume	Right justified, zero filled	00-41, 50, 60, 98, 99	2	
1550	Rad--Location of RX		0-4, 8, 9	1	
1555	Reserved 35			1	New
1560	Rad--Intent of Treatment				Retired
1570	Rad--Regional RX Modality	Right justified, zero filled	00, 20-32, 40-43, 50-55, 60-62, 80, 85, 98, 99	2	
1580	Rad--RX Completion Status				Retired
1590	Rad--Local Control Status				Retired
1600	Chemotherapy Field 1				Retired
1610	Chemotherapy Field 2				Retired
1620	Chemotherapy Field 3				Retired
1630	Chemotherapy Field 4				Retired
1635	Reserved 23			13	
1639	RX Summ--Systemic Sur Seq		0, 2-6, 9	1	New
1640	RX Summ--Surgery Type	Right justified, zero filled	00-99 (site-specific)	2	
1641	Reserved 36			4	New
1642	RX Summ--Screen/BX Proc1				Retired
1643	RX Summ--Screen/BX Proc2				Retired
1644	RX Summ--Screen/BX Proc3				Retired
1645	RX Summ--Screen/BX Proc4				Retired
1646	RX Summ--Surg Site 98-02	Right justified, zero filled	00, 10-90, 99 (site specific)	2	Revised
1647	RX Summ--Scope Reg 98-02		0-9 (site specific)	1	Revised
1648	RX Summ--Surg Oth 98-02		0-9 (site specific)	1	Revised
1650	Reserved 08			50	
1660	Subsq RX 2nd Course Date	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1670	Subsq RX 2nd Course Codes			7	
1671	Subsq RX 2nd Course Surg	Right justified, zero filled	00, 10-90, 99	2	
1672	Subsq RX 2nd Course Rad		0-5, 9	1	
1673	Subsq RX 2nd Course Chemo		0-3, 9	1	

Item #	Item Name	Format	Allowable Values	Length	Note
1674	Subsq RX 2nd Course Horm		0-3, 9	1	
1675	Subsq RX 2nd Course BRM		0-9	1	
1676	Subsq RX 2nd Course Oth		0-3, 6-9	1	
1677	Subsq RX 2nd--Scope LN SU		0-9	1	
1678	Subsq RX 2nd--Surg Oth		0-9	1	
1679	Subsq RX 2nd--Reg LN Rem	Right justified, zero filled	00-90, 95-99	2	
1680	Subsq RX 3rd Course Date	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1690	Subsq RX 3rd Course Codes			7	
1691	Subsq RX 3rd Course Surg	Right justified, zero filled	00, 10-90, 99	2	
1692	Subsq RX 3rd Course Rad		0-5, 9	1	
1693	Subsq RX 3rd Course Chemo		0-3, 9	1	
1694	Subsq RX 3rd Course Horm		0-3, 9	1	
1695	Subsq RX 3rd Course BRM		0-9	1	
1696	Subsq RX 3rd Course Oth		0-3, 6-9	1	
1697	Subsq RX 3rd--Scope LN Su		0-9	1	
1698	Subsq RX 3rd--Surg Oth		0-9	1	
1699	Subsq RX 3rd--Reg LN Rem	Right justified, zero filled	00-90, 95-99	2	
1700	Subsq RX 4th Course Date	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1710	Subsq RX 4th Course Codes			7	
1711	Subsq RX 4th Course Surg	Right justified, zero filled	00, 10-90, 99	2	
1712	Subsq RX 4th Course Rad		0-5, 9	1	
1713	Subsq RX 4th Course Chemo		0-3, 9	1	
1714	Subsq RX 4th Course Horm		0-3, 9	1	
1715	Subsq RX 4th Course BRM		0-9	1	
1716	Subsq RX 4th Course Oth		0-3, 6-9	1	
1717	Subsq RX 4th--Scope LN Su		0-9	1	
1718	Subsq RX 4th--Surg Oth		0-9	1	
1719	Subsq RX 4th--Reg LN Rem	Right justified, zero filled	00-90, 95-99	2	
1720	Subsq RX 5th Course Date				Retired
1725	Reserved 37			15	New
1726	Reserved 38			4	New
1730	Subsq RX 5th Course Codes				Retired
1731	Subsq RX 5th Course Surg				Retired
1732	Subsq RX 5th Course Rad				Retired
1733	Subsq RX 5th Course Chemo				Retired
1734	Subsq RX 5th Course Horm				Retired
1735	Subsq RX 5th Course BRM				Retired
1736	Subsq RX 5th Course Oth				Retired
1737	Subsq RX 5th--Scope LN Su				Retired
1738	Subsq RX 5th--Surg Oth				Retired
1739	Subsq RX 5th--Reg LN Rem				Retired
1740	Reserved 09			48	
1741	Subsq RX--Reconstruct Del		Site-specific	1	
1750	Date of Last Contact	MMDDCCYY	Valid dates or 99999999	8	
1760	Vital Status		0, 1, 4	1	
1770	Cancer Status		1, 2, 9	1	
1780	Quality of Survival		0-4, 8, 9	1	



Item #	Item Name	Format	Allowable Values	Length	Note
1790	Follow-Up Source		0-5, 7-9	1	
1791	Follow-up Source Central		00-12, 29-35, 39-43, 48-51, 59-65, 98, 99	2	New
1800	Next Follow-Up Source		0-5, 8, 9	1	
1810	Addr Current--City	Mixed case letters, no special characters, embedded spaces allowed, left justified, blank filled		20	
1820	Addr Current--State	Upper case	See EDITS table STATE.DBF in Appendix B	2	
1830	Addr Current--Postal Code	Numbers or upper case letters. No special characters or embedded spaces allowed. Left justified, blank filled.	5-digit or 9-digit U.S. ZIP codes; 6- character Canadian postal codes; valid postal codes from other countries, 888888888, 999999999	9	
1835	Reserved 10			50	
1840	County--Current	Right justified, zero filled	See Appendix A for standard FIPS county codes. See EDITS table BPLACE.DBF in Appendix B for geocodes used by CoC for non-U.S. residents. Also 998, 999	3	
1842	Follow-Up Contact--City	Mixed case letters, no special characters, embedded spaces allowed, left justified, blank filled		20	
1844	Follow-Up Contact--State	Upper case	See EDITS table STATE.DBF in Appendix B	2	
1846	Follow-Up Contact--Postal	Numbers or upper case letters. No special characters or embedded spaces allowed. Left justified, blank filled	5-digit or 9-digit U.S. ZIP codes; 6- character Canadian postal codes; valid postal codes from other countries, 888888888, 999999999	9	
1850	Unusual Follow-Up Method		0-9	1	
1860	Recurrence Date--1st	MMDDCCYY	Valid dates, 00000000, 99999999	8	
1870	Recurrence Distant Sites				Retired
1871	Recurrence Distant Site 1		0-9	1	
1872	Recurrence Distant Site 2		0-9	1	
1873	Recurrence Distant Site 3		0-9	1	
1880	Recurrence Type--1st	Right justified, zero filled	00, 04, 06, 10, 13-17, 20-22, 25-27, 30, 36, 40, 46, 51-60, 62, 70, 88, 99	2	
1890	Recurrence Type--1st-Oth				Retired
1895	Reserved 39			2	New
1900	Reserved 11			50	
1910	Cause of Death	4 digits (for ICD-7, 8, 9) or upper case letter followed by 3 digits (for ICD-10)	Valid ICD-7, ICD-8, ICD-9, and ICD-10 codes; also 0000, 7777, 7797	4	
1920	ICD Revision Number		0, 1, 7, 8, 9	1	
1930	Autopsy		0-2, 9	1	
1940	Place of Death	Right justified, zero filled	Reference SEER Manual	3	
1950	Reserved 12			50	

Item #	Item Name	Format	Allowable Values	Length	Note
1960	Site (73-91) ICD-O-1	Four digits, first digit equals 1	Reference ICD-O-1 for valid entries	4	
1970	Morph (73-91) ICD-O-1		Reference ICD-O-1 for valid entries	6	
1971	Histology (73-91) ICD-O-1		Reference ICD-O-1 for valid entries	4	
1972	Behavior (73-91) ICD-O-1		Reference ICD-O-1 for valid entries	1	
1973	Grade (73-91) ICD-O-1		Reference ICD-O-1 for valid entries	1	
1980	ICD-O-2 Conversion Flag		0-6	1	
1981	Over-ride SS/NodesPos		1 or blank	1	
1982	Over-ride SS/TNM-N		1 or blank	1	
1983	Over-ride SS/TNM-M		1 or blank	1	
1984	Over-ride SS/DisMet1		1 or blank	1	
1985	Over-ride Acsn/Class/Seq		1 or blank	1	
1986	Over-ride HospSeq/DxConf		1 or blank	1	
1987	Over-ride COC-Site/Type		1 or blank	1	
1988	Over-ride HospSeq/Site		1 or blank	1	
1989	Over-ride Site/TNM-StgGrp		1 or blank	1	
1990	Over-ride Age/Site/Morph		1 or blank	1	
2000	Over-ride SeqNo/DxConf		1 or blank	1	
2010	Over-ride Site/Lat/SeqNo		1 or blank	1	
2020	Over-ride Surg/DxConf		1 or blank	1	
2030	Over-ride Site/Type		1 or blank	1	
2040	Over-ride Histology		1-3 or blank	1	
2050	Over-ride Report Source		1 or blank	1	
2060	Over-ride Ill-define Site		1 or blank	1	
2070	Over-ride Leuk, Lymphoma		1 or blank	1	
2071	Over-ride Site/Behavior		1 or blank	1	
2072	Over-ride Site/EOD/DX Dt		1 or blank	1	
2073	Over-ride Site/Lat/EOD		1 or blank	1	
2074	Over-ride Site/Lat/Morph		1 or blank	1	
2080	Reserved 13				Retired
2081	CRC CHECKSUM		Calculated or blank	10	
2082	Reserved 24			16	
2090	Date Case Completed	MMDDCCYY		8	
2100	Date Case Last Changed	MMDDCCYY		8	
2110	Date Case Report Exported	MMDDCCYY		8	
2111	Date Case Report Received	MMDDCCYY		8	
2112	Date Case Report Loaded	MMDDCCYY		8	
2113	Date Tumor Record Availbl	MMDDCCYY		8	
2114	Future Use Timeliness 1				Retired
2115	Future Use Timeliness 2				Retired
2116	ICD-O-3 Conversion Flag		Blank, 0, 1, 3	1	
2120	SEER Coding Sys--Current		0-7	1	
2130	SEER Coding Sys--Original		0-7	1	
2140	COC Coding Sys--Current	Right justified, zero filled	00-08, 99	2	
2150	COC Coding Sys--Original	Right justified, zero filled	00-08, 99	2	
2160	Subsq Report for Primary				Retired

Item #	Item Name	Format	Allowable Values	Length	Note
2161	Reserved 20				Retired
2170	Vendor Name	Embedded spaces allowed		10	
2180	SEER Type of Follow-Up		1-4	1	
2190	SEER Record Number	Right justified, zero filled	01-99	2	
2200	Diagnostic Proc 73-87			2	
2210	Reserved 14				Retired
2220	State/Requestor Items			500	
2230	Name--Last	Mixed case, no embedded spaces, left justified, blank filled. Embedded hyphen allowed, but no other special characters		25	
2240	Name--First	Mixed case, no embedded spaces, no special characters, left justified, blank filled		14	
2250	Name--Middle	Mixed case, no embedded spaces, no special characters, left justified, blank filled		14	
2260	Name--Prefix	Mixed case, no special characters		3	
2270	Name--Suffix	Mixed case, no special characters		3	
2280	Name--Alias	Left justified, blank filled		15	
2290	Name--Spouse/Parent	No standard		50	
2300	Medical Record Number	Leading spaces, right justified		11	
2310	Military Record No Suffix	Right justified, zero filled	01-20, 30-69, 98, 99, blank	2	Revised
2320	Social Security Number	9 digits, no dashes	Any 9-digit number except 000000000	9	
2330	Addr at DX--No & Street	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2335	Addr at DX--Supplementl	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2350	Addr Current--No & Street	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2352	Latitude	Right justified	See Data Dictionary	10	
2354	Longitude	Right justified	See Data Dictionary	11	
2355	Addr Current--Supplementl	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2360	Telephone	10-digit number	Any 10-digit number	10	
2370	DC State				Retired
2371	Reserved 21				Retired
2380	DC State File Number		Any characters or blank	6	
2390	Name--Maiden	Mixed case, no embedded spaces, left justified, blank filled, embedded hyphen allowed, no other special characters		15	
2392	Follow-Up Contact--No&St	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2393	Follow-Up Contact--Suppl	Mixed case, embedded spaces, punctuation limited to periods, slashes, hyphens, and pound signs. Left justified, space filled		40	
2394	Follow-Up Contact--Name	Mixed case, embedded spaces, no special characters, left justified, blank fill		30	
2400	Reserved 16				Retired
2410	Institution Referred From	Right justified and zero filled	10-digit number	10	
2420	Institution Referred To	Right justified and zero filled	10-digit number	10	
2430	Last Follow-Up Hospital				Retired

Item #	Item Name	Format	Allowable Values	Length	Note
2435	Reserved 40			10	New
2440	Following Registry	Right justified and zero filled	10-digit number	10	
2450	Reserved 17				Retired
2460	Physician--Managing	Left justified		8	
2470	Physician--Follow-Up	Left justified		8	
2480	Physician--Primary Surg	Left justified		8	
2490	Physician 3	Left justified		8	
2500	Physician 4	Left justified		8	
2520	Text--DX Proc--PE	Free text	Neither carriage return nor line feed characters allowed	200	
2530	Text--DX Proc--X-ray/Scan	Free text	Neither carriage return nor line feed characters allowed	250	
2540	Text--DX Proc--Scopes	Free text	Neither carriage return nor line feed characters allowed	250	
2550	Text--DX Proc--Lab Tests	Free text	Neither carriage return nor line feed characters allowed	250	
2560	Text--DX Proc--Op	Free text	Neither carriage return nor line feed characters allowed	250	
2570	Text--DX Proc--Path	Free text	Neither carriage return nor line feed characters allowed	250	
2580	Text--Primary Site Title	Free text	Neither carriage return nor line feed characters allowed	40	
2590	Text--Histology Title	Free text	Neither carriage return nor line feed characters allowed	40	
2600	Text--Staging	Free text	Neither carriage return nor line feed characters allowed	300	
2610	RX Text--Surgery	Free text	Neither carriage return nor line feed characters allowed	150	
2620	RX Text--Radiation (Beam)	Free text	Neither carriage return nor line feed characters allowed	150	
2630	RX Text--Radiation Other	Free text	Neither carriage return nor line feed characters allowed	150	
2640	RX Text--Chemo	Free text	Neither carriage return nor line feed characters allowed	200	
2650	RX Text--Hormone	Free text	Neither carriage return nor line feed characters allowed	200	
2660	RX Text--BRM	Free text	Neither carriage return nor line feed characters allowed	100	

Item #	Item Name	Format	Allowable Values	Length	Note
2670	RX Text--Other	Free text	Neither carriage return nor line feed characters allowed	100	
2680	Text--Remarks	Free text	Neither carriage return nor line feed characters allowed	350	
2690	Place of Diagnosis	Free text	Neither carriage return nor line feed characters allowed	50	
2700	Reserved 19			770	
2800	CS Tumor Size	Right justified, zero filled	000-999 (site specific)	3	
2810	CS Extension	Right justified, zero filled	00-99 (site specific)	2	
2820	CS Tumor Size/Ext Eval		0-9 (site specific)	1	
2830	CS Lymph Nodes	Right justified, zero filled	00-99 (site specific)	2	
2840	CS Reg Node Eval		0-9(site specific)	1	
2850	CS Mets at DX	Right justified, zero filled	00-99 (site specific)	2	
2860	CS Mets Eval		0-9 (site specific)	1	
2880	CS Site-Specific Factor 1	Right justified, zero filled	000-999 (site specific)	3	
2890	CS Site-Specific Factor 2	Right justified, zero filled	000-999 (site specific)	3	
2900	CS Site-Specific Factor 3	Right justified, zero filled	000-999 (site specific)	3	
2910	CS Site-Specific Factor 4	Right justified, zero filled	000-999 (site specific)	3	
2920	CS Site-Specific Factor 5	Right justified, zero filled	000-999 (site specific)	3	
2930	CS Site-Specific Factor 6	Right justified, zero filled	000-999 (site specific)	3	
2935	CS Version 1st	6-digit number	Any 6-digit number	6	
2936	CS Version Latest	6-digit number	Any 6-digit number	6	
2940	Derived AJCC T		Site specific (derived from Collaborative Stage fields)	2	Revised
2950	Derived AJCC T Descriptor		c, p, a, y, N, and blank (derived from Collaborative Stage fields)	1	
2960	Derived AJCC N		Site specific (derived from Collaborative Stage fields)	2	Revised
2970	Derived AJCC N Descriptor		c, p, a, y, N, and blank (derived from Collaborative Stage fields)	1	
2980	Derived AJCC M		Site specific (derived from Collaborative Stage fields)	2	Revised
2990	Derived AJCC M Descriptor		c, p, a, y, N, and blank (derived from Collaborative Stage fields)	1	
3000	Derived AJCC Stage Group		Site specific (derived from Collaborative Stage fields)	2	Revised
3010	Derived SS1977		0-5, 7, 8, 9 (derived from Collaborative Stage fields)	1	
3020	Derived SS2000		0-5, 7, 8, 9 (derived from Collaborative Stage fields)	1	
3030	Derived AJCC--Flag		1, 2, blank	1	
3040	Derived SS1977--Flag		1, 2, blank	1	
3050	Derived SS2000--Flag		1, 2, blank	1	
3100	Archive FIN	Right justified, zero filled	10-digit number	10	

Item #	Item Name	Format	Allowable Values	Length	Note
3110	Comorbid/Complication 1	Left justified, zero filled	00000, 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049	5	
3120	Comorbid/Complication 2	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049, blank	5	
3130	Comorbid/Complication 3	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049, blank	5	
3140	Comorbid/Complication 4	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049, blank	5	
3150	Comorbid/Complication 5	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049, blank	5	
3160	Comorbid/Complication 6	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049, blank	5	
3161	Comorbid/Complication 7	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049, blank	5	New
3162	Comorbid/Complication 8	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049, blank	5	New

Item #	Item Name	Format	Allowable Values	Length	Note
3163	Comorbid/Complication 9	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049, blank	5	New
3164	Comorbid/Complication 10	Left justified, zero filled	00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, V5041-V5049, blank	5	New
3165	ICD Revision Comorbid		1, 9, blank	1	New
3170	RX Date--Most Defin Surg	MMDDCCYY	Valid dates, 00000000, 99999999	8	
3180	RX Date--Surgical Disch	MMDDCCYY	Valid dates, 00000000, 99999999	8	
3190	Readm Same Hosp 30 Days		0-3, 9	1	
3200	Rad--Boost RX Modality	Right justified, zero filled	00, 20-32, 40-43, 50-55, 60-62, 98, 99	2	
3210	Rad--Boost Dose cGy	Right justified, zero filled	00000-99999	5	
3220	RX Date--Radiation Ended	MMDDCCYY	Valid dates, 00000000, 88888888, 99999999	8	
3230	RX Date--Systemic	MMDDCCYY	Valid dates, 00000000, 88888888, 99999999	8	
3250	RX Summ--Transplnt/Endocr	Right justified, zero filled	00, 10-12, 20, 30, 40, 82, 85-88, 99	2	
3260	Pain Assessment				Retired
3270	RX Summ--Palliative Proc		0-7, 9	1	
3280	RX Hosp--Palliative Proc		0-7, 9	1	
3300	RuralUrban Continuum 1993	Right justified, zero filled	00-09, 98, 99, (calculated); blank	2	
3310	RuralUrban Continuum 2000	Right justified, zero filled	00-09, 98, 99, (calculated); blank	2	





## **CHAPTER X**

### **DATA DICTIONARY**

In this chapter, data items are presented in alphabetical order by item names. For each item, a general description, specific codes and meanings are given. For many items, the document provides a brief rationale for collecting the data item or for using the codes listed. The at-a-glance header for each data item has alternate name(s), item number, length, source of standard, and column numbers (for a discussion of NAACCR's standard naming conventions, see Chapter I).

Differences from Version 10.2 are marked "Revised" or "New" following the item name and item number. Black vertical lines in the outside margins highlight changes. Revised and new items are summarized in Appendix F.

Alternate names by which the same item is called under NAACCR's naming convention are listed in Appendix D.

The Source of Standard implies the reference for detailed coding instructions for many of the data items. A list of references can be found in Chapter VI. Chapter II, Table 1 provides a list of reference manuals for Version 11 (and prior versions).

Date fields are recorded in the month, day, year format (MMDDCCYY), with 99 for unknown day or month and 9999 for unknown year. For example:

- 00000000 No date
- 99999999 Unknown date
- 01992003 Example of date when the month and year are known but the day is unknown
- 99992003 Example of date when the year is known but the month and day are unknown.

**ABSTRACTED BY**

Alternate Name	Item #	Length	Source of Standard	Column #
	570	3	COC	413-415

**Description**

An alphanumeric code assigned by the reporting facility that identifies the individual abstracting the case.

**ACCESSION NUMBER--HOSP**

Revised

Alternate Name	Item #	Length	Source of Standard	Column #
Accession Number (COC)	550	9	COC	402-410

**Description**

Provides a unique identifier for the patient consisting of the year in which the patient was first seen at the reporting facility and the consecutive order in which the patient was abstracted.

The first four numbers specify the year and the last five numbers are the numeric order in which the patient was entered into the registry database. Within a registry, all primaries for an individual must have the same accession number. The first four digits must be greater than or equal to 1944.

**Rationale**

This data item protects the identity of the patient and allows cases to be identified on a local, state, and national level. If the central registry preserves this number, they can refer to it when communicating with the hospital. It also provides a way to link computerized follow-up reports from hospitals into the central database.

**ADDR AT DX--CITY**

Alternate Name	Item #	Length	Source of Standard	Column #
City or Town (pre-96 COC)	70	20	COC	52-71
City/Town at Diagnosis (COC)				

**Description**

Name of the city in which the patient resides at the time the reportable tumor was diagnosed. If the patient resides in a rural area, record the name of the city used in their mailing address. If the patient has multiple primaries, the city of residence may be different for each primary.

**Codes**

UNKNOWN (in addition to valid City)

**ADDR AT DX--NO & STREET**

Alternate Name	Item #	Length	Source of Standard	Column #
Patient Address (Number and Street) at Diagnosis (COC) Number and Street (pre-96 COC)	2330	40	COC	2108-2147

**Description**

The number and street address or the rural mailing address of the patient's residence at the time the reportable tumor was diagnosed. If the patient has multiple tumors, address at diagnosis may be different for each tumor. Additional address information such as facility, nursing home, or name of apartment complex should be entered in Addr At DX-Supplementl [2335]. Do not update this item if patient moves after diagnosis.

U.S. addresses should conform to the U.S. Postal Service (USPS) *Postal Addressing Standards*. These standards are referenced in USPS Publication 28, November 2000, *Postal Addressing Standards*. The current USPS Pub. 28 may be found and downloaded from the following Website:  
<http://pe.usps.gov/cpim/ftp/pubs/Pub28/pub28.pdf>.

Canadian addresses should conform to the *Canada Postal Guide*. The current Canadian Postal Address standards may be found at the following Website: <http://www.canadapost.ca/tools/pg/manual/b03-e.asp#top>.

**Rationale**

Addresses that are formatted to conform to USPS *Postal Addressing Standards* can be more properly geocoded by geographic information systems (GIS) software and vendors to the correct census tract, which is required by NPCR and SEER registries. The USPS Standards also address a number of issues that are problematic in producing precise addresses, including the use of punctuation, abbreviations, and proper placement of address elements, such as street direction, apartment and suite numbers, and unusual addressing situations. Spanish-language addresses also are covered by the USPS Standard.

**Coding Instructions (summary of USPS guidelines)**

The address should be fully spelled out with standardized use of abbreviations and punctuation per USPS postal addressing standards (USPS *Postal Addressing Standards*, Pub. 28, November 2000). Upper case recommended. Mixed case allowed.

Abbreviations should be limited to those recognized by USPS standard abbreviations, these include but are not limited to (A complete list of recognized street abbreviations is provided in Appendix C of USPS Pub. 28):

APT	apartment	N	north
BLDG	building	NE	northeast
FL	floor	NW	northwest
STE	suite	S	south
UNIT	unit	SE	southeast
RM	room	SW	southwest
DEPT	department	E	east
		W	west

Punctuation marks should be avoided, except when punctuation is necessary to convey the meaning. Punctuation normally is limited to periods when the period carries meaning (e.g., 39.2 RD), slashes for

fractional addresses (e.g., 101 1/2 MAIN ST), and hyphens when the hyphen carries meaning (e.g., 289-01 MONTGOMERY AVE). Use of the pound sign (#) to designate address units should be avoided whenever possible. The preferred notation is as follows: 102 MAIN ST APT 101. If a pound sign is used, there must be a space between the pound sign and the secondary number (e.g., 425 FLOWER BLVD # 72).

#### Codes (in addition to valid street address)

UNKNOWN Patient's address is unknown

#### ADDR AT DX--POSTAL CODE

Alternate Name	Item #	Length	Source of Standard	Column #
Postal Code at Diagnosis (COC)	100	9	COC	74-82
Zip Code (pre-COC)				

#### Description

Postal code for the address of the patient's residence at the time the reportable tumor is diagnosed. If the patient has multiple tumors, the postal code may be different for each tumor.

For U.S. residents, use either the 5-digit or the extended 9-digit ZIP code. Blanks follow the 5-digit code. If the 4-digit extension is not collected, then the corresponding characters of an unknown value may be blank.

For Canadian residents, use the 6-character alphanumeric postal code. Blanks follow the 6-character code.

When available, enter the postal code for other countries.

#### Codes (in addition to US and Canadian postal codes)

888888888 Resident of country other than the United States, U.S. possessions or territories, or Canada and the postal code is unknown.

999999999 Resident of the United States (including its possessions, etc.) or Canada and the postal code is unknown

#### ADDR AT DX--STATE

Alternate Name	Item #	Length	Source of Standard	Column #
State (pre-96 COC)	80	2	COC	72-73
State at Diagnosis (COC)				

#### Description

USPS abbreviation for the state, territory, commonwealth, U.S. possession, or CanadaPost abbreviation for the Canadian province/ territory in which the patient resides at the time the reportable tumor is diagnosed. If the patient has multiple primaries, the state of residence may be different for each tumor.

#### Codes (in addition to USPS abbreviations)

XX Resident of country other than the United States (including its territories, commonwealths, or possessions) or Canada, and country is known

YY Resident of country other than the United States (including its territories, commonwealths, or possessions) or Canada, and country is unknown

ZZ Resident of the United States, NOS (including its territories, commonwealths, or possessions); Canada, NOS; residence unknown

**ADDR AT DX--SUPPLEMENTL**

Alternate Name	Item #	Length	Source of Standard	Column #
Patient Address (Number and Street) at Diagnosis--Supplemental (COC)	2335	40	COC	2148-2187

**Description**

This data item provides the ability to store additional address information such as the name of a place or facility, a nursing home, or the name of an apartment complex. If the patient has multiple tumors, address at diagnosis may be different for each tumor. Additional address information such as number and street should be entered in Addr At DX-NO&Street [2330].

U.S. addresses should conform to the USPS *Postal Addressing Standards*. These standards are referenced in USPS Pub. 28, November 2000, *Postal Addressing Standards*. The current USPS Pub. 28 may be found and downloaded from the following Website: <http://pe.usps.gov/cpim/ftp/pubs/Pub28/pub28.pdf>.

Canadian addresses should conform to the *Canada Postal Guide*. The current *Canada Postal Guide* may be found at the following Website: <http://www.canadapost.ca/tools/pg/manual/b03-e.asp#top>.

**Rationale**

Sometimes the registry receives the name of a facility instead of a proper street address containing the street number, name, direction, and other elements necessary to locate an address on a street file for the purpose of geocoding. By having a second street address field to hold address information, the registry can look up and store the street address and not lose the facility name due to a shortage of space. The presence of a second street address field to hold additional address information also aids in follow-up.

Addresses that are formatted to conform to USPS *Postal Addressing Standards* can be more properly geocoded by GIS software and vendors to the correct census tract, which is required by NPCR and SEER registries. The USPS Standards also address a number of issues that are problematic in producing precise addresses, including the use of punctuation, abbreviations, and proper placement of address elements, such as street direction, apartment and suite numbers, and unusual addressing situations. Spanish-language addresses also are covered by the USPS Standard.

**Coding Instructions (summary of USPS guidelines)**

The address should be fully spelled out with standardized use of abbreviations and punctuation per USPS postal addressing standards (USPS *Postal Addressing Standards*, Pub. 28, November 2000). Upper case recommended. Mixed case allowed.

Abbreviations should be limited to those recognized by the Postal Service standard abbreviations, these include but are not limited to (a complete list of recognized abbreviations is provided in Appendix C of USPS Pub. 28.):

APT	apartment	N	north
BLDG	building	NE	northeast
FL	floor	NW	northwest
STE	suite	S	south
UNIT	unit	SE	southeast
RM	room	SW	southwest
DEPT	department	E	east
		W	west

**ADDR CURRENT--CITY**

Alternate Name	Item #	Length	Source of Standard	Column #
City/Town--Current (COC)	1810	20	COC	1307-1326

**Description**

Name of city of the patient's current usual residence. If the patient has multiple tumors, the current city of residence should be the same for all tumors.

**Rationale**

"Current address" can be used to measure the regional "cancer burden" (cost, medical care needs), especially in major retirement regions. Sometimes central registries carry out follow-up by contacting the patients by a letter or telephone calls to ascertain their vital status. The most current reported address and telephone number are needed. This information is also useful for conducting interview studies.

*Note:* Prior to Version 5, Follow-Up Contact fields may have been used for patient current address in the NAACCR record layout.

**ADDR CURRENT--NO & STREET**

Alternate Name	Item #	Length	Source of Standard	Column #
Patient Address (Number and Street)--Current (COC)	2350	40	COC	2188-2227

**Description**

The number and street address or the rural mailing address of the patient's current usual residence. This can be used to generate a follow-up inquiry, and must correspond to other fields in the current address. If the patient has multiple tumors, the current address should be the same. Additional address information such as facility, nursing home, or name of apartment complex should be entered in item Addr Current--Supplemental [2335].

U.S. addresses should conform to the USPS *Postal Addressing Standards*. These standards are referenced in USPS Pub. 28, November 2000, *Postal Addressing Standards*. The current USPS Pub. 28 may be found and downloaded from the following Website: <http://pe.usps.gov/cpim/ftp/pubs/Pub28/pub28.pdf>.

Canadian addresses should conform to the *Canada Postal Guide*. The current Canadian Postal Address standards may be found at the following Website: <http://www.canadapost.ca/tools/pg/manual/b03-e.asp#top>.

**Rationale**

"Current address" can be used to measure the regional "cancer burden" (cost, medical care needs), especially in major retirement regions. Sometimes central registries carry out follow-up by contacting the patients via letter or telephone calls to ascertain their vital status. The most current reported address and telephone number are needed. This information also is useful for conducting interview studies.

Addresses that are formatted to conform to USPS *Postal Addressing Standards* can be more properly geocoded by GIS software and vendors to the correct census tract. The USPS Standards also address a number of issues that are problematic in producing precise addresses, including the use of punctuation, abbreviations, and proper placement of address elements, such as street direction, apartment and suite numbers, and unusual addressing situations. Spanish-language addresses also are covered by the USPS Standard.

**Coding Instructions (summary of USPS guidelines)**

The address should be fully spelled out with standardized use of abbreviations and punctuation per USPS postal addressing standards (USPS Postal Addressing Standards, Pub. 28, November 2000). Upper case recommended. Mixed case allowed.

Abbreviations should be limited to those recognized by USPS standard abbreviations, these include but are not limited to (a complete list of recognized street abbreviations is provided in Appendix C of USPS Pub. 28.):

APT	apartment	N	north
BLDG	building	NE	northeast
FL	floor	NW	northwest
STE	suite	S	south
UNIT	unit	SE	southeast
RM	room	SW	southwest
DEPT	department	E	east
		W	west

Punctuation marks should be avoided, except when punctuation is necessary to convey the meaning. Punctuation normally is limited to periods when the period carries meaning (e.g., 39.2 RD), slashes for fractional addresses (e.g., 101 1/2 MAIN ST), and hyphens when the hyphen carries meaning (e.g., 289-01 MONTGOMERY AVE). Use of the pound sign (#) to designate address units should be avoided whenever possible. The preferred notation is as follows: 102 MAIN ST APT 101. If a pound sign is used, there must be a space between the pound sign and the secondary number (e.g., 425 FLOWER BLVD # 72).

*Note:* Prior to Version 5, Follow-Up Contact fields may have been used for patient current address in the NAACCR record layout.

**ADDR CURRENT--POSTAL CODE**

Alternate Name	Item #	Length	Source of Standard	Column #
Postal Code--Current (COC)	1830	9	COC	1329-1337

**Description**

Postal code for the address of the patient's current usual residence. If the patient has multiple tumors, the postal codes should be the same. For U.S. residents, use either the 5-digit or the extended 9-digit ZIP code. Blanks follow the 5-digit code. For Canadian residents, use the 6-character alphanumeric postal code. Blanks follow the 6-character code. When available, enter postal code for other countries.

**Rationale**

"Current address" can be used to measure the regional "cancer burden" (cost, medical care needs), especially in major retirement regions. Sometimes central registries carry out follow-up by contacting the patients by a letter or telephone calls to ascertain their vital status. The most current reported address and telephone number are needed. This information also is useful for conducting interview studies.

**Codes (in addition to U.S., Canadian, and Foreign postal codes)**

888888888	Resident of country other than the United States (including its possessions, etc.) or Canada, and postal code unknown
999999999	Resident of the United States (including its possessions, etc.) or Canada, and postal code unknown

*Note:* Prior to Version 5, Follow-Up Contact fields may have been used for patient current address in the NAACCR record layout.

**ADDR CURRENT--STATE**

Alternate Name	Item #	Length	Source of Standard	Column #
State--Current (COC)	1820	2	COC	1327-1328

**Description**

USPS abbreviation for the state, territory, commonwealth, U.S. possession, or CanadaPost abbreviation for the Canadian province/territory of the patient's current usual residence. If the patient has multiple tumors, the current state of residence should be the same for all tumors.

**Rationale**

"Current address" can be used to measure the regional "cancer burden" (cost, medical care needs), especially in major retirement regions. Sometimes central registries carry out follow-up by contacting the patients via letter or telephone calls to ascertain vital status. The most current reported address and telephone number are needed. This information also is useful for conducting interview studies.

**Codes (in addition to the U.S. and Canadian postal service abbreviations)**

XX	Resident of country other than the United States (including its territories, commonwealths, or possessions) or Canada, and country is known
YY	Resident of country other than the United States (including its territories, commonwealths, or possessions) or Canada, and country is unknown
ZZ	Resident of the United States, NOS (including its territories, commonwealths, or possessions); Canada, NOS; residence unknown

*Note:* Prior to Version 5, Follow-Up Contact fields may have been used for patient current address in the NAACCR record layout.

**ADDR CURRENT--SUPPLEMENTL**

Alternate Name	Item #	Length	Source of Standard	Column #
Patient Address (Number and Street) Current--Supplemental (COC)	2355	40	COC	2228-2267

**Description**

This data item provides the ability to store additional address information such as the name of a place or facility, a nursing home, or the name of an apartment complex. This can be used to generate a follow-up inquiry, and must correspond to other fields in the current address. If the patient has multiple tumors, the current address should be the same.



U.S. addresses should conform to the USPS *Postal Addressing Standards*. These standards are referenced in USPS Pub. 28, November 2000, *Postal Addressing Standards*. The current USPS Pub. 28 may be found and downloaded from the following Website: <http://pe.usps.gov/cpim/ftp/pubs/pub28/pub28.pdf>.

Canadian addresses should conform to the *Canada Postal Guide*. The current *Canada Postal Guide* may be found at the follow Website: <http://www.canadapost.ca/tools/pg/manual/b03-e.asp#top>.

### **Rationale**

Sometimes the registry receives the name of a facility instead of a proper street address containing the street number, name, direction, and other elements necessary to locate an address on a street file for the purpose of geocoding. By having a second street address field to hold address information, the registry can look up and store the street address and not lose the facility name due to a shortage of space. The presence of a second street address field to hold additional address information also aids in follow-up.

“Current address” can be used to measure the regional “cancer burden” (cost, medical care needs), especially in major retirement regions. Sometimes central registries carry out follow-up by contacting the patients via letter or telephone calls to ascertain their vital status. The most current reported address and telephone number are needed. This information is also useful for conducting interview studies.

### **Coding Instructions (summary of USPS guidelines)**

The address should be fully spelled out with standardized use of abbreviations and punctuation per USPS postal addressing standards (USPS *Postal Addressing Standards*, Pub. 28, November 2000). Upper case recommended. Mixed case allowed.

Abbreviations should be limited to those recognized by the Postal Service standard abbreviations, these include but are not limited to (a complete list of recognized abbreviations is provided in Appendix C of USPS Pub. 28.):

APT	apartment	N	north
BLDG	building	NE	northeast
FL	floor	NW	northwest
STE	suite	S	south
UNIT	unit	SE	southeast
RM	room	SW	southwest
DEPT	department	E	east
		W	west

*Note:* Prior to Version 5, Follow-Up Contact fields may have been used for patient current address in the NAACCR record layout.

**AGE AT DIAGNOSIS**

Alternate Name	Item #	Length	Source of Standard	Column #
	230	3	SEER/COC	119-121

**Description**

Age of the patient at diagnosis in complete years. Different tumors for the same patient may have different values.

**Codes**

000 Less than 1 year old  
 001 1 year old, but less than 2 years  
 002 2 years old  
 ... (show actual age in completed years)  
 101 101 years old  
 ...  
 120 120 years old  
 999 Unknown age

**ALCOHOL HISTORY**

Alternate Name	Item #	Length	Source of Standard	Column #
	350	1	Varies	225-225

**Description**

NAACCR has not adopted standards for this item.

**AMBIGUOUS TERMINOLOGY DX****New**

Alternate Name	Item #	Length	Source of Standard	Column #
Ambiguous Terminology as Basis for Diagnosis	442	1	SEER	324-324

**Description**

Identifies cases for which an ambiguous term is the most definitive word or phrase used to establish a cancer diagnosis (i.e., to determine whether or not the case is reportable). Do not include cases where a definite statement of malignancy is made within two months following the original/initial diagnosis. (This does not include the use of ambiguous terminology from cancer screening followed by a positive cancer confirmation that is follow-up to the screening.)

Cases include reportable cancer diagnoses (by any method including death certificate only and autopsy only) based only on ambiguous terminology. There is no conclusive diagnosis (positive clinical diagnosis, pathology, etc.) within two months of the original diagnosis that will further qualify the ambiguous term (no longer based on ambiguous terminology).

Ambiguous terminology may originate from any source document, such as pathology report, radiology report, or from a clinical report.

This data item is used only when ambiguous terminology is used to establish diagnosis. It is not used when ambiguous terminology is used to clarify a primary site, specific histology, histologic group, or stage of disease.

**Ambiguous terms that are reportable**

Apparent(ly)

Appears (effective with cases diagnosed 1/1/1998 and later)

Comparable with (effective with cases diagnosed 1/1/1998 and later)

Compatible with (effective with cases diagnosed 1/1/1998 and later)

Consistent with

Favor(s)

Malignant appearing (effective with cases diagnosed 1/1/1998 and later)

Most likely

Presumed

Probable

Suspect(ed)

Suspicious (for)

Typical (of)

Follow-back to a physician or subsequent readmission (following the initial two month diagnosis period) may eventually confirm a cancer diagnosis (conclusive cancer diagnosis greater than two months after date of initial diagnosis that was based on ambiguous terminology).

These cases should be excluded from case selection in research studies and from annual contact (i.e., follow-up) by registrars. Direct patient contact is not recommended for these cases.

**Rationale**

Cases with a reportable cancer diagnosis that has been established based only on reports that contain ambiguous terminology to describe final diagnostic findings cannot currently be identified.

Multiple surveys have identified a lack of consensus in the interpretation and use of ambiguous terms across physician specialties. These cases may or may not have an actual cancer diagnosis based on clinician, radiologist, and pathologist review.

Furthermore, the historical interpretation and use of ambiguous terms by cancer registrars and registries has not been consistent or compatible with physician use of these terms.

This data item will identify specific primary sites where the ambiguous terminology is commonly used to describe or establish a cancer diagnosis.

Data collected will be used as the basis for modifications to case inclusion and reportable rules following complete analysis and impact assessment.

This data item will allow cases to be identified within an analysis file. It will also allow these cases to be identified and excluded from patient contact studies.

**Codes**

- 0 Diagnosis based on unambiguous terminology (definite statement of malignancy) within two months of initial diagnosis
- 1 Diagnosis based on ambiguous terminology within two months of initial diagnosis (diagnosis may be from a pathology report, cytology report, or radiology report or on the medical record)
- 2 Diagnosis previously based on ambiguous terminology, with unambiguous confirmation two months or more after initial diagnosis (conclusive cancer diagnosis, by any method, more than two months following an initial diagnosis based on ambiguous terminology)
- 9 Unknown if diagnosis based on ambiguous terminology

**ARCHIVE FIN**

Alternate Name	Item #	Length	Source of Standard	Column #
	3100	10	COC	392-401

**Description**

This field identifies the facility that originally accessioned the tumor.

**Rationale**

Each facility's facility identification number (FIN) is unique. It is essential for hospital registries to have the ability to distinguish cases originally accessioned by each registry of a merged unit. This enables the central registry to manage the receipt of historical data and to appropriately attribute these data.

Efforts are underway at the federal level to establish uniform national provider ID numbers. COC and NAACCCR committees will consider the adoption of any federal standards when they become available.

**Instructions for Coding**

COC maintains the codes, including those for non-hospital sources of reporting.

For facilities with 7-digit FINs in the range of 6020009-6953290 that were assigned by COC before January 1, 2001, the coded FIN will consist of three leading zeroes followed by the full 7-digit number.

For facilities with FINs greater than or equal to 10000000 that were assigned by COC after January 1, 2001, enter FIN codes of this type as two zeroes followed by the full 8-digit code. These sometimes are called COC FIN 10-digit codes.

**AUTOPSY**

Alternate Name	Item #	Length	Source of Standard	Column #
	1930	1	NAACCR	1393-1393

**Description**

Code indicating whether or not an autopsy was performed.

**Codes**

- 0 Not applicable; patient alive
- 1 Autopsy performed
- 2 No autopsy performed
- 9 Patient expired, unknown if autopsy performed

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**BEHAVIOR (73-91) ICD-O-1**

Alternate Name	Item #	Length	Source of Standard	Column #
	1972	1	SEER	1145-1145

**Description**

Area for retaining behavior portion (1 digit) of the ICD-O-1 or field trial morphology codes entered before a conversion to ICD-O-2. See grouped data item Morph (73-91) ICD-O-1 [1970] in Appendix E. The item name includes years 73-91. However, some states may have used the codes for cases before 1973. It is a subfield of the morphology code.

**Codes**

For tumors diagnosed before 1992, contains the ICD-O-1 or field trial 1-digit behavior code as originally coded, if available. Blank for tumors coded directly into ICD-O-2 (i.e., 1992 and later tumors).

**BEHAVIOR (92-00) ICD-O-2**

Alternate Name	Item #	Length	Source of Standard	Column #
	430	1	SEER/COC	300-300

**Description**

Code for the behavior of the tumor being reported using ICD-O-2. NAACCR adopted ICD-O-2 as the standard coding system for tumors diagnosed from January 1, 1992, through December 31, 2000. In addition, NAACCR recommended that cases diagnosed prior to 1992 be converted to ICD-O-2. See Behavior (73-91) ICD-O-1 [1972], for ICD-O-1 and field trial codes.

**Codes**

Valid codes are 0-3. See ICD-O-2,<sup>15</sup> page 22, for behavior codes and definitions.

**Clarification of Required Status**

This data item is required by all standard-setting organizations for tumors diagnosed from January 1, 1992, through December 31, 2000, and recommended for tumors diagnosed before 1992.

When the histologic type is coded according to the ICD-O-2, the histology code must be reported in Histology (92-00) ICD-O-2 [420], with behavior coded in Behavior (92-00) ICD-O-2 [430].

For information on required status for related data items for histologic type and behavior when coded according to ICD-O-3, see Histologic Type ICD-O-3 [522] and Behavior Code ICD-O-3 [523].

**BEHAVIOR CODE ICD-O-3**

Alternate Name	Item #	Length	Source of Standard	Column #
Behavior Code (COC)	523	1	SEER/COC	305-305

**Description**

Code for the behavior of the tumor being reported using ICD-O-3. NAACCR adopted ICD-O-3 as the standard coding system for tumors diagnosed beginning January 1, 2001, and later recommended that prior cases be converted from ICD-O-2. See Behavior (92-00) ICD-O-2 [430], for ICD-O-2 codes.

Juvenile astrocytoma is coded as borderline in ICD-O-3, North American registries report as 9421/3.

**Codes**

Valid codes are 0-3. See ICD-O-3,<sup>14</sup> page 66, for behavior codes and definitions.

**Clarification of Required Status**

Behavior is required by all standard-setting organizations for tumors diagnosed on or after January 1, 2001, and recommended (by conversion from ICD-O-2 codes) for tumors diagnosed before 2001.

When the histologic type is coded according to the ICD-O-3, the histology code must be reported in Histologic Type ICD-O-3 [522], with behavior coded in Behavior Code ICD-O-3 [523].

For information on required status for related data items for histologic type and behavior when coded according to ICD-O-2, see Histology (92-00) ICD-O-2 [420] and Behavior (92-00) ICD-O-2 [430].

**BIRTH DATE**

				Revised
Alternate Name	Item #	Length	Source of Standard	Column #
Date of Birth (SEER/COC)	240	8	SEER/COC	122-129

**Description**

Date of birth of the patient. See page 81 for date format. If age at diagnosis and year of diagnosis are known, but year of birth is unknown, then year of birth should be calculated and so coded. Month and day would be coded as unknown (99). Estimate date of birth when information is not available. It is better to estimate than to code as an unknown value.

**BIRTHPLACE**

Alternate Name	Item #	Length	Source of Standard	Column #
Place of Birth (SEER/COC)	250	3	SEER/COC	130-132

**Description**

Code for place of birth of the patient. If a patient has multiple tumors, all records should contain the same code.

**Rationale**

Place of Birth is helpful for patient matching and can be used when reviewing race and ethnicity. In addition, adding birthplace data to race and ethnicity allows for a more specific definition of the population being reported. Careful descriptions of ancestry, birthplace, and immigration history of populations studied are needed to make the basis for classification into ethnic groups clear. Birthplace has been associated with variation in genetic, socioeconomic, cultural, and nutritional characteristics that affect patterns of disease. A better understanding of the differences within racial and ethnic categories also can help states develop effective, culturally sensitive public health prevention programs to decrease the prevalence of high-risk behaviors and increase the use of preventive services.

**Code**

See Appendix B (also Appendix B of the *SEER Program Code Manual*) for numeric and alphabetic lists of places and codes.

**CANCER STATUS****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
	1770	1	COC	1303-1303

**Description**

Records the presence or absence of clinical evidence of the patient's malignant or non-malignant tumor as of the Date of Last Contact [1750]. If the patient has multiple primaries, the values may be different for each primary.

**Rationale**

Hospitals use this field to compute survival analysis (disease-free intervals). By maintaining this data item, central registries can assist hospital registries by sharing this information with other hospital registries that serve the same patients, if the state's privacy laws so permit.

**Codes**

- 1 No evidence of this tumor
- 2 Evidence of this tumor
- 9 Unknown, indeterminate whether this tumor is present, not stated in patient record

**CASEFINDING SOURCE****New**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	501	2	NAACCR	322-323

**Description**

This variable codes the earliest source of identifying information. For cases identified by a source other than reporting facilities (such as through death clearance or as a result of an audit), this variable codes the type of source through which the tumor was first identified. This data item cannot be used by itself as a data quality indicator. The timing of the casefinding processes (e.g., death linkage) varies from registry to registry, and the coded value of this variable is a function of that timing.

**Rationale**

This data item will help reporting facilities as well as regional and central registries in prioritizing their casefinding activities. It will identify reportable tumors that were first found through death clearance or sources other than traditional reporting facilities. It provides more detail than "Type of Reporting Source."

**Coding Instructions**

This variable is intended to code the source that first identified the tumor. Determine where the case was first identified and enter the appropriate code. At the regional or central level, if a hospital and a non-hospital source identified the case independently of each other, enter the code for the non-hospital source (i.e., codes 30-95 have priority over codes 10-29). If the case was first identified at a reporting facility (codes 10-29), code the earliest source (based on patient or specimen contact at the facility) of identifying information.

If a death certificate, independent pathology laboratory report, consultation-only report from a hospital, or other report was used to identify a case that was then abstracted from a different source, enter the code for the source that first identified the case, not the source from which it was subsequently abstracted. If a regional or central registry identifies a case and asks a reporting facility to abstract it, enter the code that corresponds to the initial source, not the code that corresponds to the eventual reporting facility.

**Codes**

Case first identified at a reporting facility:

- 10 Reporting Hospital, NOS
- 20 Pathology Department Review (surgical pathology reports, autopsies, or cytology reports)
- 21 Daily Discharge Review (daily screening of charts of discharged patients in the medical records department)
- 22 Disease Index Review (review of disease index in the medical records department)
- 23 Radiation Therapy Department/Center
- 24 Laboratory Reports (other than pathology reports, code 20)
- 25 Outpatient Chemotherapy
- 26 Diagnostic Imaging/Radiology (other than radiation therapy, codes 23; includes nuclear medicine)
- 27 Tumor Board
- 28 Hospital Rehabilitation Service or Clinic
- 29 Other Hospital Source (including clinic, NOS or outpatient department, NOS)

Case first identified by source other than a reporting facility covered in the codes above:

- 30 Physician-Initiated Case
- 40 Consultation-only or Pathology-only Report (not abstracted by reporting hospital)
- 50 Independent (non-hospital) Pathology-Laboratory Report



60	Nursing Home-Initiated Case
70	Coroner's Office Records Review
75	Managed Care Organization (MCO) or Insurance Records
80	Death Certificate (case identified through death clearance)
85	Out-of-State Case Sharing
90	Other Non-Reporting Hospital Source
95	Quality Control Review (case initially identified through quality control activities such as casefinding audit of a regional or central registry)
99	Unknown

**CAUSE OF DEATH**

Alternate Name	Item #	Length	Source of Standard	Column #
Underlying Cause of Death (SEER) Underlying Cause of Death (ICD Code) (pre-96 COC)	1910	4	SEER	1388-1391

**Description**

Official cause of death as coded from the death certificate in valid ICD-7, ICD-8, ICD-9, and ICD-10 codes.

**Rationale**

Cause of death is used for calculation of adjusted survival rates by the life table method. The adjustment corrects for deaths other than from the diagnosed cancer.

**Special codes in addition to ICD-7, ICD-8, ICD-9, and ICD-10 (refer to *SEER Program Code Manual for additional instructions*)**

0000	Patient alive at last contact
7777	State death certificate not available
7797	State death certificate available but underlying cause of death is not coded

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**CENSUS COD SYS 1970/80/90**

Alternate Name	Item #	Length	Source of Standard	Column #
Census Coding System (COC) Coding System for Census Tract (pre-96 SEER/COC)	120	1	SEER	92-92

**Description**

Identified the set of Census Bureau census tract definitions (boundaries) that were used to code the census tract in Census Tract 1970/80/90 [110] for a specific record.

**Rationale**

Allows for changes in census tracts over time. The census tract definition used to code the case must be recorded so that data are correctly grouped and analyzed. If the coding system were not recorded, the census codes would have to be converted or recoded every time the census tracts were changed.

**Codes**

- 0 Not tracted
- 1 1970 Census Tract Definitions
- 2 1980 Census Tract Definitions
- 3 1990 Census Tract Definitions
- Blank Census Tract 1970/80/90 not coded

**Clarification of NPCR Required Status**Census-1990 data items:

- Census Tract 1970/80/90 [110]
- Census Tr Cert 1970/80/90 [364]
- Census Tract Cod Sys -- 1970/80/90 [120]

Census-2000 data items:

- Census Tract 2000 [130]
- Census Tr Certainty 2000 [365]

Information on census tract, census tract certainty, and census tract coding system is required. For tumors diagnosed in or after 2003, Census Tract 2000 [130] and Census Tr Certainty 2000 [365] ("Census-2000 data items") are required. For tumors diagnosed in or before 2002, the requirement can be met by collecting either the Census-1990 data items [110, 364, 120] or the Census-2000 data items, although the Census-2000 data items [130 and 365] are recommended for tumors diagnosed in 1998 through 2002.

**CENSUS TR CERT 1970/80/90****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
Census Tract Certainty	364	1	SEER	100-100

**Description**

Code indicating basis of assignment of census tract or block numbering area (BNA) for an individual record. Helpful in identifying cases tracted from incomplete information or P.O. Box. Most of the time, this information is provided by a geocoding vendor service. Alternatively, a central registry staff manually assigns the code. This item is not coded by the hospital. Codes are hierarchical, with lower numbers having priority.

*Note:* Codes 1-5 and 9 are usually assigned by a geocoding vendor, while code 6 is usually assigned through a special effort by the central registry.

**Codes**

- 1 Census tract/BNA based on complete and valid street address of residence
- 2 Census tract/BNA based on residence ZIP + 4
- 3 Census tract/BNA based on residence ZIP + 2
- 4 Census tract/BNA based on residence ZIP code only
- 5 Census tract/BNA based on ZIP code of P.O. Box
- 6 Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
- 9 Unable to assign census tract or BNA based on available information
- Blank Not applicable (e.g., census tracting not attempted); Census Tract Certainty information for 1970/80/90 not coded

**Clarification of NPCR Required Status**Census-1990 data items:

Census Tract 1970/80/90 [110]

Census Tr Cert 1970/80/90 [364]

Census Tract Cod Sys--1970/80/90 [120]

Census-2000 data items:

Census Tract 2000 [130]

Census Tr Certainty 2000 [365]

Information on census tract, census tract certainty, and census tract coding system is required. For tumors diagnosed in or after 2003, Census Tract 2000 [130] and Census Tr Certainty 2000 [365] (“Census-2000 data items”) are required. For tumors diagnosed in or before 2002, the requirement can be met by collecting either the Census-1990 data items [110, 364, 120] or the Census-2000 data items, although the Census-2000 data items [130 and 365] are recommended for tumors diagnosed in 1998 through 2002.

**CENSUS TR CERTAINTY 2000****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
	365	1	NAACCR	101-101

**Description**

Code indicating basis of assignment of census tract for an individual record. Helpful in identifying cases tracted from incomplete information or P.O. Box. Most of the time, this information is provided by a geocoding vendor service. Alternatively, a central registry staff manually assigns the code. This item is not coded by the hospital. Codes are hierarchical, with lower numbers having priority.

*Note:* Codes 1-5 and 9 are usually assigned by a geocoding vendor, while code 6 is usually assigned through a special effort by the central registry.

**Codes**

- 1 Census tract based on complete and valid street address of residence
- 2 Census tract based on residence ZIP + 4
- 3 Census tract based on residence ZIP + 2
- 4 Census tract based on residence ZIP code only
- 5 Census tract based on ZIP code of P.O. Box
- 6 Census tract/BNR based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
- 9 Unable to assign census tract or bloc numbering based on available information
- Blank Not applicable (e.g., census tracting not attempted); Census Tract Certainty information for 2000 not coded

**Clarification of NPCR Required Status**Census-1990 data items:

Census Tract 1970/80/90 [110]

Census Tr Cert 1970/80/90 [364]

Census Tract Cod Sys -- 1970/80/90 [120]

Census-2000 data items:

Census Tract 2000 [130]

Census Tr Certainty 2000 [365]

Information on census tract, census tract certainty, and census tract coding system is required. For tumors diagnosed in or after 2003, Census Tract 2000 [130] and Census Tr Certainty 2000 [365] (“Census-2000 data items”) are required. For tumors diagnosed in or before 2002, the requirement can be met by collecting either the Census-1990 data items [110, 364, 120] or the Census-2000 data items, although the Census-2000 data items [130 and 365] are recommended for tumors diagnosed in 1998 through 2002.

**CENSUS TRACT 1970/80/90**

Alternate Name	Item #	Length	Source of Standard	Column #
Census Tract/Block Numbering Area (BNA) (SEER) Census Tract	110	6	SEER	86-91

**Description**

Code for the census tract or BNA of the patient's residence at the time of diagnosis. SEER used this field for tumors reported before 1998. If the patient has more than one tumor, the codes may be different for each tumor.

Codes are those used by the U.S. Census Bureau. Census Bureau codes for BNA also are entered in this field.

Both census tracts and BNAs have a 4-digit basic number and also may have a 2-digit suffix. Census tract numbers range from 0001.00 to 9499.99. BNA numbers range from 9501.00 to 9989.99. See the Census Bureau's "Area Classifications"<sup>35</sup> for further details.

**Rationale**

Allows central registries to calculate incidence rates for geographical areas having population estimates. The Census Bureau provides population data for census tracts. Those rates can be used for general surveillance or special geographical and socioeconomic analysis.

**Codes**

Census Tract Codes	000100-949999
BNA Codes	950100-998999
000000	Area not census-tracted
999999	Area census-tracted, but census tract is not available
Blank	Census Tract 1970/80/90 not coded

**Clarification of NPCR Required Status**

Information on census tract, census tract certainty, and census tract coding system is required. Tumors diagnosed in 2003 or later, must be coded to the 2000 census definitions and recorded in Census Tract 2000 [130] and Census Tr Certainty 2000 [365]. Tumors diagnosed in 2002, or before must be coded to the 2000 census tract definitions OR to 1990 definitions OR to both the 2000 and 1990 census definitions. Census tract, census tract certainty and census tract coding system should be recorded in the year appropriate data item fields. For tumors diagnosed between January 1, 1998 and December 31, 2002 (inclusive) use of the 2000 census tract definitions is recommended.

**CENSUS TRACT 2000****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Census Tract--Alternate (pre-2003)	130	6	NAACCR	93-98

**Description**

This field is provided for coding census tract of patient's residence at time of diagnosis. See Census Tract 1970/80/90 [110]. Codes are those used by the U.S. Census Bureau for the Year 2000 Census. Census tract codes have a 4-digit basic number and also may have a 2-digit suffix. Census tract numbers range from 0001.01 to 9999.98. See the Census Bureau's "Area Classifications" at the following Website:

<http://www.census.gov/prod/cen2000/doc/sf1.pdf> for further details.

**Rationale**

Census tract codes allow central registries to calculate incidence rates for geographical areas having population estimates. This field allows a central registry to add Year 2000 Census tracts to tumors diagnosed in previous years, without losing the codes in data item 110.

The Census Bureau provides population data for census tracts. Those rates can be used for general surveillance or special geographical and socioeconomic analysis.

Because census tracts for particular cases can change between censuses, the central registry may wish to assign an alternate census tract code to its cases. For example, a registry may code its 1985 cases using both the 1980 and 1990 census tract boundaries. The central registry can use this information for different comparisons.

**Codes**

Census Tract Codes	000100-999998
000000	Area not census tracted
999999	Area census-tracted, but census tract is not available
Blank	Census Tract 2000 not coded

**Clarification of NPCR Required Status**

Information on census tract, census tract certainty, and census tract coding system is required. Tumors diagnosed in 2003 or later, must be coded to the 2000 census definitions and recorded in Census Tract 2000 [130] and Census Tr Certainty 2000 [365]. Tumors diagnosed in 2002, or before must be coded to the 2000 census tract definitions OR to 1990 definitions OR to both the 2000 and 1990 census tract definitions. Census tract, census tract certainty and census tract coding system should be recorded in the year appropriate data item fields. For tumors diagnosed between January 1, 1998 and December 31, 2002 (inclusive) use of the 2000 cases tract definitions is recommended.

**CENSUS TRACT BLOCK GROUP**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	362	1	Census	99-99

**Description**

NAACCR has not adopted standards for this item.

**CENSUS TRACT COD SYS--ALT****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	140			

**Description**

This data item was retired for Version 10 because Census Tract--2000 [130] is expected to contain only Census 2000 codes.

**CHEMOTHERAPY FIELD 1****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1600			

**Description**

This field has been listed as in development since 1996. The NAACCR UDSC approved to retire this data item in Version 10.1.

**CHEMOTHERAPY FIELD 2****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1610			

**Description**

This field has been listed as in development since 1996. The NAACCR UDSC approved to retire this data item in Version 10.1.

**CHEMOTHERAPY FIELD 3****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1620			

**Description**

This field has been listed as in development since 1996. The NAACCR UDSC approved to retire this data item in Version 10.1.

**CHEMOTHERAPY FIELD 4****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1630			

**Description**

This field has been listed as in development since 1996. The NAACCR UDSC approved to retire this data item in Version 10.1.

**CLASS OF CASE**

Alternate Name	Item #	Length	Source of Standard	Column #
	610	1	COC	440-440

**Description**

For a hospital registry, divides cases into two groups: analytic cases are those included in reports on patient treatment and outcomes; nonanalytic cases are those not included in such reports. Class of Case codes 0-2 identify cases that are analytic (i.e., cases that were first diagnosed and/or received all or part of their first course of treatment or had treatment planned at the reporting hospital). Class of Case codes 3-5, 7, 8, and 9 identify cases that are considered nonanalytic (i.e., were first diagnosed and received all of their first course of treatment at a facility other than the reporting institution, or were diagnosed at autopsy or by death certificate only). Class of Case 6 identifies cases that were first diagnosed and received their entire first course of treatment in the same staff physician's office. These cases were considered analytic for diagnosis dates January 1, 1998, through December 31, 1999. For diagnosis dates on or after January 1, 2000, these cases are considered nonanalytic.

Class of Case can be used in conjunction with Type of Reporting Source [500]. Type of Reporting Source is designed to document the source of documents used to abstract the cancer being reported.

**Codes**

- 0 Diagnosis at the reporting facility and all of the first course of treatment was performed elsewhere or the decision not to treat was made at another facility.
- 1 Diagnosis at the reporting facility, and all or part of the first course of treatment was performed at the reporting facility.
- 2 Diagnosis elsewhere, and all or part of the first course of treatment was performed at the reporting facility.
- 3 Diagnosis and all of the first course of treatment was performed elsewhere. Presents at your facility with recurrence or persistent disease.
- 4 Diagnosis and/or first course of treatment were performed at the reporting facility prior to the reference date of the registry.
- 5 Diagnosed at autopsy
- 6 Diagnosis and all of the first course of treatment were completed by the same staff physician in an office setting. "Staff physician" is any medical staff with admitting privileges at the reporting facility.
- 7 Pathology report only. Patient does not enter the reporting facility at any time for diagnosis or treatment. This category excludes tumors diagnosed at autopsy.
- 8 Diagnosis was established by death certificate only. Used by central registries only.
- 9 Unknown. Sufficient detail for determining Class of Case is not stated in patient record. Used by central registries only.

**COC CODING SYS--CURRENT**

Alternate Name	Item #	Length	Source of Standard	Column #
Commission on Cancer Coding System-Current (COC)	2140	2	COC	1200-1201

**Description**

Code the ACoS COC coding system currently used in the record. COC codes may be converted from an earlier version.

**Codes**

- 00 No COC coding system used
- 01 Pre-1988 (Cancer Program Manual Supplement)
- 02 1988 *Data Acquisition Manual*
- 03 1989 *Data Acquisition Manual* Revisions
- 04 1990 *Data Acquisition Manual* Revisions
- 05 1994 *Data Acquisition Manual* (Interim/Revised)
- 06 ROADS (effective with cases diagnosed 1996-1997)
- 07 ROADS and 1998 Supplement (effective with cases diagnosed 1998-2002)
- 08 *FORDS* 2003/2004 (effective with cases diagnosed 2003 and forward)
- 99 Unknown coding system

**COC CODING SYS--ORIGINAL**

Alternate Name	Item #	Length	Source of Standard	Column #
	2150	2	COC	1202-1203

**Description**

Code for the ACoS COC coding system originally used to code the record.

**Codes**

- 00 No COC coding system used
- 01 Pre-1988 (Cancer Program Manual Supplement)
- 02 1988 *Data Acquisition Manual*
- 03 1989 *Data Acquisition Manual* Revisions
- 04 1990 *Data Acquisition Manual* Revisions
- 05 1994 *Data Acquisition Manual* (Interim/Revised)
- 06 ROADS (effective with cases diagnosed 1996-1997)
- 07 ROADS and 1998 Supplement (effective with cases diagnosed 1998-2002)
- 08 *FORDS* 2003/2004 (effective with cases diagnosed 2003 and forward)
- 99 Unknown coding system



**CODING SYSTEM FOR EOD**

Alternate Name	Item #	Length	Source of Standard	Column #
Coding System for Extent of Disease (SEER)	870	1	SEER	562-562

**Description**

Indicates the type of SEER EOD code applied to the tumor. Should be used whenever EOD coding is applied.

**Rationale**

Used in data editing and analysis.

**Codes**

- 0 2-Digit Nonspecific Extent of Disease (1973-82)
- 1 2-Digit Site-Specific Extent of Disease (1973-82)
- 2 13-Digit (expanded) Site-Specific Extent of Disease (1973-1982)
- 3 4-Digit Extent of Disease (1983-87)
- 4 10-Digit Extent of Disease, 1988 (1988+)

**COMORBID/COMPLICATION 1****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
Comorbidities and Complications #1	3110	5	COC	675-679

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality of care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220- V2310, V2540, V4400-V4589, and V5041-V5049

00000 No secondary diagnoses documented

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220- V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMORBID/COMPLICATION 2****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Comorbidities and Complications #2 Secondary Diagnoses	3120	5	COC	680-684

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality-of-care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049

Leave blank if no further secondary diagnosis.

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMORBID/COMPLICATION 3****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Comorbidities and Complications #3 Secondary Diagnoses	3130	5	COC	685-689

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality-of-care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220- V2310, V2540, V4400-V4589, and V5041-V5049

Leave blank if no further secondary diagnoses.

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMORBID/COMPLICATION 4****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
Comorbidities and Complications #4 Secondary Diagnoses	3140	5	COC	690-694

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality-of-care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220- V2310, V2540, V4400-V4589, and V5041-V5049

Leave blank if no further secondary diagnoses.

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMORBID/COMPLICATION 5****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Comorbidities and Complications #5 Secondary Diagnoses	3150	5	COC	695-699

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality-of-care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049

Leave blank if no further secondary diagnoses.

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMORBID/COMPLICATION 6****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Comorbidities and Complications #6 Secondary Diagnoses	3160	5	COC	700-704

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality-of-care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220- V2310, V2540, V4400-V4589, and V5041-V5049

Leave blank if no further secondary diagnoses.

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMORBID/COMPLICATION 7****New**

Alternate Name	Item #	Length	Source of Standard	Column #
Comorbidities and Complications #7 Secondary Diagnoses	3161	5	COC	717-721

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality-of-care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220- V2310, V2540, V4400-V4589, and V5041-V5049

Leave blank if no further secondary diagnosis.

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMORBID/COMPLICATION 8****New**

Alternate Name	Item #	Length	Source of Standard	Column #
Comorbidities and Complications #8 Secondary Diagnoses	3162	5	COC	722-726

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality-of-care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220- V2310, V2540, V4400-V4589, and V5041-V5049

Leave blank if no further secondary diagnosis.

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMORBID/COMPLICATION 9****New**

Alternate Name	Item #	Length	Source of Standard	Column #
Comorbidities and Complications #9 Secondary Diagnoses	3163	5	COC	727-731

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality-of-care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220- V2310, V2540, V4400-V4589, and V5041-V5049

Leave blank if no further secondary diagnosis.

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMORBID/COMPLICATION 10****New**

Alternate Name	Item #	Length	Source of Standard	Column #
Comorbidities and Complications #10 Secondary Diagnoses	3164	5	COC	732-736

**Description**

Records the patient's pre-existing medical conditions, factors influencing health status, and/or complications during the patient's hospital stay for the treatment of this cancer using ICD-9-CM codes. Both are considered secondary diagnoses.

**Rationale**

Comorbidities may affect treatment decisions and influence patient outcomes. Information on comorbidities is used to adjust outcome statistics when evaluating patient survival and other outcomes. Complications may be related to the quality-of-care.

**Codes (refer to *FORDS* for additional instructions)**

ICD-9-CM Codes 00100-13980, 24000-99990, E8700-E8799, E9300-E9499, V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049

Leave blank if no further secondary diagnosis.

*Note:* For comorbid conditions (ICD-9-CM codes 00100-13980 and 24000-99990), there is an assumed decimal point between the third and fourth characters. For complications (ICD-9-CM codes E8700-E8799 and E9300-E9499), there is an assumed decimal point between the fourth and fifth characters. For conditions influencing health status and contact with health services (ICD-9-CM codes V0720-V0739, V1000-V1590, V2220-V2310, V2540, V4400-V4589, and V5041-V5049), there is an assumed decimal point between the fourth and fifth characters.

**COMPUTED ETHNICITY**

Alternate Name	Item #	Length	Source of Standard	Column #
	200	1	SEER	116-116

**Description**

Code identifying those cases for which ethnicity was determined by matching Name--Last [2230] and Name--Maiden [2390] to a computer list of Spanish/Hispanic names or by a software algorithm. This field was adopted for use for tumors diagnosed 1994 forward.

See also Computed Ethnicity Source [210].

**Rationale**

One method of identifying persons of Hispanic origin is to apply a standard computer list or algorithm to items 2230 and 2390, the patient's surname and/or maiden name. This has advantages across large populations of being reproducible and facilitating comparisons between areas using identical methods. It may sometimes be possible to identify population denominators in which the same method was used to identify Hispanics. Generally, only central registries will have this capability.

This field provides coding to indicate both that such a computerized name-based method was applied and the results of the method. Coding is independent of that in Spanish/Hispanic Origin [190]. The computer-derived ethnicity may be different from the ethnicity reported by registries in Spanish/Hispanic Origin [190] as code 7 (Spanish Surname Only), because that field may include manual review. This field shows the results of computer-derived ethnicity only.

**Codes**

- 0 No match was run (for 1994 and later tumors)
- 1 Non-Hispanic last name and non-Hispanic maiden name
- 2 Non-Hispanic last name, did not check maiden name or patient was male
- 3 Non-Hispanic last name, missing maiden name
- 4 Hispanic last name, non-Hispanic maiden name
- 5 Hispanic last name, did not check maiden name or patient was male
- 6 Hispanic last name, missing maiden name
- 7 Hispanic Maiden name (females only) (regardless of last name)
- Blank 1993 and earlier tumors, no match was run

*Note:* For SEER, blanks are required for all cases diagnosed before 1994 and blanks are not allowed for any case diagnosed 1994 and after. Other registries may have computed this item for earlier years.

*Note:* NAACCR recognizes that available definitions and abstracting instructions for the data items Name--Last and Name--Maiden may be inadequate for describing names used in some cultures, including Hispanic cultures. Explicit instructions have not been provided for entering compound names, with or without hyphens or "De." Order of names, use of maternal and paternal names, and use of hyphens can vary across cultures. It is likely, too, that abstracting and coding practice for these items varies across registries. Limitations inherent in these definitions should be kept in mind in any use of the data.

**COMPUTED ETHNICITY SOURCE**

Alternate Name	Item #	Length	Source of Standard	Column #
	210	1	SEER	117-117

**Description**

Code identifying the method used to determine ethnicity as recorded in Computed Ethnicity [200].

**Codes**

- 0 No match was run, for 1994 and later tumors
- 1 Census Bureau list of Spanish surnames, NOS
- 2 1980 Census Bureau list of Spanish surnames
- 3 1990 Census Bureau list of Spanish surnames
- 4 GUESS Program
- 5 Combination list including South Florida names



- 6 Combination of Census and other locally generated list
- 7 Combination of Census and GUESS, with or without other lists
- 8 Other type of match
- 9 Unknown type of match
- Blank 1993 and earlier tumors, no match was run

*Note:* For SEER, blanks are required for all cases diagnosed before 1994 and blanks are not allowed for any case diagnosed 1994 and after. Other registries may have computed this item for earlier years.

### COUNTY AT DX

Alternate Name	Item #	Length	Source of Standard	Column #
County (pre-96 SEER/COC)	90	3	FIPS/SEER	83-85
County at Diagnosis (COC)				

#### Description

Code for the county of the patient's residence at the time the tumor was diagnosed. For U.S. residents, standard codes are those of the FIPS publication "Counties and Equivalent Entities of the United States, its Possessions, and Associated Areas." If the patient has multiple tumors, the county codes may be different for each tumor.

Detailed standards have not been set for Canadian provinces/territories. Use code 998 for Canadian residents.

*Note:* The standard of using FIPS codes for this item has not been adopted by all states. Some states use their own codes for this data item. See Chapter V, Unresolved Issues, for further information.

*Note:* See Appendix A for standard FIPS county codes. See EDITS Table BPLACE.DBF in Appendix B for geocodes used by COC.

*Note:* SEER does not use code 998. COC uses country geocodes for nonresidents of the United States (see Appendix B) and 998 for residents of other states.

#### Codes (in addition to FIPS and Geocodes)

- 998 Known town, city, state, or country of residence but county code not known AND a resident outside of the state of reporting institution (must meet all criteria)
- 999 County unknown

### COUNTY--CURRENT

Alternate Name	Item #	Length	Source of Standard	Column #
	1840	3	NAACCR	1338-1340

#### Description

Code for county of patient's current residence. See Chapter V, Unresolved Issues, for further discussion.

*Note:* This item was used by COC only. COC recommended use of FIPS codes (see Appendix A). The *ROADS Manual* also provided for use of geocodes for countries of residence outside the United States and Canada to be used in the county fields.

**Rationale**

This item may be used in administrative reports to define a referral area.

**Codes (in addition to FIPS and geocodes)**

- 998 Known town, city, state, or country of residence but county code not known AND a resident outside of the state of reporting institution (must meet all criteria)
- 999 County unknown

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**CRC CHECKSUM**

Alternate Name	Item #	Length	Source of Standard	Column #
	2081	10	NAACCR	1164-1173

**Description**

Cyclic Redundancy Code (CRC) CHECKSUM for the NAACCR record in which it resides. A unique value is calculated for each unique record in a NAACCR file. The value is calculated by applying a CRC algorithm to all data fields of the NAACCR record (excluding the CRC CHECKSUM field). Following a transmission, the CRC CHECKSUM can be recalculated and compared with the transmitted CHECKSUM. Identical values indicate an error-free transmission; differing values indicate an error in transmission.

The algorithm recommended by NAACCR is on the NAACCR Website at: <http://www.naacr.org>. Users must provide recipients of the data with the algorithm used to create the data transmission file. Otherwise, the item should be left blank.

**Rationale**

The CHECKSUM can be used to determine if a record-level error occurred during transmission and can also be used to correct any such errors. Record-level CRC CHECKSUMs also allow portions of a NAACCR file to be salvaged in the event of a transmission error.

**CS EXTENSION**

Alternate Name	Item #	Length	Source of Standard	Column #
	2810	2	AJCC	632-633

**Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. It is based on and replaces EOD--Extension (790) and EOD--Extension Prost Path (800). This modification for CS is collapsible into AJCC T code according to the sixth edition of *AJCC Cancer Staging Manual*. "CS Extension" identifies the primary tumor growth within the organ of origin or its extension into neighboring organs. For certain sites such as ovary, discontinuous metastasis is coded in the CS Extension field.

Site-specific codes provide extensive detail describing disease extent. "CS Extension" is used to derive the Derived AJCC T [2940], Derived AJCC Stage Group [3000], Derived SS1977 [3010], and Derived SS2000 [3020] codes.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

**CS LYMPH NODES**

Alternate Name	Item #	Length	Source of Standard	Column #
CS Lymph Nodes (SEER EOD)	2830	2	AJCC	635-636

**Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. It is based on and replaces EOD--Lymph Node Involv [810]. This modification for CS is collapsible into AJCC N code according to the sixth edition of *AJCC Cancer Staging Manual*. “CS Lymph Nodes” is site-specific and identifies the regional lymph nodes involved with cancer at the time of diagnosis.

Site-specific codes provide extensive detail describing disease extent. “CS Lymph Nodes” is used to derive the Derived AJCC N [2960], Derived AJCC Stage Group [3000], Derived SS1977 [3010], and Derived SS2000 [3020] codes.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

**CS METS AT DX**

Alternate Name	Item #	Length	Source of Standard	Column #
CS Metastasis at Diagnosis	2850	2	AJCC	638-639

**Description**

This belongs to the set of Collaborative Staging (CS) data items and is part of the detailed site-specific codes for anatomic EOD effective with 2004 diagnosis. It replaces data items 1090, 1100, and 1110 (Site of Distant Met 1-3). This modification for CS is collapsible into AJCC M code according to the sixth edition of *AJCC Cancer Staging Manual*. "CS Metastasis at Diagnosis" identifies the site(s) of metastatic involvement at time of diagnosis.

Site-specific codes provide extensive detail describing disease extent. "CS Mets at DX" is used to derive the Derived AJCC M [2980], Derived AJCC Stage Group [3000], Derived SS1977 [3010], and Derived SS2000 [3020] codes.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

**CS METS EVAL**

Alternate Name	Item #	Length	Source of Standard	Column #
CS Metastasis Evaluation	2860	1	AJCC	640-640

**Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. "CS Mets Eval" records how the code for item. "CS Mets at DX" [2850] was determined based on the diagnostic methods employed.

This data item is used in CS to identify whether the M (of AJCC TNM) was clinically or pathologically diagnosed and by what methods, "CS Mets Eval" is used to derive the Derived AJCC M Descriptor [2990].

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

**CS REG NODE EVAL**

Alternate Name	Item #	Length	Source of Standard	Column #
CS Regional Nodes Evaluation	2840	1	AJCC	637-637

**Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. “CS Reg Nodes Eval” records how the code for the item “CS Lymph Nodes” [2830] was determined based on the diagnostic methods employed.

This data item is used in CS to identify whether the N (of AJCC TNM) was clinically or pathologically diagnosed and by what method “CS Reg Nodes Eval” is used to derive the Derived AJCC N Descriptor [2970].

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

**CS SITE-SPECIFIC FACTOR 1**

Alternate Name	Item #	Length	Source of Standard	Column #
	2880	3	AJCC	641-643

**Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. The “CS Site-Specific Factor” items (1-6) are used to code additional site-specific information needed to derive TNM or AJCC stage, or to code prognostic factors that have an effect on stage or survival. Some site-specific information that was formerly recorded in “EOD-- Tumor Size” [780] (Breslow’s Thickness for melanoma; HIV/AIDS status for lymphoma) is now also in “CS Site-Specific Factor” items. Many site-specific schemas do not use any of the Site-Specific Factors; other schemas use from 1 to all 6 of the factors.

**Rationale**

CS Site Specific Factors provide an optional area for coding information needed for stage. CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to

meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

### **Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

### **CS SITE-SPECIFIC FACTOR 2**

Alternate Name	Item #	Length	Source of Standard	Column #
	2890	3	AJCC	644-646

### **Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. The “CS Site-Specific Factor” items (1-6) are used to code additional site-specific information needed to derive TNM or AJCC stage, or to code prognostic factors that have an effect on stage or survival. Some site-specific information that was formerly recorded in "EOD--Tumor Size" [780] (Breslow's Thickness for melanoma; HIV/AIDS status for lymphoma) is now also in "CS Site-Specific Factor" items. Many site-specific schemas do not use any of the Site-Specific Factors; other schemas use from 1 to all 6 of the factors.

### **Rationale**

CS Site Specific Factors provide an optional area for coding information needed for stage. CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR records for these outputs.

### **Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

### **CS SITE-SPECIFIC FACTOR 3**

Alternate Name	Item #	Length	Source of Standard	Column #
	2900	3	AJCC	647-649

### **Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. The “CS Site-Specific Factor” items (1-6) are used to code additional site-specific information needed to derive TNM or AJCC stage, or to code prognostic factors that have an effect on stage or survival. Some site-specific information that was formerly recorded in "EOD--Tumor Size" [780] (Breslow's Thickness for melanoma; HIV/AIDS status for lymphoma) is now also in "CS Site-Specific Factor" items. Many site-specific schemas do not use any of the Site-Specific Factors; other schemas use from 1 to all 6 of the factors.

**Rationale**

CS Site Specific Factors provide an optional area for coding information needed for stage. CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR records for these outputs.

**Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

**CS SITE-SPECIFIC FACTOR 4**

Alternate Name	Item #	Length	Source of Standard	Column #
	2910	3	AJCC	650-652

**Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. The “CS Site-Specific Factor” items (1-6) are used to code additional site-specific information needed to derive TNM or AJCC stage, or to code prognostic factors that have an effect on stage or survival. Some site-specific information that was formerly recorded in "EOD--Tumor Size" [780] (Breslow's Thickness for melanoma; HIV/AIDS status for lymphoma) is now also in "CS Site-Specific Factor" items. Many site-specific schemas do not use any of the Site-Specific Factors; other schemas use from 1 to all 6 of the factors.

**Rationale**

CS Site Specific Factors provide an optional area for coding information needed for stage. CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR records for these outputs.

**Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

**CS SITE-SPECIFIC FACTOR 5**

Alternate Name	Item #	Length	Source of Standard	Column #
	2920	3	AJCC	653-655

**Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. The “CS Site-Specific Factor” items (1-6) are used to code additional site-specific information needed to derive TNM or AJCC stage, or to code prognostic factors that have an effect on stage or survival. Some site-specific information that was formerly recorded in "EOD--Tumor Size" [780] (Breslow's Thickness for melanoma;

HIV/AIDS status for lymphoma) is now also in "CS Site-Specific Factor" items. Many site-specific schemas do not use any of the Site-Specific Factors; other schemas use from 1 to all 6 of the factors.

### **Rationale**

CS Site Specific Factors provide an optional area for coding information needed for stage. CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR records for these outputs.

### **Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

### **CS SITE-SPECIFIC FACTOR 6**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	2930	3	AJCC	656-658

### **Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. The "CS Site-Specific Factor" items (1-6) are used to code additional site-specific information needed to derive TNM or AJCC stage, or to code prognostic factors that have an effect on stage or survival. Some site-specific information that was formerly recorded in "EOD--Tumor Size" [780] (Breslow's Thickness for melanoma; HIV/AIDS status for lymphoma) is now also in "CS Site-Specific Factor" items. Many site-specific schemas do not use any of the Site-Specific Factors; other schemas use from 1 to all 6 of the factors.

### **Rationale**

CS Site Specific Factors provide an optional area for coding information needed for stage. CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR records for these outputs.

### **Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.



**CS TUMOR SIZE**

Alternate Name	Item #	Length	Source of Standard	Column #
	2800	3	AJCC	629-631

**Description**

This item belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. It is based on and replaces EOD--Tumor size [780]. For most sites, CS Tumor Size is used to record the largest dimension, or the diameter of the primary tumor in millimeters (for example: 1 mm = 001, 1 cm = 010). See the CS schemes for site-specific variants. For many sites, the CS algorithm uses this data item to derive the Derived AJCC T [2940] according to the sixth edition of *AJCC Cancer Staging Manual*.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

See the Collaborative Staging Manual and Coding Instructions, Version 1.0, for site-specific codes and coding rules.

**CS TUMOR SIZE/EXT EVAL**

Alternate Name	Item #	Length	Source of Standard	Column #
CS Tumor Size/Extension Evaluation	2820	1	AJCC	634-634

**Description**

This belongs to the set of Collaborative Staging (CS) data items effective with 2004 diagnosis. "CS Tumor Size/Ext Eval" records how the codes for "CS Tumor Size" [2800] and "CS Extension" [2810] were determined based on the diagnostic methods employed. This data item is used in CS to identify whether the T (of AJCC TNM) was clinically or pathologically diagnosed and by what method, "CS Tumor Size/Ext Eval" is used to derive the Derived AJCC T Descriptor [2950].

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

See the *Collaborative Staging Manual and Coding Instructions*, Version 1.0, for site-specific codes and coding rules.

**CS VERSION 1ST**

Alternate Name	Item #	Length	Source of Standard	Column #
	2935	6	AJCC	705-710

**Description**

This item indicates the number of the version used to initially code CS fields. The CS version number is returned as part of the output of the CS algorithm. As long as the CS algorithm is run and the output values stored at the time of initial abstracting, the returned values from the program should be automatically stored as CS Version 1st. This item may be blank if the CS algorithm has not been run or if this field has not been implemented. When it is implemented, this data item should be entered at the time the CS fields are first coded and the algorithm first applied. If the calculation algorithm is not called at the time of the initial abstracting, the CS Version 1st could also be entered manually by the abstractor.

It is not expected that this field would be updated every time a coded value is changed. However, the field should be available for future updating if, for example, the CS fields for certain records were to be systematically recoded for a special study using a later version, the CS Version 1st could be appropriately updated with the new version. The meaning and interpretation of CS Version 1st will be dependent on vendor implementation and local practices. This field should be interpreted with caution in a dataset where the actual coding procedures are unknown.

**Codes**

CS Version 1st is a 6-digit code. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

**CS VERSION LATEST**

Alternate Name	Item #	Length	Source of Standard	Column #
	2936	6	AJCC	711-716

**Description**

This item indicates the number of the version of the CS used most recently to derive the CS output fields. This data item is recorded the first time the CS output fields are derived and should be updated each time the CS Derived items are re-computed. The CS version number is returned as part of the output of the CS algorithm. The returned value from the program should be automatically stored as CS Version Latest. This item should not be updated manually.

**Codes**

CS Version Latest is a 6-digit code. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation results.

This item should not be blank if the CS Derived items contain stored values. This item should be blank if the CS Derived items are empty or the CS algorithm has not been applied.

**DATE CASE COMPLETED**

Alternate Name	Item #	Length	Source of Standard	Column #
	2090	8	NAACCR	1174-1181

**Description**

The date that: (1) the abstractor decided that the tumor report was complete, and (2) the case passed all edits that were applied. Definitions may vary among registries and software providers. This is a local use field. See page 81 for date format. Standard edits check that no dates are later than the current date.

**DATE CASE LAST CHANGED**

Alternate Name	Item #	Length	Source of Standard	Column #
	2100	8	NAACCR	1182-1189

**Description**

Date the case was last changed or updated. See page 81 for date format. Standard edits check that no dates are later than the current date. Definitions may vary among areas.

**DATE CASE REPORT EXPORTED**

Alternate Name	Item #	Length	Source of Standard	Column #
Date Case Transmitted (pre-98 NAACCR)	2110	8	NPCR	1190-1197

**Description**

Date the reporting facility exports the electronic abstract to a file for transmission to the central registry via diskette or other electronic medium. See page 81 for date format. Standard edits check that no dates are later than the current date.

Definitions may vary among registries and software providers. This item is not yet well defined for use when a central registry is creating a transmission record for a consolidated tumor record from multiple source records.

**DATE CASE REPORT LOADED**

Alternate Name	Item #	Length	Source of Standard	Column #
	2112	8	NPCR	1227-1234

**Description**

Date the tumor report is loaded into a central registry computerized processing file for initiation of quality control activities (e.g., visual editing, application of computerized edits, etc.). See page 81 for date format.

This item is not yet well defined for use when a central registry is creating a transmission record for a consolidated tumor record from multiple source records.

**DATE CASE REPORT RECEIVED**

Alternate Name	Item #	Length	Source of Standard	Column #
	2111	8	NPCR	1219-1226

**Description**

Date the electronic or paper abstract (or source record) is received by the central cancer registry for the respective tumor. If multiple reports are received from two or more sources and if a single date is needed, use the date the first abstract (or source record) was received from any source. See page 81 for date format.

**Rationale**

This item is used to assess and monitor the timeliness of reporting. Timeliness of abstracting (and reporting) is a concern for all standard-setting organizations and consequently, timeliness standards have been established. This item can be used with the Date of 1st Contact [580] or the Path--Date of Specimen Collection [7320] to measure timeliness of reporting by individual reporting facilities to central cancer registries. This data item also can be used with the Date Tumor Record Availbl [2113] to measure timeliness of processing within the central cancer registry.

**DATE OF 1ST CONTACT**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Adm/1st Contact	580	8	COC	416-423

**Description**

Date of first patient contact, as inpatient or outpatient, with the reporting facility for the diagnosis and/or treatment of the tumor. The date may represent the date of an outpatient visit for a biopsy, x-ray, scan, or laboratory test. See page 81 for date format.

When Pathology Specimen Only (Class of Case 7, Type of Reporting Source 3) tumors are collected, the Path--Date of Specimen Collection [7320] from the pathology report should be used for the Date of 1st Contact. If a pathology-specimen-only case is followed by a patient contact with the facility for the diagnosis and/or treatment of the respective tumor, the Date of 1st Contact is not changed. The date of the initial pathology laboratory specimen collection remains the Date of 1st Contact.

When Death Certificate Only (Class of Case 8, Type of Reporting Source 7) tumors are collected, the date of death should be used as the Date of 1st Contact. When Autopsy Only (Class of Case 5, Type of Reporting Source 6) tumors are collected, the date of death should be used as the Date of 1st Contact.

**Rationale**

Timeliness of abstracting (and reporting) is a concern for all standard-setting organizations. Date of 1st Contact is one of several data items that can be used to measure timeliness of reporting by individual facilities to central cancer registries. For tumors that are not diagnosed at the reporting facility (Class of Case 2, 3, or 4), the Date of 1st Contact [580] can be used in conjunction with the Date Case Report Received [2111] to measure timeliness of reporting by individual facilities. To accurately measure the timeliness of data collection and submission of abstracts that are first diagnosed at autopsy (Class of Case 5, Type of Reporting Source 6) the date of death should be used as the Date of 1st Contact since the diagnosis was not determined until the autopsy was performed. Death Certificate Only cases (Class of Case 8, Type of Reporting Source 7) are created only by the central registry. For these cases, Date of 1st Contact should be filled with the date of death, and timeliness for DCO cases should be measured by different criteria.

**DATE OF 1ST CRS RX--COC**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of First Course Treatment (COC) Date Started (pre-96 COC)	1270	8	COC	843-850

**Description**

Date of initiation of the first therapy for the cancer being reported, using the COC definition of first course. The date of first treatment includes the date a decision was made not to treat the patient. See *FORDS* for details. See Chapter V, Unresolved Issues for further discussion of the difference between SEER and COC items. See page 81 for date format.

**Codes (in addition to valid dates)**

00000000 Diagnosed at autopsy.

99999999 When it is unknown whether any treatment was administered to the patient, the date is unknown or the case was identified by death certificate-only.

**Clarification of NPCR Required Status**

Central registries funded by NPCR are required to collect either Date of Initial RX--SEER [1260] or Date of 1st Crs RX--COC [1270].

**DATE OF 1ST POSITIVE BX**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of First Positive Biopsy (COC)	1080	8	NAACCR	610-617

**Description**

Date of first positive tissue biopsy/positive histology. See page 81 for date format.

**Codes (in addition to valid dates)**

00000000 Positive biopsy never obtained

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**DATE OF CA CONFERENCE****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	660			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**DATE OF CONCLUSIVE DX**

New

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Conclusive Diagnosis	443	8	SEER	325-332

**Description**

Documents the date when a conclusive cancer diagnosis (definite statement of malignancy) is made following an initial diagnosis that was based only on ambiguous terminology. The date of the conclusive diagnosis must be greater than two months following the initial (ambiguous terminology only) diagnosis. See page 81 for date format.

If the date of conclusive diagnosis is within two months following the initial (ambiguous terminology only) diagnosis, the case does not meet the criteria for ambiguous terminology only.

**Rationale**

This date will allow analysis of the primary site locations and frequency of cases that were originally diagnosed by ambiguous terminology and later confirmed by other conclusive method.

This date will also allow for analysis of the time interval between cancer diagnosis based on ambiguous terminology and confirmation of the cancer diagnosis by conclusive means.

The date must be greater than two months from the original/initial diagnosis date.

**Codes**

00000000	No conclusive diagnosis made
88888888	Not applicable, initial diagnosis made by unambiguous terminology
99999999	Unknown date, unknown if diagnosis based on ambiguous terminology

**DATE OF DIAGNOSIS**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Initial Diagnosis (COC)	390	8	SEER/COC	283-290

**Description**

Date of initial diagnosis by a recognized medical practitioner for the tumor being reported whether clinically or microscopically confirmed. See page 81 for date format.

For more discussion on determining date of diagnosis, consult the *SEER Program Code Manual* or *COC FORDS Manual*.

**DATE OF INITIAL RX--SEER**

Alternate Name	Item #	Length	Source of Standard	Column #
Date Therapy Initiated (SEER)	1260	8	SEER	835-842
Date Started (SEER)				

**Description**

Date of initiation of the first course therapy for the tumor being reported, using the SEER definition of first course. See also Date of 1st Crs RX--COC [1270]. See Chapter V, Unresolved Issues, for further discussion of the difference between SEER and COC items. See page 81 for date format.

**Codes (in addition to valid dates)**

00000000 No date, no first course therapy performed  
 99999999 Unknown if therapy was administered

**Clarification of NPCR Required Status**

Central registries funded by NPCR are required to collect either Date of Initial RX--SEER [1260] or Date of 1st Crs RX--COC [1270].

**DATE OF INPATIENT ADM**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Inpatient Admission (COC)	590	8	NAACCR	424-431

**Description**

Date of the inpatient admission to the reporting facility for the most definitive surgery. In the absence of surgery, use date of inpatient admission for any other therapy. In the absence of therapy, use date of inpatient admission for diagnostic evaluation. See page 81 for date format.

**Codes (in addition to valid dates)**

00000000 Patient was never an inpatient at the reporting facility  
 99999999 Unknown

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**DATE OF INPATIENT DISCH**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Inpatient Discharge (COC)	600	8	NAACCR	432-439

**Description**

Date of the inpatient discharge from the reporting facility after the most definitive surgery. In the absence of surgery, use date of inpatient discharge for other therapy. In the absence of therapy, use date of inpatient discharge for diagnostic evaluation. This discharge date corresponds to the admission date described by Date of Inpatient Adm [590]. See page 81 for date format.

*Note:* This item is not the same as the old NAACCR item, Date of Discharge, which has been deleted from the NAACCR layout.

**Special Codes (in addition to a valid date)**

00000000 Patient was never an inpatient at the reporting hospital  
 99999999 Unknown

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**DATE OF LAST CONTACT**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Last Contact or Death (COC)	1750	8	SEER/COC	1294-1301
Date of Last Follow-Up or of Death (SEER)				

**Description**

Date of last contact with the patient, or date of death. If the patient has multiple tumors, Date of Last Contact should be the same for all tumors. See page 81 for date format.

**Rationale**

Used for Date of Last Contact from active or passive follow-up. Used to record date of death.

**DATE OF MULTIPLE TUMORS****New**

Alternate Name	Item #	Length	Source of Standard	Column #
	445	8	SEER	335-342

**Description**

This data item is used to identify the month, day and year the patient is diagnosed with multiple or subsequent reportable tumor(s) reported as a single primary using the SEER, IARC, or Canadian Cancer Registry multiple primary rules. Multiple tumors must have the same histology as the original tumor and must be located in the same organ or primary site as the original tumor, using primary site and histology coding rules. See page 81 for date format.

Record the Date of Diagnosis as the Date of Multiple Tumors when multiple reportable tumors are abstracted and reported as a single primary at the time of initial diagnosis.

Record the date the first subsequent reportable tumor was diagnosed (same histology and same site as the original tumor, using the primary site and histology coding rules).

The Date of Multiple Tumors must occur within one year following the initial/first diagnosis of the reported tumor.

**Rationale**

Patients with multiple tumors currently reported as a single primary for surveillance purposes may have a worse prognosis or more extensive treatment than patients with a single tumor. This data item will make it possible to identify important information about these cases for data analysis.

The Date of Multiple Tumors will allow separation of cases with multiple reportable tumors present at the time of initial diagnosis from cases with subsequent reportable tumors. The date will allow tracking of the time interval between the date of original diagnosis and the first date of subsequent tumor(s) for specific primary sites and tumor histologies.

**Codes**

00000000	Single tumor
88888888	Information on multiple tumors not collected/not applicable for this site
99999999	Unknown date



**DATE TUMOR RECORD AVAILBL**

Alternate Name	Item #	Length	Source of Standard	Column #
	2113	8	NPCR	1235-1242

**Description**

Date the demographic and tumor identification information on a single primary/reportable neoplasm, compiled from one or more source records, from one or more facilities, is available in the central cancer registry database to be counted as an incident tumor. Cancer identification information includes, at a minimum, site, histology, laterality, behavior, and date of diagnosis. See page 81 for date format.

**Rationale**

This item is used to assess and monitor the timeliness of reporting. Timeliness of abstracting (and reporting) is a concern for all standard-setting organizations and consequently, timeliness standards have been established. This data item can be used with the Date Case Report Received [2111] to measure timeliness of processing within the central cancer registry. This item also can be used with the Date of 1st Contact [580] or the Path--Date of Specimen Collection [7320] to measure overall timeliness.

**DC STATE****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2370			

**Description**

The NAACCR UDSC approved to retire this data item in Version 6. See Place of Death [1940].

**DC STATE FILE NUMBER**

Alternate Name	Item #	Length	Source of Standard	Column #
	2380	6	State	2278-2283

**Description**

Death certificate identification number as assigned by the vital statistics office in the place recorded in Place of Death [1940].

**DERIVED AJCC M**

Alternate Name	Item #	Length	Source of Standard	Column #
Derived M	2980	2	AJCC	665-666

**Description**

This is the AJCC “M” component that is derived from CS coded fields, using the CS algorithm, effective with 2004 diagnosis.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form and adds several additional fields. When CS data items are

coded, a computer algorithm provided by the Task Force allows generation of AJCC Sixth Edition TNM stage, Summary Stage 1977, and Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

The Storage Code column is the value to be stored in the NAACCR record. The 2-character numeric Storage Codes are designed for analysis purposes. The Display String is the corresponding label that should be displayed on the screen or in a report. The meaning of these strings is explained for each site in the AJCC Manual.

#### Codes

M Storage Code	Display String	Comments
99	MX	MX
00	M0	M0
10	M1	M1
11	M1a	M1a
12	M1b	M1b
13	M1c	M1c
19	M1NOS	M1 NOS
88	NA	Not applicable

#### DERIVED AJCC M DESCRIPTOR

Alternate Name	Item #	Length	Source of Standard	Column #
Derived M Descriptor	2990	1	AJCC	667-667

#### Description

This is the AJCC “M Descriptor” component that is derived from coded fields, using the CS algorithm, effective with 2004 diagnosis.

#### Rationale

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

This derived output records a “c,” “p,” “a,” “y,” or “N” for “clinical,” “pathological,” “autopsy only,” or “y prefix,” respectively. For those tumors in which staging classification is performed during or following initial multimodality therapy, the category is identified by a “y prefix” to be derived from the computerized algorithm.

**Codes**

c	Clinical stage
p	Pathologic stage
a	Autopsy stage
y	Pathologic examination of metastatic tissue performed after presurgical systemic treatment or radiation, and extension based on pathologic evidence
N	Not applicable
Blank	Not derived

**DERIVED AJCC N**

Alternate Name	Item #	Length	Source of Standard	Column #
Derived N	2960	2	AJCC	662-663

**Description**

This is the AJCC “N” component that is derived from coded fields, using the CS algorithm, effective with 2004 diagnosis.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

The Storage Code column is the value to be stored in the NAACCR record. The 2-character numeric Storage Codes are designed for analysis purposes. The Display String is the corresponding label that should be displayed on the screen or in a report. The meaning of these strings is explained for each site in the AJCC Manual.

**Codes**

N Storage Codes	Display String	Comments
00	N0	N0
09	N0NOS	N0 NOS
01	N0(i-)	N0(i-)
02	N0(i+)	N0(i+)
03	N0(mol-)	N0(mol-)
04	N0(mol+)	N0(mol+)
10	N1	N1
19	N1NOS	N1 NOS
11	N1a	N1a
12	N1b	N1b
13	N1c	N1c
18	N1mi	N1mi
20	N2	N2
29	N2NOS	N2 NOS

21	N2a	N2a
22	N2b	N2b
23	N2c	N2c
30	N3	N3
39	N3NOS	N3 NOS
31	N3a	N3a
32	N3b	N3b
33	N3c	N3c
88	NA	Not applicable
99	NX	NX

**DERIVED AJCC N DESCRIPTOR**

Alternate Name	Item #	Length	Source of Standard	Column #
Derived N Descriptor	2970	1	AJCC	664-664

**Description**

This is the AJCC “N Descriptor” component that is derived from coded fields using the CS algorithm, effective with 2004 diagnosis.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACOS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

This derived output records a “c,” “p,” “a,” “y,” or “N” for “clinical,” “pathological,” “autopsy only,” or “y prefix”, respectively. For those tumors in which AJCC TNM staging classification is performed during or following initial multimodality therapy, the category is identified by a “y prefix” to be derived from the computerized algorithm.

**Codes**

c	Clinical stage
p	Pathologic stage
a	Autopsy stage
y	Lymph nodes removed for examination after presurgical systemic treatment or radiation, and lymph node evaluation based on pathologic evidence
N	Not applicable
Blank	Not derived

**DERIVED AJCC STAGE GROUP**

Alternate Name	Item #	Length	Source of Standard	Column #
Derived Stage Group	3000	2	AJCC	668-669

**Description**

This is the AJCC "Stage Group" component that is derived from the CS detailed site-specific codes, using the CS from the CS algorithm effective with 2004 diagnosis.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

AJCC Storage Code	Display String	Comments
00	0	Stage 0
01	0a	Stage 0a
02	0is	Stage 0is
10	I	Stage I
11	INOS	Stage I NOS
12	IA	Stage IA
13	IA1	Stage IA1
14	IA2	Stage IA2
15	IB	Stage IB
16	IB1	Stage IB1
17	IB2	Stage IB2
18	IC	Stage IC
19	IS	Stage IS
23	ISA	Stage ISA (lymphoma only)
24	ISB	Stage ISB (lymphoma only)
20	IEA	Stage IEA (lymphoma only)
21	IEB	Stage IEB (lymphoma only)
22	IE	Stage IE (lymphoma only)
30	II	Stage II
31	IINOS	Stage II NOS
32	IIA	Stage IIA
33	IIB	Stage IIB
34	IIC	Stage IIC
35	IIEA	Stage IIEA (lymphoma only)
36	IIEB	Stage IIEB (lymphoma only)
37	IIE	Stage IIE (lymphoma only)
38	IISA	Stage IISA (lymphoma only)
39	IISB	Stage IISB (lymphoma only)
40	IIS	Stage IIS (lymphoma only)

41	IIESA	Stage IIESA (lymphoma only)
42	IIESB	Stage IIESB (lymphoma only)
43	IIES	Stage IIES (lymphoma only)
50	III	Stage III
51	IINOS	Stage III NOS
52	IIIA	Stage IIIA
53	IIIB	Stage IIIB
54	IIIC	Stage IIIC
55	IIIEA	Stage IIIEA (lymphoma only)
56	IIIEB	Stage IIIEB (lymphoma only)
57	IIIE	Stage IIIE (lymphoma only)
58	IIISA	Stage IIISA (lymphoma only)
59	IIISB	Stage IIISB (lymphoma only)
60	IIIS	Stage IIIS (lymphoma only)
61	IIIESA	Stage IIIESA (lymphoma only)
62	IIIESB	Stage IIIESB (lymphoma only)
63	IIIES	Stage IIIES (lymphoma only)
70	IV	Stage IV
71	IVNOS	Stage IV NOS
72	IVA	Stage IVA
73	IVB	Stage IVB
74	IVC	Stage IVC
88	NA	Not applicable
90	OCCULT	Stage Occult
99	UNK	Stage Unknown

**DERIVED AJCC T**

Alternate Name	Item #	Length	Source of Standard	Column #
Derived T	2940	2	AJCC	659-660

**Description**

This is the AJCC “T” component that is derived from CS coded fields, using the CS algorithm, effective with 2004 diagnosis.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

The Storage Code column is the value to be stored in the NAACCR record. The 2-character numeric Storage Codes are designed for analysis purposes. The Display String is the corresponding label that should be displayed on the screen or in a report. The meaning of these strings is explained for each site in the AJCC Manual.

**Codes**

<b>T Storage Code</b>	<b>Display String</b>	<b>Comments</b>
99	TX	TX
00	T0	T0
01	Ta	Ta
05	Tis	Tis
06	Tispu	Tispu (urethra only)
07	Tispd	Tispd (urethra only)
10	T1	T1
11	T1mic	T1mic
19	T1NOS	T1 NOS
12	T1a	T1a
13	T1a1	T1a1
14	T1a2	T1a2
15	T1b	T1b
16	T1b1	T1b1
17	T1b2	T1b2
18	T1c	T1c
20	T2	T2
29	T2NOS	T2NOS
21	T2a	T2a
22	T2b	T2b
23	T2c	T2c
30	T3	T3
39	T3NOS	T3 NOS
31	T3a	T3a
32	T3b	T3b
33	T3c	T3c
40	T4	T4
49	T4NOS	T4 NOS
41	T4a	T4a
42	T4b	T4b
43	T4c	T4c
44	T4d	T4d
88	NA	Not applicable

**DERIVED AJCC T DESCRIPTOR**

Alternate Name	Item #	Length	Source of Standard	Column #
Derived T Descriptor	2950	1	AJCC	661-661

**Description**

This is the AJCC “T Descriptor” component that is derived from CS coded fields, using the CS algorithm, effective with 2004 diagnosis.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

This derived output records a “c,” “p,” “a,” “y,” or “N” for “clinical,” “pathological,” “autopsy only,” or “y prefix”, respectively. For those cases in which staging classification is performed during or following initial multimodality therapy, the category is identified by a “y prefix” to be derived from the computerized algorithm.

**Codes**

c	Clinical stage
p	Pathologic stage
a	Autopsy stage
y	Surgical resection performed after presurgical systemic treatment or radiation; tumor size/extension based on pathologic evidence
N	Not applicable
Blank	Not derived

**DERIVED AJCC--FLAG**

Alternate Name	Item #	Length	Source of Standard	Column #
AJCC Conversion Flag	3030	1	AJCC	672-672

**Description**

Flag to indicate whether the derived AJCC stage was derived from CS or EOD codes.

**Codes**

1	AJCC Sixth Edition derived from <i>Collaborative Staging Manual and Coding Instructions, Version 1.0</i>
2	AJCC Sixth Edition derived from EOD (prior to 2004)
Blank	Not derived



**DERIVED SS1977**

Alternate Name	Item #	Length	Source of Standard	Column #
Derived SEER Summary Stage 1977	3010	1	AJCC	670-670

**Description**

This item is the derived “SEER Summary Stage 1977” from the CS algorithm (or EOD codes) effective with 2004 diagnosis.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

Storage Code	Display String	Comments
	ERROR	Processing error (no storage code needed)
	NONE	None (internal use only, no storage code needed)
0	IS	<i>In situ</i>
1	L	Localized
2	RE	Regional, direct extension
3	RN	Regional, lymph nodes only
4	RE+RN	Regional, extension and nodes
5	RNOS	Regional, NOS
7	D	Distant
8	NA	Not applicable
9	U	Unknown/Unstaged

**DERIVED SS1977--FLAG**

Alternate Name	Item #	Length	Source of Standard	Column #
SS 1977 Conversion Flag	3040	1	AJCC	673-673

**Description**

Flag to indicate whether the derived SEER Summary Stage 1977 was derived from CS or EOD codes.

**Codes**

- 1 SS1977 derived from *Collaborative Staging Manual and Coding Instructions, Version 1.0*
- 2 SS1977 derived from EOD (prior to 2004)
- Blank Not derived

**DERIVED SS2000**

Alternate Name	Item #	Length	Source of Standard	Column #
Derived SEER Summary Stage 2000	3020	1	AJCC	671-671

**Description**

This item is the derived “SEER Summary Stage 2000” from the CS algorithm (or EOD codes) effective with 2004 diagnosis.

**Rationale**

CS is a group of data items set up by a joint task force including representatives from SEER, ACoS, CDC, NAACCR, NCRA, and AJCC, designed to provide a single uniform set of codes and rules for coding EOD/ stage information to meet the needs of all of the participating standard setters. CS incorporates all of the fields from SEER 10-digit EOD, in a modified form, and adds several additional fields. When CS data items are coded, a computer algorithm allows generation of AJCC Sixth Edition TNM stage, SEER Summary Stage 1977, and SEER Summary Stage 2000. Separate CS fields are provided in the NAACCR record for these outputs.

**Codes**

Storage Code	Display String	Comments
	ERROR	Processing error (no storage code needed)
	NONE	None (internal use only, no storage code needed)
0	IS	<i>In situ</i>
1	L	Localized
2	RE	Regional, direct extension
3	RN	Regional, lymph nodes only
4	RE+RN	Regional, extension and nodes
5	RNOS	Regional, NOS
7	D	Distant
8	NA	Not applicable
9	U	Unknown/Unstaged

**DERIVED SS2000--FLAG**

Alternate Name	Item #	Length	Source of Standard	Column #
SS2000 Conversion Flag	3050	1	AJCC	674-674

**Description**

Flag to indicate whether the derived SEER Summary Stage 2000 was derived from CS or EOD codes.

**Codes**

- 1 SS2000 derived from *Collaborative Staging Manual and Coding Instructions, Version 1.0*
- 2 SS2000 derived from EOD (prior to 2004)
- Blank Not derived

**DIAGNOSTIC CONFIRMATION**

Alternate Name	Item #	Length	Source of Standard	Column #
	490	1	SEER/COC	311-311

**Description**

Code for the best method of diagnostic confirmation of the cancer being reported at any time in the patient's history.

**Rationale**

Diagnostic confirmation is useful to calculate rates based on microscopically confirmed cancers. Full incidence calculations must also include tumors that are only confirmed clinically. The percentage of tumors that are clinically diagnosed only is an indication of whether case finding is including sources outside of pathology reports.

**Codes**

- 1 Positive histology
- 2 Positive cytology, no positive histology
- 4 Positive microscopic confirmation, method not specified
- 5 Positive laboratory test/marker study
- 6 Direct visualization without microscopic confirmation
- 7 Radiography and other imaging techniques without microscopic confirmation
- 8 Clinical diagnosis only (other than 5, 6, or 7)
- 9 Unknown whether or not microscopically confirmed

**DIAGNOSTIC PROC 73-87**

Alternate Name	Item #	Length	Source of Standard	Column #
Diagnostic Procedures (1973-87 SEER)	2200	2	SEER	1217-1218

**Description**

Data item required by SEER for tumors of certain sites for the years 1973-87. This item is no longer collected. See Appendix D of the *SEER Program Code Manual* for details.

**EOD--EXTENSION**

Alternate Name	Item #	Length	Source of Standard	Column #
Extension (pre-96 SEER/COC)	790	2	SEER	534-535
Extension (SEER EOD) (96 COC)				

**Description**

Part of the 10-digit EOD [779]. Detailed site-specific codes for anatomic EOD used by SEER for tumors diagnosed from 1988 forward.

Codes were revised effective January 1, 1998, to reflect changes in the *AJCC Cancer Staging Manual*, Fifth Edition.

**Rationale**

Site-specific EOD codes provide extensive detail describing disease extent. The EOD codes can be grouped into different stage categories for analysis (e.g., historical summary stage categories consistent with those

used in published SEER data since 1973, or more recently, AJCC stage groupings). The codes are updated as needed, but updates are usually backward compatible with old categories. See *Comparative Staging Guide for Cancer*.

### **Codes**

See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules for all EOD fields.

### **EOD--EXTENSION PROST PATH**

Alternate Name	Item #	Length	Source of Standard	Column #
	800	2	SEER	536-537

### **Description**

Part of the 10-digit EOD [779]. Detailed site-specific codes for anatomic EOD used by SEER for tumors diagnosed from 1988 forward.

Codes were revised effective January 1, 1998, to reflect changes in the *AJCC Cancer Staging Manual*, Fifth Edition.

### **Rationale**

Site-specific EOD codes provide extensive detail describing disease extent. The EOD codes can be grouped into different stage categories for analysis (e.g., historical summary stage categories consistent with those used in published SEER data since 1973, or more recently, AJCC stage groupings). The codes are updated as needed, but updates are usually backward compatible with old categories. See *Comparative Staging Guide for Cancer*.

EOD--Extension Prost Path is an additional field for prostate cancer only to reflect information from radical prostatectomy, effective with 1995 diagnoses. The field is left blank for all other primaries.

### **Codes**

See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition, for site-specific codes and coding rules for all EOD fields.

### **EOD--LYMPH NODE INVOLV**

Alternate Name	Item #	Length	Source of Standard	Column #
Lymph Nodes (pre 96-SEER/COC)	810	1	SEER	538-538
Lymph Nodes (SEER EOD) (96 COC)				

### **Description**

Part of the 10-digit EOD [779]. Detailed site-specific codes for anatomic EOD used by SEER for tumors diagnosed from 1988 forward.

Codes were revised effective January 1, 1998, to reflect changes in the *AJCC Cancer Staging Manual*, Fifth Edition.

**Rationale**

Site-specific EOD codes provide extensive detail describing disease extent. The EOD codes can be grouped into different stage categories for analysis (e.g., historical summary stage categories consistent with those used in published SEER data since 1973, or more recently, AJCC stage groupings). The codes are updated as needed, but updates are usually backward compatible with old categories. See *Comparative Staging Guide for Cancer*.

**Codes**

See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules for all EOD fields.

**EOD--OLD 2 DIGIT**

Alternate Name	Item #	Length	Source of Standard	Column #
2-Digit Nonspecific and 2-Digit Site-Specific Extent of Disease (1973-1982 SEER)	850	2	SEER	556-557

**Description**

Site-specific codes for EOD used by SEER for tumors diagnosed from January 1, 1973, to December 31, 1982, for cancer sites that did not have a 13-digit scheme see EOD--Old 13 Digit [840].

**Codes**

See *Extent of Disease: Codes and Coding Instructions (SEER 1977)* for codes.

**EOD--OLD 4 DIGIT**

Alternate Name	Item #	Length	Source of Standard	Column #
4-Digit Extent of Disease (1983-1987 SEER)	860	4	SEER	558-561

**Description**

Codes for site-specific EOD used by SEER for tumors diagnosed from January 1, 1983, to December 31, 1987, for all cancer sites.

**Codes**

See *SEER Extent of Disease: New 4-Digit Schemes: Codes and Coding Instructions* for codes.

**EOD--OLD 13 DIGIT**

Alternate Name	Item #	Length	Source of Standard	Column #
13-Digit (Expanded) Site-Specific Extent of Disease (SEER) SEER EOD (SEER)	840	13	SEER	543-555

**Description**

Detailed site-specific codes for EOD used by SEER for selected sites of cancer for tumors diagnosed 1973-1982, except death-certificate-only cases.

**Codes**

See *Extent of Disease: Codes and Coding Instructions (SEER 1977)* for codes.

**EOD--TUMOR SIZE**

Alternate Name	Item #	Length	Source of Standard	Column #
Size of Primary Tumor (SEER) Size of Tumor (COC)	780	3	SEER/COC	531-533

**Description**

Part of the 10-digit EOD [779]. Detailed site-specific codes for anatomic EOD used by SEER for tumors diagnosed from 1988 forward.

This field is included in the COC dataset, separate from EOD.

Codes were revised effective January 1, 1998, to reflect changes in the *AJCC Cancer Staging Manual*, Fifth Edition.

**Rationale**

Site-specific EOD codes provide extensive detail describing disease extent. The EOD codes can be grouped into different stage categories for analysis (e.g., historical summary stage categories consistent with those used in published SEER data since 1973, or more recently, AJCC stage groupings). The codes are updated as needed, but updates are usually backward compatible with old categories. See *Comparative Staging Guide for Cancer*.

**Codes**

See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition, for site-specific codes and coding rules for all EOD fields. The COC codes for Tumor Size are in the *FORDS Manual*.

*Note:* See Chapter V, Unresolved Issues, for a discussion of coding differences between COC and SEER.

**EXTENT OF DISEASE 10-DIG**

Alternate Name	Item #	Length	Source of Standard	Column #
	779	12		531-542

**Description**

The name for a group of subfields that contain detailed site-specific codes for the anatomic EOD. SEER uses the subfields for tumors diagnosed from 1988 forward.

Group names appear only in the data dictionary and in Appendix E.

**Subfields**

EOD--Tumor Size [780]

EOD--Extension [790]

EOD--Extension Prost Path [800]

EOD--Lymph Node Involv [810]

Regional Nodes Positive [820]

Regional Nodes Examined [830]

**FAMILY HISTORY OF CANCER**

Alternate Name	Item #	Length	Source of Standard	Column #
	360	1	Varies	226-226

**Description**

NAACCR has not adopted standards for this item.

**FIN CODING SYSTEM**

Alternate Name	Item #	Length	Source of Standard	Column #
	35	1	NAACCR	11-11

**Description**

The FIN coding system is a generated code that identifies the coding system used by individual facilities (hospital, clinics, or other providers). This field identifies the coding system used by facilities in the following seven fields of the NAACCR layout:

Registry ID [40] (when Registry Type [30] = 3)

Reporting Hospital [540]

Institution Referred From [2410]

Institution Referred To [2420]

Last Follow-Up Hospital [2430]

Following Registry [2440]

Archive FIN [3100]

Within a single NAACCR record, all of these fields must be coded using the same FIN coding system.

**Codes**

- 1 COC 7-digit codes (assigned by COC until the end of 2000)
- 2 COC FIN 10-digit codes (assigned 2001+)
- 3 NPI 8-digit codes
- 9 Unknown

*Note:* Code 4, 15-digit codes, has been deleted.

**FIRST COURSE CALC METHOD**

Alternate Name	Item #	Length	Source of Standard	Column #
	1500	1	NAACCR	894-894

**Description**

Codes indicating the time interval for defining the first course of therapy.

**Codes**

- 1 COC definitions
- 2 SEER definitions
- 9 Other, unknown

**FOLLOWING REGISTRY**

Alternate Name	Item #	Length	Source of Standard	Column #
	2440	10	COC	2475-2484

**Description**

Records registry responsible for following the patient.

**Rationale**

Each FIN is unique. The number is essential to NCDB for monitoring data submissions, ensuring the accuracy of data, and identifying areas for special studies. Efforts are underway at the federal level to establish uniform national provider ID numbers. COC and NAACCR committees will consider adoption of any federal standards when they become available.

**Instructions for Coding**

COC maintains the codes, including those for non-hospital sources of reporting.

For facilities with 7-digit FINs, consisting of a constant “6” followed by 6-digit facility-specific codes in the range of 6020009-6953290 that were assigned by COC before January 1, 2001: Enter all FIN codes of this type as 3 zeroes, followed by the constant “6” and the 6-digit facility-specific codes.

For facilities with FINs greater than or equal to 10000000 that were assigned by COC after January 1, 2001: Enter FIN codes of this type as 2 zeroes followed by the full 8-digit code. These sometimes are called COC FIN 10 digit codes.



**Codes (in addition to COC assigned codes)**

0000000000 Case not reported by a facility  
 0099999999 Case reported, but facility number is unknown

*Note:* When this special code is being used, the length in 9s should correspond to the length indicated by the code in FIN coding system [35]. The 9s must be right justified in the field, and the remaining spaces should be filled with leading zeroes to a total length of 10.

**FOLLOW-UP CONTACT--CITY**

Alternate Name	Item #	Length	Source of Standard	Column #
	1842	20	SEER	1357-1376

**Description**

Name of the city of the follow-up contact's current usual residence. If the patient has multiple tumors, the follow-up contact city of residence should be the same for all tumors.

**Rationale**

Sometimes registries carry out follow-up by contacting the patient and other contacts by a letter or phone call to ascertain their vital status. When a patient's current address is unknown or the patient is for some reason not to be contacted (e.g., patient is a minor child), the most current name, address and phone number of another contact, such as a relative or neighbor are needed. This information may also be useful for conducting epidemiological or research studies.

**FOLLOW-UP CONTACT—NAME****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
	2394	30	SEER	2284-2313

**Description**

First and last name, in natural order, of a person, other than the patient or a physician, who can be contacted to obtain follow-up information for the patient. If the patient has multiple tumors, Follow-up Contact-Name should be the same for all tumors.

**Rationale**

Sometimes registries carry out follow-up by contacting the patient and other contacts by a letter or phone call to ascertain their vital status. When a patient's current address is unknown or the patient is for some reason not to be contacted (e.g., patient is a minor child), the most current name, address and phone number of another contact, such as a relative or neighbor are needed. This information may also be useful for conducting epidemiological or research studies.

**FOLLOW-UP CONTACT--NO&ST**

Revised

Alternate Name	Item #	Length	Source of Standard	Column #
	2392	40	SEER	2314-2353

**Description**

The number and street address or the rural mailing address of the follow-up contact's current usual residence. This can be used to generate a follow-up inquiry, and must correspond to the other fields in the follow-up contact address. If the patient has multiple tumors, Follow-Up Contact--No&St should be the same for all tumors.

U.S. addresses should conform to the USPS *Postal Addressing Standards*. These standards are referenced in USPS Pub. 28, November 2000, *Postal Addressing Standards*. The current USPS Pub. 28 may be found and downloaded from the following Website: <http://pe.usps.gov/cpim/ftp/pubs/Pub28/pub28.pdf>.

Canadian addresses should conform to the *Canada Postal Guide*. The current Canadian Postal Address standards may be found at the following Website: <http://www.canadapost.ca/tools/pg/manual/b03-e.asp#top>.

**Rationale**

Sometimes registries carry out follow-up by contacting the patient and other contacts by a letter or phone call to ascertain their vital status. When a patient's current address is unknown or the patient is for some reason not to be contacted (e.g., patient is a minor child), the most current name, address and phone number of another contact, such as a relative or neighbor are needed. This information may also be useful for conducting epidemiological or research studies.

*Note:* Prior to Version 5, Follow-Up Contact fields may have been used for patient current address in the NAACCR record layout.

**FOLLOW-UP CONTACT--POSTAL**

Alternate Name	Item #	Length	Source of Standard	Column #
	1846	9	SEER	1379-1387

**Description**

Postal code for the address of the follow-up contact's current usual residence. If the patient has multiple tumors, the Follow-up Contact-Postal should be the same for all tumors. For U.S. residents, use either the 5-digit or the extended 9-digit ZIP code. Blanks follow the 5-digit code. For Canadian residents, use the 6-character, alphanumeric postal code. Blanks follow the 6-character code. When available, enter postal code for other countries.

**Rationale**

Sometimes registries carry out follow-up by contacting the patient and other contacts by a letter or phone call to ascertain their vital status. When a patient's current address is unknown or the patient is for some reason not to be contacted (e.g., patient is a minor child), the most current name, address and phone number of another contact, such as a relative or neighbor are needed. This information may also be useful for conducting epidemiological or research studies.

**Codes (in addition to U.S., Canadian, and foreign postal codes)**

888888888	Resident of country other than the United States (including its possessions, etc.) or Canada, and postal code unknown
999999999	Resident of the United States (including its possessions, etc.) or Canada, and postal code unknown

**FOLLOW-UP CONTACT--STATE**

Alternate Name	Item #	Length	Source of Standard	Column #
	1844	2	SEER	1377-1378

**Description**

USPS abbreviation for the state (including U.S. territories, commonwealths, or possessions), or Canada Post abbreviation for the Canadian province/territory of the follow-up contact's current usual residence. If the patient has multiple tumors, the follow-up contact state should be the same for all tumors.

**Rationale**

Sometimes registries carry out follow-up by contacting the patient and other contacts by a letter or phone call to ascertain their vital status. When a patient's current address is unknown or the patient is for some reason not to be contacted (e.g., patient is a minor child), the most current name, address and phone number of another contact, such as a relative or neighbor are needed. This information may also be useful for conducting epidemiological or research studies.

**Codes (in addition to USPS and Canadian Postal Service abbreviations)**

XX	Resident of country other than the United States (including its territories, commonwealths, or possessions) or Canada, and country is known
YY	Resident of country other than the United States (including its territories, commonwealths, or possessions) or Canada, and country is unknown
ZZ	Resident of the United States, NOS (including its territories, commonwealths, or possessions); Canada, NOS; residence unknown

**FOLLOW-UP CONTACT—SUPPL****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
	2393	40	SEER	2354-2393

**Description**

This data item provides the ability to store additional address information such as the name of a place or facility, a nursing home, or the name of an apartment complex. It can be used to generate a follow-up inquiry, and must correspond to the other fields in the follow-up contact address. If the patient has multiple tumors, Follow-Up Contact--Suppl should be the same for all tumors.

U.S. addresses should conform to the USPS *Postal Addressing Standards*. These standards are referenced in USPS Pub. 28, November 2000, *Postal Addressing Standards*. The current USPS Pub. 28 may be found and downloaded from the following Website: <http://pe.usps.gov/cpim/ftp/pubs/Pub28/pub28.pdf>.

Canadian addresses should conform to the *Canada Postal Guide*. The current *Canada Postal Guide* may be found at the following Website: <http://www.canadapost.ca/tools/pg/manual/b03-e.asp#top>.

**Rationale**

Sometimes registries carry out follow-up by contacting the patient and other contacts by a letter or phone call to ascertain their vital status. When a patient's current address is unknown or the patient is for some reason not to be contacted (e.g., patient is a minor child), the most current name, address and phone number of another contact, such as a relative or neighbor are needed. This information may also be useful for conducting epidemiological or research studies.

**Coding Instructions (summary of USPS guidelines)**

The address should be fully spelled out with standardized use of abbreviations and punctuation per USPS postal addressing standards (USPS *Postal Addressing Standards*, Pub. 28, November 2000). Upper case recommended. Mixed case allowed.

Abbreviations should be limited to those recognized by the Postal Service standard abbreviations, these include but are not limited to (a complete list of recognized abbreviations is provided in Appendix C of USPS Pub. 28):

APT	apartment	N	north
BLDG	building	NE	northeast
FL	floor	NW	northwest
STE	suite	S	south
UNIT	unit	SE	southeast
RM	room	SW	southwest
DEPT	department	E	east
		W	west

**FOLLOW-UP SOURCE**

Alternate Name	Item #	Length	Source of Standard	Column #
Follow-Up Method (pre-96 COC)	1790	1	COC	1305-1305

**Description**

Records the source from which the latest follow-up information was obtained.

**Rationale**

For registries performing follow-up, this field helps evaluate the success rates of various methods of follow-up. It also can be used to report to institutions the source of follow-up information that is sent to them. When there is a conflict in follow-up information, knowing the source can help resolve the inconsistency.

**Codes**

0	Reported hospitalization
1	Readmission
2	Physician
3	Patient
4	Department of Motor Vehicles
5	Medicare/Medicaid file
7	Death certificate
8	Other
9	Unknown, not stated in patient record

**FOLLOW-UP SOURCE CENTRAL****New**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	1791	2	NAACCR	1397-1398

**Description**

This field is created by the central registry. It records the source from which the consolidated information was obtained on a patient's vital status and date of last contact. Follow-up Source Central would be updated when new or more reliable information becomes available. However, when the existing date of last contact/vital status is deemed to be more reliable than newly obtained information, then neither the date of last contact/vital status nor the follow-up source central would be changed.

**Rationale**

For central registries performing follow-up, this field could help evaluate the success rates of various methods of follow-up. When new follow-up information conflicts with the existing information, knowing the follow-up source can help resolve any discrepancies. Because follow-up information includes follow-up address and cancer status as well as date of last contact/vital status, and may come from different sources, it is important to note that Follow-up Source Central refers to the two fields, date of last contact and vital status.

**Codes**

00 Follow-up not performed for this patient

**(01-29) File Linkages**

- 01 Medicare/Medicaid File
- 02 Center for Medicare and Medicaid Services (CMS, formerly HCFA)
- 03 Department of Motor Vehicle Registration
- 04 National Death Index (NDI)
- 05 State Death Tape/Death Certificate File
- 06 County/Municipality Death Tape/ Death Certificate File
- 07 Social Security Administration Death Master File
- 08 Hospital Discharge Data
- 09 Health Maintenance Organization (HMO) file
- 10 Social Security Epidemiological Vital Status Data
- 11 Voter Registration File
- 12 Research/Study Related Linkage
- 29 Linkages, NOS

**(30-39) Hospitals and Treatment Facilities**

- 30 Hospital in-patient/outpatient
- 31 Casefinding
- 32 Hospital cancer registry
- 33 Radiation treatment center
- 34 Oncology clinic
- 35 Ambulatory surgical center
- 39 Clinic/facility, NOS

(40-49) Physicians

- 40 Attending physician
- 41 Medical oncologist
- 42 Radiation oncologist
- 43 Surgeon
- 48 Other specialist
- 49 Physician, NOS

(50-59) Patient

- 50 Patient contact
- 51 Relative contact
- 59 Patient, NOS

(60-98) Other

- 60 Central or Regional cancer registry
- 61 Internet sources
- 62 Hospice
- 63 Nursing homes
- 64 Obituary
- 65 Other research/study related sources
- 98 Other, NOS
- 99 Unknown source

**FUTURE USE TIMELINESS 1**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2114			

**Description**

Reserved for future use for storing date of a central registry processing milestone. No standards have been adopted for this item. The NAACCR UDSC approved to retire this data item in Version 10.1.

**FUTURE USE TIMELINESS 2**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2115			

**Description**

Reserved for future use for storing date of a central registry processing milestone. No standards have been adopted for this item. The NAACCR UDSC approved to retire this data item in Version 10.1.

**GIS COORDINATE QUALITY****New**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	366	2	NAACCR	233-234

**Description**

Code indicating the basis of assignment of latitude and longitude coordinates for an individual record from an address. This data item is helpful in identifying cases that were assigned coordinates based on incomplete information, post office boxes, or rural routes. Most of the time, this information is provided by a geocoding vendor service. Alternatively, a central registry staff manually assigns the code. This item is not coded by the hospital. Codes are hierarchical, with lower numbers having priority.

**Rationale**

Spatial analysis of cancer data often requires identifying data records with a high degree of locational precision. Researchers can use this code as a basis for selecting records with a degree of precision that is appropriate to the study.

**Codes**

- 01 Coordinates assigned by Global Positioning System (GPS)
- 02 Coordinates are parcel centroid
- 03 Coordinates based on match to a complete street address (includes number, street, city, and ZIP code)
- 04 Coordinates are street intersection
- 05 Coordinates are mid-point street segments (missing or invalid building number)
- 06 Coordinates are address ZIP code +4 centroid
- 07 Coordinates are address ZIP code+2 centroid
- 08 Coordinates were assigned manually without data linkage\*
- 09 Coordinates are address 5-digit ZIP code centroid
- 10 Coordinates are point ZIP code of Post Office Box or Rural Route
- 11 Coordinates are centroid of address city (when address ZIP code is unknown or invalid, and there are multiple ZIP codes for the city)
- 12 Coordinates are centroid of county
- 98 Latitude and longitude are assigned, but coordinate quality is unknown
- 99 Latitude and longitude are not assigned, but geocoding was attempted; unable to assign coordinates based on available information
- Blank Not applicable, coordinate assignment not attempted

\*Automated assignment of coordinates based on database comparison of an address component(s) to similar component(s) in a geocode source failed to or was otherwise unable to generate this geocode. User interaction, such as use of a paper map or digital map source, was key in the assignment of this geocode.

Note: This data item is similar in function to Census Tract Certainty 1970/80/90 [364] and Census Tract Certainty 2000 [365]. The codes for this data item and the two census tract data items all describe how location information was assigned based on the patient's resident address at the time of diagnosis.

This data item must be populated if Latitude [2352] and Longitude [2354] are also populated.

**GRADE**

Alternate Name	Item #	Length	Source of Standard	Column #
Grade, Differentiation, or Cell Indicator (SEER) Grade/Differentiation (COC)	440	1	SEER/COC	306-306

**Description**

Code for the grade or degree of differentiation of the reportable tumor. For lymphomas and leukemias, field also is used to indicate T-, B-, Null-, or NK-cell origin.

*Note:* Code 8 was adopted for use with lymphoma cases diagnosed in 1995 and later.

**Codes**

See the grade tables on page 67 of ICD-O-3.<sup>14</sup> See also the COC *FORDS Manual* and The *SEER Program Code Manual*, for site-specific coding rules and conversions.

- 1 Grade I
- 2 Grade II
- 3 Grade III
- 4 Grade IV
- 5 T-cell
- 6 B-cell
- 7 Null cell
- 8 NK (natural killer) cell
- 9 Grade/differentiation unknown, not stated, or not applicable

**GRADE (73-91) ICD-O-1**

Alternate Name	Item #	Length	Source of Standard	Column #
	1973	1	SEER	1146-1146

**Description**

Area for retaining the grade portion (1 digit) of the ICD-O-1 or field trial grade code entered before a conversion to ICD-O-2. See grouped data item Morph (73-91) ICD-O-1 [1970] in Appendix E. The item name includes years 1973-91. However, some states may have used the codes for cases before 1973.

**Codes**

For cases diagnosed before 1992, contains the ICD-O-1 or field trial 1-digit grade code as originally coded, if available.



**HISTOLOGIC TYPE ICD-O-3**

Alternate Name	Item #	Length	Source of Standard	Column #
	522	4	SEER/COC	301-304

**Description**

Codes for the histologic type of the tumor being reported using ICD-O-3. NAACCR adopted ICD-O-3 as the standard coding system for tumors diagnosed in 2001 and later, and recommended that prior tumors be converted from ICD-O-2.

*Note:* See Histology (92-00) ICD-O-2 [420] for ICD-O-2 codes.

**Codes**

See ICD-O-3<sup>14</sup>, Morphology Section.

**Clarification of Required Status**

This data item is required by all standard-setting organizations for tumors diagnosed on or after January 1, 2001, and recommended (by conversion from ICD-O-2 codes when conversion algorithms and tables are available) for tumors diagnosed before 2001.

When the histologic type is coded according to ICD-O-3, the histology code must be reported in Histologic Type ICD-O-3 [522], with behavior coded in Behavior Code ICD-O-3 [523].

For information on required status for related data items for histologic type and behavior when coded according to ICD-O-2, see Histology (92-00) ICD-O-2 [420] and Behavior (92-00) ICD-O-2 [430].

**HISTOLOGY (73-91) ICD-O-1**

Alternate Name	Item #	Length	Source of Standard	Column #
	1971	4	SEER	1141-1144

**Description**

Area for retaining the histology portion (4 digits) of the ICD-O-1 or field trial morphology codes entered before a conversion to ICD-O-2. See grouped data item Morph (73-91) ICD-O-1 [1970], in Appendix E. The item name includes years 1973-91. However, some states may have used the codes for cases before 1973.

**Codes**

For cases diagnosed before 1992, contains the ICD-O-1 or field trial 4-digit histology code as originally coded, if available. Blank for tumors coded directly into ICD-O-2 (i.e., 1992 and later cases).

**HISTOLOGY (92-00) ICD-O-2**

Alternate Name	Item #	Length	Source of Standard	Column #
Histology (COC)	420	4	SEER/COC	296-299

**Description**

Codes for the histologic type of the tumor being reported using ICD-O-2. NAACCR adopted ICD-O-2 as the standard coding system for tumors diagnosed in 1992 and later and recommended that prior cases be converted to ICD-O-2.

*Note:* See Histology (73-91) ICD-O-1 [1971] for ICD-O-1 and field trial codes.

**Codes**

See ICD- O -2, <sup>15</sup> Morphology Section.

**Clarification of Required Status**

This data item is required by all standard-setting organizations for tumors diagnosed from January 1, 1992 through December 31, 2000, and recommended for tumors diagnosed before 1992.

When the histologic type is coded according to ICD-O-2, the histology code must be reported in Histology (92-00) ICD-O-2 [420], with behavior coded in Behavior (92-00) ICD-O-2 [430].

For information on required status for related data items for histologic type and behavior when coded according to ICD-O-3, see Histologic Type ICD-O-3 [522] and Behavior Code ICD-O-3 [523].

**ICD REVISION COMORBID****New**

Alternate Name	Item #	Length	Source of Standard	Column #
ICD Revision Comorbidities	3165	1	COC	737-737

**Description**

This item indicates the coding system in which the Comorbidities and Complications (secondary diagnoses) codes are provided.

**Rationale**

The COC currently requires the collection and reporting of up to 10 ICD-9-CM codes describing secondary diagnoses for patients hospitalized for cancer treatment. Currently the use of ICD-10-CM is not mandatory in U.S. hospitals, though may become so in the future. In the event this occurs cancer registries that maintain or collect this information will need to differentiate between ICD-9-CM and ICD-10-CM code use. The code values and definitions for this item would be expanded as necessary. Allowable codes reported in the Comorbidity and Complications items in FORDS would be re-assessed at the same time.

**Codes**

1 ICD-10-CM

9 ICD-9-CM

Blank Comorbidities and Complications not coded

**ICD REVISION NUMBER**

Alternate Name	Item #	Length	Source of Standard	Column #
ICD Code Revision Used for Cause of Death (SEER)	1920	1	SEER	1392-1392

**Description**

Indicator for the coding scheme used to code the cause of death.

**Codes**

- 0 Patient alive at last follow-up
- 1 ICD-10
- 7 ICD-7
- 8 ICDA-8
- 9 ICD-9

**ICD-O-2 CONVERSION FLAG**

Alternate Name	Item #	Length	Source of Standard	Column #
Review Flag for 1973-91 Cases (SEER)	1980	1	SEER	1147-1147

**Description**

Code specifying how the conversion of site and morphology codes from ICD-O-1 and the field trial editions to ICD-O-2 was accomplished. The item names include years 1973-91. However, some states may have used the codes for tumors before 1973. The code also covers morphology conversions from ICD-O-3 to ICD-O-2.

**Codes**

- 0 Primary site and morphology originally coded in ICD-O-2
- 1 Primary site and morphology converted without review
- 2 Primary site converted with review; morphology machine-converted without review
- 3 Primary site machine-converted without review, morphology converted with review
- 4 Primary site and morphology converted with review
- 5 Morphology converted from ICD-O-3 without review
- 6 Morphology converted from ICD-O-3 with review
- Blank Not converted

**ICD-O-3 CONVERSION FLAG**

Alternate Name	Item #	Length	Source of Standard	Column #
	2116	1	SEER/COC	1243-1243

**Description**

Code specifying how the conversion of site and morphology codes from ICD-O-2 to ICD-O-3 was accomplished.

**Codes**

- 0 Morphology (Morph--Type&Behav ICD-O-3 [521] originally coded in ICD-O-3
- 1 Morphology (Morph--Type&Behav ICD-O-3 [521] converted from (Morph--Type&Behav ICD-O-2 [419] without review
- 3 Morphology (Morph--Type&Behav ICD-O-3 [521] converted from (Morph--Type&Behav ICD-O-2 [419] with review
- Blank Not converted

**IHS LINK****New**

Alternate Name	Item #	Length	Source of Standard	Column #
Indian Health Service Linkage	192	1	NPCR	232-232

**Description**

This variable captures the results of the linkage of the registry database with the Indian Health Service patient registration database.

**Rationale**

The IHS linkage identifies cancer cases among American Indians who were misclassified as non-Indian in the registry database in order to improve the quality of cancer surveillance data on American Indians in both the individual registries and in all registries as a whole. The goal is to include cancer incidence data for American Indians in the United States Cancer Statistics by use of this variable as well as the race variable.

**Codes**

- 0 Record sent for linkage, no IHS match
- 1 Record sent for linkage, IHS match
- Blank Record not sent for linkage or linkage result pending

**INDUSTRY CODE--CENSUS**

Alternate Name	Item #	Length	Source of Standard	Column #
	280	3	Census/NPCR	138-140

**Description**

Code for the patient's usual industry, using U.S. Census Bureau codes (2000 Census<sup>26</sup> is preferable) according to coding procedures recommended for death certificates.<sup>25</sup> This data item applies only to patients who are age 14 years or older at the time of diagnosis.

*Note:* Occupation/industry coding should NOT be performed by reporting facilities. This is a central cancer registry data item. Specially trained and qualified personnel should perform coding.

*Note:* 2000 Census codes for occupation and industry are recommended for tumors diagnosed on or after January 1, 2003.<sup>26</sup> The 1990 Census codes are recommended for tumors diagnosed before January 1, 2003.<sup>24</sup> For more information, see the U.S. Census Bureau Website at: <http://www.census.gov/hhes/www/ioindex/overview.html>.

### Rationale

Use of the Census Bureau classification system improves consistency of data collected from multiple sources. The Census Bureau industrial classification system is used for coding industry information from death certificates and from the U.S. Census of Population. The system includes specific coding rules.<sup>22-27</sup>

### Codes

For the 1990 Census codes see Instructional Manual Part 19: *Industry and Occupation Coding for Death Certificates*, 1999<sup>23</sup> and related materials in the reference list, Chapter VI. A similar instruction manual for the 2000 Census codes has not been developed. Software for automated coding of occupation and industry is available from the Division of Safety Research, National Institute for Occupational Safety and Health, CDC. Contact Suzanne Marsh at (304) 285-6009 or at [mmm2@cdc.gov](mailto:mmm2@cdc.gov).

## INDUSTRY SOURCE

Alternate Name	Item #	Length	Source of Standard	Column #
	300	1	NPCR	142-142

### Description

Code that best describes the source of industry information provided on this patient. This is a central cancer registry data item (i.e., codes should be applied by a central or regional registry rather than collected from reporting facilities).

### Rationale

Industry information may come from a variety of sources. The most valid and reliable source of industry information for patients has not yet been determined.

### Codes

- 0 Unknown industry/no industry available
- 1 Reporting facility records
- 2 Death certificate
- 3 Interview
- 7 Other source
- 8 Not applicable, patient less than 14 years of age at diagnosis
- 9 Unknown source
- Blank Not collected

## INPATIENT/OUTPAT STATUS

Retired

Alternate Name	Item #	Length	Source of Standard	Column #
	640			

### Description

The NAACCR UDSC approved to retire this data item in Version 11.

**INSTITUTION REFERRED FROM**

Alternate Name	Item #	Length	Source of Standard	Column #
Facility Referred From	2410	10	COC	2485-2494

**Description**

Identifies the facility that referred the patient to the reporting hospital.

**Rationale**

Each facility's FIN is unique. This number is used to document and monitor referral patterns. Efforts are underway to establish uniform national provider ID numbers. COC and NAACCR committees will consider adoption of any federal standards, when they become available.

**Instructions for Coding**

COC maintains the codes, including those for non-hospital sources of reporting.

For facilities with 7-digit FINs, consisting of a constant "6" followed by 6-digit facility-specific codes in the range of 6020009-6953290 that were assigned by COC before January 1, 2001: Enter all FIN codes of this type as 3 zeroes, followed by the constant "6" and the 6-digit facility-specific codes.

For facilities with FINs greater than or equal to 10000000 that were assigned by COC after January 1, 2001: Enter FIN codes of this type as 2 zeroes followed by the full 8-digit code. These sometimes are called COC FIN 10-digit codes.

**Codes (in addition to COC assigned codes)**

0000000000            Case not referred from a facility  
0099999999            Case referred from a facility, but facility number is unknown

*Note:* When this special code is being used, the length in 9s should correspond to the length indicated by the code in FIN coding system [35]. The 9s must be right justified in the field, and the remaining spaces should be filled with leading zeroes to a total length of 10.

**INSTITUTION REFERRED TO**

Alternate Name	Item #	Length	Source of Standard	Column #
Facility Referred To	2420	10	COC	2495-2504

**Description**

Identifies the facility to which the patient was referred for further care after discharge from the reporting facility.

**Rationale**

Each facility's FIN is unique. This number is used to document and monitor referral patterns. Efforts are underway to establish uniform national provider ID numbers. COC and NAACCR committees will consider adoption of any federal standards, when they become available.

**Instructions for Coding**

COC maintains the codes, including those for non-hospital sources of reporting.

For facilities with 7-digit FINs, consisting of a constant “6” followed by 6-digit facility-specific codes in the range of 6020009-6953290 that were assigned by COC before January 1, 2001: Enter all FIN codes of this type as 3 zeroes, followed by the constant “6” and the 6-digit facility-specific codes.

For facilities with FINs greater than or equal to 10000000 that were assigned by COC after January 1, 2001: Enter FIN codes of this type as 2 zeroes followed by the full 8-digit code. These sometimes are called COC FIN 10-digit codes.

**Codes (in addition to COC assigned codes)**

0000000000 Case not referred to a facility

0099999999 Case referred to a facility, but facility number is unknown

*Note:* When this special code is being used, the length in 9s should correspond to the length indicated by the code in FIN coding system [35]. The 9s must be right justified in the field, and the remaining spaces should be filled with leading zeroes to a total length of 10.

**LAST FOLLOW-UP HOSPITAL****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2430			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**LATERALITY**

Alternate Name	Item #	Length	Source of Standard	Column #
Laterality at Diagnosis (SEER)	410	1	SEER/COC	295-295

**Description**

Code for the side of a paired organ, or the side of the body on which the reportable tumor originated. This applies to the primary site only.

**Codes**

- 0 Not a paired site
- 1 Right: origin of primary
- 2 Left: origin of primary
- 3 Only one side involved, right or left origin unspecified
- 4 Bilateral involvement, lateral origin unknown; stated to be single primary; including both ovaries involved simultaneously, single histology; bilateral retinoblastomas; bilateral Wilms' tumors
- 9 Paired site, but no information concerning laterality, midline tumor

**LATITUDE**

Alternate Name	Item #	Length	Source of Standard	Column #
	2352	10	NAACCR	2394-2403

**Description**

Cancer Registry spatial data for a tumor record represents the point location of the individual's residence on the Earth's surface. The point location is expressed as a coordinate pair of latitude and longitude values determined by any one of several methods: for example, geocoding, address matching, global positioning satellite (GPS) readings, and interpolation from paper or electronic maps. Most of the time this information is provided by a geocoding vendor service. Alternatively, a central registry staff manually assigns the code. This item is not coded by the hospital.

**Rationale**

Decimal degree coordinate data can be thought of as the universal "currency" of exchange for spatial data to be used (projected or not projected) in GIS. Data in this format can be used by any GIS software and projected for the appropriate area of interest, and would be consistent with formats of data obtained from other sources. Users may not necessarily need to project their data unless they need to preserve properties of area, shape, distance, or direction. Different projections provide one or more of these properties. Some projections are used simply for presentation purposes because they make the map "look" better. Displaying a large area such as a state or province/territory using an unprojected rectangular latitude/longitude decimal degree grid may make the area appear distorted, especially in far northern latitudes.

**Allowable values and format**

Projection and Units -- Spatial data will be exchanged in "unprojected" latitude and longitude coordinates. The data units will be in decimal degrees (and not in degrees, minutes, seconds).

Correct:                      Latitude: 41.890949  
                                    Longitude: -123.128943

Not this:                     Latitude: 41 deg 53' 27"  
                                    Longitude:-71 deg 7' 44"

The latitude field is a 10-byte numeric field, right justified. This coordinate may be carried out to 6 decimal places with an explicit decimal point. It has the following format: x12.345678, where "x" is reserved for a negative sign if the coordinate represents a location south of the equator.

**Codes**

Latitude and longitude data shall always be stored and exchanged as numeric values. Latitude north of the equator is positive. Longitude west of 0 degrees (the Prime Meridian) and east of 180 degrees (approximately the International Date Line) is negative—this applies to the entire North American continent with the exception of the tip of the Aleutian Islands in Alaska.

*Note:* The datum of the decimal degree data shall be North American Datum of 1983 (NAD 83). Data in NAD 27 shall be converted to NAD 83 prior to data exchange.



**LOC/REG/DISTANT STAGE****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	770			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**LONGITUDE**

Alternate Name	Item #	Length	Source of Standard	Column #
	2354	11	NAACCR	2404-2414

**Description**

Cancer Registry spatial data for a tumor record represents the point location of the individual's residence on the Earth's surface. The point location is expressed as a coordinate pair of latitude and longitude values determined by any one of several methods: for example, geocoding, address matching, GPS readings, and interpolation from paper or electronic maps. Most of the time this information is provided by a geocoding vendor service. Alternatively, a central registry staff manually assigns the code. This item is not coded by the hospital.

**Rationale**

Decimal degree coordinate data can be thought of as the universal "currency" of exchange for spatial data to be used (projected or not projected) in GIS. Data in this format can be used by any GIS software and projected for the appropriate area of interest, and would be consistent with formats of data obtained from other sources. Users may not necessarily need to project their data unless they need to preserve properties of area, shape, distance, or direction. Different projections provide one or more of these properties. Some projections are used simply for presentation purposes because they make the map "look" better. Displaying a large area such as a state or province/territory using an unprojected rectangular latitude/longitude decimal degree grid may make the area appear distorted, especially in far northern latitudes.

**Allowable values and format**

Projection and Units -- Spatial data are exchanged in "unprojected" latitude and longitude coordinates. The data units are in decimal degrees (and not in degrees, minutes, seconds).

Correct:                      Latitude: 41.890949  
                                     Longitude: -123.128943

Not this:                      Latitude: 41 deg 53' 27"  
                                     Longitude: -71 deg 7' 44"

The longitude field is an 11-byte numeric field, right justified. This coordinate may be carried out to 6 decimal places with an explicit decimal point. It has the following format: x123.456789, where "x" is reserved for a negative sign if the coordinate represents a location west of 0 degrees (Prime Meridian) and east of 180 degrees.

**Codes**

Latitude and longitude data are stored and exchanged as numeric values. Latitude north of the equator is positive. Longitude west of 0 degrees (the Prime Meridian) and east of 180 degrees (approximately the International Date Line) is negative—this applies to the entire North American continent with the exception of the tip of the Aleutian Islands in Alaska.

*Note:* The datum of the decimal degree data is NAD 83. Data in NAD 27 are converted to NAD 83 prior to data exchange.

**MARITAL STATUS AT DX**

Alternate Name	Item #	Length	Source of Standard	Column #
Marital Status at Diagnosis (SEER/COC) Marital Status at Initial Diagnosis (pre-96 COC)	150	1	SEER	102-102

**Description**

Code for the patient's marital status at the time of diagnosis for the reportable tumor. If the patient has multiple tumors, marital status may be different for each tumor.

**Rationale**

Incidence and survival with certain cancers vary by marital status. The item also helps in patient identification.

**Codes**

- 1 Single (never married)
- 2 Married (including common law)
- 3 Separated
- 4 Divorced
- 5 Widowed
- 9 Unknown

**MEDICAL RECORD NUMBER**

Alternate Name	Item #	Length	Source of Standard	Column #
	2300	11	COC	2086-2096

**Description**

Records medical record number used by the facility to identify the patient. The COC *FORDS Manual* instructs registrars to record numbers assigned by the facility's Health Information Management (HIM) Department only, not department-specific numbers.

**Rationale**

This number identifies the patient in a facility. It can be used by a central registry to point back to the patient record, and it helps identify multiple reports on the same patient.

**Codes (in addition to the medical record number)**

UNK Medical record number unknown  
 RT Radiation therapy department patient without HIM number  
 SU 1-day surgery clinic patient without HIM number

*Note:* Other standard abbreviations may be used to indicate departments within the facility for patients without HIM numbers assigned.

**MILITARY RECORD NO SUFFIX**

Alternate Name	Item #	Length	Source of Standard	Column #
Military Medical Record Number Suffix (COC)	2310	2	COC	2097-2098

**Description**

Patient identifier used by military hospitals to record relationship of the patient to the sponsor.

**Codes**

01-19 Child  
 20 Sponsor  
 30-39 Spouse  
 40-44 Mother  
 45-49 Father  
 50-54 Mother-in-law  
 55-59 Father-in-law  
 60-69 Other eligible dependents  
 98 Civilian emergency (Air Force/Navy)  
 99 Not classified elsewhere/stillborn  
 Blank Not applicable, medical record number not from a military hospital

**MORPH (73-91) ICD-O-1**

Alternate Name	Item #	Length	Source of Standard	Column #
	1970	6		1141-1146

**Description**

The name for a group of subfields describing the type and behavior of the tumor being reported using ICD-O-1 codes.

Group names appear only in the data dictionary and Appendix E.

**Subfields**

Histology (73-91) ICD-O-1 [1971]  
 Behavior (73-91) ICD-O-1 [1972]  
 Grade (73-91) ICD-O-1 [1973]

**MORPH CODING SYS--CURRENT**

Alternate Name	Item #	Length	Source of Standard	Column #
	470	1	NAACCR	309-309

**Description**

Code that best describes how morphology is currently coded. If converted, this field shows the system it is converted to.

**Codes**

- 1 ICD-O, First Edition
- 2 ICD-O, 1986 Field Trial
- 3 ICD-O, 1988 Field Trial
- 4 ICD-O, Second Edition
- 5 ICD-O, Second Edition, plus REAL lymphoma codes effective 1/1/95
- 6 ICD-O, Second Edition, plus FAB codes effective 1/1/98
- 7 ICD-O, Third Edition
- 9 Other

**MORPH CODING SYS--ORIGINL**

Alternate Name	Item #	Length	Source of Standard	Column #
	480	1	NAACCR	310-310

**Description**

Code that best describes how morphology was originally coded. If later converted, this field shows the original codes used.

**Codes**

- 1 ICD-O, First Edition
- 2 ICD-O, 1986 Field Trial
- 3 ICD-O, 1988 Field Trial
- 4 ICD-O, Second Edition
- 5 ICD-O, Second Edition, plus REAL lymphoma codes effective 1/1/95
- 6 ICD-O, Second Edition, plus FAB codes effective 1/1/98
- 7 ICD-O-3, Third Edition
- 9 Other

**MORPH--TYPE&BEHAV ICD-O-2**

Alternate Name	Item #	Length	Source of Standard	Column #
	419	5		296-300

**Description**

The name for a group of subfields describing the type and behavior of the tumor being reported using ICD-O-2 codes.

Group names appear only in the data dictionary and Appendix E.

**Subfields**

Histology (92-00) ICD-O-2 [420]

Behavior (92-00) ICD-O-2 [430]

**MORPH--TYPE&BEHAV ICD-O-3**

Alternate Name	Item #	Length	Source of Standard	Column #
	521	5		301-305

**Description**

The name for a group of subfields describing the type and behavior of the tumor being reported using ICD-O-3 codes.

Group names appear only in the data dictionary and Appendix E.

**Subfields**

Histologic Type ICD-O-3 [522]

Behavior Code ICD-O-3 [523]

**MULT TUM RPT AS ONE PRIM****New**

Alternate Name	Item #	Length	Source of Standard	Column #
Multiple Tumors Reported as Single Primary	444	2	SEER	333-334

**Description**

This data item is used to identify cases with multiple tumors that are abstracted and reported as a single primary using the SEER, IARC, or Canadian Cancer Registry multiple primary rules. Multiple tumors may individually exhibit in situ, invasive, or any combination of in situ and invasive behaviors. Multiple intracranial and central nervous system tumors may individually exhibit benign, borderline, malignant, or any combination of these behaviors. Multiple tumors found in the same organ or in a single primary site may occur at the time of initial diagnosis or within one year of the initial diagnosis.

The data item does not apply to metastatic tumors.

Data will be collected at the time of initial case abstract or within one year of the initial diagnosis.

This data item is also used when a physician states that there are two or more primaries, but for surveillance purposes, the case is reported as a single primary.

**Rationale**

Patients with multiple tumors that are currently reported as a single primary for surveillance purposes may have a worse prognosis or more extensive treatment than patients with a single tumor. This data item will make it possible to identify important information about these cases for data analysis.

Data collected under this item will be used to assess the number, type, and anatomic location of multiple tumors currently abstracted as a single primary using the SEER, IARC, or Canadian Cancer Registry rules for determining multiple primary cancers and the impact of these cases on cancer case counts and incidence rates.

Data will also serve as a basis for measuring the impact and feasibility of future modifications to the multiple primary rules.

This data item will make it possible to compare individually reported cancer cases with historical data if the rules are changed.

**Codes**

00	Single tumor
10	At least two benign tumors in same organ/primary site (Intracranial and CNS sites only)
11	At least two borderline tumors in the same organ/primary site (Intracranial and CNS sites only)
12	Benign and borderline tumors in the same organ/primary site (Intracranial and CNS sites only)
20	At least two in situ tumors in the same organ/primary site
30	One or more in situ and one or more invasive tumors in the same organ/primary site
31	One or more in situ/invasive adenocarcinoma in a polyp and one or more frank adenocarcinoma in one segment of colon
32	Familial polyposis with one or more in situ/invasive carcinoma
40	At least two invasive tumors in the same organ (Includes one or more invasive tumor with histology "NOS" and one or more separate invasive tumor with a more specific histology)
80	Multiple tumors present in the same organ/primary site, unknown if in situ or invasive
88	Information on multiple tumors not collected/not applicable for this site
99	Unknown

**MULTIPLICITY COUNTER****New**

Alternate Name	Item #	Length	Source of Standard	Column #
	446	2	SEER	343-344

**Description**

This data item is used to count the number of individual reportable tumors (multiplicity) that are present at the time of diagnosis or the number of reportable tumors that occur within one year of the original diagnosis reported as a single primary using the SEER, IARC, or Canadian Cancer Registry multiple primary rules.

**Rationale**

Patients with multiple tumors currently reported as a single primary for surveillance purposes may have a worse prognosis or more extensive treatment than patients with a single tumor. This data item will make it possible to identify important information about these cases for data analysis.

Data collected under this item will be used to assess the number, type, and anatomic location of multiple reportable tumors currently abstracted as a single primary using the SEER, IARC, or Canadian Cancer

Registry rules for determining multiple primary cancers and the impact of these cases on cancer case counts and incidence rates.

Data will also serve as a basis for measuring the impact and feasibility of future modifications to the multiple primary rules.

This data item will also make it possible to compare individually reported cancer cases with historical data if the rules are changed.

#### Codes

01	One tumor only
02	Two tumors present
03	Three tumors present
..	
..	
88	Information on multiple tumors not collected/not applicable for this site
99	Multiple tumors present, unknown how many

#### NAACCR RECORD VERSION

Revised

Alternate Name	Item #	Length	Source of Standard	Column #
	50	1	NAACCR	19-19

#### Description

This item applies only to record types I, C, A and M. Code the NAACCR record version used to create the record.

*Note:* The correction record (U) has its own record version data item.

#### Codes

1	1992-1994 Version 2 and Version 3
4	1995 Version 4.0
5	1996 and 1997 Version 5.0 or Version 5.1
6	1998 Version 6
7	1999 Version 7
8	2000 Version 8
9	2001 and 2002 Version 9 and 9.1
A	2003, 2004, and 2005 Version 10, 10.1, and 10.2
B	2006 Version 11
Blank	September 1989 Version

*Note:* Code 4 was assigned to the 1995 Version to synchronize the document version and the layout version numbers. Layout document Versions 2 and 3 are coded as 1.

**NAME--ALIAS**

Alternate Name	Item #	Length	Source of Standard	Column #
Alias (COC)	2280	15	SEER	2006-2020

**Description**

Records an alternate name or “AKA” (also known as) used by the patient, if known. Note that maiden name is entered in Name-Maiden [2390].

**NAME--FIRST**

Alternate Name	Item #	Length	Source of Standard	Column #
First Name (COC)	2240	14	NAACCR	1972-1985

**Description**

First name of the patient.

*Note:* The COC *FORDS Manual* allows this field to be blank. If facilities with COC-approved cancer programs submit blanks to the central registry, it is suggested that the central registry devise procedures for completing the last and first name with text, such as UNKNOWN, after verifying with the hospital that the field was left intentionally blank.

**NAME--LAST**

Alternate Name	Item #	Length	Source of Standard	Column #
Last Name (COC)	2230	25	NAACCR	1947-1971

**Description**

Last name of the patient.

*Note:* See *FORDS Manual 2004* for COC allowable values (See Chapter V Unresolved Issues for differences between COC and NAACCR).

**NAME--MAIDEN**

Alternate Name	Item #	Length	Source of Standard	Revised Column #
Maiden Name (COC)	2390	15	SEER	2021-2035

**Description**

Maiden name of female patients who are or have been married.

**Rationale**

This is used to link reports on a woman who changed her name between reports. It also is critical when using Spanish surname algorithms to categorize ethnicity.

The field should be left blank if the maiden name is not known or not applicable. Since a value in this field may be used by linkage software or other computer algorithms, only legitimate surnames are allowable, and any variation of "unknown" or "not applicable" is not allowable.

*Note:* See Chapter V, Unresolved Issues, for discussion of hyphenated maiden name.



**NAME--MIDDLE**

Alternate Name	Item #	Length	Source of Standard	Column #
Middle Name (COC)	2250	14	COC	1986-1999
Middle Initial (pre-96 COC)				

**Description**

Middle name or, if middle name is unavailable, middle initial of the patient.

**NAME--PREFIX**

Alternate Name	Item #	Length	Source of Standard	Column #
Name Prefix (COC)	2260	3	SEER	2000-2002

**Description**

Abbreviated title that precedes name in a letter (e.g., "Rev.," "Ms.").

**NAME--SPOUSE/PARENT**

Alternate Name	Item #	Length	Source of Standard	Column #
	2290	50	NAACCR	2036-2085

**Description**

NAACCR has not adopted standards for this item. Use varies by area.

**NAME--SUFFIX**

Alternate Name	Item #	Length	Source of Standard	Column #
Name Suffix (COC)	2270	3	SEER	2003-2005

**Description**

Title that follows a patient's last name, such as a generation order or credential status (e.g., "MD," "Jr.").

**NEXT FOLLOW-UP SOURCE**

Alternate Name	Item #	Length	Source of Standard	Column #
Next Follow-Up Method (pre-96 COC)	1800	1	COC	1306-1306

**Description**

Identifies the method planned for the next follow-up.

**Codes**

- 0 Chart requisition
- 1 Physician letter
- 2 Contact letter
- 3 Phone call
- 4 Other hospital contact
- 5 Other, NOS
- 8 Foreign residents (not followed)
- 9 Not followed, other cases for which follow-up is not required

**NHIA DERIVED HISP ORIGIN**

Alternate Name	Item #	Length	Source of Standard	Column #
	191	1	NAACCR	231-231

**Description**

The NAACCR Hispanic Identification Algorithm (NHIA) uses a combination of NAACCR variables to directly or indirectly classify cases as Hispanic for analytic purposes. It is possible to separate Hispanic ancestral subgroups (e.g., Mexican) when indirect assignment results from birthplace information but not from surname match. The algorithm uses the following NAACCR standard variables: Spanish/Hispanic Origin [190], Name-Last [2230], Name-Maiden [2390], Birthplace [250], Race 1 [160], and Sex [220].

Code 7 (Spanish surname only) of the Spanish/Hispanic Origin [190] data item became effective with 1994 diagnosis. It is recommended that NHIA should be run on 1995 and forward diagnosis. However, a central registry may run it on their data for prior years.

**Rationale**

Sometimes despite best efforts to obtain complete information directly from the medical record, information is not available and is reported to the cancer registry as a missing data item. With regard to Hispanic ethnicity, some cancer registries have found it necessary to rely on indirect methods to populate this data element. The registries often have significant numbers or proportions of Hispanic populations in their jurisdiction.

**Codes**

- 0 Non-Hispanic
- 1 Mexican, by birthplace or other specific identifier
- 2 Puerto Rican, by birthplace or other specific identifier
- 3 Cuban, by birthplace or other specific identifier
- 4 South or Central American (except Brazil), by birthplace or other specific identifier
- 5 Other specified Spanish/Hispanic origin (includes European; excludes Dominican Republic), by birthplace or other specific identifier

- 6 Spanish, NOS; Hispanic, NOS; Latino, NOS
- 7 NHIA surname match only
- 8 Dominican Republic
- Blank Algorithm has not been run

**NUMBER OF TUMORS/HIST****New**

Alternate Name	Item #	Length	Source of Standard	Column #
Number of Tumors/Histologies	447	2	NAACCR	345-346

**Description**

This data item will clarify the number of simultaneous tumors (lesions) and the number of histologies for a given reported tumor. At a facility, this will reflect information for an individual abstract being prepared. At a central registry, this item can be consolidated to represent the best information obtained for a reportable tumor from multiple sources.

**Rationale**

Information on the number of simultaneous tumors or lesions (per SEER multiple primary rules) would make it possible to more accurately consolidate source records and to facilitate the automation of this process.

**Codes**

- 11 Single tumor - single histology
- 12 Single tumor - complex or combination histology
- 13 Single tumor - multiple histologies - no combination code exists
- 21 Multiple tumors - all with the same single histology
- 22 Multiple tumors - all with the same complex histology
- 23 Multiple tumors - different histologies reported as a single primary
- 96 Unknown if single or multiple tumors - single histology
- 97 Unknown if single or multiple tumors - complex/combination histology
- 98 Unknown if single or multiple tumors - multiple histologies reported as a single primary
- 99 Unknown if single or multiple tumors, not applicable, not enough information; death certificate only

**OCCUP/IND CODING SYSTEM**

Alternate Name	Item #	Length	Source of Standard	Column #
	330	1	NPCR	223-223

**Description**

Code that identifies coding system used for occupation and industry. This is a central cancer registry data item (i.e., codes should be applied by a central or regional registry rather than collected from reporting facilities).

**Codes**

- 1 1970 Census
- 2 1980 Census
- 3 1990 Census
- 4 2000 Census

- 7 Other coding system  
 9 Unknown coding system  
 Blank Not collected

*Note:* 2000 Census codes for occupation and industry are recommended for tumors diagnosed on or after January 1, 2003.<sup>26</sup> The 1990 Census codes are recommended for tumors diagnosed before January 1, 2003.<sup>24</sup> For more information, see the U.S. Bureau of the Census Website at: <http://www.census.gov/hhes/www/ioindex/overview.html>.

### OCCUPATION CODE--CENSUS

Alternate Name	Item #	Length	Source of Standard	Column #
	270	3	Census/NPCR	135-137

#### Description

Code for the patient's usual occupation, using U.S. Census Bureau codes (2000 Census<sup>26</sup> is preferable) according to coding procedures recommended for death certificates.<sup>25</sup> This data item applies only to patients who are age 14 years or older at the time of diagnosis.

*Note:* Occupation/industry coding should NOT be performed by reporting facilities. This is a central registry data item. Specially trained and qualified personnel should perform coding.

*Note:* 2000 Census codes for occupation and industry are recommended for cancers diagnosed on or after January 1, 2003.<sup>26</sup> The 1990 Census codes are recommended for cancers diagnosed before January 1, 2003.<sup>24</sup> For more information, see the U.S. Bureau of the Census Website at: <http://www.census.gov/hhes/www/ioindex/overview.html>.

#### Rationale

Use of the Census Bureau classification system improves consistency of data collected from multiple sources. The Census Bureau occupation classification system is used for coding occupation information from death certificates and from the U.S. Census of Population. The system includes specific coding rules.<sup>22-27</sup>

#### Codes

For the 1990 Census codes, see Instructional Manual Part 19: *Industry and Occupation Coding for Death Certificates*, 1999,<sup>23</sup> and related materials in the reference list, Chapter VI. A similar instruction manual for the 2000 Census codes has not been developed. Software for automated coding of occupation and industry is available from the Division of Safety Research, National Institute for Occupational Safety and Health, CDC. Contact Suzanne Marsh at (304) 285-6009 or at [mmm2@cdc.gov](mailto:mmm2@cdc.gov).

### OCCUPATION SOURCE

Alternate Name	Item #	Length	Source of Standard	Column #
	290	1	NPCR	141-141

#### Description

Code that best describes the source of occupation information provided on this patient. This is a central cancer registry data item (i.e., codes should be applied by a central or regional registry rather than collected from reporting facilities).

**Rationale**

Occupation information may come from a variety of sources. The most valid and reliable source of occupation information for patients has not yet been determined.

**Codes**

0	Unknown occupation/no occupation available
1	Reporting facility records
2	Death certificate
3	Interview
7	Other source
8	Not applicable, patient less than 14 years of age at diagnosis
9	Unknown source
Blank	Not collected

**OTHER STAGING SYSTEM****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1070			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**OVER-RIDE ACSN/CLASS/SEQ**

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Accession/Class of Case/Sequence	1985	1	COC	1119-1119

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edit in the NAACCR Metafile of the EDITS software:  
Accession Number, Class of Case, Seq Number (COC).

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

The edit, Accession Number, Class of Case, Seq Number (COC), checks the following:

1. If the case is the only case or the first of multiple cases diagnosed at the facility (Sequence Number--Hospital = 00, 01, 60, or 61, and Class of Case = 0, 1, or 6), then the first 4 characters of the Accession Number must equal the year of the Date of 1st Contact.
2. If the case is first diagnosed at autopsy (Class of Case = 5) and the case is the only case or the first of multiple cases for a patient (Sequence Number--Hospital = 00, 01, 60, or 61), then the first 4

characters of the Accession Number must equal the year of the Date of Last Contact AND must equal the year of the Date of 1st Contact.

3. If the case is first diagnosed at autopsy (Class of Case = 5) and the case is not the first case for a patient (Sequence Number--Hospital) greater than 01 or greater than 61), then the year of the Date of 1st Contact must equal the year of Date of Last Contact.

There are some exceptions to the above rules. Over-ride Acsn/Class/Seq may be used to override the edit when the circumstances fit the following situation or one similar to it:

1. The case may be the only or the first of multiple malignant cases for a patient (Sequence Number--Hospital = 00 or 01), but there is an earlier benign case (with an earlier year of the Date of 1st Contact) to which the Accession Number applies.

### **Instructions for Coding**

1. If edit generates an error or warning message, verify that the Accession Number, Sequence Number, and Class of Case are correct.
2. Leave blank if the program does not generate an error message for the edit Accession Number, Class of Case, Seq Number (COC).
3. Leave blank and correct any errors for the case if an item is discovered to be incorrect.
4. Code 1 if review of accession number, sequence number and class of case verifies that they have been coded correctly and there is an unusual combination of these data items.

### **Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

### **OVER-RIDE AGE/SITE/MORPH**

Alternate Name	Item #	Length	Source of Standard	Column #
Age/Site/Histology Interfield Review (Interfield Edit 15) (SEER #3)	1990	1	SEER	1124-1124

### **Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Age, Primary Site, Morphology (SEER IF15)

Age, Primary Site, Morph ICDO3 --Adult (SEER)

Age, Primary Site, Morph ICDO3--Pediatric (NPCR)

### **Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Some cancers occur almost exclusively in certain age groups.

Edits of the type Age, Primary Site, Morphology require review if a site/morphology combination occurs in an age group for which it is extremely rare. The edit Age, Primary Site, Morph ICDO3--Adult (SEER) edits cases with an Age at Diagnosis of 15 and older. The edit Age, Primary Site, Morph ICDO3--Pediatric (NPCR) edits cases with an Age at Diagnosis of less than 15. The ICD-O-2 version of the edit is Age, Primary Site, Morphology (SEER IF15) and contains logic for all ages.

**Instructions for Coding**

1. Leave blank if the program does not generate an error message for the edit Age, Primary Site, Morphology, the edit Age, Primary Site, Morph ICDO3--Adult, or the edit Age, Primary Site, Morph ICDO3--Pediatric.
2. Leave blank and correct any errors for the case if an item is discovered to be incorrect.
3. Code 1 as indicated if review of items in the error or warning message confirms that all are correct.

**Codes**

- 1 Reviewed: An unusual occurrence of a particular age/site/histology combination for a given age group has been reviewed.
- Blank Not reviewed or reviewed and corrected.

**OVER-RIDE COC-SITE/TYPE**

Alternate Name	Item #	Length	Source of Standard	Column #
	1987	1	COC	1121-1121

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

- Primary Site, Morphology-Type Check (COC)
- Primary Site, Morphology-Type ICDO3 (COC)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Multiple versions of edits of the type Primary Site, Morphology-Type check for "usual" combinations of site and ICD-O-2 or ICD-O-3 histology. The SEER version of the edit is more restrictive than the COC edit, and thus, uses a different over-ride flag. The COC version of the edit will accept Over-ride COC Site/Type or Over-ride Site/Type (the SEER edit) as equivalent.

1. The Site/Histology validation list (available on the SEER website) contains those histologies commonly found in the specified primary site. Histologies that occur only rarely or never are not included. These edits require review of all combinations not listed.

Review of these cases requires investigating whether the combination is biologically plausible or whether cancer registry coding conventions would allow different codes for the diagnosis. Review of these rare combinations often results in a change to either the site or histology.

**Instructions for Coding**

1. Leave blank if the program does not generate an error message for edits of the type Primary Site, Morphology-Type Check.
2. Leave blank and correct any errors for the case if an item is discovered to be incorrect.

Code 1 if review of all items in the error or warning message confirms they are correct and coded in conformance with coding rules.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE HISTOLOGY**

Alternate Name	Item #	Length	Source of Standard	Column #
Histology/Behavior Interfield Review (Field Item Edit Morph) (SEER #2)	2040	1	SEER	1129-1129

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

- Diagnostic Confirmation, Behavior Code (COC)
- Diagnostic Confirmation, Behavior Code (SEER IF31)
- Diagnostic Confirmation, Behavior ICDO3 (COC)
- Diagnostic Confirmation, Behavior ICDO3 (SEER IF31)
- Morph (1973-91) ICD-O-1 (SEER MORPH)
- Morphology--Type/Behavior (COC)
- Morphology--Type/Behavior (SEER MORPH)
- Morphology--Type/Behavior ICDO3 (COC)
- Morphology--Type/Behavior ICDO3 (SEER MORPH)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flags as Used in the EDITS Software Package**

Edits of the type Diagnostic Confirmation, Behavior Code differ in the use of ICD-O-2 or ICD-O-3 and check that, for *in situ* cases (Behavior = 2), Diagnostic Confirmation specifies microscopic confirmation (1, 2, or 4).



The distinction between *in situ* and invasive is very important to a registry, since prognosis is so different. Since the determination that a neoplasm has not invaded surrounding tissues, i.e., *in situ*, is made microscopically, cases coded *in situ* in behavior should have a microscopic confirmation code. However, very rarely, a physician will designate a case noninvasive or *in situ* without microscopic evidence.

1. If an edit of the type, Diagnostic Confirmation, Behavior Code, gives an error message or warning, check that Behavior and Diagnostic Confirmation have been coded correctly. Check carefully for any cytologic or histologic evidence that may have been missed in coding.
2. The following histologies are not accepted as *in situ*: 8000-8005, 8020, 8021, 8331, 8320, 8800-9055, 9062, 9082, 9083, 9110-9493, 9501-9989.

Edits of the type, Morphology--Type/Behavior, perform the following check:

1. Codes listed in ICD-O-2 or ICD-O-3 with behavior codes of only 0 or 1 are considered valid, since the behavior matrix of ICD-O-2 and ICD-O-3 allows for the elevation of the behavior of such histologies when the tumor is *in situ* or malignant. This edit forces review of these rare cases to verify that they are indeed *in situ* or malignant.
2. If a Morphology-Type/Behavior edit produces an error or warning message and the case is one in which the 4-digit morphology code is one that appears in ICD-O-2 or ICD-O-3 only with behavior codes of 0 or 1, verify the coding of morphology and that the behavior should be coded malignant or *in situ*. The registrar may need to consult a pathologist or medical advisor in problem cases.

Exceptions:

If year of Date of Diagnosis > 2000, then a behavior code of 1 is valid for the following ICD-O-2 histologies and no over-ride flag is needed: 8931, 9393, 9538, 9950, 9960-9962, 9980-9984, and 9989. Similarly, the following ICD-O-3 histologies are valid with a behavior code of 1: 8442, 8451, 8462, 8472, and 8473.

If year of Date of Diagnosis > 2003, the following ICD-O-3 benign histologies will pass without review: 8146, 8271, 8861, 8897, 9121, 9122, 9131, 9161, 9350, 9351, 9352, 9360, 9361, 9383, 9384, 9394, 9412, 9413, 9444, 9492, 9493, 9506, 9531, 9532, 9533, 9534, 9537, 9541, 9550, 9562, and 9570.

3. Grade 5-8 with histologies not in the range of 9590-9948 is impossible.

### Instructions for Coding

1. Leave blank if the program does not generate an error message for the edits of the types, Diagnostic Confirmation, Behav Code or Morphology--Type/Behavior.
2. Leave blank and correct any errors for the case if an item is discovered to be incorrect.
3. Code 1, 2, or 3 as indicated if review of all items (Diagnostic Confirmation, Behavior, and Morphology) in the error or warning message confirms that all are correct.

### Codes

- 1 Reviewed: The behavior code of the histology is designated as "benign" or "uncertain" in ICD-O-2 or ICD-O-3, and the pathologist states the primary to be "*in situ*" or "malignant" (flag for a "Morphology Type & Behavior" edit)
- 2 Reviewed: The behavior code is "*in situ*," but the case is not microscopically confirmed (flag for a "Diagnostic Confirmation, Behavior Code" e)
- 3 Reviewed: Conditions 1 and 2 above both apply
- Blank Not reviewed or reviewed and corrected

**OVER-RIDE HOSPSEQ/DXCONF**

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Hospital Sequence/Diagnostic Confirmation	1986	1	COC	1120-1120

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edit in the NAACCR Metafile of the EDITS software:

Diagnostic Confirm, Seq Num--Hosp (COC)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

The edit, Diagnostic Confirm, Seq Num--Hosp (CoC), does the following:

1. If any case is one of multiple primaries and is not microscopically confirmed or lacks a positive lab test/marker study, i.e., Diagnostic Confirmation > 5 and Sequence Number--Hospital > 00 (more than one primary), review is required.
2. If Primary Site specifies an ill-defined or unknown primary (C760-C768, C809), no further checking is done.
3. If Sequence Number--Hospital is in the range of 60-88, this edit is skipped.

It is important to verify that the non-microscopically confirmed case is indeed a separate primary from any others that may have been reported. This edit forces review of multiple primary cancers when one of the primaries is coded to a site other than ill-defined or unknown and is not microscopically confirmed or confirmed by a positive lab test/marker study.

1. If the suspect case is confirmed accurate as coded and if the number of primaries is correct, set the Over-ride HospSeq/DxConf to 1. Do not set the over-ride flag on the patient's other primary cancers.
2. If it turns out that the non-microscopically confirmed cancer is considered a manifestation of one of the patient's other cancers, delete the non-microscopically confirmed case. Check the sequence numbers of remaining cases, correcting them if necessary. Also check for other data items on the remaining cases that may need to be changed as a result of the corrections, such as stage and treatment.

**Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit Diagnostic Confirm, Seq Num--Hosp (COC).
- Leave blank and correct any errors for the case if an item is discovered to be incorrect.
- Code 1 if review of all items in the error or warning message confirms that all are correct.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE HOSPSEQ/SITE**

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Hospital Sequence/Site	1988	1	COC	1122-1122

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Seq Num--Hosp, Primary Site, Morph (COC)

Seq Num--Hosp, Primary Site, Morph ICDO3(COC)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Edits of the type Seq Num--Hosp, Primary Site, Morph differ in use of ICD-O-2 or ICD-O-3 morphology. They force review of multiple primary cancers when one of the primaries is coded to a site/morphology combination that could indicate a metastatic site rather than a primary site.

1. If Sequence Number--Hospital indicates the person has had more than one primary, then any case with one of the following site/histology combinations requires review:
  - C760-C768 (ill-defined sites) or C809 (unknown primary) and ICD-O-2 or ICD-O-3 histology < 9590. Look for evidence that the unknown or ill-defined primary is a secondary site from one of the patient's other cancers. For example, a clinical discharge diagnosis of "abdominal carcinomatosis" may be attributable to the patient's primary ovarian cystadenocarcinoma already in the registry, and should not be entered as a second primary.
  - C770-C779 (lymph nodes) and ICD-O-2 histology not in range 9590-9717 or ICD-O-3 histology not in the range 9590-9729; or C420-C424 and ICD-O-2 histology not in range 9590-9941 or ICD-O-3 histology not in the range 9590-9989. That combination is most likely a metastatic lesion. Check whether the lesion could be a manifestation of one of the patient's other cancers.
  - Any site and ICD-O-2 histology in the range 9720-9723, 9740-9741 or ICD-O-3 histology in the range 9740-9758. Verify that these diagnoses are coded correctly and are indeed separate primaries from the others.
2. If it turns out that the suspect tumor is a manifestation of one of the patient's other cancers, delete the metastatic or secondary case, re-sequence remaining cases, and correct the coding on the original case as necessary.

**Instructions for Coding**

- Leave blank if the program does not generate an error message for an edit of the type Seq Num--Hosp, Primary Site, Morph.
- Leave blank and correct any errors for the case if an item is discovered to be incorrect.
- Code 1 if review of all items in the error or warning message confirms that hospital sequence number and site are both correct.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE ILL-DEFINE SITE**

Alternate Name	Item #	Length	Source of Standard	Column #
Sequence Number/Ill-defined Site Interfield Review (Interfield Edit 22) (SEER #8)	2060	1	SEER	1131-1131

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

- Seq Num--Central, Primary Site, Morph (NAACCR IF22)
- Seq Num--Central, Primary Site, Morph (SEER IF22)
- Seq Num--Central, Prim Site, Morph ICDO3 (NAACCR IF22)
- Seq Num--Central, Prim Site, Morph ICDO3 (SEER IF22)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

If Sequence Number-Central indicates the person has had more than one primary, then any case with one of the following Primary Site/Histologic Type ICD-O-3 combinations requires review:

- C760-C768 (ill-defined sites) or C809 (unknown primary) and Histologic Type ICD-O-3 < 9590.
- C77\_ and Histologic Type ICD-O-3 not in range 9590-9729.
- C420-C424 and Histologic Type ICD-O-3 not in range 9590-9989.
- Any site code and Histologic Type ICD-O-3 in range 9740-9758.

**Instructions for Coding**

- Code 1 can be used if a second or subsequent primary reporting with an ill-defined primary site has been reviewed and is indeed an independent primary.

**Codes**

1 Reviewed: A second or subsequent primary reported with an ill-defined primary site (C76.0-C76.8, C80.9) has been reviewed and is an independent primary.

Blank Not reviewed or reviewed and corrected

**OVER-RIDE LEUK, LYMPHOMA**

Alternate Name	Item #	Length	Source of Standard	Column #
Leukemia or Lymphoma/Diagnostic Confirmation Interfield Review (Interfield Edit 48) (SEER #9)	2070	1	SEER	1132-1132

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

- Diagnostic Confirmation, Histol Typ (COC)
- Diagnostic Confirmation, Histologic Typ (SEER IF48)
- Diagnostic Confirmation, Histol Typ ICDO3 (COC)
- Diagnostic Confirmation, Histology ICDO3 (SEER IF48)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Edits of the type Diagnostic Confirmation, Histol Typ differ in use of ICD-O-2 or ICD-O-3 and check the following:

1. Since lymphoma and leukemia are almost exclusively microscopic diagnoses, this edit forces review of any cases of lymphoma that have diagnostic confirmation of direct visualization or clinical, and any leukemia with a diagnostic confirmation of direct visualization.
2. If histology = 9590-9717 for ICD-O-2 or 9590-9729 for ICD-O-3 (lymphoma) then Diagnostic Confirmation cannot be 6 (direct visualization) or 8 (clinical).
3. If histology = 9720-9941 for ICD-O-2 or 9731-9948 for ICD-O-3 (leukemia and other) then Diagnostic Confirmation cannot be 6 (direct visualization).

**Instructions for Coding**

- Leave blank if the program does not generate an error message for the edits of the type Diagnostic Confirmation, Histol Typ.
- Leave blank and correct any errors for the case if an item is discovered to be incorrect.
- If the edit produces an error or warning message, verify that the Histologic Type and Diagnostic Confirmation are correctly coded. Remember that positive hematologic findings and bone marrow specimens are included as histologic confirmation (code 1 in Diagnostic Confirmation) for leukemia. Code 1 indicates that a review has taken place and histologic type and diagnostic confirmation are correctly coded.

**Codes**

- 1        Reviewed  
Blank   Not reviewed or reviewed and corrected

**OVER-RIDE REPORT SOURCE**

Alternate Name	Item #	Length	Source of Standard	Column #
Type of Reporting Source/Sequence Number Interfield Review (Interfield Edit 04) (Seer #7)	2050	1	SEER	1130-1130

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

- Type of Report Srce(DC),Seq Num--Cent (NAACCR IF04)
- Type of Report Srce(DC),Seq Num--Central (SEER IF04)
- Type of Rep Srce(DC),Seq Num--Cent, ICDO3 (NAACCR)
- Type of Rep Srce(DC),Seq Num--Cent, ICDO3 (SEER IF04)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

The edit Report Source checks that if the case is a death-certificate-only case and the histology is not a lymphoma, leukemia, immunoproliferative or myeloproliferative disease (morphology is less than 9590), then the tumor sequence number must specify one primary only (sequence '00').

**Instructions for Coding**

- Leave blank if the program does not generate an error message for the report source edit.
- Code 1 if review of type of reporting source, histologic type and tumor sequence number verified that a second or subsequent primary with a reporting source of death-certificate-only has been reviewed and is indeed an independent primary.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE SEQNO/DXCONF**

Alternate Name	Item #	Length	Source of Standard	Column #
Sequence Number/Diagnostic Confirmation Interfield Review (Interfield Edit 23) (SEER #4)	2000	1	SEER	1125-1125

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Diagnostic Confirm, Seq Num--Central (NAACCR IF23)

Diagnostic Confirm, Seq Num--Central (SEER IF23)

### Rationale

Some edits check for code combinations that are impossible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

### Over-ride Flag as Used in the EDITS Software Package

- The edit checks if the case is one of multiple primaries and is not microscopically confirmed or has only positive lab test/marker studies (i.e., diagnostic confirmation >5) and tumor sequence number >00 (more than one primary).
- The edit is skipped if the sequence number is in the range of 60-99.

### Instructions for Coding

- Leave blank if the program does not generate an error message for the Diagnostic Confirmation and Sequence Number Central edit.
- Code 1 if the cases have been reviewed and it is verified that there are multiple primaries of special sites in which at least one diagnosis has not been microscopically confirmed.

### Codes

1 Reviewed

Blank Not reviewed or reviewed and corrected

### OVER-RIDE SITE/BEHAVIOR

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Flag for Site/Behavior (IF39) (SEER #11)	2071	1	SEER	1133-1133

### Description

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Primary Site, Behavior Code (COC)

Primary Site, Behavior Code (SEER IF39)

Primary Site, Behavior Code ICDO3 (COC)

Primary Site, Behavior Code ICDO3 (SEER IF39)

### Rationale

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Edits of the type, Primary Site, Behavior Code, require review of the following primary sites with a behavior of *in situ* (ICD-O-2 or ICD-O-3 behavior = 2):

C269	Gastrointestinal tract, NOS
C399	Ill-defined sites within respiratory system
C559	Uterus, NOS
C579	Female genital tract, NOS
C639	Male genital organs, NOS
C689	Urinary system, NOS
C729	Nervous system, NOS
C759	Endocrine gland, NOS
C760-C768	Ill-defined sites
C809	Unknown primary site

Since the designation of *in situ* is very specific and almost always requires microscopic confirmation, ordinarily specific information should also be available regarding the primary site. Conversely, if inadequate information is available to determine a specific primary site, it is unlikely that information about a cancer being *in situ* is reliable.

1. If an *in situ* diagnosis is stated, try to obtain a more specific primary site. A primary site within an organ system can sometimes be identified based on the diagnostic procedure or treatment given or on the histologic type. If no more specific site can be determined, it is usually preferable to code a behavior code of 3. In the exceedingly rare situation in which it is certain that the behavior is *in situ* and no more specific site code is applicable, set Over-ride Site/Behavior to 1.

**Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit Primary Site, Behavior Code (COC) and/or the edit Primary Site, Behavior Code ICD-O-3 (COC).
- Leave blank and correct any errors for the case if an item is discovered to be incorrect.
- Code 1 if review of site and behavior verifies that the patient has an *in situ* cancer of a nonspecific site and no further information about the primary site is available.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

*Note:* The IF 39 edit does not allow *in situ* cases of nonspecific sites, such as gastrointestinal tract, NOS; uterus, NOS; female genital tract, NOS; male genital organs, NOS; and others. The over-ride indicates that the conflict has been reviewed.



**OVER-RIDE SITE/EOD/DX DT**

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Flag for Site/EOD/Diagnosis Date (IF40) (SEER #13)	2072	1	SEER	1134-1134

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Primary Site, EOD (SEER IF40)

Primary Site, EOD, ICDO3 (SEER IF40)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Edits of this type Site/EOD/DX DT do not allow "localized" disease with nonspecific sites, such as mouth, NOS; colon, NOS (except histology 8220); bone, NOS; female genital system, NOS; male genital organs, NOS; and others.

**Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit Site/EOD/DX DT.
- Code 1 if the case has been reviewed and it has been verified that the patient had "localized" disease with a nonspecific site and no further information about the primary site is available.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE SITE/LAT/EOD**

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Flag for Site/Laterality/EOD (IF41) (SEER #12)	2073	1	SEER	1135-1135

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Primary Site, Laterality, EOD (SEER IF41)

Primary Site, Laterality, EOD, ICDO3 (SEER IF41)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Edits of this type Site/Lat/EOD apply to paired organs and do not allow EOD to be specified as *in situ*, localized, or regional by direct extension if laterality is coded as "bilateral, site unknown," or "laterality unknown."

**Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit Site/Laterality/EOD.
- Code 1 if the case has been reviewed and it has been verified that the patient had laterality coded nonspecifically and EOD coded specifically.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE SITE/LAT/MORPH**

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Flag for Site/Laterality/Morphology (IF42) (SEER #13)	2074	1	SEER	1136-1136

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

- Laterality, Primary Site, Morphology (NAACCR IF42)
- Laterality, Primary Site, Morphology (SEER IF42)
- Laterality, Primary Site, Morph ICDO3 (NAACCR IF42)
- Laterality, Primary Site, Morph ICDO3 (SEER IF42)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Edits of the type Laterality, Primary Site, Morph differ in whether they produce a warning or an error message and in use of ICD-O-2 (including the Field Trial Editions) or ICD-O-3 morphology and do the following:

1. If the Primary Site is a paired organ and Behavior is *in situ* (2), then laterality must be 1, 2, or 3.
2. If diagnosis year less than 1988 and histology  $\geq$  9590, no further editing is performed.
3. If diagnosis year greater than 1987 and histology = 9140, 9700, 9701, 9590-9980, no further editing is performed.

The intent of this edit is to force review of *in situ* cases for which laterality is coded 4 (bilateral) or 9 (unknown laterality) as to origin.

1. In rare instances when the tumor is truly midline (9) or the rare combination is otherwise confirmed correct, enter a code 1 for Override Site/Lat/Morph.

### Instructions for Coding

- Leave blank if the program does not generate an error message for the edit Laterality, Primary site, Morphology (SEER IF 42) and/or the edit Laterality, Primary site, Morph ICDO3 (SEER IF42).
- Leave blank and correct any errors for the case if an item is discovered to be incorrect.
- Code 1 if review of site, laterality and morphology verifies that the case had behavior code of "*in situ*" and laterality is not stated as "right: origin of primary;" "left: origin of primary;" or "only one side involved, right or left origin not specified".

### Codes

1 Reviewed

Blank Not reviewed or reviewed and corrected

### OVER-RIDE SITE/LAT/SEQNO

Alternate Name	Item #	Length	Source of Standard	Column #
Site/Histology/Laterality/Sequence Number Interrecord Review (Interrecord Edit 09) (SEER #5)	2010	1	SEER	1126-1126

### Description

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following Interrecord Edit from the SEER Program:

Verify Same Primary Not Reported Twice for a Person (SEER IR09)

Presently, documentation on interrecord edits is not included in the EDITS software.

### Rationale

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

### Over-ride Flag as Used in the EDITS Software Package

Edits of the type Site/Lat/SeqNo applies to paired organs and does not allow two cases with the same primary site group, laterality and three digit histology code. This edit verifies that the same primary is not reported twice for a person.

**Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit Site/Laterality/EOD.
- Code 1 if the case has been reviewed and it has been verified that the patient had multiple primaries of the same histology (3 digit) in the same primary site group.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE SITE/TNM-STGGRP**

Alternate Name	Item #	Length	Source of Standard	Column #
	1989	1	COC	1123-1123

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edit in the NAACCR Metafile of the EDITS software:

Primary Site, AJCC Stage Group - Edition 6 (COC)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the override flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

The edit, Primary Site, AJCC Stage Group - Edition 6 (COC), checks that the pathologic and clinical AJCC stage group codes are valid for the site and histology group according to the *AJCC Cancer Staging Manual* Sixth Edition, using the codes described for the items Clinical Stage Group [970] and Pathologic Stage Group [910]. Combinations of site and histology not represented in any AJCC schema must be coded 88. Unknown codes must be coded 99. Blanks are not permitted.

Since pediatric cancers whose sites and histologies have an AJCC scheme may be coded according to a pediatric scheme instead, Override Site/TNM-Stage Group is used to indicate pediatric cases not coded according to the AJCC manual. Pediatric Stage groups should not be recorded in the Clinical Stage Group or Pathologic Stage Group items. When neither clinical nor pathologic AJCC staging is used for pediatric cases, code all AJCC items 88. When any components of either is used to stage a pediatric case, follow the instructions for coding AJCC items and leave Override Site/TNM-Stage Group blank.

**Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit, Primary Site, AJCC Stage Group - Edition 6 (COC).
- Leave blank and correct any errors for the case if an item is discovered to be incorrect.
- Code 1 if the case is confirmed to be a pediatric case that was coded using a pediatric coding system.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE SITE/TYPE**

Alternate Name	Item #	Length	Source of Standard	Column #
Site/Type Interfield Review (Interfield Edit 25) (SEER #1)	2030	1	SEER	1128-1128

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Primary Site, Morphology-Type Check (SEER IF25)

Primary Site, Morphology-Type Check ICDO3 (SEER IF25)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Multiple versions of edits of the type Primary site, Morphology-Type check for "usual" combinations of site and ICD-O-2 or ICD-O-3 histology. The SEER version of the edit is more restrictive than the COC edit, and thus uses a different over-ride flag. The COC version of the edit will accept Over-ride COC-Site/Type or Over-ride Site/Type as equivalent.

1. The Site/Histology validation list (available on the SEER website) contains those histologies commonly found in the specified primary site. Histologies that occur only rarely or never are not included. These edits require review of all combinations not listed.
2. Since basal and squamous cell carcinomas of non-genital skin sites are not reportable to SEER, these site/histology combinations do not appear on the SEER validation list. For the COC version of the edit, if Primary Site is in the range C440-C449 (skin), and Histologic Type ICD-O-3 is in the range 8000-8005 (neoplasms, malignant, NOS), 8010-8046 (epithelial carcinomas), 8050-8084 (papillary and squamous cell carcinomas), or 8090-8110 (basal cell carcinomas), no further editing is done. No over-ride is necessary for these cases in the COC version of the edit.

Review of these cases requires investigating whether a) the combination is biologically implausible, or b) there are cancer registry coding conventions that would dictate different codes for the diagnosis. Review of these rare combinations often results in changes to the primary site and/or morphology, rather than a decision that the combination is correct.

### **Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit Primary Site, Morphology-Type Check (SEER IF25) and/or the edit Primary Site, Morphology-Type ICDO3 (SEERIF25).
- Leave blank and correct any errors for the case if an item is discovered to be incorrect.
- Code 1 if the case has been reviewed and both the site and histology are correct.

### **Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

### **OVER-RIDE SS/DISMET1**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Over-ride Summary Stage/Distant Metastasis 1	1984	1	NAACCR	1118-1118

### **Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Summary Stage, Site Dist Met 1 (NAACCR)

Summary Stage 2000, Site Dist Met 1 (NAACCR)

### **Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

### **Over-ride Flag as Used in the EDITS Software Package**

The edit SS/DisMet1 checks Summary Stage against the Distant Metastatic Site 1 and generates an error if there is an incompatibility between the two data items.

### **Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit SS/Distant Metastasis 1.
- Code 1 if the case has been reviewed and it has been verified that SEER Summary Stage and Distant Site Metastasis 1 have been coded correctly.

### **Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE SS/NODESPOS**

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Summary Stage/Nodes Positive	1981	1	NAACCR	1115-1115

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Summary Stage, Regional Nodes Pos (NAACCR)

Summary Stage 2000, Regional Nodes Pos (NAACCR)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

The edit SS/NodesPos checks Summary Stage against the Regional Nodes Positive and generates an error if there is an incompatibility between the two data items.

**Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit SS/Nodes Positive.
- Code 1 if the case has been reviewed and it has been verified that the case has both SEER Summary Stage and Nodes Positive coded correctly.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE SS/TNM-M**

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Summary Stage/TNM-M	1983	1	NAACCR	1117-1117

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Summary Stage, TNM-M (NAACCR)

Summary Stage 2000, TNM-M (NAACCR)

### Rationale

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

### Over-ride Flag as Used in the EDITS Software Package

The edit SS/TNM-M checks the Summary Stage against the TNM-M and generates an error if the Summary Stage is 'distant' and the TNM-M is '0'. It also checks if the Summary Stage is not 'distant' and the TNM-M is greater than or equal to '1'.

### Instructions for Coding

- Leave blank if the program does not generate an error message for the edit SS and TNM-M.
- Code 1 if the case has been reviewed and it has been verified that both SEER Summary Stage and TNM-M have been coded correctly.

### Codes

1 Reviewed

Blank Not reviewed or reviewed and corrected

### OVER-RIDE SS/TNM-N

Alternate Name	Item #	Length	Source of Standard	Column #
Over-ride Summary Stage/TNM-N	1982	1	NAACCR	1116-1116

### Description

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

Summary Stage, TNM-N (NAACCR)

Summary Stage 2000, TNM-N (NAACCR)

### Rationale

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

### Over-ride Flag as Used in the EDITS Software Package

The edit SS/TNM-N checks Summary Stage against the TNM-N and generates an error if the Summary Stage indicates regional nodal involvement and the TNM-N does not. It also generates an error if the Summary Stage is '*in situ*' or '*localized*' and the TNM-N is greater than or equal to '1'.



**Instructions for Coding**

- Leave blank if the program does not generate an error message for the edit SS and TNM-N.
- Code 1 if the case has been reviewed and it has been verified that both SEER Summary Stage and TNM-N have been coded correctly.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**OVER-RIDE SURG/DXCONF**

Alternate Name	Item #	Length	Source of Standard	Column #
Surgery/Diagnostic Confirmation Interfield Review (Interfield Edit 46) (SEER #6)	2020	1	SEER	1127-1127

**Description**

Some computer edits identify errors. Others indicate possible errors that require manual review for resolution. To eliminate the need to review the same cases repeatedly, over-ride flags have been developed to indicate that data in a record (or records) have been reviewed and, while unusual, are correct.

This over-ride is used with the following edits in the NAACCR Metafile of the EDITS software:

RX Summ--Surg Prim Site, Diag Conf (NAACCR IF76)

RX Summ--Surg Prim Site, Diag Conf (SEER IF76)

RX Summ--Surgery Type, Diag Conf (SEER IF46)

**Rationale**

Some edits check for code combinations that are possible, but quite rare. If the code combination generates an error message and review of the case indicates that the codes are correct for the case, then the over-ride flag is used to skip the edit in the future. See Chapter IV, Recommended Data Edits and Software Coordination of Standards.

**Over-ride Flag as Used in the EDITS Software Package**

Edits of the type RX Summ--Surg Prim Site, Diag Conf check that cases with a primary site surgical procedure coded 20-90 are histologically confirmed.

1. If the patient had a surgical procedure, most likely there was a microscopic examination of the cancer. Verify the surgery and diagnostic confirmation codes, and correct any errors. Sometimes there are valid reasons why no microscopic confirmation is achieved with the surgery; for example, the tissue removed may be inadequate for evaluation.

**Instructions for Coding**

- Leave blank if the program does not generate an error message for edits of the type, RX Summ--Surg Prim Site, Diag Conf.
- Leave blank and correct any errors for the case if an item is discovered to be incorrect.
- Code 1 if review of the Surgery of Primary Site and Diagnostic Confirmation confirms that they are correct. The patient had surgery, but the tissue removed was not sufficient for microscopic confirmation.

**Codes**

1 Reviewed

Blank Not reviewed or reviewed and corrected

**PAIN ASSESSMENT****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	3260			

This data item was published in *FORDS* but later withdrawn by COC and never implemented. The NAACCR UDSC approved to retire this data item in Versoin 10.1.

**PATIENT ID NUMBER**

Alternate Name	Item #	Length	Source of Standard	Column #
	20	8	Reporting Registry	2-9

**Description**

Unique number assigned to an individual patient by the central registry. The central registry will assign this same number to all of the patient's subsequent tumors (records).

Patient ID Number will only differ when multiple central registries accession the same patient. Each central registry will assign their unique Patient ID Number.

NAACCR recommends that the registry should not reissue or reuse this number when a patient's record is deleted from the files.

In the transmit file (data exchange) this number will be the Patient ID Number assigned by the sending registry as defined in Registry ID [40].

**Rationale**

Provides the central registry with a unique identification number that will link all records (multiple tumors) for the same patient. The unique number also allows the central registry to identify the patient when there are multiple reports from different hospitals.

**PATIENT SYSTEM ID-HOSP****New**

Alternate Name	Item #	Length	Source of Standard	Column #
	21	8	NAACCR	32-39

**Description**

The unique, non-repeating number automatically assigned to patients by the hospital tumor registry software system. The same number is used for all the patient's subsequent tumors. This Patient System ID-Hosp number should not be reused when a patient is deleted.

This number is different from Accession Number-Hosp [550]. While Accession Number-Hosp [550] is subject to change, the Patient System ID-Hosp number is created and maintained by the hospital tumor registry's software system, and requires no key entry. Because the Patient System ID-Hosp number is unchanging, it affords an absolute linkage between a hospital patient record and a central registry's patient record.

**Rationale**

This provides a stable identifier to link back to all reported tumors for a patient. It also serves as a reliable linking identifier; useful when central registries send follow-up information back to hospitals. Other identifiers such as social security number and medical record number, while useful, are subject to change and are thus less useful for this type of record linkage.

**PEDIATRIC STAGE**

Alternate Name	Item #	Length	Source of Standard	Column #
	1120	2	COC	621-622

**Description**

Code for stage of pediatric tumor in an AJCC stage scheme, a pediatric intergroup study scheme, or a pediatric cooperative group scheme.

**Rationale**

Staging of pediatric tumors requires very different schemes from those used to stage adult tumors.

**Codes**

See the *ROADS Manual* for allowable codes for this field.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**PEDIATRIC STAGED BY**

Alternate Name	Item #	Length	Source of Standard	Column #
Staged By (Pediatric Stage) (COC)	1140	1	COC	625-625

**Description**

Code for person who documented the pediatric staging system and stage.

**Codes**

- 0 Not staged
- 1 Managing physician
- 2 Pathologist
- 3 Other physician
- 4 Any combination of 1, 2, or 3
- 5 Registrar
- 6 Any combination of 5 with 1, 2, or 3
- 7 Other
- 8 Staged, individual not specified
- 9 Unknown if staged

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**PEDIATRIC STAGING SYSTEM**

Alternate Name	Item #	Length	Source of Standard	Column #
Type of Staging System (Pediatric) (COC)	1130	2	COC	623-624

**Description**

Staging system used to assign the Pediatric Stage.

**Rationale**

Staging of pediatric tumors requires very different schemes from those used to stage adult tumors.

**Codes**

00	None
01	AJCC
02	Ann Arbor
03	Children's Cancer Group (CCG)
04	Evans
05	General Summary
06	Intergroup Ewings
07	Intergroup Hepatoblastoma
08	Intergroup Rhabdomyosarcoma
09	International System
10	Murphy
11	NCI (pediatric oncology)
12	National Wilms's Tumor Study
13	Pediatric Oncology Group (POG)
14	Reese-Ellsworth
15	SEER Extent of Disease
88	Not applicable (not pediatric case)
97	Other
99	Unknown

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**PHYSICIAN 3****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
Physician #3 (COC)	2490	8	COC	2579-2586
Other Physician (pre-96 COC)				

**Description**

Code for another physician involved in the care of the patient. Registry may use physicians' medical license numbers or may create individual numbering systems. See *FORDS Manual* for suggested use of this item and detailed instructions.

**Codes in addition to medical license numbers or facility-generated codes**

00000000	None, no additional physician
99999999	Physician is unknown or an identification number is not assigned.

**PHYSICIAN 4****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Physician #4 (COC)	2500	8	COC	2587-2594
Other Physician (pre-96 COC)				

**Description**

Code for another physician involved in the care of the patient. Registry may use physicians' medical license numbers or may create individual numbering systems. See *FORDS Manual* for suggested use of this item and detailed instructions.

**Codes in addition to medical license numbers or facility-generated codes**

00000000                      None, no additional physician  
 99999999                      Physician is unknown or an identification number is not assigned.

**PHYSICIAN--FOLLOW-UP**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Following Physician (COC)	2470	8	COC	2563-2570
Follow-Up Physician (pre-96 COC)				

**Description**

Code for the physician currently responsible for the patient's medical care. Registry may use physicians' medical license numbers or may create individual numbering systems.

**Codes in addition to medical license numbers or facility-generated codes**

99999999                      Follow-up physician unknown or ID number not assigned

**PHYSICIAN--MANAGING**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Managing Physician (COC)	2460	8	NAACCR	2555-2562
Attending Physician (pre-96 COC)				

**Description**

Code for the physician who is responsible for the overall management of the patient during diagnosis and/or treatment for this cancer. Registry may use physicians' medical license numbers or may create individual numbering systems.

**Codes in addition to medical license numbers or facility-generated codes**

99999999                      Managing physician unknown or ID number not assigned

**PHYSICIAN--PRIMARY SURG**

Alternate Name	Item #	Length	Source of Standard	Column #
Primary Surgeon (COC)	2480	8	COC	2571-2578

**Description**

Code for physician who performed the most definitive surgical procedure. Registry may use physician's medical license numbers or may create individual numbering systems.

**Codes in addition to medical license numbers or facility-generated codes**

00000000	Patient had no surgery and no surgical consultation.
88888888	Physician who performed a surgical procedure was not a surgeon (i.e., radiation oncologist, diagnostic radiologist, or general practitioner)
99999999	Primary Surgeon unknown or ID number not assigned

**PLACE OF DEATH**

Alternate Name	Item #	Length	Source of Standard	Column #
	1940	3	NPCR	1394-1396

**Description**

State or country where the patient died and where certificate of death is filed.

**Rationale**

This field also helps carry out death clearance. When a hospital reports a place of death, the information can help in death certificate matching. It can also signal an out-of-state death for which the death certificate is to be requested.

**Codes in addition to geocodes**

997	Not applicable, patient alive
999	Place of death unknown

*Note:* See Appendix B for geocodes.

**PLACE OF DIAGNOSIS**

Alternate Name	Item #	Length	Source of Standard	Column #
	2690	50	NPCR	5875-5924

**Description**

Text area for manual documentation of the facility, physician office, city, state, or county where the diagnosis was made.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

#### Instructions

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

#### Suggestions for text:

- The complete name of the hospital or the physician office where diagnosis occurred. The initials of a hospital are not adequate.
- For out-of-state residents and facilities, include the city and the state where the medical facility is located.

#### Data Item(s) to be verified/validated using the text entered in this field

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item Number
Reporting Hospital	540
RX Hosp-DX/Stg Proc	740
RX Hosp-Surg Prim Site	670
Type of Reporting Source	500
Class of Case	620
Institution Referred From	2410
Institution Referred To	2420

#### PRESENTATION AT CA CONF

				Retired
Alternate Name	Item #	Length	Source of Standard	Column #
	650			

#### Description

The NAACCR UDSC approved to retire this data item in Version 11.

**PRIMARY PAYER AT DX****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
Primary Payer at Diagnosis (COC)	630	2	COC	445-446

**Description**

Primary payer/insurance carrier at the time of initial diagnosis and/or treatment.

**Rationale**

This item is used in financial analysis and as an indicator for quality and outcome analyses. The Joint Commission on Accreditation of Healthcare Organizations requires the patient admission page document the type of insurance or payment structure that will cover the patient while being cared for at the hospital.

**Codes**

01	Not insured
02	Not insured, self-pay
10	Insurance, NOS
20	Private Insurance: Managed care, HMO, or PPO
21	Private Insurance: Fee-for-Service
31	Medicaid
35	Medicaid -Administered through a Managed Care plan
60	Medicare/Medicare, NOS
61	Medicare with supplement, NOS
62	Medicare - Administered through a Managed Care plan
63	Medicare with private supplement
64	Medicare with Medicaid eligibility
65	TRICARE
66	Military
67	Veterans Affairs
68	Indian/Public Health Service
99	Insurance status unknown

**PRIMARY SITE**

Alternate Name	Item #	Length	Source of Standard	Column #
	400	4	SEER/COC	291-294

**Description**

Code for the primary site of the tumor being reported using either ICD-O-2 or ICD-O-3. NAACCR adopted ICD-O-2 as the standard coding system for tumors diagnosed beginning January 1, 1992. In addition, NAACCR recommended that tumors diagnosed prior to 1992 be converted to ICD-O-2. The topography (primary site) codes have not changed between ICD-O-2 and ICD-O-3.

**Codes**

See ICD-O-2,<sup>14</sup> or ICD-O-3,<sup>13</sup> Topography Section, for the codes for primary site.

*Note:* See Site (73-91) ICD-O-1 [1960] for ICD-O-1 cases.



**PROTOCOL ELIGIBILITY STAT****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1470			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**PROTOCOL PARTICIPATION****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1480			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**QUALITY OF SURVIVAL**

Alternate Name	Item #	Length	Source of Standard	Column #
	1780	1	COC	1304-1304

**Description**

Records patient's ability to carry on the activities of daily living at the date of last contact.

**Codes**

- 0 Normal activity
- 1 Symptomatic and ambulatory
- 2 Ambulatory more than 50 percent of the time, occasionally needs assistance
- 3 Ambulatory less than 50 percent of the time, nursing care needed
- 4 Bedridden, may require hospitalization
- 8 Not applicable, dead
- 9 Unknown or unspecified

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**RACE 1**

Alternate Name	Item #	Length	Source of Standard	Column #
Race	160	2	SEER/COC	103-104

**Description**

Code the patient's race. Race is coded separately from Spanish/Hispanic Origin [190]. All tumors for the same patient should have the same race code. If the patient is multiracial, code all races using RACE 2 through RACE 5 [161-164].

Reference to Census 2000 definitions for ethnicity and race: <http://www.census.gov/prod/cen2000/doc/sf2.pdf>

**Rationale**

Because race has a significant association with cancer rates and outcomes, a comparison between areas with different racial distributions may require an analysis of race to interpret the findings. The race codes listed

correspond closely to race categories used by the U.S. Census Bureau to allow calculation of race-specific incidence rates. The full coding system should be used to allow accurate national comparison and collaboration, even if the state population does not include many of the race categories.

**Codes (for additional instructions see the SEER Program Code Manual 2004)**

01	White
02	Black
03	American Indian, Aleutian, or Eskimo (includes all indigenous populations of the Western hemisphere)
04	Chinese
05	Japanese
06	Filipino
07	Hawaiian
08	Korean
09	Asian Indian, Pakistani
10	Vietnamese
11	Laotian
12	Hmong
13	Kampuchean
14	Thai
20	Micronesian, NOS
21	Chamorroan
22	Guamanian, NOS
25	Polynesian, NOS
26	Tahitian
27	Samoan
28	Tongan
30	Melanesian, NOS
31	Fiji Islander
32	New Guinean
96	Other Asian, including Asian, NOS and Oriental, NOS
97	Pacific Islander, NOS
98	Other
99	Unknown

*Note:* Codes 20-97 were adopted for use effective with 1991 diagnoses. Code 14 was adopted for use effective with 1994 diagnoses.

**RACE 2**

Alternate Name	Item #	Length	Source of Standard	Column #
	161	2	SEER/COC	105-106

**Description**

Code the patient's race. Race is coded separately from Spanish/Hispanic Origin [190]. All tumors for the same patient should have the same race code. If the patient is multiracial, code all races using RACE 2 through RACE 5 [161-164].

Reference to Census 2000 definitions for ethnicity and race: <http://www.census.gov/prod/cen2000/doc/sf2.pdf>

### **Rationale**

Because race has a significant association with cancer rates and outcomes, a comparison between areas with different racial distributions may require an analysis of race to interpret the findings. The race codes listed correspond closely to race categories used by the U.S. Census Bureau to allow calculation of race-specific incidence rates. The full coding system should be used to allow accurate national comparison and collaboration, even if the state population does not include many of the race categories.

### **Codes (for additional instructions see the SEER Program Code Manual 2004)**

01	White
02	Black
03	American Indian, Aleutian, or Eskimo (includes all indigenous populations of the Western hemisphere)
04	Chinese
05	Japanese
06	Filipino
07	Hawaiian
08	Korean
09	Asian Indian, Pakistani
10	Vietnamese
11	Laotian
12	Hmong
13	Kampuchean
14	Thai
20	Micronesian, NOS
21	Chamorroan
22	Guamanian, NOS
25	Polynesian, NOS
26	Tahitian
27	Samoan
28	Tongan
30	Melanesian, NOS
31	Fiji Islander
32	New Guinean
88	No further race documented
96	Other Asian, including Asian, NOS and Oriental, NOS
97	Pacific Islander, NOS
98	Other
99	Unknown

*Note:* Codes 20-97 were adopted for use effective with 1991 diagnoses. Code 14 was adopted for use effective with 1994 diagnoses. Code 88 was adopted for use effective with 2000 diagnoses.

*Note:* If diagnosed prior to 2000 and any race code (Race 2, 3, 4, or 5) is blank, all subsequent race codes must be blank. If diagnosed after 1999 and any race code (for Race 2, 3, 4, and 5) is 88 (no further race documented), then all subsequent race codes also must be 88. If any race equals 99, then all race codes (Race 1, 2, 3, 4, and 5) must be 99.

### **RACE 3**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	162	2	SEER/COC	107-108

#### **Description**

Code the patient's race. Race is coded separately from Spanish/Hispanic Origin [190]. All tumors for the same patient should have the same race code. If the patient is multiracial, code all races using RACE 2 through RACE 5 [161-164].

Reference to Census 2000 definitions for ethnicity and race: <http://www.census.gov/prod/cen2000/doc/sf2.pdf>

#### **Rationale**

Because race has a significant association with cancer rates and outcomes, a comparison between areas with different racial distributions may require an analysis of race to interpret the findings. The race codes listed correspond closely to race categories used by the U.S. Census Bureau to allow calculation of race-specific incidence rates. The full coding system should be used to allow accurate national comparison and collaboration, even if the state population does not include many of the race categories.

#### **Codes (for additional instructions see the SEER Program Code Manual 2004)**

01	White
02	Black
03	American Indian, Aleutian, or Eskimo (includes all indigenous populations of the Western hemisphere)
04	Chinese
05	Japanese
06	Filipino
07	Hawaiian
08	Korean
09	Asian Indian, Pakistani
10	Vietnamese
11	Laotian
12	Hmong
13	Kampuchean
14	Thai
20	Micronesian, NOS
21	Chamorroan
22	Guamanian, NOS
25	Polynesian, NOS
26	Tahitian
27	Samoan
28	Tongan
30	Melanesian, NOS
31	Fiji Islander
32	New Guinean
88	No further race documented
96	Other Asian, including Asian, NOS and Oriental, NOS
97	Pacific Islander, NOS
98	Other
99	Unknown

*Note:* Codes 20-97 were adopted for use effective with 1991 diagnoses. Code 14 was adopted for use effective with 1994 diagnoses. Code 88 was adopted for use effective with 2000 diagnoses.

*Note:* If diagnosed prior to 2000 and any race code (Race 2, 3, 4, or 5) is blank, all subsequent race codes must be blank. If diagnosed after 1999 and any race code (for Race 2, 3, 4, and 5) is 88 (no further race documented), then all subsequent race codes also must be 88. If any race equals 99, then all race codes (Race 1, 2, 3, 4, and 5) must be 99.

#### **RACE 4**

Alternate Name	Item #	Length	Source of Standard	Column #
	163	2	SEER/COC	109-110

#### **Description**

Code the patient's race. Race is coded separately from Spanish/Hispanic Origin [190]. All tumors for the same patient should have the same race code. If the patient is multiracial, code all races using RACE 2 through RACE 5 [161-164].

Reference to Census 2000 definitions for ethnicity and race: <http://www.census.gov/prod/cen2000/doc/sf2.pdf>

#### **Rationale**

Because race has a significant association with cancer rates and outcomes, a comparison between areas with different racial distributions may require an analysis of race to interpret the findings. The race codes listed correspond closely to race categories used by the U.S. Census Bureau to allow calculation of race-specific incidence rates. The full coding system should be used to allow accurate national comparison and collaboration, even if the state population does not include many of the race categories.

#### **Codes (for additional instructions see the SEER Program Code Manual 2004)**

- 01 White
- 02 Black
- 03 American Indian, Aleutian, or Eskimo (includes all indigenous populations of the Western hemisphere).
- 04 Chinese
- 05 Japanese
- 06 Filipino
- 07 Hawaiian
- 08 Korean
- 09 Asian Indian, Pakistani
- 10 Vietnamese
- 11 Laotian
- 12 Hmong
- 13 Kampuchean
- 14 Thai
- 20 Micronesian, NOS
- 21 Chamorroan
- 22 Guamanian, NOS
- 25 Polynesian, NOS
- 26 Tahitian

27	Samoan
28	Tongan
30	Melanesian, NOS
31	Fiji Islander
32	New Guinean
88	No further race documented
96	Other Asian, including Asian, NOS and Oriental, NOS
97	Pacific Islander, NOS
98	Other
99	Unknown

*Note:* Codes 20-97 were adopted for use effective with 1991 diagnoses. Code 14 was adopted for use effective with 1994 diagnoses. Code 88 was adopted for use effective with 2000 diagnoses.

*Note:* If diagnosed prior to 2000 and any race code (Race 2, 3, 4, or 5) is blank, all subsequent race codes must be blank. If diagnosed after 1999 and any race code (for Race 2, 3, 4, and 5) is 88 (no further race documented), then all subsequent race codes also must be 88. If any race equals 99, then all race codes (Race 1, 2, 3, 4, and 5) must be 99.

#### **RACE 5**

Alternate Name	Item #	Length	Source of Standard	Column #
	164	2	SEER/COC	111-112

#### **Description**

Code the patient's race. Race is coded separately from Spanish/Hispanic Origin [190]. All tumors for the same patient should have the same race code. If the patient is multiracial, code all races using RACE 2 through RACE 5 [161-164].

Reference to Census 2000 definitions for ethnicity and race: <http://www.census.gov/prod/cen2000/doc/sf2.pdf>

#### **Rationale**

Because race has a significant association with cancer rates and outcomes, a comparison between areas with different racial distributions may require an analysis of race to interpret the findings. The race codes listed correspond closely to race categories used by the U.S. Census Bureau to allow calculation of race-specific incidence rates. The full coding system should be used to allow accurate national comparison and collaboration, even if the state population does not include many of the race categories.

#### **Codes (for additional instructions see the SEER Program Code Manual 2004)**

01	White
02	Black
03	American Indian, Aleutian, or Eskimo (includes all indigenous populations of the Western hemisphere)
04	Chinese
05	Japanese
06	Filipino
07	Hawaiian
08	Korean
09	Asian Indian, Pakistani

10	Vietnamese
11	Laotian
12	Hmong
13	Kampuchean
14	Thai
20	Micronesian, NOS
21	Chamorroan
22	Guamanian, NOS
25	Polynesian, NOS
26	Tahitian
27	Samoan
28	Tongan
30	Melanesian, NOS
31	Fiji Islander
32	New Guinean
88	No further race documented
96	Other Asian, including Asian, NOS and Oriental, NOS
97	Pacific Islander, NOS
98	Other
99	Unknown

*Note:* Codes 20-97 were adopted for use effective with 1991 diagnoses. Code 14 was adopted for use effective with 1994 diagnoses. Code 88 was adopted for use effective with 2000 diagnoses.

*Note:* If diagnosed prior to 2000 and any race code (Race 2, 3, 4, or 5) is blank, all subsequent race codes must be blank. If diagnosed after 1999 and any race code (for Race 2, 3, 4, and 5) is 88 (no further race documented), then all subsequent race codes also must be 88. If any race equals 99, then all race codes (Race 1, 2, 3, 4, and 5) must be 99.

**RACE CODING SYS--CURRENT**

Alternate Name	Item #	Length	Source of Standard	Column #
	170	1	NAACCR	113-113

**Description**

Code describes how race currently is coded. If the data have been converted, this field shows the system to which it has been converted.

**Rationale**

Race 1 - 5 codes [160 - 164] have changed over time. To be able to accurately group and analyze the data, it is necessary to record the system used to record the race codes.

**Codes**

- 1 4-value coding: 1 = White, 2 = Black, 3 = Other, 9 = Unknown
- 2 SEER < 1988 (1-digit)
- 3 1988-1990 SEER & COC (2-digit)
- 4 1991-1993 SEER & COC (added codes 20-97, additional Asian and Pacific Islander codes)
- 5 1994-1999 SEER & COC (added code 14, Thai)
- 6 2000+ SEER & COC (added code 88 for Race 2, 3, 4, and 5)
- 9 Other

**RACE CODING SYS--ORIGINAL**

Alternate Name	Item #	Length	Source of Standard	Column #
	180	1	NAACCR	114-114

**Description**

Code that best describes how Race [160] originally was coded. If data have been converted, this field identifies the coding system originally used to code the case.

**Rationale**

Race 1 - 5 codes [160 - 164] have changed over time. Identifying both original and current coding systems used to code race promotes accurate data grouping and analysis.

**Codes**

- 1 4-value coding: 1 = White, 2 = Black, 3 = Other, 9 = Unknown
- 2 SEER < 1988 (1-digit)
- 3 1988-1990 SEER & COC (2-digit)
- 4 1991-1993 SEER & COC (added codes 20-97, additional Asian and Pacific Islander codes)
- 5 1994-1999 SEER & COC (added code 14, Thai)
- 6 2000+ SEER & COC (added code 88 for Race 2, 3, 4, and 5)
- 9 Other



**RAD--BOOST DOSE CGY**

Alternate Name	Item #	Length	Source of Standard	Column #
Boost Radiation Dose: cGY	3210	5	COC	913-917

**Description**

Records the additional dose delivered to that part of the treatment volume encompassed by the boost fields or devices. The unit of measure is centiGray (cGy).

**Rationale**

To evaluate patterns of radiation oncology care, it is necessary to describe the prescribed boost radiation dose. As in chemotherapy, outcomes are strongly related to the dose delivered.

**Codes (in addition to value dose)**

(Fill blanks)	Record the actual boost dose delivered
00000	Boost radiation therapy was not administered
88888	Not applicable, brachytherapy or radioisotopes administered to the patient
99999	Boost radiation therapy administered, boost dose unknown

**RAD--BOOST RX MODALITY**

Alternate Name	Item #	Length	Source of Standard	Column #
Boost Radiation Treatment Modality	3200	2	COC	911-912

**Description**

Records the radiation treatment—boost modality used to deliver the most clinically significant dose to the primary volume of interest during the first course of treatment. This is accomplished with external beam fields of reduced size (relative to the regional treatment fields), implants, stereotactic radiosurgery, conformal therapy, or intensity-modulated radiation therapy. External beam boosts may consist of two or more successive phases with progressively smaller fields, and they are generally coded as a single entity. This field is used with Rad--Regional RX Modality [1570].

**Rationale**

Radiation treatment frequently is delivered in two or more phases that can be summarized as regional and boost treatments. For outcomes analysis, the modalities used for each of these phases can be very important.

**Codes**

00	No boost treatment
20	External beam, NOS
21	Orthovoltage
22	Cobalt-60, Cesium-137
23	Photons (2-5 MV)
24	Photons (6-10 MV)
25	Photons (11-19 MV)
26	Photons (> 19 MV)
27	Photons (mixed energies)
28	Electrons
29	Photons and electrons mixed
30	Neutrons, with or without photons/electrons

31	IMRT
32	Conformal or 3-D therapy
40	Protons
41	Stereotactic radiosurgery, NOS
42	Linac radiosurgery
43	Gamma Knife
50	Brachytherapy, NOS
51	Brachytherapy, Intracavitary, LDR
52	Brachytherapy, Intracavitary, HDR
53	Brachytherapy, Interstitial, LDR
54	Brachytherapy, Interstitial, HDR
55	Radium
60	Radio-isotopes, NOS
61	Strontium - 89
62	Strontium - 90
98	Other, NOS
99	Unknown

**RAD--ELAPSED RX DAYS****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1530			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RAD--INTENT OF TREATMENT****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1560			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RAD--LOCAL CONTROL STATUS****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1590			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RAD--LOCATION OF RX****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Location of Radiation Treatment (COC)	1550	1	COC	907-907

**Description**

Identifies the location of the facility where radiation treatment was administered during first course of treatment. See also RX Summ--Radiation [1360].

**Codes**

- 0 No radiation treatment
- 1 All radiation treatment at this facility
- 2 Regional treatment at this facility, boost elsewhere
- 3 Boost radiation at this facility, regional elsewhere
- 4 All radiation treatment elsewhere
- 8 Other, NOS
- 9 Unknown

**RAD--NO OF TREATMENT VOL**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Number of Treatments to this Volume (COC)	1520	2	COC	900-901

**Description**

Records the total number of treatment sessions (fractions) administered during the first course of therapy. See also RX Summ--Radiation [1360].

**Codes**

- 00 None
- 01-98 Number of treatments.
- 99 Unknown

**RAD--REGIONAL DOSE: CGY**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Regional Dose: cGy (COC)	1510	5	COC	895-899

**Description**

The dominant or most clinically significant total dose of regional radiation therapy delivered to the patient during the first course of treatment. The unit of measure is centiGray (cGy). See also Rad--Regional RX Modality [1570].

**Codes (in addition to actual doses)**

- (Fill spaces) Record the actual regional dose delivered
- 00000 Radiation therapy was not administered
- 88888 Not applicable, brachytherapy or radioisotopes administered to the patient
- 99999 Regional radiation therapy was administered, but the dose is unknown

**RAD--REGIONAL RX MODALITY**

Alternate Name	Item #	Length	Source of Standard	Column #
Regional Treatment Modality (COC)	1570	2	COC	909-910

**Description**

Records the dominant modality of radiation therapy used to deliver the clinically most significant regional dose to the primary volume of interest during the first course of treatment.

**Rationale**

Radiation treatment frequently is delivered in two or more phases that can be summarized as regional and boost treatments. To evaluate patterns of radiation oncology care, it is necessary to know which radiation resources were employed in the delivery of therapy. For outcomes analysis, the modalities used for each of these phases can be very important.

**Codes**

00	No radiation treatment
20	External beam, NOS
21	Orthovoltage
22	Cobalt-60, Cesium-137
23	Photons (2-5 MV)
24	Photons (6-10 MV)
25	Photons (11-19 MV)
26	Photons (> 19 MV)
27	Photons (mixed energies)
28	Electrons
29	Photons and electrons mixed
30	Neutrons, with or without photons/electrons
31	IMRT
32	Conformal or 3-D therapy
40	Protons
41	Stereotactic radiosurgery, NOS
42	Linac radiosurgery
43	Gamma Knife
50	Brachytherapy, NOS
51	Brachytherapy, Intracavitary, Low Dose Rate (LDR)
52	Brachytherapy, Intracavitary, High Dose Rate (HDR)
53	Brachytherapy, Interstitial, Low Dose Rate (LDR)
54	Brachytherapy, Interstitial, High Dose Rate (HDR)
55	Radium
60	Radio-isotopes, NOS
61	Strontium - 89
62	Strontium - 90
80*	Combination modality, specified
85*	Combination modality, NOS
98	Other, NOS
99	Unknown

*Note:* For tumors diagnosed prior to January 1, 2003, the codes reported in this data item describe any radiation administered to the patient as part or all of the first course of therapy. Codes 80 and 85 describe specific converted descriptions of radiation therapy coded according to *Volume II ROADS*, and *DAM* rules and should only be used to record regional radiation for tumors diagnosed prior to January 1, 2003.

**RAD--RX COMPLETION STATUS****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1580			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RAD--TREATMENT VOLUME**

Alternate Name	Item #	Length	Source of Standard	Column #
Radiation Treatment Volume (COC)	1540	2	COC	905-906

**Description**

Identifies the volume or anatomic target of the most clinically significant regional radiation therapy delivered to the patient during the first course of therapy. See also Rad--Regional RX Modality [1570].

**Codes**

00	No radiation therapy, not applicable
01	Eye/orbit
02	Pituitary
03	Brain (NOS)
04	Brain (limited)
05	Head and neck (NOS)
06	Head and neck (limited)
07	Glottis
08	Sinuses
09	Parotid
10	Chest/lung (NOS)
11	Lung (limited)
12	Esophagus
13	Stomach
14	Liver
15	Pancreas
16	Kidney
17	Abdomen (NOS)
18	Breast
19	Breast/lymph nodes
20	Chest wall
21	Chest wall/lymph nodes
22	Mantle, mini-mantle
23	Lower extended field
24	Spine
25	Skull

26	Ribs
27	Hip
28	Pelvic bones
29	Pelvis (NOS)
30	Skin
31	Soft tissue
32	Hemibody
33	Whole body
34	Bladder and pelvis
35	Prostate and pelvis
36	Uterus and Cervix
37	Shoulder
38	Extremities bone, NOS
39	Inverted Y
40	Spinal cord
41	Prostate
50	Thyroid
60	Lymph node region, NOS
98	Other
99	Unknown

**READM SAME HOSP 30 DAYS****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
Readmission to the Same Hospital Within 30 Days of Surgical Discharge	3190	1	COC	938-938

**Description**

Records a readmission to the same hospital within 30 days of discharge following hospitalization for surgical resection of the primary site for the same illness.

**Rationale**

This data item provides information related to the quality-of-care. A patient may have a readmission related to the primary diagnosis on discharge if the length of stay was too short, and then needed to return due to problems or complications. A patient may also need to be readmitted if discharge planning and/or follow-up instructions were ineffective. It is important to distinguish a planned from an unplanned readmission, since a planned readmission is not an indicator of quality of care problems.

**Codes**

- 0 No surgical procedure of the primary site was performed. Patient not readmitted to the same hospital within 30 days of discharge.
- 1 Patient was surgically treated and was then readmitted to the same hospital within 30 days of being discharged. This readmission was unplanned.

- 2 Patient was surgically treated and was then readmitted to the same hospital within 30 days of being discharged. This readmission was planned (chemotherapy port insertion, revision of colostomy, etc.).
- 3 Patient was surgically treated and, within 30 days of being discharged, had both a planned and an unplanned readmission to the same hospital.
- 9 It is unknown whether surgery of the primary site was recommended or performed. It is unknown whether the patient was readmitted to the same hospital within 30 days of discharge. Death certificate only.

**REASON FOR NO CHEMO****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1440			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**REASON FOR NO HORMONE****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1450			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**REASON FOR NO RADIATION**

Alternate Name	Item #	Length	Source of Standard	Column #
Reason for No Regional Radiation Therapy	1430	1	COC	885-885

**Description**

Code the reason the patient did not receive radiation treatment as part of first course of therapy. See also RX--Regional RX Modality [1570].

**Codes**

- 0 Radiation therapy was administered.
- 1 Radiation therapy was not administered because it was not part of the planned first-course treatment.
- 2 Radiation therapy was not administered because it was contraindicated due to patient risk factors (comorbid conditions, advanced age, etc).
- 5 Radiation therapy was not administered because the patient died prior to planned or recommended treatment.
- 6 Radiation therapy was not administered; it was recommended by the patient's physician, but was not administered as part of the first-course therapy. No reason was noted in the patient's record.
- 7 Radiation therapy was not administered; it was recommended by the patient's physician, but this treatment was refused by the patient, the patient's family member, or the patient's guardian. The refusal was noted in the patient record.
- 8 Radiation therapy was recommended, but it is unknown if it was administered.
- 9 It is unknown if radiation therapy was recommended or administered. Death certificate only and autopsy only cases.

**REASON FOR NO SURGERY****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Reason for No Cancer-Directed Surgery (SEER) Reason for No CA Dir Surgery (COC) Reason for No Surgery to Primary Site	1340	1	SEER/COC	868-868

**Description**

Records the reason that no surgery was performed on the primary site.

**Rationale**

This data item provides information related to the quality of care and describes why primary site surgery was not performed.

**Codes**

- 0 Surgery of the primary site was performed.
- 1 Surgery of the primary site was not performed because it was not part of the planned first-course treatment.
- 2 Surgery of the primary site was not recommended/performed because it was contraindicated due to patient risk factors (comorbid conditions, advanced age, etc.).
- 5 Surgery of the primary site was not performed because the patient died prior to planned or recommended surgery.
- 6 Surgery of the primary site was not performed; it was recommended by the patient's physician, but was not performed as part of the first-course therapy. No reason was noted in the patient's record.
- 7 Surgery of the primary site was not performed; it was recommended by the patient's physician, but this treatment was refused by the patient, the patient's family member, or the patient's guardian. The refusal was noted in the patient record.
- 8 Surgery of the primary site was recommended, but it is unknown if it was performed. Further follow-up is recommended.
- 9 It is unknown if surgery of the primary site was recommended or performed. Death certificate only cases and autopsy only cases.

**RECORD TYPE**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	10	1	NAACCR	1-1

**Description**

Generated field that identifies which of the seven NAACCR data exchange record types is being used in a file of data exchange records. A file should have records of only one type.

**Codes**

- I Incidence-only record type (nonconfidential coded data)  
Length = 1946
- C Confidential record type (incidence record plus confidential data)  
Length = 2644
- A Full case Abstract record type (incidence and confidential data plus text summaries; used for reporting to central registries)  
Length = 6694



U	Correction/Update record type (short format record used to submit corrections to data already submitted) Length = 850
R	Analysis/Research record type (incidence record plus appended error flags and recoded values) Length = 2215
M	Record Modified since previous submission to central registry (identical in format to the “A” record type) Length = 6694
L	Pathology Laboratory

**RECURRENCE DATE--1ST**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of First Recurrence (COC)	1860	8	COC	1342-1349

**Description**

The date of the first recurrence of this tumor. See page 81 for date format.

**Codes**

00000000	Patient became disease-free after treatment, never had a recurrence, or patient was never disease-free. Diagnosed at autopsy.
99999999	Unknown if the patient had a first recurrence or the tumor was identified by DCO.

**RECURRENCE DISTANT SITE 1**

Alternate Name	Item #	Length	Source of Standard	Column #
	1871	1	NAACCR	1350-1350

**Description**

Code for the distant site or sites in which the tumor has recurred.

**Codes**

0	None or none known
1	Peritoneum
2	Lung
3	Pleura
4	Liver
5	Bone
6	Central nervous system
7	Skin
8	Lymph nodes (distant)
9	Other, generalized, NOS, carcinomatosis

*Note:* When carcinomatosis is present, all three fields—Recurrence Distant Site 1, 2, and 3—are coded 9.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**RECURRENCE DISTANT SITE 2**

Alternate Name	Item #	Length	Source of Standard	Column #
	1872	1	NAACCR	1351-1351

**Description**

Code for the distant site or sites in which the tumor has recurred.

**Codes**

0	None or none known
1	Peritoneum
2	Lung
3	Pleura
4	Liver
5	Bone
6	Central nervous system
7	Skin
8	Lymph nodes (distant)
9	Other, generalized, NOS, carcinomatosis

*Note:* When carcinomatosis is present, all three fields—Recurrence Distant Site 1, 2, and 3—are coded 9. If Recurrence Distant Site 1 [1871] is coded to 0, then this field also must be coded to 0.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**RECURRENCE DISTANT SITE 3**

Alternate Name	Item #	Length	Source of Standard	Column #
	1873	1	NAACCR	1352-1352

**Description**

Code for the distant site or sites in which the tumor has recurred.

**Codes**

0	None or none known
1	Peritoneum
2	Lung
3	Pleura
4	Liver
5	Bone
6	Central nervous system
7	Skin
8	Lymph nodes (distant)
9	Other, generalized, NOS, carcinomatosis

*Note:* When carcinomatosis is present, all three fields—Recurrence Distant Site 1, 2, and 3—are coded 9. If Recurrence Distant Site 1 [1871] is coded to 0, then this field also must be coded to 0.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**RECURRENCE DISTANT SITES****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1870			

**Description**

Only the group item has retired. The subfields are not retired.

**Subfields**

Recurrence Distant Site 1 [1871]

Recurrence Distant Site 2 [1872]

Recurrence Distant Site 3 [1873]

**RECURRENCE TYPE--1ST**

Alternate Name	Item #	Length	Source of Standard	Column #
Type of First Recurrence (COC)	1880	2	COC	1353-1354

**Description**

Code for the type of first recurrence after a period of documented disease free intermission or remission.

**Codes**

- 00 Patient became disease-free after treatment and has not had a recurrence; leukemia's that are in remission.
- 04 *In situ* recurrence of an invasive tumor.
- 06 *In situ* recurrence of an *in situ* tumor.
- 10 Local recurrence and there is insufficient information available to code to 13-17. Recurrence is confined to the remnant of the organ of origin; to the organ of origin; to the anastomosis; or to scar tissue where the organ previously existed.
- 13 Local recurrence of an invasive tumor.
- 14 Trocar recurrence of an invasive tumor. Includes recurrence in the trocar path or entrance site following prior surgery.
- 15 Both local and trocar recurrence of an invasive tumor (both 13 and 14)
- 16 Local recurrence of an *in situ* tumor.
- 17 Both local and trocar recurrence of an *in situ* tumor.
- 20 Regional recurrence, and there is insufficient information available to code to 21-27.
- 21 Recurrence of an invasive tumor in adjacent tissue or organ(s) only.
- 22 Recurrence of an invasive tumor in regional lymph nodes only.
- 25 Recurrence of an invasive tumor in adjacent tissue or organ(s) and in regional lymph nodes (both 21 and 22) at the same time.
- 26 Regional recurrence of an *in situ* tumor, NOS.
- 27 Recurrence of an *in situ* tumor in adjacent tissue or organ(s) and in regional lymph nodes at the same time.
- 30 Both regional recurrence of an invasive tumor in adjacent tissue or organ(s) and/or regional lymph nodes (20-25) and local and/or trocar recurrence (10, 13, 14, or 15).
- 36 Both regional recurrence of an *in situ* tumor in adjacent tissue or organ(s) and/or regional lymph nodes (26 or 27) and local and/or trocar recurrence (16 or 17).
- 40 Distant recurrence and there is insufficient information available to code to 46-62.
- 46 Distant recurrence of an *in situ* tumor.

- 51 Distant recurrence of an invasive tumor in the peritoneum only. Peritoneum includes peritoneal surfaces of all structures within the abdominal cavity and/or positive ascitic fluid.
- 52 Distant recurrence of an invasive tumor in the lung only. Lung includes the visceral pleura.
- 53 Distant recurrence of an invasive tumor in the pleura only. Pleura includes the pleural surface of all structures within the thoracic cavity and/or positive pleural fluid.
- 54 Distant recurrence of an invasive tumor in the liver only.
- 55 Distant recurrence of an invasive tumor in bone only. This includes bones other than the primary site.
- 56 Distant recurrence of an invasive tumor in the CNS only. This includes the brain and spinal cord, but not the external eye.
- 57 Distant recurrence of an invasive tumor in the skin only. This includes skin other than the primary site.
- 58 Distant recurrence of an invasive tumor in lymph node only. Refer to the staging scheme for a description of lymph nodes that are distant for a particular site.
- 59 Distant systemic recurrence of an invasive tumor only. This includes leukemia, bone marrow metastasis, carcinomatosis, and generalized disease.
- 60 Distant recurrence of an invasive tumor in a single distant site (51-58) and local, trocar, and/or regional recurrence (10-15, 20-25, or 30).
- 62 Distant recurrence of an invasive tumor in multiple sites (recurrences that can be coded to more than one category 51-59).
- 70 Since diagnosis, patient has never been disease-free. This includes cases with distant metastasis at diagnosis, systemic disease, unknown primary, or minimal disease that is not treated.
- 88 Disease has recurred, but the type of recurrence is unknown.
- 99 It is unknown whether the disease has recurred or if the patient was ever disease-free.

**RECURRENCE TYPE--1ST--OTH****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1890			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**REFERRAL TO SUPPORT SERV****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1490			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**REGIONAL NODES EXAMINED**

				Revised
Alternate Name	Item #	Length	Source of Standard	Column #
Number of Regional Lymph Nodes Examined (SEER) Pathologic Review of Regional Lymph Nodes (SEER) Regional Lymph Nodes Examined	830	2	SEER/COC	541-542

**Description**

Records the total number of regional lymph nodes that were removed and examined by the pathologist. Beginning with tumors diagnosed on or after January 1, 2004, this item is a component of the Collaborative Stage system. Tumors diagnosed from 1988 through 2003, this item is a part of the 10-digit EOD [779], detailed site-specific codes for anatomic EOD.

**Rationale**

This data item serves as a quality measure of the pathologic and surgical evaluation and treatment of the patient.

**Codes**

See *Collaborative Stage Manual and Coding Instructions*, Third Edition, 1998 for site-specific codes and coding rules for all EOD fields. Codes were revised effective January 1, 1998. COC codes for Regional Nodes Examined are in the *FORDS Manual*.

- 00 No regional lymph nodes examined
- 01-89 1-89 regional lymph nodes examined (code the exact number of regional lymph nodes examined)
- 90 90 or more regional lymph nodes examined
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes examined unknown/not stated.
- 97 Regional lymph node removal documented as dissection and number of lymph nodes examined unknown/not stated
- 98 Regional lymph nodes surgically removed but number of lymph nodes examined unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

*Note:* See Chapter V, Unresolved Issues, for a discussion of coding differences between COC and SEER.

**REGIONAL NODES POSITIVE****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Number of Positive Regional Lymph Nodes (SEER) Pathologic Review of Regional Lymph Nodes (SEER) Regional Lymph Nodes Positive	820	2	SEER/COC	539-540

**Description**

Records the exact number of regional nodes examined by the pathologist and found to contain metastases. Beginning with tumors diagnosed on or after January 1, 2004, this item is a component of the Collaborative Stage system. Tumors diagnosed from 1988 through 2003, this item is part of the 10-digit EOD [779], detailed site-specific codes for anatomic EOD.

**Rationale**

This data item is necessary for pathologic staging, and it serves as a quality measure for pathology reports and the extent of the surgical evaluation and treatment of the patient.

**Codes**

See *Collaborative Stage Manual and Coding Instructions*, Third Edition, 1998 for site-specific codes and coding rules for all EOD fields. Codes were revised effective January 1, 1998 to reflect changes in the *AJCC Cancer Staging Manual*, Fifth Edition. COC codes for Regional Nodes Positive are in the *FORDS Manual*.

- 00 All regional lymph nodes examined negative
- 01-89 1-89 regional lymph nodes positive (code exact number of nodes positive)
- 90 90 or more regional lymph nodes positive
- 95 Positive aspiration of lymph node(s) was performed
- 97 Positive regional lymph nodes are documented, but number not specified
- 98 No regional lymph nodes examined
- 99 Unknown if regional lymph nodes are positive or negative; not applicable

*Note:* See Chapter V, Unresolved Issues, for a discussion of coding differences between COC and SEER.

REGISTRY ID				Revised
Alternate Name	Item #	Length	Source of Standard	Column #
	40	10	NAACCR	20-29

**Description**

A unique code that represents the data transmission source. This item identifies the central or facility registry that transmits the record.

**Rationale**

Used to track data submission flow and to resolve transmission issues.

**Instructions for Coding**

If the registry type is 1 (central registry), refer to REGID.DBF, Appendix B of this volume. NAACCR maintains the codes for REGID.DBF. COC maintains the codes for Registry Types 2 and 3, including those for non-hospital sources of reporting. COC FIN codes are available through the COC website.

**Codes (in addition to COC assigned codes or NAACCR assigned codes)**

0000000000 Case not reported by a facility  
0099999999 Case reported, but facility number is unknown.

*Note:* When this special code is being used, the length in 9s should correspond to the length indicated by the code in FIN coding system [35]. The 9s must be right justified in the field, and the remaining spaces should be filled with leading zeroes to a total length of 10.

REGISTRY TYPE				Revised
Alternate Name	Item #	Length	Source of Standard	Column #
	30	1	NAACCR	10-10

**Description**

A computer-generated code that best describes the type of registry generating the record; used when cases are pooled from multiple registries (a hospital-based registry reporting to a state should have a “3” in this field).

**Rationale**

Facilitates tracking of data sources when data from multiple registries are pooled.

**Codes**

- 1 Central registry (population-based)
- 2 Central registry or hospital consortium (not population-based)
- 3 Single hospital/freestanding center

**RELIGION**

Alternate Name	Item #	Length	Source of Standard	Column #
	260	2	Varies	133-134

**Description**

NAACCR has not adopted standards for this item.

**REPORTING HOSPITAL****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
Institution ID Number (COC)	540	10	COC	382-391
Facility Identification Number (COC)				

**Description**

COC code for the facility whose data are described in the record.

**Rationale**

The Reporting Hospital facility identification number or FIN is used to identify a reporting facility in the central registry database and is useful for monitoring data submission, ensuring the accuracy of data and identifying areas for special studies.

**Instructions for Coding**

COC maintains the codes, including those for non-hospital sources of reporting. Codes are available through the COC website.

For facilities with 7-digit FINs, consisting of a constant “6” followed by 6-digit facility-specific codes in the range of 6020009-6953290 that were assigned by COC before January 1, 2001: Enter all FIN codes of this type as 3 zeroes, followed by the constant “6” and the 6-digit facility-specific codes.

For facilities with 8-digit FINs greater than or equal to 10000000 that were assigned by COC after January 1, 2001: Enter FIN codes of this type as 2 zeroes followed by the full 8-digit code.

**Codes (in addition to COC assigned codes)**

0000000000 Case not reported by a facility  
0099999999 Case reported, but facility number is unknown

*Note:* When this special code is being used, the length in 9s should correspond to the length indicated by the code in FIN coding system [35]. The 9s must be right justified in the field, and the remaining spaces should be filled with leading zeroes to a total length of 10.



**REPORTING HOSPITAL FAN****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	538			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RESERVED 00**

Alternate Name	Item #	Length	Source of Standard	Column #
	37	7		12-18

**RESERVED 01**

Alternate Name	Item #	Length	Source of Standard	Column #
	370	12		40-51

**RESERVED 02**

Alternate Name	Item #	Length	Source of Standard	Column #
	530	46		235-280

**RESERVED 03**

Alternate Name	Item #	Length	Source of Standard	Column #
	680	25		347-371

**RESERVED 04**

Alternate Name	Item #	Length	Source of Standard	Column #
	750	46		482-527

**RESERVED 05**

Alternate Name	Item #	Length	Source of Standard	Column #
	1180	17		738-754

**RESERVED 06**

Alternate Name	Item #	Length	Source of Standard	Column #
	1190	45		943-987

**RESERVED 07**

Alternate Name	Item #	Length	Source of Standard	Column #
	1300	50		1065-1114

**RESERVED 08**

Alternate Name	Item #	Length	Source of Standard	Column #
	1650	50		1244-1293

**RESERVED 09**

Alternate Name	Item #	Length	Source of Standard	Column #
	1740	48		1399-1446

**RESERVED 10**

Alternate Name	Item #	Length	Source of Standard	Column #
	1835	50		2415-2464

**RESERVED 11**

Alternate Name	Item #	Length	Source of Standard	Column #
	1900	50		2505-2554

**RESERVED 12**

Alternate Name	Item #	Length	Source of Standard	Column #
	1950	50		2595-2644

**RESERVED 13**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2080			

**RESERVED 14**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2210			

**RESERVED 16**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2400			

**RESERVED 17**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2450			

**RESERVED 19**

Alternate Name	Item #	Length	Source of Standard	Column #
	2700	770		5925-6694

**RESERVED 20****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2161			

**RESERVED 21****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2371			

**RESERVED 22**

Alternate Name	Item #	Length	Source of Standard	Column #
	1355	1		872-872

**RESERVED 23**

Alternate Name	Item #	Length	Source of Standard	Column #
	1635	13		918-930

**RESERVED 24**

Alternate Name	Item #	Length	Source of Standard	Column #
	2082	16		1148-1163

**RESERVED 25****New**

Alternate Name	Item #	Length	Source of Standard	Column #
	535	10		372-381

**RESERVED 26****New**

Alternate Name	Item #	Length	Source of Standard	Column #
	615	4		441-444

**RESERVED 27****New**

Alternate Name	Item #	Length	Source of Standard	Column #
	635	10		447-456

**RESERVED 28**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	741	4		474-477

**RESERVED 29**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	765	1		530-530

**RESERVED 30**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	995	10		583-592

**RESERVED 31**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	1065	15		595-609

**RESERVED 32**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	1435	2		886-887

**RESERVED 33**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	1465	4		890-893

**RESERVED 34**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	1535	3		902-904

**RESERVED 35**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	1555	1		908-908

**RESERVED 36**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	1641	4		934-937

**RESERVED 37**

**New**

Alternate Name	Item #	Length	Source of Standard	Column #
	1725	15		1033-1047

**RESERVED 38****New**

Alternate Name	Item #	Length	Source of Standard	Column #
	1726	4		1060-1063

**RESERVED 39****New**

Alternate Name	Item #	Length	Source of Standard	Column #
	1895	2		1355-1356

**RESERVED 40****New**

Alternate Name	Item #	Length	Source of Standard	Column #
	2435	10		2465-2474

**RURALURBAN CONTINUUM 1993**

Alternate Name	Item #	Length	Source of Standard	Column #
Beale Code	3300	2	NAACCR	227-228

**Description**

The “RuralUrban Continuum 1993” code, often referred to as the “Beale Code,” is generated programmatically using Addr at DX--State [80] and County at DX [90]. It contains the Rural-Urban Continuum code as provided by the Office of Management and Budget (OMB) in 1993.

The code is a 10-point continuum (00-09) measuring urban-rural status. Abstractors do not enter these codes.

The code has been expanded to 2 digits to accommodate areas that are not included in the Rural Urban Continuum code table, such as Canadian provinces/territories and U.S. territories. These areas will be coded with a value of 98. Records for nonresidents of the state of reporting institution (County at DX = 998) also will be coded 98. If Addr at DX--State is XX, YY, or ZZ, the Rural Urban Continuum 93 code will be coded as 99. If County at DX equals 999, the Rural Urban Continuum 1993 code will be coded as 99.

**Rationale**

RuralUrban Continuum 1993 codes are provided for each county by the OMB and consist of a 1-character rural-urban status, which is very useful for incidence and mortality data analysis.

**Codes****Metropolitan Counties (00-03)**

- 00 Central counties of metropolitan areas of 1 million population or more
- 01 Fringe counties of metropolitan areas of 1 million population or more
- 02 Counties in metropolitan areas of 250,000-1,000,000 population
- 03 Counties in metropolitan areas of less than 250,000 population

**Nonmetropolitan Counties (04-09)**

- 04 Urban population of 20,000 or more, adjacent to a metropolitan area
- 05 Urban population of 20,000 or more, not adjacent to a metropolitan area
- 06 Urban population of 2,500-19,999, adjacent to a metropolitan area
- 07 Urban population of 2,500-19,999, not adjacent to a metropolitan area

- 08 Completely rural (no places with a population of 2,500 or more) adjacent to a metropolitan area
- 09 Completely rural (no places with a population of 2,500 or more) not adjacent to a metropolitan area
- 98 Program run, but: (1) area is not included in Rural-Urban Continuum code table, or (2) record is for resident outside of state of reporting institution
- 99 Unknown
- Blank Program not run; record not coded

#### **RURALURBAN CONTINUUM 2000**

Alternate Name	Item #	Length	Source of Standard	Column #
Beale Code	3310	2	NAACCR	229-230

#### **Description**

The “RuralUrban Continuum 2000” code, often referred to as the “Beale Code,” is generated programmatically using Addr at DX--State [80] and County at DX [90]. It contains the Rural-Urban Continuum code as provided by OMB based on the 2000 Census.

The code is a 10-point continuum (00-09) measuring urban-rural status. Abstractors do not enter these codes.

The code has been expanded to 2 digits to accommodate areas that are not included in Rural Urban Continuum code table, such as Canadian provinces/territories and U.S. territories. These areas will be coded with a value of 98. Records for nonresidents of the state of reporting institution (County at DX = 998) will also be coded 98. If Addr at DX--State is XX, YY, or ZZ, the Rural Urban Continuum 2000 code will be coded as 99. If County at DX equals 999, the Rural Urban Continuum 2000 code will be coded as 99.

RuralUrban Continuum 2000 codes are provided for each county by OMB and consist of a 1-character rural-urban status, which is very useful for incidence data analysis.

#### **Rationale**

RuralUrban Continuum 2000 codes are provided for each county by OMB and consist of a 1-character rural-urban status, which is very useful for incidence data analysis.

#### **Codes**

##### **Metropolitan Counties (00-03)**

- 00 Central counties of metropolitan areas of 1 million population or more Counties in metropolitan areas of 250,000-1,000,000 population
- 01 Fringe counties of metropolitan areas of 1 million population or more
- 02 Counties in metropolitan areas of 250,000-1,000,000 population
- 03 Counties in metropolitan areas of less than 250,000 population

##### **Nonmetropolitan Counties (04-09)**

- 04 Urban population of 20,000 or more, adjacent to a metropolitan area
- 05 Urban population of 20,000 or more, not adjacent to a metropolitan area
- 06 Urban population of 2,500-19,999, adjacent to a metropolitan area
- 07 Urban population of 2,500-19,999, not adjacent to a metropolitan area
- 08 Completely rural (no places with a population of 2,500 or more) adjacent to a metropolitan area
- 09 Completely rural (no places with a population of 2,500 or more) not adjacent to a metropolitan area

- 98 Program run, but: (1) area is not included in Rural-Urban Continuum code table, or (2) record is for resident outside of state of reporting institution
- 99 Unknown
- Blank Program not run; record not coded

**RX CODING SYSTEM--CURRENT**

Alternate Name	Item #	Length	Source of Standard	Column #
	1460	2	NAACCR	888-889

**Description**

Code describing how treatment for this tumor now is coded.

**Codes**

- 00 Treatment data not coded/transmitted (i.e., all treatment fields [items 1200-1450 and 1500-1645] blank\*)
- 01 Treatment data coded using 1-digit surgery codes (obsolete)
- 02 Treatment data coded according to 1983-1992 SEER manuals and 1983-1995 COC manuals
- 03 Treatment data coded according to 1996 *ROADS Manual*
- 04 Treatment data coded according to 1998 *ROADS Supplement*
- 05 Treatment data coded according to 1998 SEER Manual
- 06 Treatment data coded according to *FORDS Manual*
- 99 Other coding, including partial or nonstandard coding

**RX DATE--BRM**

Alternate Name	Item #	Length	Source of Standard	Column #
Date Immunotherapy Started (COC)	1240	8	NAACCR	819-826

**Description**

Date of initiation for immunotherapy that is part of the first course of treatment. See also RX Summ--BRM [1410]. See page 81 for date format.

**Rationale**

The dates on which different treatment modalities were started are used to evaluate whether the treatments were part of first course of therapy and to reconstruct the sequence of first-course treatment modes.

**Codes (in addition to valid dates)**

- 00000000 No immunotherapy administered; autopsy only case
- 99999999 Unknown if any immunotherapy administered; date unknown, or death certificate only case

*Note:* Beginning January 1, 2003, the COC will no longer support this data item.

**RX DATE--CHEMO**

Alternate Name	Item #	Length	Source of Standard	Column #
Date Chemotherapy Started (COC)	1220	8	NAACCR	803-810

**Description**

Date of initiation of chemotherapy that is part of the first course of treatment. See also RX Summ--Chemo [1390]. See page 81 for date format.

**Rationale**

The dates on which different treatment modalities were started are used to evaluate whether the treatments were part of first-course therapy and to reconstruct the sequence of first-course treatment modes.

**Codes (in addition to valid dates)**

00000000 No chemotherapy administered; autopsy only case  
 99999999 Unknown if any chemotherapy administered; date unknown, or death certificate only case.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**RX DATE--DX/STG PROC**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Non Cancer-Directed Surgery (COC)	1280	8	COC	851-858
Date of Diagnostic, Staging or Palliative Procedures (1996-2002)				
Date of Surgical Diagnostic and Staging Procedure (COC)				
RX Date--DX/Stg/Pall Proc				

**Description**

Records the date on which the surgical diagnostic and/or staging procedure was performed. See Surgical and Diagnostic Staging Procedure [1350]. See page 81 for date format.

**Codes (in addition to valid dates)**

00000000 No diagnostic or staging procedure performed; autopsy only case  
 99999999 Unknown if any diagnostic or staging procedure performed; date unknown, or death certificate only case

*Note:* This is a COC item and for tumors diagnosed from January 1, 1996, through December 31, 2002, may date on which diagnostic, staging, and palliative procedures were performed. Beginning with tumors diagnosed on or after January 1, 2003, palliative procedures are collected in RX Summ--Palliative Proc [3270] and RX Hosp--Palliative Proc [3280].



**RX DATE--HORMONE**

Alternate Name	Item #	Length	Source of Standard	Column #
Date Hormone Therapy Started (COC)	1230	8	NAACCR	811-818

**Description**

Date of initiation for hormone therapy that is part of the first course of treatment. See also RX Summ--Hormone [1400]. See page 81 for date format

**Rationale**

The dates on which different treatment modalities were started are used to evaluate whether the treatments were part of first-course therapy and to reconstruct the sequence of first-course treatment modes.

**Codes (in addition to valid dates)**

00000000 No hormone therapy administered; autopsy only case  
 99999999 Unknown if any hormone therapy administered; date unknown, or death certificate only case

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**RX DATE--MOST DEFIN SURG**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Most Definitive Surgical Resection of the Primary Site	3170	8	COC	763-770

**Description**

Date of most definitive surgical resection of the primary site performed as part of the first course of treatment. See page 81 for date format.

**Rationale**

This item is used to measure lag time between diagnosis and the most definitive surgery of the primary site or survival following the procedure. It also is used in conjunction with Date of Surgical Discharge [3180] to calculate the duration of hospitalization following the most definitive primary site surgical procedure to evaluate treatment efficacy.

**Special Codes (in addition to valid dates)**

00000000 When no surgical resection of the primary site is performed and for cases diagnosed at autopsy.  
 99999999 When it is unknown if any surgical procedure of the primary site was performed, the date is unknown or the case was identified by death certificate only.

**RX DATE--OTHER**

Alternate Name	Item #	Length	Source of Standard	Column #
Date Other Treatment Started (COC)	1250	8	COC	827-834

**Description**

Date of initiation for other treatment that is part of the first course of treatment at any facility. See RX Summ-Other [1420]. See page 81 for date format

**Rationale**

The dates on which different treatment modalities were started are used to evaluate whether the treatments were part of first-course therapy and to reconstruct the sequence of first-course treatment modes.

**Codes (in addition to valid dates)**

00000000 No other treatment administered; autopsy only case  
 99999999 Unknown if any other treatment administered; date unknown, or death certificate only case

**RX DATE--RADIATION**

Alternate Name	Item #	Length	Source of Standard	Column #
Date Radiation Started (COC)	1210	8	COC	779-786

**Description**

Records the date on which radiation therapy began at any facility that is part of the first course of treatment. See page 81 for date format.

**Rationale**

The dates on which different treatment modalities were started are used to evaluate whether the treatments were part of first-course therapy and to reconstruct the sequence of first-course treatment modes.

**Codes (in addition to valid dates)**

00000000 No radiation therapy administered; autopsy only case.  
 88888888 When radiation therapy is planned as part of the first course of therapy, but had not been started at the time of the most recent follow-up. The date should be revised at the next follow-up.  
 99999999 When it is unknown whether any radiation therapy was administered; the date is unknown, or the case was identified by death certificate only.

**RX DATE--RADIATION ENDED**

Alternate Name	Item #	Length	Source of Standard	Column #
Date Radiation Ended	3220	8	COC	787-794

**Description**

The date on which the patient completes or receives the last radiation treatment at any facility. See page 81 for date format.

**Rationale**

The length of time over which radiation therapy is administered to a patient is a factor in tumor control and treatment morbidity. It is useful in evaluating the quality-of-care and the success of patient support programs designed to maintain continuity of treatment.

**Codes (in addition to valid dates)**

00000000	Radiation therapy was not administered or case diagnosed at autopsy
88888888	Radiation was administered and was ongoing at the time of most recent follow-up. The date should be revised at the next follow-up.
99999999	Unknown if radiation therapy was administered, or the date radiation ended is unknown. Death certificate only cases.

**RX DATE--SURGERY**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Cancer-Directed Surgery (COC)	1200	8	COC	755-762
Date of Surgery				
Date of First Surgical Procedure (COC)				

**Description**

Date the first surgery of the type described under Surgery of Primary Site, Scope of Regional Lymph Node Surgery, or Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Nodes was performed. See also RX Summ--Surg Prim Site [1290], RX Summ--Scope Reg LN Sur [1292], and RX Summ--Surg Oth Reg/Dis [1294]. See page 81 for date format.

**Rationale**

The dates on which different treatment modalities were started are used to evaluate whether the treatments were part of first-course therapy and to reconstruct the sequence of first-course treatment modes.

**Codes (in addition to valid dates)**

00000000	No surgical procedure was performed; autopsy only case
99999999	When it is unknown if any surgical procedure of the primary site was performed, the date is unknown or the case was identified by death certificate only

**RX DATE--SURGICAL DISCH**

Alternate Name	Item #	Length	Source of Standard	Column #
Date of Surgical Discharge	3180	8	COC	771-778

**Description**

Records the date the patient was discharged following primary site surgery. The date corresponds to the event recorded in Surgical Procedure of Primary Site [1290], and Date of Most Definitive Surgical Resection [3170]. See page 81 for date format.

**Rationale**

Length of stay is an important quality-of-care and financial measure among hospital administrations, those who fund public and private health care, and public health users. This date, in conjunction with the data item "Date of Most Definitive Surgical Resection" [3170], will allow for the calculation of a patient's length of hospitalization associated with primary site surgery.

**Special Codes (in addition to valid dates)**

00000000 When no surgical treatment of the primary site was performed. Diagnosed at autopsy.  
 99999999 When it is unknown whether surgical treatment was performed, the date is unknown or the case was identified by death certificate only.

**RX DATE--SYSTEMIC**

Alternate Name	Item #	Length	Source of Standard	Column #
Date Systemic Therapy Started	3230	8	COC	795-802

**Description**

Date of initiation of systemic therapy that is part of the first course of treatment. Systemic therapy includes the administration of chemotherapy agents, hormone agents, biological response modifiers, bone marrow transplants, stem cell harvests, and surgical and/or radiation endocrine therapy. See page 81 for date format.

**Rationale**

Collecting dates for each treatment modality allows the sequencing of multiple treatments and aids in the evaluation of time intervals from diagnosis to treatment and from treatment to recurrence.

**Codes (in addition to valid dates)**

00000000 When no systemic therapy was administered, or the case was diagnosed at autopsy.  
 88888888 When systemic therapy is planned as part of the first course of therapy, but had not been started at the time of the most recent follow-up. The date should be revised at the next follow-up.  
 99999999 When it is unknown if any systemic therapy was administered, the date is unknown, or the case was identified by death certificate only.

**RX HOSP--BRM**

Alternate Name	Item #	Length	Source of Standard	Column #
Immunotherapy at this Facility (COC)	720	2	COC	468-469

**Description**

Records whether immunotherapeutic agents (biologic response modifiers) were administered as first-course treatment at this facility or the reason they were not given. Immunotherapy consists of biological or chemical agents that alter the immune system or change the host's response to tumor cells.

**Rationale**

Systemic therapy may involve the administration of one or a combination of agents. This data item allows for the evaluation of the administration of immunotherapeutic agents as part of the first course of therapy.

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes (refer to *FORDS* for additional instructions)**

- 00 None, immunotherapy was not part of the first course of therapy; not customary therapy for this cancer.
- 01 Immunotherapy
- 82 Immunotherapy was not recommended/administered because it was contraindicated due to patient risk factors (comorbid conditions, advanced age, etc.).
- 85 Immunotherapy was not administered because the patient died prior to planned or recommended therapy.
- 86 Immunotherapy was not administered; it was recommended by the patient's physician, but was not administered as part of first-course therapy. No reason was noted in the patient record.
- 87 Immunotherapy was not administered; it was recommended by the patient's physician, but this treatment was refused by the patient, the patient's family member, or the patient's guardian. The refusal was noted in the patient record.
- 88 Immunotherapy was recommended, but it is unknown if it was administered.
- 99 It is unknown if immunotherapy was recommended or administered; death certificate only cases.

*Note:* For tumors diagnosed on or after January 1, 2003, information on bone marrow transplants and stem cell transplants should be coded in the new field RX SUMM--Transplnt/Endocr [3250]. Codes 02-06 should not be used for tumors diagnosed on or after January 1, 2003.

**RX HOSP--CHEMO**

Alternate Name	Item #	Length	Source of Standard	Column #
Chemotherapy at this Facility (COC)	700	2	COC	464-465

**Description**

Defines the type of chemotherapy the patient received as a part of the initial treatment for the reportable tumor at the reporting facility or the reason chemotherapy was not given.

**Rationale**

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes (refer to *FORDS* for additional instructions)**

- 00 None, chemotherapy was not part of the first course of therapy; not customary therapy for this cancer.
- 01 Chemotherapy, NOS
- 02 Chemotherapy, single agent
- 03 Chemotherapy, multiple agents
- 82 Chemotherapy was not recommended/administered because it was contraindicated due to patient risk factors (I.e., comorbid conditions, advanced age).
- 85 Chemotherapy was not administered because the patient died prior to planned or recommended therapy.
- 86 Chemotherapy was not administered. It was recommended by the patient's physician, but was not administered as part of first-course therapy. No reason was stated in the patient record.
- 87 Chemotherapy was not administered; it was recommended by the patient's physician, but this treatment was refused by the patient, the patient's family member, or the patient's guardian. The refusal was noted in the patient record.
- 88 Chemotherapy was recommended, but it is unknown if it was administered.
- 99 It is unknown whether a chemotherapeutic agent(s) was recommended or administered because it is not stated in patient record; death certificate only cases.

**RX HOSP--DX/STG PROC**

Alternate Name	Item #	Length	Source of Standard	Column #
Non Cancer-Directed Surgery at this Facility (COC) Surgical Diagnostic & Staging Procedure at this Facility (1996-2002) RX Hosp--DX/Stg/Pall Proc	740	2	COC	471-472

**Description**

Identifies the surgical procedure(s) performed in an effort to diagnose and/or stage disease at this facility. Used for cases diagnosed in 1996 and later. Earlier data may be converted into this field. See also RX Hosp--Surg Prim Site [670].

**Rationale**

If central registries wish to study the procedures given at particular hospitals, the hospital-level fields must be used. The summary fields, conversely, combine information across all hospitals that provide for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes (refer to *FORDS* for additional instructions)**

- 00 No surgical diagnostic or staging procedure was performed.
- 01 A biopsy (incisional, needle, or aspiration) was done to a site other than the primary site. No exploratory procedure was done.
- 02 A biopsy (incisional, needle, or aspiration) was done of the primary site.
- 03 A surgical exploratory only. The patient was not biopsied or treated.
- 04 A surgical procedure with a bypass was performed, but no biopsy was done.
- 05 An exploratory procedure was performed, and a biopsy of either the primary site or another site was done.
- 06 A bypass procedure was performed, and a biopsy of either the primary site or another site was done.
- 07 A procedure was done, but the type of procedure is unknown.
- 09 No information about whether a diagnostic or staging procedure was performed.

*Note:* This item has been used for tumors diagnosed in 1996 and later. For cases diagnosed before 1996, this item may have been converted, and cases with surgery would have been converted to 09 in this field. For cases diagnosed between 1996 and 2002, this field may have described palliative care. For tumors diagnosed on or after January 1, 2003 palliative care is coded in a new field RX Hosp--Palliative Proc [3280].

**RX HOSP--HORMONE**

Alternate Name	Item #	Length	Source of Standard	Column #
Hormone Therapy at this Facility (COC)	710	2	COC	466-467

**Description**

Records whether systemic hormonal agents were administered as first-course treatment at this facility or the reason they were not given. Hormone therapy consists of a group of drugs that may affect the long-term control of a cancer's growth. It is not usually used as a curative measure.

**Rationale**

Systemic therapy may involve the administration of one or a combination of agents. This data item allows for the evaluation of the administration of hormonal agents as part of the first course of therapy. If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes (refer to *FORDS* for additional instructions)**

- 00 None, hormone therapy was not part of the first course of therapy.
- 01 Hormone therapy administered as first course therapy.
- 82 Hormone therapy was not recommended/administered because it was contraindicated due to patient risk factors (I.e., comorbid conditions, advanced age).
- 85 Hormone therapy was not administered because the patient died prior to planned or recommended therapy.
- 86 Hormone therapy was not administered. It was recommended by the patient's physician, but was not administered as part of first-course therapy. No reason was stated in the patient record.
- 87 Hormone therapy was not administered. It was recommended by the patient's physician, but this treatment was refused by the patient, the patient's family member, or the patient's guardian. The refusal was noted in the patient record.
- 88 Hormone therapy was recommended, but it is unknown if it was administered.
- 99 It is unknown whether a hormonal agent(s) was recommended or administered because it is not stated in the patient record; death certificate only cases.

*Note:* Any therapy codes 02-03 should have been converted to the appropriate code in the new field RX SUMM--Transplnt/Endocr [3250]. Codes 02-03 should not be used for tumors diagnosed on or after January 1, 2003.



**RX HOSP--OTHER**

Alternate Name	Item #	Length	Source of Standard	Column #
Other Treatment at this Facility (COC)	730	1	COC	470-470

**Description**

Identifies other treatment given at this facility that cannot be defined as surgery, radiation, or systemic therapy according to the defined data items in this manual. Treatment for reportable hematopoietic diseases can be supportive care, observation, or any treatment that does not meet the usual definition in which treatment modifies, controls, removes, or destroys proliferating cancer tissue. Such treatments include phlebotomy, transfusions, and aspirin.

**Rationale**

Information on other therapy is used to describe and evaluate the quality-of-care and treatment practices. If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes**

0	None
1	Other
2	Other Experimental
3	Other-Double Blind
6	Other-Unproven
7	Refusal
8	Recommended; unknown if administered
9	Unknown

*Note:* Aspirin (also known as acetylsalicylic acid [ASA] or by a brand name) is used as a treatment for essential thrombocythemia. Record ONLY aspirin therapy to thin the blood for symptomatic control of thrombocythemia. To determine whether aspirin is administered for pain, cardiovascular protection, or thinning of platelets in the blood, use the following general guideline:

- Pain control is approximately 325-1,000mg every 3-4 hours.
- Cardiovascular protection starts at about 160 mg/day.
- Aspirin treatment for essential thrombocythemia is low dose, approximately 70-100 mg/day.

Phlebotomy may be called blood removal, bloodletting, or venisection. Transfusions may include whole blood, red blood cells, platelets, plateletpheresis, fresh frozen plasma, plasmapheresis, and cryoprecipitate.

**RX HOSP--PALLIATIVE PROC****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Palliative Procedure at this Facility	3280	1	COC	473-473
Palliative Care at this Facility				

**Description**

Identifies care provided at this facility in an effort to palliate or alleviate symptoms. Palliative procedures are performed to relieve symptoms and may include surgery, radiation therapy, systemic therapy (chemotherapy, hormone therapy, or other systemic drugs), and/or pain management therapy.

**Rationale**

This data item allows reporting facilities to track care that is considered palliative rather than diagnostic or curative intent.

**Codes**

- 0 No palliative care provided, diagnosed at autopsy
- 1 Surgery (which may involve a bypass procedure) performed to alleviate symptoms, but no attempt to diagnose, stage, or treat the primary tumor is made
- 2 Radiation therapy given to alleviate symptoms, but no attempt to diagnose, stage, or treat the primary tumor is made
- 3 Chemotherapy, hormone therapy, or other systemic drugs given to alleviate symptoms, but no attempt to diagnose, stage or treat the primary tumor is made
- 4 Patient received or was referred for pain management therapy with no other palliative care
- 5 Any combination of codes 1, 2, and/or 3 without code 4
- 6 Any combination of codes 1, 2 and/or 3 with code 4
- 7 Palliative care was performed or referred, but no information on the type of procedure is available in the patient record
- 9 Unknown if palliative care was performed or referred; not stated in patient record.

**RX HOSP--RADIATION**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Radiation at this Facility (COC)	690	1	SEER/COC	463-463

**Description**

Defines the type of radiation therapy the patient received as a part of the initial treatment for the reportable tumor at the reporting facility.

**Rationale**

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes**

- 0 None
- 1 Beam radiation
- 2 Radioactive implants
- 3 Radioisotopes
- 4 Combination of 1 with 2 or 3
- 5 Radiation, NOS—method or source not specified
- 9 Unknown if radiation therapy administered

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**RX HOSP--REG LN REMOVED**

Alternate Name	Item #	Length	Source of Standard	Column #
Number of Regional Lymph Nodes Examined at This Facility (COC) RX Hosp--Reg LN Examined	676	2	COC	461-462

**Description**

Describes number of regional lymph nodes removed as part of the first course of treatment. This item reflects that portion of the first course of treatment given at the reporting facility.

**Rationale**

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing the extent of treatment given at a particular hospital also helps resolve coding issues.

**Codes**

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed
- ..
- ..
- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed, but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as a dissection and number of lymph nodes unknown/not stated
- 98 Regional lymph nodes surgically removed, but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

*Note:* As of January 1, 2003, this data item is no longer required or recommended by COC. However, the item was collected in the past and it is recommended that historic data be retained.

**RX HOSP--SCOPE REG 98-02**

Alternate Name	Item #	Length	Source of Standard	Column #
Scope of Regional Lymph Node Surgery at this Facility (COC)	747	1	COC	480-480

**Description**

Describes the removal, biopsy, or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event at the reporting facility. This field is to be used for *ROADS* codes after the *ROADS* to *FORDS* conversion. It is also to be used to code Scope of Regional Lymph Node Surgery at the reporting facility for all tumors diagnosed before January 1, 2003.

**Rationale**

In evaluating quality of care and treatment practices it is important to identify the removal, biopsy, or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event.

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing the extent of treatment given at a particular hospital also helps resolve coding issues.

**Codes**

Note: See the COC *ROADS Manual*, 1998 Supplement, COC Coding System [2140] code 7, and the *SEER Program Code Manual*, RX Coding System [1460] code 5, 1998 for site-specific codes.

**RX HOSP--SCOPE REG LN SUR**

Alternate Name	Item #	Length	Source of Standard	Column #
Scope of Regional Lymph Node Surgery at this Facility (COC)	672	1	COC	459-459

**Description**

Describes the removal, biopsy, or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event at the reporting facility.

**Rationale**

In evaluating quality of care and treatment practices it is important to identify the removal, biopsy, or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event.

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing the extent of treatment given at a particular hospital also helps resolve coding issues.

**Codes (refer to *FORDS* for additional instructions)**

0	No regional lymph nodes removed
1	Biopsy or aspiration of regional lymph node, NOS
2	Sentinel lymph node biopsy
3	Number of regional lymph nodes removed unknown, not stated; regional lymph nodes removed, NOS
4	1 to 3 regional lymph nodes removed
5	4 or more regional lymph nodes removed
6	Sentinel node biopsy and code 3, 4, or 5 at same time or timing not stated
7	Sentinel node biopsy and code 3, 4, or 5 at different times
9	Unknown or not applicable

*Note:* One important use of registry data is the tracking of treatment patterns over time. To compare contemporary treatment to previously published treatment based on former codes, or to data unmodified from pre-1998 definitions, the ability to differentiate surgeries in which four or more regional lymph nodes are removed is desirable. However, it is very important to note that the distinction between codes 4 and 5 is made to permit comparison of current surgical procedures with procedures coded in the past when the removal of fewer than 4 nodes was not reflected in surgery codes. It is not intended to reflect clinical significance when applied to a particular surgical procedure. It is important to avoid inferring, by data presentation or other methods, that one category is preferable to another within the intent of these items.

**RX HOSP--SCREEN/BX PROC1****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	742			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RX HOSP--SCREEN/BX PROC2****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	743			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RX HOSP--SCREEN/BX PROC3****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	744			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RX HOSP--SCREEN/BX PROC4****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	745			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RX HOSP--SURG OTH 98-02**

Alternate Name	Item #	Length	Source of Standard	Column #
Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s) at this Facility (COC) Surgical Procedure/Other Site at this Facility	748	1	COC	481-481

**Description**

Records the surgical removal of distant lymph nodes or other tissue(s)/organ(s) beyond the primary site at this facility. This field is to be used for *ROADS* codes after the *ROADS* to *FORDS* conversion. It is also to be used to code Surgery Other Regional/Distant Sites at the reporting facility for all tumors diagnosed before January 1, 2003.

**Rationale**

The removal of non-primary tissue documents the extent of surgical treatment and is useful in evaluating the extent of metastatic involvement. If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes**

Note: See the *COC ROADS Manual*, 1998 Supplement, COC Coding System [2140] code 7, and the *SEER Program Code Manual*, RX Coding System [1460] code 5, 1998 for site-specific codes.

**RX HOSP--SURG OTH REG/DIS**

Alternate Name	Item #	Length	Source of Standard	Column #
Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s) at this Facility (COC) Surgical Procedure/Other Site at this Facility	674	1	COC	460-460

**Description**

Records the surgical removal of distant lymph nodes or other tissue(s)/organ(s) beyond the primary site at this facility.

**Rationale**

The removal of non-primary tissue documents the extent of surgical treatment and is useful in evaluating the extent of metastatic involvement. If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes (refer to *FORDS* for additional instructions)**

- 0 None
- 1 Non-primary surgical procedure performed
- 2 Non-primary surgical procedure to other regional sites
- 3 Non-primary surgical procedure to distant lymph node(s)
- 4 Non-primary surgical procedure to distant site
- 5 Any combination of codes 2, 3, or 4
- 9 Unknown

**RX HOSP--SURG PRIM SITE**

Alternate Name	Item #	Length	Source of Standard	Column #
Cancer-Directed Surgery at This Facility (pre-96 COC) RX Hosp--CA Dir Surgery (pre-96 NAACCR) Surgical Procedure of Primary Site	670	2	COC	457-458

**Description**

Describes surgical procedures used to treat the primary site of the reportable tumor. This item records that portion of the first course of treatment given at the reporting facility. See Chapter V, Unresolved Issues, for a discussion of differences in treatment coding among groups and over time.

**Rationale**

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes in addition to the site-specific codes (refer to *FORDS* for additional instructions)**

- 00 None. No surgical procedure of primary site. Autopsy only.
- 10-19 Site-specific codes. Tumor destruction; no pathologic specimen produced.
- 20-80 Site-specific codes. Resection. Path specimen produced.
- 90 Surgery, NOS
- 98 Site specific codes; special
- 99 Unknown. Death certificate only.

**RX HOSP--SURG SITE 98-02**

Alternate Name	Item #	Length	Source of Standard	Column #
Cancer-Directed Surgery at this Facility (pre-96 COC) RX Hosp--CA Dir Surgery (pre-96 NAACCR) Surgical Procedure of Primary Site	746	2	COC	478-479

**Description**

Describes surgical procedures used to treat the primary site of the reportable tumor. This item records that portion of the first course of treatment given at the reporting facility. This field is to be used for *ROADS* codes after the *ROADS* to *FORDS* conversion. It is also to be used to code Surgery Primary Site at the reporting facility for all tumors diagnosed before January 1, 2003. See Chapter V, Unresolved Issues, for a discussion of differences in treatment coding among groups and over time.

**Rationale**

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes (in addition to the site-specific codes)**

- 00 No surgery performed.
- 99 Unknown if surgery performed.

*Note:* See the COC *ROADS Manual*, 1998 Supplement, COC Coding System [2140] code 7, and the *SEER Program Code Manual*, RX Coding System [1460] code 5, 1998 for site-specific codes.



**RX SUMM--BRM**

Alternate Name	Item #	Length	Source of Standard	Column #
Immunotherapy (SEER/COC) Biological Response Modifiers (pre-96 SEER)	1410	2	SEER/COC	882-883

**Description**

Records whether immunotherapeutic (biologic response modifiers) agents were administered as first-course treatment at this facility or the reason they were not given. Immunotherapy consists of biological or chemical agents that alter the immune system or change the host's response to tumor cells.

**Rationale**

Systemic therapy may involve the administration of one or a combination of agents. This data item allows for the evaluation of the administration of immunotherapeutic agents as part of the first course of therapy.

**Codes (refer to *FORDS* and the *SEER Program Code Manual* for additional instructions)**

- 00 None, immunotherapy was not part of the planned first course of therapy.
- 01 Immunotherapy administered as first course therapy.
- 82 Immunotherapy was not recommended/administered because it was contraindicated due to patient risk factors (i.e., comorbid conditions, advanced age).
- 85 Immunotherapy was not administered because the patient died prior to planned or recommended therapy.
- 86 Immunotherapy was not administered. It was recommended by the patient's physician, but was not administered as part of first-course therapy. No reason was stated in the patient record.
- 87 Immunotherapy was not administered. It was recommended by the patient's physician, but this treatment was refused by the patient, the patient's family member, or the patient's guardian. The refusal was noted in the patient record.
- 88 Immunotherapy was recommended, but it is unknown if it was administered.
- 99 It is unknown whether an immunotherapeutic agent(s) was recommended or administered because it is not stated in patient record; death certificate only cases.

**Instructions for Storing/Converting Historical Codes**

SEER recommends that the 1-digit historical codes be stored in the second character position preceded by a zero. COC recommends that the historic codes be converted to the current codes, using the algorithm it has developed.

Historically (before 2003), this was a 1-character field with the following codes:

- 0 None
- 1 Biological response modifier
- 2 Bone marrow transplant--autologous
- 3 Bone marrow transplant--allogeneic
- 4 Bone marrow transplant, NOS
- 5 Stem cell transplant
- 6 Combination of 1 and any 2, 3, 4 or 5
- 7 Patient or patient's guardian refused
- 8 Biological response modifier recommended, unknown if administered
- 9 Unknown if immunotherapy given

*Note:* For tumors diagnosed on or after January 1, 2003, information on bone marrow transplants and stem cell transplants should be coded in the new field, RX SUMM--Transplnt/Endocr [3250]. The COC standards for hospitals do not allow use of codes 02-06 in tumors diagnosed on or after January 1, 2003.

**RX SUMM--CHEMO**

Alternate Name	Item #	Length	Source of Standard	Column #
Chemotherapy (SEER/COC)	1390	2	SEER/COC	878-879

**Description**

Codes for chemotherapy given as part of the first course of treatment or the reason chemotherapy was not given. Includes treatment given at all facilities as part of the first course.

**Codes (refer to *FORDS* for additional instructions)**

- 00 None, chemotherapy was not part of the planned first course of therapy.
- 01 Chemotherapy, NOS
- 02 Chemotherapy, single agent.
- 03 Chemotherapy, multiple agents.
- 82 Chemotherapy was not recommended/administered because it was contraindicated due to patient risk factors (i.e., comorbid conditions, advanced age).
- 85 Chemotherapy was not administered because the patient died prior to planned or recommended therapy.
- 86 Chemotherapy was not administered. It was recommended by the patient's physician, but was not administered as part of first-course therapy. No reason was stated in the patient record.
- 87 Chemotherapy was not administered; it was recommended by the patient's physician, but this treatment was refused by the patient, the patient's family member, or the patient's guardian. The refusal was noted in the patient record.
- 88 Chemotherapy was recommended, but it is unknown if it was administered.
- 99 It is unknown whether a chemotherapeutic agent(s) was recommended or administered because it is not stated in patient record; death certificate only cases.

**RX SUMM--DX/STG PROC**

Alternate Name	Item #	Length	Source of Standard	Column #
Non Cancer-Directed Surgery (COC) Surgical Diagnostic and Staging Procedure (1996-2002) RX Summ--DX/Stg/Pall Proc	1350	2	COC	869-870

**Description**

Identifies the surgical procedure(s) performed in an effort to diagnose and/or stage disease. COC recommends this item for tumors diagnosed 1996 and forward. For tumors diagnosed before 1996, this item may have been converted, and tumors with surgery would have been converted to 09 in this field. See also RX Summ--Surg Prim Site [1290] and RX Summ--Reconstruct 1st [1330]. For SEER and pre-1996 COC, see RX Summ--Surgery Type [1640].

**Codes (refer to *FORDS* for additional instructions)**

- 00 No surgical diagnostic or staging procedure was performed.
- 01 A biopsy (incisional, needle, or aspiration) was done to a site other than the primary site. No exploratory procedure was done.
- 02 A biopsy (incisional, needle, or aspiration) was done of the primary site.
- 03 A surgical exploratory only. The patient was not biopsied or treated.
- 04 A surgical procedure with a bypass was performed, but no biopsy was done.
- 05 An exploratory procedure was performed, and a biopsy of either the primary site or another site was done.
- 06 A bypass procedure was performed, and a biopsy of either the primary site or another site was done.
- 07 A procedure was done, but the type of procedure is unknown.
- 09 No information about whether a diagnostic or staging procedure was performed.

*Note:* This item has been used for tumors diagnosed in 1996 and later. For tumors diagnosed before 1996, tumors with surgery would have been converted to 09 in this field. For tumors diagnosed between 1996 and 2002 this field may have described palliative care. For tumors diagnosed on or after January 1, 2003 palliative care is coded in a new field RX Summ--Palliative Proc [3270].

**RX SUMM--HORMONE**

Alternate Name	Item #	Length	Source of Standard	Column #
Hormone Therapy (SEER/COC) Endocrine (Hormone/Steroid) Therapy (pre-96 SEER)	1400	2	SEER/COC	880-881

**Description**

Records whether systemic hormonal agents were administered as first-course treatment at any facility, or the reason they were not given. Hormone therapy consists of a group of drugs that may affect the long-term control of a cancer's growth. It is not usually used as a curative measure.

**Rationale**

Systemic therapy may involve the administration of one or a combination of agents. This data item allows for the evaluation of the administration of hormonal agents as part of the first course of therapy.

**Codes (refer to *FORDS* and the *SEER Program Code Manual* for additional instructions)**

- 00 None, hormone therapy was not part of the planned first course of therapy.
- 01 Hormone therapy administered as first course therapy.
- 82 Hormone therapy was not recommended/administered because it was contraindicated due to patient risk factors (i.e., comorbid conditions, advanced age).
- 85 Hormone therapy was not administered because the patient died prior to planned or recommended therapy.
- 86 Hormone therapy was not administered. It was recommended by the patient's physician, but was not administered as part of first-course therapy. No reason was stated in the patient record.
- 87 Hormone therapy was not administered. It was recommended by the patient's physician, but this treatment was refused by the patient, the patient's family member, or the patient's guardian. The refusal was noted in the patient record.
- 88 Hormone therapy was recommended, but it is unknown if it was administered.
- 99 It is unknown whether a hormonal agent(s) was recommended or administered because it is not stated in the patient record. Death certificate only cases.

*\*Note:* For COC, codes 7 and 8 were used for tumors diagnosed before 1996, but should have been converted to 0 in this field and to the appropriate code in the new field Reason for No Hormone [1450]. The COC standards for hospitals do not allow use of codes 7 and 8 in 1996 and later. SEER continues to use codes 7 and 8 for all years. See Chapter V, Unresolved Issues, for further discussion.

*Note:* For tumors diagnosed on or after January 1, 2003, information on endocrine surgery and/or endocrine radiation should be coded in the new field, RX Summ--Transplnt/Endocr [3250]. The COC standards for hospitals do not allow use of codes 02-03 in tumors diagnosed on or after January 1, 2003.

### RX SUMM--OTHER

Alternate Name	Item #	Length	Source of Standard	Column #
Other Treatment (COC) Other Cancer-Directed Therapy (SEER/pre-96 COC)	1420	1	SEER/COC	884-884

### Description

Identifies other treatment given at this facility that cannot be defined as surgery, radiation, or systemic therapy according to the defined data items in this manual. Treatment for reportable hematopoietic diseases can be supportive care, observation, or any treatment that does not meet the usual definition in which treatment modifies, controls, removes, or destroys proliferating cancer tissue. Such treatments include phlebotomy, transfusions, and aspirin.

### Rationale

Information on other therapy is used to describe and evaluate the quality-of-care and treatment practices.

### Codes (refer to *FORDS* for additional coding instructions)

- 0 None
- 1 Other
- 2 Other Experimental
- 3 Other-Double Blind
- 6 Other-Unproven
- 7 Refusal
- 8 Recommended
- 9 Unknown; unknown if administered

### RX SUMM--PALLIATIVE PROC

Revised

Alternate Name	Item #	Length	Source of Standard	Column #
Palliative Procedure Palliative Care	3270	1	COC	871-871

### Description

Identifies any care provided in an effort to palliate or alleviate symptoms. Palliative care is performed to relieve symptoms and may include surgery, radiation therapy, systemic therapy (chemotherapy, hormone therapy, or other systemic drugs), and/or pain management therapy.

**Rationale**

This data item allows reporting facilities to track care that is considered palliative rather than diagnostic or curative intent.

**Codes**

- 0 No palliative care provided; diagnosed at autopsy
- 1 Surgery (which may involve a bypass procedure) to alleviate symptoms, but no attempt to diagnose, stage, or treat the primary tumor is made.
- 2 Radiation therapy to alleviate symptoms, but no attempt to diagnose, stage, or treat the primary tumor is made.
- 3 Chemotherapy, hormone therapy, or other systemic drugs to alleviate symptoms, but no attempt to diagnose, stage, or treat the primary tumor is made.
- 4 Patient received or was referred for pain management therapy with no other palliative care.
- 5 Any combination of codes 1, 2, and/or 3 without code 4.
- 6 Any combination of codes 1, 2 and/or 3 with code 4.
- 7 Palliative care was performed or referred, but no information on the type of procedure is available in the patient record.
- 9 Unknown if palliative care was performed or referred; not stated in patient record.

**RX SUMM--RAD TO CNS**

Alternate Name	Item #	Length	Source of Standard	Column #
Radiation Therapy to CNS (COC) Radiation to the Brain and/or Central Nervous System (SEER)	1370	1	SEER/COC	874-874

**Description**

For lung and leukemia cases only, codes for radiation given to the brain or central nervous system. Includes treatment given at all facilities as part of the first course. See Chapter V, Unresolved Issues, for more information.

*Note:* SEER does not collect this data item beginning with 1998 cases. They retain the codes for older cases in this field, and they have also recoded radiation coded here as radiation in RX Summ--Radiation [1360]. COC does not collect this data item beginning with 1996 cases.

**Codes**

For Lung and Leukemia Cases only:

- 0 No radiation to the brain and/or central nervous system
- 1 Radiation
- 7 Patient or patient's guardian refused
- 8 Radiation recommended, unknown if administered
- 9 Unknown

For all other cases (primaries other than lung or leukemia):

- 9 Not applicable

**RX SUMM--RADIATION**

Alternate Name	Item #	Length	Source of Standard	Column #
Radiation (SEER/COC)	1360	1	SEER	873-873
Radiation Therapy (pre-96 COC)				

**Description**

Codes for the type of radiation therapy performed as part of the first course of treatment.

*Note:* Radiation to brain and central nervous system for leukemia and lung cases is coded as radiation in this field.

**Codes**

0	None
1	Beam radiation
2	Radioactive implants
3	Radioisotopes
4	Combination of 1 with 2 or 3
5	Radiation, NOS—method or source not specified
7	Patient or patient's guardian refused*
8	Radiation recommended, unknown if administered*
9	Unknown if radiation administered

\**Note:* For COC, codes 7 and 8 were used for tumors diagnosed before 1996, but should have been converted to 0 in this field and to the appropriate code in the new field Reason for No Radiation [1430]. The COC standards for hospitals do not allow use of codes 7 and 8 in 1996 and later. SEER continues to use codes 7 and 8 for all years. See Chapter V, Unresolved Issues, for further discussion.

**RX SUMM--RECONSTRUCT 1ST**

Alternate Name	Item #	Length	Source of Standard	Column #
Reconstruction--First Course (SEER)	1330	1	SEER	867-867
Reconstruction/Restoration--First Course (COC)				

**Description**

Codes for surgical procedures done to reconstruct, restore, or improve the shape and appearance or function of body structures that are missing, defective, damaged, or misshapen by cancer or treatment.

Reconstructive/restorative procedures are coded here when started during the first course of therapy.

COC introduced site-specific codes for this item in the COC *ROADS Manual* 1998 Supplement. RX Coding System--Current [1460] identifies which coding system applies.

SEER collects reconstructive procedures for breast cancer tumors only.

For reconstructive/restorative procedures performed later, see Subseq RX--Reconstruct Del [1741]. See also RX Summ--Surgery Type [1640].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**RX SUMM--REG LN EXAMINED**

Alternate Name	Item #	Length	Source of Standard	Column #
Number of Regional Lymph Nodes Examined (SEER/COC) Number of Regional Lymph Nodes Removed (COC)	1296	2	SEER/COC	863-864

**Description**

Codes for the number of regional lymph nodes examined in conjunction with surgery performed as part of the first-course treatment. This includes treatment given at all facilities as part of the first course of treatment. See also RX Summ--Scope Reg LN Sur [1292].

**Codes**

00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
..	
..	
90	90 or more regional lymph nodes examined
..	
95	No regional lymph node(s) removed, but aspiration of regional lymph node(s) was performed
96	Regional lymph node removal documented as sampling, and number of lymph nodes unknown/not stated
97	Regional lymph node removal documented as a dissection, and number of lymph nodes unknown/not stated
98	Regional lymph nodes surgically removed, but number of lymph nodes unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate-only

*Note:* As of January 1, 2003, this data item is no longer required or recommended by COC. However, the item was collected in the past and it is recommended that historic data be retained.

**RX SUMM--SCOPE REG 98-02**

Alternate Name	Item #	Length	Source of Standard	Column #
Scope of Regional Lymph Node Surgery (SEER/COC)	1647	1	SEER/COC	941-941

**Description**

Describes the removal, biopsy or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event at all facilities. This field is to be used for *ROADS* codes after the *ROADS* to *FORDS* conversion. It is also to be used to code Scope of Regional Lymph Node Surgery at all facilities for all tumors diagnosed before January 1, 2003.

**Rationale**

In evaluating quality of care and treatment practices it is important to identify the removal, biopsy, or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event.

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing the extent of treatment given at a particular hospital also helps resolve coding issues.

### Codes

Note: See the *COC ROADS Manual*, 1998 Supplement, COC Coding System [2140] code 7, and the *SEER Program Code Manual*, RX Coding System [1460] code 5, 1998 for site-specific codes.

### RX SUMM--SCOPE REG LN SUR

Alternate Name	Item #	Length	Source of Standard	Column #
Scope of Regional Lymph Node Surgery (SEER/COC)	1292	1	SEER/COC	861-861

### Description

Describes the removal, biopsy or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event at all facilities.

### Rationale

In evaluating quality-of-care and treatment practices it is important to identify the removal, biopsy, or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event.

### Codes (refer to *FORDS* and *SEER Program Code Manual* for additional instructions)

- 0 None
- 1 Biopsy or aspiration of regional lymph node, NOS
- 2 Sentinel lymph node biopsy
- 3 Number of regional lymph nodes removed unknown, not stated; regional lymph nodes removed, NOS
- 4 1 to 3 regional lymph nodes removed
- 5 4 or more regional lymph nodes removed
- 6 Sentinel node biopsy and code 3, 4, or 5 at same time or timing not noted.
- 7 Sentinel node biopsy and code 3, 4, or 5 at different times
- 9 Unknown or not applicable

*Note:* One important use of registry data is the tracking of treatment patterns over time. To compare contemporary treatment to previously published treatment based on former codes, or to data unmodified from pre-1998 definitions, the ability to differentiate surgeries in which four or more regional lymph nodes are removed is desirable. However, it is very important to note that the distinction between codes 4 and 5 is made to permit comparison of current surgical procedures with procedures coded in the past when the removal of fewer than 4 nodes was not reflected in surgery codes. It is not intended to reflect clinical significance when applied to a particular surgical procedure. It is important to avoid inferring, by data presentation or other methods, that one category is preferable to another within the intent of these items.



**RX SUMM--SCREEN/BX PROC1****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1642			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RX SUMM--SCREEN/BX PROC2****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1643			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RX SUMM--SCREEN/BX PROC3****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1644			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RX SUMM--SCREEN/BX PROC4****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1645			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**RX SUMM--SURG OTH 98-02**

Alternate Name	Item #	Length	Source of Standard	Column #
Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Nodes (SEER/COC) Surgical Procedure/Other Site	1648	1	SEER/COC	942-942

**Description**

Records the surgical removal of distant lymph nodes or other tissue(s)/organ(s) beyond the primary site given at all facilities as part of the first course of treatment. This field is to be used for *ROADS* codes after the *ROADS* to *FORDS* conversion. It is also to be used to code Surgery Regional/Distant Sites at all facilities for all tumors diagnosed before January 1, 2003.

**Rationale**

The removal of non-primary tissue documents the extent of surgical treatment and is useful in evaluating the extent of metastatic involvement. If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes**

Note: See the *COC ROADS Manual*, 1998 Supplement, COC Coding System [2140] code 7, and the *SEER Program Code Manual*, RX Coding System [1460] code 5, 1998 for site-specific codes.

**RX SUMM--SURG OTH REG/DIS**

Alternate Name	Item #	Length	Source of Standard	Column #
Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Nodes (SEER/COC)	1294	1	SEER/COC	862-862
Surgical Procedure/Other Site				

**Description**

Records the surgical removal of distant lymph nodes or other tissue(s)/organ(s) beyond the primary site.

**Rationale**

The removal of non-primary tissue documents the extent of surgical treatment and is useful in evaluating the extent of metastatic involvement.

**Codes (refer to *FORDS* and *SEER Program Code Manual* for additional instructions)**

- 0 None; diagnosed at autopsy
- 1 Non-primary surgical procedure performed
- 2 Non-primary surgical procedure to other regional sites
- 3 Non-primary surgical procedure to distant lymph node(s)
- 4 Non-primary surgical procedure to distant site
- 5 Any combination of codes 2, 3, or 4
- 9 Unknown; death certificate only

**RX SUMM--SURG PRIM SITE**

Alternate Name	Item #	Length	Source of Standard	Column #
Cancer-Directed Surgery (pre-96 COC)	1290	2	SEER/COC	859-860
Surgery of Primary Site (SEER/COC)				

**Description**

Site-specific codes for the type of surgery to the primary site performed as part of the first course of treatment. This includes treatment given at all facilities as part of the first course of treatment.

**Codes (in addition to the site-specific codes; refer to *FORDS* and SEER Program Code manual for additional instructions)**

00	None
10-19	Site-specific codes. Tumor destruction
20-80	Site-specific codes. Resection
90	Surgery, NOS
98	Site specific codes; special
99	Unknown

**RX SUMM--SURG SITE 98-02**

Alternate Name	Item #	Length	Source of Standard	Column #
Cancer-Directed Surgery (pre-96 COC) Surgery of Primary Site (SEER/COC)	1646	2	SEER/COC	939-940

**Description**

Site-specific codes for the type of surgery to the primary site performed as part of the first course of treatment. This includes treatment given at all facilities as part of the first course of treatment. This field is to be used for *ROADS* codes after the *ROADS* to *FORDS* conversion. It is also to be used to code Surgery Primary Site at all facilities for all tumors diagnosed before January 1, 2003.

**Rationale**

If central registries wish to study the treatment given at particular hospitals, the hospital-level treatment fields must be used. The summary treatment fields, conversely, combine information across all hospitals that provide first course of treatment for the tumor. Hospital-specific fields allow studies of detailed referral patterns and treatment by type of hospital. Knowing what part of the treatment was given at a particular hospital also helps resolve coding issues.

**Codes (in addition to the site-specific codes)**

00	No primary site surgery performed.
99	Unknown if primary site surgery performed.

*Note:* See the COC *ROADS Manual*, 1998 Supplement, COC Coding System [2140] code 7, and the *SEER Program Code Manual*, RX Coding System [1460] code 5, 1998 for site-specific codes.

**RX SUMM--SURG/RAD SEQ**

Alternate Name	Item #	Length	Source of Standard	Column #
Radiation Sequence with Surgery (pre-96 SEER/COC) Radiation/Surgery Sequence (COC)	1380	1	SEER/COC	875-875

**Description**

Codes for the sequencing of radiation and surgery given as part of the first course of treatment. See also RX Summ--Surg Prim Site [1290], RX Summ--Scope LN Surg [1292], RX Summ--Surg Oth Reg/Dis [1294], and RX Summ--Radiation [1360].

**Codes**

- 0 No radiation and/or no surgery
- 2 Radiation before surgery
- 3 Radiation after surgery
- 4 Radiation both before and after surgery
- 5 Intraoperative radiation
- 6 Intraoperative radiation with other radiation given before or after surgery
- 9 Sequence unknown, but both surgery and radiation were given

**RX SUMM--SURGERY TYPE**

Alternate Name	Item #	Length	Source of Standard	Column #
Site--Specific Surgery (pre-98 SEER)	1640	2	SEER	932-933

**Description**

Field for pre-1996 surgery codes for COC and pre-1998 surgery codes for SEER. Surgery codes used 1998 and later can be backward converted into the older codes and the converted value can be stored in this field. See Chapter V, Unresolved Issues, for discussion of COC/SEER differences in coding treatment.

**RX SUMM--SURGICAL APPROCH**

Alternate Name	Item #	Length	Source of Standard	Column #
Surgical Approach (COC)	1310	1	COC	865-865

**Description**

Codes for method used to approach the surgical field for the primary site. COC requires coding for tumors diagnosed 1996 and forward. COC introduced site-specific codes for this item in the COC *ROADS Manual* 1998 Supplement. See also item RX Summ--Surg Prim Site [1290].

**Codes**

See the COC *ROADS Manual*, 1998 Supplement, for site-specific codes.

*Note:* As of January 1, 2003, this data item is no longer required or recommended by COC. However, the item was collected in the past and it is recommended that historic data be retained.

**RX SUMM--SURGICAL MARGINS**

Alternate Name	Item #	Length	Source of Standard	Column #
Surgical Margins (COC) Residual Primary Tumor Following Cancer-Directed Surgery (pre-96 COC)	1320	1	COC	866-866

**Description**

Codes describe the final status of surgical margins after resection of the primary tumor. See also RX Summ--Surg Prim Site [1290].

**Rationale**

This item serves as a quality measure for pathology reports, is used for staging, and may be a prognostic factor in recurrence. This item is not limited to cases that have been staged. It applies to all cases that have a surgical procedure of the primary site.

**Codes (refer to *FORDS* for additional instructions)**

- 0 No residual tumor
- 1 Residual tumor, NOS
- 2 Microscopic residual tumor
- 3 Macroscopic residual tumor
- 7 Margins not evaluable.
- 8 No primary site surgery.
- 9 Unknown or not applicable.

*Note:* Codes were site specific (1998-2002), and have been changed to be generic across all disease sites.

**RX SUMM--SYSTEMIC SUR SEQ****New**

Alternate Name	Item #	Length	Source of Standard	Column #
Systemic/Surgery Sequence	1639	1	COC	931-931

**Description**

Records the sequencing of systemic therapy (RX Summ-Chemo [1390], RX Summ-Hormone [1400], and RX Summ-Transplnt/Endocr [3250]) and surgical procedures given as part of the first course of treatment.

**Rationale**

The sequence of systemic therapy and surgical procedures given as part of the first course of treatment cannot always be determined using the date on which each modality was started or performed. This data item can be used to more precisely evaluate the time of delivery of treatment to the patient.

**Codes**

- 0 No systemic therapy and/or surgical procedures
- 2 Systemic therapy before surgery
- 3 Systemic therapy after surgery
- 4 Systemic therapy both before and after surgery
- 5 Intraoperative systemic therapy
- 6 Intraoperative systemic therapy with other therapy administered before or after surgery
- 9 Sequence unknown

**RX SUMM--TRANSPLNT/ENDOCR****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Hematologic Transplant and Endocrine Procedures	3250	2	COC	876-877

**Description**

Identifies systemic therapeutic procedures administered as part of the first course of treatment at this and all other facilities. If none of these procedures were administered then this item records the reason they were not performed. These include bone marrow transplants, stem cell harvests, surgical and/or radiation endocrine therapy.

**Rationale**

This data item allows the evaluation of patterns of treatment, which involve the alteration of the immune system or change the patient's response to tumor cells but do not involve the administration of antineoplastic agents.

**Codes (refer to *FORDS* for additional instructions)**

- 00 No transplant procedure or endocrine therapy was administered as part of first course therapy; diagnosed at autopsy
- 10 Bone marrow transplant procedure was administered, but the type was not specified.
- 11 Bone marrow transplant—autologous
- 12 Bone marrow transplant—allogeneic
- 20 Stem cell harvest and infusion
- 30 Endocrine surgery and/or endocrine radiation therapy.
- 40 Combination of endocrine surgery and/or radiation with a transplant procedure. (combination of codes 30 and 10, 11, 12 or 20).
- 82 Hematologic transplant and/or endocrine surgery/radiation was not recommended/administered because it was contraindicated due to patient risk factors (i.e., comorbid conditions, advanced age)
- 85 Hematologic transplant and/or endocrine surgery/radiation was not administered because the patient died prior to planned or recommended therapy.
- 86 Hematologic transplant and/or endocrine surgery/radiation was not administered. It was recommended by the patient's physician, but was not administered as part of first-course therapy. No reason was stated in the patient record.
- 87 Hematologic transplant and/or endocrine surgery/radiation was not administered; it was recommended by the patient's physician, but this treatment was refused by the patient, the patient's family member, or the patient's guardian; refusal noted in patient record
- 88 Hematologic transplant and/or endocrine surgery/radiation was recommended, but it is unknown if it was administered
- 99 It is unknown whether hematologic transplant and/or endocrine surgery/radiation was recommended or administered because it is not stated in patient record; death certificate only cases

**RX TEXT--BRM**

Alternate Name	Item #	Length	Source of Standard	Column #
	2660	100	NPCR	5325-5424

**Description**

Text area for manual documentation of information regarding the treatment of the tumor being reported with biological response modifiers or immunotherapy.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

Date treatment was started.

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

**Suggestions for text:**

- When treatment was given, e.g., at this facility; at another facility
- Type of BRM agent, e.g., Interferon, BCG
- BRM procedures, e.g., bone marrow transplant, stem cell transplant
- Other treatment information, e.g., treatment cycle incomplete; unknown if BRM was given

**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Date of Initial RX-SEER	1260
Date of 1st Crs RX-COC	1270
RX Hosp-BRM	720

RX Date Systemic	3230
RX Summ-Tranplnt/Endocr	3250
RX Summ-BRM	1410
RX Date-BRM	1240

#### **RX TEXT--CHEMO**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	2640	200	NPCR	4925-5124

#### **Description**

Text area for manual documentation of information regarding chemotherapy treatment of the reported tumor.

#### **Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

#### **Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

#### **Suggestions for text:**

- Date when chemotherapy began
- Where treatment was given, e.g., at this facility, at another facility
- Type of chemotherapy, e.g., name of agent(s) or protocol
- Other treatment information, e.g., treatment cycle incomplete, unknown if chemotherapy was given



**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Date of Initial RX-SEER	1260
Date of 1st Crs RX-COC	1270
RX Summ-Chemo	1390
RX Hosp-Chemo	700
RX Date-Systemic	3230
RX Date-Chemo	1220
Reason for No Chemo	1440

**RX TEXT--HORMONE**

Alternate Name	Item #	Length	Source of Standard	Column #
	2650	200	NPCR	5125-5324

**Description**

Text area for information about hormonal treatment.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

**Suggestions for text:**

- Date treatment was started
- Where treatment was given, e.g., at this facility, at another facility
- Type of hormone or antihormone, e.g., Tamoxifen
- Type of endocrine surgery or radiation, e.g., orchiectomy
- Other treatment information, e.g., treatment cycle incomplete; unknown if hormones were given

**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Date of Initial RX-SEER	1260
Date of 1st Crs RX-COC	1270
RX Summ-Hormone	1400
RX Hosp-Hormone	710
RX Date-Systemic	3230
RX Date-Hormone	1230
Reason For No Hormone	1450

**RX TEXT--OTHER**

Alternate Name	Item #	Length	Source of Standard	Column #
	2670	100	NPCR	5425-5524

**Description**

Text area for manual documentation of information regarding the treatment of the tumor being reported with treatment that cannot be defined as surgery, radiation, or systemic therapy. This includes experimental treatments (when the mechanism of action for a drug is unknown), and blinded clinical trials. If the mechanism of action for the experimental drug is known, code to the appropriate treatment field.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.

- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

#### **Suggestions for text:**

- Date treatment was started
- Where treatment was given, e.g., at this facility, at another facility
- Type of other treatment, e.g., blinded clinical trial, hyperthermia
- Other treatment information, e.g., treatment cycle incomplete; unknown if other treatment was given

#### **Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

<b>Item name</b>	<b>Item number</b>
Date of Initial RX-SEER	1260
Date of 1st Crs RX-COC	1270
RX Summ-Other	1420
RX Date-Other	1250
RX Hosp-Other	730

#### **RX TEXT--RADIATION (BEAM)**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	2620	150	NPCR	4625-4774

#### **Description**

Text area for manual documentation of information regarding treatment of the tumor being reported with beam radiation.

#### **Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

### Instructions

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

### Suggestions for text:

- Date when radiation treatment began
- Where treatment was given, e.g., at this facility, at another facility
- Type(s) of beam radiation, e.g., Orthovoltage, Cobalt 60, MV X-rays, Electrons, Mixed modalities
- Other treatment information, e.g., patient discontinued after 5 treatments; unknown if radiation was given

### Data Item(s) to be verified/validated using the text entered in this field

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Date of Initial RX-SEER	1260
Date of 1st Crs RX-COC	1270
RX Summ-Radiation	1360
RX Summ-Surg/Rad Seq	1380
Reason For No Radiation	1430
RX Date-Radiation	1210
Rad Regional RX Modality	1570
RX Hosp-Radiation	690
RX Date Radiation Ended	3220
RX Summ-Rad to CNS	1370
Rad-No of Treatment Vol	1520
Rad-Regional Dose cGy	1510
Rad Elapsed Days	1530
Rad Treatment Volume	1540
Rad Location of RX	1550
Rad Intent of Treatment	1560
Rad Boost RX Modality	3200
Rad Boost Dose cGy	3210
Rad RX Completion Status	1580
Rad Local Control Status	1590

**RX TEXT--RADIATION OTHER**

Alternate Name	Item #	Length	Source of Standard	Column #
	2630	150	NPCR	4775-4924

**Description**

Text area for manual documentation of information regarding treatment of the tumor being reported with radiation other than beam radiation. This includes brachytherapy and systemic radiation therapy.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

**Suggestions for text:**

- Date treatment was started
- Where treatment was given, e.g., at this facility, at another facility
- Type(s) of nonbeam radiation, e.g., High Dose rate brachytherapy, seed implant, Radioisotopes (I-131)
- Other treatment information, e.g., unknown if radiation was given

**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Date of Initial RX-SEER	1260
Date of 1st Crs RX-COC	1270
RX Summ-Radiation	1360

RX Summ-Surg/Rad Seq	1380
Reason For No Radiation	1430
RX Date-Radiation	1210
Rad Regional RX Modality	1570
RX Hosp-Radiation	690
RX Date Radiation Ended	3220
RX Summ-Rad to CNS	1370
Rad-No of Treatment Vol	1520
Rad-Regional Dose cGy	1510
Rad Elapsed Days	1530
Rad Treatment Volume	1540
Rad Location of RX	1550
Rad Intent of Treatment	1560
Rad Boost RX Modality	3200
Rad Boost Dose cGy	3210
Rad RX Completion Status	1580
Rad Local Control Status	1590

## **RX TEXT--SURGERY**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	2610	150	NPCR	4475-4624

### **Description**

Text area for information describing all surgical procedures performed as part of treatment.

### **Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

### **Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

### Suggestions for text:

Date of each procedure

- Type(s) of surgical procedure(s), including excisional biopsies and surgery to other and distant sites
- Lymph nodes removed
- Regional tissues removed
- Metastatic sites
- Facility where each procedure was performed
- Record positive and negative findings. Record positive findings first

Data Item(s) to be verified/validated using the text entered in this field

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item Number
RX Date Surgery	1200
RX Summ-Surg Prim Site	1290
RX Hosp-Surg Prim Site	670
RX Summ-Scope Reg LN Sur	1292
RX Hosp-Scope Reg LN Sur	672
RX Summ-Surg Oth Reg/Dis	1294
RX Hosp-Surg Oth Reg/Dis	674
Date of Initial RX--SEER	1260
Date of 1st Crs RX__COC	1270
EOD-Extension	790
Site of Distant Met 1-3	1090-1110
Reason for No Surgery	1340
RX Summ-Surgical Margins	1320
RX Hosp-Palliative Proc	3280
RX Summ-Palliative Proc	3270
Place of Diagnosis	2690

### SCREENING DATE

Alternate Name	Item #	Length	Source of Standard	Column #
	510	8	NAACCR	313-320

### Description

Most recent date on which the patient participated in a screening program related to this primary cancer. See page 81 for date format.

### Codes (in addition to appropriate dates)

00000000 Patient did not participate in screening program related to this primary cancer  
 99999999 Patient participated in screening program related to this primary cancer; date is unknown

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SCREENING RESULT**

Alternate Name	Item #	Length	Source of Standard	Column #
	520	1	NAACCR	321-321

**Description**

Code the findings from screening recorded in Screening Date [510].

**Codes**

- 0 Within normal limits
- 1 Abnormal/not suggestive of cancer
- 2 Abnormal/suggestive of cancer
- 3 Equivocal/no follow-up necessary
- 4 Equivocal/evaluation recommended
- 8 Not applicable
- 9 Unknown, result not specified

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SEER CODING SYS—CURRENT****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
	2120	1	NAACCR	1198-1198

**Description**

This shows the SEER coding system best describing the majority of SEER items as they are in the record (after conversion).

**Codes**

- 0 No SEER coding
- 1 1987 SEER Coding Manual
- 2 May 1988 SEER Coding Manual
- 3 January 1989 SEER Coding Manual
- 4 January 1992 SEER Coding Manual
- 5 January 1998 SEER Coding Manual
- 6 January 2003 SEER Coding Manual
- 7 January 2004 SEER Coding Manual



**SEER CODING SYS—ORIGINAL****Revised**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	2130	1	NAACCR	1199-1199

**Description**

This shows the SEER coding system best describing the way the majority of SEER items in the record were originally coded.

**Codes**

- 0 No SEER coding
- 1 1987 SEER Coding Manual
- 2 May 1988 SEER Coding Manual
- 3 January 1989 SEER Coding Manual
- 4 January 1992 SEER Coding Manual
- 5 January 1998 SEER Coding Manual
- 6 January 2003 SEER Coding Manual
- 7 January 2004 SEER Coding Manual

**SEER RECORD NUMBER**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
Record Number (SEER)	2190	2	SEER	1215-1216

**Description**

A unique sequential number assigned by the SEER participant to each record for the person for each submission. The number may change from submission to submission. See also Tumor Record Number [60].

**Codes**

- 01 One or first of more than one record for person
- 02 Second record for person
- ..
- ..
- nn Last of nn records for person

**SEER SUMMARY STAGE 1977**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
General Summary Stage (SEER/COC)	760	1	SEER	529-529

**Description**

Code for summary stage at the initial diagnosis or treatment of the reportable tumor. This has traditionally been used by central registries to monitor time trends. For hospital registries, COC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see the SEER Summary Staging Guide.

SEER Summary Stage 1977 is limited to information available within 2 months of the date of diagnosis. NAACCR approved extension of this time period to 4 months for prostate tumors diagnosed beginning January 1, 1995.

**Rationale**

Stage information is important when evaluating the effects of cancer control programs. It is crucial for understanding whether changes over time in incidence rates or outcomes are due to earlier detection of the cancers. In addition, cancer treatment cannot be studied without knowing the stage at diagnosis.

To study historical trends in stage, the coding system must be relatively unchanged (stable) over time. AJCC's TNM system is updated periodically to maintain clinical relevance with changes in diagnosis and treatment. The surveillance registries often rely on the Summary Stage, which they consider to be more "stable." Summary Stage has been in widespread use, either as the primary staging scheme or a secondary scheme, in most central and hospital registries since 1977.

**Codes**

0	<i>In situ</i>
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional lymph nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unstaged

*Note:* Code 8 has been added in Version 10.1 to be used when there is not an applicable code to reflect stage (e.g., benign brain, borderline ovarian).

*Note:* See also the item Derived SS1977 [3010] for the value of SEER Summary Stage 1977 as generated by the Collaborative Staging algorithm.

**Clarification of NAACCR and NPCR Required Status**

Summary stage is required. The correct data item to use (and corresponding code manual) is determined by the year in which the cancer was diagnosed. Tumors diagnosed on or after January 1, 2004, should be assigned a summary stage based upon the Collaborative Stage data item algorithms and retained in Derived SS2000 [3020]. Tumors diagnosed on or after January 1, 2001 should be assigned a summary stage according to the *SEER Summary Staging Manual 2000*, and the code should be reported in SEER Summary Stage 2000 [759]. Tumors diagnosed before January 1, 2001, should be assigned a summary stage according to *SEER Summary Stage Guide 1977*, and the code should be reported in SEER Summary Stage 1977 [760].

**SEER SUMMARY STAGE 2000**

Alternate Name	Item #	Length	Source of Standard	Column #
	759	1	SEER	528-528

**Description**

Code for summary stage at the initial diagnosis or treatment of the reportable tumor. For hospital registries, COC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see *SEER Summary Staging Manual 2000*.

Summary stage should include all information available through completion of surgery(ies) in the first course of treatment or within 4 months of diagnosis in the absence of disease progression, whichever is longer.

**Rationale**

Stage information is important when evaluating the effects of cancer control programs. It is crucial in understanding whether changes over time in incidence rates or outcomes are due to earlier detection of the cancers. In addition, cancer treatment cannot be studied without knowing the stage at diagnosis.

**Codes**

0	<i>In situ</i>
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional lymph nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unstaged

*Note:* Code 8 has been added in Version 10.1 to be used when there is not an applicable code to reflect stage (e.g., benign brain, borderline ovarian).

*Note:* See also the item Derived SS2000 [3020] for the value of SEER Summary Stage 2000 as generated by the collaborative Staging algorithm.

**Clarification of NAACCR and NPCR Required Status**

Summary stage is required. The correct data item to use (and corresponding code manual) is determined by the year in which the cancer was diagnosed. Tumors diagnosed on or after January 1, 2004, should be assigned a summary stage based upon the Collaborative Stage data item algorithms and retained in Derived SS2000 [3020]. Tumors diagnosed on or after January 1, 2001 should be assigned a summary stage according to the *SEER Summary Staging Manual 2000*, and the code should be reported in SEER Summary Stage 2000 [759]. Tumors diagnosed before January 1, 2001, should be assigned a summary stage according to *SEER Summary Stage Guide 1977*, and the code should be reported in SEER Summary Stage 1977 [760].

**SEER TYPE OF FOLLOW-UP**

Alternate Name	Item #	Length	Source of Standard	Column #
Type of Follow-Up (SEER)	2180	1	SEER	1214-1214

**Description**

Codes for the type of follow-up expected for a SEER case.

**Codes**

1	“Autopsy Only” or “Death Certificate Only” case
2	Active follow-up case
3	<i>In situ</i> cancer of the cervix uteri only
4	Case not originally in active follow-up, but in active follow-up now (San Francisco-Oakland only)

**SEQUENCE NUMBER--CENTRAL**

Alternate Name	Item #	Length	Source of Standard	Column #
Sequence Number (pre-96 SEER)	380	2	SEER	281-282

**Description**

Code indicates the sequence of all reportable neoplasms over the lifetime of the person. This data item differs from Sequence Number--Hospital [560], because the definitions of reportable neoplasms often vary between a hospital and a central registry. Each neoplasm is assigned a different number. Sequence Number 00 indicates that the person has had only one *in situ* or one malignant neoplasm as defined by the Federal reportable list (regardless of central registry reference date). Sequence Number 01 indicates the first of two or more reportable neoplasms, while 02 indicates the second of two or more reportable neoplasms, and so on. Because the time period of Sequence Number is a person's lifetime, reportable neoplasms not included in the central registry (those that occur outside the registry catchment area or before the reference date) also are allotted a sequence number. For example, a registry may contain a single record for a patient with a sequence number of 02 because the first reportable neoplasm preceded the central registry's reference date.

**Reporting Requirements: Federally Required and State/Province Defined**

The Federal or SEER/NPCR standard defining which neoplasms are reportable is described in Chapter III, Standards For Tumor Inclusion and Reportability. It is assumed that this shared standard is the "minimum" definition of reportability. Individual central cancer registries may define additional neoplasms as reportable.

Numeric codes in the 00-35 range indicate the sequence of neoplasms of *in situ* or malignant behavior (2 or 3) at the time of diagnosis, which SEER/NPCR standards require to be reported. Codes 60 to 87 indicate the sequence of non-malignant tumors (as defined in Chapter III) and any other neoplasms that the central registry has defined as reportable. Neoplasms required by SEER/NPCR with an *in situ* or malignant behavior at the time of diagnosis are sequenced completely independently of this higher-numbered category. Sequence Number-Hospital does not affect Sequence Number-Central. The two notational systems are independent but central registries should take Sequence Number-Hospital [560] into account when coding Sequence Number Central.

**Timing Rule**

The sequence number may change over the lifetime of the patient. If an individual previously diagnosed with a single reportable malignant neoplasm is subsequently diagnosed with a second reportable malignant neoplasm, the sequence code for the first neoplasm changes from 00 to 01. A central registry might also discover that an individual with one or more known neoplasms had an earlier reportable neoplasm that had been unknown to the registry. Typically, a re-evaluation of all related sequence numbers is required whenever an additional neoplasm is identified.

If two or more reportable neoplasms are diagnosed at the same time, the lowest sequence number is to be assigned to the diagnosis with the worst prognosis. If no difference in prognosis is evident, the decision is arbitrary. Timing rules for sequencing neoplasms coded in the 60-87 range are the same as timing rules for sequencing of required *in situ* or malignant neoplasms.

If a registry collects any central registry-defined neoplasms, the codes 60-87 should be used. The codes 60-87 also should be used for non-malignant tumor diagnosed on or after January 1, 2004. Timing rules for sequencing these neoplasms are the same as timing rules for sequencing of required *in situ* or invasive neoplasms.

**Rationale**

The purpose of sequencing based on the patient's lifetime is to truly identify the 00s, the people who only had one malignant primary in their lifetimes for survival analysis. If a central registry sequences by just what is reported to them, then it will be unclear whether 00 means the person only had one malignant primary in his lifetime or the person had one malignant primary since the central registry started collecting data. The Federally required reportable list has changed throughout the years, so the registry must use the appropriate reportable list for the year of diagnosis. The central registry reference date will not affect Sequence Number-Central.

**Codes**

*In Situ*/Malignant as Federally Required based on Diagnosis Year:

- 00 One primary in the patient's lifetime
- 01 First of two or more primaries
- 02 Second of two or more primaries
- ..
- ..
- 35 Thirty-fifth of thirty-five or more primaries
- 99 Unspecified or unknown sequence number of Federally required *in situ* or malignant tumors.  
Sequence number 99 can be used if there is a malignant tumor and its sequence number is unknown.  
(If there is known to be more than one malignant tumor, then the tumors must be sequenced.)

Non-malignant Tumor as Federally Required based on Diagnosis Year or State/Province Defined

- 60 One non-malignant tumor or central registry-defined neoplasm
- 61 First of two or more non-malignant tumor or central registry-defined neoplasms
- 62 Second of two or more non-malignant tumor or central registry-defined neoplasms
- ..
- ..
- 88 Unspecified or unknown sequence number for non-malignant tumor or central registry-defined neoplasms. (Sequence number 88 can be used if there is a non-malignant tumor and its sequence number is unknown. If there is known to be more than one non-malignant
- 98 Cervix carcinoma *in situ* (CIS)/CIN III, Diagnosis Years 1996-2002.

The table below shows which sequence number series to use by type of neoplasm

Neoplasm	SeqNum-Central
<b><i>In Situ</i>/Malignant as Federally Required based on Diagnosis Year</b>	<b><u>(Numeric Series)</u></b>
<i>In Situ</i> (behavior code = 2) (Cervix CIS/CIN III, Diagnosis Year before 1996) (includes VIN III, VAIN III, AIN III)	00 - 35
Malignant (behavior code = 3)	00 - 35
Juvenile Astrocytoma, Diagnosis Year 2001+ (*)	00 - 35
Invasive following <i>In Situ</i> --New primary as defined by COC	00 - 35
Invasive following <i>In Situ</i> --New primary as defined by SEER	00 - 35
Unspecified Federally Required Sequence Number or Unknown	99
<b><u>Non-malignant Tumor as Federally Required based on Diagnosis Year or State/Province Registry-Defined</u></b>	
Examples:	
Non-malignant Tumor/Benign Brain	60 - 87
Borderline Ovarian, Diagnosis Year 2001+	60 - 87
Other Borderline/Benign	60 - 87

Skin SCC/BCC	60 - 87
PIN III	60 - 87
Cervix CIS/CIN III, Diagnosis Year 2003+	60 - 87
Unspecified Non-malignant Tumor or Central Registry-Defined Sequence Number	88
Cervix CIS/CIN III, Diagnosis Year 1996-2002	98

\*Juvenile astrocytomas should be reported as 9421/3.

*Note:* See the section on Sequence Number—Central in The *SEER Program Code Manual*.

*Note:* Conversion Guidance: The sequence numbers for neoplasms whose histologies were associated with behavior codes that changed from *in situ*/malignant to benign/borderline or vice versa during the conversion from ICD-O-2 to ICD-O-3 should not be re-sequenced.

### SEQUENCE NUMBER--HOSPITAL

Alternate Name	Item #	Length	Source of Standard	Column #
Sequence Number (COC)	560	2	COC	411-412

#### Description

Code indicates the sequence of all malignant and non-malignant neoplasms over the lifetime of the patient. This item differs from the Sequence Number--Central [380] because the definitions of reportable neoplasms often vary between a hospital and a central registry. Each neoplasm is assigned a different number. Sequence Number 00 indicates that the person has only one malignant neoplasm in his lifetime (regardless of hospital registry reference date). Sequence Number 01 indicates the first of two or more malignant neoplasms, while 02 indicates the second of two or more malignant neoplasms, and so on. Because the time period of Sequence Number is a person's lifetime, reportable neoplasms not included in the hospital registry are also allotted a sequence number. For example, a registry may contain a single record for a patient with a sequence number of 02 because the first reportable neoplasm occurred before the hospital registry's reference date. Similarly, Sequence Number 60 indicates the patient has only one non-malignant neoplasm, and Sequence Number 61 represents the first of multiple non-malignant neoplasms.

#### Reporting Requirements: COC, State/Province, and The Hospital Cancer Committee

The COC standard defining which neoplasms are reportable is described in Chapter III, Standards For Case Inclusion and Reportability; it is assumed that this standard is the "minimum" definition of reportability. In addition to the COC-required reportable neoplasms, hospital cancer registries have to meet the reporting requirements of the central cancer registry and the hospital cancer committee. These neoplasms often are called "reportable by agreement" in COC publications. Any tumor in the patient's past that is reportable or reportable-by-agreement must be taken into account when sequencing subsequently accessioned tumors. Sequence numbers should be reassigned if the facility subsequently learns of an unaccessioned tumor that affects sequencing. Sequence Number-Central [380] does not affect Sequence Number-Hospital. The two notational systems are independent.

#### Timing Rule

If two or more malignant tumors are diagnosed at the same time, the lowest sequence number will be assigned to the diagnosis with the worst prognosis. Likewise, if two or more non-malignant tumors are diagnosed at the same time, the lowest sequence number is assigned to the diagnosis with the worse prognosis. If no difference in prognosis is evident, the decision is arbitrary.

**Codes*****In situ* and Malignant Tumors:**

- 00 One malignant primary only in the patient's lifetime
- 01 First of two or more malignant primaries
- 02 Second of two or more malignant primaries
- ..
- .. (Actual number of this malignant primary)
- ..
- 35 Thirty-fifth of thirty-five malignant primaries
- 99 Unspecified sequence number of a primary malignant tumor or unknown (When a patient has multiple tumors with unspecified/unknown sequence numbers code 99 should only be used once.)

**Nonmalignant Tumors**

- 60 Only one non-malignant tumor in the patient's lifetime
- 61 First of two or more non-malignant tumors
- 62 Second of two or more non-malignant tumors
- ..
- 88 Unspecified number of non-malignant tumors (When a patient has multiple unspecified neoplasms in this category code 88 should only be used once.)

The table below shows which sequence number series to use by type of neoplasm

<b>Neoplasm</b>	<b>SeqNum-Hospital</b>
<b><i>In situ</i> and Malignant</b>	<b><u>(code range)</u></b>
One <i>in situ</i> (behavior code = 2) or malignant (behavior code =3) primary tumor only in the patient's lifetime	00
First of multiple <i>in situ</i> or malignant primary tumors in the patient's lifetime	01
Actual sequence of two or more <i>in situ</i> or malignant primary tumors	02-35
Unspecified malignant sequence number or unknown	99
<b>Non-Malignant</b>	
One benign (behavior code = 0) or borderline (behavior code = 1) primary tumor only in the patient's lifetime	60
First of two or more benign or borderline primary tumors in the patient's lifetime	61
Actual sequence of two or more non-malignant primary tumors	62 - 87
Unspecified non-malignant sequence number or unknown	88

\*Juvenile astrocytomas should be reported as 9421/3

*Note:* See the section on Sequence Number in COC (FORDS) Manual.

**SEX**

Alternate Name	Item #	Length	Source of Standard	Column #
	220	1	SEER/COC	118-118

**Description**

Code for the sex of the patient.

**Codes**

- 1 Male
- 2 Female
- 3 Other (hermaphrodite)
- 4 Transsexual
- 9 Not stated/Unknown

**SITE (73-91) ICD-O-1**

Alternate Name	Item #	Length	Source of Standard	Column #
Primary Site (1973-91) (SEER)	1960	4	SEER	1137-1140

**Description**

Area for retaining the ICD-O-1 primary site code entered before conversion to ICD-O-2. The item name includes years 1973-91. However, some states may have used the codes for cases before 1973.

**Codes**

For tumors diagnosed before 1992, contains the ICD-O-1 site code as originally coded, if available. Blank for tumors coded directly into ICD-O-2 (i.e., 1992 and later tumors).

**SITE CODING SYS--CURRENT**

Alternate Name	Item #	Length	Source of Standard	Column #
	450	1	NAACCR	307-307

**Description**

Code that best describes how the primary site currently is coded. If converted, this field shows the system to which it is converted.

**Codes**

- 1 ICD-8 and MOTNAC
- 2 ICD-9
- 3 ICD-O, First Edition
- 4 ICD-O, Second Edition
- 5 ICD-O, Third Edition
- 6 ICD-10
- 9 Other



**SITE CODING SYS--ORIGINAL**

Alternate Name	Item #	Length	Source of Standard	Column #
	460	1	NAACCR	308-308

**Description**

Code that best describes how primary site was originally coded. If converted, this field shows the original coding system used.

**Codes**

- 1 ICD-8 and MOTNAC
- 2 ICD-9
- 3 ICD-O, First Edition
- 4 ICD-O, Second Edition
- 5 ICD-O, Third Edition
- 6 ICD-10
- 9 Other

**SITE OF DISTANT MET 1**

Alternate Name	Item #	Length	Source of Standard	Column #
Site of Distant Metastasis #1 (COC)	1090	1	COC	618-618

**Description**

Codes for a site of distant metastasis at initial diagnosis. There are three individual fields, each with a 1-digit code for a site of metastasis.

**Codes**

- 0 None
- 1 Peritoneum
- 2 Lung
- 3 Pleura
- 4 Liver
- 5 Bone
- 6 Central nervous system
- 7 Skin
- 8 Lymph nodes (distant)
- 9 Other, generalized, carcinomatosis, disseminated, not specified, unknown

*Note:* As of January 1, 2003, this data item is no longer required or recommended by COC. However, the item was collected in the past and it is recommended that historic data be retained.

**SITE OF DISTANT MET 2**

Alternate Name	Item #	Length	Source of Standard	Column #
Site of Distant Metastasis #2 (COC)	1100	1	COC	619-619

**Description**

Codes for a site of distant metastasis at initial diagnosis. There are three individual fields, each with a 1-digit code for a site of metastasis.

**Codes**

0	None
1	Peritoneum
2	Lung
3	Pleura
4	Liver
5	Bone
6	Central nervous system
7	Skin
8	Lymph nodes (distant)
9	Other, generalized, carcinomatosis, disseminated, not specified, unknown

*Note:* As of January 1, 2003, this data item is no longer required or recommended by COC. However, the item was collected in the past and it is recommended that historic data be retained.

**SITE OF DISTANT MET 3**

Alternate Name	Item #	Length	Source of Standard	Column #
Site of Distant Metastasis #3 (COC)	1110	1	COC	620-620

**Description**

Codes for a site of distant metastasis at initial diagnosis. There are three individual fields, each with a 1-digit code for a site of metastasis.

**Codes**

0	None
1	Peritoneum
2	Lung
3	Pleura
4	Liver
5	Bone
6	Central nervous system
7	Skin
8	Lymph nodes (distant)
9	Other, generalized, carcinomatosis, disseminated, not specified, unknown

*Note:* As of January 1, 2003, this data item is no longer required or recommended by COC. However, the item was collected in the past and it is recommended that historic data be retained.

**SOCIAL SECURITY NUMBER**

Alternate Name	Item #	Length	Source of Standard	Column #
	2320	9	COC	2099-2107

**Description**

Records patient's social security number. The number is entered without dashes and without any letter suffix. This is not always identical to the Medicare claim number.

**Codes (in addition to social security number)**

999999999	Unknown
-----------	---------

**SPANISH/HISPANIC ORIGIN**

Alternate Name	Item #	Length	Source of Standard	Column #
Spanish Origin--All Sources (96 COC)	190	1	SEER/COC	115-115
Spanish Surname or Origin (SEER)				

**Description**

Code identifying persons of Spanish or Hispanic origin. This code is used by hospital and central registries to show the “best guess” as to whether or not the person should be classified as Hispanic for purposes of calculating cancer rates. If the patient has multiple tumors, all records should have the same code.

Reference to Census 2000 definitions for ethnicity and race: <http://www.census.gov/prod/cen2000/doc/sf2.pdf>

All information resources should be used to determine the correct code, including:

- Stated ethnicity in the medical record
- Stated Hispanic origin on the death certificate
- Birthplace
- Information about life history and/or language spoken found during the abstracting process
- Patient’s last name [2230] or maiden name [2390] found on a list of Hispanic names.

Some registries code the information from the medical record, others code ethnicity based on Spanish names, and others use a combination of methods.

Persons of Spanish or Hispanic origin may be of any race, but these categories generally are not used for Native Americans, Filipinos, etc., who may have Spanish names. If a patient has an Hispanic name, but there is reason to believe they are not Hispanic (e.g., the patient is Filipino, or the patient is a woman known to be non-Hispanic who has a Hispanic married name), the code in this field should be 0 (non-Spanish, non-Hispanic). The code in item Computed Ethnicity [200], however, would reflect the Hispanic name.

Assign code 7 if Hispanic ethnicity is based strictly on a computer list or algorithm (unless contrary evidence is available) and also code in Computed Ethnicity [200].

See also Computed Ethnicity [200].

*Note:* NAACCR recognizes that available definitions and abstracting instructions for Name--Last [2230] and Name--Maiden [2390] may be inadequate for describing names used in some cultures, including Hispanic cultures. Explicit instructions have not been provided for entering compound names, with or without hyphens or “De.” Order of names, use of maternal and paternal names, and use of hyphens can vary across cultures. It is likely that abstracting and coding practice for these items varies across registries. Limitations inherent in these definitions should be kept in mind when using the data.

**Rationale**

See the rationales for the Race 1-5 [160-164] and Computed Ethnicity [200]. Ethnic origin has a significant association with cancer rates and outcomes. Hispanic populations have different patterns of occurrence of cancer from other populations that may be included in the “white” category of Race [160].

**Codes**

- 0 Non-Spanish; non-Hispanic
- 1 Mexican (includes Chicano)

- 2 Puerto Rican
- 3 Cuban
- 4 South or Central American (except Brazil)
- 5 Other specified Spanish/Hispanic origin (includes European; excludes Dominican Republic)
- 6 Spanish, NOS
- Hispanic, NOS
- Latino, NOS

**There is evidence, other than surname or maiden name, that the person is Hispanic, but he/she cannot be assigned to any of the categories 1-5.**

- 7 Spanish surname only (Code 7 is ordinarily for central registry use only, hospital registrars may use code 7 if using a list of Hispanic surnames provided by their central registry; otherwise, code 9 'unknown whether Spanish or not' should be used.)

**The only evidence of the person's Hispanic origin is the surname or maiden name and there is no contrary evidence that the patient is not Hispanic.**

- 8 Dominican Republic
- 9 Unknown whether Spanish or not

*Note:* Code 7 was adopted for use effective with 1994 diagnosis and modified December 1994.

#### STATE/REQUESTOR ITEMS

Alternate Name	Item #	Length	Source of Standard	Column #
	2220	500	Varies	1447-1946

#### Description

Old fields, Site-Specific Studies, and State-Specific Items were combined into this area and renamed. The area also was expanded. Reserved for use by special studies, or for items defined in individual states or central registries. COC uses this area for Patient Care Evaluation Studies.

#### SUBSQ REPORT FOR PRIMARY

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	2160			

The NAACCR UDSC approved to retire this data item in Version 6.

#### SUBSQ RX 2ND COURSE BRM

Alternate Name	Item #	Length	Source of Standard	Column #
	1675	1	COC	1001-1001

#### Description

Codes for the type of biological response modifier therapy given as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Immunotherapy, *1998 ROADS Manual*, p. 243. See also First Course Calc Method [1500].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 2ND COURSE CHEMO**

Alternate Name	Item #	Length	Source of Standard	Column #
	1673	1	COC	999-999

**Description**

Codes for the type of chemotherapy given as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Chemotherapy, *1998 ROADS Manual*, p. 228. See also First Course Calc Method [1500].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 2ND COURSE CODES**

Alternate Name	Item #	Length	Source of Standard	Column #
	1670	7		996-1002

**Description**

The name for a group of subfields that describe the second course or set of subsequent therapy. As of January 1, 2003, COC no longer supports Subsequent Therapy data items.

Group names appear only in the data dictionary and Appendix E.

**Subfields**

Subsq RX 2nd Course Surg [1671]  
 Subsq RX 2nd Course Rad [1672]  
 Subsq RX 2nd Course Chemo [1673]  
 Subsq RX 2nd Course Horm [1674]  
 Subsq RX 2nd Course BRM [1675]  
 Subsq RX 2nd Course Oth [1676]

**SUBSQ RX 2ND COURSE DATE**

Alternate Name	Item #	Length	Source of Standard	Column #
Second Course of Therapy-Date Started (pre-96 COC)	1660	8	COC	988-995

**Description**

Date of initiation of second-course treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. See page 81 for date format.

**Codes (in addition to valid dates)**

00000000 No subsequent therapy  
 99999999 Unknown if any subsequent therapy

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 2ND COURSE HORM**

Alternate Name	Item #	Length	Source of Standard	Column #
	1674	1	COC	1000-1000

**Description**

Codes for the type of hormonal therapy given as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Hormone Therapy, *1998 ROADS Manual*, p. 238. See also First Course Calc Method [1500].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 2ND COURSE OTH**

Alternate Name	Item #	Length	Source of Standard	Column #
	1676	1	COC	1002-1002

**Description**

Codes for the type of other treatment given as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Other Treatment, *1998 ROADS Manual*, p. 246. See also First Course Calc Method [1500].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 2ND COURSE RAD**

Alternate Name	Item #	Length	Source of Standard	Column #
	1672	1	COC	998-998

**Description**

Codes for the type of radiation given as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Radiation, *1998 ROADS Manual*, p. 199. See also First Course Calc Method [1500].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 2ND COURSE SURG**

Alternate Name	Item #	Length	Source of Standard	Column #
	1671	2	COC	996-997

**Description**

Codes for the type of primary site surgery given as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Surgery of Primary Site, *1998 ROADS Manual*, p. 187. See also First Course Calc Method [1500].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 2ND--REG LN REM**

Alternate Name	Item #	Length	Source of Standard	Column #
	1679	2	COC	1050-1051

**Description**

Codes for the number of regional lymph nodes removed as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Number of Regional Lymph Nodes Removed, *1998 ROADS Manual*, p. 193. See also First Course Calc Method [1500].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 2ND--SCOPE LN SU**

Alternate Name	Item #	Length	Source of Standard	Column #
	1677	1	COC	1048-1048

**Description**

Codes for the type of surgery performed to remove regional lymph nodes as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Scope of Regional Lymph Node Surgery, *1998 ROADS Manual*, p. 192. See also First Course Calc Method [1500].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 2ND--SURG OTH**

Alternate Name	Item #	Length	Source of Standard	Column #
	1678	1	COC	1049-1049

**Description**

Codes for the type of surgery performed on tissue or organs other than the primary site and regional lymph nodes as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s), *1998 ROADS Manual*, p. 194. See also First Course Calc Method [1500].

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 3RD COURSE BRM**

Alternate Name	Item #	Length	Source of Standard	Column #
	1695	1	COC	1016-1016

**Description**

Codes for the type of biological response modifier therapy given as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Immunotherapy, *1998 ROADS Manual*, p. 243

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 3RD COURSE CHEMO**

Alternate Name	Item #	Length	Source of Standard	Column #
	1693	1	COC	1014-1014

**Description**

Codes for the type of chemotherapy given as part of the third course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Chemotherapy, *1998 ROADS Manual*, p. 228.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 3RD COURSE CODES**

Alternate Name	Item #	Length	Source of Standard	Column #
	1690	7		1011-1017

**Description**

The name for a group of subfields that describe the third course or set of subsequent therapy. As of January 1, 2003, COC no longer supports Subsequent Therapy data items.

Group names appear only in the data dictionary and Appendix E.

**Subfields**

Subsq RX 3rd Course Surg [1691]  
 Subsq RX 3rd Course Rad [1692]  
 Subsq RX 3rd Course Chemo [1693]  
 Subsq RX 3rd Course Horm [1694]  
 Subsq RX 3rd Course BRM [1695]  
 Subsq RX 3rd Course Oth [1696]

**SUBSQ RX 3RD COURSE DATE**

Alternate Name	Item #	Length	Source of Standard	Column #
	1680	8	COC	1003-1010

**Description**

Date of initiation of third course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. See page 81 for date format.

**Codes**

00000000            No subsequent therapy  
 99999999            Unknown if any subsequent therapy



**SUBSQ RX 3RD COURSE HORM**

Alternate Name	Item #	Length	Source of Standard	Column #
	1694	1	COC	1015-1015

**Description**

Codes for the type of hormonal therapy given as part of the third course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Hormone Therapy, *1998 ROADS Manual*, p. 238.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 3RD COURSE OTH**

Alternate Name	Item #	Length	Source of Standard	Column #
	1696	1	COC	1017-1017

**Description**

Codes for the type of other treatment given as part of the third course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Other Treatment, *1998 ROADS Manual*, p. 246.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 3RD COURSE RAD**

Alternate Name	Item #	Length	Source of Standard	Column #
	1692	1	COC	1013-1013

**Description**

Codes for the type of radiation given as part of the third course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Radiation, *1998 ROADS Manual*, p. 199.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 3RD COURSE SURG**

Alternate Name	Item #	Length	Source of Standard	Column #
	1691	2	COC	1011-1012

**Description**

Codes for the type of primary site surgery given as part of the third course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Surgery of Primary Site, *1998 ROADS Manual*, p. 187.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 3RD--REG LN REM**

Alternate Name	Item #	Length	Source of Standard	Column #
	1699	2	COC	1054-1055

**Description**

Codes for the number of regional lymph nodes removed as part of the third course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Number of Regional Lymph Nodes Removed, *1998 ROADS Manual*, p. 193.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 3RD--SCOPE LN SU**

Alternate Name	Item #	Length	Source of Standard	Column #
	1697	1	COC	1052-1052

**Description**

Codes for the type of surgery performed to remove regional lymph nodes as part of the third course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Scope of Regional Lymph Node Surgery, *1998 ROADS Manual*, p. 192.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 3RD--SURG OTH**

Alternate Name	Item #	Length	Source of Standard	Column #
	1698	1	COC	1053-1053

**Description**

Codes for the type of surgery performed on tissue or organs other than the primary site and regional lymph nodes as part of the third course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s), *1998 ROADS Manual*, p. 194.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 4TH COURSE BRM**

Alternate Name	Item #	Length	Source of Standard	Column #
	1715	1	COC	1031-1031

**Description**

Codes for the type of biological response modifier therapy given as part of the second course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Immunotherapy, *1998 ROADS Manual*, p. 243

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 4TH COURSE CHEMO**

Alternate Name	Item #	Length	Source of Standard	Column #
	1713	1	COC	1029-1029

**Description**

Codes for the type of chemotherapy given as part of the fourth course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Chemotherapy, *1998 ROADS Manual*, p. 228.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 4TH COURSE CODES**

Alternate Name	Item #	Length	Source of Standard	Column #
	1710	7		1026-1032

**Description**

The name for a group of subfields that describe the fourth course or set of subsequent therapy. As of January 1, 2003, COC no longer support Subsequent Therapy data items.

Group names appear only in the data dictionary and Appendix E.

**Subfields**

Subsq RX 4th Course Surg [1711]  
 Subsq RX 4th Course Rad [1712]  
 Subsq RX 4th Course Chemo [1713]  
 Subsq RX 4th Course Horm [1714]  
 Subsq RX 4th Course BRM [1715]  
 Subsq RX 4th Course Oth [1716]

**SUBSQ RX 4TH COURSE DATE**

Alternate Name	Item #	Length	Source of Standard	Column #
	1700	8	COC	1018-1025

**Description**

Date of initiation of the fourth course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. See page 81 for date format.

**Codes (in addition to valid dates)**

00000000 No subsequent therapy  
 99999999 Unknown if any subsequent therapy

**SUBSQ RX 4TH COURSE HORM**

Alternate Name	Item #	Length	Source of Standard	Column #
	1714	1	COC	1030-1030

**Description**

Codes for the type of hormonal therapy given as part of the fourth course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Hormone Therapy, *1998 ROADS Manual*, p. 238.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 4TH COURSE OTH**

Alternate Name	Item #	Length	Source of Standard	Column #
	1716	1	COC	1032-1032

**Description**

Codes for the type of other treatment given as part of the fourth course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Other Treatment, *1998 ROADS Manual*, p. 246.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 4TH COURSE RAD**

Alternate Name	Item #	Length	Source of Standard	Column #
	1712	1	COC	1028-1028

**Description**

Codes for the type of radiation given as part of the fourth course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Radiation, *1998 ROADS Manual*, p. 199.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 4TH COURSE SURG**

Alternate Name	Item #	Length	Source of Standard	Column #
	1711	2	COC	1026-1027

**Description**

Codes for the type of primary site surgery given as part of the fourth course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Surgery of Primary Site, *1998 ROADS Manual*, p. 187.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 4TH--REG LN REM**

Alternate Name	Item #	Length	Source of Standard	Column #
	1719	2	COC	1058-1059

**Description**

Codes for the number of regional lymph nodes removed as part of the fourth course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Number of Regional Lymph Nodes Removed, *1998 ROADS Manual*, p. 193.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 4TH--SCOPE LN SU**

Alternate Name	Item #	Length	Source of Standard	Column #
	1717	1	COC	1056-1056

**Description**

Codes for the type of surgery performed to remove regional lymph nodes as part of the fourth course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Scope of Regional Lymph Node Surgery, *1998 ROADS Manual*, p. 192.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 4TH--SURG OTH**

Alternate Name	Item #	Length	Source of Standard	Column #
	1718	1	COC	1057-1057

**Description**

Codes for the type of surgery performed on tissue or organs other than the primary site and regional lymph nodes as part of the fourth course of treatment. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. The codes are the same as those for Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Node(s), *1998 ROADS Manual*, p. 194.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**SUBSQ RX 5TH COURSE BRM****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1735			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH COURSE CHEMO****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1733			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH COURSE CODES****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1730			

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH COURSE DATE****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1720			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH COURSE HORM****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1734			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH COURSE OTH****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1736			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH COURSE RAD****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1732			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH COURSE SURG****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1731			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH--REG LN REM****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1739			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH--SCOPE LN SU****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1737			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX 5TH--SURG OTH****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1738			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**SUBSQ RX--RECONSTRUCT DEL**

Alternate Name	Item #	Length	Source of Standard	Column #
Reconstruction/Restoration--Delayed (COC)	1741	1	COC	1064-1064

**Description**

Code for surgical procedure done to reconstruct, restore, or improve shape and appearance or function of body structures that are missing, defective, damaged, or misshapen by cancer or treatment.

Reconstructive/restorative procedures are coded here when started after the first course of therapy. Central registries currently collecting this data item should follow the *1998 ROADS Manual* coding instructions. For reconstructive/restorative procedures started during the first course of therapy, see RX Summ--Reconstruct 1st [1330]. See also RX Summ--Surgery Type [1640].

**Codes**

See the COC *ROADS Manual*, 1998 Supplement, for site-specific codes.

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

**TELEPHONE**

Alternate Name	Item #	Length	Source of Standard	Column #
	2360	10	COC	2268-2277

**Description**

Current telephone number with area code for the patient. Number is entered without dashes.

**Codes (in addition to valid telephone number)**

0000000000	Patient does not have a telephone
9999999999	Telephone number unavailable or unknown

*Note:* Prior to Version 5, Follow-Up Contact fields may have been used for patient current telephone in the NAACCR record layout.

**TEXT--DX PROC--LAB TESTS**

Alternate Name	Item #	Length	Source of Standard	Column #
	2550	250	NPCR	3345-3594

**Description**

Text area for manual documentation of information from laboratory examinations other than cytology or histopathology.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.



*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

#### **Suggestions for text:**

- Type of lab test/tissue specimen(s)
- Record both positive and negative findings. Record positive test results first.
- Information can include tumor markers, serum and urine electrophoresis, special studies, etc.
- Date(s) of lab test(s)
- Tumor markers included, but are not limited to:
  - Breast Cancer – Estrogen Receptor Assay (ERA), Progesterone Receptor Assay (PRA), Her2/neu.
  - Prostate Cancer – Prostatic Specific Antigen (PSA)
  - Testicular Cancer – Human Chorionic Gonadotropin (hCG), Alpha Fetoprotein (AFP), Lactate Dehydrogenase (LDH)

#### **Data Item(s) to be verified/validated using the text entered in this field:**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

<b>Item name</b>	<b>Item number</b>
Primary Site	400
Grade	440
Diagnostic Confirmation	490
Laterality	10
Collaborative Stage variables	2800-2930
Date of Diagnosis	390

#### **TEXT--DX PROC--OP**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	2560	250	NPCR	3595-3844

#### **Description**

Text area for manual documentation of all surgical procedures that provide information for staging.

#### **Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

#### **Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.

- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

**Suggestions for text:**

- Dates and descriptions of biopsies and all other surgical procedures from which staging information was derived
- Number of lymph nodes removed
- Size of tumor removed
- Documentation of residual tumor
- Evidence of invasion of surrounding areas

**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Date of 1st Positive Bx	1080
Date of Diagnosis	390
RX Summ--Dx/Stg Proc	1350
Diagnostic Confirmation	490
Primary Site	400
RX Hosp--Dx/Stg Proc	740
RX Summ--Surg Prim Site	1290
Collaborative Stage variables	2800-2930
SEER Summary Stage 1977	760
SEER Summary Stage 2000	759

**TEXT--DX PROC--PATH**

Alternate Name	Item #	Length	Source of Standard	Column #
	2570	250	NPCR	3845-4094

**Description**

Text area for manual documentation of information from cytology and histopathology reports.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

#### **Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

#### **Suggestions for text:**

Date(s) of procedure(s)

- Type of tissue specimen(s)
- Tumor type and grade (include all modifying adjectives, i.e., predominantly, with features of, with foci of, elements of, etc.)
- Gross tumor size
- Extent of tumor spread
- Involvement of resection margins
- Number of lymph nodes involved and examined
- Record both positive and negative findings. Record positive test results first.
- Note if pathology report is a slide review or a second opinion from an outside source, i.e., AFIP, Mayo, etc.
- Record any additional comments from the pathologist, including differential diagnoses considered and any ruled out or favored

#### **Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

<b>Item name</b>	<b>Item number</b>
Date of Diagnosis	390
Primary Site	400
Laterality	410
Histologic Type ICD-O-3	522
Histology (92-00) ICD-O-2	420
Grade	440
Collaborative Stage variables	2800-2930
Diagnostic confirmation	490

**TEXT--DX PROC--PE**

Alternate Name	Item #	Length	Source of Standard	Column #
	2520	200	NPCR	2645-2844

**Description**

Text area for manual documentation from the history and physical examination about the history of the current tumor and the clinical description of the tumor.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

**Suggestions for text:**

Date of physical exam

- Age, sex, race/ethnicity
- History that relates to cancer diagnosis
- Primary site
- Histology (if diagnosis prior to this admission)
- Tumor location
- Tumor size
- Palpable lymph nodes
- Record positive and negative clinical findings. Record positive results first
- Impression (when stated and pertains to cancer diagnosis)
- Treatment plan

**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Date of 1st Contact	580
Date of Diagnosis	390
Age at Diagnosis	230
Race 1 - 5	160-164
Spanish Hispanic Origin	190
Sex	220
Primary Site	400
Laterality	410
Histology (92-00) ICD-O-2	420
Histology ICD-O-3	522
Sequence Number-Central	380
Collaborative Stage variables	2800-2930
SEER Summary Stage 1977	760
SEER Summary Stage 2000	759

**TEXT--DX PROC--SCOPES**

Alternate Name	Item #	Length	Source of Standard	Column #
	2540	250	NPCR	3095-3344

**Description**

Text area for manual documentation from endoscopic examinations that provide information for staging and treatment.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.

- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

**Suggestions for text:**

- Date(s) of endoscopic exam(s)
- Primary site
- Histology (if given)
- Tumor location
- Tumor size
- Lymph nodes
- Record positive and negative clinical findings. Record positive results first

**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Date of Diagnosis	390
Date of 1st Positive Bx	1080
RX Summ-Dx/Stg Proc	1350
Diagnostic Confirmation	490
Primary Site	400
Laterality	410
Histology (92-00) ICD-O-2	420
Histology ICD-O-3	522
Collaborative Stage variables	2800-2930
SEER Summary Stage 1977	760
SEER Summary Stage 2000	759

**TEXT--DX PROC--X-RAY/SCAN**

Alternate Name	Item #	Length	Source of Standard	Column #
	2530	250	NPCR	2845-3094

**Description**

Text area for manual documentation from all X-rays, scan, and/or other imaging examinations that provide information about staging.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

#### **Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

#### **Suggestions for text:**

Date(s) of X-ray/Scan(s)

- Age, sex, race/ethnicity (when given)
- Primary site
- Histology (if given)
- Tumor location
- Tumor size
- Lymph nodes
- Record positive and negative clinical findings. Record positive results first
- Distant disease or metastasis

#### **Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

<b>Item name</b>	<b>Item number</b>
Date of Diagnosis	390
Sex	220
Birth Date	240
RxSumm-Dx/Stg Proc	1350
Primary Site	400
Laterality	410
Histology (92-00) ICD-O-2	420
Histology ICD-O-3	522
Collaborative Stage variables	2800-2930
SEER Summary Stage 1977	760
SEER Summary Stage 2000	759

**TEXT--HISTOLOGY TITLE**

Alternate Name	Item #	Length	Source of Standard	Column #
	2590	40	NPCR	4135-4174

**Description**

Text area for manual documentation of information regarding the histologic type, behavior, and grade (differentiation) of the tumor being reported.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

**Suggestions for text:**

- Information on histologic type and behavior
- Information on differentiation from scoring systems such as Gleason's Score, Bloom-Richardson Grade, etc.

**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Histology (92-00) ICD-O-2	420
Behavior (92-00) ICD-O-2	430
Histologic Type ICD-O-3	522
Behavior Code ICD-O-3	523
Grade	440



**TEXT--PRIMARY SITE TITLE**

Alternate Name	Item #	Length	Source of Standard	Column #
	2580	40	NPCR	4095-4134

**Description**

Text area for manual documentation of information regarding the primary site and laterality of the tumor being reported.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

**Suggestions for text:**

- Include information on the location of the primary site of the tumor
- Include available information on tumor laterality

**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
Primary site	400
Laterality	410

## TEXT--REMARKS

Alternate Name	Item #	Length	Source of Standard	Column #
	2680	350	NPCR	5525-5874

### Description

Text area for information that is given only in coded form elsewhere or for which the abstract provides no other place. Overflow data can also be placed here. Problematic coding issues can also be discussed in this section.

### Rationale

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

### Instructions

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

### Suggestions for text:

#### Smoking history

- Family and personal history of cancer
- Comorbidities
- Information on sequence numbers if a person was diagnosed with another cancer out-of-state or before the registry's reference date
- Place of birth
- Justification of over-ride flags

**TEXT--STAGING**

Alternate Name	Item #	Length	Source of Standard	Column #
	2600	300	NPCR	4175-4474

**Description**

Additional text area for staging information not already entered in the Text--DX Proc areas.

**Rationale**

Text documentation is an essential component of a complete electronic abstract and is heavily utilized for quality control and special studies. Text is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). If cancer abstraction software generates text automatically from codes, the text cannot be utilized to check coded values. Information documenting the disease process should be entered manually from the medical record and should not be generated electronically from coded values.

**Instructions**

- Prioritize entered information in the order of the fields listed below.
- Text automatically generated from coded data is not acceptable.
- NAACCR-approved abbreviations should be utilized (See appendix G).
- Do not repeat information from other text fields.
- Additional comments can be continued in empty text fields, including Remarks. For text documentation that is continued from one text field to another, use asterisks or other symbols to indicate the connection with preceding text.
- If information is missing from the record, state that it is missing.
- Do not include irrelevant information.
- Do not include information that the registry is not authorized to collect.

*Note:* For abstracting software that allows unlimited text, NAACCR recommends that the software indicate to the abstractor the portion of the text that will be transmitted to the central registry.

**Suggestions for text:**

- Date(s) of procedure(s), including clinical procedures, that provided information for assigning stage
- Organs involved by direct extension
- Size of tumor
- Status of margins
- Number and sites of positive lymph nodes
- Site(s) of distant metastasis
- Physician's specialty and comments

**Data Item(s) to be verified/validated using the text entered in this field**

After manual entry of the text field, ensure that the text entered both agrees with the coded values and clearly justifies the selected codes in the following fields:

Item name	Item number
RX Date--DX/Stg Proc	1280
Collaborative Stage variables	2800-2930
SEER Summary Stage 1977	760
SEER Summary Stage 2000	759
EOD--Tumor Size	780
EOD--Lymph Node Involv	810
Regional Nodes Positive	820
Regional Nodes Examined	830
Behavior Code ICD-O-3	523
Behavior (92-00) ICD-O-2	430
Site of Distant Met 1-3	1090-1110

**TEXT--USUAL INDUSTRY**

Alternate Name	Item #	Length	Source of Standard	Column #
	320	40	NPCR	183-222

**Description**

Text area for information about the patient's usual industry, also known as usual kind of business/industry.

**Rationale**

Used to identify new work-related health hazards; serves as an additional measure of socioeconomic status; identifies industrial groups or worksite-related groups in which cancer screening or prevention activities may be beneficial.

The data item "usual industry" is defined identically as on death certificates and conforms to the 1989 revision of the U.S. Standard Certificate of Death.<sup>25</sup> See related materials in reference list, Chapter VII.

**Abstracting Instructions**

Record the primary type of activity carried on by the business/industry at the location where the patient was employed for the most number of years before diagnosis of this tumor. Be sure to distinguish among "manufacturing," "wholesale," "retail," and "service" components of an industry that performs more than one of these components.

If the primary activity carried on at the location where the patient worked is unknown, it may be sufficient for facility registrars to record the name of the company (with city or town) in which the patient performed his/her usual industry. In these situations, if resources permit, a central or regional registry may be able to use the employer name and city/town to determine the type of activity conducted at that location.

As noted in the Text--Usual Occupation [310] section, in those situations where the usual occupation is not available or is unknown, the patient's current or most recent occupation is recorded, if available. The information for industry should be based upon the information in occupation. Therefore, if current or most recent occupation rather than usual occupation was recorded, record the patient's current or most recent business/industry.

If later documentation in the patient's record provides an industry that is more likely to be the usual industry than what was originally recorded, facility registrars are encouraged to update the abstract with the new information. However, it is not the responsibility of the facility registrars to update abstracts with industry

information provided on death certificates. Comparison with death certificate information should be the function of a central or regional registry.

There should be an entry for Text--Usual Industry if any occupation is recorded. If no information is available regarding the industry in which the reported occupation was carried out, record "unknown." If the patient was not a student or housewife and had never worked, record "never worked" as the usual industry. This data item usually is collected only for patients who are age 14 years or older at the time of diagnosis.

#### **TEXT--USUAL OCCUPATION**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	310	40	NPCR	143-182

#### **Description**

Text area for information about the patient's usual occupation, also known as usual type of job or work.

#### **Rationale**

Used to identify new work-related health hazards; serves as an additional measure of socioeconomic status; identifies occupational groups in which cancer screening or prevention activities may be beneficial.

The data item "usual occupation" is defined identically as on death certificates and conforms to the 1989 revision of the U.S. Standard Certificate of Death.<sup>25</sup> See related materials in reference list, Chapter VII.

#### **Abstracting Instructions**

Record the patient's usual occupation (i.e., the kind of work performed during most of the patient's working life before diagnosis of this tumor). Do not record "retired." If usual occupation is not available or is unknown, record the patient's current or most recent occupation, or any available occupation.

If later documentation in the patient's record provides an occupation that is more likely to be the usual occupation than what was originally recorded, facility registrars are encouraged to update the abstract with the new information. However, it is not the responsibility of the facility registrars to update abstracts with occupation information provided on death certificates. Comparison with death certificate information should be the function of a central or regional registry.

If the patient was a househusband/housewife and also worked outside the home during most of his/her adult life, record the usual occupation outside the home; if the patient was a househusband/housewife and did not work outside the home for most of his/her adult life, record "househusband" or "housewife." If the patient was not a student or housewife and had never worked, record "never worked" as the usual occupation.

If no information is available, record "unknown."

This data item usually is collected only for patients who are age 14 years or older at the time of diagnosis.

**TNM CLIN DESCRIPTOR**

Alternate Name	Item #	Length	Source of Standard	Column #
Clinical Stage (Prefix/Suffix) Descriptor (COC)	980	1	COC	581-581

**Description**

Identifies the AJCC clinical stage (prefix/suffix) descriptor as recorded by the physician. AJCC stage descriptors identify special cases that need separate data analysis. The descriptors are adjuncts to and do not change the stage group.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout. COC defines a descriptor and “Staged By” item for each of these three areas.

**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes**

- 0 None
- 1 E (Extranodal, lymphomas only)
- 2 S (Spleen, lymphomas only)
- 3 M (Multiple primary tumors in a single site)
- 4 Y (Classification during or after initial multimodality therapy)—pathologic staging only
- 5 E & S (Extranodal and spleen, lymphomas only)
- 6 M & Y (Multiple primary tumors and initial multimodality therapy)
- 9 Unknown, not stated in patient record

**TNM CLIN M**

Alternate Name	Item #	Length	Source of Standard	Column #
Clinical M (COC)	960	2	AJCC	577-578

**Description**

Detailed site-specific codes for the clinical metastases (M) as defined by AJCC and recorded by the physician.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout.

**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes (in addition to those published in the AJCC Cancer Staging Manual)**

88 Not applicable

This field can be left blank if a physician did not record the stage element.

*Note:* See the *AJCC Cancer Staging Manual*, current edition for site-specific categories for the TNM elements and stage groups. See the *FORDS Manual* for specifications for codes and data entry rules.

**TNM CLIN N**

Alternate Name	Item #	Length	Source of Standard	Column #
Clinical N (COC)	950	2	AJCC	575-576

**Description**

Detailed site-specific codes for the clinical nodes (N) as defined by AJCC and recorded by the physician.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout.

**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes (in addition to those published in the AJCC Cancer Staging Manual)**

88 Not applicable

This field can be left blank if a physician did not record the stage element.

*Note:* See the *AJCC Cancer Staging Manual*, current edition for site-specific categories for the TNM elements and stage groups. See the *FORDS Manual* for specifications for codes and data entry rules.

**TNM CLIN STAGE GROUP**

Alternate Name	Item #	Length	Source of Standard	Column #
Clinical Stage Group (COC)	970	2	AJCC	579-580

**Description**

Detailed site-specific codes for the clinical stage group as defined by AJCC and recorded by the physician.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout.

**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes (in addition to those published in the *AJCC Cancer Staging Manual*)**

- 88 Not applicable  
 99 Unknown, not staged

*Note:* See the *AJCC Cancer Staging Manual*, current edition for site-specific categories for the TNM elements and stage groups. See the *FORDS Manual* for specifications for codes and data entry rules.

**TNM CLIN STAGED BY**

Alternate Name	Item #	Length	Source of Standard	Column #
Staged By (Clinical Stage) (COC)	990	1	COC	582-582

**Description**

Identifies the person who recorded the clinical AJCC staging elements and the stage group in the patient's medical record.

**Rationale**

Data captured in this field can be used to evaluate the accuracy and completeness of physician staging and form the basis for quality management and improvement studies. This item is used to monitor compliance with the COC Staging Standard. The medical record contains the AJCC stage assigned/initialed by the managing physician.

**Codes (refer to *FORDS* for additional coding instructions)**

- 0 Not staged.  
 1 Managing physician  
 2 Pathologist  
 3 Pathologist and managing physician  
 4 Cancer Committee chair, cancer liaison physician, or registry physician advisor.  
 5 Cancer registrar  
 6 Cancer registrar and physician  
 7 Staging assigned at another facility.  
 8 Case is not eligible for staging.  
 9 Unknown; not stated in patient record

**TNM CLIN T**

Alternate Name	Item #	Length	Source of Standard	Column #
Clinical T (COC)	940	2	AJCC	573-574

**Description**

Detailed site-specific codes for the clinical tumor (T) as defined by AJCC and recorded by the physician.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout.



**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes (in addition to those published in the *AJCC Cancer Staging Manual*)**

88 Not applicable

This field can be left blank if a physician did not record the stage element.

*Note:* See the *AJCC Cancer Staging Manual*, current edition for site-specific categories for the TNM elements and stage groups. See the *FORDS Manual* for specifications for codes and data entry rules.

**TNM EDITION NUMBER**

Alternate Name	Item #	Length	Source of Standard	Column #
	1060	2	COC	593-594

**Description**

A code that indicates the edition of the AJCC manual used to stage the case. This applies to the manually coded AJCC fields. It does not apply to the Derived AJCC T, N, M and AJCC Stage Group fields [2940, 2960, 2980, and 3000].

**Rationale**

TNM codes have changed over time and conversion is not always simple. Therefore, a case-specific indicator is needed to allow grouping of cases for comparison.

**Codes**

- 00 Not staged (cases that have AJCC staging scheme and staging was not done)
- 01 First Edition
- 02 Second Edition Second Edition (published 1983)
- 03 Third Edition (published 1988)
- 04 Fourth Edition (published 1992), recommended for use for cases diagnosed 1993-1997
- 05 Fifth Edition (published 1997), recommended for use for cases diagnosed 1998-2002
- 06 Sixth Edition (published 2002), recommended for use for cases diagnosed 2003+
- 88 Not applicable (cases that do not have an AJCC staging scheme)
- 99 Edition Unknown

**TNM OTHER DESCRIPTOR****Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1050			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**TNM OTHER M**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1020			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**TNM OTHER N**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1010			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**TNM OTHER STAGE GROUP**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1030			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**TNM OTHER STAGED BY**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1040			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**TNM OTHER T**

**Retired**

Alternate Name	Item #	Length	Source of Standard	Column #
	1000			

**Description**

The NAACCR UDSC approved to retire this data item in Version 11.

**TNM PATH DESCRIPTOR**

Alternate Name	Item #	Length	Source of Standard	Column #
Pathologic Stage (Prefix/Suffix) Descriptor (COC)	920	1	COC	571-571

**Description**

Identified the AJCC clinical stage (prefix/suffix) descriptor as recorded by the physician. AJCC stage descriptors identify special cases that need separate data analysis. The descriptors are adjuncts to and do not change the stage group.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout. COC defines a descriptor and “Staged By” item for each of these three areas.

**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes**

- 0 None
- 1 E (Extranodal, lymphomas only)
- 2 S (Spleen, lymphomas only)
- 3 M (Multiple primary tumors in a single site)
- 4 Y (Classification during or after initial multimodality therapy)—pathologic staging only
- 5 E & S (Extranodal and spleen, lymphomas only)
- 6 M & Y (Multiple primary tumors and initial multimodality therapy)
- 9 Unknown, not stated in patient record

**TNM PATH M**

Alternate Name	Item #	Length	Source of Standard	Column #
Pathologic M (COC)	900	2	AJCC	567-568

**Description**

Detailed site-specific codes for the pathologic metastases (M) as defined by AJCC and recorded by the physician.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout.

**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes (in addition to those published in the *AJCC Cancer Staging Manual*)**

88 Not applicable

This field can be left blank if a physician did not record the stage element.

*Note:* See the *AJCC Cancer Staging Manual*, current edition for site-specific categories for the TNM elements and stage groups. See the *FORDS Manual* for specifications for codes and data entry rules.

**TNM PATH N**

Alternate Name	Item #	Length	Source of Standard	Column #
Pathologic N (COC)	890	2	AJCC	565-566

**Description**

Detailed site-specific codes for the pathologic nodes (N) as defined by AJCC and recorded by physician.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout.

**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes (in addition to those published in the *AJCC Cancer Staging Manual*)**

88 Not applicable

This field can be left blank if a physician did not record the stage element.

*Note:* See the *AJCC Cancer Staging Manual*, current edition for site-specific categories for the TNM elements and stage groups. See the *FORDS Manual* for specifications for codes and data entry rules.

**TNM PATH STAGE GROUP**

Alternate Name	Item #	Length	Source of Standard	Column #
Pathologic Stage Group (COC)	910	2	AJCC	569-570

**Description**

Detailed site-specific codes for the pathologic stage group as defined by AJCC and recorded by the physician.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout.

**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes (in addition to those published in the *AJCC Cancer Staging Manual*)**

- 88 Not applicable  
 99 Unknown, unstaged

*Note:* See the *AJCC Cancer Staging Manual*, current edition for site-specific categories for the TNM elements and stage groups. See the *FORDS Manual* for specifications for codes and data entry rules.

**TNM PATH STAGED BY**

Alternate Name	Item #	Length	Source of Standard	Column #
Staged By (Pathologic Stage) (COC)	930	1	COC	572-572

**Description**

Identifies the person who recorded the pathologic AJCC staging elements and the stage group in the patient's medical record.

**Rationale**

Data captured in this field can be used to evaluate the accuracy and completeness of physician staging and form the basis for quality management and improvement studies. This item is used to monitor compliance with the COC Staging Standard. The medical record contains the AJCC stage assigned/initialed by the managing physician.

**Codes (refer to *FORDS* for additional coding instructions)**

- 0 Not staged.  
 1 Managing physician  
 2 Pathologist  
 3 Pathologist and managing physician.  
 4 Cancer Committee chair, cancer liaison physician, or registry physician advisor.  
 5 Cancer registrar  
 6 Cancer registrar and physician.  
 7 Staging assigned at another facility.  
 8 Case is not eligible for staging.  
 9 Unknown; not stated in patient record.

**TNM PATH T**

Alternate Name	Item #	Length	Source of Standard	Column #
Pathologic T (COC)	880	2	AJCC	563-564

**Description**

Detailed site-specific codes for the pathologic tumor (T) as defined by AJCC and recorded by the physician.

Pathologic, clinical, and other stage data are given three separate areas in the NAACCR Data Exchange Record Layout.

**Rationale**

COC requires that AJCC TNM staging be used in its approved cancer programs. AJCC developed its staging system for evaluating trends in the treatment and control of cancer. This staging is used by physicians to estimate prognosis, to plan treatment, to evaluate new types of therapy, to analyze outcome, to design follow-up strategies, and to assess early detection results.

**Codes (in addition to those published in the *AJCC Cancer Staging Manual*)**

88 Not applicable

*Note:* See the *AJCC Cancer Staging Manual*, current edition for site-specific categories for the TNM elements and stage groups. See the *FORDS Manual* for specifications for codes and data entry rules.

**TOBACCO HISTORY**

Alternate Name	Item #	Length	Source of Standard	Column #
	340	1	Varies	224-224

**Description**

NAACCR has not adopted standards for this item.

**TUMOR MARKER 1**

Alternate Name	Item #	Length	Source of Standard	Column #
Tumor Marker One (COC)	1150	1	SEER	626-626

**Description**

Records prognostic indicators for specific sites or histologies. COC uses these codes for cases diagnosed 1996 and forward. See the *COC ROADS Manual*, 1998 Supplement, for a list of specific sites and histologies. For tumors diagnosed before January 1, 1996, Tumor Marker 1 is coded only for estrogen receptor status of breast cancers.

For SEER requirements for the specific sites, histologies, and diagnosis years for which this item is coded, see the *SEER Program Code Manual*.

**Codes**

- 0 None done (SX)
- 1 Positive/elevated
- 2 Negative/normal; within normal limits (S0)
- 3 Borderline; undetermined whether positive/elevated or negative/normal

Three-tiered system:

- 4 Range 1 (S1)
- 5 Range 2 (S2)
- 6 Range 3 (S3)
- 8 Ordered, but results not in chart
- 9 Unknown or no information

For sites for which Tumor Marker 1 is not collected:

- 9 Not applicable

*Note:* As of January 1, 2003, this data item is no longer required or recommended by COC. However, the item was collected in the past and it is recommended that historic data be retained.

### TUMOR MARKER 2

Alternate Name	Item #	Length	Source of Standard	Column #
Tumor Marker Two (COC)	1160	1	SEER	627-627

#### Description

Records prognostic indicators for specific sites or histologies. COC uses these codes for cases diagnosed 1996 and forward. See the COC *ROADS Manual*, 1998 Supplement, for a list of specific sites and histologies. For tumors diagnosed before January 1, 1996, Tumor Marker 2 is coded only for progesterone receptor status of breast cancers.

For SEER requirements for the specific sites, histologies, and diagnosis years for which this item is coded, see the *SEER Program Code Manual*.

#### Codes

- 0 None done (SX)
- 1 Positive/elevated
- 2 Negative/normal; within normal limits (S0)
- 3 Borderline; undetermined whether positive/elevated or negative/normal

Three-tiered system:

- 4 Range 1 (S1)
- 5 Range 2 (S2)
- 6 Range 3 (S3)
- 8 Ordered, but results not in chart
- 9 Unknown or no information

For sites for which Tumor Marker 2 is not collected:

- 9 Not applicable

*Note:* As of January 1, 2003, this data item is no longer required or recommended by COC. However, the item was collected in the past and it is recommended that historic data be retained.

### TUMOR MARKER 3

Alternate Name	Item #	Length	Source of Standard	Column #
Tumor Marker Three (COC)	1170	1	SEER	628-628

#### Description

Records prognostic indicators for specific sites or histologies. COC uses these codes for tumors diagnosed 1998 and forward. See the COC *ROADS Manual*, 1998 Supplement, for a list of specific sites and histologies.

For SEER requirements for the specific sites, histologies, and diagnosis years for which this item is coded, see the *SEER Program Code Manual*.

**Codes**

- 0 None done (SX)
- 1 Positive/elevated
- 2 Negative/normal; within normal limits (S0)
- 3 Borderline; undetermined whether positive/elevated or negative/normal

**Three-tiered system:**

- 4 Range 1 (S1)
- 5 Range 2 (S2)
- 6 Range 3 (S3)
- 8 Ordered, but results not in chart
- 9 Unknown or no information

For sites for which Tumor Marker 3 is not collected:

- 9 Not applicable

*Note:* As of January 1, 2003, this data item is no longer required or recommended by COC. However, the item was collected in the past and it is recommended that historic data be retained.

**TUMOR RECORD NUMBER**

Alternate Name	Item #	Length	Source of Standard	Column #
	60	2	NAACCR	30-31

**Description**

A system-generated number assigned to each tumor. The number should never change even if the tumor sequence is changed or a record (tumor) is deleted.

**Rationale**

This is a unique number that identifies a specific tumor so data can be linked. "Sequence Number" cannot be used as a link because the number is changed if a report identifies an earlier tumor or if a tumor record is deleted.

**TYPE OF REPORTING SOURCE****Revised**

Alternate Name	Item #	Length	Source of Standard	Column #
	500	1	SEER	312-312

**Description**

This variable codes the source documents used to abstract the majority of information on the tumor being reported. This may not be the source of original case finding (for example, if a case is identified through a pathology laboratory report review and all source documents used to abstract the case are from the physician's office, code this item 4).



**Rationale**

The code in this field can be used to explain why information may be incomplete on a tumor. For example, death certificate only cases have unknown values for many data items, so one may want to exclude them from some analyses. The field also is used to monitor the success of non-hospital case reporting and follow-back mechanisms. All population-based registries should have some death certificate-only cases where no hospital admission was involved, but too high a percentage can imply both shortcomings in case-finding and that follow-back to uncover missed hospital reports was not complete.

**Coding Instructions**

Code in the following priority order: 1, 2, 8, 4, 3, 5, 6, 7. This is a change to reflect the addition of codes 2 and 8 and to prioritize laboratory reports over nursing home reports. The source facilities included in the previous code 1 (hospital inpatient and outpatient) are split between codes 1, 2, and 8.

This data item is intended to indicate the completeness of information available to the abstractor. Reports from health plans (e.g., Kaiser, Veterans Administration, military facilities) in which all diagnostic and treatment information is maintained centrally and is available to the abstractor are expected to be at least as complete as reports for hospital inpatients, which is why these sources are grouped with inpatients and given the code with the highest priority.

Sources coded with '2' usually have complete information on the cancer diagnosis, staging, and treatment.

Sources coded with '8' would include, but would not be limited to, outpatient surgery and nuclear medicine services. A physician's office that calls itself a surgery center should be coded as a physician's office. Surgery centers are equipped and staffed to perform surgical procedures under general anesthesia. If a physician's office calls itself a surgery center, but cannot perform surgical procedures under general anesthesia, code as a physician office.

**Codes**

- 1 Hospital inpatient; Managed health plans with comprehensive, unified medical records
- 2 Radiation Treatment Centers or Medical Oncology Centers (hospital-affiliated or independent)
- 3 Laboratory only (hospital-affiliated or independent)
- 4 Physician's office/private medical practitioner (LMD)
- 5 Nursing/convalescent home/hospice
- 6 Autopsy only
- 7 Death certificate only
- 8 Other hospital outpatient units/surgery centers

**UNUSUAL FOLLOW-UP METHOD**

Alternate Name	Item #	Length	Source of Standard	Column #
	1850	1	COC	1341-1341

**Description**

User-defined numeric codes used to flag cases that need unusual follow-up methods.

**Codes**

User-defined

*Note:* This data item is no longer supported by COC (as of January 1, 2003).

## **VENDOR NAME**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	2170	10	NAACCR	1204-1213

### **Description**

System-generated. Name of the computer services vendor who programmed the system submitting the data. Abbreviate as necessary and keep a consistent name throughout all submissions. Include software version number where available. Code is self-assigned by vendor.

### **Rationale**

This is used to track which vendor and which software version submitted the case. It helps define the source and extent of a problem discovered in data submitted by a software provider.

## **VITAL STATUS**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	1760	1	SEER/COC	1302-1302

### **Description**

Vital status of the patient as of the date entered in Date of Last Contact [1750]. If the patient has multiple tumors, vital status should be the same for all tumors.

### **Codes**

0      Dead (COC)  
 1      Alive  
 4      Dead (SEER)

## **YEAR FIRST SEEN THIS CA**

**Retired**

<b>Alternate Name</b>	<b>Item #</b>	<b>Length</b>	<b>Source of Standard</b>	<b>Column #</b>
	620			

### **Description**

NAACCR UDSC approved to retire this data item in Version 11.

## APPENDIX A

## FIPS CODES FOR COUNTIES AND EQUIVALENT ENTITIES

[Ed. Note: The information in this table is from FIPS Publication Number 6-4, "Counties and Equivalent Entities of the United States, its Possessions, and Associated Areas," as reissued December 21, 1992, and made available electronically on the National Institute of Standards and Technology Website (<http://www.itl.nist.gov>). We compared two versions of the file against printed lists to reconcile apparent errors and discrepancies.]

STATE NAME:	081	Lee	016	Aleutians West (C)	007	Gila
ALABAMA	083	Limestone	020	Anchorage (B)	009	Graham
ALPHABETIC CODE: AL	085	Lowndes	050	Bethel (C)	011	Greenlee
NUMERIC CODE: 01	087	Macon	060	Bristol Bay (B)	012	LaPaz
	089	Madison	068	Denali (B)	013	Maricopa
	091	Marengo	070	Dillingham (C)	015	Mohave
	093	Marion	090	Fairbanks North Star	017	Navajo
	095	Marshall		(B)	019	Pima
	097	Mobile	100	Haines (B)	021	Pinal
	099	Monroe	110	Juneau (B)	023	Santa Cruz
	101	Montgomery	122	Kenai Peninsula (B)	025	Yavapai
	103	Morgan	130	Ketchikan Gateway	027	Yuma
	105	Perry		(B)		
	107	Pickens	150	Kodiak Island (B)		La Paz was established from
	109	Pike	164	Lake and Peninsula		part of Yuma (1/1/83).
	111	Randolph		(B)		
	113	Russell	170	Matanuska-Susitna		
	115	St. Clair		(B)	STATE NAME:	
	117	Shelby	180	Nome (C)	ARKANSAS	
	119	Sumter	185	North Slope (B)	ALPHABETIC CODE: AR	
	121	Talladega	188	Northwest Arctic	NUMERIC CODE: 05	
	123	Tallapoosa		(B)	CODE	COUNTY NAME
	125	Tuscaloosa	201	Prince of Wales-	001	Arkansas
	127	Walker		Outer Ketchikan (C)	003	Ashley
	129	Washington	220	Sitka (B)	005	Baxter
	131	Wilcox	232	Skagway-Hoonah-	007	Benton
	133	Winston		Angoon (C)	009	Boone
			240	Southeast Fairbanks	011	Bradley
				(C)	013	Calhoun
			261	Valdez-Cordova (C)	015	Carroll
			270	Wade Hampton (C)	017	Chicot
			280	Wrangell-Petersburg	019	Clark
				(C)	021	Clay
			282	Yakutat (B)	023	Cleburne
			290	Yukon-Koyukuk (C)	025	Cleveland
					027	Columbia
					029	Conway
			STATE NAME:		031	Craighead
			ARIZONA		033	Crawford
			ALPHABETIC CODE: AZ		035	Crittenden
			NUMERIC CODE: 03		037	Cross
			CODE	COUNTY NAME	039	Dallas
			001	Apache	041	Desha
			003	Cochise	043	Drew
			005	Coconino	045	Faulkner

047	Franklin	009	Calaveras	STATE NAME:	113	San Miguel
049	Fulton	011	Colusa	COLORADO	115	Sedgwick
051	Garland	013	Contra Costa	ALPHABETIC CODE:	117	Summit
053	Grant	015	Del Norte	CO	119	Teller
055	Greene	017	El Dorado	NUMERIC CODE: 08	121	Washington
057	Hempstead	019	Fresno		123	Weld
059	Hot Spring	021	Glenn	CODE COUNTY NAME	125	Yuma
061	Howard	023	Humboldt	001	Adams	
063	Independence	025	Imperial	003	Alamosa	Broomfield County,
065	Izard	027	Inyo	005	Arapahoe	Colorado, has been created
067	Jackson	029	Kern	007	Archuleta	from parts of Adams (001),
069	Jefferson	031	Kings	009	Baca	Boulder (013), Jefferson
071	Johnson	033	Lake	011	Bent	(059) and Weld (123)
073	Lafayette	035	Lassen	013	Boulder	counties effective November
075	Lawrence	037	Los Angeles	014	Broomfield	15, 2001. The boundaries of
077	Lee	039	Madera	015	Chaffee	Broomfield County reflect
079	Lincoln	041	Marin	017	Cheyenne	the boundaries of Broomfield
081	Little River	043	Mariposa	019	Clear Creek	city legally in effect on
083	Logan	045	Mendocino	021	Conejos	November 15, 2001. To
085	Lonoke	047	Merced	023	Costilla	maintain alphanumeric
087	Madison	049	Modoc	025	Crowley	sequences of counties,
089	Marion	051	Mono	027	Custer	Broomfield County will have
091	Miller	053	Monterey	029	Delta	a code of 014 for FIPS 6-4.
093	Mississippi	055	Napa	031	Denver	
095	Monroe	057	Nevada	033	Dolores	
097	Montgomery	059	Orange	035	Douglas	STATE NAME:
099	Nevada	061	Placer	037	Eagle	CONNECTICUT
101	Newton	063	Plumas	039	Elbert	ALPHABETIC CODE: CT
103	Ouachita	065	Riverside	041	El Paso	NUMERIC CODE: 09
105	Perry	067	Sacramento	043	Fremont	
107	Phillips	069	San Benito	045	Garfield	CODE COUNTY NAME
109	Pike	071	San Bernardino	047	Gilpin	001 Fairfield
111	Poinsett	073	San Diego	049	Grand	003 Hartford
113	Polk	075	San Francisco	051	Gunnison	005 Litchfield
115	Pope	077	San Joaquin	053	Hinsdale	007 Middlesex
117	Prairie	079	San Luis Obispo	055	Huerfano	009 New Haven
119	Pulaski	081	San Mateo	057	Jackson	011 New London
121	Randolph	083	Santa Barbara	059	Jefferson	013 Tolland
123	St. Francis	085	Santa Clara	061	Kiowa	015 Windham
125	Saline	087	Santa Cruz	063	Kit Carson	
127	Scott	089	Shasta	065	Lake	
129	Searcy	091	Sierra	067	La Plata	STATE NAME:
131	Sebastian	093	Siskiyou	069	Larimer	DELAWARE
133	Sevier	095	Solano	071	Las Animas	ALPHABETIC CODE: DE
135	Sharp	097	Sonoma	073	Lincoln	NUMERIC CODE: 10
137	Stone	099	Stanislaus	075	Logan	
139	Union	101	Sutter	077	Mesa	CODE COUNTY NAME
141	Van Buren	103	Tehama	079	Mineral	001 Kent
143	Washington	105	Trinity	081	Moffat	003 New Castle
145	White	107	Tulare	083	Montezuma	005 Sussex
147	Woodruff	109	Tuolomne	085	Montrose	
149	Yell	111	Ventura	087	Morgan	
		113	Yolo	089	Otero	STATE NAME:
		115	Yuba	091	Ouray	DISTRICT OF
STATE NAME:				093	Park	COLUMBIA
CALIFORNIA				095	Phillips	ALPHABETIC CODE: DC
ALPHABETIC CODE: CA				097	Pitkin	NUMERIC CODE: 11
NUMERIC CODE: 06				099	Prowers	
				101	Pueblo	CODE SUBDIVISION
CODE COUNTY NAME				103	Rio Blanco	NAME
001	Alameda			105	Rio Grande	001 District of Columbia
003	Alpine			107	Routt	
005	Amador			109	Saguache	Name was reported
007	Butte			111	San Juan	incorrectly as “Washington”

in FIPS PUB 6-3. The District has no first-order subdivisions, and therefore “District of Columbia” also serves as the county-equivalent entity.

**STATE NAME: FLORIDA**  
**ALPHABETIC CODE: FL**  
**NUMERIC CODE: 12**

**CODE COUNTY NAME**

001 Alachua  
003 Baker  
005 Bay  
007 Bradford  
009 Brevard  
011 Broward  
013 Calhoun  
015 Charlotte  
017 Citrus  
019 Clay  
021 Collier  
023 Columbia  
027 DeSoto  
029 Dixie  
031 Duval  
033 Escambia  
035 Flagler  
037 Franklin  
039 Gadsden  
041 Gilchrist  
043 Glades  
045 Gulf  
047 Hamilton  
049 Hardee  
051 Hendry  
053 Hernando  
055 Highlands  
057 Hillsborough  
059 Holmes  
061 Indian River  
063 Jackson  
065 Jefferson  
067 Lafayette  
069 Lake  
071 Lee  
073 Leon  
075 Levy  
077 Liberty  
079 Madison  
081 Manatee  
083 Marion  
085 Martin  
086 Miami-Dade  
087 Monroe  
089 Nassau  
091 Okaloosa  
093 Okeechobee  
095 Orange  
097 Osceola  
099 Palm Beach  
101 Pasco

103 Pinellas  
105 Polk  
107 Putnam  
109 St. Johns  
111 St. Lucie  
113 Santa Rosa  
115 Sarasota  
117 Seminole  
119 Sumter  
121 Suwannee  
123 Taylor  
125 Union  
127 Volusia  
129 Wakulla  
131 Walton  
133 Washington

Convert Dade County 025 to Miami-Dade County 086.  
Edits should only allow for code 086.

**STATE NAME:**  
**GEORGIA**  
**ALPHABETIC CODE:**  
**GA**  
**NUMERIC CODE: 13**

**CODE COUNTY NAME**

001 Appling  
003 Atkinson  
005 Bacon  
007 Baker  
009 Baldwin  
011 Banks  
013 Barrow  
015 Bartow  
017 Ben Hill  
019 Berrien  
021 Bibb  
023 Bleckley  
025 Brantley  
027 Brooks  
029 Bryan  
031 Bulloch  
033 Burke  
035 Butts  
037 Calhoun  
039 Camden  
043 Candler  
045 Carroll  
047 Catoosa  
049 Charlton  
051 Chatham  
053 Chattahoochee  
055 Chattooga  
057 Cherokee  
059 Clarke  
061 Clay  
063 Clayton  
065 Clinch  
067 Cobb  
069 Coffee

071 Colquitt  
073 Columbia  
075 Cook  
077 Coweta  
079 Crawford  
081 Crisp  
083 Dade  
085 Dawson  
087 Decatur  
089 DeKalb  
091 Dodge  
093 Dooley  
095 Dougherty  
097 Douglas  
099 Early  
101 Echols  
103 Effingham  
105 Elbert  
107 Emanuel  
109 Evans  
111 Fannin  
113 Fayette  
115 Floyd  
117 Forsyth  
119 Franklin  
121 Fulton  
123 Gilmer  
125 Glascock  
127 Glynn  
129 Gordon  
131 Grady  
133 Greene  
135 Gwinnett  
137 Habersham  
139 Hall  
141 Hancock  
143 Haralson  
145 Harris  
147 Hart  
149 Heard  
151 Henry  
153 Houston  
155 Irwin  
157 Jackson  
159 Jasper  
161 Jeff Davis  
163 Jefferson  
165 Jenkins  
167 Johnson  
169 Jones  
171 Lamar  
173 Lanier  
175 Laurens  
177 Lee  
179 Liberty  
181 Lincoln  
183 Long  
185 Lowndes  
187 Lumpkin  
189 McDuffie  
191 McIntosh  
193 Macon  
195 Madison  
197 Marion

199 Meriwether  
201 Miller  
205 Mitchell  
207 Monroe  
209 Montgomery  
211 Morgan  
213 Murray  
215 Muscogee  
217 Newton  
219 Oconee  
221 Oglethorpe  
223 Paulding  
225 Peach  
227 Pickens  
229 Pierce  
231 Pike  
233 Polk  
235 Pulaski  
237 Putnam  
239 Quitman  
241 Rabun  
243 Randolph  
245 Richmond  
247 Rockdale  
249 Schley  
251 Screven  
253 Seminole  
255 Spalding  
257 Stephens  
259 Stewart  
261 Sumter  
263 Talbot  
265 Taliaferro  
267 Tattnall  
269 Taylor  
271 Telfair  
273 Terrell  
275 Thomas  
277 Tift  
279 Toombs  
281 Towns  
283 Treutlen  
285 Troup  
287 Turner  
289 Twiggs  
291 Union  
293 Upson  
295 Walker  
297 Walton  
299 Ware  
301 Warren  
303 Washington  
305 Wayne  
307 Webster  
309 Wheeler  
311 White  
313 Whitfield  
315 Wilcox  
317 Wilkes  
319 Wilkinson  
321 Worth

Muscogee was reported incorrectly as “Columbus”

(consolidated government)”  
(510) in FIPS PUB6-3.

**STATE NAME: HAWAII**  
**ALPHABETIC CODE: HI**  
**NUMERIC CODE: 15**

**CODE COUNTY NAME**

001 Hawaii  
003 Honolulu  
005 Kalawao  
007 Kauai  
009 Maui

Kalawao does not have its own local government; it is administered by the State of Hawaii. It may be included with Maui for statistical purposes.

**STATE NAME: IDAHO**  
**ALPHABETIC CODE: ID**  
**NUMERIC CODE: 16**

**CODE COUNTY NAME**

001 Ada  
003 Adams  
005 Bannock  
007 Bear Lake  
009 Benewah  
011 Bingham  
013 Blaine  
015 Boise  
017 Bonner  
019 Bonneville  
021 Boundary  
023 Butte  
025 Camas  
027 Canyon  
029 Caribou  
031 Cassia  
033 Clark  
035 Clearwater  
037 Custer  
039 Elmore  
041 Franklin  
043 Fremont  
045 Gem  
047 Gooding  
049 Idaho  
051 Jefferson  
053 Jerome  
055 Kootenai  
057 Latah  
059 Lemhi  
061 Lewis  
063 Lincoln  
065 Madison  
067 Minidoka  
069 Nez Perce  
071 Oneida

073 Owyhee  
075 Payette  
077 Power  
079 Shoshone  
081 Teton  
083 Twin Falls  
085 Valley  
087 Washington

**STATE NAME: ILLINOIS**  
**ALPHABETIC CODE: IL**  
**NUMERIC CODE: 17**

**CODE COUNTY NAME**

001 Adams  
003 Alexander  
005 Bond  
007 Boone  
009 Brown  
011 Bureau  
013 Calhoun  
015 Carroll  
017 Cass  
019 Champaign  
021 Christian  
023 Clark  
025 Clay  
027 Clinton  
029 Coles  
031 Cook  
033 Crawford  
035 Cumberland  
037 DeKalb  
039 De Witt  
041 Douglas  
043 DuPage  
045 Edgar  
047 Edwards  
049 Effingham  
051 Fayette  
053 Ford  
055 Franklin  
057 Fulton  
059 Gallatin  
061 Greene  
063 Grundy  
065 Hamilton  
067 Hancock  
069 Hardin  
071 Henderson  
073 Henry  
075 Iroquois  
077 Jackson  
079 Jasper  
081 Jefferson  
083 Jersey  
085 Jo Daviess  
087 Johnson  
089 Kane  
091 Kankakee  
093 Kendall  
095 Knox  
097 Lake

099 La Salle  
101 Lawrence  
103 Lee  
105 Livingston  
107 Logan  
109 McDonough  
111 McHenry  
113 McLean  
115 Macon  
117 Macoupin  
119 Madison  
121 Marion  
123 Marshall  
125 Mason  
127 Massac  
129 Menard  
131 Mercer  
133 Monroe  
135 Montgomery  
137 Morgan  
139 Moultrie  
141 Ogle  
143 Peoria  
145 Perry  
147 Piatt  
149 Pike  
151 Pope  
153 Pulaski  
155 Putnam  
157 Randolph  
159 Richland  
161 Rock Island  
163 St. Clair  
165 Saline  
167 Sangamon  
169 Schuyler  
171 Scott  
173 Shelby  
175 Stark  
177 Stephenson  
179 Tazewell  
181 Union  
183 Vermilion  
185 Wabash  
187 Warren  
189 Washington  
191 Wayne  
193 White  
195 Whiteside  
197 Will  
199 Williamson  
201 Winnebago  
203 Woodford

**STATE NAME: INDIANA**  
**ALPHABETIC CODE: IN**  
**NUMERIC CODE: 18**

**CODE COUNTY NAME**

001 Adams  
003 Allen  
005 Bartholomew  
007 Benton

009 Blackford  
011 Boone  
013 Brown  
015 Carroll  
017 Cass  
019 Clark  
021 Clay  
023 Clinton  
025 Crawford  
027 Daviess  
029 Dearborn  
031 Decatur  
033 DeKalb  
035 Delaware  
037 Dubois  
039 Elkhart  
041 Fayette  
043 Floyd  
045 Fountain  
047 Franklin  
049 Fulton  
051 Gibson  
053 Grant  
055 Greene  
057 Hamilton  
059 Hancock  
061 Harrison  
063 Hendricks  
065 Henry  
067 Howard  
069 Huntington  
071 Jackson  
073 Jasper  
075 Jay  
077 Jefferson  
079 Jennings  
081 Johnson  
083 Knox  
085 Kosciusko  
087 Lagrange  
089 Lake  
091 LaPorte  
093 Lawrence  
095 Madison  
097 Marion  
099 Marshall  
101 Martin  
103 Miami  
105 Monroe  
107 Montgomery  
109 Morgan  
111 Newton  
113 Noble  
115 Ohio  
117 Orange  
119 Owen  
121 Parke  
123 Perry  
125 Pike  
127 Porter  
129 Posey  
131 Pulaski  
133 Putnam  
135 Randolph

137	Ripley	065	Fayette	193	Woodbury	109	Logan
139	Rush	067	Floyd	195	Worth	111	Lyon
141	St. Joseph	069	Franklin	197	Wright	113	McPherson
143	Scott	071	Fremont			115	Marion
145	Shelby	073	Greene			117	Marshall
147	Spencer	075	Grundy		<b>STATE NAME: KANSAS</b>	119	Meade
149	Starke	077	Guthrie		<b>ALPHABETIC CODE: KS</b>	121	Miami
151	Steuben	079	Hamilton		<b>NUMERIC CODE: 20</b>	123	Mitchell
153	Sullivan	081	Hancock			125	Montgomery
155	Switzerland	083	Hardin		<b>CODE COUNTY NAME</b>	127	Morris
157	Tippecanoe	085	Harrison	001	Allen	129	Morton
159	Tipton	087	Henry	003	Anderson	131	Nemaha
161	Union	089	Howard	005	Atchison	133	Neosho
163	Vanderburgh	091	Humboldt	007	Barber	135	Ness
165	Vermillion	093	Ida	009	Barton	137	Norton
167	Vigo	095	Iowa	011	Bourbon	139	Osage
169	Wabash	097	Jackson	013	Brown	141	Osborne
171	Warren	099	Jasper	015	Butler	143	Ottawa
173	Warrick	101	Jefferson	017	Chase	145	Pawnee
175	Washington	103	Johnson	019	Chautauqua	147	Phillips
177	Wayne	105	Jones	021	Cherokee	149	Pottawatomie
179	Wells	107	Keokuk	023	Cheyenne	151	Pratt
181	White	109	Kossuth	025	Clark	153	Rawlins
183	Whitley	111	Lee	027	Clay	155	Reno
		113	Linn	029	Cloud	157	Republic
		115	Louisa	031	Coffey	159	Rice
		117	Lucas	033	Comanche	161	Riley
		119	Lyon	035	Cowley	163	Rooks
		121	Madison	037	Crawford	165	Rush
		123	Mahaska	039	Decatur	167	Russell
		125	Marion	041	Dickinson	169	Saline
		127	Marshall	043	Doniphan	171	Scott
		129	Mills	045	Douglas	173	Sedgwick
		131	Mitchell	047	Edwards	175	Seward
		133	Monona	049	Elk	177	Shawnee
		135	Monroe	051	Ellis	179	Sheridan
		137	Montgomery	053	Ellsworth	181	Sherman
		139	Muscatine	055	Finney	183	Smith
		141	O'Brien	057	Ford	185	Stafford
		143	Osceola	059	Franklin	187	Stanton
		145	Page	061	Geary	189	Stevens
		147	Palo Alto	063	Gove	191	Sumner
		149	Plymouth	065	Graham	193	Thomas
		151	Pocahontas	067	Grant	195	Trego
		153	Polk	069	Gray	197	Wabaunsee
		155	Pottawattamie	071	Greeley	199	Wallace
		157	Poweshiek	073	Greenwood	201	Washington
		159	Ringgold	075	Hamilton	203	Wichita
		161	Sac	077	Harper	205	Wilson
		163	Scott	079	Harvey	207	Woodson
		165	Shelby	081	Haskell	209	Wyandotte
		167	Sioux	083	Hodgeman		
		169	Story	085	Jackson		
		171	Tama	087	Jefferson		<b>STATE NAME:</b>
		173	Taylor	089	Jewell		<b>KENTUCKY</b>
		175	Union	091	Johnson		<b>ALPHABETIC CODE:</b>
		177	Van Buren	093	Kearny		<b>KY</b>
		179	Wapello	095	Kingman		<b>NUMERIC CODE: 21</b>
		181	Warren	097	Kiowa		
		183	Washington	099	Labette		<b>CODE COUNTY NAME</b>
		185	Wayne	101	Lane	001	Adair
		187	Webster	103	Leavenworth	003	Allen
		189	Winnebago	105	Lincoln	005	Anderson
		191	Winneshiek	107	Linn	007	Ballard

009	Barren	137	Lincoln	009	Avoyelles	<b>ME</b>
011	Bath	139	Livingston	011	Beauregard	<b>NUMERIC CODE: 23</b>
013	Bell	141	Logan	013	Bienville	
015	Boone	143	Lyon	015	Bossier	<b>CODE COUNTY NAME</b>
017	Bourbon	145	McCracken	017	Caddo	001 Androscoggin
019	Boyd	147	McCreary	019	Calcasieu	003 Aroostook
021	Boyle	149	McLean	021	Caldwell	005 Cumberland
023	Bracken	151	Madison	023	Cameron	007 Franklin
025	Breathitt	153	Magoffin	025	Catahoula	009 Hancock
027	Breckinridge	155	Marion	027	Claiborne	011 Kennebec
029	Bullitt	157	Marshall	029	Concordia	013 Knox
031	Butler	159	Martin	031	DeSoto	015 Lincoln
033	Caldwell	161	Mason	033	East Baton Rouge	017 Oxford
035	Calloway	163	Meade	035	East Carroll	019 Penobscot
037	Campbell	165	Menifee	037	East Feliciana	021 Piscataquis
039	Carlisle	167	Mercer	039	Evangeline	023 Sagadahoc
041	Carroll	169	Metcalfe	041	Franklin	025 Somerset
043	Carter	171	Monroe	043	Grant	027 Waldo
045	Casey	173	Montgomery	045	Iberia	029 Washington
047	Christian	175	Morgan	047	Iberville	031 York
049	Clark	177	Muhlenberg	049	Jackson	
051	Clay	179	Nelson	051	Jefferson	<b>STATE NAME:</b>
053	Clinton	181	Nicholas	053	Jefferson Davis	<b>MARYLAND</b>
055	Crittenden	183	Ohio	055	Lafayette	<b>ALPHABETIC CODE:</b>
057	Cumberland	185	Oldham	057	Lafourche	<b>MD</b>
059	Daviess	187	Owen	059	La Salle	<b>NUMERIC CODE: 24</b>
061	Edmonson	189	Owsley	061	Lincoln	
063	Elliott	191	Pendleton	063	Livingston	<b>CODE COUNTY NAME</b>
065	Estill	193	Perry	065	Madison	001 Allegany
067	Fayette	195	Pike	067	Morehouse	003 Anne Arundel
069	Fleming	197	Powell	069	Natchitoches	005 Baltimore
071	Floyd	199	Pulaski	071	Orleans	009 Calvert
073	Franklin	201	Roberston	073	Ouachita	011 Caroline
075	Fulton	203	Rockcastle	075	Plaquemines	013 Carroll
077	Gallatin	205	Rowan	077	Pointe Coupee	015 Cecil
079	Garrard	207	Russell	079	Rapides	017 Charles
081	Grant	209	Scott	081	Red River	019 Dorchester
083	Graves	211	Shelby	083	Richland	021 Frederick
085	Grayson	213	Simpson	085	Sabine	023 Garrett
087	Green	215	Spencer	087	St. Bernard	025 Harford
089	Greenup	217	Taylor	089	St. Charles	027 Howard
091	Hancock	219	Todd	091	St. Helena	029 Kent
093	Hardin	221	Trigg	093	St. James	031 Montgomery
095	Harlan	223	Trimble	095	St. John the Baptist	033 Prince George's
097	Harrison	225	Union	097	St. Landry	035 Queen Anne's
099	Hart	227	Warren	099	St. Martin	037 St. Mary's
101	Henderson	229	Washington	101	St. Mary	039 Somerset
103	Henry	231	Wayne	103	St. Tammany	041 Talbot
105	Hickman	233	Webster	105	Tangipahoa	043 Washington
107	Hopkins	235	Whitley	107	Tensas	045 Wicomico
109	Jackson	237	Wolfe	109	Terrebonne	047 Worcester
111	Jefferson	239	Woodford	111	Union	
113	Jessamine			113	Vermilion	<b>CODE</b>
115	Johnson	<b>STATE NAME:</b>		115	Vernon	<b>INDEPENDENT CITY</b>
117	Kenton	<b>LOUISIANA</b>		117	Washington	510 Baltimore (City)
119	Knott	<b>ALPHABETIC CODE: LA</b>		119	Webster	
121	Knox	<b>NUMERIC CODE: 22</b>		121	West Baton Rouge	<b>STATE NAME:</b>
123	Larue			123	West Carroll	<b>MASSACHUSETTS</b>
125	Laurel	<b>CODE COUNTY NAME</b>		125	West Feliciana	<b>ALPHABETIC CODE:</b>
127	Lawrence	001 Acadia		127	Winn	<b>MA</b>
129	Lee	003 Allen				<b>NUMERIC CODE: 25</b>
131	Leslie	005 Ascension	<b>STATE NAME: MAINE</b>			
133	Letcher	007 Assumption	<b>ALPHABETIC CODE:</b>			
135	Lewis					



**CODE COUNTY NAME**

001	Barnstable
003	Berkshire
005	Bristol
007	Dukes
009	Essex
011	Franklin
013	Hampden
015	Hampshire
017	Middlesex
019	Nantucket
021	Norfolk
023	Plymouth
025	Suffolk
027	Worcester

**STATE NAME:****MICHIGAN****ALPHABETIC CODE: MI****NUMERIC CODE: 26****CODE COUNTY NAME**

001	Alcona
003	Alger
005	Allegan
007	Alpena
009	Antrim
011	Arenac
013	Baraga
015	Barry
017	Bay
019	Benzie
021	Berrien
023	Branch
025	Calhoun
027	Cass
029	Charlevoix
031	Cheboygan
033	Chippewa
035	Clare
037	Clinton
039	Crawford
041	Delta
043	Dickinson
045	Eaton
047	Emmet
049	Genesee
051	Gladwin
053	Gogebic
055	Grand Traverse
057	Gratiot
059	Hillsdale
061	Houghton
063	Huron
065	Ingham
067	Ionia
069	Iosco
071	Iron
073	Isabella
075	Jackson
077	Kalamazoo
079	Kalkaska
081	Kent

083	Keweenaw
085	Lake
087	Lapeer
089	Leelanau
091	Lenawee
093	Livingston
095	Luce
097	Mackinac
099	Macomb
101	Manistee
103	Marquette
105	Mason
107	Mecosta
109	Menominee
111	Midland
113	Missaukee
115	Monroe
117	Montcalm
119	Montmorency
121	Muskegon
123	Newaygo
125	Oakland
127	Oceana
129	Ogemaw
131	Ontonagon
133	Osceola
135	Oscoda
137	Otsego
139	Ottawa
141	Presque Isle
143	Roscommon
145	Saginaw
147	St. Clair
149	St. Joseph
151	Sanilac
153	Schoolcraft
155	Shiawassee
157	Tuscola
159	Van Buren
161	Washtenaw
163	Wayne
165	Wexford

**STATE NAME:****MINNESOTA****ALPHABETIC CODE:****MN****NUMERIC CODE: 27****CODE COUNTY NAME**

001	Aitkin
003	Anoka
005	Becker
007	Beltrami
009	Benton
011	Big Stone
013	Blue Earth
015	Brown
017	Carlton
019	Carver
021	Cass
023	Chippewa
025	Chisago

027	Clay
029	Clearwater
031	Cook
033	Cottonwood
035	Crow Wing
037	Dakota
039	Dodge
041	Douglas
043	Faribault
045	Fillmore
047	Freeborn
049	Goodhue
051	Grant
053	Hennepin
055	Houston
057	Hubbard
059	Isanti
061	Itasca
063	Jackson
065	Kanabec
067	Kandiyohi
069	Kittson
071	Koochiching
073	Lac qui Parle
075	Lake
077	Lake of the Woods
079	Le Sueur
081	Lincoln
083	Lyon
085	McLeod
087	Mahnomen
089	Marshall
091	Martin
093	Meeker
095	Mille Lacs
097	Morrison
099	Mower
101	Murray
103	Nicollet
105	Nobles
107	Norman
109	Olmsted
111	Otter Tail
113	Pennington
115	Pine
117	Pipestone
119	Polk
121	Pope
123	Ramsey
125	Red Lake
127	Redwood
129	Renville
131	Rice
133	Rock
135	Roseau
137	St. Louis
139	Scott
141	Sherburne
143	Sibley
145	Stearns
147	Steele
149	Stevens
151	Swift
153	Todd

155	Traverse
157	Wabasha
159	Wadena
161	Waseca
163	Washington
165	Watsonwan
167	Wilkin
169	Winona
171	Wright
173	Yellow Medicine

**STATE NAME:****MISSISSIPPI****ALPHABETIC CODE:****MS****NUMERIC CODE: 28****CODE COUNTY NAME**

001	Adams
003	Alcorn
005	Amite
007	Attala
009	Benton
011	Bolivar
013	Calhoun
015	Carroll
017	Chickasaw
019	Choctaw
021	Claiborne
023	Clarke
025	Clay
027	Coahoma
029	Copiah
031	Covington
033	DeSoto
035	Forrest
037	Franklin
039	George
041	Greene
043	Grenada
045	Hancock
047	Harrison
049	Hinds
051	Holmes
053	Humphreys
055	Issaquena
057	Itawamba
059	Jackson
061	Jasper
063	Jefferson
065	Jefferson Davis
067	Jones
069	Kemper
071	Lafayette
073	Lamar
075	Lauderdale
077	Lawrence
079	Leake
081	Lee
083	Leflore
085	Lincoln
087	Lowndes
089	Madison
091	Marion
093	Marshall



023	Butler	151	Saline	013	Merrimack	041	Roosevelt
025	Cass	153	Sarpy	015	Rockingham	043	Sandoval
027	Cedar	155	Saunders	017	Strafford	045	San Juan
029	Chase	157	Scotts Bluff	019	Sullivan	047	San Miguel
031	Cherry	159	Seward			049	Santa Fe
033	Cheyenne	161	Sheridan			051	Sierra
035	Clay	163	Sherman		STATE NAME:	053	Socorro
037	Colfax	165	Sioux		NEW JERSEY	055	Taos
039	Cuming	167	Stanton		ALPHABETIC CODE: NJ	057	Torrance
041	Custer	169	Thayer		NUMERIC CODE: 34	059	Union
043	Dakota	171	Thomas			061	Valencia
045	Dawes	173	Thurston		CODE COUNTY NAME		
047	Dawson	175	Valley	001	Atlantic		Cibola was established from
049	Deuel	177	Washington	003	Bergen		part of Valencia (6/19/81).
051	Dixon	179	Wayne	005	Burlington		
053	Dodge	181	Webster	007	Camden		
055	Douglas	183	Wheeler	009	Cape May		STATE NAME:
057	Dundy	185	York	011	Cumberland		NEW YORK
059	Fillmore			013	Essex		ALPHABETIC CODE: NY
061	Franklin			015	Gloucester		NUMERIC CODE: 36
063	Frontier		STATE NAME: NEVADA	017	Hudson		
065	Furnas		ALPHABETIC CODE: NV	019	Hunterdon		CODE COUNTY NAME
067	Gage		NUMERIC CODE: 32	021	Mercer	001	Albany
069	Garden			023	Middlesex	003	Allegany
071	Garfield		CODE COUNTY NAME	025	Monmouth	005	Bronx
073	Gosper	001	Churchill	027	Morris	007	Broome
075	Grant	003	Clark	029	Ocean	009	Cattaraugus
077	Greeley	005	Doulgas	031	Passaic	011	Cayuga
079	Hall	007	Elko	033	Salem	013	Chautauqua
081	Hamilton	009	Esmeralda	035	Somerset	015	Chemung
083	Harlan	011	Eureka	037	Sussex	017	Chenango
085	Hayes	013	Humboldt	039	Union	019	Clinton
087	Hitchcock	015	Lander	041	Warren	021	Columbia
089	Holt	017	Lincoln			023	Cortland
091	Hooker	019	Lyon			025	Delaware
093	Howard	021	Mineral		STATE NAME:	027	Dutchess
095	Jefferson	023	Nye		NEW MEXICO	029	Erie
097	Johnson	027	Pershing		ALPHABETIC CODE:	031	Essex
099	Kearney	029	Storey		NM	033	Franklin
101	Keith	031	Washoe		NUMERIC CODE: 35	035	Fulton
103	Keya Paha	033	White Pine			037	Genesee
105	Kimball				CODE COUNTY NAME	039	Greene
107	Knox		CODE INDEPENDENT	001	Bernalillo	041	Hamilton
109	Lancaster		CITY	003	Catron	043	Herkimer
111	Lincoln	510	Carson City	005	Chaves	045	Jefferson
113	Logan			006	Cibola	047	Kings
115	Loup		Carson City does not include	007	Colfax	049	Lewis
117	McPherson		a legal designation (such as	009	Curry	051	Livingston
119	Madison		“city”).	011	DeBaca	053	Madison
121	Merrick			013	Dona Ana	055	Monroe
123	Morrill			015	Eddy	057	Montgomery
125	Nance		STATE NAME:	017	Grant	059	Nassau
127	Nemaha		NEW HAMPSHIRE	019	Guadalupe	061	New York
129	Nuckolls		ALPHABETIC CODE:	021	Harding	063	Niagara
131	Otoe		NH	023	Hidalgo	065	Oneida
133	Pawnee		NUMERIC CODE: 33	025	Lea	067	Onondaga
135	Perkins			027	Lincoln	069	Ontario
137	Phelps		CODE COUNTY NAME	028	Los Alamos	071	Orange
139	Pierce	001	Belknap	029	Luna	073	Orleans
141	Platte	003	Carroll	031	McKinley	075	Oswego
143	Polk	005	Cheshire	033	Mora	077	Otsego
145	Red Willow	007	Coos	035	Otero	079	Putnam
147	Richardson	009	Grafton	037	Quay	081	Queens
149	Rock	011	Hillsborough	039	Rio Arriba	083	Rensselaer

085	Richmond	073	Gates				<b>STATE NAME: OHIO</b>
087	Rockland	075	Graham				<b>ALPHABETIC CODE: OH</b>
089	St. Lawrence	077	Granville			<b>STATE NAME: NORTH DAKOTA</b>	<b>NUMERIC CODE: 39</b>
091	Saratoga	079	Greene			<b>ALPHABETIC CODE: ND</b>	
093	Schenectady	081	Guilford			<b>NUMERIC CODE: 38</b>	
095	Schoharie	083	Halifax				<b>CODE COUNTY NAME</b>
097	Schuyler	085	Harnett				001 Adams
099	Seneca	087	Haywood			<b>CODE COUNTY NAME</b>	003 Allen
101	Steuben	089	Henderson	001	Adams		005 Ashland
103	Suffolk	091	Hertford	003	Barnes		007 Ashtabula
105	Sullivan	093	Hoke	005	Benson		009 Athens
107	Tioga	095	Hyde	007	Billings		011 Auglaize
109	Tompkins	097	Iredell	009	Bottineau		013 Belmont
111	Ulster	099	Jackson	011	Bowman		015 Brown
113	Warren	101	Johnston	013	Burke		017 Butler
115	Washington	103	Jones	015	Burleigh		019 Carroll
117	Wayne	105	Lee	017	Cass		021 Champaign
119	Westchester	107	Lenoir	019	Cavalier		023 Clark
121	Wyoming	109	Lincoln	021	Dickey		025 Clermont
123	Yates	111	McDowell	023	Divide		027 Clinton
		113	Macon	025	Dunn		029 Columbiana
		115	Madison	027	Eddy		031 Coshocton
		117	Martin	029	Emmons		033 Crawford
<b>STATE NAME: NORTH CAROLINA</b>		119	Mecklenburg	031	Foster		035 Cuyahoga
<b>ALPHABETIC CODE: NC</b>		121	Mitchell	033	Golden Valley		037 Darke
<b>NUMERIC CODE: 37</b>		123	Montgomery	035	Grand Forks		039 Defiance
		125	Moore	037	Grant		041 Delaware
<b>CODE COUNTY NAME</b>		127	Nash	039	Griggs		043 Erie
001 Alamance		129	New Hanover	041	Hettinger		045 Fairfield
003 Alexander		131	Northampton	043	Kidder		047 Fayette
005 Alleghany		133	Onslow	045	LaMoure		049 Franklin
007 Anson		135	Orange	047	Logan		051 Fulton
009 Ashe		137	Pamlico	049	McHenry		053 Gallia
011 Avery		139	Pasquotank	051	McIntosh		055 Geauga
013 Beaufort		141	Pender	053	McKenzie		057 Greene
015 Bertie		143	Perquimans	055	McLean		059 Guernsey
017 Bladen		145	Person	057	Mercer		061 Hamilton
019 Brunswick		147	Pitt	059	Morton		063 Hancock
021 Buncombe		149	Polk	061	Mountrail		065 Hardin
023 Burke		151	Randolph	063	Nelson		067 Harrison
025 Cabarrus		153	Richmond	065	Oliver		069 Henry
027 Caldwell		155	Robeson	067	Pembina		071 Highland
029 Camden		157	Rockingham	069	Pierce		073 Hocking
031 Carteret		159	Rowan	071	Ramsey		075 Holmes
033 Caswell		161	Rutherford	073	Ransom		077 Huron
035 Catawba		163	Sampson	075	Renville		079 Jackson
037 Chatham		165	Scotland	077	Richland		081 Jefferson
039 Cherokee		167	Stanly	079	Rolette		083 Knox
041 Chowan		169	Stokes	081	Sargent		085 Lake
043 Clay		171	Surry	083	Sheridan		087 Lawrence
045 Cleveland		173	Swain	085	Sioux		089 Licking
047 Columbus		175	Transylvania	087	Slope		091 Logan
049 Craven		177	Tyrrell	089	Stark		093 Lorain
051 Cumberland		179	Union	091	Steele		095 Lucas
053 Currituck		181	Vance	093	Stutsman		097 Madison
055 Dare		183	Wake	095	Towner		099 Mahoning
057 Davidson		185	Warren	097	Traill		101 Marion
059 Davie		187	Washington	099	Walsh		103 Medina
061 Duplin		189	Watauga	101	Ward		105 Meigs
063 Durham		191	Wayne	103	Wells		107 Mercer
065 Edgecombe		193	Wilkes	105	Williams		109 Miami
067 Forsyth		195	Wilson				111 Monroe
069 Franklin		197	Yadkin				113 Montgomery
071 Gaston		199	Yancey				115 Morgan



**STATE NAME: SOUTH  
CAROLINA**  
**ALPHABETIC CODE: SC**  
**NUMERIC CODE: 45**

**CODE COUNTY NAME**

001 Abbeville  
003 Aiken  
005 Allendale  
007 Anderson  
009 Bamberg  
011 Barnwell  
013 Beaufort  
015 Berkeley  
017 Calhoun  
019 Charleston  
021 Cherokee  
023 Chester  
025 Chesterfield  
027 Clarendon  
029 Colleton  
031 Darlington  
033 Dillon  
035 Dorchester  
037 Edgefield  
039 Fairfield  
041 Florence  
043 Georgetown  
045 Greenville  
047 Greenwood  
049 Hampton  
051 Horry  
053 Jasper  
055 Kershaw  
057 Lancaster  
059 Laurens  
061 Lee  
063 Lexington  
065 McCormick  
067 Marion  
069 Marlboro  
071 Newberry  
073 Oconee  
075 Orangeburg  
077 Pickens  
079 Richland  
081 Saluda  
083 Spartanburg  
085 Sumter  
087 Union  
089 Williamsburg  
091 York

**STATE NAME: SOUTH  
DAKOTA**  
**ALPHABETIC CODE: SD**  
**NUMERIC CODE: 46**

**CODE COUNTY NAME**

003 Aurora  
005 Beadle  
007 Bennett  
009 Bon Homme

011 Brookings  
013 Brown  
015 Brule  
017 Buffalo  
019 Butte  
021 Campbell  
023 Charles Mix  
025 Clark  
027 Clay  
029 Codington  
031 Corson  
033 Custer  
035 Davison  
037 Day  
039 Deuel  
041 Dewey  
043 Douglas  
045 Edmunds  
047 Fall River  
049 Faulk  
051 Grant  
053 Gregory  
055 Haakon  
057 Hamlin  
059 Hand  
061 Hanson  
063 Harding  
065 Hughes  
067 Hutchinson  
069 Hyde  
071 Jackson  
073 Jerauld  
075 Jones  
077 Kingsbury  
079 Lake  
081 Lawrence  
083 Lincoln  
085 Lyman  
087 McCook  
089 McPherson  
091 Marshall  
093 Meade  
095 Mellette  
097 Miner  
099 Minnehaha  
101 Moody  
103 Pennington  
105 Perkins  
107 Potter  
109 Roberts  
111 Sanborn  
113 Shannon  
115 Spink  
117 Stanley  
119 Sully  
121 Todd  
123 Tripp  
125 Turner  
127 Union  
129 Walworth  
135 Yankton  
137 Ziebach

**STATE NAME:  
TENNESSEE**  
**ALPHABETIC CODE: TN**  
**NUMERIC CODE: 47**

**CODE COUNTY NAME**

001 Anderson  
003 Bedford  
005 Benton  
007 Bledsoe  
009 Blount  
011 Bradley  
013 Campbell  
015 Cannon  
017 Carroll  
019 Carter  
021 Cheatham  
023 Chester  
025 Claiborne  
027 Clay  
029 Cocke  
031 Coffee  
033 Crockett  
035 Cumberland  
037 Davidson  
039 Decatur  
041 DeKalb  
043 Dickson  
045 Dyer  
047 Fayette  
049 Fentress  
051 Franklin  
053 Gibson  
055 Giles  
057 Grainger  
059 Greene  
061 Grundy  
063 Hamblen  
065 Hamilton  
067 Hancock  
069 Hardeman  
071 Hardin  
073 Hawkins  
075 Haywood  
077 Henderson  
079 Henry  
081 Hickman  
083 Houston  
085 Humphreys  
087 Jackson  
089 Jefferson  
091 Johnson  
093 Knox  
095 Lake  
097 Lauderdale  
099 Lawrence  
101 Lewis  
103 Lincoln  
105 Loudon  
107 McMinn  
109 McNairy  
111 Macon  
113 Madison  
115 Marion

117 Marshall  
119 Maury  
121 Meigs  
123 Monroe  
125 Montgomery  
127 Moore  
129 Morgan  
131 Obion  
133 Overton  
135 Perry  
137 Pickett  
139 Polk  
141 Putnam  
143 Rhea  
145 Roane  
147 Robertson  
149 Rutherford  
151 Scott  
153 Sequatchie  
155 Sevier  
157 Shelby  
159 Smith  
161 Stewart  
163 Sullivan  
165 Sumner  
167 Tipton  
169 Trousdale  
171 Unicoi  
173 Union  
175 Van Buren  
177 Warren  
179 Washington  
181 Wayne  
183 Weakley  
185 White  
187 Williamson  
189 Wilson

**STATE NAME: TEXAS**  
**ALPHABETIC CODE: TX**  
**NUMERIC CODE: 48**

**CODE COUNTY NAME**

001 Anderson  
003 Andrews  
005 Angelina  
007 Aransas  
009 Archer  
011 Armstrong  
013 Atascosa  
015 Austin  
017 Bailey  
019 Bandera  
021 Bastrop  
023 Baylor  
025 Bee  
027 Bell  
029 Bexar  
031 Blanco  
033 Borden  
035 Bosque  
037 Bowie  
039 Brazoria



031	Piute	041	Chesterfield	177	Spotsylvania	Bureau of Economic Analysis, U.S. Department of Commerce has defined codes in the 900 series to represent county/independent city combination in Virginia.
033	Rich	043	Clarke	179	Stafford	
035	Salt Lake	045	Craig	181	Surry	
037	San Juan	047	Culpeper	183	Sussex	
039	Sanpete	049	Cumberland	185	Tazewell	
041	Sevier	051	Dickenson	187	Warren	
043	Summit	053	Dinwiddie	191	Washington	
045	Tooele	057	Essex	193	Westmoreland	
047	Uintah	059	Fairfax	195	Wise	
049	Utah	061	Fauquier	197	Wythe	
051	Wasatch	063	Floyd	199	York	
053	Washington	065	Fluvanna			The FIPS county code of 780 for South Boston, VA, is deleted. South Boston will be incorporated within Halifax County rather than a separate county-equivalent surrounded by Halifax County.
055	Wayne	067	Franklin	<b>CODE</b>		
057	Weber	069	Frederick	<b>INDEPENDENT CITY</b>		
		071	Giles	510	Alexandria (city)	
		073	Gloucester	515	Bedford (city)	
		075	Goochland	520	Bristol (city)	
		077	Grayson	530	Buena Vista (city)	
		079	Greene	540	Charlottesville (city)	
		081	Greensville	550	Chesapeake (city)	
		083	Halifax	560	Clifton Forge (city)	
		085	Hanover	570	Colonial Heights	
		087	Henrico	(city)		The independent city (county-equivalent) of Clifton Forge has reverted to town status, effective July 1, 2001. Clifton Forge is now an incorporated place within Alleghany County, rather than a separate county-equivalent surrounded by Alleghany County. The FIPS county code of 560 for Clifton Forge is deleted.
		089	Henry	580	Covington (city)	
		091	Highland	590	Danville (city)	
		093	Isle of Wight	595	Emporia (city)	
		095	James City	600	Fairfax (city)	
		097	King And Queen	610	Falls Church (city)	
		099	King George	620	Franklin (city)	
		101	King William	630	Fredericksburg	
		103	Lancaster	(city)		
		105	Lee	640	Galax (city)	
		107	Loudoun	650	Hampton (city)	
		109	Louisa	660	Harrisonburg (city)	
		111	Lunenburg	670	Hopewell (city)	
		113	Madison	678	Lexington (city)	
		115	Mathews	680	Lynchburg (city)	
		117	Mecklenburg	683	Manassas (city)	
		119	Middlesex	685	Manassas Park (city)	
		121	Montgomery	690	Martinsville (city)	
		125	Nelson	700	Newport News	
		127	New Kent	(city)		
		131	Northampton	710	Norfolk (city)	
		133	Northumberland	720	Norton (city)	
		135	Nottoway	730	Petersburg (city)	
		137	Orange	735	Poquoson (city)	
		139	Page	740	Portsmouth (city)	
		141	Patrick	750	Radford (city)	
		143	Pittsylvania	760	Richmond (city)	
		145	Powhatan	770	Roanoke (city)	
		147	Prince Edward	775	Salem (city)	
		149	Prince George	790	Staunton (city)	
		153	Prince William	800	Suffolk (city)	
		155	Pulaski	810	Virginia Beach	
		157	Rappahannock	(city)		
		159	Richmond	820	Waynesboro (city)	
		161	Roanoke	830	Williamsburg (city)	
		163	Rockbridge	840	Winchester (city)	
		165	Rockingham			
		167	Russell		The codes for Charles City and Charlotte Counties, reported respectively as 037 and 039 in FIPS PUB 6-3, have been corrected. The	
		169	Scott			
		171	Shenandoah			
		173	Smyth			
		175	Southampton			

<b>STATE NAME:</b>	
<b>VERMONT</b>	
<b>ALPHABETIC CODE: VT</b>	
<b>NUMERIC CODE: 50</b>	
<b>CODE</b>	<b>COUNTY NAME</b>
001	Addison
003	Bennington
005	Caldedonia
007	Chittenden
009	Essex
011	Franklin
013	Grand Isle
015	Lamoille
017	Orange
019	Orleans
021	Rutland
023	Washington
025	Windham
027	Windsor

<b>STATE NAME:</b>	
<b>VIRGINIA</b>	
<b>ALPHABETIC CODE: VA</b>	
<b>NUMERIC CODE: 51</b>	
<b>CODE</b>	<b>COUNTY NAME</b>
001	Accomack
003	Albermarle
005	Alleghany
007	Amelia
009	Amherst
011	Appomattox
013	Arlington
015	Augusta
017	Bath
019	Bedford
021	Bland
023	Botetourt
025	Brunswick
027	Buchanan
029	Buckingham
031	Campbell
033	Caroline
035	Carroll
036	Charles City
037	Charlotte

<b>STATE NAME:</b>	
<b>WASHINGTON</b>	
<b>ALPHABETIC CODE: WA</b>	
<b>NUMERIC CODE: 53</b>	
<b>CODE</b>	<b>COUNTY NAME</b>
001	Adams
003	Asotin
005	Benton
007	Chelan
009	Clallam
011	Clark
013	Columbia
015	Cowlitz
017	Douglas
019	Ferry
021	Franklin
023	Garfield
025	Grant
027	Grays Harbor
029	Island
031	Jefferson
033	King
035	Kitsap
037	Kittitas
039	Klickitat
041	Lewis
043	Lincoln
045	Mason
047	Okanogan
049	Pacific
051	Pend Oreille
053	Pierce



055 San Juan  
 057 Skagit  
 059 Skamania  
 061 Snohomish  
 063 Spokane  
 065 Stevens  
 067 Thurston  
 069 Wahkiakum  
 071 Walla Walla  
 073 Whatcom  
 075 Whitman  
 077 Yakima

**STATE NAME: WEST VIRGINIA**  
**ALPHABETIC CODE: WV**  
**NUMERIC CODE: 54**

**CODE COUNTY NAME**

001 Barbour  
 003 Berkeley  
 005 Boone  
 007 Braxton  
 009 Brooke  
 011 Cabell  
 013 Calhoun  
 015 Clay  
 017 Doddridge  
 019 Fayette  
 021 Gilmer  
 023 Grant  
 025 Greenbrier  
 027 Hampshire  
 029 Hancock  
 031 Hardy  
 033 Harrison  
 035 Jackson  
 037 Jefferson  
 039 Kanawha  
 041 Lewis  
 043 Lincoln  
 045 Logan  
 047 McDowell  
 049 Marion  
 051 Marshall  
 053 Mason  
 055 Mercer  
 057 Mineral  
 059 Mingo  
 061 Monongalia  
 063 Monroe  
 065 Morgan  
 067 Nicholas  
 069 Ohio  
 071 Pendleton  
 073 Pleasants  
 075 Pocahontas  
 077 Preston  
 079 Putnam  
 081 Raleigh  
 083 Randolph  
 085 Ritchie

087 Roane  
 089 Summers  
 091 Taylor  
 093 Tucker  
 095 Tyler  
 097 Upshur  
 099 Wayne  
 101 Webster  
 103 Wetzel  
 105 Wirt  
 107 Wood  
 109 Wyoming

**STATE NAME: WISCONSIN**  
**ALPHABETIC CODE: WI**  
**NUMERIC CODE: 55**

**CODE COUNTY NAME**

001 Adams  
 003 Ashland  
 005 Barron  
 007 Bayfield  
 009 Brown  
 011 Buffalo  
 013 Burnett  
 015 Calumet  
 017 Chippewa  
 019 Clark  
 021 Columbia  
 023 Crawford  
 025 Dane  
 027 Dodge  
 029 Door  
 031 Douglas  
 033 Dunn  
 035 Eau Claire  
 037 Florence  
 039 Fond du Lac  
 041 Forest  
 043 Grant  
 045 Green  
 047 Green Lake  
 049 Iowa  
 051 Iron  
 053 Jackson  
 055 Jefferson  
 057 Juneau  
 059 Kenosha  
 061 Kewaunee  
 063 La Crosse  
 065 Lafayette  
 067 Langlade  
 069 Lincoln  
 071 Manitowoc  
 073 Marathon  
 075 Marinette  
 077 Marquette  
 078 Menominee  
 079 Milwaukee  
 081 Monroe  
 083 Oconto  
 085 Oneida

087 Outagamie  
 089 Ozaukee  
 091 Pepin  
 093 Pierce  
 095 Polk  
 097 Portage  
 099 Price  
 101 Racine  
 103 Richland  
 105 Rock  
 107 Rusk  
 109 St. Croix  
 111 Sauk  
 113 Sawyer  
 115 Shawano  
 117 Sheboygan  
 119 Taylor  
 121 Trempealeau  
 123 Vernon  
 125 Vilas  
 127 Walworth  
 129 Washburn  
 131 Washington  
 133 Waukesha  
 135 Waupaca  
 137 Waushara  
 139 Winnebago  
 141 Wood

**STATE NAME: WYOMING**  
**ALPHABETIC CODE: WY**  
**NUMERIC CODE: 56**

**CODE COUNTY NAME**

001 Albany  
 003 Big Horn  
 005 Campbell  
 007 Carbon  
 009 Converse  
 011 Crook  
 013 Fremont  
 015 Goshen  
 017 Hot Springs  
 019 Johnson  
 021 Laramie  
 023 Lincoln  
 025 Natrona  
 027 Niobrara  
 029 Park  
 031 Platte  
 033 Sheridan  
 035 Sublette  
 037 Sweetwater  
 039 Teton  
 041 Uinta  
 043 Washakie  
 045 Weston

## APPENDIX A

**AREA NAME:**  
**AMERICAN SAMOA**  
**ALPHABETIC CODE: AS**  
**NUMERIC CODE: 60**

**CODE**  
**DISTRICT/ISLAND**  
**NAME**

010 Eastern (District)  
 020 Manu'a (District)  
 030 Rose Island  
 040 Swains Island  
 050 Western (District)

"Island" is part of the name of Rose Island and Swains Island. The entities called "counties" in American Samoa are subdivisions of the districts, and therefore are second-order subdivisions of American Samoa.

**AREA NAME: GUAM**  
**ALPHABETIC CODE: GU**  
**NUMERIC CODE: 66**

**CODE SUBDIVISION**  
**NAME**

010 Guam

Guam has no first-order subdivisions, and therefore "Guam" also serves as the county-equivalent entity.

**AREA NAME:**  
**NORTHERN MARINA ISLANDS**  
**ALPHABETIC CODE: MP**  
**NUMERIC CODE: 69**

**CODE**  
**MUNICIPALITY NAME**

085 Northern Islands  
 100 Rota  
 110 Saipan  
 120 Tinian

**AREA NAME: PALAU**  
**ALPHABETIC CODE: PW**  
**NUMERIC CODE: 70**

**CODE STATE NAME**  
 002 Aimeliik

004	Airai	035	Cayey	<b>AREA NAME: U.S.</b>	(050) was renamed Chuuk
010	Angaur	037	Ceiba	<b>OUTLYING ISLANDS</b>	(10/1/89).
050	Hatoboheit	039	Ciales	<b>ALPHABETIC CODE:</b>	
100	Kayangel	041	Cidra	<b>UM</b>	
150	Koror	043	Coamo	<b>NUMERIC CODE: 74</b>	<b>AREA NAME:</b>
212	Melekeok	045	Comerio		<b>MARSHALL ISLANDS</b>
214	Ngaraard	047	Corozal	<b>CODE ISLAND NAME</b>	<b>ALPHABETIC CODE:</b>
218	Ngarchelong	049	Culebra	050 Baker Island	<b>MH</b>
222	Ngardmau	051	Dorado	100 Howland Island	<b>NUMERIC CODE: 68</b>
224	Ngatpang	053	Fajardo	150 Jarvis Island	
226	Ngchesar	054	Florida	200 Johnston Island	<b>CODE</b>
227	Ngermlengui	057	Guayama	250 Kingman Reef	<b>MUNICIPALITY NAME</b>
228	Ngiwal	059	Guayanilla	300 Midway Islands	007 Ailinginaie
350	Peleliu	061	Guaynabo	350 Navassa Island	010 Ailinglaplap
370	Sonsorol	063	Gurabo	400 Palmyra Atoll	030 Ailuk
		065	Hatillo	450 Wake Island	040 Arno
		067	Hormigueros		050 Aur
		069	Humacao	An FIPS State numeric code	060 Bikar
		071	Isabela	is available for each area;	070 Bikini
		073	Jayuya	FIPS PUB 5-2 identifies the	073 Bokak
		075	Juana Diaz	codes and explains their	080 Ebon
		077	Juncos	usage. The State codes can	090 Enewetak
		079	Lajas	be used in combination with	100 Erikub
		081	Lares	the "county" codes listed	110 Jabat
		083	Las Marias	here.	120 Jaluit
		085	Las Piedras		130 Jemo
		087	Loiza		140 Kili
		089	Luquillo	<b>AREA NAME: VIRGIN</b>	150 Kwajalein
		091	Manati	<b>ISLANDS OF THE</b>	160 Lae
		093	Maricao	<b>UNITED STATES</b>	170 Lib
		095	Maunabo	<b>ALPHABETIC CODE: VI</b>	180 Likiep
		097	Mayaguez	<b>NUMERIC CODE: 78</b>	190 Majuro
		099	Moca		300 Maloelap
		101	Morovis	<b>CODE ISLAND NAME</b>	310 Mejit
		103	Naguabo	010 St. Croix	320 Mili
		105	Naranjito	020 St. John	330 Namorik
		107	Orocovis	030 St. Thomas	340 Namu
		109	Patillas		350 Rongelap
		111	Penuelas	<b>APPENDIX B</b>	360 Rongrik
		113	Ponce		385 Toke
		115	Quebradillas	<b>AREA NAME:</b>	390 Ujae
		117	Rincon	<b>FEDERATED STATES</b>	400 Ujelang
		119	Rio Grande	<b>OF MICRONESIA</b>	410 Utrik
		121	Sabana Grande	<b>ALPHABETIC CODE:</b>	420 Wotho
		123	Salinas	<b>FM</b>	430 Wotle
		125	San German	<b>NUMERIC CODE: 64</b>	
		127	San Juan		
		129	San Lorenzo	<b>CODE STATE NAME</b>	
		131	San Sebastian	002 Chuuk	
		133	Santa Isabel	005 Kosrae	
		135	Toa Alta	040 Pohnpei	
		137	Toa Baja	060 Yap	
		139	Trujillo Alto		
		141	Utua	The Federated States of	
		143	Vega Alta	Micronesia (FSM) became a	
		145	Vega Baja	freely associated state on	
		147	Vieques	11/3/86. Its first-order	
		149	Villalba	subdivisions are called	
		151	Yabucoa	states. Changes since	
		153	Yauco	recognition of the FSM in	
				Change Notice No. 9 to FIPS	
				PUB 6-3. Ponape was	
				renamed Pohnpei (11/8/84),	
				and retained code 040; Truk	

Palau also is known as Beau, and may be referred to as the Republic of... Changes since recognition of Palau in Change Notice No. 9 to FIPS PUB 6-3. The first-order subdivisions of Palau have been revised from municipalities to states; the name of Melekeik has been revised to Melekeok; the name and code for Ngaremlengui (223) have been revised to Ngeremlengui (227); the name and code for Tobi (380) have been revised to Hatobohei (050); the Palau Islands (unorganized territory) (300) is no longer included because that area is part of Koror and Peleliu.

**AREA NAME: PUERTO RICO**  
**ALPHABETIC CODE: PR**  
**NUMERIC CODE: 72**

**CODE**  
**MUNICIPALITY NAME**

001	Adjuntas
003	Aguada
005	Aguadilla
007	Aguas Buenas
009	Aibonito
011	Anasco
013	Arecibo
015	Arroyo
017	Barceloneta
019	Barranquitas
021	Bayamón
023	Cabo Rojo
025	Caguas
027	Camuy
029	Canovanas
031	Carolina
033	Catano

The Marshall Islands became a freely associated state on 11/3/86. Its first-order subdivisions also may be referred to as "islands" and "atolls." Since the recognition of the Marshall Islands in Change Notice No. 9, Jemo has been revised from Jemo Island to a municipality. Toke also may be spelled "Taka."

## APPENDIX B

### EDITS TABLES FOR SELECTED DATA ITEMS

**Table Name: BPLACE.DBF (SEER GEOCODES FOR CODING PLACE OF BIRTH)**

#### CONTINENTAL UNITED STATES AND HAWAII

000 United States

001 New England and New Jersey

002 Maine

003 New Hampshire

004 Vermont

005 Massachusetts

006 Rhode Island

007 Connecticut

008 New Jersey

010 North Mid-Atlantic States

011 New York

014 Pennsylvania

017 Delaware

020 South Mid-Atlantic States

021 Maryland

022 District of Columbia

023 Virginia

024 West Virginia

025 North Carolina

026 South Carolina

030 Southeastern States

031 Tennessee

033 Georgia

035 Florida

037 Alabama

039 Mississippi

040 North Central States

041 Michigan

043 Ohio

045 Indiana

047 Kentucky

050 Northern Midwest States

051 Wisconsin

052 Minnesota

053 Iowa

054 North Dakota

055 South Dakota

056 Montana

060 Central Midwest States

061 Illinois

063 Missouri

065 Kansas

067 Nebraska

070 Southern Midwest States

071 Arkansas

073 Louisiana

075 Oklahoma

077 Texas

080 Mountain States

081 Idaho

082 Wyoming

083 Colorado

084 Utah

085 Nevada

086 New Mexico

087 Arizona

090 Pacific Coast States

091 Alaska

093 Washington

095 Oregon

097 California

099 Hawaii

#### UNITED STATES POSSESSIONS

When SEER geocodes were originally assigned during the 1970s, the United States owned or controlled islands in the Pacific. Since then, many of these islands have either been given their independence or had control turned over to another country. In order to maintain consistent information over time, these islands are still to be coded to the original codes. Earlier designations are listed in parentheses.

100 Atlantic/Caribbean Area

101 Puerto Rico

102 U.S. Virgin Islands

109 Other Atlantic/Caribbean Area

110 Canal Zone

120 Pacific Area

121 American Samoa

122 Kiribati (Canton and Enderbury Islands, Gilbert Islands, Southern Line Islands, Phoenix Islands)

123 Micronesia [Federated States of] (Caroline Islands, Trust Territory of Pacific Islands)

124 Cook Islands (New Zealand)

125 Tuvalu (Ellice Islands)

126 Guam

127 Johnston Atoll

129 Mariana Islands (Trust Territory of Pacific Islands)

131 Marshall Islands (Trust Territory Pacific Islands)

132 Midway Islands

- 133 Nampo-Shoto, Southern
- 134 Ryukyu Islands (Japan)
- 135 Swan Islands
- 136 Tokelau Islands (New Zealand)
- 137 Wake Island
- 139 Palau (Trust Territory of Pacific Islands)

**NORTH AND SOUTH AMERICA, EXCLUSIVE OF THE UNITED STATES AND ITS POSSESSIONS**

- 210 Greenland
- 220 Canada
  - 221 Labrador
    - Maritime provinces
    - New Brunswick
    - Newfoundland and Labrador
    - Nova Scotia
    - Prince Edward Island
  - 222 Quebec
  - 223 Ontario
  - 224 Prairie provinces
    - Alberta
    - Manitoba
    - Saskatchewan
  - 225 Northwest Territories
    - Yukon Territory
  - 226 British Columbia
  - 227 Nunavut (Nunavut became an official Territory of Canada on April 1, 1999.)
- 230 Mexico
- 240 North American Islands
  - 241 Cuba
  - 242 Haiti
  - 243 Dominican Republic
  - 244 Jamaica
  - 245 Other Caribbean Islands
    - Anguilla
    - Antigua and Barbuda
    - Barbados
    - British Virgin Islands
    - Cayman Islands
    - Dominica
    - Grenada
    - Guadeloupe
    - Martinique
    - Montserrat
    - Netherlands Antilles
    - St. Kitts and Nevis
    - St. Lucia
    - St. Vincent and the Grenadines
    - Trinidad and Tobago
    - Turks and Caicos
    - Antilles, NOS
    - British West Indies, NOS
    - Caribbean, NOS
    - Leeward islands, NOS
    - West Indies, NOS
    - Windward islands, NOS
  - 246 Bermuda
  - 247 Bahamas

- 249 St. Pierre and Miquelon
- 250 Central America
  - 251 Guatemala
  - 252 Belize (British Honduras)
  - 253 Honduras
  - 254 El Salvador
  - 255 Nicaragua
  - 256 Costa Rica
  - 257 Panama

- 260 North America, NOS
- 265 Latin America, NOS
- 300 South America, NOS
  - 311 Colombia
  - 321 Venezuela
  - 331 Guyana (British Guiana)
  - 332 Suriname (Dutch Guiana)
  - 333 French Guiana
  - 341 Brazil
  - 345 Ecuador
  - 351 Peru
  - 355 Bolivia
  - 361 Chile
  - 365 Argentina
  - 371 Paraguay
  - 375 Uruguay
- 380 South American Islands
  - 381 Falkland Islands

**EUROPE**

*Former or alternative names are in parentheses*

Europe, NOS (See code 499) \*

\* *Effective tumors diagnosed 1/1/92.*

- 400 United Kingdom, NOS
  - 401 England
    - Channel Islands
    - Isle of Man
  - 402 Wales
  - 403 Scotland
  - 404 Northern Ireland (Ulster)
- 410 Ireland (Eire)
  - Ireland, NOS
  - Republic of Ireland
- 420 Scandinavia
  - Lapland, NOS
  - 421 Iceland
  - 423 Norway
    - Svalbard
    - Jan Mayen
  - 425 Denmark
    - Faroe Islands
  - 427 Sweden
  - 429 Finland

- 430 Germanic countries
  - 431 Germany
    - (East Germany including East Berlin)
    - (West Germany including West Berlin)
  - 432 Netherlands
  - 433 Belgium
  - 434 Luxembourg
  - 435 Switzerland
  - 436 Austria
  - 437 Liechtenstein

- 440 Romance-language countries
  - 441 France
    - Corsica
    - Monaco
  - 443 Spain
    - Andorra
    - Balearic Islands
    - Canary Islands
  - 445 Portugal
    - Azores
    - Cape Verde Islands
    - Madeira Islands
  - 447 Italy
    - San Marino
    - Sardinia
    - Sicily
    - Vatican City (Holy See)
  - 449 Romania

- 450 Slavic countries
  - 451 Poland
  - 452 (former) Czechoslovakia region
    - Bohemia
    - Czech Republic
    - Moravia
    - Slovak Republic
    - Slovakia
  - 453 (former) Yugoslavia region
    - Bosnia-Herzegovina
    - Croatia
    - Dalmatia
    - Montenegro
    - Macedonia
    - Serbia
    - Slavonia
    - Slovenia
  - 454 Bulgaria
  - 455 Russia
    - Russian Federation
    - (former) U.S.S.R.
    - Russia, NOS
    - (Russian S.F.S.R.)
  - 456 Ukraine and Moldova
    - (Bessarabia)
    - Moldavia
    - (Moldavian S.S.R.)
    - (Ukrainian S.S.R.)
  - 457 Belarus
    - (Byelorussian S.S.R.)
    - (White Russia)
  - 458 Estonia (Estonian S.S.R.)
  - 459 Latvia (Latvian S.S.R.)
  - 461 Lithuania
    - (Lithuanian S.S.R.)

- 463 Baltic Republic(s), NOS
  - (Baltic States, NOS)
- 470 Other mainland Europe
  - 471 Greece
  - 475 Hungary
  - 481 Albania
  - 485 Gibraltar

- 490 Other Mediterranean islands
  - 491 Malta
  - 495 Cyprus
  - 499 Europe, NOS\*
    - Central Europe, NOS
    - Eastern Europe, NOS
    - Northern Europe, NOS
    - Southern Europe, NOS
    - Western Europe, NOS

\* *Effective tumors diagnosed 1/1/92.*

#### **AFRICA**

- 500 Africa, NOS
  - Central Africa, NOS
  - Equatorial Africa, NOS
- 510 North Africa, NOS
  - 511 Morocco
  - 513 Algeria
  - 515 Tunisia
  - 517 Libya
    - (Cyrenaica)
    - (Tripoli)
    - (Tripolitania)
  - 519 Egypt (United Arab Republic)

- 520 Sudanese countries
  - Burkina Faso (Upper Volta)
  - Chad
  - Mali
  - Mauritania
  - Niger
  - Sudan (Anglo-Egyptian Sudan)
  - Western (Spanish) Sahara

- 530 West Africa, NOS
  - French West Africa, NOS
  - 531 Nigeria
  - 539 Other West African Countries
    - Benin (Dahomey)
    - Cameroon (Kameroun)
    - Central African Republic (French Equatorial Africa)
    - Cote d'Ivoire (Ivory Coast)
    - Congo (Congo-Brazzaville, French Congo)
    - Equatorial Guinea (Spanish Guinea) (Bioko [Fernando Poo], Rio Muni)
    - Gambia
    - Gabon
    - Ghana
    - Guinea
    - Guinea Bissau (Portuguese Guinea)
    - Liberia
    - Senegal
    - Sierra Leone

- 540 Togo
- 540 South Africa, NOS
- 541 Zaire (Congo-Leopoldville, Belgian Congo, Congo/Kinshasa)
- 543 Angola (Sao Tome, Principe, Cabinda)
- 545 Republic of South Africa (Bophuthatswana, Cape Colony, Ciskei, Natal, Free State [Orange Free State], Transkei, Transvaal, Venda) Botswana (Bechuanaland) Lesotho (Basutoland) Namibia (South West Africa) Swaziland
- 547 Zimbabwe (Rhodesia, Southern Rhodesia)
- 549 Zambia (Northern Rhodesia)
- 551 Malawi (Nyasaland)
- 553 Mozambique
- 555 Madagascar (Malagasy Republic)
- 570 East Africa
- 571 Tanzania (Tanganyika, Tanzanyika, Zanzibar)
- 573 Uganda
- 575 Kenya
- 577 Rwanda (Ruanda)
- 579 Burundi (Urundi)
- 581 Somalia (Somali Republic, Somaliland)
- 583 Djibouti (French Territory of the Afars and Issas, French Somaliland)
- 585 Ethiopia (Abyssinia) Eritrea
- 580 African Coastal Islands (previously included in 540) Comoros Mauritius Mayotte Reunion St. Helena Seychelles
- \* Effective tumors diagnosed 1/1/92.*
- ASIA**
- 600 Asia, NOS\*
- 610 Near East
- Mesopotamia, NOS
- 611 Turkey Anatolia Asia Minor, NOS
- 620 Asian Arab Countries
- Iraq-Saudi Arabia Neutral Zone
- 621 Syria
- 623 Lebanon
- 625 Jordan (Transjordan, former Arab Palestine)
- 627 Iraq
- 629 Arabian Peninsula Bahrain Kuwait Oman and Muscat Persian Gulf States, NOS Qatar Saudi Arabia United Arab Emirates (Trucial States) Yemen (Aden, People's Democratic Republic of Yemen, Southern Yemen)
- 631 Israel and former Jewish Palestine Gaza Palestine, NOS Palestine (Palestinian National Authority [PNA]) West Bank
- 633 Caucasian Republics of the former U.S.S.R. Armenia Azerbaijan (Nagorno-Karabakh) Georgia
- 634 Other Asian Republics of the former U.S.S.R. Kazakhstan (Kazakh S.S.R.) Kyrgystan (Kirghiz S.S.R., Kyrgyz) Tajikistan (Tadzhik S.S.R.) Turkmenistan (Turkmen S.S.R.) Uzbekistan (Uzbek S.S.R.)
- 637 Iran (Persia)
- 638 Afghanistan
- 639 Pakistan (West Pakistan)
- 640 Mid-East Asia, NOS Maldives
- 641 India, Andaman Islands
- 643 Nepal, Bhutan, Sikkim
- 645 Bangladesh (East Pakistan)
- 647 Sri Lanka (Ceylon)
- 649 Myanmar (Burma)
- 650 Southeast Asia
- 651 Thailand (Siam)
- 660 Indochina
- 661 Laos
- 663 Cambodia, Kampuchea
- 665 Vietnam (Tonkin, Annam, Cochin China)
- 671 Malaysia, Singapore, Brunei
- 673 Indonesia (Dutch East Indies)
- 675 Philippines (Philippine Islands)
- 680 East Asia
- 681 China, NOS
- 682 China (People's Republic of China)
- 683 Hong Kong
- 684 Taiwan (Formosa, Republic of China)
- 685 Tibet
- 686 Macao (Macao)
- 691 Mongolia
- 693 Japan
- 695 Korea North Korea South Korea
- \* Effective tumors diagnosed 1/1/92.*

**AUSTRALIA AND OCEANIA**

- 711 Australia and Australian New Guinea
- 715 New Zealand
  - Niue
- 720 Pacific Islands
  - Oceania, NOS
  - Polynesia, NOS
- 721 Melanesian Islands
  - Solomon Islands
  - Fiji
  - Fotuna
  - New Hebrides
  - Vanuatu
  - Wallis
- 723 Micronesian Islands
- 725 Polynesian Islands
- 750 Antarctica

*Except possessions of the United States.*

**PLACE OF BIRTH UNKNOWN**

- 998 Place of Birth stated not to be in United States, but no other information available
- 999 Place of Birth unknown

References: *CIA World Factbook*, 1995. U.S. Bureau of the Census  
Place of Birth Technical Documentation, 1997.

**ALPHABETICAL LISTING**

\* *Effective tumors diagnosed 1/1/92.*

**A**

585 Abyssinia  
629 Aden  
583 Afars and Issas  
638 Afghanistan  
500 Africa  
570 Africa, East  
510 Africa, North  
540 Africa, South  
545 Africa, South West  
530 Africa, West  
580 African Coastal Islands  
(previously included in 540)  
037 Alabama  
091 Alaska  
481 Albania  
224 Alberta  
513 Algeria  
250 America, Central  
260 America, North  
(see also North America)  
300 America, South  
121 American Samoa  
611 Anatolia  
641 Andaman Islands  
443 Andorra  
543 Angola  
245 Anguilla  
665 Annam  
750 Antarctica  
245 Antigua  
245 Antilles, NOS  
245 Antilles, Netherlands  
625 Arab Palestine  
629 Arabia, Saudi  
629 Arabian Peninsula  
365 Argentina  
087 Arizona  
071 Arkansas  
633 Armenia (U.S.S.R.)  
611 Armenia (Turkey)  
750 Antarctica  
245 Aruba  
600 Asia, NOS\*  
680 Asia, East  
640 Asia, Mid-East  
610 Asia Minor, NOS  
610 Asia, Near-East  
650 Asia, Southeast  
634 Asian Republics of the former  
U.S.S.R.  
620 Asian Arab countries  
100 Atlantic/Caribbean area,  
U.S. possessions  
109 Atlantic/Caribbean area,  
other U.S. possessions  
711 Australia  
711 Australian New Guinea  
436 Austria  
633 Azerbaijan

633 Azerbaizhan S.S.R.  
445 Azores

**B**

247 Bahamas  
629 Bahrain  
443 Balearic islands  
463 Baltic Republic, NOS  
463 Baltic States, NOS  
645 Bangladesh  
245 Barbados  
245 Barbuda  
431 Bavaria  
545 Basutoland  
545 Bechuanaland  
457 Belarus  
541 Belgian Congo  
433 Belgium  
252 Belize  
539 Benin  
246 Bermuda  
456 Bessarabia  
643 Bhutan  
539 Bioko (Fernando Poo)  
452 Bohemia  
355 Bolivia  
545 Bophuthatswana  
673 Borneo  
453 Bosnia-Herzegovina  
545 Botswana  
341 Brazil  
226 British Columbia  
331 British Guiana  
252 British Honduras  
245 British Virgin Islands  
245 British West Indies, NOS  
671 Brunei  
454 Bulgaria  
520 Burkina Faso (Upper Volta)  
649 Burma  
(see Myanmar)  
579 Burundi  
457 Byelorussian S.S.R.

**C**

543 Cabinda  
245 Caicos Islands  
097 California  
663 Cambodia  
539 Cameroon  
220 Canada  
110 Canal Zone  
443 Canary islands  
122 Canton islands  
545 Cape Colony  
445 Cape Verde islands  
245 Caribbean, NOS  
245 Caribbean islands, other  
123 Caroline Islands  
711 Cartier Islands  
633 Caucasian Republics of the  
former U.S.S.R.  
245 Cayman Islands

500 Central Africa, NOS  
539 Central African Republic  
250 Central America  
499 Central Europe, NOS  
060 Central Midwest States  
647 Ceylon  
520 Chad  
401 Channel Islands (British)  
361 Chile  
681 China  
(not otherwise specified)  
665 China, Cochín  
682 China, People's Republic of  
684 China, Republic of  
723 Christmas Island  
545 Ciskel  
665 Cochín China  
711 Cocos (Keeling) Islands  
311 Colombia  
083 Colorado  
580 Comoros  
226 Columbia, British  
022 Columbia, District of  
539 Congo-Brazzaville  
541 Congo-Leopoldville  
541 Congo, Belgian  
539 Congo, French  
541 Congo Kinshasa  
007 Connecticut  
124 Cook Islands  
441 Corsica  
256 Costa Rica  
539 Cote d'Ivoire (Ivory Coast)  
471 Crete  
453 Croatia  
241 Cuba  
245 Curacao  
495 Cyprus  
517 Cyrenaica  
452 Czechoslovakia  
452 Czech Republic

**D**

539 Dahomey  
453 Dalmatia  
017 Delaware  
425 Denmark  
022 District of Columbia  
583 Djibouti  
449 Dobruja  
245 Dominica  
243 Dominican Republic  
673 Dutch East Indies  
332 Dutch Guiana

**E**

570 East Africa  
680 East Asia  
431 East Germany  
673 East Indies, Dutch  
645 East Pakistan  
499 Eastern Europe, NOS



345	Ecuador	539	Guinea	122	Kiribati
519	Egypt	539	Guinea-Bissau	695	Korea
410	Eire		(Portuguese Guinea)	695	Korea, North
254	El Salvador	539	Guinea, Equatorial	695	Korea, South
125	Ellice Islands	—	Guinea, New	629	Kuwait
122	Enderbury Islands		(see New Guinea)	634	Kyrgystan
401	England	539	Guinea, Portuguese	634	Kyrgyz
500	Equatorial Africa, NOS	331	Guyana		
539	Equatorial Guinea				<b>L</b>
	(Spanish Guinea)				
585	Eritrea		<b>H</b>		
458	Estonia	242	Haiti	221	Labrador
458	Estonian S.S.R. (Estonia)	099	Hawaii	661	Laos
585	Ethiopia	432	Holland	265	Latin America, NOS
499	Europe, NOS*	253	Honduras	420	Lapland, NOS
470	Europe, other mainland	252	Honduras, British	459	Latvia
	<b>F</b>	683	Hong Kong	459	Latvian S.S.R. (Latvia)
		475	Hungary	623	Lebanon
				245	Leeward island, NOS
				545	Lesotho
425	Faroe ( Faeroe) Islands		<b>I</b>	539	Liberia
381	Falkland Islands			517	Libya
431	Federal Republic of Germany	421	Iceland	437	Liechtenstein
539	Fernando Poo	081	Idaho	122	Line Islands, Southern
721	Fiji	061	Illinois	461	Lithuania
429	Finland	641	India	461	Lithuanian S.S.R. (Lithuania)
035	Florida	045	Indiana	073	Louisiana
684	Formosa	673	Indies, Dutch East	434	Luxembourg
721	Fotuna	660	Indochina		
441	France	673	Indonesia		<b>M</b>
545	Free State (Orange Free State)	053	Iowa		
539	French Congo	637	Iran	686	Macao
333	French Guiana	627	Iraq	686	Macau
725	French Polynesia	620	Iraq-Saudi Arabian Neutral Zone	453	Macedonia
583	French Somaliland	410	Ireland (Eire)	555	Madagascar
530	French West Africa, NOS	404	Ireland, Northern	445	Madeira islands
245	French West Indies	410	Ireland, NOS	002	Maine
	<b>G</b>	410	Ireland, Republic of	555	Malagasy Republic
		401	Isle of Man	551	Malawi
539	Gabon	631	Israel	671	Malay Peninsula
345	Galapagos Islands	583	Issas	671	Malaysia
539	Gambia	447	Italy	640	Maldives
631	Gaza Strip	539	Ivory Coast	520	Mali
033	Georgia (U.S.A.)			491	Malta
633	Georgia (U.S.S.R.)		<b>J</b>	224	Manitoba
430	Germanic countries	423	Jan Mayen	129	Mariana Islands
431	German Democratic Republic	244	Jamaica	221	Maritime provinces, Canada
431	Germany	693	Japan	131	Marshall Islands
431	Germany, East	673	Java	245	Martinique
431	Germany, Federal Republic of	401	Jersey	021	Maryland
431	Germany, West	631	Jewish Palestine	005	Massachusetts
539	Ghana	127	Johnston Atoll	520	Mauritania
485	Gibraltar	625	Jordan	580	Mauritius
122	Gilbert Islands	453	Jugoslavia	580	Mayotte
471	Greece			490	Mediterranean Islands, Other
210	Greenland		<b>K</b>	721	Melanesian islands
245	Grenada			610	Mesopotamia, NOS
245	Grenadines, The	539	Kameroon	230	Mexico
245	Guadaloupe	663	Kampuchea	041	Michigan
126	Guam	065	Kansas	123	Micronesia islands
251	Guatamala	634	Kazakh S.S.R.	640	Mid-East Asia
401	Guernsey	634	Kazakhstan	132	Midway Islands
331	Guiana, British	047	Kentucky	052	Minnesota
332	Guiana, Dutch	575	Kenya	249	Miquelon
333	Guiana, French	634	Kirghiz S.S.R.	039	Mississippi
				063	Missouri

456	Moldavia		(Canada)	580	Reunion
456	Moldavian S.S.R.	423	Norway	006	Rhode Island
456	Moldova	998	Not United States, NOS	547	Rhodesia
441	Monaco	221	Nova Scotia	549	Rhodesia, Northern
691	Mongolia	227	Nunavut	547	Rhodesia, Southern
056	Montana	551	Nyasaland	539	Rio Muni
453	Montenegro			440	Romance-language countries
245	Montserrat		<b>O</b>	449	Romania
452	Moravia			449	Roumania
511	Morocco	043	Ohio	577	Ruanda
080	Mountain States	075	Oklahoma	449	Rumania
553	Mozambique	629	Oman	455	Russia, NOS
629	Muscat	223	Ontario	457	Russia, White
649	Myanmar	545	Orange Free State	455	Russian Federation
	(See Burma)	095	Oregon		(former U.S.S.R.)
		403	Orkney Islands	455	Russian S.F.S.R.
	<b>N</b>			577	Rwanda
			<b>P</b>	134	Ryukyu Islands
545	Namibia				<b>S</b>
133	Nampo-shoto, Southern	120	Pacific area, U.S. possessions		
545	Natal	720	Pacific islands		
723	Nauru	123	Pacific Islands, Trust Territory of	520	Sahara, Western
610	Near-East Asia		the (code to specific islands if	121	Samoa, American
067	Nebraska		possible)	725	Samoa, Western
643	Nepal	090	Pacific Coast States	245	St. Christopher-Nevis
432	Netherlands	639	Pakistan	580	St. Helena
245	Netherlands Antilles	645	Pakistan, East	245	St. Kitts (see St. Christopher-
332	Netherlands Guiana	639	Pakistan, West		Nevis)
085	Nevada	139	Palau (Trust Territory of the	245	St. Lucia
245	Nevis		Pacific Islands)	249	St. Pierre
221	New Brunswick	625	Palestine, Arab	245	St. Vincent
725	New Caledonia	631	Palestine, Jewish	447	San Marino
001	New England	631	Palestine, NOS	543	Sao Tome
673	New Guinea, except	631	Palestinian National Authority	447	Sardinia
	Australian and North East		(PNA)	224	Saskatchewan
711	New Guinea, Australian	257	Panama	629	Saudi Arabia
711	New Guinea, North East	711	Papua New Guinea	420	Scandinavia
003	New Hampshire	371	Paraguay	403	Scotland
721	New Hebrides	014	Pennsylvania	539	Senegal
008	New Jersey	629	People's Democratic Republic	453	Serbia
086	New Mexico		of Yemen	580	Seychelles
011	New York	682	People's Republic of China	403	Shetland Islands
715	New Zealand	637	Persia	651	Siam
221	Newfoundland	629	Persian Gulf States, NOS	447	Sicily
255	Nicaragua	351	Peru	539	Sierra Leone
520	Niger	675	Philippine Islands	643	Sikkim
531	Nigeria	675	Philippines	671	Singapore
715	Niue	725	Pitcairn	450	Slavic countries
711	Norfolk Island	451	Poland	453	Slavonia
671	North Borneo (Malaysia)	725	Polynesian islands	452	Slovak Republic
510	North Africa, NOS	445	Portugal	452	Slovakia
260	North America, NOS (use more	539	Portuguese Guinea	453	Slovenia
	specific term if possible)	224	Prairie Provinces, Canada	721	Solomon Islands
240	North American islands	221	Prince Edward Island	581	Somali Republic
025	North Carolina	543	Principe	581	Somalia
040	North Central States	101	Puerto Rico	581	Somaliland
054	North Dakota			583	Somaliland, French
711	North East New Guinea		<b>Q</b>	540	South Africa
695	North Korea			545	South Africa, Republic of
010	North Mid-Atlantic States	629	Qatar	545	South Africa, Union of
499	Northern Europe, NOS	222	Quebec	300	South America
404	Northern Ireland			380	South American islands
129	Northern Mariana Islands		<b>R</b>	026	South Carolina
050	Northern Midwest States			055	South Dakota
549	Northern Rhodesia	684	Republic of China	695	South Korea
225	Northwest Territories	545	Republic of South Africa	020	South Mid-Atlantic States

545	South West Africa		Republics (U.S.S.R.) (see individual republics)
650	Southeast Asia		
030	Southeastern States	629	United Arab Emirates
499	Southern Europe, NOS	519	United Arab Republic
122	Southern Line Islands	400	United Kingdom
070	Southern Midwest States	000	United States
133	Southern Nampo-shoto	102	U.S. Virgin Islands
547	Southern Rhodesia	999	Unknown
629	Southern Yemen	520	Upper Volta
—	Soviet Union (see individual republics)	375	Uruguay
		579	Urundi
443	Spain	084	Utah
520	Spanish Sahara	634	Uzbekistan
647	Sri Lanka	634	Uzbek S.S.R.
520	Sudan (Anglo-Egyptian Sudan)		
520	Sudanese countries		<b>V</b>
673	Sumatra	721	Vanuatu
332	Suriname	447	Vatican City
423	Svalbard	545	Venda
135	Swan Islands	321	Venezuela
545	Swaziland	004	Vermont
427	Sweden	665	Vietnam
435	Switzerland	102	Virgin Islands (U.S.)
621	Syria	245	Virgin Islands (British)
		023	Virginia
	<b>T</b>		
			<b>W</b>
634	Tadzhik S.S.R.		
684	Taiwan	137	Wake Island
634	Tajikistan	402	Wales
571	Tanzania	721	Wallis
571	Tanganyika	449	Wallachia
571	Tanzanyika	093	Washington (state)
031	Tennessee	022	Washington D.C.
077	Texas	530	West Africa, NOS
651	Thailand (Siam)	539	West African countries, other
685	Tibet	631	West Bank
245	Tobago	431	West Germany
539	Togo	245	West Indies, NOS (see also individual islands)
136	Tokelau Islands		
725	Tonga	639	West Pakistan
665	Tonkin	024	West Virginia
625	Trans-Jordan	499	Western Europe, NOS
545	Transkei	520	Western Sahara
545	Transvaal	725	Western Samoa
449	Transylvania	457	White Russia
245	Trinidad	245	Windward islands
517	Tripoli	051	Wisconsin
517	Tripolitania	082	Wyoming
629	Trucial States		
515	Tunisia		<b>Y</b>
611	Turkey		
634	Turkmen S.S.R.	629	Yemen
634	Turkmenistan	629	Yemen, People's Democratic Republic of
245	Turks Islands		
125	Tuvalu	453	Yugoslavia (former Yugoslavia region)
	<b>U</b>	225	Yukon Territory
573	Uganda		<b>Z</b>
456	Ukraine		
456	Ukranian S.S.R.	541	Zaire
404	Ulster	549	Zambia
545	Union of South Africa	571	Zanzibar
—	Union of Soviet Socialist	547	Zimbabwe

**Table Name: PEDSTAGE.DBF**

1	Stage I
1A	Stage IA
1B	Stage IB
2	Stage II
2A	Stage IIA
2B	Stage IIB
2C	Stage IIC
3	Stage III
3A	Stage IIIA
3B	Stage IIIB
3C	Stage IIIC
3D	Stage IIID
3E	Stage IIIE
4	Stage IV
4A	Stage IVA
4B	Stage IVB
4S	Stage IVS
5	Stage V
A	Stage A
B	Stage B
C	Stage C
D	Stage D
DS	Stage DS
88	Not applicable (not pediatric case)
99	Unstaged, unknown

**Table Name: REGID.DBF**

0000000200	Maine Cancer Incidence Registry	0000004100	Michigan Cancer Surveillance System
0000000300	New Hampshire State Cancer Registry	0000004101	Michigan Cancer Foundation, CA Surveillance Detroit Metropolitan Area
0000000400	Vermont Cancer Registry	0000004101	Detroit Metropolitan
0000000500	Massachusetts Cancer Registry	0000004300	Ohio Bureau of Chronic Disease
0000000580	Southeast Massachusetts Cancer Registry	0000004301	Cancer Data System, Inc.
0000000581	Greater Lowell Cancer Program	0000004301	Ohio-Cancer Data System, Inc.
0000000600	Rhode Island Cancer Registry	0000004500	Indiana State Cancer Registry
0000000700	Connecticut Tumor Registry	0000004700	Kentucky Cancer Registry
0000000800	New Jersey State Cancer Registry	0000005100	Wisconsin Cancer Reporting System
0000001100	New York State Cancer Registry	0000005200	Minnesota Cancer Surveillance System
0000001180	Rochester Regional Tumor Registry	0000005300	Iowa State Health Registry
0000001400	Pennsylvania Cancer Registry	0000005300	State Health Registry of Iowa
0000001480	Pennsylvania-Northeast Regional Cancer Ctr.	0000005400	North Dakota Cancer Registry
0000001480	Northeast Regional Cancer Center	0000005500	South Dakota Cancer Registry
0000001500	National Cancer Institute SEER Program	0000005600	Montana Central Tumor Registry
0000001500	SEER Program, National Cancer Institute	0000006100	Illinois State Cancer Registry
0000001501	SEER San Francisco-Oakland SMSA	0000006300	Missouri Cancer Registry
0000001502	SEER Connecticut	0000006500	Kansas-Cancer Data Service
0000001520	SEER Metropolitan Detroit	0000006500	Cancer Data Service
0000001521	SEER Hawaii	0000006700	Nebraska Cancer Registry
0000001522	SEER Iowa	0000007100	Arkansas CART I
0000001523	SEER New Mexico	0000007300	Louisiana Tumor Registry
0000001525	SEER Seattle-Puget Sound	0000007301	New Orleans Regional Cancer Registry
0000001526	SEER Utah	0000007301	Louisiana Region I
0000001527	SEER Metropolitan Atlanta	0000007302	Baton Rouge Regional Tumor Registry
0000001529	SEER Alaska Native	0000007302	Louisiana Region II
0000001531	SEER San Jose-Monterey	0000007303	Southeast Louisiana Regional Cancer Registry
0000001533	SEER Arizona Indians	0000007303	Louisiana Region III
0000001535	SEER Los Angeles	0000007304	Acadiana Tumor Registry
0000001537	SEER Rural Georgia	0000007304	Louisiana Region IV
0000001541	SEER California except LA, SF-Oak, and San Jose/Monterey	0000007305	Southwest Louisiana Regional Tumor Registry
0000001542	SEER Kentucky	0000007305	Louisiana Region V
0000001543	SEER Louisiana	0000007306	Central Louisiana Regional Tumor Registry
0000001544	SEER New Jersey	0000007306	Louisiana Region VI
0000001551	Cherokee Nation-Oklahoma (NCI funded)	0000007307	Northwest Louisiana Regional Tumor Registry
0000001680	National Cancer Data Base	0000007307	Louisiana Region VII
0000001700	Delaware State Cancer Registry	0000007308	Northeast Louisiana Regional Tumor Registry
0000001801	Central Brain Tumor Registry of the U.S.	0000007308	Louisiana Region VIII
0000001900	U.S. Army Central Registry (ACTUR)	0000007309	New Orleans/Southeast Louisiana Reg. CA RegLouisiana's regions I and III combined
0000001900	Automated Central Tumor Registry (ACTUR)	0000007310	North Louisiana Regional Tumor Registry; Louisiana's regions VI, VII, and VIII
0000002100	Maryland Cancer Registry	0000007500	Oklahoma State Department of Health
0000002200	District of Columbia Central Cancer Registry	0000007580	Eastern Oklahoma Regional Registry
0000002300	Virginia Cancer Registry	0000007580	Oklahoma-Eastern Regional Registry
0000002400	West Virginia Cancer Registry	0000007700	Texas Cancer Incidence Reporting System
0000002500	North Carolina Central Cancer Registry	0000008100	Cancer Data Registry of Idaho
0000002600	South Carolina Central Cancer Registry	0000008100	Idaho Cancer Data Registry
0000002601	Savannah River Region Cancer Registry in SC	0000008200	Wyoming Central Tumor Registry
0000002601	South Carolina - Savannah River Region in SC	0000008300	Colorado Central Cancer Registry
0000003100	Tennessee Cancer Reporting System	0000008400	Utah Cancer Registry
0000003300	Georgia Center for Cancer Statistics	0000008500	Nevada Statewide Cancer Registry
0000003300	Georgia Cancer Registry	0000008600	New Mexico Tumor Registry
0000003301	Georgia-Metropolitan Atlanta Cancer Registry	0000008601	Arizona Indians; data collected by New Mexico Tumor Reg.
0000003301	Metropolitan Atlanta Cancer Registry	0000008700	Arizona Cancer Registry
0000003302	Georgia-Rural Georgia Cancer Registry	0000009100	Alaska State Cancer Registry
0000003302	Rural Georgia Cancer Registry	0000009101	Alaska Area Native Health Service
0000003303	Georgia-Savannah River Region Cancer Registry	0000009300	Washington State Cancer Registry
0000003303	Savannah River Region Cancer Registry in GA		
0000003500	Florida Cancer Data System		
0000003700	Alabama State Cancer Registry		
0000003900	Mississippi State Cancer Registry		

0000009301 Cancer Surveillance System Fred Hutchinson;  
Seattle Puget Sound area, 13 counties  
0000009301 Washington-Seattle-Puget Sound  
0000009302 Eastern Washington State Cancer Registry  
0000009302 Washington - Eastern State Cancer Registry  
0000009380 Spokane Central Tumor Registry (multihospital)  
0000009380 Washington - Spokane Central Tumor Registry  
(multihospital)  
0000009500 Oregon State Cancer Registry  
0000009580 Sisters of Providence Cancer Registry  
0000009580 Oregon-Sisters of Providence Cancer Reg.  
0000009700 California Cancer Registry  
0000009701 California Region 1  
0000009701 San Jose-Monterey  
0000009701 Greater Bay Area Cancer Registry (Region 1)  
0000009702 California Region 2  
0000009702 Cancer Registry of Central California  
0000009703 California Region 3  
0000009703 Cancer Surveillance Program, Region 3  
0000009704 California Region 4  
0000009704 Tri-Counties Regional Cancer Registry  
0000009705 California Region 5  
0000009705 Cancer Surveillance Program, Region 5  
0000009706 California Region 6  
0000009706 Cancer Registry of Northern California  
0000009707 California Region 7  
0000009707 San Diego/Imperial Org. for Cancer Control  
0000009708 California Region 8  
0000009708 San Francisco-Oakland SMSA  
0000009708 Greater Bay Area Cancer Registry (Region 8)  
0000009709 California Region 9  
0000009709 Cancer Surveillance Program of Los Angeles  
0000009709 Los Angeles  
0000009710 California Region 10  
0000009710 Cancer Surveillance Program of Orange County  
0000009711 Greater Bay Area Cancer Registry; California's  
Regions 1 and 8 combined  
0000009711 California Greater Bay Area Cancer Registry  
0000009712 California CSPOC and SANDIOCC; California's  
Regions 7 and 10 combined  
0000009900 Hawaii Tumor Registry  
0010100000 Puerto Rico Central Cancer Registry  
0022000000 Canadian Cancer Registry  
0022001000 Newfoundland Cancer Treatment & Research Fnd.  
0022001100 Prince Edward Island Cancer Registry  
0022001200 Nova Scotia Cancer Registry  
0022001300 New Brunswick Provincial Cancer Registry  
0022002400 Fichier Des Tumeurs Du Quebec  
0022002400 Quebec Cancer Registry  
0022003500 Ontario Cancer Registry  
0022004600 Manitoba Cancer Registry  
0022004700 Saskatchewan Cancer Foundation  
0022004800 Alberta Cancer Registry  
0022005900 British Columbia Cancer Registry  
0022006000 Yukon Bureau of Statistics  
0022006100 Northwest Territories Department of Health  
0088820020 Veterans Health Administration

**Table Name: STATE.DBF**

AB	Alberta	TN	Tennessee
AK	Alaska	TT	Trust Territories
AL	Alabama	TX	Texas
AR	Arkansas	UM	US Minor Outlying Islands
AS	American Samoa	UT	Utah
AZ	Arizona	VA	Virginia
BC	British Columbia	VI	Virgin Islands
CA	California	VT	Vermont
CO	Colorado	WA	Washington
CT	Connecticut	WI	Wisconsin
DC	District of Columbia	WV	West Virginia
DE	Delaware	WY	Wyoming
FL	Florida	XX	Country Known, Not U.S., Not Canada
FM	Federated States of Micronesia	YT	Yukon Territories
GA	Georgia	YY	Country Unknown, Not U.S., Not Canada
GU	Guam	ZZ	U.S., NOS; Canada, NOS; Country Unknown
HI	Hawaii	AA	APO/FPO for Armed Services America
IA	Iowa	AE	APO/FPO for Armed Services Europe
ID	Idaho	AP	APO/FPO for Armed Services Pacific
IL	Illinois		
IN	Indiana		
KS	Kansas		
KY	Kentucky		
LA	Louisiana		
MA	Massachusetts		
MB	Manitoba		
MD	Maryland		
ME	Maine		
MH	Marshall Islands		
MI	Michigan		
MN	Minnesota		
MO	Missouri		
MP	Northern Mariana Islands		
MS	Mississippi		
MT	Montana		
NB	New Brunswick		
NC	North Carolina		
ND	North Dakota		
NE	Nebraska		
NL	Newfoundland and Labrador		
NH	New Hampshire		
NJ	New Jersey		
NM	New Mexico		
NS	Nova Scotia		
NT	Northwest Territories		
NU	Nunavut		
NV	Nevada		
NY	New York		
OH	Ohio		
OK	Oklahoma		
ON	Ontario		
OR	Oregon		
PA	Pennsylvania		
PE	Prince Edward Island		
PR	Puerto Rico		
PW	Palau		
QC	Quebec		
RI	Rhode Island		
SC	South Carolina		
SD	South Dakota		
SK	Saskatchewan		





## APPENDIX C

### ABBREVIATIONS AND ACRONYMS USED

AACCR	American Association of Central Cancer Registries
ACoS	American College of Surgeons
ACS	American Cancer Society
AJCC	American Joint Committee on Cancer
BNA	Block Numbering Area
CDC	Centers for Disease Control and Prevention
CIN	Cervical intraepithelial neoplasia
CIS	Carcinoma <i>in situ</i>
CLIA	Clinical Laboratory Improvement Act
COC	Commission on Cancer (of ACoS)
CPT	Current Procedural Terminology (codes)
CRC	Cyclic redundancy code
CS	Collaborative Staging
CTR	Certified Tumor Registrar
DAM	<i>Data Acquisition Manual</i> (of ACoS)
DCO	Death Certificate Only
EOD	Extent of Disease
FIPS	Federal Information Processing Standards
FORDS	<i>Facility Oncology Registry Data Standards</i> (manual of ACoS)
FTRO	<i>Fundamental Tumor Registry Operations Program</i> (of ACoS)
GenEDITS	Generic EDITS Driver Program
GIS	Geographic Information System
HCFA	Health Care Finance Administration
HIM	Health Information Management
IACR	International Association of Cancer Registrars
IARC	International Agency for Research on Cancer
ICD	International Classification of Diseases
ICD-O	<i>International Classification of Diseases for Oncology</i>
ICD-O-1	<i>International Classification of Diseases for Oncology</i> , First Edition
ICD-O-2	<i>International Classification of Diseases for Oncology</i> , Second Edition
ICD-O-3	<i>International Classification of Diseases for Oncology</i> , Third Edition
NAACCR	North American Association of Central Cancer Registries
NCDB	National Cancer Data Base
NCI	National Cancer Institute
NCRA	National Cancer Registrars Association
N.d.	No date (bibliographic term: no ascertainable place of publication)
NHIA	NAACCR Hispanic Identification Algorithm
PIN	Prostatic intraepithelial neoplasia
ROADS	<i>Registry Operations and Data Standards</i> (manual of ACoS)
SEER	Surveillance, Epidemiology, and End Results Program of NCI
SIL	Squamous intraepithelial lesion
SS	Summary Stage
TNM	Tumor, Nodes and Metastasis: staging system of AJCC and UICC
UDSC	Uniform Data Standards Committee of NAACCR
UICC	Union Internationale Contre le Cancer (in English, International Union Against Cancer)
USPS	United States Postal Service
WHO	World Health Organization



## APPENDIX D

## ALTERNATE NAMES

Following the item name are other names by which the same item is called, including the name used by the standard setter for the item. All other names are followed by the source of each name indicated with the following labels:

<b>COC</b>	Preferred name in the COC <i>FORDS/ROADS Manual</i> and Supplements
<b>COC pre-96</b>	Previously used name appearing in the COC <i>ROADS Manual</i>
<b>COC pre-98</b>	Previously used name appearing in the COC <i>ROADS Manual</i> before 1998
<b>NAACCR pre-98</b>	Previously used name appearing in NAACCR standards before 1998
<b>SEER</b>	Name in the <i>SEER Program Code Manual</i>
<b>SEER pre-98</b>	Previously used name appearing in SEER Manual before 1998

Item #	Item Name	Alternate Names
70	Addr at DX--City	City or Town (pre-96 COC) City/Town at Diagnosis (COC)
80	Addr at DX--State	State (pre-96 COC) State at Diagnosis (COC)
90	County at DX	County (pre-96 SEER/COC) County at Diagnosis (COC)
100	Addr at DX--Postal Code	Postal Code at Diagnosis (COC) ZIP Code (pre-COC)
110	Census Tract 1970/80/90	Census Tract/Block Numbering Area (BNA) (SEER) Census Tract
120	Census Cod Sys 1970/80/90	Census Coding System (COC) Coding System for Census Tract (pre-96 SEER/COC)
130	Census Tract 2000	Census Tract-Alternate
150	Marital Status at DX	Marital Status at Diagnosis (SEER/COC) Marital Status at Initial Diagnosis (pre-96 COC)
160	Race 1	Race
190	Spanish/Hispanic Origin	Spanish Origin--All Sources (96 COC) Spanish Surname or Origin (SEER)
192	IHS Link	Indian Health Service Linkage
240	Birth Date	Date of Birth (SEER/COC)
250	Birthplace	Place of Birth (SEER/COC)
364	Census Tr Cert 1970/80/90	Census Tract Certainty
380	Sequence Number--Central	Sequence Number (pre-96 SEER)
390	Date of Diagnosis	Date of Initial Diagnosis (COC)
410	Laterality	Laterality at Diagnosis (SEER)

Item #	Item Name	Alternate Names
420	Histology (92-00) ICD-O-2	Histology (COC)
440	Grade	Grade, Differentiation, or Cell Indicator (SEER) Grade/Differentiation (COC)
442	Ambiguous Terminology DX	Ambiguous Terminology as Basis for Diagnosis
443	Date of Conclusive DX	Date of Conclusive Diagnosis
444	Mult Tum Rpt as One Prim	Multiple Tumors Reported as Single Primary
447	Number of Tumors/Hist	Number of Tumors/Histologies
523	Behavior Code ICD-O-3	Behavior Code (COC)
540	Reporting Hospital	Institution ID Number (COC) Facility Identification Number (COC)
550	Accession Number--Hosp	Accession Number (COC)
560	Sequence Number--Hospital	Sequence Number (COC)
580	Date of 1st Contact	Date of Adm/1st Contact
590	Date of Inpatient Adm	Date of Inpatient Admission (COC)
600	Date of Inpatient Disch	Date of Inpatient Discharge (COC)
630	Primary Payer at DX	Primary Payer at Diagnosis (COC)
670	RX Hosp--Surg Prim Site	Cancer-Directed Surgery at this Facility (pre-96 COC) RX Hosp--CA Dir Surgery (pre 96 NAACCR) Surgical Procedure of Primary Site
672	RX Hosp--Scope Reg LN Sur	Scope of Regional Lymph Node Surgery at this Facility (COC)
674	RX Hosp--Surg Oth Reg/Dis	Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s) at this Facility (COC) Surgical Procedure/Other Site at this Facility
676	RX Hosp--Reg LN Removed	Number of Regional Lymph Nodes Examined at this Facility (COC) RX Hosp--Reg LN Examined
690	RX Hosp--Radiation	Radiation at this Facility (COC)
700	RX Hosp--Chemo	Chemotherapy at this Facility (COC)
710	RX Hosp--Hormone	Hormone Therapy at this Facility (COC)
720	RX Hosp--BRM	Immunotherapy at this Facility (COC)
730	RX Hosp--Other	Other Treatment at this Facility (COC)
740	RX Hosp--DX/Stg Proc	Non Cancer-Directed Surgery at this Facility (COC) Surgical Diagnostic & Staging Procedure at this Facility (1996-2002) RX Hosp--DX/Stg/Pall Proc
746	RX Hosp--Surg Site 98-02	Cancer-Directed Surgery at this Facility (pre-96 COC) RX Hosp--CA Dir Surgery (pre-96 NAACCR) Surgical Procedure of Primary Site
747	RX Hosp--Scope Reg 98-02	Scope of Regional Lymph Node Surgery at this Facility (COC)

Item #	Item Name	Alternate Names
748	RX Hosp--Surg Oth 98-02	Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s) at this Facility (COC) Surgical Procedure/Other Site at this Facility
760	SEER Summary Stage 1977	General Summary Stage (SEER/COC)
780	EOD--Tumor Size	Size of Primary Tumor (SEER) Size of Tumor (COC)
790	EOD--Extension	Extension (pre-96 SEER/COC) Extension (SEER EOD) (96 COC)
810	EOD--Lymph Node Involv	Lymph Nodes (pre-96 SEER/COC) Lymph Nodes (SEER EOD) (96 COC)
820	Regional Nodes Positive	Number of Positive Regional Lymph Nodes (SEER) Pathologic Review of Regional Lymph Nodes (SEER) Regional Lymph Nodes Positive
830	Regional Nodes Examined	Number of Regional Lymph Nodes Examined (SEER) Pathologic Review of Regional Lymph Nodes (SEER) Regional Lymph Nodes Examined
840	EOD--Old 13 Digit	13-Digit (Expanded) Site-Specific Extent of Disease (SEER) SEER EOD (SEER)
850	EOD--Old 2 Digit	2-Digit Nonspecific and 2-Digit Site-Specific Extent of Disease (1973-1982 SEER)
860	EOD--Old 4 Digit	4-Digit Extent of Disease (1983-1987 SEER)
870	Coding System for EOD	Coding System for Extent of Disease (SEER)
880	TNM Path T	Pathologic T (COC)
890	TNM Path N	Pathologic N (COC)
900	TNM Path M	Pathologic M (COC)
910	TNM Path Stage Group	Pathologic Stage Group (COC)
920	TNM Path Descriptor	Pathologic Stage (Prefix/Suffix) Descriptor (COC)
930	TNM Path Staged By	Staged By (Pathologic Stage) (COC)
940	TNM Clin T	Clinical T (COC)
950	TNM Clin N	Clinical N (COC)
960	TNM Clin M	Clinical M (COC)
970	TNM Clin Stage Group	Clinical Stage Group (COC)
980	TNM Clin Descriptor	Clinical Stage (Prefix/Suffix) Descriptor (COC)
990	TNM Clin Staged By	Staged By (Clinical Stage) (COC)
1080	Date of 1st Positive BX	Date of First Positive Biopsy (COC)
1090	Site of Distant Met 1	Site of Distant Metastasis #1 (COC)
1100	Site of Distant Met 2	Site of Distant Metastasis #2 (COC)
1110	Site of Distant Met 3	Site of Distant Metastasis #3 (COC)

Item #	Item Name	Alternate Names
1130	Pediatric Staging System	Type of Staging System (Pediatric) (COC)
1140	Pediatric Staged By	Staged By (Pediatric Stage) (COC)
1150	Tumor Marker 1	Tumor Marker One (COC)
1160	Tumor Marker 2	Tumor Marker Two (COC)
1170	Tumor Marker 3	Tumor Marker Three (COC)
1200	RX Date--Surgery	Date of Cancer-Directed Surgery (COC) Date of Surgery Date of First Surgical Procedure (COC)
1210	RX Date--Radiation	Date Radiation Started (COC)
1220	RX Date--Chemo	Date Chemotherapy Started (COC)
1230	RX Date--Hormone	Date Hormone Therapy Started (COC)
1240	RX Date--BRM	Date Immunotherapy Started (COC)
1250	RX Date--Other	Date Other Treatment Started (COC)
1260	Date of Initial RX--SEER	Date Therapy Initiated (SEER) Date Started (SEER)
1270	Date of 1st Crs RX--COC	Date of First Course Treatment (COC) Date Started (pre-96 COC)
1280	RX Date--DX/Stg Proc	Date of Non Cancer-Directed Surgery (COC) Date of Diagnostic, Staging or Palliative Procedures (1996-2002) Date of Surgical Diagnostic and Staging Procedure (COC) RX Date--DX/Stg/Pall Proc
1290	RX Summ--Surg Prim Site	Cancer-Directed Surgery (pre 96 COC) Surgery of Primary Site (SEER/COC)
1292	RX Summ--Scope Reg LN Sur	Scope of Regional Lymph Node Surgery (SEER/COC)
1294	RX Summ--Surg Oth Reg/Dis	Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Nodes (SEER/COC) Surgical Procedure/Other Site
1296	RX Summ--Reg LN Examined	Number of Regional Lymph Nodes Examined (SEER/COC) Number of Regional Lymph Nodes Removed (COC)
1310	RX Summ--Surgical Approach	Surgical Approach (COC)
1320	RX Summ--Surgical Margins	Surgical Margins (COC) Residual Primary Tumor Following Cancer-Directed Surgery (pre-96 COC)
1330	RX Summ--Reconstruct 1st	Reconstruction--First Course (SEER) Reconstruction/Restoration--First Course (COC)
1340	Reason for No Surgery	Reason for No Cancer-Directed Surgery (SEER) Reason for No CA Dir Surgery (COC) Reason for No Surgery of the Primary Site
1350	RX Summ--DX/Stg Proc	Non Cancer-Directed Surgery (COC) Surgical Diagnostic and Staging Procedure (1996-2002) RX Summ--DX/Stg/Pall Proc
1360	RX Summ--Radiation	Radiation (SEER/COC) Radiation Therapy (pre 96 COC)
1370	RX Summ--Rad to CNS	Radiation Therapy to CNS (COC) Radiation to the Brain and/or Central Nervous System (SEER)

Item #	Item Name	Alternate Names
1380	RX Summ--Surg/Rad Seq	Radiation Sequence with Surgery (pre-96 SEER/COC) Radiation/Surgery Sequence (COC)
1390	RX Summ--Chemo	Chemotherapy (SEER/COC)
1400	RX Summ--Hormone	Hormone Therapy (SEER/COC) Endocrine (Hormone/Steroid) Therapy (pre-96 SEER)
1410	RX Summ--BRM	Immunotherapy (SEER/COC) Biological Response Modifiers (pre-96 SEER)
1420	RX Summ--Other	Other Treatment (COC) Other Cancer-Directed Therapy (SEER/pre-96 COC)
1430	Reason for No Radiation	Reason for No Regional Radiation Therapy
1510	Rad--Regional Dose: CGY	Regional Dose: CGY (COC)
1520	Rad--No of Treatment Vol	Number of Treatments to this Volume (COC)
1540	Rad--Treatment Volume	Radiation Treatment Volume (COC)
1550	Rad--Location of RX	Location of Radiation Treatment (COC)
1570	Rad--Regional RX Modality	Regional Treatment Modality (COC)
1639	RX Summ--Systemic Sur Seq	Systemic/Surgery Sequence
1640	RX Summ--Surgery Type	Site--Specific Surgery (pre-98 SEER)
1646	RX Summ--Surg Site 98-02	Cancer-Directed Surgery (pre-96 COC) Surgery of Primary Site (SEER/COC)
1647	RX Summ--Scope Reg 98-02	Scope of Regional Lymph Node Surgery (SEER/COC)
1648	RX Summ--Surg Oth 98-02	Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Nodes (SEER/COC) Surgical Procedure/Other Site
1660	Subsq RX 2nd Course Date	Second Course of Therapy-Date Started (pre-96 COC)
1741	Subsq RX--Reconstruct Del	Reconstruction/Restoration--Delayed (COC)
1750	Date of Last Contact	Date of Last Contact or Death (COC) Date of Last Follow-Up or of Death (SEER)
1790	Follow-Up Source	Follow-Up Method (pre-96 COC)
1800	Next Follow-Up Source	Next Follow-Up Method (pre-96 COC)
1810	Addr Current--City	City/Town--Current (COC)
1820	Addr Current--State	State--Current (COC)
1830	Addr Current--Postal Code	Postal Code--Current (COC)
1860	Recurrence Date--1st	Date of First Recurrence (COC)
1880	Recurrence Type--1st	Type of First Recurrence (COC)
1910	Cause of Death	Underlying Cause of Death (SEER) Underlying Cause of Death (ICD Code) (pre-96 COC)

Item #	Item Name	Alternate Names
1920	ICD Revision Number	ICD Code Revision Used for Cause of Death (SEER)
1960	Site (73-91) ICD-O-1	Primary Site (1973-91) (SEER)
1980	ICD-O-2 Conversion Flag	Review Flag for 1973-91 Cases (SEER)
1981	Over-ride SS/NodesPos	Over-ride Summary Stage/Nodes Positive
1982	Over-ride SS/TNM-N	Over-ride Summary Stage/TNM-N
1983	Over-ride SS/TNM-M	Over-ride Summary Stage/TNM-M
1984	Over-ride SS/DisMet1	Over-ride Summary Stage/Distant Metastasis 1
1985	Over-ride Acsn/Class/Seq	Over-ride Accession/Class of Case Sequence
1986	Over-ride HospSeq/DxConf	Over-ride Hospital Sequence/Diagnostic Confirmation
1988	Over-ride HospSeq/Site	Over-ride Hospital Sequence/Site
1990	Over-ride Age/Site/Morph	Age/Site/Histology Interfield Review (Interfield Edit 15) (SEER #3)
2000	Over-ride SeqNo/DxConf	Sequence Number/Diagnostic Confirmation Interfield Review (Interfield Edit 23) (SEER #4)
2010	Over-ride Site/Lat/SeqNo	Site/Histology/Laterality/Sequence Number Interrecord Review (Interrecord Edit 09) (SEER #5)
2020	Over-ride Surg/DxConf	Surgery/Diagnostic Confirmation Interfield Review (Interfield Edit 46) (SEER #6)
2030	Over-ride Site/Type	Site/Type Interfield Review (Interfield Edit 25) (SEER #1)
2040	Over-ride Histology	Histology/Behavior Interfield Review (Field Item Edit Morph) (SEER #2)
2050	Over-ride Report Source	Type of Reporting Source/Sequence Number Interfield Review (Interfield Edit 04) (SEER #7)
2060	Over-ride Ill-define Site	Sequence Number/Ill-defined Site Interfield Review (Interfield Edit 22) (SEER #8)
2070	Over-ride Leuk, Lymphoma	Leukemia or Lymphoma/Diagnostic Confirmation Interfield Review (Interfield Edit 48) (SEER #9)
2071	Over-ride Site/Behavior	Over-ride Flag for Site/Behavior (IF39) (SEER #11)
2072	Over-ride Site/EOD/DX Dt	Over-ride Flag for Site/EOD/Diagnosis Date (IF40) (SEER #13)
2073	Over-ride Site/Lat/EOD	Over-ride Flag for Site/Laterality/EOD (IF41) (SEER #12)
2074	Over-ride Site/Lat/Morph	Over-ride Flag for Site/Laterality/Morphology (IF42) (SEER #13)
2110	Date Case Report Exported	Date Case Transmitted (pre 98 NAACCR)
2140	COC Coding Sys--Current	Commission on Cancer Coding System--Current (COC)
2180	SEER Type of Follow-Up	Type of Follow-Up (SEER)
2190	SEER Record Number	Record Number (SEER)
2200	Diagnostic Proc 73-87	Diagnostic Procedures (1973-87 SEER)



Item #	Item Name	Alternate Names
2230	Name--Last	Last Name (COC)
2240	Name--First	First Name (COC)
2250	Name--Middle	Middle Name (COC) Middle Initial (pre-96 COC)
2260	Name--Prefix	Name Prefix (COC)
2270	Name--Suffix	Name Suffix (COC)
2280	Name--Alias	Alias (COC)
2310	Military Record No Suffix	Military Medical Record Number Suffix (COC)
2330	Addr at DX--No & Street	Patient Address (Number and Street) at Diagnosis (COC) Number and Street (pre-96 COC)
2335	Addr at DX--Supplementl	Patient Address (Number and Street) at Diagnosis--Supplemental (COC)
2350	Addr Current--No & Street	Patient Address (Number and Street)--Current (COC)
2355	Addr Current--Supplementl	Patient Address (Number and Street) Current--Supplemental (COC)
2390	Name--Maiden	Maiden Name (COC)
2410	Institution Referred From	Facility Referred From
2420	Institution Referred To	Facility Referred To
2460	Physician--Managing	Managing Physician (COC) Attending Physician (pre-96 COC)
2470	Physician--Follow-Up	Following Physician (COC) Follow-Up Physician (pre-96 COC)
2480	Physician--Primary Surg	Primary Surgeon (COC)
2490	Physician 3	Physician #3 (COC) Other Physician (pre-96 COC)
2500	Physician 4	Physician #4 (COC) Other Physician (pre-96 COC)
2820	CS Tumor Size/Ext Eval	CS Tumor Size/Extension Evaluation
2830	CS Lymph Nodes	CS Lymph Nodes (SEER EOD)
2840	CS Reg Nodes Eval	CS Regional Nodes Evaluation
2850	CS Mets at DX	CS Metastasis at Diagnosis
2860	CS Mets Eval	CS Metastasis Evaluation
2940	Derived AJCC T	Derived T
2950	Derived AJCC T Descriptor	Derived T Descriptor
2960	Derived AJCC N	Derived N
2970	Derived AJCC N Descriptor	Derived N Descriptor

Item #	Item Name	Alternate Names
2980	Derived AJCC M	Derived M
2990	Derived AJCC M Descriptor	Derived M Descriptor
3000	Derived AJCC Stage Group	Derived Stage Group
3010	Derived SS1977	Derived SEER Summary Stage 1977
3020	Derived SS2000	Derived SEER Summary Stage 2000
3030	Derived AJCC--Flag	AJCC Conversion Flag
3040	Derived SS1977--Flag	SS 1977 Conversion Flag
3050	Derived SS2000--Flag	SS 2000 Conversion Flag
3110	Comorbid/Complication 1	Comorbidities and Complications #1 Secodnary Diagnoses
3120	Comorbid/Complication 2	Comorbidities and Complications #2 Secodnary Diagnoses
3130	Comorbid/Complication 3	Comorbidities and Complications #3 Secodnary Diagnoses
3140	Comorbid/Complication 4	Comorbidities and Complications #4 Secodnary Diagnoses
3150	Comorbid/Complication 5	Comorbidities and Complications #5 Secodnary Diagnoses
3160	Comorbid/Complication 6	Comorbidities and Complications #6 Secodnary Diagnoses
3161	Comorbid/Complication 7	Comorbidities and Complications #7 Secondary Diagnoses
3162	Comorbid/Complication 8	Comorbidities and Complications #8 Secondary Diagnoses
3163	Comorbid/Complication 9	Comorbidities and Complications #9 Secondary Diagnoses
3164	Comorbid/Complication 10	Comorbidities and Complications #10 Secondary Diagnoses
3165	ICD Revision Comorbid	ICD Revision Comorbidities
3170	RX Date--Most Defin Surg	Date of Most Definitive Surgical Resection of the Primary Site
3180	RX Date--Surgical Disch	Date of Surgical Discharge
3190	Readm Same Hosp 30 Days	Readmission to the Same Hospital Within 30 Days of Surgical Discharge
3200	Rad--Boost RX Modality	Boost Radiation Treatment Modality
3210	Rad--Boost Dose cGy	Boost Radiation Dose cGy
3220	RX Date--Radiation Ended	Date Radiation Ended
3230	RX Date--Systemic	Date Systemic Therapy Started
3250	RX Summ--Transplnt/Endocr	Hematologic Transplant and Endocrine Procedures
3270	RX Summ--Palliative Proc	Palliative Procedure Palliative Care

<b>Item #</b>	<b>Item Name</b>	<b>Alternate Names</b>
3280	RX Hosp--Palliative Proc	Palliative Procedure at this Facility Palliative Care at this Facility
3300	RuralUrban Continuum 1993	Beale Code
3310	RuralUrban Continuum 2000	Beale Code



## APPENDIX E

## GROUPED DATA ITEMS

Item Name [Item#]	Length	Column #
<b>Extent of Disease 10-Dig [779]</b>	12	531-542
Subfields:		
EOD--Tumor Size[780]	3	531-533
EOD--Extension [790]	2	534-535
EOD--Extension Prost Path [800]	2	536-537
EOD--Lymph Node Involv [810]	1	538-538
Regional Nodes Positive [820]	2	539-540
Regional Nodes Examined [830]	2	541-542
<b>Morph (73-91) ICD-O-1 [1970]</b>	6	1141-1146
Subfields:		
Histology (73-91) ICD-O-1 [1971]	4	1141-1144
Behavior (73-91) ICD-O-1 [1972]	1	1145-1145
Grade (73-91) ICD-O-1 [1973]	1	1146-1146
<b>Morph--Type&amp;Behav ICD-O-2 [419]</b>	5	296-300
Subfields:		
Histology (92-00) ICD-O-2 [420]	4	296-299
Behavior (92-00) ICD-O-2 [430]	1	300-300
<b>Morph--Type&amp;Behav ICD-O-3 [521]</b>	5	301-305
Subfields:		
Histologic Type ICD-O-3 [522]	4	301-304
Behavior Type ICD-O-3 [523]	1	305-305
<b>Subsq RX 2nd Course Codes [1670]</b>	7	996-1002
Subsq RX 2nd Course Surg [1671]	2	996-997
Subsq RX 2nd Course Rad [1672]	1	998-998
Subsq RX 2nd Course Chemo [1673]	1	999-999
Subsq RX 2nd Course Horm [1674]	1	1000-1000
Subsq RX 2nd Course BRM [1675]	1	1001-1001
Subsq RX 2nd Course Oth [1676]	1	1002-1002
<b>Subsq RX 3rd Course Codes [1690]</b>	7	1011-1017
Subsq RX 3rd Course Surg [1691]	2	1011-1012
Subsq RX 3rd Course Rad [1692]	1	1013-1013
Subsq RX 3rd Course Chemo [1693]	1	1014-1014
Subsq RX 3rd Course Horm [1694]	1	1015-1015
Subsq RX 3rd Course BRM [1695]	1	1016-1016
Subsq RX 3rd Course Oth [1696]	1	1017-1017

<b>Item Name [Item#]</b>	<b>Length</b>	<b>Column #</b>
<b>Subsq RX 4th Course Codes [1710]</b>	7	1026-1032
Subsq RX 4th Course Surg [1711]	2	1026-1027
Subsq RX 4th Course Rad [1712]	1	1028-1028
Subsq RX 4th Course Chemo [1713]	1	1029-1029
Subsq RX 4th Course Horm [1714]	1	1030-1030
Subsq RX 4th Course BRM [1715]	1	1031-1031
Subsq RX 4th Course Oth [1716]	1	1032-1032

## APPENDIX F

## TABLES AND DATA DICTIONARY REVISIONS

Item #	Item Name	Record Layout Note	Required Status Note	Data Descriptor Note	Data Dictionary Description	Data Dictionary Rationale	Data Dictionary Codes
10	Record Type		Revised				
20	Patient ID Number		Revised				
21	Patient System ID-Hosp	New	New	New	New	New	New
30	Registry Type		Revised			Revised	
35	FIN Coding System		Revised				
37	Reserved 00		Revised				
40	Registry ID		Revised		Revised	Revised	
50	NAACCR Record Version		Revised	Revised			Revised
60	Tumor Record Number		Revised				
70	Addr at DX--City		Revised				
80	Addr at DX--State		Revised				
90	County at DX		Revised				
100	Addr at DX--Postal Code		Revised				
110	Census Tract 1970/80/90		Revised				
120	Census Cod Sys 1970/80/90		Revised				
130	Census Tract 2000		Revised	Revised			Revised
150	Marital Status at DX		Revised				
160	Race 1		Revised				
161	Race 2		Revised				
162	Race 3		Revised				
163	Race 4		Revised				
164	Race 5		Revised				
170	Race Coding Sys--Current		Revised				
180	Race Coding Sys--Original		Revised				
190	Spanish/Hispanic Origin		Revised				
191	NHIA Derived Hisp Origin		Revised				
192	IHS Link	New	New	New	New	New	New
200	Computed Ethnicity		Revised				
210	Computed Ethnicity Source		Revised				
220	Sex		Revised				
230	Age at Diagnosis		Revised				
240	Birth Date		Revised		Revised		
250	Birthplace		Revised				
260	Religion		Revised				
270	Occupation Code--Census		Revised				
280	Industry Code--Census		Revised				
290	Occupation Source		Revised				
300	Industry Source		Revised				
310	Text--Usual Occupation		Revised				
320	Text--Usual Industry		Revised				
330	Occup/Ind Coding System		Revised				
340	Tobacco History		Revised				
350	Alcohol History		Revised				
360	Family History of Cancer		Revised				

Item #	Item Name	Record Layout Note	Required Status Note	Data Descriptor Note	Data Dictionary Description	Data Dictionary Rationale	Data Dictionary Codes
362	Census Tract Block Group		Revised				
364	Census Tr Cert 1970/80/90		Revised	Revised			Revised
365	Census Tr Certainty 2000		Revised	Revised			Revised
366	GIS Coordinate Quality	New	New	New	New	New	New
370	Reserved 01	Revised	Revised				
380	Sequence Number--Central		Revised				
390	Date of Diagnosis		Revised				
400	Primary Site		Revised	Revised			
410	Laterality		Revised				
420	Histology (92-00) ICD-O-2		Revised	Revised			
430	Behavior (92-00) ICD-O-2		Revised	Revised			
440	Grade		Revised				
442	Ambiguous Terminology DX	New	New	New	New	New	New
443	Date of Conclusive DX	New	New	New	New	New	New
444	Mult Tum Rpt as One Prim	New	New	New	New	New	New
445	Date of Multiple Tumors	New	New	New	New	New	New
446	Multiplicity Counter	New	New	New	New	New	New
447	Number of Tumors/Hist	New	New	New	New	New	New
450	Site Coding Sys--Current		Revised				
460	Site Coding Sys--Original		Revised				
470	Morph Coding Sys--Current		Revised				
480	Morph Coding Sys--Originl		Revised				
490	Diagnostic Confirmation		Revised				
500	Type of Reporting Source		Revised		Revised	Revised	Revised
501	Casefinding Source	New	New	New	New	New	New
510	Screening Date		Revised				
520	Screening Result		Revised				
522	Histologic Type ICD-O-3		Revised	Revised			
523	Behavior Code ICD-O-3		Revised	Revised			
530	Reserved 02	Revised	Revised				
535	Reserved 25	New	New	New	New	New	New
540	Reporting Hospital		Revised		Revised	Revised	
550	Accession Number--Hosp		Revised		Revised	Revised	
560	Sequence Number--Hospital		Revised				
570	Abstracted By		Revised				
580	Date of 1st Contact		Revised				
590	Date of Inpatient Adm		Revised				
600	Date of Inpatient Disch		Revised				
610	Class of Case		Revised				
615	Reserved 26	New	New	New	New	New	New
630	Primary Payer at DX		Revised				Revised
635	Reserved 27	New	New	New	New	New	New
670	RX Hosp--Surg Prim Site		Revised				
672	RX Hosp--Scope Reg LN Sur		Revised				
674	RX Hosp--Surg Oth Reg/Dis		Revised				
676	RX Hosp--Reg LN Removed		Revised				
680	Reserved 03	Revised	Revised				
690	RX Hosp--Radiation		Revised				
700	RX Hosp--Chemo		Revised				



Item #	Item Name	Record Layout Note	Required Status Note	Data Descriptor Note	Data Dictionary Description	Data Dictionary Rationale	Data Dictionary Codes
710	RX Hosp--Hormone		Revised				
720	RX Hosp--BRM		Revised				
730	RX Hosp--Other		Revised				
740	RX Hosp--DX/Stg Proc		Revised				
741	Reserved 28	New	New	New	New	New	New
746	RX Hosp--Surg Site 98-02		Revised	Revised			
747	RX Hosp--Scope Reg 98-02		Revised	Revised			
748	RX Hosp--Surg Oth 98-02		Revised	Revised			
750	Reserved 04		Revised				
759	SEER Summary Stage 2000		Revised				
760	SEER Summary Stage 1977		Revised				
765	Reserved 29	New	New	New	New	New	New
780	EOD--Tumor Size		Revised				
790	EOD--Extension		Revised				
800	EOD--Extension Prost Path		Revised				
810	EOD--Lymph Node Involv		Revised				
820	Regional Nodes Positive		Revised		Revised	Revised	
830	Regional Nodes Examined		Revised		Revised	Revised	
840	EOD--Old 13 Digit		Revised				
850	EOD--Old 2 Digit		Revised				
860	EOD--Old 4 Digit		Revised				
870	Coding System for EOD		Revised				
880	TNM Path T		Revised				
890	TNM Path N		Revised				
900	TNM Path M		Revised				
910	TNM Path Stage Group		Revised				
920	TNM Path Descriptor		Revised				
930	TNM Path Staged By		Revised				
940	TNM Clin T		Revised				
950	TNM Clin N		Revised				
960	TNM Clin M		Revised				
970	TNM Clin Stage Group		Revised				
980	TNM Clin Descriptor		Revised				
990	TNM Clin Staged By		Revised				
995	Reserved 30	New	New	New	New	New	New
1060	TNM Edition Number		Revised				
1065	Reserved 31	New	New	New	New	New	New
1080	Date of 1st Positive BX		Revised				
1090	Site of Distant Met 1		Revised				
1100	Site of Distant Met 2		Revised				
1110	Site of Distant Met 3		Revised				
1120	Pediatric Stage		Revised				
1130	Pediatric Staging System		Revised				
1140	Pediatric Staged By		Revised				
1150	Tumor Marker 1		Revised				
1160	Tumor Marker 2		Revised				
1170	Tumor Marker 3		Revised				
1180	Reserved 05	Revised	Revised				
1190	Reserved 06		Revised				

Item #	Item Name	Record Layout Note	Required Status Note	Data Descriptor Note	Data Dictionary Description	Data Dictionary Rationale	Data Dictionary Codes
1200	RX Date--Surgery		Revised				
1210	RX Date--Radiation		Revised				
1220	RX Date--Chemo		Revised				
1230	RX Date--Hormone		Revised				
1240	RX Date--BRM		Revised				
1250	RX Date--Other		Revised				
1260	Date of Initial RX--SEER		Revised				
1270	Date of 1st Crs RX--COC		Revised				
1280	RX Date--DX/Stg Proc		Revised				
1290	RX Summ--Surg Prim Site		Revised				
1292	RX Summ--Scope Reg LN Sur		Revised				
1294	RX Summ--Surg Oth Reg/Dis		Revised				
1296	RX Summ--Reg LN Examined		Revised				
1300	Reserved 07		Revised				
1310	RX Summ--Surgical Approch		Revised				
1320	RX Summ--Surgical Margins		Revised				
1330	RX Summ--Reconstruct 1st		Revised				
1340	Reason for No Surgery		Revised			Revised	
1350	RX Summ--DX/Stg Proc		Revised				
1355	Reserved 22		Revised				
1360	RX Summ--Radiation		Revised				
1370	RX Summ--Rad to CNS		Revised				
1380	RX Summ--Surg/Rad Seq		Revised				
1390	RX Summ--Chemo		Revised				
1400	RX Summ--Hormone		Revised				
1410	RX Summ--BRM		Revised				
1420	RX Summ--Other		Revised				
1430	Reason for No Radiation		Revised				
1435	Reserved 32	New	New	New	New	New	New
1460	RX Coding System--Current		Revised				
1465	Reserved 33	New	New	New	New	New	New
1500	First Course Calc Method		Revised				
1510	Rad--Regional Dose: CGY		Revised				
1520	Rad--No of Treatment Vol		Revised				
1535	Reserved 34	New	New	New	New	New	New
1540	Rad--Treatment Volume		Revised				
1550	Rad--Location of RX		Revised		Revised		
1555	Reserved 35	New	New	New	New	New	New
1570	Rad--Regional RX Modality		Revised				
1635	Reserved 23	Revised	Revised				
1639	RX Summ--Systemic Sur Seq	New	New	New	New	New	New
1640	RX Summ--Surgery Type		Revised				
1641	Reserved 36	New	New	New	New	New	New
1646	RX Summ--Surg Site 98-02		Revised	Revised			
1647	RX Summ--Scope Reg 98-02		Revised	Revised			
1648	RX Summ--Surg Oth 98-02		Revised	Revised			
1650	Reserved 08		Revised				
1660	Subsq RX 2nd Course Date		Revised				
1670	Subsq RX 2nd Course Codes		Revised				

Item #	Item Name	Record Layout Note	Required Status Note	Data Descriptor Note	Data Dictionary Description	Data Dictionary Rationale	Data Dictionary Codes
1671	Subsq RX 2nd Course Surg		Revised				
1672	Subsq RX 2nd Course Rad		Revised				
1673	Subsq RX 2nd Course Chemo		Revised				
1674	Subsq RX 2nd Course Horm		Revised				
1675	Subsq RX 2nd Course BRM		Revised				
1676	Subsq RX 2nd Course Oth		Revised				
1677	Subsq RX 2nd--Scope LN SU		Revised				
1678	Subsq RX 2nd--Surg Oth		Revised				
1679	Subsq RX 2nd--Reg LN Rem		Revised				
1680	Subsq RX 3rd Course Date		Revised				
1690	Subsq RX 3rd Course Codes		Revised				
1691	Subsq RX 3rd Course Surg		Revised				
1692	Subsq RX 3rd Course Rad		Revised				
1693	Subsq RX 3rd Course Chemo		Revised				
1694	Subsq RX 3rd Course Horm		Revised				
1695	Subsq RX 3rd Course BRM		Revised				
1696	Subsq RX 3rd Course Oth		Revised				
1697	Subsq RX 3rd--Scope LN Su		Revised				
1698	Subsq RX 3rd--Surg Oth		Revised				
1699	Subsq RX 3rd--Reg LN Rem		Revised				
1700	Subsq RX 4th Course Date		Revised				
1710	Subsq RX 4th Course Codes		Revised				
1711	Subsq RX 4th Course Surg		Revised				
1712	Subsq RX 4th Course Rad		Revised				
1713	Subsq RX 4th Course Chemo		Revised				
1714	Subsq RX 4th Course Horm		Revised				
1715	Subsq RX 4th Course BRM		Revised				
1716	Subsq RX 4th Course Oth		Revised				
1717	Subsq RX 4th--Scope LN Su		Revised				
1718	Subsq RX 4th--Surg Oth		Revised				
1719	Subsq RX 4th--Reg LN Rem		Revised				
1725	Reserved 37	New	New	New	New	New	New
1726	Reserved 38	New	New	New	New	New	New
1740	Reserved 09	Revised	Revised				
1741	Subsq RX--Reconstruct Del		Revised				
1750	Date of Last Contact		Revised				
1760	Vital Status		Revised				
1770	Cancer Status		Revised		Revised		
1780	Quality of Survival		Revised				
1790	Follow-Up Source		Revised				
1791	Follow-up Source Central	New	New	New	New	New	New
1800	Next Follow-Up Source		Revised				
1810	Addr Current--City		Revised				
1820	Addr Current--State		Revised				
1830	Addr Current--Postal Code		Revised				
1835	Reserved 10		Revised				
1840	County--Current		Revised				
1842	Follow-Up Contact--City		Revised				
1844	Follow-Up Contact--State		Revised				

Item #	Item Name	Record Layout Note	Required Status Note	Data Descriptor Note	Data Dictionary Description	Data Dictionary Rationale	Data Dictionary Codes
1846	Follow-Up Contact--Postal		Revised				
1850	Unusual Follow-Up Method		Revised				
1860	Recurrence Date--1st		Revised				
1871	Recurrence Distant Site 1		Revised				
1872	Recurrence Distant Site 2		Revised				
1873	Recurrence Distant Site 3		Revised				
1880	Recurrence Type--1st		Revised				
1895	Reserved 39	New	New	New	New	New	New
1900	Reserved 11		Revised				
1910	Cause of Death		Revised				
1920	ICD Revision Number		Revised				
1930	Autopsy		Revised				
1940	Place of Death		Revised				
1950	Reserved 12		Revised				
1960	Site (73-91) ICD-O-1		Revised				
1971	Histology (73-91) ICD-O-1		Revised				
1972	Behavior (73-91) ICD-O-1		Revised				
1973	Grade (73-91) ICD-O-1		Revised				
1980	ICD-O-2 Conversion Flag		Revised				
1981	Over-ride SS/NodesPos		Revised				
1982	Over-ride SS/TNM-N		Revised				
1983	Over-ride SS/TNM-M		Revised				
1984	Over-ride SS/DisMet1		Revised				
1985	Over-ride Acsn/Class/Seq		Revised				
1986	Over-ride HospSeq/DxConf		Revised				
1987	Over-ride COC-Site/Type		Revised				
1988	Over-ride HospSeq/Site		Revised				
1989	Over-ride Site/TNM-StgGrp		Revised				
1990	Over-ride Age/Site/Morph		Revised				
2000	Over-ride SeqNo/DxConf		Revised				
2010	Over-ride Site/Lat/SeqNo		Revised				
2020	Over-ride Surg/DxConf		Revised				
2030	Over-ride Site/Type		Revised				
2040	Over-ride Histology		Revised				
2050	Over-ride Report Source		Revised				
2060	Over-ride Ill-define Site		Revised				
2070	Over-ride Leuk, Lymphoma		Revised				
2071	Over-ride Site/Behavior		Revised				
2072	Over-ride Site/EOD/DX Dt		Revised				
2073	Over-ride Site/Lat/EOD		Revised				
2074	Over-ride Site/Lat/Morph		Revised				
2081	CRC CHECKSUM		Revised				
2082	Reserved 24		Revised				
2090	Date Case Completed		Revised				
2100	Date Case Last Changed		Revised				
2110	Date Case Report Exported		Revised				
2111	Date Case Report Received		Revised				
2112	Date Case Report Loaded		Revised				
2113	Date Tumor Record Availbl		Revised				

Item #	Item Name	Record Layout Note	Required Status Note	Data Descriptor Note	Data Dictionary Description	Data Dictionary Rationale	Data Dictionary Codes
2116	ICD-O-3 Conversion Flag		Revised				
2120	SEER Coding Sys--Current		Revised				Revised
2130	SEER Coding Sys--Original		Revised				Revised
2140	COC Coding Sys--Current		Revised				
2150	COC Coding Sys--Original		Revised				
2170	Vendor Name		Revised				
2180	SEER Type of Follow-Up		Revised				
2190	SEER Record Number		Revised				
2200	Diagnostic Proc 73-87		Revised				
2220	State/Requestor Items		Revised				
2230	Name--Last		Revised				
2240	Name--First		Revised				
2250	Name--Middle		Revised				
2260	Name--Prefix		Revised				
2270	Name--Suffix		Revised				
2280	Name--Alias		Revised				
2290	Name--Spouse/Parent		Revised				
2300	Medical Record Number		Revised				
2310	Military Record No Suffix		Revised	Revised			
2320	Social Security Number		Revised				
2330	Addr at DX--No & Street		Revised				
2335	Addr at DX--Supplementl		Revised				
2350	Addr Current--No & Street		Revised				
2352	Latitude		Revised				
2354	Longitude		Revised				
2355	Addr Current--Supplementl		Revised				
2360	Telephone		Revised				
2380	DC State File Number		Revised				
2390	Name--Maiden		Revised			Revised	
2392	Follow-Up Contact--No&St		Revised		Revised		
2393	Follow-Up Contact--Suppl		Revised		Revised		
2394	Follow-Up Contact--Name		Revised		Revised		
2410	Institution Referred From		Revised				
2420	Institution Referred To		Revised				
2435	Reserved 40	New	New	New	New	New	New
2440	Following Registry		Revised				
2460	Physician--Managing		Revised				
2470	Physician--Follow-Up		Revised				
2480	Physician--Primary Surg		Revised				
2490	Physician 3		Revised				Revised
2500	Physician 4		Revised				Revised
2520	Text--DX Proc--PE		Revised				
2530	Text--DX Proc--X-ray/Scan		Revised				
2540	Text--DX Proc--Scopes		Revised				
2550	Text--DX Proc--Lab Tests		Revised				
2560	Text--DX Proc--Op		Revised				
2570	Text--DX Proc--Path		Revised				
2580	Text--Primary Site Title		Revised				
2590	Text--Histology Title		Revised				

Item #	Item Name	Record Layout Note	Required Status Note	Data Descriptor Note	Data Dictionary Description	Data Dictionary Rationale	Data Dictionary Codes
2600	Text--Staging		Revised				
2610	RX Text--Surgery		Revised				
2620	RX Text--Radiation (Beam)		Revised				
2630	RX Text--Radiation Other		Revised				
2640	RX Text--Chemo		Revised				
2650	RX Text--Hormone		Revised				
2660	RX Text--BRM		Revised				
2670	RX Text--Other		Revised				
2680	Text--Remarks		Revised				
2690	Place of Diagnosis		Revised				
2700	Reserved 19		Revised				
2800	CS Tumor Size		Revised				
2810	CS Extension		Revised				
2820	CS Tumor Size/Ext Eval		Revised				
2830	CS Lymph Nodes		Revised				
2840	CS Reg Node Eval		Revised				
2850	CS Mets at DX		Revised				
2860	CS Mets Eval		Revised				
2880	CS Site-Specific Factor 1		Revised				
2890	CS Site-Specific Factor 2		Revised				
2900	CS Site-Specific Factor 3		Revised				
2910	CS Site-Specific Factor 4		Revised				
2920	CS Site-Specific Factor 5		Revised				
2930	CS Site-Specific Factor 6		Revised				
2935	CS Version 1st		Revised				
2936	CS Version Latest		Revised				
2940	Derived AJCC T		Revised	Revised			
2950	Derived AJCC T Descriptor		Revised				
2960	Derived AJCC N		Revised	Revised			
2970	Derived AJCC N Descriptor		Revised				
2980	Derived AJCC M		Revised	Revised			
2990	Derived AJCC M Descriptor		Revised				
3000	Derived AJCC Stage Group		Revised	Revised			
3010	Derived SS1977		Revised				
3020	Derived SS2000		Revised				
3030	Derived AJCC--Flag		Revised				
3040	Derived SS1977--Flag		Revised				
3050	Derived SS2000--Flag		Revised				
3100	Archive FIN		Revised				
3110	Comorbid/Complication 1		Revised		Revised		
3120	Comorbid/Complication 2		Revised		Revised		
3130	Comorbid/Complication 3		Revised		Revised		
3140	Comorbid/Complication 4		Revised		Revised		
3150	Comorbid/Complication 5		Revised		Revised		
3160	Comorbid/Complication 6		Revised		Revised		
3161	Comorbid/Complication 7	New	New	New	New	New	New
3162	Comorbid/Complication 8	New	New	New	New	New	New
3163	Comorbid/Complication 9	New	New	New	New	New	New
3164	Comorbid/Complication 10	New	New	New	New	New	New

Item #	Item Name	Record Layout Note	Required Status Note	Data Descriptor Note	Data Dictionary Description	Data Dictionary Rationale	Data Dictionary Codes
3165	ICD Revision Comorbid	New	New	New	New	New	New
3170	RX Date--Most Defin Surg		Revised				
3180	RX Date--Surgical Disch		Revised				
3190	Readm Same Hosp 30 Days		Revised		Revised		
3200	Rad--Boost RX Modality		Revised				
3210	Rad--Boost Dose cGy		Revised				
3220	RX Date--Radiation Ended		Revised				
3230	RX Date--Systemic		Revised				
3250	RX Summ--Transplnt/Endocr		Revised		Revised		Revised
3270	RX Summ--Palliative Proc		Revised		Revised	Revised	Revised
3280	RX Hosp--Palliative Proc		Revised		Revised	Revised	Revised
3300	RuralUrban Continuum 1993		Revised				
3310	RuralUrban Continuum 2000		Revised				





## **APPENDIX G**

### **RECOMMENDED ABBREVIATIONS FOR ABSTRACTORS**

The use of abbreviations in cancer abstraction is becoming more commonplace as the demands on abstractors increase. Abbreviations often are used by cancer abstractors to shorten the written narratives entered into text fields to facilitate the electronic storage and transmission of the information. However, abbreviations can generate confusion, because abbreviations may vary among different institutions and even between different specialties within the same institution. To be useful, an abbreviation must be clearly understood by any individual who encounters it. Consequently, the use of abbreviations is a useful abstracting practice only if universally recognized and understood abbreviations are used.

The NAACCR Recommended Abbreviations Listings were developed for utilization by cancer report abstractors and the agencies to which they submit their data. These lists were compiled to reduce some of the confusion that can result from the use of common and not-so-common abbreviations when abstracting reports of cancer from the medical record. Although the lists may shed some light on abbreviations used in the medical record, please note that these lists are intended to be used as a primary reference by the cancer abstractor, to help abstract necessary information into a limited number of text fields for storage and transmission of cancer information.

The NAACCR Recommended Abbreviations Listings consist of two main lists of almost 500 word/terms and their recommended abbreviations/symbols, as well as a special table delineating context-sensitive abbreviations. The first main listing is ordered by word/term to enable the look-up of a recommended abbreviation for a particular word or term, and the second main listing is ordered by abbreviation/symbol to enable the look-up of the word or term for a particular abbreviation or symbol. The context-sensitive abbreviations list consists of a subset of the abbreviations from the main lists where a different context for the same abbreviation conveys a different meaning (for example, CA may mean calcium or carcinoma/ML may mean milliliter or middle lobe). For these context-sensitive abbreviations, the meaning of the abbreviation should be readily apparent from the context in which it is used.

The listings were compiled from abbreviation lists from SEER Book 3, the NAACCR Pathology Committee, the Veterans Administration, Dr. Jay Piccirillo's comorbid conditions training materials, the Florida Cancer Data System, and the California Cancer Registry. Terms included in the lists are limited to those that are commonly utilized when abstracting cancer information. The listings are not exhaustive, but many of the most commonly used terms were included. Abbreviations for chemotherapy drugs and/or regimens are not included. Please note that although abbreviations are presented in uppercase, either upper- or lowercase may be utilized when entering abbreviations within abstraction software. When abstracting into text fields, the use of abbreviations should be limited to those that appear on these lists whenever practical. Abbreviations and symbols should be used carefully. Any questions or suggestions for new/modified abbreviations may be e-mailed to either of the current Chairpersons of the NAACCR Registry Operations Committee.

**NAACCR RECOMMENDED ABBREVIATION LIST  
ORDERED BY WORD/TERM(S)**

WORD/TERM(S)	ABBREVIATION/SYMBOL
Abdomen (abdominal)	ABD
Abdominal perineal	AP
Abnormal	ABN
Above	^
Above knee (amputation)	AK(A)
Absent/Absence	ABS
Abstract/Abstracted	ABST
Achilles tendon reflex	ATR
Acid phosphatase	ACID PHOS
Acquired Immune Deficiency Syndrome	AIDS
Activities of daily living	ADL
Acute granulocytic leukemia	AGL
Acute lymphocytic leukemia	ALL
Acute myelogenous leukemia	AML
Acute myocardial infarction	AMI
Acute Respiratory Distress (Disease) Syndrome	ARDS
Acute tubular necrosis	ATN
Acute renal failure	ARF
Adenocarcinoma	ADENOCA
Adenosine triphosphate	ATP
Adjacent	ADJ
Adult-onset Diabetes Mellitus	AODM
Admission/Admit	ADM
Adrenal cortical hormone	ACH
Adrenal cortex	AC
Adrenocorticotrophic hormone	ACTH
Affirmative	AFF
Against medical advice	AMA
AIDS-related condition (complex)	ARC
AIDS-related disease	ARD
Air contrast barium enema	ACBE
Albumin	ALB
Alcohol	ETOH
Alkaline phosphatase	ALK PHOS
Alpha-fetoprotein	AFP
Also known as	AKA
Ambulatory	AMB
Amount	AMT
Amputation	AMP
Amyotrophic lateral sclerosis	ALS
Anal intraepithelial neoplasia, grade III	AIN III

WORD/TERM(S)	ABBREVIATION/SYMBOL
Anaplastic	ANAP
And	&
Angiography/Angiogram	ANGIO
Anterior	ANT
Anteroposterior	AP
Antidiuretic hormone	ADH
Antigen	AG
Aortic stenosis	A-STEN
Appendix	APP
Apparently	APPL'Y
Approximately	APPROX
Arrhythmia	ARRHY
Arterial blood gases	ABG
Arteriosclerotic cardiovascular disease	ASCVD
Arteriosclerotic heart disease	ASHD
Arteriosclerotic Peripheral Vascular Disease	ASPVD
Arteriosclerosis/Arteriosclerotic	AS
Arteriovenous	AV
Arteriovenous malformation	AVM
Artery (ial)	ART
Ascending colon	A-COLON
Aspiration	ASP
Aspirin, Acetylsalicylic acid	ASA
As soon as possible	ASAP
At	@
Atrial fibrillation	A FIB
Atrial flutter	A FLUTTER
Atrial stenosis/insufficiency/incompetence	AI
Atrial premature complexes	APC
Auscultation & percussion	A&P
Autonomic nervous system	ANS
Autopsy	AUT
Autoimmune hemolytic anemia	AIHA
Average	AVG
Axilla(ry)	AX
Bacillus Calmette-Guerin	BCG
Barium	BA
Barium enema	BE
Bartholin's, Urethral & Skene's	BUS
Basal cell carcinoma	BCC
Before noon	AM
Below knee (amputation)	BK(A)
Benign prostatic hypertrophy/hyperplasia	BPH
Bilateral	BIL

WORD/TERM(S)	ABBREVIATION/SYMBOL
Bilateral salpingo-oophorectomy	BSO
Bile duct	BD
Biological response modifier	BRM
Biopsy	BX
Bipolar affective disorder	BAD
Black female	B/F
Black male	B/M
Bladder tumor	BT
Blood pressure	BP
Blood urea nitrogen	BUN
Blood volume	BV
Bone marrow	BM
Bone marrow transplant	BMT
Bowel movement	BM
Brother	BRO
Calcium	CA
Capsule (s)	CAP(S)
Carcinoembryonic antigen	CEA
Carcinoma	CA
Carcinoma <i>in situ</i>	CIS
Cardiovascular disease	CVD
CAT/CT scan/Computerized axial tomography	CT
Centimeter	CM
Central nervous system	CNS
Cerebrospinal fluid	CSF
Cerebrovascular accident	CVA
Cervical intraepithelial neoplasia	CIN
Cervical intraepithelial neoplasia, grade III	CIN III
Cervical vertebrae	C1-C7
Cervical spine	C-SPINE
Change	CHG
Chemotherapy	CHEMO
Chest X-ray	CXR
Chronic	CHR
Chronic granulocytic leukemia	CGL
Chronic lymphocytic leukemia	CLL
Chronic myeloid (myelocytic) leukemia	CML
Chronic obstructive lung disease	COLD
Chronic obstructive pulmonary disease	COPD
Chronic renal failure	CRF
Chronic ulcerative colitis	CUC
Cigarettes	CIG
Clear	CLR
Cobalt 60	CO60

WORD/TERM(S)	ABBREVIATION/SYMBOL
Collaborative stage	CS
Colon, Ascending	A-COLON
Colon, Descending	D-COLON
Colon, Sigmoid	SIG COLON
Colon, Transverse	TRANS-COLON
Colony-stimulating factor	C-SF
Complaint (-ning) of	C/O
Complete blood count	CBC
Congenital heart disease	CHD
Congestive heart failure	CHF
Consistent with	C/W
Continue/continuous	CONT
Contralateral	CONTRA
Coronary artery bypass graft	CABG
Coronary artery disease	CAD
Coronary care unit	CCU
Cubic centimeter	CC
Cystoscopy	CYSTO
Cytology	CYTO
Cystic fibrosis	CF
Date of birth	DOB
Date of death	DOD
Dead on arrival	DOA
Decrease(d)	DECR
Deep tendon reflex	DTR
Deep vein thrombosis	DVT
Deoxyribonucleic acid	DNA
Descending colon	D-COLON
Dermatology	DERM
Diabetes mellitus	DM
Diagnosis	DX
Diameter	DIAM
Diethylstilbestrol	DES
Differentiated/differential	DIFF
Digital rectal examination	DRE
Dilatation and curettage	D&C
Discharge	DISCH
Discontinue(d)	DC
Disease	DZ
Disseminated intravascular coagulopathy	DIC
Ductal carcinoma <i>in situ</i>	DCIS
Dyspnea on exertion	DOE
Ears, nose, and throat	ENT

WORD/TERM(S)	ABBREVIATION/SYMBOL
Electrocardiogram	ECG/EKG
Electroencephalogram	EEG
Electromyogram	EMG
Emergency room	ER
Endoscopic retrograde cholangiopancreatography	ERCP
End stage renal disease	ESRD
Enlarged	ENLGD
Equal(s)	=
Esophagogastro-duodenoscopy	EGD
Estrogen receptor (assay)	ER, ERA
Evaluation	EVAL
Every	Q
Every day	QD
Examination	EXAM
Excision/excised	EXC(D)
Expired	EXP
Exploratory	EXPL
Exploratory laparotomy	EXPL LAP
Extend/extension	EXT
Fever of unknown origin	FUO
Fine needle aspiration	FNA
Fine needle aspiration biopsy	FNAB
Floor of mouth	FOM
Fluid	FL
Fluoroscopy	FLURO
Follow-up	FU
For example	E.G.
Fracture	FX
Frequent/Frequency	FREQ
Frozen section	FS
Full thickness skin graft	FTSG
Gallbladder	GB
Gastroesophageal	GE
Gastroesophageal reflux disease	GERD
Gastrointestinal	GI
General/Generalized	GEN
Genitourinary	GU
Grade	GR
Greater/Greater than	>
Gynecology	GYN
Hematocrit	HCT
Hemoglobin	HGB

WORD/TERM(S)	ABBREVIATION/SYMBOL
Hepatitis A (virus)	HAV
Hepatitis B (virus)	HBV
Hepatitis C (virus)	HCV
Hepatitis D (virus)	HDV
Hepatosplenomegaly	HSM
History	HX
History and physical	H&P
History of	H/O
Hormone	HORM
Hospital	HOSP
Hour/Hours	HR(S)
Human chorionic gonadotropin	HCG
Human Immunodeficiency Virus	HIV
Human Papilloma Virus	HPV
Human T-Lymphotropic Virus, (Type III)	HTLV
Hypertension	HTN
Hypertensive cardiovascular disease	HCVD
Hypertensive vascular disease	HVD
Hysterectomy	HYST
Idiopathic hypertrophic subaortic stenosis	IHSS
Idiopathic thrombocytopenia	ITP
Immunoglobulin	IG
Immunohistochemical	IHC
Impression	IMP
Incision & drainage	I&D
Includes/Including	INCL
Increase(d)	INCR
Inferior	INF
Inferior vena cava	IVC
Infiltrating	INFILT
Inflammatory bowel disease	IBD
Inpatient	IP
Insulin-dependent diabetes mellitus	IDDM
Intensive care unit	ICU
Intercostal margin	ICM
Intercostal space	ICS
Intermittent positive pressure breathing	IPPB
Internal	INT
Interstitial lung disease	ILD
Intramuscular	IM
Intrathecal	IT
Intravenous	IV
Intravenous cholangiogram	IVCA
Intravenous pyelogram	IVP

WORD/TERM(S)	ABBREVIATION/SYMBOL
Invade(s)/invading/invasion	INV
Involve(s)/involvement/involving	INVL
Ipsilateral	IPSI
Irregular	IRREG
Jugular venous distention	JVD
Juvenile rheumatic arthritis	JRA
Kaposi sarcoma	KS
Kidneys, ureters, bladder	KUB
Kilogram	KG
Kilovolt	KV
laboratory	LAB
Lactic dehydrogenase	LDH
Laparotomy	LAP
Large	LRG
Last menstrual period	LMP
Lateral	LAT
Left	LT
Left bundle branch block	LBBB
Left costal margin	LCM
Left lower extremity	LLE
Left lower lobe	LLL
Left lower quadrant	LLQ
Left salpingo-oophorectomy	LSO
Left upper extremity	LUE
Left upper lobe	LUL
Left upper quadrant	LUQ
Left upper outer quadrant	LUOQ
Less/Less than	<
Licensed practical nurse	LPN
Linear accelerator	LINAC
Liver/spleen scan	LS SCAN
Lower extremity	LE
Lower inner quadrant	LIQ
Lower outer quadrant	LOQ
Lumbar vertebra	L1-L5
Lumbar spine	L-SPINE
Lumbosacral	LS
Lymphadenopathy-associated virus	LAV
Lymph node(s)	LN(S)
Lymph node dissection	LND
Lupus erythematosus	LUP ERYTH



WORD/TERM(S)	ABBREVIATION/SYMBOL
Macrophage colony-stimulating factor	M-CSF
Magnetic resonance imaging	MRI
Magnetic resonance cholangiopancreatography	MRCP
Main stem bronchus	MSB
Malignant	MALIG
Mandible/mandibular	MAND
Maximum	MAX
Medical center	MC
Medication	MED
Metastatic/Metastasis	METS
Methicillin Resistant Staphylococcus Aureus	MRSA
Microgram	MCG
Microscopic	MICRO
Middle lobe	ML
Millicurie (hours)	MC(H)
Milligram (hours)	MG(H)
Milliliter	ML
Millimeter	MM
Million electron volts	MEV
Minimum	MIN
Minus	-
Minute	MIN
Mitral valve prolapse	MVP
Mixed combined immunodeficiency	MCID
Mixed connective tissue disease	MCTD
Moderate (ly)	MOD
Moderately differentiated	MD, MOD DIFF
Modified radical mastectomy	MRM
More/More than	>
Multifocal arterial tachycardia	MAT
Multifocal premature ventricular contraction	MPVC
Multiple	MULT
Multiple sclerosis	MS
Multiple myeloma	MM
Myasthenia gravis	MG
Myocardial infarction	MI
Neck vein distention	NVD
Negative	NEG
Negative	-
Neoplasm	NEOPL
Neurology	NEURO
No evidence of disease	NED
No significant findings	NSF
Non-Hodgkins lymphoma	NHL

<b>WORD/TERM(S)</b>	<b>ABBREVIATION/SYMBOL</b>
Normal	NL
Non small cell carcinoma	NSCCA
Not applicable	NA
Not otherwise specified	NOS
Not recorded	NR
Number	#
Nursing home	NH
Obstetrics	OB
Obstructed (-ing, -ion)	OBST
Operating room	OR
Operative report	OP RPT
Organic brain syndrome	OBS
Orthopedics	ORTHO
Otology	OTO
Ounce	OZ
Outpatient	OP
Packs per day	PPD
Palpated (-able)	PALP
Papanicolaou smear	PAP
Papillary	PAP
Past/personal (medical) history	PMH
Pathology	PATH
Patient	PT
Pediatrics	PEDS
Pelvic inflammatory disease	PID
Peptic ulcer disease	PUD
Percutaneous	PERC
Percutaneous transhepatic cholecystogram	PTC
Peripheral vascular disease	PVD
Prescription	RX
Primary medical physician	PMP
Phosphorus 32	P32
Physical examination	PE
Physiotherapy/Physical therapy	PT
Platelets	PLT
Plus	+
Poorly differentiated	PD, POOR DIFF
Positive	POS
Positive	+
Positron emission tomography	PET
Possible	POSS
Posterior	POST
Postoperative (-ly)	POST OP

WORD/TERM(S)	ABBREVIATION/SYMBOL
Pound(s)	LB(S)
Pound(s)	#
Premature atrial contraction	PAC
Preoperative (-ly)	PRE OP
Previous	PREV
Prior to admission	PTA
Probable (-ly)	PROB
Proctoscopy	PROCTO
Progesterone receptor (assay)	PR, PRA
Prostatic intraepithelial neoplasia, grade III	PIN III
Prostatic specific antigen	PSA
Pulmonary	PULM
Quadrant	QUAD
Radiation absorbed dose	RAD
Radiation therapy	RT
Radioimmunoassay	RIA
Received	REC'D
Red blood cells (count)	RBC
Regarding	RE
Regional medical center	RMC
Regular	REG
Regular sinus rhythm	RSR
Resection (ed)	RESEC
Review of outside films	ROF
Review of outside slides	ROS
Rheumatoid arthritis	RA
Rheumatic heart disease	RHD
Right	RT
Right bundle branch block	RBBB
Right costal margin	RCM
Right inner quadrant	RIQ
Right lower extremity	RLE
Right lower lobe	RLL
Right lower quadrant	RLQ
Right middle lobe	RML
Right outer quadrant	ROQ
Right salpingo-oophorectomy	RSO
Right upper extremity	RUE
Right upper lobe	RUL
Right upper quadrant	RUQ
Rule out	R/O
Sacral spine	S-SPINE

WORD/TERM(S)	ABBREVIATION/SYMBOL
Sacral vertebra	S1-S5
Salpingo-oophorectomy	SO
Satisfactory	SATIS
Serum glutamic oxaloacetic transaminase	SGOT
Serum glutamic pyruvic transaminase	SGPT
Severe combined immunodeficiency syndrome	SCID
Short(ness) of breath	SOB
Sick sinus syndrome	SSS
Sigmoid colon	SIG COLON
Small	SM
Small bowel	SB
Specimen	SPEC
Spine, Cervical	C-SPINE
Spine, Lumbar	L-SPINE
Spine, Sacral	S-SPINE
Spine, Thoracic	T-SPINE
Split thickness skin graft	STSG
Squamous	SQ
Squamous cell carcinoma	SCC
Status post	S/P
Subcutaneous	SUBCU
Summary stage	SS
Superior vena cava	SVC
Surgery/Surgical	SURG
Suspicious/suspected	SUSP
Symptoms	SX
Syndrome of inappropriate ADH	SIADH
Systemic lupus erythematosus	SLE
Thoracic spine	T-SPINE
Thromboticthrombocytopenia purpura	TTP
Times	X
Total abdominal hysterectomy	TAH
Total abdominal hysterectomy- bilateral salpingo-oophorectomy	TAH-BSO
Total vaginal hysterectomy	TVH
Transient ischemic attack	TIA
Transitional cell carcinoma	TCC
Transurethral resection	TUR
Transurethral resection bladder	TURB
Transurethral resection prostate	TURP
Transverse colon	TRANS-COLON
Treatment	TX
True vocal cord	TVC
Tuberculosis	TB
Twice a day (daily)	BID

<b>WORD/TERM(S)</b>	<b>ABBREVIATION/SYMBOL</b>
Ultrasound	US
Undifferentiated	UNDIFF
Unknown	UNK
Upper extremity	UE
Upper gastrointestinal (series)	UGI
Upper inner quadrant	UIQ
Upper outer quadrant	UOQ
Upper respiratory infection	URI
Urinary tract infection	UTI
Vagina/Vaginal	VAG
Vaginal hysterectomy	VAG HYST
Vaginal intraepithelial neoplasia (grade III)	VAIN III
Vulvar intraepithelial neoplasia (grade III)	VIN III
Well differentiated	WD, WELL DIFF
White blood cells (count)	WBC
White female	W/F
White male	W/M
With	W/
Within normal limits	WNL
Without	W/O
Wolff-Parkinson-White syndrome	WPW
Work-up	W/U
Xray	XR
Year	YR

**NAACCR RECOMMENDED ABBREVIATION LIST  
ORDERED BY ABBREVIATION/SYMBOL**

ABBREVIATION/SYMBOL	WORD/TERM(S)
^	above
@	at
&	and
<	less, less than
=	equals
>	greater than, more, more than
-	negative, minus
#	number, pound(s)
+	plus, positive
X	times
A-COLON	Ascending colon
A FIB	Atrial fibrillation
A FLUTTER	Atrial flutter
A-STEN	Aortic stenosis
A&P	Auscultation & percussion
ABD	Abdomen (abdominal)
ABG	Arterial blood gases
ABN	Abnormal
ABS	Absent/Absence
ABST	Abstract/Abstracted
AC	Adrenal cortex
ACBE	Air contrast barium enema
ACH	Adrenal cortical hormone
ACID PHOS	Acid phosphatase
ACTH	Adrenocorticotrophic hormone
ADENOCA	Adenocarcinoma
ADH	Antidiuretic hormone
ADJ	Adjacent
ADL	Activities of daily living
ADM	Admission/Admit
AFF	Affirmative
AFP	Alpha-fetoprotein
AG	Antigen
AGL	Acute granulocytic leukemia
AI	Atrial stenosis/insufficiency/incompetence
AIDS	Acquired Immune Deficiency Syndrome
AIHA	Autoimmune hemolytic anemia
AIN III	Anal intraepithelial neoplasia, grade III
AK(A)	Above knee (amputation)
AKA	Also known as
ALB	Albumin

<b>ABBREVIATION/SYMBOL</b>	<b>WORD/TERM(S)</b>
ALK PHOS	Alkaline phosphatase
ALL	Acute lymphocytic leukemia
ALS	Amyotrophic lateral sclerosis
AM	Before noon
AMA	Against medical advice
AMB	Ambulatory
AMI	Acute myocardial infarction
AML	Acute myelogenous leukemia
AMP	Amputation
AMT	Amount
ANAP	Anaplastic
ANGIO	Angiography/Angiogram
ANS	Autonomic nervous system
ANT	Anterior
AODM	Adult-onset Diabetes Mellitus
AP	Abdominal perineal
AP	Anteroposterior
APC	Atrial premature complexes
APP	Appendix
APPL'Y	Apparently
APPROX	Approximately
ARC	AIDS-related condition (complex)
ARD	AIDS-related disease
ARDS	Acute Respiratory Distress (Disease) Syndrome
ARF	Acute renal failure
ARRHY	Arrhythmia
ART	Artery (ial)
AS	Arteriosclerosis/Arteriosclerotic
ASA	Aspirin, Acetylsalicylic acid
ASAP	As soon as possible
ASCVD	Arteriosclerotic cardiovascular disease
ASHD	Arteriosclerotic heart disease
ASP	Aspiration
ASPVD	Arteriosclerotic Peripheral Vascular Disease
ATN	Acute tubular necrosis
ATP	Adenosine triphosphate
ATR	Achilles tendon reflex
AUT	Autopsy
AV	Arteriovenous
AVG	Average
AVM	Arteriovenous malformation
AX	Axilla(ry)
B/F	Black female
B/M	Black male

<b>ABBREVIATION/SYMBOL</b>	<b>WORD/TERM(S)</b>
BA	Barium
BAD	Bipolar affective disorder
BCC	Basal cell carcinoma
BCG	Bacillus Calmette-Guerin
BD	Bile duct
BE	Barium enema
BID	Twice a day (daily)
BIL	Bilateral
BK(A)	Below knee (amputation)
BM	Bone marrow
BM	Bowel movement
BMT	Bone marrow transplant
BP	Blood pressure
BPH	Benign prostatic hypertrophy/hyperplasia
BRM	Biological response modifier
BRO	Brother
BSO	Bilateral salpingo-oophorectomy
BT	Bladder tumor
BUN	Blood urea nitrogen
BUS	Bartholin's, Urethral & Skene's
BV	Blood volume
BX	Biopsy
C/O	Complaint (-ning) of
C/W	Consistent with
C1-C7	Cervical vertebrae
CA	Calcium
CA	Carcinoma
CABG	Coronary artery bypass graft
CAD	Coronary artery disease
CAP(S)	Capsule (s)
CBC	Complete blood count
CC	Cubic centimeter
CCU	Coronary care unit
CEA	Carcinoembryonic antigen
CF	Cystic fibrosis
CGL	Chronic granulocytic leukemia
CHD	Congenital heart disease
CHEMO	Chemotherapy
CHF	Congestive heart failure
CHG	Change
CHR	Chronic
CIG	Cigarettes
CIN	Cervical intraepithelial neoplasia
CIN III	Cervical intraepithelial neoplasia, grade III



ABBREVIATION/SYMBOL	WORD/TERM(S)
CIS	Carcinoma <i>in situ</i>
CLL	Chronic lymphocytic leukemia
CLR	Clear
CM	Centimeter
CML	Chronic myeloid (myelocytic) leukemia
CNS	Central nervous system
CO60	Cobalt 60
COLD	Chronic obstructive lung disease
CONT	Continue/continuous
CONTRA	Contralateral
COPD	Chronic obstructive pulmonary disease
CRF	Chronic renal failure
CS	Collaborative stage
CSF	Cerebrospinal fluid
C-SF	Colony stimulating factor
C-SPINE	Cervical spine
CT	CAT/CT scan/Computerized axial tomography
CUC	Chronic ulcerative colitis
CVA	Cerebrovascular accident
CVD	Cardiovascular disease
CXR	Chest X-ray
CYSTO	Cystoscopy
CYTO	Cytology
D-COLON	Descending colon
D&C	Dilatation and curettage
DC	Discontinue(d)
DCIS	Ductal carcinoma <i>in situ</i>
DECR	Decrease(d)
DERM	Dermatology
DES	Diethylstilbestrol
DIAM	Diameter
DIC	Disseminated intravascular coagulopathy
DIFF	Differentiated/differential
DISCH	Discharge
DM	Diabetes mellitus
DNA	Deoxyribonucleic acid
DOA	Dead on arrival
DOB	Date of birth
DOD	Date of death
DOE	Dyspnea on exertion
DRE	Digital rectal examination
DTR	Deep tendon reflex
DVT	Deep vein thrombosis
DX	Diagnosis

<b>ABBREVIATION/SYMBOL</b>	<b>WORD/TERM(S)</b>
DZ	Disease
E.G.	For example
ECG/EKG	Electrocardiogram
EEG	Electroencephalogram
EGD	Esophagogastro-duodenoscopy
EMG	Electromyogram
ENLGD	Enlarged
ENT	Ears, nose, and throat
ER	Emergency room
ER, ERA	Estrogen receptor (assay)
ERCP	Endoscopic retrograde cholangiopancreatography
ESRD	End stage renal disease
ETOH	Alcohol
EVAL	Evaluation
EXAM	Examination
EXC(D)	Excision/excised
EXP	Expired
EXPL	Exploratory
EXPL LAP	Exploratory laparotomy
EXT	Extend/extension
FL	Fluid
FLURO	Fluoroscopy
FNA	Fine needle aspiration
FNAB	Fine needle aspiration biopsy
FOM	Floor of mouth
FREQ	Frequent/Frequency
FS	Frozen section
FTSG	Full thickness skin graft
FU	Follow-up
FUO	Fever of unknown origin
FX	Fracture
GB	Gallbladder
GE	Gastroesophageal
GEN	General/Generalized
GERD	Gastroesophageal reflux disease
GI	Gastrointestinal
GR	Grade
GU	Genitourinary
GYN	Gynecology
H&P	History and physical
H/O	History of

<b>ABBREVIATION/SYMBOL</b>	<b>WORD/TERM(S)</b>
HAV	Hepatitis A (virus)
HBV	Hepatitis B (virus)
HCG	Human chorionic gonadotropin
HCT	Hematocrit
HCV	Hepatitis C (virus)
HCVD	Hypertensive cardiovascular disease
HDV	Hepatitis D (virus)
HGB	Hemoglobin
HIV	Human Immunodeficiency Virus
HORM	Hormone
HOSP	Hospital
HPV	Human Papilloma Virus
HR(S)	Hour/Hours
HSM	Hepatosplenomegaly
HTLV	Human T-Lymphotropic Virus, (Type III)
HTN	Hypertension
HVD	Hypertensive vascular disease
HX	History
HYST	Hysterectomy
I&D	Incision & drainage
IBD	Inflammatory bowel disease
ICM	Intercostal margin
ICS	Intercostal space
ICU	Intensive care unit
IDDM	Insulin-dependent diabetes mellitus
IG	Immunoglobulin
IHC	Immunohistochemical
IHSS	Idiopathic hypertrophic subaortic stenosis
ILD	Interstitial lung disease
IM	Intramuscular
IMP	Impression
INCL	Includes/Including
INCR	Increase(d)
INF	Inferior
INFILT	Infiltrating
INT	Internal
INV	Invade(s)/invading/invasion
INVL	Involve(s)/involvement/involving
IP	Inpatient
IPPB	Intermittent positive pressure breathing
IPSI	Ipsilateral
IRREG	Irregular
IT	Intrathecal
ITP	Idiopathic thrombocytopenia

ABBREVIATION/SYMBOL	WORD/TERM(S)
IV	Intravenous
IVC	Inferior vena cava
IVCA	Intravenous cholangiogram
IVP	Intravenous pyelogram
JRA	Juvenile rheumatic arthritis
JVD	Jugular venous distention
KG	Kilogram
KS	Kaposi sarcoma
KUB	Kidneys, ureters, bladder
KV	Kilovolt
L-SPINE	Lumbar spine
L1-L5	Lumbar vertebra
LAB	laboratory
LAP	Laparotomy
LAT	Lateral
LAV	Lymphadenopathy-associated virus
LB	Pound
LBBB	Left bundle branch block
LCM	Left costal margin
LDH	Lactic dehydrogenase
LE	Lower extremity
LINAC	Linear accelerator
LIQ	Lower inner quadrant
LLE	Left lower extremity
LLL	Left lower lobe
LLQ	Left lower quadrant
LMP	Last menstrual period
LN(S)	Lymph node(s)
LND	Lymph node dissection
LOQ	Lower outer quadrant
LPN	Licensed practical nurse
LRG	Large
LS	Lumbosacral
LS SCAN	Liver/spleen scan
LSO	Left salpingo-oophorectomy
LT	Left
LUE	Left upper extremity
LUL	Left upper lobe
LUOQ	Left upper outer quadrant
LUP ERYTH	Lupus erythematosus
LUQ	Left upper quadrant

ABBREVIATION/SYMBOL	WORD/TERM(S)
M-CSF	Macrophage colony-stimulating factor
MALIG	Malignant
MAND	Mandible/mandibular
MAT	Multifocal arterial tachycardia
MAX	Maximum
MC	Medical center
MC(H)	Millicurie (hours)
MCG	Microgram
MCID	Mixed combined immunodeficiency
MCTD	Mixed connective tissue disease
MD	Moderately differentiated
MED	Medication
METS	Metastatic/Metastasis
MEV	Million electron volts
MG	Myasthenia gravis
MG(H)	Milligram (hours)
MI	Myocardial infarction
MICRO	Microscopic
MIN	Minimum
MIN	Minute
ML	Middle lobe
ML	Milliliter
MM	Millimeter
MM	Multiple myeloma
MOD	Moderate (ly)
MOD DIFF	Moderately differentiated
MPVC	Multifocal premature ventricular contraction
MRCP	Magnetic resonance cholangiopancreatography
MRI	Magnetic resonance imaging
MRM	Modified radical mastectomy
MRSA	Methicillin Resistant Staphylococcus Aureus
MS	Multiple sclerosis
MSB	Main stem bronchus
MULT	Multiple
MVP	Mitral valve prolapse
NA	Not applicable
NED	No evidence of disease
NEG	Negative
NEOPL	Neoplasm
NEURO	Neurology
NH	Nursing home
NHL	Non-Hodgkins lymphoma
NL	Normal
NOS	Not otherwise specified

<b>ABBREVIATION/SYMBOL</b>	<b>WORD/TERM(S)</b>
NR	Not recorded
NSCCA	Non small cell carcinoma
NSF	No significant findings
NVD	Neck vein distention
OB	Obstetrics
OBS	Organic brain syndrome
OBST	Obstructed (-ing, -ion)
OP	Outpatient
OP RPT	Operative report
OR	Operating room
ORTHO	Orthopedics
OTO	Otology
OZ	Ounce
P32	Phosphorus 32
PAC	Premature atrial contraction
PALP	Palpated (-able)
PAP	Papanicolaou smear
PAP	Papillary
PATH	Pathology
PD	Poorly differentiated
PE	Physical examination
PEDS	Pediatrics
PERC	Percutaneous
PET	Positron emission tomography
PID	Pelvic inflammatory disease
PIN III	Prostatic intraepithelial neoplasia, grade III
PLT	Platelets
PMH	Past/personal (medical) history
PMP	Primary medical physician
POOR DIFF	Poorly differentiated
POS	Positive
POSS	Possible
POST	Posterior
POST OP	Postoperative (-ly)
PPD	Packs per day
PR, PRA	Progesterone receptor (assay)
PRE OP	Preoperative (-ly)
PREV	Previous
PROB	Probable (-ly)
PROCTO	Proctoscopy
PSA	Prostatic specific antigen
PT	Patient
PT	Physiotherapy/Physical therapy

<b>ABBREVIATION/SYMBOL</b>	<b>WORD/TERM(S)</b>
PTA	Prior to admission
PTC	Percutaneous transhepatic cholecystogram
PUD	Peptic ulcer disease
PULM	Pulmonary
PVD	Peripheral vascular disease
Q	Every
QD	Every day
QUAD	Quadrant
R/O	Rule out
RA	Rheumatoid arthritis
RAD	Radiation absorbed dose
RBBB	Right bundle branch block
RBC	Red blood cells (count)
RCM	Right costal margin
RE	Regarding
REC'D	Received
REG	Regular
RESEC	Resection (ed)
RHD	Rheumatic heart disease
RIA	Radioimmunoassay
RIQ	Right inner quadrant
RLE	Right lower extremity
RLL	Right lower lobe
RLQ	Right lower quadrant
RMC	Regional medical center
RML	Right middle lobe
ROF	Review of outside films
ROQ	Right outer quadrant
ROS	Review of outside slides
RSO	Right salpingo-oophorectomy
RSR	Regular sinus rhythm
RT	Radiation therapy
RT	Right
RUE	Right upper extremity
RUL	Right upper lobe
RUQ	Right upper quadrant
RX	Prescription
S/P	Status post
S1-S5	Sacral vertebra
S-SPINE	Sacral spine
SATIS	Satisfactory
SB	Small bowel

<b>ABBREVIATION/SYMBOL</b>	<b>WORD/TERM(S)</b>
SCC	Squamous cell carcinoma
SCID	Severe combined immunodeficiency syndrome
SGOT	Serum glutamic oxaloacetic transaminase
SGPT	Serum glutamic pyruvic transaminase
SIADH	Syndrome of inappropriate ADH
SIG COLON	Sigmoid colon
SLE	Systemic lupus erythematosus
SM	Small
SO	Salpingo-oophorectomy
SOB	Short(ness) of breath
SPEC	Specimen
SQ	Squamous
SS	Summary stage
SSS	Sick sinus syndrome
STSG	Split thickness skin graft
SUBCU	Subcutaneous
SURG	Surgery/Surgical
SUSP	Suspicious/suspected
SVC	Superior vena cava
SX	Symptoms
T-SPINE	Thoracic spine
TAH	Total abdominal hysterectomy
TAH-BSO	Total abdominal hysterectomy- bilateral
TB	Tuberculosis
TCC	Transitional cell carcinoma
TIA	Transient ischemic attack
TRANS-COLON	Transverse colon
TTP	Thromboticthrombocytopenia purpura
TUR	Transurethral resection
TURB	Transurethral resection bladder
TURP	Transurethral resection prostate
TVC	True vocal cord
TVH	Total vaginal hysterectomy
TX	Treatment
UE	Upper extremity
UGI	Upper gastrointestinal (series)
UIQ	Upper inner quadrant
UNDIFF	Undifferentiated
UNK	Unknown
UOQ	Upper outer quadrant
URI	Upper respiratory infection
US	Ultrasound
UTI	Urinary tract infection



<b>ABBREVIATION/SYMBOL</b>	<b>WORD/TERM(S)</b>
VAG	Vagina/Vaginal
VAG HYST	Vaginal hysterectomy
VAIN III	Vaginal intraepithelial neoplasia (grade III)
VIN III	Vulvar intraepithelial neoplasia (grade III)
W/	With
W/F	White female
W/M	White male
W/O	Without
W/U	Work-up
WBC	White blood cells (count)
WD	Well differentiated
WELL DIFF	Well differentiated
WNL	Within normal limits
WPW	Wolff-Parkinson-White syndrome
XR	Xray
YR	Year

**NAACCR RECOMMENDED ABBREVIATION LIST  
CONTEXT-SENSITIVE ABBREVIATIONS**

<b>ABBREVIATION/SYMBOL</b>	<b>WORD/TERM(S)</b>
AP	Anteroposterior
AP	Abdominal perineal
BM	Bone marrow
BM	Bowel movement
CA	Calcium
CA	Carcinoma
MIN	Minimum
MIN	Minute
ML	Milliliter
ML	Middle lobe
MM	Millimeter
MM	Multiple myeloma
PAP	Papillary
PAP	Papanicolaou smear
PT	Patient
PT	Physiotherapy/Physical therapy
RT	Right
RT	Radiation therapy

## INDEX

### —1—

13-Digit (Expanded) Site-Specific Extent of Disease (SEER), 142, 357  
1990 Census of Population and Housing, Alphabetical Index of Industries and Occupations, 39

### —2—

2-Digit Nonspecific and 2-Digit Site-Specific Extent of Disease (1973-1982 SEER), 141, 357

### —4—

4-Digit Extent of Disease (1983-1987 SEER), 141, 357

### —A—

Abstracted By, 44, 57, 68, 82, 368  
Accession Number (COC), 82, 356  
Accession Number--Hosp, 44, 57, 68, 82, 356, 368  
ACoS, xiii. *See* American College of Surgeons  
ACS. *See* American Cancer Society  
Addr at DX--City, 42, 56, 66, 82, 355, 367  
Addr at DX--No & Street, 52, 62, 75, 83, 361, 373  
Addr at DX--Postal Code, 42, 56, 66, 84, 355, 367  
Addr at DX--State, 42, 56, 66, 84, 230, 355, 367  
Addr at DX--Supplementl, 52, 62, 75, 85, 361, 373  
Addr Current--City, 51, 60, 73, 86, 359, 371  
Addr Current--No & Street, 52, 62, 75, 86, 361, 373  
Addr Current--Postal Code, 51, 60, 73, 87, 359, 371  
Addr Current--State, 51, 60, 73, 88, 359, 371  
Addr Current--Supplementl, 52, 62, 75, 88, 361, 373  
Age at Diagnosis, 42, 56, 67, 90, 367  
Age/Site/Histology Interfield Review (Interfield Edit 15) (SEER #3), 174, 360  
AJCC Cancer Staging Manual, 20  
AJCC Conversion Flag, 136, 362  
Alcohol History, 43, 56, 67, 90, 367  
Alias (COC), 168, 361  
Alternate Names, 355–63  
Ambiguous Terminology as Basis for Diagnosis, 90, 356  
Ambiguous Terminology DX, 44, 57, 67, 90, 356, 368  
American Association of Central Cancer Registries, 11, 353  
American Cancer Society, i, 9, 10, 353  
American College of Surgeons, i, xiii, 1, 4, 9, 10, 37, 39, 353  
    Fundamental Tumor Registry Operations Program, 353  
American Joint Committee on Cancer, i, 9, 10, 20, 22,

33, 37, 38, 65, 353

Archive FIN, 44, 63, 77, 92, 143, 374  
Armed Forces Institute of Pathology, 10  
Attending Physician (pre-96 COC), 197, 361  
Autopsy, 52, 61, 73, 93, 372

### —B—

Beale Code, 229, 230, 363  
Behavior (73-91) ICD-O-1, 50, 61, 74, 93, 163, 365, 372  
Behavior (92-00) ICD-O-2, 43, 56, 67, 93, 94, 153, 154, 165, 365, 368  
Behavior Code (COC), 94, 356  
Behavior Code ICD-O-3, 43, 57, 68, 94, 153, 154, 165, 356, 368  
Behavior Type ICD-O-3, 365  
Bethesda System, 21  
Biological Response Modifiers (pre-96 SEER), 249, 359  
Birth Date, 42, 56, 67, 94, 355, 367  
Birthplace, 42, 56, 67, 95, 170, 355, 367  
Block Numbering Area, 353  
BNA, 353  
Boost Radiation Dose cGy, 209, 362  
Boost Radiation Treatment Modality, 209, 362  
BPLACE.DBF, 339

### —C—

Canadian Cancer Registry, 15  
Canadian Council of Cancer Registries, 15  
    Data Quality Committee, 15  
Cancer Program Manual, 14  
Cancer Program Standards, 19, 39  
Cancer Registration: Principles and Methods, 40  
Cancer Registries Amendment Act, 10, 31, 40  
Cancer Registry Management Principles and Practice, 10, 40  
Cancer Staging Manual, 10, 33, 37  
Cancer Status, 51, 60, 72, 95, 371  
Cancer-Directed Surgery (pre-96 COC), 258, 259, 358, 359  
Cancer-Directed Surgery at this Facility (pre-96 COC), 248, 356  
Carcinoma *in situ* of the cervix, 21  
Case Inclusion, 16  
Casefinding Source, 43, 57, 68, 96, 368  
Cause of Death, 52, 61, 73, 97, 359, 372  
Census Cod Sys 1970/80/90, 42, 56, 66, 97, 355, 367  
Census Coding System (COC), 97, 355  
Census Tr Cert 1970/80/90, 42, 56, 67, 98, 99, 355, 368

- Census Tr Certainty 2000, 42, 56, 67, 98, 99, 100, 101, 368
- Census Tract, 66, 100, 355
- Census Tract 1970/80/90, 42, 56, 66, 97, 98, 99, 100, 101, 355, 367
- Census Tract 2000, 42, 56, 66, 98, 99, 100, 101, 102, 355, 367
- Census Tract Block Group, 42, 56, 67, 101, 368
- Census Tract Certainty, 98, 99, 355
- Census Tract Certainty 1970/80/90, 151
- Census Tract Certainty 2000, 151
- Census Tract Cod Sys--1970/80/90, 99
- Census Tract Cod Sys--1970/80/90, 98
- Census Tract Cod Sys--Alt, 56, 66, 102
- Census Tract/Block Numbering Area (BNA) (SEER), 100, 355
- Census Tract--Alternate, 355
- Census Tract--Alternate (pre-2003), 101
- Centers for Disease Control and Prevention, i, 2, 4, 10, 11, 14, 31, 38, 39, 40, 55, 353
- Central Cancer Registries: Design, Management, and Use, 39
- Certified Tumor Registrars, 10, 353
- Chemotherapy (SEER/COC), 250, 359
- Chemotherapy at this Facility (COC), 238, 356
- Chemotherapy Field 1, 59, 71, 102
- Chemotherapy Field 2, 59, 71, 102
- Chemotherapy Field 3, 59, 71, 102
- Chemotherapy Field 4, 59, 71, 102
- City or Town (pre-96 COC), 82, 355
- City/Town at Diagnosis (COC), 82, 355
- City/Town--Current (COC), 86, 359
- Class of Case, 44, 57, 68, 103, 368
- CLIA, 353
- Clinical Laboratory Improvement Act, 353
- Clinical M (COC), 310, 357
- Clinical N (COC), 311, 357
- Clinical Stage (Prefix/Suffix) Descriptor (COC), 310, 357
- Clinical Stage Group (COC), 311, 357
- Clinical T (COC), 312, 357
- COC, xiii, 355–63. *See* Commission on Cancer
- COC Coding Sys--Current, 51, 61, 74, 104, 360, 373
- COC Coding Sys--Original, 51, 61, 74, 104, 373
- COC pre-96, 355–63
- COC pre-96
- Alternate Names, 355–63
- COC pre-98, 355–63
- COC pre-98
- Alternate Names, 355–63
- Code Manual References, 37
- Codes and Coding Instructions. *See* SEER Extent of Disease
- Coding Rules, 7
- Coding System for Census Tract (pre-96 SEER/COC), 97, 355
- Coding System for EOD, 45, 58, 69, 105, 357, 369
- Coding System for Extent of Disease (SEER), 105, 357
- Collaborative Stage, 33, 34
- Commission on Cancer, xiii, 1, 19, 22, 55
- Alternate Names, 355–63
- Comparison of Reportable Cancers, 22
- Commission on Cancer Coding System--Current (COC), 104, 360
- Comorbid/Complication 1, 46, 63, 78, 105, 362, 374
- Comorbid/Complication 2, 46, 63, 78, 106, 362, 374
- Comorbid/Complication 3, 46, 63, 78, 106, 362, 374
- Comorbid/Complication 4, 46, 63, 78, 107, 362, 374
- Comorbid/Complication 5, 46, 63, 78, 108, 362, 374
- Comorbid/Complication 6, 46, 63, 78, 108, 362, 374
- Comorbid/Complication 7, 47, 63, 78, 109, 362, 374
- Comorbid/Complication 8, 47, 63, 78, 110, 362, 374
- Comorbid/Complication 9, 47, 63, 79, 110, 362, 374
- Comorbid/Complication 10, 47, 63, 79, 111, 362, 374
- Comorbidities and Complications #1, 105, 362
- Comorbidities and Complications #2, 106, 362
- Comorbidities and Complications #3, 106, 362
- Comorbidities and Complications #4, 107, 362
- Comorbidities and Complications #5, 108, 362
- Comorbidities and Complications #6, 108, 362
- Comorbidities and Complications #7, 109, 362
- Comorbidities and Complications #8, 110, 362
- Comorbidities and Complications #9, 110, 362
- Comorbidities and Complications #10, 111, 362
- Comparative Staging Guide for Cancer, 12, 37
- Comparison of Reportable Cancers, 22
- Computed Ethnicity, 30, 42, 56, 67, 111, 112, 283, 367
- Computed Ethnicity Source, 42, 56, 67, 111, 112, 367
- County (pre-96 SEER/COC), 113, 355
- County at Diagnosis (COC), 113, 355
- County at DX, 29, 42, 56, 66, 113, 230, 355, 367
- County--Current, 29, 51, 60, 73, 113, 371
- CRC CHECKSUM, 50, 61, 74, 114, 372
- CS Extension, 46, 63, 77, 114, 121, 374
- CS Lymph Nodes, 46, 63, 77, 115, 117, 361, 374
- CS Lymph Nodes (SEER EOD), 361
- CS Metastasis at Diagnosis, 361
- CS Metastasis Evaluation, 361
- CS Mets at DX, 46, 63, 77, 116, 361, 374
- CS Mets Eval, 46, 63, 77, 116, 361, 374
- CS Reg Node Eval, 46, 63, 77, 117, 361, 374
- CS Regional Nodes Evaluation, 361
- CS Site Specific Factor 1, 117
- CS Site Specific Factor 2, 118
- CS Site Specific Factor 3, 118
- CS Site Specific Factor 4, 119

CS Site Specific Factor 5, 119  
CS Site Specific Factor 6, 120  
CS Site-Specific Factor 1, 46, 63, 77, 374  
CS Site-Specific Factor 2, 46, 63, 77, 374  
CS Site-Specific Factor 3, 46, 63, 77, 374  
CS Site-Specific Factor 4, 46, 63, 77, 374  
CS Site-Specific Factor 5, 46, 63, 77, 374  
CS Site-Specific Factor 6, 46, 63, 77, 374  
CS Tumor Size, 46, 63, 77, 121, 374  
CS Tumor Size/Ext Eval, 46, 63, 77, 121, 361, 374  
CS Tumor Size/Extension Evaluation, 361  
CS Version 1st, 46, 63, 77, 122, 374  
CS Version Latest, 46, 63, 77, 122, 374  
CTR. *See* Certified Tumor Registrars

—D—

DAM. *See* Data Acquisition Manual  
Data Acquisition Manual, 14, 353  
Data edits, 25  
Data Evaluation and Publications Committee, 1  
Data Exchange Committee, 2  
Data Exchange Standards, 4  
Data Exchange Standards and Record Description, iii, 2  
Date Case Completed, 50, 61, 74, 123, 372  
Date Case Last Changed, 50, 61, 74, 123, 372  
Date Case Report Exported, 50, 61, 74, 123, 360, 372  
Date Case Report Loaded, 51, 61, 74, 123, 372  
Date Case Report Received, 51, 61, 74, 124, 129, 372  
Date Case Transmitted (pre-98 NAACCR), 123, 360  
Date Chemotherapy Started (COC), 232, 358  
Date Hormone Therapy Started (COC), 233, 358  
Date Immunotherapy Started (COC), 231, 358  
Date of 1st Contact, 44, 57, 68, 124, 129, 173, 174, 356, 368  
Date of 1st Crs RX--COC, 35, 47, 58, 70, 125, 126, 127, 358, 370  
Date of 1st Positive BX, 45, 58, 70, 125, 357, 369  
Date of Adm/1st Contact, 124, 356  
Date of Birth (SEER/COC), 94, 355  
Date of CA Conference, 57, 68, 125  
Date of Cancer-Directed Surgery (COC), 235, 358  
Date of Conclusive Diagnosis, 126, 356  
Date of Conclusive DX, 44, 57, 67, 126, 356, 368  
Date of Diagnosis, 43, 56, 67, 126, 128, 355, 368  
Date of Diagnostic, Staging or Palliative Procedures (1996-2002), 232, 358  
Date of First Course Treatment (COC), 125, 358  
Date of First Positive Biopsy (COC), 125, 357  
Date of First Recurrence (COC), 217, 359  
Date of First Surgical Procedure (COC), 235, 358  
Date of Initial Diagnosis (COC), 126, 355  
Date of Initial RX--SEER, 35, 47, 58, 70, 125, 126, 127, 358, 370

Date of Inpatient Adm, 44, 57, 68, 127, 356, 368  
Date of Inpatient Admission (COC), 127, 356  
Date of Inpatient Disch, 44, 57, 68, 127, 356, 368  
Date of Inpatient Discharge (COC), 127, 356  
Date of Last Contact, 51, 60, 72, 95, 128, 174, 322, 359, 371  
Date of Last Contact or Death (COC), 128, 359  
Date of Last Follow-Up or of Death (SEER), 128, 359  
Date of Most Definitive Surgical Resection of the Primary Site, 233, 362  
Date of Multiple Tumors, 44, 57, 67, 128, 368  
Date of Non Cancer-Directed Surgery (COC), 232, 358  
Date of Surgery, 235, 358  
Date of Surgical Diagnostic and Staging Procedure (COC), 232, 358  
Date of Surgical Discharge, 233, 236, 362  
Date Other Treatment Started (COC), 234, 358  
Date Radiation Ended, 235, 362  
Date Radiation Started (COC), 234, 358  
Date Started (pre-96 COC), 125, 358  
Date Started (SEER), 126, 358  
Date Systemic Therapy Started, 236, 362  
Date Therapy Initiated (SEER), 126, 358  
Date Tumor Record Availbl, 51, 61, 74, 124, 129, 372  
DC State, 62, 75, 129  
DC State File Number, 52, 62, 75, 129, 373  
Derived AJCC M, 46, 63, 77, 116, 129, 362, 374  
Derived AJCC M Descriptor, 46, 63, 77, 116, 130, 362, 374  
Derived AJCC N, 46, 63, 77, 115, 131, 361, 374  
Derived AJCC N Descriptor, 46, 63, 77, 117, 132, 361, 374  
Derived AJCC Stage Group, 46, 63, 77, 114, 115, 116, 133, 362, 374  
Derived AJCC T, 46, 63, 77, 114, 121, 134, 361, 374  
Derived AJCC T Descriptor, 46, 63, 77, 121, 136, 361, 374  
Derived AJCC--Flag, 46, 63, 77, 136, 362, 374  
Derived General Summary Stage (SEER) 1977, 362  
Derived M, 129, 362  
Derived M Descriptor, 130, 362  
Derived N, 131, 361  
Derived N Descriptor, 132, 361  
Derived SEER Summary Stage 1977, 137  
Derived SEER Summary Stage 2000, 138, 362  
Derived SS1977, 46, 63, 77, 114, 115, 116, 137, 274, 362, 374  
Derived SS1977--Flag, 46, 63, 77, 137, 362, 374  
Derived SS2000, 46, 63, 77, 114, 115, 116, 138, 274, 275, 362, 374  
Derived SS2000--Flag, 46, 63, 77, 138, 362, 374  
Derived Stage Group, 133, 362  
Derived T, 134, 361

Derived T Descriptor, 136, 361  
Diagnostic Confirmation, 43, 57, 68, 139, 368  
Diagnostic Proc 73-87, 51, 62, 75, 139, 360, 373  
Diagnostic Procedures (1973-87 SEER), 139, 360  
Disease Classification References, 38

—E—

EDITS Language, 27  
EDITS Project, 26  
Edits, data  
    Interfield edits, 25  
    Interrecord edits, 25  
    Item edits, 25  
    Multi-field edits, 25  
    Multi-record edits, 25  
    Single-field edits, 25  
Endocrine (Hormone/Steroid) Therapy (pre-96 SEER), 251, 359  
EOD. *See* SEER Extent of Disease  
EOD Extension, 139  
EOD--Extension, 45, 58, 69, 114, 143, 357, 365, 369  
EOD--Extension Prost Path, 45, 58, 69, 114, 140, 143, 365, 369  
EOD--Lymph Node Involv, 45, 58, 69, 115, 140, 143, 357, 365, 369  
EOD--Old 2 Digit, 45, 58, 69, 141, 357, 369  
EOD--Old 4 Digit, 45, 58, 69, 141, 357, 369  
EOD--Old 13 Digit, 45, 58, 69, 141, 142, 357, 369  
EOD--Tumor Size, 45, 58, 69, 118, 119, 120, 142, 143, 357, 365, 369  
Extension (pre-96 SEER/COC), 139, 357  
Extension (SEER EOD) (96 COC), 139, 357  
Extent of Disease 10-Dig, 45, 58, 69, 143, 365

—F—

Facility Identification Number (COC), 224, 356  
Facility Oncology Registry Data Standards, 353  
Facility Referred From, 158, 361  
Facility Referred To, 158, 361  
Family History of Cancer, 43, 56, 67, 143, 367  
Federal Information Processing Standards, 353  
FIN Coding System, 42, 56, 66, 143, 367  
FIPS. *See* Federal Information Processing Standards  
First Course Calc Method, 35, 48, 59, 71, 144, 284, 285, 286, 287, 370  
First Name (COC), 168, 361  
Florida Cancer Data System, 349, 377  
Following Physician (COC), 197, 361  
Following Registry, 52, 62, 76, 143, 144, 373  
Follow-Up Contact--City, 51, 60, 73, 145, 371  
Follow-Up Contact--Name, 52, 62, 75, 145, 373  
Follow-Up Contact--No&St, 52, 62, 75, 146, 373

Follow-Up Contact--Postal, 52, 60, 73, 146, 372  
Follow-Up Contact--State, 52, 60, 73, 147, 371  
Follow-Up Contact--Suppl, 52, 62, 75, 147, 373  
Follow-Up Method (pre-96 COC), 148, 359  
Follow-Up Physician (pre-96 COC), 197, 361  
Follow-Up Source, 51, 60, 73, 148, 359, 371  
Follow-up Source Central, 52, 60, 73, 149, 371  
FORDS, 353  
FTRO. *See* Fundamental Tumor Registry Operations Program  
Fundamental Tumor Registry Operations Program, 353  
Future Use Timeliness 1, 61, 74, 150  
Future Use Timeliness 2, 61, 74, 150

—G—

General Summary Stage (SEER/COC), 273, 357  
Geographic Information System, 353  
GIS, 353  
GIS Coordinate Quality, 43, 56, 67, 151, 368  
Grade, 43, 57, 67, 152, 356, 368  
Grade (73-91) ICD-O-1, 50, 61, 74, 152, 163, 365, 372  
Grade, Differentiation, or Cell Indicator (SEER), 152, 356  
Grade/Differentiation (COC), 152, 356  
Grouped Data Items, 365  
    Extent of Disease 10-Dig, 365  
    Morph (73-91) ICD-O-1, 365  
    Morph--Type&Behav ICD-O-2, 365  
    Subsq RX 2nd Course Codes, 365  
    Subsq RX 3rd Course Codes, 365  
    Subsq RX 4th Course Codes, 366  
Guidelines for Reporting Occupation and Industry on Death Certificates, 39

—H—

Health Information Management, 353  
Hematologic Transplant and Endocrine Procedures, 262, 362  
HIM. *See* Health Information Management  
Hispanic/Spanish Origin, 30, 42, 56, 66, 112, 170, 283, 355, 367  
Histologic Type ICD-O-3, 43, 57, 68, 94, 153, 154, 165, 180, 365, 368  
Histology (73-91) ICD-O-1, 50, 61, 74, 153, 154, 163, 365, 372  
Histology (92-00) ICD-O-2, 43, 56, 67, 94, 153, 154, 165, 356, 365, 368  
Histology (COC), 154, 356  
Histology/Behavior Interfield Review (Field Item Edit Morph) (SEER #2), 176, 360  
Hormone Therapy (SEER/COC), 251, 359  
Hormone Therapy at this Facility (COC), 240, 356

Hosp--Chemo, 356

—I—

IACR. *See* International Association of Cancer Registrars

IARC. *See* International Agency for Research on Cancer

ICD. *See* International Classification of Diseases

ICD Code Revision Used for Cause of Death (SEER), 155, 360

ICD Revision Comorbid, 47, 63, 79, 154, 362, 375

ICD Revision Comorbidities, 154, 362

ICD Revision Number, 52, 61, 73, 155, 360, 372

ICD-9, 13, 38

ICD-10, 13, 38

ICD-O, 10, 13, 14

ICD-O-2 Conversion Flag, 50, 61, 74, 155, 360, 372

ICD-O-3 Conversion Flag, 51, 61, 74, 156, 373

IHS Link, 43, 56, 66, 156, 355, 367

Immunotherapy (SEER/COC), 249, 359

Immunotherapy at this Facility (COC), 237, 356

Indian Health Service Linkage, 156, 355

Industry Code--Census, 43, 56, 67, 156, 367

Industry Source, 43, 56, 67, 157, 367

Inpatient/Outpt Status, 57, 68, 157

Institution ID Number (COC), 224, 356

Institution Referred From, 52, 62, 75, 143, 158, 361, 373

Institution Referred To, 52, 62, 75, 143, 158, 361, 373

Instructional Manual Part 19: Industry and Occupation Coding for Death Certificates, 39

International Agency for Research on Cancer, 21, 40, 353

International Association of Cancer Registrars, 21, 353

International Classification of Diseases, 13, 19, 20, 22, 38, 353

International Classification of Diseases for Oncology, 13, 38, 353

International Classification of Diseases for Oncology, Morphology, 38

International Statistical Classification of Diseases and Related Health Problems, 13, 38

Inter-Related Items, Fields, and Subfields, 6

—L—

Last Follow-Up Hospital, 62, 75, 143, 159

Last Name (COC), 168, 361

Laterality, 43, 56, 67, 159, 355, 368

Laterality at Diagnosis (SEER), 159, 355

Latitude, 52, 62, 75, 151, 160, 161, 162, 373

Length, 6

Leukemia or Lymphoma/Diagnostic Confirmation

Interfield Review (Interfield Edit 48) (SEER #9), 181, 360

Loc/Reg/Distant Stage, 58, 69, 161

Location of Radiation Treatment (COC), 211, 359

Longitude, 52, 62, 75, 151, 160, 161, 162, 373

Lymph Nodes (pre-96 SEER/COC), 140, 357

Lymph Nodes (SEER EOD) (96 COC), 140, 357

—M—

Maiden Name (COC), 168, 361

Managing Physician (COC), 197, 361

Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 38

Marital Status at Diagnosis (SEER/COC), 162, 355

Marital Status at DX, 42, 56, 66, 162, 355, 367

Marital Status at Initial Diagnosis (pre-96 COC), 162, 355

Medical Record Number, 52, 62, 75, 162, 373

Middle Initial (pre-96 COC), 169, 361

Middle Name (COC), 169, 361

Military Medical Record Number Suffix (COC), 163, 361

Military Record No Suffix, 52, 62, 75, 163, 361, 373

Morph (73-91) ICD-O-1, 50, 61, 74, 93, 152, 153, 163, 365

Morph Coding Sys--Current, 43, 57, 67, 164, 368

Morph Coding Sys--Originl, 43, 57, 67, 164, 368

Morph--Type&Behav ICD-O-2, 43, 56, 67, 156, 165, 365

Morph--Type&Behav ICD-O-3, 43, 57, 68, 156, 165, 365

Mult Tum Rpt as One Prim, 44, 57, 67, 165, 356, 368

Multiple Primary Rules, 16, 22

Multiple Tumors Reported as Single Primary, 165, 356

Multiplicity Counter, 44, 57, 67, 166, 368

—N—

NAACCR, xiii. *See* North American Association of Central Cancer Registries

NAACCR Board of Directors, iii, vii

NAACCR Hispanic Identification Algorithm, 353

NAACCR pre-98, 355–63

NAACCR pre-98

Alternate Names, 355–63

NAACCR Record Version, 42, 56, 66, 167, 367

NAACCR Standard Edits, 27

Name Prefix (COC), 169, 361

Name Suffix (COC), 169, 361

Name--Alias, 52, 62, 75, 168, 361, 373

Name--First, 52, 62, 75, 168, 361, 373

Name--Last, 31, 52, 62, 75, 111, 112, 168, 283, 361, 373

Name--Maiden, 31, 52, 62, 75, 111, 112, 168, 283, 361, 373  
 Name--Middle, 52, 62, 75, 169, 361, 373  
 Name--Prefix, 52, 62, 75, 169, 361, 373  
 Name--Spouse/Parent, 52, 62, 75, 169, 373  
 Name--Suffix, 52, 62, 75, 169, 361, 373  
 National Cancer Data Base, 1, 2, 349, 353  
 National Cancer Institute, i, 4, 10, 11, 37, 40, 55, 353  
 National Cancer Registrars Association, i, xiii, 10, 353  
 National Center for Health Statistics, 10, 39  
 National Coordinating Council for Cancer Surveillance, 10  
 National Institutes of Health, 38  
 National Program of Cancer Registries, xiii, 10, 19, 22, 39, 40, 55  
     Comparison of Reportable Cancers, 22  
 NCCCS. *See* National Coordinating Council for Cancer Surveillance  
 NCDB. *See* National Cancer Data Base  
 NCI. *See* National Cancer Institute  
 NCRA, xiii  
 Next Follow-Up Method (pre-96 COC), 170, 359  
 Next Follow-Up Source, 51, 60, 73, 170, 359, 371  
 NHIA Derived Hisp Origin, 43, 56, 66, 170, 367  
 Non Cancer-Directed Surgery (COC), 250, 358  
 Non Cancer-Directed Surgery at this Facility (COC), 239, 356  
 North American Association of Central Cancer Registries, xiii, 1, 4, 10, 11, 39, 353  
     Alternate Names, 355  
 NPCR, xiii  
 Number and Street (pre-96 COC), 83, 361  
 Number of Positive Regional Lymph Nodes (SEER), 222, 357  
 Number of Regional Lymph Nodes Examined (SEER), 221, 357  
 Number of Regional Lymph Nodes Examined (SEER/COC), 255, 358  
 Number of Regional Lymph Nodes Examined at this Facility (COC), 243, 356  
 Number of Regional Lymph Nodes Removed (COC), 255, 358  
 Number of Treatments to this Volume (COC), 211, 359  
 Number of Tumors/Hist, 44, 57, 67, 171, 356, 368  
 Number of Tumors/Histologies, 171, 356

—O—

Occup/Ind Coding System, 43, 56, 67, 171, 367  
 Occupation and Industry Classification and Coding References, 38  
 Occupation Code--Census, 43, 56, 67, 172, 367  
 Occupation Source, 43, 56, 67, 172, 367  
 Other Cancer-Directed Therapy (SEER/pre-96 COC),

252, 359  
 Other Physician (pre-96 COC), 196, 197, 361  
 Other Staging System, 58, 70, 173  
 Other Treatment (COC), 252, 359  
 Other Treatment at this Facility (COC), 241, 356  
 Over-ride Accession/Class of Case/Sequence, 173, 360  
 Over-ride Acsn/Class/Seq, 49, 61, 74, 173, 174, 360, 372  
 Over-ride Age/Site/Morph, 50, 61, 74, 174, 360, 372  
 Over-ride COC-Site/Type, 49, 61, 74, 175, 372  
 Over-ride Flag for Site/Behavior (IF39) (SEER #11), 183, 360  
 Over-ride Flag for Site/EOD/Diagnosis Date (IF40) (SEER #13), 185, 360  
 Over-ride Flag for Site/Laterality/EOD (IF41) (SEER #12), 185, 360  
 Over-ride Flag for Site/Laterality/Morphology (IF42) (SEER #13), 186, 360  
 Over-ride Histology, 50, 61, 74, 176, 360, 372  
 Over-ride Hospital Sequence/Diagnostic Confirmation, 178, 360  
 Over-ride Hospital Sequence/Site, 179, 360  
 Over-ride HospSeq/DxConf, 49, 61, 74, 178, 360, 372  
 Over-ride HospSeq/Site, 50, 61, 74, 179, 360, 372  
 Over-ride Ill-define Site, 50, 61, 74, 180, 360, 372  
 Over-ride Leuk, Lymphoma, 50, 61, 74, 181, 360, 372  
 Over-ride Report Source, 50, 61, 74, 182, 360, 372  
 Over-ride SeqNo/DxConf, 50, 61, 74, 182, 360, 372  
 Over-ride Site/Behavior, 50, 61, 74, 183, 360, 372  
 Over-ride Site/EOD/DX Dt, 50, 61, 74, 185, 360, 372  
 Over-ride Site/Lat/EOD, 50, 61, 74, 185, 360, 372  
 Over-ride Site/Lat/Morph, 50, 61, 74, 186, 360, 372  
 Over-ride Site/Lat/SeqNo, 50, 61, 74, 187, 360, 372  
 Over-ride Site/TNM-StgGrp, 50, 61, 74, 188, 372  
 Over-ride Site/Type, 50, 61, 74, 189, 360, 372  
 Over-ride SS/DisMet1, 49, 61, 74, 190, 360, 372  
 Over-ride SS/NodesPos, 49, 61, 74, 191, 360, 372  
 Over-ride SS/TNM-M, 49, 61, 74, 191, 360, 372  
 Over-ride SS/TNM-N, 49, 61, 74, 192, 360, 372  
 Over-ride Summary Stage/Distant Metastasis 1, 190, 360  
 Over-ride Summary Stage/Nodes Positive, 191, 360  
 Over-ride Summary Stage/TNM-M, 191, 360  
 Over-ride Summary Stage/TNM-N, 192, 360  
 Over-ride Surg/DxConf, 50, 61, 74, 193, 360, 372

—P—

Pain Assessment, 63, 79, 194  
 Palliative Care, 252  
 Palliative Care at this Facility, 242, 363  
 Palliative Procedure, 252, 362  
 Palliative Procedure at this Facility, 242, 363  
 Pathologic M (COC), 315, 357



Pathologic N (COC), 316, 357  
 Pathologic Review of Regional Lymph Nodes (SEER), 221, 222, 357  
 Pathologic Stage (Prefix/Suffix) Descriptor (COC), 315, 357  
 Pathologic Stage Group (COC), 316, 357  
 Pathologic T (COC), 317, 357  
 Patient Address (Number and Street) at Diagnosis (COC), 83, 361  
 Patient Address (Number and Street) at Diagnosis--Supplemental (COC), 85, 361  
 Patient Address (Number and Street) Current--Supplemental (COC), 88, 361  
 Patient Address (Number and Street)--Current (COC), 86, 361  
 Patient ID Number, 42, 56, 66, 194, 367  
 Patient System ID-Hosp, 42, 56, 66, 194, 367  
 Pediatric Stage, 45, 58, 70, 195, 369  
 Pediatric Staged By, 45, 58, 70, 195, 358, 369  
 Pediatric Staging System, 45, 58, 70, 196, 358, 369  
 PEDSTAGE.DBF, 348  
 Physician #3 (COC), 196, 361  
 Physician #4 (COC), 197, 361  
 Physician 3, 53, 62, 76, 196, 361, 373  
 Physician 4, 53, 62, 76, 197, 361, 373  
 Physician--Follow-Up, 53, 62, 76, 197, 361, 373  
 Physician--Managing, 53, 62, 76, 197, 361, 373  
 Physician--Primary Surg, 53, 62, 76, 198, 361, 373  
 Place of Birth (SEER/COC), 95, 355  
 Place of Death, 52, 61, 73, 129, 198, 372  
 Place of Diagnosis, 53, 62, 77, 198, 374  
 Postal Code at Diagnosis (COC), 84, 355  
 Postal Code--Current (COC), 87, 359  
 Presentation at CA Conf, 57, 68, 199  
 Primary Payer at Diagnosis (COC), 200, 356  
 Primary Payer at DX, 44, 57, 68, 200, 356, 368  
 Primary Site, 23, 25, 43, 56, 67, 200, 368  
 Primary Site (1973-91) (SEER), 280, 360  
 Primary Surgeon (COC), 198, 361  
 Protocol Eligibility Stat, 59, 71, 201  
 Protocol Participation, 59, 71, 201  
 Public Law 102-515, 10

—Q—

Quality of Survival, 51, 60, 72, 201, 371

—R—

Race, 201, 355  
 Race 1, 42, 56, 66, 170, 201, 283, 355, 367  
 Race 2, 42, 56, 66, 202, 367  
 Race 3, 42, 56, 66, 204, 367  
 Race 4, 42, 56, 66, 205, 367

Race 5, 42, 56, 66, 206, 367  
 Race Coding Sys--Current, 42, 56, 66, 208, 367  
 Race Coding Sys--Original, 42, 56, 66, 208, 367  
 Rad--Boost Dose cGy, 48, 63, 79, 209, 362, 375  
 Rad--Boost RX Modality, 48, 63, 79, 209, 362, 375  
 Rad--Elapsed RX Days, 6, 59, 71, 210  
 Radiation (SEER/COC), 254, 358  
 Radiation at this Facility (COC), 242, 356  
 Radiation Sequence with Surgery (pre-96 SEER/COC), 259, 359  
 Radiation Therapy (pre-96 COC), 254, 358  
 Radiation Therapy to CNS (COC), 253, 358  
 Radiation to the Brain and/or Central Nervous System (SEER), 253, 358  
 Radiation Treatment Volume (COC), 213, 359  
 Radiation/Surgery Sequence (COC), 259, 359  
 Rad--Intent of Treatment, 59, 71, 210  
 Rad--Local Control Status, 59, 71, 210  
 Rad--Location of RX, 48, 59, 71, 211, 359, 370  
 Rad--No of Treatment Vol, 6, 48, 59, 71, 211, 359, 370  
 Rad--Regional Dose cGy, 48, 59, 71, 211, 359, 370  
 Rad--Regional RX Modality, 34, 48, 59, 71, 212, 359, 370  
 Rad--RX Completion Status, 59, 71, 213  
 Rad--Treatment Volume, 34, 48, 59, 71, 213, 359, 370  
 Readm Same Hosp 30 Days, 48, 63, 79, 214, 362, 375  
 Readmission to the Same Hospital Within 30 Days of Surgical Discharge, 214, 362  
 Reason for No CA Dir Surgery (COC), 216, 358  
 Reason for No Cancer-Directed Surgery (SEER), 216, 358  
 Reason for No Chemo, 59, 71, 215  
 Reason for No Hormone, 59, 71, 215, 252  
 Reason for No Radiation, 48, 59, 71, 215, 254, 359, 370  
 Reason for No Regional Radiation Therapy, 215, 359  
 Reason for No Surgery, 47, 59, 70, 216, 358, 370  
 Reason for No Surgery of the Primary Site, 358  
 Reason for No Surgery to Primary Site, 216  
 Recommendations for Occupation and Industry Data Items, 38  
 Reconstruction/Restoration--Delayed (COC), 295, 359  
 Reconstruction/Restoration--First Course (COC), 254, 358  
 Reconstruction--First Course (SEER), 254, 358  
 Record Layout References, 37  
 Record Number (SEER), 273, 360  
 Record Type, 42, 56, 66, 216, 367  
 Recurrence Date--1st, 51, 60, 73, 217, 359, 372  
 Recurrence Distant Site 1, 51, 61, 73, 217, 372  
 Recurrence Distant Site 2, 51, 61, 73, 218, 372  
 Recurrence Distant Site 3, 51, 61, 73, 218, 372  
 Recurrence Distant Sites, 60, 73, 219  
 Recurrence Type--1st, 51, 61, 73, 219, 359, 372

Recurrence Type--1st--Oth, 61, 73, 220

References

Code Manuals, 37

Disease Classifications, 38

Occupation and Industry Classification and Coding, 38

Record Layouts, 37

Stage and Extent of Disease Manuals, 37

Referral to Support Serv, 59, 71, 220

REGID.DBF, 349

Regional Dose cGy (COC), 211, 359

Regional Lymph Nodes Examined, 221, 357

Regional Lymph Nodes Positive, 222, 357

Regional Nodes Examined, 45, 58, 69, 143, 221, 357, 365, 369

Regional Nodes Positive, 45, 58, 69, 143, 222, 357, 365, 369

Regional Treatment Modality (COC), 212, 359

Registry ID, 42, 56, 66, 143, 223, 367

Registry Operations and Data Standards, 9, 37, 353, 355

Registry Staffing Manual, 40

Registry Type, 42, 56, 66, 143, 223, 367

Religion, 42, 56, 67, 224, 367

Reportability, 16

Reportability Standards, 5, 19

*In Situ*/Invasive, 20

Multiple Primary Rules, 20

Residency, 19

Reporting Hospital, 44, 57, 68, 96, 143, 224, 356, 368

Reporting Hospital FAN, 57, 68, 225

Reporting Source. *See* Type of Reporting Source

Reserved 00, 42, 56, 66, 225, 367

Reserved 01, 42, 56, 67, 225, 368

Reserved 02, 43, 57, 68, 225, 368

Reserved 03, 44, 57, 68, 225, 368

Reserved 04, 44, 57, 69, 225, 369

Reserved 05, 47, 58, 70, 225, 369

Reserved 06, 48, 58, 70, 225, 369

Reserved 07, 49, 59, 70, 225, 370

Reserved 08, 51, 59, 71, 226, 370

Reserved 09, 52, 60, 72, 226, 371

Reserved 10, 52, 60, 73, 226, 371

Reserved 11, 53, 61, 73, 226, 372

Reserved 12, 53, 61, 73, 226, 372

Reserved 13, 61, 74, 226

Reserved 14, 62, 75, 226

Reserved 16, 62, 75, 226

Reserved 17, 62, 76, 226

Reserved 19, 53, 63, 77, 227, 374

Reserved 20, 61, 75, 227

Reserved 21, 62, 75, 227

Reserved 22, 47, 59, 71, 227, 370

Reserved 23, 48, 59, 71, 227, 370

Reserved 24, 50, 61, 74, 227, 372

Reserved 25, 44, 57, 68, 227, 368

Reserved 26, 44, 57, 68, 227, 368

Reserved 27, 44, 57, 68, 227, 368

Reserved 28, 44, 57, 68, 228, 369

Reserved 29, 45, 58, 69, 228, 369

Reserved 30, 45, 58, 69, 228, 369

Reserved 31, 45, 58, 70, 228, 369

Reserved 32, 48, 59, 71, 228, 370

Reserved 33, 48, 59, 71, 228, 370

Reserved 34, 48, 59, 71, 228, 370

Reserved 35, 48, 59, 71, 228, 370

Reserved 36, 48, 59, 71, 228, 370

Reserved 37, 49, 60, 72, 228, 371

Reserved 38, 49, 60, 72, 229, 371

Reserved 39, 51, 61, 73, 229, 372

Reserved 40, 52, 62, 76, 229, 373

Residual Primary Tumor Following Cancer-Directed Surgery (pre-96 COC), 261, 358

Review Flag for 1973-91 Cases (SEER), 155, 360

RuralUrban Continuum 1993, 43, 63, 79, 229, 363, 375

RuralUrban Continuum 2000, 43, 63, 79, 230, 363, 375

RX Coding System--Current, 34, 48, 59, 71, 231, 254, 370

RX Date--BRM, 47, 58, 70, 231, 358, 370

RX Date--Chemo, 47, 58, 70, 232, 358, 370

RX Date--DX/Stg Proc, 47, 58, 70, 232, 358, 370

RX Date--DX/Stg/Pall Proc, 232, 358

RX Date--Hormone, 47, 58, 70, 233, 358, 370

RX Date--Most Defin Surg, 47, 63, 79, 233, 362, 375

RX Date--Other, 47, 58, 70, 234, 358, 370

RX Date--Radiation, 47, 58, 70, 234, 358, 370

RX Date--Radiation Ended, 47, 63, 79, 235, 362, 375

RX Date--Surgery, 47, 58, 70, 235, 358, 370

RX Date--Surgical Disch, 47, 63, 79, 236, 362, 375

RX Date--Systemic, 47, 63, 79, 236, 362, 375

RX Hosp--BRM, 44, 57, 68, 237, 356, 369

RX Hosp--CA Dir Surgery (pre-96 NAACCR), 247, 248, 356

RX Hosp--Chemo, 44, 57, 68, 238, 356, 368

RX Hosp--DX/Stg Proc, 44, 57, 68, 239, 356, 369

RX Hosp--DX/Stg/Pall Proc, 239, 356

RX Hosp--Hormone, 44, 57, 68, 240, 356, 369

RX Hosp--Other, 44, 57, 68, 241, 356, 369

RX Hosp--Palliative Proc, 44, 63, 79, 232, 239, 242, 363, 375

RX Hosp--Radiation, 44, 57, 68, 242, 356, 368

RX Hosp--Reg LN Examined, 243, 356

RX Hosp--Reg LN Removed, 44, 57, 68, 243, 356, 368

RX Hosp--Scope Reg 98-02, 44, 57, 68, 244, 356, 369

RX Hosp--Scope Reg LN Sur, 44, 57, 68, 244, 356, 368

RX Hosp--Screen/BX Proc1, 57, 68, 245

RX Hosp--Screen/BX Proc2, 57, 68, 245

RX Hosp--Screen/BX Proc3, 57, 68, 245  
 RX Hosp--Screen/BX Proc4, 57, 68, 246  
 RX Hosp--Surg Oth 98-02, 44, 57, 69, 246, 357, 369  
 RX Hosp--Surg Oth Reg/Dis, 44, 57, 68, 247, 356, 368  
 RX Hosp--Surg Prim Site, 44, 57, 68, 239, 247, 356, 368  
 RX Hosp--Surg Site 98-02, 44, 57, 68, 248, 356, 369  
 RX Summ--BRM, 48, 59, 71, 231, 249, 359, 370  
 RX Summ--Chemo, 47, 59, 71, 232, 250, 359, 370  
 RX Summ--DX/Stg Proc, 47, 59, 70, 250, 358, 370  
 RX Summ--DX/Stg/Pall Proc, 250, 358  
 RX Summ--Hormone, 47, 59, 71, 233, 251, 359, 370  
 RX Summ--Other, 48, 59, 71, 234, 252, 359, 370  
 RX Summ--Palliative Proc, 47, 63, 79, 232, 251, 252, 362, 375  
 RX Summ--Rad to CNS, 34, 47, 59, 71, 253, 358, 370  
 RX Summ--Radiation, 34, 47, 59, 71, 253, 254, 259, 358, 370  
 RX Summ--Reconstruct 1st, 47, 59, 70, 250, 254, 295, 358, 370  
 RX Summ--Reg LN Examined, 47, 59, 70, 255, 358, 370  
 RX Summ--Scope Reg 98-02, 48, 59, 71, 255, 359, 370  
 RX Summ--Scope Reg LN Sur, 47, 58, 70, 235, 255, 256, 358, 370  
 RX Summ--Screen/BX Proc1, 59, 71, 257  
 RX Summ--Screen/BX Proc2, 59, 71, 257  
 RX Summ--Screen/BX Proc3, 59, 71, 257  
 RX Summ--Screen/BX Proc4, 59, 71, 257  
 RX Summ--Surg Oth 98-02, 48, 59, 71, 257, 359, 370  
 RX Summ--Surg Oth Reg/Dis, 47, 58, 70, 235, 258, 259, 358, 370  
 RX Summ--Surg Prim Site, 47, 58, 70, 235, 250, 258, 259, 260, 261, 358, 370  
 RX Summ--Surg Site 98-02, 48, 59, 71, 259, 359, 370  
 RX Summ--Surg/Rad Seq, 47, 59, 71, 259, 359, 370  
 RX Summ--Surgery Type, 48, 59, 71, 250, 254, 260, 295, 359, 370  
 RX Summ--Surgical Approach, 47, 59, 70, 260, 358, 370  
 RX Summ--Surgical Margins, 47, 59, 70, 261, 358, 370  
 RX Summ--Systemic Sur Seq, 48, 59, 71, 261, 359, 370  
 RX Summ--Transplnt/Endocr, 47, 63, 79, 252, 262, 362, 375  
 RX Text--BRM, 53, 62, 76, 263, 374  
 RX Text--Chemo, 53, 62, 76, 264, 374  
 RX Text--Hormone, 53, 62, 76, 265, 374  
 RX Text--Other, 53, 62, 77, 266, 374  
 RX Text--Radiation (Beam), 53, 62, 76, 267, 374  
 RX Text--Radiation Other, 53, 62, 76, 269, 374  
 RX Text--Surgery, 53, 62, 76, 270, 374

—S—

Scope of Regional Lymph Node Surgery (SEER/COC),

255, 256, 358, 359  
 Scope of Regional Lymph Node Surgery at this Facility (COC), 244, 356  
 Screening Date, 43, 57, 68, 271, 272, 368  
 Screening Result, 43, 57, 68, 272, 368  
 Second Course of Therapy-Date Started (pre-96 COC), 285, 359  
 Secondary Diagnoses, 106, 107, 108, 362  
 SEER, 355–63  
 SEER Coding Sys--Current, 51, 61, 74, 272, 373  
 SEER Coding Sys--Original, 51, 61, 74, 273, 373  
 SEER Edit Documentation, 40  
 SEER EEOD (SEER), 142, 357  
 SEER Extent of Disease, 12, 33, 353  
     Codes and Coding Instructions, 12, 37  
 SEER Geocodes for Coding Place of Birth, 339  
 SEER Historic Stage, 33  
 SEER pre-98, 355–63  
 SEER pre-98  
     Alternate Names, 355–63  
 SEER Program, 11, 12, 13, 14, 19, 20, 21, 31, 35, 40, 55  
 SEER Program Code Manual, 12, 14, 19, 21, 37, 355  
 SEER Record Number, 51, 62, 75, 273, 360, 373  
 SEER Summary Stage 1977, 45, 57, 69, 137, 138, 273, 274, 357, 369  
 SEER Summary Stage 2000, 20, 45, 57, 69, 138, 274, 275, 369  
 SEER Summary Stage Guide 1977, 33  
 SEER Summary Stage Guide 2000, 33  
 SEER Summary Staging Manual 2000, 38  
 SEER Type of Follow-Up, 51, 62, 75, 275, 360, 373  
 Self-Instructional Manual for Cancer Registrars, 40  
 Sequence Number (COC), 278, 356  
 Sequence Number (pre-96 SEER), 276, 355  
 Sequence Number/Diagnostic Confirmation Interfield Review (Interfield Edit 23) (SEER #4), 182, 360  
 Sequence Number/Illy-defined Site Interfield Review (Interfield Edit 22) (SEER #8), 180, 360  
 Sequence Number--Central, 6, 32, 43, 56, 67, 276, 278, 355, 368  
 Sequence Number--Hospital, 6, 32, 44, 57, 68, 173, 174, 276, 278, 356, 368  
 Sex, 5, 6, 25, 42, 56, 67, 170, 280, 367  
 Site (73-91) ICD-O-1, 50, 61, 74, 200, 280, 360, 372  
 Site Coding Sys--Current, 43, 57, 67, 280, 368  
 Site Coding Sys--Original, 43, 57, 67, 281, 368  
 Site of Distant Met 1, 45, 58, 70, 116, 281, 357, 369  
 Site of Distant Met 2, 45, 58, 70, 281, 357, 369  
 Site of Distant Met 3, 45, 58, 70, 282, 357, 369  
 Site of Distant Metastasis #1 (COC), 281, 357  
 Site of Distant Metastasis #2 (COC), 281, 357  
 Site of Distant Metastasis #3 (COC), 282, 357

- Site/Histology/Laterality/Sequence Number Interrecord Review (Interrecord Edit 09) (SEER #5), 187, 360
- Site/Type Interfield Review (Interfield Edit 25) (SEER #1), 189, 360
- Site--Specific Surgery (pre-98 SEER), 260, 359
- Size of Primary Tumor (SEER), 142, 357
- Size of Tumor (COC), 142, 357
- Social Security Number, 52, 62, 75, 282, 373
- Spanish Origin--All Sources (96 COC), 283, 355
- Spanish Surname or Origin (SEER), 283, 355
- Spanish/Hispanic Origin, 30, 42, 56, 66, 112, 170, 283, 355, 367
- SS 1977 Conversion Flag, 137, 362
- SS 2000 Conversion Flag, 138, 362
- Stage and Extent of Disease Manual References, 37
- Staged By (Clinical Stage) (COC), 312, 357
- Staged By (Pathologic Stage) (COC), 317, 357
- Staged By (Pediatric Stage) (COC), 195, 358
- Standard Data Edits, 4
- Standards for Completeness, Quality, Analysis, and Management of Data, iii, 4, 39
- Standards Implementation Guidelines, 40
- State (pre-96 COC), 84, 355
- State at Diagnosis (COC), 84, 355
- STATE.DBF, 351
- State/Requestor Items, 52, 62, 75, 284, 373
- State--Current (COC), 88, 359
- Statistics Canada, i, 15
- Subsequent Treatment
  - Subsq RX 2nd Course Codes, 365
  - Subsq RX 3rd Course Codes, 365
  - Subsq RX 4th Course Codes, 366
- Subsq Report for Primary, 61, 74, 284
- Subsq RX 2nd Course BRM, 48, 59, 72, 284, 285, 365, 371
- Subsq RX 2nd Course Chemo, 48, 59, 71, 285, 365, 371
- Subsq RX 2nd Course Codes, 48, 59, 71, 285, 365, 370
- Subsq RX 2nd Course Date, 48, 59, 71, 285, 359, 370
- Subsq RX 2nd Course Horm, 48, 59, 72, 285, 286, 365, 371
- Subsq RX 2nd Course Oth, 48, 60, 72, 285, 286, 365, 371
- Subsq RX 2nd Course Rad, 48, 59, 71, 285, 286, 365, 371
- Subsq RX 2nd Course Surg, 48, 59, 71, 285, 286, 365, 371
- Subsq RX 2nd--Reg LN Rem, 49, 60, 72, 287, 371
- Subsq RX 2nd--Scope LN SU, 49, 60, 72, 287, 371
- Subsq RX 2nd--Surg Oth, 49, 60, 72, 287, 371
- Subsq RX 3rd Course BRM, 49, 60, 72, 287, 288, 365, 371
- Subsq RX 3rd Course Chemo, 49, 60, 72, 288, 365, 371
- Subsq RX 3rd Course Codes, 48, 60, 72, 288, 365, 371
- Subsq RX 3rd Course Date, 48, 60, 72, 288, 371
- Subsq RX 3rd Course Horm, 49, 60, 72, 288, 289, 365, 371
- Subsq RX 3rd Course Oth, 49, 60, 72, 288, 289, 365, 371
- Subsq RX 3rd Course Rad, 49, 60, 72, 288, 289, 365, 371
- Subsq RX 3rd Course Surg, 48, 60, 72, 288, 289, 365, 371
- Subsq RX 3rd--Reg LN Rem, 49, 60, 72, 290, 371
- Subsq RX 3rd--Scope LN Su, 49, 60, 72, 290, 371
- Subsq RX 3rd--Surg Oth, 49, 60, 72, 290, 371
- Subsq RX 4th Course BRM, 49, 60, 72, 290, 291, 366, 371
- Subsq RX 4th Course Chemo, 49, 60, 72, 291, 366, 371
- Subsq RX 4th Course Codes, 49, 60, 72, 291, 366, 371
- Subsq RX 4th Course Date, 49, 60, 72, 291, 371
- Subsq RX 4th Course Horm, 49, 60, 72, 291, 292, 366, 371
- Subsq RX 4th Course Oth, 49, 60, 72, 291, 292, 366, 371
- Subsq RX 4th Course Rad, 49, 60, 72, 291, 292, 366, 371
- Subsq RX 4th Course Surg, 49, 60, 72, 291, 292, 366, 371
- Subsq RX 4th--Reg LN Rem, 49, 60, 72, 293, 371
- Subsq RX 4th--Scope LN Su, 49, 60, 72, 293, 371
- Subsq RX 4th--Surg Oth, 49, 60, 72, 293, 371
- Subsq RX 5th Course BRM, 60, 72, 293
- Subsq RX 5th Course Chemo, 60, 72, 294
- Subsq RX 5th Course Codes, 60, 72, 294
- Subsq RX 5th Course Date, 60, 72, 294
- Subsq RX 5th Course Horm, 60, 72, 294
- Subsq RX 5th Course Oth, 60, 72, 294
- Subsq RX 5th Course Rad, 60, 72, 294
- Subsq RX 5th Course Surg, 60, 72, 295
- Subsq RX 5th--Reg LN Rem, 60, 72, 295
- Subsq RX 5th--Scope LN Su, 60, 72, 295
- Subsq RX 5th--Surg Oth, 60, 72, 295
- Subsq RX--Reconstruct Del, 49, 60, 72, 295, 359, 371
- Summary Staging Guide for the Cancer SEER Reporting Program, 37
- Supplement on the Tumor Registry, 14
- Surgery of Other Regional Site(s), Distant Site(s) or Distant Lymph Nodes (SEER/COC), 257, 258, 358, 359
- Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s) at the Facility (COC), 246
- Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s) at this Facility (COC), 247, 356, 357
- Surgery of Primary Site (SEER/COC), 258, 259, 358,

359  
Surgery/Diagnostic Confirmation Interfield Review  
  (Interfield Edit 46) (SEER #6), 193, 360  
Surgical Approach (COC), 260, 358  
Surgical Diagnostic & Staging Procedure at this  
  Facility (1996-2002), 239, 356  
Surgical Diagnostic and Staging Procedure (1996-  
  2002), 250, 358  
Surgical Margins (COC), 261, 358  
Surgical Procedure of Primary Site, 236, 247, 248, 356  
Surgical Procedure/Other Site, 257, 258, 358, 359  
Surgical Procedure/Other Site at this Facility, 246, 247,  
  356, 357  
Surveillance, Epidemiology and End Results, 10, 22,  
  37, 55, 353  
  Alternate Names, 355–63  
  Comparison of Reportable Cancers, 22  
Systemic/Surgery Sequence, 261, 359

—T—

Telephone, 52, 62, 75, 296, 373  
Text--DX Proc--Lab Tests, 53, 62, 76, 296, 373  
Text--DX Proc--Op, 53, 62, 76, 297, 373  
Text--DX Proc--Path, 53, 62, 76, 298, 373  
Text--DX Proc--PE, 53, 62, 76, 300, 373  
Text--DX Proc--Scopes, 53, 62, 76, 301, 373  
Text--DX Proc--X-ray/Scan, 53, 62, 76, 302, 373  
Text--Histology Title, 53, 62, 76, 304, 373  
Text--Primary Site Title, 53, 62, 76, 305, 373  
Text--Remarks, 53, 62, 77, 306, 374  
Text--Staging, 53, 62, 76, 307, 374  
Text--Usual Industry, 43, 56, 67, 308, 367  
Text--Usual Occupation, 43, 56, 67, 308, 309, 367  
TNM, 353  
TNM Clin Descriptor, 45, 58, 69, 310, 357, 369  
TNM Clin M, 45, 58, 69, 310, 357, 369  
TNM Clin N, 45, 58, 69, 311, 357, 369  
TNM Clin Stage Group, 45, 58, 69, 311, 357, 369  
TNM Clin Staged By, 45, 58, 69, 312, 357, 369  
TNM Clin T, 45, 58, 69, 312, 357, 369  
TNM Edition Number, 45, 58, 70, 313, 369  
TNM Other Descriptor, 58, 70, 313  
TNM Other M, 58, 70, 314  
TNM Other N, 58, 69, 314  
TNM Other Stage Group, 58, 70, 314  
TNM Other Staged By, 58, 70, 314  
TNM Other T, 58, 69, 314  
TNM Path Descriptor, 45, 58, 69, 315, 357, 369  
TNM Path M, 45, 58, 69, 315, 357, 369  
TNM Path N, 45, 58, 69, 316, 357, 369  
TNM Path Stage Group, 45, 58, 69, 316, 357, 369  
TNM Path Staged By, 45, 58, 69, 317, 357, 369  
TNM Path T, 45, 58, 69, 317, 357, 369

Tobacco History, 43, 56, 67, 318, 367  
Tumor Marker 1, 46, 58, 70, 318, 358, 369  
Tumor Marker 2, 46, 58, 70, 319, 358, 369  
Tumor Marker 3, 46, 58, 70, 319, 358, 369  
Tumor Marker One (COC), 318, 358  
Tumor Marker Three (COC), 319, 358  
Tumor Marker Two (COC), 319, 358  
Tumor Record Number, 42, 56, 66, 273, 320, 367  
Type of First Recurrence (COC), 219, 359  
Type of Follow-Up (SEER), 275, 360  
Type of Reporting Source, 43, 57, 68, 96, 103, 124,  
  320, 368  
Type of Reporting Source/Sequence Number Interfield  
  Review (Interfield Edit 04) (SEER #7), 182, 360  
Type of Staging System (Pediatric) (COC), 196, 358

—U—

UDSC. *See* Uniform Data Standards Committee  
UICC. *See* Union Internationale Contre le Cancer  
Underlying Cause of Death (ICD Code) (pre-96 COC),  
  97, 359  
Underlying Cause of Death (SEER), 97, 359  
Uniform Data Standards Committee, ix, 2, 14, 15, 21,  
  29, 31, 38, 353  
Union Internationale Contre le Cancer, 353  
Unresolved Issues  
  County at DX, 29  
  Name--Maiden, 31  
  Occupation and Industry, 31  
Unusual Follow-Up Method, 51, 60, 73, 321, 372

—V—

Vendor Name, 51, 61, 75, 322, 373  
Vital Status, 35, 51, 60, 72, 322, 371

—W—

WHO. *See* World Health Organization  
Working Group on Pre-Invasive Cervical Neoplasia and  
  Population-Based Cancer Registries, 39  
World Health Organization, 13, 38, 353

—Y—

Year First Seen This CA, 57, 68, 322

—Z—

ZIP Code (pre-COC), 84, 355

