

## **CINA Deluxe Data Quality Profile**

**Date DQP produced:** February 17, 2017

**Variable examined:** Summary Surgery of Primary Site (NAACCR Data Item #: 1290)

**Filters:** Invasive cases only; excluded lymphoma, leukemia, DCO, and autopsy cases

**Diagnosis Years covered:** 2009-2013

**Cancer Sites:** Colorectal, lung, female breast, prostate, and cervix

**Database citation:** CINA Analytic File, 1995-2013, Expanded Races

**Number of Registries included:** 48 State Registries plus DC Cancer Registry (Three registries including Minnesota, Nevada, and New Mexico that did not meet the NAACCR data quality for years 2009 to 2013 were excluded.)

**Data Dictionary:** NAACCR Data Dictionary 15

(<http://applications.naacr.org/contentreader/archive/15/chap01.html>)

**Members:** Baozhen Qiao, Meichin Hsieh, Bin Huang, Ahmedin Jemal, Carol Kruchko, Xiangrong Li, Recinda Sherman, Helmneh Sineshaw, Brad Wohler, Manxia Wu, Xiaocheng Wu, Qingzhao Yu

### **Contact Information:**

Baozhen Qiao, PhD  
Phone: (518) 474-2255  
Email: baozhen.qiao@health.ny.gov

### **Technical Notes:**

1. The surgery status was created based on the data item of RX Summ – Surg Prim Site (NAACCR#: 1290). The unknown surgery was defined with a value of unknown or blank.
2. Upper Whisker: extends to largest data point within the boundary of  $Q3 + 1.5 * (Q3 - Q1)$ .

3. Diagnostic confirmation: Microscopic confirmed includes positive histology, positive cytology, and positive microscopic confirmation, method not specified.
4. Type of reporting source: Hospital includes hospital inpatient, radiation treatment centers/medical oncology centers, and other hospital outpatient units/surgery centers.
5. Urban/Rural 2013: The definition of metropolitan area is based on county using 2013 Rural/Urban Continuum Code. Metropolitan area includes county metro area with population  $\geq$  1million, county metro area with population between 25,000 and 1 million, and county metro area with population  $<$ 25,000.

Table 1. Unknown surgery by cancer site, years 2009-2013 combined.

	Colorectal		Lung		Breast		Prostate		Cervix	
<b>Registry Level</b>										
25-75% Percentile (IQR)	0.4-2.0%		0.6-2.2%		0.2-1.2%		0.6-5.5%		0.3-1.7%	
Minimum	0.0%		0.0%		0.0%		0.0%		0.0%	
Mean	1.2%		1.8%		0.8%		3.7%		1.4%	
Median	0.8%		1.1%		0.5%		2.2%		0.8%	
Maximum	4.2%		8.0%		4.3%		18.9%		7.3%	
Upper Whisker <sup>1</sup>	4.3%		4.6%		2.6%		12.7%		3.8%	
# outside of upper whisker	0		6		4		2		4	
<b>All cases combined</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>
<b>Sex</b>										
Male	344,479	1.2	534,925	1.9			970,236	4.5		
Female	319,880	1.2	474,379	1.7	1,079,677	0.7			59,714	1.5
<b>Race</b>										
White	547,522	1.1	867,827	1.8	899,109	0.7	759,790	3.7	45,565	1.3
Black	82,451	1.3	108,354	1.7	125,939	0.8	150,810	4.7	9,798	1.4
AI/AN	3,789	1.0	5,019	2.1	5,223	0.7	3,677	2.7	552	2.2
Asian or Pacific Islander	23,454	1.1	24,302	1.3	39,445	0.7	20,265	5.4	2,754	0.8
Unknown race	7,143	8.2	3,802	4.4	9,961	5.6	35,694	20.4	1,045	11.0
<b>Age</b>										
00-49 years	69,434	0.9	41,386	1.1	211,660	0.6	28,178	2.7	29,939	1.3
50-64 years	203,210	1.1	285,430	1.4	397,760	0.6	396,307	3.4	18,088	1.4
65-74 years	164,113	1.1	336,975	1.5	252,572	0.6	366,966	4.6	6,756	1.5
75+ years	227,602	1.5	345,513	2.5	217,685	1.3	178,785	6.9	4,931	2.9
<b>Dx Confirmation<sup>2</sup></b>										
Microscopic confirmed	648,357	0.8	917,975	0.7	1,069,735	0.5	949,719	4.2	58,642	1.1
Non-microscopic confirmed	10,743	3.8	71,271	3.4	5,749	8.7	10,441	3.7	392	6.1
Unknown	5,259	45.4	20,058	45.1	4,193	42.3	10,076	32.3	680	28.1
<b>Type of reporting source<sup>3</sup></b>										
Hospital	642,747	0.6	979,450	0.9	1,052,141	0.4	855,034	2.4	57,697	0.7
Non-hospital	21,612	18.1	29,854	31.2	27,536	12.9	115,202	19.8	2,017	23.4
<b>Urban/Rural 2013<sup>4</sup></b>										
Metro	542,857	1.1	813,920	1.5	918,411	0.7	810,187	4.5	50,366	1.4
Non-Metro	118,293	1.8	191,116	3.1	156,881	1.1	154,805	4.1	9,104	2.1
Unknown	3,209	2.2	4,268	2.7	4,385	2.9	5,244	6.8	244	4.1
<b>Derived SEER SS2000</b>										
Localized	257,922	0.4	196,082	0.6	681,048	0.3	748,186	3.1	25,842	0.4
Regional	228,187	0.1	234,495	0.6	308,912	0.2	110,344	0.2	21,464	0.3
Distant	136,490	0.6	519,591	0.6	62,248	1.0	46,479	1.1	8,525	0.5
Unknown	41,760	14.4	59,136	21.6	27,469	18.0	65,227	30.2	3,883	16.9

Figure1  
% Unknown Surgery of Primary Site by Registry  
Colorectal Cancer, 2009-2013




Figure2  
% Unknown Surgery of Primary Site by Registry  
Lung Cancer, 2009-2013




Figure1  
% Unknown Surgery of Primary Site by Registry  
Female Breast Cancer, 2009-2013




Figure4  
% Unknown Surgery of Primary Site by Registry  
Prostate Cancer, 2009-2013




Figure5  
% Unknown Surgery of Primary Site by Registry  
Cervix Cancer, 2009-2013






Table 2. Unknown surgery by diagnosis year: colorectal cancer 2009-2013

	2009		2010		2011		2012		2013	
<b>Registry Level</b>										
25-75% Percentile (IQR)	0.3-1.6%		0.3-1.6%		0.3-1.3%		0.3-1.8%		0.4-2.0%	
Minimum	0.0%		0.0%		0.0%		0.0%		0.0%	
Mean	1.1%		1.1%		1.3%		1.3%		1.5%	
Median	0.6%		0.7%		0.7%		0.8%		1.1%	
Maximum	5.9%		4.9%		5.8%		6.9%		9.6%	
Upper Whisker <sup>1</sup>	3.4%		3.6%		2.8%		4.1%		4.5%	
# outside of upper whisker	3		1		8		2		2	
<b>All cases combined</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>
<b>Sex</b>										
Male	70,297	1.2	68,386	1.1	68,786	1.3	68,518	1.2	68,492	1.4
Female	66,277	1.1	64,411	1.1	63,757	1.2	62,855	1.3	62,580	1.3
<b>Race</b>										
White	113,320	1.1	109,668	1.0	109,258	1.2	108,044	1.1	107,232	1.2
Black	16,727	1.4	16,563	1.2	16,387	1.3	16,295	1.3	16,479	1.5
AI/AN	738	1.1	744	0.5	742	0.7	768	0.9	797	1.8
Asian or Pacific Islander	4,491	1.0	4,631	0.9	4,785	1.2	4,723	0.8	4,824	1.4
Unknown race	1,298	5.8	1,191	7.5	1,371	8.5	1,543	8.0	1,740	10.3
<b>Age</b>										
00-49 years	13,993	1.0	13,870	0.7	13,741	0.9	13,931	0.9	13,899	1.2
50-64 years	40,543	1.0	40,089	1.0	40,564	1.2	40,696	1.1	41,318	1.4
65-74 years	33,393	1.0	32,422	0.9	32,346	1.1	32,849	1.1	33,103	1.2
75+ years	48,645	1.4	46,416	1.4	45,892	1.5	43,897	1.5	42,752	1.4
<b>Dx Confirmation<sup>2</sup></b>										
Microscopic confirmed	133,397	0.7	129,568	0.7	129,297	0.8	128,075	0.8	128,020	1.1
Non-microscopic confirmed	2,072	4.0	2,111	3.3	2,174	3.2	2,183	4.4	2,203	3.9
Unknown	1,105	49.6	1,118	44.2	1,072	49.3	1,115	44.5	849	37.9
<b>Type of reporting source<sup>3</sup></b>										
Hospital	129,901	0.6	128,849	0.6	128,573	0.6	127,671	0.6	127,753	0.8
Non-hospital	6,673	12.1	3,948	18.4	3,970	21.1	3,702	22.8	3,319	21.0
<b>Urban/Rural 2013<sup>4</sup></b>										
Metro	111,445	1.1	108,423	1.0	108,419	1.1	107,351	1.0	107,219	1.2
Non-Metro	24,437	1.4	23,704	1.8	23,553	1.9	23,371	2.0	23,228	1.8
Unknown	692	2.3	670	1.2	571	1.2	651	2.9	625	3.5
<b>Derived SEER SS2000</b>										
Localized	55,088	0.3	51,838	0.4	50,703	0.3	50,387	0.4	49,906	0.5
Regional	46,012	0.1	45,593	0.1	45,982	0.1	45,449	0.1	45,151	0.2
Distant	26,667	0.5	26,986	0.5	27,233	0.5	27,390	0.6	28,214	0.8
Unknown	8,807	13.5	8,380	13.0	8,625	15.4	8,147	14.8	7,801	15.2

Table 3. Unknown surgery by diagnosis year: lung cancer 2009-2013

	2009		2010		2011		2012		2013	
<b>Registry Level</b>										
25-75% Percentile (IQR)	0.6-2.4%		0.4-1.9%		0.5-2.0%		0.3-2.8%		0.4-2.2%	
Minimum	0.0%		0.0%		0.0%		0.0%		0.0%	
Mean	1.8%		1.6%		1.8%		1.8%		1.8%	
Median	1.0%		1.1%		1.1%		1.1%		1.4%	
Maximum	7.6%		8.0%		9.8%		10.4%		8.4%	
Upper Whisker <sup>1</sup>	5.0%		4.2%		4.2%		6.4%		5.0%	
# outside of upper whisker	5		5		6		2		4	
<b>All cases combined</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>
<b>Sex</b>										
Male	108,795	2.1	106,824	1.8	106,694	1.8	106,851	1.9	105,761	1.9
Female	94,785	1.9	93,858	1.6	94,184	1.6	95,890	1.6	95,662	1.7
<b>Race</b>										
White	175,792	2.1	172,911	1.8	172,820	1.7	173,881	1.8	172,423	1.8
Black	21,590	1.9	21,459	1.5	21,596	1.5	22,037	1.8	21,672	1.7
AI/AN	946	2.6	1015	1.4	995	2.0	1013	2.1	1,050	2.3
Asian or Pacific Islander	4,536	1.1	4,637	0.9	4,809	1.6	5,034	1.4	5,286	1.3
Unknown race	716	5.7	660	5.3	658	4.0	776	3.9	992	3.7
<b>Age</b>										
00-49 years	9,620	1.2	8,765	0.8	8,157	1.0	7,631	1.0	7,213	1.2
50-64 years	56,819	1.5	56,866	1.3	57,393	1.3	57,579	1.3	56,773	1.4
65-74 years	66,956	1.7	65,658	1.4	66,518	1.4	68,634	1.5	69,209	1.6
75+ years	70,185	3.0	69,393	2.5	68,810	2.5	68,897	2.5	68,228	2.3
<b>Dx Confirmation<sup>2</sup></b>										
Microscopic confirmed	184,521	0.8	182,365	0.6	182,953	0.6	184,124	0.7	184,012	1.1
Non-microscopic confirmed	14,722	3.9	13,852	2.9	13,834	3.5	14,496	3.3	14,367	3.4
Unknown	4,337	50.5	4,465	45.4	4,091	46.1	4,121	43.2	3,044	38.1
<b>Type of reporting source<sup>3</sup></b>										
Hospital	193,711	0.9	194,980	0.7	195,639	0.8	197,760	0.9	197,360	1.2
Non-hospital	9,869	24.5	5,702	36.1	5,239	35.0	4,981	35.2	4,063	30.8
<b>Urban/Rural 2013<sup>4</sup></b>										
Metro	164,329	1.8	161,833	1.4	161,694	1.3	163,153	1.4	162,911	1.5
Non-Metro	38,373	3.1	38,010	2.9	38,360	3.4	38,723	3.1	37,650	2.8
Unknown	878	3.3	839	1.5	824	2.2	865	2.3	862	4.2
<b>Derived SEER SS2000</b>										
Localized	39,383	0.5	37,732	0.5	38,539	0.4	39,812	0.6	40,616	0.9
Regional	46,936	0.6	46,797	0.4	46,840	0.4	47,005	0.5	46,917	0.9
Distant	102,797	0.6	103,638	0.4	103,548	0.5	104,950	0.6	104,658	0.8
Unknown	14,464	21.3	12,515	21.2	11,951	21.6	10,974	22.5	9,232	21.4

Table 4. Unknown surgery by diagnosis year: female breast cancer 2009-2013

	2009		2010		2011		2012		2013	
<b>Registry Level</b>										
25-75% Percentile (IQR)	0.2-1.2%		0.1-1.0%		0.1-1.0%		0.1-1.0%		0.3-1.2%	
Minimum	0.0%		0.0%		0.0%		0.0%		0.0%	
Mean	0.6%		0.7%		0.8%		0.8%		1.2%	
Median	0.4%		0.3%		0.4%		0.3%		0.6%	
Maximum	2.6%		3.8%		4.7%		5.5%		8.7%	
Upper Whisker <sup>1</sup>	2.7%		2.4%		2.2%		2.4%		2.5%	
# outside of upper whisker	0		2		4		4		6	
<b>All cases combined</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>
<b>Race</b>										
White	178,344	0.6	174,389	0.5	179,636	0.7	181,859	0.7	184,881	0.9
Black	24,104	0.8	24,226	0.6	25,409	0.7	25,642	0.7	26,558	1.1
AI/AN	940	0.4	950	0.5	1,087	1.1	1,071	0.7	1,175	0.7
Asian or Pacific Islander	6,881	0.5	7,503	0.5	7,929	0.6	8,341	0.7	8,791	1.2
Unknown race	1,759	5.8	1,759	4.3	1,753	4.7	2,149	4.7	2,541	7.6
<b>Age</b>										
00-49 years	43,825	0.5	41,847	0.4	42,372	0.5	41,879	0.6	41,737	1.0
50-64 years	77,667	0.5	77,247	0.5	80,103	0.6	80,550	0.5	82,193	0.9
65-74 years	46,664	0.6	46,856	0.5	49,731	0.6	53,054	0.6	56,267	0.9
75+ years	43,872	1.3	42,877	1.1	43,608	1.3	43,579	1.2	43,749	1.4
<b>Dx Confirmation<sup>2</sup></b>										
Microscopic confirmed	209,768	0.4	206,734	0.4	213,845	0.5	217,124	0.5	222,264	0.8
Non-microscopic confirmed	1,377	7.6	1,163	6.6	1,077	8.4	1,113	9.4	1,019	12.0
Unknown	883	45.9	930	40.2	892	41.4	825	40.0	663	44.3
<b>Type of reporting source<sup>3</sup></b>										
Hospital	203,098	0.4	203,904	0.3	211,237	0.4	214,469	0.4	219,433	0.7
Non-hospital	8,930	7.9	4,923	12.5	4,577	17.2	4,593	14.7	4,513	17.2
<b>Urban/Rural 2013<sup>4</sup></b>										
Metro	179,977	0.6	177,348	0.5	183,324	0.6	186,340	0.6	191,422	0.9
Non-Metro	31,204	0.9	30,520	0.9	31,640	1.2	31,820	1.2	31,697	1.4
Unknown	847	4.0	959	2.3	850	3.9	902	2.3	827	2.1
<b>Derived SEER SS2000</b>										
Localized	131,235	0.2	129,792	0.2	136,319	0.2	139,529	0.2	144,173	0.5
Regional	62,737	0.2	61,143	0.1	61,487	0.2	61,685	0.3	61,860	0.4
Distant	11,840	0.9	12,230	0.7	12,535	0.8	12,763	1.0	12,880	1.4
Unknown	6,216	15.6	5,662	15.3	5,473	18.7	5,085	18.1	5,033	23.1

Table 5. Unknown surgery by diagnosis year: prostate cancer 2009-2013

	2009		2010		2011		2012		2013	
<b>Registry Level</b>										
25-75% Percentile (IQR)	0.4-2.9%		0.3-4.9%		0.5-5.0%		0.4-6.4%		0.8-7.3%	
Minimum	0.0%		0.0%		0.0%		0.0%		0.0%	
Mean	2.7%		3.1%		3.8%		4.4%		4.9%	
Median	1.3%		1.0%		2.7%		2.4%		2.6%	
Maximum	17.5%		18.6%		20.7%		19.3%		20.0%	
Upper Whisker <sup>1</sup>	6.7%		11.8%		11.7%		15.4%		16.9%	
# outside of upper whisker	5		3		4		3		2	
<b>All cases combined</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>
<b>Race</b>										
White	167,498	3.2	160,521	3.3	163,837	3.8	136,507	3.9	131,427	4.3
Black	31,943	4.0	30,931	4.3	31,815	4.5	28,448	5.1	27,673	6.0
AI/AN	772	1.7	768	1.6	742	2.8	706	3.1	689	4.5
Asian or Pacific Islander	4,152	4.1	4,094	4.3	4,441	5.6	3,785	5.7	3,793	7.5
Unknown race	6,733	10.7	7,419	16.5	7,813	21.4	6,875	26.4	6,854	27.0
<b>Age</b>										
00-49 years	6,589	2.4	6,046	2.0	6,065	2.6	5,098	3.1	4,380	3.6
50-64 years	86,207	2.6	83,096	2.8	86,201	3.4	72,039	3.8	68,764	4.5
65-74 years	77,791	3.6	75,994	4.1	78,153	4.6	67,975	5.1	67,053	5.8
75+ years	40,511	5.7	38,597	6.3	38,229	7.4	31,209	7.7	30,239	7.9
<b>Dx Confirmation<sup>2</sup></b>										
Microscopic confirmed	206,948	3.3	199,508	3.6	204,435	4.3	172,224	4.7	166,604	5.4
Non-microscopic confirmed	2,065	4.0	2,051	3.4	1,998	3.2	2,133	4.4	2,194	3.6
Unknown	2,085	33.3	2,174	31.0	2,215	30.7	1,964	33.8	1,638	33.2
<b>Type of reporting source<sup>3</sup></b>										
Hospital	183,004	2.1	180,505	2.2	184,012	2.4	156,574	2.4	150,939	3.1
Non-hospital	28,094	13.1	23,228	17.6	24,636	20.5	19,747	25.8	19,497	25.3
<b>Urban/Rural 2013<sup>4</sup></b>										
Metro	175,938	3.7	169,495	4.1	174,210	4.6	147,524	4.9	143,020	5.6
Non-Metro	34,006	2.9	33,116	2.9	33,336	4.3	27,834	5.3	26,513	5.4
Unknown	1,154	4.3	1,122	8.0	1,102	8.8	963	7.3	903	5.6
<b>Derived SEER SS2000</b>										
Localized	165,968	2.3	158,777	2.8	162,473	3.2	134,685	4.0	126,283	3.3
Regional	22,393	0.2	22,638	0.2	23,480	0.3	20,813	0.2	21,020	0.3
Distant	8,488	1.1	8,821	1.1	9,169	0.9	9,714	1.2	10,287	1.1
Unknown	14,249	25.1	13,497	25.2	13,526	31.4	11,109	29.3	12,846	40.4

Table 6. Unknown surgery diagnosis year: cervix cancer 2009-2013

	2009		2010		2011		2012		2013	
<b>Registry Level</b>										
25-75% Percentile (IQR)	0.0-1.6%		0.0-2.2%		0.0-1.8%		0.0-1.9%		0.0-2.3%	
Minimum	0.0%		0.0%		0.0%		0.0%		0.0%	
Mean	1.2%		1.5%		1.4%		1.4%		1.4%	
Median	0.4%		0.2%		0.7%		0.8%		0.5%	
Maximum	10.5%		13.3%		6.3%		9.8%		5.6%	
Upper Whisker <sup>1</sup>	4.0%		5.5%		4.4%		4.6%		5.8%	
# outside of upper whisker	4		3		4		2		0	
<b>All cases combined</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>	<b>Total Count</b>	<b>% Unk</b>
<b>Race</b>										
White	9,512	1.4	9,041	1.0	9,195	1.4	9,002	1.3	8,815	1.3
Black	2,016	1.8	2,076	1.1	1,896	1.3	1,903	1.1	1,907	1.9
AI/AN	121	1.7	105	2.9	109	1.8	113	1.8	104	2.9
Asian or Pacific Islander	536	0.7	545	1.1	533	0.4	570	0.9	570	0.7
Unknown race	194	6.2	191	15.7	171	9.4	255	12.2	234	11.1
<b>Age</b>										
00-49 years	6,432	1.2	6,026	1.2	5,944	1.2	5,865	1.4	5,672	1.5
50-64 years	3,555	1.5	3,657	1.1	3,585	1.4	3,674	1.3	3,617	1.5
65-74 years	1,347	1.4	1,300	1.2	1,375	1.7	1,341	1.8	1,393	1.4
75+ years	1,045	3.3	975	2.9	1,000	2.8	963	2.4	948	3.0
<b>Dx Confirmation<sup>2</sup></b>										
Microscopic confirmed	12,168	1.1	11,723	0.9	11,691	1.1	11,626	1.1	11,434	1.4
Non-microscopic confirmed	70	10.0	72	4.2	70	5.7	90	2.2	90	8.9
Unknown	141	29.8	163	26.4	143	28.7	127	33.1	106	21.7
<b>Type of reporting source<sup>3</sup></b>										
Hospital	11,771	0.7	11,579	0.6	11,537	0.7	11,505	0.6	11,305	0.9
Non-hospital	608	16.4	379	22.7	367	25.9	338	31.1	325	26.5
<b>Urban/Rural 2013<sup>4</sup></b>										
Metro	10,405	1.5	10,035	1.2	10,035	1.4	10,045	1.3	9,846	1.5
Non-Metro	1,923	1.7	1,864	1.6	1,820	2.2	1,755	2.5	1,742	2.5
Unknown	51	2.0	59	6.8	49	0.0	43	7.0	42	4.8
<b>Derived SEER SS2000</b>										
Localized	5,495	0.4	5,257	0.3	5,068	0.3	5,070	0.5	4,952	0.6
Regional	4,465	0.5	4,240	0.1	4,261	0.4	4,273	0.2	4,225	0.5
Distant	1,597	0.7	1,625	0.4	1,745	0.4	1,764	0.3	1,794	0.6
Unknown	822	15.6	836	15.0	830	16.6	736	18.6	659	19.6