

**COMBINED CANCER INCIDENCE RATES  
UNITED STATES**

<b>INDICATORS:</b>	<b>U.S.</b>
Population-based Data Available	1996-2000
Combined Population, 1996-2000	
All Races	937,817,867
Whites	774,398,545
Blacks	108,182,051
Number of Cases in the Combined Cancer Statistics	
All Races	4,423,130
Whites	3,874,689
Blacks	369,693
Percentage of U.S. Population Reflected in the Combined Cancer Statistics	
All Races	68.0%
Whites	68.4%
Blacks	60.9%
NAACCR 1996-2000 Estimate of Completeness	100.2%

**SITE-SPECIFIC DATA QUALITY INDICATORS**

	% DCOs	% Micro. Confirm	Inc/Mort All Races	Inc/Mort Whites	Inc/Mort Blacks
All Sites	1.8	93.7	2.39	2.40	1.94
Buccal Cavity & Pharynx	1.1	97.5	3.88	4.00	2.85
Esophagus	2.4	94.4	1.14	1.12	1.16
Stomach	2.1	95.2	1.64	1.65	1.45
Colon & Rectum	1.4	96.3	2.69	2.72	2.16
Liver	6.3	74.3	1.14	1.11	1.05
Pancreas	5.2	73.4	1.05	1.04	1.04
Lung & Bronchus	3.3	88.3	1.27	1.27	1.19
Melanomas of the Skin	0.5	98.8	5.58	5.44	2.23
Female Breast (excl. <i>in situ</i> )	0.9	98.0	4.73	4.87	3.16
Uterus	0.7	98.3	4.93	5.30	2.67
Cervix uteri	0.9	97.8	3.44	3.57	2.55
Corpus uteri & Uterus, NOS	0.6	98.5	5.96	6.43	2.78
Ovary	1.8	93.4	1.86	1.87	1.56
Prostate	1.1	96.5	5.01	5.04	3.42
Testis	0.1	99.2	19.85	20.46	8.84
Bladder (incl. <i>in situ</i> )	0.7	98.2	4.95	5.06	2.87
Kidney & Renal Pelvis	1.6	90.4	2.83	2.80	2.93
Brain & Other Nervous System	2.9	86.1	1.46	1.45	1.54
Thyroid Gland	0.3	99.2	13.81	14.41	8.72
Hodgkin's Disease	0.5	98.8	5.58	5.63	5.13
Non-Hodgkin's Lymphoma	1.3	96.5	2.18	2.15	2.26
Multiple Myeloma	2.9	88.1	1.40	1.38	1.37
Leukemias	3.7	88.5	1.54	1.54	1.33
Breast <i>in situ</i>	0.0	100.0			

- Inc/Mort rate ratios are suppressed when fewer than 6 cases and deaths were reported for the specific cancer. The suppressed cases and deaths, however, are included in the rate ratio for All Sites combined.

**UNITED STATES**

# Registries Included in the NAACCR U.S. Combined Incidence 1996-2000



 **Participating Registries**

## Populations For United States Combined

1996							1999						
Age	Males			Females			Age	Males			Females		
	All Races	Whites	Blacks	All Races	Whites	Blacks		All Races	Whites	Blacks	All Races	Whites	Blacks
0-4	6781335	5360001	992705	6468540	5094491	964402	0-4	6605642	5199707	967136	6306215	4945502	935812
5-9	6929169	5463775	1045005	6600004	5189030	1011914	5-9	7174666	5616593	1097034	6829291	5329733	1059979
10-14	6726726	5381464	921598	6399216	5097036	894473	10-14	6999458	5536629	1006691	6657510	5247898	976072
15-19	6541594	5248119	891566	6167433	4915972	867994	15-19	6932345	5529840	938041	6544516	5186015	913810
20-24	6117773	4909091	775115	5858221	4635526	806123	20-24	6387221	5121709	803037	6095819	4802324	840835
25-29	6819306	5579108	789174	6689760	5346027	864122	25-29	6699131	5397667	793718	6540743	5140933	872550
30-34	7526848	6241775	835596	7444384	6038103	928020	30-34	7088000	5799432	809452	6981074	5576706	893485
35-39	7766893	6511335	819228	7793779	6405738	924490	35-39	7772188	6444623	848235	7789876	6332527	949208
40-44	7016395	5937207	695345	7164751	5936599	805271	40-44	7501505	6284621	780084	7617944	6256140	885042
45-49	6235793	5351506	565592	6446918	5420521	667170	45-49	6594105	5586201	636510	6799754	5642344	739678
50-54	4700811	4059450	407486	4940952	4192849	492285	50-54	5621067	4829099	492014	5871727	4950362	585643
55-59	3755389	3251684	326632	4050889	3449929	405423	55-59	4272194	3703179	362037	4588560	3907467	446510
60-64	3247766	2839420	270833	3630044	3118402	346900	60-64	3446276	2989627	291351	3818352	3258958	371346
65-69	3142477	2795224	237108	3730443	3267545	316695	65-69	3008177	2648345	235090	3513858	3038095	315893
70-74	2691200	2435024	168334	3489658	3122938	253769	70-74	2712129	2435230	179683	3454153	3055695	267859
75-79	1979174	1806520	116767	2863526	2595159	194770	75-79	2122015	1925847	126312	3019409	2719357	208038
80-84	1182876	1089203	61325	2053725	1884273	126807	80-84	1283515	1179353	66799	2151391	1963766	134643
85+	749211	685292	42872	1883680	1736878	115519	85+	848857	776292	47133	2047372	1878907	128518
Total	89910736	74945198	9962281	93675923	77447016	10986147	Total	93072491	77003994	10480357	96627564	79232729	11524921

1997							2000						
Age	Males			Females			Age	Males			Females		
	All Races	Whites	Blacks	All Races	Whites	Blacks		All Races	Whites	Blacks	All Races	Whites	Blacks
0-4	6693846	5285968	978092	6384061	5022541	949133	0-4	6608988	5188574	974747	6308877	4934325	940054
5-9	7063204	5549976	1074446	6729495	5272603	1040334	5-9	7144681	5587008	1090033	6802221	5300900	1053109
10-14	6781936	5408353	940453	6451533	5124753	911841	10-14	7117788	5614356	1034982	6768467	5320323	1003381
15-19	6701489	5367381	910658	6319544	5027992	886998	15-19	6981741	5558944	943381	6594733	5216791	919406
20-24	6139974	4924553	777403	5873515	4639022	810231	20-24	6516553	5219666	820754	6215485	4886220	860230
25-29	6816554	5548625	797099	6680947	5306277	872098	25-29	6642121	5330646	786982	6463286	5063434	865925
30-34	7359342	6074874	827399	7276028	5867667	917158	30-34	7058247	5745654	807972	6932340	5519511	889890
35-39	7801699	6521639	830924	7823989	6410856	935441	35-39	7701363	6360954	848065	7722733	6255735	948397
40-44	7202826	6072818	726207	7341321	6064207	834449	40-44	7582684	6334557	797157	7690501	6301950	898407
45-49	6262725	5340023	587674	6475678	5405846	691588	45-49	6743130	5698160	657711	6941654	5748747	759260
50-54	5138890	4449352	434093	5380940	4577983	521573	50-54	5846009	5007984	519866	6100584	5127441	615184
55-59	3892094	3365180	339445	4192854	3564439	420574	55-59	4399086	3805245	371698	4717241	4012503	457292
60-64	3277939	2856184	274790	3649983	3126086	351288	60-64	3483201	3011297	298523	3855192	3280430	378565
65-69	3106000	2754546	236691	3664103	3196432	316673	65-69	3000973	2635838	234995	3503020	3020532	317636
70-74	2685657	2423407	171226	3470010	3093658	257416	70-74	2712894	2429012	182332	3431373	3022283	272305
75-79	2042404	1860808	121115	2934066	2654286	200262	75-79	2143534	1942412	127611	3050153	2742740	209853
80-84	1218239	1121393	62842	2089790	1913560	130369	80-84	1305341	1195982	69379	2175600	1980053	137923
85+	779024	712532	44057	1933287	1780488	118961	85+	874008	797606	48451	2086599	1911095	131906
Total	90963842	75637612	10134614	94671144	78048696	11166387	Total	93862342	77463895	10614639	97360063	79645013	11658723

1998						
Age	Males			Females		
	All Races	Whites	Blacks	All Races	Whites	Blacks
0-4	6630902	5229478	966919	6327042	4970902	937763
5-9	7146279	5600631	1094174	6803250	5316813	1057772
10-14	6857608	5447714	966668	6523358	5163226	937481
15-19	6849543	5472477	930088	6462079	5129860	904989
20-24	6236003	5003292	785222	5959472	4704997	818925
25-29	6776945	5495396	796952	6637846	5245799	873129
30-34	7199393	5918174	820405	7111013	5702581	907860
35-39	7801204	6495240	842173	7821328	6382058	944791
40-44	7374279	6198159	755777	7501352	6179625	861681
45-49	6410798	5445988	610631	6621987	5508778	714386
50-54	5348208	4610819	460501	5594582	4735699	551385
55-59	4119091	3568757	351119	4425273	3770384	433954
60-64	3356640	2917626	282712	3725165	3184594	360154
65-69	3051922	2695647	236285	3579395	3106893	316778
70-74	2712439	2443309	175182	3475678	3088171	262736
75-79	2086157	1895391	125119	2974781	2684520	204199
80-84	1250490	1150720	64293	2116865	1935825	132035
85+	813965	744259	45752	1991430	1830590	123992
Total	92021866	76333077	10309972	95651896	78641315	11344010

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates\*  
United States, 1996-2000, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Inc.	Adj. Rate 2000 US	S.E.	Adj. Rate 1970 US	S.E.	Inc.	Adj. Rate 2000 US	S.E.	Adj. Rate 1970 US	S.E.
All Sites	2260034	560.0	0.38	465.6	0.31	2163096	419.9	0.29	352.3	0.25
Buccal Cavity & Pharynx	67382	16.2	0.06	14.0	0.05	33008	6.4	0.04	5.4	0.03
Lip	6525	1.6	0.02	1.3	0.02	1881	0.4	0.01	0.3	0.01
Tongue	15825	3.8	0.03	3.3	0.03	7872	1.5	0.02	1.3	0.02
Major salivary gland	6337	1.6	0.02	1.3	0.02	4723	0.9	0.01	0.8	0.01
Floor of mouth	5408	1.3	0.02	1.1	0.02	2652	0.5	0.01	0.4	0.01
Gum and other mouth	8898	2.2	0.02	1.8	0.02	7274	1.4	0.02	1.1	0.01
Nasopharynx	3832	0.9	0.01	0.8	0.01	1797	0.4	0.01	0.3	0.01
Oropharynx	2755	0.7	0.01	0.6	0.01	1038	0.2	0.01	0.2	0.01
Hypopharynx	6346	1.5	0.02	1.3	0.02	1805	0.4	0.01	0.3	0.01
Digestive System	451365	114.2	0.17	92.0	0.14	407171	75.7	0.12	60.1	0.10
Esophagus	34182	8.4	0.05	7.1	0.04	11698	2.2	0.02	1.8	0.02
Stomach	45662	11.6	0.06	9.2	0.04	28852	5.3	0.03	4.1	0.03
Small intestine	7870	2.0	0.02	1.6	0.02	6980	1.3	0.02	1.1	0.01
Colon excl. rectum	185876	47.8	0.11	37.6	0.09	200173	36.9	0.08	28.9	0.07
Rectum & rectosigmoid	79927	19.9	0.07	16.5	0.06	63171	12.0	0.05	9.8	0.04
Anus	4659	1.1	0.02	0.9	0.01	7458	1.5	0.02	1.2	0.01
Liver	25933	6.3	0.04	5.3	0.03	11588	2.2	0.02	1.8	0.02
Gallbladder	3290	0.9	0.02	0.7	0.01	8111	1.5	0.02	1.2	0.01
Pancreas	49637	12.6	0.06	10.1	0.05	52188	9.6	0.04	7.6	0.04
Respiratory System	414105	102.8	0.16	85.8	0.13	293594	56.2	0.10	48.0	0.09
Larynx	33747	8.2	0.04	7.1	0.04	8965	1.8	0.02	1.6	0.02
Lung & bronchus	367850	91.5	0.15	76.2	0.13	279422	53.4	0.10	45.5	0.09
Bones & Joints	4787	1.1	0.02	1.1	0.02	3999	0.8	0.01	0.8	0.01
Soft Tissue (incl. heart)	14543	3.4	0.03	3.0	0.02	12728	2.5	0.02	2.2	0.02
Skin (excl. basal and sq.)	91724	22.1	0.07	18.2	0.06	66213	13.3	0.05	11.2	0.04
Melanomas of the skin	78857	19.0	0.07	15.8	0.06	59921	12.0	0.05	10.2	0.04
Breast (excl. <i>in situ</i> )	5875	1.5	0.02	1.2	0.02	662701	131.7	0.16	111.8	0.14
Female Genital System	-	-	-	-	-	277021	55.0	0.11	47.1	0.09
Cervix uteri	-	-	-	-	-	48597	10.0	0.05	8.3	0.04
Corpus uteri	-	-	-	-	-	121317	24.0	0.07	20.9	0.06
Uterus, NOS	-	-	-	-	-	3898	0.8	0.01	0.6	0.01
Ovary	-	-	-	-	-	83901	16.6	0.06	14.2	0.05
Male Genital System	677910	166.8	0.20	141.9	0.17	-	-	-	-	-
Prostate	648263	160.4	0.20	136.4	0.17	-	-	-	-	-
Testis	25134	5.3	0.03	4.6	0.03	-	-	-	-	-
Penis	3444	0.9	0.02	0.7	0.01	-	-	-	-	-
Urinary System	223117	56.4	0.12	45.5	0.10	99655	18.9	0.06	15.5	0.05
Bladder (incl. <i>in situ</i> )	151764	39.0	0.10	30.7	0.08	54174	10.1	0.04	8.1	0.04
Kidney & renal pelvis	66066	16.1	0.06	13.7	0.05	42372	8.2	0.04	7.0	0.04
Ureter	3642	0.9	0.02	0.7	0.01	2273	0.4	0.01	0.3	0.01
Eye	4086	1.0	0.02	0.8	0.01	3513	0.7	0.01	0.6	0.01
Brain & Other Nervous System	34339	8.0	0.04	7.2	0.04	28393	5.7	0.03	5.2	0.03
Brain	32318	7.5	0.04	6.7	0.04	26340	5.3	0.03	4.8	0.03
Endocrine System	18443	4.2	0.03	3.7	0.03	48125	10.0	0.05	8.7	0.04
Thyroid gland	15235	3.5	0.03	3.0	0.02	45361	9.4	0.04	8.1	0.04
Lymphomas	107302	25.8	0.08	21.6	0.07	94824	18.3	0.06	15.5	0.05
Hodgkin's disease	14391	3.2	0.03	2.9	0.03	11941	2.5	0.02	2.4	0.02
Non-Hodgkin's lymphoma	92911	22.7	0.08	18.7	0.06	82883	15.9	0.06	13.1	0.05
Multiple Myeloma	25968	6.6	0.04	5.3	0.03	23196	4.4	0.03	3.6	0.02
Leukemias	62369	15.4	0.06	12.9	0.05	47971	9.2	0.04	7.8	0.04
Acute lymphocytic	7532	1.6	0.02	1.8	0.02	5817	1.2	0.02	1.4	0.02
Chronic lymphocytic	18619	4.8	0.04	3.8	0.03	13181	2.4	0.02	1.9	0.02
Acute myeloid	18292	4.5	0.03	3.7	0.03	15742	3.0	0.02	2.6	0.02
Chronic myeloid	8142	2.0	0.02	1.6	0.02	6064	1.2	0.02	1.0	0.01
Other	9784	2.5	0.03	2.0	0.02	7167	1.3	0.02	1.0	0.01
Ill-defined & Unknown	56719	14.6	0.06	11.5	0.05	60980	11.2	0.05	8.8	0.04
Breast <i>in situ</i> (not in All Sites)	715	0.2	0.01	0.2	0.01	127115	25.9	0.07	22.6	0.06

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates\***  
**United States, 1996-2000, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Inc.	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.	Inc.	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.
All Sites	2260034	535.4	0.36	366.2	0.26	2163096	404.5	0.28	290.9	0.22
Buccal Cavity & Pharynx	67382	15.7	0.06	11.6	0.05	33008	6.2	0.03	4.5	0.03
Lip	6525	1.6	0.02	1.0	0.01	1881	0.3	0.01	0.2	0.01
Tongue	15825	3.7	0.03	2.8	0.02	7872	1.5	0.02	1.1	0.01
Major salivary gland	6337	1.5	0.02	1.0	0.01	4723	0.9	0.01	0.7	0.01
Floor of mouth	5408	1.2	0.02	1.0	0.01	2652	0.5	0.01	0.4	0.01
Gum and other mouth	8898	2.1	0.02	1.5	0.02	7274	1.3	0.02	0.9	0.01
Nasopharynx	3832	0.9	0.01	0.7	0.01	1797	0.4	0.01	0.3	0.01
Oropharynx	2755	0.6	0.01	0.5	0.01	1038	0.2	0.01	0.2	0.00
Hypopharynx	6346	1.5	0.02	1.1	0.01	1805	0.4	0.01	0.3	0.01
Digestive System	451365	107.5	0.16	70.6	0.11	407171	70.9	0.11	45.8	0.08
Esophagus	34182	8.1	0.04	5.6	0.03	11698	2.1	0.02	1.4	0.01
Stomach	45662	10.9	0.05	7.0	0.03	28852	5.0	0.03	3.1	0.02
Small intestine	7870	1.8	0.02	1.3	0.01	6980	1.3	0.02	0.9	0.01
Colon excl. rectum	185876	44.6	0.10	28.2	0.07	200173	34.3	0.08	21.6	0.06
Rectum & rectosigmoid	79927	18.9	0.07	12.9	0.05	63171	11.4	0.05	7.7	0.03
Anus	4659	1.1	0.02	0.8	0.01	7458	1.4	0.02	1.0	0.01
Liver	25933	6.1	0.04	4.4	0.03	11588	2.1	0.02	1.4	0.02
Gallbladder	3290	0.8	0.01	0.5	0.01	8111	1.4	0.02	0.9	0.01
Pancreas	49637	11.8	0.05	7.8	0.04	52188	9.0	0.04	5.7	0.03
Respiratory System	414105	98.4	0.15	66.3	0.11	293594	54.3	0.10	37.9	0.08
Larynx	33747	7.9	0.04	5.8	0.03	8965	1.8	0.02	1.3	0.01
Lung & bronchus	367850	87.5	0.14	58.5	0.10	279422	51.6	0.10	35.9	0.07
Bones & Joints	4787	1.1	0.02	1.0	0.01	3999	0.8	0.01	0.8	0.01
Soft Tissue (incl. heart)	14543	3.4	0.03	2.6	0.02	12728	2.5	0.02	2.0	0.02
Skin (excl. basal and sq.)	91724	21.4	0.07	15.3	0.05	66213	13.1	0.05	10.0	0.04
Melanomas of the skin	78857	18.4	0.07	13.2	0.05	59921	12.0	0.05	9.2	0.04
Breast (excl. <i>in situ</i> )	5875	1.4	0.02	0.9	0.01	662701	127.6	0.16	94.6	0.12
Female Genital System	-	-	-	-	-	277021	53.8	0.10	40.4	0.08
Cervix uteri	-	-	-	-	-	48597	10.1	0.05	7.9	0.04
Corpus uteri	-	-	-	-	-	121317	23.3	0.07	17.4	0.05
Uterus, NOS	-	-	-	-	-	3898	0.7	0.01	0.5	0.01
Ovary	-	-	-	-	-	83901	16.2	0.06	12.2	0.05
Male Genital System	677910	161.4	0.20	111.1	0.14	-	-	-	-	-
Prostate	648263	154.7	0.19	105.5	0.14	-	-	-	-	-
Testis	25134	5.6	0.04	4.9	0.03	-	-	-	-	-
Penis	3444	0.8	0.01	0.6	0.01	-	-	-	-	-
Urinary System	223117	53.1	0.11	34.7	0.08	99655	17.9	0.06	12.3	0.04
Bladder (incl. <i>in situ</i> )	151764	36.4	0.09	22.8	0.06	54174	9.5	0.04	6.1	0.03
Kidney & renal pelvis	66066	15.5	0.06	11.1	0.05	42372	7.9	0.04	5.8	0.03
Ureter	3642	0.9	0.01	0.5	0.01	2273	0.4	0.01	0.2	0.01
Eye	4086	0.9	0.01	0.8	0.01	3513	0.7	0.01	0.6	0.01
Brain & Other Nervous System	34339	7.8	0.04	6.4	0.04	28393	5.6	0.03	4.7	0.03
Brain	32318	7.4	0.04	6.0	0.04	26340	5.2	0.03	4.3	0.03
Endocrine System	18443	4.2	0.03	3.4	0.03	48125	10.1	0.05	8.4	0.04
Thyroid gland	15235	3.5	0.03	2.7	0.02	45361	9.6	0.05	7.8	0.04
Lymphomas	107302	25.0	0.08	18.1	0.06	94824	17.7	0.06	12.9	0.05
Hodgkin's disease	14391	3.2	0.03	2.8	0.02	11941	2.5	0.02	2.3	0.02
Non-Hodgkin's lymphoma	92911	21.8	0.07	15.2	0.05	82883	15.2	0.05	10.6	0.04
Multiple Myeloma	25968	6.2	0.04	4.0	0.03	23196	4.1	0.03	2.8	0.02
Leukemias	62369	14.6	0.06	10.7	0.05	47971	8.7	0.04	6.7	0.04
Acute lymphocytic	7532	1.6	0.02	2.0	0.02	5817	1.2	0.02	1.5	0.02
Chronic lymphocytic	18619	4.5	0.03	2.9	0.02	13181	2.3	0.02	1.4	0.01
Acute myeloid	18292	4.3	0.03	3.0	0.02	15742	2.9	0.02	2.2	0.02
Chronic myeloid	8142	1.9	0.02	1.3	0.02	6064	1.1	0.01	0.8	0.01
Other	9784	2.3	0.02	1.5	0.02	7167	1.2	0.01	0.8	0.01
Ill-defined & Unknown	56719	13.6	0.06	8.7	0.04	60980	10.4	0.04	6.7	0.03
Breast <i>in situ</i> (not in All Sites)	715	0.2	0.01	0.1	0.00	127115	25.3	0.07	19.6	0.06

\* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, All Races, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>2260034</b>	<b>560.0</b>	<b>265803</b>	<b>67.6</b>	<b>367850</b>	<b>91.5</b>	<b>648263</b>	<b>160.4</b>	<b>151764</b>	<b>39.0</b>	<b>92911</b>	<b>22.7</b>
Alaska	4688	553.5	523	65.6	752	92.9	1241	161.9	275	39.6	234	22.1
Arizona	52431	472.1	5945	55.1	8307	74.4	14687	130.0	3937	36.6	2085	18.8
California	332678	532.1	36178	59.9	46661	76.5	97213	158.1	20641	34.9	14902	22.8
Greater Bay Area	67259	533.3	7465	61.3	8797	72.0	20042	162.8	3779	31.6	3392	25.2
Los Angeles	86120	532.5	9483	61.3	11077	70.6	26144	165.0	4930	32.6	3990	23.1
Colorado	39260	517.3	4138	57.7	4922	68.1	11984	160.8	2506	34.8	1695	21.2
Connecticut	45535	595.0	5388	72.0	6725	88.2	13069	170.2	3501	46.8	1916	24.7
Florida	255598	586.8	31505	72.6	45239	102.7	69269	153.0	18205	41.3	9505	22.7
Georgia - Metropolitan Atlanta	23391	570.4	2263	58.8	3716	97.8	7193	183.2	1167	33.1	1043	22.2
Hawaii	13529	484.2	1877	67.5	2022	72.3	3580	129.8	584	21.3	533	19.0
Idaho	13345	516.0	1363	54.1	1884	73.7	4116	160.4	972	38.8	552	21.0
Illinois	142156	570.0	17430	72.1	24622	99.3	38840	156.7	9354	39.0	5866	23.0
Iowa	38510	555.3	5160	75.1	6610	94.8	10556	151.2	2612	38.0	1571	22.7
Kentucky	50420	597.7	5754	70.5	11813	138.9	12091	145.5	2985	36.6	1910	22.3
Louisiana	51650	597.3	6142	72.4	10127	117.0	14523	170.3	2749	33.3	1824	20.6
Michigan	126164	611.8	13342	66.9	20463	99.4	39681	192.6	8300	42.0	4841	23.0
Metropolitan Detroit	55036	668.3	5742	72.2	8816	107.4	18065	220.0	3471	44.0	2025	24.1
Minnesota	55395	547.9	6124	62.1	7377	73.5	17835	178.8	3642	37.3	2566	25.0
Montana	11420	543.4	1305	63.0	1823	87.0	3551	167.3	787	38.5	475	22.4
Nebraska	20580	543.7	2666	71.5	3250	85.7	6169	162.8	1316	35.6	852	22.4
New Jersey	113581	626.7	13886	78.8	16631	92.2	35284	193.9	7890	44.9	4755	25.8
New Mexico	17112	462.8	1832	50.4	2195	60.9	5297	143.2	959	26.7	655	17.5
New York	223253	561.6	28413	73.7	34570	87.5	62300	156.1	15428	40.3	9603	23.6
North Carolina	84337	520.2	9108	57.9	16898	104.8	24044	147.6	5009	33.0	3028	18.4
Ohio	133722	541.0	16327	68.2	25291	101.9	35661	143.4	9450	39.8	5575	22.4
Oregon	40906	539.9	4339	58.4	6540	87.2	12019	159.0	3034	41.0	1675	22.0
Pennsylvania	175938	588.0	22345	75.9	29017	96.1	50864	167.0	12972	44.1	7131	24.1
Rhode Island	14977	635.3	1764	76.1	2519	106.4	4137	174.0	1214	52.1	574	24.3

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, All Races, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	16406	471.3	1628	48.9	1395	41.5	5926	176.4	1011	31.3	817	22.7
Washington	67132	569.7	7109	62.2	10077	87.2	19812	170.5	4751	42.1	2962	24.3
Seattle/Puget Sound	45857	577.6	4745	61.9	6825	88.2	13516	173.3	3228	42.6	2064	24.9
West Virginia	25837	576.6	3117	71.0	5724	125.8	6551	144.7	1779	40.7	921	20.8
Wisconsin	64476	549.1	8224	71.2	9922	84.9	18941	161.3	4355	38.1	2653	22.5
Wyoming	5607	539.0	608	60.1	758	74.4	1829	175.7	379	38.5	192	18.0

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, All Races, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>2260034</b>	<b>465.6</b>	<b>265803</b>	<b>54.1</b>	<b>367850</b>	<b>76.2</b>	<b>648263</b>	<b>136.4</b>	<b>151764</b>	<b>30.7</b>	<b>92911</b>	<b>18.7</b>
Alaska	4688	454.7	523	52.4	752	77.1	1241	133.9	275	29.9	234	18.6
Arizona	52431	392.2	5945	43.8	8307	61.6	14687	111.0	3937	28.6	2085	15.6
California	332678	440.5	36178	47.7	46661	62.9	97213	134.3	20641	27.3	14902	18.7
Greater Bay Area	67259	442.2	7465	48.9	8797	58.9	20042	138.3	3779	25.0	3392	20.8
Los Angeles	86120	440.5	9483	48.6	11077	58.2	26144	140.5	4930	25.4	3990	19.0
Colorado	39260	428.5	4138	45.8	4922	55.7	11984	137.5	2506	27.8	1695	17.4
Connecticut	45535	495.0	5388	57.1	6725	73.2	13069	145.5	3501	37.1	1916	20.4
Florida	255598	490.7	31505	58.6	45239	86.3	69269	131.6	18205	32.5	9505	18.7
Georgia - Metropolitan Atlanta	23391	480.7	2263	47.7	3716	81.2	7193	159.6	1167	26.0	1043	18.3
Hawaii	13529	397.9	1877	55.2	2022	60.4	3580	105.1	584	16.7	533	15.4
Idaho	13345	427.6	1363	43.2	1884	60.9	4116	135.1	972	30.8	552	17.3
Illinois	142156	473.0	17430	57.5	24622	82.6	38840	132.6	9354	30.8	5866	18.9
Iowa	38510	459.2	5160	59.9	6610	78.7	10556	126.9	2612	30.0	1571	18.7
Kentucky	50420	496.1	5754	56.4	11813	117.0	12091	120.6	2985	29.3	1910	18.5
Louisiana	51650	496.2	6142	58.7	10127	98.1	14523	142.3	2749	26.4	1824	17.0
Michigan	126164	507.5	13342	53.3	20463	82.9	39681	162.7	8300	33.0	4841	19.0
Metropolitan Detroit	55036	556.0	5742	57.5	8816	89.9	18065	186.7	3471	34.6	2025	19.8
Minnesota	55395	458.0	6124	49.8	7377	62.0	17835	152.0	3642	29.7	2566	20.6
Montana	11420	447.0	1305	50.3	1823	71.2	3551	140.9	787	29.9	475	18.4
Nebraska	20580	449.9	2666	57.2	3250	71.6	6169	137.1	1316	27.7	852	18.3
New Jersey	113581	519.6	13886	62.6	16631	76.1	35284	164.2	7890	35.6	4755	21.3
New Mexico	17112	384.2	1832	41.1	2195	49.5	5297	121.1	959	21.5	655	14.5
New York	223253	466.2	28413	58.7	34570	72.5	62300	133.2	15428	31.8	9603	19.4
North Carolina	84337	437.7	9108	47.2	16898	88.2	24044	126.9	5009	26.1	3028	15.4
Ohio	133722	450.4	16327	54.5	25291	85.4	35661	121.8	9450	31.4	5575	18.5
Oregon	40906	450.9	4339	46.7	6540	72.1	12019	136.4	3034	32.6	1675	18.1
Pennsylvania	175938	490.8	22345	60.9	29017	80.4	50864	142.7	12972	35.2	7131	19.9
Rhode Island	14977	525.6	1764	60.5	2519	88.3	4137	148.0	1214	41.6	574	20.0



**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, All Races, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	16406	391.2	1628	38.9	1395	34.3	5926	149.4	1011	24.3	817	18.8
Washington	67132	472.0	7109	49.5	10077	71.9	19812	144.6	4751	33.1	2962	20.0
Seattle/Puget Sound	45857	478.4	4745	49.2	6825	72.5	13516	147.3	3228	33.5	2064	20.5
West Virginia	25837	475.9	3117	56.8	5724	105.0	6551	119.8	1779	32.2	921	17.1
Wisconsin	64476	457.9	8224	57.6	9922	70.8	18941	137.3	4355	30.2	2653	18.4
Wyoming	5607	446.0	608	48.1	758	60.9	1829	148.5	379	30.0	192	15.1

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.  
The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, All Races, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>2163096</b>	<b>419.9</b>	<b>263344</b>	<b>48.8</b>	<b>279422</b>	<b>53.4</b>	<b>662701</b>	<b>131.7</b>	<b>48597</b>	<b>10.0</b>	<b>83901</b>	<b>16.6</b>
Alaska	4466	447.1	443	53.8	559	64.8	1515	138.4	124	9.2	180	16.7
Arizona	48011	369.6	5303	39.5	6559	48.6	15363	120.9	927	7.7	1825	14.3
California	324403	412.0	34909	43.8	39573	50.4	103968	133.8	8397	10.5	13014	16.6
Greater Bay Area	67227	419.4	7254	44.6	7809	49.0	22480	141.6	1407	8.6	2642	16.5
Los Angeles	84772	401.2	9539	45.2	9283	44.6	26620	127.4	2775	12.7	3511	16.5
Colorado	38421	399.2	3963	42.1	3994	43.0	13092	135.4	806	7.8	1606	16.4
Connecticut	45233	450.2	5596	51.9	5758	56.6	13984	143.1	769	8.3	1549	15.9
Florida	226270	439.3	29795	53.2	33984	62.4	64368	131.1	5067	12.0	8822	17.9
Georgia - Metropolitan Atlanta	23505	407.3	2424	44.7	2803	52.6	8174	137.4	670	10.0	891	15.2
Hawaii	12157	384.2	1399	43.6	1245	38.3	4122	131.1	311	10.1	458	14.7
Idaho	12055	395.0	1328	42.4	1335	43.8	3887	129.2	229	7.8	502	16.6
Illinois	141590	427.4	17935	51.6	18199	54.6	43087	133.3	3594	11.4	5360	16.5
Iowa	37456	421.7	5452	54.8	4343	48.1	11100	130.4	680	9.1	1501	17.8
Kentucky	47528	430.0	6018	52.6	7684	68.7	13423	123.8	1265	12.1	1675	15.3
Louisiana	45367	393.7	5626	48.0	6299	54.3	13813	121.6	1284	11.4	1478	12.9
Michigan	115496	434.9	13230	48.0	15386	57.5	34461	132.0	2438	9.5	4463	17.1
Metropolitan Detroit	50122	453.4	5770	50.5	7092	63.6	14785	136.1	1086	10.1	1887	17.3
Minnesota	52042	410.5	6258	46.5	5539	44.4	17065	137.3	876	7.1	2122	17.2
Montana	10264	412.8	1149	44.0	1406	55.7	3297	135.1	206	9.0	403	16.4
Nebraska	19636	408.7	2590	49.8	2201	45.2	6041	130.2	383	9.0	784	16.9
New Jersey	108874	452.3	13783	54.3	13537	55.2	32398	138.2	2461	10.8	4262	18.2
New Mexico	15775	353.1	1581	35.3	1621	36.2	5204	116.9	407	9.2	648	14.5
New York	230235	430.6	29882	53.3	28771	53.0	68370	131.2	5390	10.6	8946	17.1
North Carolina	78569	368.8	9154	42.0	10479	48.4	25601	122.0	1867	9.0	3110	14.7
Ohio	134596	415.2	16928	49.6	18599	56.2	41172	130.0	2735	9.1	4790	15.2
Oregon	39655	429.5	4202	43.3	5463	58.7	13036	143.4	717	8.3	1488	16.3
Pennsylvania	167312	428.5	22658	53.0	20897	51.5	49149	130.6	3237	9.6	6597	17.8
Rhode Island	14607	458.4	1988	56.4	2034	63.7	4058	132.5	268	9.6	446	14.9

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, All Races, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	14512	343.0	1559	37.7	905	22.1	4822	116.8	316	7.0	695	16.2
Washington	64736	444.5	6570	44.2	8469	58.8	20973	145.2	1130	7.7	2762	19.1
Seattle/Puget Sound	45046	454.9	4497	44.9	5945	61.1	14777	149.9	740	7.2	1988	20.1
West Virginia	24793	431.0	3182	52.1	4056	67.7	6704	119.8	635	12.8	898	16.2
Wisconsin	60688	411.8	7913	50.3	7158	48.4	18916	131.8	1300	9.6	2421	16.9
Wyoming	4844	393.7	526	42.2	566	46.2	1538	125.4	108	8.9	205	16.8

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.  
The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, All Races, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>2163096</b>	<b>352.3</b>	<b>263344</b>	<b>38.6</b>	<b>279422</b>	<b>45.5</b>	<b>662701</b>	<b>111.8</b>	<b>48597</b>	<b>8.3</b>	<b>83901</b>	<b>14.2</b>
Alaska	4466	375.9	443	42.6	559	55.2	1515	118.0	124	8.0	180	14.0
Arizona	48011	309.2	5303	31.0	6559	41.4	15363	102.5	927	6.4	1825	12.1
California	324403	344.7	34909	34.4	39573	42.3	103968	113.8	8397	8.8	13014	14.2
Greater Bay Area	67227	350.9	7254	35.0	7809	40.9	22480	120.8	1407	7.1	2642	14.2
Los Angeles	84772	334.6	9539	35.4	9283	37.1	26620	108.3	2775	10.6	3511	14.2
Colorado	38421	334.6	3963	33.3	3994	36.3	13092	115.3	806	6.5	1606	13.9
Connecticut	45233	377.9	5596	41.0	5758	48.3	13984	121.2	769	6.9	1549	13.6
Florida	226270	367.1	29795	42.1	33984	52.9	64368	110.9	5067	10.0	8822	15.3
Georgia - Metropolitan Atlanta	23505	343.2	2424	35.9	2803	44.8	8174	117.5	670	8.3	891	13.1
Hawaii	12157	322.2	1399	34.8	1245	31.9	4122	112.9	311	8.3	458	12.8
Idaho	12055	332.7	1328	33.5	1335	37.6	3887	110.2	229	6.5	502	14.1
Illinois	141590	357.9	17935	40.7	18199	46.7	43087	112.8	3594	9.5	5360	14.1
Iowa	37456	353.7	5452	43.2	4343	41.3	11100	110.2	680	7.5	1501	15.2
Kentucky	47528	362.3	6018	41.9	7684	59.8	13423	105.4	1265	10.0	1675	13.1
Louisiana	45367	328.7	5626	38.4	6299	46.4	13813	102.3	1284	9.6	1478	11.1
Michigan	115496	365.5	13230	38.0	15386	49.6	34461	112.1	2438	8.0	4463	14.6
Metropolitan Detroit	50122	381.4	5770	40.0	7092	54.7	14785	115.9	1086	8.5	1887	14.8
Minnesota	52042	347.8	6258	37.0	5539	38.9	17065	116.9	876	6.0	2122	14.8
Montana	10264	346.9	1149	34.8	1406	47.8	3297	114.6	206	7.5	403	14.2
Nebraska	19636	343.6	2590	39.6	2201	38.5	6041	110.6	383	7.5	784	14.4
New Jersey	108874	378.2	13783	42.8	13537	46.7	32398	117.0	2461	9.0	4262	15.6
New Mexico	15775	295.4	1581	28.1	1621	30.3	5204	98.9	407	7.7	648	12.6
New York	230235	360.2	29882	42.1	28771	44.9	68370	111.3	5390	9.0	8946	14.7
North Carolina	78569	312.1	9154	33.9	10479	42.0	25601	104.0	1867	7.6	3110	12.6
Ohio	134596	349.3	16928	39.4	18599	48.3	41172	110.4	2735	7.6	4790	12.9
Oregon	39655	363.3	4202	34.3	5463	50.6	13036	122.7	717	6.9	1488	13.8
Pennsylvania	167312	360.7	22658	42.0	20897	44.1	49149	110.9	3237	8.1	6597	15.3
Rhode Island	14607	384.2	1988	44.2	2034	55.0	4058	111.7	268	8.0	446	12.9


**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, All Races, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	14512	288.7	1559	29.9	905	18.9	4822	99.4	316	5.8	695	13.8
Washington	64736	374.8	6570	35.0	8469	50.2	20973	123.8	1130	6.4	2762	16.4
Seattle/Puget Sound	45046	383.8	4497	35.6	5945	52.1	14777	128.1	740	6.0	1988	17.2
West Virginia	24793	362.6	3182	41.8	4056	58.4	6704	101.5	635	10.6	898	13.8
Wisconsin	60688	347.2	7913	40.0	7158	41.9	18916	112.0	1300	8.2	2421	14.5
Wyoming	4844	332.6	526	33.7	566	39.7	1538	107.1	108	7.4	205	14.1

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.  
 The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

# Registries Included in the NAACCR U.S. Combined Incidence 1996-2000



 **Participating Registries**

**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates\*  
United States, 1996-2000, Whites**

SITES	MALES (WHITES)					FEMALES (WHITES)				
	Inc.	Adj. Rate 2000 US	S.E.	Adj. Rate 1970 US	S.E.	Inc.	Adj. Rate 2000 US	S.E.	Adj. Rate 1970 US	S.E.
All Sites	1969515	551.5	0.40	458.2	0.33	1905174	424.7	0.31	356.8	0.27
Buccal Cavity & Pharynx	57220	15.8	0.07	13.5	0.06	28421	6.3	0.04	5.4	0.03
Lip	6243	1.8	0.02	1.4	0.02	1773	0.4	0.01	0.3	0.01
Tongue	13754	3.7	0.03	3.3	0.03	6916	1.6	0.02	1.3	0.02
Major salivary gland	5707	1.6	0.02	1.3	0.02	4097	0.9	0.01	0.8	0.01
Floor of mouth	4521	1.2	0.02	1.1	0.02	2318	0.5	0.01	0.4	0.01
Gum and other mouth	7494	2.1	0.02	1.8	0.02	6320	1.4	0.02	1.1	0.01
Nasopharynx	2429	0.7	0.01	0.6	0.01	1175	0.3	0.01	0.2	0.01
Oropharynx	2242	0.6	0.01	0.5	0.01	878	0.2	0.01	0.2	0.01
Hypopharynx	5165	1.4	0.02	1.2	0.02	1560	0.4	0.01	0.3	0.01
Digestive System	390199	111.2	0.18	89.4	0.14	351607	73.6	0.13	58.4	0.10
Esophagus	29071	8.1	0.05	6.8	0.04	9631	2.0	0.02	1.6	0.02
Stomach	36815	10.6	0.06	8.4	0.04	22306	4.6	0.03	3.6	0.03
Small intestine	6708	1.9	0.02	1.6	0.02	5872	1.3	0.02	1.0	0.01
Colon excl. rectum	164212	47.4	0.12	37.2	0.09	175567	36.3	0.09	28.4	0.07
Rectum & rectosigmoid	71191	20.0	0.08	16.6	0.06	55640	12.0	0.05	9.8	0.04
Anus	4005	1.1	0.02	0.9	0.01	6679	1.5	0.02	1.2	0.02
Liver	19504	5.4	0.04	4.6	0.03	8954	1.9	0.02	1.6	0.02
Gallbladder	2812	0.8	0.02	0.6	0.01	6972	1.4	0.02	1.2	0.01
Pancreas	43261	12.3	0.06	9.9	0.05	44931	9.3	0.04	7.4	0.04
Respiratory System	362659	101.4	0.17	84.5	0.14	263093	57.3	0.11	49.0	0.10
Larynx	28751	7.9	0.05	6.9	0.04	7608	1.7	0.02	1.6	0.02
Lung & bronchus	322572	90.3	0.16	75.1	0.13	250869	54.5	0.11	46.6	0.10
Bones & Joints	4130	1.1	0.02	1.1	0.02	3444	0.8	0.01	0.8	0.02
Soft Tissue (incl. heart)	12464	3.4	0.03	2.9	0.03	10715	2.5	0.02	2.2	0.02
Skin (excl. basal and sq.)	84983	23.4	0.08	19.3	0.07	61366	14.5	0.06	12.2	0.05
Melanomas of the skin	74628	20.5	0.08	17.1	0.06	56129	13.3	0.06	11.3	0.05
Breast (excl. <i>in situ</i> )	5113	1.4	0.02	1.2	0.02	584326	134.1	0.18	114.0	0.15
Female Genital System	-	-	-	-	-	242573	55.9	0.11	47.9	0.10
Cervix uteri	-	-	-	-	-	38194	9.4	0.05	7.8	0.04
Corpus uteri	-	-	-	-	-	108863	24.8	0.08	21.7	0.07
Uterus, NOS	-	-	-	-	-	3134	0.7	0.01	0.6	0.01
Ovary	-	-	-	-	-	75367	17.3	0.06	14.8	0.06
Male Genital System	573361	158.8	0.21	135.2	0.18	-	-	-	-	-
Prostate	545952	151.7	0.21	129.1	0.18	-	-	-	-	-
Testis	23514	6.0	0.04	5.2	0.04	-	-	-	-	-
Penis	2995	0.9	0.02	0.7	0.01	-	-	-	-	-
Urinary System	205964	58.6	0.13	47.2	0.11	89930	19.4	0.07	16.0	0.06
Bladder (incl. <i>in situ</i> )	142610	41.0	0.11	32.4	0.09	49810	10.5	0.05	8.4	0.04
Kidney & renal pelvis	58462	16.2	0.07	13.7	0.06	37375	8.3	0.04	7.1	0.04
Ureter	3460	1.0	0.02	0.8	0.01	2119	0.4	0.01	0.3	0.01
Eye	3739	1.0	0.02	0.9	0.01	3235	0.8	0.01	0.7	0.01
Brain & Other Nervous System	31270	8.4	0.05	7.6	0.04	25658	6.0	0.04	5.5	0.04
Brain	29526	8.0	0.05	7.2	0.04	23935	5.6	0.04	5.1	0.04
Endocrine System	16278	4.3	0.03	3.8	0.03	41346	10.3	0.05	8.9	0.05
Thyroid gland	13606	3.6	0.03	3.1	0.03	39059	9.7	0.05	8.4	0.04
Lymphomas	95140	26.3	0.09	22.0	0.07	84965	18.9	0.07	16.0	0.06
Hodgkin's disease	12552	3.3	0.03	3.1	0.03	10480	2.6	0.03	2.5	0.03
Non-Hodgkin's lymphoma	82588	23.0	0.08	19.0	0.07	74485	16.3	0.06	13.5	0.05
Multiple Myeloma	21566	6.1	0.04	4.9	0.03	18496	3.9	0.03	3.2	0.02
Leukemias	55897	15.8	0.07	13.3	0.06	42657	9.4	0.05	8.1	0.04
Acute lymphocytic	6527	1.7	0.02	1.9	0.02	5049	1.3	0.02	1.5	0.02
Chronic lymphocytic	16961	4.9	0.04	3.9	0.03	12028	2.5	0.02	2.0	0.02
Acute myeloid	16439	4.6	0.04	3.8	0.03	13920	3.1	0.03	2.6	0.02
Chronic myeloid	7113	2.0	0.02	1.6	0.02	5256	1.2	0.02	0.9	0.01
Other	8857	2.6	0.03	2.0	0.02	6404	1.3	0.02	1.1	0.01
Ill-defined & Unknown	49532	14.3	0.07	11.2	0.05	53338	11.1	0.05	8.6	0.04
Breast <i>in situ</i> (not in All Sites)	609	0.2	0.01	0.1	0.01	110724	26.3	0.08	22.9	0.07

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Whites, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>1969515</b>	<b>551.5</b>	<b>235403</b>	<b>67.4</b>	<b>322572</b>	<b>90.3</b>	<b>545952</b>	<b>151.7</b>	<b>142610</b>	<b>41.0</b>	<b>82588</b>	<b>23.0</b>
Alaska	3728	552.6	362	56.2	568	88.7	1052	172.7	250	46.4	197	24.1
Arizona	49603	473.9	5708	55.9	7968	75.3	13545	126.4	3847	37.7	1996	19.2
California	277573	533.3	30318	60.2	39050	76.7	77806	151.4	18880	38.0	12741	23.6
Greater Bay Area	51723	545.8	5772	62.9	6527	71.0	15045	162.0	3296	36.4	2696	26.9
Los Angeles	65241	528.1	7125	60.4	8055	67.5	18600	154.0	4262	36.7	3257	24.9
Colorado	37189	515.9	3936	57.6	4677	67.9	11220	158.2	2439	35.4	1619	21.5
Connecticut	41734	585.9	5019	71.5	6232	87.4	11622	162.0	3356	47.9	1781	24.9
Florida	231259	579.8	28755	71.8	41356	102.0	60981	145.5	17469	42.9	8641	22.8
Georgia - Metropolitan Atlanta	16290	547.7	1592	56.5	2535	91.6	4718	161.9	988	37.0	765	23.9
Hawaii	4280	593.3	443	62.3	562	78.9	1124	161.6	242	35.3	152	20.8
Idaho	13171	517.5	1347	54.3	1863	74.0	4070	160.9	955	38.7	545	21.1
Illinois	119270	552.7	14987	71.3	20583	95.7	31314	145.2	8608	41.0	5154	23.5
Iowa	37613	550.9	5101	75.3	6495	94.5	10236	148.6	2554	37.7	1540	22.7
Kentucky	46013	578.0	5391	69.9	11122	138.3	10321	131.0	2839	36.8	1775	22.1
Louisiana	37882	582.3	4612	72.3	7280	111.4	10126	155.3	2382	37.9	1458	22.5
Michigan	106415	584.3	11543	65.3	17431	95.6	31605	172.8	7757	44.1	4316	23.4
Metropolitan Detroit	41593	640.7	4459	70.9	6581	101.5	12741	195.6	3105	49.4	1659	25.3
Minnesota	52967	540.7	5912	61.6	7069	72.4	17099	176.0	3554	37.4	2428	24.6
Montana	10690	525.7	1223	60.9	1730	85.1	3282	159.4	747	37.6	451	22.2
Nebraska	19482	530.7	2573	71.0	3113	84.5	5754	156.0	1296	36.0	816	22.2
New Jersey	98229	623.3	12300	79.6	14306	90.7	29644	186.0	7460	48.1	4152	26.3
New Mexico	16259	475.6	1732	51.5	2095	62.4	5062	147.1	933	28.0	628	18.3
New York	184729	554.1	24387	74.5	29262	87.7	48414	143.6	14286	43.7	8006	23.9
North Carolina	68138	508.4	7531	57.7	13797	102.9	18315	134.4	4590	36.1	2594	19.4
Ohio	116941	521.4	14624	67.1	22331	98.8	29586	130.7	8800	40.5	5086	22.6
Oregon	38889	533.1	4145	57.8	6314	87.2	11196	153.3	2944	41.2	1576	21.5
Pennsylvania	157241	569.3	20522	75.2	25924	92.7	44155	156.5	12395	45.4	6484	23.9
Rhode Island	14485	641.8	1721	77.3	2437	107.1	3989	174.7	1199	53.5	553	24.6



**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Whites, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	16085	476.0	1591	49.2	1365	41.8	5832	178.3	1002	31.9	799	23.0
Washington	61615	563.0	6547	61.5	9391	87.1	17944	165.4	4442	42.1	2714	24.1
Seattle/Puget Sound	42258	585.0	4349	62.1	6257	88.5	12508	175.3	3073	44.1	1893	25.3
West Virginia	25079	575.7	3008	70.5	5600	126.4	6284	142.5	1757	41.4	903	21.0
Wisconsin	61154	541.0	7874	70.6	9369	83.0	17857	157.4	4263	38.6	2530	22.4
Wyoming	5512	539.7	599	60.2	747	74.5	1799	175.7	376	38.9	188	18.1

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.  
The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Whites, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>1969515</b>	<b>458.2</b>	<b>235403</b>	<b>53.8</b>	<b>322572</b>	<b>75.1</b>	<b>545952</b>	<b>129.1</b>	<b>142610</b>	<b>32.4</b>	<b>82588</b>	<b>19.0</b>
Alaska	3728	455.4	362	45.5	568	73.7	1052	143.4	250	34.9	197	20.2
Arizona	49603	394.1	5708	44.4	7968	62.4	13545	108.3	3847	29.5	1996	15.9
California	277573	442.4	30318	47.9	39050	63.1	77806	129.3	18880	29.8	12741	19.4
Greater Bay Area	51723	453.8	5772	50.1	6527	58.2	15045	138.6	3296	28.9	2696	22.2
Los Angeles	65241	437.5	7125	47.7	8055	55.5	18600	132.0	4262	28.7	3257	20.5
Colorado	37189	427.5	3936	45.7	4677	55.6	11220	135.2	2439	28.5	1619	17.7
Connecticut	41734	486.9	5019	56.6	6232	72.4	11622	138.2	3356	38.1	1781	20.6
Florida	231259	484.7	28755	57.9	41356	85.7	60981	125.0	17469	33.8	8641	18.8
Georgia - Metropolitan Atlanta	16290	460.9	1592	45.7	2535	75.8	4718	141.3	988	29.3	765	19.7
Hawaii	4280	487.8	443	50.6	562	65.6	1124	132.5	242	27.2	152	16.8
Idaho	13171	428.8	1347	43.4	1863	61.1	4070	135.5	955	30.7	545	17.4
Illinois	119270	457.6	14987	56.6	20583	79.3	31314	122.8	8608	32.5	5154	19.3
Iowa	37613	455.6	5101	60.0	6495	78.4	10236	124.8	2554	29.7	1540	18.7
Kentucky	46013	479.7	5391	55.9	11122	116.5	10321	108.8	2839	29.5	1775	18.3
Louisiana	37882	482.8	4612	58.4	7280	92.9	10126	130.2	2382	30.2	1458	18.5
Michigan	106415	483.9	11543	51.9	17431	79.6	31605	145.8	7757	34.8	4316	19.3
Metropolitan Detroit	41593	531.1	4459	56.1	6581	84.7	12741	165.5	3105	39.0	1659	20.8
Minnesota	52967	452.0	5912	49.5	7069	61.0	17099	149.7	3554	29.8	2428	20.2
Montana	10690	432.2	1223	48.5	1730	69.5	3282	134.2	747	29.2	451	18.1
Nebraska	19482	439.0	2573	56.7	3113	70.4	5754	131.8	1296	28.0	816	18.1
New Jersey	98229	516.2	12300	63.1	14306	74.7	29644	157.4	7460	38.3	4152	21.7
New Mexico	16259	395.0	1732	41.9	2095	50.8	5062	124.6	933	22.5	628	15.1
New York	184729	459.4	24387	59.4	29262	72.6	48414	122.3	14286	34.7	8006	19.7
North Carolina	68138	427.1	7531	47.1	13797	86.5	18315	115.6	4590	28.7	2594	16.2
Ohio	116941	433.5	14624	53.5	22331	82.8	29586	110.9	8800	32.1	5086	18.7
Oregon	38889	445.3	4145	46.2	6314	72.0	11196	131.8	2944	32.8	1576	17.8
Pennsylvania	157241	474.2	20522	60.3	25924	77.4	44155	133.4	12395	36.3	6484	19.6
Rhode Island	14485	531.3	1721	61.6	2437	89.0	3989	148.5	1199	42.8	553	20.3

**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Whites, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	16085	395.4	1591	39.2	1365	34.5	5832	151.2	1002	24.8	799	19.0
Washington	61615	466.7	6547	49.0	9391	71.8	17944	140.6	4442	33.1	2714	19.9
Seattle/Puget Sound	42258	485.0	4349	49.5	6257	72.7	12508	149.2	3073	34.7	1893	20.9
West Virginia	25079	475.3	3008	56.4	5600	105.6	6284	118.0	1757	32.6	903	17.2
Wisconsin	61154	450.8	7874	57.1	9369	69.1	17857	133.9	4263	30.6	2530	18.4
Wyoming	5512	446.8	599	48.2	747	61.1	1799	148.6	376	30.2	188	15.2

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.  
 The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Whites, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>1905174</b>	<b>424.7</b>	<b>231207</b>	<b>48.3</b>	<b>250869</b>	<b>54.5</b>	<b>584326</b>	<b>134.1</b>	<b>38194</b>	<b>9.4</b>	<b>75367</b>	<b>17.3</b>
Alaska	3450	451.2	276	44.4	435	66.2	1219	146.0	94	9.2	144	17.6
Arizona	45693	377.0	5077	39.9	6347	50.0	14641	123.9	843	7.7	1727	14.6
California	276581	428.2	29174	43.6	34793	53.5	89070	140.9	6689	10.5	11253	17.6
Greater Bay Area	53270	448.7	5599	45.1	6385	53.6	18134	155.7	954	8.1	2112	18.1
Los Angeles	66392	419.0	7159	44.2	7371	46.7	20786	134.2	2129	13.2	2819	17.9
Colorado	36610	402.7	3749	41.8	3807	43.2	12538	137.5	736	7.6	1549	16.8
Connecticut	41933	452.8	5181	51.1	5445	57.6	12928	144.4	657	7.9	1475	16.6
Florida	205586	444.5	26960	52.4	31825	64.2	58551	133.7	4038	11.4	8136	18.6
Georgia - Metropolitan Atlanta	16835	423.9	1659	42.6	2150	56.7	5827	145.0	384	8.8	684	17.1
Hawaii	3412	447.5	293	38.8	420	55.3	1172	152.1	82	10.5	140	18.3
Idaho	11873	396.4	1301	42.1	1319	43.9	3834	129.9	222	7.7	497	16.7
Illinois	120502	427.3	15238	50.3	15573	54.3	36667	134.2	2632	10.2	4740	17.4
Iowa	36756	420.8	5382	54.8	4261	47.9	10913	130.6	650	8.9	1472	17.8
Kentucky	43951	424.6	5550	51.6	7156	68.1	12460	122.8	1113	11.5	1565	15.3
Louisiana	33387	399.4	4019	46.4	4869	56.9	10213	124.4	709	9.3	1142	14.0
Michigan	99777	431.4	11301	46.2	13343	56.9	29937	132.1	1875	8.7	3989	17.7
Metropolitan Detroit	39141	459.4	4374	48.2	5576	64.1	11646	140.2	671	8.5	1535	18.6
Minnesota	49972	408.1	6063	46.1	5340	44.1	16516	137.8	768	6.6	2026	17.1
Montana	9689	404.9	1093	43.1	1327	54.4	3135	133.9	182	8.4	384	16.3
Nebraska	18760	404.4	2505	49.5	2118	44.8	5830	130.5	347	8.6	762	17.1
New Jersey	95325	463.6	12138	54.4	12058	56.7	28337	143.1	1852	10.0	3781	19.2
New Mexico	14839	363.8	1497	36.2	1569	37.9	4959	122.3	354	8.9	589	14.5
New York	192155	440.1	25153	53.3	24996	55.7	56928	135.5	3619	9.2	7613	18.2
North Carolina	64083	376.5	7161	40.5	9023	51.5	20845	124.6	1299	8.2	2626	15.7
Ohio	119850	411.3	15049	48.6	16504	55.2	36538	128.5	2377	9.1	4418	15.6
Oregon	38026	429.7	4019	42.8	5311	59.3	12482	143.4	661	8.1	1434	16.4
Pennsylvania	151283	424.5	20700	52.4	18680	50.1	44570	130.1	2677	9.0	6111	18.3
Rhode Island	14183	467.1	1929	56.8	1979	64.8	3950	135.7	252	9.7	431	15.2

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Whites, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	14231	347.7	1527	37.9	883	22.2	4742	118.7	303	7.0	686	16.5
Washington	59799	446.6	6076	43.8	8054	60.3	19419	146.7	950	7.2	2580	19.5
Seattle/Puget Sound	41548	467.3	4131	45.1	5598	63.5	13682	155.2	606	6.8	1857	21.0
West Virginia	24079	432.7	3072	52.0	3935	67.8	6497	119.9	610	12.8	879	16.4
Wisconsin	57804	410.3	7550	49.7	6793	47.7	18090	132.1	1117	8.8	2333	17.1
Wyoming	4750	394.9	515	42.1	556	46.3	1518	126.6	102	8.7	201	16.8

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Whites, Females**


	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>1905174</b>	<b>356.8</b>	<b>231207</b>	<b>38.1</b>	<b>250869</b>	<b>46.6</b>	<b>584326</b>	<b>114.0</b>	<b>38194</b>	<b>7.8</b>	<b>75367</b>	<b>14.9</b>
Alaska	3450	379.0	276	34.6	435	56.6	1219	124.3	94	8.0	144	14.5
Arizona	45693	315.8	5077	31.3	6347	42.6	14641	105.1	843	6.5	1727	12.4
California	276581	359.2	29174	34.2	34793	45.0	89070	120.1	6689	8.8	11253	15.1
Greater Bay Area	53270	377.1	5599	35.4	6385	45.0	18134	133.4	954	6.8	2112	15.5
Los Angeles	66392	350.1	7159	34.4	7371	38.9	20786	114.3	2129	11.1	2819	15.4
Colorado	36610	337.7	3749	33.0	3807	36.5	12538	117.3	736	6.4	1549	14.3
Connecticut	41933	380.5	5181	40.2	5445	49.3	12928	122.4	657	6.6	1475	14.2
Florida	205586	372.1	26960	41.4	31825	54.6	58551	113.2	4038	9.4	8136	16.0
Georgia - Metropolitan Atlanta	16835	357.9	1659	33.9	2150	48.4	5827	124.3	384	7.2	684	14.8
Hawaii	3412	371.2	293	29.3	420	46.1	1172	128.4	82	8.9	140	15.5
Idaho	11873	334.0	1301	33.2	1319	37.7	3834	110.9	222	6.5	497	14.2
Illinois	120502	358.3	15238	39.5	15573	46.5	36667	113.8	2632	8.4	4740	14.8
Iowa	36756	352.9	5382	43.1	4261	41.1	10913	110.3	650	7.4	1472	15.2
Kentucky	43951	357.8	5550	41.1	7156	59.3	12460	104.6	1113	9.5	1565	13.1
Louisiana	33387	334.0	4019	36.8	4869	48.7	10213	105.0	709	7.7	1142	12.1
Michigan	99777	362.8	11301	36.5	13343	49.1	29937	112.3	1875	7.3	3989	15.1
Metropolitan Detroit	39141	387.0	4374	37.9	5576	55.3	11646	119.5	671	7.2	1535	15.9
Minnesota	49972	345.9	6063	36.7	5340	38.6	16516	117.4	768	5.5	2026	14.7
Montana	9689	340.1	1093	34.0	1327	46.6	3135	113.6	182	7.0	384	14.1
Nebraska	18760	340.1	2505	39.3	2118	38.2	5830	110.9	347	7.1	762	14.6
New Jersey	95325	388.4	12138	42.8	12058	48.2	28337	121.4	1852	8.3	3781	16.5
New Mexico	14839	304.9	1497	28.8	1569	31.8	4959	103.5	354	7.5	589	12.6
New York	192155	368.7	25153	42.0	24996	47.3	56928	115.1	3619	7.7	7613	15.6
North Carolina	64083	318.9	7161	32.5	9023	44.7	20845	106.5	1299	6.9	2626	13.4
Ohio	119850	346.4	15049	38.6	16504	47.4	36538	109.3	2377	7.6	4418	13.3
Oregon	38026	363.7	4019	33.9	5311	51.1	12482	122.8	661	6.7	1434	14.0
Pennsylvania	151283	357.4	20700	41.5	18680	42.8	44570	110.5	2677	7.5	6111	15.7
Rhode Island	14183	392.2	1929	44.6	1979	56.0	3950	114.4	252	8.1	431	13.2

**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Whites, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	14231	292.9	1527	30.1	883	19.1	4742	101.2	303	5.8	686	14.1
Washington	59799	377.1	6076	34.7	8054	51.6	19419	125.3	950	6.0	2580	16.7
Seattle/Puget Sound	41548	395.1	4131	35.8	5598	54.3	13682	132.9	606	5.7	1857	18.1
West Virginia	24079	364.0	3072	41.6	3935	58.5	6497	101.7	610	10.6	879	14.0
Wisconsin	57804	345.9	7550	39.5	6793	41.3	18090	112.3	1117	7.5	2333	14.7
Wyoming	4750	333.9	515	33.6	556	39.7	1518	108.2	102	7.3	201	14.2

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

# Registries Included in the NAACCR U.S. Combined Incidence 1996-2000



 **Participating Registries**



**Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates\*  
United States, 1996-2000, Blacks**

SITES	MALES (BLACKS)					FEMALES (BLACKS)				
	Inc.	Adj. Rate		Adj. Rate		Inc.	Adj. Rate		Adj. Rate	
		2000 US	S.E.	1970 US	S.E.		2000 US	S.E.	1970 US	S.E.
All Sites	196331	647.0	1.54	545.1	1.25	173362	387.9	0.94	324.8	0.80
Buccal Cavity & Pharynx	6978	20.0	0.25	17.8	0.22	2888	6.4	0.12	5.5	0.10
Lip	44	0.1	0.02	0.1	0.02	30	0.1	0.01	0.1	0.01
Tongue	1495	4.3	0.11	3.8	0.10	578	1.3	0.05	1.1	0.05
Major salivary gland	383	1.1	0.06	0.9	0.05	379	0.8	0.04	0.7	0.04
Floor of mouth	733	2.1	0.08	1.9	0.07	257	0.6	0.04	0.5	0.03
Gum and other mouth	1006	2.9	0.10	2.6	0.08	610	1.4	0.06	1.1	0.05
Nasopharynx	453	1.1	0.06	1.0	0.05	211	0.4	0.03	0.4	0.03
Oropharynx	446	1.3	0.06	1.2	0.06	144	0.3	0.03	0.3	0.02
Hypopharynx	962	2.9	0.10	2.6	0.08	205	0.4	0.03	0.4	0.03
Digestive System	40198	136.4	0.72	111.9	0.57	39151	91.6	0.47	73.8	0.38
Esophagus	4116	13.2	0.21	11.5	0.18	1740	4.0	0.10	3.5	0.08
Stomach	5452	19.3	0.28	15.3	0.21	4138	9.8	0.15	7.5	0.12
Small intestine	892	2.9	0.10	2.4	0.08	882	2.0	0.07	1.7	0.06
Colon excl. rectum	15198	53.6	0.46	43.2	0.36	18212	42.7	0.32	34.3	0.26
Rectum & rectosigmoid	5087	16.6	0.25	13.9	0.20	4839	11.2	0.16	9.2	0.13
Anus	500	1.3	0.06	1.1	0.05	579	1.3	0.05	1.1	0.05
Liver	3050	9.2	0.17	7.9	0.15	1303	3.0	0.08	2.5	0.07
Gallbladder	271	1.0	0.06	0.8	0.05	734	1.7	0.06	1.4	0.05
Pancreas	4717	16.2	0.25	13.3	0.20	5625	13.4	0.18	10.6	0.14
Respiratory System	40000	132.8	0.70	112.6	0.57	23674	54.4	0.36	46.8	0.31
Larynx	4075	12.7	0.21	11.2	0.18	1161	2.6	0.08	2.3	0.07
Lung & bronchus	35182	117.7	0.66	99.5	0.54	22123	51.0	0.34	43.8	0.30
Bones & Joints	415	0.9	0.05	0.9	0.04	345	0.6	0.03	0.6	0.03
Soft Tissue (incl. heart)	1354	3.4	0.10	3.0	0.08	1373	2.8	0.08	2.5	0.07
Skin (excl. basal and sq.)	2056	4.9	0.12	4.0	0.09	1035	2.1	0.07	1.8	0.06
Melanomas of the skin	381	1.2	0.07	1.0	0.05	403	0.9	0.04	0.7	0.04
Breast (excl. <i>in situ</i> )	587	2.1	0.09	1.6	0.07	51465	112.6	0.50	95.1	0.43
Female Genital System	-	-	-	-	-	22319	48.6	0.33	41.4	0.28
Cervix uteri	-	-	-	-	-	7082	14.6	0.18	12.2	0.15
Corpus uteri	-	-	-	-	-	7820	17.8	0.20	15.5	0.18
Uterus, NOS	-	-	-	-	-	627	1.4	0.06	1.2	0.05
Ovary	-	-	-	-	-	5222	11.4	0.16	9.7	0.14
Male Genital System	70633	241.0	0.95	205.7	0.78	-	-	-	-	-
Prostate	69592	238.5	0.94	203.6	0.78	-	-	-	-	-
Testis	672	1.3	0.05	1.2	0.05	-	-	-	-	-
Penis	286	1.0	0.06	0.8	0.05	-	-	-	-	-
Urinary System	10715	36.3	0.37	29.6	0.29	7022	16.1	0.19	13.2	0.16
Bladder (incl. <i>in situ</i> )	5004	18.7	0.28	14.5	0.21	2974	7.1	0.13	5.5	0.10
Kidney & renal pelvis	5493	16.8	0.24	14.4	0.20	3795	8.4	0.14	7.2	0.12
Ureter	86	0.3	0.04	0.2	0.03	88	0.2	0.02	0.2	0.02
Eye	145	0.3	0.03	0.3	0.03	114	0.2	0.02	0.2	0.02
Brain & Other Nervous System	1929	4.7	0.12	4.3	0.10	1783	3.6	0.09	3.3	0.08
Brain	1751	4.3	0.11	3.9	0.10	1567	3.2	0.08	2.9	0.07
Endocrine System	1052	2.7	0.09	2.4	0.08	3162	6.3	0.11	5.5	0.10
Thyroid gland	723	2.0	0.08	1.7	0.06	2840	5.7	0.11	4.9	0.09
Lymphomas	7628	19.9	0.25	16.9	0.20	6088	12.7	0.17	10.9	0.14
Hodgkin's disease	1306	2.7	0.08	2.5	0.07	1047	1.9	0.06	1.8	0.06
Non-Hodgkin's lymphoma	6322	17.2	0.23	14.4	0.19	5041	10.8	0.15	9.1	0.13
Multiple Myeloma	3497	12.0	0.21	9.8	0.17	3867	9.0	0.15	7.4	0.12
Leukemias	3878	11.7	0.21	9.8	0.16	3400	7.3	0.13	6.2	0.11
Acute lymphocytic	551	1.0	0.05	1.1	0.05	409	0.7	0.03	0.8	0.04
Chronic lymphocytic	997	3.6	0.12	2.9	0.09	737	1.8	0.06	1.4	0.05
Acute myeloid	1139	3.5	0.11	2.9	0.09	1217	2.6	0.08	2.2	0.06
Chronic myeloid	614	1.8	0.08	1.4	0.06	514	1.1	0.05	0.9	0.04
Other	577	1.9	0.09	1.5	0.06	523	1.2	0.05	0.9	0.04
Ill-defined & Unknown	5266	17.9	0.26	14.5	0.20	5676	13.3	0.18	10.5	0.14
Breast <i>in situ</i> (not in All Sites)	74	0.2	0.03	0.2	0.02	9413	20.7	0.22	18.0	0.19

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Blacks, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>196331</b>	<b>647.0</b>	<b>20285</b>	<b>70.2</b>	<b>35182</b>	<b>117.7</b>	<b>69592</b>	<b>238.5</b>	<b>5004</b>	<b>18.7</b>	<b>6322</b>	<b>17.2</b>
Alaska	142	706.6	13	76.7	22	124.2	58	281.0	-	-	7	23.5
Arizona	1003	477.6	117	57.7	188	93.9	316	161.1	20	9.7	29	11.6
California	22882	642.2	2307	68.7	3827	110.3	8502	244.3	597	18.9	768	17.9
Greater Bay Area	5364	641.6	504	63.7	929	113.5	1901	233.4	128	16.5	204	20.7
Los Angeles	10876	681.8	1145	75.3	1776	113.6	4198	264.6	287	20.4	330	18.2
Colorado	1226	560.7	128	61.3	170	88.9	436	200.0	32	19.3	43	16.9
Connecticut	2820	671.6	279	70.2	439	106.8	1023	252.7	84	23.9	104	20.5
Florida	20136	632.0	2220	72.1	3428	109.7	7075	232.6	458	16.6	700	17.2
Georgia - Metropolitan Atlanta	6472	660.8	621	68.4	1125	122.2	2301	261.0	148	19.6	246	16.8
Hawaii	127	449.3	10	45.6	19	84.4	41	170.9	-	-	10	15.9
Idaho	24	527.3	-	-	-	-	7	147.6	-	-	-	-
Illinois	18430	670.0	1991	75.8	3653	133.3	5930	226.9	447	17.8	530	16.1
Iowa	472	667.6	42	61.3	87	131.9	157	237.2	12	22.5	21	22.4
Kentucky	2920	669.7	318	76.5	656	152.0	835	199.6	101	25.3	95	18.9
Louisiana	13422	658.8	1492	74.2	2809	137.6	4292	221.2	357	19.1	351	15.1
Michigan	16111	756.9	1591	78.2	2849	133.9	6183	299.5	402	20.5	436	17.6
Metropolitan Detroit	12493	781.7	1208	78.8	2154	134.9	4944	316.2	328	22.2	327	18.3
Minnesota	956	689.9	92	83.5	178	132.7	271	232.9	29	32.3	47	26.1
Montana	20	1053.4	-	-	-	-	8	278.5	-	-	-	-
Nebraska	502	592.9	49	64.1	115	132.4	156	200.8	6	8.4	16	18.8
New Jersey	12562	713.7	1289	76.9	2061	117.7	4770	281.1	326	21.6	438	20.6
New Mexico	276	480.8	35	65.7	46	84.4	112	195.4	11	20.6	-	-
New York	27964	588.7	2817	63.8	4264	90.1	10520	231.5	662	16.4	1104	18.7
North Carolina	15087	587.4	1482	59.8	2942	115.9	5324	214.6	380	17.1	395	13.0
Ohio	12630	605.3	1338	66.9	2556	124.5	4231	204.0	383	20.4	355	15.7
Oregon	521	661.6	56	75.5	99	134.7	159	215.4	11	21.2	24	28.5
Pennsylvania	14474	719.3	1476	76.5	2703	136.8	5094	255.7	413	22.1	416	18.3
Rhode Island	388	583.2	30	58.3	72	107.3	133	217.9	10	14.1	16	16.6

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Blacks, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	91	487.0	-	-	6	24.3	38	234.4	-	-	-	-
Washington	1614	640.4	151	62.4	279	117.4	581	243.9	44	19.9	70	22.9
Seattle/Puget Sound	1495	673.6	141	65.1	262	125.7	528	251.8	42	22.1	65	23.1
West Virginia	712	657.4	100	92.6	121	110.6	257	243.7	19	18.3	14	12.4
Wisconsin	2321	720.8	225	72.0	459	151.2	769	256.1	41	14.4	74	17.8
Wyoming	26	541.5	-	-	-	-	13	297.8	-	-	-	-

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.  
The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Blacks, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>196331</b>	<b>545.1</b>	<b>20285</b>	<b>57.1</b>	<b>35182</b>	<b>99.5</b>	<b>69592</b>	<b>203.6</b>	<b>5004</b>	<b>14.5</b>	<b>6322</b>	<b>14.4</b>
Alaska	142	602.6	13	52.8	22	99.9	58	255.4	-	-	7	23.0
Arizona	1003	398.0	117	47.3	188	78.6	316	136.5	20	7.3	29	9.4
California	22882	541.1	2307	55.4	3827	92.7	8502	211.1	597	14.8	768	14.9
Greater Bay Area	5364	540.1	504	51.1	929	94.4	1901	202.0	128	13.1	204	17.3
Los Angeles	10876	574.5	1145	61.1	1776	95.4	4198	228.6	287	15.7	330	15.1
Colorado	1226	471.9	128	50.4	170	72.9	436	176.2	32	14.0	43	13.2
Connecticut	2820	564.0	279	56.9	439	90.4	1023	216.4	84	18.3	104	16.5
Florida	20136	532.7	2220	59.5	3428	92.4	7075	198.7	458	12.9	700	14.4
Georgia - Metropolitan Atlanta	6472	560.8	621	56.1	1125	102.6	2301	226.5	148	15.2	246	13.9
Hawaii	127	394.4	10	37.6	19	74.0	41	156.4	-	-	10	14.2
Idaho	24	465.3	-	-	-	-	7	137.3	-	-	-	-
Illinois	18430	563.8	1991	62.1	3653	113.0	5930	190.2	447	14.2	530	13.8
Iowa	472	562.0	42	50.6	87	109.9	157	200.9	12	15.8	21	18.6
Kentucky	2920	561.5	318	60.7	656	129.7	835	167.8	101	19.3	95	15.5
Louisiana	13422	551.5	1492	60.9	2809	117.4	4292	184.0	357	14.8	351	12.8
Michigan	16111	635.3	1591	63.3	2849	113.3	6183	253.7	402	16.0	436	14.9
Metropolitan Detroit	12493	659.8	1208	64.2	2154	114.6	4944	270.1	328	17.4	327	15.3
Minnesota	956	577.1	92	63.4	178	116.0	271	198.2	29	22.5	47	22.4
Montana	20	786.3	-	-	-	-	8	266.2	-	-	-	-
Nebraska	502	502.1	49	50.6	115	118.8	156	167.7	6	6.7	16	14.9
New Jersey	12562	603.0	1289	63.0	2061	100.3	4770	240.0	326	16.9	438	17.2
New Mexico	276	412.1	35	52.7	46	70.7	112	173.6	11	17.2	-	-
New York	27964	494.9	2817	51.5	4264	76.4	10520	197.1	662	12.6	1104	15.7
North Carolina	15087	499.4	1482	49.0	2942	98.6	5324	185.0	380	12.9	395	10.9
Ohio	12630	509.6	1338	54.4	2556	104.3	4231	175.4	383	15.5	355	12.8
Oregon	521	552.7	56	61.4	99	111.7	159	181.2	11	14.5	24	22.2
Pennsylvania	14474	610.7	1476	62.6	2703	115.4	5094	221.5	413	17.8	416	15.3
Rhode Island	388	484.8	30	42.5	72	89.8	133	182.3	10	12.2	16	14.0

**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Blacks, Males**

	All Cancers		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	91	385.4	-	-	6	21.7	38	184.3	-	-	-	-
Washington	1614	540.5	151	50.1	279	98.5	581	211.4	44	15.7	70	18.3
Seattle/Puget Sound	1495	565.4	141	52.3	262	105.7	528	217.1	42	17.3	65	18.4
West Virginia	712	545.8	100	75.9	121	91.6	257	205.9	19	14.3	14	11.4
Wisconsin	2321	615.0	225	59.6	459	128.0	769	223.1	41	11.5	74	15.0
Wyoming	26	451.1	-	-	-	-	13	252.7	-	-	-	-

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.  
The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Blacks, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>173362</b>	<b>387.9</b>	<b>23051</b>	<b>53.9</b>	<b>22123</b>	<b>51.0</b>	<b>51465</b>	<b>112.6</b>	<b>7082</b>	<b>14.6</b>	<b>5222</b>	<b>11.4</b>
Alaska	97	377.0	9	49.1	12	48.2	42	147.6	-	-	-	-
Arizona	810	313.9	108	45.2	108	44.9	257	95.6	25	8.2	16	5.8
California	19049	394.8	2512	54.9	2525	54.3	5929	119.4	588	11.0	589	11.7
Greater Bay Area	4373	388.7	541	49.7	637	58.0	1339	117.1	122	9.9	136	11.8
Los Angeles	9378	409.8	1312	59.0	1191	53.3	2898	124.5	291	11.9	281	11.9
Colorado	957	347.1	127	51.1	138	54.9	294	99.3	27	7.6	21	7.7
Connecticut	2464	389.5	344	57.9	285	47.1	755	115.7	85	12.1	50	7.3
Florida	17092	380.3	2343	54.9	1809	42.0	4770	103.4	910	18.5	567	12.2
Georgia - Metropolitan Atlanta	6102	376.0	728	52.1	622	42.6	2162	120.6	238	12.2	180	10.8
Hawaii	82	346.3	10	46.1	7	39.1	23	100.8	6	12.2	-	-
Idaho	9	206.9	-	-	-	-	-	-	-	-	-	-
Illinois	17115	421.2	2293	59.2	2410	60.2	5051	121.8	801	18.1	472	11.3
Iowa	386	417.7	49	57.4	65	75.4	120	128.8	14	12.6	11	10.5
Kentucky	2868	447.5	439	68.4	505	80.5	811	127.6	98	14.6	93	14.0
Louisiana	11687	385.1	1576	53.4	1403	47.7	3508	114.2	555	17.1	328	10.6
Michigan	13228	435.0	1737	59.1	1896	63.7	3756	121.4	459	14.1	411	13.4
Metropolitan Detroit	10218	438.7	1350	59.5	1458	63.7	2920	123.9	372	15.1	329	13.9
Minnesota	706	390.4	78	51.0	93	58.2	210	104.2	41	18.0	17	6.9
Montana	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	474	407.5	57	53.3	64	57.0	146	121.7	11	6.8	9	7.3
New Jersey	10764	412.0	1401	56.5	1315	51.7	3115	115.7	504	17.8	348	12.9
New Mexico	197	303.2	20	31.7	20	31.6	61	94.4	13	17.5	-	-
New York	27224	358.1	3611	49.8	3050	40.9	7734	99.3	1266	15.6	881	11.4
North Carolina	13352	340.0	1876	48.6	1353	35.3	4396	111.2	511	12.7	447	11.3
Ohio	11618	389.5	1500	51.4	1838	62.1	3518	117.1	307	9.9	279	9.2
Oregon	381	398.2	46	52.6	39	43.7	121	121.5	10	8.6	12	11.8
Pennsylvania	12621	419.3	1648	55.0	1983	66.1	3481	116.2	431	14.2	370	12.1
Rhode Island	313	348.0	44	56.4	47	52.6	84	89.8	9	7.9	7	6.9

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Blacks, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	42	224.2	7	46.8	-	-	8	40.3	-	-	-	-
Washington	1116	391.8	132	52.8	135	53.2	351	114.1	29	8.8	34	12.1
Seattle/Puget Sound	1061	416.5	125	56.1	135	59.9	331	118.3	26	8.5	35	14.3
West Virginia	654	403.2	106	61.9	114	69.2	181	115.9	22	14.7	18	11.4
Wisconsin	1931	412.0	245	58.5	281	62.1	571	116.1	111	17.5	43	8.8
Wyoming	18	388.4	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 and are adjusted to the 2000 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.  
The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Blacks, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>NAACCR U.S. Combined</b>	<b>173362</b>	<b>324.8</b>	<b>23051</b>	<b>43.5</b>	<b>22123</b>	<b>43.8</b>	<b>51465</b>	<b>95.1</b>	<b>7082</b>	<b>12.2</b>	<b>5222</b>	<b>9.7</b>
Alaska	97	311.2	9	36.3	12	44.5	42	121.3	-	-	-	-
Arizona	810	259.8	108	36.1	108	39.3	257	79.2	25	6.7	16	4.8
California	19049	331.6	2512	44.2	2525	46.9	5929	101.4	588	9.0	589	10.0
Greater Bay Area	4373	327.0	541	40.0	637	50.6	1339	99.4	122	7.9	136	9.9
Los Angeles	9378	344.4	1312	47.6	1191	45.9	2898	106.0	291	9.8	281	10.2
Colorado	957	292.1	127	41.0	138	47.5	294	84.7	27	6.5	21	6.1
Connecticut	2464	327.1	344	47.6	285	40.3	755	97.4	85	10.0	50	6.3
Florida	17092	317.0	2343	44.3	1809	35.9	4770	86.9	910	15.5	567	10.3
Georgia - Metropolitan Atlanta	6102	316.9	728	43.0	622	36.8	2162	102.7	238	10.2	180	9.0
Hawaii	82	286.9	10	39.2	7	34.2	23	81.2	6	9.8	-	-
Idaho	9	166.9	-	-	-	-	-	-	-	-	-	-
Illinois	17115	351.6	2293	47.5	2410	51.9	5051	102.6	801	15.1	472	9.6
Iowa	386	352.8	49	46.2	65	65.2	120	108.7	14	10.7	11	8.4
Kentucky	2868	376.2	439	54.4	505	70.2	811	108.3	98	12.2	93	11.5
Louisiana	11687	320.8	1576	43.4	1403	40.7	3508	95.5	555	14.4	328	9.0
Michigan	13228	363.4	1737	47.7	1896	54.3	3756	102.7	459	11.7	411	11.4
Metropolitan Detroit	10218	367.8	1350	48.3	1458	54.5	2920	105.1	372	12.5	329	11.9
Minnesota	706	325.6	78	41.8	93	49.4	210	86.7	41	14.8	17	5.9
Montana	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	474	340.8	57	43.9	64	50.9	146	101.0	11	5.9	9	6.2
New Jersey	10764	344.4	1401	45.7	1315	44.0	3115	97.8	504	14.7	348	11.1
New Mexico	197	257.5	20	24.3	20	29.2	61	82.0	13	13.7	-	-
New York	27224	299.6	3611	40.1	3050	34.9	7734	84.0	1266	13.1	881	9.7
North Carolina	13352	287.0	1876	40.0	1353	30.6	4396	94.0	511	10.6	447	9.4
Ohio	11618	325.8	1500	41.0	1838	53.4	3518	99.1	307	8.0	279	7.9
Oregon	381	335.5	46	43.5	39	38.0	121	100.9	10	7.3	12	10.7
Pennsylvania	12621	353.1	1648	43.8	1983	57.2	3481	98.5	431	12.0	370	10.3
Rhode Island	313	278.1	44	39.8	47	44.9	84	75.2	9	6.4	7	5.9



**Total Cancer Cases and Average Annual Age-adjusted (1970 U.S. Standard) Cancer Incidence Rates<sup>1</sup> for Selected Cancer Sites  
Selected Areas in the United States<sup>2</sup>, 1996-2000, Blacks, Females**

	All Cancers		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Utah	42	187.0	7	36.9	-	-	8	31.3	-	-	-	-
Washington	1116	329.4	132	42.1	135	46.0	351	97.8	29	7.7	34	10.2
Seattle/Puget Sound	1061	348.9	125	44.5	135	51.6	331	100.7	26	7.5	35	11.8
West Virginia	654	337.9	106	50.4	114	59.5	181	95.4	22	12.7	18	10.6
Wisconsin	1931	346.0	245	47.1	281	55.7	571	97.5	111	14.9	43	7.4
Wyoming	18	307.6	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 and are adjusted to the 1970 U.S. population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer.  
The suppressed cases, however, are included in the counts and rates for the U.S. combined.

2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

Top Five Most Commonly Diagnosed Cancers<sup>1</sup> in the U.S.  
by Race/Ethnic Group, 1996-2000  
Males

<p><b>All Races (total cases = 2,260,034)</b></p> <p>Prostate 28.7%</p> <p>Lung 16.3%</p> <p>Colon &amp; Rectum 11.8%</p> <p>Bladder 6.7%</p> <p>Non-Hodgkin's Lymphoma 4.1%</p>	<p><b>White (total cases = 1,969,515)</b></p> <p>Prostate 27.7%</p> <p>Lung 16.4%</p> <p>Colon &amp; Rectum 12.0%</p> <p>Bladder 7.2%</p> <p>Non-Hodgkin's Lymphoma 4.2%</p>
<p><b>African American (total cases = 196,331)</b></p> <p>Prostate 35.5%</p> <p>Lung 17.9%</p> <p>Colon &amp; Rectum 10.3%</p> <p>Non-Hodgkin's Lymphoma 3.2%</p> <p>Kidney 2.8%</p>	<p><b>Filipino (total cases = 9,640)</b></p> <p>Prostate 28.5%</p> <p>Lung 18.7%</p> <p>Colon &amp; Rectum 12.5%</p> <p>Non-Hodgkin's Lymphoma 5.1%</p> <p>Liver 3.9%</p>
<p><b>Japanese (total cases = 7,943)</b></p> <p>Prostate 26.5%</p> <p>Colon &amp; Rectum 18.8%</p> <p>Lung 12.9%</p> <p>Stomach 7.5%</p> <p>Bladder 5.0%</p>	<p><b>Chinese (total cases = 11,591)</b></p> <p>Prostate 19.7%</p> <p>Lung 15.9%</p> <p>Colon &amp; Rectum 15.1%</p> <p>Liver 8.0%</p> <p>Stomach 5.9%</p>
<p><b>Vietnamese (total cases = 3,470)</b></p> <p>Lung 18.7%</p> <p>Liver 13.8%</p> <p>Prostate 13.3%</p> <p>Colon &amp; Rectum 10.9%</p> <p>Stomach 6.5%</p>	<p><b>Korean (total cases = 3,344)</b></p> <p>Lung 15.6%</p> <p>Stomach 15.0%</p> <p>Colon &amp; Rectum 14.6%</p> <p>Prostate 12.0%</p> <p>Liver 10.0%</p>
<p><b>American Indian/Alaskan Native (total cases = 4,728)</b></p> <p>Prostate 19.9%</p> <p>Lung 17.5%</p> <p>Colon &amp; Rectum 13.1%</p> <p>Kidney 5.9%</p> <p>Stomach 4.4%</p>	<p><b>Hispanic Ethnicity (of any race) (total cases = 105,869)</b></p> <p>Prostate 27.4%</p> <p>Colon &amp; Rectum 11.5%</p> <p>Lung 11.2%</p> <p>Non-Hodgkin's Lymphoma 5.6%</p> <p>Bladder 4.2%</p>

<sup>1</sup> Compiled by the Data Evaluation & Publication Committee of the North American Association of Central Cancer Registries, based on cases included in the combined rates of Cancer in the United States, 1996-2000

Top Five Most Commonly Diagnosed Cancers<sup>1</sup> in the U.S.  
by Race/Ethnic Group, 1996-2000  
Females

<p><b>All Races (total cases = 2,163,096)</b></p> <p>Breast 30.6%</p> <p>Lung 12.9%</p> <p>Colon &amp; Rectum 12.2%</p> <p>Corpus &amp; Uterus 5.8%</p> <p>Ovary 3.9%</p>	<p><b>White (total cases = 1,905,174)</b></p> <p>Breast 30.7%</p> <p>Lung 13.2%</p> <p>Colon &amp; Rectum 12.1%</p> <p>Corpus &amp; Uterus 5.9%</p> <p>Ovary 4.0%</p>
<p><b>African American (total cases = 173,362)</b></p> <p>Breast 29.7%</p> <p>Colon &amp; Rectum 13.3%</p> <p>Lung 12.8%</p> <p>Corpus &amp; Uterus 4.9%</p> <p>Cervix 4.1%</p>	<p><b>Filipino (total cases = 10,309)</b></p> <p>Breast 36.3%</p> <p>Colon &amp; Rectum 9.2%</p> <p>Lung 7.8%</p> <p>Corpus &amp; Uterus 6.5%</p> <p>Thyroid 6.5%</p>
<p><b>Japanese (total cases = 8,941)</b></p> <p>Breast 33.7%</p> <p>Colon &amp; Rectum 16.1%</p> <p>Lung 8.9%</p> <p>Corpus &amp; Uterus 5.5%</p> <p>Stomach 5.3%</p>	<p><b>Chinese (total cases = 10,912)</b></p> <p>Breast 28.0%</p> <p>Colon &amp; Rectum 14.6%</p> <p>Lung 11.0%</p> <p>Corpus &amp; Uterus 4.6%</p> <p>Stomach 4.5%</p>
<p><b>Vietnamese (total cases = 3,277)</b></p> <p>Breast 23.3%</p> <p>Colon &amp; Rectum 10.2%</p> <p>Lung 9.3%</p> <p>Cervix 8.5%</p> <p>Thyroid 5.7%</p>	<p><b>Korean (total cases = 3,798)</b></p> <p>Breast 23.4%</p> <p>Colon &amp; Rectum 12.1%</p> <p>Stomach 9.5%</p> <p>Lung 8.7%</p> <p>Cervix 6.3%</p>
<p><b>American Indian/Alaskan Native (total cases = 5,059)</b></p> <p>Breast 25.9%</p> <p>Lung 11.9%</p> <p>Colon &amp; Rectum 11.2%</p> <p>Corpus &amp; Uterus 5.2%</p> <p>Ovary 4.6%</p>	<p><b>Hispanic Ethnicity (of any race) (total cases = 105,351)</b></p> <p>Breast 29.2%</p> <p>Colon &amp; Rectum 10.5%</p> <p>Lung 7.0%</p> <p>Cervix 6.0%</p> <p>Corpus &amp; Uterus 5.5%</p>

<sup>1</sup> Compiled by the Data Evaluation & Publication Committee of the North American Association of Central Cancer Registries, based on cases included in the combined rates of Cancer in the United States, 1996-2000