



## 1996 - 2000 Populations by Race For the United States

### 1999

Age	Males					Females				
	All Races	Whites	Blacks	AI/AN*	Asians/PI*	All Races	Whites	Blacks	AI/AN*	Asians/PI*
0-4	9789807	7667121	1571904	128050	422732	9345737	7286110	1524030	123319	412278
5-9	10553842	8206701	1773681	147918	425542	10052618	7787246	1718506	144111	402755
10-14	10357700	8140624	1650063	144583	422430	9855664	7714170	1600922	140084	400488
15-19	10323033	8172903	1567014	139002	444114	9761569	7670083	1532399	132191	426896
20-24	9492814	7575329	1330173	117865	469447	9098615	7124246	1400773	109530	464066
25-29	9879090	7940962	1291042	112551	534535	9695967	7603647	1427024	106468	558828
30-34	10354226	8445035	1308656	107912	492623	10249123	8153418	1458386	105924	531395
35-39	11408395	9422553	1387055	114524	484263	11474154	9275877	1564410	117270	516597
40-44	10998678	9167100	1291354	103043	437181	11195450	9133270	1468119	108927	485134
45-49	9666473	8148922	1060502	85195	371854	9987734	8238393	1229341	90336	429664
50-54	8279041	7097781	811874	67122	302264	8644571	7270096	957589	71341	345545
55-59	6319787	5469858	589866	47202	212861	6765034	5753640	722150	50646	238598
60-64	5079476	4406641	471350	34766	166719	5613729	4784353	600993	37824	190559
65-69	4399510	3864929	385148	24113	125320	5141988	4431313	519753	28606	162316
70-74	3893975	3485841	294812	17090	96232	4983436	4386258	444367	21795	131016
75-79	3011385	2721121	210570	10617	69077	4331221	3875480	349571	15848	90322
80-84	1802331	1645570	114685	5413	36663	3079977	2787730	231410	9395	51442
85+	1193310	1079605	85342	3815	24548	2960708	2686509	228287	8365	37547
<b>Total</b>	<b>136802873</b>	<b>112658596</b>	<b>17195091</b>	<b>1410781</b>	<b>5538405</b>	<b>142237295</b>	<b>115961839</b>	<b>18978030</b>	<b>1421980</b>	<b>5875446</b>

### 2000

Age	Males					Females				
	All Races	Whites	Blacks	AI/AN*	Asians/PI*	All Races	Whites	Blacks	AI/AN*	Asians/PI*
0-4	9810733	7662734	1583265	136790	427944	9365065	7282005	1530611	132044	420405
5-9	10523277	8175459	1762577	148889	436352	10026228	7757387	1707440	145630	415771
10-14	10520197	8244318	1691010	152386	432483	10007875	7810701	1640766	147452	408956
15-19	10391004	8215350	1571778	145627	458249	9828886	7713762	1536869	138139	440116
20-24	9687814	7719690	1360383	125379	482362	9276187	7246447	1433907	116339	479494
25-29	9798760	7847974	1281456	115735	553595	9582576	7489115	1415587	109545	568329
30-34	10321769	8379299	1304434	113196	524840	10188619	8079939	1450022	109855	548803
35-39	11318696	9313338	1386896	119052	499410	11387968	9173945	1563679	121285	529059
40-44	11129102	9250178	1317791	109593	451540	11312761	9208124	1490950	114950	498737
45-49	9889506	8314038	1096126	91534	387808	10202898	8396270	1264346	96781	445501
50-54	8607724	7353018	860621	73452	320633	8977824	7521647	1009332	77314	369531
55-59	6508729	5625535	607295	51121	224778	6960508	5912411	740990	54563	252544
60-64	5136627	4440424	482966	37289	175948	5668820	4816958	611886	40504	199472
65-69	4400362	3858586	384337	26251	131188	5133183	4413680	520829	30645	168029
70-74	3902912	3484053	299120	18659	101080	4954529	4342444	450462	23466	138157
75-79	3044456	2747846	211634	12207	72769	4371357	3906766	351110	17284	96197
80-84	1834897	1670674	118627	6275	39321	3110470	2808221	235532	10586	56131
85+	1226998	1108542	86713	4671	27072	3012589	2728712	232962	9662	41253
<b>Total</b>	<b>138053563</b>	<b>113411056</b>	<b>17407029</b>	<b>1488106</b>	<b>5747372</b>	<b>143368343</b>	<b>116608534</b>	<b>19187280</b>	<b>1496044</b>	<b>6076485</b>

\* AI/AN: American Indians/Alaskan Natives  
Asians/PI: Asians/Pacific Islanders



**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**United States, 1996-2000, All Races**

<i>SITES</i>	<b>MALES (ALL RACES)</b>					<b>FEMALES (ALL RACES)</b>				
	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>
All Sites	1417021	255.5	0.22	199.0	0.17	1306629	168.3	0.15	134.7	0.12
Buccal Cavity & Pharynx	25591	4.4	0.03	3.7	0.02	13098	1.7	0.01	1.3	0.01
Digestive System	343007	61.6	0.11	48.2	0.08	300848	37.8	0.07	28.8	0.06
Esophagus	44193	7.6	0.04	6.3	0.03	14228	1.8	0.02	1.4	0.01
Stomach	37975	6.9	0.04	5.3	0.03	26734	3.4	0.02	2.5	0.02
Colon & Rectum	140884	25.8	0.07	19.7	0.05	144193	18.0	0.05	13.5	0.04
Liver	32118	5.5	0.03	4.5	0.03	16735	2.1	0.02	1.7	0.01
Pancreas	68713	12.2	0.05	9.7	0.04	72965	9.2	0.03	7.1	0.03
Respiratory System	472851	82.8	0.12	67.4	0.10	319088	41.5	0.07	34.6	0.06
Larynx	15146	2.6	0.02	2.2	0.02	4124	0.5	0.01	0.5	0.01
Lung & bronchus	454037	79.5	0.12	64.7	0.10	313023	40.7	0.07	34.0	0.06
Skin	30292	5.3	0.03	4.2	0.02	17183	2.2	0.02	1.8	0.01
Melanomas of the skin	22846	3.9	0.03	3.2	0.02	13737	1.8	0.02	1.5	0.01
Breast	1872	0.3	0.01	0.3	0.01	209785	27.7	0.06	22.5	0.05
Female Genital System	-	-	-	-	-	128768	16.8	0.05	13.7	0.04
Cervix uteri	-	-	-	-	-	21783	3.0	0.02	2.5	0.02
Corpus & uterus, NOS	-	-	-	-	-	31972	4.1	0.02	3.3	0.02
Ovary	-	-	-	-	-	67745	8.8	0.03	7.3	0.03
Male Genital System	164997	33.4	0.08	22.3	0.06	-	-	-	-	-
Prostate	162020	32.9	0.08	21.9	0.05	-	-	-	-	-
Testis	1747	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	75920	14.1	0.05	10.6	0.04	42256	5.3	0.03	4.0	0.02
Bladder	39550	7.7	0.04	5.4	0.03	19152	2.3	0.02	1.7	0.01
Kidney & renal pelvis	34923	6.1	0.03	5.0	0.03	21802	2.8	0.02	2.2	0.02
Brain & Other Nervous System	34419	5.7	0.03	4.9	0.03	28516	3.8	0.02	3.3	0.02
Endocrine System	4739	0.8	0.01	0.7	0.01	5863	0.8	0.01	0.6	0.01
Thyroid gland	2449	0.4	0.01	0.3	0.01	3706	0.5	0.01	0.4	0.01
Lymphomas	63763	11.3	0.05	8.8	0.04	58465	7.4	0.03	5.8	0.03
Hodgkin's disease	3762	0.6	0.01	0.5	0.01	3090	0.4	0.01	0.3	0.01
Non-Hodgkin's lymphoma	60001	10.7	0.04	8.3	0.03	55375	7.0	0.03	5.4	0.02
Multiple Myeloma	26464	4.8	0.03	3.7	0.02	25547	3.2	0.02	2.5	0.02
Leukemias	57287	10.3	0.04	8.0	0.03	46628	5.9	0.03	4.7	0.02
Other, Ill-defined & Unknown	115819	20.7	0.06	16.3	0.05	110584	14.1	0.04	11.0	0.04

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\*  
United States, 1996-2000, All Races**

<i>SITES</i>	<b>MALES (ALL RACES)</b>					<b>FEMALES (ALL RACES)</b>				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1417021	236.9	0.20	148.3	0.13	1306629	158.1	0.14	104.0	0.10
Buccal Cavity & Pharynx	25591	4.2	0.03	2.9	0.02	13098	1.6	0.01	1.0	0.01
Digestive System	343007	57.2	0.10	36.1	0.06	300848	34.7	0.06	21.3	0.04
Esophagus	44193	7.3	0.03	4.9	0.02	14228	1.7	0.01	1.1	0.01
Stomach	37975	6.3	0.03	3.9	0.02	26734	3.1	0.02	1.9	0.01
Colon & Rectum	140884	23.7	0.06	14.4	0.04	144193	16.4	0.04	9.9	0.03
Liver	32118	5.3	0.03	3.6	0.02	16735	2.0	0.02	1.3	0.01
Pancreas	68713	11.4	0.04	7.3	0.03	72965	8.5	0.03	5.2	0.02
Respiratory System	472851	78.4	0.11	50.9	0.08	319088	39.7	0.07	26.7	0.05
Larynx	15146	2.5	0.02	1.7	0.01	4124	0.5	0.01	0.4	0.01
Lung & bronchus	454037	75.3	0.11	48.8	0.08	313023	38.9	0.07	26.2	0.05
Skin	30292	5.0	0.03	3.3	0.02	17183	2.1	0.02	1.4	0.01
Melanomas of the skin	22846	3.7	0.02	2.5	0.02	13737	1.7	0.02	1.2	0.01
Breast	1872	0.3	0.01	0.2	0.00	209785	26.2	0.06	18.2	0.04
Female Genital System	-	-	-	-	-	128768	16.0	0.05	10.9	0.03
Cervix uteri	-	-	-	-	-	21783	2.9	0.02	2.2	0.02
Corpus & uterus, NOS	-	-	-	-	-	31972	3.8	0.02	2.5	0.02
Ovary	-	-	-	-	-	67745	8.4	0.03	5.7	0.02
Male Genital System	164997	29.0	0.07	14.6	0.04	-	-	-	-	-
Prostate	162020	28.5	0.07	14.2	0.04	-	-	-	-	-
Testis	1747	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	75920	12.8	0.05	7.7	0.03	42256	4.8	0.02	2.9	0.02
Bladder	39550	6.8	0.03	3.7	0.02	19152	2.1	0.02	1.1	0.01
Kidney & renal pelvis	34923	5.8	0.03	3.8	0.02	21802	2.6	0.02	1.7	0.01
Brain & Other Nervous System	34419	5.5	0.03	4.1	0.02	28516	3.7	0.02	2.8	0.02
Endocrine System	4739	0.8	0.01	0.6	0.01	5863	0.7	0.01	0.5	0.01
Thyroid gland	2449	0.4	0.01	0.3	0.01	3706	0.4	0.01	0.3	0.00
Lymphomas	63763	10.5	0.04	6.7	0.03	58465	6.9	0.03	4.3	0.02
Hodgkin's disease	3762	0.6	0.01	0.4	0.01	3090	0.4	0.01	0.3	0.01
Non-Hodgkin's lymphoma	60001	9.9	0.04	6.3	0.03	55375	6.5	0.03	4.0	0.02
Multiple Myeloma	26464	4.4	0.03	2.7	0.02	25547	3.0	0.02	1.9	0.01
Leukemias	57287	9.5	0.04	6.0	0.03	46628	5.5	0.03	3.6	0.02
Other, Ill-defined & Unknown	115819	19.3	0.06	12.3	0.04	110584	13.1	0.04	8.4	0.03

\* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Registry-specific counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites**  
United States, 1996-2000, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>1417021</b>	<b>255.5</b>	<b>140884</b>	<b>25.8</b>	<b>454037</b>	<b>79.5</b>	<b>162020</b>	<b>32.9</b>	<b>39550</b>	<b>7.7</b>	<b>60001</b>	<b>10.7</b>
<b>New England</b>	<b>75614</b>	<b>259.2</b>	<b>8008</b>	<b>28.0</b>	<b>22510</b>	<b>75.2</b>	<b>8437</b>	<b>31.8</b>	<b>2495</b>	<b>9.1</b>	<b>3253</b>	<b>11.0</b>
Connecticut	17700	240.8	1861	25.7	5102	67.8	2044	30.1	598	8.6	760	10.2
Maine	7654	268.5	775	27.6	2436	82.6	775	30.6	285	10.7	327	11.6
Massachusetts	34642	265.0	3735	29.1	10092	75.4	3935	33.0	1128	9.2	1449	11.0
New Hampshire	6259	262.3	654	27.9	1865	75.7	634	31.2	214	9.6	291	12.0
Rhode Island	6186	271.1	647	28.9	2016	86.0	701	33.0	181	8.2	278	12.0
Vermont	3173	255.8	336	28.4	999	77.8	348	32.1	89	7.9	148	11.8
<b>Middle Atlantic</b>	<b>214640</b>	<b>255.4</b>	<b>23794</b>	<b>28.8</b>	<b>64138</b>	<b>74.2</b>	<b>24806</b>	<b>32.6</b>	<b>6945</b>	<b>8.8</b>	<b>9387</b>	<b>11.0</b>
New Jersey	45084	261.4	4996	29.5	13260	74.9	5126	32.9	1501	9.4	2030	11.6
New York	92539	244.2	10473	28.2	26913	69.1	10770	31.6	3057	8.7	4093	10.6
Pennsylvania	77017	266.6	8325	29.2	23965	80.4	8910	33.6	2387	8.7	3264	11.3
<b>South Atlantic</b>	<b>281451</b>	<b>260.9</b>	<b>26268</b>	<b>24.7</b>	<b>95739</b>	<b>85.9</b>	<b>32521</b>	<b>33.9</b>	<b>7469</b>	<b>7.4</b>	<b>10964</b>	<b>10.1</b>
Delaware	4280	273.0	406	26.1	1465	89.2	473	35.2	144	9.9	157	9.7
District of Columbia	3424	318.1	345	32.5	925	83.2	518	54.2	68	6.8	85	7.8
Florida	103407	240.4	9966	23.2	34018	77.5	11986	28.4	3240	7.6	4465	10.5
Georgia	34926	276.4	2858	22.8	12452	94.8	4041	40.2	795	7.1	1237	9.5
Maryland	26162	273.0	2738	29.2	8352	84.1	2988	36.8	687	8.0	1038	10.6
North Carolina	41500	277.9	3655	24.9	15054	96.3	4827	38.9	921	6.9	1475	9.8
South Carolina	21271	283.6	1969	26.8	7363	92.9	2566	41.7	474	6.9	723	9.7
Virginia	34162	271.8	3138	25.3	11451	87.7	3928	37.6	827	7.3	1325	10.1
West Virginia	12319	286.3	1193	28.3	4659	104.3	1194	31.2	313	8.1	459	10.6
<b>East North Central</b>	<b>239175</b>	<b>266.0</b>	<b>24580</b>	<b>27.9</b>	<b>77015</b>	<b>83.0</b>	<b>27228</b>	<b>34.3</b>	<b>6824</b>	<b>8.2</b>	<b>10593</b>	<b>11.6</b>
Illinois	63423	267.2	6711	28.9	19937	81.7	7291	34.7	1709	7.8	2720	11.3
Indiana	32792	275.6	3268	28.1	11528	93.7	3587	34.6	911	8.3	1409	11.8
Michigan	50803	259.9	5084	26.7	16239	80.3	5817	34.3	1528	8.5	2266	11.4
Ohio	64295	273.6	6633	28.9	21429	88.0	7001	33.9	1847	8.5	2849	12.0
Wisconsin	27862	247.8	2884	26.0	7882	68.5	3532	34.3	829	7.8	1349	11.9
<b>East South Central</b>	<b>99248</b>	<b>297.2</b>	<b>8694</b>	<b>26.6</b>	<b>37440</b>	<b>107.6</b>	<b>10805</b>	<b>38.1</b>	<b>2111</b>	<b>6.9</b>	<b>3526</b>	<b>10.5</b>
Alabama	26262	294.3	2152	24.6	9392	100.9	3141	41.0	518	6.4	877	9.6
Kentucky	24263	301.8	2296	29.4	9573	114.3	2310	34.0	590	7.9	908	11.4
Mississippi	16508	309.2	1410	26.5	6151	111.7	2045	44.0	300	6.1	512	9.6
Tennessee	32215	290.3	2836	26.1	12324	106.2	3309	35.8	703	6.9	1229	11.0

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>101179</b>	<b>247.4</b>	<b>10407</b>	<b>25.7</b>	<b>32168</b>	<b>77.0</b>	<b>12093</b>	<b>31.9</b>	<b>2823</b>	<b>7.3</b>	<b>4648</b>	<b>11.3</b>
Iowa	16694	245.1	1877	27.7	5296	76.5	2100	32.3	491	7.5	741	10.8
Kansas	13625	240.7	1342	23.9	4513	78.4	1611	30.5	382	7.0	602	10.5
Minnesota	22895	237.7	2242	23.6	6270	63.7	3046	34.4	707	7.8	1187	12.2
Missouri	31501	265.9	3068	26.3	11126	91.2	3288	30.9	781	7.1	1325	11.2
Nebraska	8616	233.6	1017	27.8	2707	72.1	990	28.6	234	6.6	397	10.9
North Dakota	3635	236.1	396	26.0	982	63.3	517	34.1	117	7.6	177	11.4
South Dakota	4213	243.7	465	27.3	1274	72.5	541	32.3	111	6.6	219	12.6
<b>West South Central</b>	<b>147506</b>	<b>268.6</b>	<b>13985</b>	<b>25.8</b>	<b>50659</b>	<b>89.7</b>	<b>15809</b>	<b>33.8</b>	<b>3344</b>	<b>6.7</b>	<b>5841</b>	<b>10.4</b>
Arkansas	16541	281.4	1451	25.1	6355	104.7	1848	34.9	374	6.7	658	11.1
Louisiana	25192	308.2	2424	30.1	8678	102.6	2760	39.7	482	6.7	911	10.9
Oklahoma	19314	267.8	1824	25.7	7063	95.2	1966	30.8	471	7.0	767	10.6
Texas	86459	257.3	8286	25.0	28563	82.8	9235	32.8	2017	6.6	3505	10.2
<b>Mountain</b>	<b>64147</b>	<b>216.2</b>	<b>6404</b>	<b>21.9</b>	<b>17674</b>	<b>58.0</b>	<b>8133</b>	<b>31.1</b>	<b>1873</b>	<b>6.8</b>	<b>2903</b>	<b>9.5</b>
Arizona	23192	217.9	2279	21.7	7058	64.3	2724	28.2	701	7.0	1055	9.8
Colorado	14858	216.0	1528	22.5	3908	55.8	1758	30.5	397	6.3	677	9.4
Idaho	5571	226.6	554	23.0	1554	61.9	757	34.0	175	7.5	270	10.8
Montana	4918	244.3	493	24.5	1448	70.3	639	34.8	154	8.2	203	10.0
New Mexico	7327	212.4	729	21.3	1863	52.7	960	31.7	192	5.9	286	7.9
Utah	6014	188.4	589	18.8	1205	36.7	981	35.3	190	6.4	339	10.2
Wyoming	2267	234.7	232	24.6	638	64.2	314	37.4	64	7.4	73	7.5
<b>Pacific</b>	<b>194061</b>	<b>229.2</b>	<b>18744</b>	<b>22.5</b>	<b>56694</b>	<b>65.8</b>	<b>22188</b>	<b>29.7</b>	<b>5666</b>	<b>7.2</b>	<b>8886</b>	<b>10.2</b>
Alaska	1761	241.9	158	24.5	559	73.7	118	24.2	44	8.7	84	10.4
California	133038	225.2	12884	22.2	37757	63.0	15360	29.4	3880	7.1	6164	10.1
Hawaii	5386	197.5	537	19.6	1504	54.3	550	21.9	104	4.0	260	9.5
Nevada	9411	254.2	1020	28.3	3094	79.7	902	30.2	272	8.2	355	9.7
Oregon	17799	244.4	1650	22.7	5572	75.3	2292	34.2	560	8.1	788	10.8
Washington	26666	238.8	2495	22.7	8208	72.2	2966	29.8	806	7.6	1235	10.8

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites**  
 United States, 1996-2000, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>1417021</b>	<b>199.0</b>	<b>140884</b>	<b>19.7</b>	<b>454037</b>	<b>64.7</b>	<b>162020</b>	<b>21.9</b>	<b>39550</b>	<b>5.4</b>	<b>60001</b>	<b>8.3</b>
<b>New England</b>	<b>75614</b>	<b>200.0</b>	<b>8008</b>	<b>21.0</b>	<b>22510</b>	<b>60.6</b>	<b>8437</b>	<b>20.9</b>	<b>2495</b>	<b>6.4</b>	<b>3253</b>	<b>8.5</b>
Connecticut	17700	185.7	1861	19.2	5102	54.8	2044	20.0	598	6.0	760	7.9
Maine	7654	207.9	775	20.9	2436	66.7	775	20.0	285	7.6	327	8.8
Massachusetts	34642	204.5	3735	21.8	10092	60.7	3935	21.7	1128	6.4	1449	8.5
New Hampshire	6259	202.5	654	21.2	1865	61.0	634	20.3	214	6.9	291	9.3
Rhode Island	6186	208.5	647	21.6	2016	69.1	701	21.7	181	5.8	278	9.5
Vermont	3173	197.8	336	20.7	999	63.3	348	21.3	89	5.5	148	9.2
<b>Middle Atlantic</b>	<b>214640</b>	<b>198.4</b>	<b>23794</b>	<b>21.8</b>	<b>64138</b>	<b>60.1</b>	<b>24806</b>	<b>21.8</b>	<b>6945</b>	<b>6.2</b>	<b>9387</b>	<b>8.6</b>
New Jersey	45084	202.1	4996	22.3	13260	60.3	5126	22.1	1501	6.6	2030	9.0
New York	92539	189.9	10473	21.4	26913	56.1	10770	21.2	3057	6.1	4093	8.3
Pennsylvania	77017	207.3	8325	22.1	23965	65.4	8910	22.2	2387	6.2	3264	8.7
<b>South Atlantic</b>	<b>281451</b>	<b>204.3</b>	<b>26268</b>	<b>19.0</b>	<b>95739</b>	<b>70.2</b>	<b>32521</b>	<b>22.7</b>	<b>7469</b>	<b>5.3</b>	<b>10964</b>	<b>7.9</b>
Delaware	4280	211.6	406	20.0	1465	72.6	473	23.3	144	7.1	157	7.6
District of Columbia	3424	251.9	345	25.1	925	69.2	518	36.8	68	4.9	85	5.9
Florida	103407	188.9	9966	17.8	34018	63.5	11986	19.0	3240	5.4	4465	8.2
Georgia	34926	216.9	2858	17.7	12452	77.8	4041	26.8	795	5.1	1237	7.4
Maryland	26162	211.6	2738	22.1	8352	68.0	2988	24.6	687	5.6	1038	8.2
North Carolina	41500	217.1	3655	19.1	15054	78.8	4827	25.8	921	4.9	1475	7.6
South Carolina	21271	222.1	1969	20.6	7363	76.5	2566	27.7	474	5.0	723	7.5
Virginia	34162	210.4	3138	19.4	11451	70.9	3928	25.0	827	5.2	1325	8.0
West Virginia	12319	223.4	1193	21.5	4659	84.7	1194	20.8	313	5.5	459	8.3
<b>East North Central</b>	<b>239175</b>	<b>207.3</b>	<b>24580</b>	<b>21.2</b>	<b>77015</b>	<b>67.7</b>	<b>27228</b>	<b>22.8</b>	<b>6824</b>	<b>5.8</b>	<b>10593</b>	<b>9.1</b>
Illinois	63423	208.3	6711	21.9	19937	66.6	7291	23.0	1709	5.5	2720	8.8
Indiana	32792	215.5	3268	21.4	11528	76.7	3587	23.0	911	5.9	1409	9.2
Michigan	50803	202.5	5084	20.2	16239	65.5	5817	22.7	1528	6.0	2266	8.9
Ohio	64295	213.5	6633	21.9	21429	71.9	7001	22.6	1847	6.0	2849	9.4
Wisconsin	27862	191.4	2884	19.7	7882	55.5	3532	22.6	829	5.5	1349	9.2
<b>East South Central</b>	<b>99248</b>	<b>233.8</b>	<b>8694</b>	<b>20.4</b>	<b>37440</b>	<b>88.9</b>	<b>10805</b>	<b>25.2</b>	<b>2111</b>	<b>5.0</b>	<b>3526</b>	<b>8.3</b>
Alabama	26262	230.4	2152	18.8	9392	83.0	3141	27.2	518	4.5	877	7.7
Kentucky	24263	238.5	2296	22.4	9573	94.9	2310	22.6	590	5.8	908	8.9
Mississippi	16508	242.9	1410	20.7	6151	91.7	2045	29.1	300	4.3	512	7.5
Tennessee	32215	228.9	2836	20.0	12324	88.1	3309	23.6	703	5.0	1229	8.7



**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>101179</b>	<b>192.3</b>	<b>10407</b>	<b>19.6</b>	<b>32168</b>	<b>62.8</b>	<b>12093</b>	<b>21.1</b>	<b>2823</b>	<b>5.1</b>	<b>4648</b>	<b>8.8</b>
Iowa	16694	189.8	1877	21.1	5296	61.9	2100	21.2	491	5.1	741	8.5
Kansas	13625	187.1	1342	18.3	4513	63.6	1611	20.1	382	5.0	602	8.3
Minnesota	22895	182.9	2242	17.8	6270	51.8	3046	22.8	707	5.4	1187	9.4
Missouri	31501	208.7	3068	20.1	11126	75.0	3288	20.5	781	5.0	1325	8.8
Nebraska	8616	181.6	1017	21.1	2707	58.5	990	18.9	234	4.7	397	8.2
North Dakota	3635	182.0	396	19.4	982	51.7	517	22.7	117	5.6	177	9.0
South Dakota	4213	188.5	465	20.6	1274	58.6	541	21.9	111	4.7	219	9.9
<b>West South Central</b>	<b>147506</b>	<b>209.7</b>	<b>13985</b>	<b>19.8</b>	<b>50659</b>	<b>73.0</b>	<b>15809</b>	<b>22.4</b>	<b>3344</b>	<b>4.7</b>	<b>5841</b>	<b>8.2</b>
Arkansas	16541	220.6	1451	19.2	6355	86.0	1848	22.9	374	4.8	658	8.8
Louisiana	25192	241.8	2424	23.2	8678	83.9	2760	26.5	482	4.6	911	8.6
Oklahoma	19314	209.5	1824	19.7	7063	77.6	1966	20.3	471	5.0	767	8.2
Texas	86459	200.4	8286	19.2	28563	67.2	9235	21.7	2017	4.7	3505	7.9
<b>Mountain</b>	<b>64147</b>	<b>166.2</b>	<b>6404</b>	<b>16.6</b>	<b>17674</b>	<b>46.5</b>	<b>8133</b>	<b>20.5</b>	<b>1873</b>	<b>4.8</b>	<b>2903</b>	<b>7.4</b>
Arizona	23192	169.4	2279	16.6	7058	51.9	2724	18.7	701	5.0	1055	7.7
Colorado	14858	165.4	1528	17.0	3908	44.5	1758	20.1	397	4.5	677	7.3
Idaho	5571	174.1	554	17.2	1554	49.6	757	22.3	175	5.4	270	8.4
Montana	4918	186.3	493	18.6	1448	55.7	639	22.7	154	5.6	203	7.6
New Mexico	7327	162.8	729	16.2	1863	41.8	960	20.9	192	4.2	286	6.3
Utah	6014	142.5	589	14.0	1205	29.5	981	22.9	190	4.5	339	7.9
Wyoming	2267	180.2	232	18.6	638	51.3	314	25.0	64	5.1	73	5.8
<b>Pacific</b>	<b>194061</b>	<b>177.7</b>	<b>18744</b>	<b>17.1</b>	<b>56694</b>	<b>53.0</b>	<b>22188</b>	<b>19.7</b>	<b>5666</b>	<b>5.1</b>	<b>8886</b>	<b>8.0</b>
Alaska	1761	187.7	158	17.8	559	60.2	118	16.2	44	6.0	84	7.8
California	133038	174.6	12884	16.9	37757	50.6	15360	19.6	3880	5.0	6164	7.9
Hawaii	5386	154.5	537	15.5	1504	44.4	550	14.2	104	2.8	260	7.2
Nevada	9411	198.7	1020	21.7	3094	64.7	902	20.3	272	6.0	355	7.4
Oregon	17799	189.0	1650	17.5	5572	60.7	2292	22.6	560	5.7	788	8.2
Washington	26666	184.7	2495	17.2	8208	58.2	2966	19.7	806	5.5	1235	8.4

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites**  
 United States, 1996-2000, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>1306629</b>	<b>168.3</b>	<b>144193</b>	<b>18.0</b>	<b>313023</b>	<b>40.7</b>	<b>209785</b>	<b>27.7</b>	<b>21783</b>	<b>3.0</b>	<b>67745</b>	<b>8.8</b>
<b>New England</b>	<b>74813</b>	<b>174.3</b>	<b>8723</b>	<b>19.2</b>	<b>17968</b>	<b>43.1</b>	<b>11766</b>	<b>28.2</b>	<b>908</b>	<b>2.3</b>	<b>3652</b>	<b>8.8</b>
Connecticut	17809	166.4	1966	17.5	4181	40.1	2878	27.8	206	2.1	881	8.4
Maine	7304	181.8	862	20.4	1888	47.9	1030	26.4	97	2.6	398	10.2
Massachusetts	34689	176.0	4085	19.5	8279	43.3	5482	28.7	395	2.2	1662	8.7
New Hampshire	5867	176.7	678	19.9	1445	44.6	930	28.1	74	2.3	283	8.6
Rhode Island	6172	179.5	747	20.0	1502	45.3	970	29.3	84	2.8	288	8.8
Vermont	2972	170.9	385	21.1	673	39.9	476	27.2	52	3.1	140	8.2
<b>Middle Atlantic</b>	<b>214336</b>	<b>174.3</b>	<b>25414</b>	<b>19.8</b>	<b>47963</b>	<b>39.4</b>	<b>35909</b>	<b>30.1</b>	<b>3427</b>	<b>3.1</b>	<b>11110</b>	<b>9.3</b>
New Jersey	45671	181.7	5241	20.1	10350	41.6	7666	31.3	715	3.1	2354	9.5
New York	94696	170.3	11111	19.2	20996	38.2	16325	30.0	1635	3.2	4969	9.1
Pennsylvania	73969	175.2	9062	20.3	16617	39.8	11918	29.6	1077	3.0	3787	9.3
<b>South Atlantic</b>	<b>247436</b>	<b>166.3</b>	<b>26867</b>	<b>17.6</b>	<b>61946</b>	<b>41.6</b>	<b>39225</b>	<b>27.2</b>	<b>4433</b>	<b>3.2</b>	<b>12622</b>	<b>8.5</b>
Delaware	4075	187.8	426	19.4	1039	47.8	664	31.2	93	4.5	207	9.6
District of Columbia	3334	199.8	392	22.7	693	41.9	604	37.6	75	4.8	143	8.7
Florida	88220	159.5	9593	16.5	23517	42.0	13254	25.6	1483	3.3	4561	8.4
Georgia	30576	163.4	3089	16.4	7228	39.1	5109	27.1	607	3.2	1618	8.7
Maryland	24762	179.0	2824	20.2	6204	45.2	4094	29.6	390	2.8	1192	8.7
North Carolina	35826	163.9	3869	17.4	8506	38.9	5769	27.0	675	3.2	1823	8.4
South Carolina	18035	167.2	1953	18.0	4153	38.3	2948	27.8	384	3.7	898	8.3
Virginia	31258	172.4	3429	18.8	7502	41.6	5162	28.6	510	2.8	1612	8.9
West Virginia	11350	186.9	1292	20.6	3104	51.0	1621	27.8	216	4.0	568	9.4
<b>East North Central</b>	<b>225029</b>	<b>175.4</b>	<b>25512</b>	<b>19.2</b>	<b>53553</b>	<b>42.4</b>	<b>36465</b>	<b>29.1</b>	<b>3504</b>	<b>2.9</b>	<b>11553</b>	<b>9.1</b>
Illinois	60868	177.0	6980	19.5	13935	41.2	10177	30.3	1082	3.4	3121	9.2
Indiana	30422	178.2	3541	20.0	7676	45.6	4747	28.4	506	3.2	1573	9.3
Michigan	47337	173.2	5037	17.9	11524	42.7	7626	28.4	663	2.6	2497	9.2
Ohio	60898	179.6	7062	20.2	14915	44.4	9851	29.8	929	3.0	2909	8.7
Wisconsin	25504	162.8	2892	17.3	5503	36.3	4064	26.5	324	2.3	1453	9.6
<b>East South Central</b>	<b>83360</b>	<b>172.9</b>	<b>8988</b>	<b>18.1</b>	<b>20848</b>	<b>43.5</b>	<b>12796</b>	<b>27.3</b>	<b>1671</b>	<b>3.7</b>	<b>4189</b>	<b>8.7</b>
Alabama	21810	167.5	2204	16.4	4994	38.4	3319	26.5	405	3.3	1166	9.0
Kentucky	20742	182.1	2312	19.7	5900	52.3	3039	27.3	411	3.8	965	8.5
Mississippi	13273	170.2	1462	18.2	3165	40.9	2153	28.6	292	4.0	629	8.1
Tennessee	27535	172.2	3010	18.4	6789	42.8	4285	27.3	563	3.7	1429	9.0

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>93508</b>	<b>162.5</b>	<b>11072</b>	<b>18.1</b>	<b>21179</b>	<b>38.2</b>	<b>14794</b>	<b>26.6</b>	<b>1262</b>	<b>2.5</b>	<b>4996</b>	<b>8.9</b>
Iowa	15355	158.5	2004	19.1	3299	35.5	2455	26.5	197	2.4	877	9.3
Kansas	12608	158.6	1442	16.9	2902	37.7	2002	26.2	165	2.4	670	8.7
Minnesota	21638	160.2	2389	16.7	4559	35.4	3527	26.7	233	1.8	1192	9.1
Missouri	29089	172.7	3364	18.9	7437	45.2	4425	27.2	467	3.1	1430	8.6
Nebraska	8018	154.5	1006	18.3	1689	33.8	1289	25.6	112	2.4	433	8.5
North Dakota	3131	152.4	363	16.4	588	30.5	532	26.6	48	2.8	172	8.5
South Dakota	3669	157.3	504	20.3	705	31.4	564	25.0	40	2.0	222	9.9
<b>West South Central</b>	<b>128304</b>	<b>167.2</b>	<b>13622</b>	<b>17.4</b>	<b>31516</b>	<b>41.4</b>	<b>20209</b>	<b>26.7</b>	<b>2639</b>	<b>3.5</b>	<b>6267</b>	<b>8.2</b>
Arkansas	13674	168.4	1511	17.9	3482	43.4	1972	25.4	253	3.6	708	8.8
Louisiana	21646	184.8	2316	19.5	5190	44.4	3478	30.2	429	3.8	962	8.3
Oklahoma	16869	168.1	1872	17.9	4435	44.7	2604	26.8	310	3.4	794	8.0
Texas	76115	162.7	7923	16.7	18409	39.8	12155	26.1	1647	3.5	3803	8.2
<b>Mountain</b>	<b>57190</b>	<b>148.5</b>	<b>5929</b>	<b>15.2</b>	<b>12679</b>	<b>33.1</b>	<b>9472</b>	<b>24.9</b>	<b>864</b>	<b>2.3</b>	<b>3214</b>	<b>8.4</b>
Arizona	20131	150.5	1983	14.6	5107	37.6	3266	25.2	310	2.5	1038	7.8
Colorado	14045	148.4	1478	15.6	2975	32.0	2311	24.0	196	2.0	814	8.6
Idaho	4743	152.0	490	15.2	1023	33.3	819	26.6	68	2.3	307	9.9
Montana	4184	161.0	416	15.4	1033	40.3	631	24.9	64	2.6	243	9.5
New Mexico	6683	149.1	683	15.2	1354	30.1	1134	25.4	114	2.6	349	7.8
Utah	5345	128.0	621	14.9	722	17.6	984	23.7	83	1.9	360	8.7
Wyoming	2059	165.5	258	20.3	465	37.9	327	26.3	29	2.4	103	8.3
<b>Pacific</b>	<b>182653</b>	<b>162.6</b>	<b>18066</b>	<b>15.8</b>	<b>45371</b>	<b>40.7</b>	<b>29149</b>	<b>26.2</b>	<b>3075</b>	<b>2.8</b>	<b>10142</b>	<b>9.1</b>
Alaska	1495	177.4	132	18.0	395	47.6	246	25.2	25	1.9	79	9.1
California	127668	160.7	12679	15.7	30627	38.8	20827	26.5	2332	3.0	7076	9.0
Hawaii	4150	129.4	410	12.9	893	27.4	630	20.0	63	2.0	186	5.9
Nevada	7803	179.9	782	18.6	2397	54.1	1150	26.4	136	3.1	373	8.5
Oregon	16507	171.4	1639	16.3	4382	46.3	2502	26.6	207	2.3	924	9.8
Washington	25030	168.8	2424	15.9	6677	45.9	3794	25.8	312	2.1	1504	10.3

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites**  
 United States, 1996-2000, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>1306629</b>	<b>134.7</b>	<b>144193</b>	<b>13.5</b>	<b>313023</b>	<b>34.0</b>	<b>209785</b>	<b>22.5</b>	<b>21783</b>	<b>2.5</b>	<b>67745</b>	<b>7.3</b>
<b>New England</b>	<b>74813</b>	<b>138.8</b>	<b>8723</b>	<b>14.2</b>	<b>17968</b>	<b>35.9</b>	<b>11766</b>	<b>22.7</b>	<b>908</b>	<b>1.9</b>	<b>3652</b>	<b>7.2</b>
Connecticut	17809	132.5	1966	13.1	4181	33.3	2878	22.6	206	1.7	881	6.9
Maine	7304	145.5	862	15.1	1888	40.2	1030	21.4	97	2.2	398	8.4
Massachusetts	34689	139.9	4085	14.3	8279	36.1	5482	23.2	395	1.8	1662	7.2
New Hampshire	5867	140.9	678	14.9	1445	37.4	930	22.5	74	1.8	283	7.0
Rhode Island	6172	143.7	747	14.7	1502	38.0	970	23.6	84	2.4	288	7.3
Vermont	2972	135.5	385	15.4	673	33.6	476	21.2	52	2.5	140	6.9
<b>Middle Atlantic</b>	<b>214336</b>	<b>139.1</b>	<b>25414</b>	<b>14.7</b>	<b>47963</b>	<b>32.7</b>	<b>35909</b>	<b>24.4</b>	<b>3427</b>	<b>2.6</b>	<b>11110</b>	<b>7.6</b>
New Jersey	45671	144.7	5241	14.9	10350	34.5	7666	25.4	715	2.5	2354	7.8
New York	94696	136.1	11111	14.4	20996	31.5	16325	24.4	1635	2.7	4969	7.5
Pennsylvania	73969	139.9	9062	15.1	16617	33.1	11918	23.9	1077	2.5	3787	7.7
<b>South Atlantic</b>	<b>247436</b>	<b>133.2</b>	<b>26867</b>	<b>13.3</b>	<b>61946</b>	<b>34.7</b>	<b>39225</b>	<b>22.2</b>	<b>4433</b>	<b>2.7</b>	<b>12622</b>	<b>7.0</b>
Delaware	4075	150.1	426	14.7	1039	40.1	664	25.0	93	3.7	207	8.2
District of Columbia	3334	159.5	392	17.3	693	34.3	604	30.7	75	3.9	143	7.1
Florida	88220	127.2	9593	12.3	23517	34.6	13254	20.8	1483	2.8	4561	6.8
Georgia	30576	131.7	3089	12.5	7228	33.1	5109	22.2	607	2.6	1618	7.2
Maryland	24762	142.5	2824	15.0	6204	37.4	4094	24.0	390	2.3	1192	7.1
North Carolina	35826	131.6	3869	13.2	8506	32.9	5769	22.1	675	2.7	1823	6.8
South Carolina	18035	134.6	1953	13.7	4153	32.4	2948	22.7	384	3.1	898	6.8
Virginia	31258	138.0	3429	14.1	7502	34.6	5162	23.5	510	2.3	1612	7.2
West Virginia	11350	151.1	1292	15.6	3104	43.0	1621	22.7	216	3.3	568	7.8
<b>East North Central</b>	<b>225029</b>	<b>140.7</b>	<b>25512</b>	<b>14.4</b>	<b>53553</b>	<b>35.7</b>	<b>36465</b>	<b>23.6</b>	<b>3504</b>	<b>2.4</b>	<b>11553</b>	<b>7.5</b>
Illinois	60868	141.9	6980	14.7	13935	34.6	10177	24.7	1082	2.8	3121	7.5
Indiana	30422	143.6	3541	15.0	7676	38.5	4747	23.1	506	2.6	1573	7.7
Michigan	47337	139.5	5037	13.4	11524	36.0	7626	23.1	663	2.1	2497	7.6
Ohio	60898	143.8	7062	15.1	14915	37.4	9851	24.1	929	2.5	2909	7.1
Wisconsin	25504	130.1	2892	12.9	5503	30.5	4064	21.3	324	1.9	1453	7.9
<b>East South Central</b>	<b>83360</b>	<b>139.6</b>	<b>8988</b>	<b>13.7</b>	<b>20848</b>	<b>36.9</b>	<b>12796</b>	<b>22.4</b>	<b>1671</b>	<b>3.0</b>	<b>4189</b>	<b>7.2</b>
Alabama	21810	134.8	2204	12.3	4994	32.4	3319	21.7	405	2.7	1166	7.4
Kentucky	20742	147.3	2312	14.8	5900	44.6	3039	22.4	411	3.1	965	7.0
Mississippi	13273	137.4	1462	13.8	3165	34.3	2153	23.5	292	3.2	629	6.6
Tennessee	27535	139.1	3010	13.9	6789	36.4	4285	22.4	563	3.1	1429	7.3

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>93508</b>	<b>130.4</b>	<b>11072</b>	<b>13.6</b>	<b>21179</b>	<b>32.2</b>	<b>14794</b>	<b>21.6</b>	<b>1262</b>	<b>2.1</b>	<b>4996</b>	<b>7.3</b>
Iowa	15355	127.3	2004	14.5	3299	29.8	2455	21.6	197	2.0	877	7.7
Kansas	12608	127.8	1442	12.7	2902	31.7	2002	21.5	165	2.0	670	7.2
Minnesota	21638	127.8	2389	12.6	4559	29.8	3527	21.6	233	1.5	1192	7.4
Missouri	29089	139.1	3364	14.2	7437	38.2	4425	22.2	467	2.5	1430	7.1
Nebraska	8018	123.2	1006	13.8	1689	28.3	1289	20.6	112	2.0	433	6.9
North Dakota	3131	121.7	363	12.3	588	26.3	532	21.3	48	2.4	172	6.7
South Dakota	3669	125.4	504	15.5	705	26.1	564	20.0	40	1.6	222	8.1
<b>West South Central</b>	<b>128304</b>	<b>134.1</b>	<b>13622</b>	<b>13.1</b>	<b>31516</b>	<b>34.6</b>	<b>20209</b>	<b>21.8</b>	<b>2639</b>	<b>2.9</b>	<b>6267</b>	<b>6.7</b>
Arkansas	13674	135.6	1511	13.7	3482	36.9	1972	20.7	253	2.9	708	7.2
Louisiana	21646	148.2	2316	14.7	5190	37.1	3478	24.6	429	3.2	962	6.9
Oklahoma	16869	135.8	1872	13.5	4435	37.8	2604	22.0	310	2.8	794	6.6
Texas	76115	130.2	7923	12.5	18409	33.0	12155	21.3	1647	2.8	3803	6.7
<b>Mountain</b>	<b>57190</b>	<b>118.3</b>	<b>5929</b>	<b>11.4</b>	<b>12679</b>	<b>27.3</b>	<b>9472</b>	<b>20.1</b>	<b>864</b>	<b>1.9</b>	<b>3214</b>	<b>6.9</b>
Arizona	20131	119.9	1983	10.9	5107	31.0	3266	20.5	310	2.1	1038	6.3
Colorado	14045	118.1	1478	11.8	2975	26.5	2311	19.4	196	1.6	814	7.1
Idaho	4743	121.9	490	11.2	1023	27.9	819	21.7	68	1.9	307	7.9
Montana	4184	129.4	416	11.6	1033	33.7	631	20.4	64	2.1	243	7.7
New Mexico	6683	118.0	683	11.3	1354	24.7	1134	20.4	114	2.1	349	6.5
Utah	5345	101.8	621	11.3	722	14.7	984	19.2	83	1.6	360	7.2
Wyoming	2059	132.0	258	14.9	465	31.8	327	21.0	29	2.0	103	6.6
<b>Pacific</b>	<b>182653</b>	<b>130.1</b>	<b>18066</b>	<b>11.9</b>	<b>45371</b>	<b>33.5</b>	<b>29149</b>	<b>21.5</b>	<b>3075</b>	<b>2.3</b>	<b>10142</b>	<b>7.4</b>
Alaska	1495	142.7	132	13.3	395	40.1	246	20.9	25	1.7	79	7.6
California	127668	128.5	12679	11.8	30627	31.8	20827	21.8	2332	2.5	7076	7.3
Hawaii	4150	103.6	410	9.8	893	22.4	630	17.0	63	1.7	186	5.0
Nevada	7803	143.6	782	14.0	2397	44.7	1150	21.2	136	2.5	373	6.9
Oregon	16507	137.7	1639	12.1	4382	38.9	2502	21.8	207	1.9	924	8.0
Washington	25030	135.0	2424	11.9	6677	38.1	3794	21.0	312	1.8	1504	8.4

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.



**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**United States, 1996-2000, Whites**

<i>SITES</i>	<b>MALES (WHITES)</b>					<b>FEMALES (WHITES)</b>				
	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>
All Sites	1226094	249.5	0.23	193.9	0.18	1139305	166.9	0.16	133.6	0.13
Buccal Cavity & Pharynx	20556	4.0	0.03	3.3	0.02	11279	1.6	0.02	1.3	0.01
Digestive System	290881	59.0	0.11	46.0	0.09	255193	36.1	0.07	27.4	0.06
Esophagus	37316	7.3	0.04	6.0	0.03	11580	1.7	0.02	1.3	0.01
Stomach	29665	6.1	0.04	4.7	0.03	20572	2.9	0.02	2.2	0.02
Colon & Rectum	122478	25.3	0.07	19.2	0.06	124332	17.5	0.05	13.0	0.04
Liver	25083	4.9	0.03	4.0	0.03	13397	1.9	0.02	1.5	0.01
Pancreas	59642	12.0	0.05	9.5	0.04	62515	8.9	0.04	6.9	0.03
Respiratory System	410745	81.1	0.13	66.0	0.10	285086	42.2	0.08	35.3	0.07
Larynx	12061	2.4	0.02	2.0	0.02	3421	0.5	0.01	0.4	0.01
Lung & bronchus	395430	78.1	0.13	63.5	0.10	279959	41.5	0.08	34.6	0.07
Skin	29257	5.8	0.03	4.6	0.03	16510	2.5	0.02	2.0	0.02
Melanomas of the skin	22502	4.4	0.03	3.5	0.02	13309	2.0	0.02	1.7	0.02
Breast	1558	0.3	0.01	0.2	0.01	179716	27.2	0.06	22.1	0.05
Female Genital System	-	-	-	-	-	110718	16.6	0.05	13.5	0.04
Cervix uteri	-	-	-	-	-	16507	2.7	0.02	2.2	0.02
Corpus & uterus, NOS	-	-	-	-	-	26505	3.8	0.02	3.1	0.02
Ovary	-	-	-	-	-	61241	9.1	0.04	7.5	0.03
Male Genital System	135496	30.7	0.09	20.3	0.06	-	-	-	-	-
Prostate	132832	30.2	0.08	19.9	0.05	-	-	-	-	-
Testis	1600	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	69354	14.5	0.06	10.9	0.04	37513	5.3	0.03	4.0	0.02
Bladder	36822	8.0	0.04	5.6	0.03	16909	2.3	0.02	1.6	0.01
Kidney & renal pelvis	31184	6.2	0.04	5.0	0.03	19475	2.8	0.02	2.3	0.02
Brain & Other Nervous System	31941	6.0	0.03	5.2	0.03	26307	4.1	0.03	3.5	0.02
Endocrine System	4167	0.8	0.01	0.7	0.01	4998	0.7	0.01	0.6	0.01
Thyroid gland	2209	0.4	0.01	0.4	0.01	3165	0.5	0.01	0.3	0.01
Lymphomas	58130	11.7	0.05	9.1	0.04	53830	7.8	0.03	6.0	0.03
Hodgkin's disease	3325	0.6	0.01	0.5	0.01	2753	0.4	0.01	0.4	0.01
Non-Hodgkin's lymphoma	54805	11.1	0.05	8.6	0.04	51077	7.3	0.03	5.7	0.03
Multiple Myeloma	21924	4.5	0.03	3.4	0.02	20478	2.9	0.02	2.3	0.02
Leukemias	51618	10.6	0.05	8.2	0.04	41725	6.0	0.03	4.7	0.03
Other, Ill-defined & Unknown	100467	20.4	0.07	15.9	0.05	95952	13.9	0.05	10.8	0.04

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Whites, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>1226094</b>	<b>249.5</b>	<b>122478</b>	<b>25.3</b>	<b>395430</b>	<b>78.1</b>	<b>132832</b>	<b>30.2</b>	<b>36822</b>	<b>8.0</b>	<b>54805</b>	<b>11.1</b>
<b>New England</b>	<b>72254</b>	<b>258.8</b>	<b>7695</b>	<b>28.0</b>	<b>21581</b>	<b>75.4</b>	<b>7986</b>	<b>31.2</b>	<b>2449</b>	<b>9.3</b>	<b>3156</b>	<b>11.2</b>
Connecticut	16407	237.7	1743	25.6	4737	67.2	1848	28.6	582	8.8	721	10.4
Maine	7600	268.3	768	27.5	2426	82.8	770	30.5	283	10.7	325	11.6
Massachusetts	32910	265.4	3561	29.2	9623	75.8	3716	32.5	1102	9.4	1404	11.2
New Hampshire	6206	262.7	652	28.1	1850	75.8	632	31.4	213	9.6	288	12.0
Rhode Island	5973	272.1	635	29.4	1950	86.4	674	32.8	180	8.4	271	12.2
Vermont	3158	256.2	336	28.6	995	78.0	346	32.0	89	8.0	147	11.8
<b>Middle Atlantic</b>	<b>186868</b>	<b>251.9</b>	<b>21034</b>	<b>28.7</b>	<b>56042</b>	<b>73.5</b>	<b>20545</b>	<b>30.1</b>	<b>6509</b>	<b>9.2</b>	<b>8531</b>	<b>11.4</b>
New Jersey	38928	256.7	4395	29.4	11475	73.8	4235	30.4	1398	9.7	1822	11.9
New York	78422	243.5	9010	28.3	22947	69.5	8592	29.0	2830	9.2	3605	11.1
Pennsylvania	69518	259.4	7629	28.7	21620	78.2	7718	31.2	2281	8.9	3104	11.6
<b>South Atlantic</b>	<b>228478</b>	<b>247.3</b>	<b>21446</b>	<b>23.6</b>	<b>79746</b>	<b>83.4</b>	<b>23436</b>	<b>28.2</b>	<b>6686</b>	<b>7.7</b>	<b>9675</b>	<b>10.5</b>
Delaware	3573	262.6	342	25.4	1250	87.5	346	29.6	127	10.1	133	9.6
District of Columbia	708	202.3	80	23.1	167	47.6	90	28.0	21	6.5	34	8.9
Florida	93497	235.1	9068	22.8	31073	76.6	10311	26.0	3082	7.7	4173	10.7
Georgia	25801	257.8	2068	21.0	9698	92.8	2431	30.6	659	7.2	1020	10.0
Maryland	19339	257.2	2024	27.4	6243	80.3	1968	30.0	589	8.5	878	11.5
North Carolina	32208	260.2	2882	23.6	12120	93.3	3121	30.8	784	7.1	1264	10.2
South Carolina	15037	258.2	1408	24.9	5553	89.9	1421	30.2	403	7.5	595	10.5
Virginia	26396	255.1	2430	24.0	9081	84.3	2630	30.6	716	7.6	1128	10.6
West Virginia	11919	284.8	1144	27.9	4561	104.9	1118	30.1	305	8.1	450	10.7
<b>East North Central</b>	<b>210296</b>	<b>258.3</b>	<b>21736</b>	<b>27.2</b>	<b>67612</b>	<b>80.5</b>	<b>22861</b>	<b>31.6</b>	<b>6441</b>	<b>8.5</b>	<b>9848</b>	<b>12.0</b>
Illinois	53054	256.6	5664	27.9	16573	78.1	5799	31.2	1580	8.2	2451	11.7
Indiana	30160	270.4	2982	27.4	10674	92.6	3136	32.1	875	8.5	1345	12.0
Michigan	43584	251.7	4380	25.9	13901	77.5	4703	31.1	1421	8.8	2076	11.8
Ohio	56935	265.9	5941	28.3	19017	85.7	5834	31.0	1750	8.8	2667	12.4
Wisconsin	26563	244.3	2769	25.8	7447	66.9	3389	33.7	815	7.9	1309	12.0
<b>East South Central</b>	<b>81243</b>	<b>284.3</b>	<b>7051</b>	<b>25.2</b>	<b>31666</b>	<b>106.1</b>	<b>7507</b>	<b>31.3</b>	<b>1877</b>	<b>7.2</b>	<b>3162</b>	<b>11.1</b>
Alabama	20037	277.9	1607	22.7	7557	100.1	1907	31.4	437	6.7	768	10.6
Kentucky	22656	298.2	2135	28.9	9001	113.7	2077	32.4	571	8.1	866	11.5
Mississippi	11204	285.5	972	24.9	4387	107.5	1001	30.6	245	6.9	415	10.8
Tennessee	27346	278.0	2337	24.3	10721	104.1	2522	30.8	624	6.9	1113	11.4



**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Whites, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>95376</b>	<b>243.5</b>	<b>9858</b>	<b>25.4</b>	<b>30271</b>	<b>75.6</b>	<b>11277</b>	<b>30.8</b>	<b>2742</b>	<b>7.3</b>	<b>4486</b>	<b>11.4</b>
Iowa	16410	244.2	1850	27.6	5206	76.2	2065	32.1	490	7.6	731	10.8
Kansas	12776	236.8	1249	23.3	4247	77.4	1470	29.0	369	7.1	576	10.6
Minnesota	22127	236.0	2177	23.5	6044	63.1	2960	34.1	694	7.8	1153	12.2
Missouri	28181	258.2	2755	25.6	10031	89.2	2777	28.2	732	7.2	1255	11.5
Nebraska	8298	231.2	988	27.7	2598	71.1	962	28.3	233	6.7	385	10.9
North Dakota	3548	234.3	389	25.9	947	62.1	513	34.3	115	7.6	172	11.3
South Dakota	4036	241.0	450	27.2	1198	70.4	530	32.4	109	6.6	214	12.7
<b>West South Central</b>	<b>123572</b>	<b>258.0</b>	<b>11576</b>	<b>24.6</b>	<b>42793</b>	<b>86.8</b>	<b>12194</b>	<b>29.7</b>	<b>3035</b>	<b>6.9</b>	<b>5268</b>	<b>10.9</b>
Arkansas	14286	271.9	1240	24.1	5604	103.0	1407	29.9	344	6.9	612	11.7
Louisiana	17413	283.6	1664	27.6	6093	95.5	1590	30.6	384	7.0	742	12.0
Oklahoma	17316	267.4	1577	24.8	6461	96.8	1683	29.0	443	7.2	710	11.0
Texas	74557	248.7	7095	24.0	24635	80.1	7514	29.7	1864	6.8	3204	10.5
<b>Mountain</b>	<b>61489</b>	<b>216.8</b>	<b>6131</b>	<b>22.0</b>	<b>17040</b>	<b>58.5</b>	<b>7788</b>	<b>31.0</b>	<b>1845</b>	<b>7.0</b>	<b>2811</b>	<b>9.7</b>
Arizona	22120	219.4	2172	21.9	6808	65.4	2587	28.0	693	7.3	1011	10.0
Colorado	14140	215.4	1449	22.4	3721	55.6	1654	29.9	393	6.5	658	9.6
Idaho	5502	227.0	547	23.0	1533	61.9	748	34.0	173	7.5	268	10.9
Montana	4748	242.6	478	24.4	1393	69.6	627	34.8	151	8.3	197	10.0
New Mexico	6911	215.9	686	21.6	1789	54.4	908	32.2	183	6.1	273	8.2
Utah	5839	188.0	569	18.7	1170	36.7	958	35.2	188	6.5	332	10.3
Wyoming	2229	234.5	230	24.8	626	64.1	306	36.9	64	7.5	72	7.6
<b>Pacific</b>	<b>166518</b>	<b>232.7</b>	<b>15951</b>	<b>22.6</b>	<b>48679</b>	<b>66.9</b>	<b>19238</b>	<b>30.0</b>	<b>5238</b>	<b>7.8</b>	<b>7868</b>	<b>10.8</b>
Alaska	1330	234.9	118	23.2	424	71.5	95	24.8	42	10.9	71	11.5
California	112628	227.8	10840	22.3	31818	63.5	13092	29.5	3551	7.7	5443	10.7
Hawaii	1545	227.1	129	18.8	424	61.0	184	30.8	49	8.0	77	10.8
Nevada	8701	256.9	920	27.9	2868	80.5	832	30.2	259	8.5	334	10.0
Oregon	17255	244.9	1599	22.8	5406	75.5	2234	34.1	551	8.2	767	10.9
Washington	25059	240.2	2345	22.8	7739	72.9	2801	29.8	786	7.9	1176	11.1

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Whites, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>1226094</b>	<b>193.9</b>	<b>122478</b>	<b>19.2</b>	<b>395430</b>	<b>63.5</b>	<b>132832</b>	<b>19.9</b>	<b>36822</b>	<b>5.7</b>	<b>54805</b>	<b>8.6</b>
<b>New England</b>	<b>72254</b>	<b>199.6</b>	<b>7695</b>	<b>21.0</b>	<b>21581</b>	<b>60.7</b>	<b>7986</b>	<b>20.5</b>	<b>2449</b>	<b>6.5</b>	<b>3156</b>	<b>8.7</b>
Connecticut	16407	183.0	1743	19.0	4737	54.2	1848	18.9	582	6.2	721	8.1
Maine	7600	207.7	768	20.8	2426	66.9	770	20.0	283	7.6	325	8.8
Massachusetts	32910	204.6	3561	21.8	9623	61.0	3716	21.3	1102	6.6	1404	8.7
New Hampshire	6206	202.8	652	21.3	1850	61.1	632	20.3	213	6.9	288	9.3
Rhode Island	5973	209.4	635	22.0	1950	69.4	674	21.5	180	6.0	271	9.6
Vermont	3158	198.1	336	20.9	995	63.5	346	21.2	89	5.5	147	9.2
<b>Middle Atlantic</b>	<b>186868</b>	<b>195.2</b>	<b>21034</b>	<b>21.7</b>	<b>56042</b>	<b>59.5</b>	<b>20545</b>	<b>19.9</b>	<b>6509</b>	<b>6.5</b>	<b>8531</b>	<b>8.9</b>
New Jersey	38928	197.8	4395	22.1	11475	59.2	4235	20.1	1398	6.8	1822	9.2
New York	78422	189.0	9010	21.5	22947	56.3	8592	19.2	2830	6.5	3605	8.7
Pennsylvania	69518	201.3	7629	21.8	21620	63.5	7718	20.5	2281	6.3	3104	9.0
<b>South Atlantic</b>	<b>228478</b>	<b>193.2</b>	<b>21446</b>	<b>18.0</b>	<b>79746</b>	<b>68.1</b>	<b>23436</b>	<b>18.6</b>	<b>6686</b>	<b>5.4</b>	<b>9675</b>	<b>8.1</b>
Delaware	3573	203.2	342	19.3	1250	71.2	346	19.3	127	7.2	133	7.5
District of Columbia	708	153.8	80	16.6	167	38.1	90	18.5	21	4.6	34	6.6
Florida	93497	184.5	9068	17.4	31073	62.7	10311	17.3	3082	5.5	4173	8.3
Georgia	25801	201.8	2068	16.2	9698	76.0	2431	20.1	659	5.3	1020	7.8
Maryland	19339	198.6	2024	20.7	6243	64.8	1968	19.8	589	6.0	878	8.9
North Carolina	32208	202.7	2882	18.1	12120	76.0	3121	20.0	784	5.0	1264	7.9
South Carolina	15037	201.4	1408	19.0	5553	73.6	1421	19.7	403	5.4	595	8.0
Virginia	26396	197.1	2430	18.2	9081	68.0	2630	20.1	716	5.4	1128	8.3
West Virginia	11919	222.4	1144	21.2	4561	85.3	1118	20.1	305	5.5	450	8.4
<b>East North Central</b>	<b>210296</b>	<b>200.7</b>	<b>21736</b>	<b>20.6</b>	<b>67612</b>	<b>65.6</b>	<b>22861</b>	<b>20.8</b>	<b>6441</b>	<b>6.0</b>	<b>9848</b>	<b>9.3</b>
Illinois	53054	199.1	5664	21.1	16573	63.3	5799	20.5	1580	5.7	2451	9.1
Indiana	30160	211.4	2982	20.8	10674	75.8	3136	21.2	875	6.0	1345	9.3
Michigan	43584	195.4	4380	19.5	13901	63.1	4703	20.3	1421	6.3	2076	9.2
Ohio	56935	207.3	5941	21.5	19017	70.0	5834	20.4	1750	6.3	2667	9.6
Wisconsin	26563	188.3	2769	19.5	7447	54.1	3389	22.1	815	5.5	1309	9.3
<b>East South Central</b>	<b>81243</b>	<b>223.5</b>	<b>7051</b>	<b>19.3</b>	<b>31666</b>	<b>87.4</b>	<b>7507</b>	<b>20.5</b>	<b>1877</b>	<b>5.1</b>	<b>3162</b>	<b>8.7</b>
Alabama	20037	217.2	1607	17.4	7557	81.9	1907	20.5	437	4.7	768	8.3
Kentucky	22656	235.6	2135	22.1	9001	94.2	2077	21.4	571	5.9	866	9.0
Mississippi	11204	223.5	972	19.4	4387	87.5	1001	19.8	245	4.8	415	8.3
Tennessee	27346	219.0	2337	18.6	10721	86.1	2522	20.2	624	5.0	1113	8.9

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Whites, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>95376</b>	<b>189.0</b>	<b>9858</b>	<b>19.3</b>	<b>30271</b>	<b>61.6</b>	<b>11277</b>	<b>20.3</b>	<b>2742</b>	<b>5.1</b>	<b>4486</b>	<b>8.9</b>
Iowa	16410	189.1	1850	21.1	5206	61.7	2065	21.1	490	5.2	731	8.4
Kansas	12776	183.8	1249	17.8	4247	62.7	1470	18.9	369	5.0	576	8.4
Minnesota	22127	181.4	2177	17.7	6044	51.2	2960	22.5	694	5.4	1153	9.4
Missouri	28181	202.4	2755	19.6	10031	73.2	2777	18.6	732	5.0	1255	9.0
Nebraska	8298	179.6	988	21.0	2598	57.6	962	18.8	233	4.8	385	8.2
North Dakota	3548	180.6	389	19.3	947	50.7	513	22.8	115	5.6	172	8.9
South Dakota	4036	186.2	450	20.6	1198	56.6	530	22.0	109	4.7	214	9.9
<b>West South Central</b>	<b>123572</b>	<b>201.0</b>	<b>11576</b>	<b>18.8</b>	<b>42793</b>	<b>70.3</b>	<b>12194</b>	<b>19.6</b>	<b>3035</b>	<b>4.9</b>	<b>5268</b>	<b>8.5</b>
Arkansas	14286	213.0	1240	18.4	5604	84.2	1407	19.6	344	4.9	612	9.1
Louisiana	17413	221.1	1664	21.1	6093	77.5	1590	20.1	384	4.9	742	9.4
Oklahoma	17316	209.5	1577	18.9	6461	79.1	1683	19.0	443	5.2	710	8.6
Texas	74557	193.3	7095	18.4	24635	64.7	7514	19.5	1864	4.9	3204	8.2
<b>Mountain</b>	<b>61489</b>	<b>166.7</b>	<b>6131</b>	<b>16.6</b>	<b>17040</b>	<b>46.8</b>	<b>7788</b>	<b>20.4</b>	<b>1845</b>	<b>4.9</b>	<b>2811</b>	<b>7.6</b>
Arizona	22120	170.6	2172	16.7	6808	52.8	2587	18.6	693	5.2	1011	7.8
Colorado	14140	165.0	1449	16.9	3721	44.4	1654	19.6	393	4.6	658	7.5
Idaho	5502	174.4	547	17.2	1533	49.6	748	22.3	173	5.4	268	8.5
Montana	4748	184.9	478	18.6	1393	55.0	627	22.7	151	5.6	197	7.6
New Mexico	6911	165.4	686	16.4	1789	43.1	908	21.2	183	4.3	273	6.5
Utah	5839	142.2	569	13.9	1170	29.4	958	22.9	188	4.6	332	8.0
Wyoming	2229	180.2	230	18.8	626	51.2	306	24.7	64	5.1	72	5.8
<b>Pacific</b>	<b>166518</b>	<b>180.4</b>	<b>15951</b>	<b>17.2</b>	<b>48679</b>	<b>53.8</b>	<b>19238</b>	<b>19.9</b>	<b>5238</b>	<b>5.5</b>	<b>7868</b>	<b>8.4</b>
Alaska	1330	181.2	118	17.0	424	58.1	95	16.7	42	7.3	71	8.6
California	112628	176.5	10840	16.9	31818	50.9	13092	19.6	3551	5.4	5443	8.4
Hawaii	1545	177.2	129	15.1	424	50.0	184	20.3	49	5.5	77	8.5
Nevada	8701	200.9	920	21.4	2868	65.6	832	20.2	259	6.2	334	7.6
Oregon	17255	189.5	1599	17.6	5406	60.9	2234	22.6	551	5.8	767	8.3
Washington	25059	185.9	2345	17.3	7739	58.8	2801	19.6	786	5.7	1176	8.6

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites**  
 United States, 1996-2000, Whites, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>1139305</b>	<b>166.9</b>	<b>124332</b>	<b>17.5</b>	<b>279959</b>	<b>41.5</b>	<b>179716</b>	<b>27.2</b>	<b>16507</b>	<b>2.7</b>	<b>61241</b>	<b>9.1</b>
<b>New England</b>	<b>71861</b>	<b>175.1</b>	<b>8377</b>	<b>19.1</b>	<b>17401</b>	<b>43.7</b>	<b>11260</b>	<b>28.3</b>	<b>816</b>	<b>2.2</b>	<b>3557</b>	<b>9.0</b>
Connecticut	16656	166.3	1832	17.2	3961	40.7	2655	27.5	170	1.9	852	8.7
Maine	7270	182.2	858	20.4	1877	47.9	1025	26.5	96	2.6	394	10.1
Massachusetts	33172	177.3	3909	19.5	7988	44.1	5237	29.0	346	2.1	1612	9.0
New Hampshire	5827	177.2	670	19.8	1441	44.9	925	28.2	74	2.3	281	8.7
Rhode Island	5977	180.7	723	20.0	1463	45.9	943	29.7	80	2.9	279	8.8
Vermont	2959	171.1	385	21.2	671	40.0	475	27.4	50	3.0	139	8.2
<b>Middle Atlantic</b>	<b>187597</b>	<b>174.5</b>	<b>22278</b>	<b>19.5</b>	<b>42559</b>	<b>40.1</b>	<b>31017</b>	<b>30.0</b>	<b>2525</b>	<b>2.7</b>	<b>10082</b>	<b>9.7</b>
New Jersey	40033	182.1	4601	19.8	9216	42.5	6611	31.2	517	2.7	2126	9.9
New York	80553	173.2	9419	19.1	18396	40.1	13662	30.4	1140	2.8	4383	9.7
Pennsylvania	67011	171.9	8258	19.9	14947	38.7	10744	29.0	868	2.6	3573	9.6
<b>South Atlantic</b>	<b>202573</b>	<b>162.3</b>	<b>21409</b>	<b>16.6</b>	<b>53998</b>	<b>43.2</b>	<b>30743</b>	<b>25.7</b>	<b>2944</b>	<b>2.7</b>	<b>10833</b>	<b>8.8</b>
Delaware	3392	181.5	343	17.9	883	47.2	541	29.7	68	4.0	187	10.2
District of Columbia	751	150.6	97	17.7	157	32.1	131	27.4	8	1.7	34	7.3
Florida	80089	158.1	8618	16.0	22135	43.3	11765	25.0	1127	2.9	4220	8.5
Georgia	22883	159.5	2162	14.9	5975	42.0	3574	25.1	359	2.5	1303	9.1
Maryland	18713	175.3	2085	18.9	4916	46.4	2970	28.3	229	2.3	962	9.2
North Carolina	28136	158.7	2887	16.0	7271	41.0	4292	24.9	423	2.6	1517	8.6
South Carolina	13050	160.3	1375	16.7	3414	41.5	1981	24.8	189	2.5	696	8.6
Virginia	24585	166.8	2609	17.4	6225	42.4	3938	27.1	332	2.3	1358	9.2
West Virginia	10974	186.7	1233	20.3	3022	51.3	1551	27.4	209	4.0	556	9.5
<b>East North Central</b>	<b>198879</b>	<b>171.8</b>	<b>22402</b>	<b>18.5</b>	<b>47548</b>	<b>41.8</b>	<b>31797</b>	<b>28.2</b>	<b>2799</b>	<b>2.7</b>	<b>10648</b>	<b>9.4</b>
Illinois	51435	172.4	5862	18.6	11882	40.7	8454	29.2	782	2.9	2775	9.5
Indiana	28006	175.6	3223	19.4	7111	45.3	4313	27.7	444	3.0	1476	9.4
Michigan	40704	168.8	4248	17.0	9983	42.0	6439	27.3	526	2.4	2287	9.6
Ohio	54312	176.5	6304	19.7	13317	43.8	8686	29.1	770	2.8	2686	8.9
Wisconsin	24422	161.5	2765	17.0	5255	35.9	3905	26.5	277	2.1	1424	9.8
<b>East South Central</b>	<b>68432</b>	<b>168.7</b>	<b>7069</b>	<b>16.9</b>	<b>18097</b>	<b>44.8</b>	<b>10109</b>	<b>25.7</b>	<b>1163</b>	<b>3.1</b>	<b>3599</b>	<b>8.9</b>
Alabama	16820	163.9	1604	15.2	4190	40.7	2420	24.6	237	2.6	951	9.3
Kentucky	19216	179.6	2132	19.3	5493	51.8	2801	26.8	370	3.7	908	8.5
Mississippi	9066	161.3	906	15.5	2446	43.6	1343	24.8	143	2.9	459	8.2
Tennessee	23330	166.9	2427	16.9	5968	42.9	3545	26.0	413	3.2	1281	9.2

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Whites, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>88204</b>	<b>160.4</b>	<b>10460</b>	<b>17.8</b>	<b>20003</b>	<b>37.8</b>	<b>13895</b>	<b>26.2</b>	<b>1102</b>	<b>2.3</b>	<b>4819</b>	<b>9.0</b>
Iowa	15116	158.1	1978	19.1	3240	35.3	2410	26.4	190	2.4	873	9.4
Kansas	11885	156.9	1368	16.7	2770	37.9	1859	25.5	154	2.3	645	8.9
Minnesota	20997	159.4	2329	16.7	4412	35.2	3424	26.7	205	1.7	1173	9.2
Missouri	25937	168.4	2977	18.2	6723	44.7	3898	26.3	372	2.7	1318	8.7
Nebraska	7721	153.0	969	18.0	1628	33.5	1234	25.3	106	2.4	428	8.6
North Dakota	3044	151.0	351	16.0	565	30.0	521	26.6	44	2.6	170	8.6
South Dakota	3504	155.0	488	20.2	665	30.6	549	25.3	31	1.7	212	9.8
<b>West South Central</b>	<b>108164</b>	<b>163.3</b>	<b>11169</b>	<b>16.5</b>	<b>27519</b>	<b>41.8</b>	<b>16537</b>	<b>25.5</b>	<b>1950</b>	<b>3.1</b>	<b>5497</b>	<b>8.4</b>
Arkansas	11795	165.0	1254	16.9	3155	44.5	1623	23.7	196	3.2	636	9.0
Louisiana	15179	175.0	1562	17.6	3917	45.2	2307	27.3	210	2.7	708	8.3
Oklahoma	15084	168.9	1657	17.7	4052	45.9	2293	26.7	255	3.3	716	8.1
Texas	66106	159.7	6696	15.9	16395	40.0	10314	25.2	1289	3.1	3437	8.4
<b>Mountain</b>	<b>54748</b>	<b>149.3</b>	<b>5689</b>	<b>15.3</b>	<b>12257</b>	<b>33.5</b>	<b>9071</b>	<b>25.1</b>	<b>787</b>	<b>2.2</b>	<b>3118</b>	<b>8.6</b>
Arizona	19156	151.9	1891	14.7	4959	38.6	3115	25.7	270	2.4	989	7.9
Colorado	13420	149.0	1412	15.6	2839	32.1	2197	24.1	181	1.9	796	8.9
Idaho	4679	152.3	485	15.3	1011	33.4	803	26.6	67	2.3	305	9.9
Montana	4012	159.3	404	15.4	972	39.1	607	24.8	62	2.7	241	9.7
New Mexico	6265	151.4	639	15.3	1315	31.6	1068	26.1	99	2.4	331	8.1
Utah	5196	127.9	605	14.9	702	17.6	956	23.8	80	1.9	354	8.8
Wyoming	2020	165.4	253	20.2	459	38.1	325	26.6	28	2.4	102	8.4
<b>Pacific</b>	<b>158847</b>	<b>167.7</b>	<b>15479</b>	<b>15.9</b>	<b>40577</b>	<b>43.2</b>	<b>25287</b>	<b>27.2</b>	<b>2421</b>	<b>2.7</b>	<b>9088</b>	<b>9.7</b>
Alaska	1130	177.5	79	14.6	321	50.2	190	25.9	18	1.9	65	10.0
California	109678	165.5	10689	15.6	27022	41.0	17870	27.6	1805	2.9	6274	9.6
Hawaii	1170	154.9	107	14.3	295	39.0	207	27.1	15	1.9	64	8.4
Nevada	7150	182.6	718	18.8	2240	56.0	1049	26.9	117	3.0	347	8.8
Oregon	16034	172.4	1594	16.3	4284	46.9	2420	26.8	193	2.2	904	9.9
Washington	23685	171.5	2292	16.0	6415	47.4	3551	26.0	273	2.1	1434	10.5

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites**  
**United States, 1996-2000, Whites, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>1139305</b>	<b>133.6</b>	<b>124332</b>	<b>13.0</b>	<b>279959</b>	<b>34.6</b>	<b>179716</b>	<b>22.1</b>	<b>16507</b>	<b>2.2</b>	<b>61241</b>	<b>7.5</b>
<b>New England</b>	<b>71861</b>	<b>139.5</b>	<b>8377</b>	<b>14.2</b>	<b>17401</b>	<b>36.5</b>	<b>11260</b>	<b>22.8</b>	<b>816</b>	<b>1.8</b>	<b>3557</b>	<b>7.4</b>
Connecticut	16656	132.3	1832	12.8	3961	33.8	2655	22.3	170	1.6	852	7.1
Maine	7270	145.8	858	15.2	1877	40.2	1025	21.5	96	2.2	394	8.4
Massachusetts	33172	141.1	3909	14.3	7988	36.8	5237	23.4	346	1.7	1612	7.4
New Hampshire	5827	141.4	670	14.8	1441	37.8	925	22.6	74	1.9	281	7.0
Rhode Island	5977	144.8	723	14.8	1463	38.6	943	23.9	80	2.4	279	7.3
Vermont	2959	135.6	385	15.5	671	33.7	475	21.3	50	2.4	139	6.9
<b>Middle Atlantic</b>	<b>187597</b>	<b>139.2</b>	<b>22278</b>	<b>14.5</b>	<b>42559</b>	<b>33.3</b>	<b>31017</b>	<b>24.3</b>	<b>2525</b>	<b>2.3</b>	<b>10082</b>	<b>8.0</b>
New Jersey	40033	145.0	4601	14.6	9216	35.3	6611	25.3	517	2.2	2126	8.2
New York	80553	138.4	9419	14.2	18396	33.3	13662	24.7	1140	2.3	4383	8.1
Pennsylvania	67011	137.0	8258	14.8	14947	32.2	10744	23.4	868	2.2	3573	7.9
<b>South Atlantic</b>	<b>202573</b>	<b>129.8</b>	<b>21409</b>	<b>12.3</b>	<b>53998</b>	<b>36.0</b>	<b>30743</b>	<b>20.9</b>	<b>2944</b>	<b>2.2</b>	<b>10833</b>	<b>7.2</b>
Delaware	3392	144.6	343	13.6	883	39.4	541	23.5	68	3.3	187	8.8
District of Columbia	751	117.1	97	12.5	157	25.3	131	22.2	8	1.3	34	5.9
Florida	80089	126.0	8618	11.9	22135	35.7	11765	20.3	1127	2.4	4220	7.0
Georgia	22883	128.3	2162	11.2	5975	35.6	3574	20.6	359	2.1	1303	7.5
Maryland	18713	139.4	2085	13.9	4916	38.4	2970	22.9	229	1.9	962	7.6
North Carolina	28136	127.3	2887	12.0	7271	34.6	4292	20.3	423	2.1	1517	7.0
South Carolina	13050	128.4	1375	12.5	3414	35.0	1981	20.1	189	2.1	696	6.9
Virginia	24585	133.3	2609	13.0	6225	35.3	3938	22.2	332	1.9	1358	7.5
West Virginia	10974	151.0	1233	15.4	3022	43.3	1551	22.4	209	3.3	556	7.9
<b>East North Central</b>	<b>198879</b>	<b>137.7</b>	<b>22402</b>	<b>13.8</b>	<b>47548</b>	<b>35.2</b>	<b>31797</b>	<b>22.8</b>	<b>2799</b>	<b>2.2</b>	<b>10648</b>	<b>7.7</b>
Illinois	51435	138.0	5862	14.0	11882	34.1	8454	23.7	782	2.4	2775	7.8
Indiana	28006	141.5	3223	14.5	7111	38.3	4313	22.5	444	2.5	1476	7.8
Michigan	40704	135.7	4248	12.6	9983	35.5	6439	22.1	526	2.0	2287	8.0
Ohio	54312	141.3	6304	14.7	13317	36.9	8686	23.5	770	2.3	2686	7.3
Wisconsin	24422	128.9	2765	12.6	5255	30.2	3905	21.3	277	1.7	1424	8.1
<b>East South Central</b>	<b>68432</b>	<b>136.1</b>	<b>7069</b>	<b>12.7</b>	<b>18097</b>	<b>38.0</b>	<b>10109</b>	<b>21.1</b>	<b>1163</b>	<b>2.6</b>	<b>3599</b>	<b>7.3</b>
Alabama	16820	131.9	1604	11.3	4190	34.4	2420	20.2	237	2.1	951	7.7
Kentucky	19216	145.2	2132	14.4	5493	44.2	2801	22.0	370	3.0	908	7.0
Mississippi	9066	129.8	906	11.7	2446	36.5	1343	20.3	143	2.4	459	6.6
Tennessee	23330	134.7	2427	12.7	5968	36.6	3545	21.4	413	2.7	1281	7.5

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Whites, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>88204</b>	<b>128.5</b>	<b>10460</b>	<b>13.4</b>	<b>20003</b>	<b>31.9</b>	<b>13895</b>	<b>21.2</b>	<b>1102</b>	<b>1.9</b>	<b>4819</b>	<b>7.4</b>
Iowa	15116	127.0	1978	14.5	3240	29.7	2410	21.5	190	2.0	873	7.8
Kansas	11885	126.3	1368	12.6	2770	31.9	1859	20.9	154	1.9	645	7.4
Minnesota	20997	127.1	2329	12.5	4412	29.7	3424	21.5	205	1.4	1173	7.5
Missouri	25937	135.5	2977	13.6	6723	37.8	3898	21.4	372	2.3	1318	7.2
Nebraska	7721	121.9	969	13.6	1628	28.0	1234	20.3	106	2.0	428	7.0
North Dakota	3044	120.4	351	11.9	565	25.9	521	21.3	44	2.2	170	6.8
South Dakota	3504	123.3	488	15.3	665	25.4	549	20.2	31	1.4	212	8.0
<b>West South Central</b>	<b>108164</b>	<b>130.8</b>	<b>11169</b>	<b>12.3</b>	<b>27519</b>	<b>34.9</b>	<b>16537</b>	<b>20.8</b>	<b>1950</b>	<b>2.5</b>	<b>5497</b>	<b>6.9</b>
Arkansas	11795	132.8	1254	12.8	3155	37.9	1623	19.3	196	2.6	636	7.3
Louisiana	15179	139.9	1562	13.1	3917	37.6	2307	22.2	210	2.2	708	6.9
Oklahoma	15084	136.5	1657	13.3	4052	38.9	2293	21.9	255	2.6	716	6.7
Texas	66106	127.6	6696	11.8	16395	33.1	10314	20.5	1289	2.6	3437	6.8
<b>Mountain</b>	<b>54748</b>	<b>119.0</b>	<b>5689</b>	<b>11.4</b>	<b>12257</b>	<b>27.7</b>	<b>9071</b>	<b>20.4</b>	<b>787</b>	<b>1.9</b>	<b>3118</b>	<b>7.0</b>
Arizona	19156	121.1	1891	10.9	4959	31.9	3115	20.9	270	2.0	989	6.4
Colorado	13420	118.7	1412	11.7	2839	26.5	2197	19.5	181	1.6	796	7.4
Idaho	4679	122.2	485	11.3	1011	28.0	803	21.7	67	2.0	305	8.0
Montana	4012	127.9	404	11.7	972	32.7	607	20.3	62	2.1	241	7.9
New Mexico	6265	119.9	639	11.3	1315	25.9	1068	21.0	99	2.1	331	6.7
Utah	5196	101.6	605	11.3	702	14.7	956	19.2	80	1.6	354	7.3
Wyoming	2020	132.0	253	14.9	459	31.9	325	21.3	28	1.9	102	6.6
<b>Pacific</b>	<b>158847</b>	<b>134.4</b>	<b>15479</b>	<b>11.8</b>	<b>40577</b>	<b>35.7</b>	<b>25287</b>	<b>22.3</b>	<b>2421</b>	<b>2.2</b>	<b>9088</b>	<b>8.0</b>
Alaska	1130	142.3	79	10.4	321	42.6	190	21.5	18	1.6	65	8.2
California	109678	132.6	10689	11.7	27022	33.7	17870	22.7	1805	2.4	6274	7.9
Hawaii	1170	123.2	107	10.6	295	32.3	207	22.8	15	1.6	64	7.2
Nevada	7150	146.2	718	14.1	2240	46.4	1049	21.7	117	2.4	347	7.2
Oregon	16034	138.6	1594	12.2	4284	39.4	2420	21.9	193	1.9	904	8.1
Washington	23685	137.5	2292	12.0	6415	39.5	3551	21.2	273	1.7	1434	8.6

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.





**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**United States, 1996-2000, Blacks**

<i>SITES</i>	<b>MALES (BLACKS)</b>					<b>FEMALES (BLACKS)</b>				
	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>
All Sites	163875	356.2	0.93	281.5	0.70	143309	198.6	0.53	161.0	0.44
Buccal Cavity & Pharynx	4252	7.9	0.13	6.9	0.11	1495	2.0	0.05	1.7	0.05
Digestive System	42055	89.2	0.46	71.6	0.35	38115	53.9	0.28	41.9	0.22
Esophagus	6204	12.2	0.16	10.6	0.14	2423	3.4	0.07	2.9	0.06
Stomach	6340	14.0	0.19	10.8	0.14	4641	6.5	0.10	4.9	0.07
Colon & Rectum	15689	34.6	0.29	27.0	0.22	17421	24.6	0.19	18.9	0.15
Liver	4391	8.4	0.13	7.1	0.11	2177	3.0	0.07	2.4	0.05
Pancreas	7697	16.4	0.20	13.2	0.15	9037	12.9	0.14	10.1	0.11
Respiratory System	54568	113.4	0.51	94.3	0.41	29443	41.2	0.24	34.8	0.21
Larynx	2908	5.7	0.11	4.9	0.09	662	0.9	0.04	0.8	0.03
Lung & bronchus	51323	107.0	0.49	88.9	0.40	28584	40.0	0.24	33.8	0.20
Skin	854	1.6	0.06	1.4	0.05	547	0.8	0.03	0.6	0.03
Melanomas of the skin	247	0.5	0.04	0.4	0.03	336	0.5	0.03	0.4	0.02
Breast	299	0.6	0.04	0.5	0.03	26678	35.9	0.22	29.6	0.19
Female Genital System	-	-	-	-	-	15462	21.3	0.17	17.4	0.14
Cervix uteri	-	-	-	-	-	4488	5.9	0.09	4.8	0.07
Corpus & uterus, NOS	-	-	-	-	-	4928	7.0	0.10	5.7	0.08
Ovary	-	-	-	-	-	5348	7.4	0.10	6.1	0.09
Male Genital System	27574	73.4	0.46	50.6	0.31	-	-	-	-	-
Prostate	27320	73.0	0.46	50.2	0.30	-	-	-	-	-
Testis	113	0.2	0.02	0.1	0.01	-	-	-	-	-
Urinary System	5500	12.2	0.17	9.4	0.13	4192	5.9	0.09	4.5	0.07
Bladder	2336	5.8	0.13	4.2	0.09	2055	3.0	0.07	2.2	0.05
Kidney & renal pelvis	3090	6.2	0.12	5.1	0.09	1990	2.8	0.06	2.2	0.05
Brain & Other Nervous System	1963	3.3	0.08	2.9	0.07	1780	2.3	0.06	2.0	0.05
Endocrine System	429	0.7	0.04	0.6	0.03	654	0.9	0.03	0.7	0.03
Thyroid gland	167	0.3	0.03	0.3	0.02	376	0.5	0.03	0.4	0.02
Lymphomas	4436	8.2	0.13	6.7	0.10	3674	5.0	0.08	4.0	0.07
Hodgkin's disease	398	0.6	0.03	0.5	0.03	293	0.3	0.02	0.3	0.02
Non-Hodgkin's lymphoma	4038	7.6	0.13	6.2	0.10	3381	4.6	0.08	3.7	0.07
Multiple Myeloma	4128	9.2	0.15	7.2	0.11	4672	6.6	0.10	5.3	0.08
Leukemias	4628	9.3	0.15	7.4	0.11	4072	5.5	0.09	4.4	0.07
Other, Ill-defined & Unknown	13189	27.0	0.25	21.9	0.19	12525	17.4	0.16	13.8	0.13

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Blacks, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>163875</b>	<b>356.2</b>	<b>15689</b>	<b>34.6</b>	<b>51323</b>	<b>107.0</b>	<b>27320</b>	<b>73.0</b>	<b>2336</b>	<b>5.8</b>	<b>4038</b>	<b>7.6</b>
<b>New England</b>	<b>2792</b>	<b>320.6</b>	<b>268</b>	<b>31.0</b>	<b>794</b>	<b>87.4</b>	<b>418</b>	<b>64.8</b>	<b>39</b>	<b>5.0</b>	<b>63</b>	<b>6.2</b>
Connecticut	1202	332.0	112	28.8	346	89.9	189	72.9	16	5.7	33	9.0
Maine	23	434.4	-	-	-	-	-	-	-	-	-	-
Massachusetts	1368	317.5	141	34.5	374	84.5	197	59.6	21	4.9	23	4.1
New Hampshire	27	235.7	-	-	12	105.9	-	-	-	-	-	-
Rhode Island	165	293.3	10	22.0	56	97.0	25	58.1	-	-	6	5.3
Vermont	7	222.8	-	-	-	-	-	-	-	-	-	-
<b>Middle Atlantic</b>	<b>24817</b>	<b>322.6</b>	<b>2495</b>	<b>33.7</b>	<b>7339</b>	<b>90.6</b>	<b>4106</b>	<b>66.6</b>	<b>381</b>	<b>5.7</b>	<b>739</b>	<b>8.1</b>
New Jersey	5548	349.8	556	35.9	1658	100.0	854	68.9	94	6.9	178	9.5
New York	12099	283.1	1266	30.8	3413	74.8	2077	62.0	186	5.1	417	8.0
Pennsylvania	7170	387.3	673	38.2	2268	117.9	1175	74.3	101	6.2	144	7.1
<b>South Atlantic</b>	<b>51099</b>	<b>363.4</b>	<b>4645</b>	<b>33.1</b>	<b>15494</b>	<b>105.6</b>	<b>8939</b>	<b>78.8</b>	<b>757</b>	<b>6.2</b>	<b>1229</b>	<b>7.6</b>
Delaware	676	370.9	61	32.3	205	107.2	123	84.5	16	8.9	23	10.9
District of Columbia	2688	386.7	265	38.6	754	104.6	424	69.2	45	6.9	48	6.9
Florida	9531	331.8	848	29.9	2830	94.1	1653	73.4	151	6.0	279	8.0
Georgia	8917	361.4	779	31.0	2711	106.0	1598	82.9	130	6.3	210	7.2
Maryland	6468	365.0	668	38.5	2030	108.3	999	75.6	97	6.6	147	6.8
North Carolina	8896	377.8	741	32.0	2811	114.4	1653	83.6	132	6.2	202	8.0
South Carolina	6177	377.1	558	34.3	1789	104.4	1139	84.0	70	4.6	126	7.0
Virginia	7352	378.9	678	34.2	2267	112.8	1274	78.4	108	6.3	187	8.5
West Virginia	394	370.6	47	46.1	97	89.8	76	74.2	8	8.3	7	6.2
<b>East North Central</b>	<b>27311</b>	<b>367.2</b>	<b>2681</b>	<b>37.1</b>	<b>8968</b>	<b>115.9</b>	<b>4262</b>	<b>70.2</b>	<b>360</b>	<b>5.7</b>	<b>668</b>	<b>7.9</b>
Illinois	9683	380.8	978	39.4	3182	119.2	1449	72.4	125	5.5	235	8.2
Indiana	2566	377.1	278	41.2	834	118.1	445	78.8	32	5.7	61	7.5
Michigan	6800	338.3	659	33.8	2212	106.0	1090	65.7	95	5.4	174	7.8
Ohio	7183	373.1	677	36.4	2367	118.9	1152	70.1	96	6.0	171	7.9
Wisconsin	1079	378.1	89	33.2	373	130.2	126	61.3	12	6.3	27	7.4
<b>East South Central</b>	<b>17773</b>	<b>381.6</b>	<b>1621</b>	<b>35.0</b>	<b>5714</b>	<b>120.0</b>	<b>3277</b>	<b>79.1</b>	<b>232</b>	<b>5.3</b>	<b>360</b>	<b>7.1</b>
Alabama	6175	371.5	544	33.0	1822	106.7	1229	82.3	80	5.2	108	5.9
Kentucky	1571	382.5	158	39.6	563	133.9	225	64.1	19	5.5	42	9.5
Mississippi	5251	377.9	429	30.8	1752	125.4	1040	80.9	54	4.1	97	6.6
Tennessee	4776	400.3	490	41.2	1577	127.5	783	77.7	79	7.0	113	8.6

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Blacks, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>4858</b>	<b>373.4</b>	<b>465</b>	<b>36.9</b>	<b>1586</b>	<b>118.0</b>	<b>760</b>	<b>72.4</b>	<b>69</b>	<b>5.9</b>	<b>116</b>	<b>7.9</b>
Iowa	231	378.0	22	42.2	78	119.9	33	75.4	-	-	7	6.2
Kansas	740	367.3	83	42.6	219	105.3	135	76.9	11	5.7	20	10.4
Minnesota	430	369.3	32	30.8	138	120.3	68	88.1	8	8.2	15	6.0
Missouri	3180	378.1	304	36.3	1049	120.8	498	71.6	48	6.4	61	6.8
Nebraska	263	354.7	24	40.9	96	118.7	26	51.2	-	-	12	16.6
North Dakota	6	364.3	-	-	-	-	-	-	-	-	-	-
South Dakota	8	158.1	-	-	-	-	-	-	-	-	-	-
<b>West South Central</b>	<b>22274</b>	<b>382.3</b>	<b>2236</b>	<b>38.8</b>	<b>7386</b>	<b>123.3</b>	<b>3504</b>	<b>72.0</b>	<b>287</b>	<b>5.5</b>	<b>511</b>	<b>7.7</b>
Arkansas	2213	372.9	206	34.8	737	123.9	439	77.8	30	5.0	43	7.0
Louisiana	7658	394.9	753	39.1	2554	128.2	1164	70.6	98	5.8	164	7.5
Oklahoma	1222	370.2	143	43.8	357	107.9	208	73.0	18	5.6	31	8.3
Texas	11181	377.7	1134	38.8	3738	122.2	1693	71.4	141	5.4	273	7.9
<b>Mountain</b>	<b>1285</b>	<b>297.0</b>	<b>135</b>	<b>29.8</b>	<b>367</b>	<b>80.9</b>	<b>214</b>	<b>70.0</b>	<b>14</b>	<b>3.2</b>	<b>33</b>	<b>6.2</b>
Arizona	553	307.9	57	30.2	175	92.7	90	68.0	-	-	16	7.9
Colorado	529	302.5	55	27.6	134	76.2	92	76.4	-	-	14	5.9
Idaho	14	374.3	-	-	-	-	-	-	-	-	-	-
Montana	12	442.0	-	-	-	-	-	-	-	-	-	-
New Mexico	115	218.8	14	27.8	35	63.3	18	46.3	-	-	-	-
Utah	50	350.0	-	-	11	68.1	9	91.9	-	-	-	-
Wyoming	12	304.2	-	-	-	-	-	-	-	-	-	-
<b>Pacific</b>	<b>11666</b>	<b>313.7</b>	<b>1143</b>	<b>31.2</b>	<b>3675</b>	<b>94.2</b>	<b>1840</b>	<b>61.9</b>	<b>197</b>	<b>6.3</b>	<b>319</b>	<b>7.4</b>
Alaska	43	239.7	6	50.1	14	73.5	-	-	-	-	-	-
California	10188	315.7	983	30.8	3190	94.3	1639	62.6	177	6.3	279	7.4
Hawaii	32	129.4	-	-	7	37.1	-	-	-	-	-	-
Nevada	483	292.3	69	43.3	167	97.3	54	44.0	8	5.3	9	5.6
Oregon	224	343.3	18	27.3	76	110.7	36	72.5	-	-	9	13.9
Washington	696	320.8	63	29.9	221	95.6	104	66.2	8	5.6	22	9.1

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Blacks, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>163875</b>	<b>281.5</b>	<b>15689</b>	<b>27.0</b>	<b>51323</b>	<b>88.9</b>	<b>27320</b>	<b>50.2</b>	<b>2336</b>	<b>4.2</b>	<b>4038</b>	<b>6.2</b>
<b>New England</b>	<b>2792</b>	<b>251.8</b>	<b>268</b>	<b>24.3</b>	<b>794</b>	<b>71.5</b>	<b>418</b>	<b>43.9</b>	<b>39</b>	<b>3.6</b>	<b>63</b>	<b>4.9</b>
Connecticut	1202	257.9	112	23.2	346	73.5	189	48.1	16	3.9	33	6.6
Maine	23	332.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	1368	252.1	141	26.8	374	69.3	197	41.3	21	3.8	23	3.5
New Hampshire	27	199.2	-	-	12	95.7	-	-	-	-	-	-
Rhode Island	165	220.9	10	14.9	56	74.4	25	39.0	-	-	6	4.8
Vermont	7	192.9	-	-	-	-	-	-	-	-	-	-
<b>Middle Atlantic</b>	<b>24817</b>	<b>255.0</b>	<b>2495</b>	<b>26.1</b>	<b>7339</b>	<b>75.0</b>	<b>4106</b>	<b>46.5</b>	<b>381</b>	<b>4.1</b>	<b>739</b>	<b>6.7</b>
New Jersey	5548	277.3	556	28.1	1658	82.7	854	48.3	94	5.1	178	7.6
New York	12099	224.1	1266	24.0	3413	62.3	2077	43.4	186	3.7	417	6.6
Pennsylvania	7170	306.0	673	28.9	2268	97.3	1175	51.6	101	4.4	144	5.8
<b>South Atlantic</b>	<b>51099</b>	<b>286.5</b>	<b>4645</b>	<b>26.0</b>	<b>15494</b>	<b>87.4</b>	<b>8939</b>	<b>54.2</b>	<b>757</b>	<b>4.5</b>	<b>1229</b>	<b>6.2</b>
Delaware	676	290.2	61	26.1	205	87.5	123	58.4	16	7.1	23	8.5
District of Columbia	2688	309.7	265	30.5	754	87.7	424	47.0	45	5.2	48	5.3
Florida	9531	260.7	848	23.4	2830	77.6	1653	50.1	151	4.4	279	6.5
Georgia	8917	286.7	779	24.7	2711	88.3	1598	57.2	130	4.5	210	6.0
Maryland	6468	284.8	668	29.7	2030	88.2	999	51.1	97	4.8	147	5.7
North Carolina	8896	298.8	741	24.6	2811	95.3	1653	58.2	132	4.5	202	6.3
South Carolina	6177	299.6	558	27.0	1789	87.7	1139	58.1	70	3.5	126	5.7
Virginia	7352	296.8	678	27.1	2267	92.4	1274	53.9	108	4.5	187	7.0
West Virginia	394	288.3	47	35.4	97	71.6	76	52.8	8	5.6	7	5.3
<b>East North Central</b>	<b>27311</b>	<b>291.3</b>	<b>2681</b>	<b>28.8</b>	<b>8968</b>	<b>95.9</b>	<b>4262</b>	<b>48.5</b>	<b>360</b>	<b>4.0</b>	<b>668</b>	<b>6.5</b>
Illinois	9683	303.9	978	31.0	3182	99.4	1449	49.7	125	4.1	235	6.7
Indiana	2566	294.0	278	32.0	834	96.2	445	53.6	32	3.8	61	6.3
Michigan	6800	270.1	659	26.3	2212	88.5	1090	45.2	95	3.9	174	6.5
Ohio	7183	293.0	677	27.8	2367	97.1	1152	48.9	96	4.1	171	6.3
Wisconsin	1079	304.9	89	25.8	373	107.8	126	43.6	12	4.1	27	5.8
<b>East South Central</b>	<b>17773</b>	<b>303.4</b>	<b>1621</b>	<b>27.2</b>	<b>5714</b>	<b>101.1</b>	<b>3277</b>	<b>54.4</b>	<b>232</b>	<b>3.9</b>	<b>360</b>	<b>5.8</b>
Alabama	6175	294.1	544	25.4	1822	89.5	1229	56.7	80	3.8	108	4.9
Kentucky	1571	305.3	158	30.3	563	112.2	225	43.6	19	3.7	42	7.8
Mississippi	5251	300.9	429	24.2	1752	105.5	1040	56.3	54	3.0	97	5.3
Tennessee	4776	318.9	490	32.1	1577	108.6	783	52.7	79	5.3	113	7.0

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Blacks, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>4858</b>	<b>296.2</b>	<b>465</b>	<b>28.4</b>	<b>1586</b>	<b>98.3</b>	<b>760</b>	<b>49.5</b>	<b>69</b>	<b>4.4</b>	<b>116</b>	<b>6.3</b>
Iowa	231	294.2	22	30.0	78	99.2	33	48.5	-	-	7	5.9
Kansas	740	292.6	83	33.2	219	88.0	135	54.1	11	4.3	20	8.3
Minnesota	430	290.2	32	22.5	138	99.8	68	61.1	8	5.3	15	5.5
Missouri	3180	300.2	304	28.5	1049	100.4	498	48.8	48	4.8	61	5.4
Nebraska	263	279.4	24	27.9	96	101.7	26	33.6	-	-	12	11.8
North Dakota	6	364.7	-	-	-	-	-	-	-	-	-	-
South Dakota	8	141.7	-	-	-	-	-	-	-	-	-	-
<b>West South Central</b>	<b>22274</b>	<b>304.1</b>	<b>2236</b>	<b>30.5</b>	<b>7386</b>	<b>103.2</b>	<b>3504</b>	<b>49.0</b>	<b>287</b>	<b>3.9</b>	<b>511</b>	<b>6.3</b>
Arkansas	2213	297.0	206	27.4	737	105.2	439	53.0	30	3.7	43	5.8
Louisiana	7658	315.0	753	31.0	2554	107.1	1164	48.4	98	4.0	164	6.2
Oklahoma	1222	290.6	143	34.5	357	87.2	208	49.8	18	4.2	31	6.7
Texas	11181	300.2	1134	30.4	3738	102.4	1693	48.5	141	3.9	273	6.4
<b>Mountain</b>	<b>1285</b>	<b>228.5</b>	<b>135</b>	<b>24.2</b>	<b>367</b>	<b>65.4</b>	<b>214</b>	<b>45.5</b>	<b>14</b>	<b>2.5</b>	<b>33</b>	<b>4.8</b>
Arizona	553	236.9	57	24.5	175	75.2	90	44.0	-	-	16	6.0
Colorado	529	232.1	55	23.0	134	60.0	92	51.0	-	-	14	4.7
Idaho	14	293.4	-	-	-	-	-	-	-	-	-	-
Montana	12	390.2	-	-	-	-	-	-	-	-	-	-
New Mexico	115	175.9	14	22.5	35	54.3	18	30.3	-	-	-	-
Utah	50	252.2	-	-	11	55.9	9	51.7	-	-	-	-
Wyoming	12	214.3	-	-	-	-	-	-	-	-	-	-
<b>Pacific</b>	<b>11666</b>	<b>247.2</b>	<b>1143</b>	<b>24.4</b>	<b>3675</b>	<b>78.1</b>	<b>1840</b>	<b>43.2</b>	<b>197</b>	<b>4.5</b>	<b>319</b>	<b>5.9</b>
Alaska	43	196.2	6	31.3	14	64.8	-	-	-	-	-	-
California	10188	249.1	983	24.2	3190	78.3	1639	43.8	177	4.6	279	6.0
Hawaii	32	108.5	-	-	7	31.6	-	-	-	-	-	-
Nevada	483	228.5	69	33.8	167	78.1	54	30.5	8	4.1	9	4.2
Oregon	224	258.8	18	20.8	76	89.3	36	48.7	-	-	9	9.0
Washington	696	250.5	63	23.0	221	79.7	104	45.4	8	3.5	22	6.9

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites**  
**United States, 1996-2000, Blacks, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>143309</b>	<b>198.6</b>	<b>17421</b>	<b>24.6</b>	<b>28584</b>	<b>40.0</b>	<b>26678</b>	<b>35.9</b>	<b>4488</b>	<b>5.9</b>	<b>5348</b>	<b>7.4</b>
<b>New England</b>	<b>2427</b>	<b>179.3</b>	<b>286</b>	<b>22.2</b>	<b>479</b>	<b>35.4</b>	<b>434</b>	<b>30.0</b>	<b>74</b>	<b>4.9</b>	<b>76</b>	<b>5.5</b>
Connecticut	1056	178.3	120	20.9	206	34.8	211	33.1	32	4.8	27	4.5
Maine	9	190.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	1178	179.1	141	22.6	236	35.8	193	27.5	37	5.1	37	5.7
New Hampshire	17	223.1	-	-	-	-	-	-	-	-	-	-
Rhode Island	160	188.5	20	27.1	34	39.9	25	27.4	-	-	8	8.2
Vermont	7	261.7	-	-	-	-	-	-	-	-	-	-
<b>Middle Atlantic</b>	<b>24265</b>	<b>189.3</b>	<b>2882</b>	<b>23.2</b>	<b>4982</b>	<b>38.7</b>	<b>4532</b>	<b>34.5</b>	<b>810</b>	<b>6.0</b>	<b>887</b>	<b>6.8</b>
New Jersey	5071	203.0	589	24.6	1045	41.8	963	37.2	175	6.5	196	7.7
New York	12529	170.9	1516	21.5	2310	31.5	2444	32.3	441	5.6	486	6.6
Pennsylvania	6665	222.2	777	25.8	1627	54.2	1125	37.7	194	6.5	205	6.8
<b>South Atlantic</b>	<b>43006</b>	<b>191.6</b>	<b>5286</b>	<b>24.0</b>	<b>7618</b>	<b>34.4</b>	<b>8232</b>	<b>35.5</b>	<b>1413</b>	<b>5.9</b>	<b>1701</b>	<b>7.6</b>
Delaware	659	234.9	82	30.9	150	54.5	118	39.1	24	8.0	17	5.7
District of Columbia	2553	224.1	292	24.9	532	46.6	466	42.6	67	6.5	108	9.6
Florida	7732	179.9	936	22.4	1301	30.7	1439	31.9	334	7.1	323	7.5
Georgia	7492	178.5	910	22.3	1222	29.8	1511	34.2	242	5.3	303	7.4
Maryland	5691	200.3	700	25.8	1233	43.8	1076	35.5	150	4.7	214	7.5
North Carolina	7347	189.2	955	24.7	1170	30.6	1421	36.2	241	6.1	296	7.7
South Carolina	4919	188.7	570	22.0	732	28.4	962	36.4	189	7.0	199	7.7
Virginia	6255	208.7	783	26.5	1201	40.5	1171	38.2	160	5.1	229	7.7
West Virginia	358	204.3	58	31.4	77	42.2	68	42.5	6	3.4	12	6.7
<b>East North Central</b>	<b>24666</b>	<b>218.5</b>	<b>2970</b>	<b>27.0</b>	<b>5685</b>	<b>50.3</b>	<b>4449</b>	<b>38.5</b>	<b>651</b>	<b>5.5</b>	<b>838</b>	<b>7.4</b>
Illinois	8844	224.6	1057	28.0	1976	49.9	1624	39.9	279	6.6	321	8.2
Indiana	2324	223.3	305	29.9	548	52.8	423	40.0	60	5.7	91	8.6
Michigan	6199	209.3	753	26.0	1412	47.7	1124	36.9	124	4.0	193	6.5
Ohio	6421	219.2	748	25.9	1550	52.8	1136	38.6	155	5.2	212	7.3
Wisconsin	878	204.1	107	26.4	199	45.8	142	30.7	33	6.3	21	5.3
<b>East South Central</b>	<b>14703</b>	<b>197.2</b>	<b>1893</b>	<b>25.1</b>	<b>2712</b>	<b>37.3</b>	<b>2656</b>	<b>35.5</b>	<b>500</b>	<b>6.6</b>	<b>574</b>	<b>7.7</b>
Alabama	4948	182.1	597	21.5	792	29.9	894	33.3	167	6.1	212	7.9
Kentucky	1477	230.7	173	26.6	398	63.3	231	35.7	40	6.1	54	8.5
Mississippi	4168	192.3	551	24.9	713	33.8	804	37.4	147	6.8	168	7.8
Tennessee	4110	213.6	572	30.1	809	43.0	727	37.0	146	7.3	140	7.3

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Blacks, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>4347</b>	<b>218.6</b>	<b>515</b>	<b>26.3</b>	<b>957</b>	<b>48.9</b>	<b>771</b>	<b>37.6</b>	<b>118</b>	<b>5.5</b>	<b>138</b>	<b>7.0</b>
Iowa	185	211.7	20	22.8	50	57.8	33	37.4	-	-	-	-
Kansas	582	200.1	67	23.5	95	33.6	120	40.1	7	2.3	19	6.7
Minnesota	336	216.4	29	19.8	80	53.4	66	34.5	12	5.6	-	-
Missouri	3009	224.5	369	27.7	682	51.5	506	37.1	92	6.6	106	7.9
Nebraska	233	206.6	30	27.0	49	41.8	46	41.8	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-
<b>West South Central</b>	<b>18467</b>	<b>207.1</b>	<b>2284</b>	<b>25.8</b>	<b>3670</b>	<b>42.0</b>	<b>3438</b>	<b>37.6</b>	<b>626</b>	<b>6.6</b>	<b>692</b>	<b>7.8</b>
Arkansas	1830	196.8	252	26.0	318	35.9	341	37.4	56	6.4	70	7.8
Louisiana	6361	214.1	744	25.3	1254	42.7	1161	38.2	212	6.8	251	8.4
Oklahoma	1015	202.2	119	23.7	222	45.5	198	38.8	26	4.9	43	8.9
Texas	9261	205.7	1169	26.4	1876	42.6	1738	37.1	332	6.7	328	7.4
<b>Mountain</b>	<b>1030</b>	<b>176.2</b>	<b>126</b>	<b>22.5</b>	<b>218</b>	<b>38.2</b>	<b>221</b>	<b>35.3</b>	<b>25</b>	<b>3.6</b>	<b>32</b>	<b>5.3</b>
Arizona	423	175.5	54	23.1	93	39.5	86	33.2	13	4.5	13	5.1
Colorado	446	177.7	47	19.9	103	41.6	97	36.0	8	2.6	13	4.8
Idaho	12	294.7	-	-	-	-	-	-	-	-	-	-
Montana	7	312.4	-	-	-	-	-	-	-	-	-	-
New Mexico	107	171.0	17	26.5	14	22.8	25	40.2	-	-	-	-
Utah	27	159.7	-	-	-	-	6	35.7	-	-	-	-
Wyoming	8	183.7	-	-	-	-	-	-	-	-	-	-
<b>Pacific</b>	<b>10398</b>	<b>197.1</b>	<b>1179</b>	<b>23.2</b>	<b>2263</b>	<b>43.7</b>	<b>1945</b>	<b>34.8</b>	<b>271</b>	<b>4.7</b>	<b>410</b>	<b>7.7</b>
Alaska	38	179.3	-	-	9	46.9	13	53.2	-	-	-	-
California	9260	198.5	1061	23.5	2013	43.9	1718	34.9	249	4.9	360	7.7
Hawaii	25	149.7	-	-	6	35.4	-	-	-	-	-	-
Nevada	407	192.9	41	19.2	100	45.9	70	32.2	8	3.2	19	8.8
Oregon	160	178.7	16	18.4	30	34.7	28	29.7	6	5.4	-	-
Washington	508	195.2	51	20.9	105	42.2	112	38.6	8	3.0	22	9.1

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites**  
 United States, 1996-2000, Blacks, Females

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>United States</b>	<b>143309</b>	<b>161.0</b>	<b>17421</b>	<b>18.9</b>	<b>28584</b>	<b>33.8</b>	<b>26678</b>	<b>29.6</b>	<b>4488</b>	<b>4.8</b>	<b>5348</b>	<b>6.1</b>
<b>New England</b>	<b>2427</b>	<b>143.3</b>	<b>286</b>	<b>17.1</b>	<b>479</b>	<b>29.5</b>	<b>434</b>	<b>24.4</b>	<b>74</b>	<b>4.0</b>	<b>76</b>	<b>4.7</b>
Connecticut	1056	144.4	120	16.5	206	29.1	211	27.8	32	3.9	27	4.0
Maine	9	127.9	-	-	-	-	-	-	-	-	-	-
Massachusetts	1178	141.7	141	17.1	236	29.8	193	21.7	37	4.2	37	4.6
New Hampshire	17	167.8	-	-	-	-	-	-	-	-	-	-
Rhode Island	160	148.5	20	18.8	34	32.9	25	23.3	-	-	8	7.5
Vermont	7	219.9	-	-	-	-	-	-	-	-	-	-
<b>Middle Atlantic</b>	<b>24265</b>	<b>153.4</b>	<b>2882</b>	<b>17.8</b>	<b>4982</b>	<b>32.5</b>	<b>4532</b>	<b>28.4</b>	<b>810</b>	<b>5.0</b>	<b>887</b>	<b>5.7</b>
New Jersey	5071	164.0	589	18.9	1045	35.0	963	30.6	175	5.3	196	6.4
New York	12529	138.9	1516	16.6	2310	26.3	2444	26.7	441	4.7	486	5.5
Pennsylvania	6665	180.3	777	19.6	1627	46.1	1125	30.6	194	5.5	205	5.5
<b>South Atlantic</b>	<b>43006</b>	<b>155.0</b>	<b>5286</b>	<b>18.6</b>	<b>7618</b>	<b>29.0</b>	<b>8232</b>	<b>29.3</b>	<b>1413</b>	<b>4.9</b>	<b>1701</b>	<b>6.3</b>
Delaware	659	191.8	82	23.5	150	47.1	118	32.9	24	6.5	17	4.9
District of Columbia	2553	180.2	292	19.5	532	38.7	466	34.8	67	5.3	108	7.8
Florida	7732	145.5	936	17.4	1301	25.7	1439	26.5	334	5.9	323	6.2
Georgia	7492	145.3	910	17.4	1222	25.3	1511	28.0	242	4.5	303	6.2
Maryland	5691	160.6	700	19.7	1233	36.6	1076	28.8	150	3.7	214	6.2
North Carolina	7347	153.0	955	19.3	1170	25.9	1421	30.0	241	5.0	296	6.2
South Carolina	4919	154.0	570	17.3	732	24.1	962	30.4	189	5.9	199	6.3
Virginia	6255	168.4	783	20.4	1201	34.0	1171	31.4	160	4.1	229	6.4
West Virginia	358	165.0	58	23.8	77	33.7	68	35.1	6	2.7	12	5.6
<b>East North Central</b>	<b>24666</b>	<b>176.6</b>	<b>2970</b>	<b>20.6</b>	<b>5685</b>	<b>42.4</b>	<b>4449</b>	<b>31.5</b>	<b>651</b>	<b>4.4</b>	<b>838</b>	<b>6.1</b>
Illinois	8844	181.9	1057	21.2	1976	42.5	1624	32.8	279	5.4	321	6.7
Indiana	2324	180.3	305	22.9	548	44.3	423	32.3	60	4.6	91	7.5
Michigan	6199	169.8	753	20.0	1412	40.0	1124	30.6	124	3.3	193	5.4
Ohio	6421	175.9	748	19.6	1550	44.3	1136	31.3	155	4.1	212	5.8
Wisconsin	878	166.0	107	20.4	199	40.1	142	24.4	33	5.2	21	4.1
<b>East South Central</b>	<b>14703</b>	<b>160.1</b>	<b>1893</b>	<b>19.2</b>	<b>2712</b>	<b>31.6</b>	<b>2656</b>	<b>29.2</b>	<b>500</b>	<b>5.4</b>	<b>574</b>	<b>6.3</b>
Alabama	4948	147.3	597	16.3	792	25.2	894	27.3	167	5.0	212	6.4
Kentucky	1477	189.8	173	20.6	398	53.9	231	29.3	40	4.9	54	7.1
Mississippi	4168	156.6	551	19.0	713	28.6	804	31.1	147	5.5	168	6.5
Tennessee	4110	172.7	572	23.2	809	36.5	727	29.9	146	5.9	140	5.9



**Total Cancer Deaths and Average Annual Age-adjusted (1970 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
United States, 1996-2000, Blacks, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
<b>West North Central</b>	<b>4347</b>	<b>178.0</b>	<b>515</b>	<b>20.2</b>	<b>957</b>	<b>41.8</b>	<b>771</b>	<b>31.2</b>	<b>118</b>	<b>4.7</b>	<b>138</b>	<b>5.7</b>
Iowa	185	174.8	20	18.9	50	48.6	33	30.4	-	-	-	-
Kansas	582	162.5	67	17.9	95	28.6	120	34.4	7	2.0	19	5.2
Minnesota	336	178.0	29	15.7	80	45.7	66	29.1	12	4.9	-	-
Missouri	3009	182.6	369	21.0	682	44.0	506	30.8	92	5.5	106	6.6
Nebraska	233	167.3	30	21.0	49	37.9	46	32.8	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-
<b>West South Central</b>	<b>18467</b>	<b>168.1</b>	<b>2284</b>	<b>19.8</b>	<b>3670</b>	<b>35.6</b>	<b>3438</b>	<b>30.9</b>	<b>626</b>	<b>5.4</b>	<b>692</b>	<b>6.4</b>
Arkansas	1830	160.1	252	20.1	318	30.7	341	30.4	56	5.5	70	6.8
Louisiana	6361	173.0	744	19.5	1254	36.1	1161	31.3	212	5.8	251	7.0
Oklahoma	1015	164.6	119	17.8	222	38.8	198	31.9	26	4.0	43	7.2
Texas	9261	167.3	1169	20.3	1876	36.1	1738	30.7	332	5.4	328	6.0
<b>Mountain</b>	<b>1030</b>	<b>143.8</b>	<b>126</b>	<b>17.9</b>	<b>218</b>	<b>32.6</b>	<b>221</b>	<b>29.6</b>	<b>25</b>	<b>3.0</b>	<b>32</b>	<b>4.1</b>
Arizona	423	143.2	54	18.2	93	33.4	86	28.5	13	3.8	13	4.1
Colorado	446	144.1	47	15.7	103	35.5	97	29.6	8	2.0	13	3.6
Idaho	12	238.2	-	-	-	-	-	-	-	-	-	-
Montana	7	268.2	-	-	-	-	-	-	-	-	-	-
New Mexico	107	145.2	17	23.3	14	19.6	25	34.8	-	-	-	-
Utah	27	125.9	-	-	-	-	6	21.7	-	-	-	-
Wyoming	8	139.4	-	-	-	-	-	-	-	-	-	-
<b>Pacific</b>	<b>10398</b>	<b>160.8</b>	<b>1179</b>	<b>17.9</b>	<b>2263</b>	<b>36.9</b>	<b>1945</b>	<b>29.0</b>	<b>271</b>	<b>3.8</b>	<b>410</b>	<b>6.4</b>
Alaska	38	151.0	-	-	9	41.6	13	44.5	-	-	-	-
California	9260	162.3	1061	18.2	2013	37.1	1718	29.2	249	4.0	360	6.4
Hawaii	25	119.1	-	-	6	31.2	-	-	-	-	-	-
Nevada	407	152.5	41	14.9	100	38.1	70	25.3	8	2.6	19	7.1
Oregon	160	142.5	16	14.2	30	29.1	28	23.4	6	4.6	-	-
Washington	508	157.8	51	14.8	105	35.6	112	32.9	8	2.2	22	6.8

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.



**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\*  
United States, 1996-2000, American Indians/Alaskan Natives (AI/AN)**

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Deaths	Adj. Rate 2000 US	S.E.	Adj. Rate 1970 US	S.E.	Deaths	Adj. Rate 2000 US	S.E.	Adj. Rate 1970 US	S.E.
All Sites	4726	172.3	2.83	133.5	2.03	4425	115.8	1.82	92.7	1.43
Buccal Cavity & Pharynx	116	3.5	0.36	2.9	0.29	50	1.3	0.19	1.1	0.16
Digestive System	1326	47.4	1.47	36.8	1.06	1126	31.3	0.97	24.0	0.73
Esophagus	143	4.7	0.43	3.9	0.34	44	1.3	0.20	1.0	0.15
Stomach	199	7.0	0.56	5.4	0.40	159	4.2	0.35	3.3	0.27
Colon & Rectum	493	18.5	0.94	14.1	0.66	434	12.1	0.61	9.1	0.45
Liver	193	6.1	0.50	5.0	0.38	116	3.3	0.32	2.5	0.24
Pancreas	204	7.2	0.56	5.7	0.41	224	6.2	0.43	4.8	0.33
Respiratory System	1542	55.1	1.55	44.5	1.17	1004	26.9	0.88	22.4	0.72
Larynx	56	2.0	0.30	1.6	0.22	19	0.5	0.12	0.5	0.10
Lung & bronchus	1477	52.9	1.52	42.7	1.15	977	26.2	0.86	21.8	0.71
Skin	40	1.2	0.21	1.0	0.17	23	0.6	0.12	0.4	0.10
Melanomas of the skin	25	0.7	0.16	0.6	0.13	18	0.4	0.11	0.4	0.09
Breast	-	-	-	-	-	624	14.9	0.63	12.3	0.51
Female Genital System	-	-	-	-	-	418	10.2	0.53	8.1	0.41
Cervix uteri	-	-	-	-	-	138	2.9	0.27	2.3	0.21
Corpus & uterus, NOS	-	-	-	-	-	83	2.2	0.25	1.7	0.19
Ovary	-	-	-	-	-	177	4.5	0.36	3.6	0.28
Male Genital System	441	22.4	1.15	14.9	0.72	-	-	-	-	-
Prostate	424	21.9	1.14	14.5	0.72	-	-	-	-	-
Testis	11	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	267	9.4	0.65	7.3	0.47	156	4.2	0.35	3.3	0.27
Bladder	60	2.5	0.36	1.8	0.24	32	0.9	0.17	0.7	0.13
Kidney & renal pelvis	203	6.7	0.53	5.4	0.40	120	3.2	0.30	2.5	0.24
Brain & Other Nervous System	98	2.5	0.31	2.0	0.23	84	1.7	0.20	1.5	0.17
Endocrine System	12	0.3	0.10	0.3	0.09	21	0.5	0.12	0.4	0.10
Thyroid gland	-	-	-	-	-	14	0.4	0.10	0.3	0.09
Lymphomas	177	6.2	0.53	4.7	0.38	169	4.5	0.36	3.6	0.28
Hodgkin's disease	10	0.3	0.12	0.2	0.08	14	0.3	0.08	0.3	0.07
Non-Hodgkin's lymphoma	167	5.9	0.52	4.5	0.37	155	4.2	0.35	3.3	0.27
Multiple Myeloma	96	3.6	0.41	2.7	0.29	99	2.9	0.30	2.2	0.22
Leukemias	168	5.2	0.48	4.1	0.34	144	3.3	0.29	2.6	0.23
Other, Ill-defined & Unknown	440	15.6	0.84	12.1	0.61	507	13.6	0.63	10.7	0.49

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\*  
United States, 1996-2000, Asians/Pacific Islanders (PI)**

<i>SITES</i>	<b>MALES (ASIANS/PI)</b>					<b>FEMALES (ASIANS/PI)</b>				
	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>
All Sites	22326	154.8	1.12	118.7	0.81	19590	102.0	0.77	79.9	0.58
Buccal Cavity & Pharynx	667	3.7	0.16	3.1	0.12	274	1.4	0.09	1.1	0.07
Digestive System	8745	58.6	0.68	45.8	0.50	6414	35.3	0.46	26.8	0.34
Esophagus	530	3.6	0.17	2.9	0.13	181	1.0	0.08	0.8	0.06
Stomach	1771	12.5	0.32	9.5	0.23	1362	7.4	0.21	5.5	0.15
Colon & Rectum	2224	15.8	0.36	12.0	0.26	2006	11.0	0.26	8.3	0.19
Liver	2451	14.1	0.30	11.9	0.25	1045	5.5	0.18	4.4	0.14
Pancreas	1170	8.3	0.26	6.4	0.19	1189	6.8	0.20	5.1	0.15
Respiratory System	5996	42.2	0.58	33.0	0.43	3555	19.4	0.34	15.0	0.25
Larynx	121	0.9	0.09	0.7	0.06	22	0.1	0.02	0.1	0.02
Lung & bronchus	5807	41.0	0.57	32.0	0.43	3503	19.1	0.34	14.8	0.25
Skin	141	0.9	0.09	0.7	0.06	103	0.5	0.06	0.4	0.04
Melanomas of the skin	72	0.5	0.06	0.4	0.04	74	0.3	0.04	0.3	0.03
Breast	12	0.1	0.02	0.1	0.02	2767	12.5	0.25	10.4	0.20
Female Genital System	-	-	-	-	-	2170	10.3	0.23	8.5	0.19
Cervix uteri	-	-	-	-	-	650	2.9	0.12	2.4	0.10
Corpus & uterus, NOS	-	-	-	-	-	456	2.3	0.11	1.9	0.09
Ovary	-	-	-	-	-	979	4.7	0.16	3.8	0.13
Male Genital System	1486	14.1	0.38	8.9	0.23	-	-	-	-	-
Prostate	1444	13.9	0.38	8.8	0.23	-	-	-	-	-
Testis	23	0.1	0.02	0.1	0.02	-	-	-	-	-
Urinary System	799	5.9	0.22	4.4	0.16	395	2.4	0.13	1.7	0.09
Bladder	332	2.7	0.16	1.9	0.11	156	1.0	0.08	0.7	0.05
Kidney & renal pelvis	446	3.0	0.15	2.4	0.11	217	1.2	0.09	0.9	0.06
Brain & Other Nervous System	417	2.2	0.12	1.9	0.10	345	1.6	0.09	1.4	0.08
Endocrine System	131	0.9	0.08	0.7	0.06	190	1.0	0.08	0.8	0.06
Thyroid gland	68	0.5	0.07	0.4	0.05	151	0.8	0.07	0.7	0.05
Lymphomas	1020	7.0	0.24	5.3	0.17	792	4.3	0.16	3.3	0.12
Hodgkin's disease	29	0.2	0.03	0.1	0.03	30	0.1	0.03	0.1	0.02
Non-Hodgkin's lymphoma	991	6.8	0.24	5.1	0.17	762	4.2	0.16	3.2	0.12
Multiple Myeloma	316	2.2	0.13	1.7	0.10	298	1.6	0.10	1.3	0.08
Leukemias	873	5.3	0.20	4.3	0.15	687	3.3	0.14	2.7	0.11
Other, Ill-defined & Unknown	1723	11.6	0.30	8.9	0.22	1600	8.4	0.22	6.6	0.17

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**United States, 1996-2000, Hispanic Ethnicity**

SITES	MALES (HISPANICS)					FEMALES (HISPANICS)				
	Deaths	Adj. Rate 2000 US	S.E.	Adj. Rate 1970 US	S.E.	Deaths	Adj. Rate 2000 US	S.E.	Adj. Rate 1970 US	S.E.
All Sites	51663	176.2	0.86	135.0	0.62	45941	111.5	0.54	87.9	0.42
Buccal Cavity & Pharynx	1051	3.2	0.11	2.7	0.08	339	0.9	0.05	0.7	0.04
Digestive System	16324	55.2	0.48	43.0	0.35	12822	33.1	0.30	25.3	0.23
Esophagus	1412	4.7	0.14	3.8	0.10	402	1.1	0.06	0.8	0.04
Stomach	2954	10.0	0.21	7.7	0.15	2177	5.4	0.12	4.1	0.09
Colon & Rectum	5196	18.3	0.28	13.9	0.20	4386	11.4	0.18	8.6	0.13
Liver	3011	9.4	0.19	7.6	0.14	1393	3.7	0.10	2.8	0.08
Pancreas	2733	9.2	0.19	7.3	0.14	2767	7.3	0.14	5.6	0.11
Respiratory System	12289	43.4	0.43	33.8	0.31	5910	15.3	0.20	12.0	0.16
Larynx	712	2.5	0.10	1.9	0.07	81	0.2	0.02	0.2	0.02
Lung & bronchus	11401	40.4	0.41	31.4	0.30	5755	14.9	0.20	11.7	0.16
Skin	648	2.0	0.09	1.5	0.06	362	0.9	0.05	0.7	0.04
Melanomas of the skin	406	1.2	0.07	0.9	0.05	259	0.6	0.04	0.5	0.03
Breast	69	0.2	0.03	0.2	0.02	7974	17.8	0.21	14.6	0.17
Female Genital System	-	-	-	-	-	5937	13.6	0.18	11.1	0.15
Cervix uteri	-	-	-	-	-	1909	3.8	0.09	3.2	0.08
Corpus & uterus, NOS	-	-	-	-	-	1278	3.1	0.09	2.6	0.07
Ovary	-	-	-	-	-	2466	5.9	0.12	4.8	0.10
Male Genital System	5506	24.8	0.36	16.6	0.23	-	-	-	-	-
Prostate	5217	24.3	0.36	16.1	0.22	-	-	-	-	-
Testis	181	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	2654	9.5	0.20	7.2	0.14	1411	3.7	0.10	2.8	0.08
Bladder	998	4.2	0.14	2.9	0.09	434	1.2	0.06	0.8	0.04
Kidney & renal pelvis	1624	5.2	0.14	4.1	0.11	945	2.3	0.08	1.9	0.06
Brain & Other Nervous System	1502	3.5	0.11	3.0	0.08	1218	2.4	0.08	2.1	0.06
Endocrine System	294	0.8	0.05	0.6	0.04	398	0.9	0.05	0.7	0.04
Thyroid gland	143	0.5	0.04	0.4	0.03	278	0.7	0.04	0.6	0.03
Lymphomas	3097	9.1	0.19	7.1	0.14	2423	5.9	0.13	4.6	0.10
Hodgkin's disease	316	0.8	0.05	0.6	0.04	207	0.5	0.03	0.4	0.03
Non-Hodgkin's lymphoma	2781	8.3	0.18	6.5	0.13	2216	5.5	0.12	4.3	0.09
Multiple Myeloma	1106	3.7	0.12	3.0	0.09	1085	2.8	0.09	2.2	0.07
Leukemias	2690	6.8	0.16	5.4	0.12	2109	4.3	0.10	3.6	0.08
Other, Ill-defined & Unknown	4433	14.1	0.24	11.0	0.17	3953	9.7	0.16	7.5	0.12

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**United States, 1996-2000, Non-Hispanic Ethnicity**

SITES	MALES (NON-HISPANICS)					FEMALES (NON-HISPANICS)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 US		1970 US			2000 US		1970 US	
All Sites	1357564	258.5	0.23	201.6	0.17	1253956	170.7	0.15	136.9	0.13
Buccal Cavity & Pharynx	24409	4.4	0.03	3.7	0.02	12689	1.7	0.02	1.4	0.01
Digestive System	324891	61.6	0.11	48.3	0.09	286513	37.8	0.07	28.9	0.06
Esophagus	42555	7.8	0.04	6.5	0.03	13772	1.8	0.02	1.5	0.01
Stomach	34815	6.7	0.04	5.1	0.03	24423	3.2	0.02	2.4	0.02
Colon & Rectum	134963	26.1	0.07	19.9	0.05	139038	18.2	0.05	13.7	0.04
Liver	28927	5.3	0.03	4.3	0.03	15250	2.0	0.02	1.6	0.01
Pancreas	65616	12.3	0.05	9.8	0.04	69846	9.3	0.04	7.2	0.03
Respiratory System	457707	84.5	0.13	69.0	0.10	311492	42.8	0.08	35.8	0.07
Larynx	14331	2.6	0.02	2.2	0.02	4021	0.6	0.01	0.5	0.01
Lung & bronchus	439912	81.3	0.12	66.3	0.10	305617	42.0	0.08	35.2	0.07
Skin	29483	5.5	0.03	4.3	0.03	16714	2.3	0.02	1.8	0.02
Melanomas of the skin	22330	4.1	0.03	3.3	0.02	13396	1.9	0.02	1.5	0.01
Breast	1792	0.3	0.01	0.3	0.01	200714	28.1	0.06	22.9	0.05
Female Genital System	-	-	-	-	-	122187	16.9	0.05	13.8	0.04
Cervix uteri	-	-	-	-	-	19750	2.9	0.02	2.4	0.02
Corpus & uterus, NOS	-	-	-	-	-	30553	4.1	0.02	3.3	0.02
Ovary	-	-	-	-	-	64938	9.0	0.04	7.4	0.03
Male Genital System	158655	33.6	0.09	22.4	0.06	-	-	-	-	-
Prostate	155991	33.1	0.09	22.0	0.06	-	-	-	-	-
Testis	1552	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	72873	14.2	0.05	10.7	0.04	40616	5.3	0.03	4.1	0.02
Bladder	38354	7.8	0.04	5.5	0.03	18629	2.4	0.02	1.7	0.01
Kidney & renal pelvis	33112	6.2	0.03	5.0	0.03	20726	2.8	0.02	2.2	0.02
Brain & Other Nervous System	32729	5.8	0.03	5.0	0.03	27155	3.9	0.02	3.4	0.02
Endocrine System	4415	0.8	0.01	0.7	0.01	5436	0.8	0.01	0.6	0.01
Thyroid gland	2294	0.4	0.01	0.3	0.01	3408	0.5	0.01	0.3	0.01
Lymphomas	60336	11.4	0.05	8.9	0.04	55759	7.5	0.03	5.8	0.03
Hodgkin's disease	3421	0.6	0.01	0.5	0.01	2861	0.4	0.01	0.3	0.01
Non-Hodgkin's lymphoma	56915	10.8	0.05	8.4	0.04	52898	7.1	0.03	5.5	0.03
Multiple Myeloma	25235	4.8	0.03	3.7	0.02	24325	3.2	0.02	2.6	0.02
Leukemias	54293	10.4	0.05	8.1	0.04	44279	6.0	0.03	4.7	0.02
Other, Ill-defined & Unknown	110746	21.0	0.06	16.5	0.05	106077	14.3	0.04	11.2	0.04

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

## 1996 - 2000 Populations For Canada

1996							1999						
Age	All Races	Males		Females			Age	All Races	Males		Females		
		Whites	Blacks	All Races	Whites	Blacks			Whites	Blacks	All Races	Whites	Blacks
0-4	1005097	-	-	956534	-	-	0-4	934283	-	-	890500	-	-
5-9	1031530	-	-	982320	-	-	5-9	1054902	-	-	1003597	-	-
10-14	1030043	-	-	976509	-	-	10-14	1038857	-	-	985012	-	-
15-19	1033772	-	-	976854	-	-	15-19	1056938	-	-	1002745	-	-
20-24	1022807	-	-	985553	-	-	20-24	1052394	-	-	1007753	-	-
25-29	1092417	-	-	1068581	-	-	25-29	1069831	-	-	1045205	-	-
30-34	1304961	-	-	1275099	-	-	30-34	1180360	-	-	1157798	-	-
35-39	1316808	-	-	1307743	-	-	35-39	1360227	-	-	1341501	-	-
40-44	1183845	-	-	1190219	-	-	40-44	1282635	-	-	1282564	-	-
45-49	1064370	-	-	1066335	-	-	45-49	1122146	-	-	1127412	-	-
50-54	825283	-	-	829976	-	-	50-54	975264	-	-	981972	-	-
55-59	658935	-	-	671769	-	-	55-59	739031	-	-	755346	-	-
60-64	593358	-	-	613994	-	-	60-64	604416	-	-	629806	-	-
65-69	533069	-	-	590004	-	-	65-69	548743	-	-	592958	-	-
70-74	426155	-	-	540691	-	-	70-74	446791	-	-	543480	-	-
75-79	282312	-	-	406927	-	-	75-79	324859	-	-	462710	-	-
80-84	170288	-	-	287326	-	-	80-84	177418	-	-	300159	-	-
85+	103123	-	-	241544	-	-	85+	118741	-	-	274005	-	-
<b>Total</b>	<b>14678173</b>	-	-	<b>14967978</b>	-	-	<b>Total</b>	<b>15087836</b>	-	-	<b>15384523</b>	-	-

  

1997							2000*						
Age	All Races	Males		Females			Age	All Races	Males		Females		
		Whites	Blacks	All Races	Whites	Blacks			Whites	Blacks	All Races	Whites	Blackss
0-4	984577	-	-	934627	-	-	0-4	706517	-	-	674175	-	-
5-9	1045725	-	-	995820	-	-	5-9	805944	-	-	763589	-	-
10-14	1034180	-	-	980188	-	-	10-14	818542	-	-	776051	-	-
15-19	1042445	-	-	985939	-	-	15-19	818360	-	-	775903	-	-
20-24	1030170	-	-	991213	-	-	20-24	804946	-	-	772020	-	-
25-29	1084139	-	-	1060028	-	-	25-29	822313	-	-	809385	-	-
30-34	1271395	-	-	1242366	-	-	30-34	884817	-	-	875225	-	-
35-39	1334820	-	-	1322912	-	-	35-39	1030516	-	-	1020980	-	-
40-44	1222882	-	-	1228130	-	-	40-44	979458	-	-	981602	-	-
45-49	1076463	-	-	1077936	-	-	45-49	865234	-	-	870162	-	-
50-54	884702	-	-	890057	-	-	50-54	760149	-	-	763303	-	-
55-59	681631	-	-	695547	-	-	55-59	563854	-	-	574178	-	-
60-64	591556	-	-	613955	-	-	60-64	460519	-	-	476581	-	-
65-69	542567	-	-	593401	-	-	65-69	411409	-	-	436044	-	-
70-74	431960	-	-	541470	-	-	70-74	344847	-	-	403762	-	-
75-79	297272	-	-	426856	-	-	75-79	257173	-	-	355343	-	-
80-84	173596	-	-	292865	-	-	80-84	144992	-	-	236056	-	-
85+	107095	-	-	250782	-	-	85+	100505	-	-	220142	-	-
<b>Total</b>	<b>14837175</b>	-	-	<b>15124092</b>	-	-	<b>Total</b>	<b>11580095</b>	-	-	<b>11784501</b>	-	-

  

1998						
Age	All Races	Males		Females		
		Whites	Blacks	All Races	Whites	Blacks
0-4	959611	-	-	912521	-	-
5-9	1055841	-	-	1004863	-	-
10-14	1034822	-	-	980992	-	-
15-19	1050761	-	-	995264	-	-
20-24	1037669	-	-	995910	-	-
25-29	1076324	-	-	1051600	-	-
30-34	1223003	-	-	1197957	-	-
35-39	1349552	-	-	1335873	-	-
40-44	1257733	-	-	1259402	-	-
45-49	1094468	-	-	1097944	-	-
50-54	932948	-	-	938730	-	-
55-59	710484	-	-	725502	-	-
60-64	595096	-	-	618391	-	-
65-69	547379	-	-	594657	-	-
70-74	440347	-	-	543877	-	-
75-79	311200	-	-	445790	-	-
80-84	175337	-	-	295938	-	-
85+	112449	-	-	261547	-	-
<b>Total</b>	<b>14965024</b>	-	-	<b>15256758</b>	-	-

\* 2000 Quebec population not included

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\*  
Canada, 1996-2000, All Races**

<i>SITES</i>	<b>MALES (ALL RACES)</b>					<b>FEMALES (ALL RACES)</b>				
	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 US</i>	<i>S.E.</i>	<i>Adj. Rate 1970 US</i>	<i>S.E.</i>
All Sites	152827	263.6	0.70	202.9	0.52	133180	171.4	0.47	135.8	0.39
Buccal Cavity & Pharynx	3198	5.1	0.09	4.2	0.08	1465	1.9	0.05	1.5	0.04
Digestive System	41750	71.6	0.36	55.4	0.27	34449	44.0	0.24	33.1	0.19
Esophagus	4575	7.5	0.11	6.1	0.09	1649	2.1	0.05	1.6	0.04
Stomach	5750	10.0	0.14	7.6	0.10	3645	4.7	0.08	3.5	0.06
Colon & Rectum	18953	33.1	0.25	25.2	0.18	17291	22.1	0.17	16.4	0.13
Liver	2978	4.8	0.09	3.9	0.07	1448	1.9	0.05	1.4	0.04
Pancreas	6946	11.7	0.15	9.2	0.11	7186	9.2	0.11	7.0	0.09
Respiratory System	48882	81.0	0.38	65.1	0.30	29539	38.1	0.22	31.8	0.19
Larynx	1853	3.0	0.07	2.5	0.06	377	0.5	0.02	0.4	0.02
Lung & bronchus	46481	77.1	0.37	61.9	0.29	28887	37.2	0.22	31.1	0.19
Skin	2515	4.2	0.09	3.3	0.07	1631	2.1	0.05	1.6	0.04
Melanomas of the skin	1954	3.1	0.07	2.5	0.06	1306	1.7	0.05	1.4	0.04
Breast	173	0.3	0.02	0.2	0.02	23242	30.2	0.20	24.3	0.16
Female Genital System	-	-	-	-	-	12343	15.9	0.14	12.8	0.12
Cervix uteri	-	-	-	-	-	2004	2.6	0.06	2.1	0.05
Corpus & uterus, NOS	-	-	-	-	-	3007	3.8	0.07	3.0	0.06
Ovary	-	-	-	-	-	6620	8.6	0.11	7.1	0.09
Male Genital System	17691	35.4	0.28	23.5	0.18	-	-	-	-	-
Prostate	17372	34.9	0.27	23.1	0.18	-	-	-	-	-
Testis	173	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	8589	15.6	0.18	11.4	0.12	4341	5.5	0.08	4.1	0.07
Bladder	4701	9.0	0.14	6.3	0.09	1970	2.5	0.06	1.7	0.04
Kidney & renal pelvis	3706	6.2	0.11	4.9	0.08	2237	2.9	0.06	2.3	0.05
Brain & Other Nervous System	4012	6.0	0.10	5.2	0.08	3071	4.0	0.07	3.5	0.07
Endocrine System	470	0.7	0.04	0.6	0.03	645	0.8	0.03	0.7	0.03
Thyroid gland	242	0.4	0.03	0.3	0.02	429	0.5	0.03	0.4	0.02
Lymphomas	6356	10.5	0.14	8.3	0.11	5413	6.9	0.09	5.5	0.08
Hodgkin's disease	354	0.5	0.03	0.5	0.02	251	0.3	0.02	0.3	0.02
Non-Hodgkin's lymphoma	6002	10.0	0.13	7.9	0.10	5162	6.6	0.09	5.2	0.07
Multiple Myeloma	2691	4.7	0.09	3.6	0.07	2335	3.0	0.06	2.3	0.05
Leukemias	5622	9.7	0.13	7.5	0.10	4193	5.4	0.08	4.2	0.07
Other, Ill-defined & Unknown	10878	18.7	0.19	14.4	0.14	10513	13.5	0.13	10.3	0.11

\* Rates are per 100,000 and are age-adjusted using the 2000 U.S. population standard and the 1970 U.S. population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined



**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates\***  
**Canada, 1996-2000, All Races**

<i>SITES</i>	<b>MALES (ALL RACES)</b>					<b>FEMALES (ALL RACES)</b>				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	152827	243.2	0.63	149.1	0.40	133180	160.1	0.44	104.2	0.32
Buccal Cavity & Pharynx	3198	4.9	0.09	3.3	0.06	1465	1.8	0.05	1.2	0.03
Digestive System	41750	66.2	0.33	40.8	0.21	34449	40.2	0.22	24.2	0.15
Esophagus	4575	7.0	0.11	4.6	0.07	1649	1.9	0.05	1.2	0.03
Stomach	5750	9.2	0.12	5.5	0.08	3645	4.3	0.07	2.6	0.05
Colon & Rectum	18953	30.4	0.22	18.3	0.14	17291	20.0	0.15	12.0	0.10
Liver	2978	4.6	0.08	3.0	0.06	1448	1.7	0.05	1.1	0.03
Pancreas	6946	10.9	0.13	6.9	0.08	7186	8.5	0.10	5.1	0.07
Respiratory System	48882	76.3	0.35	48.5	0.23	29539	36.4	0.21	24.8	0.16
Larynx	1853	2.9	0.07	1.9	0.05	377	0.5	0.02	0.3	0.02
Lung & bronchus	46481	72.6	0.34	46.0	0.22	28887	35.6	0.21	24.3	0.15
Skin	2515	3.9	0.08	2.6	0.05	1631	2.0	0.05	1.3	0.04
Melanomas of the skin	1954	3.0	0.07	2.0	0.05	1306	1.6	0.05	1.1	0.03
Breast	173	0.3	0.02	0.2	0.01	23242	28.4	0.19	19.4	0.14
Female Genital System	-	-	-	-	-	12343	15.0	0.14	10.1	0.10
Cervix uteri	-	-	-	-	-	2004	2.5	0.06	1.8	0.04
Corpus & uterus, NOS	-	-	-	-	-	3007	3.6	0.07	2.2	0.04
Ovary	-	-	-	-	-	6620	8.1	0.10	5.5	0.07
Male Genital System	17691	30.7	0.23	15.3	0.12	-	-	-	-	-
Prostate	17372	30.2	0.23	14.9	0.12	-	-	-	-	-
Testis	173	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	8589	14.0	0.15	8.1	0.09	4341	5.0	0.08	3.0	0.05
Bladder	4701	8.0	0.12	4.3	0.06	1970	2.2	0.05	1.2	0.03
Kidney & renal pelvis	3706	5.8	0.10	3.7	0.06	2237	2.7	0.06	1.7	0.04
Brain & Other Nervous System	4012	5.9	0.09	4.5	0.07	3071	3.9	0.07	3.0	0.06
Endocrine System	470	0.7	0.03	0.6	0.03	645	0.8	0.03	0.6	0.03
Thyroid gland	242	0.4	0.02	0.2	0.02	429	0.5	0.02	0.3	0.02
Lymphomas	6356	9.9	0.12	6.4	0.08	5413	6.5	0.09	4.1	0.06
Hodgkin's disease	354	0.5	0.03	0.4	0.02	251	0.3	0.02	0.2	0.02
Non-Hodgkin's lymphoma	6002	9.3	0.12	6.0	0.08	5162	6.2	0.09	3.9	0.06
Multiple Myeloma	2691	4.3	0.08	2.6	0.05	2335	2.8	0.06	1.7	0.04
Leukemias	5622	8.9	0.12	5.6	0.08	4193	5.0	0.08	3.3	0.06
Other, Ill-defined & Unknown	10878	17.3	0.17	10.7	0.11	10513	12.4	0.12	7.7	0.08

\* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
Canada, 1996-2000, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
Canada	152827	263.6	18953	33.1	46481	77.1	17372	34.9	4701	9.0	6002	10.0
Alberta	11739	235.9	1396	28.5	3176	62.0	1586	37.2	349	7.6	497	9.5
British Columbia	19753	229.8	2256	26.4	5647	63.9	2388	31.3	635	8.0	850	9.7
Manitoba	6649	264.3	833	33.2	1845	72.1	854	36.4	210	8.6	346	13.6
New Brunswick	4598	288.4	525	33.4	1567	95.4	528	37.9	128	8.5	190	11.4
Newfoundland	3153	288.6	453	41.6	982	85.7	328	35.9	112	11.9	64	5.1
Northwest Territories	108	268.0	20	44.4	34	87.3	9	27.6	-	-	-	-
Nova Scotia	6009	301.1	734	37.6	1923	93.1	718	40.4	185	10.2	242	11.7
Ontario	58585	255.6	7548	33.3	16468	68.8	6661	34.0	1859	9.1	2388	10.0
Prince Edward Island	835	280.5	113	38.1	265	86.8	99	36.2	21	7.8	33	10.9
Quebec	35273	309.9	4332	39.3	12959	108.3	3087	33.9	975	10.2	1163	9.7
Saskatchewan	6022	245.9	736	30.2	1574	63.5	1108	46.1	222	9.1	222	9.0
Yukon	103	264.1	7	21.8	41	107.0	6	26.5	-	-	-	-

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
Canada, 1996-2000, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung		Prostate		Bladder		NH Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
Canada	152827	243.2	18953	30.4	46481	72.6	17372	30.2	4701	8.0	6002	9.3
Alberta	11739	217.1	1396	26.1	3176	58.1	1586	32.5	349	6.8	497	8.9
British Columbia	19753	211.7	2256	24.3	5647	59.8	2388	27.2	635	7.1	850	9.0
Manitoba	6649	244.4	833	30.7	1845	67.8	854	31.6	210	7.8	346	12.7
New Brunswick	4598	266.4	525	30.6	1567	90.0	528	32.5	128	7.7	190	10.7
Newfoundland	3153	268.1	453	38.6	982	81.7	328	31.2	112	10.4	64	5.0
Northwest Territories	108	252.0	20	44.2	34	82.9	9	24.9	-	-	-	-
Nova Scotia	6009	277.6	734	34.1	1923	87.7	718	35.2	185	9.0	242	11.0
Ontario	58585	235.6	7548	30.6	16468	64.7	6661	29.5	1859	8.0	2388	9.4
Prince Edward Island	835	260.5	113	35.1	265	82.4	99	31.9	21	6.7	33	10.2
Quebec	35273	286.0	4332	35.9	12959	101.9	3087	29.2	975	8.9	1163	9.1
Saskatchewan	6022	226.4	736	27.6	1574	59.6	1108	40.0	222	8.1	222	8.6
Yukon	103	247.9	7	19.7	41	101.8	6	22.5	-	-	-	-

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
Canada, 1996-2000, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
Canada	133180	171.4	17291	22.1	28887	37.2	23242	30.2	2004	2.6	6620	8.6
Alberta	10665	167.0	1156	18.2	2232	35.2	1866	28.9	196	2.9	533	8.3
British Columbia	17549	160.1	2032	18.3	4261	39.0	2919	27.0	235	2.2	994	9.1
Manitoba	5949	177.7	788	22.5	1259	38.7	1027	31.8	73	2.3	270	8.3
New Brunswick	3663	170.9	489	22.3	780	36.9	663	31.4	56	2.7	166	8.0
Newfoundland	2418	177.6	398	29.5	395	28.8	417	30.3	57	4.1	120	8.8
Northwest Territories	90	231.9	17	49.3	17	43.1	8	17.1	-	-	-	-
Nova Scotia	5366	194.7	790	27.9	1217	44.8	920	33.9	101	3.8	240	8.9
Ontario	52219	168.8	6758	21.7	10928	35.2	9295	30.4	839	2.8	2646	8.6
Prince Edward Island	697	175.3	112	27.1	166	43.5	118	30.5	7	1.9	32	8.0
Quebec	29487	181.9	4120	25.5	6576	40.2	5215	32.3	360	2.3	1318	8.1
Saskatchewan	4997	162.2	628	19.2	1037	34.8	778	26.2	76	2.7	298	9.8
Yukon	80	198.0	-	-	19	45.0	16	37.8	-	-	-	-

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates<sup>1</sup> for Selected Cancer Sites  
Canada, 1996-2000, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
Canada	133180	160.1	17291	20.0	28887	35.6	23242	28.4	2004	2.5	6620	8.1
Alberta	10665	155.9	1156	16.5	2232	33.6	1866	27.3	196	2.8	533	7.9
British Columbia	17549	149.4	2032	16.6	4261	37.1	2919	25.4	235	2.1	994	8.6
Manitoba	5949	166.3	788	20.4	1259	37.2	1027	30.0	73	2.2	270	7.8
New Brunswick	3663	160.1	489	20.3	780	35.6	663	29.6	56	2.6	166	7.6
Newfoundland	2418	167.0	398	27.1	395	28.1	417	28.7	57	4.0	120	8.4
Northwest Territories	90	215.6	17	43.4	17	41.8	8	16.9	-	-	-	-
Nova Scotia	5366	182.4	790	25.5	1217	42.9	920	31.9	101	3.8	240	8.5
Ontario	52219	157.6	6758	19.7	10928	33.6	9295	28.5	839	2.7	2646	8.2
Prince Edward Island	697	164.0	112	24.7	166	42.0	118	28.8	7	2.1	32	7.3
Quebec	29487	169.6	4120	23.0	6576	38.6	5215	30.2	360	2.2	1318	7.7
Saskatchewan	4997	152.5	628	17.5	1037	33.6	778	24.8	76	2.6	298	9.3
Yukon	80	186.5	-	-	19	42.3	16	35.3	-	-	-	-

<sup>1</sup> Rates are per 100,000. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.