



Average-annual NAACCR Combined Cancer Incidence Rates for the United States, Canada and North America

**Age-Adjusted to the 2000 U.S. and
World Population Standard**



TABLE OF CONTENTS

Average-annual Age-adjusted NAACCR Combined Cancer Incidence Rates for the United States, Canada and North America

<i>Map: Registries included in U.S. Combined Incidence for All Races</i>	1
Combined Registries, All Races (2000 U.S. and World populations).....	2
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
All Races, Males (World population)	3
All Races, Females (World population)	5
<i>Map: Registries included in U.S. Combined Incidence for White</i>	7
Combined Registries, White (2000 U.S. and World populations)	8
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
White, Males (World population)	9
White, Females (World population)	11
<i>Map: Registries included in U.S. Combined Incidence for Black</i>	13
Combined Registries, Black (2000 U.S. and World populations)	14
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
Black, Males (World population)	15
Black, Females (World population)	17
<i>Map: Registries included in U.S. Combined Incidence for Asian/Pacific Islander</i>	19
Combined Registries, Asian/Pacific Islander (2000 U.S. and World populations)	20
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
Asian/Pacific Islander, Males (World population)	21
Asian/Pacific Islander, Females (World population)	23
<i>Map: Selected CHSDA Counties included in U.S. Combined Incidence for</i>	
<i>American Indian/Alaskan Native</i>	25
Combined Registries, American Indian/Alaskan Native (2000 U.S. and World populations)	26
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
American Indian/Alaskan Native, Males (World population)	27
American Indian/Alaskan Native, Females (World population)	29
Combined Registries, Hispanic/Latino (2000 U.S. and World populations)	31
Combined Registries, Non-Hispanic White (2000 U.S. and World populations)	32
Combined Registries, Non-Hispanic Black (2000 U.S. and World populations)	33
<i>Map: Registries included in Canadian Combined Incidence for All Races</i>	35
Combined Registries, All Races (2000 U.S. and World populations)	36
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
All Races, Males (2000 U.S. and World populations)	37
All Races, Females (2000 U.S. and World populations)	38
<i>Map: Registries included in North American Combined Incidence for All Races</i>	39
Combined Registries, All Races (2000 U.S. and World populations)	40
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,	
All Races, Males (World population)	41
All Races, Females (World population)	43
<i>Map: Registries included in U.S. Pediatric Cancer Incidence</i>	46
Age-adjusted Rates (2000 U.S. and World populations) (Ages 0-14, Ages 0-19)	
All Races, Males	47
All Races, Females	48
White, Males	49
White, Females	50
Black, Males	51
Black, Females	52
Asian/Pacific Islander, Males	53
Asian/Pacific Islander, Females	54
American Indian/Alaskan Native, Males	55
American Indian/Alaskan Native, Females	56
Hispanic/Latino, All Races, Males	57
Hispanic/Latina, All Races, Females	58
Non-Hispanic White, Males	59
Non-Hispanic White, Females	60
Non-Hispanic Black, Males	61
Non-Hispanic Black, Females	62

Contents

<i>Map: Registries included in Canadian Pediatric Cancer Incidence</i>	64
Age-adjusted Rates (2000 U.S. and World populations) (Ages 0-14, Ages 0-19)	
All Races, Males.....	65
All Races, Females	66
<i>Map: Registries included in North American Pediatric Cancer Incidence</i>	68
Age-adjusted Rates (2000 U.S. and World populations) (Ages 0-14, Ages 0-19)	
All Races, Males.....	69
All Races, Females	70

All Appendices are available on the NAACCR website:

<https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices>

NAACCR U.S. Combined Incidence 2010-2014, All Races Combined



UNITED STATES

1 Combined Incidence – All Races

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2010-2014, All Races

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,894,209	502.1	0.26	332.4	0.18	3,781,169	418.0	0.22	291.5	0.16
Oral Cavity & Pharynx	141,503	17.4	0.05	12.6	0.03	58,235	6.4	0.03	4.4	0.02
Lip	6,952	0.9	0.01	0.6	0.01	2,650	0.3	0.01	0.2	0.00
Tongue	43,558	5.3	0.03	3.9	0.02	17,207	1.9	0.01	1.3	0.01
Major salivary gland	12,352	1.7	0.02	1.0	0.01	8,676	1.0	0.01	0.7	0.01
Floor of mouth	6,735	0.8	0.01	0.6	0.01	3,042	0.3	0.01	0.2	0.00
Gum & other mouth	14,865	1.9	0.02	1.3	0.01	11,788	1.3	0.01	0.8	0.01
Nasopharynx	6,244	0.8	0.01	0.6	0.01	2,529	0.3	0.01	0.2	0.00
Oropharynx	7,038	0.8	0.01	0.6	0.01	2,192	0.2	0.01	0.2	0.00
Hypopharynx	9,028	1.1	0.01	0.8	0.01	2,149	0.2	0.01	0.2	0.00
Digestive System	756,357	97.6	0.11	63.3	0.08	609,032	65.3	0.09	41.3	0.06
Esophagus	62,815	8.0	0.03	5.2	0.02	16,881	1.8	0.01	1.1	0.01
Stomach	69,817	9.2	0.04	5.7	0.02	42,821	4.7	0.02	2.9	0.02
Small intestine	20,905	2.7	0.02	1.8	0.01	18,746	2.0	0.02	1.4	0.01
Colon excl. rectum	238,274	31.6	0.07	19.5	0.04	242,580	26.0	0.05	15.8	0.04
Rectum & rectosigmoid	112,558	14.3	0.04	9.8	0.03	80,692	8.8	0.03	6.1	0.02
Anus, anal canal & anorectum	11,666	1.5	0.01	1.1	0.01	20,005	2.2	0.02	1.6	0.01
Liver	92,538	11.0	0.04	8.1	0.03	31,101	3.3	0.02	2.2	0.01
Gallbladder	6,079	0.8	0.01	0.5	0.01	13,019	1.4	0.01	0.8	0.01
Pancreas	109,099	14.2	0.04	8.8	0.03	104,962	11.1	0.03	6.7	0.02
Respiratory System	612,819	80.3	0.10	49.3	0.06	511,256	54.8	0.08	34.7	0.05
Larynx	48,658	6.0	0.03	4.2	0.02	12,639	1.4	0.01	1.0	0.01
Lung & bronchus	555,126	73.0	0.10	44.3	0.06	493,029	52.8	0.08	33.2	0.05
Bones & Joints	8,221	1.1	0.01	1.0	0.01	6,572	0.8	0.01	0.8	0.01
Soft Tissue (incl. heart)	29,672	4.0	0.02	2.9	0.02	23,897	2.8	0.02	2.2	0.02
Skin (excl. basal & sq.)	217,979	28.9	0.06	18.5	0.04	152,026	17.5	0.05	12.9	0.04
Melanomas of the skin	201,442	26.6	0.06	17.2	0.04	141,306	16.3	0.04	12.1	0.03
Breast (excl. <i>in situ</i>)	9,909	1.3	0.01	0.8	0.01	1,107,649	123.6	0.12	89.2	0.09
Female Genital System	-	-	-	-	-	445,619	49.3	0.08	36.5	0.06
Cervix uteri	-	-	-	-	-	60,334	7.6	0.03	6.0	0.03
Uterus Corpus	-	-	-	-	-	233,530	25.0	0.05	18.8	0.04
Uterus, NOS ¹	-	-	-	-	-	7,978	0.9	0.01	0.6	0.01
Ovary	-	-	-	-	-	103,334	11.5	0.04	8.2	0.03
Male Genital System	992,481	121.6	0.12	86.6	0.09	-	-	-	-	-
Prostate	943,855	115.0	0.12	80.8	0.08	-	-	-	-	-
Testis	40,376	5.5	0.03	5.2	0.03	-	-	-	-	-
Penis	6,501	0.9	0.01	0.5	0.01	-	-	-	-	-
Urinary System	443,681	59.0	0.09	36.0	0.06	191,265	20.7	0.05	13.6	0.03
Bladder (incl. <i>in situ</i>)	262,379	35.8	0.07	20.0	0.04	83,602	8.8	0.03	5.2	0.02
Kidney & renal pelvis	171,900	21.8	0.05	15.3	0.04	102,450	11.3	0.04	8.1	0.03
Ureter	5,942	0.8	0.01	0.4	0.01	3,579	0.4	0.01	0.2	0.00
Eye & Orbit	7,406	1.0	0.01	0.8	0.01	6,267	0.7	0.01	0.6	0.01
Brain & Other Nervous System	59,227	7.7	0.03	6.3	0.03	47,419	5.6	0.03	4.7	0.02
Brain	55,970	7.3	0.03	5.9	0.03	43,939	5.1	0.02	4.3	0.02
Endocrine System	61,840	8.0	0.03	6.3	0.03	175,634	21.8	0.05	18.1	0.05
Thyroid gland	55,668	7.2	0.03	5.6	0.02	169,974	21.1	0.05	17.4	0.04
Lymphomas	196,106	26.0	0.06	17.7	0.04	162,518	18.1	0.05	12.6	0.03
Hodgkin Lymphoma	22,955	3.1	0.02	2.7	0.02	18,446	2.4	0.02	2.2	0.02
Non-Hodgkin Lymphoma	173,151	22.9	0.06	15.0	0.04	144,072	15.8	0.04	10.5	0.03
Multiple Myeloma	61,561	8.1	0.03	5.0	0.02	49,548	5.3	0.02	3.4	0.02
Leukemias	130,643	17.6	0.05	12.1	0.04	95,521	10.7	0.04	7.9	0.03
Acute lymphocytic	13,417	1.8	0.02	2.2	0.02	10,505	1.4	0.01	1.7	0.02
Chronic lymphocytic	46,590	6.2	0.03	3.7	0.02	30,523	3.2	0.02	1.9	0.01
Acute myeloid	38,098	5.2	0.03	3.4	0.02	31,157	3.5	0.02	2.5	0.02
Chronic myeloid	16,765	2.3	0.02	1.5	0.01	12,390	1.4	0.01	1.0	0.01
Other leukemias	15,773	2.2	0.02	1.4	0.01	10,946	1.2	0.01	0.8	0.01
Mesothelioma	12,045	1.7	0.02	0.9	0.01	3,808	0.4	0.01	0.2	0.00
Kaposi Sarcoma	5,042	0.7	0.01	0.5	0.01	651	0.1	0.00	0.0	0.00
Ill-defined & Unknown	147,717	20.3	0.05	11.6	0.03	134,252	14.2	0.04	8.3	0.03
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	63,464	8.4	0.03	6.1	0.03	129,269	14.6	0.04	10.5	0.03
Breast (<i>in situ</i>)	1,122	0.1	0.00	0.1	0.00	271,007	30.6	0.06	23.1	0.05

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, All Races, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,894,209	332.4	0.18	943,855	80.8	0.08	555,126	44.3	0.06	350,832	29.3	0.05	262,379	20.0	0.04	201,442	17.2	0.04
Alabama	67,581	357.2	1.42	17,371	90.4	0.70	11,675	58.3	0.55	6,498	34.2	0.44	4,058	19.5	0.32	3,304	17.7	0.32
Alaska	6,949	290.8	3.56	1,548	63.0	1.62	937	39.1	1.29	707	29.1	1.11	451	19.2	0.91	248	10.4	0.67
Arizona	72,737	272.6	1.07	14,985	56.4	0.48	9,842	33.0	0.35	6,778	25.0	0.32	5,534	17.8	0.25	4,429	16.4	0.26
Arkansas	42,168	354.2	1.80	10,204	84.7	0.86	7,946	62.8	0.73	3,937	32.9	0.54	2,745	20.6	0.41	1,921	16.2	0.39
California	407,224	300.2	0.49	100,652	75.5	0.24	42,877	29.3	0.15	37,576	27.1	0.14	25,904	17.1	0.11	25,399	18.4	0.12
CA: Greater California	231,016	305.3	0.66	55,682	74.5	0.32	25,441	31.2	0.20	20,841	27.1	0.19	15,128	17.8	0.15	15,910	20.7	0.17
CA: Greater Bay Area	80,433	304.4	1.12	20,916	80.6	0.57	7,967	27.8	0.32	7,006	25.8	0.32	4,915	16.6	0.25	5,443	20.2	0.28
CA: Los Angeles	95,589	285.1	0.95	23,993	73.7	0.49	9,449	26.4	0.28	9,717	28.2	0.29	5,855	15.7	0.21	4,043	11.7	0.19
Colorado	55,158	292.4	1.28	14,649	77.2	0.64	5,581	27.9	0.38	4,577	23.7	0.36	3,696	18.2	0.31	3,422	18.2	0.32
Connecticut	50,632	345.4	1.62	12,169	84.8	0.78	6,578	41.5	0.53	4,205	27.6	0.45	4,342	26.1	0.42	2,566	17.2	0.36
Delaware	14,378	376.2	3.29	3,837	101.3	1.67	2,025	49.0	1.13	1,069	27.4	0.87	1,017	23.6	0.77	969	25.2	0.85
District of Columbia	7,245	372.7	4.50	2,188	113.0	2.45	883	44.2	1.51	641	31.9	1.28	297	14.3	0.85	168	8.4	0.66
Florida	287,296	322.3	0.65	65,177	73.6	0.30	43,754	44.7	0.23	25,244	27.7	0.19	20,090	18.7	0.14	17,089	18.4	0.15
Georgia	118,328	354.7	1.05	30,481	91.0	0.52	17,952	51.8	0.39	10,783	31.9	0.31	6,580	18.7	0.23	7,314	21.9	0.26
Hawaii	17,112	293.3	2.37	3,582	59.4	1.02	2,178	33.9	0.76	2,003	35.0	0.81	893	13.2	0.46	1,023	18.3	0.60
Idaho	19,579	311.1	2.31	5,187	81.2	1.15	2,219	32.2	0.70	1,612	25.4	0.65	1,479	21.2	0.57	1,311	21.6	0.62
Illinois	164,223	342.3	0.88	39,845	84.1	0.43	24,277	47.6	0.32	16,315	32.9	0.27	11,139	21.1	0.21	7,142	14.9	0.18
Indiana	81,526	325.7	1.18	16,713	66.4	0.52	14,434	54.7	0.47	7,932	30.9	0.36	5,747	20.9	0.29	3,539	14.3	0.25
Iowa	44,898	347.5	1.74	10,064	78.1	0.80	6,611	47.3	0.61	4,310	32.2	0.52	3,190	21.6	0.41	2,394	19.4	0.42
Kansas	38,405	345.9	1.85	9,518	85.7	0.90	5,306	44.6	0.64	3,439	30.3	0.54	2,748	22.0	0.44	2,167	19.8	0.45
Kentucky	67,517	392.3	1.56	13,778	78.6	0.68	13,203	72.7	0.65	6,687	38.4	0.48	4,304	22.9	0.36	3,403	20.2	0.36
Louisiana	65,307	387.1	1.56	17,311	102.1	0.79	10,066	56.8	0.58	6,303	37.0	0.48	3,530	19.4	0.34	2,482	14.8	0.31
Maine	21,320	340.1	2.50	4,491	69.7	1.06	3,464	51.1	0.90	1,717	27.0	0.69	1,892	26.8	0.64	1,134	18.5	0.59
Maryland	72,723	333.4	1.28	20,406	94.4	0.67	9,265	40.1	0.43	6,025	27.0	0.36	4,916	20.4	0.30	4,032	18.3	0.30
Massachusetts	87,754	335.2	1.19	21,277	82.5	0.58	11,876	41.8	0.40	7,327	26.9	0.33	6,718	22.9	0.29	4,332	16.4	0.26
Michigan	138,639	342.8	0.96	36,195	89.2	0.48	20,448	47.1	0.34	11,508	27.7	0.27	9,972	22.0	0.23	5,904	14.9	0.20
MI: Metropolitan Detroit	57,850	386.9	1.68	16,298	109.9	0.88	8,152	51.1	0.58	4,722	30.6	0.46	3,965	24.0	0.40	2,041	13.7	0.32
Mississippi	41,771	378.0	1.90	10,748	96.6	0.94	7,466	64.0	0.76	4,300	38.8	0.61	2,145	17.9	0.40	1,662	15.2	0.39
Missouri	80,984	335.5	1.23	17,428	72.5	0.56	14,218	55.1	0.48	7,820	31.4	0.37	5,198	19.2	0.28	3,831	16.2	0.27

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, All Races, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	14,771	320.6	2.80	3,856	81.0	1.33	1,810	35.0	0.86	1,334	28.7	0.83	1,056	20.2	0.65	897	20.7	0.73
Nebraska	24,322	335.2	2.26	5,977	82.3	1.09	3,374	43.1	0.77	2,375	31.8	0.68	1,704	20.6	0.53	1,122	16.1	0.50
New Hampshire	19,813	348.4	2.61	5,094	88.3	1.25	2,581	41.9	0.85	1,504	25.7	0.69	1,714	27.3	0.68	1,218	21.3	0.64
New Jersey	122,895	355.8	1.06	33,215	97.6	0.55	14,382	38.7	0.33	10,728	30.0	0.30	8,887	22.8	0.25	6,416	18.2	0.24
New York	270,901	361.4	0.73	71,412	96.5	0.37	33,864	42.1	0.24	22,839	29.4	0.20	19,314	22.9	0.17	11,099	14.7	0.15
North Carolina	130,183	352.2	1.01	32,878	88.3	0.49	21,415	54.6	0.38	10,565	28.4	0.28	8,158	20.1	0.23	7,449	20.3	0.24
North Dakota	9,651	336.3	3.62	2,446	86.1	1.79	1,308	41.0	1.20	1,000	34.7	1.16	683	20.7	0.84	466	17.5	0.85
Ohio	157,260	335.5	0.89	37,060	78.6	0.42	25,857	51.8	0.33	14,626	30.3	0.26	11,494	21.9	0.21	7,519	16.4	0.20
Oklahoma	49,300	332.5	1.56	11,133	73.9	0.72	8,448	53.4	0.60	4,705	31.7	0.48	3,158	19.3	0.36	2,276	15.4	0.34
Oregon	50,882	309.3	1.44	11,791	70.3	0.66	6,714	37.2	0.47	4,313	25.7	0.41	3,946	21.0	0.35	3,324	20.8	0.38
Pennsylvania	196,353	360.8	0.86	45,104	83.5	0.40	28,146	47.6	0.30	17,716	31.3	0.25	15,434	24.8	0.21	10,098	18.7	0.20
Rhode Island	14,563	340.9	2.98	3,240	77.5	1.39	2,139	46.1	1.04	1,135	25.3	0.79	1,234	25.6	0.77	781	18.6	0.70
South Carolina	65,603	346.4	1.40	16,502	85.6	0.68	10,738	53.4	0.53	5,531	29.4	0.41	4,026	19.2	0.31	3,466	18.5	0.33
South Dakota	11,379	328.2	3.25	2,815	81.8	1.58	1,568	40.4	1.07	1,165	33.0	1.02	771	19.4	0.74	558	17.2	0.77
Tennessee	89,477	355.3	1.23	21,512	83.7	0.58	16,028	60.0	0.48	7,724	30.3	0.35	5,466	19.7	0.27	4,232	17.0	0.27
Texas	262,427	306.7	0.61	58,205	68.1	0.29	36,319	40.5	0.22	26,047	30.0	0.19	13,966	15.2	0.13	9,825	11.3	0.12
Utah	25,518	304.6	1.95	7,404	90.4	1.07	1,717	19.5	0.48	1,942	22.9	0.53	1,515	16.6	0.44	2,643	31.2	0.62
Vermont	9,122	323.5	3.58	1,989	67.7	1.54	1,325	43.7	1.24	721	25.0	0.97	691	22.2	0.87	715	25.5	1.01
Virginia	93,384	304.7	1.03	23,473	76.9	0.51	14,291	44.1	0.38	8,205	26.3	0.30	5,791	17.3	0.23	4,861	15.7	0.23
Washington	88,331	327.3	1.14	21,829	80.5	0.55	11,011	37.8	0.37	7,123	26.0	0.32	6,175	20.5	0.27	5,344	20.3	0.29
WA: Seattle/Puget Sound	62,082	341.0	1.41	15,504	85.1	0.69	7,398	37.9	0.45	4,930	26.7	0.39	4,246	21.1	0.33	3,978	22.2	0.36
West Virginia	29,544	348.7	2.15	6,057	68.6	0.90	5,639	62.3	0.86	2,939	34.1	0.66	2,175	23.3	0.52	1,350	16.4	0.47
Wisconsin	80,116	339.1	1.26	19,236	81.6	0.60	10,633	41.8	0.42	6,648	27.3	0.35	5,912	22.3	0.30	4,173	18.0	0.29
Wyoming	6,960	297.3	3.70	1,823	76.1	1.81	738	28.9	1.09	634	26.6	1.09	524	20.7	0.93	425	18.7	0.95

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,781,169	291.5	0.16	1,107,649	89.2	0.09	493,029	33.2	0.05	323,272	21.9	0.04	241,508	19.4	0.04	169,974	17.4	0.04
Alabama	59,329	277.9	1.24	17,811	86.8	0.69	8,235	34.4	0.40	5,651	24.1	0.35	2,968	14.0	0.27	1,712	10.6	0.27
Alaska	6,568	285.4	3.61	2,085	89.9	2.00	773	32.3	1.19	620	26.2	1.07	431	18.4	0.90	299	14.4	0.85
Arizona	72,444	260.9	1.06	21,537	80.8	0.58	9,264	27.5	0.31	5,908	18.6	0.27	4,260	16.3	0.26	3,979	19.7	0.33
Arkansas	36,111	280.9	1.61	10,122	81.5	0.86	5,818	40.2	0.56	3,456	24.4	0.45	1,997	16.3	0.38	1,180	12.3	0.38
California	404,208	269.0	0.45	125,201	87.2	0.26	41,600	23.7	0.12	34,469	20.5	0.12	26,391	18.5	0.12	18,747	15.7	0.12
CA: Greater California	225,193	273.4	0.62	69,313	87.8	0.35	24,875	25.8	0.17	18,789	20.4	0.16	13,933	17.8	0.16	10,305	15.9	0.16
CA: Greater Bay Area	79,420	271.2	1.03	25,087	90.4	0.59	7,912	22.6	0.27	6,667	20.4	0.27	5,363	19.0	0.27	3,212	14.1	0.26
CA: Los Angeles	99,469	257.6	0.87	30,772	83.1	0.49	8,801	19.7	0.23	9,004	21.0	0.24	7,095	19.5	0.24	5,229	16.3	0.23
Colorado	54,644	270.0	1.22	17,541	89.1	0.70	5,751	24.8	0.34	4,259	18.6	0.30	3,321	16.7	0.30	3,154	19.5	0.36
Connecticut	52,718	318.2	1.53	15,767	100.6	0.85	6,767	34.9	0.46	4,159	21.3	0.37	3,483	21.7	0.38	2,827	23.9	0.47
Delaware	13,375	318.9	3.01	3,886	95.3	1.62	1,930	39.7	0.96	986	20.7	0.73	890	21.8	0.77	578	19.4	0.84
District of Columbia	7,606	316.9	3.89	2,389	103.4	2.22	845	31.8	1.17	690	26.9	1.10	549	23.2	1.03	396	18.8	0.98
Florida	266,096	278.4	0.61	75,212	83.7	0.33	38,674	34.0	0.19	22,825	20.6	0.15	15,788	17.3	0.15	9,412	14.5	0.16
Georgia	110,666	287.3	0.90	33,614	89.3	0.50	14,072	33.3	0.29	9,578	23.3	0.25	6,133	16.2	0.21	4,359	13.7	0.21
Hawaii	17,260	292.1	2.45	5,670	101.1	1.43	1,717	23.5	0.62	1,599	24.4	0.68	1,237	23.3	0.69	831	19.3	0.70
Idaho	18,042	283.9	2.27	5,295	85.4	1.24	2,117	28.8	0.66	1,437	20.2	0.58	1,111	18.3	0.57	980	20.8	0.69
Illinois	165,887	304.2	0.81	48,665	93.8	0.45	22,372	36.1	0.26	14,948	23.7	0.21	11,336	21.9	0.21	7,370	17.9	0.22
Indiana	82,508	296.8	1.12	23,084	86.6	0.60	12,158	39.4	0.38	7,666	24.0	0.30	5,390	20.1	0.29	3,015	14.6	0.28
Iowa	42,359	305.6	1.67	11,520	87.9	0.89	5,377	33.7	0.51	4,114	23.7	0.43	3,042	23.5	0.45	1,575	16.7	0.44
Kansas	35,882	301.0	1.74	10,182	88.7	0.94	4,596	33.6	0.54	3,129	22.7	0.45	2,104	18.4	0.42	1,833	20.8	0.51
Kentucky	63,000	331.5	1.42	16,413	89.5	0.73	11,053	52.6	0.53	5,774	27.2	0.39	3,521	19.6	0.34	2,526	17.9	0.37
Louisiana	55,904	295.7	1.34	16,330	89.2	0.73	7,513	35.7	0.43	5,551	27.4	0.39	2,610	14.3	0.29	2,371	15.9	0.34
Maine	21,056	314.9	2.44	5,743	90.3	1.28	3,189	41.2	0.78	1,638	21.0	0.59	1,506	23.4	0.63	822	18.6	0.71
Maryland	74,065	293.1	1.15	23,092	94.9	0.65	9,245	32.2	0.35	5,920	21.1	0.29	4,867	19.7	0.29	3,554	18.0	0.31
Massachusetts	94,120	312.9	1.12	28,058	98.4	0.62	13,038	37.8	0.36	7,338	20.8	0.27	6,255	21.6	0.29	5,322	24.1	0.34
Michigan	131,536	297.8	0.90	37,301	88.2	0.48	18,930	37.5	0.29	10,849	21.3	0.23	9,267	21.7	0.24	5,218	16.4	0.24
MI: Metropolitan Detroit	55,534	317.8	1.47	15,788	94.7	0.80	8,076	40.6	0.49	4,704	23.4	0.38	3,787	22.6	0.38	2,511	19.4	0.41
Mississippi	35,981	288.1	1.63	10,104	84.4	0.88	5,172	37.3	0.55	3,786	27.7	0.48	1,778	14.6	0.36	1,261	13.0	0.38
Missouri	79,928	298.5	1.15	23,218	90.9	0.64	12,540	41.5	0.40	7,077	22.9	0.30	4,997	19.6	0.29	2,866	14.6	0.29

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	13,450	294.8	2.81	3,893	88.2	1.52	1,791	32.5	0.83	1,117	21.4	0.71	860	19.1	0.69	561	18.1	0.81
Nebraska	22,633	290.6	2.13	6,538	88.1	1.17	2,834	31.9	0.65	2,170	23.4	0.57	1,470	20.2	0.55	975	17.5	0.59
New Hampshire	19,517	323.1	2.53	5,914	101.1	1.39	2,726	39.9	0.81	1,481	20.8	0.60	1,466	24.7	0.67	845	19.4	0.71
New Jersey	125,460	314.4	0.97	36,075	95.4	0.53	15,020	32.5	0.29	10,947	23.3	0.25	8,874	23.1	0.26	6,800	23.0	0.29
New York	273,599	314.6	0.66	76,791	93.3	0.36	34,081	34.1	0.20	22,514	22.2	0.16	19,341	23.1	0.17	15,178	23.5	0.20
North Carolina	124,067	295.0	0.90	37,914	93.5	0.50	17,109	36.1	0.29	9,839	21.4	0.23	7,459	18.1	0.22	4,854	15.0	0.22
North Dakota	8,513	289.9	3.50	2,397	87.6	1.94	1,048	31.8	1.07	872	25.1	0.97	527	18.9	0.88	426	20.1	1.02
Ohio	154,863	297.3	0.83	44,328	88.2	0.45	22,438	38.0	0.27	13,624	22.4	0.21	10,697	21.4	0.22	6,693	18.0	0.23
Oklahoma	46,231	289.1	1.45	13,103	84.5	0.78	6,873	38.1	0.49	4,236	24.0	0.40	2,496	16.4	0.34	1,731	14.4	0.36
Oregon	50,591	291.4	1.42	15,188	90.4	0.78	6,696	32.3	0.42	3,881	19.2	0.34	3,342	20.1	0.36	2,010	16.2	0.38
Pennsylvania	195,598	322.7	0.82	53,851	93.2	0.44	25,224	35.9	0.25	16,964	23.1	0.20	14,004	24.1	0.22	10,515	25.1	0.26
Rhode Island	15,625	319.4	2.84	4,331	94.0	1.53	2,265	40.5	0.93	1,271	21.2	0.68	1,117	23.7	0.75	784	22.5	0.84
South Carolina	60,486	288.4	1.27	18,597	91.7	0.71	8,268	34.7	0.40	5,051	22.1	0.33	3,505	17.0	0.30	2,222	14.0	0.31
South Dakota	10,661	297.0	3.21	3,167	93.6	1.80	1,324	32.1	0.96	1,041	23.6	0.84	708	21.1	0.84	412	16.5	0.86
Tennessee	82,826	295.7	1.11	23,909	88.0	0.60	12,555	40.2	0.38	7,307	23.5	0.30	4,633	17.1	0.26	3,231	15.3	0.28
Texas	251,958	265.0	0.55	74,269	80.6	0.30	29,302	27.7	0.17	21,373	20.8	0.15	14,447	15.9	0.14	11,944	15.0	0.14
Utah	23,175	263.8	1.80	7,012	81.5	1.01	1,449	14.9	0.41	1,686	17.8	0.46	1,643	19.5	0.49	1,856	24.1	0.57
Vermont	9,030	304.0	3.54	2,662	94.3	1.95	1,285	37.6	1.12	710	19.4	0.81	710	24.2	0.95	316	15.9	0.95
Virginia	94,849	277.1	0.96	30,271	91.6	0.55	12,257	31.6	0.30	7,934	20.8	0.25	5,915	17.5	0.24	4,277	16.2	0.26
Washington	86,489	301.9	1.10	26,686	96.5	0.62	10,713	32.2	0.33	6,534	20.5	0.27	5,342	19.1	0.27	3,679	16.8	0.29
WA: Seattle/Puget Sound	60,793	309.9	1.34	18,947	100.2	0.76	7,271	31.9	0.40	4,519	20.9	0.34	3,756	19.5	0.33	2,586	17.0	0.35
West Virginia	27,673	313.8	2.10	7,112	82.9	1.06	4,416	43.7	0.71	2,664	25.6	0.56	1,935	23.6	0.57	1,226	20.0	0.61
Wisconsin	76,465	303.6	1.21	21,974	91.8	0.66	9,884	34.7	0.38	6,139	20.3	0.29	5,428	22.4	0.32	2,947	16.3	0.32
Wyoming	6,117	268.9	3.69	1,827	81.5	2.01	725	27.6	1.08	490	19.3	0.93	357	16.1	0.89	305	17.8	1.07

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

NAACCR U.S. Combined Incidence 2010-2014, The White Population



Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2010-2014, White

SITES	Count	MALES (WHITE)				FEMALES (WHITE)				
		Adj. Rate		Adj. Rate		Adj. Rate		Adj. Rate		
		2000 U.S.	S.E.	World	S.E.	2000 U.S.	S.E.	World	S.E.	
All Sites (invasive & in situ bladder)	3,265,680	497.5	0.28	328.3	0.19	3,168,903	423.8	0.24	295.7	0.18
Oral Cavity & Pharynx	122,398	17.9	0.05	13.0	0.04	49,388	6.5	0.03	4.5	0.02
Lip	6,579	1.0	0.01	0.6	0.01	2,453	0.3	0.01	0.2	0.00
Tongue	39,127	5.6	0.03	4.2	0.02	15,104	2.0	0.02	1.4	0.01
Major salivary gland	10,782	1.7	0.02	1.0	0.01	6,992	1.0	0.01	0.7	0.01
Floor of mouth	5,804	0.8	0.01	0.6	0.01	2,628	0.3	0.01	0.2	0.00
Gum & other mouth	12,421	1.9	0.02	1.3	0.01	10,097	1.3	0.01	0.8	0.01
Nasopharynx	3,795	0.6	0.01	0.4	0.01	1,529	0.2	0.01	0.2	0.00
Oropharynx	5,858	0.8	0.01	0.6	0.01	1,819	0.2	0.01	0.2	0.00
Hypopharynx	7,183	1.0	0.01	0.7	0.01	1,777	0.2	0.01	0.2	0.00
Digestive System	618,964	94.3	0.12	60.7	0.08	492,188	63.0	0.09	39.6	0.06
Esophagus	55,310	8.3	0.04	5.4	0.02	13,892	1.7	0.02	1.1	0.01
Stomach	53,959	8.4	0.04	5.2	0.02	30,863	4.0	0.02	2.5	0.02
Small intestine	16,836	2.6	0.02	1.7	0.01	14,738	1.9	0.02	1.3	0.01
Colon excl. rectum	196,571	30.7	0.07	18.8	0.04	198,649	25.3	0.06	15.2	0.04
Rectum & rectosigmoid	93,175	14.1	0.05	9.6	0.03	65,393	8.7	0.03	6.0	0.03
Anus, anal canal & anorectum	9,610	1.4	0.02	1.0	0.01	17,685	2.3	0.02	1.7	0.01
Liver	69,332	9.9	0.04	7.2	0.03	22,992	2.9	0.02	2.0	0.01
Gallbladder	4,718	0.7	0.01	0.4	0.01	10,080	1.3	0.01	0.8	0.01
Pancreas	92,145	14.1	0.05	8.7	0.03	85,916	10.7	0.04	6.4	0.02
Respiratory System	520,770	79.8	0.11	48.9	0.07	442,050	56.4	0.09	35.7	0.06
Larynx	40,378	5.9	0.03	4.1	0.02	10,553	1.4	0.01	1.0	0.01
Lung & bronchus	472,759	72.7	0.11	43.9	0.07	426,857	54.4	0.08	34.3	0.06
Bones & Joints	6,872	1.1	0.01	1.0	0.01	5,413	0.9	0.01	0.8	0.01
Soft Tissue (incl. heart)	24,929	4.0	0.03	2.9	0.02	19,122	2.7	0.02	2.2	0.02
Skin (excl. basal & sq.)	205,618	32.1	0.07	20.7	0.05	141,052	20.0	0.05	14.9	0.04
Melanomas of the skin	190,947	29.7	0.07	19.4	0.05	132,012	18.8	0.05	14.1	0.04
Breast (excl. <i>in situ</i>)	8,197	1.3	0.01	0.8	0.01	919,063	124.5	0.13	89.7	0.10
Female Genital System	-	-	-	-	-	370,689	50.0	0.08	37.1	0.06
Cervix uteri	-	-	-	-	-	46,054	7.3	0.04	5.8	0.03
Uterus Corpus	-	-	-	-	-	195,873	25.5	0.06	19.2	0.05
Uterus, NOS ¹	-	-	-	-	-	5,796	0.7	0.01	0.5	0.01
Ovary	-	-	-	-	-	88,008	11.8	0.04	8.5	0.03
Male Genital System	778,905	113.0	0.13	80.4	0.09	-	-	-	-	-
Prostate	735,242	105.5	0.13	73.7	0.09	-	-	-	-	-
Testis	36,726	6.4	0.03	6.0	0.03	-	-	-	-	-
Penis	5,531	0.9	0.01	0.5	0.01	-	-	-	-	-
Urinary System	393,862	61.3	0.10	37.4	0.06	163,874	21.2	0.05	14.0	0.04
Bladder (incl. <i>in situ</i>)	240,261	38.0	0.08	21.3	0.05	74,103	9.3	0.03	5.5	0.02
Kidney & renal pelvis	145,125	21.9	0.06	15.3	0.04	85,287	11.4	0.04	8.1	0.03
Ureter	5,509	0.9	0.01	0.5	0.01	3,222	0.4	0.01	0.2	0.00
Eye & Orbit	6,794	1.1	0.01	0.8	0.01	5,717	0.8	0.01	0.7	0.01
Brain & Other Nervous System	52,376	8.3	0.04	6.8	0.03	41,495	6.0	0.03	5.1	0.03
Brain	49,683	7.8	0.04	6.3	0.03	38,641	5.5	0.03	4.6	0.03
Endocrine System	53,202	8.4	0.04	6.7	0.03	144,903	22.8	0.06	18.9	0.05
Thyroid gland	48,427	7.6	0.04	5.9	0.03	140,681	22.1	0.06	18.3	0.05
Lymphomas	169,252	26.7	0.07	18.1	0.05	139,101	18.7	0.05	13.0	0.04
Hodgkin Lymphoma	18,811	3.1	0.02	2.8	0.02	15,072	2.5	0.02	2.3	0.02
Non-Hodgkin Lymphoma	150,441	23.5	0.06	15.4	0.04	124,029	16.2	0.05	10.7	0.03
Multiple Myeloma	47,663	7.4	0.03	4.5	0.02	35,869	4.6	0.02	2.9	0.02
Leukemias	113,460	18.1	0.05	12.5	0.04	81,458	11.0	0.04	8.2	0.04
Acute lymphocytic	11,199	2.0	0.02	2.4	0.02	8,761	1.5	0.02	1.9	0.02
Chronic lymphocytic	41,273	6.4	0.03	3.8	0.02	26,870	3.3	0.02	2.0	0.01
Acute myeloid	33,106	5.3	0.03	3.4	0.02	26,249	3.6	0.02	2.5	0.02
Chronic myeloid	14,120	2.3	0.02	1.5	0.01	10,230	1.4	0.01	1.0	0.01
Other leukemias	13,762	2.2	0.02	1.4	0.01	9,348	1.2	0.01	0.8	0.01
Mesothelioma	11,222	1.8	0.02	1.0	0.01	3,476	0.4	0.01	0.3	0.01
Kaposi Sarcoma	3,109	0.5	0.01	0.4	0.01	420	0.1	0.00	0.0	0.00
Ill-defined & Unknown	128,087	20.5	0.06	11.7	0.04	113,625	14.2	0.04	8.3	0.03
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	53,052	8.4	0.04	6.1	0.03	106,108	14.6	0.05	10.6	0.04
Breast (<i>in situ</i>)	856	0.1	0.00	0.1	0.00	219,011	30.3	0.07	22.9	0.05

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,265,680	328.3	0.19	735,242	73.7	0.09	472,759	43.9	0.07	289,746	28.4	0.06	240,261	21.3	0.05	190,947	19.4	0.05
Alabama	51,642	345.2	1.60	11,431	74.5	0.71	9,280	57.7	0.62	4,866	32.4	0.49	3,577	21.3	0.37	3,275	22.6	0.42
Alaska	5,415	285.7	3.98	1,288	65.4	1.85	692	36.1	1.39	461	23.9	1.14	394	20.9	1.07	239	12.9	0.85
Arizona	66,555	272.1	1.13	13,279	54.4	0.49	9,274	33.5	0.37	6,171	24.8	0.33	5,345	18.5	0.27	4,112	16.8	0.28
Arkansas	35,733	340.6	1.91	7,998	74.6	0.86	6,865	61.0	0.76	3,339	31.7	0.58	2,544	21.5	0.45	1,832	17.7	0.44
California	325,476	306.8	0.56	76,018	72.9	0.27	33,462	29.0	0.16	28,912	26.6	0.16	22,430	18.7	0.13	23,188	21.5	0.15
CA: Greater California	197,609	309.8	0.73	45,347	71.9	0.34	21,845	31.4	0.22	17,503	26.9	0.21	13,706	18.9	0.17	14,427	22.3	0.19
CA: Greater Bay Area	58,344	323.3	1.40	14,812	83.3	0.70	5,124	25.8	0.38	4,657	25.0	0.38	3,988	19.5	0.32	5,104	27.9	0.40
CA: Los Angeles	69,366	286.4	1.13	15,809	67.7	0.55	6,476	25.1	0.32	6,743	27.0	0.34	4,731	17.6	0.27	3,653	14.6	0.25
Colorado	49,927	284.4	1.31	12,129	68.3	0.63	5,183	27.6	0.39	4,217	23.5	0.37	3,447	18.0	0.31	3,391	19.5	0.34
Connecticut	45,050	342.3	1.73	10,261	79.3	0.80	5,968	41.4	0.56	3,709	27.1	0.47	4,125	27.4	0.45	2,456	18.6	0.40
Delaware	11,741	374.9	3.71	2,837	90.2	1.74	1,699	49.4	1.26	863	27.0	0.97	924	25.7	0.89	959	31.2	1.08
District of Columbia	2,093	254.4	5.82	539	68.9	3.00	173	20.5	1.60	148	17.0	1.44	124	14.6	1.34	122	14.2	1.32
Florida	249,665	320.0	0.71	52,312	66.8	0.31	39,120	45.2	0.25	21,501	26.9	0.20	18,793	19.7	0.16	16,379	20.6	0.18
Georgia	85,652	348.1	1.23	18,972	76.0	0.56	13,582	52.0	0.45	7,439	29.9	0.35	5,651	21.2	0.29	7,091	29.2	0.36
Hawaii	6,123	343.3	4.74	1,145	60.1	1.81	635	32.4	1.31	502	28.0	1.30	422	20.9	1.04	875	50.0	1.80
Idaho	18,766	306.2	2.34	4,820	77.3	1.14	2,159	32.1	0.71	1,547	25.0	0.66	1,437	21.1	0.58	1,303	22.1	0.64
Illinois	136,045	337.3	0.96	30,909	77.6	0.45	20,202	46.6	0.34	13,241	31.6	0.29	10,174	22.6	0.23	6,768	17.0	0.22
Indiana	74,239	322.2	1.24	14,560	62.5	0.53	13,369	54.7	0.49	7,241	30.6	0.37	5,443	21.4	0.30	3,328	14.7	0.27
Iowa	43,350	345.3	1.77	9,613	76.5	0.80	6,437	47.1	0.62	4,177	32.1	0.53	3,114	21.6	0.41	2,325	19.5	0.43
Kansas	34,756	336.0	1.90	8,261	79.7	0.90	4,864	43.4	0.65	3,125	29.5	0.56	2,608	22.2	0.46	1,979	19.5	0.46
Kentucky	62,328	388.4	1.62	11,986	72.8	0.68	12,432	73.1	0.67	6,202	38.2	0.50	4,125	23.4	0.37	3,339	21.4	0.38
Louisiana	46,473	375.0	1.82	11,177	89.3	0.86	6,992	52.7	0.65	4,295	34.2	0.54	3,017	22.3	0.42	2,436	20.2	0.43
Maine	20,908	339.6	2.54	4,345	68.4	1.06	3,441	51.6	0.92	1,694	27.0	0.70	1,869	26.9	0.65	1,106	18.4	0.60
Maryland	50,790	328.0	1.53	12,310	80.1	0.73	6,628	39.7	0.51	4,077	25.7	0.42	4,070	23.2	0.38	3,911	25.6	0.43
Massachusetts	78,379	331.7	1.26	17,890	76.5	0.58	10,935	42.3	0.42	6,549	26.5	0.34	6,383	23.9	0.31	4,072	17.2	0.28
Michigan	115,827	327.8	1.02	27,917	78.3	0.48	17,453	45.6	0.36	9,560	26.2	0.28	9,118	22.8	0.25	5,473	16.0	0.23
MI: Metropolitan Detroit	43,185	374.9	1.91	11,099	96.9	0.94	6,096	48.8	0.65	3,393	28.3	0.51	3,468	27.0	0.48	1,978	17.5	0.42
Mississippi	28,608	361.3	2.25	6,278	77.7	1.00	5,169	60.1	0.87	2,787	35.1	0.69	1,826	20.7	0.50	1,633	21.5	0.56
Missouri	72,020	330.4	1.30	14,865	68.1	0.57	12,714	54.0	0.50	6,934	30.9	0.39	4,929	20.0	0.30	3,766	17.8	0.31

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	13,880	314.5	2.86	3,598	78.7	1.34	1,679	33.7	0.86	1,248	28.0	0.84	1,017	20.1	0.66	853	20.6	0.76
Nebraska	22,810	330.4	2.32	5,514	79.4	1.10	3,199	42.6	0.79	2,223	31.1	0.69	1,661	21.0	0.55	1,055	16.0	0.52
New Hampshire	19,244	347.0	2.64	4,909	87.2	1.26	2,539	42.1	0.86	1,461	25.7	0.70	1,681	27.4	0.69	1,149	20.7	0.64
New Jersey	101,292	358.8	1.20	25,269	90.9	0.59	12,201	39.6	0.38	8,838	30.0	0.34	8,005	24.7	0.29	6,053	21.3	0.29
New York	216,063	364.5	0.83	51,944	88.5	0.40	27,825	43.2	0.27	17,872	28.9	0.23	17,475	25.8	0.21	10,686	18.1	0.19
North Carolina	101,152	340.4	1.12	22,783	75.5	0.51	16,911	52.8	0.42	7,997	26.7	0.31	7,216	21.8	0.27	7,191	24.7	0.30
North Dakota	9,219	334.0	3.71	2,357	86.0	1.83	1,238	39.9	1.20	949	34.3	1.18	667	20.9	0.87	461	18.3	0.90
Ohio	136,148	325.0	0.93	29,179	69.0	0.41	22,969	51.1	0.35	12,822	29.6	0.27	10,594	22.3	0.23	7,012	17.2	0.22
Oklahoma	40,691	317.4	1.66	8,690	66.4	0.73	7,147	51.6	0.63	3,827	29.7	0.50	2,839	19.8	0.39	2,071	16.3	0.38
Oregon	47,711	307.9	1.49	10,983	69.2	0.67	6,278	36.6	0.48	4,003	25.3	0.42	3,765	21.1	0.36	3,267	21.9	0.41
Pennsylvania	172,302	350.3	0.91	36,818	75.2	0.40	25,243	46.8	0.31	15,804	30.8	0.26	14,561	25.7	0.23	9,156	18.9	0.21
Rhode Island	13,456	340.3	3.13	2,837	73.1	1.40	2,029	46.8	1.09	1,052	25.3	0.83	1,199	26.5	0.81	753	19.5	0.76
South Carolina	49,089	334.0	1.59	10,631	70.1	0.69	8,286	52.4	0.59	3,996	27.5	0.46	3,626	21.9	0.38	3,393	23.7	0.43
South Dakota	10,720	328.0	3.40	2,680	82.1	1.63	1,459	39.3	1.09	1,079	32.0	1.04	756	19.9	0.78	553	18.4	0.83
Tennessee	77,057	351.5	1.33	17,485	77.4	0.60	14,007	59.6	0.52	6,513	29.4	0.38	5,152	21.1	0.30	4,166	19.5	0.32
Texas	224,338	305.3	0.66	47,193	64.0	0.30	30,883	39.6	0.23	21,976	29.5	0.20	12,834	16.0	0.15	9,431	12.7	0.13
Utah	24,457	305.7	2.01	7,076	90.2	1.09	1,631	19.3	0.49	1,840	22.7	0.54	1,492	17.0	0.46	2,585	32.0	0.65
Vermont	8,917	322.2	3.62	1,940	67.2	1.55	1,291	43.2	1.24	706	24.9	0.98	685	22.4	0.89	702	25.7	1.03
Virginia	70,955	292.0	1.14	15,834	64.9	0.52	11,222	43.2	0.42	6,215	25.1	0.33	4,984	18.5	0.27	4,263	17.4	0.28
Washington	79,228	328.4	1.22	19,294	79.2	0.58	10,010	38.1	0.39	6,233	25.4	0.33	5,771	21.2	0.29	5,115	21.9	0.32
WA: Seattle/Puget Sound	54,837	348.0	1.55	13,649	86.0	0.75	6,542	38.3	0.49	4,175	26.1	0.42	3,947	22.3	0.37	3,854	25.1	0.42
West Virginia	28,458	348.3	2.20	5,725	67.0	0.90	5,471	62.5	0.88	2,820	33.9	0.67	2,134	23.6	0.53	1,339	16.9	0.49
Wisconsin	74,129	331.2	1.29	17,573	78.5	0.61	9,791	40.3	0.42	6,101	26.3	0.35	5,738	22.7	0.32	3,912	18.0	0.30
Wyoming	6,803	300.7	3.80	1,790	77.1	1.85	722	29.2	1.11	614	26.7	1.12	520	21.2	0.96	423	19.3	0.99

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,168,903	295.7	0.18	919,063	89.7	0.10	426,857	34.3	0.06	264,042	21.2	0.05	201,669	19.7	0.05	140,681	18.3	0.05
Alabama	45,391	282.1	1.47	13,184	84.7	0.79	6,850	37.3	0.48	4,052	22.7	0.40	2,187	14.0	0.32	1,331	11.7	0.34
Alaska	4,827	279.2	4.14	1,558	88.9	2.30	573	31.6	1.35	392	21.7	1.13	348	19.7	1.07	200	13.3	0.96
Arizona	65,962	263.2	1.13	19,729	82.2	0.63	8,716	28.2	0.33	5,372	18.5	0.28	3,778	16.0	0.27	3,520	20.2	0.36
Arkansas	30,737	278.6	1.76	8,495	79.5	0.93	5,180	41.2	0.61	2,858	23.0	0.48	1,687	16.2	0.42	1,014	13.0	0.43
California	321,201	279.6	0.53	98,648	90.0	0.30	33,786	24.7	0.14	26,344	20.2	0.14	20,725	19.0	0.14	14,394	16.2	0.14
CA: Greater California	192,617	281.9	0.69	59,165	90.6	0.39	21,946	27.0	0.20	15,712	20.2	0.18	11,829	18.2	0.17	8,449	16.3	0.18
CA: Greater Bay Area	56,383	291.5	1.34	17,509	96.0	0.76	5,664	23.7	0.34	4,489	20.4	0.34	3,748	20.0	0.34	2,112	14.8	0.34
CA: Los Angeles	72,089	265.3	1.05	21,949	84.4	0.59	6,166	19.3	0.27	6,134	20.1	0.28	5,148	20.3	0.29	3,832	17.1	0.28
Colorado	51,019	273.2	1.29	16,336	89.9	0.73	5,397	24.9	0.36	3,947	18.5	0.32	3,100	16.8	0.31	2,884	19.8	0.38
Connecticut	47,094	323.2	1.68	14,030	102.6	0.94	6,255	36.1	0.50	3,662	20.9	0.40	3,108	21.9	0.41	2,427	24.5	0.53
Delaware	10,845	328.6	3.56	3,091	96.0	1.88	1,626	41.5	1.11	788	20.3	0.82	714	22.3	0.89	444	20.6	1.04
District of Columbia	2,211	265.6	6.05	816	103.8	3.78	191	20.3	1.56	145	16.2	1.43	130	16.6	1.50	165	19.9	1.73
Florida	230,155	282.1	0.69	64,149	83.6	0.37	35,346	35.8	0.21	19,377	19.9	0.17	13,217	17.1	0.16	7,948	15.4	0.19
Georgia	78,573	296.3	1.13	23,143	89.3	0.61	10,946	36.3	0.36	6,273	21.6	0.29	4,112	15.9	0.26	3,212	15.9	0.29
Hawaii	4,842	322.5	5.21	1,523	104.1	2.88	488	27.1	1.30	380	22.6	1.29	275	17.6	1.12	184	17.5	1.38
Idaho	17,446	283.3	2.31	5,131	85.4	1.26	2,074	29.0	0.67	1,377	20.0	0.59	1,068	18.2	0.58	934	20.7	0.70
Illinois	136,743	307.4	0.91	39,801	94.3	0.50	18,722	36.5	0.29	11,910	22.6	0.23	9,343	22.3	0.24	6,171	19.1	0.25
Indiana	75,131	298.3	1.19	20,890	86.4	0.64	11,212	39.7	0.40	6,930	23.6	0.32	4,983	20.6	0.31	2,778	15.3	0.31
Iowa	41,119	306.6	1.72	11,233	88.7	0.91	5,236	33.6	0.51	4,009	23.6	0.44	2,954	23.5	0.46	1,513	16.9	0.46
Kansas	32,702	296.6	1.82	9,341	88.0	0.98	4,233	33.2	0.55	2,863	22.1	0.47	1,928	18.3	0.44	1,630	20.5	0.53
Kentucky	58,525	334.0	1.50	15,170	89.5	0.77	10,362	53.3	0.55	5,293	26.9	0.40	3,280	19.8	0.36	2,349	18.4	0.40
Louisiana	39,443	299.3	1.66	11,185	87.2	0.88	5,592	37.0	0.53	3,625	24.9	0.45	1,724	13.8	0.35	1,786	18.3	0.46
Maine	20,686	314.9	2.47	5,655	90.6	1.30	3,146	41.3	0.79	1,612	20.9	0.59	1,488	23.5	0.64	787	18.3	0.71
Maryland	50,740	302.7	1.48	15,248	95.0	0.82	6,781	34.3	0.45	3,831	19.8	0.36	3,299	20.4	0.37	2,419	20.4	0.44
Massachusetts	85,309	317.3	1.21	25,550	100.6	0.67	12,209	39.1	0.38	6,590	20.5	0.29	5,736	22.2	0.31	4,530	24.1	0.38
Michigan	110,879	295.6	0.99	31,272	87.1	0.53	16,130	37.1	0.31	8,910	20.1	0.24	7,957	22.0	0.26	4,451	17.3	0.28
MI: Metropolitan Detroit	41,541	325.3	1.79	11,601	95.1	0.95	6,128	41.1	0.57	3,322	21.6	0.43	2,897	23.9	0.47	1,965	22.4	0.54
Mississippi	24,435	291.8	2.08	6,624	81.6	1.08	3,868	40.7	0.70	2,318	24.5	0.56	1,117	14.1	0.45	884	15.1	0.54
Missouri	70,484	297.9	1.24	20,383	90.3	0.68	11,178	41.5	0.42	6,183	22.2	0.32	4,417	19.7	0.31	2,539	15.2	0.32

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	12,598	291.3	2.91	3,674	88.0	1.57	1,660	31.5	0.83	1,026	20.5	0.72	805	18.7	0.71	523	18.2	0.86
Nebraska	21,321	289.7	2.21	6,197	88.6	1.21	2,683	31.6	0.67	2,051	23.0	0.58	1,406	20.5	0.58	897	17.6	0.62
New Hampshire	19,044	323.7	2.58	5,809	102.1	1.42	2,689	40.2	0.82	1,447	20.8	0.61	1,432	24.8	0.68	804	19.2	0.73
New Jersey	103,380	325.7	1.14	29,252	98.1	0.62	12,939	34.5	0.33	8,916	23.0	0.28	7,387	24.3	0.30	5,534	25.2	0.36
New York	218,024	329.3	0.79	60,373	97.1	0.42	28,724	37.1	0.24	17,454	21.8	0.19	15,073	23.8	0.20	11,540	25.1	0.25
North Carolina	96,327	297.2	1.05	28,898	92.3	0.58	14,046	37.6	0.34	7,335	20.4	0.26	5,696	18.1	0.25	3,771	16.1	0.28
North Dakota	8,055	287.5	3.61	2,281	87.6	2.01	969	30.2	1.06	823	24.5	0.98	502	18.8	0.90	398	20.3	1.08
Ohio	136,031	297.7	0.90	38,759	87.9	0.48	19,820	38.0	0.29	11,855	21.7	0.23	9,611	22.0	0.24	5,832	18.5	0.26
Oklahoma	38,075	279.4	1.58	10,765	81.2	0.84	5,755	37.0	0.52	3,438	22.4	0.42	2,021	15.7	0.37	1,414	14.5	0.41
Oregon	47,571	293.0	1.49	14,307	91.0	0.81	6,366	32.6	0.44	3,615	18.9	0.35	3,141	20.2	0.38	1,818	16.1	0.40
Pennsylvania	172,614	321.5	0.89	47,785	93.6	0.47	22,299	35.3	0.26	15,001	22.5	0.22	12,590	24.7	0.23	9,230	26.0	0.29
Rhode Island	14,656	326.3	3.05	4,066	96.5	1.64	2,155	41.3	0.98	1,185	21.0	0.71	1,054	24.2	0.80	723	23.6	0.93
South Carolina	45,440	295.3	1.53	13,779	91.8	0.84	6,664	37.3	0.49	3,606	21.0	0.39	2,449	16.6	0.35	1,709	15.8	0.41
South Dakota	9,947	297.1	3.39	2,951	93.5	1.89	1,222	31.5	0.99	970	23.0	0.86	676	21.6	0.89	386	17.2	0.93
Tennessee	70,715	299.3	1.23	20,059	87.3	0.65	11,096	41.6	0.42	6,085	22.8	0.32	3,959	17.5	0.29	2,852	16.8	0.33
Texas	214,004	267.8	0.61	62,605	81.0	0.34	25,241	27.8	0.18	17,579	20.1	0.16	12,211	16.2	0.15	10,162	15.7	0.16
Utah	22,134	265.8	1.86	6,730	82.3	1.04	1,375	14.8	0.42	1,583	17.5	0.47	1,545	19.2	0.50	1,781	24.7	0.59
Vermont	8,845	304.8	3.60	2,614	94.6	1.98	1,250	37.4	1.13	701	19.5	0.83	708	24.7	0.97	308	16.0	0.98
Virginia	72,949	279.4	1.12	23,025	91.7	0.64	9,913	33.0	0.35	5,839	19.5	0.28	4,663	18.1	0.28	3,238	17.1	0.31
Washington	77,210	307.2	1.20	23,797	98.0	0.67	9,767	32.9	0.35	5,767	20.3	0.29	4,782	19.4	0.29	3,089	16.8	0.32
WA: Seattle/Puget Sound	53,018	320.0	1.51	16,502	103.1	0.84	6,476	32.9	0.44	3,853	20.8	0.37	3,287	20.1	0.36	2,080	17.0	0.39
West Virginia	26,775	315.1	2.16	6,848	82.8	1.08	4,305	44.1	0.72	2,578	25.7	0.57	1,870	23.7	0.58	1,184	20.2	0.63
Wisconsin	70,744	300.1	1.26	20,523	91.7	0.69	9,116	33.8	0.38	5,673	19.7	0.30	5,071	22.3	0.33	2,695	16.6	0.34
Wyoming	5,945	271.8	3.80	1,781	82.5	2.07	706	27.9	1.11	474	19.3	0.95	342	16.1	0.91	299	18.4	1.11

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

NAACCR U.S. Combined Incidence 2010-2014, The Black Population



Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2010-2014, Black

SITES	Count	MALES (BLACK)				FEMALES (BLACK)				
		Adj. Rate	Adj. Rate	Adj. Rate	Adj. Rate	Count	2000 U.S.	S.E.	World	S.E.
		2000 U.S.	S.E.	World	S.E.					
All Sites (invasive & in situ bladder)	432,930	550.2	0.90	377.5	0.58	418,018	400.2	0.63	279.7	0.45
Oral Cavity & Pharynx	12,501	14.5	0.14	10.8	0.10	5,489	5.1	0.07	3.7	0.05
Lip	92	0.1	0.01	0.1	0.01	67	0.1	0.01	0.0	0.01
Tongue	2,875	3.3	0.07	2.5	0.05	1,160	1.1	0.03	0.8	0.02
Major salivary gland	960	1.2	0.04	0.8	0.03	1,113	1.0	0.03	0.8	0.02
Floor of mouth	743	0.9	0.03	0.6	0.02	302	0.3	0.02	0.2	0.01
Gum & other mouth	1,478	1.8	0.05	1.3	0.03	1,079	1.0	0.03	0.7	0.02
Nasopharynx	898	1.0	0.03	0.8	0.03	380	0.4	0.02	0.3	0.01
Oropharynx	999	1.2	0.04	0.9	0.03	318	0.3	0.02	0.2	0.01
Hypopharynx	1,513	1.8	0.05	1.3	0.03	303	0.3	0.02	0.2	0.01
Digestive System	94,069	121.0	0.42	80.9	0.27	82,760	80.5	0.29	52.3	0.19
Esophagus	5,558	7.1	0.10	4.8	0.07	2,380	2.3	0.05	1.5	0.03
Stomach	10,118	14.1	0.15	8.7	0.09	7,724	7.7	0.09	4.7	0.06
Small intestine	3,318	4.3	0.08	2.9	0.05	3,347	3.2	0.06	2.2	0.04
Colon excl. rectum	30,187	40.6	0.25	25.9	0.15	32,498	31.7	0.18	20.5	0.12
Rectum & rectosigmoid	11,921	14.7	0.14	10.2	0.09	9,803	9.2	0.09	6.5	0.07
Anus, anal canal & anorectum	1,694	1.9	0.05	1.5	0.04	1,845	1.7	0.04	1.2	0.03
Liver	14,693	16.0	0.14	12.6	0.11	4,700	4.3	0.06	3.1	0.05
Gallbladder	926	1.4	0.05	0.8	0.03	2,066	2.0	0.05	1.3	0.03
Pancreas	12,593	16.9	0.16	10.8	0.10	14,447	14.4	0.12	8.8	0.08
Respiratory System	70,577	95.5	0.39	61.1	0.23	52,541	51.4	0.23	33.4	0.15
Larynx	6,871	8.5	0.11	5.9	0.07	1,828	1.7	0.04	1.2	0.03
Lung & bronchus	62,847	85.9	0.37	54.4	0.22	50,098	49.1	0.22	31.8	0.15
Bones & Joints	831	0.9	0.03	0.8	0.03	761	0.7	0.03	0.6	0.02
Soft Tissue (incl. heart)	3,078	3.6	0.07	2.8	0.05	3,371	3.2	0.06	2.5	0.05
Skin (excl. basal & sq.)	1,655	2.1	0.06	1.5	0.04	1,862	1.8	0.04	1.3	0.03
Melanomas of the skin	828	1.1	0.04	0.7	0.03	981	1.0	0.03	0.6	0.02
Breast (excl. <i>in situ</i>)	1,387	1.9	0.05	1.2	0.03	130,554	123.0	0.35	89.6	0.25
Female Genital System	-	-	-	-	-	50,442	47.4	0.22	34.6	0.16
Cervix uteri	-	-	-	-	-	9,792	9.3	0.10	7.1	0.07
Uterus Corpus	-	-	-	-	-	25,323	23.5	0.15	17.3	0.11
Uterus, NOS ¹	-	-	-	-	-	1,802	1.7	0.04	1.2	0.03
Ovary	-	-	-	-	-	9,641	9.2	0.10	6.5	0.07
Male Genital System	152,688	186.3	0.51	134.1	0.35	-	-	-	-	-
Prostate	150,353	183.6	0.50	132.0	0.34	-	-	-	-	-
Testis	1,464	1.5	0.04	1.3	0.04	-	-	-	-	-
Penis	690	1.0	0.04	0.6	0.02	-	-	-	-	-
Urinary System	33,598	44.5	0.26	29.2	0.16	20,140	19.7	0.14	13.1	0.10
Bladder (incl. <i>in situ</i>)	13,090	19.5	0.18	11.3	0.10	6,440	6.6	0.08	3.8	0.05
Kidney & renal pelvis	19,982	24.2	0.18	17.5	0.13	13,230	12.6	0.11	9.1	0.08
Ureter	207	0.3	0.02	0.2	0.01	187	0.2	0.01	0.1	0.01
Eye & Orbit	250	0.3	0.02	0.3	0.02	252	0.2	0.01	0.3	0.02
Brain & Other Nervous System	4,269	4.8	0.08	4.0	0.06	3,769	3.5	0.06	3.1	0.05
Brain	3,928	4.4	0.08	3.7	0.06	3,359	3.1	0.05	2.7	0.05
Endocrine System	4,177	4.8	0.08	3.7	0.06	15,690	14.5	0.12	11.7	0.10
Thyroid gland	3,272	3.8	0.07	2.9	0.05	14,716	13.6	0.11	10.9	0.09
Lymphomas	16,841	20.0	0.16	14.8	0.12	15,024	14.3	0.12	10.6	0.09
Hodgkin Lymphoma	3,042	3.1	0.06	2.8	0.05	2,542	2.3	0.05	2.1	0.04
Non-Hodgkin Lymphoma	13,799	16.9	0.15	12.1	0.10	12,482	12.0	0.11	8.5	0.08
Multiple Myeloma	11,309	15.4	0.16	9.8	0.09	11,556	11.4	0.11	7.3	0.07
Leukemias	10,423	13.5	0.14	9.4	0.09	8,983	8.7	0.09	6.3	0.07
Acute lymphocytic	1,191	1.1	0.03	1.3	0.04	925	0.8	0.03	0.9	0.03
Chronic lymphocytic	3,176	4.4	0.08	2.7	0.05	2,327	2.3	0.05	1.4	0.03
Acute myeloid	3,142	4.1	0.08	2.8	0.05	3,189	3.1	0.06	2.2	0.04
Chronic myeloid	1,638	2.0	0.05	1.4	0.04	1,432	1.4	0.04	1.0	0.03
Other leukemias	1,276	1.7	0.05	1.1	0.03	1,110	1.1	0.03	0.7	0.02
Mesothelioma	564	0.9	0.04	0.5	0.02	232	0.2	0.02	0.1	0.01
Kaposi Sarcoma	1,497	1.6	0.04	1.4	0.04	165	0.2	0.01	0.1	0.01
Ill-defined & Unknown	13,216	18.8	0.18	11.4	0.10	14,427	14.5	0.12	8.7	0.08
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	6,525	8.1	0.11	5.8	0.07	15,224	14.6	0.12	10.4	0.09
Breast (<i>in situ</i>)	202	0.2	0.02	0.2	0.01	34,037	31.7	0.17	23.7	0.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	432,930	377.5	0.58	150,353	132.0	0.34	62,847	54.4	0.22	42,108	36.1	0.18	19,982	17.5	0.13	15,443	13.3	0.11
Alabama	14,445	390.4	3.29	5,176	139.0	1.95	2,327	62.1	1.30	1,544	41.5	1.07	620	17.0	0.69	365	9.6	0.51
Alaska	219	302.3	21.59	88	121.1	13.62	27	41.2	8.13	21	28.7	6.54	8	10.1	3.80	9	11.9	4.34
Arizona	2,124	265.3	5.85	663	84.2	3.32	297	38.0	2.24	197	23.7	1.72	128	15.7	1.42	84	10.5	1.17
Arkansas	5,114	405.4	5.75	1,672	132.5	3.28	969	76.2	2.48	510	40.3	1.81	208	16.8	1.18	138	10.5	0.91
California	27,798	346.5	2.11	9,685	121.9	1.26	3,411	41.9	0.73	2,764	33.8	0.65	1,339	16.7	0.46	1,090	13.8	0.42
CA: Greater California	11,078	333.5	3.23	3,891	118.1	1.93	1,355	41.6	1.15	1,116	33.2	1.01	553	16.3	0.70	442	13.3	0.64
CA: Greater Bay Area	6,045	370.2	4.84	2,071	127.3	2.83	773	46.2	1.69	531	31.5	1.39	293	18.0	1.07	291	17.9	1.06
CA: Los Angeles	10,663	348.3	3.44	3,717	123.0	2.05	1,280	40.0	1.14	1,116	35.8	1.09	492	16.5	0.76	357	12.0	0.64
Colorado	2,021	309.3	7.05	696	108.1	4.20	223	35.3	2.43	201	30.3	2.20	105	15.9	1.59	100	14.9	1.52
Connecticut	3,779	358.4	5.91	1,351	130.5	3.59	465	44.1	2.07	347	31.8	1.73	172	16.0	1.24	111	10.6	1.02
Delaware	2,361	407.2	8.45	926	160.0	5.29	294	49.8	2.93	184	31.2	2.32	124	21.2	1.92	84	14.4	1.58
District of Columbia	4,621	427.4	6.48	1,461	133.3	3.55	685	60.8	2.37	454	40.8	1.97	198	18.6	1.36	255	23.7	1.52
Florida	29,403	329.0	1.94	10,680	121.1	1.18	3,787	41.7	0.69	2,940	32.3	0.60	1,098	12.4	0.38	838	9.3	0.33
Georgia	29,883	387.6	2.27	10,901	142.2	1.38	4,073	53.8	0.85	3,016	38.4	0.71	1,302	16.7	0.47	813	10.2	0.36
Hawaii	258	316.9	20.60	104	126.4	12.83	21	26.3	5.89	26	30.9	6.38	10	11.5	3.93	12	14.5	4.31
Idaho	70	255.5	32.30	26	92.0	18.85	6	21.1	9.14	-	-	-	-	-	-	8	29.1	11.10
Illinois	21,655	396.6	2.73	6,996	129.5	1.57	3,485	62.6	1.08	2,406	43.3	0.90	1,043	19.3	0.61	661	12.2	0.48
Indiana	5,702	351.2	4.72	1,616	100.6	2.54	982	60.5	1.96	577	35.4	1.49	322	20.0	1.13	223	13.9	0.94
Iowa	758	363.2	13.69	220	111.7	7.77	124	61.4	5.71	75	32.6	3.89	45	19.9	3.09	35	15.6	2.71
Kansas	1,901	393.2	9.20	630	132.5	5.39	317	65.1	3.73	190	38.7	2.87	84	17.4	1.94	65	13.5	1.70
Kentucky	4,072	410.7	6.55	1,158	118.8	3.55	733	73.8	2.78	415	40.9	2.04	236	23.9	1.58	142	13.8	1.18
Louisiana	18,001	432.1	3.26	5,907	141.8	1.86	2,978	70.5	1.31	1,914	45.6	1.05	798	19.7	0.71	676	15.8	0.61
Maine	114	284.5	27.68	36	94.7	16.34	8	23.7	8.51	7	15.3	6.06	-	-	-	7	17.0	6.66
Maryland	18,761	366.4	2.71	7,160	139.8	1.67	2,365	45.7	0.95	1,660	31.9	0.79	805	15.7	0.56	759	14.3	0.52
Massachusetts	4,798	343.3	5.03	1,853	135.8	3.20	526	37.5	1.66	408	28.1	1.41	192	13.7	1.00	204	14.2	1.01
Michigan	17,191	411.6	3.18	5,903	142.7	1.88	2,615	61.4	1.22	1,551	36.3	0.94	927	22.5	0.75	657	15.7	0.62
MI: Metropolitan Detroit	13,084	445.8	3.96	4,594	157.4	2.35	1,934	63.9	1.48	1,191	39.7	1.17	705	24.5	0.94	510	17.3	0.77
Mississippi	12,815	423.8	3.79	4,356	144.1	2.21	2,264	74.3	1.58	1,479	48.4	1.27	601	20.1	0.83	229	7.3	0.49
Missouri	7,608	391.1	4.55	2,237	116.3	2.49	1,342	68.8	1.91	748	37.9	1.41	362	18.7	1.00	369	18.6	0.98

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD3		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	50	372.0	56.30	17	142.5	36.42	9	72.1	25.07	-	-	-	-	-	-	-	-	-
Nebraska	909	415.9	14.14	310	148.4	8.63	125	57.2	5.25	107	49.4	4.91	54	23.5	3.27	36	16.5	2.82
New Hampshire	138	284.2	24.89	52	108.6	15.44	12	26.2	7.77	15	30.3	8.13	6	12.4	5.16	7	14.1	5.46
New Jersey	13,468	363.3	3.17	5,172	140.8	1.98	1,622	43.3	1.09	1,253	33.1	0.95	610	16.5	0.68	409	10.9	0.55
New York	38,712	387.6	1.99	15,490	156.2	1.27	4,217	41.3	0.64	3,371	32.9	0.57	1,574	16.0	0.41	1,419	14.4	0.39
North Carolina	24,679	392.4	2.52	8,576	135.7	1.48	4,030	63.7	1.01	2,232	35.2	0.75	1,120	18.1	0.55	737	11.3	0.42
North Dakota	48	250.2	40.33	14	79.1	23.27	7	48.7	20.06	6	35.0	14.88	-	-	-	-	-	-
Ohio	15,808	368.7	2.99	5,272	124.2	1.74	2,660	61.2	1.21	1,459	33.0	0.88	770	18.4	0.67	607	14.2	0.58
Oklahoma	3,182	391.1	7.03	1,082	134.2	4.14	527	65.6	2.90	298	35.8	2.10	144	17.5	1.48	99	11.9	1.21
Oregon	819	342.1	12.19	263	110.1	6.92	119	50.4	4.70	75	32.5	3.82	44	16.8	2.59	50	21.4	3.08
Pennsylvania	16,633	406.2	3.20	5,209	128.4	1.80	2,506	60.6	1.23	1,475	35.0	0.93	905	22.4	0.75	915	22.4	0.75
Rhode Island	578	290.9	12.40	181	93.1	7.08	75	38.4	4.52	43	22.3	3.47	24	11.5	2.41	22	10.0	2.16
South Carolina	15,464	386.3	3.14	5,431	134.8	1.84	2,373	58.1	1.20	1,464	36.4	0.96	641	16.4	0.66	388	9.5	0.49
South Dakota	65	203.4	26.64	10	27.7	9.07	8	23.7	8.82	7	25.0	9.86	6	19.3	8.14	-	-	-
Tennessee	11,230	385.7	3.69	3,743	129.2	2.14	1,900	65.5	1.52	1,094	37.3	1.14	504	17.2	0.78	384	12.5	0.65
Texas	29,896	361.2	2.12	9,029	109.9	1.18	4,573	56.5	0.85	3,236	38.5	0.69	1,514	18.2	0.47	1,516	17.7	0.46
Utah	245	346.2	24.11	89	136.9	15.61	24	38.6	8.31	29	36.9	7.58	14	20.2	5.93	16	24.2	6.56
Vermont	35	199.6	35.51	14	79.4	22.24	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	17,922	368.4	2.79	6,428	132.5	1.67	2,676	54.3	1.07	1,601	32.2	0.82	902	18.9	0.64	545	11.0	0.48
Washington	2,772	351.0	6.87	936	119.5	4.02	315	42.6	2.46	225	28.1	1.94	165	20.3	1.63	140	17.6	1.53
WA: Seattle/Puget Sound	2,520	365.3	7.49	865	126.2	4.42	286	44.8	2.71	199	28.3	2.08	145	20.3	1.74	134	19.5	1.73
West Virginia	859	368.2	12.79	282	120.6	7.32	134	59.1	5.19	92	38.7	4.09	46	19.5	2.92	38	15.9	2.65
Wisconsin	3,914	467.1	7.64	1,243	150.4	4.36	606	75.6	3.14	375	44.1	2.33	193	21.9	1.61	172	20.2	1.58
Wyoming	32	112.3	20.44	9	35.0	11.78	-	-	-	6	18.9	8.24	-	-	-	-	-	-

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	418,018	279.7	0.45	130,554	89.6	0.25	50,098	31.8	0.15	42,301	26.9	0.14	27,125	18.5	0.11	14,716	10.9	0.09
Alabama	12,936	265.9	2.43	4,314	91.8	1.43	1,313	25.3	0.72	1,508	28.9	0.78	750	15.3	0.57	339	7.8	0.43
Alaska	157	236.9	19.29	61	94.0	12.28	11	19.8	6.03	12	17.4	5.08	-	-	-	9	11.8	3.97
Arizona	1,989	232.3	5.28	625	73.8	2.98	235	27.8	1.84	193	22.0	1.61	134	16.3	1.42	116	13.6	1.28
Arkansas	4,361	273.4	4.28	1,332	85.2	2.40	543	32.8	1.46	511	31.0	1.43	252	16.2	1.04	114	8.0	0.76
California	25,892	270.2	1.74	8,312	88.7	1.00	3,113	30.7	0.57	2,680	26.4	0.53	1,715	18.5	0.45	797	9.3	0.34
CA: Greater California	9,490	257.5	2.70	3,092	84.9	1.55	1,119	29.4	0.90	959	25.1	0.83	589	16.7	0.70	337	9.6	0.53
CA: Greater Bay Area	5,409	283.4	4.02	1,691	91.3	2.29	702	34.3	1.35	563	27.7	1.22	362	19.4	1.04	107	6.4	0.63
CA: Los Angeles	10,989	276.3	2.77	3,529	90.9	1.58	1,291	30.2	0.87	1,158	27.1	0.84	764	19.9	0.74	353	10.3	0.57
Colorado	1,647	241.5	6.09	555	82.6	3.56	185	26.7	2.02	149	21.0	1.78	88	12.9	1.42	81	12.4	1.39
Connecticut	3,847	269.4	4.45	1,191	84.3	2.48	408	27.4	1.39	360	24.1	1.30	274	19.9	1.22	182	13.7	1.02
Delaware	2,212	295.1	6.43	696	93.5	3.60	278	34.7	2.13	184	23.7	1.79	158	21.3	1.72	95	13.9	1.44
District of Columbia	4,922	329.3	5.11	1,451	100.4	2.82	626	37.6	1.62	508	32.1	1.54	387	25.8	1.38	174	14.5	1.16
Florida	27,785	249.1	1.54	8,474	77.7	0.86	2,677	22.8	0.45	2,776	23.6	0.46	2,052	18.9	0.42	973	9.5	0.31
Georgia	29,098	275.6	1.65	9,650	91.5	0.94	2,877	26.8	0.51	3,061	28.2	0.52	1,863	17.9	0.42	932	9.2	0.31
Hawaii	131	231.4	21.12	54	92.6	13.21	11	25.5	7.87	6	9.9	4.31	6	11.0	4.65	-	-	-
Idaho	42	214.6	34.90	12	51.5	15.43	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	22,521	302.5	2.10	6,781	94.7	1.18	3,228	40.5	0.74	2,489	31.3	0.66	1,469	20.2	0.54	655	10.2	0.41
Indiana	6,152	290.3	3.81	1,928	93.8	2.18	875	39.9	1.40	625	28.1	1.17	342	16.8	0.93	154	8.0	0.65
Iowa	668	301.8	12.05	163	73.9	5.93	102	46.7	4.78	65	29.4	3.78	45	22.5	3.44	17	7.8	1.93
Kansas	1,659	294.2	7.46	488	90.3	4.18	238	39.9	2.70	153	26.0	2.19	96	17.4	1.83	77	14.7	1.70
Kentucky	3,820	307.1	5.15	1,096	91.2	2.83	643	48.7	2.00	423	32.3	1.64	200	16.8	1.22	133	12.1	1.07
Louisiana	15,759	297.5	2.44	4,975	96.3	1.40	1,858	33.3	0.79	1,863	34.0	0.81	841	16.1	0.57	531	11.3	0.50
Maine	77	239.0	28.26	18	54.1	13.21	10	31.7	10.42	-	-	-	7	24.0	9.31	-	-	-
Maryland	19,548	279.2	2.05	6,575	95.4	1.20	2,235	30.5	0.66	1,779	24.0	0.58	1,321	18.9	0.53	775	12.3	0.45
Massachusetts	4,624	255.7	3.85	1,387	77.8	2.12	504	26.9	1.24	425	22.9	1.14	296	16.8	0.99	302	17.6	1.02
Michigan	16,371	299.2	2.43	4,855	91.7	1.35	2,403	41.0	0.87	1,617	28.1	0.73	1,059	19.5	0.62	530	11.2	0.50
MI: Metropolitan Detroit	12,606	311.5	2.91	3,739	96.0	1.62	1,831	42.0	1.02	1,281	29.8	0.87	798	20.0	0.73	433	12.4	0.61
Mississippi	11,187	285.2	2.79	3,399	89.4	1.57	1,271	30.8	0.89	1,436	35.0	0.96	640	16.5	0.67	350	9.8	0.53
Missouri	8,076	311.5	3.58	2,439	96.8	2.01	1,215	44.1	1.31	788	29.0	1.07	499	19.8	0.91	228	9.8	0.66

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	19	192.1	46.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	739	294.4	11.07	216	85.6	5.95	108	44.8	4.40	71	27.7	3.37	35	14.9	2.56	31	12.2	2.21
New Hampshire	68	151.3	18.88	24	55.6	11.62	8	17.9	6.68	6	11.1	4.57	6	13.2	5.50	-	-	-
New Jersey	14,212	278.8	2.42	4,351	87.5	1.35	1,642	30.0	0.77	1,451	26.9	0.73	987	19.6	0.64	490	10.7	0.49
New York	38,608	273.5	1.45	11,487	84.1	0.81	4,031	26.4	0.43	3,680	24.2	0.42	3,148	22.6	0.41	1,602	13.0	0.33
North Carolina	23,841	285.1	1.91	7,874	96.8	1.12	2,732	31.0	0.61	2,224	25.1	0.55	1,525	18.5	0.48	826	11.1	0.39
North Dakota	27	211.2	43.86	6	42.9	17.74	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	15,521	280.5	2.36	4,751	88.8	1.33	2,429	40.8	0.87	1,454	24.8	0.68	920	17.1	0.58	603	12.8	0.53
Oklahoma	2,739	279.9	5.48	845	88.7	3.11	373	36.3	1.93	272	26.9	1.68	165	17.0	1.35	85	9.6	1.05
Oregon	619	266.3	10.93	196	86.4	6.28	78	32.6	3.80	54	21.6	3.02	38	17.3	2.86	30	13.2	2.43
Pennsylvania	17,624	320.4	2.52	4,875	91.7	1.36	2,603	44.8	0.92	1,600	27.6	0.73	1,141	21.2	0.65	841	17.9	0.62
Rhode Island	588	243.5	10.39	179	73.1	5.63	77	32.8	3.89	51	20.7	3.00	33	13.9	2.52	39	16.8	2.74
South Carolina	14,158	272.1	2.37	4,583	91.2	1.38	1,540	27.6	0.72	1,370	25.1	0.70	993	18.7	0.61	461	10.0	0.48
South Dakota	39	167.3	27.63	16	74.5	18.80	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	10,986	283.0	2.78	3,518	92.1	1.58	1,359	33.4	0.93	1,127	27.7	0.85	620	16.3	0.67	297	8.5	0.50
Texas	29,307	276.5	1.65	9,030	85.9	0.92	3,378	31.3	0.55	3,062	28.1	0.52	1,696	16.4	0.40	1,019	10.0	0.32
Utah	136	215.1	19.30	35	59.1	10.27	13	22.4	6.50	16	25.8	6.79	6	9.9	4.24	8	10.5	3.88
Vermont	23	146.9	32.30	8	51.5	18.84	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	17,037	273.5	2.17	5,844	96.5	1.29	2,015	30.0	0.69	1,710	26.1	0.66	953	15.5	0.51	541	10.0	0.44
Washington	2,034	262.7	5.96	670	87.5	3.44	222	30.0	2.08	156	20.0	1.64	103	13.4	1.35	100	12.6	1.27
WA: Seattle/Puget Sound	1,898	276.2	6.48	632	92.8	3.76	209	31.7	2.26	145	21.0	1.78	96	14.1	1.47	96	13.6	1.41
West Virginia	657	265.5	11.11	201	84.5	6.32	91	33.6	3.76	64	23.5	3.17	36	14.5	2.53	25	12.1	2.54
Wisconsin	3,525	334.9	5.74	1,003	95.6	3.06	522	50.5	2.26	308	28.7	1.67	208	20.7	1.46	130	12.0	1.07
Wyoming	30	139.7	26.68	7	36.9	14.19	-	-	-	-	-	-	-	-	-	-	-	-

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

NAACCR U.S. Combined Incidence 2010-2014, The Asian/Pacific Islander Population



Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2010-2014, Asian/Pacific Islander (API)

SITES	Count	MALES (API)				FEMALES (API)				
		Adj. Rate		Adj. Rate		Adj. Rate		Adj. Rate		
		2000 U.S.	S.E.	World	S.E.	2000 U.S.	S.E.	World	S.E.	
All Sites (invasive & in situ bladder)	102,876	302.8	0.99	195.2	0.62	128,044	287.6	0.82	201.5	0.58
Oral Cavity & Pharynx	4,207	11.2	0.18	8.0	0.12	2,232	5.0	0.11	3.5	0.08
Lip	39	0.1	0.02	0.1	0.01	30	0.1	0.01	0.0	0.01
Tongue	900	2.5	0.09	1.7	0.06	624	1.4	0.06	1.0	0.04
Major salivary gland	393	1.1	0.06	0.7	0.04	387	0.8	0.04	0.6	0.03
Floor of mouth	89	0.3	0.03	0.2	0.02	57	0.1	0.02	0.1	0.01
Gum & other mouth	652	1.8	0.07	1.2	0.05	376	0.9	0.05	0.6	0.03
Nasopharynx	1,413	3.5	0.10	2.7	0.07	547	1.1	0.05	0.9	0.04
Oropharynx	89	0.3	0.03	0.2	0.02	34	0.1	0.01	0.0	0.01
Hypopharynx	217	0.7	0.05	0.4	0.03	40	0.1	0.02	0.1	0.01
Digestive System	31,206	91.6	0.54	58.3	0.33	24,664	58.5	0.38	36.0	0.24
Esophagus	1,248	3.7	0.11	2.3	0.07	398	1.0	0.05	0.6	0.03
Stomach	4,553	14.1	0.22	8.3	0.13	3,376	8.1	0.14	4.8	0.09
Small intestine	472	1.3	0.06	0.9	0.04	404	0.9	0.05	0.6	0.03
Colon excl. rectum	7,744	23.1	0.28	14.4	0.17	7,904	18.7	0.21	11.5	0.13
Rectum & rectosigmoid	5,059	13.9	0.20	9.6	0.14	3,691	8.3	0.14	5.7	0.10
Anus, anal canal & anorectum	167	0.5	0.04	0.3	0.02	220	0.5	0.03	0.3	0.02
Liver	6,643	18.5	0.24	12.6	0.16	2,699	6.6	0.13	3.9	0.08
Gallbladder	323	1.0	0.06	0.6	0.03	640	1.5	0.06	0.9	0.04
Pancreas	3,190	10.0	0.18	5.8	0.10	3,522	8.7	0.15	4.9	0.09
Respiratory System	15,259	48.3	0.41	27.9	0.23	11,854	28.7	0.27	17.1	0.16
Larynx	740	2.2	0.08	1.4	0.05	123	0.3	0.03	0.2	0.02
Lung & bronchus	14,156	45.2	0.40	25.8	0.22	11,509	27.9	0.27	16.6	0.16
Bones & Joints	330	0.8	0.04	0.8	0.04	228	0.5	0.03	0.5	0.04
Soft Tissue (incl. heart)	1,017	2.7	0.09	2.1	0.07	925	2.1	0.07	1.7	0.06
Skin (excl. basal & sq.)	839	2.4	0.09	1.6	0.06	786	1.8	0.06	1.2	0.05
Melanomas of the skin	534	1.5	0.07	1.0	0.04	530	1.2	0.05	0.8	0.04
Breast (excl. <i>in situ</i>)	201	0.6	0.04	0.4	0.03	42,016	90.7	0.45	67.8	0.33
Female Genital System	-	-	-	-	-	16,603	35.5	0.28	26.8	0.21
Cervix uteri	-	-	-	-	-	2,839	6.0	0.11	4.6	0.09
Uterus Corpus	-	-	-	-	-	8,382	17.6	0.20	13.6	0.15
Uterus, NOS ¹	-	-	-	-	-	244	0.6	0.04	0.4	0.02
Ovary	-	-	-	-	-	4,212	9.2	0.14	6.8	0.11
Male Genital System	21,104	61.0	0.44	40.8	0.28	-	-	-	-	-
Prostate	19,972	58.4	0.43	38.5	0.28	-	-	-	-	-
Testis	893	1.9	0.06	1.9	0.06	-	-	-	-	-
Penis	146	0.4	0.04	0.3	0.02	-	-	-	-	-
Urinary System	8,667	26.7	0.30	15.9	0.17	3,819	9.1	0.15	5.6	0.10
Bladder (incl. <i>in situ</i>)	4,516	15.0	0.23	8.1	0.12	1,509	3.8	0.10	2.0	0.05
Kidney & renal pelvis	3,892	10.9	0.18	7.4	0.12	2,115	4.9	0.11	3.3	0.08
Ureter	178	0.6	0.05	0.3	0.02	138	0.3	0.03	0.2	0.02
Eye & Orbit	121	0.3	0.03	0.3	0.03	118	0.3	0.03	0.3	0.03
Brain & Other Nervous System	1,626	4.2	0.11	3.6	0.09	1,433	3.2	0.09	2.8	0.08
Brain	1,494	3.9	0.10	3.2	0.09	1,313	3.0	0.08	2.5	0.08
Endocrine System	3,175	7.9	0.14	6.3	0.11	10,619	22.1	0.22	18.1	0.18
Thyroid gland	2,793	6.9	0.13	5.4	0.10	10,254	21.3	0.21	17.4	0.17
Lymphomas	6,017	17.2	0.23	11.6	0.15	5,022	11.5	0.17	7.9	0.12
Hodgkin Lymphoma	628	1.5	0.06	1.3	0.06	461	1.0	0.05	0.9	0.04
Non-Hodgkin Lymphoma	5,389	15.7	0.22	10.3	0.14	4,561	10.6	0.16	7.0	0.11
Multiple Myeloma	1,576	4.8	0.13	2.9	0.07	1,299	3.1	0.09	1.9	0.06
Leukemias	3,408	9.7	0.17	7.2	0.13	2,698	6.2	0.12	5.1	0.11
Acute lymphocytic	618	1.5	0.06	1.8	0.08	519	1.2	0.05	1.5	0.07
Chronic lymphocytic	543	1.7	0.07	1.0	0.04	301	0.7	0.04	0.4	0.03
Acute myeloid	1,351	4.0	0.11	2.7	0.08	1,252	2.9	0.08	2.1	0.06
Chronic myeloid	539	1.5	0.07	1.0	0.05	355	0.8	0.04	0.6	0.03
Other leukemias	357	1.1	0.06	0.7	0.04	271	0.6	0.04	0.4	0.03
Mesothelioma	169	0.6	0.05	0.3	0.02	69	0.2	0.02	0.1	0.01
Kaposi Sarcoma	134	0.3	0.03	0.3	0.02	8	0.0	0.01	0.0	0.00
Ill-defined & Unknown	3,820	12.4	0.21	7.0	0.12	3,651	9.0	0.15	5.1	0.09
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	2,410	6.6	0.14	4.7	0.10	5,129	11.6	0.17	8.1	0.12
Breast (<i>in situ</i>)	27	0.1	0.02	0.1	0.01	13,329	28.5	0.25	21.9	0.19

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates ¹ for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined ² , 2010-2014, Asian/Pacific Islander, Males																		
	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	102,876	195.2	0.62	19,972	38.5	0.28	14,156	25.8	0.22	12,803	24.0	0.21	7,146	13.5	0.16	5,389	10.3	0.14
Alabama	272	185.4	11.52	67	48.3	5.96	29	20.7	3.93	21	13.8	3.07	23	15.8	3.35	13	8.7	2.46
Alaska	295	232.2	13.78	57	47.5	6.39	38	32.7	5.37	45	34.1	5.19	21	15.1	3.38	19	15.2	3.56
Arizona	856	146.1	5.08	150	26.9	2.22	122	21.1	1.94	105	17.6	1.75	59	10.2	1.34	41	6.7	1.06
Arkansas	414	427.2	21.66	56	62.8	8.62	45	50.4	7.60	46	44.1	6.64	29	27.9	5.28	18	19.0	4.67
California	39,205	197.8	1.04	7,730	39.5	0.46	5,608	26.3	0.36	5,132	25.6	0.37	2,804	14.3	0.28	2,124	11.0	0.25
CA: Greater California	13,671	185.2	1.62	2,664	36.5	0.72	1,977	25.3	0.58	1,743	23.5	0.57	1,004	13.8	0.44	709	9.8	0.38
CA: Greater Bay Area	13,867	212.7	1.88	2,911	45.6	0.87	2,011	28.4	0.66	1,708	25.9	0.64	1,003	15.6	0.50	786	12.5	0.47
CA: Los Angeles	11,654	197.5	1.93	2,151	36.6	0.81	1,620	25.0	0.65	1,681	28.0	0.71	795	13.4	0.50	628	10.8	0.46
Colorado	732	170.5	6.42	124	30.5	2.77	103	24.0	2.40	80	18.6	2.11	51	11.5	1.63	48	10.6	1.56
Connecticut	642	164.9	6.66	99	26.7	2.71	89	23.0	2.48	68	16.5	2.04	50	13.7	1.97	34	8.9	1.57
Delaware	159	171.1	13.82	35	38.0	6.50	16	16.8	4.28	13	13.6	3.78	10	10.1	3.23	10	11.2	3.68
District of Columbia	143	290.9	25.37	21	47.3	10.54	17	38.0	9.49	19	40.2	9.58	10	21.5	6.99	6	11.9	5.06
Florida	2,541	147.7	2.99	510	29.5	1.32	323	17.9	1.01	316	18.0	1.02	138	7.8	0.67	141	8.1	0.70
Georgia	1,640	175.9	4.43	285	32.1	1.92	181	20.1	1.53	226	23.6	1.60	129	13.5	1.21	82	8.8	0.99
Hawaii	10,385	261.9	2.74	2,251	55.1	1.21	1,511	34.7	0.95	1,452	38.2	1.05	487	12.7	0.61	520	13.5	0.64
Idaho	107	170.7	16.93	19	32.4	7.57	14	22.5	6.17	13	19.7	5.59	7	10.6	4.07	6	8.9	3.72
Illinois	3,631	181.7	3.05	741	36.7	1.35	486	23.7	1.08	466	23.2	1.08	198	10.0	0.72	182	9.2	0.69
Indiana	450	176.7	8.56	65	27.0	3.38	52	21.9	3.11	48	18.2	2.68	28	11.4	2.20	24	8.2	1.73
Iowa	257	210.5	13.68	35	34.4	5.88	29	26.2	5.00	32	26.0	4.76	37	31.4	5.35	15	11.5	3.00
Kansas	364	203.3	10.86	61	36.4	4.69	42	25.1	3.92	37	20.2	3.38	32	17.8	3.19	25	12.3	2.53
Kentucky	186	145.3	10.98	30	25.9	4.79	23	18.4	3.98	24	18.8	3.97	13	10.6	3.08	10	7.1	2.30
Louisiana	468	207.4	9.76	80	37.1	4.20	75	32.9	3.84	60	25.5	3.34	50	21.6	3.12	15	6.5	1.71
Maine	52	143.4	20.11	9	26.9	9.05	-	-	-	6	14.1	5.80	6	16.1	6.59	6	17.1	6.99
Maryland	1,950	168.6	3.88	403	35.3	1.78	235	19.6	1.30	208	17.6	1.23	130	11.0	0.97	100	8.8	0.90
Massachusetts	2,114	202.5	4.50	362	36.7	1.96	342	32.7	1.80	235	22.5	1.49	199	18.8	1.36	81	7.8	0.90
Michigan	1,213	171.3	4.98	313	45.4	2.59	126	17.9	1.61	150	20.7	1.71	62	8.8	1.13	65	9.1	1.14
MI: Metropolitan Detroit	846	187.6	6.52	247	55.4	3.54	86	19.1	2.07	96	20.8	2.15	39	8.7	1.42	40	8.6	1.37
Mississippi	151	209.0	17.35	27	40.5	7.89	27	38.6	7.55	18	24.0	5.77	15	18.9	4.93	6	7.9	3.35
Missouri	498	177.4	8.06	75	28.8	3.35	72	27.2	3.22	61	21.9	2.83	45	15.5	2.34	27	8.8	1.73

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, Asian/Pacific Islander, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	32	177.0	31.97	7	43.0	16.32	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	169	211.4	16.62	21	28.5	6.26	23	30.0	6.36	22	27.1	5.87	20	25.9	5.92	9	10.9	3.72
New Hampshire	110	155.9	15.26	28	43.9	8.40	12	17.9	5.23	10	14.4	4.69	6	6.9	2.86	-	-	-
New Jersey	4,326	177.6	2.74	1,004	41.3	1.31	469	18.7	0.87	469	19.0	0.88	223	9.0	0.61	219	8.8	0.61
New York	11,806	226.1	2.12	2,160	41.6	0.90	1,651	30.4	0.76	1,325	24.9	0.69	831	15.9	0.56	551	10.7	0.47
North Carolina	929	164.1	5.51	188	35.5	2.62	127	22.8	2.06	88	15.2	1.66	50	8.4	1.22	53	9.2	1.30
North Dakota	32	226.2	43.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	885	155.3	5.29	202	36.4	2.57	119	21.2	1.96	94	16.6	1.73	58	10.1	1.34	39	6.5	1.05
Oklahoma	431	234.6	11.49	72	41.7	4.96	62	34.8	4.47	68	36.2	4.48	31	16.0	2.91	22	12.4	2.67
Oregon	972	199.6	6.52	157	34.3	2.77	142	29.1	2.48	112	22.2	2.13	106	21.9	2.17	50	10.1	1.46
Pennsylvania	1,894	176.3	4.10	339	32.5	1.78	256	23.6	1.49	200	18.2	1.30	150	13.8	1.14	108	9.8	0.95
Rhode Island	155	181.6	14.78	29	35.6	6.67	16	19.2	4.85	14	17.1	4.62	17	21.0	5.14	11	11.7	3.55
South Carolina	303	161.4	9.41	53	28.9	4.00	52	28.9	4.05	36	19.6	3.30	11	5.5	1.67	25	12.5	2.61
South Dakota	29	196.1	39.72	-	-	-	6	47.7	20.84	6	33.3	14.71	-	-	-	-	-	-
Tennessee	494	188.5	8.65	97	39.0	3.99	54	21.6	2.99	62	23.3	3.01	37	13.7	2.27	33	12.7	2.28
Texas	4,779	155.6	2.28	816	27.4	0.97	644	21.3	0.85	580	18.6	0.78	444	14.1	0.68	271	8.6	0.53
Utah	472	227.0	10.71	118	63.4	5.92	38	18.6	3.10	42	19.9	3.14	32	14.9	2.69	23	10.1	2.16
Vermont	36	198.3	34.41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,209	160.4	3.46	391	29.3	1.50	308	22.3	1.28	263	18.9	1.18	154	11.1	0.91	110	8.0	0.78
Washington	3,490	206.7	3.55	586	35.8	1.49	489	28.0	1.28	448	26.3	1.26	282	16.6	1.00	196	11.5	0.83
WA: Seattle/Puget Sound	3,274	215.7	3.83	558	38.0	1.63	457	29.0	1.38	423	27.5	1.35	258	16.8	1.06	189	12.4	0.91
West Virginia	54	124.3	17.24	10	21.5	6.87	13	30.1	8.41	11	24.8	7.51	-	-	-	-	-	-
Wisconsin	527	193.8	8.74	77	33.4	3.85	54	21.3	2.96	62	21.8	2.88	50	18.5	2.68	37	13.1	2.24
Wyoming	17	128.5	31.94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, Asian/Pacific Islander, Females**

	All Sites			Breast			Colon & Rectum			Lung & Bronchus			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	128,044	201.5	0.58	42,016	67.8	0.33	11,595	17.2	0.16	11,509	16.6	0.16	10,254	17.4	0.17	8,626	13.9	0.15
Alabama	400	186.9	9.48	136	62.9	5.44	33	15.7	2.77	42	20.0	3.13	24	10.3	2.13	15	6.7	1.73
Alaska	374	212.3	11.18	120	67.2	6.20	28	16.0	3.05	43	22.9	3.56	33	19.9	3.50	34	18.9	3.27
Arizona	1,402	172.1	4.67	450	55.9	2.65	99	11.6	1.18	150	17.6	1.46	134	16.8	1.48	85	10.4	1.13
Arkansas	503	362.2	16.46	119	85.1	7.93	48	34.2	5.01	51	37.6	5.35	26	17.1	3.43	25	18.0	3.63
California	48,846	206.7	0.99	16,207	72.0	0.58	4,796	18.5	0.28	4,325	15.8	0.25	3,169	15.5	0.28	3,467	15.3	0.26
CA: Greater California	17,690	198.2	1.55	5,743	66.8	0.90	1,709	17.7	0.44	1,552	15.3	0.41	1,271	15.9	0.45	1,221	14.2	0.41
CA: Greater Bay Area	16,477	213.5	1.76	5,585	75.8	1.04	1,516	18.0	0.49	1,503	16.8	0.46	936	14.3	0.49	1,190	15.9	0.47
CA: Los Angeles	14,672	211.0	1.87	4,876	74.6	1.10	1,571	20.1	0.54	1,269	15.5	0.47	962	16.6	0.56	1,057	16.2	0.51
Colorado	1,044	172.1	5.47	339	56.7	3.12	99	15.5	1.61	106	17.2	1.71	112	18.1	1.74	66	11.1	1.38
Connecticut	845	180.1	6.32	314	65.0	3.73	69	14.8	1.81	64	14.4	1.82	97	19.0	1.97	40	8.7	1.39
Delaware	217	196.9	13.57	74	67.9	7.95	10	8.8	2.81	17	14.8	3.64	29	25.2	4.70	10	8.5	2.69
District of Columbia	184	241.6	18.83	52	69.4	10.05	13	17.7	5.09	17	22.0	5.52	28	28.7	5.93	9	12.8	4.35
Florida	3,506	158.7	2.74	1,165	53.2	1.57	284	12.5	0.75	323	13.8	0.78	260	12.4	0.78	237	10.7	0.70
Georgia	1,990	173.5	3.96	662	55.6	2.19	171	15.1	1.17	137	12.2	1.05	165	13.2	1.05	107	9.4	0.92
Hawaii	11,920	275.4	2.80	4,015	99.2	1.67	1,177	24.7	0.81	1,207	22.2	0.71	621	19.8	0.83	942	25.3	0.86
Idaho	169	187.8	14.84	50	56.6	8.15	13	13.0	3.69	18	21.6	5.25	9	10.4	3.51	13	16.2	4.52
Illinois	4,505	192.6	2.93	1,641	71.2	1.77	394	16.0	0.82	325	13.1	0.74	406	18.0	0.91	324	14.0	0.78
Indiana	570	167.9	7.18	170	48.7	3.80	54	16.6	2.29	48	14.7	2.16	43	10.8	1.67	42	12.5	1.96
Iowa	272	169.0	10.47	80	50.7	5.77	19	11.8	2.76	23	14.9	3.13	22	10.6	2.30	19	11.3	2.64
Kansas	449	190.2	9.12	115	48.4	4.58	40	17.1	2.74	61	26.8	3.48	57	22.7	3.05	29	12.2	2.28
Kentucky	310	175.2	10.12	89	48.7	5.25	34	20.0	3.47	36	21.5	3.61	27	14.3	2.80	22	12.8	2.74
Louisiana	466	177.6	8.40	117	44.2	4.13	30	10.8	2.00	47	17.3	2.57	40	15.1	2.44	32	11.7	2.09
Maine	105	200.6	19.94	28	52.4	10.06	8	16.5	5.92	13	23.8	6.85	19	36.0	8.32	6	10.9	4.51
Maryland	2,510	183.2	3.74	861	63.5	2.18	212	14.7	1.02	185	12.6	0.95	264	19.9	1.25	160	11.8	0.94
Massachusetts	2,563	208.2	4.22	816	66.7	2.37	221	17.3	1.19	244	19.6	1.29	280	21.5	1.31	118	9.8	0.92
Michigan	1,512	179.7	4.68	534	63.1	2.75	104	12.1	1.20	152	18.0	1.47	110	12.8	1.24	106	12.7	1.24
MI: Metropolitan Detroit	958	187.5	6.16	358	69.3	3.69	68	12.8	1.56	80	15.4	1.74	78	15.3	1.79	67	13.1	1.62
Mississippi	194	187.6	13.80	47	44.8	6.59	17	16.0	3.92	28	25.8	4.95	17	15.8	3.85	9	8.6	2.87
Missouri	746	202.2	7.53	238	64.3	4.21	60	16.7	2.18	72	19.3	2.31	61	15.4	2.00	40	10.8	1.72

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, Asian/Pacific Islander, Females**

	All Sites			Breast			Colon & Rectum			Lung & Bronchus			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana	78	236.5	27.39	27	81.9	16.08	6	19.5	8.15	9	26.1	8.85	-	-	-	9	25.9	8.71
Nebraska	200	185.0	13.29	51	46.9	6.64	18	17.4	4.13	18	16.9	4.05	30	24.6	4.59	11	9.6	2.93
New Hampshire	168	174.9	13.84	55	53.9	7.45	16	17.9	4.53	12	13.1	3.84	17	15.3	3.79	15	17.2	4.56
New Jersey	5,260	188.8	2.66	1,938	68.6	1.57	401	13.9	0.70	377	13.1	0.68	509	18.5	0.84	352	12.6	0.68
New York	13,341	226.3	2.01	4,076	69.7	1.10	1,106	17.7	0.55	1,173	18.5	0.55	1,567	27.9	0.71	858	14.5	0.50
North Carolina	1,304	176.4	4.98	434	56.9	2.78	94	12.7	1.33	126	18.2	1.64	109	13.3	1.30	81	10.8	1.22
North Dakota	39	180.9	30.13	-	-	-	-	-	-	-	-	-	9	33.7	11.66	-	-	-
Ohio	1,173	166.8	4.95	419	58.4	2.87	85	11.9	1.31	109	15.3	1.48	119	16.5	1.54	58	8.3	1.10
Oklahoma	564	216.4	9.25	159	60.7	4.87	62	22.5	2.89	65	25.5	3.20	29	10.6	1.98	44	16.6	2.53
Oregon	1,284	196.6	5.63	380	59.1	3.07	123	18.2	1.68	120	16.9	1.61	109	17.1	1.66	75	11.6	1.35
Pennsylvania	2,350	186.8	3.91	699	55.2	2.11	184	14.7	1.09	211	16.4	1.14	262	20.2	1.26	113	9.2	0.87
Rhode Island	169	166.1	12.99	52	50.8	7.10	15	14.9	3.89	13	12.5	3.53	10	9.6	3.08	14	14.7	3.97
South Carolina	464	184.2	8.66	145	57.2	4.78	39	15.3	2.47	45	17.6	2.65	32	12.6	2.25	25	9.9	2.00
South Dakota	57	219.1	30.11	13	46.5	13.11	7	22.9	8.92	-	-	-	-	-	-	-	-	-
Tennessee	596	175.9	7.33	182	51.8	3.89	59	17.8	2.34	64	19.6	2.47	43	12.0	1.86	29	8.5	1.60
Texas	5,794	155.3	2.07	1,854	48.6	1.14	531	14.1	0.62	515	14.1	0.63	503	12.9	0.59	337	9.0	0.49
Utah	597	225.2	9.43	175	66.1	5.08	59	23.2	3.10	45	16.9	2.60	45	16.8	2.55	72	26.7	3.20
Vermont	43	160.3	25.03	14	54.2	14.81	-	-	-	8	32.7	11.85	-	-	-	-	-	-
Virginia	3,134	177.1	3.22	1,057	59.2	1.83	260	14.5	0.91	272	15.2	0.93	368	20.4	1.08	170	9.6	0.75
Washington	5,004	217.6	3.17	1,618	72.6	1.83	424	17.7	0.88	513	20.6	0.94	352	16.2	0.88	331	15.0	0.83
WA: Seattle/Puget Sound	4,642	223.9	3.39	1,483	74.2	1.95	408	18.9	0.96	474	21.0	1.00	334	17.3	0.97	308	15.4	0.89
West Virginia	87	161.5	17.62	33	60.6	10.61	-	-	-	6	10.4	4.25	9	17.2	5.76	7	12.7	4.79
Wisconsin	710	205.5	7.91	184	54.9	4.14	62	17.7	2.30	62	19.3	2.51	66	17.4	2.22	60	17.1	2.26
Wyoming	26	123.1	24.88	8	38.2	14.05	-	-	-	-	-	-	-	-	-	-	-	-


^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

NAACCR U.S. Combined Incidence 2010-2014, The American Indian/Alaskan Native CHSDA Counties Population



UNITED STATES

25 Combined Incidence – American Indian/Alaskan Native

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2010-2014, American Indian/Alaskan Native (AI/AN) for CHSDA¹ Counties

SITES	Count	MALES (AI/AN)				FEMALES (AI/AN)				
		Adj. Rate	Adj. Rate	Adj. Rate	Adj. Rate	Count	2000 U.S.	S.E.	World	S.E.
		2000 U.S.	S.E.	World	S.E.					
All Sites (invasive & in situ bladder)	12,813	425.3	4.17	277.7	2.48	14,277	388.7	3.41	266.5	2.26
Oral Cavity & Pharynx	554	16.3	0.76	11.7	0.50	228	6.1	0.43	4.2	0.28
Lip	26	1.0	0.22	0.6	0.11	-	-	-	-	-
Tongue	135	3.7	0.34	2.8	0.24	59	1.5	0.20	1.1	0.15
Major salivary gland	37	1.0	0.19	0.8	0.13	37	1.0	0.17	0.7	0.11
Floor of mouth	38	1.1	0.20	0.8	0.13	13	0.4	0.11	0.2	0.06
Gum & other mouth	53	1.6	0.24	1.1	0.15	35	1.0	0.18	0.6	0.11
Nasopharynx	42	1.2	0.21	0.9	0.14	24	0.7	0.15	0.4	0.08
Oropharynx	30	0.9	0.17	0.6	0.12	7	0.2	0.07	0.1	0.04
Hypopharynx	53	1.8	0.27	1.2	0.16	11	0.3	0.10	0.2	0.07
Digestive System	3,383	110.4	2.10	72.5	1.26	2,776	79.2	1.58	50.8	0.98
Esophagus	236	7.8	0.56	5.1	0.33	80	2.3	0.27	1.5	0.17
Stomach	329	11.6	0.71	7.1	0.39	222	6.5	0.46	4.1	0.28
Small intestine	53	1.7	0.26	1.1	0.15	47	1.3	0.20	0.9	0.13
Colon excl. rectum	964	33.4	1.20	20.9	0.68	1,030	30.0	0.98	18.9	0.60
Rectum & rectosigmoid	549	16.7	0.78	11.6	0.50	433	11.3	0.57	8.0	0.39
Anus, anal canal & anorectum	38	1.0	0.17	0.8	0.13	61	1.5	0.20	1.1	0.15
Liver	657	19.0	0.80	13.9	0.55	293	8.1	0.50	5.3	0.32
Gallbladder	57	2.4	0.35	1.3	0.17	95	3.0	0.32	1.7	0.18
Pancreas	358	12.0	0.70	7.7	0.41	359	10.8	0.60	6.4	0.35
Respiratory System	2,107	78.1	1.87	46.6	1.02	1,930	57.2	1.36	35.7	0.83
Larynx	159	5.1	0.44	3.5	0.28	35	0.8	0.15	0.7	0.11
Lung & bronchus	1,911	71.9	1.80	42.3	0.98	1,875	55.9	1.35	34.7	0.81
Bones & Joints	64	1.6	0.22	1.3	0.17	32	0.7	0.12	0.6	0.12
Soft Tissue (incl. heart)	110	3.1	0.33	2.3	0.22	98	2.4	0.26	1.9	0.20
Skin (excl. basal & sq.)	282	9.7	0.65	6.0	0.36	256	6.8	0.44	4.8	0.30
Melanomas of the skin	251	8.6	0.61	5.3	0.34	210	5.6	0.40	3.9	0.27
Breast (excl. <i>in situ</i>)	15	0.5	0.14	0.3	0.08	3,839	100.7	1.69	72.5	1.18
Female Genital System	-	-	-	-	-	1,808	46.0	1.13	34.0	0.81
Cervix uteri	-	-	-	-	-	374	9.1	0.49	7.1	0.37
Uterus Corpus	-	-	-	-	-	872	21.7	0.76	16.5	0.56
Uterus, NOS ¹	-	-	-	-	-	24	0.6	0.14	0.5	0.09
Ovary	-	-	-	-	-	399	10.6	0.56	7.5	0.38
Male Genital System	2,570	83.8	1.82	56.6	1.13	-	-	-	-	-
Prostate	2,311	78.3	1.78	51.6	1.08	-	-	-	-	-
Testis	243	4.9	0.32	4.7	0.30	-	-	-	-	-
Penis	14	0.5	0.15	0.3	0.08	-	-	-	-	-
Urinary System	1,509	50.5	1.44	32.6	0.85	878	23.8	0.84	16.3	0.56
Bladder (incl. <i>in situ</i>)	489	19.4	0.98	10.8	0.49	194	5.9	0.45	3.5	0.25
Kidney & renal pelvis	994	30.0	1.03	21.3	0.68	670	17.4	0.70	12.6	0.49
Ureter	16	0.6	0.16	0.3	0.09	8	0.3	0.10	0.1	0.05
Eye & Orbit	17	0.5	0.14	0.4	0.09	19	0.4	0.10	0.4	0.09
Brain & Other Nervous System	211	5.4	0.42	4.4	0.31	154	3.6	0.31	3.0	0.25
Brain	192	4.9	0.40	4.0	0.29	142	3.4	0.30	2.8	0.24
Endocrine System	188	4.9	0.38	3.9	0.29	642	15.1	0.62	12.4	0.49
Thyroid gland	164	4.4	0.37	3.4	0.27	618	14.5	0.60	11.9	0.48
Lymphomas	565	18.2	0.86	12.0	0.51	516	14.5	0.67	9.6	0.43
Hodgkin Lymphoma	63	1.5	0.20	1.3	0.16	43	1.0	0.17	0.8	0.13
Non-Hodgkin Lymphoma	502	16.7	0.84	10.8	0.49	473	13.5	0.65	8.7	0.41
Multiple Myeloma	214	7.8	0.59	4.7	0.32	173	5.0	0.40	3.2	0.25
Leukemias	417	12.7	0.71	9.0	0.44	353	9.0	0.51	6.9	0.37
Acute lymphocytic	74	1.4	0.18	1.7	0.19	69	1.4	0.17	1.5	0.18
Chronic lymphocytic	95	3.5	0.39	2.0	0.21	58	1.8	0.25	1.1	0.14
Acute myeloid	136	4.3	0.41	2.9	0.25	128	3.2	0.30	2.5	0.22
Chronic myeloid	55	1.6	0.24	1.2	0.16	60	1.5	0.20	1.1	0.15
Other leukemias	57	1.9	0.29	1.3	0.17	38	1.1	0.19	0.7	0.12
Mesothelioma	27	1.3	0.28	0.6	0.11	9	0.3	0.10	0.2	0.05
Kaposi Sarcoma	18	0.6	0.15	0.4	0.09	-	-	-	-	-
Ill-defined & Unknown	562	20.0	0.95	12.4	0.53	562	17.6	0.78	10.0	0.43
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	249	7.4	0.53	5.2	0.33	539	14.1	0.63	10.3	0.45
Breast (<i>in situ</i>)	6	0.2	0.07	0.1	0.06	737	18.7	0.71	14.2	0.53

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard. Statistics exclude data for KS for all years.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates ¹ for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined ² , 2010-2014, American Indian/Alaskan Native for CHSDA ³ Counties, Males																		
	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ⁴		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	12,813	277.7	2.48	2,311	51.6	1.08	1,911	42.3	0.98	1,513	32.5	0.84	994	21.3	0.68	687	14.6	0.56
Alabama	35	143.9	25.08	8	31.6	11.35	7	24.6	9.33	-	-	-	-	-	-	-	-	-
Alaska	985	326.1	10.53	99	33.1	3.37	178	59.6	4.53	178	59.1	4.49	54	18.0	2.48	34	10.8	1.88
Arizona	1,730	209.8	5.11	312	39.3	2.25	104	13.2	1.31	189	23.0	1.69	216	26.3	1.81	121	14.3	1.31
California	1,194	160.4	4.71	243	34.2	2.22	151	21.0	1.73	102	13.6	1.37	81	10.4	1.17	88	11.7	1.26
CA: Greater California	1,194	160.4	4.71	243	34.2	2.22	151	21.0	1.73	102	13.6	1.37	81	10.4	1.17	88	11.7	1.26
Colorado	31	189.5	34.64	6	38.3	15.76	6	39.9	16.39	-	-	-	-	-	-	-	-	-
Connecticut	55	113.7	15.74	8	18.3	6.63	14	32.7	8.86	9	16.8	5.74	-	-	-	-	-	-
Florida	81	130.0	14.63	17	27.1	6.65	8	12.7	4.58	9	15.6	5.22	6	9.3	3.83	-	-	-
Idaho	91	229.0	24.16	22	55.8	11.95	10	24.9	7.91	12	31.4	9.15	-	-	-	9	22.5	7.55
Indiana	9	94.1	32.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	38	449.4	75.66	7	95.1	37.24	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana	22	174.6	37.61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maine	64	410.1	52.18	17	110.7	27.13	9	51.9	17.58	-	-	-	-	-	-	-	-	-
Massachusetts	35	83.1	14.34	12	29.0	8.59	-	-	-	8	17.8	6.39	-	-	-	-	-	-
Michigan	416	334.5	16.59	70	56.4	6.81	88	72.3	7.79	51	40.1	5.68	32	24.8	4.42	16	12.3	3.10
Mississippi	51	298.0	42.89	-	-	-	-	-	-	6	31.4	12.94	-	-	-	9	60.8	20.70
Montana	496	375.2	17.05	100	78.8	7.96	83	65.1	7.22	63	46.8	5.98	43	31.7	4.93	22	16.0	3.46
Nebraska	85	274.6	31.57	12	39.8	11.77	15	59.8	16.39	8	25.4	9.10	8	21.2	7.78	9	26.4	9.15
New York	264	336.6	20.92	64	83.5	10.51	47	60.3	8.86	29	35.2	6.59	9	11.1	3.74	20	23.8	5.37
North Carolina	136	245.6	21.23	27	50.4	9.79	22	42.2	9.00	16	27.9	7.04	9	14.8	4.99	12	21.7	6.28
North Dakota	252	394.5	25.25	48	79.3	11.60	47	78.8	11.60	33	50.3	8.89	24	37.3	7.72	7	10.4	3.99
Oklahoma	3,961	394.0	6.30	727	73.0	2.72	689	67.9	2.60	454	45.1	2.13	293	29.4	1.73	158	15.6	1.25
Oregon	512	258.7	11.55	58	29.5	3.91	101	52.8	5.31	62	31.4	4.01	33	16.6	2.93	31	15.7	2.83
Pennsylvania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhode Island	8	224.3	79.62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina	74	98.0	11.58	19	24.6	5.70	10	13.0	4.16	6	7.6	3.12	-	-	-	-	-	-
South Dakota	475	372.3	17.38	97	79.0	8.11	78	63.8	7.35	67	52.1	6.47	42	32.6	5.11	25	18.9	3.85

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, American Indian/Alaskan Native for CHSDA³ Counties, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ⁴		
	<i>Count</i>	<i>Rate</i>	<i>S.E.⁴</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>
Texas	38	149.3	24.68	10	41.6	13.25	-	-	-	-	-	-	-	-	-	-	-	-
Utah	75	159.3	18.73	18	41.0	9.78	6	14.7	6.04	13	26.6	7.52	-	-	-	-	-	-
Washington	1,077	309.5	9.58	195	57.7	4.18	138	41.0	3.54	116	33.0	3.12	73	20.4	2.42	89	23.9	2.56
WA: Seattle/Puget Sound	733	338.9	12.79	135	64.9	5.65	98	47.9	4.92	76	34.5	4.05	44	20.1	3.08	62	25.8	3.33
Wisconsin	453	441.9	21.07	90	89.2	9.54	76	77.3	9.00	50	47.0	6.76	30	28.4	5.24	16	16.9	4.33
Wyoming	69	318.4	38.80	11	50.9	15.54	10	48.1	15.48	8	35.3	12.59	6	24.5	10.06	-	-	-

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined. Statistics exclude data for KS for all years.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

^{4.} Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, American Indian/Alaskan Native for CHSDA³ Counties, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ⁴			Kidney & Renal Pelvis		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	14,277	266.5	2.26	3,839	72.5	1.18	1,875	34.7	0.81	1,463	26.9	0.71	896	16.9	0.57	670	12.6	0.49
Alabama	28	109.9	21.24	-	-	-	6	19.5	8.07	-	-	-	-	-	-	-	-	-
Alaska	1,182	358.4	10.61	343	105.8	5.79	144	43.0	3.66	184	55.1	4.15	43	12.9	2.00	48	15.0	2.19
Arizona	1,986	198.6	4.52	429	43.3	2.11	119	11.7	1.09	164	16.0	1.27	197	20.2	1.45	129	13.2	1.18
California	1,270	149.2	4.25	350	42.6	2.31	129	15.4	1.39	123	14.0	1.29	97	11.5	1.18	53	6.1	0.85
CA: Greater California	1,269	149.1	4.25	350	42.6	2.31	129	15.4	1.39	123	14.0	1.29	97	11.5	1.18	53	6.1	0.85
Colorado	50	246.2	35.38	12	58.8	17.24	-	-	-	6	27.5	11.41	8	41.0	14.74	-	-	-
Connecticut	55	97.4	13.40	20	35.5	8.04	7	13.1	5.02	-	-	-	-	-	-	-	-	-
Florida	74	103.8	12.26	30	41.7	7.74	11	15.7	4.79	8	12.6	4.45	-	-	-	-	-	-
Idaho	125	293.6	26.43	34	79.8	13.78	10	22.0	7.02	18	42.1	9.94	7	16.3	6.20	6	14.1	5.77
Indiana	8	88.4	32.61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	39	344.1	55.87	9	74.1	24.98	-	-	-	6	55.3	22.78	-	-	-	-	-	-
Louisiana	16	109.8	27.91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maine	55	328.4	44.77	20	120.2	27.13	10	55.7	17.75	-	-	-	-	-	-	-	-	-
Massachusetts	52	108.0	15.46	13	29.3	8.19	12	22.7	6.86	-	-	-	-	-	-	-	-	-
Michigan	439	314.1	15.20	122	87.8	8.03	101	70.6	7.11	36	25.8	4.35	14	10.0	2.69	23	15.9	3.35
Mississippi	76	381.2	44.62	12	64.1	18.58	-	-	-	9	45.3	15.25	6	31.1	13.13	-	-	-
Montana	558	353.4	15.16	147	93.8	7.83	83	50.6	5.66	66	42.4	5.29	32	20.3	3.66	28	17.9	3.43
Nebraska	119	295.1	27.85	37	86.2	14.64	17	49.5	12.12	13	32.6	9.20	-	-	-	-	-	-
New York	291	320.0	19.21	72	79.9	9.61	43	43.8	6.83	32	34.7	6.25	17	18.7	4.60	11	12.8	3.91
North Carolina	148	230.1	19.13	44	67.8	10.33	19	31.7	7.32	11	16.2	4.92	11	17.8	5.44	7	10.6	4.03
North Dakota	276	361.6	22.07	72	94.4	11.24	52	69.0	9.74	34	44.7	7.80	16	20.5	5.19	15	20.3	5.29
Oklahoma	4,295	370.9	5.75	1,187	104.1	3.06	661	55.4	2.19	433	36.4	1.78	238	21.1	1.38	219	19.0	1.31
Oregon	580	265.9	11.16	147	66.6	5.56	89	41.9	4.49	53	25.0	3.47	46	20.3	3.03	16	7.3	1.84
Pennsylvania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhode Island	14	226.0	64.47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina	71	89.2	10.70	21	25.8	5.68	9	10.6	3.55	-	-	-	8	9.2	3.27	-	-	-
South Dakota	503	305.2	13.77	152	96.4	7.88	75	44.0	5.18	55	33.8	4.61	25	14.9	3.00	16	9.4	2.39

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2010-2014, American Indian/Alaskan Native for CHSDA³ Counties, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ⁴			Kidney & Renal Pelvis		
	<i>Count</i>	<i>Rate</i>	<i>S.E.⁴</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>	<i>Count</i>	<i>Rate</i>	<i>S.E.</i>
Texas	28	97.3	18.64	7	26.0	9.86	-	-	-	-	-	-	-	-	-	-	-	-
Utah	100	171.7	17.56	18	32.1	7.70	-	-	-	14	24.6	6.71	10	18.0	5.81	-	-	-
Washington	1,247	310.9	8.88	377	94.5	4.90	160	40.3	3.22	113	28.1	2.66	69	16.7	2.03	39	9.6	1.56
WA: Seattle/Puget Sound	859	337.0	11.60	263	103.3	6.42	100	39.4	3.98	75	29.8	3.47	48	17.9	2.60	23	9.1	1.92
Wisconsin	507	421.5	18.92	124	102.8	9.31	89	74.8	8.02	46	37.3	5.56	30	24.5	4.52	23	19.9	4.18
Wyoming	84	333.2	36.81	28	110.3	21.07	11	44.3	13.52	10	36.7	11.72	-	-	-	-	-	-

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard. Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined. Statistics exclude data for KS for all years.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

^{4.} Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2010-2014, Hispanic/Latino, All Races

SITES	Count	MALES (HISPANIC/LATINO)				FEMALES (HISPANIC/LATINA)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	267,627	386.3	0.82	252.3	0.50	292,872	329.6	0.63	229.7	0.44
Oral Cavity & Pharynx	7,836	10.5	0.13	7.3	0.08	3,649	4.2	0.07	2.8	0.05
Lip	291	0.4	0.03	0.3	0.02	127	0.2	0.01	0.1	0.01
Tongue	2,129	2.8	0.07	2.0	0.04	1,068	1.2	0.04	0.8	0.03
Major salivary gland	788	1.1	0.04	0.7	0.03	751	0.8	0.03	0.6	0.02
Floor of mouth	368	0.5	0.03	0.4	0.02	118	0.1	0.01	0.1	0.01
Gum & other mouth	961	1.4	0.05	0.9	0.03	738	0.9	0.03	0.6	0.02
Nasopharynx	456	0.5	0.03	0.4	0.02	210	0.2	0.02	0.2	0.01
Oropharynx	385	0.5	0.03	0.4	0.02	107	0.1	0.01	0.1	0.01
Hypopharynx	577	0.8	0.04	0.6	0.02	91	0.1	0.01	0.1	0.01
Digestive System	67,716	99.1	0.41	63.7	0.25	53,219	65.5	0.29	41.2	0.18
Esophagus	3,152	4.8	0.09	3.0	0.06	842	1.1	0.04	0.6	0.02
Stomach	8,479	12.9	0.15	7.8	0.09	6,462	7.7	0.10	4.9	0.06
Small intestine	1,355	1.9	0.06	1.2	0.03	1,338	1.6	0.04	1.1	0.03
Colon excl. rectum	18,575	28.2	0.23	17.5	0.13	17,390	21.5	0.17	13.3	0.10
Rectum & rectosigmoid	10,037	13.7	0.15	9.3	0.10	6,815	7.8	0.10	5.4	0.07
Anus, anal canal & anorectum	775	1.0	0.04	0.7	0.02	1,351	1.6	0.04	1.1	0.03
Liver	13,779	18.5	0.17	13.1	0.11	5,158	6.5	0.09	4.1	0.06
Gallbladder	733	1.2	0.05	0.7	0.03	2,033	2.6	0.06	1.6	0.04
Pancreas	7,607	12.0	0.15	7.3	0.09	7,924	10.3	0.12	6.0	0.07
Respiratory System	27,555	46.5	0.30	26.9	0.17	20,420	26.4	0.19	16.0	0.12
Larynx	3,211	4.8	0.09	3.1	0.06	543	0.6	0.03	0.4	0.02
Lung & bronchus	23,424	40.6	0.28	23.0	0.15	19,375	25.2	0.19	15.2	0.11
Bones & Joints	1,130	1.0	0.03	0.9	0.03	944	0.8	0.03	0.7	0.02
Soft Tissue (incl. heart)	3,136	3.6	0.07	2.6	0.05	2,574	2.5	0.05	2.0	0.04
Skin (excl. basal & sq.)	4,157	6.0	0.10	3.7	0.06	4,724	5.1	0.08	3.6	0.05
Melanomas of the skin	3,394	4.9	0.09	3.1	0.05	3,985	4.2	0.07	3.1	0.05
Breast (excl. <i>in situ</i>)	526	0.8	0.04	0.5	0.02	83,873	91.9	0.33	66.9	0.24
Female Genital System	-	-	-	-	-	42,811	45.5	0.23	33.8	0.17
Cervix uteri	-	-	-	-	-	10,009	9.7	0.10	7.5	0.08
Uterus Corpus	-	-	-	-	-	19,691	21.2	0.16	16.1	0.12
Uterus, NOS ¹	-	-	-	-	-	888	1.0	0.04	0.7	0.02
Ovary	-	-	-	-	-	9,452	10.3	0.11	7.4	0.08
Male Genital System	71,169	103.2	0.42	70.7	0.27	-	-	-	-	-
Prostate	63,511	97.1	0.41	65.2	0.26	-	-	-	-	-
Testis	6,559	4.5	0.06	4.5	0.06	-	-	-	-	-
Penis	966	1.4	0.05	0.9	0.03	-	-	-	-	-
Urinary System	26,975	41.0	0.27	25.3	0.16	14,672	17.3	0.15	11.6	0.10
Bladder (incl. <i>in situ</i>)	10,984	19.5	0.20	10.6	0.10	3,791	5.0	0.08	2.9	0.05
Kidney & renal pelvis	15,570	20.8	0.18	14.4	0.12	10,632	12.0	0.12	8.5	0.08
Ureter	260	0.5	0.03	0.2	0.02	149	0.2	0.02	0.1	0.01
Eye & Orbit	547	0.6	0.03	0.5	0.02	532	0.5	0.02	0.5	0.02
Brain & Other Nervous System	5,571	5.9	0.09	4.7	0.07	4,677	4.5	0.07	3.8	0.06
Brain	5,206	5.6	0.09	4.4	0.06	4,247	4.1	0.07	3.4	0.05
Endocrine System	5,685	6.0	0.09	4.7	0.06	22,133	20.7	0.14	16.9	0.12
Thyroid gland	4,987	5.4	0.08	4.1	0.06	21,544	20.2	0.14	16.4	0.11
Lymphomas	17,533	22.6	0.19	15.3	0.12	15,119	17.1	0.15	11.8	0.10
Hodgkin Lymphoma	2,981	2.8	0.06	2.3	0.04	2,343	2.1	0.05	1.8	0.04
Non-Hodgkin Lymphoma	14,552	19.8	0.18	13.0	0.11	12,776	15.1	0.14	10.0	0.09
Multiple Myeloma	5,092	7.9	0.12	4.9	0.07	4,262	5.3	0.08	3.4	0.05
Leukemias	11,319	13.1	0.14	9.8	0.09	9,004	9.1	0.10	7.1	0.08
Acute lymphocytic	3,575	2.5	0.05	2.9	0.05	2,762	2.0	0.04	2.4	0.05
Chronic lymphocytic	1,649	2.8	0.07	1.6	0.04	1,242	1.6	0.05	0.9	0.03
Acute myeloid	3,273	4.2	0.08	2.8	0.05	2,917	3.1	0.06	2.3	0.04
Chronic myeloid	1,577	1.9	0.06	1.3	0.03	1,120	1.2	0.04	0.9	0.03
Other leukemias	1,245	1.6	0.05	1.1	0.03	963	1.1	0.04	0.7	0.02
Mesothelioma	714	1.2	0.05	0.7	0.03	280	0.3	0.02	0.2	0.01
Kaposi Sarcoma	1,043	1.1	0.04	0.8	0.03	133	0.2	0.02	0.1	0.01
Ill-defined & Unknown	9,923	16.1	0.18	9.2	0.09	9,846	12.6	0.13	7.2	0.08
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	5,831	7.1	0.11	5.0	0.07	12,308	13.6	0.13	9.6	0.09
Breast (<i>in situ</i>)	58	0.1	0.01	0.1	0.01	20,446	21.9	0.16	16.6	0.12

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

UNITED STATES

31 Combined Incidence – Hispanic/Latino, All Races

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2010-2014, Non-Hispanic White

SITES	Count	MALES (NON-HISPANIC WHITE)				FEMALES (NON-HISPANIC WHITE)				
		Adj. Rate	S.E.	Adj. Rate	S.E.	Count	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites (invasive & in situ bladder)	3,019,830	510.8	0.30	338.2	0.21	2,897,505	436.0	0.27	304.9	0.20
Oral Cavity & Pharynx	115,165	18.8	0.06	13.7	0.04	45,991	6.8	0.03	4.8	0.02
Lip	6,300	1.1	0.01	0.7	0.01	2,329	0.3	0.01	0.2	0.00
Tongue	37,168	6.0	0.03	4.5	0.02	14,105	2.1	0.02	1.5	0.01
Major salivary gland	10,056	1.8	0.02	1.1	0.01	6,300	1.0	0.01	0.7	0.01
Floor of mouth	5,456	0.9	0.01	0.6	0.01	2,516	0.4	0.01	0.3	0.01
Gum & other mouth	11,550	1.9	0.02	1.3	0.01	9,405	1.3	0.01	0.8	0.01
Nasopharynx	3,388	0.6	0.01	0.4	0.01	1,338	0.2	0.01	0.2	0.01
Oropharynx	5,497	0.9	0.01	0.7	0.01	1,725	0.2	0.01	0.2	0.00
Hypopharynx	6,648	1.1	0.01	0.8	0.01	1,691	0.2	0.01	0.2	0.00
Digestive System	555,641	93.9	0.13	60.5	0.09	442,724	62.8	0.10	39.5	0.07
Esophagus	52,340	8.6	0.04	5.7	0.03	13,113	1.8	0.02	1.1	0.01
Stomach	46,073	7.8	0.04	4.9	0.02	24,856	3.5	0.02	2.2	0.02
Small intestine	15,572	2.6	0.02	1.8	0.01	13,518	2.0	0.02	1.4	0.01
Colon excl. rectum	179,193	31.0	0.07	19.0	0.05	182,534	25.7	0.06	15.5	0.04
Rectum & rectosigmoid	83,812	14.2	0.05	9.7	0.04	59,135	8.8	0.04	6.1	0.03
Anus, anal canal & anorectum	8,898	1.5	0.02	1.1	0.01	16,427	2.4	0.02	1.8	0.01
Liver	56,422	8.9	0.04	6.5	0.03	18,163	2.6	0.02	1.8	0.02
Gallbladder	4,031	0.7	0.01	0.4	0.01	8,174	1.1	0.01	0.7	0.01
Pancreas	85,017	14.3	0.05	8.9	0.03	78,507	10.8	0.04	6.5	0.03
Respiratory System	495,104	83.2	0.12	51.2	0.08	423,041	59.6	0.09	38.0	0.06
Larynx	37,392	6.1	0.03	4.2	0.02	10,060	1.5	0.01	1.1	0.01
Lung & bronchus	450,926	75.9	0.12	46.1	0.07	408,808	57.5	0.09	36.4	0.06
Bones & Joints	5,810	1.2	0.02	1.1	0.02	4,551	0.9	0.01	0.8	0.01
Soft Tissue (incl. heart)	22,051	4.0	0.03	3.0	0.02	16,756	2.8	0.02	2.2	0.02
Skin (excl. basal & sq.)	201,710	35.3	0.08	23.0	0.05	136,648	22.5	0.06	16.9	0.05
Melanomas of the skin	187,736	32.8	0.08	21.6	0.05	128,264	21.3	0.06	16.1	0.05
Breast (excl. <i>in situ</i>)	7,711	1.3	0.02	0.8	0.01	841,438	128.7	0.15	92.8	0.11
Female Genital System	-	-	-	-	-	330,996	50.3	0.09	37.3	0.07
Cervix uteri	-	-	-	-	-	36,848	7.0	0.04	5.6	0.03
Uterus Corpus	-	-	-	-	-	177,674	25.9	0.06	19.4	0.05
Uterus, NOS ¹	-	-	-	-	-	4,962	0.7	0.01	0.5	0.01
Ovary	-	-	-	-	-	79,140	12.0	0.04	8.6	0.03
Male Genital System	716,009	114.9	0.14	82.1	0.10	-	-	-	-	-
Prostate	679,454	107.1	0.13	75.1	0.09	-	-	-	-	-
Testis	30,642	6.8	0.04	6.4	0.04	-	-	-	-	-
Penis	4,625	0.8	0.01	0.5	0.01	-	-	-	-	-
Urinary System	368,623	63.3	0.11	38.7	0.07	150,165	21.6	0.06	14.2	0.04
Bladder (incl. <i>in situ</i>)	229,998	39.8	0.08	22.4	0.05	70,592	9.7	0.04	5.8	0.02
Kidney & renal pelvis	130,539	22.1	0.06	15.5	0.05	75,325	11.3	0.04	8.1	0.03
Ureter	5,265	0.9	0.01	0.5	0.01	3,079	0.4	0.01	0.2	0.00
Eye & Orbit	6,292	1.1	0.01	0.9	0.01	5,229	0.9	0.01	0.7	0.01
Brain & Other Nervous System	47,193	8.7	0.04	7.2	0.04	37,151	6.3	0.03	5.3	0.03
Brain	44,831	8.2	0.04	6.7	0.04	34,684	5.8	0.03	4.8	0.03
Endocrine System	47,906	8.8	0.04	7.1	0.04	124,479	23.4	0.07	19.5	0.06
Thyroid gland	43,776	8.0	0.04	6.3	0.03	120,802	22.7	0.07	18.8	0.06
Lymphomas	153,036	27.2	0.07	18.6	0.05	125,163	19.0	0.06	13.2	0.04
Hodgkin Lymphoma	16,069	3.3	0.03	2.9	0.02	12,933	2.6	0.02	2.4	0.02
Non-Hodgkin Lymphoma	136,967	23.9	0.07	15.7	0.05	112,230	16.4	0.05	10.8	0.04
Multiple Myeloma	42,996	7.3	0.04	4.5	0.02	32,044	4.5	0.03	2.8	0.02
Leukemias	103,021	18.4	0.06	12.6	0.05	73,124	11.1	0.04	8.2	0.04
Acute lymphocytic	7,890	1.8	0.02	2.2	0.03	6,184	1.4	0.02	1.7	0.03
Chronic lymphocytic	39,767	6.7	0.03	4.1	0.02	25,740	3.5	0.02	2.1	0.01
Acute myeloid	30,053	5.4	0.03	3.5	0.02	23,550	3.6	0.02	2.5	0.02
Chronic myeloid	12,682	2.3	0.02	1.5	0.01	9,196	1.4	0.02	1.0	0.01
Other leukemias	12,629	2.3	0.02	1.4	0.01	8,454	1.2	0.01	0.8	0.01
Mesothelioma	10,542	1.9	0.02	1.0	0.01	3,210	0.5	0.01	0.3	0.01
Kaposi Sarcoma	2,174	0.4	0.01	0.3	0.01	307	0.0	0.00	0.0	0.00
Ill-defined & Unknown	118,846	20.9	0.06	12.0	0.04	104,488	14.4	0.05	8.4	0.03
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	47,713	8.7	0.04	6.4	0.03	94,799	14.9	0.05	10.8	0.04
Breast (<i>in situ</i>)	803	0.1	0.00	0.1	0.00	200,320	31.6	0.07	23.9	0.06

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR United States Combined, 2010-2014, Non-Hispanic Black

<i>SITES</i>	<i>Count</i>	MALES (NON-HISPANIC BLACK)				FEMALES (NON-HISPANIC BLACK)				
		<i>Adj. Rate</i>	<i>Adj. Rate</i>	<i>Adj. Rate</i>	<i>Adj. Rate</i>	<i>Count</i>	<i>2000 U.S.</i>	<i>S.E.</i>	<i>World</i>	<i>S.E.</i>
		<i>2000 U.S.</i>	<i>S.E.</i>	<i>World</i>	<i>S.E.</i>					
All Sites (invasive & in situ bladder)	424,657	561.0	0.92	385.4	0.60	408,856	407.5	0.65	285.3	0.46
Oral Cavity & Pharynx	12,247	14.8	0.14	11.0	0.10	5,377	5.2	0.07	3.8	0.05
Lip	89	0.1	0.01	0.1	0.01	67	0.1	0.01	0.0	0.01
Tongue	2,806	3.4	0.07	2.5	0.05	1,135	1.1	0.03	0.8	0.02
Major salivary gland	939	1.2	0.04	0.9	0.03	1,084	1.1	0.03	0.8	0.03
Floor of mouth	733	0.9	0.03	0.7	0.02	298	0.3	0.02	0.2	0.01
Gum & other mouth	1,444	1.8	0.05	1.3	0.03	1,060	1.0	0.03	0.7	0.02
Nasopharynx	879	1.0	0.04	0.8	0.03	375	0.4	0.02	0.3	0.02
Oropharynx	989	1.2	0.04	0.9	0.03	310	0.3	0.02	0.2	0.01
Hypopharynx	1,487	1.8	0.05	1.3	0.03	298	0.3	0.02	0.2	0.01
Digestive System	92,303	123.4	0.44	82.6	0.27	80,982	81.7	0.29	53.2	0.19
Esophagus	5,478	7.2	0.10	4.9	0.07	2,339	2.3	0.05	1.5	0.03
Stomach	9,880	14.3	0.15	8.8	0.09	7,547	7.8	0.09	4.8	0.06
Small intestine	3,283	4.4	0.08	3.0	0.05	3,287	3.3	0.06	2.3	0.04
Colon excl. rectum	29,694	41.4	0.26	26.5	0.16	31,868	32.3	0.18	20.9	0.12
Rectum & rectosigmoid	11,695	15.0	0.15	10.4	0.10	9,561	9.4	0.10	6.6	0.07
Anus, anal canal & anorectum	1,660	2.0	0.05	1.5	0.04	1,792	1.7	0.04	1.3	0.03
Liver	14,363	16.2	0.14	12.8	0.11	4,569	4.3	0.07	3.1	0.05
Gallbladder	904	1.4	0.05	0.8	0.03	2,001	2.0	0.05	1.3	0.03
Pancreas	12,381	17.3	0.17	11.1	0.10	14,183	14.7	0.13	9.0	0.08
Respiratory System	69,677	97.7	0.40	62.7	0.24	51,750	52.4	0.24	34.2	0.16
Larynx	6,771	8.7	0.11	6.1	0.07	1,802	1.7	0.04	1.3	0.03
Lung & bronchus	62,072	88.0	0.38	55.8	0.23	49,347	50.1	0.23	32.5	0.15
Bones & Joints	803	0.9	0.03	0.8	0.03	739	0.7	0.03	0.7	0.03
Soft Tissue (incl. heart)	2,992	3.7	0.07	2.9	0.05	3,283	3.2	0.06	2.6	0.05
Skin (excl. basal & sq.)	1,612	2.1	0.06	1.5	0.04	1,817	1.8	0.04	1.3	0.03
Melanomas of the skin	795	1.1	0.04	0.7	0.03	955	1.0	0.03	0.7	0.02
Breast (excl. <i>in situ</i>)	1,368	1.9	0.06	1.2	0.03	127,722	125.5	0.36	91.4	0.26
Female Genital System	-	-	-	-	-	49,246	48.2	0.22	35.3	0.16
Cervix uteri	-	-	-	-	-	9,517	9.5	0.10	7.2	0.08
Uterus Corpus	-	-	-	-	-	24,720	23.8	0.15	17.5	0.11
Uterus, NOS ¹	-	-	-	-	-	1,778	1.8	0.04	1.2	0.03
Ovary	-	-	-	-	-	9,430	9.4	0.10	6.7	0.07
Male Genital System	149,683	189.5	0.52	136.5	0.36	-	-	-	-	-
Prostate	147,464	186.8	0.52	134.4	0.35	-	-	-	-	-
Testis	1,375	1.5	0.04	1.3	0.04	-	-	-	-	-
Penis	667	1.0	0.04	0.6	0.02	-	-	-	-	-
Urinary System	32,996	45.4	0.27	29.9	0.17	19,785	20.1	0.15	13.4	0.10
Bladder (incl. <i>in situ</i>)	12,822	19.8	0.19	11.4	0.10	6,327	6.7	0.09	3.8	0.05
Kidney & renal pelvis	19,663	24.8	0.19	18.0	0.13	12,994	12.9	0.12	9.3	0.08
Ureter	201	0.3	0.02	0.2	0.01	185	0.2	0.01	0.1	0.01
Eye & Orbit	240	0.3	0.02	0.3	0.02	237	0.2	0.02	0.3	0.02
Brain & Other Nervous System	4,125	4.9	0.08	4.1	0.07	3,646	3.6	0.06	3.1	0.06
Brain	3,798	4.5	0.08	3.8	0.06	3,251	3.2	0.06	2.8	0.05
Endocrine System	4,062	4.9	0.08	3.8	0.06	15,149	14.8	0.12	11.9	0.10
Thyroid gland	3,179	3.8	0.07	2.9	0.05	14,196	13.8	0.12	11.1	0.09
Lymphomas	16,366	20.4	0.17	15.2	0.12	14,569	14.5	0.12	10.8	0.09
Hodgkin Lymphoma	2,944	3.2	0.06	2.9	0.05	2,461	2.4	0.05	2.2	0.04
Non-Hodgkin Lymphoma	13,422	17.2	0.16	12.3	0.11	12,108	12.1	0.11	8.6	0.08
Multiple Myeloma	11,087	15.7	0.16	10.0	0.10	11,306	11.5	0.11	7.5	0.07
Leukemias	10,136	13.7	0.15	9.6	0.10	8,730	8.8	0.10	6.5	0.07
Acute lymphocytic	1,112	1.1	0.04	1.3	0.04	871	0.8	0.03	1.0	0.03
Chronic lymphocytic	3,132	4.6	0.09	2.8	0.05	2,284	2.4	0.05	1.5	0.03
Acute myeloid	3,057	4.2	0.08	2.8	0.05	3,096	3.1	0.06	2.3	0.04
Chronic myeloid	1,595	2.1	0.05	1.5	0.04	1,404	1.4	0.04	1.0	0.03
Other leukemias	1,240	1.8	0.05	1.1	0.03	1,075	1.1	0.03	0.7	0.02
Mesothelioma	553	0.9	0.04	0.5	0.02	225	0.2	0.02	0.2	0.01
Kaposi Sarcoma	1,457	1.6	0.04	1.4	0.04	159	0.2	0.01	0.1	0.01
Ill-defined & Unknown	12,950	19.1	0.18	11.6	0.10	14,134	14.7	0.13	8.9	0.08
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	6,373	8.3	0.11	5.9	0.08	14,831	14.9	0.12	10.5	0.09
Breast (<i>in situ</i>)	200	0.3	0.02	0.2	0.01	33,270	32.3	0.18	24.2	0.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

UNITED STATES

33 Combined Incidence – Non-Hispanic Black

NAACCR Canadian Combined Incidence 2010-2014, All Races Combined



Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR Canadian Combined, 2010-2014, All Races

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate	Adj. Rate	Adj. Rate	Adj. Rate	Count	Adj. Rate	Adj. Rate	Adj. Rate	Adj. Rate
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites (invasive & in situ bladder)	176,555	488.9	1.19	313.7	0.78	164,882	410.6	1.03	281.7	0.75
Oral Cavity & Pharynx	5,512	14.4	0.20	10.3	0.14	2,425	6.0	0.12	4.1	0.09
Lip	526	1.5	0.07	0.9	0.04	184	0.4	0.03	0.2	0.02
Tongue	1,592	4.0	0.10	3.1	0.08	684	1.7	0.07	1.2	0.05
Major salivary gland	386	1.1	0.06	0.7	0.04	343	0.9	0.05	0.7	0.04
Floor of mouth	307	0.8	0.04	0.6	0.03	136	0.3	0.03	0.2	0.02
Gum & other mouth	562	1.5	0.07	1.0	0.04	490	1.2	0.06	0.7	0.04
Nasopharynx	350	0.9	0.05	0.7	0.04	149	0.4	0.03	0.3	0.03
Oropharynx	240	0.6	0.04	0.4	0.03	65	0.2	0.02	0.1	0.01
Hypopharynx	342	0.9	0.05	0.6	0.03	67	0.2	0.02	0.1	0.01
Digestive System	41,674	116.0	0.58	71.6	0.36	31,630	76.6	0.44	46.9	0.29
Esophagus	2,835	7.7	0.15	4.9	0.09	830	2.0	0.07	1.2	0.05
Stomach	3,686	10.4	0.18	6.2	0.11	1,846	4.5	0.11	2.7	0.07
Small intestine	860	2.4	0.08	1.5	0.05	674	1.7	0.06	1.1	0.05
Colon excl. rectum	15,264	43.3	0.36	25.6	0.22	14,394	34.8	0.29	20.5	0.19
Rectum & rectosigmoid	9,444	25.7	0.27	16.8	0.18	5,435	13.3	0.18	8.8	0.13
Anus, anal canal & anorectum	414	1.1	0.06	0.8	0.04	808	2.0	0.07	1.4	0.05
Liver	2,774	7.2	0.14	5.0	0.10	899	2.2	0.07	1.4	0.05
Gallbladder	335	1.0	0.05	0.5	0.03	608	1.5	0.06	0.9	0.04
Pancreas	4,378	12.3	0.19	7.4	0.12	4,175	10.0	0.16	5.9	0.10
Respiratory System	24,908	70.1	0.45	41.5	0.27	22,521	54.9	0.37	34.4	0.24
Larynx	1,524	4.1	0.11	2.7	0.07	273	0.7	0.04	0.5	0.03
Lung & bronchus	22,999	64.9	0.44	38.0	0.26	22,022	53.6	0.37	33.5	0.24
Bones & Joints	346	1.0	0.06	0.9	0.05	296	0.9	0.05	0.8	0.05
Soft Tissue (incl. heart)	1,208	3.5	0.10	2.6	0.08	916	2.4	0.08	1.9	0.07
Skin (excl. basal & sq.)	7,660	21.4	0.25	13.9	0.17	6,626	17.1	0.21	12.5	0.16
Melanomas of the skin	6,951	19.3	0.24	12.7	0.16	6,104	15.8	0.21	11.6	0.16
Breast (excl. <i>in situ</i>)	364	1.0	0.05	0.6	0.03	46,172	115.6	0.55	83.2	0.41
Female Genital System	-	-	-	-	-	19,574	48.9	0.36	36.1	0.27
Cervix uteri	-	-	-	-	-	2,679	7.6	0.15	6.1	0.12
Uterus Corpus	-	-	-	-	-	10,205	24.6	0.25	18.6	0.19
Uterus, NOS ¹	-	-	-	-	-	209	0.5	0.03	0.3	0.02
Ovary	-	-	-	-	-	4,563	11.4	0.17	8.1	0.13
Male Genital System	45,111	120.0	0.58	81.4	0.40	-	-	-	-	-
Prostate	42,600	112.5	0.56	74.8	0.37	-	-	-	-	-
Testis	2,008	6.0	0.14	5.7	0.13	-	-	-	-	-
Penis	389	1.1	0.06	0.7	0.04	-	-	-	-	-
Urinary System	20,091	56.8	0.41	34.2	0.25	8,099	19.8	0.22	12.8	0.16
Bladder (incl. <i>in situ</i>)	12,665	36.7	0.33	20.5	0.19	3,994	9.6	0.15	5.7	0.10
Kidney & renal pelvis	6,996	18.9	0.23	13.1	0.16	3,867	9.6	0.16	6.8	0.12
Ureter	266	0.8	0.05	0.4	0.03	175	0.4	0.03	0.2	0.02
Eye & Orbit	307	0.9	0.05	0.7	0.04	267	0.7	0.04	0.5	0.04
Brain & Other Nervous System	2,682	7.6	0.15	6.1	0.13	1,909	5.1	0.12	4.3	0.11
Brain	2,583	7.3	0.15	5.8	0.13	1,819	4.9	0.12	4.0	0.11
Endocrine System	2,317	6.4	0.14	5.2	0.11	5,888	16.4	0.22	13.5	0.19
Thyroid gland	2,034	5.6	0.13	4.4	0.10	5,637	15.7	0.21	12.8	0.18
Lymphomas	8,915	25.2	0.27	17.2	0.20	7,125	18.0	0.22	12.5	0.16
Hodgkin Lymphoma	890	2.6	0.09	2.4	0.08	677	2.0	0.08	1.9	0.08
Non-Hodgkin Lymphoma	8,025	22.6	0.26	14.8	0.18	6,448	16.0	0.20	10.6	0.15
Multiple Myeloma	2,560	7.1	0.14	4.4	0.09	1,875	4.6	0.11	2.8	0.07
Leukemias	6,279	18.0	0.23	12.3	0.18	4,121	10.6	0.17	7.9	0.15
Acute lymphocytic	459	1.5	0.07	2.0	0.10	375	1.3	0.07	1.7	0.10
Chronic lymphocytic	2,859	7.9	0.15	4.9	0.09	1,634	3.9	0.10	2.4	0.07
Acute myeloid	1,573	4.6	0.12	2.9	0.08	1,230	3.2	0.09	2.3	0.08
Chronic myeloid	763	2.2	0.08	1.4	0.06	467	1.2	0.06	0.8	0.04
Other leukemias	625	1.8	0.07	1.1	0.05	415	1.0	0.05	0.6	0.04
Mesothelioma	830	2.5	0.09	1.3	0.05	181	0.4	0.03	0.3	0.02
Kaposi Sarcoma	109	0.3	0.03	0.2	0.02	23	0.1	0.01	0.0	0.01
Ill-defined & Unknown	5,682	16.8	0.23	9.3	0.13	5,234	12.6	0.18	7.2	0.12
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	1,396	4.0	0.11	3.0	0.09	2,482	6.4	0.13	4.7	0.10
Breast (<i>in situ</i>)	21	0.1	0.01	0.0	0.01	6,878	17.4	0.21	13.4	0.17

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined³, 2010-2014, All Races, Males**

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Bladder			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined	176,555	488.9	1.19	42,600	112.5	0.56	24,708	69.0	0.45	22,999	64.9	0.44	12,665	36.7	0.33	8,025	22.6	0.26
Alberta	43,725	490.4	2.44	11,240	121.1	1.19	5,606	64.1	0.89	5,065	60.7	0.88	3,048	37.0	0.69	1,994	22.4	0.52
British Columbia	62,484	461.3	1.88	15,257	107.5	0.89	8,552	63.4	0.70	7,598	56.2	0.66	4,820	36.7	0.54	2,875	21.7	0.41
Manitoba	16,246	495.0	3.96	3,399	100.1	1.75	2,366	72.6	1.52	2,203	67.9	1.47	1,018	31.7	1.01	771	23.6	0.87
New Brunswick	12,570	531.1	4.89	3,011	116.8	2.19	1,627	69.3	1.77	2,064	88.5	2.00	943	41.3	1.38	554	24.8	1.09
Newfoundland and Labrador	9,106	549.3	6.04	2,231	123.1	2.72	1,612	99.2	2.59	1,341	82.1	2.34	565	36.1	1.60	380	23.3	1.25
Northwest Territory	356	484.0	30.31	55	74.5	11.57	68	96.0	13.58	53	87.8	13.70	7	7.6	3.15	19	25.0	6.92
Nova Scotia	15,801	544.9	4.47	3,492	112.5	1.95	2,300	79.9	1.72	2,453	85.5	1.77	1,117	39.8	1.22	738	26.4	1.00
Prince Edward Island	2,356	541.5	11.53	594	126.8	5.37	335	77.4	4.36	359	82.0	4.46	142	33.5	2.90	93	22.3	2.39
Saskatchewan	13,911	473.9	4.08	3,321	109.1	1.92	2,242	76.3	1.64	1,863	64.4	1.51	1,005	35.2	1.12	601	21.0	0.87

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates² for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined³, 2010-2014, All Races, Males**

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Bladder			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined	176,555	313.7	0.78	42,600	74.8	0.37	24,708	42.4	0.28	22,999	38.0	0.26	12,665	20.5	0.19	8,025	14.8	0.18
Alberta	43,725	315.0	1.55	11,240	81.6	0.79	5,606	39.2	0.54	5,065	35.2	0.51	3,048	20.9	0.39	1,994	14.6	0.34
British Columbia	62,484	293.6	1.26	15,257	69.6	0.58	8,552	38.7	0.44	7,598	32.6	0.39	4,820	20.0	0.30	2,875	14.2	0.29
Manitoba	16,246	316.7	2.61	3,399	65.1	1.15	2,366	45.0	0.97	2,203	40.5	0.90	1,018	18.2	0.60	771	15.3	0.58
New Brunswick	12,570	347.2	3.28	3,011	82.5	1.53	1,627	43.5	1.12	2,064	52.2	1.18	943	23.9	0.81	554	16.1	0.75
Newfoundland and Labrador	9,106	360.0	3.98	2,231	85.2	1.83	1,612	61.1	1.56	1,341	48.5	1.35	565	20.5	0.88	380	16.8	0.93
Northwest Territory	356	308.2	16.97	55	48.1	6.72	68	58.8	7.39	53	49.5	6.97	7	5.9	2.35	19	16.1	3.84
Nova Scotia	15,801	349.7	2.96	3,492	75.6	1.31	2,300	48.4	1.05	2,453	49.6	1.03	1,117	22.4	0.69	738	17.4	0.70
Prince Edward Island	2,356	343.4	7.45	594	85.1	3.55	335	46.5	2.62	359	49.1	2.67	142	18.8	1.62	93	15.1	1.68
Saskatchewan	13,911	305.5	2.75	3,321	72.8	1.31	2,242	47.8	1.06	1,863	38.5	0.94	1,005	19.6	0.66	601	13.8	0.61

^{1.} Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

^{2.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{3.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{4.} Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

**Total Cancer Cases and Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined³, 2010-2014, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ⁴			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined	164,882	410.6	1.03	46,172	115.6	0.55	22,022	53.6	0.37	19,829	48.1	0.35	10,414	25.1	0.25	6,448	16.0	0.20
Alberta	40,556	407.1	2.05	11,844	117.8	1.10	5,104	52.6	0.75	4,317	43.5	0.67	2,597	24.9	0.50	1,513	15.4	0.40
British Columbia	58,176	393.4	1.67	16,780	114.7	0.90	7,566	49.4	0.57	6,916	45.1	0.55	3,635	23.9	0.40	2,332	15.5	0.33
Manitoba	16,333	432.5	3.46	4,342	117.0	1.82	2,310	59.3	1.26	1,940	49.3	1.15	1,199	31.6	0.93	637	16.6	0.67
New Brunswick	11,058	417.1	4.09	2,889	109.4	2.10	1,594	57.3	1.46	1,287	46.6	1.32	669	24.0	0.95	474	17.7	0.84
Newfoundland and Labrador	8,046	449.4	5.16	2,052	113.0	2.57	939	50.0	1.66	1,280	70.4	2.01	545	29.3	1.29	311	17.3	1.01
Northwest Territory	350	433.6	25.55	112	123.7	12.69	34	58.8	10.78	63	79.9	11.10	22	25.2	5.90	10	11.3	3.86
Nova Scotia	14,945	447.3	3.78	3,835	116.2	1.94	2,303	66.0	1.40	1,977	56.7	1.31	847	24.2	0.86	565	16.8	0.73
Prince Edward Island	2,105	418.2	9.39	605	118.4	4.94	287	55.1	3.29	278	54.6	3.35	99	19.3	2.01	80	16.2	1.87
Saskatchewan	13,313	406.6	3.62	3,713	115.6	1.95	1,885	56.2	1.32	1,771	51.6	1.26	801	24.4	0.88	526	15.8	0.71

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates² for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined³, 2010-2014, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ⁴			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined	164,882	281.7	0.75	46,172	83.2	0.41	22,022	33.5	0.24	19,829	29.3	0.23	10,414	18.9	0.19	6,448	10.6	0.15
Alberta	40,556	280.2	1.47	11,844	84.8	0.81	5,104	32.7	0.48	4,317	26.6	0.43	2,597	18.9	0.38	1,513	10.1	0.28
British Columbia	58,176	268.9	1.23	16,780	82.8	0.68	7,566	30.4	0.38	6,916	27.2	0.36	3,635	17.9	0.31	2,332	10.3	0.24
Manitoba	16,333	296.8	2.56	4,342	84.1	1.36	2,310	37.3	0.84	1,940	30.2	0.77	1,199	23.8	0.72	637	10.8	0.48
New Brunswick	11,058	287.9	3.07	2,889	78.3	1.56	1,594	36.8	0.98	1,287	27.7	0.85	669	18.1	0.73	474	12.1	0.62
Newfoundland and Labrador	8,046	311.9	3.80	2,052	80.5	1.87	939	32.3	1.10	1,280	43.5	1.30	545	22.3	0.99	311	12.0	0.74
Northwest Territory	350	299.7	16.59	112	92.3	9.00	34	32.7	5.78	63	54.7	7.14	22	18.7	4.15	10	8.1	2.65
Nova Scotia	14,945	305.3	2.80	3,835	83.7	1.45	2,303	41.5	0.92	1,977	34.6	0.86	847	18.3	0.66	565	11.3	0.53
Prince Edward Island	2,105	285.6	6.94	605	83.7	3.64	287	35.1	2.19	278	32.0	2.11	99	14.3	1.51	80	12.5	1.61
Saskatchewan	13,313	279.1	2.69	3,713	82.4	1.46	1,885	35.5	0.89	1,771	32.4	0.87	801	18.3	0.68	526	10.4	0.51

^{1.} Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

^{2.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{3.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{4.} Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

NAACCR North American Combined Incidence 2010-2014, All Races Combined



Total Cancer Cases and Average Annual Age-adjusted Cancer Incidence Rates*
NAACCR North American Combined, 2010-2014, All Races

SITES	Count	MALES (ALL RACES)				FEMALES (ALL RACES)				
		Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Count	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,070,764	501.5	0.25	331.6	0.17	3,946,051	417.7	0.21	291.1	0.16
Oral Cavity & Pharynx	147,015	17.2	0.05	12.5	0.03	60,660	6.3	0.03	4.4	0.02
Lip	7,478	1.0	0.01	0.6	0.01	2,834	0.3	0.01	0.2	0.00
Tongue	45,150	5.2	0.02	3.9	0.02	17,891	1.9	0.01	1.3	0.01
Major salivary gland	12,738	1.6	0.01	1.0	0.01	9,019	1.0	0.01	0.7	0.01
Floor of mouth	7,042	0.8	0.01	0.6	0.01	3,178	0.3	0.01	0.2	0.00
Gum & other mouth	15,427	1.9	0.02	1.3	0.01	12,278	1.3	0.01	0.8	0.01
Nasopharynx	6,594	0.8	0.01	0.6	0.01	2,678	0.3	0.01	0.2	0.00
Oropharynx	7,278	0.8	0.01	0.6	0.01	2,257	0.2	0.00	0.2	0.00
Hypopharynx	9,370	1.1	0.01	0.8	0.01	2,216	0.2	0.00	0.2	0.00
Digestive System	798,031	98.5	0.11	63.6	0.07	640,662	65.8	0.08	41.6	0.06
Esophagus	65,650	8.0	0.03	5.2	0.02	17,711	1.8	0.01	1.1	0.01
Stomach	73,503	9.3	0.03	5.8	0.02	44,667	4.6	0.02	2.9	0.02
Small intestine	21,765	2.7	0.02	1.8	0.01	19,420	2.0	0.01	1.4	0.01
Colon excl. rectum	253,538	32.1	0.07	19.8	0.04	256,974	26.4	0.05	16.0	0.03
Rectum & rectosigmoid	122,002	14.8	0.04	10.1	0.03	86,127	9.0	0.03	6.2	0.02
Anus, anal canal & anorectum	12,080	1.5	0.01	1.0	0.01	20,813	2.1	0.02	1.6	0.01
Liver	95,312	10.9	0.04	8.0	0.03	32,000	3.3	0.02	2.2	0.01
Gallbladder	6,414	0.8	0.01	0.5	0.01	13,627	1.4	0.01	0.8	0.01
Pancreas	113,477	14.2	0.04	8.8	0.03	109,137	11.0	0.03	6.6	0.02
Respiratory System	637,727	79.8	0.10	49.0	0.06	533,777	54.8	0.08	34.7	0.05
Larynx	50,182	5.9	0.03	4.1	0.02	12,912	1.3	0.01	1.0	0.01
Lung & bronchus	578,125	72.7	0.10	44.0	0.06	515,051	52.8	0.07	33.3	0.05
Bones & Joints	8,567	1.1	0.01	1.0	0.01	6,868	0.8	0.01	0.8	0.01
Soft Tissue (incl. heart)	30,880	3.9	0.02	2.9	0.02	24,813	2.8	0.02	2.2	0.02
Skin (excl. basal & sq.)	225,639	28.5	0.06	18.3	0.04	158,652	17.5	0.04	12.9	0.03
Melanomas of the skin	208,393	26.2	0.06	17.0	0.04	147,410	16.3	0.04	12.1	0.03
Breast (excl. <i>in situ</i>)	10,273	1.3	0.01	0.8	0.01	1,153,821	123.3	0.12	89.0	0.09
Female Genital System	-	-	-	-	-	465,193	49.3	0.07	36.5	0.06
Cervix uteri	-	-	-	-	-	63,013	7.6	0.03	6.0	0.02
Uterus Corpus	-	-	-	-	-	243,735	25.0	0.05	18.8	0.04
Uterus, NOS ¹	-	-	-	-	-	8,187	0.8	0.01	0.6	0.01
Ovary	-	-	-	-	-	107,897	11.5	0.04	8.2	0.03
Male Genital System	1,037,592	121.6	0.12	86.4	0.09	-	-	-	-	-
Prostate	986,455	114.9	0.12	80.5	0.08	-	-	-	-	-
Testis	42,384	5.5	0.03	5.2	0.03	-	-	-	-	-
Penis	6,890	0.9	0.01	0.5	0.01	-	-	-	-	-
Urinary System	463,772	58.9	0.09	35.9	0.05	199,364	20.7	0.05	13.5	0.03
Bladder (incl. <i>in situ</i>)	275,044	35.9	0.07	20.0	0.04	87,596	8.9	0.03	5.2	0.02
Kidney & renal pelvis	178,896	21.7	0.05	15.2	0.04	106,317	11.2	0.04	8.0	0.03
Ureter	6,208	0.8	0.01	0.4	0.01	3,754	0.4	0.01	0.2	0.00
Eye & Orbit	7,713	1.0	0.01	0.8	0.01	6,534	0.7	0.01	0.6	0.01
Brain & Other Nervous System	61,909	7.7	0.03	6.3	0.03	49,328	5.5	0.03	4.7	0.02
Brain	58,553	7.3	0.03	5.9	0.03	45,758	5.1	0.02	4.3	0.02
Endocrine System	64,157	7.9	0.03	6.3	0.03	181,522	21.6	0.05	17.9	0.04
Thyroid gland	57,702	7.1	0.03	5.5	0.02	175,611	20.9	0.05	17.2	0.04
Lymphomas	205,021	25.9	0.06	17.7	0.04	169,643	18.1	0.04	12.6	0.03
Hodgkin Lymphoma	23,845	3.0	0.02	2.7	0.02	19,123	2.3	0.02	2.2	0.02
Non-Hodgkin Lymphoma	181,176	22.9	0.05	15.0	0.04	150,520	15.8	0.04	10.5	0.03
Multiple Myeloma	64,121	8.0	0.03	5.0	0.02	51,423	5.3	0.02	3.3	0.02
Leukemias	136,922	17.6	0.05	12.1	0.04	99,642	10.7	0.03	7.9	0.03
Acute lymphocytic	13,876	1.8	0.02	2.2	0.02	10,880	1.4	0.01	1.7	0.02
Chronic lymphocytic	49,449	6.2	0.03	3.8	0.02	32,157	3.2	0.02	1.9	0.01
Acute myeloid	39,671	5.1	0.03	3.3	0.02	32,387	3.5	0.02	2.5	0.02
Chronic myeloid	17,528	2.3	0.02	1.5	0.01	12,857	1.4	0.01	1.0	0.01
Other leukemias	16,398	2.1	0.02	1.3	0.01	11,361	1.2	0.01	0.8	0.01
Mesothelioma	12,875	1.7	0.02	0.9	0.01	3,989	0.4	0.01	0.3	0.00
Kaposi Sarcoma	5,151	0.7	0.01	0.5	0.01	674	0.1	0.00	0.0	0.00
Ill-defined & Unknown	153,399	20.1	0.05	11.5	0.03	139,486	14.1	0.04	8.2	0.03
Selected tumors (non-invasive)										
Brain & ONS ¹ (<i>benign/borderline</i>)	64,860	8.2	0.03	6.0	0.02	131,751	14.3	0.04	10.3	0.03
Breast (<i>in situ</i>)	1,143	0.1	0.00	0.1	0.00	277,885	30.0	0.06	22.7	0.04

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; ONS - Other Nervous System

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined², 2010-2014, All Races, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,894,209	332.4	0.18	943,855	80.8	0.08	555,126	44.3	0.06	350,832	29.3	0.05	262,379	20.0	0.04	201,442	17.2	0.04
Alabama	67,581	357.2	1.42	17,371	90.4	0.70	11,675	58.3	0.55	6,498	34.2	0.44	4,058	19.5	0.32	3,304	17.7	0.32
Alaska	6,949	290.8	3.56	1,548	63.0	1.62	937	39.1	1.29	707	29.1	1.11	451	19.2	0.91	248	10.4	0.67
Arizona	72,737	272.6	1.07	14,985	56.4	0.48	9,842	33.0	0.35	6,778	25.0	0.32	5,534	17.8	0.25	4,429	16.4	0.26
Arkansas	42,168	354.2	1.80	10,204	84.7	0.86	7,946	62.8	0.73	3,937	32.9	0.54	2,745	20.6	0.41	1,921	16.2	0.39
California	407,224	300.2	0.49	100,652	75.5	0.24	42,877	29.3	0.15	37,576	27.1	0.14	25,904	17.1	0.11	25,399	18.4	0.12
CA: Greater California	231,016	305.3	0.66	55,682	74.5	0.32	25,441	31.2	0.20	20,841	27.1	0.19	15,128	17.8	0.15	15,910	20.7	0.17
CA: Greater Bay Area	80,433	304.4	1.12	20,916	80.6	0.57	7,967	27.8	0.32	7,006	25.8	0.32	4,915	16.6	0.25	5,443	20.2	0.28
CA: Los Angeles	95,589	285.1	0.95	23,993	73.7	0.49	9,449	26.4	0.28	9,717	28.2	0.29	5,855	15.7	0.21	4,043	11.7	0.19
Colorado	55,158	292.4	1.28	14,649	77.2	0.64	5,581	27.9	0.38	4,577	23.7	0.36	3,696	18.2	0.31	3,422	18.2	0.32
Connecticut	50,632	345.4	1.62	12,169	84.8	0.78	6,578	41.5	0.53	4,205	27.6	0.45	4,342	26.1	0.42	2,566	17.2	0.36
Delaware	14,378	376.2	3.29	3,837	101.3	1.67	2,025	49.0	1.13	1,069	27.4	0.87	1,017	23.6	0.77	969	25.2	0.85
District of Columbia	7,245	372.7	4.50	2,188	113.0	2.45	883	44.2	1.51	641	31.9	1.28	297	14.3	0.85	168	8.4	0.66
Florida	287,296	322.3	0.65	65,177	73.6	0.30	43,754	44.7	0.23	25,244	27.7	0.19	20,090	18.7	0.14	17,089	18.4	0.15
Georgia	118,328	354.7	1.05	30,481	91.0	0.52	17,952	51.8	0.39	10,783	31.9	0.31	6,580	18.7	0.23	7,314	21.9	0.26
Hawaii	17,112	293.3	2.37	3,582	59.4	1.02	2,178	33.9	0.76	2,003	35.0	0.81	893	13.2	0.46	1,023	18.3	0.60
Idaho	19,579	311.1	2.31	5,187	81.2	1.15	2,219	32.2	0.70	1,612	25.4	0.65	1,479	21.2	0.57	1,311	21.6	0.62
Illinois	164,223	342.3	0.88	39,845	84.1	0.43	24,277	47.6	0.32	16,315	32.9	0.27	11,139	21.1	0.21	7,142	14.9	0.18
Indiana	81,526	325.7	1.18	16,713	66.4	0.52	14,434	54.7	0.47	7,932	30.9	0.36	5,747	20.9	0.29	3,539	14.3	0.25
Iowa	44,898	347.5	1.74	10,064	78.1	0.80	6,611	47.3	0.61	4,310	32.2	0.52	3,190	21.6	0.41	2,394	19.4	0.42
Kansas	38,405	345.9	1.85	9,518	85.7	0.90	5,306	44.6	0.64	3,439	30.3	0.54	2,748	22.0	0.44	2,167	19.8	0.45
Kentucky	67,517	392.3	1.56	13,778	78.6	0.68	13,203	72.7	0.65	6,687	38.4	0.48	4,304	22.9	0.36	3,403	20.2	0.36
Louisiana	65,307	387.1	1.56	17,311	102.1	0.79	10,066	56.8	0.58	6,303	37.0	0.48	3,530	19.4	0.34	2,482	14.8	0.31
Maine	21,320	340.1	2.50	4,491	69.7	1.06	3,464	51.1	0.90	1,717	27.0	0.69	1,892	26.8	0.64	1,134	18.5	0.59
Maryland	72,723	333.4	1.28	20,406	94.4	0.67	9,265	40.1	0.43	6,025	27.0	0.36	4,916	20.4	0.30	4,032	18.3	0.30
Massachusetts	87,754	335.2	1.19	21,277	82.5	0.58	11,876	41.8	0.40	7,327	26.9	0.33	6,718	22.9	0.29	4,332	16.4	0.26
Michigan	138,639	342.8	0.96	36,195	89.2	0.48	20,448	47.1	0.34	11,508	27.7	0.27	9,972	22.0	0.23	5,904	14.9	0.20
MI: Metropolitan Detroit	57,850	386.9	1.68	16,298	109.9	0.88	8,152	51.1	0.58	4,722	30.6	0.46	3,965	24.0	0.40	2,041	13.7	0.32
Mississippi	41,771	378.0	1.90	10,748	96.6	0.94	7,466	64.0	0.76	4,300	38.8	0.61	2,145	17.9	0.40	1,662	15.2	0.39
Missouri	80,984	335.5	1.23	17,428	72.5	0.56	14,218	55.1	0.48	7,820	31.4	0.37	5,198	19.2	0.28	3,831	16.2	0.27
Montana	14,771	320.6	2.80	3,856	81.0	1.33	1,810	35.0	0.86	1,334	28.7	0.83	1,056	20.2	0.65	897	20.7	0.73
Nebraska	24,322	335.2	2.26	5,977	82.3	1.09	3,374	43.1	0.77	2,375	31.8	0.68	1,704	20.6	0.53	1,122	16.1	0.50
New Hampshire	19,813	348.4	2.61	5,094	88.3	1.25	2,581	41.9	0.85	1,504	25.7	0.69	1,714	27.3	0.68	1,218	21.3	0.64
New Jersey	122,895	355.8	1.06	33,215	97.6	0.55	14,382	38.7	0.33	10,728	30.0	0.30	8,887	22.8	0.25	6,416	18.2	0.24
New York	270,901	361.4	0.73	71,412	96.5	0.37	33,864	42.1	0.24	22,839	29.4	0.20	19,314	22.9	0.17	11,099	14.7	0.15

Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined², 2010-2014, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
North Carolina	130,183	352.2	1.01	32,878	88.3	0.49	21,415	54.6	0.38	10,565	28.4	0.28	8,158	20.1	0.23	7,449	20.3	0.24
North Dakota	9,651	336.3	3.62	2,446	86.1	1.79	1,308	41.0	1.20	1,000	34.7	1.16	683	20.7	0.84	466	17.5	0.85
Ohio	157,260	335.5	0.89	37,060	78.6	0.42	25,857	51.8	0.33	14,626	30.3	0.26	11,494	21.9	0.21	7,519	16.4	0.20
Oklahoma	49,300	332.5	1.56	11,133	73.9	0.72	8,448	53.4	0.60	4,705	31.7	0.48	3,158	19.3	0.36	2,276	15.4	0.34
Oregon	50,882	309.3	1.44	11,791	70.3	0.66	6,714	37.2	0.47	4,313	25.7	0.41	3,946	21.0	0.35	3,324	20.8	0.38
Pennsylvania	196,353	360.8	0.86	45,104	83.5	0.40	28,146	47.6	0.30	17,716	31.3	0.25	15,434	24.8	0.21	10,098	18.7	0.20
Rhode Island	14,563	340.9	2.98	3,240	77.5	1.39	2,139	46.1	1.04	1,135	25.3	0.79	1,234	25.6	0.77	781	18.6	0.70
South Carolina	65,603	346.4	1.40	16,502	85.6	0.68	10,738	53.4	0.53	5,531	29.4	0.41	4,026	19.2	0.31	3,466	18.5	0.33
South Dakota	11,379	328.2	3.25	2,815	81.8	1.58	1,568	40.4	1.07	1,165	33.0	1.02	771	19.4	0.74	558	17.2	0.77
Tennessee	89,477	355.3	1.23	21,512	83.7	0.58	16,028	60.0	0.48	7,724	30.3	0.35	5,466	19.7	0.27	4,232	17.0	0.27
Texas	262,427	306.7	0.61	58,205	68.1	0.29	36,319	40.5	0.22	26,047	30.0	0.19	13,966	15.2	0.13	9,825	11.3	0.12
Utah	25,518	304.6	1.95	7,404	90.4	1.07	1,717	19.5	0.48	1,942	22.9	0.53	1,515	16.6	0.44	2,643	31.2	0.62
Vermont	9,122	323.5	3.58	1,989	67.7	1.54	1,325	43.7	1.24	721	25.0	0.97	691	22.2	0.87	715	25.5	1.01
Virginia	93,384	304.7	1.03	23,473	76.9	0.51	14,291	44.1	0.38	8,205	26.3	0.30	5,791	17.3	0.23	4,861	15.7	0.23
Washington	88,331	327.3	1.14	21,829	80.5	0.55	11,011	37.8	0.37	7,123	26.0	0.32	6,175	20.5	0.27	5,344	20.3	0.29
WA: Seattle/Puget Sound	62,082	341.0	1.41	15,504	85.1	0.69	7,398	37.9	0.45	4,930	26.7	0.39	4,246	21.1	0.33	3,978	22.2	0.36
West Virginia	29,544	348.7	2.15	6,057	68.6	0.90	5,639	62.3	0.86	2,939	34.1	0.66	2,175	23.3	0.52	1,350	16.4	0.47
Wisconsin	80,116	339.1	1.26	19,236	81.6	0.60	10,633	41.8	0.42	6,648	27.3	0.35	5,912	22.3	0.30	4,173	18.0	0.29
Wyoming	6,960	297.3	3.70	1,823	76.1	1.81	738	28.9	1.09	634	26.6	1.09	524	20.7	0.93	425	18.7	0.95
NAACCR Canadian Combined	176,555	313.7	0.78	42,600	74.8	0.37	22,999	38.0	0.26	24,708	42.4	0.28	12,665	20.5	0.19	6,951	12.7	0.16
Alberta	43,725	315.0	1.55	11,240	81.6	0.79	5,065	35.2	0.51	5,606	39.2	0.54	3,048	20.9	0.39	1,585	11.3	0.29
British Columbia	62,484	293.6	1.26	15,257	69.6	0.58	7,598	32.6	0.39	8,552	38.7	0.44	4,820	20.0	0.30	2,875	14.1	0.28
Manitoba	16,246	316.7	2.61	3,399	65.1	1.15	2,203	40.5	0.90	2,366	45.0	0.97	1,018	18.2	0.60	510	10.1	0.47
New Brunswick	12,570	347.2	3.28	3,011	82.5	1.53	2,064	52.2	1.18	1,627	43.5	1.12	943	23.9	0.81	430	12.4	0.63
Newfoundland and Labrador	9,106	360.0	3.98	2,231	85.2	1.83	1,341	48.5	1.35	1,612	61.1	1.56	565	20.5	0.88	253	10.9	0.73
Northwest Territory	356	308.2	16.97	55	48.1	6.72	53	49.5	6.97	68	58.8	7.39	7	5.9	2.35	9	6.8	2.36
Nova Scotia	15,801	349.7	2.96	3,492	75.6	1.31	2,453	49.6	1.03	2,300	48.4	1.05	1,117	22.4	0.69	767	18.2	0.70
Prince Edward Island	2,356	343.4	7.45	594	85.1	3.55	359	49.1	2.67	335	46.5	2.62	142	18.8	1.62	116	18.0	1.76
Saskatchewan	13,911	305.5	2.75	3,321	72.8	1.31	1,863	38.5	0.94	2,242	47.8	1.06	1,005	19.6	0.66	406	9.2	0.48
NAACCR North American Combined	4,070,764	331.6	0.17	986,455	80.5	0.08	578,125	44.0	0.06	375,540	29.9	0.05	275,044	20.0	0.04	208,393	17.0	0.04

- ^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.
 - ^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
 - ^{3.} Abbreviations: S.E. - Standard Error
- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the combined.

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined², 2010-2014, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined	3,781,169	291.5	0.16	1,107,649	89.2	0.09	493,029	33.2	0.05	323,272	21.9	0.04	241,508	19.4	0.04	169,974	17.4	0.04
Alabama	59,329	277.9	1.24	17,811	86.8	0.69	8,235	34.4	0.40	5,651	24.1	0.35	2,968	14.0	0.27	1,712	10.6	0.27
Alaska	6,568	285.4	3.61	2,085	89.9	2.00	773	32.3	1.19	620	26.2	1.07	431	18.4	0.90	299	14.4	0.85
Arizona	72,444	260.9	1.06	21,537	80.8	0.58	9,264	27.5	0.31	5,908	18.6	0.27	4,260	16.3	0.26	3,979	19.7	0.33
Arkansas	36,111	280.9	1.61	10,122	81.5	0.86	5,818	40.2	0.56	3,456	24.4	0.45	1,997	16.3	0.38	1,180	12.3	0.38
California	404,208	269.0	0.45	125,201	87.2	0.26	41,600	23.7	0.12	34,469	20.5	0.12	26,391	18.5	0.12	18,747	15.7	0.12
CA: Greater California	225,193	273.4	0.62	69,313	87.8	0.35	24,875	25.8	0.17	18,789	20.4	0.16	13,933	17.8	0.16	10,305	15.9	0.16
CA: Greater Bay Area	79,420	271.2	1.03	25,087	90.4	0.59	7,912	22.6	0.27	6,667	20.4	0.27	5,363	19.0	0.27	3,212	14.1	0.26
CA: Los Angeles	99,469	257.6	0.87	30,772	83.1	0.49	8,801	19.7	0.23	9,004	21.0	0.24	7,095	19.5	0.24	5,229	16.3	0.23
Colorado	54,644	270.0	1.22	17,541	89.1	0.70	5,751	24.8	0.34	4,259	18.6	0.30	3,321	16.7	0.30	3,154	19.5	0.36
Connecticut	52,718	318.2	1.53	15,767	100.6	0.85	6,767	34.9	0.46	4,159	21.3	0.37	3,483	21.7	0.38	2,827	23.9	0.47
Delaware	13,375	318.9	3.01	3,886	95.3	1.62	1,930	39.7	0.96	986	20.7	0.73	890	21.8	0.77	578	19.4	0.84
District of Columbia	7,606	316.9	3.89	2,389	103.4	2.22	845	31.8	1.17	690	26.9	1.10	549	23.2	1.03	396	18.8	0.98
Florida	266,096	278.4	0.61	75,212	83.7	0.33	38,674	34.0	0.19	22,825	20.6	0.15	15,788	17.3	0.15	9,412	14.5	0.16
Georgia	110,666	287.3	0.90	33,614	89.3	0.50	14,072	33.3	0.29	9,578	23.3	0.25	6,133	16.2	0.21	4,359	13.7	0.21
Hawaii	17,260	292.1	2.45	5,670	101.1	1.43	1,717	23.5	0.62	1,599	24.4	0.68	1,237	23.3	0.69	831	19.3	0.70
Idaho	18,042	283.9	2.27	5,295	85.4	1.24	2,117	28.8	0.66	1,437	20.2	0.58	1,111	18.3	0.57	980	20.8	0.69
Illinois	165,887	304.2	0.81	48,665	93.8	0.45	22,372	36.1	0.26	14,948	23.7	0.21	11,336	21.9	0.21	7,370	17.9	0.22
Indiana	82,508	296.8	1.12	23,084	86.6	0.60	12,158	39.4	0.38	7,666	24.0	0.30	5,390	20.1	0.29	3,015	14.6	0.28
Iowa	42,359	305.6	1.67	11,520	87.9	0.89	5,377	33.7	0.51	4,114	23.7	0.43	3,042	23.5	0.45	1,575	16.7	0.44
Kansas	35,882	301.0	1.74	10,182	88.7	0.94	4,596	33.6	0.54	3,129	22.7	0.45	2,104	18.4	0.42	1,833	20.8	0.51
Kentucky	63,000	331.5	1.42	16,413	89.5	0.73	11,053	52.6	0.53	5,774	27.2	0.39	3,521	19.6	0.34	2,526	17.9	0.37
Louisiana	55,904	295.7	1.34	16,330	89.2	0.73	7,513	35.7	0.43	5,551	27.4	0.39	2,610	14.3	0.29	2,371	15.9	0.34
Maine	21,056	314.9	2.44	5,743	90.3	1.28	3,189	41.2	0.78	1,638	21.0	0.59	1,506	23.4	0.63	822	18.6	0.71
Maryland	74,065	293.1	1.15	23,092	94.9	0.65	9,245	32.2	0.35	5,920	21.1	0.29	4,867	19.7	0.29	3,554	18.0	0.31
Massachusetts	94,120	312.9	1.12	28,058	98.4	0.62	13,038	37.8	0.36	7,338	20.8	0.27	6,255	21.6	0.29	5,322	24.1	0.34
Michigan	131,536	297.8	0.90	37,301	88.2	0.48	18,930	37.5	0.29	10,849	21.3	0.23	9,267	21.7	0.24	5,218	16.4	0.24
MI: Metropolitan Detroit	55,534	317.8	1.47	15,788	94.7	0.80	8,076	40.6	0.49	4,704	23.4	0.38	3,787	22.6	0.38	2,511	19.4	0.41
Mississippi	35,981	288.1	1.63	10,104	84.4	0.88	5,172	37.3	0.55	3,786	27.7	0.48	1,778	14.6	0.36	1,261	13.0	0.38
Missouri	79,928	298.5	1.15	23,218	90.9	0.64	12,540	41.5	0.40	7,077	22.9	0.30	4,997	19.6	0.29	2,866	14.6	0.29
Montana	13,450	294.8	2.81	3,893	88.2	1.52	1,791	32.5	0.83	1,117	21.4	0.71	860	19.1	0.69	561	18.1	0.81
Nebraska	22,633	290.6	2.13	6,538	88.1	1.17	2,834	31.9	0.65	2,170	23.4	0.57	1,470	20.2	0.55	975	17.5	0.59
New Hampshire	19,517	323.1	2.53	5,914	101.1	1.39	2,726	39.9	0.81	1,481	20.8	0.60	1,466	24.7	0.67	845	19.4	0.71
New Jersey	125,460	314.4	0.97	36,075	95.4	0.53	15,020	32.5	0.29	10,947	23.3	0.25	8,874	23.1	0.26	6,800	23.0	0.29
New York	273,599	314.6	0.66	76,791	93.3	0.36	34,081	34.1	0.20	22,514	22.2	0.16	19,341	23.1	0.17	15,178	23.5	0.20

**Total Cancer Cases and Average Annual Age-adjusted (World Standard) Cancer Incidence Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined², 2010-2014, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
North Carolina	124,067	295.0	0.90	37,914	93.5	0.50	17,109	36.1	0.29	9,839	21.4	0.23	7,459	18.1	0.22	4,854	15.0	0.22
North Dakota	8,513	289.9	3.50	2,397	87.6	1.94	1,048	31.8	1.07	872	25.1	0.97	527	18.9	0.88	426	20.1	1.02
Ohio	154,863	297.3	0.83	44,328	88.2	0.45	22,438	38.0	0.27	13,624	22.4	0.21	10,697	21.4	0.22	6,693	18.0	0.23
Oklahoma	46,231	289.1	1.45	13,103	84.5	0.78	6,873	38.1	0.49	4,236	24.0	0.40	2,496	16.4	0.34	1,731	14.4	0.36
Oregon	50,591	291.4	1.42	15,188	90.4	0.78	6,696	32.3	0.42	3,881	19.2	0.34	3,342	20.1	0.36	2,010	16.2	0.38
Pennsylvania	195,598	322.7	0.82	53,851	93.2	0.44	25,224	35.9	0.25	16,964	23.1	0.20	14,004	24.1	0.22	10,515	25.1	0.26
Rhode Island	15,625	319.4	2.84	4,331	94.0	1.53	2,265	40.5	0.93	1,271	21.2	0.68	1,117	23.7	0.75	784	22.5	0.84
South Carolina	60,486	288.4	1.27	18,597	91.7	0.71	8,268	34.7	0.40	5,051	22.1	0.33	3,505	17.0	0.30	2,222	14.0	0.31
South Dakota	10,661	297.0	3.21	3,167	93.6	1.80	1,324	32.1	0.96	1,041	23.6	0.84	708	21.1	0.84	412	16.5	0.86
Tennessee	82,826	295.7	1.11	23,909	88.0	0.60	12,555	40.2	0.38	7,307	23.5	0.30	4,633	17.1	0.26	3,231	15.3	0.28
Texas	251,958	265.0	0.55	74,269	80.6	0.30	29,302	27.7	0.17	21,373	20.8	0.15	14,447	15.9	0.14	11,944	15.0	0.14
Utah	23,175	263.8	1.80	7,012	81.5	1.01	1,449	14.9	0.41	1,686	17.8	0.46	1,643	19.5	0.49	1,856	24.1	0.57
Vermont	9,030	304.0	3.54	2,662	94.3	1.95	1,285	37.6	1.12	710	19.4	0.81	710	24.2	0.95	316	15.9	0.95
Virginia	94,849	277.1	0.96	30,271	91.6	0.55	12,257	31.6	0.30	7,934	20.8	0.25	5,915	17.5	0.24	4,277	16.2	0.26
Washington	86,489	301.9	1.10	26,686	96.5	0.62	10,713	32.2	0.33	6,534	20.5	0.27	5,342	19.1	0.27	3,679	16.8	0.29
WA: Seattle/Puget Sound	60,793	309.9	1.34	18,947	100.2	0.76	7,271	31.9	0.40	4,519	20.9	0.34	3,756	19.5	0.33	2,586	17.0	0.35
West Virginia	27,673	313.8	2.10	7,112	82.9	1.06	4,416	43.7	0.71	2,664	25.6	0.56	1,935	23.6	0.57	1,226	20.0	0.61
Wisconsin	76,465	303.6	1.21	21,974	91.8	0.66	9,884	34.7	0.38	6,139	20.3	0.29	5,428	22.4	0.32	2,947	16.3	0.32
Wyoming	6,117	268.9	3.69	1,827	81.5	2.01	725	27.6	1.08	490	19.3	0.93	357	16.1	0.89	305	17.8	1.07
NAACCR Canadian Combined	164,882	281.7	0.75	46,172	83.2	0.41	22,022	33.5	0.24	19,829	29.3	0.23	10,414	18.9	0.19	5,637	12.8	0.18
Alberta	40,556	280.2	1.47	11,844	84.8	0.81	5,104	32.7	0.48	4,317	26.6	0.43	2,597	18.9	0.38	1,781	14.7	0.35
British Columbia	58,176	268.9	1.23	16,780	82.8	0.68	7,566	30.4	0.38	6,916	27.2	0.36	3,635	17.9	0.31	1,500	9.6	0.26
Manitoba	16,333	296.8	2.56	4,342	84.1	1.36	2,310	37.3	0.84	1,940	30.2	0.77	1,199	23.8	0.72	539	13.5	0.60
New Brunswick	11,058	287.9	3.07	2,889	78.3	1.56	1,594	36.8	0.98	1,287	27.7	0.85	669	18.1	0.73	497	18.2	0.87
Newfoundland and Labrador	8,046	311.9	3.80	2,052	80.5	1.87	939	32.3	1.10	1,280	43.5	1.30	545	22.3	0.99	433	21.9	1.12
Northwest Territory	350	299.7	16.59	112	92.3	9.00	34	32.7	5.78	63	54.7	7.14	22	18.7	4.15	11	7.6	2.29
Nova Scotia	14,945	305.3	2.80	3,835	83.7	1.45	2,303	41.5	0.92	1,977	34.6	0.86	847	18.3	0.66	478	13.9	0.68
Prince Edward Island	2,105	285.6	6.94	605	83.7	3.64	287	35.1	2.19	278	32.0	2.11	99	14.3	1.51	41	8.4	1.45
Saskatchewan	13,313	279.1	2.69	3,713	82.4	1.46	1,885	35.5	0.89	1,771	32.4	0.87	801	18.3	0.68	357	10.5	0.58
NAACCR North American Combined	3,946,051	291.1	0.16	1,153,821	89.0	0.09	515,051	33.3	0.05	343,101	22.2	0.04	251,922	19.3	0.04	175,611	17.2	0.04

^{1.} Rates are per 100,000 and are age-adjusted to the World population standard.

^{2.} See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

^{3.} Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for the combined.

NAACCR U.S. Combined Pediatric Cancer Incidence 2010-2014



Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, All Races, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	26,854	177.4	1.08	184.1	1.13	39,071	190.5	0.96	194.3	1.00
I. Leukemias	8,464	55.8	0.61	58.9	0.65	10,586	51.8	0.50	54.6	0.54
I(a). Lymphoid leukemias	6,466	42.6	0.53	45.1	0.57	7,628	37.4	0.43	39.9	0.46
I(b). Acute myeloid leukemias	1,176	7.8	0.23	8.1	0.24	1,713	8.3	0.20	8.6	0.21
II. Lymphomas & reticuloendothelial neoplasms	3,938	26.1	0.42	25.5	0.41	6,936	33.7	0.40	32.4	0.39
II(a). Hodgkin lymphomas	991	6.6	0.21	5.9	0.19	2,631	12.7	0.25	11.5	0.23
II(b, c, e). Non-Hodgkin lymphomas	1,982	13.2	0.30	12.7	0.29	3,235	15.8	0.28	15.1	0.27
III. CNS ³ & misc. intracranial & intraspinal neoplasms	5,587	37.0	0.49	37.8	0.51	6,888	33.8	0.41	34.8	0.42
III(a). Ependymomas and choroids plexus tumor	523	3.4	0.15	3.7	0.16	609	3.0	0.12	3.2	0.13
III(b). Astrocytomas	2,730	18.1	0.35	18.3	0.35	3,489	17.1	0.29	17.4	0.30
III(c). Intracranial and intraspinal embryonal tumors	1,276	8.4	0.24	8.8	0.25	1,431	7.0	0.19	7.5	0.20
III(d). Other gliomas	877	5.8	0.20	5.8	0.20	1,117	5.5	0.16	5.5	0.17
IV. Neuroblastoma and other peripheral nervous cell tumors	1,789	11.7	0.28	13.6	0.32	1,840	9.0	0.21	10.7	0.25
IV(a). Neuroblastoma & ganglioneuroblastoma	1,751	11.5	0.27	13.3	0.32	1,775	8.7	0.21	10.4	0.25
V. Retinoblastoma	636	4.2	0.17	5.0	0.20	636	3.1	0.12	3.8	0.15
VI. Renal Tumors	1,222	8.0	0.23	9.1	0.26	1,319	6.5	0.18	7.4	0.21
VI(a). Nephroblastoma and other nonepithelial renal tumors	1,155	7.6	0.22	8.7	0.26	1,174	5.8	0.17	6.8	0.20
VII. Hepatic tumors	572	3.8	0.16	4.3	0.18	625	3.1	0.12	3.6	0.14
VII(a). Hepatoblastoma	497	3.3	0.15	3.8	0.17	499	2.4	0.11	3.0	0.13
VIII. Malignant bone tumors	1,137	7.6	0.22	6.8	0.20	2,019	9.8	0.22	9.0	0.20
VIII(a). Osteosarcomas	615	4.1	0.17	3.6	0.15	1,126	5.5	0.16	5.0	0.15
VIII(c). Ewing tumor and related sarcomas of bone	422	2.8	0.14	2.6	0.13	689	3.4	0.13	3.1	0.12
IX. Soft tissue and other extraosseous sarcomas	1,794	11.9	0.28	12.1	0.29	2,652	12.9	0.25	13.0	0.26
IX(a). Rhabdomyosarcomas	872	5.8	0.19	6.0	0.21	1,069	5.2	0.16	5.5	0.17
X. Germ cell & trophoblastic tumors & neoplasms of gonads	693	4.6	0.17	4.7	0.18	2,885	13.8	0.26	12.9	0.24
X(a). Intracranial & intraspinal germ cell tumors	306	2.0	0.12	1.9	0.11	519	2.5	0.11	2.3	0.10
X(c). Malignant gonadal germ cell tumors	230	1.5	0.10	1.7	0.11	2,064	9.8	0.22	9.0	0.20
XI. Other malignant epithelial neoplasms and melanomas	923	6.1	0.20	5.7	0.19	2,559	12.3	0.24	11.3	0.22
XI(b). Thyroid carcinomas	259	1.7	0.11	1.5	0.09	749	3.6	0.13	3.3	0.12
XI(d). Malignant melanomas	276	1.8	0.11	1.8	0.11	714	3.4	0.13	3.2	0.12
XII. Other & unspecified malignant neoplasms	99	0.7	0.07	0.7	0.07	126	0.6	0.05	0.7	0.06

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, All Races, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	23,285	160.6	1.05	166.6	1.10	34,223	174.6	0.94	177.7	0.97
I. Leukemias	7,032	48.4	0.58	51.5	0.62	8,426	43.2	0.47	46.1	0.51
I(a). Lymphoid leukemias	5,266	36.2	0.50	38.8	0.54	5,807	29.8	0.39	32.5	0.43
I(b). Acute myeloid leukemias	1,087	7.5	0.23	7.8	0.24	1,598	8.2	0.20	8.4	0.21
II. Lymphomas & reticuloendothelial neoplasms	2,290	15.9	0.33	15.4	0.33	4,600	23.4	0.34	22.2	0.33
II(a). Hodgkin lymphomas	605	4.2	0.17	3.7	0.15	2,221	11.2	0.24	10.1	0.21
II(b, c, e). Non-Hodgkin lymphomas	986	6.8	0.22	6.6	0.21	1,617	8.3	0.21	7.9	0.20
III. CNS ³ & misc. intracranial & intraspinal neoplasms	4,873	33.7	0.48	34.5	0.50	5,940	30.5	0.40	31.5	0.41
III(a). Ependymomas and choroids plexus tumor	411	2.8	0.14	3.0	0.15	483	2.5	0.11	2.7	0.12
III(b). Astrocytomas	2,618	18.1	0.35	18.4	0.36	3,246	16.7	0.29	17.0	0.30
III(c). Intracranial and intraspinal embryonal tumors	831	5.7	0.20	6.1	0.21	923	4.7	0.16	5.1	0.17
III(d). Other gliomas	846	5.9	0.20	5.8	0.20	1,078	5.5	0.17	5.5	0.17
IV. Neuroblastoma and other peripheral nervous cell tumors	1,620	11.1	0.28	12.9	0.32	1,653	8.5	0.21	10.1	0.25
IV(a). Neuroblastoma & ganglioneuroblastoma	1,593	10.9	0.27	12.7	0.32	1,612	8.3	0.21	9.9	0.25
V. Retinoblastoma	668	4.6	0.18	5.5	0.21	669	3.4	0.13	4.2	0.16
VI. Renal Tumors	1,390	9.5	0.26	10.7	0.29	1,497	7.7	0.20	8.8	0.23
VI(a). Nephroblastoma and other nonepithelial renal tumors	1,332	9.1	0.25	10.3	0.28	1,354	6.9	0.19	8.1	0.22
VII. Hepatic tumors	342	2.3	0.13	2.6	0.14	410	2.1	0.10	2.4	0.12
VII(a). Hepatoblastoma	281	1.9	0.11	2.2	0.13	284	1.5	0.09	1.8	0.10
VIII. Malignant bone tumors	1,027	7.1	0.22	6.5	0.20	1,578	8.1	0.20	7.5	0.19
VIII(a). Osteosarcomas	581	4.0	0.17	3.6	0.15	890	4.6	0.15	4.2	0.14
VIII(c). Ewing tumor and related sarcomas of bone	349	2.4	0.13	2.3	0.12	499	2.6	0.11	2.4	0.11
IX. Soft tissue and other extraosseous sarcomas	1,511	10.4	0.27	10.5	0.27	2,199	11.2	0.24	11.2	0.24
IX(a). Rhabdomyosarcomas	682	4.7	0.18	4.9	0.19	838	4.3	0.15	4.5	0.16
X. Germ cell & trophoblastic tumors & neoplasms of gonads	949	6.6	0.21	6.5	0.21	1,690	8.6	0.21	8.3	0.20
X(a). Intracranial & intraspinal germ cell tumors	159	1.1	0.09	1.1	0.08	187	1.0	0.07	0.9	0.07
X(c). Malignant gonadal germ cell tumors	448	3.1	0.15	2.8	0.13	883	4.5	0.15	4.1	0.14
XI. Other malignant epithelial neoplasms and melanomas	1,485	10.3	0.27	9.3	0.24	5,383	27.1	0.37	24.5	0.34
XI(b). Thyroid carcinomas	735	5.1	0.19	4.5	0.17	3,126	15.7	0.28	14.1	0.25
XI(d). Malignant melanomas	332	2.3	0.13	2.2	0.12	985	5.0	0.16	4.6	0.15
XII. Other & unspecified malignant neoplasms	98	0.7	0.07	0.7	0.07	178	0.9	0.07	0.9	0.07

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, White, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	21,073	184.3	1.27	191.5	1.33	30,975	199.7	1.13	203.5	1.17
I. Leukemias	6,720	58.7	0.72	62.0	0.76	8,424	54.6	0.59	57.6	0.63
I(a). Lymphoid leukemias	5,250	45.9	0.63	48.6	0.68	6,221	40.4	0.51	43.1	0.55
I(b). Acute myeloid leukemias	860	7.5	0.26	7.9	0.27	1,280	8.2	0.23	8.4	0.24
II. Lymphomas & reticuloendothelial neoplasms	3,047	26.7	0.48	26.1	0.48	5,421	34.8	0.47	33.5	0.46
II(a). Hodgkin lymphomas	753	6.6	0.24	5.9	0.22	2,108	13.4	0.29	12.1	0.27
II(b, c, e). Non-Hodgkin lymphomas	1,491	13.1	0.34	12.6	0.33	2,419	15.6	0.32	15.0	0.31
III. CNS ³ & misc. intracranial & intraspinal neoplasms	4,459	39.0	0.58	39.9	0.60	5,499	35.7	0.48	36.8	0.50
III(a). Ependymomas and choroids plexus tumor	419	3.7	0.18	3.9	0.19	483	3.1	0.14	3.4	0.16
III(b). Astrocytomas	2,208	19.3	0.41	19.5	0.42	2,811	18.2	0.34	18.5	0.35
III(c). Intracranial and intraspinal embryonal tumors	1,026	9.0	0.28	9.4	0.30	1,155	7.5	0.22	8.0	0.24
III(d). Other gliomas	678	5.9	0.23	5.9	0.23	872	5.7	0.19	5.7	0.19
IV. Neuroblastoma and other peripheral nervous cell tumors	1,413	12.3	0.33	14.3	0.38	1,450	9.5	0.25	11.3	0.30
IV(a). Neuroblastoma & ganglioneuroblastoma	1,383	12.1	0.32	14.0	0.38	1,402	9.2	0.24	11.0	0.29
V. Retinoblastoma	470	4.1	0.19	4.9	0.23	470	3.1	0.14	3.8	0.17
VI. Renal Tumors	920	8.0	0.26	9.1	0.30	985	6.4	0.20	7.4	0.24
VI(a). Nephroblastoma and other nonepithelial renal tumors	877	7.6	0.26	8.7	0.30	888	5.8	0.19	6.8	0.23
VII. Hepatic tumors	438	3.8	0.18	4.4	0.21	476	3.1	0.14	3.6	0.17
VII(a). Hepatoblastoma	375	3.3	0.17	3.9	0.20	377	2.5	0.13	3.0	0.16
VIII. Malignant bone tumors	906	7.9	0.26	7.2	0.24	1,615	10.4	0.26	9.5	0.24
VIII(a). Osteosarcomas	448	3.9	0.19	3.5	0.16	841	5.4	0.19	4.9	0.17
VIII(c). Ewing tumor and related sarcomas of bone	384	3.4	0.17	3.1	0.16	623	4.0	0.16	3.8	0.15
IX. Soft tissue and other extraosseous sarcomas	1,344	11.8	0.32	12.0	0.33	1,974	12.7	0.29	12.8	0.29
IX(a). Rhabdomyosarcomas	654	5.7	0.22	6.0	0.24	793	5.1	0.18	5.4	0.20
X. Germ cell & trophoblastic tumors & neoplasms of gonads	545	4.8	0.20	4.9	0.21	2,489	15.7	0.31	14.6	0.30
X(a). Intracranial & intraspinal germ cell tumors	242	2.1	0.14	1.9	0.13	401	2.6	0.13	2.4	0.12
X(c). Malignant gonadal germ cell tumors	185	1.6	0.12	1.8	0.13	1,851	11.6	0.27	10.6	0.25
XI. Other malignant epithelial neoplasms and melanomas	728	6.4	0.24	5.9	0.22	2,070	13.1	0.29	12.0	0.27
XI(b). Thyroid carcinomas	213	1.9	0.13	1.6	0.11	625	4.0	0.16	3.6	0.14
XI(d). Malignant melanomas	242	2.1	0.14	2.0	0.13	650	4.1	0.16	3.9	0.15
XII. Other & unspecified malignant neoplasms	83	0.7	0.08	0.8	0.09	102	0.7	0.07	0.7	0.07

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, White, Females

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	18,262	167.4	1.24	173.8	1.30	27,006	182.9	1.11	186.2	1.15
I. Leukemias	5,675	52.0	0.69	55.4	0.74	6,753	46.0	0.56	49.3	0.61
I(a). Lymphoid leukemias	4,356	39.9	0.60	42.7	0.65	4,805	32.8	0.47	35.8	0.52
I(b). Acute myeloid leukemias	810	7.4	0.26	7.8	0.28	1,190	8.1	0.23	8.3	0.24
II. Lymphomas & reticuloendothelial neoplasms	1,806	16.6	0.39	16.2	0.38	3,640	24.5	0.41	23.3	0.39
II(a). Hodgkin lymphomas	472	4.3	0.20	3.8	0.18	1,791	11.9	0.28	10.7	0.25
II(b, c, e). Non-Hodgkin lymphomas	741	6.8	0.25	6.6	0.24	1,198	8.1	0.23	7.8	0.23
III. CNS ³ & misc. intracranial & intraspinal neoplasms	3,852	35.3	0.57	36.3	0.59	4,704	32.1	0.47	33.1	0.49
III(a). Ependymomas and choroids plexus tumor	326	3.0	0.17	3.2	0.18	381	2.6	0.13	2.8	0.15
III(b). Astrocytomas	2,107	19.3	0.42	19.7	0.43	2,619	17.8	0.35	18.3	0.36
III(c). Intracranial and intraspinal embryonal tumors	649	5.9	0.23	6.4	0.25	722	4.9	0.18	5.4	0.20
III(d). Other gliomas	658	6.0	0.24	6.0	0.24	839	5.7	0.20	5.7	0.20
IV. Neuroblastoma and other peripheral nervous cell tumors	1,248	11.4	0.32	13.2	0.38	1,270	8.7	0.24	10.4	0.29
IV(a). Neuroblastoma & ganglioneuroblastoma	1,227	11.2	0.32	13.1	0.37	1,240	8.5	0.24	10.2	0.29
V. Retinoblastoma	471	4.3	0.20	5.1	0.24	472	3.2	0.15	4.0	0.18
VI. Renal Tumors	1,019	9.3	0.29	10.5	0.33	1,103	7.5	0.23	8.6	0.26
VI(a). Nephroblastoma and other nonepithelial renal tumors	982	9.0	0.29	10.2	0.33	1,001	6.8	0.22	8.0	0.25
VII. Hepatic tumors	265	2.4	0.15	2.8	0.17	314	2.1	0.12	2.4	0.14
VII(a). Hepatoblastoma	221	2.0	0.14	2.4	0.16	224	1.5	0.10	1.9	0.12
VIII. Malignant bone tumors	811	7.5	0.26	6.8	0.24	1,240	8.4	0.24	7.8	0.22
VIII(a). Osteosarcomas	420	3.9	0.19	3.4	0.17	644	4.4	0.17	4.0	0.16
VIII(c). Ewing tumor and related sarcomas of bone	311	2.9	0.16	2.7	0.15	445	3.0	0.14	2.9	0.14
IX. Soft tissue and other extraosseous sarcomas	1,135	10.4	0.31	10.5	0.31	1,642	11.1	0.27	11.1	0.28
IX(a). Rhabdomyosarcomas	512	4.7	0.21	4.9	0.22	627	4.3	0.17	4.5	0.18
X. Germ cell & trophoblastic tumors & neoplasms of gonads	680	6.3	0.24	6.2	0.24	1,212	8.2	0.24	7.9	0.23
X(a). Intracranial & intraspinal germ cell tumors	120	1.1	0.10	1.1	0.10	140	1.0	0.08	0.9	0.08
X(c). Malignant gonadal germ cell tumors	311	2.9	0.16	2.6	0.15	623	4.2	0.17	3.8	0.15
XI. Other malignant epithelial neoplasms and melanomas	1,235	11.4	0.32	10.3	0.29	4,532	30.2	0.45	27.4	0.41
XI(b). Thyroid carcinomas	623	5.7	0.23	5.0	0.20	2,664	17.7	0.34	15.9	0.31
XI(d). Malignant melanomas	294	2.7	0.16	2.6	0.15	905	6.0	0.20	5.6	0.19
XII. Other & unspecified malignant neoplasms	65	0.6	0.07	0.6	0.08	124	0.8	0.07	0.8	0.08

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Black, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	3,401	133.7	2.29	137.1	2.37	4,783	138.5	2.00	140.7	2.06
I. Leukemias	923	36.2	1.19	37.5	1.24	1,176	34.2	1.00	35.3	1.04
I(a). Lymphoid leukemias	615	24.1	0.97	25.1	1.02	720	21.0	0.78	22.1	0.83
I(b). Acute myeloid leukemias	173	6.8	0.52	7.0	0.54	245	7.1	0.45	7.2	0.47
II. Lymphomas & reticuloendothelial neoplasms	514	20.5	0.90	19.4	0.86	925	26.8	0.88	25.3	0.84
II(a). Hodgkin lymphomas	168	6.7	0.52	6.1	0.47	369	10.6	0.55	9.7	0.51
II(b, c, e). Non-Hodgkin lymphomas	284	11.3	0.67	10.7	0.64	490	14.2	0.64	13.4	0.61
III. CNS ³ & misc. intracranial & intraspinal neoplasms	707	27.9	1.05	28.3	1.07	881	25.7	0.87	26.3	0.89
III(a). Ependymomas and choroids plexus tumor	60	2.3	0.30	2.5	0.33	74	2.1	0.25	2.3	0.27
III(b). Astrocytomas	333	13.1	0.72	13.2	0.73	429	12.5	0.60	12.6	0.62
III(c). Intracranial and intraspinal embryonal tumors	151	5.9	0.48	6.2	0.51	171	5.0	0.38	5.3	0.41
III(d). Other gliomas	130	5.2	0.45	5.1	0.45	165	4.8	0.38	4.8	0.38
IV. Neuroblastoma and other peripheral nervous cell tumors	237	9.1	0.59	10.4	0.68	247	7.1	0.45	8.3	0.53
IV(a). Neuroblastoma & ganglioneuroblastoma	229	8.8	0.58	10.1	0.67	232	6.7	0.44	7.9	0.52
V. Retinoblastoma	93	3.6	0.37	4.2	0.44	93	2.7	0.28	3.3	0.34
VI. Renal Tumors	232	9.0	0.59	10.1	0.67	253	7.3	0.46	8.3	0.53
VI(a). Nephroblastoma and other nonepithelial renal tumors	214	8.3	0.56	9.4	0.65	215	6.2	0.42	7.3	0.50
VII. Hepatic tumors	68	2.6	0.32	3.0	0.37	77	2.2	0.25	2.6	0.29
VII(a). Hepatoblastoma	62	2.4	0.30	2.8	0.35	62	1.8	0.23	2.2	0.27
VIII. Malignant bone tumors	142	5.7	0.48	5.1	0.43	254	7.4	0.46	6.7	0.42
VIII(a). Osteosarcomas	117	4.7	0.43	4.2	0.39	202	5.9	0.41	5.3	0.38
VIII(c). Ewing tumor and related sarcomas of bone	10	0.4	0.13	0.4	0.12	19	0.6	0.13	0.5	0.12
IX. Soft tissue and other extraosseous sarcomas	314	12.4	0.70	12.6	0.72	471	13.6	0.63	13.7	0.64
IX(a). Rhabdomyosarcomas	160	6.3	0.50	6.6	0.52	203	5.9	0.41	6.2	0.44
X. Germ cell & trophoblastic tumors & neoplasms of gonads	49	1.9	0.27	2.0	0.29	124	3.5	0.32	3.4	0.31
X(a). Intracranial & intraspinal germ cell tumors	23	0.9	0.19	0.8	0.17	46	1.3	0.20	1.2	0.18
X(c). Malignant gonadal germ cell tumors	10	0.4	0.12	0.5	0.15	52	1.5	0.20	1.4	0.20
XI. Other malignant epithelial neoplasms and melanomas	111	4.4	0.42	4.1	0.40	263	7.5	0.47	7.0	0.43
XI(b). Thyroid carcinomas	23	0.9	0.19	0.8	0.17	54	1.6	0.21	1.4	0.19
XI(d). Malignant melanomas	13	0.5	0.14	0.5	0.15	16	0.5	0.12	0.5	0.13
XII. Other & unspecified malignant neoplasms	11	0.4	0.13	0.5	0.14	19	0.5	0.12	0.6	0.13

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Black, Females

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	3,011	122.4	2.23	125.8	2.31	4,345	130.1	1.97	131.9	2.02
I. Leukemias	686	27.8	1.06	29.2	1.12	870	26.1	0.89	27.4	0.94
I(a). Lymphoid leukemias	440	17.8	0.85	18.9	0.90	491	14.8	0.67	15.9	0.72
I(b). Acute myeloid leukemias	152	6.2	0.50	6.4	0.52	229	6.8	0.45	7.0	0.47
II. Lymphomas & reticuloendothelial neoplasms	281	11.6	0.69	10.9	0.65	602	17.9	0.73	16.7	0.69
II(a). Hodgkin lymphomas	100	4.1	0.41	3.6	0.36	310	9.2	0.52	8.2	0.47
II(b, c, e). Non-Hodgkin lymphomas	146	6.0	0.50	5.7	0.48	257	7.7	0.48	7.3	0.46
III. CNS ³ & misc. intracranial & intraspinal neoplasms	663	27.0	1.05	27.5	1.08	799	24.2	0.85	24.9	0.89
III(a). Ependymomas and choroids plexus tumor	57	2.3	0.31	2.5	0.33	67	2.0	0.25	2.2	0.27
III(b). Astrocytomas	325	13.3	0.74	13.3	0.75	399	12.1	0.60	12.2	0.62
III(c). Intracranial and intraspinal embryonal tumors	106	4.3	0.42	4.6	0.45	121	3.6	0.33	4.0	0.36
III(d). Other gliomas	137	5.6	0.48	5.6	0.48	166	5.0	0.39	5.1	0.40
IV. Neuroblastoma and other peripheral nervous cell tumors	239	9.5	0.62	10.9	0.71	244	7.3	0.47	8.6	0.55
IV(a). Neuroblastoma & ganglioneuroblastoma	234	9.3	0.61	10.7	0.70	237	7.1	0.46	8.4	0.54
V. Retinoblastoma	121	4.8	0.44	5.7	0.52	121	3.6	0.33	4.4	0.40
VI. Renal Tumors	286	11.5	0.68	12.7	0.75	306	9.2	0.53	10.3	0.59
VI(a). Nephroblastoma and other nonepithelial renal tumors	270	10.8	0.66	12.1	0.74	272	8.2	0.50	9.4	0.57
VII. Hepatic tumors	43	1.7	0.26	1.9	0.29	54	1.6	0.22	1.7	0.24
VII(a). Hepatoblastoma	32	1.3	0.23	1.5	0.26	32	1.0	0.17	1.1	0.20
VIII. Malignant bone tumors	142	5.9	0.49	5.3	0.44	221	6.7	0.45	6.1	0.41
VIII(a). Osteosarcomas	115	4.8	0.45	4.3	0.40	172	5.2	0.40	4.8	0.36
VIII(c). Ewing tumor and related sarcomas of bone	14	0.6	0.15	0.6	0.15	21	0.6	0.14	0.6	0.13
IX. Soft tissue and other extraosseous sarcomas	242	9.9	0.64	9.7	0.63	369	11.1	0.58	10.8	0.57
IX(a). Rhabdomyosarcomas	102	4.1	0.41	4.2	0.42	132	4.0	0.35	4.1	0.36
X. Germ cell & trophoblastic tumors & neoplasms of gonads	159	6.5	0.52	6.3	0.51	295	8.8	0.51	8.4	0.50
X(a). Intracranial & intraspinal germ cell tumors	19	0.8	0.18	0.7	0.16	23	0.7	0.15	0.7	0.14
X(c). Malignant gonadal germ cell tumors	87	3.6	0.39	3.3	0.35	166	5.0	0.39	4.6	0.36
XI. Other malignant epithelial neoplasms and melanomas	123	5.1	0.46	4.6	0.42	420	12.4	0.60	11.2	0.55
XI(b). Thyroid carcinomas	44	1.8	0.28	1.6	0.24	186	5.5	0.40	4.9	0.36
XI(d). Malignant melanomas	17	0.7	0.17	0.7	0.17	23	0.7	0.14	0.7	0.15
XII. Other & unspecified malignant neoplasms	26	1.0	0.21	1.1	0.22	44	1.3	0.20	1.3	0.20

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Asian/Pacific Islander, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	1,292	145.4	4.05	151.1	4.23	1,812	153.1	3.60	156.6	3.71
I. Leukemias	451	50.4	2.38	53.4	2.53	559	46.9	1.99	49.6	2.11
I(a). Lymphoid leukemias	324	36.1	2.01	38.5	2.15	379	31.7	1.63	34.0	1.76
I(b). Acute myeloid leukemias	85	9.5	1.04	10.1	1.10	116	9.8	0.91	10.2	0.95
II. Lymphomas & reticuloendothelial neoplasms	210	23.8	1.65	24.0	1.66	331	28.1	1.55	27.8	1.54
II(a). Hodgkin lymphomas	46	5.3	0.79	4.9	0.72	94	8.1	0.83	7.4	0.77
II(b, c, e). Non-Hodgkin lymphomas	111	12.6	1.20	12.5	1.19	180	15.3	1.14	15.0	1.12
III. CNS ³ & misc. intracranial & intraspinal neoplasms	225	25.4	1.70	25.8	1.73	263	22.3	1.37	22.9	1.42
III(a). Ependymomas and choroids plexus tumor	28	3.1	0.58	3.5	0.66	34	2.8	0.48	3.2	0.55
III(b). Astrocytomas	92	10.5	1.09	10.3	1.08	118	10.1	0.93	9.9	0.92
III(c). Intracranial and intraspinal embryonal tumors	62	7.0	0.88	7.2	0.92	63	5.3	0.67	5.7	0.72
III(d). Other gliomas	37	4.2	0.69	4.1	0.68	41	3.5	0.54	3.5	0.55
IV. Neuroblastoma and other peripheral nervous cell tumors	84	9.2	1.00	10.7	1.17	84	6.9	0.75	8.3	0.91
IV(a). Neuroblastoma & ganglioneuroblastoma	84	9.2	1.00	10.7	1.17	84	6.9	0.75	8.3	0.91
V. Retinoblastoma	37	4.0	0.66	4.8	0.79	37	3.0	0.50	3.7	0.61
VI. Renal Tumors	27	3.0	0.57	3.4	0.65	35	2.9	0.49	3.2	0.55
VI(a). Nephroblastoma and other nonepithelial renal tumors	24	2.6	0.53	3.0	0.62	30	2.5	0.45	2.8	0.52
VII. Hepatic tumors	30	3.3	0.60	3.8	0.69	35	2.9	0.49	3.3	0.56
VII(a). Hepatoblastoma	28	3.0	0.58	3.6	0.68	28	2.3	0.43	2.8	0.53
VIII. Malignant bone tumors	54	6.3	0.86	5.7	0.78	95	8.2	0.84	7.6	0.78
VIII(a). Osteosarcomas	32	3.7	0.66	3.4	0.60	53	4.6	0.63	4.2	0.58
VIII(c). Ewing tumor and related sarcomas of bone	14	1.6	0.44	1.4	0.39	31	2.7	0.48	2.4	0.43
IX. Soft tissue and other extraosseous sarcomas	67	7.6	0.93	7.7	0.95	105	8.9	0.87	8.9	0.87
IX(a). Rhabdomyosarcomas	32	3.6	0.64	3.7	0.66	38	3.2	0.52	3.3	0.54
X. Germ cell & trophoblastic tumors & neoplasms of gonads	61	6.9	0.89	7.0	0.91	152	12.9	1.05	12.4	1.01
X(a). Intracranial & intraspinal germ cell tumors	31	3.6	0.65	3.3	0.59	61	5.3	0.67	4.8	0.62
X(c). Malignant gonadal germ cell tumors	21	2.3	0.51	2.6	0.58	68	5.7	0.70	5.6	0.69
XI. Other malignant epithelial neoplasms and melanomas	43	5.0	0.77	4.5	0.69	113	9.7	0.92	8.8	0.83
XI(b). Thyroid carcinomas	15	1.8	0.46	1.5	0.40	41	3.5	0.55	3.2	0.50
XI(d). Malignant melanomas	7	0.8	0.30	0.8	0.29	11	0.9	0.28	0.9	0.27
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Asian/Pacific Islander, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	1,124	130.3	3.89	136.2	4.10	1,599	139.4	3.49	143.1	3.61
I. Leukemias	391	45.0	2.28	47.9	2.44	467	40.4	1.87	43.1	2.01
I(a). Lymphoid leukemias	277	31.8	1.91	34.1	2.06	306	26.3	1.51	28.7	1.65
I(b). Acute myeloid leukemias	75	8.7	1.00	9.0	1.05	107	9.3	0.90	9.5	0.93
II. Lymphomas & reticuloendothelial neoplasms	110	12.8	1.22	13.0	1.25	202	17.7	1.25	17.3	1.23
II(a). Hodgkin lymphomas	14	1.7	0.45	1.5	0.40	59	5.2	0.68	4.7	0.61
II(b, c, e). Non-Hodgkin lymphomas	66	7.7	0.95	7.6	0.94	110	9.6	0.92	9.3	0.90
III. CNS ³ & misc. intracranial & intraspinal neoplasms	183	21.2	1.57	21.8	1.62	225	19.6	1.31	20.2	1.36
III(a). Ependymomas and choroids plexus tumor	13	1.5	0.41	1.6	0.44	16	1.4	0.35	1.5	0.37
III(b). Astrocytomas	90	10.4	1.10	10.9	1.16	114	9.9	0.93	10.3	0.98
III(c). Intracranial and intraspinal embryonal tumors	47	5.4	0.79	5.6	0.82	49	4.2	0.61	4.5	0.64
III(d). Other gliomas	26	3.0	0.59	3.0	0.59	39	3.4	0.55	3.3	0.54
IV. Neuroblastoma and other peripheral nervous cell tumors	84	9.6	1.05	11.2	1.23	89	7.6	0.81	9.1	0.97
IV(a). Neuroblastoma & ganglioneuroblastoma	83	9.5	1.04	11.1	1.22	85	7.3	0.79	8.8	0.95
V. Retinoblastoma	47	5.4	0.78	6.4	0.94	47	4.0	0.58	5.0	0.73
VI. Renal Tumors	38	4.3	0.70	4.9	0.80	40	3.4	0.54	3.9	0.63
VI(a). Nephroblastoma and other nonepithelial renal tumors	35	4.0	0.68	4.5	0.77	35	3.0	0.51	3.5	0.59
VII. Hepatic tumors	23	2.6	0.55	3.0	0.62	26	2.2	0.44	2.5	0.50
VII(a). Hepatoblastoma	20	2.3	0.51	2.7	0.59	20	1.7	0.38	2.1	0.46
VIII. Malignant bone tumors	44	5.2	0.78	4.8	0.73	68	6.0	0.73	5.6	0.68
VIII(a). Osteosarcomas	26	3.1	0.60	2.8	0.55	39	3.5	0.55	3.2	0.51
VIII(c). Ewing tumor and related sarcomas of bone	17	2.0	0.48	1.9	0.47	24	2.1	0.43	2.0	0.42
IX. Soft tissue and other extraosseous sarcomas	66	7.7	0.95	7.8	0.97	93	8.1	0.85	8.2	0.86
IX(a). Rhabdomyosarcomas	32	3.7	0.65	3.9	0.70	39	3.4	0.54	3.6	0.58
X. Germ cell & trophoblastic tumors & neoplasms of gonads	73	8.6	1.01	8.5	1.00	114	10.1	0.94	9.8	0.93
X(a). Intracranial & intraspinal germ cell tumors	16	1.9	0.47	1.7	0.44	20	1.8	0.40	1.7	0.38
X(c). Malignant gonadal germ cell tumors	33	3.9	0.69	3.5	0.62	55	4.9	0.66	4.5	0.60
XI. Other malignant epithelial neoplasms and melanomas	62	7.4	0.94	6.7	0.85	223	19.8	1.32	17.9	1.20
XI(b). Thyroid carcinomas	41	4.9	0.77	4.3	0.68	170	15.1	1.16	13.5	1.04
XI(d). Malignant melanomas	-	-	-	-	-	7	0.6	0.23	0.6	0.24
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, American Indian/Alaskan Native for CHSDA³ Counties, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ⁴	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	201	142.9	10.09	149.5	10.58	276	149.4	9.01	153.8	9.30
I. Leukemias	64	45.2	5.66	48.2	6.05	76	40.6	4.67	43.4	5.00
I(a). Lymphoid leukemias	43	30.3	4.62	32.7	5.00	50	26.6	3.77	28.9	4.10
I(b). Acute myeloid leukemias	12	8.4	2.42	9.2	2.65	17	9.1	2.21	9.6	2.35
II. Lymphomas & reticuloendothelial neoplasms	32	23.4	4.15	22.8	4.04	45	24.9	3.72	24.2	3.63
II(a). Hodgkin lymphomas	-	-	-	-	-	8	4.5	1.58	4.2	1.49
II(b, c, e). Non-Hodgkin lymphomas	18	13.4	3.16	12.5	2.95	26	14.5	2.85	13.7	2.70
III. CNS ⁴ & misc. intracranial & intraspinal neoplasms	44	31.7	4.79	32.0	4.85	54	29.4	4.01	29.9	4.08
III(a). Ependymomas and choroids plexus tumor	7	5.1	1.92	5.0	1.91	8	4.4	1.55	4.4	1.56
III(b). Astrocytomas	19	13.7	3.15	13.9	3.19	26	14.2	2.79	14.3	2.81
III(c). Intracranial and intraspinal embryonal tumors	6	4.2	1.72	4.5	1.85	6	3.2	1.29	3.5	1.44
III(d). Other gliomas	7	5.1	1.94	5.0	1.89	8	4.4	1.56	4.4	1.55
IV. Neuroblastoma and other peripheral nervous cell tumors	11	7.5	2.25	8.7	2.63	13	6.7	1.87	7.8	2.16
IV(a). Neuroblastoma & ganglioneuroblastoma	11	7.5	2.25	8.7	2.63	12	6.2	1.78	7.3	2.10
V. Retinoblastoma	-	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	7	4.8	1.80	5.5	2.10	7	3.6	1.35	4.3	1.63
VI(a). Nephroblastoma and other nonepithelial renal tumors	7	4.8	1.80	5.5	2.10	7	3.6	1.35	4.3	1.63
VII. Hepatic tumors	10	6.7	2.10	8.0	2.53	10	5.0	1.58	6.2	1.96
VII(a). Hepatoblastoma	10	6.7	2.10	8.0	2.53	10	5.0	1.58	6.2	1.96
VIII. Malignant bone tumors	11	8.0	2.43	7.9	2.38	16	8.8	2.21	8.6	2.16
VIII(a). Osteosarcomas	-	-	-	-	-	7	4.0	1.49	3.6	1.37
VIII(c). Ewing tumor and related sarcomas of bone	7	5.0	1.90	5.1	1.95	8	4.3	1.53	4.5	1.60
IX. Soft tissue and other extraosseous sarcomas	7	5.0	1.91	5.1	1.93	15	8.3	2.15	8.0	2.07
IX(a). Rhabdomyosarcomas	-	-	-	-	-	7	3.9	1.46	3.8	1.44
X. Germ cell & trophoblastic tumors & neoplasms of gonads	7	4.9	1.85	5.3	2.02	20	11.0	2.47	10.7	2.41
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	-	-	14	7.8	2.09	7.3	1.97
XI. Other malignant epithelial neoplasms and melanomas	-	-	-	-	-	15	8.5	2.20	7.6	1.96
XI(b). Thyroid carcinomas	-	-	-	-	-	-	-	-	-	-
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

⁴ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined. Statistics exclude cases diagnosed for KS for all years.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, American Indian/Alaskan Native for CHSDA³ Counties, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ⁴	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	148	109.7	9.03	111.4	9.19	214	121.1	8.29	121.2	8.31
I. Leukemias	46	34.0	5.02	34.9	5.17	63	35.5	4.48	36.0	4.56
I(a). Lymphoid leukemias	31	22.8	4.10	23.8	4.30	33	18.2	3.18	19.5	3.41
I(b). Acute myeloid leukemias	8	6.1	2.16	5.8	2.05	20	11.6	2.61	10.8	2.42
II. Lymphomas & reticuloendothelial neoplasms	11	8.4	2.52	8.0	2.42	22	12.7	2.72	12.0	2.56
II(a). Hodgkin lymphomas	-	-	-	-	-	6	3.5	1.42	3.3	1.34
II(b, c, e). Non-Hodgkin lymphomas	-	-	-	-	-	10	5.9	1.85	5.3	1.69
III. CNS ⁴ & misc. intracranial & intraspinal neoplasms	29	21.4	3.98	22.0	4.10	34	19.0	3.26	19.7	3.39
III(a). Ependymomas and choroids plexus tumor	-	-	-	-	-	-	-	-	-	-
III(b). Astrocytomas	12	9.0	2.60	8.9	2.58	15	8.5	2.20	8.5	2.20
III(c). Intracranial and intraspinal embryonal tumors	6	4.2	1.69	5.0	2.04	6	3.1	1.27	3.9	1.58
III(d). Other gliomas	7	5.3	2.02	5.0	1.91	9	5.2	1.73	5.0	1.66
IV. Neuroblastoma and other peripheral nervous cell tumors	6	4.2	1.69	5.0	2.04	6	3.1	1.27	3.9	1.58
IV(a). Neuroblastoma & ganglioneuroblastoma	6	4.2	1.69	5.0	2.04	6	3.1	1.27	3.9	1.58
V. Retinoblastoma	-	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	6	4.3	1.77	4.6	1.90	6	3.2	1.32	3.6	1.47
VI(a). Nephroblastoma and other nonepithelial renal tumors	6	4.3	1.77	4.6	1.90	6	3.2	1.32	3.6	1.47
VII. Hepatic tumors	-	-	-	-	-	6	3.2	1.29	3.7	1.52
VII(a). Hepatoblastoma	-	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	9	7.0	2.32	6.3	2.12	12	7.0	2.02	6.5	1.88
VIII(a). Osteosarcomas	7	5.5	2.08	4.8	1.80	10	5.9	1.86	5.3	1.67
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	-	-	-	-
IX. Soft tissue and other extraosseous sarcomas	15	11.3	2.92	11.0	2.85	22	12.6	2.69	12.2	2.61
IX(a). Rhabdomyosarcomas	7	5.2	1.98	5.2	1.99	9	5.1	1.70	5.1	1.71
X. Germ cell & trophoblastic tumors & neoplasms of gonads	-	-	-	-	-	7	4.0	1.53	3.8	1.45
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	-	-	6	3.5	1.44	3.2	1.30
XI. Other malignant epithelial neoplasms and melanomas	11	8.6	2.58	7.6	2.30	30	17.6	3.22	15.9	2.91
XI(b). Thyroid carcinomas	-	-	-	-	-	15	8.8	2.28	7.9	2.05
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ CHSDA - Indian Health Services Contract Health Service Delivery Areas (See Appendix G)

⁴ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined. Statistics exclude cases diagnosed for KS for all years.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Hispanic/Latino, All Races, Males**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	6,347	172.5	2.17	178.0	2.24	8,976	187.4	1.98	190.1	2.01
I. Leukemias	2,465	66.7	1.35	69.4	1.40	3,087	63.7	1.15	66.1	1.19
I(a). Lymphoid leukemias	1,909	51.5	1.18	53.8	1.24	2,308	47.4	0.99	49.6	1.04
I(b). Acute myeloid leukemias	328	8.9	0.49	9.2	0.51	455	9.5	0.45	9.7	0.45
II. Lymphomas & reticuloendothelial neoplasms	965	26.7	0.86	26.3	0.85	1,431	30.3	0.80	29.6	0.79
II(a). Hodgkin lymphomas	260	7.4	0.46	6.8	0.42	510	11.1	0.49	10.2	0.45
II(b, c, e). Non-Hodgkin lymphomas	408	11.4	0.56	11.0	0.55	606	12.9	0.52	12.4	0.51
III. CNS ³ & misc. intracranial & intraspinal neoplasms	1,019	27.7	0.87	28.4	0.89	1,224	25.3	0.72	26.1	0.75
III(a). Ependymomas and choroids plexus tumor	111	3.0	0.28	3.2	0.30	125	2.5	0.23	2.7	0.25
III(b). Astrocytomas	457	12.5	0.59	12.6	0.59	574	12.0	0.50	12.1	0.51
III(c). Intracranial and intraspinal embryonal tumors	269	7.2	0.44	7.6	0.47	293	5.9	0.35	6.4	0.37
III(d). Other gliomas	144	3.9	0.33	4.0	0.33	181	3.8	0.28	3.8	0.28
IV. Neuroblastoma and other peripheral nervous cell tumors	299	7.7	0.45	9.0	0.52	308	6.0	0.34	7.2	0.41
IV(a). Neuroblastoma & ganglioneuroblastoma	290	7.5	0.44	8.8	0.52	295	5.7	0.33	6.9	0.40
V. Retinoblastoma	183	4.7	0.35	5.6	0.41	183	3.5	0.26	4.3	0.32
VI. Renal Tumors	236	6.2	0.40	6.9	0.45	248	4.9	0.31	5.6	0.36
VI(a). Nephroblastoma and other nonepithelial renal tumors	221	5.8	0.39	6.5	0.44	223	4.4	0.29	5.1	0.34
VII. Hepatic tumors	163	4.2	0.33	4.9	0.38	175	3.4	0.26	4.0	0.30
VII(a). Hepatoblastoma	139	3.6	0.30	4.2	0.36	140	2.7	0.23	3.3	0.28
VIII. Malignant bone tumors	249	7.2	0.46	6.4	0.41	438	9.6	0.46	8.7	0.42
VIII(a). Osteosarcomas	145	4.2	0.35	3.7	0.31	265	5.8	0.36	5.3	0.32
VIII(c). Ewing tumor and related sarcomas of bone	86	2.5	0.27	2.2	0.24	128	2.8	0.25	2.6	0.23
IX. Soft tissue and other extraosseous sarcomas	376	10.3	0.53	10.4	0.54	544	11.4	0.49	11.4	0.49
IX(a). Rhabdomyosarcomas	179	4.8	0.36	5.0	0.38	217	4.5	0.30	4.7	0.32
X. Germ cell & trophoblastic tumors & neoplasms of gonads	197	5.5	0.39	5.4	0.39	914	20.0	0.66	18.4	0.61
X(a). Intracranial & intraspinal germ cell tumors	86	2.5	0.27	2.2	0.24	133	2.9	0.25	2.7	0.23
X(c). Malignant gonadal germ cell tumors	77	2.1	0.24	2.2	0.26	685	15.0	0.57	13.8	0.53
XI. Other malignant epithelial neoplasms and melanomas	173	4.9	0.38	4.5	0.35	398	8.7	0.44	8.0	0.40
XI(b). Thyroid carcinomas	53	1.5	0.21	1.4	0.19	142	3.1	0.26	2.8	0.24
XI(d). Malignant melanomas	35	1.0	0.16	0.9	0.16	51	1.1	0.15	1.1	0.15
XII. Other & unspecified malignant neoplasms	22	0.6	0.12	0.6	0.14	26	0.5	0.10	0.6	0.11

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Hispanic/Latina, All Races, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	5,554	156.9	2.11	162.1	2.18	7,633	166.3	1.91	169.3	1.95
I. Leukemias	2,036	57.0	1.27	60.0	1.33	2,389	51.0	1.05	53.9	1.11
I(a). Lymphoid leukemias	1,593	44.5	1.12	47.0	1.18	1,781	37.7	0.90	40.4	0.96
I(b). Acute myeloid leukemias	277	7.8	0.47	8.1	0.49	381	8.3	0.43	8.5	0.44
II. Lymphomas & reticuloendothelial neoplasms	589	17.0	0.70	16.7	0.69	966	21.6	0.70	20.9	0.67
II(a). Hodgkin lymphomas	145	4.4	0.36	3.9	0.32	398	9.2	0.46	8.3	0.42
II(b, c, e). Non-Hodgkin lymphomas	231	6.7	0.44	6.4	0.43	337	7.5	0.41	7.2	0.39
III. CNS ³ & misc. intracranial & intraspinal neoplasms	995	28.0	0.89	29.1	0.92	1,163	24.9	0.73	26.1	0.77
III(a). Ependymomas and choroids plexus tumor	109	3.0	0.29	3.3	0.31	124	2.6	0.23	2.8	0.26
III(b). Astrocytomas	491	13.9	0.63	14.2	0.64	590	12.7	0.53	13.1	0.54
III(c). Intracranial and intraspinal embryonal tumors	199	5.5	0.39	6.0	0.43	219	4.6	0.31	5.1	0.35
III(d). Other gliomas	161	4.6	0.36	4.6	0.36	187	4.0	0.30	4.1	0.30
IV. Neuroblastoma and other peripheral nervous cell tumors	269	7.2	0.44	8.4	0.51	271	5.5	0.33	6.6	0.40
IV(a). Neuroblastoma & ganglioneuroblastoma	266	7.2	0.44	8.3	0.51	267	5.4	0.33	6.5	0.40
V. Retinoblastoma	166	4.4	0.34	5.3	0.41	166	3.3	0.26	4.1	0.32
VI. Renal Tumors	276	7.5	0.45	8.5	0.51	292	6.0	0.35	6.9	0.41
VI(a). Nephroblastoma and other nonepithelial renal tumors	266	7.2	0.44	8.2	0.50	270	5.5	0.33	6.4	0.39
VII. Hepatic tumors	96	2.6	0.27	3.0	0.30	105	2.2	0.21	2.5	0.24
VII(a). Hepatoblastoma	82	2.2	0.24	2.6	0.29	84	1.7	0.19	2.0	0.22
VIII. Malignant bone tumors	249	7.4	0.47	6.7	0.43	341	7.7	0.42	7.2	0.39
VIII(a). Osteosarcomas	153	4.6	0.37	4.1	0.33	203	4.6	0.32	4.2	0.30
VIII(c). Ewing tumor and related sarcomas of bone	70	2.1	0.25	1.9	0.23	97	2.2	0.22	2.1	0.21
IX. Soft tissue and other extraosseous sarcomas	334	9.6	0.53	9.6	0.52	482	10.7	0.49	10.5	0.48
IX(a). Rhabdomyosarcomas	144	4.1	0.34	4.2	0.35	179	3.9	0.29	4.0	0.30
X. Germ cell & trophoblastic tumors & neoplasms of gonads	237	6.9	0.45	6.6	0.43	450	10.2	0.48	9.6	0.45
X(a). Intracranial & intraspinal germ cell tumors	34	1.0	0.17	0.9	0.16	41	0.9	0.14	0.9	0.14
X(c). Malignant gonadal germ cell tumors	138	4.1	0.35	3.7	0.32	275	6.3	0.38	5.8	0.35
XI. Other malignant epithelial neoplasms and melanomas	289	8.7	0.51	7.7	0.46	973	22.6	0.72	20.4	0.65
XI(b). Thyroid carcinomas	151	4.6	0.37	4.0	0.32	646	15.1	0.59	13.5	0.53
XI(d). Malignant melanomas	50	1.5	0.21	1.4	0.20	76	1.7	0.20	1.6	0.19
XII. Other & unspecified malignant neoplasms	18	0.5	0.12	0.5	0.12	35	0.8	0.13	0.8	0.13

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Non-Hispanic White, Males**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	15,298	187.1	1.51	194.9	1.60	22,781	202.2	1.34	206.6	1.39
I. Leukemias	4,489	55.0	0.82	58.4	0.88	5,608	50.5	0.67	53.6	0.73
I(a). Lymphoid leukemias	3,514	43.1	0.73	45.9	0.78	4,111	37.2	0.58	40.0	0.63
I(b). Acute myeloid leukemias	576	7.0	0.29	7.4	0.31	875	7.8	0.26	7.9	0.27
II. Lymphomas & reticuloendothelial neoplasms	2,171	26.4	0.57	25.7	0.56	4,122	35.9	0.56	34.4	0.54
II(a). Hodgkin lymphomas	513	6.2	0.27	5.5	0.24	1,637	13.9	0.34	12.6	0.31
II(b, c, e). Non-Hodgkin lymphomas	1,129	13.7	0.41	13.3	0.40	1,880	16.5	0.38	15.9	0.37
III. CNS ³ & misc. intracranial & intraspinal neoplasms	3,517	43.0	0.72	44.0	0.75	4,375	39.3	0.59	40.5	0.62
III(a). Ependymomas and choroids plexus tumor	313	3.8	0.22	4.2	0.24	365	3.3	0.17	3.6	0.19
III(b). Astrocytomas	1,789	21.8	0.52	22.1	0.53	2,289	20.5	0.43	20.9	0.44
III(c). Intracranial and intraspinal embryonal tumors	774	9.5	0.34	9.9	0.36	881	8.0	0.27	8.5	0.29
III(d). Other gliomas	548	6.7	0.29	6.6	0.29	710	6.3	0.24	6.3	0.24
IV. Neuroblastoma and other peripheral nervous cell tumors	1,142	14.2	0.42	16.4	0.49	1,172	10.8	0.32	12.9	0.38
IV(a). Neuroblastoma & ganglioneuroblastoma	1,120	13.9	0.42	16.1	0.48	1,135	10.5	0.31	12.6	0.38
V. Retinoblastoma	309	3.8	0.22	4.6	0.26	309	2.9	0.16	3.6	0.20
VI. Renal Tumors	710	8.8	0.33	10.0	0.38	763	7.0	0.25	8.1	0.30
VI(a). Nephroblastoma and other nonepithelial renal tumors	680	8.4	0.32	9.6	0.37	689	6.4	0.24	7.5	0.29
VII. Hepatic tumors	288	3.6	0.21	4.1	0.24	314	2.9	0.16	3.4	0.19
VII(a). Hepatoblastoma	246	3.1	0.19	3.6	0.23	247	2.3	0.15	2.8	0.18
VIII. Malignant bone tumors	669	8.0	0.31	7.3	0.28	1,206	10.5	0.30	9.7	0.28
VIII(a). Osteosarcomas	314	3.8	0.21	3.3	0.19	597	5.2	0.21	4.7	0.19
VIII(c). Ewing tumor and related sarcomas of bone	300	3.6	0.21	3.4	0.20	500	4.4	0.20	4.1	0.19
IX. Soft tissue and other extraosseous sarcomas	1,003	12.2	0.39	12.5	0.40	1,481	13.1	0.34	13.3	0.35
IX(a). Rhabdomyosarcomas	488	6.0	0.27	6.3	0.29	594	5.4	0.22	5.7	0.24
X. Germ cell & trophoblastic tumors & neoplasms of gonads	368	4.5	0.23	4.6	0.25	1,647	14.0	0.34	13.1	0.33
X(a). Intracranial & intraspinal germ cell tumors	164	2.0	0.15	1.8	0.14	279	2.4	0.15	2.3	0.14
X(c). Malignant gonadal germ cell tumors	116	1.4	0.13	1.6	0.15	1,220	10.2	0.29	9.4	0.27
XI. Other malignant epithelial neoplasms and melanomas	571	6.9	0.29	6.3	0.27	1,708	14.6	0.35	13.4	0.33
XI(b). Thyroid carcinomas	163	2.0	0.15	1.7	0.14	491	4.2	0.19	3.8	0.17
XI(d). Malignant melanomas	211	2.6	0.18	2.5	0.17	606	5.2	0.21	4.8	0.20
XII. Other & unspecified malignant neoplasms	61	0.7	0.10	0.8	0.11	76	0.7	0.08	0.8	0.09

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Non-Hispanic White, Females

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	13,202	169.7	1.48	176.5	1.56	20,052	187.1	1.32	190.5	1.37
I. Leukemias	3,810	49.1	0.80	52.7	0.86	4,567	43.4	0.64	46.8	0.70
I(a). Lymphoid leukemias	2,888	37.3	0.69	40.2	0.76	3,158	30.3	0.54	33.3	0.60
I(b). Acute myeloid leukemias	565	7.3	0.31	7.7	0.33	854	8.0	0.27	8.2	0.29
II. Lymphomas & reticuloendothelial neoplasms	1,276	16.3	0.46	15.8	0.45	2,774	25.3	0.48	24.0	0.46
II(a). Hodgkin lymphomas	344	4.3	0.23	3.8	0.20	1,437	12.8	0.34	11.5	0.30
II(b, c, e). Non-Hodgkin lymphomas	533	6.8	0.29	6.6	0.29	896	8.3	0.28	7.9	0.27
III. CNS ³ & misc. intracranial & intraspinal neoplasms	2,942	37.8	0.70	38.7	0.72	3,645	34.4	0.57	35.5	0.60
III(a). Ependymomas and choroids plexus tumor	225	2.9	0.19	3.1	0.21	266	2.5	0.16	2.7	0.17
III(b). Astrocytomas	1,661	21.3	0.52	21.7	0.54	2,083	19.7	0.43	20.1	0.45
III(c). Intracranial and intraspinal embryonal tumors	469	6.1	0.28	6.4	0.30	524	5.0	0.22	5.4	0.24
III(d). Other gliomas	508	6.5	0.29	6.5	0.29	669	6.3	0.24	6.3	0.25
IV. Neuroblastoma and other peripheral nervous cell tumors	1,005	13.1	0.41	15.2	0.48	1,025	10.0	0.31	11.9	0.37
IV(a). Neuroblastoma & ganglioneuroblastoma	987	12.9	0.41	15.0	0.48	999	9.7	0.31	11.7	0.37
V. Retinoblastoma	320	4.2	0.23	5.0	0.28	321	3.1	0.18	3.9	0.22
VI. Renal Tumors	776	10.1	0.36	11.3	0.41	844	8.1	0.28	9.3	0.32
VI(a). Nephroblastoma and other nonepithelial renal tumors	747	9.7	0.35	11.0	0.40	762	7.4	0.27	8.6	0.31
VII. Hepatic tumors	177	2.3	0.17	2.6	0.20	219	2.1	0.14	2.4	0.16
VII(a). Hepatoblastoma	146	1.9	0.16	2.2	0.19	147	1.4	0.12	1.7	0.14
VIII. Malignant bone tumors	581	7.4	0.31	6.7	0.28	929	8.6	0.28	7.9	0.26
VIII(a). Osteosarcomas	281	3.5	0.21	3.2	0.19	462	4.2	0.20	3.9	0.18
VIII(c). Ewing tumor and related sarcomas of bone	244	3.1	0.20	2.9	0.19	353	3.3	0.17	3.1	0.17
IX. Soft tissue and other extraosseous sarcomas	830	10.6	0.37	10.7	0.38	1,197	11.2	0.32	11.2	0.33
IX(a). Rhabdomyosarcomas	378	4.9	0.25	5.1	0.27	459	4.4	0.20	4.6	0.22
X. Germ cell & trophoblastic tumors & neoplasms of gonads	465	6.0	0.28	6.0	0.28	801	7.4	0.26	7.3	0.26
X(a). Intracranial & intraspinal germ cell tumors	89	1.1	0.12	1.1	0.12	102	1.0	0.10	0.9	0.10
X(c). Malignant gonadal germ cell tumors	185	2.3	0.17	2.1	0.16	374	3.4	0.18	3.1	0.16
XI. Other malignant epithelial neoplasms and melanomas	972	12.3	0.39	11.1	0.36	3,639	32.6	0.54	29.5	0.49
XI(b). Thyroid carcinomas	483	6.1	0.28	5.3	0.24	2,069	18.5	0.41	16.5	0.36
XI(d). Malignant melanomas	252	3.2	0.20	3.1	0.20	838	7.6	0.26	7.0	0.25
XII. Other & unspecified malignant neoplasms	48	0.6	0.09	0.7	0.10	91	0.8	0.09	0.8	0.09

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Non-Hispanic Black, Males**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	3,217	139.0	2.45	142.6	2.54	4,522	143.2	2.13	145.6	2.19
I. Leukemias	849	36.7	1.26	37.9	1.31	1,088	34.6	1.05	35.8	1.10
I(a). Lymphoid leukemias	567	24.5	1.03	25.5	1.08	662	21.2	0.82	22.3	0.88
I(b). Acute myeloid leukemias	154	6.6	0.53	6.9	0.56	223	7.0	0.47	7.2	0.49
II. Lymphomas & reticuloendothelial neoplasms	489	21.3	0.96	20.1	0.92	888	27.9	0.94	26.3	0.89
II(a). Hodgkin lymphomas	162	7.1	0.56	6.4	0.51	356	11.1	0.59	10.2	0.54
II(b, c, e). Non-Hodgkin lymphomas	271	11.8	0.72	11.1	0.68	473	14.9	0.69	14.0	0.65
III. CNS ³ & misc. intracranial & intraspinal neoplasms	675	29.2	1.13	29.8	1.16	836	26.7	0.92	27.4	0.96
III(a). Ependymomas and choroids plexus tumor	59	2.5	0.33	2.8	0.36	72	2.3	0.27	2.5	0.30
III(b). Astrocytomas	316	13.7	0.77	13.8	0.78	403	12.9	0.64	13.1	0.66
III(c). Intracranial and intraspinal embryonal tumors	143	6.2	0.52	6.5	0.54	162	5.2	0.41	5.5	0.44
III(d). Other gliomas	124	5.4	0.49	5.3	0.48	157	5.0	0.40	5.0	0.40
IV. Neuroblastoma and other peripheral nervous cell tumors	224	9.6	0.64	10.8	0.73	233	7.4	0.49	8.6	0.57
IV(a). Neuroblastoma & ganglioneuroblastoma	217	9.3	0.63	10.6	0.72	220	7.0	0.47	8.3	0.56
V. Retinoblastoma	89	3.8	0.40	4.5	0.47	89	2.8	0.30	3.5	0.37
VI. Renal Tumors	226	9.7	0.64	10.9	0.73	247	7.9	0.50	9.0	0.58
VI(a). Nephroblastoma and other nonepithelial renal tumors	209	8.9	0.62	10.2	0.71	210	6.7	0.46	7.9	0.55
VII. Hepatic tumors	68	2.9	0.35	3.3	0.41	77	2.4	0.28	2.8	0.32
VII(a). Hepatoblastoma	62	2.6	0.33	3.1	0.39	62	2.0	0.25	2.4	0.30
VIII. Malignant bone tumors	138	6.0	0.51	5.4	0.46	240	7.6	0.49	6.9	0.45
VIII(a). Osteosarcomas	114	5.0	0.47	4.4	0.42	192	6.1	0.44	5.5	0.40
VIII(c). Ewing tumor and related sarcomas of bone	9	0.4	0.13	0.4	0.12	16	0.5	0.13	0.5	0.12
IX. Soft tissue and other extraosseous sarcomas	300	13.0	0.75	13.2	0.77	449	14.2	0.67	14.2	0.68
IX(a). Rhabdomyosarcomas	152	6.6	0.53	6.9	0.56	194	6.2	0.44	6.4	0.47
X. Germ cell & trophoblastic tumors & neoplasms of gonads	40	1.7	0.27	1.8	0.29	103	3.2	0.31	3.1	0.31
X(a). Intracranial & intraspinal germ cell tumors	18	0.8	0.18	0.7	0.17	39	1.2	0.20	1.1	0.18
X(c). Malignant gonadal germ cell tumors	7	0.3	0.11	0.4	0.13	41	1.2	0.19	1.2	0.19
XI. Other malignant epithelial neoplasms and melanomas	108	4.7	0.45	4.4	0.43	253	7.9	0.50	7.3	0.46
XI(b). Thyroid carcinomas	23	1.0	0.21	0.9	0.19	51	1.6	0.22	1.4	0.20
XI(d). Malignant melanomas	11	0.5	0.14	0.5	0.15	14	0.4	0.12	0.5	0.13
XII. Other & unspecified malignant neoplasms	11	0.5	0.14	0.5	0.16	19	0.6	0.14	0.6	0.14

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR United States Combined², 2010-2014, Non-Hispanic Black, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	2,857	127.6	2.39	131.2	2.48	4,130	135.0	2.10	137.0	2.16
I. Leukemias	638	28.4	1.13	29.9	1.19	810	26.6	0.94	27.9	0.99
I(a). Lymphoid leukemias	407	18.1	0.90	19.2	0.96	455	15.1	0.71	16.2	0.77
I(b). Acute myeloid leukemias	141	6.3	0.53	6.6	0.56	212	6.9	0.47	7.1	0.49
II. Lymphomas & reticuloendothelial neoplasms	269	12.1	0.74	11.4	0.70	577	18.6	0.78	17.4	0.73
II(a). Hodgkin lymphomas	94	4.2	0.44	3.7	0.38	296	9.4	0.55	8.5	0.49
II(b, c, e). Non-Hodgkin lymphomas	140	6.3	0.53	6.0	0.51	246	8.0	0.51	7.6	0.49
III. CNS ³ & misc. intracranial & intraspinal neoplasms	630	28.2	1.12	28.8	1.15	758	25.1	0.91	25.8	0.95
III(a). Ependymomas and choroids plexus tumor	55	2.4	0.33	2.6	0.36	65	2.1	0.27	2.3	0.29
III(b). Astrocytomas	307	13.8	0.79	13.8	0.80	377	12.5	0.64	12.7	0.66
III(c). Intracranial and intraspinal embryonal tumors	99	4.4	0.44	4.7	0.48	113	3.7	0.35	4.1	0.38
III(d). Other gliomas	131	5.9	0.52	5.9	0.52	157	5.2	0.42	5.3	0.42
IV. Neuroblastoma and other peripheral nervous cell tumors	227	10.0	0.67	11.4	0.76	232	7.7	0.50	9.0	0.59
IV(a). Neuroblastoma & ganglioneuroblastoma	222	9.8	0.66	11.2	0.75	225	7.4	0.50	8.8	0.59
V. Retinoblastoma	118	5.2	0.48	6.2	0.57	118	3.9	0.36	4.8	0.44
VI. Renal Tumors	276	12.2	0.74	13.5	0.82	296	9.8	0.57	11.0	0.65
VI(a). Nephroblastoma and other nonepithelial renal tumors	261	11.6	0.72	12.9	0.80	263	8.7	0.54	10.1	0.62
VII. Hepatic tumors	38	1.7	0.27	1.8	0.30	49	1.6	0.23	1.7	0.25
VII(a). Hepatoblastoma	28	1.2	0.23	1.4	0.27	28	0.9	0.17	1.1	0.21
VIII. Malignant bone tumors	137	6.2	0.53	5.6	0.48	213	7.0	0.48	6.4	0.44
VIII(a). Osteosarcomas	111	5.0	0.48	4.5	0.43	166	5.5	0.42	5.0	0.39
VIII(c). Ewing tumor and related sarcomas of bone	13	0.6	0.16	0.6	0.16	20	0.7	0.15	0.6	0.14
IX. Soft tissue and other extraosseous sarcomas	231	10.4	0.68	10.1	0.67	356	11.6	0.62	11.3	0.61
IX(a). Rhabdomyosarcomas	99	4.4	0.44	4.5	0.46	128	4.2	0.37	4.3	0.38
X. Germ cell & trophoblastic tumors & neoplasms of gonads	151	6.8	0.55	6.6	0.54	282	9.1	0.54	8.8	0.53
X(a). Intracranial & intraspinal germ cell tumors	17	0.8	0.19	0.7	0.17	21	0.7	0.15	0.7	0.14
X(c). Malignant gonadal germ cell tumors	84	3.8	0.41	3.4	0.37	159	5.2	0.41	4.7	0.38
XI. Other malignant epithelial neoplasms and melanomas	117	5.3	0.49	4.8	0.44	396	12.6	0.63	11.4	0.58
XI(b). Thyroid carcinomas	43	1.9	0.30	1.7	0.26	176	5.6	0.42	5.0	0.38
XI(d). Malignant melanomas	14	0.6	0.17	0.6	0.17	19	0.6	0.14	0.6	0.15
XII. Other & unspecified malignant neoplasms	25	1.1	0.22	1.2	0.24	43	1.4	0.21	1.4	0.22

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see technical notes.

NAACCR Canadian Combined Pediatric Cancer Incidence 2010-2014



**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR Canadian Combined², 2010-2014, All Races, Males**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	929	163.3	5.36	169.6	5.60	1,409	178.1	4.76	181.5	4.90
I. Leukemias	294	51.4	3.00	54.9	3.22	369	47.2	2.46	50.3	2.65
I(a). Lymphoid leukemias	238	41.7	2.70	44.5	2.90	280	36.1	2.16	38.9	2.35
I(b). Acute myeloid leukemias	35	6.1	1.03	6.5	1.11	53	6.6	0.91	6.9	0.97
II. Lymphomas & reticuloendothelial neoplasms	138	24.7	2.10	23.7	2.03	257	32.3	2.02	30.8	1.94
II(a). Hodgkin lymphomas	33	6.0	1.04	5.3	0.93	96	11.8	1.21	10.7	1.10
II(b, c, e). Non-Hodgkin lymphomas	81	14.5	1.61	14.1	1.57	134	17.0	1.47	16.4	1.44
III. CNS ³ & misc. intracranial & intraspinal neoplasms	176	31.2	2.35	31.7	2.41	217	28.1	1.91	28.9	1.98
III(a). Ependymomas and choroids plexus tumor	18	3.1	0.72	3.5	0.83	27	3.3	0.65	3.7	0.72
III(b). Astrocytomas	72	12.9	1.52	12.6	1.50	89	11.6	1.23	11.6	1.24
III(c). Intracranial and intraspinal embryonal tumors	52	9.1	1.27	9.6	1.34	61	7.9	1.01	8.4	1.09
III(d). Other gliomas	27	4.8	0.93	4.8	0.92	33	4.3	0.75	4.3	0.76
IV. Neuroblastoma and other peripheral nervous cell tumors	76	12.9	1.48	15.1	1.73	77	9.8	1.12	11.8	1.35
IV(a). Neuroblastoma & ganglioneuroblastoma	75	12.8	1.47	14.9	1.72	75	9.5	1.10	11.6	1.34
V. Retinoblastoma	22	3.7	0.79	4.4	0.94	22	2.8	0.59	3.4	0.73
VI. Renal Tumors	51	8.9	1.24	9.8	1.38	53	6.9	0.94	7.8	1.08
VI(a). Nephroblastoma and other nonepithelial renal tumors	50	8.7	1.23	9.6	1.37	51	6.6	0.93	7.6	1.06
VII. Hepatic tumors	16	2.7	0.68	3.2	0.80	20	2.5	0.56	2.9	0.65
VII(a). Hepatoblastoma	14	2.4	0.63	2.8	0.75	14	1.8	0.48	2.2	0.58
VIII. Malignant bone tumors	31	5.6	1.00	5.1	0.92	62	7.8	0.99	7.2	0.92
VIII(a). Osteosarcomas	16	2.9	0.73	2.6	0.65	35	4.4	0.74	4.0	0.68
VIII(c). Ewing tumor and related sarcomas of bone	15	2.7	0.69	2.5	0.65	25	3.2	0.64	3.0	0.60
IX. Soft tissue and other extraosseous sarcomas	62	11.0	1.39	11.1	1.42	102	12.9	1.28	12.8	1.28
IX(a). Rhabdomyosarcomas	38	6.7	1.09	6.9	1.12	48	6.2	0.89	6.4	0.93
X. Germ cell & trophoblastic tumors & neoplasms of gonads	28	5.0	0.94	4.8	0.92	126	15.2	1.35	14.0	1.25
X(a). Intracranial & intraspinal germ cell tumors	15	2.7	0.70	2.4	0.62	27	3.4	0.66	3.1	0.60
X(c). Malignant gonadal germ cell tumors	8	1.4	0.50	1.4	0.52	92	10.8	1.13	9.9	1.04
XI. Other malignant epithelial neoplasms and melanomas	30	5.4	0.98	4.8	0.88	97	11.8	1.20	10.7	1.09
XI(b). Thyroid carcinomas	6	1.1	0.44	1.0	0.40	27	3.3	0.63	2.9	0.57
XI(d). Malignant melanomas	9	1.6	0.53	1.6	0.52	19	2.4	0.54	2.2	0.52
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	7	0.9	0.34	1.0	0.36

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

**Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR Canadian Combined², 2010-2014, All Races, Females**

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	840	155.6	5.37	163.3	5.67	1,186	159.7	4.65	165.3	4.86
I. Leukemias	281	51.8	3.09	55.9	3.35	322	43.9	2.45	47.9	2.69
I(a). Lymphoid leukemias	213	39.2	2.69	42.6	2.93	228	31.2	2.07	34.7	2.31
I(b). Acute myeloid leukemias	47	8.7	1.27	9.2	1.34	68	9.1	1.11	9.4	1.16
II. Lymphomas & reticuloendothelial neoplasms	96	18.0	1.84	17.8	1.83	177	23.6	1.78	22.8	1.74
II(a). Hodgkin lymphomas	22	4.2	0.90	3.7	0.78	82	10.7	1.18	9.5	1.06
II(b, c, e). Non-Hodgkin lymphomas	46	8.7	1.28	8.5	1.26	65	8.9	1.10	8.7	1.09
III. CNS ³ & misc. intracranial & intraspinal neoplasms	159	29.7	2.36	30.7	2.44	192	26.4	1.91	27.5	2.00
III(a). Ependymomas and choroids plexus tumor	16	3.0	0.74	3.2	0.80	22	3.0	0.63	3.1	0.68
III(b). Astrocytomas	81	15.2	1.69	15.4	1.72	98	13.5	1.36	13.9	1.41
III(c). Intracranial and intraspinal embryonal tumors	33	6.1	1.07	6.5	1.13	36	5.0	0.83	5.3	0.90
III(d). Other gliomas	25	4.7	0.94	4.8	0.97	32	4.4	0.78	4.5	0.81
IV. Neuroblastoma and other peripheral nervous cell tumors	69	12.4	1.49	14.5	1.75	73	9.8	1.14	11.7	1.37
IV(a). Neuroblastoma & ganglioneuroblastoma	68	12.2	1.48	14.3	1.74	70	9.4	1.12	11.3	1.36
V. Retinoblastoma	13	2.3	0.64	2.8	0.77	13	1.7	0.48	2.2	0.60
VI. Renal Tumors	48	8.7	1.26	10.0	1.44	49	6.7	0.95	7.8	1.12
VI(a). Nephroblastoma and other nonepithelial renal tumors	47	8.5	1.24	9.8	1.43	47	6.4	0.93	7.6	1.11
VII. Hepatic tumors	11	2.0	0.60	2.2	0.68	11	1.5	0.45	1.7	0.53
VII(a). Hepatoblastoma	10	1.8	0.57	2.1	0.66	10	1.3	0.42	1.6	0.51
VIII. Malignant bone tumors	41	7.9	1.23	7.1	1.11	71	9.6	1.15	8.9	1.06
VIII(a). Osteosarcomas	22	4.2	0.90	3.7	0.80	40	5.4	0.86	4.9	0.78
VIII(c). Ewing tumor and related sarcomas of bone	18	3.4	0.81	3.2	0.76	26	3.6	0.70	3.4	0.67
IX. Soft tissue and other extraosseous sarcomas	52	9.7	1.34	9.8	1.37	75	10.1	1.17	10.2	1.19
IX(a). Rhabdomyosarcomas	21	3.9	0.85	4.1	0.90	25	3.4	0.69	3.6	0.73
X. Germ cell & trophoblastic tumors & neoplasms of gonads	27	5.0	0.97	5.1	0.99	47	6.3	0.91	6.2	0.91
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	16	3.0	0.76	2.8	0.70	29	3.9	0.73	3.6	0.68
XI. Other malignant epithelial neoplasms and melanomas	42	8.0	1.24	7.3	1.13	154	20.0	1.62	18.2	1.47
XI(b). Thyroid carcinomas	14	2.7	0.72	2.4	0.64	72	9.3	1.09	8.3	0.98
XI(d). Malignant melanomas	12	2.3	0.66	2.2	0.64	28	3.7	0.70	3.5	0.67
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

NAACCR North American Combined Pediatric Cancer Incidence 2010-2014



Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR North American Combined², 2010-2014, All Races, Males

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	27,783	176.9	1.06	183.5	1.11	40,480	190.0	0.94	193.8	0.98
I. Leukemias	8,758	55.7	0.59	58.7	0.63	10,955	51.6	0.49	54.4	0.53
I(a). Lymphoid leukemias	6,704	42.6	0.52	45.1	0.56	7,908	37.3	0.42	39.8	0.45
I(b). Acute myeloid leukemias	1,211	7.7	0.22	8.1	0.23	1,766	8.3	0.20	8.5	0.20
II. Lymphomas & reticuloendothelial neoplasms	4,076	26.1	0.41	25.4	0.40	7,193	33.7	0.40	32.4	0.39
II(a). Hodgkin lymphomas	1,024	6.6	0.21	5.9	0.19	2,727	12.7	0.24	11.5	0.22
II(b, c, e). Non-Hodgkin lymphomas	2,063	13.2	0.29	12.8	0.28	3,369	15.8	0.27	15.2	0.26
III. CNS ³ & misc. intracranial & intraspinal neoplasms	5,763	36.7	0.48	37.6	0.50	7,105	33.6	0.40	34.6	0.41
III(a). Ependymomas and choroids plexus tumor	541	3.4	0.15	3.7	0.16	636	3.0	0.12	3.3	0.13
III(b). Astrocytomas	2,802	17.9	0.34	18.1	0.34	3,578	16.9	0.28	17.2	0.29
III(c). Intracranial and intraspinal embryonal tumors	1,328	8.5	0.23	8.9	0.24	1,492	7.1	0.18	7.5	0.20
III(d). Other gliomas	904	5.8	0.19	5.7	0.19	1,150	5.4	0.16	5.4	0.16
IV. Neuroblastoma and other peripheral nervous cell tumors	1,865	11.8	0.27	13.6	0.32	1,917	9.1	0.21	10.8	0.25
IV(a). Neuroblastoma & ganglioneuroblastoma	1,826	11.5	0.27	13.4	0.31	1,850	8.7	0.20	10.5	0.24
V. Retinoblastoma	658	4.2	0.16	4.9	0.19	658	3.1	0.12	3.8	0.15
VI. Renal Tumors	1,273	8.0	0.23	9.1	0.26	1,372	6.5	0.17	7.5	0.20
VI(a). Nephroblastoma and other nonepithelial renal tumors	1,205	7.6	0.22	8.7	0.25	1,225	5.8	0.17	6.8	0.20
VII. Hepatic tumors	588	3.7	0.15	4.3	0.18	645	3.0	0.12	3.5	0.14
VII(a). Hepatoblastoma	511	3.2	0.14	3.8	0.17	513	2.4	0.11	3.0	0.13
VIII. Malignant bone tumors	1,168	7.5	0.22	6.8	0.20	2,081	9.8	0.21	9.0	0.20
VIII(a). Osteosarcomas	631	4.1	0.16	3.6	0.14	1,161	5.4	0.16	4.9	0.15
VIII(c). Ewing tumor and related sarcomas of bone	437	2.8	0.13	2.6	0.13	714	3.4	0.13	3.1	0.12
IX. Soft tissue and other extraosseous sarcomas	1,856	11.8	0.27	12.1	0.28	2,754	12.9	0.25	13.0	0.25
IX(a). Rhabdomyosarcomas	910	5.8	0.19	6.1	0.20	1,117	5.3	0.16	5.5	0.17
X. Germ cell & trophoblastic tumors & neoplasms of gonads	721	4.6	0.17	4.7	0.18	3,011	13.8	0.25	12.9	0.24
X(a). Intracranial & intraspinal germ cell tumors	321	2.1	0.12	1.9	0.11	546	2.6	0.11	2.4	0.10
X(c). Malignant gonadal germ cell tumors	238	1.5	0.10	1.7	0.11	2,156	9.8	0.21	9.1	0.20
XI. Other malignant epithelial neoplasms and melanomas	953	6.1	0.20	5.6	0.18	2,656	12.3	0.24	11.3	0.22
XI(b). Thyroid carcinomas	265	1.7	0.10	1.5	0.09	776	3.6	0.13	3.2	0.12
XI(d). Malignant melanomas	285	1.8	0.11	1.8	0.11	733	3.4	0.13	3.2	0.12
XII. Other & unspecified malignant neoplasms	104	0.7	0.06	0.7	0.07	133	0.6	0.05	0.7	0.06

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Total Cancer Cases and Average Annual Age-adjusted Incidence Rates¹ for Pediatric Cancers
NAACCR North American Combined², 2010-2014, All Races, Females

Cancer Types	Ages 0-14					Ages 0-19				
	2000 U.S.			World		2000 U.S.			World	
	Count	Rate	S.E. ³	Rate	S.E.	Count	Rate	S.E.	Rate	S.E.
All Sites	24,125	160.5	1.03	166.5	1.08	35,409	174.0	0.93	177.3	0.95
I. Leukemias	7,313	48.5	0.57	51.7	0.61	8,748	43.2	0.46	46.2	0.50
I(a). Lymphoid leukemias	5,479	36.3	0.49	38.9	0.53	6,035	29.8	0.38	32.6	0.42
I(b). Acute myeloid leukemias	1,134	7.5	0.22	7.9	0.24	1,666	8.2	0.20	8.4	0.21
II. Lymphomas & reticuloendothelial neoplasms	2,386	15.9	0.33	15.5	0.32	4,777	23.4	0.34	22.3	0.32
II(a). Hodgkin lymphomas	627	4.2	0.17	3.7	0.15	2,303	11.2	0.23	10.0	0.21
II(b, c, e). Non-Hodgkin lymphomas	1,032	6.9	0.21	6.6	0.21	1,682	8.3	0.20	7.9	0.19
III. CNS ³ & misc. intracranial & intraspinal neoplasms	5,032	33.5	0.47	34.4	0.49	6,132	30.3	0.39	31.3	0.40
III(a). Ependymomas and choroids plexus tumor	427	2.8	0.14	3.0	0.15	505	2.5	0.11	2.7	0.12
III(b). Astrocytomas	2,699	18.0	0.35	18.3	0.36	3,344	16.5	0.29	16.9	0.30
III(c). Intracranial and intraspinal embryonal tumors	864	5.7	0.20	6.1	0.21	959	4.7	0.15	5.1	0.17
III(d). Other gliomas	871	5.8	0.20	5.8	0.20	1,110	5.5	0.17	5.5	0.17
IV. Neuroblastoma and other peripheral nervous cell tumors	1,689	11.2	0.27	12.9	0.32	1,726	8.5	0.21	10.2	0.25
IV(a). Neuroblastoma & ganglioneuroblastoma	1,661	11.0	0.27	12.7	0.31	1,682	8.3	0.20	10.0	0.24
V. Retinoblastoma	681	4.5	0.17	5.4	0.21	682	3.4	0.13	4.2	0.16
VI. Renal Tumors	1,438	9.5	0.25	10.7	0.28	1,546	7.6	0.19	8.7	0.22
VI(a). Nephroblastoma and other nonepithelial renal tumors	1,379	9.1	0.25	10.3	0.28	1,401	6.9	0.19	8.1	0.22
VII. Hepatic tumors	353	2.3	0.12	2.6	0.14	421	2.1	0.10	2.3	0.11
VII(a). Hepatoblastoma	291	1.9	0.11	2.2	0.13	294	1.5	0.08	1.8	0.10
VIII. Malignant bone tumors	1,068	7.2	0.22	6.5	0.20	1,649	8.1	0.20	7.5	0.19
VIII(a). Osteosarcomas	603	4.0	0.16	3.6	0.15	930	4.6	0.15	4.2	0.14
VIII(c). Ewing tumor and related sarcomas of bone	367	2.5	0.13	2.3	0.12	525	2.6	0.11	2.5	0.11
IX. Soft tissue and other extraosseous sarcomas	1,563	10.4	0.26	10.4	0.27	2,274	11.2	0.23	11.1	0.24
IX(a). Rhabdomyosarcomas	703	4.7	0.18	4.9	0.19	863	4.3	0.15	4.5	0.15
X. Germ cell & trophoblastic tumors & neoplasms of gonads	976	6.5	0.21	6.4	0.21	1,737	8.5	0.20	8.2	0.20
X(a). Intracranial & intraspinal germ cell tumors	160	1.1	0.08	1.0	0.08	188	0.9	0.07	0.9	0.07
X(c). Malignant gonadal germ cell tumors	464	3.1	0.14	2.8	0.13	912	4.5	0.15	4.1	0.14
XI. Other malignant epithelial neoplasms and melanomas	1,527	10.2	0.26	9.2	0.24	5,537	26.8	0.36	24.3	0.33
XI(b). Thyroid carcinomas	749	5.0	0.18	4.4	0.16	3,198	15.5	0.27	13.9	0.25
XI(d). Malignant melanomas	344	2.3	0.12	2.2	0.12	1,013	4.9	0.15	4.6	0.15
XII. Other & unspecified malignant neoplasms	99	0.7	0.07	0.7	0.07	180	0.9	0.07	0.9	0.07

¹ Rates are **per million** population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.