

Cancer in North America: 2010-2014

Volume Three: Registry-specific Cancer Mortality in the United States and Canada



EXECUTIVE SUMMARY

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. In June of 2017, NAACCR released the four volume monograph, *Cancer in North America (CiNA): 2010-2014*. This release of cancer incidence statistics for the United States is the 27th publication in the series and the 25th release that includes statistics for both Canada and the United States.

This year's publication includes cancer incidence data for 50 states, the District of Columbia, Puerto Rico, California (excluding the Greater Bay area and Los Angeles), 4 SEER urban registries, and 12 Canadian registries. CiNA includes registry-specific data on stage at diagnosis, survival and delay adjusted estimates of counts and age-adjusted rates for selected cancers. These delay adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and is recommended for use in assessing current cancer incidence trends.

Volume One presents the aggregated cancer incidence data, including pediatric cancer and cancer by stage at diagnosis, representing North America including data from the high quality registries in the United States and Canada. Age-adjusted cancer incidence rates for the Canadian and United States populations are provided standardized to the 2000 US, 1996 Canadian, and the world population standards. Combined United States data are presented by race and for Hispanic/Latino ethnicity. New for this year are registry specific delay adjusted rates in Volume One. Volume Two contains registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR members submitting data for inclusion in the monograph. Volume Three presents the registry-specific cancer death rates by cancer site, sex, race, and ethnicity. Volume Four provides cancer survival data for the US and Canada from 50 registries on more than 8 million cases diagnosed among North Americans between 2007 and 2013. All four volumes are available free of charge from the NAACCR website, along with population data, supporting appendices, and cancer rates age-adjusted to the US, Canadian and World population standards.

Note that this publication utilizes population estimates that are based upon the United States 2010 and Canada 2011 censuses.

In addition to publication of cancer statistics for the most recent five-year period, the CiNA data resource is used to create the CiNA+ Online database and NAACCR FastStats (graphic and tables by cancer sites, race/sex, race/ethnicity, age at diagnosis, sex, registry, and data type) for public queries regarding cancer incidence for the most recent five years. The CiNA data are also used to develop a discretionary research data set (CiNA Deluxe), including data from 1995 to 2014, to facilitate analytic studies conducted by epidemiologists and other qualified researchers. The data within this report are also available as an electronic reproduction of all cancer statistics reported in the CiNA monograph for use in SAS analytic software and a discretionary data set of the data in CiNA+ Online (named CiNA Plus in SEER*Stat) in SEER*Stat software for approved uses by NAACCR members. These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality across all contributors, with standard data quality metrics reported for all contributors.

We hope that *Cancer in North America: 2010-2014*, with the companion CiNA products and resources, facilitate studies of cancer burden, so that we are better able to identify and understand appropriate and important measures to control the myriad diseases within the cancer rubric. The cancer surveillance infrastructure in the U.S. and Canada has been orchestrated to meet these objectives.

This publication is made possible by the continuing efforts of the NAACCR member registries. High quality standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America is made possible by the dedication of our members to cancer surveillance.

The Editors would like to acknowledge the fine work and support of the National Cancer Institute, the National Center for Health Statistics and Statistics Canada for their assistance in developing this publication.

The Editors
June 2017

CANCER IN NORTH AMERICA: 2010-2014

VOLUME THREE: REGISTRY-SPECIFIC CANCER MORTALITY IN THE UNITED STATES AND CANADA

**A Publication of the North American Association of Central Cancer Registries, Inc.
(NAACCR)**

Editors:

**Glenn Copeland, Michigan Cancer Surveillance Program
Andrew Lake, Information Management Services, Inc.
Rick Firth, Information Management Services, Inc.
Brad Wohler, Florida Cancer Data System
Xiao-Cheng Wu, Louisiana Tumor Registry
Maria J. Schymura, New York State Cancer Registry
Prithwish De, Ontario Cancer Registry at Cancer Care Ontario
Jim Hofferkamp, NAACCR, Inc.
Recinda Sherman, NAACCR Inc.
Betsy Kohler, NAACCR, Inc.**



June 2017

The Editorial Subcommittee of the NAACCR Standing Committee, Data Use and Research Committee publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401. We acknowledge partial support of NAACCR staff by cooperative agreement U75/CCU52346-05 from the Centers for Disease Control and Prevention (CDC) and by the NCI/NIH Contract No. HHSN261200444001C/ADB Contract No. PC-44401. Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC.

NAACCR 2010-2014



SUGGESTED CITATION:

Copeland G, Lake A, Firth R, Wohler B, Wu XC, Schymura M, De P, Hofferkamp J, Sherman R, Kohler B (eds). *Cancer In North America, 2010-2014. Volume Three: Registry-specific Cancer Mortality in the United States and Canada*. Springfield, IL: North American Association of Central Cancer Registries, Inc. June 2017.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes	I-1

SECTION II: Average-annual Registry-specific Cancer Death Rates by Race and Sex, Age-adjusted to the 2000 U.S. and World Population Standards

UNITED STATES REGISTRIES

Alabama	II-1
Alaska.....	II-5
Arizona.....	II-9
Arkansas.....	II-13
California.....	II-17
CA: Greater California	II-21
CA: Greater Bay Area	II-25
CA: Los Angeles	II-29
Colorado.....	II-33
Connecticut	II-37
Delaware	II-41
District of Columbia.....	II-45
Florida	II-49
Georgia.....	II-53
Hawaii	II-57
Idaho.....	II-61
Illinois	II-65
Indiana.....	II-69
Iowa.....	II-73
Kansas	II-77
Kentucky	II-81
Louisiana.....	II-85
Maine	II-89
Maryland	II-93
Massachusetts.....	II-97
Michigan	II-101
MI: Metropolitan Detroit.....	II-105
Minnesota	II-109
Mississippi.....	II-113
Missouri	II-117
Montana	II-121
Nebraska.....	II-125
Nevada	II-129
New Hampshire.....	II-133
New Jersey	II-137
New Mexico	II-141
New York.....	II-145
North Carolina.....	II-149

Contents

North Dakota	II-153
Ohio	II-157
Oklahoma.....	II-161
Oregon	II-165
Pennsylvania.....	II-169
Rhode Island.....	II-173
South Carolina	II-177
South Dakota	II-181
Tennessee	II-185
Texas.....	II-189
Utah	II-193
Vermont.....	II-197
Virginia.....	II-201
Washington.....	II-205
WA: Seattle/Puget Sound	II-209
West Virginia.....	II-213
Wisconsin	II-217
Wyoming	II-221
U.S. TERRITORIES	
Puerto Rico	II-225
 CANADIAN REGISTRIES	
Alberta	II-226
British Columbia.....	II-227
Manitoba.....	II-228
New Brunswick	II-229
Newfoundland and Labrador	II-230
Northwest Territories.....	II-231
Nova Scotia.....	II-232
Nunavut	II-233
Ontario.....	II-234
Prince Edward Island.....	II-235
Quebec.....	II-236
Saskatchewan.....	II-237
Yukon	II-238

SECTION III: Average-annual Registry-specific Cancer Death Rates by Sex, Age-adjusted to the 1996 Canadian and World Population Standards

UNITED STATES REGISTRIES

Alabama.....	III-1
Alaska	III-2
Arizona	III-3
Arkansas	III-4
California.....	III-5
CA: Greater California	III-6
CA: Greater Bay Area	III-7
CA: Los Angeles	III-8

Contents

Colorado	III-9
Connecticut	III-10
Delaware	III-11
District of Columbia	III-12
Florida	III-13
Georgia	III-14
Hawaii	III-15
Idaho	III-16
Illinois	III-17
Indiana	III-18
Iowa	III-19
Kansas	III-20
Kentucky	III-21
Louisiana	III-22
Maine	III-23
Maryland	III-24
Massachusetts	III-25
Michigan	III-26
MI: Metropolitan Detroit	III-27
Minnesota	III-28
Mississippi	III-29
Missouri	III-30
Montana	III-31
Nebraska	III-32
Nevada	III-33
New Hampshire	III-34
New Jersey	III-35
New Mexico	III-36
New York	III-37
North Carolina	III-38
North Dakota	III-39
Ohio	III-40
Oklahoma	III-41
Oregon	III-42
Pennsylvania	III-43
Rhode Island	III-44
South Carolina	III-45
South Dakota	III-46
Tennessee	III-47
Texas	III-48
Utah	III-49
Vermont	III-50
Virginia	III-51
Washington	III-52
WA: Seattle/Puget Sound	III-53
West Virginia	III-54

Contents

Wisconsin	III-55
Wyoming	III-56
U.S. TERRITORIES	
Puerto Rico	III-57
CANADIAN REGISTRIES	
Alberta	III-58
British Columbia.....	III-59
Manitoba.....	III-60
New Brunswick	III-61
Newfoundland and Labrador	III-62
Northwest Territories.....	III-63
Nova Scotia.....	III-64
Nunavut	III-65
Ontario	III-66
Prince Edward Island	III-67
Quebec	III-68
Saskatchewan.....	III-69
Yukon	III-70

SECTION IV: Cancer Mortality for the United States and Canada

United States

All Races (2000 U.S. and World populations).....	IV-1
All Races (1996 Canadian and World populations).....	IV-2
Comparison of Selected Site-Specific Death Rates by Registry,	
All Races, Males (2000 U.S. population).....	IV-3
All Races, Males (World population)	IV-5
All Races, Females (2000 U.S. population)	IV-7
All Races, Females (World population)	IV-9
White (2000 U.S. and World populations).....	IV-12
Comparison of Selected Site-Specific Death Rates by Registry,	
White, Males (2000 U.S. population)	IV-13
White, Males (World population)	IV-15
White, Females (2000 U.S. population)	IV-17
White, Females (World population).....	IV-19
Black (2000 U.S. and World populations)	IV-22
Comparison of Selected Site	
Black, Males (2000 U.S. population).....	IV-23
Black, Males (World population).....	IV-25
Black, Females (2000 U.S. population)	IV-27
Black, Females (World population)	IV-29
Asian/Pacific Islander (2000 U.S. and World populations)	IV-32
Comparison of Selected Site-Specific Death Rates by Registry,	
Asian/Pacific Islander, Males (2000 U.S. population).....	IV-33
Asian/Pacific Islander, Males (World population).....	IV-35
Asian/Pacific Islander, Females (2000 U.S. population).....	IV-37
Asian/Pacific Islander, Females (World population)	IV-39

Contents

American Indian/Alaska Native (2000 U.S. and World populations)..... IV-42

Hispanic (2000 U.S. and World populations)..... IV-43

Non-Hispanic (2000 U.S. and World populations)..... IV-44

Canada

All Races (2000 U.S. and World populations) IV-45

All Races (1996 Canadian and World Populations) IV-46

Comparison of Selected Site-Specific Death Rates by Registry,

 All Races, Males (2000 U.S. population) IV-47

 All Races, Males (1996 Canadian population) IV-48

 All Races, Females (2000 U.S. population)..... IV-49

 All Races, Females (1996 Canadian population)..... IV-50

All Appendices are available on the NAACCR website:
<https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices>



Section I

Introduction and Technical Notes



Cancer in North America: 2010-2014

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on cancer in North America to provide cancer incidence and mortality statistics for the United States, Canada, and North America.

This year marks the 27th annual release of the series of Cancer in North America (CiNA) monographs. The 2017 monograph includes data from 69 central population-based registries: 57 from the United States (50 states, the District of Columbia, Puerto Rico, California (excluding the Greater Bay area and Los Angeles) and 4 metropolitan areas) and 12 from Canada (9 provinces and 3 territories).

The submitted data reflect 97.7% population coverage of Canada and the United States. Combined, five-year average annual incidence statistics for the United States, for Canada and for North America are created from registries that met or exceeded the NAACCR standards of “fitness for use” in aggregated incidence data for all years, 2010-2014.

Volume One presents the combined U.S. and Canadian statistics for cancer incidence rates across North America. The combined statistics presented in Volume One reflect 96.7% of the U.S. population (47 states and the District of Columbia) and includes statistics from the 9 Canadian registries that met the CiNA inclusion requirements, reflecting 38.0% of the Canadian population.

NAACCR issues an annual call for data to member registries to create the CiNA monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., CiNA+ Online, NAACCR FastStats, CiNA in SEER*Stat, CiNA Plus in SEER*Stat, CiNA Monograph data in SAS Data set and CiNA Deluxe). For more information on these products and the process for gaining access to them, please visit www.NAACCR.org and select *Cancer in North America CiNA Data Products* under the *Research & Analytic Tools* tab.

This monograph is a testament to the continuing commitment by population-based cancer registries throughout the United States and Canada. The efforts of the NAACCR membership to collect timely, complete, and accurate data make this publication possible. An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions in production of the monograph. The objective of this work is to provide timely and useful information on cancer incidence and mortality for all geographic areas and race/ethnic groups in the United States and Canada.

The publication includes U.S. cancer incidence and mortality for white, black, Hispanic/Latino and Asian/Pacific Islander as combined and registry specific rates and American Indian and Alaskan Native populations presented for U.S. counties located in Indian Health Service Contract Health Service Delivery Areas (CHSDA) of the United States (excepting only for Kansas).

The 2010-2014 Cancer Incidence in North America monograph, registry specific delay adjusted rates are provided to adjust for reporting delay. Each year, registries submit cases approximately two years after the close of a calendar year (e.g. cases for 2014 were first submitted in the December 2016 NAACCR Call For Data submission). These case counts are then revised in each subsequent submission. Delay adjusted rates represent the observed rate adjusted to estimate what will be the “eventual” case count, providing more accurate trends and levels of incidence rates.

Starting in 2015, a joint effort by NCI, CDC, and the North American Association of Central Cancer Registries (NAACCR) was mounted to develop a unified approach for estimating and reporting delay-adjusted rates across all of the U.S. and Canada. The delay-adjusted rates for NAACCR registries, including SEER registries reported in the Cancer Statistics Review, is based on the data submitted to the North American Association of Central Cancer Registries (NAACCR). Statistical models to estimate delay are estimated for each registry by age (<50, 50-69, 70+), gender (male and female) and race/ethnicity (all races combined, white, black, API, AIAN CHSDA region, Hispanic, non-Hispanic white and non-Hispanic black), and delay time (for the 2016 submission a delay of 2 years for diagnosis year 2014, 3 years for diagnosis year 2013, etc.) While the statistical models estimate reporting delay registry by age, race, gender, and delay time, delay adjusted rates for any grouping is done in SEER*Stat by weighting each group appropriately.

In this year's release, a different and improved statistical model has been used with the goal of producing more stable estimates. The details of the new modeling are available in the [Development of the Delay Model](http://www-surveillance.cancer.gov/delay/) of the website <http://www-surveillance.cancer.gov/delay/>.

For some registries, there were insufficient historical data available to calculate registry specific delay factors. In order to calculate delay adjusted national statistics, delay factors were applied to registries with missing data using an average of the U.S. or Canadian delay factors.

CONTENTS OF THE CiNA MONOGRAPH

This year the CiNA monograph is comprised of four volumes as described below. Rates are presented as average-annual, age-adjusted rates using three different standard million populations: the 2000 U.S., the 1996 Canadian, and the World standard populations. We believe that presenting cancer rates adjusted to all three standards enhances the meaning and utility of the rates for users in the United States, Canada, and international settings. Recent volumes of the CiNA publication, including sections containing incidence rates standardized to the World Standard, and the population counts used in the calculation of cancer rates are available for download on the NAACCR website, <https://www.naaccr.org/cancer-in-north-america-cina-volumes/>.

Volume One, Combined Cancer Incidence for the United States, Canada, and North America presents cancer incidence data that have been combined to create five-year, average-annual data for cancers occurring in all persons and for children, aged 0 to 14 and 0 to 19. Registries submitting the data must meet the NAACCR criteria of high quality incidence data indicating that the data are fit for use at the time of data submission. The criteria for the standard are described in detail below in the Data Quality Indicator section. In the United States, cancer counts and incidence rates are presented for all races combined, black, white, Asian/Pacific Islander, American Indian/Alaskan Native, and for Hispanic/Latino, non-Hispanic white, non-Hispanic black populations.

It should be noted that cancer incidence data for two of the largest provinces in Canada, namely Ontario and Quebec, are not included in Volume One as they did not submit data that met NAACCR standards for the December 2016 data call. These two provinces represent over 60% of new cancer cases in Canada. As a result, the statistics for Canada should be interpreted with this in mind.

Volume One is comprised of four data sections:

Section two includes the five most common types of cancer by sex in North America, the United States and Canada based on the combined United States and the combined Canadian data. The section also includes the top five most common types of cancer by sex, race and ethnicity in the United States based on the combined United States data.

Section three provides cancer incidence rates for the United States, Canada and North America. The rates for the United States are presented for all races combined, white, black, Asian or Pacific Islander, American Indian/Alaska Native, Hispanic, non-Hispanic white and non-Hispanic black populations for all ages combined. The rates for Canada and North America are presented for all races combined and for all ages combined. Also included in section three are tables of cancer rates for children, aged 0-14 and 0-19 for the United States, Canada

and North America. As with the tables for all ages, the pediatric tables are presented by race and ethnicity for the United States and for all races combined for Canada and North America.

Section four contains the frequency counts, percent distribution and age-adjusted rates of cancer by derived summary stage at diagnosis (derived from and following the Collaborative Stage staging system) for female breast, and for prostate, lung, uterine cervix and colorectal cancers. Combined United States data are provided for white, black, Asian or Pacific Islander, and American Indian/Alaska Native populations with American Indian/Alaska Native data limited to Contract Health Service Delivery Areas counties. In addition, combined United States data, combined Canadian data and combined North America data are provided for all races combined. U.S. data are also provided by Hispanic ethnicity.

Section five provides cancer counts and rates for the time period 2010-2014 that are “delay-adjusted.” This adjustment is done to estimate the number of incident cancer cases that were diagnosed in the time period but whose reporting to a central registry is delayed. These estimates are derived from historic patterns of reporting lag adjusted by various factors including cancer type, sex, age and race/ethnicity. Registries otherwise included in Volume One data are excluded from Section five, if they did not supply the data needed to calculate the delay adjustment for that registry. There were three registries affected by this with one from the U.S. and two from Canada. A U.S. average and a Canadian average delay factor was calculated and applied to these excluded registries to assure the combined delay-adjusted data are consistent with the incidence rates otherwise presented in Volume One. For more information on the importance of this methodology see the articles by Clegg, Midthune and Zou listed in the references at the end of this section or visit <http://surveillance.cancer.gov/delay/>.

Volume Two, Registry-specific Cancer Incidence in the United States and Canada presents cancer incidence data for NAACCR-member, population-based central cancer registries in Canada and the United States that have agreed to participate in the CiNA monograph. Five-year averages of data are presented for the years 2010 to 2014.

Each set of data tables includes demographic and data quality information and registry descriptions to help interpret the statistics reported. The 2017 publication includes registry specific data on stage at diagnosis for female breast, lung, colon and rectum, prostate and uterine cervix cases for all registries submitting stage data for 2010 through 2014. In the United States, cancer incidence rates are calculated for the following race/ethnic populations: all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native for CHSDA counties, Hispanic/Latino (all races), non-Hispanic white, and non-Hispanic black. Race and ethnicity information is not collected in Canada, and thus is not presented.

Volume Three, Registry-specific Cancer Mortality in the United States and Canada presents cancer mortality data for all geographic areas in the United States and Canada.

Volume Four, Cancer Survival Rates in the United States and Canada includes data from 50 registries on more than 8 million cases diagnosed among North Americans between 2007 and 2013.

Volume Four is comprised of two data sections:

Section two includes counts, relative survival ratios and confidence intervals for the United States, Canada and North America combined. These statistics are presented for all races by sex and select cancer sites. The tables for each cancer site present statistics by a total, stage and specific age groups for each region. In the United States combined, survival statistics by white and black race are also presented.

Section three includes counts, relative survival ratios and confidence intervals by registry, sex and select cancer sites. Survival statistics are available for the United States and Canadian registries by all races and for the United States registries by white and black race.

SOURCES OF DATA

Cancer Incidence. A cancer registry must be population-based and a NAACCR member in good standing to be included in NAACCR data publications. All cancer registries in the United States and Canada are NAACCR members, including the three territories in Canada and three U.S. territories. An annual request is sent to all members to submit voluntarily a data file for use in CiNA, CiNA research and data information products, the U.S. *Annual Report to the Nation*, and the American Cancer Society's *Cancer Facts and Figures* annual publication. All NAACCR member registries receive support from the state, province or territory. In the U.S., they also participate in the National Cancer Institute's Surveillance, Epidemiology, and End Results (SEER) Program or the Centers for Disease Control and Prevention's National Program of Cancer Registries (NPCR) or both. In Canada, all registries submit data to the Canadian Cancer Registry maintained by Statistics Canada.

Mortality Data. Mortality data for 2010 to 2014 for United States and Puerto Rico were obtained from the National Center for Health Statistics (NCHS) of the Centers for Disease Control and Prevention (CDC), as provided to the National Cancer Institute (NCI). The Canadian mortality data for 2010 to 2014 were not yet available from Statistics Canada at initial publication, so data for the years 2009-2013 were used for completeness estimations. These data are available from Statistics Canada's Vital Statistics – Death Database (<http://www23.statcan.gc.ca/imdb/p2SV.pl?Function=getSurvey&SDDS=3233>).

Population Estimates. To assist the reader, population estimates by age, sex, and race/ethnicity (where relevant) used in the calculation of rates in the monograph are available for each central registry, the United States and Canada. These data are available online on the NAACCR website at <https://www.naacr.org/cancer-in-north-america-cina-volumes/>.

Population estimates for 2010 through 2014 for the United States, individual states, and SEER metropolitan areas were obtained from the SEER program. These estimates were based on United States Census Bureau population estimates for these years and represent a modification of the annual time series population estimates produced by the Population Estimates Program of the Census Bureau with support from the NCI. The population estimates incorporate bridged, single race estimates that are derived from the original multiple race categories in the 2010 Census. These bridged estimates are consistent with the four race groups enumerated in the 1990 Census and were produced under a collaborative arrangement between the National Center for Health Statistics (NCHS) and the Census Bureau. The methodology implemented by the Census Bureau to develop these county estimates is comparable to that used to produce national and state 1990-2000 intercensal estimates and is described on the Census Bureau's website (National Center for Health Statistics 2003). In 2007, the U.S. Census revised their methodology for population estimation. This revision impacts all population denominators for 2010 to 2014. The main effect of this approach was on specific age groups, particularly, two of the oldest age groups, ages 65-74 and 75 and older. In many states, the new method results in a larger increase in the younger age category and fewer in the older age category than estimated in previous years. Subsequently, this revision contributed to a larger decrease in age-adjusted cancer mortality rates in some states than what was expected based on statistics from last year.

The NCI modifies the Census data for the population estimates for the state of Hawaii. The Epidemiology Program of the Hawaii Cancer Research Center has developed its own set of population estimates, based on sample survey data collected by the Hawaii Department of Health. This effort grew out of a concern that the native Hawaiian population had been vastly undercounted in previous censuses. The "Hawaii adjustment" to the Census Bureau estimates has the net result of reducing the estimated white population and increasing the Asian and Pacific Islander population for the state. The Census Bureau estimates for the total population, black population, and American Indian and Alaska Native populations in Hawaii are unaffected. Refer to the SEER *Cancer Statistics Review, 1975-2006* and its methodologies for specific documentation regarding modifications made by the NCI to the Census Bureau estimates (Horner 2009).

For **Canada**, Statistics Canada provided the estimates of the Canadian population for all Canadian provinces and territories, adjusted for census net under coverage (<http://www5.statcan.gc.ca/cansim/a26?lang=eng&retrLang=eng&id=0510001&pattern=population+estimates&tabMode=dataTable&srchLan=-1&p1=1&p2=-1>).

CANCER SITE CODING, 2010-2014

Incidence Data. All cancer registries use the International Classification of Diseases for Oncology, third edition (ICD-O-3) to code the anatomic site and morphology. Cancer incidence statistics include invasive cancers only, with the exception of *in situ* cancer of the bladder. Although tables include incidence statistics for breast cancer *in situ* and benign tumors of the brain and central nervous system, these cases are not included in any counts or rates of total cancer incidence.

The SEER program site recode groups were used for classifying types of cancer, using anatomic site and morphology. Using this standard ontology, only squamous and basal cell carcinomas of the lip and genital organs are included in the data reported. All categories used to present pediatric cancer rates in Volume One are based on the International Classification of Childhood Cancer, third edition (ICCC-3) (Steliarova-Foucher 2005).

Summary tables of all codes and site groups for incidence can be found in the electronic copy of the CiNA Monograph Appendices on the NAACCR website, <https://www.naaccr.org/cancer-in-north-america-cina-volumes/>.

Mortality Data. Underlying cause of death was coded using the International Classification of Diseases version 10 (ICD-10). Cancer deaths were defined as those coded C00 through C97 in ICD-10.

The SEER mortality recode scheme was used to classify cancer deaths into the groupings used in the volume III (see Appendix B on the NAACCR website, <https://www.naaccr.org/cancer-in-north-america-cina-volumes/>).

Hispanic/Latino Ethnicity Identification. The ethnicity available in medical records and reported to cancer registries is enhanced by the use of the NAACCR Hispanic Identification Algorithm, version 2 (NHIAv2). NHIAv2 uses a combination of NAACCR variables including direct identification of ethnicity from the Spanish/Hispanic Origin variable (NAACCR data element 190 values 1-6), and information indirectly derived based on an evaluation of the strength of the birthplace, race, and surname (including maiden name when available) associations with Hispanic ethnicity status. After applying NHIAv2, cases not ultimately classified as Hispanic are classified as non-Hispanic, leaving no cases with “unknown” Hispanic status. The NHIAv2 algorithm allows the user to run the program using one of three possible options:

- 1) All Records: Surname portion is run on 0 (non-Hispanic), 7 (surname only), and 9 (unknown) for all counties. After the algorithm, item 190 codes (0, 7, 9) are either NHIA - Hispanic or non-Hispanic.
- 2) Option 1: (The default) For counties with 5% or more Hispanics - as for all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only) and 9 (unknown). After the algorithm, item 190 codes (7, 9) are either NHIA - Hispanic or non-Hispanic.
- 3) Option 2: For counties with 5% or more Hispanics - as for all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only). These become either NHIA - Hispanic or non-Hispanic. All cases coded to 9 on item 190 are converted to NHIA - non-Hispanic.

A comparison of the direct and indirect categorization of Hispanic ethnicity is provided in the Appendix F available from the NAACCR Website, <https://www.naaccr.org/cancer-in-north-america-cina-volumes/>.

The NHIAv2 method is described in detail elsewhere. (NAACCR Race and Ethnicity Work Group, 2011; NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino Identification Algorithm [NHIA v2.2.1], Revised September 12, 2011.)

[URL: https://20tqtx36s1la18rvn82wcmpn-wpengine.netdna-ssl.com/wp-content/uploads/2016/11/NHIA_v2_2_1_09122011.pdf Last Accessed, May 11, 2017]

Asian/Pacific Islander Identification. The information on Asian and Pacific Islander populations is also enhanced by submitting registries using a NAACCR developed algorithm (NAACCR, 2010). The NAACCR Asian Pacific Islander Identification Algorithm version 1 (NAPIIA v1.2.1) uses a combination of NAACCR variables to classify cases directly or indirectly as Asian/Pacific Islander for analytic purposes. It is focused on coding cases with a race code of Asian NOS (race code 96) or Pacific Islander NOS (race code 97) to a more

specific Asian or Pacific Islander race category, using the birthplace and name fields (first, last, and maiden names). Birthplace can be used to indirectly assign a specific race to one of eight Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, Thai, and Cambodian) and three Pacific Islander groups (Samoan, Micronesian, and Polynesian). Names can be used to indirectly assign a specific race to one of seven Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, and Hmong) and three Pacific Islander groups (Hawaiian, Guamanian, and Samoan). The algorithm uses the following NAACCR standard variables: Race 1 through Race 5 (NAACCR Items 160 through 164), Name – Last (NAACCR Item 2230), Name – First (NAACCR Item 2240), Name – Maiden (NAACCR Item 2390), Birthplace (NAACCR Item 250), Sex (NAACCR Item 220).

Misclassification of American Indian and Alaskan Native Populations. The collection of accurate information on the cancer incidence in American Indian and Alaskan Native populations is hampered by misclassification of this population within cancer case reports. In order to address this problem, cancer registries in the United States coordinate with the Centers for Disease Control and the Bureau of Indian Affairs to link their case files to the enrollment files of the Indian Health Service (Espey, et al., 2008). This process identifies significant numbers of American Indians and Alaskan Natives that were otherwise classified within the cancer case report. The improved information on this population enables calculation of much more accurate cancer incidence rates. As presented in the incidence volumes, the data on American Indians and Alaskan natives are restricted to those counties where Indian Health Service Clinics are located, namely Contract Health Service Delivery Area (CHSDA) counties. This restriction assures that the incidence data presented is the best available data for this population.

DATA QUALITY INDICATORS

NAACCR assesses the quality of cancer incidence data from individual registries for a number of data quality indicators, which are described in detail below. Results for these indicators can be found in the *Cancer in North America, 2010-2014* Appendices on the NAACCR website. A dash in the tables indicates that data were not submitted for the year or were not able to be calculated.

In order to be included in the NAACCR Combined rates presented in Volume One, the data had to meet the criteria for high quality incidence data. These criteria were applied to each year of data individually, except for the estimate of duplicate reports, which was calculated for the years 2010 to 2014 as a whole.

- Data for 2010 through 2014 had to be submitted to NAACCR by December 1, 2016.
- The estimate of duplicate case reports had to be less than 2 duplicate reports per 1000 cases.
- All cases had to pass the edits on variables needed to compute cancer incidence rates by site, sex, race, and tumor descriptions on the NAACCR Call for Data EDITS metafile.
- Fewer than 3% of cases had missing information for sex, county of residence at diagnosis, and age at diagnosis, and fewer than 5% of the cases had an unknown race.
- Death clearance must be completed for 2010 through 2014 mortality with the percent of all cases derived from death certificates only (DCOs) of less than 5%.
- The NAACCR method to estimate completeness of case ascertainment yielded an estimate of 90% or higher.
- All cases had to pass the inter-record edits on cases reporting multiple primary cancers, as determined by the standard Inter-record EDITS program developed for the NAACCR Call for Data submissions.

To be included in the combined stage data, the registry must meet the requirements for being included in the combined rates (above), have submitted stage data for all years 2010 through 2014 and provided the derived summary stage field in their submission.

To be included in the delay adjusted data, the registry must meet the requirements for being included in the combined rates, have submitted data for all years 2010 through 2014 and have provided the data needed to calculate the delay factors.

The selection criteria for including registry data in Volume Four on cancer survival included meeting the criteria for inclusion in the combined incidence rates and providing the follow up fields required for the survival calculations. In addition, the data either needed to meet the SEER standards for follow-up or the registry needed

to have ascertained deaths through the study cutoff date (December 31, 2013). To meet the SEER standard for follow-up, a minimum of 90% of patients needed to have follow-up dates on or after January 1, 2014, or be deceased. For U.S. registries that did not meet the SEER standard for follow-up, it was necessary to conduct state death linkages and linkage with the National Death Index. For Canadian registries, it was necessary to conduct death linkages within the province or territory. Registry data also were required to have no irregularities in the variables that are key to the survival calculations.

Duplicate Case Records. Most central cancer registries rely on multiple reporting sources for cancer case reports. At the central cancer registry, multiple reports for the same patient must then be matched and the information from all records consolidated. In addition to determining whether multiple reports refer to the same individual, central cancer registry staff must also determine whether the tumor represents a new primary tumor or a duplicate report for a tumor already recorded. Failure to eliminate duplicate cases and duplicate tumors results in over-counting cancer cases. As a part of routine cancer registry operations, a variety of tools are used to ensure accurate case linkage and case consolidation. As part of the preparation of the data submission to NAACCR, each registry uses the NAACCR protocol to determine the adequacy of case linkage and consolidation operations in identifying duplicate records.

The NAACCR protocol for assessing duplicate cases can be found on the NAACCR website, <http://www.naacccr.org>.

Completeness of Case Ascertainment. In order to evaluate case completeness for all geographic areas included in this monograph, the NAACCR Method to Estimate Completeness is used. The method is described in detail elsewhere (Wu, et al., 2002; Howe, 2007). A data analysis tool is available on the NAACCR website, <https://www.naacccr.org/analysis-and-data-improvement-tools/#COMPLETENESS> that documents and calculates sex-, race-, and site- specific estimates based on observed incidence counts and rates, observed local cancer death rates, and a standard rate ratio of incidence to mortality. In addition, adjustments are made to the calculations to account for some variation in sex-, race- and site-specific variation in case fatality. The method assumes that the relationship between incidence rates and mortality rates are stable. However, with the recent annual decreases in cancer death rates, and the awareness that the decreases are not the same in all parts of the United States and Canada, it appears that this assumption is being challenged with a noticeable bias in an upward migration of completeness estimates for many locales. The completeness estimates provided in this publication used mortality data for the years 2010-2014 to determine completeness in U.S. registries and Canadian registries. The percent completeness presented for each registry and used to determine inclusion of individual registry data in the combined rates presented in Volume One were based upon rate ratios of 2010-2014 SEER 11 incidence rates divided by 2010-2014 U.S. mortality rates.

Missing Case Information. NAACCR has developed standards for completeness of data on key data items that are needed to produce meaningful cancer incidence statistics. These key data items include race, sex, county of residence at diagnosis, and age at diagnosis. Cases with unknown sex or age are omitted from all calculations. Cases with unknown race and county of residence were included in the cancer counts and rates for all races and/or all counties combined.

Death Certificate Only Cases. The proportion of cases identified by death certificate only (DCO) is an indicator of data quality and completeness. Central cancer registries use death certificates to identify potentially missed cases and to conduct follow back on cases that have cancer on the death certificate but who are not incident cases in the registry. Cases without follow back information are considered to be DCO cases and may have incomplete or missing information, including date of diagnosis and stage at diagnosis. For DCO cases, the date of death is used as the date of diagnosis. Registries that did not use death certificates as a source of case ascertainment have “na” listed in the death certificate only row on the registry description page.

Data Reliability and Accuracy. All data submitted to NAACCR are evaluated for reliability and accuracy using the EDITS program and a specific set of edits incorporated into a Call for Data Edits Metafile. An edit reviews the internal consistency between and among data elements, such as anatomic site and morphology. Cases that are identified as having errors are reviewed by registry staff and resolved prior to their NAACCR submission. The NAACCR Call for Data EDITS metafile is available on the NAACCR website.

[URL <http://www.naacccr.org/DataandPublications/CallforData.aspx>, Last accessed April 24, 2017].

An inter-record edits program, developed by the Centers for Disease Control and Prevention, is used to identify errors among the records reported for persons who have had multiple tumors diagnosed. For example, an inter-record edit will identify whether birthplace is the same on all reports of multiple tumors that are reported for one individual.

Timeliness of Data. The NAACCR standard defines timely data as data that are available for use in incidence statistics within 23 months of the close of a diagnostic year (i.e., December 1, 2016 for all cases diagnosed in 2014).

Site-Specific Microscopic Confirmation. This criterion is not used by NAACCR to determine high quality for the purposes of this publication. However, it is a useful indicator of quality of data collection. A proportion of microscopically confirmed cases that is too high or low may suggest problems in case ascertainment or abstracting. However, this proportion varies by cancer site. For sites that are more likely to rely on a clinical or radiological diagnosis, e.g., cancers of the pancreas and brain, confirmation rates that are too high may suggest that some clinically diagnosed cases are missing. Also, registries that do not use death certificates for case finding have an artificially high proportion of microscopically confirmed cases, because DCO cases by definition do not have information on whether the tumor was microscopically confirmed. While no NAACCR standard has been determined for microscopic confirmation, the guideline we use is that the proportion should fall between 92 and 96 percent of all cancer cases, based on the experience of the SEER program.

CALCULATION OF STATISTICS

Rates. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age (Ries, et al. 2005), the 1996 Canadian population standard (Statistics Canada, 2003), and to the World population standard (Parkin, et al., 2002). Rates for children and adolescents in Volume One were expressed per million population. The incidence and death rates in this monograph are annual averages for the period 2010 through 2014. The age distributions of the three population standards are as follows:

AGE GROUP	2000 U.S.	1996 CDN.	WORLD
00 years	3,794,901	12,342	24,000
01-04 years	15,191,619	53,893	96,000
05-09 years	19,919,840	67,985	100,000
10-14 years	20,056,779	67,716	90,000
15-19 years	19,819,518	67,841	90,000
20-24 years	18,257,225	67,761	80,000
25-29 years	17,722,067	72,914	80,000
30-34 years	19,511,370	87,030	60,000
35-39 years	22,179,956	88,510	60,000
40-44 years	22,479,229	80,055	60,000
45-49 years	19,805,793	71,847	60,000
50-54 years	17,224,359	55,812	50,000
55-59 years	13,307,234	44,869	40,000
60-64 years	10,654,272	40,705	40,000
65-69 years	9,409,940	37,858	30,000
70-74 years	8,725,574	32,589	20,000
75-79 years	7,414,559	23,232	10,000
80-84 years	4,900,234	15,424	5,000
85+ years	4,259,173	11,617	5,000
Total	274,633,642	1,000,000	1,000,000

Standard Errors. Standard errors (S.E.) of the rates were calculated using the formula:

$$S.E. = \sqrt{\sum \frac{w_j^2 n_j}{p_j^2}}$$

where w_j = the fraction of the standard population in age group j , n_j = number of cases or deaths in that age group, and p_j = person years denominator (Breslow and Day, 1987). For many registries, the standard errors of the rates are small, as the population covered is large. However, for registries that cover a small population, the standard error may be substantial.

Confidence Intervals. Although not reproduced in the printed monograph, bar charts of the registry-specific, age-adjusted rates with 95 percent confidence intervals (Tiwari, et al., 2006) are available on the NAACCR website (<https://www.naaccr.org/cancer-in-north-america-cina-volumes/>). The confidence intervals allow the user to assess the precision of the estimate and is an approximate and conservative indicator of whether a registry's rate is statistically higher or lower than the rate for the combined United States, based on whether or not the upper or lower limit of the confidence interval overlaps the 95% confidence interval for the United States.

Comparison of Rates. In addition to true regional variation in cancer risk, differences in cancer incidence or mortality rates between areas may be due to either differences in the demographic makeup of the population or differences in data quality. In making valid comparisons of cancer incidence rates among registries, it is important to review the data quality indicators for each registry and consider differences in the racial composition of the populations being compared before conclusions are drawn about variations in regional rates. Interpretation without consideration of these factors may contribute to misleading or inaccurate conclusions.

The standard error of adjusted rates can be used to evaluate the statistical significance of rate differences among comparable populations. For example, if the adjusted rates in two populations are R_1 and R_2 and their standard errors are $S.E._1$ and $S.E._2$, an approximate confidence interval for the rate ratio can be calculated using the following formula:

$$(R_1/R_2)^{1 \pm z/x}$$

where $x = (R_1 \pm R_2) / \sqrt{(S.E._1^2 + S.E._2^2)}$ and $z = 1.96$ for 95% limits (Parkin, et al., 1992). If this interval does not include one, the two rates are statistically significantly different at a p value of 0.05. This test can be inaccurate for rates based on fewer than 16 cases or deaths, and it should not be used for rates based on fewer than six cases or deaths. It should be emphasized that this kind of comparison of adjusted rates must be undertaken with caution as misleading conclusions may be drawn if the ratios of the age specific rates in the two populations are not constant in all age groups. In these circumstances, the ratios of the adjusted rates will vary according to the standard populations used (Esteve, et al., 1994).

Cell Suppression. Counts and rates were suppressed (indicated by “-”) in the tables if the race, gender, and site-specific number of cases for incidence was less than six or when the number of deaths was less than ten. Complementary cell suppression was employed, when necessary, to prevent the contents of a single suppressed cell from being calculated. These counts are included in the calculation of all sites combined. A dash is also used to indicate not applicable, as in the gender specific cancers. If the rate was less than 0.05 per 100,000 then the rate is listed as 0.0.

REFERENCES

Anderson RN, Minino AM, Hoyert DL, Rosenberg HM. Comparability of cause of death between ICD-9 and ICD-10: Preliminary estimates. *National Vital Statistics Reports* 2001;49:1-32.

Breslow NE and Day NE. Statistical Methods in Cancer Research. Vol. II. 1987. International Agency for Research on Cancer: Lyon, France.

Clegg LX, Feuer EJ, Midthune D, Fay MP, Hankey BF. Impact of reporting delay and reporting error on cancer incidence rates and trends. *J Natl Cancer Inst* 2002;94:1537-45.

Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer*. 2008 Sep 1;113(5 Suppl):1120-30.

Espey DK, Wu XC, Swan J, Wiggins C, Jim MA, Ward E, Wingo PA, Howe HL, Ries LA, Miller BA, Jemal A, Ahmed F, Cobb N, Kaur JS, Edwards BK. Annual report to the nation on the status of cancer, 1975-2004, featuring cancer in American Indians and Alaska Natives. *Cancer*. 2007 Nov 15;110(10):2119-52.

Esteve J, Benhamou E, and Raymond L. *Statistical Methods in Cancer Research*. Vol. V. 1994. International Agency for Research on Cancer: Lyon, France.

Horner MJ, Ries LAG, Krapcho M, Neyman N, Aminou R, Howlader N, Altekruse SF, Feuer EJ, Huang L, Mariotto A, Miller BA, Lewis DR, Eisner MP, Stinchcomb DG, Edwards BK (eds). *SEER Cancer Statistics Review, 1975-2006*, National Cancer Institute. Bethesda, MD

[URL: http://www.seer.cancer.gov/csr/1975_2006/, based on November 2008 SEER data submission, posted to the SEER web site, 2009.]

Howe HL, Carozza S, O'Malley C, Dolecek TA, Finch JL, Kohler B, Wet D, Liu L, Schymura MJ, Williams M, Abe T, Agovino P, Chen VW, Firth R, Harkins D, Hotes J, Lake A, Roney D, Suarez L (eds). *Cancer in U.S. Hispanics/Latinos, 1995-2000*. Springfield (IL): North American Association of Central Cancer Registries, December 2003.

Johnson CH, Peace S, Adamo P, Fritz A, Percy-Laurry A, Edwards BK. *The 2007 Multiple Primary and Histology Coding Rules*. National Cancer Institute, Surveillance, Epidemiology and End Results Program. Bethesda, MD, 2007.

Midthune DN, Fay MP, Clegg LX, Feuer EJ. Modeling reporting delays and reporting corrections in cancer registry data. *J Am Stat Assoc* 2005;100(469):61-70.

NAACCR Expert Panel in Hispanic Identification. *Report of the NAACCR Expert Panel on Hispanic Identification 2003*. Springfield (IL): North American Association of Central Cancer Registries, October 2003.

NAACCR Latino Research Work Group. *NAACCR Guideline for Enhancing Hispanic/Latino Identification: Revised NAACCR Hispanic/Latino Identification Algorithm [NHIA v2]*. Springfield (IL): North American Association of Central Cancer Registries. September 2005.

[URL: https://20tqtx36s1la18rvn82wcmnpn-wpengine.netdna-ssl.com/wp-content/uploads/2016/11/NHIA_v2_2_1_09122011.pdf]

NAACCR Method to Estimate Completeness. A Data Analysis Tool for Calculations.

[URL: <https://www.naaccr.org/analysis-and-data-improvement-tools/#COMPLETENESS> Last accessed May 11, 2017].

NAACCR Race and Ethnicity Work Group. *NAACCR Asian Pacific Islander Identification Algorithm [NAPIIA v1.2.1]*. Springfield, IL: North American Association of Central Cancer Registries, September 2010.

National Center for Health Statistics. *U.S. Census Populations with Bridged Race Categories*. September 2003. [URL: http://www.cdc.gov/nchs/nvss/bridged_race.htm. Last Accessed, April 24, 2017].

Parkin D.M., Whelan S.L., Ferlay J., Teppo L., Thomas D., Thomas D.B. *Cancer Incidence in Five Continents*. Vol. VIII. 2002. International Agency for Research on Cancer: Lyon, France.

SEER. 2000 U.S. Standard Population vs. Standard Million. 13 December 2004.

http://seer.cancer.gov/stdpopulations/single_age.html

Steliarova-Foucher E, Stiller C, Lacour B, Kaatsch P. International Classification of Childhood Cancer, third edition. *Cancer* 2005;103:1457-67.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006;15:547-569.

Weir HK, Johnson CJ, Mariotto AB, Turner D, Wilson RJ, Nishri D, Ward KC. Evaluation of North American Association of Central Cancer Registries' (NAACCR) data for use in population-based cancer survival studies. *J Natl Cancer Inst Monogr*. 2014 Nov;2014(49):198-209.

Wu XC, Hotes J, Fulton JP, Cormier M, Correa C, McLaughlin CC, Kosary C, Howe HL, Chen VW (Eds.) *Cancer in North America, 1996-2000, Volume One: Introduction and Technical Notes, Incidence*. April 2002. [URL: <https://www.naaccr.org/previous-volumes-of-cina/> Last accessed May 11, 2017].

Zou J, Huang L, Midthune D, Horner MJ, Krapcho M, Feuer EJ. Effect of reporting year on delay modeling. Statistical Research and Applications Branch, National Cancer Institute; 2009. Technical Report #2009-01
Clegg LX, Feuer EJ, Midthune D, Fay MP, Hankey BF. Impact of reporting delay and reporting error on cancer incidence rates and trends. *J Natl Cancer Inst* 2002;94:1537-45. [Full Text]

Midthune DN, Fay MP, Clegg LX, Feuer EJ. Modeling reporting delays and reporting corrections in cancer registry data. *J Am Stat Assoc* 2005;100(469):61-70. [View Abstract]

Zou J, Huang L, Midthune D, Horner MJ, Krapcho M, Feuer EJ. Effect of reporting year on delay modeling. Statistical Research and Applications Branch, National Cancer Institute; 2009. Technical Report #2009-01. Available from: <http://surveillance.cancer.gov/reports/>



Section II

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 2000 U.S. and
World Population Standards



Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,243	235.8	1.45	138.5	0.85	23,074	148.3	0.99	91.2	0.66
Oral Cavity & Pharynx	539	4.3	0.19	2.9	0.13	218	1.4	0.09	0.8	0.06
Digestive System	7,074	57.2	0.70	35.7	0.44	5,094	32.5	0.46	19.2	0.29
Esophagus	905	7.0	0.24	4.7	0.16	237	1.5	0.10	0.9	0.07
Stomach	557	4.7	0.21	2.8	0.12	370	2.4	0.13	1.4	0.08
Colon & Rectum	2,469	20.6	0.43	12.4	0.26	2,065	13.3	0.30	7.7	0.19
Liver	1,086	8.2	0.26	5.6	0.17	462	3.0	0.14	1.8	0.09
Pancreas	1,641	13.2	0.34	8.1	0.21	1,542	9.7	0.25	5.6	0.16
Respiratory System	9,864	79.8	0.83	48.3	0.50	6,316	40.1	0.51	24.9	0.33
Larynx	292	2.3	0.14	1.5	0.09	67	0.4	0.05	0.3	0.04
Lung & bronchus	9,522	77.2	0.82	46.5	0.49	6,224	39.5	0.51	24.5	0.33
Skin	661	5.7	0.23	3.2	0.13	322	2.1	0.12	1.3	0.08
Melanomas of the skin	496	4.2	0.19	2.5	0.12	247	1.6	0.11	1.1	0.07
Breast	32	0.3	0.05	0.1	0.03	3,361	22.0	0.39	14.5	0.27
Female Genital System	-	-	-	-	-	2,392	15.7	0.33	10.1	0.22
Cervix uteri	-	-	-	-	-	453	3.3	0.16	2.5	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	552	3.5	0.15	2.2	0.10
Ovary	-	-	-	-	-	1,252	8.0	0.23	4.9	0.15
Male Genital System	2,543	24.4	0.50	10.9	0.22	-	-	-	-	-
Prostate	2,486	23.9	0.49	10.6	0.22	-	-	-	-	-
Testis	28	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,536	13.4	0.35	7.2	0.19	688	4.3	0.17	2.4	0.10
Bladder	784	7.1	0.26	3.5	0.13	285	1.8	0.11	0.9	0.06
Kidney & renal pelvis	727	6.0	0.23	3.6	0.14	392	2.5	0.13	1.4	0.08
Brain & Other Nervous System	776	6.1	0.23	4.3	0.16	615	4.1	0.17	2.8	0.13
Endocrine System	97	0.8	0.09	0.6	0.07	116	0.8	0.07	0.6	0.06
Thyroid gland	53	0.4	0.06	0.3	0.04	73	0.5	0.05	0.3	0.03
Lymphomas	914	8.0	0.27	4.4	0.15	796	5.1	0.18	2.8	0.11
Hodgkin Lymphoma	56	0.5	0.07	0.3	0.05	43	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	858	7.5	0.27	4.1	0.15	753	4.8	0.18	2.6	0.11
Multiple Myeloma	584	5.0	0.22	2.7	0.12	489	3.1	0.14	1.7	0.08
Leukemias	1,141	10.1	0.31	5.6	0.18	807	5.3	0.19	3.1	0.12
Other, Ill-defined & Unknown	2,482	20.7	0.43	12.5	0.26	1,860	11.9	0.28	7.3	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	21,840	227.8	1.58	133.0	0.94	17,518	145.5	1.12	89.1	0.75
Oral Cavity & Pharynx	407	4.1	0.21	2.7	0.14	174	1.4	0.11	0.8	0.07
Digestive System	5,216	53.2	0.76	32.9	0.47	3,593	29.5	0.50	17.4	0.32
Esophagus	710	7.0	0.27	4.6	0.18	165	1.3	0.11	0.8	0.07
Stomach	345	3.7	0.20	2.2	0.12	217	1.8	0.13	1.1	0.08
Colon & Rectum	1,798	18.9	0.46	11.3	0.28	1,444	12.0	0.32	7.0	0.21
Liver	792	7.7	0.28	5.1	0.19	337	2.8	0.16	1.7	0.11
Pancreas	1,265	12.7	0.37	7.8	0.23	1,110	9.0	0.27	5.2	0.17
Respiratory System	7,775	78.6	0.91	47.1	0.55	5,237	42.9	0.60	26.7	0.40
Larynx	201	2.0	0.14	1.3	0.09	48	0.4	0.06	0.3	0.04
Lung & bronchus	7,537	76.2	0.90	45.5	0.54	5,171	42.3	0.60	26.3	0.40
Skin	630	6.7	0.27	3.9	0.16	301	2.6	0.16	1.6	0.11
Melanomas of the skin	487	5.1	0.24	3.1	0.15	235	2.1	0.14	1.4	0.10
Breast	24	0.3	0.06	0.1	0.03	2,335	19.8	0.42	12.8	0.29
Female Genital System	-	-	-	-	-	1,693	14.5	0.36	9.3	0.25
Cervix uteri	-	-	-	-	-	289	2.9	0.18	2.2	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	301	2.5	0.15	1.5	0.10
Ovary	-	-	-	-	-	997	8.2	0.27	5.1	0.18
Male Genital System	1,670	19.6	0.49	8.6	0.22	-	-	-	-	-
Prostate	1,623	19.1	0.49	8.2	0.21	-	-	-	-	-
Testis	23	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,287	13.9	0.40	7.4	0.22	538	4.3	0.19	2.4	0.12
Bladder	687	7.7	0.30	3.7	0.15	223	1.8	0.12	0.9	0.07
Kidney & renal pelvis	580	6.0	0.26	3.6	0.16	306	2.5	0.15	1.5	0.09
Brain & Other Nervous System	674	6.8	0.27	4.8	0.20	541	4.7	0.21	3.3	0.16
Endocrine System	77	0.8	0.10	0.6	0.08	82	0.7	0.09	0.6	0.08
Thyroid gland	46	0.5	0.07	0.3	0.05	47	0.4	0.06	0.2	0.04
Lymphomas	781	8.5	0.31	4.6	0.18	665	5.4	0.21	2.9	0.13
Hodgkin Lymphoma	43	0.5	0.08	0.3	0.06	33	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	738	8.0	0.30	4.3	0.17	632	5.1	0.21	2.7	0.12
Multiple Myeloma	414	4.5	0.22	2.3	0.12	305	2.5	0.14	1.3	0.08
Leukemias	973	10.7	0.35	5.9	0.21	665	5.6	0.22	3.2	0.15
Other, Ill-defined & Unknown	1,912	20.1	0.47	11.9	0.29	1,389	11.5	0.32	6.9	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	6,287	280.1	3.82	166.9	2.13	5,430	162.0	2.24	101.5	1.45
Oral Cavity & Pharynx	131	5.0	0.47	3.5	0.31	43	1.2	0.19	0.8	0.13
Digestive System	1,823	76.3	1.94	48.4	1.15	1,465	44.4	1.18	26.2	0.72
Esophagus	192	7.5	0.58	5.2	0.38	71	2.1	0.25	1.4	0.17
Stomach	209	9.4	0.70	5.6	0.39	147	4.5	0.38	2.6	0.23
Colon & Rectum	662	29.2	1.23	17.6	0.69	613	18.6	0.77	10.7	0.46
Liver	282	10.0	0.64	7.3	0.44	114	3.5	0.33	2.1	0.21
Pancreas	370	15.5	0.87	9.8	0.51	424	13.0	0.64	7.5	0.39
Respiratory System	2,051	87.7	2.09	54.6	1.22	1,043	31.0	0.98	19.4	0.63
Larynx	90	3.5	0.40	2.3	0.24	19	0.5	0.12	0.3	0.08
Lung & bronchus	1,949	83.6	2.04	52.0	1.19	1,017	30.2	0.97	18.9	0.62
Skin	29	1.4	0.27	0.8	0.15	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	12	0.3	0.10	0.2	0.06
Breast	-	-	-	-	-	1,005	29.0	0.93	20.0	0.66
Female Genital System	-	-	-	-	-	691	20.8	0.81	13.4	0.53
Cervix uteri	-	-	-	-	-	163	5.0	0.40	3.5	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	250	7.5	0.48	4.8	0.32
Ovary	-	-	-	-	-	249	7.5	0.48	4.5	0.30
Male Genital System	865	49.4	1.77	22.3	0.77	-	-	-	-	-
Prostate	855	48.8	1.76	22.1	0.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	245	11.1	0.77	6.6	0.42	149	4.5	0.38	2.4	0.21
Bladder	95	4.6	0.51	2.5	0.26	62	1.9	0.25	0.9	0.13
Kidney & renal pelvis	145	6.3	0.56	3.9	0.33	85	2.5	0.28	1.4	0.17
Brain & Other Nervous System	100	3.5	0.37	2.8	0.28	72	2.1	0.25	1.5	0.20
Endocrine System	19	0.9	0.23	0.6	0.13	33	1.0	0.18	0.6	0.11
Thyroid gland	-	-	-	-	-	25	0.7	0.15	0.4	0.09
Lymphomas	128	5.6	0.53	3.4	0.31	126	3.9	0.35	2.4	0.22
Hodgkin Lymphoma	13	0.5	0.14	0.4	0.10	10	0.3	0.10	0.2	0.07
Non-Hodgkin Lymphoma	115	5.1	0.51	3.1	0.29	116	3.6	0.34	2.1	0.21
Multiple Myeloma	168	7.8	0.65	4.4	0.34	182	5.5	0.42	3.1	0.25
Leukemias	166	7.5	0.62	4.6	0.36	138	4.2	0.36	2.6	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	60	78.5	12.28	41.1	5.45	89	80.2	9.28	40.9	4.41
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	24.8	6.94	13.1	3.09	25	23.7	5.06	11.1	2.26
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	15	17.8	5.42	10.8	2.85	24	25.2	5.51	11.0	2.30
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	17.8	5.42	10.8	2.85	24	25.2	5.51	11.0	2.30
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	13	10.6	3.38	5.7	1.61
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	10	9.5	3.80	5.6	1.83	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,635	203.8	4.51	111.2	2.20	2,097	146.7	3.39	86.1	1.93
Oral Cavity & Pharynx	59	3.7	0.55	2.4	0.32	16	1.0	0.28	0.6	0.15
Digestive System	783	55.3	2.26	32.3	1.17	495	34.3	1.63	20.1	0.92
Esophagus	113	8.0	0.87	4.7	0.45	26	1.8	0.37	1.1	0.22
Stomach	79	5.3	0.68	3.2	0.37	43	3.0	0.48	1.7	0.27
Colon & Rectum	241	18.5	1.36	10.1	0.66	192	13.5	1.03	7.7	0.57
Liver	135	7.6	0.73	5.3	0.46	33	2.2	0.41	1.3	0.24
Pancreas	159	11.9	1.07	6.6	0.53	145	9.9	0.88	5.8	0.50
Respiratory System	720	56.3	2.36	30.3	1.14	583	42.2	1.85	23.9	1.01
Larynx	18	1.4	0.37	0.7	0.18	-	-	-	-	-
Lung & bronchus	700	54.8	2.33	29.5	1.13	576	41.7	1.84	23.6	1.01
Skin	51	4.6	0.72	2.2	0.31	-	-	-	-	-
Melanomas of the skin	41	3.6	0.62	1.8	0.28	25	1.7	0.36	1.1	0.22
Breast	-	-	-	-	-	309	20.4	1.23	12.8	0.74
Female Genital System	-	-	-	-	-	210	13.9	1.02	8.7	0.62
Cervix uteri	-	-	-	-	-	36	2.1	0.36	1.6	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	59	4.0	0.55	2.4	0.31
Ovary	-	-	-	-	-	96	6.3	0.69	4.0	0.41
Male Genital System	214	20.7	1.58	9.5	0.66	-	-	-	-	-
Prostate	209	20.5	1.57	9.3	0.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	151	11.9	1.09	6.3	0.52	71	5.2	0.65	2.8	0.34
Bladder	62	4.9	0.70	2.7	0.34	25	2.0	0.42	0.9	0.19
Kidney & renal pelvis	83	6.5	0.80	3.4	0.38	41	2.9	0.47	1.7	0.27
Brain & Other Nervous System	87	5.6	0.69	3.6	0.39	55	3.3	0.47	2.6	0.36
Endocrine System	12	0.8	0.24	0.5	0.14	12	0.9	0.26	0.5	0.15
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	92	7.3	0.85	3.9	0.42	50	3.9	0.58	2.0	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	55	4.7	0.71	2.3	0.32	34	2.4	0.44	1.4	0.25
Leukemias	113	9.4	0.99	4.9	0.48	55	4.3	0.60	2.3	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,971	191.4	4.91	104.4	2.39	1,495	139.7	3.84	81.3	2.17
Oral Cavity & Pharynx	35	2.6	0.52	1.7	0.30	-	-	-	-	-
Digestive System	542	48.5	2.38	28.2	1.23	321	30.0	1.78	17.1	0.98
Esophagus	97	8.7	1.01	5.0	0.51	19	1.8	0.44	1.1	0.26
Stomach	28	2.7	0.56	1.5	0.29	13	1.2	0.35	0.7	0.19
Colon & Rectum	144	13.9	1.31	7.7	0.65	116	11.2	1.10	6.1	0.58
Liver	98	6.7	0.76	4.7	0.48	22	2.1	0.48	1.2	0.26
Pancreas	131	12.5	1.25	6.9	0.61	112	10.2	1.03	6.0	0.58
Respiratory System	527	50.4	2.48	27.7	1.22	443	42.6	2.16	23.9	1.17
Larynx	14	1.3	0.40	0.7	0.20	-	-	-	-	-
Lung & bronchus	512	49.0	2.45	26.9	1.21	437	42.1	2.14	23.6	1.16
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	39	4.4	0.78	2.1	0.34	23	2.0	0.43	1.4	0.29
Breast	-	-	-	-	-	232	20.4	1.43	12.5	0.84
Female Genital System	-	-	-	-	-	156	13.8	1.18	8.7	0.71
Cervix uteri	-	-	-	-	-	23	1.9	0.40	1.4	0.31
Corpus & uterus, NOS ¹	-	-	-	-	-	43	3.6	0.60	2.3	0.35
Ovary	-	-	-	-	-	78	7.1	0.86	4.3	0.50
Male Genital System	166	20.2	1.74	9.2	0.72	-	-	-	-	-
Prostate	162	20.0	1.74	9.0	0.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	118	11.2	1.16	6.2	0.57	47	4.4	0.68	2.4	0.36
Bladder	47	4.4	0.72	2.5	0.37	16	1.7	0.44	0.8	0.20
Kidney & renal pelvis	66	6.3	0.87	3.4	0.42	27	2.4	0.49	1.4	0.29
Brain & Other Nervous System	76	6.2	0.80	4.0	0.46	44	3.7	0.58	2.7	0.42
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	76	7.4	0.95	4.1	0.48	39	4.0	0.67	2.1	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	47	5.0	0.82	2.5	0.36	22	2.1	0.48	1.2	0.26
Leukemias	93	10.3	1.18	5.0	0.53	45	5.0	0.76	2.6	0.41
Other, Ill-defined & Unknown	232	23.4	1.76	12.7	0.85	104	10.0	1.03	5.7	0.58

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	72	229.0	31.65	121.1	14.84	60	149.8	20.54	84.2	11.19
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	20	49.5	13.59	29.0	6.89	11	22.3	7.24	15.3	4.74
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	10	26.5	10.12	14.5	4.79	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	18	62.0	16.88	29.6	7.13	12	31.2	9.36	19.0	5.63
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	60.6	16.82	28.4	7.04	11	28.2	8.86	17.1	5.31
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	13	29.3	8.70	18.2	5.19
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	15	58.2	17.01	29.1	7.66	-	-	-	-	-
Prostate	15	58.2	17.01	29.1	7.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	95	126.7	15.45	73.6	7.73	116	105.7	10.44	63.5	6.00
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	42	47.9	8.94	30.8	4.87	31	28.3	5.34	17.2	3.15
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	12	14.4	5.29	8.9	2.65	11	9.4	2.96	6.0	1.86
Liver	14	14.9	4.50	10.3	2.81	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	23	37.7	9.11	19.7	4.17	33	30.6	5.64	17.5	3.11
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	23	37.7	9.11	19.7	4.17	33	30.6	5.64	17.5	3.11
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	13	11.1	3.20	7.5	2.11
Female Genital System	-	-	-	-	-	12	10.2	3.24	6.3	1.82
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	10	13.1	4.77	7.6	2.43	13	10.8	3.18	7.6	2.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,767	174.2	1.02	99.5	0.61	25,488	126.3	0.80	75.5	0.52
Oral Cavity & Pharynx	543	3.1	0.13	2.0	0.09	194	0.9	0.07	0.6	0.05
Digestive System	8,447	48.4	0.53	29.8	0.34	6,002	29.4	0.39	16.7	0.24
Esophagus	1,243	7.0	0.20	4.4	0.13	306	1.5	0.09	0.8	0.05
Stomach	626	3.7	0.15	2.2	0.09	399	2.0	0.10	1.2	0.07
Colon & Rectum	2,642	15.6	0.31	9.1	0.19	2,268	11.2	0.24	6.3	0.15
Liver	1,382	7.6	0.21	5.3	0.15	585	2.9	0.12	1.8	0.08
Pancreas	2,023	11.5	0.26	6.9	0.16	1,850	9.0	0.21	4.9	0.13
Respiratory System	7,739	44.5	0.51	25.4	0.30	6,317	30.9	0.39	17.8	0.24
Larynx	226	1.3	0.09	0.8	0.06	66	0.3	0.04	0.2	0.03
Lung & bronchus	7,462	43.0	0.50	24.4	0.30	6,218	30.4	0.39	17.6	0.24
Skin	1,106	6.5	0.20	3.8	0.12	463	2.4	0.11	1.5	0.08
Melanomas of the skin	720	4.2	0.16	2.5	0.10	362	1.9	0.10	1.2	0.07
Breast	36	0.2	0.03	0.1	0.02	3,867	19.5	0.32	12.6	0.22
Female Genital System	-	-	-	-	-	2,776	14.0	0.27	9.0	0.19
Cervix uteri	-	-	-	-	-	384	2.1	0.11	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	766	3.8	0.14	2.4	0.09
Ovary	-	-	-	-	-	1,470	7.3	0.19	4.6	0.13
Male Genital System	3,005	18.8	0.35	8.4	0.16	-	-	-	-	-
Prostate	2,915	18.2	0.34	8.0	0.16	-	-	-	-	-
Testis	56	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,122	12.6	0.28	6.7	0.15	849	4.1	0.14	2.2	0.08
Bladder	1,158	7.0	0.21	3.4	0.11	373	1.8	0.09	0.9	0.05
Kidney & renal pelvis	931	5.4	0.18	3.2	0.11	454	2.2	0.11	1.3	0.07
Brain & Other Nervous System	879	5.1	0.17	3.6	0.13	703	3.6	0.14	2.6	0.11
Endocrine System	140	0.8	0.07	0.5	0.05	136	0.7	0.06	0.5	0.05
Thyroid gland	96	0.6	0.06	0.3	0.03	85	0.4	0.05	0.2	0.03
Lymphomas	1,193	7.2	0.21	3.9	0.12	911	4.5	0.15	2.4	0.09
Hodgkin Lymphoma	58	0.3	0.05	0.2	0.03	43	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,135	6.8	0.20	3.7	0.12	868	4.3	0.15	2.2	0.09
Multiple Myeloma	629	3.7	0.15	2.0	0.08	476	2.3	0.11	1.2	0.06
Leukemias	1,447	8.7	0.23	4.9	0.14	951	4.8	0.16	3.0	0.11
Other, Ill-defined & Unknown	2,481	14.7	0.30	8.4	0.18	1,843	9.1	0.22	5.4	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	27,900	176.2	1.07	100.8	0.65	23,660	127.8	0.85	76.5	0.56
Oral Cavity & Pharynx	513	3.2	0.14	2.0	0.09	185	1.0	0.07	0.6	0.05
Digestive System	7,745	48.1	0.55	29.6	0.36	5,449	29.0	0.40	16.5	0.25
Esophagus	1,190	7.2	0.21	4.6	0.14	282	1.5	0.09	0.8	0.06
Stomach	536	3.5	0.15	2.1	0.10	335	1.9	0.10	1.1	0.07
Colon & Rectum	2,447	15.6	0.32	9.1	0.20	2,089	11.2	0.25	6.3	0.16
Liver	1,205	7.2	0.21	5.0	0.15	510	2.7	0.12	1.7	0.08
Pancreas	1,897	11.7	0.27	7.0	0.17	1,705	9.0	0.22	4.9	0.13
Respiratory System	7,369	45.6	0.54	26.1	0.32	6,032	32.0	0.42	18.5	0.26
Larynx	210	1.3	0.09	0.8	0.06	64	0.3	0.04	0.2	0.03
Lung & bronchus	7,111	44.0	0.53	25.1	0.32	5,938	31.5	0.41	18.2	0.26
Skin	1,080	6.9	0.21	4.1	0.13	451	2.5	0.12	1.6	0.09
Melanomas of the skin	712	4.6	0.17	2.7	0.11	357	2.0	0.11	1.4	0.08
Breast	32	0.2	0.04	0.1	0.02	3,586	19.8	0.34	12.8	0.24
Female Genital System	-	-	-	-	-	2,521	14.0	0.28	8.9	0.20
Cervix uteri	-	-	-	-	-	339	2.1	0.12	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	679	3.6	0.14	2.3	0.10
Ovary	-	-	-	-	-	1,358	7.4	0.20	4.6	0.14
Male Genital System	2,799	18.7	0.36	8.3	0.17	-	-	-	-	-
Prostate	2,718	18.1	0.35	7.9	0.16	-	-	-	-	-
Testis	49	0.4	0.05	0.3	0.05	-	-	-	-	-
Urinary System	2,010	12.8	0.29	6.8	0.16	789	4.1	0.15	2.2	0.09
Bladder	1,132	7.3	0.22	3.6	0.11	354	1.8	0.10	0.9	0.05
Kidney & renal pelvis	846	5.3	0.18	3.2	0.12	413	2.2	0.11	1.3	0.07
Brain & Other Nervous System	837	5.4	0.19	3.8	0.14	671	3.8	0.15	2.8	0.12
Endocrine System	126	0.8	0.07	0.5	0.06	121	0.7	0.06	0.5	0.06
Thyroid gland	85	0.5	0.06	0.3	0.04	77	0.4	0.05	0.2	0.03
Lymphomas	1,128	7.3	0.22	4.0	0.13	860	4.6	0.16	2.4	0.10
Hodgkin Lymphoma	52	0.3	0.05	0.2	0.03	38	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,076	6.9	0.21	3.7	0.12	822	4.3	0.15	2.3	0.09
Multiple Myeloma	558	3.5	0.15	1.9	0.08	427	2.2	0.11	1.2	0.07
Leukemias	1,366	8.9	0.24	5.0	0.15	889	5.0	0.17	3.1	0.12
Other, Ill-defined & Unknown	2,337	14.9	0.31	8.5	0.19	1,679	9.0	0.22	5.4	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	841	183.9	7.12	108.3	3.79	807	148.0	5.44	91.3	3.28
Oral Cavity & Pharynx	13	2.1	0.63	1.6	0.44	-	-	-	-	-
Digestive System	281	58.3	3.88	36.0	2.18	211	40.8	2.92	23.3	1.64
Esophagus	24	5.4	1.20	3.2	0.65	10	1.7	0.57	1.1	0.36
Stomach	29	5.7	1.15	3.8	0.72	21	3.9	0.89	2.4	0.52
Colon & Rectum	85	20.2	2.46	10.8	1.19	89	17.6	1.94	9.7	1.05
Liver	63	10.4	1.40	8.1	1.03	18	3.5	0.84	2.1	0.51
Pancreas	63	12.7	1.79	7.9	1.01	62	12.2	1.61	6.8	0.88
Respiratory System	202	44.0	3.40	26.3	1.88	151	28.0	2.38	17.3	1.44
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	194	42.4	3.34	25.1	1.83	149	27.5	2.35	17.1	1.43
Skin	11	1.9	0.64	1.1	0.35	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	149	25.6	2.19	17.2	1.43
Female Genital System	-	-	-	-	-	107	18.1	1.83	12.5	1.23
Cervix uteri	-	-	-	-	-	19	2.9	0.68	2.3	0.52
Corpus & uterus, NOS ¹	-	-	-	-	-	47	8.2	1.25	5.4	0.81
Ovary	-	-	-	-	-	36	6.2	1.08	4.2	0.71
Male Genital System	93	26.2	3.03	12.8	1.35	-	-	-	-	-
Prostate	91	25.3	2.96	12.5	1.33	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	50	11.1	1.79	6.3	0.91	28	5.4	1.06	3.0	0.59
Bladder	17	3.8	1.02	2.1	0.52	12	2.4	0.72	1.3	0.37
Kidney & renal pelvis	32	6.9	1.42	4.1	0.74	16	3.0	0.77	1.8	0.45
Brain & Other Nervous System	23	3.9	0.96	2.8	0.59	14	2.5	0.69	1.7	0.45
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	29	6.3	1.31	3.5	0.65	22	3.8	0.86	2.3	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	48	10.5	1.70	6.2	0.91	23	5.0	1.08	2.2	0.47
Leukemias	32	7.0	1.39	4.1	0.73	28	5.8	1.13	3.1	0.60
Other, Ill-defined & Unknown	51	11.2	1.78	6.5	0.93	59	10.5	1.43	6.8	0.90

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	361	110.1	6.31	61.4	3.28	414	85.7	4.44	48.9	2.44
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	144	40.8	3.68	24.5	2.08	126	27.8	2.59	14.5	1.31
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	17	5.0	1.28	2.9	0.71	13	2.8	0.82	1.5	0.42
Colon & Rectum	42	12.8	2.17	7.4	1.16	38	8.4	1.42	4.3	0.71
Liver	45	12.2	1.97	7.4	1.13	15	3.1	0.84	1.7	0.45
Pancreas	20	5.6	1.36	3.5	0.78	41	9.6	1.57	4.7	0.74
Respiratory System	93	30.8	3.47	16.0	1.68	78	17.2	2.05	9.1	1.05
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	89	29.5	3.40	15.2	1.64	78	17.2	2.05	9.1	1.05
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	69	12.1	1.52	8.3	1.00
Female Genital System	-	-	-	-	-	57	11.5	1.60	6.8	0.91
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	16	3.2	0.84	1.8	0.47
Ovary	-	-	-	-	-	29	5.7	1.11	3.5	0.66
Male Genital System	29	10.9	2.16	5.0	0.94	-	-	-	-	-
Prostate	28	10.5	2.13	4.9	0.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	10	1.9	0.62	1.4	0.47
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	17	5.6	1.45	2.7	0.66	10	1.7	0.57	1.2	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	22	5.4	1.29	3.6	0.80	-	-	-	-	-
Other, Ill-defined & Unknown	22	5.7	1.31	3.9	0.84	33	6.8	1.26	4.0	0.71

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,097	237.1	1.80	138.8	1.08	14,649	153.8	1.29	94.9	0.87
Oral Cavity & Pharynx	403	5.0	0.26	3.4	0.17	157	1.7	0.14	1.1	0.10
Digestive System	4,490	57.9	0.88	35.8	0.56	3,220	33.4	0.60	19.8	0.39
Esophagus	594	7.5	0.31	4.9	0.21	133	1.4	0.12	0.9	0.09
Stomach	288	3.8	0.23	2.2	0.14	215	2.2	0.16	1.4	0.11
Colon & Rectum	1,652	21.8	0.55	13.0	0.33	1,405	14.6	0.40	8.7	0.26
Liver	729	8.9	0.34	6.1	0.23	298	3.1	0.18	1.8	0.11
Pancreas	983	12.7	0.41	7.7	0.26	918	9.4	0.32	5.4	0.20
Respiratory System	6,531	83.1	1.05	50.2	0.64	4,281	44.4	0.69	27.9	0.46
Larynx	144	1.7	0.15	1.2	0.10	39	0.4	0.07	0.3	0.05
Lung & bronchus	6,360	81.1	1.04	48.8	0.63	4,231	43.9	0.68	27.6	0.45
Skin	439	5.9	0.29	3.4	0.17	191	2.0	0.15	1.2	0.10
Melanomas of the skin	330	4.4	0.25	2.6	0.15	142	1.5	0.13	1.0	0.09
Breast	22	0.3	0.06	0.2	0.04	2,069	22.1	0.50	14.3	0.35
Female Genital System	-	-	-	-	-	1,431	15.5	0.42	10.1	0.29
Cervix uteri	-	-	-	-	-	270	3.3	0.21	2.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	347	3.6	0.20	2.3	0.14
Ovary	-	-	-	-	-	721	7.6	0.29	4.7	0.19
Male Genital System	1,455	21.2	0.56	9.4	0.26	-	-	-	-	-
Prostate	1,427	20.8	0.56	9.1	0.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	1,167	15.8	0.47	8.5	0.26	520	5.4	0.24	3.0	0.15
Bladder	587	8.3	0.35	3.9	0.17	217	2.2	0.15	1.0	0.08
Kidney & renal pelvis	549	7.1	0.31	4.3	0.19	288	3.0	0.18	1.8	0.12
Brain & Other Nervous System	465	6.0	0.29	4.1	0.20	360	3.9	0.21	2.7	0.16
Endocrine System	58	0.8	0.10	0.6	0.09	69	0.7	0.09	0.5	0.07
Thyroid gland	29	0.4	0.07	0.2	0.04	48	0.5	0.07	0.3	0.05
Lymphomas	603	8.1	0.34	4.6	0.20	529	5.5	0.24	3.1	0.15
Hodgkin Lymphoma	33	0.4	0.08	0.3	0.06	29	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	570	7.6	0.33	4.3	0.19	500	5.2	0.24	2.9	0.14
Multiple Myeloma	327	4.4	0.25	2.4	0.14	273	2.8	0.17	1.6	0.10
Leukemias	750	10.4	0.39	5.5	0.22	485	5.1	0.24	2.9	0.16
Other, Ill-defined & Unknown	1,387	18.2	0.50	10.8	0.30	1,064	11.1	0.35	6.8	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,793	233.5	1.89	136.0	1.14	12,665	152.4	1.38	93.8	0.93
Oral Cavity & Pharynx	348	5.0	0.27	3.3	0.18	139	1.7	0.15	1.1	0.11
Digestive System	3,818	55.9	0.92	34.3	0.58	2,679	31.9	0.63	18.8	0.41
Esophagus	520	7.4	0.33	4.9	0.22	111	1.3	0.13	0.9	0.09
Stomach	211	3.2	0.22	1.8	0.13	171	2.0	0.16	1.3	0.11
Colon & Rectum	1,401	20.9	0.57	12.3	0.35	1,195	14.3	0.42	8.4	0.28
Liver	616	8.7	0.36	5.9	0.25	240	2.8	0.18	1.6	0.12
Pancreas	857	12.5	0.44	7.6	0.27	745	8.7	0.33	5.0	0.21
Respiratory System	5,728	82.2	1.11	49.3	0.68	3,859	45.8	0.75	28.8	0.50
Larynx	118	1.6	0.15	1.1	0.10	33	0.4	0.07	0.3	0.05
Lung & bronchus	5,586	80.3	1.09	48.0	0.67	3,815	45.3	0.74	28.5	0.50
Skin	430	6.5	0.32	3.8	0.19	185	2.3	0.17	1.4	0.12
Melanomas of the skin	328	4.9	0.28	3.0	0.17	138	1.7	0.15	1.2	0.11
Breast	18	0.3	0.06	0.2	0.04	1,704	20.9	0.52	13.3	0.36
Female Genital System	-	-	-	-	-	1,186	14.8	0.44	9.6	0.31
Cervix uteri	-	-	-	-	-	192	2.8	0.21	2.1	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	278	3.3	0.20	2.1	0.14
Ovary	-	-	-	-	-	634	7.6	0.31	4.8	0.21
Male Genital System	1,173	19.1	0.56	8.4	0.26	-	-	-	-	-
Prostate	1,147	18.7	0.56	8.0	0.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	1,072	16.3	0.51	8.7	0.28	463	5.5	0.26	3.0	0.16
Bladder	550	8.6	0.37	4.1	0.18	195	2.2	0.16	1.1	0.09
Kidney & renal pelvis	493	7.2	0.33	4.4	0.21	258	3.1	0.20	1.9	0.13
Brain & Other Nervous System	431	6.4	0.31	4.3	0.23	332	4.2	0.24	2.9	0.18
Endocrine System	54	0.8	0.12	0.6	0.10	53	0.6	0.09	0.4	0.06
Thyroid gland	28	0.4	0.08	0.2	0.05	36	0.4	0.07	0.3	0.05
Lymphomas	549	8.3	0.36	4.7	0.21	488	5.8	0.27	3.2	0.16
Hodgkin Lymphoma	28	0.4	0.08	0.3	0.06	28	0.4	0.07	0.2	0.05
Non-Hodgkin Lymphoma	521	7.8	0.35	4.3	0.20	460	5.5	0.26	3.0	0.16
Multiple Myeloma	256	3.9	0.25	2.1	0.14	213	2.5	0.17	1.4	0.10
Leukemias	702	10.9	0.42	5.8	0.24	438	5.3	0.26	3.0	0.18
Other, Ill-defined & Unknown	1,214	18.0	0.53	10.6	0.32	926	11.2	0.37	6.9	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,198	284.4	6.57	171.5	3.71	1,881	171.8	4.07	107.5	2.61
Oral Cavity & Pharynx	55	5.9	0.86	4.3	0.59	18	1.7	0.40	1.0	0.24
Digestive System	626	76.4	3.31	48.8	1.98	507	46.6	2.12	27.6	1.30
Esophagus	70	7.9	1.02	5.4	0.66	22	1.8	0.38	1.4	0.31
Stomach	75	9.7	1.21	5.9	0.69	42	3.7	0.59	2.3	0.38
Colon & Rectum	241	30.8	2.13	19.2	1.26	200	17.9	1.30	11.1	0.83
Liver	92	9.6	1.08	6.9	0.73	48	4.7	0.69	2.5	0.39
Pancreas	119	15.0	1.50	9.1	0.85	167	16.0	1.27	8.7	0.71
Respiratory System	776	96.4	3.74	61.1	2.23	405	36.7	1.88	23.3	1.21
Larynx	26	3.0	0.62	2.2	0.43	-	-	-	-	-
Lung & bronchus	747	93.1	3.69	58.7	2.18	400	36.3	1.87	23.0	1.20
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	348	31.0	1.71	21.2	1.18
Female Genital System	-	-	-	-	-	229	21.7	1.47	14.0	0.96
Cervix uteri	-	-	-	-	-	72	6.6	0.80	4.7	0.57
Corpus & uterus, NOS ¹	-	-	-	-	-	64	6.1	0.79	3.8	0.50
Ovary	-	-	-	-	-	82	7.9	0.90	4.8	0.56
Male Genital System	277	45.9	2.89	20.9	1.28	-	-	-	-	-
Prostate	275	45.6	2.89	20.7	1.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	92	11.7	1.33	7.1	0.75	56	5.3	0.72	2.8	0.39
Bladder	35	4.9	0.89	2.7	0.47	22	2.2	0.47	0.9	0.22
Kidney & renal pelvis	55	6.6	0.98	4.2	0.58	29	2.6	0.50	1.6	0.30
Brain & Other Nervous System	31	4.1	0.79	2.5	0.46	27	2.4	0.47	1.8	0.36
Endocrine System	-	-	-	-	-	14	1.3	0.35	0.9	0.25
Thyroid gland	-	-	-	-	-	10	1.0	0.32	0.5	0.17
Lymphomas	48	5.9	0.92	3.8	0.56	40	3.6	0.59	2.2	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	68	9.7	1.26	5.3	0.65	58	5.5	0.74	3.2	0.44
Leukemias	46	6.6	1.04	3.7	0.56	45	3.9	0.60	2.4	0.39
Other, Ill-defined & Unknown	162	19.7	1.68	12.5	1.00	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	79	158.1	21.78	85.5	10.01	76	88.8	11.19	54.6	6.39
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	35	61.0	13.05	36.2	6.37	25	31.7	6.83	19.1	3.88
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	17	30.6	9.30	18.2	4.58	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	18	43.0	12.15	21.3	5.23	13	17.4	5.17	9.7	2.77
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	43.0	12.15	21.3	5.23	13	17.4	5.17	9.7	2.77
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	8.3	2.50	6.9	2.09
Female Genital System	-	-	-	-	-	14	12.3	3.51	10.0	2.72
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	11	22.7	7.69	11.8	3.60	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	147,828	176.9	0.47	98.4	0.27	138,872	130.4	0.36	77.0	0.23
Oral Cavity & Pharynx	3,329	3.7	0.07	2.4	0.04	1,460	1.4	0.04	0.8	0.02
Digestive System	45,113	52.3	0.25	31.0	0.15	34,664	32.3	0.18	18.3	0.11
Esophagus	5,098	5.9	0.08	3.5	0.05	1,369	1.3	0.04	0.7	0.02
Stomach	4,563	5.4	0.08	3.1	0.05	3,300	3.1	0.06	1.9	0.04
Colon & Rectum	13,508	16.0	0.14	9.1	0.08	12,541	11.5	0.10	6.4	0.06
Liver	8,397	9.1	0.10	6.1	0.07	3,346	3.1	0.05	1.8	0.03
Pancreas	10,006	11.8	0.12	6.8	0.07	9,905	9.2	0.09	5.1	0.06
Respiratory System	34,472	41.6	0.23	22.9	0.13	30,458	29.0	0.17	16.2	0.10
Larynx	1,180	1.4	0.04	0.8	0.02	253	0.2	0.02	0.1	0.01
Lung & bronchus	32,946	39.8	0.22	21.8	0.13	30,005	28.5	0.17	15.9	0.10
Skin	4,505	5.4	0.08	3.0	0.05	2,062	1.9	0.04	1.1	0.03
Melanomas of the skin	3,205	3.8	0.07	2.2	0.04	1,565	1.5	0.04	0.9	0.03
Breast	173	0.2	0.02	0.1	0.01	21,799	20.4	0.14	13.2	0.10
Female Genital System	-	-	-	-	-	15,760	14.9	0.12	9.6	0.08
Cervix uteri	-	-	-	-	-	2,299	2.3	0.05	1.7	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	4,795	4.4	0.07	2.9	0.04
Ovary	-	-	-	-	-	7,755	7.3	0.08	4.6	0.06
Male Genital System	15,918	20.5	0.16	9.1	0.08	-	-	-	-	-
Prostate	15,445	20.0	0.16	8.7	0.07	-	-	-	-	-
Testis	320	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	9,947	12.2	0.12	6.3	0.07	4,607	4.2	0.06	2.2	0.04
Bladder	5,365	6.8	0.09	3.1	0.04	2,116	1.9	0.04	0.9	0.02
Kidney & renal pelvis	4,401	5.1	0.08	3.1	0.05	2,328	2.2	0.05	1.2	0.03
Brain & Other Nervous System	4,700	5.2	0.08	3.6	0.06	3,622	3.5	0.06	2.4	0.04
Endocrine System	760	0.9	0.03	0.6	0.02	947	0.9	0.03	0.6	0.02
Thyroid gland	461	0.5	0.03	0.3	0.02	683	0.6	0.02	0.4	0.01
Lymphomas	6,235	7.6	0.10	4.1	0.05	5,015	4.7	0.07	2.5	0.04
Hodgkin Lymphoma	422	0.5	0.02	0.3	0.02	282	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,813	7.1	0.09	3.8	0.05	4,733	4.4	0.07	2.4	0.04
Multiple Myeloma	3,189	3.9	0.07	2.1	0.04	2,627	2.5	0.05	1.3	0.03
Leukemias	6,901	8.4	0.10	4.7	0.06	5,250	5.0	0.07	3.0	0.05
Other, Ill-defined & Unknown	12,586	15.0	0.14	8.5	0.08	10,601	9.9	0.10	5.7	0.06

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	120,499	183.1	0.54	101.6	0.31	112,161	135.9	0.41	79.9	0.26
Oral Cavity & Pharynx	2,677	3.8	0.08	2.4	0.05	1,159	1.4	0.04	0.8	0.03
Digestive System	35,265	52.0	0.28	30.9	0.17	26,649	31.9	0.20	18.1	0.12
Esophagus	4,511	6.6	0.10	4.0	0.06	1,137	1.4	0.04	0.8	0.02
Stomach	3,285	4.9	0.09	2.9	0.05	2,258	2.8	0.06	1.7	0.04
Colon & Rectum	10,633	16.0	0.16	9.0	0.09	9,793	11.5	0.12	6.4	0.07
Liver	5,948	8.2	0.11	5.6	0.07	2,280	2.7	0.06	1.6	0.04
Pancreas	8,154	12.2	0.14	7.0	0.08	7,872	9.4	0.11	5.2	0.07
Respiratory System	27,282	41.9	0.26	22.9	0.14	25,079	30.7	0.20	17.1	0.12
Larynx	969	1.4	0.05	0.8	0.03	211	0.3	0.02	0.2	0.01
Lung & bronchus	26,012	40.0	0.25	21.8	0.14	24,701	30.3	0.20	16.8	0.12
Skin	4,355	6.6	0.10	3.7	0.06	1,952	2.3	0.05	1.4	0.04
Melanomas of the skin	3,135	4.7	0.09	2.7	0.05	1,500	1.8	0.05	1.2	0.03
Breast	125	0.2	0.02	0.1	0.01	17,542	21.4	0.16	13.7	0.11
Female Genital System	-	-	-	-	-	12,746	15.6	0.14	10.0	0.10
Cervix uteri	-	-	-	-	-	1,750	2.3	0.06	1.7	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	3,699	4.4	0.07	2.8	0.05
Ovary	-	-	-	-	-	6,500	7.9	0.10	5.0	0.07
Male Genital System	13,089	21.2	0.19	9.3	0.09	-	-	-	-	-
Prostate	12,678	20.6	0.18	8.9	0.08	-	-	-	-	-
Testis	283	0.4	0.02	0.3	0.02	-	-	-	-	-
Urinary System	8,652	13.4	0.15	6.9	0.08	3,891	4.6	0.07	2.4	0.04
Bladder	4,783	7.6	0.11	3.5	0.05	1,806	2.1	0.05	1.0	0.03
Kidney & renal pelvis	3,720	5.5	0.09	3.3	0.06	1,956	2.4	0.05	1.4	0.03
Brain & Other Nervous System	4,122	5.9	0.09	4.1	0.07	3,131	3.9	0.07	2.8	0.05
Endocrine System	599	0.9	0.04	0.6	0.03	709	0.9	0.03	0.6	0.02
Thyroid gland	366	0.5	0.03	0.3	0.02	508	0.6	0.03	0.3	0.02
Lymphomas	5,290	8.2	0.11	4.4	0.06	4,180	5.0	0.08	2.7	0.05
Hodgkin Lymphoma	356	0.5	0.03	0.3	0.02	244	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,934	7.6	0.11	4.0	0.06	3,936	4.7	0.08	2.5	0.05
Multiple Myeloma	2,610	4.1	0.08	2.1	0.04	2,025	2.5	0.06	1.3	0.03
Leukemias	5,873	9.1	0.12	5.1	0.07	4,367	5.3	0.08	3.1	0.06
Other, Ill-defined & Unknown	10,560	16.0	0.16	9.1	0.09	8,731	10.5	0.11	6.1	0.07

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,784	225.4	2.31	130.4	1.28	10,719	165.1	1.62	103.0	1.04
Oral Cavity & Pharynx	224	4.2	0.30	2.8	0.19	103	1.6	0.16	1.0	0.10
Digestive System	3,395	66.6	1.22	41.3	0.72	2,779	43.3	0.84	25.7	0.51
Esophagus	212	4.2	0.31	2.5	0.18	118	1.8	0.17	1.1	0.11
Stomach	371	7.8	0.43	4.4	0.23	253	4.0	0.26	2.3	0.15
Colon & Rectum	1,161	23.8	0.74	14.0	0.42	1,107	17.2	0.53	10.1	0.32
Liver	692	11.6	0.47	8.7	0.33	254	3.7	0.24	2.5	0.16
Pancreas	735	14.7	0.58	8.9	0.33	764	12.1	0.45	7.0	0.27
Respiratory System	2,800	57.7	1.15	34.1	0.65	2,303	35.9	0.76	22.0	0.48
Larynx	120	2.4	0.24	1.5	0.14	31	0.5	0.09	0.3	0.06
Lung & bronchus	2,663	54.9	1.13	32.4	0.64	2,263	35.3	0.76	21.6	0.47
Skin	55	1.1	0.15	0.7	0.09	33	0.5	0.09	0.3	0.06
Melanomas of the skin	18	0.4	0.09	0.2	0.05	17	0.3	0.06	0.2	0.04
Breast	27	0.5	0.11	0.3	0.07	2,009	30.2	0.69	20.1	0.47
Female Genital System	-	-	-	-	-	1,252	18.8	0.54	12.7	0.37
Cervix uteri	-	-	-	-	-	204	3.0	0.21	2.2	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	539	8.1	0.36	5.4	0.24
Ovary	-	-	-	-	-	458	7.0	0.33	4.5	0.22
Male Genital System	1,717	43.0	1.08	19.8	0.49	-	-	-	-	-
Prostate	1,692	42.6	1.08	19.5	0.48	-	-	-	-	-
Testis	14	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	510	11.1	0.52	6.2	0.28	302	4.8	0.28	2.6	0.16
Bladder	237	5.6	0.38	2.8	0.18	162	2.6	0.21	1.3	0.11
Kidney & renal pelvis	268	5.3	0.35	3.4	0.21	132	2.1	0.18	1.2	0.11
Brain & Other Nervous System	195	3.6	0.27	2.5	0.18	160	2.4	0.19	1.7	0.14
Endocrine System	38	0.7	0.12	0.5	0.08	48	0.7	0.11	0.4	0.07
Thyroid gland	19	0.4	0.08	0.2	0.06	31	0.5	0.09	0.3	0.05
Lymphomas	285	5.4	0.34	3.5	0.21	260	4.1	0.26	2.5	0.16
Hodgkin Lymphoma	27	0.5	0.10	0.3	0.06	17	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	258	4.9	0.32	3.2	0.20	243	3.9	0.25	2.3	0.16
Multiple Myeloma	320	6.8	0.40	3.9	0.22	372	5.9	0.31	3.3	0.18
Leukemias	373	7.6	0.42	4.6	0.24	319	5.0	0.28	3.0	0.18
Other, Ill-defined & Unknown	845	17.2	0.63	10.3	0.36	779	11.9	0.44	7.5	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,663	130.0	1.06	72.5	0.60	15,255	93.4	0.77	55.3	0.48
Oral Cavity & Pharynx	412	3.1	0.16	2.1	0.10	192	1.2	0.08	0.7	0.05
Digestive System	6,157	49.8	0.65	29.0	0.38	5,042	31.2	0.44	17.0	0.26
Esophagus	344	2.7	0.15	1.6	0.09	109	0.7	0.07	0.3	0.03
Stomach	882	7.5	0.26	4.0	0.14	778	4.8	0.17	2.7	0.10
Colon & Rectum	1,642	13.2	0.33	7.8	0.20	1,572	9.6	0.24	5.4	0.15
Liver	1,670	13.0	0.33	8.1	0.20	772	4.9	0.18	2.5	0.10
Pancreas	1,062	8.8	0.28	4.9	0.15	1,221	7.7	0.22	4.0	0.12
Respiratory System	4,175	35.1	0.56	18.9	0.30	2,916	18.1	0.34	10.0	0.20
Larynx	82	0.7	0.08	0.4	0.04	-	-	-	-	-
Lung & bronchus	4,068	34.3	0.55	18.5	0.30	2,885	17.9	0.34	9.9	0.20
Skin	85	0.7	0.08	0.4	0.04	70	0.4	0.05	0.3	0.03
Melanomas of the skin	46	0.4	0.06	0.2	0.03	44	0.3	0.04	0.2	0.03
Breast	18	0.1	0.04	0.1	0.02	2,143	12.6	0.28	8.7	0.20
Female Genital System	-	-	-	-	-	1,688	10.1	0.25	6.8	0.17
Cervix uteri	-	-	-	-	-	329	2.0	0.11	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	537	3.2	0.14	2.1	0.10
Ovary	-	-	-	-	-	764	4.5	0.17	3.1	0.12
Male Genital System	1,020	9.5	0.30	4.0	0.13	-	-	-	-	-
Prostate	987	9.2	0.30	3.8	0.13	-	-	-	-	-
Testis	20	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	726	6.2	0.24	3.2	0.12	381	2.4	0.12	1.2	0.07
Bladder	324	3.0	0.17	1.3	0.07	136	0.9	0.07	0.4	0.03
Kidney & renal pelvis	377	3.0	0.16	1.8	0.10	221	1.4	0.09	0.8	0.06
Brain & Other Nervous System	355	2.7	0.15	1.9	0.11	311	1.9	0.11	1.4	0.09
Endocrine System	119	1.0	0.09	0.6	0.06	182	1.1	0.08	0.7	0.06
Thyroid gland	74	0.6	0.07	0.4	0.04	137	0.8	0.07	0.5	0.04
Lymphomas	637	5.4	0.22	2.9	0.12	558	3.5	0.15	1.9	0.09
Hodgkin Lymphoma	39	0.3	0.05	0.2	0.03	21	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	598	5.0	0.21	2.7	0.12	537	3.4	0.15	1.8	0.08
Multiple Myeloma	249	2.1	0.14	1.1	0.07	214	1.3	0.09	0.7	0.05
Leukemias	616	5.1	0.21	3.0	0.13	538	3.4	0.15	2.2	0.11
Other, Ill-defined & Unknown	1,094	9.1	0.28	5.2	0.17	1,020	6.3	0.20	3.7	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	85,641	183.7	0.64	102.4	0.37	78,397	134.6	0.49	79.5	0.31
Oral Cavity & Pharynx	1,973	4.0	0.09	2.5	0.06	828	1.4	0.05	0.8	0.03
Digestive System	24,918	51.7	0.33	30.9	0.20	18,642	31.7	0.24	18.0	0.14
Esophagus	3,161	6.5	0.12	3.9	0.07	763	1.3	0.05	0.7	0.03
Stomach	2,182	4.6	0.10	2.7	0.06	1,548	2.7	0.07	1.6	0.04
Colon & Rectum	7,633	16.3	0.19	9.2	0.11	7,020	11.8	0.14	6.6	0.09
Liver	4,461	8.5	0.13	5.9	0.09	1,737	2.9	0.07	1.8	0.05
Pancreas	5,598	11.8	0.16	6.8	0.09	5,408	9.2	0.13	5.1	0.08
Respiratory System	20,568	44.4	0.32	24.5	0.18	18,299	31.7	0.24	17.9	0.14
Larynx	703	1.5	0.06	0.9	0.03	173	0.3	0.02	0.2	0.01
Lung & bronchus	19,649	42.5	0.31	23.3	0.17	18,005	31.2	0.24	17.6	0.14
Skin	2,864	6.1	0.12	3.4	0.07	1,301	2.2	0.06	1.3	0.04
Melanomas of the skin	2,048	4.3	0.10	2.5	0.06	1,008	1.7	0.06	1.1	0.04
Breast	85	0.2	0.02	0.1	0.01	12,043	20.7	0.19	13.3	0.13
Female Genital System	-	-	-	-	-	8,757	15.1	0.16	9.7	0.11
Cervix uteri	-	-	-	-	-	1,277	2.3	0.07	1.7	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,546	4.3	0.09	2.7	0.06
Ovary	-	-	-	-	-	4,418	7.6	0.12	4.7	0.08
Male Genital System	9,270	21.5	0.23	9.5	0.10	-	-	-	-	-
Prostate	8,970	20.9	0.22	9.0	0.10	-	-	-	-	-
Testis	206	0.4	0.03	0.3	0.02	-	-	-	-	-
Urinary System	5,999	13.1	0.17	6.8	0.09	2,730	4.6	0.09	2.4	0.05
Bladder	3,256	7.4	0.13	3.4	0.06	1,244	2.1	0.06	1.0	0.03
Kidney & renal pelvis	2,641	5.5	0.11	3.3	0.07	1,396	2.4	0.06	1.4	0.04
Brain & Other Nervous System	2,751	5.5	0.11	3.8	0.08	2,063	3.6	0.08	2.5	0.06
Endocrine System	415	0.9	0.04	0.6	0.03	512	0.9	0.04	0.6	0.03
Thyroid gland	251	0.5	0.03	0.3	0.02	374	0.6	0.03	0.4	0.02
Lymphomas	3,527	7.7	0.13	4.1	0.07	2,776	4.8	0.09	2.6	0.06
Hodgkin Lymphoma	249	0.5	0.03	0.3	0.02	167	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,278	7.2	0.13	3.8	0.07	2,609	4.5	0.09	2.4	0.05
Multiple Myeloma	1,794	3.9	0.09	2.1	0.05	1,418	2.4	0.07	1.3	0.04
Leukemias	3,980	8.7	0.14	4.9	0.08	2,958	5.1	0.10	3.0	0.06
Other, Ill-defined & Unknown	7,497	16.0	0.19	9.1	0.11	6,070	10.4	0.14	6.1	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	75,241	189.4	0.70	105.5	0.40	68,398	139.2	0.54	82.2	0.35
Oral Cavity & Pharynx	1,721	4.1	0.10	2.6	0.06	724	1.4	0.05	0.8	0.04
Digestive System	21,304	52.1	0.36	31.1	0.22	15,675	31.5	0.26	17.9	0.16
Esophagus	2,938	7.2	0.13	4.3	0.08	684	1.4	0.05	0.8	0.03
Stomach	1,759	4.4	0.11	2.6	0.06	1,191	2.5	0.07	1.5	0.05
Colon & Rectum	6,565	16.5	0.21	9.3	0.12	5,982	11.9	0.16	6.6	0.10
Liver	3,545	8.0	0.14	5.6	0.10	1,320	2.6	0.07	1.6	0.05
Pancreas	4,902	12.1	0.18	7.0	0.10	4,668	9.4	0.14	5.3	0.08
Respiratory System	17,814	45.1	0.34	24.8	0.19	16,304	33.4	0.27	18.8	0.16
Larynx	630	1.5	0.06	0.9	0.04	154	0.3	0.03	0.2	0.02
Lung & bronchus	16,992	43.1	0.34	23.6	0.19	16,043	32.9	0.26	18.5	0.16
Skin	2,802	7.0	0.14	4.0	0.08	1,256	2.5	0.07	1.6	0.05
Melanomas of the skin	2,015	5.0	0.11	3.0	0.07	979	2.0	0.07	1.3	0.05
Breast	67	0.2	0.02	0.1	0.01	10,469	21.5	0.21	13.7	0.15
Female Genital System	-	-	-	-	-	7,586	15.6	0.18	10.0	0.12
Cervix uteri	-	-	-	-	-	1,044	2.3	0.07	1.7	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,159	4.3	0.10	2.8	0.06
Ovary	-	-	-	-	-	3,912	8.0	0.13	5.0	0.09
Male Genital System	8,172	21.9	0.24	9.7	0.11	-	-	-	-	-
Prostate	7,909	21.2	0.24	9.2	0.11	-	-	-	-	-
Testis	183	0.4	0.03	0.4	0.03	-	-	-	-	-
Urinary System	5,509	14.1	0.19	7.3	0.10	2,444	4.8	0.10	2.5	0.06
Bladder	3,054	8.1	0.15	3.7	0.07	1,123	2.2	0.07	1.0	0.04
Kidney & renal pelvis	2,365	5.8	0.12	3.5	0.07	1,243	2.5	0.07	1.4	0.05
Brain & Other Nervous System	2,498	6.0	0.12	4.2	0.09	1,863	3.9	0.09	2.8	0.07
Endocrine System	357	0.9	0.05	0.6	0.03	408	0.8	0.04	0.5	0.03
Thyroid gland	220	0.5	0.04	0.3	0.02	298	0.6	0.04	0.3	0.02
Lymphomas	3,185	8.2	0.15	4.4	0.08	2,462	5.0	0.10	2.7	0.06
Hodgkin Lymphoma	222	0.5	0.04	0.4	0.03	145	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,963	7.6	0.14	4.0	0.08	2,317	4.7	0.10	2.5	0.06
Multiple Myeloma	1,569	4.0	0.10	2.1	0.06	1,224	2.5	0.07	1.3	0.04
Leukemias	3,554	9.2	0.16	5.1	0.09	2,621	5.3	0.11	3.1	0.07
Other, Ill-defined & Unknown	6,689	16.8	0.21	9.6	0.12	5,362	10.8	0.15	6.4	0.10

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	4,089	214.4	3.68	123.7	1.97	3,764	157.9	2.66	97.2	1.63
Oral Cavity & Pharynx	82	3.7	0.44	2.5	0.28	34	1.5	0.27	0.9	0.15
Digestive System	1,283	62.6	1.92	38.4	1.09	948	40.9	1.37	24.0	0.80
Esophagus	77	4.0	0.49	2.3	0.26	38	1.7	0.28	0.9	0.16
Stomach	126	6.8	0.67	3.8	0.35	70	3.1	0.38	1.7	0.21
Colon & Rectum	457	23.4	1.20	13.7	0.65	399	17.4	0.90	10.0	0.51
Liver	267	10.5	0.70	7.9	0.49	97	3.9	0.41	2.6	0.27
Pancreas	269	13.4	0.89	8.1	0.50	253	11.0	0.72	6.4	0.42
Respiratory System	1,080	55.8	1.85	33.0	1.02	793	33.7	1.24	20.6	0.75
Larynx	37	1.9	0.34	1.1	0.19	12	0.5	0.16	0.3	0.09
Lung & bronchus	1,032	53.3	1.81	31.5	1.00	777	33.0	1.23	20.2	0.74
Skin	20	0.8	0.20	0.5	0.12	11	0.5	0.14	0.3	0.09
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	738	29.3	1.12	19.4	0.73
Female Genital System	-	-	-	-	-	463	18.4	0.89	12.5	0.59
Cervix uteri	-	-	-	-	-	85	3.1	0.34	2.3	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	178	7.2	0.56	4.8	0.37
Ovary	-	-	-	-	-	179	7.3	0.56	4.8	0.37
Male Genital System	613	41.7	1.80	18.5	0.76	-	-	-	-	-
Prostate	599	41.0	1.78	18.2	0.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	204	10.9	0.84	6.2	0.44	114	5.2	0.51	2.7	0.27
Bladder	82	5.1	0.61	2.5	0.28	58	2.8	0.38	1.3	0.18
Kidney & renal pelvis	120	5.7	0.57	3.7	0.34	53	2.3	0.33	1.3	0.19
Brain & Other Nervous System	93	4.0	0.46	2.8	0.29	57	2.3	0.32	1.5	0.20
Endocrine System	13	0.6	0.19	0.4	0.11	17	0.7	0.17	0.4	0.11
Thyroid gland	-	-	-	-	-	11	0.5	0.14	0.3	0.09
Lymphomas	110	5.2	0.55	3.3	0.32	92	4.0	0.43	2.4	0.26
Hodgkin Lymphoma	14	0.6	0.18	0.4	0.11	10	0.4	0.13	0.3	0.09
Non-Hodgkin Lymphoma	96	4.5	0.52	2.9	0.30	82	3.6	0.41	2.1	0.24
Multiple Myeloma	116	6.2	0.62	3.6	0.34	108	4.9	0.49	2.7	0.26
Leukemias	153	7.5	0.66	4.6	0.38	119	5.1	0.49	3.0	0.29
Other, Ill-defined & Unknown	-	-	-	-	-	270	11.4	0.72	7.0	0.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,649	127.3	1.76	72.0	0.98	5,685	95.0	1.28	56.4	0.79
Oral Cavity & Pharynx	158	3.1	0.26	2.2	0.17	66	1.1	0.14	0.7	0.09
Digestive System	2,110	45.9	1.04	27.2	0.61	1,880	31.9	0.75	17.6	0.43
Esophagus	124	2.7	0.25	1.6	0.15	37	0.6	0.11	0.3	0.06
Stomach	280	6.5	0.40	3.5	0.21	280	4.7	0.29	2.7	0.17
Colon & Rectum	559	12.2	0.54	7.2	0.31	591	10.0	0.42	5.5	0.24
Liver	586	11.9	0.51	7.8	0.33	290	4.9	0.29	2.7	0.17
Pancreas	382	8.7	0.46	4.8	0.25	451	7.8	0.37	4.2	0.21
Respiratory System	1,512	34.7	0.92	18.9	0.50	1,079	18.3	0.57	10.2	0.33
Larynx	28	0.6	0.12	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,474	33.9	0.91	18.4	0.49	1,066	18.1	0.56	10.0	0.32
Skin	35	0.8	0.14	0.4	0.08	29	0.5	0.09	0.3	0.06
Melanomas of the skin	19	0.4	0.10	0.2	0.06	18	0.3	0.07	0.2	0.05
Breast	-	-	-	-	-	760	12.0	0.44	8.2	0.31
Female Genital System	-	-	-	-	-	654	10.4	0.41	7.1	0.29
Cervix uteri	-	-	-	-	-	137	2.2	0.19	1.6	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	198	3.1	0.23	2.1	0.15
Ovary	-	-	-	-	-	299	4.8	0.28	3.2	0.19
Male Genital System	412	10.8	0.54	4.7	0.24	-	-	-	-	-
Prostate	393	10.4	0.54	4.4	0.23	-	-	-	-	-
Testis	13	0.2	0.06	0.2	0.06	-	-	-	-	-
Urinary System	243	5.6	0.37	3.0	0.20	144	2.5	0.21	1.3	0.11
Bladder	108	2.8	0.27	1.2	0.12	52	0.9	0.13	0.4	0.06
Kidney & renal pelvis	127	2.7	0.25	1.7	0.16	85	1.4	0.16	0.8	0.09
Brain & Other Nervous System	143	2.8	0.24	2.1	0.18	130	2.1	0.19	1.5	0.15
Endocrine System	42	0.9	0.15	0.6	0.09	80	1.4	0.15	0.8	0.10
Thyroid gland	26	0.6	0.12	0.3	0.07	58	1.0	0.13	0.5	0.08
Lymphomas	212	5.1	0.36	2.6	0.19	210	3.6	0.25	2.0	0.14
Hodgkin Lymphoma	13	0.3	0.10	0.1	0.04	12	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	199	4.7	0.34	2.5	0.18	198	3.4	0.25	1.8	0.14
Multiple Myeloma	100	2.3	0.24	1.3	0.13	74	1.3	0.15	0.7	0.08
Leukemias	244	5.4	0.36	3.2	0.21	195	3.3	0.24	2.2	0.18
Other, Ill-defined & Unknown	-	-	-	-	-	384	6.6	0.34	3.8	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,677	164.2	1.03	90.3	0.58	25,700	122.8	0.78	71.3	0.49
Oral Cavity & Pharynx	580	3.4	0.14	2.1	0.09	263	1.2	0.08	0.7	0.05
Digestive System	8,419	50.2	0.56	29.4	0.33	6,662	31.5	0.39	17.6	0.24
Esophagus	887	5.3	0.18	3.2	0.11	290	1.4	0.08	0.7	0.05
Stomach	834	5.1	0.18	2.8	0.10	643	3.1	0.12	1.8	0.08
Colon & Rectum	2,370	14.3	0.30	8.1	0.17	2,267	10.5	0.23	5.8	0.14
Liver	1,693	9.4	0.24	6.3	0.16	635	3.1	0.12	1.7	0.08
Pancreas	1,886	11.5	0.27	6.5	0.16	1,902	9.0	0.21	4.9	0.12
Respiratory System	6,010	37.4	0.49	20.2	0.27	5,555	27.0	0.37	14.8	0.22
Larynx	193	1.2	0.09	0.7	0.05	25	0.1	0.03	0.1	0.02
Lung & bronchus	5,767	35.9	0.48	19.4	0.27	5,491	26.7	0.37	14.6	0.22
Skin	799	4.9	0.18	2.7	0.10	358	1.7	0.09	0.9	0.06
Melanomas of the skin	581	3.5	0.15	2.0	0.09	267	1.2	0.08	0.7	0.05
Breast	37	0.2	0.04	0.1	0.02	3,960	18.9	0.31	12.2	0.21
Female Genital System	-	-	-	-	-	2,803	13.5	0.26	8.5	0.17
Cervix uteri	-	-	-	-	-	308	1.5	0.09	1.1	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	931	4.4	0.15	2.8	0.10
Ovary	-	-	-	-	-	1,385	6.6	0.18	4.2	0.12
Male Genital System	2,783	18.3	0.35	8.1	0.16	-	-	-	-	-
Prostate	2,711	17.9	0.35	7.8	0.16	-	-	-	-	-
Testis	53	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	1,739	10.9	0.27	5.6	0.14	814	3.7	0.13	1.9	0.08
Bladder	944	6.1	0.20	2.8	0.10	384	1.7	0.09	0.8	0.05
Kidney & renal pelvis	751	4.5	0.17	2.7	0.10	394	1.8	0.10	1.0	0.06
Brain & Other Nervous System	872	5.0	0.17	3.5	0.12	687	3.4	0.13	2.4	0.10
Endocrine System	134	0.8	0.07	0.5	0.05	174	0.8	0.07	0.5	0.05
Thyroid gland	77	0.5	0.05	0.3	0.03	118	0.6	0.05	0.3	0.03
Lymphomas	1,196	7.5	0.22	4.0	0.12	916	4.3	0.15	2.3	0.09
Hodgkin Lymphoma	63	0.4	0.05	0.2	0.03	44	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,133	7.1	0.22	3.7	0.12	872	4.1	0.14	2.1	0.08
Multiple Myeloma	612	3.9	0.16	2.0	0.08	517	2.5	0.11	1.3	0.07
Leukemias	1,212	7.6	0.22	4.2	0.13	928	4.5	0.15	2.6	0.10
Other, Ill-defined & Unknown	2,284	14.2	0.30	7.8	0.17	2,063	9.7	0.22	5.4	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,217	172.1	1.27	93.7	0.71	18,597	131.5	0.99	75.5	0.62
Oral Cavity & Pharynx	398	3.4	0.17	2.1	0.11	180	1.2	0.09	0.6	0.06
Digestive System	5,638	49.1	0.67	28.5	0.39	4,473	31.0	0.48	17.3	0.29
Esophagus	720	6.2	0.24	3.7	0.14	215	1.5	0.11	0.8	0.06
Stomach	488	4.3	0.20	2.4	0.12	349	2.5	0.14	1.5	0.09
Colon & Rectum	1,619	14.4	0.36	7.9	0.21	1,570	10.6	0.28	5.8	0.17
Liver	927	7.4	0.25	5.0	0.17	345	2.4	0.14	1.4	0.08
Pancreas	1,377	12.1	0.34	6.9	0.19	1,342	9.3	0.26	5.0	0.15
Respiratory System	4,005	36.3	0.59	19.3	0.32	4,087	29.4	0.47	15.8	0.27
Larynx	139	1.2	0.11	0.7	0.06	19	0.1	0.03	0.1	0.02
Lung & bronchus	3,827	34.7	0.57	18.5	0.31	4,040	29.1	0.47	15.6	0.27
Skin	764	6.7	0.25	3.7	0.14	331	2.3	0.13	1.3	0.08
Melanomas of the skin	564	4.9	0.21	2.8	0.13	250	1.7	0.11	1.0	0.08
Breast	21	0.2	0.04	0.1	0.03	2,902	20.7	0.39	13.2	0.27
Female Genital System	-	-	-	-	-	2,074	14.9	0.34	9.3	0.22
Cervix uteri	-	-	-	-	-	196	1.5	0.11	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	652	4.6	0.18	2.8	0.12
Ovary	-	-	-	-	-	1,080	7.8	0.24	4.8	0.16
Male Genital System	2,117	20.0	0.44	8.8	0.20	-	-	-	-	-
Prostate	2,056	19.5	0.43	8.4	0.20	-	-	-	-	-
Testis	47	0.4	0.06	0.4	0.05	-	-	-	-	-
Urinary System	1,378	12.5	0.34	6.4	0.18	637	4.2	0.17	2.1	0.10
Bladder	778	7.3	0.26	3.3	0.13	307	2.0	0.12	0.9	0.06
Kidney & renal pelvis	569	5.0	0.21	2.9	0.13	305	2.1	0.12	1.1	0.07
Brain & Other Nervous System	722	6.0	0.23	4.2	0.17	552	4.1	0.18	2.9	0.14
Endocrine System	87	0.8	0.08	0.5	0.06	113	0.8	0.08	0.5	0.06
Thyroid gland	49	0.4	0.06	0.2	0.04	77	0.5	0.06	0.3	0.04
Lymphomas	931	8.5	0.28	4.4	0.15	685	4.7	0.19	2.5	0.11
Hodgkin Lymphoma	49	0.4	0.06	0.3	0.04	40	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	882	8.1	0.28	4.2	0.15	645	4.4	0.18	2.2	0.10
Multiple Myeloma	466	4.3	0.20	2.1	0.10	356	2.6	0.14	1.4	0.08
Leukemias	943	8.6	0.29	4.8	0.17	707	5.1	0.20	2.9	0.13
Other, Ill-defined & Unknown	1,747	15.7	0.38	8.6	0.22	1,500	10.4	0.28	5.7	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	2,307	231.3	5.10	136.0	2.88	2,220	168.0	3.65	105.8	2.37
Oral Cavity & Pharynx	50	4.8	0.71	3.1	0.45	16	1.3	0.33	0.8	0.21
Digestive System	745	69.4	2.70	44.7	1.66	596	45.3	1.90	28.0	1.21
Esophagus	47	4.3	0.66	2.8	0.42	32	2.4	0.44	1.6	0.29
Stomach	75	7.7	0.93	4.4	0.51	56	4.3	0.59	2.5	0.35
Colon & Rectum	218	21.4	1.54	12.9	0.89	215	16.1	1.13	9.9	0.71
Liver	186	15.1	1.17	11.4	0.85	55	4.0	0.55	2.8	0.39
Pancreas	167	16.2	1.32	10.1	0.79	176	13.8	1.06	8.1	0.65
Respiratory System	586	57.3	2.51	34.5	1.45	494	38.4	1.77	23.3	1.10
Larynx	26	2.4	0.51	1.6	0.31	-	-	-	-	-
Lung & bronchus	559	54.8	2.46	32.9	1.41	489	38.0	1.76	23.0	1.09
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	374	27.6	1.46	19.0	1.03
Female Genital System	-	-	-	-	-	228	16.7	1.13	11.4	0.79
Cervix uteri	-	-	-	-	-	28	2.0	0.38	1.5	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	105	7.8	0.78	4.9	0.51
Ovary	-	-	-	-	-	88	6.4	0.70	4.6	0.50
Male Genital System	354	40.9	2.27	19.7	1.07	-	-	-	-	-
Prostate	352	40.7	2.27	19.5	1.06	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	112	11.8	1.17	6.6	0.64	69	5.1	0.62	3.0	0.38
Bladder	61	6.9	0.92	3.4	0.45	39	2.8	0.46	1.6	0.28
Kidney & renal pelvis	50	4.8	0.71	3.2	0.46	27	2.0	0.40	1.2	0.25
Brain & Other Nervous System	34	3.3	0.59	2.3	0.41	35	2.6	0.45	2.1	0.37
Endocrine System	-	-	-	-	-	12	0.9	0.27	0.5	0.14
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	60	5.6	0.76	3.7	0.48	57	4.3	0.59	2.7	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	76	7.8	0.94	4.5	0.52	81	6.3	0.72	3.4	0.40
Leukemias	80	8.4	0.98	4.8	0.54	55	4.2	0.58	2.4	0.35
Other, Ill-defined & Unknown	187	19.8	1.53	10.7	0.80	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,062	127.8	1.83	70.4	1.04	4,806	90.4	1.32	52.7	0.82
Oral Cavity & Pharynx	131	3.0	0.27	2.0	0.18	66	1.2	0.15	0.8	0.10
Digestive System	2,003	49.1	1.12	28.5	0.66	1,568	29.8	0.76	16.0	0.44
Esophagus	117	2.9	0.27	1.7	0.16	42	0.8	0.12	0.4	0.06
Stomach	268	6.9	0.43	3.6	0.23	238	4.5	0.29	2.5	0.18
Colon & Rectum	521	12.7	0.57	7.5	0.34	469	8.7	0.41	4.9	0.24
Liver	570	13.5	0.58	8.4	0.36	231	4.6	0.30	2.2	0.16
Pancreas	340	8.6	0.48	4.6	0.26	378	7.3	0.38	3.8	0.21
Respiratory System	1,401	35.9	0.98	19.1	0.53	961	18.3	0.60	10.0	0.35
Larynx	27	0.7	0.14	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,364	35.0	0.96	18.6	0.53	949	18.0	0.59	9.9	0.35
Skin	27	0.7	0.13	0.4	0.08	-	-	-	-	-
Melanomas of the skin	16	0.4	0.10	0.2	0.06	13	0.3	0.07	0.2	0.05
Breast	-	-	-	-	-	673	12.2	0.48	8.3	0.33
Female Genital System	-	-	-	-	-	492	9.0	0.41	6.0	0.28
Cervix uteri	-	-	-	-	-	83	1.5	0.17	1.1	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	168	3.1	0.24	2.0	0.16
Ovary	-	-	-	-	-	215	3.9	0.27	2.7	0.19
Male Genital System	303	8.6	0.50	3.5	0.21	-	-	-	-	-
Prostate	294	8.4	0.49	3.3	0.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	240	6.3	0.41	3.2	0.21	107	2.0	0.20	1.0	0.11
Bladder	98	2.7	0.28	1.2	0.12	38	0.7	0.12	0.3	0.05
Kidney & renal pelvis	130	3.2	0.29	1.8	0.17	61	1.1	0.15	0.7	0.09
Brain & Other Nervous System	112	2.6	0.25	1.9	0.19	96	1.8	0.19	1.4	0.16
Endocrine System	40	1.0	0.16	0.6	0.11	49	0.9	0.14	0.6	0.10
Thyroid gland	24	0.6	0.12	0.4	0.08	35	0.7	0.11	0.3	0.06
Lymphomas	203	5.1	0.37	2.8	0.21	172	3.3	0.25	1.7	0.14
Hodgkin Lymphoma	12	0.3	0.09	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	191	4.9	0.36	2.6	0.20	-	-	-	-	-
Multiple Myeloma	70	1.9	0.23	0.9	0.12	79	1.5	0.17	0.8	0.10
Leukemias	184	4.8	0.36	2.8	0.22	165	3.1	0.25	2.1	0.18
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,510	171.4	0.93	96.0	0.53	34,775	127.1	0.69	75.7	0.44
Oral Cavity & Pharynx	776	3.5	0.13	2.2	0.08	369	1.3	0.07	0.8	0.04
Digestive System	11,776	55.2	0.52	32.7	0.31	9,360	34.0	0.36	19.4	0.22
Esophagus	1,050	4.9	0.16	2.9	0.09	316	1.2	0.07	0.6	0.04
Stomach	1,547	7.3	0.19	4.3	0.11	1,109	4.1	0.12	2.5	0.08
Colon & Rectum	3,505	16.6	0.29	9.6	0.17	3,254	11.7	0.21	6.6	0.13
Liver	2,243	10.0	0.22	6.5	0.14	974	3.6	0.12	2.0	0.07
Pancreas	2,522	12.0	0.24	6.9	0.14	2,595	9.4	0.19	5.2	0.11
Respiratory System	7,894	38.7	0.44	21.3	0.25	6,604	24.4	0.31	13.7	0.18
Larynx	284	1.4	0.08	0.8	0.05	55	0.2	0.03	0.1	0.02
Lung & bronchus	7,530	36.9	0.43	20.3	0.24	6,509	24.1	0.30	13.5	0.18
Skin	842	4.0	0.14	2.3	0.08	403	1.4	0.07	0.8	0.05
Melanomas of the skin	576	2.7	0.12	1.6	0.07	290	1.0	0.06	0.6	0.04
Breast	51	0.3	0.04	0.1	0.02	5,796	21.1	0.28	13.8	0.19
Female Genital System	-	-	-	-	-	4,200	15.4	0.24	10.1	0.17
Cervix uteri	-	-	-	-	-	714	2.7	0.10	2.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,318	4.8	0.13	3.2	0.09
Ovary	-	-	-	-	-	1,952	7.1	0.16	4.6	0.11
Male Genital System	3,865	20.2	0.33	9.0	0.15	-	-	-	-	-
Prostate	3,764	19.7	0.33	8.6	0.15	-	-	-	-	-
Testis	61	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,209	10.9	0.24	5.7	0.13	1,063	3.8	0.12	2.0	0.07
Bladder	1,165	6.0	0.18	2.7	0.08	488	1.7	0.08	0.8	0.04
Kidney & renal pelvis	1,009	4.7	0.15	2.9	0.09	538	2.0	0.09	1.2	0.06
Brain & Other Nervous System	1,077	4.9	0.15	3.3	0.10	872	3.2	0.11	2.2	0.08
Endocrine System	211	1.0	0.07	0.7	0.05	261	1.0	0.06	0.6	0.04
Thyroid gland	133	0.6	0.06	0.4	0.03	191	0.7	0.05	0.4	0.03
Lymphomas	1,512	7.4	0.19	4.1	0.11	1,323	4.9	0.14	2.6	0.08
Hodgkin Lymphoma	110	0.5	0.05	0.3	0.03	71	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,402	6.8	0.19	3.7	0.10	1,252	4.6	0.13	2.4	0.08
Multiple Myeloma	783	3.9	0.14	2.1	0.08	692	2.6	0.10	1.4	0.06
Leukemias	1,709	8.3	0.20	4.8	0.12	1,364	5.0	0.14	3.1	0.10
Other, Ill-defined & Unknown	2,805	13.4	0.26	7.8	0.15	2,468	9.0	0.18	5.3	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,041	174.4	1.10	97.1	0.63	25,166	130.5	0.84	77.0	0.54
Oral Cavity & Pharynx	558	3.5	0.15	2.2	0.10	255	1.3	0.08	0.7	0.05
Digestive System	8,323	54.1	0.61	32.1	0.37	6,501	33.5	0.42	19.1	0.26
Esophagus	853	5.6	0.20	3.3	0.12	238	1.2	0.08	0.7	0.05
Stomach	1,038	6.7	0.21	4.0	0.13	718	3.8	0.14	2.3	0.09
Colon & Rectum	2,449	16.0	0.33	9.2	0.19	2,241	11.4	0.25	6.4	0.15
Liver	1,476	9.2	0.25	6.0	0.16	615	3.2	0.13	1.9	0.08
Pancreas	1,875	12.4	0.29	7.1	0.17	1,862	9.5	0.23	5.3	0.14
Respiratory System	5,463	37.3	0.52	20.4	0.29	4,688	24.6	0.37	13.5	0.22
Larynx	200	1.3	0.10	0.8	0.06	38	0.2	0.03	0.1	0.02
Lung & bronchus	5,193	35.5	0.50	19.3	0.28	4,618	24.3	0.36	13.3	0.22
Skin	789	5.2	0.19	2.9	0.11	365	1.8	0.10	1.0	0.06
Melanomas of the skin	556	3.6	0.16	2.1	0.09	271	1.4	0.09	0.8	0.06
Breast	37	0.3	0.04	0.1	0.02	4,171	21.6	0.34	13.8	0.23
Female Genital System	-	-	-	-	-	3,086	16.1	0.29	10.5	0.20
Cervix uteri	-	-	-	-	-	510	2.7	0.12	2.0	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	888	4.6	0.16	3.0	0.11
Ovary	-	-	-	-	-	1,508	7.8	0.21	5.0	0.14
Male Genital System	2,800	20.2	0.39	8.8	0.18	-	-	-	-	-
Prostate	2,713	19.7	0.38	8.5	0.17	-	-	-	-	-
Testis	53	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	1,765	12.0	0.29	6.3	0.16	810	4.1	0.15	2.2	0.09
Bladder	951	6.8	0.22	3.1	0.11	376	1.9	0.10	0.9	0.05
Kidney & renal pelvis	786	5.1	0.18	3.1	0.12	408	2.1	0.11	1.3	0.07
Brain & Other Nervous System	902	5.6	0.19	3.8	0.13	716	3.7	0.14	2.6	0.11
Endocrine System	155	1.0	0.08	0.7	0.06	188	1.0	0.07	0.6	0.05
Thyroid gland	97	0.6	0.07	0.4	0.04	133	0.7	0.06	0.4	0.04
Lymphomas	1,174	8.0	0.24	4.3	0.13	1,033	5.4	0.17	2.8	0.10
Hodgkin Lymphoma	85	0.6	0.06	0.3	0.04	59	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,089	7.4	0.23	4.0	0.13	974	5.0	0.16	2.6	0.09
Multiple Myeloma	575	4.0	0.17	2.1	0.09	445	2.4	0.11	1.3	0.07
Leukemias	1,376	9.3	0.25	5.3	0.15	1,039	5.3	0.17	3.2	0.12
Other, Ill-defined & Unknown	2,124	14.1	0.31	8.1	0.18	1,869	9.7	0.23	5.5	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	4,388	232.9	3.66	134.4	2.08	4,735	170.5	2.51	107.1	1.65
Oral Cavity & Pharynx	92	4.4	0.48	2.9	0.31	53	1.9	0.26	1.2	0.18
Digestive System	1,367	69.1	1.95	42.5	1.18	1,235	44.6	1.28	26.2	0.80
Esophagus	88	4.4	0.49	2.7	0.29	48	1.7	0.25	1.1	0.17
Stomach	170	8.9	0.71	5.1	0.40	127	4.7	0.42	2.7	0.25
Colon & Rectum	486	25.4	1.20	15.0	0.70	493	17.8	0.81	10.4	0.50
Liver	239	10.8	0.73	7.9	0.52	102	3.5	0.35	2.2	0.23
Pancreas	299	15.2	0.92	9.1	0.54	335	12.2	0.68	7.0	0.41
Respiratory System	1,134	59.6	1.84	34.8	1.06	1,016	36.7	1.17	22.8	0.75
Larynx	57	3.0	0.41	1.8	0.24	15	0.5	0.13	0.4	0.10
Lung & bronchus	1,072	56.4	1.79	32.9	1.03	997	36.1	1.16	22.4	0.74
Skin	27	1.4	0.28	0.9	0.17	15	0.5	0.14	0.4	0.10
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	10	0.5	0.17	0.3	0.11	897	32.2	1.09	21.5	0.75
Female Genital System	-	-	-	-	-	561	20.1	0.86	13.4	0.59
Cervix uteri	-	-	-	-	-	91	3.3	0.35	2.4	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	256	9.0	0.57	6.2	0.40
Ovary	-	-	-	-	-	191	6.9	0.50	4.3	0.33
Male Genital System	750	45.6	1.71	21.2	0.80	-	-	-	-	-
Prostate	741	45.2	1.71	20.9	0.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	194	10.7	0.80	5.8	0.43	119	4.3	0.40	2.3	0.23
Bladder	94	5.5	0.58	2.7	0.29	65	2.4	0.30	1.1	0.16
Kidney & renal pelvis	98	5.2	0.54	3.0	0.32	52	1.9	0.27	1.1	0.16
Brain & Other Nervous System	68	3.3	0.41	2.2	0.28	68	2.4	0.30	1.8	0.24
Endocrine System	19	0.8	0.19	0.7	0.17	19	0.7	0.15	0.4	0.10
Thyroid gland	12	0.5	0.16	0.4	0.12	14	0.5	0.13	0.3	0.07
Lymphomas	115	5.6	0.54	3.8	0.36	111	4.1	0.39	2.6	0.26
Hodgkin Lymphoma	11	0.5	0.16	0.4	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	104	5.1	0.52	3.4	0.34	-	-	-	-	-
Multiple Myeloma	128	6.9	0.63	3.9	0.36	183	6.6	0.49	3.8	0.30
Leukemias	140	7.3	0.64	4.5	0.39	145	5.3	0.45	3.5	0.33
Other, Ill-defined & Unknown	344	17.5	0.99	10.8	0.60	313	11.1	0.64	7.2	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,952	135.0	1.95	75.4	1.13	4,764	94.6	1.39	56.7	0.90
Oral Cavity & Pharynx	123	3.1	0.29	2.1	0.19	60	1.2	0.16	0.7	0.10
Digestive System	2,044	54.7	1.23	31.5	0.73	1,594	31.6	0.80	17.3	0.48
Esophagus	103	2.6	0.27	1.7	0.17	30	0.6	0.11	0.3	0.06
Stomach	334	9.2	0.51	4.9	0.28	260	5.1	0.32	2.9	0.20
Colon & Rectum	562	15.0	0.64	8.8	0.39	512	10.0	0.45	5.8	0.28
Liver	514	13.4	0.60	8.1	0.37	251	5.0	0.32	2.6	0.19
Pancreas	340	9.1	0.50	5.2	0.30	392	7.9	0.40	4.1	0.23
Respiratory System	1,262	34.7	0.99	18.8	0.55	876	17.5	0.60	9.7	0.36
Larynx	27	0.8	0.15	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,230	33.8	0.98	18.3	0.55	870	17.4	0.60	9.6	0.35
Skin	23	0.6	0.13	0.3	0.07	-	-	-	-	-
Melanomas of the skin	11	0.3	0.10	0.2	0.05	13	0.3	0.08	0.2	0.05
Breast	-	-	-	-	-	710	13.9	0.53	9.8	0.38
Female Genital System	-	-	-	-	-	542	10.8	0.47	7.4	0.34
Cervix uteri	-	-	-	-	-	109	2.2	0.22	1.6	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	171	3.4	0.26	2.3	0.19
Ovary	-	-	-	-	-	250	4.9	0.32	3.3	0.23
Male Genital System	305	8.9	0.52	3.7	0.23	-	-	-	-	-
Prostate	300	8.8	0.51	3.6	0.22	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	243	6.8	0.44	3.5	0.23	130	2.6	0.23	1.3	0.13
Bladder	118	3.4	0.32	1.5	0.14	46	0.9	0.13	0.4	0.07
Kidney & renal pelvis	120	3.2	0.30	1.9	0.18	75	1.5	0.17	0.8	0.11
Brain & Other Nervous System	100	2.8	0.28	1.9	0.21	85	1.7	0.18	1.2	0.15
Endocrine System	37	1.1	0.18	0.7	0.13	53	1.0	0.15	0.6	0.09
Thyroid gland	24	0.7	0.14	0.4	0.08	44	0.9	0.13	0.5	0.08
Lymphomas	222	6.0	0.41	3.4	0.24	176	3.5	0.27	1.9	0.16
Hodgkin Lymphoma	14	0.4	0.10	0.2	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	208	5.6	0.40	3.2	0.23	-	-	-	-	-
Multiple Myeloma	79	2.2	0.25	1.2	0.14	61	1.2	0.15	0.7	0.09
Leukemias	188	5.2	0.39	3.2	0.26	178	3.6	0.28	2.3	0.20
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,630	166.5	1.27	91.3	0.69	17,524	125.1	0.96	72.2	0.59
Oral Cavity & Pharynx	328	2.7	0.15	1.7	0.10	161	1.2	0.09	0.6	0.05
Digestive System	5,317	44.9	0.64	26.7	0.37	3,967	28.3	0.46	15.8	0.27
Esophagus	835	6.9	0.25	4.3	0.15	181	1.3	0.10	0.7	0.06
Stomach	406	3.6	0.18	2.0	0.10	255	1.9	0.12	1.1	0.07
Colon & Rectum	1,651	14.5	0.37	8.1	0.21	1,559	11.1	0.29	6.0	0.16
Liver	795	6.0	0.22	4.1	0.15	279	2.0	0.12	1.2	0.08
Pancreas	1,276	10.9	0.32	6.4	0.18	1,204	8.6	0.25	4.8	0.15
Respiratory System	4,259	37.9	0.60	20.9	0.33	3,928	28.5	0.46	15.9	0.27
Larynx	132	1.1	0.10	0.7	0.06	42	0.3	0.05	0.2	0.03
Lung & bronchus	4,089	36.4	0.59	20.0	0.32	3,868	28.1	0.46	15.6	0.27
Skin	684	6.0	0.24	3.3	0.13	369	2.6	0.14	1.6	0.09
Melanomas of the skin	507	4.3	0.20	2.5	0.11	294	2.1	0.13	1.3	0.08
Breast	36	0.3	0.06	0.2	0.03	2,742	19.2	0.37	12.0	0.24
Female Genital System	-	-	-	-	-	2,035	14.3	0.32	9.1	0.21
Cervix uteri	-	-	-	-	-	235	1.7	0.11	1.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	531	3.7	0.16	2.3	0.11
Ovary	-	-	-	-	-	1,119	7.9	0.24	4.9	0.15
Male Genital System	2,162	22.1	0.49	9.5	0.21	-	-	-	-	-
Prostate	2,106	21.7	0.48	9.2	0.21	-	-	-	-	-
Testis	34	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,292	11.8	0.34	6.2	0.18	615	4.4	0.18	2.2	0.10
Bladder	713	6.8	0.26	3.3	0.13	283	2.0	0.12	0.9	0.06
Kidney & renal pelvis	556	4.8	0.21	2.8	0.12	317	2.2	0.13	1.2	0.07
Brain & Other Nervous System	641	5.1	0.21	3.5	0.14	541	3.8	0.17	2.7	0.13
Endocrine System	103	0.9	0.09	0.5	0.06	91	0.6	0.07	0.4	0.05
Thyroid gland	59	0.5	0.07	0.3	0.04	58	0.4	0.06	0.2	0.03
Lymphomas	748	6.9	0.26	3.6	0.14	595	4.3	0.18	2.2	0.10
Hodgkin Lymphoma	38	0.3	0.06	0.2	0.03	34	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	710	6.6	0.26	3.4	0.13	561	4.0	0.17	2.0	0.09
Multiple Myeloma	423	3.9	0.20	2.0	0.10	325	2.4	0.13	1.2	0.07
Leukemias	904	8.4	0.29	4.5	0.16	634	4.6	0.19	2.6	0.12
Other, Ill-defined & Unknown	1,733	15.5	0.39	8.6	0.21	1,521	10.8	0.28	5.8	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,469	166.7	1.31	91.3	0.71	16,498	126.2	1.00	72.9	0.61
Oral Cavity & Pharynx	305	2.6	0.16	1.7	0.10	149	1.1	0.10	0.6	0.06
Digestive System	4,949	44.8	0.66	26.5	0.39	3,687	28.1	0.47	15.7	0.28
Esophagus	814	7.1	0.26	4.4	0.16	172	1.3	0.10	0.8	0.06
Stomach	355	3.4	0.18	1.9	0.10	231	1.8	0.12	1.1	0.08
Colon & Rectum	1,542	14.5	0.38	8.1	0.21	1,456	11.1	0.30	6.0	0.17
Liver	703	5.7	0.22	3.9	0.15	252	1.9	0.12	1.2	0.08
Pancreas	1,204	11.0	0.33	6.4	0.19	1,117	8.5	0.26	4.8	0.15
Respiratory System	3,981	37.8	0.62	20.8	0.34	3,701	28.7	0.48	16.0	0.28
Larynx	124	1.2	0.11	0.7	0.06	39	0.3	0.05	0.2	0.03
Lung & bronchus	3,819	36.3	0.61	19.9	0.33	3,646	28.3	0.48	15.7	0.28
Skin	679	6.4	0.25	3.6	0.14	364	2.8	0.15	1.7	0.09
Melanomas of the skin	506	4.6	0.21	2.7	0.12	291	2.3	0.14	1.4	0.09
Breast	35	0.3	0.06	0.2	0.03	2,573	19.3	0.39	12.1	0.25
Female Genital System	-	-	-	-	-	1,916	14.5	0.34	9.2	0.22
Cervix uteri	-	-	-	-	-	221	1.7	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	483	3.6	0.17	2.3	0.11
Ovary	-	-	-	-	-	1,072	8.1	0.25	5.1	0.16
Male Genital System	1,990	21.6	0.50	9.3	0.21	-	-	-	-	-
Prostate	1,936	21.1	0.49	8.9	0.21	-	-	-	-	-
Testis	34	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	1,229	12.0	0.35	6.3	0.18	584	4.4	0.19	2.3	0.10
Bladder	687	7.0	0.27	3.4	0.13	268	2.0	0.13	0.9	0.06
Kidney & renal pelvis	520	4.8	0.22	2.8	0.13	302	2.3	0.13	1.3	0.08
Brain & Other Nervous System	616	5.4	0.22	3.7	0.15	522	4.0	0.18	2.8	0.14
Endocrine System	96	0.9	0.09	0.5	0.06	88	0.7	0.07	0.5	0.06
Thyroid gland	56	0.5	0.08	0.3	0.04	56	0.4	0.06	0.2	0.04
Lymphomas	706	7.0	0.27	3.6	0.14	568	4.4	0.19	2.2	0.10
Hodgkin Lymphoma	35	0.3	0.06	0.2	0.04	34	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	671	6.6	0.26	3.4	0.14	534	4.1	0.18	2.0	0.10
Multiple Myeloma	391	3.9	0.20	2.0	0.10	293	2.3	0.14	1.2	0.07
Leukemias	852	8.5	0.30	4.5	0.16	612	4.8	0.20	2.7	0.12
Other, Ill-defined & Unknown	1,640	15.7	0.40	8.7	0.22	1,441	11.0	0.30	6.0	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	758	208.8	8.61	121.0	4.51	622	143.6	5.93	84.1	3.49
Oral Cavity & Pharynx	13	3.0	0.89	2.1	0.60	-	-	-	-	-
Digestive System	226	54.6	4.14	35.1	2.40	151	35.0	2.93	20.7	1.75
Esophagus	13	3.7	1.18	1.9	0.53	-	-	-	-	-
Stomach	28	7.3	1.62	4.7	0.91	-	-	-	-	-
Colon & Rectum	79	20.7	2.65	12.2	1.41	52	12.3	1.75	7.2	1.04
Liver	51	9.2	1.36	7.9	1.13	10	2.1	0.68	1.4	0.47
Pancreas	45	11.5	1.91	7.1	1.09	56	13.5	1.85	7.5	1.04
Respiratory System	184	49.1	4.06	29.2	2.21	139	32.8	2.86	18.8	1.65
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	180	48.2	4.03	28.6	2.19	137	32.4	2.85	18.4	1.63
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	113	24.9	2.41	15.3	1.49
Female Genital System	-	-	-	-	-	76	17.2	2.04	10.4	1.24
Cervix uteri	-	-	-	-	-	10	2.2	0.73	1.4	0.46
Corpus & uterus, NOS ¹	-	-	-	-	-	33	7.6	1.36	4.7	0.84
Ovary	-	-	-	-	-	30	6.8	1.28	3.9	0.74
Male Genital System	141	52.5	4.87	24.1	2.08	-	-	-	-	-
Prostate	139	51.9	4.85	23.8	2.07	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	11.7	1.98	7.2	1.11	18	4.8	1.15	2.2	0.54
Bladder	20	5.0	1.33	3.2	0.74	-	-	-	-	-
Kidney & renal pelvis	25	6.7	1.47	4.0	0.82	10	2.6	0.84	1.3	0.42
Brain & Other Nervous System	10	1.6	0.50	1.4	0.46	11	2.2	0.68	1.6	0.51
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	5.4	1.27	3.1	0.69	19	4.4	1.03	2.5	0.60
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	27	7.3	1.60	4.2	0.84	28	6.5	1.27	3.5	0.69
Leukemias	30	8.5	1.78	5.0	0.94	10	2.1	0.67	1.5	0.47
Other, Ill-defined & Unknown	54	13.7	2.05	8.3	1.16	46	11.2	1.70	5.9	0.90

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	292	121.9	7.64	66.3	3.95	294	80.5	4.84	45.9	2.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	105	42.6	4.44	23.8	2.36	102	28.9	2.94	15.5	1.59
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	20	7.8	1.90	4.2	0.96	14	3.8	1.04	2.5	0.68
Colon & Rectum	21	9.5	2.18	4.6	1.03	40	11.5	1.87	6.0	0.98
Liver	30	10.6	2.05	7.0	1.29	10	3.1	1.00	1.4	0.47
Pancreas	18	7.4	1.85	4.3	1.02	24	7.0	1.46	3.5	0.74
Respiratory System	66	29.7	3.87	15.2	1.90	61	17.4	2.29	9.5	1.26
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	64	29.1	3.85	14.7	1.87	60	17.1	2.27	9.4	1.25
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	39	10.2	1.69	6.3	1.04
Female Genital System	-	-	-	-	-	33	7.7	1.39	5.6	1.00
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	13	3.3	0.93	2.3	0.64
Ovary	-	-	-	-	-	12	2.8	0.85	1.9	0.56
Male Genital System	20	10.7	2.48	4.3	0.97	-	-	-	-	-
Prostate	20	10.7	2.48	4.3	0.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	5.5	1.68	2.7	0.80	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	3.3	0.99	2.6	0.77	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	17	6.9	1.79	3.9	0.96	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	15	6.0	1.66	3.6	0.95	-	-	-	-	-
Other, Ill-defined & Unknown	28	10.2	2.07	6.5	1.25	26	7.3	1.47	3.8	0.78

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,963	182.7	1.43	101.0	0.82	16,749	133.6	1.07	77.6	0.69
Oral Cavity & Pharynx	309	3.1	0.18	2.0	0.12	115	0.9	0.09	0.5	0.06
Digestive System	4,621	48.7	0.73	28.6	0.44	3,771	29.6	0.50	16.3	0.30
Esophagus	680	7.1	0.28	4.3	0.17	193	1.6	0.12	0.8	0.07
Stomach	424	4.6	0.23	2.7	0.14	295	2.3	0.14	1.3	0.09
Colon & Rectum	1,298	13.8	0.39	7.8	0.23	1,362	10.4	0.29	5.6	0.18
Liver	614	6.2	0.26	4.0	0.17	188	1.5	0.11	0.9	0.07
Pancreas	1,172	12.5	0.37	7.1	0.22	1,242	9.8	0.29	5.4	0.17
Respiratory System	4,495	48.0	0.73	27.3	0.43	4,285	34.8	0.55	20.1	0.34
Larynx	140	1.4	0.12	0.9	0.08	36	0.3	0.05	0.2	0.03
Lung & bronchus	4,328	46.3	0.72	26.2	0.42	4,233	34.4	0.54	19.9	0.34
Skin	429	4.6	0.22	2.5	0.13	271	2.1	0.13	1.2	0.09
Melanomas of the skin	319	3.4	0.19	1.9	0.11	219	1.7	0.12	1.1	0.08
Breast	34	0.4	0.06	0.2	0.04	2,354	19.1	0.41	12.1	0.28
Female Genital System	-	-	-	-	-	1,743	14.2	0.35	9.0	0.24
Cervix uteri	-	-	-	-	-	184	1.7	0.13	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	533	4.3	0.19	2.6	0.13
Ovary	-	-	-	-	-	871	7.1	0.25	4.5	0.17
Male Genital System	1,676	18.9	0.47	8.1	0.21	-	-	-	-	-
Prostate	1,646	18.6	0.46	7.9	0.21	-	-	-	-	-
Testis	19	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,230	13.5	0.39	6.8	0.21	592	4.5	0.19	2.4	0.12
Bladder	773	8.6	0.31	4.0	0.15	338	2.5	0.14	1.3	0.08
Kidney & renal pelvis	428	4.6	0.22	2.6	0.13	230	1.8	0.12	1.0	0.08
Brain & Other Nervous System	485	5.1	0.24	3.6	0.17	397	3.4	0.17	2.3	0.14
Endocrine System	62	0.7	0.09	0.4	0.06	80	0.6	0.08	0.4	0.06
Thyroid gland	41	0.4	0.07	0.3	0.04	56	0.4	0.06	0.3	0.04
Lymphomas	684	7.5	0.29	4.0	0.16	589	4.5	0.19	2.4	0.12
Hodgkin Lymphoma	31	0.3	0.06	0.2	0.05	26	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	653	7.1	0.28	3.7	0.16	563	4.3	0.19	2.2	0.11
Multiple Myeloma	343	3.7	0.21	2.0	0.11	339	2.6	0.15	1.4	0.09
Leukemias	819	9.1	0.32	4.9	0.19	631	4.9	0.20	2.6	0.13
Other, Ill-defined & Unknown	1,776	19.3	0.47	10.6	0.27	1,582	12.3	0.32	6.9	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,487	183.3	1.50	101.1	0.87	15,264	134.8	1.14	78.0	0.74
Oral Cavity & Pharynx	275	3.1	0.19	1.9	0.12	105	0.9	0.09	0.5	0.06
Digestive System	4,127	48.0	0.76	28.1	0.46	3,382	29.2	0.52	16.0	0.32
Esophagus	636	7.3	0.30	4.5	0.19	172	1.5	0.12	0.8	0.07
Stomach	357	4.2	0.23	2.4	0.14	259	2.2	0.14	1.3	0.09
Colon & Rectum	1,166	13.7	0.41	7.8	0.24	1,228	10.3	0.31	5.5	0.19
Liver	515	5.7	0.26	3.7	0.17	154	1.4	0.11	0.7	0.07
Pancreas	1,063	12.4	0.39	7.1	0.23	1,132	9.9	0.30	5.4	0.19
Respiratory System	4,095	48.1	0.77	27.3	0.45	4,008	36.2	0.59	20.9	0.37
Larynx	121	1.4	0.13	0.8	0.08	28	0.2	0.05	0.1	0.03
Lung & bronchus	3,949	46.4	0.75	26.3	0.44	3,964	35.8	0.59	20.7	0.37
Skin	421	4.9	0.24	2.7	0.14	266	2.3	0.15	1.4	0.10
Melanomas of the skin	315	3.7	0.21	2.1	0.13	216	1.9	0.14	1.2	0.10
Breast	32	0.4	0.07	0.2	0.04	2,096	18.9	0.43	11.8	0.30
Female Genital System	-	-	-	-	-	1,558	14.2	0.37	9.0	0.26
Cervix uteri	-	-	-	-	-	156	1.6	0.14	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	448	4.0	0.20	2.5	0.13
Ovary	-	-	-	-	-	809	7.3	0.27	4.7	0.18
Male Genital System	1,497	18.2	0.48	7.7	0.22	-	-	-	-	-
Prostate	1,470	17.9	0.47	7.5	0.21	-	-	-	-	-
Testis	18	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,163	14.0	0.42	7.0	0.22	552	4.6	0.21	2.4	0.12
Bladder	746	9.0	0.34	4.2	0.17	316	2.6	0.15	1.3	0.08
Kidney & renal pelvis	391	4.6	0.24	2.7	0.14	215	1.9	0.13	1.1	0.09
Brain & Other Nervous System	462	5.4	0.26	3.8	0.19	375	3.6	0.19	2.5	0.15
Endocrine System	56	0.7	0.09	0.4	0.07	74	0.7	0.08	0.4	0.06
Thyroid gland	35	0.4	0.07	0.3	0.05	51	0.4	0.06	0.3	0.04
Lymphomas	636	7.6	0.31	4.1	0.18	549	4.6	0.21	2.4	0.13
Hodgkin Lymphoma	28	0.4	0.07	0.3	0.05	22	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	608	7.2	0.30	3.8	0.17	527	4.4	0.20	2.2	0.12
Multiple Myeloma	311	3.7	0.21	1.9	0.12	273	2.3	0.14	1.2	0.08
Leukemias	772	9.4	0.35	5.1	0.20	588	5.0	0.22	2.7	0.14
Other, Ill-defined & Unknown	1,640	19.7	0.49	10.8	0.29	1,438	12.3	0.34	6.9	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,232	200.3	6.15	115.0	3.32	1,277	134.2	3.84	84.2	2.43
Oral Cavity & Pharynx	26	4.2	0.88	2.4	0.48	-	-	-	-	-
Digestive System	408	63.8	3.41	37.9	1.90	322	34.5	1.96	20.6	1.19
Esophagus	37	6.1	1.06	3.5	0.58	19	2.0	0.47	1.3	0.31
Stomach	55	8.7	1.24	5.3	0.72	31	3.5	0.64	1.9	0.35
Colon & Rectum	113	18.3	1.87	10.2	0.97	112	11.7	1.13	7.2	0.70
Liver	79	10.2	1.23	7.3	0.83	25	2.3	0.47	1.7	0.35
Pancreas	94	15.2	1.70	8.9	0.93	93	10.3	1.09	5.7	0.62
Respiratory System	331	53.1	3.14	30.9	1.72	250	26.5	1.71	16.4	1.07
Larynx	17	2.4	0.63	1.6	0.40	-	-	-	-	-
Lung & bronchus	314	50.7	3.07	29.3	1.68	243	25.7	1.69	16.0	1.06
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	226	22.1	1.50	15.9	1.08
Female Genital System	-	-	-	-	-	157	16.5	1.34	10.6	0.87
Cervix uteri	-	-	-	-	-	23	2.1	0.44	1.7	0.36
Corpus & uterus, NOS ¹	-	-	-	-	-	75	8.1	0.95	4.9	0.59
Ovary	-	-	-	-	-	51	5.5	0.78	3.3	0.48
Male Genital System	167	32.6	2.66	15.4	1.21	-	-	-	-	-
Prostate	164	32.1	2.64	15.1	1.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	55	8.3	1.21	5.2	0.71	37	4.0	0.67	2.4	0.41
Bladder	22	3.5	0.80	2.1	0.46	20	2.2	0.50	1.3	0.29
Kidney & renal pelvis	31	4.3	0.85	2.9	0.52	15	1.6	0.42	1.0	0.26
Brain & Other Nervous System	13	1.5	0.42	1.3	0.37	19	1.9	0.45	1.4	0.33
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	36	6.0	1.07	3.4	0.57	29	2.9	0.55	2.0	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	30	5.0	0.98	2.8	0.52	61	6.6	0.86	3.8	0.51
Leukemias	32	5.0	0.97	3.0	0.54	38	4.3	0.71	2.2	0.38
Other, Ill-defined & Unknown	119	18.2	1.80	11.3	1.05	125	13.6	1.25	7.9	0.74

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	224	107.1	8.22	60.2	4.11	194	75.6	5.91	43.1	3.14
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	81	35.7	4.46	22.0	2.48	63	26.6	3.63	13.9	1.77
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	4.7	1.52	2.9	0.90	-	-	-	-	-
Colon & Rectum	18	6.5	1.63	4.8	1.15	20	8.6	2.08	4.4	1.01
Liver	19	8.4	2.20	5.2	1.22	-	-	-	-	-
Pancreas	13	6.9	2.09	3.6	1.01	16	7.4	1.95	3.5	0.88
Respiratory System	61	28.4	4.10	15.9	2.07	25	11.0	2.34	5.5	1.12
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	57	26.9	4.02	14.9	2.01	24	10.7	2.33	5.3	1.10
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	31	9.1	1.77	6.8	1.23
Female Genital System	-	-	-	-	-	24	8.9	1.94	5.4	1.12
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	8.9	2.80	3.5	1.03	-	-	-	-	-
Prostate	12	8.9	2.80	3.5	1.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	7.1	2.37	3.5	1.03	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	3.3	1.15	2.6	0.87	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	7.8	2.66	3.1	0.99	10	5.2	1.72	2.3	0.74
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	14	6.5	2.03	3.7	1.01	-	-	-	-	-
Other, Ill-defined & Unknown	13	4.6	1.41	2.8	0.80	18	6.8	1.74	4.0	0.95

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,003	208.4	3.01	118.5	1.76	4,623	150.5	2.25	90.7	1.47
Oral Cavity & Pharynx	112	4.5	0.43	2.9	0.29	46	1.5	0.22	0.8	0.14
Digestive System	1,363	55.5	1.54	33.5	0.94	986	31.8	1.03	18.3	0.64
Esophagus	182	7.0	0.53	4.5	0.35	57	1.8	0.25	1.1	0.15
Stomach	109	4.6	0.45	2.7	0.27	78	2.5	0.29	1.4	0.18
Colon & Rectum	403	17.1	0.87	9.8	0.51	337	10.8	0.60	6.0	0.37
Liver	213	8.2	0.57	5.5	0.39	82	2.7	0.30	1.5	0.18
Pancreas	347	14.1	0.77	8.3	0.46	298	9.6	0.57	5.6	0.35
Respiratory System	1,584	64.6	1.66	37.4	0.98	1,344	43.5	1.20	26.0	0.76
Larynx	48	1.8	0.27	1.3	0.19	20	0.6	0.14	0.4	0.10
Lung & bronchus	1,526	62.4	1.63	35.8	0.95	1,316	42.6	1.19	25.5	0.75
Skin	149	6.4	0.54	3.4	0.29	75	2.5	0.30	1.6	0.20
Melanomas of the skin	96	4.0	0.42	2.3	0.24	58	2.0	0.27	1.3	0.19
Breast	-	-	-	-	-	659	21.9	0.87	14.2	0.60
Female Genital System	-	-	-	-	-	490	16.0	0.74	10.5	0.52
Cervix uteri	-	-	-	-	-	79	2.9	0.34	2.2	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	160	5.2	0.42	3.2	0.28
Ovary	-	-	-	-	-	226	7.1	0.48	4.6	0.33
Male Genital System	440	19.8	0.96	9.2	0.46	-	-	-	-	-
Prostate	426	19.2	0.95	8.7	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	308	13.4	0.78	6.9	0.42	174	5.6	0.43	3.0	0.26
Bladder	163	7.3	0.58	3.4	0.28	90	2.9	0.31	1.5	0.18
Kidney & renal pelvis	137	5.7	0.50	3.4	0.30	79	2.6	0.29	1.4	0.18
Brain & Other Nervous System	110	4.5	0.44	3.1	0.32	108	3.7	0.36	2.8	0.31
Endocrine System	22	1.0	0.21	0.5	0.11	27	0.9	0.18	0.6	0.12
Thyroid gland	13	0.6	0.16	0.3	0.07	17	0.5	0.13	0.3	0.09
Lymphomas	196	8.4	0.61	4.7	0.36	143	4.7	0.40	2.2	0.21
Hodgkin Lymphoma	12	0.5	0.16	0.4	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	184	7.8	0.59	4.3	0.34	-	-	-	-	-
Multiple Myeloma	104	4.2	0.42	2.5	0.26	90	2.9	0.31	1.6	0.18
Leukemias	217	9.5	0.66	4.9	0.36	146	4.7	0.40	2.7	0.26
Other, Ill-defined & Unknown	-	-	-	-	-	335	10.8	0.60	6.3	0.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,132	207.5	3.29	117.2	1.95	3,752	150.3	2.52	90.7	1.67
Oral Cavity & Pharynx	82	4.0	0.45	2.5	0.30	40	1.6	0.25	0.9	0.16
Digestive System	1,108	54.8	1.68	32.9	1.05	754	29.7	1.10	17.0	0.69
Esophagus	158	7.5	0.60	4.7	0.39	47	1.9	0.28	1.1	0.17
Stomach	72	3.6	0.44	2.1	0.27	59	2.3	0.31	1.3	0.19
Colon & Rectum	338	17.4	0.97	9.9	0.58	264	10.3	0.65	5.6	0.40
Liver	156	7.4	0.61	4.9	0.42	52	2.2	0.31	1.2	0.19
Pancreas	296	14.4	0.85	8.5	0.52	233	9.1	0.61	5.3	0.38
Respiratory System	1,330	65.1	1.82	37.6	1.09	1,144	45.3	1.36	27.2	0.87
Larynx	33	1.5	0.28	1.1	0.21	15	0.6	0.14	0.4	0.10
Lung & bronchus	1,288	63.2	1.79	36.2	1.06	1,122	44.4	1.35	26.7	0.87
Skin	145	7.4	0.63	3.9	0.35	71	3.0	0.38	1.9	0.26
Melanomas of the skin	95	4.7	0.50	2.7	0.30	55	2.4	0.34	1.7	0.25
Breast	-	-	-	-	-	518	21.5	0.98	13.9	0.68
Female Genital System	-	-	-	-	-	380	15.4	0.82	10.3	0.59
Cervix uteri	-	-	-	-	-	56	2.6	0.37	2.1	0.31
Corpus & uterus, NOS ¹	-	-	-	-	-	116	4.7	0.45	3.0	0.31
Ovary	-	-	-	-	-	186	7.3	0.54	4.7	0.37
Male Genital System	331	17.8	0.99	8.1	0.47	-	-	-	-	-
Prostate	320	17.2	0.97	7.6	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	272	14.1	0.87	7.4	0.48	149	5.8	0.49	3.2	0.31
Bladder	146	7.7	0.65	3.6	0.32	77	3.0	0.34	1.6	0.20
Kidney & renal pelvis	122	6.2	0.57	3.7	0.36	68	2.7	0.33	1.5	0.23
Brain & Other Nervous System	99	5.1	0.53	3.4	0.38	97	4.2	0.45	3.2	0.39
Endocrine System	20	1.1	0.25	0.5	0.13	21	0.9	0.21	0.6	0.15
Thyroid gland	13	0.7	0.19	0.3	0.09	13	0.5	0.15	0.3	0.10
Lymphomas	159	8.2	0.66	4.5	0.39	123	4.9	0.45	2.2	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	72	3.5	0.42	2.0	0.25	69	2.7	0.33	1.5	0.20
Leukemias	185	9.7	0.72	5.0	0.42	121	4.7	0.45	2.7	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	265	10.6	0.67	6.1	0.45

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	815	231.3	8.76	137.5	4.86	811	163.5	5.92	99.4	3.60
Oral Cavity & Pharynx	27	6.8	1.41	4.8	0.93	-	-	-	-	-
Digestive System	236	63.8	4.50	40.0	2.63	218	44.7	3.12	26.5	1.85
Esophagus	23	5.4	1.18	4.0	0.84	-	-	-	-	-
Stomach	32	9.6	1.83	5.5	0.97	16	2.9	0.75	2.0	0.51
Colon & Rectum	61	16.8	2.33	10.4	1.35	70	14.5	1.78	8.5	1.05
Liver	54	12.8	1.88	9.1	1.25	28	6.0	1.16	3.3	0.65
Pancreas	49	13.9	2.15	8.2	1.18	63	13.2	1.71	7.6	0.99
Respiratory System	240	67.8	4.70	40.3	2.62	180	36.5	2.81	22.1	1.69
Larynx	14	4.4	1.30	2.4	0.65	-	-	-	-	-
Lung & bronchus	225	63.0	4.50	37.7	2.54	175	35.5	2.77	21.5	1.67
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	135	25.7	2.27	16.8	1.49
Female Genital System	-	-	-	-	-	103	20.8	2.11	13.1	1.32
Cervix uteri	-	-	-	-	-	22	4.3	0.92	3.1	0.67
Corpus & uterus, NOS ¹	-	-	-	-	-	42	9.1	1.44	5.1	0.81
Ovary	-	-	-	-	-	36	6.8	1.18	4.5	0.76
Male Genital System	105	36.0	3.73	17.0	1.68	-	-	-	-	-
Prostate	102	34.9	3.67	16.6	1.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	33	10.8	2.00	5.4	0.95	25	5.4	1.11	2.8	0.57
Bladder	16	5.4	1.45	2.6	0.66	13	2.8	0.79	1.4	0.41
Kidney & renal pelvis	14	4.1	1.14	2.3	0.63	11	2.4	0.74	1.2	0.38
Brain & Other Nervous System	10	2.1	0.70	1.9	0.61	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	34	8.7	1.65	5.9	1.03	18	3.7	0.90	2.1	0.51
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	31	8.5	1.66	5.4	0.97	21	4.4	0.99	2.4	0.54
Leukemias	30	9.0	1.77	4.9	0.91	23	4.8	1.03	2.8	0.61
Other, Ill-defined & Unknown	62	16.3	2.25	10.5	1.35	66	13.2	1.67	7.9	1.00

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	44	86.8	14.28	44.3	6.81	48	84.2	12.97	40.6	5.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	34.2	9.54	16.0	4.10	13	27.0	7.77	10.3	2.90
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	14	27.0	7.59	11.7	3.15
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	13	24.4	7.14	10.9	3.04
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2010-2014, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,611	210.1	4.24	122.6	2.47	2,792	160.0	3.10	98.0	2.03
Oral Cavity & Pharynx	71	5.3	0.64	3.5	0.43	28	1.5	0.30	1.0	0.22
Digestive System	850	66.1	2.34	41.2	1.45	746	42.4	1.59	25.4	1.02
Esophagus	82	6.4	0.73	3.9	0.44	47	2.7	0.40	1.5	0.24
Stomach	87	7.4	0.81	4.0	0.44	59	3.5	0.46	2.0	0.29
Colon & Rectum	236	18.6	1.25	11.1	0.74	272	15.5	0.96	9.2	0.61
Liver	181	12.8	0.98	9.3	0.70	68	3.6	0.45	2.5	0.34
Pancreas	196	15.5	1.15	9.6	0.70	209	12.1	0.85	6.6	0.50
Respiratory System	668	52.7	2.11	32.4	1.28	591	34.3	1.44	20.6	0.92
Larynx	38	3.0	0.50	1.8	0.30	12	0.7	0.20	0.5	0.14
Lung & bronchus	628	49.6	2.05	30.5	1.24	578	33.5	1.42	20.1	0.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	16	1.2	0.31	0.8	0.20	17	1.0	0.26	0.7	0.17
Breast	-	-	-	-	-	507	29.3	1.33	19.2	0.92
Female Genital System	-	-	-	-	-	340	19.6	1.09	13.1	0.76
Cervix uteri	-	-	-	-	-	49	2.9	0.42	2.1	0.31
Corpus & uterus, NOS ¹	-	-	-	-	-	135	7.7	0.68	5.2	0.47
Ovary	-	-	-	-	-	132	7.6	0.68	5.0	0.47
Male Genital System	381	34.0	1.78	15.4	0.82	-	-	-	-	-
Prostate	376	33.7	1.77	15.2	0.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	113	9.3	0.90	5.1	0.50	85	4.7	0.53	2.4	0.29
Bladder	55	4.7	0.65	2.4	0.33	55	3.1	0.43	1.4	0.22
Kidney & renal pelvis	56	4.4	0.60	2.6	0.37	30	1.6	0.30	0.9	0.19
Brain & Other Nervous System	50	3.9	0.56	2.5	0.37	39	2.3	0.38	1.6	0.27
Endocrine System	12	0.9	0.28	0.6	0.17	17	0.9	0.22	0.4	0.12
Thyroid gland	-	-	-	-	-	17	0.9	0.22	0.4	0.12
Lymphomas	79	6.5	0.75	3.9	0.46	63	3.7	0.48	2.2	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	57	4.8	0.65	2.6	0.36	62	3.4	0.45	1.8	0.25
Leukemias	80	7.2	0.82	3.4	0.39	76	4.3	0.50	2.5	0.32
Other, Ill-defined & Unknown	222	17.2	1.20	10.6	0.73	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	599	129.2	5.46	65.5	2.76	631	111.9	4.65	62.6	2.72
Oral Cavity & Pharynx	17	3.3	0.82	2.0	0.50	-	-	-	-	-
Digestive System	175	36.8	2.90	20.1	1.56	141	25.6	2.24	13.2	1.21
Esophagus	26	5.8	1.18	2.8	0.57	-	-	-	-	-
Stomach	17	3.6	0.92	1.7	0.44	12	1.9	0.58	1.0	0.32
Colon & Rectum	41	7.7	1.25	4.9	0.78	53	9.7	1.39	5.0	0.75
Liver	12	2.5	0.76	1.4	0.42	-	-	-	-	-
Pancreas	57	12.5	1.72	6.6	0.90	40	7.3	1.20	3.5	0.62
Respiratory System	114	25.3	2.45	12.8	1.23	123	22.9	2.15	11.9	1.15
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	110	24.7	2.43	12.4	1.21	121	22.5	2.13	11.6	1.14
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	11	2.0	0.61	1.4	0.44	13	2.3	0.66	1.5	0.45
Breast	-	-	-	-	-	129	22.4	2.05	13.8	1.30
Female Genital System	-	-	-	-	-	68	11.5	1.46	7.4	0.95
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	17	2.9	0.72	1.8	0.47
Ovary	-	-	-	-	-	42	7.0	1.12	4.5	0.73
Male Genital System	84	19.7	2.18	7.7	0.87	-	-	-	-	-
Prostate	83	19.5	2.16	7.6	0.86	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	33	7.2	1.29	3.4	0.62	22	3.8	0.85	1.9	0.46
Bladder	18	3.9	0.94	1.8	0.45	11	2.0	0.62	0.9	0.31
Kidney & renal pelvis	15	3.3	0.87	1.6	0.42	11	1.9	0.58	1.0	0.34
Brain & Other Nervous System	26	4.7	0.96	3.1	0.62	22	3.7	0.82	2.4	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	29	6.8	1.29	3.1	0.59	16	2.9	0.78	1.4	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	2.5	0.77	1.1	0.36	10	1.7	0.58	0.8	0.30
Leukemias	39	8.9	1.48	4.0	0.66	24	4.2	0.92	2.4	0.53
Other, Ill-defined & Unknown	50	10.0	1.47	5.6	0.81	48	8.3	1.25	4.6	0.80

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	1,978	272.4	6.31	166.8	3.88	2,126	189.9	4.22	120.5	2.90
Oral Cavity & Pharynx	54	7.0	0.97	4.8	0.67	19	1.7	0.41	1.2	0.31
Digestive System	660	88.2	3.54	57.3	2.30	596	52.5	2.20	32.8	1.50
Esophagus	55	7.0	0.97	4.8	0.66	37	3.2	0.54	2.0	0.36
Stomach	68	10.3	1.27	5.7	0.72	47	4.4	0.65	2.6	0.43
Colon & Rectum	192	26.6	1.98	15.8	1.18	216	19.1	1.34	11.7	0.90
Liver	161	19.6	1.59	14.7	1.18	59	4.9	0.65	3.6	0.52
Pancreas	139	18.6	1.63	12.3	1.07	166	14.7	1.16	8.5	0.73
Respiratory System	547	73.4	3.24	47.1	2.06	459	40.9	1.94	25.8	1.31
Larynx	34	4.7	0.83	2.8	0.50	10	0.9	0.28	0.6	0.20
Lung & bronchus	511	68.4	3.12	44.0	2.00	449	40.0	1.92	25.2	1.30
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	374	34.4	1.83	23.1	1.31
Female Genital System	-	-	-	-	-	268	24.6	1.54	16.8	1.11
Cervix uteri	-	-	-	-	-	41	4.1	0.66	3.0	0.50
Corpus & uterus, NOS ¹	-	-	-	-	-	117	10.5	0.98	7.2	0.71
Ovary	-	-	-	-	-	89	8.2	0.89	5.4	0.63
Male Genital System	293	44.5	2.65	21.3	1.30	-	-	-	-	-
Prostate	289	44.1	2.64	20.9	1.28	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	80	11.2	1.29	6.6	0.77	60	5.0	0.67	2.6	0.38
Bladder	37	5.5	0.92	2.9	0.49	42	3.6	0.56	1.7	0.30
Kidney & renal pelvis	41	5.5	0.88	3.6	0.59	18	1.5	0.36	0.9	0.24
Brain & Other Nervous System	24	3.4	0.72	2.2	0.49	16	1.6	0.40	1.1	0.29
Endocrine System	-	-	-	-	-	12	0.9	0.27	0.5	0.18
Thyroid gland	-	-	-	-	-	12	0.9	0.27	0.5	0.18
Lymphomas	49	6.8	1.01	4.7	0.72	46	4.4	0.66	2.9	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	45	6.4	0.99	3.7	0.58	50	4.3	0.63	2.2	0.37
Leukemias	37	5.7	0.96	2.7	0.47	52	4.4	0.62	2.6	0.42
Other, Ill-defined & Unknown	170	22.8	1.81	14.6	1.15	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33	117.9	21.58	67.4	12.19	32	74.4	13.50	40.3	7.41
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	15	48.3	13.33	30.7	8.17	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	114,073	189.4	0.57	111.3	0.36	97,208	132.7	0.44	80.6	0.30
Oral Cavity & Pharynx	2,484	4.1	0.08	2.8	0.06	1,000	1.4	0.05	0.9	0.03
Digestive System	30,033	49.6	0.29	30.8	0.19	21,746	29.0	0.20	16.7	0.13
Esophagus	4,179	6.9	0.11	4.4	0.07	1,078	1.4	0.04	0.8	0.03
Stomach	2,246	3.8	0.08	2.3	0.05	1,529	2.1	0.06	1.3	0.04
Colon & Rectum	9,770	16.3	0.17	9.8	0.11	8,514	11.3	0.13	6.5	0.08
Liver	4,555	7.4	0.11	5.2	0.08	1,734	2.3	0.06	1.4	0.04
Pancreas	7,293	12.0	0.14	7.2	0.09	6,762	8.9	0.11	5.0	0.07
Respiratory System	34,580	56.6	0.31	33.9	0.20	26,794	36.0	0.22	21.7	0.15
Larynx	1,293	2.1	0.06	1.4	0.04	277	0.4	0.02	0.2	0.02
Lung & bronchus	33,069	54.1	0.30	32.3	0.19	26,410	35.5	0.22	21.3	0.15
Skin	3,620	6.1	0.10	3.5	0.06	1,534	2.1	0.06	1.3	0.04
Melanomas of the skin	2,546	4.3	0.09	2.5	0.05	1,238	1.8	0.05	1.1	0.04
Breast	182	0.3	0.02	0.2	0.01	14,201	20.2	0.18	13.2	0.13
Female Genital System	-	-	-	-	-	10,183	14.5	0.15	9.5	0.11
Cervix uteri	-	-	-	-	-	1,664	2.8	0.07	2.1	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,988	4.1	0.08	2.7	0.05
Ovary	-	-	-	-	-	4,944	6.9	0.10	4.3	0.07
Male Genital System	10,768	18.1	0.17	8.3	0.09	-	-	-	-	-
Prostate	10,531	17.6	0.17	7.9	0.08	-	-	-	-	-
Testis	131	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	7,643	12.7	0.15	6.8	0.08	3,250	4.2	0.08	2.2	0.05
Bladder	4,498	7.5	0.11	3.6	0.06	1,576	2.0	0.05	1.0	0.03
Kidney & renal pelvis	2,979	4.9	0.09	3.0	0.06	1,567	2.1	0.05	1.2	0.04
Brain & Other Nervous System	2,944	5.1	0.10	3.6	0.07	2,257	3.3	0.07	2.3	0.06
Endocrine System	419	0.7	0.04	0.5	0.03	462	0.7	0.03	0.4	0.03
Thyroid gland	253	0.4	0.03	0.2	0.02	315	0.4	0.02	0.2	0.02
Lymphomas	4,494	7.6	0.11	4.3	0.07	3,352	4.4	0.08	2.4	0.05
Hodgkin Lymphoma	229	0.4	0.03	0.3	0.02	144	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,265	7.2	0.11	4.0	0.07	3,208	4.2	0.08	2.3	0.05
Multiple Myeloma	2,280	3.8	0.08	2.1	0.05	1,839	2.4	0.06	1.3	0.04
Leukemias	5,001	8.5	0.12	4.9	0.08	3,470	4.8	0.08	2.8	0.06
Other, Ill-defined & Unknown	9,625	16.1	0.17	9.6	0.11	7,120	9.6	0.12	5.7	0.08

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	101,826	190.0	0.60	111.8	0.39	85,781	133.4	0.47	80.8	0.33
Oral Cavity & Pharynx	2,214	4.2	0.09	2.9	0.07	887	1.4	0.05	0.9	0.03
Digestive System	26,299	49.1	0.31	30.4	0.21	18,811	28.4	0.21	16.3	0.14
Esophagus	3,856	7.2	0.12	4.6	0.08	961	1.5	0.05	0.9	0.03
Stomach	1,768	3.4	0.08	2.0	0.05	1,189	1.9	0.06	1.1	0.04
Colon & Rectum	8,462	15.9	0.18	9.5	0.11	7,348	11.1	0.13	6.3	0.09
Liver	3,917	7.2	0.12	5.1	0.09	1,477	2.2	0.06	1.3	0.04
Pancreas	6,541	12.1	0.15	7.2	0.10	5,967	8.8	0.12	5.0	0.07
Respiratory System	31,247	57.5	0.33	34.5	0.21	24,738	38.0	0.25	22.9	0.17
Larynx	1,098	2.0	0.06	1.4	0.04	254	0.4	0.03	0.3	0.02
Lung & bronchus	29,955	55.0	0.32	32.9	0.21	24,387	37.4	0.25	22.6	0.16
Skin	3,560	6.8	0.12	3.9	0.07	1,501	2.4	0.07	1.5	0.05
Melanomas of the skin	2,520	4.8	0.10	2.9	0.06	1,215	2.0	0.06	1.3	0.04
Breast	156	0.3	0.02	0.2	0.02	12,061	19.6	0.19	12.7	0.13
Female Genital System	-	-	-	-	-	8,595	14.2	0.16	9.3	0.12
Cervix uteri	-	-	-	-	-	1,264	2.6	0.08	2.0	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,369	3.7	0.08	2.4	0.06
Ovary	-	-	-	-	-	4,444	7.1	0.11	4.5	0.08
Male Genital System	8,933	16.5	0.18	7.5	0.09	-	-	-	-	-
Prostate	8,717	16.0	0.17	7.1	0.08	-	-	-	-	-
Testis	124	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	7,160	13.2	0.16	7.1	0.09	2,949	4.3	0.08	2.3	0.05
Bladder	4,267	7.8	0.12	3.8	0.07	1,432	2.0	0.05	1.0	0.03
Kidney & renal pelvis	2,733	5.1	0.10	3.1	0.07	1,422	2.1	0.06	1.2	0.04
Brain & Other Nervous System	2,723	5.5	0.11	3.9	0.09	2,073	3.6	0.08	2.5	0.07
Endocrine System	378	0.8	0.04	0.5	0.03	383	0.6	0.04	0.4	0.03
Thyroid gland	236	0.4	0.03	0.3	0.02	261	0.4	0.03	0.2	0.02
Lymphomas	4,084	7.7	0.12	4.4	0.08	3,001	4.5	0.08	2.4	0.05
Hodgkin Lymphoma	205	0.4	0.03	0.3	0.02	134	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,879	7.3	0.12	4.1	0.07	2,867	4.2	0.08	2.2	0.05
Multiple Myeloma	1,873	3.5	0.08	1.9	0.05	1,469	2.1	0.06	1.2	0.03
Leukemias	4,575	8.8	0.13	5.0	0.09	3,078	4.8	0.09	2.7	0.07
Other, Ill-defined & Unknown	8,624	16.3	0.18	9.7	0.12	6,235	9.5	0.13	5.6	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	11,165	207.2	2.09	121.4	1.16	10,302	136.2	1.37	85.4	0.87
Oral Cavity & Pharynx	248	4.1	0.27	2.8	0.18	93	1.2	0.12	0.8	0.09
Digestive System	3,326	58.5	1.08	36.4	0.64	2,614	35.0	0.70	20.8	0.42
Esophagus	295	5.0	0.31	3.2	0.19	106	1.4	0.14	0.9	0.09
Stomach	427	8.1	0.42	4.6	0.23	292	4.0	0.24	2.3	0.14
Colon & Rectum	1,176	21.1	0.66	12.8	0.38	1,067	14.2	0.44	8.5	0.27
Liver	546	8.3	0.38	6.1	0.26	202	2.6	0.19	1.6	0.12
Pancreas	684	12.5	0.51	7.4	0.29	732	10.0	0.38	5.7	0.22
Respiratory System	3,040	54.2	1.05	33.3	0.61	1,790	23.8	0.57	14.7	0.36
Larynx	183	3.1	0.25	2.0	0.15	22	0.3	0.06	0.2	0.04
Lung & bronchus	2,836	50.8	1.01	31.1	0.59	1,758	23.4	0.57	14.4	0.36
Skin	57	0.9	0.13	0.6	0.09	-	-	-	-	-
Melanomas of the skin	23	0.4	0.08	0.3	0.05	20	0.3	0.06	0.2	0.04
Breast	25	0.5	0.10	0.3	0.06	1,987	25.5	0.58	17.2	0.40
Female Genital System	-	-	-	-	-	1,452	18.9	0.51	12.5	0.34
Cervix uteri	-	-	-	-	-	373	4.8	0.25	3.3	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	586	7.6	0.32	5.1	0.21
Ovary	-	-	-	-	-	433	5.7	0.28	3.6	0.18
Male Genital System	1,775	40.6	1.01	18.5	0.45	-	-	-	-	-
Prostate	1,756	40.3	1.01	18.3	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	433	8.4	0.43	4.7	0.23	282	3.9	0.23	2.2	0.13
Bladder	210	4.5	0.33	2.2	0.16	133	1.9	0.17	1.0	0.09
Kidney & renal pelvis	218	3.8	0.28	2.4	0.17	139	1.9	0.16	1.1	0.10
Brain & Other Nervous System	195	3.0	0.23	2.2	0.16	167	2.2	0.17	1.5	0.12
Endocrine System	36	0.6	0.10	0.4	0.07	68	0.9	0.11	0.6	0.08
Thyroid gland	14	0.2	0.06	0.2	0.04	44	0.6	0.09	0.3	0.05
Lymphomas	358	6.2	0.35	3.9	0.21	307	4.1	0.24	2.5	0.15
Hodgkin Lymphoma	23	0.3	0.07	0.3	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	335	5.9	0.34	3.7	0.20	-	-	-	-	-
Multiple Myeloma	386	7.1	0.39	4.2	0.22	351	4.9	0.27	2.7	0.15
Leukemias	378	6.9	0.38	4.1	0.22	349	4.7	0.26	2.9	0.17
Other, Ill-defined & Unknown	908	16.3	0.58	9.9	0.33	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	921	89.4	3.16	51.7	1.72	1,036	74.5	2.42	43.7	1.39
Oral Cavity & Pharynx	19	1.6	0.40	1.0	0.24	19	1.3	0.30	0.8	0.20
Digestive System	359	33.7	1.91	20.4	1.09	300	22.2	1.34	12.4	0.73
Esophagus	25	2.1	0.45	1.4	0.29	11	0.8	0.27	0.5	0.15
Stomach	49	4.1	0.63	2.9	0.42	44	2.9	0.45	1.9	0.30
Colon & Rectum	115	11.3	1.14	6.5	0.61	93	6.9	0.75	3.8	0.40
Liver	81	7.1	0.82	4.6	0.51	54	4.4	0.62	2.1	0.29
Pancreas	58	5.8	0.83	3.3	0.43	57	4.4	0.60	2.3	0.31
Respiratory System	232	22.6	1.59	13.1	0.87	235	17.6	1.20	9.6	0.64
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	222	21.7	1.56	12.5	0.85	234	17.5	1.19	9.5	0.63
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	143	9.3	0.81	6.2	0.53
Female Genital System	-	-	-	-	-	127	8.6	0.80	5.5	0.49
Cervix uteri	-	-	-	-	-	26	1.7	0.34	1.2	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	31	2.0	0.38	1.3	0.24
Ovary	-	-	-	-	-	61	4.2	0.56	2.6	0.33
Male Genital System	49	6.3	0.95	2.6	0.38	-	-	-	-	-
Prostate	48	6.2	0.94	2.6	0.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	44	4.4	0.71	2.5	0.38	18	1.5	0.36	0.7	0.16
Bladder	18	2.0	0.50	1.0	0.24	10	0.8	0.27	0.4	0.12
Kidney & renal pelvis	26	2.4	0.50	1.5	0.30	-	-	-	-	-
Brain & Other Nervous System	24	1.9	0.40	1.4	0.28	16	1.2	0.30	0.9	0.25
Endocrine System	-	-	-	-	-	11	0.9	0.27	0.4	0.14
Thyroid gland	-	-	-	-	-	10	0.8	0.26	0.4	0.13
Lymphomas	48	4.9	0.75	2.5	0.37	44	3.2	0.50	1.9	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	18	1.6	0.40	1.0	0.24	19	1.3	0.31	0.8	0.18
Leukemias	44	4.4	0.72	2.4	0.37	37	2.6	0.44	1.7	0.28
Other, Ill-defined & Unknown	77	7.3	0.89	4.4	0.51	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	42,650	212.4	1.09	122.2	0.60	37,508	140.6	0.74	85.5	0.47
Oral Cavity & Pharynx	920	4.1	0.14	2.7	0.09	388	1.4	0.07	0.8	0.05
Digestive System	11,449	54.3	0.54	33.2	0.31	8,265	31.1	0.35	18.1	0.21
Esophagus	1,497	6.6	0.18	4.4	0.11	368	1.4	0.07	0.8	0.05
Stomach	954	4.7	0.16	2.8	0.09	643	2.5	0.10	1.4	0.06
Colon & Rectum	3,951	19.5	0.33	11.4	0.18	3,345	12.6	0.22	7.3	0.13
Liver	1,740	7.6	0.19	5.1	0.12	691	2.6	0.10	1.5	0.06
Pancreas	2,552	12.3	0.26	7.3	0.15	2,407	9.1	0.19	5.2	0.11
Respiratory System	13,730	66.4	0.60	39.2	0.34	9,644	36.1	0.37	21.9	0.23
Larynx	435	1.9	0.10	1.3	0.06	107	0.4	0.04	0.2	0.02
Lung & bronchus	13,233	64.2	0.59	37.8	0.33	9,507	35.6	0.37	21.6	0.23
Skin	1,070	5.5	0.18	3.1	0.09	481	1.8	0.08	1.1	0.05
Melanomas of the skin	783	4.0	0.15	2.3	0.08	385	1.5	0.08	0.9	0.05
Breast	73	0.4	0.05	0.2	0.02	6,116	22.6	0.29	14.7	0.20
Female Genital System	-	-	-	-	-	4,133	15.3	0.24	9.8	0.16
Cervix uteri	-	-	-	-	-	674	2.5	0.10	1.8	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,215	4.4	0.13	2.9	0.09
Ovary	-	-	-	-	-	1,998	7.5	0.17	4.6	0.11
Male Genital System	4,008	23.9	0.40	10.8	0.17	-	-	-	-	-
Prostate	3,895	23.4	0.39	10.4	0.17	-	-	-	-	-
Testis	50	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,548	13.6	0.28	7.1	0.14	1,202	4.6	0.13	2.5	0.08
Bladder	1,378	7.9	0.22	3.7	0.10	587	2.3	0.09	1.1	0.05
Kidney & renal pelvis	1,115	5.5	0.17	3.2	0.10	572	2.2	0.09	1.2	0.06
Brain & Other Nervous System	1,173	5.2	0.16	3.7	0.11	898	3.4	0.11	2.5	0.09
Endocrine System	149	0.7	0.06	0.5	0.04	170	0.6	0.05	0.4	0.04
Thyroid gland	77	0.4	0.04	0.2	0.03	107	0.4	0.04	0.2	0.02
Lymphomas	1,466	7.7	0.21	4.2	0.11	1,132	4.4	0.13	2.4	0.08
Hodgkin Lymphoma	107	0.5	0.05	0.3	0.03	65	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,359	7.1	0.20	3.9	0.11	1,067	4.1	0.13	2.2	0.07
Multiple Myeloma	905	4.7	0.16	2.6	0.09	816	3.1	0.11	1.7	0.06
Leukemias	1,600	8.4	0.22	4.7	0.12	1,215	4.7	0.14	2.7	0.09
Other, Ill-defined & Unknown	3,559	17.5	0.31	10.3	0.18	3,048	11.4	0.21	6.9	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,110	206.2	1.22	117.9	0.69	26,551	138.7	0.86	83.7	0.56
Oral Cavity & Pharynx	629	3.9	0.16	2.5	0.10	273	1.4	0.09	0.8	0.05
Digestive System	7,877	50.3	0.59	30.5	0.35	5,469	28.4	0.39	16.3	0.24
Esophagus	1,094	6.6	0.21	4.3	0.13	236	1.2	0.08	0.7	0.05
Stomach	527	3.5	0.16	2.0	0.09	362	1.9	0.10	1.1	0.06
Colon & Rectum	2,690	17.8	0.36	10.3	0.20	2,197	11.4	0.25	6.5	0.15
Liver	1,141	6.9	0.21	4.5	0.14	459	2.4	0.11	1.4	0.07
Pancreas	1,905	12.3	0.29	7.2	0.17	1,651	8.5	0.21	4.8	0.13
Respiratory System	10,411	67.0	0.68	39.2	0.39	7,587	39.4	0.46	23.9	0.29
Larynx	281	1.7	0.11	1.1	0.07	78	0.4	0.05	0.3	0.03
Lung & bronchus	10,083	65.0	0.67	37.9	0.38	7,490	38.8	0.45	23.6	0.29
Skin	1,011	6.8	0.22	3.9	0.13	434	2.3	0.11	1.4	0.07
Melanomas of the skin	764	5.1	0.19	3.0	0.11	354	1.9	0.10	1.2	0.07
Breast	42	0.3	0.05	0.2	0.02	3,902	20.4	0.33	13.0	0.22
Female Genital System	-	-	-	-	-	2,767	14.5	0.28	9.3	0.19
Cervix uteri	-	-	-	-	-	402	2.3	0.12	1.7	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	654	3.3	0.13	2.2	0.09
Ovary	-	-	-	-	-	1,521	7.9	0.21	4.9	0.13
Male Genital System	2,422	18.7	0.39	8.3	0.17	-	-	-	-	-
Prostate	2,340	18.2	0.39	7.9	0.17	-	-	-	-	-
Testis	43	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,075	14.6	0.33	7.5	0.17	884	4.6	0.16	2.5	0.09
Bladder	1,166	8.6	0.26	4.0	0.12	424	2.2	0.11	1.1	0.06
Kidney & renal pelvis	859	5.6	0.20	3.3	0.11	432	2.2	0.11	1.3	0.07
Brain & Other Nervous System	979	6.0	0.20	4.3	0.14	719	3.9	0.15	2.8	0.12
Endocrine System	110	0.7	0.07	0.5	0.05	114	0.6	0.06	0.4	0.04
Thyroid gland	64	0.4	0.05	0.2	0.03	75	0.4	0.04	0.2	0.03
Lymphomas	1,156	8.1	0.25	4.3	0.13	917	4.8	0.16	2.6	0.10
Hodgkin Lymphoma	76	0.5	0.06	0.3	0.04	45	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,080	7.6	0.24	4.0	0.13	872	4.6	0.16	2.4	0.09
Multiple Myeloma	559	3.9	0.17	2.0	0.09	452	2.4	0.11	1.2	0.06
Leukemias	1,252	8.8	0.26	4.8	0.14	910	4.9	0.16	2.8	0.11
Other, Ill-defined & Unknown	2,587	17.1	0.35	10.0	0.20	2,123	11.1	0.25	6.6	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,953	250.6	2.74	145.6	1.41	10,412	151.1	1.54	94.0	0.94
Oral Cavity & Pharynx	269	5.1	0.35	3.4	0.21	110	1.5	0.15	1.0	0.10
Digestive System	3,332	70.5	1.40	43.4	0.76	2,622	39.0	0.79	23.2	0.47
Esophagus	384	7.3	0.42	5.0	0.26	128	1.8	0.17	1.1	0.10
Stomach	387	9.3	0.53	5.2	0.27	248	3.9	0.25	2.1	0.14
Colon & Rectum	1,198	26.8	0.89	15.6	0.46	1,094	16.0	0.50	9.6	0.30
Liver	532	9.5	0.47	6.8	0.30	210	3.0	0.22	1.9	0.13
Pancreas	625	13.1	0.59	8.2	0.33	715	11.1	0.43	6.3	0.24
Respiratory System	3,171	68.3	1.37	42.1	0.76	1,951	28.7	0.68	17.8	0.41
Larynx	151	2.8	0.26	2.0	0.16	29	0.4	0.08	0.3	0.05
Lung & bronchus	3,005	65.2	1.35	39.9	0.74	1,912	28.1	0.67	17.4	0.41
Skin	56	1.2	0.18	0.7	0.10	45	0.7	0.10	0.4	0.06
Melanomas of the skin	18	0.4	0.11	0.2	0.06	29	0.4	0.09	0.3	0.05
Breast	31	0.8	0.16	0.4	0.07	2,133	28.9	0.65	19.5	0.43
Female Genital System	-	-	-	-	-	1,298	18.6	0.54	12.0	0.34
Cervix uteri	-	-	-	-	-	256	3.5	0.22	2.4	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	544	7.9	0.35	5.1	0.22
Ovary	-	-	-	-	-	447	6.5	0.32	4.1	0.20
Male Genital System	1,553	49.0	1.36	22.1	0.56	-	-	-	-	-
Prostate	1,524	48.4	1.36	21.7	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	454	10.6	0.57	6.0	0.29	309	4.9	0.29	2.6	0.15
Bladder	202	5.3	0.42	2.8	0.20	160	2.7	0.22	1.3	0.10
Kidney & renal pelvis	248	5.2	0.38	3.2	0.21	135	2.0	0.18	1.2	0.11
Brain & Other Nervous System	175	3.2	0.27	2.3	0.17	163	2.2	0.18	1.7	0.13
Endocrine System	36	0.7	0.13	0.5	0.08	52	0.8	0.11	0.5	0.07
Thyroid gland	10	0.2	0.07	0.1	0.04	30	0.5	0.09	0.3	0.05
Lymphomas	289	6.0	0.41	3.7	0.22	198	3.0	0.22	1.8	0.13
Hodgkin Lymphoma	31	0.6	0.11	0.4	0.07	20	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	258	5.4	0.39	3.4	0.21	178	2.7	0.21	1.6	0.12
Multiple Myeloma	337	8.1	0.50	4.6	0.25	359	5.6	0.31	3.2	0.17
Leukemias	321	7.2	0.46	4.3	0.24	284	4.4	0.27	2.5	0.16
Other, Ill-defined & Unknown	929	20.1	0.76	12.1	0.40	888	12.8	0.45	8.0	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	560	105.1	5.27	61.6	2.66	509	79.1	3.92	45.3	2.03
Oral Cavity & Pharynx	21	4.1	1.09	2.3	0.52	-	-	-	-	-
Digestive System	233	41.8	3.23	25.0	1.68	168	29.1	2.49	15.2	1.19
Esophagus	19	3.2	0.89	2.0	0.46	-	-	-	-	-
Stomach	40	7.2	1.34	4.4	0.71	33	5.4	1.07	2.9	0.51
Colon & Rectum	60	12.2	1.91	6.7	0.89	50	8.6	1.35	4.6	0.65
Liver	65	10.4	1.48	6.7	0.85	22	4.2	0.96	2.0	0.43
Pancreas	21	3.5	0.82	2.3	0.50	39	6.7	1.20	3.6	0.59
Respiratory System	139	26.2	2.62	15.8	1.37	99	15.8	1.75	8.7	0.89
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	136	25.8	2.61	15.5	1.36	98	15.6	1.74	8.6	0.88
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	73	9.5	1.26	6.2	0.73
Female Genital System	-	-	-	-	-	61	8.0	1.14	5.4	0.70
Cervix uteri	-	-	-	-	-	15	2.2	0.63	1.3	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	15	2.0	0.55	1.3	0.34
Ovary	-	-	-	-	-	27	3.2	0.68	2.4	0.47
Male Genital System	30	8.3	1.70	3.4	0.65	-	-	-	-	-
Prostate	28	8.0	1.69	3.2	0.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	19	4.0	1.02	2.0	0.47	-	-	-	-	-
Bladder	10	2.4	0.82	1.1	0.34	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	17	2.0	0.52	1.7	0.41	15	1.9	0.54	1.4	0.36
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	20	3.9	1.12	2.3	0.54	16	3.0	0.83	1.4	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	26	5.1	1.21	2.9	0.58	19	2.8	0.70	1.7	0.39
Other, Ill-defined & Unknown	41	7.3	1.35	4.5	0.72	35	4.9	0.94	3.3	0.56

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,370	167.3	2.14	97.4	1.30	5,283	115.0	1.64	70.3	1.10
Oral Cavity & Pharynx	161	4.2	0.34	2.6	0.22	70	1.5	0.19	0.9	0.13
Digestive System	2,152	55.8	1.23	34.1	0.77	1,507	31.8	0.85	18.0	0.53
Esophagus	209	5.4	0.38	3.3	0.24	45	0.9	0.14	0.6	0.10
Stomach	235	6.3	0.42	3.5	0.24	183	3.7	0.28	2.0	0.17
Colon & Rectum	672	17.6	0.69	10.6	0.43	495	10.7	0.50	6.3	0.32
Liver	393	9.9	0.51	6.7	0.35	160	3.3	0.27	1.9	0.17
Pancreas	481	12.5	0.58	7.3	0.35	467	9.8	0.47	5.3	0.28
Respiratory System	1,625	42.7	1.08	24.6	0.64	1,167	25.4	0.76	14.7	0.48
Larynx	54	1.4	0.19	0.9	0.12	-	-	-	-	-
Lung & bronchus	1,552	40.8	1.06	23.4	0.62	1,155	25.1	0.76	14.5	0.48
Skin	148	3.9	0.33	2.3	0.20	66	1.4	0.18	0.8	0.12
Melanomas of the skin	91	2.4	0.26	1.5	0.16	47	1.0	0.15	0.6	0.10
Breast	-	-	-	-	-	667	15.0	0.60	10.2	0.44
Female Genital System	-	-	-	-	-	538	12.4	0.55	8.5	0.40
Cervix uteri	-	-	-	-	-	76	1.9	0.23	1.5	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	189	4.3	0.32	3.0	0.24
Ovary	-	-	-	-	-	240	5.4	0.36	3.5	0.25
Male Genital System	510	13.9	0.62	6.2	0.29	-	-	-	-	-
Prostate	506	13.7	0.62	6.1	0.29	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	356	9.2	0.50	5.1	0.29	138	2.8	0.25	1.6	0.15
Bladder	180	4.7	0.36	2.4	0.19	54	1.0	0.15	0.5	0.08
Kidney & renal pelvis	165	4.2	0.33	2.6	0.21	74	1.6	0.19	1.0	0.12
Brain & Other Nervous System	115	2.8	0.27	2.3	0.24	98	2.3	0.24	1.8	0.21
Endocrine System	32	0.8	0.15	0.5	0.10	44	1.0	0.16	0.7	0.12
Thyroid gland	23	0.6	0.12	0.4	0.08	34	0.8	0.13	0.5	0.09
Lymphomas	262	7.1	0.45	4.0	0.27	204	4.2	0.30	2.3	0.19
Hodgkin Lymphoma	12	0.3	0.10	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	250	6.7	0.43	3.8	0.26	-	-	-	-	-
Multiple Myeloma	130	3.5	0.31	1.9	0.18	86	1.9	0.21	1.1	0.13
Leukemias	253	6.9	0.44	4.1	0.28	174	4.0	0.31	2.6	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	524	11.3	0.51	7.0	0.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,073	184.0	4.27	105.3	2.41	1,486	137.0	3.77	81.4	2.41
Oral Cavity & Pharynx	62	5.0	0.67	3.2	0.42	21	2.3	0.52	1.2	0.30
Digestive System	598	51.0	2.21	31.5	1.33	340	31.3	1.79	17.3	1.03
Esophagus	78	6.9	0.82	4.1	0.47	20	1.8	0.42	1.0	0.24
Stomach	37	3.6	0.60	2.1	0.36	22	2.1	0.46	1.0	0.22
Colon & Rectum	170	14.9	1.21	8.5	0.67	127	12.0	1.13	6.9	0.68
Liver	115	9.2	0.90	6.3	0.60	22	1.6	0.37	1.0	0.23
Pancreas	150	12.7	1.10	8.0	0.67	113	10.4	1.02	5.5	0.56
Respiratory System	495	43.2	2.05	24.9	1.14	345	31.7	1.79	17.8	1.03
Larynx	25	2.0	0.43	1.3	0.26	-	-	-	-	-
Lung & bronchus	461	40.4	1.99	23.1	1.10	343	31.6	1.79	17.8	1.03
Skin	108	10.1	1.02	5.5	0.56	-	-	-	-	-
Melanomas of the skin	67	6.2	0.80	3.6	0.46	26	2.3	0.47	1.4	0.30
Breast	-	-	-	-	-	202	18.3	1.37	11.7	0.91
Female Genital System	-	-	-	-	-	161	15.2	1.27	9.6	0.83
Cervix uteri	-	-	-	-	-	23	2.4	0.53	1.7	0.39
Corpus & uterus, NOS ¹	-	-	-	-	-	43	3.7	0.61	2.3	0.38
Ovary	-	-	-	-	-	80	7.8	0.92	4.7	0.58
Male Genital System	192	19.5	1.45	8.5	0.63	-	-	-	-	-
Prostate	191	19.4	1.45	8.4	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	133	11.7	1.08	6.4	0.57	36	3.2	0.56	1.6	0.30
Bladder	83	7.6	0.88	3.9	0.44	17	1.6	0.41	0.7	0.20
Kidney & renal pelvis	46	3.7	0.58	2.3	0.34	17	1.4	0.36	0.8	0.21
Brain & Other Nervous System	59	4.6	0.64	3.5	0.54	48	4.7	0.78	4.3	0.80
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	84	7.7	0.88	4.6	0.57	54	4.6	0.66	2.4	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	52	4.9	0.71	2.5	0.37	28	2.5	0.50	1.5	0.30
Leukemias	67	6.3	0.80	3.5	0.44	39	4.2	0.74	2.8	0.61
Other, Ill-defined & Unknown	214	19.4	1.40	10.7	0.76	172	15.3	1.24	9.0	0.79

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	83	194.8	25.01	109.2	12.43	40	117.3	20.05	78.7	12.82
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	27	48.9	11.12	33.3	6.75	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	12	20.7	7.08	14.5	4.44	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	21	58.9	14.88	27.8	6.23	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	54.6	14.25	26.4	6.07	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	26.4	8.75	19.6	6.36
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,197	160.4	2.52	93.9	1.57	3,748	108.9	1.84	67.0	1.27
Oral Cavity & Pharynx	96	3.7	0.39	2.3	0.26	49	1.4	0.20	0.9	0.15
Digestive System	1,524	58.0	1.51	35.4	0.97	1,158	32.2	0.98	18.4	0.64
Esophagus	128	4.8	0.43	3.1	0.29	24	0.7	0.14	0.5	0.11
Stomach	197	7.5	0.54	4.2	0.33	160	4.2	0.35	2.3	0.23
Colon & Rectum	489	18.7	0.86	11.5	0.56	365	10.4	0.56	6.2	0.38
Liver	271	10.2	0.63	6.9	0.44	137	3.8	0.34	2.2	0.22
Pancreas	326	12.2	0.69	7.0	0.42	352	9.7	0.54	5.3	0.33
Respiratory System	1,103	42.2	1.29	24.4	0.79	810	23.5	0.85	13.7	0.55
Larynx	27	1.0	0.20	0.6	0.13	-	-	-	-	-
Lung & bronchus	1,066	40.8	1.27	23.5	0.77	800	23.1	0.84	13.4	0.54
Skin	40	1.5	0.24	0.9	0.16	32	0.9	0.16	0.5	0.11
Melanomas of the skin	24	0.9	0.19	0.6	0.13	21	0.6	0.13	0.3	0.08
Breast	-	-	-	-	-	454	14.0	0.68	9.7	0.51
Female Genital System	-	-	-	-	-	370	11.7	0.62	8.2	0.47
Cervix uteri	-	-	-	-	-	52	1.8	0.26	1.4	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	143	4.6	0.39	3.3	0.30
Ovary	-	-	-	-	-	157	4.8	0.39	3.2	0.28
Male Genital System	308	11.6	0.67	5.1	0.32	-	-	-	-	-
Prostate	305	11.4	0.66	5.0	0.32	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	219	8.2	0.57	4.5	0.33	101	2.8	0.28	1.6	0.18
Bladder	93	3.5	0.37	1.6	0.18	37	0.9	0.15	0.4	0.09
Kidney & renal pelvis	119	4.5	0.42	2.8	0.27	56	1.6	0.23	1.0	0.15
Brain & Other Nervous System	53	2.0	0.28	1.7	0.25	48	1.5	0.22	1.1	0.18
Endocrine System	26	1.0	0.19	0.7	0.14	38	1.2	0.20	0.9	0.16
Thyroid gland	19	0.7	0.16	0.5	0.11	30	0.9	0.17	0.6	0.12
Lymphomas	172	6.7	0.52	3.6	0.31	149	4.1	0.35	2.3	0.22
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	75	3.0	0.35	1.6	0.20	57	1.7	0.23	0.9	0.14
Leukemias	181	7.0	0.53	4.3	0.36	133	4.0	0.36	2.6	0.28
Other, Ill-defined & Unknown	-	-	-	-	-	349	10.1	0.56	6.4	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2010-2014, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	7,168	185.4	2.24	102.9	1.27	6,008	132.6	1.74	77.9	1.09
Oral Cavity & Pharynx	146	3.5	0.30	2.3	0.20	57	1.3	0.18	0.7	0.10
Digestive System	1,925	48.0	1.12	28.7	0.68	1,344	29.5	0.82	17.1	0.51
Esophagus	297	7.3	0.44	4.5	0.27	69	1.5	0.18	0.9	0.11
Stomach	122	3.2	0.29	1.7	0.16	68	1.5	0.18	0.9	0.12
Colon & Rectum	627	15.9	0.65	9.3	0.38	502	11.1	0.51	6.4	0.31
Liver	247	5.6	0.37	3.9	0.25	85	1.8	0.19	1.2	0.14
Pancreas	513	12.8	0.58	7.6	0.35	437	9.7	0.47	5.4	0.28
Respiratory System	1,789	45.6	1.10	25.4	0.62	1,442	31.8	0.85	18.7	0.52
Larynx	55	1.3	0.18	0.8	0.11	-	-	-	-	-
Lung & bronchus	1,714	43.7	1.08	24.3	0.61	1,424	31.4	0.84	18.4	0.52
Skin	271	7.0	0.43	4.1	0.26	132	2.9	0.26	1.7	0.16
Melanomas of the skin	193	4.8	0.36	3.0	0.23	103	2.4	0.24	1.4	0.15
Breast	11	0.3	0.08	0.2	0.05	918	20.4	0.69	12.8	0.45
Female Genital System	-	-	-	-	-	664	14.6	0.58	9.1	0.38
Cervix uteri	-	-	-	-	-	70	1.7	0.21	1.2	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	196	4.3	0.31	2.7	0.21
Ovary	-	-	-	-	-	348	7.5	0.41	4.6	0.26
Male Genital System	837	23.7	0.83	10.3	0.37	-	-	-	-	-
Prostate	821	23.3	0.83	10.0	0.36	-	-	-	-	-
Testis	11	0.3	0.09	0.2	0.07	-	-	-	-	-
Urinary System	527	13.8	0.62	7.3	0.33	206	4.5	0.32	2.3	0.18
Bladder	272	7.4	0.46	3.5	0.22	81	1.7	0.20	0.8	0.10
Kidney & renal pelvis	239	6.0	0.40	3.6	0.24	114	2.5	0.24	1.4	0.15
Brain & Other Nervous System	275	6.8	0.42	4.7	0.30	150	3.3	0.28	2.4	0.21
Endocrine System	41	1.1	0.17	0.7	0.11	34	0.8	0.14	0.4	0.09
Thyroid gland	27	0.7	0.14	0.4	0.08	26	0.6	0.12	0.3	0.07
Lymphomas	313	8.3	0.48	4.3	0.25	242	5.4	0.35	2.6	0.19
Hodgkin Lymphoma	15	0.4	0.10	0.3	0.07	14	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	298	7.9	0.47	4.0	0.24	228	5.1	0.34	2.4	0.18
Multiple Myeloma	160	4.1	0.33	2.2	0.18	108	2.4	0.24	1.3	0.13
Leukemias	332	9.0	0.50	4.8	0.28	221	4.9	0.33	2.7	0.20
Other, Ill-defined & Unknown	541	14.1	0.62	8.0	0.36	490	10.9	0.50	6.2	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,043	186.5	2.27	103.7	1.29	5,895	133.6	1.77	78.4	1.12
Oral Cavity & Pharynx	142	3.5	0.30	2.3	0.20	55	1.3	0.18	0.7	0.10
Digestive System	1,882	48.1	1.14	28.8	0.69	1,307	29.5	0.83	17.0	0.51
Esophagus	291	7.3	0.44	4.6	0.28	68	1.5	0.18	0.9	0.12
Stomach	118	3.1	0.29	1.7	0.16	67	1.5	0.18	0.9	0.12
Colon & Rectum	612	15.9	0.66	9.3	0.39	492	11.2	0.52	6.4	0.32
Liver	233	5.5	0.37	3.8	0.25	75	1.6	0.19	1.0	0.13
Pancreas	509	13.0	0.59	7.7	0.36	431	9.8	0.48	5.5	0.28
Respiratory System	1,769	46.0	1.12	25.7	0.63	1,418	32.0	0.86	18.8	0.53
Larynx	53	1.3	0.18	0.8	0.11	-	-	-	-	-
Lung & bronchus	1,696	44.2	1.10	24.6	0.62	1,400	31.6	0.86	18.5	0.53
Skin	267	7.0	0.44	4.1	0.27	131	3.0	0.27	1.7	0.17
Melanomas of the skin	190	4.9	0.36	3.1	0.24	102	2.4	0.24	1.5	0.16
Breast	11	0.3	0.09	0.2	0.05	905	20.6	0.70	13.0	0.47
Female Genital System	-	-	-	-	-	649	14.7	0.59	9.2	0.39
Cervix uteri	-	-	-	-	-	70	1.7	0.21	1.2	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	192	4.3	0.32	2.7	0.21
Ovary	-	-	-	-	-	338	7.5	0.41	4.6	0.27
Male Genital System	821	23.8	0.84	10.3	0.37	-	-	-	-	-
Prostate	805	23.4	0.83	10.0	0.36	-	-	-	-	-
Testis	11	0.3	0.09	0.2	0.07	-	-	-	-	-
Urinary System	522	14.0	0.63	7.4	0.34	204	4.5	0.32	2.4	0.18
Bladder	270	7.5	0.46	3.6	0.23	80	1.7	0.20	0.8	0.10
Kidney & renal pelvis	236	6.1	0.40	3.7	0.25	113	2.5	0.24	1.4	0.15
Brain & Other Nervous System	269	6.9	0.43	4.8	0.30	149	3.4	0.28	2.5	0.22
Endocrine System	40	1.1	0.17	0.7	0.11	32	0.7	0.13	0.4	0.08
Thyroid gland	26	0.7	0.14	0.4	0.09	25	0.6	0.12	0.3	0.06
Lymphomas	307	8.4	0.49	4.3	0.26	241	5.5	0.36	2.7	0.19
Hodgkin Lymphoma	15	0.4	0.11	0.3	0.07	14	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	292	8.0	0.48	4.0	0.25	227	5.2	0.35	2.5	0.18
Multiple Myeloma	157	4.2	0.34	2.2	0.18	105	2.4	0.24	1.2	0.13
Leukemias	328	9.1	0.51	4.9	0.29	215	4.8	0.34	2.6	0.20
Other, Ill-defined & Unknown	528	14.1	0.63	8.0	0.37	484	11.0	0.51	6.3	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	19	113.1	31.39	73.9	17.69	11	101.1	33.91	61.7	19.20
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51	156.6	23.66	80.0	11.49	43	75.6	12.00	45.8	7.30
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	17	44.7	11.77	26.4	6.56	16	27.9	7.25	17.5	4.57
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	62,033	208.5	0.86	117.2	0.49	59,597	150.3	0.63	89.4	0.41
Oral Cavity & Pharynx	1,215	3.8	0.11	2.5	0.07	540	1.4	0.06	0.8	0.04
Digestive System	17,077	55.8	0.44	33.1	0.26	13,588	33.8	0.30	19.2	0.18
Esophagus	2,447	7.8	0.16	4.8	0.10	687	1.7	0.07	1.0	0.04
Stomach	1,476	4.9	0.13	2.9	0.08	965	2.4	0.08	1.4	0.05
Colon & Rectum	5,713	19.1	0.26	10.8	0.15	5,405	13.3	0.18	7.3	0.11
Liver	2,234	6.9	0.15	4.5	0.10	914	2.3	0.08	1.3	0.05
Pancreas	3,893	12.8	0.21	7.5	0.12	3,913	9.8	0.16	5.6	0.10
Respiratory System	18,514	61.4	0.46	35.4	0.27	15,598	40.0	0.33	23.7	0.21
Larynx	656	2.1	0.08	1.3	0.05	161	0.4	0.03	0.3	0.02
Lung & bronchus	17,763	59.0	0.45	33.9	0.26	15,384	39.4	0.32	23.3	0.20
Skin	1,451	4.9	0.13	2.8	0.08	789	2.0	0.07	1.2	0.05
Melanomas of the skin	1,094	3.6	0.11	2.1	0.07	626	1.6	0.07	1.0	0.04
Breast	81	0.3	0.03	0.2	0.02	8,882	22.5	0.24	14.4	0.17
Female Genital System	-	-	-	-	-	6,370	16.3	0.21	10.4	0.14
Cervix uteri	-	-	-	-	-	903	2.4	0.08	1.8	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,081	5.2	0.12	3.3	0.08
Ovary	-	-	-	-	-	2,965	7.6	0.14	4.8	0.09
Male Genital System	5,817	21.3	0.28	9.5	0.13	-	-	-	-	-
Prostate	5,693	20.9	0.28	9.2	0.13	-	-	-	-	-
Testis	64	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	4,007	13.8	0.22	7.2	0.12	2,130	5.2	0.11	2.8	0.07
Bladder	2,094	7.5	0.17	3.5	0.08	937	2.2	0.08	1.1	0.04
Kidney & renal pelvis	1,803	5.9	0.14	3.5	0.09	1,109	2.7	0.08	1.6	0.05
Brain & Other Nervous System	1,618	5.1	0.13	3.6	0.09	1,266	3.3	0.10	2.4	0.07
Endocrine System	251	0.8	0.05	0.6	0.04	298	0.8	0.05	0.5	0.04
Thyroid gland	145	0.5	0.04	0.3	0.02	187	0.5	0.04	0.3	0.02
Lymphomas	2,362	8.2	0.17	4.3	0.09	1,964	4.8	0.11	2.5	0.07
Hodgkin Lymphoma	114	0.4	0.04	0.2	0.02	78	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	2,248	7.8	0.17	4.1	0.09	1,886	4.6	0.11	2.4	0.06
Multiple Myeloma	1,236	4.3	0.12	2.2	0.07	1,097	2.7	0.08	1.4	0.05
Leukemias	2,761	9.7	0.19	5.1	0.10	2,176	5.4	0.12	3.1	0.08
Other, Ill-defined & Unknown	5,643	18.9	0.26	10.8	0.15	4,899	12.2	0.18	7.0	0.11

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51,627	204.8	0.92	114.3	0.53	49,086	148.5	0.69	87.8	0.45
Oral Cavity & Pharynx	953	3.6	0.12	2.3	0.08	447	1.3	0.07	0.8	0.04
Digestive System	13,857	53.7	0.47	31.5	0.28	10,869	32.2	0.32	18.2	0.20
Esophagus	2,140	8.1	0.18	5.0	0.11	540	1.6	0.07	0.9	0.04
Stomach	1,068	4.2	0.13	2.5	0.08	678	2.0	0.08	1.2	0.05
Colon & Rectum	4,602	18.2	0.27	10.2	0.16	4,329	12.6	0.20	6.9	0.12
Liver	1,684	6.2	0.16	3.9	0.10	701	2.1	0.08	1.2	0.05
Pancreas	3,265	12.7	0.23	7.4	0.14	3,198	9.5	0.17	5.5	0.11
Respiratory System	15,364	60.3	0.50	34.4	0.29	13,049	40.3	0.36	23.8	0.23
Larynx	500	1.9	0.09	1.1	0.05	106	0.3	0.03	0.2	0.02
Lung & bronchus	14,779	58.1	0.49	33.1	0.28	12,898	39.8	0.36	23.5	0.23
Skin	1,405	5.6	0.15	3.2	0.09	749	2.3	0.09	1.4	0.06
Melanomas of the skin	1,069	4.2	0.13	2.5	0.08	602	1.9	0.08	1.2	0.05
Breast	64	0.3	0.03	0.2	0.02	7,086	21.6	0.26	13.7	0.18
Female Genital System	-	-	-	-	-	5,120	15.8	0.23	10.0	0.15
Cervix uteri	-	-	-	-	-	624	2.1	0.09	1.5	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,597	4.8	0.12	3.0	0.08
Ovary	-	-	-	-	-	2,523	7.8	0.16	4.9	0.11
Male Genital System	4,494	19.1	0.29	8.4	0.13	-	-	-	-	-
Prostate	4,383	18.6	0.28	8.0	0.13	-	-	-	-	-
Testis	58	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,562	14.4	0.25	7.5	0.13	1,821	5.3	0.13	2.8	0.08
Bladder	1,897	7.9	0.18	3.7	0.09	779	2.2	0.08	1.0	0.04
Kidney & renal pelvis	1,563	6.1	0.16	3.6	0.09	968	2.9	0.09	1.7	0.06
Brain & Other Nervous System	1,452	5.5	0.15	3.9	0.11	1,130	3.6	0.11	2.6	0.09
Endocrine System	209	0.8	0.06	0.6	0.04	245	0.8	0.05	0.5	0.04
Thyroid gland	122	0.5	0.04	0.3	0.03	157	0.5	0.04	0.3	0.02
Lymphomas	2,116	8.7	0.19	4.5	0.10	1,757	5.1	0.13	2.6	0.07
Hodgkin Lymphoma	103	0.4	0.04	0.3	0.03	63	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	2,013	8.3	0.19	4.3	0.10	1,694	4.9	0.12	2.5	0.07
Multiple Myeloma	984	4.0	0.13	2.1	0.07	823	2.4	0.09	1.2	0.05
Leukemias	2,407	10.0	0.21	5.2	0.12	1,871	5.6	0.13	3.1	0.09
Other, Ill-defined & Unknown	4,760	18.9	0.28	10.7	0.16	4,119	12.2	0.20	7.0	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,151	274.0	3.02	162.0	1.72	9,280	183.4	1.93	113.5	1.24
Oral Cavity & Pharynx	217	5.5	0.39	4.0	0.27	74	1.4	0.17	1.0	0.12
Digestive System	2,743	78.5	1.58	49.1	0.95	2,366	46.9	0.98	27.6	0.60
Esophagus	274	7.3	0.46	5.0	0.31	126	2.4	0.22	1.6	0.14
Stomach	337	10.5	0.60	5.9	0.33	238	4.8	0.31	2.8	0.19
Colon & Rectum	982	29.4	0.99	17.3	0.56	971	19.3	0.63	11.2	0.38
Liver	433	10.8	0.54	8.0	0.39	173	3.4	0.26	2.1	0.16
Pancreas	560	16.1	0.72	10.0	0.43	632	12.7	0.51	7.3	0.30
Respiratory System	2,828	82.0	1.63	50.5	0.97	2,312	45.8	0.97	27.9	0.61
Larynx	151	4.2	0.36	2.7	0.22	53	1.0	0.14	0.7	0.10
Lung & bronchus	2,667	77.6	1.58	47.6	0.94	2,251	44.6	0.95	27.2	0.60
Skin	38	1.1	0.19	0.7	0.11	34	0.7	0.12	0.4	0.07
Melanomas of the skin	19	0.6	0.14	0.4	0.08	18	0.4	0.09	0.2	0.05
Breast	14	0.4	0.12	0.3	0.07	1,601	31.3	0.79	20.7	0.54
Female Genital System	-	-	-	-	-	1,110	21.6	0.66	14.3	0.45
Cervix uteri	-	-	-	-	-	257	4.9	0.31	3.5	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	445	8.6	0.42	5.7	0.28
Ovary	-	-	-	-	-	367	7.2	0.38	4.5	0.25
Male Genital System	1,249	45.2	1.33	20.7	0.60	-	-	-	-	-
Prostate	1,238	44.9	1.32	20.5	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	385	12.3	0.66	6.7	0.35	274	5.6	0.34	3.1	0.20
Bladder	165	5.7	0.46	2.8	0.22	136	2.8	0.24	1.4	0.13
Kidney & renal pelvis	214	6.4	0.46	3.8	0.27	128	2.6	0.23	1.5	0.14
Brain & Other Nervous System	129	3.2	0.30	2.4	0.22	106	2.0	0.20	1.4	0.15
Endocrine System	30	0.8	0.15	0.6	0.11	45	0.9	0.14	0.6	0.10
Thyroid gland	14	0.4	0.11	0.3	0.07	26	0.5	0.11	0.3	0.06
Lymphomas	206	5.8	0.42	3.8	0.27	161	3.2	0.26	2.0	0.17
Hodgkin Lymphoma	10	0.2	0.08	0.2	0.06	14	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	196	5.5	0.42	3.6	0.26	147	3.0	0.25	1.8	0.16
Multiple Myeloma	237	7.6	0.51	4.1	0.27	262	5.4	0.34	2.9	0.19
Leukemias	296	9.1	0.56	5.3	0.31	252	5.1	0.32	3.0	0.20
Other, Ill-defined & Unknown	779	22.6	0.85	13.9	0.51	683	13.5	0.52	8.4	0.34

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,218	112.3	3.52	59.9	1.73	1,194	82.6	2.49	47.3	1.40
Oral Cavity & Pharynx	45	3.3	0.55	2.2	0.34	19	1.3	0.30	0.7	0.17
Digestive System	463	40.4	2.06	22.8	1.06	343	24.8	1.39	13.2	0.73
Esophagus	28	2.1	0.44	1.4	0.26	20	1.5	0.35	0.8	0.17
Stomach	71	6.9	0.89	3.5	0.41	48	3.5	0.53	1.8	0.26
Colon & Rectum	126	11.6	1.13	6.2	0.55	102	7.4	0.76	3.9	0.39
Liver	112	9.5	0.97	5.6	0.53	39	2.9	0.48	1.5	0.25
Pancreas	67	5.9	0.79	3.3	0.40	80	5.8	0.67	3.1	0.35
Respiratory System	315	30.3	1.86	15.2	0.86	227	16.3	1.12	8.8	0.60
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	310	29.7	1.84	15.0	0.85	225	16.1	1.12	8.7	0.59
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	193	12.0	0.89	8.1	0.59
Female Genital System	-	-	-	-	-	139	8.9	0.78	5.6	0.48
Cervix uteri	-	-	-	-	-	21	1.3	0.30	0.8	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	39	2.5	0.41	1.6	0.26
Ovary	-	-	-	-	-	75	4.8	0.58	3.0	0.35
Male Genital System	68	8.1	1.05	3.3	0.40	-	-	-	-	-
Prostate	67	8.1	1.05	3.2	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	60	6.4	0.89	2.9	0.38	31	2.4	0.44	1.1	0.21
Bladder	32	3.4	0.65	1.6	0.28	21	1.6	0.36	0.8	0.17
Kidney & renal pelvis	26	2.8	0.58	1.3	0.25	10	0.8	0.26	0.3	0.11
Brain & Other Nervous System	37	2.8	0.50	2.1	0.35	28	1.7	0.34	1.3	0.26
Endocrine System	11	1.1	0.36	0.6	0.18	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	40	4.1	0.71	1.9	0.31	45	3.2	0.49	1.8	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	1.4	0.40	0.7	0.19	12	0.9	0.27	0.5	0.13
Leukemias	57	5.5	0.79	2.9	0.40	52	3.8	0.54	2.1	0.30
Other, Ill-defined & Unknown	96	8.0	0.89	4.8	0.49	91	6.5	0.70	3.6	0.38

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,307	225.0	1.23	129.6	0.72	31,182	153.8	0.89	93.3	0.58
Oral Cavity & Pharynx	627	3.7	0.15	2.5	0.10	263	1.3	0.08	0.8	0.05
Digestive System	8,979	55.6	0.60	33.7	0.37	6,759	32.8	0.41	19.0	0.26
Esophagus	1,476	8.9	0.24	5.7	0.15	347	1.7	0.09	1.0	0.06
Stomach	599	3.8	0.16	2.3	0.10	356	1.8	0.10	1.1	0.06
Colon & Rectum	3,026	19.3	0.36	11.2	0.21	2,792	13.4	0.26	7.5	0.16
Liver	1,143	6.5	0.20	4.5	0.14	425	2.1	0.10	1.2	0.07
Pancreas	2,098	13.1	0.29	7.8	0.18	1,980	9.6	0.22	5.6	0.14
Respiratory System	11,799	73.7	0.70	43.8	0.41	8,785	43.6	0.47	26.8	0.31
Larynx	337	2.0	0.11	1.3	0.07	83	0.4	0.05	0.3	0.03
Lung & bronchus	11,380	71.2	0.68	42.2	0.41	8,647	43.0	0.47	26.4	0.31
Skin	950	6.0	0.20	3.6	0.12	502	2.5	0.12	1.6	0.08
Melanomas of the skin	681	4.2	0.17	2.7	0.11	381	2.0	0.10	1.3	0.07
Breast	51	0.3	0.05	0.2	0.03	4,393	21.8	0.34	14.0	0.23
Female Genital System	-	-	-	-	-	3,246	16.1	0.29	10.4	0.20
Cervix uteri	-	-	-	-	-	445	2.4	0.12	1.8	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	999	4.8	0.16	3.1	0.11
Ovary	-	-	-	-	-	1,572	7.8	0.20	4.9	0.13
Male Genital System	3,030	21.5	0.40	9.6	0.18	-	-	-	-	-
Prostate	2,951	21.0	0.39	9.2	0.18	-	-	-	-	-
Testis	46	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	2,316	15.3	0.32	8.1	0.18	1,160	5.6	0.17	2.9	0.10
Bladder	1,226	8.4	0.25	4.0	0.12	522	2.5	0.11	1.2	0.06
Kidney & renal pelvis	1,028	6.4	0.21	3.9	0.13	591	2.9	0.12	1.6	0.07
Brain & Other Nervous System	923	5.6	0.19	4.0	0.14	696	3.6	0.14	2.6	0.11
Endocrine System	128	0.8	0.07	0.6	0.05	151	0.8	0.06	0.5	0.05
Thyroid gland	74	0.5	0.06	0.3	0.03	95	0.5	0.05	0.2	0.03
Lymphomas	1,383	9.1	0.25	5.0	0.14	1,092	5.4	0.17	3.0	0.10
Hodgkin Lymphoma	74	0.5	0.06	0.3	0.04	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,309	8.6	0.24	4.7	0.13	1,039	5.1	0.16	2.8	0.10
Multiple Myeloma	718	4.7	0.18	2.5	0.10	572	2.8	0.12	1.5	0.07
Leukemias	1,492	10.0	0.26	5.4	0.15	1,152	5.7	0.17	3.1	0.11
Other, Ill-defined & Unknown	2,911	18.7	0.36	10.8	0.21	2,411	11.7	0.24	7.0	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,557	224.0	1.27	128.9	0.74	28,400	152.4	0.92	92.3	0.61
Oral Cavity & Pharynx	587	3.7	0.16	2.5	0.11	240	1.3	0.08	0.8	0.06
Digestive System	8,137	54.6	0.62	32.9	0.38	6,050	31.8	0.42	18.4	0.27
Esophagus	1,401	9.1	0.25	5.8	0.16	317	1.7	0.10	1.0	0.06
Stomach	504	3.5	0.16	2.0	0.09	285	1.5	0.09	0.9	0.06
Colon & Rectum	2,753	19.0	0.37	11.0	0.22	2,517	13.1	0.27	7.4	0.17
Liver	966	6.1	0.20	4.1	0.13	361	1.9	0.10	1.1	0.07
Pancreas	1,930	13.0	0.30	7.7	0.18	1,791	9.4	0.23	5.5	0.14
Respiratory System	10,939	73.7	0.72	43.8	0.43	8,086	43.7	0.49	26.9	0.32
Larynx	298	1.9	0.11	1.2	0.07	77	0.4	0.05	0.3	0.03
Lung & bronchus	10,566	71.3	0.71	42.3	0.42	7,959	43.1	0.49	26.5	0.32
Skin	938	6.4	0.21	3.8	0.13	494	2.8	0.13	1.7	0.09
Melanomas of the skin	680	4.6	0.18	2.9	0.12	377	2.2	0.12	1.4	0.08
Breast	47	0.3	0.05	0.2	0.03	3,930	21.3	0.35	13.6	0.24
Female Genital System	-	-	-	-	-	2,952	16.1	0.30	10.3	0.21
Cervix uteri	-	-	-	-	-	396	2.4	0.13	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	865	4.6	0.16	2.9	0.11
Ovary	-	-	-	-	-	1,471	7.9	0.21	4.9	0.14
Male Genital System	2,680	20.4	0.40	9.0	0.18	-	-	-	-	-
Prostate	2,604	19.9	0.39	8.6	0.18	-	-	-	-	-
Testis	45	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,209	15.7	0.34	8.3	0.19	1,072	5.5	0.17	2.9	0.10
Bladder	1,191	8.7	0.26	4.2	0.13	474	2.4	0.11	1.2	0.06
Kidney & renal pelvis	958	6.5	0.21	3.9	0.13	552	2.9	0.13	1.6	0.08
Brain & Other Nervous System	879	5.8	0.20	4.2	0.15	666	3.8	0.15	2.7	0.12
Endocrine System	117	0.8	0.08	0.5	0.06	133	0.7	0.07	0.5	0.05
Thyroid gland	72	0.5	0.06	0.3	0.04	85	0.4	0.05	0.2	0.03
Lymphomas	1,310	9.2	0.26	5.0	0.15	1,018	5.4	0.17	3.0	0.11
Hodgkin Lymphoma	70	0.5	0.06	0.3	0.04	45	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,240	8.7	0.25	4.7	0.14	973	5.2	0.17	2.8	0.10
Multiple Myeloma	641	4.5	0.18	2.4	0.10	480	2.5	0.12	1.3	0.07
Leukemias	1,405	10.1	0.28	5.4	0.15	1,073	5.7	0.18	3.1	0.11
Other, Ill-defined & Unknown	2,668	18.6	0.37	10.7	0.22	2,206	11.7	0.25	6.9	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,605	269.1	5.65	157.8	3.14	2,593	185.2	3.72	113.7	2.33
Oral Cavity & Pharynx	38	3.4	0.59	2.3	0.37	22	1.6	0.34	1.0	0.22
Digestive System	789	75.4	2.88	48.6	1.76	645	46.8	1.88	26.8	1.11
Esophagus	72	7.1	0.89	4.5	0.53	29	2.1	0.40	1.2	0.23
Stomach	85	8.3	0.97	5.2	0.57	61	4.6	0.60	2.3	0.32
Colon & Rectum	262	26.1	1.74	15.9	1.00	251	18.4	1.18	10.0	0.67
Liver	163	12.6	1.03	10.3	0.82	54	3.7	0.51	2.6	0.36
Pancreas	160	16.4	1.38	10.0	0.80	177	13.0	1.00	7.4	0.59
Respiratory System	832	86.0	3.18	50.4	1.78	666	48.0	1.90	29.3	1.18
Larynx	39	4.1	0.70	2.3	0.38	-	-	-	-	-
Lung & bronchus	786	81.1	3.09	47.7	1.73	655	47.1	1.88	28.8	1.17
Skin	12	1.1	0.33	0.7	0.21	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	436	30.1	1.47	20.2	1.00
Female Genital System	-	-	-	-	-	272	19.0	1.18	12.4	0.78
Cervix uteri	-	-	-	-	-	44	2.9	0.45	2.1	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	126	9.0	0.82	5.7	0.53
Ovary	-	-	-	-	-	92	6.4	0.68	4.3	0.46
Male Genital System	341	42.7	2.43	19.9	1.10	-	-	-	-	-
Prostate	338	42.4	2.42	19.8	1.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	103	10.9	1.15	6.3	0.63	80	5.8	0.66	3.3	0.39
Bladder	34	4.2	0.76	2.0	0.35	43	3.3	0.52	1.6	0.26
Kidney & renal pelvis	68	6.6	0.86	4.2	0.52	36	2.4	0.40	1.7	0.29
Brain & Other Nervous System	36	3.3	0.60	2.2	0.37	27	1.7	0.34	1.4	0.28
Endocrine System	10	0.9	0.32	0.7	0.21	14	0.9	0.24	0.7	0.20
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	61	6.3	0.87	3.5	0.46	67	5.0	0.62	2.8	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	75	8.2	1.01	4.4	0.52	90	7.0	0.75	3.7	0.41
Leukemias	77	8.0	0.98	4.6	0.54	73	5.4	0.64	3.0	0.37
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	133	102.1	10.66	54.5	4.86	168	84.0	7.04	52.0	4.08
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	52	39.9	6.59	21.1	3.00	57	29.5	4.23	17.2	2.32
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	10	7.0	2.65	3.9	1.26	10	4.0	1.37	2.9	0.93
Colon & Rectum	11	8.6	3.14	4.5	1.38	21	11.8	2.79	6.3	1.39
Liver	14	10.3	3.29	5.8	1.59	-	-	-	-	-
Pancreas	-	-	-	-	-	10	5.8	1.90	3.2	1.03
Respiratory System	23	19.9	4.90	9.4	2.00	28	15.4	3.11	9.0	1.73
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	23	19.9	4.90	9.4	2.00	28	15.4	3.11	9.0	1.73
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	24	9.9	2.26	7.1	1.49
Female Genital System	-	-	-	-	-	20	9.7	2.32	6.3	1.43
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	9.1	3.36	4.7	1.46	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	15	10.6	3.33	6.8	1.78	11	5.2	1.67	3.4	1.06

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,145	206.7	1.60	116.3	0.95	15,145	142.2	1.20	84.6	0.80
Oral Cavity & Pharynx	314	3.7	0.21	2.4	0.14	132	1.1	0.10	0.6	0.06
Digestive System	4,487	53.5	0.81	31.5	0.50	3,535	32.0	0.56	17.9	0.36
Esophagus	761	8.9	0.33	5.6	0.21	159	1.5	0.12	0.9	0.08
Stomach	245	2.9	0.19	1.7	0.11	167	1.5	0.12	0.9	0.08
Colon & Rectum	1,574	19.2	0.49	10.6	0.29	1,561	13.9	0.37	7.4	0.23
Liver	489	5.5	0.25	3.7	0.18	153	1.4	0.11	0.8	0.07
Pancreas	1,073	12.8	0.40	7.5	0.24	1,023	9.3	0.30	5.3	0.19
Respiratory System	5,162	61.5	0.87	35.8	0.52	3,797	36.6	0.61	22.1	0.40
Larynx	155	1.8	0.14	1.1	0.09	41	0.4	0.06	0.3	0.04
Lung & bronchus	4,962	59.1	0.85	34.4	0.51	3,735	36.0	0.60	21.7	0.40
Skin	482	5.8	0.27	3.4	0.17	234	2.3	0.16	1.4	0.11
Melanomas of the skin	347	4.1	0.23	2.5	0.14	187	1.9	0.14	1.2	0.10
Breast	18	0.2	0.05	0.1	0.03	2,000	19.4	0.45	12.4	0.32
Female Genital System	-	-	-	-	-	1,702	16.4	0.41	10.4	0.29
Cervix uteri	-	-	-	-	-	173	2.0	0.16	1.5	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	558	5.2	0.23	3.3	0.16
Ovary	-	-	-	-	-	809	7.7	0.28	4.7	0.19
Male Genital System	1,631	20.4	0.51	8.8	0.24	-	-	-	-	-
Prostate	1,585	19.8	0.50	8.4	0.23	-	-	-	-	-
Testis	26	0.3	0.07	0.3	0.05	-	-	-	-	-
Urinary System	1,233	15.0	0.43	7.8	0.24	571	5.0	0.22	2.6	0.13
Bladder	617	7.7	0.31	3.5	0.15	242	2.0	0.14	1.0	0.07
Kidney & renal pelvis	584	6.9	0.29	4.1	0.18	310	2.8	0.16	1.6	0.10
Brain & Other Nervous System	509	6.1	0.28	4.4	0.21	361	3.8	0.21	2.7	0.16
Endocrine System	70	0.8	0.10	0.6	0.08	86	0.9	0.10	0.6	0.08
Thyroid gland	46	0.6	0.08	0.3	0.05	54	0.5	0.07	0.3	0.04
Lymphomas	745	9.1	0.34	4.8	0.19	602	5.4	0.23	2.8	0.14
Hodgkin Lymphoma	34	0.4	0.07	0.3	0.05	27	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	711	8.7	0.33	4.5	0.18	575	5.1	0.22	2.7	0.13
Multiple Myeloma	369	4.6	0.24	2.3	0.13	300	2.8	0.16	1.5	0.10
Leukemias	788	9.8	0.35	5.1	0.20	583	5.3	0.23	2.9	0.15
Other, Ill-defined & Unknown	1,337	16.3	0.45	9.1	0.27	1,242	11.4	0.34	6.7	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,706	206.2	1.62	115.9	0.96	14,772	142.1	1.21	84.5	0.81
Oral Cavity & Pharynx	304	3.6	0.21	2.4	0.14	129	1.1	0.10	0.6	0.07
Digestive System	4,332	53.0	0.82	31.1	0.50	3,429	31.7	0.56	17.8	0.36
Esophagus	750	9.0	0.34	5.7	0.22	158	1.5	0.12	0.9	0.08
Stomach	231	2.9	0.19	1.6	0.11	154	1.4	0.12	0.9	0.08
Colon & Rectum	1,533	19.2	0.50	10.6	0.29	1,522	13.8	0.37	7.3	0.23
Liver	439	5.1	0.25	3.4	0.17	142	1.3	0.11	0.7	0.07
Pancreas	1,047	12.7	0.40	7.5	0.24	995	9.2	0.30	5.3	0.19
Respiratory System	5,039	61.5	0.88	35.8	0.53	3,693	36.4	0.61	22.0	0.41
Larynx	151	1.8	0.15	1.1	0.09	40	0.4	0.07	0.3	0.05
Lung & bronchus	4,844	59.1	0.86	34.4	0.52	3,634	35.9	0.61	21.6	0.40
Skin	476	5.9	0.27	3.5	0.17	232	2.3	0.16	1.5	0.11
Melanomas of the skin	343	4.2	0.23	2.6	0.15	185	1.9	0.15	1.3	0.11
Breast	18	0.2	0.05	0.1	0.03	1,956	19.4	0.46	12.4	0.32
Female Genital System	-	-	-	-	-	1,670	16.5	0.42	10.4	0.29
Cervix uteri	-	-	-	-	-	164	2.0	0.16	1.5	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	543	5.2	0.23	3.3	0.16
Ovary	-	-	-	-	-	801	7.8	0.29	4.8	0.19
Male Genital System	1,594	20.2	0.51	8.8	0.24	-	-	-	-	-
Prostate	1,549	19.7	0.50	8.4	0.23	-	-	-	-	-
Testis	26	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	1,210	15.0	0.44	7.8	0.24	561	5.0	0.22	2.6	0.13
Bladder	607	7.7	0.31	3.5	0.15	239	2.0	0.14	1.0	0.08
Kidney & renal pelvis	571	6.9	0.29	4.1	0.18	303	2.8	0.17	1.6	0.10
Brain & Other Nervous System	499	6.2	0.29	4.5	0.22	354	3.8	0.21	2.7	0.17
Endocrine System	66	0.8	0.10	0.6	0.08	80	0.8	0.10	0.6	0.08
Thyroid gland	45	0.6	0.08	0.3	0.05	50	0.5	0.07	0.3	0.04
Lymphomas	731	9.2	0.34	4.8	0.19	591	5.4	0.23	2.8	0.14
Hodgkin Lymphoma	34	0.4	0.07	0.3	0.06	26	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	697	8.7	0.34	4.5	0.19	565	5.1	0.22	2.7	0.14
Multiple Myeloma	358	4.5	0.24	2.3	0.13	288	2.7	0.16	1.4	0.10
Leukemias	774	9.8	0.36	5.1	0.20	579	5.4	0.23	2.9	0.15
Other, Ill-defined & Unknown	1,305	16.3	0.46	9.1	0.27	1,210	11.4	0.34	6.7	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	316	268.7	17.36	154.4	8.97	268	195.6	12.45	123.7	7.84
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	98	78.8	9.16	46.9	4.88	74	53.0	6.39	32.9	3.99
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	10	8.5	3.22	4.8	1.54	-	-	-	-	-
Colon & Rectum	28	19.6	4.28	12.6	2.47	30	20.8	3.94	14.1	2.66
Liver	24	18.3	4.30	11.4	2.41	-	-	-	-	-
Pancreas	21	18.0	4.34	11.0	2.45	21	15.7	3.56	9.0	2.06
Respiratory System	96	77.1	8.92	48.7	5.12	77	57.4	6.81	36.1	4.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	91	70.9	8.38	46.1	4.98	75	55.6	6.68	35.0	4.19
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	32	23.0	4.27	14.1	2.58
Female Genital System	-	-	-	-	-	21	15.4	3.47	11.0	2.46
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	13	10.3	2.91	7.0	1.99
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	30	37.6	7.30	15.9	2.95	-	-	-	-	-
Prostate	29	37.1	7.28	15.5	2.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	14.2	4.08	7.8	2.04	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	9.1	3.36	4.5	1.48	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	9.3	3.34	5.1	1.67	11	8.8	2.76	5.2	1.63
Leukemias	11	9.4	3.36	4.8	1.51	-	-	-	-	-
Other, Ill-defined & Unknown	24	18.6	4.36	11.4	2.42	25	18.7	3.90	11.3	2.35

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	93	153.3	19.13	81.3	8.75	81	93.5	11.41	53.6	6.05
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	41	59.4	11.10	35.1	5.68	24	33.5	7.34	15.3	3.20
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	20	26.7	7.19	17.2	3.99	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	21	37.5	8.88	18.7	4.11	18	21.4	5.44	12.0	2.87
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	21	37.5	8.88	18.7	4.11	17	19.6	5.15	11.5	2.83
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	10	7.4	2.37	6.1	1.95
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,304	201.0	1.71	115.3	1.02	12,908	143.1	1.29	85.8	0.85
Oral Cavity & Pharynx	229	3.0	0.21	1.9	0.13	102	1.1	0.11	0.7	0.07
Digestive System	3,764	51.9	0.86	31.5	0.54	2,851	31.0	0.60	17.8	0.38
Esophagus	569	7.8	0.33	4.9	0.22	129	1.3	0.12	0.8	0.08
Stomach	226	3.2	0.22	1.9	0.13	138	1.5	0.13	1.0	0.09
Colon & Rectum	1,312	18.4	0.52	10.9	0.32	1,172	12.6	0.38	7.1	0.24
Liver	483	6.1	0.28	4.2	0.20	193	2.1	0.16	1.3	0.11
Pancreas	921	13.0	0.43	7.6	0.26	902	9.9	0.34	5.6	0.21
Respiratory System	4,243	59.0	0.92	34.8	0.56	3,453	38.8	0.67	23.5	0.44
Larynx	101	1.4	0.14	0.9	0.09	25	0.3	0.06	0.2	0.04
Lung & bronchus	4,119	57.4	0.91	33.7	0.55	3,417	38.4	0.67	23.2	0.44
Skin	437	6.2	0.30	3.6	0.18	207	2.2	0.16	1.4	0.11
Melanomas of the skin	323	4.6	0.26	2.7	0.16	163	1.8	0.15	1.2	0.11
Breast	23	0.3	0.07	0.2	0.04	1,795	20.1	0.49	12.9	0.34
Female Genital System	-	-	-	-	-	1,292	14.7	0.42	9.3	0.29
Cervix uteri	-	-	-	-	-	146	1.9	0.16	1.4	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	400	4.5	0.23	2.8	0.16
Ovary	-	-	-	-	-	655	7.4	0.29	4.6	0.20
Male Genital System	1,315	19.6	0.54	8.7	0.26	-	-	-	-	-
Prostate	1,283	19.1	0.54	8.4	0.25	-	-	-	-	-
Testis	15	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	987	14.0	0.45	7.5	0.25	463	5.1	0.24	2.8	0.15
Bladder	489	7.2	0.33	3.4	0.16	192	2.0	0.15	1.1	0.09
Kidney & renal pelvis	483	6.7	0.31	4.0	0.19	250	2.8	0.18	1.6	0.11
Brain & Other Nervous System	468	6.3	0.30	4.5	0.22	355	4.2	0.23	3.1	0.18
Endocrine System	55	0.7	0.10	0.5	0.07	60	0.7	0.09	0.4	0.07
Thyroid gland	35	0.5	0.08	0.3	0.05	41	0.4	0.07	0.2	0.04
Lymphomas	558	8.0	0.35	4.3	0.19	480	5.2	0.24	2.7	0.14
Hodgkin Lymphoma	26	0.4	0.08	0.2	0.05	25	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	532	7.7	0.34	4.1	0.19	455	4.9	0.23	2.5	0.14
Multiple Myeloma	319	4.6	0.26	2.4	0.14	268	2.9	0.18	1.5	0.10
Leukemias	711	10.4	0.40	5.6	0.23	538	5.8	0.26	3.2	0.17
Other, Ill-defined & Unknown	1,195	16.6	0.49	9.9	0.30	1,044	11.3	0.36	6.5	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	13,289	199.1	1.76	113.9	1.05	11,960	141.4	1.33	84.9	0.89
Oral Cavity & Pharynx	214	3.1	0.21	1.9	0.14	97	1.1	0.12	0.7	0.08
Digestive System	3,452	51.0	0.88	30.8	0.55	2,609	30.2	0.61	17.2	0.39
Esophagus	541	7.9	0.35	5.0	0.23	120	1.3	0.12	0.8	0.08
Stomach	198	3.0	0.22	1.7	0.13	115	1.4	0.13	0.9	0.09
Colon & Rectum	1,206	18.1	0.53	10.7	0.33	1,075	12.2	0.39	6.8	0.24
Liver	415	5.7	0.28	3.8	0.20	165	2.0	0.16	1.2	0.11
Pancreas	861	12.9	0.45	7.5	0.27	844	9.9	0.35	5.6	0.22
Respiratory System	3,919	58.1	0.94	34.1	0.57	3,202	38.4	0.69	23.4	0.46
Larynx	90	1.3	0.14	0.8	0.09	24	0.3	0.06	0.2	0.04
Lung & bronchus	3,808	56.6	0.93	33.1	0.56	3,167	38.0	0.69	23.1	0.45
Skin	430	6.6	0.32	3.8	0.19	203	2.4	0.17	1.5	0.12
Melanomas of the skin	320	4.9	0.28	2.9	0.17	161	2.0	0.16	1.3	0.12
Breast	20	0.3	0.07	0.2	0.04	1,651	19.8	0.50	12.7	0.35
Female Genital System	-	-	-	-	-	1,195	14.5	0.43	9.3	0.30
Cervix uteri	-	-	-	-	-	131	1.8	0.17	1.3	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	353	4.2	0.23	2.7	0.16
Ovary	-	-	-	-	-	624	7.5	0.31	4.7	0.21
Male Genital System	1,199	18.8	0.55	8.3	0.26	-	-	-	-	-
Prostate	1,169	18.3	0.54	8.0	0.25	-	-	-	-	-
Testis	15	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	945	14.3	0.47	7.6	0.26	431	5.0	0.25	2.8	0.16
Bladder	471	7.3	0.34	3.5	0.17	178	2.0	0.16	1.1	0.09
Kidney & renal pelvis	459	6.8	0.32	4.0	0.20	233	2.8	0.19	1.6	0.12
Brain & Other Nervous System	449	6.6	0.32	4.6	0.23	333	4.2	0.24	3.1	0.19
Endocrine System	51	0.7	0.11	0.5	0.07	53	0.6	0.09	0.4	0.06
Thyroid gland	34	0.5	0.09	0.3	0.05	37	0.4	0.07	0.2	0.04
Lymphomas	537	8.2	0.36	4.4	0.20	462	5.3	0.26	2.8	0.15
Hodgkin Lymphoma	26	0.4	0.08	0.2	0.05	25	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	511	7.8	0.35	4.1	0.20	437	5.0	0.24	2.5	0.14
Multiple Myeloma	284	4.4	0.26	2.2	0.14	239	2.7	0.18	1.4	0.10
Leukemias	679	10.6	0.41	5.7	0.24	515	5.9	0.27	3.3	0.18
Other, Ill-defined & Unknown	1,110	16.6	0.51	9.7	0.31	970	11.2	0.37	6.5	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	735	258.1	10.31	152.7	5.74	698	186.5	7.18	113.3	4.51
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	230	75.7	5.41	48.6	3.27	178	47.8	3.63	28.6	2.26
Esophagus	22	7.4	1.71	4.8	1.05	-	-	-	-	-
Stomach	15	4.9	1.38	3.0	0.81	14	4.0	1.08	1.9	0.53
Colon & Rectum	82	29.3	3.50	17.0	1.91	76	20.6	2.40	12.2	1.47
Liver	46	11.9	1.88	9.6	1.44	23	5.5	1.16	3.8	0.82
Pancreas	52	17.9	2.68	11.2	1.59	41	11.2	1.77	6.7	1.11
Respiratory System	235	81.1	5.73	48.2	3.21	174	47.7	3.68	27.0	2.16
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	225	77.3	5.59	45.8	3.12	173	47.5	3.67	26.9	2.16
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	115	29.5	2.79	20.3	1.95
Female Genital System	-	-	-	-	-	70	19.3	2.35	12.2	1.52
Cervix uteri	-	-	-	-	-	11	3.1	0.96	2.0	0.62
Corpus & uterus, NOS ¹	-	-	-	-	-	34	9.8	1.71	5.7	1.02
Ovary	-	-	-	-	-	23	6.0	1.27	4.1	0.89
Male Genital System	99	44.8	4.71	20.3	2.07	-	-	-	-	-
Prostate	97	44.1	4.69	19.8	2.04	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	9.7	2.04	5.7	1.13	24	6.6	1.37	3.6	0.78
Bladder	11	4.8	1.51	2.4	0.74	13	3.7	1.03	1.9	0.58
Kidney & renal pelvis	15	4.9	1.36	3.3	0.86	11	2.9	0.92	1.7	0.52
Brain & Other Nervous System	14	3.4	1.05	2.9	0.78	15	3.8	1.01	2.5	0.68
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	11	2.9	0.89	1.8	0.57
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	30	12.0	2.33	6.0	1.12	23	6.3	1.34	3.7	0.82
Leukemias	21	7.1	1.68	4.2	0.94	19	5.0	1.18	3.0	0.73
Other, Ill-defined & Unknown	55	16.7	2.45	11.3	1.56	57	14.4	1.94	8.9	1.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	129	128.3	13.26	75.2	6.72	124	100.0	9.66	53.0	4.83
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	49	44.5	7.27	27.5	3.98	33	27.2	5.12	13.5	2.39
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	11	8.7	2.83	4.6	1.41
Liver	17	14.2	4.05	9.8	2.40	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	34	36.2	7.28	20.2	3.50	35	31.3	5.58	14.8	2.53
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	33	34.8	7.14	19.6	3.46	35	31.3	5.58	14.8	2.53
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	17	11.0	2.87	7.2	1.76
Female Genital System	-	-	-	-	-	14	10.5	2.98	6.2	1.67
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	9.6	2.97	7.6	2.11	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,930	249.6	1.57	145.9	0.92	23,090	167.1	1.12	102.7	0.73
Oral Cavity & Pharynx	549	4.8	0.21	3.1	0.14	226	1.6	0.11	1.0	0.07
Digestive System	6,411	57.4	0.74	35.6	0.46	4,640	33.3	0.50	19.2	0.31
Esophagus	917	7.9	0.27	5.2	0.18	194	1.4	0.10	0.8	0.06
Stomach	457	4.2	0.20	2.5	0.12	274	2.0	0.12	1.2	0.08
Colon & Rectum	2,258	20.9	0.45	12.3	0.27	1,980	14.2	0.32	8.1	0.20
Liver	855	7.3	0.26	4.8	0.17	339	2.4	0.13	1.4	0.08
Pancreas	1,493	13.3	0.36	8.3	0.22	1,331	9.6	0.27	5.4	0.16
Respiratory System	10,283	92.6	0.94	55.7	0.56	7,705	55.5	0.64	35.2	0.43
Larynx	299	2.5	0.15	1.7	0.10	91	0.7	0.07	0.5	0.05
Lung & bronchus	9,930	89.6	0.93	53.7	0.55	7,597	54.7	0.64	34.6	0.42
Skin	700	6.7	0.26	3.8	0.15	351	2.6	0.14	1.6	0.10
Melanomas of the skin	505	4.7	0.22	2.8	0.13	289	2.2	0.13	1.4	0.09
Breast	23	0.2	0.05	0.1	0.03	3,009	21.9	0.41	14.3	0.28
Female Genital System	-	-	-	-	-	2,049	15.0	0.34	9.6	0.23
Cervix uteri	-	-	-	-	-	350	2.8	0.15	2.0	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	548	3.9	0.17	2.5	0.12
Ovary	-	-	-	-	-	987	7.1	0.23	4.4	0.15
Male Genital System	1,897	20.5	0.48	9.1	0.21	-	-	-	-	-
Prostate	1,824	19.8	0.48	8.6	0.21	-	-	-	-	-
Testis	34	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,564	15.2	0.40	8.1	0.21	778	5.5	0.20	3.0	0.12
Bladder	788	8.1	0.30	3.8	0.14	330	2.3	0.13	1.2	0.07
Kidney & renal pelvis	749	6.8	0.26	4.2	0.16	427	3.0	0.15	1.8	0.09
Brain & Other Nervous System	653	5.7	0.23	4.1	0.17	516	3.9	0.18	2.8	0.13
Endocrine System	96	0.9	0.09	0.6	0.07	99	0.7	0.08	0.5	0.06
Thyroid gland	54	0.5	0.07	0.3	0.04	74	0.5	0.06	0.3	0.04
Lymphomas	959	9.3	0.31	5.1	0.17	730	5.3	0.20	2.8	0.12
Hodgkin Lymphoma	30	0.3	0.05	0.2	0.04	26	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	929	9.0	0.31	4.9	0.17	704	5.1	0.19	2.7	0.11
Multiple Myeloma	469	4.5	0.21	2.4	0.11	374	2.7	0.14	1.4	0.08
Leukemias	1,054	10.4	0.33	5.8	0.19	784	5.8	0.21	3.4	0.14
Other, Ill-defined & Unknown	2,272	21.5	0.47	12.3	0.27	1,829	13.3	0.32	7.9	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,289	250.2	1.62	146.2	0.95	21,470	167.1	1.16	102.9	0.77
Oral Cavity & Pharynx	509	4.8	0.22	3.1	0.14	207	1.6	0.11	1.0	0.07
Digestive System	5,940	57.1	0.76	35.2	0.47	4,248	32.7	0.51	18.9	0.32
Esophagus	863	8.0	0.28	5.3	0.18	176	1.3	0.10	0.8	0.07
Stomach	421	4.1	0.21	2.4	0.12	254	2.0	0.13	1.2	0.08
Colon & Rectum	2,103	20.8	0.47	12.2	0.28	1,821	14.1	0.34	8.0	0.21
Liver	761	7.0	0.26	4.6	0.17	310	2.4	0.14	1.4	0.09
Pancreas	1,389	13.2	0.37	8.2	0.23	1,213	9.3	0.27	5.3	0.17
Respiratory System	9,722	93.4	0.98	56.2	0.58	7,224	55.9	0.67	35.6	0.45
Larynx	272	2.4	0.15	1.6	0.10	79	0.6	0.07	0.4	0.05
Lung & bronchus	9,398	90.4	0.96	54.2	0.57	7,130	55.1	0.66	35.1	0.44
Skin	692	7.1	0.28	4.0	0.16	349	2.8	0.15	1.8	0.10
Melanomas of the skin	503	5.0	0.23	3.0	0.14	289	2.4	0.14	1.6	0.10
Breast	21	0.2	0.05	0.1	0.03	2,746	21.5	0.42	14.0	0.29
Female Genital System	-	-	-	-	-	1,907	15.0	0.35	9.7	0.24
Cervix uteri	-	-	-	-	-	319	2.8	0.16	2.1	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	489	3.8	0.17	2.5	0.12
Ovary	-	-	-	-	-	941	7.3	0.24	4.5	0.16
Male Genital System	1,727	19.8	0.49	8.7	0.22	-	-	-	-	-
Prostate	1,657	19.1	0.48	8.2	0.21	-	-	-	-	-
Testis	33	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,474	15.2	0.41	8.2	0.22	719	5.4	0.21	3.0	0.12
Bladder	745	8.2	0.31	3.9	0.15	309	2.3	0.13	1.2	0.07
Kidney & renal pelvis	703	6.8	0.27	4.2	0.16	391	3.0	0.15	1.7	0.10
Brain & Other Nervous System	623	5.8	0.24	4.3	0.18	496	4.1	0.19	2.9	0.14
Endocrine System	87	0.9	0.09	0.6	0.07	91	0.7	0.08	0.5	0.07
Thyroid gland	51	0.5	0.07	0.3	0.04	69	0.5	0.07	0.3	0.04
Lymphomas	915	9.4	0.32	5.2	0.18	701	5.5	0.21	2.9	0.12
Hodgkin Lymphoma	30	0.3	0.06	0.2	0.04	23	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	885	9.1	0.32	5.0	0.18	678	5.3	0.21	2.8	0.12
Multiple Myeloma	429	4.4	0.22	2.3	0.12	323	2.5	0.14	1.3	0.08
Leukemias	1,001	10.5	0.34	5.8	0.20	735	5.9	0.22	3.4	0.15
Other, Ill-defined & Unknown	2,149	21.7	0.48	12.5	0.28	1,724	13.5	0.33	8.0	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,566	268.1	7.37	156.7	4.03	1,506	181.4	4.79	110.4	2.99
Oral Cavity & Pharynx	38	5.8	1.03	4.0	0.66	16	1.9	0.49	1.2	0.31
Digestive System	434	65.1	3.40	43.3	2.12	364	43.9	2.36	25.7	1.42
Esophagus	48	7.4	1.15	4.8	0.70	16	1.8	0.46	1.1	0.29
Stomach	32	5.0	0.95	3.3	0.59	16	2.1	0.54	1.0	0.26
Colon & Rectum	145	23.1	2.08	14.6	1.24	150	18.1	1.51	10.3	0.89
Liver	84	10.9	1.29	8.2	0.91	25	2.6	0.54	2.0	0.40
Pancreas	100	15.1	1.65	10.0	1.02	109	13.6	1.33	8.0	0.81
Respiratory System	542	91.5	4.27	54.2	2.37	452	55.9	2.69	33.1	1.63
Larynx	26	4.2	0.92	2.5	0.51	12	1.5	0.44	1.0	0.29
Lung & bronchus	514	87.0	4.16	51.4	2.31	438	54.1	2.65	31.9	1.60
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	246	28.3	1.85	19.2	1.27
Female Genital System	-	-	-	-	-	127	15.1	1.38	9.4	0.88
Cervix uteri	-	-	-	-	-	26	2.9	0.58	2.1	0.42
Corpus & uterus, NOS ¹	-	-	-	-	-	55	6.7	0.92	4.2	0.59
Ovary	-	-	-	-	-	41	5.0	0.80	2.8	0.46
Male Genital System	169	37.4	3.03	16.9	1.32	-	-	-	-	-
Prostate	166	36.6	2.99	16.6	1.31	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	90	17.2	1.96	8.8	0.94	57	7.1	0.96	3.9	0.55
Bladder	43	9.2	1.49	4.1	0.64	21	2.7	0.61	1.4	0.34
Kidney & renal pelvis	46	7.9	1.27	4.6	0.69	34	4.1	0.72	2.3	0.43
Brain & Other Nervous System	29	4.5	0.92	2.9	0.54	17	2.1	0.53	1.5	0.37
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	39	7.2	1.24	3.9	0.63	24	2.8	0.58	1.7	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	40	7.6	1.28	4.0	0.64	50	5.9	0.85	3.5	0.52
Leukemias	49	8.8	1.37	5.1	0.74	44	5.5	0.84	3.3	0.53
Other, Ill-defined & Unknown	119	20.5	2.04	12.0	1.12	99	11.6	1.19	7.1	0.76

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	65	89.2	13.19	54.1	6.90	98	110.3	12.16	57.2	5.84
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	32	44.2	9.03	26.0	4.69	26	36.6	7.61	15.0	2.99
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	14	22.8	7.26	13.2	3.59	22	26.3	6.12	13.4	2.87
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	14	22.8	7.26	13.2	3.59	22	26.3	6.12	13.4	2.87
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	13	13.4	3.91	7.7	2.15
Female Genital System	-	-	-	-	-	14	13.0	3.88	8.1	2.18
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,247	237.8	1.55	140.0	0.91	21,371	157.2	1.09	96.4	0.71
Oral Cavity & Pharynx	630	5.4	0.22	3.7	0.15	206	1.5	0.10	0.9	0.07
Digestive System	7,124	64.7	0.79	40.4	0.49	5,132	37.6	0.53	22.2	0.34
Esophagus	880	7.7	0.27	5.1	0.18	216	1.5	0.11	0.9	0.07
Stomach	603	5.7	0.24	3.4	0.14	395	2.9	0.15	1.8	0.10
Colon & Rectum	2,330	21.8	0.47	13.1	0.28	2,040	14.9	0.34	9.0	0.22
Liver	1,330	11.2	0.32	7.8	0.22	517	3.8	0.17	2.3	0.11
Pancreas	1,636	15.2	0.39	9.1	0.23	1,550	11.3	0.29	6.4	0.18
Respiratory System	8,222	75.7	0.86	45.6	0.51	5,766	42.2	0.56	25.9	0.36
Larynx	278	2.4	0.15	1.6	0.10	62	0.4	0.06	0.3	0.04
Lung & bronchus	7,899	72.9	0.85	43.7	0.50	5,674	41.5	0.56	25.4	0.36
Skin	515	5.1	0.23	2.9	0.13	235	1.7	0.12	1.1	0.08
Melanomas of the skin	346	3.4	0.19	2.0	0.11	183	1.4	0.10	0.9	0.07
Breast	39	0.4	0.06	0.2	0.04	3,289	24.2	0.43	15.9	0.30
Female Genital System	-	-	-	-	-	1,936	14.5	0.33	9.4	0.23
Cervix uteri	-	-	-	-	-	361	2.9	0.16	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	543	3.9	0.17	2.6	0.12
Ovary	-	-	-	-	-	908	6.7	0.22	4.1	0.15
Male Genital System	2,123	22.9	0.51	10.5	0.23	-	-	-	-	-
Prostate	2,074	22.5	0.51	10.1	0.23	-	-	-	-	-
Testis	21	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,471	14.3	0.39	8.0	0.21	789	5.7	0.21	3.2	0.13
Bladder	645	6.7	0.27	3.3	0.13	310	2.2	0.13	1.2	0.07
Kidney & renal pelvis	790	7.1	0.26	4.5	0.16	455	3.3	0.16	2.0	0.10
Brain & Other Nervous System	573	5.2	0.22	3.6	0.16	466	3.4	0.16	2.4	0.12
Endocrine System	82	0.8	0.09	0.5	0.06	98	0.7	0.08	0.5	0.06
Thyroid gland	41	0.4	0.07	0.2	0.03	64	0.5	0.06	0.2	0.03
Lymphomas	925	9.1	0.31	5.1	0.17	725	5.4	0.20	2.9	0.12
Hodgkin Lymphoma	52	0.5	0.07	0.3	0.05	54	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	873	8.6	0.30	4.8	0.17	671	5.0	0.19	2.6	0.11
Multiple Myeloma	500	4.9	0.23	2.7	0.12	410	3.0	0.15	1.7	0.09
Leukemias	933	9.5	0.32	5.1	0.18	703	5.2	0.20	3.0	0.13
Other, Ill-defined & Unknown	2,110	19.9	0.45	11.8	0.27	1,616	11.9	0.30	7.4	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,455	222.5	1.73	128.3	1.01	14,728	150.0	1.26	90.7	0.83
Oral Cavity & Pharynx	412	5.0	0.25	3.2	0.17	150	1.5	0.12	0.9	0.08
Digestive System	4,694	58.3	0.87	35.4	0.54	3,340	33.7	0.59	19.7	0.38
Esophagus	639	7.7	0.31	5.0	0.20	141	1.4	0.12	0.8	0.08
Stomach	288	3.7	0.22	2.1	0.13	189	2.0	0.14	1.1	0.09
Colon & Rectum	1,534	19.5	0.51	11.5	0.31	1,339	13.5	0.38	8.0	0.24
Liver	791	9.3	0.34	6.2	0.23	326	3.3	0.19	2.0	0.12
Pancreas	1,185	14.9	0.44	8.7	0.26	1,066	10.7	0.33	6.1	0.20
Respiratory System	5,636	70.1	0.96	41.4	0.57	4,312	43.8	0.68	26.8	0.44
Larynx	159	1.9	0.16	1.2	0.10	48	0.5	0.07	0.3	0.05
Lung & bronchus	5,450	67.9	0.94	40.0	0.56	4,244	43.1	0.67	26.4	0.44
Skin	468	6.2	0.29	3.5	0.17	209	2.2	0.15	1.4	0.11
Melanomas of the skin	333	4.4	0.24	2.6	0.15	161	1.7	0.14	1.1	0.10
Breast	29	0.4	0.07	0.2	0.05	1,975	20.2	0.46	12.8	0.32
Female Genital System	-	-	-	-	-	1,276	13.4	0.38	8.6	0.26
Cervix uteri	-	-	-	-	-	207	2.5	0.18	1.9	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	305	3.1	0.18	2.0	0.13
Ovary	-	-	-	-	-	671	6.8	0.27	4.2	0.18
Male Genital System	1,311	18.6	0.52	8.3	0.24	-	-	-	-	-
Prostate	1,277	18.2	0.52	8.0	0.23	-	-	-	-	-
Testis	15	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,154	14.9	0.45	8.3	0.25	562	5.6	0.24	3.2	0.15
Bladder	527	7.2	0.32	3.5	0.16	203	2.0	0.14	1.1	0.08
Kidney & renal pelvis	597	7.3	0.31	4.6	0.19	341	3.4	0.19	2.1	0.12
Brain & Other Nervous System	469	5.9	0.28	4.1	0.20	370	3.8	0.20	2.7	0.16
Endocrine System	60	0.8	0.10	0.5	0.07	69	0.7	0.09	0.5	0.07
Thyroid gland	32	0.4	0.08	0.2	0.04	47	0.5	0.07	0.2	0.04
Lymphomas	713	9.4	0.36	5.1	0.20	588	5.9	0.25	3.1	0.15
Hodgkin Lymphoma	37	0.5	0.08	0.3	0.05	45	0.5	0.08	0.4	0.06
Non-Hodgkin Lymphoma	676	8.9	0.35	4.8	0.20	543	5.4	0.24	2.7	0.13
Multiple Myeloma	284	3.8	0.23	1.9	0.12	236	2.4	0.16	1.3	0.09
Leukemias	718	9.8	0.37	5.2	0.21	520	5.3	0.24	3.0	0.16
Other, Ill-defined & Unknown	1,507	19.5	0.51	11.2	0.30	1,121	11.5	0.35	6.9	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	7,554	291.9	3.64	178.6	2.08	6,455	178.7	2.28	112.8	1.46
Oral Cavity & Pharynx	212	6.8	0.50	5.0	0.35	55	1.4	0.20	1.0	0.14
Digestive System	2,342	85.0	1.90	55.4	1.16	1,721	48.2	1.19	28.9	0.73
Esophagus	237	8.2	0.57	5.6	0.37	73	2.0	0.23	1.2	0.15
Stomach	305	12.3	0.76	7.2	0.42	194	5.5	0.41	3.2	0.24
Colon & Rectum	774	29.5	1.15	18.3	0.66	685	19.1	0.75	11.7	0.47
Liver	504	15.6	0.75	11.8	0.53	183	5.2	0.39	3.1	0.24
Pancreas	438	16.3	0.84	10.4	0.50	460	13.0	0.62	7.5	0.36
Respiratory System	2,517	96.0	2.07	59.6	1.20	1,405	38.9	1.06	24.3	0.67
Larynx	117	4.3	0.43	2.7	0.26	14	0.3	0.09	0.3	0.07
Lung & bronchus	2,383	91.1	2.02	56.4	1.17	1,382	38.3	1.05	23.9	0.66
Skin	46	1.6	0.26	1.1	0.17	-	-	-	-	-
Melanomas of the skin	13	0.5	0.16	0.3	0.09	21	0.6	0.13	0.3	0.08
Breast	10	0.4	0.13	0.2	0.08	1,292	34.8	0.99	23.6	0.68
Female Genital System	-	-	-	-	-	645	17.9	0.72	11.6	0.47
Cervix uteri	-	-	-	-	-	149	4.2	0.35	2.9	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	234	6.4	0.43	4.2	0.28
Ovary	-	-	-	-	-	231	6.4	0.43	4.0	0.27
Male Genital System	800	39.9	1.50	18.4	0.66	-	-	-	-	-
Prostate	786	39.5	1.49	18.0	0.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	312	12.7	0.78	7.4	0.42	222	6.5	0.44	3.5	0.25
Bladder	116	5.3	0.53	2.7	0.25	106	3.1	0.30	1.6	0.16
Kidney & renal pelvis	190	7.1	0.56	4.6	0.34	110	3.2	0.31	1.8	0.18
Brain & Other Nervous System	97	3.3	0.36	2.4	0.25	93	2.5	0.27	1.8	0.20
Endocrine System	20	0.6	0.13	0.5	0.12	27	0.7	0.15	0.5	0.11
Thyroid gland	-	-	-	-	-	15	0.4	0.11	0.3	0.07
Lymphomas	203	7.4	0.56	4.9	0.35	135	3.8	0.34	2.4	0.22
Hodgkin Lymphoma	15	0.5	0.13	0.4	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	188	6.9	0.55	4.5	0.33	-	-	-	-	-
Multiple Myeloma	211	8.7	0.65	5.0	0.35	174	5.0	0.39	2.9	0.23
Leukemias	204	8.4	0.63	4.9	0.35	178	5.0	0.38	3.1	0.24
Other, Ill-defined & Unknown	580	21.0	0.95	13.8	0.58	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	164	120.1	10.62	72.1	5.71	138	90.0	8.19	52.5	4.53
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	62	42.4	6.09	27.3	3.51	54	37.4	5.38	20.5	2.84
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	11	7.8	2.53	4.1	1.24
Colon & Rectum	11	8.9	3.05	4.5	1.38	11	6.6	2.10	4.2	1.28
Liver	31	20.8	4.23	13.8	2.52	-	-	-	-	-
Pancreas	-	-	-	-	-	19	13.2	3.19	7.5	1.73
Respiratory System	47	36.3	5.98	20.2	2.99	35	25.4	4.53	13.1	2.25
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	45	34.5	5.81	19.4	2.93	34	24.9	4.51	12.8	2.22
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	16	9.6	2.56	6.2	1.57
Female Genital System	-	-	-	-	-	12	4.8	1.40	4.7	1.35
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	8.0	2.51	5.2	1.47	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,580	215.7	2.38	121.1	1.38	7,530	150.4	1.78	88.5	1.16
Oral Cavity & Pharynx	186	4.4	0.33	2.8	0.22	66	1.3	0.16	0.7	0.10
Digestive System	2,049	50.5	1.14	29.8	0.69	1,642	32.3	0.82	18.2	0.51
Esophagus	420	10.0	0.50	6.2	0.31	102	2.0	0.20	1.2	0.13
Stomach	108	2.6	0.26	1.6	0.16	84	1.6	0.18	0.9	0.11
Colon & Rectum	640	16.5	0.67	9.2	0.39	609	11.8	0.49	6.5	0.30
Liver	247	5.8	0.38	3.6	0.24	74	1.5	0.18	0.9	0.12
Pancreas	478	11.8	0.55	6.8	0.32	544	10.6	0.46	6.0	0.29
Respiratory System	2,745	67.2	1.31	38.9	0.77	2,181	43.8	0.96	26.2	0.62
Larynx	102	2.3	0.24	1.5	0.15	17	0.3	0.09	0.3	0.07
Lung & bronchus	2,625	64.4	1.29	37.2	0.76	2,152	43.3	0.95	25.9	0.61
Skin	251	6.3	0.41	3.5	0.24	132	2.6	0.24	1.6	0.16
Melanomas of the skin	185	4.6	0.35	2.7	0.21	89	1.9	0.20	1.2	0.14
Breast	14	0.3	0.09	0.2	0.05	885	18.0	0.62	11.3	0.42
Female Genital System	-	-	-	-	-	712	14.3	0.55	9.0	0.37
Cervix uteri	-	-	-	-	-	66	1.5	0.20	1.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	240	4.7	0.31	2.9	0.20
Ovary	-	-	-	-	-	342	6.8	0.38	4.4	0.26
Male Genital System	740	20.3	0.76	8.7	0.33	-	-	-	-	-
Prostate	720	19.8	0.75	8.4	0.32	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	662	16.9	0.67	8.8	0.36	274	5.3	0.33	2.7	0.18
Bladder	399	10.4	0.53	5.1	0.26	143	2.8	0.24	1.3	0.12
Kidney & renal pelvis	248	6.1	0.40	3.6	0.24	124	2.4	0.22	1.3	0.13
Brain & Other Nervous System	258	6.4	0.41	4.5	0.30	176	3.7	0.30	2.8	0.25
Endocrine System	28	0.7	0.14	0.5	0.11	37	0.8	0.14	0.5	0.11
Thyroid gland	13	0.3	0.08	0.2	0.06	25	0.5	0.10	0.3	0.06
Lymphomas	302	8.0	0.47	4.3	0.26	286	5.5	0.34	2.9	0.20
Hodgkin Lymphoma	15	0.4	0.11	0.3	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	287	7.6	0.46	4.0	0.25	-	-	-	-	-
Multiple Myeloma	149	3.7	0.31	2.0	0.17	133	2.5	0.22	1.4	0.13
Leukemias	362	9.4	0.50	5.2	0.30	266	5.3	0.34	3.0	0.22
Other, Ill-defined & Unknown	834	21.5	0.76	11.9	0.45	740	14.9	0.57	8.4	0.37

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,494	216.6	2.41	121.7	1.40	7,459	151.0	1.80	88.8	1.17
Oral Cavity & Pharynx	183	4.4	0.33	2.8	0.22	66	1.3	0.16	0.7	0.10
Digestive System	2,023	50.6	1.15	29.8	0.69	1,624	32.3	0.82	18.2	0.51
Esophagus	416	10.0	0.50	6.2	0.32	100	2.0	0.21	1.2	0.13
Stomach	107	2.6	0.26	1.6	0.16	83	1.6	0.18	0.8	0.11
Colon & Rectum	634	16.5	0.67	9.3	0.39	601	11.8	0.50	6.5	0.31
Liver	237	5.7	0.38	3.5	0.24	72	1.5	0.18	0.9	0.12
Pancreas	475	11.9	0.56	6.9	0.33	541	10.7	0.47	6.0	0.29
Respiratory System	2,724	67.8	1.33	39.2	0.78	2,163	44.1	0.97	26.4	0.62
Larynx	102	2.4	0.24	1.5	0.16	16	0.3	0.09	0.2	0.07
Lung & bronchus	2,605	64.9	1.30	37.4	0.77	2,135	43.5	0.96	26.1	0.62
Skin	250	6.4	0.41	3.6	0.24	130	2.6	0.24	1.5	0.16
Melanomas of the skin	185	4.7	0.35	2.7	0.21	88	1.9	0.21	1.2	0.15
Breast	13	0.3	0.09	0.2	0.05	876	18.1	0.63	11.3	0.43
Female Genital System	-	-	-	-	-	708	14.4	0.56	9.1	0.38
Cervix uteri	-	-	-	-	-	65	1.5	0.20	1.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	237	4.7	0.31	2.8	0.20
Ovary	-	-	-	-	-	342	6.9	0.38	4.5	0.26
Male Genital System	731	20.3	0.76	8.7	0.34	-	-	-	-	-
Prostate	713	19.8	0.75	8.4	0.33	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	660	17.1	0.68	8.9	0.36	272	5.3	0.33	2.7	0.18
Bladder	398	10.5	0.54	5.1	0.27	143	2.8	0.24	1.3	0.13
Kidney & renal pelvis	247	6.2	0.40	3.6	0.24	122	2.4	0.22	1.3	0.13
Brain & Other Nervous System	256	6.4	0.42	4.5	0.31	175	3.8	0.30	2.8	0.25
Endocrine System	28	0.7	0.14	0.5	0.11	35	0.8	0.13	0.5	0.11
Thyroid gland	13	0.3	0.08	0.2	0.06	25	0.5	0.10	0.3	0.06
Lymphomas	297	8.0	0.47	4.2	0.26	282	5.5	0.34	2.9	0.20
Hodgkin Lymphoma	14	0.4	0.11	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	283	7.6	0.46	4.0	0.26	-	-	-	-	-
Multiple Myeloma	148	3.8	0.31	2.0	0.17	131	2.5	0.22	1.4	0.13
Leukemias	354	9.3	0.51	5.1	0.30	265	5.3	0.34	3.0	0.22
Other, Ill-defined & Unknown	827	21.6	0.77	12.0	0.45	732	14.9	0.57	8.3	0.37

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	26	99.5	23.45	59.2	11.98	27	122.1	24.96	89.1	17.73
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16	77.3	22.34	44.0	11.05	23	79.8	18.42	46.7	9.98
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,613	198.2	1.25	111.5	0.71	25,795	143.4	0.91	85.4	0.58
Oral Cavity & Pharynx	510	3.5	0.16	2.3	0.10	237	1.3	0.09	0.8	0.06
Digestive System	7,635	54.7	0.65	32.7	0.39	5,810	32.0	0.43	18.3	0.26
Esophagus	973	6.9	0.23	4.3	0.14	271	1.5	0.09	0.8	0.06
Stomach	597	4.4	0.19	2.6	0.11	409	2.3	0.11	1.3	0.07
Colon & Rectum	2,387	17.6	0.37	10.1	0.21	2,219	12.1	0.26	6.9	0.16
Liver	1,253	8.2	0.24	5.6	0.16	442	2.4	0.12	1.5	0.08
Pancreas	1,918	14.0	0.33	8.1	0.19	1,782	9.9	0.24	5.6	0.14
Respiratory System	7,451	54.8	0.65	31.4	0.37	6,598	37.1	0.47	21.5	0.28
Larynx	289	2.1	0.13	1.2	0.07	69	0.4	0.05	0.2	0.03
Lung & bronchus	7,103	52.2	0.64	30.0	0.37	6,498	36.6	0.46	21.2	0.28
Skin	714	5.5	0.21	2.9	0.11	345	1.9	0.11	1.1	0.07
Melanomas of the skin	511	3.9	0.18	2.1	0.10	263	1.5	0.09	0.9	0.06
Breast	58	0.4	0.06	0.3	0.03	4,132	22.8	0.36	14.9	0.25
Female Genital System	-	-	-	-	-	2,843	15.7	0.30	10.2	0.20
Cervix uteri	-	-	-	-	-	339	2.0	0.11	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,016	5.5	0.18	3.6	0.12
Ovary	-	-	-	-	-	1,311	7.3	0.20	4.6	0.13
Male Genital System	2,521	20.7	0.42	9.3	0.19	-	-	-	-	-
Prostate	2,472	20.3	0.42	9.1	0.19	-	-	-	-	-
Testis	26	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,891	14.7	0.35	7.5	0.18	875	4.8	0.17	2.5	0.09
Bladder	1,094	8.8	0.27	4.1	0.13	463	2.5	0.12	1.2	0.06
Kidney & renal pelvis	743	5.5	0.21	3.1	0.12	373	2.0	0.11	1.2	0.07
Brain & Other Nervous System	732	5.1	0.19	3.6	0.14	562	3.2	0.14	2.3	0.11
Endocrine System	107	0.7	0.07	0.6	0.06	128	0.7	0.07	0.5	0.05
Thyroid gland	56	0.4	0.05	0.2	0.03	88	0.5	0.05	0.3	0.03
Lymphomas	980	7.5	0.25	4.0	0.13	810	4.5	0.16	2.4	0.10
Hodgkin Lymphoma	55	0.4	0.06	0.3	0.04	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	925	7.1	0.24	3.8	0.13	757	4.2	0.16	2.2	0.09
Multiple Myeloma	590	4.5	0.19	2.4	0.10	605	3.3	0.14	1.8	0.08
Leukemias	1,134	8.8	0.27	4.8	0.15	880	4.9	0.17	2.8	0.11
Other, Ill-defined & Unknown	2,290	17.2	0.37	9.7	0.21	1,970	10.9	0.25	6.3	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,824	193.8	1.44	107.6	0.83	17,745	141.6	1.09	83.2	0.70
Oral Cavity & Pharynx	343	3.4	0.19	2.1	0.12	165	1.3	0.10	0.7	0.07
Digestive System	5,039	50.5	0.73	29.7	0.44	3,785	29.7	0.50	16.8	0.31
Esophagus	774	7.6	0.28	4.7	0.18	200	1.6	0.12	0.9	0.07
Stomach	312	3.2	0.18	1.9	0.11	232	1.8	0.12	1.0	0.08
Colon & Rectum	1,568	15.9	0.41	9.1	0.24	1,430	11.0	0.30	6.1	0.19
Liver	694	6.6	0.26	4.3	0.17	257	2.1	0.13	1.2	0.08
Pancreas	1,343	13.6	0.38	7.7	0.22	1,199	9.5	0.28	5.4	0.17
Respiratory System	5,318	54.2	0.76	30.7	0.44	4,856	39.4	0.58	22.7	0.36
Larynx	185	1.9	0.14	1.1	0.08	40	0.3	0.05	0.2	0.03
Lung & bronchus	5,089	51.9	0.74	29.4	0.43	4,796	38.9	0.57	22.4	0.36
Skin	672	7.0	0.28	3.8	0.16	315	2.6	0.15	1.5	0.10
Melanomas of the skin	492	5.1	0.24	2.8	0.14	244	2.1	0.14	1.3	0.09
Breast	33	0.3	0.06	0.2	0.04	2,605	20.9	0.42	13.2	0.29
Female Genital System	-	-	-	-	-	1,870	15.1	0.36	9.7	0.25
Cervix uteri	-	-	-	-	-	183	1.7	0.13	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	562	4.4	0.19	2.8	0.13
Ovary	-	-	-	-	-	985	7.9	0.26	5.0	0.17
Male Genital System	1,579	17.3	0.44	7.5	0.20	-	-	-	-	-
Prostate	1,540	16.8	0.43	7.2	0.19	-	-	-	-	-
Testis	22	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,525	16.0	0.42	8.0	0.22	646	4.9	0.20	2.6	0.12
Bladder	900	9.7	0.33	4.5	0.16	343	2.6	0.14	1.2	0.08
Kidney & renal pelvis	577	5.8	0.25	3.3	0.15	277	2.2	0.13	1.3	0.09
Brain & Other Nervous System	595	6.0	0.25	4.2	0.19	457	3.9	0.19	2.8	0.15
Endocrine System	77	0.8	0.09	0.6	0.08	87	0.7	0.08	0.5	0.06
Thyroid gland	47	0.4	0.07	0.3	0.04	65	0.5	0.07	0.3	0.04
Lymphomas	772	8.1	0.30	4.3	0.16	602	4.7	0.20	2.4	0.12
Hodgkin Lymphoma	36	0.4	0.06	0.2	0.04	36	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	736	7.7	0.29	4.1	0.16	566	4.4	0.19	2.2	0.11
Multiple Myeloma	359	3.8	0.21	1.9	0.11	319	2.5	0.14	1.3	0.08
Leukemias	855	9.2	0.32	5.0	0.19	672	5.3	0.21	3.0	0.14
Other, Ill-defined & Unknown	1,657	17.2	0.43	9.5	0.25	1,366	10.8	0.30	6.1	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	7,085	235.7	3.05	136.6	1.64	7,350	158.4	1.90	97.8	1.18
Oral Cavity & Pharynx	151	4.4	0.38	2.9	0.24	65	1.4	0.17	0.9	0.11
Digestive System	2,293	71.5	1.63	43.9	0.93	1,828	40.2	0.97	23.4	0.57
Esophagus	183	5.5	0.44	3.6	0.27	69	1.5	0.18	0.9	0.11
Stomach	233	8.1	0.58	4.5	0.30	149	3.4	0.29	1.8	0.15
Colon & Rectum	747	25.2	1.00	14.3	0.53	719	15.8	0.61	9.2	0.36
Liver	472	12.2	0.61	8.9	0.42	154	3.2	0.26	2.1	0.17
Pancreas	523	16.4	0.79	10.0	0.44	535	11.9	0.53	6.8	0.30
Respiratory System	1,971	64.2	1.57	38.1	0.87	1,604	35.2	0.91	21.0	0.54
Larynx	100	3.3	0.35	1.9	0.20	29	0.6	0.12	0.4	0.07
Lung & bronchus	1,859	60.4	1.52	35.9	0.84	1,566	34.4	0.90	20.5	0.53
Skin	40	1.2	0.20	0.8	0.12	26	0.6	0.12	0.4	0.07
Melanomas of the skin	18	0.6	0.15	0.3	0.08	16	0.4	0.09	0.2	0.05
Breast	24	0.7	0.16	0.5	0.09	1,429	29.3	0.80	19.8	0.54
Female Genital System	-	-	-	-	-	880	18.5	0.64	12.1	0.42
Cervix uteri	-	-	-	-	-	140	2.9	0.25	2.0	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	429	9.0	0.45	5.9	0.29
Ovary	-	-	-	-	-	278	5.9	0.37	3.8	0.23
Male Genital System	912	37.5	1.33	17.5	0.59	-	-	-	-	-
Prostate	902	37.2	1.32	17.3	0.58	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	323	11.5	0.70	6.3	0.35	215	4.9	0.34	2.6	0.19
Bladder	165	6.2	0.52	3.2	0.25	114	2.7	0.26	1.3	0.13
Kidney & renal pelvis	154	5.2	0.46	3.0	0.24	89	2.0	0.21	1.1	0.13
Brain & Other Nervous System	118	3.4	0.34	2.4	0.22	95	1.9	0.20	1.5	0.17
Endocrine System	26	0.8	0.17	0.5	0.11	31	0.6	0.12	0.5	0.09
Thyroid gland	-	-	-	-	-	16	0.3	0.08	0.2	0.06
Lymphomas	167	5.5	0.47	3.2	0.25	180	4.0	0.30	2.4	0.19
Hodgkin Lymphoma	17	0.4	0.11	0.3	0.08	16	0.3	0.09	0.2	0.05
Non-Hodgkin Lymphoma	150	5.1	0.45	2.9	0.24	164	3.6	0.29	2.2	0.18
Multiple Myeloma	216	7.4	0.55	4.2	0.29	273	6.2	0.38	3.4	0.22
Leukemias	251	8.7	0.59	4.9	0.31	182	4.0	0.30	2.5	0.20
Other, Ill-defined & Unknown	593	19.0	0.85	11.6	0.48	542	11.8	0.52	7.2	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	670	100.0	4.13	56.1	2.20	674	81.1	3.25	46.2	1.81
Oral Cavity & Pharynx	16	1.9	0.51	1.5	0.38	-	-	-	-	-
Digestive System	293	42.3	2.64	24.2	1.43	189	24.1	1.82	12.5	0.93
Esophagus	15	2.3	0.64	1.3	0.33	-	-	-	-	-
Stomach	50	7.8	1.17	4.0	0.58	28	3.2	0.64	2.0	0.38
Colon & Rectum	68	10.5	1.36	5.6	0.69	64	8.0	1.04	4.2	0.53
Liver	87	11.7	1.33	7.3	0.79	31	4.1	0.77	2.0	0.37
Pancreas	49	6.6	1.00	4.2	0.60	47	6.3	0.95	3.1	0.46
Respiratory System	147	22.8	2.01	12.2	1.02	134	16.7	1.50	9.0	0.79
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	142	21.7	1.95	11.8	1.00	132	16.6	1.50	8.8	0.78
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	96	9.4	0.98	7.0	0.72
Female Genital System	-	-	-	-	-	89	9.6	1.06	6.5	0.70
Cervix uteri	-	-	-	-	-	15	1.6	0.43	1.1	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	24	2.7	0.57	1.7	0.36
Ovary	-	-	-	-	-	46	4.9	0.76	3.4	0.51
Male Genital System	30	5.3	1.04	2.5	0.46	-	-	-	-	-
Prostate	30	5.3	1.04	2.5	0.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	43	7.3	1.19	3.6	0.56	11	1.5	0.46	0.7	0.22
Bladder	29	5.2	1.03	2.4	0.45	-	-	-	-	-
Kidney & renal pelvis	12	1.9	0.58	1.1	0.31	-	-	-	-	-
Brain & Other Nervous System	18	2.4	0.58	1.7	0.40	10	1.1	0.36	0.8	0.25
Endocrine System	-	-	-	-	-	10	1.2	0.40	0.8	0.26
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	38	5.9	1.03	3.2	0.53	28	3.7	0.73	1.8	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	12	1.9	0.60	1.0	0.29	10	1.3	0.43	0.6	0.20
Leukemias	27	3.7	0.76	2.3	0.45	26	3.3	0.67	1.7	0.34
Other, Ill-defined & Unknown	40	5.6	0.94	3.5	0.55	60	7.9	1.05	3.9	0.52

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,635	196.6	1.11	109.0	0.64	31,762	140.3	0.81	81.4	0.52
Oral Cavity & Pharynx	673	3.8	0.15	2.5	0.10	312	1.4	0.08	0.8	0.05
Digestive System	9,110	53.6	0.57	31.4	0.34	7,202	31.0	0.38	17.0	0.23
Esophagus	1,503	8.7	0.23	5.3	0.14	374	1.6	0.09	0.9	0.05
Stomach	679	4.1	0.16	2.3	0.09	550	2.4	0.10	1.3	0.06
Colon & Rectum	2,623	15.9	0.32	8.7	0.18	2,669	11.3	0.23	6.0	0.14
Liver	1,416	7.9	0.22	5.2	0.14	444	2.0	0.10	1.2	0.07
Pancreas	2,141	12.6	0.28	7.3	0.17	2,297	9.9	0.21	5.4	0.13
Respiratory System	8,983	53.9	0.58	30.4	0.33	8,545	38.5	0.43	22.5	0.27
Larynx	275	1.6	0.10	1.0	0.06	93	0.4	0.04	0.2	0.03
Lung & bronchus	8,635	51.9	0.57	29.2	0.33	8,423	38.0	0.42	22.1	0.27
Skin	925	5.6	0.19	3.1	0.11	546	2.4	0.11	1.4	0.07
Melanomas of the skin	696	4.2	0.16	2.4	0.10	425	1.9	0.10	1.2	0.06
Breast	63	0.4	0.05	0.2	0.03	4,190	18.8	0.30	11.9	0.21
Female Genital System	-	-	-	-	-	3,273	14.6	0.26	9.1	0.18
Cervix uteri	-	-	-	-	-	259	1.3	0.08	0.9	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,042	4.6	0.15	2.9	0.10
Ovary	-	-	-	-	-	1,674	7.5	0.19	4.6	0.12
Male Genital System	3,105	19.8	0.36	8.6	0.16	-	-	-	-	-
Prostate	3,047	19.4	0.36	8.4	0.16	-	-	-	-	-
Testis	23	0.1	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,213	13.5	0.29	6.9	0.16	1,144	4.8	0.15	2.5	0.09
Bladder	1,336	8.4	0.23	3.9	0.11	620	2.6	0.11	1.2	0.06
Kidney & renal pelvis	826	4.8	0.17	2.8	0.10	489	2.1	0.10	1.2	0.06
Brain & Other Nervous System	902	5.2	0.18	3.7	0.13	711	3.4	0.13	2.4	0.10
Endocrine System	170	1.0	0.08	0.8	0.07	155	0.7	0.06	0.5	0.05
Thyroid gland	104	0.6	0.06	0.4	0.04	112	0.5	0.05	0.3	0.03
Lymphomas	1,199	7.4	0.22	3.9	0.12	1,079	4.6	0.15	2.3	0.08
Hodgkin Lymphoma	58	0.4	0.05	0.3	0.04	49	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	1,141	7.1	0.21	3.7	0.12	1,030	4.4	0.14	2.2	0.08
Multiple Myeloma	641	3.9	0.16	2.1	0.09	627	2.7	0.11	1.4	0.06
Leukemias	1,451	9.1	0.24	4.8	0.14	1,125	5.0	0.15	2.8	0.10
Other, Ill-defined & Unknown	3,200	19.4	0.35	10.7	0.20	2,853	12.4	0.24	6.9	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,340	200.1	1.17	110.9	0.68	29,664	143.7	0.86	83.5	0.56
Oral Cavity & Pharynx	607	3.8	0.16	2.5	0.10	295	1.4	0.08	0.8	0.05
Digestive System	8,328	53.8	0.60	31.4	0.36	6,596	31.0	0.40	16.9	0.24
Esophagus	1,427	9.0	0.24	5.6	0.15	353	1.7	0.09	1.0	0.06
Stomach	596	4.0	0.17	2.2	0.10	481	2.3	0.11	1.2	0.06
Colon & Rectum	2,429	16.2	0.33	8.7	0.19	2,448	11.3	0.24	6.0	0.14
Liver	1,180	7.3	0.22	4.7	0.14	386	1.9	0.10	1.1	0.07
Pancreas	2,010	13.0	0.30	7.6	0.18	2,139	10.1	0.23	5.5	0.14
Respiratory System	8,367	54.9	0.61	31.0	0.36	8,114	40.1	0.46	23.5	0.29
Larynx	255	1.7	0.11	1.0	0.06	90	0.4	0.05	0.3	0.03
Lung & bronchus	8,048	52.9	0.60	29.8	0.35	7,997	39.6	0.45	23.2	0.29
Skin	909	6.0	0.20	3.3	0.12	536	2.6	0.12	1.5	0.08
Melanomas of the skin	688	4.6	0.18	2.6	0.11	418	2.1	0.11	1.3	0.07
Breast	61	0.4	0.05	0.2	0.03	3,902	19.3	0.32	12.3	0.22
Female Genital System	-	-	-	-	-	3,020	14.9	0.28	9.3	0.19
Cervix uteri	-	-	-	-	-	227	1.2	0.09	0.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	935	4.5	0.15	2.8	0.10
Ovary	-	-	-	-	-	1,575	7.8	0.20	4.8	0.14
Male Genital System	2,837	19.5	0.37	8.5	0.17	-	-	-	-	-
Prostate	2,782	19.1	0.37	8.3	0.17	-	-	-	-	-
Testis	23	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	2,130	14.1	0.31	7.2	0.17	1,106	5.1	0.16	2.6	0.09
Bladder	1,295	8.8	0.25	4.1	0.12	599	2.7	0.11	1.3	0.06
Kidney & renal pelvis	785	5.0	0.18	3.0	0.11	473	2.2	0.11	1.3	0.07
Brain & Other Nervous System	862	5.5	0.19	3.9	0.14	673	3.6	0.14	2.5	0.11
Endocrine System	155	1.0	0.09	0.8	0.07	137	0.7	0.06	0.5	0.06
Thyroid gland	99	0.6	0.07	0.4	0.04	101	0.5	0.05	0.3	0.03
Lymphomas	1,135	7.7	0.23	4.1	0.13	1,021	4.8	0.16	2.4	0.09
Hodgkin Lymphoma	53	0.4	0.05	0.3	0.04	48	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,082	7.3	0.23	3.8	0.12	973	4.5	0.15	2.2	0.09
Multiple Myeloma	579	3.9	0.16	2.0	0.09	557	2.6	0.11	1.3	0.07
Leukemias	1,379	9.4	0.26	5.0	0.15	1,052	5.1	0.16	2.8	0.11
Other, Ill-defined & Unknown	2,991	19.8	0.37	11.0	0.22	2,655	12.6	0.26	7.0	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,523	189.7	5.26	108.0	2.81	1,467	123.7	3.29	73.5	2.00
Oral Cavity & Pharynx	41	4.5	0.77	2.9	0.46	-	-	-	-	-
Digestive System	474	54.3	2.71	33.5	1.57	384	32.7	1.70	18.2	0.98
Esophagus	52	6.1	0.91	3.8	0.53	13	1.1	0.30	0.6	0.19
Stomach	48	6.1	0.94	3.4	0.50	41	3.6	0.57	1.8	0.30
Colon & Rectum	133	15.3	1.45	9.3	0.82	153	12.8	1.05	7.3	0.62
Liver	111	10.4	1.07	7.8	0.76	27	2.1	0.41	1.5	0.29
Pancreas	96	12.3	1.35	6.7	0.69	105	9.1	0.90	4.9	0.51
Respiratory System	382	46.8	2.58	27.4	1.43	301	25.8	1.52	15.0	0.90
Larynx	14	1.8	0.50	1.1	0.29	-	-	-	-	-
Lung & bronchus	362	44.5	2.52	25.8	1.38	298	25.5	1.51	14.9	0.90
Skin	10	1.1	0.36	0.8	0.25	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	217	17.6	1.22	11.1	0.78
Female Genital System	-	-	-	-	-	190	15.5	1.15	10.1	0.76
Cervix uteri	-	-	-	-	-	25	1.9	0.39	1.4	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	84	6.9	0.77	4.6	0.52
Ovary	-	-	-	-	-	69	5.6	0.69	3.6	0.45
Male Genital System	227	35.9	2.49	16.0	1.08	-	-	-	-	-
Prostate	226	35.8	2.48	15.9	1.07	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	61	8.9	1.21	4.2	0.54	31	2.7	0.49	1.5	0.28
Bladder	28	4.3	0.86	1.9	0.36	18	1.7	0.40	0.7	0.19
Kidney & renal pelvis	32	4.4	0.84	2.2	0.40	13	1.0	0.28	0.7	0.21
Brain & Other Nervous System	27	2.4	0.51	1.8	0.36	20	1.6	0.37	1.2	0.28
Endocrine System	-	-	-	-	-	10	0.9	0.28	0.5	0.17
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	44	4.9	0.80	3.1	0.48	36	3.1	0.52	1.6	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	50	6.2	0.95	3.5	0.51	64	5.5	0.70	3.3	0.43
Leukemias	47	5.8	0.92	3.3	0.49	55	4.8	0.67	3.0	0.42
Other, Ill-defined & Unknown	150	17.9	1.59	10.6	0.88	144	12.3	1.04	7.1	0.62

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	734	123.7	4.87	68.3	2.57	594	81.4	3.47	45.9	1.95
Oral Cavity & Pharynx	23	3.2	0.70	2.1	0.44	-	-	-	-	-
Digestive System	294	46.7	2.92	27.6	1.64	210	29.3	2.10	16.1	1.15
Esophagus	22	4.5	1.01	2.0	0.43	-	-	-	-	-
Stomach	33	5.1	0.94	2.9	0.52	27	3.6	0.71	2.2	0.43
Colon & Rectum	56	8.8	1.26	5.2	0.71	64	9.1	1.18	4.5	0.58
Liver	122	18.2	1.76	11.6	1.07	31	4.3	0.80	2.6	0.50
Pancreas	34	5.7	1.05	3.3	0.59	49	7.5	1.10	3.5	0.52
Respiratory System	224	40.0	2.83	20.6	1.40	123	18.0	1.67	9.2	0.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	216	38.5	2.77	20.0	1.39	121	17.7	1.66	9.1	0.85
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	64	7.8	1.01	5.1	0.65
Female Genital System	-	-	-	-	-	59	7.6	1.03	4.6	0.61
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	21	2.7	0.61	1.7	0.39
Ovary	-	-	-	-	-	29	3.6	0.71	2.2	0.42
Male Genital System	36	7.9	1.36	3.3	0.55	-	-	-	-	-
Prostate	34	7.6	1.34	3.1	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	21	3.9	0.91	1.8	0.41	-	-	-	-	-
Bladder	13	2.5	0.73	1.2	0.33	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	11	1.3	0.42	1.1	0.35	18	2.2	0.55	1.5	0.37
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	2.9	0.73	1.6	0.39	20	2.8	0.64	1.5	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	12	2.0	0.60	1.2	0.34	-	-	-	-	-
Leukemias	25	4.2	0.89	2.3	0.47	17	2.1	0.52	1.5	0.38
Other, Ill-defined & Unknown	58	9.9	1.40	5.5	0.73	52	7.3	1.05	3.9	0.56

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	53,617	209.3	0.93	119.7	0.54	49,455	151.7	0.70	91.3	0.46
Oral Cavity & Pharynx	1,101	4.0	0.12	2.7	0.08	425	1.3	0.06	0.8	0.04
Digestive System	14,294	54.4	0.47	32.7	0.29	10,913	32.9	0.32	18.9	0.20
Esophagus	2,283	8.6	0.18	5.3	0.11	585	1.8	0.07	1.0	0.05
Stomach	1,048	4.1	0.13	2.4	0.08	705	2.1	0.08	1.2	0.05
Colon & Rectum	4,487	17.7	0.27	10.1	0.16	4,223	12.7	0.20	7.2	0.13
Liver	1,934	6.8	0.16	4.6	0.11	796	2.4	0.09	1.4	0.06
Pancreas	3,508	13.3	0.23	8.0	0.14	3,362	10.1	0.18	5.8	0.11
Respiratory System	16,516	63.3	0.50	37.1	0.30	13,688	42.2	0.37	25.5	0.24
Larynx	569	2.1	0.09	1.3	0.06	154	0.5	0.04	0.3	0.03
Lung & bronchus	15,854	60.8	0.49	35.5	0.29	13,474	41.5	0.36	25.0	0.23
Skin	1,315	5.2	0.15	3.1	0.09	655	2.0	0.08	1.3	0.06
Melanomas of the skin	931	3.6	0.12	2.2	0.08	486	1.6	0.07	1.0	0.05
Breast	98	0.4	0.04	0.2	0.02	7,200	22.4	0.27	14.4	0.19
Female Genital System	-	-	-	-	-	5,261	16.4	0.23	10.4	0.16
Cervix uteri	-	-	-	-	-	597	2.1	0.09	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,704	5.2	0.13	3.3	0.09
Ovary	-	-	-	-	-	2,578	8.0	0.16	4.9	0.11
Male Genital System	4,711	20.0	0.30	8.9	0.14	-	-	-	-	-
Prostate	4,590	19.5	0.29	8.6	0.13	-	-	-	-	-
Testis	67	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	3,634	14.6	0.25	7.6	0.13	1,802	5.4	0.13	2.9	0.08
Bladder	2,002	8.3	0.19	3.9	0.09	847	2.5	0.09	1.2	0.05
Kidney & renal pelvis	1,533	5.9	0.15	3.5	0.09	887	2.7	0.09	1.6	0.06
Brain & Other Nervous System	1,514	5.7	0.15	4.1	0.11	1,159	3.7	0.11	2.7	0.09
Endocrine System	214	0.8	0.06	0.6	0.04	250	0.8	0.05	0.5	0.04
Thyroid gland	131	0.5	0.05	0.3	0.03	165	0.5	0.04	0.3	0.02
Lymphomas	2,296	9.3	0.20	5.1	0.11	1,800	5.5	0.13	2.9	0.08
Hodgkin Lymphoma	125	0.5	0.05	0.4	0.03	81	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,171	8.8	0.19	4.7	0.11	1,719	5.2	0.13	2.7	0.08
Multiple Myeloma	1,149	4.6	0.14	2.5	0.08	955	2.9	0.10	1.6	0.06
Leukemias	2,356	9.6	0.20	5.2	0.12	1,689	5.2	0.13	2.9	0.09
Other, Ill-defined & Unknown	4,419	17.3	0.27	9.9	0.16	3,658	11.1	0.19	6.5	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	46,159	205.3	0.98	116.5	0.57	42,085	149.1	0.75	89.2	0.49
Oral Cavity & Pharynx	922	3.9	0.13	2.5	0.09	368	1.3	0.07	0.8	0.05
Digestive System	11,967	52.2	0.49	31.0	0.30	9,032	31.3	0.34	17.8	0.21
Esophagus	2,075	8.9	0.20	5.5	0.13	514	1.8	0.08	1.0	0.05
Stomach	812	3.6	0.13	2.1	0.08	517	1.8	0.08	1.0	0.05
Colon & Rectum	3,767	16.9	0.28	9.5	0.16	3,511	12.1	0.21	6.7	0.13
Liver	1,396	5.7	0.16	3.7	0.10	628	2.2	0.09	1.3	0.06
Pancreas	3,029	13.1	0.24	7.8	0.15	2,793	9.7	0.19	5.5	0.12
Respiratory System	14,189	61.9	0.53	36.1	0.31	11,841	42.2	0.40	25.4	0.25
Larynx	445	1.9	0.09	1.2	0.06	116	0.4	0.04	0.3	0.03
Lung & bronchus	13,656	59.6	0.52	34.6	0.31	11,672	41.6	0.39	25.0	0.25
Skin	1,277	5.7	0.16	3.4	0.10	623	2.3	0.09	1.4	0.07
Melanomas of the skin	919	4.1	0.14	2.6	0.09	468	1.8	0.08	1.2	0.06
Breast	81	0.4	0.04	0.2	0.02	5,947	21.4	0.29	13.7	0.20
Female Genital System	-	-	-	-	-	4,443	16.1	0.25	10.1	0.17
Cervix uteri	-	-	-	-	-	442	1.9	0.09	1.4	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,366	4.8	0.13	3.0	0.09
Ovary	-	-	-	-	-	2,292	8.2	0.18	5.1	0.12
Male Genital System	3,830	18.4	0.30	8.1	0.14	-	-	-	-	-
Prostate	3,724	17.9	0.30	7.7	0.13	-	-	-	-	-
Testis	62	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	3,299	15.0	0.27	7.7	0.14	1,572	5.4	0.14	2.9	0.08
Bladder	1,858	8.7	0.20	4.0	0.10	739	2.5	0.09	1.2	0.05
Kidney & renal pelvis	1,348	5.9	0.16	3.5	0.10	774	2.7	0.10	1.6	0.07
Brain & Other Nervous System	1,388	6.0	0.17	4.3	0.13	1,041	3.9	0.13	2.8	0.10
Endocrine System	190	0.9	0.06	0.6	0.05	206	0.7	0.05	0.5	0.05
Thyroid gland	120	0.5	0.05	0.3	0.03	135	0.4	0.04	0.2	0.02
Lymphomas	2,075	9.5	0.21	5.2	0.12	1,640	5.7	0.14	3.0	0.09
Hodgkin Lymphoma	104	0.5	0.05	0.4	0.04	74	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,971	9.0	0.21	4.8	0.12	1,566	5.4	0.14	2.8	0.08
Multiple Myeloma	939	4.3	0.14	2.2	0.08	724	2.5	0.10	1.3	0.06
Leukemias	2,128	9.9	0.22	5.3	0.13	1,519	5.4	0.14	3.0	0.10
Other, Ill-defined & Unknown	3,874	17.3	0.28	9.8	0.17	3,129	10.9	0.20	6.4	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	6,808	259.9	3.33	156.6	1.93	6,708	177.6	2.22	111.3	1.43
Oral Cavity & Pharynx	166	5.6	0.46	3.9	0.31	52	1.4	0.20	0.9	0.13
Digestive System	2,089	74.9	1.73	48.8	1.08	1,692	44.9	1.11	27.2	0.70
Esophagus	181	6.5	0.51	4.2	0.32	68	1.8	0.22	1.1	0.14
Stomach	209	7.9	0.57	4.9	0.34	164	4.4	0.35	2.5	0.21
Colon & Rectum	658	25.2	1.03	15.3	0.61	648	17.2	0.69	10.5	0.43
Liver	475	14.5	0.70	11.2	0.52	141	3.6	0.31	2.3	0.21
Pancreas	444	16.3	0.82	10.3	0.50	528	14.1	0.63	8.4	0.38
Respiratory System	2,138	80.9	1.85	49.4	1.09	1,675	44.4	1.11	27.3	0.70
Larynx	120	4.1	0.40	2.8	0.26	38	1.0	0.17	0.7	0.11
Lung & bronchus	2,013	76.6	1.80	46.5	1.05	1,630	43.2	1.09	26.5	0.69
Skin	33	1.1	0.21	0.8	0.14	25	0.6	0.13	0.4	0.09
Melanomas of the skin	11	0.4	0.13	0.2	0.07	12	0.3	0.09	0.2	0.06
Breast	17	0.6	0.15	0.4	0.10	1,178	30.8	0.92	20.6	0.63
Female Genital System	-	-	-	-	-	738	19.3	0.73	12.8	0.49
Cervix uteri	-	-	-	-	-	136	3.5	0.31	2.6	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	321	8.4	0.48	5.5	0.32
Ovary	-	-	-	-	-	244	6.4	0.42	4.1	0.28
Male Genital System	843	38.1	1.36	18.1	0.64	-	-	-	-	-
Prostate	829	37.6	1.35	17.7	0.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	311	12.6	0.75	7.0	0.41	215	5.8	0.40	3.2	0.24
Bladder	138	6.0	0.53	3.0	0.26	106	2.9	0.29	1.5	0.16
Kidney & renal pelvis	168	6.4	0.52	3.9	0.31	101	2.7	0.27	1.6	0.17
Brain & Other Nervous System	107	3.6	0.36	2.7	0.26	97	2.6	0.27	1.9	0.20
Endocrine System	17	0.6	0.15	0.4	0.10	39	1.0	0.16	0.7	0.12
Thyroid gland	-	-	-	-	-	26	0.7	0.14	0.4	0.09
Lymphomas	199	7.6	0.57	4.6	0.33	142	3.8	0.33	2.3	0.20
Hodgkin Lymphoma	19	0.6	0.16	0.5	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	180	7.0	0.55	4.2	0.32	-	-	-	-	-
Multiple Myeloma	196	8.3	0.62	4.5	0.33	216	5.8	0.41	3.3	0.24
Leukemias	193	7.6	0.58	4.5	0.33	153	4.2	0.35	2.6	0.22
Other, Ill-defined & Unknown	499	18.4	0.87	11.5	0.53	486	12.9	0.60	8.2	0.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	369	94.4	5.49	52.0	2.74	413	86.4	4.53	48.2	2.40
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	141	35.8	3.38	19.8	1.69	136	29.4	2.69	15.7	1.36
Esophagus	10	2.9	1.01	1.4	0.44	-	-	-	-	-
Stomach	19	3.8	0.95	2.6	0.61	21	4.2	0.99	2.4	0.53
Colon & Rectum	35	9.0	1.73	5.0	0.85	42	8.4	1.39	5.0	0.78
Liver	37	8.1	1.51	5.3	0.88	20	4.8	1.12	2.3	0.51
Pancreas	22	7.1	1.63	3.1	0.66	32	7.4	1.38	3.6	0.64
Respiratory System	78	19.5	2.42	11.0	1.26	79	17.6	2.08	9.2	1.05
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	78	19.5	2.42	11.0	1.26	79	17.6	2.08	9.2	1.05
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	50	9.3	1.41	5.7	0.82
Female Genital System	-	-	-	-	-	65	12.3	1.64	7.7	0.97
Cervix uteri	-	-	-	-	-	15	2.7	0.73	1.7	0.45
Corpus & uterus, NOS ¹	-	-	-	-	-	13	2.2	0.65	1.6	0.46
Ovary	-	-	-	-	-	35	7.1	1.30	4.1	0.71
Male Genital System	26	9.2	1.97	3.8	0.75	-	-	-	-	-
Prostate	25	9.1	1.96	3.7	0.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	2.9	0.96	1.6	0.47	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	2.7	0.90	1.8	0.51	13	2.2	0.65	1.7	0.48
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	16	3.6	1.05	2.2	0.57	14	2.9	0.83	1.7	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	12	2.8	0.89	1.7	0.50	-	-	-	-	-
Leukemias	25	6.6	1.45	3.4	0.68	-	-	-	-	-
Other, Ill-defined & Unknown	31	7.0	1.40	4.3	0.78	22	5.6	1.24	2.4	0.52

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,259	215.0	1.55	123.0	0.90	19,798	155.8	1.13	93.8	0.74
Oral Cavity & Pharynx	400	3.9	0.20	2.6	0.13	177	1.4	0.11	0.9	0.07
Digestive System	5,631	57.7	0.79	35.1	0.49	4,465	34.5	0.53	20.0	0.34
Esophagus	780	7.9	0.29	4.9	0.18	217	1.7	0.12	1.0	0.08
Stomach	477	5.0	0.24	3.0	0.14	353	2.7	0.15	1.5	0.09
Colon & Rectum	1,730	18.3	0.45	10.5	0.26	1,750	13.5	0.33	7.8	0.21
Liver	878	8.2	0.29	5.7	0.20	322	2.5	0.14	1.5	0.09
Pancreas	1,366	14.1	0.39	8.5	0.24	1,399	10.9	0.30	6.2	0.18
Respiratory System	6,100	64.3	0.85	37.3	0.49	5,366	42.6	0.59	25.3	0.38
Larynx	218	2.2	0.16	1.4	0.10	67	0.6	0.07	0.4	0.05
Lung & bronchus	5,848	61.7	0.83	35.7	0.48	5,275	41.9	0.59	24.8	0.37
Skin	452	4.8	0.23	2.8	0.14	221	1.8	0.12	1.1	0.09
Melanomas of the skin	305	3.2	0.19	1.9	0.12	175	1.4	0.11	0.9	0.08
Breast	40	0.4	0.07	0.2	0.04	3,027	24.0	0.45	15.4	0.31
Female Genital System	-	-	-	-	-	2,182	17.4	0.38	11.2	0.26
Cervix uteri	-	-	-	-	-	282	2.4	0.15	1.8	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	711	5.5	0.21	3.5	0.14
Ovary	-	-	-	-	-	1,037	8.2	0.26	5.2	0.17
Male Genital System	1,885	21.6	0.51	9.9	0.24	-	-	-	-	-
Prostate	1,844	21.2	0.50	9.5	0.23	-	-	-	-	-
Testis	29	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	1,365	14.9	0.41	7.8	0.22	685	5.2	0.20	2.7	0.12
Bladder	778	8.8	0.32	4.1	0.15	338	2.5	0.14	1.2	0.08
Kidney & renal pelvis	553	5.8	0.25	3.5	0.15	322	2.5	0.14	1.4	0.09
Brain & Other Nervous System	528	5.4	0.24	3.8	0.18	446	3.7	0.18	2.6	0.14
Endocrine System	84	0.9	0.10	0.6	0.07	111	0.9	0.08	0.6	0.07
Thyroid gland	53	0.6	0.08	0.3	0.05	75	0.6	0.07	0.3	0.04
Lymphomas	847	9.3	0.33	5.2	0.19	698	5.5	0.21	2.9	0.13
Hodgkin Lymphoma	47	0.5	0.08	0.4	0.06	31	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	800	8.8	0.32	4.8	0.18	667	5.2	0.21	2.7	0.12
Multiple Myeloma	462	5.0	0.24	2.7	0.13	375	2.9	0.15	1.6	0.09
Leukemias	857	9.5	0.33	5.1	0.19	612	4.8	0.20	2.7	0.13
Other, Ill-defined & Unknown	1,608	17.0	0.43	9.9	0.26	1,433	11.2	0.30	6.6	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,099	207.3	1.73	116.6	1.01	14,499	151.2	1.29	89.9	0.85
Oral Cavity & Pharynx	279	3.6	0.22	2.3	0.14	131	1.3	0.12	0.8	0.08
Digestive System	4,022	53.9	0.87	31.8	0.53	3,118	31.6	0.58	18.0	0.37
Esophagus	649	8.5	0.34	5.2	0.21	166	1.7	0.13	1.0	0.09
Stomach	309	4.2	0.25	2.4	0.15	210	2.1	0.15	1.2	0.10
Colon & Rectum	1,228	16.9	0.49	9.4	0.29	1,230	12.4	0.37	6.9	0.23
Liver	513	6.5	0.30	4.1	0.19	212	2.1	0.15	1.2	0.10
Pancreas	1,027	13.7	0.44	8.1	0.27	989	10.1	0.33	5.7	0.20
Respiratory System	4,514	61.7	0.94	35.1	0.55	4,087	43.2	0.69	25.4	0.44
Larynx	136	1.9	0.16	1.1	0.10	38	0.4	0.07	0.3	0.05
Lung & bronchus	4,347	59.4	0.92	33.7	0.53	4,032	42.6	0.69	25.1	0.44
Skin	428	5.9	0.29	3.4	0.18	198	2.2	0.16	1.4	0.11
Melanomas of the skin	297	4.0	0.24	2.5	0.15	163	1.8	0.15	1.2	0.11
Breast	26	0.4	0.08	0.2	0.04	2,114	22.4	0.50	14.1	0.34
Female Genital System	-	-	-	-	-	1,584	16.9	0.44	10.7	0.30
Cervix uteri	-	-	-	-	-	161	2.0	0.16	1.5	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	461	4.8	0.23	2.9	0.15
Ovary	-	-	-	-	-	841	8.9	0.32	5.6	0.21
Male Genital System	1,235	18.0	0.52	8.1	0.25	-	-	-	-	-
Prostate	1,205	17.5	0.51	7.7	0.24	-	-	-	-	-
Testis	24	0.4	0.08	0.4	0.08	-	-	-	-	-
Urinary System	1,133	15.8	0.48	8.1	0.26	518	5.1	0.23	2.7	0.14
Bladder	669	9.6	0.38	4.4	0.18	255	2.5	0.16	1.2	0.09
Kidney & renal pelvis	434	5.8	0.28	3.5	0.18	242	2.5	0.16	1.4	0.10
Brain & Other Nervous System	448	6.0	0.29	4.3	0.22	363	4.0	0.22	2.9	0.18
Endocrine System	66	0.9	0.11	0.6	0.08	75	0.8	0.09	0.5	0.07
Thyroid gland	44	0.6	0.09	0.3	0.05	51	0.5	0.07	0.3	0.05
Lymphomas	692	9.8	0.38	5.3	0.22	581	6.0	0.26	3.2	0.16
Hodgkin Lymphoma	33	0.5	0.09	0.3	0.07	27	0.3	0.07	0.2	0.06
Non-Hodgkin Lymphoma	659	9.4	0.37	5.0	0.21	554	5.6	0.25	2.9	0.15
Multiple Myeloma	320	4.5	0.26	2.4	0.14	206	2.1	0.15	1.1	0.09
Leukemias	706	10.1	0.39	5.4	0.22	487	5.1	0.24	2.9	0.17
Other, Ill-defined & Unknown	1,230	16.8	0.49	9.7	0.30	1,037	10.6	0.34	6.2	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	4,865	260.5	3.92	157.9	2.31	5,019	178.5	2.57	111.8	1.67
Oral Cavity & Pharynx	115	5.4	0.53	3.9	0.37	43	1.6	0.25	1.0	0.17
Digestive System	1,498	75.1	2.04	49.6	1.30	1,256	44.7	1.29	27.2	0.81
Esophagus	124	6.0	0.57	4.2	0.38	50	1.7	0.25	1.1	0.17
Stomach	152	8.0	0.68	5.1	0.42	127	4.6	0.41	2.6	0.24
Colon & Rectum	478	25.6	1.23	15.7	0.73	489	17.4	0.80	10.7	0.51
Liver	332	14.2	0.82	11.1	0.62	99	3.4	0.35	2.2	0.23
Pancreas	323	16.5	0.96	10.6	0.60	388	13.8	0.72	8.3	0.45
Respiratory System	1,510	80.4	2.18	49.1	1.29	1,227	43.7	1.28	27.0	0.81
Larynx	82	4.1	0.48	2.7	0.30	29	1.0	0.20	0.7	0.13
Lung & bronchus	1,425	76.0	2.12	46.3	1.25	1,191	42.5	1.26	26.1	0.80
Skin	21	1.0	0.24	0.7	0.16	20	0.7	0.16	0.5	0.11
Melanomas of the skin	-	-	-	-	-	10	0.4	0.11	0.2	0.07
Breast	14	0.7	0.18	0.5	0.14	875	30.7	1.06	20.5	0.73
Female Genital System	-	-	-	-	-	561	19.7	0.85	13.2	0.58
Cervix uteri	-	-	-	-	-	112	3.9	0.38	2.9	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	245	8.5	0.56	5.7	0.38
Ovary	-	-	-	-	-	174	6.2	0.48	4.0	0.32
Male Genital System	630	39.3	1.61	18.5	0.76	-	-	-	-	-
Prostate	619	38.7	1.60	18.2	0.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	225	13.0	0.90	7.1	0.49	160	5.7	0.46	3.1	0.26
Bladder	107	6.6	0.66	3.2	0.32	82	3.0	0.33	1.4	0.18
Kidney & renal pelvis	114	6.2	0.61	3.8	0.37	74	2.6	0.31	1.6	0.19
Brain & Other Nervous System	72	3.6	0.44	2.6	0.32	74	2.6	0.31	2.0	0.25
Endocrine System	15	0.7	0.20	0.5	0.14	34	1.2	0.21	0.9	0.17
Thyroid gland	-	-	-	-	-	23	0.8	0.17	0.5	0.11
Lymphomas	144	7.7	0.67	4.9	0.42	108	3.9	0.38	2.3	0.24
Hodgkin Lymphoma	13	0.6	0.18	0.5	0.13	-	-	-	-	-
Non-Hodgkin Lymphoma	131	7.1	0.65	4.4	0.40	-	-	-	-	-
Multiple Myeloma	133	7.5	0.68	4.3	0.38	162	5.9	0.47	3.2	0.27
Leukemias	129	7.3	0.67	4.2	0.39	118	4.4	0.41	2.6	0.25
Other, Ill-defined & Unknown	359	18.8	1.04	11.9	0.64	381	13.7	0.71	8.5	0.47

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	255	99.3	6.95	56.1	3.55	242	81.1	5.54	46.5	3.01
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	97	36.9	4.20	21.6	2.22	82	28.4	3.34	15.4	1.71
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	3.6	1.09	2.6	0.75	15	4.9	1.37	2.8	0.72
Colon & Rectum	22	8.5	2.06	5.0	1.09	29	9.2	1.81	5.6	1.05
Liver	29	10.0	2.08	6.4	1.20	10	3.9	1.28	1.8	0.58
Pancreas	15	7.3	2.09	3.4	0.88	20	7.7	1.82	3.6	0.82
Respiratory System	59	23.1	3.33	12.9	1.69	41	15.1	2.47	7.9	1.24
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	59	23.1	3.33	12.9	1.69	41	15.1	2.47	7.9	1.24
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	32	9.2	1.72	6.2	1.10
Female Genital System	-	-	-	-	-	36	11.8	2.10	7.0	1.18
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	21	7.6	1.74	4.1	0.90
Male Genital System	18	10.2	2.58	4.1	0.97	-	-	-	-	-
Prostate	18	10.2	2.58	4.1	0.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	20	7.5	1.88	4.4	1.01	-	-	-	-	-
Other, Ill-defined & Unknown	19	6.7	1.71	3.9	0.89	12	4.7	1.44	2.2	0.63

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,961	188.8	1.22	103.7	0.69	22,814	135.8	0.92	79.2	0.59
Oral Cavity & Pharynx	436	3.1	0.15	1.9	0.10	235	1.3	0.09	0.8	0.06
Digestive System	6,590	48.5	0.61	28.3	0.36	5,182	30.3	0.43	17.1	0.27
Esophagus	1,034	7.5	0.24	4.5	0.14	318	1.9	0.11	1.1	0.07
Stomach	462	3.5	0.17	1.9	0.10	296	1.8	0.11	1.0	0.07
Colon & Rectum	2,014	15.2	0.34	8.4	0.20	2,002	11.5	0.26	6.3	0.16
Liver	763	5.1	0.19	3.5	0.13	280	1.6	0.10	1.0	0.07
Pancreas	1,693	12.5	0.31	7.3	0.18	1,505	8.8	0.23	4.9	0.14
Respiratory System	6,577	49.2	0.62	27.7	0.36	5,614	34.3	0.47	20.1	0.29
Larynx	181	1.3	0.10	0.8	0.06	40	0.2	0.04	0.2	0.03
Lung & bronchus	6,352	47.6	0.61	26.8	0.35	5,543	33.9	0.46	19.8	0.29
Skin	655	4.9	0.20	2.8	0.12	341	2.0	0.11	1.2	0.08
Melanomas of the skin	505	3.8	0.17	2.2	0.10	268	1.6	0.10	1.0	0.07
Breast	22	0.2	0.04	0.1	0.02	3,149	18.8	0.34	11.8	0.23
Female Genital System	-	-	-	-	-	2,365	14.2	0.30	8.8	0.20
Cervix uteri	-	-	-	-	-	217	1.4	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	707	4.3	0.16	2.5	0.11
Ovary	-	-	-	-	-	1,206	7.2	0.21	4.5	0.14
Male Genital System	2,585	21.0	0.42	8.9	0.18	-	-	-	-	-
Prostate	2,542	20.6	0.41	8.7	0.18	-	-	-	-	-
Testis	17	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	1,781	13.7	0.33	7.0	0.18	808	4.6	0.17	2.4	0.10
Bladder	887	7.1	0.24	3.2	0.11	335	1.9	0.11	0.9	0.06
Kidney & renal pelvis	847	6.2	0.22	3.7	0.13	445	2.6	0.13	1.4	0.08
Brain & Other Nervous System	804	5.7	0.21	4.1	0.15	546	3.5	0.15	2.6	0.12
Endocrine System	111	0.8	0.08	0.5	0.06	106	0.7	0.07	0.4	0.05
Thyroid gland	69	0.5	0.06	0.3	0.03	76	0.4	0.05	0.2	0.03
Lymphomas	1,153	9.0	0.27	4.7	0.15	935	5.4	0.18	2.7	0.10
Hodgkin Lymphoma	53	0.4	0.06	0.2	0.04	42	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,100	8.6	0.26	4.4	0.14	893	5.2	0.18	2.6	0.10
Multiple Myeloma	562	4.4	0.19	2.3	0.10	449	2.7	0.13	1.4	0.07
Leukemias	1,289	10.0	0.28	5.3	0.16	948	5.5	0.18	2.9	0.11
Other, Ill-defined & Unknown	2,396	18.2	0.38	9.9	0.22	2,136	12.5	0.28	7.0	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	23,700	188.3	1.25	103.0	0.71	21,674	135.4	0.95	78.8	0.61
Oral Cavity & Pharynx	402	3.0	0.15	1.9	0.10	217	1.3	0.09	0.8	0.06
Digestive System	6,112	47.5	0.62	27.5	0.37	4,829	29.5	0.44	16.5	0.27
Esophagus	998	7.6	0.25	4.6	0.15	292	1.8	0.11	1.1	0.07
Stomach	423	3.4	0.17	1.9	0.10	254	1.6	0.11	0.9	0.07
Colon & Rectum	1,905	15.1	0.35	8.3	0.20	1,897	11.4	0.27	6.2	0.17
Liver	596	4.3	0.18	2.8	0.12	224	1.4	0.09	0.8	0.06
Pancreas	1,604	12.4	0.32	7.2	0.19	1,438	8.8	0.24	4.9	0.15
Respiratory System	6,266	49.1	0.63	27.7	0.37	5,365	34.4	0.48	20.1	0.30
Larynx	174	1.3	0.10	0.8	0.06	34	0.2	0.04	0.1	0.03
Lung & bronchus	6,050	47.5	0.62	26.7	0.36	5,303	34.0	0.48	19.9	0.30
Skin	644	5.1	0.21	2.9	0.12	338	2.1	0.12	1.3	0.08
Melanomas of the skin	502	4.0	0.18	2.4	0.11	265	1.7	0.11	1.1	0.08
Breast	20	0.2	0.04	0.1	0.02	3,022	19.0	0.36	11.9	0.24
Female Genital System	-	-	-	-	-	2,230	14.1	0.31	8.7	0.21
Cervix uteri	-	-	-	-	-	179	1.3	0.10	1.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	659	4.2	0.17	2.5	0.11
Ovary	-	-	-	-	-	1,167	7.3	0.22	4.5	0.15
Male Genital System	2,491	21.0	0.42	8.9	0.19	-	-	-	-	-
Prostate	2,449	20.6	0.42	8.6	0.19	-	-	-	-	-
Testis	16	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,724	13.9	0.34	7.1	0.18	771	4.6	0.17	2.4	0.10
Bladder	862	7.2	0.25	3.2	0.12	318	1.9	0.11	0.9	0.06
Kidney & renal pelvis	817	6.3	0.23	3.8	0.14	427	2.6	0.13	1.4	0.08
Brain & Other Nervous System	765	5.9	0.22	4.2	0.16	526	3.6	0.16	2.6	0.13
Endocrine System	102	0.8	0.08	0.5	0.06	100	0.7	0.07	0.4	0.05
Thyroid gland	65	0.5	0.07	0.3	0.04	70	0.4	0.05	0.2	0.03
Lymphomas	1,105	9.0	0.28	4.7	0.15	906	5.5	0.19	2.7	0.11
Hodgkin Lymphoma	51	0.4	0.06	0.2	0.04	42	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,054	8.6	0.27	4.5	0.15	864	5.2	0.18	2.6	0.10
Multiple Myeloma	542	4.4	0.19	2.3	0.10	426	2.6	0.13	1.3	0.07
Leukemias	1,242	10.1	0.29	5.3	0.17	911	5.5	0.19	2.9	0.12
Other, Ill-defined & Unknown	2,285	18.3	0.39	9.9	0.22	2,033	12.4	0.28	6.9	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	653	207.0	9.68	123.5	5.06	593	157.6	7.13	94.3	3.97
Oral Cavity & Pharynx	19	5.4	1.49	3.5	0.85	-	-	-	-	-
Digestive System	235	65.4	5.06	43.5	2.97	166	42.9	3.68	26.9	2.14
Esophagus	19	5.8	1.58	3.6	0.87	20	5.7	1.39	3.3	0.74
Stomach	16	4.9	1.42	2.9	0.77	16	4.1	1.15	2.5	0.64
Colon & Rectum	50	12.5	2.14	8.6	1.29	42	10.4	1.81	6.4	1.02
Liver	85	22.0	2.81	15.9	1.80	26	5.7	1.23	4.3	0.86
Pancreas	52	16.7	2.70	10.1	1.45	40	11.4	1.97	6.4	1.04
Respiratory System	159	51.9	4.81	31.1	2.57	121	33.7	3.35	19.5	1.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	156	50.9	4.76	30.6	2.55	116	32.2	3.27	18.7	1.77
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	83	19.8	2.40	12.8	1.44
Female Genital System	-	-	-	-	-	71	18.4	2.40	11.5	1.40
Cervix uteri	-	-	-	-	-	17	3.2	0.82	2.5	0.62
Corpus & uterus, NOS ¹	-	-	-	-	-	28	8.3	1.68	4.9	0.95
Ovary	-	-	-	-	-	21	5.3	1.29	3.2	0.72
Male Genital System	68	33.0	4.45	14.6	1.82	-	-	-	-	-
Prostate	68	33.0	4.45	14.6	1.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	33	12.0	2.49	6.5	1.18	25	8.0	1.74	3.8	0.78
Bladder	13	5.3	1.74	2.5	0.73	14	4.1	1.19	2.2	0.60
Kidney & renal pelvis	18	5.8	1.65	3.5	0.86	11	3.9	1.27	1.7	0.51
Brain & Other Nervous System	20	4.4	1.27	2.8	0.65	12	2.2	0.76	1.5	0.42
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	5.7	1.50	3.7	0.85	15	4.2	1.18	2.5	0.67
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	3.8	1.41	1.8	0.60	19	6.7	1.62	3.0	0.70
Leukemias	21	5.5	1.50	3.5	0.81	19	5.5	1.37	3.1	0.73
Other, Ill-defined & Unknown	58	18.5	2.88	11.0	1.52	57	15.2	2.23	8.9	1.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	352	136.8	8.15	78.0	4.25	336	94.8	5.51	57.7	3.24
Oral Cavity & Pharynx	10	3.0	1.03	2.1	0.70	-	-	-	-	-
Digestive System	161	59.2	5.17	35.9	2.90	128	38.9	3.62	22.1	2.02
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	17	6.9	1.88	3.7	0.92	19	5.5	1.38	3.0	0.72
Colon & Rectum	32	12.3	2.39	7.0	1.26	39	11.5	1.95	6.3	1.03
Liver	62	20.1	2.84	13.6	1.78	21	6.9	1.55	3.9	0.87
Pancreas	23	9.1	2.10	5.3	1.12	20	5.9	1.38	3.8	0.86
Respiratory System	65	28.5	3.91	14.5	1.84	51	16.5	2.41	9.0	1.29
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	64	27.9	3.86	14.3	1.83	50	16.3	2.40	8.8	1.28
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	30	7.7	1.52	5.0	0.94
Female Genital System	-	-	-	-	-	49	12.4	1.90	8.3	1.22
Cervix uteri	-	-	-	-	-	17	4.1	1.06	2.9	0.71
Corpus & uterus, NOS ¹	-	-	-	-	-	15	3.2	0.88	2.7	0.73
Ovary	-	-	-	-	-	13	3.5	1.05	2.1	0.60
Male Genital System	11	6.6	2.06	2.6	0.78	-	-	-	-	-
Prostate	11	6.6	2.06	2.6	0.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	5.7	1.66	3.3	0.91	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	3.5	1.15	2.4	0.68	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	17	8.0	2.12	3.6	0.88	11	3.1	0.97	2.1	0.67
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	17	5.7	1.62	3.5	0.88	14	3.2	0.94	2.2	0.61
Other, Ill-defined & Unknown	32	12.7	2.54	7.0	1.26	29	7.3	1.45	4.8	0.92

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2010-2014, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	17,649	252.3	1.97	149.8	1.16	14,457	158.6	1.34	99.2	0.90
Oral Cavity & Pharynx	468	6.1	0.29	4.3	0.20	147	1.6	0.13	1.0	0.09
Digestive System	4,596	63.7	0.97	40.2	0.61	3,531	38.3	0.65	22.8	0.42
Esophagus	559	7.4	0.32	5.0	0.22	141	1.5	0.13	1.0	0.09
Stomach	368	5.2	0.28	3.2	0.17	277	3.0	0.18	1.8	0.12
Colon & Rectum	1,668	23.7	0.60	14.6	0.37	1,476	16.1	0.42	9.8	0.28
Liver	743	9.8	0.37	6.6	0.25	361	3.9	0.21	2.2	0.13
Pancreas	1,025	14.3	0.46	8.9	0.28	1,021	11.0	0.35	6.3	0.22
Respiratory System	6,139	85.6	1.13	51.8	0.68	3,841	41.7	0.68	26.5	0.46
Larynx	170	2.3	0.18	1.5	0.12	41	0.4	0.07	0.3	0.05
Lung & bronchus	5,932	82.7	1.11	49.9	0.66	3,780	41.1	0.67	26.0	0.45
Skin	366	5.5	0.30	3.0	0.16	165	1.8	0.15	1.2	0.10
Melanomas of the skin	240	3.6	0.24	2.0	0.14	127	1.4	0.13	0.9	0.09
Breast	23	0.3	0.07	0.2	0.04	2,145	23.9	0.53	15.9	0.37
Female Genital System	-	-	-	-	-	1,372	15.3	0.42	10.0	0.29
Cervix uteri	-	-	-	-	-	291	3.5	0.21	2.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	365	4.0	0.21	2.6	0.14
Ovary	-	-	-	-	-	604	6.7	0.27	4.2	0.18
Male Genital System	1,630	26.5	0.68	12.4	0.32	-	-	-	-	-
Prostate	1,606	26.2	0.67	12.1	0.31	-	-	-	-	-
Testis	13	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	934	14.0	0.47	7.7	0.26	448	4.8	0.23	2.7	0.14
Bladder	434	6.9	0.34	3.4	0.17	176	1.9	0.15	1.0	0.08
Kidney & renal pelvis	477	6.7	0.32	4.2	0.20	250	2.7	0.17	1.6	0.11
Brain & Other Nervous System	433	6.0	0.30	4.1	0.20	389	4.3	0.22	3.1	0.17
Endocrine System	46	0.7	0.10	0.4	0.07	71	0.8	0.10	0.6	0.08
Thyroid gland	28	0.4	0.08	0.2	0.05	46	0.5	0.08	0.3	0.04
Lymphomas	521	7.8	0.35	4.3	0.20	404	4.5	0.23	2.5	0.14
Hodgkin Lymphoma	39	0.6	0.09	0.4	0.06	26	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	482	7.2	0.34	4.0	0.19	378	4.2	0.22	2.3	0.13
Multiple Myeloma	319	4.8	0.28	2.6	0.15	297	3.2	0.19	1.8	0.11
Leukemias	635	9.6	0.39	5.5	0.23	477	5.3	0.25	3.1	0.16
Other, Ill-defined & Unknown	1,539	21.9	0.58	13.3	0.35	1,170	12.9	0.38	8.2	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,936	234.8	2.20	137.7	1.32	9,668	151.5	1.57	94.0	1.07
Oral Cavity & Pharynx	274	5.0	0.31	3.5	0.22	107	1.7	0.16	1.0	0.11
Digestive System	2,983	57.5	1.08	36.0	0.69	2,228	34.2	0.74	20.1	0.48
Esophagus	381	7.2	0.38	4.8	0.26	91	1.4	0.15	0.8	0.10
Stomach	175	3.4	0.26	2.0	0.16	150	2.3	0.19	1.3	0.13
Colon & Rectum	1,049	20.7	0.66	12.7	0.41	902	13.9	0.47	8.4	0.31
Liver	523	9.7	0.44	6.4	0.29	246	3.7	0.24	2.2	0.15
Pancreas	694	13.3	0.52	8.2	0.32	669	10.3	0.40	5.8	0.26
Respiratory System	4,236	81.2	1.28	48.1	0.77	2,859	44.3	0.84	28.3	0.58
Larynx	85	1.7	0.18	1.0	0.12	28	0.4	0.08	0.3	0.06
Lung & bronchus	4,122	78.9	1.26	46.7	0.75	2,815	43.6	0.83	27.8	0.57
Skin	328	6.8	0.38	3.8	0.22	146	2.4	0.20	1.5	0.14
Melanomas of the skin	227	4.6	0.32	2.7	0.19	112	1.9	0.18	1.2	0.13
Breast	11	0.2	0.07	0.1	0.04	1,230	19.8	0.58	12.7	0.40
Female Genital System	-	-	-	-	-	852	13.9	0.49	8.9	0.34
Cervix uteri	-	-	-	-	-	131	2.5	0.23	1.9	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	192	3.0	0.22	1.9	0.16
Ovary	-	-	-	-	-	439	7.0	0.34	4.3	0.23
Male Genital System	839	18.3	0.64	8.4	0.30	-	-	-	-	-
Prostate	819	17.8	0.64	8.0	0.29	-	-	-	-	-
Testis	11	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	703	14.4	0.56	7.8	0.31	306	4.7	0.27	2.6	0.17
Bladder	355	7.6	0.42	3.6	0.20	116	1.7	0.17	0.9	0.09
Kidney & renal pelvis	330	6.4	0.36	4.0	0.23	174	2.7	0.21	1.6	0.14
Brain & Other Nervous System	349	6.8	0.38	4.7	0.27	315	5.2	0.30	3.7	0.24
Endocrine System	34	0.7	0.12	0.5	0.10	44	0.7	0.11	0.5	0.10
Thyroid gland	22	0.5	0.10	0.3	0.06	27	0.4	0.08	0.2	0.04
Lymphomas	413	8.5	0.43	4.5	0.23	307	4.8	0.28	2.6	0.17
Hodgkin Lymphoma	26	0.5	0.11	0.3	0.06	19	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	387	7.9	0.41	4.2	0.23	288	4.4	0.27	2.3	0.16
Multiple Myeloma	193	4.0	0.29	2.0	0.15	154	2.3	0.19	1.3	0.11
Leukemias	488	10.1	0.47	5.7	0.28	343	5.4	0.30	3.1	0.20
Other, Ill-defined & Unknown	1,085	21.4	0.67	12.7	0.41	777	12.3	0.45	7.7	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	5,629	306.1	4.44	183.9	2.48	4,676	174.7	2.61	110.8	1.69
Oral Cavity & Pharynx	191	8.7	0.68	6.3	0.46	40	1.4	0.22	1.0	0.16
Digestive System	1,577	81.7	2.24	51.5	1.31	1,258	47.8	1.38	28.5	0.85
Esophagus	174	8.0	0.66	5.6	0.43	48	1.7	0.25	1.2	0.18
Stomach	189	10.0	0.79	6.1	0.45	122	4.6	0.43	2.7	0.26
Colon & Rectum	604	33.0	1.46	20.0	0.82	564	21.3	0.92	12.9	0.57
Liver	212	9.5	0.71	6.8	0.47	100	3.8	0.39	2.2	0.23
Pancreas	330	17.4	1.04	10.8	0.60	345	13.2	0.73	7.7	0.44
Respiratory System	1,880	98.1	2.45	61.4	1.43	956	36.1	1.20	22.8	0.77
Larynx	83	4.0	0.48	2.8	0.31	13	0.4	0.12	0.3	0.09
Lung & bronchus	1,790	93.7	2.40	58.4	1.40	939	35.5	1.19	22.4	0.76
Skin	38	1.8	0.32	1.2	0.20	-	-	-	-	-
Melanomas of the skin	13	0.8	0.24	0.4	0.12	15	0.5	0.14	0.4	0.10
Breast	12	0.7	0.21	0.4	0.11	907	32.5	1.10	22.3	0.77
Female Genital System	-	-	-	-	-	506	19.0	0.86	12.5	0.58
Cervix uteri	-	-	-	-	-	154	5.7	0.47	3.9	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	171	6.4	0.51	4.1	0.33
Ovary	-	-	-	-	-	159	6.0	0.49	3.9	0.32
Male Genital System	784	54.6	2.07	25.2	0.91	-	-	-	-	-
Prostate	780	54.4	2.07	25.0	0.90	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	228	12.4	0.90	7.4	0.49	141	5.3	0.46	3.1	0.28
Bladder	77	4.3	0.54	2.5	0.28	60	2.3	0.31	1.3	0.18
Kidney & renal pelvis	146	7.8	0.70	4.7	0.40	75	2.8	0.33	1.7	0.21
Brain & Other Nervous System	84	4.2	0.50	2.8	0.31	74	2.6	0.31	1.9	0.23
Endocrine System	12	0.6	0.19	0.4	0.12	27	1.0	0.20	0.7	0.15
Thyroid gland	-	-	-	-	-	19	0.8	0.18	0.4	0.10
Lymphomas	104	5.2	0.56	3.4	0.34	93	3.6	0.38	2.2	0.24
Hodgkin Lymphoma	13	0.5	0.15	0.5	0.13	-	-	-	-	-
Non-Hodgkin Lymphoma	91	4.7	0.54	3.0	0.32	-	-	-	-	-
Multiple Myeloma	126	7.2	0.69	4.2	0.38	140	5.4	0.47	3.0	0.27
Leukemias	147	8.1	0.72	4.9	0.41	132	5.2	0.46	3.1	0.29
Other, Ill-defined & Unknown	446	22.8	1.17	14.7	0.71	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	52	123.0	19.54	74.1	10.48	74	141.5	17.91	72.4	8.63
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	21	51.0	12.89	28.8	6.41	30	58.7	11.60	29.3	5.41
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	11	24.6	7.71	10.3	3.16
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	16	33.2	8.78	23.7	6.01	18	40.2	10.10	16.8	4.03
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	33.2	8.78	23.7	6.01	18	40.2	10.10	16.8	4.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	10	18.2	6.38	9.4	3.02
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33,500	216.7	1.21	125.6	0.72	30,540	154.5	0.90	93.7	0.60
Oral Cavity & Pharynx	636	3.9	0.16	2.6	0.11	266	1.3	0.08	0.7	0.05
Digestive System	8,678	54.9	0.60	33.3	0.37	6,570	32.8	0.41	18.8	0.26
Esophagus	1,261	7.8	0.22	5.0	0.14	342	1.7	0.09	1.0	0.06
Stomach	572	3.7	0.16	2.2	0.10	345	1.7	0.10	1.0	0.06
Colon & Rectum	2,922	19.1	0.36	10.9	0.21	2,650	13.2	0.26	7.3	0.16
Liver	1,263	7.4	0.21	5.1	0.15	434	2.2	0.11	1.3	0.07
Pancreas	2,043	13.0	0.29	7.8	0.18	1,992	9.9	0.23	5.7	0.14
Respiratory System	11,263	71.6	0.69	42.5	0.41	8,923	45.2	0.49	27.7	0.32
Larynx	313	1.9	0.11	1.2	0.07	76	0.4	0.05	0.3	0.03
Lung & bronchus	10,904	69.4	0.68	41.1	0.41	8,814	44.7	0.48	27.4	0.32
Skin	951	6.2	0.21	3.6	0.12	428	2.2	0.11	1.4	0.07
Melanomas of the skin	712	4.6	0.18	2.7	0.11	332	1.8	0.10	1.1	0.07
Breast	41	0.3	0.04	0.2	0.03	4,383	22.5	0.35	14.6	0.24
Female Genital System	-	-	-	-	-	2,938	15.1	0.28	9.7	0.20
Cervix uteri	-	-	-	-	-	459	2.6	0.13	2.0	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	881	4.4	0.15	2.8	0.10
Ovary	-	-	-	-	-	1,370	6.9	0.19	4.3	0.13
Male Genital System	2,641	18.7	0.37	8.3	0.17	-	-	-	-	-
Prostate	2,562	18.2	0.36	8.0	0.16	-	-	-	-	-
Testis	47	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,111	14.0	0.31	7.5	0.17	1,120	5.5	0.17	3.0	0.10
Bladder	1,038	7.2	0.23	3.4	0.11	464	2.2	0.10	1.1	0.06
Kidney & renal pelvis	1,024	6.5	0.21	3.9	0.13	617	3.1	0.13	1.8	0.08
Brain & Other Nervous System	848	5.3	0.19	3.9	0.14	666	3.5	0.14	2.6	0.11
Endocrine System	121	0.8	0.07	0.5	0.05	151	0.8	0.07	0.6	0.06
Thyroid gland	79	0.5	0.06	0.3	0.04	95	0.5	0.05	0.3	0.03
Lymphomas	1,188	7.9	0.23	4.3	0.13	986	4.9	0.16	2.6	0.09
Hodgkin Lymphoma	61	0.4	0.05	0.3	0.04	45	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,127	7.5	0.23	4.0	0.13	941	4.7	0.16	2.5	0.09
Multiple Myeloma	682	4.4	0.17	2.5	0.10	560	2.8	0.12	1.5	0.07
Leukemias	1,467	9.9	0.26	5.5	0.16	1,088	5.5	0.17	3.2	0.12
Other, Ill-defined & Unknown	2,873	18.8	0.36	10.9	0.22	2,461	12.4	0.26	7.4	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,035	213.7	1.25	123.6	0.75	26,973	152.1	0.95	91.9	0.63
Oral Cavity & Pharynx	569	3.8	0.16	2.6	0.11	232	1.3	0.08	0.7	0.05
Digestive System	7,568	52.9	0.62	31.9	0.38	5,706	31.6	0.43	18.1	0.27
Esophagus	1,165	7.9	0.24	5.1	0.15	301	1.7	0.10	1.0	0.07
Stomach	461	3.3	0.16	2.0	0.10	283	1.6	0.10	1.0	0.06
Colon & Rectum	2,576	18.5	0.37	10.5	0.22	2,321	12.8	0.27	7.1	0.17
Liver	1,003	6.6	0.21	4.4	0.14	350	1.9	0.11	1.1	0.07
Pancreas	1,824	12.8	0.30	7.6	0.19	1,748	9.6	0.24	5.6	0.15
Respiratory System	10,143	70.9	0.72	41.9	0.43	8,031	45.5	0.52	27.8	0.34
Larynx	274	1.9	0.11	1.2	0.07	60	0.3	0.04	0.2	0.03
Lung & bronchus	9,827	68.8	0.71	40.5	0.43	7,939	45.0	0.51	27.5	0.34
Skin	932	6.7	0.22	3.9	0.13	419	2.4	0.12	1.5	0.08
Melanomas of the skin	707	5.1	0.19	3.0	0.12	327	2.0	0.11	1.2	0.08
Breast	36	0.3	0.04	0.2	0.03	3,727	21.4	0.36	13.7	0.25
Female Genital System	-	-	-	-	-	2,537	14.6	0.30	9.4	0.21
Cervix uteri	-	-	-	-	-	366	2.4	0.13	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	707	3.9	0.15	2.5	0.10
Ovary	-	-	-	-	-	1,261	7.1	0.20	4.4	0.14
Male Genital System	2,273	17.5	0.37	7.8	0.17	-	-	-	-	-
Prostate	2,202	17.0	0.37	7.4	0.17	-	-	-	-	-
Testis	45	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	1,982	14.4	0.33	7.7	0.18	1,008	5.5	0.18	2.9	0.11
Bladder	990	7.5	0.24	3.5	0.12	424	2.2	0.11	1.1	0.06
Kidney & renal pelvis	948	6.6	0.22	4.0	0.14	552	3.1	0.13	1.8	0.08
Brain & Other Nervous System	796	5.6	0.20	4.1	0.16	625	3.8	0.16	2.8	0.13
Endocrine System	107	0.8	0.08	0.5	0.05	133	0.8	0.07	0.5	0.06
Thyroid gland	71	0.5	0.06	0.3	0.04	84	0.4	0.05	0.3	0.03
Lymphomas	1,101	8.1	0.25	4.4	0.14	916	5.1	0.17	2.7	0.10
Hodgkin Lymphoma	54	0.4	0.06	0.3	0.04	42	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,047	7.6	0.24	4.1	0.13	874	4.8	0.17	2.5	0.10
Multiple Myeloma	580	4.1	0.17	2.3	0.10	457	2.5	0.12	1.3	0.07
Leukemias	1,342	10.0	0.28	5.5	0.17	996	5.5	0.18	3.2	0.12
Other, Ill-defined & Unknown	2,606	18.8	0.37	10.9	0.23	2,186	12.2	0.27	7.2	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,228	273.1	5.15	162.5	2.91	3,319	187.9	3.32	116.9	2.12
Oral Cavity & Pharynx	62	4.7	0.65	3.1	0.40	31	1.8	0.33	1.1	0.21
Digestive System	1,017	80.9	2.72	51.2	1.63	793	45.5	1.65	26.4	0.99
Esophagus	93	7.3	0.80	4.7	0.49	40	2.3	0.37	1.4	0.23
Stomach	101	8.0	0.86	5.2	0.53	59	3.3	0.44	1.9	0.26
Colon & Rectum	318	27.4	1.64	16.0	0.91	304	17.5	1.02	10.1	0.61
Liver	234	15.8	1.10	11.8	0.78	69	3.8	0.47	2.4	0.30
Pancreas	205	16.8	1.26	10.2	0.73	226	13.1	0.89	7.5	0.52
Respiratory System	1,057	85.9	2.82	53.8	1.68	839	47.1	1.66	29.7	1.07
Larynx	39	3.0	0.52	2.0	0.33	16	0.9	0.23	0.6	0.16
Lung & bronchus	1,014	82.6	2.77	51.6	1.65	822	46.2	1.64	29.0	1.06
Skin	19	1.3	0.33	0.9	0.22	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	618	34.2	1.40	22.6	0.94
Female Genital System	-	-	-	-	-	375	21.3	1.12	13.7	0.74
Cervix uteri	-	-	-	-	-	83	4.6	0.51	3.3	0.37
Corpus & uterus, NOS ¹	-	-	-	-	-	167	9.5	0.75	6.1	0.49
Ovary	-	-	-	-	-	100	5.8	0.59	3.5	0.36
Male Genital System	356	38.3	2.12	17.1	0.92	-	-	-	-	-
Prostate	348	37.7	2.11	16.7	0.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	116	10.1	1.00	5.8	0.55	106	6.1	0.60	3.5	0.36
Bladder	43	4.3	0.69	2.1	0.33	37	2.1	0.34	1.2	0.20
Kidney & renal pelvis	68	5.4	0.70	3.4	0.42	62	3.6	0.47	2.1	0.28
Brain & Other Nervous System	44	3.3	0.53	2.3	0.35	35	2.0	0.35	1.3	0.24
Endocrine System	11	0.9	0.29	0.6	0.18	16	0.9	0.23	0.7	0.18
Thyroid gland	-	-	-	-	-	10	0.6	0.19	0.4	0.13
Lymphomas	79	6.6	0.79	4.0	0.45	62	3.6	0.47	2.2	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	98	8.8	0.95	5.0	0.52	101	5.9	0.60	3.4	0.36
Leukemias	116	10.7	1.05	5.9	0.56	86	4.9	0.54	3.2	0.36
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	171	110.4	9.45	61.6	4.77	195	94.2	7.22	52.3	3.81
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	76	46.6	5.99	27.3	3.18	61	32.0	4.37	15.8	2.06
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	23	16.2	3.76	8.0	1.68	19	10.5	2.56	4.9	1.14
Liver	23	11.6	2.69	8.2	1.74	14	8.2	2.32	3.4	0.91
Pancreas	12	8.1	2.62	4.3	1.26	15	7.9	2.18	3.8	0.98
Respiratory System	41	28.0	4.78	15.5	2.43	34	17.5	3.13	9.0	1.56
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	41	28.0	4.78	15.5	2.43	34	17.5	3.13	9.0	1.56
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	33	13.5	2.54	8.8	1.55
Female Genital System	-	-	-	-	-	21	9.5	2.24	5.5	1.22
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	9.3	2.84	4.6	1.30	20	9.2	2.19	5.5	1.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,305	182.6	2.57	101.8	1.48	4,657	138.2	2.08	81.3	1.33
Oral Cavity & Pharynx	108	3.4	0.34	2.3	0.23	45	1.3	0.20	0.8	0.14
Digestive System	1,362	45.2	1.26	27.3	0.77	1,000	29.4	0.95	16.5	0.58
Esophagus	226	7.3	0.50	4.7	0.32	62	1.8	0.24	1.0	0.14
Stomach	77	2.6	0.31	1.6	0.19	60	1.8	0.24	1.1	0.15
Colon & Rectum	478	16.2	0.76	9.4	0.45	382	11.1	0.59	6.2	0.36
Liver	173	5.4	0.42	3.6	0.28	63	1.8	0.24	1.1	0.16
Pancreas	312	10.5	0.61	6.1	0.36	307	9.0	0.53	5.1	0.32
Respiratory System	1,421	48.5	1.32	26.7	0.74	1,266	37.7	1.08	21.6	0.66
Larynx	52	1.8	0.26	1.0	0.14	11	0.3	0.10	0.2	0.06
Lung & bronchus	1,355	46.2	1.29	25.4	0.72	1,251	37.2	1.07	21.3	0.65
Skin	165	5.5	0.44	3.3	0.27	76	2.3	0.27	1.2	0.17
Melanomas of the skin	125	4.1	0.38	2.6	0.25	61	1.9	0.25	1.1	0.16
Breast	-	-	-	-	-	672	20.2	0.81	12.9	0.55
Female Genital System	-	-	-	-	-	479	14.2	0.67	8.9	0.45
Cervix uteri	-	-	-	-	-	49	1.6	0.24	1.2	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	142	4.2	0.36	2.5	0.23
Ovary	-	-	-	-	-	265	7.7	0.49	5.0	0.33
Male Genital System	590	21.9	0.92	9.6	0.42	-	-	-	-	-
Prostate	576	21.4	0.90	9.2	0.40	-	-	-	-	-
Testis	10	0.4	0.13	0.4	0.12	-	-	-	-	-
Urinary System	407	14.0	0.71	7.4	0.38	135	3.9	0.35	2.2	0.21
Bladder	235	8.5	0.56	3.9	0.27	74	2.1	0.25	1.2	0.15
Kidney & renal pelvis	162	5.2	0.42	3.3	0.27	55	1.7	0.23	0.9	0.14
Brain & Other Nervous System	155	5.3	0.44	3.9	0.35	139	4.2	0.37	3.2	0.30
Endocrine System	27	0.9	0.19	0.7	0.14	18	0.6	0.14	0.4	0.11
Thyroid gland	21	0.7	0.15	0.5	0.11	11	0.3	0.10	0.1	0.05
Lymphomas	221	8.0	0.55	4.1	0.30	144	4.3	0.37	2.2	0.21
Hodgkin Lymphoma	10	0.4	0.13	0.3	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	211	7.6	0.53	3.8	0.28	-	-	-	-	-
Multiple Myeloma	118	4.1	0.39	2.1	0.20	97	2.8	0.29	1.5	0.17
Leukemias	221	7.8	0.54	4.3	0.32	159	4.7	0.39	2.7	0.27
Other, Ill-defined & Unknown	-	-	-	-	-	427	12.6	0.63	7.0	0.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,061	181.0	2.61	100.7	1.51	4,441	137.4	2.12	80.7	1.36
Oral Cavity & Pharynx	103	3.4	0.35	2.3	0.24	43	1.3	0.21	0.8	0.14
Digestive System	1,274	44.1	1.27	26.5	0.78	949	29.0	0.97	16.2	0.59
Esophagus	220	7.4	0.52	4.7	0.33	60	1.8	0.24	1.0	0.14
Stomach	70	2.5	0.31	1.5	0.18	57	1.8	0.25	1.0	0.16
Colon & Rectum	443	15.6	0.76	9.0	0.45	359	10.9	0.60	6.0	0.36
Liver	152	5.0	0.42	3.3	0.28	59	1.7	0.23	1.1	0.16
Pancreas	300	10.4	0.62	6.2	0.37	296	9.1	0.54	5.1	0.33
Respiratory System	1,357	48.1	1.33	26.5	0.75	1,200	37.2	1.10	21.3	0.67
Larynx	49	1.8	0.26	1.0	0.14	10	0.3	0.10	0.2	0.06
Lung & bronchus	1,294	45.9	1.30	25.2	0.73	1,186	36.7	1.09	21.1	0.67
Skin	162	5.7	0.46	3.4	0.29	75	2.3	0.28	1.3	0.17
Melanomas of the skin	124	4.3	0.40	2.7	0.26	60	1.9	0.26	1.1	0.17
Breast	-	-	-	-	-	647	20.3	0.83	13.0	0.57
Female Genital System	-	-	-	-	-	452	14.0	0.68	8.9	0.46
Cervix uteri	-	-	-	-	-	44	1.5	0.24	1.1	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	136	4.2	0.37	2.5	0.24
Ovary	-	-	-	-	-	250	7.6	0.50	4.9	0.34
Male Genital System	572	22.0	0.93	9.6	0.43	-	-	-	-	-
Prostate	558	21.4	0.92	9.1	0.40	-	-	-	-	-
Testis	10	0.4	0.15	0.4	0.13	-	-	-	-	-
Urinary System	388	13.8	0.72	7.3	0.39	129	3.9	0.35	2.2	0.22
Bladder	231	8.6	0.57	4.0	0.27	73	2.2	0.26	1.2	0.16
Kidney & renal pelvis	147	4.9	0.42	3.1	0.27	50	1.6	0.22	0.9	0.14
Brain & Other Nervous System	150	5.4	0.46	4.0	0.35	133	4.2	0.38	3.2	0.31
Endocrine System	26	0.9	0.19	0.6	0.14	18	0.6	0.15	0.4	0.13
Thyroid gland	21	0.7	0.16	0.5	0.11	11	0.3	0.10	0.1	0.05
Lymphomas	213	7.9	0.55	4.1	0.30	142	4.4	0.38	2.3	0.22
Hodgkin Lymphoma	10	0.4	0.14	0.3	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	203	7.5	0.53	3.8	0.28	-	-	-	-	-
Multiple Myeloma	115	4.2	0.40	2.1	0.20	95	2.8	0.30	1.5	0.17
Leukemias	216	7.9	0.55	4.4	0.33	157	4.9	0.40	2.8	0.29
Other, Ill-defined & Unknown	-	-	-	-	-	401	12.3	0.63	6.8	0.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>		<i>Adj. Rate</i>		<i>S.E.</i>	<i>Deaths</i>		<i>Adj. Rate</i>		<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	-	-	-	-	-	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	13	130.2	38.20	70.1	19.84	14	74.4	20.72	41.8	11.67
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,118	197.2	2.10	110.6	1.23	8,127	138.3	1.58	81.8	1.04
Oral Cavity & Pharynx	165	3.3	0.27	2.1	0.17	82	1.3	0.15	0.8	0.10
Digestive System	2,441	51.6	1.06	30.5	0.65	1,883	31.7	0.75	17.6	0.47
Esophagus	404	8.5	0.43	5.1	0.27	85	1.5	0.16	0.8	0.10
Stomach	129	2.7	0.25	1.6	0.15	77	1.3	0.15	0.8	0.10
Colon & Rectum	862	18.5	0.64	10.4	0.38	859	14.2	0.50	7.6	0.30
Liver	277	5.6	0.34	3.7	0.23	82	1.5	0.17	0.9	0.11
Pancreas	588	12.5	0.52	7.4	0.32	525	8.9	0.40	4.8	0.24
Respiratory System	2,610	56.5	1.12	32.1	0.66	2,021	35.1	0.80	21.1	0.52
Larynx	88	1.9	0.20	1.2	0.13	18	0.3	0.08	0.2	0.05
Lung & bronchus	2,508	54.3	1.10	30.8	0.65	1,991	34.6	0.79	20.7	0.51
Skin	269	5.8	0.36	3.4	0.22	138	2.4	0.22	1.5	0.15
Melanomas of the skin	192	4.1	0.30	2.5	0.19	110	2.0	0.19	1.3	0.14
Breast	11	0.2	0.07	0.1	0.04	1,172	20.1	0.61	12.7	0.42
Female Genital System	-	-	-	-	-	816	14.3	0.52	9.1	0.36
Cervix uteri	-	-	-	-	-	112	2.2	0.22	1.7	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	258	4.4	0.28	2.7	0.19
Ovary	-	-	-	-	-	387	6.7	0.35	4.2	0.24
Male Genital System	939	21.4	0.70	9.3	0.32	-	-	-	-	-
Prostate	916	20.9	0.69	8.9	0.32	-	-	-	-	-
Testis	10	0.2	0.07	0.2	0.06	-	-	-	-	-
Urinary System	640	13.8	0.55	7.5	0.32	310	5.0	0.29	2.7	0.18
Bladder	306	6.9	0.40	3.1	0.19	132	2.1	0.19	1.0	0.11
Kidney & renal pelvis	314	6.4	0.37	4.2	0.25	161	2.7	0.21	1.5	0.14
Brain & Other Nervous System	287	6.2	0.37	4.3	0.27	228	4.1	0.28	2.8	0.22
Endocrine System	43	0.9	0.14	0.7	0.11	43	0.7	0.11	0.4	0.07
Thyroid gland	32	0.7	0.12	0.5	0.08	35	0.5	0.09	0.2	0.05
Lymphomas	351	7.7	0.42	4.2	0.24	327	5.3	0.30	2.7	0.18
Hodgkin Lymphoma	21	0.5	0.10	0.3	0.07	11	0.2	0.06	0.1	0.05
Non-Hodgkin Lymphoma	330	7.3	0.40	3.9	0.23	316	5.1	0.30	2.6	0.17
Multiple Myeloma	201	4.3	0.31	2.4	0.18	154	2.5	0.20	1.3	0.13
Leukemias	412	9.2	0.46	4.8	0.26	324	5.4	0.31	3.1	0.21
Other, Ill-defined & Unknown	749	16.2	0.60	9.2	0.36	629	10.3	0.42	6.0	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,708	196.4	2.13	110.2	1.26	7,748	137.7	1.62	81.5	1.07
Oral Cavity & Pharynx	155	3.3	0.27	2.1	0.17	77	1.3	0.15	0.8	0.10
Digestive System	2,297	50.8	1.08	29.9	0.66	1,777	31.2	0.77	17.2	0.48
Esophagus	388	8.5	0.44	5.1	0.28	78	1.4	0.16	0.8	0.10
Stomach	115	2.5	0.24	1.5	0.15	69	1.2	0.15	0.7	0.10
Colon & Rectum	813	18.3	0.65	10.3	0.39	820	14.1	0.51	7.6	0.31
Liver	240	5.1	0.33	3.3	0.22	72	1.4	0.17	0.8	0.11
Pancreas	566	12.5	0.54	7.5	0.33	498	8.8	0.40	4.8	0.25
Respiratory System	2,478	55.8	1.14	31.8	0.67	1,920	34.9	0.81	20.9	0.53
Larynx	81	1.8	0.20	1.1	0.13	16	0.3	0.08	0.2	0.05
Lung & bronchus	2,383	53.7	1.12	30.5	0.66	1,892	34.3	0.81	20.6	0.53
Skin	267	6.0	0.37	3.5	0.23	138	2.6	0.23	1.6	0.16
Melanomas of the skin	190	4.3	0.31	2.7	0.20	110	2.1	0.21	1.4	0.15
Breast	10	0.2	0.07	0.1	0.04	1,114	20.0	0.62	12.6	0.43
Female Genital System	-	-	-	-	-	788	14.5	0.53	9.3	0.37
Cervix uteri	-	-	-	-	-	106	2.3	0.23	1.7	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	249	4.5	0.29	2.8	0.20
Ovary	-	-	-	-	-	375	6.8	0.36	4.3	0.25
Male Genital System	903	21.3	0.71	9.2	0.33	-	-	-	-	-
Prostate	880	20.7	0.70	8.8	0.32	-	-	-	-	-
Testis	10	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	624	14.0	0.57	7.7	0.33	296	5.0	0.30	2.7	0.18
Bladder	302	7.0	0.41	3.2	0.20	123	2.0	0.19	1.0	0.11
Kidney & renal pelvis	302	6.5	0.38	4.2	0.26	156	2.7	0.22	1.5	0.14
Brain & Other Nervous System	281	6.4	0.39	4.4	0.29	219	4.1	0.29	2.8	0.22
Endocrine System	43	1.0	0.15	0.7	0.12	40	0.7	0.11	0.3	0.07
Thyroid gland	32	0.7	0.12	0.5	0.09	32	0.5	0.09	0.2	0.04
Lymphomas	341	7.8	0.43	4.3	0.25	322	5.5	0.31	2.8	0.19
Hodgkin Lymphoma	21	0.5	0.11	0.3	0.08	11	0.2	0.06	0.1	0.05
Non-Hodgkin Lymphoma	320	7.3	0.41	4.0	0.24	311	5.3	0.31	2.7	0.18
Multiple Myeloma	188	4.3	0.31	2.3	0.18	142	2.4	0.20	1.3	0.13
Leukemias	398	9.3	0.47	4.9	0.27	312	5.4	0.32	3.1	0.22
Other, Ill-defined & Unknown	723	16.3	0.62	9.3	0.38	603	10.3	0.44	6.0	0.30

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	307	257.0	16.20	140.8	8.24	269	168.8	10.61	102.9	6.49
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	102	81.8	9.10	47.4	4.81	75	48.8	5.79	27.3	3.28
Esophagus	13	8.2	2.47	5.6	1.59	-	-	-	-	-
Stomach	12	9.2	3.02	5.1	1.50	-	-	-	-	-
Colon & Rectum	37	36.0	6.51	18.2	3.07	29	19.3	3.67	10.4	2.01
Liver	19	10.7	2.57	8.9	2.10	-	-	-	-	-
Pancreas	17	14.0	3.74	7.7	1.91	23	15.1	3.24	8.3	1.79
Respiratory System	105	88.5	9.34	48.1	4.82	74	46.6	5.58	29.0	3.48
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	100	85.0	9.19	45.6	4.68	73	46.2	5.57	28.7	3.46
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	45	27.8	4.25	17.7	2.71
Female Genital System	-	-	-	-	-	15	8.8	2.36	5.9	1.55
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	31	31.8	6.19	16.2	2.97	-	-	-	-	-
Prostate	31	31.8	6.19	16.2	2.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	11.8	3.68	5.1	1.50	12	7.7	2.30	4.4	1.32
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	7.9	2.78	4.5	1.38	12	8.9	2.59	4.2	1.27
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	16	12.1	3.29	6.9	1.77	17	10.0	2.53	6.5	1.63

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	59	114.1	16.67	74.7	9.94	65	113.1	15.20	61.8	7.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	27	47.2	9.82	34.6	6.82	19	33.2	8.22	18.4	4.28
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	14	23.4	6.55	18.5	5.08	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	13	25.3	7.99	15.4	4.34	13	23.2	6.97	11.8	3.30
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	23.8	7.85	14.2	4.17	13	23.2	6.97	11.8	3.30
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,738	194.1	1.79	108.5	0.99	10,838	145.4	1.42	84.5	0.86
Oral Cavity & Pharynx	259	3.6	0.24	2.3	0.15	108	1.4	0.14	0.8	0.08
Digestive System	3,589	52.7	0.92	31.2	0.53	2,391	32.1	0.67	18.2	0.39
Esophagus	525	7.4	0.34	4.6	0.20	120	1.6	0.15	0.9	0.09
Stomach	245	3.8	0.25	2.1	0.14	165	2.2	0.18	1.4	0.11
Colon & Rectum	1,335	20.2	0.58	11.5	0.32	1,006	13.8	0.44	7.5	0.25
Liver	487	6.6	0.31	4.4	0.20	231	3.0	0.20	1.8	0.12
Pancreas	829	12.2	0.44	7.2	0.25	683	9.0	0.35	5.2	0.21
Respiratory System	3,645	54.5	0.94	30.5	0.52	3,138	41.9	0.76	23.6	0.44
Larynx	112	1.6	0.16	1.0	0.09	25	0.3	0.07	0.2	0.04
Lung & bronchus	3,523	52.8	0.92	29.5	0.51	3,105	41.4	0.76	23.3	0.44
Skin	386	5.8	0.31	3.4	0.18	148	2.0	0.17	1.2	0.11
Melanomas of the skin	291	4.3	0.26	2.5	0.15	122	1.7	0.15	1.0	0.10
Breast	19	0.3	0.07	0.2	0.04	1,708	22.7	0.56	14.3	0.36
Female Genital System	-	-	-	-	-	1,027	13.5	0.43	8.7	0.28
Cervix uteri	-	-	-	-	-	161	2.2	0.18	1.6	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	253	3.3	0.21	2.1	0.14
Ovary	-	-	-	-	-	558	7.3	0.32	4.6	0.20
Male Genital System	1,231	21.5	0.64	9.6	0.28	-	-	-	-	-
Prostate	1,202	21.1	0.63	9.3	0.27	-	-	-	-	-
Testis	18	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	851	13.7	0.49	7.0	0.24	371	5.2	0.27	2.6	0.14
Bladder	507	8.6	0.40	4.0	0.18	189	2.7	0.20	1.2	0.09
Kidney & renal pelvis	328	4.8	0.28	2.9	0.16	172	2.4	0.18	1.3	0.10
Brain & Other Nervous System	369	5.2	0.28	3.5	0.19	246	3.3	0.22	2.3	0.16
Endocrine System	60	0.9	0.11	0.6	0.08	53	0.7	0.10	0.4	0.06
Thyroid gland	35	0.5	0.08	0.3	0.06	39	0.5	0.08	0.3	0.05
Lymphomas	463	7.2	0.35	4.0	0.19	301	4.2	0.24	2.2	0.13
Hodgkin Lymphoma	25	0.4	0.08	0.2	0.05	14	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	438	6.9	0.34	3.7	0.18	287	4.0	0.24	2.1	0.13
Multiple Myeloma	243	3.8	0.25	2.0	0.13	160	2.2	0.18	1.1	0.09
Leukemias	565	9.1	0.40	4.9	0.22	338	4.6	0.26	2.6	0.16
Other, Ill-defined & Unknown	1,058	15.7	0.50	9.3	0.30	849	11.6	0.40	6.5	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,188	200.1	1.96	111.7	1.09	9,336	151.9	1.60	88.1	0.97
Oral Cavity & Pharynx	232	3.9	0.26	2.5	0.17	94	1.5	0.16	0.8	0.09
Digestive System	3,072	53.1	0.99	31.5	0.58	2,007	32.6	0.74	18.6	0.44
Esophagus	479	8.0	0.38	4.9	0.23	106	1.7	0.17	1.0	0.11
Stomach	186	3.4	0.26	1.9	0.14	123	2.0	0.19	1.3	0.12
Colon & Rectum	1,141	20.4	0.62	11.6	0.35	846	14.0	0.49	7.6	0.28
Liver	391	6.3	0.33	4.2	0.22	184	2.9	0.21	1.8	0.14
Pancreas	734	12.6	0.48	7.5	0.28	584	9.4	0.39	5.4	0.24
Respiratory System	3,198	56.0	1.03	31.3	0.57	2,808	45.3	0.87	25.5	0.51
Larynx	97	1.6	0.17	1.0	0.10	25	0.4	0.08	0.2	0.05
Lung & bronchus	3,091	54.3	1.01	30.2	0.56	2,777	44.8	0.86	25.2	0.50
Skin	378	6.7	0.36	3.9	0.21	143	2.4	0.20	1.4	0.13
Melanomas of the skin	286	5.0	0.31	2.9	0.18	118	2.0	0.18	1.2	0.12
Breast	16	0.3	0.08	0.2	0.04	1,429	23.1	0.62	14.4	0.41
Female Genital System	-	-	-	-	-	859	13.8	0.48	8.9	0.32
Cervix uteri	-	-	-	-	-	130	2.2	0.20	1.6	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	197	3.1	0.23	2.0	0.15
Ovary	-	-	-	-	-	483	7.7	0.36	4.8	0.23
Male Genital System	1,057	21.5	0.68	9.5	0.30	-	-	-	-	-
Prostate	1,032	21.0	0.68	9.2	0.29	-	-	-	-	-
Testis	15	0.3	0.07	0.2	0.06	-	-	-	-	-
Urinary System	778	14.7	0.54	7.4	0.27	318	5.3	0.30	2.7	0.16
Bladder	467	9.2	0.44	4.2	0.20	166	2.8	0.22	1.3	0.11
Kidney & renal pelvis	296	5.2	0.31	3.0	0.18	144	2.4	0.20	1.3	0.12
Brain & Other Nervous System	337	5.7	0.32	3.8	0.22	221	3.6	0.25	2.5	0.18
Endocrine System	47	0.8	0.12	0.6	0.09	42	0.7	0.11	0.4	0.06
Thyroid gland	27	0.4	0.09	0.3	0.06	31	0.5	0.09	0.3	0.05
Lymphomas	424	7.8	0.39	4.3	0.22	253	4.3	0.27	2.2	0.15
Hodgkin Lymphoma	25	0.4	0.09	0.3	0.06	14	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	399	7.3	0.38	4.0	0.21	239	4.0	0.26	2.0	0.14
Multiple Myeloma	206	3.8	0.27	2.0	0.14	134	2.2	0.19	1.1	0.10
Leukemias	495	9.4	0.44	5.1	0.25	292	4.9	0.29	2.8	0.18
Other, Ill-defined & Unknown	948	16.6	0.56	9.8	0.33	736	12.1	0.45	6.8	0.27

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	876	203.4	7.49	116.6	3.99	773	144.6	5.39	88.1	3.23
Oral Cavity & Pharynx	11	2.0	0.60	1.6	0.48	-	-	-	-	-
Digestive System	270	61.5	4.07	35.7	2.20	193	36.6	2.73	21.7	1.59
Esophagus	23	5.2	1.17	3.0	0.63	-	-	-	-	-
Stomach	31	7.0	1.38	4.2	0.76	15	2.8	0.76	1.7	0.44
Colon & Rectum	99	23.4	2.54	12.9	1.32	86	16.3	1.82	9.7	1.07
Liver	47	10.0	1.62	6.3	0.94	20	3.4	0.80	2.4	0.54
Pancreas	58	13.2	1.88	7.7	1.02	52	9.8	1.41	5.8	0.82
Respiratory System	258	58.4	3.95	34.9	2.20	191	36.6	2.74	21.2	1.56
Larynx	11	2.4	0.79	1.5	0.45	-	-	-	-	-
Lung & bronchus	247	56.0	3.87	33.4	2.15	191	36.6	2.74	21.2	1.56
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	151	27.5	2.31	17.8	1.47
Female Genital System	-	-	-	-	-	72	12.1	1.47	8.8	1.05
Cervix uteri	-	-	-	-	-	16	2.5	0.63	2.1	0.52
Corpus & uterus, NOS ¹	-	-	-	-	-	21	3.3	0.75	2.6	0.58
Ovary	-	-	-	-	-	30	5.5	1.03	3.5	0.64
Male Genital System	119	33.8	3.34	15.7	1.46	-	-	-	-	-
Prostate	117	33.5	3.33	15.5	1.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	38	8.7	1.55	5.1	0.84	28	6.0	1.16	2.9	0.56
Bladder	25	5.9	1.27	3.3	0.67	12	2.5	0.74	1.3	0.37
Kidney & renal pelvis	12	2.6	0.86	1.7	0.49	15	3.2	0.86	1.5	0.40
Brain & Other Nervous System	16	3.3	0.91	2.2	0.55	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	22	4.9	1.13	2.7	0.58	19	3.6	0.86	2.2	0.51
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	27	7.2	1.50	3.4	0.67	16	3.1	0.80	1.8	0.47
Leukemias	36	7.4	1.32	4.8	0.81	29	5.5	1.06	3.3	0.62
Other, Ill-defined & Unknown	66	13.6	1.80	8.7	1.09	52	9.8	1.40	6.0	0.85

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	589	120.6	5.42	69.8	2.93	659	93.6	3.86	55.6	2.21
Oral Cavity & Pharynx	13	2.7	0.82	1.5	0.42	-	-	-	-	-
Digestive System	217	42.4	3.11	25.7	1.76	170	25.5	2.08	13.9	1.08
Esophagus	21	3.9	0.90	2.4	0.53	-	-	-	-	-
Stomach	25	5.9	1.33	3.1	0.64	27	4.1	0.84	2.2	0.44
Colon & Rectum	86	16.1	1.87	10.2	1.11	67	10.5	1.36	5.6	0.69
Liver	41	7.6	1.29	5.0	0.78	24	3.4	0.72	2.0	0.41
Pancreas	30	6.2	1.22	3.4	0.63	40	5.8	0.97	3.1	0.50
Respiratory System	168	35.4	2.97	19.4	1.52	124	17.8	1.69	10.3	0.94
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	164	34.4	2.92	18.8	1.49	122	17.5	1.68	10.1	0.93
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	121	15.8	1.52	10.7	0.98
Female Genital System	-	-	-	-	-	85	11.0	1.23	7.3	0.80
Cervix uteri	-	-	-	-	-	12	1.4	0.41	1.1	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	31	4.0	0.75	2.6	0.48
Ovary	-	-	-	-	-	41	5.4	0.88	3.4	0.54
Male Genital System	41	9.9	1.69	4.8	0.76	-	-	-	-	-
Prostate	40	9.7	1.69	4.6	0.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	7.2	1.38	4.1	0.72	22	3.4	0.77	1.7	0.37
Bladder	15	3.9	1.13	1.9	0.49	-	-	-	-	-
Kidney & renal pelvis	19	3.3	0.79	2.2	0.52	12	1.8	0.54	0.9	0.27
Brain & Other Nervous System	13	2.3	0.68	1.8	0.53	13	1.8	0.53	1.5	0.45
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	16	3.3	0.91	1.8	0.46	28	4.2	0.85	2.3	0.44
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	32	7.4	1.44	3.9	0.72	15	2.0	0.56	1.3	0.33
Other, Ill-defined & Unknown	37	6.9	1.20	4.7	0.80	57	8.7	1.23	4.8	0.64

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	6,922	197.4	2.45	109.2	1.37	6,285	143.3	1.85	83.4	1.17
Oral Cavity & Pharynx	142	3.5	0.31	2.4	0.21	50	1.2	0.17	0.7	0.11
Digestive System	1,817	49.9	1.21	29.4	0.71	1,371	30.9	0.86	16.8	0.50
Esophagus	350	9.3	0.51	5.8	0.32	80	1.7	0.20	1.0	0.13
Stomach	111	3.1	0.30	1.8	0.18	61	1.4	0.18	0.7	0.10
Colon & Rectum	484	14.0	0.65	7.7	0.36	593	13.3	0.56	7.0	0.33
Liver	234	5.9	0.40	3.9	0.26	61	1.4	0.18	0.8	0.12
Pancreas	469	12.9	0.61	7.6	0.36	421	9.4	0.47	5.2	0.28
Respiratory System	1,982	55.5	1.29	31.4	0.72	1,776	41.2	1.00	24.2	0.62
Larynx	49	1.4	0.21	0.8	0.12	17	0.4	0.10	0.2	0.05
Lung & bronchus	1,922	53.8	1.27	30.4	0.71	1,756	40.7	0.99	24.0	0.61
Skin	188	5.6	0.42	2.9	0.23	101	2.4	0.24	1.4	0.16
Melanomas of the skin	134	4.0	0.35	2.1	0.20	76	1.8	0.22	1.1	0.15
Breast	-	-	-	-	-	892	20.3	0.70	12.8	0.47
Female Genital System	-	-	-	-	-	649	14.7	0.59	9.1	0.39
Cervix uteri	-	-	-	-	-	58	1.4	0.19	1.0	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	210	4.7	0.33	3.0	0.22
Ovary	-	-	-	-	-	319	7.3	0.42	4.5	0.27
Male Genital System	634	20.2	0.81	8.7	0.36	-	-	-	-	-
Prostate	624	19.8	0.81	8.4	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	519	15.1	0.68	7.8	0.36	191	4.3	0.32	2.1	0.17
Bladder	290	8.8	0.53	4.1	0.25	94	2.1	0.22	0.9	0.11
Kidney & renal pelvis	219	5.9	0.41	3.6	0.25	90	2.0	0.22	1.1	0.13
Brain & Other Nervous System	226	6.1	0.42	4.3	0.31	156	3.6	0.30	2.6	0.24
Endocrine System	24	0.8	0.16	0.6	0.14	21	0.5	0.11	0.3	0.09
Thyroid gland	12	0.4	0.11	0.2	0.06	14	0.3	0.08	0.2	0.05
Lymphomas	254	7.4	0.48	4.1	0.27	195	4.4	0.33	2.3	0.19
Hodgkin Lymphoma	17	0.6	0.14	0.4	0.10	11	0.3	0.10	0.2	0.07
Non-Hodgkin Lymphoma	237	6.8	0.46	3.8	0.26	184	4.1	0.31	2.1	0.18
Multiple Myeloma	138	4.0	0.35	2.1	0.18	98	2.3	0.23	1.2	0.14
Leukemias	301	9.1	0.54	4.6	0.28	209	4.8	0.34	2.6	0.22
Other, Ill-defined & Unknown	-	-	-	-	-	576	12.9	0.55	7.2	0.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,844	199.2	2.48	110.3	1.40	6,229	144.9	1.88	84.5	1.19
Oral Cavity & Pharynx	140	3.6	0.31	2.5	0.21	50	1.2	0.17	0.7	0.11
Digestive System	1,794	50.3	1.23	29.7	0.72	1,357	31.2	0.87	16.9	0.51
Esophagus	347	9.4	0.52	5.8	0.32	79	1.8	0.20	1.0	0.13
Stomach	110	3.1	0.31	1.8	0.18	61	1.4	0.19	0.7	0.11
Colon & Rectum	482	14.2	0.67	7.8	0.37	590	13.5	0.57	7.1	0.33
Liver	230	5.9	0.40	3.9	0.26	56	1.3	0.18	0.8	0.11
Pancreas	460	12.9	0.62	7.6	0.36	418	9.6	0.48	5.3	0.28
Respiratory System	1,968	56.3	1.31	31.8	0.74	1,762	41.6	1.01	24.5	0.63
Larynx	48	1.4	0.21	0.8	0.12	17	0.4	0.10	0.2	0.05
Lung & bronchus	1,909	54.6	1.29	30.8	0.73	1,742	41.2	1.01	24.3	0.62
Skin	188	5.7	0.43	3.0	0.23	101	2.4	0.25	1.4	0.16
Melanomas of the skin	134	4.1	0.36	2.2	0.20	76	1.9	0.23	1.2	0.15
Breast	-	-	-	-	-	884	20.5	0.71	13.0	0.48
Female Genital System	-	-	-	-	-	644	14.9	0.60	9.2	0.40
Cervix uteri	-	-	-	-	-	56	1.4	0.19	0.9	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	210	4.8	0.34	3.0	0.22
Ovary	-	-	-	-	-	316	7.4	0.43	4.6	0.28
Male Genital System	621	20.1	0.82	8.6	0.36	-	-	-	-	-
Prostate	611	19.7	0.81	8.4	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	511	15.1	0.69	7.9	0.36	188	4.3	0.32	2.1	0.18
Bladder	285	8.8	0.53	4.1	0.25	93	2.1	0.23	1.0	0.11
Kidney & renal pelvis	216	6.0	0.42	3.6	0.25	88	2.0	0.22	1.1	0.13
Brain & Other Nervous System	223	6.2	0.43	4.3	0.32	155	3.7	0.31	2.7	0.24
Endocrine System	24	0.8	0.17	0.6	0.15	21	0.5	0.11	0.3	0.10
Thyroid gland	12	0.4	0.11	0.2	0.06	14	0.3	0.08	0.2	0.05
Lymphomas	252	7.5	0.49	4.2	0.28	194	4.5	0.33	2.4	0.20
Hodgkin Lymphoma	17	0.6	0.14	0.4	0.10	11	0.3	0.10	0.2	0.08
Non-Hodgkin Lymphoma	235	6.9	0.46	3.8	0.26	183	4.2	0.32	2.2	0.18
Multiple Myeloma	134	4.0	0.35	2.0	0.18	93	2.2	0.23	1.2	0.13
Leukemias	298	9.2	0.54	4.6	0.29	209	4.9	0.35	2.7	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	571	13.0	0.56	7.3	0.37

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	40	137.4	24.37	83.6	13.61	26	96.7	19.84	58.1	11.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	36.6	11.15	25.4	7.29	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33	106.8	21.87	50.8	9.12	26	51.1	11.10	28.8	5.79
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	41,139	191.4	0.96	105.6	0.55	41,773	141.7	0.71	83.2	0.46
Oral Cavity & Pharynx	725	3.2	0.12	2.0	0.08	323	1.1	0.06	0.6	0.04
Digestive System	11,959	54.3	0.51	31.5	0.30	9,886	32.8	0.34	18.2	0.21
Esophagus	1,562	7.0	0.18	4.2	0.11	445	1.5	0.07	0.8	0.04
Stomach	1,038	4.9	0.15	2.7	0.09	747	2.5	0.09	1.4	0.06
Colon & Rectum	3,946	18.2	0.30	10.1	0.17	3,941	12.8	0.21	6.9	0.13
Liver	1,545	6.6	0.17	4.3	0.11	606	2.1	0.09	1.2	0.06
Pancreas	2,912	13.2	0.25	7.7	0.15	3,035	10.2	0.19	5.6	0.11
Respiratory System	10,969	50.7	0.49	28.5	0.28	10,008	34.4	0.35	19.9	0.22
Larynx	428	1.9	0.10	1.2	0.06	130	0.5	0.04	0.3	0.03
Lung & bronchus	10,459	48.4	0.48	27.1	0.28	9,834	33.8	0.35	19.6	0.22
Skin	1,063	5.0	0.15	2.7	0.09	570	1.9	0.08	1.1	0.05
Melanomas of the skin	783	3.6	0.13	2.0	0.08	448	1.5	0.07	0.9	0.05
Breast	74	0.3	0.04	0.2	0.02	6,666	22.9	0.29	14.4	0.20
Female Genital System	-	-	-	-	-	4,786	16.5	0.24	10.6	0.17
Cervix uteri	-	-	-	-	-	602	2.2	0.09	1.6	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,679	5.8	0.14	3.7	0.10
Ovary	-	-	-	-	-	2,210	7.6	0.17	4.8	0.11
Male Genital System	4,014	19.9	0.32	8.8	0.15	-	-	-	-	-
Prostate	3,923	19.4	0.31	8.5	0.14	-	-	-	-	-
Testis	55	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,871	13.7	0.26	6.9	0.14	1,431	4.7	0.13	2.4	0.07
Bladder	1,719	8.4	0.21	3.8	0.10	768	2.5	0.09	1.2	0.05
Kidney & renal pelvis	1,079	4.9	0.15	2.9	0.09	615	2.0	0.08	1.1	0.05
Brain & Other Nervous System	1,099	4.9	0.15	3.4	0.11	852	3.1	0.11	2.2	0.08
Endocrine System	190	0.9	0.06	0.6	0.05	209	0.8	0.05	0.5	0.05
Thyroid gland	114	0.5	0.05	0.3	0.03	141	0.5	0.04	0.3	0.03
Lymphomas	1,608	7.7	0.19	4.0	0.11	1,377	4.6	0.13	2.5	0.08
Hodgkin Lymphoma	85	0.4	0.04	0.3	0.03	68	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,523	7.3	0.19	3.8	0.10	1,309	4.4	0.12	2.3	0.07
Multiple Myeloma	845	4.0	0.14	2.1	0.08	762	2.5	0.09	1.4	0.06
Leukemias	1,805	8.6	0.21	4.7	0.12	1,454	4.9	0.13	2.8	0.09
Other, Ill-defined & Unknown	3,917	18.4	0.30	10.2	0.17	3,449	11.5	0.20	6.6	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	34,984	195.2	1.06	107.6	0.62	35,142	144.5	0.80	84.6	0.52
Oral Cavity & Pharynx	574	3.0	0.13	1.9	0.08	267	1.1	0.07	0.6	0.05
Digestive System	9,936	54.4	0.55	31.5	0.33	8,207	32.7	0.37	18.0	0.23
Esophagus	1,388	7.5	0.20	4.6	0.13	368	1.5	0.08	0.8	0.05
Stomach	824	4.6	0.16	2.5	0.09	564	2.3	0.10	1.3	0.06
Colon & Rectum	3,244	18.0	0.32	9.9	0.19	3,326	12.9	0.23	6.9	0.14
Liver	1,203	6.3	0.19	4.0	0.12	484	2.0	0.09	1.2	0.06
Pancreas	2,451	13.3	0.27	7.8	0.17	2,546	10.3	0.21	5.6	0.13
Respiratory System	9,350	52.0	0.55	29.1	0.32	8,687	36.3	0.40	21.1	0.25
Larynx	349	1.9	0.10	1.2	0.06	99	0.4	0.04	0.3	0.03
Lung & bronchus	8,936	49.7	0.53	27.8	0.31	8,546	35.7	0.40	20.7	0.25
Skin	1,040	5.8	0.18	3.2	0.11	551	2.2	0.10	1.3	0.06
Melanomas of the skin	768	4.3	0.16	2.4	0.09	437	1.8	0.09	1.1	0.06
Breast	60	0.3	0.04	0.2	0.03	5,359	22.5	0.32	14.0	0.22
Female Genital System	-	-	-	-	-	3,917	16.6	0.27	10.6	0.19
Cervix uteri	-	-	-	-	-	436	2.1	0.10	1.5	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,310	5.5	0.15	3.5	0.11
Ovary	-	-	-	-	-	1,905	8.1	0.19	5.2	0.13
Male Genital System	3,156	18.2	0.33	8.0	0.15	-	-	-	-	-
Prostate	3,074	17.7	0.32	7.6	0.15	-	-	-	-	-
Testis	51	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,597	14.7	0.29	7.4	0.16	1,258	4.9	0.14	2.5	0.08
Bladder	1,589	9.2	0.23	4.2	0.11	687	2.6	0.10	1.3	0.06
Kidney & renal pelvis	943	5.2	0.17	3.1	0.11	529	2.1	0.09	1.2	0.06
Brain & Other Nervous System	986	5.4	0.18	3.8	0.13	759	3.4	0.13	2.4	0.10
Endocrine System	165	0.9	0.07	0.6	0.05	165	0.7	0.06	0.6	0.06
Thyroid gland	103	0.6	0.06	0.3	0.03	114	0.5	0.05	0.3	0.03
Lymphomas	1,452	8.3	0.22	4.3	0.12	1,220	4.9	0.15	2.6	0.09
Hodgkin Lymphoma	75	0.4	0.05	0.3	0.04	61	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,377	7.8	0.21	4.1	0.12	1,159	4.6	0.14	2.4	0.08
Multiple Myeloma	680	3.9	0.15	2.0	0.08	572	2.3	0.10	1.3	0.06
Leukemias	1,630	9.3	0.23	5.1	0.14	1,264	5.2	0.15	2.9	0.10
Other, Ill-defined & Unknown	3,358	19.0	0.33	10.5	0.20	2,916	11.7	0.23	6.7	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,935	226.0	3.44	129.6	1.87	5,422	157.7	2.17	97.6	1.38
Oral Cavity & Pharynx	105	4.1	0.43	2.8	0.28	42	1.2	0.19	0.8	0.13
Digestive System	1,560	67.0	1.81	41.1	1.06	1,338	39.5	1.09	22.9	0.66
Esophagus	137	5.7	0.52	3.6	0.32	65	1.9	0.24	1.1	0.15
Stomach	154	7.0	0.60	4.1	0.33	139	4.2	0.36	2.2	0.20
Colon & Rectum	580	26.0	1.15	15.1	0.64	508	14.9	0.67	8.7	0.40
Liver	245	8.9	0.61	6.6	0.43	83	2.3	0.26	1.5	0.17
Pancreas	359	15.4	0.86	9.5	0.51	409	12.3	0.62	7.0	0.36
Respiratory System	1,319	58.4	1.70	35.0	0.98	1,110	32.4	0.99	19.8	0.62
Larynx	67	2.9	0.38	1.8	0.22	30	0.8	0.16	0.6	0.11
Lung & bronchus	1,240	54.9	1.65	32.9	0.95	1,080	31.5	0.97	19.2	0.61
Skin	-	-	-	-	-	13	0.4	0.10	0.2	0.07
Melanomas of the skin	10	0.4	0.12	0.3	0.09	-	-	-	-	-
Breast	12	0.6	0.18	0.3	0.09	1,092	30.8	0.94	20.7	0.65
Female Genital System	-	-	-	-	-	706	20.2	0.77	13.3	0.52
Cervix uteri	-	-	-	-	-	147	4.0	0.34	3.0	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	307	8.9	0.51	5.7	0.34
Ovary	-	-	-	-	-	227	6.6	0.45	4.1	0.28
Male Genital System	798	44.2	1.64	20.3	0.73	-	-	-	-	-
Prostate	789	43.8	1.63	20.1	0.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	212	10.0	0.74	5.4	0.38	150	4.5	0.37	2.5	0.22
Bladder	104	5.5	0.57	2.6	0.26	68	2.1	0.26	1.1	0.14
Kidney & renal pelvis	104	4.4	0.46	2.7	0.27	77	2.2	0.26	1.4	0.17
Brain & Other Nervous System	75	3.1	0.38	2.0	0.24	67	1.9	0.23	1.5	0.20
Endocrine System	14	0.7	0.19	0.4	0.10	30	0.9	0.16	0.6	0.11
Thyroid gland	-	-	-	-	-	17	0.5	0.12	0.3	0.08
Lymphomas	108	4.8	0.50	2.9	0.28	112	3.3	0.32	2.0	0.20
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	137	6.3	0.58	3.5	0.31	175	5.3	0.41	2.8	0.22
Leukemias	127	5.9	0.56	3.4	0.30	146	4.4	0.37	2.6	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	441	13.0	0.63	7.8	0.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,193	90.6	2.93	48.4	1.42	1,169	70.9	2.21	40.2	1.20
Oral Cavity & Pharynx	46	3.3	0.55	1.8	0.27	14	0.9	0.25	0.5	0.13
Digestive System	456	33.9	1.78	18.5	0.87	330	20.5	1.20	11.3	0.63
Esophagus	36	2.6	0.49	1.5	0.25	11	0.7	0.21	0.4	0.12
Stomach	59	4.3	0.62	2.3	0.31	44	2.6	0.42	1.5	0.23
Colon & Rectum	119	8.7	0.90	4.8	0.45	105	6.5	0.67	3.6	0.35
Liver	97	6.5	0.73	3.9	0.39	39	2.4	0.40	1.3	0.22
Pancreas	101	8.5	0.93	4.1	0.41	74	4.6	0.57	2.5	0.30
Respiratory System	296	23.0	1.48	11.9	0.70	198	13.1	0.98	6.6	0.48
Larynx	11	0.9	0.29	0.4	0.13	-	-	-	-	-
Lung & bronchus	280	21.8	1.44	11.3	0.68	195	12.8	0.97	6.5	0.47
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	208	11.1	0.82	7.2	0.51
Female Genital System	-	-	-	-	-	159	8.6	0.72	5.6	0.45
Cervix uteri	-	-	-	-	-	19	1.0	0.23	0.7	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	60	3.3	0.45	2.1	0.28
Ovary	-	-	-	-	-	76	4.0	0.49	2.6	0.31
Male Genital System	58	5.8	0.83	2.4	0.32	-	-	-	-	-
Prostate	58	5.8	0.83	2.4	0.32	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	55	4.4	0.67	2.3	0.32	22	1.5	0.33	0.7	0.15
Bladder	21	2.2	0.52	0.9	0.20	12	0.8	0.24	0.4	0.11
Kidney & renal pelvis	30	1.9	0.40	1.3	0.24	-	-	-	-	-
Brain & Other Nervous System	37	2.0	0.34	1.5	0.26	26	1.5	0.30	0.9	0.19
Endocrine System	11	0.8	0.26	0.5	0.14	14	1.0	0.28	0.5	0.13
Thyroid gland	-	-	-	-	-	10	0.8	0.25	0.3	0.11
Lymphomas	48	3.8	0.62	2.0	0.29	44	2.7	0.43	1.5	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	27	2.0	0.43	1.1	0.21	15	1.0	0.27	0.5	0.13
Leukemias	47	3.2	0.52	1.9	0.28	44	3.0	0.47	1.6	0.26
Other, Ill-defined & Unknown	104	7.8	0.86	4.2	0.42	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,221	176.2	1.88	99.5	1.09	7,884	123.9	1.42	73.5	0.91
Oral Cavity & Pharynx	197	3.5	0.26	2.3	0.17	85	1.3	0.15	0.8	0.10
Digestive System	2,814	51.8	1.00	31.6	0.62	1,939	30.3	0.70	17.2	0.43
Esophagus	336	6.1	0.34	3.8	0.21	76	1.2	0.14	0.7	0.08
Stomach	260	4.9	0.31	2.9	0.19	186	3.0	0.22	1.7	0.14
Colon & Rectum	910	17.3	0.59	9.9	0.34	722	11.3	0.43	6.2	0.26
Liver	521	9.0	0.40	6.3	0.28	180	2.8	0.21	1.6	0.13
Pancreas	586	10.9	0.46	6.5	0.28	527	8.1	0.36	4.7	0.22
Respiratory System	2,123	40.4	0.90	22.3	0.50	1,721	26.8	0.65	15.2	0.39
Larynx	90	1.6	0.18	1.0	0.11	19	0.3	0.07	0.2	0.04
Lung & bronchus	2,002	38.1	0.87	20.9	0.48	1,693	26.4	0.65	15.0	0.39
Skin	280	5.3	0.33	3.0	0.19	124	2.0	0.18	1.2	0.12
Melanomas of the skin	191	3.6	0.27	2.1	0.16	101	1.6	0.17	1.1	0.11
Breast	-	-	-	-	-	1,216	19.3	0.57	12.3	0.39
Female Genital System	-	-	-	-	-	879	13.8	0.48	8.9	0.32
Cervix uteri	-	-	-	-	-	112	1.9	0.19	1.4	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	227	3.5	0.24	2.3	0.16
Ovary	-	-	-	-	-	490	7.7	0.35	4.8	0.23
Male Genital System	1,021	21.3	0.68	9.5	0.31	-	-	-	-	-
Prostate	987	20.7	0.67	8.9	0.30	-	-	-	-	-
Testis	18	0.3	0.08	0.3	0.08	-	-	-	-	-
Urinary System	656	12.9	0.51	6.8	0.28	322	5.0	0.28	2.7	0.17
Bladder	335	6.8	0.38	3.2	0.18	122	1.9	0.18	1.0	0.10
Kidney & renal pelvis	309	5.8	0.34	3.5	0.21	190	3.0	0.22	1.7	0.13
Brain & Other Nervous System	235	4.3	0.29	3.0	0.21	185	3.0	0.23	2.1	0.17
Endocrine System	42	0.8	0.13	0.6	0.10	56	0.9	0.12	0.6	0.09
Thyroid gland	25	0.5	0.09	0.3	0.06	38	0.6	0.10	0.3	0.06
Lymphomas	337	6.4	0.36	3.6	0.21	276	4.3	0.26	2.4	0.16
Hodgkin Lymphoma	23	0.5	0.10	0.3	0.07	12	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	314	6.0	0.34	3.3	0.20	264	4.1	0.26	2.3	0.16
Multiple Myeloma	190	3.7	0.27	2.0	0.15	148	2.3	0.19	1.2	0.11
Leukemias	401	7.9	0.40	4.5	0.24	281	4.4	0.27	2.6	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	652	10.2	0.41	6.1	0.27

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,506	178.7	1.98	101.1	1.16	7,228	126.3	1.52	75.0	0.98
Oral Cavity & Pharynx	187	3.7	0.28	2.4	0.18	80	1.4	0.16	0.8	0.10
Digestive System	2,529	51.4	1.05	31.4	0.65	1,722	29.8	0.73	16.9	0.45
Esophagus	319	6.4	0.37	4.0	0.23	71	1.2	0.15	0.7	0.09
Stomach	210	4.4	0.31	2.6	0.19	144	2.6	0.22	1.5	0.14
Colon & Rectum	825	17.2	0.61	9.9	0.36	654	11.3	0.45	6.2	0.27
Liver	474	9.1	0.43	6.4	0.30	154	2.7	0.22	1.6	0.14
Pancreas	531	10.8	0.48	6.5	0.29	487	8.3	0.38	4.8	0.24
Respiratory System	2,007	41.8	0.95	23.2	0.54	1,651	28.5	0.71	16.3	0.43
Larynx	84	1.7	0.19	1.0	0.12	19	0.3	0.08	0.2	0.05
Lung & bronchus	1,896	39.5	0.93	21.7	0.52	1,623	28.0	0.71	16.0	0.43
Skin	277	5.8	0.36	3.4	0.21	116	2.1	0.20	1.3	0.14
Melanomas of the skin	189	4.0	0.29	2.3	0.18	95	1.7	0.18	1.1	0.13
Breast	-	-	-	-	-	1,122	20.0	0.62	12.8	0.42
Female Genital System	-	-	-	-	-	769	13.5	0.50	8.7	0.34
Cervix uteri	-	-	-	-	-	89	1.7	0.19	1.2	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	198	3.4	0.25	2.2	0.17
Ovary	-	-	-	-	-	436	7.7	0.38	4.8	0.25
Male Genital System	936	21.3	0.70	9.4	0.33	-	-	-	-	-
Prostate	909	20.7	0.69	9.0	0.31	-	-	-	-	-
Testis	13	0.3	0.09	0.3	0.09	-	-	-	-	-
Urinary System	588	12.7	0.53	6.7	0.29	294	5.1	0.30	2.7	0.18
Bladder	318	7.0	0.40	3.3	0.19	117	2.0	0.19	1.0	0.10
Kidney & renal pelvis	259	5.4	0.34	3.2	0.21	167	2.8	0.22	1.6	0.14
Brain & Other Nervous System	222	4.5	0.31	3.2	0.23	172	3.1	0.25	2.1	0.18
Endocrine System	42	0.9	0.14	0.7	0.11	53	1.0	0.14	0.6	0.11
Thyroid gland	25	0.5	0.10	0.3	0.06	35	0.6	0.11	0.3	0.07
Lymphomas	310	6.5	0.38	3.7	0.22	251	4.4	0.28	2.4	0.17
Hodgkin Lymphoma	22	0.5	0.11	0.3	0.08	12	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	288	6.0	0.36	3.3	0.21	239	4.2	0.27	2.3	0.17
Multiple Myeloma	175	3.7	0.29	2.1	0.16	135	2.3	0.20	1.2	0.11
Leukemias	378	8.3	0.43	4.7	0.27	263	4.6	0.29	2.7	0.20
Other, Ill-defined & Unknown	-	-	-	-	-	600	10.5	0.44	6.3	0.29

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	188	203.1	15.97	108.9	8.04	137	131.4	11.43	78.8	7.15
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	53	52.8	7.90	30.7	4.27	38	36.5	5.98	20.9	3.65
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	15	18.3	5.06	8.5	2.21	20	19.5	4.42	11.3	2.69
Liver	11	8.8	2.87	6.6	2.03	-	-	-	-	-
Pancreas	14	12.9	3.73	8.0	2.17	-	-	-	-	-
Respiratory System	54	60.1	8.72	31.8	4.38	24	22.3	4.63	13.0	2.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	53	59.2	8.68	31.1	4.32	24	22.3	4.63	13.0	2.81
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	29	28.6	5.39	17.8	3.48
Female Genital System	-	-	-	-	-	16	14.8	3.79	11.0	2.81
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	24	33.2	7.03	13.2	2.72	-	-	-	-	-
Prostate	23	31.5	6.83	12.7	2.68	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	13.9	3.99	8.1	2.19	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	19	16.7	4.27	11.0	2.56	12	11.7	3.45	6.6	2.03

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	73	114.2	14.46	70.0	8.29	81	86.5	9.96	48.4	5.53
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	38	56.7	10.00	36.0	5.90	27	28.8	5.74	16.9	3.33
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	12	17.1	5.40	10.9	3.19	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	18	27.1	6.83	17.2	4.09	18	18.6	4.55	10.0	2.45
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	25.0	6.67	15.5	3.91	18	18.6	4.55	10.0	2.45
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	10.4	3.43	6.0	1.95
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	88,684	187.3	0.64	105.6	0.37	89,220	138.1	0.47	82.1	0.31
Oral Cavity & Pharynx	1,667	3.3	0.08	2.2	0.06	782	1.2	0.04	0.7	0.03
Digestive System	25,964	53.6	0.34	31.8	0.21	21,435	32.5	0.23	18.2	0.14
Esophagus	3,408	6.9	0.12	4.3	0.08	1,027	1.6	0.05	0.9	0.03
Stomach	2,508	5.3	0.11	3.0	0.06	1,796	2.8	0.07	1.6	0.04
Colon & Rectum	8,010	16.9	0.19	9.6	0.11	8,114	12.1	0.14	6.6	0.08
Liver	3,750	7.3	0.12	4.9	0.08	1,435	2.2	0.06	1.3	0.04
Pancreas	6,272	13.0	0.17	7.6	0.10	6,534	9.9	0.13	5.5	0.08
Respiratory System	24,559	51.4	0.33	29.6	0.20	21,953	34.4	0.24	20.3	0.15
Larynx	998	2.0	0.07	1.2	0.04	267	0.4	0.03	0.3	0.02
Lung & bronchus	23,406	49.0	0.33	28.1	0.19	21,608	33.8	0.23	20.0	0.15
Skin	2,093	4.4	0.10	2.5	0.06	1,194	1.8	0.05	1.0	0.03
Melanomas of the skin	1,535	3.2	0.08	1.9	0.05	923	1.4	0.05	0.9	0.03
Breast	154	0.3	0.03	0.2	0.02	13,163	20.7	0.18	13.1	0.13
Female Genital System	-	-	-	-	-	10,460	16.5	0.16	10.6	0.11
Cervix uteri	-	-	-	-	-	1,408	2.4	0.07	1.7	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	3,637	5.6	0.10	3.6	0.06
Ovary	-	-	-	-	-	4,794	7.5	0.11	4.8	0.07
Male Genital System	8,848	20.0	0.21	8.9	0.10	-	-	-	-	-
Prostate	8,624	19.5	0.21	8.5	0.10	-	-	-	-	-
Testis	107	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,885	12.7	0.17	6.5	0.09	2,981	4.4	0.08	2.3	0.05
Bladder	3,477	7.7	0.13	3.6	0.06	1,580	2.3	0.06	1.1	0.03
Kidney & renal pelvis	2,261	4.7	0.10	2.7	0.06	1,306	2.0	0.06	1.1	0.04
Brain & Other Nervous System	2,264	4.6	0.10	3.2	0.07	1,924	3.2	0.07	2.2	0.06
Endocrine System	413	0.9	0.04	0.6	0.03	497	0.8	0.04	0.5	0.03
Thyroid gland	249	0.5	0.03	0.3	0.02	355	0.5	0.03	0.3	0.02
Lymphomas	3,586	7.7	0.13	4.3	0.08	3,086	4.7	0.09	2.5	0.05
Hodgkin Lymphoma	201	0.4	0.03	0.3	0.02	173	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,385	7.3	0.13	4.0	0.07	2,913	4.4	0.08	2.3	0.05
Multiple Myeloma	1,778	3.8	0.09	2.1	0.05	1,704	2.6	0.06	1.4	0.04
Leukemias	4,020	8.8	0.14	4.9	0.08	3,073	4.8	0.09	2.8	0.06
Other, Ill-defined & Unknown	7,453	15.8	0.19	9.0	0.11	6,968	10.7	0.13	6.1	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	72,892	191.4	0.72	107.7	0.43	72,656	143.3	0.55	84.7	0.36
Oral Cavity & Pharynx	1,289	3.2	0.09	2.1	0.06	591	1.1	0.05	0.7	0.03
Digestive System	20,623	53.3	0.38	31.4	0.23	16,919	32.3	0.26	18.0	0.16
Esophagus	2,973	7.6	0.14	4.7	0.09	839	1.6	0.06	0.9	0.04
Stomach	1,729	4.6	0.11	2.6	0.07	1,267	2.5	0.07	1.5	0.05
Colon & Rectum	6,432	16.9	0.21	9.5	0.13	6,493	12.2	0.16	6.6	0.10
Liver	2,615	6.4	0.13	4.3	0.09	1,011	2.0	0.06	1.1	0.04
Pancreas	5,269	13.6	0.19	7.9	0.12	5,298	10.1	0.14	5.6	0.09
Respiratory System	20,369	53.1	0.38	30.5	0.23	18,677	37.4	0.28	22.2	0.18
Larynx	768	1.9	0.07	1.2	0.05	213	0.4	0.03	0.3	0.02
Lung & bronchus	19,467	50.8	0.37	29.1	0.22	18,401	36.9	0.28	21.8	0.18
Skin	2,021	5.3	0.12	3.0	0.07	1,118	2.2	0.07	1.3	0.04
Melanomas of the skin	1,505	3.9	0.10	2.3	0.06	871	1.8	0.06	1.1	0.04
Breast	128	0.3	0.03	0.2	0.02	10,305	20.7	0.21	13.1	0.15
Female Genital System	-	-	-	-	-	8,111	16.5	0.19	10.5	0.13
Cervix uteri	-	-	-	-	-	969	2.2	0.07	1.6	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,608	5.2	0.10	3.3	0.07
Ovary	-	-	-	-	-	4,002	8.1	0.13	5.1	0.09
Male Genital System	6,730	18.4	0.23	8.1	0.11	-	-	-	-	-
Prostate	6,542	17.9	0.22	7.7	0.10	-	-	-	-	-
Testis	96	0.3	0.03	0.2	0.02	-	-	-	-	-
Urinary System	5,234	13.9	0.19	7.1	0.11	2,539	4.7	0.10	2.5	0.06
Bladder	3,142	8.5	0.15	4.0	0.08	1,352	2.4	0.07	1.2	0.04
Kidney & renal pelvis	1,955	5.1	0.12	3.0	0.07	1,109	2.1	0.07	1.2	0.04
Brain & Other Nervous System	2,005	5.2	0.12	3.7	0.09	1,689	3.6	0.09	2.6	0.07
Endocrine System	335	0.9	0.05	0.6	0.04	386	0.8	0.04	0.5	0.03
Thyroid gland	213	0.6	0.04	0.3	0.02	272	0.5	0.03	0.3	0.02
Lymphomas	3,070	8.2	0.15	4.5	0.09	2,654	5.1	0.10	2.7	0.06
Hodgkin Lymphoma	168	0.5	0.04	0.3	0.03	153	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,902	7.8	0.15	4.2	0.08	2,501	4.8	0.10	2.5	0.06
Multiple Myeloma	1,376	3.6	0.10	1.9	0.06	1,266	2.4	0.07	1.3	0.04
Leukemias	3,476	9.4	0.16	5.2	0.10	2,635	5.2	0.11	3.0	0.07
Other, Ill-defined & Unknown	6,236	16.5	0.21	9.4	0.13	5,766	11.2	0.15	6.4	0.10

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,061	198.8	1.91	116.2	1.07	13,479	137.4	1.20	85.9	0.78
Oral Cavity & Pharynx	262	3.8	0.24	2.6	0.16	141	1.4	0.12	0.9	0.08
Digestive System	3,811	59.3	1.02	37.1	0.61	3,549	36.5	0.62	21.3	0.38
Esophagus	324	5.0	0.29	3.2	0.18	160	1.6	0.13	1.0	0.08
Stomach	493	8.3	0.39	4.7	0.21	385	4.1	0.21	2.1	0.12
Colon & Rectum	1,213	19.7	0.60	11.7	0.34	1,329	13.6	0.38	7.9	0.23
Liver	742	10.1	0.39	7.5	0.28	300	3.0	0.18	1.9	0.12
Pancreas	760	11.9	0.46	7.4	0.27	988	10.2	0.33	5.9	0.20
Respiratory System	3,184	50.8	0.95	30.8	0.55	2,645	26.9	0.53	16.8	0.34
Larynx	198	3.2	0.24	1.9	0.14	50	0.5	0.07	0.3	0.05
Lung & bronchus	2,969	47.4	0.92	28.7	0.53	2,583	26.3	0.52	16.4	0.34
Skin	60	0.9	0.12	0.6	0.08	55	0.6	0.08	0.3	0.05
Melanomas of the skin	22	0.3	0.07	0.2	0.05	37	0.4	0.06	0.2	0.04
Breast	26	0.4	0.09	0.3	0.05	2,447	24.7	0.51	16.4	0.35
Female Genital System	-	-	-	-	-	1,995	20.2	0.46	13.4	0.31
Cervix uteri	-	-	-	-	-	374	3.8	0.20	2.7	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	941	9.5	0.31	6.2	0.21
Ovary	-	-	-	-	-	603	6.1	0.25	4.0	0.17
Male Genital System	1,927	38.5	0.91	17.5	0.41	-	-	-	-	-
Prostate	1,900	38.1	0.91	17.2	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	504	8.9	0.42	4.8	0.22	344	3.6	0.19	2.0	0.11
Bladder	266	5.0	0.32	2.4	0.15	190	2.0	0.15	1.0	0.08
Kidney & renal pelvis	230	3.7	0.26	2.3	0.15	146	1.5	0.12	0.9	0.08
Brain & Other Nervous System	182	2.5	0.20	1.9	0.14	159	1.6	0.13	1.3	0.11
Endocrine System	59	0.9	0.12	0.6	0.08	83	0.9	0.10	0.6	0.07
Thyroid gland	27	0.4	0.09	0.3	0.05	65	0.7	0.08	0.4	0.05
Lymphomas	372	5.7	0.31	3.7	0.19	334	3.4	0.19	2.2	0.13
Hodgkin Lymphoma	26	0.4	0.07	0.3	0.05	19	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	346	5.4	0.31	3.4	0.19	315	3.2	0.18	2.0	0.12
Multiple Myeloma	352	5.8	0.33	3.4	0.19	393	4.1	0.21	2.4	0.13
Leukemias	400	6.4	0.34	4.0	0.20	335	3.5	0.19	2.2	0.13
Other, Ill-defined & Unknown	922	14.8	0.52	9.0	0.30	999	10.2	0.33	6.3	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,592	118.9	2.11	65.9	1.12	2,946	77.7	1.47	45.6	0.87
Oral Cavity & Pharynx	114	3.2	0.32	2.1	0.20	48	1.2	0.18	0.8	0.11
Digestive System	1,481	47.9	1.33	27.2	0.72	940	25.8	0.86	14.0	0.47
Esophagus	102	3.1	0.32	1.9	0.19	26	0.7	0.14	0.4	0.08
Stomach	283	9.2	0.59	5.2	0.31	143	3.8	0.32	2.2	0.19
Colon & Rectum	355	12.1	0.69	6.5	0.35	285	7.8	0.47	4.2	0.25
Liver	378	11.0	0.60	7.0	0.37	119	3.3	0.31	1.8	0.17
Pancreas	236	8.0	0.55	4.3	0.28	240	6.9	0.45	3.5	0.23
Respiratory System	961	32.8	1.12	17.2	0.56	586	15.8	0.67	8.8	0.37
Larynx	31	1.0	0.20	0.5	0.10	-	-	-	-	-
Lung & bronchus	927	31.7	1.10	16.6	0.55	579	15.7	0.67	8.7	0.37
Skin	11	0.3	0.11	0.2	0.06	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	15	0.4	0.10	0.2	0.06
Breast	-	-	-	-	-	397	9.5	0.49	6.5	0.33
Female Genital System	-	-	-	-	-	340	8.3	0.47	5.4	0.30
Cervix uteri	-	-	-	-	-	64	1.5	0.20	1.0	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	85	2.1	0.24	1.3	0.15
Ovary	-	-	-	-	-	180	4.4	0.34	2.9	0.22
Male Genital System	180	7.5	0.59	3.2	0.24	-	-	-	-	-
Prostate	171	7.2	0.58	3.0	0.23	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	144	5.1	0.45	2.5	0.21	94	2.6	0.28	1.4	0.15
Bladder	68	2.6	0.34	1.2	0.14	37	1.1	0.18	0.5	0.09
Kidney & renal pelvis	74	2.4	0.29	1.3	0.16	49	1.3	0.19	0.7	0.12
Brain & Other Nervous System	75	2.1	0.26	1.6	0.19	70	1.7	0.21	1.3	0.16
Endocrine System	19	0.5	0.12	0.4	0.08	28	0.8	0.15	0.4	0.09
Thyroid gland	-	-	-	-	-	18	0.5	0.13	0.2	0.06
Lymphomas	139	4.5	0.41	2.6	0.22	94	2.6	0.28	1.4	0.15
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	48	1.5	0.23	0.9	0.13	37	1.0	0.18	0.6	0.09
Leukemias	139	4.4	0.39	2.8	0.25	99	2.6	0.27	1.7	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	49,555	215.1	1.00	124.0	0.57	43,125	142.1	0.69	86.0	0.45
Oral Cavity & Pharynx	1,023	4.1	0.13	2.7	0.09	443	1.4	0.07	0.9	0.04
Digestive System	12,553	52.5	0.48	32.3	0.30	9,265	30.3	0.32	17.6	0.20
Esophagus	1,720	7.0	0.17	4.5	0.11	427	1.4	0.07	0.9	0.04
Stomach	925	4.0	0.14	2.4	0.08	690	2.3	0.09	1.3	0.05
Colon & Rectum	3,994	17.3	0.28	10.2	0.17	3,549	11.6	0.20	6.7	0.12
Liver	1,905	7.3	0.17	5.1	0.12	563	1.8	0.08	1.1	0.05
Pancreas	3,008	12.6	0.24	7.6	0.14	2,825	9.2	0.18	5.2	0.11
Respiratory System	16,676	70.4	0.56	41.7	0.33	11,754	38.6	0.36	23.5	0.23
Larynx	490	2.0	0.09	1.3	0.06	143	0.5	0.04	0.3	0.03
Lung & bronchus	16,074	67.9	0.55	40.2	0.32	11,549	37.9	0.36	23.1	0.23
Skin	1,400	6.2	0.17	3.5	0.10	650	2.1	0.09	1.3	0.06
Melanomas of the skin	978	4.3	0.14	2.5	0.08	496	1.7	0.08	1.1	0.05
Breast	75	0.3	0.04	0.2	0.02	6,501	21.6	0.27	14.1	0.19
Female Genital System	-	-	-	-	-	4,472	14.8	0.22	9.4	0.15
Cervix uteri	-	-	-	-	-	593	2.1	0.09	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,397	4.5	0.12	2.9	0.08
Ovary	-	-	-	-	-	2,163	7.2	0.16	4.4	0.10
Male Genital System	4,448	22.0	0.34	9.8	0.15	-	-	-	-	-
Prostate	4,345	21.6	0.34	9.5	0.15	-	-	-	-	-
Testis	57	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,063	13.9	0.26	7.3	0.14	1,458	4.7	0.13	2.5	0.07
Bladder	1,584	7.6	0.20	3.6	0.09	669	2.2	0.08	1.1	0.05
Kidney & renal pelvis	1,405	6.0	0.17	3.6	0.10	721	2.3	0.09	1.4	0.06
Brain & Other Nervous System	1,319	5.5	0.15	3.8	0.11	1,075	3.6	0.11	2.5	0.09
Endocrine System	212	0.9	0.06	0.6	0.05	223	0.8	0.05	0.5	0.04
Thyroid gland	128	0.6	0.05	0.3	0.03	152	0.5	0.04	0.3	0.03
Lymphomas	1,738	7.9	0.19	4.3	0.11	1,436	4.7	0.13	2.5	0.07
Hodgkin Lymphoma	100	0.4	0.04	0.3	0.03	67	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,638	7.4	0.19	4.0	0.10	1,369	4.5	0.12	2.4	0.07
Multiple Myeloma	995	4.5	0.15	2.4	0.08	983	3.2	0.10	1.7	0.06
Leukemias	1,930	8.9	0.21	4.8	0.11	1,488	5.0	0.13	2.9	0.09
Other, Ill-defined & Unknown	4,123	18.0	0.29	10.5	0.17	3,377	11.1	0.19	6.5	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	38,755	207.1	1.08	118.3	0.63	33,420	139.2	0.77	83.6	0.51
Oral Cavity & Pharynx	741	3.7	0.14	2.4	0.09	359	1.5	0.08	0.9	0.05
Digestive System	9,432	49.0	0.52	29.8	0.32	6,760	27.9	0.34	16.0	0.22
Esophagus	1,412	7.1	0.19	4.6	0.13	309	1.3	0.07	0.8	0.05
Stomach	609	3.3	0.14	1.9	0.08	445	1.9	0.09	1.1	0.06
Colon & Rectum	2,971	15.9	0.30	9.3	0.18	2,572	10.6	0.21	6.1	0.13
Liver	1,361	6.7	0.19	4.5	0.13	420	1.7	0.09	1.0	0.06
Pancreas	2,314	12.0	0.26	7.1	0.15	2,106	8.6	0.19	4.8	0.12
Respiratory System	13,147	68.3	0.61	40.0	0.36	9,732	40.4	0.41	24.6	0.27
Larynx	319	1.6	0.09	1.0	0.06	115	0.5	0.05	0.3	0.03
Lung & bronchus	12,739	66.2	0.60	38.7	0.35	9,562	39.6	0.41	24.1	0.27
Skin	1,328	7.2	0.20	4.1	0.12	608	2.6	0.11	1.6	0.07
Melanomas of the skin	957	5.1	0.17	3.1	0.10	472	2.0	0.10	1.3	0.07
Breast	57	0.3	0.04	0.2	0.03	4,728	20.0	0.30	12.8	0.20
Female Genital System	-	-	-	-	-	3,323	14.0	0.25	8.8	0.17
Cervix uteri	-	-	-	-	-	385	1.8	0.09	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	901	3.7	0.12	2.3	0.08
Ovary	-	-	-	-	-	1,772	7.4	0.18	4.5	0.12
Male Genital System	3,055	18.3	0.34	8.0	0.15	-	-	-	-	-
Prostate	2,975	17.8	0.33	7.7	0.15	-	-	-	-	-
Testis	48	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,608	14.4	0.29	7.6	0.15	1,128	4.6	0.14	2.4	0.08
Bladder	1,392	8.0	0.22	3.8	0.11	513	2.1	0.09	1.0	0.05
Kidney & renal pelvis	1,150	6.1	0.18	3.6	0.11	558	2.3	0.10	1.3	0.06
Brain & Other Nervous System	1,155	6.0	0.18	4.2	0.13	922	4.0	0.13	2.8	0.11
Endocrine System	168	0.9	0.07	0.6	0.05	180	0.8	0.06	0.5	0.05
Thyroid gland	105	0.6	0.06	0.3	0.03	118	0.5	0.05	0.3	0.03
Lymphomas	1,502	8.3	0.22	4.5	0.12	1,211	5.0	0.14	2.6	0.08
Hodgkin Lymphoma	85	0.5	0.05	0.3	0.04	55	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,417	7.8	0.21	4.2	0.12	1,156	4.7	0.14	2.4	0.08
Multiple Myeloma	710	3.9	0.15	2.0	0.08	617	2.5	0.10	1.3	0.06
Leukemias	1,620	9.1	0.23	4.8	0.13	1,211	5.1	0.15	2.9	0.10
Other, Ill-defined & Unknown	3,232	17.5	0.32	10.0	0.19	2,641	11.0	0.22	6.4	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,037	266.7	2.90	157.6	1.59	9,017	157.9	1.70	98.3	1.08
Oral Cavity & Pharynx	265	6.1	0.40	4.2	0.26	79	1.3	0.15	0.9	0.10
Digestive System	2,884	71.6	1.45	45.0	0.84	2,311	40.8	0.87	24.1	0.53
Esophagus	291	6.8	0.43	4.5	0.27	107	1.8	0.17	1.2	0.12
Stomach	289	7.6	0.49	4.6	0.27	217	4.0	0.27	2.1	0.15
Colon & Rectum	972	26.0	0.91	15.2	0.49	920	16.1	0.54	9.5	0.33
Liver	479	9.3	0.45	7.3	0.34	125	2.1	0.19	1.4	0.13
Pancreas	640	16.2	0.70	10.0	0.40	673	12.1	0.48	6.9	0.28
Respiratory System	3,275	83.3	1.57	51.7	0.91	1,841	32.5	0.77	20.1	0.49
Larynx	167	4.1	0.34	2.6	0.21	25	0.4	0.08	0.3	0.06
Lung & bronchus	3,086	78.7	1.53	48.7	0.88	1,809	31.9	0.77	19.8	0.48
Skin	64	1.6	0.21	1.0	0.13	41	0.7	0.11	0.4	0.07
Melanomas of the skin	18	0.5	0.12	0.3	0.07	23	0.4	0.09	0.3	0.06
Breast	16	0.4	0.11	0.3	0.06	1,683	28.6	0.71	19.5	0.49
Female Genital System	-	-	-	-	-	1,084	19.2	0.59	12.3	0.39
Cervix uteri	-	-	-	-	-	200	3.4	0.24	2.4	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	475	8.5	0.40	5.3	0.25
Ovary	-	-	-	-	-	357	6.3	0.34	4.0	0.22
Male Genital System	1,331	44.9	1.31	20.5	0.57	-	-	-	-	-
Prostate	1,310	44.4	1.30	20.2	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	422	12.1	0.64	6.6	0.32	302	5.3	0.31	3.0	0.18
Bladder	179	5.7	0.46	2.8	0.21	145	2.6	0.22	1.3	0.12
Kidney & renal pelvis	236	6.2	0.44	3.7	0.24	149	2.6	0.21	1.6	0.14
Brain & Other Nervous System	137	3.2	0.29	2.3	0.20	137	2.4	0.21	1.7	0.15
Endocrine System	40	0.9	0.16	0.7	0.12	40	0.7	0.12	0.4	0.07
Thyroid gland	21	0.5	0.12	0.3	0.07	32	0.6	0.10	0.3	0.06
Lymphomas	219	5.8	0.43	3.5	0.24	202	3.6	0.25	2.3	0.17
Hodgkin Lymphoma	14	0.3	0.08	0.2	0.06	12	0.2	0.06	0.2	0.05
Non-Hodgkin Lymphoma	205	5.5	0.42	3.2	0.23	190	3.3	0.25	2.2	0.17
Multiple Myeloma	270	7.6	0.50	4.3	0.26	358	6.4	0.35	3.5	0.20
Leukemias	281	7.8	0.51	4.5	0.27	251	4.5	0.29	2.6	0.18
Other, Ill-defined & Unknown	833	21.4	0.81	13.1	0.46	688	12.0	0.47	7.4	0.30

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	307	97.6	6.53	54.6	3.19	340	85.0	5.06	47.9	2.64
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	120	33.1	3.56	20.7	1.94	103	27.0	2.89	14.5	1.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	15	5.6	1.65	2.8	0.74	16	3.8	1.06	2.3	0.58
Colon & Rectum	16	4.2	1.26	2.8	0.72	27	6.4	1.36	3.7	0.72
Liver	41	9.6	1.75	6.7	1.07	-	-	-	-	-
Pancreas	22	5.7	1.42	3.8	0.84	23	7.2	1.59	3.3	0.69
Respiratory System	76	25.4	3.30	14.0	1.63	80	20.1	2.43	11.4	1.30
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	73	24.4	3.23	13.5	1.60	79	19.7	2.41	11.3	1.29
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	47	10.3	1.65	6.5	0.96
Female Genital System	-	-	-	-	-	30	5.5	1.07	4.2	0.77
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	10	1.9	0.64	1.4	0.45
Ovary	-	-	-	-	-	16	2.8	0.74	2.2	0.57
Male Genital System	10	5.3	1.79	1.9	0.63	-	-	-	-	-
Prostate	10	5.3	1.79	1.9	0.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	7.1	2.18	2.9	0.81	13	4.6	1.34	1.9	0.52
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	15	3.8	1.24	2.2	0.59	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	14	4.2	1.21	2.1	0.57
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	14	3.7	1.16	2.2	0.62	15	3.5	1.01	2.1	0.55
Other, Ill-defined & Unknown	26	9.5	2.19	4.9	0.99	26	6.7	1.46	3.7	0.74

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,478	189.7	3.27	103.9	1.89	2,955	128.1	2.45	76.1	1.63
Oral Cavity & Pharynx	54	2.9	0.40	1.6	0.23	31	1.4	0.26	0.8	0.17
Digestive System	888	48.2	1.65	28.0	1.00	707	29.3	1.15	16.4	0.73
Esophagus	131	7.2	0.64	4.5	0.41	32	1.4	0.26	1.0	0.19
Stomach	60	3.2	0.42	1.8	0.25	49	2.1	0.31	1.2	0.20
Colon & Rectum	324	17.9	1.01	9.7	0.58	322	13.1	0.76	7.0	0.48
Liver	70	3.5	0.43	2.4	0.30	25	1.1	0.22	0.7	0.16
Pancreas	226	12.1	0.82	7.0	0.50	190	7.9	0.59	4.3	0.37
Respiratory System	994	54.2	1.75	29.9	1.01	707	32.0	1.23	19.5	0.82
Larynx	34	1.8	0.31	1.1	0.20	10	0.4	0.14	0.3	0.11
Lung & bronchus	954	52.0	1.71	28.6	0.99	693	31.4	1.22	19.0	0.81
Skin	79	4.3	0.49	2.6	0.31	44	1.9	0.31	1.2	0.22
Melanomas of the skin	58	3.2	0.42	2.0	0.28	32	1.5	0.28	1.0	0.20
Breast	-	-	-	-	-	408	17.8	0.92	11.2	0.64
Female Genital System	-	-	-	-	-	242	11.0	0.73	7.0	0.51
Cervix uteri	-	-	-	-	-	24	1.2	0.26	1.0	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	72	3.3	0.40	2.1	0.28
Ovary	-	-	-	-	-	117	5.3	0.51	3.3	0.34
Male Genital System	365	20.3	1.07	9.0	0.51	-	-	-	-	-
Prostate	356	19.8	1.06	8.6	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	246	13.3	0.86	7.1	0.49	120	5.0	0.48	2.8	0.31
Bladder	134	7.2	0.63	3.5	0.33	51	2.0	0.30	1.0	0.18
Kidney & renal pelvis	105	5.7	0.57	3.4	0.35	65	2.8	0.36	1.7	0.24
Brain & Other Nervous System	100	5.4	0.55	3.8	0.41	68	3.3	0.41	2.5	0.33
Endocrine System	-	-	-	-	-	16	0.7	0.18	0.4	0.12
Thyroid gland	-	-	-	-	-	13	0.5	0.15	0.3	0.10
Lymphomas	130	7.1	0.63	3.7	0.35	115	4.7	0.46	2.4	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	85	4.8	0.53	2.3	0.27	63	2.6	0.34	1.3	0.19
Leukemias	161	9.0	0.72	4.7	0.40	115	4.7	0.46	2.7	0.31
Other, Ill-defined & Unknown	363	19.5	1.04	10.8	0.62	319	13.7	0.80	8.0	0.53

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,349	188.4	3.31	103.0	1.93	2,828	126.6	2.48	75.2	1.67
Oral Cavity & Pharynx	52	2.8	0.40	1.6	0.24	31	1.5	0.27	0.9	0.18
Digestive System	854	48.0	1.67	27.9	1.02	675	28.8	1.16	16.0	0.74
Esophagus	124	7.0	0.64	4.4	0.42	29	1.4	0.26	0.9	0.19
Stomach	57	3.2	0.43	1.8	0.26	45	1.9	0.30	1.1	0.19
Colon & Rectum	319	18.2	1.04	9.9	0.60	308	12.9	0.77	6.9	0.48
Liver	64	3.4	0.43	2.3	0.30	24	1.0	0.22	0.7	0.17
Pancreas	215	11.9	0.83	6.9	0.50	184	7.9	0.60	4.3	0.38
Respiratory System	944	53.0	1.75	29.1	1.01	659	30.8	1.23	18.7	0.82
Larynx	32	1.7	0.31	1.1	0.20	-	-	-	-	-
Lung & bronchus	906	50.9	1.72	27.9	0.99	646	30.3	1.22	18.3	0.81
Skin	79	4.5	0.51	2.7	0.32	44	2.0	0.32	1.3	0.24
Melanomas of the skin	58	3.3	0.44	2.1	0.29	32	1.6	0.29	1.0	0.22
Breast	-	-	-	-	-	399	17.9	0.95	11.3	0.66
Female Genital System	-	-	-	-	-	235	11.2	0.76	7.1	0.53
Cervix uteri	-	-	-	-	-	24	1.3	0.28	1.1	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	68	3.2	0.40	2.0	0.28
Ovary	-	-	-	-	-	115	5.5	0.53	3.4	0.36
Male Genital System	357	20.3	1.09	9.0	0.52	-	-	-	-	-
Prostate	348	19.8	1.07	8.6	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	237	13.2	0.87	7.0	0.49	113	4.8	0.48	2.7	0.31
Bladder	131	7.3	0.64	3.5	0.33	50	2.0	0.30	1.0	0.19
Kidney & renal pelvis	99	5.5	0.57	3.3	0.36	59	2.6	0.36	1.6	0.24
Brain & Other Nervous System	95	5.4	0.57	3.8	0.42	66	3.3	0.42	2.6	0.35
Endocrine System	-	-	-	-	-	16	0.7	0.19	0.4	0.13
Thyroid gland	-	-	-	-	-	13	0.5	0.16	0.3	0.10
Lymphomas	126	7.1	0.64	3.7	0.36	114	4.8	0.47	2.4	0.28
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	84	4.9	0.54	2.3	0.28	63	2.7	0.35	1.3	0.20
Leukemias	158	9.1	0.73	4.8	0.42	114	4.8	0.48	2.8	0.32
Other, Ill-defined & Unknown	350	19.3	1.05	10.7	0.62	299	13.2	0.80	7.7	0.54

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	-	-	-	-	-	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10	158.5	57.62	77.3	25.54	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	65,591	219.7	0.88	126.0	0.52	60,312	155.1	0.65	93.6	0.43
Oral Cavity & Pharynx	1,264	3.9	0.11	2.7	0.08	515	1.3	0.06	0.8	0.04
Digestive System	17,195	56.5	0.44	33.8	0.27	13,181	33.2	0.30	19.0	0.19
Esophagus	2,828	9.1	0.18	5.7	0.11	678	1.7	0.07	1.0	0.04
Stomach	1,111	3.7	0.11	2.2	0.07	793	2.0	0.07	1.1	0.05
Colon & Rectum	5,870	19.8	0.26	11.2	0.15	5,446	13.6	0.19	7.6	0.12
Liver	2,091	6.4	0.14	4.3	0.10	782	2.0	0.07	1.2	0.05
Pancreas	4,049	13.3	0.21	7.9	0.13	3,959	10.0	0.16	5.8	0.10
Respiratory System	21,034	69.1	0.49	40.9	0.29	16,732	43.4	0.34	26.4	0.22
Larynx	710	2.2	0.09	1.4	0.06	208	0.5	0.04	0.4	0.03
Lung & bronchus	20,216	66.5	0.48	39.2	0.29	16,470	42.7	0.34	25.9	0.22
Skin	1,741	5.9	0.14	3.4	0.09	893	2.3	0.08	1.5	0.06
Melanomas of the skin	1,284	4.3	0.12	2.6	0.08	712	1.9	0.07	1.2	0.05
Breast	93	0.3	0.03	0.2	0.02	8,873	23.1	0.25	14.8	0.17
Female Genital System	-	-	-	-	-	6,155	16.1	0.21	10.6	0.15
Cervix uteri	-	-	-	-	-	825	2.5	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,941	5.0	0.11	3.2	0.08
Ovary	-	-	-	-	-	2,938	7.6	0.14	4.8	0.10
Male Genital System	5,654	20.5	0.28	9.2	0.13	-	-	-	-	-
Prostate	5,496	20.0	0.27	8.8	0.12	-	-	-	-	-
Testis	79	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,396	15.0	0.23	8.0	0.13	2,191	5.4	0.12	2.9	0.07
Bladder	2,535	8.9	0.18	4.3	0.09	1,017	2.5	0.08	1.2	0.04
Kidney & renal pelvis	1,756	5.7	0.14	3.6	0.09	1,096	2.8	0.09	1.7	0.06
Brain & Other Nervous System	1,707	5.5	0.14	4.0	0.10	1,296	3.5	0.10	2.5	0.08
Endocrine System	231	0.8	0.05	0.5	0.04	276	0.7	0.05	0.5	0.03
Thyroid gland	153	0.5	0.04	0.3	0.02	188	0.5	0.04	0.3	0.02
Lymphomas	2,599	9.0	0.18	4.9	0.10	2,135	5.4	0.12	2.9	0.07
Hodgkin Lymphoma	143	0.5	0.04	0.3	0.03	93	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,456	8.5	0.17	4.6	0.10	2,042	5.1	0.12	2.7	0.07
Multiple Myeloma	1,325	4.5	0.13	2.4	0.07	1,187	3.0	0.09	1.6	0.05
Leukemias	2,719	9.6	0.19	5.1	0.11	2,088	5.4	0.12	3.1	0.08
Other, Ill-defined & Unknown	5,633	19.1	0.26	10.8	0.15	4,790	12.1	0.18	7.1	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	58,417	217.8	0.92	124.5	0.54	53,212	153.9	0.68	92.7	0.45
Oral Cavity & Pharynx	1,118	3.9	0.12	2.6	0.08	469	1.3	0.06	0.8	0.04
Digestive System	15,093	55.4	0.46	32.9	0.28	11,446	32.3	0.31	18.4	0.20
Esophagus	2,636	9.4	0.19	6.0	0.12	597	1.7	0.07	1.0	0.05
Stomach	896	3.4	0.11	1.9	0.07	616	1.7	0.07	1.0	0.05
Colon & Rectum	5,174	19.5	0.28	11.0	0.16	4,811	13.4	0.20	7.4	0.12
Liver	1,669	5.8	0.15	3.8	0.10	630	1.8	0.07	1.0	0.05
Pancreas	3,606	13.2	0.22	7.8	0.14	3,435	9.8	0.17	5.7	0.11
Respiratory System	18,737	68.5	0.51	40.4	0.31	14,831	43.3	0.36	26.4	0.24
Larynx	617	2.2	0.09	1.4	0.06	175	0.5	0.04	0.3	0.03
Lung & bronchus	18,020	66.0	0.50	38.8	0.30	14,608	42.7	0.36	25.9	0.24
Skin	1,709	6.5	0.16	3.8	0.10	874	2.6	0.09	1.6	0.06
Melanomas of the skin	1,275	4.8	0.14	2.9	0.09	698	2.1	0.08	1.4	0.06
Breast	80	0.3	0.03	0.2	0.02	7,651	22.4	0.26	14.3	0.18
Female Genital System	-	-	-	-	-	5,463	16.2	0.23	10.6	0.16
Cervix uteri	-	-	-	-	-	694	2.4	0.09	1.8	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,653	4.7	0.12	3.0	0.08
Ovary	-	-	-	-	-	2,703	7.9	0.16	5.1	0.11
Male Genital System	4,725	18.9	0.28	8.4	0.13	-	-	-	-	-
Prostate	4,580	18.3	0.27	8.0	0.12	-	-	-	-	-
Testis	75	0.3	0.04	0.3	0.03	-	-	-	-	-
Urinary System	4,056	15.3	0.24	8.1	0.13	1,972	5.4	0.13	2.9	0.08
Bladder	2,364	9.2	0.19	4.4	0.10	916	2.5	0.08	1.2	0.04
Kidney & renal pelvis	1,593	5.8	0.15	3.6	0.09	983	2.8	0.09	1.7	0.06
Brain & Other Nervous System	1,612	5.9	0.15	4.2	0.11	1,199	3.7	0.11	2.6	0.09
Endocrine System	194	0.7	0.05	0.5	0.04	246	0.7	0.05	0.5	0.04
Thyroid gland	132	0.5	0.04	0.3	0.03	169	0.5	0.04	0.3	0.02
Lymphomas	2,428	9.3	0.19	5.1	0.11	1,980	5.6	0.13	3.0	0.08
Hodgkin Lymphoma	134	0.5	0.05	0.4	0.03	83	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,294	8.8	0.19	4.7	0.10	1,897	5.3	0.13	2.8	0.07
Multiple Myeloma	1,112	4.2	0.13	2.2	0.07	976	2.8	0.09	1.5	0.05
Leukemias	2,517	9.8	0.20	5.3	0.12	1,888	5.4	0.13	3.1	0.09
Other, Ill-defined & Unknown	5,036	19.0	0.27	10.8	0.16	4,217	12.0	0.19	7.1	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	6,795	256.6	3.27	151.7	1.88	6,736	176.3	2.18	108.9	1.41
Oral Cavity & Pharynx	141	4.8	0.42	3.2	0.27	43	1.1	0.17	0.7	0.12
Digestive System	1,979	71.1	1.68	44.6	1.02	1,630	42.9	1.08	25.2	0.67
Esophagus	182	6.7	0.52	4.1	0.31	77	2.0	0.23	1.3	0.15
Stomach	199	7.6	0.56	4.5	0.33	158	4.3	0.34	2.4	0.20
Colon & Rectum	662	25.1	1.02	14.6	0.58	597	15.7	0.65	9.4	0.41
Liver	388	11.6	0.62	8.9	0.46	147	3.7	0.31	2.4	0.21
Pancreas	425	15.5	0.79	9.6	0.48	499	13.3	0.60	7.4	0.35
Respiratory System	2,180	80.6	1.81	49.2	1.08	1,812	47.4	1.13	28.8	0.72
Larynx	87	2.9	0.32	2.0	0.22	32	0.9	0.15	0.6	0.10
Lung & bronchus	2,085	77.4	1.78	47.0	1.05	1,776	46.4	1.12	28.2	0.71
Skin	31	1.0	0.20	0.7	0.13	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	12	0.3	0.10	0.2	0.06
Breast	12	0.5	0.14	0.3	0.07	1,168	30.3	0.90	20.2	0.62
Female Genital System	-	-	-	-	-	647	16.9	0.67	11.2	0.46
Cervix uteri	-	-	-	-	-	120	3.2	0.30	2.4	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	273	7.1	0.43	4.7	0.30
Ovary	-	-	-	-	-	218	5.6	0.39	3.6	0.26
Male Genital System	905	40.5	1.39	18.8	0.64	-	-	-	-	-
Prostate	892	39.9	1.38	18.5	0.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	326	12.2	0.71	7.5	0.43	214	5.7	0.39	3.2	0.24
Bladder	162	6.6	0.54	3.6	0.29	99	2.6	0.27	1.4	0.15
Kidney & renal pelvis	158	5.4	0.45	3.8	0.31	110	2.9	0.28	1.7	0.18
Brain & Other Nervous System	83	2.7	0.31	2.0	0.22	87	2.3	0.25	1.7	0.19
Endocrine System	32	1.2	0.22	0.7	0.13	30	0.8	0.14	0.5	0.11
Thyroid gland	21	0.8	0.19	0.4	0.10	19	0.5	0.11	0.3	0.07
Lymphomas	157	5.8	0.48	3.7	0.30	144	3.7	0.32	2.2	0.20
Hodgkin Lymphoma	-	-	-	-	-	10	0.2	0.07	0.2	0.07
Non-Hodgkin Lymphoma	-	-	-	-	-	134	3.5	0.31	2.0	0.19
Multiple Myeloma	208	8.4	0.61	4.6	0.32	206	5.4	0.38	3.1	0.23
Leukemias	180	7.0	0.55	4.0	0.30	191	5.1	0.37	3.2	0.25
Other, Ill-defined & Unknown	561	20.8	0.92	12.5	0.54	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	332	107.6	6.63	58.8	3.27	332	82.4	4.79	46.1	2.58
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	111	31.6	3.36	19.2	1.84	97	24.1	2.57	13.5	1.38
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	16	4.0	1.07	2.6	0.66	17	4.3	1.11	2.3	0.55
Colon & Rectum	29	8.4	1.75	5.2	0.98	33	7.9	1.45	4.7	0.82
Liver	32	9.2	1.87	5.7	1.01	-	-	-	-	-
Pancreas	15	4.4	1.23	2.5	0.66	25	6.2	1.29	3.5	0.70
Respiratory System	98	34.7	3.89	17.3	1.77	75	19.8	2.39	9.9	1.17
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	93	33.3	3.83	16.5	1.73	73	19.3	2.36	9.7	1.15
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	49	11.4	1.75	6.9	0.99
Female Genital System	-	-	-	-	-	43	9.7	1.57	6.1	0.94
Cervix uteri	-	-	-	-	-	11	2.3	0.71	1.5	0.45
Corpus & uterus, NOS ¹	-	-	-	-	-	14	3.4	0.97	2.0	0.53
Ovary	-	-	-	-	-	16	3.6	0.96	2.3	0.58
Male Genital System	20	7.7	1.91	3.8	0.85	-	-	-	-	-
Prostate	20	7.7	1.91	3.8	0.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	4.8	1.48	2.0	0.60	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	11	3.0	1.02	1.9	0.59	10	2.0	0.67	1.5	0.49
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	12	4.5	1.46	2.3	0.66	10	3.0	0.98	1.3	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	22	6.4	1.54	4.1	0.88	-	-	-	-	-
Other, Ill-defined & Unknown	32	11.5	2.26	5.4	0.98	26	7.0	1.45	3.4	0.69

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	21,424	227.3	1.59	133.1	0.95	18,417	157.5	1.18	96.7	0.78
Oral Cavity & Pharynx	449	4.5	0.22	3.0	0.15	156	1.3	0.11	0.8	0.07
Digestive System	5,393	55.9	0.78	34.7	0.49	3,891	32.8	0.53	19.4	0.34
Esophagus	781	7.8	0.29	5.2	0.19	167	1.4	0.11	0.9	0.07
Stomach	401	4.3	0.22	2.5	0.13	214	1.9	0.13	1.1	0.08
Colon & Rectum	1,934	20.6	0.48	12.2	0.29	1,638	13.8	0.35	8.2	0.22
Liver	806	7.8	0.28	5.4	0.20	346	2.9	0.15	1.8	0.10
Pancreas	1,188	12.4	0.37	7.5	0.23	1,175	9.9	0.29	5.7	0.18
Respiratory System	7,068	73.7	0.90	43.7	0.54	5,348	45.4	0.63	28.0	0.41
Larynx	176	1.8	0.14	1.2	0.09	38	0.3	0.05	0.2	0.04
Lung & bronchus	6,858	71.6	0.88	42.3	0.53	5,288	44.9	0.62	27.7	0.41
Skin	622	6.7	0.27	3.9	0.16	260	2.3	0.14	1.4	0.09
Melanomas of the skin	438	4.7	0.23	2.8	0.14	203	1.8	0.13	1.1	0.09
Breast	23	0.2	0.05	0.1	0.03	2,696	23.4	0.46	15.2	0.32
Female Genital System	-	-	-	-	-	1,835	16.0	0.38	10.5	0.27
Cervix uteri	-	-	-	-	-	295	2.9	0.17	2.2	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	448	3.8	0.18	2.5	0.13
Ovary	-	-	-	-	-	974	8.3	0.27	5.2	0.18
Male Genital System	1,837	21.4	0.51	9.8	0.24	-	-	-	-	-
Prostate	1,776	20.8	0.50	9.3	0.23	-	-	-	-	-
Testis	38	0.4	0.07	0.4	0.06	-	-	-	-	-
Urinary System	1,471	15.9	0.42	8.9	0.24	683	5.7	0.22	3.3	0.14
Bladder	696	7.9	0.31	3.9	0.15	271	2.3	0.14	1.2	0.08
Kidney & renal pelvis	746	7.7	0.29	4.8	0.18	388	3.2	0.17	2.0	0.11
Brain & Other Nervous System	551	5.6	0.24	4.0	0.18	427	3.8	0.19	2.6	0.14
Endocrine System	80	0.8	0.09	0.6	0.07	81	0.7	0.08	0.5	0.06
Thyroid gland	51	0.5	0.08	0.3	0.05	53	0.5	0.06	0.2	0.04
Lymphomas	804	8.8	0.32	4.9	0.18	627	5.4	0.22	2.9	0.13
Hodgkin Lymphoma	44	0.5	0.07	0.3	0.05	40	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	760	8.3	0.31	4.6	0.18	587	5.0	0.21	2.6	0.12
Multiple Myeloma	409	4.5	0.23	2.4	0.12	316	2.7	0.15	1.4	0.09
Leukemias	961	10.6	0.35	5.9	0.20	681	5.9	0.23	3.4	0.15
Other, Ill-defined & Unknown	1,756	18.6	0.45	11.1	0.28	1,416	12.2	0.33	7.4	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,618	225.9	1.68	132.2	1.02	15,828	156.1	1.26	95.9	0.85
Oral Cavity & Pharynx	389	4.4	0.23	3.0	0.16	138	1.3	0.11	0.8	0.07
Digestive System	4,555	54.4	0.82	33.6	0.52	3,231	31.3	0.56	18.4	0.36
Esophagus	706	8.1	0.31	5.5	0.22	143	1.4	0.12	0.9	0.08
Stomach	312	3.8	0.22	2.2	0.13	164	1.6	0.13	0.9	0.08
Colon & Rectum	1,625	19.9	0.50	11.8	0.31	1,357	13.1	0.36	7.7	0.24
Liver	643	7.3	0.29	5.0	0.20	274	2.6	0.16	1.6	0.11
Pancreas	1,040	12.4	0.39	7.4	0.24	990	9.5	0.31	5.5	0.19
Respiratory System	6,203	73.8	0.95	43.7	0.58	4,683	45.8	0.68	28.3	0.45
Larynx	150	1.7	0.14	1.1	0.10	33	0.3	0.06	0.2	0.04
Lung & bronchus	6,024	71.7	0.94	42.4	0.57	4,630	45.3	0.67	28.0	0.45
Skin	580	7.1	0.30	4.2	0.19	245	2.5	0.16	1.5	0.11
Melanomas of the skin	414	5.1	0.26	3.1	0.16	194	2.0	0.15	1.3	0.10
Breast	21	0.2	0.06	0.1	0.03	2,299	23.1	0.50	15.0	0.35
Female Genital System	-	-	-	-	-	1,569	16.0	0.41	10.5	0.29
Cervix uteri	-	-	-	-	-	233	2.8	0.19	2.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	364	3.6	0.19	2.3	0.13
Ovary	-	-	-	-	-	864	8.5	0.30	5.4	0.20
Male Genital System	1,539	20.1	0.52	9.2	0.25	-	-	-	-	-
Prostate	1,486	19.4	0.51	8.7	0.24	-	-	-	-	-
Testis	33	0.5	0.08	0.4	0.07	-	-	-	-	-
Urinary System	1,305	16.0	0.45	8.9	0.26	581	5.6	0.23	3.3	0.15
Bladder	651	8.3	0.33	4.1	0.17	234	2.2	0.15	1.2	0.09
Kidney & renal pelvis	627	7.4	0.30	4.6	0.19	323	3.1	0.17	2.0	0.12
Brain & Other Nervous System	500	6.0	0.27	4.3	0.20	374	3.9	0.20	2.6	0.15
Endocrine System	71	0.9	0.10	0.6	0.08	67	0.7	0.09	0.4	0.07
Thyroid gland	44	0.5	0.08	0.3	0.05	46	0.4	0.07	0.2	0.04
Lymphomas	728	9.1	0.34	5.0	0.20	570	5.6	0.24	3.0	0.15
Hodgkin Lymphoma	36	0.4	0.08	0.2	0.04	37	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	692	8.6	0.33	4.8	0.19	533	5.2	0.23	2.7	0.13
Multiple Myeloma	347	4.3	0.24	2.3	0.13	258	2.4	0.15	1.3	0.09
Leukemias	868	11.0	0.38	6.1	0.23	600	5.9	0.25	3.4	0.17
Other, Ill-defined & Unknown	1,512	18.5	0.48	11.0	0.30	1,213	12.1	0.36	7.3	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,316	277.8	8.42	161.3	4.51	1,169	181.7	5.46	111.4	3.38
Oral Cavity & Pharynx	26	4.9	1.06	3.3	0.65	11	1.8	0.55	0.9	0.27
Digestive System	383	74.5	4.19	46.4	2.41	276	42.3	2.62	25.9	1.62
Esophagus	31	6.0	1.17	3.9	0.71	-	-	-	-	-
Stomach	46	10.2	1.62	5.5	0.82	21	3.4	0.75	1.9	0.44
Colon & Rectum	147	28.6	2.59	17.8	1.49	119	17.9	1.69	11.1	1.06
Liver	60	10.3	1.50	7.1	0.93	20	2.8	0.65	2.0	0.47
Pancreas	73	13.1	1.68	8.9	1.06	88	13.5	1.48	8.3	0.91
Respiratory System	415	83.3	4.45	51.4	2.56	268	42.6	2.68	25.2	1.59
Larynx	14	3.0	0.85	1.8	0.48	-	-	-	-	-
Lung & bronchus	399	79.9	4.36	49.4	2.51	264	42.0	2.66	24.9	1.59
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	225	33.6	2.30	22.6	1.55
Female Genital System	-	-	-	-	-	124	19.7	1.82	11.7	1.09
Cervix uteri	-	-	-	-	-	28	4.3	0.83	2.8	0.54
Corpus & uterus, NOS ¹	-	-	-	-	-	46	7.2	1.08	4.3	0.66
Ovary	-	-	-	-	-	45	7.3	1.12	4.2	0.66
Male Genital System	183	52.1	4.07	22.7	1.70	-	-	-	-	-
Prostate	178	51.1	4.03	22.1	1.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	50	12.4	1.88	6.2	0.89	37	6.2	1.04	3.2	0.54
Bladder	17	5.3	1.34	2.0	0.49	15	2.7	0.71	1.1	0.30
Kidney & renal pelvis	32	6.7	1.28	4.1	0.73	22	3.5	0.76	2.1	0.46
Brain & Other Nervous System	20	3.4	0.84	2.4	0.55	23	3.6	0.78	2.4	0.52
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	23	4.2	0.98	2.8	0.58	21	3.3	0.74	2.0	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	41	8.9	1.55	4.9	0.78	39	5.9	0.97	3.7	0.61
Leukemias	43	8.7	1.49	5.3	0.81	44	7.0	1.08	4.3	0.68
Other, Ill-defined & Unknown	119	23.2	2.35	14.3	1.33	91	14.3	1.53	8.4	0.92

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	106	94.9	10.47	58.8	5.79	180	119.6	9.62	68.1	5.14
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	44	41.6	7.09	24.4	3.73	59	39.7	5.64	22.3	2.94
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	11	6.9	2.29	3.9	1.20
Colon & Rectum	12	11.0	3.77	6.7	1.96	16	10.3	2.74	5.7	1.44
Liver	10	8.5	2.96	5.2	1.67	11	7.2	2.43	4.4	1.35
Pancreas	-	-	-	-	-	12	8.7	2.70	4.9	1.44
Respiratory System	28	23.5	4.92	14.8	2.82	45	33.0	5.17	17.5	2.64
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	28	23.5	4.92	14.8	2.82	45	33.0	5.17	17.5	2.64
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	23	11.9	2.62	8.6	1.80
Female Genital System	-	-	-	-	-	16	9.5	2.57	6.0	1.52
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,381	196.4	1.41	110.0	0.81	18,553	146.0	1.10	85.9	0.70
Oral Cavity & Pharynx	398	3.6	0.18	2.3	0.12	183	1.4	0.11	0.8	0.07
Digestive System	5,574	52.1	0.72	31.4	0.44	4,092	31.8	0.51	18.2	0.32
Esophagus	829	7.8	0.28	4.7	0.17	224	1.7	0.12	1.0	0.07
Stomach	371	3.5	0.19	2.2	0.12	241	1.9	0.13	1.2	0.09
Colon & Rectum	1,703	16.6	0.41	9.3	0.24	1,568	12.2	0.32	6.7	0.19
Liver	870	7.3	0.26	5.3	0.18	275	2.0	0.13	1.3	0.08
Pancreas	1,336	12.5	0.35	7.4	0.21	1,221	9.6	0.28	5.4	0.17
Respiratory System	5,478	52.3	0.72	29.4	0.41	4,986	39.5	0.57	22.6	0.35
Larynx	138	1.3	0.11	0.8	0.07	29	0.2	0.04	0.1	0.03
Lung & bronchus	5,291	50.6	0.71	28.4	0.40	4,930	39.1	0.57	22.4	0.34
Skin	636	6.1	0.25	3.5	0.15	311	2.5	0.15	1.6	0.10
Melanomas of the skin	464	4.4	0.21	2.7	0.13	246	2.0	0.13	1.3	0.09
Breast	20	0.2	0.04	0.1	0.02	2,623	20.8	0.42	13.4	0.29
Female Genital System	-	-	-	-	-	2,070	16.5	0.37	10.4	0.25
Cervix uteri	-	-	-	-	-	208	1.9	0.13	1.4	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	574	4.5	0.19	2.8	0.13
Ovary	-	-	-	-	-	1,133	8.9	0.27	5.6	0.18
Male Genital System	2,087	21.6	0.48	9.4	0.22	-	-	-	-	-
Prostate	2,056	21.2	0.47	9.2	0.21	-	-	-	-	-
Testis	13	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,419	14.0	0.38	7.1	0.20	607	4.6	0.19	2.4	0.11
Bladder	785	8.0	0.29	3.7	0.14	276	2.0	0.12	0.9	0.06
Kidney & renal pelvis	598	5.6	0.24	3.3	0.14	312	2.4	0.14	1.4	0.09
Brain & Other Nervous System	669	6.2	0.25	4.5	0.18	488	4.1	0.19	2.8	0.14
Endocrine System	98	1.0	0.10	0.7	0.08	83	0.7	0.08	0.4	0.05
Thyroid gland	65	0.6	0.08	0.3	0.04	56	0.5	0.06	0.3	0.04
Lymphomas	881	8.8	0.30	4.6	0.16	682	5.2	0.20	2.7	0.12
Hodgkin Lymphoma	54	0.5	0.07	0.3	0.05	29	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	827	8.2	0.29	4.3	0.16	653	4.9	0.20	2.5	0.11
Multiple Myeloma	464	4.5	0.22	2.4	0.12	347	2.7	0.15	1.4	0.08
Leukemias	896	9.0	0.31	4.9	0.18	614	4.9	0.20	2.7	0.13
Other, Ill-defined & Unknown	1,761	17.1	0.42	9.6	0.24	1,467	11.5	0.31	6.4	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,508	198.1	1.45	110.9	0.84	17,778	147.9	1.14	87.0	0.73
Oral Cavity & Pharynx	387	3.7	0.19	2.4	0.12	174	1.4	0.11	0.8	0.07
Digestive System	5,244	51.8	0.73	31.2	0.45	3,852	31.6	0.52	18.1	0.33
Esophagus	809	8.0	0.29	4.8	0.18	212	1.7	0.12	1.0	0.07
Stomach	329	3.3	0.19	2.0	0.12	215	1.8	0.13	1.1	0.08
Colon & Rectum	1,610	16.6	0.42	9.3	0.24	1,485	12.2	0.33	6.7	0.20
Liver	767	6.8	0.25	5.0	0.18	238	1.9	0.12	1.2	0.08
Pancreas	1,287	12.7	0.36	7.5	0.22	1,164	9.6	0.29	5.4	0.18
Respiratory System	5,252	52.8	0.74	29.7	0.43	4,805	40.2	0.59	23.1	0.36
Larynx	134	1.3	0.11	0.8	0.07	29	0.2	0.05	0.1	0.03
Lung & bronchus	5,070	51.0	0.73	28.6	0.42	4,749	39.7	0.59	22.8	0.36
Skin	632	6.4	0.26	3.7	0.16	305	2.6	0.16	1.7	0.11
Melanomas of the skin	463	4.7	0.22	2.9	0.14	242	2.1	0.14	1.4	0.10
Breast	20	0.2	0.05	0.1	0.02	2,512	21.1	0.44	13.7	0.30
Female Genital System	-	-	-	-	-	1,990	16.8	0.39	10.6	0.26
Cervix uteri	-	-	-	-	-	193	1.9	0.14	1.4	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	551	4.6	0.20	2.8	0.13
Ovary	-	-	-	-	-	1,093	9.1	0.28	5.7	0.19
Male Genital System	2,012	21.7	0.49	9.4	0.22	-	-	-	-	-
Prostate	1,982	21.4	0.49	9.2	0.22	-	-	-	-	-
Testis	12	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,374	14.2	0.39	7.3	0.21	590	4.7	0.20	2.5	0.12
Bladder	768	8.1	0.30	3.8	0.14	274	2.1	0.13	1.0	0.07
Kidney & renal pelvis	572	5.7	0.24	3.3	0.15	297	2.4	0.14	1.4	0.10
Brain & Other Nervous System	649	6.5	0.26	4.6	0.19	474	4.2	0.20	2.9	0.15
Endocrine System	93	1.0	0.10	0.7	0.09	76	0.7	0.08	0.4	0.06
Thyroid gland	62	0.6	0.08	0.3	0.05	52	0.4	0.06	0.3	0.04
Lymphomas	849	8.9	0.31	4.7	0.17	665	5.3	0.21	2.7	0.12
Hodgkin Lymphoma	50	0.5	0.07	0.4	0.05	29	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	799	8.4	0.30	4.3	0.16	636	5.0	0.20	2.5	0.12
Multiple Myeloma	440	4.5	0.22	2.4	0.12	335	2.7	0.15	1.4	0.08
Leukemias	865	9.1	0.32	5.0	0.19	584	4.9	0.21	2.7	0.13
Other, Ill-defined & Unknown	1,691	17.3	0.43	9.7	0.25	1,416	11.7	0.32	6.6	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2010-2014, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	339	245.6	15.11	147.9	8.16	240	159.0	10.62	97.7	6.50
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	120	78.9	8.20	52.3	4.84	60	41.5	5.52	23.8	3.20
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	15	9.4	2.76	6.5	1.70	-	-	-	-	-
Colon & Rectum	39	27.0	4.93	16.7	2.72	25	17.8	3.68	9.0	1.88
Liver	35	21.9	4.26	15.2	2.60	-	-	-	-	-
Pancreas	20	13.9	3.42	9.1	2.07	18	12.2	2.97	7.8	1.89
Respiratory System	84	58.7	7.25	36.7	4.07	62	43.2	5.67	25.4	3.33
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	81	56.9	7.16	35.2	3.97	62	43.2	5.67	25.4	3.33
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	44	27.1	4.23	17.4	2.70
Female Genital System	-	-	-	-	-	18	11.8	2.87	8.0	1.93
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	48	44.8	7.12	21.6	3.16	-	-	-	-	-
Prostate	48	44.8	7.12	21.6	3.16	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	15.4	3.89	8.6	1.95	-	-	-	-	-
Bladder	10	7.8	2.77	4.2	1.34	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	10.5	3.14	6.0	1.69	-	-	-	-	-
Leukemias	-	-	-	-	-	11	6.9	2.16	4.0	1.26
Other, Ill-defined & Unknown	25	20.5	4.59	10.7	2.17	17	11.8	2.95	7.0	1.76

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	368	131.4	7.28	72.5	3.84	391	95.7	5.02	56.1	2.93
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	160	54.0	4.54	31.8	2.55	140	33.9	2.97	20.3	1.77
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	22	7.6	1.73	4.3	0.92	20	4.5	1.04	3.2	0.72
Colon & Rectum	41	14.6	2.44	7.9	1.25	41	10.0	1.62	5.6	0.91
Liver	55	16.9	2.40	11.3	1.54	26	6.5	1.30	3.7	0.76
Pancreas	17	6.5	1.67	3.4	0.83	35	9.1	1.59	4.9	0.86
Respiratory System	92	35.7	3.91	18.3	1.94	83	22.2	2.51	11.4	1.30
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	90	34.9	3.86	17.9	1.92	83	22.2	2.51	11.4	1.30
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	47	10.9	1.66	7.0	1.04
Female Genital System	-	-	-	-	-	47	10.1	1.52	7.0	1.04
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	13	2.6	0.73	2.1	0.59
Ovary	-	-	-	-	-	24	5.7	1.21	3.4	0.70
Male Genital System	15	7.0	1.84	2.7	0.69	-	-	-	-	-
Prostate	15	7.0	1.84	2.7	0.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	5.1	1.43	2.9	0.77	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	2.3	0.75	2.3	0.75	11	2.7	0.86	1.8	0.56
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	5.5	1.54	2.7	0.72	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	15	5.5	1.53	2.9	0.77	12	3.1	0.91	1.7	0.52
Other, Ill-defined & Unknown	30	10.0	1.97	5.6	1.03	28	7.0	1.37	3.7	0.73

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	74,194	210.6	0.79	119.5	0.47	69,863	149.4	0.58	89.1	0.39
Oral Cavity & Pharynx	1,237	3.4	0.10	2.2	0.06	565	1.2	0.05	0.7	0.03
Digestive System	20,082	56.1	0.40	33.5	0.25	16,030	33.2	0.27	18.7	0.17
Esophagus	3,127	8.6	0.16	5.4	0.10	830	1.7	0.06	1.0	0.04
Stomach	1,420	4.1	0.11	2.3	0.07	959	2.0	0.07	1.1	0.04
Colon & Rectum	6,604	18.9	0.24	10.7	0.14	6,613	13.5	0.17	7.4	0.11
Liver	2,613	6.8	0.14	4.6	0.09	954	2.0	0.07	1.2	0.05
Pancreas	4,859	13.6	0.20	8.1	0.12	4,838	10.0	0.15	5.7	0.09
Respiratory System	21,852	61.4	0.42	35.6	0.25	17,440	37.8	0.29	22.8	0.19
Larynx	713	2.0	0.07	1.2	0.05	208	0.4	0.03	0.3	0.02
Lung & bronchus	21,014	59.1	0.41	34.2	0.25	17,143	37.1	0.29	22.4	0.19
Skin	1,941	5.6	0.13	3.2	0.08	1,073	2.3	0.07	1.4	0.05
Melanomas of the skin	1,449	4.2	0.11	2.4	0.07	844	1.9	0.07	1.2	0.05
Breast	96	0.3	0.03	0.2	0.02	10,108	22.2	0.23	14.1	0.16
Female Genital System	-	-	-	-	-	7,522	16.6	0.20	10.6	0.14
Cervix uteri	-	-	-	-	-	834	2.1	0.08	1.6	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,496	5.3	0.11	3.3	0.07
Ovary	-	-	-	-	-	3,604	7.9	0.14	4.9	0.09
Male Genital System	6,830	20.3	0.25	9.0	0.12	-	-	-	-	-
Prostate	6,668	19.8	0.24	8.7	0.11	-	-	-	-	-
Testis	79	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	5,002	14.4	0.21	7.5	0.11	2,528	5.1	0.11	2.7	0.06
Bladder	2,930	8.6	0.16	4.1	0.08	1,201	2.3	0.07	1.2	0.04
Kidney & renal pelvis	1,939	5.5	0.13	3.3	0.08	1,233	2.6	0.08	1.5	0.05
Brain & Other Nervous System	1,820	5.1	0.12	3.7	0.09	1,480	3.5	0.09	2.5	0.08
Endocrine System	285	0.8	0.05	0.6	0.04	353	0.8	0.04	0.5	0.04
Thyroid gland	187	0.5	0.04	0.3	0.02	245	0.5	0.03	0.3	0.02
Lymphomas	3,004	8.6	0.16	4.7	0.09	2,522	5.2	0.11	2.7	0.06
Hodgkin Lymphoma	131	0.4	0.03	0.3	0.02	122	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,873	8.3	0.16	4.5	0.09	2,400	4.9	0.10	2.5	0.06
Multiple Myeloma	1,438	4.2	0.11	2.2	0.06	1,323	2.8	0.08	1.5	0.05
Leukemias	3,244	9.5	0.17	5.2	0.10	2,560	5.5	0.11	3.1	0.08
Other, Ill-defined & Unknown	7,363	21.0	0.25	11.9	0.15	6,359	13.3	0.17	7.7	0.11

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	66,779	208.1	0.82	117.7	0.49	62,015	146.9	0.61	87.2	0.41
Oral Cavity & Pharynx	1,097	3.3	0.10	2.1	0.07	515	1.2	0.05	0.7	0.04
Digestive System	17,733	54.6	0.42	32.3	0.26	14,090	32.2	0.28	18.0	0.18
Esophagus	2,962	9.0	0.17	5.7	0.11	717	1.7	0.06	1.0	0.04
Stomach	1,152	3.6	0.11	2.0	0.06	782	1.8	0.07	1.0	0.04
Colon & Rectum	5,872	18.4	0.24	10.3	0.15	5,929	13.4	0.18	7.2	0.11
Liver	2,041	6.0	0.13	3.9	0.09	769	1.8	0.07	1.0	0.04
Pancreas	4,409	13.6	0.21	8.0	0.13	4,257	9.7	0.15	5.5	0.10
Respiratory System	19,668	60.6	0.44	35.1	0.26	15,544	37.4	0.31	22.5	0.20
Larynx	618	1.9	0.08	1.2	0.05	180	0.4	0.03	0.3	0.02
Lung & bronchus	18,935	58.4	0.43	33.7	0.26	15,281	36.7	0.31	22.1	0.20
Skin	1,903	6.0	0.14	3.5	0.09	1,044	2.5	0.08	1.5	0.06
Melanomas of the skin	1,431	4.5	0.12	2.7	0.08	824	2.1	0.08	1.3	0.05
Breast	76	0.2	0.03	0.1	0.02	8,796	21.4	0.24	13.6	0.17
Female Genital System	-	-	-	-	-	6,544	16.1	0.21	10.2	0.14
Cervix uteri	-	-	-	-	-	659	1.9	0.08	1.5	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,082	4.9	0.11	3.0	0.08
Ovary	-	-	-	-	-	3,259	8.0	0.14	5.0	0.10
Male Genital System	5,805	18.7	0.25	8.2	0.12	-	-	-	-	-
Prostate	5,656	18.2	0.24	7.8	0.11	-	-	-	-	-
Testis	73	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	4,675	14.7	0.22	7.7	0.12	2,283	5.1	0.11	2.7	0.07
Bladder	2,770	8.8	0.17	4.2	0.09	1,066	2.3	0.07	1.1	0.04
Kidney & renal pelvis	1,776	5.5	0.13	3.3	0.08	1,129	2.6	0.08	1.5	0.05
Brain & Other Nervous System	1,705	5.4	0.13	3.9	0.10	1,397	3.7	0.10	2.7	0.08
Endocrine System	264	0.9	0.05	0.6	0.05	308	0.8	0.05	0.5	0.04
Thyroid gland	174	0.5	0.04	0.3	0.02	220	0.5	0.04	0.3	0.02
Lymphomas	2,816	8.9	0.17	4.8	0.10	2,352	5.3	0.11	2.8	0.07
Hodgkin Lymphoma	125	0.4	0.04	0.3	0.03	111	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,691	8.5	0.17	4.6	0.10	2,241	5.0	0.11	2.6	0.07
Multiple Myeloma	1,255	4.0	0.11	2.1	0.06	1,101	2.5	0.08	1.4	0.05
Leukemias	3,041	9.7	0.18	5.3	0.11	2,348	5.6	0.12	3.2	0.09
Other, Ill-defined & Unknown	6,741	21.2	0.26	12.0	0.16	5,693	13.2	0.18	7.5	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	6,711	269.8	3.48	159.1	1.98	7,150	187.9	2.25	117.1	1.47
Oral Cavity & Pharynx	121	4.6	0.44	2.9	0.27	42	1.1	0.17	0.7	0.12
Digestive System	2,075	77.6	1.80	49.8	1.11	1,718	45.2	1.11	26.9	0.70
Esophagus	150	5.6	0.48	3.7	0.30	110	2.8	0.27	1.8	0.18
Stomach	217	8.6	0.61	5.2	0.36	144	3.8	0.32	2.1	0.19
Colon & Rectum	670	26.7	1.09	15.6	0.61	622	16.3	0.66	9.5	0.41
Liver	487	15.5	0.74	12.0	0.55	151	3.9	0.32	2.5	0.22
Pancreas	412	15.6	0.81	10.0	0.50	522	13.9	0.62	8.1	0.38
Respiratory System	1,985	79.2	1.87	47.7	1.09	1,771	46.8	1.13	29.2	0.73
Larynx	92	3.9	0.42	2.2	0.23	27	0.7	0.13	0.5	0.10
Lung & bronchus	1,885	75.0	1.82	45.4	1.06	1,738	45.9	1.12	28.7	0.72
Skin	31	1.2	0.23	0.8	0.14	-	-	-	-	-
Melanomas of the skin	14	0.6	0.17	0.3	0.09	13	0.3	0.10	0.3	0.07
Breast	20	0.8	0.18	0.5	0.11	1,210	31.5	0.92	20.8	0.63
Female Genital System	-	-	-	-	-	893	23.4	0.80	15.1	0.53
Cervix uteri	-	-	-	-	-	157	4.1	0.33	2.9	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	389	10.1	0.52	6.6	0.35
Ovary	-	-	-	-	-	309	8.2	0.47	5.1	0.31
Male Genital System	997	47.9	1.57	22.3	0.72	-	-	-	-	-
Prostate	987	47.5	1.56	22.1	0.72	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	302	12.4	0.75	7.0	0.41	232	6.2	0.41	3.4	0.24
Bladder	151	6.7	0.57	3.4	0.28	129	3.4	0.30	1.8	0.17
Kidney & renal pelvis	148	5.6	0.48	3.6	0.30	98	2.6	0.27	1.5	0.17
Brain & Other Nervous System	95	3.2	0.35	2.3	0.24	74	1.9	0.23	1.5	0.18
Endocrine System	19	0.7	0.18	0.5	0.11	41	1.0	0.17	0.8	0.13
Thyroid gland	13	0.5	0.15	0.3	0.09	22	0.6	0.12	0.4	0.08
Lymphomas	162	6.0	0.50	4.0	0.32	149	4.0	0.33	2.3	0.20
Hodgkin Lymphoma	-	-	-	-	-	11	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	-	-	-	-	-	138	3.7	0.32	2.1	0.19
Multiple Myeloma	169	7.3	0.59	3.9	0.31	213	5.7	0.40	3.3	0.24
Leukemias	179	6.7	0.53	4.3	0.33	188	5.0	0.37	3.2	0.25
Other, Ill-defined & Unknown	556	22.2	1.00	13.1	0.57	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	651	112.1	4.87	60.0	2.38	655	92.7	3.87	50.5	2.00
Oral Cavity & Pharynx	18	2.9	0.76	1.6	0.39	-	-	-	-	-
Digestive System	258	42.3	2.94	23.7	1.49	210	31.9	2.33	15.7	1.10
Esophagus	14	2.8	0.84	1.3	0.35	-	-	-	-	-
Stomach	49	8.3	1.28	4.4	0.63	33	4.4	0.83	2.5	0.44
Colon & Rectum	59	10.6	1.57	5.4	0.71	59	9.5	1.30	4.3	0.57
Liver	81	11.7	1.43	7.4	0.83	32	5.1	0.94	2.4	0.43
Pancreas	33	5.3	1.02	3.2	0.56	55	8.5	1.20	4.1	0.56
Respiratory System	178	32.3	2.63	16.2	1.23	114	17.4	1.72	8.7	0.83
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	173	31.5	2.61	15.7	1.21	113	17.3	1.71	8.6	0.82
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	97	11.4	1.24	7.7	0.78
Female Genital System	-	-	-	-	-	78	9.5	1.15	6.3	0.72
Cervix uteri	-	-	-	-	-	17	2.1	0.54	1.4	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	21	2.2	0.50	1.8	0.39
Ovary	-	-	-	-	-	35	4.5	0.81	2.8	0.48
Male Genital System	25	5.4	1.15	2.4	0.48	-	-	-	-	-
Prostate	22	5.0	1.13	2.0	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	24	4.6	1.04	2.3	0.47	13	2.1	0.63	0.9	0.25
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	14	2.1	0.60	1.3	0.34	-	-	-	-	-
Brain & Other Nervous System	19	2.2	0.51	1.9	0.45	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	25	4.4	0.96	2.3	0.46	20	2.7	0.65	1.6	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	12	2.6	0.83	1.1	0.34	-	-	-	-	-
Leukemias	23	3.7	0.86	2.1	0.45	22	3.1	0.71	1.6	0.35
Other, Ill-defined & Unknown	61	10.4	1.52	5.7	0.73	65	9.7	1.28	5.0	0.64

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,731	209.4	2.82	116.4	1.64	5,421	143.6	2.03	84.1	1.32
Oral Cavity & Pharynx	78	2.7	0.32	1.7	0.20	45	1.2	0.18	0.7	0.12
Digestive System	1,540	55.2	1.44	32.5	0.87	1,247	31.9	0.94	17.5	0.58
Esophagus	237	8.5	0.56	5.2	0.35	62	1.6	0.21	0.8	0.13
Stomach	135	4.8	0.42	2.7	0.25	105	2.6	0.27	1.4	0.16
Colon & Rectum	443	16.4	0.79	8.9	0.45	519	12.9	0.59	6.9	0.36
Liver	231	7.7	0.52	5.2	0.36	64	1.8	0.23	1.1	0.15
Pancreas	350	12.6	0.69	7.4	0.41	348	9.1	0.51	5.0	0.31
Respiratory System	1,679	61.4	1.53	34.9	0.90	1,546	42.5	1.11	25.2	0.71
Larynx	55	1.9	0.27	1.1	0.16	19	0.6	0.13	0.4	0.09
Lung & bronchus	1,614	59.1	1.50	33.5	0.88	1,523	41.8	1.10	24.7	0.71
Skin	141	5.1	0.44	2.9	0.26	98	2.5	0.26	1.5	0.17
Melanomas of the skin	99	3.5	0.36	2.0	0.22	73	2.0	0.23	1.3	0.16
Breast	14	0.5	0.14	0.2	0.07	690	18.8	0.75	12.1	0.52
Female Genital System	-	-	-	-	-	511	13.7	0.63	8.6	0.43
Cervix uteri	-	-	-	-	-	41	1.2	0.20	1.0	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	180	4.6	0.36	2.8	0.24
Ovary	-	-	-	-	-	246	6.7	0.44	4.1	0.29
Male Genital System	539	20.2	0.88	8.8	0.41	-	-	-	-	-
Prostate	528	19.8	0.87	8.5	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	416	15.2	0.76	7.8	0.41	186	4.7	0.36	2.5	0.22
Bladder	241	9.0	0.59	4.3	0.30	108	2.7	0.27	1.3	0.15
Kidney & renal pelvis	167	5.9	0.47	3.4	0.28	72	1.8	0.23	1.1	0.16
Brain & Other Nervous System	151	5.4	0.45	3.8	0.33	116	3.4	0.33	2.4	0.25
Endocrine System	29	1.1	0.21	0.7	0.15	24	0.7	0.14	0.4	0.10
Thyroid gland	20	0.8	0.17	0.4	0.10	14	0.4	0.11	0.2	0.07
Lymphomas	199	7.3	0.53	4.2	0.32	205	5.0	0.37	2.5	0.21
Hodgkin Lymphoma	14	0.5	0.14	0.4	0.10	10	0.3	0.10	0.2	0.08
Non-Hodgkin Lymphoma	185	6.8	0.51	3.8	0.30	195	4.7	0.35	2.3	0.20
Multiple Myeloma	95	3.7	0.38	1.8	0.20	100	2.5	0.26	1.3	0.15
Leukemias	238	9.0	0.59	4.9	0.35	184	4.7	0.37	2.6	0.26
Other, Ill-defined & Unknown	612	22.4	0.92	12.2	0.53	469	12.0	0.58	6.8	0.38

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,483	213.6	2.94	119.1	1.73	5,209	147.2	2.13	86.2	1.40
Oral Cavity & Pharynx	73	2.7	0.33	1.7	0.21	42	1.1	0.19	0.7	0.13
Digestive System	1,434	55.1	1.48	32.3	0.90	1,190	32.4	0.99	17.7	0.61
Esophagus	231	8.8	0.59	5.4	0.37	60	1.6	0.21	0.9	0.13
Stomach	124	4.7	0.43	2.6	0.26	98	2.6	0.27	1.4	0.17
Colon & Rectum	417	16.4	0.82	8.9	0.47	504	13.3	0.63	7.1	0.38
Liver	198	7.2	0.53	4.8	0.36	58	1.7	0.23	1.0	0.15
Pancreas	333	12.8	0.72	7.5	0.43	337	9.4	0.54	5.2	0.33
Respiratory System	1,620	63.2	1.60	36.0	0.95	1,498	43.9	1.17	26.1	0.76
Larynx	53	2.0	0.28	1.2	0.17	19	0.6	0.14	0.4	0.10
Lung & bronchus	1,557	60.8	1.57	34.6	0.93	1,475	43.2	1.16	25.6	0.75
Skin	140	5.4	0.47	3.1	0.28	96	2.6	0.27	1.6	0.19
Melanomas of the skin	99	3.8	0.39	2.2	0.24	71	2.0	0.25	1.3	0.17
Breast	14	0.5	0.15	0.3	0.07	648	18.9	0.78	12.1	0.54
Female Genital System	-	-	-	-	-	487	14.0	0.66	8.8	0.45
Cervix uteri	-	-	-	-	-	38	1.3	0.22	1.0	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	172	4.7	0.37	2.9	0.25
Ovary	-	-	-	-	-	235	6.8	0.46	4.2	0.31
Male Genital System	520	20.6	0.91	9.0	0.43	-	-	-	-	-
Prostate	510	20.1	0.90	8.6	0.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	408	15.8	0.80	8.2	0.44	177	4.7	0.38	2.5	0.23
Bladder	238	9.4	0.62	4.6	0.32	105	2.8	0.29	1.3	0.16
Kidney & renal pelvis	162	6.1	0.49	3.5	0.29	67	1.8	0.23	1.1	0.17
Brain & Other Nervous System	151	5.9	0.49	4.2	0.37	115	3.7	0.36	2.6	0.28
Endocrine System	28	1.2	0.23	0.7	0.17	23	0.7	0.15	0.5	0.11
Thyroid gland	19	0.8	0.18	0.4	0.10	14	0.4	0.12	0.2	0.08
Lymphomas	191	7.6	0.56	4.3	0.34	202	5.2	0.39	2.6	0.22
Hodgkin Lymphoma	13	0.5	0.14	0.4	0.12	10	0.3	0.12	0.2	0.09
Non-Hodgkin Lymphoma	178	7.0	0.54	3.9	0.32	192	4.9	0.37	2.4	0.21
Multiple Myeloma	86	3.5	0.38	1.7	0.20	97	2.5	0.27	1.4	0.16
Leukemias	231	9.3	0.62	5.1	0.38	178	4.9	0.39	2.6	0.27
Other, Ill-defined & Unknown	587	22.9	0.96	12.5	0.56	456	12.5	0.62	7.1	0.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	163	147.1	12.56	81.3	6.51	144	87.8	7.51	58.0	5.05
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	68	52.6	7.00	34.1	4.23	32	19.2	3.49	12.6	2.32
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	10	10.5	3.49	5.2	1.68	-	-	-	-	-
Colon & Rectum	14	11.7	3.42	7.2	1.96	-	-	-	-	-
Liver	23	15.1	3.47	11.1	2.36	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	38	34.3	6.09	18.6	3.09	32	19.7	3.59	12.2	2.25
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	36	32.3	5.89	17.8	3.03	32	19.7	3.59	12.2	2.25
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	37	22.2	3.73	16.1	2.73
Female Genital System	-	-	-	-	-	18	11.4	2.76	7.2	1.78
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	15	17.2	4.66	7.5	1.97	-	-	-	-	-
Prostate	15	17.2	4.66	7.5	1.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	17	17.5	4.53	8.7	2.17	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	64	134.7	18.47	76.7	9.66	51	89.3	13.39	48.3	6.86
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	29	61.9	12.70	33.8	6.32	20	35.5	8.42	18.9	4.30
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	15	29.0	8.16	18.4	4.80	10	16.8	5.77	9.1	2.91
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	29.0	8.16	18.4	4.80	10	16.8	5.77	9.1	2.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,256	223.1	1.43	129.4	0.82	22,046	145.8	1.00	88.6	0.65
Oral Cavity & Pharynx	601	4.7	0.20	3.2	0.13	220	1.5	0.10	0.9	0.07
Digestive System	6,793	55.6	0.70	34.6	0.43	4,946	32.4	0.47	18.9	0.29
Esophagus	906	7.1	0.24	4.7	0.16	249	1.6	0.10	1.0	0.07
Stomach	656	5.4	0.22	3.4	0.14	373	2.5	0.13	1.5	0.08
Colon & Rectum	2,226	18.7	0.41	11.3	0.25	1,971	12.9	0.30	7.6	0.19
Liver	961	7.3	0.25	5.1	0.17	318	2.1	0.12	1.3	0.08
Pancreas	1,573	13.1	0.34	7.8	0.20	1,480	9.7	0.26	5.4	0.15
Respiratory System	8,541	69.9	0.78	41.8	0.46	5,883	38.4	0.51	23.5	0.32
Larynx	319	2.5	0.14	1.6	0.09	57	0.4	0.05	0.3	0.04
Lung & bronchus	8,179	67.1	0.77	39.9	0.45	5,798	37.8	0.50	23.1	0.32
Skin	702	6.2	0.24	3.5	0.14	324	2.2	0.12	1.3	0.08
Melanomas of the skin	473	4.1	0.20	2.4	0.12	253	1.7	0.11	1.1	0.07
Breast	40	0.3	0.05	0.2	0.03	3,393	22.7	0.40	14.8	0.27
Female Genital System	-	-	-	-	-	2,305	15.5	0.33	9.8	0.22
Cervix uteri	-	-	-	-	-	351	2.6	0.14	1.9	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	714	4.6	0.18	2.9	0.12
Ovary	-	-	-	-	-	1,082	7.2	0.22	4.4	0.14
Male Genital System	2,416	23.8	0.50	10.6	0.22	-	-	-	-	-
Prostate	2,374	23.5	0.50	10.3	0.22	-	-	-	-	-
Testis	25	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,521	13.6	0.36	7.2	0.19	729	4.8	0.18	2.6	0.11
Bladder	762	7.2	0.27	3.4	0.13	343	2.3	0.12	1.1	0.07
Kidney & renal pelvis	732	6.2	0.24	3.6	0.14	351	2.3	0.13	1.4	0.08
Brain & Other Nervous System	703	5.8	0.23	3.9	0.16	492	3.3	0.15	2.3	0.12
Endocrine System	110	0.9	0.09	0.6	0.06	99	0.7	0.07	0.5	0.05
Thyroid gland	63	0.5	0.07	0.3	0.04	61	0.4	0.05	0.2	0.03
Lymphomas	855	7.6	0.27	4.2	0.15	677	4.6	0.18	2.4	0.10
Hodgkin Lymphoma	52	0.5	0.06	0.3	0.05	26	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	803	7.2	0.26	3.9	0.14	651	4.4	0.17	2.3	0.10
Multiple Myeloma	556	4.9	0.22	2.6	0.11	530	3.5	0.15	1.9	0.09
Leukemias	1,020	9.3	0.30	5.1	0.17	721	4.9	0.19	2.9	0.13
Other, Ill-defined & Unknown	2,398	20.5	0.44	12.0	0.25	1,727	11.5	0.28	6.8	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,449	211.6	1.57	121.4	0.91	16,163	141.8	1.14	85.4	0.74
Oral Cavity & Pharynx	418	4.3	0.22	2.8	0.14	162	1.5	0.12	0.8	0.07
Digestive System	4,749	50.4	0.75	30.8	0.47	3,360	29.1	0.51	16.7	0.32
Esophagus	640	6.5	0.27	4.2	0.17	164	1.4	0.11	0.8	0.07
Stomach	369	3.9	0.21	2.4	0.13	185	1.7	0.12	0.9	0.08
Colon & Rectum	1,567	17.0	0.44	10.2	0.27	1,371	12.0	0.33	6.8	0.21
Liver	701	7.1	0.28	4.8	0.19	217	1.8	0.13	1.1	0.08
Pancreas	1,123	12.0	0.37	7.0	0.22	1,036	8.9	0.28	5.0	0.17
Respiratory System	6,500	68.1	0.87	40.2	0.52	4,762	41.1	0.61	25.1	0.39
Larynx	191	1.9	0.14	1.3	0.09	41	0.4	0.06	0.2	0.04
Lung & bronchus	6,279	65.9	0.86	38.7	0.51	4,705	40.6	0.60	24.8	0.39
Skin	660	7.4	0.30	4.2	0.17	291	2.6	0.16	1.6	0.10
Melanomas of the skin	463	5.1	0.25	3.1	0.15	238	2.1	0.14	1.4	0.10
Breast	24	0.3	0.05	0.1	0.03	2,318	20.7	0.44	13.3	0.30
Female Genital System	-	-	-	-	-	1,561	14.1	0.37	9.0	0.25
Cervix uteri	-	-	-	-	-	205	2.1	0.16	1.6	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	406	3.5	0.18	2.2	0.12
Ovary	-	-	-	-	-	835	7.4	0.26	4.6	0.17
Male Genital System	1,477	18.3	0.49	8.0	0.21	-	-	-	-	-
Prostate	1,443	17.9	0.48	7.7	0.21	-	-	-	-	-
Testis	24	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,250	14.2	0.41	7.4	0.22	552	4.8	0.21	2.6	0.12
Bladder	647	7.6	0.31	3.7	0.15	253	2.2	0.14	1.1	0.08
Kidney & renal pelvis	583	6.3	0.27	3.6	0.16	271	2.4	0.15	1.4	0.09
Brain & Other Nervous System	609	6.5	0.27	4.5	0.20	415	3.8	0.19	2.6	0.15
Endocrine System	82	0.9	0.10	0.6	0.07	65	0.6	0.08	0.4	0.06
Thyroid gland	52	0.6	0.08	0.3	0.05	45	0.4	0.06	0.2	0.04
Lymphomas	713	8.1	0.31	4.3	0.17	538	4.7	0.21	2.4	0.12
Hodgkin Lymphoma	39	0.5	0.07	0.3	0.05	17	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	674	7.6	0.30	4.0	0.16	521	4.6	0.20	2.3	0.12
Multiple Myeloma	366	4.2	0.22	2.1	0.11	301	2.6	0.15	1.3	0.08
Leukemias	845	9.8	0.35	5.3	0.20	565	5.1	0.22	3.0	0.15
Other, Ill-defined & Unknown	1,756	19.4	0.48	11.0	0.28	1,273	11.2	0.32	6.7	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,665	275.1	3.66	163.2	2.02	5,719	160.6	2.17	99.8	1.38
Oral Cavity & Pharynx	180	6.2	0.50	4.4	0.33	55	1.5	0.21	1.1	0.15
Digestive System	1,993	77.0	1.87	49.0	1.11	1,534	43.3	1.13	25.9	0.69
Esophagus	265	9.5	0.63	6.5	0.40	84	2.3	0.25	1.5	0.17
Stomach	280	11.3	0.73	6.9	0.42	179	5.2	0.40	3.1	0.24
Colon & Rectum	643	26.0	1.11	15.7	0.63	590	16.2	0.68	10.0	0.43
Liver	247	7.8	0.53	6.0	0.39	85	2.4	0.26	1.5	0.18
Pancreas	441	17.7	0.91	10.8	0.52	434	12.7	0.62	6.9	0.35
Respiratory System	1,999	78.4	1.90	48.7	1.10	1,073	29.7	0.93	18.7	0.59
Larynx	126	4.7	0.46	3.0	0.27	15	0.4	0.11	0.3	0.08
Lung & bronchus	1,861	73.1	1.84	45.5	1.06	1,046	28.9	0.92	18.1	0.58
Skin	40	1.6	0.27	1.0	0.16	33	0.9	0.17	0.6	0.11
Melanomas of the skin	-	-	-	-	-	15	0.5	0.12	0.3	0.07
Breast	16	0.6	0.16	0.4	0.10	1,057	29.1	0.92	19.5	0.62
Female Genital System	-	-	-	-	-	730	20.8	0.79	13.0	0.50
Cervix uteri	-	-	-	-	-	143	4.1	0.35	2.8	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	302	8.6	0.51	5.3	0.31
Ovary	-	-	-	-	-	242	6.9	0.46	4.1	0.28
Male Genital System	929	49.5	1.73	22.2	0.73	-	-	-	-	-
Prostate	921	49.2	1.72	22.0	0.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	266	11.8	0.78	6.5	0.40	175	5.0	0.39	2.8	0.22
Bladder	113	5.4	0.55	2.7	0.26	89	2.6	0.28	1.3	0.15
Kidney & renal pelvis	147	6.0	0.54	3.7	0.30	80	2.3	0.26	1.3	0.16
Brain & Other Nervous System	90	3.5	0.40	2.3	0.25	73	2.0	0.24	1.5	0.18
Endocrine System	26	1.0	0.20	0.7	0.13	34	0.9	0.16	0.6	0.12
Thyroid gland	-	-	-	-	-	16	0.4	0.11	0.2	0.06
Lymphomas	139	5.6	0.51	3.5	0.30	133	3.7	0.33	2.4	0.22
Hodgkin Lymphoma	13	0.5	0.15	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	126	5.1	0.49	3.2	0.29	-	-	-	-	-
Multiple Myeloma	188	8.1	0.63	4.6	0.34	228	6.6	0.45	3.7	0.25
Leukemias	170	7.2	0.59	4.4	0.34	151	4.5	0.37	2.6	0.23
Other, Ill-defined & Unknown	629	24.8	1.07	15.5	0.62	443	12.5	0.61	7.5	0.37

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	88	86.4	10.90	48.9	5.29	129	88.6	8.57	50.0	4.43
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	32	26.0	5.39	17.1	3.07	47	32.1	5.15	18.2	2.68
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	16	10.0	2.72	6.3	1.60
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	26	26.7	6.20	15.0	2.98	29	21.8	4.33	11.2	2.10
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	25.5	6.15	13.8	2.86	29	21.8	4.33	11.2	2.10
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	15	9.6	2.74	5.6	1.46
Female Genital System	-	-	-	-	-	11	6.5	2.19	4.3	1.31
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	10	7.0	2.54	4.0	1.27

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,384	196.8	3.02	110.1	1.78	3,841	138.5	2.32	80.2	1.51
Oral Cavity & Pharynx	78	3.5	0.40	2.2	0.26	32	1.2	0.22	0.8	0.16
Digestive System	1,167	51.5	1.53	30.6	0.95	907	31.6	1.09	17.0	0.67
Esophagus	189	8.3	0.61	5.0	0.38	43	1.5	0.24	0.8	0.14
Stomach	65	2.9	0.36	1.8	0.24	56	1.9	0.27	1.0	0.15
Colon & Rectum	441	19.8	0.96	11.1	0.57	379	12.8	0.69	6.7	0.42
Liver	115	4.9	0.46	3.3	0.32	51	1.8	0.27	1.0	0.17
Pancreas	266	11.6	0.72	7.2	0.46	260	9.1	0.59	5.0	0.37
Respiratory System	1,275	57.0	1.62	31.6	0.93	952	35.5	1.18	20.9	0.76
Larynx	27	1.2	0.24	0.7	0.14	-	-	-	-	-
Lung & bronchus	1,242	55.5	1.60	30.8	0.92	944	35.2	1.17	20.7	0.75
Skin	109	4.9	0.48	2.9	0.30	63	2.3	0.30	1.4	0.21
Melanomas of the skin	69	3.1	0.39	2.0	0.26	48	1.8	0.28	1.2	0.20
Breast	-	-	-	-	-	547	20.2	0.90	12.6	0.62
Female Genital System	-	-	-	-	-	381	13.9	0.74	8.5	0.50
Cervix uteri	-	-	-	-	-	38	1.6	0.27	1.2	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	122	4.4	0.42	2.6	0.27
Ovary	-	-	-	-	-	188	6.7	0.51	4.0	0.33
Male Genital System	422	19.7	0.97	8.7	0.45	-	-	-	-	-
Prostate	417	19.5	0.96	8.6	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	296	13.2	0.78	7.1	0.44	147	5.1	0.43	2.6	0.26
Bladder	151	6.9	0.57	3.2	0.27	49	1.6	0.24	0.8	0.14
Kidney & renal pelvis	137	6.0	0.52	3.7	0.33	88	3.1	0.34	1.7	0.21
Brain & Other Nervous System	156	6.7	0.55	4.7	0.41	108	4.2	0.42	2.9	0.32
Endocrine System	19	0.8	0.18	0.6	0.14	24	1.0	0.20	0.6	0.14
Thyroid gland	11	0.5	0.15	0.3	0.08	16	0.6	0.16	0.3	0.09
Lymphomas	174	7.7	0.59	4.2	0.34	133	4.4	0.40	2.3	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	89	4.0	0.43	2.1	0.24	85	2.8	0.31	1.5	0.19
Leukemias	242	11.4	0.74	6.4	0.46	167	5.9	0.48	3.4	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	295	10.5	0.64	5.9	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,114	193.5	3.06	107.8	1.82	3,600	136.5	2.37	78.8	1.55
Oral Cavity & Pharynx	71	3.3	0.41	2.1	0.27	30	1.2	0.23	0.8	0.16
Digestive System	1,081	50.1	1.55	29.4	0.96	835	30.3	1.09	16.1	0.67
Esophagus	182	8.4	0.63	5.1	0.40	38	1.4	0.23	0.7	0.13
Stomach	59	2.7	0.36	1.7	0.23	51	1.8	0.26	0.9	0.15
Colon & Rectum	408	19.3	0.97	10.6	0.57	354	12.5	0.70	6.6	0.43
Liver	91	4.1	0.44	2.7	0.30	42	1.5	0.24	0.8	0.15
Pancreas	255	11.7	0.74	7.2	0.48	242	8.8	0.59	4.8	0.36
Respiratory System	1,188	55.5	1.63	30.7	0.94	886	34.9	1.20	20.6	0.78
Larynx	24	1.2	0.24	0.6	0.14	-	-	-	-	-
Lung & bronchus	1,158	54.1	1.61	29.9	0.93	878	34.6	1.20	20.4	0.78
Skin	106	5.1	0.51	3.0	0.32	62	2.3	0.32	1.4	0.22
Melanomas of the skin	69	3.3	0.41	2.2	0.28	47	1.9	0.30	1.2	0.21
Breast	-	-	-	-	-	523	20.4	0.94	12.8	0.65
Female Genital System	-	-	-	-	-	352	13.5	0.75	8.1	0.50
Cervix uteri	-	-	-	-	-	26	1.2	0.24	0.9	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	118	4.5	0.43	2.7	0.29
Ovary	-	-	-	-	-	176	6.6	0.52	3.9	0.34
Male Genital System	401	19.4	0.98	8.5	0.46	-	-	-	-	-
Prostate	397	19.2	0.97	8.4	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	281	13.1	0.79	7.0	0.45	142	5.2	0.45	2.7	0.27
Bladder	147	7.0	0.58	3.2	0.29	49	1.7	0.25	0.9	0.16
Kidney & renal pelvis	126	5.8	0.52	3.5	0.33	83	3.1	0.35	1.7	0.21
Brain & Other Nervous System	154	7.1	0.59	5.0	0.44	103	4.3	0.45	2.9	0.33
Endocrine System	17	0.7	0.18	0.5	0.14	21	0.9	0.20	0.6	0.16
Thyroid gland	10	0.5	0.15	0.3	0.09	13	0.5	0.15	0.3	0.08
Lymphomas	169	7.9	0.62	4.3	0.37	129	4.5	0.41	2.3	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	86	4.1	0.44	2.1	0.24	83	2.8	0.32	1.5	0.19
Leukemias	234	11.6	0.77	6.6	0.50	158	5.9	0.49	3.3	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	276	10.3	0.65	5.8	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	17	75.8	20.77	57.5	14.54	10	55.9	17.79	38.0	12.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15	162.8	51.64	93.7	26.60	16	116.0	31.96	63.7	16.48
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,540	236.3	1.26	138.4	0.74	31,505	153.9	0.88	94.6	0.58
Oral Cavity & Pharynx	857	5.0	0.18	3.4	0.12	319	1.6	0.09	0.9	0.06
Digestive System	9,280	56.6	0.61	35.0	0.37	6,863	33.4	0.41	19.6	0.26
Esophagus	1,296	7.6	0.22	5.0	0.14	274	1.3	0.08	0.8	0.05
Stomach	677	4.3	0.17	2.6	0.10	428	2.1	0.10	1.3	0.07
Colon & Rectum	3,169	20.1	0.37	11.7	0.21	2,862	14.0	0.26	8.0	0.17
Liver	1,444	8.1	0.22	5.6	0.15	506	2.4	0.11	1.5	0.07
Pancreas	2,065	12.6	0.29	7.7	0.17	2,068	10.0	0.22	5.9	0.14
Respiratory System	13,293	81.2	0.73	48.8	0.43	9,172	44.4	0.47	27.8	0.31
Larynx	401	2.4	0.12	1.5	0.08	102	0.5	0.05	0.3	0.04
Lung & bronchus	12,821	78.4	0.72	47.0	0.42	9,023	43.7	0.47	27.4	0.31
Skin	1,157	7.5	0.23	4.3	0.13	462	2.3	0.11	1.4	0.07
Melanomas of the skin	784	5.0	0.19	2.9	0.11	338	1.7	0.10	1.1	0.07
Breast	51	0.3	0.05	0.2	0.03	4,500	22.1	0.34	14.4	0.23
Female Genital System	-	-	-	-	-	3,106	15.4	0.28	9.9	0.19
Cervix uteri	-	-	-	-	-	507	2.7	0.12	2.0	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	811	3.9	0.14	2.5	0.09
Ovary	-	-	-	-	-	1,563	7.7	0.20	4.8	0.13
Male Genital System	2,929	21.2	0.40	9.6	0.18	-	-	-	-	-
Prostate	2,857	20.7	0.40	9.3	0.18	-	-	-	-	-
Testis	29	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,172	14.3	0.32	7.7	0.17	990	4.8	0.16	2.6	0.09
Bladder	1,090	7.5	0.24	3.7	0.11	424	2.1	0.10	1.0	0.06
Kidney & renal pelvis	1,038	6.4	0.21	3.9	0.12	535	2.6	0.11	1.5	0.07
Brain & Other Nervous System	965	5.9	0.19	4.2	0.14	774	3.9	0.14	2.7	0.11
Endocrine System	121	0.7	0.07	0.5	0.05	133	0.7	0.06	0.5	0.05
Thyroid gland	72	0.4	0.05	0.3	0.03	76	0.4	0.04	0.2	0.03
Lymphomas	1,353	8.9	0.25	5.0	0.14	1,037	5.1	0.16	2.7	0.10
Hodgkin Lymphoma	86	0.5	0.06	0.4	0.04	52	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,267	8.3	0.24	4.6	0.13	985	4.8	0.15	2.5	0.09
Multiple Myeloma	733	4.8	0.18	2.6	0.10	604	2.9	0.12	1.6	0.07
Leukemias	1,524	10.1	0.27	5.6	0.15	1,092	5.4	0.17	3.1	0.11
Other, Ill-defined & Unknown	3,105	19.7	0.37	11.6	0.22	2,453	12.0	0.25	7.3	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,276	231.4	1.33	135.1	0.78	26,576	150.7	0.94	92.4	0.63
Oral Cavity & Pharynx	711	4.8	0.19	3.2	0.12	286	1.6	0.10	1.0	0.06
Digestive System	7,712	54.0	0.63	33.1	0.39	5,616	31.6	0.43	18.4	0.27
Esophagus	1,140	7.7	0.24	5.0	0.15	225	1.3	0.08	0.8	0.06
Stomach	509	3.7	0.17	2.2	0.10	327	1.9	0.10	1.1	0.07
Colon & Rectum	2,621	19.0	0.38	11.0	0.22	2,340	13.2	0.28	7.5	0.17
Liver	1,128	7.4	0.23	5.1	0.16	389	2.2	0.11	1.3	0.07
Pancreas	1,771	12.3	0.30	7.5	0.18	1,742	9.7	0.24	5.7	0.15
Respiratory System	11,600	80.6	0.77	48.3	0.46	8,021	45.0	0.51	28.3	0.34
Larynx	329	2.2	0.13	1.4	0.08	79	0.4	0.05	0.3	0.04
Lung & bronchus	11,212	77.9	0.76	46.6	0.45	7,903	44.3	0.51	27.9	0.34
Skin	1,121	8.3	0.25	4.7	0.15	442	2.6	0.13	1.6	0.09
Melanomas of the skin	771	5.6	0.21	3.3	0.13	325	2.0	0.11	1.3	0.08
Breast	40	0.3	0.05	0.2	0.03	3,584	20.6	0.35	13.2	0.24
Female Genital System	-	-	-	-	-	2,573	14.9	0.30	9.6	0.21
Cervix uteri	-	-	-	-	-	378	2.4	0.13	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	626	3.5	0.14	2.2	0.09
Ovary	-	-	-	-	-	1,369	7.8	0.22	4.9	0.15
Male Genital System	2,279	18.6	0.40	8.3	0.18	-	-	-	-	-
Prostate	2,216	18.1	0.40	7.9	0.17	-	-	-	-	-
Testis	26	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,001	14.8	0.34	8.0	0.19	839	4.7	0.16	2.6	0.10
Bladder	1,010	7.8	0.25	3.8	0.12	357	2.0	0.11	1.0	0.06
Kidney & renal pelvis	951	6.7	0.22	4.0	0.14	457	2.6	0.12	1.5	0.08
Brain & Other Nervous System	877	6.2	0.21	4.5	0.16	704	4.2	0.16	2.9	0.13
Endocrine System	99	0.7	0.07	0.5	0.06	103	0.6	0.06	0.5	0.06
Thyroid gland	62	0.4	0.06	0.3	0.04	58	0.3	0.04	0.2	0.03
Lymphomas	1,219	9.0	0.27	5.0	0.15	937	5.2	0.17	2.8	0.10
Hodgkin Lymphoma	70	0.5	0.06	0.4	0.05	38	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,149	8.5	0.26	4.7	0.14	899	5.0	0.17	2.6	0.10
Multiple Myeloma	589	4.4	0.19	2.3	0.10	454	2.5	0.12	1.4	0.07
Leukemias	1,363	10.3	0.29	5.7	0.17	955	5.4	0.18	3.1	0.12
Other, Ill-defined & Unknown	2,665	19.4	0.39	11.3	0.23	2,062	11.7	0.26	7.1	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	5,086	294.9	4.58	174.2	2.48	4,739	183.1	2.74	113.5	1.71
Oral Cavity & Pharynx	139	6.7	0.63	4.6	0.39	33	1.3	0.23	0.7	0.13
Digestive System	1,502	81.4	2.34	50.7	1.33	1,183	46.3	1.38	27.7	0.84
Esophagus	148	7.2	0.65	5.0	0.42	48	1.8	0.27	1.2	0.17
Stomach	161	9.3	0.81	5.5	0.44	92	3.7	0.39	2.2	0.24
Colon & Rectum	533	30.9	1.48	18.1	0.79	499	19.8	0.91	11.5	0.54
Liver	296	13.1	0.84	9.5	0.56	108	4.0	0.40	2.5	0.25
Pancreas	286	16.4	1.07	9.8	0.59	310	12.2	0.71	7.2	0.43
Respiratory System	1,645	92.9	2.53	56.7	1.42	1,100	43.3	1.34	26.6	0.83
Larynx	72	3.6	0.46	2.4	0.29	22	0.7	0.16	0.6	0.12
Lung & bronchus	1,561	88.7	2.48	53.9	1.38	1,070	42.2	1.33	25.8	0.82
Skin	34	1.5	0.27	1.1	0.20	-	-	-	-	-
Melanomas of the skin	11	0.5	0.18	0.4	0.11	12	0.5	0.14	0.3	0.09
Breast	11	0.7	0.22	0.4	0.13	895	32.8	1.13	22.2	0.76
Female Genital System	-	-	-	-	-	518	19.8	0.90	12.8	0.58
Cervix uteri	-	-	-	-	-	122	4.5	0.42	3.2	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	185	7.3	0.55	4.5	0.34
Ovary	-	-	-	-	-	188	7.2	0.54	4.6	0.35
Male Genital System	640	48.1	2.04	22.2	0.89	-	-	-	-	-
Prostate	631	47.4	2.03	21.9	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	164	10.2	0.88	5.7	0.45	147	6.2	0.52	3.1	0.27
Bladder	77	5.1	0.64	2.6	0.30	66	2.9	0.36	1.3	0.17
Kidney & renal pelvis	83	4.8	0.58	3.0	0.33	75	3.1	0.36	1.7	0.20
Brain & Other Nervous System	81	3.7	0.46	2.8	0.31	65	2.3	0.29	1.8	0.23
Endocrine System	19	0.9	0.23	0.7	0.15	28	1.0	0.20	0.7	0.14
Thyroid gland	-	-	-	-	-	17	0.6	0.16	0.4	0.10
Lymphomas	129	6.9	0.67	4.4	0.39	97	3.7	0.39	2.3	0.25
Hodgkin Lymphoma	16	0.8	0.22	0.6	0.14	13	0.5	0.13	0.4	0.10
Non-Hodgkin Lymphoma	113	6.1	0.63	3.8	0.37	84	3.2	0.36	2.0	0.22
Multiple Myeloma	141	9.0	0.83	4.9	0.42	147	5.9	0.50	3.4	0.29
Leukemias	155	9.1	0.81	5.5	0.45	129	5.0	0.45	2.9	0.27
Other, Ill-defined & Unknown	426	23.8	1.28	14.6	0.72	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	149	100.3	10.00	59.7	5.02	163	81.0	7.08	49.0	3.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	59	38.3	6.19	24.2	3.22	56	27.0	4.08	16.6	2.25
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	13	8.2	2.72	5.5	1.55	19	9.1	2.37	5.6	1.30
Liver	18	10.6	3.05	7.1	1.70	-	-	-	-	-
Pancreas	-	-	-	-	-	13	5.4	1.62	3.8	1.08
Respiratory System	38	24.5	4.73	15.0	2.48	40	21.8	3.81	12.1	1.94
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	38	24.5	4.73	15.0	2.48	40	21.8	3.81	12.1	1.94
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	17	7.6	1.96	5.0	1.23
Female Genital System	-	-	-	-	-	13	5.2	1.53	3.8	1.08
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	12	8.8	2.86	4.6	1.33	12	7.6	2.45	3.6	1.05

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	101,756	195.2	0.63	111.9	0.36	87,713	133.3	0.46	80.2	0.29
Oral Cavity & Pharynx	2,348	4.1	0.09	2.7	0.06	889	1.3	0.05	0.8	0.03
Digestive System	29,956	54.7	0.33	33.6	0.20	20,895	31.7	0.22	18.4	0.14
Esophagus	3,273	5.9	0.11	3.7	0.07	756	1.1	0.04	0.6	0.03
Stomach	2,618	4.9	0.10	2.9	0.06	1,764	2.7	0.07	1.6	0.04
Colon & Rectum	9,746	18.3	0.19	10.8	0.11	7,911	11.9	0.14	6.9	0.08
Liver	6,020	10.1	0.14	6.9	0.09	2,232	3.4	0.07	2.0	0.04
Pancreas	6,243	11.7	0.15	6.9	0.09	5,878	9.0	0.12	5.0	0.07
Respiratory System	28,509	54.6	0.33	31.3	0.19	21,042	32.3	0.23	18.9	0.14
Larynx	1,095	2.0	0.06	1.2	0.04	226	0.3	0.02	0.2	0.01
Lung & bronchus	27,193	52.2	0.33	29.8	0.18	20,693	31.8	0.22	18.6	0.14
Skin	2,876	5.6	0.11	3.1	0.06	1,177	1.8	0.05	1.1	0.03
Melanomas of the skin	1,879	3.6	0.09	2.1	0.05	870	1.3	0.05	0.8	0.03
Breast	128	0.2	0.02	0.1	0.01	13,607	20.4	0.18	13.2	0.12
Female Genital System	-	-	-	-	-	9,522	14.3	0.15	9.4	0.10
Cervix uteri	-	-	-	-	-	1,832	2.8	0.07	2.1	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,596	3.9	0.08	2.5	0.05
Ovary	-	-	-	-	-	4,474	6.8	0.10	4.2	0.07
Male Genital System	8,717	19.2	0.21	8.7	0.10	-	-	-	-	-
Prostate	8,396	18.7	0.21	8.3	0.09	-	-	-	-	-
Testis	178	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	6,624	13.2	0.17	7.1	0.09	3,104	4.7	0.09	2.6	0.05
Bladder	3,017	6.5	0.12	3.1	0.06	1,140	1.8	0.05	0.8	0.03
Kidney & renal pelvis	3,466	6.4	0.11	3.9	0.07	1,882	2.9	0.07	1.6	0.04
Brain & Other Nervous System	2,841	4.9	0.10	3.5	0.07	2,229	3.3	0.07	2.4	0.05
Endocrine System	503	0.9	0.04	0.6	0.03	498	0.8	0.03	0.5	0.02
Thyroid gland	307	0.6	0.03	0.3	0.02	330	0.5	0.03	0.3	0.02
Lymphomas	3,960	7.9	0.13	4.3	0.07	3,050	4.7	0.09	2.5	0.05
Hodgkin Lymphoma	278	0.5	0.03	0.3	0.02	179	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,682	7.4	0.13	4.0	0.07	2,871	4.4	0.08	2.3	0.05
Multiple Myeloma	2,078	4.1	0.09	2.2	0.05	1,702	2.6	0.06	1.4	0.04
Leukemias	4,473	9.0	0.14	5.0	0.08	3,340	5.1	0.09	3.0	0.06
Other, Ill-defined & Unknown	8,743	16.7	0.19	9.7	0.11	6,658	10.1	0.13	6.0	0.08

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	87,619	193.8	0.67	110.8	0.39	74,563	132.4	0.49	79.5	0.31
Oral Cavity & Pharynx	2,009	4.1	0.09	2.7	0.06	772	1.4	0.05	0.8	0.03
Digestive System	25,159	53.4	0.35	32.6	0.21	17,422	30.8	0.24	17.8	0.15
Esophagus	2,941	6.1	0.12	3.9	0.07	651	1.2	0.05	0.6	0.03
Stomach	2,111	4.6	0.10	2.7	0.06	1,406	2.5	0.07	1.6	0.04
Colon & Rectum	8,128	17.7	0.20	10.4	0.12	6,520	11.5	0.14	6.6	0.09
Liver	4,831	9.6	0.14	6.5	0.09	1,847	3.3	0.08	1.9	0.05
Pancreas	5,390	11.7	0.16	6.9	0.10	4,952	8.8	0.13	4.9	0.08
Respiratory System	24,330	53.7	0.35	30.6	0.20	18,247	32.6	0.24	19.0	0.15
Larynx	889	1.9	0.06	1.2	0.04	183	0.3	0.02	0.2	0.02
Lung & bronchus	23,242	51.4	0.35	29.1	0.20	17,964	32.1	0.24	18.7	0.15
Skin	2,783	6.2	0.12	3.5	0.07	1,122	2.0	0.06	1.2	0.04
Melanomas of the skin	1,845	4.1	0.10	2.4	0.06	838	1.5	0.05	1.0	0.04
Breast	97	0.2	0.02	0.1	0.01	11,096	19.6	0.19	12.6	0.13
Female Genital System	-	-	-	-	-	8,002	14.2	0.16	9.3	0.11
Cervix uteri	-	-	-	-	-	1,475	2.7	0.07	2.1	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,014	3.5	0.08	2.3	0.05
Ovary	-	-	-	-	-	3,966	7.0	0.11	4.4	0.07
Male Genital System	7,244	18.2	0.22	8.1	0.10	-	-	-	-	-
Prostate	6,953	17.6	0.21	7.7	0.09	-	-	-	-	-
Testis	169	0.3	0.03	0.3	0.02	-	-	-	-	-
Urinary System	6,004	13.6	0.18	7.4	0.10	2,727	4.8	0.09	2.6	0.05
Bladder	2,766	6.7	0.13	3.2	0.06	988	1.8	0.06	0.8	0.03
Kidney & renal pelvis	3,109	6.6	0.12	4.0	0.07	1,664	2.9	0.07	1.7	0.04
Brain & Other Nervous System	2,601	5.3	0.11	3.7	0.08	2,019	3.6	0.08	2.6	0.06
Endocrine System	440	0.9	0.05	0.6	0.03	419	0.7	0.04	0.5	0.03
Thyroid gland	279	0.6	0.04	0.4	0.02	281	0.5	0.03	0.3	0.02
Lymphomas	3,608	8.2	0.14	4.5	0.08	2,733	4.9	0.09	2.6	0.05
Hodgkin Lymphoma	252	0.5	0.04	0.3	0.02	151	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,356	7.7	0.14	4.1	0.07	2,582	4.6	0.09	2.4	0.05
Multiple Myeloma	1,696	3.9	0.10	2.1	0.05	1,309	2.3	0.07	1.2	0.04
Leukemias	4,006	9.3	0.15	5.1	0.08	2,947	5.3	0.10	3.1	0.07
Other, Ill-defined & Unknown	7,642	16.9	0.20	9.8	0.12	5,748	10.2	0.14	6.0	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	12,175	253.7	2.55	149.0	1.37	11,318	163.4	1.59	101.7	0.99
Oral Cavity & Pharynx	286	5.3	0.35	3.4	0.21	95	1.3	0.14	0.9	0.09
Digestive System	3,982	75.7	1.34	47.9	0.77	2,895	42.5	0.82	25.1	0.48
Esophagus	277	5.4	0.36	3.4	0.21	96	1.3	0.14	0.9	0.09
Stomach	396	8.4	0.47	4.8	0.24	261	3.9	0.25	2.2	0.14
Colon & Rectum	1,432	28.1	0.83	17.3	0.46	1,204	17.4	0.52	10.5	0.31
Liver	930	14.8	0.54	10.9	0.36	280	3.9	0.24	2.4	0.15
Pancreas	724	14.4	0.60	8.8	0.33	810	12.4	0.45	6.9	0.25
Respiratory System	3,706	77.5	1.40	45.9	0.77	2,433	36.0	0.75	22.0	0.46
Larynx	196	3.7	0.29	2.4	0.18	43	0.6	0.09	0.4	0.06
Lung & bronchus	3,492	73.5	1.37	43.2	0.74	2,370	35.1	0.75	21.4	0.45
Skin	77	1.5	0.19	0.9	0.11	45	0.6	0.10	0.4	0.06
Melanomas of the skin	27	0.5	0.11	0.3	0.06	24	0.4	0.08	0.2	0.04
Breast	29	0.6	0.13	0.4	0.07	2,239	30.5	0.67	20.5	0.44
Female Genital System	-	-	-	-	-	1,318	18.7	0.53	12.3	0.35
Cervix uteri	-	-	-	-	-	316	4.1	0.24	3.0	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	521	7.6	0.34	5.0	0.22
Ovary	-	-	-	-	-	413	6.0	0.31	3.8	0.19
Male Genital System	1,385	37.0	1.07	17.5	0.48	-	-	-	-	-
Prostate	1,357	36.5	1.07	17.2	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	536	12.2	0.58	6.5	0.28	334	5.1	0.29	2.8	0.16
Bladder	210	5.4	0.40	2.5	0.18	136	2.2	0.19	1.1	0.10
Kidney & renal pelvis	315	6.6	0.41	3.8	0.22	191	2.9	0.21	1.6	0.12
Brain & Other Nervous System	182	2.9	0.24	2.2	0.16	167	2.2	0.18	1.7	0.14
Endocrine System	51	0.9	0.14	0.6	0.09	64	0.9	0.11	0.6	0.08
Thyroid gland	22	0.5	0.11	0.3	0.06	41	0.6	0.10	0.4	0.06
Lymphomas	269	5.4	0.37	3.2	0.20	258	3.7	0.24	2.3	0.15
Hodgkin Lymphoma	20	0.4	0.10	0.2	0.05	27	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	249	5.0	0.35	3.0	0.19	231	3.4	0.23	2.1	0.14
Multiple Myeloma	341	8.0	0.47	4.2	0.23	363	5.7	0.31	3.1	0.17
Leukemias	385	8.0	0.45	4.8	0.25	323	4.8	0.27	2.9	0.17
Other, Ill-defined & Unknown	946	18.7	0.68	11.5	0.38	784	11.4	0.42	7.0	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,837	106.7	2.85	60.2	1.42	1,704	80.1	2.10	45.7	1.12
Oral Cavity & Pharynx	50	2.5	0.40	1.6	0.23	21	1.0	0.24	0.5	0.11
Digestive System	776	42.4	1.73	25.0	0.91	541	27.3	1.26	14.4	0.63
Esophagus	51	2.9	0.46	1.7	0.24	-	-	-	-	-
Stomach	107	5.8	0.65	3.4	0.33	93	4.4	0.49	2.4	0.25
Colon & Rectum	171	9.9	0.87	5.6	0.43	176	8.7	0.71	4.7	0.36
Liver	251	12.7	0.92	8.0	0.51	98	5.2	0.56	2.6	0.27
Pancreas	123	7.1	0.71	4.0	0.36	107	5.5	0.57	2.9	0.28
Respiratory System	438	27.4	1.49	14.6	0.71	337	16.7	0.98	9.0	0.50
Larynx	10	0.5	0.19	0.3	0.10	-	-	-	-	-
Lung & bronchus	424	26.8	1.48	14.2	0.70	334	16.5	0.97	9.0	0.49
Skin	13	0.8	0.25	0.4	0.11	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	246	9.5	0.65	6.5	0.42
Female Genital System	-	-	-	-	-	187	7.8	0.62	5.0	0.37
Cervix uteri	-	-	-	-	-	38	1.5	0.27	1.0	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	58	2.4	0.34	1.6	0.21
Ovary	-	-	-	-	-	87	3.6	0.42	2.4	0.26
Male Genital System	77	6.7	0.84	2.8	0.32	-	-	-	-	-
Prostate	75	6.6	0.84	2.7	0.32	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	76	4.5	0.58	2.5	0.29	39	2.0	0.35	1.1	0.18
Bladder	37	2.5	0.46	1.2	0.20	15	0.8	0.23	0.4	0.11
Kidney & renal pelvis	38	1.9	0.34	1.2	0.20	24	1.2	0.26	0.7	0.14
Brain & Other Nervous System	55	2.3	0.34	1.8	0.25	39	1.4	0.24	1.1	0.18
Endocrine System	12	0.5	0.17	0.4	0.12	15	0.7	0.20	0.4	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	79	5.1	0.65	2.6	0.30	57	3.0	0.42	1.5	0.20
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	40	2.5	0.45	1.3	0.21	29	1.5	0.30	0.8	0.15
Leukemias	81	4.1	0.52	2.6	0.30	64	3.0	0.41	1.8	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,692	151.0	1.76	83.5	0.99	6,753	111.2	1.37	65.3	0.85
Oral Cavity & Pharynx	124	2.4	0.22	1.4	0.13	71	1.2	0.14	0.7	0.09
Digestive System	2,140	40.3	0.89	24.4	0.54	1,584	26.2	0.67	14.9	0.40
Esophagus	303	5.6	0.33	3.5	0.21	64	1.0	0.13	0.7	0.09
Stomach	133	2.6	0.23	1.5	0.13	94	1.5	0.16	0.9	0.10
Colon & Rectum	680	13.0	0.51	7.6	0.30	585	9.7	0.41	5.4	0.24
Liver	276	4.9	0.30	3.3	0.20	121	2.0	0.19	1.1	0.11
Pancreas	596	11.4	0.48	6.7	0.28	524	8.6	0.38	5.0	0.23
Respiratory System	1,310	25.3	0.71	14.6	0.42	986	16.4	0.53	9.7	0.33
Larynx	30	0.5	0.10	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,271	24.6	0.71	14.1	0.41	970	16.2	0.53	9.5	0.32
Skin	373	7.1	0.38	4.1	0.22	133	2.2	0.19	1.3	0.12
Melanomas of the skin	296	5.6	0.33	3.3	0.20	119	1.9	0.18	1.2	0.12
Breast	11	0.2	0.06	0.1	0.04	1,268	20.8	0.59	12.9	0.39
Female Genital System	-	-	-	-	-	836	13.7	0.48	8.6	0.31
Cervix uteri	-	-	-	-	-	84	1.3	0.15	1.0	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	251	4.1	0.27	2.5	0.17
Ovary	-	-	-	-	-	465	7.7	0.36	4.7	0.23
Male Genital System	1,023	22.4	0.71	9.6	0.31	-	-	-	-	-
Prostate	1,007	22.1	0.71	9.4	0.31	-	-	-	-	-
Testis	10	0.1	0.05	0.1	0.04	-	-	-	-	-
Urinary System	597	12.2	0.51	6.2	0.26	250	4.1	0.27	2.1	0.14
Bladder	309	6.7	0.39	2.9	0.17	103	1.7	0.17	0.8	0.08
Kidney & renal pelvis	275	5.2	0.32	3.1	0.19	138	2.2	0.19	1.3	0.11
Brain & Other Nervous System	316	5.5	0.32	3.9	0.22	227	3.5	0.24	2.7	0.18
Endocrine System	52	1.0	0.14	0.6	0.08	39	0.6	0.10	0.4	0.07
Thyroid gland	35	0.7	0.12	0.4	0.07	27	0.4	0.08	0.3	0.05
Lymphomas	349	7.1	0.39	3.6	0.20	288	4.8	0.29	2.3	0.15
Hodgkin Lymphoma	20	0.3	0.08	0.2	0.05	10	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	329	6.8	0.38	3.4	0.19	278	4.7	0.28	2.2	0.15
Multiple Myeloma	214	4.4	0.31	2.2	0.16	146	2.5	0.21	1.2	0.11
Leukemias	407	8.0	0.41	4.3	0.22	310	5.1	0.29	2.9	0.18
Other, Ill-defined & Unknown	776	15.1	0.56	8.4	0.31	615	10.0	0.41	5.6	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,423	151.7	1.80	83.8	1.01	6,482	111.4	1.40	65.3	0.87
Oral Cavity & Pharynx	117	2.3	0.22	1.4	0.13	69	1.2	0.15	0.7	0.09
Digestive System	2,024	39.8	0.91	24.0	0.55	1,496	25.7	0.67	14.7	0.41
Esophagus	300	5.7	0.34	3.7	0.22	62	1.1	0.14	0.7	0.10
Stomach	121	2.5	0.23	1.4	0.13	85	1.5	0.16	0.8	0.10
Colon & Rectum	637	12.8	0.52	7.4	0.30	554	9.6	0.41	5.4	0.25
Liver	240	4.4	0.29	2.9	0.19	110	1.9	0.18	1.0	0.11
Pancreas	578	11.5	0.49	6.8	0.29	502	8.6	0.39	5.0	0.24
Respiratory System	1,269	25.4	0.73	14.7	0.43	950	16.5	0.54	9.8	0.34
Larynx	29	0.5	0.10	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,231	24.7	0.72	14.2	0.42	935	16.2	0.54	9.6	0.33
Skin	370	7.3	0.39	4.3	0.23	132	2.3	0.20	1.4	0.13
Melanomas of the skin	295	5.8	0.34	3.5	0.21	119	2.0	0.19	1.3	0.13
Breast	11	0.2	0.07	0.1	0.04	1,222	20.9	0.61	13.0	0.40
Female Genital System	-	-	-	-	-	796	13.7	0.49	8.5	0.32
Cervix uteri	-	-	-	-	-	75	1.3	0.15	0.9	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	234	4.0	0.27	2.4	0.17
Ovary	-	-	-	-	-	453	7.8	0.37	4.8	0.24
Male Genital System	1,001	22.6	0.72	9.8	0.32	-	-	-	-	-
Prostate	985	22.3	0.72	9.5	0.32	-	-	-	-	-
Testis	10	0.2	0.05	0.1	0.04	-	-	-	-	-
Urinary System	584	12.4	0.52	6.3	0.27	242	4.2	0.27	2.1	0.15
Bladder	304	6.8	0.40	3.0	0.18	101	1.8	0.18	0.8	0.08
Kidney & renal pelvis	268	5.3	0.33	3.2	0.20	133	2.3	0.20	1.3	0.12
Brain & Other Nervous System	308	5.6	0.33	4.0	0.23	222	3.6	0.25	2.7	0.19
Endocrine System	51	1.0	0.15	0.6	0.08	38	0.7	0.11	0.4	0.07
Thyroid gland	35	0.7	0.12	0.4	0.07	27	0.4	0.09	0.3	0.06
Lymphomas	343	7.3	0.40	3.7	0.21	284	5.0	0.30	2.4	0.16
Hodgkin Lymphoma	19	0.4	0.08	0.2	0.05	10	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	324	6.9	0.39	3.5	0.20	274	4.8	0.29	2.3	0.15
Multiple Myeloma	202	4.3	0.31	2.1	0.16	136	2.4	0.21	1.2	0.11
Leukemias	394	8.1	0.42	4.4	0.23	306	5.3	0.31	3.0	0.19
Other, Ill-defined & Unknown	749	15.2	0.57	8.5	0.32	589	10.0	0.42	5.6	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	65	151.9	22.92	95.1	12.78	48	135.1	21.11	78.8	11.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	30	57.0	13.14	36.5	7.28	15	44.0	12.20	23.9	6.44
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	12	22.5	8.16	14.8	4.73	-	-	-	-	-
Liver	10	16.7	6.29	12.6	4.39	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	21.4	7.45	17.3	5.76	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	159	129.8	11.34	75.4	6.12	159	98.6	8.24	60.5	4.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	67	51.6	6.91	32.4	4.04	48	34.2	5.14	17.7	2.64
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	23	19.8	4.48	11.5	2.45	13	9.6	2.76	4.8	1.39
Liver	23	16.6	3.80	10.9	2.33	-	-	-	-	-
Pancreas	12	9.4	2.97	6.0	1.75	14	9.5	2.67	5.8	1.57
Respiratory System	23	21.1	4.73	11.0	2.34	24	15.9	3.41	9.3	1.95
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	23	21.1	4.73	11.0	2.34	23	14.9	3.26	9.0	1.92
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	32	18.8	3.51	12.3	2.22
Female Genital System	-	-	-	-	-	20	10.0	2.31	7.9	1.79
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	11	5.7	1.76	4.3	1.31
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	15.4	4.34	6.4	1.81	-	-	-	-	-
Prostate	13	15.4	4.34	6.4	1.81	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	5.9	2.28	4.4	1.41	-	-	-	-	-
Other, Ill-defined & Unknown	14	8.7	2.64	6.2	1.70	18	11.3	2.79	6.6	1.61

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,542	202.5	3.51	113.7	2.01	3,219	146.9	2.66	84.9	1.67
Oral Cavity & Pharynx	80	4.3	0.50	2.9	0.34	36	1.6	0.28	0.9	0.16
Digestive System	920	51.3	1.74	29.9	1.02	703	31.7	1.23	16.9	0.72
Esophagus	162	8.9	0.72	5.3	0.43	46	2.1	0.33	1.1	0.19
Stomach	68	3.9	0.49	2.1	0.27	32	1.4	0.26	0.8	0.15
Colon & Rectum	274	15.8	0.98	8.9	0.56	288	12.7	0.77	6.4	0.43
Liver	101	5.2	0.53	3.3	0.33	24	1.1	0.23	0.7	0.16
Pancreas	226	12.7	0.87	7.4	0.51	217	10.0	0.70	5.5	0.41
Respiratory System	1,025	56.9	1.83	32.8	1.06	909	42.2	1.44	24.7	0.89
Larynx	37	2.0	0.34	1.2	0.21	10	0.5	0.16	0.3	0.08
Lung & bronchus	979	54.3	1.79	31.2	1.03	895	41.5	1.42	24.3	0.88
Skin	93	5.3	0.57	3.1	0.34	-	-	-	-	-
Melanomas of the skin	60	3.4	0.45	2.1	0.28	43	2.0	0.32	1.3	0.23
Breast	-	-	-	-	-	407	18.6	0.96	11.6	0.64
Female Genital System	-	-	-	-	-	360	16.3	0.88	10.3	0.60
Cervix uteri	-	-	-	-	-	23	1.2	0.25	0.9	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	127	5.6	0.51	3.8	0.36
Ovary	-	-	-	-	-	173	8.0	0.62	4.8	0.41
Male Genital System	348	21.7	1.19	9.5	0.53	-	-	-	-	-
Prostate	338	21.1	1.17	9.1	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	242	14.4	0.95	7.4	0.50	117	5.3	0.50	2.7	0.28
Bladder	150	9.2	0.77	4.4	0.37	70	3.2	0.40	1.6	0.21
Kidney & renal pelvis	86	4.8	0.54	2.9	0.32	45	2.0	0.30	1.1	0.18
Brain & Other Nervous System	132	7.1	0.64	5.3	0.51	86	4.2	0.47	3.0	0.35
Endocrine System	14	0.9	0.23	0.6	0.19	17	0.7	0.17	0.5	0.14
Thyroid gland	-	-	-	-	-	12	0.5	0.14	0.3	0.11
Lymphomas	149	8.8	0.75	4.8	0.41	106	4.8	0.48	2.6	0.28
Hodgkin Lymphoma	12	0.8	0.24	0.5	0.17	-	-	-	-	-
Non-Hodgkin Lymphoma	137	8.0	0.71	4.2	0.38	-	-	-	-	-
Multiple Myeloma	72	4.1	0.49	2.2	0.27	46	2.0	0.30	1.1	0.19
Leukemias	153	9.5	0.78	4.8	0.41	106	4.8	0.48	2.5	0.29
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,506	203.3	3.54	114.1	2.03	3,185	147.2	2.69	85.2	1.69
Oral Cavity & Pharynx	79	4.3	0.50	2.9	0.35	36	1.6	0.28	0.9	0.16
Digestive System	905	51.2	1.76	29.8	1.03	697	31.8	1.24	17.0	0.73
Esophagus	160	8.9	0.73	5.3	0.43	45	2.1	0.33	1.1	0.19
Stomach	65	3.8	0.48	2.1	0.27	31	1.4	0.26	0.7	0.15
Colon & Rectum	270	15.8	0.99	8.9	0.57	287	12.8	0.78	6.5	0.44
Liver	98	5.1	0.53	3.2	0.33	23	1.1	0.23	0.6	0.16
Pancreas	224	12.8	0.88	7.4	0.51	216	10.1	0.70	5.6	0.42
Respiratory System	1,017	57.2	1.85	33.0	1.07	897	42.2	1.45	24.7	0.90
Larynx	37	2.1	0.35	1.2	0.21	10	0.5	0.16	0.3	0.09
Lung & bronchus	971	54.6	1.81	31.4	1.04	883	41.5	1.43	24.3	0.89
Skin	93	5.4	0.57	3.1	0.34	-	-	-	-	-
Melanomas of the skin	60	3.5	0.46	2.1	0.29	43	2.0	0.32	1.3	0.23
Breast	-	-	-	-	-	402	18.6	0.96	11.6	0.64
Female Genital System	-	-	-	-	-	354	16.3	0.89	10.3	0.61
Cervix uteri	-	-	-	-	-	23	1.2	0.26	0.9	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	126	5.6	0.51	3.9	0.36
Ovary	-	-	-	-	-	168	7.9	0.63	4.7	0.41
Male Genital System	346	21.9	1.20	9.6	0.54	-	-	-	-	-
Prostate	336	21.2	1.18	9.1	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	242	14.6	0.96	7.5	0.51	117	5.4	0.51	2.7	0.28
Bladder	150	9.3	0.77	4.4	0.38	70	3.3	0.40	1.6	0.21
Kidney & renal pelvis	86	4.9	0.55	2.9	0.33	45	2.0	0.31	1.1	0.18
Brain & Other Nervous System	131	7.2	0.65	5.4	0.52	85	4.3	0.48	3.1	0.36
Endocrine System	14	0.9	0.24	0.6	0.19	17	0.7	0.17	0.5	0.14
Thyroid gland	-	-	-	-	-	12	0.5	0.14	0.3	0.11
Lymphomas	146	8.8	0.75	4.7	0.41	106	4.8	0.49	2.6	0.29
Hodgkin Lymphoma	12	0.8	0.25	0.5	0.17	-	-	-	-	-
Non-Hodgkin Lymphoma	134	7.9	0.71	4.1	0.37	-	-	-	-	-
Multiple Myeloma	70	4.0	0.50	2.2	0.27	45	1.9	0.30	1.1	0.19
Leukemias	150	9.4	0.78	4.7	0.41	104	4.7	0.48	2.5	0.28
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	16	185.0	50.43	102.5	26.57	14	161.6	46.14	100.8	27.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14	119.0	33.84	87.6	23.95	17	105.6	28.50	59.8	14.87
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,687	202.0	1.08	113.9	0.60	34,222	141.3	0.78	83.9	0.49
Oral Cavity & Pharynx	747	3.6	0.14	2.4	0.09	320	1.3	0.07	0.7	0.05
Digestive System	10,038	51.8	0.54	31.0	0.32	7,531	30.9	0.36	17.6	0.22
Esophagus	1,436	7.2	0.20	4.5	0.12	370	1.5	0.08	0.9	0.05
Stomach	783	4.2	0.15	2.4	0.09	525	2.2	0.10	1.3	0.06
Colon & Rectum	3,209	17.0	0.31	9.8	0.18	2,911	12.0	0.23	6.6	0.14
Liver	1,410	6.7	0.18	4.5	0.12	490	2.0	0.09	1.2	0.06
Pancreas	2,456	12.9	0.27	7.5	0.15	2,301	9.4	0.20	5.4	0.12
Respiratory System	11,392	59.6	0.58	34.5	0.33	8,935	37.0	0.40	21.8	0.25
Larynx	371	1.9	0.10	1.1	0.06	80	0.3	0.04	0.2	0.03
Lung & bronchus	10,961	57.4	0.57	33.2	0.32	8,805	36.5	0.39	21.4	0.24
Skin	1,055	5.7	0.18	3.2	0.10	505	2.1	0.09	1.2	0.06
Melanomas of the skin	789	4.2	0.16	2.4	0.09	405	1.7	0.09	1.0	0.06
Breast	70	0.4	0.05	0.2	0.03	5,344	21.9	0.31	14.2	0.21
Female Genital System	-	-	-	-	-	3,610	15.0	0.25	9.4	0.17
Cervix uteri	-	-	-	-	-	399	1.8	0.09	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,149	4.7	0.14	3.0	0.09
Ovary	-	-	-	-	-	1,849	7.6	0.18	4.6	0.11
Male Genital System	3,494	21.4	0.37	9.3	0.16	-	-	-	-	-
Prostate	3,422	21.1	0.37	9.1	0.16	-	-	-	-	-
Testis	35	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	2,366	13.2	0.28	6.9	0.15	1,125	4.6	0.14	2.4	0.08
Bladder	1,262	7.4	0.21	3.5	0.10	539	2.2	0.10	1.1	0.05
Kidney & renal pelvis	1,039	5.4	0.17	3.2	0.10	543	2.2	0.10	1.2	0.06
Brain & Other Nervous System	950	4.7	0.16	3.3	0.11	839	3.5	0.12	2.6	0.10
Endocrine System	178	0.9	0.07	0.6	0.05	162	0.7	0.05	0.5	0.04
Thyroid gland	102	0.6	0.06	0.3	0.03	108	0.4	0.04	0.3	0.03
Lymphomas	1,430	7.9	0.22	4.3	0.12	1,103	4.6	0.14	2.5	0.08
Hodgkin Lymphoma	86	0.4	0.05	0.3	0.03	52	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,344	7.5	0.21	4.0	0.11	1,051	4.4	0.14	2.3	0.08
Multiple Myeloma	827	4.6	0.16	2.4	0.09	694	2.9	0.11	1.5	0.06
Leukemias	1,532	8.6	0.23	4.8	0.13	1,089	4.6	0.14	2.6	0.09
Other, Ill-defined & Unknown	3,608	19.5	0.34	11.0	0.19	2,965	12.2	0.23	7.0	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2010-2014, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,365	196.4	1.18	110.1	0.67	26,459	139.8	0.88	82.6	0.56
Oral Cavity & Pharynx	567	3.5	0.15	2.2	0.10	248	1.3	0.08	0.7	0.05
Digestive System	7,460	48.5	0.58	28.8	0.34	5,499	28.8	0.40	16.2	0.24
Esophagus	1,198	7.5	0.22	4.7	0.14	272	1.4	0.09	0.8	0.05
Stomach	499	3.3	0.15	1.9	0.09	352	1.9	0.10	1.1	0.06
Colon & Rectum	2,377	15.8	0.33	9.0	0.19	2,152	11.2	0.25	6.2	0.15
Liver	941	5.8	0.19	3.7	0.13	324	1.7	0.10	1.0	0.06
Pancreas	1,876	12.3	0.29	7.1	0.17	1,700	8.9	0.22	5.0	0.13
Respiratory System	8,976	58.6	0.64	33.7	0.37	7,256	38.4	0.46	22.6	0.29
Larynx	272	1.8	0.11	1.0	0.06	57	0.3	0.04	0.2	0.03
Lung & bronchus	8,655	56.5	0.62	32.5	0.36	7,161	37.9	0.45	22.3	0.28
Skin	1,015	6.9	0.22	3.8	0.13	473	2.5	0.12	1.5	0.08
Melanomas of the skin	774	5.2	0.19	3.0	0.11	382	2.1	0.11	1.3	0.07
Breast	50	0.3	0.05	0.2	0.03	3,902	20.7	0.34	13.2	0.23
Female Genital System	-	-	-	-	-	2,757	14.7	0.28	9.1	0.19
Cervix uteri	-	-	-	-	-	263	1.5	0.10	1.1	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	801	4.2	0.15	2.6	0.10
Ovary	-	-	-	-	-	1,516	8.0	0.21	4.8	0.13
Male Genital System	2,422	18.2	0.38	7.8	0.16	-	-	-	-	-
Prostate	2,363	17.8	0.37	7.5	0.16	-	-	-	-	-
Testis	29	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,987	13.7	0.32	7.1	0.17	889	4.6	0.16	2.4	0.09
Bladder	1,092	7.9	0.24	3.7	0.12	437	2.3	0.11	1.1	0.06
Kidney & renal pelvis	834	5.4	0.19	3.2	0.11	415	2.2	0.11	1.2	0.06
Brain & Other Nervous System	832	5.2	0.19	3.6	0.13	722	4.0	0.15	2.9	0.12
Endocrine System	141	0.9	0.08	0.6	0.06	119	0.7	0.06	0.5	0.05
Thyroid gland	88	0.6	0.06	0.3	0.04	77	0.4	0.05	0.2	0.03
Lymphomas	1,176	8.1	0.24	4.3	0.13	917	4.8	0.16	2.6	0.10
Hodgkin Lymphoma	64	0.4	0.05	0.3	0.04	43	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,112	7.7	0.24	4.1	0.13	874	4.6	0.16	2.4	0.09
Multiple Myeloma	578	4.0	0.17	2.1	0.09	446	2.3	0.11	1.2	0.06
Leukemias	1,275	9.0	0.26	4.9	0.15	886	4.8	0.16	2.7	0.10
Other, Ill-defined & Unknown	2,886	19.5	0.37	10.9	0.21	2,345	12.3	0.26	7.0	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	7,429	258.7	3.22	149.2	1.76	6,874	163.4	2.01	100.0	1.27
Oral Cavity & Pharynx	163	5.0	0.42	3.3	0.26	67	1.5	0.19	1.0	0.13
Digestive System	2,224	72.7	1.66	44.6	0.96	1,755	41.9	1.02	24.5	0.62
Esophagus	215	6.7	0.49	4.4	0.30	90	2.2	0.23	1.3	0.14
Stomach	237	8.5	0.59	4.7	0.31	138	3.3	0.29	1.9	0.17
Colon & Rectum	744	25.3	1.00	14.8	0.55	685	16.4	0.64	9.5	0.38
Liver	368	9.7	0.54	7.4	0.39	122	2.8	0.26	1.8	0.17
Pancreas	521	17.8	0.84	10.5	0.47	536	12.8	0.56	7.4	0.34
Respiratory System	2,175	73.7	1.69	43.9	0.95	1,498	36.0	0.95	21.5	0.58
Larynx	97	3.3	0.36	1.9	0.20	23	0.5	0.12	0.3	0.07
Lung & bronchus	2,068	70.1	1.65	41.7	0.93	1,464	35.2	0.94	21.0	0.58
Skin	38	1.1	0.19	0.8	0.13	-	-	-	-	-
Melanomas of the skin	14	0.5	0.14	0.3	0.08	20	0.5	0.12	0.3	0.06
Breast	20	0.7	0.16	0.4	0.09	1,326	30.4	0.85	20.3	0.58
Female Genital System	-	-	-	-	-	749	17.8	0.66	11.4	0.43
Cervix uteri	-	-	-	-	-	113	2.7	0.26	1.9	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	323	7.8	0.44	5.0	0.29
Ovary	-	-	-	-	-	277	6.5	0.40	4.1	0.26
Male Genital System	1,018	43.8	1.44	19.7	0.63	-	-	-	-	-
Prostate	1,006	43.5	1.44	19.5	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	341	12.3	0.71	6.9	0.38	219	5.3	0.37	2.9	0.21
Bladder	153	6.0	0.52	3.0	0.25	95	2.3	0.24	1.2	0.13
Kidney & renal pelvis	186	6.2	0.49	3.8	0.28	118	2.9	0.27	1.6	0.16
Brain & Other Nervous System	96	2.7	0.30	2.0	0.21	89	2.1	0.22	1.5	0.17
Endocrine System	32	1.0	0.19	0.7	0.13	36	0.8	0.14	0.6	0.10
Thyroid gland	11	0.4	0.13	0.2	0.07	25	0.6	0.12	0.4	0.07
Lymphomas	213	7.0	0.52	4.4	0.30	153	3.7	0.31	2.3	0.19
Hodgkin Lymphoma	20	0.6	0.15	0.4	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	193	6.4	0.49	3.9	0.29	-	-	-	-	-
Multiple Myeloma	227	8.5	0.60	4.4	0.30	229	5.7	0.38	3.1	0.21
Leukemias	229	7.8	0.55	4.8	0.32	173	4.3	0.33	2.6	0.21
Other, Ill-defined & Unknown	653	22.4	0.94	13.2	0.53	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	841	113.3	4.43	61.8	2.16	847	80.9	2.97	47.1	1.64
Oral Cavity & Pharynx	17	1.7	0.47	1.2	0.30	-	-	-	-	-
Digestive System	344	45.0	2.75	24.9	1.36	266	25.9	1.70	14.9	0.92
Esophagus	20	2.6	0.66	1.5	0.33	-	-	-	-	-
Stomach	45	5.3	0.88	3.2	0.48	34	3.2	0.59	1.9	0.33
Colon & Rectum	86	12.4	1.55	6.4	0.70	71	7.0	0.88	3.9	0.47
Liver	99	11.5	1.27	7.0	0.71	44	4.3	0.70	2.5	0.39
Pancreas	59	8.7	1.29	4.4	0.59	62	6.1	0.83	3.4	0.44
Respiratory System	228	30.6	2.28	16.8	1.13	169	17.0	1.39	9.3	0.72
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	225	30.2	2.27	16.6	1.12	168	16.9	1.39	9.2	0.72
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	112	9.8	0.99	6.2	0.59
Female Genital System	-	-	-	-	-	100	8.5	0.90	5.6	0.57
Cervix uteri	-	-	-	-	-	22	1.6	0.36	1.2	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	25	2.1	0.44	1.4	0.27
Ovary	-	-	-	-	-	53	4.8	0.70	3.1	0.43
Male Genital System	49	9.3	1.46	3.8	0.55	-	-	-	-	-
Prostate	48	9.3	1.46	3.7	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	4.2	0.84	2.2	0.40	15	1.6	0.45	0.8	0.21
Bladder	12	1.9	0.60	0.9	0.27	-	-	-	-	-
Kidney & renal pelvis	17	2.1	0.55	1.1	0.28	-	-	-	-	-
Brain & Other Nervous System	21	2.2	0.55	1.6	0.36	26	2.1	0.43	1.4	0.28
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	36	5.2	0.96	2.7	0.46	32	3.5	0.66	1.7	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	20	3.0	0.78	1.5	0.35	17	2.0	0.51	0.9	0.22
Leukemias	25	2.9	0.65	1.8	0.37	30	2.9	0.56	1.7	0.32
Other, Ill-defined & Unknown	65	8.6	1.21	4.9	0.62	65	6.2	0.83	3.7	0.47

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,524	191.5	1.11	105.9	0.62	28,436	140.1	0.85	81.7	0.53
Oral Cavity & Pharynx	707	4.0	0.15	2.5	0.10	383	1.9	0.10	1.1	0.06
Digestive System	8,769	51.0	0.56	30.4	0.33	6,396	31.3	0.40	17.4	0.24
Esophagus	1,297	7.4	0.21	4.5	0.13	332	1.7	0.09	0.9	0.05
Stomach	667	4.0	0.16	2.3	0.09	390	1.9	0.10	1.1	0.06
Colon & Rectum	2,525	15.2	0.31	8.7	0.18	2,319	11.2	0.24	6.1	0.14
Liver	1,424	7.5	0.21	5.2	0.14	469	2.3	0.11	1.3	0.07
Pancreas	2,086	12.4	0.28	7.1	0.16	1,975	9.8	0.23	5.4	0.13
Respiratory System	8,619	52.0	0.58	28.9	0.32	7,398	37.0	0.44	21.1	0.26
Larynx	259	1.5	0.10	0.9	0.06	72	0.4	0.04	0.2	0.03
Lung & bronchus	8,255	49.9	0.57	27.7	0.31	7,279	36.4	0.44	20.7	0.26
Skin	984	5.9	0.19	3.4	0.11	434	2.1	0.11	1.3	0.07
Melanomas of the skin	708	4.2	0.16	2.5	0.10	356	1.8	0.10	1.1	0.06
Breast	50	0.3	0.04	0.2	0.02	4,095	20.1	0.32	12.6	0.21
Female Genital System	-	-	-	-	-	3,056	14.9	0.28	9.4	0.18
Cervix uteri	-	-	-	-	-	328	1.7	0.10	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	893	4.3	0.15	2.7	0.10
Ovary	-	-	-	-	-	1,643	8.0	0.20	4.9	0.13
Male Genital System	3,117	20.8	0.38	9.1	0.17	-	-	-	-	-
Prostate	3,051	20.4	0.38	8.8	0.16	-	-	-	-	-
Testis	40	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,315	14.6	0.31	7.4	0.16	1,027	5.0	0.16	2.6	0.09
Bladder	1,276	8.4	0.24	3.8	0.11	489	2.3	0.11	1.1	0.06
Kidney & renal pelvis	968	5.7	0.19	3.4	0.11	489	2.4	0.11	1.3	0.07
Brain & Other Nervous System	1,071	6.0	0.19	4.3	0.14	827	4.1	0.15	3.0	0.11
Endocrine System	150	0.9	0.08	0.6	0.05	157	0.8	0.06	0.5	0.05
Thyroid gland	87	0.5	0.06	0.3	0.03	103	0.5	0.05	0.3	0.03
Lymphomas	1,325	8.3	0.23	4.4	0.13	1,022	5.1	0.16	2.7	0.09
Hodgkin Lymphoma	58	0.3	0.04	0.2	0.03	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,267	8.0	0.23	4.2	0.12	969	4.8	0.16	2.5	0.09
Multiple Myeloma	652	4.1	0.16	2.1	0.09	538	2.7	0.12	1.3	0.06
Leukemias	1,389	8.8	0.24	4.7	0.13	1,029	5.1	0.16	3.0	0.11
Other, Ill-defined & Unknown	2,376	14.7	0.31	7.9	0.17	2,074	10.1	0.23	5.7	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,815	193.6	1.17	107.0	0.66	25,921	143.0	0.91	83.5	0.57
Oral Cavity & Pharynx	649	4.1	0.16	2.6	0.10	340	1.8	0.10	1.0	0.06
Digestive System	7,760	50.1	0.59	29.8	0.35	5,646	30.8	0.42	17.1	0.25
Esophagus	1,242	7.9	0.23	4.8	0.14	312	1.7	0.10	0.9	0.06
Stomach	539	3.6	0.16	2.1	0.09	298	1.6	0.10	0.9	0.06
Colon & Rectum	2,273	15.2	0.33	8.6	0.19	2,097	11.3	0.25	6.1	0.15
Liver	1,124	6.6	0.20	4.6	0.14	356	1.9	0.10	1.2	0.07
Pancreas	1,905	12.4	0.29	7.2	0.17	1,773	9.8	0.24	5.4	0.14
Respiratory System	7,919	52.8	0.61	29.4	0.34	6,858	38.3	0.47	21.9	0.28
Larynx	232	1.5	0.10	0.9	0.06	67	0.4	0.05	0.2	0.03
Lung & bronchus	7,589	50.6	0.60	28.1	0.33	6,750	37.7	0.47	21.5	0.28
Skin	959	6.4	0.21	3.7	0.13	417	2.3	0.12	1.4	0.08
Melanomas of the skin	695	4.6	0.18	2.8	0.11	348	2.0	0.11	1.2	0.07
Breast	44	0.3	0.04	0.2	0.03	3,758	20.7	0.35	13.0	0.23
Female Genital System	-	-	-	-	-	2,775	15.2	0.30	9.6	0.20
Cervix uteri	-	-	-	-	-	273	1.6	0.10	1.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	804	4.3	0.16	2.7	0.10
Ovary	-	-	-	-	-	1,520	8.3	0.22	5.1	0.14
Male Genital System	2,872	21.0	0.40	9.1	0.18	-	-	-	-	-
Prostate	2,810	20.5	0.39	8.8	0.17	-	-	-	-	-
Testis	38	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,176	15.1	0.33	7.6	0.17	951	5.1	0.17	2.7	0.10
Bladder	1,217	8.8	0.26	4.0	0.12	451	2.4	0.12	1.2	0.06
Kidney & renal pelvis	891	5.8	0.20	3.4	0.12	454	2.5	0.12	1.4	0.07
Brain & Other Nervous System	1,008	6.4	0.21	4.5	0.15	771	4.4	0.16	3.2	0.13
Endocrine System	134	0.9	0.08	0.6	0.06	134	0.8	0.07	0.5	0.05
Thyroid gland	84	0.6	0.06	0.3	0.04	85	0.5	0.05	0.3	0.03
Lymphomas	1,233	8.5	0.25	4.6	0.14	935	5.2	0.17	2.8	0.10
Hodgkin Lymphoma	55	0.4	0.05	0.2	0.03	50	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,178	8.2	0.24	4.3	0.13	885	4.9	0.17	2.6	0.10
Multiple Myeloma	601	4.1	0.17	2.2	0.09	483	2.7	0.12	1.3	0.07
Leukemias	1,281	9.0	0.26	4.7	0.14	956	5.3	0.18	3.1	0.12
Other, Ill-defined & Unknown	2,179	15.0	0.33	8.0	0.18	1,897	10.3	0.24	5.8	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	951	221.6	8.20	127.6	4.24	679	141.2	5.73	86.0	3.41
Oral Cavity & Pharynx	16	2.7	0.79	1.9	0.48	-	-	-	-	-
Digestive System	302	66.4	4.39	40.0	2.36	190	39.7	3.04	23.5	1.77
Esophagus	15	2.7	0.82	1.7	0.47	-	-	-	-	-
Stomach	28	8.0	1.67	4.0	0.77	15	3.0	0.82	1.7	0.46
Colon & Rectum	83	19.9	2.47	11.4	1.29	61	11.9	1.60	7.8	1.02
Liver	79	14.3	1.83	10.2	1.18	26	5.3	1.11	3.4	0.69
Pancreas	69	15.2	2.10	9.1	1.13	61	13.9	1.85	7.3	0.97
Respiratory System	250	58.4	4.17	34.4	2.22	141	30.8	2.73	18.9	1.65
Larynx	15	3.0	0.89	2.0	0.54	-	-	-	-	-
Lung & bronchus	234	55.2	4.07	32.2	2.15	138	30.1	2.69	18.5	1.63
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	118	23.6	2.29	15.5	1.46
Female Genital System	-	-	-	-	-	71	14.3	1.82	8.7	1.06
Cervix uteri	-	-	-	-	-	10	1.7	0.56	1.3	0.42
Corpus & uterus, NOS ¹	-	-	-	-	-	30	6.0	1.18	3.7	0.70
Ovary	-	-	-	-	-	29	6.1	1.21	3.5	0.66
Male Genital System	123	35.6	3.52	17.6	1.62	-	-	-	-	-
Prostate	122	35.4	3.52	17.5	1.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	13.3	2.02	7.4	1.01	27	5.7	1.14	3.1	0.61
Bladder	26	7.5	1.63	3.7	0.73	12	2.6	0.78	1.3	0.38
Kidney & renal pelvis	30	5.6	1.19	3.6	0.68	14	2.9	0.82	1.7	0.46
Brain & Other Nervous System	19	2.7	0.69	2.3	0.54	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	26	5.6	1.26	3.4	0.68	22	4.4	0.99	2.6	0.57
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	27	7.2	1.52	3.7	0.74	30	6.8	1.31	3.7	0.71
Leukemias	36	8.9	1.72	4.6	0.78	18	4.3	1.04	2.0	0.51
Other, Ill-defined & Unknown	78	18.0	2.35	10.2	1.18	40	7.8	1.31	5.1	0.83

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,369	140.6	4.05	78.7	2.16	1,497	103.6	2.74	58.5	1.58
Oral Cavity & Pharynx	31	2.8	0.53	1.8	0.32	33	2.3	0.40	1.3	0.23
Digestive System	560	54.1	2.44	32.3	1.38	474	33.4	1.57	18.0	0.86
Esophagus	25	2.4	0.52	1.5	0.29	10	0.7	0.22	0.4	0.14
Stomach	92	9.4	1.04	5.2	0.55	73	4.8	0.58	2.9	0.35
Colon & Rectum	131	12.2	1.14	7.6	0.67	129	8.7	0.78	5.0	0.46
Liver	172	15.2	1.23	10.1	0.78	78	5.9	0.68	2.8	0.33
Pancreas	92	9.8	1.08	5.3	0.56	115	8.5	0.81	4.3	0.42
Respiratory System	340	36.9	2.12	19.4	1.07	319	22.5	1.29	12.2	0.71
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	327	35.5	2.07	18.7	1.05	314	22.2	1.28	12.0	0.71
Skin	12	1.1	0.33	0.7	0.20	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	174	11.1	0.86	7.3	0.57
Female Genital System	-	-	-	-	-	168	10.8	0.86	7.0	0.55
Cervix uteri	-	-	-	-	-	32	2.1	0.37	1.3	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	47	3.0	0.46	1.9	0.29
Ovary	-	-	-	-	-	81	5.3	0.60	3.4	0.38
Male Genital System	104	13.7	1.39	5.6	0.56	-	-	-	-	-
Prostate	101	13.5	1.38	5.5	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	65	7.1	0.93	3.7	0.47	37	2.7	0.46	1.3	0.22
Bladder	29	3.5	0.68	1.6	0.31	25	2.0	0.40	0.7	0.15
Kidney & renal pelvis	34	3.3	0.61	2.0	0.35	11	0.7	0.21	0.5	0.15
Brain & Other Nervous System	32	2.8	0.52	1.9	0.34	43	2.9	0.45	1.8	0.29
Endocrine System	-	-	-	-	-	18	1.3	0.31	0.6	0.16
Thyroid gland	-	-	-	-	-	15	1.1	0.29	0.5	0.15
Lymphomas	55	5.8	0.83	3.2	0.44	56	4.1	0.56	2.1	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	21	2.3	0.53	1.2	0.26	16	1.2	0.32	0.6	0.15
Leukemias	60	5.5	0.76	3.6	0.48	43	2.9	0.45	1.8	0.30
Other, Ill-defined & Unknown	81	7.7	0.92	4.8	0.55	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,666	187.8	1.35	103.5	0.75	18,969	137.8	1.03	79.7	0.63
Oral Cavity & Pharynx	452	3.7	0.18	2.4	0.12	258	1.8	0.12	1.0	0.07
Digestive System	5,849	50.7	0.69	30.2	0.41	4,273	30.8	0.48	17.1	0.28
Esophagus	820	7.0	0.25	4.3	0.15	209	1.6	0.11	0.8	0.06
Stomach	463	4.1	0.20	2.4	0.12	273	2.0	0.12	1.2	0.08
Colon & Rectum	1,679	14.9	0.38	8.6	0.22	1,521	10.9	0.29	5.9	0.17
Liver	976	7.7	0.25	5.3	0.17	325	2.3	0.13	1.3	0.08
Pancreas	1,393	12.4	0.34	7.1	0.19	1,318	9.6	0.27	5.2	0.16
Respiratory System	5,581	50.6	0.70	27.9	0.38	4,860	36.0	0.53	20.3	0.31
Larynx	176	1.5	0.12	0.9	0.07	53	0.4	0.05	0.2	0.03
Lung & bronchus	5,335	48.5	0.68	26.7	0.38	4,775	35.4	0.52	19.9	0.31
Skin	634	5.7	0.23	3.2	0.13	283	2.0	0.12	1.3	0.08
Melanomas of the skin	458	4.1	0.20	2.4	0.12	239	1.7	0.12	1.1	0.08
Breast	36	0.3	0.06	0.2	0.03	2,811	20.2	0.39	12.6	0.25
Female Genital System	-	-	-	-	-	2,098	15.1	0.34	9.5	0.22
Cervix uteri	-	-	-	-	-	235	1.8	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	621	4.4	0.18	2.8	0.12
Ovary	-	-	-	-	-	1,130	8.1	0.25	5.0	0.16
Male Genital System	2,047	20.5	0.46	9.0	0.21	-	-	-	-	-
Prostate	2,004	20.2	0.46	8.7	0.20	-	-	-	-	-
Testis	26	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,524	14.4	0.38	7.3	0.19	680	4.9	0.19	2.5	0.11
Bladder	856	8.4	0.29	3.8	0.14	335	2.4	0.13	1.1	0.07
Kidney & renal pelvis	619	5.5	0.23	3.2	0.13	315	2.3	0.13	1.2	0.08
Brain & Other Nervous System	693	5.7	0.23	4.1	0.16	547	4.0	0.18	2.9	0.14
Endocrine System	99	0.9	0.09	0.6	0.07	104	0.8	0.08	0.5	0.05
Thyroid gland	55	0.5	0.07	0.3	0.04	74	0.5	0.07	0.3	0.04
Lymphomas	862	8.0	0.28	4.3	0.15	706	5.1	0.20	2.7	0.11
Hodgkin Lymphoma	34	0.3	0.05	0.2	0.03	31	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	828	7.8	0.28	4.1	0.15	675	4.9	0.19	2.5	0.11
Multiple Myeloma	420	3.9	0.20	2.1	0.10	352	2.6	0.14	1.3	0.08
Leukemias	918	8.7	0.30	4.6	0.16	663	4.9	0.19	2.8	0.12
Other, Ill-defined & Unknown	1,551	14.4	0.38	7.8	0.21	1,334	9.6	0.27	5.4	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,353	190.2	1.44	104.5	0.80	16,819	141.3	1.12	81.9	0.70
Oral Cavity & Pharynx	404	3.8	0.20	2.5	0.13	220	1.8	0.13	1.0	0.08
Digestive System	4,989	49.5	0.72	29.4	0.43	3,615	30.0	0.51	16.6	0.30
Esophagus	777	7.5	0.28	4.6	0.17	192	1.7	0.12	0.9	0.07
Stomach	352	3.6	0.20	2.1	0.12	191	1.6	0.12	0.9	0.07
Colon & Rectum	1,462	14.9	0.40	8.5	0.23	1,327	10.9	0.31	5.9	0.18
Liver	722	6.5	0.25	4.5	0.17	223	1.8	0.12	1.1	0.08
Pancreas	1,243	12.5	0.37	7.2	0.21	1,144	9.6	0.29	5.3	0.17
Respiratory System	4,986	51.5	0.75	28.4	0.41	4,407	37.8	0.58	21.3	0.35
Larynx	151	1.5	0.13	0.9	0.07	50	0.4	0.06	0.3	0.04
Lung & bronchus	4,772	49.3	0.73	27.2	0.41	4,331	37.1	0.58	20.9	0.34
Skin	615	6.3	0.26	3.6	0.15	268	2.2	0.14	1.4	0.09
Melanomas of the skin	447	4.6	0.22	2.7	0.13	231	2.0	0.13	1.3	0.09
Breast	30	0.3	0.06	0.2	0.03	2,524	21.1	0.43	13.1	0.28
Female Genital System	-	-	-	-	-	1,861	15.5	0.37	9.8	0.24
Cervix uteri	-	-	-	-	-	189	1.7	0.13	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	545	4.5	0.20	2.9	0.13
Ovary	-	-	-	-	-	1,025	8.5	0.27	5.2	0.18
Male Genital System	1,836	20.7	0.49	9.0	0.22	-	-	-	-	-
Prostate	1,797	20.3	0.49	8.7	0.21	-	-	-	-	-
Testis	24	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,407	15.1	0.41	7.6	0.21	620	5.1	0.21	2.6	0.12
Bladder	805	8.9	0.32	4.0	0.15	301	2.4	0.14	1.2	0.08
Kidney & renal pelvis	555	5.6	0.25	3.3	0.14	291	2.4	0.15	1.3	0.09
Brain & Other Nervous System	635	6.1	0.25	4.3	0.18	499	4.4	0.20	3.2	0.16
Endocrine System	84	0.9	0.10	0.6	0.07	83	0.7	0.08	0.4	0.05
Thyroid gland	52	0.5	0.07	0.3	0.04	56	0.5	0.06	0.3	0.04
Lymphomas	782	8.3	0.30	4.4	0.17	633	5.3	0.22	2.8	0.12
Hodgkin Lymphoma	31	0.3	0.06	0.2	0.04	28	0.2	0.05	0.2	0.03
Non-Hodgkin Lymphoma	751	8.0	0.30	4.2	0.16	605	5.0	0.21	2.6	0.12
Multiple Myeloma	373	4.0	0.21	2.1	0.11	301	2.5	0.15	1.3	0.08
Leukemias	822	8.9	0.32	4.6	0.17	605	5.1	0.22	3.0	0.14
Other, Ill-defined & Unknown	1,390	14.7	0.41	7.9	0.22	1,183	9.7	0.29	5.5	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	837	224.7	8.85	129.0	4.57	624	146.4	6.20	88.8	3.67
Oral Cavity & Pharynx	14	2.9	0.88	1.9	0.54	-	-	-	-	-
Digestive System	264	66.2	4.67	40.2	2.54	176	41.4	3.30	24.5	1.91
Esophagus	12	2.3	0.75	1.6	0.47	-	-	-	-	-
Stomach	22	6.9	1.64	3.7	0.79	15	3.3	0.93	2.0	0.52
Colon & Rectum	72	20.1	2.67	11.4	1.37	59	12.9	1.79	8.4	1.12
Liver	75	15.5	2.03	11.1	1.32	24	5.4	1.19	3.5	0.74
Pancreas	56	14.3	2.19	8.6	1.18	53	13.6	1.95	7.2	1.02
Respiratory System	222	60.0	4.54	35.1	2.41	130	32.5	2.99	19.4	1.76
Larynx	14	3.3	1.01	2.2	0.61	-	-	-	-	-
Lung & bronchus	207	56.5	4.42	32.7	2.33	127	31.6	2.95	18.9	1.74
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	107	23.7	2.41	15.8	1.57
Female Genital System	-	-	-	-	-	65	14.9	1.97	9.0	1.14
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	26	5.9	1.24	3.6	0.72
Ovary	-	-	-	-	-	28	6.7	1.35	3.7	0.73
Male Genital System	107	36.4	3.84	17.6	1.73	-	-	-	-	-
Prostate	106	36.2	3.83	17.5	1.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	50	13.0	2.12	7.4	1.08	25	5.7	1.20	3.2	0.67
Bladder	23	7.3	1.69	3.7	0.79	11	2.6	0.80	1.3	0.41
Kidney & renal pelvis	26	5.6	1.26	3.6	0.72	13	3.0	0.88	1.8	0.51
Brain & Other Nervous System	17	2.9	0.78	2.4	0.58	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	25	6.2	1.43	3.7	0.75	19	4.4	1.06	2.5	0.60
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	26	7.7	1.67	4.2	0.84	29	7.5	1.47	4.0	0.78
Leukemias	34	10.0	1.96	5.1	0.88	17	4.5	1.15	2.2	0.56
Other, Ill-defined & Unknown	64	16.8	2.44	9.3	1.20	36	7.8	1.37	5.2	0.89

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,243	141.5	4.27	79.2	2.28	1,336	103.0	2.88	57.4	1.64
Oral Cavity & Pharynx	27	2.7	0.55	1.7	0.33	30	2.2	0.42	1.3	0.24
Digestive System	509	54.5	2.58	32.6	1.46	429	33.7	1.66	17.9	0.90
Esophagus	24	2.6	0.57	1.5	0.32	-	-	-	-	-
Stomach	84	9.6	1.11	5.3	0.59	67	4.9	0.62	2.9	0.37
Colon & Rectum	120	12.1	1.19	7.7	0.71	116	8.7	0.83	4.9	0.48
Liver	149	14.8	1.29	9.6	0.80	70	5.9	0.72	2.7	0.34
Pancreas	84	9.8	1.14	5.4	0.59	103	8.5	0.85	4.2	0.43
Respiratory System	307	36.8	2.22	19.4	1.12	285	22.4	1.35	12.0	0.74
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	294	35.2	2.17	18.7	1.11	281	22.1	1.35	11.8	0.74
Skin	11	1.1	0.35	0.7	0.21	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	152	10.8	0.90	7.1	0.59
Female Genital System	-	-	-	-	-	147	10.6	0.89	6.8	0.58
Cervix uteri	-	-	-	-	-	30	2.2	0.40	1.4	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	43	3.1	0.48	2.0	0.31
Ovary	-	-	-	-	-	68	5.0	0.62	3.1	0.39
Male Genital System	98	14.1	1.48	5.9	0.60	-	-	-	-	-
Prostate	95	13.9	1.47	5.7	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	58	6.9	0.96	3.7	0.50	32	2.6	0.47	1.1	0.21
Bladder	27	3.5	0.70	1.7	0.33	23	2.0	0.42	0.7	0.16
Kidney & renal pelvis	30	3.2	0.62	2.0	0.37	-	-	-	-	-
Brain & Other Nervous System	30	2.9	0.57	1.9	0.36	38	2.8	0.46	1.7	0.29
Endocrine System	-	-	-	-	-	17	1.4	0.34	0.7	0.17
Thyroid gland	-	-	-	-	-	15	1.2	0.32	0.6	0.16
Lymphomas	49	5.7	0.86	3.2	0.46	49	4.0	0.58	2.0	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	19	2.3	0.55	1.2	0.28	15	1.3	0.33	0.6	0.16
Leukemias	55	5.8	0.83	3.7	0.52	34	2.6	0.45	1.5	0.27
Other, Ill-defined & Unknown	72	7.8	0.99	4.7	0.57	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,847	236.6	2.15	138.7	1.29	10,902	163.3	1.60	100.2	1.08
Oral Cavity & Pharynx	277	4.9	0.30	3.3	0.21	91	1.3	0.14	0.7	0.09
Digestive System	3,210	57.9	1.05	35.3	0.65	2,231	33.1	0.72	19.4	0.46
Esophagus	525	9.1	0.41	6.0	0.27	110	1.7	0.17	1.1	0.12
Stomach	232	4.2	0.28	2.5	0.17	146	2.2	0.19	1.3	0.12
Colon & Rectum	1,189	22.1	0.66	12.8	0.39	1,012	15.0	0.48	8.4	0.30
Liver	356	6.0	0.33	4.1	0.22	118	1.8	0.17	1.2	0.12
Pancreas	677	12.2	0.48	7.4	0.30	599	8.7	0.36	5.1	0.23
Respiratory System	4,489	80.2	1.23	48.4	0.75	3,225	48.1	0.86	29.9	0.57
Larynx	145	2.5	0.21	1.7	0.15	51	0.7	0.10	0.5	0.07
Lung & bronchus	4,311	77.1	1.21	46.3	0.73	3,162	47.2	0.85	29.4	0.57
Skin	379	7.3	0.39	4.2	0.23	165	2.6	0.21	1.5	0.14
Melanomas of the skin	265	5.1	0.32	3.0	0.20	121	1.9	0.18	1.2	0.13
Breast	23	0.5	0.10	0.2	0.05	1,446	22.1	0.60	14.5	0.42
Female Genital System	-	-	-	-	-	1,125	17.2	0.53	11.3	0.38
Cervix uteri	-	-	-	-	-	183	3.4	0.27	2.6	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	327	4.7	0.27	3.0	0.18
Ovary	-	-	-	-	-	515	7.6	0.34	4.9	0.24
Male Genital System	917	18.8	0.63	8.5	0.29	-	-	-	-	-
Prostate	892	18.2	0.62	8.1	0.28	-	-	-	-	-
Testis	15	0.4	0.09	0.3	0.08	-	-	-	-	-
Urinary System	779	14.7	0.54	8.1	0.30	413	6.1	0.30	3.5	0.20
Bladder	402	7.9	0.40	3.9	0.20	184	2.7	0.20	1.4	0.12
Kidney & renal pelvis	362	6.6	0.36	4.0	0.22	217	3.2	0.22	2.0	0.15
Brain & Other Nervous System	293	5.2	0.31	3.8	0.24	226	3.6	0.25	2.5	0.19
Endocrine System	36	0.7	0.12	0.5	0.10	51	0.8	0.11	0.4	0.08
Thyroid gland	25	0.4	0.09	0.3	0.06	36	0.5	0.08	0.3	0.05
Lymphomas	451	8.5	0.41	4.9	0.24	381	5.7	0.30	3.1	0.18
Hodgkin Lymphoma	19	0.4	0.10	0.3	0.08	19	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	432	8.1	0.40	4.5	0.23	362	5.3	0.29	2.9	0.17
Multiple Myeloma	223	4.2	0.29	2.3	0.16	207	2.9	0.21	1.5	0.12
Leukemias	510	10.1	0.46	5.5	0.27	393	5.9	0.30	3.3	0.20
Other, Ill-defined & Unknown	1,260	23.6	0.68	13.8	0.41	948	14.1	0.47	8.4	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,435	236.9	2.18	138.9	1.32	10,580	164.0	1.63	100.5	1.10
Oral Cavity & Pharynx	265	4.9	0.31	3.3	0.21	87	1.3	0.14	0.7	0.09
Digestive System	3,086	57.6	1.07	35.1	0.66	2,148	33.0	0.73	19.2	0.47
Esophagus	513	9.2	0.42	6.1	0.28	106	1.7	0.17	1.1	0.12
Stomach	221	4.1	0.29	2.5	0.18	141	2.2	0.19	1.3	0.12
Colon & Rectum	1,145	22.0	0.67	12.7	0.40	984	15.1	0.49	8.5	0.31
Liver	329	5.8	0.33	3.9	0.22	114	1.8	0.17	1.2	0.12
Pancreas	659	12.3	0.49	7.4	0.30	573	8.6	0.37	5.1	0.23
Respiratory System	4,354	80.5	1.25	48.5	0.76	3,159	48.7	0.88	30.3	0.59
Larynx	138	2.4	0.21	1.7	0.15	50	0.8	0.11	0.5	0.07
Lung & bronchus	4,184	77.4	1.23	46.5	0.75	3,097	47.8	0.87	29.8	0.58
Skin	372	7.5	0.40	4.2	0.23	165	2.7	0.21	1.6	0.15
Melanomas of the skin	264	5.2	0.33	3.1	0.20	121	2.0	0.19	1.2	0.13
Breast	23	0.5	0.10	0.3	0.06	1,395	22.0	0.61	14.5	0.43
Female Genital System	-	-	-	-	-	1,091	17.4	0.54	11.4	0.39
Cervix uteri	-	-	-	-	-	180	3.5	0.28	2.7	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	314	4.7	0.27	3.0	0.18
Ovary	-	-	-	-	-	499	7.6	0.35	4.9	0.24
Male Genital System	867	18.3	0.63	8.3	0.29	-	-	-	-	-
Prostate	842	17.7	0.62	7.8	0.28	-	-	-	-	-
Testis	15	0.4	0.10	0.3	0.08	-	-	-	-	-
Urinary System	762	14.9	0.55	8.2	0.31	398	6.0	0.31	3.4	0.20
Bladder	392	7.9	0.41	3.9	0.21	175	2.6	0.20	1.4	0.12
Kidney & renal pelvis	355	6.7	0.37	4.1	0.23	211	3.2	0.23	2.0	0.16
Brain & Other Nervous System	287	5.3	0.32	3.8	0.25	219	3.6	0.25	2.5	0.20
Endocrine System	35	0.7	0.12	0.5	0.11	49	0.8	0.11	0.5	0.08
Thyroid gland	25	0.5	0.10	0.3	0.06	34	0.5	0.09	0.3	0.05
Lymphomas	444	8.6	0.42	5.0	0.25	369	5.7	0.30	3.1	0.18
Hodgkin Lymphoma	19	0.4	0.10	0.4	0.09	18	0.3	0.08	0.2	0.05
Non-Hodgkin Lymphoma	425	8.2	0.41	4.6	0.24	351	5.3	0.29	2.9	0.17
Multiple Myeloma	218	4.2	0.29	2.3	0.16	196	2.9	0.21	1.5	0.12
Leukemias	496	10.2	0.47	5.5	0.27	383	5.9	0.31	3.3	0.21
Other, Ill-defined & Unknown	1,226	23.8	0.70	13.9	0.43	921	14.1	0.48	8.4	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	386	275.7	15.35	167.0	8.64	297	166.4	9.88	105.7	6.74
Oral Cavity & Pharynx	12	7.3	2.23	5.5	1.60	-	-	-	-	-
Digestive System	121	81.7	8.13	52.1	4.81	74	41.0	4.87	25.2	3.21
Esophagus	12	8.5	2.66	5.2	1.52	-	-	-	-	-
Stomach	10	6.6	2.25	4.6	1.47	-	-	-	-	-
Colon & Rectum	43	30.7	5.12	18.6	2.87	25	13.3	2.70	7.6	1.69
Liver	27	14.6	3.08	10.9	2.13	-	-	-	-	-
Pancreas	17	10.4	2.75	7.4	1.82	23	12.4	2.64	7.4	1.70
Respiratory System	128	88.5	8.57	55.6	5.00	64	36.0	4.61	22.6	3.10
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	121	84.5	8.41	52.6	4.87	63	35.5	4.59	22.2	3.07
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	47	27.3	4.09	17.6	2.84
Female Genital System	-	-	-	-	-	32	17.4	3.15	11.2	2.19
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	12	6.4	1.88	4.6	1.40
Ovary	-	-	-	-	-	15	8.1	2.16	4.6	1.36
Male Genital System	47	43.9	6.74	20.5	3.03	-	-	-	-	-
Prostate	47	43.9	6.74	20.5	3.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	8.8	2.77	5.2	1.54	15	8.5	2.23	6.0	1.66
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	11	6.8	2.08	4.1	1.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	11	6.0	1.83	3.2	1.11
Leukemias	14	10.4	3.02	6.0	1.63	10	5.7	1.84	4.0	1.39
Other, Ill-defined & Unknown	31	21.0	4.15	13.1	2.40	22	11.9	2.59	8.0	1.83

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15	91.9	27.00	36.6	9.71	15	35.3	9.68	26.5	6.86
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,934	202.1	1.19	112.2	0.68	27,023	144.0	0.90	85.1	0.58
Oral Cavity & Pharynx	577	3.6	0.16	2.3	0.10	252	1.3	0.09	0.8	0.05
Digestive System	7,900	52.1	0.60	30.6	0.36	6,121	31.9	0.42	17.9	0.26
Esophagus	1,323	8.5	0.24	5.3	0.15	340	1.8	0.10	1.0	0.06
Stomach	571	3.8	0.16	2.2	0.10	378	2.0	0.11	1.1	0.07
Colon & Rectum	2,421	16.4	0.34	9.0	0.19	2,361	12.1	0.26	6.5	0.16
Liver	918	5.7	0.19	3.7	0.13	349	1.9	0.10	1.1	0.07
Pancreas	2,010	13.2	0.30	7.8	0.18	1,916	10.0	0.23	5.7	0.15
Respiratory System	8,348	55.5	0.62	31.7	0.36	6,961	37.9	0.46	22.8	0.30
Larynx	245	1.6	0.10	0.9	0.06	58	0.3	0.04	0.2	0.03
Lung & bronchus	8,038	53.4	0.61	30.4	0.35	6,872	37.5	0.46	22.5	0.30
Skin	810	5.4	0.20	3.1	0.12	364	2.0	0.11	1.2	0.07
Melanomas of the skin	592	4.0	0.17	2.3	0.10	283	1.6	0.10	1.0	0.07
Breast	50	0.3	0.05	0.2	0.03	3,814	20.5	0.34	13.0	0.23
Female Genital System	-	-	-	-	-	2,741	14.8	0.29	9.2	0.19
Cervix uteri	-	-	-	-	-	250	1.5	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	892	4.7	0.16	2.9	0.11
Ovary	-	-	-	-	-	1,360	7.4	0.20	4.6	0.14
Male Genital System	3,060	22.3	0.41	9.6	0.18	-	-	-	-	-
Prostate	2,993	21.8	0.40	9.3	0.18	-	-	-	-	-
Testis	36	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,174	14.9	0.33	7.7	0.17	967	5.0	0.16	2.6	0.10
Bladder	1,155	8.2	0.24	3.8	0.12	440	2.2	0.11	1.1	0.06
Kidney & renal pelvis	951	6.2	0.21	3.7	0.13	494	2.6	0.12	1.5	0.08
Brain & Other Nervous System	886	5.8	0.20	4.0	0.14	724	4.2	0.16	3.0	0.12
Endocrine System	132	0.9	0.08	0.6	0.06	157	0.9	0.07	0.6	0.06
Thyroid gland	84	0.5	0.06	0.3	0.04	104	0.5	0.05	0.3	0.03
Lymphomas	1,210	8.5	0.25	4.4	0.13	1,003	5.2	0.17	2.6	0.10
Hodgkin Lymphoma	57	0.4	0.05	0.3	0.04	55	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,153	8.1	0.24	4.1	0.13	948	4.9	0.16	2.4	0.09
Multiple Myeloma	670	4.6	0.18	2.4	0.10	539	2.8	0.12	1.5	0.07
Leukemias	1,507	10.6	0.28	5.6	0.16	1,078	5.7	0.18	3.2	0.12
Other, Ill-defined & Unknown	2,610	17.6	0.35	10.0	0.21	2,302	12.0	0.26	6.7	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,109	199.3	1.21	110.0	0.70	25,283	141.9	0.92	83.4	0.60
Oral Cavity & Pharynx	536	3.6	0.16	2.3	0.10	243	1.4	0.09	0.8	0.06
Digestive System	7,291	50.7	0.61	29.5	0.36	5,680	31.1	0.42	17.2	0.26
Esophagus	1,264	8.5	0.24	5.3	0.16	316	1.7	0.10	1.0	0.06
Stomach	505	3.6	0.16	2.0	0.10	317	1.8	0.10	1.0	0.06
Colon & Rectum	2,243	16.0	0.34	8.8	0.20	2,211	11.8	0.26	6.3	0.16
Liver	770	5.2	0.19	3.2	0.12	293	1.7	0.10	1.0	0.07
Pancreas	1,895	13.1	0.31	7.7	0.19	1,802	9.9	0.24	5.6	0.15
Respiratory System	7,778	54.2	0.63	30.7	0.36	6,458	37.1	0.47	22.1	0.30
Larynx	224	1.5	0.10	0.9	0.06	46	0.3	0.04	0.2	0.03
Lung & bronchus	7,493	52.3	0.61	29.6	0.36	6,382	36.6	0.47	21.9	0.30
Skin	799	5.6	0.20	3.2	0.12	361	2.1	0.11	1.3	0.08
Melanomas of the skin	585	4.1	0.17	2.5	0.11	280	1.6	0.10	1.1	0.07
Breast	46	0.3	0.05	0.2	0.03	3,551	20.1	0.35	12.7	0.24
Female Genital System	-	-	-	-	-	2,581	14.7	0.30	9.2	0.20
Cervix uteri	-	-	-	-	-	216	1.4	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	829	4.6	0.16	2.8	0.11
Ovary	-	-	-	-	-	1,303	7.5	0.21	4.6	0.14
Male Genital System	2,900	21.9	0.41	9.4	0.18	-	-	-	-	-
Prostate	2,836	21.4	0.41	9.0	0.18	-	-	-	-	-
Testis	34	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	2,095	15.0	0.33	7.7	0.18	925	5.0	0.17	2.6	0.10
Bladder	1,125	8.3	0.25	3.8	0.12	429	2.3	0.11	1.1	0.06
Kidney & renal pelvis	902	6.2	0.21	3.7	0.13	465	2.6	0.12	1.5	0.08
Brain & Other Nervous System	862	6.0	0.21	4.2	0.15	703	4.4	0.17	3.2	0.14
Endocrine System	130	0.9	0.08	0.7	0.07	142	0.8	0.07	0.5	0.06
Thyroid gland	83	0.6	0.06	0.4	0.04	95	0.5	0.05	0.3	0.03
Lymphomas	1,158	8.5	0.25	4.3	0.14	956	5.1	0.17	2.6	0.10
Hodgkin Lymphoma	53	0.4	0.05	0.3	0.04	51	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,105	8.1	0.25	4.1	0.13	905	4.8	0.17	2.4	0.10
Multiple Myeloma	618	4.5	0.18	2.3	0.10	499	2.7	0.12	1.5	0.08
Leukemias	1,440	10.6	0.28	5.6	0.16	1,025	5.7	0.18	3.2	0.12
Other, Ill-defined & Unknown	2,456	17.5	0.36	9.8	0.21	2,159	11.8	0.26	6.6	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2010-2014, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,444	288.3	8.56	176.6	4.75	1,341	200.0	5.72	124.6	3.48
Oral Cavity & Pharynx	26	4.2	0.90	2.9	0.59	-	-	-	-	-
Digestive System	473	87.2	4.52	56.5	2.65	329	48.8	2.82	30.0	1.69
Esophagus	50	8.1	1.29	5.9	0.86	19	3.0	0.71	1.8	0.41
Stomach	51	10.1	1.55	6.2	0.89	41	6.5	1.06	3.6	0.57
Colon & Rectum	139	28.7	2.75	16.9	1.47	114	16.8	1.65	10.4	1.00
Liver	111	15.4	1.57	12.7	1.24	29	4.0	0.78	2.5	0.48
Pancreas	94	19.5	2.26	11.4	1.20	97	14.4	1.53	8.9	0.93
Respiratory System	469	93.8	4.82	58.6	2.77	376	56.0	3.01	35.8	1.89
Larynx	15	3.1	0.89	2.0	0.52	10	1.5	0.51	0.9	0.30
Lung & bronchus	452	90.4	4.73	56.4	2.71	365	54.2	2.96	34.8	1.86
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	227	32.6	2.26	20.8	1.41
Female Genital System	-	-	-	-	-	126	18.9	1.76	11.9	1.09
Cervix uteri	-	-	-	-	-	24	3.3	0.70	2.3	0.48
Corpus & uterus, NOS ¹	-	-	-	-	-	57	8.8	1.22	5.5	0.74
Ovary	-	-	-	-	-	41	6.1	0.99	3.8	0.60
Male Genital System	133	35.4	3.37	17.1	1.51	-	-	-	-	-
Prostate	132	35.2	3.36	16.9	1.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	62	12.8	1.86	7.4	0.97	31	5.0	0.93	2.9	0.53
Bladder	23	5.9	1.38	2.8	0.60	-	-	-	-	-
Kidney & renal pelvis	39	6.8	1.24	4.6	0.76	20	3.2	0.75	1.8	0.41
Brain & Other Nervous System	17	2.5	0.68	1.9	0.47	15	2.2	0.60	1.4	0.38
Endocrine System	-	-	-	-	-	14	1.6	0.47	1.3	0.36
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	34	6.1	1.18	4.0	0.71	43	7.1	1.13	3.7	0.58
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	43	10.0	1.70	5.3	0.83	33	5.9	1.06	2.9	0.51
Leukemias	47	9.4	1.57	5.6	0.84	38	5.5	0.95	3.5	0.58
Other, Ill-defined & Unknown	125	23.3	2.37	15.4	1.41	104	15.8	1.61	9.9	0.99

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2010-2014, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	177	137.2	11.63	68.5	5.27	200	102.6	7.63	59.5	4.31
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	76	54.0	7.04	28.8	3.38	68	35.7	4.53	19.6	2.43
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	8.6	2.95	4.3	1.33	17	9.2	2.35	4.8	1.19
Colon & Rectum	20	16.1	3.96	7.6	1.73	19	9.3	2.23	5.6	1.32
Liver	22	11.8	2.91	8.0	1.75	16	8.5	2.22	4.5	1.15
Pancreas	-	-	-	-	-	11	6.0	1.88	3.2	0.99
Respiratory System	34	25.7	4.96	13.5	2.37	44	23.4	3.73	13.1	2.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	29	23.0	4.76	11.7	2.22	44	23.4	3.73	13.1	2.02
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	13	5.1	1.46	4.2	1.19
Female Genital System	-	-	-	-	-	23	10.8	2.37	6.7	1.44
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	5.1	1.61	3.2	1.00
Male Genital System	13	15.8	4.49	5.2	1.46	-	-	-	-	-
Prostate	13	15.8	4.49	5.2	1.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	13	10.8	3.39	4.8	1.38	-	-	-	-	-
Other, Ill-defined & Unknown	15	11.7	3.31	6.0	1.59	25	13.9	2.92	7.7	1.57

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,557	178.0	3.64	98.9	2.03	2,218	135.0	2.93	79.6	1.83
Oral Cavity & Pharynx	56	3.6	0.50	2.3	0.31	20	1.2	0.27	0.8	0.19
Digestive System	730	48.2	1.85	29.4	1.12	470	28.2	1.33	16.4	0.82
Esophagus	140	9.2	0.81	5.9	0.51	25	1.4	0.28	0.9	0.19
Stomach	40	2.9	0.48	1.5	0.25	24	1.5	0.31	0.9	0.21
Colon & Rectum	256	17.1	1.11	10.2	0.66	175	10.6	0.82	6.0	0.50
Liver	89	5.4	0.59	3.6	0.39	46	2.7	0.41	1.6	0.26
Pancreas	162	10.8	0.88	6.5	0.53	143	8.4	0.72	4.9	0.44
Respiratory System	636	43.8	1.80	24.3	0.99	536	33.0	1.45	19.0	0.88
Larynx	22	1.4	0.31	0.8	0.18	-	-	-	-	-
Lung & bronchus	607	41.9	1.76	23.2	0.97	528	32.5	1.44	18.7	0.87
Skin	76	5.4	0.64	3.1	0.37	-	-	-	-	-
Melanomas of the skin	61	4.3	0.56	2.6	0.35	31	2.0	0.36	1.3	0.25
Breast	-	-	-	-	-	318	19.0	1.09	12.1	0.73
Female Genital System	-	-	-	-	-	247	15.3	1.00	9.9	0.67
Cervix uteri	-	-	-	-	-	41	2.6	0.42	2.0	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	60	3.7	0.49	2.4	0.32
Ovary	-	-	-	-	-	130	8.1	0.72	5.0	0.47
Male Genital System	242	18.9	1.24	8.2	0.55	-	-	-	-	-
Prostate	236	18.5	1.23	7.9	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	177	12.4	0.96	6.6	0.51	75	4.5	0.53	2.5	0.31
Bladder	108	8.0	0.79	3.9	0.39	34	2.1	0.36	0.9	0.17
Kidney & renal pelvis	67	4.2	0.54	2.7	0.33	38	2.2	0.37	1.4	0.24
Brain & Other Nervous System	81	5.3	0.61	3.8	0.44	66	4.1	0.52	2.8	0.38
Endocrine System	-	-	-	-	-	11	0.6	0.20	0.3	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	93	6.8	0.73	3.5	0.38	79	4.8	0.55	2.4	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	53	4.1	0.57	1.9	0.27	43	2.7	0.42	1.4	0.24
Leukemias	142	10.3	0.89	5.5	0.49	108	6.6	0.65	3.6	0.38
Other, Ill-defined & Unknown	260	18.5	1.19	9.9	0.64	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,493	178.9	3.71	99.6	2.08	2,160	136.3	3.00	80.4	1.88
Oral Cavity & Pharynx	56	3.7	0.51	2.3	0.32	19	1.2	0.27	0.8	0.19
Digestive System	703	48.0	1.88	29.2	1.14	453	28.2	1.35	16.4	0.84
Esophagus	137	9.2	0.82	6.0	0.53	23	1.3	0.28	0.8	0.19
Stomach	37	2.9	0.48	1.4	0.25	23	1.5	0.31	0.9	0.22
Colon & Rectum	247	17.1	1.13	10.1	0.67	167	10.6	0.84	6.0	0.51
Liver	82	5.1	0.59	3.4	0.38	43	2.6	0.41	1.6	0.26
Pancreas	157	10.8	0.89	6.5	0.53	142	8.6	0.74	5.0	0.46
Respiratory System	621	44.0	1.83	24.5	1.01	521	33.2	1.48	19.1	0.90
Larynx	20	1.3	0.31	0.8	0.18	-	-	-	-	-
Lung & bronchus	594	42.2	1.79	23.4	0.99	513	32.7	1.47	18.8	0.89
Skin	76	5.6	0.66	3.2	0.39	-	-	-	-	-
Melanomas of the skin	61	4.4	0.58	2.7	0.36	30	2.0	0.37	1.3	0.27
Breast	-	-	-	-	-	312	19.3	1.12	12.3	0.75
Female Genital System	-	-	-	-	-	239	15.4	1.02	9.9	0.69
Cervix uteri	-	-	-	-	-	41	2.7	0.44	2.0	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	56	3.6	0.49	2.3	0.33
Ovary	-	-	-	-	-	126	8.1	0.74	5.0	0.48
Male Genital System	238	19.1	1.26	8.4	0.56	-	-	-	-	-
Prostate	232	18.7	1.25	8.0	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	176	12.7	0.99	6.8	0.53	73	4.5	0.53	2.5	0.31
Bladder	108	8.2	0.81	4.0	0.40	34	2.1	0.37	1.0	0.18
Kidney & renal pelvis	66	4.3	0.55	2.7	0.34	36	2.2	0.37	1.4	0.24
Brain & Other Nervous System	80	5.4	0.62	3.8	0.46	65	4.2	0.53	2.9	0.39
Endocrine System	-	-	-	-	-	11	0.7	0.21	0.4	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	91	6.9	0.74	3.5	0.39	78	5.0	0.57	2.4	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	51	4.0	0.58	1.9	0.27	41	2.7	0.43	1.4	0.24
Leukemias	139	10.4	0.91	5.6	0.51	107	6.8	0.67	3.6	0.39
Other, Ill-defined & Unknown	251	18.4	1.20	9.9	0.65	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15	85.3	22.82	52.9	14.07	14	72.2	19.46	50.3	15.01
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	-	-	-	-	-	11	101.0	31.04	38.7	11.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Puerto Rico, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,783	156.9	1.31	87.4	0.77	11,667	96.0	0.90	58.3	0.60
Oral Cavity & Pharynx	469	4.8	0.22	3.2	0.15	127	1.0	0.09	0.6	0.06
Digestive System	4,884	50.8	0.74	30.1	0.45	3,498	28.1	0.48	15.6	0.29
Esophagus	454	4.6	0.22	2.9	0.14	112	0.9	0.09	0.4	0.05
Stomach	630	6.7	0.27	3.7	0.16	446	3.6	0.17	2.0	0.10
Colon & Rectum	1,933	20.3	0.47	11.8	0.28	1,556	12.5	0.32	7.1	0.20
Liver	884	8.9	0.31	5.7	0.20	437	3.5	0.17	1.9	0.10
Pancreas	745	7.7	0.28	4.6	0.18	701	5.7	0.22	3.1	0.13
Respiratory System	2,193	22.8	0.49	12.9	0.29	1,157	9.3	0.28	5.3	0.17
Larynx	183	1.8	0.14	1.2	0.09	31	0.3	0.05	0.2	0.03
Lung & bronchus	1,986	20.7	0.47	11.6	0.28	1,116	9.0	0.27	5.1	0.17
Skin	204	2.3	0.16	1.1	0.08	118	0.9	0.09	0.5	0.05
Melanomas of the skin	62	0.7	0.09	0.4	0.05	34	0.3	0.05	0.2	0.04
Breast	40	0.4	0.07	0.3	0.04	2,143	17.9	0.40	12.1	0.28
Female Genital System	-	-	-	-	-	1,417	12.1	0.33	8.0	0.23
Cervix uteri	-	-	-	-	-	272	2.6	0.16	1.9	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	516	4.3	0.20	2.9	0.14
Ovary	-	-	-	-	-	510	4.2	0.19	2.7	0.13
Male Genital System	2,589	29.0	0.58	12.6	0.26	-	-	-	-	-
Prostate	2,513	28.2	0.57	12.0	0.25	-	-	-	-	-
Testis	30	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	684	7.3	0.28	3.8	0.15	346	2.7	0.15	1.4	0.09
Bladder	431	4.7	0.23	2.2	0.11	194	1.5	0.11	0.8	0.06
Kidney & renal pelvis	240	2.5	0.16	1.5	0.10	138	1.1	0.09	0.6	0.06
Brain & Other Nervous System	279	2.9	0.18	2.1	0.13	253	2.2	0.14	1.5	0.11
Endocrine System	52	0.6	0.08	0.4	0.06	57	0.5	0.07	0.3	0.06
Thyroid gland	33	0.4	0.06	0.2	0.03	39	0.3	0.05	0.2	0.03
Lymphomas	527	5.6	0.25	3.5	0.16	358	3.0	0.16	1.8	0.11
Hodgkin Lymphoma	68	0.8	0.09	0.5	0.07	34	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	459	4.9	0.23	3.0	0.15	324	2.7	0.15	1.6	0.10
Multiple Myeloma	365	3.8	0.20	2.2	0.12	296	2.4	0.14	1.4	0.09
Leukemias	495	5.5	0.25	3.1	0.15	386	3.2	0.17	2.0	0.13
Other, Ill-defined & Unknown	2,002	21.1	0.48	12.3	0.29	1,510	12.5	0.33	7.8	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alberta, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,426	199.0	1.66	107.5	0.90	13,509	141.0	1.23	83.2	0.78
Oral Cavity & Pharynx	335	3.8	0.22	2.4	0.14	146	1.5	0.13	0.9	0.08
Digestive System	4,639	58.1	0.88	32.5	0.49	3,461	36.0	0.62	20.1	0.37
Esophagus	668	7.9	0.32	4.9	0.19	164	1.7	0.13	1.0	0.08
Stomach	413	5.3	0.27	2.9	0.15	289	3.0	0.18	1.7	0.11
Colon & Rectum	1,884	24.3	0.58	13.1	0.31	1,484	15.4	0.40	8.1	0.23
Liver	453	5.2	0.26	3.3	0.16	167	1.7	0.14	1.1	0.09
Pancreas	853	10.7	0.38	5.9	0.21	876	9.2	0.31	5.3	0.19
Respiratory System	3,937	50.0	0.82	27.8	0.46	3,464	36.9	0.64	22.1	0.40
Larynx	108	1.3	0.13	0.8	0.08	16	0.2	0.05	0.1	0.03
Lung & bronchus	3,788	48.2	0.81	26.7	0.45	3,430	36.5	0.63	21.9	0.40
Skin	330	4.1	0.23	2.3	0.13	189	1.9	0.14	1.2	0.09
Melanomas of the skin	265	3.2	0.20	1.9	0.12	150	1.5	0.13	1.0	0.08
Breast	23	0.3	0.07	0.2	0.03	2,028	20.8	0.47	13.0	0.31
Female Genital System	-	-	-	-	-	1,310	13.4	0.38	8.6	0.25
Cervix uteri	-	-	-	-	-	188	1.9	0.14	1.4	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	363	3.7	0.20	2.3	0.13
Ovary	-	-	-	-	-	672	7.0	0.27	4.4	0.18
Male Genital System	1,859	27.5	0.65	11.6	0.28	-	-	-	-	-
Prostate	1,825	27.1	0.65	11.3	0.28	-	-	-	-	-
Testis	21	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,015	13.4	0.44	6.9	0.22	420	4.4	0.22	2.3	0.12
Bladder	573	8.0	0.34	3.7	0.16	181	1.9	0.14	1.0	0.08
Kidney & renal pelvis	424	5.1	0.26	3.1	0.15	228	2.4	0.16	1.3	0.09
Brain & Other Nervous System	502	5.6	0.26	4.0	0.18	312	3.2	0.19	2.4	0.15
Endocrine System	63	0.7	0.10	0.5	0.07	74	0.8	0.09	0.5	0.07
Thyroid gland	36	0.4	0.07	0.3	0.04	39	0.4	0.07	0.2	0.03
Lymphomas	598	7.6	0.32	4.2	0.18	467	4.9	0.23	2.6	0.13
Hodgkin Lymphoma	27	0.3	0.06	0.2	0.04	22	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	571	7.3	0.32	4.0	0.17	445	4.7	0.23	2.4	0.13
Multiple Myeloma	304	4.0	0.24	2.1	0.12	224	2.4	0.16	1.3	0.10
Leukemias	598	8.1	0.34	4.1	0.18	441	4.7	0.23	2.5	0.13
Other, Ill-defined & Unknown	1,223	15.7	0.47	8.8	0.26	973	10.1	0.33	5.8	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
British Columbia, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,321	192.5	1.25	105.0	0.72	21,646	143.4	0.99	83.6	0.64
Oral Cavity & Pharynx	547	4.0	0.18	2.7	0.12	256	1.7	0.11	1.0	0.07
Digestive System	7,646	59.3	0.69	34.0	0.41	5,788	37.7	0.50	20.9	0.31
Esophagus	988	7.5	0.24	4.5	0.15	332	2.2	0.12	1.2	0.07
Stomach	640	5.0	0.20	2.9	0.12	420	2.8	0.14	1.6	0.09
Colon & Rectum	2,963	23.4	0.44	12.8	0.25	2,648	17.1	0.34	9.2	0.20
Liver	886	6.5	0.22	4.3	0.15	293	2.0	0.12	1.2	0.08
Pancreas	1,497	11.6	0.30	6.6	0.18	1,323	8.7	0.24	4.8	0.15
Respiratory System	6,201	48.1	0.62	27.0	0.36	5,591	37.4	0.51	21.8	0.32
Larynx	158	1.2	0.10	0.7	0.06	37	0.2	0.04	0.2	0.03
Lung & bronchus	5,980	46.4	0.61	25.9	0.35	5,530	37.0	0.50	21.5	0.31
Skin	613	4.9	0.20	2.7	0.12	312	2.1	0.12	1.3	0.08
Melanomas of the skin	424	3.3	0.16	2.0	0.10	235	1.6	0.11	1.1	0.08
Breast	26	0.2	0.04	0.1	0.02	3,052	20.5	0.38	13.0	0.26
Female Genital System	-	-	-	-	-	2,120	14.2	0.31	8.8	0.21
Cervix uteri	-	-	-	-	-	225	1.6	0.11	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	555	3.6	0.16	2.3	0.11
Ovary	-	-	-	-	-	1,186	8.0	0.23	4.9	0.15
Male Genital System	2,732	23.4	0.45	9.8	0.20	-	-	-	-	-
Prostate	2,683	23.0	0.45	9.5	0.19	-	-	-	-	-
Testis	24	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,757	14.3	0.34	7.1	0.18	764	4.9	0.18	2.5	0.10
Bladder	1,023	8.5	0.27	3.9	0.13	399	2.5	0.13	1.2	0.07
Kidney & renal pelvis	677	5.2	0.20	3.0	0.12	329	2.1	0.12	1.1	0.07
Brain & Other Nervous System	752	5.8	0.22	4.2	0.17	549	3.9	0.17	2.9	0.15
Endocrine System	117	0.9	0.09	0.7	0.07	103	0.7	0.07	0.5	0.06
Thyroid gland	70	0.5	0.07	0.3	0.04	69	0.5	0.06	0.2	0.03
Lymphomas	1,016	8.1	0.26	4.4	0.15	788	5.2	0.19	2.7	0.11
Hodgkin Lymphoma	38	0.3	0.05	0.2	0.04	21	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	978	7.8	0.25	4.1	0.14	767	5.0	0.18	2.6	0.10
Multiple Myeloma	456	3.6	0.17	1.9	0.09	364	2.4	0.13	1.3	0.08
Leukemias	921	7.5	0.25	4.0	0.14	691	4.6	0.18	2.7	0.12
Other, Ill-defined & Unknown	1,537	12.5	0.32	6.5	0.18	1,268	8.2	0.24	4.5	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Manitoba, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,804	221.3	2.72	120.1	1.54	6,457	161.1	2.06	95.2	1.36
Oral Cavity & Pharynx	117	3.5	0.33	2.3	0.22	70	1.8	0.22	1.0	0.14
Digestive System	1,981	63.5	1.45	36.0	0.85	1,659	40.1	1.01	22.2	0.63
Esophagus	255	7.9	0.50	5.0	0.32	68	1.6	0.20	0.9	0.13
Stomach	192	6.1	0.44	3.5	0.26	127	3.1	0.29	1.6	0.17
Colon & Rectum	867	28.4	0.98	15.3	0.55	792	18.8	0.69	10.3	0.43
Liver	153	4.7	0.39	2.9	0.24	70	1.7	0.21	1.0	0.13
Pancreas	362	11.5	0.61	6.6	0.36	391	9.7	0.50	5.4	0.31
Respiratory System	1,735	55.6	1.35	31.3	0.79	1,624	41.2	1.04	24.7	0.68
Larynx	30	1.0	0.18	0.5	0.10	10	0.3	0.08	0.1	0.05
Lung & bronchus	1,682	53.9	1.33	30.3	0.78	1,608	40.8	1.04	24.5	0.68
Skin	137	4.4	0.38	2.5	0.22	70	1.7	0.20	1.0	0.14
Melanomas of the skin	99	3.1	0.32	1.9	0.20	49	1.2	0.18	0.7	0.12
Breast	-	-	-	-	-	935	23.7	0.80	14.9	0.55
Female Genital System	-	-	-	-	-	610	15.8	0.66	10.0	0.45
Cervix uteri	-	-	-	-	-	79	2.3	0.26	1.6	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	172	4.3	0.33	2.5	0.22
Ovary	-	-	-	-	-	300	7.8	0.46	4.9	0.32
Male Genital System	833	29.2	1.02	11.9	0.43	-	-	-	-	-
Prostate	822	28.8	1.01	11.6	0.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	491	16.0	0.73	8.4	0.40	244	5.9	0.39	3.2	0.24
Bladder	228	7.7	0.51	3.7	0.26	115	2.7	0.25	1.3	0.14
Kidney & renal pelvis	255	8.1	0.52	4.6	0.30	121	3.1	0.29	1.8	0.19
Brain & Other Nervous System	155	4.9	0.40	3.3	0.28	124	3.4	0.31	2.6	0.26
Endocrine System	15	0.5	0.12	0.4	0.12	28	0.7	0.13	0.4	0.09
Thyroid gland	10	0.3	0.10	0.2	0.07	20	0.5	0.11	0.3	0.07
Lymphomas	255	8.2	0.52	4.7	0.31	237	5.6	0.38	2.9	0.23
Hodgkin Lymphoma	10	0.3	0.09	0.2	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	245	8.0	0.52	4.5	0.30	-	-	-	-	-
Multiple Myeloma	150	4.9	0.40	2.6	0.22	112	2.7	0.26	1.4	0.15
Leukemias	288	9.6	0.57	5.0	0.32	194	4.8	0.35	2.7	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	550	13.6	0.60	8.2	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Brunswick, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,824	226.2	3.34	123.0	1.85	4,336	158.0	2.45	92.1	1.59
Oral Cavity & Pharynx	81	3.6	0.42	2.2	0.26	44	1.7	0.26	0.9	0.18
Digestive System	1,324	61.1	1.72	33.8	0.96	1,102	39.3	1.21	21.5	0.74
Esophagus	181	8.0	0.61	4.9	0.37	51	1.9	0.28	1.1	0.17
Stomach	139	6.5	0.57	3.5	0.31	95	3.5	0.37	1.9	0.23
Colon & Rectum	563	26.8	1.16	13.9	0.61	488	17.0	0.79	9.0	0.47
Liver	78	3.4	0.40	2.0	0.23	40	1.5	0.24	0.8	0.18
Pancreas	261	11.7	0.75	6.8	0.43	289	10.4	0.62	5.8	0.38
Respiratory System	1,571	71.8	1.86	40.0	1.04	1,122	41.4	1.26	24.8	0.80
Larynx	42	1.8	0.29	1.2	0.18	-	-	-	-	-
Lung & bronchus	1,517	69.4	1.83	38.5	1.02	1,112	41.0	1.25	24.6	0.80
Skin	88	4.0	0.44	2.2	0.24	68	2.5	0.31	1.4	0.20
Melanomas of the skin	64	2.8	0.36	1.7	0.22	52	2.0	0.29	1.2	0.19
Breast	-	-	-	-	-	600	21.6	0.90	13.1	0.60
Female Genital System	-	-	-	-	-	399	14.9	0.76	9.3	0.52
Cervix uteri	-	-	-	-	-	53	2.2	0.31	1.6	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	107	4.1	0.40	2.5	0.26
Ovary	-	-	-	-	-	199	7.3	0.53	4.6	0.35
Male Genital System	461	24.0	1.14	10.2	0.49	-	-	-	-	-
Prostate	448	23.4	1.12	9.7	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	336	16.1	0.90	8.3	0.48	177	6.1	0.47	3.0	0.26
Bladder	175	8.9	0.69	4.0	0.32	68	2.3	0.28	0.9	0.13
Kidney & renal pelvis	151	6.8	0.57	4.1	0.35	100	3.6	0.36	1.9	0.22
Brain & Other Nervous System	128	5.6	0.52	4.0	0.38	100	3.9	0.40	2.7	0.31
Endocrine System	19	0.9	0.21	0.6	0.16	21	0.9	0.20	0.6	0.17
Thyroid gland	12	0.5	0.16	0.3	0.09	14	0.5	0.15	0.3	0.10
Lymphomas	182	8.7	0.66	4.8	0.38	158	5.8	0.47	3.2	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	74	3.5	0.41	1.9	0.22	78	2.8	0.32	1.4	0.18
Leukemias	168	8.0	0.64	4.7	0.41	151	5.6	0.48	3.3	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	316	11.5	0.66	6.7	0.45

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Newfoundland and Labrador, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,662	253.9	4.40	136.3	2.32	3,097	175.4	3.20	102.0	2.01
Oral Cavity & Pharynx	61	3.9	0.52	2.4	0.32	-	-	-	-	-
Digestive System	1,230	83.9	2.51	46.3	1.35	902	51.7	1.74	27.5	1.00
Esophagus	105	6.9	0.71	4.1	0.41	40	2.2	0.35	1.2	0.20
Stomach	188	13.2	1.01	7.0	0.52	102	6.0	0.60	3.2	0.34
Colon & Rectum	602	41.6	1.78	22.4	0.94	475	27.3	1.27	14.6	0.73
Liver	77	5.1	0.61	2.9	0.35	34	1.9	0.33	1.0	0.18
Pancreas	173	11.4	0.92	6.6	0.51	142	8.0	0.68	4.3	0.39
Respiratory System	1,103	73.3	2.31	40.5	1.24	675	37.4	1.46	22.9	0.92
Larynx	42	2.9	0.47	1.6	0.25	-	-	-	-	-
Lung & bronchus	1,056	70.2	2.26	38.8	1.22	671	37.2	1.46	22.8	0.92
Skin	55	3.9	0.56	2.2	0.30	40	2.4	0.38	1.3	0.24
Melanomas of the skin	41	2.8	0.46	1.7	0.27	30	1.8	0.33	1.1	0.22
Breast	-	-	-	-	-	466	25.9	1.22	15.8	0.78
Female Genital System	-	-	-	-	-	287	16.4	0.99	10.5	0.67
Cervix uteri	-	-	-	-	-	40	2.5	0.41	1.8	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	81	4.6	0.53	3.0	0.36
Ovary	-	-	-	-	-	137	7.6	0.66	4.9	0.45
Male Genital System	348	28.7	1.59	11.8	0.64	-	-	-	-	-
Prostate	334	27.6	1.57	11.2	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	228	16.5	1.15	8.1	0.55	137	7.8	0.68	4.3	0.43
Bladder	110	8.8	0.87	3.8	0.37	46	2.6	0.39	1.2	0.19
Kidney & renal pelvis	114	7.4	0.73	4.2	0.40	86	5.0	0.55	2.9	0.37
Brain & Other Nervous System	99	6.2	0.65	4.5	0.47	70	4.1	0.52	3.2	0.45
Endocrine System	16	1.1	0.27	0.6	0.15	21	1.2	0.26	0.6	0.14
Thyroid gland	11	0.8	0.24	0.4	0.12	19	1.0	0.24	0.6	0.13
Lymphomas	114	7.8	0.77	4.5	0.43	90	5.4	0.57	2.9	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	50	3.3	0.50	1.8	0.26	50	2.9	0.42	1.3	0.20
Leukemias	94	6.6	0.71	3.7	0.40	81	4.6	0.53	2.8	0.38
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Northwest Territories, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	146	248.0	23.90	139.5	12.01	115	195.4	19.84	108.3	10.46
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	52	71.5	11.83	47.7	6.96	39	69.3	11.98	36.5	6.04
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	24	39.5	9.60	24.0	5.14	15	26.5	7.39	14.3	3.83
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	11	13.2	4.66	9.2	2.90	11	20.9	6.64	11.0	3.40
Respiratory System	42	78.8	13.80	41.4	6.56	31	53.1	10.26	31.5	5.84
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	41	77.6	13.75	40.3	6.47	31	53.1	10.26	31.5	5.84
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	21.5	6.43	11.9	3.28
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	29.4	8.84	14.3	4.04	-	-	-	-	-
Prostate	13	29.4	8.84	14.3	4.04	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	22.8	7.17	12.0	3.43	12	20.6	6.43	11.6	3.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nova Scotia, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,545	246.9	3.13	133.9	1.73	6,058	174.4	2.29	101.3	1.46
Oral Cavity & Pharynx	111	4.0	0.39	2.3	0.23	53	1.4	0.20	0.8	0.13
Digestive System	1,959	72.7	1.69	40.5	0.95	1,525	43.3	1.13	23.5	0.68
Esophagus	275	9.8	0.61	6.0	0.37	93	2.7	0.28	1.4	0.16
Stomach	163	6.1	0.49	3.4	0.27	88	2.5	0.27	1.3	0.16
Colon & Rectum	917	34.9	1.18	18.4	0.63	777	21.8	0.80	11.4	0.46
Liver	141	4.9	0.42	3.0	0.26	46	1.3	0.19	0.7	0.11
Pancreas	325	11.9	0.68	6.8	0.39	341	9.9	0.54	5.6	0.33
Respiratory System	1,949	70.9	1.65	39.8	0.93	1,659	48.3	1.20	28.7	0.76
Larynx	55	2.0	0.28	1.2	0.16	12	0.4	0.10	0.2	0.06
Lung & bronchus	1,877	68.3	1.62	38.3	0.91	1,637	47.6	1.19	28.3	0.76
Skin	158	5.9	0.49	3.5	0.29	90	2.6	0.29	1.6	0.19
Melanomas of the skin	121	4.5	0.42	2.8	0.27	70	2.1	0.26	1.4	0.19
Breast	14	0.5	0.15	0.3	0.08	849	24.7	0.87	15.4	0.59
Female Genital System	-	-	-	-	-	584	16.8	0.71	10.2	0.47
Cervix uteri	-	-	-	-	-	65	2.1	0.27	1.4	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	179	5.1	0.38	3.1	0.25
Ovary	-	-	-	-	-	281	8.0	0.49	4.9	0.32
Male Genital System	614	26.1	1.07	10.7	0.45	-	-	-	-	-
Prostate	605	25.8	1.07	10.5	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	438	16.9	0.83	8.6	0.42	216	6.1	0.42	3.1	0.24
Bladder	233	9.4	0.63	4.3	0.29	92	2.6	0.28	1.3	0.16
Kidney & renal pelvis	195	7.1	0.52	4.1	0.30	111	3.1	0.30	1.6	0.17
Brain & Other Nervous System	185	6.9	0.52	4.6	0.37	128	4.0	0.37	2.8	0.29
Endocrine System	26	1.0	0.21	0.6	0.15	28	0.8	0.16	0.5	0.12
Thyroid gland	15	0.6	0.16	0.3	0.08	19	0.5	0.13	0.3	0.08
Lymphomas	272	10.2	0.64	5.9	0.38	221	6.3	0.43	3.4	0.26
Hodgkin Lymphoma	17	0.7	0.17	0.4	0.12	11	0.4	0.11	0.2	0.07
Non-Hodgkin Lymphoma	255	9.5	0.61	5.5	0.36	210	5.9	0.42	3.2	0.25
Multiple Myeloma	126	4.7	0.43	2.5	0.23	80	2.3	0.26	1.2	0.15
Leukemias	230	9.0	0.61	5.0	0.38	173	5.0	0.39	2.7	0.26
Other, Ill-defined & Unknown	463	17.9	0.85	9.5	0.47	452	12.9	0.62	7.2	0.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nunavut, 2009-2013, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	104	391.7	51.53	213.4	22.46	85	342.6	47.11	191.8	22.13
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	34	96.9	22.37	62.0	11.63	23	78.6	18.94	48.2	10.51
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	18	37.3	9.91	28.0	7.07	12	46.1	15.07	26.1	7.94
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	43	196.9	37.80	97.8	15.60	37	158.5	31.65	89.2	15.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	43	196.9	37.80	97.8	15.60	37	158.5	31.65	89.2	15.28
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ontario, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	69,851	208.9	0.80	113.3	0.45	63,635	147.6	0.59	85.9	0.38
Oral Cavity & Pharynx	1,646	4.6	0.11	2.9	0.07	699	1.6	0.06	0.9	0.04
Digestive System	20,917	61.5	0.43	34.4	0.25	16,254	37.1	0.29	20.0	0.18
Esophagus	2,743	7.7	0.15	4.8	0.09	878	2.0	0.07	1.1	0.04
Stomach	2,182	6.5	0.14	3.6	0.08	1,443	3.4	0.09	1.9	0.06
Colon & Rectum	8,274	25.0	0.28	13.1	0.15	7,231	16.3	0.19	8.4	0.11
Liver	2,104	5.9	0.13	3.6	0.08	767	1.8	0.06	1.0	0.04
Pancreas	3,852	11.1	0.18	6.4	0.11	3,926	9.0	0.15	5.0	0.09
Respiratory System	18,748	54.7	0.41	30.8	0.23	15,420	36.0	0.29	21.4	0.19
Larynx	608	1.8	0.07	1.0	0.04	126	0.3	0.03	0.2	0.02
Lung & bronchus	18,021	52.6	0.40	29.6	0.23	15,239	35.6	0.29	21.2	0.19
Skin	2,050	6.1	0.14	3.4	0.08	1,142	2.6	0.08	1.5	0.05
Melanomas of the skin	1,434	4.2	0.11	2.5	0.07	834	2.0	0.07	1.2	0.05
Breast	78	0.2	0.03	0.1	0.01	9,483	22.2	0.23	13.9	0.16
Female Genital System	-	-	-	-	-	6,401	15.0	0.19	9.5	0.13
Cervix uteri	-	-	-	-	-	782	2.0	0.07	1.4	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	1,928	4.5	0.10	2.7	0.07
Ovary	-	-	-	-	-	3,195	7.5	0.13	4.7	0.09
Male Genital System	7,370	24.2	0.29	10.1	0.12	-	-	-	-	-
Prostate	7,214	23.8	0.28	9.8	0.12	-	-	-	-	-
Testis	74	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,733	14.5	0.21	7.3	0.11	2,317	5.2	0.11	2.7	0.06
Bladder	2,647	8.4	0.17	3.9	0.08	1,089	2.4	0.07	1.1	0.04
Kidney & renal pelvis	1,788	5.2	0.13	3.0	0.07	1,075	2.5	0.08	1.4	0.05
Brain & Other Nervous System	2,152	6.1	0.13	4.3	0.10	1,623	4.0	0.10	2.9	0.08
Endocrine System	272	0.8	0.05	0.6	0.04	302	0.7	0.04	0.5	0.03
Thyroid gland	157	0.5	0.04	0.3	0.02	207	0.5	0.03	0.2	0.02
Lymphomas	2,880	8.6	0.16	4.8	0.09	2,404	5.6	0.12	3.1	0.07
Hodgkin Lymphoma	150	0.4	0.04	0.3	0.03	114	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,730	8.2	0.16	4.5	0.09	2,290	5.3	0.11	2.9	0.07
Multiple Myeloma	1,410	4.2	0.11	2.3	0.06	1,150	2.6	0.08	1.4	0.05
Leukemias	2,945	9.0	0.17	4.9	0.10	2,139	5.0	0.11	2.9	0.08
Other, Ill-defined & Unknown	4,650	14.2	0.21	7.5	0.12	4,301	9.8	0.15	5.4	0.10

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Prince Edward Island, 2009-2013, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	935	237.5	7.99	129.2	4.44	809	158.1	5.68	93.8	3.71
Oral Cavity & Pharynx	17	4.4	1.11	2.1	0.53	-	-	-	-	-
Digestive System	273	68.0	4.24	38.8	2.46	211	40.6	2.86	22.3	1.73
Esophagus	42	10.5	1.65	5.9	0.95	-	-	-	-	-
Stomach	28	7.1	1.38	4.3	0.86	10	2.0	0.64	1.1	0.39
Colon & Rectum	110	28.4	2.78	14.9	1.47	122	24.1	2.25	12.4	1.29
Liver	20	4.6	1.06	3.0	0.69	-	-	-	-	-
Pancreas	56	13.3	1.83	8.3	1.14	43	7.9	1.22	4.9	0.82
Respiratory System	302	73.1	4.32	41.5	2.45	215	43.0	2.97	26.5	1.93
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	293	70.9	4.26	40.3	2.42	212	42.3	2.94	26.1	1.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	14	3.4	0.94	2.3	0.71
Breast	-	-	-	-	-	114	21.9	2.10	14.6	1.49
Female Genital System	-	-	-	-	-	75	14.5	1.70	8.7	1.11
Cervix uteri	-	-	-	-	-	11	2.3	0.73	1.7	0.54
Corpus & uterus, NOS ¹	-	-	-	-	-	15	2.9	0.76	1.6	0.47
Ovary	-	-	-	-	-	43	8.1	1.25	4.7	0.78
Male Genital System	98	29.3	3.00	11.1	1.15	-	-	-	-	-
Prostate	94	28.2	2.95	10.5	1.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	63	16.0	2.08	8.7	1.16	38	7.0	1.14	3.9	0.70
Bladder	32	9.0	1.62	3.9	0.70	19	3.3	0.77	1.6	0.43
Kidney & renal pelvis	26	5.9	1.20	4.1	0.85	17	3.2	0.79	2.1	0.54
Brain & Other Nervous System	33	8.2	1.49	5.9	1.13	12	2.6	0.77	1.7	0.58
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	28	7.7	1.47	3.8	0.79	20	3.9	0.88	2.0	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	28	7.7	1.47	3.8	0.79	20	3.9	0.88	2.0	0.50
Multiple Myeloma	19	4.9	1.15	2.3	0.56	17	3.3	0.83	1.4	0.41
Leukemias	26	7.0	1.40	3.6	0.74	31	5.9	1.07	3.4	0.67
Other, Ill-defined & Unknown	60	15.1	2.02	8.9	1.24	50	9.8	1.43	5.6	1.05

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Quebec, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51,329	241.1	1.10	130.0	0.60	46,764	166.1	0.78	98.2	0.51
Oral Cavity & Pharynx	1,021	4.5	0.14	2.7	0.09	487	1.7	0.08	1.0	0.05
Digestive System	14,467	67.3	0.58	36.8	0.32	11,932	41.4	0.38	21.9	0.23
Esophagus	1,325	5.8	0.17	3.5	0.10	429	1.5	0.07	0.9	0.05
Stomach	1,653	7.8	0.20	4.2	0.11	1,074	3.7	0.12	2.0	0.07
Colon & Rectum	6,311	29.9	0.39	15.8	0.21	5,615	19.3	0.26	10.0	0.15
Liver	1,208	5.4	0.16	3.1	0.09	462	1.6	0.08	0.8	0.04
Pancreas	2,654	12.1	0.24	6.9	0.14	2,717	9.6	0.19	5.3	0.11
Respiratory System	17,838	81.1	0.62	45.3	0.35	13,615	48.7	0.42	31.1	0.29
Larynx	582	2.7	0.11	1.5	0.06	154	0.6	0.05	0.3	0.03
Lung & bronchus	16,960	77.0	0.61	43.1	0.34	13,301	47.6	0.42	30.5	0.28
Skin	970	4.5	0.15	2.6	0.09	529	1.9	0.08	1.1	0.06
Melanomas of the skin	686	3.1	0.12	1.9	0.08	364	1.4	0.07	0.9	0.05
Breast	59	0.3	0.04	0.2	0.02	6,489	23.5	0.30	14.6	0.20
Female Genital System	-	-	-	-	-	3,922	14.2	0.23	8.8	0.16
Cervix uteri	-	-	-	-	-	429	1.8	0.09	1.2	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,174	4.1	0.12	2.5	0.08
Ovary	-	-	-	-	-	1,984	7.1	0.16	4.5	0.11
Male Genital System	4,142	22.2	0.35	9.2	0.15	-	-	-	-	-
Prostate	4,037	21.7	0.35	8.9	0.14	-	-	-	-	-
Testis	49	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,244	15.8	0.29	7.9	0.14	1,716	5.9	0.14	3.0	0.08
Bladder	1,759	9.0	0.22	4.1	0.10	776	2.6	0.10	1.2	0.05
Kidney & renal pelvis	1,273	5.8	0.17	3.3	0.10	804	2.8	0.10	1.6	0.06
Brain & Other Nervous System	1,461	6.4	0.17	4.5	0.13	1,169	4.5	0.13	3.1	0.11
Endocrine System	188	0.9	0.06	0.6	0.05	230	0.8	0.06	0.5	0.04
Thyroid gland	87	0.4	0.04	0.2	0.03	130	0.4	0.04	0.2	0.02
Lymphomas	1,905	9.1	0.21	4.9	0.12	1,565	5.5	0.14	3.0	0.09
Hodgkin Lymphoma	105	0.5	0.05	0.3	0.03	69	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,800	8.6	0.21	4.6	0.11	1,496	5.3	0.14	2.8	0.08
Multiple Myeloma	906	4.3	0.15	2.2	0.08	790	2.8	0.10	1.5	0.06
Leukemias	1,779	8.5	0.21	4.6	0.12	1,373	4.9	0.14	2.8	0.09
Other, Ill-defined & Unknown	3,349	16.3	0.29	8.5	0.15	2,947	10.3	0.19	5.6	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Saskatchewan, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,914	210.4	2.76	115.2	1.62	5,365	153.7	2.16	91.4	1.45
Oral Cavity & Pharynx	82	2.9	0.32	1.9	0.22	58	1.6	0.22	0.9	0.14
Digestive System	1,670	58.6	1.45	33.9	0.89	1,294	35.9	1.03	20.3	0.66
Esophagus	236	8.2	0.54	5.1	0.35	66	1.9	0.23	1.1	0.16
Stomach	139	4.8	0.41	2.9	0.26	93	2.6	0.28	1.5	0.18
Colon & Rectum	740	26.1	0.97	14.5	0.57	623	16.9	0.70	9.2	0.44
Liver	118	4.2	0.39	2.6	0.26	62	1.7	0.22	1.0	0.14
Pancreas	323	11.3	0.64	6.6	0.39	319	9.0	0.52	5.3	0.35
Respiratory System	1,530	54.1	1.40	31.1	0.85	1,397	41.4	1.13	24.7	0.74
Larynx	38	1.3	0.22	0.8	0.14	-	-	-	-	-
Lung & bronchus	1,475	52.2	1.37	29.9	0.83	1,384	41.1	1.13	24.5	0.74
Skin	110	3.9	0.38	2.3	0.23	68	1.9	0.24	1.1	0.16
Melanomas of the skin	88	3.1	0.34	1.9	0.22	52	1.6	0.22	1.0	0.16
Breast	11	0.4	0.12	0.2	0.06	808	22.8	0.83	14.2	0.58
Female Genital System	-	-	-	-	-	503	15.1	0.70	10.0	0.50
Cervix uteri	-	-	-	-	-	103	3.5	0.36	2.8	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	116	3.2	0.31	2.0	0.21
Ovary	-	-	-	-	-	251	7.5	0.49	4.7	0.34
Male Genital System	880	32.1	1.09	13.7	0.50	-	-	-	-	-
Prostate	859	31.3	1.07	13.2	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	445	15.9	0.76	8.1	0.42	186	5.1	0.39	2.8	0.25
Bladder	248	9.0	0.58	4.1	0.28	98	2.6	0.27	1.4	0.17
Kidney & renal pelvis	191	6.7	0.49	3.9	0.30	86	2.5	0.28	1.4	0.18
Brain & Other Nervous System	136	4.7	0.41	3.4	0.31	115	3.6	0.34	2.5	0.26
Endocrine System	22	0.8	0.16	0.5	0.12	24	0.7	0.15	0.5	0.13
Thyroid gland	-	-	-	-	-	10	0.2	0.08	0.1	0.04
Lymphomas	227	8.3	0.56	4.5	0.32	186	5.1	0.38	2.7	0.23
Hodgkin Lymphoma	12	0.4	0.13	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	215	7.9	0.54	4.2	0.31	-	-	-	-	-
Multiple Myeloma	116	4.1	0.39	2.1	0.21	102	3.0	0.30	1.7	0.19
Leukemias	244	8.9	0.58	4.8	0.35	180	5.1	0.39	3.2	0.30
Other, Ill-defined & Unknown	441	15.7	0.76	8.6	0.44	444	12.3	0.61	6.9	0.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Yukon, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	179	266.5	23.52	142.6	10.92	142	202.6	18.48	119.3	10.28
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	56	78.1	12.21	43.6	5.96	38	55.5	9.82	31.4	5.23
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	10.1	3.43	7.5	2.30	-	-	-	-	-
Colon & Rectum	20	25.3	6.47	14.6	3.33	19	28.6	7.16	15.6	3.66
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	10	15.8	5.79	8.5	2.72	-	-	-	-	-
Respiratory System	49	70.8	11.62	38.8	5.62	44	67.8	10.89	38.9	6.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	49	70.8	11.62	38.8	5.62	44	67.8	10.89	38.9	6.02
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	23	31.3	7.17	18.3	3.92
Female Genital System	-	-	-	-	-	11	13.9	4.57	9.0	2.76
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	19	39.0	10.32	17.2	4.04	-	-	-	-	-
Prostate	18	38.3	10.29	16.5	3.98	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	16.8	5.87	7.3	2.34	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	15	19.7	6.09	11.2	3.00	11	15.5	5.08	9.7	3.00

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified



Section III

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 1996 Canadian and
World Population Standards



Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,243	218.7	1.32	138.5	0.85	23,074	139.0	0.94	91.2	0.66
Oral Cavity & Pharynx	539	4.1	0.18	2.9	0.13	218	1.2	0.09	0.8	0.06
Digestive System	7,074	53.6	0.65	35.7	0.44	5,094	30.2	0.43	19.2	0.29
Esophagus	905	6.7	0.23	4.7	0.16	237	1.4	0.09	0.9	0.07
Stomach	557	4.4	0.19	2.8	0.12	370	2.3	0.12	1.4	0.08
Colon & Rectum	2,469	19.1	0.39	12.4	0.26	2,065	12.2	0.28	7.7	0.19
Liver	1,086	7.8	0.24	5.6	0.17	462	2.8	0.13	1.8	0.09
Pancreas	1,641	12.4	0.31	8.1	0.21	1,542	9.0	0.23	5.6	0.16
Respiratory System	9,864	75.1	0.77	48.3	0.50	6,316	38.0	0.48	24.9	0.33
Larynx	292	2.1	0.13	1.5	0.09	67	0.4	0.05	0.3	0.04
Lung & bronchus	9,522	72.6	0.75	46.5	0.49	6,224	37.4	0.48	24.5	0.33
Skin	661	5.2	0.21	3.2	0.13	322	1.9	0.11	1.3	0.08
Melanomas of the skin	496	3.9	0.18	2.5	0.12	247	1.5	0.10	1.1	0.07
Breast	32	0.3	0.05	0.1	0.03	3,361	20.8	0.37	14.5	0.27
Female Genital System	-	-	-	-	-	2,392	14.9	0.31	10.1	0.22
Cervix uteri	-	-	-	-	-	453	3.3	0.16	2.5	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	552	3.3	0.14	2.2	0.10
Ovary	-	-	-	-	-	1,252	7.5	0.22	4.9	0.15
Male Genital System	2,543	21.2	0.42	10.9	0.22	-	-	-	-	-
Prostate	2,486	20.7	0.42	10.6	0.22	-	-	-	-	-
Testis	28	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,536	12.2	0.31	7.2	0.19	688	3.9	0.15	2.4	0.10
Bladder	784	6.4	0.23	3.5	0.13	285	1.6	0.09	0.9	0.06
Kidney & renal pelvis	727	5.6	0.21	3.6	0.14	392	2.3	0.12	1.4	0.08
Brain & Other Nervous System	776	5.9	0.22	4.3	0.16	615	3.9	0.16	2.8	0.13
Endocrine System	97	0.8	0.08	0.6	0.07	116	0.7	0.07	0.6	0.06
Thyroid gland	53	0.4	0.06	0.3	0.04	73	0.4	0.05	0.3	0.03
Lymphomas	914	7.4	0.25	4.4	0.15	796	4.7	0.17	2.8	0.11
Hodgkin Lymphoma	56	0.5	0.06	0.3	0.05	43	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	858	6.9	0.24	4.1	0.15	753	4.4	0.16	2.6	0.11
Multiple Myeloma	584	4.6	0.19	2.7	0.12	489	2.8	0.13	1.7	0.08
Leukemias	1,141	9.2	0.28	5.6	0.18	807	4.9	0.18	3.1	0.12
Other, Ill-defined & Unknown	2,482	19.3	0.39	12.5	0.26	1,860	11.1	0.26	7.3	0.19

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,635	186.5	3.96	111.2	2.20	2,097	136.4	3.11	86.1	1.93
Oral Cavity & Pharynx	59	3.5	0.51	2.4	0.32	16	0.9	0.25	0.6	0.15
Digestive System	783	51.3	2.01	32.3	1.17	495	31.8	1.49	20.1	0.92
Esophagus	113	7.5	0.77	4.7	0.45	26	1.7	0.35	1.1	0.22
Stomach	79	4.9	0.61	3.2	0.37	43	2.8	0.44	1.7	0.27
Colon & Rectum	241	16.9	1.19	10.1	0.66	192	12.4	0.94	7.7	0.57
Liver	135	7.3	0.69	5.3	0.46	33	2.1	0.38	1.3	0.24
Pancreas	159	10.9	0.95	6.6	0.53	145	9.2	0.80	5.8	0.50
Respiratory System	720	51.8	2.09	30.3	1.14	583	39.3	1.70	23.9	1.01
Larynx	18	1.3	0.33	0.7	0.18	-	-	-	-	-
Lung & bronchus	700	50.5	2.06	29.5	1.13	576	38.9	1.69	23.6	1.01
Skin	51	4.1	0.62	2.2	0.31	-	-	-	-	-
Melanomas of the skin	41	3.3	0.55	1.8	0.28	25	1.6	0.33	1.1	0.22
Breast	-	-	-	-	-	309	19.2	1.14	12.8	0.74
Female Genital System	-	-	-	-	-	210	13.1	0.95	8.7	0.62
Cervix uteri	-	-	-	-	-	36	2.1	0.36	1.6	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	59	3.7	0.51	2.4	0.31
Ovary	-	-	-	-	-	96	5.9	0.63	4.0	0.41
Male Genital System	214	18.0	1.32	9.5	0.66	-	-	-	-	-
Prostate	209	17.8	1.31	9.3	0.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	151	10.9	0.96	6.3	0.52	71	4.8	0.59	2.8	0.34
Bladder	62	4.5	0.62	2.7	0.34	25	1.8	0.37	0.9	0.19
Kidney & renal pelvis	83	5.9	0.71	3.4	0.38	41	2.7	0.44	1.7	0.27
Brain & Other Nervous System	87	5.3	0.62	3.6	0.39	55	3.3	0.46	2.6	0.36
Endocrine System	12	0.7	0.23	0.5	0.14	12	0.8	0.23	0.5	0.15
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	92	6.7	0.76	3.9	0.42	50	3.6	0.52	2.0	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	55	4.2	0.61	2.3	0.32	34	2.3	0.40	1.4	0.25
Leukemias	113	8.5	0.87	4.9	0.48	55	3.9	0.54	2.3	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,767	160.4	0.93	99.5	0.61	25,488	117.5	0.75	75.5	0.52
Oral Cavity & Pharynx	543	2.9	0.12	2.0	0.09	194	0.9	0.06	0.6	0.05
Digestive System	8,447	45.2	0.50	29.8	0.34	6,002	27.0	0.36	16.7	0.24
Esophagus	1,243	6.6	0.19	4.4	0.13	306	1.4	0.08	0.8	0.05
Stomach	626	3.4	0.14	2.2	0.09	399	1.9	0.10	1.2	0.07
Colon & Rectum	2,642	14.3	0.28	9.1	0.19	2,268	10.2	0.22	6.3	0.15
Liver	1,382	7.2	0.20	5.3	0.15	585	2.7	0.11	1.8	0.08
Pancreas	2,023	10.8	0.24	6.9	0.16	1,850	8.2	0.19	4.9	0.13
Respiratory System	7,739	41.4	0.47	25.4	0.30	6,317	28.9	0.37	17.8	0.24
Larynx	226	1.2	0.08	0.8	0.06	66	0.3	0.04	0.2	0.03
Lung & bronchus	7,462	39.9	0.46	24.4	0.30	6,218	28.4	0.36	17.6	0.24
Skin	1,106	6.0	0.18	3.8	0.12	463	2.2	0.11	1.5	0.08
Melanomas of the skin	720	3.9	0.15	2.5	0.10	362	1.8	0.10	1.2	0.07
Breast	36	0.2	0.03	0.1	0.02	3,867	18.4	0.30	12.6	0.22
Female Genital System	-	-	-	-	-	2,776	13.3	0.26	9.0	0.19
Cervix uteri	-	-	-	-	-	384	2.1	0.11	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	766	3.6	0.13	2.4	0.09
Ovary	-	-	-	-	-	1,470	6.9	0.18	4.6	0.13
Male Genital System	3,005	16.3	0.30	8.4	0.16	-	-	-	-	-
Prostate	2,915	15.7	0.29	8.0	0.16	-	-	-	-	-
Testis	56	0.4	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,122	11.4	0.25	6.7	0.15	849	3.7	0.13	2.2	0.08
Bladder	1,158	6.2	0.18	3.4	0.11	373	1.6	0.08	0.9	0.05
Kidney & renal pelvis	931	5.0	0.16	3.2	0.11	454	2.1	0.10	1.3	0.07
Brain & Other Nervous System	879	4.9	0.17	3.6	0.13	703	3.5	0.13	2.6	0.11
Endocrine System	140	0.8	0.06	0.5	0.05	136	0.6	0.06	0.5	0.05
Thyroid gland	96	0.5	0.05	0.3	0.03	85	0.4	0.04	0.2	0.03
Lymphomas	1,193	6.5	0.19	3.9	0.12	911	4.1	0.14	2.4	0.09
Hodgkin Lymphoma	58	0.3	0.04	0.2	0.03	43	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,135	6.2	0.18	3.7	0.12	868	3.8	0.13	2.2	0.09
Multiple Myeloma	629	3.4	0.14	2.0	0.08	476	2.1	0.10	1.2	0.06
Leukemias	1,447	8.0	0.21	4.9	0.14	951	4.5	0.15	3.0	0.11
Other, Ill-defined & Unknown	2,481	13.4	0.27	8.4	0.18	1,843	8.4	0.20	5.4	0.14

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,097	219.7	1.65	138.8	1.08	14,649	144.3	1.22	94.9	0.87
Oral Cavity & Pharynx	403	4.8	0.24	3.4	0.17	157	1.6	0.13	1.1	0.10
Digestive System	4,490	54.0	0.82	35.8	0.56	3,220	31.0	0.56	19.8	0.39
Esophagus	594	7.1	0.29	4.9	0.21	133	1.3	0.12	0.9	0.09
Stomach	288	3.5	0.21	2.2	0.14	215	2.1	0.15	1.4	0.11
Colon & Rectum	1,652	20.2	0.50	13.0	0.33	1,405	13.5	0.37	8.7	0.26
Liver	729	8.5	0.32	6.1	0.23	298	2.8	0.17	1.8	0.11
Pancreas	983	11.8	0.38	7.7	0.26	918	8.7	0.29	5.4	0.20
Respiratory System	6,531	78.2	0.97	50.2	0.64	4,281	42.2	0.65	27.9	0.46
Larynx	144	1.7	0.14	1.2	0.10	39	0.4	0.06	0.3	0.05
Lung & bronchus	6,360	76.2	0.96	48.8	0.63	4,231	41.7	0.65	27.6	0.45
Skin	439	5.4	0.26	3.4	0.17	191	1.9	0.14	1.2	0.10
Melanomas of the skin	330	4.1	0.23	2.6	0.15	142	1.4	0.13	1.0	0.09
Breast	22	0.3	0.06	0.2	0.04	2,069	20.8	0.47	14.3	0.35
Female Genital System	-	-	-	-	-	1,431	14.7	0.40	10.1	0.29
Cervix uteri	-	-	-	-	-	270	3.3	0.21	2.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	347	3.5	0.19	2.3	0.14
Ovary	-	-	-	-	-	721	7.1	0.27	4.7	0.19
Male Genital System	1,455	18.4	0.48	9.4	0.26	-	-	-	-	-
Prostate	1,427	18.0	0.48	9.1	0.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	1,167	14.3	0.42	8.5	0.26	520	4.9	0.22	3.0	0.15
Bladder	587	7.3	0.30	3.9	0.17	217	2.0	0.14	1.0	0.08
Kidney & renal pelvis	549	6.7	0.29	4.3	0.19	288	2.8	0.17	1.8	0.12
Brain & Other Nervous System	465	5.7	0.27	4.1	0.20	360	3.7	0.20	2.7	0.16
Endocrine System	58	0.7	0.10	0.6	0.09	69	0.7	0.08	0.5	0.07
Thyroid gland	29	0.3	0.07	0.2	0.04	48	0.5	0.07	0.3	0.05
Lymphomas	603	7.5	0.31	4.6	0.20	529	5.2	0.23	3.1	0.15
Hodgkin Lymphoma	33	0.4	0.08	0.3	0.06	29	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	570	7.0	0.30	4.3	0.19	500	4.8	0.22	2.9	0.14
Multiple Myeloma	327	4.0	0.22	2.4	0.14	273	2.6	0.16	1.6	0.10
Leukemias	750	9.5	0.35	5.5	0.22	485	4.7	0.22	2.9	0.16
Other, Ill-defined & Unknown	1,387	16.9	0.46	10.8	0.30	1,064	10.3	0.33	6.8	0.24

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	147,828	162.0	0.43	98.4	0.27	138,872	121.0	0.33	77.0	0.23
Oral Cavity & Pharynx	3,329	3.5	0.06	2.4	0.04	1,460	1.3	0.03	0.8	0.02
Digestive System	45,113	48.5	0.23	31.0	0.15	34,664	29.6	0.16	18.3	0.11
Esophagus	5,098	5.5	0.08	3.5	0.05	1,369	1.2	0.03	0.7	0.02
Stomach	4,563	5.0	0.07	3.1	0.05	3,300	2.9	0.05	1.9	0.04
Colon & Rectum	13,508	14.6	0.13	9.1	0.08	12,541	10.5	0.10	6.4	0.06
Liver	8,397	8.6	0.10	6.1	0.07	3,346	2.9	0.05	1.8	0.03
Pancreas	10,006	10.9	0.11	6.8	0.07	9,905	8.5	0.09	5.1	0.06
Respiratory System	34,472	38.4	0.21	22.9	0.13	30,458	26.8	0.16	16.2	0.10
Larynx	1,180	1.3	0.04	0.8	0.02	253	0.2	0.01	0.1	0.01
Lung & bronchus	32,946	36.7	0.21	21.8	0.13	30,005	26.4	0.16	15.9	0.10
Skin	4,505	4.9	0.07	3.0	0.05	2,062	1.8	0.04	1.1	0.03
Melanomas of the skin	3,205	3.5	0.06	2.2	0.04	1,565	1.4	0.04	0.9	0.03
Breast	173	0.2	0.01	0.1	0.01	21,799	19.3	0.13	13.2	0.10
Female Genital System	-	-	-	-	-	15,760	14.1	0.11	9.6	0.08
Cervix uteri	-	-	-	-	-	2,299	2.2	0.05	1.7	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	4,795	4.2	0.06	2.9	0.04
Ovary	-	-	-	-	-	7,755	6.9	0.08	4.6	0.06
Male Genital System	15,918	17.8	0.14	9.1	0.08	-	-	-	-	-
Prostate	15,445	17.3	0.14	8.7	0.07	-	-	-	-	-
Testis	320	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	9,947	10.9	0.11	6.3	0.07	4,607	3.8	0.06	2.2	0.04
Bladder	5,365	6.0	0.08	3.1	0.04	2,116	1.7	0.04	0.9	0.02
Kidney & renal pelvis	4,401	4.7	0.07	3.1	0.05	2,328	2.0	0.04	1.2	0.03
Brain & Other Nervous System	4,700	5.0	0.07	3.6	0.06	3,622	3.3	0.06	2.4	0.04
Endocrine System	760	0.8	0.03	0.6	0.02	947	0.8	0.03	0.6	0.02
Thyroid gland	461	0.5	0.02	0.3	0.02	683	0.6	0.02	0.4	0.01
Lymphomas	6,235	6.9	0.09	4.1	0.05	5,015	4.3	0.06	2.5	0.04
Hodgkin Lymphoma	422	0.5	0.02	0.3	0.02	282	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,813	6.4	0.09	3.8	0.05	4,733	4.0	0.06	2.4	0.04
Multiple Myeloma	3,189	3.6	0.06	2.1	0.04	2,627	2.3	0.05	1.3	0.03
Leukemias	6,901	7.7	0.09	4.7	0.06	5,250	4.6	0.06	3.0	0.05
Other, Ill-defined & Unknown	12,586	13.7	0.12	8.5	0.08	10,601	9.1	0.09	5.7	0.06

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	85,641	168.2	0.58	102.4	0.37	78,397	125.0	0.46	79.5	0.31
Oral Cavity & Pharynx	1,973	3.7	0.09	2.5	0.06	828	1.3	0.05	0.8	0.03
Digestive System	24,918	48.0	0.31	30.9	0.20	18,642	29.1	0.22	18.0	0.14
Esophagus	3,161	6.1	0.11	3.9	0.07	763	1.2	0.04	0.7	0.03
Stomach	2,182	4.3	0.09	2.7	0.06	1,548	2.5	0.07	1.6	0.04
Colon & Rectum	7,633	14.9	0.17	9.2	0.11	7,020	10.7	0.13	6.6	0.09
Liver	4,461	8.1	0.12	5.9	0.09	1,737	2.7	0.07	1.8	0.05
Pancreas	5,598	10.9	0.15	6.8	0.09	5,408	8.5	0.12	5.1	0.08
Respiratory System	20,568	41.0	0.29	24.5	0.18	18,299	29.5	0.22	17.9	0.14
Larynx	703	1.4	0.05	0.9	0.03	173	0.3	0.02	0.2	0.01
Lung & bronchus	19,649	39.2	0.28	23.3	0.17	18,005	29.0	0.22	17.6	0.14
Skin	2,864	5.6	0.11	3.4	0.07	1,301	2.1	0.06	1.3	0.04
Melanomas of the skin	2,048	4.0	0.09	2.5	0.06	1,008	1.6	0.05	1.1	0.04
Breast	85	0.2	0.02	0.1	0.01	12,043	19.5	0.18	13.3	0.13
Female Genital System	-	-	-	-	-	8,757	14.3	0.16	9.7	0.11
Cervix uteri	-	-	-	-	-	1,277	2.3	0.07	1.7	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,546	4.1	0.08	2.7	0.06
Ovary	-	-	-	-	-	4,418	7.2	0.11	4.7	0.08
Male Genital System	9,270	18.6	0.19	9.5	0.10	-	-	-	-	-
Prostate	8,970	18.0	0.19	9.0	0.10	-	-	-	-	-
Testis	206	0.4	0.03	0.3	0.02	-	-	-	-	-
Urinary System	5,999	11.8	0.15	6.8	0.09	2,730	4.2	0.08	2.4	0.05
Bladder	3,256	6.5	0.12	3.4	0.06	1,244	1.8	0.05	1.0	0.03
Kidney & renal pelvis	2,641	5.1	0.10	3.3	0.07	1,396	2.2	0.06	1.4	0.04
Brain & Other Nervous System	2,751	5.3	0.10	3.8	0.08	2,063	3.4	0.08	2.5	0.06
Endocrine System	415	0.8	0.04	0.6	0.03	512	0.8	0.04	0.6	0.03
Thyroid gland	251	0.5	0.03	0.3	0.02	374	0.6	0.03	0.4	0.02
Lymphomas	3,527	7.0	0.12	4.1	0.07	2,776	4.4	0.09	2.6	0.06
Hodgkin Lymphoma	249	0.5	0.03	0.3	0.02	167	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,278	6.5	0.12	3.8	0.07	2,609	4.1	0.08	2.4	0.05
Multiple Myeloma	1,794	3.6	0.09	2.1	0.05	1,418	2.2	0.06	1.3	0.04
Leukemias	3,980	8.0	0.13	4.9	0.08	2,958	4.7	0.09	3.0	0.06
Other, Ill-defined & Unknown	7,497	14.7	0.17	9.1	0.11	6,070	9.6	0.13	6.1	0.09

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,677	149.9	0.93	90.3	0.58	25,700	113.6	0.73	71.3	0.49
Oral Cavity & Pharynx	580	3.2	0.13	2.1	0.09	263	1.1	0.07	0.7	0.05
Digestive System	8,419	46.4	0.52	29.4	0.33	6,662	28.9	0.37	17.6	0.24
Esophagus	887	4.9	0.17	3.2	0.11	290	1.3	0.08	0.7	0.05
Stomach	834	4.7	0.16	2.8	0.10	643	2.9	0.12	1.8	0.08
Colon & Rectum	2,370	13.1	0.27	8.1	0.17	2,267	9.5	0.21	5.8	0.14
Liver	1,693	9.0	0.22	6.3	0.16	635	2.8	0.12	1.7	0.08
Pancreas	1,886	10.6	0.25	6.5	0.16	1,902	8.3	0.20	4.9	0.12
Respiratory System	6,010	34.3	0.45	20.2	0.27	5,555	24.9	0.34	14.8	0.22
Larynx	193	1.1	0.08	0.7	0.05	25	0.1	0.02	0.1	0.02
Lung & bronchus	5,767	33.0	0.44	19.4	0.27	5,491	24.6	0.34	14.6	0.22
Skin	799	4.4	0.16	2.7	0.10	358	1.5	0.08	0.9	0.06
Melanomas of the skin	581	3.2	0.14	2.0	0.09	267	1.1	0.07	0.7	0.05
Breast	37	0.2	0.03	0.1	0.02	3,960	17.8	0.29	12.2	0.21
Female Genital System	-	-	-	-	-	2,803	12.7	0.25	8.5	0.17
Cervix uteri	-	-	-	-	-	308	1.5	0.09	1.1	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	931	4.1	0.14	2.8	0.10
Ovary	-	-	-	-	-	1,385	6.3	0.17	4.2	0.12
Male Genital System	2,783	15.9	0.30	8.1	0.16	-	-	-	-	-
Prostate	2,711	15.5	0.30	7.8	0.16	-	-	-	-	-
Testis	53	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	1,739	9.8	0.24	5.6	0.14	814	3.3	0.12	1.9	0.08
Bladder	944	5.4	0.18	2.8	0.10	384	1.5	0.08	0.8	0.05
Kidney & renal pelvis	751	4.2	0.16	2.7	0.10	394	1.7	0.09	1.0	0.06
Brain & Other Nervous System	872	4.8	0.16	3.5	0.12	687	3.3	0.13	2.4	0.10
Endocrine System	134	0.7	0.07	0.5	0.05	174	0.8	0.06	0.5	0.05
Thyroid gland	77	0.4	0.05	0.3	0.03	118	0.5	0.05	0.3	0.03
Lymphomas	1,196	6.8	0.20	4.0	0.12	916	3.9	0.13	2.3	0.09
Hodgkin Lymphoma	63	0.4	0.05	0.2	0.03	44	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,133	6.4	0.19	3.7	0.12	872	3.7	0.13	2.1	0.08
Multiple Myeloma	612	3.5	0.14	2.0	0.08	517	2.3	0.10	1.3	0.07
Leukemias	1,212	7.0	0.20	4.2	0.13	928	4.1	0.14	2.6	0.10
Other, Ill-defined & Unknown	2,284	12.9	0.27	7.8	0.17	2,063	8.9	0.20	5.4	0.14

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,510	157.3	0.85	96.0	0.53	34,775	118.0	0.65	75.7	0.44
Oral Cavity & Pharynx	776	3.3	0.12	2.2	0.08	369	1.2	0.07	0.8	0.04
Digestive System	11,776	51.3	0.48	32.7	0.31	9,360	31.3	0.33	19.4	0.22
Esophagus	1,050	4.6	0.14	2.9	0.09	316	1.1	0.06	0.6	0.04
Stomach	1,547	6.8	0.18	4.3	0.11	1,109	3.8	0.12	2.5	0.08
Colon & Rectum	3,505	15.3	0.26	9.6	0.17	3,254	10.7	0.19	6.6	0.13
Liver	2,243	9.5	0.20	6.5	0.14	974	3.3	0.11	2.0	0.07
Pancreas	2,522	11.1	0.22	6.9	0.14	2,595	8.7	0.17	5.2	0.11
Respiratory System	7,894	35.7	0.41	21.3	0.25	6,604	22.6	0.29	13.7	0.18
Larynx	284	1.3	0.08	0.8	0.05	55	0.2	0.03	0.1	0.02
Lung & bronchus	7,530	34.1	0.40	20.3	0.24	6,509	22.3	0.28	13.5	0.18
Skin	842	3.7	0.13	2.3	0.08	403	1.3	0.07	0.8	0.05
Melanomas of the skin	576	2.5	0.11	1.6	0.07	290	1.0	0.06	0.6	0.04
Breast	51	0.2	0.03	0.1	0.02	5,796	19.9	0.27	13.8	0.19
Female Genital System	-	-	-	-	-	4,200	14.6	0.23	10.1	0.17
Cervix uteri	-	-	-	-	-	714	2.6	0.10	2.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,318	4.6	0.13	3.2	0.09
Ovary	-	-	-	-	-	1,952	6.7	0.16	4.6	0.11
Male Genital System	3,865	17.5	0.28	9.0	0.15	-	-	-	-	-
Prostate	3,764	17.1	0.28	8.6	0.15	-	-	-	-	-
Testis	61	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,209	9.8	0.21	5.7	0.13	1,063	3.5	0.11	2.0	0.07
Bladder	1,165	5.2	0.16	2.7	0.08	488	1.5	0.07	0.8	0.04
Kidney & renal pelvis	1,009	4.4	0.14	2.9	0.09	538	1.8	0.08	1.2	0.06
Brain & Other Nervous System	1,077	4.6	0.14	3.3	0.10	872	3.0	0.10	2.2	0.08
Endocrine System	211	0.9	0.06	0.7	0.05	261	0.9	0.06	0.6	0.04
Thyroid gland	133	0.6	0.05	0.4	0.03	191	0.6	0.05	0.4	0.03
Lymphomas	1,512	6.7	0.18	4.1	0.11	1,323	4.4	0.13	2.6	0.08
Hodgkin Lymphoma	110	0.5	0.05	0.3	0.03	71	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,402	6.2	0.17	3.7	0.10	1,252	4.2	0.12	2.4	0.08
Multiple Myeloma	783	3.6	0.13	2.1	0.08	692	2.4	0.09	1.4	0.06
Leukemias	1,709	7.6	0.19	4.8	0.12	1,364	4.6	0.13	3.1	0.10
Other, Ill-defined & Unknown	2,805	12.3	0.24	7.8	0.15	2,468	8.3	0.17	5.3	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,630	152.0	1.14	91.3	0.69	17,524	115.6	0.90	72.2	0.59
Oral Cavity & Pharynx	328	2.5	0.14	1.7	0.10	161	1.1	0.09	0.6	0.05
Digestive System	5,317	41.7	0.59	26.7	0.37	3,967	26.0	0.42	15.8	0.27
Esophagus	835	6.5	0.23	4.3	0.15	181	1.2	0.09	0.7	0.06
Stomach	406	3.3	0.17	2.0	0.10	255	1.7	0.11	1.1	0.07
Colon & Rectum	1,651	13.3	0.33	8.1	0.21	1,559	10.1	0.26	6.0	0.16
Liver	795	5.7	0.21	4.1	0.15	279	1.9	0.11	1.2	0.08
Pancreas	1,276	10.1	0.29	6.4	0.18	1,204	7.9	0.23	4.8	0.15
Respiratory System	4,259	35.0	0.55	20.9	0.33	3,928	26.4	0.43	15.9	0.27
Larynx	132	1.1	0.10	0.7	0.06	42	0.3	0.04	0.2	0.03
Lung & bronchus	4,089	33.6	0.54	20.0	0.32	3,868	26.0	0.43	15.6	0.27
Skin	684	5.5	0.21	3.3	0.13	369	2.4	0.13	1.6	0.09
Melanomas of the skin	507	4.0	0.18	2.5	0.11	294	2.0	0.12	1.3	0.08
Breast	36	0.3	0.05	0.2	0.03	2,742	18.0	0.35	12.0	0.24
Female Genital System	-	-	-	-	-	2,035	13.5	0.31	9.1	0.21
Cervix uteri	-	-	-	-	-	235	1.6	0.11	1.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	531	3.5	0.16	2.3	0.11
Ovary	-	-	-	-	-	1,119	7.4	0.23	4.9	0.15
Male Genital System	2,162	19.1	0.41	9.5	0.21	-	-	-	-	-
Prostate	2,106	18.6	0.41	9.2	0.21	-	-	-	-	-
Testis	34	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,292	10.7	0.30	6.2	0.18	615	3.9	0.16	2.2	0.10
Bladder	713	6.0	0.23	3.3	0.13	283	1.8	0.11	0.9	0.06
Kidney & renal pelvis	556	4.4	0.19	2.8	0.12	317	2.0	0.12	1.2	0.07
Brain & Other Nervous System	641	4.9	0.20	3.5	0.14	541	3.7	0.16	2.7	0.13
Endocrine System	103	0.8	0.08	0.5	0.06	91	0.6	0.07	0.4	0.05
Thyroid gland	59	0.5	0.06	0.3	0.04	58	0.4	0.05	0.2	0.03
Lymphomas	748	6.3	0.23	3.6	0.14	595	3.8	0.16	2.2	0.10
Hodgkin Lymphoma	38	0.3	0.05	0.2	0.03	34	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	710	6.0	0.23	3.4	0.13	561	3.6	0.16	2.0	0.09
Multiple Myeloma	423	3.6	0.18	2.0	0.10	325	2.2	0.12	1.2	0.07
Leukemias	904	7.6	0.26	4.5	0.16	634	4.2	0.17	2.6	0.12
Other, Ill-defined & Unknown	1,733	14.1	0.35	8.6	0.21	1,521	9.8	0.26	5.8	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,963	167.2	1.31	101.0	0.82	16,749	123.8	1.01	77.6	0.69
Oral Cavity & Pharynx	309	2.9	0.17	2.0	0.12	115	0.8	0.08	0.5	0.06
Digestive System	4,621	45.2	0.68	28.6	0.44	3,771	27.1	0.47	16.3	0.30
Esophagus	680	6.7	0.26	4.3	0.17	193	1.4	0.11	0.8	0.07
Stomach	424	4.2	0.21	2.7	0.14	295	2.1	0.13	1.3	0.09
Colon & Rectum	1,298	12.6	0.36	7.8	0.23	1,362	9.4	0.27	5.6	0.18
Liver	614	5.8	0.24	4.0	0.17	188	1.4	0.11	0.9	0.07
Pancreas	1,172	11.5	0.34	7.1	0.22	1,242	9.0	0.27	5.4	0.17
Respiratory System	4,495	44.6	0.68	27.3	0.43	4,285	32.5	0.52	20.1	0.34
Larynx	140	1.3	0.12	0.9	0.08	36	0.3	0.05	0.2	0.03
Lung & bronchus	4,328	43.0	0.66	26.2	0.42	4,233	32.1	0.51	19.9	0.34
Skin	429	4.1	0.20	2.5	0.13	271	1.9	0.12	1.2	0.09
Melanomas of the skin	319	3.1	0.18	1.9	0.11	219	1.6	0.12	1.1	0.08
Breast	34	0.3	0.06	0.2	0.04	2,354	18.0	0.39	12.1	0.28
Female Genital System	-	-	-	-	-	1,743	13.5	0.34	9.0	0.24
Cervix uteri	-	-	-	-	-	184	1.6	0.13	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	533	4.1	0.18	2.6	0.13
Ovary	-	-	-	-	-	871	6.7	0.24	4.5	0.17
Male Genital System	1,676	16.3	0.40	8.1	0.21	-	-	-	-	-
Prostate	1,646	15.9	0.40	7.9	0.21	-	-	-	-	-
Testis	19	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,230	12.1	0.35	6.8	0.21	592	4.1	0.18	2.4	0.12
Bladder	773	7.6	0.28	4.0	0.15	338	2.3	0.13	1.3	0.08
Kidney & renal pelvis	428	4.2	0.21	2.6	0.13	230	1.7	0.12	1.0	0.08
Brain & Other Nervous System	485	4.9	0.23	3.6	0.17	397	3.2	0.17	2.3	0.14
Endocrine System	62	0.6	0.08	0.4	0.06	80	0.6	0.07	0.4	0.06
Thyroid gland	41	0.4	0.07	0.3	0.04	56	0.4	0.06	0.3	0.04
Lymphomas	684	6.8	0.26	4.0	0.16	589	4.1	0.18	2.4	0.12
Hodgkin Lymphoma	31	0.3	0.06	0.2	0.05	26	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	653	6.4	0.26	3.7	0.16	563	3.8	0.17	2.2	0.11
Multiple Myeloma	343	3.4	0.19	2.0	0.11	339	2.4	0.14	1.4	0.09
Leukemias	819	8.3	0.29	4.9	0.19	631	4.4	0.19	2.6	0.13
Other, Ill-defined & Unknown	1,776	17.7	0.43	10.6	0.27	1,582	11.3	0.30	6.9	0.21

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,003	191.3	2.73	118.5	1.76	4,623	140.2	2.11	90.7	1.47
Oral Cavity & Pharynx	112	4.2	0.41	2.9	0.29	46	1.4	0.20	0.8	0.14
Digestive System	1,363	51.6	1.41	33.5	0.94	986	29.3	0.96	18.3	0.64
Esophagus	182	6.7	0.50	4.5	0.35	57	1.7	0.23	1.1	0.15
Stomach	109	4.3	0.42	2.7	0.27	78	2.3	0.26	1.4	0.18
Colon & Rectum	403	15.6	0.79	9.8	0.51	337	9.8	0.55	6.0	0.37
Liver	213	7.7	0.53	5.5	0.39	82	2.5	0.28	1.5	0.18
Pancreas	347	13.1	0.71	8.3	0.46	298	9.0	0.53	5.6	0.35
Respiratory System	1,584	60.0	1.52	37.4	0.98	1,344	40.9	1.13	26.0	0.76
Larynx	48	1.8	0.26	1.3	0.19	20	0.6	0.14	0.4	0.10
Lung & bronchus	1,526	57.8	1.49	35.8	0.95	1,316	40.0	1.12	25.5	0.75
Skin	149	5.8	0.48	3.4	0.29	75	2.4	0.29	1.6	0.20
Melanomas of the skin	96	3.7	0.38	2.3	0.24	58	1.9	0.26	1.3	0.19
Breast	-	-	-	-	-	659	20.6	0.83	14.2	0.60
Female Genital System	-	-	-	-	-	490	15.2	0.71	10.5	0.52
Cervix uteri	-	-	-	-	-	79	2.9	0.35	2.2	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	160	4.9	0.40	3.2	0.28
Ovary	-	-	-	-	-	226	6.6	0.45	4.6	0.33
Male Genital System	440	17.3	0.83	9.2	0.46	-	-	-	-	-
Prostate	426	16.7	0.81	8.7	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	308	12.0	0.69	6.9	0.42	174	5.0	0.39	3.0	0.26
Bladder	163	6.4	0.50	3.4	0.28	90	2.6	0.28	1.5	0.18
Kidney & renal pelvis	137	5.3	0.45	3.4	0.30	79	2.3	0.26	1.4	0.18
Brain & Other Nervous System	110	4.4	0.42	3.1	0.32	108	3.5	0.35	2.8	0.31
Endocrine System	22	0.9	0.19	0.5	0.11	27	0.9	0.17	0.6	0.12
Thyroid gland	13	0.5	0.14	0.3	0.07	17	0.5	0.13	0.3	0.09
Lymphomas	196	7.6	0.55	4.7	0.36	143	4.2	0.36	2.2	0.21
Hodgkin Lymphoma	12	0.5	0.16	0.4	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	184	7.1	0.53	4.3	0.34	-	-	-	-	-
Multiple Myeloma	104	3.9	0.38	2.5	0.26	90	2.6	0.28	1.6	0.18
Leukemias	217	8.5	0.58	4.9	0.36	146	4.3	0.37	2.7	0.26
Other, Ill-defined & Unknown	-	-	-	-	-	335	9.9	0.56	6.3	0.39

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,611	194.1	3.88	122.6	2.47	2,792	149.1	2.92	98.0	2.03
Oral Cavity & Pharynx	71	5.0	0.61	3.5	0.43	28	1.4	0.28	1.0	0.22
Digestive System	850	62.0	2.17	41.2	1.45	746	39.5	1.49	25.4	1.02
Esophagus	82	5.9	0.67	3.9	0.44	47	2.5	0.37	1.5	0.24
Stomach	87	6.8	0.75	4.0	0.44	59	3.2	0.43	2.0	0.29
Colon & Rectum	236	17.1	1.14	11.1	0.74	272	14.2	0.90	9.2	0.61
Liver	181	12.4	0.95	9.3	0.70	68	3.4	0.43	2.5	0.34
Pancreas	196	14.7	1.07	9.6	0.70	209	11.2	0.80	6.6	0.50
Respiratory System	668	49.5	1.96	32.4	1.28	591	31.9	1.35	20.6	0.92
Larynx	38	2.8	0.46	1.8	0.30	12	0.7	0.19	0.5	0.14
Lung & bronchus	628	46.6	1.90	30.5	1.24	578	31.2	1.33	20.1	0.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	16	1.1	0.29	0.8	0.20	17	1.0	0.25	0.7	0.17
Breast	-	-	-	-	-	507	27.5	1.26	19.2	0.92
Female Genital System	-	-	-	-	-	340	18.9	1.05	13.1	0.76
Cervix uteri	-	-	-	-	-	49	2.8	0.42	2.1	0.31
Corpus & uterus, NOS ¹	-	-	-	-	-	135	7.4	0.65	5.2	0.47
Ovary	-	-	-	-	-	132	7.3	0.65	5.0	0.47
Male Genital System	381	29.6	1.54	15.4	0.82	-	-	-	-	-
Prostate	376	29.3	1.53	15.2	0.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	113	8.4	0.81	5.1	0.50	85	4.2	0.48	2.4	0.29
Bladder	55	4.2	0.57	2.4	0.33	55	2.8	0.39	1.4	0.22
Kidney & renal pelvis	56	4.1	0.56	2.6	0.37	30	1.5	0.28	0.9	0.19
Brain & Other Nervous System	50	3.7	0.53	2.5	0.37	39	2.3	0.37	1.6	0.27
Endocrine System	12	0.9	0.26	0.6	0.17	17	0.8	0.20	0.4	0.12
Thyroid gland	-	-	-	-	-	17	0.8	0.20	0.4	0.12
Lymphomas	79	6.0	0.69	3.9	0.46	63	3.4	0.44	2.2	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	57	4.4	0.60	2.6	0.36	62	3.1	0.41	1.8	0.25
Leukemias	80	6.4	0.73	3.4	0.39	76	4.0	0.47	2.5	0.32
Other, Ill-defined & Unknown	222	16.1	1.11	10.6	0.73	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	114,073	175.3	0.52	111.3	0.36	97,208	123.7	0.41	80.6	0.30
Oral Cavity & Pharynx	2,484	3.9	0.08	2.8	0.06	1,000	1.3	0.04	0.9	0.03
Digestive System	30,033	46.4	0.27	30.8	0.19	21,746	26.6	0.19	16.7	0.13
Esophagus	4,179	6.5	0.10	4.4	0.07	1,078	1.3	0.04	0.8	0.03
Stomach	2,246	3.5	0.08	2.3	0.05	1,529	2.0	0.05	1.3	0.04
Colon & Rectum	9,770	15.1	0.16	9.8	0.11	8,514	10.4	0.12	6.5	0.08
Liver	4,555	7.0	0.10	5.2	0.08	1,734	2.1	0.05	1.4	0.04
Pancreas	7,293	11.2	0.13	7.2	0.09	6,762	8.2	0.10	5.0	0.07
Respiratory System	34,580	53.0	0.29	33.9	0.20	26,794	33.8	0.21	21.7	0.15
Larynx	1,293	2.0	0.06	1.4	0.04	277	0.4	0.02	0.2	0.02
Lung & bronchus	33,069	50.6	0.28	32.3	0.19	26,410	33.3	0.21	21.3	0.15
Skin	3,620	5.6	0.09	3.5	0.06	1,534	2.0	0.05	1.3	0.04
Melanomas of the skin	2,546	4.0	0.08	2.5	0.05	1,238	1.7	0.05	1.1	0.04
Breast	182	0.3	0.02	0.2	0.01	14,201	19.1	0.17	13.2	0.13
Female Genital System	-	-	-	-	-	10,183	13.8	0.14	9.5	0.11
Cervix uteri	-	-	-	-	-	1,664	2.7	0.07	2.1	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,988	3.9	0.07	2.7	0.05
Ovary	-	-	-	-	-	4,944	6.4	0.10	4.3	0.07
Male Genital System	10,768	15.8	0.15	8.3	0.09	-	-	-	-	-
Prostate	10,531	15.3	0.15	7.9	0.08	-	-	-	-	-
Testis	131	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	7,643	11.5	0.13	6.8	0.08	3,250	3.8	0.07	2.2	0.05
Bladder	4,498	6.6	0.10	3.6	0.06	1,576	1.8	0.05	1.0	0.03
Kidney & renal pelvis	2,979	4.6	0.09	3.0	0.06	1,567	1.9	0.05	1.2	0.04
Brain & Other Nervous System	2,944	4.9	0.09	3.6	0.07	2,257	3.2	0.07	2.3	0.06
Endocrine System	419	0.7	0.03	0.5	0.03	462	0.6	0.03	0.4	0.03
Thyroid gland	253	0.4	0.02	0.2	0.02	315	0.4	0.02	0.2	0.02
Lymphomas	4,494	7.0	0.11	4.3	0.07	3,352	4.1	0.07	2.4	0.05
Hodgkin Lymphoma	229	0.4	0.03	0.3	0.02	144	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,265	6.6	0.10	4.0	0.07	3,208	3.8	0.07	2.3	0.05
Multiple Myeloma	2,280	3.5	0.07	2.1	0.05	1,839	2.2	0.05	1.3	0.04
Leukemias	5,001	7.8	0.11	4.9	0.08	3,470	4.4	0.08	2.8	0.06
Other, Ill-defined & Unknown	9,625	14.9	0.15	9.6	0.11	7,120	8.8	0.11	5.7	0.08

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2010-2014, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	42,650	196.1	0.98	122.2	0.60	37,508	131.3	0.69	85.5	0.47
Oral Cavity & Pharynx	920	3.9	0.13	2.7	0.09	388	1.3	0.07	0.8	0.05
Digestive System	11,449	50.6	0.49	33.2	0.31	8,265	28.7	0.32	18.1	0.21
Esophagus	1,497	6.3	0.17	4.4	0.11	368	1.3	0.07	0.8	0.05
Stomach	954	4.4	0.14	2.8	0.09	643	2.3	0.09	1.4	0.06
Colon & Rectum	3,951	17.9	0.29	11.4	0.18	3,345	11.6	0.20	7.3	0.13
Liver	1,740	7.2	0.18	5.1	0.12	691	2.4	0.09	1.5	0.06
Pancreas	2,552	11.5	0.23	7.3	0.15	2,407	8.4	0.17	5.2	0.11
Respiratory System	13,730	62.2	0.55	39.2	0.34	9,644	34.0	0.35	21.9	0.23
Larynx	435	1.8	0.09	1.3	0.06	107	0.4	0.04	0.2	0.02
Lung & bronchus	13,233	60.1	0.54	37.8	0.33	9,507	33.5	0.35	21.6	0.23
Skin	1,070	5.0	0.16	3.1	0.09	481	1.7	0.08	1.1	0.05
Melanomas of the skin	783	3.7	0.13	2.3	0.08	385	1.4	0.07	0.9	0.05
Breast	73	0.3	0.04	0.2	0.02	6,116	21.3	0.28	14.7	0.20
Female Genital System	-	-	-	-	-	4,133	14.6	0.23	9.8	0.16
Cervix uteri	-	-	-	-	-	674	2.5	0.10	1.8	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,215	4.2	0.12	2.9	0.09
Ovary	-	-	-	-	-	1,998	7.0	0.16	4.6	0.11
Male Genital System	4,008	20.8	0.34	10.8	0.17	-	-	-	-	-
Prostate	3,895	20.3	0.33	10.4	0.17	-	-	-	-	-
Testis	50	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,548	12.3	0.25	7.1	0.14	1,202	4.1	0.12	2.5	0.08
Bladder	1,378	6.9	0.19	3.7	0.10	587	2.0	0.08	1.1	0.05
Kidney & renal pelvis	1,115	5.1	0.16	3.2	0.10	572	2.0	0.08	1.2	0.06
Brain & Other Nervous System	1,173	5.0	0.15	3.7	0.11	898	3.3	0.11	2.5	0.09
Endocrine System	149	0.6	0.05	0.5	0.04	170	0.6	0.05	0.4	0.04
Thyroid gland	77	0.4	0.04	0.2	0.03	107	0.4	0.04	0.2	0.02
Lymphomas	1,466	7.0	0.19	4.2	0.11	1,132	4.0	0.12	2.4	0.08
Hodgkin Lymphoma	107	0.5	0.05	0.3	0.03	65	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,359	6.5	0.18	3.9	0.11	1,067	3.7	0.12	2.2	0.07
Multiple Myeloma	905	4.3	0.15	2.6	0.09	816	2.9	0.10	1.7	0.06
Leukemias	1,600	7.7	0.20	4.7	0.12	1,215	4.3	0.13	2.7	0.09
Other, Ill-defined & Unknown	3,559	16.2	0.28	10.3	0.18	3,048	10.6	0.20	6.9	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,370	154.9	1.98	97.4	1.30	5,283	107.5	1.55	70.3	1.10
Oral Cavity & Pharynx	161	3.9	0.32	2.6	0.22	70	1.4	0.18	0.9	0.13
Digestive System	2,152	52.2	1.15	34.1	0.77	1,507	29.2	0.79	18.0	0.53
Esophagus	209	5.1	0.36	3.3	0.24	45	0.9	0.14	0.6	0.10
Stomach	235	5.7	0.38	3.5	0.24	183	3.3	0.26	2.0	0.17
Colon & Rectum	672	16.3	0.64	10.6	0.43	495	9.8	0.47	6.3	0.32
Liver	393	9.4	0.48	6.7	0.35	160	3.1	0.25	1.9	0.17
Pancreas	481	11.6	0.54	7.3	0.35	467	9.0	0.43	5.3	0.28
Respiratory System	1,625	39.8	1.01	24.6	0.64	1,167	23.8	0.72	14.7	0.48
Larynx	54	1.3	0.18	0.9	0.12	-	-	-	-	-
Lung & bronchus	1,552	38.0	0.98	23.4	0.62	1,155	23.5	0.72	14.5	0.48
Skin	148	3.6	0.30	2.3	0.20	66	1.3	0.16	0.8	0.12
Melanomas of the skin	91	2.2	0.24	1.5	0.16	47	0.9	0.14	0.6	0.10
Breast	-	-	-	-	-	667	14.3	0.58	10.2	0.44
Female Genital System	-	-	-	-	-	538	11.9	0.54	8.5	0.40
Cervix uteri	-	-	-	-	-	76	1.9	0.23	1.5	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	189	4.2	0.31	3.0	0.24
Ovary	-	-	-	-	-	240	5.2	0.35	3.5	0.25
Male Genital System	510	12.0	0.55	6.2	0.29	-	-	-	-	-
Prostate	506	11.9	0.54	6.1	0.29	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	356	8.4	0.46	5.1	0.29	138	2.6	0.23	1.6	0.15
Bladder	180	4.2	0.32	2.4	0.19	54	0.9	0.13	0.5	0.08
Kidney & renal pelvis	165	3.9	0.31	2.6	0.21	74	1.5	0.18	1.0	0.12
Brain & Other Nervous System	115	2.8	0.27	2.3	0.24	98	2.2	0.23	1.8	0.21
Endocrine System	32	0.7	0.13	0.5	0.10	44	1.0	0.15	0.7	0.12
Thyroid gland	23	0.5	0.11	0.4	0.08	34	0.7	0.13	0.5	0.09
Lymphomas	262	6.5	0.41	4.0	0.27	204	3.9	0.29	2.3	0.19
Hodgkin Lymphoma	12	0.3	0.10	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	250	6.2	0.40	3.8	0.26	-	-	-	-	-
Multiple Myeloma	130	3.2	0.29	1.9	0.18	86	1.7	0.19	1.1	0.13
Leukemias	253	6.4	0.41	4.1	0.28	174	3.7	0.30	2.6	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	524	10.5	0.48	7.0	0.36

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2010-2014, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,168	169.8	2.03	102.9	1.27	6,008	123.2	1.63	77.9	1.09
Oral Cavity & Pharynx	146	3.4	0.28	2.3	0.20	57	1.2	0.16	0.7	0.10
Digestive System	1,925	44.6	1.03	28.7	0.68	1,344	27.3	0.76	17.1	0.51
Esophagus	297	6.9	0.40	4.5	0.27	69	1.4	0.17	0.9	0.11
Stomach	122	2.9	0.27	1.7	0.16	68	1.3	0.17	0.9	0.12
Colon & Rectum	627	14.7	0.60	9.3	0.38	502	10.2	0.47	6.4	0.31
Liver	247	5.3	0.34	3.9	0.25	85	1.6	0.18	1.2	0.14
Pancreas	513	11.9	0.53	7.6	0.35	437	9.0	0.44	5.4	0.28
Respiratory System	1,789	42.2	1.01	25.4	0.62	1,442	29.9	0.80	18.7	0.52
Larynx	55	1.2	0.17	0.8	0.11	-	-	-	-	-
Lung & bronchus	1,714	40.5	0.99	24.3	0.61	1,424	29.5	0.79	18.4	0.52
Skin	271	6.4	0.40	4.1	0.26	132	2.7	0.24	1.7	0.16
Melanomas of the skin	193	4.6	0.33	3.0	0.23	103	2.2	0.22	1.4	0.15
Breast	11	0.2	0.07	0.2	0.05	918	19.0	0.65	12.8	0.45
Female Genital System	-	-	-	-	-	664	13.8	0.55	9.1	0.38
Cervix uteri	-	-	-	-	-	70	1.7	0.20	1.2	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	196	4.1	0.30	2.7	0.21
Ovary	-	-	-	-	-	348	7.0	0.38	4.6	0.26
Male Genital System	837	20.5	0.71	10.3	0.37	-	-	-	-	-
Prostate	821	20.1	0.70	10.0	0.36	-	-	-	-	-
Testis	11	0.3	0.09	0.2	0.07	-	-	-	-	-
Urinary System	527	12.5	0.55	7.3	0.33	206	4.0	0.29	2.3	0.18
Bladder	272	6.5	0.40	3.5	0.22	81	1.5	0.17	0.8	0.10
Kidney & renal pelvis	239	5.6	0.37	3.6	0.24	114	2.2	0.22	1.4	0.15
Brain & Other Nervous System	275	6.5	0.40	4.7	0.30	150	3.2	0.26	2.4	0.21
Endocrine System	41	1.0	0.16	0.7	0.11	34	0.7	0.13	0.4	0.09
Thyroid gland	27	0.6	0.12	0.4	0.08	26	0.6	0.11	0.3	0.07
Lymphomas	313	7.6	0.43	4.3	0.25	242	4.8	0.32	2.6	0.19
Hodgkin Lymphoma	15	0.4	0.10	0.3	0.07	14	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	298	7.2	0.42	4.0	0.24	228	4.5	0.31	2.4	0.18
Multiple Myeloma	160	3.8	0.30	2.2	0.18	108	2.2	0.22	1.3	0.13
Leukemias	332	8.2	0.45	4.8	0.28	221	4.4	0.30	2.7	0.20
Other, Ill-defined & Unknown	541	12.9	0.56	8.0	0.36	490	10.0	0.46	6.2	0.31

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	62,033	191.6	0.78	117.2	0.49	59,597	140.1	0.59	89.4	0.41
Oral Cavity & Pharynx	1,215	3.6	0.10	2.5	0.07	540	1.3	0.06	0.8	0.04
Digestive System	17,077	51.9	0.40	33.1	0.26	13,588	31.1	0.28	19.2	0.18
Esophagus	2,447	7.4	0.15	4.8	0.10	687	1.6	0.06	1.0	0.04
Stomach	1,476	4.6	0.12	2.9	0.08	965	2.2	0.08	1.4	0.05
Colon & Rectum	5,713	17.5	0.24	10.8	0.15	5,405	12.1	0.17	7.3	0.11
Liver	2,234	6.5	0.14	4.5	0.10	914	2.1	0.07	1.3	0.05
Pancreas	3,893	11.9	0.19	7.5	0.12	3,913	9.0	0.15	5.6	0.10
Respiratory System	18,514	57.3	0.43	35.4	0.27	15,598	37.6	0.31	23.7	0.21
Larynx	656	2.0	0.08	1.3	0.05	161	0.4	0.03	0.3	0.02
Lung & bronchus	17,763	55.0	0.42	33.9	0.26	15,384	37.1	0.31	23.3	0.20
Skin	1,451	4.5	0.12	2.8	0.08	789	1.9	0.07	1.2	0.05
Melanomas of the skin	1,094	3.4	0.10	2.1	0.07	626	1.5	0.06	1.0	0.04
Breast	81	0.3	0.03	0.2	0.02	8,882	21.2	0.23	14.4	0.17
Female Genital System	-	-	-	-	-	6,370	15.4	0.20	10.4	0.14
Cervix uteri	-	-	-	-	-	903	2.3	0.08	1.8	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,081	5.0	0.11	3.3	0.08
Ovary	-	-	-	-	-	2,965	7.2	0.14	4.8	0.09
Male Genital System	5,817	18.5	0.24	9.5	0.13	-	-	-	-	-
Prostate	5,693	18.1	0.24	9.2	0.13	-	-	-	-	-
Testis	64	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,007	12.5	0.20	7.2	0.12	2,130	4.7	0.11	2.8	0.07
Bladder	2,094	6.6	0.15	3.5	0.08	937	2.0	0.07	1.1	0.04
Kidney & renal pelvis	1,803	5.5	0.13	3.5	0.09	1,109	2.5	0.08	1.6	0.05
Brain & Other Nervous System	1,618	4.9	0.12	3.6	0.09	1,266	3.2	0.09	2.4	0.07
Endocrine System	251	0.8	0.05	0.6	0.04	298	0.7	0.04	0.5	0.04
Thyroid gland	145	0.4	0.04	0.3	0.02	187	0.4	0.03	0.3	0.02
Lymphomas	2,362	7.5	0.16	4.3	0.09	1,964	4.4	0.10	2.5	0.07
Hodgkin Lymphoma	114	0.4	0.04	0.2	0.02	78	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	2,248	7.1	0.15	4.1	0.09	1,886	4.2	0.10	2.4	0.06
Multiple Myeloma	1,236	3.9	0.11	2.2	0.07	1,097	2.5	0.08	1.4	0.05
Leukemias	2,761	8.8	0.17	5.1	0.10	2,176	5.0	0.11	3.1	0.08
Other, Ill-defined & Unknown	5,643	17.4	0.24	10.8	0.15	4,899	11.2	0.17	7.0	0.11

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,307	208.1	1.12	129.6	0.72	31,182	143.9	0.84	93.3	0.58
Oral Cavity & Pharynx	627	3.5	0.14	2.5	0.10	263	1.2	0.08	0.8	0.05
Digestive System	8,979	51.9	0.56	33.7	0.37	6,759	30.3	0.38	19.0	0.26
Esophagus	1,476	8.4	0.22	5.7	0.15	347	1.6	0.09	1.0	0.06
Stomach	599	3.5	0.15	2.3	0.10	356	1.7	0.09	1.1	0.06
Colon & Rectum	3,026	17.8	0.33	11.2	0.21	2,792	12.3	0.24	7.5	0.16
Liver	1,143	6.2	0.19	4.5	0.14	425	1.9	0.10	1.2	0.07
Pancreas	2,098	12.2	0.27	7.8	0.18	1,980	8.9	0.21	5.6	0.14
Respiratory System	11,799	69.2	0.65	43.8	0.41	8,785	41.3	0.45	26.8	0.31
Larynx	337	1.9	0.11	1.3	0.07	83	0.4	0.04	0.3	0.03
Lung & bronchus	11,380	66.9	0.64	42.2	0.41	8,647	40.6	0.45	26.4	0.31
Skin	950	5.6	0.18	3.6	0.12	502	2.4	0.11	1.6	0.08
Melanomas of the skin	681	4.0	0.16	2.7	0.11	381	1.9	0.10	1.3	0.07
Breast	51	0.3	0.04	0.2	0.03	4,393	20.6	0.32	14.0	0.23
Female Genital System	-	-	-	-	-	3,246	15.3	0.28	10.4	0.20
Cervix uteri	-	-	-	-	-	445	2.4	0.12	1.8	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	999	4.6	0.15	3.1	0.11
Ovary	-	-	-	-	-	1,572	7.3	0.19	4.9	0.13
Male Genital System	3,030	18.6	0.34	9.6	0.18	-	-	-	-	-
Prostate	2,951	18.1	0.34	9.2	0.18	-	-	-	-	-
Testis	46	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	2,316	13.8	0.29	8.1	0.18	1,160	5.0	0.15	2.9	0.10
Bladder	1,226	7.5	0.21	4.0	0.12	522	2.2	0.10	1.2	0.06
Kidney & renal pelvis	1,028	6.0	0.19	3.9	0.13	591	2.6	0.11	1.6	0.07
Brain & Other Nervous System	923	5.4	0.18	4.0	0.14	696	3.5	0.14	2.6	0.11
Endocrine System	128	0.8	0.07	0.6	0.05	151	0.7	0.06	0.5	0.05
Thyroid gland	74	0.4	0.05	0.3	0.03	95	0.4	0.04	0.2	0.03
Lymphomas	1,383	8.3	0.23	5.0	0.14	1,092	5.0	0.16	3.0	0.10
Hodgkin Lymphoma	74	0.5	0.05	0.3	0.04	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,309	7.8	0.22	4.7	0.13	1,039	4.7	0.15	2.8	0.10
Multiple Myeloma	718	4.3	0.16	2.5	0.10	572	2.6	0.11	1.5	0.07
Leukemias	1,492	9.1	0.24	5.4	0.15	1,152	5.2	0.16	3.1	0.11
Other, Ill-defined & Unknown	2,911	17.3	0.32	10.8	0.21	2,411	10.9	0.23	7.0	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,145	189.9	1.47	116.3	0.95	15,145	132.4	1.14	84.6	0.80
Oral Cavity & Pharynx	314	3.4	0.20	2.4	0.14	132	1.0	0.10	0.6	0.06
Digestive System	4,487	49.6	0.75	31.5	0.50	3,535	29.3	0.52	17.9	0.36
Esophagus	761	8.4	0.31	5.6	0.21	159	1.4	0.11	0.9	0.08
Stomach	245	2.7	0.17	1.7	0.11	167	1.4	0.11	0.9	0.08
Colon & Rectum	1,574	17.5	0.45	10.6	0.29	1,561	12.5	0.34	7.4	0.23
Liver	489	5.3	0.24	3.7	0.18	153	1.2	0.11	0.8	0.07
Pancreas	1,073	11.9	0.37	7.5	0.24	1,023	8.6	0.28	5.3	0.19
Respiratory System	5,162	57.4	0.81	35.8	0.52	3,797	34.5	0.58	22.1	0.40
Larynx	155	1.7	0.14	1.1	0.09	41	0.4	0.06	0.3	0.04
Lung & bronchus	4,962	55.3	0.79	34.4	0.51	3,735	33.9	0.58	21.7	0.40
Skin	482	5.3	0.25	3.4	0.17	234	2.2	0.15	1.4	0.11
Melanomas of the skin	347	3.9	0.21	2.5	0.14	187	1.8	0.14	1.2	0.10
Breast	18	0.2	0.05	0.1	0.03	2,000	18.2	0.44	12.4	0.32
Female Genital System	-	-	-	-	-	1,702	15.5	0.40	10.4	0.29
Cervix uteri	-	-	-	-	-	173	2.0	0.16	1.5	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	558	5.0	0.22	3.3	0.16
Ovary	-	-	-	-	-	809	7.3	0.27	4.7	0.19
Male Genital System	1,631	17.5	0.44	8.8	0.24	-	-	-	-	-
Prostate	1,585	16.9	0.43	8.4	0.23	-	-	-	-	-
Testis	26	0.3	0.07	0.3	0.05	-	-	-	-	-
Urinary System	1,233	13.5	0.39	7.8	0.24	571	4.5	0.20	2.6	0.13
Bladder	617	6.7	0.27	3.5	0.15	242	1.8	0.12	1.0	0.07
Kidney & renal pelvis	584	6.4	0.27	4.1	0.18	310	2.6	0.15	1.6	0.10
Brain & Other Nervous System	509	5.9	0.27	4.4	0.21	361	3.6	0.20	2.7	0.16
Endocrine System	70	0.8	0.10	0.6	0.08	86	0.8	0.09	0.6	0.08
Thyroid gland	46	0.5	0.08	0.3	0.05	54	0.5	0.07	0.3	0.04
Lymphomas	745	8.2	0.31	4.8	0.19	602	4.9	0.21	2.8	0.14
Hodgkin Lymphoma	34	0.4	0.07	0.3	0.05	27	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	711	7.9	0.30	4.5	0.18	575	4.6	0.20	2.7	0.13
Multiple Myeloma	369	4.2	0.22	2.3	0.13	300	2.5	0.15	1.5	0.10
Leukemias	788	8.9	0.32	5.1	0.20	583	4.8	0.21	2.9	0.15
Other, Ill-defined & Unknown	1,337	14.9	0.41	9.1	0.27	1,242	10.5	0.32	6.7	0.23

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,304	185.7	1.58	115.3	1.02	12,908	133.5	1.23	85.8	0.85
Oral Cavity & Pharynx	229	2.8	0.19	1.9	0.13	102	1.0	0.11	0.7	0.07
Digestive System	3,764	48.6	0.81	31.5	0.54	2,851	28.6	0.56	17.8	0.38
Esophagus	569	7.3	0.31	4.9	0.22	129	1.2	0.11	0.8	0.08
Stomach	226	3.0	0.20	1.9	0.13	138	1.4	0.13	1.0	0.09
Colon & Rectum	1,312	17.1	0.48	10.9	0.32	1,172	11.5	0.36	7.1	0.24
Liver	483	5.8	0.27	4.2	0.20	193	2.0	0.15	1.3	0.11
Pancreas	921	12.1	0.41	7.6	0.26	902	9.2	0.32	5.6	0.21
Respiratory System	4,243	55.3	0.86	34.8	0.56	3,453	36.6	0.64	23.5	0.44
Larynx	101	1.3	0.13	0.9	0.09	25	0.3	0.05	0.2	0.04
Lung & bronchus	4,119	53.7	0.85	33.7	0.55	3,417	36.2	0.64	23.2	0.44
Skin	437	5.8	0.28	3.6	0.18	207	2.1	0.15	1.4	0.11
Melanomas of the skin	323	4.3	0.24	2.7	0.16	163	1.7	0.14	1.2	0.11
Breast	23	0.3	0.06	0.2	0.04	1,795	18.9	0.47	12.9	0.34
Female Genital System	-	-	-	-	-	1,292	13.9	0.41	9.3	0.29
Cervix uteri	-	-	-	-	-	146	1.8	0.16	1.4	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	400	4.3	0.22	2.8	0.16
Ovary	-	-	-	-	-	655	7.0	0.28	4.6	0.20
Male Genital System	1,315	16.9	0.47	8.7	0.26	-	-	-	-	-
Prostate	1,283	16.5	0.47	8.4	0.25	-	-	-	-	-
Testis	15	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	987	12.7	0.41	7.5	0.25	463	4.6	0.23	2.8	0.15
Bladder	489	6.3	0.29	3.4	0.16	192	1.9	0.14	1.1	0.09
Kidney & renal pelvis	483	6.2	0.29	4.0	0.19	250	2.6	0.17	1.6	0.11
Brain & Other Nervous System	468	6.1	0.29	4.5	0.22	355	4.1	0.22	3.1	0.18
Endocrine System	55	0.7	0.09	0.5	0.07	60	0.6	0.08	0.4	0.07
Thyroid gland	35	0.4	0.08	0.3	0.05	41	0.4	0.07	0.2	0.04
Lymphomas	558	7.3	0.31	4.3	0.19	480	4.7	0.23	2.7	0.14
Hodgkin Lymphoma	26	0.4	0.07	0.2	0.05	25	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	532	6.9	0.30	4.1	0.19	455	4.4	0.22	2.5	0.14
Multiple Myeloma	319	4.2	0.24	2.4	0.14	268	2.6	0.17	1.5	0.10
Leukemias	711	9.5	0.36	5.6	0.23	538	5.3	0.24	3.2	0.17
Other, Ill-defined & Unknown	1,195	15.4	0.45	9.9	0.30	1,044	10.4	0.34	6.5	0.23

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,930	231.5	1.43	145.9	0.92	23,090	156.9	1.06	102.7	0.73
Oral Cavity & Pharynx	549	4.5	0.20	3.1	0.14	226	1.5	0.10	1.0	0.07
Digestive System	6,411	53.8	0.68	35.6	0.46	4,640	30.7	0.46	19.2	0.31
Esophagus	917	7.5	0.25	5.2	0.18	194	1.3	0.09	0.8	0.06
Stomach	457	3.9	0.19	2.5	0.12	274	1.8	0.11	1.2	0.08
Colon & Rectum	2,258	19.4	0.41	12.3	0.27	1,980	13.0	0.30	8.1	0.20
Liver	855	6.9	0.24	4.8	0.17	339	2.2	0.12	1.4	0.08
Pancreas	1,493	12.5	0.33	8.3	0.22	1,331	8.8	0.25	5.4	0.16
Respiratory System	10,283	87.1	0.87	55.7	0.56	7,705	52.9	0.61	35.2	0.43
Larynx	299	2.4	0.14	1.7	0.10	91	0.7	0.07	0.5	0.05
Lung & bronchus	9,930	84.2	0.86	53.7	0.55	7,597	52.1	0.61	34.6	0.42
Skin	700	6.2	0.24	3.8	0.15	351	2.5	0.14	1.6	0.10
Melanomas of the skin	505	4.4	0.20	2.8	0.13	289	2.1	0.13	1.4	0.09
Breast	23	0.2	0.04	0.1	0.03	3,009	20.8	0.39	14.3	0.28
Female Genital System	-	-	-	-	-	2,049	14.2	0.32	9.6	0.23
Cervix uteri	-	-	-	-	-	350	2.7	0.15	2.0	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	548	3.7	0.16	2.5	0.12
Ovary	-	-	-	-	-	987	6.6	0.22	4.4	0.15
Male Genital System	1,897	17.7	0.41	9.1	0.21	-	-	-	-	-
Prostate	1,824	17.1	0.40	8.6	0.21	-	-	-	-	-
Testis	34	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,564	13.8	0.35	8.1	0.21	778	5.0	0.18	3.0	0.12
Bladder	788	7.2	0.26	3.8	0.14	330	2.1	0.12	1.2	0.07
Kidney & renal pelvis	749	6.3	0.24	4.2	0.16	427	2.8	0.14	1.8	0.09
Brain & Other Nervous System	653	5.5	0.22	4.1	0.17	516	3.8	0.17	2.8	0.13
Endocrine System	96	0.8	0.09	0.6	0.07	99	0.7	0.07	0.5	0.06
Thyroid gland	54	0.5	0.06	0.3	0.04	74	0.5	0.06	0.3	0.04
Lymphomas	959	8.5	0.28	5.1	0.17	730	4.8	0.18	2.8	0.12
Hodgkin Lymphoma	30	0.3	0.05	0.2	0.04	26	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	929	8.2	0.27	4.9	0.17	704	4.6	0.18	2.7	0.11
Multiple Myeloma	469	4.1	0.19	2.4	0.11	374	2.4	0.13	1.4	0.08
Leukemias	1,054	9.5	0.30	5.8	0.19	784	5.4	0.20	3.4	0.14
Other, Ill-defined & Unknown	2,272	19.8	0.42	12.3	0.27	1,829	12.3	0.30	7.9	0.21

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,247	220.7	1.41	140.0	0.91	21,371	147.3	1.03	96.4	0.71
Oral Cavity & Pharynx	630	5.2	0.21	3.7	0.15	206	1.4	0.10	0.9	0.07
Digestive System	7,124	60.7	0.73	40.4	0.49	5,132	34.9	0.50	22.2	0.34
Esophagus	880	7.4	0.25	5.1	0.18	216	1.4	0.10	0.9	0.07
Stomach	603	5.3	0.22	3.4	0.14	395	2.7	0.14	1.8	0.10
Colon & Rectum	2,330	20.2	0.43	13.1	0.28	2,040	13.9	0.31	9.0	0.22
Liver	1,330	10.6	0.30	7.8	0.22	517	3.6	0.16	2.3	0.11
Pancreas	1,636	14.2	0.36	9.1	0.23	1,550	10.4	0.27	6.4	0.18
Respiratory System	8,222	71.1	0.80	45.6	0.51	5,766	39.9	0.53	25.9	0.36
Larynx	278	2.3	0.14	1.6	0.10	62	0.4	0.05	0.3	0.04
Lung & bronchus	7,899	68.5	0.78	43.7	0.50	5,674	39.2	0.53	25.4	0.36
Skin	515	4.6	0.21	2.9	0.13	235	1.6	0.11	1.1	0.08
Melanomas of the skin	346	3.1	0.17	2.0	0.11	183	1.3	0.10	0.9	0.07
Breast	39	0.3	0.06	0.2	0.04	3,289	22.9	0.41	15.9	0.30
Female Genital System	-	-	-	-	-	1,936	13.7	0.32	9.4	0.23
Cervix uteri	-	-	-	-	-	361	2.9	0.16	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	543	3.8	0.17	2.6	0.12
Ovary	-	-	-	-	-	908	6.3	0.21	4.1	0.15
Male Genital System	2,123	20.0	0.44	10.5	0.23	-	-	-	-	-
Prostate	2,074	19.6	0.43	10.1	0.23	-	-	-	-	-
Testis	21	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,471	13.0	0.35	8.0	0.21	789	5.2	0.19	3.2	0.13
Bladder	645	6.0	0.24	3.3	0.13	310	2.0	0.12	1.2	0.07
Kidney & renal pelvis	790	6.7	0.24	4.5	0.16	455	3.1	0.15	2.0	0.10
Brain & Other Nervous System	573	5.0	0.21	3.6	0.16	466	3.3	0.15	2.4	0.12
Endocrine System	82	0.7	0.08	0.5	0.06	98	0.7	0.07	0.5	0.06
Thyroid gland	41	0.4	0.06	0.2	0.03	64	0.4	0.05	0.2	0.03
Lymphomas	925	8.3	0.28	5.1	0.17	725	4.9	0.19	2.9	0.12
Hodgkin Lymphoma	52	0.5	0.07	0.3	0.05	54	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	873	7.9	0.27	4.8	0.17	671	4.5	0.18	2.6	0.11
Multiple Myeloma	500	4.5	0.21	2.7	0.12	410	2.8	0.14	1.7	0.09
Leukemias	933	8.6	0.29	5.1	0.18	703	4.8	0.19	3.0	0.13
Other, Ill-defined & Unknown	2,110	18.4	0.41	11.8	0.27	1,616	11.1	0.28	7.4	0.20

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,580	198.0	2.17	121.1	1.38	7,530	139.8	1.68	88.5	1.16
Oral Cavity & Pharynx	186	4.1	0.31	2.8	0.22	66	1.2	0.15	0.7	0.10
Digestive System	2,049	46.7	1.05	29.8	0.69	1,642	29.7	0.77	18.2	0.51
Esophagus	420	9.4	0.47	6.2	0.31	102	1.9	0.19	1.2	0.13
Stomach	108	2.4	0.24	1.6	0.16	84	1.4	0.16	0.9	0.11
Colon & Rectum	640	15.0	0.61	9.2	0.39	609	10.8	0.46	6.5	0.30
Liver	247	5.4	0.35	3.6	0.24	74	1.4	0.17	0.9	0.12
Pancreas	478	10.9	0.50	6.8	0.32	544	9.8	0.43	6.0	0.29
Respiratory System	2,745	62.5	1.21	38.9	0.77	2,181	41.2	0.91	26.2	0.62
Larynx	102	2.2	0.22	1.5	0.15	17	0.3	0.09	0.3	0.07
Lung & bronchus	2,625	59.9	1.18	37.2	0.76	2,152	40.6	0.90	25.9	0.61
Skin	251	5.8	0.37	3.5	0.24	132	2.4	0.22	1.6	0.16
Melanomas of the skin	185	4.3	0.32	2.7	0.21	89	1.7	0.20	1.2	0.14
Breast	14	0.3	0.08	0.2	0.05	885	16.9	0.60	11.3	0.42
Female Genital System	-	-	-	-	-	712	13.5	0.52	9.0	0.37
Cervix uteri	-	-	-	-	-	66	1.5	0.19	1.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	240	4.4	0.29	2.9	0.20
Ovary	-	-	-	-	-	342	6.5	0.36	4.4	0.26
Male Genital System	740	17.4	0.64	8.7	0.33	-	-	-	-	-
Prostate	720	16.9	0.63	8.4	0.32	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	662	15.3	0.60	8.8	0.36	274	4.8	0.30	2.7	0.18
Bladder	399	9.3	0.47	5.1	0.26	143	2.4	0.21	1.3	0.12
Kidney & renal pelvis	248	5.7	0.37	3.6	0.24	124	2.2	0.20	1.3	0.13
Brain & Other Nervous System	258	6.1	0.40	4.5	0.30	176	3.6	0.29	2.8	0.25
Endocrine System	28	0.7	0.13	0.5	0.11	37	0.7	0.13	0.5	0.11
Thyroid gland	13	0.3	0.08	0.2	0.06	25	0.4	0.09	0.3	0.06
Lymphomas	302	7.3	0.43	4.3	0.26	286	5.0	0.31	2.9	0.20
Hodgkin Lymphoma	15	0.4	0.11	0.3	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	287	6.9	0.41	4.0	0.25	-	-	-	-	-
Multiple Myeloma	149	3.4	0.28	2.0	0.17	133	2.3	0.21	1.4	0.13
Leukemias	362	8.7	0.46	5.2	0.30	266	4.8	0.32	3.0	0.22
Other, Ill-defined & Unknown	834	19.7	0.69	11.9	0.45	740	13.7	0.53	8.4	0.37

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,613	181.9	1.14	111.5	0.71	25,795	133.6	0.86	85.4	0.58
Oral Cavity & Pharynx	510	3.4	0.15	2.3	0.10	237	1.2	0.08	0.8	0.06
Digestive System	7,635	50.9	0.59	32.7	0.39	5,810	29.6	0.40	18.3	0.26
Esophagus	973	6.5	0.21	4.3	0.14	271	1.4	0.09	0.8	0.06
Stomach	597	4.0	0.17	2.6	0.11	409	2.1	0.11	1.3	0.07
Colon & Rectum	2,387	16.2	0.34	10.1	0.21	2,219	11.1	0.24	6.9	0.16
Liver	1,253	7.8	0.23	5.6	0.16	442	2.3	0.11	1.5	0.08
Pancreas	1,918	12.9	0.30	8.1	0.19	1,782	9.2	0.22	5.6	0.14
Respiratory System	7,451	51.0	0.60	31.4	0.37	6,598	34.7	0.44	21.5	0.28
Larynx	289	1.9	0.12	1.2	0.07	69	0.4	0.04	0.2	0.03
Lung & bronchus	7,103	48.6	0.59	30.0	0.37	6,498	34.2	0.43	21.2	0.28
Skin	714	5.0	0.19	2.9	0.11	345	1.8	0.10	1.1	0.07
Melanomas of the skin	511	3.5	0.16	2.1	0.10	263	1.4	0.09	0.9	0.06
Breast	58	0.4	0.05	0.3	0.03	4,132	21.6	0.35	14.9	0.25
Female Genital System	-	-	-	-	-	2,843	15.0	0.29	10.2	0.20
Cervix uteri	-	-	-	-	-	339	1.9	0.11	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,016	5.3	0.17	3.6	0.12
Ovary	-	-	-	-	-	1,311	6.9	0.20	4.6	0.13
Male Genital System	2,521	18.0	0.36	9.3	0.19	-	-	-	-	-
Prostate	2,472	17.7	0.36	9.1	0.19	-	-	-	-	-
Testis	26	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,891	13.1	0.31	7.5	0.18	875	4.3	0.15	2.5	0.09
Bladder	1,094	7.7	0.24	4.1	0.13	463	2.3	0.11	1.2	0.06
Kidney & renal pelvis	743	5.0	0.19	3.1	0.12	373	1.9	0.10	1.2	0.07
Brain & Other Nervous System	732	4.9	0.18	3.6	0.14	562	3.1	0.13	2.3	0.11
Endocrine System	107	0.7	0.07	0.6	0.06	128	0.7	0.06	0.5	0.05
Thyroid gland	56	0.4	0.05	0.2	0.03	88	0.5	0.05	0.3	0.03
Lymphomas	980	6.8	0.22	4.0	0.13	810	4.1	0.15	2.4	0.10
Hodgkin Lymphoma	55	0.4	0.05	0.3	0.04	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	925	6.4	0.21	3.8	0.13	757	3.8	0.14	2.2	0.09
Multiple Myeloma	590	4.1	0.17	2.4	0.10	605	3.1	0.13	1.8	0.08
Leukemias	1,134	8.1	0.24	4.8	0.15	880	4.5	0.16	2.8	0.11
Other, Ill-defined & Unknown	2,290	15.7	0.33	9.7	0.21	1,970	10.0	0.23	6.3	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,635	180.0	1.01	109.0	0.64	31,762	130.0	0.76	81.4	0.52
Oral Cavity & Pharynx	673	3.6	0.14	2.5	0.10	312	1.2	0.07	0.8	0.05
Digestive System	9,110	49.6	0.53	31.4	0.34	7,202	28.3	0.35	17.0	0.23
Esophagus	1,503	8.1	0.21	5.3	0.14	374	1.5	0.08	0.9	0.05
Stomach	679	3.8	0.15	2.3	0.09	550	2.2	0.10	1.3	0.06
Colon & Rectum	2,623	14.4	0.29	8.7	0.18	2,669	10.2	0.21	6.0	0.14
Liver	1,416	7.5	0.20	5.2	0.14	444	1.8	0.09	1.2	0.07
Pancreas	2,141	11.7	0.26	7.3	0.17	2,297	9.1	0.20	5.4	0.13
Respiratory System	8,983	50.0	0.54	30.4	0.33	8,545	36.0	0.40	22.5	0.27
Larynx	275	1.5	0.09	1.0	0.06	93	0.4	0.04	0.2	0.03
Lung & bronchus	8,635	48.1	0.53	29.2	0.33	8,423	35.5	0.40	22.1	0.27
Skin	925	5.1	0.17	3.1	0.11	546	2.2	0.10	1.4	0.07
Melanomas of the skin	696	3.9	0.15	2.4	0.10	425	1.8	0.09	1.2	0.06
Breast	63	0.3	0.04	0.2	0.03	4,190	17.6	0.29	11.9	0.21
Female Genital System	-	-	-	-	-	3,273	13.8	0.25	9.1	0.18
Cervix uteri	-	-	-	-	-	259	1.2	0.08	0.9	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,042	4.3	0.14	2.9	0.10
Ovary	-	-	-	-	-	1,674	7.1	0.18	4.6	0.12
Male Genital System	3,105	17.1	0.31	8.6	0.16	-	-	-	-	-
Prostate	3,047	16.8	0.31	8.4	0.16	-	-	-	-	-
Testis	23	0.1	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,213	12.1	0.26	6.9	0.16	1,144	4.3	0.14	2.5	0.09
Bladder	1,336	7.4	0.20	3.9	0.11	620	2.3	0.10	1.2	0.06
Kidney & renal pelvis	826	4.5	0.16	2.8	0.10	489	1.9	0.09	1.2	0.06
Brain & Other Nervous System	902	5.0	0.17	3.7	0.13	711	3.2	0.13	2.4	0.10
Endocrine System	170	1.0	0.08	0.8	0.07	155	0.7	0.06	0.5	0.05
Thyroid gland	104	0.6	0.06	0.4	0.04	112	0.4	0.04	0.3	0.03
Lymphomas	1,199	6.7	0.20	3.9	0.12	1,079	4.2	0.13	2.3	0.08
Hodgkin Lymphoma	58	0.4	0.05	0.3	0.04	49	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	1,141	6.4	0.19	3.7	0.12	1,030	3.9	0.13	2.2	0.08
Multiple Myeloma	641	3.6	0.14	2.1	0.09	627	2.4	0.10	1.4	0.06
Leukemias	1,451	8.2	0.22	4.8	0.14	1,125	4.6	0.14	2.8	0.10
Other, Ill-defined & Unknown	3,200	17.7	0.32	10.7	0.20	2,853	11.4	0.23	6.9	0.15

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	53,617	192.9	0.85	119.7	0.54	49,455	141.6	0.66	91.3	0.46
Oral Cavity & Pharynx	1,101	3.8	0.12	2.7	0.08	425	1.2	0.06	0.8	0.04
Digestive System	14,294	50.7	0.43	32.7	0.29	10,913	30.3	0.30	18.9	0.20
Esophagus	2,283	8.1	0.17	5.3	0.11	585	1.6	0.07	1.0	0.05
Stomach	1,048	3.8	0.12	2.4	0.08	705	1.9	0.08	1.2	0.05
Colon & Rectum	4,487	16.2	0.25	10.1	0.16	4,223	11.6	0.19	7.2	0.13
Liver	1,934	6.4	0.15	4.6	0.11	796	2.2	0.08	1.4	0.06
Pancreas	3,508	12.4	0.21	8.0	0.14	3,362	9.4	0.17	5.8	0.11
Respiratory System	16,516	59.1	0.47	37.1	0.30	13,688	39.7	0.35	25.5	0.24
Larynx	569	2.0	0.08	1.3	0.06	154	0.5	0.04	0.3	0.03
Lung & bronchus	15,854	56.8	0.46	35.5	0.29	13,474	39.1	0.34	25.0	0.23
Skin	1,315	4.8	0.13	3.1	0.09	655	1.9	0.08	1.3	0.06
Melanomas of the skin	931	3.4	0.11	2.2	0.08	486	1.5	0.07	1.0	0.05
Breast	98	0.3	0.04	0.2	0.02	7,200	21.1	0.26	14.4	0.19
Female Genital System	-	-	-	-	-	5,261	15.5	0.22	10.4	0.16
Cervix uteri	-	-	-	-	-	597	2.0	0.09	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,704	4.9	0.12	3.3	0.09
Ovary	-	-	-	-	-	2,578	7.5	0.15	4.9	0.11
Male Genital System	4,711	17.4	0.26	8.9	0.14	-	-	-	-	-
Prostate	4,590	16.9	0.25	8.6	0.13	-	-	-	-	-
Testis	67	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	3,634	13.1	0.22	7.6	0.13	1,802	4.9	0.12	2.9	0.08
Bladder	2,002	7.3	0.16	3.9	0.09	847	2.2	0.08	1.2	0.05
Kidney & renal pelvis	1,533	5.5	0.14	3.5	0.09	887	2.5	0.09	1.6	0.06
Brain & Other Nervous System	1,514	5.5	0.14	4.1	0.11	1,159	3.6	0.11	2.7	0.09
Endocrine System	214	0.8	0.05	0.6	0.04	250	0.7	0.05	0.5	0.04
Thyroid gland	131	0.5	0.04	0.3	0.03	165	0.4	0.04	0.3	0.02
Lymphomas	2,296	8.5	0.18	5.1	0.11	1,800	5.0	0.12	2.9	0.08
Hodgkin Lymphoma	125	0.5	0.05	0.4	0.03	81	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,171	8.0	0.17	4.7	0.11	1,719	4.7	0.12	2.7	0.08
Multiple Myeloma	1,149	4.2	0.13	2.5	0.08	955	2.7	0.09	1.6	0.06
Leukemias	2,356	8.8	0.18	5.2	0.12	1,689	4.8	0.12	2.9	0.09
Other, Ill-defined & Unknown	4,419	15.9	0.24	9.9	0.16	3,658	10.3	0.18	6.5	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,259	198.4	1.42	123.0	0.90	19,798	145.3	1.07	93.8	0.74
Oral Cavity & Pharynx	400	3.7	0.19	2.6	0.13	177	1.3	0.10	0.9	0.07
Digestive System	5,631	54.0	0.74	35.1	0.49	4,465	31.9	0.50	20.0	0.34
Esophagus	780	7.5	0.27	4.9	0.18	217	1.6	0.11	1.0	0.08
Stomach	477	4.7	0.22	3.0	0.14	353	2.5	0.14	1.5	0.09
Colon & Rectum	1,730	16.8	0.41	10.5	0.26	1,750	12.4	0.31	7.8	0.21
Liver	878	7.9	0.27	5.7	0.20	322	2.3	0.13	1.5	0.09
Pancreas	1,366	13.2	0.36	8.5	0.24	1,399	10.1	0.28	6.2	0.18
Respiratory System	6,100	60.0	0.78	37.3	0.49	5,366	40.0	0.56	25.3	0.38
Larynx	218	2.1	0.15	1.4	0.10	67	0.5	0.07	0.4	0.05
Lung & bronchus	5,848	57.6	0.77	35.7	0.48	5,275	39.2	0.56	24.8	0.37
Skin	452	4.4	0.21	2.8	0.14	221	1.7	0.12	1.1	0.09
Melanomas of the skin	305	3.0	0.18	1.9	0.12	175	1.3	0.11	0.9	0.08
Breast	40	0.4	0.06	0.2	0.04	3,027	22.6	0.43	15.4	0.31
Female Genital System	-	-	-	-	-	2,182	16.5	0.37	11.2	0.26
Cervix uteri	-	-	-	-	-	282	2.4	0.15	1.8	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	711	5.2	0.20	3.5	0.14
Ovary	-	-	-	-	-	1,037	7.7	0.25	5.2	0.17
Male Genital System	1,885	18.9	0.44	9.9	0.24	-	-	-	-	-
Prostate	1,844	18.5	0.44	9.5	0.23	-	-	-	-	-
Testis	29	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	1,365	13.4	0.37	7.8	0.22	685	4.7	0.19	2.7	0.12
Bladder	778	7.7	0.28	4.1	0.15	338	2.2	0.13	1.2	0.08
Kidney & renal pelvis	553	5.4	0.23	3.5	0.15	322	2.3	0.13	1.4	0.09
Brain & Other Nervous System	528	5.1	0.23	3.8	0.18	446	3.5	0.17	2.6	0.14
Endocrine System	84	0.8	0.09	0.6	0.07	111	0.8	0.08	0.6	0.07
Thyroid gland	53	0.5	0.07	0.3	0.05	75	0.5	0.06	0.3	0.04
Lymphomas	847	8.6	0.30	5.2	0.19	698	5.0	0.20	2.9	0.13
Hodgkin Lymphoma	47	0.5	0.08	0.4	0.06	31	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	800	8.1	0.29	4.8	0.18	667	4.7	0.19	2.7	0.12
Multiple Myeloma	462	4.6	0.22	2.7	0.13	375	2.7	0.14	1.6	0.09
Leukemias	857	8.7	0.30	5.1	0.19	612	4.4	0.19	2.7	0.13
Other, Ill-defined & Unknown	1,608	15.6	0.40	9.9	0.26	1,433	10.3	0.29	6.6	0.20

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,961	172.6	1.11	103.7	0.69	22,814	126.1	0.87	79.2	0.59
Oral Cavity & Pharynx	436	2.9	0.14	1.9	0.10	235	1.3	0.09	0.8	0.06
Digestive System	6,590	44.9	0.56	28.3	0.36	5,182	27.8	0.40	17.1	0.27
Esophagus	1,034	7.0	0.22	4.5	0.14	318	1.8	0.10	1.1	0.07
Stomach	462	3.2	0.15	1.9	0.10	296	1.7	0.10	1.0	0.07
Colon & Rectum	2,014	13.9	0.31	8.4	0.20	2,002	10.4	0.25	6.3	0.16
Liver	763	4.9	0.18	3.5	0.13	280	1.5	0.09	1.0	0.07
Pancreas	1,693	11.6	0.29	7.3	0.18	1,505	8.1	0.22	4.9	0.14
Respiratory System	6,577	45.7	0.57	27.7	0.36	5,614	32.2	0.44	20.1	0.29
Larynx	181	1.2	0.09	0.8	0.06	40	0.2	0.04	0.2	0.03
Lung & bronchus	6,352	44.1	0.56	26.8	0.35	5,543	31.8	0.44	19.8	0.29
Skin	655	4.5	0.18	2.8	0.12	341	1.9	0.11	1.2	0.08
Melanomas of the skin	505	3.5	0.16	2.2	0.10	268	1.5	0.10	1.0	0.07
Breast	22	0.2	0.03	0.1	0.02	3,149	17.6	0.33	11.8	0.23
Female Genital System	-	-	-	-	-	2,365	13.4	0.29	8.8	0.20
Cervix uteri	-	-	-	-	-	217	1.4	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	707	4.0	0.16	2.5	0.11
Ovary	-	-	-	-	-	1,206	6.8	0.20	4.5	0.14
Male Genital System	2,585	18.0	0.36	8.9	0.18	-	-	-	-	-
Prostate	2,542	17.7	0.35	8.7	0.18	-	-	-	-	-
Testis	17	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	1,781	12.3	0.30	7.0	0.18	808	4.2	0.16	2.4	0.10
Bladder	887	6.2	0.21	3.2	0.11	335	1.7	0.10	0.9	0.06
Kidney & renal pelvis	847	5.8	0.20	3.7	0.13	445	2.4	0.12	1.4	0.08
Brain & Other Nervous System	804	5.5	0.20	4.1	0.15	546	3.4	0.15	2.6	0.12
Endocrine System	111	0.8	0.07	0.5	0.06	106	0.6	0.06	0.4	0.05
Thyroid gland	69	0.5	0.06	0.3	0.03	76	0.4	0.05	0.2	0.03
Lymphomas	1,153	8.1	0.24	4.7	0.15	935	4.9	0.17	2.7	0.10
Hodgkin Lymphoma	53	0.4	0.05	0.2	0.04	42	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,100	7.8	0.24	4.4	0.14	893	4.6	0.16	2.6	0.10
Multiple Myeloma	562	4.0	0.17	2.3	0.10	449	2.4	0.12	1.4	0.07
Leukemias	1,289	9.1	0.26	5.3	0.16	948	5.0	0.17	2.9	0.11
Other, Ill-defined & Unknown	2,396	16.6	0.34	9.9	0.22	2,136	11.4	0.26	7.0	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,649	234.5	1.79	149.8	1.16	14,457	149.0	1.27	99.2	0.90
Oral Cavity & Pharynx	468	5.8	0.27	4.3	0.20	147	1.5	0.13	1.0	0.09
Digestive System	4,596	59.9	0.90	40.2	0.61	3,531	35.5	0.61	22.8	0.42
Esophagus	559	7.1	0.30	5.0	0.22	141	1.5	0.13	1.0	0.09
Stomach	368	4.9	0.26	3.2	0.17	277	2.8	0.17	1.8	0.12
Colon & Rectum	1,668	22.2	0.55	14.6	0.37	1,476	15.0	0.40	9.8	0.28
Liver	743	9.2	0.35	6.6	0.25	361	3.5	0.19	2.2	0.13
Pancreas	1,025	13.5	0.43	8.9	0.28	1,021	10.2	0.33	6.3	0.22
Respiratory System	6,139	80.5	1.04	51.8	0.68	3,841	39.6	0.65	26.5	0.46
Larynx	170	2.2	0.17	1.5	0.12	41	0.4	0.07	0.3	0.05
Lung & bronchus	5,932	77.8	1.03	49.9	0.66	3,780	38.9	0.64	26.0	0.45
Skin	366	5.0	0.27	3.0	0.16	165	1.7	0.14	1.2	0.10
Melanomas of the skin	240	3.3	0.22	2.0	0.14	127	1.4	0.12	0.9	0.09
Breast	23	0.3	0.07	0.2	0.04	2,145	22.6	0.50	15.9	0.37
Female Genital System	-	-	-	-	-	1,372	14.6	0.40	10.0	0.29
Cervix uteri	-	-	-	-	-	291	3.4	0.21	2.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	365	3.8	0.20	2.6	0.14
Ovary	-	-	-	-	-	604	6.3	0.26	4.2	0.18
Male Genital System	1,630	23.3	0.58	12.4	0.32	-	-	-	-	-
Prostate	1,606	22.9	0.58	12.1	0.31	-	-	-	-	-
Testis	13	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	934	12.7	0.42	7.7	0.26	448	4.4	0.21	2.7	0.14
Bladder	434	6.1	0.30	3.4	0.17	176	1.7	0.13	1.0	0.08
Kidney & renal pelvis	477	6.3	0.29	4.2	0.20	250	2.5	0.16	1.6	0.11
Brain & Other Nervous System	433	5.7	0.28	4.1	0.20	389	4.2	0.22	3.1	0.17
Endocrine System	46	0.6	0.09	0.4	0.07	71	0.8	0.09	0.6	0.08
Thyroid gland	28	0.4	0.08	0.2	0.05	46	0.5	0.07	0.3	0.04
Lymphomas	521	7.1	0.32	4.3	0.20	404	4.1	0.21	2.5	0.14
Hodgkin Lymphoma	39	0.5	0.09	0.4	0.06	26	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	482	6.6	0.31	4.0	0.19	378	3.8	0.20	2.3	0.13
Multiple Myeloma	319	4.4	0.25	2.6	0.15	297	2.9	0.17	1.8	0.11
Leukemias	635	8.9	0.36	5.5	0.23	477	4.9	0.23	3.1	0.16
Other, Ill-defined & Unknown	1,539	20.4	0.53	13.3	0.35	1,170	12.1	0.36	8.2	0.26

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33,500	200.4	1.11	125.6	0.72	30,540	144.4	0.85	93.7	0.60
Oral Cavity & Pharynx	636	3.7	0.15	2.6	0.11	266	1.2	0.08	0.7	0.05
Digestive System	8,678	51.2	0.56	33.3	0.37	6,570	30.2	0.39	18.8	0.26
Esophagus	1,261	7.4	0.21	5.0	0.14	342	1.6	0.09	1.0	0.06
Stomach	572	3.4	0.14	2.2	0.10	345	1.6	0.09	1.0	0.06
Colon & Rectum	2,922	17.5	0.33	10.9	0.21	2,650	12.1	0.24	7.3	0.16
Liver	1,263	7.1	0.20	5.1	0.15	434	2.0	0.10	1.3	0.07
Pancreas	2,043	12.1	0.27	7.8	0.18	1,992	9.2	0.21	5.7	0.14
Respiratory System	11,263	67.1	0.64	42.5	0.41	8,923	42.7	0.46	27.7	0.32
Larynx	313	1.8	0.10	1.2	0.07	76	0.4	0.05	0.3	0.03
Lung & bronchus	10,904	65.0	0.63	41.1	0.41	8,814	42.2	0.46	27.4	0.32
Skin	951	5.7	0.19	3.6	0.12	428	2.1	0.11	1.4	0.07
Melanomas of the skin	712	4.3	0.16	2.7	0.11	332	1.7	0.10	1.1	0.07
Breast	41	0.2	0.04	0.2	0.03	4,383	21.2	0.33	14.6	0.24
Female Genital System	-	-	-	-	-	2,938	14.3	0.27	9.7	0.20
Cervix uteri	-	-	-	-	-	459	2.6	0.13	2.0	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	881	4.2	0.14	2.8	0.10
Ovary	-	-	-	-	-	1,370	6.5	0.18	4.3	0.13
Male Genital System	2,641	16.2	0.32	8.3	0.17	-	-	-	-	-
Prostate	2,562	15.7	0.31	8.0	0.16	-	-	-	-	-
Testis	47	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,111	12.7	0.28	7.5	0.17	1,120	5.0	0.15	3.0	0.10
Bladder	1,038	6.3	0.20	3.4	0.11	464	2.0	0.09	1.1	0.06
Kidney & renal pelvis	1,024	6.1	0.19	3.9	0.13	617	2.9	0.12	1.8	0.08
Brain & Other Nervous System	848	5.2	0.18	3.9	0.14	666	3.4	0.14	2.6	0.11
Endocrine System	121	0.7	0.07	0.5	0.05	151	0.8	0.06	0.6	0.06
Thyroid gland	79	0.5	0.06	0.3	0.04	95	0.4	0.05	0.3	0.03
Lymphomas	1,188	7.3	0.21	4.3	0.13	986	4.5	0.15	2.6	0.09
Hodgkin Lymphoma	61	0.4	0.05	0.3	0.04	45	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,127	6.8	0.21	4.0	0.13	941	4.3	0.14	2.5	0.09
Multiple Myeloma	682	4.1	0.16	2.5	0.10	560	2.5	0.11	1.5	0.07
Leukemias	1,467	9.1	0.24	5.5	0.16	1,088	5.0	0.16	3.2	0.12
Other, Ill-defined & Unknown	2,873	17.3	0.33	10.9	0.22	2,461	11.4	0.24	7.4	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,305	167.6	2.34	101.8	1.48	4,657	128.6	1.96	81.3	1.33
Oral Cavity & Pharynx	108	3.3	0.33	2.3	0.23	45	1.2	0.19	0.8	0.14
Digestive System	1,362	42.2	1.16	27.3	0.77	1,000	27.0	0.89	16.5	0.58
Esophagus	226	6.9	0.47	4.7	0.32	62	1.7	0.22	1.0	0.14
Stomach	77	2.4	0.28	1.6	0.19	60	1.7	0.23	1.1	0.15
Colon & Rectum	478	15.0	0.70	9.4	0.45	382	10.1	0.54	6.2	0.36
Liver	173	5.0	0.39	3.6	0.28	63	1.7	0.23	1.1	0.16
Pancreas	312	9.8	0.56	6.1	0.36	307	8.3	0.49	5.1	0.32
Respiratory System	1,421	44.8	1.20	26.7	0.74	1,266	35.3	1.02	21.6	0.66
Larynx	52	1.7	0.23	1.0	0.14	11	0.3	0.10	0.2	0.06
Lung & bronchus	1,355	42.7	1.17	25.4	0.72	1,251	34.8	1.01	21.3	0.65
Skin	165	5.2	0.41	3.3	0.27	76	2.1	0.26	1.2	0.17
Melanomas of the skin	125	3.9	0.36	2.6	0.25	61	1.7	0.24	1.1	0.16
Breast	-	-	-	-	-	672	19.0	0.77	12.9	0.55
Female Genital System	-	-	-	-	-	479	13.3	0.63	8.9	0.45
Cervix uteri	-	-	-	-	-	49	1.6	0.24	1.2	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	142	3.9	0.34	2.5	0.23
Ovary	-	-	-	-	-	265	7.3	0.46	5.0	0.33
Male Genital System	590	19.0	0.79	9.6	0.42	-	-	-	-	-
Prostate	576	18.4	0.77	9.2	0.40	-	-	-	-	-
Testis	10	0.4	0.14	0.4	0.12	-	-	-	-	-
Urinary System	407	12.7	0.64	7.4	0.38	135	3.6	0.33	2.2	0.21
Bladder	235	7.4	0.49	3.9	0.27	74	1.9	0.24	1.2	0.15
Kidney & renal pelvis	162	4.9	0.40	3.3	0.27	55	1.5	0.21	0.9	0.14
Brain & Other Nervous System	155	5.2	0.43	3.9	0.35	139	4.1	0.37	3.2	0.30
Endocrine System	27	0.9	0.18	0.7	0.14	18	0.5	0.13	0.4	0.11
Thyroid gland	21	0.7	0.15	0.5	0.11	11	0.3	0.08	0.1	0.05
Lymphomas	221	7.2	0.49	4.1	0.30	144	4.0	0.34	2.2	0.21
Hodgkin Lymphoma	10	0.4	0.13	0.3	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	211	6.8	0.47	3.8	0.28	-	-	-	-	-
Multiple Myeloma	118	3.7	0.35	2.1	0.20	97	2.5	0.27	1.5	0.17
Leukemias	221	7.1	0.49	4.3	0.32	159	4.3	0.35	2.7	0.27
Other, Ill-defined & Unknown	-	-	-	-	-	427	11.5	0.58	7.0	0.39

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,118	181.4	1.93	110.6	1.23	8,127	128.7	1.50	81.8	1.04
Oral Cavity & Pharynx	165	3.1	0.25	2.1	0.17	82	1.2	0.14	0.8	0.10
Digestive System	2,441	47.9	0.99	30.5	0.65	1,883	29.1	0.71	17.6	0.47
Esophagus	404	7.9	0.40	5.1	0.27	85	1.3	0.15	0.8	0.10
Stomach	129	2.5	0.23	1.6	0.15	77	1.2	0.15	0.8	0.10
Colon & Rectum	862	17.0	0.59	10.4	0.38	859	12.8	0.46	7.6	0.30
Liver	277	5.3	0.32	3.7	0.23	82	1.4	0.16	0.9	0.11
Pancreas	588	11.7	0.49	7.4	0.32	525	8.1	0.37	4.8	0.24
Respiratory System	2,610	52.7	1.05	32.1	0.66	2,021	33.1	0.76	21.1	0.52
Larynx	88	1.8	0.19	1.2	0.13	18	0.3	0.08	0.2	0.05
Lung & bronchus	2,508	50.6	1.02	30.8	0.65	1,991	32.6	0.76	20.7	0.51
Skin	269	5.3	0.33	3.4	0.22	138	2.3	0.21	1.5	0.15
Melanomas of the skin	192	3.8	0.28	2.5	0.19	110	1.9	0.19	1.3	0.14
Breast	11	0.2	0.07	0.1	0.04	1,172	18.9	0.58	12.7	0.42
Female Genital System	-	-	-	-	-	816	13.5	0.50	9.1	0.36
Cervix uteri	-	-	-	-	-	112	2.2	0.22	1.7	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	258	4.2	0.27	2.7	0.19
Ovary	-	-	-	-	-	387	6.3	0.33	4.2	0.24
Male Genital System	939	18.4	0.61	9.3	0.32	-	-	-	-	-
Prostate	916	17.9	0.60	8.9	0.32	-	-	-	-	-
Testis	10	0.2	0.08	0.2	0.06	-	-	-	-	-
Urinary System	640	12.6	0.50	7.5	0.32	310	4.6	0.27	2.7	0.18
Bladder	306	6.1	0.35	3.1	0.19	132	1.9	0.17	1.0	0.11
Kidney & renal pelvis	314	6.1	0.35	4.2	0.25	161	2.4	0.20	1.5	0.14
Brain & Other Nervous System	287	5.9	0.36	4.3	0.27	228	3.9	0.27	2.8	0.22
Endocrine System	43	0.9	0.14	0.7	0.11	43	0.6	0.10	0.4	0.07
Thyroid gland	32	0.6	0.12	0.5	0.08	35	0.5	0.08	0.2	0.05
Lymphomas	351	7.1	0.38	4.2	0.24	327	4.8	0.28	2.7	0.18
Hodgkin Lymphoma	21	0.4	0.10	0.3	0.07	11	0.2	0.06	0.1	0.05
Non-Hodgkin Lymphoma	330	6.6	0.37	3.9	0.23	316	4.6	0.27	2.6	0.17
Multiple Myeloma	201	4.0	0.29	2.4	0.18	154	2.3	0.19	1.3	0.13
Leukemias	412	8.3	0.41	4.8	0.26	324	4.9	0.29	3.1	0.21
Other, Ill-defined & Unknown	749	14.9	0.55	9.2	0.36	629	9.4	0.40	6.0	0.28

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,738	178.2	1.60	108.5	0.99	10,838	134.8	1.31	84.5	0.86
Oral Cavity & Pharynx	259	3.4	0.22	2.3	0.15	108	1.3	0.13	0.8	0.08
Digestive System	3,589	48.9	0.83	31.2	0.53	2,391	29.5	0.61	18.2	0.39
Esophagus	525	7.0	0.31	4.6	0.20	120	1.5	0.14	0.9	0.09
Stomach	245	3.5	0.23	2.1	0.14	165	2.1	0.16	1.4	0.11
Colon & Rectum	1,335	18.6	0.52	11.5	0.32	1,006	12.5	0.40	7.5	0.25
Liver	487	6.2	0.29	4.4	0.20	231	2.8	0.19	1.8	0.12
Pancreas	829	11.3	0.40	7.2	0.25	683	8.4	0.32	5.2	0.21
Respiratory System	3,645	50.6	0.85	30.5	0.52	3,138	39.0	0.70	23.6	0.44
Larynx	112	1.5	0.14	1.0	0.09	25	0.3	0.06	0.2	0.04
Lung & bronchus	3,523	48.9	0.84	29.5	0.51	3,105	38.5	0.70	23.3	0.44
Skin	386	5.3	0.28	3.4	0.18	148	1.9	0.15	1.2	0.11
Melanomas of the skin	291	4.0	0.24	2.5	0.15	122	1.5	0.14	1.0	0.10
Breast	19	0.3	0.06	0.2	0.04	1,708	21.2	0.52	14.3	0.36
Female Genital System	-	-	-	-	-	1,027	12.8	0.40	8.7	0.28
Cervix uteri	-	-	-	-	-	161	2.1	0.17	1.6	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	253	3.1	0.20	2.1	0.14
Ovary	-	-	-	-	-	558	6.9	0.30	4.6	0.20
Male Genital System	1,231	18.7	0.54	9.6	0.28	-	-	-	-	-
Prostate	1,202	18.3	0.53	9.3	0.27	-	-	-	-	-
Testis	18	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	851	12.2	0.43	7.0	0.24	371	4.6	0.24	2.6	0.14
Bladder	507	7.6	0.34	4.0	0.18	189	2.4	0.17	1.2	0.09
Kidney & renal pelvis	328	4.5	0.25	2.9	0.16	172	2.2	0.17	1.3	0.10
Brain & Other Nervous System	369	5.0	0.26	3.5	0.19	246	3.1	0.20	2.3	0.16
Endocrine System	60	0.8	0.11	0.6	0.08	53	0.7	0.09	0.4	0.06
Thyroid gland	35	0.5	0.08	0.3	0.06	39	0.5	0.08	0.3	0.05
Lymphomas	463	6.6	0.31	4.0	0.19	301	3.8	0.22	2.2	0.13
Hodgkin Lymphoma	25	0.4	0.07	0.2	0.05	14	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	438	6.2	0.30	3.7	0.18	287	3.6	0.22	2.1	0.13
Multiple Myeloma	243	3.5	0.23	2.0	0.13	160	2.0	0.16	1.1	0.09
Leukemias	565	8.3	0.35	4.9	0.22	338	4.3	0.23	2.6	0.16
Other, Ill-defined & Unknown	1,058	14.6	0.46	9.3	0.30	849	10.6	0.37	6.5	0.24

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,922	180.9	2.22	109.2	1.37	6,285	133.0	1.74	83.4	1.17
Oral Cavity & Pharynx	142	3.4	0.29	2.4	0.21	50	1.1	0.16	0.7	0.11
Digestive System	1,817	46.4	1.11	29.4	0.71	1,371	28.2	0.79	16.8	0.50
Esophagus	350	8.8	0.48	5.8	0.32	80	1.6	0.19	1.0	0.13
Stomach	111	2.9	0.28	1.8	0.18	61	1.3	0.17	0.7	0.10
Colon & Rectum	484	12.7	0.59	7.7	0.36	593	12.0	0.52	7.0	0.33
Liver	234	5.6	0.37	3.9	0.26	61	1.3	0.17	0.8	0.12
Pancreas	469	12.1	0.57	7.6	0.36	421	8.7	0.44	5.2	0.28
Respiratory System	1,982	51.4	1.18	31.4	0.72	1,776	38.7	0.94	24.2	0.62
Larynx	49	1.3	0.19	0.8	0.12	17	0.4	0.09	0.2	0.05
Lung & bronchus	1,922	49.9	1.16	30.4	0.71	1,756	38.3	0.94	24.0	0.61
Skin	188	5.1	0.38	2.9	0.23	101	2.2	0.24	1.4	0.16
Melanomas of the skin	134	3.6	0.32	2.1	0.20	76	1.8	0.22	1.1	0.15
Breast	-	-	-	-	-	892	19.1	0.67	12.8	0.47
Female Genital System	-	-	-	-	-	649	13.9	0.57	9.1	0.39
Cervix uteri	-	-	-	-	-	58	1.4	0.19	1.0	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	210	4.5	0.32	3.0	0.22
Ovary	-	-	-	-	-	319	6.8	0.39	4.5	0.27
Male Genital System	634	17.4	0.70	8.7	0.36	-	-	-	-	-
Prostate	624	17.1	0.69	8.4	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	519	13.6	0.61	7.8	0.36	191	3.9	0.29	2.1	0.17
Bladder	290	7.8	0.46	4.1	0.25	94	1.9	0.20	0.9	0.11
Kidney & renal pelvis	219	5.6	0.38	3.6	0.25	90	1.8	0.20	1.1	0.13
Brain & Other Nervous System	226	5.8	0.40	4.3	0.31	156	3.5	0.29	2.6	0.24
Endocrine System	24	0.7	0.16	0.6	0.14	21	0.4	0.10	0.3	0.09
Thyroid gland	12	0.3	0.10	0.2	0.06	14	0.3	0.07	0.2	0.05
Lymphomas	254	6.8	0.44	4.1	0.27	195	4.0	0.30	2.3	0.19
Hodgkin Lymphoma	17	0.5	0.14	0.4	0.10	11	0.3	0.10	0.2	0.07
Non-Hodgkin Lymphoma	237	6.2	0.41	3.8	0.26	184	3.7	0.28	2.1	0.18
Multiple Myeloma	138	3.6	0.32	2.1	0.18	98	2.1	0.22	1.2	0.14
Leukemias	301	8.2	0.48	4.6	0.28	209	4.3	0.32	2.6	0.22
Other, Ill-defined & Unknown	-	-	-	-	-	576	11.6	0.51	7.2	0.36

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	41,139	175.2	0.88	105.6	0.55	41,773	131.5	0.67	83.2	0.46
Oral Cavity & Pharynx	725	3.0	0.11	2.0	0.08	323	1.0	0.06	0.6	0.04
Digestive System	11,959	50.2	0.47	31.5	0.30	9,886	30.0	0.31	18.2	0.21
Esophagus	1,562	6.5	0.17	4.2	0.11	445	1.4	0.07	0.8	0.04
Stomach	1,038	4.4	0.14	2.7	0.09	747	2.3	0.09	1.4	0.06
Colon & Rectum	3,946	16.6	0.27	10.1	0.17	3,941	11.6	0.19	6.9	0.13
Liver	1,545	6.3	0.16	4.3	0.11	606	1.9	0.08	1.2	0.06
Pancreas	2,912	12.3	0.23	7.7	0.15	3,035	9.4	0.18	5.6	0.11
Respiratory System	10,969	47.1	0.46	28.5	0.28	10,008	32.1	0.33	19.9	0.22
Larynx	428	1.8	0.09	1.2	0.06	130	0.4	0.04	0.3	0.03
Lung & bronchus	10,459	44.9	0.45	27.1	0.28	9,834	31.5	0.33	19.6	0.22
Skin	1,063	4.5	0.14	2.7	0.09	570	1.7	0.08	1.1	0.05
Melanomas of the skin	783	3.3	0.12	2.0	0.08	448	1.4	0.07	0.9	0.05
Breast	74	0.3	0.04	0.2	0.02	6,666	21.5	0.27	14.4	0.20
Female Genital System	-	-	-	-	-	4,786	15.7	0.23	10.6	0.17
Cervix uteri	-	-	-	-	-	602	2.2	0.09	1.6	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,679	5.5	0.14	3.7	0.10
Ovary	-	-	-	-	-	2,210	7.2	0.16	4.8	0.11
Male Genital System	4,014	17.2	0.27	8.8	0.15	-	-	-	-	-
Prostate	3,923	16.8	0.27	8.5	0.14	-	-	-	-	-
Testis	55	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,871	12.3	0.23	6.9	0.14	1,431	4.2	0.12	2.4	0.07
Bladder	1,719	7.4	0.18	3.8	0.10	768	2.2	0.08	1.2	0.05
Kidney & renal pelvis	1,079	4.5	0.14	2.9	0.09	615	1.9	0.08	1.1	0.05
Brain & Other Nervous System	1,099	4.7	0.14	3.4	0.11	852	2.9	0.10	2.2	0.08
Endocrine System	190	0.8	0.06	0.6	0.05	209	0.7	0.05	0.5	0.05
Thyroid gland	114	0.5	0.05	0.3	0.03	141	0.5	0.04	0.3	0.03
Lymphomas	1,608	6.9	0.18	4.0	0.11	1,377	4.2	0.12	2.5	0.08
Hodgkin Lymphoma	85	0.4	0.04	0.3	0.03	68	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,523	6.5	0.17	3.8	0.10	1,309	4.0	0.11	2.3	0.07
Multiple Myeloma	845	3.6	0.13	2.1	0.08	762	2.3	0.09	1.4	0.06
Leukemias	1,805	7.8	0.19	4.7	0.12	1,454	4.5	0.12	2.8	0.09
Other, Ill-defined & Unknown	3,917	16.7	0.27	10.2	0.17	3,449	10.6	0.19	6.6	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,221	161.7	1.70	99.5	1.09	7,884	115.1	1.33	73.5	0.91
Oral Cavity & Pharynx	197	3.4	0.24	2.3	0.17	85	1.3	0.14	0.8	0.10
Digestive System	2,814	48.3	0.92	31.6	0.62	1,939	27.9	0.65	17.2	0.43
Esophagus	336	5.8	0.32	3.8	0.21	76	1.1	0.13	0.7	0.08
Stomach	260	4.5	0.28	2.9	0.19	186	2.7	0.21	1.7	0.14
Colon & Rectum	910	15.8	0.53	9.9	0.34	722	10.2	0.39	6.2	0.26
Liver	521	8.6	0.38	6.3	0.28	180	2.6	0.20	1.6	0.13
Pancreas	586	10.1	0.42	6.5	0.28	527	7.6	0.33	4.7	0.22
Respiratory System	2,123	37.3	0.82	22.3	0.50	1,721	25.0	0.61	15.2	0.39
Larynx	90	1.5	0.16	1.0	0.11	19	0.3	0.07	0.2	0.04
Lung & bronchus	2,002	35.2	0.79	20.9	0.48	1,693	24.5	0.60	15.0	0.39
Skin	280	4.9	0.30	3.0	0.19	124	1.9	0.17	1.2	0.12
Melanomas of the skin	191	3.4	0.25	2.1	0.16	101	1.6	0.16	1.1	0.11
Breast	-	-	-	-	-	1,216	18.2	0.54	12.3	0.39
Female Genital System	-	-	-	-	-	879	13.1	0.45	8.9	0.32
Cervix uteri	-	-	-	-	-	112	1.9	0.18	1.4	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	227	3.3	0.23	2.3	0.16
Ovary	-	-	-	-	-	490	7.2	0.33	4.8	0.23
Male Genital System	1,021	18.5	0.58	9.5	0.31	-	-	-	-	-
Prostate	987	17.8	0.57	8.9	0.30	-	-	-	-	-
Testis	18	0.4	0.09	0.3	0.08	-	-	-	-	-
Urinary System	656	11.6	0.46	6.8	0.28	322	4.6	0.26	2.7	0.17
Bladder	335	6.0	0.33	3.2	0.18	122	1.7	0.16	1.0	0.10
Kidney & renal pelvis	309	5.4	0.31	3.5	0.21	190	2.7	0.20	1.7	0.13
Brain & Other Nervous System	235	4.2	0.28	3.0	0.21	185	2.9	0.22	2.1	0.17
Endocrine System	42	0.8	0.12	0.6	0.10	56	0.8	0.12	0.6	0.09
Thyroid gland	25	0.4	0.09	0.3	0.06	38	0.6	0.09	0.3	0.06
Lymphomas	337	5.9	0.33	3.6	0.21	276	4.0	0.24	2.4	0.16
Hodgkin Lymphoma	23	0.5	0.10	0.3	0.07	12	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	314	5.5	0.31	3.3	0.20	264	3.8	0.24	2.3	0.16
Multiple Myeloma	190	3.4	0.25	2.0	0.15	148	2.1	0.18	1.2	0.11
Leukemias	401	7.3	0.37	4.5	0.24	281	4.0	0.25	2.6	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	652	9.5	0.38	6.1	0.27

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	88,684	172.1	0.59	105.6	0.37	89,220	128.5	0.45	82.1	0.31
Oral Cavity & Pharynx	1,667	3.1	0.08	2.2	0.06	782	1.1	0.04	0.7	0.03
Digestive System	25,964	49.8	0.31	31.8	0.21	21,435	29.8	0.21	18.2	0.14
Esophagus	3,408	6.5	0.11	4.3	0.08	1,027	1.4	0.05	0.9	0.03
Stomach	2,508	4.9	0.10	3.0	0.06	1,796	2.6	0.06	1.6	0.04
Colon & Rectum	8,010	15.5	0.18	9.6	0.11	8,114	11.0	0.13	6.6	0.08
Liver	3,750	6.9	0.12	4.9	0.08	1,435	2.1	0.06	1.3	0.04
Pancreas	6,272	12.1	0.15	7.6	0.10	6,534	9.1	0.12	5.5	0.08
Respiratory System	24,559	47.9	0.31	29.6	0.20	21,953	32.2	0.22	20.3	0.15
Larynx	998	1.9	0.06	1.2	0.04	267	0.4	0.02	0.3	0.02
Lung & bronchus	23,406	45.7	0.30	28.1	0.19	21,608	31.7	0.22	20.0	0.15
Skin	2,093	4.1	0.09	2.5	0.06	1,194	1.7	0.05	1.0	0.03
Melanomas of the skin	1,535	3.0	0.08	1.9	0.05	923	1.3	0.05	0.9	0.03
Breast	154	0.3	0.02	0.2	0.02	13,163	19.4	0.18	13.1	0.13
Female Genital System	-	-	-	-	-	10,460	15.7	0.16	10.6	0.11
Cervix uteri	-	-	-	-	-	1,408	2.3	0.06	1.7	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	3,637	5.4	0.09	3.6	0.06
Ovary	-	-	-	-	-	4,794	7.1	0.11	4.8	0.07
Male Genital System	8,848	17.3	0.19	8.9	0.10	-	-	-	-	-
Prostate	8,624	16.9	0.18	8.5	0.10	-	-	-	-	-
Testis	107	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,885	11.4	0.15	6.5	0.09	2,981	4.0	0.08	2.3	0.05
Bladder	3,477	6.8	0.12	3.6	0.06	1,580	2.0	0.05	1.1	0.03
Kidney & renal pelvis	2,261	4.3	0.09	2.7	0.06	1,306	1.8	0.05	1.1	0.04
Brain & Other Nervous System	2,264	4.4	0.09	3.2	0.07	1,924	3.0	0.07	2.2	0.06
Endocrine System	413	0.8	0.04	0.6	0.03	497	0.7	0.03	0.5	0.03
Thyroid gland	249	0.5	0.03	0.3	0.02	355	0.5	0.03	0.3	0.02
Lymphomas	3,586	7.1	0.12	4.3	0.08	3,086	4.3	0.08	2.5	0.05
Hodgkin Lymphoma	201	0.4	0.03	0.3	0.02	173	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,385	6.6	0.12	4.0	0.07	2,913	4.0	0.08	2.3	0.05
Multiple Myeloma	1,778	3.5	0.08	2.1	0.05	1,704	2.4	0.06	1.4	0.04
Leukemias	4,020	8.0	0.13	4.9	0.08	3,073	4.4	0.08	2.8	0.06
Other, Ill-defined & Unknown	7,453	14.5	0.17	9.0	0.11	6,968	9.8	0.12	6.1	0.09

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	49,555	198.6	0.90	124.0	0.57	43,125	132.8	0.65	86.0	0.45
Oral Cavity & Pharynx	1,023	3.9	0.12	2.7	0.09	443	1.3	0.06	0.9	0.04
Digestive System	12,553	49.0	0.44	32.3	0.30	9,265	28.0	0.30	17.6	0.20
Esophagus	1,720	6.6	0.16	4.5	0.11	427	1.3	0.06	0.9	0.04
Stomach	925	3.7	0.12	2.4	0.08	690	2.1	0.08	1.3	0.05
Colon & Rectum	3,994	16.0	0.26	10.2	0.17	3,549	10.7	0.18	6.7	0.12
Liver	1,905	6.9	0.16	5.1	0.12	563	1.7	0.07	1.1	0.05
Pancreas	3,008	11.8	0.22	7.6	0.14	2,825	8.5	0.16	5.2	0.11
Respiratory System	16,676	66.0	0.52	41.7	0.33	11,754	36.4	0.34	23.5	0.23
Larynx	490	1.9	0.09	1.3	0.06	143	0.4	0.04	0.3	0.03
Lung & bronchus	16,074	63.7	0.51	40.2	0.32	11,549	35.8	0.34	23.1	0.23
Skin	1,400	5.7	0.15	3.5	0.10	650	2.0	0.08	1.3	0.06
Melanomas of the skin	978	4.0	0.13	2.5	0.08	496	1.6	0.07	1.1	0.05
Breast	75	0.3	0.03	0.2	0.02	6,501	20.4	0.26	14.1	0.19
Female Genital System	-	-	-	-	-	4,472	14.0	0.21	9.4	0.15
Cervix uteri	-	-	-	-	-	593	2.0	0.09	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,397	4.3	0.12	2.9	0.08
Ovary	-	-	-	-	-	2,163	6.7	0.15	4.4	0.10
Male Genital System	4,448	19.1	0.29	9.8	0.15	-	-	-	-	-
Prostate	4,345	18.7	0.29	9.5	0.15	-	-	-	-	-
Testis	57	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,063	12.6	0.23	7.3	0.14	1,458	4.3	0.11	2.5	0.07
Bladder	1,584	6.7	0.17	3.6	0.09	669	1.9	0.08	1.1	0.05
Kidney & renal pelvis	1,405	5.6	0.15	3.6	0.10	721	2.2	0.08	1.4	0.06
Brain & Other Nervous System	1,319	5.2	0.15	3.8	0.11	1,075	3.5	0.11	2.5	0.09
Endocrine System	212	0.9	0.06	0.6	0.05	223	0.7	0.05	0.5	0.04
Thyroid gland	128	0.5	0.05	0.3	0.03	152	0.5	0.04	0.3	0.03
Lymphomas	1,738	7.2	0.17	4.3	0.11	1,436	4.3	0.12	2.5	0.07
Hodgkin Lymphoma	100	0.4	0.04	0.3	0.03	67	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,638	6.8	0.17	4.0	0.10	1,369	4.1	0.11	2.4	0.07
Multiple Myeloma	995	4.1	0.13	2.4	0.08	983	2.9	0.09	1.7	0.06
Leukemias	1,930	8.1	0.19	4.8	0.11	1,488	4.6	0.12	2.9	0.09
Other, Ill-defined & Unknown	4,123	16.6	0.26	10.5	0.17	3,377	10.3	0.18	6.5	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,478	173.7	3.00	103.9	1.89	2,955	119.7	2.34	76.1	1.63
Oral Cavity & Pharynx	54	2.6	0.36	1.6	0.23	31	1.4	0.26	0.8	0.17
Digestive System	888	44.7	1.53	28.0	1.00	707	26.9	1.08	16.4	0.73
Esophagus	131	6.8	0.61	4.5	0.41	32	1.4	0.26	1.0	0.19
Stomach	60	3.0	0.39	1.8	0.25	49	1.9	0.29	1.2	0.20
Colon & Rectum	324	16.4	0.93	9.7	0.58	322	11.9	0.71	7.0	0.48
Liver	70	3.4	0.41	2.4	0.30	25	1.0	0.21	0.7	0.16
Pancreas	226	11.2	0.76	7.0	0.50	190	7.2	0.56	4.3	0.37
Respiratory System	994	50.1	1.62	29.9	1.01	707	30.4	1.19	19.5	0.82
Larynx	34	1.7	0.29	1.1	0.20	10	0.5	0.15	0.3	0.11
Lung & bronchus	954	48.1	1.58	28.6	0.99	693	29.8	1.18	19.0	0.81
Skin	79	4.0	0.46	2.6	0.31	44	1.8	0.30	1.2	0.22
Melanomas of the skin	58	3.0	0.40	2.0	0.28	32	1.4	0.27	1.0	0.20
Breast	-	-	-	-	-	408	16.6	0.89	11.2	0.64
Female Genital System	-	-	-	-	-	242	10.5	0.71	7.0	0.51
Cervix uteri	-	-	-	-	-	24	1.3	0.28	1.0	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	72	3.1	0.39	2.1	0.28
Ovary	-	-	-	-	-	117	5.0	0.49	3.3	0.34
Male Genital System	365	17.6	0.94	9.0	0.51	-	-	-	-	-
Prostate	356	17.1	0.92	8.6	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	246	12.1	0.79	7.1	0.49	120	4.6	0.45	2.8	0.31
Bladder	134	6.4	0.56	3.5	0.33	51	1.8	0.28	1.0	0.18
Kidney & renal pelvis	105	5.3	0.53	3.4	0.35	65	2.6	0.35	1.7	0.24
Brain & Other Nervous System	100	5.2	0.54	3.8	0.41	68	3.2	0.40	2.5	0.33
Endocrine System	-	-	-	-	-	16	0.7	0.18	0.4	0.12
Thyroid gland	-	-	-	-	-	13	0.5	0.14	0.3	0.10
Lymphomas	130	6.5	0.58	3.7	0.35	115	4.2	0.42	2.4	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	85	4.3	0.47	2.3	0.27	63	2.3	0.31	1.3	0.19
Leukemias	161	8.3	0.66	4.7	0.40	115	4.3	0.44	2.7	0.31
Other, Ill-defined & Unknown	363	17.7	0.95	10.8	0.62	319	12.8	0.77	8.0	0.53

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	65,591	202.8	0.80	126.0	0.52	60,312	144.9	0.61	93.6	0.43
Oral Cavity & Pharynx	1,264	3.7	0.11	2.7	0.08	515	1.2	0.06	0.8	0.04
Digestive System	17,195	52.5	0.41	33.8	0.27	13,181	30.6	0.28	19.0	0.19
Esophagus	2,828	8.6	0.16	5.7	0.11	678	1.6	0.06	1.0	0.04
Stomach	1,111	3.5	0.11	2.2	0.07	793	1.8	0.07	1.1	0.05
Colon & Rectum	5,870	18.2	0.24	11.2	0.15	5,446	12.4	0.18	7.6	0.12
Liver	2,091	6.0	0.13	4.3	0.10	782	1.8	0.07	1.2	0.05
Pancreas	4,049	12.4	0.20	7.9	0.13	3,959	9.3	0.15	5.8	0.10
Respiratory System	21,034	64.7	0.45	40.9	0.29	16,732	40.9	0.32	26.4	0.22
Larynx	710	2.1	0.08	1.4	0.06	208	0.5	0.04	0.4	0.03
Lung & bronchus	20,216	62.3	0.44	39.2	0.29	16,470	40.3	0.32	25.9	0.22
Skin	1,741	5.4	0.13	3.4	0.09	893	2.2	0.08	1.5	0.06
Melanomas of the skin	1,284	4.0	0.11	2.6	0.08	712	1.8	0.07	1.2	0.05
Breast	93	0.3	0.03	0.2	0.02	8,873	21.8	0.24	14.8	0.17
Female Genital System	-	-	-	-	-	6,155	15.4	0.20	10.6	0.15
Cervix uteri	-	-	-	-	-	825	2.4	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,941	4.7	0.11	3.2	0.08
Ovary	-	-	-	-	-	2,938	7.2	0.14	4.8	0.10
Male Genital System	5,654	17.9	0.24	9.2	0.13	-	-	-	-	-
Prostate	5,496	17.3	0.24	8.8	0.12	-	-	-	-	-
Testis	79	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,396	13.6	0.21	8.0	0.13	2,191	4.9	0.11	2.9	0.07
Bladder	2,535	7.9	0.16	4.3	0.09	1,017	2.2	0.07	1.2	0.04
Kidney & renal pelvis	1,756	5.4	0.13	3.6	0.09	1,096	2.6	0.08	1.7	0.06
Brain & Other Nervous System	1,707	5.3	0.13	4.0	0.10	1,296	3.4	0.10	2.5	0.08
Endocrine System	231	0.7	0.05	0.5	0.04	276	0.7	0.04	0.5	0.03
Thyroid gland	153	0.5	0.04	0.3	0.02	188	0.4	0.03	0.3	0.02
Lymphomas	2,599	8.2	0.16	4.9	0.10	2,135	4.9	0.11	2.9	0.07
Hodgkin Lymphoma	143	0.5	0.04	0.3	0.03	93	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,456	7.8	0.16	4.6	0.10	2,042	4.6	0.11	2.7	0.07
Multiple Myeloma	1,325	4.1	0.11	2.4	0.07	1,187	2.7	0.08	1.6	0.05
Leukemias	2,719	8.7	0.17	5.1	0.11	2,088	4.9	0.11	3.1	0.08
Other, Ill-defined & Unknown	5,633	17.5	0.24	10.8	0.15	4,790	11.2	0.17	7.1	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	21,424	210.8	1.46	133.1	0.95	18,417	147.7	1.11	96.7	0.78
Oral Cavity & Pharynx	449	4.2	0.20	3.0	0.15	156	1.2	0.10	0.8	0.07
Digestive System	5,393	52.4	0.72	34.7	0.49	3,891	30.4	0.50	19.4	0.34
Esophagus	781	7.5	0.27	5.2	0.19	167	1.3	0.10	0.9	0.07
Stomach	401	4.0	0.20	2.5	0.13	214	1.7	0.12	1.1	0.08
Colon & Rectum	1,934	19.1	0.44	12.2	0.29	1,638	12.7	0.32	8.2	0.22
Liver	806	7.4	0.26	5.4	0.20	346	2.7	0.15	1.8	0.10
Pancreas	1,188	11.6	0.34	7.5	0.23	1,175	9.2	0.27	5.7	0.18
Respiratory System	7,068	69.0	0.83	43.7	0.54	5,348	43.0	0.60	28.0	0.41
Larynx	176	1.7	0.13	1.2	0.09	38	0.3	0.05	0.2	0.04
Lung & bronchus	6,858	67.0	0.82	42.3	0.53	5,288	42.5	0.59	27.7	0.41
Skin	622	6.2	0.25	3.9	0.16	260	2.1	0.13	1.4	0.09
Melanomas of the skin	438	4.4	0.21	2.8	0.14	203	1.7	0.12	1.1	0.09
Breast	23	0.2	0.05	0.1	0.03	2,696	22.1	0.44	15.2	0.32
Female Genital System	-	-	-	-	-	1,835	15.3	0.37	10.5	0.27
Cervix uteri	-	-	-	-	-	295	2.9	0.17	2.2	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	448	3.6	0.18	2.5	0.13
Ovary	-	-	-	-	-	974	7.9	0.26	5.2	0.18
Male Genital System	1,837	18.8	0.44	9.8	0.24	-	-	-	-	-
Prostate	1,776	18.1	0.43	9.3	0.23	-	-	-	-	-
Testis	38	0.4	0.07	0.4	0.06	-	-	-	-	-
Urinary System	1,471	14.6	0.38	8.9	0.24	683	5.3	0.21	3.3	0.14
Bladder	696	7.1	0.27	3.9	0.15	271	2.1	0.13	1.2	0.08
Kidney & renal pelvis	746	7.2	0.27	4.8	0.18	388	3.0	0.16	2.0	0.11
Brain & Other Nervous System	551	5.4	0.23	4.0	0.18	427	3.6	0.18	2.6	0.14
Endocrine System	80	0.8	0.09	0.6	0.07	81	0.7	0.08	0.5	0.06
Thyroid gland	51	0.5	0.07	0.3	0.05	53	0.4	0.06	0.2	0.04
Lymphomas	804	8.1	0.29	4.9	0.18	627	4.9	0.20	2.9	0.13
Hodgkin Lymphoma	44	0.4	0.07	0.3	0.05	40	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	760	7.6	0.28	4.6	0.18	587	4.6	0.19	2.6	0.12
Multiple Myeloma	409	4.1	0.20	2.4	0.12	316	2.4	0.14	1.4	0.09
Leukemias	961	9.7	0.31	5.9	0.20	681	5.4	0.21	3.4	0.15
Other, Ill-defined & Unknown	1,756	17.3	0.42	11.1	0.28	1,416	11.4	0.31	7.4	0.22

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,381	180.0	1.28	110.0	0.81	18,553	135.8	1.03	85.9	0.70
Oral Cavity & Pharynx	398	3.4	0.17	2.3	0.12	183	1.3	0.10	0.8	0.07
Digestive System	5,574	48.5	0.66	31.4	0.44	4,092	29.3	0.48	18.2	0.32
Esophagus	829	7.3	0.26	4.7	0.17	224	1.6	0.11	1.0	0.07
Stomach	371	3.3	0.18	2.2	0.12	241	1.8	0.12	1.2	0.09
Colon & Rectum	1,703	15.1	0.37	9.3	0.24	1,568	11.1	0.29	6.7	0.19
Liver	870	7.0	0.24	5.3	0.18	275	1.9	0.12	1.3	0.08
Pancreas	1,336	11.6	0.32	7.4	0.21	1,221	8.9	0.26	5.4	0.17
Respiratory System	5,478	48.6	0.67	29.4	0.41	4,986	36.9	0.54	22.6	0.35
Larynx	138	1.2	0.10	0.8	0.07	29	0.2	0.04	0.1	0.03
Lung & bronchus	5,291	46.9	0.65	28.4	0.40	4,930	36.5	0.53	22.4	0.34
Skin	636	5.6	0.23	3.5	0.15	311	2.4	0.14	1.6	0.10
Melanomas of the skin	464	4.1	0.19	2.7	0.13	246	1.9	0.13	1.3	0.09
Breast	20	0.2	0.04	0.1	0.02	2,623	19.7	0.40	13.4	0.29
Female Genital System	-	-	-	-	-	2,070	15.6	0.36	10.4	0.25
Cervix uteri	-	-	-	-	-	208	1.8	0.13	1.4	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	574	4.3	0.18	2.8	0.13
Ovary	-	-	-	-	-	1,133	8.4	0.26	5.6	0.18
Male Genital System	2,087	18.5	0.41	9.4	0.22	-	-	-	-	-
Prostate	2,056	18.2	0.41	9.2	0.21	-	-	-	-	-
Testis	13	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,419	12.5	0.34	7.1	0.20	607	4.1	0.17	2.4	0.11
Bladder	785	7.0	0.25	3.7	0.14	276	1.8	0.11	0.9	0.06
Kidney & renal pelvis	598	5.2	0.22	3.3	0.14	312	2.2	0.13	1.4	0.09
Brain & Other Nervous System	669	6.0	0.24	4.5	0.18	488	3.9	0.19	2.8	0.14
Endocrine System	98	0.9	0.09	0.7	0.08	83	0.6	0.07	0.4	0.05
Thyroid gland	65	0.6	0.07	0.3	0.04	56	0.4	0.06	0.3	0.04
Lymphomas	881	7.9	0.27	4.6	0.16	682	4.6	0.19	2.7	0.12
Hodgkin Lymphoma	54	0.5	0.07	0.3	0.05	29	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	827	7.4	0.26	4.3	0.16	653	4.4	0.18	2.5	0.11
Multiple Myeloma	464	4.2	0.20	2.4	0.12	347	2.4	0.13	1.4	0.08
Leukemias	896	8.1	0.28	4.9	0.18	614	4.4	0.19	2.7	0.13
Other, Ill-defined & Unknown	1,761	15.6	0.38	9.6	0.24	1,467	10.5	0.29	6.4	0.19

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	74,194	194.0	0.72	119.5	0.47	69,863	139.2	0.56	89.1	0.39
Oral Cavity & Pharynx	1,237	3.2	0.09	2.2	0.06	565	1.1	0.05	0.7	0.03
Digestive System	20,082	52.2	0.37	33.5	0.25	16,030	30.5	0.25	18.7	0.17
Esophagus	3,127	8.1	0.15	5.4	0.10	830	1.6	0.06	1.0	0.04
Stomach	1,420	3.8	0.10	2.3	0.07	959	1.8	0.06	1.1	0.04
Colon & Rectum	6,604	17.3	0.22	10.7	0.14	6,613	12.3	0.16	7.4	0.11
Liver	2,613	6.5	0.13	4.6	0.09	954	1.9	0.06	1.2	0.05
Pancreas	4,859	12.7	0.19	8.1	0.12	4,838	9.3	0.14	5.7	0.09
Respiratory System	21,852	57.3	0.39	35.6	0.25	17,440	35.5	0.28	22.8	0.19
Larynx	713	1.8	0.07	1.2	0.05	208	0.4	0.03	0.3	0.02
Lung & bronchus	21,014	55.1	0.38	34.2	0.25	17,143	34.9	0.28	22.4	0.19
Skin	1,941	5.1	0.12	3.2	0.08	1,073	2.2	0.07	1.4	0.05
Melanomas of the skin	1,449	3.8	0.10	2.4	0.07	844	1.8	0.07	1.2	0.05
Breast	96	0.2	0.03	0.2	0.02	10,108	20.9	0.22	14.1	0.16
Female Genital System	-	-	-	-	-	7,522	15.7	0.19	10.6	0.14
Cervix uteri	-	-	-	-	-	834	2.1	0.08	1.6	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,496	5.1	0.11	3.3	0.07
Ovary	-	-	-	-	-	3,604	7.5	0.13	4.9	0.09
Male Genital System	6,830	17.6	0.22	9.0	0.12	-	-	-	-	-
Prostate	6,668	17.1	0.21	8.7	0.11	-	-	-	-	-
Testis	79	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	5,002	13.0	0.19	7.5	0.11	2,528	4.6	0.10	2.7	0.06
Bladder	2,930	7.6	0.14	4.1	0.08	1,201	2.1	0.06	1.2	0.04
Kidney & renal pelvis	1,939	5.1	0.12	3.3	0.08	1,233	2.4	0.07	1.5	0.05
Brain & Other Nervous System	1,820	4.9	0.12	3.7	0.09	1,480	3.4	0.09	2.5	0.08
Endocrine System	285	0.8	0.05	0.6	0.04	353	0.7	0.04	0.5	0.04
Thyroid gland	187	0.5	0.04	0.3	0.02	245	0.5	0.03	0.3	0.02
Lymphomas	3,004	7.9	0.15	4.7	0.09	2,522	4.7	0.10	2.7	0.06
Hodgkin Lymphoma	131	0.4	0.03	0.3	0.02	122	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,873	7.5	0.14	4.5	0.09	2,400	4.4	0.10	2.5	0.06
Multiple Myeloma	1,438	3.8	0.10	2.2	0.06	1,323	2.5	0.07	1.5	0.05
Leukemias	3,244	8.6	0.15	5.2	0.10	2,560	5.0	0.11	3.1	0.08
Other, Ill-defined & Unknown	7,363	19.3	0.23	11.9	0.15	6,359	12.3	0.16	7.7	0.11

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,731	191.9	2.59	116.4	1.64	5,421	133.3	1.92	84.1	1.32
Oral Cavity & Pharynx	78	2.5	0.29	1.7	0.20	45	1.1	0.18	0.7	0.12
Digestive System	1,540	51.2	1.33	32.5	0.87	1,247	29.1	0.88	17.5	0.58
Esophagus	237	8.0	0.53	5.2	0.35	62	1.4	0.19	0.8	0.13
Stomach	135	4.4	0.39	2.7	0.25	105	2.4	0.25	1.4	0.16
Colon & Rectum	443	14.9	0.72	8.9	0.45	519	11.6	0.55	6.9	0.36
Liver	231	7.3	0.49	5.2	0.36	64	1.7	0.22	1.1	0.15
Pancreas	350	11.7	0.64	7.4	0.41	348	8.4	0.48	5.0	0.31
Respiratory System	1,679	57.0	1.42	34.9	0.90	1,546	39.9	1.06	25.2	0.71
Larynx	55	1.8	0.24	1.1	0.16	19	0.6	0.13	0.4	0.09
Lung & bronchus	1,614	54.9	1.39	33.5	0.88	1,523	39.2	1.05	24.7	0.71
Skin	141	4.7	0.40	2.9	0.26	98	2.3	0.25	1.5	0.17
Melanomas of the skin	99	3.2	0.33	2.0	0.22	73	1.9	0.23	1.3	0.16
Breast	14	0.5	0.13	0.2	0.07	690	17.8	0.72	12.1	0.52
Female Genital System	-	-	-	-	-	511	13.0	0.61	8.6	0.43
Cervix uteri	-	-	-	-	-	41	1.2	0.21	1.0	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	180	4.4	0.34	2.8	0.24
Ovary	-	-	-	-	-	246	6.3	0.42	4.1	0.29
Male Genital System	539	17.4	0.76	8.8	0.41	-	-	-	-	-
Prostate	528	17.0	0.75	8.5	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	416	13.6	0.68	7.8	0.41	186	4.2	0.33	2.5	0.22
Bladder	241	7.9	0.52	4.3	0.30	108	2.4	0.25	1.3	0.15
Kidney & renal pelvis	167	5.4	0.43	3.4	0.28	72	1.7	0.21	1.1	0.16
Brain & Other Nervous System	151	5.3	0.44	3.8	0.33	116	3.3	0.32	2.4	0.25
Endocrine System	29	1.1	0.20	0.7	0.15	24	0.6	0.14	0.4	0.10
Thyroid gland	20	0.7	0.16	0.4	0.10	14	0.4	0.10	0.2	0.07
Lymphomas	199	6.8	0.49	4.2	0.32	205	4.5	0.34	2.5	0.21
Hodgkin Lymphoma	14	0.5	0.13	0.4	0.10	10	0.3	0.11	0.2	0.08
Non-Hodgkin Lymphoma	185	6.3	0.48	3.8	0.30	195	4.2	0.32	2.3	0.20
Multiple Myeloma	95	3.3	0.34	1.8	0.20	100	2.2	0.24	1.3	0.15
Leukemias	238	8.2	0.54	4.9	0.35	184	4.3	0.34	2.6	0.26
Other, Ill-defined & Unknown	612	20.4	0.84	12.2	0.53	469	11.0	0.54	6.8	0.38

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,256	205.7	1.29	129.4	0.82	22,046	136.2	0.94	88.6	0.65
Oral Cavity & Pharynx	601	4.4	0.18	3.2	0.13	220	1.4	0.10	0.9	0.07
Digestive System	6,793	52.0	0.64	34.6	0.43	4,946	30.0	0.44	18.9	0.29
Esophagus	906	6.8	0.23	4.7	0.16	249	1.5	0.10	1.0	0.07
Stomach	656	5.1	0.20	3.4	0.14	373	2.3	0.13	1.5	0.08
Colon & Rectum	2,226	17.4	0.38	11.3	0.25	1,971	11.9	0.27	7.6	0.19
Liver	961	6.9	0.23	5.1	0.17	318	1.9	0.11	1.3	0.08
Pancreas	1,573	12.2	0.31	7.8	0.20	1,480	8.9	0.24	5.4	0.15
Respiratory System	8,541	65.4	0.72	41.8	0.46	5,883	36.1	0.48	23.5	0.32
Larynx	319	2.3	0.13	1.6	0.09	57	0.4	0.05	0.3	0.04
Lung & bronchus	8,179	62.7	0.70	39.9	0.45	5,798	35.6	0.47	23.1	0.32
Skin	702	5.6	0.22	3.5	0.14	324	2.0	0.11	1.3	0.08
Melanomas of the skin	473	3.8	0.18	2.4	0.12	253	1.6	0.10	1.1	0.07
Breast	40	0.3	0.05	0.2	0.03	3,393	21.4	0.38	14.8	0.27
Female Genital System	-	-	-	-	-	2,305	14.7	0.31	9.8	0.22
Cervix uteri	-	-	-	-	-	351	2.5	0.14	1.9	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	714	4.4	0.17	2.9	0.12
Ovary	-	-	-	-	-	1,082	6.8	0.21	4.4	0.14
Male Genital System	2,416	20.6	0.42	10.6	0.22	-	-	-	-	-
Prostate	2,374	20.2	0.42	10.3	0.22	-	-	-	-	-
Testis	25	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,521	12.3	0.32	7.2	0.19	729	4.3	0.16	2.6	0.11
Bladder	762	6.3	0.23	3.4	0.13	343	2.0	0.11	1.1	0.07
Kidney & renal pelvis	732	5.7	0.22	3.6	0.14	351	2.1	0.12	1.4	0.08
Brain & Other Nervous System	703	5.5	0.21	3.9	0.16	492	3.2	0.15	2.3	0.12
Endocrine System	110	0.9	0.08	0.6	0.06	99	0.6	0.07	0.5	0.05
Thyroid gland	63	0.5	0.06	0.3	0.04	61	0.4	0.05	0.2	0.03
Lymphomas	855	7.0	0.24	4.2	0.15	677	4.1	0.16	2.4	0.10
Hodgkin Lymphoma	52	0.4	0.06	0.3	0.05	26	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	803	6.6	0.24	3.9	0.14	651	3.9	0.16	2.3	0.10
Multiple Myeloma	556	4.5	0.19	2.6	0.11	530	3.2	0.14	1.9	0.09
Leukemias	1,020	8.4	0.27	5.1	0.17	721	4.5	0.17	2.9	0.13
Other, Ill-defined & Unknown	2,398	18.8	0.39	12.0	0.25	1,727	10.6	0.26	6.8	0.18

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,384	180.3	2.77	110.1	1.78	3,841	128.2	2.19	80.2	1.51
Oral Cavity & Pharynx	78	3.2	0.37	2.2	0.26	32	1.1	0.22	0.8	0.16
Digestive System	1,167	47.9	1.43	30.6	0.95	907	28.7	1.01	17.0	0.67
Esophagus	189	7.8	0.57	5.0	0.38	43	1.3	0.21	0.8	0.14
Stomach	65	2.8	0.35	1.8	0.24	56	1.7	0.24	1.0	0.15
Colon & Rectum	441	18.1	0.88	11.1	0.57	379	11.5	0.63	6.7	0.42
Liver	115	4.6	0.44	3.3	0.32	51	1.7	0.25	1.0	0.17
Pancreas	266	11.0	0.68	7.2	0.46	260	8.3	0.55	5.0	0.37
Respiratory System	1,275	52.6	1.49	31.6	0.93	952	33.4	1.12	20.9	0.76
Larynx	27	1.2	0.23	0.7	0.14	-	-	-	-	-
Lung & bronchus	1,242	51.2	1.47	30.8	0.92	944	33.1	1.12	20.7	0.75
Skin	109	4.6	0.45	2.9	0.30	63	2.1	0.29	1.4	0.21
Melanomas of the skin	69	3.0	0.37	2.0	0.26	48	1.7	0.27	1.2	0.20
Breast	-	-	-	-	-	547	18.8	0.86	12.6	0.62
Female Genital System	-	-	-	-	-	381	13.0	0.70	8.5	0.50
Cervix uteri	-	-	-	-	-	38	1.6	0.27	1.2	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	122	4.1	0.39	2.6	0.27
Ovary	-	-	-	-	-	188	6.3	0.48	4.0	0.33
Male Genital System	422	17.1	0.84	8.7	0.45	-	-	-	-	-
Prostate	417	16.9	0.84	8.6	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	296	11.9	0.70	7.1	0.44	147	4.6	0.40	2.6	0.26
Bladder	151	6.0	0.50	3.2	0.27	49	1.4	0.23	0.8	0.14
Kidney & renal pelvis	137	5.5	0.48	3.7	0.33	88	2.9	0.32	1.7	0.21
Brain & Other Nervous System	156	6.4	0.52	4.7	0.41	108	4.0	0.40	2.9	0.32
Endocrine System	19	0.7	0.17	0.6	0.14	24	0.9	0.19	0.6	0.14
Thyroid gland	11	0.4	0.14	0.3	0.08	16	0.6	0.15	0.3	0.09
Lymphomas	174	7.0	0.54	4.2	0.34	133	4.0	0.37	2.3	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	89	3.7	0.39	2.1	0.24	85	2.5	0.29	1.5	0.19
Leukemias	242	10.5	0.69	6.4	0.46	167	5.5	0.45	3.4	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	295	9.6	0.60	5.9	0.41

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,540	218.9	1.15	138.4	0.74	31,505	144.2	0.83	94.6	0.58
Oral Cavity & Pharynx	857	4.8	0.17	3.4	0.12	319	1.4	0.08	0.9	0.06
Digestive System	9,280	52.9	0.56	35.0	0.37	6,863	30.8	0.38	19.6	0.26
Esophagus	1,296	7.2	0.20	5.0	0.14	274	1.2	0.07	0.8	0.05
Stomach	677	4.0	0.16	2.6	0.10	428	2.0	0.10	1.3	0.07
Colon & Rectum	3,169	18.6	0.34	11.7	0.21	2,862	12.8	0.25	8.0	0.17
Liver	1,444	7.7	0.21	5.6	0.15	506	2.3	0.10	1.5	0.07
Pancreas	2,065	11.8	0.26	7.7	0.17	2,068	9.3	0.21	5.9	0.14
Respiratory System	13,293	76.3	0.67	48.8	0.43	9,172	42.2	0.45	27.8	0.31
Larynx	401	2.2	0.11	1.5	0.08	102	0.5	0.05	0.3	0.04
Lung & bronchus	12,821	73.6	0.66	47.0	0.42	9,023	41.5	0.44	27.4	0.31
Skin	1,157	6.9	0.21	4.3	0.13	462	2.1	0.10	1.4	0.07
Melanomas of the skin	784	4.7	0.17	2.9	0.11	338	1.6	0.09	1.1	0.07
Breast	51	0.3	0.04	0.2	0.03	4,500	20.9	0.32	14.4	0.23
Female Genital System	-	-	-	-	-	3,106	14.6	0.27	9.9	0.19
Cervix uteri	-	-	-	-	-	507	2.6	0.12	2.0	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	811	3.7	0.13	2.5	0.09
Ovary	-	-	-	-	-	1,563	7.3	0.19	4.8	0.13
Male Genital System	2,929	18.4	0.34	9.6	0.18	-	-	-	-	-
Prostate	2,857	18.0	0.34	9.3	0.18	-	-	-	-	-
Testis	29	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,172	12.9	0.28	7.7	0.17	990	4.4	0.14	2.6	0.09
Bladder	1,090	6.7	0.21	3.7	0.11	424	1.8	0.09	1.0	0.06
Kidney & renal pelvis	1,038	6.0	0.19	3.9	0.12	535	2.4	0.11	1.5	0.07
Brain & Other Nervous System	965	5.6	0.18	4.2	0.14	774	3.7	0.14	2.7	0.11
Endocrine System	121	0.7	0.07	0.5	0.05	133	0.7	0.06	0.5	0.05
Thyroid gland	72	0.4	0.05	0.3	0.03	76	0.4	0.04	0.2	0.03
Lymphomas	1,353	8.2	0.23	5.0	0.14	1,037	4.6	0.15	2.7	0.10
Hodgkin Lymphoma	86	0.5	0.06	0.4	0.04	52	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,267	7.7	0.22	4.6	0.13	985	4.4	0.14	2.5	0.09
Multiple Myeloma	733	4.4	0.16	2.6	0.10	604	2.7	0.11	1.6	0.07
Leukemias	1,524	9.3	0.24	5.6	0.15	1,092	4.9	0.15	3.1	0.11
Other, Ill-defined & Unknown	3,105	18.2	0.33	11.6	0.22	2,453	11.2	0.23	7.3	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	101,756	180.1	0.58	111.9	0.36	87,713	124.2	0.43	80.2	0.29
Oral Cavity & Pharynx	2,348	3.9	0.08	2.7	0.06	889	1.2	0.04	0.8	0.03
Digestive System	29,956	51.1	0.30	33.6	0.20	20,895	29.2	0.21	18.4	0.14
Esophagus	3,273	5.6	0.10	3.7	0.07	756	1.0	0.04	0.6	0.03
Stomach	2,618	4.5	0.09	2.9	0.06	1,764	2.5	0.06	1.6	0.04
Colon & Rectum	9,746	16.9	0.17	10.8	0.11	7,911	10.9	0.13	6.9	0.08
Liver	6,020	9.6	0.13	6.9	0.09	2,232	3.1	0.07	2.0	0.04
Pancreas	6,243	10.9	0.14	6.9	0.09	5,878	8.3	0.11	5.0	0.07
Respiratory System	28,509	50.9	0.31	31.3	0.19	21,042	30.2	0.21	18.9	0.14
Larynx	1,095	1.9	0.06	1.2	0.04	226	0.3	0.02	0.2	0.01
Lung & bronchus	27,193	48.6	0.30	29.8	0.18	20,693	29.7	0.21	18.6	0.14
Skin	2,876	5.1	0.10	3.1	0.06	1,177	1.6	0.05	1.1	0.03
Melanomas of the skin	1,879	3.3	0.08	2.1	0.05	870	1.2	0.04	0.8	0.03
Breast	128	0.2	0.02	0.1	0.01	13,607	19.2	0.17	13.2	0.12
Female Genital System	-	-	-	-	-	9,522	13.7	0.14	9.4	0.10
Cervix uteri	-	-	-	-	-	1,832	2.7	0.07	2.1	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,596	3.7	0.07	2.5	0.05
Ovary	-	-	-	-	-	4,474	6.4	0.10	4.2	0.07
Male Genital System	8,717	16.7	0.18	8.7	0.10	-	-	-	-	-
Prostate	8,396	16.2	0.18	8.3	0.09	-	-	-	-	-
Testis	178	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	6,624	11.9	0.15	7.1	0.09	3,104	4.3	0.08	2.6	0.05
Bladder	3,017	5.7	0.10	3.1	0.06	1,140	1.6	0.05	0.8	0.03
Kidney & renal pelvis	3,466	6.0	0.10	3.9	0.07	1,882	2.6	0.06	1.6	0.04
Brain & Other Nervous System	2,841	4.7	0.09	3.5	0.07	2,229	3.2	0.07	2.4	0.05
Endocrine System	503	0.9	0.04	0.6	0.03	498	0.7	0.03	0.5	0.02
Thyroid gland	307	0.5	0.03	0.3	0.02	330	0.5	0.03	0.3	0.02
Lymphomas	3,960	7.2	0.12	4.3	0.07	3,050	4.3	0.08	2.5	0.05
Hodgkin Lymphoma	278	0.5	0.03	0.3	0.02	179	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,682	6.7	0.11	4.0	0.07	2,871	4.0	0.08	2.3	0.05
Multiple Myeloma	2,078	3.8	0.08	2.2	0.05	1,702	2.4	0.06	1.4	0.04
Leukemias	4,473	8.2	0.12	5.0	0.08	3,340	4.7	0.08	3.0	0.06
Other, Ill-defined & Unknown	8,743	15.4	0.17	9.7	0.11	6,658	9.4	0.12	6.0	0.08

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,692	138.1	1.59	83.5	0.99	6,753	103.1	1.27	65.3	0.85
Oral Cavity & Pharynx	124	2.2	0.20	1.4	0.13	71	1.1	0.13	0.7	0.09
Digestive System	2,140	37.7	0.83	24.4	0.54	1,584	24.2	0.62	14.9	0.40
Esophagus	303	5.3	0.31	3.5	0.21	64	1.0	0.13	0.7	0.09
Stomach	133	2.4	0.21	1.5	0.13	94	1.4	0.15	0.9	0.10
Colon & Rectum	680	12.1	0.47	7.6	0.30	585	8.9	0.38	5.4	0.24
Liver	276	4.6	0.28	3.3	0.20	121	1.9	0.17	1.1	0.11
Pancreas	596	10.6	0.44	6.7	0.28	524	8.0	0.36	5.0	0.23
Respiratory System	1,310	23.6	0.66	14.6	0.42	986	15.4	0.50	9.7	0.33
Larynx	30	0.5	0.10	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,271	22.9	0.65	14.1	0.41	970	15.1	0.49	9.5	0.32
Skin	373	6.6	0.34	4.1	0.22	133	2.0	0.18	1.3	0.12
Melanomas of the skin	296	5.2	0.30	3.3	0.20	119	1.8	0.17	1.2	0.12
Breast	11	0.2	0.06	0.1	0.04	1,268	19.4	0.55	12.9	0.39
Female Genital System	-	-	-	-	-	836	12.9	0.45	8.6	0.31
Cervix uteri	-	-	-	-	-	84	1.3	0.14	1.0	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	251	3.9	0.25	2.5	0.17
Ovary	-	-	-	-	-	465	7.2	0.34	4.7	0.23
Male Genital System	1,023	19.3	0.61	9.6	0.31	-	-	-	-	-
Prostate	1,007	19.0	0.60	9.4	0.31	-	-	-	-	-
Testis	10	0.2	0.05	0.1	0.04	-	-	-	-	-
Urinary System	597	10.9	0.45	6.2	0.26	250	3.7	0.24	2.1	0.14
Bladder	309	5.8	0.33	2.9	0.17	103	1.5	0.15	0.8	0.08
Kidney & renal pelvis	275	4.9	0.30	3.1	0.19	138	2.1	0.18	1.3	0.11
Brain & Other Nervous System	316	5.3	0.30	3.9	0.22	227	3.4	0.23	2.7	0.18
Endocrine System	52	0.9	0.13	0.6	0.08	39	0.6	0.10	0.4	0.07
Thyroid gland	35	0.6	0.11	0.4	0.07	27	0.4	0.08	0.3	0.05
Lymphomas	349	6.4	0.35	3.6	0.20	288	4.3	0.26	2.3	0.15
Hodgkin Lymphoma	20	0.3	0.08	0.2	0.05	10	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	329	6.1	0.34	3.4	0.19	278	4.1	0.25	2.2	0.15
Multiple Myeloma	214	4.0	0.27	2.2	0.16	146	2.2	0.19	1.2	0.11
Leukemias	407	7.3	0.37	4.3	0.22	310	4.7	0.27	2.9	0.18
Other, Ill-defined & Unknown	776	13.8	0.50	8.4	0.31	615	9.2	0.38	5.6	0.24

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,542	186.4	3.20	113.7	2.01	3,219	135.9	2.50	84.9	1.67
Oral Cavity & Pharynx	80	4.1	0.47	2.9	0.34	36	1.5	0.25	0.9	0.16
Digestive System	920	47.6	1.60	29.9	1.02	703	28.8	1.13	16.9	0.72
Esophagus	162	8.3	0.66	5.3	0.43	46	2.0	0.31	1.1	0.19
Stomach	68	3.5	0.43	2.1	0.27	32	1.3	0.24	0.8	0.15
Colon & Rectum	274	14.5	0.90	8.9	0.56	288	11.2	0.69	6.4	0.43
Liver	101	4.9	0.50	3.3	0.33	24	1.0	0.21	0.7	0.16
Pancreas	226	11.8	0.80	7.4	0.51	217	9.3	0.65	5.5	0.41
Respiratory System	1,025	53.1	1.69	32.8	1.06	909	39.5	1.35	24.7	0.89
Larynx	37	1.9	0.31	1.2	0.21	10	0.5	0.15	0.3	0.08
Lung & bronchus	979	50.7	1.65	31.2	1.03	895	38.8	1.34	24.3	0.88
Skin	93	4.9	0.51	3.1	0.34	-	-	-	-	-
Melanomas of the skin	60	3.2	0.42	2.1	0.28	43	1.9	0.31	1.3	0.23
Breast	-	-	-	-	-	407	17.4	0.91	11.6	0.64
Female Genital System	-	-	-	-	-	360	15.4	0.84	10.3	0.60
Cervix uteri	-	-	-	-	-	23	1.1	0.25	0.9	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	127	5.4	0.49	3.8	0.36
Ovary	-	-	-	-	-	173	7.5	0.59	4.8	0.41
Male Genital System	348	18.8	1.02	9.5	0.53	-	-	-	-	-
Prostate	338	18.2	1.00	9.1	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	242	12.9	0.84	7.4	0.50	117	4.8	0.46	2.7	0.28
Bladder	150	8.1	0.67	4.4	0.37	70	2.9	0.36	1.6	0.21
Kidney & renal pelvis	86	4.5	0.49	2.9	0.32	45	1.8	0.28	1.1	0.18
Brain & Other Nervous System	132	6.9	0.63	5.3	0.51	86	4.1	0.47	3.0	0.35
Endocrine System	14	0.8	0.22	0.6	0.19	17	0.6	0.16	0.5	0.14
Thyroid gland	-	-	-	-	-	12	0.5	0.13	0.3	0.11
Lymphomas	149	8.1	0.68	4.8	0.41	106	4.3	0.45	2.6	0.28
Hodgkin Lymphoma	12	0.8	0.23	0.5	0.17	-	-	-	-	-
Non-Hodgkin Lymphoma	137	7.3	0.64	4.2	0.38	-	-	-	-	-
Multiple Myeloma	72	3.7	0.44	2.2	0.27	46	1.8	0.28	1.1	0.19
Leukemias	153	8.5	0.70	4.8	0.41	106	4.3	0.45	2.5	0.29
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2010-2014, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,687	185.6	0.97	113.9	0.60	34,222	131.6	0.73	83.9	0.49
Oral Cavity & Pharynx	747	3.4	0.13	2.4	0.09	320	1.2	0.07	0.7	0.05
Digestive System	10,038	48.2	0.49	31.0	0.32	7,531	28.5	0.34	17.6	0.22
Esophagus	1,436	6.8	0.18	4.5	0.12	370	1.4	0.08	0.9	0.05
Stomach	783	3.8	0.14	2.4	0.09	525	2.0	0.09	1.3	0.06
Colon & Rectum	3,209	15.7	0.28	9.8	0.18	2,911	10.9	0.21	6.6	0.14
Liver	1,410	6.3	0.17	4.5	0.12	490	1.8	0.09	1.2	0.06
Pancreas	2,456	12.0	0.25	7.5	0.15	2,301	8.7	0.19	5.4	0.12
Respiratory System	11,392	55.6	0.53	34.5	0.33	8,935	34.7	0.37	21.8	0.25
Larynx	371	1.8	0.09	1.1	0.06	80	0.3	0.04	0.2	0.03
Lung & bronchus	10,961	53.5	0.52	33.2	0.32	8,805	34.2	0.37	21.4	0.24
Skin	1,055	5.3	0.16	3.2	0.10	505	1.9	0.09	1.2	0.06
Melanomas of the skin	789	3.9	0.14	2.4	0.09	405	1.6	0.08	1.0	0.06
Breast	70	0.3	0.04	0.2	0.03	5,344	20.7	0.29	14.2	0.21
Female Genital System	-	-	-	-	-	3,610	14.2	0.24	9.4	0.17
Cervix uteri	-	-	-	-	-	399	1.7	0.09	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,149	4.5	0.14	3.0	0.09
Ovary	-	-	-	-	-	1,849	7.1	0.17	4.6	0.11
Male Genital System	3,494	18.5	0.32	9.3	0.16	-	-	-	-	-
Prostate	3,422	18.1	0.31	9.1	0.16	-	-	-	-	-
Testis	35	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	2,366	11.9	0.25	6.9	0.15	1,125	4.2	0.13	2.4	0.08
Bladder	1,262	6.5	0.19	3.5	0.10	539	2.0	0.09	1.1	0.05
Kidney & renal pelvis	1,039	5.0	0.16	3.2	0.10	543	2.1	0.09	1.2	0.06
Brain & Other Nervous System	950	4.5	0.15	3.3	0.11	839	3.4	0.12	2.6	0.10
Endocrine System	178	0.9	0.07	0.6	0.05	162	0.6	0.05	0.5	0.04
Thyroid gland	102	0.5	0.05	0.3	0.03	108	0.4	0.04	0.3	0.03
Lymphomas	1,430	7.2	0.19	4.3	0.12	1,103	4.2	0.13	2.5	0.08
Hodgkin Lymphoma	86	0.4	0.05	0.3	0.03	52	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,344	6.8	0.19	4.0	0.11	1,051	4.0	0.13	2.3	0.08
Multiple Myeloma	827	4.1	0.15	2.4	0.09	694	2.6	0.10	1.5	0.06
Leukemias	1,532	7.8	0.20	4.8	0.13	1,089	4.2	0.13	2.6	0.09
Other, Ill-defined & Unknown	3,608	17.8	0.30	11.0	0.19	2,965	11.2	0.21	7.0	0.14

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,524	175.1	1.00	105.9	0.62	28,436	129.9	0.79	81.7	0.53
Oral Cavity & Pharynx	707	3.7	0.14	2.5	0.10	383	1.7	0.09	1.1	0.06
Digestive System	8,769	47.4	0.52	30.4	0.33	6,396	28.7	0.37	17.4	0.24
Esophagus	1,297	7.0	0.20	4.5	0.13	332	1.5	0.09	0.9	0.05
Stomach	667	3.7	0.15	2.3	0.09	390	1.8	0.09	1.1	0.06
Colon & Rectum	2,525	13.9	0.28	8.7	0.18	2,319	10.2	0.22	6.1	0.14
Liver	1,424	7.2	0.19	5.2	0.14	469	2.1	0.10	1.3	0.07
Pancreas	2,086	11.4	0.25	7.1	0.16	1,975	9.0	0.21	5.4	0.13
Respiratory System	8,619	48.1	0.53	28.9	0.32	7,398	34.5	0.41	21.1	0.26
Larynx	259	1.4	0.09	0.9	0.06	72	0.3	0.04	0.2	0.03
Lung & bronchus	8,255	46.1	0.52	27.7	0.31	7,279	33.9	0.41	20.7	0.26
Skin	984	5.4	0.18	3.4	0.11	434	2.0	0.10	1.3	0.07
Melanomas of the skin	708	3.9	0.15	2.5	0.10	356	1.7	0.09	1.1	0.06
Breast	50	0.3	0.04	0.2	0.02	4,095	18.8	0.30	12.6	0.21
Female Genital System	-	-	-	-	-	3,056	14.1	0.26	9.4	0.18
Cervix uteri	-	-	-	-	-	328	1.7	0.09	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	893	4.1	0.14	2.7	0.10
Ovary	-	-	-	-	-	1,643	7.5	0.19	4.9	0.13
Male Genital System	3,117	18.0	0.33	9.1	0.17	-	-	-	-	-
Prostate	3,051	17.6	0.32	8.8	0.16	-	-	-	-	-
Testis	40	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,315	13.0	0.28	7.4	0.16	1,027	4.5	0.14	2.6	0.09
Bladder	1,276	7.3	0.21	3.8	0.11	489	2.1	0.10	1.1	0.06
Kidney & renal pelvis	968	5.3	0.17	3.4	0.11	489	2.2	0.10	1.3	0.07
Brain & Other Nervous System	1,071	5.8	0.18	4.3	0.14	827	4.0	0.14	3.0	0.11
Endocrine System	150	0.8	0.07	0.6	0.05	157	0.7	0.06	0.5	0.05
Thyroid gland	87	0.5	0.05	0.3	0.03	103	0.5	0.05	0.3	0.03
Lymphomas	1,325	7.5	0.21	4.4	0.13	1,022	4.6	0.15	2.7	0.09
Hodgkin Lymphoma	58	0.3	0.04	0.2	0.03	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,267	7.2	0.21	4.2	0.12	969	4.3	0.14	2.5	0.09
Multiple Myeloma	652	3.7	0.15	2.1	0.09	538	2.4	0.11	1.3	0.06
Leukemias	1,389	8.0	0.22	4.7	0.13	1,029	4.7	0.15	3.0	0.11
Other, Ill-defined & Unknown	2,376	13.4	0.28	7.9	0.17	2,074	9.2	0.21	5.7	0.14

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,666	171.6	1.22	103.5	0.75	18,969	127.5	0.96	79.7	0.63
Oral Cavity & Pharynx	452	3.5	0.17	2.4	0.12	258	1.7	0.11	1.0	0.07
Digestive System	5,849	47.1	0.63	30.2	0.41	4,273	28.2	0.45	17.1	0.28
Esophagus	820	6.5	0.23	4.3	0.15	209	1.4	0.10	0.8	0.06
Stomach	463	3.8	0.18	2.4	0.12	273	1.8	0.12	1.2	0.08
Colon & Rectum	1,679	13.7	0.34	8.6	0.22	1,521	9.9	0.26	5.9	0.17
Liver	976	7.3	0.24	5.3	0.17	325	2.2	0.12	1.3	0.08
Pancreas	1,393	11.4	0.31	7.1	0.19	1,318	8.8	0.25	5.2	0.16
Respiratory System	5,581	46.7	0.64	27.9	0.38	4,860	33.5	0.49	20.3	0.31
Larynx	176	1.4	0.11	0.9	0.07	53	0.4	0.05	0.2	0.03
Lung & bronchus	5,335	44.7	0.62	26.7	0.38	4,775	32.9	0.49	19.9	0.31
Skin	634	5.2	0.21	3.2	0.13	283	1.9	0.12	1.3	0.08
Melanomas of the skin	458	3.8	0.18	2.4	0.12	239	1.6	0.11	1.1	0.08
Breast	36	0.3	0.05	0.2	0.03	2,811	18.9	0.37	12.6	0.25
Female Genital System	-	-	-	-	-	2,098	14.2	0.32	9.5	0.22
Cervix uteri	-	-	-	-	-	235	1.7	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	621	4.2	0.17	2.8	0.12
Ovary	-	-	-	-	-	1,130	7.6	0.23	5.0	0.16
Male Genital System	2,047	17.7	0.40	9.0	0.21	-	-	-	-	-
Prostate	2,004	17.4	0.39	8.7	0.20	-	-	-	-	-
Testis	26	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,524	12.9	0.34	7.3	0.19	680	4.3	0.17	2.5	0.11
Bladder	856	7.3	0.25	3.8	0.14	335	2.1	0.12	1.1	0.07
Kidney & renal pelvis	619	5.1	0.21	3.2	0.13	315	2.1	0.12	1.2	0.08
Brain & Other Nervous System	693	5.5	0.22	4.1	0.16	547	3.9	0.17	2.9	0.14
Endocrine System	99	0.8	0.08	0.6	0.07	104	0.7	0.07	0.5	0.05
Thyroid gland	55	0.4	0.06	0.3	0.04	74	0.5	0.06	0.3	0.04
Lymphomas	862	7.3	0.25	4.3	0.15	706	4.6	0.18	2.7	0.11
Hodgkin Lymphoma	34	0.3	0.05	0.2	0.03	31	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	828	7.0	0.25	4.1	0.15	675	4.4	0.18	2.5	0.11
Multiple Myeloma	420	3.6	0.18	2.1	0.10	352	2.3	0.13	1.3	0.08
Leukemias	918	7.9	0.26	4.6	0.16	663	4.5	0.18	2.8	0.12
Other, Ill-defined & Unknown	1,551	13.0	0.34	7.8	0.21	1,334	8.7	0.25	5.4	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,847	219.4	1.97	138.7	1.29	10,902	153.2	1.52	100.2	1.08
Oral Cavity & Pharynx	277	4.6	0.29	3.3	0.21	91	1.2	0.13	0.7	0.09
Digestive System	3,210	54.1	0.97	35.3	0.65	2,231	30.6	0.67	19.4	0.46
Esophagus	525	8.6	0.38	6.0	0.27	110	1.6	0.16	1.1	0.12
Stomach	232	3.9	0.26	2.5	0.17	146	2.0	0.17	1.3	0.12
Colon & Rectum	1,189	20.5	0.60	12.8	0.39	1,012	13.8	0.45	8.4	0.30
Liver	356	5.7	0.31	4.1	0.22	118	1.7	0.16	1.2	0.12
Pancreas	677	11.5	0.45	7.4	0.30	599	8.1	0.34	5.1	0.23
Respiratory System	4,489	75.4	1.14	48.4	0.75	3,225	45.6	0.82	29.9	0.57
Larynx	145	2.4	0.20	1.7	0.15	51	0.7	0.10	0.5	0.07
Lung & bronchus	4,311	72.5	1.12	46.3	0.73	3,162	44.7	0.81	29.4	0.57
Skin	379	6.7	0.35	4.2	0.23	165	2.4	0.20	1.5	0.14
Melanomas of the skin	265	4.7	0.30	3.0	0.20	121	1.8	0.18	1.2	0.13
Breast	23	0.4	0.09	0.2	0.05	1,446	20.9	0.58	14.5	0.42
Female Genital System	-	-	-	-	-	1,125	16.5	0.52	11.3	0.38
Cervix uteri	-	-	-	-	-	183	3.4	0.27	2.6	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	327	4.5	0.26	3.0	0.18
Ovary	-	-	-	-	-	515	7.2	0.33	4.9	0.24
Male Genital System	917	16.4	0.54	8.5	0.29	-	-	-	-	-
Prostate	892	15.8	0.53	8.1	0.28	-	-	-	-	-
Testis	15	0.4	0.10	0.3	0.08	-	-	-	-	-
Urinary System	779	13.4	0.49	8.1	0.30	413	5.6	0.28	3.5	0.20
Bladder	402	7.0	0.35	3.9	0.20	184	2.4	0.19	1.4	0.12
Kidney & renal pelvis	362	6.2	0.33	4.0	0.22	217	3.0	0.21	2.0	0.15
Brain & Other Nervous System	293	5.0	0.30	3.8	0.24	226	3.5	0.24	2.5	0.19
Endocrine System	36	0.6	0.11	0.5	0.10	51	0.7	0.10	0.4	0.08
Thyroid gland	25	0.4	0.08	0.3	0.06	36	0.4	0.08	0.3	0.05
Lymphomas	451	7.8	0.38	4.9	0.24	381	5.2	0.28	3.1	0.18
Hodgkin Lymphoma	19	0.4	0.10	0.3	0.08	19	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	432	7.4	0.36	4.5	0.23	362	4.9	0.26	2.9	0.17
Multiple Myeloma	223	3.9	0.26	2.3	0.16	207	2.7	0.19	1.5	0.12
Leukemias	510	9.2	0.41	5.5	0.27	393	5.4	0.29	3.3	0.20
Other, Ill-defined & Unknown	1,260	21.9	0.63	13.8	0.41	948	13.0	0.44	8.4	0.31

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,934	185.3	1.09	112.2	0.68	27,023	134.0	0.85	85.1	0.58
Oral Cavity & Pharynx	577	3.4	0.15	2.3	0.10	252	1.2	0.08	0.8	0.05
Digestive System	7,900	48.3	0.55	30.6	0.36	6,121	29.2	0.39	17.9	0.26
Esophagus	1,323	8.0	0.22	5.3	0.15	340	1.6	0.09	1.0	0.06
Stomach	571	3.5	0.15	2.2	0.10	378	1.8	0.10	1.1	0.07
Colon & Rectum	2,421	15.0	0.31	9.0	0.19	2,361	10.9	0.24	6.5	0.16
Liver	918	5.4	0.18	3.7	0.13	349	1.7	0.10	1.1	0.07
Pancreas	2,010	12.3	0.28	7.8	0.18	1,916	9.2	0.22	5.7	0.15
Respiratory System	8,348	51.6	0.57	31.7	0.36	6,961	35.8	0.44	22.8	0.30
Larynx	245	1.5	0.10	0.9	0.06	58	0.3	0.04	0.2	0.03
Lung & bronchus	8,038	49.7	0.56	30.4	0.35	6,872	35.4	0.44	22.5	0.30
Skin	810	5.0	0.18	3.1	0.12	364	1.8	0.10	1.2	0.07
Melanomas of the skin	592	3.7	0.15	2.3	0.10	283	1.5	0.09	1.0	0.07
Breast	50	0.3	0.04	0.2	0.03	3,814	19.3	0.33	13.0	0.23
Female Genital System	-	-	-	-	-	2,741	13.9	0.28	9.2	0.19
Cervix uteri	-	-	-	-	-	250	1.5	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	892	4.4	0.15	2.9	0.11
Ovary	-	-	-	-	-	1,360	7.0	0.20	4.6	0.14
Male Genital System	3,060	19.2	0.35	9.6	0.18	-	-	-	-	-
Prostate	2,993	18.7	0.34	9.3	0.18	-	-	-	-	-
Testis	36	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	2,174	13.4	0.29	7.7	0.17	967	4.5	0.15	2.6	0.10
Bladder	1,155	7.1	0.21	3.8	0.12	440	2.0	0.10	1.1	0.06
Kidney & renal pelvis	951	5.8	0.19	3.7	0.13	494	2.4	0.11	1.5	0.08
Brain & Other Nervous System	886	5.6	0.19	4.0	0.14	724	4.1	0.16	3.0	0.12
Endocrine System	132	0.8	0.08	0.6	0.06	157	0.8	0.07	0.6	0.06
Thyroid gland	84	0.5	0.06	0.3	0.04	104	0.5	0.05	0.3	0.03
Lymphomas	1,210	7.6	0.22	4.4	0.13	1,003	4.7	0.16	2.6	0.10
Hodgkin Lymphoma	57	0.4	0.05	0.3	0.04	55	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,153	7.2	0.22	4.1	0.13	948	4.4	0.15	2.4	0.09
Multiple Myeloma	670	4.2	0.16	2.4	0.10	539	2.6	0.11	1.5	0.07
Leukemias	1,507	9.6	0.25	5.6	0.16	1,078	5.2	0.17	3.2	0.12
Other, Ill-defined & Unknown	2,610	16.2	0.32	10.0	0.21	2,302	10.9	0.24	6.7	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,557	163.2	3.29	98.9	2.03	2,218	126.0	2.75	79.6	1.83
Oral Cavity & Pharynx	56	3.3	0.45	2.3	0.31	20	1.1	0.25	0.8	0.19
Digestive System	730	45.0	1.71	29.4	1.12	470	26.2	1.25	16.4	0.82
Esophagus	140	8.7	0.76	5.9	0.51	25	1.3	0.27	0.9	0.19
Stomach	40	2.6	0.42	1.5	0.25	24	1.4	0.29	0.9	0.21
Colon & Rectum	256	15.9	1.02	10.2	0.66	175	9.8	0.77	6.0	0.50
Liver	89	5.1	0.55	3.6	0.39	46	2.6	0.39	1.6	0.26
Pancreas	162	10.1	0.81	6.5	0.53	143	7.8	0.67	4.9	0.44
Respiratory System	636	40.7	1.65	24.3	0.99	536	30.8	1.36	19.0	0.88
Larynx	22	1.3	0.29	0.8	0.18	-	-	-	-	-
Lung & bronchus	607	39.0	1.61	23.2	0.97	528	30.3	1.35	18.7	0.87
Skin	76	4.9	0.58	3.1	0.37	-	-	-	-	-
Melanomas of the skin	61	4.0	0.52	2.6	0.35	31	1.9	0.35	1.3	0.25
Breast	-	-	-	-	-	318	17.8	1.03	12.1	0.73
Female Genital System	-	-	-	-	-	247	14.6	0.96	9.9	0.67
Cervix uteri	-	-	-	-	-	41	2.6	0.42	2.0	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	60	3.5	0.46	2.4	0.32
Ovary	-	-	-	-	-	130	7.7	0.69	5.0	0.47
Male Genital System	242	16.4	1.06	8.2	0.55	-	-	-	-	-
Prostate	236	16.0	1.05	7.9	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	177	11.2	0.86	6.6	0.51	75	4.1	0.49	2.5	0.31
Bladder	108	7.1	0.69	3.9	0.39	34	1.8	0.32	0.9	0.17
Kidney & renal pelvis	67	4.0	0.50	2.7	0.33	38	2.2	0.36	1.4	0.24
Brain & Other Nervous System	81	5.1	0.58	3.8	0.44	66	3.9	0.50	2.8	0.38
Endocrine System	-	-	-	-	-	11	0.6	0.18	0.3	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	93	6.2	0.65	3.5	0.38	79	4.4	0.50	2.4	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	53	3.6	0.50	1.9	0.27	43	2.4	0.38	1.4	0.24
Leukemias	142	9.3	0.79	5.5	0.49	108	6.1	0.60	3.6	0.38
Other, Ill-defined & Unknown	260	16.8	1.06	9.9	0.64	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Puerto Rico, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,783	143.3	1.19	87.4	0.77	11,667	89.3	0.85	58.3	0.60
Oral Cavity & Pharynx	469	4.5	0.21	3.2	0.15	127	0.9	0.08	0.6	0.06
Digestive System	4,884	47.1	0.68	30.1	0.45	3,498	25.7	0.44	15.6	0.29
Esophagus	454	4.3	0.20	2.9	0.14	112	0.8	0.08	0.4	0.05
Stomach	630	6.1	0.25	3.7	0.16	446	3.3	0.16	2.0	0.10
Colon & Rectum	1,933	18.8	0.43	11.8	0.28	1,556	11.4	0.30	7.1	0.20
Liver	884	8.4	0.28	5.7	0.20	437	3.2	0.15	1.9	0.10
Pancreas	745	7.2	0.26	4.6	0.18	701	5.2	0.20	3.1	0.13
Respiratory System	2,193	21.1	0.45	12.9	0.29	1,157	8.6	0.26	5.3	0.17
Larynx	183	1.7	0.13	1.2	0.09	31	0.2	0.04	0.2	0.03
Lung & bronchus	1,986	19.1	0.43	11.6	0.28	1,116	8.3	0.25	5.1	0.17
Skin	204	2.0	0.14	1.1	0.08	118	0.8	0.08	0.5	0.05
Melanomas of the skin	62	0.6	0.08	0.4	0.05	34	0.3	0.05	0.2	0.04
Breast	40	0.4	0.06	0.3	0.04	2,143	17.1	0.38	12.1	0.28
Female Genital System	-	-	-	-	-	1,417	11.6	0.32	8.0	0.23
Cervix uteri	-	-	-	-	-	272	2.6	0.16	1.9	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	516	4.2	0.19	2.9	0.14
Ovary	-	-	-	-	-	510	4.0	0.18	2.7	0.13
Male Genital System	2,589	24.9	0.49	12.6	0.26	-	-	-	-	-
Prostate	2,513	24.1	0.48	12.0	0.25	-	-	-	-	-
Testis	30	0.4	0.07	0.3	0.06	-	-	-	-	-
Urinary System	684	6.6	0.25	3.8	0.15	346	2.5	0.14	1.4	0.09
Bladder	431	4.1	0.20	2.2	0.11	194	1.3	0.10	0.8	0.06
Kidney & renal pelvis	240	2.3	0.15	1.5	0.10	138	1.0	0.09	0.6	0.06
Brain & Other Nervous System	279	2.8	0.17	2.1	0.13	253	2.0	0.13	1.5	0.11
Endocrine System	52	0.5	0.07	0.4	0.06	57	0.4	0.06	0.3	0.06
Thyroid gland	33	0.3	0.06	0.2	0.03	39	0.3	0.04	0.2	0.03
Lymphomas	527	5.3	0.23	3.5	0.16	358	2.9	0.16	1.8	0.11
Hodgkin Lymphoma	68	0.7	0.09	0.5	0.07	34	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	459	4.6	0.22	3.0	0.15	324	2.5	0.15	1.6	0.10
Multiple Myeloma	365	3.6	0.19	2.2	0.12	296	2.2	0.13	1.4	0.09
Leukemias	495	5.0	0.23	3.1	0.15	386	3.0	0.16	2.0	0.13
Other, Ill-defined & Unknown	2,002	19.4	0.44	12.3	0.29	1,510	11.6	0.31	7.8	0.22

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alberta, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,426	181.4	1.49	107.5	0.90	13,509	131.2	1.16	83.2	0.78
Oral Cavity & Pharynx	335	3.6	0.20	2.4	0.14	146	1.4	0.12	0.9	0.08
Digestive System	4,639	53.3	0.80	32.5	0.49	3,461	33.0	0.57	20.1	0.37
Esophagus	668	7.4	0.29	4.9	0.19	164	1.6	0.12	1.0	0.08
Stomach	413	4.8	0.24	2.9	0.15	289	2.7	0.17	1.7	0.11
Colon & Rectum	1,884	22.1	0.52	13.1	0.31	1,484	13.9	0.37	8.1	0.23
Liver	453	4.9	0.24	3.3	0.16	167	1.6	0.13	1.1	0.09
Pancreas	853	9.8	0.34	5.9	0.21	876	8.5	0.29	5.3	0.19
Respiratory System	3,937	46.4	0.75	27.8	0.46	3,464	34.9	0.60	22.1	0.40
Larynx	108	1.3	0.12	0.8	0.08	16	0.2	0.05	0.1	0.03
Lung & bronchus	3,788	44.7	0.74	26.7	0.45	3,430	34.5	0.60	21.9	0.40
Skin	330	3.7	0.21	2.3	0.13	189	1.8	0.13	1.2	0.09
Melanomas of the skin	265	2.9	0.18	1.9	0.12	150	1.4	0.12	1.0	0.08
Breast	23	0.3	0.06	0.2	0.03	2,028	19.5	0.44	13.0	0.31
Female Genital System	-	-	-	-	-	1,310	12.7	0.36	8.6	0.25
Cervix uteri	-	-	-	-	-	188	1.8	0.14	1.4	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	363	3.5	0.19	2.3	0.13
Ovary	-	-	-	-	-	672	6.6	0.26	4.4	0.18
Male Genital System	1,859	23.7	0.55	11.6	0.28	-	-	-	-	-
Prostate	1,825	23.3	0.55	11.3	0.28	-	-	-	-	-
Testis	21	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,015	12.0	0.39	6.9	0.22	420	4.0	0.20	2.3	0.12
Bladder	573	7.0	0.30	3.7	0.16	181	1.7	0.13	1.0	0.08
Kidney & renal pelvis	424	4.8	0.24	3.1	0.15	228	2.2	0.15	1.3	0.09
Brain & Other Nervous System	502	5.4	0.25	4.0	0.18	312	3.1	0.18	2.4	0.15
Endocrine System	63	0.7	0.09	0.5	0.07	74	0.7	0.09	0.5	0.07
Thyroid gland	36	0.4	0.07	0.3	0.04	39	0.4	0.06	0.2	0.03
Lymphomas	598	7.0	0.29	4.2	0.18	467	4.5	0.21	2.6	0.13
Hodgkin Lymphoma	27	0.3	0.06	0.2	0.04	22	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	571	6.7	0.29	4.0	0.17	445	4.2	0.21	2.4	0.13
Multiple Myeloma	304	3.7	0.21	2.1	0.12	224	2.2	0.15	1.3	0.10
Leukemias	598	7.3	0.30	4.1	0.18	441	4.3	0.21	2.5	0.13
Other, Ill-defined & Unknown	1,223	14.4	0.42	8.8	0.26	973	9.2	0.30	5.8	0.20

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
British Columbia, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,321	175.4	1.13	105.0	0.72	21,646	132.7	0.93	83.6	0.64
Oral Cavity & Pharynx	547	3.8	0.17	2.7	0.12	256	1.6	0.10	1.0	0.07
Digestive System	7,646	54.7	0.63	34.0	0.41	5,788	34.4	0.47	20.9	0.31
Esophagus	988	7.0	0.23	4.5	0.15	332	2.0	0.11	1.2	0.07
Stomach	640	4.6	0.18	2.9	0.12	420	2.6	0.13	1.6	0.09
Colon & Rectum	2,963	21.4	0.40	12.8	0.25	2,648	15.4	0.31	9.2	0.20
Liver	886	6.1	0.21	4.3	0.15	293	1.9	0.11	1.2	0.08
Pancreas	1,497	10.7	0.28	6.6	0.18	1,323	7.9	0.22	4.8	0.15
Respiratory System	6,201	44.4	0.57	27.0	0.36	5,591	34.9	0.48	21.8	0.32
Larynx	158	1.1	0.09	0.7	0.06	37	0.2	0.04	0.2	0.03
Lung & bronchus	5,980	42.9	0.56	25.9	0.35	5,530	34.5	0.47	21.5	0.31
Skin	613	4.4	0.18	2.7	0.12	312	1.9	0.11	1.3	0.08
Melanomas of the skin	424	3.1	0.15	2.0	0.10	235	1.5	0.10	1.1	0.08
Breast	26	0.2	0.04	0.1	0.02	3,052	19.2	0.36	13.0	0.26
Female Genital System	-	-	-	-	-	2,120	13.4	0.30	8.8	0.21
Cervix uteri	-	-	-	-	-	225	1.6	0.11	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	555	3.4	0.15	2.3	0.11
Ovary	-	-	-	-	-	1,186	7.5	0.22	4.9	0.15
Male Genital System	2,732	20.0	0.38	9.8	0.20	-	-	-	-	-
Prostate	2,683	19.6	0.38	9.5	0.19	-	-	-	-	-
Testis	24	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,757	12.7	0.31	7.1	0.18	764	4.4	0.16	2.5	0.10
Bladder	1,023	7.4	0.23	3.9	0.13	399	2.2	0.11	1.2	0.07
Kidney & renal pelvis	677	4.9	0.19	3.0	0.12	329	1.9	0.11	1.1	0.07
Brain & Other Nervous System	752	5.6	0.21	4.2	0.17	549	3.7	0.16	2.9	0.15
Endocrine System	117	0.9	0.08	0.7	0.07	103	0.6	0.07	0.5	0.06
Thyroid gland	70	0.5	0.06	0.3	0.04	69	0.4	0.05	0.2	0.03
Lymphomas	1,016	7.4	0.23	4.4	0.15	788	4.7	0.17	2.7	0.11
Hodgkin Lymphoma	38	0.3	0.05	0.2	0.04	21	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	978	7.1	0.23	4.1	0.14	767	4.5	0.17	2.6	0.10
Multiple Myeloma	456	3.3	0.16	1.9	0.09	364	2.2	0.12	1.3	0.08
Leukemias	921	6.8	0.23	4.0	0.14	691	4.2	0.17	2.7	0.12
Other, Ill-defined & Unknown	1,537	11.2	0.29	6.5	0.18	1,268	7.5	0.22	4.5	0.15

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Manitoba, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,804	201.9	2.47	120.1	1.54	6,457	149.6	1.95	95.2	1.36
Oral Cavity & Pharynx	117	3.3	0.31	2.3	0.22	70	1.6	0.20	1.0	0.14
Digestive System	1,981	58.6	1.33	36.0	0.85	1,659	36.6	0.95	22.2	0.63
Esophagus	255	7.5	0.47	5.0	0.32	68	1.5	0.19	0.9	0.13
Stomach	192	5.6	0.41	3.5	0.26	127	2.8	0.26	1.6	0.17
Colon & Rectum	867	26.0	0.89	15.3	0.55	792	17.0	0.64	10.3	0.43
Liver	153	4.4	0.36	2.9	0.24	70	1.6	0.20	1.0	0.13
Pancreas	362	10.6	0.56	6.6	0.36	391	8.9	0.47	5.4	0.31
Respiratory System	1,735	51.5	1.25	31.3	0.79	1,624	38.7	1.00	24.7	0.68
Larynx	30	0.9	0.16	0.5	0.10	10	0.2	0.08	0.1	0.05
Lung & bronchus	1,682	49.9	1.23	30.3	0.78	1,608	38.4	0.99	24.5	0.68
Skin	137	4.0	0.35	2.5	0.22	70	1.5	0.19	1.0	0.14
Melanomas of the skin	99	2.9	0.29	1.9	0.20	49	1.1	0.17	0.7	0.12
Breast	-	-	-	-	-	935	22.2	0.77	14.9	0.55
Female Genital System	-	-	-	-	-	610	15.0	0.64	10.0	0.45
Cervix uteri	-	-	-	-	-	79	2.2	0.26	1.6	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	172	4.0	0.31	2.5	0.22
Ovary	-	-	-	-	-	300	7.4	0.45	4.9	0.32
Male Genital System	833	24.8	0.86	11.9	0.43	-	-	-	-	-
Prostate	822	24.5	0.86	11.6	0.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	491	14.4	0.66	8.4	0.40	244	5.4	0.36	3.2	0.24
Bladder	228	6.7	0.45	3.7	0.26	115	2.4	0.23	1.3	0.14
Kidney & renal pelvis	255	7.5	0.47	4.6	0.30	121	2.9	0.27	1.8	0.19
Brain & Other Nervous System	155	4.6	0.38	3.3	0.28	124	3.4	0.31	2.6	0.26
Endocrine System	15	0.5	0.12	0.4	0.12	28	0.6	0.12	0.4	0.09
Thyroid gland	10	0.3	0.09	0.2	0.07	20	0.4	0.10	0.3	0.07
Lymphomas	255	7.6	0.48	4.7	0.31	237	5.1	0.35	2.9	0.23
Hodgkin Lymphoma	10	0.3	0.09	0.2	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	245	7.3	0.47	4.5	0.30	-	-	-	-	-
Multiple Myeloma	150	4.4	0.37	2.6	0.22	112	2.5	0.24	1.4	0.15
Leukemias	288	8.7	0.51	5.0	0.32	194	4.3	0.33	2.7	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	550	12.6	0.57	8.2	0.41

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Brunswick, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,824	206.2	3.01	123.0	1.85	4,336	146.2	2.30	92.1	1.59
Oral Cavity & Pharynx	81	3.5	0.39	2.2	0.26	44	1.5	0.23	0.9	0.18
Digestive System	1,324	55.9	1.56	33.8	0.96	1,102	35.8	1.12	21.5	0.74
Esophagus	181	7.4	0.56	4.9	0.37	51	1.8	0.26	1.1	0.17
Stomach	139	5.9	0.51	3.5	0.31	95	3.2	0.34	1.9	0.23
Colon & Rectum	563	24.2	1.03	13.9	0.61	488	15.3	0.72	9.0	0.47
Liver	78	3.3	0.37	2.0	0.23	40	1.3	0.22	0.8	0.18
Pancreas	261	10.9	0.68	6.8	0.43	289	9.5	0.58	5.8	0.38
Respiratory System	1,571	66.4	1.69	40.0	1.04	1,122	39.0	1.19	24.8	0.80
Larynx	42	1.7	0.27	1.2	0.18	-	-	-	-	-
Lung & bronchus	1,517	64.1	1.66	38.5	1.02	1,112	38.6	1.18	24.6	0.80
Skin	88	3.7	0.40	2.2	0.24	68	2.3	0.29	1.4	0.20
Melanomas of the skin	64	2.7	0.34	1.7	0.22	52	1.9	0.27	1.2	0.19
Breast	-	-	-	-	-	600	20.0	0.85	13.1	0.60
Female Genital System	-	-	-	-	-	399	14.0	0.72	9.3	0.52
Cervix uteri	-	-	-	-	-	53	2.1	0.30	1.6	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	107	3.8	0.38	2.5	0.26
Ovary	-	-	-	-	-	199	6.8	0.50	4.6	0.35
Male Genital System	461	20.6	0.97	10.2	0.49	-	-	-	-	-
Prostate	448	20.0	0.95	9.7	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	336	14.4	0.79	8.3	0.48	177	5.4	0.42	3.0	0.26
Bladder	175	7.7	0.58	4.0	0.32	68	1.9	0.24	0.9	0.13
Kidney & renal pelvis	151	6.3	0.52	4.1	0.35	100	3.2	0.34	1.9	0.22
Brain & Other Nervous System	128	5.4	0.49	4.0	0.38	100	3.7	0.39	2.7	0.31
Endocrine System	19	0.8	0.19	0.6	0.16	21	0.8	0.20	0.6	0.17
Thyroid gland	12	0.5	0.15	0.3	0.09	14	0.5	0.15	0.3	0.10
Lymphomas	182	8.0	0.60	4.8	0.38	158	5.4	0.44	3.2	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	74	3.2	0.37	1.9	0.22	78	2.6	0.30	1.4	0.18
Leukemias	168	7.4	0.58	4.7	0.41	151	5.2	0.45	3.3	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	316	10.5	0.62	6.7	0.45

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Newfoundland and Labrador, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,662	231.7	3.92	136.3	2.32	3,097	162.2	2.98	102.0	2.01
Oral Cavity & Pharynx	61	3.7	0.49	2.4	0.32	-	-	-	-	-
Digestive System	1,230	76.8	2.24	46.3	1.35	902	47.0	1.60	27.5	1.00
Esophagus	105	6.3	0.63	4.1	0.41	40	1.9	0.31	1.2	0.20
Stomach	188	12.0	0.89	7.0	0.52	102	5.4	0.55	3.2	0.34
Colon & Rectum	602	38.0	1.59	22.4	0.94	475	24.9	1.17	14.6	0.73
Liver	77	4.7	0.55	2.9	0.35	34	1.7	0.30	1.0	0.18
Pancreas	173	10.5	0.82	6.6	0.51	142	7.3	0.62	4.3	0.39
Respiratory System	1,103	68.0	2.09	40.5	1.24	675	35.4	1.38	22.9	0.92
Larynx	42	2.6	0.42	1.6	0.25	-	-	-	-	-
Lung & bronchus	1,056	65.1	2.05	38.8	1.22	671	35.2	1.37	22.8	0.92
Skin	55	3.6	0.50	2.2	0.30	40	2.2	0.35	1.3	0.24
Melanomas of the skin	41	2.6	0.42	1.7	0.27	30	1.7	0.31	1.1	0.22
Breast	-	-	-	-	-	466	23.9	1.14	15.8	0.78
Female Genital System	-	-	-	-	-	287	15.5	0.94	10.5	0.67
Cervix uteri	-	-	-	-	-	40	2.4	0.39	1.8	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	81	4.5	0.51	3.0	0.36
Ovary	-	-	-	-	-	137	7.2	0.63	4.9	0.45
Male Genital System	348	24.5	1.33	11.8	0.64	-	-	-	-	-
Prostate	334	23.5	1.31	11.2	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	228	14.7	1.00	8.1	0.55	137	7.1	0.62	4.3	0.43
Bladder	110	7.6	0.74	3.8	0.37	46	2.3	0.34	1.2	0.19
Kidney & renal pelvis	114	6.9	0.66	4.2	0.40	86	4.6	0.51	2.9	0.37
Brain & Other Nervous System	99	6.1	0.64	4.5	0.47	70	4.0	0.51	3.2	0.45
Endocrine System	16	1.0	0.25	0.6	0.15	21	1.1	0.23	0.6	0.14
Thyroid gland	11	0.7	0.22	0.4	0.12	19	0.9	0.22	0.6	0.13
Lymphomas	114	7.2	0.69	4.5	0.43	90	4.9	0.53	2.9	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	50	3.1	0.45	1.8	0.26	50	2.6	0.37	1.3	0.20
Leukemias	94	6.1	0.64	3.7	0.40	81	4.3	0.50	2.8	0.38
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Northwest Territories, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	146	232.0	21.50	139.5	12.01	115	181.4	18.12	108.3	10.46
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	52	69.4	11.02	47.7	6.96	39	63.0	10.70	36.5	6.04
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	24	37.2	8.65	24.0	5.14	15	24.3	6.65	14.3	3.83
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	11	12.8	4.47	9.2	2.90	11	19.2	5.99	11.0	3.40
Respiratory System	42	72.8	12.28	41.4	6.56	31	50.7	9.69	31.5	5.84
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	41	71.4	12.20	40.3	6.47	31	50.7	9.69	31.5	5.84
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	20.1	5.90	11.9	3.28
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	26.9	7.85	14.3	4.04	-	-	-	-	-
Prostate	13	26.9	7.85	14.3	4.04	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	21.6	6.60	12.0	3.43	12	19.3	5.90	11.6	3.44

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nova Scotia, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,545	224.8	2.81	133.9	1.73	6,058	161.5	2.15	101.3	1.46
Oral Cavity & Pharynx	111	3.7	0.35	2.3	0.23	53	1.3	0.19	0.8	0.13
Digestive System	1,959	66.7	1.53	40.5	0.95	1,525	39.5	1.05	23.5	0.68
Esophagus	275	9.1	0.56	6.0	0.37	93	2.4	0.26	1.4	0.16
Stomach	163	5.6	0.44	3.4	0.27	88	2.2	0.25	1.3	0.16
Colon & Rectum	917	31.7	1.06	18.4	0.63	777	19.7	0.73	11.4	0.46
Liver	141	4.6	0.39	3.0	0.26	46	1.2	0.18	0.7	0.11
Pancreas	325	10.9	0.62	6.8	0.39	341	9.2	0.51	5.6	0.33
Respiratory System	1,949	65.8	1.51	39.8	0.93	1,659	45.4	1.14	28.7	0.76
Larynx	55	1.8	0.25	1.2	0.16	12	0.3	0.10	0.2	0.06
Lung & bronchus	1,877	63.4	1.48	38.3	0.91	1,637	44.7	1.13	28.3	0.76
Skin	158	5.5	0.45	3.5	0.29	90	2.4	0.27	1.6	0.19
Melanomas of the skin	121	4.2	0.39	2.8	0.27	70	2.0	0.25	1.4	0.19
Breast	14	0.5	0.13	0.3	0.08	849	23.1	0.83	15.4	0.59
Female Genital System	-	-	-	-	-	584	15.7	0.67	10.2	0.47
Cervix uteri	-	-	-	-	-	65	2.0	0.27	1.4	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	179	4.8	0.36	3.1	0.25
Ovary	-	-	-	-	-	281	7.5	0.46	4.9	0.32
Male Genital System	614	22.1	0.89	10.7	0.45	-	-	-	-	-
Prostate	605	21.8	0.89	10.5	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	438	15.1	0.73	8.6	0.42	216	5.4	0.38	3.1	0.24
Bladder	233	8.2	0.54	4.3	0.29	92	2.3	0.25	1.3	0.16
Kidney & renal pelvis	195	6.5	0.47	4.1	0.30	111	2.8	0.27	1.6	0.17
Brain & Other Nervous System	185	6.6	0.50	4.6	0.37	128	3.8	0.36	2.8	0.29
Endocrine System	26	0.9	0.19	0.6	0.15	28	0.8	0.16	0.5	0.12
Thyroid gland	15	0.5	0.14	0.3	0.08	19	0.5	0.12	0.3	0.08
Lymphomas	272	9.5	0.58	5.9	0.38	221	5.8	0.40	3.4	0.26
Hodgkin Lymphoma	17	0.6	0.16	0.4	0.12	11	0.4	0.11	0.2	0.07
Non-Hodgkin Lymphoma	255	8.8	0.56	5.5	0.36	210	5.4	0.39	3.2	0.25
Multiple Myeloma	126	4.3	0.39	2.5	0.23	80	2.1	0.24	1.2	0.15
Leukemias	230	8.1	0.54	5.0	0.38	173	4.5	0.36	2.7	0.26
Other, Ill-defined & Unknown	463	16.1	0.76	9.5	0.47	452	11.8	0.58	7.2	0.40

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nunavut, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	104	367.0	45.14	213.4	22.46	85	318.0	40.73	191.8	22.13
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	34	92.9	19.76	62.0	11.63	23	76.5	17.95	48.2	10.51
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	18	37.7	10.12	28.0	7.07	12	44.9	14.40	26.1	7.94
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	43	183.5	33.34	97.8	15.60	37	148.7	27.78	89.2	15.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	43	183.5	33.34	97.8	15.60	37	148.7	27.78	89.2	15.28
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ontario, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	69,851	190.3	0.73	113.3	0.45	63,635	136.5	0.56	85.9	0.38
Oral Cavity & Pharynx	1,646	4.3	0.11	2.9	0.07	699	1.5	0.06	0.9	0.04
Digestive System	20,917	56.5	0.39	34.4	0.25	16,254	33.7	0.27	20.0	0.18
Esophagus	2,743	7.3	0.14	4.8	0.09	878	1.8	0.06	1.1	0.04
Stomach	2,182	5.9	0.13	3.6	0.08	1,443	3.1	0.08	1.9	0.06
Colon & Rectum	8,274	22.6	0.25	13.1	0.15	7,231	14.6	0.18	8.4	0.11
Liver	2,104	5.6	0.12	3.6	0.08	767	1.6	0.06	1.0	0.04
Pancreas	3,852	10.3	0.17	6.4	0.11	3,926	8.3	0.14	5.0	0.09
Respiratory System	18,748	50.8	0.37	30.8	0.23	15,420	33.9	0.28	21.4	0.19
Larynx	608	1.6	0.07	1.0	0.04	126	0.3	0.02	0.2	0.02
Lung & bronchus	18,021	48.8	0.37	29.6	0.23	15,239	33.5	0.28	21.2	0.19
Skin	2,050	5.6	0.12	3.4	0.08	1,142	2.4	0.07	1.5	0.05
Melanomas of the skin	1,434	3.9	0.10	2.5	0.07	834	1.8	0.07	1.2	0.05
Breast	78	0.2	0.02	0.1	0.01	9,483	20.7	0.22	13.9	0.16
Female Genital System	-	-	-	-	-	6,401	14.2	0.18	9.5	0.13
Cervix uteri	-	-	-	-	-	782	1.9	0.07	1.4	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	1,928	4.2	0.10	2.7	0.07
Ovary	-	-	-	-	-	3,195	7.1	0.13	4.7	0.09
Male Genital System	7,370	20.7	0.24	10.1	0.12	-	-	-	-	-
Prostate	7,214	20.2	0.24	9.8	0.12	-	-	-	-	-
Testis	74	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,733	13.0	0.19	7.3	0.11	2,317	4.6	0.10	2.7	0.06
Bladder	2,647	7.3	0.14	3.9	0.08	1,089	2.1	0.07	1.1	0.04
Kidney & renal pelvis	1,788	4.8	0.11	3.0	0.07	1,075	2.2	0.07	1.4	0.05
Brain & Other Nervous System	2,152	5.8	0.13	4.3	0.10	1,623	3.8	0.10	2.9	0.08
Endocrine System	272	0.8	0.05	0.6	0.04	302	0.7	0.04	0.5	0.03
Thyroid gland	157	0.4	0.03	0.3	0.02	207	0.4	0.03	0.2	0.02
Lymphomas	2,880	7.9	0.15	4.8	0.09	2,404	5.2	0.11	3.1	0.07
Hodgkin Lymphoma	150	0.4	0.04	0.3	0.03	114	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,730	7.5	0.14	4.5	0.09	2,290	4.9	0.10	2.9	0.07
Multiple Myeloma	1,410	3.8	0.10	2.3	0.06	1,150	2.4	0.07	1.4	0.05
Leukemias	2,945	8.2	0.15	4.9	0.10	2,139	4.6	0.10	2.9	0.08
Other, Ill-defined & Unknown	4,650	12.8	0.19	7.5	0.12	4,301	8.9	0.14	5.4	0.10

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Prince Edward Island, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	935	217.6	7.22	129.2	4.44	809	147.4	5.37	93.8	3.71
Oral Cavity & Pharynx	17	3.9	0.97	2.1	0.53	-	-	-	-	-
Digestive System	273	63.0	3.87	38.8	2.46	211	37.1	2.67	22.3	1.73
Esophagus	42	9.9	1.55	5.9	0.95	-	-	-	-	-
Stomach	28	6.7	1.29	4.3	0.86	10	1.9	0.61	1.1	0.39
Colon & Rectum	110	25.7	2.48	14.9	1.47	122	21.8	2.09	12.4	1.29
Liver	20	4.4	0.99	3.0	0.69	-	-	-	-	-
Pancreas	56	12.4	1.70	8.3	1.14	43	7.3	1.15	4.9	0.82
Respiratory System	302	68.4	3.98	41.5	2.45	215	40.9	2.84	26.5	1.93
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	293	66.4	3.92	40.3	2.42	212	40.2	2.82	26.1	1.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	14	3.3	0.95	2.3	0.71
Breast	-	-	-	-	-	114	20.7	2.00	14.6	1.49
Female Genital System	-	-	-	-	-	75	13.5	1.61	8.7	1.11
Cervix uteri	-	-	-	-	-	11	2.3	0.75	1.7	0.54
Corpus & uterus, NOS ¹	-	-	-	-	-	15	2.7	0.71	1.6	0.47
Ovary	-	-	-	-	-	43	7.5	1.16	4.7	0.78
Male Genital System	98	24.5	2.48	11.1	1.15	-	-	-	-	-
Prostate	94	23.5	2.43	10.5	1.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	63	14.6	1.86	8.7	1.16	38	6.4	1.08	3.9	0.70
Bladder	32	7.7	1.37	3.9	0.70	19	2.9	0.68	1.6	0.43
Kidney & renal pelvis	26	5.7	1.15	4.1	0.85	17	3.2	0.79	2.1	0.54
Brain & Other Nervous System	33	8.2	1.48	5.9	1.13	12	2.4	0.74	1.7	0.58
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	28	6.9	1.31	3.8	0.79	20	3.5	0.79	2.0	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	28	6.9	1.31	3.8	0.79	20	3.5	0.79	2.0	0.50
Multiple Myeloma	19	4.3	1.01	2.3	0.56	17	2.9	0.74	1.4	0.41
Leukemias	26	6.2	1.23	3.6	0.74	31	5.6	1.03	3.4	0.67
Other, Ill-defined & Unknown	60	13.9	1.83	8.9	1.24	50	9.0	1.34	5.6	1.05

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Quebec, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51,329	219.6	0.98	130.0	0.60	46,764	153.8	0.73	98.2	0.51
Oral Cavity & Pharynx	1,021	4.2	0.13	2.7	0.09	487	1.6	0.07	1.0	0.05
Digestive System	14,467	61.5	0.52	36.8	0.32	11,932	37.4	0.35	21.9	0.23
Esophagus	1,325	5.5	0.15	3.5	0.10	429	1.4	0.07	0.9	0.05
Stomach	1,653	7.1	0.18	4.2	0.11	1,074	3.4	0.11	2.0	0.07
Colon & Rectum	6,311	27.2	0.35	15.8	0.21	5,615	17.3	0.24	10.0	0.15
Liver	1,208	5.1	0.15	3.1	0.09	462	1.5	0.07	0.8	0.04
Pancreas	2,654	11.2	0.22	6.9	0.14	2,717	8.8	0.17	5.3	0.11
Respiratory System	17,838	75.0	0.57	45.3	0.35	13,615	46.1	0.40	31.1	0.29
Larynx	582	2.4	0.10	1.5	0.06	154	0.5	0.04	0.3	0.03
Lung & bronchus	16,960	71.3	0.55	43.1	0.34	13,301	45.1	0.40	30.5	0.28
Skin	970	4.2	0.14	2.6	0.09	529	1.7	0.08	1.1	0.06
Melanomas of the skin	686	2.9	0.11	1.9	0.08	364	1.3	0.07	0.9	0.05
Breast	59	0.3	0.03	0.2	0.02	6,489	21.9	0.28	14.6	0.20
Female Genital System	-	-	-	-	-	3,922	13.3	0.22	8.8	0.16
Cervix uteri	-	-	-	-	-	429	1.7	0.09	1.2	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,174	3.8	0.12	2.5	0.08
Ovary	-	-	-	-	-	1,984	6.7	0.15	4.5	0.11
Male Genital System	4,142	18.9	0.30	9.2	0.15	-	-	-	-	-
Prostate	4,037	18.4	0.29	8.9	0.14	-	-	-	-	-
Testis	49	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	3,244	14.1	0.25	7.9	0.14	1,716	5.3	0.13	3.0	0.08
Bladder	1,759	7.8	0.19	4.1	0.10	776	2.3	0.08	1.2	0.05
Kidney & renal pelvis	1,273	5.3	0.15	3.3	0.10	804	2.6	0.09	1.6	0.06
Brain & Other Nervous System	1,461	6.2	0.17	4.5	0.13	1,169	4.3	0.13	3.1	0.11
Endocrine System	188	0.8	0.06	0.6	0.05	230	0.8	0.05	0.5	0.04
Thyroid gland	87	0.4	0.04	0.2	0.03	130	0.4	0.04	0.2	0.02
Lymphomas	1,905	8.3	0.19	4.9	0.12	1,565	5.1	0.13	3.0	0.09
Hodgkin Lymphoma	105	0.5	0.05	0.3	0.03	69	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,800	7.8	0.19	4.6	0.11	1,496	4.8	0.13	2.8	0.08
Multiple Myeloma	906	3.9	0.13	2.2	0.08	790	2.5	0.09	1.5	0.06
Leukemias	1,779	7.8	0.19	4.6	0.12	1,373	4.5	0.13	2.8	0.09
Other, Ill-defined & Unknown	3,349	14.7	0.26	8.5	0.15	2,947	9.3	0.18	5.6	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Saskatchewan, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,914	192.6	2.54	115.2	1.62	5,365	143.4	2.07	91.4	1.45
Oral Cavity & Pharynx	82	2.8	0.32	1.9	0.22	58	1.5	0.21	0.9	0.14
Digestive System	1,670	54.1	1.34	33.9	0.89	1,294	33.0	0.97	20.3	0.66
Esophagus	236	7.7	0.51	5.1	0.35	66	1.7	0.22	1.1	0.16
Stomach	139	4.5	0.38	2.9	0.26	93	2.4	0.26	1.5	0.18
Colon & Rectum	740	23.8	0.89	14.5	0.57	623	15.4	0.66	9.2	0.44
Liver	118	3.9	0.37	2.6	0.26	62	1.6	0.21	1.0	0.14
Pancreas	323	10.5	0.59	6.6	0.39	319	8.4	0.50	5.3	0.35
Respiratory System	1,530	50.7	1.31	31.1	0.85	1,397	39.3	1.09	24.7	0.74
Larynx	38	1.3	0.21	0.8	0.14	-	-	-	-	-
Lung & bronchus	1,475	48.9	1.29	29.9	0.83	1,384	38.9	1.08	24.5	0.74
Skin	110	3.6	0.35	2.3	0.23	68	1.7	0.22	1.1	0.16
Melanomas of the skin	88	2.9	0.32	1.9	0.22	52	1.5	0.21	1.0	0.16
Breast	11	0.4	0.11	0.2	0.06	808	21.3	0.80	14.2	0.58
Female Genital System	-	-	-	-	-	503	14.4	0.68	10.0	0.50
Cervix uteri	-	-	-	-	-	103	3.5	0.37	2.8	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	116	3.0	0.29	2.0	0.21
Ovary	-	-	-	-	-	251	7.1	0.47	4.7	0.34
Male Genital System	880	27.6	0.94	13.7	0.50	-	-	-	-	-
Prostate	859	26.9	0.93	13.2	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	445	14.3	0.69	8.1	0.42	186	4.7	0.37	2.8	0.25
Bladder	248	7.9	0.51	4.1	0.28	98	2.4	0.26	1.4	0.17
Kidney & renal pelvis	191	6.2	0.45	3.9	0.30	86	2.3	0.26	1.4	0.18
Brain & Other Nervous System	136	4.6	0.40	3.4	0.31	115	3.4	0.34	2.5	0.26
Endocrine System	22	0.7	0.15	0.5	0.12	24	0.7	0.15	0.5	0.13
Thyroid gland	-	-	-	-	-	10	0.2	0.07	0.1	0.04
Lymphomas	227	7.6	0.52	4.5	0.32	186	4.6	0.35	2.7	0.23
Hodgkin Lymphoma	12	0.4	0.13	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	215	7.2	0.50	4.2	0.31	-	-	-	-	-
Multiple Myeloma	116	3.7	0.35	2.1	0.21	102	2.8	0.29	1.7	0.19
Leukemias	244	8.0	0.52	4.8	0.35	180	4.7	0.37	3.2	0.30
Other, Ill-defined & Unknown	441	14.4	0.69	8.6	0.44	444	11.3	0.57	6.9	0.39

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Yukon, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	179	243.9	20.38	142.6	10.92	142	190.4	17.04	119.3	10.28
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	56	72.7	10.82	43.6	5.96	38	51.6	8.91	31.4	5.23
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	9.7	3.24	7.5	2.30	-	-	-	-	-
Colon & Rectum	20	24.0	5.99	14.6	3.33	19	26.4	6.39	15.6	3.66
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	10	14.7	5.05	8.5	2.72	-	-	-	-	-
Respiratory System	49	66.2	10.37	38.8	5.62	44	64.7	10.23	38.9	6.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	49	66.2	10.37	38.8	5.62	44	64.7	10.23	38.9	6.02
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	23	28.9	6.53	18.3	3.92
Female Genital System	-	-	-	-	-	11	13.3	4.28	9.0	2.76
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	19	33.6	8.40	17.2	4.04	-	-	-	-	-
Prostate	18	32.8	8.37	16.5	3.98	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	15.3	5.23	7.3	2.34	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	15	18.0	5.32	11.2	3.00	11	14.6	4.70	9.7	3.00

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified



Section IV

Cancer Mortality for the United States and Canada



Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,527,759	200.5	0.17	114.1	0.10	1,382,829	141.5	0.12	84.7	0.08
Oral Cavity & Pharynx	31,196	3.8	0.02	2.5	0.01	13,113	1.3	0.01	0.8	0.01
Digestive System	418,485	53.4	0.08	32.2	0.05	316,127	31.9	0.06	18.2	0.04
Esophagus	58,311	7.3	0.03	4.6	0.02	14,898	1.5	0.01	0.9	0.01
Stomach	33,437	4.4	0.02	2.6	0.01	22,751	2.3	0.02	1.4	0.01
Colon & Rectum	135,107	17.7	0.05	10.2	0.03	123,701	12.4	0.04	7.0	0.02
Liver	63,307	7.5	0.03	5.1	0.02	23,774	2.4	0.02	1.4	0.01
Pancreas	97,906	12.6	0.04	7.4	0.02	94,537	9.5	0.03	5.4	0.02
Respiratory System	449,480	58.1	0.09	33.8	0.05	358,039	36.8	0.06	21.9	0.04
Larynx	14,864	1.9	0.02	1.2	0.01	3,707	0.4	0.01	0.2	0.00
Lung & bronchus	431,640	55.9	0.09	32.4	0.05	352,686	36.3	0.06	21.6	0.04
Skin	42,488	5.6	0.03	3.2	0.02	20,339	2.1	0.01	1.3	0.01
Melanomas of the skin	30,416	4.0	0.02	2.3	0.01	15,835	1.7	0.01	1.0	0.01
Breast	2,216	0.3	0.01	0.2	0.00	205,148	21.2	0.05	13.6	0.03
Female Genital System	-	-	-	-	-	147,246	15.2	0.04	9.8	0.03
Cervix uteri	-	-	-	-	-	20,437	2.3	0.02	1.7	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	45,006	4.6	0.02	2.9	0.01
Ovary	-	-	-	-	-	71,793	7.4	0.03	4.6	0.02
Male Genital System	143,385	20.5	0.05	9.1	0.03	-	-	-	-	-
Prostate	139,798	20.1	0.05	8.8	0.02	-	-	-	-	-
Testis	1,959	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	100,849	13.6	0.04	7.1	0.02	47,817	4.8	0.02	2.5	0.01
Bladder	54,493	7.6	0.03	3.6	0.02	22,028	2.2	0.01	1.0	0.01
Kidney & renal pelvis	44,010	5.6	0.03	3.4	0.02	24,109	2.4	0.02	1.4	0.01
Brain & Other Nervous System	42,281	5.3	0.03	3.7	0.02	32,990	3.5	0.02	2.5	0.02
Endocrine System	6,452	0.8	0.01	0.6	0.01	7,196	0.8	0.01	0.5	0.01
Thyroid gland	3,920	0.5	0.01	0.3	0.00	4,885	0.5	0.01	0.3	0.00
Lymphomas	59,374	8.0	0.03	4.4	0.02	47,821	4.9	0.02	2.6	0.01
Hodgkin Lymphoma	3,306	0.4	0.01	0.3	0.01	2,390	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	56,068	7.6	0.03	4.1	0.02	45,431	4.6	0.02	2.4	0.01
Multiple Myeloma	31,380	4.2	0.02	2.2	0.01	26,787	2.7	0.02	1.5	0.01
Leukemias	66,764	9.1	0.04	5.0	0.02	49,525	5.1	0.02	2.9	0.02
Other, Ill-defined & Unknown	133,409	17.6	0.05	10.1	0.03	110,681	11.2	0.03	6.5	0.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2010-2014, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,527,759	184.6	0.15	114.1	0.10	1,382,829	131.9	0.12	84.7	0.08
Oral Cavity & Pharynx	31,196	3.6	0.02	2.5	0.01	13,113	1.2	0.01	0.8	0.01
Digestive System	418,485	49.7	0.08	32.2	0.05	316,127	29.4	0.05	18.2	0.04
Esophagus	58,311	6.9	0.03	4.6	0.02	14,898	1.4	0.01	0.9	0.01
Stomach	33,437	4.1	0.02	2.6	0.01	22,751	2.2	0.01	1.4	0.01
Colon & Rectum	135,107	16.3	0.04	10.2	0.03	123,701	11.3	0.03	7.0	0.02
Liver	63,307	7.1	0.03	5.1	0.02	23,774	2.2	0.01	1.4	0.01
Pancreas	97,906	11.7	0.04	7.4	0.02	94,537	8.8	0.03	5.4	0.02
Respiratory System	449,480	54.2	0.08	33.8	0.05	358,039	34.6	0.06	21.9	0.04
Larynx	14,864	1.7	0.01	1.2	0.01	3,707	0.4	0.01	0.2	0.00
Lung & bronchus	431,640	52.1	0.08	32.4	0.05	352,686	34.1	0.06	21.6	0.04
Skin	42,488	5.2	0.03	3.2	0.02	20,339	1.9	0.01	1.3	0.01
Melanomas of the skin	30,416	3.7	0.02	2.3	0.01	15,835	1.6	0.01	1.0	0.01
Breast	2,216	0.3	0.01	0.2	0.00	205,148	20.0	0.05	13.6	0.03
Female Genital System	-	-	-	-	-	147,246	14.5	0.04	9.8	0.03
Cervix uteri	-	-	-	-	-	20,437	2.3	0.02	1.7	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	45,006	4.3	0.02	2.9	0.01
Ovary	-	-	-	-	-	71,793	7.0	0.03	4.6	0.02
Male Genital System	143,385	17.8	0.05	9.1	0.03	-	-	-	-	-
Prostate	139,798	17.4	0.05	8.8	0.02	-	-	-	-	-
Testis	1,959	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	100,849	12.3	0.04	7.1	0.02	47,817	4.3	0.02	2.5	0.01
Bladder	54,493	6.7	0.03	3.6	0.02	22,028	1.9	0.01	1.0	0.01
Kidney & renal pelvis	44,010	5.3	0.03	3.4	0.02	24,109	2.2	0.01	1.4	0.01
Brain & Other Nervous System	42,281	5.1	0.03	3.7	0.02	32,990	3.4	0.02	2.5	0.02
Endocrine System	6,452	0.8	0.01	0.6	0.01	7,196	0.7	0.01	0.5	0.01
Thyroid gland	3,920	0.5	0.01	0.3	0.00	4,885	0.5	0.01	0.3	0.00
Lymphomas	59,374	7.3	0.03	4.4	0.02	47,821	4.4	0.02	2.6	0.01
Hodgkin Lymphoma	3,306	0.4	0.01	0.3	0.01	2,390	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	56,068	6.9	0.03	4.1	0.02	45,431	4.2	0.02	2.4	0.01
Multiple Myeloma	31,380	3.8	0.02	2.2	0.01	26,787	2.5	0.02	1.5	0.01
Leukemias	66,764	8.3	0.03	5.0	0.02	49,525	4.7	0.02	2.9	0.02
Other, Ill-defined & Unknown	133,409	16.2	0.04	10.1	0.03	110,681	10.3	0.03	6.5	0.02

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,527,759	200.5	135,107	17.7	431,640	55.9	139,798	20.1	54,493	7.6	56,068	7.6
New England	74,373	196.5	5,762	15.3	20,103	52.6	6,903	19.4	3,189	8.8	2,640	7.1
Connecticut	16,963	182.7	1,298	13.8	4,328	46.3	1,646	18.6	773	8.6	653	7.1
Maine	8,580	215.7	640	16.5	2,625	64.4	720	19.8	399	10.4	287	7.6
Massachusetts	32,635	196.6	2,623	15.9	8,635	51.9	3,047	19.4	1,336	8.4	1,141	7.1
New Hampshire	6,922	197.4	484	14.0	1,922	53.8	624	19.8	290	8.8	237	6.8
Rhode Island	5,731	209.4	443	16.4	1,614	59.1	528	19.8	241	9.0	185	6.8
Vermont	3,542	202.5	274	15.8	979	54.3	338	21.1	150	9.2	137	8.0
Middle Atlantic	204,017	195.9	18,560	17.8	54,879	52.3	19,215	19.6	8,126	8.1	7,781	7.6
New Jersey	41,139	191.4	3,946	18.2	10,459	48.4	3,923	19.4	1,719	8.4	1,523	7.3
New York	88,684	187.3	8,010	16.9	23,406	49.0	8,624	19.5	3,477	7.7	3,385	7.3
Pennsylvania	74,194	210.6	6,604	18.9	21,014	59.1	6,668	19.8	2,930	8.6	2,873	8.3
South Atlantic	317,295	202.2	27,365	17.4	95,084	59.4	28,733	20.0	11,198	7.6	-	-
Delaware	5,003	208.4	403	17.1	1,526	62.4	426	19.2	163	7.3	184	7.8
District of Columbia	2,611	210.1	236	18.6	628	49.6	376	33.7	55	4.7	-	-
Florida	114,073	189.4	9,770	16.3	33,069	54.1	10,531	17.6	4,498	7.5	4,265	7.2
Georgia	42,650	212.4	3,951	19.5	13,233	64.2	3,895	23.4	1,378	7.9	1,359	7.1
Maryland	26,613	198.2	2,387	17.6	7,103	52.2	2,472	20.3	1,094	8.8	925	7.1
North Carolina	49,555	215.1	3,994	17.3	16,074	67.9	4,345	21.6	1,584	7.6	1,638	7.4
South Carolina	26,256	223.1	2,226	18.7	8,179	67.1	2,374	23.5	762	7.2	803	7.2
Virginia	37,687	202.0	3,209	17.0	10,961	57.4	3,422	21.1	1,262	7.4	1,344	7.5
West Virginia	12,847	236.6	1,189	22.1	4,311	77.1	892	18.2	402	7.9	432	8.1
East North Central	246,482	212.9	21,517	18.7	73,251	62.3	21,723	20.5	9,012	8.3	9,337	8.3
Illinois	62,033	208.5	5,713	19.1	17,763	59.0	5,693	20.9	2,094	7.5	2,248	7.8
Indiana	35,307	225.0	3,026	19.3	11,380	71.2	2,951	21.0	1,226	8.4	1,309	8.6
Michigan	53,617	209.3	4,487	17.7	15,854	60.8	4,590	19.5	2,002	8.3	2,171	8.8
Ohio	65,591	219.7	5,870	19.8	20,216	66.5	5,496	20.0	2,535	8.9	2,456	8.5
Wisconsin	29,934	202.1	2,421	16.4	8,038	53.4	2,993	21.8	1,155	8.2	1,153	8.1
East South Central	110,362	241.7	9,564	21.0	38,205	81.4	8,773	22.2	3,096	7.5	3,536	8.1
Alabama	28,243	235.8	2,469	20.6	9,522	77.2	2,486	23.9	784	7.1	858	7.5
Kentucky	26,930	249.6	2,258	20.9	9,930	89.6	1,824	19.8	788	8.1	929	9.0
Mississippi	17,649	252.3	1,668	23.7	5,932	82.7	1,606	26.2	434	6.9	482	7.2
Tennessee	37,540	236.3	3,169	20.1	12,821	78.4	2,857	20.7	1,090	7.5	1,267	8.3

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	106,890	202.5	9,449	18.0	31,041	58.2	9,661	19.5	3,622	7.2	4,096	8.0
Iowa	17,145	206.7	1,574	19.2	4,962	59.1	1,585	19.8	617	7.7	711	8.7
Kansas	14,304	201.0	1,312	18.4	4,119	57.4	1,283	19.1	489	7.2	532	7.7
Minnesota	24,961	188.8	2,014	15.2	6,352	47.6	2,542	20.6	887	7.1	1,100	8.6
Missouri	33,500	216.7	2,922	19.1	10,904	69.4	2,562	18.2	1,038	7.2	1,127	7.5
Nebraska	9,118	197.2	862	18.5	2,508	54.3	916	20.9	306	6.9	330	7.3
North Dakota	3,478	189.7	324	17.9	954	52.0	356	19.8	134	7.2	-	-
South Dakota	4,384	196.8	441	19.8	1,242	55.5	417	19.5	151	6.9	-	-
West South Central	166,524	208.5	15,662	19.3	48,310	60.0	13,673	19.6	4,945	6.9	5,885	7.7
Arkansas	18,097	237.1	1,652	21.8	6,360	81.1	1,427	20.8	587	8.3	570	7.6
Louisiana	25,247	237.8	2,330	21.8	7,899	72.9	2,074	22.5	645	6.7	873	8.6
Oklahoma	21,424	227.3	1,934	20.6	6,858	71.6	1,776	20.8	696	7.9	760	8.3
Texas	101,756	195.2	9,746	18.3	27,193	52.2	8,396	18.7	3,017	6.5	3,682	7.4
Mountain	80,340	171.3	7,244	15.3	18,500	39.0	8,648	20.3	3,130	7.1	-	-
Arizona	29,767	174.2	2,642	15.6	7,462	43.0	2,915	18.2	1,158	7.0	1,135	6.8
Colorado	18,630	166.5	1,651	14.5	4,089	36.4	2,106	21.7	713	6.8	710	6.6
Idaho	7,168	185.4	627	15.9	1,714	43.7	821	23.3	272	7.4	298	7.9
Montana	5,305	182.6	478	16.2	1,355	46.2	576	21.4	235	8.5	211	7.6
New Mexico	9,221	176.2	910	17.3	2,002	38.1	987	20.7	335	6.8	314	6.0
Utah	7,692	151.0	680	13.0	1,271	24.6	1,007	22.1	309	6.7	329	6.8
Wyoming	2,557	178.0	256	17.1	607	41.9	236	18.5	108	8.0	-	-
Pacific	221,476	181.3	19,984	16.2	52,267	43.0	22,469	20.0	8,175	7.1	-	-
Alaska	2,635	203.8	241	18.5	700	54.8	209	20.5	62	4.9	-	-
California	147,828	176.9	13,508	16.0	32,946	39.8	15,445	20.0	5,365	6.8	5,813	7.1
Hawaii	6,370	167.3	672	17.6	1,552	40.8	506	13.7	180	4.7	250	6.7
Nevada	12,738	194.1	1,335	20.2	3,523	52.8	1,202	21.1	507	8.6	438	6.9
Oregon	20,381	196.4	1,703	16.6	5,291	50.6	2,056	21.2	785	8.0	827	8.2
Washington	31,524	191.5	2,525	15.2	8,255	49.9	3,051	20.4	1,276	8.4	1,267	8.0

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,527,759	114.1	135,107	10.2	431,640	32.4	139,798	8.8	54,493	3.6	56,068	4.1
New England	74,373	109.1	5,762	8.4	20,103	29.8	6,903	8.3	3,189	4.1	2,640	3.8
Connecticut	16,963	101.0	1,298	7.8	4,328	26.2	1,646	7.9	773	4.0	653	3.7
Maine	8,580	121.1	640	9.2	2,625	37.2	720	8.4	399	5.1	287	4.0
Massachusetts	32,635	109.0	2,623	8.7	8,635	29.2	3,047	8.4	1,336	3.9	1,141	3.7
New Hampshire	6,922	109.2	484	7.7	1,922	30.4	624	8.4	290	4.1	237	3.8
Rhode Island	5,731	116.4	443	8.9	1,614	33.5	528	8.5	241	4.3	185	3.8
Vermont	3,542	113.7	274	8.9	979	31.2	338	9.1	150	4.4	137	4.2
Middle Atlantic	204,017	110.2	18,560	10.0	54,879	29.9	19,215	8.6	8,126	3.8	7,781	4.1
New Jersey	41,139	105.6	3,946	10.1	10,459	27.1	3,923	8.5	1,719	3.8	1,523	3.8
New York	88,684	105.6	8,010	9.6	23,406	28.1	8,624	8.5	3,477	3.6	3,385	4.0
Pennsylvania	74,194	119.5	6,604	10.7	21,014	34.2	6,668	8.7	2,930	4.1	2,873	4.5
South Atlantic	317,295	117.1	27,365	10.3	95,084	35.1	28,733	8.9	11,198	3.6	-	-
Delaware	5,003	118.5	403	9.8	1,526	35.8	426	8.7	163	3.4	184	4.3
District of Columbia	2,611	122.6	236	11.1	628	30.5	376	15.2	55	2.4	-	-
Florida	114,073	111.3	9,770	9.8	33,069	32.3	10,531	7.9	4,498	3.6	4,265	4.0
Georgia	42,650	122.2	3,951	11.4	13,233	37.8	3,895	10.4	1,378	3.7	1,359	3.9
Maryland	26,613	111.5	2,387	10.1	7,103	30.0	2,472	9.1	1,094	4.1	925	3.8
North Carolina	49,555	124.0	3,994	10.2	16,074	40.2	4,345	9.5	1,584	3.6	1,638	4.0
South Carolina	26,256	129.4	2,226	11.3	8,179	39.9	2,374	10.3	762	3.4	803	3.9
Virginia	37,687	113.9	3,209	9.8	10,961	33.2	3,422	9.1	1,262	3.5	1,344	4.0
West Virginia	12,847	138.7	1,189	12.8	4,311	46.3	892	8.1	402	3.9	432	4.5
East North Central	246,482	121.0	21,517	10.6	73,251	36.3	21,723	9.0	9,012	3.9	9,337	4.4
Illinois	62,033	117.2	5,713	10.8	17,763	33.9	5,693	9.2	2,094	3.5	2,248	4.1
Indiana	35,307	129.6	3,026	11.2	11,380	42.2	2,951	9.2	1,226	4.0	1,309	4.7
Michigan	53,617	119.7	4,487	10.1	15,854	35.5	4,590	8.6	2,002	3.9	2,171	4.7
Ohio	65,591	126.0	5,870	11.2	20,216	39.2	5,496	8.8	2,535	4.3	2,456	4.6
Wisconsin	29,934	112.2	2,421	9.0	8,038	30.4	2,993	9.3	1,155	3.8	1,153	4.1
East South Central	110,362	141.9	9,564	12.5	38,205	48.9	8,773	9.9	3,096	3.6	3,536	4.5
Alabama	28,243	138.5	2,469	12.4	9,522	46.5	2,486	10.6	784	3.5	858	4.1
Kentucky	26,930	145.9	2,258	12.3	9,930	53.7	1,824	8.6	788	3.8	929	4.9
Mississippi	17,649	149.8	1,668	14.6	5,932	49.9	1,606	12.1	434	3.4	482	4.0
Tennessee	37,540	138.4	3,169	11.7	12,821	47.0	2,857	9.3	1,090	3.7	1,267	4.6

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	106,890	114.5	9,449	10.2	31,041	33.7	9,661	8.4	3,622	3.3	4,096	4.2
Iowa	17,145	116.3	1,574	10.6	4,962	34.4	1,585	8.4	617	3.5	711	4.5
Kansas	14,304	115.3	1,312	10.9	4,119	33.7	1,283	8.4	489	3.4	532	4.1
Minnesota	24,961	103.7	2,014	8.4	6,352	26.8	2,542	8.7	887	3.2	1,100	4.4
Missouri	33,500	125.6	2,922	10.9	10,904	41.1	2,562	8.0	1,038	3.4	1,127	4.0
Nebraska	9,118	110.6	862	10.4	2,508	30.8	916	8.9	306	3.1	330	3.9
North Dakota	3,478	103.9	324	9.7	954	28.6	356	8.6	134	3.5	-	-
South Dakota	4,384	110.1	441	11.1	1,242	30.8	417	8.6	151	3.2	-	-
West South Central	166,524	120.5	15,662	11.5	48,310	34.8	13,673	8.7	4,945	3.3	5,885	4.2
Arkansas	18,097	138.8	1,652	13.0	6,360	48.8	1,427	9.1	587	3.9	570	4.3
Louisiana	25,247	140.0	2,330	13.1	7,899	43.7	2,074	10.1	645	3.3	873	4.8
Oklahoma	21,424	133.1	1,934	12.2	6,858	42.3	1,776	9.3	696	3.9	760	4.6
Texas	101,756	111.9	9,746	10.8	27,193	29.8	8,396	8.3	3,017	3.1	3,682	4.0
Mountain	80,340	95.9	7,244	8.8	18,500	21.8	8,648	8.8	3,130	3.4	-	-
Arizona	29,767	99.5	2,642	9.1	7,462	24.4	2,915	8.0	1,158	3.4	1,135	3.7
Colorado	18,630	91.3	1,651	8.1	4,089	20.0	2,106	9.2	713	3.3	710	3.4
Idaho	7,168	102.9	627	9.3	1,714	24.3	821	10.0	272	3.5	298	4.0
Montana	5,305	101.8	478	9.4	1,355	25.4	576	9.2	235	3.9	211	3.8
New Mexico	9,221	99.5	910	9.9	2,002	20.9	987	8.9	335	3.2	314	3.3
Utah	7,692	83.5	680	7.6	1,271	14.1	1,007	9.4	309	2.9	329	3.4
Wyoming	2,557	98.9	256	10.2	607	23.2	236	7.9	108	3.9	-	-
Pacific	221,476	101.1	19,984	9.2	52,267	23.7	22,469	8.7	8,175	3.3	-	-
Alaska	2,635	111.2	241	10.1	700	29.5	209	9.3	62	2.7	-	-
California	147,828	98.4	13,508	9.1	32,946	21.8	15,445	8.7	5,365	3.1	5,813	3.8
Hawaii	6,370	97.4	672	10.6	1,552	23.4	506	6.1	180	2.4	250	3.8
Nevada	12,738	108.5	1,335	11.5	3,523	29.5	1,202	9.3	507	4.0	438	3.7
Oregon	20,381	110.0	1,703	9.3	5,291	28.4	2,056	9.2	785	3.7	827	4.3
Washington	31,524	105.9	2,525	8.7	8,255	27.7	3,051	8.8	1,276	3.8	1,267	4.2

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,382,829	141.5	123,701	12.4	352,686	36.3	205,148	21.2	20,437	2.3	71,793	7.4
New England	70,966	140.4	6,040	11.5	18,982	38.3	9,418	18.9	631	1.4	3,625	7.3
Connecticut	16,749	133.6	1,362	10.4	4,233	34.4	2,354	19.1	184	1.7	871	7.1
Maine	7,530	150.4	609	11.8	2,152	43.3	885	18.0	66	1.5	342	6.8
Massachusetts	31,762	140.3	2,669	11.3	8,423	38.0	4,190	18.8	259	1.3	1,674	7.5
New Hampshire	6,285	143.3	593	13.3	1,756	40.7	892	20.3	58	1.4	319	7.3
Rhode Island	5,421	143.6	519	12.9	1,523	41.8	690	18.8	41	1.2	246	6.7
Vermont	3,219	146.9	288	12.7	895	41.5	407	18.6	23	1.2	173	8.0
Middle Atlantic	200,856	142.5	18,668	12.7	48,585	34.9	29,937	21.6	2,844	2.3	10,608	7.7
New Jersey	41,773	141.7	3,941	12.8	9,834	33.8	6,666	22.9	602	2.2	2,210	7.6
New York	89,220	138.1	8,114	12.1	21,608	33.8	13,163	20.7	1,408	2.4	4,794	7.5
Pennsylvania	69,863	149.4	6,613	13.5	17,143	37.1	10,108	22.2	834	2.1	3,604	7.9
South Atlantic	278,221	139.5	24,130	12.0	73,623	36.7	42,299	21.5	4,331	2.4	14,220	7.1
Delaware	4,623	150.5	337	10.8	1,316	42.6	659	21.9	79	2.9	226	7.1
District of Columbia	2,792	160.0	272	15.5	578	33.5	507	29.3	49	2.9	132	7.6
Florida	97,208	132.7	8,514	11.3	26,410	35.5	14,201	20.2	1,664	2.8	4,944	6.9
Georgia	37,508	140.6	3,345	12.6	9,507	35.6	6,116	22.6	674	2.5	1,998	7.5
Maryland	25,795	143.4	2,219	12.1	6,498	36.6	4,132	22.8	339	2.0	1,311	7.3
North Carolina	43,125	142.1	3,549	11.6	11,549	37.9	6,501	21.6	593	2.1	2,163	7.2
South Carolina	22,046	145.8	1,971	12.9	5,798	37.8	3,393	22.7	351	2.6	1,082	7.2
Virginia	34,222	141.3	2,911	12.0	8,805	36.5	5,344	21.9	399	1.8	1,849	7.6
West Virginia	10,902	163.3	1,012	15.0	3,162	47.2	1,446	22.1	183	3.4	515	7.6
East North Central	227,569	151.5	20,227	13.1	60,847	41.0	33,162	22.3	3,020	2.2	11,413	7.7
Illinois	59,597	150.3	5,405	13.3	15,384	39.4	8,882	22.5	903	2.4	2,965	7.6
Indiana	31,182	153.8	2,792	13.4	8,647	43.0	4,393	21.8	445	2.4	1,572	7.8
Michigan	49,455	151.7	4,223	12.7	13,474	41.5	7,200	22.4	597	2.1	2,578	8.0
Ohio	60,312	155.1	5,446	13.6	16,470	42.7	8,873	23.1	825	2.5	2,938	7.6
Wisconsin	27,023	144.0	2,361	12.1	6,872	37.5	3,814	20.5	250	1.5	1,360	7.4
East South Central	92,126	156.2	8,383	14.2	26,624	44.7	13,015	22.3	1,601	3.0	4,406	7.5
Alabama	23,074	148.3	2,065	13.3	6,224	39.5	3,361	22.0	453	3.3	1,252	8.0
Kentucky	23,090	167.1	1,980	14.2	7,597	54.7	3,009	21.9	350	2.8	987	7.1
Mississippi	14,457	158.6	1,476	16.1	3,780	41.1	2,145	23.9	291	3.5	604	6.7
Tennessee	31,505	153.9	2,862	14.0	9,023	43.7	4,500	22.1	507	2.7	1,563	7.7

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	96,330	143.4	8,945	12.9	25,137	38.1	13,454	20.3	1,169	2.0	4,732	7.1
Iowa	15,145	142.2	1,561	13.9	3,735	36.0	2,000	19.4	173	2.0	809	7.7
Kansas	12,908	143.1	1,172	12.6	3,417	38.4	1,795	20.1	146	1.9	655	7.4
Minnesota	22,814	135.8	2,002	11.5	5,543	33.9	3,149	18.8	217	1.4	1,206	7.2
Missouri	30,540	154.5	2,650	13.2	8,814	44.7	4,383	22.5	459	2.6	1,370	6.9
Nebraska	8,127	138.3	859	14.2	1,991	34.6	1,172	20.1	112	2.2	387	6.7
North Dakota	2,955	128.1	322	13.1	693	31.4	408	17.8	24	1.2	117	5.3
South Dakota	3,841	138.5	379	12.8	944	35.2	547	20.2	38	1.6	188	6.7
West South Central	142,150	141.1	12,994	12.8	35,886	35.7	21,661	21.4	2,758	2.8	7,077	7.0
Arkansas	14,649	153.8	1,405	14.6	4,231	43.9	2,069	22.1	270	3.3	721	7.6
Louisiana	21,371	157.2	2,040	14.9	5,674	41.5	3,289	24.2	361	2.9	908	6.7
Oklahoma	18,417	157.5	1,638	13.8	5,288	44.9	2,696	23.4	295	2.9	974	8.3
Texas	87,713	133.3	7,911	11.9	20,693	31.8	13,607	20.4	1,832	2.8	4,474	6.8
Mountain	70,532	125.4	6,193	11.0	15,952	28.4	11,001	19.6	975	1.8	4,287	7.6
Arizona	25,488	126.3	2,268	11.2	6,218	30.4	3,867	19.5	384	2.1	1,470	7.3
Colorado	17,524	125.1	1,559	11.1	3,868	28.1	2,742	19.2	235	1.7	1,119	7.9
Idaho	6,008	132.6	502	11.1	1,424	31.4	918	20.4	70	1.7	348	7.5
Montana	4,657	138.2	382	11.1	1,251	37.2	672	20.2	49	1.6	265	7.7
New Mexico	7,884	123.9	722	11.3	1,693	26.4	1,216	19.3	112	1.9	490	7.7
Utah	6,753	111.2	585	9.7	970	16.2	1,268	20.8	84	1.3	465	7.7
Wyoming	2,218	135.0	175	10.6	528	32.5	318	19.0	41	2.6	130	8.1
Pacific	204,079	133.4	18,121	11.6	47,050	31.1	31,201	20.4	3,108	2.1	11,425	7.5
Alaska	2,097	146.7	192	13.5	576	41.7	309	20.4	36	2.1	96	6.3
California	138,872	130.4	12,541	11.5	30,005	28.5	21,799	20.4	2,299	2.3	7,755	7.3
Hawaii	5,283	115.0	495	10.7	1,155	25.1	667	15.0	76	1.9	240	5.4
Nevada	10,838	145.4	1,006	13.8	3,105	41.4	1,708	22.7	161	2.2	558	7.3
Oregon	18,553	146.0	1,568	12.2	4,930	39.1	2,623	20.8	208	1.9	1,133	8.9
Washington	28,436	140.1	2,319	11.2	7,279	36.4	4,095	20.1	328	1.7	1,643	8.0

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,382,829	84.7	123,701	7.0	352,686	21.6	205,148	13.6	20,437	1.7	71,793	4.6
New England	70,966	81.7	6,040	6.1	18,982	22.4	9,418	12.0	631	1.0	3,625	4.5
Connecticut	16,749	77.6	1,362	5.6	4,233	19.9	2,354	12.1	184	1.2	871	4.5
Maine	7,530	88.5	609	6.5	2,152	25.9	885	11.3	66	1.1	342	4.4
Massachusetts	31,762	81.4	2,669	6.0	8,423	22.1	4,190	11.9	259	0.9	1,674	4.6
New Hampshire	6,285	83.4	593	7.0	1,756	24.0	892	12.8	58	1.0	319	4.5
Rhode Island	5,421	84.1	519	6.9	1,523	24.7	690	12.1	41	1.0	246	4.1
Vermont	3,219	84.9	288	6.4	895	24.3	407	11.6	23	0.9	173	4.8
Middle Atlantic	200,856	84.6	18,668	6.9	48,585	20.7	29,937	13.7	2,844	1.7	10,608	4.8
New Jersey	41,773	83.2	3,941	6.9	9,834	19.6	6,666	14.4	602	1.6	2,210	4.8
New York	89,220	82.1	8,114	6.6	21,608	20.0	13,163	13.1	1,408	1.7	4,794	4.8
Pennsylvania	69,863	89.1	6,613	7.4	17,143	22.4	10,108	14.1	834	1.6	3,604	4.9
South Atlantic	278,221	84.4	24,130	6.9	73,623	22.1	42,299	14.1	4,331	1.8	14,220	4.4
Delaware	4,623	90.7	337	6.0	1,316	25.5	659	14.2	79	2.2	226	4.6
District of Columbia	2,792	98.0	272	9.2	578	20.1	507	19.2	49	2.1	132	5.0
Florida	97,208	80.6	8,514	6.5	26,410	21.3	14,201	13.2	1,664	2.1	4,944	4.3
Georgia	37,508	85.5	3,345	7.3	9,507	21.6	6,116	14.7	674	1.8	1,998	4.6
Maryland	25,795	85.4	2,219	6.9	6,498	21.2	4,132	14.9	339	1.4	1,311	4.6
North Carolina	43,125	86.0	3,549	6.7	11,549	23.1	6,501	14.1	593	1.5	2,163	4.4
South Carolina	22,046	88.6	1,971	7.6	5,798	23.1	3,393	14.8	351	1.9	1,082	4.4
Virginia	34,222	83.9	2,911	6.6	8,805	21.4	5,344	14.2	399	1.3	1,849	4.6
West Virginia	10,902	100.2	1,012	8.4	3,162	29.4	1,446	14.5	183	2.6	515	4.9
East North Central	227,569	90.9	20,227	7.3	60,847	24.7	33,162	14.3	3,020	1.7	11,413	4.8
Illinois	59,597	89.4	5,405	7.3	15,384	23.3	8,882	14.4	903	1.8	2,965	4.8
Indiana	31,182	93.3	2,792	7.5	8,647	26.4	4,393	14.0	445	1.8	1,572	4.9
Michigan	49,455	91.3	4,223	7.2	13,474	25.0	7,200	14.4	597	1.5	2,578	4.9
Ohio	60,312	93.6	5,446	7.6	16,470	25.9	8,873	14.8	825	1.9	2,938	4.8
Wisconsin	27,023	85.1	2,361	6.5	6,872	22.5	3,814	13.0	250	1.1	1,360	4.6
East South Central	92,126	96.3	8,383	8.2	26,624	28.1	13,015	14.6	1,601	2.2	4,406	4.6
Alabama	23,074	91.2	2,065	7.7	6,224	24.5	3,361	14.5	453	2.5	1,252	4.9
Kentucky	23,090	102.7	1,980	8.1	7,597	34.6	3,009	14.3	350	2.0	987	4.4
Mississippi	14,457	99.2	1,476	9.8	3,780	26.0	2,145	15.9	291	2.5	604	4.2
Tennessee	31,505	94.6	2,862	8.0	9,023	27.4	4,500	14.4	507	2.0	1,563	4.8

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	96,330	85.4	8,945	7.0	25,137	22.9	13,454	13.0	1,169	1.5	4,732	4.4
Iowa	15,145	84.6	1,561	7.4	3,735	21.7	2,000	12.4	173	1.5	809	4.7
Kansas	12,908	85.8	1,172	7.1	3,417	23.2	1,795	12.9	146	1.4	655	4.6
Minnesota	22,814	79.2	2,002	6.3	5,543	19.8	3,149	11.8	217	1.1	1,206	4.5
Missouri	30,540	93.7	2,650	7.3	8,814	27.4	4,383	14.6	459	2.0	1,370	4.3
Nebraska	8,127	81.8	859	7.6	1,991	20.7	1,172	12.7	112	1.7	387	4.2
North Dakota	2,955	76.1	322	7.0	693	19.0	408	11.2	24	1.0	117	3.3
South Dakota	3,841	80.2	379	6.7	944	20.7	547	12.6	38	1.2	188	4.0
West South Central	142,150	85.6	12,994	7.5	35,886	21.3	21,661	13.9	2,758	2.1	7,077	4.4
Arkansas	14,649	94.9	1,405	8.7	4,231	27.6	2,069	14.3	270	2.5	721	4.7
Louisiana	21,371	96.4	2,040	9.0	5,674	25.4	3,289	15.9	361	2.2	908	4.1
Oklahoma	18,417	96.7	1,638	8.2	5,288	27.7	2,696	15.2	295	2.2	974	5.2
Texas	87,713	80.2	7,911	6.9	20,693	18.6	13,607	13.2	1,832	2.1	4,474	4.2
Mountain	70,532	73.9	6,193	6.1	15,952	16.2	11,001	12.4	975	1.4	4,287	4.7
Arizona	25,488	75.5	2,268	6.3	6,218	17.6	3,867	12.6	384	1.6	1,470	4.6
Colorado	17,524	72.2	1,559	6.0	3,868	15.6	2,742	12.0	235	1.2	1,119	4.9
Idaho	6,008	77.9	502	6.4	1,424	18.4	918	12.8	70	1.2	348	4.6
Montana	4,657	81.3	382	6.2	1,251	21.3	672	12.9	49	1.2	265	5.0
New Mexico	7,884	73.5	722	6.2	1,693	15.0	1,216	12.3	112	1.4	490	4.8
Utah	6,753	65.3	585	5.4	970	9.5	1,268	12.9	84	1.0	465	4.7
Wyoming	2,218	79.6	175	6.0	528	18.7	318	12.1	41	2.0	130	5.0
Pacific	204,079	78.6	18,121	6.5	47,050	17.5	31,201	13.1	3,108	1.6	11,425	4.7
Alaska	2,097	86.1	192	7.7	576	23.6	309	12.8	36	1.6	96	4.0
California	138,872	77.0	12,541	6.4	30,005	15.9	21,799	13.2	2,299	1.7	7,755	4.6
Hawaii	5,283	70.3	495	6.3	1,155	14.5	667	10.2	76	1.5	240	3.5
Nevada	10,838	84.5	1,006	7.5	3,105	23.3	1,708	14.3	161	1.6	558	4.6
Oregon	18,553	85.9	1,568	6.7	4,930	22.4	2,623	13.4	208	1.4	1,133	5.6
Washington	28,436	81.7	2,319	6.1	7,279	20.7	4,095	12.6	328	1.3	1,643	4.9

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2010-2014, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,308,849	199.8	0.18	113.3	0.10	1,173,083	141.9	0.13	84.5	0.09
Oral Cavity & Pharynx	26,000	3.8	0.02	2.4	0.02	11,145	1.3	0.01	0.8	0.01
Digestive System	347,833	51.9	0.09	31.1	0.06	259,961	30.9	0.06	17.5	0.04
Esophagus	52,262	7.6	0.03	4.8	0.02	12,584	1.5	0.01	0.9	0.01
Stomach	25,010	3.8	0.02	2.2	0.01	16,736	2.0	0.02	1.2	0.01
Colon & Rectum	112,387	17.2	0.05	9.8	0.03	102,606	12.1	0.04	6.7	0.02
Liver	48,519	6.8	0.03	4.6	0.02	18,248	2.2	0.02	1.3	0.01
Pancreas	84,033	12.6	0.04	7.4	0.03	79,142	9.4	0.03	5.3	0.02
Respiratory System	385,835	58.0	0.10	33.5	0.06	312,981	38.0	0.07	22.6	0.04
Larynx	12,025	1.8	0.02	1.1	0.01	3,055	0.4	0.01	0.2	0.00
Lung & bronchus	371,196	55.9	0.09	32.2	0.06	308,513	37.5	0.07	22.3	0.04
Skin	41,228	6.3	0.03	3.6	0.02	19,484	2.4	0.02	1.5	0.01
Melanomas of the skin	29,912	4.6	0.03	2.7	0.02	15,293	1.9	0.02	1.2	0.01
Breast	1,798	0.3	0.01	0.2	0.00	168,394	20.6	0.05	13.2	0.04
Female Genital System	-	-	-	-	-	122,408	15.1	0.04	9.7	0.03
Cervix uteri	-	-	-	-	-	15,436	2.1	0.02	1.6	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	35,159	4.2	0.02	2.7	0.02
Ovary	-	-	-	-	-	62,890	7.7	0.03	4.8	0.02
Male Genital System	116,787	19.2	0.06	8.4	0.03	-	-	-	-	-
Prostate	113,614	18.7	0.06	8.1	0.03	-	-	-	-	-
Testis	1,791	0.3	0.01	0.3	0.01	-	-	-	-	-
Urinary System	91,244	14.2	0.05	7.4	0.03	41,676	4.9	0.02	2.6	0.01
Bladder	50,284	8.1	0.04	3.8	0.02	19,196	2.2	0.02	1.1	0.01
Kidney & renal pelvis	38,798	5.8	0.03	3.5	0.02	21,020	2.5	0.02	1.4	0.01
Brain & Other Nervous System	38,575	5.7	0.03	4.1	0.02	29,808	3.8	0.02	2.7	0.02
Endocrine System	5,518	0.8	0.01	0.6	0.01	5,868	0.7	0.01	0.5	0.01
Thyroid gland	3,466	0.5	0.01	0.3	0.01	3,991	0.5	0.01	0.3	0.00
Lymphomas	53,207	8.3	0.04	4.5	0.02	42,604	5.0	0.03	2.7	0.01
Hodgkin Lymphoma	2,871	0.4	0.01	0.3	0.01	2,088	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	50,336	7.9	0.04	4.2	0.02	40,516	4.8	0.02	2.5	0.01
Multiple Myeloma	25,614	4.0	0.03	2.1	0.01	20,725	2.4	0.02	1.3	0.01
Leukemias	59,663	9.5	0.04	5.2	0.02	43,489	5.3	0.03	3.0	0.02
Other, Ill-defined & Unknown	115,547	17.8	0.05	10.1	0.03	94,540	11.3	0.04	6.5	0.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,308,849	199.8	112,387	17.2	371,196	55.9	113,614	18.7	50,284	8.1	50,336	7.9
New England	70,154	199.0	5,398	15.4	19,039	53.5	6,422	19.1	3,112	9.1	2,520	7.3
Connecticut	15,487	183.3	1,166	13.7	3,949	46.4	1,470	17.9	746	9.0	608	7.2
Maine	8,494	216.6	634	16.5	2,605	64.9	713	19.8	398	10.5	283	7.6
Massachusetts	30,340	200.1	2,429	16.2	8,048	52.9	2,782	19.1	1,295	8.8	1,082	7.3
New Hampshire	6,844	199.2	482	14.2	1,909	54.6	611	19.7	285	8.8	235	6.9
Rhode Island	5,483	213.6	417	16.4	1,557	60.8	510	20.1	238	9.4	178	7.0
Vermont	3,506	203.3	270	15.8	971	54.6	336	21.2	150	9.3	134	7.9
Middle Atlantic	174,655	198.2	15,548	17.7	47,338	53.3	15,272	18.0	7,501	8.7	6,970	8.0
New Jersey	34,984	195.2	3,244	18.0	8,936	49.7	3,074	17.7	1,589	9.2	1,377	7.8
New York	72,892	191.4	6,432	16.9	19,467	50.8	6,542	17.9	3,142	8.5	2,902	7.8
Pennsylvania	66,779	208.1	5,872	18.4	18,935	58.4	5,656	18.2	2,770	8.8	2,691	8.5
South Atlantic	256,495	198.0	21,159	16.4	78,382	59.3	20,623	16.9	10,020	8.0	9,500	7.5
Delaware	4,132	207.5	338	17.4	1,288	63.2	320	17.2	146	7.7	-	-
District of Columbia	599	129.2	41	7.7	110	24.7	83	19.5	18	3.9	-	-
Florida	101,826	190.0	8,462	15.9	29,955	55.0	8,717	16.0	4,267	7.8	3,879	7.3
Georgia	31,110	206.2	2,690	17.8	10,083	65.0	2,340	18.2	1,166	8.6	1,080	7.6
Maryland	18,824	193.8	1,568	15.9	5,089	51.9	1,540	16.8	900	9.7	736	7.7
North Carolina	38,755	207.1	2,971	15.9	12,739	66.2	2,975	17.8	1,392	8.0	1,417	7.8
South Carolina	19,449	211.6	1,567	17.0	6,279	65.9	1,443	17.9	647	7.6	674	7.6
Virginia	29,365	196.4	2,377	15.8	8,655	56.5	2,363	17.8	1,092	7.9	1,112	7.7
West Virginia	12,435	236.9	1,145	22.0	4,184	77.4	842	17.7	392	7.9	425	8.2
East North Central	216,869	210.2	18,539	18.1	64,514	61.5	18,127	19.0	8,435	8.6	8,623	8.6
Illinois	51,627	204.8	4,602	18.2	14,779	58.1	4,383	18.6	1,897	7.9	2,013	8.3
Indiana	32,557	224.0	2,753	19.0	10,566	71.3	2,604	19.9	1,191	8.7	1,240	8.7
Michigan	46,159	205.3	3,767	16.9	13,656	59.6	3,724	17.9	1,858	8.7	1,971	9.0
Ohio	58,417	217.8	5,174	19.5	18,020	66.0	4,580	18.3	2,364	9.2	2,294	8.8
Wisconsin	28,109	199.3	2,243	16.0	7,493	52.3	2,836	21.4	1,125	8.3	1,105	8.1
East South Central	91,341	235.8	7,571	19.6	32,269	80.9	6,315	18.6	2,797	7.8	3,159	8.5
Alabama	21,840	227.8	1,798	18.9	7,537	76.2	1,623	19.1	687	7.7	738	8.0
Kentucky	25,289	250.2	2,103	20.8	9,398	90.4	1,657	19.1	745	8.2	885	9.1
Mississippi	11,936	234.8	1,049	20.7	4,122	78.9	819	17.8	355	7.6	387	7.9
Tennessee	32,276	231.4	2,621	19.0	11,212	77.9	2,216	18.1	1,010	7.8	1,149	8.5

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	99,901	200.8	8,760	17.7	28,976	57.6	8,994	19.1	3,510	7.3	3,916	8.1
Iowa	16,706	206.2	1,533	19.2	4,844	59.1	1,549	19.7	607	7.7	697	8.7
Kansas	13,289	199.1	1,206	18.1	3,808	56.6	1,169	18.3	471	7.3	511	7.8
Minnesota	23,700	188.3	1,905	15.1	6,050	47.5	2,449	20.6	862	7.2	1,054	8.6
Missouri	30,035	213.7	2,576	18.5	9,827	68.8	2,202	17.0	990	7.5	1,047	7.6
Nebraska	8,708	196.4	813	18.3	2,383	53.7	880	20.7	302	7.0	320	7.3
North Dakota	3,349	188.4	319	18.2	906	50.9	348	19.8	131	7.3	-	-
South Dakota	4,114	193.5	408	19.3	1,158	54.1	397	19.2	147	7.0	-	-
West South Central	139,485	204.8	12,688	18.5	40,302	58.5	10,863	18.0	4,494	7.2	5,245	8.0
Arkansas	15,793	233.5	1,401	20.9	5,586	80.3	1,147	18.7	550	8.6	521	7.8
Louisiana	17,455	222.5	1,534	19.5	5,450	67.9	1,277	18.2	527	7.2	676	8.9
Oklahoma	18,618	225.9	1,625	19.9	6,024	71.7	1,486	19.4	651	8.3	692	8.6
Texas	87,619	193.8	8,128	17.7	23,242	51.4	6,953	17.6	2,766	6.7	3,356	7.7
Mountain	75,895	172.3	6,753	15.2	17,641	39.5	8,143	20.2	3,050	7.3	-	-
Arizona	27,900	176.2	2,447	15.6	7,111	44.0	2,718	18.1	1,132	7.3	1,076	6.9
Colorado	17,469	166.7	1,542	14.5	3,819	36.3	1,936	21.1	687	7.0	671	6.6
Idaho	7,043	186.5	612	15.9	1,696	44.2	805	23.4	270	7.5	292	8.0
Montana	5,061	181.0	443	15.6	1,294	45.9	558	21.4	231	8.6	203	7.5
New Mexico	8,506	178.7	825	17.2	1,896	39.5	909	20.7	318	7.0	288	6.0
Utah	7,423	151.7	637	12.8	1,231	24.7	985	22.3	304	6.8	324	6.9
Wyoming	2,493	178.9	247	17.1	594	42.2	232	18.7	108	8.2	-	-
Pacific	184,054	187.3	15,971	16.1	42,735	43.6	18,855	20.7	7,365	7.9	7,462	7.8
Alaska	1,971	191.4	144	13.9	512	49.0	162	20.0	47	4.4	-	-
California	120,499	183.1	10,633	16.0	26,012	40.0	12,678	20.6	4,783	7.6	4,934	7.6
Hawaii	2,073	184.0	170	14.9	461	40.4	191	19.4	83	7.6	-	-
Nevada	11,188	200.1	1,141	20.4	3,091	54.3	1,032	21.0	467	9.2	399	7.3
Oregon	19,508	198.1	1,610	16.6	5,070	51.0	1,982	21.4	768	8.1	799	8.4
Washington	28,815	193.6	2,273	15.2	7,589	50.6	2,810	20.5	1,217	8.8	1,178	8.2

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,308,849	113.3	112,387	9.8	371,196	32.2	113,614	8.1	50,284	3.8	50,336	4.2
New England	70,154	110.5	5,398	8.5	19,039	30.3	6,422	8.2	3,112	4.3	2,520	3.9
Connecticut	15,487	101.1	1,166	7.8	3,949	26.3	1,470	7.5	746	4.2	608	3.8
Maine	8,494	121.7	634	9.3	2,605	37.4	713	8.4	398	5.1	283	4.0
Massachusetts	30,340	110.9	2,429	8.7	8,048	29.8	2,782	8.3	1,295	4.1	1,082	3.8
New Hampshire	6,844	110.3	482	7.8	1,909	30.8	611	8.4	285	4.1	235	3.8
Rhode Island	5,483	119.1	417	8.9	1,557	34.6	510	8.6	238	4.6	178	3.9
Vermont	3,506	114.1	270	8.9	971	31.4	336	9.1	150	4.4	134	4.1
Middle Atlantic	174,655	111.3	15,548	9.9	47,338	30.5	15,272	7.7	7,501	4.1	6,970	4.3
New Jersey	34,984	107.6	3,244	9.9	8,936	27.8	3,074	7.6	1,589	4.2	1,377	4.1
New York	72,892	107.7	6,432	9.5	19,467	29.1	6,542	7.7	3,142	4.0	2,902	4.2
Pennsylvania	66,779	117.7	5,872	10.3	18,935	33.7	5,656	7.8	2,770	4.2	2,691	4.6
South Atlantic	256,495	114.2	21,159	9.6	78,382	34.9	20,623	7.4	10,020	3.9	9,500	4.1
Delaware	4,132	117.2	338	9.9	1,288	36.2	320	7.6	146	3.6	-	-
District of Columbia	599	65.5	41	4.9	110	12.4	83	7.6	18	1.8	-	-
Florida	101,826	111.8	8,462	9.5	29,955	32.9	8,717	7.1	4,267	3.8	3,879	4.1
Georgia	31,110	117.9	2,690	10.3	10,083	37.9	2,340	7.9	1,166	4.0	1,080	4.0
Maryland	18,824	107.6	1,568	9.1	5,089	29.4	1,540	7.2	900	4.5	736	4.1
North Carolina	38,755	118.3	2,971	9.3	12,739	38.7	2,975	7.7	1,392	3.8	1,417	4.2
South Carolina	19,449	121.4	1,567	10.2	6,279	38.7	1,443	7.7	647	3.7	674	4.0
Virginia	29,365	110.1	2,377	9.0	8,655	32.5	2,363	7.5	1,092	3.7	1,112	4.1
West Virginia	12,435	138.9	1,145	12.7	4,184	46.5	842	7.8	392	3.9	425	4.6
East North Central	216,869	118.9	18,539	10.2	64,514	35.7	18,127	8.2	8,435	4.0	8,623	4.5
Illinois	51,627	114.3	4,602	10.2	14,779	33.1	4,383	8.0	1,897	3.7	2,013	4.3
Indiana	32,557	128.9	2,753	11.0	10,566	42.3	2,604	8.6	1,191	4.2	1,240	4.7
Michigan	46,159	116.5	3,767	9.5	13,656	34.6	3,724	7.7	1,858	4.0	1,971	4.8
Ohio	58,417	124.5	5,174	11.0	18,020	38.8	4,580	8.0	2,364	4.4	2,294	4.7
Wisconsin	28,109	110.0	2,243	8.8	7,493	29.6	2,836	9.0	1,125	3.8	1,105	4.1
East South Central	91,341	137.8	7,571	11.6	32,269	48.4	6,315	8.1	2,797	3.8	3,159	4.6
Alabama	21,840	133.0	1,798	11.3	7,537	45.5	1,623	8.2	687	3.7	738	4.3
Kentucky	25,289	146.2	2,103	12.2	9,398	54.2	1,657	8.2	745	3.9	885	5.0
Mississippi	11,936	137.7	1,049	12.7	4,122	46.7	819	8.0	355	3.6	387	4.2
Tennessee	32,276	135.1	2,621	11.0	11,212	46.6	2,216	7.9	1,010	3.8	1,149	4.7

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	99,901	113.2	8,760	10.0	28,976	33.2	8,994	8.2	3,510	3.4	3,916	4.2
Iowa	16,706	115.9	1,533	10.6	4,844	34.4	1,549	8.4	607	3.5	697	4.5
Kansas	13,289	113.9	1,206	10.7	3,808	33.1	1,169	8.0	471	3.5	511	4.1
Minnesota	23,700	103.0	1,905	8.3	6,050	26.7	2,449	8.6	862	3.2	1,054	4.5
Missouri	30,035	123.6	2,576	10.5	9,827	40.5	2,202	7.4	990	3.5	1,047	4.1
Nebraska	8,708	110.2	813	10.3	2,383	30.5	880	8.8	302	3.2	320	4.0
North Dakota	3,349	103.0	319	9.9	906	27.9	348	8.6	131	3.5	-	-
South Dakota	4,114	107.8	408	10.6	1,158	29.9	397	8.4	147	3.2	-	-
West South Central	139,485	117.7	12,688	10.9	40,302	33.7	10,863	7.9	4,494	3.4	5,245	4.3
Arkansas	15,793	136.0	1,401	12.3	5,586	48.0	1,147	8.0	550	4.1	521	4.3
Louisiana	17,455	128.3	1,534	11.5	5,450	40.0	1,277	8.0	527	3.5	676	4.8
Oklahoma	18,618	132.2	1,625	11.8	6,024	42.4	1,486	8.7	651	4.1	692	4.8
Texas	87,619	110.8	8,128	10.4	23,242	29.1	6,953	7.7	2,766	3.2	3,356	4.1
Mountain	75,895	96.5	6,753	8.8	17,641	22.1	8,143	8.7	3,050	3.5	-	-
Arizona	27,900	100.8	2,447	9.1	7,111	25.1	2,718	7.9	1,132	3.6	1,076	3.7
Colorado	17,469	91.3	1,542	8.1	3,819	19.9	1,936	8.9	687	3.4	671	3.4
Idaho	7,043	103.7	612	9.3	1,696	24.6	805	10.0	270	3.6	292	4.0
Montana	5,061	100.7	443	9.0	1,294	25.2	558	9.1	231	4.0	203	3.8
New Mexico	8,506	101.1	825	9.9	1,896	21.7	909	9.0	318	3.3	288	3.3
Utah	7,423	83.8	637	7.4	1,231	14.2	985	9.5	304	3.0	324	3.5
Wyoming	2,493	99.6	247	10.1	594	23.4	232	8.0	108	4.0	-	-
Pacific	184,054	104.0	15,971	9.1	42,735	24.0	18,855	8.9	7,365	3.7	7,462	4.1
Alaska	1,971	104.4	144	7.7	512	26.9	162	9.0	47	2.5	-	-
California	120,499	101.6	10,633	9.0	26,012	21.8	12,678	8.9	4,783	3.5	4,934	4.0
Hawaii	2,073	105.3	170	8.5	461	23.1	191	8.4	83	3.9	-	-
Nevada	11,188	111.7	1,141	11.6	3,091	30.2	1,032	9.2	467	4.2	399	4.0
Oregon	19,508	110.9	1,610	9.3	5,070	28.6	1,982	9.2	768	3.8	799	4.3
Washington	28,815	107.0	2,273	8.6	7,589	28.1	2,810	8.8	1,217	4.0	1,178	4.3

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,173,083	141.9	102,606	12.1	308,513	37.5	168,394	20.6	15,436	2.1	62,890	7.7
New England	67,010	142.9	5,658	11.5	18,196	39.6	8,808	19.1	565	1.4	3,445	7.5
Connecticut	15,264	134.8	1,228	10.3	3,964	35.8	2,096	18.9	156	1.6	809	7.3
Maine	7,459	151.0	601	11.8	2,135	43.5	876	18.1	65	1.5	342	6.9
Massachusetts	29,664	143.7	2,448	11.3	7,997	39.6	3,902	19.3	227	1.2	1,575	7.8
New Hampshire	6,229	144.9	590	13.5	1,742	41.2	884	20.5	56	1.4	316	7.4
Rhode Island	5,209	147.2	504	13.3	1,475	43.2	648	18.9	38	1.3	235	6.8
Vermont	3,185	147.2	287	12.8	883	41.5	402	18.6	23	1.2	168	7.9
Middle Atlantic	169,813	144.8	15,748	12.8	42,228	36.6	24,460	21.3	2,064	2.1	9,166	8.0
New Jersey	35,142	144.5	3,326	12.9	8,546	35.7	5,359	22.5	436	2.1	1,905	8.1
New York	72,656	143.3	6,493	12.2	18,401	36.9	10,305	20.7	969	2.2	4,002	8.1
Pennsylvania	62,015	146.9	5,929	13.4	15,281	36.7	8,796	21.4	659	1.9	3,259	8.0
South Atlantic	221,082	138.1	18,371	11.3	62,441	38.8	31,558	20.2	2,944	2.2	11,800	7.4
Delaware	3,752	150.3	264	10.3	1,122	44.4	518	21.5	56	2.6	186	7.3
District of Columbia	631	111.9	53	9.7	121	22.5	129	22.4	-	-	42	7.0
Florida	85,781	133.4	7,348	11.1	24,387	37.4	12,061	19.6	1,264	2.6	4,444	7.1
Georgia	26,551	138.7	2,197	11.4	7,490	38.8	3,902	20.4	402	2.3	1,521	7.9
Maryland	17,745	141.6	1,430	11.0	4,796	38.9	2,605	20.9	183	1.7	985	7.9
North Carolina	33,420	139.2	2,572	10.6	9,562	39.6	4,728	20.0	385	1.8	1,772	7.4
South Carolina	16,163	141.8	1,371	12.0	4,705	40.6	2,318	20.7	205	2.1	835	7.4
Virginia	26,459	139.8	2,152	11.2	7,161	37.9	3,902	20.7	263	1.5	1,516	8.0
West Virginia	10,580	164.0	984	15.1	3,097	47.8	1,395	22.0	180	3.5	499	7.6
East North Central	198,066	149.7	17,379	12.7	53,519	41.0	28,165	21.5	2,372	2.1	10,292	7.9
Illinois	49,086	148.5	4,329	12.6	12,898	39.8	7,086	21.6	624	2.1	2,523	7.8
Indiana	28,400	152.4	2,517	13.1	7,959	43.1	3,930	21.3	396	2.4	1,471	7.9
Michigan	42,085	149.1	3,511	12.1	11,672	41.6	5,947	21.4	442	1.9	2,292	8.2
Ohio	53,212	153.9	4,811	13.4	14,608	42.7	7,651	22.4	694	2.4	2,703	7.9
Wisconsin	25,283	141.9	2,211	11.8	6,382	36.6	3,551	20.1	216	1.4	1,303	7.5
East South Central	75,232	153.8	6,507	13.2	23,019	46.6	9,895	20.5	1,117	2.6	3,746	7.7
Alabama	17,518	145.5	1,444	12.0	5,171	42.3	2,335	19.8	289	2.9	997	8.2
Kentucky	21,470	167.1	1,821	14.1	7,130	55.1	2,746	21.5	319	2.8	941	7.3
Mississippi	9,668	151.5	902	13.9	2,815	43.6	1,230	19.8	131	2.5	439	7.0
Tennessee	26,576	150.7	2,340	13.2	7,903	44.3	3,584	20.6	378	2.4	1,369	7.8

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, White, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	89,555	142.0	8,297	12.7	23,459	37.9	12,392	20.0	996	1.9	4,519	7.2
Iowa	14,772	142.1	1,522	13.8	3,634	35.9	1,956	19.4	164	2.0	801	7.8
Kansas	11,960	141.4	1,075	12.2	3,167	38.0	1,651	19.8	131	1.8	624	7.5
Minnesota	21,674	135.4	1,897	11.4	5,303	34.0	3,022	19.0	179	1.3	1,167	7.3
Missouri	26,973	152.1	2,321	12.8	7,939	45.0	3,727	21.4	366	2.4	1,261	7.1
Nebraska	7,748	137.7	820	14.1	1,892	34.3	1,114	20.0	106	2.3	375	6.8
North Dakota	2,828	126.6	308	12.9	646	30.3	399	17.9	24	1.3	115	5.5
South Dakota	3,600	136.5	354	12.5	878	34.6	523	20.4	26	1.2	176	6.6
West South Central	117,784	139.1	10,411	12.2	30,653	36.2	17,074	20.2	2,107	2.7	6,135	7.2
Arkansas	12,665	152.4	1,195	14.3	3,815	45.3	1,704	20.9	192	2.8	634	7.6
Louisiana	14,728	150.0	1,339	13.5	4,244	43.1	1,975	20.2	207	2.5	671	6.8
Oklahoma	15,828	156.1	1,357	13.1	4,630	45.3	2,299	23.1	233	2.8	864	8.5
Texas	74,563	132.4	6,520	11.5	17,964	32.1	11,096	19.6	1,475	2.7	3,966	7.0
Mountain	66,364	126.5	5,771	10.9	15,241	29.0	10,367	19.9	879	1.8	4,033	7.7
Arizona	23,660	127.8	2,089	11.2	5,938	31.5	3,586	19.8	339	2.1	1,358	7.4
Colorado	16,498	126.2	1,456	11.1	3,646	28.3	2,573	19.3	221	1.7	1,072	8.1
Idaho	5,895	133.6	492	11.2	1,400	31.6	905	20.6	70	1.7	338	7.5
Montana	4,441	137.4	359	10.9	1,186	36.7	647	20.3	44	1.5	250	7.6
New Mexico	7,228	126.3	654	11.3	1,623	28.0	1,122	20.0	89	1.7	436	7.7
Utah	6,482	111.4	554	9.6	935	16.2	1,222	20.9	75	1.3	453	7.8
Wyoming	2,160	136.3	167	10.6	513	32.7	312	19.3	41	2.7	126	8.1
Pacific	168,177	139.0	14,464	11.7	39,757	33.2	25,675	21.3	2,392	2.1	9,754	8.1
Alaska	1,495	139.7	116	11.2	437	42.1	232	20.4	23	1.9	78	7.1
California	112,161	135.9	9,793	11.5	24,701	30.3	17,542	21.4	1,750	2.3	6,500	7.9
Hawaii	1,486	137.0	127	12.0	343	31.6	202	18.3	23	2.4	80	7.8
Nevada	9,336	151.9	846	14.0	2,777	44.8	1,429	23.1	130	2.2	483	7.7
Oregon	17,778	147.9	1,485	12.2	4,749	39.7	2,512	21.1	193	1.9	1,093	9.1
Washington	25,921	143.0	2,097	11.3	6,750	37.7	3,758	20.7	273	1.6	1,520	8.3

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,173,083	84.5	102,606	6.7	308,513	22.3	168,394	13.2	15,436	1.6	62,890	4.8
New England	67,010	83.1	5,658	6.1	18,196	23.2	8,808	12.1	565	1.0	3,445	4.7
Connecticut	15,264	78.0	1,228	5.5	3,964	20.7	2,096	11.8	156	1.2	809	4.7
Maine	7,459	88.8	601	6.5	2,135	26.1	876	11.3	65	1.1	342	4.5
Massachusetts	29,664	83.5	2,448	6.0	7,997	23.2	3,902	12.3	227	0.9	1,575	4.8
New Hampshire	6,229	84.5	590	7.1	1,742	24.3	884	13.0	56	0.9	316	4.6
Rhode Island	5,209	86.2	504	7.1	1,475	25.6	648	12.1	38	1.0	235	4.2
Vermont	3,185	85.2	287	6.5	883	24.3	402	11.6	23	0.9	168	4.7
Middle Atlantic	169,813	85.5	15,748	6.9	42,228	21.7	24,460	13.4	2,064	1.5	9,166	5.1
New Jersey	35,142	84.6	3,326	6.9	8,546	20.7	5,359	14.0	436	1.5	1,905	5.2
New York	72,656	84.7	6,493	6.6	18,401	21.8	10,305	13.1	969	1.6	4,002	5.1
Pennsylvania	62,015	87.2	5,929	7.2	15,281	22.1	8,796	13.6	659	1.5	3,259	5.0
South Atlantic	221,082	83.1	18,371	6.4	62,441	23.3	31,558	13.0	2,944	1.6	11,800	4.6
Delaware	3,752	90.7	264	5.6	1,122	26.7	518	13.9	56	2.1	186	4.7
District of Columbia	631	62.6	53	5.0	121	11.6	129	13.8	-	-	42	4.5
Florida	85,781	80.8	7,348	6.3	24,387	22.6	12,061	12.7	1,264	2.0	4,444	4.5
Georgia	26,551	83.7	2,197	6.5	7,490	23.6	3,902	13.0	402	1.7	1,521	4.9
Maryland	17,745	83.2	1,430	6.1	4,796	22.4	2,605	13.2	183	1.2	985	5.0
North Carolina	33,420	83.6	2,572	6.1	9,562	24.1	4,728	12.8	385	1.3	1,772	4.5
South Carolina	16,163	85.4	1,371	6.8	4,705	24.8	2,318	13.3	205	1.6	835	4.6
Virginia	26,459	82.6	2,152	6.2	7,161	22.3	3,902	13.2	263	1.1	1,516	4.8
West Virginia	10,580	100.5	984	8.5	3,097	29.8	1,395	14.5	180	2.7	499	4.9
East North Central	198,066	89.4	17,379	7.0	53,519	24.7	28,165	13.7	2,372	1.5	10,292	4.9
Illinois	49,086	87.8	4,329	6.9	12,898	23.5	7,086	13.7	624	1.5	2,523	4.9
Indiana	28,400	92.3	2,517	7.4	7,959	26.5	3,930	13.6	396	1.8	1,471	4.9
Michigan	42,085	89.2	3,511	6.7	11,672	25.0	5,947	13.7	442	1.4	2,292	5.1
Ohio	53,212	92.7	4,811	7.4	14,608	25.9	7,651	14.3	694	1.8	2,703	5.1
Wisconsin	25,283	83.4	2,211	6.3	6,382	21.9	3,551	12.7	216	1.1	1,303	4.6
East South Central	75,232	94.6	6,507	7.6	23,019	29.4	9,895	13.2	1,117	2.0	3,746	4.8
Alabama	17,518	89.1	1,444	7.0	5,171	26.3	2,335	12.8	289	2.2	997	5.1
Kentucky	21,470	102.9	1,821	8.0	7,130	35.1	2,746	14.0	319	2.1	941	4.5
Mississippi	9,668	94.0	902	8.4	2,815	27.8	1,230	12.7	131	1.9	439	4.3
Tennessee	26,576	92.4	2,340	7.5	7,903	27.9	3,584	13.2	378	1.8	1,369	4.9

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	89,555	84.4	8,297	6.9	23,459	22.8	12,392	12.7	996	1.4	4,519	4.5
Iowa	14,772	84.5	1,522	7.3	3,634	21.6	1,956	12.4	164	1.5	801	4.8
Kansas	11,960	84.9	1,075	6.8	3,167	23.1	1,651	12.7	131	1.3	624	4.7
Minnesota	21,674	78.8	1,897	6.2	5,303	19.9	3,022	11.9	179	1.0	1,167	4.5
Missouri	26,973	91.9	2,321	7.1	7,939	27.5	3,727	13.7	366	1.8	1,261	4.4
Nebraska	7,748	81.5	820	7.6	1,892	20.6	1,114	12.6	106	1.7	375	4.3
North Dakota	2,828	75.2	308	6.9	646	18.3	399	11.3	24	1.1	115	3.4
South Dakota	3,600	78.8	354	6.6	878	20.4	523	12.8	26	0.9	176	3.9
West South Central	117,784	84.0	10,411	7.0	30,653	21.6	17,074	13.0	2,107	2.0	6,135	4.5
Arkansas	12,665	93.8	1,195	8.4	3,815	28.5	1,704	13.3	192	2.1	634	4.8
Louisiana	14,728	90.7	1,339	8.0	4,244	26.4	1,975	12.8	207	1.9	671	4.2
Oklahoma	15,828	95.9	1,357	7.7	4,630	28.0	2,299	15.0	233	2.1	864	5.4
Texas	74,563	79.5	6,520	6.6	17,964	18.7	11,096	12.6	1,475	2.1	3,966	4.4
Mountain	66,364	74.6	5,771	6.1	15,241	16.6	10,367	12.6	879	1.3	4,033	4.8
Arizona	23,660	76.5	2,089	6.3	5,938	18.2	3,586	12.8	339	1.6	1,358	4.6
Colorado	16,498	72.9	1,456	6.0	3,646	15.7	2,573	12.1	221	1.3	1,072	5.1
Idaho	5,895	78.4	492	6.4	1,400	18.5	905	13.0	70	1.2	338	4.6
Montana	4,441	80.7	359	6.0	1,186	21.1	647	13.0	44	1.1	250	4.9
New Mexico	7,228	75.0	654	6.2	1,623	16.0	1,122	12.8	89	1.2	436	4.8
Utah	6,482	65.3	554	5.4	935	9.6	1,222	13.0	75	0.9	453	4.8
Wyoming	2,160	80.4	167	6.0	513	18.8	312	12.3	41	2.0	126	5.0
Pacific	168,177	81.6	14,464	6.4	39,757	18.7	25,675	13.6	2,392	1.6	9,754	5.0
Alaska	1,495	81.3	116	6.1	437	23.6	232	12.5	23	1.4	78	4.3
California	112,161	79.9	9,793	6.4	24,701	16.8	17,542	13.7	1,750	1.7	6,500	5.0
Hawaii	1,486	81.4	127	6.9	343	17.8	202	11.7	23	1.7	80	4.7
Nevada	9,336	88.1	846	7.6	2,777	25.2	1,429	14.4	130	1.6	483	4.8
Oregon	17,778	87.0	1,485	6.7	4,749	22.8	2,512	13.7	193	1.4	1,093	5.7
Washington	25,921	83.5	2,097	6.1	6,750	21.5	3,758	13.0	273	1.2	1,520	5.1

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2010-2014, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	172,096	247.3	0.64	145.6	0.36	165,064	161.8	0.41	100.5	0.26
Oral Cavity & Pharynx	3,992	5.0	0.08	3.4	0.05	1,414	1.3	0.04	0.9	0.02
Digestive System	52,662	70.9	0.33	44.6	0.20	42,196	41.8	0.21	24.7	0.13
Esophagus	4,830	6.3	0.10	4.1	0.06	1,939	1.9	0.04	1.2	0.03
Stomach	5,904	8.6	0.12	5.0	0.07	4,019	4.1	0.07	2.3	0.04
Colon & Rectum	17,860	25.3	0.20	15.1	0.11	16,677	16.5	0.13	9.7	0.08
Liver	10,020	11.4	0.12	8.5	0.09	3,469	3.3	0.06	2.1	0.04
Pancreas	10,861	15.0	0.15	9.2	0.09	12,029	12.1	0.11	6.9	0.07
Respiratory System	51,331	71.7	0.34	43.7	0.20	35,824	35.4	0.19	21.7	0.12
Larynx	2,528	3.4	0.07	2.2	0.04	602	0.6	0.02	0.4	0.02
Lung & bronchus	48,533	68.0	0.33	41.3	0.19	35,050	34.6	0.19	21.2	0.12
Skin	924	1.2	0.04	0.8	0.03	595	0.6	0.02	0.4	0.02
Melanomas of the skin	327	0.5	0.03	0.3	0.02	362	0.4	0.02	0.2	0.01
Breast	372	0.5	0.03	0.3	0.02	30,721	29.2	0.17	19.6	0.12
Female Genital System	-	-	-	-	-	19,803	19.2	0.14	12.6	0.09
Cervix uteri	-	-	-	-	-	4,019	3.8	0.06	2.7	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	8,325	8.1	0.09	5.3	0.06
Ovary	-	-	-	-	-	6,574	6.4	0.08	4.1	0.05
Male Genital System	23,564	42.4	0.29	19.5	0.13	-	-	-	-	-
Prostate	23,247	42.0	0.29	19.2	0.13	-	-	-	-	-
Testis	111	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	7,360	11.1	0.14	6.2	0.07	4,952	5.0	0.07	2.7	0.04
Bladder	3,276	5.4	0.10	2.7	0.05	2,391	2.5	0.05	1.2	0.03
Kidney & renal pelvis	3,964	5.5	0.09	3.4	0.05	2,405	2.4	0.05	1.4	0.03
Brain & Other Nervous System	2,605	3.2	0.07	2.3	0.05	2,250	2.1	0.05	1.6	0.03
Endocrine System	626	0.8	0.03	0.6	0.02	902	0.9	0.03	0.6	0.02
Thyroid gland	272	0.4	0.03	0.2	0.01	577	0.6	0.02	0.3	0.01
Lymphomas	4,337	5.9	0.10	3.7	0.06	3,715	3.7	0.06	2.3	0.04
Hodgkin Lymphoma	347	0.4	0.02	0.3	0.02	260	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,990	5.5	0.09	3.4	0.05	3,455	3.5	0.06	2.1	0.04
Multiple Myeloma	4,985	7.5	0.11	4.2	0.06	5,406	5.5	0.08	3.1	0.04
Leukemias	5,208	7.5	0.11	4.5	0.06	4,542	4.6	0.07	2.8	0.04
Other, Ill-defined & Unknown	14,130	19.6	0.18	12.0	0.10	12,744	12.5	0.11	7.7	0.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	172,096	247.3	17,860	25.3	48,533	68.0	23,247	42.0	3,276	5.4	3,990	5.5
New England	3,000	189.0	263	15.9	728	45.3	414	32.8	54	3.9	80	4.9
Connecticut	1,232	200.3	113	18.3	314	50.7	164	32.1	22	3.5	-	-
Maine	26	99.5	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,523	189.7	133	15.3	362	44.5	226	35.8	28	4.3	-	-
New Hampshire	40	137.4	-	-	-	-	-	-	-	-	-	-
Rhode Island	163	147.1	14	11.7	36	32.3	15	17.2	-	-	-	-
Vermont	16	185.0	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	23,707	220.5	2,463	22.6	6,094	55.2	3,676	41.4	521	5.5	601	5.3
New Jersey	4,935	226.0	580	26.0	1,240	54.9	789	43.8	104	5.5	-	-
New York	12,061	198.8	1,213	19.7	2,969	47.4	1,900	38.1	266	5.0	346	5.4
Pennsylvania	6,711	269.8	670	26.7	1,885	75.0	987	47.5	151	6.7	-	-
South Atlantic	56,513	244.7	5,776	24.6	15,572	64.9	7,857	43.3	1,081	5.4	1,348	5.6
Delaware	815	231.3	61	16.8	225	63.0	102	34.9	16	5.4	-	-
District of Columbia	1,978	272.4	192	26.6	511	68.4	289	44.1	37	5.5	-	-
Florida	11,165	207.2	1,176	21.1	2,836	50.8	1,756	40.3	210	4.5	335	5.9
Georgia	10,953	250.6	1,198	26.8	3,005	65.2	1,524	48.4	202	5.3	258	5.4
Maryland	7,085	235.7	747	25.2	1,859	60.4	902	37.2	165	6.2	150	5.1
North Carolina	10,037	266.7	972	26.0	3,086	78.7	1,310	44.4	179	5.7	205	5.5
South Carolina	6,665	275.1	643	26.0	1,861	73.1	921	49.2	113	5.4	126	5.1
Virginia	7,429	258.7	744	25.3	2,068	70.1	1,006	43.5	153	6.0	193	6.4
West Virginia	386	275.7	43	30.7	121	84.5	47	43.9	-	-	-	-
East North Central	26,803	265.8	2,703	26.7	8,003	78.1	3,429	41.1	522	5.9	614	6.0
Illinois	9,151	274.0	982	29.4	2,667	77.6	1,238	44.9	165	5.7	196	5.5
Indiana	2,605	269.1	262	26.1	786	81.1	338	42.4	34	4.2	-	-
Michigan	6,808	259.9	658	25.2	2,013	76.6	829	37.6	138	6.0	180	7.0
Ohio	6,795	256.6	662	25.1	2,085	77.4	892	39.9	162	6.6	-	-
Wisconsin	1,444	288.3	139	28.7	452	90.4	132	35.2	23	5.9	-	-
East South Central	18,568	290.2	1,944	30.1	5,814	88.1	2,432	48.9	292	5.1	-	-
Alabama	6,287	280.1	662	29.2	1,949	83.6	855	48.8	95	4.6	115	5.1
Kentucky	1,566	268.1	145	23.1	514	87.0	166	36.6	43	9.2	-	-
Mississippi	5,629	306.1	604	33.0	1,790	93.7	780	54.4	77	4.3	91	4.7
Tennessee	5,086	294.9	533	30.9	1,561	88.7	631	47.4	77	5.1	113	6.1

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	5,263	257.6	516	25.5	1,594	75.9	577	37.5	77	4.5	118	5.7
Iowa	316	268.7	28	19.6	91	70.9	29	37.1	-	-	-	-
Kansas	735	258.1	82	29.3	225	77.3	97	44.1	11	4.8	-	-
Minnesota	653	207.0	50	12.5	156	50.9	68	33.0	13	5.3	-	-
Missouri	3,228	273.1	318	27.4	1,014	82.6	348	37.7	43	4.3	-	-
Nebraska	307	257.0	37	36.0	100	85.0	31	31.8	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	17	75.8	-	-	-	-	-	-	-	-	-	-
West South Central	23,243	268.5	2,594	28.8	7,021	80.6	2,596	39.0	378	5.3	499	5.5
Arkansas	2,198	284.4	241	30.8	747	93.1	275	45.6	35	4.9	-	-
Louisiana	7,554	291.9	774	29.5	2,383	91.1	786	39.5	116	5.3	188	6.9
Oklahoma	1,316	277.8	147	28.6	399	79.9	178	51.1	17	5.3	-	-
Texas	12,175	253.7	1,432	28.1	3,492	73.5	1,357	36.5	210	5.4	249	5.0
Mountain	1,894	190.2	197	20.1	445	44.7	266	35.3	47	4.5	54	5.3
Arizona	841	183.9	85	20.2	194	42.4	91	25.3	17	3.8	-	-
Colorado	758	208.8	79	20.7	180	48.2	139	51.9	20	5.0	-	-
Idaho	19	113.1	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	188	203.1	15	18.3	53	59.2	23	31.5	-	-	-	-
Utah	65	151.9	12	22.5	-	-	-	-	-	-	-	-
Wyoming	15	85.3	-	-	-	-	-	-	-	-	-	-
Pacific	13,105	223.4	1,404	23.6	3,262	54.9	2,000	41.5	304	5.8	318	5.0
Alaska	72	229.0	10	26.5	17	60.6	15	58.2	-	-	-	-
California	10,784	225.4	1,161	23.8	2,663	54.9	1,692	42.6	237	5.6	258	4.9
Hawaii	83	194.8	12	20.7	20	54.6	-	-	-	-	-	-
Nevada	876	203.4	99	23.4	247	56.0	117	33.5	25	5.9	-	-
Oregon	339	245.6	39	27.0	81	56.9	48	44.8	10	7.8	-	-
Washington	951	221.6	83	19.9	234	55.2	122	35.4	26	7.5	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	172,096	145.6	17,860	15.1	48,533	41.3	23,247	19.2	3,276	2.7	3,990	3.4
New England	3,000	107.8	263	9.2	728	26.2	414	14.7	54	1.9	80	2.9
Connecticut	1,232	115.0	113	10.2	314	29.3	164	15.1	22	2.1	-	-
Maine	26	59.2	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,523	108.0	133	9.3	362	25.8	226	15.9	28	1.9	-	-
New Hampshire	40	83.6	-	-	-	-	-	-	-	-	-	-
Rhode Island	163	81.3	14	7.2	36	17.8	15	7.5	-	-	-	-
Vermont	16	102.5	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	23,707	128.7	2,463	13.3	6,094	33.3	3,676	18.9	521	2.7	601	3.3
New Jersey	4,935	129.6	580	15.1	1,240	32.9	789	20.1	104	2.6	-	-
New York	12,061	116.2	1,213	11.7	2,969	28.7	1,900	17.2	266	2.4	346	3.4
Pennsylvania	6,711	159.1	670	15.6	1,885	45.4	987	22.1	151	3.4	-	-
South Atlantic	56,513	143.5	5,776	14.6	15,572	39.7	7,857	19.7	1,081	2.7	1,348	3.4
Delaware	815	137.5	61	10.4	225	37.7	102	16.6	16	2.6	-	-
District of Columbia	1,978	166.8	192	15.8	511	44.0	289	20.9	37	2.9	-	-
Florida	11,165	121.4	1,176	12.8	2,836	31.1	1,756	18.3	210	2.2	335	3.7
Georgia	10,953	145.6	1,198	15.6	3,005	39.9	1,524	21.7	202	2.8	258	3.4
Maryland	7,085	136.6	747	14.3	1,859	35.9	902	17.3	165	3.2	150	2.9
North Carolina	10,037	157.6	972	15.2	3,086	48.7	1,310	20.2	179	2.8	205	3.2
South Carolina	6,665	163.2	643	15.7	1,861	45.5	921	22.0	113	2.7	126	3.2
Virginia	7,429	149.2	744	14.8	2,068	41.7	1,006	19.5	153	3.0	193	3.9
West Virginia	386	167.0	43	18.6	121	52.6	47	20.5	-	-	-	-
East North Central	26,803	158.2	2,703	15.9	8,003	47.6	3,429	19.0	522	3.0	614	3.7
Illinois	9,151	162.0	982	17.3	2,667	47.6	1,238	20.5	165	2.8	196	3.6
Indiana	2,605	157.8	262	15.9	786	47.7	338	19.8	34	2.0	-	-
Michigan	6,808	156.6	658	15.3	2,013	46.5	829	17.7	138	3.0	180	4.2
Ohio	6,795	151.7	662	14.6	2,085	47.0	892	18.5	162	3.6	-	-
Wisconsin	1,444	176.6	139	16.9	452	56.4	132	16.9	23	2.8	-	-
East South Central	18,568	172.7	1,944	18.1	5,814	54.3	2,432	22.4	292	2.7	-	-
Alabama	6,287	166.9	662	17.6	1,949	52.0	855	22.1	95	2.5	115	3.1
Kentucky	1,566	156.7	145	14.6	514	51.4	166	16.6	43	4.1	-	-
Mississippi	5,629	183.9	604	20.0	1,790	58.4	780	25.0	77	2.5	91	3.0
Tennessee	5,086	174.2	533	18.1	1,561	53.9	631	21.9	77	2.6	113	3.8

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	5,263	151.7	516	14.9	1,594	46.3	577	16.7	77	2.2	118	3.3
Iowa	316	154.4	28	12.6	91	46.1	29	15.5	-	-	-	-
Kansas	735	152.7	82	17.0	225	45.8	97	19.8	11	2.4	-	-
Minnesota	653	123.5	50	8.6	156	30.6	68	14.6	13	2.5	-	-
Missouri	3,228	162.5	318	16.0	1,014	51.6	348	16.7	43	2.1	-	-
Nebraska	307	140.8	37	18.2	100	45.6	31	16.2	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	17	57.5	-	-	-	-	-	-	-	-	-	-
West South Central	23,243	160.0	2,594	17.7	7,021	48.7	2,596	18.0	378	2.6	499	3.4
Arkansas	2,198	171.5	241	19.2	747	58.7	275	20.7	35	2.7	-	-
Louisiana	7,554	178.6	774	18.3	2,383	56.4	786	18.0	116	2.7	188	4.5
Oklahoma	1,316	161.3	147	17.8	399	49.4	178	22.1	17	2.0	-	-
Texas	12,175	149.0	1,432	17.3	3,492	43.2	1,357	17.2	210	2.5	249	3.0
Mountain	1,894	110.7	197	11.2	445	26.4	266	16.5	47	2.7	54	3.0
Arizona	841	108.3	85	10.8	194	25.1	91	12.5	17	2.1	-	-
Colorado	758	121.0	79	12.2	180	28.6	139	23.8	20	3.2	-	-
Idaho	19	73.9	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	188	108.9	15	8.5	53	31.1	23	12.7	-	-	-	-
Utah	65	95.1	12	14.8	-	-	-	-	-	-	-	-
Wyoming	15	52.9	-	-	-	-	-	-	-	-	-	-
Pacific	13,105	129.2	1,404	13.8	3,262	32.3	2,000	19.1	304	2.9	318	3.2
Alaska	72	121.1	10	14.5	17	28.4	15	29.1	-	-	-	-
California	10,784	130.4	1,161	14.0	2,663	32.4	1,692	19.5	237	2.8	258	3.2
Hawaii	83	109.2	12	14.5	20	26.4	-	-	-	-	-	-
Nevada	876	116.6	99	12.9	247	33.4	117	15.5	25	3.3	-	-
Oregon	339	147.9	39	16.7	81	35.2	48	21.6	10	4.2	-	-
Washington	951	127.6	83	11.4	234	32.2	122	17.5	26	3.7	-	-

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	165,064	161.8	16,677	16.5	35,050	34.6	30,721	29.2	4,019	3.8	6,574	6.4
New England	2,955	125.4	281	11.9	589	25.3	491	19.7	53	2.0	127	5.4
Connecticut	1,277	134.2	112	11.7	243	25.7	226	22.1	23	2.1	51	5.5
Maine	27	122.1	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,467	123.7	153	12.8	298	25.5	217	17.6	25	1.9	69	5.6
New Hampshire	26	96.7	-	-	-	-	-	-	-	-	-	-
Rhode Island	144	87.8	-	-	32	19.7	37	22.2	-	-	-	-
Vermont	14	161.6	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	26,051	152.7	2,459	14.5	5,401	31.7	4,749	27.4	678	3.9	1,139	6.7
New Jersey	5,422	157.7	508	14.9	1,080	31.5	1,092	30.8	147	4.0	227	6.6
New York	13,479	137.4	1,329	13.6	2,583	26.3	2,447	24.7	374	3.8	603	6.1
Pennsylvania	7,150	187.9	622	16.3	1,738	45.9	1,210	31.5	157	4.1	309	8.2
South Atlantic	52,908	153.9	5,386	15.7	10,242	30.0	10,171	28.5	1,291	3.6	2,174	6.3
Delaware	811	163.5	70	14.5	175	35.5	135	25.7	22	4.3	36	6.8
District of Columbia	2,126	189.9	216	19.1	449	40.0	374	34.4	41	4.1	89	8.2
Florida	10,302	136.2	1,067	14.2	1,758	23.4	1,987	25.5	373	4.8	433	5.7
Georgia	10,412	151.1	1,094	16.0	1,912	28.1	2,133	28.9	256	3.5	447	6.5
Maryland	7,350	158.4	719	15.8	1,566	34.4	1,429	29.3	140	2.9	278	5.9
North Carolina	9,017	157.9	920	16.1	1,809	31.9	1,683	28.6	200	3.4	357	6.3
South Carolina	5,719	160.6	590	16.2	1,046	28.9	1,057	29.1	143	4.1	242	6.9
Virginia	6,874	163.4	685	16.4	1,464	35.2	1,326	30.4	113	2.7	277	6.5
West Virginia	297	166.4	25	13.3	63	35.5	47	27.3	-	-	15	8.1
East North Central	26,658	180.9	2,581	17.6	6,677	45.5	4,610	30.8	581	3.8	962	6.5
Illinois	9,280	183.4	971	19.3	2,251	44.6	1,601	31.3	257	4.9	367	7.2
Indiana	2,593	185.2	251	18.4	655	47.1	436	30.1	44	2.9	92	6.4
Michigan	6,708	177.6	648	17.2	1,630	43.2	1,178	30.8	136	3.5	244	6.4
Ohio	6,736	176.3	597	15.7	1,776	46.4	1,168	30.3	120	3.2	218	5.6
Wisconsin	1,341	200.0	114	16.8	365	54.2	227	32.6	24	3.3	41	6.1
East South Central	16,351	173.0	1,826	19.7	3,464	37.1	3,053	30.9	465	4.9	637	6.8
Alabama	5,430	162.0	613	18.6	1,017	30.2	1,005	29.0	163	5.0	249	7.5
Kentucky	1,506	181.4	150	18.1	438	54.1	246	28.3	26	2.9	41	5.0
Mississippi	4,676	174.7	564	21.3	939	35.5	907	32.5	154	5.7	159	6.0
Tennessee	4,739	183.1	499	19.8	1,070	42.2	895	32.8	122	4.5	188	7.2

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	5,162	181.4	482	17.2	1,260	44.7	895	30.3	118	3.8	154	5.4
Iowa	268	195.6	30	20.8	75	55.6	32	23.0	-	-	-	-
Kansas	698	186.5	76	20.6	173	47.5	115	29.5	11	3.1	23	6.0
Minnesota	593	157.6	42	10.4	116	32.2	83	19.8	17	3.2	21	5.3
Missouri	3,319	187.9	304	17.5	822	46.2	618	34.2	83	4.6	100	5.8
Nebraska	269	168.8	29	19.3	73	46.2	45	27.8	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	10	55.9	-	-	-	-	-	-	-	-	-	-
West South Central	20,823	169.5	2,208	18.0	4,416	36.5	4,104	31.9	565	4.3	771	6.4
Arkansas	1,881	171.8	200	17.9	400	36.3	348	31.0	72	6.6	82	7.9
Louisiana	6,455	178.7	685	19.1	1,382	38.3	1,292	34.8	149	4.2	231	6.4
Oklahoma	1,169	181.7	119	17.9	264	42.0	225	33.6	28	4.3	45	7.3
Texas	11,318	163.4	1,204	17.4	2,370	35.1	2,239	30.5	316	4.1	413	6.0
Mountain	1,645	142.3	171	15.4	328	29.0	303	25.0	33	2.5	82	6.8
Arizona	807	148.0	89	17.6	149	27.5	149	25.6	19	2.9	36	6.2
Colorado	622	143.6	52	12.3	137	32.4	113	24.9	10	2.2	30	6.8
Idaho	11	101.1	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	137	131.4	20	19.5	24	22.3	29	28.6	-	-	-	-
Utah	48	135.1	-	-	-	-	-	-	-	-	-	-
Wyoming	14	72.2	-	-	-	-	-	-	-	-	-	-
Pacific	12,511	161.6	1,283	16.8	2,673	35.1	2,345	29.4	235	2.8	528	6.7
Alaska	60	149.8	-	-	11	28.2	13	29.3	-	-	-	-
California	10,719	165.1	1,107	17.2	2,263	35.3	2,009	30.2	204	3.0	458	7.0
Hawaii	40	117.3	-	-	-	-	10	26.4	-	-	-	-
Nevada	773	144.6	86	16.3	191	36.6	151	27.5	16	2.5	30	5.5
Oregon	240	159.0	25	17.8	62	43.2	44	27.1	-	-	-	-
Washington	679	141.2	61	11.9	138	30.1	118	23.6	10	1.7	29	6.1

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	165,064	100.5	16,677	9.7	35,050	21.2	30,721	19.6	4,019	2.7	6,574	4.1
New England	2,955	76.9	281	7.0	589	15.3	491	13.4	53	1.5	127	3.3
Connecticut	1,277	84.2	112	7.2	243	16.0	226	15.9	23	1.7	51	3.3
Maine	27	89.1	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,467	73.5	153	7.3	298	14.9	217	11.1	25	1.4	69	3.6
New Hampshire	26	58.1	-	-	-	-	-	-	-	-	-	-
Rhode Island	144	58.0	-	-	32	12.2	37	16.1	-	-	-	-
Vermont	14	100.8	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	26,051	95.2	2,459	8.4	5,401	19.6	4,749	18.2	678	2.8	1,139	4.3
New Jersey	5,422	97.6	508	8.7	1,080	19.2	1,092	20.7	147	3.0	227	4.1
New York	13,479	85.9	1,329	7.9	2,583	16.4	2,447	16.4	374	2.7	603	4.0
Pennsylvania	7,150	117.1	622	9.5	1,738	28.7	1,210	20.8	157	2.9	309	5.1
South Atlantic	52,908	95.5	5,386	9.4	10,242	18.4	10,171	19.2	1,291	2.5	2,174	4.0
Delaware	811	99.4	70	8.5	175	21.5	135	16.8	22	3.1	36	4.5
District of Columbia	2,126	120.5	216	11.7	449	25.2	374	23.1	41	3.0	89	5.4
Florida	10,302	85.4	1,067	8.5	1,758	14.4	1,987	17.2	373	3.3	433	3.6
Georgia	10,412	94.0	1,094	9.6	1,912	17.4	2,133	19.5	256	2.4	447	4.1
Maryland	7,350	97.8	719	9.2	1,566	20.5	1,429	19.8	140	2.0	278	3.8
North Carolina	9,017	98.3	920	9.5	1,809	19.8	1,683	19.5	200	2.4	357	4.0
South Carolina	5,719	99.8	590	10.0	1,046	18.1	1,057	19.5	143	2.8	242	4.1
Virginia	6,874	100.0	685	9.5	1,464	21.0	1,326	20.3	113	1.9	277	4.1
West Virginia	297	105.7	25	7.6	63	22.2	47	17.6	-	-	15	4.6
East North Central	26,658	112.3	2,581	10.4	6,677	27.8	4,610	20.5	581	2.8	962	4.1
Illinois	9,280	113.5	971	11.2	2,251	27.2	1,601	20.7	257	3.5	367	4.5
Indiana	2,593	113.7	251	10.0	655	28.8	436	20.2	44	2.1	92	4.3
Michigan	6,708	111.3	648	10.5	1,630	26.5	1,178	20.6	136	2.6	244	4.1
Ohio	6,736	108.9	597	9.4	1,776	28.2	1,168	20.2	120	2.4	218	3.6
Wisconsin	1,341	124.6	114	10.4	365	34.8	227	20.8	24	2.3	41	3.8
East South Central	16,351	108.2	1,826	11.5	3,464	22.9	3,053	21.2	465	3.4	637	4.2
Alabama	5,430	101.5	613	10.7	1,017	18.9	1,005	20.0	163	3.5	249	4.5
Kentucky	1,506	110.4	150	10.3	438	31.9	246	19.2	26	2.1	41	2.8
Mississippi	4,676	110.8	564	12.9	939	22.4	907	22.3	154	3.9	159	3.9
Tennessee	4,739	113.5	499	11.5	1,070	25.8	895	22.2	122	3.2	188	4.6

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	5,162	111.9	482	10.1	1,260	27.4	895	19.9	118	2.8	154	3.4
Iowa	268	123.7	30	14.1	75	35.0	32	14.1	-	-	-	-
Kansas	698	113.3	76	12.2	173	26.9	115	20.3	11	2.0	23	4.1
Minnesota	593	94.3	42	6.4	116	18.7	83	12.8	17	2.5	21	3.2
Missouri	3,319	116.9	304	10.1	822	29.0	618	22.6	83	3.3	100	3.5
Nebraska	269	102.9	29	10.4	73	28.7	45	17.7	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	10	38.0	-	-	-	-	-	-	-	-	-	-
West South Central	20,823	105.8	2,208	11.0	4,416	22.4	4,104	21.6	565	3.1	771	4.0
Arkansas	1,881	107.5	200	11.1	400	23.0	348	21.2	72	4.7	82	4.8
Louisiana	6,455	112.8	685	11.7	1,382	23.9	1,292	23.6	149	2.9	231	4.0
Oklahoma	1,169	111.4	119	11.1	264	24.9	225	22.6	28	2.8	45	4.2
Texas	11,318	101.7	1,204	10.5	2,370	21.4	2,239	20.5	316	3.0	413	3.8
Mountain	1,645	85.9	171	8.7	328	17.1	303	16.1	33	1.8	82	4.4
Arizona	807	91.3	89	9.7	149	17.1	149	17.2	19	2.3	36	4.2
Colorado	622	84.1	52	7.2	137	18.4	113	15.3	10	1.4	30	3.9
Idaho	11	61.7	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	137	78.8	20	11.3	24	13.0	29	17.8	-	-	-	-
Utah	48	78.8	-	-	-	-	-	-	-	-	-	-
Wyoming	14	50.3	-	-	-	-	-	-	-	-	-	-
Pacific	12,511	100.4	1,283	9.9	2,673	21.4	2,345	19.5	235	2.1	528	4.4
Alaska	60	84.2	-	-	11	17.1	13	18.2	-	-	-	-
California	10,719	103.0	1,107	10.1	2,263	21.6	2,009	20.1	204	2.2	458	4.5
Hawaii	40	78.7	-	-	-	-	10	19.6	-	-	-	-
Nevada	773	88.1	86	9.7	191	21.2	151	17.8	16	2.1	30	3.5
Oregon	240	97.7	25	9.0	62	25.4	44	17.4	-	-	-	-
Washington	679	86.0	61	7.8	138	18.5	118	15.5	10	1.3	29	3.5

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2010-2014, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	38,805	122.7	0.65	68.2	0.35	37,639	88.8	0.47	51.7	0.28
Oral Cavity & Pharynx	1,038	2.9	0.09	1.9	0.06	492	1.1	0.05	0.7	0.03
Digestive System	15,327	46.7	0.40	27.2	0.22	12,020	29.1	0.27	15.8	0.15
Esophagus	962	2.9	0.10	1.7	0.06	295	0.7	0.04	0.4	0.02
Stomach	2,235	7.1	0.16	3.9	0.08	1,814	4.3	0.10	2.4	0.06
Colon & Rectum	4,017	12.4	0.21	7.1	0.11	3,684	8.8	0.15	4.8	0.08
Liver	4,147	11.8	0.19	7.5	0.12	1,794	4.5	0.11	2.3	0.06
Pancreas	2,557	8.2	0.17	4.5	0.09	2,935	7.3	0.14	3.8	0.07
Respiratory System	10,070	32.6	0.34	17.5	0.18	7,464	18.2	0.21	9.9	0.12
Larynx	229	0.7	0.05	0.4	0.03	27	0.1	0.01	0.0	0.01
Lung & bronchus	9,770	31.7	0.33	17.0	0.18	7,382	18.0	0.21	9.8	0.12
Skin	222	0.7	0.05	0.4	0.03	209	0.5	0.04	0.3	0.02
Melanomas of the skin	118	0.4	0.04	0.2	0.02	147	0.3	0.03	0.2	0.02
Breast	41	0.1	0.02	0.1	0.01	5,181	11.3	0.16	7.7	0.11
Female Genital System	-	-	-	-	-	4,271	9.4	0.15	6.3	0.10
Cervix uteri	-	-	-	-	-	814	1.7	0.06	1.2	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	1,318	2.9	0.08	1.9	0.05
Ovary	-	-	-	-	-	1,980	4.4	0.10	2.9	0.07
Male Genital System	2,346	9.0	0.19	3.8	0.08	-	-	-	-	-
Prostate	2,281	8.8	0.19	3.6	0.08	-	-	-	-	-
Testis	32	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	1,730	5.8	0.15	3.0	0.07	902	2.2	0.08	1.1	0.04
Bladder	781	2.9	0.11	1.3	0.05	365	0.9	0.05	0.4	0.02
Kidney & renal pelvis	893	2.7	0.10	1.6	0.05	481	1.1	0.05	0.6	0.03
Brain & Other Nervous System	912	2.4	0.08	1.8	0.06	786	1.8	0.06	1.3	0.05
Endocrine System	278	0.8	0.05	0.5	0.03	389	0.9	0.05	0.5	0.03
Thyroid gland	163	0.5	0.04	0.3	0.02	289	0.7	0.04	0.4	0.02
Lymphomas	1,594	5.2	0.14	2.8	0.07	1,348	3.3	0.09	1.8	0.05
Hodgkin Lymphoma	78	0.2	0.03	0.1	0.02	38	0.1	0.01	0.1	0.01
Non-Hodgkin Lymphoma	1,516	4.9	0.13	2.6	0.07	1,310	3.2	0.09	1.7	0.05
Multiple Myeloma	651	2.1	0.09	1.1	0.05	520	1.3	0.06	0.7	0.03
Leukemias	1,626	5.0	0.13	3.0	0.08	1,288	3.0	0.09	1.9	0.06
Other, Ill-defined & Unknown	2,970	9.2	0.18	5.3	0.10	2,769	6.6	0.13	3.8	0.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	38,805	122.7	4,017	12.4	9,770	31.7	2,281	8.8	781	2.9	1,516	4.9
New England	1,085	118.5	86	8.9	298	33.8	53	8.1	22	2.9	36	4.2
Connecticut	224	107.1	18	6.5	57	26.9	12	8.9	-	-	-	-
Maine	16	77.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	734	123.7	56	8.8	216	38.5	34	7.6	13	2.5	-	-
New Hampshire	33	106.8	-	-	-	-	-	-	-	-	-	-
Rhode Island	64	134.7	-	-	15	29.0	-	-	-	-	-	-
Vermont	14	119.0	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	5,436	110.4	533	11.0	1,380	29.0	251	6.7	98	2.5	204	4.2
New Jersey	1,193	90.6	119	8.7	280	21.8	58	5.8	21	2.2	-	-
New York	3,592	118.9	355	12.1	927	31.7	171	7.2	68	2.6	-	-
Pennsylvania	651	112.1	59	10.6	173	31.5	22	5.0	-	-	-	-
South Atlantic	3,479	99.6	362	10.7	841	24.3	180	7.2	81	2.9	154	4.7
Delaware	44	86.8	-	-	-	-	-	-	-	-	-	-
District of Columbia	33	117.9	-	-	-	-	-	-	-	-	-	-
Florida	921	89.4	115	11.3	222	21.7	48	6.2	18	2.0	-	-
Georgia	560	105.1	60	12.2	136	25.8	28	8.0	10	2.4	-	-
Maryland	670	100.0	68	10.5	142	21.7	30	5.3	29	5.2	-	-
North Carolina	307	97.6	16	4.2	73	24.4	10	5.3	-	-	-	-
South Carolina	88	86.4	-	-	24	25.5	-	-	-	-	-	-
Virginia	841	113.3	86	12.4	225	30.2	48	9.3	12	1.9	-	-
West Virginia	15	91.9	-	-	-	-	-	-	-	-	-	-
East North Central	2,229	109.4	221	10.8	533	27.4	132	8.7	44	2.7	81	4.4
Illinois	1,218	112.3	126	11.6	310	29.7	67	8.1	32	3.4	-	-
Indiana	133	102.1	11	8.6	23	19.9	-	-	-	-	-	-
Michigan	369	94.4	35	9.0	78	19.5	25	9.1	-	-	-	-
Ohio	332	107.6	29	8.4	93	33.3	20	7.7	-	-	-	-
Wisconsin	177	137.2	20	16.1	29	23.0	13	15.8	-	-	-	-
East South Central	326	95.0	31	9.5	83	23.5	19	9.5	-	-	16	4.3
Alabama	60	78.5	-	-	15	17.8	-	-	-	-	-	-
Kentucky	65	89.2	-	-	14	22.8	-	-	-	-	-	-
Mississippi	52	123.0	-	-	16	33.2	-	-	-	-	-	-
Tennessee	149	100.3	13	8.2	38	24.5	-	-	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	829	128.8	80	12.6	178	30.5	34	8.7	14	2.4	39	6.9
Iowa	93	153.3	-	-	21	37.5	-	-	-	-	-	-
Kansas	129	128.3	-	-	33	34.8	-	-	-	-	-	-
Minnesota	352	136.8	32	12.3	64	27.9	11	6.6	-	-	-	-
Missouri	171	110.4	23	16.2	41	28.0	-	-	-	-	-	-
Nebraska	59	114.1	-	-	12	23.8	-	-	-	-	-	-
North Dakota	10	158.5	-	-	-	-	-	-	-	-	-	-
South Dakota	15	162.8	-	-	-	-	-	-	-	-	-	-
West South Central	2,186	108.1	202	10.0	515	27.5	90	6.7	40	2.4	91	4.9
Arkansas	79	158.1	-	-	18	43.0	-	-	-	-	-	-
Louisiana	164	120.1	11	8.9	45	34.5	-	-	-	-	-	-
Oklahoma	106	94.9	12	11.0	28	23.5	-	-	-	-	-	-
Texas	1,837	106.7	171	9.9	424	26.8	75	6.6	37	2.5	-	-
Mountain	954	119.3	101	12.6	204	27.8	69	10.9	12	1.9	46	6.1
Arizona	361	110.1	42	12.8	89	29.5	28	10.5	-	-	-	-
Colorado	292	121.9	21	9.5	64	29.1	20	10.7	-	-	-	-
Idaho	51	156.6	-	-	-	-	-	-	-	-	-	-
Montana	13	130.2	-	-	-	-	-	-	-	-	-	-
New Mexico	73	114.2	-	-	16	25.0	-	-	-	-	-	-
Utah	159	129.8	23	19.8	23	21.1	13	15.4	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	22,281	134.8	2,401	14.1	5,738	35.2	1,453	9.8	467	3.1	849	5.2
Alaska	95	126.7	12	14.4	23	37.7	-	-	-	-	-	-
California	15,663	130.0	1,642	13.2	4,068	34.3	987	9.2	324	3.0	598	5.0
Hawaii	4,197	160.4	489	18.7	1,066	40.8	305	11.4	93	3.5	-	-
Nevada	589	120.6	86	16.1	164	34.4	40	9.7	15	3.9	-	-
Oregon	368	131.4	41	14.6	90	34.9	15	7.0	-	-	-	-
Washington	1,369	140.6	131	12.2	327	35.5	101	13.5	29	3.5	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	38,805	68.2	4,017	7.1	9,770	17.0	2,281	3.6	781	1.3	1,516	2.6
New England	1,085	65.6	86	5.2	298	18.1	53	3.2	22	1.4	36	2.1
Connecticut	224	60.2	18	4.8	57	14.9	12	3.5	-	-	-	-
Maine	16	44.0	-	-	-	-	-	-	-	-	-	-
Massachusetts	734	68.3	56	5.2	216	20.0	34	3.1	13	1.2	-	-
New Hampshire	33	50.8	-	-	-	-	-	-	-	-	-	-
Rhode Island	64	76.7	-	-	15	18.4	-	-	-	-	-	-
Vermont	14	87.6	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	5,436	60.3	533	5.9	1,380	15.0	251	2.7	98	1.1	204	2.3
New Jersey	1,193	48.4	119	4.8	280	11.3	58	2.4	21	0.9	-	-
New York	3,592	65.9	355	6.5	927	16.6	171	3.0	68	1.2	-	-
Pennsylvania	651	60.0	59	5.4	173	15.7	22	2.0	-	-	-	-
South Atlantic	3,479	56.3	362	5.9	841	13.7	180	2.9	81	1.3	154	2.5
Delaware	44	44.3	-	-	-	-	-	-	-	-	-	-
District of Columbia	33	67.4	-	-	-	-	-	-	-	-	-	-
Florida	921	51.7	115	6.5	222	12.5	48	2.6	18	1.0	-	-
Georgia	560	61.6	60	6.7	136	15.5	28	3.2	10	1.1	-	-
Maryland	670	56.1	68	5.6	142	11.8	30	2.5	29	2.4	-	-
North Carolina	307	54.6	16	2.8	73	13.5	10	1.9	-	-	-	-
South Carolina	88	48.9	-	-	24	13.8	-	-	-	-	-	-
Virginia	841	61.8	86	6.4	225	16.6	48	3.7	12	0.9	-	-
West Virginia	15	36.6	-	-	-	-	-	-	-	-	-	-
East North Central	2,229	58.6	221	5.8	533	14.0	132	3.5	44	1.2	81	2.2
Illinois	1,218	59.9	126	6.2	310	15.0	67	3.2	32	1.6	-	-
Indiana	133	54.5	11	4.5	23	9.4	-	-	-	-	-	-
Michigan	369	52.0	35	5.0	78	11.0	25	3.7	-	-	-	-
Ohio	332	58.8	29	5.2	93	16.5	20	3.8	-	-	-	-
Wisconsin	177	68.5	20	7.6	29	11.7	13	5.2	-	-	-	-
East South Central	326	55.6	31	5.5	83	14.6	19	3.7	-	-	16	2.7
Alabama	60	41.1	-	-	15	10.8	-	-	-	-	-	-
Kentucky	65	54.1	-	-	14	13.2	-	-	-	-	-	-
Mississippi	52	74.1	-	-	16	23.7	-	-	-	-	-	-
Tennessee	149	59.7	13	5.5	38	15.0	-	-	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	829	73.7	80	6.8	178	16.3	34	3.3	14	1.3	39	3.4
Iowa	93	81.3	-	-	21	18.7	-	-	-	-	-	-
Kansas	129	75.2	-	-	33	19.6	-	-	-	-	-	-
Minnesota	352	78.0	32	7.0	64	14.3	11	2.6	-	-	-	-
Missouri	171	61.6	23	8.0	41	15.5	-	-	-	-	-	-
Nebraska	59	74.7	-	-	12	14.2	-	-	-	-	-	-
North Dakota	10	77.3	-	-	-	-	-	-	-	-	-	-
South Dakota	15	93.7	-	-	-	-	-	-	-	-	-	-
West South Central	2,186	61.5	202	5.6	515	14.7	90	2.8	40	1.1	91	2.6
Arkansas	79	85.5	-	-	18	21.3	-	-	-	-	-	-
Louisiana	164	72.1	11	4.5	45	19.4	-	-	-	-	-	-
Oklahoma	106	58.8	12	6.7	28	14.8	-	-	-	-	-	-
Texas	1,837	60.2	171	5.6	424	14.2	75	2.7	37	1.2	-	-
Mountain	954	66.5	101	7.2	204	14.3	69	4.8	12	0.8	46	3.1
Arizona	361	61.4	42	7.4	89	15.2	28	4.9	-	-	-	-
Colorado	292	66.3	21	4.6	64	14.7	20	4.3	-	-	-	-
Idaho	51	80.0	-	-	-	-	-	-	-	-	-	-
Montana	13	70.1	-	-	-	-	-	-	-	-	-	-
New Mexico	73	70.0	-	-	16	15.5	-	-	-	-	-	-
Utah	159	75.4	23	11.5	23	11.0	13	6.4	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	22,281	75.9	2,401	8.4	5,738	19.2	1,453	4.1	467	1.4	849	2.8
Alaska	95	73.6	12	8.9	23	19.7	-	-	-	-	-	-
California	15,663	72.5	1,642	7.8	4,068	18.5	987	3.8	324	1.3	598	2.7
Hawaii	4,197	93.9	489	11.5	1,066	23.5	305	5.0	93	1.6	-	-
Nevada	589	69.8	86	10.2	164	18.8	40	4.6	15	1.9	-	-
Oregon	368	72.5	41	7.9	90	17.9	15	2.7	-	-	-	-
Washington	1,369	78.7	131	7.6	327	18.7	101	5.5	29	1.6	-	-

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	37,639	88.8	3,684	8.8	7,382	18.0	5,181	11.3	814	1.7	1,980	4.4
New England	905	79.7	91	8.4	173	16.4	105	7.7	11	0.8	49	4.0
Connecticut	194	75.6	20	8.6	24	10.7	31	9.1	-	-	-	-
Maine	23	79.8	-	-	-	-	-	-	-	-	-	-
Massachusetts	594	81.4	64	9.1	121	17.7	64	7.8	-	-	29	3.6
New Hampshire	26	51.1	-	-	-	-	-	-	-	-	-	-
Rhode Island	51	89.3	-	-	10	16.8	-	-	-	-	-	-
Vermont	17	105.6	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	4,770	77.4	449	7.6	887	15.0	702	10.2	100	1.4	291	4.3
New Jersey	1,169	70.9	105	6.5	195	12.8	208	11.1	19	1.0	76	4.0
New York	2,946	77.7	285	7.8	579	15.7	397	9.5	64	1.5	180	4.4
Pennsylvania	655	92.7	59	9.5	113	17.3	97	11.4	17	2.1	35	4.5
South Atlantic	3,630	78.9	319	7.2	760	17.3	495	9.4	85	1.6	213	4.2
Delaware	48	84.2	-	-	13	24.4	-	-	-	-	-	-
District of Columbia	32	74.4	-	-	-	-	-	-	-	-	-	-
Florida	1,036	74.5	93	6.9	234	17.5	143	9.3	26	1.7	61	4.2
Georgia	509	79.1	50	8.6	98	15.6	73	9.5	15	2.2	27	3.2
Maryland	674	81.1	64	8.0	132	16.6	96	9.4	15	1.6	46	4.9
North Carolina	340	85.0	27	6.4	79	19.7	47	10.3	-	-	16	2.8
South Carolina	129	88.6	-	-	29	21.8	15	9.6	-	-	-	-
Virginia	847	80.9	71	7.0	168	16.9	112	9.8	22	1.6	53	4.8
West Virginia	15	35.3	-	-	-	-	-	-	-	-	-	-
East North Central	2,307	84.7	217	8.1	449	17.3	329	10.7	58	1.9	145	5.0
Illinois	1,194	82.6	102	7.4	225	16.1	193	12.0	21	1.3	75	4.8
Indiana	168	84.0	21	11.8	28	15.4	24	9.9	-	-	-	-
Michigan	413	86.4	42	8.4	79	17.6	50	9.3	15	2.7	35	7.1
Ohio	332	82.4	33	7.9	73	19.3	49	11.4	11	2.3	16	3.6
Wisconsin	200	102.6	19	9.3	44	23.4	13	5.1	-	-	11	5.1
East South Central	424	94.9	37	7.8	104	26.1	47	9.1	16	2.7	20	3.8
Alabama	89	80.2	-	-	24	25.2	13	10.6	-	-	-	-
Kentucky	98	110.3	-	-	22	26.3	13	13.4	-	-	-	-
Mississippi	74	141.5	-	-	18	40.2	-	-	-	-	-	-
Tennessee	163	81.0	19	9.1	40	21.8	17	7.6	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	823	95.9	78	9.9	156	20.2	95	9.4	34	3.2	34	3.6
Iowa	81	93.5	-	-	17	19.6	-	-	-	-	-	-
Kansas	124	100.0	11	8.7	35	31.3	17	11.0	-	-	-	-
Minnesota	336	94.8	39	11.5	50	16.3	30	7.7	17	4.1	13	3.5
Missouri	195	94.2	19	10.5	34	17.5	33	13.5	-	-	-	-
Nebraska	65	113.1	-	-	13	23.2	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	16	116.0	-	-	-	-	-	-	-	-	-	-
West South Central	2,098	83.3	208	8.6	426	18.1	296	9.6	54	1.7	106	3.7
Arkansas	76	88.8	-	-	13	17.4	11	8.3	-	-	-	-
Louisiana	138	90.0	11	6.6	34	24.9	16	9.6	-	-	-	-
Oklahoma	180	119.6	16	10.3	45	33.0	23	11.9	-	-	-	-
Texas	1,704	80.1	176	8.7	334	16.5	246	9.5	38	1.5	87	3.6
Mountain	1,016	85.1	100	9.0	190	16.6	160	12.2	20	1.4	51	3.9
Arizona	414	85.7	38	8.4	78	17.2	69	12.1	-	-	29	5.7
Colorado	294	80.5	40	11.5	60	17.1	39	10.2	-	-	12	2.8
Idaho	43	75.6	-	-	-	-	-	-	-	-	-	-
Montana	14	74.4	-	-	-	-	-	-	-	-	-	-
New Mexico	81	86.5	-	-	18	18.6	10	10.4	-	-	-	-
Utah	159	98.6	13	9.6	23	14.9	32	18.8	-	-	-	-
Wyoming	11	101.0	-	-	-	-	-	-	-	-	-	-
Pacific	21,666	96.1	2,185	9.6	4,237	19.0	2,952	12.8	436	1.9	1,071	4.7
Alaska	116	105.7	11	9.4	33	30.6	13	11.1	-	-	-	-
California	15,255	93.4	1,572	9.6	2,885	17.9	2,143	12.6	329	2.0	764	4.5
Hawaii	3,748	108.9	365	10.4	800	23.1	454	14.0	52	1.8	157	4.8
Nevada	659	93.6	67	10.5	122	17.5	121	15.8	12	1.4	41	5.4
Oregon	391	95.7	41	10.0	83	22.2	47	10.9	-	-	24	5.7
Washington	1,497	103.6	129	8.7	314	22.2	174	11.1	32	2.1	81	5.3

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	37,639	51.7	3,684	4.8	7,382	9.8	5,181	7.7	814	1.2	1,980	2.9
New England	905	44.8	91	4.2	173	8.4	105	5.3	11	0.5	49	2.4
Connecticut	194	43.1	20	4.4	24	5.3	31	6.8	-	-	-	-
Maine	23	46.7	-	-	-	-	-	-	-	-	-	-
Massachusetts	594	45.9	64	4.5	121	9.1	64	5.1	-	-	29	2.2
New Hampshire	26	28.8	-	-	-	-	-	-	-	-	-	-
Rhode Island	51	48.3	-	-	10	9.1	-	-	-	-	-	-
Vermont	17	59.8	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	4,770	44.6	449	4.0	887	8.1	702	6.8	100	0.9	291	2.8
New Jersey	1,169	40.2	105	3.6	195	6.5	208	7.2	19	0.7	76	2.6
New York	2,946	45.6	285	4.2	579	8.7	397	6.5	64	1.0	180	2.9
Pennsylvania	655	50.5	59	4.3	113	8.6	97	7.7	17	1.4	35	2.8
South Atlantic	3,630	45.5	319	3.9	760	9.4	495	6.3	85	1.1	213	2.7
Delaware	48	40.6	-	-	13	10.9	-	-	-	-	-	-
District of Columbia	32	40.3	-	-	-	-	-	-	-	-	-	-
Florida	1,036	43.7	93	3.8	234	9.5	143	6.2	26	1.2	61	2.6
Georgia	509	45.3	50	4.6	98	8.6	73	6.2	15	1.3	27	2.4
Maryland	674	46.2	64	4.2	132	8.8	96	7.0	15	1.1	46	3.4
North Carolina	340	47.9	27	3.7	79	11.3	47	6.5	-	-	16	2.2
South Carolina	129	50.0	-	-	29	11.2	15	5.6	-	-	-	-
Virginia	847	47.1	71	3.9	168	9.2	112	6.2	22	1.2	53	3.1
West Virginia	15	26.5	-	-	-	-	-	-	-	-	-	-
East North Central	2,307	48.5	217	4.5	449	9.3	329	7.1	58	1.2	145	3.1
Illinois	1,194	47.3	102	3.9	225	8.7	193	8.1	21	0.8	75	3.0
Indiana	168	52.0	21	6.3	28	9.0	24	7.1	-	-	-	-
Michigan	413	48.2	42	5.0	79	9.2	50	5.7	15	1.7	35	4.1
Ohio	332	46.1	33	4.7	73	9.7	49	6.9	11	1.5	16	2.3
Wisconsin	200	59.5	19	5.6	44	13.1	13	4.2	-	-	11	3.2
East South Central	424	51.6	37	4.5	104	12.8	47	5.6	16	1.9	20	2.5
Alabama	89	40.9	-	-	24	11.0	13	5.7	-	-	-	-
Kentucky	98	57.2	-	-	22	13.4	13	7.7	-	-	-	-
Mississippi	74	72.4	-	-	18	16.8	-	-	-	-	-	-
Tennessee	163	49.0	19	5.6	40	12.1	17	5.0	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2010-2014, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	823	54.9	78	4.9	156	10.5	95	6.3	34	2.2	34	2.2
Iowa	81	53.6	-	-	17	11.5	-	-	-	-	-	-
Kansas	124	53.0	11	4.6	35	14.8	17	7.2	-	-	-	-
Minnesota	336	57.7	39	6.3	50	8.8	30	5.0	17	2.9	13	2.1
Missouri	195	52.3	19	4.9	34	9.0	33	8.8	-	-	-	-
Nebraska	65	61.8	-	-	13	11.8	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	16	63.7	-	-	-	-	-	-	-	-	-	-
West South Central	2,098	47.7	208	4.7	426	9.7	296	6.6	54	1.2	106	2.4
Arkansas	76	54.6	-	-	13	9.7	11	6.9	-	-	-	-
Louisiana	138	52.5	11	4.2	34	12.8	16	6.2	-	-	-	-
Oklahoma	180	68.1	16	5.7	45	17.5	23	8.6	-	-	-	-
Texas	1,704	45.7	176	4.7	334	9.0	246	6.5	38	1.0	87	2.4
Mountain	1,016	48.9	100	4.6	190	9.0	160	7.9	20	1.0	51	2.5
Arizona	414	48.9	38	4.3	78	9.1	69	8.3	-	-	29	3.5
Colorado	294	45.9	40	6.0	60	9.4	39	6.3	-	-	12	1.9
Idaho	43	45.8	-	-	-	-	-	-	-	-	-	-
Montana	14	41.8	-	-	-	-	-	-	-	-	-	-
New Mexico	81	48.4	-	-	18	10.0	10	6.0	-	-	-	-
Utah	159	60.5	13	4.8	23	9.0	32	12.3	-	-	-	-
Wyoming	11	38.7	-	-	-	-	-	-	-	-	-	-
Pacific	21,666	57.0	2,185	5.5	4,237	10.6	2,952	8.8	436	1.4	1,071	3.1
Alaska	116	63.5	11	6.0	33	17.5	13	7.5	-	-	-	-
California	15,255	55.3	1,572	5.4	2,885	9.9	2,143	8.7	329	1.4	764	3.1
Hawaii	3,748	67.0	365	6.2	800	13.4	454	9.7	52	1.4	157	3.2
Nevada	659	55.6	67	5.6	122	10.1	121	10.7	12	1.1	41	3.4
Oregon	391	56.1	41	5.6	83	11.4	47	7.0	-	-	24	3.4
Washington	1,497	58.5	129	5.0	314	12.0	174	7.3	32	1.3	81	3.4

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2010-2014, American Indian/Alaskan Native (AI/AN)

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	8,009	135.8	1.70	77.5	0.88	7,043	95.6	1.20	56.9	0.69
Oral Cavity & Pharynx	166	2.4	0.21	1.6	0.12	62	0.8	0.11	0.5	0.07
Digestive System	2,663	42.1	0.92	25.4	0.50	1,950	26.8	0.64	15.5	0.36
Esophagus	257	4.2	0.29	2.4	0.15	80	1.1	0.13	0.6	0.07
Stomach	288	4.9	0.33	2.8	0.16	182	2.5	0.20	1.5	0.11
Colon & Rectum	843	14.0	0.54	8.1	0.28	734	10.0	0.39	5.8	0.22
Liver	621	8.6	0.38	5.8	0.24	263	3.6	0.23	2.1	0.13
Pancreas	455	7.1	0.37	4.4	0.21	431	6.0	0.30	3.5	0.17
Respiratory System	2,244	38.7	0.90	22.0	0.47	1,770	24.7	0.61	14.5	0.35
Larynx	82	1.3	0.16	0.8	0.08	23	0.2	0.05	0.2	0.04
Lung & bronchus	2,141	37.1	0.88	21.1	0.46	1,741	24.4	0.61	14.3	0.35
Skin	114	1.9	0.20	1.1	0.10	51	0.7	0.10	0.4	0.06
Melanomas of the skin	59	1.0	0.14	0.6	0.07	33	0.4	0.08	0.3	0.05
Breast	-	-	-	-	-	852	10.8	0.39	6.9	0.24
Female Genital System	-	-	-	-	-	764	9.6	0.37	6.2	0.23
Cervix uteri	-	-	-	-	-	168	1.9	0.15	1.4	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	204	2.7	0.20	1.7	0.12
Ovary	-	-	-	-	-	349	4.5	0.26	2.8	0.15
Male Genital System	688	15.3	0.63	6.9	0.27	-	-	-	-	-
Prostate	656	14.9	0.63	6.6	0.26	-	-	-	-	-
Testis	25	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	515	8.7	0.43	5.0	0.22	287	4.2	0.26	2.3	0.14
Bladder	152	3.0	0.27	1.5	0.12	76	1.1	0.13	0.6	0.07
Kidney & renal pelvis	355	5.5	0.33	3.4	0.18	203	3.0	0.22	1.6	0.12
Brain & Other Nervous System	189	2.4	0.19	1.8	0.13	146	1.8	0.15	1.2	0.10
Endocrine System	30	0.5	0.11	0.3	0.05	37	0.5	0.08	0.3	0.05
Thyroid gland	19	0.4	0.10	0.2	0.04	28	0.4	0.07	0.2	0.04
Lymphomas	236	4.1	0.30	2.3	0.15	154	2.4	0.20	1.2	0.10
Hodgkin Lymphoma	10	0.2	0.06	0.1	0.03	-	-	-	-	-
Non-Hodgkin Lymphoma	226	3.9	0.29	2.2	0.15	-	-	-	-	-
Multiple Myeloma	130	2.3	0.23	1.3	0.11	136	2.0	0.18	1.1	0.10
Leukemias	267	4.5	0.31	2.6	0.16	206	2.6	0.19	1.7	0.12
Other, Ill-defined & Unknown	-	-	-	-	-	628	8.8	0.37	4.9	0.20

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2010-2014, Hispanic Ethnicity

<i>SITES</i>	MALES (HISPANIC)					FEMALES (HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	88,893	142.6	0.52	80.1	0.28	80,346	97.7	0.36	57.8	0.21
Oral Cavity & Pharynx	1,622	2.4	0.06	1.5	0.04	628	0.8	0.03	0.4	0.02
Digestive System	33,083	50.4	0.30	30.0	0.17	23,868	30.0	0.20	17.0	0.11
Esophagus	2,571	4.0	0.08	2.4	0.05	603	0.8	0.03	0.4	0.02
Stomach	4,552	6.9	0.11	4.0	0.06	3,443	4.1	0.07	2.5	0.04
Colon & Rectum	9,496	15.0	0.17	8.5	0.09	7,362	9.2	0.11	5.2	0.06
Liver	8,108	11.3	0.14	7.5	0.08	3,223	4.2	0.08	2.3	0.04
Pancreas	5,984	9.5	0.13	5.5	0.07	5,944	7.7	0.10	4.2	0.06
Respiratory System	16,990	29.2	0.24	15.8	0.12	10,556	13.7	0.14	7.5	0.08
Larynx	964	1.6	0.05	0.9	0.03	122	0.2	0.01	0.1	0.01
Lung & bronchus	15,800	27.3	0.23	14.7	0.12	10,327	13.4	0.14	7.3	0.08
Skin	1,144	1.8	0.06	1.0	0.03	659	0.8	0.03	0.5	0.02
Melanomas of the skin	680	1.0	0.04	0.6	0.02	487	0.6	0.03	0.3	0.02
Breast	97	0.1	0.02	0.1	0.01	12,770	14.4	0.13	9.4	0.09
Female Genital System	-	-	-	-	-	10,773	12.4	0.12	8.0	0.08
Cervix uteri	-	-	-	-	-	2,536	2.6	0.05	1.9	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	3,088	3.6	0.07	2.4	0.04
Ovary	-	-	-	-	-	4,579	5.4	0.08	3.4	0.05
Male Genital System	8,644	17.1	0.19	7.7	0.08	-	-	-	-	-
Prostate	8,044	16.5	0.19	7.2	0.08	-	-	-	-	-
Testis	380	0.3	0.02	0.3	0.01	-	-	-	-	-
Urinary System	5,359	8.9	0.13	4.9	0.07	2,837	3.7	0.07	2.0	0.04
Bladder	2,003	3.9	0.09	1.8	0.04	907	1.2	0.04	0.6	0.02
Kidney & renal pelvis	3,272	4.9	0.09	3.0	0.05	1,864	2.3	0.06	1.3	0.03
Brain & Other Nervous System	2,770	3.4	0.07	2.4	0.05	2,250	2.4	0.05	1.7	0.04
Endocrine System	559	0.7	0.04	0.5	0.02	725	0.9	0.03	0.5	0.02
Thyroid gland	332	0.5	0.03	0.3	0.02	510	0.7	0.03	0.4	0.02
Lymphomas	4,285	6.8	0.11	3.8	0.06	3,434	4.4	0.08	2.4	0.04
Hodgkin Lymphoma	400	0.5	0.03	0.3	0.02	261	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,885	6.2	0.11	3.4	0.06	3,173	4.1	0.07	2.2	0.04
Multiple Myeloma	2,022	3.4	0.08	1.9	0.04	1,806	2.3	0.06	1.3	0.03
Leukemias	4,389	6.1	0.10	3.7	0.06	3,514	4.0	0.07	2.5	0.04
Other, Ill-defined & Unknown	7,929	12.1	0.15	7.0	0.08	6,526	7.9	0.10	4.6	0.06

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2010-2014, Non-Hispanic Ethnicity

<i>SITES</i>	MALES (NON-HISPANIC)					FEMALES (NON-HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,435,292	205.2	0.17	117.1	0.10	1,299,862	145.4	0.13	87.2	0.09
Oral Cavity & Pharynx	29,472	4.0	0.02	2.6	0.02	12,452	1.4	0.01	0.8	0.01
Digestive System	384,380	53.6	0.09	32.4	0.05	291,699	32.1	0.06	18.3	0.04
Esophagus	55,606	7.6	0.03	4.8	0.02	14,264	1.6	0.01	0.9	0.01
Stomach	28,794	4.1	0.02	2.4	0.01	19,263	2.1	0.02	1.2	0.01
Colon & Rectum	125,292	17.9	0.05	10.4	0.03	116,099	12.7	0.04	7.1	0.02
Liver	55,011	7.2	0.03	4.9	0.02	20,501	2.3	0.02	1.4	0.01
Pancreas	91,691	12.8	0.04	7.6	0.03	88,466	9.7	0.03	5.5	0.02
Respiratory System	431,431	60.6	0.09	35.4	0.06	346,794	38.9	0.07	23.3	0.04
Larynx	13,844	1.9	0.02	1.2	0.01	3,575	0.4	0.01	0.3	0.00
Lung & bronchus	414,844	58.3	0.09	34.0	0.05	341,684	38.3	0.07	22.9	0.04
Skin	41,260	6.0	0.03	3.4	0.02	19,645	2.2	0.02	1.4	0.01
Melanomas of the skin	29,694	4.3	0.03	2.5	0.02	15,323	1.8	0.01	1.1	0.01
Breast	2,111	0.3	0.01	0.2	0.00	191,944	21.8	0.05	14.1	0.04
Female Genital System	-	-	-	-	-	136,154	15.5	0.04	9.9	0.03
Cervix uteri	-	-	-	-	-	17,840	2.3	0.02	1.7	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	41,818	4.6	0.02	2.9	0.02
Ovary	-	-	-	-	-	67,072	7.6	0.03	4.7	0.02
Male Genital System	134,409	20.7	0.06	9.2	0.03	-	-	-	-	-
Prostate	131,431	20.3	0.06	8.9	0.03	-	-	-	-	-
Testis	1,574	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	95,286	14.0	0.05	7.3	0.02	44,900	4.9	0.02	2.6	0.01
Bladder	52,390	7.9	0.04	3.7	0.02	21,077	2.2	0.02	1.1	0.01
Kidney & renal pelvis	40,635	5.7	0.03	3.4	0.02	22,212	2.4	0.02	1.4	0.01
Brain & Other Nervous System	39,440	5.5	0.03	3.9	0.02	30,696	3.6	0.02	2.6	0.02
Endocrine System	5,883	0.8	0.01	0.6	0.01	6,460	0.7	0.01	0.5	0.01
Thyroid gland	3,584	0.5	0.01	0.3	0.01	4,367	0.5	0.01	0.3	0.00
Lymphomas	54,945	8.1	0.04	4.4	0.02	44,310	4.9	0.02	2.6	0.01
Hodgkin Lymphoma	2,894	0.4	0.01	0.3	0.01	2,126	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	52,051	7.7	0.03	4.1	0.02	42,184	4.6	0.02	2.4	0.01
Multiple Myeloma	29,296	4.3	0.03	2.3	0.01	24,945	2.7	0.02	1.5	0.01
Leukemias	62,262	9.3	0.04	5.1	0.02	45,919	5.1	0.02	2.9	0.02
Other, Ill-defined & Unknown	125,117	18.0	0.05	10.4	0.03	103,944	11.5	0.04	6.7	0.02

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	190,040	216.3	0.51	117.3	0.28	172,018	153.3	0.37	89.8	0.24
Oral Cavity & Pharynx	4,041	4.3	0.07	2.7	0.04	1,832	1.6	0.04	0.9	0.03
Digestive System	56,248	62.9	0.27	35.2	0.15	44,228	38.7	0.19	21.0	0.11
Esophagus	6,827	7.3	0.09	4.5	0.06	2,132	1.9	0.04	1.1	0.03
Stomach	5,762	6.5	0.09	3.6	0.05	3,752	3.3	0.06	1.8	0.03
Colon & Rectum	23,293	26.7	0.18	14.2	0.10	20,301	17.6	0.13	9.2	0.07
Liver	5,248	5.6	0.08	3.4	0.05	1,945	1.7	0.04	1.0	0.03
Pancreas	10,379	11.5	0.11	6.6	0.07	10,393	9.2	0.09	5.1	0.06
Respiratory System	55,048	61.1	0.27	34.3	0.15	44,894	40.4	0.19	24.5	0.13
Larynx	1,671	1.8	0.05	1.1	0.03	366	0.3	0.02	0.2	0.01
Lung & bronchus	52,782	58.6	0.26	32.9	0.15	44,236	39.8	0.19	24.2	0.12
Skin	4,526	5.1	0.08	2.9	0.04	2,526	2.2	0.05	1.3	0.03
Melanomas of the skin	3,232	3.6	0.06	2.2	0.04	1,850	1.7	0.04	1.1	0.03
Breast	235	0.3	0.02	0.1	0.01	24,865	22.3	0.14	13.9	0.10
Female Genital System	-	-	-	-	-	16,233	14.7	0.12	9.2	0.08
Cervix uteri	-	-	-	-	-	1,981	1.9	0.04	1.4	0.03
Corpus & uterus, NOS ¹	-	-	-	-	-	4,696	4.2	0.06	2.5	0.04
Ovary	-	-	-	-	-	8,257	7.4	0.08	4.7	0.06
Male Genital System	19,371	24.5	0.18	10.2	0.08	-	-	-	-	-
Prostate	18,954	24.0	0.18	9.9	0.07	-	-	-	-	-
Testis	197	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	12,773	15.0	0.13	7.5	0.07	6,230	5.4	0.07	2.8	0.04
Bladder	7,036	8.6	0.10	3.9	0.05	2,887	2.5	0.05	1.2	0.02
Kidney & renal pelvis	5,109	5.6	0.08	3.2	0.05	2,967	2.6	0.05	1.4	0.03
Brain & Other Nervous System	5,609	6.0	0.08	4.2	0.06	4,208	4.0	0.06	2.8	0.05
Endocrine System	741	0.8	0.03	0.6	0.02	833	0.8	0.03	0.5	0.02
Thyroid gland	407	0.5	0.02	0.3	0.01	529	0.5	0.02	0.2	0.01
Lymphomas	7,488	8.6	0.10	4.7	0.06	6,142	5.5	0.07	3.0	0.04
Hodgkin Lymphoma	371	0.4	0.02	0.3	0.02	258	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	7,117	8.2	0.10	4.4	0.05	5,884	5.2	0.07	2.8	0.04
Multiple Myeloma	3,615	4.1	0.07	2.2	0.04	2,968	2.6	0.05	1.4	0.03
Leukemias	7,306	8.5	0.10	4.6	0.06	5,458	4.9	0.07	2.8	0.05
Other, Ill-defined & Unknown	13,039	15.2	0.14	8.1	0.08	11,601	10.2	0.10	5.6	0.06

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	190,040	197.2	0.46	117.3	0.28	172,018	142.0	0.35	89.8	0.24
Oral Cavity & Pharynx	4,041	4.0	0.06	2.7	0.04	1,832	1.5	0.04	0.9	0.03
Digestive System	56,248	57.8	0.25	35.2	0.15	44,228	35.2	0.17	21.0	0.11
Esophagus	6,827	6.9	0.08	4.5	0.06	2,132	1.7	0.04	1.1	0.03
Stomach	5,762	5.9	0.08	3.6	0.05	3,752	3.0	0.05	1.8	0.03
Colon & Rectum	23,293	24.2	0.16	14.2	0.10	20,301	15.8	0.11	9.2	0.07
Liver	5,248	5.3	0.07	3.4	0.05	1,945	1.6	0.04	1.0	0.03
Pancreas	10,379	10.6	0.11	6.6	0.07	10,393	8.4	0.08	5.1	0.06
Respiratory System	55,048	56.6	0.24	34.3	0.15	44,894	38.0	0.18	24.5	0.13
Larynx	1,671	1.7	0.04	1.1	0.03	366	0.3	0.02	0.2	0.01
Lung & bronchus	52,782	54.3	0.24	32.9	0.15	44,236	37.5	0.18	24.2	0.12
Skin	4,526	4.7	0.07	2.9	0.04	2,526	2.1	0.04	1.3	0.03
Melanomas of the skin	3,232	3.3	0.06	2.2	0.04	1,850	1.6	0.04	1.1	0.03
Breast	235	0.2	0.02	0.1	0.01	24,865	20.9	0.14	13.9	0.10
Female Genital System	-	-	-	-	-	16,233	13.8	0.11	9.2	0.08
Cervix uteri	-	-	-	-	-	1,981	1.9	0.04	1.4	0.03
Corpus & uterus, NOS ¹	-	-	-	-	-	4,696	3.9	0.06	2.5	0.04
Ovary	-	-	-	-	-	8,257	7.0	0.08	4.7	0.06
Male Genital System	19,371	20.9	0.15	10.2	0.08	-	-	-	-	-
Prostate	18,954	20.4	0.15	9.9	0.07	-	-	-	-	-
Testis	197	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	12,773	13.3	0.12	7.5	0.07	6,230	4.8	0.06	2.8	0.04
Bladder	7,036	7.5	0.09	3.9	0.05	2,887	2.2	0.04	1.2	0.02
Kidney & renal pelvis	5,109	5.2	0.07	3.2	0.05	2,967	2.4	0.05	1.4	0.03
Brain & Other Nervous System	5,609	5.8	0.08	4.2	0.06	4,208	3.8	0.06	2.8	0.05
Endocrine System	741	0.8	0.03	0.6	0.02	833	0.7	0.03	0.5	0.02
Thyroid gland	407	0.4	0.02	0.3	0.01	529	0.4	0.02	0.2	0.01
Lymphomas	7,488	7.8	0.09	4.7	0.06	6,142	5.0	0.07	3.0	0.04
Hodgkin Lymphoma	371	0.4	0.02	0.3	0.02	258	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	7,117	7.4	0.09	4.4	0.05	5,884	4.8	0.06	2.8	0.04
Multiple Myeloma	3,615	3.8	0.06	2.2	0.04	2,968	2.4	0.05	1.4	0.03
Leukemias	7,306	7.7	0.09	4.6	0.06	5,458	4.5	0.06	2.8	0.05
Other, Ill-defined & Unknown	13,039	13.7	0.12	8.1	0.08	11,601	9.3	0.09	5.6	0.06

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2009-2013, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	190,040	216.3	23,293	26.7	52,782	58.6	18,954	24.0	7,036	8.6	7,117	8.2
Alberta	15,426	199.0	1,884	24.3	3,788	48.2	1,825	27.1	573	8.0	571	7.3
British Columbia	24,321	192.5	2,963	23.4	5,980	46.4	2,683	23.0	1,023	8.5	978	7.8
Manitoba	6,804	221.3	867	28.4	1,682	53.9	822	28.8	228	7.7	245	8.0
New Brunswick	4,824	226.2	563	26.8	1,517	69.4	448	23.4	175	8.9	-	-
Newfoundland and Labrador	3,662	253.9	602	41.6	1,056	70.2	334	27.6	110	8.8	-	-
Northwest Territories	146	248.0	24	39.5	41	77.6	13	29.4	-	-	-	-
Nova Scotia	6,545	246.9	917	34.9	1,877	68.3	605	25.8	233	9.4	255	9.5
Nunavut	104	391.7	18	37.3	43	196.9	-	-	-	-	-	-
Ontario	69,851	208.9	8,274	25.0	18,021	52.6	7,214	23.8	2,647	8.4	2,730	8.2
Prince Edward Island	935	237.5	110	28.4	293	70.9	94	28.2	32	9.0	28	7.7
Quebec	51,329	241.1	6,311	29.9	16,960	77.0	4,037	21.7	1,759	9.0	1,800	8.6
Saskatchewan	5,914	210.4	740	26.1	1,475	52.2	859	31.3	248	9.0	215	7.9
Yukon	179	266.5	20	25.3	49	70.8	18	38.3	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2009-2013, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	190,040	197.2	23,293	24.2	52,782	54.3	18,954	20.4	7,036	7.5	7,117	7.4
Alberta	15,426	181.4	1,884	22.1	3,788	44.7	1,825	23.3	573	7.0	571	6.7
British Columbia	24,321	175.4	2,963	21.4	5,980	42.9	2,683	19.6	1,023	7.4	978	7.1
Manitoba	6,804	201.9	867	26.0	1,682	49.9	822	24.5	228	6.7	245	7.3
New Brunswick	4,824	206.2	563	24.2	1,517	64.1	448	20.0	175	7.7	-	-
Newfoundland and Labrador	3,662	231.7	602	38.0	1,056	65.1	334	23.5	110	7.6	-	-
Northwest Territories	146	232.0	24	37.2	41	71.4	13	26.9	-	-	-	-
Nova Scotia	6,545	224.8	917	31.7	1,877	63.4	605	21.8	233	8.2	255	8.8
Nunavut	104	367.0	18	37.7	43	183.5	-	-	-	-	-	-
Ontario	69,851	190.3	8,274	22.6	18,021	48.8	7,214	20.2	2,647	7.3	2,730	7.5
Prince Edward Island	935	217.6	110	25.7	293	66.4	94	23.5	32	7.7	28	6.9
Quebec	51,329	219.6	6,311	27.2	16,960	71.3	4,037	18.4	1,759	7.8	1,800	7.8
Saskatchewan	5,914	192.6	740	23.8	1,475	48.9	859	26.9	248	7.9	215	7.2
Yukon	179	243.9	20	24.0	49	66.2	18	32.8	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted using the 1996 Canadian population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2009-2013, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	172,018	153.3	20,301	17.6	44,236	39.8	24,865	22.3	1,981	1.9	8,257	7.4
Alberta	13,509	141.0	1,484	15.4	3,430	36.5	2,028	20.8	188	1.9	672	7.0
British Columbia	21,646	143.4	2,648	17.1	5,530	37.0	3,052	20.5	225	1.6	1,186	8.0
Manitoba	6,457	161.1	792	18.8	1,608	40.8	935	23.7	79	2.3	300	7.8
New Brunswick	4,336	158.0	488	17.0	1,112	41.0	600	21.6	53	2.2	199	7.3
Newfoundland and Labrador	3,097	175.4	475	27.3	671	37.2	466	25.9	40	2.5	137	7.6
Northwest Territories	115	195.4	15	26.5	31	53.1	14	21.5	-	-	-	-
Nova Scotia	6,058	174.4	777	21.8	1,637	47.6	849	24.7	65	2.1	281	8.0
Nunavut	85	342.6	12	46.1	37	158.5	-	-	-	-	-	-
Ontario	63,635	147.6	7,231	16.3	15,239	35.6	9,483	22.2	782	2.0	3,195	7.5
Prince Edward Island	809	158.1	122	24.1	212	42.3	114	21.9	11	2.3	43	8.1
Quebec	46,764	166.1	5,615	19.3	13,301	47.6	6,489	23.5	429	1.8	1,984	7.1
Saskatchewan	5,365	153.7	623	16.9	1,384	41.1	808	22.8	103	3.5	251	7.5
Yukon	142	202.6	19	28.6	44	67.8	23	31.3	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2009-2013, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada	172,018	142.0	20,301	15.8	44,236	37.5	24,865	20.9	1,981	1.9	8,257	7.0
Alberta	13,509	131.2	1,484	13.9	3,430	34.5	2,028	19.5	188	1.8	672	6.6
British Columbia	21,646	132.7	2,648	15.4	5,530	34.5	3,052	19.2	225	1.6	1,186	7.5
Manitoba	6,457	149.6	792	17.0	1,608	38.4	935	22.2	79	2.2	300	7.4
New Brunswick	4,336	146.2	488	15.3	1,112	38.6	600	20.0	53	2.1	199	6.8
Newfoundland and Labrador	3,097	162.2	475	24.9	671	35.2	466	23.9	40	2.4	137	7.2
Northwest Territories	115	181.4	15	24.3	31	50.7	14	20.1	-	-	-	-
Nova Scotia	6,058	161.5	777	19.7	1,637	44.7	849	23.1	65	2.0	281	7.5
Nunavut	85	318.0	12	44.9	37	148.7	-	-	-	-	-	-
Ontario	63,635	136.5	7,231	14.6	15,239	33.5	9,483	20.7	782	1.9	3,195	7.1
Prince Edward Island	809	147.4	122	21.8	212	40.2	114	20.7	11	2.3	43	7.5
Quebec	46,764	153.8	5,615	17.3	13,301	45.1	6,489	21.9	429	1.7	1,984	6.7
Saskatchewan	5,365	143.4	623	15.4	1,384	38.9	808	21.3	103	3.5	251	7.1
Yukon	142	190.4	19	26.4	44	64.7	23	28.9	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted using the 1996 Canadian population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.