

NAACCR
North American Association of Central Cancer Registries

North American Association of Central Cancer Registries, Inc.

Cancer in North America: 2012-2016

Volume Five: Cancer Prevalence in the United States and Canada 2006-2015

EXECUTIVE SUMMARY

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. In May of 2019, NAACCR released the four volume monograph, *Cancer in North America (CiNA): 2012-2016.* This release of cancer incidence statistics for the United States is the 29th publication in the series and the 27th release that includes statistics for both Canada and the United States (U.S.)

This year's publication includes cancer incidence data for all 50 U.S. states, the District of Columbia, Puerto Rico, and for 11 Canadian provinces and territories. We also report data by 5 regions: California (excluding the Greater Bay area and Los Angeles), and 4 SEER urban registries (Detroit, Los Angeles, San Francisco-Oakland, and Seattle). CiNA includes registry-specific data on stage at diagnosis, survival and delay adjusted estimates of counts and age-adjusted rates for selected cancers. These delay adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and is recommended for use in assessing current cancer incidence trends.

Volume One presents the aggregated cancer incidence data, including pediatric cancer and cancer by stage at diagnosis, representing North America including data from the high quality registries in the United States and Canada. Age-adjusted cancer incidence rates for the Canadian and United States populations are provided standardized to the 2000 US, 2011 Canadian, and the world population standards. Combined U.S. and Canadian data are presented by race and for Hispanic/Latino ethnicity in Volume One. Volume Two contains registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR members submitting data for inclusion in the monograph. Volume Three presents the registry-specific cancer death rates by cancer site, sex, race, and ethnicity. Volume Four provides cancer survival data for the U.S. and Canada from 59 registries on more than 9 million cases diagnosed among North Americans between 2009 and 2015. New this year is Volume Five, which provides two, five, and ten year limited-duration cancer prevalence data for the U.S. and Canada for the same registries included in Volume Four. All five volumes are available free of charge from the NAACCR website, along with population data, supporting appendices, and cancer rates age-adjusted to the US, Canadian and World population standards. Note that this publication utilizes population estimates that are based upon the United States 2010 and Canada 2011 censuses.

In addition to publication of cancer statistics for the most recent five-year period, the *CiNA* data resource is used to create the NAACCR FastStats (graphic and tables by cancer sites, race/sex, race/ethnicity, age at diagnosis, sex, registry, and data type) and NAACCR Cancer Maps for public queries regarding cancer incidence for the most recent five years. The CiNA data are also used to develop the *CiNA Public Use* dataset, a limited-data set freely available to the public, and a discretionary research data set (*CiNA Deluxe)*, including data from 1995 to 2016, to facilitate analytic studies conducted by epidemiologists and other qualified researchers. The data within this report are also available as an electronic reproduction of all cancer statistics reported in the CiNA monograph in SEER*Stat software for approved uses by NAACCR members. These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality across all contributors, with standard data quality metrics reported for all contributors. Additional information about CiNA Research Data can be found on-line: https://www.naaccr.org/cina-data-products-overview/.

We hope that *Cancer in North America: 2012-2016*, with the companion *CiNA* products and resources, facilitate studies of cancer burden, so that we are better able to identify and understand appropriate and important measures to control the myriad diseases within the cancer rubric. The cancer surveillance infrastructure in the U.S. and Canada has been orchestrated to meet these objectives.

This publication is made possible by the continuing efforts of the NAACCR member registries. High quality standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America is made possible by the dedication of our members to cancer surveillance.

The Editors would like to acknowledge the fine work and support of the National Cancer Institute, the National Center for Health Statistics and Statistics Canada for their assistance in developing this publication.

The Editors
January 2020

CANCER IN NORTH AMERICA: 2012-2016

VOLUME FIVE: CANCER PREVALENCE IN THE UNITED STATES AND CANADA 2006-2015

A Publication of the North American Association of Central Cancer Registries, Inc. (NAACCR)

Editors:
Chris Johnson, Cancer Data Registry of Idaho
Angela Mariotto, U.S. National Cancer Institute
Baozhen Qiao, New York State Cancer Registry
Bin Huang, Kentucky Cancer Registry
Bozena Morawski, Cancer Data Registry of Idaho
Donna Turner, CancerCare Manitoba
Hannah Weir, U.S. Centers for Disease Control and Prevention
Larry Ellison, Statistics Canada
Recinda Sherman, NAACCR Inc.
Reda Wilson, U.S. Centers for Disease Control and Prevention
Rick Firth, Information Management Services, Inc.

January 2020

The Editorial Subcommittee of the NAACCR Standing Committee, Data Use and Research Committee publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401. We acknowledge partial support of NAACCR staff by cooperative agreement U75/CCU52346-05 from the Centers for Disease Control and Prevention (CDC) and by the NCI/NIH Contract No. HHSN261200444001C/ADB Contract No. PC-44401. Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC.

CINA PREVALENCE PARTICIPANTS
2006-2015

SUGGESTED CITATION:
Johnson CJ, Mariotto A, Qiao B, Huang B, Morawski B, Turner D, Weir H, Ellison L, Sherman R, Wilson R, Firth R (eds). *Cancer in North America: 2012-2016 Volume Five: Cancer Prevalence in the United States and Canada 2006-2015*. Springfield, IL: North American Association of Central Cancer Registries, Inc. January 2020.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes I-1

SECTION II: Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016 by Race and Age for the United States, Canada and North America Combined

All Sites II-1
Oral Cavity & Pharynx II-2
Esophagus II-3
Stomach II-4
Colon & Rectum II-5
Liver & Intrahepatic Bile Duct II-6
Pancreas II-7
Larynx II-8
Lung & Bronchus II-9
Melanoma of the Skin II-10
Breast, Female II-11
Cervix Uteri II-12
Corpus & Uterus, NOS II-13
Ovary II-14
Prostate II-15
Testis II-16
Urinary Bladder II-17
Kidney & Renal Pelvis II-18
Brain & Other Nervous System II-19
Thyroid II-20
Hodgkin Lymphoma II-21
Non-Hodgkin Lymphoma II-22
Myeloma II-23
Leukemias II-24
Mesothelioma II-25

SECTION III: Prevalence on January 1, 2016 by Limited-Duration, Registry, Race and Site

Two Year Limited-Duration, All Races

All Sites III-1
Oral Cavity & Pharynx III-2
Esophagus III-3
Stomach III-4
Colon & Rectum III-5
Liver & Intrahepatic Bile Duct III-6
Pancreas III-7
Larynx III-8
Lung & Bronchus III-9
Melanoma of the Skin III-10
Breast, Female III-11
Cervix Uteri III-12
Corpus & Uterus, NOS III-13
Ovary III-14
Prostate III-15
Testis III-16
Urinary Bladder III-17
Kidney & Renal Pelvis III-18
Brain & Other Nervous System III-19
Thyroid III-20
Hodgkin Lymphoma III-21
Non-Hodgkin Lymphoma III-22
Myeloma III-23
Leukemias III-24
Mesothelioma III-25

Two Year Limited-Duration, Non-Hispanic White
All Sites....III-26
Oral Cavity & Pharynx....III-27
Esophagus....III-28
Stomach....III-29
Colon & Rectum....III-30
Liver & Intrahepatic Bile Duct....III-31
Pancreas....III-32
Larynx....III-33
Lung & Bronchus....III-34
Melanoma of the Skin....III-35
Breast, Female....III-36
Cervix Uteri....III-37
Corpus & Uterus, NOS....III-38
Ovary....III-39
Prostate....III-40
Testis....III-41
Urinary Bladder....III-42
Kidney & Renal Pelvis....III-43
Brain & Other Nervous System....III-44
Thyroid....III-45
Hodgkin Lymphoma....III-46
Non-Hodgkin Lymphoma....III-47
Myeloma....III-48
Leukemias....III-49
Mesothelioma....III-50

Two Year Limited-Duration, Non-Hispanic Black
All Sites....III-51
Oral Cavity & Pharynx....III-52
Esophagus....III-53
Stomach....III-54
Colon & Rectum....III-55
Liver & Intrahepatic Bile Duct....III-56
Pancreas....III-57
Larynx....III-58
Lung & Bronchus....III-59
Melanoma of the Skin....III-60
Breast, Female....III-61
Cervix Uteri....III-62
Corpus & Uterus, NOS....III-63
Ovary....III-64
Prostate....III-65
Testis....III-66
Urinary Bladder....III-67
Kidney & Renal Pelvis....III-68
Brain & Other Nervous System, Invasive....III-69
Thyroid....III-70
Hodgkin Lymphoma....III-71
Non-Hodgkin Lymphoma....III-72
Myeloma....III-73
Leukemias....III-74
Mesothelioma....III-75

Two Year Limited-Duration, Hispanic
All Sites....III-76
Oral Cavity & Pharynx....III-77
Esophagus....III-78
Stomach....III-79
Colon & Rectum....III-80
Liver & Intrahepatic Bile Duct....III-81
Pancreas....III-82
Larynx....III-83

Lung & Bronchus III-84
Melanoma of the Skin III-85
Breast, Female III-86
Cervix Uteri III-87
Corpus & Uterus, NOS III-88
Ovary III-89
Prostate III-90
Testis III-91
Urinary Bladder III-92
Kidney & Renal Pelvis III-93
Brain & Other Nervous System III-94
Thyroid III-95
Hodgkin Lymphoma III-96
Non-Hodgkin Lymphoma III-97
Myeloma III-98
Leukemias III-99
Mesothelioma III-100

Five Year Limited-Duration, All Races

All Sites III-101
Oral Cavity & Pharynx III-102
Esophagus III-103
Stomach III-104
Colon & Rectum III-105
Liver & Intrahepatic Bile Duct III-106
Pancreas III-107
Larynx III-108
Lung & Bronchus III-109
Melanoma of the Skin III-110
Breast, Female III-111
Cervix Uteri III-112
Corpus & Uterus, NOS III-113
Ovary III-114
Prostate III-115
Testis III-116
Urinary Bladder III-117
Kidney & Renal Pelvis III-118
Brain & Other Nervous System III-119
Thyroid III-120
Hodgkin Lymphoma III-121
Non-Hodgkin Lymphoma III-122
Myeloma III-123
Leukemias III-124
Mesothelioma III-125

Five Year Limited-Duration, Non-Hispanic White

All Sites III-126
Oral Cavity & Pharynx III-127
Esophagus III-128
Stomach III-129
Colon & Rectum III-130
Liver & Intrahepatic Bile Duct III-131
Pancreas III-132
Larynx III-133
Lung & Bronchus III-134
Melanoma of the Skin III-135
Breast, Female III-136
Cervix Uteri III-137
Corpus & Uterus, NOS III-138
Ovary III-139
Prostate III-140
Testis III-141
Urinary Bladder III-142

Kidney & Renal Pelvis III-143
Brain & Other Nervous System III-144
Thyroid III-145
Hodgkin Lymphoma III-146
Non-Hodgkin Lymphoma III-147
Myeloma III-148
Leukemias III-149
Mesothelioma III-150

Five Year Limited-Duration, Non-Hispanic Black

All Sites III-151
Oral Cavity & Pharynx III-152
Esophagus III-153
Stomach III-154
Colon & Rectum III-155
Liver & Intrahepatic Bile Duct III-156
Pancreas III-157
Larynx III-158
Lung & Bronchus III-159
Melanoma of the Skin III-160
Breast, Female III-161
Cervix Uteri III-162
Corpus & Uterus, NOS III-163
Ovary III-164
Prostate III-165
Testis III-166
Urinary Bladder III-167
Kidney & Renal Pelvis III-168
Brain & Other Nervous System, Invasive III-169
Thyroid III-170
Hodgkin Lymphoma III-171
Non-Hodgkin Lymphoma III-172
Myeloma III-173
Leukemias III-174
Mesothelioma III-175

Five Year Limited-Duration, Hispanic

All Sites III-176
Oral Cavity & Pharynx III-177
Esophagus III-178
Stomach III-179
Colon & Rectum III-180
Liver & Intrahepatic Bile Duct III-181
Pancreas III-182
Larynx III-183
Lung & Bronchus III-184
Melanoma of the Skin III-185
Breast, Female III-186
Cervix Uteri III-187
Corpus & Uterus, NOS III-188
Ovary III-189
Prostate III-190
Testis III-191
Urinary Bladder III-192
Kidney & Renal Pelvis III-193
Brain & Other Nervous System, Invasive III-194
Thyroid III-195
Hodgkin Lymphoma III-196
Non-Hodgkin Lymphoma III-197
Myeloma III-198
Leukemias III-199
Mesothelioma III-200

Contents

Ten Year Limited-Duration, All Races
All Sites....III-201
Oral Cavity & Pharynx....III-202
Esophagus....III-203
Stomach....III-204
Colon & Rectum....III-205
Liver & Intrahepatic Bile Duct....III-206
Pancreas....III-207
Larynx....III-208
Lung & Bronchus....III-209
Melanoma of the Skin....III-210
Breast, Female....III-211
Cervix Uteri....III-212
Corpus & Uterus, NOS....III-213
Ovary....III-214
Prostate....III-215
Testis....III-216
Urinary Bladder....III-217
Kidney & Renal Pelvis....III-218
Brain & Other Nervous System....III-219
Thyroid....III-220
Hodgkin Lymphoma....III-221
Non-Hodgkin Lymphoma....III-222
Myeloma....III-223
Leukemias....III-224
Mesothelioma....III-225

Ten Year Limited-Duration, Non-Hispanic White
All Sites....III-226
Oral Cavity & Pharynx....III-227
Esophagus....III-228
Stomach....III-229
Colon & Rectum....III-230
Liver & Intrahepatic Bile Duct....III-231
Pancreas....III-232
Larynx....III-233
Lung & Bronchus....III-234
Melanoma of the Skin....III-235
Breast, Female....III-236
Cervix Uteri....III-237
Corpus & Uterus, NOS....III-238
Ovary....III-239
Prostate....III-240
Testis....III-241
Urinary Bladder....III-242
Kidney & Renal Pelvis....III-243
Brain & Other Nervous System....III-244
Thyroid....III-245
Hodgkin Lymphoma....III-246
Non-Hodgkin Lymphoma....III-247
Myeloma....III-248
Leukemias....III-249
Mesothelioma....III-250

Ten Year Limited-Duration, Non-Hispanic Black
All Sites....III-251
Oral Cavity & Pharynx....III-252
Esophagus....III-253
Stomach....III-254
Colon & Rectum....III-255
Liver & Intrahepatic Bile Duct....III-256

Pancreas III-257
Larynx III-258
Lung & Bronchus III-259
Melanoma of the Skin III-260
Breast, Female III-261
Cervix Uteri III-262
Corpus & Uterus, NOS III-263
Ovary III-264
Prostate III-265
Testis III-266
Urinary Bladder III-267
Kidney & Renal Pelvis III-268
Brain & Other Nervous System, Invasive III-269
Thyroid III-270
Hodgkin Lymphoma III-271
Non-Hodgkin Lymphoma III-272
Myeloma III-273
Leukemias III-274
Mesothelioma III-275

Ten Year Limited-Duration, Hispanic

All Sites III-276
Oral Cavity & Pharynx III-277
Esophagus III-278
Stomach III-279
Colon & Rectum III-280
Liver & Intrahepatic Bile Duct III-281
Pancreas III-282
Larynx III-283
Lung & Bronchus III-284
Melanoma of the Skin III-285
Breast, Female III-286
Cervix Uteri III-287
Corpus & Uterus, NOS III-288
Ovary III-289
Prostate III-290
Testis III-291
Urinary Bladder III-292
Kidney & Renal Pelvis III-293
Brain & Other Nervous System, Invasive III-294
Thyroid III-295
Hodgkin Lymphoma III-296
Non-Hodgkin Lymphoma III-297
Myeloma III-298
Leukemias III-299
Mesothelioma III-300

All Appendices are available on the NAACCR website:
https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices

Section I

Introduction and Technical Notes

NAACCR Cancer in North America (CiNA) Prevalence
Introduction and Technical Notes

CiNA Volume Five: Cancer Prevalence in the United States and Canada 2006-2015 includes data from 59 registries on more than 8 million cases diagnosed among North Americans between 2006 and 2015.

Volume Five is comprised of two data sections:

Section two includes two, five, and ten year limited-duration prevalence counts and prevalence percentages and confidence intervals for the United States, Canada and North America combined. These statistics are presented for all races by sex and select cancer sites. The tables for each cancer site present statistics by a total and specific age groups for each region. In the United States combined, prevalence statistics for non-Hispanic whites, non-Hispanic Blacks, and Hispanics are also presented.

Section three includes two, five, and ten year limited-duration prevalence counts and prevalence percentages and confidence intervals by registry, sex and select cancer sites. Prevalence statistics are available for the United States and Canadian registries by all races and for the United States registries for non-Hispanic whites, non-Hispanic Blacks, and Hispanics.

Special thanks go to Steve Scoppa and Rick Firth, Information Management Services, Inc., who prepared the analytic dataset used for this report; members of the NAACCR Prevalence Volume Task Force, who authored this first edition of the CiNA Prevalence Volume; and all of the registry staff who contributed data.

Cancer in North America: Prevalence

INTRODUCTION

The North American Association of Central Cancer Registries (NAACCR) has been producing reports of cancer incidence statistics for over 27 years and survival statistics since March 2016. This is the inaugural edition of the Cancer in North America (CiNA) Prevalence Volume.

Cancer prevalence is the number of persons alive on a certain date who have a history of cancer, so is a function of both incidence and survival. Prevalence includes new (incidence) and pre-existing cases and information on prevalence can be used for health planning, resource allocation, and an estimate of cancer survivorship.[1] Limited-duration prevalence represents the number, or proportion, of people alive on a certain day who had a diagnosis of the disease within the past x years (e.g. x = 2, 5 or 10 years).[2] This is in contrast to complete prevalence, which represents the proportion of people alive on a certain day who were diagnosed with the disease, regardless of how long ago the diagnosis was made. Complete prevalence can be estimated from self-reported population-based surveys, although one must be concerned with underreporting and misclassification of disease. Direct computation (the counting method) of complete cancer prevalence requires registry data that have been collected over a sufficiently long period of time to capture all prevalent cases of the disease. Historically, data from the National Cancer Institute's Surveillance, Epidemiology, and End Results Program (SEER) have been used to estimate U.S. national complete prevalence, but these estimates have generally been based on data from SEER-9 registries, which cover about 9.4% of the U.S. population.[3] We are unable to estimate complete prevalence using CiNA data. The CiNA Prevalence Volume presents two, five, and ten year limited-duration prevalence counts and prevalence percentages and confidence intervals for individual registries and the United States, Canada and North America combined.

TECHNICAL NOTES

Registry Inclusion. For registries to be included in *CiNA Prevalence* volume, they needed to: (1) provide consent, (2) meet CiNA incidence criteria for all relevant years, and (3) either meet the SEER standards for follow-up[4] or ascertain deaths through the study cutoff date (December 31, 2015). For the November 2018 Call for Data, the publication of prevalence estimates in CiNA was included as a Primary Use of Data.

To meet the SEER standard for follow-up, a minimum of 90% of patients needed to have follow-up dates on or after January 1, 2016, or be deceased. These follow-up dates could have been the result of either passive or active patient follow-up mechanisms.[5] We used the November 2018 Call for Data file to measure the follow-up rate and the vital status follow-up activities form that is part of the annual call for data to learn what registries performed to ascertain deaths. For U.S. registries that did not meet the SEER standard for follow-up, it was necessary to conduct state death linkages and linkage with the National Death Index. For Canadian registries, it was necessary to conduct death linkages within the province or territory. National death clearance in Canada is on hold pending legal agreements among the provinces and Statistics Canada, which impacts follow-up for 2009 and later. However, because the number of deaths that occur out of province is a small proportion of total deaths, we believe that Canadian follow-up data are negligibly influenced by the lack of national death linkage.

The *CiNA Prevalence* publication includes diagnosis years 2006-2015 with follow-up through the end of 2015. Using information from the NAACCR Call for Data Follow-Up Activities Forms, follow-up through 2015 was deemed to be the best balance between including the most current data and including the most registries. In terms of national coverage, *CiNA Prevalence* includes data from 9 of 13 Canadian provinces/territories and 45 of 51 states/District of Columbia. National population coverage by *CiNA Prevalence* is about 92% for the United States and 38% for Canada. The NAACCR U.S. combined and NAACCR Canadian combined statistics may not be representative of the total national populations. NAACCR North American prevalence statistics are a combination of U.S. and Canadian data. Data from 59 state, sub-state, and provincial or territorial registries are included in the registry-specific tables. To avoid double counting, data from sub-state registries in California, Michigan and Washington were not included in the NAACCR U.S. combined or NAACCR North American statistics. The sub- state registries in California, Michigan and Washington were included in the registry-specific statistics.

For coding and other general technical information, please see the technical section of Cancer in North America: 2012-2016, Volume One: Combined Cancer Incidence for the United States, Canada and North America.[6]

Statistical Methods. We used 2006-2015 incidence cases and survival from CiNA data based on the November 2018 NAACCR submission to estimate two, five, and ten year limited-duration prevalence (also known as partial prevalence) on January 1, 2016. We used the counting method to estimate prevalence from incidence and follow-up data. The counting method estimates prevalence by counting the number of persons who are known to be alive at a specific calendar time and adjusting for those lost to follow-up.[1] For registries meeting SEER follow-up standards (SEER-18 registries,[3] Montana, and Wyoming), survival estimates were used to adjust for loss to follow-up. For other registries, it was assumed that all deaths were ascertained through the study cutoff date and remaining persons were presumed to be alive, which may slightly overestimate prevalence. For cases lost to follow-up in registries meeting SEER follow-up standards, prevalence was estimated using observed survival on the remaining cases, by year of diagnosis (2006-2010 and 2011-2015), registry, sex, age group (<60, 60-69, 70+), race/ethnicity (non-Hispanic white, non-Hispanic Black, non-Hispanic American Indian and Alaska Native, non-Hispanic Asian and Pacific Islander, and Hispanic), and SEER Site Recode.[5]

For *CiNA Prevalence*, we included malignant cases per the SEER behavior recode for analysis[7] during 2006-2015 with follow-up/death ascertainment through the study cutoff date of December 31, 2015. Cases reported solely via death certificates or autopsy were excluded. For registries meeting SEER follow-up standards, alive cases with no survival time were excluded from analysis. Using SEER 2007 Multiple Primary and Histology Coding Rules,[8] we allowed for multiple primary cancers to be included for each patient, but only one record per patient was included in each prevalence estimate. For example, if a person had three primary tumors during the period 2006-2015, in the order of breast → colon → breast, then the first breast cancer case was used for breast cancer prevalence, the colon case was used for colon cancer prevalence, and the first breast cancer case was used for "all sites." Thus, the "All Sites" totals are less than the sum of the individual cancer types because each person is counted only once for each statistic, and some persons have more than one cancer type.

SEER*Stat (version 8.3.6) was used to perform the prevalence calculations.[9] Staff at Information Management Services, Inc. (Calverton, MD) prepared a SEER*Stat database for the purpose of calculating *CiNA Prevalence* statistics.[10] Prevalence statistics are suppressed when prevalence estimate counts are less than 10. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age (19 age groups: <1, 1-4, 5-9, 10-14… 80-84, 85+), sex (male, female), and race (white/unknown, black, other).

Incidence and prevalence statistics calculated using registry data do not include information on persons with a history of cancer who move to a new state (net-migration). For states with high population growth, the prevalence would be underestimated. For some cancers (e.g., hematopoietic, melanoma of the skin) there are known issues with reporting delay and potentially missed incidence cases when the person is diagnosed and treated in a physician's office, but not seen in a hospital, which may underestimate prevalence.

Variation in prevalence by registry catchment area can be due to several factors, including but not limited to: (1) differences in demographic characteristics related to race, ethnicity, and SES; (2) cancer screening rates; (3) access to and quality of care; and (4) cancer registration practices that impact case ascertainment, date of diagnosis and follow-up.

REFERENCES

1. Understanding cancer prevalence statistics https://seer.cancer.gov/statistics/types/prevalence.html.

2. Limited-duration prevalence https://surveillance.cancer.gov/prevalence/limited.html.

3. Registry Groupings in SEER Data and Statistics https://seer.cancer.gov/registries/terms.html.

4. Current SEER follow-up standards https://seer.cancer.gov/tools/seer.nov19instructions.pdf, page B-1.

5. Weir HK, Johnson CJ, Mariotto AB, Turner D, Wilson RJ, Nishri D, Ward KC. Evaluation of NAACCR Cancer in North America data for use in population-based cancer survival studies. J Natl Cancer Inst Monogr. 2014 Nov;2014(49):198-209. doi: 10.1093/jncimonographs/lgu018.

6. For coding and other general technical information, Cancer in North America: 2012-2016, Volume One: Combined Cancer Incidence for the United States, Canada, and North America, https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Vol1

7. SEER Behavior Code for Analysis http://seer.cancer.gov/behavrecode/.

8. SEER 2007 Multiple Primary and Histology Coding Rules http://seer.cancer.gov/tools/mphrules/.

9. SEER*Stat version 8.3.6; produced by the Surveillance Research Program of the Division of Cancer Control and Population Sciences, National Cancer Institute, and Information Management Services, Inc., Calverton, MD.

10. SEER*Stat Database: NAACCR Incidence Data - CiNA Analytic File, 1995-2016, for Expanded Races, Custom File With County, Johnson - Prevalence WG (which includes data from CDC's National Program of Cancer Registries (NPCR), CCCR's Provincial and Territorial Registries, and the NCI's Surveillance, Epidemiology and End Results (SEER) Registries), certified by the North American Association of Central Cancer Registries (NAACCR) as meeting high-quality incidence data standards for the specified time periods, submitted December 2018. (SEER*Stat Database ID 41415).

Section II

Two, Five and Ten Year Limited-Duration Prevalence for Cancers Diagnosed 2006-2015, by Race and Age for the United States, Canada and North America

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, All Sites

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	2,290,779	0.760	0.759 - 0.761	1,116,926	0.753	0.751 - 0.754	1,173,853	0.767	0.766 - 0.769
	5-yr	4,825,832	1.601	1.600 - 1.602	2,343,045	1.579	1.577 - 1.581	2,482,787	1.622	1.620 - 1.625
	10-yr	8,002,729	2.655	2.653 - 2.657	3,922,683	2.643	2.640 - 2.646	4,080,046	2.666	2.664 - 2.669
Race										
Non-Hispanic White	2-yr	1,725,773	0.928	0.927 - 0.929	849,945	0.927	0.925 - 0.929	875,828	0.929	0.927 - 0.931
	5-yr	3,650,523	1.963	1.961 - 1.965	1,785,041	1.947	1.944 - 1.950	1,865,482	1.979	1.976 - 1.981
	10-yr	6,100,625	3.281	3.278 - 3.283	3,004,519	3.277	3.273 - 3.281	3,096,106	3.284	3.280 - 3.288
Non-Hispanic Black	2-yr	248,302	0.621	0.618 - 0.623	122,381	0.640	0.636 - 0.643	125,921	0.604	0.600 - 0.607
	5-yr	513,046	1.283	1.279 - 1.286	255,535	1.336	1.331 - 1.341	257,511	1.235	1.230 - 1.239
	10-yr	826,860	2.068	2.063 - 2.072	421,277	2.202	2.196 - 2.209	405,583	1.944	1.938 - 1.950
Hispanic	2-yr	192,497	0.352	0.351 - 0.354	86,069	0.312	0.310 - 0.314	106,427	0.394	0.391 - 0.396
	5-yr	400,957	0.734	0.732 - 0.736	179,095	0.649	0.646 - 0.652	221,861	0.821	0.817 - 0.824
	10-yr	650,180	1.190	1.187 - 1.193	294,223	1.066	1.062 - 1.070	355,956	1.317	1.313 - 1.321
Current Age										
< 50	2-yr	322,289	0.164	0.163 - 0.164	115,243	0.116	0.115 - 0.116	207,045	0.213	0.212 - 0.214
	5-yr	662,529	0.336	0.336 - 0.337	235,495	0.236	0.235 - 0.237	427,034	0.439	0.438 - 0.440
	10-yr	1,027,664	0.522	0.521 - 0.523	372,000	0.373	0.372 - 0.374	655,664	0.674	0.672 - 0.676
50-64	2-yr	769,214	1.301	1.299 - 1.304	371,202	1.295	1.291 - 1.299	398,011	1.308	1.304 - 1.312
	5-yr	1,577,496	2.669	2.665 - 2.673	742,026	2.588	2.582 - 2.594	835,469	2.745	2.739 - 2.751
	10-yr	2,487,539	4.209	4.203 - 4.214	1,127,457	3.932	3.925 - 3.940	1,360,082	4.469	4.461 - 4.476
65+	2-yr	1,199,276	2.643	2.638 - 2.648	630,480	3.143	3.135 - 3.151	568,796	2.247	2.241 - 2.252
	5-yr	2,585,808	5.698	5.691 - 5.705	1,365,525	6.807	6.796 - 6.818	1,220,284	4.820	4.811 - 4.828
	10-yr	4,487,525	9.889	9.880 - 9.898	2,423,225	12.080	12.064 - 12.095	2,064,300	8.153	8.142 - 8.164

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	106,330	0.770	0.766 - 0.775	53,293	0.773	0.766 - 0.779	53,037	0.768	0.762 - 0.775
	5-yr	222,679	1.613	1.607 - 1.620	111,237	1.613	1.603 - 1.622	111,442	1.614	1.605 - 1.624
	10-yr	359,669	2.606	2.597 - 2.614	179,722	2.605	2.593 - 2.617	179,947	2.606	2.594 - 2.618
Current Age										
< 50	2-yr	13,165	0.150	0.147 - 0.152	4,858	0.109	0.106 - 0.112	8,307	0.193	0.188 - 0.197
	5-yr	26,857	0.306	0.302 - 0.309	10,006	0.224	0.220 - 0.228	16,851	0.390	0.385 - 0.396
	10-yr	40,838	0.465	0.460 - 0.469	15,453	0.346	0.340 - 0.351	25,385	0.588	0.581 - 0.596
50-64	2-yr	33,528	1.170	1.157 - 1.182	15,943	1.111	1.093 - 1.128	17,585	1.229	1.211 - 1.247
	5-yr	69,356	2.419	2.401 - 2.438	32,295	2.250	2.225 - 2.274	37,061	2.590	2.564 - 2.616
	10-yr	106,973	3.732	3.709 - 3.754	47,691	3.322	3.292 - 3.352	59,282	4.143	4.109 - 4.176
65+	2-yr	59,637	2.772	2.749 - 2.794	32,492	3.270	3.234 - 3.305	27,145	2.344	2.316 - 2.372
	5-yr	126,466	5.877	5.845 - 5.910	68,936	6.937	6.886 - 6.989	57,530	4.968	4.927 - 5.009
	10-yr	211,858	9.846	9.804 - 9.888	116,578	11.732	11.664 - 11.799	95,280	8.227	8.175 - 8.280

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	2,397,109	0.760	0.759 - 0.761	1,170,219	0.753	0.752 - 0.755	1,226,890	0.767	0.766 - 0.769
	5-yr	5,048,511	1.601	1.600 - 1.603	2,454,282	1.580	1.578 - 1.582	2,594,229	1.622	1.620 - 1.624
	10-yr	8,362,398	2.653	2.651 - 2.655	4,102,405	2.641	2.639 - 2.644	4,259,993	2.664	2.661 - 2.666
Current Age										
< 50	2-yr	335,454	0.163	0.162 - 0.164	120,101	0.115	0.115 - 0.116	215,352	0.212	0.211 - 0.213
	5-yr	689,386	0.335	0.334 - 0.336	245,501	0.236	0.235 - 0.237	443,885	0.437	0.436 - 0.438
	10-yr	1,068,502	0.519	0.518 - 0.520	387,453	0.372	0.371 - 0.373	681,049	0.670	0.669 - 0.672
50-64	2-yr	802,742	1.295	1.293 - 1.298	387,145	1.286	1.282 - 1.290	415,596	1.304	1.300 - 1.308
	5-yr	1,646,852	2.657	2.653 - 2.661	774,321	2.572	2.566 - 2.578	872,530	2.738	2.732 - 2.744
	10-yr	2,594,512	4.187	4.182 - 4.192	1,175,148	3.903	3.896 - 3.910	1,419,364	4.454	4.447 - 4.462
65+	2-yr	1,258,913	2.649	2.644 - 2.653	662,972	3.149	3.141 - 3.156	595,941	2.251	2.245 - 2.257
	5-yr	2,712,274	5.706	5.700 - 5.713	1,434,461	6.813	6.802 - 6.824	1,277,814	4.826	4.818 - 4.835
	10-yr	4,699,383	9.887	9.878 - 9.896	2,539,803	12.063	12.048 - 12.078	2,159,580	8.157	8.146 - 8.167

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Oral Cavity and Pharynx

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	67,848	0.023	0.022 - 0.023	48,335	0.033	0.032 - 0.033	19,513	0.013	0.013 - 0.013
	5-yr	137,805	0.046	0.045 - 0.046	97,665	0.066	0.065 - 0.066	40,140	0.026	0.026 - 0.026
	10-yr	213,953	0.071	0.071 - 0.071	150,067	0.101	0.101 - 0.102	63,886	0.042	0.041 - 0.042
Race										
Non-Hispanic White	2-yr	54,962	0.030	0.029 - 0.030	39,777	0.043	0.043 - 0.044	15,185	0.016	0.016 - 0.016
	5-yr	112,121	0.060	0.060 - 0.061	80,769	0.088	0.087 - 0.089	31,353	0.033	0.033 - 0.034
	10-yr	174,283	0.094	0.093 - 0.094	124,481	0.136	0.135 - 0.137	49,802	0.053	0.052 - 0.053
Non-Hispanic Black	2-yr	5,264	0.013	0.013 - 0.014	3,552	0.019	0.018 - 0.019	1,712	0.008	0.008 - 0.009
	5-yr	10,138	0.025	0.025 - 0.026	6,731	0.035	0.034 - 0.036	3,406	0.016	0.016 - 0.017
	10-yr	15,402	0.039	0.038 - 0.039	9,938	0.052	0.051 - 0.053	5,464	0.026	0.026 - 0.027
Hispanic	2-yr	4,044	0.007	0.007 - 0.008	2,673	0.010	0.009 - 0.010	1,370	0.005	0.005 - 0.005
	5-yr	8,230	0.015	0.015 - 0.015	5,429	0.020	0.019 - 0.020	2,800	0.010	0.010 - 0.011
	10-yr	12,843	0.024	0.023 - 0.024	8,312	0.030	0.029 - 0.031	4,531	0.017	0.016 - 0.017
Current Age										
< 50	2-yr	7,862	0.004	0.004 - 0.004	5,129	0.005	0.005 - 0.005	2,732	0.003	0.003 - 0.003
	5-yr	15,546	0.008	0.008 - 0.008	9,885	0.010	0.010 - 0.010	5,661	0.006	0.006 - 0.006
	10-yr	22,976	0.012	0.012 - 0.012	14,127	0.014	0.014 - 0.014	8,849	0.009	0.009 - 0.009
50-64	2-yr	29,402	0.050	0.049 - 0.050	22,246	0.078	0.077 - 0.079	7,156	0.024	0.023 - 0.024
	5-yr	58,780	0.099	0.099 - 0.100	44,329	0.155	0.153 - 0.156	14,450	0.047	0.047 - 0.048
	10-yr	88,531	0.150	0.149 - 0.151	66,210	0.231	0.229 - 0.233	22,322	0.073	0.072 - 0.074
65+	2-yr	30,584	0.067	0.067 - 0.068	20,959	0.104	0.103 - 0.106	9,625	0.038	0.037 - 0.039
	5-yr	63,480	0.140	0.139 - 0.141	43,450	0.217	0.215 - 0.219	20,029	0.079	0.078 - 0.080
	10-yr	102,445	0.226	0.224 - 0.227	69,730	0.348	0.345 - 0.350	32,715	0.129	0.128 - 0.131

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	2,853	0.021	0.020 - 0.021	1,994	0.029	0.028 - 0.030	859	0.012	0.012 - 0.013
	5-yr	5,884	0.043	0.042 - 0.044	4,126	0.060	0.058 - 0.062	1,758	0.025	0.024 - 0.027
	10-yr	9,155	0.066	0.065 - 0.068	6,371	0.092	0.090 - 0.095	2,784	0.040	0.039 - 0.042
Current Age										
< 50	2-yr	337	0.004	0.003 - 0.004	206	0.005	0.004 - 0.005	131	0.003	0.003 - 0.004
	5-yr	681	0.008	0.007 - 0.008	419	0.009	0.008 - 0.010	262	0.006	0.005 - 0.007
	10-yr	984	0.011	0.011 - 0.012	586	0.013	0.012 - 0.014	398	0.009	0.008 - 0.010
50-64	2-yr	1,195	0.042	0.039 - 0.044	894	0.062	0.058 - 0.066	301	0.021	0.019 - 0.024
	5-yr	2,466	0.086	0.083 - 0.089	1,846	0.129	0.123 - 0.135	620	0.043	0.040 - 0.047
	10-yr	3,746	0.131	0.127 - 0.135	2,797	0.195	0.188 - 0.202	949	0.066	0.062 - 0.071
65+	2-yr	1,321	0.061	0.058 - 0.065	894	0.090	0.084 - 0.096	427	0.037	0.033 - 0.041
	5-yr	2,737	0.127	0.122 - 0.132	1,861	0.187	0.179 - 0.196	876	0.076	0.071 - 0.081
	10-yr	4,425	0.206	0.200 - 0.212	2,988	0.301	0.290 - 0.312	1,437	0.124	0.118 - 0.131

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	70,701	0.022	0.022 - 0.023	50,329	0.032	0.032 - 0.033	20,372	0.013	0.013 - 0.013
	5-yr	143,689	0.046	0.045 - 0.046	101,791	0.066	0.065 - 0.066	41,898	0.026	0.026 - 0.026
	10-yr	223,108	0.071	0.070 - 0.071	156,438	0.101	0.100 - 0.101	66,670	0.042	0.041 - 0.042
Current Age										
< 50	2-yr	8,199	0.004	0.004 - 0.004	5,335	0.005	0.005 - 0.005	2,863	0.003	0.003 - 0.003
	5-yr	16,227	0.008	0.008 - 0.008	10,304	0.010	0.010 - 0.010	5,923	0.006	0.006 - 0.006
	10-yr	23,960	0.012	0.011 - 0.012	14,713	0.014	0.014 - 0.014	9,247	0.009	0.009 - 0.009
50-64	2-yr	30,597	0.049	0.049 - 0.050	23,140	0.077	0.076 - 0.078	7,457	0.023	0.023 - 0.024
	5-yr	61,246	0.099	0.098 - 0.100	46,175	0.153	0.152 - 0.155	15,070	0.047	0.047 - 0.048
	10-yr	92,277	0.149	0.148 - 0.150	69,007	0.229	0.227 - 0.231	23,271	0.073	0.072 - 0.074
65+	2-yr	31,905	0.067	0.066 - 0.068	21,853	0.104	0.102 - 0.105	10,052	0.038	0.037 - 0.039
	5-yr	66,217	0.139	0.138 - 0.140	45,311	0.215	0.213 - 0.217	20,905	0.079	0.078 - 0.080
	10-yr	106,870	0.225	0.223 - 0.226	72,718	0.345	0.343 - 0.348	34,152	0.129	0.128 - 0.130

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Esophagus

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	17,010	0.006	0.006 - 0.006	13,432	0.009	0.009 - 0.009	3,578	0.002	0.002 - 0.002
	5-yr	26,948	0.009	0.009 - 0.009	21,148	0.014	0.014 - 0.014	5,799	0.004	0.004 - 0.004
	10-yr	36,202	0.012	0.012 - 0.012	28,390	0.019	0.019 - 0.019	7,812	0.005	0.005 - 0.005
Race										
Non-Hispanic White	2-yr	14,091	0.008	0.007 - 0.008	11,350	0.012	0.012 - 0.013	2,741	0.003	0.003 - 0.003
	5-yr	22,396	0.012	0.012 - 0.012	17,906	0.020	0.019 - 0.020	4,490	0.005	0.005 - 0.005
	10-yr	30,261	0.016	0.016 - 0.016	24,198	0.026	0.026 - 0.027	6,063	0.006	0.006 - 0.007
Non-Hispanic Black	2-yr	1,329	0.003	0.003 - 0.004	865	0.005	0.004 - 0.005	464	0.002	0.002 - 0.002
	5-yr	2,031	0.005	0.005 - 0.005	1,320	0.007	0.007 - 0.007	711	0.003	0.003 - 0.004
	10-yr	2,602	0.007	0.006 - 0.007	1,669	0.009	0.008 - 0.009	933	0.004	0.004 - 0.005
Hispanic	2-yr	992	0.002	0.002 - 0.002	774	0.003	0.003 - 0.003	218	0.001	0.001 - 0.001
	5-yr	1,549	0.003	0.003 - 0.003	1,217	0.004	0.004 - 0.005	332	0.001	0.001 - 0.001
	10-yr	2,026	0.004	0.004 - 0.004	1,580	0.006	0.005 - 0.006	446	0.002	0.002 - 0.002
Current Age										
< 50	2-yr	892	0.000	0.000 - 0.000	706	0.001	0.001 - 0.001	187	0.000	0.000 - 0.000
	5-yr	1,265	0.001	0.001 - 0.001	978	0.001	0.001 - 0.001	287	0.000	0.000 - 0.000
	10-yr	1,516	0.001	0.001 - 0.001	1,177	0.001	0.001 - 0.001	339	0.000	0.000 - 0.000
50-64	2-yr	5,927	0.010	0.010 - 0.010	4,752	0.017	0.016 - 0.017	1,174	0.004	0.004 - 0.004
	5-yr	8,988	0.015	0.015 - 0.016	7,182	0.025	0.024 - 0.026	1,805	0.006	0.006 - 0.006
	10-yr	11,370	0.019	0.019 - 0.020	9,068	0.032	0.031 - 0.032	2,301	0.008	0.007 - 0.008
65+	2-yr	10,191	0.022	0.022 - 0.023	7,974	0.040	0.039 - 0.041	2,217	0.009	0.008 - 0.009
	5-yr	16,695	0.037	0.036 - 0.037	12,987	0.065	0.064 - 0.066	3,707	0.015	0.014 - 0.015
	10-yr	23,316	0.051	0.051 - 0.052	18,144	0.090	0.089 - 0.092	5,172	0.020	0.020 - 0.021
Canadian Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	752	0.005	0.005 - 0.006	591	0.009	0.008 - 0.009	161	0.002	0.002 - 0.003
	5-yr	1,142	0.008	0.008 - 0.009	890	0.013	0.012 - 0.014	252	0.004	0.003 - 0.004
	10-yr	1,451	0.011	0.010 - 0.011	1,121	0.016	0.015 - 0.017	330	0.005	0.004 - 0.005
Current Age										
< 50	2-yr	28	0.000	0.000 - 0.000	-	-		-	-	
	5-yr	41	0.000	0.000 - 0.001	31	0.001	0.000 - 0.001	10	0.000	0.000 - 0.000
	10-yr	53	0.001	0.000 - 0.001	39	0.001	0.001 - 0.001	14	0.000	0.000 - 0.001
50-64	2-yr	266	0.009	0.008 - 0.010	217	0.015	0.013 - 0.017	49	0.003	0.003 - 0.005
	5-yr	408	0.014	0.013 - 0.016	332	0.023	0.021 - 0.026	76	0.005	0.004 - 0.007
	10-yr	505	0.018	0.016 - 0.019	408	0.028	0.026 - 0.031	97	0.007	0.005 - 0.008
65+	2-yr	458	0.021	0.019 - 0.023	351	0.035	0.032 - 0.039	107	0.009	0.008 - 0.011
	5-yr	693	0.032	0.030 - 0.035	527	0.053	0.049 - 0.058	166	0.014	0.012 - 0.017
	10-yr	893	0.042	0.039 - 0.044	674	0.068	0.063 - 0.073	219	0.019	0.016 - 0.022
North America Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	17,762	0.006	0.006 - 0.006	14,023	0.009	0.009 - 0.009	3,739	0.002	0.002 - 0.002
	5-yr	28,090	0.009	0.009 - 0.009	22,038	0.014	0.014 - 0.014	6,051	0.004	0.004 - 0.004
	10-yr	37,653	0.012	0.012 - 0.012	29,511	0.019	0.019 - 0.019	8,142	0.005	0.005 - 0.005
Current Age										
< 50	2-yr	920	0.000	0.000 - 0.000	729	0.001	0.001 - 0.001	192	0.000	0.000 - 0.000
	5-yr	1,306	0.001	0.001 - 0.001	1,009	0.001	0.001 - 0.001	297	0.000	0.000 - 0.000
	10-yr	1,569	0.001	0.001 - 0.001	1,216	0.001	0.001 - 0.001	353	0.000	0.000 - 0.000
50-64	2-yr	6,193	0.010	0.010 - 0.010	4,969	0.017	0.016 - 0.017	1,223	0.004	0.004 - 0.004
	5-yr	9,396	0.015	0.015 - 0.015	7,514	0.025	0.024 - 0.026	1,881	0.006	0.006 - 0.006
	10-yr	11,875	0.019	0.019 - 0.020	9,476	0.031	0.031 - 0.032	2,398	0.008	0.007 - 0.008
65+	2-yr	10,649	0.022	0.022 - 0.023	8,325	0.040	0.039 - 0.040	2,324	0.009	0.008 - 0.009
	5-yr	17,388	0.037	0.036 - 0.037	13,514	0.064	0.063 - 0.065	3,873	0.015	0.014 - 0.015
	10-yr	24,209	0.051	0.050 - 0.052	18,818	0.089	0.088 - 0.091	5,391	0.020	0.020 - 0.021

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Stomach

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	26,870	0.009	0.009 - 0.009	16,323	0.011	0.011 - 0.011	10,548	0.007	0.007 - 0.007
	5-yr	48,175	0.016	0.016 - 0.016	28,412	0.019	0.019 - 0.019	19,763	0.013	0.013 - 0.013
	10-yr	69,367	0.023	0.023 - 0.023	40,194	0.027	0.027 - 0.027	29,172	0.019	0.019 - 0.019
Race										
Non-Hispanic White	2-yr	16,169	0.009	0.009 - 0.009	10,397	0.011	0.011 - 0.012	5,773	0.006	0.006 - 0.006
	5-yr	28,701	0.015	0.015 - 0.016	17,880	0.020	0.019 - 0.020	10,821	0.011	0.011 - 0.012
	10-yr	40,788	0.022	0.022 - 0.022	24,881	0.027	0.027 - 0.027	15,907	0.017	0.017 - 0.017
Non-Hispanic Black	2-yr	4,142	0.010	0.010 - 0.011	2,262	0.012	0.011 - 0.012	1,880	0.009	0.009 - 0.009
	5-yr	7,513	0.019	0.018 - 0.019	3,937	0.021	0.020 - 0.021	3,576	0.017	0.017 - 0.018
	10-yr	10,793	0.027	0.026 - 0.028	5,556	0.029	0.028 - 0.030	5,237	0.025	0.024 - 0.026
Hispanic	2-yr	3,961	0.007	0.007 - 0.007	2,160	0.008	0.008 - 0.008	1,801	0.007	0.006 - 0.007
	5-yr	7,076	0.013	0.013 - 0.013	3,784	0.014	0.013 - 0.014	3,292	0.012	0.012 - 0.013
	10-yr	10,332	0.019	0.019 - 0.019	5,487	0.020	0.019 - 0.020	4,845	0.018	0.017 - 0.018
Current Age										
< 50	2-yr	2,760	0.001	0.001 - 0.001	1,416	0.001	0.001 - 0.001	1,344	0.001	0.001 - 0.001
	5-yr	4,697	0.002	0.002 - 0.002	2,333	0.002	0.002 - 0.002	2,364	0.002	0.002 - 0.003
	10-yr	6,232	0.003	0.003 - 0.003	3,043	0.003	0.003 - 0.003	3,190	0.003	0.003 - 0.003
50-64	2-yr	8,550	0.014	0.014 - 0.015	5,289	0.018	0.018 - 0.019	3,261	0.011	0.010 - 0.011
	5-yr	14,650	0.025	0.024 - 0.025	8,839	0.031	0.030 - 0.031	5,811	0.019	0.019 - 0.020
	10-yr	20,161	0.034	0.034 - 0.035	11,909	0.042	0.041 - 0.042	8,252	0.027	0.027 - 0.028
65+	2-yr	15,561	0.034	0.034 - 0.035	9,618	0.048	0.047 - 0.049	5,942	0.023	0.023 - 0.024
	5-yr	28,829	0.064	0.063 - 0.064	17,240	0.086	0.085 - 0.087	11,589	0.046	0.045 - 0.047
	10-yr	42,974	0.095	0.094 - 0.096	25,243	0.126	0.124 - 0.127	17,731	0.070	0.069 - 0.071

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	1,259	0.009	0.009 - 0.010	858	0.012	0.012 - 0.013	401	0.006	0.005 - 0.006
	5-yr	2,121	0.015	0.015 - 0.016	1,409	0.020	0.019 - 0.022	712	0.010	0.010 - 0.011
	10-yr	3,015	0.022	0.021 - 0.023	1,984	0.029	0.028 - 0.030	1,031	0.015	0.014 - 0.016
Current Age										
< 50	2-yr	86	0.001	0.001 - 0.001	50	0.001	0.001 - 0.001	36	0.001	0.001 - 0.001
	5-yr	161	0.002	0.002 - 0.002	87	0.002	0.002 - 0.002	74	0.002	0.001 - 0.002
	10-yr	227	0.003	0.002 - 0.003	122	0.003	0.002 - 0.003	105	0.002	0.002 - 0.003
50-64	2-yr	369	0.013	0.012 - 0.014	254	0.018	0.016 - 0.020	115	0.008	0.007 - 0.010
	5-yr	597	0.021	0.019 - 0.023	392	0.027	0.025 - 0.030	205	0.014	0.012 - 0.016
	10-yr	785	0.027	0.026 - 0.029	503	0.035	0.032 - 0.038	282	0.020	0.017 - 0.022
65+	2-yr	804	0.037	0.035 - 0.040	554	0.056	0.051 - 0.061	250	0.022	0.019 - 0.024
	5-yr	1,363	0.063	0.060 - 0.067	930	0.094	0.088 - 0.100	433	0.037	0.034 - 0.041
	10-yr	2,003	0.093	0.089 - 0.097	1,359	0.137	0.130 - 0.144	644	0.056	0.051 - 0.060

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	28,129	0.009	0.009 - 0.009	17,181	0.011	0.011 - 0.011	10,949	0.007	0.007 - 0.007
	5-yr	50,296	0.016	0.016 - 0.016	29,821	0.019	0.019 - 0.019	20,475	0.013	0.013 - 0.013
	10-yr	72,382	0.023	0.023 - 0.023	42,178	0.027	0.027 - 0.027	30,203	0.019	0.019 - 0.019
Current Age										
< 50	2-yr	2,846	0.001	0.001 - 0.001	1,466	0.001	0.001 - 0.001	1,380	0.001	0.001 - 0.001
	5-yr	4,858	0.002	0.002 - 0.002	2,420	0.002	0.002 - 0.002	2,438	0.002	0.002 - 0.002
	10-yr	6,459	0.003	0.003 - 0.003	3,165	0.003	0.003 - 0.003	3,295	0.003	0.003 - 0.003
50-64	2-yr	8,919	0.014	0.014 - 0.015	5,543	0.018	0.018 - 0.019	3,376	0.011	0.010 - 0.011
	5-yr	15,247	0.025	0.024 - 0.025	9,231	0.031	0.030 - 0.031	6,016	0.019	0.018 - 0.019
	10-yr	20,946	0.034	0.033 - 0.034	12,412	0.041	0.041 - 0.042	8,534	0.027	0.026 - 0.027
65+	2-yr	16,365	0.034	0.034 - 0.035	10,172	0.048	0.047 - 0.049	6,192	0.023	0.023 - 0.024
	5-yr	30,192	0.064	0.063 - 0.064	18,170	0.086	0.085 - 0.088	12,022	0.045	0.045 - 0.046
	10-yr	44,977	0.095	0.094 - 0.096	26,602	0.126	0.125 - 0.128	18,375	0.069	0.068 - 0.070

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Colon and Rectum

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	207,565	0.069	0.069 - 0.069	109,194	0.074	0.073 - 0.074	98,370	0.064	0.064 - 0.065
	5-yr	433,203	0.144	0.143 - 0.144	226,026	0.152	0.152 - 0.153	207,178	0.135	0.135 - 0.136
	10-yr	723,581	0.240	0.239 - 0.241	372,272	0.251	0.250 - 0.252	351,309	0.230	0.229 - 0.230
Race										
Non-Hispanic White	2-yr	150,410	0.081	0.080 - 0.081	79,587	0.087	0.086 - 0.087	70,823	0.075	0.075 - 0.076
	5-yr	316,532	0.170	0.170 - 0.171	166,100	0.181	0.180 - 0.182	150,432	0.160	0.159 - 0.160
	10-yr	534,648	0.288	0.287 - 0.288	276,917	0.302	0.301 - 0.303	257,731	0.273	0.272 - 0.274
Non-Hispanic Black	2-yr	25,524	0.064	0.063 - 0.065	12,690	0.066	0.065 - 0.067	12,834	0.062	0.060 - 0.063
	5-yr	52,077	0.130	0.129 - 0.131	25,520	0.133	0.132 - 0.135	26,557	0.127	0.126 - 0.129
	10-yr	85,030	0.213	0.211 - 0.214	40,672	0.213	0.211 - 0.215	44,358	0.213	0.211 - 0.215
Hispanic	2-yr	19,495	0.036	0.035 - 0.036	10,485	0.038	0.037 - 0.039	9,011	0.033	0.033 - 0.034
	5-yr	39,347	0.072	0.071 - 0.073	21,077	0.076	0.075 - 0.077	18,271	0.068	0.067 - 0.069
	10-yr	62,544	0.114	0.114 - 0.115	33,150	0.120	0.119 - 0.121	29,394	0.109	0.108 - 0.110
Current Age										
< 50	2-yr	23,728	0.012	0.012 - 0.012	12,211	0.012	0.012 - 0.012	11,518	0.012	0.012 - 0.012
	5-yr	42,612	0.022	0.021 - 0.022	21,725	0.022	0.022 - 0.022	20,887	0.021	0.021 - 0.022
	10-yr	58,108	0.030	0.029 - 0.030	29,391	0.029	0.029 - 0.030	28,717	0.030	0.029 - 0.030
50-64	2-yr	70,979	0.120	0.119 - 0.121	39,966	0.139	0.138 - 0.141	31,014	0.102	0.101 - 0.103
	5-yr	143,016	0.242	0.241 - 0.243	79,545	0.277	0.276 - 0.279	63,471	0.209	0.207 - 0.210
	10-yr	222,106	0.376	0.374 - 0.377	121,214	0.423	0.420 - 0.425	100,892	0.332	0.329 - 0.334
65+	2-yr	112,857	0.249	0.247 - 0.250	57,018	0.284	0.282 - 0.287	55,839	0.221	0.219 - 0.222
	5-yr	247,575	0.546	0.543 - 0.548	124,756	0.622	0.618 - 0.625	122,819	0.485	0.482 - 0.488
	10-yr	443,367	0.977	0.974 - 0.980	221,667	1.105	1.100 - 1.110	221,699	0.876	0.872 - 0.879

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	14,944	0.108	0.107 - 0.110	8,529	0.124	0.121 - 0.126	6,415	0.093	0.091 - 0.095
	5-yr	30,785	0.223	0.221 - 0.226	17,306	0.251	0.247 - 0.255	13,479	0.195	0.192 - 0.199
	10-yr	48,233	0.349	0.346 - 0.353	26,816	0.389	0.384 - 0.393	21,417	0.310	0.306 - 0.314
Current Age										
< 50	2-yr	1,080	0.012	0.012 - 0.013	557	0.012	0.011 - 0.014	523	0.012	0.011 - 0.013
	5-yr	1,989	0.023	0.022 - 0.024	1,019	0.023	0.021 - 0.024	970	0.022	0.021 - 0.024
	10-yr	2,547	0.029	0.028 - 0.030	1,298	0.029	0.027 - 0.031	1,249	0.029	0.027 - 0.031
50-64	2-yr	4,305	0.150	0.146 - 0.155	2,531	0.176	0.169 - 0.183	1,774	0.124	0.118 - 0.130
	5-yr	8,396	0.293	0.287 - 0.299	4,895	0.341	0.331 - 0.351	3,501	0.245	0.237 - 0.253
	10-yr	12,053	0.420	0.413 - 0.428	6,881	0.479	0.468 - 0.491	5,172	0.361	0.352 - 0.371
65+	2-yr	9,559	0.444	0.435 - 0.453	5,441	0.548	0.533 - 0.562	4,118	0.356	0.345 - 0.367
	5-yr	20,400	0.948	0.935 - 0.961	11,392	1.146	1.125 - 1.168	9,008	0.778	0.762 - 0.794
	10-yr	33,633	1.563	1.546 - 1.580	18,637	1.875	1.849 - 1.903	14,996	1.295	1.274 - 1.316

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	222,509	0.071	0.070 - 0.071	117,723	0.076	0.075 - 0.076	104,785	0.066	0.065 - 0.066
	5-yr	463,988	0.147	0.147 - 0.148	243,332	0.157	0.156 - 0.157	220,657	0.138	0.137 - 0.139
	10-yr	771,814	0.245	0.244 - 0.245	399,088	0.257	0.256 - 0.258	372,726	0.233	0.232 - 0.234
Current Age										
< 50	2-yr	24,808	0.012	0.012 - 0.012	12,768	0.012	0.012 - 0.012	12,041	0.012	0.012 - 0.012
	5-yr	44,601	0.022	0.021 - 0.022	22,744	0.022	0.022 - 0.022	21,857	0.022	0.021 - 0.022
	10-yr	60,655	0.029	0.029 - 0.030	30,689	0.029	0.029 - 0.030	29,966	0.029	0.029 - 0.030
50-64	2-yr	75,284	0.121	0.121 - 0.122	42,497	0.141	0.140 - 0.143	32,788	0.103	0.102 - 0.104
	5-yr	151,412	0.244	0.243 - 0.246	84,440	0.280	0.279 - 0.282	66,972	0.210	0.209 - 0.212
	10-yr	234,159	0.378	0.376 - 0.379	128,095	0.425	0.423 - 0.428	106,064	0.333	0.331 - 0.335
65+	2-yr	122,416	0.258	0.256 - 0.259	62,459	0.297	0.294 - 0.299	59,957	0.226	0.225 - 0.228
	5-yr	267,975	0.564	0.562 - 0.566	136,148	0.647	0.643 - 0.650	131,827	0.498	0.495 - 0.501
	10-yr	477,000	1.004	1.001 - 1.006	240,304	1.141	1.137 - 1.146	236,695	0.894	0.890 - 0.898

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Liver and Intrahepatic Bile Duct

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	30,458	0.010	0.010 - 0.010	21,620	0.015	0.014 - 0.015	8,838	0.006	0.006 - 0.006
	5-yr	47,591	0.016	0.016 - 0.016	33,678	0.023	0.022 - 0.023	13,913	0.009	0.009 - 0.009
	10-yr	60,117	0.020	0.020 - 0.020	42,285	0.028	0.028 - 0.029	17,832	0.012	0.011 - 0.012
Race										
Non-Hispanic White	2-yr	18,109	0.010	0.010 - 0.010	12,926	0.014	0.014 - 0.014	5,183	0.005	0.005 - 0.006
	5-yr	27,894	0.015	0.015 - 0.015	19,902	0.022	0.021 - 0.022	7,993	0.008	0.008 - 0.009
	10-yr	34,882	0.019	0.019 - 0.019	24,700	0.027	0.027 - 0.027	10,182	0.011	0.011 - 0.011
Non-Hispanic Black	2-yr	4,336	0.011	0.011 - 0.011	3,119	0.016	0.016 - 0.017	1,217	0.006	0.006 - 0.006
	5-yr	6,691	0.017	0.016 - 0.017	4,741	0.025	0.024 - 0.025	1,951	0.009	0.009 - 0.010
	10-yr	8,114	0.020	0.020 - 0.021	5,674	0.030	0.029 - 0.030	2,440	0.012	0.011 - 0.012
Hispanic	2-yr	5,016	0.009	0.009 - 0.009	3,496	0.013	0.012 - 0.013	1,521	0.006	0.005 - 0.006
	5-yr	7,813	0.014	0.014 - 0.015	5,412	0.020	0.019 - 0.020	2,401	0.009	0.009 - 0.009
	10-yr	9,902	0.018	0.018 - 0.018	6,839	0.025	0.024 - 0.025	3,063	0.011	0.011 - 0.012
Current Age										
< 50	2-yr	2,011	0.001	0.001 - 0.001	1,231	0.001	0.001 - 0.001	781	0.001	0.001 - 0.001
	5-yr	3,388	0.002	0.002 - 0.002	2,042	0.002	0.002 - 0.002	1,346	0.001	0.001 - 0.001
	10-yr	4,720	0.002	0.002 - 0.002	2,840	0.003	0.003 - 0.003	1,880	0.002	0.002 - 0.002
50-64	2-yr	13,904	0.024	0.023 - 0.024	10,677	0.037	0.037 - 0.038	3,228	0.011	0.010 - 0.011
	5-yr	21,398	0.036	0.036 - 0.037	16,330	0.057	0.056 - 0.058	5,068	0.017	0.016 - 0.017
	10-yr	26,313	0.045	0.044 - 0.045	20,032	0.070	0.069 - 0.071	6,281	0.021	0.020 - 0.021
65+	2-yr	14,542	0.032	0.032 - 0.033	9,713	0.048	0.047 - 0.049	4,829	0.019	0.019 - 0.020
	5-yr	22,806	0.050	0.050 - 0.051	15,307	0.076	0.075 - 0.078	7,499	0.030	0.029 - 0.030
	10-yr	29,084	0.064	0.063 - 0.065	19,414	0.097	0.095 - 0.098	9,670	0.038	0.037 - 0.039
Canadian Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	1,166	0.008	0.008 - 0.009	822	0.012	0.011 - 0.013	344	0.005	0.004 - 0.006
	5-yr	1,710	0.012	0.012 - 0.013	1,202	0.017	0.016 - 0.018	508	0.007	0.007 - 0.008
	10-yr	2,083	0.015	0.014 - 0.016	1,468	0.021	0.020 - 0.022	615	0.009	0.008 - 0.010
Current Age										
< 50	2-yr	74	0.001	0.001 - 0.001	40	0.001	0.001 - 0.001	34	0.001	0.001 - 0.001
	5-yr	116	0.001	0.001 - 0.002	67	0.001	0.001 - 0.002	49	0.001	0.001 - 0.002
	10-yr	155	0.002	0.001 - 0.002	91	0.002	0.002 - 0.003	64	0.001	0.001 - 0.002
50-64	2-yr	465	0.016	0.015 - 0.018	349	0.024	0.022 - 0.027	116	0.008	0.007 - 0.010
	5-yr	693	0.024	0.022 - 0.026	517	0.036	0.033 - 0.039	176	0.012	0.011 - 0.014
	10-yr	819	0.029	0.027 - 0.031	621	0.043	0.040 - 0.047	198	0.014	0.012 - 0.016
65+	2-yr	627	0.029	0.027 - 0.032	433	0.044	0.040 - 0.048	194	0.017	0.014 - 0.019
	5-yr	901	0.042	0.039 - 0.045	618	0.062	0.057 - 0.067	283	0.024	0.022 - 0.027
	10-yr	1,109	0.052	0.049 - 0.055	756	0.076	0.071 - 0.082	353	0.030	0.027 - 0.034
North America Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	31,624	0.010	0.010 - 0.010	22,442	0.014	0.014 - 0.015	9,182	0.006	0.006 - 0.006
	5-yr	49,301	0.016	0.016 - 0.016	34,880	0.022	0.022 - 0.023	14,421	0.009	0.009 - 0.009
	10-yr	62,200	0.020	0.020 - 0.020	43,753	0.028	0.028 - 0.028	18,447	0.012	0.011 - 0.012
Current Age										
< 50	2-yr	2,085	0.001	0.001 - 0.001	1,271	0.001	0.001 - 0.001	815	0.001	0.001 - 0.001
	5-yr	3,504	0.002	0.002 - 0.002	2,109	0.002	0.002 - 0.002	1,395	0.001	0.001 - 0.001
	10-yr	4,875	0.002	0.002 - 0.002	2,931	0.003	0.003 - 0.003	1,944	0.002	0.002 - 0.002
50-64	2-yr	14,369	0.023	0.023 - 0.024	11,026	0.037	0.036 - 0.037	3,344	0.010	0.010 - 0.011
	5-yr	22,091	0.036	0.035 - 0.036	16,847	0.056	0.055 - 0.057	5,244	0.016	0.016 - 0.017
	10-yr	27,132	0.044	0.043 - 0.044	20,653	0.069	0.068 - 0.070	6,479	0.020	0.020 - 0.021
65+	2-yr	15,169	0.032	0.031 - 0.032	10,146	0.048	0.047 - 0.049	5,023	0.019	0.018 - 0.020
	5-yr	23,707	0.050	0.049 - 0.051	15,925	0.076	0.074 - 0.077	7,782	0.029	0.029 - 0.030
	10-yr	30,193	0.064	0.063 - 0.064	20,170	0.096	0.094 - 0.097	10,023	0.038	0.037 - 0.039

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Pancreas

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	35,783	0.012	0.012 - 0.012	18,434	0.012	0.012 - 0.013	17,349	0.011	0.011 - 0.012
	5-yr	50,473	0.017	0.017 - 0.017	25,969	0.017	0.017 - 0.018	24,504	0.016	0.016 - 0.016
	10-yr	60,597	0.020	0.020 - 0.020	30,954	0.021	0.021 - 0.021	29,643	0.019	0.019 - 0.020
Race										
Non-Hispanic White	2-yr	26,710	0.014	0.014 - 0.015	14,256	0.016	0.015 - 0.016	12,454	0.013	0.013 - 0.013
	5-yr	37,403	0.020	0.020 - 0.020	19,969	0.022	0.021 - 0.022	17,434	0.018	0.018 - 0.019
	10-yr	44,526	0.024	0.024 - 0.024	23,615	0.026	0.025 - 0.026	20,911	0.022	0.022 - 0.022
Non-Hispanic Black	2-yr	4,438	0.011	0.011 - 0.011	1,918	0.010	0.010 - 0.010	2,520	0.012	0.012 - 0.013
	5-yr	6,221	0.016	0.015 - 0.016	2,679	0.014	0.013 - 0.015	3,543	0.017	0.016 - 0.018
	10-yr	7,451	0.019	0.018 - 0.019	3,194	0.017	0.016 - 0.017	4,257	0.020	0.020 - 0.021
Hispanic	2-yr	3,023	0.006	0.005 - 0.006	1,472	0.005	0.005 - 0.006	1,551	0.006	0.005 - 0.006
	5-yr	4,437	0.008	0.008 - 0.008	2,127	0.008	0.007 - 0.008	2,309	0.009	0.008 - 0.009
	10-yr	5,632	0.010	0.010 - 0.011	2,654	0.010	0.009 - 0.010	2,978	0.011	0.011 - 0.011
Current Age										
< 50	2-yr	2,739	0.001	0.001 - 0.001	1,343	0.001	0.001 - 0.001	1,396	0.001	0.001 - 0.002
	5-yr	4,299	0.002	0.002 - 0.002	2,043	0.002	0.002 - 0.002	2,256	0.002	0.002 - 0.002
	10-yr	5,347	0.003	0.003 - 0.003	2,482	0.002	0.002 - 0.003	2,866	0.003	0.003 - 0.003
50-64	2-yr	11,814	0.020	0.020 - 0.020	6,307	0.022	0.021 - 0.023	5,506	0.018	0.018 - 0.019
	5-yr	16,615	0.028	0.028 - 0.029	8,822	0.031	0.030 - 0.031	7,793	0.026	0.025 - 0.026
	10-yr	19,615	0.033	0.033 - 0.034	10,339	0.036	0.035 - 0.037	9,277	0.030	0.030 - 0.031
65+	2-yr	21,231	0.047	0.046 - 0.047	10,784	0.054	0.053 - 0.055	10,447	0.041	0.040 - 0.042
	5-yr	29,559	0.065	0.064 - 0.066	15,104	0.075	0.074 - 0.077	14,455	0.057	0.056 - 0.058
	10-yr	35,635	0.079	0.078 - 0.079	18,134	0.090	0.089 - 0.092	17,501	0.069	0.068 - 0.070

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	1,242	0.009	0.009 - 0.010	639	0.009	0.009 - 0.010	603	0.009	0.008 - 0.009
	5-yr	1,738	0.013	0.012 - 0.013	902	0.013	0.012 - 0.014	836	0.012	0.011 - 0.013
	10-yr	2,044	0.015	0.014 - 0.015	1,043	0.015	0.014 - 0.016	1,001	0.014	0.014 - 0.015
Current Age										
< 50	2-yr	86	0.001	0.001 - 0.001	40	0.001	0.001 - 0.001	46	0.001	0.001 - 0.001
	5-yr	131	0.001	0.001 - 0.002	63	0.001	0.001 - 0.002	68	0.002	0.001 - 0.002
	10-yr	161	0.002	0.002 - 0.002	74	0.002	0.001 - 0.002	87	0.002	0.002 - 0.002
50-64	2-yr	401	0.014	0.013 - 0.015	208	0.014	0.013 - 0.017	193	0.013	0.012 - 0.016
	5-yr	573	0.020	0.018 - 0.022	296	0.021	0.018 - 0.023	277	0.019	0.017 - 0.022
	10-yr	644	0.022	0.021 - 0.024	334	0.023	0.021 - 0.026	310	0.022	0.019 - 0.024
65+	2-yr	755	0.035	0.033 - 0.038	391	0.039	0.036 - 0.043	364	0.031	0.028 - 0.035
	5-yr	1,034	0.048	0.045 - 0.051	543	0.055	0.050 - 0.059	491	0.042	0.039 - 0.046
	10-yr	1,239	0.058	0.054 - 0.061	635	0.064	0.059 - 0.069	604	0.052	0.048 - 0.056

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	37,025	0.012	0.012 - 0.012	19,073	0.012	0.012 - 0.012	17,952	0.011	0.011 - 0.011
	5-yr	52,211	0.017	0.016 - 0.017	26,871	0.017	0.017 - 0.018	25,340	0.016	0.016 - 0.016
	10-yr	62,641	0.020	0.020 - 0.020	31,997	0.021	0.020 - 0.021	30,644	0.019	0.019 - 0.019
Current Age										
< 50	2-yr	2,825	0.001	0.001 - 0.001	1,383	0.001	0.001 - 0.001	1,442	0.001	0.001 - 0.001
	5-yr	4,430	0.002	0.002 - 0.002	2,106	0.002	0.002 - 0.002	2,324	0.002	0.002 - 0.002
	10-yr	5,508	0.003	0.003 - 0.003	2,556	0.002	0.002 - 0.003	2,953	0.003	0.003 - 0.003
50-64	2-yr	12,215	0.020	0.019 - 0.020	6,515	0.022	0.021 - 0.022	5,699	0.018	0.017 - 0.018
	5-yr	17,188	0.028	0.027 - 0.028	9,118	0.030	0.030 - 0.031	8,070	0.025	0.025 - 0.026
	10-yr	20,259	0.033	0.032 - 0.033	10,673	0.035	0.035 - 0.036	9,587	0.030	0.029 - 0.031
65+	2-yr	21,986	0.046	0.046 - 0.047	11,175	0.053	0.052 - 0.054	10,811	0.041	0.040 - 0.042
	5-yr	30,593	0.064	0.064 - 0.065	15,647	0.074	0.073 - 0.075	14,946	0.056	0.056 - 0.057
	10-yr	36,874	0.078	0.077 - 0.078	18,769	0.089	0.088 - 0.090	18,105	0.068	0.067 - 0.069

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Larynx

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	19,043	0.006	0.006 - 0.006	15,158	0.010	0.010 - 0.010	3,886	0.003	0.002 - 0.003
	5-yr	39,679	0.013	0.013 - 0.013	31,487	0.021	0.021 - 0.021	8,192	0.005	0.005 - 0.005
	10-yr	63,897	0.021	0.021 - 0.021	50,810	0.034	0.034 - 0.035	13,087	0.009	0.008 - 0.009
Race										
Non-Hispanic White	2-yr	14,556	0.008	0.008 - 0.008	11,505	0.013	0.012 - 0.013	3,051	0.003	0.003 - 0.003
	5-yr	30,717	0.017	0.016 - 0.017	24,230	0.026	0.026 - 0.027	6,487	0.007	0.007 - 0.007
	10-yr	49,654	0.027	0.026 - 0.027	39,266	0.043	0.042 - 0.043	10,388	0.011	0.011 - 0.011
Non-Hispanic Black	2-yr	2,704	0.007	0.007 - 0.007	2,140	0.011	0.011 - 0.012	564	0.003	0.002 - 0.003
	5-yr	5,269	0.013	0.013 - 0.014	4,137	0.022	0.021 - 0.022	1,132	0.005	0.005 - 0.006
	10-yr	8,218	0.021	0.020 - 0.021	6,453	0.034	0.033 - 0.035	1,764	0.008	0.008 - 0.009
Hispanic	2-yr	1,242	0.002	0.002 - 0.002	1,060	0.004	0.004 - 0.004	182	0.001	0.001 - 0.001
	5-yr	2,605	0.005	0.005 - 0.005	2,217	0.008	0.008 - 0.008	388	0.001	0.001 - 0.002
	10-yr	4,276	0.008	0.008 - 0.008	3,635	0.013	0.013 - 0.014	641	0.002	0.002 - 0.003
Current Age										
< 50	2-yr	1,064	0.001	0.001 - 0.001	771	0.001	0.001 - 0.001	294	0.000	0.000 - 0.000
	5-yr	1,952	0.001	0.001 - 0.001	1,373	0.001	0.001 - 0.001	578	0.001	0.001 - 0.001
	10-yr	2,723	0.001	0.001 - 0.001	1,884	0.002	0.002 - 0.002	839	0.001	0.001 - 0.001
50-64	2-yr	7,988	0.014	0.013 - 0.014	6,244	0.022	0.021 - 0.022	1,744	0.006	0.005 - 0.006
	5-yr	15,701	0.027	0.026 - 0.027	12,175	0.042	0.042 - 0.043	3,526	0.012	0.011 - 0.012
	10-yr	23,322	0.039	0.039 - 0.040	18,071	0.063	0.062 - 0.064	5,251	0.017	0.017 - 0.018
65+	2-yr	9,990	0.022	0.022 - 0.022	8,143	0.041	0.040 - 0.041	1,848	0.007	0.007 - 0.008
	5-yr	22,026	0.049	0.048 - 0.049	17,939	0.089	0.088 - 0.091	4,088	0.016	0.016 - 0.017
	10-yr	37,853	0.083	0.083 - 0.084	30,855	0.154	0.152 - 0.156	6,997	0.028	0.027 - 0.028

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	632	0.005	0.004 - 0.005	551	0.008	0.007 - 0.009	81	0.001	0.001 - 0.001
	5-yr	1,293	0.009	0.009 - 0.010	1,108	0.016	0.015 - 0.017	185	0.003	0.002 - 0.003
	10-yr	2,079	0.015	0.014 - 0.016	1,750	0.025	0.024 - 0.027	329	0.005	0.004 - 0.005
Current Age										
< 50	2-yr	18	0.000	0.000 - 0.000	-	-		-	-	
	5-yr	41	0.000	0.000 - 0.001	26	0.001	0.000 - 0.001	15	0.000	0.000 - 0.001
	10-yr	55	0.001	0.000 - 0.001	35	0.001	0.001 - 0.001	20	0.000	0.000 - 0.001
50-64	2-yr	209	0.007	0.006 - 0.008	178	0.012	0.011 - 0.014	31	0.002	0.001 - 0.003
	5-yr	412	0.014	0.013 - 0.016	348	0.024	0.022 - 0.027	64	0.004	0.003 - 0.006
	10-yr	616	0.021	0.020 - 0.023	520	0.036	0.033 - 0.039	96	0.007	0.005 - 0.008
65+	2-yr	405	0.019	0.017 - 0.021	362	0.036	0.033 - 0.040	43	0.004	0.003 - 0.005
	5-yr	840	0.039	0.036 - 0.042	734	0.074	0.069 - 0.079	106	0.009	0.007 - 0.011
	10-yr	1,408	0.065	0.062 - 0.069	1,195	0.120	0.114 - 0.127	213	0.018	0.016 - 0.021

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	19,675	0.006	0.006 - 0.006	15,709	0.010	0.010 - 0.010	3,967	0.002	0.002 - 0.003
	5-yr	40,972	0.013	0.013 - 0.013	32,595	0.021	0.021 - 0.021	8,377	0.005	0.005 - 0.005
	10-yr	65,976	0.021	0.021 - 0.021	52,560	0.034	0.034 - 0.034	13,416	0.008	0.008 - 0.009
Current Age										
< 50	2-yr	1,082	0.001	0.000 - 0.001	782	0.001	0.001 - 0.001	301	0.000	0.000 - 0.000
	5-yr	1,993	0.001	0.001 - 0.001	1,399	0.001	0.001 - 0.001	593	0.001	0.001 - 0.001
	10-yr	2,778	0.001	0.001 - 0.001	1,919	0.002	0.002 - 0.002	859	0.001	0.001 - 0.001
50-64	2-yr	8,197	0.013	0.013 - 0.014	6,422	0.021	0.021 - 0.022	1,775	0.006	0.005 - 0.006
	5-yr	16,113	0.026	0.026 - 0.026	12,523	0.042	0.041 - 0.042	3,590	0.011	0.011 - 0.012
	10-yr	23,938	0.039	0.038 - 0.039	18,591	0.062	0.061 - 0.063	5,347	0.017	0.016 - 0.017
65+	2-yr	10,395	0.022	0.021 - 0.022	8,505	0.040	0.040 - 0.041	1,891	0.007	0.007 - 0.007
	5-yr	22,866	0.048	0.047 - 0.049	18,673	0.089	0.087 - 0.090	4,194	0.016	0.015 - 0.016
	10-yr	39,261	0.083	0.082 - 0.083	32,050	0.152	0.151 - 0.154	7,210	0.027	0.027 - 0.028

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Lung and Bronchus

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	208,949	0.069	0.069 - 0.070	101,946	0.069	0.068 - 0.069	107,002	0.070	0.070 - 0.070
	5-yr	340,891	0.113	0.113 - 0.113	160,521	0.108	0.108 - 0.109	180,371	0.118	0.117 - 0.118
	10-yr	449,851	0.149	0.149 - 0.150	207,462	0.140	0.139 - 0.140	242,389	0.158	0.158 - 0.159
Race										
Non-Hispanic White	2-yr	168,591	0.091	0.090 - 0.091	81,584	0.089	0.088 - 0.090	87,007	0.092	0.092 - 0.093
	5-yr	275,746	0.148	0.148 - 0.149	128,842	0.141	0.140 - 0.141	146,904	0.156	0.155 - 0.157
	10-yr	364,972	0.196	0.196 - 0.197	166,892	0.182	0.181 - 0.183	198,080	0.210	0.209 - 0.211
Non-Hispanic Black	2-yr	22,274	0.056	0.055 - 0.056	11,325	0.059	0.058 - 0.060	10,950	0.052	0.052 - 0.053
	5-yr	35,175	0.088	0.087 - 0.089	17,269	0.090	0.089 - 0.092	17,905	0.086	0.085 - 0.087
	10-yr	45,162	0.113	0.112 - 0.114	21,743	0.114	0.112 - 0.115	23,419	0.112	0.111 - 0.114
Hispanic	2-yr	9,546	0.017	0.017 - 0.018	4,742	0.017	0.017 - 0.018	4,805	0.018	0.017 - 0.018
	5-yr	15,807	0.029	0.028 - 0.029	7,495	0.027	0.027 - 0.028	8,312	0.031	0.030 - 0.031
	10-yr	21,234	0.039	0.038 - 0.039	9,880	0.036	0.035 - 0.037	11,355	0.042	0.041 - 0.043
Current Age										
< 50	2-yr	6,638	0.003	0.003 - 0.003	2,922	0.003	0.003 - 0.003	3,716	0.004	0.004 - 0.004
	5-yr	10,611	0.005	0.005 - 0.005	4,499	0.005	0.004 - 0.005	6,111	0.006	0.006 - 0.006
	10-yr	13,672	0.007	0.007 - 0.007	5,801	0.006	0.006 - 0.006	7,870	0.008	0.008 - 0.008
50-64	2-yr	59,497	0.101	0.100 - 0.101	28,724	0.100	0.099 - 0.101	30,773	0.101	0.100 - 0.102
	5-yr	91,807	0.155	0.154 - 0.156	42,655	0.149	0.147 - 0.150	49,153	0.162	0.160 - 0.163
	10-yr	115,467	0.195	0.194 - 0.196	52,439	0.183	0.181 - 0.184	63,028	0.207	0.205 - 0.209
65+	2-yr	142,813	0.315	0.313 - 0.316	70,300	0.350	0.348 - 0.353	72,512	0.286	0.284 - 0.288
	5-yr	238,474	0.526	0.523 - 0.528	113,366	0.565	0.562 - 0.568	125,107	0.494	0.491 - 0.497
	10-yr	320,712	0.707	0.704 - 0.709	149,222	0.744	0.740 - 0.748	171,491	0.677	0.674 - 0.681

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	9,512	0.069	0.068 - 0.070	4,427	0.064	0.062 - 0.066	5,085	0.074	0.072 - 0.076
	5-yr	15,056	0.109	0.107 - 0.111	6,815	0.099	0.096 - 0.101	8,241	0.119	0.117 - 0.122
	10-yr	19,559	0.142	0.140 - 0.144	8,690	0.126	0.123 - 0.129	10,869	0.157	0.154 - 0.160
Current Age										
< 50	2-yr	199	0.002	0.002 - 0.003	93	0.002	0.002 - 0.003	106	0.002	0.002 - 0.003
	5-yr	330	0.004	0.003 - 0.004	150	0.003	0.003 - 0.004	180	0.004	0.004 - 0.005
	10-yr	434	0.005	0.004 - 0.005	201	0.004	0.004 - 0.005	233	0.005	0.005 - 0.006
50-64	2-yr	2,453	0.086	0.082 - 0.089	1,078	0.075	0.071 - 0.080	1,375	0.096	0.091 - 0.101
	5-yr	3,780	0.132	0.128 - 0.136	1,595	0.111	0.106 - 0.117	2,185	0.153	0.146 - 0.159
	10-yr	4,682	0.163	0.159 - 0.168	1,915	0.133	0.127 - 0.140	2,767	0.193	0.186 - 0.201
65+	2-yr	6,860	0.319	0.311 - 0.326	3,256	0.328	0.317 - 0.339	3,604	0.311	0.301 - 0.322
	5-yr	10,946	0.509	0.499 - 0.518	5,070	0.510	0.496 - 0.524	5,876	0.507	0.495 - 0.521
	10-yr	14,443	0.671	0.660 - 0.682	6,574	0.662	0.646 - 0.678	7,869	0.679	0.665 - 0.695

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	218,461	0.069	0.069 - 0.070	106,373	0.068	0.068 - 0.069	112,087	0.070	0.070 - 0.070
	5-yr	355,947	0.113	0.113 - 0.113	167,336	0.108	0.107 - 0.108	188,612	0.118	0.117 - 0.118
	10-yr	469,410	0.149	0.148 - 0.149	216,152	0.139	0.139 - 0.140	253,258	0.158	0.158 - 0.159
Current Age										
< 50	2-yr	6,837	0.003	0.003 - 0.003	3,015	0.003	0.003 - 0.003	3,822	0.004	0.004 - 0.004
	5-yr	10,941	0.005	0.005 - 0.005	4,649	0.004	0.004 - 0.005	6,291	0.006	0.006 - 0.006
	10-yr	14,106	0.007	0.007 - 0.007	6,002	0.006	0.006 - 0.006	8,103	0.008	0.008 - 0.008
50-64	2-yr	61,950	0.100	0.099 - 0.101	29,802	0.099	0.098 - 0.100	32,148	0.101	0.100 - 0.102
	5-yr	95,587	0.154	0.153 - 0.155	44,250	0.147	0.146 - 0.148	51,338	0.161	0.160 - 0.163
	10-yr	120,149	0.194	0.193 - 0.195	54,354	0.181	0.179 - 0.182	65,795	0.206	0.205 - 0.208
65+	2-yr	149,673	0.315	0.313 - 0.316	73,556	0.349	0.347 - 0.352	76,116	0.287	0.285 - 0.290
	5-yr	249,420	0.525	0.523 - 0.527	118,436	0.563	0.559 - 0.566	130,983	0.495	0.492 - 0.497
	10-yr	335,155	0.705	0.703 - 0.708	155,796	0.740	0.736 - 0.744	179,360	0.677	0.674 - 0.681

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Melanoma of the Skin

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	137,858	0.046	0.045 - 0.046	80,055	0.054	0.054 - 0.054	57,804	0.038	0.037 - 0.038
	5-yr	296,153	0.098	0.098 - 0.099	168,872	0.114	0.113 - 0.114	127,281	0.083	0.083 - 0.084
	10-yr	494,372	0.164	0.164 - 0.164	273,370	0.184	0.184 - 0.185	221,002	0.144	0.144 - 0.145
Race										
Non-Hispanic White	2-yr	127,057	0.068	0.068 - 0.069	74,571	0.081	0.081 - 0.082	52,486	0.056	0.055 - 0.056
	5-yr	273,768	0.147	0.147 - 0.148	157,767	0.172	0.171 - 0.173	116,001	0.123	0.122 - 0.124
	10-yr	458,505	0.247	0.246 - 0.247	256,089	0.279	0.278 - 0.280	202,415	0.215	0.214 - 0.216
Non-Hispanic Black	2-yr	595	0.001	0.001 - 0.002	281	0.001	0.001 - 0.002	314	0.002	0.001 - 0.002
	5-yr	1,230	0.003	0.003 - 0.003	549	0.003	0.003 - 0.003	680	0.003	0.003 - 0.004
	10-yr	1,935	0.005	0.005 - 0.005	805	0.004	0.004 - 0.005	1,130	0.005	0.005 - 0.006
Hispanic	2-yr	3,152	0.006	0.006 - 0.006	1,394	0.005	0.005 - 0.005	1,758	0.007	0.006 - 0.007
	5-yr	6,533	0.012	0.012 - 0.012	2,818	0.010	0.010 - 0.011	3,715	0.014	0.013 - 0.014
	10-yr	10,636	0.019	0.019 - 0.020	4,479	0.016	0.016 - 0.017	6,157	0.023	0.022 - 0.023
Current Age										
< 50	2-yr	25,029	0.013	0.013 - 0.013	9,852	0.010	0.010 - 0.010	15,178	0.016	0.015 - 0.016
	5-yr	54,078	0.027	0.027 - 0.028	20,875	0.021	0.021 - 0.021	33,203	0.034	0.034 - 0.035
	10-yr	91,214	0.046	0.046 - 0.047	34,028	0.034	0.034 - 0.035	57,186	0.059	0.058 - 0.059
50-64	2-yr	41,970	0.071	0.070 - 0.072	23,354	0.081	0.080 - 0.083	18,616	0.061	0.060 - 0.062
	5-yr	90,442	0.153	0.152 - 0.154	49,274	0.172	0.170 - 0.173	41,168	0.135	0.134 - 0.137
	10-yr	153,231	0.259	0.258 - 0.261	80,251	0.280	0.278 - 0.282	72,980	0.240	0.238 - 0.242
65+	2-yr	70,859	0.156	0.155 - 0.157	46,849	0.234	0.231 - 0.236	24,010	0.095	0.094 - 0.096
	5-yr	151,633	0.334	0.332 - 0.336	98,723	0.492	0.489 - 0.495	52,910	0.209	0.207 - 0.211
	10-yr	249,927	0.551	0.549 - 0.553	159,091	0.793	0.789 - 0.797	90,836	0.359	0.356 - 0.361

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	5,409	0.039	0.038 - 0.040	2,865	0.042	0.040 - 0.043	2,544	0.037	0.035 - 0.038
	5-yr	11,755	0.085	0.084 - 0.087	6,063	0.088	0.086 - 0.090	5,692	0.082	0.080 - 0.085
	10-yr	19,470	0.141	0.139 - 0.143	9,868	0.143	0.140 - 0.146	9,602	0.139	0.136 - 0.142
Current Age										
< 50	2-yr	975	0.011	0.010 - 0.012	362	0.008	0.007 - 0.009	613	0.014	0.013 - 0.015
	5-yr	2,130	0.024	0.023 - 0.025	784	0.018	0.016 - 0.019	1,346	0.031	0.030 - 0.033
	10-yr	3,350	0.038	0.037 - 0.039	1,206	0.027	0.025 - 0.029	2,144	0.050	0.048 - 0.052
50-64	2-yr	1,733	0.060	0.058 - 0.063	891	0.062	0.058 - 0.066	842	0.059	0.055 - 0.063
	5-yr	3,748	0.131	0.127 - 0.135	1,848	0.129	0.123 - 0.135	1,900	0.133	0.127 - 0.139
	10-yr	6,408	0.224	0.218 - 0.229	3,120	0.217	0.210 - 0.225	3,288	0.230	0.222 - 0.238
65+	2-yr	2,701	0.126	0.121 - 0.130	1,612	0.162	0.154 - 0.170	1,089	0.094	0.089 - 0.100
	5-yr	5,877	0.273	0.266 - 0.280	3,431	0.345	0.334 - 0.357	2,446	0.211	0.203 - 0.220
	10-yr	9,712	0.451	0.442 - 0.460	5,542	0.558	0.543 - 0.573	4,170	0.360	0.349 - 0.371

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	143,267	0.045	0.045 - 0.046	82,920	0.053	0.053 - 0.054	60,348	0.038	0.037 - 0.038
	5-yr	307,908	0.098	0.097 - 0.098	174,935	0.113	0.112 - 0.113	132,973	0.083	0.083 - 0.084
	10-yr	513,842	0.163	0.163 - 0.163	283,238	0.182	0.182 - 0.183	230,604	0.144	0.144 - 0.145
Current Age										
< 50	2-yr	26,004	0.013	0.012 - 0.013	10,214	0.010	0.010 - 0.010	15,791	0.016	0.015 - 0.016
	5-yr	56,208	0.027	0.027 - 0.028	21,659	0.021	0.021 - 0.021	34,549	0.034	0.034 - 0.034
	10-yr	94,564	0.046	0.046 - 0.046	35,234	0.034	0.033 - 0.034	59,330	0.058	0.058 - 0.059
50-64	2-yr	43,703	0.071	0.070 - 0.071	24,245	0.081	0.080 - 0.082	19,458	0.061	0.060 - 0.062
	5-yr	94,190	0.152	0.151 - 0.153	51,122	0.170	0.168 - 0.171	43,068	0.135	0.134 - 0.136
	10-yr	159,639	0.258	0.256 - 0.259	83,371	0.277	0.275 - 0.279	76,268	0.239	0.238 - 0.241
65+	2-yr	73,560	0.155	0.154 - 0.156	48,461	0.230	0.228 - 0.232	25,099	0.095	0.094 - 0.096
	5-yr	157,510	0.331	0.330 - 0.333	102,154	0.485	0.482 - 0.488	55,356	0.209	0.207 - 0.211
	10-yr	259,639	0.546	0.544 - 0.548	164,633	0.782	0.778 - 0.786	95,006	0.359	0.357 - 0.361

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Breast

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		419,414	0.274	0.273 - 0.275
	5-yr	-	-		-	-		955,117	0.624	0.623 - 0.625
	10-yr	-	-		-	-		1,647,582	1.077	1.075 - 1.078
Race										
Non-Hispanic White	2-yr	-	-		-	-		312,040	0.331	0.330 - 0.332
	5-yr	-	-		-	-		717,575	0.761	0.759 - 0.763
	10-yr	-	-		-	-		1,255,252	1.331	1.329 - 1.334
Non-Hispanic Black	2-yr	-	-		-	-		48,420	0.232	0.230 - 0.234
	5-yr	-	-		-	-		106,544	0.511	0.508 - 0.514
	10-yr	-	-		-	-		174,983	0.839	0.835 - 0.843
Hispanic	2-yr	-	-		-	-		35,950	0.133	0.132 - 0.134
	5-yr	-	-		-	-		79,795	0.295	0.293 - 0.297
	10-yr	-	-		-	-		131,965	0.488	0.486 - 0.491
Current Age										
< 50	2-yr	-	-		-	-		70,437	0.072	0.072 - 0.073
	5-yr	-	-		-	-		141,983	0.146	0.145 - 0.147
	10-yr	-	-		-	-		201,430	0.207	0.206 - 0.208
50-64	2-yr	-	-		-	-		153,469	0.504	0.502 - 0.507
	5-yr	-	-		-	-		346,048	1.137	1.133 - 1.141
	10-yr	-	-		-	-		594,779	1.954	1.949 - 1.959
65+	2-yr	-	-		-	-		195,508	0.772	0.769 - 0.776
	5-yr	-	-		-	-		467,086	1.845	1.840 - 1.850
	10-yr	-	-		-	-		851,373	3.363	3.356 - 3.370

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		18,038	0.261	0.257 - 0.265
	5-yr	-	-		-	-		41,049	0.595	0.589 - 0.600
	10-yr	-	-		-	-		70,506	1.021	1.014 - 1.029
Current Age										
< 50	2-yr	-	-		-	-		2,851	0.066	0.064 - 0.069
	5-yr	-	-		-	-		5,543	0.128	0.125 - 0.132
	10-yr	-	-		-	-		7,800	0.181	0.177 - 0.185
50-64	2-yr	-	-		-	-		6,531	0.456	0.445 - 0.468
	5-yr	-	-		-	-		14,916	1.042	1.026 - 1.059
	10-yr	-	-		-	-		25,645	1.792	1.770 - 1.814
65+	2-yr	-	-		-	-		8,656	0.747	0.732 - 0.763
	5-yr	-	-		-	-		20,590	1.778	1.754 - 1.802
	10-yr	-	-		-	-		37,061	3.200	3.168 - 3.233

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		437,452	0.274	0.273 - 0.274
	5-yr	-	-		-	-		996,166	0.623	0.622 - 0.624
	10-yr	-	-		-	-		1,718,088	1.074	1.073 - 1.076
Current Age										
< 50	2-yr	-	-		-	-		73,288	0.072	0.072 - 0.073
	5-yr	-	-		-	-		147,526	0.145	0.144 - 0.146
	10-yr	-	-		-	-		209,230	0.206	0.205 - 0.207
50-64	2-yr	-	-		-	-		160,000	0.502	0.500 - 0.505
	5-yr	-	-		-	-		360,964	1.133	1.129 - 1.136
	10-yr	-	-		-	-		620,424	1.947	1.942 - 1.952
65+	2-yr	-	-		-	-		204,164	0.771	0.768 - 0.774
	5-yr	-	-		-	-		487,676	1.842	1.837 - 1.847
	10-yr	-	-		-	-		888,434	3.356	3.349 - 3.363

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Cervix Uteri

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		20,410	0.013	0.013 - 0.014
	5-yr	-	-		-	-		43,761	0.029	0.028 - 0.029
	10-yr	-	-		-	-		79,421	0.052	0.052 - 0.052
Race										
Non-Hispanic White	2-yr	-	-		-	-		12,296	0.013	0.013 - 0.013
	5-yr	-	-		-	-		26,444	0.028	0.028 - 0.028
	10-yr	-	-		-	-		48,263	0.051	0.051 - 0.052
Non-Hispanic Black	2-yr	-	-		-	-		2,908	0.014	0.013 - 0.014
	5-yr	-	-		-	-		6,142	0.029	0.029 - 0.030
	10-yr	-	-		-	-		10,801	0.052	0.051 - 0.053
Hispanic	2-yr	-	-		-	-		3,715	0.014	0.013 - 0.014
	5-yr	-	-		-	-		8,046	0.030	0.029 - 0.030
	10-yr	-	-		-	-		14,753	0.055	0.054 - 0.055
Current Age										
< 50	2-yr	-	-		-	-		10,375	0.011	0.010 - 0.011
	5-yr	-	-		-	-		21,663	0.022	0.022 - 0.023
	10-yr	-	-		-	-		36,633	0.038	0.037 - 0.038
50-64	2-yr	-	-		-	-		6,496	0.021	0.021 - 0.022
	5-yr	-	-		-	-		14,192	0.047	0.046 - 0.047
	10-yr	-	-		-	-		27,472	0.090	0.089 - 0.091
65+	2-yr	-	-		-	-		3,540	0.014	0.014 - 0.014
	5-yr	-	-		-	-		7,906	0.031	0.031 - 0.032
	10-yr	-	-		-	-		15,317	0.060	0.060 - 0.061

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		958	0.014	0.013 - 0.015
	5-yr	-	-		-	-		2,129	0.031	0.030 - 0.032
	10-yr	-	-		-	-		3,926	0.057	0.055 - 0.059
Current Age										
< 50	2-yr	-	-		-	-		550	0.013	0.012 - 0.014
	5-yr	-	-		-	-		1,158	0.027	0.025 - 0.028
	10-yr	-	-		-	-		2,025	0.047	0.045 - 0.049
50-64	2-yr	-	-		-	-		278	0.019	0.017 - 0.022
	5-yr	-	-		-	-		646	0.045	0.042 - 0.049
	10-yr	-	-		-	-		1,257	0.088	0.083 - 0.093
65+	2-yr	-	-		-	-		130	0.011	0.009 - 0.013
	5-yr	-	-		-	-		325	0.028	0.025 - 0.031
	10-yr	-	-		-	-		644	0.056	0.051 - 0.060

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		21,368	0.013	0.013 - 0.014
	5-yr	-	-		-	-		45,890	0.029	0.028 - 0.029
	10-yr	-	-		-	-		83,347	0.052	0.052 - 0.052
Current Age										
< 50	2-yr	-	-		-	-		10,925	0.011	0.011 - 0.011
	5-yr	-	-		-	-		22,821	0.022	0.022 - 0.023
	10-yr	-	-		-	-		38,658	0.038	0.038 - 0.038
50-64	2-yr	-	-		-	-		6,774	0.021	0.021 - 0.022
	5-yr	-	-		-	-		14,838	0.047	0.046 - 0.047
	10-yr	-	-		-	-		28,729	0.090	0.089 - 0.091
65+	2-yr	-	-		-	-		3,670	0.014	0.013 - 0.014
	5-yr	-	-		-	-		8,231	0.031	0.030 - 0.032
	10-yr	-	-		-	-		15,961	0.060	0.059 - 0.061

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Corpus and Uterus, NOS

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		91,470	0.060	0.059 - 0.060
	5-yr	-	-		-	-		200,432	0.131	0.130 - 0.132
	10-yr	-	-		-	-		339,460	0.222	0.221 - 0.223
Race										
Non-Hispanic White	2-yr	-	-		-	-		67,769	0.072	0.071 - 0.072
	5-yr	-	-		-	-		151,682	0.161	0.160 - 0.162
	10-yr	-	-		-	-		262,562	0.278	0.277 - 0.280
Non-Hispanic Black	2-yr	-	-		-	-		9,787	0.047	0.046 - 0.048
	5-yr	-	-		-	-		19,198	0.092	0.091 - 0.093
	10-yr	-	-		-	-		29,306	0.140	0.139 - 0.142
Hispanic	2-yr	-	-		-	-		8,965	0.033	0.032 - 0.034
	5-yr	-	-		-	-		18,860	0.070	0.069 - 0.071
	10-yr	-	-		-	-		29,906	0.111	0.109 - 0.112
Current Age										
< 50	2-yr	-	-		-	-		10,358	0.011	0.010 - 0.011
	5-yr	-	-		-	-		20,419	0.021	0.021 - 0.021
	10-yr	-	-		-	-		29,662	0.030	0.030 - 0.031
50-64	2-yr	-	-		-	-		39,869	0.131	0.130 - 0.132
	5-yr	-	-		-	-		83,898	0.276	0.274 - 0.278
	10-yr	-	-		-	-		131,264	0.431	0.429 - 0.434
65+	2-yr	-	-		-	-		41,244	0.163	0.161 - 0.164
	5-yr	-	-		-	-		96,115	0.380	0.377 - 0.382
	10-yr	-	-		-	-		178,535	0.705	0.702 - 0.708

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		4,174	0.060	0.059 - 0.062
	5-yr	-	-		-	-		9,353	0.135	0.133 - 0.138
	10-yr	-	-		-	-		15,690	0.227	0.224 - 0.231
Current Age										
< 50	2-yr	-	-		-	-		379	0.009	0.008 - 0.010
	5-yr	-	-		-	-		751	0.017	0.016 - 0.019
	10-yr	-	-		-	-		1,049	0.024	0.023 - 0.026
50-64	2-yr	-	-		-	-		1,868	0.131	0.125 - 0.137
	5-yr	-	-		-	-		4,038	0.282	0.274 - 0.291
	10-yr	-	-		-	-		6,156	0.430	0.420 - 0.441
65+	2-yr	-	-		-	-		1,927	0.166	0.159 - 0.174
	5-yr	-	-		-	-		4,564	0.394	0.383 - 0.406
	10-yr	-	-		-	-		8,485	0.733	0.717 - 0.748

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		95,644	0.060	0.059 - 0.060
	5-yr	-	-		-	-		209,785	0.131	0.131 - 0.132
	10-yr	-	-		-	-		355,150	0.222	0.221 - 0.223
Current Age										
< 50	2-yr	-	-		-	-		10,737	0.011	0.010 - 0.011
	5-yr	-	-		-	-		21,170	0.021	0.021 - 0.021
	10-yr	-	-		-	-		30,711	0.030	0.030 - 0.031
50-64	2-yr	-	-		-	-		41,737	0.131	0.130 - 0.132
	5-yr	-	-		-	-		87,936	0.276	0.274 - 0.278
	10-yr	-	-		-	-		137,420	0.431	0.429 - 0.434
65+	2-yr	-	-		-	-		43,171	0.163	0.162 - 0.165
	5-yr	-	-		-	-		100,679	0.380	0.378 - 0.383
	10-yr	-	-		-	-		187,020	0.706	0.703 - 0.710

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Ovary

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		30,589	0.020	0.020 - 0.020
	5-yr	-	-		-	-		62,164	0.041	0.040 - 0.041
	10-yr	-	-		-	-		97,762	0.064	0.063 - 0.064
Race										
Non-Hispanic White	2-yr	-	-		-	-		22,694	0.024	0.024 - 0.024
	5-yr	-	-		-	-		46,362	0.049	0.049 - 0.050
	10-yr	-	-		-	-		73,479	0.078	0.077 - 0.079
Non-Hispanic Black	2-yr	-	-		-	-		2,599	0.012	0.012 - 0.013
	5-yr	-	-		-	-		5,113	0.025	0.024 - 0.025
	10-yr	-	-		-	-		7,662	0.037	0.036 - 0.038
Hispanic	2-yr	-	-		-	-		3,330	0.012	0.012 - 0.013
	5-yr	-	-		-	-		6,725	0.025	0.024 - 0.025
	10-yr	-	-		-	-		10,480	0.039	0.038 - 0.040
Current Age										
< 50	2-yr	-	-		-	-		6,111	0.006	0.006 - 0.006
	5-yr	-	-		-	-		12,505	0.013	0.013 - 0.013
	10-yr	-	-		-	-		19,181	0.020	0.019 - 0.020
50-64	2-yr	-	-		-	-		11,693	0.038	0.038 - 0.039
	5-yr	-	-		-	-		24,185	0.079	0.078 - 0.080
	10-yr	-	-		-	-		37,832	0.124	0.123 - 0.126
65+	2-yr	-	-		-	-		12,785	0.050	0.050 - 0.051
	5-yr	-	-		-	-		25,474	0.101	0.099 - 0.102
	10-yr	-	-		-	-		40,749	0.161	0.159 - 0.163

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		1,388	0.020	0.019 - 0.021
	5-yr	-	-		-	-		2,728	0.040	0.038 - 0.041
	10-yr	-	-		-	-		4,055	0.059	0.057 - 0.061
Current Age										
< 50	2-yr	-	-		-	-		264	0.006	0.005 - 0.007
	5-yr	-	-		-	-		545	0.013	0.012 - 0.014
	10-yr	-	-		-	-		772	0.018	0.017 - 0.019
50-64	2-yr	-	-		-	-		533	0.037	0.034 - 0.041
	5-yr	-	-		-	-		1,062	0.074	0.070 - 0.079
	10-yr	-	-		-	-		1,613	0.113	0.107 - 0.118
65+	2-yr	-	-		-	-		591	0.051	0.047 - 0.055
	5-yr	-	-		-	-		1,121	0.097	0.091 - 0.103
	10-yr	-	-		-	-		1,670	0.144	0.137 - 0.151

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		-	-		31,977	0.020	0.020 - 0.020
	5-yr	-	-		-	-		64,892	0.041	0.040 - 0.041
	10-yr	-	-		-	-		101,817	0.064	0.063 - 0.064
Current Age										
< 50	2-yr	-	-		-	-		6,375	0.006	0.006 - 0.006
	5-yr	-	-		-	-		13,050	0.013	0.013 - 0.013
	10-yr	-	-		-	-		19,953	0.020	0.019 - 0.020
50-64	2-yr	-	-		-	-		12,226	0.038	0.038 - 0.039
	5-yr	-	-		-	-		25,247	0.079	0.078 - 0.080
	10-yr	-	-		-	-		39,445	0.124	0.123 - 0.125
65+	2-yr	-	-		-	-		13,376	0.051	0.050 - 0.051
	5-yr	-	-		-	-		26,595	0.100	0.099 - 0.102
	10-yr	-	-		-	-		42,419	0.160	0.159 - 0.162

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Prostate

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		328,533	0.221	0.221 - 0.222	-	-	
	5-yr	-	-		816,516	0.550	0.549 - 0.551	-	-	
	10-yr	-	-		1,613,810	1.087	1.086 - 1.089	-	-	
Race										
Non-Hispanic White	2-yr	-	-		232,177	0.253	0.252 - 0.254	-	-	
	5-yr	-	-		583,277	0.636	0.635 - 0.638	-	-	
	10-yr	-	-		1,179,799	1.287	1.285 - 1.289	-	-	
Non-Hispanic Black	2-yr	-	-		53,859	0.282	0.279 - 0.284	-	-	
	5-yr	-	-		129,623	0.678	0.674 - 0.681	-	-	
	10-yr	-	-		240,295	1.256	1.251 - 1.261	-	-	
Hispanic	2-yr	-	-		24,197	0.088	0.087 - 0.089	-	-	
	5-yr	-	-		58,774	0.213	0.211 - 0.215	-	-	
	10-yr	-	-		110,502	0.400	0.398 - 0.403	-	-	
Current Age										
< 50	2-yr	-	-		5,545	0.006	0.005 - 0.006	-	-	
	5-yr	-	-		10,452	0.010	0.010 - 0.011	-	-	
	10-yr	-	-		12,936	0.013	0.013 - 0.013	-	-	
50-64	2-yr	-	-		120,741	0.421	0.419 - 0.424	-	-	
	5-yr	-	-		267,006	0.931	0.928 - 0.935	-	-	
	10-yr	-	-		420,937	1.468	1.464 - 1.473	-	-	
65+	2-yr	-	-		202,247	1.008	1.004 - 1.013	-	-	
	5-yr	-	-		539,057	2.687	2.680 - 2.694	-	-	
	10-yr	-	-		1,179,937	5.882	5.871 - 5.893	-	-	

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		14,973	0.217	0.214 - 0.221	-	-	
	5-yr	-	-		37,472	0.543	0.538 - 0.549	-	-	
	10-yr	-	-		70,067	1.016	1.008 - 1.023	-	-	
Current Age										
< 50	2-yr	-	-		219	0.005	0.004 - 0.006	-	-	
	5-yr	-	-		390	0.009	0.008 - 0.010	-	-	
	10-yr	-	-		441	0.010	0.009 - 0.011	-	-	
50-64	2-yr	-	-		4,596	0.320	0.311 - 0.330	-	-	
	5-yr	-	-		10,724	0.747	0.733 - 0.761	-	-	
	10-yr	-	-		16,159	1.126	1.108 - 1.143	-	-	
65+	2-yr	-	-		10,158	1.022	1.002 - 1.042	-	-	
	5-yr	-	-		26,358	2.652	2.621 - 2.685	-	-	
	10-yr	-	-		53,467	5.381	5.335 - 5.426	-	-	

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		343,506	0.221	0.220 - 0.222	-	-	
	5-yr	-	-		853,988	0.550	0.549 - 0.551	-	-	
	10-yr	-	-		1,683,877	1.084	1.083 - 1.086	-	-	
Current Age										
< 50	2-yr	-	-		5,764	0.006	0.005 - 0.006	-	-	
	5-yr	-	-		10,842	0.010	0.010 - 0.011	-	-	
	10-yr	-	-		13,377	0.013	0.013 - 0.013	-	-	
50-64	2-yr	-	-		125,337	0.416	0.414 - 0.419	-	-	
	5-yr	-	-		277,730	0.922	0.919 - 0.926	-	-	
	10-yr	-	-		437,096	1.452	1.448 - 1.456	-	-	
65+	2-yr	-	-		212,405	1.009	1.005 - 1.013	-	-	
	5-yr	-	-		565,415	2.686	2.679 - 2.693	-	-	
	10-yr	-	-		1,233,404	5.858	5.848 - 5.869	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Testis

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		15,629	0.011	0.010 - 0.011	-	-	
	5-yr	-	-		37,453	0.025	0.025 - 0.025	-	-	
	10-yr	-	-		71,951	0.048	0.048 - 0.049	-	-	
Race										
Non-Hispanic White	2-yr	-	-		11,444	0.012	0.012 - 0.013	-	-	
	5-yr	-	-		27,937	0.030	0.030 - 0.031	-	-	
	10-yr	-	-		54,797	0.060	0.059 - 0.060	-	-	
Non-Hispanic Black	2-yr	-	-		516	0.003	0.002 - 0.003	-	-	
	5-yr	-	-		1,244	0.007	0.006 - 0.007	-	-	
	10-yr	-	-		2,237	0.012	0.011 - 0.012	-	-	
Hispanic	2-yr	-	-		2,879	0.010	0.010 - 0.011	-	-	
	5-yr	-	-		6,502	0.024	0.023 - 0.024	-	-	
	10-yr	-	-		11,760	0.043	0.042 - 0.043	-	-	
Current Age										
< 50	2-yr	-	-		13,276	0.013	0.013 - 0.014	-	-	
	5-yr	-	-		31,142	0.031	0.031 - 0.032	-	-	
	10-yr	-	-		56,900	0.057	0.057 - 0.058	-	-	
50-64	2-yr	-	-		1,918	0.007	0.006 - 0.007	-	-	
	5-yr	-	-		5,207	0.018	0.018 - 0.019	-	-	
	10-yr	-	-		12,603	0.044	0.043 - 0.045	-	-	
65+	2-yr	-	-		435	0.002	0.002 - 0.002	-	-	
	5-yr	-	-		1,104	0.006	0.005 - 0.006	-	-	
	10-yr	-	-		2,449	0.012	0.012 - 0.013	-	-	
Canadian Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		864	0.013	0.012 - 0.013	-	-	
	5-yr	-	-		1,973	0.029	0.027 - 0.030	-	-	
	10-yr	-	-		3,676	0.053	0.052 - 0.055	-	-	
Current Age										
< 50	2-yr	-	-		744	0.017	0.015 - 0.018	-	-	
	5-yr	-	-		1,658	0.037	0.035 - 0.039	-	-	
	10-yr	-	-		2,950	0.066	0.064 - 0.068	-	-	
50-64	2-yr	-	-		98	0.007	0.006 - 0.008	-	-	
	5-yr	-	-		250	0.017	0.015 - 0.020	-	-	
	10-yr	-	-		600	0.042	0.039 - 0.045	-	-	
65+	2-yr	-	-		22	0.002	0.001 - 0.003	-	-	
	5-yr	-	-		65	0.007	0.005 - 0.008	-	-	
	10-yr	-	-		126	0.013	0.011 - 0.015	-	-	
North America Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	-	-		16,493	0.011	0.010 - 0.011	-	-	
	5-yr	-	-		39,426	0.025	0.025 - 0.026	-	-	
	10-yr	-	-		75,627	0.049	0.048 - 0.049	-	-	
Current Age										
< 50	2-yr	-	-		14,020	0.013	0.013 - 0.014	-	-	
	5-yr	-	-		32,800	0.031	0.031 - 0.032	-	-	
	10-yr	-	-		59,850	0.057	0.057 - 0.058	-	-	
50-64	2-yr	-	-		2,016	0.007	0.006 - 0.007	-	-	
	5-yr	-	-		5,457	0.018	0.018 - 0.019	-	-	
	10-yr	-	-		13,203	0.044	0.043 - 0.045	-	-	
65+	2-yr	-	-		457	0.002	0.002 - 0.002	-	-	
	5-yr	-	-		1,169	0.006	0.005 - 0.006	-	-	
	10-yr	-	-		2,575	0.012	0.012 - 0.013	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Urinary Bladder

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	115,699	0.038	0.038 - 0.039	89,089	0.060	0.060 - 0.060	26,610	0.017	0.017 - 0.018
	5-yr	246,417	0.082	0.081 - 0.082	189,086	0.127	0.127 - 0.128	57,332	0.037	0.037 - 0.038
	10-yr	398,699	0.132	0.132 - 0.133	303,782	0.205	0.204 - 0.205	94,918	0.062	0.062 - 0.062
Race										
Non-Hispanic White	2-yr	99,778	0.054	0.053 - 0.054	77,484	0.085	0.084 - 0.085	22,294	0.024	0.023 - 0.024
	5-yr	213,563	0.115	0.114 - 0.115	165,014	0.180	0.179 - 0.181	48,549	0.051	0.051 - 0.052
	10-yr	346,957	0.187	0.186 - 0.187	265,826	0.290	0.289 - 0.291	81,131	0.086	0.085 - 0.087
Non-Hispanic Black	2-yr	6,199	0.016	0.015 - 0.016	4,297	0.022	0.022 - 0.023	1,902	0.009	0.009 - 0.010
	5-yr	12,489	0.031	0.031 - 0.032	8,753	0.046	0.045 - 0.047	3,736	0.018	0.017 - 0.018
	10-yr	19,103	0.048	0.047 - 0.048	13,425	0.070	0.069 - 0.071	5,678	0.027	0.027 - 0.028
Hispanic	2-yr	5,429	0.010	0.010 - 0.010	4,083	0.015	0.014 - 0.015	1,346	0.005	0.005 - 0.005
	5-yr	11,359	0.021	0.020 - 0.021	8,547	0.031	0.030 - 0.032	2,811	0.010	0.010 - 0.011
	10-yr	17,999	0.033	0.032 - 0.033	13,534	0.049	0.048 - 0.050	4,465	0.017	0.016 - 0.017
Current Age										
< 50	2-yr	3,831	0.002	0.002 - 0.002	2,782	0.003	0.003 - 0.003	1,049	0.001	0.001 - 0.001
	5-yr	7,657	0.004	0.004 - 0.004	5,552	0.006	0.005 - 0.006	2,105	0.002	0.002 - 0.002
	10-yr	11,456	0.006	0.006 - 0.006	8,249	0.008	0.008 - 0.008	3,207	0.003	0.003 - 0.003
50-64	2-yr	25,610	0.043	0.043 - 0.044	19,476	0.068	0.067 - 0.069	6,134	0.020	0.020 - 0.021
	5-yr	51,729	0.088	0.087 - 0.088	39,185	0.137	0.135 - 0.138	12,544	0.041	0.040 - 0.042
	10-yr	78,379	0.133	0.132 - 0.134	59,115	0.206	0.205 - 0.208	19,265	0.063	0.062 - 0.064
65+	2-yr	86,258	0.190	0.189 - 0.191	66,830	0.333	0.331 - 0.336	19,427	0.077	0.076 - 0.078
	5-yr	187,032	0.412	0.410 - 0.414	144,349	0.720	0.716 - 0.723	42,683	0.169	0.167 - 0.170
	10-yr	308,864	0.681	0.678 - 0.683	236,418	1.179	1.174 - 1.183	72,446	0.286	0.284 - 0.288

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	6,240	0.045	0.044 - 0.046	4,814	0.070	0.068 - 0.072	1,426	0.021	0.020 - 0.022
	5-yr	12,950	0.094	0.092 - 0.095	9,890	0.143	0.141 - 0.146	3,060	0.044	0.043 - 0.046
	10-yr	20,269	0.147	0.145 - 0.149	15,319	0.222	0.219 - 0.226	4,950	0.072	0.070 - 0.074
Current Age										
< 50	2-yr	208	0.002	0.002 - 0.003	154	0.003	0.003 - 0.004	54	0.001	0.001 - 0.002
	5-yr	420	0.005	0.004 - 0.005	301	0.007	0.006 - 0.008	119	0.003	0.002 - 0.003
	10-yr	593	0.007	0.006 - 0.007	423	0.009	0.009 - 0.010	170	0.004	0.003 - 0.005
50-64	2-yr	1,370	0.048	0.045 - 0.050	1,031	0.072	0.067 - 0.076	339	0.024	0.021 - 0.026
	5-yr	2,753	0.096	0.092 - 0.100	2,050	0.143	0.137 - 0.149	703	0.049	0.046 - 0.053
	10-yr	4,051	0.141	0.137 - 0.146	2,984	0.208	0.200 - 0.215	1,067	0.075	0.070 - 0.079
65+	2-yr	4,662	0.217	0.210 - 0.223	3,629	0.365	0.353 - 0.377	1,033	0.089	0.084 - 0.095
	5-yr	9,777	0.454	0.445 - 0.463	7,539	0.759	0.742 - 0.776	2,238	0.193	0.185 - 0.201
	10-yr	15,625	0.726	0.715 - 0.738	11,912	1.199	1.177 - 1.220	3,713	0.321	0.310 - 0.331

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	121,939	0.039	0.038 - 0.039	93,903	0.060	0.060 - 0.061	28,036	0.018	0.017 - 0.018
	5-yr	259,367	0.082	0.082 - 0.083	198,976	0.128	0.128 - 0.129	60,392	0.038	0.037 - 0.038
	10-yr	418,968	0.133	0.133 - 0.133	319,101	0.205	0.205 - 0.206	99,868	0.062	0.062 - 0.063
Current Age										
< 50	2-yr	4,039	0.002	0.002 - 0.002	2,936	0.003	0.003 - 0.003	1,103	0.001	0.001 - 0.001
	5-yr	8,077	0.004	0.004 - 0.004	5,853	0.006	0.005 - 0.006	2,224	0.002	0.002 - 0.002
	10-yr	12,049	0.006	0.006 - 0.006	8,672	0.008	0.008 - 0.009	3,377	0.003	0.003 - 0.003
50-64	2-yr	26,980	0.044	0.043 - 0.044	20,507	0.068	0.067 - 0.069	6,473	0.020	0.020 - 0.021
	5-yr	54,482	0.088	0.087 - 0.089	41,235	0.137	0.136 - 0.138	13,247	0.042	0.041 - 0.042
	10-yr	82,430	0.133	0.132 - 0.134	62,099	0.206	0.205 - 0.208	20,332	0.064	0.063 - 0.065
65+	2-yr	90,920	0.191	0.190 - 0.193	70,459	0.335	0.332 - 0.337	20,460	0.077	0.076 - 0.078
	5-yr	196,809	0.414	0.412 - 0.416	151,888	0.721	0.718 - 0.725	44,921	0.170	0.168 - 0.171
	10-yr	324,489	0.683	0.680 - 0.685	248,330	1.179	1.175 - 1.184	76,159	0.288	0.286 - 0.290

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Kidney and Renal Pelvis

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	95,993	0.032	0.032 - 0.032	60,287	0.041	0.040 - 0.041	35,707	0.023	0.023 - 0.024
	5-yr	205,863	0.068	0.068 - 0.069	128,212	0.086	0.086 - 0.087	77,651	0.051	0.050 - 0.051
	10-yr	337,214	0.112	0.111 - 0.112	207,269	0.140	0.139 - 0.140	129,945	0.085	0.084 - 0.085
Race										
Non-Hispanic White	2-yr	69,940	0.038	0.037 - 0.038	44,605	0.049	0.048 - 0.049	25,335	0.027	0.027 - 0.027
	5-yr	151,177	0.081	0.081 - 0.082	95,684	0.104	0.104 - 0.105	55,493	0.059	0.058 - 0.059
	10-yr	250,438	0.135	0.134 - 0.135	156,198	0.170	0.170 - 0.171	94,240	0.100	0.099 - 0.101
Non-Hispanic Black	2-yr	11,702	0.029	0.029 - 0.030	7,066	0.037	0.036 - 0.038	4,636	0.022	0.022 - 0.023
	5-yr	24,558	0.061	0.061 - 0.062	14,560	0.076	0.075 - 0.077	9,998	0.048	0.047 - 0.049
	10-yr	38,967	0.097	0.096 - 0.098	22,820	0.119	0.118 - 0.121	16,147	0.077	0.076 - 0.079
Hispanic	2-yr	10,563	0.019	0.019 - 0.020	6,247	0.023	0.022 - 0.023	4,316	0.016	0.015 - 0.016
	5-yr	22,212	0.041	0.040 - 0.041	12,980	0.047	0.046 - 0.048	9,232	0.034	0.033 - 0.035
	10-yr	35,112	0.064	0.064 - 0.065	20,344	0.074	0.073 - 0.075	14,768	0.055	0.054 - 0.056
Current Age										
< 50	2-yr	14,165	0.007	0.007 - 0.007	8,523	0.009	0.008 - 0.009	5,641	0.006	0.006 - 0.006
	5-yr	28,472	0.014	0.014 - 0.015	16,782	0.017	0.017 - 0.017	11,690	0.012	0.012 - 0.012
	10-yr	41,926	0.021	0.021 - 0.021	24,238	0.024	0.024 - 0.025	17,688	0.018	0.018 - 0.018
50-64	2-yr	34,665	0.059	0.058 - 0.059	22,510	0.079	0.077 - 0.080	12,155	0.040	0.039 - 0.041
	5-yr	72,383	0.122	0.122 - 0.123	46,691	0.163	0.161 - 0.164	25,692	0.084	0.083 - 0.085
	10-yr	113,759	0.192	0.191 - 0.194	72,340	0.252	0.250 - 0.254	41,419	0.136	0.135 - 0.137
65+	2-yr	47,164	0.104	0.103 - 0.105	29,253	0.146	0.144 - 0.148	17,910	0.071	0.070 - 0.072
	5-yr	105,008	0.231	0.230 - 0.233	64,739	0.323	0.320 - 0.325	40,269	0.159	0.158 - 0.161
	10-yr	181,529	0.400	0.398 - 0.402	110,691	0.552	0.549 - 0.555	70,838	0.280	0.278 - 0.282
Canadian Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	3,940	0.029	0.028 - 0.029	2,547	0.037	0.036 - 0.038	1,393	0.020	0.019 - 0.021
	5-yr	8,328	0.060	0.059 - 0.062	5,343	0.077	0.075 - 0.080	2,985	0.043	0.042 - 0.045
	10-yr	13,159	0.095	0.094 - 0.097	8,231	0.119	0.117 - 0.122	4,928	0.071	0.069 - 0.073
Current Age										
< 50	2-yr	517	0.006	0.005 - 0.006	316	0.007	0.006 - 0.008	201	0.005	0.004 - 0.005
	5-yr	1,008	0.011	0.011 - 0.012	615	0.014	0.013 - 0.015	393	0.009	0.008 - 0.010
	10-yr	1,403	0.016	0.015 - 0.017	834	0.019	0.017 - 0.020	569	0.013	0.012 - 0.014
50-64	2-yr	1,446	0.050	0.048 - 0.053	958	0.067	0.063 - 0.071	488	0.034	0.031 - 0.037
	5-yr	3,021	0.105	0.102 - 0.109	1,966	0.137	0.131 - 0.143	1,055	0.074	0.069 - 0.078
	10-yr	4,583	0.160	0.155 - 0.165	2,923	0.204	0.196 - 0.211	1,660	0.116	0.110 - 0.122
65+	2-yr	1,977	0.092	0.088 - 0.096	1,273	0.128	0.121 - 0.135	704	0.061	0.056 - 0.065
	5-yr	4,299	0.200	0.194 - 0.206	2,762	0.278	0.268 - 0.289	1,537	0.133	0.126 - 0.140
	10-yr	7,173	0.333	0.326 - 0.341	4,474	0.450	0.437 - 0.464	2,699	0.233	0.224 - 0.242
North America Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	99,933	0.032	0.032 - 0.032	62,834	0.040	0.040 - 0.041	37,100	0.023	0.023 - 0.023
	5-yr	214,191	0.068	0.068 - 0.068	133,555	0.086	0.086 - 0.086	80,636	0.050	0.050 - 0.051
	10-yr	350,373	0.111	0.111 - 0.112	215,500	0.139	0.138 - 0.139	134,873	0.084	0.084 - 0.085
Current Age										
< 50	2-yr	14,682	0.007	0.007 - 0.007	8,839	0.008	0.008 - 0.009	5,842	0.006	0.006 - 0.006
	5-yr	29,480	0.014	0.014 - 0.014	17,397	0.017	0.016 - 0.017	12,083	0.012	0.012 - 0.012
	10-yr	43,329	0.021	0.021 - 0.021	25,072	0.024	0.024 - 0.024	18,257	0.018	0.018 - 0.018
50-64	2-yr	36,111	0.058	0.058 - 0.059	23,468	0.078	0.077 - 0.079	12,643	0.040	0.039 - 0.040
	5-yr	75,404	0.122	0.121 - 0.123	48,657	0.162	0.160 - 0.163	26,747	0.084	0.083 - 0.085
	10-yr	118,342	0.191	0.190 - 0.192	75,263	0.250	0.248 - 0.252	43,079	0.135	0.134 - 0.136
65+	2-yr	49,141	0.103	0.102 - 0.104	30,526	0.145	0.143 - 0.147	18,614	0.070	0.069 - 0.071
	5-yr	109,307	0.230	0.229 - 0.231	67,501	0.321	0.318 - 0.323	41,806	0.158	0.156 - 0.159
	10-yr	188,702	0.397	0.395 - 0.399	115,165	0.547	0.544 - 0.550	73,537	0.278	0.276 - 0.280

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Brain and Other Nervous System

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	24,952	0.008	0.008 - 0.008	13,888	0.009	0.009 - 0.010	11,065	0.007	0.007 - 0.007
	5-yr	45,418	0.015	0.015 - 0.015	24,821	0.017	0.017 - 0.017	20,597	0.013	0.013 - 0.014
	10-yr	72,379	0.024	0.024 - 0.024	39,013	0.026	0.026 - 0.027	33,366	0.022	0.022 - 0.022
Race										
Non-Hispanic White	2-yr	18,712	0.010	0.010 - 0.010	10,544	0.012	0.011 - 0.012	8,168	0.009	0.008 - 0.009
	5-yr	33,455	0.018	0.018 - 0.018	18,463	0.020	0.020 - 0.020	14,992	0.016	0.016 - 0.016
	10-yr	52,813	0.028	0.028 - 0.029	28,695	0.031	0.031 - 0.032	24,117	0.026	0.025 - 0.026
Non-Hispanic Black	2-yr	1,979	0.005	0.005 - 0.005	1,076	0.006	0.005 - 0.006	904	0.004	0.004 - 0.005
	5-yr	3,728	0.009	0.009 - 0.010	1,958	0.010	0.010 - 0.011	1,769	0.008	0.008 - 0.009
	10-yr	6,024	0.015	0.015 - 0.015	3,071	0.016	0.015 - 0.017	2,953	0.014	0.014 - 0.015
Hispanic	2-yr	3,000	0.005	0.005 - 0.006	1,604	0.006	0.006 - 0.006	1,396	0.005	0.005 - 0.005
	5-yr	5,814	0.011	0.010 - 0.011	3,116	0.011	0.011 - 0.012	2,698	0.010	0.010 - 0.010
	10-yr	9,615	0.018	0.017 - 0.018	5,153	0.019	0.018 - 0.019	4,462	0.017	0.016 - 0.017
Current Age										
< 50	2-yr	11,679	0.006	0.006 - 0.006	6,437	0.006	0.006 - 0.007	5,242	0.005	0.005 - 0.006
	5-yr	24,964	0.013	0.013 - 0.013	13,605	0.014	0.013 - 0.014	11,358	0.012	0.011 - 0.012
	10-yr	42,823	0.022	0.022 - 0.022	23,207	0.023	0.023 - 0.024	19,617	0.020	0.020 - 0.020
50-64	2-yr	7,188	0.012	0.012 - 0.012	4,073	0.014	0.014 - 0.015	3,115	0.010	0.010 - 0.011
	5-yr	11,607	0.020	0.019 - 0.020	6,454	0.023	0.022 - 0.023	5,153	0.017	0.016 - 0.017
	10-yr	17,337	0.029	0.029 - 0.030	9,383	0.033	0.032 - 0.033	7,954	0.026	0.026 - 0.027
65+	2-yr	6,085	0.013	0.013 - 0.014	3,377	0.017	0.016 - 0.017	2,708	0.011	0.010 - 0.011
	5-yr	8,848	0.019	0.019 - 0.020	4,762	0.024	0.023 - 0.024	4,086	0.016	0.016 - 0.017
	10-yr	12,218	0.027	0.026 - 0.027	6,423	0.032	0.031 - 0.033	5,795	0.023	0.022 - 0.023

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	1,033	0.007	0.007 - 0.008	612	0.009	0.008 - 0.010	421	0.006	0.006 - 0.007
	5-yr	1,847	0.013	0.013 - 0.014	1,082	0.016	0.015 - 0.017	765	0.011	0.010 - 0.012
	10-yr	2,832	0.021	0.020 - 0.021	1,608	0.023	0.022 - 0.024	1,224	0.018	0.017 - 0.019
Current Age										
< 50	2-yr	472	0.005	0.005 - 0.006	272	0.006	0.005 - 0.007	200	0.005	0.004 - 0.005
	5-yr	1,005	0.011	0.011 - 0.012	584	0.013	0.012 - 0.014	421	0.010	0.009 - 0.011
	10-yr	1,659	0.019	0.018 - 0.020	926	0.021	0.019 - 0.022	733	0.017	0.016 - 0.018
50-64	2-yr	319	0.011	0.010 - 0.012	200	0.014	0.012 - 0.016	119	0.008	0.007 - 0.010
	5-yr	515	0.018	0.016 - 0.020	310	0.022	0.019 - 0.024	205	0.014	0.012 - 0.016
	10-yr	734	0.026	0.024 - 0.028	436	0.030	0.028 - 0.033	298	0.021	0.019 - 0.023
65+	2-yr	242	0.011	0.010 - 0.013	140	0.014	0.012 - 0.017	102	0.009	0.007 - 0.011
	5-yr	327	0.015	0.014 - 0.017	188	0.019	0.016 - 0.022	139	0.012	0.010 - 0.014
	10-yr	439	0.020	0.019 - 0.022	246	0.025	0.022 - 0.028	193	0.017	0.014 - 0.019

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	25,985	0.008	0.008 - 0.008	14,500	0.009	0.009 - 0.009	11,486	0.007	0.007 - 0.007
	5-yr	47,265	0.015	0.015 - 0.015	25,903	0.017	0.016 - 0.017	21,362	0.013	0.013 - 0.014
	10-yr	75,211	0.024	0.024 - 0.024	40,621	0.026	0.026 - 0.026	34,590	0.022	0.021 - 0.022
Current Age										
< 50	2-yr	12,151	0.006	0.006 - 0.006	6,709	0.006	0.006 - 0.007	5,442	0.005	0.005 - 0.006
	5-yr	25,969	0.013	0.012 - 0.013	14,189	0.014	0.013 - 0.014	11,779	0.012	0.011 - 0.012
	10-yr	44,482	0.022	0.021 - 0.022	24,133	0.023	0.023 - 0.023	20,350	0.020	0.020 - 0.020
50-64	2-yr	7,507	0.012	0.012 - 0.012	4,273	0.014	0.014 - 0.015	3,234	0.010	0.010 - 0.011
	5-yr	12,122	0.020	0.019 - 0.020	6,764	0.022	0.022 - 0.023	5,358	0.017	0.016 - 0.017
	10-yr	18,071	0.029	0.029 - 0.030	9,819	0.033	0.032 - 0.033	8,252	0.026	0.025 - 0.026
65+	2-yr	6,327	0.013	0.013 - 0.014	3,517	0.017	0.016 - 0.017	2,810	0.011	0.010 - 0.011
	5-yr	9,175	0.019	0.019 - 0.020	4,950	0.024	0.023 - 0.024	4,225	0.016	0.015 - 0.016
	10-yr	12,657	0.027	0.026 - 0.027	6,669	0.032	0.031 - 0.032	5,988	0.023	0.022 - 0.023

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Thyroid

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	88,197	0.029	0.029 - 0.029	21,733	0.015	0.014 - 0.015	66,464	0.043	0.043 - 0.044
	5-yr	211,562	0.070	0.070 - 0.070	50,554	0.034	0.034 - 0.034	161,008	0.105	0.105 - 0.106
	10-yr	372,757	0.124	0.123 - 0.124	86,396	0.058	0.058 - 0.059	286,361	0.187	0.186 - 0.188
Race										
Non-Hispanic White	2-yr	62,096	0.033	0.033 - 0.034	16,623	0.018	0.018 - 0.018	45,473	0.048	0.048 - 0.049
	5-yr	151,538	0.081	0.081 - 0.082	39,230	0.043	0.042 - 0.043	112,308	0.119	0.118 - 0.120
	10-yr	272,043	0.146	0.146 - 0.147	68,013	0.074	0.074 - 0.075	204,030	0.216	0.215 - 0.217
Non-Hispanic Black	2-yr	6,956	0.017	0.017 - 0.018	1,294	0.007	0.006 - 0.007	5,662	0.027	0.026 - 0.028
	5-yr	16,279	0.041	0.040 - 0.041	2,853	0.015	0.014 - 0.015	13,426	0.064	0.063 - 0.065
	10-yr	27,455	0.069	0.068 - 0.069	4,699	0.025	0.024 - 0.025	22,756	0.109	0.108 - 0.111
Hispanic	2-yr	11,898	0.022	0.021 - 0.022	2,220	0.008	0.008 - 0.008	9,678	0.036	0.035 - 0.037
	5-yr	27,007	0.049	0.049 - 0.050	4,928	0.018	0.017 - 0.018	22,079	0.082	0.081 - 0.083
	10-yr	45,199	0.083	0.082 - 0.084	7,979	0.029	0.028 - 0.030	37,221	0.138	0.136 - 0.139
Current Age										
< 50	2-yr	39,450	0.020	0.020 - 0.020	7,530	0.008	0.007 - 0.008	31,920	0.033	0.032 - 0.033
	5-yr	89,120	0.045	0.045 - 0.046	16,774	0.017	0.017 - 0.017	72,345	0.074	0.074 - 0.075
	10-yr	144,072	0.073	0.073 - 0.074	26,262	0.026	0.026 - 0.027	117,810	0.121	0.120 - 0.122
50-64	2-yr	29,536	0.050	0.049 - 0.051	7,795	0.027	0.027 - 0.028	21,740	0.071	0.070 - 0.072
	5-yr	72,515	0.123	0.122 - 0.124	18,122	0.063	0.062 - 0.064	54,393	0.179	0.177 - 0.180
	10-yr	132,208	0.224	0.222 - 0.225	31,049	0.108	0.107 - 0.110	101,158	0.332	0.330 - 0.334
65+	2-yr	19,211	0.042	0.042 - 0.043	6,408	0.032	0.031 - 0.033	12,803	0.051	0.050 - 0.051
	5-yr	49,927	0.110	0.109 - 0.111	15,658	0.078	0.077 - 0.079	34,269	0.135	0.134 - 0.137
	10-yr	96,477	0.213	0.211 - 0.214	29,084	0.145	0.143 - 0.147	67,393	0.266	0.264 - 0.268
Canadian Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	3,088	0.022	0.022 - 0.023	831	0.012	0.011 - 0.013	2,257	0.033	0.031 - 0.034
	5-yr	7,494	0.054	0.053 - 0.056	1,903	0.028	0.026 - 0.029	5,591	0.081	0.079 - 0.083
	10-yr	12,726	0.092	0.091 - 0.094	3,133	0.045	0.044 - 0.047	9,593	0.139	0.136 - 0.142
Current Age										
< 50	2-yr	1,405	0.016	0.015 - 0.017	325	0.007	0.007 - 0.008	1,080	0.025	0.024 - 0.027
	5-yr	3,146	0.036	0.035 - 0.037	680	0.015	0.014 - 0.016	2,466	0.057	0.055 - 0.059
	10-yr	4,966	0.057	0.055 - 0.058	1,047	0.023	0.022 - 0.025	3,919	0.091	0.088 - 0.094
50-64	2-yr	1,032	0.036	0.034 - 0.038	296	0.021	0.018 - 0.023	736	0.051	0.048 - 0.055
	5-yr	2,596	0.091	0.087 - 0.094	658	0.046	0.042 - 0.049	1,938	0.135	0.129 - 0.142
	10-yr	4,587	0.160	0.155 - 0.165	1,102	0.077	0.072 - 0.081	3,485	0.244	0.236 - 0.252
65+	2-yr	651	0.030	0.028 - 0.033	210	0.021	0.018 - 0.024	441	0.038	0.035 - 0.042
	5-yr	1,752	0.081	0.078 - 0.085	565	0.057	0.052 - 0.062	1,187	0.102	0.097 - 0.108
	10-yr	3,173	0.147	0.142 - 0.153	984	0.099	0.093 - 0.105	2,189	0.189	0.181 - 0.197
North America Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	91,285	0.029	0.029 - 0.029	22,564	0.015	0.014 - 0.015	68,721	0.043	0.043 - 0.043
	5-yr	219,056	0.069	0.069 - 0.070	52,457	0.034	0.033 - 0.034	166,599	0.104	0.104 - 0.105
	10-yr	385,483	0.122	0.122 - 0.123	89,529	0.058	0.057 - 0.058	295,954	0.185	0.184 - 0.186
Current Age										
< 50	2-yr	40,855	0.020	0.020 - 0.020	7,855	0.008	0.007 - 0.008	33,000	0.032	0.032 - 0.033
	5-yr	92,266	0.045	0.045 - 0.045	17,454	0.017	0.017 - 0.017	74,811	0.074	0.073 - 0.074
	10-yr	149,038	0.072	0.072 - 0.073	27,309	0.026	0.026 - 0.027	121,729	0.120	0.119 - 0.121
50-64	2-yr	30,568	0.049	0.049 - 0.050	8,091	0.027	0.026 - 0.027	22,476	0.071	0.070 - 0.071
	5-yr	75,111	0.121	0.120 - 0.122	18,780	0.062	0.061 - 0.063	56,331	0.177	0.175 - 0.178
	10-yr	136,795	0.221	0.220 - 0.222	32,151	0.107	0.106 - 0.108	104,643	0.328	0.326 - 0.330
65+	2-yr	19,862	0.042	0.041 - 0.042	6,618	0.031	0.031 - 0.032	13,244	0.050	0.049 - 0.051
	5-yr	51,679	0.109	0.108 - 0.110	16,223	0.077	0.076 - 0.078	35,456	0.134	0.133 - 0.135
	10-yr	99,650	0.210	0.208 - 0.211	30,068	0.143	0.141 - 0.144	69,582	0.263	0.261 - 0.265

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Hodgkin Lymphoma

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	14,842	0.005	0.005 - 0.005	8,221	0.006	0.005 - 0.006	6,621	0.004	0.004 - 0.004
	5-yr	35,049	0.012	0.012 - 0.012	19,222	0.013	0.013 - 0.013	15,827	0.010	0.010 - 0.011
	10-yr	65,961	0.022	0.022 - 0.022	35,831	0.024	0.024 - 0.024	30,130	0.020	0.019 - 0.020
Race										
Non-Hispanic White	2-yr	10,093	0.005	0.005 - 0.006	5,660	0.006	0.006 - 0.006	4,434	0.005	0.005 - 0.005
	5-yr	24,108	0.013	0.013 - 0.013	13,300	0.015	0.014 - 0.015	10,808	0.011	0.011 - 0.012
	10-yr	46,263	0.025	0.025 - 0.025	25,229	0.028	0.027 - 0.028	21,034	0.022	0.022 - 0.023
Non-Hispanic Black	2-yr	1,979	0.005	0.005 - 0.005	1,071	0.006	0.005 - 0.006	908	0.004	0.004 - 0.005
	5-yr	4,668	0.012	0.011 - 0.012	2,476	0.013	0.012 - 0.013	2,192	0.011	0.010 - 0.011
	10-yr	8,348	0.021	0.020 - 0.021	4,371	0.023	0.022 - 0.024	3,977	0.019	0.018 - 0.020
Hispanic	2-yr	2,041	0.004	0.004 - 0.004	1,093	0.004	0.004 - 0.004	948	0.004	0.003 - 0.004
	5-yr	4,659	0.009	0.008 - 0.009	2,562	0.009	0.009 - 0.010	2,097	0.008	0.007 - 0.008
	10-yr	8,455	0.015	0.015 - 0.016	4,655	0.017	0.016 - 0.017	3,800	0.014	0.014 - 0.015
Current Age										
< 50	2-yr	9,686	0.005	0.005 - 0.005	5,175	0.005	0.005 - 0.005	4,511	0.005	0.005 - 0.005
	5-yr	23,064	0.012	0.012 - 0.012	12,285	0.012	0.012 - 0.013	10,779	0.011	0.011 - 0.011
	10-yr	43,222	0.022	0.022 - 0.022	22,752	0.023	0.023 - 0.023	20,470	0.021	0.021 - 0.021
50-64	2-yr	2,773	0.005	0.005 - 0.005	1,705	0.006	0.006 - 0.006	1,068	0.004	0.003 - 0.004
	5-yr	6,563	0.011	0.011 - 0.011	4,001	0.014	0.014 - 0.014	2,561	0.008	0.008 - 0.009
	10-yr	12,788	0.022	0.021 - 0.022	7,730	0.027	0.026 - 0.028	5,058	0.017	0.016 - 0.017
65+	2-yr	2,383	0.005	0.005 - 0.005	1,341	0.007	0.006 - 0.007	1,041	0.004	0.004 - 0.004
	5-yr	5,422	0.012	0.012 - 0.012	2,935	0.015	0.014 - 0.015	2,487	0.010	0.009 - 0.010
	10-yr	9,951	0.022	0.022 - 0.022	5,349	0.027	0.026 - 0.027	4,602	0.018	0.018 - 0.019

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	664	0.005	0.004 - 0.005	378	0.005	0.005 - 0.006	286	0.004	0.004 - 0.005
	5-yr	1,509	0.011	0.010 - 0.011	857	0.012	0.012 - 0.013	652	0.009	0.009 - 0.010
	10-yr	2,816	0.020	0.020 - 0.021	1,570	0.023	0.022 - 0.024	1,246	0.018	0.017 - 0.019
Current Age										
< 50	2-yr	453	0.005	0.005 - 0.006	245	0.005	0.005 - 0.006	208	0.005	0.004 - 0.006
	5-yr	1,015	0.012	0.011 - 0.012	567	0.013	0.012 - 0.014	448	0.010	0.009 - 0.011
	10-yr	1,915	0.022	0.021 - 0.023	1,043	0.023	0.022 - 0.025	872	0.020	0.019 - 0.022
50-64	2-yr	97	0.003	0.003 - 0.004	66	0.005	0.004 - 0.006	31	0.002	0.001 - 0.003
	5-yr	238	0.008	0.007 - 0.009	146	0.010	0.009 - 0.012	92	0.006	0.005 - 0.008
	10-yr	461	0.016	0.015 - 0.018	284	0.020	0.018 - 0.022	177	0.012	0.011 - 0.014
65+	2-yr	114	0.005	0.004 - 0.006	67	0.007	0.005 - 0.009	47	0.004	0.003 - 0.005
	5-yr	256	0.012	0.010 - 0.013	144	0.014	0.012 - 0.017	112	0.010	0.008 - 0.012
	10-yr	440	0.020	0.019 - 0.022	243	0.024	0.021 - 0.028	197	0.017	0.015 - 0.020

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	15,506	0.005	0.005 - 0.005	8,599	0.006	0.005 - 0.006	6,907	0.004	0.004 - 0.004
	5-yr	36,558	0.012	0.011 - 0.012	20,079	0.013	0.013 - 0.013	16,479	0.010	0.010 - 0.010
	10-yr	68,777	0.022	0.022 - 0.022	37,401	0.024	0.024 - 0.024	31,376	0.020	0.019 - 0.020
Current Age										
< 50	2-yr	10,139	0.005	0.005 - 0.005	5,420	0.005	0.005 - 0.005	4,719	0.005	0.005 - 0.005
	5-yr	24,079	0.012	0.012 - 0.012	12,852	0.012	0.012 - 0.013	11,227	0.011	0.011 - 0.011
	10-yr	45,137	0.022	0.022 - 0.022	23,795	0.023	0.023 - 0.023	21,342	0.021	0.021 - 0.021
50-64	2-yr	2,870	0.005	0.004 - 0.005	1,771	0.006	0.006 - 0.006	1,099	0.003	0.003 - 0.004
	5-yr	6,801	0.011	0.011 - 0.011	4,147	0.014	0.013 - 0.014	2,653	0.008	0.008 - 0.009
	10-yr	13,249	0.021	0.021 - 0.022	8,014	0.027	0.026 - 0.027	5,235	0.016	0.016 - 0.017
65+	2-yr	2,497	0.005	0.005 - 0.005	1,408	0.007	0.006 - 0.007	1,088	0.004	0.004 - 0.004
	5-yr	5,678	0.012	0.012 - 0.012	3,079	0.015	0.014 - 0.015	2,599	0.010	0.009 - 0.010
	10-yr	10,391	0.022	0.021 - 0.022	5,592	0.027	0.026 - 0.027	4,799	0.018	0.018 - 0.019

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Non-Hodgkin Lymphoma

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	104,979	0.035	0.035 - 0.035	56,998	0.038	0.038 - 0.039	47,981	0.031	0.031 - 0.032
	5-yr	227,046	0.075	0.075 - 0.076	121,807	0.082	0.082 - 0.083	105,239	0.069	0.068 - 0.069
	10-yr	376,039	0.125	0.124 - 0.125	198,909	0.134	0.133 - 0.135	177,130	0.116	0.115 - 0.116
Race										
Non-Hispanic White	2-yr	80,896	0.044	0.043 - 0.044	44,491	0.049	0.048 - 0.049	36,406	0.039	0.038 - 0.039
	5-yr	175,962	0.095	0.094 - 0.095	95,478	0.104	0.103 - 0.105	80,484	0.085	0.085 - 0.086
	10-yr	293,655	0.158	0.157 - 0.158	156,758	0.171	0.170 - 0.172	136,897	0.145	0.144 - 0.146
Non-Hispanic Black	2-yr	8,331	0.021	0.020 - 0.021	4,320	0.023	0.022 - 0.023	4,011	0.019	0.019 - 0.020
	5-yr	17,760	0.044	0.044 - 0.045	9,020	0.047	0.046 - 0.048	8,741	0.042	0.041 - 0.043
	10-yr	28,979	0.072	0.072 - 0.073	14,603	0.076	0.075 - 0.078	14,376	0.069	0.068 - 0.070
Hispanic	2-yr	10,029	0.018	0.018 - 0.019	5,122	0.019	0.018 - 0.019	4,908	0.018	0.018 - 0.019
	5-yr	21,136	0.039	0.038 - 0.039	10,842	0.039	0.039 - 0.040	10,294	0.038	0.037 - 0.039
	10-yr	34,158	0.063	0.062 - 0.063	17,471	0.063	0.062 - 0.064	16,687	0.062	0.061 - 0.063
Current Age										
< 50	2-yr	15,243	0.008	0.008 - 0.008	8,948	0.009	0.009 - 0.009	6,295	0.006	0.006 - 0.007
	5-yr	32,558	0.017	0.016 - 0.017	18,992	0.019	0.019 - 0.019	13,567	0.014	0.014 - 0.014
	10-yr	52,930	0.027	0.027 - 0.027	30,936	0.031	0.031 - 0.031	21,995	0.023	0.022 - 0.023
50-64	2-yr	30,702	0.052	0.051 - 0.053	16,927	0.059	0.058 - 0.060	13,775	0.045	0.045 - 0.046
	5-yr	64,979	0.110	0.109 - 0.111	35,484	0.124	0.122 - 0.125	29,494	0.097	0.096 - 0.098
	10-yr	105,623	0.179	0.178 - 0.180	57,619	0.201	0.199 - 0.203	48,004	0.158	0.156 - 0.159
65+	2-yr	59,034	0.130	0.129 - 0.131	31,122	0.155	0.153 - 0.157	27,912	0.110	0.109 - 0.112
	5-yr	129,509	0.285	0.284 - 0.287	67,331	0.336	0.333 - 0.338	62,178	0.246	0.244 - 0.248
	10-yr	217,486	0.479	0.477 - 0.481	110,355	0.550	0.547 - 0.553	107,132	0.423	0.421 - 0.426
Canadian Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	5,009	0.036	0.035 - 0.037	2,718	0.039	0.038 - 0.041	2,291	0.033	0.032 - 0.035
	5-yr	10,597	0.077	0.075 - 0.078	5,764	0.084	0.081 - 0.086	4,833	0.070	0.068 - 0.072
	10-yr	17,351	0.126	0.124 - 0.128	9,317	0.135	0.132 - 0.138	8,034	0.116	0.114 - 0.119
Current Age										
< 50	2-yr	688	0.008	0.007 - 0.008	407	0.009	0.008 - 0.010	281	0.007	0.006 - 0.007
	5-yr	1,441	0.016	0.016 - 0.017	861	0.019	0.018 - 0.021	580	0.013	0.012 - 0.015
	10-yr	2,260	0.026	0.025 - 0.027	1,351	0.030	0.029 - 0.032	909	0.021	0.020 - 0.022
50-64	2-yr	1,527	0.053	0.051 - 0.056	816	0.057	0.053 - 0.061	711	0.050	0.046 - 0.053
	5-yr	3,149	0.110	0.106 - 0.114	1,726	0.120	0.115 - 0.126	1,423	0.099	0.094 - 0.105
	10-yr	5,117	0.179	0.174 - 0.183	2,807	0.196	0.188 - 0.203	2,310	0.161	0.155 - 0.168
65+	2-yr	2,794	0.130	0.125 - 0.135	1,495	0.150	0.143 - 0.158	1,299	0.112	0.106 - 0.118
	5-yr	6,007	0.279	0.272 - 0.286	3,177	0.320	0.309 - 0.331	2,830	0.244	0.235 - 0.254
	10-yr	9,974	0.464	0.454 - 0.473	5,159	0.519	0.505 - 0.534	4,815	0.416	0.404 - 0.428
North America Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	109,988	0.035	0.035 - 0.035	59,716	0.038	0.038 - 0.039	50,272	0.031	0.031 - 0.032
	5-yr	237,643	0.075	0.075 - 0.076	127,571	0.082	0.082 - 0.083	110,072	0.069	0.068 - 0.069
	10-yr	393,390	0.125	0.124 - 0.125	208,226	0.134	0.133 - 0.135	185,164	0.116	0.115 - 0.116
Current Age										
< 50	2-yr	15,931	0.008	0.008 - 0.008	9,355	0.009	0.009 - 0.009	6,576	0.006	0.006 - 0.007
	5-yr	33,999	0.017	0.016 - 0.017	19,853	0.019	0.019 - 0.019	14,147	0.014	0.014 - 0.014
	10-yr	55,190	0.027	0.027 - 0.027	32,287	0.031	0.031 - 0.031	22,904	0.023	0.022 - 0.023
50-64	2-yr	32,229	0.052	0.051 - 0.053	17,743	0.059	0.058 - 0.060	14,486	0.045	0.045 - 0.046
	5-yr	68,128	0.110	0.109 - 0.111	37,210	0.124	0.122 - 0.125	30,917	0.097	0.096 - 0.098
	10-yr	110,740	0.179	0.178 - 0.180	60,426	0.201	0.199 - 0.202	50,314	0.158	0.157 - 0.159
65+	2-yr	61,828	0.130	0.129 - 0.131	32,617	0.155	0.153 - 0.157	29,211	0.110	0.109 - 0.112
	5-yr	135,516	0.285	0.284 - 0.287	70,508	0.335	0.332 - 0.337	65,008	0.246	0.244 - 0.247
	10-yr	227,460	0.479	0.477 - 0.481	115,514	0.549	0.545 - 0.552	111,947	0.423	0.420 - 0.425

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Myeloma

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	36,825	0.012	0.012 - 0.012	20,531	0.014	0.014 - 0.014	16,295	0.011	0.010 - 0.011
	5-yr	72,609	0.024	0.024 - 0.024	40,210	0.027	0.027 - 0.027	32,399	0.021	0.021 - 0.021
	10-yr	100,327	0.033	0.033 - 0.033	55,015	0.037	0.037 - 0.037	45,311	0.030	0.029 - 0.030
Race										
Non-Hispanic White	2-yr	24,040	0.013	0.013 - 0.013	13,961	0.015	0.015 - 0.015	10,079	0.011	0.010 - 0.011
	5-yr	47,352	0.025	0.025 - 0.026	27,313	0.030	0.029 - 0.030	20,039	0.021	0.021 - 0.022
	10-yr	65,443	0.035	0.035 - 0.035	37,402	0.041	0.040 - 0.041	28,041	0.030	0.029 - 0.030
Non-Hispanic Black	2-yr	7,583	0.019	0.019 - 0.019	3,789	0.020	0.019 - 0.020	3,794	0.018	0.018 - 0.019
	5-yr	15,141	0.038	0.037 - 0.038	7,440	0.039	0.038 - 0.040	7,701	0.037	0.036 - 0.038
	10-yr	20,993	0.052	0.052 - 0.053	10,167	0.053	0.052 - 0.054	10,826	0.052	0.051 - 0.053
Hispanic	2-yr	3,450	0.006	0.006 - 0.007	1,801	0.007	0.006 - 0.007	1,649	0.006	0.006 - 0.006
	5-yr	6,770	0.012	0.012 - 0.013	3,618	0.013	0.013 - 0.014	3,152	0.012	0.011 - 0.012
	10-yr	9,348	0.017	0.017 - 0.017	4,982	0.018	0.018 - 0.019	4,366	0.016	0.016 - 0.017
Current Age										
< 50	2-yr	2,413	0.001	0.001 - 0.001	1,298	0.001	0.001 - 0.001	1,115	0.001	0.001 - 0.001
	5-yr	4,631	0.002	0.002 - 0.002	2,543	0.003	0.002 - 0.003	2,088	0.002	0.002 - 0.002
	10-yr	5,992	0.003	0.003 - 0.003	3,336	0.003	0.003 - 0.003	2,655	0.003	0.003 - 0.003
50-64	2-yr	11,325	0.019	0.019 - 0.020	6,462	0.023	0.022 - 0.023	4,863	0.016	0.016 - 0.016
	5-yr	22,215	0.038	0.037 - 0.038	12,538	0.044	0.043 - 0.045	9,677	0.032	0.031 - 0.032
	10-yr	30,561	0.052	0.051 - 0.052	16,982	0.059	0.058 - 0.060	13,579	0.045	0.044 - 0.045
65+	2-yr	23,087	0.051	0.050 - 0.052	12,771	0.064	0.063 - 0.065	10,317	0.041	0.040 - 0.042
	5-yr	45,763	0.101	0.100 - 0.102	25,129	0.125	0.124 - 0.127	20,634	0.081	0.080 - 0.083
	10-yr	63,774	0.141	0.139 - 0.142	34,696	0.173	0.171 - 0.175	29,077	0.115	0.114 - 0.116

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	1,514	0.011	0.010 - 0.012	880	0.013	0.012 - 0.014	634	0.009	0.008 - 0.010
	5-yr	2,897	0.021	0.020 - 0.022	1,694	0.025	0.023 - 0.026	1,203	0.017	0.016 - 0.018
	10-yr	3,899	0.028	0.027 - 0.029	2,265	0.033	0.031 - 0.034	1,634	0.024	0.023 - 0.025
Current Age										
< 50	2-yr	72	0.001	0.001 - 0.001	43	0.001	0.001 - 0.001	29	0.001	0.000 - 0.001
	5-yr	135	0.002	0.001 - 0.002	83	0.002	0.001 - 0.002	52	0.001	0.001 - 0.002
	10-yr	181	0.002	0.002 - 0.002	115	0.003	0.002 - 0.003	66	0.002	0.001 - 0.002
50-64	2-yr	440	0.015	0.014 - 0.017	270	0.019	0.017 - 0.021	170	0.012	0.010 - 0.014
	5-yr	837	0.029	0.027 - 0.031	518	0.036	0.033 - 0.039	319	0.022	0.020 - 0.025
	10-yr	1,105	0.039	0.036 - 0.041	665	0.046	0.043 - 0.050	440	0.031	0.028 - 0.034
65+	2-yr	1,002	0.047	0.044 - 0.050	567	0.057	0.052 - 0.062	435	0.038	0.034 - 0.041
	5-yr	1,925	0.089	0.086 - 0.094	1,093	0.110	0.104 - 0.117	832	0.072	0.067 - 0.077
	10-yr	2,613	0.121	0.117 - 0.126	1,485	0.149	0.142 - 0.157	1,128	0.097	0.092 - 0.103

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	38,339	0.012	0.012 - 0.012	21,411	0.014	0.014 - 0.014	16,929	0.011	0.010 - 0.011
	5-yr	75,506	0.024	0.024 - 0.024	41,904	0.027	0.027 - 0.027	33,602	0.021	0.021 - 0.021
	10-yr	104,226	0.033	0.033 - 0.033	57,280	0.037	0.037 - 0.037	46,945	0.029	0.029 - 0.030
Current Age										
< 50	2-yr	2,485	0.001	0.001 - 0.001	1,341	0.001	0.001 - 0.001	1,144	0.001	0.001 - 0.001
	5-yr	4,766	0.002	0.002 - 0.002	2,626	0.003	0.002 - 0.003	2,140	0.002	0.002 - 0.002
	10-yr	6,173	0.003	0.003 - 0.003	3,451	0.003	0.003 - 0.003	2,721	0.003	0.003 - 0.003
50-64	2-yr	11,765	0.019	0.019 - 0.019	6,732	0.022	0.022 - 0.023	5,033	0.016	0.015 - 0.016
	5-yr	23,052	0.037	0.037 - 0.038	13,056	0.043	0.043 - 0.044	9,996	0.031	0.031 - 0.032
	10-yr	31,666	0.051	0.051 - 0.052	17,647	0.059	0.058 - 0.059	14,019	0.044	0.043 - 0.045
65+	2-yr	24,089	0.051	0.050 - 0.051	13,338	0.063	0.062 - 0.064	10,752	0.041	0.040 - 0.041
	5-yr	47,688	0.100	0.099 - 0.101	26,222	0.125	0.123 - 0.126	21,466	0.081	0.080 - 0.082
	10-yr	66,387	0.140	0.139 - 0.141	36,181	0.172	0.170 - 0.174	30,205	0.114	0.113 - 0.115

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Leukemias

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	67,100	0.022	0.022 - 0.022	39,331	0.027	0.026 - 0.027	27,768	0.018	0.018 - 0.018
	5-yr	140,094	0.046	0.046 - 0.047	81,502	0.055	0.055 - 0.055	58,591	0.038	0.038 - 0.039
	10-yr	222,771	0.074	0.074 - 0.074	128,703	0.087	0.086 - 0.087	94,068	0.061	0.061 - 0.062
Race										
Non-Hispanic White	2-yr	50,817	0.027	0.027 - 0.028	30,299	0.033	0.033 - 0.033	20,519	0.022	0.021 - 0.022
	5-yr	106,478	0.057	0.057 - 0.058	62,857	0.069	0.068 - 0.069	43,622	0.046	0.046 - 0.047
	10-yr	169,600	0.091	0.091 - 0.092	99,225	0.108	0.108 - 0.109	70,375	0.075	0.074 - 0.075
Non-Hispanic Black	2-yr	5,455	0.014	0.013 - 0.014	2,942	0.015	0.015 - 0.016	2,513	0.012	0.012 - 0.013
	5-yr	11,227	0.028	0.028 - 0.029	6,065	0.032	0.031 - 0.033	5,162	0.025	0.024 - 0.025
	10-yr	17,202	0.043	0.042 - 0.044	9,287	0.049	0.048 - 0.050	7,915	0.038	0.037 - 0.039
Hispanic	2-yr	7,005	0.013	0.013 - 0.013	3,925	0.014	0.014 - 0.015	3,080	0.011	0.011 - 0.012
	5-yr	14,605	0.027	0.026 - 0.027	8,137	0.029	0.029 - 0.030	6,468	0.024	0.023 - 0.025
	10-yr	23,755	0.043	0.043 - 0.044	13,242	0.048	0.047 - 0.049	10,513	0.039	0.038 - 0.040
Current Age										
< 50	2-yr	15,708	0.008	0.008 - 0.008	8,842	0.009	0.009 - 0.009	6,866	0.007	0.007 - 0.007
	5-yr	33,596	0.017	0.017 - 0.017	18,774	0.019	0.019 - 0.019	14,821	0.015	0.015 - 0.015
	10-yr	56,770	0.029	0.029 - 0.029	31,824	0.032	0.032 - 0.032	24,945	0.026	0.025 - 0.026
50-64	2-yr	17,284	0.029	0.029 - 0.030	10,360	0.036	0.035 - 0.037	6,924	0.023	0.022 - 0.023
	5-yr	35,381	0.060	0.059 - 0.060	21,270	0.074	0.073 - 0.075	14,111	0.046	0.046 - 0.047
	10-yr	54,088	0.092	0.091 - 0.092	32,326	0.113	0.112 - 0.114	21,762	0.072	0.071 - 0.072
65+	2-yr	34,108	0.075	0.074 - 0.076	20,129	0.100	0.099 - 0.102	13,979	0.055	0.054 - 0.056
	5-yr	71,117	0.157	0.156 - 0.158	41,458	0.207	0.205 - 0.209	29,659	0.117	0.116 - 0.118
	10-yr	111,913	0.247	0.245 - 0.248	64,553	0.322	0.319 - 0.324	47,360	0.187	0.185 - 0.189

Canadian Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	3,144	0.023	0.022 - 0.024	1,919	0.028	0.027 - 0.029	1,225	0.018	0.017 - 0.019
	5-yr	6,897	0.050	0.049 - 0.051	4,220	0.061	0.059 - 0.063	2,677	0.039	0.037 - 0.040
	10-yr	11,588	0.084	0.082 - 0.085	6,968	0.101	0.099 - 0.103	4,620	0.067	0.065 - 0.069
Current Age										
< 50	2-yr	588	0.007	0.006 - 0.007	325	0.007	0.007 - 0.008	263	0.006	0.005 - 0.007
	5-yr	1,337	0.015	0.014 - 0.016	764	0.017	0.016 - 0.018	573	0.013	0.012 - 0.014
	10-yr	2,294	0.026	0.025 - 0.027	1,318	0.029	0.028 - 0.031	976	0.023	0.021 - 0.024
50-64	2-yr	864	0.030	0.028 - 0.032	540	0.038	0.035 - 0.041	324	0.023	0.020 - 0.025
	5-yr	1,832	0.064	0.061 - 0.067	1,152	0.080	0.076 - 0.085	680	0.048	0.044 - 0.051
	10-yr	2,973	0.104	0.100 - 0.108	1,846	0.129	0.123 - 0.135	1,127	0.079	0.074 - 0.083
65+	2-yr	1,692	0.079	0.075 - 0.082	1,054	0.106	0.100 - 0.113	638	0.055	0.051 - 0.060
	5-yr	3,728	0.173	0.168 - 0.179	2,304	0.232	0.222 - 0.242	1,424	0.123	0.117 - 0.130
	10-yr	6,321	0.294	0.287 - 0.301	3,804	0.383	0.371 - 0.395	2,517	0.217	0.209 - 0.226

North America Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*	*Count*	*Prev %*	*95% C.I.[2]*
Total	2-yr	70,244	0.022	0.022 - 0.022	41,250	0.027	0.026 - 0.027	28,993	0.018	0.018 - 0.018
	5-yr	146,991	0.047	0.046 - 0.047	85,722	0.055	0.055 - 0.056	61,268	0.038	0.038 - 0.039
	10-yr	234,359	0.074	0.074 - 0.075	135,671	0.087	0.087 - 0.088	98,688	0.062	0.061 - 0.062
Current Age										
< 50	2-yr	16,296	0.008	0.008 - 0.008	9,167	0.009	0.009 - 0.009	7,129	0.007	0.007 - 0.007
	5-yr	34,933	0.017	0.017 - 0.017	19,538	0.019	0.018 - 0.019	15,394	0.015	0.015 - 0.015
	10-yr	59,064	0.029	0.028 - 0.029	33,142	0.032	0.031 - 0.032	25,921	0.026	0.025 - 0.026
50-64	2-yr	18,148	0.029	0.029 - 0.030	10,900	0.036	0.036 - 0.037	7,248	0.023	0.022 - 0.023
	5-yr	37,213	0.060	0.059 - 0.061	22,422	0.074	0.074 - 0.075	14,791	0.046	0.046 - 0.047
	10-yr	57,061	0.092	0.091 - 0.093	34,172	0.114	0.112 - 0.115	22,889	0.072	0.071 - 0.073
65+	2-yr	35,800	0.075	0.075 - 0.076	21,183	0.101	0.099 - 0.102	14,617	0.055	0.054 - 0.056
	5-yr	74,845	0.157	0.156 - 0.159	43,762	0.208	0.206 - 0.210	31,083	0.117	0.116 - 0.119
	10-yr	118,234	0.249	0.247 - 0.250	68,357	0.325	0.322 - 0.327	49,877	0.188	0.187 - 0.190

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016
by Race and Age for the United States, Canada and North America Combined, Mesothelioma

U.S. Combined[1]	LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	2,810	0.001	0.001 - 0.001	2,026	0.001	0.001 - 0.001	784	0.001	0.000 - 0.001
	5-yr	4,028	0.001	0.001 - 0.001	2,777	0.002	0.002 - 0.002	1,250	0.001	0.001 - 0.001
	10-yr	4,896	0.002	0.002 - 0.002	3,249	0.002	0.002 - 0.002	1,647	0.001	0.001 - 0.001
Race										
Non-Hispanic White	2-yr	2,413	0.001	0.001 - 0.001	1,751	0.002	0.002 - 0.002	662	0.001	0.001 - 0.001
	5-yr	3,437	0.002	0.002 - 0.002	2,399	0.003	0.003 - 0.003	1,038	0.001	0.001 - 0.001
	10-yr	4,105	0.002	0.002 - 0.002	2,770	0.003	0.003 - 0.003	1,335	0.001	0.001 - 0.001
Non-Hispanic Black	2-yr	122	0.000	0.000 - 0.000	86	0.000	0.000 - 0.001	36	0.000	0.000 - 0.000
	5-yr	192	0.000	0.000 - 0.001	120	0.001	0.001 - 0.001	72	0.000	0.000 - 0.000
	10-yr	268	0.001	0.001 - 0.001	156	0.001	0.001 - 0.001	112	0.001	0.000 - 0.001
Hispanic	2-yr	209	0.000	0.000 - 0.000	140	0.001	0.000 - 0.001	68	0.000	0.000 - 0.000
	5-yr	302	0.001	0.000 - 0.001	193	0.001	0.001 - 0.001	108	0.000	0.000 - 0.000
	10-yr	402	0.001	0.001 - 0.001	245	0.001	0.001 - 0.001	157	0.001	0.000 - 0.001
Current Age										
< 50	2-yr	188	0.000	0.000 - 0.000	81	0.000	0.000 - 0.000	107	0.000	0.000 - 0.000
	5-yr	321	0.000	0.000 - 0.000	140	0.000	0.000 - 0.000	182	0.000	0.000 - 0.000
	10-yr	452	0.000	0.000 - 0.000	187	0.000	0.000 - 0.000	265	0.000	0.000 - 0.000
50-64	2-yr	536	0.001	0.001 - 0.001	349	0.001	0.001 - 0.001	187	0.001	0.001 - 0.001
	5-yr	850	0.001	0.001 - 0.002	522	0.002	0.002 - 0.002	328	0.001	0.001 - 0.001
	10-yr	1,087	0.002	0.002 - 0.002	638	0.002	0.002 - 0.002	449	0.001	0.001 - 0.002
65+	2-yr	2,086	0.005	0.004 - 0.005	1,596	0.008	0.008 - 0.008	490	0.002	0.002 - 0.002
	5-yr	2,857	0.006	0.006 - 0.007	2,116	0.011	0.010 - 0.011	741	0.003	0.003 - 0.003
	10-yr	3,358	0.007	0.007 - 0.008	2,424	0.012	0.012 - 0.013	933	0.004	0.003 - 0.004
Canadian Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	212	0.002	0.001 - 0.002	159	0.002	0.002 - 0.003	53	0.001	0.001 - 0.001
	5-yr	269	0.002	0.002 - 0.002	198	0.003	0.002 - 0.003	71	0.001	0.001 - 0.001
	10-yr	294	0.002	0.002 - 0.002	216	0.003	0.003 - 0.004	78	0.001	0.001 - 0.001
Current Age										
< 50	2-yr	-	-		-	-		-	-	
	5-yr	13	0.000	0.000 - 0.000	-	-		-	-	
	10-yr	15	0.000	0.000 - 0.000	-	-		-	-	
50-64	2-yr	51	0.002	0.001 - 0.002	37	0.003	0.002 - 0.004	14	0.001	0.001 - 0.002
	5-yr	64	0.002	0.002 - 0.003	44	0.003	0.002 - 0.004	20	0.001	0.001 - 0.002
	10-yr	68	0.002	0.002 - 0.003	46	0.003	0.002 - 0.004	22	0.002	0.001 - 0.002
65+	2-yr	155	0.007	0.006 - 0.008	119	0.012	0.010 - 0.014	36	0.003	0.002 - 0.004
	5-yr	192	0.009	0.008 - 0.010	146	0.015	0.012 - 0.017	46	0.004	0.003 - 0.005
	10-yr	211	0.010	0.009 - 0.011	161	0.016	0.014 - 0.019	50	0.004	0.003 - 0.006
North America Combined[1]	**LD Prev**	**MALES AND FEMALES**			**MALES**			**FEMALES**		
Subgroup	*Years*	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
Total	2-yr	3,022	0.001	0.001 - 0.001	2,185	0.001	0.001 - 0.001	837	0.001	0.000 - 0.001
	5-yr	4,297	0.001	0.001 - 0.001	2,975	0.002	0.002 - 0.002	1,321	0.001	0.001 - 0.001
	10-yr	5,190	0.002	0.002 - 0.002	3,465	0.002	0.002 - 0.002	1,725	0.001	0.001 - 0.001
Current Age										
< 50	2-yr	194	0.000	0.000 - 0.000	84	0.000	0.000 - 0.000	110	0.000	0.000 - 0.000
	5-yr	334	0.000	0.000 - 0.000	148	0.000	0.000 - 0.000	187	0.000	0.000 - 0.000
	10-yr	467	0.000	0.000 - 0.000	196	0.000	0.000 - 0.000	271	0.000	0.000 - 0.000
50-64	2-yr	587	0.001	0.001 - 0.001	386	0.001	0.001 - 0.001	201	0.001	0.001 - 0.001
	5-yr	914	0.001	0.001 - 0.002	566	0.002	0.002 - 0.002	348	0.001	0.001 - 0.001
	10-yr	1,155	0.002	0.002 - 0.002	684	0.002	0.002 - 0.002	471	0.001	0.001 - 0.002
65+	2-yr	2,241	0.005	0.005 - 0.005	1,715	0.008	0.008 - 0.009	526	0.002	0.002 - 0.002
	5-yr	3,049	0.006	0.006 - 0.007	2,262	0.011	0.010 - 0.011	787	0.003	0.003 - 0.003
	10-yr	3,569	0.008	0.007 - 0.008	2,585	0.012	0.012 - 0.013	983	0.004	0.003 - 0.004

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Section III

Two, Five and Ten Year Limited-Duration Prevalence for Cancers Diagnosed 2006-2015, by Registry and Race

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**2,290,779**	**0.760**	**0.759 - 0.761**	**1,116,926**	**0.753**	**0.751 - 0.754**	**1,173,853**	**0.767**	**0.766 - 0.769**
Alabama	37,783	0.778	0.770 - 0.786	19,156	0.814	0.803 - 0.826	18,627	0.744	0.734 - 0.755
Alaska	4,240	0.573	0.556 - 0.591	2,059	0.532	0.509 - 0.555	2,181	0.619	0.593 - 0.645
Arizona	45,055	0.657	0.651 - 0.663	21,930	0.643	0.635 - 0.652	23,125	0.671	0.662 - 0.679
Arkansas	24,112	0.809	0.798 - 0.819	12,496	0.853	0.838 - 0.868	11,616	0.766	0.752 - 0.780
California	251,305	0.642	0.639 - 0.644	119,293	0.613	0.610 - 0.617	132,012	0.670	0.666 - 0.673
CA - Greater California	141,913	0.655	0.652 - 0.659	67,880	0.629	0.624 - 0.634	74,033	0.681	0.677 - 0.686
CA - Greater Bay Area	50,559	0.686	0.680 - 0.692	24,121	0.657	0.649 - 0.666	26,438	0.714	0.705 - 0.723
CA - Los Angeles	58,845	0.581	0.576 - 0.585	27,308	0.547	0.540 - 0.553	31,538	0.613	0.607 - 0.620
Colorado	35,129	0.640	0.634 - 0.647	16,963	0.615	0.606 - 0.624	18,166	0.666	0.656 - 0.676
Connecticut	31,871	0.888	0.878 - 0.897	15,282	0.872	0.859 - 0.886	16,589	0.902	0.888 - 0.916
Delaware	8,883	0.937	0.917 - 0.956	4,469	0.973	0.945 - 1.002	4,414	0.902	0.876 - 0.929
Florida	175,403	0.857	0.853 - 0.861	87,823	0.878	0.872 - 0.884	87,580	0.837	0.832 - 0.843
Georgia	72,868	0.710	0.705 - 0.716	35,866	0.718	0.711 - 0.725	37,002	0.703	0.696 - 0.711
Hawaii	10,643	0.746	0.731 - 0.760	5,068	0.707	0.687 - 0.726	5,575	0.785	0.764 - 0.806
Idaho	11,954	0.718	0.705 - 0.731	5,818	0.698	0.680 - 0.716	6,136	0.739	0.720 - 0.757
Illinois	101,563	0.790	0.786 - 0.795	48,681	0.771	0.764 - 0.778	52,882	0.809	0.802 - 0.816
Iowa	26,674	0.854	0.843 - 0.864	13,251	0.853	0.839 - 0.868	13,423	0.854	0.840 - 0.869
Kentucky	38,459	0.868	0.860 - 0.877	18,832	0.863	0.851 - 0.876	19,627	0.873	0.861 - 0.886
Louisiana	36,532	0.781	0.773 - 0.789	18,877	0.825	0.813 - 0.836	17,656	0.739	0.728 - 0.750
Maine	12,823	0.965	0.948 - 0.982	6,125	0.941	0.918 - 0.965	6,698	0.988	0.964 - 1.012
Maryland	46,899	0.780	0.773 - 0.787	22,552	0.774	0.764 - 0.784	24,347	0.786	0.776 - 0.796
Michigan	80,636	0.812	0.807 - 0.818	39,657	0.812	0.804 - 0.820	40,979	0.813	0.805 - 0.820
MI - Detroit	33,477	0.865	0.856 - 0.875	16,229	0.866	0.853 - 0.879	17,248	0.865	0.852 - 0.878
Minnesota	45,041	0.818	0.811 - 0.826	22,272	0.813	0.803 - 0.824	22,769	0.823	0.813 - 0.834
Mississippi	23,115	0.774	0.764 - 0.784	11,961	0.826	0.811 - 0.841	11,154	0.725	0.712 - 0.739
Missouri	47,840	0.787	0.780 - 0.794	23,127	0.775	0.765 - 0.785	24,713	0.798	0.788 - 0.808
Montana	8,834	0.855	0.837 - 0.873	4,541	0.873	0.848 - 0.899	4,293	0.836	0.812 - 0.862
Nebraska	14,619	0.769	0.757 - 0.782	7,231	0.763	0.746 - 0.781	7,388	0.775	0.758 - 0.793
New Hampshire	12,566	0.943	0.927 - 0.960	6,021	0.913	0.890 - 0.936	6,545	0.973	0.949 - 0.996
New Jersey	77,592	0.865	0.859 - 0.871	37,182	0.850	0.841 - 0.858	40,411	0.880	0.871 - 0.888
New Mexico	13,387	0.642	0.632 - 0.653	6,351	0.616	0.600 - 0.631	7,036	0.669	0.653 - 0.685
New York	170,668	0.861	0.857 - 0.865	82,159	0.854	0.848 - 0.860	88,509	0.867	0.862 - 0.873
North Carolina	81,282	0.805	0.799 - 0.810	39,991	0.813	0.805 - 0.821	41,291	0.797	0.789 - 0.805
North Dakota	5,712	0.756	0.737 - 0.776	2,974	0.767	0.739 - 0.795	2,738	0.745	0.718 - 0.774
Ohio	95,863	0.825	0.820 - 0.831	45,951	0.808	0.800 - 0.815	49,912	0.842	0.835 - 0.850
Oklahoma	28,324	0.724	0.715 - 0.732	13,920	0.718	0.706 - 0.730	14,404	0.730	0.718 - 0.742
Oregon	31,050	0.766	0.758 - 0.775	14,973	0.746	0.734 - 0.758	16,077	0.786	0.774 - 0.799
Pennsylvania	116,655	0.912	0.907 - 0.917	56,221	0.898	0.891 - 0.906	60,434	0.926	0.918 - 0.933
Rhode Island	9,284	0.879	0.861 - 0.897	4,230	0.824	0.800 - 0.849	5,054	0.930	0.904 - 0.956
South Carolina	40,053	0.813	0.805 - 0.821	20,317	0.849	0.838 - 0.861	19,736	0.779	0.768 - 0.790
Tennessee	52,302	0.790	0.783 - 0.797	25,924	0.803	0.793 - 0.813	26,378	0.778	0.768 - 0.787
Texas	159,600	0.577	0.574 - 0.579	77,551	0.564	0.560 - 0.568	82,049	0.589	0.585 - 0.593
Utah	16,391	0.544	0.535 - 0.552	8,192	0.540	0.528 - 0.552	8,199	0.547	0.536 - 0.559
Vermont	5,634	0.903	0.880 - 0.927	2,668	0.866	0.833 - 0.899	2,966	0.939	0.906 - 0.974
Virginia	58,487	0.697	0.691 - 0.703	27,976	0.678	0.670 - 0.686	30,511	0.716	0.708 - 0.724
Washington	54,121	0.750	0.744 - 0.756	26,255	0.728	0.719 - 0.737	27,866	0.772	0.763 - 0.781
WA - Seattle	39,547	0.796	0.788 - 0.804	19,294	0.777	0.766 - 0.788	20,253	0.815	0.804 - 0.826
West Virginia	16,698	0.910	0.897 - 0.924	8,132	0.897	0.877 - 0.916	8,566	0.924	0.904 - 0.944
Wisconsin	48,732	0.845	0.838 - 0.853	24,461	0.853	0.842 - 0.864	24,271	0.837	0.827 - 0.848
Wyoming	4,096	0.700	0.678 - 0.721	2,147	0.718	0.688 - 0.749	1,949	0.680	0.650 - 0.711
NAACCR CDN Combined[1]	**106,330**	**0.770**	**0.766 - 0.775**	**53,293**	**0.773**	**0.766 - 0.779**	**53,037**	**0.768**	**0.762 - 0.775**
Alberta	28,163	0.669	0.662 - 0.677	14,148	0.663	0.652 - 0.674	14,015	0.677	0.665 - 0.688
British Columbia	37,436	0.792	0.784 - 0.800	18,669	0.796	0.785 - 0.807	18,767	0.788	0.777 - 0.800
Manitoba	9,714	0.743	0.729 - 0.758	4,786	0.736	0.716 - 0.757	4,928	0.750	0.730 - 0.772
New Brunswick	7,052	0.933	0.912 - 0.955	3,612	0.967	0.936 - 0.999	3,440	0.900	0.870 - 0.930
Newfoundland and Labrador	5,404	1.020	0.993 - 1.048	2,768	1.060	1.021 - 1.100	2,636	0.982	0.945 - 1.020
Northwest Territory	229	0.516	0.451 - 0.587	109	0.481	0.395 - 0.580	120	0.552	0.458 - 0.660
Nova Scotia	9,015	0.954	0.934 - 0.974	4,464	0.964	0.936 - 0.992	4,551	0.945	0.917 - 0.972
Prince Edward Island	1,317	0.889	0.842 - 0.938	655	0.907	0.839 - 0.979	662	0.872	0.807 - 0.941
Saskatchewan	8,000	0.702	0.687 - 0.717	4,082	0.710	0.689 - 0.732	3,918	0.693	0.672 - 0.715
NAACCR N.A. Combined[1]	**2,397,109**	**0.760**	**0.759 - 0.761**	**1,170,219**	**0.753**	**0.752 - 0.755**	**1,226,890**	**0.767**	**0.766 - 0.769**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**67,848**	**0.023**	**0.022 - 0.023**	**48,335**	**0.033**	**0.032 - 0.033**	**19,513**	**0.013**	**0.013 - 0.013**
Alabama	1,252	0.026	0.024 - 0.027	897	0.038	0.036 - 0.041	355	0.014	0.013 - 0.016
Alaska	138	0.019	0.016 - 0.022	106	0.027	0.022 - 0.033	32	0.009	0.006 - 0.013
Arizona	1,288	0.019	0.018 - 0.020	966	0.028	0.027 - 0.030	322	0.009	0.008 - 0.010
Arkansas	832	0.028	0.026 - 0.030	602	0.041	0.038 - 0.045	230	0.015	0.013 - 0.017
California	7,230	0.018	0.018 - 0.019	5,105	0.026	0.026 - 0.027	2,126	0.011	0.010 - 0.011
CA - Greater California	4,251	0.020	0.019 - 0.020	3,039	0.028	0.027 - 0.029	1,211	0.011	0.011 - 0.012
CA - Greater Bay Area	1,451	0.020	0.019 - 0.021	1,006	0.027	0.026 - 0.029	445	0.012	0.011 - 0.013
CA - Los Angeles	1,529	0.015	0.014 - 0.016	1,059	0.021	0.020 - 0.023	470	0.009	0.008 - 0.010
Colorado	1,136	0.021	0.020 - 0.022	815	0.030	0.028 - 0.032	321	0.012	0.011 - 0.013
Connecticut	921	0.026	0.024 - 0.027	635	0.036	0.033 - 0.039	286	0.016	0.014 - 0.017
Delaware	256	0.027	0.024 - 0.031	195	0.042	0.037 - 0.049	61	0.012	0.010 - 0.016
Florida	5,691	0.028	0.027 - 0.029	4,178	0.042	0.041 - 0.043	1,513	0.014	0.014 - 0.015
Georgia	2,193	0.021	0.020 - 0.022	1,573	0.031	0.030 - 0.033	620	0.012	0.011 - 0.013
Hawaii	387	0.027	0.024 - 0.030	262	0.036	0.032 - 0.041	125	0.018	0.015 - 0.021
Idaho	354	0.021	0.019 - 0.024	236	0.028	0.025 - 0.032	118	0.014	0.012 - 0.017
Illinois	2,979	0.023	0.022 - 0.024	2,088	0.033	0.032 - 0.035	891	0.014	0.013 - 0.015
Iowa	863	0.028	0.026 - 0.030	630	0.041	0.037 - 0.044	233	0.015	0.013 - 0.017
Kentucky	1,240	0.028	0.026 - 0.030	887	0.041	0.038 - 0.043	353	0.016	0.014 - 0.017
Louisiana	1,098	0.023	0.022 - 0.025	808	0.035	0.033 - 0.038	290	0.012	0.011 - 0.014
Maine	423	0.032	0.029 - 0.035	313	0.048	0.043 - 0.054	110	0.016	0.013 - 0.020
Maryland	1,288	0.021	0.020 - 0.023	894	0.031	0.029 - 0.033	394	0.013	0.011 - 0.014
Michigan	2,321	0.023	0.022 - 0.024	1,632	0.033	0.032 - 0.035	689	0.014	0.013 - 0.015
MI - Detroit	919	0.024	0.022 - 0.025	655	0.035	0.032 - 0.038	264	0.013	0.012 - 0.015
Minnesota	1,285	0.023	0.022 - 0.025	883	0.032	0.030 - 0.034	402	0.015	0.013 - 0.016
Mississippi	659	0.022	0.020 - 0.024	460	0.032	0.029 - 0.035	199	0.013	0.011 - 0.015
Missouri	1,494	0.025	0.023 - 0.026	1,085	0.036	0.034 - 0.039	409	0.013	0.012 - 0.015
Montana	254	0.025	0.022 - 0.028	184	0.035	0.030 - 0.041	70	0.014	0.011 - 0.017
Nebraska	428	0.023	0.020 - 0.025	300	0.032	0.028 - 0.035	128	0.013	0.011 - 0.016
New Hampshire	357	0.027	0.024 - 0.030	257	0.039	0.034 - 0.044	100	0.015	0.012 - 0.018
New Jersey	1,889	0.021	0.020 - 0.022	1,309	0.030	0.028 - 0.032	579	0.013	0.012 - 0.014
New Mexico	327	0.016	0.014 - 0.017	246	0.024	0.021 - 0.027	81	0.008	0.006 - 0.010
New York	4,333	0.022	0.021 - 0.023	2,960	0.031	0.030 - 0.032	1,373	0.013	0.013 - 0.014
North Carolina	2,453	0.024	0.023 - 0.025	1,768	0.036	0.034 - 0.038	685	0.013	0.012 - 0.014
North Dakota	180	0.024	0.020 - 0.028	130	0.034	0.028 - 0.040	50	0.014	0.010 - 0.018
Ohio	2,839	0.024	0.024 - 0.025	1,978	0.035	0.033 - 0.036	861	0.015	0.014 - 0.016
Oklahoma	931	0.024	0.022 - 0.025	676	0.035	0.032 - 0.038	255	0.013	0.011 - 0.015
Oregon	976	0.024	0.023 - 0.026	678	0.034	0.031 - 0.036	298	0.015	0.013 - 0.016
Pennsylvania	3,172	0.025	0.024 - 0.026	2,209	0.035	0.034 - 0.037	963	0.015	0.014 - 0.016
Rhode Island	259	0.025	0.022 - 0.028	169	0.033	0.028 - 0.038	90	0.017	0.013 - 0.020
South Carolina	1,177	0.024	0.023 - 0.025	851	0.036	0.033 - 0.038	326	0.013	0.012 - 0.014
Tennessee	1,664	0.025	0.024 - 0.026	1,203	0.037	0.035 - 0.039	461	0.014	0.012 - 0.015
Texas	4,993	0.018	0.018 - 0.019	3,646	0.027	0.026 - 0.027	1,347	0.010	0.009 - 0.010
Utah	455	0.015	0.014 - 0.017	322	0.021	0.019 - 0.024	133	0.009	0.007 - 0.011
Vermont	181	0.029	0.025 - 0.034	124	0.040	0.033 - 0.048	57	0.018	0.014 - 0.023
Virginia	1,809	0.022	0.021 - 0.023	1,316	0.032	0.030 - 0.034	493	0.012	0.011 - 0.013
Washington	1,692	0.023	0.022 - 0.025	1,221	0.034	0.032 - 0.036	471	0.013	0.012 - 0.014
WA - Seattle	1,241	0.025	0.024 - 0.026	881	0.035	0.033 - 0.038	360	0.014	0.013 - 0.016
West Virginia	548	0.030	0.027 - 0.032	400	0.044	0.040 - 0.049	148	0.016	0.013 - 0.019
Wisconsin	1,499	0.026	0.025 - 0.027	1,061	0.037	0.035 - 0.039	438	0.015	0.014 - 0.017
Wyoming	105	0.018	0.015 - 0.022	78	0.026	0.021 - 0.032	27	0.009	0.006 - 0.014
NAACCR CDN Combined[1]	**2,853**	**0.021**	**0.020 - 0.021**	**1,994**	**0.029**	**0.028 - 0.030**	**859**	**0.012**	**0.012 - 0.013**
Alberta	675	0.016	0.015 - 0.017	462	0.022	0.020 - 0.024	213	0.010	0.009 - 0.012
British Columbia	1,104	0.023	0.022 - 0.025	768	0.033	0.030 - 0.035	336	0.014	0.013 - 0.016
Manitoba	281	0.022	0.019 - 0.024	196	0.030	0.026 - 0.035	85	0.013	0.010 - 0.016
New Brunswick	169	0.022	0.019 - 0.026	117	0.031	0.026 - 0.038	52	0.014	0.010 - 0.018
Newfoundland and Labrador	136	0.026	0.022 - 0.030	101	0.039	0.032 - 0.047	35	0.013	0.009 - 0.018
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	251	0.027	0.023 - 0.030	180	0.039	0.033 - 0.045	71	0.015	0.012 - 0.019
Prince Edward Island	52	0.035	0.026 - 0.046	34	0.047	0.033 - 0.066	18	0.024	0.014 - 0.037
Saskatchewan	178	0.016	0.013 - 0.018	130	0.023	0.019 - 0.027	48	0.008	0.006 - 0.011
NAACCR N.A. Combined[1]	**70,701**	**0.022**	**0.022 - 0.023**	**50,329**	**0.032**	**0.032 - 0.033**	**20,372**	**0.013**	**0.013 - 0.013**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-2 Prevalence – Oral Cavity and Pharynx

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**17,010**	**0.006**	**0.006 - 0.006**	**13,432**	**0.009**	**0.009 - 0.009**	**3,578**	**0.002**	**0.002 - 0.002**
Alabama	274	0.006	0.005 - 0.006	217	0.009	0.008 - 0.011	57	0.002	0.002 - 0.003
Alaska	38	0.005	0.004 - 0.007	26	0.007	0.004 - 0.010	12	0.003	0.002 - 0.006
Arizona	355	0.005	0.005 - 0.006	289	0.008	0.008 - 0.010	66	0.002	0.001 - 0.002
Arkansas	156	0.005	0.004 - 0.006	129	0.009	0.007 - 0.010	27	0.002	0.001 - 0.003
California	1,548	0.004	0.004 - 0.004	1,172	0.006	0.006 - 0.006	377	0.002	0.002 - 0.002
CA - Greater California	937	0.004	0.004 - 0.005	722	0.007	0.006 - 0.007	215	0.002	0.002 - 0.002
CA - Greater Bay Area	324	0.004	0.004 - 0.005	237	0.006	0.006 - 0.007	87	0.002	0.002 - 0.003
CA - Los Angeles	288	0.003	0.003 - 0.003	213	0.004	0.004 - 0.005	75	0.001	0.001 - 0.002
Colorado	275	0.005	0.004 - 0.006	234	0.008	0.007 - 0.010	41	0.002	0.001 - 0.002
Connecticut	264	0.007	0.006 - 0.008	204	0.012	0.010 - 0.013	60	0.003	0.002 - 0.004
Delaware	87	0.009	0.007 - 0.011	74	0.016	0.013 - 0.020	13	0.003	0.001 - 0.005
Florida	1,407	0.007	0.007 - 0.007	1,102	0.011	0.010 - 0.012	305	0.003	0.003 - 0.003
Georgia	475	0.005	0.004 - 0.005	370	0.007	0.007 - 0.008	106	0.002	0.002 - 0.002
Hawaii	56	0.004	0.003 - 0.005	-	-		-	-	
Idaho	87	0.005	0.004 - 0.006	77	0.009	0.007 - 0.012	10	0.001	0.001 - 0.002
Illinois	813	0.006	0.006 - 0.007	658	0.010	0.010 - 0.011	155	0.002	0.002 - 0.003
Iowa	251	0.008	0.007 - 0.009	212	0.014	0.012 - 0.016	39	0.002	0.002 - 0.003
Kentucky	272	0.006	0.005 - 0.007	227	0.010	0.009 - 0.012	45	0.002	0.001 - 0.003
Louisiana	246	0.005	0.005 - 0.006	183	0.008	0.007 - 0.009	63	0.003	0.002 - 0.003
Maine	151	0.011	0.010 - 0.013	125	0.019	0.016 - 0.023	26	0.004	0.003 - 0.006
Maryland	332	0.006	0.005 - 0.006	237	0.008	0.007 - 0.009	95	0.003	0.002 - 0.004
Michigan	741	0.007	0.007 - 0.008	584	0.012	0.011 - 0.013	157	0.003	0.003 - 0.004
MI - Detroit	253	0.007	0.006 - 0.007	195	0.010	0.009 - 0.012	58	0.003	0.002 - 0.004
Minnesota	357	0.006	0.006 - 0.007	293	0.011	0.010 - 0.012	64	0.002	0.002 - 0.003
Mississippi	173	0.006	0.005 - 0.007	136	0.009	0.008 - 0.011	37	0.002	0.002 - 0.003
Missouri	351	0.006	0.005 - 0.006	278	0.009	0.008 - 0.010	73	0.002	0.002 - 0.003
Montana	78	0.008	0.006 - 0.009	-	-		-	-	
Nebraska	98	0.005	0.004 - 0.006	78	0.008	0.007 - 0.010	20	0.002	0.001 - 0.003
New Hampshire	144	0.011	0.009 - 0.013	116	0.018	0.015 - 0.021	28	0.004	0.003 - 0.006
New Jersey	529	0.006	0.005 - 0.006	405	0.009	0.008 - 0.010	124	0.003	0.002 - 0.003
New Mexico	102	0.005	0.004 - 0.006	88	0.008	0.007 - 0.010	14	0.001	0.001 - 0.002
New York	1,213	0.006	0.006 - 0.006	922	0.010	0.009 - 0.010	291	0.003	0.003 - 0.003
North Carolina	501	0.005	0.005 - 0.005	402	0.008	0.007 - 0.009	99	0.002	0.002 - 0.002
North Dakota	41	0.005	0.004 - 0.007	30	0.008	0.005 - 0.011	11	0.003	0.001 - 0.005
Ohio	760	0.007	0.006 - 0.007	604	0.011	0.010 - 0.012	156	0.003	0.002 - 0.003
Oklahoma	206	0.005	0.005 - 0.006	167	0.009	0.007 - 0.010	39	0.002	0.001 - 0.003
Oregon	246	0.006	0.005 - 0.007	193	0.010	0.008 - 0.011	53	0.003	0.002 - 0.003
Pennsylvania	935	0.007	0.007 - 0.008	737	0.012	0.011 - 0.013	198	0.003	0.003 - 0.003
Rhode Island	64	0.006	0.005 - 0.008	51	0.010	0.007 - 0.013	13	0.002	0.001 - 0.004
South Carolina	309	0.006	0.006 - 0.007	242	0.010	0.009 - 0.011	67	0.003	0.002 - 0.003
Tennessee	399	0.006	0.005 - 0.007	330	0.010	0.009 - 0.011	69	0.002	0.002 - 0.003
Texas	1,080	0.004	0.004 - 0.004	862	0.006	0.006 - 0.007	218	0.002	0.001 - 0.002
Utah	84	0.003	0.002 - 0.003	65	0.004	0.003 - 0.005	19	0.001	0.001 - 0.002
Vermont	60	0.010	0.007 - 0.012	-	-		-	-	
Virginia	412	0.005	0.004 - 0.005	331	0.008	0.007 - 0.009	81	0.002	0.002 - 0.002
Washington	425	0.006	0.005 - 0.006	330	0.009	0.008 - 0.010	95	0.003	0.002 - 0.003
WA - Seattle	275	0.006	0.005 - 0.006	208	0.008	0.007 - 0.010	68	0.003	0.002 - 0.003
West Virginia	159	0.009	0.007 - 0.010	127	0.014	0.012 - 0.017	32	0.003	0.002 - 0.005
Wisconsin	423	0.007	0.007 - 0.008	330	0.012	0.010 - 0.013	93	0.003	0.003 - 0.004
Wyoming	33	0.006	0.004 - 0.008	-	-		-	-	
NAACCR CDN Combined[1]	**752**	**0.005**	**0.005 - 0.006**	**591**	**0.009**	**0.008 - 0.009**	**161**	**0.002**	**0.002 - 0.003**
Alberta	194	0.005	0.004 - 0.005	158	0.007	0.006 - 0.009	36	0.002	0.001 - 0.002
British Columbia	284	0.006	0.005 - 0.007	214	0.009	0.008 - 0.010	70	0.003	0.002 - 0.004
Manitoba	62	0.005	0.004 - 0.006	48	0.007	0.005 - 0.010	14	0.002	0.001 - 0.004
New Brunswick	38	0.005	0.004 - 0.007	-	-		-	-	
Newfoundland and Labrador	36	0.007	0.005 - 0.009	-	-		-	-	
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	86	0.009	0.007 - 0.011	71	0.015	0.012 - 0.019	15	0.003	0.002 - 0.005
Prince Edward Island	10	0.007	0.003 - 0.012	-	-		-	-	
Saskatchewan	40	0.004	0.003 - 0.005	-	-		-	-	
NAACCR N.A. Combined[1]	**17,762**	**0.006**	**0.006 - 0.006**	**14,023**	**0.009**	**0.009 - 0.009**	**3,739**	**0.002**	**0.002 - 0.002**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**26,870**	**0.009**	**0.009 - 0.009**	**16,323**	**0.011**	**0.011 - 0.011**	**10,548**	**0.007**	**0.007 - 0.007**
Alabama	438	0.009	0.008 - 0.010	253	0.011	0.009 - 0.012	185	0.007	0.006 - 0.009
Alaska	64	0.009	0.007 - 0.011	38	0.010	0.007 - 0.013	26	0.007	0.005 - 0.011
Arizona	481	0.007	0.006 - 0.008	312	0.009	0.008 - 0.010	169	0.005	0.004 - 0.006
Arkansas	259	0.009	0.008 - 0.010	174	0.012	0.010 - 0.014	85	0.006	0.004 - 0.007
California	3,485	0.009	0.009 - 0.009	2,107	0.011	0.010 - 0.011	1,377	0.007	0.007 - 0.007
CA - Greater California	1,725	0.008	0.008 - 0.008	1,063	0.010	0.009 - 0.010	661	0.006	0.006 - 0.007
CA - Greater Bay Area	687	0.009	0.009 - 0.010	415	0.011	0.010 - 0.012	273	0.007	0.007 - 0.008
CA - Los Angeles	1,074	0.011	0.010 - 0.011	630	0.013	0.012 - 0.014	445	0.009	0.008 - 0.009
Colorado	348	0.006	0.006 - 0.007	214	0.008	0.007 - 0.009	134	0.005	0.004 - 0.006
Connecticut	457	0.013	0.012 - 0.014	287	0.016	0.015 - 0.018	170	0.009	0.008 - 0.011
Delaware	103	0.011	0.009 - 0.013	75	0.016	0.013 - 0.020	28	0.006	0.004 - 0.008
Florida	1,891	0.009	0.009 - 0.010	1,182	0.012	0.011 - 0.013	709	0.007	0.006 - 0.007
Georgia	811	0.008	0.007 - 0.008	458	0.009	0.008 - 0.010	352	0.007	0.006 - 0.007
Hawaii	171	0.012	0.010 - 0.014	109	0.015	0.012 - 0.018	63	0.009	0.007 - 0.011
Idaho	115	0.007	0.006 - 0.008	70	0.008	0.007 - 0.011	45	0.005	0.004 - 0.007
Illinois	1,272	0.010	0.009 - 0.010	758	0.012	0.011 - 0.013	514	0.008	0.007 - 0.009
Iowa	197	0.006	0.005 - 0.007	129	0.008	0.007 - 0.010	68	0.004	0.003 - 0.006
Kentucky	412	0.009	0.008 - 0.010	231	0.011	0.009 - 0.012	181	0.008	0.007 - 0.009
Louisiana	441	0.009	0.009 - 0.010	272	0.012	0.011 - 0.013	169	0.007	0.006 - 0.008
Maine	131	0.010	0.008 - 0.012	69	0.011	0.008 - 0.013	62	0.009	0.007 - 0.012
Maryland	560	0.009	0.009 - 0.010	324	0.011	0.010 - 0.012	236	0.008	0.007 - 0.009
Michigan	864	0.009	0.008 - 0.009	559	0.011	0.011 - 0.012	305	0.006	0.005 - 0.007
MI - Detroit	364	0.009	0.008 - 0.010	230	0.012	0.011 - 0.014	134	0.007	0.006 - 0.008
Minnesota	409	0.007	0.007 - 0.008	255	0.009	0.008 - 0.011	154	0.006	0.005 - 0.007
Mississippi	250	0.008	0.007 - 0.009	140	0.010	0.008 - 0.011	110	0.007	0.006 - 0.009
Missouri	427	0.007	0.006 - 0.008	273	0.009	0.008 - 0.010	154	0.005	0.004 - 0.006
Montana	63	0.006	0.005 - 0.008	41	0.008	0.006 - 0.011	22	0.004	0.003 - 0.006
Nebraska	132	0.007	0.006 - 0.008	98	0.010	0.008 - 0.013	34	0.004	0.002 - 0.005
New Hampshire	116	0.009	0.007 - 0.010	67	0.010	0.008 - 0.013	49	0.007	0.005 - 0.010
New Jersey	1,099	0.012	0.012 - 0.013	639	0.015	0.014 - 0.016	460	0.010	0.009 - 0.011
New Mexico	170	0.008	0.007 - 0.009	100	0.010	0.008 - 0.012	69	0.007	0.005 - 0.008
New York	2,661	0.013	0.013 - 0.014	1,595	0.017	0.016 - 0.017	1,066	0.010	0.010 - 0.011
North Carolina	863	0.009	0.008 - 0.009	489	0.010	0.009 - 0.011	374	0.007	0.007 - 0.008
North Dakota	55	0.007	0.005 - 0.009	37	0.010	0.007 - 0.013	18	0.005	0.003 - 0.008
Ohio	987	0.008	0.008 - 0.009	591	0.010	0.010 - 0.011	396	0.007	0.006 - 0.007
Oklahoma	262	0.007	0.006 - 0.008	154	0.008	0.007 - 0.009	108	0.005	0.004 - 0.007
Oregon	316	0.008	0.007 - 0.009	215	0.011	0.009 - 0.012	101	0.005	0.004 - 0.006
Pennsylvania	1,214	0.009	0.009 - 0.010	774	0.012	0.012 - 0.013	440	0.007	0.006 - 0.007
Rhode Island	126	0.012	0.010 - 0.014	68	0.013	0.010 - 0.017	58	0.011	0.008 - 0.014
South Carolina	505	0.010	0.009 - 0.011	304	0.013	0.011 - 0.014	201	0.008	0.007 - 0.009
Tennessee	522	0.008	0.007 - 0.009	313	0.010	0.009 - 0.011	209	0.006	0.005 - 0.007
Texas	2,117	0.008	0.007 - 0.008	1,235	0.009	0.008 - 0.009	882	0.006	0.006 - 0.007
Utah	134	0.004	0.004 - 0.005	77	0.005	0.004 - 0.006	57	0.004	0.003 - 0.005
Vermont	40	0.006	0.005 - 0.009	24	0.008	0.005 - 0.012	16	0.005	0.003 - 0.008
Virginia	735	0.009	0.008 - 0.009	455	0.011	0.010 - 0.012	280	0.007	0.006 - 0.007
Washington	493	0.007	0.006 - 0.007	327	0.009	0.008 - 0.010	166	0.005	0.004 - 0.005
WA - Seattle	372	0.007	0.007 - 0.008	237	0.010	0.008 - 0.011	135	0.005	0.005 - 0.006
West Virginia	148	0.008	0.007 - 0.009	85	0.009	0.007 - 0.012	63	0.007	0.005 - 0.009
Wisconsin	490	0.008	0.008 - 0.009	318	0.011	0.010 - 0.012	172	0.006	0.005 - 0.007
Wyoming	37	0.006	0.005 - 0.009	-	-		-	-	
NAACCR CDN Combined[1]	**1,259**	**0.009**	**0.009 - 0.010**	**858**	**0.012**	**0.012 - 0.013**	**401**	**0.006**	**0.005 - 0.006**
Alberta	290	0.007	0.006 - 0.008	193	0.009	0.008 - 0.010	97	0.005	0.004 - 0.006
British Columbia	439	0.009	0.008 - 0.010	292	0.012	0.011 - 0.014	147	0.006	0.005 - 0.007
Manitoba	140	0.011	0.009 - 0.013	94	0.014	0.012 - 0.018	46	0.007	0.005 - 0.009
New Brunswick	101	0.013	0.011 - 0.016	75	0.020	0.016 - 0.025	26	0.007	0.004 - 0.010
Newfoundland and Labrador	83	0.016	0.012 - 0.019	61	0.023	0.018 - 0.030	22	0.008	0.005 - 0.012
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	84	0.009	0.007 - 0.011	56	0.012	0.009 - 0.016	28	0.006	0.004 - 0.008
Prince Edward Island	12	0.008	0.004 - 0.014	-	-		-	-	
Saskatchewan	103	0.009	0.007 - 0.011	72	0.013	0.010 - 0.016	31	0.005	0.004 - 0.008
NAACCR N.A. Combined[1]	**28,129**	**0.009**	**0.009 - 0.009**	**17,181**	**0.011**	**0.011 - 0.011**	**10,949**	**0.007**	**0.007 - 0.007**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**207,565**	**0.069**	**0.069 - 0.069**	**109,194**	**0.074**	**0.073 - 0.074**	**98,370**	**0.064**	**0.064 - 0.065**
Alabama	3,911	0.081	0.078 - 0.083	2,048	0.087	0.083 - 0.091	1,863	0.074	0.071 - 0.078
Alaska	461	0.062	0.057 - 0.068	254	0.066	0.058 - 0.074	207	0.059	0.051 - 0.067
Arizona	4,052	0.059	0.057 - 0.061	2,152	0.063	0.061 - 0.066	1,900	0.055	0.053 - 0.058
Arkansas	2,440	0.082	0.079 - 0.085	1,324	0.090	0.086 - 0.095	1,116	0.074	0.069 - 0.078
California	23,154	0.059	0.058 - 0.060	12,302	0.063	0.062 - 0.064	10,852	0.055	0.054 - 0.056
CA - Greater California	12,890	0.060	0.058 - 0.061	6,896	0.064	0.062 - 0.065	5,994	0.055	0.054 - 0.057
CA - Greater Bay Area	4,520	0.061	0.060 - 0.063	2,413	0.066	0.063 - 0.068	2,106	0.057	0.054 - 0.059
CA - Los Angeles	5,738	0.057	0.055 - 0.058	2,990	0.060	0.058 - 0.062	2,747	0.053	0.051 - 0.055
Colorado	2,988	0.054	0.053 - 0.056	1,576	0.057	0.054 - 0.060	1,412	0.052	0.049 - 0.055
Connecticut	2,516	0.070	0.067 - 0.073	1,272	0.073	0.069 - 0.077	1,244	0.068	0.064 - 0.072
Delaware	720	0.076	0.070 - 0.082	376	0.082	0.074 - 0.091	344	0.070	0.063 - 0.078
Florida	15,219	0.074	0.073 - 0.076	8,050	0.080	0.079 - 0.082	7,169	0.069	0.067 - 0.070
Georgia	6,876	0.067	0.065 - 0.069	3,632	0.073	0.070 - 0.075	3,244	0.062	0.060 - 0.064
Hawaii	1,190	0.083	0.079 - 0.088	637	0.089	0.082 - 0.096	553	0.078	0.072 - 0.085
Idaho	1,026	0.062	0.058 - 0.066	509	0.061	0.056 - 0.067	517	0.062	0.057 - 0.068
Illinois	9,663	0.075	0.074 - 0.077	5,107	0.081	0.079 - 0.083	4,556	0.070	0.068 - 0.072
Iowa	2,655	0.085	0.082 - 0.088	1,397	0.090	0.085 - 0.095	1,258	0.080	0.076 - 0.085
Kentucky	3,944	0.089	0.086 - 0.092	2,102	0.096	0.092 - 0.101	1,842	0.082	0.078 - 0.086
Louisiana	3,695	0.079	0.076 - 0.082	1,976	0.086	0.083 - 0.090	1,719	0.072	0.069 - 0.075
Maine	1,030	0.078	0.073 - 0.082	512	0.079	0.072 - 0.086	518	0.076	0.070 - 0.083
Maryland	3,893	0.065	0.063 - 0.067	1,966	0.067	0.065 - 0.071	1,927	0.062	0.059 - 0.065
Michigan	7,008	0.071	0.069 - 0.072	3,602	0.074	0.071 - 0.076	3,406	0.068	0.065 - 0.070
MI - Detroit	3,030	0.078	0.076 - 0.081	1,536	0.082	0.078 - 0.086	1,494	0.075	0.071 - 0.079
Minnesota	3,782	0.069	0.067 - 0.071	1,971	0.072	0.069 - 0.075	1,811	0.065	0.063 - 0.069
Mississippi	2,545	0.085	0.082 - 0.089	1,356	0.094	0.089 - 0.099	1,189	0.077	0.073 - 0.082
Missouri	4,562	0.075	0.073 - 0.077	2,398	0.080	0.077 - 0.084	2,164	0.070	0.067 - 0.073
Montana	786	0.076	0.071 - 0.082	445	0.085	0.078 - 0.094	341	0.066	0.060 - 0.074
Nebraska	1,452	0.076	0.073 - 0.080	767	0.081	0.075 - 0.087	685	0.072	0.067 - 0.077
New Hampshire	996	0.075	0.070 - 0.080	524	0.079	0.073 - 0.087	472	0.070	0.064 - 0.077
New Jersey	6,912	0.077	0.075 - 0.079	3,541	0.081	0.078 - 0.084	3,371	0.073	0.071 - 0.076
New Mexico	1,219	0.058	0.055 - 0.062	633	0.061	0.057 - 0.066	586	0.056	0.051 - 0.060
New York	14,194	0.072	0.070 - 0.073	7,212	0.075	0.073 - 0.077	6,982	0.068	0.067 - 0.070
North Carolina	6,815	0.067	0.066 - 0.069	3,501	0.071	0.069 - 0.074	3,314	0.064	0.062 - 0.066
North Dakota	575	0.076	0.070 - 0.083	324	0.084	0.075 - 0.093	251	0.068	0.060 - 0.077
Ohio	9,139	0.079	0.077 - 0.080	4,752	0.084	0.081 - 0.086	4,387	0.074	0.072 - 0.076
Oklahoma	2,713	0.069	0.067 - 0.072	1,406	0.073	0.069 - 0.076	1,307	0.066	0.063 - 0.070
Oregon	2,592	0.064	0.062 - 0.066	1,360	0.068	0.064 - 0.071	1,232	0.060	0.057 - 0.064
Pennsylvania	10,487	0.082	0.080 - 0.084	5,547	0.089	0.086 - 0.091	4,940	0.076	0.074 - 0.078
Rhode Island	694	0.066	0.061 - 0.071	343	0.067	0.060 - 0.074	351	0.065	0.058 - 0.072
South Carolina	3,534	0.072	0.069 - 0.074	1,902	0.080	0.076 - 0.083	1,632	0.064	0.061 - 0.068
Tennessee	4,883	0.074	0.072 - 0.076	2,545	0.079	0.076 - 0.082	2,338	0.069	0.066 - 0.072
Texas	15,947	0.058	0.057 - 0.059	8,806	0.064	0.063 - 0.065	7,141	0.051	0.050 - 0.052
Utah	1,131	0.038	0.035 - 0.040	584	0.038	0.035 - 0.042	548	0.037	0.034 - 0.040
Vermont	426	0.068	0.062 - 0.075	212	0.069	0.060 - 0.079	214	0.068	0.059 - 0.077
Virginia	5,174	0.062	0.060 - 0.063	2,669	0.065	0.062 - 0.067	2,505	0.059	0.056 - 0.061
Washington	4,494	0.062	0.060 - 0.064	2,413	0.067	0.064 - 0.070	2,081	0.058	0.055 - 0.060
WA - Seattle	3,261	0.066	0.063 - 0.068	1,774	0.071	0.068 - 0.075	1,487	0.060	0.057 - 0.063
West Virginia	1,757	0.096	0.091 - 0.100	911	0.100	0.094 - 0.107	846	0.091	0.085 - 0.098
Wisconsin	3,998	0.069	0.067 - 0.072	2,102	0.073	0.070 - 0.077	1,896	0.065	0.062 - 0.068
Wyoming	317	0.054	0.048 - 0.060	178	0.059	0.051 - 0.069	139	0.048	0.041 - 0.057
NAACCR CDN Combined[1]	**14,944**	**0.108**	**0.107 - 0.110**	**8,529**	**0.124**	**0.121 - 0.126**	**6,415**	**0.093**	**0.091 - 0.095**
Alberta	3,558	0.085	0.082 - 0.087	2,047	0.096	0.092 - 0.100	1,511	0.073	0.069 - 0.077
British Columbia	5,434	0.115	0.112 - 0.118	3,085	0.132	0.127 - 0.136	2,349	0.099	0.095 - 0.103
Manitoba	1,302	0.100	0.094 - 0.105	741	0.114	0.106 - 0.123	561	0.085	0.079 - 0.093
New Brunswick	924	0.122	0.115 - 0.130	517	0.138	0.127 - 0.151	407	0.106	0.096 - 0.117
Newfoundland and Labrador	963	0.182	0.171 - 0.194	557	0.213	0.196 - 0.232	406	0.151	0.137 - 0.167
Northwest Territory	45	0.101	0.074 - 0.136	27	0.119	0.078 - 0.173	18	0.083	0.049 - 0.131
Nova Scotia	1,279	0.135	0.128 - 0.143	723	0.156	0.145 - 0.168	556	0.115	0.106 - 0.125
Prince Edward Island	206	0.139	0.121 - 0.159	114	0.158	0.130 - 0.190	92	0.121	0.098 - 0.149
Saskatchewan	1,233	0.108	0.102 - 0.114	718	0.125	0.116 - 0.134	515	0.091	0.083 - 0.099
NAACCR N.A. Combined[1]	**222,509**	**0.071**	**0.070 - 0.071**	**117,723**	**0.076**	**0.075 - 0.076**	**104,785**	**0.066**	**0.065 - 0.066**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**30,458**	**0.010**	**0.010 - 0.010**	**21,620**	**0.015**	**0.014 - 0.015**	**8,838**	**0.006**	**0.006 - 0.006**
Alabama	344	0.007	0.006 - 0.008	242	0.010	0.009 - 0.012	102	0.004	0.003 - 0.005
Alaska	67	0.009	0.007 - 0.012	45	0.012	0.008 - 0.016	22	0.006	0.004 - 0.009
Arizona	637	0.009	0.009 - 0.010	438	0.013	0.012 - 0.014	199	0.006	0.005 - 0.007
Arkansas	256	0.009	0.008 - 0.010	185	0.013	0.011 - 0.015	71	0.005	0.004 - 0.006
California	4,512	0.012	0.011 - 0.012	3,227	0.017	0.016 - 0.017	1,285	0.007	0.006 - 0.007
CA - Greater California	2,441	0.011	0.011 - 0.012	1,770	0.016	0.016 - 0.017	671	0.006	0.006 - 0.007
CA - Greater Bay Area	1,049	0.014	0.013 - 0.015	765	0.021	0.019 - 0.022	284	0.008	0.007 - 0.009
CA - Los Angeles	1,024	0.010	0.009 - 0.011	693	0.014	0.013 - 0.015	331	0.006	0.006 - 0.007
Colorado	493	0.009	0.008 - 0.010	361	0.013	0.012 - 0.015	132	0.005	0.004 - 0.006
Connecticut	417	0.012	0.011 - 0.013	313	0.018	0.016 - 0.020	104	0.006	0.005 - 0.007
Delaware	110	0.012	0.010 - 0.014	84	0.018	0.015 - 0.023	26	0.005	0.003 - 0.008
Florida	2,179	0.011	0.010 - 0.011	1,508	0.015	0.014 - 0.016	671	0.006	0.006 - 0.007
Georgia	832	0.008	0.008 - 0.009	562	0.011	0.010 - 0.012	269	0.005	0.005 - 0.006
Hawaii	210	0.015	0.013 - 0.017	153	0.021	0.018 - 0.025	57	0.008	0.006 - 0.010
Idaho	142	0.009	0.007 - 0.010	99	0.012	0.010 - 0.014	43	0.005	0.004 - 0.007
Illinois	1,128	0.009	0.008 - 0.009	793	0.013	0.012 - 0.013	335	0.005	0.005 - 0.006
Iowa	236	0.008	0.007 - 0.009	158	0.010	0.009 - 0.012	78	0.005	0.004 - 0.006
Kentucky	406	0.009	0.008 - 0.010	276	0.013	0.011 - 0.014	130	0.006	0.005 - 0.007
Louisiana	511	0.011	0.010 - 0.012	397	0.017	0.016 - 0.019	114	0.005	0.004 - 0.006
Maine	93	0.007	0.006 - 0.009	69	0.011	0.008 - 0.013	24	0.004	0.002 - 0.005
Maryland	606	0.010	0.009 - 0.011	427	0.015	0.013 - 0.016	179	0.006	0.005 - 0.007
Michigan	925	0.009	0.009 - 0.010	638	0.013	0.012 - 0.014	287	0.006	0.005 - 0.006
MI - Detroit	386	0.010	0.009 - 0.011	276	0.015	0.013 - 0.017	110	0.005	0.005 - 0.007
Minnesota	490	0.009	0.008 - 0.010	335	0.012	0.011 - 0.014	155	0.006	0.005 - 0.007
Mississippi	298	0.010	0.009 - 0.011	217	0.015	0.013 - 0.017	81	0.005	0.004 - 0.007
Missouri	546	0.009	0.008 - 0.010	381	0.013	0.012 - 0.014	165	0.005	0.005 - 0.006
Montana	79	0.008	0.006 - 0.010	62	0.012	0.009 - 0.015	17	0.003	0.002 - 0.005
Nebraska	123	0.006	0.005 - 0.008	89	0.009	0.008 - 0.012	34	0.004	0.002 - 0.005
New Hampshire	123	0.009	0.008 - 0.011	101	0.015	0.012 - 0.019	22	0.003	0.002 - 0.005
New Jersey	852	0.010	0.009 - 0.010	601	0.014	0.013 - 0.015	251	0.005	0.005 - 0.006
New Mexico	256	0.012	0.011 - 0.014	188	0.018	0.016 - 0.021	68	0.006	0.005 - 0.008
New York	2,328	0.012	0.011 - 0.012	1,671	0.017	0.017 - 0.018	657	0.006	0.006 - 0.007
North Carolina	992	0.010	0.009 - 0.010	701	0.014	0.013 - 0.015	291	0.006	0.005 - 0.006
North Dakota	33	0.004	0.003 - 0.006	23	0.006	0.004 - 0.009	10	0.003	0.001 - 0.005
Ohio	904	0.008	0.007 - 0.008	623	0.011	0.010 - 0.012	281	0.005	0.004 - 0.005
Oklahoma	355	0.009	0.008 - 0.010	250	0.013	0.011 - 0.015	105	0.005	0.004 - 0.006
Oregon	504	0.012	0.011 - 0.014	366	0.018	0.016 - 0.020	138	0.007	0.006 - 0.008
Pennsylvania	1,480	0.012	0.011 - 0.012	1,080	0.017	0.016 - 0.018	400	0.006	0.006 - 0.007
Rhode Island	118	0.011	0.009 - 0.013	92	0.018	0.014 - 0.022	26	0.005	0.003 - 0.007
South Carolina	475	0.010	0.009 - 0.011	357	0.015	0.013 - 0.017	118	0.005	0.004 - 0.006
Tennessee	610	0.009	0.008 - 0.010	413	0.013	0.012 - 0.014	197	0.006	0.005 - 0.007
Texas	3,230	0.012	0.011 - 0.012	2,254	0.016	0.016 - 0.017	976	0.007	0.007 - 0.007
Utah	191	0.006	0.005 - 0.007	129	0.009	0.007 - 0.010	62	0.004	0.003 - 0.005
Vermont	42	0.007	0.005 - 0.009	31	0.010	0.007 - 0.014	11	0.003	0.002 - 0.006
Virginia	749	0.009	0.008 - 0.010	541	0.013	0.012 - 0.014	208	0.005	0.004 - 0.006
Washington	833	0.012	0.011 - 0.012	597	0.017	0.015 - 0.018	236	0.007	0.006 - 0.007
WA - Seattle	636	0.013	0.012 - 0.014	459	0.018	0.017 - 0.020	177	0.007	0.006 - 0.008
West Virginia	148	0.008	0.007 - 0.009	110	0.012	0.010 - 0.015	38	0.004	0.003 - 0.006
Wisconsin	546	0.009	0.009 - 0.010	391	0.014	0.012 - 0.015	155	0.005	0.005 - 0.006
Wyoming	49	0.008	0.006 - 0.011	-	-		-	-	
NAACCR CDN Combined[1]	**1,166**	**0.008**	**0.008 - 0.009**	**822**	**0.012**	**0.011 - 0.013**	**344**	**0.005**	**0.004 - 0.006**
Alberta	341	0.008	0.007 - 0.009	245	0.011	0.010 - 0.013	96	0.005	0.004 - 0.006
British Columbia	515	0.011	0.010 - 0.012	371	0.016	0.014 - 0.018	144	0.006	0.005 - 0.007
Manitoba	96	0.007	0.006 - 0.009	62	0.010	0.007 - 0.012	34	0.005	0.004 - 0.007
New Brunswick	48	0.006	0.005 - 0.008	30	0.008	0.005 - 0.011	18	0.005	0.003 - 0.007
Newfoundland and Labrador	27	0.005	0.003 - 0.007	-	-		-	-	
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	81	0.009	0.007 - 0.011	56	0.012	0.009 - 0.016	25	0.005	0.003 - 0.008
Prince Edward Island	12	0.008	0.004 - 0.014	-	-		-	-	
Saskatchewan	43	0.004	0.003 - 0.005	30	0.005	0.004 - 0.007	13	0.002	0.001 - 0.004
NAACCR N.A. Combined[1]	**31,624**	**0.010**	**0.010 - 0.010**	**22,442**	**0.014**	**0.014 - 0.015**	**9,182**	**0.006**	**0.006 - 0.006**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-6 Prevalence – Liver and Intrahepatic Bile Duct

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**35,783**	**0.012**	**0.012 - 0.012**	**18,434**	**0.012**	**0.012 - 0.013**	**17,349**	**0.011**	**0.011 - 0.012**
Alabama	570	0.012	0.011 - 0.013	276	0.012	0.010 - 0.013	294	0.012	0.010 - 0.013
Alaska	62	0.008	0.006 - 0.011	38	0.010	0.007 - 0.013	24	0.007	0.004 - 0.010
Arizona	726	0.011	0.010 - 0.011	400	0.012	0.011 - 0.013	326	0.009	0.008 - 0.011
Arkansas	284	0.010	0.008 - 0.011	153	0.010	0.009 - 0.012	131	0.009	0.007 - 0.010
California	3,768	0.010	0.009 - 0.010	1,893	0.010	0.009 - 0.010	1,875	0.010	0.009 - 0.010
CA - Greater California	2,073	0.010	0.009 - 0.010	1,064	0.010	0.009 - 0.010	1,008	0.009	0.009 - 0.010
CA - Greater Bay Area	789	0.011	0.010 - 0.011	403	0.011	0.010 - 0.012	386	0.010	0.009 - 0.012
CA - Los Angeles	907	0.009	0.008 - 0.010	426	0.009	0.008 - 0.009	480	0.009	0.009 - 0.010
Colorado	524	0.010	0.009 - 0.010	276	0.010	0.009 - 0.011	248	0.009	0.008 - 0.010
Connecticut	561	0.016	0.014 - 0.017	295	0.017	0.015 - 0.019	266	0.014	0.013 - 0.016
Delaware	154	0.016	0.014 - 0.019	82	0.018	0.014 - 0.022	72	0.015	0.012 - 0.019
Florida	2,935	0.014	0.014 - 0.015	1,534	0.015	0.015 - 0.016	1,401	0.013	0.013 - 0.014
Georgia	1,019	0.010	0.009 - 0.011	529	0.011	0.010 - 0.012	491	0.009	0.009 - 0.010
Hawaii	170	0.012	0.010 - 0.014	90	0.012	0.010 - 0.015	80	0.011	0.009 - 0.014
Idaho	186	0.011	0.010 - 0.013	100	0.012	0.010 - 0.015	86	0.010	0.008 - 0.013
Illinois	1,621	0.013	0.012 - 0.013	821	0.013	0.012 - 0.014	800	0.012	0.011 - 0.013
Iowa	435	0.014	0.013 - 0.015	222	0.014	0.012 - 0.016	213	0.014	0.012 - 0.016
Kentucky	539	0.012	0.011 - 0.013	273	0.013	0.011 - 0.014	266	0.012	0.010 - 0.013
Louisiana	547	0.012	0.011 - 0.013	273	0.012	0.011 - 0.013	273	0.011	0.010 - 0.013
Maine	179	0.013	0.012 - 0.016	94	0.014	0.012 - 0.018	85	0.013	0.010 - 0.015
Maryland	783	0.013	0.012 - 0.014	384	0.013	0.012 - 0.015	399	0.013	0.012 - 0.014
Michigan	1,423	0.014	0.014 - 0.015	694	0.014	0.013 - 0.015	729	0.014	0.013 - 0.016
MI - Detroit	525	0.014	0.012 - 0.015	252	0.013	0.012 - 0.015	273	0.014	0.012 - 0.015
Minnesota	703	0.013	0.012 - 0.014	363	0.013	0.012 - 0.015	340	0.012	0.011 - 0.014
Mississippi	357	0.012	0.011 - 0.013	185	0.013	0.011 - 0.015	172	0.011	0.010 - 0.013
Missouri	699	0.011	0.011 - 0.012	359	0.012	0.011 - 0.013	340	0.011	0.010 - 0.012
Montana	124	0.012	0.010 - 0.014	68	0.013	0.010 - 0.017	55	0.011	0.008 - 0.014
Nebraska	258	0.014	0.012 - 0.015	126	0.013	0.011 - 0.016	132	0.014	0.012 - 0.016
New Hampshire	175	0.013	0.011 - 0.015	86	0.013	0.010 - 0.016	89	0.013	0.011 - 0.016
New Jersey	1,251	0.014	0.013 - 0.015	629	0.014	0.013 - 0.016	622	0.014	0.012 - 0.015
New Mexico	203	0.010	0.008 - 0.011	98	0.009	0.008 - 0.012	105	0.010	0.008 - 0.012
New York	2,941	0.015	0.014 - 0.015	1,498	0.016	0.015 - 0.016	1,443	0.014	0.013 - 0.015
North Carolina	1,160	0.011	0.011 - 0.012	615	0.013	0.012 - 0.014	545	0.011	0.010 - 0.011
North Dakota	76	0.010	0.008 - 0.013	41	0.011	0.008 - 0.014	35	0.010	0.007 - 0.013
Ohio	1,389	0.012	0.011 - 0.013	687	0.012	0.011 - 0.013	702	0.012	0.011 - 0.013
Oklahoma	378	0.010	0.009 - 0.011	189	0.010	0.008 - 0.011	189	0.010	0.008 - 0.011
Oregon	484	0.012	0.011 - 0.013	260	0.013	0.011 - 0.015	224	0.011	0.010 - 0.012
Pennsylvania	2,030	0.016	0.015 - 0.017	1,087	0.017	0.016 - 0.018	943	0.014	0.014 - 0.015
Rhode Island	135	0.013	0.011 - 0.015	78	0.015	0.012 - 0.019	57	0.010	0.008 - 0.014
South Carolina	625	0.013	0.012 - 0.014	316	0.013	0.012 - 0.015	309	0.012	0.011 - 0.014
Tennessee	709	0.011	0.010 - 0.012	371	0.011	0.010 - 0.013	338	0.010	0.009 - 0.011
Texas	2,568	0.009	0.009 - 0.010	1,313	0.010	0.009 - 0.010	1,255	0.009	0.009 - 0.010
Utah	198	0.007	0.006 - 0.008	107	0.007	0.006 - 0.009	91	0.006	0.005 - 0.007
Vermont	82	0.013	0.010 - 0.016	49	0.016	0.012 - 0.021	33	0.010	0.007 - 0.015
Virginia	853	0.010	0.009 - 0.011	454	0.011	0.010 - 0.012	399	0.009	0.008 - 0.010
Washington	819	0.011	0.011 - 0.012	425	0.012	0.011 - 0.013	394	0.011	0.010 - 0.012
WA - Seattle	584	0.012	0.011 - 0.013	299	0.012	0.011 - 0.014	285	0.011	0.010 - 0.013
West Virginia	186	0.010	0.009 - 0.012	97	0.011	0.009 - 0.013	89	0.010	0.008 - 0.012
Wisconsin	838	0.015	0.014 - 0.016	476	0.017	0.015 - 0.018	362	0.012	0.011 - 0.014
Wyoming	58	0.010	0.008 - 0.013	30	0.010	0.007 - 0.014	28	0.010	0.006 - 0.014
NAACCR CDN Combined[1]	**1,242**	**0.009**	**0.009 - 0.010**	**639**	**0.009**	**0.009 - 0.010**	**603**	**0.009**	**0.008 - 0.009**
Alberta	332	0.008	0.007 - 0.009	176	0.008	0.007 - 0.010	156	0.008	0.006 - 0.009
British Columbia	452	0.010	0.009 - 0.010	218	0.009	0.008 - 0.011	234	0.010	0.009 - 0.011
Manitoba	124	0.009	0.008 - 0.011	60	0.009	0.007 - 0.012	64	0.010	0.008 - 0.012
New Brunswick	103	0.014	0.011 - 0.017	60	0.016	0.012 - 0.021	43	0.011	0.008 - 0.015
Newfoundland and Labrador	36	0.007	0.005 - 0.009	19	0.007	0.004 - 0.011	17	0.006	0.004 - 0.010
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	91	0.010	0.008 - 0.012	50	0.011	0.008 - 0.014	41	0.009	0.006 - 0.012
Prince Edward Island	12	0.008	0.004 - 0.014	-	-		-	-	
Saskatchewan	91	0.008	0.006 - 0.010	48	0.008	0.006 - 0.011	43	0.008	0.006 - 0.010
NAACCR N.A. Combined[1]	**37,025**	**0.012**	**0.012 - 0.012**	**19,073**	**0.012**	**0.012 - 0.012**	**17,952**	**0.011**	**0.011 - 0.011**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**19,043**	**0.006**	**0.006 - 0.006**	**15,158**	**0.010**	**0.010 - 0.010**	**3,886**	**0.003**	**0.002 - 0.003**
Alabama	431	0.009	0.008 - 0.010	341	0.014	0.013 - 0.016	90	0.004	0.003 - 0.004
Alaska	36	0.005	0.003 - 0.007	-	-		-	-	
Arizona	259	0.004	0.003 - 0.004	210	0.006	0.005 - 0.007	49	0.001	0.001 - 0.002
Arkansas	219	0.007	0.006 - 0.008	172	0.012	0.010 - 0.014	47	0.003	0.002 - 0.004
California	1,325	0.003	0.003 - 0.004	1,106	0.006	0.005 - 0.006	219	0.001	0.001 - 0.001
CA - Greater California	764	0.004	0.003 - 0.004	630	0.006	0.005 - 0.006	134	0.001	0.001 - 0.001
CA - Greater Bay Area	256	0.003	0.003 - 0.004	216	0.006	0.005 - 0.007	40	0.001	0.001 - 0.001
CA - Los Angeles	306	0.003	0.003 - 0.003	261	0.005	0.005 - 0.006	45	0.001	0.001 - 0.001
Colorado	218	0.004	0.003 - 0.005	174	0.006	0.005 - 0.007	44	0.002	0.001 - 0.002
Connecticut	262	0.007	0.006 - 0.008	213	0.012	0.011 - 0.014	49	0.003	0.002 - 0.004
Delaware	63	0.007	0.005 - 0.008	43	0.009	0.007 - 0.013	20	0.004	0.002 - 0.006
Florida	1,677	0.008	0.008 - 0.009	1,387	0.014	0.013 - 0.015	290	0.003	0.002 - 0.003
Georgia	659	0.006	0.006 - 0.007	522	0.010	0.010 - 0.011	137	0.003	0.002 - 0.003
Hawaii	53	0.004	0.003 - 0.005	-	-		-	-	
Idaho	62	0.004	0.003 - 0.005	-	-		-	-	
Illinois	912	0.007	0.007 - 0.008	720	0.011	0.011 - 0.012	192	0.003	0.003 - 0.003
Iowa	228	0.007	0.006 - 0.008	179	0.012	0.010 - 0.013	49	0.003	0.002 - 0.004
Kentucky	454	0.010	0.009 - 0.011	329	0.015	0.013 - 0.017	125	0.006	0.005 - 0.007
Louisiana	430	0.009	0.008 - 0.010	323	0.014	0.013 - 0.016	107	0.004	0.004 - 0.005
Maine	124	0.009	0.008 - 0.011	94	0.014	0.012 - 0.018	30	0.004	0.003 - 0.006
Maryland	309	0.005	0.005 - 0.006	234	0.008	0.007 - 0.009	75	0.002	0.002 - 0.003
Michigan	789	0.008	0.007 - 0.009	602	0.012	0.011 - 0.013	187	0.004	0.003 - 0.004
MI - Detroit	323	0.008	0.007 - 0.009	244	0.013	0.011 - 0.015	79	0.004	0.003 - 0.005
Minnesota	322	0.006	0.005 - 0.007	260	0.009	0.008 - 0.011	62	0.002	0.002 - 0.003
Mississippi	265	0.009	0.008 - 0.010	211	0.015	0.013 - 0.017	54	0.004	0.003 - 0.005
Missouri	490	0.008	0.007 - 0.009	380	0.013	0.011 - 0.014	110	0.004	0.003 - 0.004
Montana	61	0.006	0.004 - 0.008	47	0.009	0.007 - 0.012	14	0.003	0.001 - 0.005
Nebraska	113	0.006	0.005 - 0.007	87	0.009	0.007 - 0.011	26	0.003	0.002 - 0.004
New Hampshire	85	0.006	0.005 - 0.008	65	0.010	0.008 - 0.013	20	0.003	0.002 - 0.005
New Jersey	537	0.006	0.005 - 0.007	431	0.010	0.009 - 0.011	106	0.002	0.002 - 0.003
New Mexico	87	0.004	0.003 - 0.005	68	0.007	0.005 - 0.008	19	0.002	0.001 - 0.003
New York	1,320	0.007	0.006 - 0.007	1,051	0.011	0.010 - 0.012	269	0.003	0.002 - 0.003
North Carolina	778	0.008	0.007 - 0.008	607	0.012	0.011 - 0.013	171	0.003	0.003 - 0.004
North Dakota	45	0.006	0.004 - 0.008	-	-		-	-	
Ohio	990	0.009	0.008 - 0.009	782	0.014	0.013 - 0.015	208	0.004	0.003 - 0.004
Oklahoma	292	0.007	0.007 - 0.008	213	0.011	0.010 - 0.013	79	0.004	0.003 - 0.005
Oregon	208	0.005	0.004 - 0.006	170	0.008	0.007 - 0.010	38	0.002	0.001 - 0.003
Pennsylvania	1,014	0.008	0.007 - 0.008	791	0.013	0.012 - 0.014	223	0.003	0.003 - 0.004
Rhode Island	72	0.007	0.005 - 0.009	57	0.011	0.008 - 0.014	15	0.003	0.002 - 0.005
South Carolina	446	0.009	0.008 - 0.010	373	0.016	0.014 - 0.017	73	0.003	0.002 - 0.004
Tennessee	524	0.008	0.007 - 0.009	403	0.012	0.011 - 0.014	121	0.004	0.003 - 0.004
Texas	1,298	0.005	0.004 - 0.005	1,064	0.008	0.007 - 0.008	234	0.002	0.001 - 0.002
Utah	68	0.002	0.002 - 0.003	-	-		-	-	
Vermont	47	0.008	0.006 - 0.010	-	-		-	-	
Virginia	488	0.006	0.005 - 0.006	401	0.010	0.009 - 0.011	87	0.002	0.002 - 0.003
Washington	326	0.005	0.004 - 0.005	267	0.007	0.007 - 0.008	59	0.002	0.001 - 0.002
WA - Seattle	227	0.005	0.004 - 0.005	185	0.007	0.006 - 0.009	42	0.002	0.001 - 0.002
West Virginia	212	0.012	0.010 - 0.013	158	0.017	0.015 - 0.020	54	0.006	0.004 - 0.008
Wisconsin	416	0.007	0.007 - 0.008	330	0.012	0.010 - 0.013	86	0.003	0.002 - 0.004
Wyoming	29	0.005	0.003 - 0.007	-	-		-	-	
NAACCR CDN Combined[1]	**632**	**0.005**	**0.004 - 0.005**	**551**	**0.008**	**0.007 - 0.009**	**81**	**0.001**	**0.001 - 0.001**
Alberta	145	0.003	0.003 - 0.004	129	0.006	0.005 - 0.007	16	0.001	0.000 - 0.001
British Columbia	197	0.004	0.004 - 0.005	172	0.007	0.006 - 0.009	25	0.001	0.001 - 0.002
Manitoba	55	0.004	0.003 - 0.005	-	-		-	-	
New Brunswick	50	0.007	0.005 - 0.009	-	-		-	-	
Newfoundland and Labrador	51	0.010	0.007 - 0.013	-	-		-	-	
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	76	0.008	0.006 - 0.010	59	0.013	0.010 - 0.016	17	0.004	0.002 - 0.006
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	49	0.004	0.003 - 0.006	-	-		-	-	
NAACCR N.A. Combined[1]	**19,675**	**0.006**	**0.006 - 0.006**	**15,709**	**0.010**	**0.010 - 0.010**	**3,967**	**0.002**	**0.002 - 0.003**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-8 Prevalence – Larynx

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**208,949**	**0.069**	**0.069 - 0.070**	**101,946**	**0.069**	**0.068 - 0.069**	**107,002**	**0.070**	**0.070 - 0.070**
Alabama	3,689	0.076	0.074 - 0.078	2,011	0.085	0.082 - 0.089	1,678	0.067	0.064 - 0.070
Alaska	344	0.047	0.042 - 0.052	191	0.049	0.043 - 0.057	153	0.043	0.037 - 0.051
Arizona	3,827	0.056	0.054 - 0.058	1,786	0.052	0.050 - 0.055	2,041	0.059	0.057 - 0.062
Arkansas	2,835	0.095	0.092 - 0.099	1,482	0.101	0.096 - 0.106	1,353	0.089	0.085 - 0.094
California	17,086	0.044	0.043 - 0.044	7,938	0.041	0.040 - 0.042	9,147	0.046	0.045 - 0.047
CA - Greater California	9,942	0.046	0.045 - 0.047	4,504	0.042	0.041 - 0.043	5,437	0.050	0.049 - 0.051
CA - Greater Bay Area	3,479	0.047	0.046 - 0.049	1,670	0.046	0.043 - 0.048	1,809	0.049	0.047 - 0.051
CA - Los Angeles	3,665	0.036	0.035 - 0.037	1,764	0.035	0.034 - 0.037	1,901	0.037	0.035 - 0.039
Colorado	2,406	0.044	0.042 - 0.046	1,160	0.042	0.040 - 0.045	1,246	0.046	0.043 - 0.048
Connecticut	3,030	0.084	0.081 - 0.087	1,415	0.081	0.077 - 0.085	1,615	0.088	0.084 - 0.092
Delaware	923	0.097	0.091 - 0.104	453	0.099	0.090 - 0.108	470	0.096	0.088 - 0.105
Florida	17,380	0.085	0.084 - 0.086	8,545	0.085	0.084 - 0.087	8,835	0.084	0.083 - 0.086
Georgia	6,479	0.063	0.062 - 0.065	3,367	0.067	0.065 - 0.070	3,112	0.059	0.057 - 0.061
Hawaii	788	0.055	0.051 - 0.059	414	0.058	0.052 - 0.064	374	0.053	0.047 - 0.058
Idaho	895	0.054	0.050 - 0.057	454	0.054	0.050 - 0.060	441	0.053	0.048 - 0.058
Illinois	9,818	0.076	0.075 - 0.078	4,650	0.074	0.072 - 0.076	5,168	0.079	0.077 - 0.081
Iowa	2,459	0.079	0.076 - 0.082	1,219	0.078	0.074 - 0.083	1,241	0.079	0.075 - 0.083
Kentucky	4,690	0.106	0.103 - 0.109	2,344	0.107	0.103 - 0.112	2,347	0.104	0.100 - 0.109
Louisiana	3,410	0.073	0.070 - 0.075	1,818	0.079	0.076 - 0.083	1,592	0.067	0.063 - 0.070
Maine	1,381	0.104	0.099 - 0.110	660	0.101	0.094 - 0.109	721	0.106	0.099 - 0.114
Maryland	4,095	0.068	0.066 - 0.070	1,871	0.064	0.061 - 0.067	2,224	0.072	0.069 - 0.075
Michigan	8,558	0.086	0.084 - 0.088	4,111	0.084	0.082 - 0.087	4,447	0.088	0.086 - 0.091
MI - Detroit	3,260	0.084	0.081 - 0.087	1,477	0.079	0.075 - 0.083	1,783	0.089	0.085 - 0.094
Minnesota	3,838	0.070	0.068 - 0.072	1,840	0.067	0.064 - 0.070	1,998	0.072	0.069 - 0.075
Mississippi	2,527	0.085	0.081 - 0.088	1,379	0.095	0.090 - 0.100	1,148	0.075	0.070 - 0.079
Missouri	5,283	0.087	0.085 - 0.089	2,598	0.087	0.084 - 0.090	2,685	0.087	0.083 - 0.090
Montana	703	0.068	0.063 - 0.073	310	0.060	0.053 - 0.067	393	0.077	0.069 - 0.085
Nebraska	1,250	0.066	0.062 - 0.070	626	0.066	0.061 - 0.071	624	0.065	0.060 - 0.071
New Hampshire	1,201	0.090	0.085 - 0.095	548	0.083	0.076 - 0.090	653	0.097	0.090 - 0.105
New Jersey	6,526	0.073	0.071 - 0.075	2,879	0.066	0.063 - 0.068	3,647	0.079	0.077 - 0.082
New Mexico	879	0.042	0.039 - 0.045	448	0.043	0.039 - 0.048	431	0.041	0.037 - 0.045
New York	15,422	0.078	0.077 - 0.079	7,123	0.074	0.072 - 0.076	8,299	0.081	0.080 - 0.083
North Carolina	8,391	0.083	0.081 - 0.085	4,198	0.085	0.083 - 0.088	4,193	0.081	0.078 - 0.083
North Dakota	538	0.071	0.065 - 0.078	269	0.069	0.061 - 0.078	269	0.073	0.065 - 0.083
Ohio	9,791	0.084	0.083 - 0.086	4,805	0.084	0.082 - 0.087	4,986	0.084	0.082 - 0.087
Oklahoma	2,882	0.074	0.071 - 0.076	1,487	0.077	0.073 - 0.081	1,395	0.071	0.067 - 0.074
Oregon	2,601	0.064	0.062 - 0.067	1,218	0.061	0.057 - 0.064	1,383	0.068	0.064 - 0.071
Pennsylvania	11,201	0.088	0.086 - 0.089	5,305	0.085	0.082 - 0.087	5,896	0.090	0.088 - 0.093
Rhode Island	994	0.094	0.088 - 0.100	444	0.087	0.079 - 0.095	550	0.101	0.093 - 0.110
South Carolina	4,053	0.082	0.080 - 0.085	2,110	0.088	0.084 - 0.092	1,943	0.077	0.073 - 0.080
Tennessee	5,988	0.090	0.088 - 0.093	3,064	0.095	0.092 - 0.098	2,924	0.086	0.083 - 0.089
Texas	12,918	0.047	0.046 - 0.047	6,658	0.048	0.047 - 0.050	6,260	0.045	0.044 - 0.046
Utah	629	0.021	0.019 - 0.023	304	0.020	0.018 - 0.022	325	0.022	0.019 - 0.024
Vermont	574	0.092	0.085 - 0.100	267	0.087	0.077 - 0.098	307	0.097	0.087 - 0.109
Virginia	5,495	0.065	0.064 - 0.067	2,737	0.066	0.064 - 0.069	2,758	0.065	0.062 - 0.067
Washington	4,444	0.062	0.060 - 0.063	2,149	0.060	0.057 - 0.062	2,295	0.064	0.061 - 0.066
WA - Seattle	3,155	0.063	0.061 - 0.066	1,516	0.061	0.058 - 0.064	1,639	0.066	0.063 - 0.069
West Virginia	2,007	0.109	0.105 - 0.114	1,024	0.113	0.106 - 0.120	983	0.106	0.099 - 0.113
Wisconsin	4,432	0.077	0.075 - 0.079	2,136	0.074	0.071 - 0.078	2,296	0.079	0.076 - 0.083
Wyoming	288	0.049	0.044 - 0.055	133	0.045	0.037 - 0.053	155	0.054	0.046 - 0.063
NAACCR CDN Combined[1]	**9,512**	**0.069**	**0.068 - 0.070**	**4,427**	**0.064**	**0.062 - 0.066**	**5,085**	**0.074**	**0.072 - 0.076**
Alberta	2,250	0.053	0.051 - 0.056	1,010	0.047	0.044 - 0.050	1,240	0.060	0.057 - 0.063
British Columbia	3,262	0.069	0.067 - 0.071	1,469	0.063	0.059 - 0.066	1,793	0.075	0.072 - 0.079
Manitoba	918	0.070	0.066 - 0.075	405	0.062	0.056 - 0.069	513	0.078	0.072 - 0.085
New Brunswick	802	0.106	0.099 - 0.114	415	0.111	0.101 - 0.122	387	0.101	0.091 - 0.112
Newfoundland and Labrador	525	0.099	0.091 - 0.108	290	0.111	0.099 - 0.125	235	0.088	0.077 - 0.099
Northwest Territory	18	0.041	0.024 - 0.064	-	-		-	-	
Nova Scotia	954	0.101	0.095 - 0.108	460	0.099	0.090 - 0.109	494	0.103	0.094 - 0.112
Prince Edward Island	123	0.083	0.069 - 0.099	49	0.068	0.050 - 0.090	74	0.097	0.077 - 0.122
Saskatchewan	660	0.058	0.054 - 0.062	318	0.055	0.049 - 0.062	342	0.061	0.054 - 0.067
NAACCR N.A. Combined[1]	**218,461**	**0.069**	**0.069 - 0.070**	**106,373**	**0.068**	**0.068 - 0.069**	**112,087**	**0.070**	**0.070 - 0.070**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**137,858**	**0.046**	**0.045 - 0.046**	**80,055**	**0.054**	**0.054 - 0.054**	**57,804**	**0.038**	**0.037 - 0.038**
Alabama	2,117	0.044	0.042 - 0.045	1,265	0.054	0.051 - 0.057	852	0.034	0.032 - 0.036
Alaska	180	0.024	0.021 - 0.028	100	0.026	0.021 - 0.031	80	0.023	0.018 - 0.028
Arizona	3,256	0.047	0.046 - 0.049	2,087	0.061	0.059 - 0.064	1,169	0.034	0.032 - 0.036
Arkansas	1,341	0.045	0.043 - 0.047	816	0.056	0.052 - 0.060	525	0.035	0.032 - 0.038
California	17,453	0.045	0.044 - 0.045	10,268	0.053	0.052 - 0.054	7,185	0.036	0.036 - 0.037
CA - Greater California	10,802	0.050	0.049 - 0.051	6,390	0.059	0.058 - 0.061	4,413	0.041	0.039 - 0.042
CA - Greater Bay Area	4,020	0.055	0.053 - 0.056	2,336	0.064	0.061 - 0.066	1,684	0.045	0.043 - 0.048
CA - Los Angeles	2,631	0.026	0.025 - 0.027	1,544	0.031	0.029 - 0.032	1,087	0.021	0.020 - 0.022
Colorado	2,349	0.043	0.041 - 0.045	1,351	0.049	0.046 - 0.052	998	0.037	0.034 - 0.039
Connecticut	1,661	0.046	0.044 - 0.049	960	0.055	0.051 - 0.058	701	0.038	0.035 - 0.041
Delaware	634	0.067	0.062 - 0.072	385	0.084	0.076 - 0.093	249	0.051	0.045 - 0.058
Florida	11,688	0.057	0.056 - 0.058	7,318	0.073	0.071 - 0.075	4,370	0.042	0.041 - 0.043
Georgia	5,288	0.052	0.050 - 0.053	3,051	0.061	0.059 - 0.063	2,237	0.043	0.041 - 0.044
Hawaii	678	0.047	0.044 - 0.051	418	0.058	0.053 - 0.064	260	0.037	0.032 - 0.041
Idaho	905	0.054	0.051 - 0.058	502	0.060	0.055 - 0.066	403	0.049	0.044 - 0.053
Illinois	5,172	0.040	0.039 - 0.041	2,846	0.045	0.043 - 0.047	2,326	0.036	0.034 - 0.037
Iowa	1,728	0.055	0.053 - 0.058	956	0.062	0.058 - 0.066	773	0.049	0.046 - 0.053
Kentucky	2,489	0.056	0.054 - 0.058	1,380	0.063	0.060 - 0.067	1,109	0.049	0.046 - 0.052
Louisiana	1,681	0.036	0.034 - 0.038	1,064	0.046	0.044 - 0.049	617	0.026	0.024 - 0.028
Maine	868	0.065	0.061 - 0.070	465	0.071	0.065 - 0.078	403	0.059	0.054 - 0.066
Maryland	2,941	0.049	0.047 - 0.051	1,751	0.060	0.057 - 0.063	1,190	0.038	0.036 - 0.041
Michigan	4,087	0.041	0.040 - 0.042	2,245	0.046	0.044 - 0.048	1,842	0.037	0.035 - 0.038
MI - Detroit	1,457	0.038	0.036 - 0.040	790	0.042	0.039 - 0.045	667	0.033	0.031 - 0.036
Minnesota	3,514	0.064	0.062 - 0.066	1,960	0.072	0.068 - 0.075	1,554	0.056	0.053 - 0.059
Mississippi	963	0.032	0.030 - 0.034	558	0.039	0.035 - 0.042	405	0.026	0.024 - 0.029
Missouri	2,503	0.041	0.040 - 0.043	1,473	0.049	0.047 - 0.052	1,030	0.033	0.031 - 0.035
Montana	604	0.058	0.054 - 0.063	331	0.064	0.057 - 0.071	273	0.053	0.047 - 0.060
Nebraska	938	0.049	0.046 - 0.053	478	0.050	0.046 - 0.055	460	0.048	0.044 - 0.053
New Hampshire	986	0.074	0.069 - 0.079	526	0.080	0.073 - 0.087	460	0.068	0.062 - 0.075
New Jersey	4,278	0.048	0.046 - 0.049	2,448	0.056	0.054 - 0.058	1,830	0.040	0.038 - 0.042
New Mexico	689	0.033	0.031 - 0.036	416	0.040	0.037 - 0.044	273	0.026	0.023 - 0.029
New York	7,614	0.038	0.038 - 0.039	4,306	0.045	0.043 - 0.046	3,308	0.032	0.031 - 0.034
North Carolina	5,481	0.054	0.053 - 0.056	3,239	0.066	0.064 - 0.068	2,242	0.043	0.042 - 0.045
North Dakota	345	0.046	0.041 - 0.051	198	0.051	0.044 - 0.059	147	0.040	0.034 - 0.047
Ohio	6,008	0.052	0.050 - 0.053	3,309	0.058	0.056 - 0.060	2,699	0.046	0.044 - 0.047
Oklahoma	1,702	0.043	0.041 - 0.046	1,064	0.055	0.052 - 0.058	638	0.032	0.030 - 0.035
Oregon	2,386	0.059	0.057 - 0.061	1,275	0.064	0.060 - 0.067	1,111	0.054	0.051 - 0.058
Pennsylvania	7,446	0.058	0.057 - 0.060	4,195	0.067	0.065 - 0.069	3,251	0.050	0.048 - 0.052
Rhode Island	595	0.056	0.052 - 0.061	339	0.066	0.059 - 0.073	256	0.047	0.042 - 0.053
South Carolina	2,418	0.049	0.047 - 0.051	1,444	0.060	0.057 - 0.064	974	0.038	0.036 - 0.041
Tennessee	2,851	0.043	0.042 - 0.045	1,601	0.050	0.047 - 0.052	1,250	0.037	0.035 - 0.039
Texas	6,209	0.022	0.022 - 0.023	3,757	0.027	0.026 - 0.028	2,452	0.018	0.017 - 0.018
Utah	1,988	0.066	0.063 - 0.069	1,148	0.076	0.071 - 0.080	840	0.056	0.052 - 0.060
Vermont	542	0.087	0.080 - 0.095	312	0.101	0.090 - 0.113	230	0.073	0.064 - 0.083
Virginia	3,246	0.039	0.037 - 0.040	1,865	0.045	0.043 - 0.047	1,381	0.032	0.031 - 0.034
Washington	3,884	0.054	0.052 - 0.056	2,151	0.060	0.057 - 0.062	1,733	0.048	0.046 - 0.050
WA - Seattle	3,084	0.062	0.060 - 0.064	1,710	0.069	0.066 - 0.072	1,375	0.055	0.052 - 0.058
West Virginia	854	0.047	0.043 - 0.050	499	0.055	0.050 - 0.060	355	0.038	0.034 - 0.042
Wisconsin	3,001	0.052	0.050 - 0.054	1,764	0.062	0.059 - 0.064	1,237	0.043	0.040 - 0.045
Wyoming	298	0.051	0.045 - 0.057	171	0.057	0.049 - 0.066	127	0.044	0.037 - 0.053
NAACCR CDN Combined[1]	**5,409**	**0.039**	**0.038 - 0.040**	**2,865**	**0.042**	**0.040 - 0.043**	**2,544**	**0.037**	**0.035 - 0.038**
Alberta	1,312	0.031	0.030 - 0.033	680	0.032	0.029 - 0.034	632	0.031	0.028 - 0.033
British Columbia	1,983	0.042	0.040 - 0.044	1,080	0.046	0.043 - 0.049	903	0.038	0.035 - 0.040
Manitoba	437	0.033	0.030 - 0.037	227	0.035	0.031 - 0.040	210	0.032	0.028 - 0.037
New Brunswick	350	0.046	0.042 - 0.051	183	0.049	0.042 - 0.057	167	0.044	0.037 - 0.051
Newfoundland and Labrador	184	0.035	0.030 - 0.040	101	0.039	0.032 - 0.047	83	0.031	0.025 - 0.038
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	668	0.071	0.065 - 0.076	366	0.079	0.071 - 0.088	302	0.063	0.056 - 0.070
Prince Edward Island	114	0.077	0.063 - 0.092	61	0.084	0.065 - 0.109	53	0.070	0.052 - 0.091
Saskatchewan	354	0.031	0.028 - 0.034	164	0.029	0.024 - 0.033	190	0.034	0.029 - 0.039
NAACCR N.A. Combined[1]	**143,267**	**0.045**	**0.045 - 0.046**	**82,920**	**0.053**	**0.053 - 0.054**	**60,348**	**0.038**	**0.037 - 0.038**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-10 Prevalence – Melanoma of the Skin

Two Year Limited-Duration Prevalence on January 1, 2016 for Cancers Diagnosed 2014-2015 by Registry, All Races, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**419,414**	**0.274**	**0.273 - 0.275**
Alabama	-	-		-	-		6,930	0.277	0.270 - 0.283
Alaska	-	-		-	-		805	0.228	0.213 - 0.245
Arizona	-	-		-	-		8,570	0.249	0.243 - 0.254
Arkansas	-	-		-	-		3,975	0.262	0.254 - 0.270
California	-	-		-	-		49,177	0.250	0.247 - 0.252
CA - Greater California	-	-		-	-		27,308	0.251	0.248 - 0.254
CA - Greater Bay Area	-	-		-	-		10,068	0.272	0.267 - 0.277
CA - Los Angeles	-	-		-	-		11,800	0.229	0.225 - 0.234
Colorado	-	-		-	-		7,003	0.257	0.251 - 0.263
Connecticut	-	-		-	-		6,116	0.333	0.324 - 0.341
Delaware	-	-		-	-		1,567	0.320	0.305 - 0.337
Florida	-	-		-	-		29,854	0.285	0.282 - 0.289
Georgia	-	-		-	-		13,441	0.255	0.251 - 0.260
Hawaii	-	-		-	-		2,218	0.312	0.299 - 0.326
Idaho	-	-		-	-		2,150	0.259	0.248 - 0.270
Illinois	-	-		-	-		19,035	0.291	0.287 - 0.295
Iowa	-	-		-	-		4,574	0.291	0.283 - 0.300
Kentucky	-	-		-	-		6,449	0.287	0.280 - 0.294
Louisiana	-	-		-	-		6,353	0.266	0.259 - 0.272
Maine	-	-		-	-		2,248	0.331	0.318 - 0.345
Maryland	-	-		-	-		9,032	0.291	0.286 - 0.298
Michigan	-	-		-	-		13,992	0.277	0.273 - 0.282
MI - Detroit	-	-		-	-		6,044	0.303	0.295 - 0.311
Minnesota	-	-		-	-		8,028	0.290	0.284 - 0.297
Mississippi	-	-		-	-		3,813	0.248	0.240 - 0.256
Missouri	-	-		-	-		9,056	0.292	0.286 - 0.299
Montana	-	-		-	-		1,579	0.308	0.293 - 0.323
Nebraska	-	-		-	-		2,583	0.271	0.261 - 0.282
New Hampshire	-	-		-	-		2,413	0.359	0.344 - 0.373
New Jersey	-	-		-	-		14,038	0.306	0.301 - 0.311
New Mexico	-	-		-	-		2,575	0.245	0.235 - 0.254
New York	-	-		-	-		30,367	0.298	0.294 - 0.301
North Carolina	-	-		-	-		15,373	0.297	0.292 - 0.301
North Dakota	-	-		-	-		961	0.262	0.245 - 0.279
Ohio	-	-		-	-		17,419	0.294	0.290 - 0.298
Oklahoma	-	-		-	-		5,058	0.256	0.249 - 0.263
Oregon	-	-		-	-		5,815	0.284	0.277 - 0.292
Pennsylvania	-	-		-	-		20,479	0.314	0.309 - 0.318
Rhode Island	-	-		-	-		1,761	0.324	0.309 - 0.339
South Carolina	-	-		-	-		7,378	0.291	0.285 - 0.298
Tennessee	-	-		-	-		9,206	0.271	0.266 - 0.277
Texas	-	-		-	-		29,876	0.214	0.212 - 0.217
Utah	-	-		-	-		2,852	0.190	0.183 - 0.198
Vermont	-	-		-	-		1,042	0.330	0.310 - 0.351
Virginia	-	-		-	-		11,845	0.278	0.273 - 0.283
Washington	-	-		-	-		10,484	0.290	0.285 - 0.296
WA - Seattle	-	-		-	-		7,565	0.304	0.297 - 0.311
West Virginia	-	-		-	-		2,724	0.294	0.283 - 0.305
Wisconsin	-	-		-	-		8,505	0.293	0.287 - 0.300
Wyoming	-	-		-	-		696	0.243	0.225 - 0.262
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**18,038**	**0.261**	**0.257 - 0.265**
Alberta	-	-		-	-		4,892	0.236	0.230 - 0.243
British Columbia	-	-		-	-		6,517	0.274	0.267 - 0.280
Manitoba	-	-		-	-		1,524	0.232	0.221 - 0.244
New Brunswick	-	-		-	-		1,109	0.290	0.273 - 0.308
Newfoundland and Labrador	-	-		-	-		874	0.326	0.304 - 0.348
Northwest Territory	-	-		-	-		51	0.235	0.175 - 0.309
Nova Scotia	-	-		-	-		1,489	0.309	0.294 - 0.325
Prince Edward Island	-	-		-	-		219	0.288	0.252 - 0.329
Saskatchewan	-	-		-	-		1,363	0.241	0.229 - 0.254
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**437,452**	**0.274**	**0.273 - 0.274**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**20,410**	**0.013**	**0.013 - 0.014**
Alabama	-	-		-	-		381	0.015	0.014 - 0.017
Alaska	-	-		-	-		43	0.012	0.009 - 0.016
Arizona	-	-		-	-		367	0.011	0.010 - 0.012
Arkansas	-	-		-	-		250	0.016	0.015 - 0.019
California	-	-		-	-		2,397	0.012	0.012 - 0.013
CA - Greater California	-	-		-	-		1,329	0.012	0.012 - 0.013
CA - Greater Bay Area	-	-		-	-		419	0.011	0.010 - 0.012
CA - Los Angeles	-	-		-	-		648	0.013	0.012 - 0.014
Colorado	-	-		-	-		307	0.011	0.010 - 0.013
Connecticut	-	-		-	-		218	0.012	0.010 - 0.014
Delaware	-	-		-	-		68	0.014	0.011 - 0.018
Florida	-	-		-	-		1,635	0.016	0.015 - 0.016
Georgia	-	-		-	-		713	0.014	0.013 - 0.015
Hawaii	-	-		-	-		96	0.013	0.011 - 0.016
Idaho	-	-		-	-		89	0.011	0.009 - 0.013
Illinois	-	-		-	-		878	0.013	0.013 - 0.014
Iowa	-	-		-	-		209	0.013	0.012 - 0.015
Kentucky	-	-		-	-		344	0.015	0.014 - 0.017
Louisiana	-	-		-	-		383	0.016	0.014 - 0.018
Maine	-	-		-	-		70	0.010	0.008 - 0.013
Maryland	-	-		-	-		364	0.012	0.011 - 0.013
Michigan	-	-		-	-		620	0.012	0.011 - 0.013
MI - Detroit	-	-		-	-		253	0.013	0.011 - 0.014
Minnesota	-	-		-	-		271	0.010	0.009 - 0.011
Mississippi	-	-		-	-		247	0.016	0.014 - 0.018
Missouri	-	-		-	-		426	0.014	0.012 - 0.015
Montana	-	-		-	-		68	0.013	0.010 - 0.017
Nebraska	-	-		-	-		125	0.013	0.011 - 0.016
New Hampshire	-	-		-	-		65	0.010	0.007 - 0.012
New Jersey	-	-		-	-		664	0.014	0.013 - 0.016
New Mexico	-	-		-	-		140	0.013	0.011 - 0.016
New York	-	-		-	-		1,473	0.014	0.014 - 0.015
North Carolina	-	-		-	-		658	0.013	0.012 - 0.014
North Dakota	-	-		-	-		27	0.007	0.005 - 0.011
Ohio	-	-		-	-		799	0.013	0.013 - 0.014
Oklahoma	-	-		-	-		289	0.015	0.013 - 0.016
Oregon	-	-		-	-		254	0.012	0.011 - 0.014
Pennsylvania	-	-		-	-		842	0.013	0.012 - 0.014
Rhode Island	-	-		-	-		75	0.014	0.011 - 0.017
South Carolina	-	-		-	-		357	0.014	0.013 - 0.016
Tennessee	-	-		-	-		485	0.014	0.013 - 0.016
Texas	-	-		-	-		2,132	0.015	0.015 - 0.016
Utah	-	-		-	-		110	0.007	0.006 - 0.009
Vermont	-	-		-	-		23	0.007	0.005 - 0.011
Virginia	-	-		-	-		467	0.011	0.010 - 0.012
Washington	-	-		-	-		454	0.013	0.011 - 0.014
WA - Seattle	-	-		-	-		350	0.014	0.013 - 0.016
West Virginia	-	-		-	-		144	0.016	0.013 - 0.018
Wisconsin	-	-		-	-		359	0.012	0.011 - 0.014
Wyoming	-	-		-	-		24	0.008	0.005 - 0.012
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**958**	**0.014**	**0.013 - 0.015**
Alberta	-	-		-	-		303	0.015	0.013 - 0.016
British Columbia	-	-		-	-		327	0.014	0.012 - 0.015
Manitoba	-	-		-	-		87	0.013	0.011 - 0.016
New Brunswick	-	-		-	-		41	0.011	0.008 - 0.015
Newfoundland and Labrador	-	-		-	-		57	0.021	0.016 - 0.028
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	-	-		-	-		59	0.012	0.009 - 0.016
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	-	-		-	-		73	0.013	0.010 - 0.016
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**21,368**	**0.013**	**0.013 - 0.014**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**91,470**	**0.060**	**0.059 - 0.060**
Alabama	-	-		-	-		1,134	0.045	0.043 - 0.048
Alaska	-	-		-	-		159	0.045	0.038 - 0.053
Arizona	-	-		-	-		1,725	0.050	0.048 - 0.052
Arkansas	-	-		-	-		795	0.052	0.049 - 0.056
California	-	-		-	-		10,551	0.054	0.053 - 0.055
CA - Greater California	-	-		-	-		5,780	0.053	0.052 - 0.055
CA - Greater Bay Area	-	-		-	-		2,077	0.056	0.054 - 0.059
CA - Los Angeles	-	-		-	-		2,693	0.052	0.050 - 0.054
Colorado	-	-		-	-		1,272	0.047	0.044 - 0.049
Connecticut	-	-		-	-		1,285	0.070	0.066 - 0.074
Delaware	-	-		-	-		334	0.068	0.061 - 0.076
Florida	-	-		-	-		6,202	0.059	0.058 - 0.061
Georgia	-	-		-	-		2,523	0.048	0.046 - 0.050
Hawaii	-	-		-	-		467	0.066	0.060 - 0.072
Idaho	-	-		-	-		450	0.054	0.049 - 0.059
Illinois	-	-		-	-		4,311	0.066	0.064 - 0.068
Iowa	-	-		-	-		1,112	0.071	0.067 - 0.075
Kentucky	-	-		-	-		1,386	0.062	0.058 - 0.065
Louisiana	-	-		-	-		1,015	0.042	0.040 - 0.045
Maine	-	-		-	-		583	0.086	0.079 - 0.093
Maryland	-	-		-	-		1,979	0.064	0.061 - 0.067
Michigan	-	-		-	-		3,458	0.069	0.066 - 0.071
MI - Detroit	-	-		-	-		1,414	0.071	0.067 - 0.075
Minnesota	-	-		-	-		2,014	0.073	0.070 - 0.076
Mississippi	-	-		-	-		723	0.047	0.044 - 0.051
Missouri	-	-		-	-		1,908	0.062	0.059 - 0.064
Montana	-	-		-	-		328	0.064	0.057 - 0.071
Nebraska	-	-		-	-		589	0.062	0.057 - 0.067
New Hampshire	-	-		-	-		545	0.081	0.074 - 0.088
New Jersey	-	-		-	-		3,438	0.075	0.072 - 0.077
New Mexico	-	-		-	-		568	0.054	0.050 - 0.059
New York	-	-		-	-		7,436	0.073	0.071 - 0.075
North Carolina	-	-		-	-		3,045	0.059	0.057 - 0.061
North Dakota	-	-		-	-		211	0.057	0.050 - 0.066
Ohio	-	-		-	-		4,299	0.073	0.070 - 0.075
Oklahoma	-	-		-	-		1,045	0.053	0.050 - 0.056
Oregon	-	-		-	-		1,337	0.065	0.062 - 0.069
Pennsylvania	-	-		-	-		5,208	0.080	0.078 - 0.082
Rhode Island	-	-		-	-		407	0.075	0.068 - 0.083
South Carolina	-	-		-	-		1,369	0.054	0.051 - 0.057
Tennessee	-	-		-	-		1,895	0.056	0.053 - 0.058
Texas	-	-		-	-		5,821	0.042	0.041 - 0.043
Utah	-	-		-	-		704	0.047	0.044 - 0.051
Vermont	-	-		-	-		291	0.092	0.082 - 0.103
Virginia	-	-		-	-		2,361	0.055	0.053 - 0.058
Washington	-	-		-	-		2,121	0.059	0.056 - 0.061
WA - Seattle	-	-		-	-		1,550	0.062	0.059 - 0.066
West Virginia	-	-		-	-		715	0.077	0.072 - 0.083
Wisconsin	-	-		-	-		2,205	0.076	0.073 - 0.079
Wyoming	-	-		-	-		147	0.051	0.043 - 0.060
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**4,174**	**0.060**	**0.059 - 0.062**
Alberta	-	-		-	-		1,124	0.054	0.051 - 0.058
British Columbia	-	-		-	-		1,401	0.059	0.056 - 0.062
Manitoba	-	-		-	-		492	0.075	0.068 - 0.082
New Brunswick	-	-		-	-		268	0.070	0.062 - 0.079
Newfoundland and Labrador	-	-		-	-		203	0.076	0.066 - 0.087
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	-	-		-	-		327	0.068	0.061 - 0.076
Prince Edward Island	-	-		-	-		47	0.062	0.045 - 0.082
Saskatchewan	-	-		-	-		305	0.054	0.048 - 0.060
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**95,644**	**0.060**	**0.059 - 0.060**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**30,589**	**0.020**	**0.020 - 0.020**
Alabama	-	-		-	-		513	0.020	0.019 - 0.022
Alaska	-	-		-	-		61	0.017	0.013 - 0.022
Arizona	-	-		-	-		666	0.019	0.018 - 0.021
Arkansas	-	-		-	-		293	0.019	0.017 - 0.022
California	-	-		-	-		3,873	0.020	0.019 - 0.020
CA - Greater California	-	-		-	-		2,084	0.019	0.018 - 0.020
CA - Greater Bay Area	-	-		-	-		770	0.021	0.019 - 0.022
CA - Los Angeles	-	-		-	-		1,019	0.020	0.019 - 0.021
Colorado	-	-		-	-		478	0.018	0.016 - 0.019
Connecticut	-	-		-	-		428	0.023	0.021 - 0.026
Delaware	-	-		-	-		93	0.019	0.015 - 0.023
Florida	-	-		-	-		2,307	0.022	0.021 - 0.023
Georgia	-	-		-	-		940	0.018	0.017 - 0.019
Hawaii	-	-		-	-		142	0.020	0.017 - 0.024
Idaho	-	-		-	-		151	0.018	0.015 - 0.021
Illinois	-	-		-	-		1,325	0.020	0.019 - 0.021
Iowa	-	-		-	-		311	0.020	0.018 - 0.022
Kentucky	-	-		-	-		393	0.017	0.016 - 0.019
Louisiana	-	-		-	-		411	0.017	0.016 - 0.019
Maine	-	-		-	-		132	0.019	0.016 - 0.023
Maryland	-	-		-	-		637	0.021	0.019 - 0.022
Michigan	-	-		-	-		1,005	0.020	0.019 - 0.021
MI - Detroit	-	-		-	-		423	0.021	0.019 - 0.023
Minnesota	-	-		-	-		563	0.020	0.019 - 0.022
Mississippi	-	-		-	-		257	0.017	0.015 - 0.019
Missouri	-	-		-	-		578	0.019	0.017 - 0.020
Montana	-	-		-	-		116	0.023	0.019 - 0.027
Nebraska	-	-		-	-		206	0.022	0.019 - 0.025
New Hampshire	-	-		-	-		163	0.024	0.021 - 0.028
New Jersey	-	-		-	-		1,068	0.023	0.022 - 0.025
New Mexico	-	-		-	-		220	0.021	0.018 - 0.024
New York	-	-		-	-		2,280	0.022	0.021 - 0.023
North Carolina	-	-		-	-		985	0.019	0.018 - 0.020
North Dakota	-	-		-	-		65	0.018	0.014 - 0.023
Ohio	-	-		-	-		1,228	0.021	0.020 - 0.022
Oklahoma	-	-		-	-		346	0.018	0.016 - 0.019
Oregon	-	-		-	-		437	0.021	0.019 - 0.023
Pennsylvania	-	-		-	-		1,538	0.024	0.022 - 0.025
Rhode Island	-	-		-	-		115	0.021	0.017 - 0.025
South Carolina	-	-		-	-		443	0.017	0.016 - 0.019
Tennessee	-	-		-	-		637	0.019	0.017 - 0.020
Texas	-	-		-	-		2,386	0.017	0.016 - 0.018
Utah	-	-		-	-		226	0.015	0.013 - 0.017
Vermont	-	-		-	-		74	0.023	0.018 - 0.029
Virginia	-	-		-	-		790	0.019	0.017 - 0.020
Washington	-	-		-	-		787	0.022	0.020 - 0.023
WA - Seattle	-	-		-	-		585	0.024	0.022 - 0.026
West Virginia	-	-		-	-		227	0.024	0.021 - 0.028
Wisconsin	-	-		-	-		628	0.022	0.020 - 0.023
Wyoming	-	-		-	-		68	0.024	0.018 - 0.030
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**1,388**	**0.020**	**0.019 - 0.021**
Alberta	-	-		-	-		328	0.016	0.014 - 0.018
British Columbia	-	-		-	-		580	0.024	0.022 - 0.026
Manitoba	-	-		-	-		133	0.020	0.017 - 0.024
New Brunswick	-	-		-	-		68	0.018	0.014 - 0.023
Newfoundland and Labrador	-	-		-	-		57	0.021	0.016 - 0.028
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	-	-		-	-		105	0.022	0.018 - 0.026
Prince Edward Island	-	-		-	-		10	0.013	0.006 - 0.024
Saskatchewan	-	-		-	-		106	0.019	0.015 - 0.023
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**31,977**	**0.020**	**0.020 - 0.020**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**328,533**	**0.221**	**0.221 - 0.222**	**-**	**-**	
Alabama	-	-		6,132	0.261	0.254 - 0.267	-	-	
Alaska	-	-		479	0.124	0.113 - 0.135	-	-	
Arizona	-	-		5,997	0.176	0.172 - 0.180	-	-	
Arkansas	-	-		3,829	0.261	0.253 - 0.270	-	-	
California	-	-		33,526	0.172	0.170 - 0.174	-	-	
CA - Greater California	-	-		18,954	0.176	0.173 - 0.178	-	-	
CA - Greater Bay Area	-	-		6,458	0.176	0.172 - 0.180	-	-	
CA - Los Angeles	-	-		8,112	0.162	0.159 - 0.166	-	-	
Colorado	-	-		4,896	0.178	0.173 - 0.183	-	-	
Connecticut	-	-		4,391	0.251	0.243 - 0.258	-	-	
Delaware	-	-		1,384	0.301	0.286 - 0.318	-	-	
Florida	-	-		24,026	0.240	0.237 - 0.243	-	-	
Georgia	-	-		11,321	0.227	0.222 - 0.231	-	-	
Hawaii	-	-		1,376	0.192	0.182 - 0.202	-	-	
Idaho	-	-		1,702	0.204	0.194 - 0.214	-	-	
Illinois	-	-		14,495	0.230	0.226 - 0.233	-	-	
Iowa	-	-		3,751	0.241	0.234 - 0.249	-	-	
Kentucky	-	-		4,895	0.224	0.218 - 0.231	-	-	
Louisiana	-	-		6,196	0.271	0.264 - 0.277	-	-	
Maine	-	-		1,602	0.246	0.234 - 0.258	-	-	
Maryland	-	-		7,718	0.265	0.259 - 0.271	-	-	
Michigan	-	-		12,062	0.247	0.243 - 0.252	-	-	
MI - Detroit	-	-		5,300	0.283	0.275 - 0.291	-	-	
Minnesota	-	-		6,515	0.238	0.232 - 0.244	-	-	
Mississippi	-	-		4,046	0.279	0.271 - 0.288	-	-	
Missouri	-	-		6,334	0.212	0.207 - 0.217	-	-	
Montana	-	-		1,471	0.283	0.269 - 0.298	-	-	
Nebraska	-	-		2,211	0.233	0.224 - 0.243	-	-	
New Hampshire	-	-		1,748	0.265	0.253 - 0.278	-	-	
New Jersey	-	-		12,114	0.277	0.272 - 0.282	-	-	
New Mexico	-	-		1,841	0.178	0.170 - 0.187	-	-	
New York	-	-		25,813	0.268	0.265 - 0.272	-	-	
North Carolina	-	-		12,668	0.258	0.253 - 0.262	-	-	
North Dakota	-	-		985	0.254	0.238 - 0.270	-	-	
Ohio	-	-		13,319	0.234	0.230 - 0.238	-	-	
Oklahoma	-	-		3,779	0.195	0.189 - 0.201	-	-	
Oregon	-	-		4,248	0.212	0.205 - 0.218	-	-	
Pennsylvania	-	-		15,530	0.248	0.244 - 0.252	-	-	
Rhode Island	-	-		1,145	0.223	0.210 - 0.236	-	-	
South Carolina	-	-		6,522	0.273	0.266 - 0.279	-	-	
Tennessee	-	-		7,804	0.242	0.236 - 0.247	-	-	
Texas	-	-		21,470	0.156	0.154 - 0.158	-	-	
Utah	-	-		2,622	0.173	0.166 - 0.180	-	-	
Vermont	-	-		675	0.219	0.203 - 0.236	-	-	
Virginia	-	-		8,560	0.207	0.203 - 0.212	-	-	
Washington	-	-		7,270	0.202	0.197 - 0.206	-	-	
WA - Seattle	-	-		5,390	0.217	0.211 - 0.223	-	-	
West Virginia	-	-		2,138	0.236	0.226 - 0.246	-	-	
Wisconsin	-	-		7,230	0.252	0.246 - 0.258	-	-	
Wyoming	-	-		697	0.233	0.216 - 0.251	-	-	
NAACCR CDN Combined[1]	**-**	**-**		**14,973**	**0.217**	**0.214 - 0.221**	**-**	**-**	
Alberta	-	-		4,355	0.204	0.198 - 0.210	-	-	
British Columbia	-	-		5,026	0.214	0.208 - 0.220	-	-	
Manitoba	-	-		1,341	0.206	0.195 - 0.218	-	-	
New Brunswick	-	-		1,004	0.269	0.253 - 0.286	-	-	
Newfoundland and Labrador	-	-		804	0.308	0.287 - 0.330	-	-	
Northwest Territory	-	-		19	0.084	0.050 - 0.131	-	-	
Nova Scotia	-	-		1,049	0.226	0.213 - 0.241	-	-	
Prince Edward Island	-	-		160	0.222	0.189 - 0.259	-	-	
Saskatchewan	-	-		1,215	0.211	0.200 - 0.224	-	-	
NAACCR N.A. Combined[1]	**-**	**-**		**343,506**	**0.221**	**0.220 - 0.222**	**-**	**-**	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**15,629**	**0.011**	**0.010 - 0.011**	**-**	**-**	
Alabama	-	-		198	0.008	0.007 - 0.010	-	-	
Alaska	-	-		57	0.015	0.011 - 0.019	-	-	
Arizona	-	-		332	0.010	0.009 - 0.011	-	-	
Arkansas	-	-		142	0.010	0.008 - 0.011	-	-	
California	-	-		2,315	0.012	0.011 - 0.012	-	-	
CA - Greater California	-	-		1,278	0.012	0.011 - 0.013	-	-	
CA - Greater Bay Area	-	-		439	0.012	0.011 - 0.013	-	-	
CA - Los Angeles	-	-		598	0.012	0.011 - 0.013	-	-	
Colorado	-	-		325	0.012	0.011 - 0.013	-	-	
Connecticut	-	-		193	0.011	0.010 - 0.013	-	-	
Delaware	-	-		43	0.009	0.007 - 0.013	-	-	
Florida	-	-		781	0.008	0.007 - 0.008	-	-	
Georgia	-	-		389	0.008	0.007 - 0.009	-	-	
Hawaii	-	-		88	0.012	0.010 - 0.015	-	-	
Idaho	-	-		113	0.014	0.011 - 0.016	-	-	
Illinois	-	-		741	0.012	0.011 - 0.013	-	-	
Iowa	-	-		201	0.013	0.011 - 0.015	-	-	
Kentucky	-	-		230	0.011	0.009 - 0.012	-	-	
Louisiana	-	-		211	0.009	0.008 - 0.011	-	-	
Maine	-	-		69	0.011	0.008 - 0.013	-	-	
Maryland	-	-		258	0.009	0.008 - 0.010	-	-	
Michigan	-	-		508	0.010	0.010 - 0.011	-	-	
MI - Detroit	-	-		195	0.010	0.009 - 0.012	-	-	
Minnesota	-	-		345	0.013	0.011 - 0.014	-	-	
Mississippi	-	-		101	0.007	0.006 - 0.008	-	-	
Missouri	-	-		304	0.010	0.009 - 0.011	-	-	
Montana	-	-		64	0.012	0.009 - 0.016	-	-	
Nebraska	-	-		124	0.013	0.011 - 0.016	-	-	
New Hampshire	-	-		71	0.011	0.008 - 0.014	-	-	
New Jersey	-	-		478	0.011	0.010 - 0.012	-	-	
New Mexico	-	-		128	0.012	0.010 - 0.015	-	-	
New York	-	-		1,090	0.011	0.011 - 0.012	-	-	
North Carolina	-	-		449	0.009	0.008 - 0.010	-	-	
North Dakota	-	-		56	0.014	0.011 - 0.019	-	-	
Ohio	-	-		640	0.011	0.010 - 0.012	-	-	
Oklahoma	-	-		193	0.010	0.009 - 0.011	-	-	
Oregon	-	-		264	0.013	0.012 - 0.015	-	-	
Pennsylvania	-	-		735	0.012	0.011 - 0.013	-	-	
Rhode Island	-	-		58	0.011	0.009 - 0.015	-	-	
South Carolina	-	-		186	0.008	0.007 - 0.009	-	-	
Tennessee	-	-		291	0.009	0.008 - 0.010	-	-	
Texas	-	-		1,345	0.010	0.009 - 0.010	-	-	
Utah	-	-		196	0.013	0.011 - 0.015	-	-	
Vermont	-	-		32	0.010	0.007 - 0.015	-	-	
Virginia	-	-		331	0.008	0.007 - 0.009	-	-	
Washington	-	-		459	0.013	0.012 - 0.014	-	-	
WA - Seattle	-	-		341	0.014	0.012 - 0.015	-	-	
West Virginia	-	-		85	0.009	0.007 - 0.012	-	-	
Wisconsin	-	-		375	0.013	0.012 - 0.014	-	-	
Wyoming	-	-		36	0.012	0.008 - 0.017	-	-	
NAACCR CDN Combined[1]	**-**	**-**		**864**	**0.013**	**0.012 - 0.013**	**-**	**-**	
Alberta	-	-		315	0.015	0.013 - 0.016	-	-	
British Columbia	-	-		292	0.012	0.011 - 0.014	-	-	
Manitoba	-	-		80	0.012	0.010 - 0.015	-	-	
New Brunswick	-	-		42	0.011	0.008 - 0.015	-	-	
Newfoundland and Labrador	-	-		17	0.007	0.004 - 0.010	-	-	
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	-	-		42	0.009	0.007 - 0.012	-	-	
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	-	-		64	0.011	0.009 - 0.014	-	-	
NAACCR N.A. Combined[1]	**-**	**-**		**16,493**	**0.011**	**0.010 - 0.011**	**-**	**-**	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

Two Year Limited-Duration Prevalence on January 1, 2016 for Cancers Diagnosed 2014-2015 by Registry, All Races, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**115,699**	**0.038**	**0.038 - 0.039**	**89,089**	**0.060**	**0.060 - 0.060**	**26,610**	**0.017**	**0.017 - 0.018**
Alabama	1,773	0.037	0.035 - 0.038	1,401	0.060	0.056 - 0.063	372	0.015	0.013 - 0.016
Alaska	226	0.031	0.027 - 0.035	183	0.047	0.041 - 0.055	43	0.012	0.009 - 0.016
Arizona	2,603	0.038	0.037 - 0.039	2,042	0.060	0.057 - 0.063	561	0.016	0.015 - 0.018
Arkansas	1,116	0.037	0.035 - 0.040	860	0.059	0.055 - 0.063	256	0.017	0.015 - 0.019
California	11,339	0.029	0.028 - 0.029	8,824	0.045	0.044 - 0.046	2,515	0.013	0.012 - 0.013
CA - Greater California	6,652	0.031	0.030 - 0.031	5,193	0.048	0.047 - 0.049	1,460	0.013	0.013 - 0.014
CA - Greater Bay Area	2,247	0.030	0.029 - 0.032	1,716	0.047	0.045 - 0.049	532	0.014	0.013 - 0.016
CA - Los Angeles	2,439	0.024	0.023 - 0.025	1,916	0.038	0.037 - 0.040	523	0.010	0.009 - 0.011
Colorado	1,725	0.031	0.030 - 0.033	1,346	0.049	0.046 - 0.051	379	0.014	0.013 - 0.015
Connecticut	1,972	0.055	0.053 - 0.057	1,475	0.084	0.080 - 0.089	497	0.027	0.025 - 0.030
Delaware	513	0.054	0.050 - 0.059	403	0.088	0.079 - 0.097	110	0.022	0.018 - 0.027
Florida	9,410	0.046	0.045 - 0.047	7,250	0.072	0.071 - 0.074	2,160	0.021	0.020 - 0.022
Georgia	3,009	0.029	0.028 - 0.030	2,315	0.046	0.044 - 0.048	694	0.013	0.012 - 0.014
Hawaii	454	0.032	0.029 - 0.035	354	0.049	0.044 - 0.055	100	0.014	0.011 - 0.017
Idaho	650	0.039	0.036 - 0.042	495	0.059	0.054 - 0.065	155	0.019	0.016 - 0.022
Illinois	5,210	0.041	0.039 - 0.042	3,957	0.063	0.061 - 0.065	1,253	0.019	0.018 - 0.020
Iowa	1,412	0.045	0.043 - 0.048	1,116	0.072	0.068 - 0.076	296	0.019	0.017 - 0.021
Kentucky	1,955	0.044	0.042 - 0.046	1,486	0.068	0.065 - 0.072	469	0.021	0.019 - 0.023
Louisiana	1,491	0.032	0.030 - 0.034	1,154	0.050	0.048 - 0.053	337	0.014	0.013 - 0.016
Maine	886	0.067	0.062 - 0.071	676	0.104	0.096 - 0.112	210	0.031	0.027 - 0.035
Maryland	2,470	0.041	0.039 - 0.043	1,882	0.065	0.062 - 0.068	588	0.019	0.017 - 0.021
Michigan	4,527	0.046	0.044 - 0.047	3,462	0.071	0.069 - 0.073	1,065	0.021	0.020 - 0.022
MI - Detroit	1,803	0.047	0.044 - 0.049	1,363	0.073	0.069 - 0.077	440	0.022	0.020 - 0.024
Minnesota	2,424	0.044	0.042 - 0.046	1,865	0.068	0.065 - 0.071	559	0.020	0.019 - 0.022
Mississippi	936	0.031	0.029 - 0.033	719	0.050	0.046 - 0.053	217	0.014	0.012 - 0.016
Missouri	2,445	0.040	0.039 - 0.042	1,915	0.064	0.061 - 0.067	530	0.017	0.016 - 0.019
Montana	519	0.050	0.046 - 0.055	410	0.079	0.071 - 0.087	109	0.021	0.017 - 0.026
Nebraska	750	0.039	0.037 - 0.042	557	0.059	0.054 - 0.064	193	0.020	0.017 - 0.023
New Hampshire	777	0.058	0.054 - 0.063	586	0.089	0.082 - 0.096	191	0.028	0.024 - 0.033
New Jersey	4,189	0.047	0.045 - 0.048	3,145	0.072	0.069 - 0.074	1,044	0.023	0.021 - 0.024
New Mexico	656	0.031	0.029 - 0.034	505	0.049	0.045 - 0.053	151	0.014	0.012 - 0.017
New York	9,124	0.046	0.045 - 0.047	6,876	0.071	0.070 - 0.073	2,248	0.022	0.021 - 0.023
North Carolina	3,871	0.038	0.037 - 0.040	2,960	0.060	0.058 - 0.062	911	0.018	0.016 - 0.019
North Dakota	277	0.037	0.032 - 0.041	233	0.060	0.053 - 0.068	44	0.012	0.009 - 0.016
Ohio	5,248	0.045	0.044 - 0.046	4,018	0.071	0.068 - 0.073	1,230	0.021	0.020 - 0.022
Oklahoma	1,404	0.036	0.034 - 0.038	1,114	0.057	0.054 - 0.061	290	0.015	0.013 - 0.016
Oregon	1,805	0.045	0.043 - 0.047	1,428	0.071	0.068 - 0.075	377	0.018	0.017 - 0.020
Pennsylvania	6,854	0.054	0.052 - 0.055	5,216	0.083	0.081 - 0.086	1,638	0.025	0.024 - 0.026
Rhode Island	559	0.053	0.049 - 0.057	407	0.079	0.072 - 0.087	152	0.028	0.024 - 0.033
South Carolina	1,890	0.038	0.037 - 0.040	1,466	0.061	0.058 - 0.065	424	0.017	0.015 - 0.018
Tennessee	2,489	0.038	0.036 - 0.039	1,916	0.059	0.057 - 0.062	573	0.017	0.016 - 0.018
Texas	6,233	0.023	0.022 - 0.023	4,896	0.036	0.035 - 0.037	1,337	0.010	0.009 - 0.010
Utah	681	0.023	0.021 - 0.024	550	0.036	0.033 - 0.039	131	0.009	0.007 - 0.010
Vermont	333	0.053	0.048 - 0.059	246	0.080	0.070 - 0.090	87	0.028	0.022 - 0.034
Virginia	2,779	0.033	0.032 - 0.034	2,150	0.052	0.050 - 0.054	629	0.015	0.014 - 0.016
Washington	2,825	0.039	0.038 - 0.041	2,222	0.062	0.059 - 0.064	603	0.017	0.015 - 0.018
WA - Seattle	2,020	0.041	0.039 - 0.042	1,614	0.065	0.062 - 0.068	406	0.016	0.015 - 0.018
West Virginia	928	0.051	0.047 - 0.054	711	0.078	0.073 - 0.084	217	0.023	0.020 - 0.027
Wisconsin	2,716	0.047	0.045 - 0.049	2,101	0.073	0.070 - 0.076	615	0.021	0.020 - 0.023
Wyoming	246	0.042	0.037 - 0.048	195	0.065	0.056 - 0.075	51	0.018	0.013 - 0.023
NAACCR CDN Combined[1]	**6,240**	**0.045**	**0.044 - 0.046**	**4,814**	**0.070**	**0.068 - 0.072**	**1,426**	**0.021**	**0.020 - 0.022**
Alberta	1,521	0.036	0.034 - 0.038	1,194	0.056	0.053 - 0.059	327	0.016	0.014 - 0.018
British Columbia	2,387	0.051	0.049 - 0.053	1,871	0.080	0.076 - 0.083	516	0.022	0.020 - 0.024
Manitoba	482	0.037	0.034 - 0.040	357	0.055	0.049 - 0.061	125	0.019	0.016 - 0.023
New Brunswick	420	0.056	0.050 - 0.061	322	0.086	0.077 - 0.096	98	0.026	0.021 - 0.031
Newfoundland and Labrador	306	0.058	0.051 - 0.065	223	0.085	0.075 - 0.097	83	0.031	0.025 - 0.038
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	513	0.054	0.050 - 0.059	388	0.084	0.076 - 0.093	125	0.026	0.022 - 0.031
Prince Edward Island	81	0.055	0.043 - 0.068	61	0.084	0.065 - 0.109	20	0.026	0.016 - 0.041
Saskatchewan	524	0.046	0.042 - 0.050	394	0.069	0.062 - 0.076	130	0.023	0.019 - 0.027
NAACCR N.A. Combined[1]	**121,939**	**0.039**	**0.038 - 0.039**	**93,903**	**0.060**	**0.060 - 0.061**	**28,036**	**0.018**	**0.017 - 0.018**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**95,993**	**0.032**	**0.032 - 0.032**	**60,287**	**0.041**	**0.040 - 0.041**	**35,707**	**0.023**	**0.023 - 0.024**
Alabama	1,718	0.035	0.034 - 0.037	1,046	0.044	0.042 - 0.047	672	0.027	0.025 - 0.029
Alaska	229	0.031	0.027 - 0.035	139	0.036	0.030 - 0.042	90	0.026	0.021 - 0.031
Arizona	2,020	0.029	0.028 - 0.031	1,262	0.037	0.035 - 0.039	758	0.022	0.020 - 0.024
Arkansas	1,116	0.037	0.035 - 0.040	723	0.049	0.046 - 0.053	393	0.026	0.023 - 0.029
California	10,044	0.026	0.025 - 0.026	6,381	0.033	0.032 - 0.034	3,663	0.019	0.018 - 0.019
CA - Greater California	5,801	0.027	0.026 - 0.027	3,674	0.034	0.033 - 0.035	2,127	0.020	0.019 - 0.020
CA - Greater Bay Area	1,765	0.024	0.023 - 0.025	1,131	0.031	0.029 - 0.033	633	0.017	0.016 - 0.018
CA - Los Angeles	2,477	0.024	0.023 - 0.025	1,575	0.032	0.030 - 0.033	903	0.018	0.016 - 0.019
Colorado	1,380	0.025	0.024 - 0.027	863	0.031	0.029 - 0.033	517	0.019	0.017 - 0.021
Connecticut	1,198	0.033	0.032 - 0.035	778	0.044	0.041 - 0.048	420	0.023	0.021 - 0.025
Delaware	329	0.035	0.031 - 0.039	201	0.044	0.038 - 0.050	128	0.026	0.022 - 0.031
Florida	6,509	0.032	0.031 - 0.033	4,128	0.041	0.040 - 0.043	2,381	0.023	0.022 - 0.024
Georgia	3,010	0.029	0.028 - 0.030	1,850	0.037	0.035 - 0.039	1,160	0.022	0.021 - 0.023
Hawaii	386	0.027	0.024 - 0.030	254	0.035	0.031 - 0.040	132	0.019	0.016 - 0.022
Idaho	482	0.029	0.026 - 0.032	306	0.037	0.033 - 0.041	176	0.021	0.018 - 0.025
Illinois	4,425	0.034	0.033 - 0.035	2,817	0.045	0.043 - 0.046	1,608	0.025	0.023 - 0.026
Iowa	1,150	0.037	0.035 - 0.039	713	0.046	0.043 - 0.049	436	0.028	0.025 - 0.031
Kentucky	1,731	0.039	0.037 - 0.041	1,053	0.048	0.045 - 0.051	678	0.030	0.028 - 0.033
Louisiana	1,892	0.040	0.039 - 0.042	1,162	0.051	0.048 - 0.054	730	0.031	0.028 - 0.033
Maine	515	0.039	0.035 - 0.042	304	0.047	0.042 - 0.052	211	0.031	0.027 - 0.036
Maryland	1,695	0.028	0.027 - 0.030	1,039	0.036	0.034 - 0.038	656	0.021	0.020 - 0.023
Michigan	3,223	0.032	0.031 - 0.034	2,071	0.042	0.041 - 0.044	1,152	0.023	0.022 - 0.024
MI - Detroit	1,371	0.035	0.034 - 0.037	900	0.048	0.045 - 0.051	471	0.024	0.022 - 0.026
Minnesota	1,891	0.034	0.033 - 0.036	1,248	0.046	0.043 - 0.048	643	0.023	0.021 - 0.025
Mississippi	1,242	0.042	0.039 - 0.044	745	0.051	0.048 - 0.055	497	0.032	0.030 - 0.035
Missouri	2,224	0.037	0.035 - 0.038	1,376	0.046	0.044 - 0.049	848	0.027	0.026 - 0.029
Montana	343	0.033	0.030 - 0.037	217	0.042	0.036 - 0.048	126	0.025	0.020 - 0.029
Nebraska	627	0.033	0.030 - 0.036	411	0.043	0.039 - 0.048	216	0.023	0.020 - 0.026
New Hampshire	431	0.032	0.029 - 0.036	279	0.042	0.037 - 0.048	152	0.023	0.019 - 0.026
New Jersey	2,938	0.033	0.032 - 0.034	1,837	0.042	0.040 - 0.044	1,101	0.024	0.023 - 0.025
New Mexico	598	0.029	0.026 - 0.031	361	0.035	0.031 - 0.039	237	0.023	0.020 - 0.026
New York	6,615	0.033	0.033 - 0.034	4,248	0.044	0.043 - 0.045	2,367	0.023	0.022 - 0.024
North Carolina	3,240	0.032	0.031 - 0.033	1,998	0.041	0.039 - 0.042	1,242	0.024	0.023 - 0.025
North Dakota	221	0.029	0.026 - 0.033	151	0.039	0.033 - 0.046	70	0.019	0.015 - 0.024
Ohio	4,082	0.035	0.034 - 0.036	2,479	0.044	0.042 - 0.045	1,603	0.027	0.026 - 0.028
Oklahoma	1,459	0.037	0.035 - 0.039	882	0.045	0.043 - 0.049	577	0.029	0.027 - 0.032
Oregon	1,264	0.031	0.030 - 0.033	814	0.041	0.038 - 0.043	450	0.022	0.020 - 0.024
Pennsylvania	4,742	0.037	0.036 - 0.038	3,012	0.048	0.046 - 0.050	1,730	0.026	0.025 - 0.028
Rhode Island	343	0.032	0.029 - 0.036	209	0.041	0.035 - 0.047	134	0.025	0.021 - 0.029
South Carolina	1,723	0.035	0.033 - 0.037	1,098	0.046	0.043 - 0.049	625	0.025	0.023 - 0.027
Tennessee	2,360	0.036	0.034 - 0.037	1,480	0.046	0.044 - 0.048	880	0.026	0.024 - 0.028
Texas	8,372	0.030	0.030 - 0.031	5,092	0.037	0.036 - 0.038	3,280	0.024	0.023 - 0.024
Utah	572	0.019	0.017 - 0.021	368	0.024	0.022 - 0.027	204	0.014	0.012 - 0.016
Vermont	187	0.030	0.026 - 0.035	122	0.040	0.033 - 0.047	65	0.021	0.016 - 0.026
Virginia	2,416	0.029	0.028 - 0.030	1,565	0.038	0.036 - 0.040	851	0.020	0.019 - 0.021
Washington	2,005	0.028	0.027 - 0.029	1,258	0.035	0.033 - 0.037	747	0.021	0.019 - 0.022
WA - Seattle	1,451	0.029	0.028 - 0.031	907	0.037	0.034 - 0.039	545	0.022	0.020 - 0.024
West Virginia	795	0.043	0.040 - 0.046	479	0.053	0.048 - 0.058	316	0.034	0.030 - 0.038
Wisconsin	2,101	0.036	0.035 - 0.038	1,369	0.048	0.045 - 0.050	732	0.025	0.023 - 0.027
Wyoming	151	0.026	0.022 - 0.030	99	0.033	0.027 - 0.040	53	0.018	0.014 - 0.024
NAACCR CDN Combined[1]	**3,940**	**0.029**	**0.028 - 0.029**	**2,547**	**0.037**	**0.036 - 0.038**	**1,393**	**0.020**	**0.019 - 0.021**
Alberta	1,077	0.026	0.024 - 0.027	684	0.032	0.030 - 0.035	393	0.019	0.017 - 0.021
British Columbia	1,155	0.024	0.023 - 0.026	776	0.033	0.031 - 0.035	379	0.016	0.014 - 0.018
Manitoba	385	0.029	0.027 - 0.033	245	0.038	0.033 - 0.043	140	0.021	0.018 - 0.025
New Brunswick	319	0.042	0.038 - 0.047	213	0.057	0.050 - 0.065	106	0.028	0.023 - 0.034
Newfoundland and Labrador	232	0.044	0.038 - 0.050	145	0.056	0.047 - 0.065	87	0.032	0.026 - 0.040
Northwest Territory	11	0.025	0.012 - 0.044	-	-		-	-	
Nova Scotia	417	0.044	0.040 - 0.049	262	0.057	0.050 - 0.064	155	0.032	0.027 - 0.038
Prince Edward Island	49	0.033	0.024 - 0.044	29	0.040	0.027 - 0.058	20	0.026	0.016 - 0.041
Saskatchewan	295	0.026	0.023 - 0.029	187	0.033	0.028 - 0.038	108	0.019	0.016 - 0.023
NAACCR N.A. Combined[1]	**99,933**	**0.032**	**0.032 - 0.032**	**62,834**	**0.040**	**0.040 - 0.041**	**37,100**	**0.023**	**0.023 - 0.023**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-18 Prevalence – Kidney and Renal Pelvis

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**24,952**	**0.008**	**0.008 - 0.008**	**13,888**	**0.009**	**0.009 - 0.010**	**11,065**	**0.007**	**0.007 - 0.007**
Alabama	351	0.007	0.006 - 0.008	189	0.008	0.007 - 0.009	162	0.006	0.006 - 0.008
Alaska	66	0.009	0.007 - 0.011	32	0.008	0.006 - 0.012	34	0.010	0.007 - 0.013
Arizona	490	0.007	0.007 - 0.008	265	0.008	0.007 - 0.009	225	0.007	0.006 - 0.007
Arkansas	249	0.008	0.007 - 0.009	139	0.009	0.008 - 0.011	110	0.007	0.006 - 0.009
California	2,884	0.007	0.007 - 0.008	1,554	0.008	0.008 - 0.008	1,331	0.007	0.006 - 0.007
CA - Greater California	1,585	0.007	0.007 - 0.008	831	0.008	0.007 - 0.008	754	0.007	0.006 - 0.007
CA - Greater Bay Area	607	0.008	0.008 - 0.009	352	0.010	0.009 - 0.011	255	0.007	0.006 - 0.008
CA - Los Angeles	694	0.007	0.006 - 0.007	371	0.007	0.007 - 0.008	323	0.006	0.006 - 0.007
Colorado	460	0.008	0.008 - 0.009	282	0.010	0.009 - 0.011	178	0.007	0.006 - 0.008
Connecticut	319	0.009	0.008 - 0.010	189	0.011	0.009 - 0.012	130	0.007	0.006 - 0.008
Delaware	78	0.008	0.007 - 0.010	36	0.008	0.005 - 0.011	42	0.009	0.006 - 0.012
Florida	1,695	0.008	0.008 - 0.009	962	0.010	0.009 - 0.010	733	0.007	0.007 - 0.008
Georgia	736	0.007	0.007 - 0.008	416	0.008	0.008 - 0.009	319	0.006	0.005 - 0.007
Hawaii	77	0.005	0.004 - 0.007	46	0.006	0.005 - 0.009	31	0.004	0.003 - 0.006
Idaho	159	0.010	0.008 - 0.011	89	0.011	0.009 - 0.013	70	0.008	0.007 - 0.011
Illinois	1,065	0.008	0.008 - 0.009	581	0.009	0.008 - 0.010	484	0.007	0.007 - 0.008
Iowa	290	0.009	0.008 - 0.010	163	0.010	0.009 - 0.012	127	0.008	0.007 - 0.010
Kentucky	434	0.010	0.009 - 0.011	239	0.011	0.010 - 0.012	194	0.009	0.007 - 0.010
Louisiana	344	0.007	0.007 - 0.008	191	0.008	0.007 - 0.010	152	0.006	0.005 - 0.007
Maine	133	0.010	0.008 - 0.012	75	0.012	0.009 - 0.014	58	0.009	0.006 - 0.011
Maryland	451	0.008	0.007 - 0.008	258	0.009	0.008 - 0.010	193	0.006	0.005 - 0.007
Michigan	883	0.009	0.008 - 0.010	501	0.010	0.009 - 0.011	382	0.008	0.007 - 0.008
MI - Detroit	341	0.009	0.008 - 0.010	183	0.010	0.008 - 0.011	158	0.008	0.007 - 0.009
Minnesota	554	0.010	0.009 - 0.011	308	0.011	0.010 - 0.013	246	0.009	0.008 - 0.010
Mississippi	195	0.007	0.006 - 0.008	105	0.007	0.006 - 0.009	90	0.006	0.005 - 0.007
Missouri	546	0.009	0.008 - 0.010	313	0.010	0.009 - 0.012	233	0.008	0.007 - 0.009
Montana	103	0.010	0.008 - 0.012	58	0.011	0.009 - 0.014	45	0.009	0.006 - 0.012
Nebraska	154	0.008	0.007 - 0.009	84	0.009	0.007 - 0.011	70	0.007	0.006 - 0.009
New Hampshire	147	0.011	0.009 - 0.013	84	0.013	0.010 - 0.016	63	0.009	0.007 - 0.012
New Jersey	845	0.009	0.009 - 0.010	468	0.011	0.010 - 0.012	377	0.008	0.007 - 0.009
New Mexico	138	0.007	0.006 - 0.008	75	0.007	0.006 - 0.009	63	0.006	0.005 - 0.008
New York	1,881	0.009	0.009 - 0.010	1,030	0.011	0.010 - 0.011	851	0.008	0.008 - 0.009
North Carolina	800	0.008	0.007 - 0.008	429	0.009	0.008 - 0.010	371	0.007	0.006 - 0.008
North Dakota	59	0.008	0.006 - 0.010	29	0.007	0.005 - 0.011	30	0.008	0.006 - 0.012
Ohio	1,040	0.009	0.008 - 0.010	578	0.010	0.009 - 0.011	462	0.008	0.007 - 0.009
Oklahoma	322	0.008	0.007 - 0.009	172	0.009	0.008 - 0.010	150	0.008	0.006 - 0.009
Oregon	330	0.008	0.007 - 0.009	187	0.009	0.008 - 0.011	143	0.007	0.006 - 0.008
Pennsylvania	1,186	0.009	0.009 - 0.010	666	0.011	0.010 - 0.011	520	0.008	0.007 - 0.009
Rhode Island	104	0.010	0.008 - 0.012	48	0.009	0.007 - 0.012	56	0.010	0.008 - 0.013
South Carolina	400	0.008	0.007 - 0.009	238	0.010	0.009 - 0.011	162	0.006	0.005 - 0.007
Tennessee	490	0.007	0.007 - 0.008	272	0.008	0.007 - 0.009	218	0.006	0.006 - 0.007
Texas	2,090	0.008	0.007 - 0.008	1,154	0.008	0.008 - 0.009	936	0.007	0.006 - 0.007
Utah	241	0.008	0.007 - 0.009	148	0.010	0.008 - 0.011	93	0.006	0.005 - 0.008
Vermont	48	0.008	0.006 - 0.010	23	0.007	0.005 - 0.011	25	0.008	0.005 - 0.012
Virginia	606	0.007	0.007 - 0.008	348	0.008	0.008 - 0.009	258	0.006	0.005 - 0.007
Washington	735	0.010	0.009 - 0.011	428	0.012	0.011 - 0.013	307	0.009	0.008 - 0.010
WA - Seattle	539	0.011	0.010 - 0.012	310	0.012	0.011 - 0.014	229	0.009	0.008 - 0.010
West Virginia	187	0.010	0.009 - 0.012	98	0.011	0.009 - 0.013	89	0.010	0.008 - 0.012
Wisconsin	534	0.009	0.008 - 0.010	308	0.011	0.010 - 0.012	226	0.008	0.007 - 0.009
Wyoming	54	0.009	0.007 - 0.012	29	0.010	0.006 - 0.014	25	0.009	0.006 - 0.013
NAACCR CDN Combined[1]	**1,033**	**0.007**	**0.007 - 0.008**	**612**	**0.009**	**0.008 - 0.010**	**421**	**0.006**	**0.006 - 0.007**
Alberta	323	0.008	0.007 - 0.009	182	0.009	0.007 - 0.010	141	0.007	0.006 - 0.008
British Columbia	365	0.008	0.007 - 0.009	213	0.009	0.008 - 0.010	152	0.006	0.005 - 0.007
Manitoba	88	0.007	0.005 - 0.008	53	0.008	0.006 - 0.011	35	0.005	0.004 - 0.007
New Brunswick	56	0.007	0.006 - 0.010	35	0.009	0.007 - 0.013	21	0.005	0.003 - 0.008
Newfoundland and Labrador	36	0.007	0.005 - 0.009	20	0.008	0.005 - 0.012	16	0.006	0.003 - 0.010
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	81	0.009	0.007 - 0.011	52	0.011	0.008 - 0.015	29	0.006	0.004 - 0.009
Prince Edward Island	11	0.007	0.004 - 0.013	-	-		-	-	
Saskatchewan	68	0.006	0.005 - 0.008	44	0.008	0.006 - 0.010	24	0.004	0.003 - 0.006
NAACCR N.A. Combined[1]	**25,985**	**0.008**	**0.008 - 0.008**	**14,500**	**0.009**	**0.009 - 0.009**	**11,486**	**0.007**	**0.007 - 0.007**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**88,197**	**0.029**	**0.029 - 0.029**	**21,733**	**0.015**	**0.014 - 0.015**	**66,464**	**0.043**	**0.043 - 0.044**
Alabama	992	0.020	0.019 - 0.022	249	0.011	0.009 - 0.012	743	0.030	0.028 - 0.032
Alaska	169	0.023	0.020 - 0.027	41	0.011	0.008 - 0.014	128	0.036	0.030 - 0.043
Arizona	1,922	0.028	0.027 - 0.029	441	0.013	0.012 - 0.014	1,481	0.043	0.041 - 0.045
Arkansas	798	0.027	0.025 - 0.029	206	0.014	0.012 - 0.016	592	0.039	0.036 - 0.042
California	10,372	0.026	0.026 - 0.027	2,544	0.013	0.013 - 0.014	7,828	0.040	0.039 - 0.041
CA - Greater California	5,748	0.027	0.026 - 0.027	1,377	0.013	0.012 - 0.013	4,371	0.040	0.039 - 0.041
CA - Greater Bay Area	1,823	0.025	0.024 - 0.026	476	0.013	0.012 - 0.014	1,347	0.036	0.034 - 0.038
CA - Los Angeles	2,801	0.028	0.027 - 0.029	691	0.014	0.013 - 0.015	2,110	0.041	0.039 - 0.043
Colorado	1,593	0.029	0.028 - 0.031	387	0.014	0.013 - 0.016	1,206	0.044	0.042 - 0.047
Connecticut	1,436	0.040	0.038 - 0.042	363	0.021	0.019 - 0.023	1,073	0.058	0.055 - 0.062
Delaware	311	0.033	0.029 - 0.037	60	0.013	0.010 - 0.017	251	0.051	0.045 - 0.058
Florida	5,366	0.026	0.026 - 0.027	1,356	0.014	0.013 - 0.014	4,010	0.038	0.037 - 0.040
Georgia	2,549	0.025	0.024 - 0.026	563	0.011	0.010 - 0.012	1,986	0.038	0.036 - 0.039
Hawaii	406	0.028	0.026 - 0.031	97	0.014	0.011 - 0.016	309	0.044	0.039 - 0.049
Idaho	521	0.031	0.029 - 0.034	120	0.014	0.012 - 0.017	401	0.048	0.044 - 0.053
Illinois	4,143	0.032	0.031 - 0.033	1,026	0.016	0.015 - 0.017	3,117	0.048	0.046 - 0.049
Iowa	939	0.030	0.028 - 0.032	253	0.016	0.014 - 0.018	686	0.044	0.040 - 0.047
Kentucky	1,445	0.033	0.031 - 0.034	372	0.017	0.015 - 0.019	1,073	0.048	0.045 - 0.051
Louisiana	1,366	0.029	0.028 - 0.031	329	0.014	0.013 - 0.016	1,037	0.043	0.041 - 0.046
Maine	503	0.038	0.035 - 0.041	141	0.022	0.018 - 0.026	362	0.053	0.048 - 0.059
Maryland	1,784	0.030	0.028 - 0.031	405	0.014	0.013 - 0.015	1,379	0.045	0.042 - 0.047
Michigan	2,674	0.027	0.026 - 0.028	644	0.013	0.012 - 0.014	2,030	0.040	0.039 - 0.042
MI - Detroit	1,333	0.034	0.033 - 0.036	313	0.017	0.015 - 0.019	1,020	0.051	0.048 - 0.054
Minnesota	1,466	0.027	0.025 - 0.028	394	0.014	0.013 - 0.016	1,072	0.039	0.036 - 0.041
Mississippi	652	0.022	0.020 - 0.024	155	0.011	0.009 - 0.013	497	0.032	0.030 - 0.035
Missouri	1,522	0.025	0.024 - 0.026	401	0.013	0.012 - 0.015	1,121	0.036	0.034 - 0.038
Montana	311	0.030	0.027 - 0.034	89	0.017	0.014 - 0.021	222	0.043	0.038 - 0.049
Nebraska	514	0.027	0.025 - 0.029	125	0.013	0.011 - 0.016	389	0.041	0.037 - 0.045
New Hampshire	449	0.034	0.031 - 0.037	113	0.017	0.014 - 0.021	336	0.050	0.045 - 0.056
New Jersey	3,567	0.040	0.038 - 0.041	874	0.020	0.019 - 0.021	2,694	0.059	0.056 - 0.061
New Mexico	690	0.033	0.031 - 0.036	167	0.016	0.014 - 0.019	523	0.050	0.046 - 0.054
New York	8,380	0.042	0.041 - 0.043	2,088	0.022	0.021 - 0.023	6,292	0.062	0.060 - 0.063
North Carolina	2,543	0.025	0.024 - 0.026	643	0.013	0.012 - 0.014	1,900	0.037	0.035 - 0.038
North Dakota	265	0.035	0.031 - 0.040	56	0.014	0.011 - 0.019	209	0.057	0.049 - 0.065
Ohio	3,616	0.031	0.030 - 0.032	880	0.015	0.014 - 0.017	2,736	0.046	0.044 - 0.048
Oklahoma	1,025	0.026	0.025 - 0.028	239	0.012	0.011 - 0.014	786	0.040	0.037 - 0.043
Oregon	1,123	0.028	0.026 - 0.029	295	0.015	0.013 - 0.016	828	0.040	0.038 - 0.043
Pennsylvania	5,170	0.040	0.039 - 0.042	1,297	0.021	0.020 - 0.022	3,873	0.059	0.057 - 0.061
Rhode Island	419	0.040	0.036 - 0.044	100	0.019	0.016 - 0.024	319	0.059	0.052 - 0.065
South Carolina	1,187	0.024	0.023 - 0.026	307	0.013	0.011 - 0.014	880	0.035	0.032 - 0.037
Tennessee	1,706	0.026	0.025 - 0.027	396	0.012	0.011 - 0.014	1,310	0.039	0.037 - 0.041
Texas	6,489	0.023	0.023 - 0.024	1,584	0.012	0.011 - 0.012	4,905	0.035	0.034 - 0.036
Utah	1,009	0.033	0.031 - 0.036	231	0.015	0.013 - 0.017	778	0.052	0.048 - 0.056
Vermont	176	0.028	0.024 - 0.033	54	0.018	0.013 - 0.023	122	0.039	0.032 - 0.046
Virginia	2,247	0.027	0.026 - 0.028	532	0.013	0.012 - 0.014	1,715	0.040	0.038 - 0.042
Washington	1,921	0.027	0.025 - 0.028	495	0.014	0.013 - 0.015	1,426	0.039	0.037 - 0.042
WA - Seattle	1,399	0.028	0.027 - 0.030	370	0.015	0.013 - 0.017	1,029	0.041	0.039 - 0.044
West Virginia	662	0.036	0.033 - 0.039	134	0.015	0.012 - 0.018	528	0.057	0.052 - 0.062
Wisconsin	1,630	0.028	0.027 - 0.030	443	0.015	0.014 - 0.017	1,187	0.041	0.039 - 0.043
Wyoming	169	0.029	0.025 - 0.034	45	0.015	0.011 - 0.020	124	0.043	0.036 - 0.052
NAACCR CDN Combined[1]	**3,088**	**0.022**	**0.022 - 0.023**	**831**	**0.012**	**0.011 - 0.013**	**2,257**	**0.033**	**0.031 - 0.034**
Alberta	1,006	0.024	0.022 - 0.025	263	0.012	0.011 - 0.014	743	0.036	0.033 - 0.039
British Columbia	858	0.018	0.017 - 0.019	226	0.010	0.008 - 0.011	632	0.027	0.025 - 0.029
Manitoba	299	0.023	0.020 - 0.026	81	0.012	0.010 - 0.015	218	0.033	0.029 - 0.038
New Brunswick	236	0.031	0.027 - 0.035	67	0.018	0.014 - 0.023	169	0.044	0.038 - 0.051
Newfoundland and Labrador	235	0.044	0.039 - 0.050	56	0.021	0.016 - 0.028	179	0.067	0.057 - 0.077
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	252	0.027	0.023 - 0.030	76	0.016	0.013 - 0.021	176	0.037	0.031 - 0.042
Prince Edward Island	15	0.010	0.006 - 0.017	-	-		-	-	
Saskatchewan	181	0.016	0.014 - 0.018	58	0.010	0.008 - 0.013	123	0.022	0.018 - 0.026
NAACCR N.A. Combined[1]	**91,285**	**0.029**	**0.029 - 0.029**	**22,564**	**0.015**	**0.014 - 0.015**	**68,721**	**0.043**	**0.043 - 0.043**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-20 Prevalence – Thyroid

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**14,842**	**0.005**	**0.005 - 0.005**	**8,221**	**0.006**	**0.005 - 0.006**	**6,621**	**0.004**	**0.004 - 0.004**
Alabama	214	0.004	0.004 - 0.005	107	0.005	0.004 - 0.005	107	0.004	0.004 - 0.005
Alaska	20	0.003	0.002 - 0.004	-	-		-	-	
Arizona	272	0.004	0.004 - 0.004	146	0.004	0.004 - 0.005	126	0.004	0.003 - 0.004
Arkansas	143	0.005	0.004 - 0.006	74	0.005	0.004 - 0.006	69	0.005	0.004 - 0.006
California	1,546	0.004	0.004 - 0.004	868	0.004	0.004 - 0.005	677	0.003	0.003 - 0.004
CA - Greater California	865	0.004	0.004 - 0.004	482	0.004	0.004 - 0.005	384	0.004	0.003 - 0.004
CA - Greater Bay Area	321	0.004	0.004 - 0.005	184	0.005	0.004 - 0.006	137	0.004	0.003 - 0.004
CA - Los Angeles	358	0.004	0.003 - 0.004	203	0.004	0.004 - 0.005	156	0.003	0.003 - 0.004
Colorado	248	0.005	0.004 - 0.005	148	0.005	0.005 - 0.006	100	0.004	0.003 - 0.004
Connecticut	237	0.007	0.006 - 0.007	136	0.008	0.007 - 0.009	101	0.005	0.004 - 0.007
Delaware	57	0.006	0.005 - 0.008	32	0.007	0.005 - 0.010	25	0.005	0.003 - 0.008
Florida	1,281	0.006	0.006 - 0.007	700	0.007	0.006 - 0.008	581	0.006	0.005 - 0.006
Georgia	454	0.004	0.004 - 0.005	240	0.005	0.004 - 0.005	214	0.004	0.004 - 0.005
Hawaii	35	0.002	0.002 - 0.003	21	0.003	0.002 - 0.004	14	0.002	0.001 - 0.003
Idaho	69	0.004	0.003 - 0.005	41	0.005	0.004 - 0.007	28	0.003	0.002 - 0.005
Illinois	653	0.005	0.005 - 0.005	375	0.006	0.005 - 0.007	278	0.004	0.004 - 0.005
Iowa	174	0.006	0.005 - 0.006	98	0.006	0.005 - 0.008	76	0.005	0.004 - 0.006
Kentucky	208	0.005	0.004 - 0.005	122	0.006	0.005 - 0.007	86	0.004	0.003 - 0.005
Louisiana	242	0.005	0.005 - 0.006	138	0.006	0.005 - 0.007	104	0.004	0.004 - 0.005
Maine	82	0.006	0.005 - 0.008	41	0.006	0.005 - 0.009	41	0.006	0.004 - 0.008
Maryland	301	0.005	0.004 - 0.006	165	0.006	0.005 - 0.007	136	0.004	0.004 - 0.005
Michigan	510	0.005	0.005 - 0.006	280	0.006	0.005 - 0.006	230	0.005	0.004 - 0.005
MI - Detroit	238	0.006	0.005 - 0.007	131	0.007	0.006 - 0.008	108	0.005	0.004 - 0.007
Minnesota	280	0.005	0.005 - 0.006	161	0.006	0.005 - 0.007	119	0.004	0.004 - 0.005
Mississippi	148	0.005	0.004 - 0.006	77	0.005	0.004 - 0.007	71	0.005	0.004 - 0.006
Missouri	300	0.005	0.004 - 0.006	167	0.006	0.005 - 0.007	133	0.004	0.004 - 0.005
Montana	51	0.005	0.004 - 0.006	29	0.006	0.004 - 0.008	22	0.004	0.003 - 0.006
Nebraska	108	0.006	0.005 - 0.007	65	0.007	0.005 - 0.009	43	0.005	0.003 - 0.006
New Hampshire	77	0.006	0.005 - 0.007	42	0.006	0.005 - 0.009	35	0.005	0.004 - 0.007
New Jersey	518	0.006	0.005 - 0.006	288	0.007	0.006 - 0.007	230	0.005	0.004 - 0.006
New Mexico	87	0.004	0.003 - 0.005	51	0.005	0.004 - 0.007	36	0.003	0.002 - 0.005
New York	1,225	0.006	0.006 - 0.007	666	0.007	0.006 - 0.007	559	0.005	0.005 - 0.006
North Carolina	456	0.005	0.004 - 0.005	257	0.005	0.005 - 0.006	199	0.004	0.003 - 0.004
North Dakota	38	0.005	0.004 - 0.007	28	0.007	0.005 - 0.010	10	0.003	0.001 - 0.005
Ohio	608	0.005	0.005 - 0.006	348	0.006	0.005 - 0.007	260	0.004	0.004 - 0.005
Oklahoma	162	0.004	0.004 - 0.005	83	0.004	0.003 - 0.005	79	0.004	0.003 - 0.005
Oregon	187	0.005	0.004 - 0.005	99	0.005	0.004 - 0.006	88	0.004	0.003 - 0.005
Pennsylvania	794	0.006	0.006 - 0.007	446	0.007	0.006 - 0.008	348	0.005	0.005 - 0.006
Rhode Island	63	0.006	0.005 - 0.008	25	0.005	0.003 - 0.007	38	0.007	0.005 - 0.010
South Carolina	220	0.004	0.004 - 0.005	125	0.005	0.004 - 0.006	95	0.004	0.003 - 0.005
Tennessee	313	0.005	0.004 - 0.005	158	0.005	0.004 - 0.006	155	0.005	0.004 - 0.005
Texas	1,157	0.004	0.004 - 0.004	610	0.004	0.004 - 0.005	547	0.004	0.004 - 0.004
Utah	134	0.004	0.004 - 0.005	77	0.005	0.004 - 0.006	57	0.004	0.003 - 0.005
Vermont	30	0.005	0.003 - 0.007	18	0.006	0.003 - 0.009	12	0.004	0.002 - 0.007
Virginia	347	0.004	0.004 - 0.005	198	0.005	0.004 - 0.006	149	0.003	0.003 - 0.004
Washington	348	0.005	0.004 - 0.005	202	0.006	0.005 - 0.006	146	0.004	0.003 - 0.005
WA - Seattle	244	0.005	0.004 - 0.006	146	0.006	0.005 - 0.007	98	0.004	0.003 - 0.005
West Virginia	85	0.005	0.004 - 0.006	46	0.005	0.004 - 0.007	39	0.004	0.003 - 0.006
Wisconsin	347	0.006	0.005 - 0.007	203	0.007	0.006 - 0.008	144	0.005	0.004 - 0.006
Wyoming	14	0.002	0.001 - 0.004	-	-		-	-	
NAACCR CDN Combined[1]	**664**	**0.005**	**0.004 - 0.005**	**378**	**0.005**	**0.005 - 0.006**	**286**	**0.004**	**0.004 - 0.005**
Alberta	203	0.005	0.004 - 0.006	124	0.006	0.005 - 0.007	79	0.004	0.003 - 0.005
British Columbia	228	0.005	0.004 - 0.005	130	0.006	0.005 - 0.007	98	0.004	0.003 - 0.005
Manitoba	67	0.005	0.004 - 0.007	37	0.006	0.004 - 0.008	30	0.005	0.003 - 0.007
New Brunswick	33	0.004	0.003 - 0.006	16	0.004	0.002 - 0.007	17	0.004	0.003 - 0.007
Newfoundland and Labrador	27	0.005	0.003 - 0.007	11	0.004	0.002 - 0.008	16	0.006	0.003 - 0.010
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	50	0.005	0.004 - 0.007	31	0.007	0.005 - 0.009	19	0.004	0.002 - 0.006
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	47	0.004	0.003 - 0.005	22	0.004	0.002 - 0.006	25	0.004	0.003 - 0.007
NAACCR N.A. Combined[1]	**15,506**	**0.005**	**0.005 - 0.005**	**8,599**	**0.006**	**0.005 - 0.006**	**6,907**	**0.004**	**0.004 - 0.004**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**104,979**	**0.035**	**0.035 - 0.035**	**56,998**	**0.038**	**0.038 - 0.039**	**47,981**	**0.031**	**0.031 - 0.032**
Alabama	1,446	0.030	0.028 - 0.031	788	0.033	0.031 - 0.036	658	0.026	0.024 - 0.028
Alaska	179	0.024	0.021 - 0.028	102	0.026	0.021 - 0.032	77	0.022	0.017 - 0.027
Arizona	1,853	0.027	0.026 - 0.028	999	0.029	0.028 - 0.031	854	0.025	0.023 - 0.026
Arkansas	957	0.032	0.030 - 0.034	517	0.035	0.032 - 0.038	440	0.029	0.026 - 0.032
California	12,117	0.031	0.030 - 0.031	6,661	0.034	0.033 - 0.035	5,456	0.028	0.027 - 0.028
CA - Greater California	6,587	0.030	0.030 - 0.031	3,666	0.034	0.033 - 0.035	2,921	0.027	0.026 - 0.028
CA - Greater Bay Area	2,696	0.037	0.035 - 0.038	1,498	0.041	0.039 - 0.043	1,198	0.032	0.031 - 0.034
CA - Los Angeles	2,831	0.028	0.027 - 0.029	1,495	0.030	0.028 - 0.031	1,336	0.026	0.025 - 0.027
Colorado	1,588	0.029	0.028 - 0.030	889	0.032	0.030 - 0.034	699	0.026	0.024 - 0.028
Connecticut	1,563	0.044	0.041 - 0.046	867	0.049	0.046 - 0.053	697	0.038	0.035 - 0.041
Delaware	393	0.041	0.037 - 0.046	201	0.044	0.038 - 0.050	192	0.039	0.034 - 0.045
Florida	10,052	0.049	0.048 - 0.050	5,337	0.053	0.052 - 0.055	4,715	0.045	0.044 - 0.046
Georgia	3,014	0.029	0.028 - 0.030	1,635	0.033	0.031 - 0.034	1,378	0.026	0.025 - 0.028
Hawaii	431	0.030	0.027 - 0.033	235	0.033	0.029 - 0.037	196	0.028	0.024 - 0.032
Idaho	570	0.034	0.031 - 0.037	329	0.039	0.035 - 0.044	241	0.029	0.025 - 0.033
Illinois	4,574	0.036	0.035 - 0.037	2,469	0.039	0.038 - 0.041	2,105	0.032	0.031 - 0.034
Iowa	1,278	0.041	0.039 - 0.043	714	0.046	0.043 - 0.049	564	0.036	0.033 - 0.039
Kentucky	1,558	0.035	0.033 - 0.037	844	0.039	0.036 - 0.041	714	0.032	0.029 - 0.034
Louisiana	1,569	0.034	0.032 - 0.035	841	0.037	0.034 - 0.039	729	0.030	0.028 - 0.033
Maine	616	0.046	0.043 - 0.050	315	0.048	0.043 - 0.054	301	0.044	0.040 - 0.050
Maryland	1,794	0.030	0.028 - 0.031	943	0.032	0.030 - 0.034	851	0.027	0.026 - 0.029
Michigan	3,693	0.037	0.036 - 0.038	2,011	0.041	0.039 - 0.043	1,682	0.033	0.032 - 0.035
MI - Detroit	1,508	0.039	0.037 - 0.041	817	0.044	0.041 - 0.047	692	0.035	0.032 - 0.037
Minnesota	2,198	0.040	0.038 - 0.042	1,250	0.046	0.043 - 0.048	948	0.034	0.032 - 0.037
Mississippi	867	0.029	0.027 - 0.031	475	0.033	0.030 - 0.036	392	0.025	0.023 - 0.028
Missouri	2,141	0.035	0.034 - 0.037	1,166	0.039	0.037 - 0.041	975	0.031	0.030 - 0.034
Montana	386	0.037	0.034 - 0.041	223	0.043	0.037 - 0.049	163	0.032	0.027 - 0.037
Nebraska	664	0.035	0.032 - 0.038	380	0.040	0.036 - 0.044	284	0.030	0.026 - 0.033
New Hampshire	556	0.042	0.038 - 0.045	298	0.045	0.040 - 0.051	258	0.038	0.034 - 0.043
New Jersey	3,682	0.041	0.040 - 0.042	1,932	0.044	0.042 - 0.046	1,750	0.038	0.036 - 0.040
New Mexico	570	0.027	0.025 - 0.030	295	0.029	0.025 - 0.032	276	0.026	0.023 - 0.029
New York	8,113	0.041	0.040 - 0.042	4,363	0.045	0.044 - 0.047	3,750	0.037	0.036 - 0.038
North Carolina	3,212	0.032	0.031 - 0.033	1,736	0.035	0.034 - 0.037	1,476	0.028	0.027 - 0.030
North Dakota	256	0.034	0.030 - 0.038	142	0.037	0.031 - 0.043	114	0.031	0.026 - 0.037
Ohio	4,184	0.036	0.035 - 0.037	2,279	0.040	0.038 - 0.042	1,905	0.032	0.031 - 0.034
Oklahoma	1,245	0.032	0.030 - 0.034	674	0.035	0.032 - 0.037	571	0.029	0.027 - 0.031
Oregon	1,394	0.034	0.033 - 0.036	760	0.038	0.035 - 0.041	634	0.031	0.029 - 0.034
Pennsylvania	5,523	0.043	0.042 - 0.044	2,926	0.047	0.045 - 0.048	2,597	0.040	0.038 - 0.041
Rhode Island	450	0.043	0.039 - 0.047	236	0.046	0.040 - 0.052	214	0.039	0.034 - 0.045
South Carolina	1,587	0.032	0.031 - 0.034	843	0.035	0.033 - 0.038	744	0.029	0.027 - 0.032
Tennessee	2,156	0.033	0.031 - 0.034	1,167	0.036	0.034 - 0.038	989	0.029	0.027 - 0.031
Texas	7,213	0.026	0.025 - 0.027	3,973	0.029	0.028 - 0.030	3,240	0.023	0.022 - 0.024
Utah	778	0.026	0.024 - 0.028	444	0.029	0.027 - 0.032	334	0.022	0.020 - 0.025
Vermont	281	0.045	0.040 - 0.051	157	0.051	0.043 - 0.060	124	0.039	0.033 - 0.047
Virginia	2,447	0.029	0.028 - 0.030	1,342	0.033	0.031 - 0.034	1,105	0.026	0.024 - 0.027
Washington	2,549	0.035	0.034 - 0.037	1,440	0.040	0.038 - 0.042	1,109	0.031	0.029 - 0.033
WA - Seattle	1,840	0.037	0.035 - 0.039	1,054	0.042	0.040 - 0.045	786	0.032	0.029 - 0.034
West Virginia	709	0.039	0.036 - 0.042	370	0.041	0.037 - 0.045	339	0.037	0.033 - 0.041
Wisconsin	2,393	0.042	0.040 - 0.043	1,328	0.046	0.044 - 0.049	1,065	0.037	0.035 - 0.039
Wyoming	179	0.031	0.026 - 0.035	103	0.034	0.028 - 0.042	76	0.027	0.021 - 0.033
NAACCR CDN Combined[1]	**5,009**	**0.036**	**0.035 - 0.037**	**2,718**	**0.039**	**0.038 - 0.041**	**2,291**	**0.033**	**0.032 - 0.035**
Alberta	1,293	0.031	0.029 - 0.032	689	0.032	0.030 - 0.035	604	0.029	0.027 - 0.032
British Columbia	1,763	0.037	0.036 - 0.039	971	0.041	0.039 - 0.044	792	0.033	0.031 - 0.036
Manitoba	455	0.035	0.032 - 0.038	251	0.039	0.034 - 0.044	204	0.031	0.027 - 0.036
New Brunswick	365	0.048	0.043 - 0.054	197	0.053	0.046 - 0.061	168	0.044	0.038 - 0.051
Newfoundland and Labrador	224	0.042	0.037 - 0.048	115	0.044	0.036 - 0.053	109	0.041	0.033 - 0.049
Northwest Territory	10	0.023	0.011 - 0.041	-	-		-	-	
Nova Scotia	456	0.048	0.044 - 0.053	253	0.055	0.048 - 0.062	203	0.042	0.037 - 0.048
Prince Edward Island	59	0.040	0.030 - 0.051	38	0.053	0.037 - 0.072	21	0.028	0.017 - 0.042
Saskatchewan	384	0.034	0.030 - 0.037	199	0.035	0.030 - 0.040	185	0.033	0.028 - 0.038
NAACCR N.A. Combined[1]	**109,988**	**0.035**	**0.035 - 0.035**	**59,716**	**0.038**	**0.038 - 0.039**	**50,272**	**0.031**	**0.031 - 0.032**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**36,825**	**0.012**	**0.012 - 0.012**	**20,531**	**0.014**	**0.014 - 0.014**	**16,295**	**0.011**	**0.010 - 0.011**
Alabama	600	0.012	0.011 - 0.013	306	0.013	0.012 - 0.015	294	0.012	0.010 - 0.013
Alaska	54	0.007	0.005 - 0.010	30	0.008	0.005 - 0.011	24	0.007	0.004 - 0.010
Arizona	560	0.008	0.008 - 0.009	330	0.010	0.009 - 0.011	230	0.007	0.006 - 0.008
Arkansas	382	0.013	0.012 - 0.014	221	0.015	0.013 - 0.017	161	0.011	0.009 - 0.012
California	3,786	0.010	0.009 - 0.010	2,174	0.011	0.011 - 0.012	1,612	0.008	0.008 - 0.009
CA - Greater California	2,115	0.010	0.009 - 0.010	1,209	0.011	0.011 - 0.012	905	0.008	0.008 - 0.009
CA - Greater Bay Area	775	0.011	0.010 - 0.011	442	0.012	0.011 - 0.013	332	0.009	0.008 - 0.010
CA - Los Angeles	897	0.009	0.008 - 0.009	522	0.010	0.010 - 0.011	375	0.007	0.007 - 0.008
Colorado	562	0.010	0.009 - 0.011	356	0.013	0.012 - 0.014	206	0.008	0.007 - 0.009
Connecticut	535	0.015	0.014 - 0.016	302	0.017	0.015 - 0.019	234	0.013	0.011 - 0.014
Delaware	141	0.015	0.013 - 0.018	82	0.018	0.014 - 0.022	59	0.012	0.009 - 0.016
Florida	3,558	0.017	0.017 - 0.018	1,955	0.020	0.019 - 0.020	1,603	0.015	0.015 - 0.016
Georgia	1,328	0.013	0.012 - 0.014	707	0.014	0.013 - 0.015	621	0.012	0.011 - 0.013
Hawaii	128	0.009	0.007 - 0.011	67	0.009	0.007 - 0.012	61	0.009	0.007 - 0.011
Idaho	183	0.011	0.009 - 0.013	104	0.012	0.010 - 0.015	79	0.010	0.008 - 0.012
Illinois	1,479	0.012	0.011 - 0.012	791	0.013	0.012 - 0.013	688	0.011	0.010 - 0.011
Iowa	425	0.014	0.012 - 0.015	246	0.016	0.014 - 0.018	179	0.011	0.010 - 0.013
Kentucky	537	0.012	0.011 - 0.013	317	0.015	0.013 - 0.016	221	0.010	0.009 - 0.011
Louisiana	653	0.014	0.013 - 0.015	349	0.015	0.014 - 0.017	305	0.013	0.011 - 0.014
Maine	157	0.012	0.010 - 0.014	85	0.013	0.010 - 0.016	72	0.011	0.008 - 0.013
Maryland	810	0.013	0.013 - 0.014	410	0.014	0.013 - 0.016	400	0.013	0.012 - 0.014
Michigan	1,321	0.013	0.013 - 0.014	747	0.015	0.014 - 0.016	574	0.011	0.010 - 0.012
MI - Detroit	608	0.016	0.014 - 0.017	334	0.018	0.016 - 0.020	274	0.014	0.012 - 0.015
Minnesota	689	0.013	0.012 - 0.013	391	0.014	0.013 - 0.016	298	0.011	0.010 - 0.012
Mississippi	370	0.012	0.011 - 0.014	197	0.014	0.012 - 0.016	173	0.011	0.010 - 0.013
Missouri	746	0.012	0.011 - 0.013	440	0.015	0.013 - 0.016	306	0.010	0.009 - 0.011
Montana	131	0.013	0.011 - 0.015	86	0.016	0.013 - 0.020	45	0.009	0.006 - 0.012
Nebraska	218	0.011	0.010 - 0.013	131	0.014	0.012 - 0.016	87	0.009	0.007 - 0.011
New Hampshire	165	0.012	0.011 - 0.014	100	0.015	0.012 - 0.018	65	0.010	0.007 - 0.012
New Jersey	1,234	0.014	0.013 - 0.015	659	0.015	0.014 - 0.016	574	0.013	0.012 - 0.014
New Mexico	206	0.010	0.009 - 0.011	119	0.011	0.010 - 0.014	87	0.008	0.007 - 0.010
New York	3,061	0.015	0.015 - 0.016	1,660	0.017	0.016 - 0.018	1,401	0.014	0.013 - 0.014
North Carolina	1,380	0.014	0.013 - 0.014	772	0.016	0.015 - 0.017	608	0.012	0.011 - 0.013
North Dakota	80	0.011	0.008 - 0.013	53	0.014	0.010 - 0.018	27	0.007	0.005 - 0.011
Ohio	1,227	0.011	0.010 - 0.011	708	0.012	0.012 - 0.013	519	0.009	0.008 - 0.010
Oklahoma	407	0.010	0.009 - 0.011	231	0.012	0.010 - 0.014	176	0.009	0.008 - 0.010
Oregon	363	0.009	0.008 - 0.010	201	0.010	0.009 - 0.012	162	0.008	0.007 - 0.009
Pennsylvania	1,780	0.014	0.013 - 0.015	976	0.016	0.015 - 0.017	804	0.012	0.011 - 0.013
Rhode Island	120	0.011	0.009 - 0.014	70	0.014	0.011 - 0.017	50	0.009	0.007 - 0.012
South Carolina	758	0.015	0.014 - 0.017	408	0.017	0.015 - 0.019	350	0.014	0.012 - 0.015
Tennessee	738	0.011	0.010 - 0.012	397	0.012	0.011 - 0.014	341	0.010	0.009 - 0.011
Texas	2,923	0.011	0.010 - 0.011	1,575	0.011	0.011 - 0.012	1,348	0.010	0.009 - 0.010
Utah	231	0.008	0.007 - 0.009	141	0.009	0.008 - 0.011	90	0.006	0.005 - 0.007
Vermont	70	0.011	0.009 - 0.014	48	0.016	0.011 - 0.021	22	0.007	0.004 - 0.011
Virginia	866	0.010	0.010 - 0.011	478	0.012	0.011 - 0.013	388	0.009	0.008 - 0.010
Washington	788	0.011	0.010 - 0.012	474	0.013	0.012 - 0.014	314	0.009	0.008 - 0.010
WA - Seattle	566	0.011	0.010 - 0.012	344	0.014	0.012 - 0.015	222	0.009	0.008 - 0.010
West Virginia	224	0.012	0.011 - 0.014	135	0.015	0.012 - 0.018	89	0.010	0.008 - 0.012
Wisconsin	793	0.014	0.013 - 0.015	473	0.016	0.015 - 0.018	320	0.011	0.010 - 0.012
Wyoming	59	0.010	0.008 - 0.013	30	0.010	0.007 - 0.014	29	0.010	0.007 - 0.015
NAACCR CDN Combined[1]	**1,514**	**0.011**	**0.010 - 0.012**	**880**	**0.013**	**0.012 - 0.014**	**634**	**0.009**	**0.008 - 0.010**
Alberta	393	0.009	0.008 - 0.010	233	0.011	0.010 - 0.012	160	0.008	0.007 - 0.009
British Columbia	520	0.011	0.010 - 0.012	294	0.013	0.011 - 0.014	226	0.009	0.008 - 0.011
Manitoba	145	0.011	0.009 - 0.013	87	0.013	0.011 - 0.017	58	0.009	0.007 - 0.011
New Brunswick	99	0.013	0.011 - 0.016	57	0.015	0.012 - 0.020	42	0.011	0.008 - 0.015
Newfoundland and Labrador	64	0.012	0.009 - 0.015	33	0.013	0.009 - 0.018	31	0.012	0.008 - 0.016
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	135	0.014	0.012 - 0.017	78	0.017	0.013 - 0.021	57	0.012	0.009 - 0.015
Prince Edward Island	26	0.018	0.011 - 0.026	-	-		-	-	
Saskatchewan	128	0.011	0.009 - 0.013	80	0.014	0.011 - 0.017	48	0.008	0.006 - 0.011
NAACCR N.A. Combined[1]	**38,339**	**0.012**	**0.012 - 0.012**	**21,411**	**0.014**	**0.014 - 0.014**	**16,929**	**0.011**	**0.010 - 0.011**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**67,100**	**0.022**	**0.022 - 0.022**	**39,331**	**0.027**	**0.026 - 0.027**	**27,768**	**0.018**	**0.018 - 0.018**
Alabama	930	0.019	0.018 - 0.020	540	0.023	0.021 - 0.025	390	0.016	0.014 - 0.017
Alaska	114	0.015	0.013 - 0.019	73	0.019	0.015 - 0.024	41	0.012	0.008 - 0.016
Arizona	1,060	0.015	0.015 - 0.016	631	0.019	0.017 - 0.020	429	0.012	0.011 - 0.014
Arkansas	704	0.024	0.022 - 0.025	424	0.029	0.026 - 0.032	280	0.018	0.016 - 0.021
California	6,903	0.018	0.017 - 0.018	4,069	0.021	0.020 - 0.022	2,834	0.014	0.014 - 0.015
CA - Greater California	3,937	0.018	0.018 - 0.019	2,298	0.021	0.020 - 0.022	1,639	0.015	0.014 - 0.016
CA - Greater Bay Area	1,330	0.018	0.017 - 0.019	833	0.023	0.021 - 0.024	497	0.013	0.012 - 0.015
CA - Los Angeles	1,637	0.016	0.015 - 0.017	938	0.019	0.018 - 0.020	699	0.014	0.013 - 0.015
Colorado	1,041	0.019	0.018 - 0.020	632	0.023	0.021 - 0.025	409	0.015	0.014 - 0.017
Connecticut	842	0.023	0.022 - 0.025	482	0.028	0.025 - 0.030	360	0.020	0.018 - 0.022
Delaware	223	0.024	0.021 - 0.027	139	0.030	0.025 - 0.036	84	0.017	0.014 - 0.021
Florida	7,285	0.036	0.035 - 0.036	4,172	0.042	0.040 - 0.043	3,113	0.030	0.029 - 0.031
Georgia	2,079	0.020	0.019 - 0.021	1,189	0.024	0.022 - 0.025	890	0.017	0.016 - 0.018
Hawaii	240	0.017	0.015 - 0.019	149	0.021	0.018 - 0.024	90	0.013	0.010 - 0.016
Idaho	428	0.026	0.023 - 0.028	255	0.031	0.027 - 0.035	173	0.021	0.018 - 0.024
Illinois	2,514	0.020	0.019 - 0.020	1,474	0.023	0.022 - 0.025	1,040	0.016	0.015 - 0.017
Iowa	882	0.028	0.026 - 0.030	542	0.035	0.032 - 0.038	340	0.022	0.019 - 0.024
Kentucky	1,095	0.025	0.023 - 0.026	643	0.029	0.027 - 0.032	452	0.020	0.018 - 0.022
Louisiana	1,020	0.022	0.020 - 0.023	578	0.025	0.023 - 0.027	442	0.018	0.017 - 0.020
Maine	367	0.028	0.025 - 0.031	203	0.031	0.027 - 0.036	164	0.024	0.021 - 0.028
Maryland	1,100	0.018	0.017 - 0.019	613	0.021	0.019 - 0.023	487	0.016	0.014 - 0.017
Michigan	2,267	0.023	0.022 - 0.024	1,334	0.027	0.026 - 0.029	933	0.018	0.017 - 0.020
MI - Detroit	990	0.026	0.024 - 0.027	581	0.031	0.029 - 0.034	409	0.021	0.019 - 0.023
Minnesota	1,484	0.027	0.026 - 0.028	938	0.034	0.032 - 0.037	546	0.020	0.018 - 0.021
Mississippi	552	0.018	0.017 - 0.020	324	0.022	0.020 - 0.025	228	0.015	0.013 - 0.017
Missouri	1,321	0.022	0.021 - 0.023	767	0.026	0.024 - 0.028	554	0.018	0.016 - 0.019
Montana	279	0.027	0.024 - 0.030	175	0.034	0.029 - 0.039	105	0.020	0.017 - 0.025
Nebraska	388	0.020	0.018 - 0.023	225	0.024	0.021 - 0.027	163	0.017	0.015 - 0.020
New Hampshire	312	0.023	0.021 - 0.026	205	0.031	0.027 - 0.036	107	0.016	0.013 - 0.019
New Jersey	2,303	0.026	0.025 - 0.027	1,328	0.030	0.029 - 0.032	974	0.021	0.020 - 0.023
New Mexico	490	0.024	0.021 - 0.026	276	0.027	0.024 - 0.030	214	0.020	0.018 - 0.023
New York	5,516	0.028	0.027 - 0.029	3,181	0.033	0.032 - 0.034	2,335	0.023	0.022 - 0.024
North Carolina	2,236	0.022	0.021 - 0.023	1,329	0.027	0.026 - 0.029	907	0.018	0.016 - 0.019
North Dakota	187	0.025	0.021 - 0.029	110	0.028	0.023 - 0.034	77	0.021	0.017 - 0.026
Ohio	2,161	0.019	0.018 - 0.019	1,284	0.023	0.021 - 0.024	877	0.015	0.014 - 0.016
Oklahoma	844	0.022	0.020 - 0.023	503	0.026	0.024 - 0.028	341	0.017	0.015 - 0.019
Oregon	821	0.020	0.019 - 0.022	487	0.024	0.022 - 0.027	334	0.016	0.015 - 0.018
Pennsylvania	3,257	0.025	0.025 - 0.026	1,958	0.031	0.030 - 0.033	1,299	0.020	0.019 - 0.021
Rhode Island	250	0.024	0.021 - 0.027	153	0.030	0.025 - 0.035	97	0.018	0.014 - 0.022
South Carolina	1,012	0.021	0.019 - 0.022	576	0.024	0.022 - 0.026	436	0.017	0.016 - 0.019
Tennessee	1,418	0.021	0.020 - 0.023	830	0.026	0.024 - 0.028	588	0.017	0.016 - 0.019
Texas	5,324	0.019	0.019 - 0.020	3,090	0.022	0.022 - 0.023	2,234	0.016	0.015 - 0.017
Utah	476	0.016	0.014 - 0.017	288	0.019	0.017 - 0.021	188	0.013	0.011 - 0.014
Vermont	142	0.023	0.019 - 0.027	79	0.026	0.020 - 0.032	63	0.020	0.015 - 0.026
Virginia	1,274	0.015	0.014 - 0.016	701	0.017	0.016 - 0.018	573	0.013	0.012 - 0.015
Washington	1,648	0.023	0.022 - 0.024	996	0.028	0.026 - 0.029	652	0.018	0.017 - 0.019
WA - Seattle	1,276	0.026	0.024 - 0.027	772	0.031	0.029 - 0.033	504	0.020	0.019 - 0.022
West Virginia	484	0.026	0.024 - 0.029	292	0.032	0.029 - 0.036	192	0.021	0.018 - 0.024
Wisconsin	1,703	0.030	0.028 - 0.031	1,020	0.036	0.033 - 0.038	683	0.024	0.022 - 0.025
Wyoming	125	0.021	0.018 - 0.025	74	0.025	0.019 - 0.031	51	0.018	0.013 - 0.023
NAACCR CDN Combined[1]	**3,144**	**0.023**	**0.022 - 0.024**	**1,919**	**0.028**	**0.027 - 0.029**	**1,225**	**0.018**	**0.017 - 0.019**
Alberta	971	0.023	0.022 - 0.025	611	0.029	0.026 - 0.031	360	0.017	0.016 - 0.019
British Columbia	1,002	0.021	0.020 - 0.023	604	0.026	0.024 - 0.028	398	0.017	0.015 - 0.018
Manitoba	308	0.024	0.021 - 0.026	176	0.027	0.023 - 0.031	132	0.020	0.017 - 0.024
New Brunswick	246	0.033	0.029 - 0.037	142	0.038	0.032 - 0.045	104	0.027	0.022 - 0.033
Newfoundland and Labrador	97	0.018	0.015 - 0.022	68	0.026	0.020 - 0.033	29	0.011	0.007 - 0.016
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	186	0.020	0.017 - 0.023	111	0.024	0.020 - 0.029	75	0.016	0.012 - 0.020
Prince Edward Island	33	0.022	0.015 - 0.031	18	0.025	0.015 - 0.039	15	0.020	0.011 - 0.033
Saskatchewan	297	0.026	0.023 - 0.029	186	0.032	0.028 - 0.037	111	0.020	0.016 - 0.024
NAACCR N.A. Combined[1]	**70,244**	**0.022**	**0.022 - 0.022**	**41,250**	**0.027**	**0.026 - 0.027**	**28,993**	**0.018**	**0.018 - 0.018**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-24 Prevalence – Leukemias

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, All Races, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**2,810**	**0.001**	**0.001 - 0.001**	**2,026**	**0.001**	**0.001 - 0.001**	**784**	**0.001**	**0.000 - 0.001**
Alabama	20	0.000	0.000 - 0.001	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	66	0.001	0.001 - 0.001	52	0.002	0.001 - 0.002	14	0.000	0.000 - 0.001
Arkansas	19	0.001	0.000 - 0.001	-	-		-	-	
California	322	0.001	0.001 - 0.001	221	0.001	0.001 - 0.001	101	0.001	0.000 - 0.001
CA - Greater California	192	0.001	0.001 - 0.001	128	0.001	0.001 - 0.001	63	0.001	0.000 - 0.001
CA - Greater Bay Area	64	0.001	0.001 - 0.001	46	0.001	0.001 - 0.002	18	0.000	0.000 - 0.001
CA - Los Angeles	66	0.001	0.001 - 0.001	48	0.001	0.001 - 0.001	19	0.000	0.000 - 0.001
Colorado	40	0.001	0.001 - 0.001	-	-		-	-	
Connecticut	40	0.001	0.001 - 0.002	-	-		-	-	
Delaware	15	0.002	0.001 - 0.003	-	-		-	-	
Florida	225	0.001	0.001 - 0.001	163	0.002	0.001 - 0.002	62	0.001	0.000 - 0.001
Georgia	48	0.000	0.000 - 0.001	36	0.001	0.001 - 0.001	12	0.000	0.000 - 0.000
Hawaii	-	-		-	-		-	-	
Idaho	21	0.001	0.001 - 0.002	-	-		-	-	
Illinois	133	0.001	0.001 - 0.001	95	0.002	0.001 - 0.002	38	0.001	0.000 - 0.001
Iowa	31	0.001	0.001 - 0.001	-	-		-	-	
Kentucky	30	0.001	0.000 - 0.001	-	-		-	-	
Louisiana	78	0.002	0.001 - 0.002	56	0.002	0.002 - 0.003	22	0.001	0.001 - 0.001
Maine	24	0.002	0.001 - 0.003	-	-		-	-	
Maryland	48	0.001	0.001 - 0.001	29	0.001	0.001 - 0.001	19	0.001	0.000 - 0.001
Michigan	115	0.001	0.001 - 0.001	75	0.002	0.001 - 0.002	40	0.001	0.001 - 0.001
MI - Detroit	41	0.001	0.001 - 0.001	25	0.001	0.001 - 0.002	16	0.001	0.000 - 0.001
Minnesota	75	0.001	0.001 - 0.002	59	0.002	0.002 - 0.003	16	0.001	0.000 - 0.001
Mississippi	28	0.001	0.001 - 0.001	-	-		-	-	
Missouri	48	0.001	0.001 - 0.001	33	0.001	0.001 - 0.002	15	0.000	0.000 - 0.001
Montana	14	0.001	0.001 - 0.002	-	-		-	-	
Nebraska	13	0.001	0.000 - 0.001	-	-		-	-	
New Hampshire	21	0.002	0.001 - 0.002	-	-		-	-	
New Jersey	114	0.001	0.001 - 0.002	76	0.002	0.001 - 0.002	38	0.001	0.001 - 0.001
New Mexico	12	0.001	0.000 - 0.001	-	-		-	-	
New York	196	0.001	0.001 - 0.001	140	0.001	0.001 - 0.002	56	0.001	0.000 - 0.001
North Carolina	75	0.001	0.001 - 0.001	58	0.001	0.001 - 0.002	17	0.000	0.000 - 0.001
North Dakota	-	-		-	-		-	-	
Ohio	121	0.001	0.001 - 0.001	92	0.002	0.001 - 0.002	29	0.000	0.000 - 0.001
Oklahoma	23	0.001	0.000 - 0.001	-	-		-	-	
Oregon	41	0.001	0.001 - 0.001	27	0.001	0.001 - 0.002	14	0.001	0.000 - 0.001
Pennsylvania	172	0.001	0.001 - 0.002	115	0.002	0.002 - 0.002	57	0.001	0.001 - 0.001
Rhode Island	11	0.001	0.001 - 0.002	-	-		-	-	
South Carolina	56	0.001	0.001 - 0.001	39	0.002	0.001 - 0.002	17	0.001	0.000 - 0.001
Tennessee	39	0.001	0.000 - 0.001	-	-		-	-	
Texas	162	0.001	0.000 - 0.001	114	0.001	0.001 - 0.001	48	0.000	0.000 - 0.000
Utah	17	0.001	0.000 - 0.001	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	69	0.001	0.001 - 0.001	53	0.001	0.001 - 0.002	16	0.000	0.000 - 0.001
Washington	85	0.001	0.001 - 0.001	64	0.002	0.001 - 0.002	21	0.001	0.000 - 0.001
WA - Seattle	64	0.001	0.001 - 0.002	49	0.002	0.001 - 0.003	15	0.001	0.000 - 0.001
West Virginia	24	0.001	0.001 - 0.002	-	-		-	-	
Wisconsin	81	0.001	0.001 - 0.002	65	0.002	0.002 - 0.003	16	0.001	0.000 - 0.001
Wyoming	12	0.002	0.001 - 0.004	-	-		-	-	
NAACCR CDN Combined[1]	**212**	**0.002**	**0.001 - 0.002**	**159**	**0.002**	**0.002 - 0.003**	**53**	**0.001**	**0.001 - 0.001**
Alberta	56	0.001	0.001 - 0.002	43	0.002	0.001 - 0.003	13	0.001	0.000 - 0.001
British Columbia	79	0.002	0.001 - 0.002	63	0.003	0.002 - 0.003	16	0.001	0.000 - 0.001
Manitoba	23	0.002	0.001 - 0.003	-	-		-	-	
New Brunswick	15	0.002	0.001 - 0.003	-	-		-	-	
Newfoundland and Labrador	-	-		-	-		-	-	
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	16	0.002	0.001 - 0.003	-	-		-	-	
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	14	0.001	0.001 - 0.002	-	-		-	-	
NAACCR N.A. Combined[1]	**3,022**	**0.001**	**0.001 - 0.001**	**2,185**	**0.001**	**0.001 - 0.001**	**837**	**0.001**	**0.000 - 0.001**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**1,725,773**	**0.928**	**0.927 - 0.929**	**849,945**	**0.927**	**0.925 - 0.929**	**875,828**	**0.929**	**0.927 - 0.931**
Alabama	28,271	0.872	0.862 - 0.883	14,336	0.905	0.890 - 0.919	13,935	0.842	0.828 - 0.856
Alaska	3,186	0.666	0.643 - 0.689	1,622	0.639	0.608 - 0.671	1,564	0.696	0.662 - 0.731
Arizona	34,360	0.887	0.878 - 0.896	16,958	0.886	0.872 - 0.899	17,402	0.888	0.875 - 0.902
Arkansas	19,936	0.902	0.890 - 0.915	10,378	0.956	0.938 - 0.975	9,558	0.850	0.834 - 0.868
California	148,649	0.968	0.963 - 0.973	73,048	0.952	0.945 - 0.959	75,601	0.983	0.976 - 0.990
CA - Greater California	92,887	0.966	0.960 - 0.972	45,599	0.955	0.946 - 0.963	47,287	0.977	0.968 - 0.986
CA - Greater Bay Area	29,169	0.989	0.978 - 1.000	14,491	0.974	0.958 - 0.990	14,678	1.004	0.988 - 1.021
CA - Los Angeles	26,609	0.951	0.940 - 0.963	12,965	0.923	0.907 - 0.939	13,644	0.980	0.964 - 0.997
Colorado	28,648	0.748	0.739 - 0.757	13,883	0.723	0.711 - 0.736	14,765	0.772	0.760 - 0.785
Connecticut	26,006	1.052	1.039 - 1.065	12,568	1.043	1.025 - 1.062	13,438	1.060	1.042 - 1.078
Delaware	6,867	1.132	1.105 - 1.159	3,483	1.186	1.147 - 1.226	3,384	1.081	1.045 - 1.118
Florida	124,464	1.092	1.086 - 1.099	63,355	1.134	1.125 - 1.143	61,109	1.053	1.044 - 1.061
Georgia	49,711	0.891	0.883 - 0.899	24,824	0.905	0.893 - 0.916	24,887	0.878	0.867 - 0.889
Hawaii	3,257	1.051	1.015 - 1.087	1,802	1.072	1.023 - 1.123	1,455	1.025	0.973 - 1.079
Idaho	11,062	0.794	0.779 - 0.809	5,427	0.780	0.760 - 0.801	5,635	0.807	0.786 - 0.828
Illinois	76,800	0.955	0.948 - 0.962	37,079	0.938	0.929 - 0.948	39,721	0.971	0.961 - 0.981
Iowa	25,289	0.928	0.917 - 0.940	12,544	0.932	0.916 - 0.949	12,745	0.924	0.908 - 0.940
Kentucky	34,928	0.916	0.907 - 0.926	16,879	0.903	0.889 - 0.917	18,049	0.929	0.916 - 0.943
Louisiana	25,367	0.908	0.897 - 0.919	13,269	0.964	0.948 - 0.980	12,097	0.854	0.839 - 0.869
Maine	12,461	0.991	0.973 - 1.008	5,954	0.968	0.943 - 0.993	6,507	1.013	0.988 - 1.037
Maryland	31,023	0.979	0.968 - 0.990	15,165	0.977	0.961 - 0.992	15,858	0.980	0.965 - 0.996
Michigan	67,107	0.884	0.877 - 0.890	33,038	0.881	0.871 - 0.890	34,069	0.887	0.877 - 0.896
MI - Detroit	24,626	0.980	0.968 - 0.993	12,059	0.976	0.958 - 0.993	12,566	0.985	0.968 - 1.002
Minnesota	40,720	0.905	0.896 - 0.914	20,199	0.905	0.893 - 0.918	20,521	0.904	0.892 - 0.917
Mississippi	15,464	0.901	0.887 - 0.915	7,913	0.939	0.918 - 0.960	7,551	0.865	0.845 - 0.884
Missouri	41,746	0.849	0.841 - 0.857	20,295	0.839	0.827 - 0.851	21,451	0.858	0.847 - 0.870
Montana	8,205	0.903	0.883 - 0.922	4,244	0.927	0.899 - 0.955	3,961	0.878	0.851 - 0.906
Nebraska	13,298	0.868	0.853 - 0.883	6,553	0.864	0.843 - 0.885	6,745	0.872	0.851 - 0.893
New Hampshire	12,023	0.982	0.964 - 0.999	5,750	0.950	0.926 - 0.975	6,273	1.012	0.987 - 1.037
New Jersey	55,666	1.095	1.086 - 1.104	26,864	1.084	1.071 - 1.097	28,802	1.105	1.092 - 1.118
New Mexico	7,631	0.944	0.923 - 0.966	3,746	0.937	0.907 - 0.967	3,885	0.952	0.922 - 0.982
New York	119,014	1.059	1.053 - 1.065	57,902	1.054	1.045 - 1.062	61,112	1.065	1.056 - 1.073
North Carolina	61,565	0.944	0.937 - 0.952	30,403	0.954	0.944 - 0.965	31,162	0.935	0.925 - 0.946
North Dakota	5,361	0.822	0.800 - 0.845	2,808	0.843	0.812 - 0.874	2,553	0.801	0.770 - 0.833
Ohio	82,825	0.886	0.880 - 0.892	39,510	0.861	0.853 - 0.870	43,315	0.909	0.901 - 0.918
Oklahoma	22,449	0.828	0.817 - 0.839	11,151	0.836	0.820 - 0.851	11,298	0.820	0.805 - 0.835
Oregon	27,796	0.877	0.866 - 0.887	13,463	0.862	0.848 - 0.877	14,333	0.890	0.876 - 0.905
Pennsylvania	99,674	0.999	0.993 - 1.006	47,772	0.979	0.970 - 0.988	51,902	1.019	1.010 - 1.028
Rhode Island	8,191	1.041	1.019 - 1.064	3,738	0.986	0.954 - 1.018	4,453	1.093	1.061 - 1.125
South Carolina	29,679	0.932	0.922 - 0.943	15,081	0.969	0.953 - 0.984	14,598	0.897	0.883 - 0.912
Tennessee	44,269	0.889	0.881 - 0.897	22,083	0.908	0.896 - 0.920	22,186	0.871	0.860 - 0.882
Texas	100,154	0.830	0.825 - 0.836	50,047	0.838	0.830 - 0.845	50,107	0.823	0.816 - 0.831
Utah	14,617	0.605	0.595 - 0.615	7,396	0.610	0.596 - 0.624	7,221	0.599	0.585 - 0.613
Vermont	5,491	0.932	0.908 - 0.957	2,593	0.893	0.858 - 0.928	2,898	0.971	0.936 - 1.007
Virginia	42,728	0.798	0.791 - 0.806	20,442	0.773	0.762 - 0.783	22,286	0.823	0.812 - 0.834
Washington	45,832	0.886	0.878 - 0.894	22,418	0.870	0.859 - 0.881	23,414	0.902	0.891 - 0.914
WA - Seattle	32,804	0.938	0.928 - 0.949	16,199	0.928	0.914 - 0.942	16,605	0.949	0.935 - 0.964
West Virginia	16,020	0.935	0.921 - 0.950	7,746	0.919	0.898 - 0.939	8,274	0.951	0.930 - 0.971
Wisconsin	44,171	0.928	0.919 - 0.936	22,220	0.940	0.928 - 0.953	21,951	0.916	0.903 - 0.928
Wyoming	3,794	0.760	0.736 - 0.784	1,998	0.786	0.752 - 0.822	1,796	0.732	0.698 - 0.767

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**54,962**	**0.030**	**0.029 - 0.030**	**39,777**	**0.043**	**0.043 - 0.044**	**15,185**	**0.016**	**0.016 - 0.016**
Alabama	1,025	0.032	0.030 - 0.034	747	0.047	0.044 - 0.051	278	0.017	0.015 - 0.019
Alaska	97	0.020	0.016 - 0.025	78	0.031	0.024 - 0.038	19	0.008	0.005 - 0.013
Arizona	1,080	0.028	0.026 - 0.030	831	0.043	0.041 - 0.046	249	0.013	0.011 - 0.014
Arkansas	711	0.032	0.030 - 0.035	518	0.048	0.044 - 0.052	193	0.017	0.015 - 0.020
California	4,906	0.032	0.031 - 0.033	3,611	0.047	0.046 - 0.049	1,295	0.017	0.016 - 0.018
CA - Greater California	3,182	0.033	0.032 - 0.034	2,348	0.049	0.047 - 0.051	834	0.017	0.016 - 0.018
CA - Greater Bay Area	907	0.031	0.029 - 0.033	672	0.045	0.042 - 0.049	234	0.016	0.014 - 0.018
CA - Los Angeles	818	0.029	0.027 - 0.031	592	0.042	0.039 - 0.046	225	0.016	0.014 - 0.018
Colorado	975	0.025	0.024 - 0.027	704	0.037	0.034 - 0.039	271	0.014	0.013 - 0.016
Connecticut	782	0.032	0.029 - 0.034	534	0.044	0.041 - 0.048	247	0.019	0.017 - 0.022
Delaware	219	0.036	0.031 - 0.041	167	0.057	0.049 - 0.066	52	0.017	0.012 - 0.022
Florida	4,488	0.039	0.038 - 0.041	3,347	0.060	0.058 - 0.062	1,141	0.020	0.019 - 0.021
Georgia	1,688	0.030	0.029 - 0.032	1,249	0.046	0.043 - 0.048	439	0.015	0.014 - 0.017
Hawaii	157	0.051	0.043 - 0.059	127	0.076	0.063 - 0.090	30	0.021	0.014 - 0.030
Idaho	330	0.024	0.021 - 0.026	227	0.033	0.029 - 0.037	103	0.015	0.012 - 0.018
Illinois	2,375	0.030	0.028 - 0.031	1,698	0.043	0.041 - 0.045	677	0.017	0.015 - 0.018
Iowa	820	0.030	0.028 - 0.032	602	0.045	0.041 - 0.048	218	0.016	0.014 - 0.018
Kentucky	1,146	0.030	0.028 - 0.032	825	0.044	0.041 - 0.047	321	0.017	0.015 - 0.018
Louisiana	871	0.031	0.029 - 0.033	653	0.047	0.044 - 0.051	218	0.015	0.013 - 0.018
Maine	414	0.033	0.030 - 0.036	305	0.050	0.044 - 0.055	109	0.017	0.014 - 0.020
Maryland	954	0.030	0.028 - 0.032	673	0.043	0.040 - 0.047	281	0.017	0.015 - 0.020
Michigan	2,012	0.026	0.025 - 0.028	1,430	0.038	0.036 - 0.040	582	0.015	0.014 - 0.016
MI - Detroit	727	0.029	0.027 - 0.031	523	0.042	0.039 - 0.046	205	0.016	0.014 - 0.018
Minnesota	1,165	0.026	0.024 - 0.027	801	0.036	0.033 - 0.038	364	0.016	0.014 - 0.018
Mississippi	508	0.030	0.027 - 0.032	352	0.042	0.038 - 0.046	156	0.018	0.015 - 0.021
Missouri	1,355	0.028	0.026 - 0.029	1,000	0.041	0.039 - 0.044	355	0.014	0.013 - 0.016
Montana	244	0.027	0.024 - 0.030	177	0.039	0.033 - 0.045	68	0.015	0.012 - 0.019
Nebraska	403	0.026	0.024 - 0.029	280	0.037	0.033 - 0.042	123	0.016	0.013 - 0.019
New Hampshire	345	0.028	0.025 - 0.031	249	0.041	0.036 - 0.047	96	0.015	0.013 - 0.019
New Jersey	1,418	0.028	0.026 - 0.029	992	0.040	0.038 - 0.043	426	0.016	0.015 - 0.018
New Mexico	227	0.028	0.025 - 0.032	181	0.045	0.039 - 0.052	46	0.011	0.008 - 0.015
New York	3,134	0.028	0.027 - 0.029	2,200	0.040	0.038 - 0.042	934	0.016	0.015 - 0.017
North Carolina	2,004	0.031	0.029 - 0.032	1,456	0.046	0.043 - 0.048	548	0.016	0.015 - 0.018
North Dakota	167	0.026	0.022 - 0.030	120	0.036	0.030 - 0.043	47	0.015	0.011 - 0.020
Ohio	2,565	0.027	0.026 - 0.029	1,792	0.039	0.037 - 0.041	773	0.016	0.015 - 0.017
Oklahoma	784	0.029	0.027 - 0.031	569	0.043	0.039 - 0.046	215	0.016	0.014 - 0.018
Oregon	892	0.028	0.026 - 0.030	623	0.040	0.037 - 0.043	269	0.017	0.015 - 0.019
Pennsylvania	2,785	0.028	0.027 - 0.029	1,943	0.040	0.038 - 0.042	842	0.017	0.015 - 0.018
Rhode Island	237	0.030	0.026 - 0.034	152	0.040	0.034 - 0.047	85	0.021	0.017 - 0.026
South Carolina	940	0.030	0.028 - 0.031	682	0.044	0.041 - 0.047	258	0.016	0.014 - 0.018
Tennessee	1,500	0.030	0.029 - 0.032	1,098	0.045	0.043 - 0.048	402	0.016	0.014 - 0.017
Texas	3,703	0.031	0.030 - 0.032	2,784	0.047	0.045 - 0.048	919	0.015	0.014 - 0.016
Utah	422	0.017	0.016 - 0.019	299	0.025	0.022 - 0.028	123	0.010	0.008 - 0.012
Vermont	178	0.030	0.026 - 0.035	122	0.042	0.035 - 0.050	56	0.019	0.014 - 0.024
Virginia	1,452	0.027	0.026 - 0.029	1,067	0.040	0.038 - 0.043	385	0.014	0.013 - 0.016
Washington	1,471	0.028	0.027 - 0.030	1,068	0.041	0.039 - 0.044	403	0.016	0.014 - 0.017
WA - Seattle	1,062	0.030	0.029 - 0.032	764	0.044	0.041 - 0.047	298	0.017	0.015 - 0.019
West Virginia	530	0.031	0.028 - 0.034	388	0.046	0.042 - 0.051	142	0.016	0.014 - 0.019
Wisconsin	1,390	0.029	0.028 - 0.031	986	0.042	0.039 - 0.044	404	0.017	0.015 - 0.019
Wyoming	94	0.019	0.015 - 0.023	70	0.028	0.021 - 0.035	24	0.010	0.006 - 0.015

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**14,091**	**0.008**	**0.007 - 0.008**	**11,350**	**0.012**	**0.012 - 0.013**	**2,741**	**0.003**	**0.003 - 0.003**
Alabama	200	0.006	0.005 - 0.007	166	0.010	0.009 - 0.012	34	0.002	0.001 - 0.003
Alaska	27	0.006	0.004 - 0.008	-	-		-	-	
Arizona	296	0.008	0.007 - 0.009	238	0.012	0.011 - 0.014	58	0.003	0.002 - 0.004
Arkansas	142	0.006	0.005 - 0.008	120	0.011	0.009 - 0.013	22	0.002	0.001 - 0.003
California	1,108	0.007	0.007 - 0.008	852	0.011	0.010 - 0.012	256	0.003	0.003 - 0.004
CA - Greater California	731	0.008	0.007 - 0.008	573	0.012	0.011 - 0.013	158	0.003	0.003 - 0.004
CA - Greater Bay Area	222	0.008	0.007 - 0.009	168	0.011	0.010 - 0.013	55	0.004	0.003 - 0.005
CA - Los Angeles	156	0.006	0.005 - 0.007	112	0.008	0.007 - 0.010	43	0.003	0.002 - 0.004
Colorado	239	0.006	0.005 - 0.007	205	0.011	0.009 - 0.012	34	0.002	0.001 - 0.002
Connecticut	231	0.009	0.008 - 0.011	185	0.015	0.013 - 0.018	47	0.004	0.003 - 0.005
Delaware	77	0.013	0.010 - 0.016	65	0.022	0.017 - 0.028	12	0.004	0.002 - 0.007
Florida	1,120	0.010	0.009 - 0.010	893	0.016	0.015 - 0.017	227	0.004	0.003 - 0.004
Georgia	356	0.006	0.006 - 0.007	285	0.010	0.009 - 0.012	72	0.003	0.002 - 0.003
Hawaii	23	0.007	0.005 - 0.011	-	-		-	-	
Idaho	82	0.006	0.005 - 0.007	72	0.010	0.008 - 0.013	10	0.001	0.001 - 0.003
Illinois	685	0.009	0.008 - 0.009	569	0.014	0.013 - 0.016	116	0.003	0.002 - 0.003
Iowa	245	0.009	0.008 - 0.010	208	0.015	0.013 - 0.018	37	0.003	0.002 - 0.004
Kentucky	255	0.007	0.006 - 0.008	217	0.012	0.010 - 0.013	38	0.002	0.001 - 0.003
Louisiana	189	0.007	0.006 - 0.008	145	0.011	0.009 - 0.012	44	0.003	0.002 - 0.004
Maine	148	0.012	0.010 - 0.014	123	0.020	0.017 - 0.024	25	0.004	0.003 - 0.006
Maryland	254	0.008	0.007 - 0.009	188	0.012	0.010 - 0.014	66	0.004	0.003 - 0.005
Michigan	645	0.008	0.008 - 0.009	519	0.014	0.013 - 0.015	126	0.003	0.003 - 0.004
MI - Detroit	196	0.008	0.007 - 0.009	155	0.013	0.011 - 0.015	41	0.003	0.002 - 0.004
Minnesota	329	0.007	0.007 - 0.008	272	0.012	0.011 - 0.014	57	0.003	0.002 - 0.003
Mississippi	112	0.007	0.005 - 0.008	88	0.010	0.008 - 0.013	24	0.003	0.002 - 0.004
Missouri	320	0.007	0.006 - 0.007	258	0.011	0.009 - 0.012	62	0.002	0.002 - 0.003
Montana	74	0.008	0.006 - 0.010	-	-		-	-	
Nebraska	90	0.006	0.005 - 0.007	72	0.009	0.007 - 0.012	18	0.002	0.001 - 0.004
New Hampshire	140	0.011	0.010 - 0.013	112	0.019	0.015 - 0.022	28	0.005	0.003 - 0.007
New Jersey	436	0.009	0.008 - 0.009	344	0.014	0.012 - 0.015	92	0.004	0.003 - 0.004
New Mexico	60	0.007	0.006 - 0.010	-	-		-	-	
New York	936	0.008	0.008 - 0.009	736	0.013	0.012 - 0.014	200	0.003	0.003 - 0.004
North Carolina	404	0.006	0.006 - 0.007	341	0.011	0.010 - 0.012	63	0.002	0.001 - 0.002
North Dakota	37	0.006	0.004 - 0.008	-	-		-	-	
Ohio	711	0.008	0.007 - 0.008	577	0.013	0.012 - 0.014	134	0.003	0.002 - 0.003
Oklahoma	171	0.006	0.005 - 0.007	142	0.011	0.009 - 0.013	29	0.002	0.001 - 0.003
Oregon	232	0.007	0.006 - 0.008	184	0.012	0.010 - 0.014	48	0.003	0.002 - 0.004
Pennsylvania	849	0.009	0.008 - 0.009	674	0.014	0.013 - 0.015	175	0.003	0.003 - 0.004
Rhode Island	58	0.007	0.006 - 0.010	46	0.012	0.009 - 0.016	12	0.003	0.002 - 0.005
South Carolina	249	0.008	0.007 - 0.009	199	0.013	0.011 - 0.015	50	0.003	0.002 - 0.004
Tennessee	352	0.007	0.006 - 0.008	296	0.012	0.011 - 0.014	56	0.002	0.002 - 0.003
Texas	784	0.007	0.006 - 0.007	626	0.010	0.010 - 0.011	158	0.003	0.002 - 0.003
Utah	76	0.003	0.002 - 0.004	58	0.005	0.004 - 0.006	18	0.001	0.001 - 0.002
Vermont	58	0.010	0.007 - 0.013	-	-		-	-	
Virginia	334	0.006	0.006 - 0.007	280	0.011	0.009 - 0.012	54	0.002	0.001 - 0.003
Washington	385	0.007	0.007 - 0.008	301	0.012	0.010 - 0.013	84	0.003	0.003 - 0.004
WA - Seattle	246	0.007	0.006 - 0.008	185	0.011	0.009 - 0.012	61	0.003	0.003 - 0.004
West Virginia	155	0.009	0.008 - 0.011	125	0.015	0.012 - 0.018	30	0.003	0.002 - 0.005
Wisconsin	389	0.008	0.007 - 0.009	312	0.013	0.012 - 0.015	77	0.003	0.003 - 0.004
Wyoming	28	0.006	0.004 - 0.008	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**16,169**	**0.009**	**0.009 - 0.009**	**10,397**	**0.011**	**0.011 - 0.012**	**5,773**	**0.006**	**0.006 - 0.006**
Alabama	268	0.008	0.007 - 0.009	163	0.010	0.009 - 0.012	105	0.006	0.005 - 0.008
Alaska	40	0.008	0.006 - 0.011	25	0.010	0.006 - 0.015	15	0.007	0.004 - 0.011
Arizona	289	0.007	0.007 - 0.008	200	0.010	0.009 - 0.012	89	0.005	0.004 - 0.006
Arkansas	201	0.009	0.008 - 0.010	132	0.012	0.010 - 0.014	69	0.006	0.005 - 0.008
California	1,402	0.009	0.009 - 0.010	949	0.012	0.012 - 0.013	453	0.006	0.005 - 0.006
CA - Greater California	839	0.009	0.008 - 0.009	570	0.012	0.011 - 0.013	269	0.006	0.005 - 0.006
CA - Greater Bay Area	248	0.008	0.007 - 0.010	164	0.011	0.009 - 0.013	83	0.006	0.005 - 0.007
CA - Los Angeles	317	0.011	0.010 - 0.013	215	0.015	0.013 - 0.017	102	0.007	0.006 - 0.009
Colorado	236	0.006	0.005 - 0.007	156	0.008	0.007 - 0.010	80	0.004	0.003 - 0.005
Connecticut	317	0.013	0.011 - 0.014	203	0.017	0.015 - 0.019	114	0.009	0.007 - 0.011
Delaware	74	0.012	0.010 - 0.015	54	0.018	0.014 - 0.024	20	0.006	0.004 - 0.010
Florida	1,052	0.009	0.009 - 0.010	696	0.012	0.012 - 0.013	356	0.006	0.006 - 0.007
Georgia	424	0.008	0.007 - 0.008	255	0.009	0.008 - 0.011	169	0.006	0.005 - 0.007
Hawaii	23	0.007	0.005 - 0.011	-	-		-	-	
Idaho	105	0.008	0.006 - 0.009	65	0.009	0.007 - 0.012	40	0.006	0.004 - 0.008
Illinois	786	0.010	0.009 - 0.010	507	0.013	0.012 - 0.014	279	0.007	0.006 - 0.008
Iowa	173	0.006	0.005 - 0.007	113	0.008	0.007 - 0.010	60	0.004	0.003 - 0.006
Kentucky	354	0.009	0.008 - 0.010	200	0.011	0.009 - 0.012	154	0.008	0.007 - 0.009
Louisiana	233	0.008	0.007 - 0.009	152	0.011	0.009 - 0.013	81	0.006	0.005 - 0.007
Maine	128	0.010	0.008 - 0.012	69	0.011	0.009 - 0.014	59	0.009	0.007 - 0.012
Maryland	294	0.009	0.008 - 0.010	187	0.012	0.010 - 0.014	107	0.007	0.005 - 0.008
Michigan	641	0.008	0.008 - 0.009	439	0.012	0.011 - 0.013	202	0.005	0.005 - 0.006
MI - Detroit	226	0.009	0.008 - 0.010	151	0.012	0.010 - 0.014	75	0.006	0.005 - 0.007
Minnesota	342	0.008	0.007 - 0.008	218	0.010	0.009 - 0.011	124	0.005	0.005 - 0.007
Mississippi	130	0.008	0.006 - 0.009	76	0.009	0.007 - 0.011	54	0.006	0.005 - 0.008
Missouri	334	0.007	0.006 - 0.008	220	0.009	0.008 - 0.010	114	0.005	0.004 - 0.005
Montana	55	0.006	0.005 - 0.008	38	0.008	0.006 - 0.011	17	0.004	0.002 - 0.006
Nebraska	114	0.007	0.006 - 0.009	84	0.011	0.009 - 0.014	30	0.004	0.003 - 0.006
New Hampshire	108	0.009	0.007 - 0.011	62	0.010	0.008 - 0.013	46	0.007	0.005 - 0.010
New Jersey	623	0.012	0.011 - 0.013	388	0.016	0.014 - 0.017	236	0.009	0.008 - 0.010
New Mexico	74	0.009	0.007 - 0.011	43	0.011	0.008 - 0.014	31	0.008	0.005 - 0.011
New York	1,350	0.012	0.011 - 0.013	856	0.016	0.015 - 0.017	494	0.009	0.008 - 0.009
North Carolina	557	0.009	0.008 - 0.009	339	0.011	0.010 - 0.012	218	0.007	0.006 - 0.007
North Dakota	51	0.008	0.006 - 0.010	34	0.010	0.007 - 0.014	17	0.005	0.003 - 0.009
Ohio	776	0.008	0.008 - 0.009	487	0.011	0.010 - 0.012	289	0.006	0.005 - 0.007
Oklahoma	180	0.007	0.006 - 0.008	108	0.008	0.007 - 0.010	72	0.005	0.004 - 0.007
Oregon	245	0.008	0.007 - 0.009	173	0.011	0.009 - 0.013	72	0.004	0.004 - 0.006
Pennsylvania	947	0.009	0.009 - 0.010	612	0.013	0.012 - 0.014	335	0.007	0.006 - 0.007
Rhode Island	96	0.012	0.010 - 0.015	51	0.013	0.010 - 0.018	45	0.011	0.008 - 0.015
South Carolina	299	0.009	0.008 - 0.011	183	0.012	0.010 - 0.014	116	0.007	0.006 - 0.009
Tennessee	400	0.008	0.007 - 0.009	245	0.010	0.009 - 0.011	155	0.006	0.005 - 0.007
Texas	933	0.008	0.007 - 0.008	593	0.010	0.009 - 0.011	340	0.006	0.005 - 0.006
Utah	94	0.004	0.003 - 0.005	54	0.004	0.003 - 0.006	40	0.003	0.002 - 0.005
Vermont	40	0.007	0.005 - 0.009	24	0.008	0.005 - 0.012	16	0.005	0.003 - 0.009
Virginia	440	0.008	0.007 - 0.009	296	0.011	0.010 - 0.013	144	0.005	0.004 - 0.006
Washington	349	0.007	0.006 - 0.007	241	0.009	0.008 - 0.011	108	0.004	0.003 - 0.005
WA - Seattle	250	0.007	0.006 - 0.008	170	0.010	0.008 - 0.011	80	0.005	0.004 - 0.006
West Virginia	139	0.008	0.007 - 0.010	81	0.010	0.008 - 0.012	58	0.007	0.005 - 0.009
Wisconsin	419	0.009	0.008 - 0.010	285	0.012	0.011 - 0.014	134	0.006	0.005 - 0.007
Wyoming	34	0.007	0.005 - 0.010	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**150,410**	**0.081**	**0.080 - 0.081**	**79,587**	**0.087**	**0.086 - 0.087**	**70,823**	**0.075**	**0.075 - 0.076**
Alabama	2,812	0.087	0.084 - 0.090	1,515	0.096	0.091 - 0.101	1,297	0.078	0.074 - 0.083
Alaska	310	0.065	0.058 - 0.072	185	0.073	0.063 - 0.084	125	0.056	0.046 - 0.066
Arizona	3,053	0.079	0.076 - 0.082	1,607	0.084	0.080 - 0.088	1,446	0.074	0.070 - 0.078
Arkansas	2,005	0.091	0.087 - 0.095	1,102	0.102	0.096 - 0.108	903	0.080	0.075 - 0.086
California	12,477	0.081	0.080 - 0.083	6,656	0.087	0.085 - 0.089	5,820	0.076	0.074 - 0.078
CA - Greater California	7,877	0.082	0.080 - 0.084	4,221	0.088	0.086 - 0.091	3,656	0.076	0.073 - 0.078
CA - Greater Bay Area	2,281	0.077	0.074 - 0.081	1,233	0.083	0.078 - 0.088	1,049	0.072	0.067 - 0.076
CA - Los Angeles	2,320	0.083	0.080 - 0.086	1,204	0.086	0.081 - 0.091	1,115	0.080	0.076 - 0.085
Colorado	2,272	0.059	0.057 - 0.062	1,195	0.062	0.059 - 0.066	1,077	0.056	0.053 - 0.060
Connecticut	2,015	0.082	0.078 - 0.085	1,014	0.084	0.079 - 0.090	1,002	0.079	0.074 - 0.084
Delaware	522	0.086	0.079 - 0.094	275	0.094	0.083 - 0.105	247	0.079	0.069 - 0.089
Florida	10,195	0.089	0.088 - 0.091	5,451	0.098	0.095 - 0.100	4,744	0.082	0.079 - 0.084
Georgia	4,476	0.080	0.078 - 0.083	2,470	0.090	0.086 - 0.094	2,007	0.071	0.068 - 0.074
Hawaii	304	0.098	0.087 - 0.110	174	0.103	0.089 - 0.120	131	0.092	0.077 - 0.109
Idaho	955	0.069	0.064 - 0.073	474	0.068	0.062 - 0.075	481	0.069	0.063 - 0.075
Illinois	7,149	0.089	0.087 - 0.091	3,795	0.096	0.093 - 0.099	3,354	0.082	0.079 - 0.085
Iowa	2,528	0.093	0.089 - 0.096	1,320	0.098	0.093 - 0.104	1,208	0.088	0.083 - 0.093
Kentucky	3,601	0.094	0.091 - 0.098	1,913	0.102	0.098 - 0.107	1,688	0.087	0.083 - 0.091
Louisiana	2,388	0.085	0.082 - 0.089	1,310	0.095	0.090 - 0.100	1,078	0.076	0.072 - 0.081
Maine	1,006	0.080	0.075 - 0.085	501	0.081	0.074 - 0.089	505	0.079	0.072 - 0.086
Maryland	2,426	0.077	0.074 - 0.080	1,260	0.081	0.077 - 0.086	1,166	0.072	0.068 - 0.076
Michigan	5,684	0.075	0.073 - 0.077	2,947	0.079	0.076 - 0.081	2,737	0.071	0.069 - 0.074
MI - Detroit	2,119	0.084	0.081 - 0.088	1,099	0.089	0.084 - 0.094	1,020	0.080	0.075 - 0.085
Minnesota	3,412	0.076	0.073 - 0.078	1,796	0.080	0.077 - 0.084	1,616	0.071	0.068 - 0.075
Mississippi	1,601	0.093	0.089 - 0.098	862	0.102	0.096 - 0.109	739	0.085	0.079 - 0.091
Missouri	3,938	0.080	0.078 - 0.083	2,104	0.087	0.083 - 0.091	1,834	0.073	0.070 - 0.077
Montana	717	0.079	0.073 - 0.085	403	0.088	0.080 - 0.097	314	0.070	0.062 - 0.078
Nebraska	1,310	0.086	0.081 - 0.090	684	0.090	0.084 - 0.097	626	0.081	0.075 - 0.088
New Hampshire	958	0.078	0.073 - 0.083	501	0.083	0.076 - 0.090	457	0.074	0.067 - 0.081
New Jersey	4,837	0.095	0.092 - 0.098	2,498	0.101	0.097 - 0.105	2,339	0.090	0.086 - 0.093
New Mexico	603	0.075	0.069 - 0.081	319	0.080	0.071 - 0.089	284	0.070	0.062 - 0.078
New York	9,384	0.084	0.082 - 0.085	4,771	0.087	0.084 - 0.089	4,613	0.080	0.078 - 0.083
North Carolina	5,010	0.077	0.075 - 0.079	2,586	0.081	0.078 - 0.084	2,424	0.073	0.070 - 0.076
North Dakota	531	0.081	0.075 - 0.089	301	0.090	0.080 - 0.101	230	0.072	0.063 - 0.082
Ohio	7,799	0.083	0.082 - 0.085	4,066	0.089	0.086 - 0.091	3,733	0.078	0.076 - 0.081
Oklahoma	2,130	0.079	0.075 - 0.082	1,128	0.085	0.080 - 0.090	1,002	0.073	0.068 - 0.077
Oregon	2,287	0.072	0.069 - 0.075	1,198	0.077	0.072 - 0.081	1,089	0.068	0.064 - 0.072
Pennsylvania	8,978	0.090	0.088 - 0.092	4,790	0.098	0.095 - 0.101	4,188	0.082	0.080 - 0.085
Rhode Island	608	0.077	0.071 - 0.084	306	0.081	0.072 - 0.090	302	0.074	0.066 - 0.083
South Carolina	2,476	0.078	0.075 - 0.081	1,346	0.086	0.082 - 0.091	1,130	0.069	0.065 - 0.074
Tennessee	4,058	0.081	0.079 - 0.084	2,130	0.088	0.084 - 0.091	1,928	0.076	0.072 - 0.079
Texas	9,319	0.077	0.076 - 0.079	5,128	0.086	0.084 - 0.088	4,191	0.069	0.067 - 0.071
Utah	959	0.040	0.037 - 0.042	496	0.041	0.037 - 0.045	463	0.038	0.035 - 0.042
Vermont	412	0.070	0.063 - 0.077	204	0.070	0.061 - 0.081	208	0.070	0.061 - 0.080
Virginia	3,674	0.069	0.066 - 0.071	1,916	0.072	0.069 - 0.076	1,758	0.065	0.062 - 0.068
Washington	3,688	0.071	0.069 - 0.074	1,970	0.076	0.073 - 0.080	1,718	0.066	0.063 - 0.069
WA - Seattle	2,598	0.074	0.072 - 0.077	1,404	0.080	0.076 - 0.085	1,194	0.068	0.064 - 0.072
West Virginia	1,696	0.099	0.094 - 0.104	876	0.104	0.097 - 0.111	820	0.094	0.088 - 0.101
Wisconsin	3,560	0.075	0.072 - 0.077	1,886	0.080	0.076 - 0.083	1,674	0.070	0.067 - 0.073
Wyoming	287	0.057	0.051 - 0.064	159	0.063	0.053 - 0.073	128	0.052	0.043 - 0.062

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**18,109**	**0.010**	**0.010 - 0.010**	**12,926**	**0.014**	**0.014 - 0.014**	**5,183**	**0.005**	**0.005 - 0.006**
Alabama	247	0.008	0.007 - 0.009	173	0.011	0.009 - 0.013	74	0.004	0.004 - 0.006
Alaska	48	0.010	0.007 - 0.013	35	0.014	0.010 - 0.019	13	0.006	0.003 - 0.010
Arizona	367	0.009	0.009 - 0.010	259	0.014	0.012 - 0.015	108	0.006	0.005 - 0.007
Arkansas	193	0.009	0.008 - 0.010	137	0.013	0.011 - 0.015	56	0.005	0.004 - 0.006
California	1,732	0.011	0.011 - 0.012	1,277	0.017	0.016 - 0.018	454	0.006	0.005 - 0.006
CA - Greater California	1,098	0.011	0.011 - 0.012	805	0.017	0.016 - 0.018	293	0.006	0.005 - 0.007
CA - Greater Bay Area	359	0.012	0.011 - 0.013	279	0.019	0.017 - 0.021	80	0.005	0.004 - 0.007
CA - Los Angeles	275	0.010	0.009 - 0.011	192	0.014	0.012 - 0.016	84	0.006	0.005 - 0.007
Colorado	279	0.007	0.006 - 0.008	201	0.010	0.009 - 0.012	78	0.004	0.003 - 0.005
Connecticut	276	0.011	0.010 - 0.013	210	0.017	0.015 - 0.020	66	0.005	0.004 - 0.007
Delaware	75	0.012	0.010 - 0.015	55	0.019	0.014 - 0.024	20	0.006	0.004 - 0.010
Florida	1,405	0.012	0.012 - 0.013	982	0.018	0.016 - 0.019	423	0.007	0.007 - 0.008
Georgia	507	0.009	0.008 - 0.010	346	0.013	0.011 - 0.014	162	0.006	0.005 - 0.007
Hawaii	47	0.015	0.011 - 0.020	-	-		-	-	
Idaho	125	0.009	0.007 - 0.011	90	0.013	0.010 - 0.016	35	0.005	0.003 - 0.007
Illinois	733	0.009	0.008 - 0.010	509	0.013	0.012 - 0.014	224	0.005	0.005 - 0.006
Iowa	204	0.008	0.007 - 0.009	137	0.010	0.009 - 0.012	68	0.005	0.004 - 0.006
Kentucky	374	0.010	0.009 - 0.011	252	0.013	0.012 - 0.015	122	0.006	0.005 - 0.008
Louisiana	291	0.010	0.009 - 0.012	223	0.016	0.014 - 0.018	68	0.005	0.004 - 0.006
Maine	85	0.007	0.005 - 0.008	61	0.010	0.008 - 0.013	24	0.004	0.002 - 0.006
Maryland	314	0.010	0.009 - 0.011	221	0.014	0.012 - 0.016	93	0.006	0.005 - 0.007
Michigan	639	0.008	0.008 - 0.009	448	0.012	0.011 - 0.013	191	0.005	0.004 - 0.006
MI - Detroit	224	0.009	0.008 - 0.010	167	0.014	0.012 - 0.016	57	0.004	0.003 - 0.006
Minnesota	366	0.008	0.007 - 0.009	239	0.011	0.009 - 0.012	127	0.006	0.005 - 0.007
Mississippi	191	0.011	0.010 - 0.013	135	0.016	0.013 - 0.019	56	0.006	0.005 - 0.008
Missouri	406	0.008	0.007 - 0.009	286	0.012	0.010 - 0.013	120	0.005	0.004 - 0.006
Montana	66	0.007	0.006 - 0.009	52	0.011	0.008 - 0.015	14	0.003	0.002 - 0.005
Nebraska	83	0.005	0.004 - 0.007	62	0.008	0.006 - 0.010	21	0.003	0.002 - 0.004
New Hampshire	116	0.009	0.008 - 0.011	96	0.016	0.013 - 0.019	20	0.003	0.002 - 0.005
New Jersey	544	0.011	0.010 - 0.012	385	0.016	0.014 - 0.017	159	0.006	0.005 - 0.007
New Mexico	87	0.011	0.009 - 0.013	66	0.016	0.013 - 0.021	21	0.005	0.003 - 0.008
New York	1,130	0.010	0.009 - 0.011	823	0.015	0.014 - 0.016	307	0.005	0.005 - 0.006
North Carolina	658	0.010	0.009 - 0.011	482	0.015	0.014 - 0.017	176	0.005	0.005 - 0.006
North Dakota	28	0.004	0.003 - 0.006	-	-		-	-	
Ohio	676	0.007	0.007 - 0.008	459	0.010	0.009 - 0.011	217	0.005	0.004 - 0.005
Oklahoma	236	0.009	0.008 - 0.010	168	0.013	0.011 - 0.015	68	0.005	0.004 - 0.006
Oregon	400	0.013	0.011 - 0.014	296	0.019	0.017 - 0.021	104	0.006	0.005 - 0.008
Pennsylvania	1,044	0.010	0.010 - 0.011	762	0.016	0.015 - 0.017	282	0.006	0.005 - 0.006
Rhode Island	91	0.012	0.009 - 0.014	72	0.019	0.015 - 0.024	19	0.005	0.003 - 0.007
South Carolina	339	0.011	0.010 - 0.012	260	0.017	0.015 - 0.019	79	0.005	0.004 - 0.006
Tennessee	470	0.009	0.009 - 0.010	326	0.013	0.012 - 0.015	144	0.006	0.005 - 0.007
Texas	1,410	0.012	0.011 - 0.012	970	0.016	0.015 - 0.017	440	0.007	0.007 - 0.008
Utah	134	0.006	0.005 - 0.007	90	0.007	0.006 - 0.009	44	0.004	0.003 - 0.005
Vermont	35	0.006	0.004 - 0.008	25	0.009	0.006 - 0.013	10	0.003	0.002 - 0.006
Virginia	481	0.009	0.008 - 0.010	350	0.013	0.012 - 0.015	131	0.005	0.004 - 0.006
Washington	580	0.011	0.010 - 0.012	425	0.016	0.015 - 0.018	155	0.006	0.005 - 0.007
WA - Seattle	425	0.012	0.011 - 0.013	314	0.018	0.016 - 0.020	111	0.006	0.005 - 0.008
West Virginia	128	0.007	0.006 - 0.009	95	0.011	0.009 - 0.014	33	0.004	0.003 - 0.005
Wisconsin	427	0.009	0.008 - 0.010	292	0.012	0.011 - 0.014	135	0.006	0.005 - 0.007
Wyoming	42	0.009	0.006 - 0.011	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**26,710**	**0.014**	**0.014 - 0.015**	**14,256**	**0.016**	**0.015 - 0.016**	**12,454**	**0.013**	**0.013 - 0.013**
Alabama	418	0.013	0.012 - 0.014	216	0.014	0.012 - 0.016	202	0.012	0.011 - 0.014
Alaska	49	0.010	0.008 - 0.014	31	0.012	0.008 - 0.017	18	0.008	0.005 - 0.013
Arizona	561	0.014	0.013 - 0.016	325	0.017	0.015 - 0.019	236	0.012	0.011 - 0.014
Arkansas	231	0.010	0.009 - 0.012	125	0.012	0.010 - 0.014	106	0.009	0.008 - 0.011
California	2,160	0.014	0.013 - 0.015	1,165	0.015	0.014 - 0.016	995	0.013	0.012 - 0.014
CA - Greater California	1,334	0.014	0.013 - 0.015	722	0.015	0.014 - 0.016	612	0.013	0.012 - 0.014
CA - Greater Bay Area	445	0.015	0.014 - 0.017	243	0.016	0.014 - 0.018	202	0.014	0.012 - 0.016
CA - Los Angeles	380	0.014	0.012 - 0.015	200	0.014	0.012 - 0.016	180	0.013	0.011 - 0.015
Colorado	441	0.012	0.010 - 0.013	239	0.012	0.011 - 0.014	202	0.011	0.009 - 0.012
Connecticut	462	0.019	0.017 - 0.020	245	0.020	0.018 - 0.023	217	0.017	0.015 - 0.020
Delaware	106	0.017	0.014 - 0.021	60	0.020	0.016 - 0.026	46	0.015	0.011 - 0.020
Florida	2,071	0.018	0.017 - 0.019	1,125	0.020	0.019 - 0.021	946	0.016	0.015 - 0.017
Georgia	641	0.011	0.011 - 0.012	361	0.013	0.012 - 0.015	280	0.010	0.009 - 0.011
Hawaii	42	0.014	0.010 - 0.018	26	0.015	0.010 - 0.023	16	0.011	0.006 - 0.018
Idaho	177	0.013	0.011 - 0.015	96	0.014	0.011 - 0.017	81	0.012	0.009 - 0.014
Illinois	1,210	0.015	0.014 - 0.016	635	0.016	0.015 - 0.017	575	0.014	0.013 - 0.015
Iowa	425	0.016	0.014 - 0.017	216	0.016	0.014 - 0.018	209	0.015	0.013 - 0.017
Kentucky	480	0.013	0.011 - 0.014	248	0.013	0.012 - 0.015	232	0.012	0.010 - 0.014
Louisiana	385	0.014	0.012 - 0.015	195	0.014	0.012 - 0.016	190	0.013	0.012 - 0.015
Maine	174	0.014	0.012 - 0.016	92	0.015	0.012 - 0.018	82	0.013	0.010 - 0.016
Maryland	504	0.016	0.015 - 0.017	266	0.017	0.015 - 0.019	238	0.015	0.013 - 0.017
Michigan	1,151	0.015	0.014 - 0.016	575	0.015	0.014 - 0.017	576	0.015	0.014 - 0.016
MI - Detroit	362	0.014	0.013 - 0.016	185	0.015	0.013 - 0.017	177	0.014	0.012 - 0.016
Minnesota	634	0.014	0.013 - 0.015	333	0.015	0.013 - 0.017	301	0.013	0.012 - 0.015
Mississippi	239	0.014	0.012 - 0.016	133	0.016	0.013 - 0.019	106	0.012	0.010 - 0.015
Missouri	594	0.012	0.011 - 0.013	304	0.013	0.011 - 0.014	290	0.012	0.010 - 0.013
Montana	113	0.012	0.010 - 0.015	64	0.014	0.011 - 0.018	48	0.011	0.008 - 0.014
Nebraska	233	0.015	0.013 - 0.017	112	0.015	0.012 - 0.018	121	0.016	0.013 - 0.019
New Hampshire	169	0.014	0.012 - 0.016	81	0.013	0.011 - 0.017	88	0.014	0.011 - 0.017
New Jersey	966	0.019	0.018 - 0.020	505	0.020	0.019 - 0.022	461	0.018	0.016 - 0.019
New Mexico	111	0.014	0.011 - 0.017	55	0.014	0.010 - 0.018	56	0.014	0.010 - 0.018
New York	2,069	0.018	0.018 - 0.019	1,090	0.020	0.019 - 0.021	979	0.017	0.016 - 0.018
North Carolina	852	0.013	0.012 - 0.014	483	0.015	0.014 - 0.017	369	0.011	0.010 - 0.012
North Dakota	73	0.011	0.009 - 0.014	41	0.012	0.009 - 0.017	32	0.010	0.007 - 0.014
Ohio	1,203	0.013	0.012 - 0.014	614	0.013	0.012 - 0.014	589	0.012	0.011 - 0.013
Oklahoma	304	0.011	0.010 - 0.013	150	0.011	0.010 - 0.013	154	0.011	0.009 - 0.013
Oregon	422	0.013	0.012 - 0.015	225	0.014	0.013 - 0.016	197	0.012	0.011 - 0.014
Pennsylvania	1,761	0.018	0.017 - 0.019	959	0.020	0.018 - 0.021	802	0.016	0.015 - 0.017
Rhode Island	120	0.015	0.013 - 0.018	71	0.019	0.015 - 0.024	49	0.012	0.009 - 0.016
South Carolina	450	0.014	0.013 - 0.016	247	0.016	0.014 - 0.018	203	0.012	0.011 - 0.014
Tennessee	592	0.012	0.011 - 0.013	313	0.013	0.011 - 0.014	279	0.011	0.010 - 0.012
Texas	1,560	0.013	0.012 - 0.014	832	0.014	0.013 - 0.015	728	0.012	0.011 - 0.013
Utah	173	0.007	0.006 - 0.008	93	0.008	0.006 - 0.009	80	0.007	0.005 - 0.008
Vermont	82	0.014	0.011 - 0.017	49	0.017	0.012 - 0.022	33	0.011	0.008 - 0.016
Virginia	607	0.011	0.010 - 0.012	338	0.013	0.011 - 0.014	269	0.010	0.009 - 0.011
Washington	702	0.014	0.013 - 0.015	359	0.014	0.013 - 0.015	343	0.013	0.012 - 0.015
WA - Seattle	483	0.014	0.013 - 0.015	243	0.014	0.012 - 0.016	240	0.014	0.012 - 0.016
West Virginia	178	0.010	0.009 - 0.012	94	0.011	0.009 - 0.014	84	0.010	0.008 - 0.012
Wisconsin	761	0.016	0.015 - 0.017	442	0.019	0.017 - 0.021	319	0.013	0.012 - 0.015
Wyoming	56	0.011	0.008 - 0.015	28	0.011	0.007 - 0.016	28	0.011	0.007 - 0.016

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**14,556**	**0.008**	**0.008 - 0.008**	**11,505**	**0.013**	**0.012 - 0.013**	**3,051**	**0.003**	**0.003 - 0.003**
Alabama	309	0.010	0.009 - 0.011	239	0.015	0.013 - 0.017	70	0.004	0.003 - 0.005
Alaska	25	0.005	0.003 - 0.008	-	-		-	-	
Arizona	208	0.005	0.005 - 0.006	165	0.009	0.007 - 0.010	43	0.002	0.002 - 0.003
Arkansas	183	0.008	0.007 - 0.010	147	0.014	0.011 - 0.016	36	0.003	0.002 - 0.004
California	851	0.006	0.005 - 0.006	705	0.009	0.009 - 0.010	146	0.002	0.002 - 0.002
CA - Greater California	559	0.006	0.005 - 0.006	455	0.010	0.009 - 0.010	104	0.002	0.002 - 0.003
CA - Greater Bay Area	155	0.005	0.004 - 0.006	129	0.009	0.007 - 0.010	26	0.002	0.001 - 0.003
CA - Los Angeles	137	0.005	0.004 - 0.006	120	0.009	0.007 - 0.010	17	0.001	0.001 - 0.002
Colorado	171	0.004	0.004 - 0.005	134	0.007	0.006 - 0.008	37	0.002	0.001 - 0.003
Connecticut	218	0.009	0.008 - 0.010	179	0.015	0.013 - 0.017	39	0.003	0.002 - 0.004
Delaware	52	0.009	0.006 - 0.011	35	0.012	0.008 - 0.017	17	0.005	0.003 - 0.009
Florida	1,239	0.011	0.010 - 0.011	998	0.018	0.017 - 0.019	241	0.004	0.004 - 0.005
Georgia	441	0.008	0.007 - 0.009	335	0.012	0.011 - 0.014	106	0.004	0.003 - 0.005
Hawaii	26	0.008	0.005 - 0.012	-	-		-	-	
Idaho	60	0.004	0.003 - 0.006	-	-		-	-	
Illinois	673	0.008	0.008 - 0.009	535	0.014	0.012 - 0.015	138	0.003	0.003 - 0.004
Iowa	219	0.008	0.007 - 0.009	172	0.013	0.011 - 0.015	47	0.003	0.002 - 0.005
Kentucky	421	0.011	0.010 - 0.012	306	0.016	0.015 - 0.018	115	0.006	0.005 - 0.007
Louisiana	261	0.009	0.008 - 0.011	188	0.014	0.012 - 0.016	73	0.005	0.004 - 0.006
Maine	120	0.010	0.008 - 0.011	90	0.015	0.012 - 0.018	30	0.005	0.003 - 0.007
Maryland	198	0.006	0.005 - 0.007	150	0.010	0.008 - 0.011	48	0.003	0.002 - 0.004
Michigan	624	0.008	0.008 - 0.009	482	0.013	0.012 - 0.014	142	0.004	0.003 - 0.004
MI - Detroit	210	0.008	0.007 - 0.010	161	0.013	0.011 - 0.015	49	0.004	0.003 - 0.005
Minnesota	282	0.006	0.006 - 0.007	227	0.010	0.009 - 0.012	55	0.002	0.002 - 0.003
Mississippi	147	0.009	0.007 - 0.010	111	0.013	0.011 - 0.016	36	0.004	0.003 - 0.006
Missouri	421	0.009	0.008 - 0.009	330	0.014	0.012 - 0.015	91	0.004	0.003 - 0.004
Montana	53	0.006	0.004 - 0.008	41	0.009	0.006 - 0.012	12	0.003	0.001 - 0.005
Nebraska	101	0.007	0.005 - 0.008	78	0.010	0.008 - 0.013	23	0.003	0.002 - 0.004
New Hampshire	83	0.007	0.005 - 0.008	63	0.010	0.008 - 0.013	20	0.003	0.002 - 0.005
New Jersey	395	0.008	0.007 - 0.009	329	0.013	0.012 - 0.015	66	0.003	0.002 - 0.003
New Mexico	60	0.007	0.006 - 0.009	44	0.011	0.008 - 0.015	16	0.004	0.002 - 0.006
New York	902	0.008	0.008 - 0.009	714	0.013	0.012 - 0.014	188	0.003	0.003 - 0.004
North Carolina	544	0.008	0.008 - 0.009	424	0.013	0.012 - 0.015	120	0.004	0.003 - 0.004
North Dakota	41	0.006	0.005 - 0.009	-	-		-	-	
Ohio	872	0.009	0.009 - 0.010	691	0.015	0.014 - 0.016	181	0.004	0.003 - 0.004
Oklahoma	232	0.009	0.007 - 0.010	167	0.013	0.011 - 0.015	65	0.005	0.004 - 0.006
Oregon	195	0.006	0.005 - 0.007	157	0.010	0.009 - 0.012	38	0.002	0.002 - 0.003
Pennsylvania	874	0.009	0.008 - 0.009	686	0.014	0.013 - 0.015	188	0.004	0.003 - 0.004
Rhode Island	62	0.008	0.006 - 0.010	48	0.013	0.009 - 0.017	14	0.003	0.002 - 0.006
South Carolina	308	0.010	0.009 - 0.011	260	0.017	0.015 - 0.019	48	0.003	0.002 - 0.004
Tennessee	447	0.009	0.008 - 0.010	345	0.014	0.013 - 0.016	102	0.004	0.003 - 0.005
Texas	874	0.007	0.007 - 0.008	701	0.012	0.011 - 0.013	173	0.003	0.002 - 0.003
Utah	60	0.002	0.002 - 0.003	-	-		-	-	
Vermont	47	0.008	0.006 - 0.011	-	-		-	-	
Virginia	366	0.007	0.006 - 0.008	304	0.011	0.010 - 0.013	62	0.002	0.002 - 0.003
Washington	286	0.006	0.005 - 0.006	235	0.009	0.008 - 0.010	51	0.002	0.001 - 0.003
WA - Seattle	195	0.006	0.005 - 0.006	158	0.009	0.008 - 0.011	37	0.002	0.001 - 0.003
West Virginia	206	0.012	0.010 - 0.014	154	0.018	0.015 - 0.021	52	0.006	0.004 - 0.008
Wisconsin	372	0.008	0.007 - 0.009	292	0.012	0.011 - 0.014	80	0.003	0.003 - 0.004
Wyoming	29	0.006	0.004 - 0.008	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**168,591**	**0.091**	**0.090 - 0.091**	**81,584**	**0.089**	**0.088 - 0.090**	**87,007**	**0.092**	**0.092 - 0.093**
Alabama	2,990	0.092	0.089 - 0.096	1,611	0.102	0.097 - 0.107	1,379	0.083	0.079 - 0.088
Alaska	253	0.053	0.047 - 0.060	146	0.058	0.049 - 0.068	107	0.048	0.039 - 0.058
Arizona	3,320	0.086	0.083 - 0.089	1,544	0.081	0.077 - 0.085	1,776	0.091	0.086 - 0.095
Arkansas	2,445	0.111	0.106 - 0.115	1,266	0.117	0.110 - 0.123	1,179	0.105	0.099 - 0.111
California	11,207	0.073	0.072 - 0.074	5,126	0.067	0.065 - 0.069	6,082	0.079	0.077 - 0.081
CA - Greater California	7,368	0.077	0.075 - 0.078	3,319	0.069	0.067 - 0.072	4,048	0.084	0.081 - 0.086
CA - Greater Bay Area	1,920	0.065	0.062 - 0.068	877	0.059	0.055 - 0.063	1,042	0.071	0.067 - 0.076
CA - Los Angeles	1,924	0.069	0.066 - 0.072	931	0.066	0.062 - 0.071	993	0.071	0.067 - 0.076
Colorado	2,023	0.053	0.051 - 0.055	973	0.051	0.048 - 0.054	1,050	0.055	0.052 - 0.058
Connecticut	2,625	0.106	0.102 - 0.110	1,218	0.101	0.096 - 0.107	1,407	0.111	0.105 - 0.117
Delaware	752	0.124	0.115 - 0.133	375	0.128	0.115 - 0.141	377	0.120	0.109 - 0.133
Florida	13,767	0.121	0.119 - 0.123	6,610	0.118	0.115 - 0.121	7,157	0.123	0.120 - 0.126
Georgia	4,807	0.086	0.084 - 0.089	2,472	0.090	0.087 - 0.094	2,335	0.082	0.079 - 0.086
Hawaii	196	0.063	0.055 - 0.073	98	0.058	0.047 - 0.071	98	0.069	0.056 - 0.084
Idaho	836	0.060	0.056 - 0.064	426	0.061	0.056 - 0.067	410	0.059	0.053 - 0.065
Illinois	7,824	0.097	0.095 - 0.099	3,702	0.094	0.091 - 0.097	4,122	0.101	0.098 - 0.104
Iowa	2,373	0.087	0.084 - 0.091	1,171	0.087	0.082 - 0.092	1,202	0.087	0.082 - 0.092
Kentucky	4,399	0.115	0.112 - 0.119	2,200	0.118	0.113 - 0.123	2,200	0.113	0.109 - 0.118
Louisiana	2,419	0.087	0.083 - 0.090	1,248	0.091	0.086 - 0.096	1,171	0.083	0.078 - 0.088
Maine	1,354	0.108	0.102 - 0.114	647	0.105	0.097 - 0.114	707	0.110	0.102 - 0.118
Maryland	2,919	0.092	0.089 - 0.095	1,341	0.086	0.082 - 0.091	1,578	0.098	0.093 - 0.102
Michigan	7,185	0.095	0.092 - 0.097	3,446	0.092	0.089 - 0.095	3,739	0.097	0.094 - 0.100
MI - Detroit	2,437	0.097	0.093 - 0.101	1,090	0.088	0.083 - 0.094	1,347	0.106	0.100 - 0.111
Minnesota	3,526	0.078	0.076 - 0.081	1,687	0.076	0.072 - 0.079	1,839	0.081	0.077 - 0.085
Mississippi	1,815	0.106	0.101 - 0.111	962	0.114	0.107 - 0.122	853	0.098	0.091 - 0.104
Missouri	4,646	0.094	0.092 - 0.097	2,294	0.095	0.091 - 0.099	2,352	0.094	0.090 - 0.098
Montana	648	0.071	0.066 - 0.077	282	0.061	0.055 - 0.069	366	0.081	0.073 - 0.090
Nebraska	1,171	0.076	0.072 - 0.081	592	0.078	0.072 - 0.085	579	0.075	0.069 - 0.081
New Hampshire	1,168	0.095	0.090 - 0.101	535	0.088	0.081 - 0.096	633	0.102	0.094 - 0.110
New Jersey	5,199	0.102	0.099 - 0.105	2,268	0.092	0.088 - 0.095	2,930	0.112	0.108 - 0.117
New Mexico	620	0.077	0.071 - 0.083	313	0.078	0.070 - 0.087	307	0.075	0.067 - 0.084
New York	11,633	0.104	0.102 - 0.105	5,238	0.095	0.093 - 0.098	6,395	0.111	0.109 - 0.114
North Carolina	6,585	0.101	0.099 - 0.103	3,245	0.102	0.098 - 0.105	3,340	0.100	0.097 - 0.104
North Dakota	499	0.077	0.070 - 0.084	247	0.074	0.065 - 0.084	252	0.079	0.070 - 0.089
Ohio	8,562	0.092	0.090 - 0.094	4,234	0.092	0.090 - 0.095	4,328	0.091	0.088 - 0.094
Oklahoma	2,404	0.089	0.085 - 0.092	1,253	0.094	0.089 - 0.099	1,151	0.084	0.079 - 0.088
Oregon	2,350	0.074	0.071 - 0.077	1,088	0.070	0.066 - 0.074	1,262	0.078	0.074 - 0.083
Pennsylvania	9,782	0.098	0.096 - 0.100	4,676	0.096	0.093 - 0.099	5,106	0.100	0.098 - 0.103
Rhode Island	910	0.116	0.108 - 0.123	404	0.107	0.096 - 0.117	506	0.124	0.114 - 0.135
South Carolina	3,157	0.099	0.096 - 0.103	1,605	0.103	0.098 - 0.108	1,552	0.095	0.091 - 0.100
Tennessee	5,256	0.106	0.103 - 0.108	2,692	0.111	0.107 - 0.115	2,564	0.101	0.097 - 0.105
Texas	9,461	0.078	0.077 - 0.080	4,820	0.081	0.078 - 0.083	4,641	0.076	0.074 - 0.078
Utah	562	0.023	0.021 - 0.025	278	0.023	0.020 - 0.026	284	0.024	0.021 - 0.026
Vermont	561	0.095	0.088 - 0.103	262	0.090	0.080 - 0.102	299	0.100	0.089 - 0.112
Virginia	4,262	0.080	0.077 - 0.082	2,081	0.079	0.075 - 0.082	2,181	0.081	0.077 - 0.084
Washington	3,860	0.075	0.072 - 0.077	1,860	0.072	0.069 - 0.076	2,000	0.077	0.074 - 0.081
WA - Seattle	2,662	0.076	0.073 - 0.079	1,275	0.073	0.069 - 0.077	1,387	0.079	0.075 - 0.084
West Virginia	1,958	0.114	0.109 - 0.119	991	0.118	0.110 - 0.125	967	0.111	0.104 - 0.118
Wisconsin	4,028	0.085	0.082 - 0.087	1,929	0.082	0.078 - 0.085	2,099	0.088	0.084 - 0.091
Wyoming	274	0.055	0.049 - 0.062	129	0.051	0.043 - 0.061	145	0.059	0.050 - 0.069

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**127,057**	**0.068**	**0.068 - 0.069**	**74,571**	**0.081**	**0.081 - 0.082**	**52,486**	**0.056**	**0.055 - 0.056**
Alabama	2,081	0.064	0.061 - 0.067	1,248	0.079	0.074 - 0.083	833	0.050	0.047 - 0.054
Alaska	167	0.035	0.030 - 0.041	97	0.038	0.031 - 0.047	70	0.031	0.024 - 0.039
Arizona	2,765	0.071	0.069 - 0.074	1,799	0.094	0.090 - 0.098	966	0.049	0.046 - 0.053
Arkansas	1,268	0.057	0.054 - 0.061	779	0.072	0.067 - 0.077	489	0.044	0.040 - 0.048
California	14,550	0.095	0.093 - 0.096	8,808	0.115	0.112 - 0.117	5,742	0.075	0.073 - 0.077
CA - Greater California	8,983	0.093	0.091 - 0.095	5,458	0.114	0.111 - 0.117	3,525	0.073	0.070 - 0.075
CA - Greater Bay Area	3,513	0.119	0.115 - 0.123	2,081	0.140	0.134 - 0.146	1,432	0.098	0.093 - 0.103
CA - Los Angeles	2,065	0.074	0.071 - 0.077	1,272	0.091	0.086 - 0.096	793	0.057	0.053 - 0.061
Colorado	2,266	0.059	0.057 - 0.062	1,323	0.069	0.065 - 0.073	943	0.049	0.046 - 0.053
Connecticut	1,540	0.062	0.059 - 0.065	898	0.075	0.070 - 0.080	642	0.051	0.047 - 0.055
Delaware	612	0.101	0.093 - 0.109	377	0.128	0.116 - 0.142	235	0.075	0.066 - 0.085
Florida	10,524	0.092	0.091 - 0.094	6,661	0.119	0.116 - 0.122	3,863	0.067	0.064 - 0.069
Georgia	5,102	0.091	0.089 - 0.094	2,960	0.108	0.104 - 0.112	2,143	0.076	0.072 - 0.079
Hawaii	555	0.179	0.164 - 0.195	351	0.209	0.188 - 0.232	204	0.144	0.125 - 0.165
Idaho	888	0.064	0.060 - 0.068	495	0.071	0.065 - 0.078	393	0.056	0.051 - 0.062
Illinois	4,788	0.060	0.058 - 0.061	2,668	0.068	0.065 - 0.070	2,120	0.052	0.050 - 0.054
Iowa	1,658	0.061	0.058 - 0.064	918	0.068	0.064 - 0.073	741	0.054	0.050 - 0.058
Kentucky	2,416	0.063	0.061 - 0.066	1,343	0.072	0.068 - 0.076	1,073	0.055	0.052 - 0.059
Louisiana	1,632	0.058	0.056 - 0.061	1,038	0.075	0.071 - 0.080	594	0.042	0.039 - 0.045
Maine	816	0.065	0.060 - 0.069	444	0.072	0.066 - 0.079	372	0.058	0.052 - 0.064
Maryland	2,852	0.090	0.087 - 0.093	1,704	0.110	0.105 - 0.115	1,148	0.071	0.067 - 0.075
Michigan	3,893	0.051	0.050 - 0.053	2,137	0.057	0.055 - 0.059	1,756	0.046	0.044 - 0.048
MI - Detroit	1,403	0.056	0.053 - 0.059	764	0.062	0.058 - 0.066	639	0.050	0.046 - 0.054
Minnesota	3,282	0.073	0.070 - 0.075	1,838	0.082	0.079 - 0.086	1,444	0.064	0.060 - 0.067
Mississippi	937	0.055	0.051 - 0.058	544	0.065	0.059 - 0.070	393	0.045	0.041 - 0.050
Missouri	2,441	0.050	0.048 - 0.052	1,435	0.059	0.056 - 0.062	1,006	0.040	0.038 - 0.043
Montana	565	0.062	0.057 - 0.068	312	0.068	0.061 - 0.076	254	0.056	0.049 - 0.064
Nebraska	872	0.057	0.053 - 0.061	451	0.059	0.054 - 0.065	421	0.054	0.049 - 0.060
New Hampshire	910	0.074	0.070 - 0.079	492	0.081	0.074 - 0.089	418	0.067	0.061 - 0.074
New Jersey	3,921	0.077	0.075 - 0.080	2,276	0.092	0.088 - 0.096	1,645	0.063	0.060 - 0.066
New Mexico	556	0.069	0.063 - 0.075	350	0.088	0.079 - 0.097	205	0.050	0.044 - 0.058
New York	7,136	0.064	0.062 - 0.065	4,073	0.074	0.072 - 0.076	3,063	0.053	0.051 - 0.055
North Carolina	5,329	0.082	0.080 - 0.084	3,162	0.099	0.096 - 0.103	2,167	0.065	0.062 - 0.068
North Dakota	335	0.051	0.046 - 0.057	193	0.058	0.050 - 0.067	142	0.045	0.038 - 0.053
Ohio	5,404	0.058	0.056 - 0.059	3,012	0.066	0.063 - 0.068	2,392	0.050	0.048 - 0.052
Oklahoma	1,447	0.053	0.051 - 0.056	920	0.069	0.065 - 0.074	527	0.038	0.035 - 0.042
Oregon	2,306	0.073	0.070 - 0.076	1,244	0.080	0.075 - 0.084	1,062	0.066	0.062 - 0.070
Pennsylvania	6,548	0.066	0.064 - 0.067	3,736	0.077	0.074 - 0.079	2,812	0.055	0.053 - 0.057
Rhode Island	566	0.072	0.066 - 0.078	321	0.085	0.076 - 0.094	245	0.060	0.053 - 0.068
South Carolina	2,372	0.074	0.072 - 0.078	1,420	0.091	0.087 - 0.096	952	0.059	0.055 - 0.062
Tennessee	2,796	0.056	0.054 - 0.058	1,579	0.065	0.062 - 0.068	1,217	0.048	0.045 - 0.051
Texas	5,549	0.046	0.045 - 0.047	3,431	0.057	0.056 - 0.059	2,118	0.035	0.033 - 0.036
Utah	1,928	0.080	0.076 - 0.083	1,119	0.092	0.087 - 0.098	809	0.067	0.063 - 0.072
Vermont	525	0.089	0.082 - 0.097	303	0.104	0.093 - 0.117	222	0.074	0.065 - 0.085
Virginia	3,185	0.059	0.057 - 0.062	1,846	0.070	0.067 - 0.073	1,339	0.049	0.047 - 0.052
Washington	3,727	0.072	0.070 - 0.074	2,087	0.081	0.078 - 0.085	1,640	0.063	0.060 - 0.066
WA - Seattle	2,985	0.085	0.082 - 0.089	1,682	0.096	0.092 - 0.101	1,304	0.075	0.071 - 0.079
West Virginia	831	0.048	0.045 - 0.052	485	0.058	0.053 - 0.063	346	0.040	0.036 - 0.044
Wisconsin	2,920	0.061	0.059 - 0.064	1,725	0.073	0.070 - 0.077	1,195	0.050	0.047 - 0.053
Wyoming	295	0.059	0.053 - 0.066	169	0.067	0.057 - 0.077	126	0.051	0.043 - 0.061

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**312,040**	**0.331**	**0.330 - 0.332**
Alabama	-	-		-	-		5,074	0.306	0.298 - 0.315
Alaska	-	-		-	-		589	0.262	0.241 - 0.284
Arizona	-	-		-	-		6,606	0.337	0.329 - 0.345
Arkansas	-	-		-	-		3,231	0.287	0.278 - 0.298
California	-	-		-	-		28,666	0.373	0.368 - 0.377
CA - Greater California	-	-		-	-		17,789	0.368	0.362 - 0.373
CA - Greater Bay Area	-	-		-	-		5,592	0.383	0.373 - 0.393
CA - Los Angeles	-	-		-	-		5,291	0.380	0.370 - 0.391
Colorado	-	-		-	-		5,789	0.303	0.295 - 0.311
Connecticut	-	-		-	-		4,940	0.390	0.379 - 0.401
Delaware	-	-		-	-		1,186	0.379	0.358 - 0.401
Florida	-	-		-	-		20,653	0.356	0.351 - 0.361
Georgia	-	-		-	-		8,698	0.307	0.301 - 0.313
Hawaii	-	-		-	-		535	0.377	0.346 - 0.410
Idaho	-	-		-	-		1,980	0.284	0.271 - 0.296
Illinois	-	-		-	-		14,181	0.347	0.341 - 0.352
Iowa	-	-		-	-		4,379	0.318	0.308 - 0.327
Kentucky	-	-		-	-		5,906	0.304	0.296 - 0.312
Louisiana	-	-		-	-		4,187	0.295	0.287 - 0.305
Maine	-	-		-	-		2,186	0.340	0.326 - 0.355
Maryland	-	-		-	-		5,721	0.354	0.345 - 0.363
Michigan	-	-		-	-		11,589	0.302	0.296 - 0.307
MI - Detroit	-	-		-	-		4,301	0.337	0.327 - 0.347
Minnesota	-	-		-	-		7,354	0.324	0.317 - 0.332
Mississippi	-	-		-	-		2,510	0.287	0.276 - 0.299
Missouri	-	-		-	-		7,898	0.316	0.309 - 0.323
Montana	-	-		-	-		1,461	0.324	0.307 - 0.341
Nebraska	-	-		-	-		2,402	0.311	0.298 - 0.323
New Hampshire	-	-		-	-		2,323	0.375	0.360 - 0.390
New Jersey	-	-		-	-		9,869	0.379	0.371 - 0.386
New Mexico	-	-		-	-		1,508	0.369	0.351 - 0.388
New York	-	-		-	-		20,937	0.365	0.360 - 0.370
North Carolina	-	-		-	-		11,423	0.343	0.337 - 0.349
North Dakota	-	-		-	-		909	0.285	0.267 - 0.304
Ohio	-	-		-	-		15,184	0.319	0.314 - 0.324
Oklahoma	-	-		-	-		3,997	0.290	0.281 - 0.299
Oregon	-	-		-	-		5,217	0.324	0.315 - 0.333
Pennsylvania	-	-		-	-		17,785	0.349	0.344 - 0.354
Rhode Island	-	-		-	-		1,579	0.387	0.369 - 0.407
South Carolina	-	-		-	-		5,364	0.330	0.321 - 0.339
Tennessee	-	-		-	-		7,608	0.299	0.292 - 0.305
Texas	-	-		-	-		18,594	0.306	0.301 - 0.310
Utah	-	-		-	-		2,528	0.210	0.202 - 0.218
Vermont	-	-		-	-		1,021	0.342	0.321 - 0.364
Virginia	-	-		-	-		8,599	0.318	0.311 - 0.324
Washington	-	-		-	-		8,853	0.341	0.334 - 0.348
WA - Seattle	-	-		-	-		6,172	0.353	0.344 - 0.362
West Virginia	-	-		-	-		2,613	0.300	0.289 - 0.312
Wisconsin	-	-		-	-		7,765	0.324	0.317 - 0.331
Wyoming	-	-		-	-		642	0.262	0.242 - 0.283

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**12,296**	**0.013**	**0.013 - 0.013**
Alabama	-	-		-	-		266	0.016	0.014 - 0.018
Alaska	-	-		-	-		30	0.013	0.009 - 0.019
Arizona	-	-		-	-		210	0.011	0.009 - 0.012
Arkansas	-	-		-	-		176	0.016	0.013 - 0.018
California	-	-		-	-		904	0.012	0.011 - 0.013
CA - Greater California	-	-		-	-		594	0.012	0.011 - 0.013
CA - Greater Bay Area	-	-		-	-		153	0.011	0.009 - 0.012
CA - Los Angeles	-	-		-	-		154	0.011	0.009 - 0.013
Colorado	-	-		-	-		211	0.011	0.010 - 0.013
Connecticut	-	-		-	-		148	0.012	0.010 - 0.014
Delaware	-	-		-	-		42	0.013	0.010 - 0.018
Florida	-	-		-	-		905	0.016	0.015 - 0.017
Georgia	-	-		-	-		430	0.015	0.014 - 0.017
Hawaii	-	-		-	-		22	0.016	0.010 - 0.023
Idaho	-	-		-	-		70	0.010	0.008 - 0.013
Illinois	-	-		-	-		542	0.013	0.012 - 0.014
Iowa	-	-		-	-		185	0.013	0.012 - 0.015
Kentucky	-	-		-	-		308	0.016	0.014 - 0.018
Louisiana	-	-		-	-		215	0.015	0.013 - 0.017
Maine	-	-		-	-		68	0.011	0.008 - 0.013
Maryland	-	-		-	-		193	0.012	0.010 - 0.014
Michigan	-	-		-	-		473	0.012	0.011 - 0.013
MI - Detroit	-	-		-	-		170	0.013	0.011 - 0.015
Minnesota	-	-		-	-		216	0.010	0.008 - 0.011
Mississippi	-	-		-	-		151	0.017	0.015 - 0.020
Missouri	-	-		-	-		351	0.014	0.013 - 0.016
Montana	-	-		-	-		59	0.013	0.010 - 0.017
Nebraska	-	-		-	-		101	0.013	0.011 - 0.016
New Hampshire	-	-		-	-		61	0.010	0.008 - 0.013
New Jersey	-	-		-	-		343	0.013	0.012 - 0.015
New Mexico	-	-		-	-		46	0.011	0.008 - 0.015
New York	-	-		-	-		704	0.012	0.011 - 0.013
North Carolina	-	-		-	-		422	0.013	0.011 - 0.014
North Dakota	-	-		-	-		18	0.006	0.003 - 0.009
Ohio	-	-		-	-		680	0.014	0.013 - 0.015
Oklahoma	-	-		-	-		204	0.015	0.013 - 0.017
Oregon	-	-		-	-		200	0.012	0.011 - 0.014
Pennsylvania	-	-		-	-		640	0.013	0.012 - 0.014
Rhode Island	-	-		-	-		52	0.013	0.010 - 0.017
South Carolina	-	-		-	-		216	0.013	0.012 - 0.015
Tennessee	-	-		-	-		370	0.015	0.013 - 0.016
Texas	-	-		-	-		925	0.015	0.014 - 0.016
Utah	-	-		-	-		84	0.007	0.006 - 0.009
Vermont	-	-		-	-		21	0.007	0.004 - 0.011
Virginia	-	-		-	-		272	0.010	0.009 - 0.011
Washington	-	-		-	-		324	0.012	0.011 - 0.014
WA - Seattle	-	-		-	-		253	0.014	0.013 - 0.016
West Virginia	-	-		-	-		136	0.016	0.013 - 0.018
Wisconsin	-	-		-	-		276	0.012	0.010 - 0.013
Wyoming	-	-		-	-		24	0.010	0.006 - 0.014

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**67,769**	**0.072**	**0.071 - 0.072**
Alabama	-	-		-	-		834	0.050	0.047 - 0.054
Alaska	-	-		-	-		120	0.053	0.044 - 0.064
Arizona	-	-		-	-		1,244	0.063	0.060 - 0.067
Arkansas	-	-		-	-		658	0.059	0.054 - 0.063
California	-	-		-	-		5,826	0.076	0.074 - 0.078
CA - Greater California	-	-		-	-		3,663	0.076	0.073 - 0.078
CA - Greater Bay Area	-	-		-	-		1,101	0.075	0.071 - 0.080
CA - Los Angeles	-	-		-	-		1,063	0.076	0.072 - 0.081
Colorado	-	-		-	-		1,067	0.056	0.053 - 0.059
Connecticut	-	-		-	-		1,054	0.083	0.078 - 0.088
Delaware	-	-		-	-		264	0.084	0.074 - 0.095
Florida	-	-		-	-		4,076	0.070	0.068 - 0.072
Georgia	-	-		-	-		1,667	0.059	0.056 - 0.062
Hawaii	-	-		-	-		87	0.061	0.049 - 0.076
Idaho	-	-		-	-		410	0.059	0.053 - 0.065
Illinois	-	-		-	-		3,180	0.078	0.075 - 0.080
Iowa	-	-		-	-		1,060	0.077	0.072 - 0.082
Kentucky	-	-		-	-		1,280	0.066	0.062 - 0.070
Louisiana	-	-		-	-		695	0.049	0.045 - 0.053
Maine	-	-		-	-		570	0.089	0.082 - 0.096
Maryland	-	-		-	-		1,265	0.078	0.074 - 0.083
Michigan	-	-		-	-		2,933	0.076	0.074 - 0.079
MI - Detroit	-	-		-	-		1,053	0.083	0.078 - 0.088
Minnesota	-	-		-	-		1,840	0.081	0.077 - 0.085
Mississippi	-	-		-	-		466	0.053	0.049 - 0.058
Missouri	-	-		-	-		1,665	0.067	0.063 - 0.070
Montana	-	-		-	-		301	0.067	0.059 - 0.075
Nebraska	-	-		-	-		542	0.070	0.064 - 0.076
New Hampshire	-	-		-	-		528	0.085	0.078 - 0.093
New Jersey	-	-		-	-		2,497	0.096	0.092 - 0.100
New Mexico	-	-		-	-		289	0.071	0.063 - 0.079
New York	-	-		-	-		5,061	0.088	0.086 - 0.091
North Carolina	-	-		-	-		2,261	0.068	0.065 - 0.071
North Dakota	-	-		-	-		199	0.062	0.054 - 0.072
Ohio	-	-		-	-		3,827	0.080	0.078 - 0.083
Oklahoma	-	-		-	-		794	0.058	0.054 - 0.062
Oregon	-	-		-	-		1,189	0.074	0.070 - 0.078
Pennsylvania	-	-		-	-		4,583	0.090	0.087 - 0.093
Rhode Island	-	-		-	-		350	0.086	0.077 - 0.095
South Carolina	-	-		-	-		950	0.058	0.055 - 0.062
Tennessee	-	-		-	-		1,603	0.063	0.060 - 0.066
Texas	-	-		-	-		3,300	0.054	0.052 - 0.056
Utah	-	-		-	-		614	0.051	0.047 - 0.055
Vermont	-	-		-	-		287	0.096	0.085 - 0.108
Virginia	-	-		-	-		1,702	0.063	0.060 - 0.066
Washington	-	-		-	-		1,802	0.069	0.066 - 0.073
WA - Seattle	-	-		-	-		1,303	0.074	0.070 - 0.079
West Virginia	-	-		-	-		696	0.080	0.074 - 0.086
Wisconsin	-	-		-	-		2,005	0.084	0.080 - 0.087
Wyoming	-	-		-	-		130	0.053	0.044 - 0.063

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**22,694**	**0.024**	**0.024 - 0.024**
Alabama	-	-		-	-		406	0.025	0.022 - 0.027
Alaska	-	-		-	-		47	0.021	0.015 - 0.028
Arizona	-	-		-	-		491	0.025	0.023 - 0.027
Arkansas	-	-		-	-		249	0.022	0.019 - 0.025
California	-	-		-	-		2,112	0.027	0.026 - 0.029
CA - Greater California	-	-		-	-		1,271	0.026	0.025 - 0.028
CA - Greater Bay Area	-	-		-	-		425	0.029	0.026 - 0.032
CA - Los Angeles	-	-		-	-		416	0.030	0.027 - 0.033
Colorado	-	-		-	-		397	0.021	0.019 - 0.023
Connecticut	-	-		-	-		358	0.028	0.025 - 0.031
Delaware	-	-		-	-		72	0.023	0.018 - 0.029
Florida	-	-		-	-		1,576	0.027	0.026 - 0.029
Georgia	-	-		-	-		649	0.023	0.021 - 0.025
Hawaii	-	-		-	-		43	0.030	0.022 - 0.041
Idaho	-	-		-	-		138	0.020	0.017 - 0.023
Illinois	-	-		-	-		997	0.024	0.023 - 0.026
Iowa	-	-		-	-		290	0.021	0.019 - 0.024
Kentucky	-	-		-	-		368	0.019	0.017 - 0.021
Louisiana	-	-		-	-		306	0.022	0.019 - 0.024
Maine	-	-		-	-		128	0.020	0.017 - 0.024
Maryland	-	-		-	-		430	0.027	0.024 - 0.029
Michigan	-	-		-	-		843	0.022	0.020 - 0.023
MI - Detroit	-	-		-	-		312	0.024	0.022 - 0.027
Minnesota	-	-		-	-		509	0.022	0.021 - 0.024
Mississippi	-	-		-	-		182	0.021	0.018 - 0.024
Missouri	-	-		-	-		514	0.021	0.019 - 0.022
Montana	-	-		-	-		108	0.024	0.020 - 0.029
Nebraska	-	-		-	-		192	0.025	0.021 - 0.029
New Hampshire	-	-		-	-		157	0.025	0.022 - 0.030
New Jersey	-	-		-	-		756	0.029	0.027 - 0.031
New Mexico	-	-		-	-		129	0.032	0.026 - 0.038
New York	-	-		-	-		1,568	0.027	0.026 - 0.029
North Carolina	-	-		-	-		784	0.024	0.022 - 0.025
North Dakota	-	-		-	-		62	0.019	0.015 - 0.025
Ohio	-	-		-	-		1,088	0.023	0.022 - 0.024
Oklahoma	-	-		-	-		278	0.020	0.018 - 0.023
Oregon	-	-		-	-		387	0.024	0.022 - 0.027
Pennsylvania	-	-		-	-		1,356	0.027	0.025 - 0.028
Rhode Island	-	-		-	-		101	0.025	0.020 - 0.030
South Carolina	-	-		-	-		330	0.020	0.018 - 0.023
Tennessee	-	-		-	-		543	0.021	0.020 - 0.023
Texas	-	-		-	-		1,373	0.023	0.021 - 0.024
Utah	-	-		-	-		204	0.017	0.015 - 0.019
Vermont	-	-		-	-		73	0.024	0.019 - 0.031
Virginia	-	-		-	-		584	0.022	0.020 - 0.023
Washington	-	-		-	-		658	0.025	0.023 - 0.027
WA - Seattle	-	-		-	-		481	0.027	0.025 - 0.030
West Virginia	-	-		-	-		225	0.026	0.023 - 0.029
Wisconsin	-	-		-	-		571	0.024	0.022 - 0.026
Wyoming	-	-		-	-		62	0.025	0.019 - 0.032

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**232,177**	**0.253**	**0.252 - 0.254**	**-**	**-**	
Alabama	-	-		3,901	0.246	0.238 - 0.254	-	-	
Alaska	-	-		402	0.158	0.143 - 0.175	-	-	
Arizona	-	-		4,403	0.230	0.223 - 0.237	-	-	
Arkansas	-	-		2,939	0.271	0.261 - 0.281	-	-	
California	-	-		19,411	0.253	0.250 - 0.257	-	-	
CA - Greater California	-	-		12,147	0.254	0.250 - 0.259	-	-	
CA - Greater Bay Area	-	-		3,747	0.252	0.244 - 0.260	-	-	
CA - Los Angeles	-	-		3,517	0.250	0.242 - 0.259	-	-	
Colorado	-	-		3,935	0.205	0.199 - 0.212	-	-	
Connecticut	-	-		3,466	0.288	0.278 - 0.298	-	-	
Delaware	-	-		956	0.326	0.305 - 0.347	-	-	
Florida	-	-		15,444	0.276	0.272 - 0.281	-	-	
Georgia	-	-		6,596	0.240	0.235 - 0.246	-	-	
Hawaii	-	-		399	0.237	0.215 - 0.262	-	-	
Idaho	-	-		1,573	0.226	0.215 - 0.238	-	-	
Illinois	-	-		10,255	0.260	0.255 - 0.265	-	-	
Iowa	-	-		3,526	0.262	0.254 - 0.271	-	-	
Kentucky	-	-		3,941	0.211	0.204 - 0.218	-	-	
Louisiana	-	-		3,867	0.281	0.272 - 0.290	-	-	
Maine	-	-		1,539	0.250	0.238 - 0.263	-	-	
Maryland	-	-		4,330	0.279	0.271 - 0.287	-	-	
Michigan	-	-		9,523	0.254	0.249 - 0.259	-	-	
MI - Detroit	-	-		3,616	0.293	0.283 - 0.302	-	-	
Minnesota	-	-		5,914	0.265	0.258 - 0.272	-	-	
Mississippi	-	-		2,261	0.268	0.257 - 0.279	-	-	
Missouri	-	-		5,300	0.219	0.213 - 0.225	-	-	
Montana	-	-		1,382	0.302	0.286 - 0.318	-	-	
Nebraska	-	-		1,988	0.262	0.251 - 0.274	-	-	
New Hampshire	-	-		1,653	0.273	0.260 - 0.287	-	-	
New Jersey	-	-		7,929	0.320	0.313 - 0.327	-	-	
New Mexico	-	-		1,076	0.269	0.253 - 0.285	-	-	
New York	-	-		16,546	0.301	0.297 - 0.306	-	-	
North Carolina	-	-		8,566	0.269	0.263 - 0.275	-	-	
North Dakota	-	-		927	0.278	0.261 - 0.297	-	-	
Ohio	-	-		10,760	0.235	0.230 - 0.239	-	-	
Oklahoma	-	-		2,918	0.219	0.211 - 0.227	-	-	
Oregon	-	-		3,828	0.245	0.237 - 0.253	-	-	
Pennsylvania	-	-		12,333	0.253	0.248 - 0.257	-	-	
Rhode Island	-	-		974	0.257	0.241 - 0.274	-	-	
South Carolina	-	-		4,195	0.269	0.261 - 0.278	-	-	
Tennessee	-	-		6,196	0.255	0.248 - 0.261	-	-	
Texas	-	-		13,369	0.224	0.220 - 0.228	-	-	
Utah	-	-		2,401	0.198	0.190 - 0.206	-	-	
Vermont	-	-		654	0.225	0.208 - 0.243	-	-	
Virginia	-	-		5,406	0.204	0.199 - 0.210	-	-	
Washington	-	-		6,135	0.238	0.232 - 0.244	-	-	
WA - Seattle	-	-		4,450	0.255	0.247 - 0.263	-	-	
West Virginia	-	-		1,972	0.234	0.224 - 0.244	-	-	
Wisconsin	-	-		6,438	0.272	0.266 - 0.279	-	-	
Wyoming	-	-		650	0.256	0.237 - 0.276	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**11,444**	**0.012**	**0.012 - 0.013**	**-**	**-**	
Alabama	-	-		167	0.011	0.009 - 0.012	-	-	
Alaska	-	-		43	0.017	0.012 - 0.023	-	-	
Arizona	-	-		205	0.011	0.009 - 0.012	-	-	
Arkansas	-	-		117	0.011	0.009 - 0.013	-	-	
California	-	-		1,088	0.014	0.013 - 0.015	-	-	
CA - Greater California	-	-		633	0.013	0.012 - 0.014	-	-	
CA - Greater Bay Area	-	-		242	0.016	0.014 - 0.018	-	-	
CA - Los Angeles	-	-		211	0.015	0.013 - 0.017	-	-	
Colorado	-	-		237	0.012	0.011 - 0.014	-	-	
Connecticut	-	-		163	0.014	0.012 - 0.016	-	-	
Delaware	-	-		34	0.012	0.008 - 0.016	-	-	
Florida	-	-		541	0.010	0.009 - 0.011	-	-	
Georgia	-	-		295	0.011	0.010 - 0.012	-	-	
Hawaii	-	-		26	0.015	0.010 - 0.023	-	-	
Idaho	-	-		97	0.014	0.011 - 0.017	-	-	
Illinois	-	-		544	0.014	0.013 - 0.015	-	-	
Iowa	-	-		176	0.013	0.011 - 0.015	-	-	
Kentucky	-	-		210	0.011	0.010 - 0.013	-	-	
Louisiana	-	-		175	0.013	0.011 - 0.015	-	-	
Maine	-	-		67	0.011	0.008 - 0.014	-	-	
Maryland	-	-		208	0.013	0.012 - 0.015	-	-	
Michigan	-	-		451	0.012	0.011 - 0.013	-	-	
MI - Detroit	-	-		165	0.013	0.011 - 0.016	-	-	
Minnesota	-	-		304	0.014	0.012 - 0.015	-	-	
Mississippi	-	-		79	0.009	0.007 - 0.012	-	-	
Missouri	-	-		275	0.011	0.010 - 0.013	-	-	
Montana	-	-		57	0.012	0.009 - 0.016	-	-	
Nebraska	-	-		113	0.015	0.012 - 0.018	-	-	
New Hampshire	-	-		67	0.011	0.009 - 0.014	-	-	
New Jersey	-	-		344	0.014	0.012 - 0.015	-	-	
New Mexico	-	-		44	0.011	0.008 - 0.015	-	-	
New York	-	-		835	0.015	0.014 - 0.016	-	-	
North Carolina	-	-		373	0.012	0.011 - 0.013	-	-	
North Dakota	-	-		52	0.016	0.012 - 0.020	-	-	
Ohio	-	-		599	0.013	0.012 - 0.014	-	-	
Oklahoma	-	-		141	0.011	0.009 - 0.012	-	-	
Oregon	-	-		221	0.014	0.012 - 0.016	-	-	
Pennsylvania	-	-		646	0.013	0.012 - 0.014	-	-	
Rhode Island	-	-		51	0.013	0.010 - 0.018	-	-	
South Carolina	-	-		157	0.010	0.009 - 0.012	-	-	
Tennessee	-	-		264	0.011	0.010 - 0.012	-	-	
Texas	-	-		718	0.012	0.011 - 0.013	-	-	
Utah	-	-		162	0.013	0.011 - 0.016	-	-	
Vermont	-	-		32	0.011	0.008 - 0.016	-	-	
Virginia	-	-		263	0.010	0.009 - 0.011	-	-	
Washington	-	-		349	0.014	0.012 - 0.015	-	-	
WA - Seattle	-	-		264	0.015	0.013 - 0.017	-	-	
West Virginia	-	-		85	0.010	0.008 - 0.012	-	-	
Wisconsin	-	-		338	0.014	0.013 - 0.016	-	-	
Wyoming	-	-		32	0.013	0.009 - 0.018	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**99,778**	**0.054**	**0.053 - 0.054**	**77,484**	**0.085**	**0.084 - 0.085**	**22,294**	**0.024**	**0.023 - 0.024**
Alabama	1,539	0.047	0.045 - 0.050	1,238	0.078	0.074 - 0.083	301	0.018	0.016 - 0.020
Alaska	194	0.041	0.035 - 0.047	158	0.062	0.053 - 0.073	36	0.016	0.011 - 0.022
Arizona	2,267	0.059	0.056 - 0.061	1,793	0.094	0.089 - 0.098	474	0.024	0.022 - 0.026
Arkansas	1,016	0.046	0.043 - 0.049	791	0.073	0.068 - 0.078	225	0.020	0.017 - 0.023
California	8,376	0.055	0.053 - 0.056	6,582	0.086	0.084 - 0.088	1,794	0.023	0.022 - 0.024
CA - Greater California	5,252	0.055	0.053 - 0.056	4,132	0.087	0.084 - 0.089	1,120	0.023	0.022 - 0.025
CA - Greater Bay Area	1,555	0.053	0.050 - 0.055	1,196	0.080	0.076 - 0.085	359	0.025	0.022 - 0.027
CA - Los Angeles	1,565	0.056	0.053 - 0.059	1,251	0.089	0.084 - 0.094	314	0.023	0.020 - 0.025
Colorado	1,531	0.040	0.038 - 0.042	1,202	0.063	0.059 - 0.066	329	0.017	0.015 - 0.019
Connecticut	1,797	0.073	0.069 - 0.076	1,345	0.112	0.106 - 0.118	452	0.036	0.032 - 0.039
Delaware	447	0.074	0.067 - 0.081	351	0.120	0.107 - 0.133	96	0.031	0.025 - 0.037
Florida	7,718	0.068	0.066 - 0.069	5,991	0.107	0.105 - 0.110	1,727	0.030	0.028 - 0.031
Georgia	2,489	0.045	0.043 - 0.046	1,972	0.072	0.069 - 0.075	518	0.018	0.017 - 0.020
Hawaii	185	0.060	0.051 - 0.069	158	0.094	0.080 - 0.110	27	0.019	0.013 - 0.028
Idaho	624	0.045	0.041 - 0.048	479	0.069	0.063 - 0.075	145	0.021	0.018 - 0.024
Illinois	4,509	0.056	0.054 - 0.058	3,429	0.087	0.084 - 0.090	1,080	0.026	0.025 - 0.028
Iowa	1,366	0.050	0.048 - 0.053	1,084	0.081	0.076 - 0.086	282	0.020	0.018 - 0.023
Kentucky	1,869	0.049	0.047 - 0.051	1,421	0.076	0.072 - 0.080	448	0.023	0.021 - 0.025
Louisiana	1,260	0.045	0.043 - 0.048	993	0.072	0.068 - 0.077	267	0.019	0.017 - 0.021
Maine	878	0.070	0.065 - 0.075	668	0.109	0.100 - 0.117	210	0.033	0.028 - 0.037
Maryland	2,003	0.063	0.060 - 0.066	1,564	0.101	0.096 - 0.106	439	0.027	0.025 - 0.030
Michigan	4,114	0.054	0.053 - 0.056	3,162	0.084	0.081 - 0.087	952	0.025	0.023 - 0.026
MI - Detroit	1,545	0.062	0.058 - 0.065	1,179	0.095	0.090 - 0.101	366	0.029	0.026 - 0.032
Minnesota	2,278	0.051	0.049 - 0.053	1,762	0.079	0.075 - 0.083	516	0.023	0.021 - 0.025
Mississippi	773	0.045	0.042 - 0.048	603	0.072	0.066 - 0.077	170	0.019	0.017 - 0.023
Missouri	2,258	0.046	0.044 - 0.048	1,788	0.074	0.071 - 0.077	470	0.019	0.017 - 0.021
Montana	500	0.055	0.050 - 0.060	395	0.086	0.078 - 0.095	105	0.023	0.019 - 0.028
Nebraska	723	0.047	0.044 - 0.051	535	0.071	0.065 - 0.077	188	0.024	0.021 - 0.028
New Hampshire	760	0.062	0.058 - 0.067	574	0.095	0.087 - 0.103	186	0.030	0.026 - 0.035
New Jersey	3,429	0.067	0.065 - 0.070	2,593	0.105	0.101 - 0.109	837	0.032	0.030 - 0.034
New Mexico	463	0.057	0.052 - 0.063	371	0.093	0.084 - 0.103	92	0.023	0.018 - 0.028
New York	7,734	0.069	0.067 - 0.070	5,882	0.107	0.104 - 0.110	1,852	0.032	0.031 - 0.034
North Carolina	3,356	0.051	0.050 - 0.053	2,602	0.082	0.079 - 0.085	754	0.023	0.021 - 0.024
North Dakota	273	0.042	0.037 - 0.047	230	0.069	0.060 - 0.079	43	0.013	0.010 - 0.018
Ohio	4,850	0.052	0.050 - 0.053	3,741	0.082	0.079 - 0.084	1,109	0.023	0.022 - 0.025
Oklahoma	1,220	0.045	0.042 - 0.048	973	0.073	0.068 - 0.078	247	0.018	0.016 - 0.020
Oregon	1,695	0.053	0.051 - 0.056	1,342	0.086	0.081 - 0.091	353	0.022	0.020 - 0.024
Pennsylvania	6,341	0.064	0.062 - 0.065	4,845	0.099	0.097 - 0.102	1,496	0.029	0.028 - 0.031
Rhode Island	528	0.067	0.062 - 0.073	390	0.103	0.093 - 0.114	138	0.034	0.028 - 0.040
South Carolina	1,669	0.052	0.050 - 0.055	1,315	0.084	0.080 - 0.089	354	0.022	0.020 - 0.024
Tennessee	2,288	0.046	0.044 - 0.048	1,773	0.073	0.070 - 0.076	515	0.020	0.019 - 0.022
Texas	4,884	0.040	0.039 - 0.042	3,884	0.065	0.063 - 0.067	1,000	0.016	0.015 - 0.017
Utah	643	0.027	0.025 - 0.029	522	0.043	0.039 - 0.047	121	0.010	0.008 - 0.012
Vermont	327	0.056	0.050 - 0.062	242	0.083	0.073 - 0.094	85	0.028	0.023 - 0.035
Virginia	2,300	0.043	0.041 - 0.045	1,807	0.068	0.065 - 0.072	493	0.018	0.017 - 0.020
Washington	2,564	0.050	0.048 - 0.052	2,024	0.079	0.075 - 0.082	540	0.021	0.019 - 0.023
WA - Seattle	1,802	0.052	0.049 - 0.054	1,448	0.083	0.079 - 0.087	354	0.020	0.018 - 0.022
West Virginia	910	0.053	0.050 - 0.057	701	0.083	0.077 - 0.090	209	0.024	0.021 - 0.028
Wisconsin	2,596	0.055	0.052 - 0.057	2,022	0.086	0.082 - 0.089	574	0.024	0.022 - 0.026
Wyoming	233	0.047	0.041 - 0.053	187	0.074	0.064 - 0.085	46	0.019	0.014 - 0.025

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**69,940**	**0.038**	**0.037 - 0.038**	**44,605**	**0.049**	**0.048 - 0.049**	**25,335**	**0.027**	**0.027 - 0.027**
Alabama	1,306	0.040	0.038 - 0.043	804	0.051	0.047 - 0.054	502	0.030	0.028 - 0.033
Alaska	175	0.037	0.031 - 0.042	111	0.044	0.036 - 0.053	64	0.028	0.022 - 0.036
Arizona	1,396	0.036	0.034 - 0.038	908	0.047	0.044 - 0.051	488	0.025	0.023 - 0.027
Arkansas	931	0.042	0.039 - 0.045	614	0.057	0.052 - 0.061	317	0.028	0.025 - 0.031
California	5,274	0.034	0.033 - 0.035	3,514	0.046	0.044 - 0.047	1,761	0.023	0.022 - 0.024
CA - Greater California	3,381	0.035	0.034 - 0.036	2,235	0.047	0.045 - 0.049	1,146	0.024	0.022 - 0.025
CA - Greater Bay Area	910	0.031	0.029 - 0.033	606	0.041	0.038 - 0.044	305	0.021	0.019 - 0.023
CA - Los Angeles	978	0.035	0.033 - 0.037	672	0.048	0.044 - 0.052	306	0.022	0.020 - 0.025
Colorado	1,022	0.027	0.025 - 0.028	647	0.034	0.031 - 0.036	375	0.020	0.018 - 0.022
Connecticut	945	0.038	0.036 - 0.041	629	0.052	0.048 - 0.056	316	0.025	0.022 - 0.028
Delaware	249	0.041	0.036 - 0.046	158	0.054	0.046 - 0.063	91	0.029	0.023 - 0.036
Florida	4,601	0.040	0.039 - 0.042	2,950	0.053	0.051 - 0.055	1,651	0.028	0.027 - 0.030
Georgia	1,972	0.035	0.034 - 0.037	1,223	0.045	0.042 - 0.047	749	0.026	0.025 - 0.028
Hawaii	103	0.033	0.027 - 0.040	75	0.045	0.035 - 0.056	28	0.020	0.013 - 0.029
Idaho	446	0.032	0.029 - 0.035	282	0.041	0.036 - 0.046	164	0.023	0.020 - 0.027
Illinois	3,259	0.041	0.039 - 0.042	2,071	0.052	0.050 - 0.055	1,188	0.029	0.027 - 0.031
Iowa	1,086	0.040	0.038 - 0.042	678	0.050	0.047 - 0.054	408	0.030	0.027 - 0.033
Kentucky	1,585	0.042	0.040 - 0.044	968	0.052	0.049 - 0.055	617	0.032	0.029 - 0.034
Louisiana	1,346	0.048	0.046 - 0.051	851	0.062	0.058 - 0.066	495	0.035	0.032 - 0.038
Maine	502	0.040	0.036 - 0.044	297	0.048	0.043 - 0.054	205	0.032	0.028 - 0.037
Maryland	1,112	0.035	0.033 - 0.037	710	0.046	0.042 - 0.049	402	0.025	0.022 - 0.027
Michigan	2,611	0.034	0.033 - 0.036	1,661	0.044	0.042 - 0.046	950	0.025	0.023 - 0.026
MI - Detroit	966	0.038	0.036 - 0.041	640	0.052	0.048 - 0.056	326	0.026	0.023 - 0.028
Minnesota	1,677	0.037	0.036 - 0.039	1,114	0.050	0.047 - 0.053	563	0.025	0.023 - 0.027
Mississippi	842	0.049	0.046 - 0.052	512	0.061	0.056 - 0.066	330	0.038	0.034 - 0.042
Missouri	1,914	0.039	0.037 - 0.041	1,201	0.050	0.047 - 0.053	713	0.029	0.026 - 0.031
Montana	306	0.034	0.030 - 0.038	196	0.043	0.037 - 0.049	110	0.024	0.020 - 0.029
Nebraska	553	0.036	0.033 - 0.039	359	0.047	0.043 - 0.053	194	0.025	0.022 - 0.029
New Hampshire	410	0.033	0.030 - 0.037	265	0.044	0.039 - 0.049	145	0.023	0.020 - 0.028
New Jersey	2,093	0.041	0.039 - 0.043	1,321	0.053	0.050 - 0.056	772	0.030	0.028 - 0.032
New Mexico	255	0.032	0.028 - 0.036	160	0.040	0.034 - 0.047	95	0.023	0.019 - 0.028
New York	4,671	0.042	0.040 - 0.043	3,025	0.055	0.053 - 0.057	1,646	0.029	0.027 - 0.030
North Carolina	2,384	0.037	0.035 - 0.038	1,508	0.047	0.045 - 0.050	876	0.026	0.025 - 0.028
North Dakota	201	0.031	0.027 - 0.035	139	0.042	0.035 - 0.049	62	0.019	0.015 - 0.025
Ohio	3,522	0.038	0.036 - 0.039	2,129	0.046	0.044 - 0.048	1,393	0.029	0.028 - 0.031
Oklahoma	1,096	0.040	0.038 - 0.043	669	0.050	0.046 - 0.054	427	0.031	0.028 - 0.034
Oregon	1,135	0.036	0.034 - 0.038	736	0.047	0.044 - 0.051	399	0.025	0.022 - 0.027
Pennsylvania	3,982	0.040	0.039 - 0.041	2,536	0.052	0.050 - 0.054	1,446	0.028	0.027 - 0.030
Rhode Island	301	0.038	0.034 - 0.043	184	0.049	0.042 - 0.056	117	0.029	0.024 - 0.034
South Carolina	1,282	0.040	0.038 - 0.043	840	0.054	0.050 - 0.058	442	0.027	0.025 - 0.030
Tennessee	1,961	0.039	0.038 - 0.041	1,261	0.052	0.049 - 0.055	700	0.027	0.025 - 0.030
Texas	4,671	0.039	0.038 - 0.040	2,938	0.049	0.047 - 0.051	1,733	0.028	0.027 - 0.030
Utah	508	0.021	0.019 - 0.023	330	0.027	0.024 - 0.030	178	0.015	0.013 - 0.017
Vermont	182	0.031	0.027 - 0.036	118	0.041	0.034 - 0.049	64	0.021	0.017 - 0.027
Virginia	1,666	0.031	0.030 - 0.033	1,099	0.042	0.039 - 0.044	567	0.021	0.019 - 0.023
Washington	1,647	0.032	0.030 - 0.033	1,050	0.041	0.038 - 0.043	597	0.023	0.021 - 0.025
WA - Seattle	1,162	0.033	0.031 - 0.035	740	0.042	0.039 - 0.046	422	0.024	0.022 - 0.027
West Virginia	774	0.045	0.042 - 0.048	465	0.055	0.050 - 0.060	309	0.036	0.032 - 0.040
Wisconsin	1,855	0.039	0.037 - 0.041	1,215	0.051	0.049 - 0.054	640	0.027	0.025 - 0.029
Wyoming	132	0.026	0.022 - 0.031	85	0.033	0.027 - 0.041	47	0.019	0.014 - 0.025

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**18,712**	**0.010**	**0.010 - 0.010**	**10,544**	**0.012**	**0.011 - 0.012**	**8,168**	**0.009**	**0.008 - 0.009**
Alabama	266	0.008	0.007 - 0.009	145	0.009	0.008 - 0.011	121	0.007	0.006 - 0.009
Alaska	47	0.010	0.007 - 0.013	22	0.009	0.005 - 0.013	25	0.011	0.007 - 0.016
Arizona	357	0.009	0.008 - 0.010	192	0.010	0.009 - 0.012	165	0.008	0.007 - 0.010
Arkansas	215	0.010	0.008 - 0.011	119	0.011	0.009 - 0.013	96	0.009	0.007 - 0.010
California	1,629	0.011	0.010 - 0.011	914	0.012	0.011 - 0.013	714	0.009	0.009 - 0.010
CA - Greater California	961	0.010	0.009 - 0.011	514	0.011	0.010 - 0.012	447	0.009	0.008 - 0.010
CA - Greater Bay Area	368	0.012	0.011 - 0.014	220	0.015	0.013 - 0.017	148	0.010	0.009 - 0.012
CA - Los Angeles	299	0.011	0.010 - 0.012	179	0.013	0.011 - 0.015	120	0.009	0.007 - 0.010
Colorado	367	0.010	0.009 - 0.011	227	0.012	0.010 - 0.013	140	0.007	0.006 - 0.009
Connecticut	253	0.010	0.009 - 0.012	149	0.012	0.010 - 0.015	104	0.008	0.007 - 0.010
Delaware	66	0.011	0.008 - 0.014	32	0.011	0.007 - 0.015	34	0.011	0.008 - 0.015
Florida	1,133	0.010	0.009 - 0.011	655	0.012	0.011 - 0.013	478	0.008	0.008 - 0.009
Georgia	527	0.009	0.009 - 0.010	304	0.011	0.010 - 0.012	222	0.008	0.007 - 0.009
Hawaii	21	0.007	0.004 - 0.010	-	-		-	-	
Idaho	144	0.010	0.009 - 0.012	82	0.012	0.009 - 0.015	62	0.009	0.007 - 0.011
Illinois	796	0.010	0.009 - 0.011	440	0.011	0.010 - 0.012	356	0.009	0.008 - 0.010
Iowa	271	0.010	0.009 - 0.011	155	0.012	0.010 - 0.013	116	0.008	0.007 - 0.010
Kentucky	404	0.011	0.010 - 0.012	221	0.012	0.010 - 0.014	182	0.009	0.008 - 0.011
Louisiana	265	0.009	0.008 - 0.011	148	0.011	0.009 - 0.013	117	0.008	0.007 - 0.010
Maine	128	0.010	0.008 - 0.012	74	0.012	0.009 - 0.015	54	0.008	0.006 - 0.011
Maryland	297	0.009	0.008 - 0.010	171	0.011	0.009 - 0.013	126	0.008	0.006 - 0.009
Michigan	760	0.010	0.009 - 0.011	443	0.012	0.011 - 0.013	317	0.008	0.007 - 0.009
MI - Detroit	264	0.011	0.009 - 0.012	150	0.012	0.010 - 0.014	114	0.009	0.007 - 0.011
Minnesota	500	0.011	0.010 - 0.012	281	0.013	0.011 - 0.014	219	0.010	0.008 - 0.011
Mississippi	137	0.008	0.007 - 0.009	70	0.008	0.006 - 0.010	67	0.008	0.006 - 0.010
Missouri	485	0.010	0.009 - 0.011	286	0.012	0.010 - 0.013	199	0.008	0.007 - 0.009
Montana	94	0.010	0.008 - 0.013	54	0.012	0.009 - 0.015	40	0.009	0.006 - 0.012
Nebraska	133	0.009	0.007 - 0.010	74	0.010	0.008 - 0.012	59	0.008	0.006 - 0.010
New Hampshire	139	0.011	0.010 - 0.013	80	0.013	0.010 - 0.016	59	0.010	0.007 - 0.012
New Jersey	576	0.011	0.010 - 0.012	326	0.013	0.012 - 0.015	250	0.010	0.008 - 0.011
New Mexico	78	0.010	0.008 - 0.012	42	0.010	0.008 - 0.014	36	0.009	0.006 - 0.012
New York	1,351	0.012	0.011 - 0.013	732	0.013	0.012 - 0.014	619	0.011	0.010 - 0.012
North Carolina	616	0.009	0.009 - 0.010	323	0.010	0.009 - 0.011	293	0.009	0.008 - 0.010
North Dakota	57	0.009	0.007 - 0.011	29	0.009	0.006 - 0.012	28	0.009	0.006 - 0.013
Ohio	878	0.009	0.009 - 0.010	485	0.011	0.010 - 0.012	393	0.008	0.007 - 0.009
Oklahoma	265	0.010	0.009 - 0.011	141	0.011	0.009 - 0.012	124	0.009	0.007 - 0.011
Oregon	291	0.009	0.008 - 0.010	163	0.010	0.009 - 0.012	128	0.008	0.007 - 0.009
Pennsylvania	1,029	0.010	0.010 - 0.011	573	0.012	0.011 - 0.013	456	0.009	0.008 - 0.010
Rhode Island	87	0.011	0.009 - 0.014	41	0.011	0.008 - 0.015	46	0.011	0.008 - 0.015
South Carolina	327	0.010	0.009 - 0.011	190	0.012	0.011 - 0.014	137	0.008	0.007 - 0.010
Tennessee	430	0.009	0.008 - 0.009	241	0.010	0.009 - 0.011	189	0.007	0.006 - 0.009
Texas	1,259	0.010	0.010 - 0.011	726	0.012	0.011 - 0.013	533	0.009	0.008 - 0.010
Utah	215	0.009	0.008 - 0.010	129	0.011	0.009 - 0.013	86	0.007	0.006 - 0.009
Vermont	47	0.008	0.006 - 0.011	23	0.008	0.005 - 0.012	24	0.008	0.005 - 0.012
Virginia	463	0.009	0.008 - 0.009	268	0.010	0.009 - 0.011	195	0.007	0.006 - 0.008
Washington	601	0.012	0.011 - 0.013	358	0.014	0.012 - 0.015	243	0.009	0.008 - 0.011
WA - Seattle	436	0.012	0.011 - 0.014	256	0.015	0.013 - 0.017	180	0.010	0.009 - 0.012
West Virginia	180	0.011	0.009 - 0.012	94	0.011	0.009 - 0.014	86	0.010	0.008 - 0.012
Wisconsin	478	0.010	0.009 - 0.011	280	0.012	0.011 - 0.013	198	0.008	0.007 - 0.009
Wyoming	51	0.010	0.008 - 0.013	28	0.011	0.007 - 0.016	23	0.009	0.006 - 0.014

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**62,096**	**0.033**	**0.033 - 0.034**	**16,623**	**0.018**	**0.018 - 0.018**	**45,473**	**0.048**	**0.048 - 0.049**
Alabama	772	0.024	0.022 - 0.026	213	0.013	0.012 - 0.015	559	0.034	0.031 - 0.037
Alaska	108	0.023	0.019 - 0.027	27	0.011	0.007 - 0.015	81	0.036	0.029 - 0.045
Arizona	1,285	0.033	0.031 - 0.035	338	0.018	0.016 - 0.020	947	0.048	0.045 - 0.052
Arkansas	653	0.030	0.027 - 0.032	188	0.017	0.015 - 0.020	465	0.041	0.038 - 0.045
California	5,010	0.033	0.032 - 0.034	1,436	0.019	0.018 - 0.020	3,574	0.046	0.045 - 0.048
CA - Greater California	3,092	0.032	0.031 - 0.033	865	0.018	0.017 - 0.019	2,226	0.046	0.044 - 0.048
CA - Greater Bay Area	852	0.029	0.027 - 0.031	256	0.017	0.015 - 0.019	596	0.041	0.038 - 0.044
CA - Los Angeles	1,062	0.038	0.036 - 0.040	315	0.022	0.020 - 0.025	747	0.054	0.050 - 0.058
Colorado	1,230	0.032	0.030 - 0.034	321	0.017	0.015 - 0.019	909	0.048	0.045 - 0.051
Connecticut	1,090	0.044	0.042 - 0.047	302	0.025	0.022 - 0.028	788	0.062	0.058 - 0.067
Delaware	228	0.038	0.033 - 0.043	48	0.016	0.012 - 0.022	180	0.058	0.049 - 0.067
Florida	3,115	0.027	0.026 - 0.028	883	0.016	0.015 - 0.017	2,232	0.038	0.037 - 0.040
Georgia	1,722	0.031	0.029 - 0.032	437	0.016	0.014 - 0.017	1,286	0.045	0.043 - 0.048
Hawaii	90	0.029	0.023 - 0.036	30	0.018	0.012 - 0.025	60	0.042	0.032 - 0.054
Idaho	456	0.033	0.030 - 0.036	106	0.015	0.012 - 0.018	350	0.050	0.045 - 0.056
Illinois	3,066	0.038	0.037 - 0.039	808	0.020	0.019 - 0.022	2,258	0.055	0.053 - 0.058
Iowa	872	0.032	0.030 - 0.034	238	0.018	0.016 - 0.020	634	0.046	0.042 - 0.050
Kentucky	1,327	0.035	0.033 - 0.037	352	0.019	0.017 - 0.021	975	0.050	0.047 - 0.053
Louisiana	993	0.036	0.033 - 0.038	254	0.018	0.016 - 0.021	739	0.052	0.048 - 0.056
Maine	487	0.039	0.035 - 0.042	137	0.022	0.019 - 0.026	350	0.054	0.049 - 0.060
Maryland	1,126	0.036	0.033 - 0.038	292	0.019	0.017 - 0.021	834	0.052	0.048 - 0.055
Michigan	2,246	0.030	0.028 - 0.031	561	0.015	0.014 - 0.016	1,685	0.044	0.042 - 0.046
MI - Detroit	1,018	0.041	0.038 - 0.043	250	0.020	0.018 - 0.023	768	0.060	0.056 - 0.065
Minnesota	1,282	0.028	0.027 - 0.030	359	0.016	0.014 - 0.018	923	0.041	0.038 - 0.043
Mississippi	466	0.027	0.025 - 0.030	126	0.015	0.012 - 0.018	340	0.039	0.035 - 0.043
Missouri	1,305	0.027	0.025 - 0.028	353	0.015	0.013 - 0.016	952	0.038	0.036 - 0.041
Montana	290	0.032	0.028 - 0.036	83	0.018	0.014 - 0.022	207	0.046	0.040 - 0.053
Nebraska	444	0.029	0.026 - 0.032	116	0.015	0.013 - 0.018	328	0.042	0.038 - 0.047
New Hampshire	424	0.035	0.031 - 0.038	109	0.018	0.015 - 0.022	315	0.051	0.045 - 0.057
New Jersey	2,411	0.047	0.046 - 0.049	659	0.027	0.025 - 0.029	1,752	0.067	0.064 - 0.070
New Mexico	339	0.042	0.038 - 0.047	87	0.022	0.017 - 0.027	252	0.062	0.054 - 0.070
New York	5,366	0.048	0.046 - 0.049	1,499	0.027	0.026 - 0.029	3,867	0.067	0.065 - 0.070
North Carolina	1,901	0.029	0.028 - 0.031	525	0.016	0.015 - 0.018	1,376	0.041	0.039 - 0.044
North Dakota	241	0.037	0.032 - 0.042	51	0.015	0.011 - 0.020	190	0.060	0.051 - 0.069
Ohio	3,152	0.034	0.033 - 0.035	788	0.017	0.016 - 0.018	2,364	0.050	0.048 - 0.052
Oklahoma	778	0.029	0.027 - 0.031	194	0.015	0.013 - 0.017	584	0.042	0.039 - 0.046
Oregon	909	0.029	0.027 - 0.031	249	0.016	0.014 - 0.018	660	0.041	0.038 - 0.044
Pennsylvania	4,388	0.044	0.043 - 0.045	1,142	0.023	0.022 - 0.025	3,246	0.064	0.062 - 0.066
Rhode Island	349	0.044	0.040 - 0.049	86	0.023	0.018 - 0.028	263	0.065	0.057 - 0.073
South Carolina	885	0.028	0.026 - 0.030	250	0.016	0.014 - 0.018	635	0.039	0.036 - 0.042
Tennessee	1,479	0.030	0.028 - 0.031	355	0.015	0.013 - 0.016	1,124	0.044	0.042 - 0.047
Texas	3,557	0.029	0.029 - 0.030	985	0.016	0.015 - 0.018	2,572	0.042	0.041 - 0.044
Utah	850	0.035	0.033 - 0.038	204	0.017	0.015 - 0.019	646	0.054	0.050 - 0.058
Vermont	170	0.029	0.025 - 0.034	50	0.017	0.013 - 0.023	120	0.040	0.033 - 0.048
Virginia	1,484	0.028	0.026 - 0.029	384	0.015	0.013 - 0.016	1,100	0.041	0.038 - 0.043
Washington	1,503	0.029	0.028 - 0.031	419	0.016	0.015 - 0.018	1,084	0.042	0.039 - 0.044
WA - Seattle	1,056	0.030	0.028 - 0.032	303	0.017	0.015 - 0.019	753	0.043	0.040 - 0.046
West Virginia	634	0.037	0.034 - 0.040	126	0.015	0.012 - 0.018	508	0.058	0.053 - 0.064
Wisconsin	1,451	0.030	0.029 - 0.032	410	0.017	0.016 - 0.019	1,041	0.043	0.041 - 0.046
Wyoming	163	0.033	0.028 - 0.038	44	0.017	0.013 - 0.023	119	0.048	0.040 - 0.058

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**10,093**	**0.005**	**0.005 - 0.006**	**5,660**	**0.006**	**0.006 - 0.006**	**4,434**	**0.005**	**0.005 - 0.005**
Alabama	143	0.004	0.004 - 0.005	73	0.005	0.004 - 0.006	70	0.004	0.003 - 0.005
Alaska	16	0.003	0.002 - 0.005	-	-		-	-	
Arizona	165	0.004	0.004 - 0.005	94	0.005	0.004 - 0.006	71	0.004	0.003 - 0.005
Arkansas	102	0.005	0.004 - 0.006	52	0.005	0.004 - 0.006	50	0.004	0.003 - 0.006
California	791	0.005	0.005 - 0.006	463	0.006	0.006 - 0.007	328	0.004	0.004 - 0.005
CA - Greater California	476	0.005	0.005 - 0.005	278	0.006	0.005 - 0.007	198	0.004	0.004 - 0.005
CA - Greater Bay Area	162	0.005	0.005 - 0.006	95	0.006	0.005 - 0.008	67	0.005	0.004 - 0.006
CA - Los Angeles	152	0.005	0.005 - 0.006	91	0.006	0.005 - 0.008	61	0.004	0.003 - 0.006
Colorado	182	0.005	0.004 - 0.005	111	0.006	0.005 - 0.007	71	0.004	0.003 - 0.005
Connecticut	171	0.007	0.006 - 0.008	99	0.008	0.007 - 0.010	72	0.006	0.004 - 0.007
Delaware	40	0.007	0.005 - 0.009	21	0.007	0.004 - 0.011	19	0.006	0.004 - 0.009
Florida	724	0.006	0.006 - 0.007	396	0.007	0.006 - 0.008	328	0.006	0.005 - 0.006
Georgia	265	0.005	0.004 - 0.005	137	0.005	0.004 - 0.006	128	0.005	0.004 - 0.005
Hawaii	17	0.005	0.003 - 0.009	-	-		-	-	
Idaho	60	0.004	0.003 - 0.006	34	0.005	0.003 - 0.007	26	0.004	0.002 - 0.005
Illinois	440	0.005	0.005 - 0.006	251	0.006	0.006 - 0.007	189	0.005	0.004 - 0.005
Iowa	146	0.005	0.005 - 0.006	84	0.006	0.005 - 0.008	62	0.004	0.003 - 0.006
Kentucky	184	0.005	0.004 - 0.006	106	0.006	0.005 - 0.007	78	0.004	0.003 - 0.005
Louisiana	158	0.006	0.005 - 0.007	86	0.006	0.005 - 0.008	72	0.005	0.004 - 0.006
Maine	79	0.006	0.005 - 0.008	38	0.006	0.004 - 0.008	41	0.006	0.005 - 0.009
Maryland	166	0.005	0.004 - 0.006	95	0.006	0.005 - 0.007	71	0.004	0.003 - 0.006
Michigan	410	0.005	0.005 - 0.006	225	0.006	0.005 - 0.007	185	0.005	0.004 - 0.006
MI - Detroit	168	0.007	0.006 - 0.008	91	0.007	0.006 - 0.009	77	0.006	0.005 - 0.008
Minnesota	243	0.005	0.005 - 0.006	141	0.006	0.005 - 0.007	102	0.004	0.004 - 0.005
Mississippi	81	0.005	0.004 - 0.006	45	0.005	0.004 - 0.007	36	0.004	0.003 - 0.006
Missouri	266	0.005	0.005 - 0.006	149	0.006	0.005 - 0.007	117	0.005	0.004 - 0.006
Montana	49	0.005	0.004 - 0.007	29	0.006	0.004 - 0.009	20	0.004	0.003 - 0.007
Nebraska	89	0.006	0.005 - 0.007	58	0.008	0.006 - 0.010	31	0.004	0.003 - 0.006
New Hampshire	72	0.006	0.005 - 0.007	39	0.006	0.005 - 0.009	33	0.005	0.004 - 0.007
New Jersey	337	0.007	0.006 - 0.007	193	0.008	0.007 - 0.009	144	0.006	0.005 - 0.007
New Mexico	42	0.005	0.004 - 0.007	22	0.005	0.003 - 0.008	20	0.005	0.003 - 0.008
New York	778	0.007	0.006 - 0.007	434	0.008	0.007 - 0.009	344	0.006	0.005 - 0.007
North Carolina	305	0.005	0.004 - 0.005	180	0.006	0.005 - 0.007	125	0.004	0.003 - 0.004
North Dakota	36	0.006	0.004 - 0.008	-	-		-	-	
Ohio	517	0.006	0.005 - 0.006	301	0.007	0.006 - 0.007	216	0.005	0.004 - 0.005
Oklahoma	118	0.004	0.004 - 0.005	65	0.005	0.004 - 0.006	53	0.004	0.003 - 0.005
Oregon	159	0.005	0.004 - 0.006	85	0.005	0.004 - 0.007	74	0.005	0.004 - 0.006
Pennsylvania	652	0.007	0.006 - 0.007	374	0.008	0.007 - 0.008	278	0.005	0.005 - 0.006
Rhode Island	51	0.006	0.005 - 0.009	21	0.006	0.003 - 0.008	30	0.007	0.005 - 0.011
South Carolina	152	0.005	0.004 - 0.006	89	0.006	0.005 - 0.007	63	0.004	0.003 - 0.005
Tennessee	241	0.005	0.004 - 0.005	113	0.005	0.004 - 0.006	128	0.005	0.004 - 0.006
Texas	605	0.005	0.005 - 0.005	305	0.005	0.005 - 0.006	300	0.005	0.004 - 0.006
Utah	111	0.005	0.004 - 0.006	62	0.005	0.004 - 0.007	49	0.004	0.003 - 0.005
Vermont	28	0.005	0.003 - 0.007	17	0.006	0.003 - 0.009	11	0.004	0.002 - 0.007
Virginia	233	0.004	0.004 - 0.005	132	0.005	0.004 - 0.006	101	0.004	0.003 - 0.005
Washington	269	0.005	0.005 - 0.006	157	0.006	0.005 - 0.007	112	0.004	0.004 - 0.005
WA - Seattle	181	0.005	0.004 - 0.006	109	0.006	0.005 - 0.008	72	0.004	0.003 - 0.005
West Virginia	82	0.005	0.004 - 0.006	45	0.005	0.004 - 0.007	37	0.004	0.003 - 0.006
Wisconsin	307	0.006	0.006 - 0.007	185	0.008	0.007 - 0.009	122	0.005	0.004 - 0.006
Wyoming	12	0.002	0.001 - 0.004	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**80,896**	**0.044**	**0.043 - 0.044**	**44,491**	**0.049**	**0.048 - 0.049**	**36,406**	**0.039**	**0.038 - 0.039**
Alabama	1,130	0.035	0.033 - 0.037	627	0.040	0.037 - 0.043	503	0.030	0.028 - 0.033
Alaska	138	0.029	0.024 - 0.034	79	0.031	0.025 - 0.039	59	0.026	0.020 - 0.034
Arizona	1,403	0.036	0.034 - 0.038	760	0.040	0.037 - 0.043	643	0.033	0.030 - 0.035
Arkansas	819	0.037	0.035 - 0.040	442	0.041	0.037 - 0.045	377	0.034	0.030 - 0.037
California	7,130	0.046	0.045 - 0.048	4,090	0.053	0.052 - 0.055	3,040	0.040	0.038 - 0.041
CA - Greater California	4,255	0.044	0.043 - 0.046	2,456	0.051	0.049 - 0.053	1,799	0.037	0.035 - 0.039
CA - Greater Bay Area	1,570	0.053	0.051 - 0.056	898	0.060	0.056 - 0.064	671	0.046	0.043 - 0.050
CA - Los Angeles	1,305	0.047	0.044 - 0.049	736	0.052	0.049 - 0.056	569	0.041	0.038 - 0.044
Colorado	1,301	0.034	0.032 - 0.036	729	0.038	0.035 - 0.041	572	0.030	0.028 - 0.032
Connecticut	1,306	0.053	0.050 - 0.056	726	0.060	0.056 - 0.065	580	0.046	0.042 - 0.050
Delaware	323	0.053	0.048 - 0.059	169	0.058	0.049 - 0.067	154	0.049	0.042 - 0.058
Florida	7,099	0.062	0.061 - 0.064	3,840	0.069	0.067 - 0.071	3,259	0.056	0.054 - 0.058
Georgia	2,163	0.039	0.037 - 0.040	1,171	0.043	0.040 - 0.045	992	0.035	0.033 - 0.037
Hawaii	128	0.041	0.034 - 0.049	80	0.048	0.038 - 0.059	48	0.034	0.025 - 0.045
Idaho	518	0.037	0.034 - 0.041	300	0.043	0.038 - 0.048	218	0.031	0.027 - 0.036
Illinois	3,619	0.045	0.044 - 0.046	1,969	0.050	0.048 - 0.052	1,650	0.040	0.038 - 0.042
Iowa	1,231	0.045	0.043 - 0.048	688	0.051	0.047 - 0.055	543	0.039	0.036 - 0.043
Kentucky	1,437	0.038	0.036 - 0.040	783	0.042	0.039 - 0.045	654	0.034	0.031 - 0.036
Louisiana	1,215	0.043	0.041 - 0.046	663	0.048	0.045 - 0.052	552	0.039	0.036 - 0.042
Maine	606	0.048	0.044 - 0.052	310	0.050	0.045 - 0.056	296	0.046	0.041 - 0.052
Maryland	1,256	0.040	0.037 - 0.042	691	0.045	0.041 - 0.048	565	0.035	0.032 - 0.038
Michigan	3,201	0.042	0.041 - 0.044	1,740	0.046	0.044 - 0.049	1,461	0.038	0.036 - 0.040
MI - Detroit	1,216	0.048	0.046 - 0.051	671	0.054	0.050 - 0.059	545	0.043	0.039 - 0.046
Minnesota	1,991	0.044	0.042 - 0.046	1,146	0.051	0.048 - 0.054	845	0.037	0.035 - 0.040
Mississippi	627	0.037	0.034 - 0.040	350	0.042	0.037 - 0.046	277	0.032	0.028 - 0.036
Missouri	1,925	0.039	0.037 - 0.041	1,058	0.044	0.041 - 0.046	867	0.035	0.032 - 0.037
Montana	367	0.040	0.036 - 0.045	208	0.046	0.040 - 0.052	159	0.035	0.030 - 0.041
Nebraska	612	0.040	0.037 - 0.043	349	0.046	0.041 - 0.051	263	0.034	0.030 - 0.038
New Hampshire	540	0.044	0.040 - 0.048	287	0.047	0.042 - 0.053	253	0.041	0.036 - 0.046
New Jersey	2,720	0.053	0.051 - 0.056	1,444	0.058	0.055 - 0.061	1,276	0.049	0.046 - 0.052
New Mexico	343	0.042	0.038 - 0.047	190	0.048	0.041 - 0.055	152	0.037	0.032 - 0.044
New York	5,912	0.053	0.051 - 0.054	3,229	0.059	0.057 - 0.061	2,683	0.047	0.045 - 0.049
North Carolina	2,515	0.039	0.037 - 0.040	1,384	0.043	0.041 - 0.046	1,131	0.034	0.032 - 0.036
North Dakota	246	0.038	0.033 - 0.043	140	0.042	0.035 - 0.050	106	0.033	0.027 - 0.040
Ohio	3,725	0.040	0.039 - 0.041	2,038	0.044	0.043 - 0.046	1,687	0.035	0.034 - 0.037
Oklahoma	1,017	0.037	0.035 - 0.040	553	0.041	0.038 - 0.045	464	0.034	0.031 - 0.037
Oregon	1,249	0.039	0.037 - 0.042	675	0.043	0.040 - 0.047	574	0.036	0.033 - 0.039
Pennsylvania	4,849	0.049	0.047 - 0.050	2,574	0.053	0.051 - 0.055	2,275	0.045	0.043 - 0.047
Rhode Island	411	0.052	0.047 - 0.058	216	0.057	0.050 - 0.065	195	0.048	0.041 - 0.055
South Carolina	1,287	0.040	0.038 - 0.043	676	0.043	0.040 - 0.047	611	0.038	0.035 - 0.041
Tennessee	1,892	0.038	0.036 - 0.040	1,031	0.042	0.040 - 0.045	861	0.034	0.032 - 0.036
Texas	4,578	0.038	0.037 - 0.039	2,577	0.043	0.041 - 0.045	2,001	0.033	0.031 - 0.034
Utah	673	0.028	0.026 - 0.030	379	0.031	0.028 - 0.035	294	0.024	0.022 - 0.027
Vermont	276	0.047	0.041 - 0.053	156	0.054	0.046 - 0.063	120	0.040	0.033 - 0.048
Virginia	1,896	0.035	0.034 - 0.037	1,057	0.040	0.038 - 0.042	839	0.031	0.029 - 0.033
Washington	2,179	0.042	0.040 - 0.044	1,233	0.048	0.045 - 0.051	946	0.036	0.034 - 0.039
WA - Seattle	1,548	0.044	0.042 - 0.047	876	0.050	0.047 - 0.054	672	0.038	0.036 - 0.041
West Virginia	684	0.040	0.037 - 0.043	354	0.042	0.038 - 0.047	330	0.038	0.034 - 0.042
Wisconsin	2,195	0.046	0.044 - 0.048	1,233	0.052	0.049 - 0.055	962	0.040	0.038 - 0.043
Wyoming	165	0.033	0.028 - 0.038	97	0.038	0.031 - 0.046	68	0.028	0.022 - 0.035

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**24,040**	**0.013**	**0.013 - 0.013**	**13,961**	**0.015**	**0.015 - 0.015**	**10,079**	**0.011**	**0.010 - 0.011**
Alabama	327	0.010	0.009 - 0.011	179	0.011	0.010 - 0.013	148	0.009	0.008 - 0.011
Alaska	43	0.009	0.007 - 0.012	24	0.009	0.006 - 0.014	19	0.008	0.005 - 0.013
Arizona	377	0.010	0.009 - 0.011	227	0.012	0.010 - 0.014	150	0.008	0.006 - 0.009
Arkansas	258	0.012	0.010 - 0.013	152	0.014	0.012 - 0.016	106	0.009	0.008 - 0.011
California	2,024	0.013	0.013 - 0.014	1,208	0.016	0.015 - 0.017	816	0.011	0.010 - 0.011
CA - Greater California	1,262	0.013	0.012 - 0.014	757	0.016	0.015 - 0.017	505	0.010	0.010 - 0.011
CA - Greater Bay Area	409	0.014	0.013 - 0.015	235	0.016	0.014 - 0.018	174	0.012	0.010 - 0.014
CA - Los Angeles	350	0.013	0.011 - 0.014	215	0.015	0.013 - 0.018	135	0.010	0.008 - 0.011
Colorado	440	0.011	0.010 - 0.013	283	0.015	0.013 - 0.017	157	0.008	0.007 - 0.010
Connecticut	389	0.016	0.014 - 0.017	223	0.018	0.016 - 0.021	167	0.013	0.011 - 0.015
Delaware	81	0.013	0.011 - 0.017	52	0.018	0.013 - 0.023	29	0.009	0.006 - 0.013
Florida	2,181	0.019	0.018 - 0.020	1,245	0.022	0.021 - 0.024	936	0.016	0.015 - 0.017
Georgia	653	0.012	0.011 - 0.013	380	0.014	0.012 - 0.015	273	0.010	0.009 - 0.011
Hawaii	33	0.011	0.007 - 0.015	22	0.013	0.008 - 0.020	11	0.008	0.004 - 0.014
Idaho	172	0.012	0.011 - 0.014	97	0.014	0.011 - 0.017	75	0.011	0.008 - 0.013
Illinois	942	0.012	0.011 - 0.012	531	0.013	0.012 - 0.015	411	0.010	0.009 - 0.011
Iowa	393	0.014	0.013 - 0.016	232	0.017	0.015 - 0.020	161	0.012	0.010 - 0.014
Kentucky	453	0.012	0.011 - 0.013	268	0.014	0.013 - 0.016	186	0.010	0.008 - 0.011
Louisiana	355	0.013	0.011 - 0.014	199	0.014	0.013 - 0.017	156	0.011	0.009 - 0.013
Maine	153	0.012	0.010 - 0.014	83	0.013	0.011 - 0.017	70	0.011	0.008 - 0.014
Maryland	402	0.013	0.011 - 0.014	215	0.014	0.012 - 0.016	187	0.012	0.010 - 0.013
Michigan	981	0.013	0.012 - 0.014	575	0.015	0.014 - 0.017	406	0.011	0.010 - 0.012
MI - Detroit	362	0.014	0.013 - 0.016	210	0.017	0.015 - 0.019	152	0.012	0.010 - 0.014
Minnesota	605	0.013	0.012 - 0.015	344	0.015	0.014 - 0.017	261	0.012	0.010 - 0.013
Mississippi	185	0.011	0.009 - 0.012	107	0.013	0.010 - 0.015	78	0.009	0.007 - 0.011
Missouri	578	0.012	0.011 - 0.013	353	0.015	0.013 - 0.016	225	0.009	0.008 - 0.010
Montana	121	0.013	0.011 - 0.016	80	0.017	0.014 - 0.022	41	0.009	0.006 - 0.012
Nebraska	190	0.012	0.011 - 0.014	115	0.015	0.013 - 0.018	75	0.010	0.008 - 0.012
New Hampshire	157	0.013	0.011 - 0.015	96	0.016	0.013 - 0.019	61	0.010	0.008 - 0.013
New Jersey	758	0.015	0.014 - 0.016	423	0.017	0.015 - 0.019	335	0.013	0.012 - 0.014
New Mexico	103	0.013	0.010 - 0.015	64	0.016	0.012 - 0.020	39	0.010	0.007 - 0.013
New York	1,808	0.016	0.015 - 0.017	1,028	0.019	0.018 - 0.020	780	0.014	0.013 - 0.015
North Carolina	835	0.013	0.012 - 0.014	494	0.016	0.014 - 0.017	341	0.010	0.009 - 0.011
North Dakota	78	0.012	0.009 - 0.015	52	0.016	0.012 - 0.020	26	0.008	0.005 - 0.012
Ohio	916	0.010	0.009 - 0.010	546	0.012	0.011 - 0.013	370	0.008	0.007 - 0.009
Oklahoma	300	0.011	0.010 - 0.012	176	0.013	0.011 - 0.015	124	0.009	0.007 - 0.011
Oregon	329	0.010	0.009 - 0.012	182	0.012	0.010 - 0.013	147	0.009	0.008 - 0.011
Pennsylvania	1,370	0.014	0.013 - 0.014	796	0.016	0.015 - 0.017	574	0.011	0.010 - 0.012
Rhode Island	97	0.012	0.010 - 0.015	58	0.015	0.012 - 0.020	39	0.010	0.007 - 0.013
South Carolina	416	0.013	0.012 - 0.014	236	0.015	0.013 - 0.017	180	0.011	0.010 - 0.013
Tennessee	532	0.011	0.010 - 0.012	298	0.012	0.011 - 0.014	234	0.009	0.008 - 0.010
Texas	1,642	0.014	0.013 - 0.014	908	0.015	0.014 - 0.016	734	0.012	0.011 - 0.013
Utah	201	0.008	0.007 - 0.010	122	0.010	0.008 - 0.012	79	0.007	0.005 - 0.008
Vermont	68	0.012	0.009 - 0.015	46	0.016	0.012 - 0.021	22	0.007	0.005 - 0.011
Virginia	520	0.010	0.009 - 0.011	295	0.011	0.010 - 0.012	225	0.008	0.007 - 0.009
Washington	639	0.012	0.011 - 0.013	393	0.015	0.014 - 0.017	246	0.009	0.008 - 0.011
WA - Seattle	460	0.013	0.012 - 0.014	290	0.017	0.015 - 0.019	170	0.010	0.008 - 0.011
West Virginia	203	0.012	0.010 - 0.014	123	0.015	0.012 - 0.017	80	0.009	0.007 - 0.011
Wisconsin	678	0.014	0.013 - 0.015	405	0.017	0.016 - 0.019	273	0.011	0.010 - 0.013
Wyoming	54	0.011	0.008 - 0.014	27	0.011	0.007 - 0.015	27	0.011	0.007 - 0.016

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**50,817**	**0.027**	**0.027 - 0.028**	**30,299**	**0.033**	**0.033 - 0.033**	**20,519**	**0.022**	**0.021 - 0.022**
Alabama	709	0.022	0.020 - 0.024	419	0.026	0.024 - 0.029	290	0.018	0.016 - 0.020
Alaska	81	0.017	0.013 - 0.021	52	0.020	0.015 - 0.027	29	0.013	0.009 - 0.019
Arizona	734	0.019	0.018 - 0.020	444	0.023	0.021 - 0.025	290	0.015	0.013 - 0.017
Arkansas	582	0.026	0.024 - 0.029	356	0.033	0.029 - 0.036	226	0.020	0.018 - 0.023
California	4,007	0.026	0.025 - 0.027	2,407	0.031	0.030 - 0.033	1,600	0.021	0.020 - 0.022
CA - Greater California	2,471	0.026	0.025 - 0.027	1,463	0.031	0.029 - 0.032	1,008	0.021	0.020 - 0.022
CA - Greater Bay Area	795	0.027	0.025 - 0.029	503	0.034	0.031 - 0.037	292	0.020	0.018 - 0.022
CA - Los Angeles	742	0.027	0.025 - 0.028	440	0.031	0.028 - 0.034	301	0.022	0.019 - 0.024
Colorado	841	0.022	0.020 - 0.023	523	0.027	0.025 - 0.030	318	0.017	0.015 - 0.019
Connecticut	701	0.028	0.026 - 0.031	402	0.033	0.030 - 0.037	298	0.024	0.021 - 0.026
Delaware	175	0.029	0.025 - 0.033	111	0.038	0.031 - 0.046	64	0.020	0.016 - 0.026
Florida	5,273	0.046	0.045 - 0.048	3,116	0.056	0.054 - 0.058	2,157	0.037	0.036 - 0.039
Georgia	1,449	0.026	0.025 - 0.027	869	0.032	0.030 - 0.034	581	0.020	0.019 - 0.022
Hawaii	80	0.026	0.020 - 0.032	55	0.033	0.025 - 0.043	25	0.018	0.011 - 0.026
Idaho	399	0.029	0.026 - 0.032	239	0.034	0.030 - 0.039	160	0.023	0.020 - 0.027
Illinois	1,881	0.023	0.022 - 0.024	1,114	0.028	0.027 - 0.030	767	0.019	0.017 - 0.020
Iowa	832	0.031	0.028 - 0.033	517	0.038	0.035 - 0.042	315	0.023	0.020 - 0.026
Kentucky	974	0.026	0.024 - 0.027	575	0.031	0.028 - 0.033	399	0.021	0.019 - 0.023
Louisiana	761	0.027	0.025 - 0.029	439	0.032	0.029 - 0.035	323	0.023	0.020 - 0.025
Maine	364	0.029	0.026 - 0.032	202	0.033	0.028 - 0.038	162	0.025	0.021 - 0.029
Maryland	750	0.024	0.022 - 0.025	431	0.028	0.025 - 0.031	319	0.020	0.018 - 0.022
Michigan	1,931	0.025	0.024 - 0.027	1,162	0.031	0.029 - 0.033	769	0.020	0.019 - 0.021
MI - Detroit	788	0.031	0.029 - 0.034	474	0.038	0.035 - 0.042	314	0.025	0.022 - 0.027
Minnesota	1,297	0.029	0.027 - 0.030	831	0.037	0.035 - 0.040	466	0.021	0.019 - 0.022
Mississippi	401	0.023	0.021 - 0.026	232	0.028	0.024 - 0.031	169	0.019	0.017 - 0.022
Missouri	1,155	0.023	0.022 - 0.025	678	0.028	0.026 - 0.030	477	0.019	0.017 - 0.021
Montana	263	0.029	0.026 - 0.033	168	0.037	0.031 - 0.043	96	0.021	0.017 - 0.026
Nebraska	339	0.022	0.020 - 0.025	195	0.026	0.022 - 0.030	144	0.019	0.016 - 0.022
New Hampshire	296	0.024	0.021 - 0.027	193	0.032	0.028 - 0.037	103	0.017	0.014 - 0.020
New Jersey	1,555	0.031	0.029 - 0.032	925	0.037	0.035 - 0.040	629	0.024	0.022 - 0.026
New Mexico	268	0.033	0.029 - 0.037	150	0.038	0.032 - 0.044	118	0.029	0.024 - 0.035
New York	4,130	0.037	0.036 - 0.038	2,439	0.044	0.043 - 0.046	1,691	0.029	0.028 - 0.031
North Carolina	1,748	0.027	0.026 - 0.028	1,047	0.033	0.031 - 0.035	701	0.021	0.020 - 0.023
North Dakota	176	0.027	0.023 - 0.031	105	0.032	0.026 - 0.038	71	0.022	0.017 - 0.028
Ohio	1,850	0.020	0.019 - 0.021	1,110	0.024	0.023 - 0.026	740	0.016	0.014 - 0.017
Oklahoma	657	0.024	0.022 - 0.026	392	0.029	0.027 - 0.032	265	0.019	0.017 - 0.022
Oregon	710	0.022	0.021 - 0.024	418	0.027	0.024 - 0.029	292	0.018	0.016 - 0.020
Pennsylvania	2,858	0.029	0.028 - 0.030	1,711	0.035	0.033 - 0.037	1,147	0.023	0.021 - 0.024
Rhode Island	217	0.028	0.024 - 0.032	133	0.035	0.029 - 0.042	84	0.021	0.016 - 0.026
South Carolina	788	0.025	0.023 - 0.027	467	0.030	0.027 - 0.033	321	0.020	0.018 - 0.022
Tennessee	1,203	0.024	0.023 - 0.026	715	0.029	0.027 - 0.032	488	0.019	0.017 - 0.021
Texas	3,356	0.028	0.027 - 0.029	1,959	0.033	0.031 - 0.034	1,397	0.023	0.022 - 0.024
Utah	425	0.018	0.016 - 0.019	260	0.021	0.019 - 0.024	165	0.014	0.012 - 0.016
Vermont	142	0.024	0.020 - 0.028	79	0.027	0.022 - 0.034	63	0.021	0.016 - 0.027
Virginia	961	0.018	0.017 - 0.019	536	0.020	0.019 - 0.022	425	0.016	0.014 - 0.017
Washington	1,392	0.027	0.026 - 0.028	852	0.033	0.031 - 0.035	540	0.021	0.019 - 0.023
WA - Seattle	1,072	0.031	0.029 - 0.033	653	0.037	0.035 - 0.040	419	0.024	0.022 - 0.026
West Virginia	463	0.027	0.025 - 0.030	280	0.033	0.029 - 0.037	183	0.021	0.018 - 0.024
Wisconsin	1,532	0.032	0.031 - 0.034	924	0.039	0.037 - 0.042	608	0.025	0.023 - 0.027
Wyoming	111	0.022	0.018 - 0.027	67	0.026	0.020 - 0.033	44	0.018	0.013 - 0.024

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic White, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**2,413**	**0.001**	**0.001 - 0.001**	**1,751**	**0.002**	**0.002 - 0.002**	**662**	**0.001**	**0.001 - 0.001**
Alabama	19	0.001	0.000 - 0.001	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	54	0.001	0.001 - 0.002	40	0.002	0.001 - 0.003	14	0.001	0.000 - 0.001
Arkansas	17	0.001	0.000 - 0.001	-	-		-	-	
California	217	0.001	0.001 - 0.002	150	0.002	0.002 - 0.002	66	0.001	0.001 - 0.001
CA - Greater California	141	0.001	0.001 - 0.002	97	0.002	0.002 - 0.002	44	0.001	0.001 - 0.001
CA - Greater Bay Area	46	0.002	0.001 - 0.002	33	0.002	0.002 - 0.003	13	0.001	0.000 - 0.002
CA - Los Angeles	30	0.001	0.001 - 0.002	-	-		-	-	
Colorado	33	0.001	0.001 - 0.001	-	-		-	-	
Connecticut	36	0.001	0.001 - 0.002	-	-		-	-	
Delaware	13	0.002	0.001 - 0.004	-	-		-	-	
Florida	198	0.002	0.002 - 0.002	146	0.003	0.002 - 0.003	52	0.001	0.001 - 0.001
Georgia	40	0.001	0.001 - 0.001	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	19	0.001	0.001 - 0.002	-	-		-	-	
Illinois	121	0.002	0.001 - 0.002	86	0.002	0.002 - 0.003	35	0.001	0.001 - 0.001
Iowa	31	0.001	0.001 - 0.002	-	-		-	-	
Kentucky	28	0.001	0.000 - 0.001	-	-		-	-	
Louisiana	65	0.002	0.002 - 0.003	49	0.004	0.003 - 0.005	16	0.001	0.001 - 0.002
Maine	24	0.002	0.001 - 0.003	-	-		-	-	
Maryland	41	0.001	0.001 - 0.002	26	0.002	0.001 - 0.002	15	0.001	0.001 - 0.002
Michigan	105	0.001	0.001 - 0.002	69	0.002	0.001 - 0.002	36	0.001	0.001 - 0.001
MI - Detroit	35	0.001	0.001 - 0.002	22	0.002	0.001 - 0.003	13	0.001	0.001 - 0.002
Minnesota	74	0.002	0.001 - 0.002	58	0.003	0.002 - 0.003	16	0.001	0.000 - 0.001
Mississippi	25	0.001	0.001 - 0.002	-	-		-	-	
Missouri	45	0.001	0.001 - 0.001	32	0.001	0.001 - 0.002	13	0.001	0.000 - 0.001
Montana	14	0.002	0.001 - 0.003	-	-		-	-	
Nebraska	13	0.001	0.000 - 0.001	-	-		-	-	
New Hampshire	21	0.002	0.001 - 0.003	-	-		-	-	
New Jersey	95	0.002	0.002 - 0.002	64	0.003	0.002 - 0.003	31	0.001	0.001 - 0.002
New Mexico	-	-		-	-		-	-	
New York	169	0.002	0.001 - 0.002	128	0.002	0.002 - 0.003	41	0.001	0.001 - 0.001
North Carolina	67	0.001	0.001 - 0.001	52	0.002	0.001 - 0.002	15	0.000	0.000 - 0.001
North Dakota	-	-		-	-		-	-	
Ohio	114	0.001	0.001 - 0.001	89	0.002	0.002 - 0.002	25	0.001	0.000 - 0.001
Oklahoma	17	0.001	0.000 - 0.001	-	-		-	-	
Oregon	36	0.001	0.001 - 0.002	23	0.001	0.001 - 0.002	13	0.001	0.000 - 0.001
Pennsylvania	159	0.002	0.001 - 0.002	106	0.002	0.002 - 0.003	53	0.001	0.001 - 0.001
Rhode Island	11	0.001	0.001 - 0.003	-	-		-	-	
South Carolina	49	0.002	0.001 - 0.002	35	0.002	0.002 - 0.003	14	0.001	0.000 - 0.001
Tennessee	37	0.001	0.001 - 0.001	-	-		-	-	
Texas	122	0.001	0.001 - 0.001	84	0.001	0.001 - 0.002	38	0.001	0.000 - 0.001
Utah	14	0.001	0.000 - 0.001	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	57	0.001	0.001 - 0.001	41	0.002	0.001 - 0.002	16	0.001	0.000 - 0.001
Washington	76	0.001	0.001 - 0.002	56	0.002	0.002 - 0.003	20	0.001	0.000 - 0.001
WA - Seattle	56	0.002	0.001 - 0.002	42	0.002	0.002 - 0.003	14	0.001	0.000 - 0.001
West Virginia	24	0.001	0.001 - 0.002	-	-		-	-	
Wisconsin	75	0.002	0.001 - 0.002	59	0.002	0.002 - 0.003	16	0.001	0.000 - 0.001
Wyoming	12	0.002	0.001 - 0.004	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**248,302**	**0.621**	**0.618 - 0.623**	**122,381**	**0.640**	**0.636 - 0.643**	**125,921**	**0.604**	**0.600 - 0.607**
Alabama	8,289	0.633	0.620 - 0.647	4,162	0.682	0.661 - 0.703	4,127	0.591	0.573 - 0.609
Alaska	103	0.325	0.265 - 0.394	52	0.292	0.218 - 0.383	51	0.367	0.273 - 0.483
Arizona	1,285	0.400	0.378 - 0.422	634	0.379	0.350 - 0.410	651	0.422	0.390 - 0.456
Arkansas	3,003	0.632	0.609 - 0.655	1,568	0.692	0.658 - 0.727	1,435	0.577	0.547 - 0.608
California	14,947	0.616	0.606 - 0.626	7,302	0.607	0.593 - 0.621	7,645	0.625	0.611 - 0.639
CA - Greater California	6,118	0.547	0.534 - 0.561	3,085	0.536	0.517 - 0.555	3,033	0.560	0.540 - 0.580
CA - Greater Bay Area	3,222	0.719	0.694 - 0.744	1,604	0.726	0.691 - 0.763	1,618	0.712	0.677 - 0.747
CA - Los Angeles	5,610	0.653	0.636 - 0.670	2,614	0.645	0.620 - 0.670	2,996	0.660	0.637 - 0.684
Colorado	1,201	0.482	0.455 - 0.510	678	0.512	0.474 - 0.552	523	0.448	0.410 - 0.488
Connecticut	2,346	0.618	0.593 - 0.643	1,150	0.634	0.598 - 0.671	1,196	0.603	0.569 - 0.638
Delaware	1,517	0.712	0.676 - 0.748	748	0.744	0.692 - 0.800	769	0.682	0.635 - 0.732
Florida	17,564	0.534	0.526 - 0.542	8,752	0.553	0.542 - 0.565	8,812	0.516	0.506 - 0.527
Georgia	18,786	0.577	0.568 - 0.585	9,185	0.603	0.591 - 0.615	9,601	0.554	0.543 - 0.565
Hawaii	152	0.412	0.349 - 0.483	107	0.484	0.396 - 0.585	45	0.305	0.223 - 0.409
Idaho	42	0.260	0.188 - 0.352	23	0.251	0.159 - 0.377	19	0.272	0.164 - 0.425
Illinois	13,212	0.702	0.690 - 0.714	6,252	0.706	0.689 - 0.724	6,960	0.698	0.682 - 0.714
Iowa	535	0.421	0.386 - 0.458	304	0.451	0.402 - 0.505	232	0.387	0.339 - 0.440
Kentucky	2,251	0.590	0.566 - 0.615	1,097	0.578	0.545 - 0.614	1,155	0.601	0.567 - 0.637
Louisiana	9,962	0.652	0.639 - 0.665	4,999	0.689	0.670 - 0.708	4,963	0.619	0.602 - 0.636
Maine	63	0.275	0.211 - 0.352	32	0.255	0.174 - 0.360	31	0.299	0.203 - 0.425
Maryland	12,433	0.679	0.667 - 0.691	5,956	0.697	0.679 - 0.715	6,477	0.663	0.647 - 0.680
Michigan	9,728	0.671	0.657 - 0.684	4,677	0.677	0.658 - 0.697	5,051	0.664	0.646 - 0.683
MI - Detroit	7,308	0.745	0.728 - 0.762	3,472	0.770	0.744 - 0.796	3,836	0.724	0.701 - 0.747
Minnesota	1,419	0.386	0.367 - 0.407	752	0.401	0.373 - 0.431	667	0.371	0.343 - 0.400
Mississippi	7,278	0.645	0.630 - 0.660	3,859	0.727	0.705 - 0.751	3,419	0.571	0.552 - 0.591
Missouri	4,721	0.632	0.614 - 0.650	2,242	0.630	0.604 - 0.656	2,479	0.634	0.610 - 0.660
Montana	18	0.214	0.127 - 0.337	-	-		-	-	
Nebraska	508	0.500	0.458 - 0.546	280	0.539	0.478 - 0.606	228	0.460	0.402 - 0.523
New Hampshire	59	0.291	0.221 - 0.375	33	0.293	0.201 - 0.411	26	0.288	0.188 - 0.422
New Jersey	8,384	0.699	0.684 - 0.714	3,965	0.701	0.680 - 0.723	4,419	0.697	0.677 - 0.718
New Mexico	209	0.468	0.407 - 0.536	117	0.468	0.387 - 0.561	92	0.468	0.377 - 0.574
New York	21,514	0.717	0.708 - 0.727	10,571	0.757	0.743 - 0.772	10,943	0.682	0.670 - 0.695
North Carolina	15,464	0.694	0.683 - 0.705	7,648	0.733	0.716 - 0.749	7,816	0.659	0.645 - 0.674
North Dakota	40	0.174	0.124 - 0.237	25	0.186	0.120 - 0.274	15	0.157	0.088 - 0.260
Ohio	9,542	0.619	0.606 - 0.631	4,588	0.620	0.603 - 0.639	4,954	0.617	0.600 - 0.635
Oklahoma	1,727	0.525	0.500 - 0.550	884	0.537	0.502 - 0.574	843	0.512	0.478 - 0.548
Oregon	458	0.472	0.429 - 0.517	264	0.510	0.450 - 0.575	194	0.428	0.370 - 0.493
Pennsylvania	9,992	0.688	0.674 - 0.701	4,774	0.683	0.664 - 0.703	5,218	0.692	0.674 - 0.711
Rhode Island	309	0.445	0.396 - 0.497	145	0.420	0.354 - 0.494	164	0.469	0.400 - 0.546
South Carolina	9,143	0.670	0.656 - 0.684	4,639	0.725	0.704 - 0.746	4,504	0.621	0.603 - 0.639
Tennessee	6,739	0.587	0.573 - 0.601	3,257	0.599	0.579 - 0.620	3,482	0.576	0.557 - 0.596
Texas	18,013	0.536	0.529 - 0.544	8,847	0.544	0.533 - 0.556	9,166	0.529	0.518 - 0.540
Utah	117	0.287	0.237 - 0.344	73	0.314	0.246 - 0.395	45	0.251	0.183 - 0.336
Vermont	35	0.362	0.252 - 0.504	19	0.354	0.213 - 0.553	16	0.372	0.213 - 0.604
Virginia	10,737	0.644	0.632 - 0.656	5,332	0.667	0.649 - 0.685	5,405	0.623	0.606 - 0.640
Washington	1,496	0.448	0.425 - 0.471	836	0.469	0.437 - 0.502	660	0.424	0.392 - 0.457
WA - Seattle	1,434	0.493	0.468 - 0.519	800	0.519	0.484 - 0.557	634	0.464	0.428 - 0.501
West Virginia	473	0.652	0.594 - 0.713	273	0.700	0.620 - 0.789	200	0.595	0.515 - 0.683
Wisconsin	2,458	0.620	0.596 - 0.645	1,247	0.640	0.605 - 0.677	1,211	0.601	0.568 - 0.636
Wyoming	30	0.349	0.235 - 0.498	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**5,264**	**0.013**	**0.013 - 0.014**	**3,552**	**0.019**	**0.018 - 0.019**	**1,712**	**0.008**	**0.008 - 0.009**
Alabama	190	0.015	0.013 - 0.017	124	0.020	0.017 - 0.024	66	0.009	0.007 - 0.012
Alaska	-	-		-	-		-	-	
Arizona	23	0.007	0.005 - 0.011	-	-		-	-	
Arkansas	88	0.019	0.015 - 0.023	61	0.027	0.021 - 0.035	27	0.011	0.007 - 0.016
California	345	0.014	0.013 - 0.016	246	0.020	0.018 - 0.023	99	0.008	0.007 - 0.010
CA - Greater California	144	0.013	0.011 - 0.015	101	0.018	0.014 - 0.021	43	0.008	0.006 - 0.011
CA - Greater Bay Area	70	0.016	0.012 - 0.020	52	0.024	0.018 - 0.031	18	0.008	0.005 - 0.013
CA - Los Angeles	132	0.015	0.013 - 0.018	93	0.023	0.019 - 0.028	39	0.008	0.006 - 0.012
Colorado	25	0.010	0.006 - 0.015	-	-		-	-	
Connecticut	47	0.012	0.009 - 0.016	36	0.020	0.014 - 0.027	11	0.006	0.003 - 0.010
Delaware	26	0.012	0.008 - 0.018	-	-		-	-	
Florida	356	0.011	0.010 - 0.012	247	0.016	0.014 - 0.018	109	0.006	0.005 - 0.008
Georgia	406	0.012	0.011 - 0.014	257	0.017	0.015 - 0.019	149	0.009	0.007 - 0.010
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	317	0.017	0.015 - 0.019	207	0.023	0.020 - 0.027	110	0.011	0.009 - 0.013
Iowa	17	0.013	0.008 - 0.021	-	-		-	-	
Kentucky	59	0.015	0.012 - 0.020	41	0.022	0.016 - 0.029	18	0.009	0.006 - 0.015
Louisiana	190	0.012	0.011 - 0.014	127	0.017	0.015 - 0.021	63	0.008	0.006 - 0.010
Maine	-	-		-	-		-	-	
Maryland	249	0.014	0.012 - 0.015	166	0.019	0.017 - 0.023	83	0.009	0.007 - 0.011
Michigan	217	0.015	0.013 - 0.017	140	0.020	0.017 - 0.024	77	0.010	0.008 - 0.013
MI - Detroit	154	0.016	0.013 - 0.018	102	0.023	0.018 - 0.027	52	0.010	0.007 - 0.013
Minnesota	39	0.011	0.008 - 0.015	27	0.014	0.009 - 0.021	12	0.007	0.003 - 0.012
Mississippi	145	0.013	0.011 - 0.015	103	0.019	0.016 - 0.024	42	0.007	0.005 - 0.009
Missouri	105	0.014	0.011 - 0.017	66	0.019	0.014 - 0.024	39	0.010	0.007 - 0.014
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	166	0.014	0.012 - 0.016	114	0.020	0.017 - 0.024	52	0.008	0.006 - 0.011
New Mexico	-	-		-	-		-	-	
New York	380	0.013	0.011 - 0.014	233	0.017	0.015 - 0.019	147	0.009	0.008 - 0.011
North Carolina	336	0.015	0.014 - 0.017	231	0.022	0.019 - 0.025	105	0.009	0.007 - 0.011
North Dakota	-	-		-	-		-	-	
Ohio	200	0.013	0.011 - 0.015	137	0.019	0.016 - 0.022	63	0.008	0.006 - 0.010
Oklahoma	30	0.009	0.006 - 0.013	-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	225	0.015	0.014 - 0.018	151	0.022	0.018 - 0.025	74	0.010	0.008 - 0.012
Rhode Island	-	-		-	-		-	-	
South Carolina	209	0.015	0.013 - 0.018	147	0.023	0.019 - 0.027	62	0.009	0.007 - 0.011
Tennessee	134	0.012	0.010 - 0.014	86	0.016	0.013 - 0.020	48	0.008	0.006 - 0.011
Texas	373	0.011	0.010 - 0.012	246	0.015	0.013 - 0.017	127	0.007	0.006 - 0.009
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	226	0.014	0.012 - 0.015	166	0.021	0.018 - 0.024	60	0.007	0.005 - 0.009
Washington	32	0.010	0.007 - 0.014	-	-		-	-	
WA - Seattle	33	0.011	0.008 - 0.016	23	0.015	0.009 - 0.022	10	0.007	0.004 - 0.013
West Virginia	12	0.017	0.009 - 0.029	-	-		-	-	
Wisconsin	57	0.014	0.011 - 0.019	43	0.022	0.016 - 0.030	14	0.007	0.004 - 0.012
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**1,329**	**0.003**	**0.003 - 0.004**	**865**	**0.005**	**0.004 - 0.005**	**464**	**0.002**	**0.002 - 0.002**
Alabama	65	0.005	0.004 - 0.006	43	0.007	0.005 - 0.009	22	0.003	0.002 - 0.005
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	57	0.002	0.002 - 0.003	30	0.002	0.002 - 0.004	27	0.002	0.001 - 0.003
CA - Greater California	20	0.002	0.001 - 0.003	10	0.002	0.001 - 0.003	10	0.002	0.001 - 0.003
CA - Greater Bay Area	18	0.004	0.002 - 0.006	-	-		-	-	
CA - Los Angeles	19	0.002	0.001 - 0.003	-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	16	0.004	0.002 - 0.007	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	106	0.003	0.003 - 0.004	67	0.004	0.003 - 0.005	39	0.002	0.002 - 0.003
Georgia	99	0.003	0.002 - 0.004	70	0.005	0.004 - 0.006	29	0.002	0.001 - 0.002
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	77	0.004	0.003 - 0.005	51	0.006	0.004 - 0.008	26	0.003	0.002 - 0.004
Iowa	-	-		-	-		-	-	
Kentucky	12	0.003	0.002 - 0.005	-	-		-	-	
Louisiana	50	0.003	0.002 - 0.004	33	0.005	0.003 - 0.006	17	0.002	0.001 - 0.003
Maine	-	-		-	-		-	-	
Maryland	65	0.004	0.003 - 0.005	39	0.005	0.003 - 0.006	26	0.003	0.002 - 0.004
Michigan	69	0.005	0.004 - 0.006	44	0.006	0.005 - 0.009	25	0.003	0.002 - 0.005
MI - Detroit	49	0.005	0.004 - 0.007	33	0.007	0.005 - 0.010	16	0.003	0.002 - 0.005
Minnesota	13	0.004	0.002 - 0.006	-	-		-	-	
Mississippi	57	0.005	0.004 - 0.007	45	0.008	0.006 - 0.011	12	0.002	0.001 - 0.004
Missouri	24	0.003	0.002 - 0.005	14	0.004	0.002 - 0.007	10	0.003	0.001 - 0.005
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	40	0.003	0.002 - 0.005	24	0.004	0.003 - 0.006	16	0.003	0.001 - 0.004
New Mexico	-	-		-	-		-	-	
New York	103	0.003	0.003 - 0.004	69	0.005	0.004 - 0.006	34	0.002	0.001 - 0.003
North Carolina	80	0.004	0.003 - 0.004	50	0.005	0.004 - 0.006	30	0.003	0.002 - 0.004
North Dakota	-	-		-	-		-	-	
Ohio	37	0.002	0.002 - 0.003	16	0.002	0.001 - 0.004	21	0.003	0.002 - 0.004
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	54	0.004	0.003 - 0.005	38	0.005	0.004 - 0.007	16	0.002	0.001 - 0.003
Rhode Island	-	-		-	-		-	-	
South Carolina	55	0.004	0.003 - 0.005	39	0.006	0.004 - 0.008	16	0.002	0.001 - 0.004
Tennessee	41	0.004	0.003 - 0.005	28	0.005	0.003 - 0.007	13	0.002	0.001 - 0.004
Texas	79	0.002	0.002 - 0.003	60	0.004	0.003 - 0.005	19	0.001	0.001 - 0.002
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	58	0.003	0.003 - 0.004	38	0.005	0.003 - 0.007	20	0.002	0.001 - 0.004
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	19	0.005	0.003 - 0.007	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,142**	**0.010**	**0.010 - 0.011**	**2,262**	**0.012**	**0.011 - 0.012**	**1,880**	**0.009**	**0.009 - 0.009**
Alabama	148	0.011	0.010 - 0.013	79	0.013	0.010 - 0.016	69	0.010	0.008 - 0.012
Alaska	-	-		-	-		-	-	
Arizona	25	0.008	0.005 - 0.011	13	0.008	0.004 - 0.013	12	0.008	0.004 - 0.014
Arkansas	42	0.009	0.006 - 0.012	30	0.013	0.009 - 0.019	12	0.005	0.002 - 0.008
California	215	0.009	0.008 - 0.010	119	0.010	0.008 - 0.012	95	0.008	0.006 - 0.010
CA - Greater California	77	0.007	0.005 - 0.009	42	0.007	0.005 - 0.010	35	0.006	0.004 - 0.009
CA - Greater Bay Area	50	0.011	0.008 - 0.015	30	0.014	0.009 - 0.019	20	0.009	0.006 - 0.014
CA - Los Angeles	88	0.010	0.008 - 0.013	47	0.012	0.009 - 0.016	40	0.009	0.006 - 0.012
Colorado	18	0.007	0.004 - 0.011	-	-		-	-	
Connecticut	63	0.017	0.013 - 0.021	39	0.021	0.015 - 0.029	24	0.012	0.008 - 0.018
Delaware	20	0.009	0.006 - 0.014	-	-		-	-	
Florida	321	0.010	0.009 - 0.011	188	0.012	0.010 - 0.014	133	0.008	0.007 - 0.009
Georgia	297	0.009	0.008 - 0.010	159	0.010	0.009 - 0.012	139	0.008	0.007 - 0.009
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	232	0.012	0.011 - 0.014	118	0.013	0.011 - 0.016	114	0.011	0.009 - 0.014
Iowa	-	-		-	-		-	-	
Kentucky	44	0.012	0.008 - 0.015	23	0.012	0.008 - 0.018	21	0.011	0.007 - 0.017
Louisiana	177	0.012	0.010 - 0.013	100	0.014	0.011 - 0.017	78	0.010	0.008 - 0.012
Maine	-	-		-	-		-	-	
Maryland	182	0.010	0.009 - 0.011	89	0.010	0.008 - 0.013	93	0.010	0.008 - 0.012
Michigan	159	0.011	0.009 - 0.013	82	0.012	0.009 - 0.015	77	0.010	0.008 - 0.013
MI - Detroit	113	0.012	0.009 - 0.014	64	0.014	0.011 - 0.018	49	0.009	0.007 - 0.012
Minnesota	18	0.005	0.003 - 0.008	-	-		-	-	
Mississippi	112	0.010	0.008 - 0.012	58	0.011	0.008 - 0.014	54	0.009	0.007 - 0.012
Missouri	69	0.009	0.007 - 0.012	41	0.012	0.008 - 0.016	28	0.007	0.005 - 0.010
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	148	0.012	0.010 - 0.014	81	0.014	0.011 - 0.018	67	0.011	0.008 - 0.013
New Mexico	-	-		-	-		-	-	
New York	437	0.015	0.013 - 0.016	231	0.017	0.014 - 0.019	206	0.013	0.011 - 0.015
North Carolina	232	0.010	0.009 - 0.012	117	0.011	0.009 - 0.013	115	0.010	0.008 - 0.012
North Dakota	-	-		-	-		-	-	
Ohio	155	0.010	0.009 - 0.012	73	0.010	0.008 - 0.012	82	0.010	0.008 - 0.013
Oklahoma	24	0.007	0.005 - 0.011	11	0.007	0.003 - 0.012	13	0.008	0.004 - 0.014
Oregon	-	-		-	-		-	-	
Pennsylvania	142	0.010	0.008 - 0.012	89	0.013	0.010 - 0.016	53	0.007	0.005 - 0.009
Rhode Island	-	-		-	-		-	-	
South Carolina	185	0.014	0.012 - 0.016	110	0.017	0.014 - 0.021	75	0.010	0.008 - 0.013
Tennessee	94	0.008	0.007 - 0.010	51	0.009	0.007 - 0.012	43	0.007	0.005 - 0.010
Texas	307	0.009	0.008 - 0.010	168	0.010	0.009 - 0.012	139	0.008	0.007 - 0.009
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	161	0.010	0.008 - 0.011	93	0.012	0.009 - 0.014	68	0.008	0.006 - 0.010
Washington	25	0.007	0.005 - 0.011	12	0.007	0.003 - 0.012	13	0.008	0.004 - 0.014
WA - Seattle	25	0.009	0.006 - 0.013	13	0.008	0.004 - 0.014	12	0.009	0.005 - 0.016
West Virginia	-	-		-	-		-	-	
Wisconsin	36	0.009	0.006 - 0.013	18	0.009	0.005 - 0.015	18	0.009	0.005 - 0.014
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**25,524**	**0.064**	**0.063 - 0.065**	**12,690**	**0.066**	**0.065 - 0.067**	**12,834**	**0.062**	**0.060 - 0.063**
Alabama	964	0.074	0.069 - 0.078	474	0.078	0.071 - 0.085	490	0.070	0.064 - 0.077
Alaska	-	-		-	-		-	-	
Arizona	109	0.034	0.028 - 0.041	49	0.029	0.022 - 0.039	60	0.039	0.030 - 0.050
Arkansas	314	0.066	0.059 - 0.074	153	0.067	0.057 - 0.079	161	0.065	0.055 - 0.076
California	1,529	0.063	0.060 - 0.066	763	0.063	0.059 - 0.068	766	0.063	0.058 - 0.067
CA - Greater California	645	0.058	0.053 - 0.062	349	0.061	0.054 - 0.067	295	0.055	0.048 - 0.061
CA - Greater Bay Area	328	0.073	0.065 - 0.082	158	0.071	0.061 - 0.084	170	0.075	0.064 - 0.087
CA - Los Angeles	557	0.065	0.060 - 0.070	256	0.063	0.056 - 0.071	301	0.066	0.059 - 0.074
Colorado	124	0.050	0.041 - 0.059	64	0.048	0.037 - 0.062	60	0.051	0.039 - 0.066
Connecticut	204	0.054	0.047 - 0.062	109	0.060	0.049 - 0.072	96	0.048	0.039 - 0.059
Delaware	151	0.071	0.060 - 0.083	82	0.082	0.065 - 0.101	69	0.061	0.048 - 0.077
Florida	1,848	0.056	0.054 - 0.059	949	0.060	0.056 - 0.064	899	0.053	0.049 - 0.056
Georgia	1,961	0.060	0.058 - 0.063	936	0.061	0.058 - 0.066	1,025	0.059	0.056 - 0.063
Hawaii	13	0.035	0.019 - 0.060	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	1,409	0.075	0.071 - 0.079	700	0.079	0.073 - 0.085	709	0.071	0.066 - 0.077
Iowa	50	0.039	0.029 - 0.052	34	0.050	0.035 - 0.070	16	0.027	0.015 - 0.043
Kentucky	242	0.063	0.056 - 0.072	124	0.065	0.054 - 0.078	118	0.061	0.051 - 0.074
Louisiana	1,184	0.078	0.073 - 0.082	591	0.081	0.075 - 0.088	594	0.074	0.068 - 0.080
Maine	-	-		-	-		-	-	
Maryland	1,139	0.062	0.059 - 0.066	535	0.063	0.057 - 0.068	604	0.062	0.057 - 0.067
Michigan	1,021	0.070	0.066 - 0.075	491	0.071	0.065 - 0.078	530	0.070	0.064 - 0.076
MI - Detroit	790	0.081	0.075 - 0.086	373	0.083	0.075 - 0.092	417	0.079	0.071 - 0.087
Minnesota	132	0.036	0.030 - 0.043	68	0.036	0.028 - 0.046	64	0.036	0.027 - 0.045
Mississippi	908	0.080	0.075 - 0.086	472	0.089	0.081 - 0.097	436	0.073	0.066 - 0.080
Missouri	497	0.067	0.061 - 0.073	230	0.065	0.057 - 0.073	267	0.068	0.060 - 0.077
Montana	-	-		-	-		-	-	
Nebraska	51	0.050	0.037 - 0.066	30	0.058	0.039 - 0.082	21	0.042	0.026 - 0.065
New Hampshire	-	-		-	-		-	-	
New Jersey	876	0.073	0.068 - 0.078	413	0.073	0.066 - 0.080	463	0.073	0.066 - 0.080
New Mexico	17	0.038	0.022 - 0.061	-	-		-	-	
New York	2,025	0.068	0.065 - 0.071	977	0.070	0.066 - 0.075	1,048	0.065	0.061 - 0.069
North Carolina	1,445	0.065	0.062 - 0.068	734	0.070	0.065 - 0.076	711	0.060	0.056 - 0.065
North Dakota	-	-		-	-		-	-	
Ohio	890	0.058	0.054 - 0.062	423	0.057	0.052 - 0.063	467	0.058	0.053 - 0.064
Oklahoma	172	0.052	0.045 - 0.061	76	0.046	0.036 - 0.058	96	0.058	0.047 - 0.071
Oregon	29	0.030	0.020 - 0.043	15	0.029	0.016 - 0.048	14	0.031	0.017 - 0.052
Pennsylvania	955	0.066	0.062 - 0.070	459	0.066	0.060 - 0.072	496	0.066	0.060 - 0.072
Rhode Island	16	0.023	0.013 - 0.037	-	-		-	-	
South Carolina	922	0.068	0.063 - 0.072	488	0.076	0.070 - 0.083	434	0.060	0.054 - 0.066
Tennessee	715	0.062	0.058 - 0.067	356	0.066	0.059 - 0.073	359	0.059	0.053 - 0.066
Texas	2,069	0.062	0.059 - 0.064	1,073	0.066	0.062 - 0.070	996	0.057	0.054 - 0.061
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	1,050	0.063	0.059 - 0.067	534	0.067	0.061 - 0.073	516	0.059	0.054 - 0.065
Washington	155	0.046	0.039 - 0.054	92	0.052	0.042 - 0.063	63	0.040	0.031 - 0.052
WA - Seattle	147	0.051	0.043 - 0.059	90	0.058	0.047 - 0.072	57	0.042	0.032 - 0.054
West Virginia	45	0.062	0.045 - 0.083	25	0.064	0.042 - 0.095	20	0.059	0.036 - 0.092
Wisconsin	249	0.063	0.055 - 0.071	123	0.063	0.053 - 0.075	126	0.063	0.052 - 0.074
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,336**	**0.011**	**0.011 - 0.011**	**3,119**	**0.016**	**0.016 - 0.017**	**1,217**	**0.006**	**0.006 - 0.006**
Alabama	86	0.007	0.005 - 0.008	59	0.010	0.007 - 0.012	27	0.004	0.003 - 0.006
Alaska	-	-		-	-		-	-	
Arizona	18	0.006	0.003 - 0.009	-	-		-	-	
Arkansas	40	0.008	0.006 - 0.011	-	-		-	-	
California	309	0.013	0.011 - 0.014	223	0.019	0.016 - 0.021	86	0.007	0.006 - 0.009
CA - Greater California	133	0.012	0.010 - 0.014	100	0.017	0.014 - 0.021	33	0.006	0.004 - 0.009
CA - Greater Bay Area	86	0.019	0.015 - 0.024	68	0.031	0.024 - 0.039	18	0.008	0.005 - 0.013
CA - Los Angeles	90	0.011	0.008 - 0.013	56	0.014	0.010 - 0.018	35	0.008	0.005 - 0.011
Colorado	39	0.016	0.011 - 0.021	28	0.021	0.014 - 0.031	11	0.009	0.005 - 0.017
Connecticut	51	0.013	0.010 - 0.018	39	0.022	0.015 - 0.029	12	0.006	0.003 - 0.010
Delaware	25	0.012	0.008 - 0.017	-	-		-	-	
Florida	262	0.008	0.007 - 0.009	174	0.011	0.009 - 0.013	88	0.005	0.004 - 0.006
Georgia	231	0.007	0.006 - 0.008	163	0.011	0.009 - 0.012	68	0.004	0.003 - 0.005
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	172	0.009	0.008 - 0.011	125	0.014	0.012 - 0.017	47	0.005	0.003 - 0.006
Iowa	16	0.013	0.007 - 0.020	-	-		-	-	
Kentucky	25	0.007	0.004 - 0.010	-	-		-	-	
Louisiana	175	0.011	0.010 - 0.013	140	0.019	0.016 - 0.023	35	0.004	0.003 - 0.006
Maine	-	-		-	-		-	-	
Maryland	217	0.012	0.010 - 0.014	158	0.018	0.016 - 0.022	59	0.006	0.005 - 0.008
Michigan	214	0.015	0.013 - 0.017	144	0.021	0.018 - 0.025	70	0.009	0.007 - 0.012
MI - Detroit	139	0.014	0.012 - 0.017	93	0.021	0.017 - 0.025	46	0.009	0.006 - 0.012
Minnesota	50	0.014	0.010 - 0.018	-	-		-	-	
Mississippi	92	0.008	0.007 - 0.010	72	0.014	0.011 - 0.017	20	0.003	0.002 - 0.005
Missouri	105	0.014	0.011 - 0.017	69	0.019	0.015 - 0.025	36	0.009	0.006 - 0.013
Montana	-	-		-	-		-	-	
Nebraska	15	0.015	0.008 - 0.024	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	107	0.009	0.007 - 0.011	77	0.014	0.011 - 0.017	30	0.005	0.003 - 0.007
New Mexico	-	-		-	-		-	-	
New York	367	0.012	0.011 - 0.014	267	0.019	0.017 - 0.022	100	0.006	0.005 - 0.008
North Carolina	241	0.011	0.009 - 0.012	151	0.014	0.012 - 0.017	90	0.008	0.006 - 0.009
North Dakota	-	-		-	-		-	-	
Ohio	181	0.012	0.010 - 0.014	130	0.018	0.015 - 0.021	51	0.006	0.005 - 0.008
Oklahoma	34	0.010	0.007 - 0.014	21	0.013	0.008 - 0.020	13	0.008	0.004 - 0.014
Oregon	14	0.014	0.008 - 0.024	-	-		-	-	
Pennsylvania	282	0.019	0.017 - 0.022	206	0.029	0.026 - 0.034	76	0.010	0.008 - 0.013
Rhode Island	-	-		-	-		-	-	
South Carolina	114	0.008	0.007 - 0.010	85	0.013	0.011 - 0.016	29	0.004	0.003 - 0.006
Tennessee	106	0.009	0.008 - 0.011	67	0.012	0.010 - 0.016	39	0.006	0.005 - 0.009
Texas	411	0.012	0.011 - 0.013	296	0.018	0.016 - 0.020	115	0.007	0.005 - 0.008
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	168	0.010	0.009 - 0.012	126	0.016	0.013 - 0.019	42	0.005	0.003 - 0.007
Washington	53	0.016	0.012 - 0.021	40	0.022	0.016 - 0.031	13	0.008	0.004 - 0.014
WA - Seattle	47	0.016	0.012 - 0.021	36	0.023	0.016 - 0.032	11	0.008	0.004 - 0.014
West Virginia	17	0.023	0.014 - 0.037	-	-		-	-	
Wisconsin	70	0.018	0.014 - 0.022	60	0.031	0.024 - 0.040	10	0.005	0.002 - 0.009
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,438**	**0.011**	**0.011 - 0.011**	**1,918**	**0.010**	**0.010 - 0.010**	**2,520**	**0.012**	**0.012 - 0.013**
Alabama	140	0.011	0.009 - 0.013	52	0.009	0.006 - 0.011	88	0.013	0.010 - 0.016
Alaska	-	-		-	-		-	-	
Arizona	32	0.010	0.007 - 0.014	15	0.009	0.005 - 0.015	17	0.011	0.006 - 0.018
Arkansas	45	0.009	0.007 - 0.013	24	0.011	0.007 - 0.016	21	0.008	0.005 - 0.013
California	273	0.011	0.010 - 0.013	125	0.010	0.009 - 0.012	148	0.012	0.010 - 0.014
CA - Greater California	116	0.010	0.009 - 0.012	58	0.010	0.008 - 0.013	58	0.011	0.008 - 0.014
CA - Greater Bay Area	64	0.014	0.011 - 0.018	31	0.014	0.009 - 0.020	33	0.015	0.010 - 0.021
CA - Los Angeles	93	0.011	0.009 - 0.013	36	0.009	0.006 - 0.012	57	0.013	0.010 - 0.016
Colorado	18	0.007	0.004 - 0.011	-	-		-	-	
Connecticut	46	0.012	0.009 - 0.016	24	0.013	0.008 - 0.020	22	0.011	0.007 - 0.017
Delaware	40	0.019	0.013 - 0.026	18	0.018	0.011 - 0.028	22	0.020	0.012 - 0.030
Florida	339	0.010	0.009 - 0.011	141	0.009	0.008 - 0.011	198	0.012	0.010 - 0.013
Georgia	315	0.010	0.009 - 0.011	131	0.009	0.007 - 0.010	185	0.011	0.009 - 0.012
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	253	0.013	0.012 - 0.015	109	0.012	0.010 - 0.015	144	0.014	0.012 - 0.017
Iowa	-	-		-	-		-	-	
Kentucky	49	0.013	0.010 - 0.017	21	0.011	0.007 - 0.017	28	0.015	0.010 - 0.021
Louisiana	142	0.009	0.008 - 0.011	67	0.009	0.007 - 0.012	75	0.009	0.007 - 0.012
Maine	-	-		-	-		-	-	
Maryland	221	0.012	0.011 - 0.014	86	0.010	0.008 - 0.012	135	0.014	0.012 - 0.016
Michigan	212	0.015	0.013 - 0.017	95	0.014	0.011 - 0.017	117	0.015	0.013 - 0.018
MI - Detroit	136	0.014	0.012 - 0.016	57	0.013	0.010 - 0.016	79	0.015	0.012 - 0.019
Minnesota	33	0.009	0.006 - 0.013	15	0.008	0.004 - 0.013	18	0.010	0.006 - 0.016
Mississippi	114	0.010	0.008 - 0.012	49	0.009	0.007 - 0.012	65	0.011	0.008 - 0.014
Missouri	91	0.012	0.010 - 0.015	48	0.013	0.010 - 0.018	43	0.011	0.008 - 0.015
Montana	-	-		-	-		-	-	
Nebraska	14	0.014	0.008 - 0.023	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	120	0.010	0.008 - 0.012	44	0.008	0.006 - 0.010	76	0.012	0.009 - 0.015
New Mexico	-	-		-	-		-	-	
New York	404	0.013	0.012 - 0.015	182	0.013	0.011 - 0.015	222	0.014	0.012 - 0.016
North Carolina	258	0.012	0.010 - 0.013	104	0.010	0.008 - 0.012	154	0.013	0.011 - 0.015
North Dakota	-	-		-	-		-	-	
Ohio	148	0.010	0.008 - 0.011	51	0.007	0.005 - 0.009	97	0.012	0.010 - 0.015
Oklahoma	23	0.007	0.004 - 0.010	-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	186	0.013	0.011 - 0.015	77	0.011	0.009 - 0.014	109	0.014	0.012 - 0.017
Rhode Island	-	-		-	-		-	-	
South Carolina	157	0.012	0.010 - 0.013	61	0.010	0.007 - 0.012	96	0.013	0.011 - 0.016
Tennessee	110	0.010	0.008 - 0.012	53	0.010	0.007 - 0.013	57	0.009	0.007 - 0.012
Texas	357	0.011	0.010 - 0.012	151	0.009	0.008 - 0.011	206	0.012	0.010 - 0.014
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	180	0.011	0.009 - 0.012	81	0.010	0.008 - 0.013	99	0.011	0.009 - 0.014
Washington	30	0.009	0.006 - 0.013	-	-		-	-	
WA - Seattle	30	0.010	0.007 - 0.015	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	48	0.012	0.009 - 0.016	20	0.010	0.006 - 0.016	28	0.014	0.009 - 0.020
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**2,704**	**0.007**	**0.007 - 0.007**	**2,140**	**0.011**	**0.011 - 0.012**	**564**	**0.003**	**0.002 - 0.003**
Alabama	112	0.009	0.007 - 0.010	96	0.016	0.013 - 0.019	16	0.002	0.001 - 0.004
Alaska	-	-		-	-		-	-	
Arizona	12	0.004	0.002 - 0.007	-	-		-	-	
Arkansas	33	0.007	0.005 - 0.010	22	0.010	0.006 - 0.015	11	0.004	0.002 - 0.008
California	115	0.005	0.004 - 0.006	90	0.007	0.006 - 0.009	25	0.002	0.001 - 0.003
CA - Greater California	39	0.003	0.002 - 0.005	-	-		-	-	
CA - Greater Bay Area	30	0.007	0.005 - 0.010	-	-		-	-	
CA - Los Angeles	46	0.005	0.004 - 0.007	34	0.008	0.006 - 0.012	12	0.003	0.001 - 0.005
Colorado	-	-		-	-		-	-	
Connecticut	20	0.005	0.003 - 0.008	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	164	0.005	0.004 - 0.006	137	0.009	0.007 - 0.010	27	0.002	0.001 - 0.002
Georgia	194	0.006	0.005 - 0.007	167	0.011	0.009 - 0.013	27	0.002	0.001 - 0.002
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	168	0.009	0.008 - 0.010	128	0.014	0.012 - 0.017	40	0.004	0.003 - 0.005
Iowa	-	-		-	-		-	-	
Kentucky	29	0.008	0.005 - 0.011	-	-		-	-	
Louisiana	152	0.010	0.008 - 0.012	124	0.017	0.014 - 0.020	28	0.003	0.002 - 0.005
Maine	-	-		-	-		-	-	
Maryland	96	0.005	0.004 - 0.006	72	0.008	0.007 - 0.011	24	0.002	0.002 - 0.004
Michigan	136	0.009	0.008 - 0.011	99	0.014	0.012 - 0.017	37	0.005	0.003 - 0.007
MI - Detroit	107	0.011	0.009 - 0.013	78	0.017	0.014 - 0.022	29	0.005	0.004 - 0.008
Minnesota	17	0.005	0.003 - 0.007	-	-		-	-	
Mississippi	117	0.010	0.009 - 0.012	99	0.019	0.015 - 0.023	18	0.003	0.002 - 0.005
Missouri	64	0.009	0.007 - 0.011	46	0.013	0.009 - 0.017	18	0.005	0.003 - 0.007
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	74	0.006	0.005 - 0.008	43	0.008	0.006 - 0.010	31	0.005	0.003 - 0.007
New Mexico	-	-		-	-		-	-	
New York	204	0.007	0.006 - 0.008	167	0.012	0.010 - 0.014	37	0.002	0.002 - 0.003
North Carolina	204	0.009	0.008 - 0.010	161	0.015	0.013 - 0.018	43	0.004	0.003 - 0.005
North Dakota	-	-		-	-		-	-	
Ohio	109	0.007	0.006 - 0.009	84	0.011	0.009 - 0.014	25	0.003	0.002 - 0.005
Oklahoma	21	0.006	0.004 - 0.010	-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	103	0.007	0.006 - 0.009	74	0.011	0.008 - 0.013	29	0.004	0.003 - 0.006
Rhode Island	-	-		-	-		-	-	
South Carolina	135	0.010	0.008 - 0.012	111	0.017	0.014 - 0.021	24	0.003	0.002 - 0.005
Tennessee	70	0.006	0.005 - 0.008	53	0.010	0.007 - 0.013	17	0.003	0.002 - 0.005
Texas	160	0.005	0.004 - 0.006	132	0.008	0.007 - 0.010	28	0.002	0.001 - 0.002
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	108	0.006	0.005 - 0.008	87	0.011	0.009 - 0.013	21	0.002	0.001 - 0.004
Washington	13	0.004	0.002 - 0.007	-	-		-	-	
WA - Seattle	12	0.004	0.002 - 0.007	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	27	0.007	0.004 - 0.010	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**22,274**	**0.056**	**0.055 - 0.056**	**11,325**	**0.059**	**0.058 - 0.060**	**10,950**	**0.052**	**0.052 - 0.053**
Alabama	651	0.050	0.046 - 0.054	379	0.062	0.056 - 0.069	272	0.039	0.034 - 0.044
Alaska	-	-		-	-		-	-	
Arizona	110	0.034	0.028 - 0.041	64	0.038	0.029 - 0.049	46	0.030	0.022 - 0.040
Arkansas	319	0.067	0.060 - 0.075	183	0.081	0.069 - 0.093	136	0.055	0.046 - 0.065
California	1,245	0.051	0.049 - 0.054	579	0.048	0.044 - 0.052	666	0.054	0.050 - 0.059
CA - Greater California	496	0.044	0.041 - 0.048	223	0.039	0.034 - 0.044	273	0.050	0.045 - 0.057
CA - Greater Bay Area	302	0.067	0.060 - 0.075	155	0.070	0.060 - 0.082	147	0.065	0.055 - 0.076
CA - Los Angeles	446	0.052	0.047 - 0.057	201	0.050	0.043 - 0.057	245	0.054	0.047 - 0.061
Colorado	92	0.037	0.030 - 0.045	56	0.042	0.032 - 0.055	36	0.031	0.022 - 0.043
Connecticut	212	0.056	0.049 - 0.064	102	0.056	0.046 - 0.068	110	0.055	0.045 - 0.067
Delaware	141	0.066	0.056 - 0.078	63	0.063	0.048 - 0.080	78	0.069	0.055 - 0.086
Florida	1,263	0.038	0.036 - 0.041	645	0.041	0.038 - 0.044	618	0.036	0.033 - 0.039
Georgia	1,448	0.044	0.042 - 0.047	784	0.051	0.048 - 0.055	664	0.038	0.035 - 0.041
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	1,407	0.075	0.071 - 0.079	645	0.073	0.067 - 0.079	762	0.076	0.071 - 0.082
Iowa	50	0.039	0.029 - 0.052	28	0.042	0.028 - 0.060	22	0.037	0.023 - 0.055
Kentucky	252	0.066	0.058 - 0.075	131	0.069	0.058 - 0.082	121	0.063	0.052 - 0.075
Louisiana	913	0.060	0.056 - 0.064	529	0.073	0.067 - 0.079	384	0.048	0.043 - 0.053
Maine	-	-		-	-		-	-	
Maryland	992	0.054	0.051 - 0.058	443	0.052	0.047 - 0.057	549	0.056	0.052 - 0.061
Michigan	1,127	0.078	0.073 - 0.082	549	0.080	0.073 - 0.086	578	0.076	0.070 - 0.082
MI - Detroit	734	0.075	0.069 - 0.080	348	0.077	0.069 - 0.086	386	0.073	0.066 - 0.080
Minnesota	126	0.034	0.029 - 0.041	61	0.033	0.025 - 0.042	65	0.036	0.028 - 0.046
Mississippi	689	0.061	0.057 - 0.066	407	0.077	0.069 - 0.085	282	0.047	0.042 - 0.053
Missouri	531	0.071	0.065 - 0.077	249	0.070	0.062 - 0.079	282	0.072	0.064 - 0.081
Montana	-	-		-	-		-	-	
Nebraska	36	0.035	0.025 - 0.049	15	0.029	0.016 - 0.048	21	0.042	0.026 - 0.065
New Hampshire	-	-		-	-		-	-	
New Jersey	664	0.055	0.051 - 0.060	287	0.051	0.045 - 0.057	377	0.060	0.054 - 0.066
New Mexico	18	0.040	0.023 - 0.063	-	-		-	-	
New York	1,633	0.054	0.052 - 0.057	788	0.056	0.053 - 0.061	845	0.053	0.049 - 0.056
North Carolina	1,500	0.067	0.064 - 0.071	794	0.076	0.071 - 0.082	706	0.060	0.055 - 0.064
North Dakota	-	-		-	-		-	-	
Ohio	1,084	0.070	0.066 - 0.075	498	0.067	0.062 - 0.074	586	0.073	0.067 - 0.079
Oklahoma	158	0.048	0.041 - 0.056	87	0.053	0.042 - 0.065	71	0.043	0.034 - 0.054
Oregon	43	0.044	0.032 - 0.060	27	0.052	0.034 - 0.076	16	0.035	0.020 - 0.057
Pennsylvania	1,080	0.074	0.070 - 0.079	470	0.067	0.061 - 0.074	610	0.081	0.075 - 0.088
Rhode Island	41	0.059	0.042 - 0.080	20	0.058	0.035 - 0.089	21	0.060	0.037 - 0.092
South Carolina	816	0.060	0.056 - 0.064	470	0.073	0.067 - 0.080	346	0.048	0.043 - 0.053
Tennessee	645	0.056	0.052 - 0.061	328	0.060	0.054 - 0.067	317	0.052	0.047 - 0.059
Texas	1,548	0.046	0.044 - 0.048	845	0.052	0.049 - 0.056	703	0.041	0.038 - 0.044
Utah	12	0.029	0.015 - 0.050	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	971	0.058	0.055 - 0.062	525	0.066	0.060 - 0.072	446	0.051	0.047 - 0.056
Washington	120	0.036	0.030 - 0.043	72	0.040	0.032 - 0.051	48	0.031	0.023 - 0.041
WA - Seattle	113	0.039	0.032 - 0.047	64	0.042	0.032 - 0.053	49	0.036	0.027 - 0.047
West Virginia	34	0.047	0.032 - 0.065	24	0.062	0.039 - 0.092	10	0.030	0.014 - 0.055
Wisconsin	267	0.067	0.060 - 0.076	143	0.073	0.062 - 0.087	124	0.062	0.051 - 0.073
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**595**	**0.001**	**0.001 - 0.002**	**281**	**0.001**	**0.001 - 0.002**	**314**	**0.002**	**0.001 - 0.002**
Alabama	15	0.001	0.001 - 0.002	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	11	0.002	0.001 - 0.004	-	-		-	-	
California	56	0.002	0.002 - 0.003	30	0.002	0.002 - 0.004	26	0.002	0.001 - 0.003
CA - Greater California	25	0.002	0.001 - 0.003	11	0.002	0.001 - 0.003	14	0.003	0.001 - 0.004
CA - Greater Bay Area	10	0.002	0.001 - 0.004	-	-		-	-	
CA - Los Angeles	21	0.002	0.001 - 0.004	-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	55	0.002	0.001 - 0.002	33	0.002	0.001 - 0.003	22	0.001	0.001 - 0.002
Georgia	52	0.002	0.001 - 0.002	26	0.002	0.001 - 0.003	26	0.002	0.001 - 0.002
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	22	0.001	0.001 - 0.002	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	21	0.001	0.001 - 0.002	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	34	0.002	0.001 - 0.003	21	0.002	0.002 - 0.004	13	0.001	0.001 - 0.002
Michigan	14	0.001	0.001 - 0.002	-	-		-	-	
MI - Detroit	11	0.001	0.001 - 0.002	-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	14	0.001	0.001 - 0.002	-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	25	0.002	0.001 - 0.003	11	0.002	0.001 - 0.003	14	0.002	0.001 - 0.004
New Mexico	-	-		-	-		-	-	
New York	51	0.002	0.001 - 0.002	24	0.002	0.001 - 0.003	27	0.002	0.001 - 0.002
North Carolina	31	0.001	0.001 - 0.002	14	0.001	0.001 - 0.002	17	0.001	0.001 - 0.002
North Dakota	-	-		-	-		-	-	
Ohio	15	0.001	0.001 - 0.002	-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	22	0.002	0.001 - 0.002	10	0.001	0.001 - 0.003	12	0.002	0.001 - 0.003
Rhode Island	-	-		-	-		-	-	
South Carolina	16	0.001	0.001 - 0.002	-	-		-	-	
Tennessee	14	0.001	0.001 - 0.002	-	-		-	-	
Texas	39	0.001	0.001 - 0.002	18	0.001	0.001 - 0.002	21	0.001	0.001 - 0.002
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	22	0.001	0.001 - 0.002	-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**48,420**	**0.232**	**0.230 - 0.234**
Alabama	-	-		-	-		1,666	0.238	0.227 - 0.250
Alaska	-	-		-	-		18	0.130	0.077 - 0.205
Arizona	-	-		-	-		266	0.172	0.152 - 0.194
Arkansas	-	-		-	-		539	0.217	0.199 - 0.236
California	-	-		-	-		3,108	0.254	0.245 - 0.263
CA - Greater California	-	-		-	-		1,239	0.229	0.216 - 0.242
CA - Greater Bay Area	-	-		-	-		630	0.277	0.256 - 0.300
CA - Los Angeles	-	-		-	-		1,238	0.273	0.258 - 0.288
Colorado	-	-		-	-		213	0.182	0.159 - 0.208
Connecticut	-	-		-	-		481	0.242	0.221 - 0.265
Delaware	-	-		-	-		300	0.266	0.237 - 0.298
Florida	-	-		-	-		3,234	0.190	0.183 - 0.196
Georgia	-	-		-	-		3,830	0.221	0.214 - 0.228
Hawaii	-	-		-	-		19	0.129	0.078 - 0.201
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		2,704	0.271	0.261 - 0.282
Iowa	-	-		-	-		67	0.112	0.087 - 0.142
Kentucky	-	-		-	-		424	0.221	0.200 - 0.243
Louisiana	-	-		-	-		1,961	0.245	0.234 - 0.256
Maine	-	-		-	-		11	0.106	0.053 - 0.190
Maryland	-	-		-	-		2,574	0.264	0.254 - 0.274
Michigan	-	-		-	-		1,808	0.238	0.227 - 0.249
MI - Detroit	-	-		-	-		1,435	0.271	0.257 - 0.285
Minnesota	-	-		-	-		223	0.124	0.108 - 0.141
Mississippi	-	-		-	-		1,244	0.208	0.196 - 0.220
Missouri	-	-		-	-		906	0.232	0.217 - 0.247
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		64	0.129	0.099 - 0.165
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		1,664	0.262	0.250 - 0.275
New Mexico	-	-		-	-		31	0.158	0.107 - 0.224
New York	-	-		-	-		3,995	0.249	0.241 - 0.257
North Carolina	-	-		-	-		3,169	0.267	0.258 - 0.277
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		1,832	0.228	0.218 - 0.239
Oklahoma	-	-		-	-		309	0.188	0.167 - 0.210
Oregon	-	-		-	-		72	0.159	0.124 - 0.200
Pennsylvania	-	-		-	-		1,844	0.245	0.234 - 0.256
Rhode Island	-	-		-	-		51	0.146	0.109 - 0.192
South Carolina	-	-		-	-		1,814	0.250	0.239 - 0.262
Tennessee	-	-		-	-		1,362	0.225	0.214 - 0.238
Texas	-	-		-	-		3,542	0.204	0.198 - 0.211
Utah	-	-		-	-		13	0.072	0.038 - 0.124
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		2,297	0.265	0.254 - 0.276
Washington	-	-		-	-		239	0.153	0.135 - 0.174
WA - Seattle	-	-		-	-		235	0.172	0.151 - 0.195
West Virginia	-	-		-	-		85	0.253	0.202 - 0.313
Wisconsin	-	-		-	-		421	0.209	0.189 - 0.230
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**2,908**	**0.014**	**0.013 - 0.014**
Alabama	-	-		-	-		99	0.014	0.012 - 0.017
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		11	0.007	0.004 - 0.013
Arkansas	-	-		-	-		40	0.016	0.011 - 0.022
California	-	-		-	-		145	0.012	0.010 - 0.014
CA - Greater California	-	-		-	-		69	0.013	0.010 - 0.016
CA - Greater Bay Area	-	-		-	-		26	0.011	0.007 - 0.017
CA - Los Angeles	-	-		-	-		51	0.011	0.008 - 0.015
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		23	0.011	0.007 - 0.017
Delaware	-	-		-	-		21	0.019	0.012 - 0.028
Florida	-	-		-	-		285	0.017	0.015 - 0.019
Georgia	-	-		-	-		194	0.011	0.010 - 0.013
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		154	0.015	0.013 - 0.018
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		24	0.012	0.008 - 0.019
Louisiana	-	-		-	-		143	0.018	0.015 - 0.021
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		111	0.011	0.009 - 0.014
Michigan	-	-		-	-		91	0.012	0.010 - 0.015
MI - Detroit	-	-		-	-		64	0.012	0.009 - 0.015
Minnesota	-	-		-	-		16	0.009	0.005 - 0.014
Mississippi	-	-		-	-		89	0.015	0.012 - 0.018
Missouri	-	-		-	-		48	0.012	0.009 - 0.016
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		11	0.022	0.011 - 0.040
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		107	0.017	0.014 - 0.020
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		287	0.018	0.016 - 0.020
North Carolina	-	-		-	-		159	0.013	0.011 - 0.016
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		94	0.012	0.009 - 0.014
Oklahoma	-	-		-	-		10	0.006	0.003 - 0.011
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		107	0.014	0.012 - 0.017
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		119	0.016	0.014 - 0.020
Tennessee	-	-		-	-		97	0.016	0.013 - 0.020
Texas	-	-		-	-		230	0.013	0.012 - 0.015
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		106	0.012	0.010 - 0.015
Washington	-	-		-	-		17	0.011	0.006 - 0.017
WA - Seattle	-	-		-	-		14	0.010	0.006 - 0.017
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		39	0.019	0.014 - 0.026
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**9,787**	**0.047**	**0.046 - 0.048**
Alabama	-	-		-	-		275	0.039	0.035 - 0.044
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		48	0.031	0.023 - 0.041
Arkansas	-	-		-	-		87	0.035	0.028 - 0.043
California	-	-		-	-		611	0.050	0.046 - 0.054
CA - Greater California	-	-		-	-		225	0.041	0.036 - 0.047
CA - Greater Bay Area	-	-		-	-		139	0.061	0.051 - 0.072
CA - Los Angeles	-	-		-	-		249	0.055	0.048 - 0.062
Colorado	-	-		-	-		24	0.021	0.013 - 0.031
Connecticut	-	-		-	-		89	0.045	0.036 - 0.055
Delaware	-	-		-	-		54	0.048	0.036 - 0.063
Florida	-	-		-	-		780	0.046	0.043 - 0.049
Georgia	-	-		-	-		717	0.041	0.038 - 0.044
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		579	0.058	0.053 - 0.063
Iowa	-	-		-	-		21	0.035	0.022 - 0.053
Kentucky	-	-		-	-		83	0.043	0.034 - 0.054
Louisiana	-	-		-	-		287	0.036	0.032 - 0.040
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		565	0.058	0.053 - 0.063
Michigan	-	-		-	-		382	0.050	0.045 - 0.056
MI - Detroit	-	-		-	-		293	0.055	0.049 - 0.062
Minnesota	-	-		-	-		45	0.025	0.018 - 0.033
Mississippi	-	-		-	-		242	0.040	0.036 - 0.046
Missouri	-	-		-	-		176	0.045	0.039 - 0.052
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		16	0.032	0.018 - 0.052
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		387	0.061	0.055 - 0.068
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		1,066	0.066	0.063 - 0.071
North Carolina	-	-		-	-		610	0.051	0.047 - 0.056
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		368	0.046	0.041 - 0.051
Oklahoma	-	-		-	-		71	0.043	0.034 - 0.054
Oregon	-	-		-	-		18	0.040	0.024 - 0.063
Pennsylvania	-	-		-	-		398	0.053	0.048 - 0.058
Rhode Island	-	-		-	-		15	0.043	0.024 - 0.071
South Carolina	-	-		-	-		374	0.052	0.046 - 0.057
Tennessee	-	-		-	-		240	0.040	0.035 - 0.045
Texas	-	-		-	-		599	0.035	0.032 - 0.037
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		394	0.045	0.041 - 0.050
Washington	-	-		-	-		39	0.025	0.018 - 0.034
WA - Seattle	-	-		-	-		41	0.030	0.022 - 0.041
West Virginia	-	-		-	-		12	0.036	0.018 - 0.062
Wisconsin	-	-		-	-		85	0.042	0.034 - 0.052
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**2,599**	**0.012**	**0.012 - 0.013**
Alabama	-	-		-	-		91	0.013	0.010 - 0.016
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		22	0.014	0.009 - 0.022
Arkansas	-	-		-	-		31	0.012	0.008 - 0.018
California	-	-		-	-		178	0.015	0.013 - 0.017
CA - Greater California	-	-		-	-		72	0.013	0.010 - 0.017
CA - Greater Bay Area	-	-		-	-		48	0.021	0.016 - 0.028
CA - Los Angeles	-	-		-	-		60	0.013	0.010 - 0.017
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		27	0.014	0.009 - 0.020
Delaware	-	-		-	-		13	0.012	0.006 - 0.020
Florida	-	-		-	-		192	0.011	0.010 - 0.013
Georgia	-	-		-	-		193	0.011	0.010 - 0.013
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		145	0.015	0.012 - 0.017
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		14	0.007	0.004 - 0.012
Louisiana	-	-		-	-		90	0.011	0.009 - 0.014
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		139	0.014	0.012 - 0.017
Michigan	-	-		-	-		103	0.014	0.011 - 0.016
MI - Detroit	-	-		-	-		84	0.016	0.013 - 0.020
Minnesota	-	-		-	-		15	0.008	0.005 - 0.014
Mississippi	-	-		-	-		70	0.012	0.009 - 0.015
Missouri	-	-		-	-		37	0.009	0.007 - 0.013
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		94	0.015	0.012 - 0.018
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		237	0.015	0.013 - 0.017
North Carolina	-	-		-	-		133	0.011	0.009 - 0.013
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		91	0.011	0.009 - 0.014
Oklahoma	-	-		-	-		14	0.009	0.005 - 0.014
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		90	0.012	0.010 - 0.015
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		89	0.012	0.010 - 0.015
Tennessee	-	-		-	-		70	0.012	0.009 - 0.015
Texas	-	-		-	-		229	0.013	0.012 - 0.015
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		122	0.014	0.012 - 0.017
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		10	0.007	0.004 - 0.013
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		25	0.012	0.008 - 0.018
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**53,859**	**0.282**	**0.279 - 0.284**	**-**	**-**	
Alabama	-	-		1,942	0.318	0.304 - 0.333	-	-	
Alaska	-	-		24	0.135	0.086 - 0.201	-	-	
Arizona	-	-		269	0.161	0.142 - 0.181	-	-	
Arkansas	-	-		717	0.316	0.294 - 0.340	-	-	
California	-	-		3,034	0.252	0.243 - 0.262	-	-	
CA - Greater California	-	-		1,295	0.225	0.213 - 0.237	-	-	
CA - Greater Bay Area	-	-		616	0.279	0.257 - 0.302	-	-	
CA - Los Angeles	-	-		1,123	0.277	0.261 - 0.294	-	-	
Colorado	-	-		277	0.209	0.185 - 0.235	-	-	
Connecticut	-	-		455	0.251	0.228 - 0.275	-	-	
Delaware	-	-		357	0.355	0.319 - 0.394	-	-	
Florida	-	-		3,957	0.250	0.242 - 0.258	-	-	
Georgia	-	-		4,258	0.279	0.271 - 0.288	-	-	
Hawaii	-	-		52	0.235	0.176 - 0.309	-	-	
Idaho	-	-		11	0.120	0.060 - 0.215	-	-	
Illinois	-	-		2,653	0.300	0.288 - 0.311	-	-	
Iowa	-	-		119	0.177	0.146 - 0.211	-	-	
Kentucky	-	-		408	0.215	0.195 - 0.237	-	-	
Louisiana	-	-		2,150	0.296	0.284 - 0.309	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		2,936	0.344	0.331 - 0.356	-	-	
Michigan	-	-		1,865	0.270	0.258 - 0.283	-	-	
MI - Detroit	-	-		1,455	0.323	0.306 - 0.340	-	-	
Minnesota	-	-		294	0.157	0.139 - 0.176	-	-	
Mississippi	-	-		1,725	0.325	0.310 - 0.341	-	-	
Missouri	-	-		900	0.253	0.236 - 0.270	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		129	0.248	0.207 - 0.295	-	-	
New Hampshire	-	-		18	0.160	0.095 - 0.252	-	-	
New Jersey	-	-		1,887	0.334	0.319 - 0.349	-	-	
New Mexico	-	-		55	0.220	0.166 - 0.287	-	-	
New York	-	-		5,061	0.363	0.353 - 0.373	-	-	
North Carolina	-	-		3,478	0.333	0.322 - 0.344	-	-	
North Dakota	-	-		13	0.097	0.051 - 0.165	-	-	
Ohio	-	-		1,992	0.269	0.258 - 0.281	-	-	
Oklahoma	-	-		382	0.232	0.209 - 0.257	-	-	
Oregon	-	-		118	0.228	0.189 - 0.273	-	-	
Pennsylvania	-	-		1,873	0.268	0.256 - 0.280	-	-	
Rhode Island	-	-		51	0.148	0.110 - 0.194	-	-	
South Carolina	-	-		2,106	0.329	0.315 - 0.344	-	-	
Tennessee	-	-		1,458	0.268	0.255 - 0.283	-	-	
Texas	-	-		3,482	0.214	0.207 - 0.222	-	-	
Utah	-	-		30	0.128	0.087 - 0.184	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		2,361	0.295	0.283 - 0.307	-	-	
Washington	-	-		314	0.176	0.157 - 0.197	-	-	
WA - Seattle	-	-		306	0.199	0.177 - 0.222	-	-	
West Virginia	-	-		126	0.323	0.269 - 0.385	-	-	
Wisconsin	-	-		493	0.253	0.231 - 0.277	-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**516**	**0.003**	**0.002 - 0.003**	**-**	**-**	
Alabama	-	-		19	0.003	0.002 - 0.005	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	-	-		26	0.002	0.001 - 0.003	-	-	
CA - Greater California	-	-		12	0.002	0.001 - 0.004	-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		10	0.002	0.001 - 0.005	-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	-	-		30	0.002	0.001 - 0.003	-	-	
Georgia	-	-		44	0.003	0.002 - 0.004	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		23	0.003	0.002 - 0.004	-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		22	0.003	0.002 - 0.005	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		25	0.003	0.002 - 0.004	-	-	
Michigan	-	-		22	0.003	0.002 - 0.005	-	-	
MI - Detroit	-	-		18	0.004	0.002 - 0.006	-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		18	0.003	0.002 - 0.005	-	-	
Missouri	-	-		10	0.003	0.001 - 0.005	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		16	0.003	0.002 - 0.005	-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		51	0.004	0.003 - 0.005	-	-	
North Carolina	-	-		32	0.003	0.002 - 0.004	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		17	0.002	0.001 - 0.004	-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		23	0.003	0.002 - 0.005	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		14	0.002	0.001 - 0.004	-	-	
Tennessee	-	-		16	0.003	0.002 - 0.005	-	-	
Texas	-	-		37	0.002	0.002 - 0.003	-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		21	0.003	0.002 - 0.004	-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**6,199**	**0.016**	**0.015 - 0.016**	**4,297**	**0.022**	**0.022 - 0.023**	**1,902**	**0.009**	**0.009 - 0.010**
Alabama	197	0.015	0.013 - 0.017	133	0.022	0.018 - 0.026	64	0.009	0.007 - 0.012
Alaska	-	-		-	-		-	-	
Arizona	26	0.008	0.005 - 0.012	-	-		-	-	
Arkansas	65	0.014	0.011 - 0.017	43	0.019	0.014 - 0.026	22	0.009	0.006 - 0.013
California	452	0.019	0.017 - 0.020	337	0.028	0.025 - 0.031	115	0.009	0.008 - 0.011
CA - Greater California	177	0.016	0.014 - 0.018	131	0.023	0.019 - 0.027	46	0.008	0.006 - 0.011
CA - Greater Bay Area	102	0.023	0.019 - 0.028	75	0.034	0.027 - 0.043	27	0.012	0.008 - 0.017
CA - Los Angeles	173	0.020	0.017 - 0.023	131	0.032	0.027 - 0.038	42	0.009	0.007 - 0.012
Colorado	30	0.012	0.008 - 0.017	-	-		-	-	
Connecticut	59	0.016	0.012 - 0.020	37	0.020	0.014 - 0.028	22	0.011	0.007 - 0.017
Delaware	48	0.023	0.017 - 0.030	36	0.036	0.025 - 0.050	12	0.011	0.006 - 0.019
Florida	342	0.010	0.009 - 0.012	247	0.016	0.014 - 0.018	95	0.006	0.005 - 0.007
Georgia	396	0.012	0.011 - 0.013	252	0.017	0.015 - 0.019	144	0.008	0.007 - 0.010
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	344	0.018	0.016 - 0.020	251	0.028	0.025 - 0.032	93	0.009	0.008 - 0.011
Iowa	11	0.009	0.004 - 0.015	-	-		-	-	
Kentucky	55	0.014	0.011 - 0.019	41	0.022	0.016 - 0.029	14	0.007	0.004 - 0.012
Louisiana	197	0.013	0.011 - 0.015	136	0.019	0.016 - 0.022	61	0.008	0.006 - 0.010
Maine	-	-		-	-		-	-	
Maryland	370	0.020	0.018 - 0.022	248	0.029	0.026 - 0.033	122	0.012	0.010 - 0.015
Michigan	273	0.019	0.017 - 0.021	196	0.028	0.025 - 0.033	77	0.010	0.008 - 0.013
MI - Detroit	198	0.020	0.017 - 0.023	141	0.031	0.026 - 0.037	57	0.011	0.008 - 0.014
Minnesota	34	0.009	0.006 - 0.013	-	-		-	-	
Mississippi	151	0.013	0.011 - 0.016	106	0.020	0.016 - 0.024	45	0.008	0.005 - 0.010
Missouri	137	0.018	0.015 - 0.022	85	0.024	0.019 - 0.030	52	0.013	0.010 - 0.017
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	223	0.019	0.016 - 0.021	152	0.027	0.023 - 0.031	72	0.011	0.009 - 0.014
New Mexico	-	-		-	-		-	-	
New York	513	0.017	0.016 - 0.019	354	0.025	0.023 - 0.028	159	0.010	0.008 - 0.012
North Carolina	394	0.018	0.016 - 0.020	268	0.026	0.023 - 0.029	126	0.011	0.009 - 0.013
North Dakota	-	-		-	-		-	-	
Ohio	275	0.018	0.016 - 0.020	182	0.025	0.021 - 0.028	93	0.012	0.009 - 0.014
Oklahoma	56	0.017	0.013 - 0.022	41	0.025	0.018 - 0.034	15	0.009	0.005 - 0.015
Oregon	16	0.016	0.009 - 0.027	-	-		-	-	
Pennsylvania	310	0.021	0.019 - 0.024	218	0.031	0.027 - 0.036	92	0.012	0.010 - 0.015
Rhode Island	-	-		-	-		-	-	
South Carolina	197	0.014	0.012 - 0.017	132	0.021	0.017 - 0.024	65	0.009	0.007 - 0.011
Tennessee	158	0.014	0.012 - 0.016	110	0.020	0.017 - 0.024	48	0.008	0.006 - 0.011
Texas	375	0.011	0.010 - 0.012	261	0.016	0.014 - 0.018	114	0.007	0.005 - 0.008
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	329	0.020	0.018 - 0.022	229	0.029	0.025 - 0.033	100	0.012	0.009 - 0.014
Washington	53	0.016	0.012 - 0.021	39	0.022	0.016 - 0.030	14	0.009	0.005 - 0.015
WA - Seattle	52	0.018	0.013 - 0.023	37	0.024	0.017 - 0.033	15	0.011	0.006 - 0.018
West Virginia	10	0.014	0.007 - 0.025	-	-		-	-	
Wisconsin	57	0.014	0.011 - 0.019	37	0.019	0.013 - 0.026	20	0.010	0.006 - 0.015
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**11,702**	**0.029**	**0.029 - 0.030**	**7,066**	**0.037**	**0.036 - 0.038**	**4,636**	**0.022**	**0.022 - 0.023**
Alabama	380	0.029	0.026 - 0.032	222	0.036	0.032 - 0.041	158	0.023	0.019 - 0.026
Alaska	-	-		-	-		-	-	
Arizona	70	0.022	0.017 - 0.027	48	0.029	0.021 - 0.038	22	0.014	0.009 - 0.022
Arkansas	143	0.030	0.025 - 0.035	80	0.035	0.028 - 0.044	63	0.025	0.019 - 0.032
California	708	0.029	0.027 - 0.031	435	0.036	0.033 - 0.040	273	0.022	0.020 - 0.025
CA - Greater California	323	0.029	0.026 - 0.032	194	0.034	0.029 - 0.039	128	0.024	0.020 - 0.028
CA - Greater Bay Area	152	0.034	0.029 - 0.040	96	0.043	0.035 - 0.053	57	0.025	0.019 - 0.032
CA - Los Angeles	234	0.027	0.024 - 0.031	145	0.036	0.030 - 0.042	88	0.019	0.016 - 0.024
Colorado	72	0.029	0.023 - 0.036	52	0.039	0.029 - 0.051	20	0.017	0.010 - 0.026
Connecticut	109	0.029	0.024 - 0.035	73	0.040	0.032 - 0.051	36	0.018	0.013 - 0.025
Delaware	63	0.030	0.023 - 0.038	34	0.034	0.023 - 0.047	29	0.026	0.017 - 0.037
Florida	719	0.022	0.020 - 0.024	438	0.028	0.025 - 0.030	281	0.016	0.015 - 0.019
Georgia	880	0.027	0.025 - 0.029	529	0.035	0.032 - 0.038	352	0.020	0.018 - 0.023
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	638	0.034	0.031 - 0.037	405	0.046	0.041 - 0.050	233	0.023	0.020 - 0.027
Iowa	28	0.022	0.015 - 0.032	17	0.025	0.015 - 0.040	11	0.018	0.009 - 0.033
Kentucky	120	0.031	0.026 - 0.038	67	0.035	0.027 - 0.045	53	0.028	0.021 - 0.036
Louisiana	489	0.032	0.029 - 0.035	275	0.038	0.034 - 0.043	215	0.027	0.023 - 0.031
Maine	-	-		-	-		-	-	
Maryland	482	0.026	0.024 - 0.029	276	0.032	0.029 - 0.036	206	0.021	0.018 - 0.024
Michigan	451	0.031	0.028 - 0.034	297	0.043	0.038 - 0.048	154	0.020	0.017 - 0.024
MI - Detroit	324	0.033	0.029 - 0.037	208	0.046	0.040 - 0.053	116	0.022	0.018 - 0.026
Minnesota	78	0.021	0.017 - 0.027	52	0.028	0.021 - 0.036	26	0.014	0.009 - 0.021
Mississippi	386	0.034	0.031 - 0.038	222	0.042	0.037 - 0.048	164	0.027	0.023 - 0.032
Missouri	248	0.033	0.029 - 0.038	140	0.039	0.033 - 0.046	108	0.028	0.023 - 0.033
Montana	-	-		-	-		-	-	
Nebraska	37	0.036	0.026 - 0.050	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	364	0.030	0.027 - 0.034	227	0.040	0.035 - 0.046	138	0.022	0.018 - 0.026
New Mexico	15	0.034	0.019 - 0.055	-	-		-	-	
New York	863	0.029	0.027 - 0.031	537	0.038	0.035 - 0.042	326	0.020	0.018 - 0.023
North Carolina	689	0.031	0.029 - 0.033	394	0.038	0.034 - 0.042	295	0.025	0.022 - 0.028
North Dakota	-	-		-	-		-	-	
Ohio	460	0.030	0.027 - 0.033	285	0.039	0.034 - 0.043	175	0.022	0.019 - 0.025
Oklahoma	102	0.031	0.025 - 0.038	59	0.036	0.027 - 0.046	43	0.026	0.019 - 0.035
Oregon	21	0.022	0.013 - 0.033	-	-		-	-	
Pennsylvania	527	0.036	0.033 - 0.040	329	0.047	0.042 - 0.052	198	0.026	0.023 - 0.030
Rhode Island	15	0.022	0.012 - 0.036	-	-		-	-	
South Carolina	405	0.030	0.027 - 0.033	235	0.037	0.032 - 0.042	170	0.023	0.020 - 0.027
Tennessee	347	0.030	0.027 - 0.034	190	0.035	0.030 - 0.040	157	0.026	0.022 - 0.030
Texas	938	0.028	0.026 - 0.030	563	0.035	0.032 - 0.038	375	0.022	0.020 - 0.024
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	581	0.035	0.032 - 0.038	356	0.045	0.040 - 0.049	225	0.026	0.023 - 0.030
Washington	93	0.028	0.022 - 0.034	53	0.030	0.022 - 0.039	40	0.026	0.018 - 0.035
WA - Seattle	87	0.030	0.024 - 0.037	52	0.034	0.025 - 0.044	35	0.026	0.018 - 0.036
West Virginia	16	0.022	0.013 - 0.036	-	-		-	-	
Wisconsin	138	0.035	0.029 - 0.041	83	0.043	0.034 - 0.053	55	0.027	0.021 - 0.036
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**1,979**	**0.005**	**0.005 - 0.005**	**1,076**	**0.006**	**0.005 - 0.006**	**904**	**0.004**	**0.004 - 0.005**
Alabama	68	0.005	0.004 - 0.007	35	0.006	0.004 - 0.008	33	0.005	0.003 - 0.007
Alaska	-	-		-	-		-	-	
Arizona	12	0.004	0.002 - 0.007	-	-		-	-	
Arkansas	23	0.005	0.003 - 0.007	-	-		-	-	
California	130	0.005	0.004 - 0.006	72	0.006	0.005 - 0.008	58	0.005	0.004 - 0.006
CA - Greater California	53	0.005	0.004 - 0.006	30	0.005	0.003 - 0.007	23	0.004	0.003 - 0.006
CA - Greater Bay Area	31	0.007	0.005 - 0.010	18	0.008	0.005 - 0.013	13	0.006	0.003 - 0.010
CA - Los Angeles	46	0.005	0.004 - 0.007	25	0.006	0.004 - 0.009	22	0.005	0.003 - 0.007
Colorado	10	0.004	0.002 - 0.007	-	-		-	-	
Connecticut	20	0.005	0.003 - 0.008	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	153	0.005	0.004 - 0.005	83	0.005	0.004 - 0.007	70	0.004	0.003 - 0.005
Georgia	133	0.004	0.003 - 0.005	68	0.004	0.003 - 0.006	66	0.004	0.003 - 0.005
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	95	0.005	0.004 - 0.006	49	0.006	0.004 - 0.007	46	0.005	0.003 - 0.006
Iowa	-	-		-	-		-	-	
Kentucky	18	0.005	0.003 - 0.007	-	-		-	-	
Louisiana	64	0.004	0.003 - 0.005	34	0.005	0.003 - 0.007	30	0.004	0.003 - 0.005
Maine	-	-		-	-		-	-	
Maryland	90	0.005	0.004 - 0.006	49	0.006	0.004 - 0.008	41	0.004	0.003 - 0.006
Michigan	77	0.005	0.004 - 0.007	35	0.005	0.004 - 0.007	42	0.006	0.004 - 0.007
MI - Detroit	54	0.006	0.004 - 0.007	22	0.005	0.003 - 0.007	32	0.006	0.004 - 0.009
Minnesota	17	0.005	0.003 - 0.007	-	-		-	-	
Mississippi	52	0.005	0.003 - 0.006	32	0.006	0.004 - 0.009	20	0.003	0.002 - 0.005
Missouri	38	0.005	0.004 - 0.007	17	0.005	0.003 - 0.008	21	0.005	0.003 - 0.008
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	72	0.006	0.005 - 0.008	36	0.006	0.004 - 0.009	36	0.006	0.004 - 0.008
New Mexico	-	-		-	-		-	-	
New York	158	0.005	0.004 - 0.006	91	0.007	0.005 - 0.008	67	0.004	0.003 - 0.005
North Carolina	112	0.005	0.004 - 0.006	62	0.006	0.005 - 0.008	50	0.004	0.003 - 0.006
North Dakota	-	-		-	-		-	-	
Ohio	102	0.007	0.005 - 0.008	60	0.008	0.006 - 0.010	42	0.005	0.004 - 0.007
Oklahoma	11	0.003	0.002 - 0.006	-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	79	0.005	0.004 - 0.007	49	0.007	0.005 - 0.009	30	0.004	0.003 - 0.006
Rhode Island	-	-		-	-		-	-	
South Carolina	55	0.004	0.003 - 0.005	35	0.005	0.004 - 0.008	20	0.003	0.002 - 0.004
Tennessee	42	0.004	0.003 - 0.005	23	0.004	0.003 - 0.006	19	0.003	0.002 - 0.005
Texas	186	0.006	0.005 - 0.006	88	0.005	0.004 - 0.007	98	0.006	0.005 - 0.007
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	80	0.005	0.004 - 0.006	48	0.006	0.004 - 0.008	32	0.004	0.003 - 0.005
Washington	13	0.004	0.002 - 0.007	-	-		-	-	
WA - Seattle	10	0.003	0.002 - 0.006	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	26	0.007	0.004 - 0.010	12	0.006	0.003 - 0.011	14	0.007	0.004 - 0.012
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**6,956**	**0.017**	**0.017 - 0.018**	**1,294**	**0.007**	**0.006 - 0.007**	**5,662**	**0.027**	**0.026 - 0.028**
Alabama	166	0.013	0.011 - 0.015	24	0.004	0.003 - 0.006	142	0.020	0.017 - 0.024
Alaska	-	-		-	-		-	-	
Arizona	55	0.017	0.013 - 0.022	-	-		-	-	
Arkansas	79	0.017	0.013 - 0.021	11	0.005	0.002 - 0.009	68	0.027	0.021 - 0.035
California	352	0.014	0.013 - 0.016	87	0.007	0.006 - 0.009	265	0.022	0.019 - 0.024
CA - Greater California	141	0.013	0.011 - 0.015	37	0.006	0.005 - 0.009	104	0.019	0.016 - 0.023
CA - Greater Bay Area	53	0.012	0.009 - 0.015	12	0.005	0.003 - 0.009	41	0.018	0.013 - 0.024
CA - Los Angeles	158	0.018	0.016 - 0.021	38	0.009	0.007 - 0.013	120	0.026	0.022 - 0.032
Colorado	32	0.013	0.009 - 0.018	-	-		-	-	
Connecticut	82	0.022	0.017 - 0.027	15	0.008	0.005 - 0.014	67	0.034	0.026 - 0.043
Delaware	46	0.022	0.016 - 0.029	-	-		-	-	
Florida	465	0.014	0.013 - 0.015	95	0.006	0.005 - 0.007	370	0.022	0.020 - 0.024
Georgia	509	0.016	0.014 - 0.017	74	0.005	0.004 - 0.006	435	0.025	0.023 - 0.028
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	318	0.017	0.015 - 0.019	65	0.007	0.006 - 0.009	253	0.025	0.022 - 0.029
Iowa	14	0.011	0.006 - 0.018	-	-		-	-	
Kentucky	88	0.023	0.018 - 0.028	13	0.007	0.004 - 0.012	75	0.039	0.031 - 0.049
Louisiana	300	0.020	0.017 - 0.022	57	0.008	0.006 - 0.010	243	0.030	0.027 - 0.034
Maine	-	-		-	-		-	-	
Maryland	385	0.021	0.019 - 0.023	72	0.008	0.007 - 0.011	313	0.032	0.029 - 0.036
Michigan	263	0.018	0.016 - 0.020	50	0.007	0.005 - 0.010	213	0.028	0.024 - 0.032
MI - Detroit	216	0.022	0.019 - 0.025	44	0.010	0.007 - 0.013	172	0.032	0.028 - 0.038
Minnesota	54	0.015	0.011 - 0.019	10	0.005	0.003 - 0.010	44	0.024	0.018 - 0.033
Mississippi	168	0.015	0.013 - 0.017	23	0.004	0.003 - 0.007	145	0.024	0.020 - 0.029
Missouri	122	0.016	0.014 - 0.020	31	0.009	0.006 - 0.012	91	0.023	0.019 - 0.029
Montana	-	-		-	-		-	-	
Nebraska	14	0.014	0.008 - 0.023	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	273	0.023	0.020 - 0.026	45	0.008	0.006 - 0.011	228	0.036	0.031 - 0.041
New Mexico	-	-		-	-		-	-	
New York	675	0.023	0.021 - 0.024	115	0.008	0.007 - 0.010	560	0.035	0.032 - 0.038
North Carolina	391	0.018	0.016 - 0.019	76	0.007	0.006 - 0.009	315	0.027	0.024 - 0.030
North Dakota	-	-		-	-		-	-	
Ohio	298	0.019	0.017 - 0.022	56	0.008	0.006 - 0.010	242	0.030	0.026 - 0.034
Oklahoma	50	0.015	0.011 - 0.020	-	-		-	-	
Oregon	15	0.015	0.009 - 0.025	-	-		-	-	
Pennsylvania	367	0.025	0.023 - 0.028	75	0.011	0.008 - 0.013	292	0.039	0.034 - 0.043
Rhode Island	15	0.022	0.012 - 0.036	-	-		-	-	
South Carolina	241	0.018	0.015 - 0.020	47	0.007	0.005 - 0.010	194	0.027	0.023 - 0.031
Tennessee	147	0.013	0.011 - 0.015	22	0.004	0.003 - 0.006	125	0.021	0.017 - 0.025
Texas	533	0.016	0.015 - 0.017	111	0.007	0.006 - 0.008	422	0.024	0.022 - 0.027
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	283	0.017	0.015 - 0.019	51	0.006	0.005 - 0.008	232	0.027	0.023 - 0.030
Washington	42	0.013	0.009 - 0.017	-	-		-	-	
WA - Seattle	44	0.015	0.011 - 0.020	11	0.007	0.004 - 0.013	33	0.024	0.017 - 0.034
West Virginia	18	0.025	0.015 - 0.039	-	-		-	-	
Wisconsin	72	0.018	0.014 - 0.023	13	0.007	0.004 - 0.011	59	0.029	0.022 - 0.038
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**1,979**	**0.005**	**0.005 - 0.005**	**1,071**	**0.006**	**0.005 - 0.006**	**908**	**0.004**	**0.004 - 0.005**
Alabama	61	0.005	0.004 - 0.006	29	0.005	0.003 - 0.007	32	0.005	0.003 - 0.006
Alaska	-	-		-	-		-	-	
Arizona	14	0.004	0.002 - 0.007	-	-		-	-	
Arkansas	35	0.007	0.005 - 0.010	20	0.009	0.005 - 0.014	15	0.006	0.003 - 0.010
California	95	0.004	0.003 - 0.005	55	0.005	0.003 - 0.006	40	0.003	0.002 - 0.004
CA - Greater California	42	0.004	0.003 - 0.005	24	0.004	0.003 - 0.006	18	0.003	0.002 - 0.005
CA - Greater Bay Area	27	0.006	0.004 - 0.009	17	0.008	0.004 - 0.012	10	0.004	0.002 - 0.008
CA - Los Angeles	26	0.003	0.002 - 0.004	14	0.003	0.002 - 0.006	12	0.003	0.001 - 0.005
Colorado	10	0.004	0.002 - 0.007	-	-		-	-	
Connecticut	21	0.006	0.003 - 0.008	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	168	0.005	0.004 - 0.006	94	0.006	0.005 - 0.007	74	0.004	0.003 - 0.005
Georgia	150	0.005	0.004 - 0.005	84	0.006	0.004 - 0.007	66	0.004	0.003 - 0.005
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	89	0.005	0.004 - 0.006	56	0.006	0.005 - 0.008	33	0.003	0.002 - 0.005
Iowa	11	0.009	0.004 - 0.015	-	-		-	-	
Kentucky	20	0.005	0.003 - 0.008	-	-		-	-	
Louisiana	75	0.005	0.004 - 0.006	46	0.006	0.005 - 0.008	29	0.004	0.002 - 0.005
Maine	-	-		-	-		-	-	
Maryland	100	0.005	0.004 - 0.007	53	0.006	0.005 - 0.008	47	0.005	0.004 - 0.006
Michigan	77	0.005	0.004 - 0.007	42	0.006	0.004 - 0.008	35	0.005	0.003 - 0.006
MI - Detroit	61	0.006	0.005 - 0.008	35	0.008	0.005 - 0.011	26	0.005	0.003 - 0.007
Minnesota	14	0.004	0.002 - 0.006	-	-		-	-	
Mississippi	65	0.006	0.004 - 0.007	32	0.006	0.004 - 0.009	33	0.006	0.004 - 0.008
Missouri	25	0.003	0.002 - 0.005	13	0.004	0.002 - 0.006	12	0.003	0.002 - 0.005
Montana	-	-		-	-		-	-	
Nebraska	12	0.012	0.006 - 0.021	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	70	0.006	0.005 - 0.007	37	0.007	0.005 - 0.009	33	0.005	0.004 - 0.007
New Mexico	-	-		-	-		-	-	
New York	182	0.006	0.005 - 0.007	89	0.006	0.005 - 0.008	93	0.006	0.005 - 0.007
North Carolina	109	0.005	0.004 - 0.006	53	0.005	0.004 - 0.007	56	0.005	0.004 - 0.006
North Dakota	-	-		-	-		-	-	
Ohio	74	0.005	0.004 - 0.006	38	0.005	0.004 - 0.007	36	0.004	0.003 - 0.006
Oklahoma	19	0.006	0.003 - 0.009	-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	86	0.006	0.005 - 0.007	38	0.005	0.004 - 0.007	48	0.006	0.005 - 0.008
Rhode Island	-	-		-	-		-	-	
South Carolina	57	0.004	0.003 - 0.005	31	0.005	0.003 - 0.007	26	0.004	0.002 - 0.005
Tennessee	54	0.005	0.004 - 0.006	33	0.006	0.004 - 0.009	21	0.003	0.002 - 0.005
Texas	140	0.004	0.004 - 0.005	88	0.005	0.004 - 0.007	52	0.003	0.002 - 0.004
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	75	0.004	0.004 - 0.006	42	0.005	0.004 - 0.007	33	0.004	0.003 - 0.005
Washington	18	0.005	0.003 - 0.009	-	-		-	-	
WA - Seattle	18	0.006	0.004 - 0.010	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	21	0.005	0.003 - 0.008	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**8,331**	**0.021**	**0.020 - 0.021**	**4,320**	**0.023**	**0.022 - 0.023**	**4,011**	**0.019**	**0.019 - 0.020**
Alabama	257	0.020	0.017 - 0.022	132	0.022	0.018 - 0.026	125	0.018	0.015 - 0.021
Alaska	-	-		-	-		-	-	
Arizona	42	0.013	0.009 - 0.018	22	0.013	0.008 - 0.020	20	0.013	0.008 - 0.020
Arkansas	92	0.019	0.016 - 0.024	51	0.023	0.017 - 0.030	41	0.016	0.012 - 0.022
California	566	0.023	0.021 - 0.025	313	0.026	0.023 - 0.029	253	0.021	0.018 - 0.023
CA - Greater California	219	0.020	0.017 - 0.022	131	0.023	0.019 - 0.027	89	0.016	0.013 - 0.020
CA - Greater Bay Area	140	0.031	0.026 - 0.037	75	0.034	0.027 - 0.043	65	0.029	0.022 - 0.036
CA - Los Angeles	206	0.024	0.021 - 0.027	107	0.026	0.022 - 0.032	99	0.022	0.018 - 0.027
Colorado	53	0.021	0.016 - 0.028	32	0.024	0.017 - 0.034	21	0.018	0.011 - 0.027
Connecticut	71	0.019	0.015 - 0.024	51	0.028	0.021 - 0.037	20	0.010	0.006 - 0.016
Delaware	46	0.022	0.016 - 0.029	19	0.019	0.011 - 0.030	27	0.024	0.016 - 0.035
Florida	730	0.022	0.021 - 0.024	368	0.023	0.021 - 0.026	362	0.021	0.019 - 0.024
Georgia	638	0.020	0.018 - 0.021	345	0.023	0.020 - 0.025	294	0.017	0.015 - 0.019
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	382	0.020	0.018 - 0.022	192	0.022	0.019 - 0.025	190	0.019	0.016 - 0.022
Iowa	19	0.015	0.009 - 0.023	-	-		-	-	
Kentucky	76	0.020	0.016 - 0.025	41	0.022	0.015 - 0.029	35	0.018	0.013 - 0.025
Louisiana	304	0.020	0.018 - 0.022	154	0.021	0.018 - 0.025	150	0.019	0.016 - 0.022
Maine	-	-		-	-		-	-	
Maryland	388	0.021	0.019 - 0.023	175	0.020	0.018 - 0.024	213	0.022	0.019 - 0.025
Michigan	313	0.022	0.019 - 0.024	164	0.024	0.020 - 0.028	149	0.020	0.017 - 0.023
MI - Detroit	240	0.024	0.021 - 0.028	123	0.027	0.023 - 0.033	117	0.022	0.018 - 0.026
Minnesota	58	0.016	0.012 - 0.020	30	0.016	0.011 - 0.023	28	0.016	0.010 - 0.023
Mississippi	220	0.019	0.017 - 0.022	113	0.021	0.018 - 0.026	107	0.018	0.015 - 0.022
Missouri	154	0.021	0.017 - 0.024	74	0.021	0.016 - 0.026	80	0.020	0.016 - 0.025
Montana	-	-		-	-		-	-	
Nebraska	22	0.022	0.014 - 0.033	11	0.021	0.011 - 0.038	11	0.022	0.011 - 0.040
New Hampshire	-	-		-	-		-	-	
New Jersey	261	0.022	0.019 - 0.025	124	0.022	0.018 - 0.026	138	0.022	0.018 - 0.026
New Mexico	-	-		-	-		-	-	
New York	761	0.025	0.024 - 0.027	382	0.027	0.025 - 0.030	379	0.024	0.021 - 0.026
North Carolina	488	0.022	0.020 - 0.024	249	0.024	0.021 - 0.027	239	0.020	0.018 - 0.023
North Dakota	-	-		-	-		-	-	
Ohio	328	0.021	0.019 - 0.024	171	0.023	0.020 - 0.027	157	0.020	0.017 - 0.023
Oklahoma	55	0.017	0.013 - 0.022	35	0.021	0.015 - 0.030	20	0.012	0.007 - 0.019
Oregon	17	0.018	0.010 - 0.028	-	-		-	-	
Pennsylvania	351	0.024	0.022 - 0.027	187	0.027	0.023 - 0.031	164	0.022	0.019 - 0.025
Rhode Island	11	0.016	0.008 - 0.028	-	-		-	-	
South Carolina	238	0.017	0.015 - 0.020	133	0.021	0.017 - 0.025	105	0.014	0.012 - 0.018
Tennessee	205	0.018	0.016 - 0.020	107	0.020	0.016 - 0.024	98	0.016	0.013 - 0.020
Texas	653	0.019	0.018 - 0.021	345	0.021	0.019 - 0.024	308	0.018	0.016 - 0.020
Utah	10	0.024	0.012 - 0.045	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	343	0.021	0.018 - 0.023	169	0.021	0.018 - 0.025	174	0.020	0.017 - 0.023
Washington	52	0.016	0.012 - 0.020	32	0.018	0.012 - 0.025	20	0.013	0.008 - 0.020
WA - Seattle	51	0.018	0.013 - 0.023	35	0.023	0.016 - 0.032	16	0.012	0.007 - 0.019
West Virginia	19	0.026	0.016 - 0.041	-	-		-	-	
Wisconsin	81	0.020	0.016 - 0.025	35	0.018	0.013 - 0.025	46	0.023	0.017 - 0.030
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**7,583**	**0.019**	**0.019 - 0.019**	**3,789**	**0.020**	**0.019 - 0.020**	**3,794**	**0.018**	**0.018 - 0.019**
Alabama	256	0.020	0.017 - 0.022	119	0.019	0.016 - 0.023	137	0.020	0.016 - 0.023
Alaska	-	-		-	-		-	-	
Arizona	35	0.011	0.008 - 0.015	16	0.010	0.005 - 0.016	19	0.012	0.007 - 0.019
Arkansas	105	0.022	0.018 - 0.027	58	0.026	0.019 - 0.033	47	0.019	0.014 - 0.025
California	447	0.018	0.017 - 0.020	245	0.020	0.018 - 0.023	201	0.016	0.014 - 0.019
CA - Greater California	183	0.016	0.014 - 0.019	102	0.018	0.014 - 0.022	81	0.015	0.012 - 0.019
CA - Greater Bay Area	88	0.020	0.016 - 0.024	48	0.022	0.016 - 0.029	40	0.018	0.013 - 0.024
CA - Los Angeles	176	0.020	0.018 - 0.024	95	0.023	0.019 - 0.029	81	0.018	0.014 - 0.022
Colorado	38	0.015	0.011 - 0.021	27	0.020	0.013 - 0.030	11	0.009	0.005 - 0.017
Connecticut	85	0.022	0.018 - 0.028	45	0.025	0.018 - 0.033	40	0.020	0.014 - 0.027
Delaware	49	0.023	0.017 - 0.030	23	0.023	0.015 - 0.034	26	0.023	0.015 - 0.034
Florida	655	0.020	0.018 - 0.022	340	0.021	0.019 - 0.024	315	0.018	0.016 - 0.021
Georgia	602	0.018	0.017 - 0.020	288	0.019	0.017 - 0.021	314	0.018	0.016 - 0.020
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	362	0.019	0.017 - 0.021	166	0.019	0.016 - 0.022	196	0.020	0.017 - 0.023
Iowa	24	0.019	0.012 - 0.028	10	0.015	0.007 - 0.027	14	0.023	0.013 - 0.039
Kentucky	69	0.018	0.014 - 0.023	40	0.021	0.015 - 0.029	29	0.015	0.010 - 0.022
Louisiana	279	0.018	0.016 - 0.021	140	0.019	0.016 - 0.023	139	0.017	0.015 - 0.020
Maine	-	-		-	-		-	-	
Maryland	368	0.020	0.018 - 0.022	174	0.020	0.017 - 0.024	194	0.020	0.017 - 0.023
Michigan	277	0.019	0.017 - 0.021	131	0.019	0.016 - 0.023	146	0.019	0.016 - 0.023
MI - Detroit	215	0.022	0.019 - 0.025	102	0.023	0.018 - 0.027	113	0.021	0.018 - 0.026
Minnesota	28	0.008	0.005 - 0.011	14	0.007	0.004 - 0.013	14	0.008	0.004 - 0.013
Mississippi	181	0.016	0.014 - 0.019	87	0.016	0.013 - 0.020	94	0.016	0.013 - 0.019
Missouri	148	0.020	0.017 - 0.023	73	0.020	0.016 - 0.026	75	0.019	0.015 - 0.024
Montana	-	-		-	-		-	-	
Nebraska	14	0.014	0.008 - 0.023	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	230	0.019	0.017 - 0.022	106	0.019	0.015 - 0.023	124	0.019	0.016 - 0.023
New Mexico	-	-		-	-		-	-	
New York	690	0.023	0.021 - 0.025	333	0.024	0.021 - 0.027	357	0.022	0.020 - 0.025
North Carolina	479	0.021	0.020 - 0.023	248	0.024	0.021 - 0.027	231	0.019	0.017 - 0.022
North Dakota	-	-		-	-		-	-	
Ohio	273	0.018	0.016 - 0.020	140	0.019	0.016 - 0.022	133	0.017	0.014 - 0.020
Oklahoma	53	0.016	0.012 - 0.021	29	0.018	0.012 - 0.025	24	0.015	0.009 - 0.022
Oregon	10	0.010	0.005 - 0.019	-	-		-	-	
Pennsylvania	309	0.021	0.019 - 0.024	133	0.019	0.016 - 0.023	176	0.023	0.020 - 0.027
Rhode Island	12	0.017	0.009 - 0.030	-	-		-	-	
South Carolina	317	0.023	0.021 - 0.026	156	0.024	0.021 - 0.029	161	0.022	0.019 - 0.026
Tennessee	182	0.016	0.014 - 0.018	88	0.016	0.013 - 0.020	94	0.016	0.013 - 0.019
Texas	573	0.017	0.016 - 0.019	299	0.018	0.016 - 0.021	274	0.016	0.014 - 0.018
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	269	0.016	0.014 - 0.018	141	0.018	0.015 - 0.021	128	0.015	0.012 - 0.018
Washington	41	0.012	0.009 - 0.017	23	0.013	0.008 - 0.019	18	0.012	0.007 - 0.018
WA - Seattle	36	0.012	0.009 - 0.017	18	0.012	0.007 - 0.018	18	0.013	0.008 - 0.021
West Virginia	17	0.023	0.014 - 0.037	-	-		-	-	
Wisconsin	86	0.022	0.017 - 0.027	52	0.027	0.020 - 0.035	34	0.017	0.012 - 0.024
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**5,455**	**0.014**	**0.013 - 0.014**	**2,942**	**0.015**	**0.015 - 0.016**	**2,513**	**0.012**	**0.012 - 0.013**
Alabama	138	0.011	0.009 - 0.012	71	0.012	0.009 - 0.015	67	0.010	0.007 - 0.012
Alaska	-	-		-	-		-	-	
Arizona	23	0.007	0.005 - 0.011	12	0.007	0.004 - 0.013	11	0.007	0.004 - 0.013
Arkansas	57	0.012	0.009 - 0.016	32	0.014	0.010 - 0.020	25	0.010	0.007 - 0.015
California	358	0.015	0.013 - 0.016	215	0.018	0.016 - 0.020	143	0.012	0.010 - 0.014
CA - Greater California	141	0.013	0.011 - 0.015	100	0.017	0.014 - 0.021	42	0.008	0.006 - 0.010
CA - Greater Bay Area	75	0.017	0.013 - 0.021	47	0.021	0.016 - 0.028	28	0.012	0.008 - 0.018
CA - Los Angeles	142	0.017	0.014 - 0.020	69	0.017	0.013 - 0.022	73	0.016	0.013 - 0.020
Colorado	29	0.012	0.008 - 0.017	18	0.014	0.008 - 0.021	11	0.009	0.005 - 0.017
Connecticut	43	0.011	0.008 - 0.015	21	0.012	0.007 - 0.018	22	0.011	0.007 - 0.017
Delaware	28	0.013	0.009 - 0.019	15	0.015	0.008 - 0.025	13	0.012	0.006 - 0.020
Florida	542	0.016	0.015 - 0.018	289	0.018	0.016 - 0.020	253	0.015	0.013 - 0.017
Georgia	451	0.014	0.013 - 0.015	222	0.015	0.013 - 0.017	229	0.013	0.012 - 0.015
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	252	0.013	0.012 - 0.015	138	0.016	0.013 - 0.018	114	0.011	0.009 - 0.014
Iowa	15	0.012	0.007 - 0.019	-	-		-	-	
Kentucky	61	0.016	0.012 - 0.021	33	0.017	0.012 - 0.024	28	0.015	0.010 - 0.021
Louisiana	221	0.014	0.013 - 0.017	117	0.016	0.013 - 0.019	104	0.013	0.011 - 0.016
Maine	-	-		-	-		-	-	
Maryland	239	0.013	0.011 - 0.015	124	0.015	0.012 - 0.017	115	0.012	0.010 - 0.014
Michigan	183	0.013	0.011 - 0.015	95	0.014	0.011 - 0.017	88	0.012	0.009 - 0.014
MI - Detroit	151	0.015	0.013 - 0.018	82	0.018	0.014 - 0.023	69	0.013	0.010 - 0.016
Minnesota	30	0.008	0.006 - 0.012	17	0.009	0.005 - 0.015	13	0.007	0.004 - 0.012
Mississippi	139	0.012	0.010 - 0.015	89	0.017	0.013 - 0.021	50	0.008	0.006 - 0.011
Missouri	115	0.015	0.013 - 0.018	64	0.018	0.014 - 0.023	51	0.013	0.010 - 0.017
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	200	0.017	0.014 - 0.019	101	0.018	0.014 - 0.022	100	0.016	0.013 - 0.019
New Mexico	-	-		-	-		-	-	
New York	448	0.015	0.014 - 0.016	240	0.017	0.015 - 0.020	208	0.013	0.011 - 0.015
North Carolina	332	0.015	0.013 - 0.017	186	0.018	0.015 - 0.021	146	0.012	0.010 - 0.014
North Dakota	-	-		-	-		-	-	
Ohio	191	0.012	0.011 - 0.014	100	0.014	0.011 - 0.016	91	0.011	0.009 - 0.014
Oklahoma	51	0.015	0.012 - 0.020	31	0.019	0.013 - 0.027	20	0.012	0.007 - 0.019
Oregon	17	0.018	0.010 - 0.028	-	-		-	-	
Pennsylvania	196	0.013	0.012 - 0.016	114	0.016	0.013 - 0.020	82	0.011	0.009 - 0.014
Rhode Island	-	-		-	-		-	-	
South Carolina	167	0.012	0.010 - 0.014	80	0.013	0.010 - 0.016	87	0.012	0.010 - 0.015
Tennessee	144	0.013	0.011 - 0.015	70	0.013	0.010 - 0.016	74	0.012	0.010 - 0.015
Texas	437	0.013	0.012 - 0.014	243	0.015	0.013 - 0.017	194	0.011	0.010 - 0.013
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	180	0.011	0.009 - 0.012	93	0.012	0.009 - 0.014	87	0.010	0.008 - 0.012
Washington	41	0.012	0.009 - 0.017	24	0.013	0.009 - 0.020	17	0.011	0.006 - 0.017
WA - Seattle	43	0.015	0.011 - 0.020	25	0.016	0.011 - 0.024	18	0.013	0.008 - 0.021
West Virginia	17	0.023	0.014 - 0.037	-	-		-	-	
Wisconsin	71	0.018	0.014 - 0.023	36	0.018	0.013 - 0.026	35	0.017	0.012 - 0.024
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Non-Hispanic Black, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**122**	**0.000**	**0.000 - 0.000**	**86**	**0.000**	**0.000 - 0.001**	**36**	**0.000**	**0.000 - 0.000**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	13	0.001	0.000 - 0.001	-	-		-	-	
CA - Greater California	-	-		-	-		-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		-	-	
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	12	0.001	0.000 - 0.001	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		-	-	
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	-	-		-	-		-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**192,497**	**0.352**	**0.351 - 0.354**	**86,069**	**0.312**	**0.310 - 0.314**	**106,427**	**0.394**	**0.391 - 0.396**
Alabama	357	0.176	0.158 - 0.195	159	0.146	0.125 - 0.171	198	0.210	0.182 - 0.241
Alaska	104	0.204	0.167 - 0.247	38	0.142	0.100 - 0.195	66	0.274	0.212 - 0.348
Arizona	6,415	0.302	0.295 - 0.309	2,740	0.256	0.247 - 0.266	3,675	0.348	0.337 - 0.359
Arkansas	540	0.249	0.228 - 0.271	255	0.224	0.197 - 0.253	285	0.276	0.245 - 0.311
California	51,131	0.336	0.333 - 0.339	22,420	0.293	0.289 - 0.297	28,711	0.380	0.376 - 0.384
CA - Greater California	27,446	0.327	0.323 - 0.331	12,045	0.284	0.279 - 0.290	15,400	0.370	0.365 - 0.376
CA - Greater Bay Area	6,861	0.361	0.352 - 0.369	3,083	0.319	0.308 - 0.331	3,778	0.404	0.391 - 0.417
CA - Los Angeles	16,820	0.342	0.337 - 0.348	7,299	0.298	0.291 - 0.305	9,521	0.387	0.379 - 0.394
Colorado	4,084	0.349	0.339 - 0.360	1,777	0.298	0.285 - 0.312	2,307	0.402	0.386 - 0.419
Connecticut	2,387	0.428	0.411 - 0.446	1,017	0.366	0.343 - 0.389	1,370	0.491	0.465 - 0.517
Delaware	299	0.348	0.310 - 0.390	147	0.334	0.282 - 0.392	152	0.364	0.308 - 0.427
Florida	26,873	0.527	0.520 - 0.533	12,546	0.498	0.490 - 0.507	14,327	0.554	0.545 - 0.563
Georgia	2,558	0.266	0.255 - 0.276	1,075	0.212	0.200 - 0.225	1,483	0.324	0.308 - 0.341
Hawaii	562	0.397	0.365 - 0.431	253	0.348	0.306 - 0.393	309	0.450	0.401 - 0.503
Idaho	544	0.266	0.244 - 0.289	221	0.209	0.183 - 0.239	323	0.326	0.292 - 0.364
Illinois	7,160	0.329	0.322 - 0.337	3,232	0.290	0.280 - 0.300	3,928	0.370	0.359 - 0.382
Iowa	378	0.209	0.188 - 0.231	163	0.173	0.147 - 0.202	215	0.248	0.216 - 0.284
Kentucky	251	0.162	0.143 - 0.183	113	0.135	0.111 - 0.162	137	0.194	0.163 - 0.229
Louisiana	721	0.306	0.284 - 0.329	374	0.295	0.266 - 0.327	347	0.318	0.286 - 0.354
Maine	57	0.275	0.209 - 0.357	24	0.231	0.148 - 0.343	33	0.320	0.221 - 0.450
Maryland	1,478	0.253	0.241 - 0.267	601	0.198	0.183 - 0.215	877	0.313	0.293 - 0.335
Michigan	1,327	0.272	0.257 - 0.287	648	0.261	0.241 - 0.282	679	0.282	0.261 - 0.304
MI - Detroit	692	0.403	0.373 - 0.434	291	0.337	0.299 - 0.378	401	0.470	0.425 - 0.519
Minnesota	820	0.285	0.266 - 0.305	348	0.233	0.209 - 0.259	472	0.341	0.311 - 0.373
Mississippi	167	0.183	0.156 - 0.213	92	0.180	0.145 - 0.221	75	0.186	0.147 - 0.234
Missouri	550	0.222	0.204 - 0.241	235	0.183	0.160 - 0.208	315	0.264	0.236 - 0.295
Montana	125	0.334	0.278 - 0.398	47	0.244	0.180 - 0.325	78	0.428	0.338 - 0.534
Nebraska	473	0.235	0.214 - 0.257	233	0.222	0.194 - 0.252	240	0.250	0.219 - 0.283
New Hampshire	149	0.324	0.274 - 0.380	74	0.317	0.249 - 0.398	75	0.331	0.260 - 0.414
New Jersey	7,896	0.443	0.433 - 0.453	3,528	0.395	0.382 - 0.408	4,368	0.492	0.477 - 0.507
New Mexico	4,504	0.447	0.434 - 0.460	2,018	0.403	0.386 - 0.421	2,486	0.490	0.471 - 0.510
New York	18,675	0.498	0.490 - 0.505	8,454	0.456	0.447 - 0.466	10,221	0.538	0.527 - 0.548
North Carolina	2,014	0.217	0.208 - 0.227	881	0.182	0.170 - 0.195	1,133	0.256	0.241 - 0.271
North Dakota	25	0.093	0.060 - 0.137	13	0.089	0.048 - 0.153	12	0.097	0.050 - 0.169
Ohio	952	0.226	0.212 - 0.241	455	0.211	0.192 - 0.231	497	0.243	0.222 - 0.265
Oklahoma	876	0.218	0.204 - 0.233	343	0.163	0.146 - 0.181	533	0.278	0.255 - 0.303
Oregon	1,368	0.265	0.251 - 0.280	607	0.227	0.209 - 0.246	761	0.306	0.285 - 0.329
Pennsylvania	2,788	0.314	0.302 - 0.326	1,289	0.284	0.269 - 0.300	1,499	0.345	0.327 - 0.362
Rhode Island	432	0.276	0.251 - 0.304	172	0.219	0.188 - 0.255	260	0.334	0.294 - 0.377
South Carolina	597	0.220	0.203 - 0.239	286	0.197	0.175 - 0.222	311	0.247	0.220 - 0.276
Tennessee	622	0.180	0.166 - 0.195	268	0.147	0.130 - 0.165	354	0.217	0.195 - 0.241
Texas	35,930	0.333	0.329 - 0.336	16,198	0.298	0.293 - 0.303	19,732	0.368	0.363 - 0.373
Utah	1,158	0.280	0.264 - 0.296	494	0.233	0.213 - 0.254	663	0.329	0.304 - 0.355
Vermont	25	0.221	0.143 - 0.326	13	0.226	0.120 - 0.386	12	0.215	0.111 - 0.376
Virginia	1,673	0.220	0.209 - 0.231	651	0.166	0.153 - 0.179	1,022	0.278	0.261 - 0.295
Washington	2,290	0.256	0.246 - 0.267	998	0.216	0.202 - 0.229	1,292	0.299	0.283 - 0.316
WA - Seattle	1,497	0.313	0.297 - 0.329	646	0.259	0.240 - 0.280	852	0.370	0.346 - 0.396
West Virginia	52	0.186	0.139 - 0.244	30	0.201	0.136 - 0.287	22	0.169	0.106 - 0.256
Wisconsin	939	0.244	0.229 - 0.260	458	0.230	0.209 - 0.252	481	0.260	0.237 - 0.284
Wyoming	171	0.297	0.254 - 0.344	81	0.266	0.211 - 0.331	91	0.330	0.265 - 0.405

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,044**	**0.007**	**0.007 - 0.008**	**2,673**	**0.010**	**0.009 - 0.010**	**1,370**	**0.005**	**0.005 - 0.005**
Alabama	10	0.005	0.002 - 0.009	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	125	0.006	0.005 - 0.007	76	0.007	0.006 - 0.009	49	0.005	0.003 - 0.006
Arkansas	10	0.005	0.002 - 0.008	-	-		-	-	
California	978	0.006	0.006 - 0.007	627	0.008	0.008 - 0.009	351	0.005	0.004 - 0.005
CA - Greater California	498	0.006	0.005 - 0.006	308	0.007	0.006 - 0.008	190	0.005	0.004 - 0.005
CA - Greater Bay Area	142	0.007	0.006 - 0.009	100	0.010	0.008 - 0.013	42	0.004	0.003 - 0.006
CA - Los Angeles	336	0.007	0.006 - 0.008	216	0.009	0.008 - 0.010	120	0.005	0.004 - 0.006
Colorado	99	0.008	0.007 - 0.010	66	0.011	0.009 - 0.014	33	0.006	0.004 - 0.008
Connecticut	54	0.010	0.007 - 0.013	38	0.014	0.010 - 0.019	16	0.006	0.003 - 0.009
Delaware	-	-		-	-		-	-	
Florida	691	0.014	0.013 - 0.015	470	0.019	0.017 - 0.020	221	0.009	0.007 - 0.010
Georgia	40	0.004	0.003 - 0.006	25	0.005	0.003 - 0.007	15	0.003	0.002 - 0.005
Hawaii	17	0.012	0.007 - 0.019	-	-		-	-	
Idaho	13	0.006	0.003 - 0.011	-	-		-	-	
Illinois	141	0.006	0.005 - 0.008	85	0.008	0.006 - 0.009	56	0.005	0.004 - 0.007
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	19	0.008	0.005 - 0.013	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	34	0.006	0.004 - 0.008	23	0.008	0.005 - 0.011	11	0.004	0.002 - 0.007
Michigan	28	0.006	0.004 - 0.008	-	-		-	-	
MI - Detroit	15	0.009	0.005 - 0.014	-	-		-	-	
Minnesota	19	0.007	0.004 - 0.010	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	12	0.005	0.003 - 0.008	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	155	0.009	0.007 - 0.010	99	0.011	0.009 - 0.014	56	0.006	0.005 - 0.008
New Mexico	84	0.008	0.007 - 0.010	52	0.010	0.008 - 0.014	32	0.006	0.004 - 0.009
New York	419	0.011	0.010 - 0.012	279	0.015	0.013 - 0.017	140	0.007	0.006 - 0.009
North Carolina	42	0.005	0.003 - 0.006	28	0.006	0.004 - 0.008	14	0.003	0.002 - 0.005
North Dakota	-	-		-	-		-	-	
Ohio	18	0.004	0.003 - 0.007	-	-		-	-	
Oklahoma	21	0.005	0.003 - 0.008	-	-		-	-	
Oregon	28	0.005	0.004 - 0.008	17	0.006	0.004 - 0.010	11	0.004	0.002 - 0.008
Pennsylvania	62	0.007	0.005 - 0.009	48	0.011	0.008 - 0.014	14	0.003	0.002 - 0.005
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	14	0.004	0.002 - 0.007	-	-		-	-	
Texas	747	0.007	0.006 - 0.007	506	0.009	0.009 - 0.010	241	0.004	0.004 - 0.005
Utah	12	0.003	0.001 - 0.005	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	28	0.004	0.002 - 0.005	-	-		-	-	
Washington	50	0.006	0.004 - 0.007	35	0.008	0.005 - 0.011	15	0.003	0.002 - 0.006
WA - Seattle	33	0.007	0.005 - 0.010	22	0.009	0.006 - 0.013	11	0.005	0.002 - 0.009
West Virginia	-	-		-	-		-	-	
Wisconsin	19	0.005	0.003 - 0.008	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**992**	**0.002**	**0.002 - 0.002**	**774**	**0.003**	**0.003 - 0.003**	**218**	**0.001**	**0.001 - 0.001**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	44	0.002	0.002 - 0.003	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	233	0.002	0.001 - 0.002	182	0.002	0.002 - 0.003	51	0.001	0.001 - 0.001
CA - Greater California	121	0.001	0.001 - 0.002	95	0.002	0.002 - 0.003	27	0.001	0.000 - 0.001
CA - Greater Bay Area	36	0.002	0.001 - 0.003	24	0.002	0.002 - 0.004	12	0.001	0.001 - 0.002
CA - Los Angeles	75	0.002	0.001 - 0.002	63	0.003	0.002 - 0.003	12	0.001	0.000 - 0.001
Colorado	23	0.002	0.001 - 0.003	-	-		-	-	
Connecticut	12	0.002	0.001 - 0.004	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	154	0.003	0.003 - 0.004	119	0.005	0.004 - 0.006	35	0.001	0.001 - 0.002
Georgia	10	0.001	0.000 - 0.002	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	28	0.001	0.001 - 0.002	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	12	0.002	0.001 - 0.004	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	29	0.002	0.001 - 0.002	-	-		-	-	
New Mexico	37	0.004	0.003 - 0.005	-	-		-	-	
New York	98	0.003	0.002 - 0.003	64	0.003	0.003 - 0.004	34	0.002	0.001 - 0.002
North Carolina	10	0.001	0.001 - 0.002	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	17	0.002	0.001 - 0.003	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	185	0.002	0.001 - 0.002	149	0.003	0.002 - 0.003	36	0.001	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**3,961**	**0.007**	**0.007 - 0.007**	**2,160**	**0.008**	**0.008 - 0.008**	**1,801**	**0.007**	**0.006 - 0.007**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	126	0.006	0.005 - 0.007	73	0.007	0.005 - 0.009	53	0.005	0.004 - 0.007
Arkansas	11	0.005	0.003 - 0.009	-	-		-	-	
California	1,070	0.007	0.007 - 0.007	572	0.007	0.007 - 0.008	499	0.007	0.006 - 0.007
CA - Greater California	524	0.006	0.006 - 0.007	291	0.007	0.006 - 0.008	233	0.006	0.005 - 0.006
CA - Greater Bay Area	150	0.008	0.007 - 0.009	80	0.008	0.007 - 0.010	70	0.007	0.006 - 0.009
CA - Los Angeles	396	0.008	0.007 - 0.009	200	0.008	0.007 - 0.009	196	0.008	0.007 - 0.009
Colorado	76	0.006	0.005 - 0.008	41	0.007	0.005 - 0.009	35	0.006	0.004 - 0.008
Connecticut	49	0.009	0.006 - 0.012	28	0.010	0.007 - 0.015	21	0.007	0.005 - 0.011
Delaware	-	-		-	-		-	-	
Florida	450	0.009	0.008 - 0.010	260	0.010	0.009 - 0.012	190	0.007	0.006 - 0.008
Georgia	34	0.003	0.002 - 0.005	18	0.003	0.002 - 0.006	16	0.004	0.002 - 0.006
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	168	0.008	0.007 - 0.009	79	0.007	0.006 - 0.009	89	0.008	0.007 - 0.010
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	17	0.007	0.004 - 0.011	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	39	0.007	0.005 - 0.009	21	0.007	0.004 - 0.011	18	0.006	0.004 - 0.010
Michigan	22	0.005	0.003 - 0.007	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	13	0.005	0.002 - 0.008	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	195	0.011	0.009 - 0.013	107	0.012	0.010 - 0.014	89	0.010	0.008 - 0.012
New Mexico	75	0.007	0.006 - 0.009	48	0.010	0.007 - 0.013	27	0.005	0.004 - 0.008
New York	452	0.012	0.011 - 0.013	248	0.013	0.012 - 0.015	204	0.011	0.009 - 0.012
North Carolina	37	0.004	0.003 - 0.006	16	0.003	0.002 - 0.005	21	0.005	0.003 - 0.007
North Dakota	-	-		-	-		-	-	
Ohio	19	0.005	0.003 - 0.007	-	-		-	-	
Oklahoma	13	0.003	0.002 - 0.006	-	-		-	-	
Oregon	31	0.006	0.004 - 0.009	18	0.007	0.004 - 0.011	13	0.005	0.003 - 0.009
Pennsylvania	65	0.007	0.006 - 0.009	38	0.008	0.006 - 0.012	27	0.006	0.004 - 0.009
Rhode Island	14	0.009	0.005 - 0.015	-	-		-	-	
South Carolina	14	0.005	0.003 - 0.009	-	-		-	-	
Tennessee	17	0.005	0.003 - 0.008	-	-		-	-	
Texas	749	0.007	0.006 - 0.007	400	0.007	0.007 - 0.008	349	0.007	0.006 - 0.007
Utah	24	0.006	0.004 - 0.009	11	0.005	0.003 - 0.009	13	0.006	0.003 - 0.011
Vermont	-	-		-	-		-	-	
Virginia	53	0.007	0.005 - 0.009	22	0.006	0.004 - 0.008	31	0.008	0.006 - 0.012
Washington	44	0.005	0.004 - 0.007	30	0.006	0.004 - 0.009	14	0.003	0.002 - 0.005
WA - Seattle	28	0.006	0.004 - 0.008	16	0.006	0.004 - 0.010	12	0.005	0.003 - 0.009
West Virginia	-	-		-	-		-	-	
Wisconsin	18	0.005	0.003 - 0.007	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**19,495**	**0.036**	**0.035 - 0.036**	**10,485**	**0.038**	**0.037 - 0.039**	**9,011**	**0.033**	**0.033 - 0.034**
Alabama	38	0.019	0.013 - 0.026	19	0.018	0.011 - 0.027	19	0.020	0.012 - 0.031
Alaska	10	0.020	0.009 - 0.036	-	-		-	-	
Arizona	689	0.032	0.030 - 0.035	389	0.036	0.033 - 0.040	300	0.028	0.025 - 0.032
Arkansas	62	0.029	0.022 - 0.037	35	0.031	0.021 - 0.043	27	0.026	0.017 - 0.038
California	5,269	0.035	0.034 - 0.036	2,789	0.036	0.035 - 0.038	2,480	0.033	0.032 - 0.034
CA - Greater California	2,810	0.033	0.032 - 0.035	1,492	0.035	0.033 - 0.037	1,318	0.032	0.030 - 0.033
CA - Greater Bay Area	695	0.037	0.034 - 0.039	360	0.037	0.034 - 0.041	335	0.036	0.032 - 0.040
CA - Los Angeles	1,759	0.036	0.034 - 0.038	934	0.038	0.036 - 0.041	826	0.034	0.031 - 0.036
Colorado	455	0.039	0.035 - 0.043	244	0.041	0.036 - 0.046	211	0.037	0.032 - 0.042
Connecticut	214	0.038	0.033 - 0.044	104	0.037	0.031 - 0.045	109	0.039	0.032 - 0.047
Delaware	36	0.042	0.029 - 0.058	15	0.034	0.019 - 0.056	21	0.050	0.031 - 0.077
Florida	2,705	0.053	0.051 - 0.055	1,413	0.056	0.053 - 0.059	1,292	0.050	0.047 - 0.053
Georgia	225	0.023	0.020 - 0.027	115	0.023	0.019 - 0.027	110	0.024	0.020 - 0.029
Hawaii	52	0.037	0.028 - 0.048	22	0.030	0.019 - 0.046	30	0.044	0.030 - 0.063
Idaho	41	0.020	0.014 - 0.027	21	0.020	0.012 - 0.030	20	0.020	0.012 - 0.031
Illinois	678	0.031	0.029 - 0.034	374	0.034	0.030 - 0.037	304	0.029	0.026 - 0.032
Iowa	36	0.020	0.014 - 0.028	22	0.023	0.015 - 0.035	14	0.016	0.009 - 0.027
Kentucky	30	0.019	0.013 - 0.028	-	-		-	-	
Louisiana	75	0.032	0.025 - 0.040	45	0.036	0.026 - 0.048	30	0.027	0.018 - 0.039
Maine	-	-		-	-		-	-	
Maryland	118	0.020	0.017 - 0.024	64	0.021	0.016 - 0.027	54	0.019	0.014 - 0.025
Michigan	123	0.025	0.021 - 0.030	70	0.028	0.022 - 0.036	53	0.022	0.017 - 0.029
MI - Detroit	52	0.031	0.023 - 0.040	28	0.033	0.022 - 0.047	24	0.028	0.018 - 0.042
Minnesota	68	0.024	0.018 - 0.030	30	0.020	0.014 - 0.029	38	0.027	0.019 - 0.038
Mississippi	14	0.015	0.008 - 0.026	-	-		-	-	
Missouri	44	0.018	0.013 - 0.024	21	0.016	0.010 - 0.025	23	0.019	0.012 - 0.029
Montana	12	0.032	0.017 - 0.056	-	-		-	-	
Nebraska	63	0.031	0.024 - 0.040	35	0.033	0.023 - 0.046	28	0.029	0.019 - 0.042
New Hampshire	10	0.022	0.010 - 0.040	-	-		-	-	
New Jersey	742	0.042	0.039 - 0.045	381	0.043	0.038 - 0.047	362	0.041	0.037 - 0.045
New Mexico	475	0.047	0.043 - 0.052	240	0.048	0.042 - 0.054	235	0.046	0.041 - 0.053
New York	1,671	0.045	0.042 - 0.047	852	0.046	0.043 - 0.049	819	0.043	0.040 - 0.046
North Carolina	158	0.017	0.015 - 0.020	78	0.016	0.013 - 0.020	80	0.018	0.014 - 0.022
North Dakota	-	-		-	-		-	-	
Ohio	106	0.025	0.021 - 0.030	61	0.028	0.022 - 0.036	45	0.022	0.016 - 0.029
Oklahoma	75	0.019	0.015 - 0.023	35	0.017	0.012 - 0.023	40	0.021	0.015 - 0.028
Oregon	130	0.025	0.021 - 0.030	70	0.026	0.020 - 0.033	60	0.024	0.018 - 0.031
Pennsylvania	270	0.030	0.027 - 0.034	147	0.032	0.027 - 0.038	123	0.028	0.023 - 0.034
Rhode Island	40	0.026	0.018 - 0.035	21	0.027	0.017 - 0.041	19	0.024	0.015 - 0.038
South Carolina	66	0.024	0.019 - 0.031	31	0.021	0.015 - 0.030	35	0.028	0.019 - 0.039
Tennessee	47	0.014	0.010 - 0.018	26	0.014	0.009 - 0.021	21	0.013	0.008 - 0.020
Texas	4,046	0.037	0.036 - 0.039	2,339	0.043	0.041 - 0.045	1,707	0.032	0.030 - 0.033
Utah	110	0.027	0.022 - 0.032	60	0.028	0.022 - 0.036	50	0.025	0.018 - 0.033
Vermont	-	-		-	-		-	-	
Virginia	159	0.021	0.018 - 0.024	75	0.019	0.015 - 0.024	84	0.023	0.018 - 0.028
Washington	219	0.024	0.021 - 0.028	128	0.028	0.023 - 0.033	91	0.021	0.017 - 0.026
WA - Seattle	142	0.030	0.025 - 0.035	82	0.033	0.026 - 0.041	60	0.026	0.020 - 0.034
West Virginia	-	-		-	-		-	-	
Wisconsin	80	0.021	0.016 - 0.026	40	0.020	0.014 - 0.027	40	0.022	0.015 - 0.029
Wyoming	18	0.031	0.018 - 0.049	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**5,016**	**0.009**	**0.009 - 0.009**	**3,496**	**0.013**	**0.012 - 0.013**	**1,521**	**0.006**	**0.005 - 0.006**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	194	0.009	0.008 - 0.011	132	0.012	0.010 - 0.015	62	0.006	0.004 - 0.008
Arkansas	14	0.006	0.004 - 0.011	-	-		-	-	
California	1,419	0.009	0.009 - 0.010	987	0.013	0.012 - 0.014	433	0.006	0.005 - 0.006
CA - Greater California	820	0.010	0.009 - 0.010	592	0.014	0.013 - 0.015	228	0.005	0.005 - 0.006
CA - Greater Bay Area	201	0.011	0.009 - 0.012	138	0.014	0.012 - 0.017	64	0.007	0.005 - 0.009
CA - Los Angeles	397	0.008	0.007 - 0.009	258	0.011	0.009 - 0.012	139	0.006	0.005 - 0.007
Colorado	140	0.012	0.010 - 0.014	105	0.018	0.014 - 0.021	35	0.006	0.004 - 0.008
Connecticut	68	0.012	0.010 - 0.016	52	0.019	0.014 - 0.025	16	0.006	0.003 - 0.009
Delaware	-	-		-	-		-	-	
Florida	430	0.008	0.008 - 0.009	302	0.012	0.011 - 0.013	128	0.005	0.004 - 0.006
Georgia	46	0.005	0.004 - 0.006	25	0.005	0.003 - 0.007	21	0.005	0.003 - 0.007
Hawaii	14	0.010	0.005 - 0.017	-	-		-	-	
Idaho	11	0.005	0.003 - 0.010	-	-		-	-	
Illinois	143	0.007	0.006 - 0.008	101	0.009	0.007 - 0.011	42	0.004	0.003 - 0.005
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	20	0.009	0.005 - 0.013	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	26	0.004	0.003 - 0.007	15	0.005	0.003 - 0.008	11	0.004	0.002 - 0.007
Michigan	42	0.009	0.006 - 0.012	29	0.012	0.008 - 0.017	13	0.005	0.003 - 0.009
MI - Detroit	17	0.010	0.006 - 0.016	-	-		-	-	
Minnesota	21	0.007	0.005 - 0.011	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	12	0.005	0.003 - 0.008	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	11	0.005	0.003 - 0.010	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	129	0.007	0.006 - 0.009	85	0.009	0.008 - 0.012	44	0.005	0.004 - 0.007
New Mexico	132	0.013	0.011 - 0.016	101	0.020	0.016 - 0.025	31	0.006	0.004 - 0.009
New York	460	0.012	0.011 - 0.013	321	0.017	0.015 - 0.019	139	0.007	0.006 - 0.009
North Carolina	46	0.005	0.004 - 0.007	33	0.007	0.005 - 0.010	13	0.003	0.002 - 0.005
North Dakota	-	-		-	-		-	-	
Ohio	21	0.005	0.003 - 0.008	-	-		-	-	
Oklahoma	25	0.006	0.004 - 0.009	14	0.007	0.004 - 0.011	11	0.006	0.003 - 0.010
Oregon	39	0.008	0.005 - 0.010	27	0.010	0.007 - 0.015	12	0.005	0.002 - 0.008
Pennsylvania	82	0.009	0.007 - 0.011	57	0.013	0.010 - 0.016	25	0.006	0.004 - 0.008
Rhode Island	13	0.008	0.004 - 0.014	-	-		-	-	
South Carolina	13	0.005	0.003 - 0.008	-	-		-	-	
Tennessee	17	0.005	0.003 - 0.008	-	-		-	-	
Texas	1,243	0.012	0.011 - 0.012	877	0.016	0.015 - 0.017	366	0.007	0.006 - 0.008
Utah	43	0.010	0.007 - 0.014	31	0.014	0.010 - 0.021	12	0.006	0.003 - 0.010
Vermont	-	-		-	-		-	-	
Virginia	24	0.003	0.002 - 0.005	11	0.003	0.001 - 0.005	13	0.004	0.002 - 0.006
Washington	57	0.006	0.005 - 0.008	39	0.008	0.006 - 0.012	18	0.004	0.002 - 0.007
WA - Seattle	35	0.007	0.005 - 0.010	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	23	0.006	0.004 - 0.009	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**3,023**	**0.006**	**0.005 - 0.006**	**1,472**	**0.005**	**0.005 - 0.006**	**1,551**	**0.006**	**0.005 - 0.006**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	93	0.004	0.004 - 0.005	41	0.004	0.003 - 0.005	52	0.005	0.004 - 0.006
Arkansas	-	-		-	-		-	-	
California	801	0.005	0.005 - 0.006	357	0.005	0.004 - 0.005	443	0.006	0.005 - 0.006
CA - Greater California	419	0.005	0.005 - 0.005	193	0.005	0.004 - 0.005	226	0.005	0.005 - 0.006
CA - Greater Bay Area	114	0.006	0.005 - 0.007	52	0.005	0.004 - 0.007	62	0.007	0.005 - 0.009
CA - Los Angeles	268	0.005	0.005 - 0.006	113	0.005	0.004 - 0.006	155	0.006	0.005 - 0.007
Colorado	57	0.005	0.004 - 0.006	24	0.004	0.003 - 0.006	33	0.006	0.004 - 0.008
Connecticut	35	0.006	0.004 - 0.009	14	0.005	0.003 - 0.009	21	0.007	0.005 - 0.011
Delaware	-	-		-	-		-	-	
Florida	445	0.009	0.008 - 0.010	230	0.009	0.008 - 0.010	215	0.008	0.007 - 0.010
Georgia	42	0.004	0.003 - 0.006	24	0.005	0.003 - 0.007	18	0.004	0.002 - 0.006
Hawaii	13	0.009	0.005 - 0.016	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	101	0.005	0.004 - 0.006	51	0.005	0.003 - 0.006	50	0.005	0.004 - 0.006
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	13	0.005	0.003 - 0.009	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	24	0.004	0.003 - 0.006	-	-		-	-	
Michigan	32	0.007	0.004 - 0.009	15	0.006	0.003 - 0.010	17	0.007	0.004 - 0.011
MI - Detroit	16	0.009	0.005 - 0.015	-	-		-	-	
Minnesota	11	0.004	0.002 - 0.007	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	10	0.004	0.002 - 0.007	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	108	0.006	0.005 - 0.007	50	0.006	0.004 - 0.007	58	0.007	0.005 - 0.008
New Mexico	78	0.008	0.006 - 0.010	36	0.007	0.005 - 0.010	42	0.008	0.006 - 0.011
New York	321	0.009	0.008 - 0.010	153	0.008	0.007 - 0.010	168	0.009	0.008 - 0.010
North Carolina	31	0.003	0.002 - 0.005	14	0.003	0.002 - 0.005	17	0.004	0.002 - 0.006
North Dakota	-	-		-	-		-	-	
Ohio	14	0.003	0.002 - 0.006	-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	24	0.005	0.003 - 0.007	-	-		-	-	
Pennsylvania	53	0.006	0.004 - 0.008	37	0.008	0.006 - 0.011	16	0.004	0.002 - 0.006
Rhode Island	10	0.006	0.003 - 0.012	-	-		-	-	
South Carolina	11	0.004	0.002 - 0.007	-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	567	0.005	0.005 - 0.006	291	0.005	0.005 - 0.006	276	0.005	0.005 - 0.006
Utah	14	0.003	0.002 - 0.006	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	16	0.002	0.001 - 0.003	-	-		-	-	
Washington	25	0.003	0.002 - 0.004	14	0.003	0.002 - 0.005	11	0.003	0.001 - 0.005
WA - Seattle	19	0.004	0.002 - 0.006	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	11	0.003	0.001 - 0.005	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**1,242**	**0.002**	**0.002 - 0.002**	**1,060**	**0.004**	**0.004 - 0.004**	**182**	**0.001**	**0.001 - 0.001**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	34	0.002	0.001 - 0.002	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	243	0.002	0.001 - 0.002	213	0.003	0.002 - 0.003	30	0.000	0.000 - 0.001
CA - Greater California	119	0.001	0.001 - 0.002	102	0.002	0.002 - 0.003	17	0.000	0.000 - 0.001
CA - Greater Bay Area	35	0.002	0.001 - 0.003	-	-		-	-	
CA - Los Angeles	89	0.002	0.001 - 0.002	78	0.003	0.003 - 0.004	11	0.000	0.000 - 0.001
Colorado	37	0.003	0.002 - 0.004	-	-		-	-	
Connecticut	20	0.004	0.002 - 0.005	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	232	0.005	0.004 - 0.005	213	0.008	0.007 - 0.010	19	0.001	0.000 - 0.001
Georgia	16	0.002	0.001 - 0.003	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	46	0.002	0.002 - 0.003	35	0.003	0.002 - 0.004	11	0.001	0.001 - 0.002
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	14	0.006	0.003 - 0.010	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	10	0.002	0.001 - 0.003	-	-		-	-	
Michigan	11	0.002	0.001 - 0.004	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	51	0.003	0.002 - 0.004	-	-		-	-	
New Mexico	20	0.002	0.001 - 0.003	-	-		-	-	
New York	169	0.005	0.004 - 0.005	129	0.007	0.006 - 0.008	40	0.002	0.002 - 0.003
North Carolina	12	0.001	0.001 - 0.002	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	19	0.002	0.001 - 0.003	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	235	0.002	0.002 - 0.002	207	0.004	0.003 - 0.004	28	0.001	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		-	-	
Washington	10	0.001	0.001 - 0.002	-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**9,546**	**0.017**	**0.017 - 0.018**	**4,742**	**0.017**	**0.017 - 0.018**	**4,805**	**0.018**	**0.017 - 0.018**
Alabama	19	0.009	0.006 - 0.015	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	281	0.013	0.012 - 0.015	132	0.012	0.010 - 0.015	149	0.014	0.012 - 0.017
Arkansas	39	0.018	0.013 - 0.025	17	0.015	0.009 - 0.024	22	0.021	0.013 - 0.032
California	1,921	0.013	0.012 - 0.013	877	0.011	0.011 - 0.012	1,044	0.014	0.013 - 0.015
CA - Greater California	1,054	0.013	0.012 - 0.013	475	0.011	0.010 - 0.012	579	0.014	0.013 - 0.015
CA - Greater Bay Area	302	0.016	0.014 - 0.018	139	0.014	0.012 - 0.017	163	0.017	0.015 - 0.020
CA - Los Angeles	563	0.011	0.011 - 0.012	263	0.011	0.009 - 0.012	300	0.012	0.011 - 0.014
Colorado	216	0.018	0.016 - 0.021	96	0.016	0.013 - 0.020	120	0.021	0.017 - 0.025
Connecticut	148	0.026	0.022 - 0.031	71	0.026	0.020 - 0.032	76	0.027	0.022 - 0.034
Delaware	14	0.016	0.009 - 0.027	-	-		-	-	
Florida	1,950	0.038	0.037 - 0.040	1,061	0.042	0.040 - 0.045	889	0.034	0.032 - 0.037
Georgia	129	0.013	0.011 - 0.016	66	0.013	0.010 - 0.017	62	0.014	0.010 - 0.017
Hawaii	47	0.034	0.025 - 0.045	25	0.034	0.022 - 0.051	22	0.033	0.021 - 0.049
Idaho	27	0.013	0.009 - 0.019	13	0.012	0.007 - 0.021	14	0.014	0.008 - 0.024
Illinois	304	0.014	0.012 - 0.016	149	0.013	0.011 - 0.016	155	0.015	0.012 - 0.017
Iowa	-	-		-	-		-	-	
Kentucky	15	0.010	0.005 - 0.016	-	-		-	-	
Louisiana	45	0.019	0.014 - 0.025	23	0.018	0.012 - 0.027	22	0.020	0.012 - 0.030
Maine	-	-		-	-		-	-	
Maryland	59	0.010	0.008 - 0.013	23	0.008	0.005 - 0.011	36	0.013	0.009 - 0.018
Michigan	77	0.016	0.012 - 0.020	40	0.016	0.012 - 0.022	37	0.015	0.011 - 0.021
MI - Detroit	31	0.018	0.012 - 0.026	13	0.016	0.008 - 0.026	18	0.021	0.013 - 0.033
Minnesota	39	0.014	0.010 - 0.019	22	0.015	0.009 - 0.022	17	0.012	0.007 - 0.020
Mississippi	13	0.014	0.008 - 0.024	-	-		-	-	
Missouri	43	0.017	0.013 - 0.023	22	0.017	0.011 - 0.026	21	0.018	0.011 - 0.027
Montana	-	-		-	-		-	-	
Nebraska	22	0.011	0.007 - 0.017	11	0.010	0.005 - 0.019	11	0.011	0.006 - 0.020
New Hampshire	11	0.024	0.012 - 0.043	-	-		-	-	
New Jersey	404	0.023	0.020 - 0.025	193	0.022	0.019 - 0.025	211	0.024	0.021 - 0.027
New Mexico	213	0.021	0.018 - 0.024	113	0.022	0.019 - 0.027	101	0.020	0.016 - 0.024
New York	1,156	0.031	0.029 - 0.033	571	0.031	0.028 - 0.033	585	0.031	0.028 - 0.033
North Carolina	117	0.013	0.010 - 0.015	57	0.012	0.009 - 0.015	60	0.014	0.010 - 0.017
North Dakota	-	-		-	-		-	-	
Ohio	64	0.015	0.012 - 0.019	33	0.015	0.011 - 0.021	31	0.015	0.010 - 0.021
Oklahoma	45	0.011	0.008 - 0.015	21	0.010	0.006 - 0.015	24	0.013	0.008 - 0.019
Oregon	68	0.013	0.010 - 0.017	28	0.010	0.007 - 0.015	40	0.016	0.011 - 0.022
Pennsylvania	164	0.018	0.016 - 0.022	76	0.017	0.013 - 0.021	88	0.020	0.016 - 0.025
Rhode Island	23	0.015	0.009 - 0.022	-	-		-	-	
South Carolina	29	0.011	0.007 - 0.015	13	0.009	0.005 - 0.015	16	0.013	0.007 - 0.021
Tennessee	30	0.009	0.006 - 0.012	14	0.008	0.004 - 0.013	16	0.010	0.006 - 0.016
Texas	1,518	0.014	0.013 - 0.015	793	0.015	0.014 - 0.016	725	0.014	0.013 - 0.015
Utah	37	0.009	0.006 - 0.012	13	0.006	0.003 - 0.011	24	0.012	0.007 - 0.017
Vermont	-	-		-	-		-	-	
Virginia	72	0.009	0.007 - 0.012	37	0.009	0.007 - 0.013	35	0.010	0.007 - 0.013
Washington	111	0.012	0.010 - 0.015	52	0.011	0.008 - 0.015	59	0.014	0.010 - 0.018
WA - Seattle	72	0.015	0.012 - 0.019	36	0.015	0.010 - 0.020	36	0.016	0.011 - 0.022
West Virginia	-	-		-	-		-	-	
Wisconsin	43	0.011	0.008 - 0.015	19	0.010	0.006 - 0.015	24	0.013	0.008 - 0.019
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**3,152**	**0.006**	**0.006 - 0.006**	**1,394**	**0.005**	**0.005 - 0.005**	**1,758**	**0.007**	**0.006 - 0.007**
Alabama	12	0.006	0.003 - 0.010	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	112	0.005	0.004 - 0.006	42	0.004	0.003 - 0.005	70	0.007	0.005 - 0.008
Arkansas	-	-		-	-		-	-	
California	956	0.006	0.006 - 0.007	388	0.005	0.005 - 0.006	568	0.008	0.007 - 0.008
CA - Greater California	528	0.006	0.006 - 0.007	207	0.005	0.004 - 0.006	321	0.008	0.007 - 0.009
CA - Greater Bay Area	177	0.009	0.008 - 0.011	81	0.008	0.007 - 0.010	96	0.010	0.008 - 0.013
CA - Los Angeles	242	0.005	0.004 - 0.006	99	0.004	0.003 - 0.005	144	0.006	0.005 - 0.007
Colorado	72	0.006	0.005 - 0.008	24	0.004	0.003 - 0.006	48	0.008	0.006 - 0.011
Connecticut	35	0.006	0.004 - 0.009	17	0.006	0.004 - 0.010	18	0.006	0.004 - 0.010
Delaware	-	-		-	-		-	-	
Florida	452	0.009	0.008 - 0.010	245	0.010	0.009 - 0.011	207	0.008	0.007 - 0.009
Georgia	64	0.007	0.005 - 0.008	33	0.006	0.004 - 0.009	31	0.007	0.005 - 0.010
Hawaii	21	0.015	0.009 - 0.023	11	0.015	0.008 - 0.027	10	0.015	0.007 - 0.027
Idaho	16	0.008	0.004 - 0.013	-	-		-	-	
Illinois	104	0.005	0.004 - 0.006	45	0.004	0.003 - 0.005	59	0.006	0.004 - 0.007
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	23	0.010	0.006 - 0.015	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	26	0.004	0.003 - 0.007	10	0.003	0.002 - 0.006	16	0.006	0.003 - 0.009
Michigan	32	0.007	0.004 - 0.009	17	0.007	0.004 - 0.011	15	0.006	0.003 - 0.010
MI - Detroit	17	0.010	0.006 - 0.016	-	-		-	-	
Minnesota	35	0.012	0.008 - 0.017	14	0.009	0.005 - 0.016	21	0.015	0.009 - 0.023
Mississippi	-	-		-	-		-	-	
Missouri	14	0.006	0.003 - 0.009	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	10	0.005	0.002 - 0.009	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	102	0.006	0.005 - 0.007	44	0.005	0.004 - 0.007	59	0.007	0.005 - 0.009
New Mexico	74	0.007	0.006 - 0.009	39	0.008	0.006 - 0.011	35	0.007	0.005 - 0.010
New York	198	0.005	0.005 - 0.006	99	0.005	0.004 - 0.007	99	0.005	0.004 - 0.006
North Carolina	40	0.004	0.003 - 0.006	19	0.004	0.002 - 0.006	21	0.005	0.003 - 0.007
North Dakota	-	-		-	-		-	-	
Ohio	17	0.004	0.002 - 0.006	-	-		-	-	
Oklahoma	19	0.005	0.003 - 0.007	-	-		-	-	
Oregon	33	0.006	0.004 - 0.009	-	-		-	-	
Pennsylvania	60	0.007	0.005 - 0.009	29	0.006	0.004 - 0.009	31	0.007	0.005 - 0.010
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	15	0.004	0.002 - 0.007	-	-		-	-	
Texas	416	0.004	0.003 - 0.004	188	0.003	0.003 - 0.004	228	0.004	0.004 - 0.005
Utah	31	0.007	0.005 - 0.011	10	0.005	0.002 - 0.009	21	0.010	0.006 - 0.016
Vermont	-	-		-	-		-	-	
Virginia	28	0.004	0.002 - 0.005	-	-		-	-	
Washington	64	0.007	0.006 - 0.009	17	0.004	0.002 - 0.006	47	0.011	0.008 - 0.014
WA - Seattle	59	0.012	0.009 - 0.016	14	0.006	0.003 - 0.009	45	0.020	0.014 - 0.026
West Virginia	-	-		-	-		-	-	
Wisconsin	13	0.003	0.002 - 0.006	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**35,950**	**0.133**	**0.132 - 0.134**
Alabama	-	-		-	-		66	0.070	0.054 - 0.089
Alaska	-	-		-	-		22	0.091	0.057 - 0.138
Arizona	-	-		-	-		1,243	0.118	0.111 - 0.124
Arkansas	-	-		-	-		85	0.082	0.066 - 0.102
California	-	-		-	-		9,840	0.130	0.128 - 0.133
CA - Greater California	-	-		-	-		5,272	0.127	0.123 - 0.130
CA - Greater Bay Area	-	-		-	-		1,323	0.141	0.134 - 0.149
CA - Los Angeles	-	-		-	-		3,240	0.132	0.127 - 0.136
Colorado	-	-		-	-		803	0.140	0.130 - 0.150
Connecticut	-	-		-	-		480	0.172	0.157 - 0.188
Delaware	-	-		-	-		41	0.098	0.070 - 0.133
Florida	-	-		-	-		4,921	0.190	0.185 - 0.196
Georgia	-	-		-	-		537	0.117	0.108 - 0.128
Hawaii	-	-		-	-		114	0.166	0.137 - 0.199
Idaho	-	-		-	-		114	0.115	0.095 - 0.138
Illinois	-	-		-	-		1,326	0.125	0.118 - 0.132
Iowa	-	-		-	-		60	0.069	0.053 - 0.089
Kentucky	-	-		-	-		57	0.080	0.061 - 0.104
Louisiana	-	-		-	-		121	0.111	0.092 - 0.133
Maine	-	-		-	-		14	0.136	0.074 - 0.228
Maryland	-	-		-	-		309	0.110	0.098 - 0.123
Michigan	-	-		-	-		218	0.091	0.079 - 0.103
MI - Detroit	-	-		-	-		146	0.171	0.145 - 0.201
Minnesota	-	-		-	-		128	0.092	0.077 - 0.110
Mississippi	-	-		-	-		25	0.062	0.040 - 0.092
Missouri	-	-		-	-		93	0.078	0.063 - 0.095
Montana	-	-		-	-		29	0.159	0.106 - 0.228
Nebraska	-	-		-	-		74	0.077	0.060 - 0.097
New Hampshire	-	-		-	-		33	0.145	0.100 - 0.204
New Jersey	-	-		-	-		1,496	0.168	0.160 - 0.177
New Mexico	-	-		-	-		851	0.168	0.157 - 0.179
New York	-	-		-	-		3,428	0.180	0.174 - 0.186
North Carolina	-	-		-	-		339	0.077	0.069 - 0.085
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		152	0.074	0.063 - 0.087
Oklahoma	-	-		-	-		168	0.088	0.075 - 0.102
Oregon	-	-		-	-		232	0.093	0.082 - 0.106
Pennsylvania	-	-		-	-		430	0.099	0.090 - 0.109
Rhode Island	-	-		-	-		86	0.110	0.088 - 0.136
South Carolina	-	-		-	-		110	0.087	0.072 - 0.105
Tennessee	-	-		-	-		110	0.067	0.055 - 0.081
Texas	-	-		-	-		6,608	0.123	0.120 - 0.126
Utah	-	-		-	-		219	0.108	0.095 - 0.124
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		348	0.094	0.085 - 0.105
Washington	-	-		-	-		430	0.100	0.090 - 0.110
WA - Seattle	-	-		-	-		300	0.130	0.116 - 0.146
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		145	0.078	0.066 - 0.092
Wyoming	-	-		-	-		31	0.113	0.077 - 0.160

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**3,715**	**0.014**	**0.013 - 0.014**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		125	0.012	0.010 - 0.014
Arkansas	-	-		-	-		15	0.015	0.008 - 0.024
California	-	-		-	-		899	0.012	0.011 - 0.013
CA - Greater California	-	-		-	-		479	0.012	0.011 - 0.013
CA - Greater Bay Area	-	-		-	-		115	0.012	0.010 - 0.015
CA - Los Angeles	-	-		-	-		308	0.013	0.011 - 0.014
Colorado	-	-		-	-		78	0.014	0.011 - 0.017
Connecticut	-	-		-	-		40	0.014	0.010 - 0.020
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		396	0.015	0.014 - 0.017
Georgia	-	-		-	-		54	0.012	0.009 - 0.015
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		16	0.016	0.009 - 0.026
Illinois	-	-		-	-		140	0.013	0.011 - 0.016
Iowa	-	-		-	-		14	0.016	0.009 - 0.027
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		14	0.013	0.007 - 0.021
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		36	0.013	0.009 - 0.018
Michigan	-	-		-	-		31	0.013	0.009 - 0.018
MI - Detroit	-	-		-	-		15	0.017	0.010 - 0.029
Minnesota	-	-		-	-		15	0.011	0.006 - 0.018
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		12	0.010	0.005 - 0.018
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		164	0.018	0.016 - 0.021
New Mexico	-	-		-	-		82	0.016	0.013 - 0.020
New York	-	-		-	-		304	0.016	0.014 - 0.018
North Carolina	-	-		-	-		50	0.011	0.008 - 0.015
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		27	0.014	0.009 - 0.021
Oregon	-	-		-	-		29	0.012	0.008 - 0.017
Pennsylvania	-	-		-	-		59	0.014	0.010 - 0.017
Rhode Island	-	-		-	-		13	0.017	0.009 - 0.029
South Carolina	-	-		-	-		11	0.009	0.004 - 0.016
Tennessee	-	-		-	-		15	0.009	0.005 - 0.015
Texas	-	-		-	-		906	0.017	0.016 - 0.018
Utah	-	-		-	-		19	0.009	0.006 - 0.015
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		38	0.010	0.007 - 0.014
Washington	-	-		-	-		35	0.008	0.006 - 0.011
WA - Seattle	-	-		-	-		22	0.010	0.006 - 0.014
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		26	0.014	0.009 - 0.021
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**8,965**	**0.033**	**0.032 - 0.034**
Alabama	-	-		-	-		14	0.015	0.008 - 0.025
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		308	0.029	0.026 - 0.033
Arkansas	-	-		-	-		29	0.028	0.019 - 0.040
California	-	-		-	-		2,489	0.033	0.032 - 0.034
CA - Greater California	-	-		-	-		1,243	0.030	0.028 - 0.032
CA - Greater Bay Area	-	-		-	-		311	0.033	0.030 - 0.037
CA - Los Angeles	-	-		-	-		931	0.038	0.035 - 0.040
Colorado	-	-		-	-		146	0.025	0.021 - 0.030
Connecticut	-	-		-	-		112	0.040	0.033 - 0.048
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		1,158	0.045	0.042 - 0.047
Georgia	-	-		-	-		87	0.019	0.015 - 0.023
Hawaii	-	-		-	-		19	0.028	0.017 - 0.043
Idaho	-	-		-	-		29	0.029	0.020 - 0.042
Illinois	-	-		-	-		369	0.035	0.031 - 0.039
Iowa	-	-		-	-		20	0.023	0.014 - 0.036
Kentucky	-	-		-	-		10	0.014	0.007 - 0.026
Louisiana	-	-		-	-		16	0.015	0.008 - 0.024
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		62	0.022	0.017 - 0.028
Michigan	-	-		-	-		67	0.028	0.022 - 0.035
MI - Detroit	-	-		-	-		37	0.043	0.031 - 0.060
Minnesota	-	-		-	-		51	0.037	0.027 - 0.048
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		31	0.026	0.018 - 0.037
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		18	0.019	0.011 - 0.030
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		361	0.041	0.037 - 0.045
New Mexico	-	-		-	-		211	0.042	0.036 - 0.048
New York	-	-		-	-		854	0.045	0.042 - 0.048
North Carolina	-	-		-	-		93	0.021	0.017 - 0.026
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		46	0.022	0.016 - 0.030
Oklahoma	-	-		-	-		51	0.027	0.020 - 0.035
Oregon	-	-		-	-		65	0.026	0.020 - 0.033
Pennsylvania	-	-		-	-		137	0.031	0.026 - 0.037
Rhode Island	-	-		-	-		22	0.028	0.018 - 0.043
South Carolina	-	-		-	-		18	0.014	0.008 - 0.023
Tennessee	-	-		-	-		22	0.013	0.008 - 0.020
Texas	-	-		-	-		1,721	0.032	0.031 - 0.034
Utah	-	-		-	-		56	0.028	0.021 - 0.036
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		77	0.021	0.017 - 0.026
Washington	-	-		-	-		92	0.021	0.017 - 0.026
WA - Seattle	-	-		-	-		52	0.023	0.017 - 0.030
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		55	0.030	0.022 - 0.039
Wyoming	-	-		-	-		10	0.036	0.017 - 0.067

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**3,330**	**0.012**	**0.012 - 0.013**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		107	0.010	0.008 - 0.012
Arkansas	-	-		-	-		-	-	
California	-	-		-	-		983	0.013	0.012 - 0.014
CA - Greater California	-	-		-	-		506	0.012	0.011 - 0.013
CA - Greater Bay Area	-	-		-	-		121	0.013	0.011 - 0.015
CA - Los Angeles	-	-		-	-		356	0.014	0.013 - 0.016
Colorado	-	-		-	-		58	0.010	0.008 - 0.013
Connecticut	-	-		-	-		27	0.010	0.006 - 0.014
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		444	0.017	0.016 - 0.019
Georgia	-	-		-	-		53	0.012	0.009 - 0.015
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		123	0.012	0.010 - 0.014
Iowa	-	-		-	-		12	0.014	0.007 - 0.024
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		27	0.010	0.006 - 0.014
Michigan	-	-		-	-		25	0.010	0.007 - 0.015
MI - Detroit	-	-		-	-		11	0.013	0.006 - 0.023
Minnesota	-	-		-	-		10	0.007	0.003 - 0.013
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		122	0.014	0.011 - 0.016
New Mexico	-	-		-	-		71	0.014	0.011 - 0.018
New York	-	-		-	-		277	0.015	0.013 - 0.016
North Carolina	-	-		-	-		30	0.007	0.005 - 0.010
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		21	0.010	0.006 - 0.016
Oklahoma	-	-		-	-		16	0.008	0.005 - 0.014
Oregon	-	-		-	-		24	0.010	0.006 - 0.014
Pennsylvania	-	-		-	-		47	0.011	0.008 - 0.014
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		10	0.008	0.004 - 0.015
Tennessee	-	-		-	-		12	0.007	0.004 - 0.013
Texas	-	-		-	-		660	0.012	0.011 - 0.013
Utah	-	-		-	-		15	0.007	0.004 - 0.012
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		28	0.008	0.005 - 0.011
Washington	-	-		-	-		42	0.010	0.007 - 0.013
WA - Seattle	-	-		-	-		28	0.012	0.008 - 0.018
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		12	0.006	0.003 - 0.011
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**24,197**	**0.088**	**0.087 - 0.089**	**-**	**-**	
Alabama	-	-		39	0.036	0.026 - 0.049	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		690	0.065	0.060 - 0.070	-	-	
Arkansas	-	-		83	0.073	0.058 - 0.090	-	-	
California	-	-		6,310	0.082	0.080 - 0.085	-	-	
CA - Greater California	-	-		3,357	0.079	0.077 - 0.082	-	-	
CA - Greater Bay Area	-	-		842	0.087	0.081 - 0.093	-	-	
CA - Los Angeles	-	-		2,113	0.086	0.083 - 0.090	-	-	
Colorado	-	-		413	0.069	0.063 - 0.076	-	-	
Connecticut	-	-		290	0.104	0.093 - 0.117	-	-	
Delaware	-	-		44	0.100	0.073 - 0.134	-	-	
Florida	-	-		3,863	0.153	0.149 - 0.158	-	-	
Georgia	-	-		270	0.053	0.047 - 0.060	-	-	
Hawaii	-	-		61	0.084	0.064 - 0.108	-	-	
Idaho	-	-		52	0.049	0.037 - 0.065	-	-	
Illinois	-	-		906	0.081	0.076 - 0.087	-	-	
Iowa	-	-		47	0.050	0.036 - 0.066	-	-	
Kentucky	-	-		21	0.025	0.015 - 0.038	-	-	
Louisiana	-	-		111	0.087	0.072 - 0.105	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		182	0.060	0.052 - 0.069	-	-	
Michigan	-	-		164	0.066	0.056 - 0.077	-	-	
MI - Detroit	-	-		82	0.094	0.075 - 0.117	-	-	
Minnesota	-	-		77	0.052	0.041 - 0.064	-	-	
Mississippi	-	-		25	0.049	0.032 - 0.072	-	-	
Missouri	-	-		47	0.037	0.027 - 0.049	-	-	
Montana	-	-		13	0.067	0.036 - 0.115	-	-	
Nebraska	-	-		47	0.045	0.033 - 0.059	-	-	
New Hampshire	-	-		25	0.107	0.069 - 0.158	-	-	
New Jersey	-	-		1,192	0.133	0.126 - 0.141	-	-	
New Mexico	-	-		564	0.113	0.104 - 0.122	-	-	
New York	-	-		2,883	0.156	0.150 - 0.161	-	-	
North Carolina	-	-		252	0.052	0.046 - 0.059	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		127	0.059	0.049 - 0.070	-	-	
Oklahoma	-	-		73	0.035	0.027 - 0.044	-	-	
Oregon	-	-		149	0.056	0.047 - 0.065	-	-	
Pennsylvania	-	-		338	0.075	0.067 - 0.083	-	-	
Rhode Island	-	-		47	0.060	0.044 - 0.080	-	-	
South Carolina	-	-		104	0.072	0.059 - 0.087	-	-	
Tennessee	-	-		60	0.033	0.025 - 0.042	-	-	
Texas	-	-		3,929	0.072	0.070 - 0.075	-	-	
Utah	-	-		123	0.058	0.048 - 0.069	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		162	0.041	0.035 - 0.048	-	-	
Washington	-	-		241	0.052	0.046 - 0.059	-	-	
WA - Seattle	-	-		151	0.061	0.051 - 0.071	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		115	0.058	0.048 - 0.069	-	-	
Wyoming	-	-		31	0.102	0.069 - 0.145	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**2,879**	**0.010**	**0.010 - 0.011**	**-**	**-**	
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		106	0.010	0.008 - 0.012	-	-	
Arkansas	-	-		15	0.013	0.007 - 0.022	-	-	
California	-	-		988	0.013	0.012 - 0.014	-	-	
CA - Greater California	-	-		530	0.013	0.011 - 0.014	-	-	
CA - Greater Bay Area	-	-		132	0.014	0.011 - 0.016	-	-	
CA - Los Angeles	-	-		328	0.013	0.012 - 0.015	-	-	
Colorado	-	-		72	0.012	0.009 - 0.015	-	-	
Connecticut	-	-		20	0.007	0.004 - 0.011	-	-	
Delaware	-	-		-	-		-	-	
Florida	-	-		179	0.007	0.006 - 0.008	-	-	
Georgia	-	-		45	0.009	0.006 - 0.012	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		14	0.013	0.007 - 0.022	-	-	
Illinois	-	-		142	0.013	0.011 - 0.015	-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		11	0.009	0.004 - 0.016	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		22	0.007	0.005 - 0.011	-	-	
Michigan	-	-		20	0.008	0.005 - 0.012	-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		16	0.011	0.006 - 0.017	-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		16	0.012	0.007 - 0.020	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		11	0.010	0.005 - 0.019	-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		84	0.009	0.007 - 0.012	-	-	
New Mexico	-	-		63	0.013	0.010 - 0.016	-	-	
New York	-	-		150	0.008	0.007 - 0.010	-	-	
North Carolina	-	-		26	0.005	0.004 - 0.008	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		14	0.006	0.004 - 0.011	-	-	
Oklahoma	-	-		19	0.009	0.005 - 0.014	-	-	
Oregon	-	-		28	0.010	0.007 - 0.015	-	-	
Pennsylvania	-	-		38	0.008	0.006 - 0.012	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		12	0.008	0.004 - 0.014	-	-	
Tennessee	-	-		-	-		-	-	
Texas	-	-		561	0.010	0.009 - 0.011	-	-	
Utah	-	-		29	0.014	0.009 - 0.020	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		28	0.007	0.005 - 0.010	-	-	
Washington	-	-		62	0.013	0.010 - 0.017	-	-	
WA - Seattle	-	-		36	0.014	0.010 - 0.020	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		25	0.013	0.008 - 0.019	-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**5,429**	**0.010**	**0.010 - 0.010**	**4,083**	**0.015**	**0.014 - 0.015**	**1,346**	**0.005**	**0.005 - 0.005**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	196	0.009	0.008 - 0.011	145	0.014	0.011 - 0.016	51	0.005	0.004 - 0.006
Arkansas	10	0.005	0.002 - 0.008	-	-		-	-	
California	1,303	0.009	0.008 - 0.009	1,001	0.013	0.012 - 0.014	302	0.004	0.004 - 0.004
CA - Greater California	727	0.009	0.008 - 0.009	555	0.013	0.012 - 0.014	171	0.004	0.004 - 0.005
CA - Greater Bay Area	204	0.011	0.009 - 0.012	158	0.016	0.014 - 0.019	47	0.005	0.004 - 0.007
CA - Los Angeles	376	0.008	0.007 - 0.008	291	0.012	0.011 - 0.013	85	0.003	0.003 - 0.004
Colorado	108	0.009	0.008 - 0.011	82	0.014	0.011 - 0.017	26	0.005	0.003 - 0.007
Connecticut	75	0.013	0.011 - 0.017	60	0.022	0.016 - 0.028	15	0.005	0.003 - 0.009
Delaware	12	0.014	0.007 - 0.024	-	-		-	-	
Florida	1,003	0.020	0.018 - 0.021	747	0.030	0.028 - 0.032	256	0.010	0.009 - 0.011
Georgia	66	0.007	0.005 - 0.009	51	0.010	0.008 - 0.013	15	0.003	0.002 - 0.005
Hawaii	23	0.016	0.010 - 0.024	-	-		-	-	
Idaho	12	0.006	0.003 - 0.010	-	-		-	-	
Illinois	198	0.009	0.008 - 0.010	148	0.013	0.011 - 0.016	50	0.005	0.004 - 0.006
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	21	0.009	0.005 - 0.014	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	32	0.005	0.004 - 0.008	22	0.007	0.005 - 0.011	10	0.004	0.002 - 0.007
Michigan	48	0.010	0.007 - 0.013	-	-		-	-	
MI - Detroit	29	0.017	0.011 - 0.024	-	-		-	-	
Minnesota	24	0.008	0.005 - 0.012	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	13	0.005	0.003 - 0.009	13	0.010	0.005 - 0.017	-	-	
Montana	-	-		-	-		-	-	
Nebraska	14	0.007	0.004 - 0.012	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	273	0.015	0.014 - 0.017	201	0.022	0.019 - 0.026	72	0.008	0.006 - 0.010
New Mexico	161	0.016	0.014 - 0.019	113	0.023	0.019 - 0.027	47	0.009	0.007 - 0.012
New York	540	0.014	0.013 - 0.016	381	0.021	0.019 - 0.023	159	0.008	0.007 - 0.010
North Carolina	58	0.006	0.005 - 0.008	44	0.009	0.007 - 0.012	14	0.003	0.002 - 0.005
North Dakota	-	-		-	-		-	-	
Ohio	36	0.009	0.006 - 0.012	-	-		-	-	
Oklahoma	27	0.007	0.004 - 0.010	-	-		-	-	
Oregon	43	0.008	0.006 - 0.011	33	0.012	0.008 - 0.017	10	0.004	0.002 - 0.007
Pennsylvania	93	0.010	0.008 - 0.013	73	0.016	0.013 - 0.020	20	0.005	0.003 - 0.007
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	17	0.005	0.003 - 0.008	-	-		-	-	
Texas	820	0.008	0.007 - 0.008	628	0.012	0.011 - 0.012	192	0.004	0.003 - 0.004
Utah	22	0.005	0.003 - 0.008	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	42	0.006	0.004 - 0.007	32	0.008	0.006 - 0.012	10	0.003	0.001 - 0.005
Washington	60	0.007	0.005 - 0.009	41	0.009	0.006 - 0.012	19	0.004	0.003 - 0.007
WA - Seattle	46	0.010	0.007 - 0.013	32	0.013	0.009 - 0.018	14	0.006	0.003 - 0.010
West Virginia	-	-		-	-		-	-	
Wisconsin	21	0.005	0.003 - 0.008	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**10,563**	**0.019**	**0.019 - 0.020**	**6,247**	**0.023**	**0.022 - 0.023**	**4,316**	**0.016**	**0.015 - 0.016**
Alabama	15	0.007	0.004 - 0.012	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	398	0.019	0.017 - 0.021	203	0.019	0.016 - 0.022	195	0.018	0.016 - 0.021
Arkansas	24	0.011	0.007 - 0.016	-	-		-	-	
California	3,010	0.020	0.019 - 0.021	1,770	0.023	0.022 - 0.024	1,240	0.016	0.016 - 0.017
CA - Greater California	1,678	0.020	0.019 - 0.021	986	0.023	0.022 - 0.025	692	0.017	0.015 - 0.018
CA - Greater Bay Area	370	0.019	0.018 - 0.022	217	0.023	0.020 - 0.026	153	0.016	0.014 - 0.019
CA - Los Angeles	965	0.020	0.018 - 0.021	568	0.023	0.021 - 0.025	398	0.016	0.015 - 0.018
Colorado	254	0.022	0.019 - 0.025	146	0.025	0.021 - 0.029	108	0.019	0.015 - 0.023
Connecticut	97	0.017	0.014 - 0.021	50	0.018	0.013 - 0.024	47	0.017	0.012 - 0.022
Delaware	11	0.013	0.006 - 0.023	-	-		-	-	
Florida	1,044	0.020	0.019 - 0.022	651	0.026	0.024 - 0.028	393	0.015	0.014 - 0.017
Georgia	108	0.011	0.009 - 0.014	69	0.014	0.011 - 0.017	38	0.008	0.006 - 0.012
Hawaii	27	0.019	0.013 - 0.028	-	-		-	-	
Idaho	26	0.013	0.008 - 0.019	16	0.015	0.009 - 0.025	10	0.010	0.005 - 0.019
Illinois	399	0.018	0.017 - 0.020	248	0.022	0.020 - 0.025	151	0.014	0.012 - 0.017
Iowa	21	0.011	0.007 - 0.018	10	0.011	0.005 - 0.019	11	0.012	0.006 - 0.022
Kentucky	16	0.011	0.006 - 0.017	-	-		-	-	
Louisiana	37	0.016	0.011 - 0.022	25	0.019	0.013 - 0.029	13	0.012	0.006 - 0.020
Maine	-	-		-	-		-	-	
Maryland	51	0.009	0.007 - 0.011	24	0.008	0.005 - 0.012	27	0.010	0.006 - 0.014
Michigan	83	0.017	0.014 - 0.021	56	0.023	0.017 - 0.029	27	0.011	0.007 - 0.016
MI - Detroit	43	0.025	0.018 - 0.034	24	0.028	0.018 - 0.041	19	0.022	0.013 - 0.035
Minnesota	48	0.017	0.012 - 0.022	26	0.017	0.011 - 0.026	22	0.016	0.010 - 0.024
Mississippi	-	-		-	-		-	-	
Missouri	38	0.015	0.011 - 0.021	22	0.017	0.011 - 0.026	16	0.013	0.008 - 0.022
Montana	-	-		-	-		-	-	
Nebraska	28	0.014	0.009 - 0.020	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	332	0.019	0.017 - 0.021	192	0.021	0.019 - 0.025	139	0.016	0.013 - 0.019
New Mexico	268	0.027	0.023 - 0.030	157	0.031	0.027 - 0.037	110	0.022	0.018 - 0.026
New York	748	0.020	0.019 - 0.021	460	0.025	0.023 - 0.027	288	0.015	0.013 - 0.017
North Carolina	95	0.010	0.008 - 0.013	55	0.011	0.009 - 0.015	40	0.009	0.006 - 0.012
North Dakota	-	-		-	-		-	-	
Ohio	58	0.014	0.010 - 0.018	38	0.018	0.012 - 0.024	20	0.010	0.006 - 0.015
Oklahoma	48	0.012	0.009 - 0.016	28	0.013	0.009 - 0.019	20	0.010	0.006 - 0.016
Oregon	68	0.013	0.010 - 0.017	44	0.016	0.012 - 0.022	24	0.010	0.006 - 0.014
Pennsylvania	157	0.018	0.015 - 0.021	97	0.021	0.017 - 0.026	60	0.014	0.011 - 0.018
Rhode Island	16	0.010	0.006 - 0.017	-	-		-	-	
South Carolina	24	0.009	0.006 - 0.013	-	-		-	-	
Tennessee	30	0.009	0.006 - 0.012	16	0.009	0.005 - 0.014	14	0.009	0.005 - 0.014
Texas	2,621	0.024	0.023 - 0.025	1,503	0.028	0.026 - 0.029	1,118	0.021	0.020 - 0.022
Utah	53	0.013	0.010 - 0.017	33	0.016	0.011 - 0.022	20	0.010	0.006 - 0.015
Vermont	-	-		-	-		-	-	
Virginia	82	0.011	0.009 - 0.013	48	0.012	0.009 - 0.016	34	0.009	0.006 - 0.013
Washington	111	0.012	0.010 - 0.015	61	0.013	0.010 - 0.017	50	0.012	0.009 - 0.015
WA - Seattle	74	0.015	0.012 - 0.019	41	0.016	0.012 - 0.022	33	0.014	0.010 - 0.020
West Virginia	-	-		-	-		-	-	
Wisconsin	71	0.018	0.014 - 0.023	53	0.027	0.020 - 0.035	18	0.010	0.006 - 0.015
Wyoming	14	0.024	0.013 - 0.040	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**3,000**	**0.005**	**0.005 - 0.006**	**1,604**	**0.006**	**0.006 - 0.006**	**1,396**	**0.005**	**0.005 - 0.005**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	92	0.004	0.003 - 0.005	49	0.005	0.003 - 0.006	43	0.004	0.003 - 0.005
Arkansas	-	-		-	-		-	-	
California	799	0.005	0.005 - 0.006	398	0.005	0.005 - 0.006	401	0.005	0.005 - 0.006
CA - Greater California	448	0.005	0.005 - 0.006	220	0.005	0.005 - 0.006	228	0.005	0.005 - 0.006
CA - Greater Bay Area	90	0.005	0.004 - 0.006	48	0.005	0.004 - 0.007	42	0.004	0.003 - 0.006
CA - Los Angeles	261	0.005	0.005 - 0.006	130	0.005	0.004 - 0.006	131	0.005	0.004 - 0.006
Colorado	69	0.006	0.005 - 0.007	42	0.007	0.005 - 0.010	27	0.005	0.003 - 0.007
Connecticut	25	0.004	0.003 - 0.007	15	0.005	0.003 - 0.009	10	0.004	0.002 - 0.007
Delaware	-	-		-	-		-	-	
Florida	356	0.007	0.006 - 0.008	196	0.008	0.007 - 0.009	160	0.006	0.005 - 0.007
Georgia	50	0.005	0.004 - 0.007	30	0.006	0.004 - 0.008	20	0.004	0.003 - 0.007
Hawaii	13	0.009	0.005 - 0.016	-	-		-	-	
Idaho	11	0.005	0.003 - 0.010	-	-		-	-	
Illinois	129	0.006	0.005 - 0.007	72	0.006	0.005 - 0.008	57	0.005	0.004 - 0.007
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	14	0.006	0.003 - 0.010	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	37	0.006	0.004 - 0.009	20	0.007	0.004 - 0.010	17	0.006	0.004 - 0.010
Michigan	17	0.003	0.002 - 0.006	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	13	0.005	0.002 - 0.008	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	16	0.006	0.004 - 0.010	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	129	0.007	0.006 - 0.009	70	0.008	0.006 - 0.010	59	0.007	0.005 - 0.009
New Mexico	52	0.005	0.004 - 0.007	30	0.006	0.004 - 0.009	22	0.004	0.003 - 0.007
New York	245	0.007	0.006 - 0.007	141	0.008	0.006 - 0.009	104	0.005	0.004 - 0.007
North Carolina	45	0.005	0.004 - 0.007	29	0.006	0.004 - 0.009	16	0.004	0.002 - 0.006
North Dakota	-	-		-	-		-	-	
Ohio	22	0.005	0.003 - 0.008	-	-		-	-	
Oklahoma	15	0.004	0.002 - 0.006	-	-		-	-	
Oregon	19	0.004	0.002 - 0.006	-	-		-	-	
Pennsylvania	40	0.005	0.003 - 0.006	22	0.005	0.003 - 0.007	18	0.004	0.002 - 0.007
Rhode Island	10	0.006	0.003 - 0.012	-	-		-	-	
South Carolina	13	0.005	0.003 - 0.008	-	-		-	-	
Tennessee	16	0.005	0.003 - 0.008	-	-		-	-	
Texas	560	0.005	0.005 - 0.006	299	0.006	0.005 - 0.006	261	0.005	0.004 - 0.005
Utah	22	0.005	0.003 - 0.008	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	36	0.005	0.003 - 0.007	18	0.005	0.003 - 0.007	18	0.005	0.003 - 0.008
Washington	61	0.007	0.005 - 0.009	32	0.007	0.005 - 0.010	29	0.007	0.005 - 0.010
WA - Seattle	40	0.008	0.006 - 0.011	21	0.008	0.005 - 0.013	19	0.008	0.005 - 0.013
West Virginia	-	-		-	-		-	-	
Wisconsin	19	0.005	0.003 - 0.008	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**11,898**	**0.022**	**0.021 - 0.022**	**2,220**	**0.008**	**0.008 - 0.008**	**9,678**	**0.036**	**0.035 - 0.037**
Alabama	28	0.014	0.009 - 0.020	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	432	0.020	0.018 - 0.022	71	0.007	0.005 - 0.008	361	0.034	0.031 - 0.038
Arkansas	39	0.018	0.013 - 0.025	-	-		-	-	
California	3,040	0.020	0.019 - 0.021	562	0.007	0.007 - 0.008	2,478	0.033	0.032 - 0.034
CA - Greater California	1,705	0.020	0.019 - 0.021	307	0.007	0.006 - 0.008	1,398	0.034	0.032 - 0.035
CA - Greater Bay Area	340	0.018	0.016 - 0.020	69	0.007	0.006 - 0.009	271	0.029	0.026 - 0.033
CA - Los Angeles	997	0.020	0.019 - 0.022	186	0.008	0.007 - 0.009	811	0.033	0.031 - 0.035
Colorado	264	0.023	0.020 - 0.025	45	0.008	0.006 - 0.010	219	0.038	0.033 - 0.044
Connecticut	180	0.032	0.028 - 0.037	32	0.011	0.008 - 0.016	148	0.053	0.045 - 0.062
Delaware	19	0.022	0.013 - 0.035	-	-		-	-	
Florida	1,550	0.030	0.029 - 0.032	330	0.013	0.012 - 0.015	1,220	0.047	0.045 - 0.050
Georgia	189	0.020	0.017 - 0.023	23	0.005	0.003 - 0.007	166	0.036	0.031 - 0.042
Hawaii	25	0.018	0.011 - 0.026	-	-		-	-	
Idaho	40	0.020	0.014 - 0.027	11	0.010	0.005 - 0.019	29	0.029	0.020 - 0.042
Illinois	486	0.022	0.020 - 0.024	90	0.008	0.007 - 0.010	396	0.037	0.034 - 0.041
Iowa	31	0.017	0.012 - 0.024	-	-		-	-	
Kentucky	11	0.007	0.004 - 0.013	-	-		-	-	
Louisiana	36	0.015	0.011 - 0.021	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	105	0.018	0.015 - 0.022	18	0.006	0.004 - 0.009	87	0.031	0.025 - 0.038
Michigan	60	0.012	0.009 - 0.016	10	0.004	0.002 - 0.007	50	0.021	0.015 - 0.027
MI - Detroit	43	0.025	0.018 - 0.034	-	-		-	-	
Minnesota	48	0.017	0.012 - 0.022	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	40	0.016	0.012 - 0.022	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	32	0.016	0.011 - 0.022	-	-		-	-	
New Hampshire	14	0.030	0.017 - 0.051	-	-		-	-	
New Jersey	529	0.030	0.027 - 0.032	93	0.010	0.008 - 0.013	436	0.049	0.045 - 0.054
New Mexico	298	0.030	0.026 - 0.033	67	0.013	0.010 - 0.017	231	0.046	0.040 - 0.052
New York	1,217	0.032	0.031 - 0.034	209	0.011	0.010 - 0.013	1,008	0.053	0.050 - 0.056
North Carolina	153	0.017	0.014 - 0.019	25	0.005	0.003 - 0.008	128	0.029	0.024 - 0.034
North Dakota	-	-		-	-		-	-	
Ohio	57	0.014	0.010 - 0.018	-	-		-	-	
Oklahoma	59	0.015	0.011 - 0.019	-	-		-	-	
Oregon	118	0.023	0.019 - 0.027	24	0.009	0.006 - 0.013	94	0.038	0.031 - 0.046
Pennsylvania	190	0.021	0.018 - 0.025	28	0.006	0.004 - 0.009	162	0.037	0.032 - 0.043
Rhode Island	33	0.021	0.015 - 0.030	-	-		-	-	
South Carolina	27	0.010	0.007 - 0.014	-	-		-	-	
Tennessee	40	0.012	0.008 - 0.016	-	-		-	-	
Texas	2,004	0.019	0.018 - 0.019	398	0.007	0.007 - 0.008	1,606	0.030	0.028 - 0.031
Utah	117	0.028	0.023 - 0.034	18	0.008	0.005 - 0.013	99	0.049	0.040 - 0.060
Vermont	-	-		-	-		-	-	
Virginia	152	0.020	0.017 - 0.023	26	0.007	0.004 - 0.010	126	0.034	0.029 - 0.041
Washington	146	0.016	0.014 - 0.019	27	0.006	0.004 - 0.008	119	0.028	0.023 - 0.033
WA - Seattle	88	0.018	0.015 - 0.023	18	0.007	0.004 - 0.011	70	0.030	0.024 - 0.038
West Virginia	-	-		-	-		-	-	
Wisconsin	55	0.014	0.011 - 0.019	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**2,041**	**0.004**	**0.004 - 0.004**	**1,093**	**0.004**	**0.004 - 0.004**	**948**	**0.004**	**0.003 - 0.004**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	81	0.004	0.003 - 0.005	37	0.003	0.002 - 0.005	44	0.004	0.003 - 0.006
Arkansas	-	-		-	-		-	-	
California	483	0.003	0.003 - 0.003	251	0.003	0.003 - 0.004	232	0.003	0.003 - 0.003
CA - Greater California	271	0.003	0.003 - 0.004	135	0.003	0.003 - 0.004	136	0.003	0.003 - 0.004
CA - Greater Bay Area	71	0.004	0.003 - 0.005	37	0.004	0.003 - 0.005	34	0.004	0.003 - 0.005
CA - Los Angeles	142	0.003	0.002 - 0.003	79	0.003	0.003 - 0.004	63	0.003	0.002 - 0.003
Colorado	42	0.004	0.003 - 0.005	27	0.005	0.003 - 0.007	15	0.003	0.001 - 0.004
Connecticut	34	0.006	0.004 - 0.009	18	0.006	0.004 - 0.010	16	0.006	0.003 - 0.009
Delaware	-	-		-	-		-	-	
Florida	304	0.006	0.005 - 0.007	169	0.007	0.006 - 0.008	135	0.005	0.004 - 0.006
Georgia	29	0.003	0.002 - 0.004	15	0.003	0.002 - 0.005	14	0.003	0.002 - 0.005
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	90	0.004	0.003 - 0.005	50	0.004	0.003 - 0.006	40	0.004	0.003 - 0.005
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	15	0.003	0.001 - 0.004	-	-		-	-	
Michigan	13	0.003	0.001 - 0.005	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	77	0.004	0.003 - 0.005	39	0.004	0.003 - 0.006	38	0.004	0.003 - 0.006
New Mexico	37	0.004	0.003 - 0.005	24	0.005	0.003 - 0.007	13	0.003	0.001 - 0.004
New York	203	0.005	0.005 - 0.006	108	0.006	0.005 - 0.007	95	0.005	0.004 - 0.006
North Carolina	21	0.002	0.001 - 0.003	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	12	0.002	0.001 - 0.004	-	-		-	-	
Pennsylvania	34	0.004	0.003 - 0.005	21	0.005	0.003 - 0.007	13	0.003	0.002 - 0.005
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	12	0.003	0.002 - 0.006	-	-		-	-	
Texas	382	0.004	0.003 - 0.004	201	0.004	0.003 - 0.004	181	0.003	0.003 - 0.004
Utah	20	0.005	0.003 - 0.007	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	19	0.002	0.002 - 0.004	-	-		-	-	
Washington	30	0.003	0.002 - 0.005	14	0.003	0.002 - 0.005	16	0.004	0.002 - 0.006
WA - Seattle	20	0.004	0.003 - 0.006	10	0.004	0.002 - 0.007	10	0.004	0.002 - 0.008
West Virginia	-	-		-	-		-	-	
Wisconsin	10	0.003	0.001 - 0.005	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**10,029**	**0.018**	**0.018 - 0.019**	**5,122**	**0.019**	**0.018 - 0.019**	**4,908**	**0.018**	**0.018 - 0.019**
Alabama	14	0.007	0.004 - 0.012	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	291	0.014	0.012 - 0.015	152	0.014	0.012 - 0.017	139	0.013	0.011 - 0.016
Arkansas	12	0.006	0.003 - 0.010	-	-		-	-	
California	2,707	0.018	0.017 - 0.018	1,332	0.017	0.016 - 0.018	1,375	0.018	0.017 - 0.019
CA - Greater California	1,413	0.017	0.016 - 0.018	706	0.017	0.015 - 0.018	707	0.017	0.016 - 0.018
CA - Greater Bay Area	414	0.022	0.020 - 0.024	208	0.022	0.019 - 0.025	206	0.022	0.019 - 0.025
CA - Los Angeles	881	0.018	0.017 - 0.019	418	0.017	0.015 - 0.019	463	0.019	0.017 - 0.021
Colorado	189	0.016	0.014 - 0.019	100	0.017	0.014 - 0.020	89	0.016	0.012 - 0.019
Connecticut	133	0.024	0.020 - 0.028	61	0.022	0.017 - 0.028	72	0.026	0.020 - 0.032
Delaware	12	0.014	0.007 - 0.024	-	-		-	-	
Florida	1,619	0.032	0.030 - 0.033	824	0.033	0.031 - 0.035	795	0.031	0.029 - 0.033
Georgia	145	0.015	0.013 - 0.018	77	0.015	0.012 - 0.019	68	0.015	0.011 - 0.019
Hawaii	26	0.018	0.012 - 0.027	15	0.021	0.012 - 0.034	11	0.016	0.008 - 0.029
Idaho	32	0.016	0.011 - 0.022	21	0.020	0.012 - 0.030	11	0.011	0.006 - 0.020
Illinois	381	0.018	0.016 - 0.019	206	0.019	0.016 - 0.021	175	0.017	0.014 - 0.019
Iowa	16	0.009	0.005 - 0.014	-	-		-	-	
Kentucky	13	0.008	0.004 - 0.014	-	-		-	-	
Louisiana	31	0.013	0.009 - 0.019	14	0.011	0.006 - 0.019	17	0.015	0.009 - 0.025
Maine	-	-		-	-		-	-	
Maryland	70	0.012	0.009 - 0.015	39	0.013	0.009 - 0.018	31	0.011	0.008 - 0.016
Michigan	61	0.012	0.010 - 0.016	40	0.016	0.012 - 0.022	21	0.009	0.005 - 0.013
MI - Detroit	27	0.016	0.010 - 0.023	13	0.015	0.008 - 0.026	14	0.016	0.009 - 0.028
Minnesota	46	0.016	0.012 - 0.021	21	0.014	0.009 - 0.021	25	0.018	0.012 - 0.027
Mississippi	-	-		-	-		-	-	
Missouri	25	0.010	0.007 - 0.015	14	0.011	0.006 - 0.018	11	0.009	0.005 - 0.016
Montana	-	-		-	-		-	-	
Nebraska	22	0.011	0.007 - 0.017	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	433	0.024	0.022 - 0.027	231	0.026	0.023 - 0.029	202	0.023	0.020 - 0.026
New Mexico	191	0.019	0.016 - 0.022	88	0.018	0.014 - 0.022	103	0.020	0.017 - 0.025
New York	947	0.025	0.024 - 0.027	462	0.025	0.023 - 0.027	485	0.026	0.023 - 0.028
North Carolina	117	0.013	0.010 - 0.015	60	0.012	0.009 - 0.016	57	0.013	0.010 - 0.017
North Dakota	-	-		-	-		-	-	
Ohio	49	0.012	0.009 - 0.015	27	0.013	0.008 - 0.018	22	0.011	0.007 - 0.016
Oklahoma	47	0.012	0.009 - 0.016	18	0.009	0.005 - 0.014	29	0.015	0.010 - 0.022
Oregon	75	0.015	0.011 - 0.018	44	0.016	0.012 - 0.022	31	0.012	0.008 - 0.018
Pennsylvania	141	0.016	0.013 - 0.019	66	0.015	0.011 - 0.019	75	0.017	0.014 - 0.022
Rhode Island	19	0.012	0.007 - 0.019	-	-		-	-	
South Carolina	25	0.009	0.006 - 0.014	13	0.009	0.005 - 0.015	12	0.010	0.005 - 0.017
Tennessee	26	0.008	0.005 - 0.011	11	0.006	0.003 - 0.011	15	0.009	0.005 - 0.015
Texas	1,741	0.016	0.015 - 0.017	916	0.017	0.016 - 0.018	825	0.015	0.014 - 0.016
Utah	76	0.018	0.014 - 0.023	50	0.023	0.017 - 0.031	26	0.013	0.008 - 0.019
Vermont	-	-		-	-		-	-	
Virginia	95	0.012	0.010 - 0.015	52	0.013	0.010 - 0.017	43	0.012	0.008 - 0.016
Washington	109	0.012	0.010 - 0.015	55	0.012	0.009 - 0.015	54	0.013	0.009 - 0.016
WA - Seattle	63	0.013	0.010 - 0.017	33	0.013	0.009 - 0.019	30	0.013	0.009 - 0.019
West Virginia	-	-		-	-		-	-	
Wisconsin	55	0.014	0.011 - 0.019	32	0.016	0.011 - 0.023	23	0.012	0.008 - 0.019
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**3,450**	**0.006**	**0.006 - 0.007**	**1,801**	**0.007**	**0.006 - 0.007**	**1,649**	**0.006**	**0.006 - 0.006**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	112	0.005	0.004 - 0.006	65	0.006	0.005 - 0.008	47	0.004	0.003 - 0.006
Arkansas	-	-		-	-		-	-	
California	875	0.006	0.005 - 0.006	472	0.006	0.006 - 0.007	403	0.005	0.005 - 0.006
CA - Greater California	494	0.006	0.005 - 0.006	250	0.006	0.005 - 0.007	245	0.006	0.005 - 0.007
CA - Greater Bay Area	110	0.006	0.005 - 0.007	67	0.007	0.005 - 0.009	43	0.005	0.003 - 0.006
CA - Los Angeles	274	0.006	0.005 - 0.006	156	0.006	0.005 - 0.007	117	0.005	0.004 - 0.006
Colorado	67	0.006	0.004 - 0.007	41	0.007	0.005 - 0.009	26	0.005	0.003 - 0.007
Connecticut	46	0.008	0.006 - 0.011	24	0.009	0.006 - 0.013	22	0.008	0.005 - 0.012
Delaware	-	-		-	-		-	-	
Florida	533	0.010	0.010 - 0.011	269	0.011	0.009 - 0.012	264	0.010	0.009 - 0.012
Georgia	43	0.004	0.003 - 0.006	21	0.004	0.003 - 0.006	22	0.005	0.003 - 0.007
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	112	0.005	0.004 - 0.006	58	0.005	0.004 - 0.007	54	0.005	0.004 - 0.007
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	13	0.006	0.003 - 0.009	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	21	0.004	0.002 - 0.006	11	0.004	0.002 - 0.006	10	0.004	0.002 - 0.007
Michigan	28	0.006	0.004 - 0.008	-	-		-	-	
MI - Detroit	16	0.009	0.005 - 0.015	-	-		-	-	
Minnesota	20	0.007	0.004 - 0.011	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	11	0.005	0.003 - 0.010	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	137	0.008	0.006 - 0.009	74	0.008	0.006 - 0.010	63	0.007	0.005 - 0.009
New Mexico	79	0.008	0.006 - 0.010	43	0.009	0.006 - 0.012	36	0.007	0.005 - 0.010
New York	404	0.011	0.010 - 0.012	197	0.011	0.009 - 0.012	207	0.011	0.009 - 0.012
North Carolina	30	0.003	0.002 - 0.005	11	0.002	0.001 - 0.004	19	0.004	0.003 - 0.007
North Dakota	-	-		-	-		-	-	
Ohio	13	0.003	0.002 - 0.005	-	-		-	-	
Oklahoma	12	0.003	0.002 - 0.005	-	-		-	-	
Oregon	16	0.003	0.002 - 0.005	-	-		-	-	
Pennsylvania	60	0.007	0.005 - 0.009	25	0.006	0.004 - 0.008	35	0.008	0.006 - 0.011
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	13	0.004	0.002 - 0.006	-	-		-	-	
Texas	629	0.006	0.005 - 0.006	321	0.006	0.005 - 0.007	308	0.006	0.005 - 0.006
Utah	17	0.004	0.002 - 0.007	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	31	0.004	0.003 - 0.006	17	0.004	0.003 - 0.007	14	0.004	0.002 - 0.006
Washington	48	0.005	0.004 - 0.007	23	0.005	0.003 - 0.007	25	0.006	0.004 - 0.009
WA - Seattle	19	0.004	0.002 - 0.006	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	14	0.004	0.002 - 0.006	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**7,005**	**0.013**	**0.013 - 0.013**	**3,925**	**0.014**	**0.014 - 0.015**	**3,080**	**0.011**	**0.011 - 0.012**
Alabama	17	0.008	0.005 - 0.013	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	227	0.011	0.009 - 0.012	131	0.012	0.010 - 0.015	96	0.009	0.007 - 0.011
Arkansas	29	0.013	0.009 - 0.019	17	0.015	0.009 - 0.024	12	0.012	0.006 - 0.020
California	1,742	0.011	0.011 - 0.012	994	0.013	0.012 - 0.014	747	0.010	0.009 - 0.011
CA - Greater California	953	0.011	0.011 - 0.012	527	0.012	0.011 - 0.014	426	0.010	0.009 - 0.011
CA - Greater Bay Area	213	0.011	0.010 - 0.013	134	0.014	0.012 - 0.016	80	0.009	0.007 - 0.011
CA - Los Angeles	573	0.012	0.011 - 0.013	333	0.014	0.012 - 0.015	241	0.010	0.009 - 0.011
Colorado	135	0.012	0.010 - 0.014	69	0.012	0.009 - 0.015	66	0.011	0.009 - 0.015
Connecticut	66	0.012	0.009 - 0.015	33	0.012	0.008 - 0.017	33	0.012	0.008 - 0.017
Delaware	16	0.019	0.011 - 0.030	-	-		-	-	
Florida	1,010	0.020	0.019 - 0.021	542	0.022	0.020 - 0.023	468	0.018	0.017 - 0.020
Georgia	112	0.012	0.010 - 0.014	63	0.012	0.010 - 0.016	50	0.011	0.008 - 0.014
Hawaii	11	0.008	0.004 - 0.014	-	-		-	-	
Idaho	24	0.012	0.008 - 0.017	13	0.012	0.007 - 0.021	11	0.011	0.006 - 0.020
Illinois	268	0.012	0.011 - 0.014	159	0.014	0.012 - 0.017	109	0.010	0.008 - 0.012
Iowa	21	0.012	0.007 - 0.018	11	0.012	0.006 - 0.021	10	0.012	0.006 - 0.021
Kentucky	14	0.009	0.005 - 0.015	-	-		-	-	
Louisiana	25	0.010	0.007 - 0.015	15	0.011	0.006 - 0.019	10	0.009	0.004 - 0.017
Maine	-	-		-	-		-	-	
Maryland	68	0.012	0.009 - 0.015	35	0.012	0.008 - 0.016	33	0.012	0.008 - 0.017
Michigan	42	0.009	0.006 - 0.012	23	0.009	0.006 - 0.014	19	0.008	0.005 - 0.012
MI - Detroit	19	0.011	0.007 - 0.017	-	-		-	-	
Minnesota	51	0.018	0.013 - 0.023	31	0.021	0.014 - 0.029	20	0.014	0.009 - 0.022
Mississippi	-	-		-	-		-	-	
Missouri	24	0.010	0.006 - 0.014	10	0.008	0.004 - 0.014	14	0.012	0.006 - 0.020
Montana	-	-		-	-		-	-	
Nebraska	28	0.014	0.009 - 0.020	17	0.016	0.009 - 0.026	11	0.011	0.006 - 0.020
New Hampshire	-	-		-	-		-	-	
New Jersey	263	0.015	0.013 - 0.017	148	0.017	0.014 - 0.019	115	0.013	0.011 - 0.016
New Mexico	160	0.016	0.013 - 0.019	91	0.018	0.015 - 0.022	69	0.014	0.011 - 0.017
New York	600	0.016	0.015 - 0.017	304	0.016	0.015 - 0.018	296	0.016	0.014 - 0.017
North Carolina	92	0.010	0.008 - 0.012	58	0.012	0.009 - 0.016	34	0.008	0.005 - 0.011
North Dakota	-	-		-	-		-	-	
Ohio	36	0.009	0.006 - 0.012	23	0.011	0.007 - 0.016	13	0.006	0.003 - 0.011
Oklahoma	38	0.009	0.007 - 0.013	24	0.011	0.007 - 0.017	14	0.007	0.004 - 0.012
Oregon	64	0.012	0.010 - 0.016	40	0.015	0.011 - 0.020	24	0.010	0.006 - 0.014
Pennsylvania	93	0.010	0.008 - 0.013	58	0.013	0.010 - 0.017	35	0.008	0.006 - 0.011
Rhode Island	20	0.013	0.008 - 0.020	-	-		-	-	
South Carolina	31	0.011	0.008 - 0.016	14	0.010	0.005 - 0.016	17	0.013	0.008 - 0.022
Tennessee	39	0.011	0.008 - 0.015	25	0.014	0.009 - 0.020	14	0.009	0.005 - 0.014
Texas	1,367	0.013	0.012 - 0.013	790	0.015	0.014 - 0.016	577	0.011	0.010 - 0.012
Utah	34	0.008	0.006 - 0.011	19	0.009	0.005 - 0.014	15	0.007	0.004 - 0.012
Vermont	-	-		-	-		-	-	
Virginia	54	0.007	0.005 - 0.009	29	0.007	0.005 - 0.011	25	0.007	0.004 - 0.010
Washington	97	0.011	0.009 - 0.013	48	0.010	0.008 - 0.014	49	0.011	0.008 - 0.015
WA - Seattle	60	0.013	0.010 - 0.016	33	0.013	0.009 - 0.019	27	0.012	0.008 - 0.017
West Virginia	-	-		-	-		-	-	
Wisconsin	55	0.014	0.011 - 0.019	34	0.017	0.012 - 0.024	21	0.011	0.007 - 0.017
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Two Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2014-2015 by Registry, Hispanic, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**209**	**0.000**	**0.000 - 0.000**	**140**	**0.001**	**0.000 - 0.001**	**68**	**0.000**	**0.000 - 0.000**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	80	0.001	0.000 - 0.001	51	0.001	0.001 - 0.001	28	0.000	0.000 - 0.001
CA - Greater California	43	0.001	0.000 - 0.001	25	0.001	0.000 - 0.001	18	0.000	0.000 - 0.001
CA - Greater Bay Area	10	0.001	0.000 - 0.001	-	-		-	-	
CA - Los Angeles	27	0.001	0.000 - 0.001	-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	20	0.000	0.000 - 0.001	-	-		-	-	
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	14	0.000	0.000 - 0.001	-	-		-	-	
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	28	0.000	0.000 - 0.000	-	-		-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,825,832**	**1.601**	**1.600 - 1.602**	**2,343,045**	**1.579**	**1.577 - 1.581**	**2,482,787**	**1.622**	**1.620 - 1.625**
Alabama	78,467	1.616	1.605 - 1.627	39,711	1.688	1.671 - 1.705	38,756	1.548	1.533 - 1.564
Alaska	9,120	1.233	1.208 - 1.258	4,381	1.131	1.098 - 1.165	4,739	1.345	1.307 - 1.384
Arizona	92,952	1.356	1.347 - 1.365	43,954	1.290	1.278 - 1.302	48,998	1.421	1.409 - 1.434
Arkansas	48,673	1.632	1.618 - 1.647	24,958	1.704	1.683 - 1.725	23,715	1.563	1.544 - 1.583
California	536,134	1.369	1.365 - 1.373	255,346	1.312	1.307 - 1.317	280,788	1.425	1.419 - 1.430
CA - Greater California	300,545	1.388	1.383 - 1.393	144,111	1.335	1.328 - 1.342	156,434	1.440	1.433 - 1.447
CA - Greater Bay Area	109,169	1.481	1.472 - 1.490	52,598	1.433	1.421 - 1.446	56,571	1.528	1.515 - 1.540
CA - Los Angeles	126,622	1.249	1.242 - 1.256	58,769	1.177	1.167 - 1.186	67,852	1.320	1.310 - 1.330
Colorado	75,617	1.379	1.369 - 1.388	36,573	1.326	1.313 - 1.340	39,044	1.431	1.417 - 1.446
Connecticut	68,536	1.909	1.894 - 1.923	32,500	1.855	1.835 - 1.875	36,036	1.960	1.939 - 1.980
Delaware	18,430	1.943	1.915 - 1.972	9,270	2.019	1.978 - 2.061	9,160	1.872	1.834 - 1.911
Florida	364,650	1.782	1.776 - 1.788	182,227	1.821	1.813 - 1.830	182,423	1.744	1.736 - 1.752
Georgia	150,216	1.465	1.457 - 1.472	74,027	1.482	1.471 - 1.493	76,189	1.448	1.438 - 1.459
Hawaii	22,594	1.583	1.562 - 1.604	10,470	1.460	1.432 - 1.488	12,124	1.707	1.677 - 1.738
Idaho	25,216	1.515	1.496 - 1.534	12,467	1.495	1.469 - 1.521	12,749	1.535	1.508 - 1.562
Illinois	215,458	1.677	1.670 - 1.684	102,932	1.631	1.621 - 1.641	112,526	1.721	1.711 - 1.731
Iowa	54,977	1.759	1.745 - 1.774	27,115	1.745	1.725 - 1.766	27,862	1.773	1.753 - 1.794
Kentucky	79,461	1.794	1.782 - 1.807	38,741	1.776	1.758 - 1.794	40,720	1.812	1.794 - 1.830
Louisiana	75,712	1.618	1.607 - 1.630	39,197	1.712	1.695 - 1.729	36,516	1.528	1.513 - 1.544
Maine	26,865	2.021	1.997 - 2.046	12,778	1.963	1.929 - 1.998	14,087	2.077	2.043 - 2.112
Maryland	99,513	1.655	1.645 - 1.665	47,595	1.633	1.619 - 1.648	51,918	1.676	1.661 - 1.690
Michigan	171,834	1.731	1.723 - 1.739	84,332	1.727	1.716 - 1.739	87,502	1.735	1.723 - 1.747
MI - Detroit	71,592	1.851	1.837 - 1.864	35,143	1.875	1.855 - 1.895	36,448	1.828	1.809 - 1.847
Minnesota	95,623	1.737	1.726 - 1.748	46,856	1.711	1.695 - 1.726	48,767	1.764	1.748 - 1.779
Mississippi	47,632	1.596	1.581 - 1.610	24,541	1.695	1.674 - 1.716	23,091	1.502	1.482 - 1.521
Missouri	100,088	1.646	1.635 - 1.656	47,942	1.606	1.592 - 1.620	52,146	1.684	1.670 - 1.699
Montana	18,457	1.786	1.760 - 1.812	9,415	1.810	1.773 - 1.847	9,042	1.762	1.726 - 1.798
Nebraska	30,727	1.617	1.599 - 1.635	15,185	1.603	1.577 - 1.628	15,542	1.631	1.605 - 1.656
New Hampshire	27,008	2.027	2.003 - 2.051	13,080	1.983	1.949 - 2.017	13,928	2.070	2.035 - 2.104
New Jersey	165,979	1.851	1.842 - 1.859	79,828	1.824	1.812 - 1.837	86,151	1.876	1.863 - 1.888
New Mexico	28,135	1.350	1.334 - 1.366	13,126	1.272	1.251 - 1.294	15,009	1.427	1.404 - 1.450
New York	365,184	1.842	1.836 - 1.848	175,840	1.828	1.819 - 1.836	189,344	1.855	1.847 - 1.864
North Carolina	168,443	1.668	1.660 - 1.676	82,253	1.672	1.661 - 1.684	86,190	1.664	1.652 - 1.675
North Dakota	12,175	1.612	1.584 - 1.641	6,260	1.614	1.574 - 1.654	5,915	1.610	1.569 - 1.652
Ohio	199,523	1.718	1.710 - 1.725	95,568	1.680	1.670 - 1.691	103,955	1.754	1.743 - 1.765
Oklahoma	57,870	1.479	1.467 - 1.491	28,421	1.466	1.449 - 1.483	29,449	1.492	1.475 - 1.509
Oregon	66,811	1.649	1.637 - 1.662	31,976	1.593	1.576 - 1.611	34,835	1.704	1.686 - 1.722
Pennsylvania	248,333	1.942	1.934 - 1.949	119,098	1.903	1.892 - 1.913	129,235	1.979	1.969 - 1.990
Rhode Island	19,967	1.889	1.863 - 1.916	9,072	1.768	1.731 - 1.804	10,895	2.005	1.967 - 2.043
South Carolina	82,093	1.666	1.655 - 1.678	40,915	1.710	1.694 - 1.727	41,178	1.625	1.609 - 1.641
Tennessee	109,189	1.649	1.640 - 1.659	53,977	1.672	1.658 - 1.686	55,212	1.628	1.614 - 1.642
Texas	334,824	1.210	1.206 - 1.214	161,263	1.173	1.167 - 1.179	173,561	1.246	1.240 - 1.252
Utah	35,189	1.167	1.155 - 1.180	17,735	1.169	1.152 - 1.186	17,455	1.165	1.148 - 1.183
Vermont	11,976	1.920	1.885 - 1.954	5,712	1.854	1.806 - 1.902	6,264	1.984	1.935 - 2.034
Virginia	123,201	1.468	1.460 - 1.477	58,266	1.412	1.400 - 1.423	64,935	1.523	1.511 - 1.535
Washington	116,370	1.612	1.603 - 1.622	56,047	1.554	1.541 - 1.567	60,323	1.671	1.657 - 1.684
WA - Seattle	83,427	1.679	1.668 - 1.691	40,342	1.625	1.609 - 1.641	43,084	1.733	1.717 - 1.750
West Virginia	34,906	1.903	1.883 - 1.923	16,869	1.860	1.832 - 1.888	18,037	1.945	1.917 - 1.974
Wisconsin	102,995	1.786	1.775 - 1.797	50,695	1.768	1.753 - 1.784	52,300	1.804	1.789 - 1.820
Wyoming	8,707	1.487	1.456 - 1.519	4,532	1.515	1.471 - 1.560	4,176	1.458	1.414 - 1.503
NAACCR CDN Combined[1]	**222,679**	**1.613**	**1.607 - 1.620**	**111,237**	**1.613**	**1.603 - 1.622**	**111,442**	**1.614**	**1.605 - 1.624**
Alberta	57,822	1.374	1.363 - 1.386	29,036	1.360	1.344 - 1.375	28,786	1.390	1.374 - 1.406
British Columbia	78,946	1.670	1.659 - 1.682	39,448	1.682	1.665 - 1.699	39,498	1.659	1.643 - 1.676
Manitoba	20,263	1.551	1.529 - 1.572	9,707	1.493	1.464 - 1.523	10,556	1.607	1.577 - 1.638
New Brunswick	15,175	2.008	1.976 - 2.040	7,817	2.094	2.047 - 2.141	7,358	1.925	1.881 - 1.969
Newfoundland and Labrador	11,333	2.140	2.101 - 2.180	5,751	2.202	2.146 - 2.260	5,582	2.079	2.025 - 2.135
Northwest Territory	471	1.060	0.967 - 1.161	226	0.996	0.871 - 1.135	245	1.127	0.991 - 1.278
Nova Scotia	18,912	2.001	1.973 - 2.030	9,366	2.022	1.981 - 2.063	9,546	1.981	1.942 - 2.021
Prince Edward Island	2,796	1.888	1.818 - 1.959	1,401	1.940	1.840 - 2.044	1,395	1.837	1.742 - 1.936
Saskatchewan	16,961	1.488	1.466 - 1.511	8,485	1.476	1.445 - 1.508	8,476	1.500	1.468 - 1.532
NAACCR N.A. Combined[1]	**5,048,511**	**1.601**	**1.600 - 1.603**	**2,454,282**	**1.580**	**1.578 - 1.582**	**2,594,229**	**1.622**	**1.620 - 1.624**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**137,805**	**0.046**	**0.045 - 0.046**	**97,665**	**0.066**	**0.065 - 0.066**	**40,140**	**0.026**	**0.026 - 0.026**
Alabama	2,490	0.051	0.049 - 0.053	1,762	0.075	0.071 - 0.078	728	0.029	0.027 - 0.031
Alaska	304	0.041	0.037 - 0.046	232	0.060	0.052 - 0.068	72	0.020	0.016 - 0.026
Arizona	2,518	0.037	0.035 - 0.038	1,834	0.054	0.051 - 0.056	684	0.020	0.018 - 0.021
Arkansas	1,591	0.053	0.051 - 0.056	1,156	0.079	0.074 - 0.084	435	0.029	0.026 - 0.032
California	14,931	0.038	0.038 - 0.039	10,575	0.054	0.053 - 0.055	4,356	0.022	0.021 - 0.023
CA - Greater California	8,732	0.040	0.039 - 0.041	6,296	0.058	0.057 - 0.060	2,435	0.022	0.022 - 0.023
CA - Greater Bay Area	3,072	0.042	0.040 - 0.043	2,105	0.057	0.055 - 0.060	967	0.026	0.024 - 0.028
CA - Los Angeles	3,131	0.031	0.030 - 0.032	2,177	0.044	0.042 - 0.045	954	0.019	0.017 - 0.020
Colorado	2,259	0.041	0.040 - 0.043	1,609	0.058	0.056 - 0.061	650	0.024	0.022 - 0.026
Connecticut	1,854	0.052	0.049 - 0.054	1,251	0.071	0.068 - 0.075	603	0.033	0.030 - 0.036
Delaware	501	0.053	0.048 - 0.058	366	0.080	0.072 - 0.088	135	0.028	0.023 - 0.033
Florida	11,335	0.055	0.054 - 0.056	8,256	0.083	0.081 - 0.084	3,079	0.029	0.028 - 0.031
Georgia	4,426	0.043	0.042 - 0.044	3,123	0.063	0.060 - 0.065	1,303	0.025	0.023 - 0.026
Hawaii	750	0.053	0.049 - 0.056	520	0.072	0.066 - 0.079	230	0.032	0.028 - 0.037
Idaho	772	0.046	0.043 - 0.050	528	0.063	0.058 - 0.069	244	0.029	0.026 - 0.033
Illinois	6,169	0.048	0.047 - 0.049	4,348	0.069	0.067 - 0.071	1,821	0.028	0.027 - 0.029
Iowa	1,770	0.057	0.054 - 0.059	1,270	0.082	0.077 - 0.086	500	0.032	0.029 - 0.035
Kentucky	2,505	0.057	0.054 - 0.059	1,811	0.083	0.079 - 0.087	694	0.031	0.029 - 0.033
Louisiana	2,184	0.047	0.045 - 0.049	1,603	0.070	0.067 - 0.074	581	0.024	0.022 - 0.026
Maine	844	0.064	0.059 - 0.068	611	0.094	0.087 - 0.102	233	0.034	0.030 - 0.039
Maryland	2,628	0.044	0.042 - 0.045	1,847	0.063	0.061 - 0.066	781	0.025	0.023 - 0.027
Michigan	4,676	0.047	0.046 - 0.048	3,285	0.067	0.065 - 0.070	1,391	0.028	0.026 - 0.029
MI - Detroit	1,864	0.048	0.046 - 0.050	1,315	0.070	0.066 - 0.074	548	0.027	0.025 - 0.030
Minnesota	2,747	0.050	0.048 - 0.052	1,880	0.069	0.066 - 0.072	867	0.031	0.029 - 0.034
Mississippi	1,340	0.045	0.043 - 0.047	951	0.066	0.062 - 0.070	389	0.025	0.023 - 0.028
Missouri	3,056	0.050	0.048 - 0.052	2,210	0.074	0.071 - 0.077	846	0.027	0.026 - 0.029
Montana	518	0.050	0.046 - 0.055	361	0.069	0.062 - 0.077	157	0.031	0.026 - 0.036
Nebraska	881	0.046	0.043 - 0.050	617	0.065	0.060 - 0.070	264	0.028	0.024 - 0.031
New Hampshire	734	0.055	0.051 - 0.059	522	0.079	0.072 - 0.086	212	0.032	0.027 - 0.036
New Jersey	3,896	0.043	0.042 - 0.045	2,644	0.060	0.058 - 0.063	1,252	0.027	0.026 - 0.029
New Mexico	715	0.034	0.032 - 0.037	532	0.052	0.047 - 0.056	183	0.017	0.015 - 0.020
New York	8,804	0.044	0.043 - 0.045	6,012	0.062	0.061 - 0.064	2,792	0.027	0.026 - 0.028
North Carolina	4,960	0.049	0.048 - 0.050	3,520	0.072	0.069 - 0.074	1,440	0.028	0.026 - 0.029
North Dakota	357	0.047	0.042 - 0.052	255	0.066	0.058 - 0.074	102	0.028	0.023 - 0.034
Ohio	5,735	0.049	0.048 - 0.051	4,022	0.071	0.069 - 0.073	1,713	0.029	0.028 - 0.030
Oklahoma	1,901	0.049	0.046 - 0.051	1,369	0.071	0.067 - 0.074	532	0.027	0.025 - 0.029
Oregon	2,115	0.052	0.050 - 0.054	1,509	0.075	0.071 - 0.079	606	0.030	0.027 - 0.032
Pennsylvania	6,648	0.052	0.051 - 0.053	4,597	0.073	0.071 - 0.076	2,051	0.031	0.030 - 0.033
Rhode Island	496	0.047	0.043 - 0.051	339	0.066	0.059 - 0.073	157	0.029	0.025 - 0.034
South Carolina	2,413	0.049	0.047 - 0.051	1,736	0.073	0.069 - 0.076	677	0.027	0.025 - 0.029
Tennessee	3,314	0.050	0.048 - 0.052	2,404	0.074	0.072 - 0.077	910	0.027	0.025 - 0.029
Texas	10,070	0.036	0.036 - 0.037	7,273	0.053	0.052 - 0.054	2,797	0.020	0.019 - 0.021
Utah	860	0.029	0.027 - 0.031	604	0.040	0.037 - 0.043	256	0.017	0.015 - 0.019
Vermont	349	0.056	0.050 - 0.062	254	0.082	0.073 - 0.093	95	0.030	0.024 - 0.037
Virginia	3,554	0.042	0.041 - 0.044	2,533	0.061	0.059 - 0.064	1,021	0.024	0.023 - 0.025
Washington	3,471	0.048	0.047 - 0.050	2,430	0.067	0.065 - 0.070	1,041	0.029	0.027 - 0.031
WA - Seattle	2,479	0.050	0.048 - 0.052	1,725	0.069	0.066 - 0.073	754	0.030	0.028 - 0.033
West Virginia	1,072	0.058	0.055 - 0.062	786	0.087	0.081 - 0.093	286	0.031	0.027 - 0.035
Wisconsin	3,054	0.053	0.051 - 0.055	2,143	0.075	0.072 - 0.078	911	0.031	0.029 - 0.034
Wyoming	238	0.041	0.036 - 0.046	175	0.059	0.050 - 0.068	63	0.022	0.017 - 0.028
NAACCR CDN Combined[1]	**5,884**	**0.043**	**0.042 - 0.044**	**4,126**	**0.060**	**0.058 - 0.062**	**1,758**	**0.025**	**0.024 - 0.027**
Alberta	1,394	0.033	0.031 - 0.035	969	0.045	0.043 - 0.048	425	0.021	0.019 - 0.023
British Columbia	2,156	0.046	0.044 - 0.048	1,486	0.063	0.060 - 0.067	670	0.028	0.026 - 0.030
Manitoba	663	0.051	0.047 - 0.055	459	0.071	0.064 - 0.077	204	0.031	0.027 - 0.036
New Brunswick	358	0.047	0.043 - 0.053	249	0.067	0.059 - 0.076	109	0.029	0.023 - 0.034
Newfoundland and Labrador	298	0.056	0.050 - 0.063	223	0.085	0.075 - 0.097	75	0.028	0.022 - 0.035
Northwest Territory	12	0.027	0.014 - 0.047	-	-		-	-	
Nova Scotia	513	0.054	0.050 - 0.059	376	0.081	0.073 - 0.090	137	0.028	0.024 - 0.034
Prince Edward Island	102	0.069	0.056 - 0.084	73	0.101	0.079 - 0.127	29	0.038	0.026 - 0.055
Saskatchewan	388	0.034	0.031 - 0.038	282	0.049	0.044 - 0.055	106	0.019	0.015 - 0.023
NAACCR N.A. Combined[1]	**143,689**	**0.046**	**0.045 - 0.046**	**101,791**	**0.066**	**0.065 - 0.066**	**41,898**	**0.026**	**0.026 - 0.026**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-102 Prevalence – Oral Cavity and Pharynx

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**26,948**	**0.009**	**0.009 - 0.009**	**21,148**	**0.014**	**0.014 - 0.014**	**5,799**	**0.004**	**0.004 - 0.004**
Alabama	394	0.008	0.007 - 0.009	316	0.013	0.012 - 0.015	78	0.003	0.002 - 0.004
Alaska	73	0.010	0.008 - 0.012	53	0.014	0.010 - 0.018	20	0.006	0.003 - 0.009
Arizona	552	0.008	0.007 - 0.009	438	0.013	0.012 - 0.014	114	0.003	0.003 - 0.004
Arkansas	236	0.008	0.007 - 0.009	194	0.013	0.011 - 0.015	42	0.003	0.002 - 0.004
California	2,415	0.006	0.006 - 0.006	1,825	0.009	0.009 - 0.010	590	0.003	0.003 - 0.003
CA - Greater California	1,438	0.007	0.006 - 0.007	1,105	0.010	0.010 - 0.011	333	0.003	0.003 - 0.003
CA - Greater Bay Area	514	0.007	0.006 - 0.008	370	0.010	0.009 - 0.011	144	0.004	0.003 - 0.005
CA - Los Angeles	462	0.005	0.004 - 0.005	350	0.007	0.006 - 0.008	112	0.002	0.002 - 0.003
Colorado	424	0.008	0.007 - 0.009	354	0.013	0.012 - 0.014	70	0.003	0.002 - 0.003
Connecticut	441	0.012	0.011 - 0.013	346	0.020	0.018 - 0.022	95	0.005	0.004 - 0.006
Delaware	121	0.013	0.011 - 0.015	103	0.022	0.018 - 0.027	18	0.004	0.002 - 0.006
Florida	2,224	0.011	0.010 - 0.011	1,734	0.017	0.017 - 0.018	490	0.005	0.004 - 0.005
Georgia	737	0.007	0.007 - 0.008	585	0.012	0.011 - 0.013	152	0.003	0.002 - 0.003
Hawaii	84	0.006	0.005 - 0.007	70	0.010	0.008 - 0.012	14	0.002	0.001 - 0.003
Idaho	131	0.008	0.007 - 0.009	111	0.013	0.011 - 0.016	20	0.002	0.001 - 0.004
Illinois	1,305	0.010	0.010 - 0.011	1,048	0.017	0.016 - 0.018	257	0.004	0.003 - 0.004
Iowa	391	0.013	0.011 - 0.014	330	0.021	0.019 - 0.024	61	0.004	0.003 - 0.005
Kentucky	412	0.009	0.008 - 0.010	328	0.015	0.013 - 0.017	84	0.004	0.003 - 0.005
Louisiana	392	0.008	0.008 - 0.009	292	0.013	0.011 - 0.014	100	0.004	0.003 - 0.005
Maine	239	0.018	0.016 - 0.020	190	0.029	0.025 - 0.034	49	0.007	0.005 - 0.010
Maryland	534	0.009	0.008 - 0.010	411	0.014	0.013 - 0.016	123	0.004	0.003 - 0.005
Michigan	1,213	0.012	0.012 - 0.013	944	0.019	0.018 - 0.021	269	0.005	0.005 - 0.006
MI - Detroit	405	0.010	0.009 - 0.012	306	0.016	0.015 - 0.018	99	0.005	0.004 - 0.006
Minnesota	577	0.010	0.010 - 0.011	463	0.017	0.015 - 0.019	114	0.004	0.003 - 0.005
Mississippi	272	0.009	0.008 - 0.010	214	0.015	0.013 - 0.017	58	0.004	0.003 - 0.005
Missouri	567	0.009	0.009 - 0.010	453	0.015	0.014 - 0.017	114	0.004	0.003 - 0.004
Montana	120	0.012	0.010 - 0.014	101	0.020	0.016 - 0.024	19	0.004	0.002 - 0.006
Nebraska	170	0.009	0.008 - 0.010	130	0.014	0.011 - 0.016	40	0.004	0.003 - 0.006
New Hampshire	226	0.017	0.015 - 0.019	184	0.028	0.024 - 0.032	42	0.006	0.004 - 0.008
New Jersey	874	0.010	0.009 - 0.010	662	0.015	0.014 - 0.016	212	0.005	0.004 - 0.005
New Mexico	145	0.007	0.006 - 0.008	123	0.012	0.010 - 0.014	22	0.002	0.001 - 0.003
New York	1,930	0.010	0.009 - 0.010	1,451	0.015	0.014 - 0.016	479	0.005	0.004 - 0.005
North Carolina	817	0.008	0.008 - 0.009	641	0.013	0.012 - 0.014	176	0.003	0.003 - 0.004
North Dakota	72	0.010	0.007 - 0.012	54	0.014	0.010 - 0.018	18	0.005	0.003 - 0.008
Ohio	1,178	0.010	0.010 - 0.011	943	0.017	0.016 - 0.018	235	0.004	0.003 - 0.005
Oklahoma	336	0.009	0.008 - 0.010	264	0.014	0.012 - 0.015	72	0.004	0.003 - 0.005
Oregon	409	0.010	0.009 - 0.011	316	0.016	0.014 - 0.018	93	0.005	0.004 - 0.006
Pennsylvania	1,437	0.011	0.011 - 0.012	1,130	0.018	0.017 - 0.019	307	0.005	0.004 - 0.005
Rhode Island	115	0.011	0.009 - 0.013	85	0.017	0.013 - 0.020	30	0.006	0.004 - 0.008
South Carolina	463	0.009	0.009 - 0.010	363	0.015	0.014 - 0.017	100	0.004	0.003 - 0.005
Tennessee	609	0.009	0.008 - 0.010	501	0.016	0.014 - 0.017	108	0.003	0.003 - 0.004
Texas	1,769	0.006	0.006 - 0.007	1,407	0.010	0.010 - 0.011	362	0.003	0.002 - 0.003
Utah	132	0.004	0.004 - 0.005	113	0.007	0.006 - 0.009	19	0.001	0.001 - 0.002
Vermont	103	0.017	0.013 - 0.020	87	0.028	0.023 - 0.035	16	0.005	0.003 - 0.008
Virginia	661	0.008	0.007 - 0.009	509	0.012	0.011 - 0.013	152	0.004	0.003 - 0.004
Washington	708	0.010	0.009 - 0.011	540	0.015	0.014 - 0.016	168	0.005	0.004 - 0.005
WA - Seattle	470	0.009	0.009 - 0.010	347	0.014	0.013 - 0.016	123	0.005	0.004 - 0.006
West Virginia	235	0.013	0.011 - 0.015	194	0.021	0.018 - 0.025	41	0.004	0.003 - 0.006
Wisconsin	655	0.011	0.011 - 0.012	508	0.018	0.016 - 0.019	147	0.005	0.004 - 0.006
Wyoming	50	0.009	0.006 - 0.011	-	-		-	-	
NAACCR CDN Combined[1]	**1,142**	**0.008**	**0.008 - 0.009**	**890**	**0.013**	**0.012 - 0.014**	**252**	**0.004**	**0.003 - 0.004**
Alberta	299	0.007	0.006 - 0.008	239	0.011	0.010 - 0.013	60	0.003	0.002 - 0.004
British Columbia	433	0.009	0.008 - 0.010	322	0.014	0.012 - 0.015	111	0.005	0.004 - 0.006
Manitoba	92	0.007	0.006 - 0.009	70	0.011	0.008 - 0.014	22	0.003	0.002 - 0.005
New Brunswick	59	0.008	0.006 - 0.010	48	0.013	0.009 - 0.017	11	0.003	0.001 - 0.005
Newfoundland and Labrador	53	0.010	0.007 - 0.013	42	0.016	0.012 - 0.022	11	0.004	0.002 - 0.007
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	127	0.013	0.011 - 0.016	107	0.023	0.019 - 0.028	20	0.004	0.003 - 0.006
Prince Edward Island	18	0.012	0.007 - 0.019	-	-		-	-	
Saskatchewan	58	0.005	0.004 - 0.007	47	0.008	0.006 - 0.011	11	0.002	0.001 - 0.003
NAACCR N.A. Combined[1]	**28,090**	**0.009**	**0.009 - 0.009**	**22,038**	**0.014**	**0.014 - 0.014**	**6,051**	**0.004**	**0.004 - 0.004**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**48,175**	**0.016**	**0.016 - 0.016**	**28,412**	**0.019**	**0.019 - 0.019**	**19,763**	**0.013**	**0.013 - 0.013**
Alabama	778	0.016	0.015 - 0.017	414	0.018	0.016 - 0.019	364	0.015	0.013 - 0.016
Alaska	97	0.013	0.011 - 0.016	59	0.015	0.012 - 0.020	38	0.011	0.008 - 0.015
Arizona	803	0.012	0.011 - 0.013	499	0.015	0.013 - 0.016	304	0.009	0.008 - 0.010
Arkansas	423	0.014	0.013 - 0.016	265	0.018	0.016 - 0.020	158	0.010	0.009 - 0.012
California	6,256	0.016	0.016 - 0.016	3,633	0.019	0.018 - 0.019	2,623	0.013	0.013 - 0.014
CA - Greater California	3,002	0.014	0.013 - 0.014	1,775	0.016	0.016 - 0.017	1,227	0.011	0.011 - 0.012
CA - Greater Bay Area	1,252	0.017	0.016 - 0.018	725	0.020	0.018 - 0.021	526	0.014	0.013 - 0.015
CA - Los Angeles	2,007	0.020	0.019 - 0.021	1,136	0.023	0.021 - 0.024	871	0.017	0.016 - 0.018
Colorado	630	0.011	0.011 - 0.012	379	0.014	0.012 - 0.015	251	0.009	0.008 - 0.010
Connecticut	834	0.023	0.022 - 0.025	505	0.029	0.026 - 0.031	329	0.018	0.016 - 0.020
Delaware	175	0.018	0.016 - 0.021	122	0.027	0.022 - 0.032	53	0.011	0.008 - 0.014
Florida	3,429	0.017	0.016 - 0.017	2,062	0.021	0.020 - 0.022	1,367	0.013	0.012 - 0.014
Georgia	1,400	0.014	0.013 - 0.014	777	0.016	0.014 - 0.017	624	0.012	0.011 - 0.013
Hawaii	324	0.023	0.020 - 0.025	191	0.027	0.023 - 0.031	133	0.019	0.016 - 0.022
Idaho	187	0.011	0.010 - 0.013	114	0.014	0.011 - 0.016	73	0.009	0.007 - 0.011
Illinois	2,237	0.017	0.017 - 0.018	1,328	0.021	0.020 - 0.022	909	0.014	0.013 - 0.015
Iowa	356	0.011	0.010 - 0.013	230	0.015	0.013 - 0.017	127	0.008	0.007 - 0.010
Kentucky	689	0.016	0.014 - 0.017	380	0.017	0.016 - 0.019	309	0.014	0.012 - 0.015
Louisiana	724	0.015	0.014 - 0.017	442	0.019	0.018 - 0.021	282	0.012	0.010 - 0.013
Maine	227	0.017	0.015 - 0.019	126	0.019	0.016 - 0.023	101	0.015	0.012 - 0.018
Maryland	1,062	0.018	0.017 - 0.019	576	0.020	0.018 - 0.021	486	0.016	0.014 - 0.017
Michigan	1,615	0.016	0.015 - 0.017	1,001	0.021	0.019 - 0.022	614	0.012	0.011 - 0.013
MI - Detroit	678	0.018	0.016 - 0.019	409	0.022	0.020 - 0.024	269	0.013	0.012 - 0.015
Minnesota	760	0.014	0.013 - 0.015	454	0.017	0.015 - 0.018	306	0.011	0.010 - 0.012
Mississippi	418	0.014	0.013 - 0.015	223	0.015	0.013 - 0.018	195	0.013	0.011 - 0.015
Missouri	736	0.012	0.011 - 0.013	459	0.015	0.014 - 0.017	277	0.009	0.008 - 0.010
Montana	117	0.011	0.009 - 0.014	68	0.013	0.010 - 0.016	49	0.010	0.007 - 0.013
Nebraska	230	0.012	0.011 - 0.014	166	0.018	0.015 - 0.020	64	0.007	0.005 - 0.009
New Hampshire	211	0.016	0.014 - 0.018	119	0.018	0.015 - 0.022	92	0.014	0.011 - 0.017
New Jersey	1,924	0.021	0.020 - 0.022	1,073	0.025	0.023 - 0.026	851	0.019	0.017 - 0.020
New Mexico	306	0.015	0.013 - 0.016	177	0.017	0.015 - 0.020	129	0.012	0.010 - 0.015
New York	4,981	0.025	0.024 - 0.026	2,912	0.030	0.029 - 0.031	2,069	0.020	0.019 - 0.021
North Carolina	1,597	0.016	0.015 - 0.017	893	0.018	0.017 - 0.019	704	0.014	0.013 - 0.015
North Dakota	98	0.013	0.011 - 0.016	60	0.015	0.012 - 0.020	38	0.010	0.007 - 0.014
Ohio	1,826	0.016	0.015 - 0.016	1,081	0.019	0.018 - 0.020	745	0.013	0.012 - 0.014
Oklahoma	432	0.011	0.010 - 0.012	255	0.013	0.012 - 0.015	177	0.009	0.008 - 0.010
Oregon	563	0.014	0.013 - 0.015	363	0.018	0.016 - 0.020	200	0.010	0.008 - 0.011
Pennsylvania	2,185	0.017	0.016 - 0.018	1,358	0.022	0.021 - 0.023	827	0.013	0.012 - 0.014
Rhode Island	230	0.022	0.019 - 0.025	126	0.025	0.020 - 0.029	104	0.019	0.016 - 0.023
South Carolina	833	0.017	0.016 - 0.018	489	0.020	0.019 - 0.022	344	0.014	0.012 - 0.015
Tennessee	943	0.014	0.013 - 0.015	545	0.017	0.015 - 0.018	398	0.012	0.011 - 0.013
Texas	3,716	0.013	0.013 - 0.014	2,122	0.015	0.015 - 0.016	1,594	0.011	0.011 - 0.012
Utah	227	0.008	0.007 - 0.009	122	0.008	0.007 - 0.010	105	0.007	0.006 - 0.008
Vermont	69	0.011	0.009 - 0.014	42	0.014	0.010 - 0.018	27	0.009	0.006 - 0.012
Virginia	1,273	0.015	0.014 - 0.016	780	0.019	0.018 - 0.020	493	0.012	0.011 - 0.013
Washington	962	0.013	0.013 - 0.014	614	0.017	0.016 - 0.018	348	0.010	0.009 - 0.011
WA - Seattle	707	0.014	0.013 - 0.015	446	0.018	0.016 - 0.020	261	0.011	0.009 - 0.012
West Virginia	298	0.016	0.014 - 0.018	168	0.019	0.016 - 0.022	130	0.014	0.012 - 0.017
Wisconsin	932	0.016	0.015 - 0.017	595	0.021	0.019 - 0.022	337	0.012	0.010 - 0.013
Wyoming	63	0.011	0.008 - 0.014	46	0.015	0.011 - 0.020	17	0.006	0.003 - 0.009
NAACCR CDN Combined[1]	**2,121**	**0.015**	**0.015 - 0.016**	**1,409**	**0.020**	**0.019 - 0.022**	**712**	**0.010**	**0.010 - 0.011**
Alberta	480	0.011	0.010 - 0.012	318	0.015	0.013 - 0.017	162	0.008	0.007 - 0.009
British Columbia	733	0.016	0.014 - 0.017	470	0.020	0.018 - 0.022	263	0.011	0.010 - 0.012
Manitoba	227	0.017	0.015 - 0.020	156	0.024	0.020 - 0.028	71	0.011	0.008 - 0.014
New Brunswick	167	0.022	0.019 - 0.026	116	0.031	0.026 - 0.037	51	0.013	0.010 - 0.018
Newfoundland and Labrador	158	0.030	0.025 - 0.035	111	0.043	0.035 - 0.051	47	0.018	0.013 - 0.023
Northwest Territory	11	0.025	0.012 - 0.044	-	-		-	-	
Nova Scotia	145	0.015	0.013 - 0.018	91	0.020	0.016 - 0.024	54	0.011	0.008 - 0.015
Prince Edward Island	27	0.018	0.012 - 0.027	-	-		-	-	
Saskatchewan	173	0.015	0.013 - 0.018	120	0.021	0.017 - 0.025	53	0.009	0.007 - 0.012
NAACCR N.A. Combined[1]	**50,296**	**0.016**	**0.016 - 0.016**	**29,821**	**0.019**	**0.019 - 0.019**	**20,475**	**0.013**	**0.013 - 0.013**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-104 Prevalence – Stomach

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**433,203**	**0.144**	**0.143 - 0.144**	**226,026**	**0.152**	**0.152 - 0.153**	**207,178**	**0.135**	**0.135 - 0.136**
Alabama	8,013	0.165	0.161 - 0.169	4,161	0.177	0.172 - 0.182	3,852	0.154	0.149 - 0.159
Alaska	963	0.130	0.122 - 0.139	520	0.134	0.123 - 0.146	443	0.126	0.114 - 0.138
Arizona	8,337	0.122	0.119 - 0.124	4,434	0.130	0.126 - 0.134	3,903	0.113	0.110 - 0.117
Arkansas	4,886	0.164	0.159 - 0.169	2,576	0.176	0.169 - 0.183	2,310	0.152	0.146 - 0.159
California	48,467	0.124	0.123 - 0.125	25,317	0.130	0.129 - 0.132	23,150	0.117	0.116 - 0.119
CA - Greater California	26,798	0.124	0.122 - 0.125	14,074	0.130	0.128 - 0.133	12,723	0.117	0.115 - 0.119
CA - Greater Bay Area	9,562	0.130	0.127 - 0.132	4,982	0.136	0.132 - 0.140	4,580	0.124	0.120 - 0.127
CA - Los Angeles	12,095	0.119	0.117 - 0.121	6,259	0.125	0.122 - 0.128	5,836	0.114	0.111 - 0.116
Colorado	6,149	0.112	0.109 - 0.115	3,211	0.116	0.112 - 0.121	2,938	0.108	0.104 - 0.112
Connecticut	5,537	0.154	0.150 - 0.158	2,856	0.163	0.157 - 0.169	2,681	0.146	0.140 - 0.151
Delaware	1,420	0.150	0.142 - 0.158	745	0.162	0.151 - 0.174	675	0.138	0.128 - 0.149
Florida	31,814	0.155	0.154 - 0.157	16,607	0.166	0.163 - 0.169	15,207	0.145	0.143 - 0.148
Georgia	13,923	0.136	0.133 - 0.138	7,298	0.146	0.143 - 0.149	6,624	0.126	0.123 - 0.129
Hawaii	2,549	0.179	0.172 - 0.186	1,387	0.193	0.183 - 0.204	1,162	0.164	0.154 - 0.173
Idaho	2,124	0.128	0.122 - 0.133	1,074	0.129	0.121 - 0.137	1,050	0.126	0.119 - 0.134
Illinois	20,732	0.161	0.159 - 0.164	10,871	0.172	0.169 - 0.175	9,861	0.151	0.148 - 0.154
Iowa	5,445	0.174	0.170 - 0.179	2,869	0.185	0.178 - 0.192	2,576	0.164	0.158 - 0.170
Kentucky	8,234	0.186	0.182 - 0.190	4,396	0.202	0.196 - 0.208	3,838	0.171	0.165 - 0.176
Louisiana	7,765	0.166	0.162 - 0.170	4,116	0.180	0.174 - 0.185	3,649	0.153	0.148 - 0.158
Maine	2,242	0.169	0.162 - 0.176	1,148	0.176	0.166 - 0.187	1,094	0.161	0.152 - 0.171
Maryland	8,131	0.135	0.132 - 0.138	4,044	0.139	0.135 - 0.143	4,087	0.132	0.128 - 0.136
Michigan	14,596	0.147	0.145 - 0.149	7,458	0.153	0.149 - 0.156	7,138	0.142	0.138 - 0.145
MI - Detroit	6,101	0.158	0.154 - 0.162	3,045	0.162	0.157 - 0.168	3,056	0.153	0.148 - 0.159
Minnesota	8,005	0.145	0.142 - 0.149	4,172	0.152	0.148 - 0.157	3,833	0.139	0.134 - 0.143
Mississippi	5,216	0.175	0.170 - 0.180	2,762	0.191	0.184 - 0.198	2,454	0.160	0.153 - 0.166
Missouri	9,633	0.158	0.155 - 0.162	5,061	0.170	0.165 - 0.174	4,572	0.148	0.143 - 0.152
Montana	1,618	0.157	0.149 - 0.164	896	0.172	0.161 - 0.184	723	0.141	0.131 - 0.151
Nebraska	3,095	0.163	0.157 - 0.169	1,625	0.172	0.163 - 0.180	1,470	0.154	0.146 - 0.162
New Hampshire	2,135	0.160	0.153 - 0.167	1,123	0.170	0.160 - 0.181	1,012	0.150	0.141 - 0.160
New Jersey	14,456	0.161	0.159 - 0.164	7,244	0.166	0.162 - 0.169	7,212	0.157	0.153 - 0.161
New Mexico	2,513	0.121	0.116 - 0.125	1,335	0.129	0.123 - 0.137	1,178	0.112	0.106 - 0.119
New York	30,079	0.152	0.150 - 0.153	15,235	0.158	0.156 - 0.161	14,844	0.145	0.143 - 0.148
North Carolina	13,934	0.138	0.136 - 0.140	7,170	0.146	0.142 - 0.149	6,764	0.131	0.127 - 0.134
North Dakota	1,262	0.167	0.158 - 0.177	688	0.177	0.164 - 0.191	574	0.156	0.144 - 0.170
Ohio	18,711	0.161	0.159 - 0.163	9,689	0.170	0.167 - 0.174	9,022	0.152	0.149 - 0.155
Oklahoma	5,735	0.147	0.143 - 0.150	2,975	0.153	0.148 - 0.159	2,760	0.140	0.135 - 0.145
Oregon	5,503	0.136	0.132 - 0.139	2,925	0.146	0.141 - 0.151	2,578	0.126	0.121 - 0.131
Pennsylvania	22,327	0.175	0.172 - 0.177	11,649	0.186	0.183 - 0.190	10,678	0.164	0.160 - 0.167
Rhode Island	1,512	0.143	0.136 - 0.150	730	0.142	0.132 - 0.153	782	0.144	0.134 - 0.154
South Carolina	7,174	0.146	0.142 - 0.149	3,723	0.156	0.151 - 0.161	3,451	0.136	0.132 - 0.141
Tennessee	9,893	0.149	0.147 - 0.152	5,105	0.158	0.154 - 0.163	4,788	0.141	0.137 - 0.145
Texas	32,792	0.118	0.117 - 0.120	17,934	0.130	0.129 - 0.132	14,858	0.107	0.105 - 0.108
Utah	2,496	0.083	0.080 - 0.086	1,310	0.086	0.082 - 0.091	1,186	0.079	0.075 - 0.084
Vermont	934	0.150	0.140 - 0.160	478	0.155	0.142 - 0.170	456	0.144	0.131 - 0.158
Virginia	10,716	0.128	0.125 - 0.130	5,502	0.133	0.130 - 0.137	5,214	0.122	0.119 - 0.126
Washington	9,359	0.130	0.127 - 0.132	4,906	0.136	0.132 - 0.140	4,453	0.123	0.120 - 0.127
WA - Seattle	6,613	0.133	0.130 - 0.136	3,483	0.140	0.136 - 0.145	3,130	0.126	0.122 - 0.130
West Virginia	3,599	0.196	0.190 - 0.203	1,869	0.206	0.197 - 0.216	1,730	0.187	0.178 - 0.196
Wisconsin	8,482	0.147	0.144 - 0.150	4,437	0.155	0.150 - 0.159	4,045	0.140	0.135 - 0.144
Wyoming	699	0.119	0.111 - 0.129	396	0.132	0.120 - 0.146	303	0.106	0.094 - 0.118
NAACCR CDN Combined[1]	**30,785**	**0.223**	**0.221 - 0.226**	**17,306**	**0.251**	**0.247 - 0.255**	**13,479**	**0.195**	**0.192 - 0.199**
Alberta	7,035	0.167	0.163 - 0.171	4,004	0.188	0.182 - 0.193	3,031	0.146	0.141 - 0.152
British Columbia	11,072	0.234	0.230 - 0.239	6,175	0.263	0.257 - 0.270	4,897	0.206	0.200 - 0.212
Manitoba	2,812	0.215	0.207 - 0.223	1,574	0.242	0.230 - 0.254	1,238	0.189	0.178 - 0.199
New Brunswick	1,977	0.262	0.250 - 0.273	1,125	0.301	0.284 - 0.319	852	0.223	0.208 - 0.238
Newfoundland and Labrador	2,009	0.379	0.363 - 0.396	1,155	0.442	0.417 - 0.469	854	0.318	0.297 - 0.340
Northwest Territory	102	0.230	0.187 - 0.279	54	0.238	0.179 - 0.311	48	0.221	0.163 - 0.293
Nova Scotia	2,693	0.285	0.274 - 0.296	1,476	0.319	0.303 - 0.335	1,217	0.253	0.239 - 0.267
Prince Edward Island	413	0.279	0.253 - 0.307	225	0.312	0.272 - 0.355	188	0.248	0.213 - 0.286
Saskatchewan	2,672	0.234	0.226 - 0.243	1,518	0.264	0.251 - 0.278	1,154	0.204	0.193 - 0.216
NAACCR N.A. Combined[1]	**463,988**	**0.147**	**0.147 - 0.148**	**243,332**	**0.157**	**0.156 - 0.157**	**220,657**	**0.138**	**0.137 - 0.139**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**47,591**	**0.016**	**0.016 - 0.016**	**33,678**	**0.023**	**0.022 - 0.023**	**13,913**	**0.009**	**0.009 - 0.009**
Alabama	511	0.011	0.010 - 0.011	362	0.015	0.014 - 0.017	149	0.006	0.005 - 0.007
Alaska	106	0.014	0.012 - 0.017	75	0.019	0.015 - 0.024	31	0.009	0.006 - 0.012
Arizona	983	0.014	0.013 - 0.015	684	0.020	0.019 - 0.022	299	0.009	0.008 - 0.010
Arkansas	395	0.013	0.012 - 0.015	277	0.019	0.017 - 0.021	118	0.008	0.006 - 0.009
California	7,258	0.019	0.018 - 0.019	5,156	0.027	0.026 - 0.027	2,102	0.011	0.010 - 0.011
CA - Greater California	3,780	0.017	0.017 - 0.018	2,714	0.025	0.024 - 0.026	1,067	0.010	0.009 - 0.010
CA - Greater Bay Area	1,759	0.024	0.023 - 0.025	1,268	0.035	0.033 - 0.037	491	0.013	0.012 - 0.014
CA - Los Angeles	1,720	0.017	0.016 - 0.018	1,173	0.023	0.022 - 0.025	547	0.011	0.010 - 0.012
Colorado	731	0.013	0.012 - 0.014	528	0.019	0.018 - 0.021	203	0.007	0.006 - 0.009
Connecticut	684	0.019	0.018 - 0.021	506	0.029	0.026 - 0.032	178	0.010	0.008 - 0.011
Delaware	185	0.020	0.017 - 0.023	132	0.029	0.024 - 0.034	53	0.011	0.008 - 0.014
Florida	3,360	0.016	0.016 - 0.017	2,326	0.023	0.022 - 0.024	1,034	0.010	0.009 - 0.011
Georgia	1,252	0.012	0.012 - 0.013	863	0.017	0.016 - 0.018	389	0.007	0.007 - 0.008
Hawaii	328	0.023	0.021 - 0.026	236	0.033	0.029 - 0.037	92	0.013	0.010 - 0.016
Idaho	189	0.011	0.010 - 0.013	136	0.016	0.014 - 0.019	53	0.006	0.005 - 0.008
Illinois	1,828	0.014	0.014 - 0.015	1,275	0.020	0.019 - 0.021	553	0.008	0.008 - 0.009
Iowa	375	0.012	0.011 - 0.013	255	0.016	0.014 - 0.019	119	0.008	0.006 - 0.009
Kentucky	625	0.014	0.013 - 0.015	426	0.020	0.018 - 0.021	199	0.009	0.008 - 0.010
Louisiana	734	0.016	0.015 - 0.017	564	0.025	0.023 - 0.027	169	0.007	0.006 - 0.008
Maine	146	0.011	0.009 - 0.013	111	0.017	0.014 - 0.021	35	0.005	0.004 - 0.007
Maryland	1,010	0.017	0.016 - 0.018	705	0.024	0.022 - 0.026	305	0.010	0.009 - 0.011
Michigan	1,477	0.015	0.014 - 0.016	1,034	0.021	0.020 - 0.023	443	0.009	0.008 - 0.010
MI - Detroit	654	0.017	0.016 - 0.018	471	0.025	0.023 - 0.028	183	0.009	0.008 - 0.011
Minnesota	775	0.014	0.013 - 0.015	534	0.019	0.018 - 0.021	241	0.009	0.008 - 0.010
Mississippi	435	0.015	0.013 - 0.016	314	0.022	0.019 - 0.024	121	0.008	0.007 - 0.009
Missouri	834	0.014	0.013 - 0.015	587	0.020	0.018 - 0.021	247	0.008	0.007 - 0.009
Montana	117	0.011	0.009 - 0.014	93	0.018	0.014 - 0.022	24	0.005	0.003 - 0.007
Nebraska	195	0.010	0.009 - 0.012	143	0.015	0.013 - 0.018	52	0.005	0.004 - 0.007
New Hampshire	188	0.014	0.012 - 0.016	146	0.022	0.019 - 0.026	42	0.006	0.004 - 0.008
New Jersey	1,385	0.015	0.015 - 0.016	991	0.023	0.021 - 0.024	394	0.009	0.008 - 0.009
New Mexico	372	0.018	0.016 - 0.020	272	0.026	0.023 - 0.030	100	0.009	0.008 - 0.012
New York	3,899	0.020	0.019 - 0.020	2,779	0.029	0.028 - 0.030	1,120	0.011	0.010 - 0.012
North Carolina	1,460	0.014	0.014 - 0.015	1,028	0.021	0.020 - 0.022	432	0.008	0.008 - 0.009
North Dakota	46	0.006	0.004 - 0.008	31	0.008	0.005 - 0.011	15	0.004	0.002 - 0.007
Ohio	1,430	0.012	0.012 - 0.013	985	0.017	0.016 - 0.018	445	0.008	0.007 - 0.008
Oklahoma	511	0.013	0.012 - 0.014	359	0.019	0.017 - 0.021	152	0.008	0.007 - 0.009
Oregon	784	0.019	0.018 - 0.021	569	0.028	0.026 - 0.031	215	0.011	0.009 - 0.012
Pennsylvania	2,283	0.018	0.017 - 0.019	1,666	0.027	0.025 - 0.028	617	0.009	0.009 - 0.010
Rhode Island	173	0.016	0.014 - 0.019	133	0.026	0.022 - 0.031	40	0.007	0.005 - 0.010
South Carolina	677	0.014	0.013 - 0.015	494	0.021	0.019 - 0.023	183	0.007	0.006 - 0.008
Tennessee	896	0.014	0.013 - 0.014	604	0.019	0.017 - 0.020	292	0.009	0.008 - 0.010
Texas	5,056	0.018	0.018 - 0.019	3,526	0.026	0.025 - 0.027	1,530	0.011	0.010 - 0.012
Utah	288	0.010	0.008 - 0.011	198	0.013	0.011 - 0.015	90	0.006	0.005 - 0.007
Vermont	80	0.013	0.010 - 0.016	62	0.020	0.015 - 0.026	18	0.006	0.003 - 0.009
Virginia	1,078	0.013	0.012 - 0.014	762	0.018	0.017 - 0.020	316	0.007	0.007 - 0.008
Washington	1,343	0.019	0.018 - 0.020	947	0.026	0.025 - 0.028	396	0.011	0.010 - 0.012
WA - Seattle	1,000	0.020	0.019 - 0.021	703	0.028	0.026 - 0.030	297	0.012	0.011 - 0.013
West Virginia	216	0.012	0.010 - 0.013	164	0.018	0.015 - 0.021	52	0.006	0.004 - 0.007
Wisconsin	826	0.014	0.013 - 0.015	587	0.020	0.019 - 0.022	239	0.008	0.007 - 0.009
Wyoming	68	0.012	0.009 - 0.015	52	0.017	0.013 - 0.023	16	0.006	0.003 - 0.009
NAACCR CDN Combined[1]	**1,710**	**0.012**	**0.012 - 0.013**	**1,202**	**0.017**	**0.016 - 0.018**	**508**	**0.007**	**0.007 - 0.008**
Alberta	514	0.012	0.011 - 0.013	366	0.017	0.015 - 0.019	148	0.007	0.006 - 0.008
British Columbia	742	0.016	0.015 - 0.017	534	0.023	0.021 - 0.025	208	0.009	0.008 - 0.010
Manitoba	136	0.010	0.009 - 0.012	90	0.014	0.011 - 0.017	46	0.007	0.005 - 0.009
New Brunswick	64	0.008	0.007 - 0.011	39	0.010	0.007 - 0.014	25	0.007	0.004 - 0.010
Newfoundland and Labrador	49	0.009	0.007 - 0.012	30	0.011	0.008 - 0.016	19	0.007	0.004 - 0.011
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	115	0.012	0.010 - 0.015	81	0.017	0.014 - 0.022	34	0.007	0.005 - 0.010
Prince Edward Island	21	0.014	0.009 - 0.022	-	-		-	-	
Saskatchewan	64	0.006	0.004 - 0.007	46	0.008	0.006 - 0.011	18	0.003	0.002 - 0.005
NAACCR N.A. Combined[1]	**49,301**	**0.016**	**0.016 - 0.016**	**34,880**	**0.022**	**0.022 - 0.023**	**14,421**	**0.009**	**0.009 - 0.009**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-106 Prevalence – Liver and Intrahepatic Bile Duct

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**50,473**	**0.017**	**0.017 - 0.017**	**25,969**	**0.017**	**0.017 - 0.018**	**24,504**	**0.016**	**0.016 - 0.016**
Alabama	817	0.017	0.016 - 0.018	414	0.018	0.016 - 0.019	403	0.016	0.015 - 0.018
Alaska	84	0.011	0.009 - 0.014	53	0.014	0.010 - 0.018	31	0.009	0.006 - 0.012
Arizona	1,008	0.015	0.014 - 0.016	553	0.016	0.015 - 0.018	455	0.013	0.012 - 0.014
Arkansas	389	0.013	0.012 - 0.014	207	0.014	0.012 - 0.016	182	0.012	0.010 - 0.014
California	5,249	0.013	0.013 - 0.014	2,648	0.014	0.013 - 0.014	2,601	0.013	0.013 - 0.014
CA - Greater California	2,819	0.013	0.013 - 0.014	1,444	0.013	0.013 - 0.014	1,375	0.013	0.012 - 0.013
CA - Greater Bay Area	1,151	0.016	0.015 - 0.017	588	0.016	0.015 - 0.017	563	0.015	0.014 - 0.017
CA - Los Angeles	1,282	0.013	0.012 - 0.013	616	0.012	0.011 - 0.013	666	0.013	0.012 - 0.014
Colorado	738	0.013	0.013 - 0.014	388	0.014	0.013 - 0.016	350	0.013	0.012 - 0.014
Connecticut	813	0.023	0.021 - 0.024	430	0.025	0.022 - 0.027	383	0.021	0.019 - 0.023
Delaware	210	0.022	0.019 - 0.025	110	0.024	0.020 - 0.029	100	0.020	0.017 - 0.025
Florida	4,205	0.021	0.020 - 0.021	2,193	0.022	0.021 - 0.023	2,012	0.019	0.018 - 0.020
Georgia	1,418	0.014	0.013 - 0.015	728	0.015	0.014 - 0.016	691	0.013	0.012 - 0.014
Hawaii	248	0.017	0.015 - 0.020	132	0.018	0.015 - 0.022	116	0.016	0.014 - 0.020
Idaho	245	0.015	0.013 - 0.017	127	0.015	0.013 - 0.018	118	0.014	0.012 - 0.017
Illinois	2,375	0.018	0.018 - 0.019	1,240	0.020	0.019 - 0.021	1,135	0.017	0.016 - 0.018
Iowa	580	0.019	0.017 - 0.020	289	0.019	0.017 - 0.021	291	0.019	0.016 - 0.021
Kentucky	738	0.017	0.015 - 0.018	367	0.017	0.015 - 0.019	371	0.017	0.015 - 0.018
Louisiana	732	0.016	0.015 - 0.017	363	0.016	0.014 - 0.018	368	0.015	0.014 - 0.017
Maine	260	0.020	0.017 - 0.022	139	0.021	0.018 - 0.025	121	0.018	0.015 - 0.021
Maryland	1,150	0.019	0.018 - 0.020	561	0.019	0.018 - 0.021	589	0.019	0.018 - 0.021
Michigan	1,982	0.020	0.019 - 0.021	971	0.020	0.019 - 0.021	1,011	0.020	0.019 - 0.021
MI - Detroit	739	0.019	0.018 - 0.021	359	0.019	0.017 - 0.021	381	0.019	0.017 - 0.021
Minnesota	1,007	0.018	0.017 - 0.019	544	0.020	0.018 - 0.022	463	0.017	0.015 - 0.018
Mississippi	490	0.016	0.015 - 0.018	255	0.018	0.016 - 0.020	235	0.015	0.013 - 0.017
Missouri	954	0.016	0.015 - 0.017	495	0.017	0.015 - 0.018	459	0.015	0.013 - 0.016
Montana	177	0.017	0.015 - 0.020	99	0.019	0.016 - 0.023	78	0.015	0.012 - 0.019
Nebraska	353	0.019	0.017 - 0.021	174	0.018	0.016 - 0.021	179	0.019	0.016 - 0.022
New Hampshire	245	0.018	0.016 - 0.021	123	0.019	0.015 - 0.022	122	0.018	0.015 - 0.022
New Jersey	1,802	0.020	0.019 - 0.021	904	0.021	0.019 - 0.022	899	0.020	0.018 - 0.021
New Mexico	255	0.012	0.011 - 0.014	127	0.012	0.010 - 0.015	128	0.012	0.010 - 0.014
New York	4,222	0.021	0.021 - 0.022	2,121	0.022	0.021 - 0.023	2,101	0.021	0.020 - 0.021
North Carolina	1,628	0.016	0.015 - 0.017	831	0.017	0.016 - 0.018	797	0.015	0.014 - 0.016
North Dakota	114	0.015	0.012 - 0.018	61	0.016	0.012 - 0.020	53	0.014	0.011 - 0.019
Ohio	1,920	0.017	0.016 - 0.017	951	0.017	0.016 - 0.018	969	0.016	0.015 - 0.017
Oklahoma	516	0.013	0.012 - 0.014	265	0.014	0.012 - 0.015	251	0.013	0.011 - 0.014
Oregon	690	0.017	0.016 - 0.018	368	0.018	0.017 - 0.020	322	0.016	0.014 - 0.018
Pennsylvania	2,814	0.022	0.021 - 0.023	1,473	0.024	0.022 - 0.025	1,341	0.021	0.019 - 0.022
Rhode Island	210	0.020	0.017 - 0.023	116	0.023	0.019 - 0.027	94	0.017	0.014 - 0.021
South Carolina	845	0.017	0.016 - 0.018	432	0.018	0.016 - 0.020	413	0.016	0.015 - 0.018
Tennessee	967	0.015	0.014 - 0.016	497	0.015	0.014 - 0.017	470	0.014	0.013 - 0.015
Texas	3,749	0.014	0.013 - 0.014	1,940	0.014	0.013 - 0.015	1,809	0.013	0.012 - 0.014
Utah	280	0.009	0.008 - 0.010	152	0.010	0.008 - 0.012	128	0.009	0.007 - 0.010
Vermont	118	0.019	0.016 - 0.023	70	0.023	0.018 - 0.029	48	0.015	0.011 - 0.020
Virginia	1,192	0.014	0.013 - 0.015	621	0.015	0.014 - 0.016	571	0.013	0.012 - 0.015
Washington	1,183	0.016	0.015 - 0.017	617	0.017	0.016 - 0.019	566	0.016	0.014 - 0.017
WA - Seattle	826	0.017	0.016 - 0.018	416	0.017	0.015 - 0.018	410	0.016	0.015 - 0.018
West Virginia	262	0.014	0.013 - 0.016	136	0.015	0.013 - 0.018	126	0.014	0.011 - 0.016
Wisconsin	1,160	0.020	0.019 - 0.021	637	0.022	0.021 - 0.024	523	0.018	0.017 - 0.020
Wyoming	79	0.013	0.011 - 0.017	47	0.016	0.012 - 0.021	32	0.011	0.008 - 0.016
NAACCR CDN Combined[1]	**1,738**	**0.013**	**0.012 - 0.013**	**902**	**0.013**	**0.012 - 0.014**	**836**	**0.012**	**0.011 - 0.013**
Alberta	463	0.011	0.010 - 0.012	245	0.011	0.010 - 0.013	218	0.011	0.009 - 0.012
British Columbia	630	0.013	0.012 - 0.014	309	0.013	0.012 - 0.015	321	0.013	0.012 - 0.015
Manitoba	191	0.015	0.013 - 0.017	97	0.015	0.012 - 0.018	94	0.014	0.012 - 0.018
New Brunswick	138	0.018	0.015 - 0.022	82	0.022	0.017 - 0.027	56	0.015	0.011 - 0.019
Newfoundland and Labrador	52	0.010	0.007 - 0.013	23	0.009	0.006 - 0.013	29	0.011	0.007 - 0.016
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	123	0.013	0.011 - 0.016	68	0.015	0.011 - 0.019	55	0.011	0.009 - 0.015
Prince Edward Island	20	0.014	0.008 - 0.021	-	-		-	-	
Saskatchewan	119	0.010	0.009 - 0.012	64	0.011	0.009 - 0.014	55	0.010	0.007 - 0.013
NAACCR N.A. Combined[1]	**52,211**	**0.017**	**0.016 - 0.017**	**26,871**	**0.017**	**0.017 - 0.018**	**25,340**	**0.016**	**0.016 - 0.016**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**39,679**	**0.013**	**0.013 - 0.013**	**31,487**	**0.021**	**0.021 - 0.021**	**8,192**	**0.005**	**0.005 - 0.005**
Alabama	896	0.018	0.017 - 0.020	713	0.030	0.028 - 0.033	183	0.007	0.006 - 0.008
Alaska	61	0.008	0.006 - 0.011	-	-		-	-	
Arizona	542	0.008	0.007 - 0.009	439	0.013	0.012 - 0.014	103	0.003	0.002 - 0.004
Arkansas	464	0.016	0.014 - 0.017	359	0.025	0.022 - 0.027	105	0.007	0.006 - 0.008
California	2,856	0.007	0.007 - 0.008	2,374	0.012	0.012 - 0.013	482	0.002	0.002 - 0.003
CA - Greater California	1,638	0.008	0.007 - 0.008	1,348	0.012	0.012 - 0.013	291	0.003	0.002 - 0.003
CA - Greater Bay Area	527	0.007	0.007 - 0.008	442	0.012	0.011 - 0.013	85	0.002	0.002 - 0.003
CA - Los Angeles	693	0.007	0.006 - 0.007	585	0.012	0.011 - 0.013	108	0.002	0.002 - 0.003
Colorado	448	0.008	0.007 - 0.009	359	0.013	0.012 - 0.014	89	0.003	0.003 - 0.004
Connecticut	542	0.015	0.014 - 0.016	441	0.025	0.023 - 0.028	100	0.005	0.004 - 0.007
Delaware	144	0.015	0.013 - 0.018	111	0.024	0.020 - 0.029	33	0.007	0.005 - 0.009
Florida	3,412	0.017	0.016 - 0.017	2,780	0.028	0.027 - 0.029	632	0.006	0.006 - 0.007
Georgia	1,328	0.013	0.012 - 0.014	1,060	0.021	0.020 - 0.023	267	0.005	0.004 - 0.006
Hawaii	127	0.009	0.007 - 0.011	112	0.016	0.013 - 0.019	15	0.002	0.001 - 0.003
Idaho	125	0.008	0.006 - 0.009	101	0.012	0.010 - 0.015	24	0.003	0.002 - 0.004
Illinois	1,911	0.015	0.014 - 0.016	1,506	0.024	0.023 - 0.025	405	0.006	0.006 - 0.007
Iowa	510	0.016	0.015 - 0.018	409	0.026	0.024 - 0.029	102	0.006	0.005 - 0.008
Kentucky	967	0.022	0.020 - 0.023	735	0.034	0.031 - 0.036	232	0.010	0.009 - 0.012
Louisiana	876	0.019	0.017 - 0.020	676	0.030	0.027 - 0.032	200	0.008	0.007 - 0.010
Maine	256	0.019	0.017 - 0.022	195	0.030	0.026 - 0.034	61	0.009	0.007 - 0.012
Maryland	697	0.012	0.011 - 0.012	531	0.018	0.017 - 0.020	166	0.005	0.005 - 0.006
Michigan	1,592	0.016	0.015 - 0.017	1,229	0.025	0.024 - 0.027	363	0.007	0.006 - 0.008
MI - Detroit	668	0.017	0.016 - 0.019	507	0.027	0.025 - 0.030	161	0.008	0.007 - 0.009
Minnesota	677	0.012	0.011 - 0.013	548	0.020	0.018 - 0.022	129	0.005	0.004 - 0.006
Mississippi	556	0.019	0.017 - 0.020	441	0.030	0.028 - 0.033	115	0.007	0.006 - 0.009
Missouri	1,052	0.017	0.016 - 0.018	825	0.028	0.026 - 0.030	227	0.007	0.006 - 0.008
Montana	129	0.012	0.010 - 0.015	104	0.020	0.016 - 0.024	25	0.005	0.003 - 0.007
Nebraska	233	0.012	0.011 - 0.014	175	0.018	0.016 - 0.021	58	0.006	0.005 - 0.008
New Hampshire	202	0.015	0.013 - 0.017	162	0.025	0.021 - 0.029	40	0.006	0.004 - 0.008
New Jersey	1,120	0.012	0.012 - 0.013	898	0.021	0.019 - 0.022	222	0.005	0.004 - 0.006
New Mexico	174	0.008	0.007 - 0.010	140	0.014	0.011 - 0.016	35	0.003	0.002 - 0.005
New York	2,749	0.014	0.013 - 0.014	2,173	0.023	0.022 - 0.024	576	0.006	0.005 - 0.006
North Carolina	1,594	0.016	0.015 - 0.017	1,222	0.025	0.023 - 0.026	372	0.007	0.006 - 0.008
North Dakota	107	0.014	0.012 - 0.017	92	0.024	0.019 - 0.029	15	0.004	0.002 - 0.007
Ohio	2,031	0.017	0.017 - 0.018	1,556	0.027	0.026 - 0.029	475	0.008	0.007 - 0.009
Oklahoma	560	0.014	0.013 - 0.016	422	0.022	0.020 - 0.024	138	0.007	0.006 - 0.008
Oregon	423	0.010	0.009 - 0.011	347	0.017	0.016 - 0.019	76	0.004	0.003 - 0.005
Pennsylvania	2,138	0.017	0.016 - 0.017	1,660	0.027	0.025 - 0.028	478	0.007	0.007 - 0.008
Rhode Island	170	0.016	0.014 - 0.019	128	0.025	0.021 - 0.030	42	0.008	0.006 - 0.010
South Carolina	870	0.018	0.017 - 0.019	712	0.030	0.028 - 0.032	158	0.006	0.005 - 0.007
Tennessee	1,142	0.017	0.016 - 0.018	869	0.027	0.025 - 0.029	273	0.008	0.007 - 0.009
Texas	2,686	0.010	0.009 - 0.010	2,196	0.016	0.015 - 0.017	490	0.004	0.003 - 0.004
Utah	134	0.004	0.004 - 0.005	111	0.007	0.006 - 0.009	23	0.002	0.001 - 0.002
Vermont	105	0.017	0.014 - 0.020	84	0.027	0.022 - 0.034	21	0.007	0.004 - 0.010
Virginia	1,028	0.012	0.012 - 0.013	830	0.020	0.019 - 0.022	198	0.005	0.004 - 0.005
Washington	704	0.010	0.009 - 0.011	571	0.016	0.015 - 0.017	133	0.004	0.003 - 0.004
WA - Seattle	470	0.009	0.009 - 0.010	388	0.016	0.014 - 0.017	82	0.003	0.003 - 0.004
West Virginia	425	0.023	0.021 - 0.025	308	0.034	0.030 - 0.038	117	0.013	0.010 - 0.015
Wisconsin	852	0.015	0.014 - 0.016	681	0.024	0.022 - 0.026	171	0.006	0.005 - 0.007
Wyoming	64	0.011	0.008 - 0.014	49	0.016	0.012 - 0.022	15	0.005	0.003 - 0.009
NAACCR CDN Combined[1]	**1,293**	**0.009**	**0.009 - 0.010**	**1,108**	**0.016**	**0.015 - 0.017**	**185**	**0.003**	**0.002 - 0.003**
Alberta	293	0.007	0.006 - 0.008	255	0.012	0.011 - 0.014	38	0.002	0.001 - 0.003
British Columbia	423	0.009	0.008 - 0.010	365	0.016	0.014 - 0.017	58	0.002	0.002 - 0.003
Manitoba	123	0.009	0.008 - 0.011	108	0.017	0.014 - 0.020	15	0.002	0.001 - 0.004
New Brunswick	98	0.013	0.011 - 0.016	86	0.023	0.018 - 0.028	12	0.003	0.002 - 0.005
Newfoundland and Labrador	96	0.018	0.015 - 0.022	84	0.032	0.026 - 0.040	12	0.004	0.002 - 0.008
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	145	0.015	0.013 - 0.018	113	0.024	0.020 - 0.029	32	0.007	0.005 - 0.009
Prince Edward Island	16	0.011	0.006 - 0.018	-	-		-	-	
Saskatchewan	95	0.008	0.007 - 0.010	78	0.014	0.011 - 0.017	17	0.003	0.002 - 0.005
NAACCR N.A. Combined[1]	**40,972**	**0.013**	**0.013 - 0.013**	**32,595**	**0.021**	**0.021 - 0.021**	**8,377**	**0.005**	**0.005 - 0.005**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-108 Prevalence – Larynx

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**340,891**	**0.113**	**0.113 - 0.113**	**160,521**	**0.108**	**0.108 - 0.109**	**180,371**	**0.118**	**0.117 - 0.118**
Alabama	5,776	0.119	0.116 - 0.122	3,045	0.129	0.125 - 0.134	2,731	0.109	0.105 - 0.113
Alaska	523	0.071	0.065 - 0.077	274	0.071	0.063 - 0.080	249	0.071	0.062 - 0.080
Arizona	6,345	0.093	0.090 - 0.095	2,868	0.084	0.081 - 0.087	3,477	0.101	0.098 - 0.104
Arkansas	4,398	0.147	0.143 - 0.152	2,269	0.155	0.149 - 0.161	2,129	0.140	0.134 - 0.146
California	28,024	0.072	0.071 - 0.072	12,402	0.064	0.063 - 0.065	15,622	0.079	0.078 - 0.081
CA - Greater California	16,290	0.075	0.074 - 0.076	7,060	0.065	0.064 - 0.067	9,231	0.085	0.083 - 0.087
CA - Greater Bay Area	5,789	0.079	0.077 - 0.081	2,616	0.071	0.069 - 0.074	3,173	0.086	0.083 - 0.089
CA - Los Angeles	5,946	0.059	0.057 - 0.060	2,729	0.055	0.053 - 0.057	3,217	0.063	0.060 - 0.065
Colorado	4,022	0.073	0.071 - 0.076	1,843	0.067	0.064 - 0.070	2,179	0.080	0.077 - 0.083
Connecticut	5,141	0.143	0.139 - 0.147	2,286	0.130	0.125 - 0.136	2,855	0.155	0.150 - 0.161
Delaware	1,445	0.152	0.145 - 0.160	689	0.150	0.139 - 0.162	756	0.155	0.144 - 0.166
Florida	29,083	0.142	0.140 - 0.144	13,800	0.138	0.136 - 0.140	15,283	0.146	0.144 - 0.148
Georgia	10,451	0.102	0.100 - 0.104	5,252	0.105	0.102 - 0.108	5,199	0.099	0.096 - 0.102
Hawaii	1,302	0.091	0.086 - 0.096	648	0.090	0.083 - 0.098	655	0.092	0.085 - 0.100
Idaho	1,419	0.085	0.081 - 0.090	674	0.081	0.075 - 0.087	745	0.090	0.083 - 0.096
Illinois	16,370	0.127	0.125 - 0.129	7,601	0.120	0.118 - 0.123	8,769	0.134	0.131 - 0.137
Iowa	3,771	0.121	0.117 - 0.125	1,817	0.117	0.112 - 0.122	1,954	0.124	0.119 - 0.130
Kentucky	7,380	0.167	0.163 - 0.170	3,570	0.164	0.158 - 0.169	3,810	0.170	0.164 - 0.175
Louisiana	5,330	0.114	0.111 - 0.117	2,724	0.119	0.115 - 0.124	2,607	0.109	0.105 - 0.113
Maine	2,221	0.167	0.160 - 0.174	1,018	0.156	0.147 - 0.166	1,203	0.177	0.168 - 0.188
Maryland	6,908	0.115	0.112 - 0.118	3,089	0.106	0.102 - 0.110	3,819	0.123	0.119 - 0.127
Michigan	13,882	0.140	0.138 - 0.142	6,438	0.132	0.129 - 0.135	7,444	0.148	0.144 - 0.151
MI - Detroit	5,327	0.138	0.134 - 0.141	2,374	0.127	0.122 - 0.132	2,952	0.148	0.143 - 0.153
Minnesota	6,396	0.116	0.113 - 0.119	2,924	0.107	0.103 - 0.111	3,472	0.126	0.121 - 0.130
Mississippi	3,922	0.131	0.127 - 0.136	2,099	0.145	0.139 - 0.151	1,823	0.119	0.113 - 0.124
Missouri	8,561	0.141	0.138 - 0.144	4,073	0.136	0.132 - 0.141	4,488	0.145	0.141 - 0.149
Montana	1,141	0.110	0.104 - 0.117	484	0.093	0.085 - 0.102	657	0.128	0.118 - 0.138
Nebraska	2,042	0.107	0.103 - 0.112	986	0.104	0.098 - 0.111	1,056	0.111	0.104 - 0.118
New Hampshire	2,013	0.151	0.145 - 0.158	873	0.132	0.124 - 0.141	1,140	0.169	0.160 - 0.180
New Jersey	10,947	0.122	0.120 - 0.124	4,680	0.107	0.104 - 0.110	6,267	0.136	0.133 - 0.140
New Mexico	1,400	0.067	0.064 - 0.071	663	0.064	0.059 - 0.069	738	0.070	0.065 - 0.075
New York	26,218	0.132	0.131 - 0.134	11,629	0.121	0.119 - 0.123	14,589	0.143	0.141 - 0.145
North Carolina	13,425	0.133	0.131 - 0.135	6,543	0.133	0.130 - 0.136	6,882	0.133	0.130 - 0.136
North Dakota	860	0.114	0.106 - 0.122	424	0.109	0.099 - 0.120	436	0.119	0.108 - 0.130
Ohio	15,654	0.135	0.133 - 0.137	7,521	0.132	0.129 - 0.135	8,133	0.137	0.134 - 0.140
Oklahoma	4,420	0.113	0.110 - 0.116	2,228	0.115	0.110 - 0.120	2,192	0.111	0.106 - 0.116
Oregon	4,314	0.106	0.103 - 0.110	1,953	0.097	0.093 - 0.102	2,361	0.115	0.111 - 0.120
Pennsylvania	18,353	0.144	0.141 - 0.146	8,468	0.135	0.132 - 0.138	9,885	0.151	0.148 - 0.154
Rhode Island	1,623	0.154	0.146 - 0.161	680	0.132	0.123 - 0.143	943	0.173	0.163 - 0.185
South Carolina	6,364	0.129	0.126 - 0.132	3,193	0.133	0.129 - 0.138	3,171	0.125	0.121 - 0.130
Tennessee	9,316	0.141	0.138 - 0.144	4,640	0.144	0.140 - 0.148	4,676	0.138	0.134 - 0.142
Texas	21,083	0.076	0.075 - 0.077	10,513	0.076	0.075 - 0.078	10,570	0.076	0.074 - 0.077
Utah	1,065	0.035	0.033 - 0.038	502	0.033	0.030 - 0.036	563	0.038	0.035 - 0.041
Vermont	943	0.151	0.142 - 0.161	431	0.140	0.127 - 0.154	512	0.162	0.148 - 0.177
Virginia	8,904	0.106	0.104 - 0.108	4,286	0.104	0.101 - 0.107	4,618	0.108	0.105 - 0.111
Washington	7,339	0.102	0.099 - 0.104	3,326	0.092	0.089 - 0.095	4,013	0.111	0.108 - 0.115
WA - Seattle	5,145	0.104	0.101 - 0.106	2,313	0.093	0.089 - 0.097	2,831	0.114	0.110 - 0.118
West Virginia	3,157	0.172	0.166 - 0.178	1,565	0.173	0.164 - 0.181	1,592	0.172	0.163 - 0.180
Wisconsin	7,183	0.125	0.122 - 0.127	3,315	0.116	0.112 - 0.120	3,868	0.133	0.129 - 0.138
Wyoming	457	0.078	0.071 - 0.086	217	0.072	0.063 - 0.083	240	0.084	0.074 - 0.095
NAACCR CDN Combined[1]	**15,056**	**0.109**	**0.107 - 0.111**	**6,815**	**0.099**	**0.096 - 0.101**	**8,241**	**0.119**	**0.117 - 0.122**
Alberta	3,509	0.083	0.081 - 0.086	1,524	0.071	0.068 - 0.075	1,985	0.096	0.092 - 0.100
British Columbia	5,133	0.109	0.106 - 0.112	2,289	0.098	0.094 - 0.102	2,844	0.119	0.115 - 0.124
Manitoba	1,475	0.113	0.107 - 0.119	634	0.098	0.090 - 0.105	841	0.128	0.120 - 0.137
New Brunswick	1,332	0.176	0.167 - 0.186	674	0.181	0.167 - 0.195	658	0.172	0.159 - 0.186
Newfoundland and Labrador	817	0.154	0.144 - 0.165	429	0.164	0.149 - 0.181	388	0.145	0.131 - 0.160
Northwest Territory	26	0.059	0.038 - 0.086	16	0.071	0.040 - 0.115	10	0.046	0.022 - 0.085
Nova Scotia	1,491	0.158	0.150 - 0.166	689	0.149	0.138 - 0.160	802	0.166	0.155 - 0.178
Prince Edward Island	187	0.126	0.109 - 0.146	73	0.101	0.079 - 0.127	114	0.150	0.124 - 0.180
Saskatchewan	1,086	0.095	0.090 - 0.101	487	0.085	0.077 - 0.093	599	0.106	0.098 - 0.115
NAACCR N.A. Combined[1]	**355,947**	**0.113**	**0.113 - 0.113**	**167,336**	**0.108**	**0.107 - 0.108**	**188,612**	**0.118**	**0.117 - 0.118**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**296,153**	**0.098**	**0.098 - 0.099**	**168,872**	**0.114**	**0.113 - 0.114**	**127,281**	**0.083**	**0.083 - 0.084**
Alabama	4,716	0.097	0.094 - 0.100	2,747	0.117	0.112 - 0.121	1,969	0.079	0.075 - 0.082
Alaska	417	0.056	0.051 - 0.062	211	0.054	0.047 - 0.062	206	0.058	0.051 - 0.067
Arizona	6,467	0.094	0.092 - 0.097	4,032	0.118	0.115 - 0.122	2,435	0.071	0.068 - 0.073
Arkansas	2,826	0.095	0.091 - 0.098	1,699	0.116	0.111 - 0.122	1,127	0.074	0.070 - 0.079
California	36,957	0.094	0.093 - 0.095	21,562	0.111	0.109 - 0.112	15,394	0.078	0.077 - 0.079
CA - Greater California	23,040	0.106	0.105 - 0.108	13,459	0.125	0.123 - 0.127	9,581	0.088	0.086 - 0.090
CA - Greater Bay Area	8,338	0.113	0.111 - 0.116	4,836	0.132	0.128 - 0.136	3,501	0.095	0.091 - 0.098
CA - Los Angeles	5,583	0.055	0.054 - 0.057	3,271	0.065	0.063 - 0.068	2,311	0.045	0.043 - 0.047
Colorado	5,173	0.094	0.092 - 0.097	2,918	0.106	0.102 - 0.110	2,255	0.083	0.079 - 0.086
Connecticut	3,730	0.104	0.101 - 0.107	2,085	0.119	0.114 - 0.124	1,645	0.089	0.085 - 0.094
Delaware	1,416	0.149	0.142 - 0.157	830	0.181	0.169 - 0.194	586	0.120	0.110 - 0.130
Florida	24,297	0.119	0.117 - 0.120	14,887	0.149	0.146 - 0.151	9,410	0.090	0.088 - 0.092
Georgia	11,217	0.109	0.107 - 0.111	6,461	0.129	0.126 - 0.133	4,756	0.090	0.088 - 0.093
Hawaii	1,422	0.100	0.094 - 0.105	860	0.120	0.112 - 0.128	561	0.079	0.073 - 0.086
Idaho	1,979	0.119	0.114 - 0.124	1,104	0.132	0.125 - 0.140	875	0.105	0.098 - 0.113
Illinois	11,275	0.088	0.086 - 0.089	6,103	0.097	0.094 - 0.099	5,172	0.079	0.077 - 0.081
Iowa	3,805	0.122	0.118 - 0.126	2,014	0.130	0.124 - 0.135	1,790	0.114	0.109 - 0.119
Kentucky	5,282	0.119	0.116 - 0.123	2,876	0.132	0.127 - 0.137	2,406	0.107	0.103 - 0.111
Louisiana	3,485	0.074	0.072 - 0.077	2,146	0.094	0.090 - 0.098	1,339	0.056	0.053 - 0.059
Maine	1,837	0.138	0.132 - 0.145	983	0.151	0.142 - 0.161	854	0.126	0.118 - 0.135
Maryland	6,262	0.104	0.102 - 0.107	3,646	0.125	0.121 - 0.129	2,616	0.084	0.081 - 0.088
Michigan	8,994	0.091	0.089 - 0.093	4,884	0.100	0.097 - 0.103	4,110	0.081	0.079 - 0.084
MI - Detroit	3,199	0.083	0.080 - 0.086	1,734	0.092	0.088 - 0.097	1,466	0.074	0.070 - 0.077
Minnesota	7,752	0.141	0.138 - 0.144	4,216	0.154	0.149 - 0.159	3,536	0.128	0.124 - 0.132
Mississippi	2,292	0.077	0.074 - 0.080	1,325	0.092	0.087 - 0.097	967	0.063	0.059 - 0.067
Missouri	5,429	0.089	0.087 - 0.092	3,204	0.107	0.104 - 0.111	2,225	0.072	0.069 - 0.075
Montana	1,307	0.126	0.120 - 0.134	730	0.140	0.130 - 0.151	577	0.112	0.103 - 0.122
Nebraska	1,896	0.100	0.095 - 0.104	983	0.104	0.097 - 0.110	913	0.096	0.090 - 0.102
New Hampshire	2,027	0.152	0.146 - 0.159	1,085	0.164	0.155 - 0.175	942	0.140	0.131 - 0.149
New Jersey	9,451	0.105	0.103 - 0.108	5,333	0.122	0.119 - 0.125	4,118	0.090	0.087 - 0.092
New Mexico	1,457	0.070	0.066 - 0.074	868	0.084	0.079 - 0.090	590	0.056	0.052 - 0.061
New York	17,446	0.088	0.087 - 0.089	9,661	0.100	0.098 - 0.102	7,785	0.076	0.075 - 0.078
North Carolina	11,507	0.114	0.112 - 0.116	6,634	0.135	0.132 - 0.138	4,873	0.094	0.091 - 0.097
North Dakota	781	0.103	0.096 - 0.111	412	0.106	0.096 - 0.117	369	0.100	0.090 - 0.111
Ohio	12,054	0.104	0.102 - 0.106	6,565	0.115	0.113 - 0.118	5,489	0.093	0.090 - 0.095
Oklahoma	3,285	0.084	0.081 - 0.087	1,974	0.102	0.097 - 0.106	1,311	0.066	0.063 - 0.070
Oregon	5,430	0.134	0.130 - 0.138	2,846	0.142	0.137 - 0.147	2,584	0.126	0.122 - 0.131
Pennsylvania	15,605	0.122	0.120 - 0.124	8,714	0.139	0.136 - 0.142	6,891	0.106	0.103 - 0.108
Rhode Island	1,235	0.117	0.110 - 0.124	671	0.131	0.121 - 0.141	564	0.104	0.095 - 0.113
South Carolina	5,283	0.107	0.104 - 0.110	3,075	0.129	0.124 - 0.133	2,208	0.087	0.084 - 0.091
Tennessee	6,319	0.095	0.093 - 0.098	3,543	0.110	0.106 - 0.113	2,776	0.082	0.079 - 0.085
Texas	13,862	0.050	0.049 - 0.051	8,153	0.059	0.058 - 0.061	5,709	0.041	0.040 - 0.042
Utah	4,138	0.137	0.133 - 0.142	2,376	0.157	0.150 - 0.163	1,762	0.118	0.112 - 0.123
Vermont	1,120	0.180	0.169 - 0.190	636	0.206	0.191 - 0.223	484	0.153	0.140 - 0.168
Virginia	7,180	0.086	0.084 - 0.088	4,057	0.098	0.095 - 0.101	3,123	0.073	0.071 - 0.076
Washington	8,640	0.120	0.117 - 0.122	4,685	0.130	0.126 - 0.134	3,955	0.110	0.106 - 0.113
WA - Seattle	6,589	0.133	0.129 - 0.136	3,589	0.145	0.140 - 0.149	3,001	0.121	0.116 - 0.125
West Virginia	1,924	0.105	0.100 - 0.110	1,074	0.118	0.111 - 0.126	850	0.092	0.086 - 0.098
Wisconsin	6,567	0.114	0.111 - 0.117	3,668	0.128	0.124 - 0.132	2,899	0.100	0.096 - 0.104
Wyoming	610	0.104	0.096 - 0.113	335	0.112	0.100 - 0.125	274	0.096	0.085 - 0.108
NAACCR CDN Combined[1]	**11,755**	**0.085**	**0.084 - 0.087**	**6,063**	**0.088**	**0.086 - 0.090**	**5,692**	**0.082**	**0.080 - 0.085**
Alberta	2,821	0.067	0.065 - 0.070	1,426	0.067	0.063 - 0.070	1,395	0.067	0.064 - 0.071
British Columbia	4,564	0.097	0.094 - 0.099	2,421	0.103	0.099 - 0.107	2,143	0.090	0.086 - 0.094
Manitoba	893	0.068	0.064 - 0.073	453	0.070	0.063 - 0.076	440	0.067	0.061 - 0.074
New Brunswick	770	0.102	0.095 - 0.109	394	0.106	0.095 - 0.116	376	0.098	0.089 - 0.109
Newfoundland and Labrador	442	0.083	0.076 - 0.092	222	0.085	0.074 - 0.097	220	0.082	0.071 - 0.094
Northwest Territory	16	0.036	0.021 - 0.059	-	-		-	-	
Nova Scotia	1,331	0.141	0.133 - 0.149	700	0.151	0.140 - 0.163	631	0.131	0.121 - 0.142
Prince Edward Island	224	0.151	0.132 - 0.172	107	0.148	0.121 - 0.179	117	0.154	0.127 - 0.185
Saskatchewan	694	0.061	0.056 - 0.066	331	0.058	0.052 - 0.064	363	0.064	0.058 - 0.071
NAACCR N.A. Combined[1]	**307,908**	**0.098**	**0.097 - 0.098**	**174,935**	**0.113**	**0.112 - 0.113**	**132,973**	**0.083**	**0.083 - 0.084**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-110 Prevalence – Melanoma of the Skin

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**955,117**	**0.624**	**0.623 - 0.625**
Alabama	-	-		-	-		15,600	0.623	0.613 - 0.633
Alaska	-	-		-	-		1,877	0.533	0.509 - 0.557
Arizona	-	-		-	-		19,308	0.560	0.552 - 0.568
Arkansas	-	-		-	-		8,911	0.587	0.575 - 0.600
California	-	-		-	-		113,146	0.574	0.571 - 0.577
CA - Greater California	-	-		-	-		62,553	0.576	0.571 - 0.580
CA - Greater Bay Area	-	-		-	-		23,158	0.625	0.617 - 0.634
CA - Los Angeles	-	-		-	-		27,443	0.534	0.527 - 0.540
Colorado	-	-		-	-		15,894	0.583	0.574 - 0.592
Connecticut	-	-		-	-		14,050	0.764	0.751 - 0.777
Delaware	-	-		-	-		3,458	0.707	0.683 - 0.731
Florida	-	-		-	-		67,355	0.644	0.639 - 0.649
Georgia	-	-		-	-		29,966	0.570	0.563 - 0.576
Hawaii	-	-		-	-		5,139	0.724	0.704 - 0.744
Idaho	-	-		-	-		4,819	0.580	0.564 - 0.597
Illinois	-	-		-	-		43,294	0.662	0.656 - 0.669
Iowa	-	-		-	-		10,137	0.645	0.633 - 0.658
Kentucky	-	-		-	-		14,532	0.647	0.636 - 0.657
Louisiana	-	-		-	-		14,189	0.594	0.584 - 0.604
Maine	-	-		-	-		5,163	0.761	0.741 - 0.782
Maryland	-	-		-	-		20,607	0.665	0.656 - 0.674
Michigan	-	-		-	-		32,863	0.652	0.645 - 0.659
MI - Detroit	-	-		-	-		13,861	0.695	0.684 - 0.707
Minnesota	-	-		-	-		18,464	0.668	0.658 - 0.677
Mississippi	-	-		-	-		8,668	0.564	0.552 - 0.576
Missouri	-	-		-	-		20,560	0.664	0.655 - 0.673
Montana	-	-		-	-		3,433	0.669	0.647 - 0.692
Nebraska	-	-		-	-		5,845	0.613	0.598 - 0.629
New Hampshire	-	-		-	-		5,458	0.811	0.790 - 0.833
New Jersey	-	-		-	-		32,040	0.698	0.690 - 0.705
New Mexico	-	-		-	-		6,068	0.577	0.562 - 0.591
New York	-	-		-	-		69,327	0.679	0.674 - 0.684
North Carolina	-	-		-	-		34,467	0.665	0.658 - 0.672
North Dakota	-	-		-	-		2,231	0.607	0.582 - 0.633
Ohio	-	-		-	-		39,423	0.665	0.659 - 0.672
Oklahoma	-	-		-	-		11,195	0.567	0.557 - 0.578
Oregon	-	-		-	-		13,607	0.666	0.654 - 0.677
Pennsylvania	-	-		-	-		47,180	0.723	0.716 - 0.729
Rhode Island	-	-		-	-		4,054	0.746	0.723 - 0.769
South Carolina	-	-		-	-		16,534	0.652	0.643 - 0.663
Tennessee	-	-		-	-		21,217	0.626	0.617 - 0.634
Texas	-	-		-	-		67,368	0.484	0.480 - 0.487
Utah	-	-		-	-		6,372	0.425	0.415 - 0.436
Vermont	-	-		-	-		2,403	0.761	0.731 - 0.792
Virginia	-	-		-	-		26,970	0.633	0.625 - 0.640
Washington	-	-		-	-		24,198	0.670	0.662 - 0.679
WA - Seattle	-	-		-	-		17,286	0.695	0.685 - 0.706
West Virginia	-	-		-	-		6,272	0.676	0.660 - 0.693
Wisconsin	-	-		-	-		19,859	0.685	0.676 - 0.695
Wyoming	-	-		-	-		1,596	0.557	0.530 - 0.585
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**41,049**	**0.595**	**0.589 - 0.600**
Alberta	-	-		-	-		10,815	0.522	0.512 - 0.532
British Columbia	-	-		-	-		14,924	0.627	0.617 - 0.637
Manitoba	-	-		-	-		3,727	0.568	0.549 - 0.586
New Brunswick	-	-		-	-		2,525	0.660	0.635 - 0.687
Newfoundland and Labrador	-	-		-	-		1,882	0.701	0.670 - 0.733
Northwest Territory	-	-		-	-		99	0.456	0.370 - 0.555
Nova Scotia	-	-		-	-		3,344	0.694	0.671 - 0.718
Prince Edward Island	-	-		-	-		516	0.680	0.622 - 0.741
Saskatchewan	-	-		-	-		3,217	0.569	0.550 - 0.589
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**996,166**	**0.623**	**0.622 - 0.624**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**43,761**	**0.029**	**0.028 - 0.029**
Alabama	-	-		-	-		760	0.030	0.028 - 0.033
Alaska	-	-		-	-		93	0.026	0.021 - 0.032
Arizona	-	-		-	-		800	0.023	0.022 - 0.025
Arkansas	-	-		-	-		533	0.035	0.032 - 0.038
California	-	-		-	-		5,281	0.027	0.026 - 0.028
CA - Greater California	-	-		-	-		2,922	0.027	0.026 - 0.028
CA - Greater Bay Area	-	-		-	-		907	0.024	0.023 - 0.026
CA - Los Angeles	-	-		-	-		1,444	0.028	0.027 - 0.030
Colorado	-	-		-	-		637	0.023	0.022 - 0.025
Connecticut	-	-		-	-		506	0.028	0.025 - 0.030
Delaware	-	-		-	-		149	0.030	0.026 - 0.036
Florida	-	-		-	-		3,468	0.033	0.032 - 0.034
Georgia	-	-		-	-		1,448	0.028	0.026 - 0.029
Hawaii	-	-		-	-		199	0.028	0.024 - 0.032
Idaho	-	-		-	-		187	0.023	0.019 - 0.026
Illinois	-	-		-	-		1,942	0.030	0.028 - 0.031
Iowa	-	-		-	-		417	0.027	0.024 - 0.029
Kentucky	-	-		-	-		742	0.033	0.031 - 0.035
Louisiana	-	-		-	-		755	0.032	0.029 - 0.034
Maine	-	-		-	-		158	0.023	0.020 - 0.027
Maryland	-	-		-	-		787	0.025	0.024 - 0.027
Michigan	-	-		-	-		1,294	0.026	0.024 - 0.027
MI - Detroit	-	-		-	-		535	0.027	0.025 - 0.029
Minnesota	-	-		-	-		606	0.022	0.020 - 0.024
Mississippi	-	-		-	-		504	0.033	0.030 - 0.036
Missouri	-	-		-	-		925	0.030	0.028 - 0.032
Montana	-	-		-	-		130	0.025	0.021 - 0.030
Nebraska	-	-		-	-		259	0.027	0.024 - 0.031
New Hampshire	-	-		-	-		127	0.019	0.016 - 0.022
New Jersey	-	-		-	-		1,376	0.030	0.028 - 0.032
New Mexico	-	-		-	-		298	0.028	0.025 - 0.032
New York	-	-		-	-		3,196	0.031	0.030 - 0.032
North Carolina	-	-		-	-		1,418	0.027	0.026 - 0.029
North Dakota	-	-		-	-		65	0.018	0.014 - 0.023
Ohio	-	-		-	-		1,707	0.029	0.027 - 0.030
Oklahoma	-	-		-	-		619	0.031	0.029 - 0.034
Oregon	-	-		-	-		540	0.026	0.024 - 0.029
Pennsylvania	-	-		-	-		1,913	0.029	0.028 - 0.031
Rhode Island	-	-		-	-		164	0.030	0.026 - 0.035
South Carolina	-	-		-	-		700	0.028	0.026 - 0.030
Tennessee	-	-		-	-		1,058	0.031	0.029 - 0.033
Texas	-	-		-	-		4,572	0.033	0.032 - 0.034
Utah	-	-		-	-		243	0.016	0.014 - 0.018
Vermont	-	-		-	-		57	0.018	0.014 - 0.023
Virginia	-	-		-	-		1,018	0.024	0.022 - 0.025
Washington	-	-		-	-		982	0.027	0.026 - 0.029
WA - Seattle	-	-		-	-		710	0.029	0.026 - 0.031
West Virginia	-	-		-	-		321	0.035	0.031 - 0.039
Wisconsin	-	-		-	-		734	0.025	0.024 - 0.027
Wyoming	-	-		-	-		74	0.026	0.020 - 0.032
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**2,129**	**0.031**	**0.030 - 0.032**
Alberta	-	-		-	-		634	0.031	0.028 - 0.033
British Columbia	-	-		-	-		747	0.031	0.029 - 0.034
Manitoba	-	-		-	-		192	0.029	0.025 - 0.034
New Brunswick	-	-		-	-		106	0.028	0.023 - 0.034
Newfoundland and Labrador	-	-		-	-		112	0.042	0.034 - 0.050
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	-	-		-	-		157	0.033	0.028 - 0.038
Prince Edward Island	-	-		-	-		20	0.026	0.016 - 0.041
Saskatchewan	-	-		-	-		153	0.027	0.023 - 0.032
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**45,890**	**0.029**	**0.028 - 0.029**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-112 Prevalence – Cervix Uteri

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**200,432**	**0.131**	**0.130 - 0.132**
Alabama	-	-		-	-		2,399	0.096	0.092 - 0.100
Alaska	-	-		-	-		389	0.110	0.100 - 0.122
Arizona	-	-		-	-		3,784	0.110	0.106 - 0.113
Arkansas	-	-		-	-		1,703	0.112	0.107 - 0.118
California	-	-		-	-		22,961	0.117	0.115 - 0.118
CA - Greater California	-	-		-	-		12,299	0.113	0.111 - 0.115
CA - Greater Bay Area	-	-		-	-		4,656	0.126	0.122 - 0.129
CA - Los Angeles	-	-		-	-		6,002	0.117	0.114 - 0.120
Colorado	-	-		-	-		2,848	0.104	0.101 - 0.108
Connecticut	-	-		-	-		2,980	0.162	0.156 - 0.168
Delaware	-	-		-	-		788	0.161	0.150 - 0.173
Florida	-	-		-	-		13,141	0.126	0.124 - 0.128
Georgia	-	-		-	-		5,185	0.099	0.096 - 0.101
Hawaii	-	-		-	-		1,088	0.153	0.144 - 0.163
Idaho	-	-		-	-		961	0.116	0.108 - 0.123
Illinois	-	-		-	-		9,688	0.148	0.145 - 0.151
Iowa	-	-		-	-		2,550	0.162	0.156 - 0.169
Kentucky	-	-		-	-		3,063	0.136	0.132 - 0.141
Louisiana	-	-		-	-		2,162	0.090	0.087 - 0.094
Maine	-	-		-	-		1,320	0.195	0.184 - 0.205
Maryland	-	-		-	-		4,209	0.136	0.132 - 0.140
Michigan	-	-		-	-		7,796	0.155	0.151 - 0.158
MI - Detroit	-	-		-	-		3,143	0.158	0.152 - 0.163
Minnesota	-	-		-	-		4,407	0.159	0.155 - 0.164
Mississippi	-	-		-	-		1,490	0.097	0.092 - 0.102
Missouri	-	-		-	-		4,293	0.139	0.135 - 0.143
Montana	-	-		-	-		741	0.144	0.134 - 0.155
Nebraska	-	-		-	-		1,314	0.138	0.131 - 0.146
New Hampshire	-	-		-	-		1,269	0.189	0.178 - 0.199
New Jersey	-	-		-	-		7,606	0.166	0.162 - 0.169
New Mexico	-	-		-	-		1,277	0.121	0.115 - 0.128
New York	-	-		-	-		16,536	0.162	0.160 - 0.165
North Carolina	-	-		-	-		6,473	0.125	0.122 - 0.128
North Dakota	-	-		-	-		445	0.121	0.110 - 0.133
Ohio	-	-		-	-		9,355	0.158	0.155 - 0.161
Oklahoma	-	-		-	-		2,131	0.108	0.103 - 0.113
Oregon	-	-		-	-		2,979	0.146	0.141 - 0.151
Pennsylvania	-	-		-	-		11,813	0.181	0.178 - 0.184
Rhode Island	-	-		-	-		951	0.175	0.164 - 0.186
South Carolina	-	-		-	-		2,991	0.118	0.114 - 0.122
Tennessee	-	-		-	-		4,031	0.119	0.115 - 0.123
Texas	-	-		-	-		12,583	0.090	0.089 - 0.092
Utah	-	-		-	-		1,442	0.096	0.091 - 0.101
Vermont	-	-		-	-		640	0.203	0.187 - 0.219
Virginia	-	-		-	-		5,070	0.119	0.116 - 0.122
Washington	-	-		-	-		4,711	0.130	0.127 - 0.134
WA - Seattle	-	-		-	-		3,338	0.134	0.130 - 0.139
West Virginia	-	-		-	-		1,679	0.181	0.173 - 0.190
Wisconsin	-	-		-	-		4,869	0.168	0.163 - 0.173
Wyoming	-	-		-	-		321	0.112	0.100 - 0.125
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**9,353**	**0.135**	**0.133 - 0.138**
Alberta	-	-		-	-		2,440	0.118	0.113 - 0.123
British Columbia	-	-		-	-		3,242	0.136	0.132 - 0.141
Manitoba	-	-		-	-		1,081	0.165	0.155 - 0.175
New Brunswick	-	-		-	-		569	0.149	0.137 - 0.162
Newfoundland and Labrador	-	-		-	-		478	0.178	0.162 - 0.195
Northwest Territory	-	-		-	-		17	0.078	0.046 - 0.125
Nova Scotia	-	-		-	-		735	0.153	0.142 - 0.164
Prince Edward Island	-	-		-	-		95	0.125	0.101 - 0.153
Saskatchewan	-	-		-	-		696	0.123	0.114 - 0.133
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**209,785**	**0.131**	**0.131 - 0.132**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**62,164**	**0.041**	**0.040 - 0.041**
Alabama	-	-		-	-		1,019	0.041	0.038 - 0.043
Alaska	-	-		-	-		132	0.037	0.031 - 0.044
Arizona	-	-		-	-		1,303	0.038	0.036 - 0.040
Arkansas	-	-		-	-		559	0.037	0.034 - 0.040
California	-	-		-	-		7,870	0.040	0.039 - 0.041
CA - Greater California	-	-		-	-		4,134	0.038	0.037 - 0.039
CA - Greater Bay Area	-	-		-	-		1,583	0.043	0.041 - 0.045
CA - Los Angeles	-	-		-	-		2,153	0.042	0.040 - 0.044
Colorado	-	-		-	-		1,000	0.037	0.034 - 0.039
Connecticut	-	-		-	-		914	0.050	0.047 - 0.053
Delaware	-	-		-	-		206	0.042	0.037 - 0.048
Florida	-	-		-	-		4,562	0.044	0.042 - 0.045
Georgia	-	-		-	-		1,835	0.035	0.033 - 0.037
Hawaii	-	-		-	-		280	0.039	0.035 - 0.044
Idaho	-	-		-	-		291	0.035	0.031 - 0.039
Illinois	-	-		-	-		2,734	0.042	0.040 - 0.043
Iowa	-	-		-	-		645	0.041	0.038 - 0.044
Kentucky	-	-		-	-		808	0.036	0.033 - 0.039
Louisiana	-	-		-	-		764	0.032	0.030 - 0.034
Maine	-	-		-	-		301	0.044	0.040 - 0.050
Maryland	-	-		-	-		1,251	0.040	0.038 - 0.043
Michigan	-	-		-	-		2,168	0.043	0.041 - 0.045
MI - Detroit	-	-		-	-		910	0.046	0.043 - 0.049
Minnesota	-	-		-	-		1,138	0.041	0.039 - 0.044
Mississippi	-	-		-	-		530	0.034	0.032 - 0.038
Missouri	-	-		-	-		1,179	0.038	0.036 - 0.040
Montana	-	-		-	-		224	0.044	0.038 - 0.050
Nebraska	-	-		-	-		375	0.039	0.035 - 0.044
New Hampshire	-	-		-	-		317	0.047	0.042 - 0.053
New Jersey	-	-		-	-		2,179	0.047	0.045 - 0.049
New Mexico	-	-		-	-		430	0.041	0.037 - 0.045
New York	-	-		-	-		4,807	0.047	0.046 - 0.048
North Carolina	-	-		-	-		2,041	0.039	0.038 - 0.041
North Dakota	-	-		-	-		133	0.036	0.030 - 0.043
Ohio	-	-		-	-		2,555	0.043	0.041 - 0.045
Oklahoma	-	-		-	-		767	0.039	0.036 - 0.042
Oregon	-	-		-	-		869	0.043	0.040 - 0.045
Pennsylvania	-	-		-	-		3,105	0.048	0.046 - 0.049
Rhode Island	-	-		-	-		260	0.048	0.042 - 0.054
South Carolina	-	-		-	-		908	0.036	0.034 - 0.038
Tennessee	-	-		-	-		1,275	0.038	0.036 - 0.040
Texas	-	-		-	-		4,759	0.034	0.033 - 0.035
Utah	-	-		-	-		447	0.030	0.027 - 0.033
Vermont	-	-		-	-		156	0.049	0.042 - 0.058
Virginia	-	-		-	-		1,588	0.037	0.035 - 0.039
Washington	-	-		-	-		1,539	0.043	0.041 - 0.045
WA - Seattle	-	-		-	-		1,117	0.045	0.042 - 0.048
West Virginia	-	-		-	-		451	0.049	0.044 - 0.053
Wisconsin	-	-		-	-		1,367	0.047	0.045 - 0.050
Wyoming	-	-		-	-		124	0.043	0.036 - 0.052
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**2,728**	**0.040**	**0.038 - 0.041**
Alberta	-	-		-	-		654	0.032	0.029 - 0.034
British Columbia	-	-		-	-		1,109	0.047	0.044 - 0.049
Manitoba	-	-		-	-		267	0.041	0.036 - 0.046
New Brunswick	-	-		-	-		144	0.038	0.032 - 0.044
Newfoundland and Labrador	-	-		-	-		122	0.045	0.038 - 0.054
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	-	-		-	-		205	0.043	0.037 - 0.049
Prince Edward Island	-	-		-	-		18	0.024	0.014 - 0.037
Saskatchewan	-	-		-	-		208	0.037	0.032 - 0.042
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**64,892**	**0.041**	**0.040 - 0.041**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**816,516**	**0.550**	**0.549 - 0.551**	**-**	**-**	
Alabama	-	-		14,997	0.637	0.627 - 0.648	-	-	
Alaska	-	-		1,314	0.339	0.321 - 0.358	-	-	
Arizona	-	-		13,292	0.390	0.383 - 0.397	-	-	
Arkansas	-	-		8,984	0.613	0.601 - 0.626	-	-	
California	-	-		87,709	0.451	0.448 - 0.454	-	-	
CA - Greater California	-	-		48,775	0.452	0.448 - 0.456	-	-	
CA - Greater Bay Area	-	-		18,100	0.493	0.486 - 0.501	-	-	
CA - Los Angeles	-	-		20,831	0.417	0.411 - 0.423	-	-	
Colorado	-	-		12,795	0.464	0.456 - 0.472	-	-	
Connecticut	-	-		10,872	0.621	0.609 - 0.632	-	-	
Delaware	-	-		3,487	0.760	0.735 - 0.785	-	-	
Florida	-	-		60,360	0.603	0.599 - 0.608	-	-	
Georgia	-	-		27,371	0.548	0.541 - 0.554	-	-	
Hawaii	-	-		3,234	0.451	0.435 - 0.467	-	-	
Idaho	-	-		4,420	0.530	0.514 - 0.546	-	-	
Illinois	-	-		35,764	0.567	0.561 - 0.573	-	-	
Iowa	-	-		8,914	0.574	0.562 - 0.586	-	-	
Kentucky	-	-		12,142	0.557	0.547 - 0.567	-	-	
Louisiana	-	-		15,326	0.669	0.659 - 0.680	-	-	
Maine	-	-		3,940	0.605	0.587 - 0.625	-	-	
Maryland	-	-		18,573	0.637	0.628 - 0.647	-	-	
Michigan	-	-		31,141	0.638	0.631 - 0.645	-	-	
MI - Detroit	-	-		14,072	0.751	0.738 - 0.763	-	-	
Minnesota	-	-		15,973	0.583	0.574 - 0.592	-	-	
Mississippi	-	-		9,537	0.659	0.646 - 0.672	-	-	
Missouri	-	-		15,701	0.526	0.518 - 0.534	-	-	
Montana	-	-		3,495	0.672	0.650 - 0.694	-	-	
Nebraska	-	-		5,349	0.565	0.550 - 0.580	-	-	
New Hampshire	-	-		4,577	0.694	0.674 - 0.714	-	-	
New Jersey	-	-		30,497	0.697	0.689 - 0.705	-	-	
New Mexico	-	-		4,412	0.428	0.415 - 0.440	-	-	
New York	-	-		64,698	0.672	0.667 - 0.678	-	-	
North Carolina	-	-		30,144	0.613	0.606 - 0.620	-	-	
North Dakota	-	-		2,301	0.593	0.569 - 0.618	-	-	
Ohio	-	-		33,247	0.585	0.578 - 0.591	-	-	
Oklahoma	-	-		9,440	0.487	0.477 - 0.497	-	-	
Oregon	-	-		10,534	0.525	0.515 - 0.535	-	-	
Pennsylvania	-	-		39,673	0.634	0.628 - 0.640	-	-	
Rhode Island	-	-		2,924	0.570	0.549 - 0.591	-	-	
South Carolina	-	-		15,290	0.639	0.629 - 0.649	-	-	
Tennessee	-	-		19,311	0.598	0.590 - 0.607	-	-	
Texas	-	-		52,013	0.378	0.375 - 0.382	-	-	
Utah	-	-		6,547	0.432	0.421 - 0.442	-	-	
Vermont	-	-		1,732	0.562	0.536 - 0.589	-	-	
Virginia	-	-		21,176	0.513	0.506 - 0.520	-	-	
Washington	-	-		18,926	0.525	0.517 - 0.532	-	-	
WA - Seattle	-	-		13,655	0.550	0.541 - 0.559	-	-	
West Virginia	-	-		5,327	0.587	0.572 - 0.603	-	-	
Wisconsin	-	-		17,415	0.607	0.598 - 0.616	-	-	
Wyoming	-	-		1,641	0.549	0.523 - 0.576	-	-	
NAACCR CDN Combined[1]	**-**	**-**		**37,472**	**0.543**	**0.538 - 0.549**	**-**	**-**	
Alberta	-	-		10,273	0.481	0.472 - 0.490	-	-	
British Columbia	-	-		13,343	0.569	0.559 - 0.579	-	-	
Manitoba	-	-		2,914	0.448	0.432 - 0.465	-	-	
New Brunswick	-	-		2,597	0.696	0.669 - 0.723	-	-	
Newfoundland and Labrador	-	-		1,940	0.743	0.710 - 0.777	-	-	
Northwest Territory	-	-		50	0.220	0.164 - 0.291	-	-	
Nova Scotia	-	-		2,943	0.635	0.613 - 0.659	-	-	
Prince Edward Island	-	-		484	0.670	0.612 - 0.733	-	-	
Saskatchewan	-	-		2,928	0.509	0.491 - 0.528	-	-	
NAACCR N.A. Combined[1]	**-**	**-**		**853,988**	**0.550**	**0.549 - 0.551**	**-**	**-**	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**37,453**	**0.025**	**0.025 - 0.025**	**-**	**-**	
Alabama	-	-		449	0.019	0.017 - 0.021	-	-	
Alaska	-	-		117	0.030	0.025 - 0.036	-	-	
Arizona	-	-		778	0.023	0.021 - 0.024	-	-	
Arkansas	-	-		315	0.022	0.019 - 0.024	-	-	
California	-	-		5,397	0.028	0.027 - 0.028	-	-	
CA - Greater California	-	-		2,984	0.028	0.027 - 0.029	-	-	
CA - Greater Bay Area	-	-		1,041	0.028	0.027 - 0.030	-	-	
CA - Los Angeles	-	-		1,372	0.027	0.026 - 0.029	-	-	
Colorado	-	-		723	0.026	0.024 - 0.028	-	-	
Connecticut	-	-		503	0.029	0.026 - 0.031	-	-	
Delaware	-	-		106	0.023	0.019 - 0.028	-	-	
Florida	-	-		1,951	0.020	0.019 - 0.020	-	-	
Georgia	-	-		923	0.018	0.017 - 0.020	-	-	
Hawaii	-	-		188	0.026	0.023 - 0.030	-	-	
Idaho	-	-		251	0.030	0.026 - 0.034	-	-	
Illinois	-	-		1,765	0.028	0.027 - 0.029	-	-	
Iowa	-	-		462	0.030	0.027 - 0.033	-	-	
Kentucky	-	-		539	0.025	0.023 - 0.027	-	-	
Louisiana	-	-		476	0.021	0.019 - 0.023	-	-	
Maine	-	-		180	0.028	0.024 - 0.032	-	-	
Maryland	-	-		630	0.022	0.020 - 0.023	-	-	
Michigan	-	-		1,264	0.026	0.024 - 0.027	-	-	
MI - Detroit	-	-		484	0.026	0.024 - 0.028	-	-	
Minnesota	-	-		880	0.032	0.030 - 0.034	-	-	
Mississippi	-	-		232	0.016	0.014 - 0.018	-	-	
Missouri	-	-		711	0.024	0.022 - 0.026	-	-	
Montana	-	-		160	0.031	0.026 - 0.036	-	-	
Nebraska	-	-		299	0.032	0.028 - 0.035	-	-	
New Hampshire	-	-		210	0.032	0.028 - 0.036	-	-	
New Jersey	-	-		1,206	0.028	0.026 - 0.029	-	-	
New Mexico	-	-		305	0.030	0.026 - 0.033	-	-	
New York	-	-		2,690	0.028	0.027 - 0.029	-	-	
North Carolina	-	-		1,091	0.022	0.021 - 0.024	-	-	
North Dakota	-	-		110	0.028	0.023 - 0.034	-	-	
Ohio	-	-		1,463	0.026	0.024 - 0.027	-	-	
Oklahoma	-	-		452	0.023	0.021 - 0.026	-	-	
Oregon	-	-		636	0.032	0.029 - 0.034	-	-	
Pennsylvania	-	-		1,819	0.029	0.028 - 0.030	-	-	
Rhode Island	-	-		169	0.033	0.028 - 0.038	-	-	
South Carolina	-	-		457	0.019	0.017 - 0.021	-	-	
Tennessee	-	-		739	0.023	0.021 - 0.025	-	-	
Texas	-	-		3,105	0.023	0.022 - 0.023	-	-	
Utah	-	-		480	0.032	0.029 - 0.035	-	-	
Vermont	-	-		88	0.029	0.023 - 0.035	-	-	
Virginia	-	-		797	0.019	0.018 - 0.021	-	-	
Washington	-	-		1,110	0.031	0.029 - 0.033	-	-	
WA - Seattle	-	-		836	0.034	0.031 - 0.036	-	-	
West Virginia	-	-		218	0.024	0.021 - 0.027	-	-	
Wisconsin	-	-		904	0.032	0.030 - 0.034	-	-	
Wyoming	-	-		104	0.035	0.028 - 0.042	-	-	
NAACCR CDN Combined[1]	**-**	**-**		**1,973**	**0.029**	**0.027 - 0.030**	**-**	**-**	
Alberta	-	-		677	0.032	0.029 - 0.034	-	-	
British Columbia	-	-		694	0.030	0.027 - 0.032	-	-	
Manitoba	-	-		180	0.028	0.024 - 0.032	-	-	
New Brunswick	-	-		86	0.023	0.018 - 0.028	-	-	
Newfoundland and Labrador	-	-		41	0.016	0.011 - 0.021	-	-	
Northwest Territory	-	-		12	0.053	0.027 - 0.092	-	-	
Nova Scotia	-	-		112	0.024	0.020 - 0.029	-	-	
Prince Edward Island	-	-		13	0.018	0.010 - 0.031	-	-	
Saskatchewan	-	-		158	0.027	0.023 - 0.032	-	-	
NAACCR N.A. Combined[1]	**-**	**-**		**39,426**	**0.025**	**0.025 - 0.026**	**-**	**-**	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**246,417**	**0.082**	**0.081 - 0.082**	**189,086**	**0.127**	**0.127 - 0.128**	**57,332**	**0.037**	**0.037 - 0.038**
Alabama	3,759	0.077	0.075 - 0.080	2,937	0.125	0.120 - 0.129	822	0.033	0.031 - 0.035
Alaska	478	0.065	0.059 - 0.071	374	0.097	0.087 - 0.107	104	0.030	0.024 - 0.036
Arizona	5,501	0.080	0.078 - 0.082	4,289	0.126	0.122 - 0.130	1,212	0.035	0.033 - 0.037
Arkansas	2,377	0.080	0.077 - 0.083	1,875	0.128	0.122 - 0.134	502	0.033	0.030 - 0.036
California	24,310	0.062	0.061 - 0.063	18,865	0.097	0.096 - 0.098	5,445	0.028	0.027 - 0.028
CA - Greater California	14,088	0.065	0.064 - 0.066	10,946	0.101	0.100 - 0.103	3,141	0.029	0.028 - 0.030
CA - Greater Bay Area	4,827	0.065	0.064 - 0.067	3,687	0.100	0.097 - 0.104	1,140	0.031	0.029 - 0.033
CA - Los Angeles	5,401	0.053	0.052 - 0.055	4,240	0.085	0.082 - 0.087	1,161	0.023	0.021 - 0.024
Colorado	3,732	0.068	0.066 - 0.070	2,896	0.105	0.101 - 0.109	836	0.031	0.029 - 0.033
Connecticut	4,313	0.120	0.117 - 0.124	3,264	0.186	0.180 - 0.193	1,050	0.057	0.054 - 0.061
Delaware	1,025	0.108	0.102 - 0.115	789	0.172	0.160 - 0.184	236	0.048	0.042 - 0.055
Florida	20,064	0.098	0.097 - 0.099	15,490	0.155	0.152 - 0.157	4,574	0.044	0.042 - 0.045
Georgia	6,189	0.060	0.059 - 0.062	4,784	0.096	0.093 - 0.099	1,405	0.027	0.025 - 0.028
Hawaii	856	0.060	0.056 - 0.064	658	0.092	0.085 - 0.099	198	0.028	0.024 - 0.032
Idaho	1,441	0.087	0.082 - 0.091	1,127	0.135	0.127 - 0.143	314	0.038	0.034 - 0.042
Illinois	11,146	0.087	0.085 - 0.088	8,424	0.133	0.131 - 0.136	2,722	0.042	0.040 - 0.043
Iowa	2,966	0.095	0.092 - 0.098	2,334	0.150	0.144 - 0.156	632	0.040	0.037 - 0.044
Kentucky	4,101	0.093	0.090 - 0.095	3,122	0.143	0.138 - 0.148	980	0.044	0.041 - 0.046
Louisiana	3,334	0.071	0.069 - 0.074	2,604	0.114	0.109 - 0.118	730	0.031	0.028 - 0.033
Maine	1,843	0.139	0.132 - 0.145	1,406	0.216	0.205 - 0.228	437	0.064	0.059 - 0.071
Maryland	5,033	0.084	0.081 - 0.086	3,824	0.131	0.127 - 0.135	1,209	0.039	0.037 - 0.041
Michigan	9,749	0.098	0.096 - 0.100	7,387	0.151	0.148 - 0.155	2,362	0.047	0.045 - 0.049
MI - Detroit	3,857	0.100	0.097 - 0.103	2,886	0.154	0.148 - 0.160	971	0.049	0.046 - 0.052
Minnesota	5,124	0.093	0.091 - 0.096	3,922	0.143	0.139 - 0.148	1,202	0.043	0.041 - 0.046
Mississippi	2,024	0.068	0.065 - 0.071	1,582	0.109	0.104 - 0.115	442	0.029	0.026 - 0.032
Missouri	5,074	0.083	0.081 - 0.086	3,911	0.131	0.127 - 0.135	1,163	0.038	0.035 - 0.040
Montana	1,084	0.105	0.099 - 0.111	834	0.160	0.150 - 0.172	250	0.049	0.043 - 0.055
Nebraska	1,625	0.086	0.081 - 0.090	1,239	0.131	0.124 - 0.138	386	0.040	0.037 - 0.045
New Hampshire	1,719	0.129	0.123 - 0.135	1,308	0.198	0.188 - 0.209	411	0.061	0.055 - 0.067
New Jersey	8,860	0.099	0.097 - 0.101	6,634	0.152	0.148 - 0.155	2,226	0.048	0.046 - 0.051
New Mexico	1,283	0.062	0.058 - 0.065	1,001	0.097	0.091 - 0.103	281	0.027	0.024 - 0.030
New York	19,883	0.100	0.099 - 0.102	14,856	0.154	0.152 - 0.157	5,027	0.049	0.048 - 0.051
North Carolina	8,116	0.080	0.079 - 0.082	6,186	0.126	0.123 - 0.129	1,930	0.037	0.036 - 0.039
North Dakota	625	0.083	0.076 - 0.090	498	0.128	0.117 - 0.140	127	0.035	0.029 - 0.041
Ohio	10,964	0.094	0.093 - 0.096	8,430	0.148	0.145 - 0.151	2,534	0.043	0.041 - 0.044
Oklahoma	2,923	0.075	0.072 - 0.077	2,269	0.117	0.112 - 0.122	654	0.033	0.031 - 0.036
Oregon	3,925	0.097	0.094 - 0.100	3,059	0.152	0.147 - 0.158	866	0.042	0.040 - 0.045
Pennsylvania	14,926	0.117	0.115 - 0.119	11,347	0.181	0.178 - 0.185	3,579	0.055	0.053 - 0.057
Rhode Island	1,300	0.123	0.116 - 0.130	954	0.186	0.174 - 0.198	346	0.064	0.057 - 0.071
South Carolina	3,974	0.081	0.078 - 0.083	3,092	0.129	0.125 - 0.134	882	0.035	0.033 - 0.037
Tennessee	5,187	0.078	0.076 - 0.081	3,996	0.124	0.120 - 0.128	1,191	0.035	0.033 - 0.037
Texas	13,204	0.048	0.047 - 0.049	10,303	0.075	0.074 - 0.076	2,901	0.021	0.020 - 0.022
Utah	1,414	0.047	0.044 - 0.049	1,143	0.075	0.071 - 0.080	271	0.018	0.016 - 0.020
Vermont	700	0.112	0.104 - 0.121	532	0.173	0.158 - 0.188	168	0.053	0.045 - 0.062
Virginia	5,836	0.070	0.068 - 0.071	4,435	0.107	0.104 - 0.111	1,401	0.033	0.031 - 0.035
Washington	5,962	0.083	0.081 - 0.085	4,608	0.128	0.124 - 0.132	1,354	0.037	0.036 - 0.040
WA - Seattle	4,162	0.084	0.081 - 0.086	3,228	0.130	0.126 - 0.135	934	0.038	0.035 - 0.040
West Virginia	2,055	0.112	0.107 - 0.117	1,555	0.171	0.163 - 0.180	500	0.054	0.049 - 0.059
Wisconsin	5,879	0.102	0.099 - 0.105	4,525	0.158	0.153 - 0.162	1,354	0.047	0.044 - 0.049
Wyoming	533	0.091	0.084 - 0.099	418	0.140	0.127 - 0.154	116	0.040	0.033 - 0.048
NAACCR CDN Combined[1]	**12,950**	**0.094**	**0.092 - 0.095**	**9,890**	**0.143**	**0.141 - 0.146**	**3,060**	**0.044**	**0.043 - 0.046**
Alberta	3,172	0.075	0.073 - 0.078	2,464	0.115	0.111 - 0.120	708	0.034	0.032 - 0.037
British Columbia	4,898	0.104	0.101 - 0.107	3,775	0.161	0.156 - 0.166	1,123	0.047	0.044 - 0.050
Manitoba	1,033	0.079	0.074 - 0.084	780	0.120	0.112 - 0.129	253	0.039	0.034 - 0.044
New Brunswick	925	0.122	0.115 - 0.131	714	0.191	0.177 - 0.206	211	0.055	0.048 - 0.063
Newfoundland and Labrador	598	0.113	0.104 - 0.122	440	0.169	0.153 - 0.185	158	0.059	0.050 - 0.069
Northwest Territory	13	0.029	0.016 - 0.050	-	-		-	-	
Nova Scotia	1,119	0.118	0.112 - 0.126	820	0.177	0.165 - 0.190	299	0.062	0.055 - 0.070
Prince Edward Island	160	0.108	0.092 - 0.126	116	0.161	0.133 - 0.193	44	0.058	0.042 - 0.078
Saskatchewan	1,032	0.091	0.085 - 0.096	772	0.134	0.125 - 0.144	260	0.046	0.041 - 0.052
NAACCR N.A. Combined[1]	**259,367**	**0.082**	**0.082 - 0.083**	**198,976**	**0.128**	**0.128 - 0.129**	**60,392**	**0.038**	**0.037 - 0.038**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**205,863**	**0.068**	**0.068 - 0.069**	**128,212**	**0.086**	**0.086 - 0.087**	**77,651**	**0.051**	**0.050 - 0.051**
Alabama	3,656	0.075	0.073 - 0.078	2,235	0.095	0.091 - 0.099	1,421	0.057	0.054 - 0.060
Alaska	462	0.062	0.057 - 0.068	285	0.074	0.065 - 0.083	177	0.050	0.043 - 0.058
Arizona	4,488	0.065	0.064 - 0.067	2,761	0.081	0.078 - 0.084	1,727	0.050	0.048 - 0.053
Arkansas	2,297	0.077	0.074 - 0.080	1,434	0.098	0.093 - 0.103	863	0.057	0.053 - 0.061
California	21,481	0.055	0.054 - 0.056	13,650	0.070	0.069 - 0.071	7,830	0.040	0.039 - 0.041
CA - Greater California	12,413	0.057	0.056 - 0.058	7,859	0.073	0.071 - 0.074	4,555	0.042	0.041 - 0.043
CA - Greater Bay Area	3,917	0.053	0.051 - 0.055	2,551	0.070	0.067 - 0.072	1,366	0.037	0.035 - 0.039
CA - Los Angeles	5,153	0.051	0.049 - 0.052	3,244	0.065	0.063 - 0.067	1,909	0.037	0.035 - 0.039
Colorado	2,886	0.053	0.051 - 0.055	1,799	0.065	0.062 - 0.068	1,087	0.040	0.038 - 0.042
Connecticut	2,589	0.072	0.069 - 0.075	1,684	0.096	0.092 - 0.101	905	0.049	0.046 - 0.053
Delaware	701	0.074	0.069 - 0.080	458	0.100	0.091 - 0.109	243	0.050	0.044 - 0.056
Florida	13,728	0.067	0.066 - 0.068	8,718	0.087	0.085 - 0.089	5,010	0.048	0.047 - 0.049
Georgia	6,166	0.060	0.059 - 0.062	3,773	0.076	0.073 - 0.078	2,393	0.045	0.044 - 0.047
Hawaii	862	0.060	0.056 - 0.065	567	0.079	0.073 - 0.086	296	0.042	0.037 - 0.047
Idaho	1,043	0.063	0.059 - 0.067	651	0.078	0.072 - 0.084	392	0.047	0.043 - 0.052
Illinois	9,518	0.074	0.073 - 0.076	5,942	0.094	0.092 - 0.097	3,576	0.055	0.053 - 0.057
Iowa	2,398	0.077	0.074 - 0.080	1,492	0.096	0.091 - 0.101	907	0.058	0.054 - 0.062
Kentucky	3,734	0.084	0.082 - 0.087	2,230	0.102	0.098 - 0.107	1,504	0.067	0.064 - 0.070
Louisiana	4,068	0.087	0.084 - 0.090	2,461	0.108	0.103 - 0.112	1,607	0.067	0.064 - 0.071
Maine	1,071	0.081	0.076 - 0.086	637	0.098	0.090 - 0.106	434	0.064	0.058 - 0.070
Maryland	3,791	0.063	0.061 - 0.065	2,291	0.079	0.075 - 0.082	1,500	0.048	0.046 - 0.051
Michigan	7,197	0.073	0.071 - 0.074	4,490	0.092	0.089 - 0.095	2,707	0.054	0.052 - 0.056
MI - Detroit	3,069	0.079	0.077 - 0.082	1,928	0.103	0.098 - 0.108	1,142	0.057	0.054 - 0.061
Minnesota	3,896	0.071	0.069 - 0.073	2,507	0.092	0.088 - 0.095	1,389	0.050	0.048 - 0.053
Mississippi	2,609	0.087	0.084 - 0.091	1,551	0.107	0.102 - 0.113	1,058	0.069	0.065 - 0.073
Missouri	4,688	0.077	0.075 - 0.079	2,850	0.095	0.092 - 0.099	1,838	0.059	0.057 - 0.062
Montana	746	0.072	0.067 - 0.078	462	0.089	0.081 - 0.097	284	0.055	0.049 - 0.062
Nebraska	1,307	0.069	0.065 - 0.073	832	0.088	0.082 - 0.094	475	0.050	0.045 - 0.055
New Hampshire	937	0.070	0.066 - 0.075	593	0.090	0.083 - 0.097	344	0.051	0.046 - 0.057
New Jersey	6,401	0.071	0.070 - 0.073	4,023	0.092	0.089 - 0.095	2,378	0.052	0.050 - 0.054
New Mexico	1,275	0.061	0.058 - 0.065	777	0.075	0.070 - 0.081	497	0.047	0.043 - 0.052
New York	14,402	0.073	0.071 - 0.074	9,195	0.096	0.094 - 0.098	5,207	0.051	0.050 - 0.052
North Carolina	7,164	0.071	0.069 - 0.073	4,355	0.089	0.086 - 0.091	2,809	0.054	0.052 - 0.056
North Dakota	508	0.067	0.062 - 0.073	328	0.085	0.076 - 0.094	180	0.049	0.042 - 0.057
Ohio	8,717	0.075	0.073 - 0.077	5,309	0.093	0.091 - 0.096	3,408	0.058	0.056 - 0.059
Oklahoma	2,950	0.075	0.073 - 0.078	1,760	0.091	0.087 - 0.095	1,190	0.060	0.057 - 0.064
Oregon	2,738	0.068	0.065 - 0.070	1,737	0.087	0.083 - 0.091	1,001	0.049	0.046 - 0.052
Pennsylvania	10,212	0.080	0.078 - 0.081	6,388	0.102	0.100 - 0.105	3,824	0.059	0.057 - 0.060
Rhode Island	805	0.076	0.071 - 0.082	485	0.095	0.086 - 0.103	320	0.059	0.053 - 0.066
South Carolina	3,559	0.072	0.070 - 0.075	2,211	0.092	0.089 - 0.096	1,348	0.053	0.050 - 0.056
Tennessee	5,053	0.076	0.074 - 0.078	3,108	0.096	0.093 - 0.100	1,945	0.057	0.055 - 0.060
Texas	17,997	0.065	0.064 - 0.066	10,928	0.079	0.078 - 0.081	7,069	0.051	0.050 - 0.052
Utah	1,257	0.042	0.039 - 0.044	787	0.052	0.048 - 0.056	470	0.031	0.029 - 0.034
Vermont	413	0.066	0.060 - 0.073	269	0.087	0.077 - 0.098	144	0.046	0.038 - 0.054
Virginia	5,130	0.061	0.059 - 0.063	3,241	0.079	0.076 - 0.081	1,889	0.044	0.042 - 0.046
Washington	4,450	0.062	0.060 - 0.064	2,834	0.079	0.076 - 0.082	1,616	0.045	0.043 - 0.047
WA - Seattle	3,131	0.063	0.061 - 0.065	1,992	0.080	0.077 - 0.084	1,139	0.046	0.043 - 0.049
West Virginia	1,665	0.091	0.086 - 0.095	1,016	0.112	0.105 - 0.119	649	0.070	0.065 - 0.076
Wisconsin	4,485	0.078	0.076 - 0.080	2,873	0.100	0.097 - 0.104	1,612	0.056	0.053 - 0.058
Wyoming	362	0.062	0.056 - 0.069	234	0.078	0.069 - 0.089	128	0.045	0.037 - 0.053
NAACCR CDN Combined[1]	**8,328**	**0.060**	**0.059 - 0.062**	**5,343**	**0.077**	**0.075 - 0.080**	**2,985**	**0.043**	**0.042 - 0.045**
Alberta	2,193	0.052	0.050 - 0.054	1,420	0.066	0.063 - 0.070	773	0.037	0.035 - 0.040
British Columbia	2,361	0.050	0.048 - 0.052	1,573	0.067	0.064 - 0.070	788	0.033	0.031 - 0.035
Manitoba	845	0.065	0.060 - 0.069	547	0.084	0.077 - 0.092	298	0.045	0.040 - 0.051
New Brunswick	723	0.096	0.089 - 0.103	448	0.120	0.109 - 0.132	275	0.072	0.064 - 0.081
Newfoundland and Labrador	515	0.097	0.089 - 0.106	314	0.120	0.107 - 0.134	201	0.075	0.065 - 0.086
Northwest Territory	23	0.052	0.033 - 0.078	-	-		-	-	
Nova Scotia	921	0.097	0.091 - 0.104	559	0.121	0.111 - 0.131	362	0.075	0.068 - 0.083
Prince Edward Island	89	0.060	0.048 - 0.074	57	0.079	0.060 - 0.102	32	0.042	0.029 - 0.060
Saskatchewan	658	0.058	0.053 - 0.062	411	0.072	0.065 - 0.079	247	0.044	0.038 - 0.050
NAACCR N.A. Combined[1]	**214,191**	**0.068**	**0.068 - 0.068**	**133,555**	**0.086**	**0.086 - 0.086**	**80,636**	**0.050**	**0.050 - 0.051**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-118 Prevalence – Kidney and Renal Pelvis

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**45,418**	**0.015**	**0.015 - 0.015**	**24,821**	**0.017**	**0.017 - 0.017**	**20,597**	**0.013**	**0.013 - 0.014**
Alabama	648	0.013	0.012 - 0.014	343	0.015	0.013 - 0.016	305	0.012	0.011 - 0.014
Alaska	111	0.015	0.012 - 0.018	62	0.016	0.012 - 0.021	49	0.014	0.010 - 0.018
Arizona	913	0.013	0.012 - 0.014	484	0.014	0.013 - 0.016	429	0.012	0.011 - 0.014
Arkansas	449	0.015	0.014 - 0.017	257	0.018	0.015 - 0.020	192	0.013	0.011 - 0.015
California	5,167	0.013	0.013 - 0.014	2,799	0.014	0.014 - 0.015	2,368	0.012	0.012 - 0.013
CA - Greater California	2,922	0.013	0.013 - 0.014	1,568	0.015	0.014 - 0.015	1,355	0.012	0.012 - 0.013
CA - Greater Bay Area	1,048	0.014	0.013 - 0.015	586	0.016	0.015 - 0.017	462	0.012	0.011 - 0.014
CA - Los Angeles	1,197	0.012	0.011 - 0.012	643	0.013	0.012 - 0.014	553	0.011	0.010 - 0.012
Colorado	814	0.015	0.014 - 0.016	489	0.018	0.016 - 0.019	325	0.012	0.011 - 0.013
Connecticut	595	0.017	0.015 - 0.018	346	0.020	0.018 - 0.022	249	0.014	0.012 - 0.015
Delaware	139	0.015	0.012 - 0.017	61	0.013	0.010 - 0.017	78	0.016	0.013 - 0.020
Florida	3,033	0.015	0.014 - 0.015	1,672	0.017	0.016 - 0.018	1,361	0.013	0.012 - 0.014
Georgia	1,356	0.013	0.013 - 0.014	736	0.015	0.014 - 0.016	620	0.012	0.011 - 0.013
Hawaii	137	0.010	0.008 - 0.011	74	0.010	0.008 - 0.013	63	0.009	0.007 - 0.011
Idaho	270	0.016	0.014 - 0.018	153	0.018	0.016 - 0.021	117	0.014	0.012 - 0.017
Illinois	1,987	0.015	0.015 - 0.016	1,080	0.017	0.016 - 0.018	907	0.014	0.013 - 0.015
Iowa	507	0.016	0.015 - 0.018	271	0.017	0.015 - 0.020	236	0.015	0.013 - 0.017
Kentucky	774	0.017	0.016 - 0.019	415	0.019	0.017 - 0.021	359	0.016	0.014 - 0.018
Louisiana	619	0.013	0.012 - 0.014	333	0.015	0.013 - 0.016	286	0.012	0.011 - 0.013
Maine	242	0.018	0.016 - 0.021	138	0.021	0.018 - 0.025	104	0.015	0.013 - 0.019
Maryland	858	0.014	0.013 - 0.015	453	0.016	0.014 - 0.017	405	0.013	0.012 - 0.014
Michigan	1,549	0.016	0.015 - 0.016	847	0.017	0.016 - 0.019	702	0.014	0.013 - 0.015
MI - Detroit	590	0.015	0.014 - 0.017	312	0.017	0.015 - 0.019	278	0.014	0.012 - 0.016
Minnesota	995	0.018	0.017 - 0.019	528	0.019	0.018 - 0.021	467	0.017	0.015 - 0.018
Mississippi	370	0.012	0.011 - 0.014	200	0.014	0.012 - 0.016	170	0.011	0.009 - 0.013
Missouri	990	0.016	0.015 - 0.017	533	0.018	0.016 - 0.019	457	0.015	0.013 - 0.016
Montana	180	0.017	0.015 - 0.020	96	0.018	0.015 - 0.022	84	0.016	0.013 - 0.020
Nebraska	285	0.015	0.013 - 0.017	163	0.017	0.015 - 0.020	122	0.013	0.011 - 0.015
New Hampshire	253	0.019	0.017 - 0.021	136	0.021	0.017 - 0.024	117	0.017	0.014 - 0.021
New Jersey	1,558	0.017	0.017 - 0.018	851	0.019	0.018 - 0.021	707	0.015	0.014 - 0.017
New Mexico	249	0.012	0.011 - 0.014	133	0.013	0.011 - 0.015	116	0.011	0.009 - 0.013
New York	3,421	0.017	0.017 - 0.018	1,865	0.019	0.019 - 0.020	1,556	0.015	0.014 - 0.016
North Carolina	1,454	0.014	0.014 - 0.015	772	0.016	0.015 - 0.017	682	0.013	0.012 - 0.014
North Dakota	96	0.013	0.010 - 0.016	51	0.013	0.010 - 0.017	45	0.012	0.009 - 0.016
Ohio	1,862	0.016	0.015 - 0.017	1,031	0.018	0.017 - 0.019	831	0.014	0.013 - 0.015
Oklahoma	554	0.014	0.013 - 0.015	291	0.015	0.013 - 0.017	263	0.013	0.012 - 0.015
Oregon	631	0.016	0.014 - 0.017	341	0.017	0.015 - 0.019	290	0.014	0.013 - 0.016
Pennsylvania	2,200	0.017	0.016 - 0.018	1,234	0.020	0.019 - 0.021	966	0.015	0.014 - 0.016
Rhode Island	162	0.015	0.013 - 0.018	74	0.014	0.011 - 0.018	88	0.016	0.013 - 0.020
South Carolina	686	0.014	0.013 - 0.015	374	0.016	0.014 - 0.017	312	0.012	0.011 - 0.014
Tennessee	921	0.014	0.013 - 0.015	506	0.016	0.014 - 0.017	415	0.012	0.011 - 0.013
Texas	4,054	0.015	0.014 - 0.015	2,203	0.016	0.015 - 0.017	1,851	0.013	0.013 - 0.014
Utah	456	0.015	0.014 - 0.017	277	0.018	0.016 - 0.021	179	0.012	0.010 - 0.014
Vermont	89	0.014	0.011 - 0.018	49	0.016	0.012 - 0.021	40	0.013	0.009 - 0.017
Virginia	1,097	0.013	0.012 - 0.014	609	0.015	0.014 - 0.016	488	0.011	0.010 - 0.013
Washington	1,307	0.018	0.017 - 0.019	750	0.021	0.019 - 0.022	557	0.015	0.014 - 0.017
WA - Seattle	974	0.020	0.018 - 0.021	556	0.022	0.021 - 0.024	418	0.017	0.015 - 0.019
West Virginia	313	0.017	0.015 - 0.019	157	0.017	0.015 - 0.020	156	0.017	0.014 - 0.020
Wisconsin	977	0.017	0.016 - 0.018	539	0.019	0.017 - 0.020	438	0.015	0.014 - 0.017
Wyoming	90	0.015	0.012 - 0.019	45	0.015	0.011 - 0.020	45	0.016	0.011 - 0.021
NAACCR CDN Combined[1]	**1,847**	**0.013**	**0.013 - 0.014**	**1,082**	**0.016**	**0.015 - 0.017**	**765**	**0.011**	**0.010 - 0.012**
Alberta	575	0.014	0.013 - 0.015	323	0.015	0.014 - 0.017	252	0.012	0.011 - 0.014
British Columbia	646	0.014	0.013 - 0.015	387	0.017	0.015 - 0.018	259	0.011	0.010 - 0.012
Manitoba	172	0.013	0.011 - 0.015	96	0.015	0.012 - 0.018	76	0.012	0.009 - 0.014
New Brunswick	95	0.013	0.010 - 0.015	57	0.015	0.012 - 0.020	38	0.010	0.007 - 0.014
Newfoundland and Labrador	65	0.012	0.009 - 0.016	34	0.013	0.009 - 0.018	31	0.012	0.008 - 0.016
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	132	0.014	0.012 - 0.017	84	0.018	0.014 - 0.022	48	0.010	0.007 - 0.013
Prince Edward Island	18	0.012	0.007 - 0.019	-	-		-	-	
Saskatchewan	138	0.012	0.010 - 0.014	81	0.014	0.011 - 0.018	57	0.010	0.008 - 0.013
NAACCR N.A. Combined[1]	**47,265**	**0.015**	**0.015 - 0.015**	**25,903**	**0.017**	**0.016 - 0.017**	**21,362**	**0.013**	**0.013 - 0.014**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**211,562**	**0.070**	**0.070 - 0.070**	**50,554**	**0.034**	**0.034 - 0.034**	**161,008**	**0.105**	**0.105 - 0.106**
Alabama	2,218	0.046	0.044 - 0.048	557	0.024	0.022 - 0.026	1,661	0.066	0.063 - 0.070
Alaska	388	0.052	0.047 - 0.058	98	0.025	0.021 - 0.031	290	0.082	0.073 - 0.092
Arizona	4,867	0.071	0.069 - 0.073	1,091	0.032	0.030 - 0.034	3,776	0.110	0.106 - 0.113
Arkansas	1,635	0.055	0.052 - 0.058	403	0.028	0.025 - 0.030	1,232	0.081	0.077 - 0.086
California	24,159	0.062	0.061 - 0.062	5,645	0.029	0.028 - 0.030	18,514	0.094	0.093 - 0.095
CA - Greater California	13,317	0.061	0.060 - 0.063	3,082	0.029	0.028 - 0.030	10,236	0.094	0.092 - 0.096
CA - Greater Bay Area	4,244	0.058	0.056 - 0.059	1,069	0.029	0.027 - 0.031	3,175	0.086	0.083 - 0.089
CA - Los Angeles	6,599	0.065	0.064 - 0.067	1,494	0.030	0.028 - 0.031	5,105	0.099	0.097 - 0.102
Colorado	4,091	0.075	0.072 - 0.077	1,032	0.037	0.035 - 0.040	3,059	0.112	0.108 - 0.116
Connecticut	3,605	0.100	0.097 - 0.104	881	0.050	0.047 - 0.054	2,724	0.148	0.143 - 0.154
Delaware	731	0.077	0.072 - 0.083	142	0.031	0.026 - 0.036	589	0.120	0.111 - 0.131
Florida	12,503	0.061	0.060 - 0.062	3,026	0.030	0.029 - 0.031	9,477	0.091	0.089 - 0.092
Georgia	5,826	0.057	0.055 - 0.058	1,307	0.026	0.025 - 0.028	4,519	0.086	0.083 - 0.088
Hawaii	1,057	0.074	0.070 - 0.079	269	0.037	0.033 - 0.042	788	0.111	0.103 - 0.119
Idaho	1,221	0.073	0.069 - 0.078	269	0.032	0.029 - 0.036	952	0.115	0.107 - 0.122
Illinois	9,846	0.077	0.075 - 0.078	2,393	0.038	0.036 - 0.039	7,453	0.114	0.111 - 0.117
Iowa	2,067	0.066	0.063 - 0.069	525	0.034	0.031 - 0.037	1,543	0.098	0.093 - 0.103
Kentucky	3,346	0.076	0.073 - 0.078	826	0.038	0.035 - 0.041	2,521	0.112	0.108 - 0.117
Louisiana	3,156	0.067	0.065 - 0.070	738	0.032	0.030 - 0.035	2,418	0.101	0.097 - 0.105
Maine	1,127	0.085	0.080 - 0.090	295	0.045	0.040 - 0.051	832	0.123	0.114 - 0.131
Maryland	4,542	0.076	0.073 - 0.078	1,031	0.035	0.033 - 0.038	3,511	0.113	0.110 - 0.117
Michigan	6,543	0.066	0.064 - 0.068	1,543	0.032	0.030 - 0.033	5,000	0.099	0.096 - 0.102
MI - Detroit	3,203	0.083	0.080 - 0.086	732	0.039	0.036 - 0.042	2,472	0.124	0.119 - 0.129
Minnesota	3,494	0.063	0.061 - 0.066	873	0.032	0.030 - 0.034	2,621	0.095	0.091 - 0.098
Mississippi	1,570	0.053	0.050 - 0.055	359	0.025	0.022 - 0.028	1,211	0.079	0.074 - 0.083
Missouri	3,658	0.060	0.058 - 0.062	932	0.031	0.029 - 0.033	2,726	0.088	0.085 - 0.091
Montana	733	0.071	0.066 - 0.076	189	0.036	0.031 - 0.042	544	0.106	0.097 - 0.115
Nebraska	1,245	0.066	0.062 - 0.069	292	0.031	0.027 - 0.035	953	0.100	0.094 - 0.107
New Hampshire	1,133	0.085	0.080 - 0.090	278	0.042	0.037 - 0.047	855	0.127	0.119 - 0.136
New Jersey	8,853	0.099	0.097 - 0.101	2,205	0.050	0.048 - 0.053	6,648	0.145	0.141 - 0.148
New Mexico	1,611	0.077	0.074 - 0.081	371	0.036	0.032 - 0.040	1,240	0.118	0.111 - 0.125
New York	20,001	0.101	0.099 - 0.102	4,841	0.050	0.049 - 0.052	15,160	0.149	0.146 - 0.151
North Carolina	6,191	0.061	0.060 - 0.063	1,517	0.031	0.029 - 0.032	4,674	0.090	0.088 - 0.093
North Dakota	600	0.079	0.073 - 0.086	140	0.036	0.030 - 0.043	460	0.125	0.114 - 0.137
Ohio	8,567	0.074	0.072 - 0.075	1,930	0.034	0.032 - 0.035	6,637	0.112	0.109 - 0.115
Oklahoma	2,311	0.059	0.057 - 0.062	534	0.028	0.025 - 0.030	1,777	0.090	0.086 - 0.094
Oregon	2,719	0.067	0.065 - 0.070	692	0.034	0.032 - 0.037	2,027	0.099	0.095 - 0.104
Pennsylvania	13,334	0.104	0.102 - 0.106	3,220	0.051	0.050 - 0.053	10,114	0.155	0.152 - 0.158
Rhode Island	1,025	0.097	0.091 - 0.103	245	0.048	0.042 - 0.054	780	0.144	0.134 - 0.154
South Carolina	2,868	0.058	0.056 - 0.060	676	0.028	0.026 - 0.030	2,192	0.087	0.083 - 0.090
Tennessee	4,239	0.064	0.062 - 0.066	1,057	0.033	0.031 - 0.035	3,182	0.094	0.091 - 0.097
Texas	15,500	0.056	0.055 - 0.057	3,638	0.026	0.026 - 0.027	11,862	0.085	0.084 - 0.087
Utah	2,411	0.080	0.077 - 0.083	548	0.036	0.033 - 0.039	1,863	0.124	0.119 - 0.130
Vermont	436	0.070	0.063 - 0.077	121	0.039	0.033 - 0.047	315	0.100	0.089 - 0.111
Virginia	5,458	0.065	0.063 - 0.067	1,207	0.029	0.028 - 0.031	4,251	0.100	0.097 - 0.103
Washington	4,808	0.067	0.065 - 0.069	1,203	0.033	0.032 - 0.035	3,605	0.100	0.097 - 0.103
WA - Seattle	3,404	0.069	0.066 - 0.071	861	0.035	0.032 - 0.037	2,543	0.102	0.098 - 0.106
West Virginia	1,558	0.085	0.081 - 0.089	352	0.039	0.035 - 0.043	1,206	0.130	0.123 - 0.138
Wisconsin	3,914	0.068	0.066 - 0.070	970	0.034	0.032 - 0.036	2,944	0.102	0.098 - 0.105
Wyoming	396	0.068	0.061 - 0.075	95	0.032	0.026 - 0.039	301	0.105	0.094 - 0.118
NAACCR CDN Combined[1]	**7,494**	**0.054**	**0.053 - 0.056**	**1,903**	**0.028**	**0.026 - 0.029**	**5,591**	**0.081**	**0.079 - 0.083**
Alberta	2,409	0.057	0.055 - 0.060	598	0.028	0.026 - 0.030	1,811	0.087	0.083 - 0.092
British Columbia	2,019	0.043	0.041 - 0.045	525	0.022	0.021 - 0.024	1,494	0.063	0.060 - 0.066
Manitoba	694	0.053	0.049 - 0.057	171	0.026	0.023 - 0.031	523	0.080	0.073 - 0.087
New Brunswick	631	0.084	0.077 - 0.090	167	0.045	0.038 - 0.052	464	0.121	0.111 - 0.133
Newfoundland and Labrador	600	0.113	0.104 - 0.123	139	0.053	0.045 - 0.063	461	0.172	0.156 - 0.188
Northwest Territory	12	0.027	0.014 - 0.047	-	-		12	0.055	0.029 - 0.096
Nova Scotia	621	0.066	0.061 - 0.071	164	0.035	0.030 - 0.041	457	0.095	0.086 - 0.104
Prince Edward Island	43	0.029	0.021 - 0.039	-	-		-	-	
Saskatchewan	465	0.041	0.037 - 0.045	130	0.023	0.019 - 0.027	335	0.059	0.053 - 0.066
NAACCR N.A. Combined[1]	**219,056**	**0.069**	**0.069 - 0.070**	**52,457**	**0.034**	**0.033 - 0.034**	**166,599**	**0.104**	**0.104 - 0.105**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-120 Prevalence – Thyroid

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**35,049**	**0.012**	**0.012 - 0.012**	**19,222**	**0.013**	**0.013 - 0.013**	**15,827**	**0.010**	**0.010 - 0.011**
Alabama	463	0.010	0.009 - 0.010	252	0.011	0.009 - 0.012	211	0.008	0.007 - 0.010
Alaska	50	0.007	0.005 - 0.009	25	0.006	0.004 - 0.010	25	0.007	0.005 - 0.010
Arizona	616	0.009	0.008 - 0.010	337	0.010	0.009 - 0.011	279	0.008	0.007 - 0.009
Arkansas	359	0.012	0.011 - 0.013	202	0.014	0.012 - 0.016	157	0.010	0.009 - 0.012
California	3,734	0.010	0.009 - 0.010	2,073	0.011	0.010 - 0.011	1,661	0.008	0.008 - 0.009
CA - Greater California	2,064	0.010	0.009 - 0.010	1,146	0.011	0.010 - 0.011	918	0.008	0.008 - 0.009
CA - Greater Bay Area	734	0.010	0.009 - 0.011	411	0.011	0.010 - 0.012	322	0.009	0.008 - 0.010
CA - Los Angeles	938	0.009	0.009 - 0.010	518	0.010	0.009 - 0.011	420	0.008	0.007 - 0.009
Colorado	589	0.011	0.010 - 0.012	342	0.012	0.011 - 0.014	247	0.009	0.008 - 0.010
Connecticut	562	0.016	0.014 - 0.017	304	0.017	0.015 - 0.019	259	0.014	0.012 - 0.016
Delaware	130	0.014	0.011 - 0.016	72	0.016	0.012 - 0.020	58	0.012	0.009 - 0.015
Florida	2,790	0.014	0.013 - 0.014	1,513	0.015	0.014 - 0.016	1,277	0.012	0.012 - 0.013
Georgia	1,048	0.010	0.010 - 0.011	541	0.011	0.010 - 0.012	507	0.010	0.009 - 0.011
Hawaii	101	0.007	0.006 - 0.009	59	0.008	0.006 - 0.011	42	0.006	0.004 - 0.008
Idaho	183	0.011	0.009 - 0.013	105	0.013	0.010 - 0.015	78	0.009	0.007 - 0.012
Illinois	1,550	0.012	0.011 - 0.013	860	0.014	0.013 - 0.015	690	0.011	0.010 - 0.011
Iowa	428	0.014	0.012 - 0.015	244	0.016	0.014 - 0.018	184	0.012	0.010 - 0.014
Kentucky	522	0.012	0.011 - 0.013	298	0.014	0.012 - 0.015	224	0.010	0.009 - 0.011
Louisiana	523	0.011	0.010 - 0.012	285	0.012	0.011 - 0.014	239	0.010	0.009 - 0.011
Maine	193	0.015	0.013 - 0.017	100	0.015	0.013 - 0.019	93	0.014	0.011 - 0.017
Maryland	717	0.012	0.011 - 0.013	382	0.013	0.012 - 0.014	335	0.011	0.010 - 0.012
Michigan	1,191	0.012	0.011 - 0.013	661	0.014	0.013 - 0.015	530	0.011	0.010 - 0.011
MI - Detroit	540	0.014	0.013 - 0.015	303	0.016	0.014 - 0.018	237	0.012	0.010 - 0.013
Minnesota	701	0.013	0.012 - 0.014	417	0.015	0.014 - 0.017	284	0.010	0.009 - 0.012
Mississippi	321	0.011	0.010 - 0.012	174	0.012	0.010 - 0.014	147	0.010	0.008 - 0.011
Missouri	724	0.012	0.011 - 0.013	387	0.013	0.012 - 0.014	337	0.011	0.010 - 0.012
Montana	132	0.013	0.011 - 0.015	75	0.014	0.011 - 0.018	58	0.011	0.009 - 0.015
Nebraska	258	0.014	0.012 - 0.015	140	0.015	0.012 - 0.017	118	0.012	0.010 - 0.015
New Hampshire	167	0.013	0.011 - 0.015	92	0.014	0.011 - 0.017	75	0.011	0.009 - 0.014
New Jersey	1,273	0.014	0.013 - 0.015	677	0.015	0.014 - 0.017	596	0.013	0.012 - 0.014
New Mexico	201	0.010	0.008 - 0.011	112	0.011	0.009 - 0.013	89	0.008	0.007 - 0.010
New York	2,938	0.015	0.014 - 0.015	1,583	0.016	0.016 - 0.017	1,355	0.013	0.013 - 0.014
North Carolina	1,095	0.011	0.010 - 0.012	610	0.012	0.011 - 0.013	485	0.009	0.009 - 0.010
North Dakota	102	0.014	0.011 - 0.016	73	0.019	0.015 - 0.024	29	0.008	0.005 - 0.011
Ohio	1,382	0.012	0.011 - 0.013	775	0.014	0.013 - 0.015	607	0.010	0.009 - 0.011
Oklahoma	400	0.010	0.009 - 0.011	214	0.011	0.010 - 0.013	186	0.009	0.008 - 0.011
Oregon	434	0.011	0.010 - 0.012	237	0.012	0.010 - 0.013	197	0.010	0.008 - 0.011
Pennsylvania	1,865	0.015	0.014 - 0.015	1,031	0.016	0.015 - 0.018	834	0.013	0.012 - 0.014
Rhode Island	157	0.015	0.013 - 0.017	78	0.015	0.012 - 0.019	79	0.015	0.012 - 0.018
South Carolina	524	0.011	0.010 - 0.012	281	0.012	0.010 - 0.013	243	0.010	0.008 - 0.011
Tennessee	763	0.012	0.011 - 0.012	396	0.012	0.011 - 0.014	367	0.011	0.010 - 0.012
Texas	2,699	0.010	0.009 - 0.010	1,473	0.011	0.010 - 0.011	1,226	0.009	0.008 - 0.009
Utah	320	0.011	0.009 - 0.012	173	0.011	0.010 - 0.013	147	0.010	0.008 - 0.012
Vermont	93	0.015	0.012 - 0.018	49	0.016	0.012 - 0.021	44	0.014	0.010 - 0.019
Virginia	896	0.011	0.010 - 0.011	467	0.011	0.010 - 0.012	429	0.010	0.009 - 0.011
Washington	823	0.011	0.011 - 0.012	487	0.014	0.012 - 0.015	336	0.009	0.008 - 0.010
WA - Seattle	593	0.012	0.011 - 0.013	352	0.014	0.013 - 0.016	241	0.010	0.009 - 0.011
West Virginia	194	0.011	0.009 - 0.012	109	0.012	0.010 - 0.014	85	0.009	0.007 - 0.011
Wisconsin	789	0.014	0.013 - 0.015	429	0.015	0.014 - 0.016	360	0.012	0.011 - 0.014
Wyoming	48	0.008	0.006 - 0.011	29	0.010	0.006 - 0.014	19	0.007	0.004 - 0.010
NAACCR CDN Combined[1]	**1,509**	**0.011**	**0.010 - 0.011**	**857**	**0.012**	**0.012 - 0.013**	**652**	**0.009**	**0.009 - 0.010**
Alberta	463	0.011	0.010 - 0.012	286	0.013	0.012 - 0.015	177	0.009	0.007 - 0.010
British Columbia	508	0.011	0.010 - 0.012	278	0.012	0.011 - 0.013	230	0.010	0.008 - 0.011
Manitoba	149	0.011	0.010 - 0.013	85	0.013	0.010 - 0.016	64	0.010	0.008 - 0.012
New Brunswick	89	0.012	0.009 - 0.014	44	0.012	0.009 - 0.016	45	0.012	0.009 - 0.016
Newfoundland and Labrador	56	0.011	0.008 - 0.014	31	0.012	0.008 - 0.017	25	0.009	0.006 - 0.014
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	97	0.010	0.008 - 0.013	57	0.012	0.009 - 0.016	40	0.008	0.006 - 0.011
Prince Edward Island	19	0.013	0.008 - 0.020	-	-		-	-	
Saskatchewan	125	0.011	0.009 - 0.013	65	0.011	0.009 - 0.014	60	0.011	0.008 - 0.014
NAACCR N.A. Combined[1]	**36,558**	**0.012**	**0.011 - 0.012**	**20,079**	**0.013**	**0.013 - 0.013**	**16,479**	**0.010**	**0.010 - 0.010**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**227,046**	**0.075**	**0.075 - 0.076**	**121,807**	**0.082**	**0.082 - 0.083**	**105,239**	**0.069**	**0.068 - 0.069**
Alabama	3,061	0.063	0.061 - 0.065	1,631	0.069	0.066 - 0.073	1,430	0.057	0.054 - 0.060
Alaska	423	0.057	0.052 - 0.063	245	0.063	0.056 - 0.072	178	0.051	0.043 - 0.058
Arizona	4,017	0.059	0.057 - 0.060	2,138	0.063	0.060 - 0.065	1,879	0.055	0.052 - 0.057
Arkansas	2,089	0.070	0.067 - 0.073	1,113	0.076	0.072 - 0.081	976	0.064	0.060 - 0.069
California	25,833	0.066	0.065 - 0.067	14,103	0.072	0.071 - 0.074	11,730	0.060	0.058 - 0.061
CA - Greater California	14,086	0.065	0.064 - 0.066	7,730	0.072	0.070 - 0.073	6,356	0.059	0.057 - 0.060
CA - Greater Bay Area	5,592	0.076	0.074 - 0.078	3,105	0.085	0.082 - 0.088	2,486	0.067	0.065 - 0.070
CA - Los Angeles	6,155	0.061	0.059 - 0.062	3,266	0.065	0.063 - 0.068	2,889	0.056	0.054 - 0.058
Colorado	3,466	0.063	0.061 - 0.065	1,958	0.071	0.068 - 0.074	1,508	0.055	0.053 - 0.058
Connecticut	3,353	0.093	0.090 - 0.097	1,796	0.103	0.098 - 0.107	1,557	0.085	0.081 - 0.089
Delaware	825	0.087	0.081 - 0.093	417	0.091	0.082 - 0.100	408	0.083	0.075 - 0.092
Florida	21,307	0.104	0.103 - 0.106	11,110	0.111	0.109 - 0.113	10,197	0.098	0.096 - 0.099
Georgia	6,351	0.062	0.060 - 0.063	3,449	0.069	0.067 - 0.071	2,902	0.055	0.053 - 0.057
Hawaii	981	0.069	0.065 - 0.073	545	0.076	0.070 - 0.083	436	0.061	0.056 - 0.067
Idaho	1,146	0.069	0.065 - 0.073	621	0.074	0.069 - 0.081	525	0.063	0.058 - 0.069
Illinois	9,856	0.077	0.075 - 0.078	5,267	0.083	0.081 - 0.086	4,589	0.070	0.068 - 0.072
Iowa	2,773	0.089	0.085 - 0.092	1,510	0.097	0.092 - 0.102	1,263	0.080	0.076 - 0.085
Kentucky	3,502	0.079	0.076 - 0.082	1,880	0.086	0.082 - 0.090	1,622	0.072	0.069 - 0.076
Louisiana	3,353	0.072	0.069 - 0.074	1,747	0.076	0.073 - 0.080	1,606	0.067	0.064 - 0.071
Maine	1,289	0.097	0.092 - 0.102	657	0.101	0.093 - 0.109	632	0.093	0.086 - 0.101
Maryland	4,062	0.068	0.065 - 0.070	2,102	0.072	0.069 - 0.075	1,960	0.063	0.060 - 0.066
Michigan	8,083	0.081	0.080 - 0.083	4,307	0.088	0.086 - 0.091	3,776	0.075	0.073 - 0.077
MI - Detroit	3,286	0.085	0.082 - 0.088	1,749	0.093	0.089 - 0.098	1,536	0.077	0.073 - 0.081
Minnesota	4,818	0.088	0.085 - 0.090	2,680	0.098	0.094 - 0.102	2,138	0.077	0.074 - 0.081
Mississippi	1,882	0.063	0.060 - 0.066	972	0.067	0.063 - 0.071	910	0.059	0.055 - 0.063
Missouri	4,593	0.076	0.073 - 0.078	2,474	0.083	0.080 - 0.086	2,119	0.068	0.066 - 0.071
Montana	874	0.085	0.079 - 0.090	482	0.093	0.085 - 0.101	393	0.076	0.069 - 0.084
Nebraska	1,535	0.081	0.077 - 0.085	848	0.090	0.084 - 0.096	687	0.072	0.067 - 0.078
New Hampshire	1,284	0.096	0.091 - 0.102	680	0.103	0.095 - 0.111	604	0.090	0.083 - 0.097
New Jersey	7,982	0.089	0.087 - 0.091	4,163	0.095	0.092 - 0.098	3,819	0.083	0.081 - 0.086
New Mexico	1,242	0.060	0.056 - 0.063	641	0.062	0.057 - 0.067	601	0.057	0.053 - 0.062
New York	17,828	0.090	0.089 - 0.091	9,424	0.098	0.096 - 0.100	8,404	0.082	0.081 - 0.084
North Carolina	6,826	0.068	0.066 - 0.069	3,701	0.075	0.073 - 0.078	3,125	0.060	0.058 - 0.062
North Dakota	567	0.075	0.069 - 0.082	308	0.079	0.071 - 0.089	259	0.071	0.062 - 0.080
Ohio	9,003	0.078	0.076 - 0.079	4,861	0.085	0.083 - 0.088	4,142	0.070	0.068 - 0.072
Oklahoma	2,592	0.066	0.064 - 0.069	1,405	0.072	0.069 - 0.076	1,187	0.060	0.057 - 0.064
Oregon	3,118	0.077	0.074 - 0.080	1,679	0.084	0.080 - 0.088	1,439	0.070	0.067 - 0.074
Pennsylvania	12,076	0.094	0.093 - 0.096	6,444	0.103	0.100 - 0.105	5,632	0.086	0.084 - 0.089
Rhode Island	988	0.093	0.088 - 0.100	520	0.101	0.093 - 0.110	468	0.086	0.078 - 0.094
South Carolina	3,280	0.067	0.064 - 0.069	1,720	0.072	0.069 - 0.075	1,560	0.062	0.059 - 0.065
Tennessee	4,604	0.070	0.068 - 0.072	2,464	0.076	0.073 - 0.079	2,140	0.063	0.060 - 0.066
Texas	15,806	0.057	0.056 - 0.058	8,566	0.062	0.061 - 0.064	7,240	0.052	0.051 - 0.053
Utah	1,650	0.055	0.052 - 0.057	938	0.062	0.058 - 0.066	712	0.048	0.044 - 0.051
Vermont	637	0.102	0.094 - 0.110	350	0.114	0.102 - 0.126	287	0.091	0.081 - 0.102
Virginia	5,407	0.064	0.063 - 0.066	2,907	0.070	0.068 - 0.073	2,500	0.059	0.056 - 0.061
Washington	5,636	0.078	0.076 - 0.080	3,152	0.087	0.084 - 0.091	2,484	0.069	0.066 - 0.072
WA - Seattle	4,052	0.082	0.079 - 0.084	2,280	0.092	0.088 - 0.096	1,772	0.071	0.068 - 0.075
West Virginia	1,548	0.084	0.080 - 0.089	819	0.090	0.084 - 0.097	729	0.079	0.073 - 0.085
Wisconsin	5,122	0.089	0.086 - 0.091	2,803	0.098	0.094 - 0.101	2,319	0.080	0.077 - 0.083
Wyoming	377	0.064	0.058 - 0.071	209	0.070	0.061 - 0.080	168	0.059	0.050 - 0.068
NAACCR CDN Combined[1]	**10,597**	**0.077**	**0.075 - 0.078**	**5,764**	**0.084**	**0.081 - 0.086**	**4,833**	**0.070**	**0.068 - 0.072**
Alberta	2,684	0.064	0.061 - 0.066	1,486	0.070	0.066 - 0.073	1,198	0.058	0.055 - 0.061
British Columbia	3,790	0.080	0.078 - 0.083	2,045	0.087	0.083 - 0.091	1,745	0.073	0.070 - 0.077
Manitoba	985	0.075	0.071 - 0.080	549	0.084	0.078 - 0.092	436	0.066	0.060 - 0.073
New Brunswick	780	0.103	0.096 - 0.111	416	0.111	0.101 - 0.123	364	0.095	0.086 - 0.106
Newfoundland and Labrador	532	0.100	0.092 - 0.109	289	0.111	0.098 - 0.124	243	0.091	0.079 - 0.103
Northwest Territory	17	0.038	0.022 - 0.061	-	-		-	-	
Nova Scotia	916	0.097	0.091 - 0.103	502	0.108	0.099 - 0.118	414	0.086	0.078 - 0.095
Prince Edward Island	127	0.086	0.071 - 0.102	71	0.098	0.077 - 0.124	56	0.074	0.056 - 0.096
Saskatchewan	766	0.067	0.063 - 0.072	397	0.069	0.062 - 0.076	369	0.065	0.059 - 0.072
NAACCR N.A. Combined[1]	**237,643**	**0.075**	**0.075 - 0.076**	**127,571**	**0.082**	**0.082 - 0.083**	**110,072**	**0.069**	**0.068 - 0.069**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-122 Prevalence – Non-Hodgkin Lymphoma

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**72,609**	**0.024**	**0.024 - 0.024**	**40,210**	**0.027**	**0.027 - 0.027**	**32,399**	**0.021**	**0.021 - 0.021**
Alabama	1,139	0.023	0.022 - 0.025	578	0.025	0.023 - 0.027	561	0.022	0.021 - 0.024
Alaska	109	0.015	0.012 - 0.018	61	0.016	0.012 - 0.020	48	0.014	0.010 - 0.018
Arizona	1,142	0.017	0.016 - 0.018	650	0.019	0.018 - 0.021	492	0.014	0.013 - 0.016
Arkansas	758	0.025	0.024 - 0.027	427	0.029	0.026 - 0.032	331	0.022	0.020 - 0.024
California	7,379	0.019	0.018 - 0.019	4,259	0.022	0.021 - 0.023	3,121	0.016	0.015 - 0.016
CA - Greater California	4,059	0.019	0.018 - 0.019	2,342	0.022	0.021 - 0.023	1,717	0.016	0.015 - 0.017
CA - Greater Bay Area	1,531	0.021	0.020 - 0.022	892	0.024	0.023 - 0.026	639	0.017	0.016 - 0.019
CA - Los Angeles	1,789	0.018	0.017 - 0.018	1,025	0.021	0.019 - 0.022	764	0.015	0.014 - 0.016
Colorado	1,133	0.021	0.019 - 0.022	694	0.025	0.023 - 0.027	439	0.016	0.015 - 0.018
Connecticut	1,060	0.030	0.028 - 0.031	585	0.033	0.031 - 0.036	475	0.026	0.024 - 0.028
Delaware	287	0.030	0.027 - 0.034	164	0.036	0.030 - 0.042	123	0.025	0.021 - 0.030
Florida	6,914	0.034	0.033 - 0.035	3,750	0.037	0.036 - 0.039	3,164	0.030	0.029 - 0.031
Georgia	2,668	0.026	0.025 - 0.027	1,405	0.028	0.027 - 0.030	1,263	0.024	0.023 - 0.025
Hawaii	285	0.020	0.018 - 0.022	157	0.022	0.019 - 0.026	129	0.018	0.015 - 0.022
Idaho	341	0.020	0.018 - 0.023	207	0.025	0.022 - 0.028	134	0.016	0.014 - 0.019
Illinois	3,004	0.023	0.023 - 0.024	1,608	0.025	0.024 - 0.027	1,396	0.021	0.020 - 0.023
Iowa	773	0.025	0.023 - 0.027	440	0.028	0.026 - 0.031	334	0.021	0.019 - 0.024
Kentucky	1,025	0.023	0.022 - 0.025	615	0.028	0.026 - 0.030	411	0.018	0.017 - 0.020
Louisiana	1,208	0.026	0.024 - 0.027	648	0.028	0.026 - 0.031	560	0.023	0.022 - 0.025
Maine	355	0.027	0.024 - 0.030	203	0.031	0.027 - 0.036	152	0.022	0.019 - 0.026
Maryland	1,522	0.025	0.024 - 0.027	772	0.026	0.025 - 0.028	750	0.024	0.023 - 0.026
Michigan	2,454	0.025	0.024 - 0.026	1,390	0.028	0.027 - 0.030	1,064	0.021	0.020 - 0.022
MI - Detroit	1,145	0.030	0.028 - 0.031	622	0.033	0.031 - 0.036	524	0.026	0.024 - 0.029
Minnesota	1,398	0.025	0.024 - 0.027	787	0.029	0.027 - 0.031	611	0.022	0.020 - 0.024
Mississippi	718	0.024	0.022 - 0.026	396	0.027	0.025 - 0.030	322	0.021	0.019 - 0.023
Missouri	1,438	0.024	0.022 - 0.025	832	0.028	0.026 - 0.030	606	0.020	0.018 - 0.021
Montana	260	0.025	0.022 - 0.028	166	0.032	0.027 - 0.037	95	0.018	0.015 - 0.023
Nebraska	412	0.022	0.020 - 0.024	238	0.025	0.022 - 0.029	174	0.018	0.016 - 0.021
New Hampshire	358	0.027	0.024 - 0.030	219	0.033	0.029 - 0.038	139	0.021	0.017 - 0.024
New Jersey	2,479	0.028	0.027 - 0.029	1,321	0.030	0.029 - 0.032	1,158	0.025	0.024 - 0.027
New Mexico	398	0.019	0.017 - 0.021	229	0.022	0.019 - 0.025	169	0.016	0.014 - 0.019
New York	6,298	0.032	0.031 - 0.033	3,391	0.035	0.034 - 0.036	2,907	0.028	0.027 - 0.030
North Carolina	2,747	0.027	0.026 - 0.028	1,492	0.030	0.029 - 0.032	1,255	0.024	0.023 - 0.026
North Dakota	154	0.020	0.017 - 0.024	92	0.024	0.019 - 0.029	62	0.017	0.013 - 0.022
Ohio	2,411	0.021	0.020 - 0.022	1,340	0.024	0.022 - 0.025	1,071	0.018	0.017 - 0.019
Oklahoma	783	0.020	0.019 - 0.021	430	0.022	0.020 - 0.024	353	0.018	0.016 - 0.020
Oregon	745	0.018	0.017 - 0.020	425	0.021	0.019 - 0.023	320	0.016	0.014 - 0.017
Pennsylvania	3,441	0.027	0.026 - 0.028	1,892	0.030	0.029 - 0.032	1,549	0.024	0.023 - 0.025
Rhode Island	271	0.026	0.023 - 0.029	157	0.031	0.026 - 0.036	114	0.021	0.017 - 0.025
South Carolina	1,424	0.029	0.027 - 0.030	746	0.031	0.029 - 0.034	678	0.027	0.025 - 0.029
Tennessee	1,512	0.023	0.022 - 0.024	833	0.026	0.024 - 0.028	679	0.020	0.019 - 0.022
Texas	5,764	0.021	0.020 - 0.021	3,137	0.023	0.022 - 0.024	2,627	0.019	0.018 - 0.020
Utah	467	0.015	0.014 - 0.017	278	0.018	0.016 - 0.021	189	0.013	0.011 - 0.015
Vermont	141	0.023	0.019 - 0.027	88	0.029	0.023 - 0.035	53	0.017	0.013 - 0.022
Virginia	1,706	0.020	0.019 - 0.021	947	0.023	0.022 - 0.024	759	0.018	0.017 - 0.019
Washington	1,563	0.022	0.021 - 0.023	907	0.025	0.024 - 0.027	656	0.018	0.017 - 0.020
WA - Seattle	1,142	0.023	0.022 - 0.024	671	0.027	0.025 - 0.029	471	0.019	0.017 - 0.021
West Virginia	462	0.025	0.023 - 0.028	269	0.030	0.026 - 0.033	193	0.021	0.018 - 0.024
Wisconsin	1,579	0.027	0.026 - 0.029	922	0.032	0.030 - 0.034	657	0.023	0.021 - 0.024
Wyoming	123	0.021	0.017 - 0.025	65	0.022	0.017 - 0.028	58	0.020	0.015 - 0.026
NAACCR CDN Combined[1]	**2,897**	**0.021**	**0.020 - 0.022**	**1,694**	**0.025**	**0.023 - 0.026**	**1,203**	**0.017**	**0.016 - 0.018**
Alberta	753	0.018	0.017 - 0.019	453	0.021	0.019 - 0.023	300	0.014	0.013 - 0.016
British Columbia	1,005	0.021	0.020 - 0.023	581	0.025	0.023 - 0.027	424	0.018	0.016 - 0.020
Manitoba	273	0.021	0.018 - 0.024	160	0.025	0.021 - 0.029	113	0.017	0.014 - 0.021
New Brunswick	211	0.028	0.024 - 0.032	124	0.033	0.028 - 0.040	87	0.023	0.018 - 0.028
Newfoundland and Labrador	134	0.025	0.021 - 0.030	76	0.029	0.023 - 0.036	58	0.022	0.016 - 0.028
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	224	0.024	0.021 - 0.027	125	0.027	0.022 - 0.032	99	0.021	0.017 - 0.025
Prince Edward Island	54	0.036	0.027 - 0.048	32	0.044	0.030 - 0.063	22	0.029	0.018 - 0.044
Saskatchewan	236	0.021	0.018 - 0.024	139	0.024	0.020 - 0.029	97	0.017	0.014 - 0.021
NAACCR N.A. Combined[1]	**75,506**	**0.024**	**0.024 - 0.024**	**41,904**	**0.027**	**0.027 - 0.027**	**33,602**	**0.021**	**0.021 - 0.021**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**140,094**	**0.046**	**0.046 - 0.047**	**81,502**	**0.055**	**0.055 - 0.055**	**58,591**	**0.038**	**0.038 - 0.039**
Alabama	1,799	0.037	0.035 - 0.039	1,036	0.044	0.041 - 0.047	763	0.030	0.028 - 0.033
Alaska	243	0.033	0.029 - 0.037	148	0.038	0.032 - 0.045	95	0.027	0.022 - 0.033
Arizona	2,224	0.032	0.031 - 0.034	1,291	0.038	0.036 - 0.040	933	0.027	0.025 - 0.029
Arkansas	1,340	0.045	0.043 - 0.047	782	0.053	0.050 - 0.057	558	0.037	0.034 - 0.040
California	14,600	0.037	0.037 - 0.038	8,644	0.044	0.043 - 0.045	5,956	0.030	0.029 - 0.031
CA - Greater California	8,280	0.038	0.037 - 0.039	4,872	0.045	0.044 - 0.046	3,408	0.031	0.030 - 0.032
CA - Greater Bay Area	2,870	0.039	0.038 - 0.040	1,755	0.048	0.046 - 0.050	1,115	0.030	0.028 - 0.032
CA - Los Angeles	3,447	0.034	0.033 - 0.035	2,018	0.040	0.039 - 0.042	1,430	0.028	0.026 - 0.029
Colorado	2,308	0.042	0.040 - 0.044	1,390	0.050	0.048 - 0.053	918	0.034	0.032 - 0.036
Connecticut	1,873	0.052	0.050 - 0.055	1,076	0.061	0.058 - 0.065	797	0.043	0.040 - 0.046
Delaware	471	0.050	0.045 - 0.054	289	0.063	0.056 - 0.071	182	0.037	0.032 - 0.043
Florida	14,711	0.072	0.071 - 0.073	8,267	0.083	0.081 - 0.084	6,444	0.062	0.060 - 0.063
Georgia	4,180	0.041	0.040 - 0.042	2,366	0.047	0.045 - 0.049	1,814	0.034	0.033 - 0.036
Hawaii	522	0.037	0.034 - 0.040	320	0.045	0.040 - 0.050	202	0.028	0.025 - 0.033
Idaho	906	0.054	0.051 - 0.058	528	0.063	0.058 - 0.069	378	0.046	0.041 - 0.050
Illinois	5,384	0.042	0.041 - 0.043	3,155	0.050	0.048 - 0.052	2,229	0.034	0.033 - 0.036
Iowa	1,847	0.059	0.056 - 0.062	1,117	0.072	0.068 - 0.076	730	0.046	0.043 - 0.050
Kentucky	2,310	0.052	0.050 - 0.054	1,348	0.062	0.059 - 0.065	962	0.043	0.040 - 0.046
Louisiana	2,032	0.043	0.042 - 0.045	1,139	0.050	0.047 - 0.053	893	0.037	0.035 - 0.040
Maine	795	0.060	0.056 - 0.064	467	0.072	0.065 - 0.079	328	0.048	0.043 - 0.054
Maryland	2,331	0.039	0.037 - 0.040	1,281	0.044	0.042 - 0.046	1,050	0.034	0.032 - 0.036
Michigan	4,659	0.047	0.046 - 0.048	2,700	0.055	0.053 - 0.057	1,959	0.039	0.037 - 0.041
MI - Detroit	2,098	0.054	0.052 - 0.057	1,193	0.064	0.060 - 0.067	905	0.045	0.042 - 0.048
Minnesota	3,146	0.057	0.055 - 0.059	1,969	0.072	0.069 - 0.075	1,177	0.043	0.040 - 0.045
Mississippi	1,132	0.038	0.036 - 0.040	663	0.046	0.042 - 0.049	469	0.031	0.028 - 0.033
Missouri	2,741	0.045	0.043 - 0.047	1,558	0.052	0.050 - 0.055	1,183	0.038	0.036 - 0.040
Montana	621	0.060	0.055 - 0.065	399	0.077	0.069 - 0.085	221	0.043	0.038 - 0.049
Nebraska	859	0.045	0.042 - 0.048	515	0.054	0.050 - 0.059	344	0.036	0.032 - 0.040
New Hampshire	715	0.054	0.050 - 0.058	450	0.068	0.062 - 0.075	265	0.039	0.035 - 0.044
New Jersey	4,881	0.054	0.053 - 0.056	2,801	0.064	0.062 - 0.066	2,080	0.045	0.043 - 0.047
New Mexico	970	0.047	0.044 - 0.050	548	0.053	0.049 - 0.058	422	0.040	0.036 - 0.044
New York	11,657	0.059	0.058 - 0.060	6,679	0.069	0.068 - 0.071	4,978	0.049	0.047 - 0.050
North Carolina	4,597	0.046	0.044 - 0.047	2,652	0.054	0.052 - 0.056	1,945	0.038	0.036 - 0.039
North Dakota	395	0.052	0.047 - 0.058	243	0.063	0.055 - 0.071	152	0.041	0.035 - 0.049
Ohio	4,455	0.038	0.037 - 0.040	2,607	0.046	0.044 - 0.048	1,848	0.031	0.030 - 0.033
Oklahoma	1,660	0.042	0.040 - 0.045	976	0.050	0.047 - 0.054	684	0.035	0.032 - 0.037
Oregon	1,681	0.041	0.040 - 0.044	996	0.050	0.047 - 0.053	685	0.034	0.031 - 0.036
Pennsylvania	6,826	0.053	0.052 - 0.055	4,016	0.064	0.062 - 0.066	2,810	0.043	0.041 - 0.045
Rhode Island	553	0.052	0.048 - 0.057	321	0.063	0.056 - 0.070	232	0.043	0.037 - 0.049
South Carolina	2,135	0.043	0.042 - 0.045	1,229	0.051	0.049 - 0.054	906	0.036	0.033 - 0.038
Tennessee	3,048	0.046	0.044 - 0.048	1,777	0.055	0.053 - 0.058	1,271	0.037	0.035 - 0.040
Texas	11,032	0.040	0.039 - 0.041	6,419	0.047	0.046 - 0.048	4,613	0.033	0.032 - 0.034
Utah	1,115	0.037	0.035 - 0.039	656	0.043	0.040 - 0.047	459	0.031	0.028 - 0.034
Vermont	304	0.049	0.043 - 0.055	175	0.057	0.049 - 0.066	129	0.041	0.034 - 0.049
Virginia	2,657	0.032	0.030 - 0.033	1,484	0.036	0.034 - 0.038	1,173	0.028	0.026 - 0.029
Washington	3,534	0.049	0.047 - 0.051	2,142	0.059	0.057 - 0.062	1,392	0.039	0.037 - 0.041
WA - Seattle	2,650	0.053	0.051 - 0.055	1,614	0.065	0.062 - 0.068	1,036	0.042	0.039 - 0.044
West Virginia	984	0.054	0.050 - 0.057	591	0.065	0.060 - 0.071	393	0.042	0.038 - 0.047
Wisconsin	3,594	0.062	0.060 - 0.064	2,128	0.074	0.071 - 0.077	1,466	0.051	0.048 - 0.053
Wyoming	268	0.046	0.040 - 0.052	164	0.055	0.047 - 0.064	104	0.036	0.030 - 0.044
NAACCR CDN Combined[1]	**6,897**	**0.050**	**0.049 - 0.051**	**4,220**	**0.061**	**0.059 - 0.063**	**2,677**	**0.039**	**0.037 - 0.040**
Alberta	2,129	0.051	0.048 - 0.053	1,326	0.062	0.059 - 0.066	803	0.039	0.036 - 0.042
British Columbia	2,207	0.047	0.045 - 0.049	1,336	0.057	0.054 - 0.060	871	0.037	0.034 - 0.039
Manitoba	652	0.050	0.046 - 0.054	394	0.061	0.055 - 0.067	258	0.039	0.035 - 0.044
New Brunswick	559	0.074	0.068 - 0.080	334	0.089	0.080 - 0.100	225	0.059	0.051 - 0.067
Newfoundland and Labrador	194	0.037	0.032 - 0.042	130	0.050	0.042 - 0.059	64	0.024	0.018 - 0.030
Northwest Territory	11	0.025	0.012 - 0.044	-	-		-	-	
Nova Scotia	428	0.045	0.041 - 0.050	254	0.055	0.048 - 0.062	174	0.036	0.031 - 0.042
Prince Edward Island	72	0.049	0.038 - 0.061	40	0.055	0.040 - 0.075	32	0.042	0.029 - 0.060
Saskatchewan	645	0.057	0.052 - 0.061	399	0.069	0.063 - 0.077	246	0.044	0.038 - 0.049
NAACCR N.A. Combined[1]	**146,991**	**0.047**	**0.046 - 0.047**	**85,722**	**0.055**	**0.055 - 0.056**	**61,268**	**0.038**	**0.038 - 0.039**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-124 Prevalence – Leukemias

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, All Races, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,028**	**0.001**	**0.001 - 0.001**	**2,777**	**0.002**	**0.002 - 0.002**	**1,250**	**0.001**	**0.001 - 0.001**
Alabama	33	0.001	0.000 - 0.001	22	0.001	0.001 - 0.001	11	0.000	0.000 - 0.001
Alaska	-	-		-	-		-	-	
Arizona	98	0.001	0.001 - 0.002	74	0.002	0.002 - 0.003	24	0.001	0.000 - 0.001
Arkansas	30	0.001	0.001 - 0.001	-	-		-	-	
California	426	0.001	0.001 - 0.001	285	0.001	0.001 - 0.002	141	0.001	0.001 - 0.001
CA - Greater California	257	0.001	0.001 - 0.001	173	0.002	0.001 - 0.002	84	0.001	0.001 - 0.001
CA - Greater Bay Area	84	0.001	0.001 - 0.001	56	0.002	0.001 - 0.002	28	0.001	0.001 - 0.001
CA - Los Angeles	86	0.001	0.001 - 0.001	58	0.001	0.001 - 0.001	29	0.001	0.000 - 0.001
Colorado	59	0.001	0.001 - 0.001	47	0.002	0.001 - 0.002	12	0.000	0.000 - 0.001
Connecticut	58	0.002	0.001 - 0.002	40	0.002	0.002 - 0.003	18	0.001	0.001 - 0.002
Delaware	25	0.003	0.002 - 0.004	-	-		-	-	
Florida	322	0.002	0.001 - 0.002	214	0.002	0.002 - 0.002	108	0.001	0.001 - 0.001
Georgia	79	0.001	0.001 - 0.001	57	0.001	0.001 - 0.001	22	0.000	0.000 - 0.001
Hawaii	14	0.001	0.001 - 0.002	-	-		-	-	
Idaho	32	0.002	0.001 - 0.003	-	-		-	-	
Illinois	203	0.002	0.001 - 0.002	142	0.002	0.002 - 0.003	61	0.001	0.001 - 0.001
Iowa	45	0.001	0.001 - 0.002	29	0.002	0.001 - 0.003	16	0.001	0.001 - 0.002
Kentucky	41	0.001	0.001 - 0.001	27	0.001	0.001 - 0.002	14	0.001	0.000 - 0.001
Louisiana	98	0.002	0.002 - 0.003	67	0.003	0.002 - 0.004	31	0.001	0.001 - 0.002
Maine	33	0.002	0.002 - 0.003	-	-		-	-	
Maryland	73	0.001	0.001 - 0.002	45	0.002	0.001 - 0.002	28	0.001	0.001 - 0.001
Michigan	151	0.002	0.001 - 0.002	98	0.002	0.002 - 0.002	53	0.001	0.001 - 0.001
MI - Detroit	53	0.001	0.001 - 0.002	35	0.002	0.001 - 0.003	18	0.001	0.001 - 0.001
Minnesota	109	0.002	0.002 - 0.002	76	0.003	0.002 - 0.003	33	0.001	0.001 - 0.002
Mississippi	33	0.001	0.001 - 0.002	23	0.002	0.001 - 0.002	10	0.001	0.000 - 0.001
Missouri	66	0.001	0.001 - 0.001	43	0.001	0.001 - 0.002	23	0.001	0.000 - 0.001
Montana	20	0.002	0.001 - 0.003	-	-		-	-	
Nebraska	21	0.001	0.001 - 0.002	-	-		-	-	
New Hampshire	26	0.002	0.001 - 0.003	-	-		-	-	
New Jersey	169	0.002	0.002 - 0.002	112	0.003	0.002 - 0.003	57	0.001	0.001 - 0.002
New Mexico	22	0.001	0.001 - 0.002	-	-		-	-	
New York	301	0.002	0.001 - 0.002	199	0.002	0.002 - 0.002	102	0.001	0.001 - 0.001
North Carolina	110	0.001	0.001 - 0.001	80	0.002	0.001 - 0.002	30	0.001	0.000 - 0.001
North Dakota	10	0.001	0.001 - 0.002	-	-		-	-	
Ohio	175	0.002	0.001 - 0.002	128	0.002	0.002 - 0.003	47	0.001	0.001 - 0.001
Oklahoma	35	0.001	0.001 - 0.001	-	-		-	-	
Oregon	52	0.001	0.001 - 0.002	38	0.002	0.001 - 0.003	14	0.001	0.000 - 0.001
Pennsylvania	240	0.002	0.002 - 0.002	161	0.003	0.002 - 0.003	79	0.001	0.001 - 0.002
Rhode Island	19	0.002	0.001 - 0.003	-	-		-	-	
South Carolina	71	0.001	0.001 - 0.002	49	0.002	0.002 - 0.003	22	0.001	0.001 - 0.001
Tennessee	53	0.001	0.001 - 0.001	37	0.001	0.001 - 0.002	16	0.000	0.000 - 0.001
Texas	269	0.001	0.001 - 0.001	177	0.001	0.001 - 0.001	92	0.001	0.001 - 0.001
Utah	27	0.001	0.001 - 0.001	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	91	0.001	0.001 - 0.001	70	0.002	0.001 - 0.002	21	0.000	0.000 - 0.001
Washington	119	0.002	0.001 - 0.002	87	0.002	0.002 - 0.003	32	0.001	0.001 - 0.001
WA - Seattle	90	0.002	0.001 - 0.002	66	0.003	0.002 - 0.003	24	0.001	0.001 - 0.001
West Virginia	27	0.001	0.001 - 0.002	-	-		-	-	
Wisconsin	110	0.002	0.002 - 0.002	81	0.003	0.002 - 0.004	29	0.001	0.001 - 0.001
Wyoming	16	0.003	0.002 - 0.004	-	-		-	-	
NAACCR CDN Combined[1]	**269**	**0.002**	**0.002 - 0.002**	**198**	**0.003**	**0.002 - 0.003**	**71**	**0.001**	**0.001 - 0.001**
Alberta	68	0.002	0.001 - 0.002	51	0.002	0.002 - 0.003	17	0.001	0.000 - 0.001
British Columbia	99	0.002	0.002 - 0.003	75	0.003	0.003 - 0.004	24	0.001	0.001 - 0.002
Manitoba	34	0.003	0.002 - 0.004	24	0.004	0.002 - 0.005	10	0.002	0.001 - 0.003
New Brunswick	19	0.003	0.002 - 0.004	-	-		-	-	
Newfoundland and Labrador	-	-		-	-		-	-	
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	20	0.002	0.001 - 0.003	-	-		-	-	
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	17	0.001	0.001 - 0.002	-	-		-	-	
NAACCR N.A. Combined[1]	**4,297**	**0.001**	**0.001 - 0.001**	**2,975**	**0.002**	**0.002 - 0.002**	**1,321**	**0.001**	**0.001 - 0.001**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**3,650,523**	**1.963**	**1.961 - 1.965**	**1,785,041**	**1.947**	**1.944 - 1.950**	**1,865,482**	**1.979**	**1.976 - 1.981**
Alabama	58,961	1.819	1.805 - 1.834	29,705	1.874	1.853 - 1.896	29,256	1.767	1.747 - 1.787
Alaska	6,864	1.434	1.400 - 1.469	3,454	1.361	1.316 - 1.407	3,410	1.517	1.466 - 1.569
Arizona	71,346	1.842	1.828 - 1.855	34,435	1.799	1.780 - 1.818	36,911	1.884	1.865 - 1.903
Arkansas	40,491	1.833	1.815 - 1.851	20,747	1.912	1.886 - 1.938	19,744	1.757	1.732 - 1.781
California	320,083	2.084	2.076 - 2.091	157,268	2.050	2.040 - 2.060	162,816	2.117	2.106 - 2.127
CA - Greater California	198,819	2.068	2.058 - 2.077	97,510	2.041	2.028 - 2.054	101,309	2.094	2.081 - 2.106
CA - Greater Bay Area	63,828	2.164	2.147 - 2.181	31,929	2.145	2.122 - 2.169	31,899	2.183	2.159 - 2.207
CA - Los Angeles	57,635	2.061	2.044 - 2.078	27,920	1.987	1.964 - 2.010	29,716	2.135	2.111 - 2.160
Colorado	61,301	1.600	1.588 - 1.613	29,424	1.533	1.516 - 1.551	31,877	1.668	1.649 - 1.686
Connecticut	55,871	2.260	2.241 - 2.278	26,650	2.213	2.186 - 2.239	29,221	2.304	2.278 - 2.331
Delaware	14,348	2.365	2.327 - 2.404	7,222	2.459	2.403 - 2.517	7,126	2.277	2.225 - 2.331
Florida	259,660	2.279	2.270 - 2.288	131,501	2.353	2.341 - 2.366	128,159	2.208	2.196 - 2.220
Georgia	103,333	1.853	1.841 - 1.864	51,448	1.875	1.859 - 1.891	51,885	1.831	1.815 - 1.847
Hawaii	6,899	2.226	2.174 - 2.279	3,754	2.234	2.163 - 2.307	3,145	2.217	2.140 - 2.296
Idaho	23,249	1.668	1.647 - 1.690	11,502	1.654	1.624 - 1.685	11,747	1.682	1.652 - 1.713
Illinois	163,690	2.035	2.026 - 2.045	78,577	1.989	1.975 - 2.003	85,113	2.081	2.067 - 2.095
Iowa	52,255	1.918	1.902 - 1.935	25,702	1.911	1.887 - 1.934	26,553	1.925	1.902 - 1.949
Kentucky	72,447	1.901	1.887 - 1.914	34,888	1.866	1.847 - 1.886	37,559	1.933	1.914 - 1.953
Louisiana	53,017	1.898	1.882 - 1.914	27,592	2.004	1.981 - 2.028	25,426	1.794	1.772 - 1.816
Maine	26,147	2.079	2.053 - 2.104	12,415	2.018	1.983 - 2.054	13,732	2.137	2.101 - 2.173
Maryland	65,986	2.082	2.066 - 2.098	31,920	2.056	2.034 - 2.079	34,066	2.106	2.084 - 2.129
Michigan	143,303	1.887	1.877 - 1.897	70,070	1.868	1.854 - 1.881	73,233	1.906	1.892 - 1.920
MI - Detroit	52,678	2.097	2.079 - 2.115	25,893	2.095	2.069 - 2.120	26,786	2.100	2.074 - 2.125
Minnesota	86,989	1.933	1.920 - 1.946	42,733	1.915	1.897 - 1.933	44,256	1.951	1.932 - 1.969
Mississippi	32,274	1.880	1.860 - 1.901	16,562	1.965	1.935 - 1.995	15,712	1.799	1.771 - 1.827
Missouri	87,643	1.782	1.770 - 1.794	42,088	1.740	1.723 - 1.756	45,555	1.823	1.806 - 1.840
Montana	17,125	1.884	1.856 - 1.912	8,780	1.918	1.878 - 1.958	8,345	1.849	1.810 - 1.889
Nebraska	27,815	1.816	1.795 - 1.837	13,693	1.806	1.776 - 1.836	14,122	1.826	1.796 - 1.856
New Hampshire	25,866	2.112	2.086 - 2.138	12,505	2.067	2.031 - 2.103	13,361	2.156	2.119 - 2.193
New Jersey	120,547	2.370	2.357 - 2.384	58,082	2.343	2.324 - 2.362	62,465	2.397	2.378 - 2.416
New Mexico	16,312	2.018	1.987 - 2.050	7,899	1.975	1.932 - 2.019	8,413	2.061	2.017 - 2.105
New York	256,101	2.280	2.271 - 2.289	123,898	2.255	2.242 - 2.267	132,203	2.304	2.291 - 2.316
North Carolina	128,461	1.971	1.960 - 1.982	62,846	1.973	1.957 - 1.988	65,615	1.969	1.954 - 1.984
North Dakota	11,481	1.761	1.729 - 1.793	5,937	1.781	1.736 - 1.827	5,544	1.740	1.694 - 1.786
Ohio	171,538	1.835	1.826 - 1.843	81,148	1.769	1.757 - 1.781	90,390	1.898	1.886 - 1.910
Oklahoma	45,807	1.689	1.673 - 1.704	22,628	1.696	1.674 - 1.718	23,179	1.682	1.660 - 1.704
Oregon	60,051	1.894	1.879 - 1.909	28,882	1.850	1.829 - 1.871	31,169	1.936	1.915 - 1.958
Pennsylvania	212,660	2.132	2.123 - 2.141	101,175	2.074	2.061 - 2.086	111,485	2.189	2.176 - 2.202
Rhode Island	17,469	2.221	2.188 - 2.254	7,880	2.078	2.032 - 2.124	9,589	2.353	2.306 - 2.401
South Carolina	60,766	1.908	1.893 - 1.924	30,130	1.935	1.913 - 1.957	30,636	1.883	1.862 - 1.904
Tennessee	92,727	1.862	1.850 - 1.874	46,013	1.891	1.874 - 1.909	46,714	1.834	1.817 - 1.851
Texas	212,111	1.759	1.751 - 1.766	105,313	1.763	1.752 - 1.773	106,798	1.755	1.744 - 1.765
Utah	31,448	1.301	1.287 - 1.315	16,069	1.326	1.305 - 1.346	15,379	1.276	1.256 - 1.296
Vermont	11,723	1.990	1.955 - 2.027	5,589	1.924	1.874 - 1.975	6,134	2.055	2.004 - 2.107
Virginia	90,694	1.694	1.683 - 1.705	42,683	1.613	1.598 - 1.629	48,011	1.773	1.758 - 1.789
Washington	98,638	1.907	1.895 - 1.919	47,840	1.856	1.840 - 1.873	50,798	1.957	1.940 - 1.975
WA - Seattle	69,805	1.997	1.982 - 2.012	34,228	1.961	1.940 - 1.982	35,577	2.033	2.012 - 2.055
West Virginia	33,561	1.959	1.938 - 1.980	16,141	1.914	1.885 - 1.944	17,420	2.002	1.972 - 2.032
Wisconsin	93,353	1.961	1.948 - 1.973	46,000	1.946	1.929 - 1.964	47,353	1.975	1.957 - 1.993
Wyoming	8,111	1.624	1.589 - 1.660	4,254	1.675	1.625 - 1.726	3,857	1.572	1.523 - 1.622

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**112,121**	**0.060**	**0.060 - 0.061**	**80,769**	**0.088**	**0.087 - 0.089**	**31,353**	**0.033**	**0.033 - 0.034**
Alabama	2,063	0.064	0.061 - 0.066	1,473	0.093	0.088 - 0.098	590	0.036	0.033 - 0.039
Alaska	227	0.047	0.041 - 0.054	183	0.072	0.062 - 0.083	44	0.020	0.014 - 0.026
Arizona	2,118	0.055	0.052 - 0.057	1,578	0.082	0.078 - 0.087	540	0.028	0.025 - 0.030
Arkansas	1,391	0.063	0.060 - 0.066	1,028	0.095	0.089 - 0.101	363	0.032	0.029 - 0.036
California	10,150	0.066	0.065 - 0.067	7,488	0.098	0.095 - 0.100	2,661	0.035	0.033 - 0.036
CA - Greater California	6,543	0.068	0.066 - 0.070	4,859	0.102	0.099 - 0.105	1,684	0.035	0.033 - 0.036
CA - Greater Bay Area	1,925	0.065	0.062 - 0.068	1,400	0.094	0.089 - 0.099	525	0.036	0.033 - 0.039
CA - Los Angeles	1,688	0.060	0.057 - 0.063	1,234	0.088	0.083 - 0.093	453	0.033	0.030 - 0.036
Colorado	1,937	0.051	0.048 - 0.053	1,388	0.072	0.069 - 0.076	549	0.029	0.026 - 0.031
Connecticut	1,595	0.065	0.061 - 0.068	1,080	0.090	0.084 - 0.095	515	0.041	0.037 - 0.044
Delaware	430	0.071	0.064 - 0.078	316	0.108	0.096 - 0.120	114	0.036	0.030 - 0.044
Florida	9,012	0.079	0.077 - 0.081	6,676	0.119	0.117 - 0.122	2,336	0.040	0.039 - 0.042
Georgia	3,469	0.062	0.060 - 0.064	2,514	0.092	0.088 - 0.095	955	0.034	0.032 - 0.036
Hawaii	304	0.098	0.087 - 0.110	247	0.147	0.129 - 0.166	57	0.040	0.031 - 0.052
Idaho	722	0.052	0.048 - 0.056	503	0.072	0.066 - 0.079	219	0.031	0.027 - 0.036
Illinois	4,941	0.061	0.060 - 0.063	3,524	0.089	0.086 - 0.092	1,417	0.035	0.033 - 0.036
Iowa	1,684	0.062	0.059 - 0.065	1,209	0.090	0.085 - 0.095	475	0.034	0.031 - 0.038
Kentucky	2,331	0.061	0.059 - 0.064	1,685	0.090	0.086 - 0.095	646	0.033	0.031 - 0.036
Louisiana	1,755	0.063	0.060 - 0.066	1,304	0.095	0.090 - 0.100	451	0.032	0.029 - 0.035
Maine	823	0.065	0.061 - 0.070	595	0.097	0.089 - 0.105	228	0.035	0.031 - 0.040
Maryland	1,970	0.062	0.059 - 0.065	1,416	0.091	0.087 - 0.096	554	0.034	0.031 - 0.037
Michigan	4,062	0.053	0.052 - 0.055	2,886	0.077	0.074 - 0.080	1,176	0.031	0.029 - 0.032
MI - Detroit	1,472	0.059	0.056 - 0.062	1,055	0.085	0.080 - 0.091	417	0.033	0.030 - 0.036
Minnesota	2,520	0.056	0.054 - 0.058	1,720	0.077	0.073 - 0.081	800	0.035	0.033 - 0.038
Mississippi	1,043	0.061	0.057 - 0.065	747	0.089	0.082 - 0.095	296	0.034	0.030 - 0.038
Missouri	2,777	0.056	0.054 - 0.059	2,024	0.084	0.080 - 0.087	753	0.030	0.028 - 0.032
Montana	485	0.053	0.049 - 0.058	338	0.074	0.066 - 0.082	146	0.032	0.027 - 0.038
Nebraska	811	0.053	0.049 - 0.057	564	0.074	0.068 - 0.081	247	0.032	0.028 - 0.036
New Hampshire	713	0.058	0.054 - 0.063	509	0.084	0.077 - 0.092	204	0.033	0.029 - 0.038
New Jersey	2,942	0.058	0.056 - 0.060	2,027	0.082	0.078 - 0.085	915	0.035	0.033 - 0.037
New Mexico	507	0.063	0.057 - 0.068	393	0.098	0.089 - 0.109	114	0.028	0.023 - 0.033
New York	6,361	0.057	0.055 - 0.058	4,452	0.081	0.079 - 0.083	1,909	0.033	0.032 - 0.035
North Carolina	4,048	0.062	0.060 - 0.064	2,900	0.091	0.088 - 0.094	1,148	0.034	0.032 - 0.037
North Dakota	335	0.051	0.046 - 0.057	238	0.071	0.063 - 0.081	97	0.030	0.025 - 0.037
Ohio	5,197	0.056	0.054 - 0.057	3,669	0.080	0.077 - 0.083	1,528	0.032	0.030 - 0.034
Oklahoma	1,593	0.059	0.056 - 0.062	1,144	0.086	0.081 - 0.091	449	0.033	0.030 - 0.036
Oregon	1,932	0.061	0.058 - 0.064	1,381	0.088	0.084 - 0.093	551	0.034	0.031 - 0.037
Pennsylvania	5,880	0.059	0.057 - 0.060	4,093	0.084	0.081 - 0.086	1,787	0.035	0.033 - 0.037
Rhode Island	448	0.057	0.052 - 0.062	304	0.080	0.071 - 0.090	144	0.035	0.030 - 0.042
South Carolina	1,958	0.061	0.059 - 0.064	1,426	0.092	0.087 - 0.096	532	0.033	0.030 - 0.036
Tennessee	2,983	0.060	0.058 - 0.062	2,193	0.090	0.086 - 0.094	790	0.031	0.029 - 0.033
Texas	7,514	0.062	0.061 - 0.064	5,619	0.094	0.092 - 0.097	1,895	0.031	0.030 - 0.033
Utah	788	0.033	0.030 - 0.035	559	0.046	0.042 - 0.050	229	0.019	0.017 - 0.022
Vermont	340	0.058	0.052 - 0.064	247	0.085	0.075 - 0.096	93	0.031	0.025 - 0.038
Virginia	2,841	0.053	0.051 - 0.055	2,064	0.078	0.075 - 0.081	777	0.029	0.027 - 0.031
Washington	3,034	0.059	0.057 - 0.061	2,142	0.083	0.080 - 0.087	892	0.034	0.032 - 0.037
WA - Seattle	2,140	0.061	0.059 - 0.064	1,502	0.086	0.082 - 0.091	637	0.036	0.034 - 0.039
West Virginia	1,042	0.061	0.057 - 0.065	765	0.091	0.084 - 0.097	277	0.032	0.028 - 0.036
Wisconsin	2,828	0.059	0.057 - 0.062	1,996	0.084	0.081 - 0.088	832	0.035	0.032 - 0.037
Wyoming	218	0.044	0.038 - 0.050	160	0.063	0.054 - 0.074	58	0.024	0.018 - 0.030

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**22,396**	**0.012**	**0.012 - 0.012**	**17,906**	**0.020**	**0.019 - 0.020**	**4,490**	**0.005**	**0.005 - 0.005**
Alabama	297	0.009	0.008 - 0.010	246	0.016	0.014 - 0.018	51	0.003	0.002 - 0.004
Alaska	56	0.012	0.009 - 0.015	43	0.017	0.012 - 0.023	13	0.006	0.003 - 0.010
Arizona	472	0.012	0.011 - 0.013	375	0.020	0.018 - 0.022	97	0.005	0.004 - 0.006
Arkansas	214	0.010	0.008 - 0.011	179	0.016	0.014 - 0.019	35	0.003	0.002 - 0.004
California	1,737	0.011	0.011 - 0.012	1,334	0.017	0.016 - 0.018	403	0.005	0.005 - 0.006
CA - Greater California	1,120	0.012	0.011 - 0.012	871	0.018	0.017 - 0.019	250	0.005	0.005 - 0.006
CA - Greater Bay Area	354	0.012	0.011 - 0.013	264	0.018	0.016 - 0.020	90	0.006	0.005 - 0.008
CA - Los Angeles	265	0.009	0.008 - 0.011	200	0.014	0.012 - 0.016	64	0.005	0.004 - 0.006
Colorado	370	0.010	0.009 - 0.011	313	0.016	0.015 - 0.018	57	0.003	0.002 - 0.004
Connecticut	393	0.016	0.014 - 0.018	316	0.026	0.023 - 0.029	77	0.006	0.005 - 0.008
Delaware	109	0.018	0.015 - 0.022	92	0.031	0.025 - 0.038	17	0.005	0.003 - 0.009
Florida	1,794	0.016	0.015 - 0.016	1,418	0.025	0.024 - 0.027	376	0.006	0.006 - 0.007
Georgia	558	0.010	0.009 - 0.011	455	0.017	0.015 - 0.018	104	0.004	0.003 - 0.004
Hawaii	31	0.010	0.007 - 0.014	-	-		-	-	
Idaho	123	0.009	0.007 - 0.011	104	0.015	0.012 - 0.018	19	0.003	0.002 - 0.004
Illinois	1,106	0.014	0.013 - 0.015	909	0.023	0.022 - 0.025	197	0.005	0.004 - 0.006
Iowa	382	0.014	0.013 - 0.016	323	0.024	0.021 - 0.027	59	0.004	0.003 - 0.006
Kentucky	387	0.010	0.009 - 0.011	315	0.017	0.015 - 0.019	72	0.004	0.003 - 0.005
Louisiana	297	0.011	0.009 - 0.012	232	0.017	0.015 - 0.019	65	0.005	0.004 - 0.006
Maine	233	0.019	0.016 - 0.021	186	0.030	0.026 - 0.035	47	0.007	0.005 - 0.010
Maryland	411	0.013	0.012 - 0.014	327	0.021	0.019 - 0.023	84	0.005	0.004 - 0.006
Michigan	1,080	0.014	0.013 - 0.015	852	0.023	0.021 - 0.024	228	0.006	0.005 - 0.007
MI - Detroit	334	0.013	0.012 - 0.015	256	0.021	0.018 - 0.023	78	0.006	0.005 - 0.008
Minnesota	535	0.012	0.011 - 0.013	434	0.019	0.018 - 0.021	101	0.004	0.004 - 0.005
Mississippi	180	0.010	0.009 - 0.012	141	0.017	0.014 - 0.020	39	0.004	0.003 - 0.006
Missouri	523	0.011	0.010 - 0.012	421	0.017	0.016 - 0.019	102	0.004	0.003 - 0.005
Montana	113	0.012	0.010 - 0.015	95	0.021	0.017 - 0.025	18	0.004	0.002 - 0.006
Nebraska	154	0.010	0.009 - 0.012	118	0.016	0.013 - 0.019	36	0.005	0.003 - 0.006
New Hampshire	220	0.018	0.016 - 0.020	178	0.029	0.025 - 0.034	42	0.007	0.005 - 0.009
New Jersey	728	0.014	0.013 - 0.015	566	0.023	0.021 - 0.025	162	0.006	0.005 - 0.007
New Mexico	96	0.012	0.010 - 0.014	82	0.021	0.016 - 0.026	13	0.003	0.002 - 0.006
New York	1,473	0.013	0.012 - 0.014	1,142	0.021	0.020 - 0.022	331	0.006	0.005 - 0.006
North Carolina	651	0.010	0.009 - 0.011	531	0.017	0.015 - 0.018	120	0.004	0.003 - 0.004
North Dakota	64	0.010	0.008 - 0.013	48	0.014	0.011 - 0.019	16	0.005	0.003 - 0.008
Ohio	1,087	0.012	0.011 - 0.012	887	0.019	0.018 - 0.021	200	0.004	0.004 - 0.005
Oklahoma	271	0.010	0.009 - 0.011	217	0.016	0.014 - 0.019	54	0.004	0.003 - 0.005
Oregon	380	0.012	0.011 - 0.013	297	0.019	0.017 - 0.021	83	0.005	0.004 - 0.006
Pennsylvania	1,286	0.013	0.012 - 0.014	1,032	0.021	0.020 - 0.022	254	0.005	0.004 - 0.006
Rhode Island	102	0.013	0.011 - 0.016	76	0.020	0.016 - 0.025	26	0.006	0.004 - 0.009
South Carolina	378	0.012	0.011 - 0.013	300	0.019	0.017 - 0.022	78	0.005	0.004 - 0.006
Tennessee	543	0.011	0.010 - 0.012	453	0.019	0.017 - 0.020	90	0.004	0.003 - 0.004
Texas	1,296	0.011	0.010 - 0.011	1,035	0.017	0.016 - 0.018	261	0.004	0.004 - 0.005
Utah	121	0.005	0.004 - 0.006	103	0.008	0.007 - 0.010	18	0.001	0.001 - 0.002
Vermont	101	0.017	0.014 - 0.021	86	0.030	0.024 - 0.037	15	0.005	0.003 - 0.008
Virginia	532	0.010	0.009 - 0.011	421	0.016	0.014 - 0.018	111	0.004	0.003 - 0.005
Washington	639	0.012	0.011 - 0.013	492	0.019	0.017 - 0.021	147	0.006	0.005 - 0.007
WA - Seattle	420	0.012	0.011 - 0.013	313	0.018	0.016 - 0.020	107	0.006	0.005 - 0.007
West Virginia	227	0.013	0.012 - 0.015	188	0.022	0.019 - 0.026	39	0.004	0.003 - 0.006
Wisconsin	601	0.013	0.012 - 0.014	481	0.020	0.019 - 0.022	120	0.005	0.004 - 0.006
Wyoming	44	0.009	0.006 - 0.012	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**28,701**	**0.015**	**0.015 - 0.016**	**17,880**	**0.020**	**0.019 - 0.020**	**10,821**	**0.011**	**0.011 - 0.012**
Alabama	468	0.014	0.013 - 0.016	262	0.017	0.015 - 0.019	206	0.012	0.011 - 0.014
Alaska	58	0.012	0.009 - 0.016	39	0.015	0.011 - 0.021	19	0.008	0.005 - 0.013
Arizona	481	0.012	0.011 - 0.014	321	0.017	0.015 - 0.019	160	0.008	0.007 - 0.010
Arkansas	326	0.015	0.013 - 0.016	210	0.019	0.017 - 0.022	116	0.010	0.009 - 0.012
California	2,489	0.016	0.016 - 0.017	1,597	0.021	0.020 - 0.022	892	0.012	0.011 - 0.012
CA - Greater California	1,456	0.015	0.014 - 0.016	935	0.020	0.018 - 0.021	520	0.011	0.010 - 0.012
CA - Greater Bay Area	455	0.015	0.014 - 0.017	291	0.020	0.017 - 0.022	164	0.011	0.010 - 0.013
CA - Los Angeles	580	0.021	0.019 - 0.022	371	0.026	0.024 - 0.029	209	0.015	0.013 - 0.017
Colorado	425	0.011	0.010 - 0.012	270	0.014	0.012 - 0.016	155	0.008	0.007 - 0.009
Connecticut	576	0.023	0.021 - 0.025	362	0.030	0.027 - 0.033	214	0.017	0.015 - 0.019
Delaware	123	0.020	0.017 - 0.024	88	0.030	0.024 - 0.037	35	0.011	0.008 - 0.016
Florida	1,884	0.017	0.016 - 0.017	1,193	0.021	0.020 - 0.023	691	0.012	0.011 - 0.013
Georgia	724	0.013	0.012 - 0.014	432	0.016	0.014 - 0.017	291	0.010	0.009 - 0.012
Hawaii	37	0.012	0.008 - 0.017	25	0.015	0.010 - 0.022	12	0.008	0.004 - 0.015
Idaho	168	0.012	0.010 - 0.014	105	0.015	0.012 - 0.018	63	0.009	0.007 - 0.012
Illinois	1,364	0.017	0.016 - 0.018	865	0.022	0.020 - 0.023	499	0.012	0.011 - 0.013
Iowa	318	0.012	0.010 - 0.013	205	0.015	0.013 - 0.017	113	0.008	0.007 - 0.010
Kentucky	590	0.015	0.014 - 0.017	332	0.018	0.016 - 0.020	258	0.013	0.012 - 0.015
Louisiana	400	0.014	0.013 - 0.016	258	0.019	0.017 - 0.021	142	0.010	0.008 - 0.012
Maine	218	0.017	0.015 - 0.020	122	0.020	0.016 - 0.024	96	0.015	0.012 - 0.018
Maryland	535	0.017	0.015 - 0.018	317	0.020	0.018 - 0.023	218	0.013	0.012 - 0.015
Michigan	1,214	0.016	0.015 - 0.017	797	0.021	0.020 - 0.023	417	0.011	0.010 - 0.012
MI - Detroit	432	0.017	0.016 - 0.019	279	0.023	0.020 - 0.025	153	0.012	0.010 - 0.014
Minnesota	631	0.014	0.013 - 0.015	385	0.017	0.016 - 0.019	246	0.011	0.010 - 0.012
Mississippi	216	0.013	0.011 - 0.014	120	0.014	0.012 - 0.017	96	0.011	0.009 - 0.013
Missouri	569	0.012	0.011 - 0.013	361	0.015	0.013 - 0.017	208	0.008	0.007 - 0.010
Montana	101	0.011	0.009 - 0.013	60	0.013	0.010 - 0.017	41	0.009	0.007 - 0.012
Nebraska	191	0.012	0.011 - 0.014	137	0.018	0.015 - 0.021	54	0.007	0.005 - 0.009
New Hampshire	197	0.016	0.014 - 0.018	112	0.019	0.015 - 0.022	85	0.014	0.011 - 0.017
New Jersey	1,056	0.021	0.020 - 0.022	630	0.025	0.023 - 0.027	426	0.016	0.015 - 0.018
New Mexico	124	0.015	0.013 - 0.018	71	0.018	0.014 - 0.022	53	0.013	0.010 - 0.017
New York	2,459	0.022	0.021 - 0.023	1,511	0.027	0.026 - 0.029	948	0.017	0.015 - 0.018
North Carolina	1,010	0.015	0.015 - 0.016	600	0.019	0.017 - 0.020	410	0.012	0.011 - 0.014
North Dakota	91	0.014	0.011 - 0.017	56	0.017	0.013 - 0.022	35	0.011	0.008 - 0.015
Ohio	1,428	0.015	0.014 - 0.016	879	0.019	0.018 - 0.020	549	0.012	0.011 - 0.013
Oklahoma	311	0.011	0.010 - 0.013	190	0.014	0.012 - 0.016	121	0.009	0.007 - 0.010
Oregon	447	0.014	0.013 - 0.015	297	0.019	0.017 - 0.021	150	0.009	0.008 - 0.011
Pennsylvania	1,720	0.017	0.016 - 0.018	1,099	0.023	0.021 - 0.024	621	0.012	0.011 - 0.013
Rhode Island	174	0.022	0.019 - 0.026	95	0.025	0.020 - 0.031	79	0.019	0.015 - 0.024
South Carolina	466	0.015	0.013 - 0.016	287	0.018	0.016 - 0.021	179	0.011	0.009 - 0.013
Tennessee	704	0.014	0.013 - 0.015	411	0.017	0.015 - 0.019	293	0.012	0.010 - 0.013
Texas	1,652	0.014	0.013 - 0.014	1,012	0.017	0.016 - 0.018	640	0.011	0.010 - 0.011
Utah	171	0.007	0.006 - 0.008	90	0.007	0.006 - 0.009	81	0.007	0.005 - 0.008
Vermont	66	0.011	0.009 - 0.014	41	0.014	0.010 - 0.019	25	0.008	0.005 - 0.012
Virginia	734	0.014	0.013 - 0.015	472	0.018	0.016 - 0.020	262	0.010	0.009 - 0.011
Washington	670	0.013	0.012 - 0.014	442	0.017	0.016 - 0.019	228	0.009	0.008 - 0.010
WA - Seattle	483	0.014	0.013 - 0.015	321	0.018	0.016 - 0.021	162	0.009	0.008 - 0.011
West Virginia	275	0.016	0.014 - 0.018	160	0.019	0.016 - 0.022	115	0.013	0.011 - 0.016
Wisconsin	783	0.016	0.015 - 0.018	518	0.022	0.020 - 0.024	265	0.011	0.010 - 0.012
Wyoming	57	0.011	0.009 - 0.015	43	0.017	0.012 - 0.023	14	0.006	0.003 - 0.009

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**316,532**	**0.170**	**0.170 - 0.171**	**166,100**	**0.181**	**0.180 - 0.182**	**150,432**	**0.160**	**0.159 - 0.160**
Alabama	5,815	0.179	0.175 - 0.184	3,107	0.196	0.189 - 0.203	2,708	0.164	0.157 - 0.170
Alaska	610	0.127	0.118 - 0.138	344	0.136	0.122 - 0.151	266	0.118	0.105 - 0.133
Arizona	6,271	0.162	0.158 - 0.166	3,310	0.173	0.167 - 0.179	2,961	0.151	0.146 - 0.157
Arkansas	4,031	0.182	0.177 - 0.188	2,155	0.199	0.190 - 0.207	1,876	0.167	0.159 - 0.175
California	26,552	0.173	0.171 - 0.175	13,906	0.181	0.178 - 0.184	12,646	0.164	0.162 - 0.167
CA - Greater California	16,691	0.174	0.171 - 0.176	8,784	0.184	0.180 - 0.188	7,906	0.163	0.160 - 0.167
CA - Greater Bay Area	4,955	0.168	0.163 - 0.173	2,563	0.172	0.166 - 0.179	2,392	0.164	0.157 - 0.170
CA - Los Angeles	4,907	0.175	0.171 - 0.180	2,561	0.182	0.175 - 0.189	2,346	0.169	0.162 - 0.176
Colorado	4,771	0.125	0.121 - 0.128	2,452	0.128	0.123 - 0.133	2,319	0.121	0.116 - 0.126
Connecticut	4,438	0.180	0.174 - 0.185	2,278	0.189	0.181 - 0.197	2,160	0.170	0.163 - 0.178
Delaware	1,068	0.176	0.166 - 0.187	570	0.194	0.178 - 0.211	498	0.159	0.145 - 0.174
Florida	21,529	0.189	0.186 - 0.192	11,369	0.203	0.200 - 0.207	10,160	0.175	0.172 - 0.178
Georgia	9,171	0.164	0.161 - 0.168	4,969	0.181	0.176 - 0.186	4,202	0.148	0.144 - 0.153
Hawaii	600	0.194	0.178 - 0.210	351	0.209	0.188 - 0.232	249	0.176	0.154 - 0.199
Idaho	1,961	0.141	0.135 - 0.147	990	0.142	0.134 - 0.152	971	0.139	0.130 - 0.148
Illinois	15,403	0.192	0.189 - 0.195	8,142	0.206	0.202 - 0.211	7,261	0.177	0.173 - 0.182
Iowa	5,214	0.191	0.186 - 0.197	2,724	0.202	0.195 - 0.210	2,491	0.181	0.174 - 0.188
Kentucky	7,540	0.198	0.193 - 0.202	4,021	0.215	0.209 - 0.222	3,519	0.181	0.175 - 0.187
Louisiana	5,054	0.181	0.176 - 0.186	2,751	0.200	0.192 - 0.207	2,302	0.162	0.156 - 0.169
Maine	2,195	0.174	0.167 - 0.182	1,125	0.183	0.172 - 0.194	1,070	0.166	0.157 - 0.177
Maryland	5,115	0.161	0.157 - 0.166	2,608	0.168	0.162 - 0.175	2,507	0.155	0.149 - 0.161
Michigan	11,905	0.157	0.154 - 0.160	6,117	0.163	0.159 - 0.167	5,788	0.151	0.147 - 0.155
MI - Detroit	4,280	0.170	0.165 - 0.176	2,171	0.176	0.168 - 0.183	2,109	0.165	0.158 - 0.173
Minnesota	7,230	0.161	0.157 - 0.164	3,783	0.170	0.164 - 0.175	3,447	0.152	0.147 - 0.157
Mississippi	3,271	0.191	0.184 - 0.197	1,766	0.209	0.200 - 0.219	1,505	0.172	0.164 - 0.181
Missouri	8,396	0.171	0.167 - 0.174	4,459	0.184	0.179 - 0.190	3,937	0.158	0.153 - 0.163
Montana	1,473	0.162	0.154 - 0.170	814	0.178	0.166 - 0.190	659	0.146	0.135 - 0.158
Nebraska	2,816	0.184	0.177 - 0.191	1,472	0.194	0.184 - 0.204	1,344	0.174	0.165 - 0.183
New Hampshire	2,048	0.167	0.160 - 0.175	1,079	0.178	0.168 - 0.189	969	0.156	0.147 - 0.166
New Jersey	10,247	0.201	0.198 - 0.205	5,173	0.209	0.203 - 0.214	5,074	0.195	0.189 - 0.200
New Mexico	1,238	0.153	0.145 - 0.162	657	0.164	0.152 - 0.177	581	0.142	0.131 - 0.154
New York	20,222	0.180	0.178 - 0.183	10,268	0.187	0.183 - 0.191	9,954	0.173	0.170 - 0.177
North Carolina	10,277	0.158	0.155 - 0.161	5,339	0.168	0.163 - 0.172	4,938	0.148	0.144 - 0.152
North Dakota	1,181	0.181	0.171 - 0.192	645	0.194	0.179 - 0.209	536	0.168	0.154 - 0.183
Ohio	16,051	0.172	0.169 - 0.174	8,333	0.182	0.178 - 0.186	7,718	0.162	0.158 - 0.166
Oklahoma	4,510	0.166	0.161 - 0.171	2,361	0.177	0.170 - 0.184	2,149	0.156	0.149 - 0.163
Oregon	4,887	0.154	0.150 - 0.159	2,601	0.167	0.160 - 0.173	2,286	0.142	0.136 - 0.148
Pennsylvania	19,207	0.193	0.190 - 0.195	10,082	0.207	0.203 - 0.211	9,125	0.179	0.175 - 0.183
Rhode Island	1,304	0.166	0.157 - 0.175	634	0.167	0.154 - 0.181	670	0.164	0.152 - 0.177
South Carolina	5,066	0.159	0.155 - 0.164	2,655	0.171	0.164 - 0.177	2,411	0.148	0.142 - 0.154
Tennessee	8,255	0.166	0.162 - 0.169	4,294	0.176	0.171 - 0.182	3,961	0.155	0.151 - 0.160
Texas	19,432	0.161	0.159 - 0.163	10,595	0.177	0.174 - 0.181	8,837	0.145	0.142 - 0.148
Utah	2,159	0.089	0.086 - 0.093	1,148	0.095	0.089 - 0.100	1,011	0.084	0.079 - 0.089
Vermont	911	0.155	0.145 - 0.165	464	0.160	0.146 - 0.175	447	0.150	0.136 - 0.164
Virginia	7,697	0.144	0.141 - 0.147	4,039	0.153	0.148 - 0.157	3,658	0.135	0.131 - 0.140
Washington	7,699	0.149	0.146 - 0.152	4,015	0.156	0.151 - 0.161	3,684	0.142	0.137 - 0.147
WA - Seattle	5,300	0.152	0.148 - 0.156	2,782	0.159	0.153 - 0.165	2,518	0.144	0.138 - 0.150
West Virginia	3,461	0.202	0.195 - 0.209	1,791	0.212	0.203 - 0.222	1,670	0.192	0.183 - 0.201
Wisconsin	7,610	0.160	0.156 - 0.163	3,984	0.169	0.163 - 0.174	3,626	0.151	0.146 - 0.156
Wyoming	642	0.129	0.119 - 0.139	359	0.141	0.127 - 0.157	283	0.115	0.102 - 0.130

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**27,894**	**0.015**	**0.015 - 0.015**	**19,902**	**0.022**	**0.021 - 0.022**	**7,993**	**0.008**	**0.008 - 0.009**
Alabama	367	0.011	0.010 - 0.013	259	0.016	0.014 - 0.018	108	0.007	0.005 - 0.008
Alaska	70	0.015	0.011 - 0.018	53	0.021	0.016 - 0.027	17	0.008	0.004 - 0.012
Arizona	569	0.015	0.014 - 0.016	404	0.021	0.019 - 0.023	165	0.008	0.007 - 0.010
Arkansas	306	0.014	0.012 - 0.015	211	0.019	0.017 - 0.022	95	0.008	0.007 - 0.010
California	2,751	0.018	0.017 - 0.019	1,996	0.026	0.025 - 0.027	755	0.010	0.009 - 0.011
CA - Greater California	1,705	0.018	0.017 - 0.019	1,230	0.026	0.024 - 0.027	475	0.010	0.009 - 0.011
CA - Greater Bay Area	589	0.020	0.018 - 0.022	447	0.030	0.027 - 0.033	143	0.010	0.008 - 0.012
CA - Los Angeles	458	0.016	0.015 - 0.018	318	0.023	0.020 - 0.025	139	0.010	0.008 - 0.012
Colorado	418	0.011	0.010 - 0.012	304	0.016	0.014 - 0.018	114	0.006	0.005 - 0.007
Connecticut	455	0.018	0.017 - 0.020	342	0.028	0.025 - 0.032	113	0.009	0.007 - 0.011
Delaware	127	0.021	0.017 - 0.025	88	0.030	0.024 - 0.037	39	0.012	0.009 - 0.017
Florida	2,147	0.019	0.018 - 0.020	1,511	0.027	0.026 - 0.028	636	0.011	0.010 - 0.012
Georgia	762	0.014	0.013 - 0.015	533	0.019	0.018 - 0.021	229	0.008	0.007 - 0.009
Hawaii	76	0.025	0.019 - 0.031	60	0.036	0.027 - 0.046	16	0.011	0.006 - 0.018
Idaho	164	0.012	0.010 - 0.014	122	0.018	0.015 - 0.021	42	0.006	0.004 - 0.008
Illinois	1,161	0.014	0.014 - 0.015	809	0.020	0.019 - 0.022	352	0.009	0.008 - 0.010
Iowa	314	0.012	0.010 - 0.013	214	0.016	0.014 - 0.018	100	0.007	0.006 - 0.009
Kentucky	555	0.015	0.013 - 0.016	378	0.020	0.018 - 0.022	177	0.009	0.008 - 0.011
Louisiana	430	0.015	0.014 - 0.017	330	0.024	0.021 - 0.027	101	0.007	0.006 - 0.009
Maine	134	0.011	0.009 - 0.013	100	0.016	0.013 - 0.020	34	0.005	0.004 - 0.007
Maryland	515	0.016	0.015 - 0.018	353	0.023	0.020 - 0.025	162	0.010	0.009 - 0.012
Michigan	1,036	0.014	0.013 - 0.014	723	0.019	0.018 - 0.021	313	0.008	0.007 - 0.009
MI - Detroit	396	0.016	0.014 - 0.017	292	0.024	0.021 - 0.026	105	0.008	0.007 - 0.010
Minnesota	567	0.013	0.012 - 0.014	378	0.017	0.015 - 0.019	189	0.008	0.007 - 0.010
Mississippi	288	0.017	0.015 - 0.019	210	0.025	0.022 - 0.029	78	0.009	0.007 - 0.011
Missouri	627	0.013	0.012 - 0.014	444	0.018	0.017 - 0.020	183	0.007	0.006 - 0.008
Montana	100	0.011	0.009 - 0.013	80	0.017	0.014 - 0.022	20	0.004	0.003 - 0.007
Nebraska	135	0.009	0.007 - 0.010	99	0.013	0.011 - 0.016	36	0.005	0.003 - 0.006
New Hampshire	170	0.014	0.012 - 0.016	133	0.022	0.018 - 0.026	37	0.006	0.004 - 0.008
New Jersey	859	0.017	0.016 - 0.018	630	0.025	0.023 - 0.027	229	0.009	0.008 - 0.010
New Mexico	128	0.016	0.013 - 0.019	94	0.023	0.019 - 0.029	35	0.008	0.006 - 0.012
New York	1,820	0.016	0.015 - 0.017	1,315	0.024	0.023 - 0.025	505	0.009	0.008 - 0.010
North Carolina	971	0.015	0.014 - 0.016	709	0.022	0.021 - 0.024	262	0.008	0.007 - 0.009
North Dakota	41	0.006	0.005 - 0.009	29	0.009	0.006 - 0.012	12	0.004	0.002 - 0.007
Ohio	1,066	0.011	0.011 - 0.012	719	0.016	0.015 - 0.017	347	0.007	0.007 - 0.008
Oklahoma	338	0.012	0.011 - 0.014	242	0.018	0.016 - 0.021	96	0.007	0.006 - 0.009
Oregon	608	0.019	0.018 - 0.021	449	0.029	0.026 - 0.032	159	0.010	0.008 - 0.012
Pennsylvania	1,575	0.016	0.015 - 0.017	1,151	0.024	0.022 - 0.025	424	0.008	0.008 - 0.009
Rhode Island	131	0.017	0.014 - 0.020	103	0.027	0.022 - 0.033	28	0.007	0.005 - 0.010
South Carolina	486	0.015	0.014 - 0.017	358	0.023	0.021 - 0.026	128	0.008	0.007 - 0.009
Tennessee	680	0.014	0.013 - 0.015	470	0.019	0.018 - 0.021	210	0.008	0.007 - 0.009
Texas	2,208	0.018	0.018 - 0.019	1,538	0.026	0.024 - 0.027	670	0.011	0.010 - 0.012
Utah	194	0.008	0.007 - 0.009	130	0.011	0.009 - 0.013	65	0.005	0.004 - 0.007
Vermont	72	0.012	0.010 - 0.015	56	0.019	0.015 - 0.025	16	0.005	0.003 - 0.009
Virginia	677	0.013	0.012 - 0.014	483	0.018	0.017 - 0.020	194	0.007	0.006 - 0.008
Washington	914	0.018	0.017 - 0.019	665	0.026	0.024 - 0.028	249	0.010	0.008 - 0.011
WA - Seattle	655	0.019	0.017 - 0.020	475	0.027	0.025 - 0.030	179	0.010	0.009 - 0.012
West Virginia	191	0.011	0.010 - 0.013	145	0.017	0.015 - 0.020	46	0.005	0.004 - 0.007
Wisconsin	634	0.013	0.012 - 0.014	437	0.018	0.017 - 0.020	197	0.008	0.007 - 0.009
Wyoming	57	0.011	0.009 - 0.015	46	0.018	0.013 - 0.024	11	0.004	0.002 - 0.008

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**37,403**	**0.020**	**0.020 - 0.020**	**19,969**	**0.022**	**0.021 - 0.022**	**17,434**	**0.018**	**0.018 - 0.019**
Alabama	599	0.018	0.017 - 0.020	325	0.021	0.018 - 0.023	274	0.017	0.015 - 0.019
Alaska	65	0.014	0.010 - 0.017	41	0.016	0.012 - 0.022	24	0.011	0.007 - 0.016
Arizona	759	0.020	0.018 - 0.021	441	0.023	0.021 - 0.025	318	0.016	0.014 - 0.018
Arkansas	310	0.014	0.013 - 0.016	169	0.016	0.013 - 0.018	141	0.013	0.011 - 0.015
California	3,051	0.020	0.019 - 0.021	1,650	0.022	0.020 - 0.023	1,401	0.018	0.017 - 0.019
CA - Greater California	1,839	0.019	0.018 - 0.020	998	0.021	0.020 - 0.022	841	0.017	0.016 - 0.019
CA - Greater Bay Area	646	0.022	0.020 - 0.024	352	0.024	0.021 - 0.026	295	0.020	0.018 - 0.023
CA - Los Angeles	564	0.020	0.019 - 0.022	299	0.021	0.019 - 0.024	265	0.019	0.017 - 0.021
Colorado	619	0.016	0.015 - 0.017	331	0.017	0.015 - 0.019	288	0.015	0.013 - 0.017
Connecticut	667	0.027	0.025 - 0.029	362	0.030	0.027 - 0.033	305	0.024	0.021 - 0.027
Delaware	151	0.025	0.021 - 0.029	83	0.028	0.023 - 0.035	68	0.022	0.017 - 0.028
Florida	2,919	0.026	0.025 - 0.027	1,591	0.028	0.027 - 0.030	1,328	0.023	0.022 - 0.024
Georgia	881	0.016	0.015 - 0.017	484	0.018	0.016 - 0.019	396	0.014	0.013 - 0.015
Hawaii	61	0.020	0.015 - 0.025	40	0.024	0.017 - 0.032	21	0.015	0.009 - 0.023
Idaho	233	0.017	0.015 - 0.019	122	0.018	0.015 - 0.021	111	0.016	0.013 - 0.019
Illinois	1,761	0.022	0.021 - 0.023	955	0.024	0.023 - 0.026	806	0.020	0.018 - 0.021
Iowa	564	0.021	0.019 - 0.022	282	0.021	0.019 - 0.024	282	0.020	0.018 - 0.023
Kentucky	661	0.017	0.016 - 0.019	332	0.018	0.016 - 0.020	329	0.017	0.015 - 0.019
Louisiana	516	0.018	0.017 - 0.020	261	0.019	0.017 - 0.021	255	0.018	0.016 - 0.020
Maine	253	0.020	0.018 - 0.023	136	0.022	0.019 - 0.026	117	0.018	0.015 - 0.022
Maryland	732	0.023	0.021 - 0.025	388	0.025	0.023 - 0.028	344	0.021	0.019 - 0.024
Michigan	1,612	0.021	0.020 - 0.022	811	0.022	0.020 - 0.023	801	0.021	0.019 - 0.022
MI - Detroit	525	0.021	0.019 - 0.023	267	0.022	0.019 - 0.024	257	0.020	0.018 - 0.023
Minnesota	908	0.020	0.019 - 0.022	499	0.022	0.020 - 0.024	409	0.018	0.016 - 0.020
Mississippi	327	0.019	0.017 - 0.021	183	0.022	0.019 - 0.025	144	0.016	0.014 - 0.019
Missouri	813	0.017	0.015 - 0.018	427	0.018	0.016 - 0.019	386	0.015	0.014 - 0.017
Montana	160	0.018	0.015 - 0.021	92	0.020	0.016 - 0.025	68	0.015	0.012 - 0.019
Nebraska	317	0.021	0.018 - 0.023	157	0.021	0.018 - 0.024	160	0.021	0.018 - 0.024
New Hampshire	235	0.019	0.017 - 0.022	115	0.019	0.016 - 0.023	120	0.019	0.016 - 0.023
New Jersey	1,366	0.027	0.025 - 0.028	712	0.029	0.027 - 0.031	654	0.025	0.023 - 0.027
New Mexico	142	0.018	0.015 - 0.021	75	0.019	0.015 - 0.024	67	0.016	0.013 - 0.021
New York	2,927	0.026	0.025 - 0.027	1,526	0.028	0.026 - 0.029	1,401	0.024	0.023 - 0.026
North Carolina	1,177	0.018	0.017 - 0.019	642	0.020	0.019 - 0.022	535	0.016	0.015 - 0.017
North Dakota	109	0.017	0.014 - 0.020	60	0.018	0.014 - 0.023	49	0.015	0.011 - 0.020
Ohio	1,661	0.018	0.017 - 0.019	847	0.018	0.017 - 0.020	814	0.017	0.016 - 0.018
Oklahoma	410	0.015	0.014 - 0.017	209	0.016	0.014 - 0.018	201	0.015	0.013 - 0.017
Oregon	603	0.019	0.018 - 0.021	323	0.021	0.018 - 0.023	280	0.017	0.015 - 0.020
Pennsylvania	2,443	0.024	0.024 - 0.025	1,298	0.027	0.025 - 0.028	1,145	0.022	0.021 - 0.024
Rhode Island	187	0.024	0.020 - 0.027	104	0.027	0.022 - 0.033	83	0.020	0.016 - 0.025
South Carolina	606	0.019	0.018 - 0.021	332	0.021	0.019 - 0.024	274	0.017	0.015 - 0.019
Tennessee	801	0.016	0.015 - 0.017	415	0.017	0.015 - 0.019	386	0.015	0.014 - 0.017
Texas	2,228	0.018	0.018 - 0.019	1,220	0.020	0.019 - 0.022	1,008	0.017	0.016 - 0.018
Utah	243	0.010	0.009 - 0.011	130	0.011	0.009 - 0.013	113	0.009	0.008 - 0.011
Vermont	116	0.020	0.016 - 0.024	69	0.024	0.018 - 0.030	47	0.016	0.012 - 0.021
Virginia	833	0.016	0.015 - 0.017	451	0.017	0.016 - 0.019	382	0.014	0.013 - 0.016
Washington	1,010	0.020	0.018 - 0.021	524	0.020	0.019 - 0.022	486	0.019	0.017 - 0.020
WA - Seattle	685	0.020	0.018 - 0.021	345	0.020	0.018 - 0.022	340	0.019	0.017 - 0.022
West Virginia	251	0.015	0.013 - 0.017	131	0.016	0.013 - 0.018	120	0.014	0.011 - 0.016
Wisconsin	1,045	0.022	0.021 - 0.023	582	0.025	0.023 - 0.027	463	0.019	0.018 - 0.021
Wyoming	72	0.014	0.011 - 0.018	41	0.016	0.012 - 0.022	31	0.013	0.008 - 0.018

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**30,717**	**0.017**	**0.016 - 0.017**	**24,230**	**0.026**	**0.026 - 0.027**	**6,487**	**0.007**	**0.007 - 0.007**
Alabama	664	0.020	0.019 - 0.022	522	0.033	0.030 - 0.036	142	0.009	0.007 - 0.010
Alaska	43	0.009	0.007 - 0.012	-	-		-	-	
Arizona	446	0.012	0.010 - 0.013	354	0.018	0.017 - 0.021	92	0.005	0.004 - 0.006
Arkansas	381	0.017	0.016 - 0.019	297	0.027	0.024 - 0.031	84	0.007	0.006 - 0.009
California	1,821	0.012	0.011 - 0.012	1,495	0.019	0.019 - 0.021	325	0.004	0.004 - 0.005
CA - Greater California	1,184	0.012	0.012 - 0.013	959	0.020	0.019 - 0.021	225	0.005	0.004 - 0.005
CA - Greater Bay Area	318	0.011	0.010 - 0.012	264	0.018	0.016 - 0.020	55	0.004	0.003 - 0.005
CA - Los Angeles	318	0.011	0.010 - 0.013	271	0.019	0.017 - 0.022	47	0.003	0.002 - 0.004
Colorado	353	0.009	0.008 - 0.010	279	0.015	0.013 - 0.016	74	0.004	0.003 - 0.005
Connecticut	443	0.018	0.016 - 0.020	363	0.030	0.027 - 0.033	80	0.006	0.005 - 0.008
Delaware	121	0.020	0.017 - 0.024	95	0.032	0.026 - 0.040	26	0.008	0.005 - 0.012
Florida	2,555	0.022	0.022 - 0.023	2,032	0.036	0.035 - 0.038	523	0.009	0.008 - 0.010
Georgia	927	0.017	0.016 - 0.018	726	0.026	0.025 - 0.028	200	0.007	0.006 - 0.008
Hawaii	60	0.019	0.015 - 0.025	-	-		-	-	
Idaho	118	0.008	0.007 - 0.010	97	0.014	0.011 - 0.017	21	0.003	0.002 - 0.005
Illinois	1,458	0.018	0.017 - 0.019	1,161	0.029	0.028 - 0.031	297	0.007	0.006 - 0.008
Iowa	491	0.018	0.016 - 0.020	393	0.029	0.026 - 0.032	98	0.007	0.006 - 0.009
Kentucky	889	0.023	0.022 - 0.025	674	0.036	0.033 - 0.039	215	0.011	0.010 - 0.013
Louisiana	552	0.020	0.018 - 0.021	415	0.030	0.027 - 0.033	137	0.010	0.008 - 0.011
Maine	251	0.020	0.018 - 0.023	190	0.031	0.027 - 0.036	61	0.009	0.007 - 0.012
Maryland	454	0.014	0.013 - 0.016	345	0.022	0.020 - 0.025	109	0.007	0.006 - 0.008
Michigan	1,294	0.017	0.016 - 0.018	1,008	0.027	0.025 - 0.029	286	0.007	0.007 - 0.008
MI - Detroit	468	0.019	0.017 - 0.020	360	0.029	0.026 - 0.032	108	0.008	0.007 - 0.010
Minnesota	598	0.013	0.012 - 0.014	489	0.022	0.020 - 0.024	109	0.005	0.004 - 0.006
Mississippi	339	0.020	0.018 - 0.022	265	0.031	0.028 - 0.035	74	0.008	0.007 - 0.011
Missouri	912	0.019	0.017 - 0.020	720	0.030	0.028 - 0.032	192	0.008	0.007 - 0.009
Montana	121	0.013	0.011 - 0.016	98	0.021	0.017 - 0.026	23	0.005	0.003 - 0.008
Nebraska	212	0.014	0.012 - 0.016	159	0.021	0.018 - 0.024	53	0.007	0.005 - 0.009
New Hampshire	198	0.016	0.014 - 0.019	158	0.026	0.022 - 0.031	40	0.006	0.005 - 0.009
New Jersey	840	0.017	0.015 - 0.018	677	0.027	0.025 - 0.029	163	0.006	0.005 - 0.007
New Mexico	120	0.015	0.012 - 0.018	95	0.024	0.019 - 0.029	26	0.006	0.004 - 0.009
New York	1,971	0.018	0.017 - 0.018	1,558	0.028	0.027 - 0.030	413	0.007	0.007 - 0.008
North Carolina	1,160	0.018	0.017 - 0.019	888	0.028	0.026 - 0.030	272	0.008	0.007 - 0.009
North Dakota	97	0.015	0.012 - 0.018	84	0.025	0.020 - 0.031	13	0.004	0.002 - 0.007
Ohio	1,772	0.019	0.018 - 0.020	1,363	0.030	0.028 - 0.031	409	0.009	0.008 - 0.009
Oklahoma	458	0.017	0.015 - 0.019	341	0.026	0.023 - 0.028	117	0.008	0.007 - 0.010
Oregon	389	0.012	0.011 - 0.014	314	0.020	0.018 - 0.022	75	0.005	0.004 - 0.006
Pennsylvania	1,826	0.018	0.017 - 0.019	1,424	0.029	0.028 - 0.031	402	0.008	0.007 - 0.009
Rhode Island	145	0.018	0.016 - 0.022	107	0.028	0.023 - 0.034	38	0.009	0.007 - 0.013
South Carolina	618	0.019	0.018 - 0.021	507	0.033	0.030 - 0.036	111	0.007	0.006 - 0.008
Tennessee	975	0.020	0.018 - 0.021	739	0.030	0.028 - 0.033	236	0.009	0.008 - 0.011
Texas	1,802	0.015	0.014 - 0.016	1,448	0.024	0.023 - 0.026	354	0.006	0.005 - 0.006
Utah	121	0.005	0.004 - 0.006	100	0.008	0.007 - 0.010	21	0.002	0.001 - 0.003
Vermont	105	0.018	0.015 - 0.022	84	0.029	0.023 - 0.036	21	0.007	0.004 - 0.011
Virginia	760	0.014	0.013 - 0.015	612	0.023	0.021 - 0.025	148	0.005	0.005 - 0.006
Washington	616	0.012	0.011 - 0.013	502	0.019	0.018 - 0.021	114	0.004	0.004 - 0.005
WA - Seattle	404	0.012	0.010 - 0.013	337	0.019	0.017 - 0.022	67	0.004	0.003 - 0.005
West Virginia	412	0.024	0.022 - 0.026	300	0.036	0.032 - 0.040	112	0.013	0.011 - 0.015
Wisconsin	770	0.016	0.015 - 0.017	616	0.026	0.024 - 0.028	154	0.006	0.005 - 0.008
Wyoming	60	0.012	0.009 - 0.016	46	0.018	0.013 - 0.024	14	0.006	0.003 - 0.010

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**275,746**	**0.148**	**0.148 - 0.149**	**128,842**	**0.141**	**0.140 - 0.141**	**146,904**	**0.156**	**0.155 - 0.157**
Alabama	4,737	0.146	0.142 - 0.150	2,461	0.155	0.149 - 0.162	2,276	0.137	0.132 - 0.143
Alaska	386	0.081	0.073 - 0.089	208	0.082	0.071 - 0.094	178	0.079	0.068 - 0.092
Arizona	5,455	0.141	0.137 - 0.145	2,472	0.129	0.124 - 0.134	2,983	0.152	0.147 - 0.158
Arkansas	3,835	0.174	0.168 - 0.179	1,955	0.180	0.172 - 0.188	1,880	0.167	0.160 - 0.175
California	18,549	0.121	0.119 - 0.122	8,071	0.105	0.103 - 0.108	10,478	0.136	0.134 - 0.139
CA - Greater California	12,138	0.126	0.124 - 0.128	5,220	0.109	0.106 - 0.112	6,919	0.143	0.140 - 0.146
CA - Greater Bay Area	3,238	0.110	0.106 - 0.114	1,403	0.094	0.089 - 0.099	1,835	0.126	0.120 - 0.131
CA - Los Angeles	3,185	0.114	0.110 - 0.118	1,456	0.104	0.098 - 0.109	1,729	0.124	0.118 - 0.130
Colorado	3,384	0.088	0.085 - 0.091	1,550	0.081	0.077 - 0.085	1,834	0.096	0.092 - 0.100
Connecticut	4,439	0.180	0.174 - 0.185	1,959	0.163	0.156 - 0.170	2,480	0.196	0.188 - 0.203
Delaware	1,184	0.195	0.184 - 0.207	566	0.193	0.177 - 0.209	618	0.197	0.182 - 0.214
Florida	23,103	0.203	0.200 - 0.205	10,719	0.192	0.188 - 0.195	12,384	0.213	0.210 - 0.217
Georgia	7,847	0.141	0.138 - 0.144	3,910	0.143	0.138 - 0.147	3,937	0.139	0.135 - 0.143
Hawaii	325	0.105	0.094 - 0.117	157	0.094	0.080 - 0.110	167	0.118	0.101 - 0.137
Idaho	1,331	0.096	0.090 - 0.101	626	0.090	0.083 - 0.097	705	0.101	0.094 - 0.109
Illinois	13,078	0.163	0.160 - 0.165	6,073	0.154	0.150 - 0.158	7,005	0.171	0.167 - 0.175
Iowa	3,635	0.133	0.129 - 0.138	1,744	0.130	0.124 - 0.136	1,892	0.137	0.131 - 0.144
Kentucky	6,903	0.181	0.177 - 0.185	3,348	0.179	0.173 - 0.185	3,555	0.183	0.177 - 0.189
Louisiana	3,834	0.137	0.133 - 0.142	1,890	0.137	0.131 - 0.144	1,945	0.137	0.131 - 0.143
Maine	2,180	0.173	0.166 - 0.181	1,000	0.163	0.153 - 0.173	1,180	0.184	0.173 - 0.194
Maryland	4,929	0.155	0.151 - 0.160	2,219	0.143	0.137 - 0.149	2,710	0.168	0.161 - 0.174
Michigan	11,647	0.153	0.151 - 0.156	5,378	0.143	0.140 - 0.147	6,269	0.163	0.159 - 0.167
MI - Detroit	3,961	0.158	0.153 - 0.163	1,748	0.141	0.135 - 0.148	2,213	0.173	0.166 - 0.181
Minnesota	5,886	0.131	0.127 - 0.134	2,688	0.120	0.116 - 0.125	3,198	0.141	0.136 - 0.146
Mississippi	2,853	0.166	0.160 - 0.172	1,489	0.177	0.168 - 0.186	1,364	0.156	0.148 - 0.165
Missouri	7,562	0.154	0.150 - 0.157	3,596	0.149	0.144 - 0.154	3,966	0.159	0.154 - 0.164
Montana	1,054	0.116	0.109 - 0.123	447	0.098	0.089 - 0.107	606	0.134	0.124 - 0.146
Nebraska	1,908	0.125	0.119 - 0.130	925	0.122	0.114 - 0.130	983	0.127	0.119 - 0.135
New Hampshire	1,963	0.160	0.153 - 0.168	853	0.141	0.132 - 0.151	1,110	0.179	0.169 - 0.190
New Jersey	8,752	0.172	0.169 - 0.176	3,694	0.149	0.144 - 0.154	5,058	0.194	0.189 - 0.200
New Mexico	981	0.121	0.114 - 0.129	462	0.116	0.105 - 0.127	519	0.127	0.116 - 0.138
New York	19,933	0.177	0.175 - 0.180	8,662	0.158	0.154 - 0.161	11,271	0.196	0.193 - 0.200
North Carolina	10,608	0.163	0.160 - 0.166	5,117	0.161	0.156 - 0.165	5,491	0.165	0.160 - 0.169
North Dakota	807	0.124	0.115 - 0.133	398	0.119	0.108 - 0.132	409	0.128	0.116 - 0.141
Ohio	13,715	0.147	0.144 - 0.149	6,619	0.144	0.141 - 0.148	7,096	0.149	0.146 - 0.153
Oklahoma	3,693	0.136	0.132 - 0.141	1,880	0.141	0.135 - 0.147	1,813	0.132	0.126 - 0.138
Oregon	3,896	0.123	0.119 - 0.127	1,733	0.111	0.106 - 0.116	2,163	0.134	0.129 - 0.140
Pennsylvania	16,012	0.161	0.158 - 0.163	7,438	0.152	0.149 - 0.156	8,574	0.168	0.165 - 0.172
Rhode Island	1,481	0.188	0.179 - 0.198	619	0.163	0.151 - 0.177	862	0.212	0.198 - 0.226
South Carolina	4,977	0.156	0.152 - 0.161	2,451	0.157	0.151 - 0.164	2,526	0.155	0.149 - 0.161
Tennessee	8,221	0.165	0.162 - 0.169	4,077	0.168	0.162 - 0.173	4,144	0.163	0.158 - 0.168
Texas	15,402	0.128	0.126 - 0.130	7,612	0.127	0.125 - 0.130	7,790	0.128	0.125 - 0.131
Utah	956	0.040	0.037 - 0.042	454	0.037	0.034 - 0.041	502	0.042	0.038 - 0.045
Vermont	926	0.157	0.147 - 0.168	424	0.146	0.132 - 0.161	502	0.168	0.154 - 0.184
Virginia	6,963	0.130	0.127 - 0.133	3,282	0.124	0.120 - 0.128	3,681	0.136	0.132 - 0.140
Washington	6,355	0.123	0.120 - 0.126	2,875	0.112	0.108 - 0.116	3,480	0.134	0.130 - 0.139
WA - Seattle	4,331	0.124	0.120 - 0.128	1,950	0.112	0.107 - 0.117	2,381	0.136	0.131 - 0.142
West Virginia	3,079	0.180	0.173 - 0.186	1,518	0.180	0.171 - 0.189	1,561	0.179	0.171 - 0.189
Wisconsin	6,548	0.138	0.134 - 0.141	3,015	0.128	0.123 - 0.132	3,533	0.147	0.143 - 0.152
Wyoming	434	0.087	0.079 - 0.096	209	0.082	0.071 - 0.094	226	0.092	0.080 - 0.105

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**273,768**	**0.147**	**0.147 - 0.148**	**157,767**	**0.172**	**0.171 - 0.173**	**116,001**	**0.123**	**0.122 - 0.124**
Alabama	4,647	0.143	0.139 - 0.148	2,717	0.171	0.165 - 0.178	1,930	0.117	0.111 - 0.122
Alaska	388	0.081	0.073 - 0.090	203	0.080	0.069 - 0.092	185	0.082	0.071 - 0.095
Arizona	5,644	0.146	0.142 - 0.150	3,575	0.187	0.181 - 0.193	2,069	0.106	0.101 - 0.110
Arkansas	2,667	0.121	0.116 - 0.125	1,612	0.149	0.141 - 0.156	1,055	0.094	0.088 - 0.100
California	31,226	0.203	0.201 - 0.206	18,706	0.244	0.240 - 0.247	12,520	0.163	0.160 - 0.166
CA - Greater California	19,375	0.201	0.199 - 0.204	11,632	0.243	0.239 - 0.248	7,743	0.160	0.156 - 0.164
CA - Greater Bay Area	7,385	0.250	0.245 - 0.256	4,363	0.293	0.284 - 0.302	3,023	0.207	0.200 - 0.214
CA - Los Angeles	4,480	0.160	0.156 - 0.165	2,717	0.193	0.186 - 0.201	1,763	0.127	0.121 - 0.133
Colorado	4,987	0.130	0.127 - 0.134	2,850	0.149	0.143 - 0.154	2,137	0.112	0.107 - 0.117
Connecticut	3,445	0.139	0.135 - 0.144	1,942	0.161	0.154 - 0.169	1,503	0.119	0.113 - 0.125
Delaware	1,373	0.226	0.215 - 0.239	812	0.277	0.258 - 0.296	561	0.179	0.165 - 0.195
Florida	22,122	0.194	0.192 - 0.197	13,696	0.245	0.241 - 0.249	8,426	0.145	0.142 - 0.148
Georgia	10,743	0.193	0.189 - 0.196	6,249	0.228	0.222 - 0.233	4,494	0.159	0.154 - 0.163
Hawaii	1,176	0.379	0.358 - 0.402	740	0.440	0.409 - 0.473	436	0.307	0.279 - 0.337
Idaho	1,939	0.139	0.133 - 0.145	1,090	0.157	0.148 - 0.166	849	0.122	0.114 - 0.130
Illinois	10,402	0.129	0.127 - 0.132	5,694	0.144	0.140 - 0.148	4,708	0.115	0.112 - 0.118
Iowa	3,659	0.134	0.130 - 0.139	1,935	0.144	0.138 - 0.150	1,723	0.125	0.119 - 0.131
Kentucky	5,143	0.135	0.131 - 0.139	2,812	0.150	0.145 - 0.156	2,331	0.120	0.115 - 0.125
Louisiana	3,384	0.121	0.117 - 0.125	2,095	0.152	0.146 - 0.159	1,289	0.091	0.086 - 0.096
Maine	1,753	0.139	0.133 - 0.146	950	0.154	0.145 - 0.165	803	0.125	0.116 - 0.134
Maryland	6,040	0.191	0.186 - 0.195	3,535	0.228	0.220 - 0.235	2,505	0.155	0.149 - 0.161
Michigan	8,518	0.112	0.110 - 0.115	4,639	0.124	0.120 - 0.127	3,879	0.101	0.098 - 0.104
MI - Detroit	3,059	0.122	0.118 - 0.126	1,666	0.135	0.128 - 0.141	1,394	0.109	0.104 - 0.115
Minnesota	7,321	0.163	0.159 - 0.166	4,005	0.179	0.174 - 0.185	3,316	0.146	0.141 - 0.151
Mississippi	2,241	0.131	0.125 - 0.136	1,299	0.154	0.146 - 0.163	942	0.108	0.101 - 0.115
Missouri	5,284	0.107	0.105 - 0.110	3,128	0.129	0.125 - 0.134	2,156	0.086	0.083 - 0.090
Montana	1,217	0.134	0.127 - 0.142	683	0.149	0.138 - 0.161	535	0.119	0.109 - 0.129
Nebraska	1,735	0.113	0.108 - 0.119	915	0.121	0.113 - 0.129	820	0.106	0.099 - 0.114
New Hampshire	1,878	0.153	0.146 - 0.160	1,014	0.168	0.157 - 0.178	864	0.139	0.130 - 0.149
New Jersey	8,636	0.170	0.166 - 0.173	4,923	0.199	0.193 - 0.204	3,713	0.142	0.138 - 0.147
New Mexico	1,224	0.151	0.143 - 0.160	746	0.187	0.173 - 0.200	477	0.117	0.107 - 0.128
New York	16,349	0.146	0.143 - 0.148	9,132	0.166	0.163 - 0.170	7,217	0.126	0.123 - 0.129
North Carolina	11,222	0.172	0.169 - 0.175	6,498	0.204	0.199 - 0.209	4,724	0.142	0.138 - 0.146
North Dakota	766	0.117	0.109 - 0.126	405	0.122	0.110 - 0.134	361	0.113	0.102 - 0.126
Ohio	10,912	0.117	0.115 - 0.119	6,007	0.131	0.128 - 0.134	4,905	0.103	0.100 - 0.106
Oklahoma	2,880	0.106	0.102 - 0.110	1,755	0.132	0.125 - 0.138	1,125	0.082	0.077 - 0.087
Oregon	5,227	0.165	0.160 - 0.169	2,772	0.178	0.171 - 0.184	2,455	0.153	0.147 - 0.159
Pennsylvania	13,787	0.138	0.136 - 0.141	7,789	0.160	0.156 - 0.163	5,998	0.118	0.115 - 0.121
Rhode Island	1,157	0.147	0.139 - 0.156	630	0.166	0.153 - 0.180	527	0.129	0.119 - 0.141
South Carolina	5,131	0.161	0.157 - 0.166	2,999	0.193	0.186 - 0.200	2,132	0.131	0.126 - 0.137
Tennessee	6,207	0.125	0.122 - 0.128	3,495	0.144	0.139 - 0.148	2,712	0.106	0.102 - 0.111
Texas	12,494	0.104	0.102 - 0.105	7,510	0.126	0.123 - 0.129	4,984	0.082	0.080 - 0.084
Utah	3,992	0.165	0.160 - 0.170	2,313	0.191	0.183 - 0.199	1,678	0.139	0.133 - 0.146
Vermont	1,099	0.187	0.176 - 0.198	625	0.215	0.199 - 0.233	474	0.159	0.145 - 0.174
Virginia	7,040	0.132	0.128 - 0.135	4,001	0.151	0.147 - 0.156	3,039	0.112	0.108 - 0.116
Washington	8,095	0.157	0.153 - 0.160	4,421	0.172	0.167 - 0.177	3,674	0.142	0.137 - 0.146
WA - Seattle	6,278	0.180	0.175 - 0.184	3,456	0.198	0.191 - 0.205	2,822	0.161	0.155 - 0.167
West Virginia	1,896	0.111	0.106 - 0.116	1,056	0.125	0.118 - 0.133	840	0.097	0.090 - 0.103
Wisconsin	6,124	0.129	0.125 - 0.132	3,460	0.146	0.142 - 0.151	2,664	0.111	0.107 - 0.115
Wyoming	600	0.120	0.111 - 0.130	333	0.131	0.118 - 0.146	266	0.109	0.096 - 0.122

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**717,575**	**0.761**	**0.759 - 0.763**
Alabama	-	-		-	-		11,509	0.695	0.682 - 0.708
Alaska	-	-		-	-		1,351	0.601	0.569 - 0.634
Arizona	-	-		-	-		14,969	0.764	0.752 - 0.776
Arkansas	-	-		-	-		7,362	0.655	0.640 - 0.670
California	-	-		-	-		66,943	0.870	0.864 - 0.877
CA - Greater California	-	-		-	-		41,491	0.857	0.849 - 0.866
CA - Greater Bay Area	-	-		-	-		13,066	0.894	0.879 - 0.909
CA - Los Angeles	-	-		-	-		12,434	0.894	0.878 - 0.909
Colorado	-	-		-	-		13,169	0.689	0.677 - 0.701
Connecticut	-	-		-	-		11,436	0.902	0.885 - 0.919
Delaware	-	-		-	-		2,660	0.850	0.818 - 0.883
Florida	-	-		-	-		47,384	0.816	0.809 - 0.824
Georgia	-	-		-	-		19,859	0.701	0.691 - 0.711
Hawaii	-	-		-	-		1,258	0.886	0.838 - 0.937
Idaho	-	-		-	-		4,471	0.640	0.622 - 0.659
Illinois	-	-		-	-		32,754	0.801	0.792 - 0.809
Iowa	-	-		-	-		9,738	0.706	0.692 - 0.720
Kentucky	-	-		-	-		13,366	0.688	0.676 - 0.700
Louisiana	-	-		-	-		9,538	0.673	0.660 - 0.687
Maine	-	-		-	-		5,047	0.785	0.764 - 0.807
Maryland	-	-		-	-		13,140	0.812	0.799 - 0.826
Michigan	-	-		-	-		27,405	0.713	0.705 - 0.722
MI - Detroit	-	-		-	-		9,975	0.782	0.767 - 0.797
Minnesota	-	-		-	-		17,033	0.751	0.739 - 0.762
Mississippi	-	-		-	-		5,748	0.658	0.641 - 0.675
Missouri	-	-		-	-		17,937	0.718	0.707 - 0.728
Montana	-	-		-	-		3,185	0.706	0.682 - 0.731
Nebraska	-	-		-	-		5,398	0.698	0.679 - 0.717
New Hampshire	-	-		-	-		5,291	0.854	0.831 - 0.877
New Jersey	-	-		-	-		23,024	0.883	0.872 - 0.895
New Mexico	-	-		-	-		3,545	0.868	0.840 - 0.898
New York	-	-		-	-		48,387	0.843	0.836 - 0.851
North Carolina	-	-		-	-		25,952	0.779	0.769 - 0.788
North Dakota	-	-		-	-		2,112	0.663	0.635 - 0.692
Ohio	-	-		-	-		34,366	0.722	0.714 - 0.729
Oklahoma	-	-		-	-		8,833	0.641	0.628 - 0.654
Oregon	-	-		-	-		12,303	0.764	0.751 - 0.778
Pennsylvania	-	-		-	-		41,175	0.808	0.801 - 0.816
Rhode Island	-	-		-	-		3,612	0.886	0.858 - 0.916
South Carolina	-	-		-	-		12,101	0.744	0.731 - 0.757
Tennessee	-	-		-	-		17,697	0.695	0.685 - 0.705
Texas	-	-		-	-		42,384	0.696	0.690 - 0.703
Utah	-	-		-	-		5,658	0.469	0.457 - 0.482
Vermont	-	-		-	-		2,352	0.788	0.757 - 0.821
Virginia	-	-		-	-		19,816	0.732	0.722 - 0.742
Washington	-	-		-	-		20,608	0.794	0.783 - 0.805
WA - Seattle	-	-		-	-		14,320	0.818	0.805 - 0.832
West Virginia	-	-		-	-		6,020	0.692	0.674 - 0.709
Wisconsin	-	-		-	-		18,197	0.759	0.748 - 0.770
Wyoming	-	-		-	-		1,481	0.604	0.573 - 0.635

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**26,444**	**0.028**	**0.028 - 0.028**
Alabama	-	-		-	-		528	0.032	0.029 - 0.035
Alaska	-	-		-	-		66	0.029	0.023 - 0.037
Arizona	-	-		-	-		441	0.023	0.020 - 0.025
Arkansas	-	-		-	-		385	0.034	0.031 - 0.038
California	-	-		-	-		2,069	0.027	0.026 - 0.028
CA - Greater California	-	-		-	-		1,323	0.027	0.026 - 0.029
CA - Greater Bay Area	-	-		-	-		363	0.025	0.022 - 0.027
CA - Los Angeles	-	-		-	-		382	0.027	0.025 - 0.030
Colorado	-	-		-	-		454	0.024	0.022 - 0.026
Connecticut	-	-		-	-		336	0.026	0.024 - 0.029
Delaware	-	-		-	-		103	0.033	0.027 - 0.040
Florida	-	-		-	-		1,898	0.033	0.031 - 0.034
Georgia	-	-		-	-		856	0.030	0.028 - 0.032
Hawaii	-	-		-	-		38	0.027	0.019 - 0.037
Idaho	-	-		-	-		147	0.021	0.018 - 0.025
Illinois	-	-		-	-		1,189	0.029	0.027 - 0.031
Iowa	-	-		-	-		364	0.026	0.024 - 0.029
Kentucky	-	-		-	-		661	0.034	0.031 - 0.037
Louisiana	-	-		-	-		430	0.030	0.028 - 0.033
Maine	-	-		-	-		155	0.024	0.020 - 0.028
Maryland	-	-		-	-		407	0.025	0.023 - 0.028
Michigan	-	-		-	-		1,000	0.026	0.024 - 0.028
MI - Detroit	-	-		-	-		350	0.027	0.025 - 0.030
Minnesota	-	-		-	-		468	0.021	0.019 - 0.023
Mississippi	-	-		-	-		289	0.033	0.029 - 0.037
Missouri	-	-		-	-		761	0.030	0.028 - 0.033
Montana	-	-		-	-		114	0.025	0.021 - 0.030
Nebraska	-	-		-	-		211	0.027	0.024 - 0.031
New Hampshire	-	-		-	-		119	0.019	0.016 - 0.023
New Jersey	-	-		-	-		757	0.029	0.027 - 0.031
New Mexico	-	-		-	-		115	0.028	0.023 - 0.034
New York	-	-		-	-		1,537	0.027	0.025 - 0.028
North Carolina	-	-		-	-		904	0.027	0.025 - 0.029
North Dakota	-	-		-	-		49	0.015	0.011 - 0.020
Ohio	-	-		-	-		1,452	0.030	0.029 - 0.032
Oklahoma	-	-		-	-		429	0.031	0.028 - 0.034
Oregon	-	-		-	-		436	0.027	0.025 - 0.030
Pennsylvania	-	-		-	-		1,440	0.028	0.027 - 0.030
Rhode Island	-	-		-	-		126	0.031	0.026 - 0.037
South Carolina	-	-		-	-		440	0.027	0.025 - 0.030
Tennessee	-	-		-	-		802	0.031	0.029 - 0.034
Texas	-	-		-	-		1,999	0.033	0.031 - 0.034
Utah	-	-		-	-		177	0.015	0.013 - 0.017
Vermont	-	-		-	-		55	0.018	0.014 - 0.024
Virginia	-	-		-	-		592	0.022	0.020 - 0.024
Washington	-	-		-	-		704	0.027	0.025 - 0.029
WA - Seattle	-	-		-	-		516	0.029	0.027 - 0.032
West Virginia	-	-		-	-		306	0.035	0.031 - 0.039
Wisconsin	-	-		-	-		571	0.024	0.022 - 0.026
Wyoming	-	-		-	-		65	0.026	0.020 - 0.034

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**151,682**	**0.161**	**0.160 - 0.162**
Alabama	-	-		-	-		1,804	0.109	0.104 - 0.114
Alaska	-	-		-	-		310	0.138	0.123 - 0.154
Arizona	-	-		-	-		2,772	0.141	0.136 - 0.147
Arkansas	-	-		-	-		1,424	0.127	0.120 - 0.133
California	-	-		-	-		12,907	0.168	0.165 - 0.171
CA - Greater California	-	-		-	-		7,899	0.163	0.160 - 0.167
CA - Greater Bay Area	-	-		-	-		2,564	0.175	0.169 - 0.182
CA - Los Angeles	-	-		-	-		2,446	0.176	0.169 - 0.183
Colorado	-	-		-	-		2,362	0.124	0.119 - 0.129
Connecticut	-	-		-	-		2,458	0.194	0.186 - 0.202
Delaware	-	-		-	-		627	0.200	0.185 - 0.217
Florida	-	-		-	-		8,884	0.153	0.150 - 0.156
Georgia	-	-		-	-		3,503	0.124	0.120 - 0.128
Hawaii	-	-		-	-		211	0.149	0.129 - 0.170
Idaho	-	-		-	-		876	0.125	0.117 - 0.134
Illinois	-	-		-	-		7,353	0.180	0.176 - 0.184
Iowa	-	-		-	-		2,440	0.177	0.170 - 0.184
Kentucky	-	-		-	-		2,856	0.147	0.142 - 0.153
Louisiana	-	-		-	-		1,477	0.104	0.099 - 0.110
Maine	-	-		-	-		1,299	0.202	0.191 - 0.213
Maryland	-	-		-	-		2,812	0.174	0.167 - 0.180
Michigan	-	-		-	-		6,686	0.174	0.170 - 0.178
MI - Detroit	-	-		-	-		2,397	0.188	0.180 - 0.196
Minnesota	-	-		-	-		4,063	0.179	0.174 - 0.185
Mississippi	-	-		-	-		989	0.113	0.106 - 0.121
Missouri	-	-		-	-		3,823	0.153	0.148 - 0.158
Montana	-	-		-	-		685	0.152	0.141 - 0.164
Nebraska	-	-		-	-		1,217	0.157	0.149 - 0.166
New Hampshire	-	-		-	-		1,229	0.198	0.187 - 0.210
New Jersey	-	-		-	-		5,738	0.220	0.214 - 0.226
New Mexico	-	-		-	-		704	0.172	0.160 - 0.186
New York	-	-		-	-		11,644	0.203	0.199 - 0.207
North Carolina	-	-		-	-		4,921	0.148	0.144 - 0.152
North Dakota	-	-		-	-		421	0.132	0.120 - 0.145
Ohio	-	-		-	-		8,412	0.177	0.173 - 0.180
Oklahoma	-	-		-	-		1,647	0.120	0.114 - 0.125
Oregon	-	-		-	-		2,666	0.166	0.159 - 0.172
Pennsylvania	-	-		-	-		10,508	0.206	0.202 - 0.210
Rhode Island	-	-		-	-		852	0.209	0.195 - 0.224
South Carolina	-	-		-	-		2,163	0.133	0.127 - 0.139
Tennessee	-	-		-	-		3,462	0.136	0.131 - 0.141
Texas	-	-		-	-		7,289	0.120	0.117 - 0.123
Utah	-	-		-	-		1,263	0.105	0.099 - 0.111
Vermont	-	-		-	-		630	0.211	0.195 - 0.228
Virginia	-	-		-	-		3,872	0.143	0.139 - 0.148
Washington	-	-		-	-		4,018	0.155	0.150 - 0.160
WA - Seattle	-	-		-	-		2,798	0.160	0.154 - 0.166
West Virginia	-	-		-	-		1,632	0.188	0.179 - 0.197
Wisconsin	-	-		-	-		4,479	0.187	0.181 - 0.192
Wyoming	-	-		-	-		295	0.120	0.107 - 0.135

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**46,362**	**0.049**	**0.049 - 0.050**
Alabama	-	-		-	-		800	0.048	0.045 - 0.052
Alaska	-	-		-	-		104	0.046	0.038 - 0.056
Arizona	-	-		-	-		951	0.049	0.046 - 0.052
Arkansas	-	-		-	-		488	0.043	0.040 - 0.047
California	-	-		-	-		4,254	0.055	0.054 - 0.057
CA - Greater California	-	-		-	-		2,523	0.052	0.050 - 0.054
CA - Greater Bay Area	-	-		-	-		858	0.059	0.055 - 0.063
CA - Los Angeles	-	-		-	-		873	0.063	0.059 - 0.067
Colorado	-	-		-	-		816	0.043	0.040 - 0.046
Connecticut	-	-		-	-		764	0.060	0.056 - 0.065
Delaware	-	-		-	-		166	0.053	0.045 - 0.062
Florida	-	-		-	-		3,130	0.054	0.052 - 0.056
Georgia	-	-		-	-		1,261	0.045	0.042 - 0.047
Hawaii	-	-		-	-		78	0.055	0.043 - 0.069
Idaho	-	-		-	-		266	0.038	0.034 - 0.043
Illinois	-	-		-	-		2,064	0.050	0.048 - 0.053
Iowa	-	-		-	-		604	0.044	0.040 - 0.047
Kentucky	-	-		-	-		759	0.039	0.036 - 0.042
Louisiana	-	-		-	-		573	0.040	0.037 - 0.044
Maine	-	-		-	-		294	0.046	0.041 - 0.051
Maryland	-	-		-	-		843	0.052	0.049 - 0.056
Michigan	-	-		-	-		1,865	0.049	0.046 - 0.051
MI - Detroit	-	-		-	-		707	0.055	0.051 - 0.060
Minnesota	-	-		-	-		1,029	0.045	0.043 - 0.048
Mississippi	-	-		-	-		379	0.043	0.039 - 0.048
Missouri	-	-		-	-		1,050	0.042	0.040 - 0.045
Montana	-	-		-	-		212	0.047	0.041 - 0.054
Nebraska	-	-		-	-		352	0.046	0.041 - 0.051
New Hampshire	-	-		-	-		306	0.049	0.044 - 0.055
New Jersey	-	-		-	-		1,595	0.061	0.058 - 0.064
New Mexico	-	-		-	-		231	0.057	0.050 - 0.064
New York	-	-		-	-		3,370	0.059	0.057 - 0.061
North Carolina	-	-		-	-		1,631	0.049	0.047 - 0.051
North Dakota	-	-		-	-		125	0.039	0.033 - 0.047
Ohio	-	-		-	-		2,272	0.048	0.046 - 0.050
Oklahoma	-	-		-	-		602	0.044	0.040 - 0.047
Oregon	-	-		-	-		766	0.048	0.044 - 0.051
Pennsylvania	-	-		-	-		2,767	0.054	0.052 - 0.056
Rhode Island	-	-		-	-		233	0.057	0.050 - 0.065
South Carolina	-	-		-	-		694	0.043	0.040 - 0.046
Tennessee	-	-		-	-		1,092	0.043	0.040 - 0.045
Texas	-	-		-	-		2,749	0.045	0.043 - 0.047
Utah	-	-		-	-		392	0.032	0.029 - 0.036
Vermont	-	-		-	-		153	0.051	0.043 - 0.060
Virginia	-	-		-	-		1,182	0.044	0.041 - 0.046
Washington	-	-		-	-		1,291	0.050	0.047 - 0.053
WA - Seattle	-	-		-	-		922	0.053	0.049 - 0.056
West Virginia	-	-		-	-		443	0.051	0.046 - 0.056
Wisconsin	-	-		-	-		1,254	0.052	0.049 - 0.055
Wyoming	-	-		-	-		113	0.046	0.038 - 0.055

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**583,277**	**0.636**	**0.635 - 0.638**	**-**	**-**	
Alabama	-	-		9,765	0.616	0.604 - 0.628	-	-	
Alaska	-	-		1,102	0.434	0.409 - 0.461	-	-	
Arizona	-	-		10,222	0.534	0.524 - 0.544	-	-	
Arkansas	-	-		6,948	0.640	0.625 - 0.656	-	-	
California	-	-		51,498	0.671	0.666 - 0.677	-	-	
CA - Greater California	-	-		31,981	0.669	0.662 - 0.677	-	-	
CA - Greater Bay Area	-	-		10,571	0.710	0.697 - 0.724	-	-	
CA - Los Angeles	-	-		8,942	0.636	0.623 - 0.650	-	-	
Colorado	-	-		9,816	0.512	0.501 - 0.522	-	-	
Connecticut	-	-		8,588	0.713	0.698 - 0.728	-	-	
Delaware	-	-		2,462	0.838	0.806 - 0.872	-	-	
Florida	-	-		39,407	0.705	0.698 - 0.712	-	-	
Georgia	-	-		16,396	0.598	0.588 - 0.607	-	-	
Hawaii	-	-		965	0.574	0.539 - 0.612	-	-	
Idaho	-	-		4,010	0.577	0.559 - 0.595	-	-	
Illinois	-	-		25,628	0.649	0.641 - 0.657	-	-	
Iowa	-	-		8,427	0.626	0.613 - 0.640	-	-	
Kentucky	-	-		10,184	0.545	0.534 - 0.556	-	-	
Louisiana	-	-		9,695	0.704	0.690 - 0.718	-	-	
Maine	-	-		3,791	0.616	0.597 - 0.636	-	-	
Maryland	-	-		10,726	0.691	0.678 - 0.704	-	-	
Michigan	-	-		24,543	0.654	0.646 - 0.662	-	-	
MI - Detroit	-	-		9,460	0.765	0.750 - 0.781	-	-	
Minnesota	-	-		14,587	0.654	0.643 - 0.664	-	-	
Mississippi	-	-		5,540	0.657	0.640 - 0.675	-	-	
Missouri	-	-		13,227	0.547	0.537 - 0.556	-	-	
Montana	-	-		3,267	0.714	0.689 - 0.739	-	-	
Nebraska	-	-		4,797	0.633	0.615 - 0.651	-	-	
New Hampshire	-	-		4,356	0.720	0.699 - 0.742	-	-	
New Jersey	-	-		20,614	0.831	0.820 - 0.843	-	-	
New Mexico	-	-		2,700	0.675	0.650 - 0.701	-	-	
New York	-	-		41,522	0.756	0.748 - 0.763	-	-	
North Carolina	-	-		20,808	0.653	0.644 - 0.662	-	-	
North Dakota	-	-		2,187	0.656	0.629 - 0.684	-	-	
Ohio	-	-		26,253	0.572	0.565 - 0.579	-	-	
Oklahoma	-	-		7,216	0.541	0.528 - 0.553	-	-	
Oregon	-	-		9,569	0.613	0.601 - 0.625	-	-	
Pennsylvania	-	-		31,811	0.652	0.645 - 0.659	-	-	
Rhode Island	-	-		2,415	0.637	0.612 - 0.663	-	-	
South Carolina	-	-		9,817	0.631	0.618 - 0.643	-	-	
Tennessee	-	-		15,553	0.639	0.629 - 0.649	-	-	
Texas	-	-		33,223	0.556	0.550 - 0.562	-	-	
Utah	-	-		6,000	0.495	0.483 - 0.508	-	-	
Vermont	-	-		1,695	0.583	0.556 - 0.612	-	-	
Virginia	-	-		13,706	0.518	0.509 - 0.527	-	-	
Washington	-	-		16,096	0.625	0.615 - 0.634	-	-	
WA - Seattle	-	-		11,592	0.664	0.652 - 0.676	-	-	
West Virginia	-	-		4,988	0.592	0.575 - 0.608	-	-	
Wisconsin	-	-		15,606	0.660	0.650 - 0.671	-	-	
Wyoming	-	-		1,551	0.611	0.581 - 0.642	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**27,937**	**0.030**	**0.030 - 0.031**	**-**	**-**	
Alabama	-	-		379	0.024	0.022 - 0.026	-	-	
Alaska	-	-		85	0.033	0.027 - 0.041	-	-	
Arizona	-	-		485	0.025	0.023 - 0.028	-	-	
Arkansas	-	-		275	0.025	0.022 - 0.029	-	-	
California	-	-		2,669	0.035	0.033 - 0.036	-	-	
CA - Greater California	-	-		1,552	0.032	0.031 - 0.034	-	-	
CA - Greater Bay Area	-	-		599	0.040	0.037 - 0.044	-	-	
CA - Los Angeles	-	-		513	0.037	0.033 - 0.040	-	-	
Colorado	-	-		549	0.029	0.026 - 0.031	-	-	
Connecticut	-	-		420	0.035	0.032 - 0.038	-	-	
Delaware	-	-		86	0.029	0.023 - 0.036	-	-	
Florida	-	-		1,334	0.024	0.023 - 0.025	-	-	
Georgia	-	-		717	0.026	0.024 - 0.028	-	-	
Hawaii	-	-		76	0.045	0.036 - 0.057	-	-	
Idaho	-	-		216	0.031	0.027 - 0.035	-	-	
Illinois	-	-		1,330	0.034	0.032 - 0.036	-	-	
Iowa	-	-		412	0.031	0.028 - 0.034	-	-	
Kentucky	-	-		504	0.027	0.025 - 0.029	-	-	
Louisiana	-	-		397	0.029	0.026 - 0.032	-	-	
Maine	-	-		175	0.028	0.024 - 0.033	-	-	
Maryland	-	-		493	0.032	0.029 - 0.035	-	-	
Michigan	-	-		1,134	0.030	0.028 - 0.032	-	-	
MI - Detroit	-	-		419	0.034	0.031 - 0.037	-	-	
Minnesota	-	-		796	0.036	0.033 - 0.038	-	-	
Mississippi	-	-		188	0.022	0.019 - 0.026	-	-	
Missouri	-	-		643	0.027	0.025 - 0.029	-	-	
Montana	-	-		147	0.032	0.027 - 0.038	-	-	
Nebraska	-	-		271	0.036	0.032 - 0.040	-	-	
New Hampshire	-	-		193	0.032	0.028 - 0.037	-	-	
New Jersey	-	-		895	0.036	0.034 - 0.039	-	-	
New Mexico	-	-		119	0.030	0.025 - 0.036	-	-	
New York	-	-		2,092	0.038	0.036 - 0.040	-	-	
North Carolina	-	-		892	0.028	0.026 - 0.030	-	-	
North Dakota	-	-		105	0.032	0.026 - 0.038	-	-	
Ohio	-	-		1,370	0.030	0.028 - 0.031	-	-	
Oklahoma	-	-		333	0.025	0.022 - 0.028	-	-	
Oregon	-	-		545	0.035	0.032 - 0.038	-	-	
Pennsylvania	-	-		1,633	0.033	0.032 - 0.035	-	-	
Rhode Island	-	-		149	0.039	0.033 - 0.046	-	-	
South Carolina	-	-		386	0.025	0.022 - 0.027	-	-	
Tennessee	-	-		662	0.027	0.025 - 0.029	-	-	
Texas	-	-		1,647	0.028	0.026 - 0.029	-	-	
Utah	-	-		402	0.033	0.030 - 0.037	-	-	
Vermont	-	-		88	0.030	0.024 - 0.037	-	-	
Virginia	-	-		647	0.024	0.023 - 0.026	-	-	
Washington	-	-		876	0.034	0.032 - 0.036	-	-	
WA - Seattle	-	-		676	0.039	0.036 - 0.042	-	-	
West Virginia	-	-		218	0.026	0.023 - 0.030	-	-	
Wisconsin	-	-		814	0.034	0.032 - 0.037	-	-	
Wyoming	-	-		91	0.036	0.029 - 0.044	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**213,563**	**0.115**	**0.114 - 0.115**	**165,014**	**0.180**	**0.179 - 0.181**	**48,549**	**0.051**	**0.051 - 0.052**
Alabama	3,279	0.101	0.098 - 0.105	2,593	0.164	0.157 - 0.170	686	0.041	0.038 - 0.045
Alaska	417	0.087	0.079 - 0.096	330	0.130	0.116 - 0.145	87	0.039	0.031 - 0.048
Arizona	4,871	0.126	0.122 - 0.129	3,825	0.200	0.194 - 0.206	1,046	0.053	0.050 - 0.057
Arkansas	2,173	0.098	0.094 - 0.103	1,727	0.159	0.152 - 0.167	446	0.040	0.036 - 0.044
California	18,086	0.118	0.116 - 0.119	14,168	0.185	0.182 - 0.188	3,918	0.051	0.049 - 0.053
CA - Greater California	11,184	0.116	0.114 - 0.118	8,758	0.183	0.180 - 0.187	2,426	0.050	0.048 - 0.052
CA - Greater Bay Area	3,393	0.115	0.111 - 0.119	2,609	0.175	0.169 - 0.182	784	0.054	0.050 - 0.058
CA - Los Angeles	3,517	0.126	0.122 - 0.130	2,807	0.200	0.192 - 0.207	710	0.051	0.047 - 0.055
Colorado	3,265	0.085	0.082 - 0.088	2,536	0.132	0.127 - 0.137	729	0.038	0.035 - 0.041
Connecticut	3,915	0.158	0.153 - 0.163	2,964	0.246	0.237 - 0.255	951	0.075	0.070 - 0.080
Delaware	901	0.149	0.139 - 0.159	699	0.238	0.221 - 0.256	202	0.065	0.056 - 0.074
Florida	16,614	0.146	0.144 - 0.148	12,918	0.231	0.227 - 0.235	3,696	0.064	0.062 - 0.066
Georgia	5,188	0.093	0.090 - 0.096	4,090	0.149	0.145 - 0.154	1,097	0.039	0.036 - 0.041
Hawaii	345	0.111	0.100 - 0.124	286	0.170	0.151 - 0.191	59	0.042	0.032 - 0.054
Idaho	1,373	0.099	0.093 - 0.104	1,083	0.156	0.147 - 0.165	290	0.042	0.037 - 0.047
Illinois	9,738	0.121	0.119 - 0.124	7,406	0.187	0.183 - 0.192	2,332	0.057	0.055 - 0.059
Iowa	2,869	0.105	0.101 - 0.109	2,261	0.168	0.161 - 0.175	608	0.044	0.041 - 0.048
Kentucky	3,928	0.103	0.100 - 0.106	2,992	0.160	0.154 - 0.166	937	0.048	0.045 - 0.051
Louisiana	2,813	0.101	0.097 - 0.104	2,226	0.162	0.155 - 0.169	587	0.041	0.038 - 0.045
Maine	1,825	0.145	0.139 - 0.152	1,388	0.226	0.214 - 0.238	437	0.068	0.062 - 0.075
Maryland	4,037	0.127	0.123 - 0.131	3,134	0.202	0.195 - 0.209	903	0.056	0.052 - 0.060
Michigan	8,868	0.117	0.114 - 0.119	6,739	0.180	0.175 - 0.184	2,129	0.055	0.053 - 0.058
MI - Detroit	3,304	0.132	0.127 - 0.136	2,496	0.202	0.194 - 0.210	808	0.063	0.059 - 0.068
Minnesota	4,838	0.108	0.104 - 0.111	3,720	0.167	0.161 - 0.172	1,118	0.049	0.046 - 0.052
Mississippi	1,707	0.099	0.095 - 0.104	1,350	0.160	0.152 - 0.169	357	0.041	0.037 - 0.045
Missouri	4,716	0.096	0.093 - 0.099	3,676	0.152	0.147 - 0.157	1,040	0.042	0.039 - 0.044
Montana	1,039	0.114	0.107 - 0.121	800	0.175	0.163 - 0.187	239	0.053	0.046 - 0.060
Nebraska	1,552	0.101	0.096 - 0.106	1,186	0.156	0.148 - 0.166	366	0.047	0.043 - 0.052
New Hampshire	1,670	0.136	0.130 - 0.143	1,271	0.210	0.199 - 0.222	399	0.064	0.058 - 0.071
New Jersey	7,431	0.146	0.143 - 0.149	5,582	0.225	0.219 - 0.231	1,850	0.071	0.068 - 0.074
New Mexico	958	0.119	0.111 - 0.126	765	0.191	0.178 - 0.205	193	0.047	0.041 - 0.054
New York	16,909	0.151	0.148 - 0.153	12,720	0.231	0.227 - 0.236	4,189	0.073	0.071 - 0.075
North Carolina	7,104	0.109	0.106 - 0.112	5,475	0.172	0.167 - 0.176	1,629	0.049	0.047 - 0.051
North Dakota	614	0.094	0.087 - 0.102	491	0.147	0.135 - 0.161	123	0.039	0.032 - 0.046
Ohio	10,018	0.107	0.105 - 0.109	7,745	0.169	0.165 - 0.173	2,273	0.048	0.046 - 0.050
Oklahoma	2,532	0.093	0.090 - 0.097	1,981	0.148	0.142 - 0.155	551	0.040	0.037 - 0.043
Oregon	3,667	0.116	0.112 - 0.119	2,863	0.183	0.177 - 0.190	804	0.050	0.047 - 0.054
Pennsylvania	13,855	0.139	0.137 - 0.141	10,576	0.217	0.213 - 0.221	3,279	0.064	0.062 - 0.067
Rhode Island	1,213	0.154	0.146 - 0.163	901	0.238	0.222 - 0.254	312	0.077	0.068 - 0.086
South Carolina	3,517	0.110	0.107 - 0.114	2,782	0.179	0.172 - 0.185	735	0.045	0.042 - 0.049
Tennessee	4,839	0.097	0.094 - 0.100	3,752	0.154	0.149 - 0.159	1,087	0.043	0.040 - 0.045
Texas	10,417	0.086	0.085 - 0.088	8,203	0.137	0.134 - 0.140	2,214	0.036	0.035 - 0.038
Utah	1,335	0.055	0.052 - 0.058	1,082	0.089	0.084 - 0.095	253	0.021	0.018 - 0.024
Vermont	692	0.117	0.109 - 0.127	526	0.181	0.166 - 0.197	166	0.056	0.047 - 0.065
Virginia	4,892	0.091	0.089 - 0.094	3,743	0.141	0.137 - 0.146	1,149	0.042	0.040 - 0.045
Washington	5,402	0.104	0.102 - 0.107	4,192	0.163	0.158 - 0.168	1,210	0.047	0.044 - 0.049
WA - Seattle	3,739	0.107	0.104 - 0.110	2,907	0.167	0.161 - 0.173	832	0.048	0.044 - 0.051
West Virginia	2,015	0.118	0.113 - 0.123	1,529	0.181	0.172 - 0.191	486	0.056	0.051 - 0.061
Wisconsin	5,619	0.118	0.115 - 0.121	4,334	0.183	0.178 - 0.189	1,285	0.054	0.051 - 0.057
Wyoming	506	0.101	0.093 - 0.111	404	0.159	0.144 - 0.175	103	0.042	0.034 - 0.051

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**151,177**	**0.081**	**0.081 - 0.082**	**95,684**	**0.104**	**0.104 - 0.105**	**55,493**	**0.059**	**0.058 - 0.059**
Alabama	2,793	0.086	0.083 - 0.089	1,726	0.109	0.104 - 0.114	1,067	0.064	0.061 - 0.068
Alaska	346	0.072	0.065 - 0.080	225	0.089	0.077 - 0.101	121	0.054	0.045 - 0.064
Arizona	3,075	0.079	0.077 - 0.082	1,963	0.103	0.098 - 0.107	1,112	0.057	0.053 - 0.060
Arkansas	1,933	0.088	0.084 - 0.091	1,222	0.113	0.106 - 0.119	711	0.063	0.059 - 0.068
California	11,603	0.076	0.074 - 0.077	7,690	0.100	0.098 - 0.103	3,914	0.051	0.049 - 0.052
CA - Greater California	7,430	0.077	0.076 - 0.079	4,852	0.102	0.099 - 0.104	2,577	0.053	0.051 - 0.055
CA - Greater Bay Area	2,103	0.071	0.068 - 0.074	1,431	0.096	0.091 - 0.101	671	0.046	0.043 - 0.050
CA - Los Angeles	2,073	0.074	0.071 - 0.077	1,410	0.100	0.095 - 0.106	663	0.048	0.044 - 0.051
Colorado	2,129	0.056	0.053 - 0.058	1,355	0.071	0.067 - 0.074	774	0.040	0.038 - 0.043
Connecticut	2,086	0.084	0.081 - 0.088	1,383	0.115	0.109 - 0.121	703	0.055	0.051 - 0.060
Delaware	532	0.088	0.080 - 0.095	354	0.121	0.108 - 0.134	178	0.057	0.049 - 0.066
Florida	9,724	0.085	0.084 - 0.087	6,294	0.113	0.110 - 0.115	3,430	0.059	0.057 - 0.061
Georgia	4,119	0.074	0.072 - 0.076	2,583	0.094	0.091 - 0.098	1,536	0.054	0.052 - 0.057
Hawaii	229	0.074	0.064 - 0.084	167	0.099	0.085 - 0.115	62	0.044	0.034 - 0.056
Idaho	945	0.068	0.064 - 0.072	592	0.085	0.078 - 0.092	353	0.051	0.045 - 0.056
Illinois	7,049	0.088	0.086 - 0.090	4,425	0.112	0.109 - 0.115	2,624	0.064	0.062 - 0.067
Iowa	2,256	0.083	0.079 - 0.086	1,416	0.105	0.100 - 0.111	840	0.061	0.057 - 0.065
Kentucky	3,400	0.089	0.086 - 0.092	2,028	0.109	0.104 - 0.113	1,372	0.071	0.067 - 0.074
Louisiana	2,929	0.105	0.101 - 0.109	1,808	0.131	0.125 - 0.138	1,121	0.079	0.075 - 0.084
Maine	1,046	0.083	0.078 - 0.088	620	0.101	0.093 - 0.109	426	0.066	0.060 - 0.073
Maryland	2,459	0.078	0.075 - 0.081	1,543	0.099	0.094 - 0.104	916	0.057	0.053 - 0.060
Michigan	5,827	0.077	0.075 - 0.079	3,624	0.097	0.093 - 0.100	2,203	0.057	0.055 - 0.060
MI - Detroit	2,152	0.086	0.082 - 0.089	1,363	0.110	0.104 - 0.116	789	0.062	0.058 - 0.066
Minnesota	3,501	0.078	0.075 - 0.080	2,270	0.102	0.098 - 0.106	1,231	0.054	0.051 - 0.057
Mississippi	1,765	0.103	0.098 - 0.108	1,073	0.127	0.120 - 0.135	692	0.079	0.073 - 0.085
Missouri	4,051	0.082	0.080 - 0.085	2,486	0.103	0.099 - 0.107	1,565	0.063	0.060 - 0.066
Montana	665	0.073	0.068 - 0.079	416	0.091	0.082 - 0.100	249	0.055	0.048 - 0.062
Nebraska	1,155	0.075	0.071 - 0.080	725	0.096	0.089 - 0.103	430	0.056	0.050 - 0.061
New Hampshire	904	0.074	0.069 - 0.079	575	0.095	0.087 - 0.103	329	0.053	0.047 - 0.059
New Jersey	4,578	0.090	0.087 - 0.093	2,919	0.118	0.114 - 0.122	1,659	0.064	0.061 - 0.067
New Mexico	562	0.070	0.064 - 0.076	360	0.090	0.081 - 0.100	202	0.050	0.043 - 0.057
New York	10,354	0.092	0.090 - 0.094	6,687	0.122	0.119 - 0.125	3,667	0.064	0.062 - 0.066
North Carolina	5,339	0.082	0.080 - 0.084	3,341	0.105	0.101 - 0.108	1,998	0.060	0.057 - 0.063
North Dakota	459	0.070	0.064 - 0.077	299	0.090	0.080 - 0.100	160	0.050	0.043 - 0.059
Ohio	7,531	0.081	0.079 - 0.082	4,588	0.100	0.097 - 0.103	2,943	0.062	0.060 - 0.064
Oklahoma	2,216	0.082	0.078 - 0.085	1,330	0.100	0.094 - 0.105	886	0.064	0.060 - 0.069
Oregon	2,454	0.077	0.074 - 0.081	1,571	0.101	0.096 - 0.106	883	0.055	0.051 - 0.059
Pennsylvania	8,633	0.087	0.085 - 0.088	5,409	0.111	0.108 - 0.114	3,224	0.063	0.061 - 0.066
Rhode Island	708	0.090	0.083 - 0.097	427	0.113	0.102 - 0.124	281	0.069	0.061 - 0.078
South Carolina	2,627	0.083	0.079 - 0.086	1,675	0.108	0.102 - 0.113	952	0.059	0.055 - 0.062
Tennessee	4,226	0.085	0.082 - 0.087	2,646	0.109	0.105 - 0.113	1,580	0.062	0.059 - 0.065
Texas	10,221	0.085	0.083 - 0.086	6,443	0.108	0.105 - 0.111	3,778	0.062	0.060 - 0.064
Utah	1,089	0.045	0.042 - 0.048	691	0.057	0.053 - 0.061	399	0.033	0.030 - 0.036
Vermont	404	0.069	0.062 - 0.076	261	0.090	0.079 - 0.101	143	0.048	0.040 - 0.056
Virginia	3,608	0.067	0.065 - 0.070	2,327	0.088	0.084 - 0.092	1,281	0.047	0.045 - 0.050
Washington	3,704	0.072	0.069 - 0.074	2,375	0.092	0.088 - 0.096	1,329	0.051	0.048 - 0.054
WA - Seattle	2,560	0.073	0.070 - 0.076	1,644	0.094	0.090 - 0.099	916	0.052	0.049 - 0.056
West Virginia	1,610	0.094	0.089 - 0.099	979	0.116	0.109 - 0.124	631	0.073	0.067 - 0.078
Wisconsin	4,009	0.084	0.082 - 0.087	2,585	0.109	0.105 - 0.114	1,424	0.059	0.056 - 0.063
Wyoming	324	0.065	0.058 - 0.072	209	0.082	0.072 - 0.094	115	0.047	0.039 - 0.056

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**33,455**	**0.018**	**0.018 - 0.018**	**18,463**	**0.020**	**0.020 - 0.020**	**14,992**	**0.016**	**0.016 - 0.016**
Alabama	505	0.016	0.014 - 0.017	270	0.017	0.015 - 0.019	235	0.014	0.012 - 0.016
Alaska	85	0.018	0.014 - 0.022	46	0.018	0.013 - 0.024	39	0.017	0.012 - 0.024
Arizona	642	0.017	0.015 - 0.018	337	0.018	0.016 - 0.020	305	0.016	0.014 - 0.017
Arkansas	385	0.017	0.016 - 0.019	221	0.020	0.018 - 0.023	164	0.015	0.012 - 0.017
California	2,874	0.019	0.018 - 0.019	1,601	0.021	0.020 - 0.022	1,273	0.017	0.016 - 0.017
CA - Greater California	1,757	0.018	0.017 - 0.019	946	0.020	0.019 - 0.021	811	0.017	0.016 - 0.018
CA - Greater Bay Area	603	0.020	0.019 - 0.022	353	0.024	0.021 - 0.026	251	0.017	0.015 - 0.019
CA - Los Angeles	512	0.018	0.017 - 0.020	301	0.021	0.019 - 0.024	211	0.015	0.013 - 0.017
Colorado	629	0.016	0.015 - 0.018	382	0.020	0.018 - 0.022	247	0.013	0.011 - 0.015
Connecticut	461	0.019	0.017 - 0.020	268	0.022	0.020 - 0.025	194	0.015	0.013 - 0.018
Delaware	114	0.019	0.016 - 0.023	51	0.017	0.013 - 0.023	63	0.020	0.015 - 0.026
Florida	1,950	0.017	0.016 - 0.018	1,084	0.019	0.018 - 0.021	866	0.015	0.014 - 0.016
Georgia	940	0.017	0.016 - 0.018	525	0.019	0.018 - 0.021	415	0.015	0.013 - 0.016
Hawaii	38	0.012	0.009 - 0.017	26	0.015	0.010 - 0.023	12	0.009	0.004 - 0.015
Idaho	245	0.018	0.015 - 0.020	139	0.020	0.017 - 0.024	106	0.015	0.012 - 0.018
Illinois	1,496	0.019	0.018 - 0.020	821	0.021	0.019 - 0.022	675	0.017	0.015 - 0.018
Iowa	466	0.017	0.016 - 0.019	252	0.019	0.016 - 0.021	214	0.016	0.014 - 0.018
Kentucky	712	0.019	0.017 - 0.020	382	0.020	0.018 - 0.023	330	0.017	0.015 - 0.019
Louisiana	466	0.017	0.015 - 0.018	250	0.018	0.016 - 0.021	217	0.015	0.013 - 0.017
Maine	234	0.019	0.016 - 0.021	135	0.022	0.018 - 0.026	99	0.015	0.013 - 0.019
Maryland	560	0.018	0.016 - 0.019	305	0.020	0.018 - 0.022	255	0.016	0.014 - 0.018
Michigan	1,309	0.017	0.016 - 0.018	735	0.020	0.018 - 0.021	574	0.015	0.014 - 0.016
MI - Detroit	445	0.018	0.016 - 0.019	245	0.020	0.017 - 0.023	200	0.016	0.014 - 0.018
Minnesota	877	0.019	0.018 - 0.021	470	0.021	0.019 - 0.023	407	0.018	0.016 - 0.020
Mississippi	265	0.015	0.014 - 0.017	142	0.017	0.014 - 0.020	123	0.014	0.012 - 0.017
Missouri	867	0.018	0.016 - 0.019	473	0.020	0.018 - 0.021	394	0.016	0.014 - 0.017
Montana	165	0.018	0.016 - 0.021	90	0.020	0.016 - 0.024	76	0.017	0.013 - 0.021
Nebraska	240	0.016	0.014 - 0.018	137	0.018	0.015 - 0.021	103	0.013	0.011 - 0.016
New Hampshire	242	0.020	0.017 - 0.022	131	0.022	0.018 - 0.026	111	0.018	0.015 - 0.022
New Jersey	1,044	0.021	0.019 - 0.022	571	0.023	0.021 - 0.025	473	0.018	0.017 - 0.020
New Mexico	126	0.016	0.013 - 0.019	68	0.017	0.013 - 0.022	58	0.014	0.011 - 0.018
New York	2,359	0.021	0.020 - 0.022	1,278	0.023	0.022 - 0.025	1,081	0.019	0.018 - 0.020
North Carolina	1,091	0.017	0.016 - 0.018	582	0.018	0.017 - 0.020	509	0.015	0.014 - 0.017
North Dakota	91	0.014	0.011 - 0.017	49	0.015	0.011 - 0.019	42	0.013	0.009 - 0.018
Ohio	1,611	0.017	0.016 - 0.018	889	0.019	0.018 - 0.021	722	0.015	0.014 - 0.016
Oklahoma	439	0.016	0.015 - 0.018	230	0.017	0.015 - 0.020	209	0.015	0.013 - 0.017
Oregon	537	0.017	0.016 - 0.018	289	0.019	0.016 - 0.021	248	0.015	0.014 - 0.017
Pennsylvania	1,873	0.019	0.018 - 0.020	1,041	0.021	0.020 - 0.023	832	0.016	0.015 - 0.017
Rhode Island	139	0.018	0.015 - 0.021	65	0.017	0.013 - 0.022	74	0.018	0.014 - 0.023
South Carolina	535	0.017	0.015 - 0.018	289	0.019	0.016 - 0.021	246	0.015	0.013 - 0.017
Tennessee	791	0.016	0.015 - 0.017	434	0.018	0.016 - 0.020	357	0.014	0.013 - 0.016
Texas	2,408	0.020	0.019 - 0.021	1,364	0.023	0.022 - 0.024	1,044	0.017	0.016 - 0.018
Utah	411	0.017	0.015 - 0.019	250	0.021	0.018 - 0.023	161	0.013	0.011 - 0.016
Vermont	87	0.015	0.012 - 0.018	49	0.017	0.012 - 0.022	38	0.013	0.009 - 0.017
Virginia	839	0.016	0.015 - 0.017	467	0.018	0.016 - 0.019	372	0.014	0.012 - 0.015
Washington	1,055	0.020	0.019 - 0.022	604	0.023	0.022 - 0.025	451	0.017	0.016 - 0.019
WA - Seattle	785	0.022	0.021 - 0.024	446	0.026	0.023 - 0.028	339	0.019	0.017 - 0.022
West Virginia	301	0.018	0.016 - 0.020	150	0.018	0.015 - 0.021	151	0.017	0.015 - 0.020
Wisconsin	865	0.018	0.017 - 0.019	480	0.020	0.019 - 0.022	385	0.016	0.014 - 0.018
Wyoming	84	0.017	0.013 - 0.021	42	0.017	0.012 - 0.023	42	0.017	0.012 - 0.023

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**151,538**	**0.081**	**0.081 - 0.082**	**39,230**	**0.043**	**0.042 - 0.043**	**112,308**	**0.119**	**0.118 - 0.120**
Alabama	1,730	0.053	0.051 - 0.056	466	0.029	0.027 - 0.032	1,264	0.076	0.072 - 0.081
Alaska	256	0.053	0.047 - 0.060	68	0.027	0.021 - 0.034	188	0.084	0.072 - 0.096
Arizona	3,302	0.085	0.082 - 0.088	826	0.043	0.040 - 0.046	2,476	0.126	0.121 - 0.131
Arkansas	1,355	0.061	0.058 - 0.065	361	0.033	0.030 - 0.037	994	0.088	0.083 - 0.094
California	12,007	0.078	0.077 - 0.080	3,257	0.042	0.041 - 0.044	8,750	0.114	0.111 - 0.116
CA - Greater California	7,368	0.077	0.075 - 0.078	1,944	0.041	0.039 - 0.043	5,423	0.112	0.109 - 0.115
CA - Greater Bay Area	2,044	0.069	0.066 - 0.072	603	0.040	0.037 - 0.044	1,442	0.099	0.094 - 0.104
CA - Los Angeles	2,591	0.093	0.089 - 0.096	711	0.051	0.047 - 0.054	1,880	0.135	0.129 - 0.141
Colorado	3,160	0.082	0.080 - 0.085	854	0.045	0.042 - 0.048	2,306	0.121	0.116 - 0.126
Connecticut	2,736	0.111	0.107 - 0.115	714	0.059	0.055 - 0.064	2,022	0.159	0.153 - 0.167
Delaware	526	0.087	0.079 - 0.094	108	0.037	0.030 - 0.044	418	0.134	0.121 - 0.147
Florida	7,413	0.065	0.064 - 0.067	2,074	0.037	0.036 - 0.039	5,339	0.092	0.090 - 0.094
Georgia	4,060	0.073	0.071 - 0.075	1,028	0.037	0.035 - 0.040	3,033	0.107	0.103 - 0.111
Hawaii	244	0.079	0.069 - 0.089	88	0.052	0.042 - 0.064	156	0.110	0.093 - 0.128
Idaho	1,091	0.078	0.074 - 0.083	243	0.035	0.031 - 0.040	848	0.121	0.113 - 0.130
Illinois	7,356	0.091	0.089 - 0.094	1,922	0.049	0.046 - 0.051	5,434	0.133	0.129 - 0.136
Iowa	1,938	0.071	0.068 - 0.074	499	0.037	0.034 - 0.040	1,440	0.104	0.099 - 0.110
Kentucky	3,086	0.081	0.078 - 0.084	780	0.042	0.039 - 0.045	2,307	0.119	0.114 - 0.124
Louisiana	2,354	0.084	0.081 - 0.088	590	0.043	0.039 - 0.046	1,764	0.125	0.119 - 0.130
Maine	1,080	0.086	0.081 - 0.091	287	0.047	0.041 - 0.052	793	0.123	0.115 - 0.132
Maryland	2,957	0.093	0.090 - 0.097	735	0.047	0.044 - 0.051	2,222	0.137	0.132 - 0.143
Michigan	5,535	0.073	0.071 - 0.075	1,360	0.036	0.034 - 0.038	4,175	0.109	0.105 - 0.112
MI - Detroit	2,486	0.099	0.095 - 0.103	604	0.049	0.045 - 0.053	1,882	0.148	0.141 - 0.154
Minnesota	3,044	0.068	0.065 - 0.070	791	0.035	0.033 - 0.038	2,253	0.099	0.095 - 0.103
Mississippi	1,153	0.067	0.063 - 0.071	306	0.036	0.032 - 0.041	847	0.097	0.091 - 0.104
Missouri	3,213	0.065	0.063 - 0.068	844	0.035	0.033 - 0.037	2,369	0.095	0.091 - 0.099
Montana	670	0.074	0.068 - 0.079	175	0.038	0.033 - 0.044	495	0.110	0.100 - 0.120
Nebraska	1,087	0.071	0.067 - 0.075	264	0.035	0.031 - 0.039	823	0.106	0.099 - 0.114
New Hampshire	1,054	0.086	0.081 - 0.091	265	0.044	0.039 - 0.049	789	0.127	0.119 - 0.136
New Jersey	6,219	0.122	0.119 - 0.125	1,690	0.068	0.065 - 0.071	4,529	0.174	0.169 - 0.179
New Mexico	786	0.097	0.091 - 0.104	191	0.048	0.041 - 0.055	594	0.146	0.134 - 0.158
New York	13,192	0.117	0.115 - 0.119	3,586	0.065	0.063 - 0.067	9,606	0.167	0.164 - 0.171
North Carolina	4,696	0.072	0.070 - 0.074	1,253	0.039	0.037 - 0.042	3,443	0.103	0.100 - 0.107
North Dakota	554	0.085	0.078 - 0.092	130	0.039	0.033 - 0.046	424	0.133	0.121 - 0.146
Ohio	7,455	0.080	0.078 - 0.082	1,726	0.038	0.036 - 0.039	5,729	0.120	0.117 - 0.123
Oklahoma	1,785	0.066	0.063 - 0.069	429	0.032	0.029 - 0.035	1,356	0.098	0.093 - 0.104
Oregon	2,253	0.071	0.068 - 0.074	591	0.038	0.035 - 0.041	1,662	0.103	0.098 - 0.108
Pennsylvania	11,399	0.114	0.112 - 0.116	2,869	0.059	0.057 - 0.061	8,530	0.167	0.164 - 0.171
Rhode Island	854	0.109	0.101 - 0.116	205	0.054	0.047 - 0.062	649	0.159	0.147 - 0.172
South Carolina	2,154	0.068	0.065 - 0.071	536	0.034	0.032 - 0.037	1,618	0.099	0.095 - 0.104
Tennessee	3,695	0.074	0.072 - 0.077	952	0.039	0.037 - 0.042	2,743	0.108	0.104 - 0.112
Texas	8,748	0.073	0.071 - 0.074	2,345	0.039	0.038 - 0.041	6,403	0.105	0.103 - 0.108
Utah	2,055	0.085	0.081 - 0.089	482	0.040	0.036 - 0.043	1,574	0.131	0.124 - 0.137
Vermont	420	0.071	0.065 - 0.078	116	0.040	0.033 - 0.048	304	0.102	0.091 - 0.114
Virginia	3,773	0.070	0.068 - 0.073	908	0.034	0.032 - 0.037	2,865	0.106	0.102 - 0.110
Washington	3,766	0.073	0.071 - 0.075	1,005	0.039	0.037 - 0.041	2,761	0.106	0.102 - 0.110
WA - Seattle	2,579	0.074	0.071 - 0.077	705	0.040	0.037 - 0.043	1,875	0.107	0.102 - 0.112
West Virginia	1,495	0.087	0.083 - 0.092	336	0.040	0.036 - 0.044	1,159	0.133	0.126 - 0.141
Wisconsin	3,456	0.073	0.070 - 0.075	885	0.037	0.035 - 0.040	2,571	0.107	0.103 - 0.111
Wyoming	376	0.075	0.068 - 0.083	92	0.036	0.029 - 0.044	284	0.116	0.103 - 0.130

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**24,108**	**0.013**	**0.013 - 0.013**	**13,300**	**0.015**	**0.014 - 0.015**	**10,808**	**0.011**	**0.011 - 0.012**
Alabama	314	0.010	0.009 - 0.011	171	0.011	0.009 - 0.013	143	0.009	0.007 - 0.010
Alaska	34	0.007	0.005 - 0.010	19	0.007	0.005 - 0.012	15	0.007	0.004 - 0.011
Arizona	384	0.010	0.009 - 0.011	212	0.011	0.010 - 0.013	172	0.009	0.008 - 0.010
Arkansas	271	0.012	0.011 - 0.014	151	0.014	0.012 - 0.016	120	0.011	0.009 - 0.013
California	1,955	0.013	0.012 - 0.013	1,089	0.014	0.013 - 0.015	866	0.011	0.011 - 0.012
CA - Greater California	1,187	0.012	0.012 - 0.013	654	0.014	0.013 - 0.015	533	0.011	0.010 - 0.012
CA - Greater Bay Area	380	0.013	0.012 - 0.014	218	0.015	0.013 - 0.017	162	0.011	0.009 - 0.013
CA - Los Angeles	386	0.014	0.012 - 0.015	217	0.015	0.013 - 0.018	169	0.012	0.010 - 0.014
Colorado	445	0.012	0.011 - 0.013	258	0.013	0.012 - 0.015	187	0.010	0.008 - 0.011
Connecticut	410	0.017	0.015 - 0.018	218	0.018	0.016 - 0.021	192	0.015	0.013 - 0.017
Delaware	86	0.014	0.011 - 0.018	46	0.016	0.011 - 0.021	40	0.013	0.009 - 0.017
Florida	1,625	0.014	0.014 - 0.015	908	0.016	0.015 - 0.017	717	0.012	0.011 - 0.013
Georgia	615	0.011	0.010 - 0.012	310	0.011	0.010 - 0.013	305	0.011	0.010 - 0.012
Hawaii	42	0.014	0.010 - 0.018	21	0.013	0.008 - 0.019	21	0.015	0.009 - 0.023
Idaho	160	0.011	0.010 - 0.013	90	0.013	0.010 - 0.016	70	0.010	0.008 - 0.013
Illinois	1,054	0.013	0.012 - 0.014	582	0.015	0.014 - 0.016	472	0.012	0.011 - 0.013
Iowa	379	0.014	0.013 - 0.015	218	0.016	0.014 - 0.019	161	0.012	0.010 - 0.014
Kentucky	466	0.012	0.011 - 0.013	266	0.014	0.013 - 0.016	200	0.010	0.009 - 0.012
Louisiana	345	0.012	0.011 - 0.014	182	0.013	0.011 - 0.015	163	0.011	0.010 - 0.013
Maine	186	0.015	0.013 - 0.017	96	0.016	0.013 - 0.019	90	0.014	0.011 - 0.017
Maryland	416	0.013	0.012 - 0.014	221	0.014	0.012 - 0.016	195	0.012	0.010 - 0.014
Michigan	968	0.013	0.012 - 0.014	537	0.014	0.013 - 0.016	431	0.011	0.010 - 0.012
MI - Detroit	394	0.016	0.014 - 0.017	228	0.018	0.016 - 0.021	167	0.013	0.011 - 0.015
Minnesota	624	0.014	0.013 - 0.015	372	0.017	0.015 - 0.018	252	0.011	0.010 - 0.013
Mississippi	190	0.011	0.010 - 0.013	106	0.013	0.010 - 0.015	84	0.010	0.008 - 0.012
Missouri	622	0.013	0.012 - 0.014	334	0.014	0.012 - 0.015	288	0.012	0.010 - 0.013
Montana	125	0.014	0.011 - 0.016	72	0.016	0.012 - 0.020	54	0.012	0.009 - 0.016
Nebraska	218	0.014	0.012 - 0.016	122	0.016	0.013 - 0.019	96	0.012	0.010 - 0.015
New Hampshire	158	0.013	0.011 - 0.015	89	0.015	0.012 - 0.018	69	0.011	0.009 - 0.014
New Jersey	827	0.016	0.015 - 0.017	455	0.018	0.017 - 0.020	372	0.014	0.013 - 0.016
New Mexico	95	0.012	0.009 - 0.014	51	0.013	0.009 - 0.017	44	0.011	0.008 - 0.014
New York	1,861	0.017	0.016 - 0.017	1,009	0.018	0.017 - 0.020	852	0.015	0.014 - 0.016
North Carolina	762	0.012	0.011 - 0.013	436	0.014	0.012 - 0.015	326	0.010	0.009 - 0.011
North Dakota	99	0.015	0.012 - 0.018	71	0.021	0.017 - 0.027	28	0.009	0.006 - 0.013
Ohio	1,152	0.012	0.012 - 0.013	651	0.014	0.013 - 0.015	501	0.011	0.010 - 0.011
Oklahoma	304	0.011	0.010 - 0.013	168	0.013	0.011 - 0.015	136	0.010	0.008 - 0.012
Oregon	367	0.012	0.010 - 0.013	200	0.013	0.011 - 0.015	167	0.010	0.009 - 0.012
Pennsylvania	1,538	0.015	0.015 - 0.016	860	0.018	0.016 - 0.019	678	0.013	0.012 - 0.014
Rhode Island	133	0.017	0.014 - 0.020	67	0.018	0.014 - 0.022	66	0.016	0.013 - 0.021
South Carolina	360	0.011	0.010 - 0.013	196	0.013	0.011 - 0.014	164	0.010	0.009 - 0.012
Tennessee	581	0.012	0.011 - 0.013	294	0.012	0.011 - 0.014	287	0.011	0.010 - 0.013
Texas	1,430	0.012	0.011 - 0.012	765	0.013	0.012 - 0.014	665	0.011	0.010 - 0.012
Utah	264	0.011	0.010 - 0.012	139	0.011	0.010 - 0.014	125	0.010	0.009 - 0.012
Vermont	90	0.015	0.012 - 0.019	47	0.016	0.012 - 0.022	43	0.014	0.010 - 0.019
Virginia	602	0.011	0.010 - 0.012	311	0.012	0.010 - 0.013	291	0.011	0.010 - 0.012
Washington	635	0.012	0.011 - 0.013	378	0.015	0.013 - 0.016	257	0.010	0.009 - 0.011
WA - Seattle	445	0.013	0.012 - 0.014	263	0.015	0.013 - 0.017	182	0.010	0.009 - 0.012
West Virginia	185	0.011	0.009 - 0.012	105	0.012	0.010 - 0.015	80	0.009	0.007 - 0.011
Wisconsin	689	0.014	0.013 - 0.016	380	0.016	0.015 - 0.018	309	0.013	0.011 - 0.014
Wyoming	43	0.009	0.006 - 0.012	28	0.011	0.007 - 0.016	15	0.006	0.003 - 0.010

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**175,962**	**0.095**	**0.094 - 0.095**	**95,478**	**0.104**	**0.103 - 0.105**	**80,484**	**0.085**	**0.085 - 0.086**
Alabama	2,440	0.075	0.072 - 0.078	1,319	0.083	0.079 - 0.088	1,121	0.068	0.064 - 0.072
Alaska	328	0.069	0.061 - 0.076	191	0.075	0.065 - 0.087	137	0.061	0.051 - 0.072
Arizona	3,101	0.080	0.077 - 0.083	1,679	0.088	0.084 - 0.092	1,422	0.073	0.069 - 0.076
Arkansas	1,799	0.081	0.078 - 0.085	955	0.088	0.083 - 0.094	844	0.075	0.070 - 0.080
California	15,346	0.100	0.098 - 0.101	8,650	0.113	0.110 - 0.115	6,696	0.087	0.085 - 0.089
CA - Greater California	9,169	0.095	0.093 - 0.097	5,164	0.108	0.105 - 0.111	4,005	0.083	0.080 - 0.085
CA - Greater Bay Area	3,307	0.112	0.108 - 0.116	1,888	0.127	0.121 - 0.133	1,419	0.097	0.092 - 0.102
CA - Los Angeles	2,873	0.103	0.099 - 0.107	1,601	0.114	0.108 - 0.120	1,273	0.091	0.087 - 0.097
Colorado	2,866	0.075	0.072 - 0.078	1,621	0.084	0.080 - 0.089	1,245	0.065	0.062 - 0.069
Connecticut	2,747	0.111	0.107 - 0.115	1,484	0.123	0.117 - 0.130	1,262	0.100	0.094 - 0.105
Delaware	676	0.111	0.103 - 0.120	341	0.116	0.104 - 0.129	335	0.107	0.096 - 0.119
Florida	15,273	0.134	0.132 - 0.136	8,102	0.145	0.142 - 0.148	7,171	0.124	0.121 - 0.126
Georgia	4,543	0.081	0.079 - 0.084	2,483	0.091	0.087 - 0.094	2,060	0.073	0.070 - 0.076
Hawaii	299	0.096	0.086 - 0.108	183	0.109	0.094 - 0.126	115	0.081	0.067 - 0.098
Idaho	1,058	0.076	0.071 - 0.081	574	0.083	0.076 - 0.090	484	0.069	0.063 - 0.076
Illinois	7,794	0.097	0.095 - 0.099	4,207	0.106	0.103 - 0.110	3,587	0.088	0.085 - 0.091
Iowa	2,672	0.098	0.094 - 0.102	1,451	0.108	0.102 - 0.114	1,221	0.089	0.084 - 0.094
Kentucky	3,258	0.085	0.083 - 0.088	1,741	0.093	0.089 - 0.098	1,518	0.078	0.074 - 0.082
Louisiana	2,595	0.093	0.089 - 0.097	1,354	0.098	0.093 - 0.104	1,241	0.088	0.083 - 0.093
Maine	1,264	0.100	0.095 - 0.106	646	0.105	0.097 - 0.113	618	0.096	0.089 - 0.104
Maryland	2,901	0.092	0.088 - 0.095	1,560	0.100	0.096 - 0.106	1,341	0.083	0.079 - 0.087
Michigan	6,993	0.092	0.090 - 0.094	3,740	0.100	0.097 - 0.103	3,253	0.085	0.082 - 0.088
MI - Detroit	2,615	0.104	0.100 - 0.108	1,427	0.115	0.110 - 0.122	1,188	0.093	0.088 - 0.099
Minnesota	4,380	0.097	0.094 - 0.100	2,453	0.110	0.106 - 0.114	1,927	0.085	0.081 - 0.089
Mississippi	1,397	0.081	0.077 - 0.086	732	0.087	0.081 - 0.093	665	0.076	0.070 - 0.082
Missouri	4,118	0.084	0.081 - 0.086	2,234	0.092	0.089 - 0.096	1,884	0.075	0.072 - 0.079
Montana	828	0.091	0.085 - 0.098	457	0.100	0.091 - 0.109	372	0.082	0.074 - 0.091
Nebraska	1,404	0.092	0.087 - 0.097	782	0.103	0.096 - 0.111	622	0.080	0.074 - 0.087
New Hampshire	1,245	0.102	0.096 - 0.107	657	0.109	0.100 - 0.117	588	0.095	0.087 - 0.103
New Jersey	5,992	0.118	0.115 - 0.121	3,135	0.126	0.122 - 0.131	2,857	0.110	0.106 - 0.114
New Mexico	734	0.091	0.084 - 0.098	389	0.097	0.088 - 0.107	345	0.085	0.076 - 0.094
New York	13,086	0.116	0.115 - 0.119	7,005	0.127	0.125 - 0.131	6,081	0.106	0.103 - 0.109
North Carolina	5,396	0.083	0.081 - 0.085	2,965	0.093	0.090 - 0.096	2,431	0.073	0.070 - 0.076
North Dakota	539	0.083	0.076 - 0.090	296	0.089	0.079 - 0.100	243	0.076	0.067 - 0.086
Ohio	8,014	0.086	0.084 - 0.088	4,343	0.095	0.092 - 0.098	3,671	0.077	0.075 - 0.080
Oklahoma	2,127	0.078	0.075 - 0.082	1,166	0.087	0.082 - 0.093	961	0.070	0.065 - 0.074
Oregon	2,812	0.089	0.085 - 0.092	1,509	0.097	0.092 - 0.102	1,303	0.081	0.077 - 0.085
Pennsylvania	10,567	0.106	0.104 - 0.108	5,664	0.116	0.113 - 0.119	4,903	0.096	0.094 - 0.099
Rhode Island	881	0.112	0.105 - 0.120	465	0.123	0.112 - 0.134	416	0.102	0.093 - 0.112
South Carolina	2,620	0.082	0.079 - 0.085	1,369	0.088	0.083 - 0.093	1,251	0.077	0.073 - 0.081
Tennessee	4,015	0.081	0.078 - 0.083	2,154	0.089	0.085 - 0.092	1,861	0.073	0.070 - 0.076
Texas	10,180	0.084	0.083 - 0.086	5,653	0.095	0.092 - 0.097	4,527	0.074	0.072 - 0.077
Utah	1,447	0.060	0.057 - 0.063	819	0.068	0.063 - 0.072	628	0.052	0.048 - 0.056
Vermont	627	0.106	0.098 - 0.115	345	0.119	0.107 - 0.132	282	0.094	0.084 - 0.106
Virginia	4,217	0.079	0.076 - 0.081	2,318	0.088	0.084 - 0.091	1,899	0.070	0.067 - 0.073
Washington	4,806	0.093	0.090 - 0.096	2,703	0.105	0.101 - 0.109	2,103	0.081	0.078 - 0.085
WA - Seattle	3,410	0.098	0.094 - 0.101	1,919	0.110	0.105 - 0.115	1,491	0.085	0.081 - 0.090
West Virginia	1,507	0.088	0.084 - 0.093	794	0.094	0.088 - 0.101	713	0.082	0.076 - 0.088
Wisconsin	4,717	0.099	0.096 - 0.102	2,591	0.110	0.105 - 0.114	2,126	0.089	0.085 - 0.093
Wyoming	353	0.071	0.064 - 0.078	199	0.079	0.068 - 0.090	154	0.063	0.053 - 0.073

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**47,352**	**0.025**	**0.025 - 0.026**	**27,313**	**0.030**	**0.029 - 0.030**	**20,039**	**0.021**	**0.021 - 0.022**
Alabama	635	0.020	0.018 - 0.021	351	0.022	0.020 - 0.025	284	0.017	0.015 - 0.019
Alaska	84	0.018	0.014 - 0.022	48	0.019	0.014 - 0.025	36	0.016	0.011 - 0.022
Arizona	786	0.020	0.019 - 0.022	454	0.024	0.022 - 0.026	332	0.017	0.015 - 0.019
Arkansas	533	0.024	0.022 - 0.026	307	0.028	0.025 - 0.032	226	0.020	0.018 - 0.023
California	3,938	0.026	0.025 - 0.026	2,361	0.031	0.030 - 0.032	1,577	0.021	0.020 - 0.022
CA - Greater California	2,419	0.025	0.024 - 0.026	1,439	0.030	0.029 - 0.032	980	0.020	0.019 - 0.022
CA - Greater Bay Area	809	0.027	0.026 - 0.029	493	0.033	0.030 - 0.036	316	0.022	0.019 - 0.024
CA - Los Angeles	709	0.025	0.024 - 0.027	430	0.031	0.028 - 0.034	280	0.020	0.018 - 0.023
Colorado	894	0.023	0.022 - 0.025	550	0.029	0.026 - 0.031	344	0.018	0.016 - 0.020
Connecticut	761	0.031	0.029 - 0.033	429	0.036	0.032 - 0.039	331	0.026	0.023 - 0.029
Delaware	169	0.028	0.024 - 0.032	101	0.034	0.028 - 0.042	68	0.022	0.017 - 0.028
Florida	4,243	0.037	0.036 - 0.038	2,414	0.043	0.041 - 0.045	1,829	0.032	0.030 - 0.033
Georgia	1,286	0.023	0.022 - 0.024	761	0.028	0.026 - 0.030	525	0.019	0.017 - 0.020
Hawaii	75	0.024	0.019 - 0.030	49	0.029	0.022 - 0.039	25	0.018	0.012 - 0.026
Idaho	316	0.023	0.020 - 0.025	190	0.027	0.024 - 0.031	126	0.018	0.015 - 0.021
Illinois	1,904	0.024	0.023 - 0.025	1,070	0.027	0.025 - 0.029	834	0.020	0.019 - 0.022
Iowa	718	0.026	0.024 - 0.028	411	0.031	0.028 - 0.034	308	0.022	0.020 - 0.025
Kentucky	861	0.023	0.021 - 0.024	518	0.028	0.025 - 0.030	344	0.018	0.016 - 0.020
Louisiana	653	0.023	0.022 - 0.025	374	0.027	0.024 - 0.030	279	0.020	0.017 - 0.022
Maine	345	0.027	0.025 - 0.030	195	0.032	0.027 - 0.036	150	0.023	0.020 - 0.027
Maryland	764	0.024	0.022 - 0.026	410	0.026	0.024 - 0.029	354	0.022	0.020 - 0.024
Michigan	1,821	0.024	0.023 - 0.025	1,057	0.028	0.027 - 0.030	764	0.020	0.018 - 0.021
MI - Detroit	680	0.027	0.025 - 0.029	383	0.031	0.028 - 0.034	298	0.023	0.021 - 0.026
Minnesota	1,233	0.027	0.026 - 0.029	704	0.032	0.029 - 0.034	529	0.023	0.021 - 0.025
Mississippi	345	0.020	0.018 - 0.022	208	0.025	0.021 - 0.028	137	0.016	0.013 - 0.019
Missouri	1,114	0.023	0.021 - 0.024	664	0.027	0.025 - 0.030	450	0.018	0.016 - 0.020
Montana	243	0.027	0.024 - 0.030	153	0.033	0.028 - 0.039	91	0.020	0.016 - 0.025
Nebraska	351	0.023	0.021 - 0.025	205	0.027	0.023 - 0.031	146	0.019	0.016 - 0.022
New Hampshire	342	0.028	0.025 - 0.031	209	0.035	0.030 - 0.040	133	0.021	0.018 - 0.025
New Jersey	1,525	0.030	0.028 - 0.032	844	0.034	0.032 - 0.036	681	0.026	0.024 - 0.028
New Mexico	189	0.023	0.020 - 0.027	116	0.029	0.024 - 0.035	73	0.018	0.014 - 0.022
New York	3,698	0.033	0.032 - 0.034	2,103	0.038	0.037 - 0.040	1,595	0.028	0.026 - 0.029
North Carolina	1,664	0.026	0.024 - 0.027	949	0.030	0.028 - 0.032	715	0.021	0.020 - 0.023
North Dakota	149	0.023	0.019 - 0.027	90	0.027	0.022 - 0.033	59	0.019	0.014 - 0.024
Ohio	1,813	0.019	0.019 - 0.020	1,043	0.023	0.021 - 0.024	770	0.016	0.015 - 0.017
Oklahoma	581	0.021	0.020 - 0.023	322	0.024	0.022 - 0.027	259	0.019	0.017 - 0.021
Oregon	665	0.021	0.019 - 0.023	382	0.024	0.022 - 0.027	283	0.018	0.016 - 0.020
Pennsylvania	2,659	0.027	0.026 - 0.028	1,523	0.031	0.030 - 0.033	1,136	0.022	0.021 - 0.024
Rhode Island	222	0.028	0.025 - 0.032	134	0.035	0.030 - 0.042	88	0.022	0.017 - 0.027
South Carolina	770	0.024	0.023 - 0.026	430	0.028	0.025 - 0.030	340	0.021	0.019 - 0.023
Tennessee	1,087	0.022	0.021 - 0.023	629	0.026	0.024 - 0.028	458	0.018	0.016 - 0.020
Texas	3,180	0.026	0.025 - 0.027	1,780	0.030	0.028 - 0.031	1,400	0.023	0.022 - 0.024
Utah	414	0.017	0.016 - 0.019	245	0.020	0.018 - 0.023	169	0.014	0.012 - 0.016
Vermont	138	0.023	0.020 - 0.028	85	0.029	0.023 - 0.036	53	0.018	0.013 - 0.023
Virginia	1,017	0.019	0.018 - 0.020	589	0.022	0.021 - 0.024	428	0.016	0.014 - 0.017
Washington	1,276	0.025	0.023 - 0.026	750	0.029	0.027 - 0.031	526	0.020	0.019 - 0.022
WA - Seattle	926	0.026	0.025 - 0.028	557	0.032	0.029 - 0.035	369	0.021	0.019 - 0.023
West Virginia	424	0.025	0.022 - 0.027	248	0.029	0.026 - 0.033	176	0.020	0.017 - 0.023
Wisconsin	1,354	0.028	0.027 - 0.030	799	0.034	0.032 - 0.036	555	0.023	0.021 - 0.025
Wyoming	112	0.022	0.018 - 0.027	60	0.024	0.018 - 0.031	52	0.021	0.016 - 0.028

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**106,478**	**0.057**	**0.057 - 0.058**	**62,857**	**0.069**	**0.068 - 0.069**	**43,622**	**0.046**	**0.046 - 0.047**
Alabama	1,356	0.042	0.040 - 0.044	790	0.050	0.046 - 0.053	566	0.034	0.031 - 0.037
Alaska	174	0.036	0.031 - 0.042	104	0.041	0.033 - 0.050	70	0.031	0.024 - 0.039
Arizona	1,547	0.040	0.038 - 0.042	913	0.048	0.045 - 0.051	634	0.032	0.030 - 0.035
Arkansas	1,109	0.050	0.047 - 0.053	646	0.060	0.055 - 0.064	463	0.041	0.038 - 0.045
California	8,519	0.055	0.054 - 0.057	5,179	0.068	0.066 - 0.069	3,340	0.043	0.042 - 0.045
CA - Greater California	5,194	0.054	0.053 - 0.055	3,121	0.065	0.063 - 0.068	2,073	0.043	0.041 - 0.045
CA - Greater Bay Area	1,747	0.059	0.056 - 0.062	1,083	0.073	0.068 - 0.077	665	0.045	0.042 - 0.049
CA - Los Angeles	1,577	0.056	0.054 - 0.059	973	0.069	0.065 - 0.074	605	0.043	0.040 - 0.047
Colorado	1,862	0.049	0.046 - 0.051	1,134	0.059	0.056 - 0.063	728	0.038	0.035 - 0.041
Connecticut	1,540	0.062	0.059 - 0.065	887	0.074	0.069 - 0.079	652	0.051	0.048 - 0.056
Delaware	371	0.061	0.055 - 0.068	231	0.079	0.069 - 0.089	140	0.045	0.038 - 0.053
Florida	10,701	0.094	0.092 - 0.096	6,167	0.110	0.108 - 0.113	4,534	0.078	0.076 - 0.080
Georgia	2,957	0.053	0.051 - 0.055	1,730	0.063	0.060 - 0.066	1,227	0.043	0.041 - 0.046
Hawaii	186	0.060	0.052 - 0.069	122	0.072	0.060 - 0.086	65	0.045	0.035 - 0.058
Idaho	835	0.060	0.056 - 0.064	488	0.070	0.064 - 0.077	347	0.050	0.045 - 0.055
Illinois	4,002	0.050	0.048 - 0.051	2,359	0.060	0.057 - 0.062	1,643	0.040	0.038 - 0.042
Iowa	1,741	0.064	0.061 - 0.067	1,061	0.079	0.074 - 0.084	680	0.049	0.046 - 0.053
Kentucky	2,100	0.055	0.053 - 0.058	1,231	0.066	0.062 - 0.070	869	0.045	0.042 - 0.048
Louisiana	1,540	0.055	0.052 - 0.058	864	0.063	0.059 - 0.067	675	0.048	0.044 - 0.051
Maine	783	0.062	0.058 - 0.067	459	0.075	0.068 - 0.082	324	0.050	0.045 - 0.056
Maryland	1,551	0.049	0.047 - 0.051	874	0.056	0.053 - 0.060	677	0.042	0.039 - 0.045
Michigan	3,959	0.052	0.051 - 0.054	2,324	0.062	0.059 - 0.065	1,635	0.043	0.041 - 0.045
MI - Detroit	1,634	0.065	0.062 - 0.068	946	0.077	0.072 - 0.082	688	0.054	0.050 - 0.058
Minnesota	2,783	0.062	0.060 - 0.064	1,763	0.079	0.075 - 0.083	1,020	0.045	0.042 - 0.048
Mississippi	821	0.048	0.045 - 0.051	478	0.057	0.052 - 0.062	343	0.039	0.035 - 0.044
Missouri	2,401	0.049	0.047 - 0.051	1,394	0.058	0.055 - 0.061	1,007	0.040	0.038 - 0.043
Montana	591	0.065	0.060 - 0.070	384	0.084	0.076 - 0.093	206	0.046	0.040 - 0.052
Nebraska	736	0.048	0.045 - 0.052	437	0.058	0.052 - 0.063	299	0.039	0.034 - 0.043
New Hampshire	684	0.056	0.052 - 0.060	430	0.071	0.065 - 0.078	254	0.041	0.036 - 0.046
New Jersey	3,374	0.066	0.064 - 0.069	1,964	0.079	0.076 - 0.083	1,410	0.054	0.051 - 0.057
New Mexico	549	0.068	0.062 - 0.074	319	0.080	0.071 - 0.089	231	0.057	0.049 - 0.064
New York	8,830	0.079	0.077 - 0.080	5,183	0.094	0.092 - 0.097	3,647	0.064	0.062 - 0.066
North Carolina	3,597	0.055	0.053 - 0.057	2,095	0.066	0.063 - 0.069	1,502	0.045	0.043 - 0.047
North Dakota	369	0.057	0.051 - 0.063	228	0.068	0.060 - 0.078	141	0.044	0.037 - 0.052
Ohio	3,815	0.041	0.040 - 0.042	2,252	0.049	0.047 - 0.051	1,563	0.033	0.031 - 0.034
Oklahoma	1,280	0.047	0.045 - 0.050	756	0.057	0.053 - 0.061	524	0.038	0.035 - 0.041
Oregon	1,464	0.046	0.044 - 0.049	870	0.056	0.052 - 0.060	594	0.037	0.034 - 0.040
Pennsylvania	5,956	0.060	0.058 - 0.061	3,509	0.072	0.070 - 0.074	2,447	0.048	0.046 - 0.050
Rhode Island	482	0.061	0.056 - 0.067	278	0.073	0.065 - 0.082	204	0.050	0.043 - 0.057
South Carolina	1,628	0.051	0.049 - 0.054	958	0.062	0.058 - 0.066	670	0.041	0.038 - 0.044
Tennessee	2,612	0.052	0.050 - 0.054	1,545	0.064	0.060 - 0.067	1,067	0.042	0.039 - 0.044
Texas	6,948	0.058	0.056 - 0.059	4,082	0.068	0.066 - 0.070	2,866	0.047	0.045 - 0.049
Utah	980	0.041	0.038 - 0.043	580	0.048	0.044 - 0.052	400	0.033	0.030 - 0.037
Vermont	304	0.052	0.046 - 0.058	175	0.060	0.052 - 0.070	129	0.043	0.036 - 0.051
Virginia	1,993	0.037	0.036 - 0.039	1,120	0.042	0.040 - 0.045	873	0.032	0.030 - 0.034
Washington	2,992	0.058	0.056 - 0.060	1,833	0.071	0.068 - 0.074	1,159	0.045	0.042 - 0.047
WA - Seattle	2,262	0.065	0.062 - 0.067	1,386	0.079	0.075 - 0.084	876	0.050	0.047 - 0.053
West Virginia	948	0.055	0.052 - 0.059	570	0.068	0.062 - 0.073	378	0.043	0.039 - 0.048
Wisconsin	3,265	0.069	0.066 - 0.071	1,940	0.082	0.078 - 0.086	1,325	0.055	0.052 - 0.058
Wyoming	243	0.049	0.043 - 0.055	150	0.059	0.050 - 0.069	93	0.038	0.031 - 0.046

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic White, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**3,437**	**0.002**	**0.002 - 0.002**	**2,399**	**0.003**	**0.003 - 0.003**	**1,038**	**0.001**	**0.001 - 0.001**
Alabama	31	0.001	0.001 - 0.001	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	79	0.002	0.002 - 0.003	56	0.003	0.002 - 0.004	23	0.001	0.001 - 0.002
Arkansas	28	0.001	0.001 - 0.002	-	-		-	-	
California	296	0.002	0.002 - 0.002	203	0.003	0.002 - 0.003	93	0.001	0.001 - 0.001
CA - Greater California	188	0.002	0.002 - 0.002	130	0.003	0.002 - 0.003	58	0.001	0.001 - 0.002
CA - Greater Bay Area	63	0.002	0.002 - 0.003	43	0.003	0.002 - 0.004	20	0.001	0.001 - 0.002
CA - Los Angeles	45	0.002	0.001 - 0.002	30	0.002	0.001 - 0.003	15	0.001	0.001 - 0.002
Colorado	50	0.001	0.001 - 0.002	39	0.002	0.001 - 0.003	11	0.001	0.000 - 0.001
Connecticut	53	0.002	0.002 - 0.003	37	0.003	0.002 - 0.004	16	0.001	0.001 - 0.002
Delaware	23	0.004	0.002 - 0.006	-	-		-	-	
Florida	277	0.002	0.002 - 0.003	188	0.003	0.003 - 0.004	89	0.002	0.001 - 0.002
Georgia	67	0.001	0.001 - 0.002	52	0.002	0.001 - 0.002	15	0.001	0.000 - 0.001
Hawaii	-	-		-	-		-	-	
Idaho	30	0.002	0.001 - 0.003	-	-		-	-	
Illinois	181	0.002	0.002 - 0.003	127	0.003	0.003 - 0.004	54	0.001	0.001 - 0.002
Iowa	44	0.002	0.001 - 0.002	29	0.002	0.001 - 0.003	15	0.001	0.001 - 0.002
Kentucky	39	0.001	0.001 - 0.001	25	0.001	0.001 - 0.002	14	0.001	0.000 - 0.001
Louisiana	81	0.003	0.002 - 0.004	58	0.004	0.003 - 0.005	23	0.002	0.001 - 0.002
Maine	33	0.003	0.002 - 0.004	-	-		-	-	
Maryland	61	0.002	0.001 - 0.002	41	0.003	0.002 - 0.004	20	0.001	0.001 - 0.002
Michigan	136	0.002	0.002 - 0.002	89	0.002	0.002 - 0.003	47	0.001	0.001 - 0.002
MI - Detroit	45	0.002	0.001 - 0.002	31	0.003	0.002 - 0.004	14	0.001	0.001 - 0.002
Minnesota	104	0.002	0.002 - 0.003	74	0.003	0.003 - 0.004	30	0.001	0.001 - 0.002
Mississippi	30	0.002	0.001 - 0.002	-	-		-	-	
Missouri	60	0.001	0.001 - 0.002	41	0.002	0.001 - 0.002	19	0.001	0.000 - 0.001
Montana	20	0.002	0.001 - 0.003	-	-		-	-	
Nebraska	20	0.001	0.001 - 0.002	-	-		-	-	
New Hampshire	26	0.002	0.001 - 0.003	-	-		-	-	
New Jersey	142	0.003	0.002 - 0.003	96	0.004	0.003 - 0.005	46	0.002	0.001 - 0.002
New Mexico	12	0.001	0.001 - 0.003	-	-		-	-	
New York	258	0.002	0.002 - 0.003	177	0.003	0.003 - 0.004	81	0.001	0.001 - 0.002
North Carolina	94	0.001	0.001 - 0.002	71	0.002	0.002 - 0.003	23	0.001	0.000 - 0.001
North Dakota	10	0.002	0.001 - 0.003	-	-		-	-	
Ohio	163	0.002	0.001 - 0.002	122	0.003	0.002 - 0.003	41	0.001	0.001 - 0.001
Oklahoma	28	0.001	0.001 - 0.001	-	-		-	-	
Oregon	47	0.001	0.001 - 0.002	34	0.002	0.002 - 0.003	13	0.001	0.000 - 0.001
Pennsylvania	223	0.002	0.002 - 0.003	149	0.003	0.003 - 0.004	74	0.001	0.001 - 0.002
Rhode Island	18	0.002	0.001 - 0.004	-	-		-	-	
South Carolina	62	0.002	0.001 - 0.002	44	0.003	0.002 - 0.004	18	0.001	0.001 - 0.002
Tennessee	49	0.001	0.001 - 0.001	36	0.001	0.001 - 0.002	13	0.001	0.000 - 0.001
Texas	193	0.002	0.001 - 0.002	128	0.002	0.002 - 0.003	65	0.001	0.001 - 0.001
Utah	22	0.001	0.001 - 0.001	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	75	0.001	0.001 - 0.002	54	0.002	0.002 - 0.003	21	0.001	0.000 - 0.001
Washington	107	0.002	0.002 - 0.003	77	0.003	0.002 - 0.004	30	0.001	0.001 - 0.002
WA - Seattle	80	0.002	0.002 - 0.003	57	0.003	0.002 - 0.004	23	0.001	0.001 - 0.002
West Virginia	26	0.002	0.001 - 0.002	-	-		-	-	
Wisconsin	102	0.002	0.002 - 0.003	73	0.003	0.002 - 0.004	29	0.001	0.001 - 0.002
Wyoming	16	0.003	0.002 - 0.005	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**513,046**	**1.283**	**1.279 - 1.286**	**255,535**	**1.336**	**1.331 - 1.341**	**257,511**	**1.235**	**1.230 - 1.239**
Alabama	16,925	1.293	1.273 - 1.312	8,548	1.401	1.371 - 1.431	8,377	1.199	1.173 - 1.225
Alaska	242	0.763	0.670 - 0.866	128	0.719	0.600 - 0.855	114	0.820	0.677 - 0.986
Arizona	2,661	0.827	0.796 - 0.859	1,296	0.774	0.733 - 0.818	1,365	0.885	0.838 - 0.933
Arkansas	5,841	1.229	1.197 - 1.260	3,029	1.336	1.289 - 1.385	2,812	1.130	1.089 - 1.173
California	32,325	1.333	1.318 - 1.347	16,410	1.365	1.344 - 1.386	15,915	1.301	1.281 - 1.322
CA - Greater California	12,962	1.160	1.140 - 1.180	6,765	1.174	1.147 - 1.203	6,196	1.144	1.115 - 1.173
CA - Greater Bay Area	7,019	1.566	1.530 - 1.603	3,642	1.649	1.596 - 1.704	3,376	1.486	1.436 - 1.536
CA - Los Angeles	12,371	1.439	1.414 - 1.465	6,016	1.484	1.446 - 1.522	6,355	1.400	1.365 - 1.435
Colorado	2,520	1.010	0.971 - 1.051	1,420	1.071	1.016 - 1.129	1,100	0.941	0.887 - 0.999
Connecticut	4,995	1.315	1.279 - 1.352	2,433	1.340	1.288 - 1.395	2,562	1.292	1.242 - 1.343
Delaware	3,091	1.450	1.399 - 1.502	1,578	1.571	1.494 - 1.650	1,513	1.343	1.276 - 1.412
Florida	36,572	1.112	1.101 - 1.124	18,629	1.177	1.161 - 1.195	17,943	1.052	1.036 - 1.067
Georgia	38,388	1.178	1.167 - 1.190	18,897	1.240	1.223 - 1.258	19,491	1.124	1.108 - 1.140
Hawaii	293	0.796	0.708 - 0.893	199	0.900	0.779 - 1.034	94	0.641	0.518 - 0.784
Idaho	78	0.484	0.382 - 0.604	46	0.503	0.368 - 0.671	32	0.459	0.314 - 0.647
Illinois	27,087	1.439	1.422 - 1.456	12,888	1.456	1.431 - 1.481	14,199	1.424	1.400 - 1.447
Iowa	978	0.769	0.721 - 0.818	530	0.788	0.722 - 0.858	447	0.747	0.679 - 0.819
Kentucky	4,686	1.228	1.193 - 1.263	2,327	1.227	1.178 - 1.278	2,359	1.228	1.179 - 1.279
Louisiana	20,206	1.323	1.305 - 1.341	10,360	1.428	1.401 - 1.456	9,846	1.228	1.204 - 1.253
Maine	134	0.585	0.490 - 0.692	80	0.637	0.505 - 0.793	54	0.521	0.391 - 0.680
Maryland	25,704	1.404	1.387 - 1.421	12,371	1.448	1.422 - 1.473	13,333	1.365	1.342 - 1.389
Michigan	20,225	1.394	1.375 - 1.413	10,025	1.452	1.423 - 1.480	10,200	1.342	1.316 - 1.368
MI - Detroit	15,358	1.565	1.541 - 1.590	7,578	1.680	1.642 - 1.718	7,780	1.468	1.435 - 1.501
Minnesota	2,851	0.776	0.748 - 0.805	1,510	0.806	0.765 - 0.847	1,341	0.746	0.706 - 0.787
Mississippi	14,613	1.294	1.274 - 1.316	7,606	1.434	1.402 - 1.466	7,007	1.171	1.144 - 1.199
Missouri	9,548	1.278	1.253 - 1.304	4,535	1.273	1.237 - 1.311	5,013	1.283	1.248 - 1.319
Montana	43	0.510	0.369 - 0.687	33	0.674	0.464 - 0.946	10	0.283	0.136 - 0.521
Nebraska	1,067	1.051	0.989 - 1.116	592	1.140	1.050 - 1.235	475	0.958	0.874 - 1.048
New Hampshire	139	0.685	0.576 - 0.809	87	0.771	0.618 - 0.951	52	0.577	0.431 - 0.756
New Jersey	17,293	1.442	1.420 - 1.463	8,481	1.500	1.468 - 1.532	8,812	1.390	1.361 - 1.419
New Mexico	415	0.931	0.844 - 1.025	234	0.939	0.823 - 1.067	181	0.921	0.792 - 1.066
New York	45,820	1.528	1.514 - 1.542	22,957	1.645	1.624 - 1.666	22,863	1.426	1.407 - 1.444
North Carolina	31,563	1.416	1.400 - 1.431	15,594	1.494	1.471 - 1.518	15,969	1.347	1.326 - 1.368
North Dakota	65	0.283	0.218 - 0.361	42	0.312	0.225 - 0.422	23	0.241	0.153 - 0.362
Ohio	19,537	1.267	1.249 - 1.285	9,565	1.293	1.267 - 1.319	9,972	1.242	1.218 - 1.267
Oklahoma	3,551	1.079	1.044 - 1.115	1,835	1.115	1.065 - 1.167	1,716	1.043	0.994 - 1.093
Oregon	936	0.964	0.903 - 1.028	524	1.012	0.927 - 1.102	412	0.909	0.823 - 1.001
Pennsylvania	20,643	1.421	1.401 - 1.440	9,899	1.416	1.388 - 1.444	10,744	1.425	1.398 - 1.452
Rhode Island	686	0.987	0.914 - 1.064	323	0.935	0.836 - 1.043	363	1.038	0.934 - 1.150
South Carolina	18,735	1.373	1.353 - 1.392	9,505	1.486	1.456 - 1.516	9,230	1.273	1.247 - 1.299
Tennessee	13,819	1.204	1.184 - 1.224	6,762	1.245	1.215 - 1.275	7,057	1.168	1.140 - 1.195
Texas	36,953	1.101	1.089 - 1.112	17,952	1.105	1.089 - 1.121	19,001	1.097	1.081 - 1.112
Utah	245	0.598	0.526 - 0.678	151	0.653	0.553 - 0.765	94	0.527	0.426 - 0.646
Vermont	57	0.590	0.447 - 0.764	30	0.560	0.378 - 0.799	27	0.628	0.414 - 0.914
Virginia	22,370	1.341	1.324 - 1.359	11,261	1.408	1.382 - 1.434	11,109	1.280	1.256 - 1.304
Washington	3,191	0.955	0.922 - 0.989	1,770	0.992	0.947 - 1.040	1,421	0.912	0.866 - 0.961
WA - Seattle	2,993	1.029	0.992 - 1.067	1,658	1.076	1.025 - 1.129	1,335	0.976	0.924 - 1.030
West Virginia	951	1.310	1.228 - 1.396	530	1.360	1.247 - 1.481	421	1.252	1.135 - 1.378
Wisconsin	4,957	1.251	1.216 - 1.286	2,535	1.302	1.252 - 1.354	2,422	1.202	1.154 - 1.251
Wyoming	46	0.535	0.392 - 0.714	26	0.512	0.335 - 0.751	20	0.568	0.347 - 0.877

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**10,138**	**0.025**	**0.025 - 0.026**	**6,731**	**0.035**	**0.034 - 0.036**	**3,406**	**0.016**	**0.016 - 0.017**
Alabama	355	0.027	0.024 - 0.030	237	0.039	0.034 - 0.044	118	0.017	0.014 - 0.020
Alaska	-	-		-	-		-	-	
Arizona	38	0.012	0.008 - 0.016	26	0.016	0.010 - 0.023	12	0.008	0.004 - 0.014
Arkansas	139	0.029	0.025 - 0.035	89	0.039	0.032 - 0.048	50	0.020	0.015 - 0.026
California	673	0.028	0.026 - 0.030	460	0.038	0.035 - 0.042	213	0.017	0.015 - 0.020
CA - Greater California	287	0.026	0.023 - 0.029	199	0.035	0.030 - 0.040	88	0.016	0.013 - 0.020
CA - Greater Bay Area	144	0.032	0.027 - 0.038	102	0.046	0.038 - 0.056	42	0.018	0.013 - 0.025
CA - Los Angeles	243	0.028	0.025 - 0.032	159	0.039	0.033 - 0.046	84	0.018	0.015 - 0.023
Colorado	50	0.020	0.015 - 0.026	37	0.028	0.020 - 0.038	13	0.011	0.006 - 0.019
Connecticut	87	0.023	0.018 - 0.028	64	0.035	0.027 - 0.045	23	0.012	0.007 - 0.017
Delaware	45	0.021	0.015 - 0.028	31	0.031	0.021 - 0.044	14	0.012	0.007 - 0.021
Florida	666	0.020	0.019 - 0.022	431	0.027	0.025 - 0.030	235	0.014	0.012 - 0.016
Georgia	736	0.023	0.021 - 0.024	469	0.031	0.028 - 0.034	267	0.015	0.014 - 0.017
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	636	0.034	0.031 - 0.037	425	0.048	0.044 - 0.053	211	0.021	0.018 - 0.024
Iowa	30	0.024	0.016 - 0.034	-	-		-	-	
Kentucky	109	0.029	0.023 - 0.034	83	0.044	0.035 - 0.054	26	0.014	0.009 - 0.020
Louisiana	362	0.024	0.021 - 0.026	248	0.034	0.030 - 0.039	113	0.014	0.012 - 0.017
Maine	-	-		-	-		-	-	
Maryland	463	0.025	0.023 - 0.028	314	0.037	0.033 - 0.041	149	0.015	0.013 - 0.018
Michigan	432	0.030	0.027 - 0.033	283	0.041	0.036 - 0.046	149	0.020	0.017 - 0.023
MI - Detroit	312	0.032	0.028 - 0.036	206	0.046	0.040 - 0.052	106	0.020	0.016 - 0.024
Minnesota	68	0.019	0.014 - 0.023	46	0.025	0.018 - 0.033	22	0.012	0.008 - 0.019
Mississippi	277	0.025	0.022 - 0.028	186	0.035	0.030 - 0.040	91	0.015	0.012 - 0.019
Missouri	200	0.027	0.023 - 0.031	135	0.038	0.032 - 0.045	65	0.017	0.013 - 0.021
Montana	-	-		-	-		-	-	
Nebraska	19	0.019	0.011 - 0.029	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	314	0.026	0.023 - 0.029	203	0.036	0.031 - 0.041	111	0.018	0.014 - 0.021
New Mexico	-	-		-	-		-	-	
New York	767	0.026	0.024 - 0.027	472	0.034	0.031 - 0.037	295	0.018	0.016 - 0.021
North Carolina	689	0.031	0.029 - 0.033	468	0.045	0.041 - 0.049	221	0.019	0.016 - 0.021
North Dakota	-	-		-	-		-	-	
Ohio	388	0.025	0.023 - 0.028	263	0.036	0.031 - 0.040	125	0.016	0.013 - 0.019
Oklahoma	65	0.020	0.015 - 0.025	48	0.029	0.022 - 0.039	17	0.010	0.006 - 0.017
Oregon	16	0.016	0.009 - 0.027	-	-		-	-	
Pennsylvania	457	0.031	0.029 - 0.034	295	0.042	0.038 - 0.047	162	0.021	0.018 - 0.025
Rhode Island	16	0.023	0.013 - 0.037	-	-		-	-	
South Carolina	397	0.029	0.026 - 0.032	265	0.041	0.037 - 0.047	132	0.018	0.015 - 0.022
Tennessee	252	0.022	0.019 - 0.025	158	0.029	0.025 - 0.034	94	0.016	0.013 - 0.019
Texas	724	0.022	0.020 - 0.023	457	0.028	0.026 - 0.031	267	0.015	0.014 - 0.017
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	436	0.026	0.024 - 0.029	312	0.039	0.035 - 0.044	124	0.014	0.012 - 0.017
Washington	69	0.021	0.016 - 0.026	56	0.031	0.024 - 0.041	13	0.008	0.004 - 0.014
WA - Seattle	66	0.023	0.017 - 0.029	51	0.033	0.025 - 0.043	15	0.011	0.006 - 0.018
West Virginia	22	0.030	0.019 - 0.046	-	-		-	-	
Wisconsin	107	0.027	0.022 - 0.033	73	0.037	0.029 - 0.047	34	0.017	0.012 - 0.024
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**2,031**	**0.005**	**0.005 - 0.005**	**1,320**	**0.007**	**0.007 - 0.007**	**711**	**0.003**	**0.003 - 0.004**
Alabama	87	0.007	0.005 - 0.008	61	0.010	0.008 - 0.013	26	0.004	0.002 - 0.005
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	16	0.003	0.002 - 0.005	-	-		-	-	
California	104	0.004	0.003 - 0.005	58	0.005	0.004 - 0.006	45	0.004	0.003 - 0.005
CA - Greater California	38	0.003	0.002 - 0.005	21	0.004	0.002 - 0.006	17	0.003	0.002 - 0.005
CA - Greater Bay Area	32	0.007	0.005 - 0.010	18	0.008	0.005 - 0.013	14	0.006	0.003 - 0.010
CA - Los Angeles	35	0.004	0.003 - 0.006	20	0.005	0.003 - 0.008	15	0.003	0.002 - 0.005
Colorado	-	-		-	-		-	-	
Connecticut	21	0.006	0.003 - 0.008	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	145	0.004	0.004 - 0.005	87	0.005	0.004 - 0.007	58	0.003	0.003 - 0.004
Georgia	147	0.005	0.004 - 0.005	105	0.007	0.006 - 0.008	42	0.002	0.002 - 0.003
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	117	0.006	0.005 - 0.007	77	0.009	0.007 - 0.011	40	0.004	0.003 - 0.005
Iowa	-	-		-	-		-	-	
Kentucky	17	0.004	0.003 - 0.007	-	-		-	-	
Louisiana	84	0.006	0.004 - 0.007	53	0.007	0.005 - 0.010	31	0.004	0.003 - 0.005
Maine	-	-		-	-		-	-	
Maryland	98	0.005	0.004 - 0.007	64	0.007	0.006 - 0.010	34	0.003	0.002 - 0.005
Michigan	89	0.006	0.005 - 0.008	58	0.008	0.006 - 0.011	31	0.004	0.003 - 0.006
MI - Detroit	59	0.006	0.005 - 0.008	40	0.009	0.006 - 0.012	19	0.004	0.002 - 0.006
Minnesota	18	0.005	0.003 - 0.008	-	-		-	-	
Mississippi	87	0.008	0.006 - 0.010	69	0.013	0.010 - 0.016	18	0.003	0.002 - 0.005
Missouri	36	0.005	0.003 - 0.007	25	0.007	0.005 - 0.010	11	0.003	0.001 - 0.005
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	63	0.005	0.004 - 0.007	38	0.007	0.005 - 0.009	26	0.004	0.003 - 0.006
New Mexico	-	-		-	-		-	-	
New York	163	0.005	0.005 - 0.006	101	0.007	0.006 - 0.009	62	0.004	0.003 - 0.005
North Carolina	132	0.006	0.005 - 0.007	85	0.008	0.007 - 0.010	47	0.004	0.003 - 0.005
North Dakota	-	-		-	-		-	-	
Ohio	65	0.004	0.003 - 0.005	35	0.005	0.003 - 0.007	30	0.004	0.003 - 0.005
Oklahoma	15	0.005	0.003 - 0.008	-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	96	0.007	0.005 - 0.008	59	0.008	0.006 - 0.011	37	0.005	0.003 - 0.007
Rhode Island	-	-		-	-		-	-	
South Carolina	76	0.006	0.004 - 0.007	55	0.009	0.006 - 0.011	21	0.003	0.002 - 0.004
Tennessee	57	0.005	0.004 - 0.006	40	0.007	0.005 - 0.010	17	0.003	0.002 - 0.005
Texas	110	0.003	0.003 - 0.004	79	0.005	0.004 - 0.006	31	0.002	0.001 - 0.003
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	94	0.006	0.005 - 0.007	63	0.008	0.006 - 0.010	31	0.004	0.002 - 0.005
Washington	13	0.004	0.002 - 0.007	-	-		-	-	
WA - Seattle	12	0.004	0.002 - 0.007	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	31	0.008	0.005 - 0.011	13	0.007	0.004 - 0.011	18	0.009	0.005 - 0.014
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**7,513**	**0.019**	**0.018 - 0.019**	**3,937**	**0.021**	**0.020 - 0.021**	**3,576**	**0.017**	**0.017 - 0.018**
Alabama	265	0.020	0.018 - 0.023	126	0.021	0.017 - 0.025	139	0.020	0.017 - 0.023
Alaska	-	-		-	-		-	-	
Arizona	40	0.012	0.009 - 0.017	22	0.013	0.008 - 0.020	18	0.012	0.007 - 0.018
Arkansas	70	0.015	0.011 - 0.019	40	0.018	0.013 - 0.024	30	0.012	0.008 - 0.017
California	432	0.018	0.016 - 0.020	229	0.019	0.017 - 0.022	202	0.017	0.014 - 0.019
CA - Greater California	144	0.013	0.011 - 0.015	81	0.014	0.011 - 0.017	63	0.012	0.009 - 0.015
CA - Greater Bay Area	111	0.025	0.020 - 0.030	55	0.025	0.019 - 0.033	56	0.025	0.019 - 0.032
CA - Los Angeles	178	0.021	0.018 - 0.024	93	0.023	0.019 - 0.028	84	0.019	0.015 - 0.023
Colorado	40	0.016	0.011 - 0.022	28	0.021	0.014 - 0.031	12	0.010	0.005 - 0.018
Connecticut	103	0.027	0.022 - 0.033	57	0.031	0.024 - 0.041	46	0.023	0.017 - 0.031
Delaware	35	0.016	0.011 - 0.023	21	0.021	0.013 - 0.032	14	0.012	0.007 - 0.021
Florida	585	0.018	0.016 - 0.019	324	0.020	0.018 - 0.023	261	0.015	0.013 - 0.017
Georgia	520	0.016	0.015 - 0.017	256	0.017	0.015 - 0.019	264	0.015	0.013 - 0.017
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	385	0.020	0.018 - 0.023	191	0.022	0.019 - 0.025	194	0.019	0.017 - 0.022
Iowa	-	-		-	-		-	-	
Kentucky	78	0.020	0.016 - 0.026	37	0.020	0.014 - 0.027	41	0.021	0.015 - 0.029
Louisiana	281	0.018	0.016 - 0.021	158	0.022	0.018 - 0.025	123	0.015	0.013 - 0.018
Maine	-	-		-	-		-	-	
Maryland	357	0.019	0.018 - 0.022	163	0.019	0.016 - 0.022	194	0.020	0.017 - 0.023
Michigan	288	0.020	0.018 - 0.022	141	0.020	0.017 - 0.024	147	0.019	0.016 - 0.023
MI - Detroit	201	0.021	0.018 - 0.024	106	0.023	0.019 - 0.028	95	0.018	0.015 - 0.022
Minnesota	34	0.009	0.006 - 0.013	24	0.013	0.008 - 0.019	10	0.006	0.003 - 0.010
Mississippi	184	0.016	0.014 - 0.019	91	0.017	0.014 - 0.021	93	0.016	0.013 - 0.019
Missouri	125	0.017	0.014 - 0.020	75	0.021	0.017 - 0.026	50	0.013	0.009 - 0.017
Montana	-	-		-	-		-	-	
Nebraska	14	0.014	0.008 - 0.023	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	265	0.022	0.020 - 0.025	134	0.024	0.020 - 0.028	131	0.021	0.017 - 0.025
New Mexico	-	-		-	-		-	-	
New York	818	0.027	0.025 - 0.029	421	0.030	0.027 - 0.033	397	0.025	0.022 - 0.027
North Carolina	450	0.020	0.018 - 0.022	222	0.021	0.019 - 0.024	228	0.019	0.017 - 0.022
North Dakota	-	-		-	-		-	-	
Ohio	298	0.019	0.017 - 0.022	153	0.021	0.018 - 0.024	145	0.018	0.015 - 0.021
Oklahoma	41	0.012	0.009 - 0.017	20	0.012	0.007 - 0.019	21	0.013	0.008 - 0.020
Oregon	16	0.016	0.009 - 0.027	-	-		-	-	
Pennsylvania	250	0.017	0.015 - 0.019	140	0.020	0.017 - 0.024	110	0.015	0.012 - 0.018
Rhode Island	18	0.026	0.015 - 0.041	-	-		-	-	
South Carolina	330	0.024	0.022 - 0.027	182	0.028	0.024 - 0.033	148	0.020	0.017 - 0.024
Tennessee	183	0.016	0.014 - 0.018	97	0.018	0.014 - 0.022	86	0.014	0.011 - 0.018
Texas	540	0.016	0.015 - 0.017	294	0.018	0.016 - 0.020	246	0.014	0.012 - 0.016
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	291	0.017	0.016 - 0.020	171	0.021	0.018 - 0.025	120	0.014	0.011 - 0.017
Washington	46	0.014	0.010 - 0.018	28	0.016	0.010 - 0.023	18	0.012	0.007 - 0.018
WA - Seattle	43	0.015	0.011 - 0.020	26	0.017	0.011 - 0.024	17	0.013	0.007 - 0.020
West Virginia	18	0.025	0.015 - 0.039	-	-		-	-	
Wisconsin	74	0.019	0.015 - 0.023	40	0.021	0.015 - 0.028	34	0.017	0.012 - 0.024
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**52,077**	**0.130**	**0.129 - 0.131**	**25,520**	**0.133**	**0.132 - 0.135**	**26,557**	**0.127**	**0.126 - 0.129**
Alabama	1,955	0.149	0.143 - 0.156	940	0.154	0.144 - 0.164	1,015	0.145	0.136 - 0.154
Alaska	23	0.073	0.046 - 0.109	12	0.067	0.035 - 0.118	11	0.079	0.040 - 0.142
Arizona	230	0.072	0.063 - 0.081	110	0.066	0.054 - 0.079	120	0.078	0.064 - 0.093
Arkansas	644	0.135	0.125 - 0.146	308	0.136	0.121 - 0.152	336	0.135	0.121 - 0.150
California	3,260	0.134	0.130 - 0.139	1,638	0.136	0.130 - 0.143	1,622	0.133	0.126 - 0.139
CA - Greater California	1,332	0.119	0.113 - 0.126	700	0.122	0.113 - 0.131	632	0.117	0.108 - 0.126
CA - Greater Bay Area	686	0.153	0.142 - 0.165	339	0.153	0.137 - 0.171	347	0.153	0.137 - 0.170
CA - Los Angeles	1,245	0.145	0.137 - 0.153	601	0.148	0.137 - 0.161	644	0.142	0.131 - 0.153
Colorado	249	0.100	0.088 - 0.113	139	0.105	0.088 - 0.124	110	0.094	0.077 - 0.113
Connecticut	465	0.122	0.111 - 0.134	241	0.133	0.116 - 0.150	224	0.113	0.099 - 0.129
Delaware	275	0.129	0.114 - 0.145	136	0.135	0.114 - 0.160	139	0.123	0.104 - 0.146
Florida	3,705	0.113	0.109 - 0.116	1,843	0.116	0.111 - 0.122	1,862	0.109	0.104 - 0.114
Georgia	3,971	0.122	0.118 - 0.126	1,916	0.126	0.120 - 0.132	2,055	0.119	0.113 - 0.124
Hawaii	25	0.068	0.044 - 0.100	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	3,045	0.162	0.156 - 0.168	1,473	0.166	0.158 - 0.175	1,572	0.158	0.150 - 0.166
Iowa	90	0.071	0.057 - 0.087	57	0.084	0.064 - 0.109	33	0.055	0.038 - 0.077
Kentucky	506	0.132	0.121 - 0.144	260	0.137	0.121 - 0.155	246	0.128	0.112 - 0.145
Louisiana	2,448	0.160	0.154 - 0.167	1,215	0.167	0.158 - 0.177	1,233	0.154	0.145 - 0.163
Maine	12	0.052	0.027 - 0.091	-	-		-	-	
Maryland	2,300	0.126	0.121 - 0.131	1,082	0.127	0.119 - 0.134	1,218	0.125	0.118 - 0.132
Michigan	1,989	0.137	0.131 - 0.143	946	0.137	0.128 - 0.146	1,043	0.137	0.129 - 0.146
MI - Detroit	1,526	0.156	0.148 - 0.164	710	0.157	0.146 - 0.169	816	0.154	0.144 - 0.165
Minnesota	273	0.074	0.066 - 0.084	142	0.076	0.064 - 0.089	131	0.073	0.061 - 0.086
Mississippi	1,869	0.166	0.158 - 0.173	955	0.180	0.169 - 0.192	914	0.153	0.143 - 0.163
Missouri	971	0.130	0.122 - 0.138	456	0.128	0.117 - 0.140	515	0.132	0.121 - 0.144
Montana	-	-		-	-		-	-	
Nebraska	113	0.111	0.092 - 0.134	63	0.121	0.093 - 0.155	50	0.101	0.075 - 0.133
New Hampshire	17	0.084	0.049 - 0.134	-	-		-	-	
New Jersey	1,731	0.144	0.138 - 0.151	783	0.138	0.129 - 0.149	948	0.150	0.140 - 0.159
New Mexico	38	0.086	0.061 - 0.118	21	0.084	0.052 - 0.129	17	0.089	0.052 - 0.141
New York	4,186	0.140	0.135 - 0.144	1,989	0.143	0.136 - 0.149	2,197	0.137	0.131 - 0.143
North Carolina	2,936	0.132	0.127 - 0.137	1,466	0.140	0.133 - 0.148	1,470	0.124	0.118 - 0.130
North Dakota	-	-		-	-		-	-	
Ohio	1,847	0.120	0.114 - 0.125	895	0.121	0.113 - 0.129	952	0.119	0.111 - 0.126
Oklahoma	372	0.113	0.102 - 0.125	176	0.107	0.092 - 0.124	196	0.119	0.103 - 0.137
Oregon	74	0.076	0.060 - 0.096	42	0.081	0.058 - 0.110	32	0.071	0.048 - 0.100
Pennsylvania	1,993	0.137	0.131 - 0.143	951	0.136	0.128 - 0.145	1,042	0.138	0.130 - 0.147
Rhode Island	47	0.068	0.050 - 0.090	17	0.049	0.029 - 0.079	30	0.086	0.058 - 0.122
South Carolina	1,847	0.135	0.129 - 0.142	939	0.147	0.138 - 0.156	908	0.125	0.117 - 0.134
Tennessee	1,413	0.123	0.117 - 0.130	690	0.127	0.118 - 0.137	723	0.120	0.111 - 0.129
Texas	4,154	0.124	0.120 - 0.128	2,086	0.128	0.123 - 0.134	2,068	0.119	0.114 - 0.125
Utah	17	0.043	0.025 - 0.068	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	2,096	0.126	0.120 - 0.131	1,007	0.126	0.118 - 0.134	1,089	0.125	0.118 - 0.133
Washington	284	0.085	0.075 - 0.095	161	0.090	0.077 - 0.105	123	0.079	0.066 - 0.094
WA - Seattle	261	0.090	0.079 - 0.101	153	0.099	0.084 - 0.116	108	0.079	0.065 - 0.096
West Virginia	102	0.141	0.115 - 0.171	55	0.141	0.106 - 0.184	47	0.140	0.103 - 0.186
Wisconsin	483	0.122	0.111 - 0.133	248	0.127	0.112 - 0.144	235	0.117	0.102 - 0.133
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**6,691**	**0.017**	**0.016 - 0.017**	**4,741**	**0.025**	**0.024 - 0.025**	**1,951**	**0.009**	**0.009 - 0.010**
Alabama	121	0.009	0.008 - 0.011	86	0.014	0.011 - 0.017	35	0.005	0.003 - 0.007
Alaska	-	-		-	-		-	-	
Arizona	37	0.012	0.008 - 0.016	27	0.016	0.011 - 0.023	10	0.006	0.003 - 0.012
Arkansas	61	0.013	0.010 - 0.016	50	0.022	0.016 - 0.029	11	0.004	0.002 - 0.008
California	493	0.020	0.019 - 0.022	356	0.030	0.027 - 0.033	137	0.011	0.009 - 0.013
CA - Greater California	206	0.018	0.016 - 0.021	151	0.026	0.022 - 0.031	55	0.010	0.008 - 0.013
CA - Greater Bay Area	134	0.030	0.025 - 0.036	101	0.046	0.037 - 0.056	33	0.015	0.010 - 0.020
CA - Los Angeles	154	0.018	0.015 - 0.021	104	0.026	0.021 - 0.031	50	0.011	0.008 - 0.015
Colorado	63	0.025	0.019 - 0.032	42	0.032	0.023 - 0.043	21	0.018	0.011 - 0.027
Connecticut	75	0.020	0.016 - 0.025	54	0.030	0.022 - 0.039	21	0.010	0.006 - 0.016
Delaware	44	0.021	0.015 - 0.028	32	0.032	0.022 - 0.045	12	0.011	0.006 - 0.019
Florida	394	0.012	0.011 - 0.013	259	0.016	0.014 - 0.018	135	0.008	0.007 - 0.009
Georgia	349	0.011	0.010 - 0.012	247	0.016	0.014 - 0.018	103	0.006	0.005 - 0.007
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	287	0.015	0.014 - 0.017	205	0.023	0.020 - 0.027	82	0.008	0.007 - 0.010
Iowa	24	0.019	0.012 - 0.028	-	-		-	-	
Kentucky	51	0.013	0.010 - 0.018	33	0.017	0.012 - 0.024	18	0.009	0.006 - 0.015
Louisiana	243	0.016	0.014 - 0.018	188	0.026	0.022 - 0.030	55	0.007	0.005 - 0.009
Maine	-	-		-	-		-	-	
Maryland	356	0.019	0.017 - 0.022	257	0.030	0.027 - 0.034	99	0.010	0.008 - 0.012
Michigan	321	0.022	0.020 - 0.025	224	0.032	0.028 - 0.037	97	0.013	0.010 - 0.016
MI - Detroit	216	0.022	0.019 - 0.025	147	0.033	0.028 - 0.038	69	0.013	0.010 - 0.016
Minnesota	93	0.025	0.020 - 0.031	73	0.039	0.031 - 0.049	20	0.011	0.007 - 0.017
Mississippi	125	0.011	0.009 - 0.013	88	0.017	0.013 - 0.020	37	0.006	0.004 - 0.009
Missouri	145	0.019	0.016 - 0.023	96	0.027	0.022 - 0.033	49	0.013	0.009 - 0.017
Montana	-	-		-	-		-	-	
Nebraska	24	0.024	0.015 - 0.035	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	175	0.015	0.013 - 0.017	116	0.021	0.017 - 0.025	59	0.009	0.007 - 0.012
New Mexico	-	-		-	-		-	-	
New York	611	0.020	0.019 - 0.022	424	0.030	0.028 - 0.033	187	0.012	0.010 - 0.013
North Carolina	346	0.016	0.014 - 0.017	220	0.021	0.018 - 0.024	126	0.011	0.009 - 0.013
North Dakota	-	-		-	-		-	-	
Ohio	283	0.018	0.016 - 0.021	207	0.028	0.024 - 0.032	76	0.009	0.007 - 0.012
Oklahoma	44	0.013	0.010 - 0.018	26	0.016	0.010 - 0.023	18	0.011	0.006 - 0.017
Oregon	19	0.020	0.012 - 0.031	-	-		-	-	
Pennsylvania	448	0.031	0.028 - 0.034	326	0.047	0.042 - 0.052	122	0.016	0.013 - 0.019
Rhode Island	-	-		-	-		-	-	
South Carolina	162	0.012	0.010 - 0.014	121	0.019	0.016 - 0.023	41	0.006	0.004 - 0.008
Tennessee	161	0.014	0.012 - 0.016	97	0.018	0.014 - 0.022	64	0.011	0.008 - 0.014
Texas	639	0.019	0.018 - 0.021	464	0.029	0.026 - 0.031	175	0.010	0.009 - 0.012
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	247	0.015	0.013 - 0.017	177	0.022	0.019 - 0.026	70	0.008	0.006 - 0.010
Washington	78	0.023	0.018 - 0.029	59	0.033	0.025 - 0.043	19	0.012	0.007 - 0.019
WA - Seattle	70	0.024	0.019 - 0.030	53	0.034	0.026 - 0.045	17	0.012	0.007 - 0.020
West Virginia	22	0.030	0.019 - 0.046	-	-		-	-	
Wisconsin	107	0.027	0.022 - 0.033	87	0.045	0.036 - 0.055	20	0.010	0.006 - 0.015
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**6,221**	**0.016**	**0.015 - 0.016**	**2,679**	**0.014**	**0.013 - 0.015**	**3,543**	**0.017**	**0.016 - 0.018**
Alabama	199	0.015	0.013 - 0.017	77	0.013	0.010 - 0.016	122	0.017	0.014 - 0.021
Alaska	-	-		-	-		-	-	
Arizona	39	0.012	0.009 - 0.017	17	0.010	0.006 - 0.016	22	0.014	0.009 - 0.022
Arkansas	63	0.013	0.010 - 0.017	33	0.015	0.010 - 0.020	30	0.012	0.008 - 0.017
California	367	0.015	0.014 - 0.017	163	0.014	0.012 - 0.016	203	0.017	0.014 - 0.019
CA - Greater California	152	0.014	0.012 - 0.016	71	0.012	0.010 - 0.016	81	0.015	0.012 - 0.019
CA - Greater Bay Area	86	0.019	0.015 - 0.024	38	0.017	0.012 - 0.024	48	0.021	0.016 - 0.028
CA - Los Angeles	128	0.015	0.012 - 0.018	54	0.013	0.010 - 0.017	74	0.016	0.013 - 0.020
Colorado	25	0.010	0.006 - 0.015	12	0.009	0.005 - 0.016	13	0.011	0.006 - 0.019
Connecticut	66	0.017	0.013 - 0.022	35	0.019	0.013 - 0.027	31	0.016	0.011 - 0.022
Delaware	46	0.022	0.016 - 0.029	21	0.021	0.013 - 0.032	25	0.022	0.014 - 0.033
Florida	490	0.015	0.014 - 0.016	210	0.013	0.012 - 0.015	280	0.016	0.015 - 0.018
Georgia	453	0.014	0.013 - 0.015	191	0.013	0.011 - 0.014	262	0.015	0.013 - 0.017
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	339	0.018	0.016 - 0.020	149	0.017	0.014 - 0.020	190	0.019	0.016 - 0.022
Iowa	-	-		-	-		-	-	
Kentucky	65	0.017	0.013 - 0.022	29	0.016	0.010 - 0.022	36	0.019	0.013 - 0.026
Louisiana	191	0.013	0.011 - 0.014	88	0.012	0.010 - 0.015	103	0.013	0.010 - 0.016
Maine	-	-		-	-		-	-	
Maryland	333	0.018	0.016 - 0.020	128	0.015	0.012 - 0.018	205	0.021	0.018 - 0.024
Michigan	286	0.020	0.017 - 0.022	123	0.018	0.015 - 0.021	163	0.021	0.018 - 0.025
MI - Detroit	176	0.018	0.015 - 0.021	76	0.017	0.013 - 0.021	100	0.019	0.015 - 0.023
Minnesota	41	0.011	0.008 - 0.015	20	0.011	0.007 - 0.016	21	0.012	0.007 - 0.018
Mississippi	157	0.014	0.012 - 0.016	67	0.013	0.010 - 0.016	90	0.015	0.012 - 0.018
Missouri	119	0.016	0.013 - 0.019	59	0.017	0.013 - 0.021	60	0.015	0.012 - 0.020
Montana	-	-		-	-		-	-	
Nebraska	21	0.021	0.013 - 0.032	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	180	0.015	0.013 - 0.017	73	0.013	0.010 - 0.016	107	0.017	0.014 - 0.020
New Mexico	-	-		-	-		-	-	
New York	587	0.020	0.018 - 0.021	247	0.018	0.016 - 0.020	340	0.021	0.019 - 0.024
North Carolina	360	0.016	0.015 - 0.018	145	0.014	0.012 - 0.016	215	0.018	0.016 - 0.021
North Dakota	-	-		-	-		-	-	
Ohio	199	0.013	0.011 - 0.015	69	0.009	0.007 - 0.012	130	0.016	0.014 - 0.019
Oklahoma	37	0.011	0.008 - 0.015	21	0.013	0.008 - 0.020	16	0.010	0.006 - 0.016
Oregon	11	0.011	0.006 - 0.020	-	-		-	-	
Pennsylvania	255	0.018	0.015 - 0.020	105	0.015	0.012 - 0.018	150	0.020	0.017 - 0.023
Rhode Island	-	-		-	-		-	-	
South Carolina	217	0.016	0.014 - 0.018	91	0.014	0.011 - 0.017	126	0.017	0.014 - 0.021
Tennessee	152	0.013	0.011 - 0.016	73	0.013	0.011 - 0.017	79	0.013	0.010 - 0.016
Texas	517	0.015	0.014 - 0.017	219	0.013	0.012 - 0.015	298	0.017	0.015 - 0.019
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	258	0.015	0.014 - 0.017	115	0.014	0.012 - 0.017	143	0.016	0.014 - 0.019
Washington	42	0.013	0.009 - 0.017	30	0.017	0.011 - 0.024	12	0.008	0.004 - 0.013
WA - Seattle	39	0.013	0.010 - 0.018	26	0.017	0.011 - 0.025	13	0.010	0.005 - 0.016
West Virginia	-	-		-	-		-	-	
Wisconsin	70	0.018	0.014 - 0.022	32	0.016	0.011 - 0.023	38	0.019	0.013 - 0.026
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**5,269**	**0.013**	**0.013 - 0.014**	**4,137**	**0.022**	**0.021 - 0.022**	**1,132**	**0.005**	**0.005 - 0.006**
Alabama	208	0.016	0.014 - 0.018	175	0.029	0.025 - 0.033	33	0.005	0.003 - 0.007
Alaska	-	-		-	-		-	-	
Arizona	16	0.005	0.003 - 0.008	-	-		-	-	
Arkansas	71	0.015	0.012 - 0.019	55	0.024	0.018 - 0.032	16	0.006	0.004 - 0.010
California	240	0.010	0.009 - 0.011	193	0.016	0.014 - 0.019	47	0.004	0.003 - 0.005
CA - Greater California	95	0.008	0.007 - 0.010	79	0.014	0.011 - 0.017	16	0.003	0.002 - 0.005
CA - Greater Bay Area	52	0.012	0.009 - 0.015	42	0.019	0.014 - 0.026	10	0.004	0.002 - 0.008
CA - Los Angeles	94	0.011	0.009 - 0.013	73	0.018	0.014 - 0.023	21	0.005	0.003 - 0.007
Colorado	19	0.008	0.005 - 0.012	-	-		-	-	
Connecticut	43	0.011	0.008 - 0.015	33	0.018	0.013 - 0.026	10	0.005	0.002 - 0.009
Delaware	18	0.008	0.005 - 0.013	-	-		-	-	
Florida	288	0.009	0.008 - 0.010	246	0.016	0.014 - 0.018	42	0.002	0.002 - 0.003
Georgia	358	0.011	0.010 - 0.012	298	0.020	0.017 - 0.022	60	0.003	0.003 - 0.004
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	329	0.017	0.016 - 0.019	243	0.027	0.024 - 0.031	86	0.009	0.007 - 0.011
Iowa	11	0.009	0.004 - 0.015	-	-		-	-	
Kentucky	70	0.018	0.014 - 0.023	55	0.029	0.022 - 0.038	15	0.008	0.004 - 0.013
Louisiana	298	0.020	0.017 - 0.022	242	0.033	0.029 - 0.038	56	0.007	0.005 - 0.009
Maine	-	-		-	-		-	-	
Maryland	208	0.011	0.010 - 0.013	159	0.019	0.016 - 0.022	49	0.005	0.004 - 0.007
Michigan	247	0.017	0.015 - 0.019	186	0.027	0.023 - 0.031	61	0.008	0.006 - 0.010
MI - Detroit	183	0.019	0.016 - 0.022	134	0.030	0.025 - 0.035	49	0.009	0.007 - 0.012
Minnesota	41	0.011	0.008 - 0.015	-	-		-	-	
Mississippi	212	0.019	0.016 - 0.021	171	0.032	0.028 - 0.037	41	0.007	0.005 - 0.009
Missouri	123	0.016	0.014 - 0.020	92	0.026	0.021 - 0.032	31	0.008	0.005 - 0.011
Montana	-	-		-	-		-	-	
Nebraska	10	0.010	0.005 - 0.018	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	128	0.011	0.009 - 0.013	89	0.016	0.013 - 0.019	40	0.006	0.004 - 0.009
New Mexico	-	-		-	-		-	-	
New York	354	0.012	0.011 - 0.013	272	0.019	0.017 - 0.022	82	0.005	0.004 - 0.006
North Carolina	384	0.017	0.016 - 0.019	296	0.028	0.025 - 0.032	88	0.007	0.006 - 0.009
North Dakota	-	-		-	-		-	-	
Ohio	229	0.015	0.013 - 0.017	168	0.023	0.019 - 0.026	61	0.008	0.006 - 0.010
Oklahoma	41	0.012	0.009 - 0.017	-	-		-	-	
Oregon	10	0.010	0.005 - 0.019	10	0.019	0.009 - 0.036	-	-	
Pennsylvania	233	0.016	0.014 - 0.018	171	0.024	0.021 - 0.028	62	0.008	0.006 - 0.011
Rhode Island	-	-		-	-		-	-	
South Carolina	237	0.017	0.015 - 0.020	193	0.030	0.026 - 0.035	44	0.006	0.004 - 0.008
Tennessee	153	0.013	0.011 - 0.016	118	0.022	0.018 - 0.026	35	0.006	0.004 - 0.008
Texas	337	0.010	0.009 - 0.011	271	0.017	0.015 - 0.019	66	0.004	0.003 - 0.005
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	235	0.014	0.012 - 0.016	191	0.024	0.021 - 0.028	44	0.005	0.004 - 0.007
Washington	27	0.008	0.005 - 0.012	-	-		-	-	
WA - Seattle	25	0.009	0.006 - 0.013	-	-		-	-	
West Virginia	11	0.015	0.008 - 0.027	-	-		-	-	
Wisconsin	56	0.014	0.011 - 0.018	45	0.023	0.017 - 0.031	11	0.005	0.003 - 0.010
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**35,175**	**0.088**	**0.087 - 0.089**	**17,269**	**0.090**	**0.089 - 0.092**	**17,905**	**0.086**	**0.085 - 0.087**
Alabama	962	0.073	0.069 - 0.078	547	0.090	0.082 - 0.097	415	0.059	0.054 - 0.065
Alaska	14	0.044	0.024 - 0.074	-	-		-	-	
Arizona	181	0.056	0.048 - 0.065	93	0.056	0.045 - 0.068	88	0.057	0.046 - 0.070
Arkansas	462	0.097	0.089 - 0.106	262	0.116	0.102 - 0.130	200	0.080	0.070 - 0.092
California	1,962	0.081	0.077 - 0.085	893	0.074	0.070 - 0.079	1,069	0.087	0.082 - 0.093
CA - Greater California	759	0.068	0.063 - 0.073	337	0.058	0.052 - 0.065	422	0.078	0.071 - 0.086
CA - Greater Bay Area	505	0.113	0.103 - 0.123	244	0.110	0.097 - 0.125	261	0.115	0.101 - 0.130
CA - Los Angeles	696	0.081	0.075 - 0.087	312	0.077	0.069 - 0.086	384	0.085	0.076 - 0.093
Colorado	144	0.058	0.049 - 0.068	80	0.060	0.048 - 0.075	64	0.055	0.042 - 0.070
Connecticut	358	0.094	0.085 - 0.105	166	0.092	0.078 - 0.107	192	0.097	0.084 - 0.111
Delaware	213	0.100	0.087 - 0.114	96	0.096	0.077 - 0.117	117	0.104	0.086 - 0.124
Florida	2,036	0.062	0.059 - 0.065	994	0.063	0.059 - 0.067	1,042	0.061	0.057 - 0.065
Georgia	2,254	0.069	0.066 - 0.072	1,172	0.077	0.073 - 0.081	1,081	0.062	0.059 - 0.066
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	2,277	0.121	0.116 - 0.126	1,009	0.114	0.107 - 0.121	1,268	0.127	0.120 - 0.134
Iowa	71	0.056	0.044 - 0.071	40	0.059	0.042 - 0.081	31	0.052	0.036 - 0.074
Kentucky	424	0.111	0.101 - 0.122	204	0.107	0.093 - 0.123	220	0.115	0.100 - 0.131
Louisiana	1,372	0.090	0.085 - 0.095	774	0.107	0.099 - 0.114	598	0.075	0.069 - 0.081
Maine	10	0.044	0.021 - 0.080	-	-		-	-	
Maryland	1,649	0.090	0.086 - 0.095	716	0.084	0.078 - 0.090	933	0.096	0.090 - 0.102
Michigan	1,792	0.124	0.118 - 0.129	857	0.124	0.116 - 0.133	935	0.123	0.115 - 0.131
MI - Detroit	1,207	0.123	0.116 - 0.130	560	0.124	0.114 - 0.135	647	0.122	0.113 - 0.132
Minnesota	200	0.054	0.047 - 0.063	90	0.048	0.039 - 0.059	110	0.061	0.050 - 0.074
Mississippi	1,035	0.092	0.086 - 0.097	595	0.112	0.103 - 0.122	440	0.074	0.067 - 0.081
Missouri	831	0.111	0.104 - 0.119	392	0.110	0.099 - 0.122	439	0.112	0.102 - 0.123
Montana	-	-		-	-		-	-	
Nebraska	68	0.067	0.052 - 0.085	32	0.062	0.042 - 0.087	36	0.073	0.051 - 0.100
New Hampshire	-	-		-	-		-	-	
New Jersey	1,051	0.088	0.082 - 0.093	433	0.077	0.069 - 0.084	618	0.097	0.090 - 0.105
New Mexico	27	0.060	0.039 - 0.087	16	0.063	0.036 - 0.103	11	0.056	0.028 - 0.100
New York	2,641	0.088	0.085 - 0.091	1,204	0.086	0.081 - 0.091	1,437	0.090	0.085 - 0.094
North Carolina	2,344	0.105	0.101 - 0.109	1,199	0.115	0.108 - 0.122	1,145	0.097	0.091 - 0.102
North Dakota	-	-		-	-		-	-	
Ohio	1,700	0.110	0.105 - 0.116	785	0.106	0.099 - 0.114	915	0.114	0.107 - 0.122
Oklahoma	249	0.076	0.067 - 0.086	131	0.080	0.067 - 0.094	118	0.072	0.059 - 0.086
Oregon	73	0.075	0.059 - 0.095	46	0.089	0.065 - 0.118	27	0.060	0.039 - 0.087
Pennsylvania	1,764	0.121	0.116 - 0.127	751	0.107	0.100 - 0.115	1,013	0.134	0.126 - 0.143
Rhode Island	59	0.085	0.065 - 0.109	28	0.081	0.054 - 0.117	31	0.089	0.060 - 0.126
South Carolina	1,266	0.093	0.088 - 0.098	687	0.107	0.100 - 0.116	579	0.080	0.073 - 0.087
Tennessee	972	0.085	0.079 - 0.090	502	0.092	0.084 - 0.101	470	0.078	0.071 - 0.085
Texas	2,487	0.074	0.071 - 0.077	1,286	0.079	0.075 - 0.084	1,201	0.069	0.065 - 0.073
Utah	15	0.036	0.020 - 0.059	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	1,519	0.091	0.087 - 0.096	807	0.101	0.094 - 0.108	712	0.082	0.076 - 0.088
Washington	198	0.059	0.051 - 0.068	105	0.059	0.048 - 0.071	93	0.060	0.048 - 0.073
WA - Seattle	188	0.065	0.056 - 0.075	98	0.064	0.052 - 0.078	90	0.066	0.053 - 0.081
West Virginia	58	0.080	0.061 - 0.103	35	0.090	0.063 - 0.125	23	0.068	0.043 - 0.103
Wisconsin	408	0.103	0.093 - 0.113	206	0.106	0.092 - 0.121	202	0.100	0.087 - 0.115
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**1,230**	**0.003**	**0.003 - 0.003**	**549**	**0.003**	**0.003 - 0.003**	**680**	**0.003**	**0.003 - 0.004**
Alabama	36	0.003	0.002 - 0.004	16	0.003	0.001 - 0.004	20	0.003	0.002 - 0.004
Alaska	-	-		-	-		-	-	
Arizona	11	0.003	0.002 - 0.006	-	-		-	-	
Arkansas	22	0.005	0.003 - 0.007	-	-		-	-	
California	87	0.004	0.003 - 0.004	45	0.004	0.003 - 0.005	42	0.003	0.002 - 0.005
CA - Greater California	43	0.004	0.003 - 0.005	19	0.003	0.002 - 0.005	24	0.004	0.003 - 0.007
CA - Greater Bay Area	16	0.004	0.002 - 0.006	-	-		-	-	
CA - Los Angeles	28	0.003	0.002 - 0.005	16	0.004	0.002 - 0.006	12	0.003	0.001 - 0.004
Colorado	-	-		-	-		-	-	
Connecticut	18	0.005	0.003 - 0.007	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	114	0.003	0.003 - 0.004	60	0.004	0.003 - 0.005	54	0.003	0.002 - 0.004
Georgia	95	0.003	0.002 - 0.004	42	0.003	0.002 - 0.004	52	0.003	0.002 - 0.004
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	43	0.002	0.002 - 0.003	18	0.002	0.001 - 0.003	25	0.003	0.002 - 0.004
Iowa	-	-		-	-		-	-	
Kentucky	16	0.004	0.002 - 0.007	-	-		-	-	
Louisiana	44	0.003	0.002 - 0.004	20	0.003	0.002 - 0.004	24	0.003	0.002 - 0.004
Maine	-	-		-	-		-	-	
Maryland	62	0.003	0.003 - 0.004	32	0.004	0.003 - 0.005	30	0.003	0.002 - 0.004
Michigan	36	0.002	0.002 - 0.003	11	0.002	0.001 - 0.003	25	0.003	0.002 - 0.005
MI - Detroit	24	0.002	0.002 - 0.004	-	-		-	-	
Minnesota	11	0.003	0.001 - 0.005	-	-		-	-	
Mississippi	32	0.003	0.002 - 0.004	16	0.003	0.002 - 0.005	16	0.003	0.002 - 0.004
Missouri	11	0.001	0.001 - 0.003	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	46	0.004	0.003 - 0.005	19	0.003	0.002 - 0.005	27	0.004	0.003 - 0.006
New Mexico	-	-		-	-		-	-	
New York	106	0.004	0.003 - 0.004	43	0.003	0.002 - 0.004	63	0.004	0.003 - 0.005
North Carolina	69	0.003	0.002 - 0.004	33	0.003	0.002 - 0.004	36	0.003	0.002 - 0.004
North Dakota	-	-		-	-		-	-	
Ohio	35	0.002	0.002 - 0.003	13	0.002	0.001 - 0.003	22	0.003	0.002 - 0.004
Oklahoma	10	0.003	0.001 - 0.006	-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	43	0.003	0.002 - 0.004	19	0.003	0.002 - 0.004	24	0.003	0.002 - 0.005
Rhode Island	-	-		-	-		-	-	
South Carolina	37	0.003	0.002 - 0.004	10	0.002	0.001 - 0.003	27	0.004	0.002 - 0.005
Tennessee	29	0.003	0.002 - 0.004	14	0.003	0.001 - 0.004	15	0.002	0.001 - 0.004
Texas	109	0.003	0.003 - 0.004	47	0.003	0.002 - 0.004	62	0.004	0.003 - 0.005
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	51	0.003	0.002 - 0.004	27	0.003	0.002 - 0.005	24	0.003	0.002 - 0.004
Washington	14	0.004	0.002 - 0.007	-	-		-	-	
WA - Seattle	10	0.003	0.002 - 0.006	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**106,544**	**0.511**	**0.508 - 0.514**
Alabama	-	-		-	-		3,692	0.528	0.511 - 0.546
Alaska	-	-		-	-		46	0.331	0.242 - 0.442
Arizona	-	-		-	-		571	0.370	0.340 - 0.402
Arkansas	-	-		-	-		1,151	0.463	0.436 - 0.490
California	-	-		-	-		6,910	0.565	0.552 - 0.578
CA - Greater California	-	-		-	-		2,648	0.489	0.470 - 0.508
CA - Greater Bay Area	-	-		-	-		1,442	0.634	0.602 - 0.668
CA - Los Angeles	-	-		-	-		2,822	0.621	0.599 - 0.645
Colorado	-	-		-	-		475	0.406	0.371 - 0.445
Connecticut	-	-		-	-		1,064	0.537	0.505 - 0.570
Delaware	-	-		-	-		622	0.552	0.509 - 0.597
Florida	-	-		-	-		7,091	0.416	0.406 - 0.425
Georgia	-	-		-	-		8,336	0.481	0.470 - 0.491
Hawaii	-	-		-	-		41	0.281	0.202 - 0.381
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		5,824	0.584	0.569 - 0.599
Iowa	-	-		-	-		147	0.245	0.207 - 0.288
Kentucky	-	-		-	-		937	0.488	0.457 - 0.520
Louisiana	-	-		-	-		4,196	0.523	0.508 - 0.539
Maine	-	-		-	-		17	0.164	0.096 - 0.263
Maryland	-	-		-	-		5,749	0.589	0.574 - 0.604
Michigan	-	-		-	-		4,047	0.532	0.516 - 0.549
MI - Detroit	-	-		-	-		3,178	0.600	0.579 - 0.621
Minnesota	-	-		-	-		466	0.259	0.236 - 0.284
Mississippi	-	-		-	-		2,796	0.467	0.450 - 0.485
Missouri	-	-		-	-		2,054	0.526	0.503 - 0.549
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		168	0.339	0.289 - 0.394
New Hampshire	-	-		-	-		19	0.211	0.127 - 0.329
New Jersey	-	-		-	-		3,594	0.567	0.548 - 0.586
New Mexico	-	-		-	-		77	0.390	0.308 - 0.488
New York	-	-		-	-		8,940	0.557	0.546 - 0.569
North Carolina	-	-		-	-		6,858	0.578	0.565 - 0.592
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		4,055	0.505	0.490 - 0.521
Oklahoma	-	-		-	-		694	0.422	0.391 - 0.454
Oregon	-	-		-	-		164	0.362	0.309 - 0.422
Pennsylvania	-	-		-	-		4,052	0.538	0.521 - 0.554
Rhode Island	-	-		-	-		137	0.392	0.329 - 0.463
South Carolina	-	-		-	-		3,981	0.549	0.532 - 0.566
Tennessee	-	-		-	-		3,010	0.498	0.480 - 0.516
Texas	-	-		-	-		7,800	0.450	0.440 - 0.460
Utah	-	-		-	-		30	0.168	0.113 - 0.240
Vermont	-	-		-	-		11	0.256	0.128 - 0.458
Virginia	-	-		-	-		5,027	0.579	0.563 - 0.595
Washington	-	-		-	-		579	0.372	0.342 - 0.403
WA - Seattle	-	-		-	-		550	0.402	0.369 - 0.437
West Virginia	-	-		-	-		183	0.544	0.468 - 0.629
Wisconsin	-	-		-	-		909	0.451	0.422 - 0.481
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**6,142**	**0.029**	**0.029 - 0.030**
Alabama	-	-		-	-		200	0.029	0.025 - 0.033
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		30	0.019	0.013 - 0.028
Arkansas	-	-		-	-		82	0.033	0.026 - 0.041
California	-	-		-	-		302	0.025	0.022 - 0.028
CA - Greater California	-	-		-	-		132	0.024	0.020 - 0.029
CA - Greater Bay Area	-	-		-	-		52	0.023	0.017 - 0.030
CA - Los Angeles	-	-		-	-		118	0.026	0.022 - 0.031
Colorado	-	-		-	-		19	0.016	0.010 - 0.025
Connecticut	-	-		-	-		49	0.025	0.018 - 0.033
Delaware	-	-		-	-		38	0.034	0.024 - 0.046
Florida	-	-		-	-		582	0.034	0.031 - 0.037
Georgia	-	-		-	-		414	0.024	0.022 - 0.026
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		357	0.036	0.032 - 0.040
Iowa	-	-		-	-		12	0.020	0.010 - 0.035
Kentucky	-	-		-	-		49	0.026	0.019 - 0.034
Louisiana	-	-		-	-		274	0.034	0.030 - 0.038
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		247	0.025	0.022 - 0.029
Michigan	-	-		-	-		191	0.025	0.022 - 0.029
MI - Detroit	-	-		-	-		146	0.028	0.023 - 0.032
Minnesota	-	-		-	-		32	0.018	0.012 - 0.025
Mississippi	-	-		-	-		204	0.034	0.030 - 0.039
Missouri	-	-		-	-		106	0.027	0.022 - 0.033
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		17	0.034	0.020 - 0.055
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		205	0.032	0.028 - 0.037
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		620	0.039	0.036 - 0.042
North Carolina	-	-		-	-		335	0.028	0.025 - 0.031
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		183	0.023	0.020 - 0.026
Oklahoma	-	-		-	-		30	0.018	0.012 - 0.026
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		266	0.035	0.031 - 0.040
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		216	0.030	0.026 - 0.034
Tennessee	-	-		-	-		203	0.034	0.029 - 0.039
Texas	-	-		-	-		513	0.030	0.027 - 0.032
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		227	0.026	0.023 - 0.030
Washington	-	-		-	-		29	0.019	0.012 - 0.027
WA - Seattle	-	-		-	-		24	0.018	0.011 - 0.026
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		75	0.037	0.029 - 0.047
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**19,198**	**0.092**	**0.091 - 0.093**
Alabama	-	-		-	-		540	0.077	0.071 - 0.084
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		98	0.064	0.052 - 0.077
Arkansas	-	-		-	-		189	0.076	0.066 - 0.088
California	-	-		-	-		1,250	0.102	0.097 - 0.108
CA - Greater California	-	-		-	-		457	0.084	0.077 - 0.092
CA - Greater Bay Area	-	-		-	-		269	0.118	0.105 - 0.133
CA - Los Angeles	-	-		-	-		525	0.116	0.106 - 0.126
Colorado	-	-		-	-		60	0.051	0.039 - 0.066
Connecticut	-	-		-	-		197	0.099	0.086 - 0.114
Delaware	-	-		-	-		118	0.105	0.087 - 0.125
Florida	-	-		-	-		1,441	0.084	0.080 - 0.089
Georgia	-	-		-	-		1,383	0.080	0.076 - 0.084
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		1,100	0.110	0.104 - 0.117
Iowa	-	-		-	-		39	0.065	0.046 - 0.089
Kentucky	-	-		-	-		158	0.082	0.070 - 0.096
Louisiana	-	-		-	-		602	0.075	0.069 - 0.081
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		1,053	0.108	0.101 - 0.115
Michigan	-	-		-	-		793	0.104	0.097 - 0.112
MI - Detroit	-	-		-	-		588	0.111	0.102 - 0.120
Minnesota	-	-		-	-		91	0.051	0.041 - 0.062
Mississippi	-	-		-	-		473	0.079	0.072 - 0.086
Missouri	-	-		-	-		347	0.089	0.080 - 0.099
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		28	0.056	0.038 - 0.082
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		723	0.114	0.106 - 0.123
New Mexico	-	-		-	-		19	0.097	0.058 - 0.151
New York	-	-		-	-		2,137	0.133	0.128 - 0.139
North Carolina	-	-		-	-		1,216	0.103	0.097 - 0.108
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		706	0.088	0.082 - 0.095
Oklahoma	-	-		-	-		125	0.076	0.063 - 0.090
Oregon	-	-		-	-		34	0.075	0.052 - 0.105
Pennsylvania	-	-		-	-		800	0.106	0.099 - 0.114
Rhode Island	-	-		-	-		25	0.071	0.046 - 0.105
South Carolina	-	-		-	-		731	0.101	0.094 - 0.108
Tennessee	-	-		-	-		467	0.077	0.070 - 0.085
Texas	-	-		-	-		1,215	0.070	0.066 - 0.074
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		727	0.084	0.078 - 0.090
Washington	-	-		-	-		87	0.056	0.045 - 0.069
WA - Seattle	-	-		-	-		87	0.064	0.051 - 0.078
West Virginia	-	-		-	-		28	0.083	0.055 - 0.120
Wisconsin	-	-		-	-		165	0.082	0.070 - 0.095
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**5,113**	**0.025**	**0.024 - 0.025**
Alabama	-	-		-	-		183	0.026	0.023 - 0.030
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		36	0.023	0.016 - 0.032
Arkansas	-	-		-	-		50	0.020	0.015 - 0.026
California	-	-		-	-		331	0.027	0.024 - 0.030
CA - Greater California	-	-		-	-		129	0.024	0.020 - 0.028
CA - Greater Bay Area	-	-		-	-		81	0.036	0.028 - 0.044
CA - Los Angeles	-	-		-	-		122	0.027	0.022 - 0.032
Colorado	-	-		-	-		18	0.015	0.009 - 0.024
Connecticut	-	-		-	-		60	0.030	0.023 - 0.039
Delaware	-	-		-	-		26	0.023	0.015 - 0.034
Florida	-	-		-	-		404	0.024	0.021 - 0.026
Georgia	-	-		-	-		408	0.024	0.021 - 0.026
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		284	0.028	0.025 - 0.032
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		32	0.017	0.011 - 0.023
Louisiana	-	-		-	-		164	0.020	0.017 - 0.024
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		264	0.027	0.024 - 0.031
Michigan	-	-		-	-		194	0.026	0.022 - 0.029
MI - Detroit	-	-		-	-		155	0.029	0.025 - 0.034
Minnesota	-	-		-	-		30	0.017	0.011 - 0.024
Mississippi	-	-		-	-		140	0.023	0.020 - 0.028
Missouri	-	-		-	-		82	0.021	0.017 - 0.026
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		190	0.030	0.026 - 0.035
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		473	0.029	0.027 - 0.032
North Carolina	-	-		-	-		276	0.023	0.021 - 0.026
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		188	0.023	0.020 - 0.027
Oklahoma	-	-		-	-		34	0.021	0.014 - 0.029
Oregon	-	-		-	-		10	0.022	0.011 - 0.041
Pennsylvania	-	-		-	-		171	0.023	0.019 - 0.026
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		166	0.023	0.020 - 0.027
Tennessee	-	-		-	-		136	0.023	0.019 - 0.027
Texas	-	-		-	-		430	0.025	0.023 - 0.027
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		222	0.026	0.022 - 0.029
Washington	-	-		-	-		23	0.015	0.009 - 0.022
WA - Seattle	-	-		-	-		22	0.016	0.010 - 0.024
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		46	0.023	0.017 - 0.030
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**129,623**	**0.678**	**0.674 - 0.681**	**-**	**-**	
Alabama	-	-		4,511	0.739	0.718 - 0.761	-	-	
Alaska	-	-		65	0.365	0.282 - 0.465	-	-	
Arizona	-	-		608	0.363	0.335 - 0.393	-	-	
Arkansas	-	-		1,533	0.676	0.643 - 0.711	-	-	
California	-	-		8,185	0.681	0.666 - 0.696	-	-	
CA - Greater California	-	-		3,359	0.583	0.563 - 0.603	-	-	
CA - Greater Bay Area	-	-		1,756	0.795	0.758 - 0.833	-	-	
CA - Los Angeles	-	-		3,070	0.757	0.731 - 0.784	-	-	
Colorado	-	-		659	0.497	0.460 - 0.537	-	-	
Connecticut	-	-		1,147	0.632	0.596 - 0.669	-	-	
Delaware	-	-		860	0.856	0.800 - 0.915	-	-	
Florida	-	-		9,879	0.624	0.612 - 0.637	-	-	
Georgia	-	-		9,941	0.653	0.640 - 0.665	-	-	
Hawaii	-	-		105	0.475	0.389 - 0.575	-	-	
Idaho	-	-		22	0.240	0.151 - 0.364	-	-	
Illinois	-	-		6,216	0.702	0.685 - 0.720	-	-	
Iowa	-	-		234	0.347	0.304 - 0.395	-	-	
Kentucky	-	-		1,009	0.532	0.500 - 0.566	-	-	
Louisiana	-	-		5,220	0.719	0.700 - 0.739	-	-	
Maine	-	-		31	0.247	0.168 - 0.350	-	-	
Maryland	-	-		6,656	0.779	0.760 - 0.798	-	-	
Michigan	-	-		4,947	0.716	0.697 - 0.737	-	-	
MI - Detroit	-	-		3,926	0.870	0.843 - 0.898	-	-	
Minnesota	-	-		659	0.352	0.325 - 0.379	-	-	
Mississippi	-	-		3,870	0.730	0.707 - 0.753	-	-	
Missouri	-	-		2,080	0.584	0.559 - 0.610	-	-	
Montana	-	-		17	0.347	0.202 - 0.556	-	-	
Nebraska	-	-		288	0.554	0.492 - 0.622	-	-	
New Hampshire	-	-		51	0.452	0.337 - 0.594	-	-	
New Jersey	-	-		4,624	0.818	0.794 - 0.842	-	-	
New Mexico	-	-		122	0.487	0.404 - 0.582	-	-	
New York	-	-		12,789	0.916	0.901 - 0.932	-	-	
North Carolina	-	-		7,999	0.766	0.750 - 0.783	-	-	
North Dakota	-	-		20	0.149	0.091 - 0.230	-	-	
Ohio	-	-		4,714	0.637	0.619 - 0.656	-	-	
Oklahoma	-	-		911	0.554	0.518 - 0.591	-	-	
Oregon	-	-		257	0.496	0.437 - 0.561	-	-	
Pennsylvania	-	-		4,523	0.647	0.628 - 0.666	-	-	
Rhode Island	-	-		143	0.414	0.349 - 0.488	-	-	
South Carolina	-	-		4,981	0.779	0.757 - 0.801	-	-	
Tennessee	-	-		3,421	0.630	0.609 - 0.651	-	-	
Texas	-	-		8,144	0.501	0.490 - 0.512	-	-	
Utah	-	-		73	0.314	0.246 - 0.395	-	-	
Vermont	-	-		14	0.261	0.143 - 0.438	-	-	
Virginia	-	-		5,852	0.732	0.713 - 0.751	-	-	
Washington	-	-		799	0.448	0.417 - 0.480	-	-	
WA - Seattle	-	-		759	0.492	0.458 - 0.529	-	-	
West Virginia	-	-		266	0.683	0.603 - 0.770	-	-	
Wisconsin	-	-		1,170	0.601	0.567 - 0.636	-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**1,244**	**0.007**	**0.006 - 0.007**	**-**	**-**	
Alabama	-	-		42	0.007	0.005 - 0.009	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		11	0.005	0.002 - 0.009	-	-	
California	-	-		78	0.006	0.005 - 0.008	-	-	
CA - Greater California	-	-		36	0.006	0.004 - 0.009	-	-	
CA - Greater Bay Area	-	-		12	0.005	0.003 - 0.009	-	-	
CA - Los Angeles	-	-		30	0.007	0.005 - 0.011	-	-	
Colorado	-	-		11	0.008	0.004 - 0.015	-	-	
Connecticut	-	-		15	0.008	0.005 - 0.014	-	-	
Delaware	-	-		-	-		-	-	
Florida	-	-		78	0.005	0.004 - 0.006	-	-	
Georgia	-	-		91	0.006	0.005 - 0.007	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		51	0.006	0.004 - 0.008	-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		12	0.006	0.003 - 0.011	-	-	
Louisiana	-	-		51	0.007	0.005 - 0.009	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		67	0.008	0.006 - 0.010	-	-	
Michigan	-	-		47	0.007	0.005 - 0.009	-	-	
MI - Detroit	-	-		40	0.009	0.006 - 0.012	-	-	
Minnesota	-	-		12	0.006	0.003 - 0.011	-	-	
Mississippi	-	-		34	0.006	0.004 - 0.009	-	-	
Missouri	-	-		24	0.007	0.004 - 0.010	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		42	0.007	0.005 - 0.010	-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		106	0.008	0.006 - 0.009	-	-	
North Carolina	-	-		90	0.009	0.007 - 0.011	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		35	0.005	0.003 - 0.007	-	-	
Oklahoma	-	-		11	0.007	0.003 - 0.012	-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		54	0.008	0.006 - 0.010	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		36	0.006	0.004 - 0.008	-	-	
Tennessee	-	-		43	0.008	0.006 - 0.011	-	-	
Texas	-	-		87	0.005	0.004 - 0.007	-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		53	0.007	0.005 - 0.009	-	-	
Washington	-	-		14	0.008	0.004 - 0.013	-	-	
WA - Seattle	-	-		11	0.007	0.004 - 0.013	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		14	0.007	0.004 - 0.012	-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**12,489**	**0.031**	**0.031 - 0.032**	**8,753**	**0.046**	**0.045 - 0.047**	**3,736**	**0.018**	**0.017 - 0.018**
Alabama	400	0.031	0.028 - 0.034	283	0.046	0.041 - 0.052	117	0.017	0.014 - 0.020
Alaska	-	-		-	-		-	-	
Arizona	68	0.021	0.016 - 0.027	46	0.027	0.020 - 0.037	22	0.014	0.009 - 0.022
Arkansas	133	0.028	0.023 - 0.033	96	0.042	0.034 - 0.052	37	0.015	0.010 - 0.021
California	949	0.039	0.037 - 0.042	699	0.058	0.054 - 0.063	250	0.020	0.018 - 0.023
CA - Greater California	371	0.033	0.030 - 0.037	272	0.047	0.042 - 0.053	99	0.018	0.015 - 0.022
CA - Greater Bay Area	215	0.048	0.042 - 0.055	160	0.072	0.062 - 0.085	55	0.024	0.018 - 0.031
CA - Los Angeles	363	0.042	0.038 - 0.047	267	0.066	0.058 - 0.074	96	0.021	0.017 - 0.026
Colorado	62	0.025	0.019 - 0.032	-	-		-	-	
Connecticut	135	0.035	0.030 - 0.042	92	0.051	0.041 - 0.062	43	0.022	0.016 - 0.029
Delaware	91	0.043	0.034 - 0.052	66	0.066	0.051 - 0.084	25	0.022	0.014 - 0.033
Florida	741	0.023	0.021 - 0.024	532	0.034	0.031 - 0.037	209	0.012	0.011 - 0.014
Georgia	770	0.024	0.022 - 0.025	520	0.034	0.031 - 0.037	249	0.014	0.013 - 0.016
Hawaii	11	0.030	0.015 - 0.053	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	698	0.037	0.034 - 0.040	485	0.055	0.050 - 0.060	213	0.021	0.019 - 0.024
Iowa	19	0.015	0.009 - 0.023	-	-		-	-	
Kentucky	116	0.030	0.025 - 0.036	87	0.046	0.037 - 0.057	29	0.015	0.010 - 0.022
Louisiana	439	0.029	0.026 - 0.032	317	0.044	0.039 - 0.049	122	0.015	0.013 - 0.018
Maine	-	-		-	-		-	-	
Maryland	735	0.040	0.037 - 0.043	501	0.059	0.054 - 0.064	234	0.024	0.021 - 0.027
Michigan	556	0.038	0.035 - 0.042	388	0.056	0.051 - 0.062	168	0.022	0.019 - 0.026
MI - Detroit	414	0.042	0.038 - 0.046	285	0.063	0.056 - 0.071	129	0.024	0.020 - 0.029
Minnesota	71	0.019	0.015 - 0.024	56	0.030	0.023 - 0.039	15	0.008	0.005 - 0.014
Mississippi	294	0.026	0.023 - 0.029	214	0.040	0.035 - 0.046	80	0.013	0.011 - 0.017
Missouri	259	0.035	0.031 - 0.039	159	0.045	0.038 - 0.052	100	0.026	0.021 - 0.031
Montana	-	-		-	-		-	-	
Nebraska	24	0.024	0.015 - 0.035	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	420	0.035	0.032 - 0.039	289	0.051	0.045 - 0.057	131	0.021	0.017 - 0.024
New Mexico	14	0.031	0.017 - 0.053	-	-		-	-	
New York	1,049	0.035	0.033 - 0.037	715	0.051	0.048 - 0.055	334	0.021	0.019 - 0.023
North Carolina	773	0.035	0.032 - 0.037	533	0.051	0.047 - 0.056	240	0.020	0.018 - 0.023
North Dakota	-	-		-	-		-	-	
Ohio	554	0.036	0.033 - 0.039	383	0.052	0.047 - 0.057	171	0.021	0.018 - 0.025
Oklahoma	109	0.033	0.027 - 0.040	79	0.048	0.038 - 0.060	30	0.018	0.012 - 0.026
Oregon	25	0.026	0.017 - 0.038	-	-		-	-	
Pennsylvania	621	0.043	0.039 - 0.046	437	0.063	0.057 - 0.069	184	0.024	0.021 - 0.028
Rhode Island	16	0.023	0.013 - 0.037	-	-		-	-	
South Carolina	397	0.029	0.026 - 0.032	264	0.041	0.036 - 0.047	133	0.018	0.015 - 0.022
Tennessee	272	0.024	0.021 - 0.027	186	0.034	0.029 - 0.040	86	0.014	0.011 - 0.018
Texas	762	0.023	0.021 - 0.024	541	0.033	0.031 - 0.036	221	0.013	0.011 - 0.015
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	626	0.038	0.035 - 0.041	445	0.056	0.051 - 0.061	181	0.021	0.018 - 0.024
Washington	97	0.029	0.024 - 0.035	73	0.041	0.032 - 0.051	24	0.015	0.010 - 0.023
WA - Seattle	91	0.031	0.025 - 0.038	68	0.044	0.034 - 0.056	23	0.017	0.011 - 0.025
West Virginia	24	0.033	0.021 - 0.049	-	-		-	-	
Wisconsin	129	0.033	0.027 - 0.039	95	0.049	0.039 - 0.060	34	0.017	0.012 - 0.024
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**24,558**	**0.061**	**0.061 - 0.062**	**14,560**	**0.076**	**0.075 - 0.077**	**9,998**	**0.048**	**0.047 - 0.049**
Alabama	793	0.061	0.056 - 0.065	466	0.076	0.070 - 0.084	327	0.047	0.042 - 0.052
Alaska	-	-		-	-		-	-	
Arizona	138	0.043	0.036 - 0.051	90	0.054	0.043 - 0.066	48	0.031	0.023 - 0.041
Arkansas	280	0.059	0.052 - 0.066	156	0.069	0.058 - 0.081	124	0.050	0.041 - 0.059
California	1,569	0.065	0.062 - 0.068	964	0.080	0.075 - 0.085	605	0.049	0.046 - 0.054
CA - Greater California	690	0.062	0.057 - 0.067	425	0.074	0.067 - 0.081	265	0.049	0.043 - 0.055
CA - Greater Bay Area	337	0.075	0.067 - 0.084	218	0.099	0.086 - 0.113	120	0.053	0.044 - 0.063
CA - Los Angeles	544	0.063	0.058 - 0.069	322	0.079	0.071 - 0.089	222	0.049	0.043 - 0.056
Colorado	125	0.050	0.042 - 0.060	88	0.066	0.053 - 0.082	37	0.032	0.022 - 0.044
Connecticut	206	0.054	0.047 - 0.062	132	0.073	0.061 - 0.086	74	0.037	0.029 - 0.047
Delaware	136	0.064	0.054 - 0.075	86	0.086	0.068 - 0.106	50	0.044	0.033 - 0.058
Florida	1,477	0.045	0.043 - 0.047	890	0.056	0.053 - 0.060	587	0.034	0.032 - 0.037
Georgia	1,744	0.054	0.051 - 0.056	1,006	0.066	0.062 - 0.070	738	0.043	0.040 - 0.046
Hawaii	14	0.038	0.020 - 0.063	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	1,306	0.069	0.066 - 0.073	796	0.090	0.084 - 0.096	510	0.051	0.047 - 0.056
Iowa	70	0.055	0.043 - 0.070	38	0.056	0.040 - 0.077	32	0.053	0.037 - 0.075
Kentucky	280	0.073	0.065 - 0.082	163	0.086	0.073 - 0.100	117	0.061	0.050 - 0.073
Louisiana	1,025	0.067	0.063 - 0.071	583	0.080	0.074 - 0.087	442	0.055	0.050 - 0.060
Maine	-	-		-	-		-	-	
Maryland	1,104	0.060	0.057 - 0.064	627	0.073	0.068 - 0.079	477	0.049	0.045 - 0.053
Michigan	993	0.068	0.064 - 0.073	621	0.090	0.083 - 0.097	372	0.049	0.044 - 0.054
MI - Detroit	743	0.076	0.070 - 0.081	463	0.103	0.094 - 0.112	280	0.053	0.047 - 0.059
Minnesota	140	0.038	0.032 - 0.045	88	0.047	0.038 - 0.058	52	0.029	0.022 - 0.038
Mississippi	812	0.072	0.067 - 0.077	459	0.087	0.079 - 0.095	353	0.059	0.053 - 0.065
Missouri	512	0.069	0.063 - 0.075	285	0.080	0.071 - 0.090	227	0.058	0.051 - 0.066
Montana	-	-		-	-		-	-	
Nebraska	63	0.062	0.048 - 0.079	47	0.090	0.066 - 0.120	16	0.032	0.018 - 0.052
New Hampshire	-	-		-	-		-	-	
New Jersey	801	0.067	0.062 - 0.072	500	0.088	0.081 - 0.097	300	0.047	0.042 - 0.053
New Mexico	27	0.061	0.040 - 0.088	-	-		-	-	
New York	1,757	0.059	0.056 - 0.061	1,067	0.076	0.072 - 0.081	690	0.043	0.040 - 0.046
North Carolina	1,496	0.067	0.064 - 0.071	824	0.079	0.074 - 0.085	672	0.057	0.052 - 0.061
North Dakota	-	-		-	-		-	-	
Ohio	992	0.064	0.060 - 0.068	595	0.080	0.074 - 0.087	397	0.049	0.045 - 0.055
Oklahoma	201	0.061	0.053 - 0.070	121	0.074	0.061 - 0.088	80	0.049	0.039 - 0.061
Oregon	49	0.050	0.037 - 0.067	29	0.056	0.037 - 0.080	20	0.044	0.027 - 0.068
Pennsylvania	1,123	0.077	0.073 - 0.082	706	0.101	0.094 - 0.109	417	0.055	0.050 - 0.061
Rhode Island	30	0.043	0.029 - 0.062	-	-		-	-	
South Carolina	849	0.062	0.058 - 0.067	487	0.076	0.070 - 0.083	362	0.050	0.045 - 0.055
Tennessee	724	0.063	0.059 - 0.068	401	0.074	0.067 - 0.081	323	0.053	0.048 - 0.060
Texas	1,991	0.059	0.057 - 0.062	1,147	0.071	0.067 - 0.075	844	0.049	0.045 - 0.052
Utah	10	0.024	0.012 - 0.045	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	1,200	0.072	0.068 - 0.076	712	0.089	0.083 - 0.096	488	0.056	0.051 - 0.061
Washington	179	0.054	0.046 - 0.062	118	0.066	0.055 - 0.079	61	0.039	0.030 - 0.050
WA - Seattle	168	0.058	0.049 - 0.067	111	0.072	0.059 - 0.087	57	0.042	0.032 - 0.054
West Virginia	46	0.063	0.046 - 0.085	31	0.080	0.054 - 0.113	15	0.045	0.025 - 0.074
Wisconsin	263	0.066	0.059 - 0.075	154	0.079	0.067 - 0.093	109	0.054	0.044 - 0.065
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**3,728**	**0.009**	**0.009 - 0.010**	**1,958**	**0.010**	**0.010 - 0.011**	**1,769**	**0.008**	**0.008 - 0.009**
Alabama	113	0.009	0.007 - 0.010	57	0.009	0.007 - 0.012	56	0.008	0.006 - 0.010
Alaska	-	-		-	-		-	-	
Arizona	22	0.007	0.004 - 0.010	-	-		-	-	
Arkansas	39	0.008	0.006 - 0.011	21	0.009	0.006 - 0.014	18	0.007	0.004 - 0.011
California	244	0.010	0.009 - 0.011	140	0.012	0.010 - 0.014	104	0.008	0.007 - 0.010
CA - Greater California	105	0.009	0.008 - 0.011	61	0.011	0.008 - 0.014	44	0.008	0.006 - 0.011
CA - Greater Bay Area	55	0.012	0.009 - 0.016	32	0.014	0.010 - 0.020	23	0.010	0.006 - 0.015
CA - Los Angeles	86	0.010	0.008 - 0.012	49	0.012	0.009 - 0.016	37	0.008	0.006 - 0.011
Colorado	19	0.008	0.005 - 0.012	-	-		-	-	
Connecticut	36	0.009	0.007 - 0.013	24	0.013	0.008 - 0.020	12	0.006	0.003 - 0.011
Delaware	15	0.007	0.004 - 0.012	-	-		-	-	
Florida	304	0.009	0.008 - 0.010	157	0.010	0.008 - 0.012	147	0.009	0.007 - 0.010
Georgia	286	0.009	0.008 - 0.010	134	0.009	0.007 - 0.010	152	0.009	0.007 - 0.010
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	172	0.009	0.008 - 0.011	92	0.010	0.008 - 0.013	80	0.008	0.006 - 0.010
Iowa	17	0.013	0.008 - 0.021	-	-		-	-	
Kentucky	40	0.010	0.007 - 0.014	24	0.013	0.008 - 0.019	16	0.008	0.005 - 0.014
Louisiana	119	0.008	0.006 - 0.009	62	0.009	0.007 - 0.011	57	0.007	0.005 - 0.009
Maine	-	-		-	-		-	-	
Maryland	169	0.009	0.008 - 0.011	86	0.010	0.008 - 0.012	83	0.009	0.007 - 0.011
Michigan	141	0.010	0.008 - 0.011	61	0.009	0.007 - 0.011	80	0.011	0.008 - 0.013
MI - Detroit	93	0.009	0.008 - 0.012	39	0.009	0.006 - 0.012	54	0.010	0.008 - 0.013
Minnesota	38	0.010	0.007 - 0.014	19	0.010	0.006 - 0.016	19	0.011	0.006 - 0.016
Mississippi	89	0.008	0.006 - 0.010	50	0.009	0.007 - 0.012	39	0.007	0.005 - 0.009
Missouri	77	0.010	0.008 - 0.013	37	0.010	0.007 - 0.014	40	0.010	0.007 - 0.014
Montana	-	-		-	-		-	-	
Nebraska	13	0.013	0.007 - 0.022	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	136	0.011	0.009 - 0.013	73	0.013	0.010 - 0.016	62	0.010	0.008 - 0.013
New Mexico	-	-		-	-		-	-	
New York	318	0.011	0.009 - 0.012	178	0.013	0.011 - 0.015	140	0.009	0.007 - 0.010
North Carolina	210	0.009	0.008 - 0.011	99	0.009	0.008 - 0.012	111	0.009	0.008 - 0.011
North Dakota	-	-		-	-		-	-	
Ohio	158	0.010	0.009 - 0.012	90	0.012	0.010 - 0.015	68	0.008	0.007 - 0.011
Oklahoma	24	0.007	0.005 - 0.011	11	0.007	0.003 - 0.012	13	0.008	0.004 - 0.014
Oregon	-	-		-	-		-	-	
Pennsylvania	158	0.011	0.009 - 0.013	89	0.013	0.010 - 0.016	69	0.009	0.007 - 0.012
Rhode Island	-	-		-	-		-	-	
South Carolina	119	0.009	0.007 - 0.010	65	0.010	0.008 - 0.013	54	0.007	0.006 - 0.010
Tennessee	86	0.007	0.006 - 0.009	49	0.009	0.007 - 0.012	37	0.006	0.004 - 0.008
Texas	331	0.010	0.009 - 0.011	166	0.010	0.009 - 0.012	165	0.010	0.008 - 0.011
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	129	0.008	0.006 - 0.009	75	0.009	0.007 - 0.012	54	0.006	0.005 - 0.008
Washington	31	0.009	0.006 - 0.013	18	0.010	0.006 - 0.016	13	0.008	0.004 - 0.014
WA - Seattle	27	0.009	0.006 - 0.014	15	0.010	0.005 - 0.016	12	0.009	0.005 - 0.016
West Virginia	-	-		-	-		-	-	
Wisconsin	43	0.011	0.008 - 0.015	19	0.010	0.006 - 0.015	24	0.012	0.008 - 0.018
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**16,279**	**0.041**	**0.040 - 0.041**	**2,853**	**0.015**	**0.014 - 0.015**	**13,426**	**0.064**	**0.063 - 0.065**
Alabama	380	0.029	0.026 - 0.032	64	0.010	0.008 - 0.013	316	0.045	0.040 - 0.050
Alaska	11	0.035	0.017 - 0.062	-	-		-	-	
Arizona	142	0.044	0.037 - 0.052	29	0.017	0.012 - 0.025	113	0.073	0.060 - 0.088
Arkansas	153	0.032	0.027 - 0.038	29	0.013	0.009 - 0.018	124	0.050	0.041 - 0.059
California	893	0.037	0.034 - 0.039	197	0.016	0.014 - 0.019	696	0.057	0.053 - 0.061
CA - Greater California	387	0.035	0.031 - 0.038	90	0.016	0.013 - 0.019	297	0.055	0.049 - 0.061
CA - Greater Bay Area	117	0.026	0.022 - 0.031	26	0.012	0.008 - 0.017	91	0.040	0.032 - 0.049
CA - Los Angeles	389	0.045	0.041 - 0.050	81	0.020	0.016 - 0.025	309	0.068	0.061 - 0.076
Colorado	93	0.037	0.030 - 0.046	18	0.014	0.008 - 0.021	75	0.064	0.050 - 0.080
Connecticut	200	0.053	0.046 - 0.061	34	0.019	0.013 - 0.026	167	0.084	0.072 - 0.098
Delaware	115	0.054	0.045 - 0.065	21	0.021	0.013 - 0.032	94	0.083	0.067 - 0.102
Florida	1,093	0.033	0.031 - 0.035	188	0.012	0.010 - 0.014	905	0.053	0.050 - 0.057
Georgia	1,131	0.035	0.033 - 0.037	170	0.011	0.010 - 0.013	961	0.055	0.052 - 0.059
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	751	0.040	0.037 - 0.043	131	0.015	0.012 - 0.018	620	0.062	0.057 - 0.067
Iowa	26	0.020	0.013 - 0.030	-	-		-	-	
Kentucky	172	0.045	0.039 - 0.052	28	0.015	0.010 - 0.021	144	0.075	0.063 - 0.088
Louisiana	632	0.041	0.038 - 0.045	104	0.014	0.012 - 0.017	528	0.066	0.060 - 0.072
Maine	-	-		-	-		-	-	
Maryland	932	0.051	0.048 - 0.054	174	0.020	0.017 - 0.024	758	0.078	0.072 - 0.083
Michigan	605	0.042	0.038 - 0.045	105	0.015	0.012 - 0.018	500	0.066	0.060 - 0.072
MI - Detroit	502	0.051	0.047 - 0.056	90	0.020	0.016 - 0.025	412	0.078	0.070 - 0.086
Minnesota	126	0.034	0.029 - 0.041	20	0.011	0.007 - 0.016	106	0.059	0.048 - 0.071
Mississippi	371	0.033	0.030 - 0.036	42	0.008	0.006 - 0.011	329	0.055	0.049 - 0.061
Missouri	260	0.035	0.031 - 0.039	51	0.014	0.011 - 0.019	209	0.053	0.046 - 0.061
Montana	-	-		-	-		-	-	
Nebraska	33	0.033	0.022 - 0.046	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	578	0.048	0.044 - 0.052	111	0.020	0.016 - 0.024	468	0.074	0.067 - 0.081
New Mexico	12	0.027	0.014 - 0.047	-	-		-	-	
New York	1,599	0.053	0.051 - 0.056	264	0.019	0.017 - 0.021	1,335	0.083	0.079 - 0.088
North Carolina	941	0.042	0.040 - 0.045	166	0.016	0.014 - 0.019	775	0.065	0.061 - 0.070
North Dakota	-	-		-	-		-	-	
Ohio	713	0.046	0.043 - 0.050	120	0.016	0.013 - 0.019	593	0.074	0.068 - 0.080
Oklahoma	113	0.034	0.028 - 0.041	22	0.013	0.008 - 0.020	91	0.055	0.045 - 0.068
Oregon	38	0.039	0.028 - 0.054	-	-		-	-	
Pennsylvania	950	0.065	0.061 - 0.070	158	0.023	0.019 - 0.026	792	0.105	0.098 - 0.113
Rhode Island	45	0.065	0.047 - 0.087	11	0.032	0.016 - 0.057	34	0.097	0.067 - 0.136
South Carolina	564	0.041	0.038 - 0.045	104	0.016	0.013 - 0.020	460	0.063	0.058 - 0.070
Tennessee	364	0.032	0.029 - 0.035	63	0.012	0.009 - 0.015	301	0.050	0.044 - 0.056
Texas	1,223	0.036	0.034 - 0.039	223	0.014	0.012 - 0.016	1,000	0.058	0.054 - 0.061
Utah	11	0.027	0.013 - 0.048	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	676	0.041	0.038 - 0.044	116	0.015	0.012 - 0.017	560	0.065	0.059 - 0.070
Washington	102	0.031	0.025 - 0.037	17	0.010	0.006 - 0.015	85	0.055	0.044 - 0.067
WA - Seattle	101	0.035	0.028 - 0.042	18	0.012	0.007 - 0.018	83	0.061	0.048 - 0.075
West Virginia	39	0.054	0.038 - 0.073	11	0.028	0.014 - 0.051	28	0.083	0.055 - 0.120
Wisconsin	158	0.040	0.034 - 0.047	27	0.014	0.009 - 0.020	131	0.065	0.054 - 0.077
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,668**	**0.012**	**0.011 - 0.012**	**2,476**	**0.013**	**0.012 - 0.013**	**2,192**	**0.011**	**0.010 - 0.011**
Alabama	122	0.009	0.008 - 0.011	65	0.011	0.008 - 0.014	57	0.008	0.006 - 0.011
Alaska	-	-		-	-		-	-	
Arizona	40	0.012	0.009 - 0.017	24	0.014	0.009 - 0.021	16	0.010	0.006 - 0.017
Arkansas	68	0.014	0.011 - 0.018	41	0.018	0.013 - 0.025	27	0.011	0.007 - 0.016
California	253	0.010	0.009 - 0.012	147	0.012	0.010 - 0.014	106	0.009	0.007 - 0.010
CA - Greater California	110	0.010	0.008 - 0.012	64	0.011	0.009 - 0.014	46	0.008	0.006 - 0.011
CA - Greater Bay Area	65	0.015	0.011 - 0.018	40	0.018	0.013 - 0.025	25	0.011	0.007 - 0.016
CA - Los Angeles	78	0.009	0.007 - 0.011	43	0.011	0.008 - 0.014	35	0.008	0.005 - 0.011
Colorado	35	0.014	0.010 - 0.020	24	0.018	0.012 - 0.027	11	0.009	0.005 - 0.017
Connecticut	56	0.015	0.011 - 0.019	33	0.018	0.012 - 0.026	23	0.012	0.007 - 0.017
Delaware	34	0.016	0.011 - 0.022	19	0.019	0.011 - 0.030	15	0.013	0.007 - 0.022
Florida	361	0.011	0.010 - 0.012	187	0.012	0.010 - 0.014	174	0.010	0.009 - 0.012
Georgia	341	0.010	0.009 - 0.012	184	0.012	0.010 - 0.014	157	0.009	0.008 - 0.011
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	228	0.012	0.011 - 0.014	123	0.014	0.012 - 0.017	105	0.011	0.009 - 0.013
Iowa	20	0.016	0.010 - 0.024	-	-		-	-	
Kentucky	43	0.011	0.008 - 0.015	21	0.011	0.007 - 0.017	22	0.011	0.007 - 0.017
Louisiana	157	0.010	0.009 - 0.012	92	0.013	0.010 - 0.016	65	0.008	0.006 - 0.010
Maine	-	-		-	-		-	-	
Maryland	225	0.012	0.011 - 0.014	117	0.014	0.011 - 0.016	108	0.011	0.009 - 0.013
Michigan	164	0.011	0.010 - 0.013	88	0.013	0.010 - 0.016	76	0.010	0.008 - 0.013
MI - Detroit	117	0.012	0.010 - 0.014	64	0.014	0.011 - 0.018	53	0.010	0.007 - 0.013
Minnesota	38	0.010	0.007 - 0.014	24	0.013	0.008 - 0.019	14	0.008	0.004 - 0.013
Mississippi	126	0.011	0.009 - 0.013	67	0.013	0.010 - 0.016	59	0.010	0.008 - 0.013
Missouri	80	0.011	0.008 - 0.013	42	0.012	0.009 - 0.016	38	0.010	0.007 - 0.013
Montana	-	-		-	-		-	-	
Nebraska	15	0.015	0.008 - 0.024	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	176	0.015	0.013 - 0.017	86	0.015	0.012 - 0.019	90	0.014	0.011 - 0.017
New Mexico	-	-		-	-		-	-	
New York	450	0.015	0.014 - 0.016	224	0.016	0.014 - 0.018	226	0.014	0.012 - 0.016
North Carolina	256	0.011	0.010 - 0.013	130	0.012	0.010 - 0.015	126	0.011	0.009 - 0.013
North Dakota	-	-		-	-		-	-	
Ohio	176	0.011	0.010 - 0.013	95	0.013	0.010 - 0.016	81	0.010	0.008 - 0.013
Oklahoma	36	0.011	0.008 - 0.015	15	0.009	0.005 - 0.015	21	0.013	0.008 - 0.020
Oregon	11	0.011	0.006 - 0.020	-	-		-	-	
Pennsylvania	200	0.014	0.012 - 0.016	93	0.013	0.011 - 0.016	107	0.014	0.012 - 0.017
Rhode Island	12	0.017	0.009 - 0.030	-	-		-	-	
South Carolina	141	0.010	0.009 - 0.012	70	0.011	0.009 - 0.014	71	0.010	0.008 - 0.012
Tennessee	138	0.012	0.010 - 0.014	76	0.014	0.011 - 0.018	62	0.010	0.008 - 0.013
Texas	343	0.010	0.009 - 0.011	197	0.012	0.010 - 0.014	146	0.008	0.007 - 0.010
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	197	0.012	0.010 - 0.014	99	0.012	0.010 - 0.015	98	0.011	0.009 - 0.014
Washington	43	0.013	0.009 - 0.017	26	0.015	0.010 - 0.021	17	0.011	0.006 - 0.017
WA - Seattle	40	0.014	0.010 - 0.019	26	0.017	0.011 - 0.025	14	0.010	0.006 - 0.017
West Virginia	-	-		-	-		-	-	
Wisconsin	54	0.014	0.010 - 0.018	27	0.014	0.009 - 0.020	27	0.013	0.009 - 0.019
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**17,760**	**0.044**	**0.044 - 0.045**	**9,020**	**0.047**	**0.046 - 0.048**	**8,741**	**0.042**	**0.041 - 0.043**
Alabama	492	0.038	0.034 - 0.041	248	0.041	0.036 - 0.046	244	0.035	0.031 - 0.040
Alaska	11	0.035	0.017 - 0.062	-	-		-	-	
Arizona	95	0.030	0.024 - 0.036	56	0.033	0.025 - 0.043	39	0.025	0.018 - 0.035
Arkansas	197	0.041	0.036 - 0.048	105	0.046	0.038 - 0.056	92	0.037	0.030 - 0.045
California	1,234	0.051	0.048 - 0.054	660	0.055	0.051 - 0.059	573	0.047	0.043 - 0.051
CA - Greater California	465	0.042	0.038 - 0.046	265	0.046	0.041 - 0.052	201	0.037	0.032 - 0.043
CA - Greater Bay Area	306	0.068	0.061 - 0.076	159	0.072	0.061 - 0.084	148	0.065	0.055 - 0.076
CA - Los Angeles	463	0.054	0.049 - 0.059	237	0.058	0.051 - 0.066	226	0.050	0.044 - 0.057
Colorado	101	0.041	0.033 - 0.049	64	0.048	0.037 - 0.062	37	0.032	0.022 - 0.044
Connecticut	177	0.047	0.040 - 0.054	105	0.058	0.047 - 0.070	72	0.036	0.029 - 0.046
Delaware	99	0.046	0.038 - 0.057	50	0.050	0.037 - 0.066	49	0.043	0.032 - 0.057
Florida	1,495	0.045	0.043 - 0.048	751	0.047	0.044 - 0.051	744	0.044	0.041 - 0.047
Georgia	1,379	0.042	0.040 - 0.045	711	0.047	0.043 - 0.050	668	0.039	0.036 - 0.042
Hawaii	12	0.033	0.017 - 0.057	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	866	0.046	0.043 - 0.049	431	0.049	0.044 - 0.054	435	0.044	0.040 - 0.048
Iowa	37	0.029	0.020 - 0.040	20	0.030	0.018 - 0.046	17	0.028	0.017 - 0.045
Kentucky	156	0.041	0.035 - 0.048	92	0.048	0.039 - 0.059	64	0.033	0.026 - 0.043
Louisiana	627	0.041	0.038 - 0.044	323	0.045	0.040 - 0.050	304	0.038	0.034 - 0.042
Maine	-	-		-	-		-	-	
Maryland	822	0.045	0.042 - 0.048	371	0.043	0.039 - 0.048	451	0.046	0.042 - 0.051
Michigan	683	0.047	0.044 - 0.051	342	0.050	0.044 - 0.055	341	0.045	0.040 - 0.050
MI - Detroit	514	0.052	0.048 - 0.057	252	0.056	0.049 - 0.063	263	0.050	0.044 - 0.056
Minnesota	120	0.033	0.027 - 0.039	67	0.036	0.028 - 0.045	53	0.029	0.022 - 0.039
Mississippi	446	0.040	0.036 - 0.043	217	0.041	0.036 - 0.047	229	0.038	0.033 - 0.044
Missouri	339	0.045	0.041 - 0.050	172	0.048	0.041 - 0.056	167	0.043	0.037 - 0.050
Montana	-	-		-	-		-	-	
Nebraska	40	0.039	0.028 - 0.054	20	0.039	0.024 - 0.059	20	0.040	0.025 - 0.062
New Hampshire	-	-		-	-		-	-	
New Jersey	565	0.047	0.043 - 0.051	275	0.049	0.043 - 0.055	290	0.046	0.041 - 0.051
New Mexico	12	0.027	0.014 - 0.047	-	-		-	-	
New York	1,627	0.054	0.052 - 0.057	791	0.057	0.053 - 0.061	836	0.052	0.049 - 0.056
North Carolina	1,007	0.045	0.042 - 0.048	499	0.048	0.044 - 0.052	508	0.043	0.039 - 0.047
North Dakota	-	-		-	-		-	-	
Ohio	668	0.043	0.040 - 0.047	349	0.047	0.042 - 0.052	319	0.040	0.035 - 0.044
Oklahoma	120	0.036	0.030 - 0.044	68	0.041	0.032 - 0.052	52	0.032	0.024 - 0.041
Oregon	35	0.036	0.025 - 0.050	21	0.041	0.025 - 0.062	14	0.031	0.017 - 0.052
Pennsylvania	794	0.055	0.051 - 0.059	407	0.058	0.053 - 0.064	387	0.051	0.046 - 0.057
Rhode Island	25	0.036	0.023 - 0.053	13	0.038	0.020 - 0.064	12	0.034	0.018 - 0.060
South Carolina	532	0.039	0.036 - 0.042	280	0.044	0.039 - 0.049	252	0.035	0.031 - 0.039
Tennessee	457	0.040	0.036 - 0.044	242	0.045	0.039 - 0.051	215	0.036	0.031 - 0.041
Texas	1,374	0.041	0.039 - 0.043	702	0.043	0.040 - 0.047	672	0.039	0.036 - 0.042
Utah	15	0.037	0.021 - 0.060	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	744	0.045	0.041 - 0.048	354	0.044	0.040 - 0.049	390	0.045	0.041 - 0.050
Washington	139	0.042	0.035 - 0.049	75	0.042	0.033 - 0.053	64	0.041	0.032 - 0.052
WA - Seattle	128	0.044	0.037 - 0.052	74	0.048	0.038 - 0.060	54	0.040	0.030 - 0.052
West Virginia	29	0.040	0.027 - 0.057	18	0.046	0.027 - 0.073	11	0.033	0.016 - 0.059
Wisconsin	168	0.042	0.036 - 0.049	79	0.041	0.032 - 0.051	89	0.044	0.035 - 0.054
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**15,141**	**0.038**	**0.037 - 0.038**	**7,440**	**0.039**	**0.038 - 0.040**	**7,701**	**0.037**	**0.036 - 0.038**
Alabama	468	0.036	0.033 - 0.039	208	0.034	0.030 - 0.039	260	0.037	0.033 - 0.042
Alaska	-	-		-	-		-	-	
Arizona	76	0.024	0.019 - 0.030	39	0.023	0.017 - 0.032	37	0.024	0.017 - 0.033
Arkansas	200	0.042	0.036 - 0.048	106	0.047	0.038 - 0.057	94	0.038	0.031 - 0.046
California	943	0.039	0.036 - 0.041	514	0.043	0.039 - 0.047	429	0.035	0.032 - 0.039
CA - Greater California	371	0.033	0.030 - 0.037	202	0.035	0.030 - 0.040	169	0.031	0.027 - 0.036
CA - Greater Bay Area	206	0.046	0.040 - 0.053	116	0.052	0.043 - 0.063	90	0.040	0.032 - 0.049
CA - Los Angeles	365	0.043	0.038 - 0.047	197	0.048	0.042 - 0.056	169	0.037	0.032 - 0.043
Colorado	74	0.030	0.023 - 0.037	52	0.039	0.029 - 0.051	22	0.019	0.012 - 0.029
Connecticut	171	0.045	0.039 - 0.052	86	0.048	0.038 - 0.059	85	0.043	0.034 - 0.053
Delaware	98	0.046	0.037 - 0.056	52	0.052	0.039 - 0.068	46	0.041	0.030 - 0.054
Florida	1,304	0.040	0.038 - 0.042	641	0.041	0.037 - 0.044	663	0.039	0.036 - 0.042
Georgia	1,254	0.039	0.036 - 0.041	573	0.038	0.035 - 0.041	681	0.039	0.036 - 0.042
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	726	0.039	0.036 - 0.041	334	0.038	0.034 - 0.042	392	0.039	0.036 - 0.043
Iowa	35	0.028	0.019 - 0.038	17	0.025	0.015 - 0.040	18	0.030	0.018 - 0.048
Kentucky	144	0.038	0.032 - 0.044	83	0.044	0.035 - 0.054	61	0.032	0.024 - 0.041
Louisiana	520	0.034	0.031 - 0.037	254	0.035	0.031 - 0.040	266	0.033	0.029 - 0.037
Maine	-	-		-	-		-	-	
Maryland	673	0.037	0.034 - 0.040	318	0.037	0.033 - 0.042	355	0.036	0.033 - 0.040
Michigan	508	0.035	0.032 - 0.038	258	0.037	0.033 - 0.042	250	0.033	0.029 - 0.037
MI - Detroit	407	0.041	0.038 - 0.046	202	0.045	0.039 - 0.051	205	0.039	0.034 - 0.044
Minnesota	71	0.019	0.015 - 0.024	30	0.016	0.011 - 0.023	41	0.023	0.016 - 0.031
Mississippi	363	0.032	0.029 - 0.036	180	0.034	0.029 - 0.039	183	0.031	0.026 - 0.035
Missouri	284	0.038	0.034 - 0.043	139	0.039	0.033 - 0.046	145	0.037	0.031 - 0.044
Montana	-	-		-	-		-	-	
Nebraska	34	0.033	0.023 - 0.047	18	0.035	0.021 - 0.055	16	0.032	0.018 - 0.052
New Hampshire	-	-		-	-		-	-	
New Jersey	476	0.040	0.036 - 0.043	235	0.042	0.036 - 0.047	241	0.038	0.033 - 0.043
New Mexico	13	0.029	0.016 - 0.050	-	-		-	-	
New York	1,471	0.049	0.047 - 0.052	692	0.050	0.046 - 0.053	779	0.049	0.045 - 0.052
North Carolina	959	0.043	0.040 - 0.046	486	0.047	0.043 - 0.051	473	0.040	0.036 - 0.044
North Dakota	-	-		-	-		-	-	
Ohio	523	0.034	0.031 - 0.037	261	0.035	0.031 - 0.040	262	0.033	0.029 - 0.037
Oklahoma	106	0.032	0.026 - 0.039	55	0.033	0.025 - 0.044	51	0.031	0.023 - 0.041
Oregon	22	0.023	0.014 - 0.034	-	-		-	-	
Pennsylvania	581	0.040	0.037 - 0.043	269	0.038	0.034 - 0.043	312	0.041	0.037 - 0.046
Rhode Island	22	0.032	0.020 - 0.048	12	0.035	0.018 - 0.061	10	0.029	0.014 - 0.053
South Carolina	607	0.044	0.041 - 0.048	289	0.045	0.040 - 0.051	318	0.044	0.039 - 0.049
Tennessee	385	0.034	0.030 - 0.037	186	0.034	0.029 - 0.040	199	0.033	0.029 - 0.038
Texas	1,155	0.034	0.032 - 0.036	577	0.036	0.033 - 0.039	578	0.033	0.031 - 0.036
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	560	0.034	0.031 - 0.036	286	0.036	0.032 - 0.040	274	0.032	0.028 - 0.036
Washington	82	0.025	0.020 - 0.030	42	0.024	0.017 - 0.032	40	0.026	0.018 - 0.035
WA - Seattle	75	0.026	0.020 - 0.032	37	0.024	0.017 - 0.033	38	0.028	0.020 - 0.038
West Virginia	33	0.045	0.031 - 0.064	17	0.044	0.025 - 0.070	16	0.048	0.027 - 0.077
Wisconsin	164	0.041	0.035 - 0.048	89	0.046	0.037 - 0.056	75	0.037	0.029 - 0.047
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**11,227**	**0.028**	**0.028 - 0.029**	**6,065**	**0.032**	**0.031 - 0.033**	**5,162**	**0.025**	**0.024 - 0.025**
Alabama	302	0.023	0.021 - 0.026	162	0.027	0.023 - 0.031	140	0.020	0.017 - 0.024
Alaska	-	-		-	-		-	-	
Arizona	44	0.014	0.010 - 0.018	22	0.013	0.008 - 0.020	22	0.014	0.009 - 0.022
Arkansas	119	0.025	0.021 - 0.030	74	0.033	0.026 - 0.041	45	0.018	0.013 - 0.024
California	750	0.031	0.029 - 0.033	449	0.037	0.034 - 0.041	301	0.025	0.022 - 0.028
CA - Greater California	314	0.028	0.025 - 0.031	201	0.035	0.030 - 0.040	113	0.021	0.017 - 0.025
CA - Greater Bay Area	156	0.035	0.029 - 0.041	95	0.043	0.035 - 0.052	61	0.027	0.021 - 0.034
CA - Los Angeles	281	0.033	0.029 - 0.037	152	0.038	0.032 - 0.044	129	0.028	0.024 - 0.034
Colorado	65	0.026	0.020 - 0.033	35	0.026	0.018 - 0.037	30	0.026	0.017 - 0.037
Connecticut	90	0.024	0.019 - 0.029	50	0.028	0.021 - 0.037	40	0.020	0.014 - 0.027
Delaware	63	0.030	0.023 - 0.038	35	0.035	0.024 - 0.048	28	0.025	0.017 - 0.036
Florida	1,053	0.032	0.030 - 0.034	564	0.036	0.033 - 0.039	489	0.029	0.026 - 0.031
Georgia	867	0.027	0.025 - 0.028	436	0.029	0.026 - 0.031	432	0.025	0.023 - 0.027
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	536	0.028	0.026 - 0.031	296	0.033	0.030 - 0.037	240	0.024	0.021 - 0.027
Iowa	32	0.025	0.017 - 0.036	18	0.027	0.016 - 0.042	14	0.023	0.013 - 0.039
Kentucky	114	0.030	0.025 - 0.036	63	0.033	0.025 - 0.042	51	0.027	0.020 - 0.035
Louisiana	414	0.027	0.025 - 0.030	226	0.031	0.027 - 0.036	187	0.023	0.020 - 0.027
Maine	-	-		-	-		-	-	
Maryland	512	0.028	0.026 - 0.030	264	0.031	0.027 - 0.035	248	0.025	0.022 - 0.029
Michigan	405	0.028	0.025 - 0.031	207	0.030	0.026 - 0.034	198	0.026	0.023 - 0.030
MI - Detroit	336	0.034	0.031 - 0.038	173	0.038	0.033 - 0.044	163	0.031	0.026 - 0.036
Minnesota	70	0.019	0.015 - 0.024	36	0.019	0.013 - 0.027	34	0.019	0.013 - 0.026
Mississippi	287	0.025	0.023 - 0.029	175	0.033	0.028 - 0.038	112	0.019	0.015 - 0.023
Missouri	244	0.033	0.029 - 0.037	115	0.032	0.027 - 0.039	129	0.033	0.028 - 0.039
Montana	-	-		-	-		-	-	
Nebraska	23	0.023	0.014 - 0.034	11	0.021	0.011 - 0.038	12	0.024	0.013 - 0.042
New Hampshire	-	-		-	-		-	-	
New Jersey	409	0.034	0.031 - 0.038	218	0.039	0.034 - 0.044	191	0.030	0.026 - 0.035
New Mexico	11	0.025	0.012 - 0.044	-	-		-	-	
New York	950	0.032	0.030 - 0.034	491	0.035	0.032 - 0.038	459	0.029	0.026 - 0.031
North Carolina	666	0.030	0.028 - 0.032	357	0.034	0.031 - 0.038	309	0.026	0.023 - 0.029
North Dakota	-	-		-	-		-	-	
Ohio	382	0.025	0.022 - 0.027	199	0.027	0.023 - 0.031	183	0.023	0.020 - 0.026
Oklahoma	90	0.027	0.022 - 0.034	50	0.030	0.023 - 0.040	40	0.024	0.017 - 0.033
Oregon	24	0.025	0.016 - 0.037	14	0.027	0.015 - 0.045	10	0.022	0.011 - 0.041
Pennsylvania	409	0.028	0.025 - 0.031	214	0.031	0.027 - 0.035	195	0.026	0.022 - 0.030
Rhode Island	18	0.026	0.015 - 0.041	-	-		-	-	
South Carolina	376	0.028	0.025 - 0.030	199	0.031	0.027 - 0.036	177	0.024	0.021 - 0.028
Tennessee	296	0.026	0.023 - 0.029	150	0.028	0.023 - 0.032	146	0.024	0.020 - 0.028
Texas	936	0.028	0.026 - 0.030	533	0.033	0.030 - 0.036	403	0.023	0.021 - 0.026
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	377	0.023	0.020 - 0.025	206	0.026	0.022 - 0.030	171	0.020	0.017 - 0.023
Washington	87	0.026	0.021 - 0.032	57	0.032	0.024 - 0.041	30	0.019	0.013 - 0.027
WA - Seattle	82	0.028	0.022 - 0.035	54	0.035	0.026 - 0.046	28	0.020	0.014 - 0.030
West Virginia	25	0.034	0.022 - 0.051	15	0.038	0.022 - 0.063	10	0.030	0.014 - 0.055
Wisconsin	145	0.037	0.031 - 0.043	82	0.042	0.033 - 0.052	63	0.031	0.024 - 0.040
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Non-Hispanic Black, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**192**	**0.000**	**0.000 - 0.001**	**120**	**0.001**	**0.001 - 0.001**	**72**	**0.000**	**0.000 - 0.000**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	19	0.001	0.000 - 0.001	-	-		-	-	
CA - Greater California	-	-		-	-		-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		-	-	
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	11	0.001	0.000 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	16	0.001	0.001 - 0.002	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	12	0.001	0.000 - 0.001	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	10	0.000	0.000 - 0.001	-	-		-	-	
North Carolina	11	0.000	0.000 - 0.001	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	10	0.001	0.000 - 0.001	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	14	0.000	0.000 - 0.001	-	-		-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	12	0.001	0.000 - 0.001	12	0.002	0.001 - 0.003	-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**400,957**	**0.734**	**0.732 - 0.736**	**179,095**	**0.649**	**0.646 - 0.652**	**221,861**	**0.821**	**0.817 - 0.824**
Alabama	753	0.371	0.345 - 0.399	360	0.332	0.298 - 0.368	393	0.417	0.377 - 0.460
Alaska	227	0.446	0.390 - 0.508	82	0.306	0.243 - 0.380	145	0.601	0.508 - 0.708
Arizona	13,347	0.628	0.617 - 0.639	5,554	0.520	0.506 - 0.534	7,793	0.738	0.721 - 0.754
Arkansas	996	0.459	0.431 - 0.489	444	0.390	0.355 - 0.428	552	0.536	0.492 - 0.582
California	106,508	0.700	0.696 - 0.705	46,833	0.612	0.607 - 0.618	59,675	0.790	0.783 - 0.796
CA - Greater California	56,339	0.671	0.666 - 0.677	24,782	0.585	0.578 - 0.592	31,557	0.759	0.751 - 0.767
CA - Greater Bay Area	14,429	0.759	0.746 - 0.771	6,596	0.683	0.667 - 0.700	7,832	0.837	0.819 - 0.856
CA - Los Angeles	35,698	0.727	0.719 - 0.734	15,472	0.631	0.622 - 0.642	20,226	0.821	0.810 - 0.833
Colorado	8,490	0.726	0.710 - 0.741	3,687	0.619	0.599 - 0.639	4,803	0.837	0.813 - 0.861
Connecticut	5,151	0.924	0.899 - 0.950	2,179	0.783	0.751 - 0.817	2,972	1.064	1.026 - 1.103
Delaware	581	0.677	0.623 - 0.734	282	0.640	0.568 - 0.719	299	0.716	0.637 - 0.802
Florida	56,025	1.098	1.089 - 1.107	26,128	1.038	1.025 - 1.050	29,897	1.157	1.144 - 1.170
Georgia	4,840	0.502	0.488 - 0.517	2,069	0.409	0.391 - 0.427	2,772	0.606	0.584 - 0.629
Hawaii	1,072	0.758	0.713 - 0.805	451	0.620	0.564 - 0.680	621	0.905	0.835 - 0.979
Idaho	1,067	0.522	0.491 - 0.554	457	0.433	0.394 - 0.475	610	0.617	0.569 - 0.667
Illinois	15,064	0.693	0.682 - 0.704	6,848	0.615	0.601 - 0.630	8,216	0.775	0.758 - 0.792
Iowa	736	0.406	0.377 - 0.437	333	0.353	0.316 - 0.393	402	0.465	0.420 - 0.512
Kentucky	504	0.325	0.298 - 0.355	255	0.304	0.267 - 0.343	249	0.351	0.309 - 0.398
Louisiana	1,543	0.655	0.623 - 0.688	784	0.619	0.576 - 0.663	759	0.697	0.649 - 0.749
Maine	108	0.522	0.428 - 0.630	51	0.490	0.365 - 0.644	57	0.554	0.419 - 0.717
Maryland	3,112	0.534	0.515 - 0.553	1,273	0.420	0.397 - 0.443	1,839	0.657	0.627 - 0.688
Michigan	2,808	0.575	0.554 - 0.596	1,361	0.548	0.520 - 0.578	1,447	0.602	0.571 - 0.633
MI - Detroit	1,490	0.867	0.824 - 0.913	635	0.734	0.678 - 0.793	855	1.003	0.937 - 1.073
Minnesota	1,688	0.586	0.559 - 0.615	690	0.462	0.428 - 0.498	998	0.721	0.677 - 0.767
Mississippi	330	0.361	0.323 - 0.402	180	0.352	0.303 - 0.408	150	0.373	0.315 - 0.437
Missouri	1,166	0.471	0.444 - 0.498	513	0.399	0.366 - 0.435	653	0.547	0.506 - 0.591
Montana	253	0.677	0.596 - 0.765	106	0.554	0.453 - 0.670	147	0.805	0.680 - 0.946
Nebraska	1,000	0.497	0.467 - 0.529	471	0.448	0.409 - 0.491	529	0.550	0.504 - 0.599
New Hampshire	328	0.712	0.637 - 0.794	152	0.650	0.551 - 0.762	176	0.776	0.665 - 0.899
New Jersey	16,537	0.928	0.914 - 0.942	7,504	0.840	0.821 - 0.859	9,034	1.017	0.996 - 1.038
New Mexico	9,315	0.924	0.906 - 0.943	4,093	0.818	0.793 - 0.843	5,222	1.030	1.002 - 1.058
New York	39,648	1.056	1.046 - 1.067	18,309	0.989	0.974 - 1.003	21,339	1.123	1.108 - 1.138
North Carolina	4,121	0.445	0.431 - 0.459	1,813	0.375	0.358 - 0.393	2,308	0.521	0.500 - 0.543
North Dakota	60	0.223	0.170 - 0.287	26	0.179	0.117 - 0.262	34	0.275	0.190 - 0.384
Ohio	1,894	0.450	0.430 - 0.471	923	0.428	0.401 - 0.456	971	0.474	0.445 - 0.505
Oklahoma	1,798	0.448	0.427 - 0.469	739	0.351	0.327 - 0.378	1,059	0.553	0.520 - 0.588
Oregon	2,732	0.529	0.510 - 0.550	1,186	0.444	0.419 - 0.470	1,546	0.622	0.591 - 0.653
Pennsylvania	5,739	0.646	0.629 - 0.663	2,658	0.586	0.564 - 0.609	3,081	0.708	0.683 - 0.734
Rhode Island	913	0.584	0.547 - 0.623	391	0.499	0.451 - 0.551	522	0.670	0.614 - 0.730
South Carolina	1,213	0.447	0.423 - 0.473	567	0.391	0.360 - 0.425	646	0.512	0.473 - 0.553
Tennessee	1,281	0.371	0.350 - 0.391	563	0.308	0.283 - 0.335	718	0.441	0.409 - 0.474
Texas	74,594	0.691	0.686 - 0.696	33,086	0.609	0.602 - 0.615	41,508	0.774	0.766 - 0.781
Utah	2,456	0.593	0.570 - 0.617	1,047	0.493	0.464 - 0.524	1,409	0.698	0.662 - 0.736
Vermont	54	0.477	0.358 - 0.622	23	0.399	0.253 - 0.599	31	0.556	0.378 - 0.790
Virginia	3,688	0.485	0.469 - 0.501	1,426	0.363	0.345 - 0.383	2,262	0.614	0.589 - 0.640
Washington	4,748	0.531	0.516 - 0.546	2,056	0.444	0.425 - 0.464	2,692	0.624	0.601 - 0.648
WA - Seattle	3,063	0.639	0.617 - 0.663	1,280	0.514	0.486 - 0.543	1,783	0.776	0.740 - 0.812
West Virginia	99	0.355	0.288 - 0.432	53	0.355	0.266 - 0.465	46	0.354	0.259 - 0.472
Wisconsin	2,005	0.521	0.499 - 0.545	922	0.463	0.433 - 0.493	1,083	0.584	0.550 - 0.620
Wyoming	364	0.629	0.566 - 0.697	168	0.553	0.473 - 0.644	196	0.713	0.617 - 0.820

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**8,230**	**0.015**	**0.015 - 0.015**	**5,429**	**0.020**	**0.019 - 0.020**	**2,800**	**0.010**	**0.010 - 0.011**
Alabama	17	0.008	0.005 - 0.013	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	234	0.011	0.010 - 0.013	141	0.013	0.011 - 0.016	93	0.009	0.007 - 0.011
Arkansas	21	0.010	0.006 - 0.015	-	-		-	-	
California	2,013	0.013	0.013 - 0.014	1,309	0.017	0.016 - 0.018	704	0.009	0.009 - 0.010
CA - Greater California	1,045	0.012	0.012 - 0.013	678	0.016	0.015 - 0.017	367	0.009	0.008 - 0.010
CA - Greater Bay Area	291	0.015	0.014 - 0.017	196	0.020	0.018 - 0.023	95	0.010	0.008 - 0.012
CA - Los Angeles	671	0.014	0.013 - 0.015	430	0.018	0.016 - 0.019	240	0.010	0.009 - 0.011
Colorado	193	0.017	0.014 - 0.019	131	0.022	0.018 - 0.026	62	0.011	0.008 - 0.014
Connecticut	111	0.020	0.016 - 0.024	69	0.025	0.019 - 0.031	42	0.015	0.011 - 0.020
Delaware	13	0.015	0.008 - 0.026	-	-		-	-	
Florida	1,370	0.027	0.025 - 0.028	951	0.038	0.035 - 0.040	419	0.016	0.015 - 0.018
Georgia	100	0.010	0.008 - 0.013	65	0.013	0.010 - 0.016	35	0.008	0.005 - 0.011
Hawaii	36	0.025	0.018 - 0.035	23	0.032	0.020 - 0.047	13	0.019	0.010 - 0.032
Idaho	25	0.012	0.008 - 0.018	-	-		-	-	
Illinois	296	0.014	0.012 - 0.015	190	0.017	0.015 - 0.020	106	0.010	0.008 - 0.012
Iowa	16	0.009	0.005 - 0.014	-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	38	0.016	0.011 - 0.022	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	65	0.011	0.009 - 0.014	41	0.014	0.010 - 0.018	24	0.009	0.005 - 0.013
Michigan	58	0.012	0.009 - 0.015	42	0.017	0.012 - 0.023	16	0.007	0.004 - 0.011
MI - Detroit	36	0.021	0.015 - 0.029	26	0.030	0.020 - 0.044	10	0.012	0.006 - 0.022
Minnesota	32	0.011	0.008 - 0.016	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	28	0.011	0.008 - 0.016	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	22	0.011	0.007 - 0.017	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	325	0.018	0.016 - 0.020	199	0.022	0.019 - 0.026	127	0.014	0.012 - 0.017
New Mexico	177	0.018	0.015 - 0.020	117	0.023	0.019 - 0.028	60	0.012	0.009 - 0.015
New York	857	0.023	0.021 - 0.024	566	0.031	0.028 - 0.033	291	0.015	0.014 - 0.017
North Carolina	88	0.010	0.008 - 0.012	64	0.013	0.010 - 0.017	24	0.005	0.003 - 0.008
North Dakota	-	-		-	-		-	-	
Ohio	36	0.009	0.006 - 0.012	22	0.010	0.006 - 0.015	14	0.007	0.004 - 0.011
Oklahoma	48	0.012	0.009 - 0.016	31	0.015	0.010 - 0.021	17	0.009	0.005 - 0.014
Oregon	59	0.011	0.009 - 0.015	38	0.014	0.010 - 0.020	21	0.008	0.005 - 0.013
Pennsylvania	119	0.013	0.011 - 0.016	82	0.018	0.014 - 0.022	37	0.009	0.006 - 0.012
Rhode Island	19	0.012	0.007 - 0.019	-	-		-	-	
South Carolina	21	0.008	0.005 - 0.012	-	-		-	-	
Tennessee	35	0.010	0.007 - 0.014	24	0.013	0.008 - 0.020	11	0.007	0.003 - 0.012
Texas	1,476	0.014	0.013 - 0.014	966	0.018	0.017 - 0.019	510	0.010	0.009 - 0.010
Utah	30	0.007	0.005 - 0.010	19	0.009	0.005 - 0.014	11	0.005	0.003 - 0.010
Vermont	-	-		-	-		-	-	
Virginia	77	0.010	0.008 - 0.013	42	0.011	0.008 - 0.014	35	0.010	0.007 - 0.013
Washington	102	0.011	0.009 - 0.014	68	0.015	0.011 - 0.019	34	0.008	0.005 - 0.011
WA - Seattle	75	0.016	0.012 - 0.020	51	0.020	0.015 - 0.027	24	0.010	0.007 - 0.016
West Virginia	-	-		-	-		-	-	
Wisconsin	33	0.009	0.006 - 0.012	-	-		-	-	
Wyoming	10	0.017	0.008 - 0.032	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**1,549**	**0.003**	**0.003 - 0.003**	**1,217**	**0.004**	**0.004 - 0.005**	**332**	**0.001**	**0.001 - 0.001**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	57	0.003	0.002 - 0.003	46	0.004	0.003 - 0.006	11	0.001	0.001 - 0.002
Arkansas	-	-		-	-		-	-	
California	359	0.002	0.002 - 0.003	284	0.004	0.003 - 0.004	75	0.001	0.001 - 0.001
CA - Greater California	189	0.002	0.002 - 0.003	150	0.004	0.003 - 0.004	39	0.001	0.001 - 0.001
CA - Greater Bay Area	55	0.003	0.002 - 0.004	38	0.004	0.003 - 0.005	16	0.002	0.001 - 0.003
CA - Los Angeles	112	0.002	0.002 - 0.003	94	0.004	0.003 - 0.005	18	0.001	0.000 - 0.001
Colorado	36	0.003	0.002 - 0.004	-	-		-	-	
Connecticut	22	0.004	0.003 - 0.006	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	241	0.005	0.004 - 0.005	193	0.008	0.007 - 0.009	48	0.002	0.001 - 0.002
Georgia	18	0.002	0.001 - 0.003	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	45	0.002	0.002 - 0.003	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	18	0.004	0.002 - 0.006	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	44	0.002	0.002 - 0.003	33	0.004	0.003 - 0.005	11	0.001	0.001 - 0.002
New Mexico	43	0.004	0.003 - 0.006	-	-		-	-	
New York	159	0.004	0.004 - 0.005	111	0.006	0.005 - 0.007	48	0.003	0.002 - 0.003
North Carolina	17	0.002	0.001 - 0.003	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	10	0.002	0.001 - 0.004	10	0.005	0.002 - 0.009	-	-	
Oklahoma	10	0.002	0.001 - 0.005	-	-		-	-	
Oregon	15	0.003	0.002 - 0.005	-	-		-	-	
Pennsylvania	24	0.003	0.002 - 0.004	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	308	0.003	0.003 - 0.003	247	0.005	0.004 - 0.005	61	0.001	0.001 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	11	0.001	0.001 - 0.003	-	-		-	-	
Washington	20	0.002	0.001 - 0.003	-	-		-	-	
WA - Seattle	11	0.002	0.001 - 0.004	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**7,076**	**0.013**	**0.013 - 0.013**	**3,784**	**0.014**	**0.013 - 0.014**	**3,292**	**0.012**	**0.012 - 0.013**
Alabama	12	0.006	0.003 - 0.010	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	211	0.010	0.009 - 0.011	114	0.011	0.009 - 0.013	97	0.009	0.007 - 0.011
Arkansas	15	0.007	0.004 - 0.011	-	-		-	-	
California	1,859	0.012	0.012 - 0.013	955	0.012	0.012 - 0.013	903	0.012	0.011 - 0.013
CA - Greater California	872	0.010	0.010 - 0.011	455	0.011	0.010 - 0.012	417	0.010	0.009 - 0.011
CA - Greater Bay Area	263	0.014	0.012 - 0.016	135	0.014	0.012 - 0.016	128	0.014	0.011 - 0.016
CA - Los Angeles	725	0.015	0.014 - 0.016	367	0.015	0.013 - 0.017	358	0.015	0.013 - 0.016
Colorado	130	0.011	0.009 - 0.013	69	0.012	0.009 - 0.015	61	0.011	0.008 - 0.014
Connecticut	100	0.018	0.015 - 0.022	54	0.020	0.015 - 0.025	46	0.016	0.012 - 0.022
Delaware	-	-		-	-		-	-	
Florida	837	0.016	0.015 - 0.018	473	0.019	0.017 - 0.021	364	0.014	0.013 - 0.016
Georgia	67	0.007	0.005 - 0.009	36	0.007	0.005 - 0.010	32	0.007	0.005 - 0.010
Hawaii	10	0.007	0.003 - 0.013	-	-		-	-	
Idaho	10	0.005	0.002 - 0.009	-	-		-	-	
Illinois	316	0.015	0.013 - 0.016	169	0.015	0.013 - 0.018	147	0.014	0.012 - 0.016
Iowa	15	0.008	0.005 - 0.014	-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	27	0.011	0.007 - 0.017	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	67	0.011	0.009 - 0.015	34	0.011	0.008 - 0.016	33	0.012	0.008 - 0.017
Michigan	36	0.007	0.005 - 0.010	24	0.010	0.006 - 0.014	12	0.005	0.003 - 0.009
MI - Detroit	12	0.007	0.004 - 0.012	-	-		-	-	
Minnesota	26	0.009	0.006 - 0.013	12	0.008	0.004 - 0.014	14	0.010	0.006 - 0.017
Mississippi	10	0.011	0.005 - 0.020	-	-		-	-	
Missouri	18	0.007	0.004 - 0.011	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	15	0.007	0.004 - 0.012	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	357	0.020	0.018 - 0.022	179	0.020	0.017 - 0.023	178	0.020	0.017 - 0.023
New Mexico	139	0.014	0.012 - 0.016	83	0.017	0.013 - 0.021	56	0.011	0.008 - 0.014
New York	870	0.023	0.022 - 0.025	469	0.025	0.023 - 0.028	401	0.021	0.019 - 0.023
North Carolina	75	0.008	0.006 - 0.010	40	0.008	0.006 - 0.011	35	0.008	0.006 - 0.011
North Dakota	-	-		-	-		-	-	
Ohio	35	0.008	0.006 - 0.012	17	0.008	0.005 - 0.013	18	0.009	0.005 - 0.014
Oklahoma	19	0.005	0.003 - 0.007	-	-		-	-	
Oregon	49	0.009	0.007 - 0.013	32	0.012	0.008 - 0.017	17	0.007	0.004 - 0.011
Pennsylvania	105	0.012	0.010 - 0.014	57	0.013	0.010 - 0.016	48	0.011	0.008 - 0.015
Rhode Island	23	0.015	0.009 - 0.022	11	0.014	0.007 - 0.025	12	0.015	0.008 - 0.027
South Carolina	17	0.006	0.004 - 0.010	-	-		-	-	
Tennessee	25	0.007	0.005 - 0.011	-	-		-	-	
Texas	1,301	0.012	0.011 - 0.013	691	0.013	0.012 - 0.014	610	0.011	0.010 - 0.012
Utah	33	0.008	0.006 - 0.011	17	0.008	0.005 - 0.013	16	0.008	0.005 - 0.013
Vermont	-	-		-	-		-	-	
Virginia	99	0.013	0.011 - 0.016	51	0.013	0.010 - 0.017	48	0.013	0.010 - 0.017
Washington	83	0.009	0.007 - 0.012	49	0.011	0.008 - 0.014	34	0.008	0.005 - 0.011
WA - Seattle	47	0.010	0.007 - 0.013	23	0.009	0.006 - 0.014	24	0.010	0.007 - 0.015
West Virginia	-	-		-	-		-	-	
Wisconsin	37	0.010	0.007 - 0.013	20	0.010	0.006 - 0.015	17	0.009	0.005 - 0.015
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**39,347**	**0.072**	**0.071 - 0.073**	**21,077**	**0.076**	**0.075 - 0.077**	**18,271**	**0.068**	**0.067 - 0.069**
Alabama	73	0.036	0.028 - 0.045	40	0.037	0.026 - 0.050	33	0.035	0.024 - 0.049
Alaska	28	0.055	0.037 - 0.079	13	0.048	0.026 - 0.083	15	0.062	0.035 - 0.103
Arizona	1,388	0.065	0.062 - 0.069	779	0.073	0.068 - 0.078	609	0.058	0.053 - 0.062
Arkansas	99	0.046	0.037 - 0.056	54	0.047	0.036 - 0.062	45	0.044	0.032 - 0.058
California	10,490	0.069	0.068 - 0.070	5,477	0.072	0.070 - 0.074	5,013	0.066	0.065 - 0.068
CA - Greater California	5,554	0.066	0.064 - 0.068	2,909	0.069	0.066 - 0.071	2,644	0.064	0.061 - 0.066
CA - Greater Bay Area	1,364	0.072	0.068 - 0.076	713	0.074	0.068 - 0.079	652	0.070	0.064 - 0.075
CA - Los Angeles	3,560	0.072	0.070 - 0.075	1,848	0.075	0.072 - 0.079	1,712	0.070	0.066 - 0.073
Colorado	894	0.076	0.071 - 0.082	497	0.083	0.076 - 0.091	397	0.069	0.063 - 0.076
Connecticut	442	0.079	0.072 - 0.087	229	0.082	0.072 - 0.094	213	0.076	0.066 - 0.087
Delaware	53	0.062	0.046 - 0.081	24	0.054	0.035 - 0.081	29	0.069	0.047 - 0.100
Florida	5,650	0.111	0.108 - 0.114	2,895	0.115	0.111 - 0.119	2,755	0.107	0.103 - 0.111
Georgia	382	0.040	0.036 - 0.044	198	0.039	0.034 - 0.045	184	0.040	0.035 - 0.047
Hawaii	101	0.071	0.058 - 0.087	43	0.059	0.042 - 0.079	58	0.085	0.064 - 0.109
Idaho	84	0.041	0.033 - 0.051	48	0.045	0.034 - 0.060	36	0.036	0.025 - 0.050
Illinois	1,350	0.062	0.059 - 0.066	728	0.065	0.061 - 0.070	622	0.059	0.054 - 0.063
Iowa	65	0.036	0.028 - 0.046	43	0.045	0.033 - 0.061	22	0.025	0.016 - 0.038
Kentucky	55	0.036	0.027 - 0.046	41	0.049	0.035 - 0.066	14	0.020	0.011 - 0.033
Louisiana	153	0.065	0.055 - 0.076	83	0.066	0.052 - 0.081	70	0.064	0.050 - 0.081
Maine	-	-		-	-		-	-	
Maryland	264	0.045	0.040 - 0.051	137	0.045	0.038 - 0.053	127	0.045	0.038 - 0.054
Michigan	271	0.055	0.049 - 0.062	162	0.065	0.056 - 0.076	109	0.045	0.037 - 0.055
MI - Detroit	125	0.073	0.061 - 0.087	68	0.079	0.061 - 0.100	57	0.067	0.051 - 0.087
Minnesota	150	0.052	0.044 - 0.061	67	0.045	0.035 - 0.057	83	0.060	0.048 - 0.074
Mississippi	29	0.032	0.021 - 0.046	-	-		-	-	
Missouri	100	0.040	0.033 - 0.049	57	0.044	0.034 - 0.057	43	0.036	0.026 - 0.049
Montana	31	0.083	0.056 - 0.118	17	0.089	0.052 - 0.142	14	0.077	0.042 - 0.129
Nebraska	100	0.050	0.040 - 0.060	55	0.052	0.039 - 0.068	45	0.047	0.034 - 0.063
New Hampshire	29	0.063	0.042 - 0.090	14	0.060	0.033 - 0.101	15	0.066	0.037 - 0.109
New Jersey	1,552	0.087	0.083 - 0.092	788	0.088	0.082 - 0.095	764	0.086	0.080 - 0.092
New Mexico	988	0.098	0.092 - 0.104	529	0.106	0.097 - 0.115	459	0.090	0.082 - 0.099
New York	3,459	0.092	0.089 - 0.095	1,777	0.096	0.092 - 0.101	1,682	0.088	0.084 - 0.093
North Carolina	336	0.036	0.033 - 0.040	173	0.036	0.031 - 0.042	163	0.037	0.031 - 0.043
North Dakota	-	-		-	-		-	-	
Ohio	194	0.046	0.040 - 0.053	113	0.052	0.043 - 0.063	81	0.040	0.031 - 0.049
Oklahoma	171	0.043	0.036 - 0.049	86	0.041	0.033 - 0.051	85	0.044	0.035 - 0.055
Oregon	236	0.046	0.040 - 0.052	126	0.047	0.039 - 0.056	110	0.044	0.036 - 0.053
Pennsylvania	516	0.058	0.053 - 0.063	276	0.061	0.054 - 0.069	240	0.055	0.048 - 0.063
Rhode Island	84	0.054	0.043 - 0.067	48	0.061	0.045 - 0.081	36	0.046	0.032 - 0.064
South Carolina	127	0.047	0.039 - 0.056	61	0.042	0.032 - 0.054	66	0.052	0.040 - 0.067
Tennessee	90	0.026	0.021 - 0.032	48	0.026	0.019 - 0.035	42	0.026	0.019 - 0.035
Texas	8,126	0.075	0.074 - 0.077	4,699	0.086	0.084 - 0.089	3,427	0.064	0.062 - 0.066
Utah	222	0.054	0.047 - 0.061	112	0.053	0.044 - 0.064	110	0.055	0.045 - 0.066
Vermont	-	-		-	-		-	-	
Virginia	321	0.042	0.038 - 0.047	156	0.040	0.034 - 0.046	165	0.045	0.038 - 0.052
Washington	409	0.046	0.041 - 0.050	231	0.050	0.044 - 0.057	178	0.041	0.035 - 0.048
WA - Seattle	257	0.054	0.047 - 0.061	137	0.055	0.046 - 0.065	120	0.052	0.043 - 0.062
West Virginia	14	0.050	0.027 - 0.084	-	-		-	-	
Wisconsin	167	0.043	0.037 - 0.051	87	0.044	0.035 - 0.054	80	0.043	0.034 - 0.054
Wyoming	38	0.066	0.047 - 0.090	27	0.089	0.059 - 0.130	11	0.040	0.020 - 0.072

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**7,813**	**0.014**	**0.014 - 0.015**	**5,412**	**0.020**	**0.019 - 0.020**	**2,401**	**0.009**	**0.009 - 0.009**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	288	0.014	0.012 - 0.015	201	0.019	0.016 - 0.022	87	0.008	0.007 - 0.010
Arkansas	18	0.008	0.005 - 0.013	-	-		-	-	
California	2,180	0.014	0.014 - 0.015	1,508	0.020	0.019 - 0.021	672	0.009	0.008 - 0.010
CA - Greater California	1,205	0.014	0.014 - 0.015	869	0.021	0.019 - 0.022	336	0.008	0.007 - 0.009
CA - Greater Bay Area	321	0.017	0.015 - 0.019	216	0.022	0.020 - 0.026	105	0.011	0.009 - 0.014
CA - Los Angeles	652	0.013	0.012 - 0.014	422	0.017	0.016 - 0.019	230	0.009	0.008 - 0.011
Colorado	196	0.017	0.014 - 0.019	141	0.024	0.020 - 0.028	55	0.010	0.007 - 0.012
Connecticut	114	0.020	0.017 - 0.025	87	0.031	0.025 - 0.039	27	0.010	0.006 - 0.014
Delaware	-	-		-	-		-	-	
Florida	677	0.013	0.012 - 0.014	468	0.019	0.017 - 0.020	209	0.008	0.007 - 0.009
Georgia	66	0.007	0.005 - 0.009	38	0.007	0.005 - 0.010	28	0.006	0.004 - 0.009
Hawaii	20	0.014	0.009 - 0.022	10	0.014	0.007 - 0.025	10	0.015	0.007 - 0.027
Idaho	17	0.008	0.005 - 0.013	-	-		-	-	
Illinois	239	0.011	0.010 - 0.012	164	0.015	0.013 - 0.017	75	0.007	0.006 - 0.009
Iowa	18	0.010	0.006 - 0.015	-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	26	0.011	0.007 - 0.016	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	47	0.008	0.006 - 0.011	29	0.010	0.006 - 0.014	18	0.006	0.004 - 0.010
Michigan	63	0.013	0.010 - 0.016	47	0.019	0.014 - 0.025	16	0.007	0.004 - 0.011
MI - Detroit	22	0.013	0.008 - 0.019	-	-		-	-	
Minnesota	36	0.013	0.009 - 0.017	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	24	0.010	0.006 - 0.014	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	13	0.006	0.003 - 0.011	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	210	0.012	0.010 - 0.013	139	0.016	0.013 - 0.018	71	0.008	0.006 - 0.010
New Mexico	190	0.019	0.016 - 0.022	149	0.030	0.025 - 0.035	41	0.008	0.006 - 0.011
New York	778	0.021	0.019 - 0.022	537	0.029	0.027 - 0.032	241	0.013	0.011 - 0.014
North Carolina	76	0.008	0.006 - 0.010	53	0.011	0.008 - 0.014	23	0.005	0.003 - 0.008
North Dakota	-	-		-	-		-	-	
Ohio	34	0.008	0.006 - 0.011	-	-		-	-	
Oklahoma	36	0.009	0.006 - 0.012	20	0.010	0.006 - 0.015	16	0.008	0.005 - 0.014
Oregon	65	0.013	0.010 - 0.016	45	0.017	0.012 - 0.023	20	0.008	0.005 - 0.012
Pennsylvania	127	0.014	0.012 - 0.017	92	0.020	0.016 - 0.025	35	0.008	0.006 - 0.011
Rhode Island	19	0.012	0.007 - 0.019	-	-		-	-	
South Carolina	15	0.006	0.003 - 0.009	-	-		-	-	
Tennessee	27	0.008	0.005 - 0.011	15	0.008	0.005 - 0.014	12	0.007	0.004 - 0.013
Texas	1,905	0.018	0.017 - 0.018	1,315	0.024	0.023 - 0.026	590	0.011	0.010 - 0.012
Utah	63	0.015	0.012 - 0.020	46	0.022	0.016 - 0.029	17	0.008	0.005 - 0.013
Vermont	-	-		-	-		-	-	
Virginia	39	0.005	0.004 - 0.007	21	0.005	0.003 - 0.008	18	0.005	0.003 - 0.008
Washington	96	0.011	0.009 - 0.013	70	0.015	0.012 - 0.019	26	0.006	0.004 - 0.009
WA - Seattle	58	0.012	0.009 - 0.016	46	0.018	0.013 - 0.025	12	0.005	0.003 - 0.009
West Virginia	-	-		-	-		-	-	
Wisconsin	41	0.011	0.008 - 0.014	31	0.016	0.011 - 0.022	10	0.005	0.003 - 0.010
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,437**	**0.008**	**0.008 - 0.008**	**2,127**	**0.008**	**0.007 - 0.008**	**2,309**	**0.009**	**0.008 - 0.009**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	156	0.007	0.006 - 0.009	69	0.006	0.005 - 0.008	87	0.008	0.007 - 0.010
Arkansas	-	-		-	-		-	-	
California	1,073	0.007	0.007 - 0.007	476	0.006	0.006 - 0.007	596	0.008	0.007 - 0.009
CA - Greater California	545	0.006	0.006 - 0.007	248	0.006	0.005 - 0.007	297	0.007	0.006 - 0.008
CA - Greater Bay Area	171	0.009	0.008 - 0.010	77	0.008	0.006 - 0.010	94	0.010	0.008 - 0.012
CA - Los Angeles	359	0.007	0.007 - 0.008	153	0.006	0.005 - 0.007	206	0.008	0.007 - 0.010
Colorado	80	0.007	0.005 - 0.009	36	0.006	0.004 - 0.008	44	0.008	0.006 - 0.010
Connecticut	55	0.010	0.008 - 0.013	18	0.007	0.004 - 0.010	37	0.013	0.009 - 0.018
Delaware	-	-		-	-		-	-	
Florida	683	0.013	0.012 - 0.014	336	0.013	0.012 - 0.015	347	0.013	0.012 - 0.015
Georgia	50	0.005	0.004 - 0.007	31	0.006	0.004 - 0.009	19	0.004	0.003 - 0.007
Hawaii	16	0.011	0.006 - 0.018	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	181	0.008	0.007 - 0.010	93	0.008	0.007 - 0.010	88	0.008	0.007 - 0.010
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	15	0.006	0.004 - 0.011	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	37	0.006	0.004 - 0.009	15	0.005	0.003 - 0.008	22	0.008	0.005 - 0.012
Michigan	42	0.009	0.006 - 0.012	21	0.008	0.005 - 0.013	21	0.009	0.005 - 0.013
MI - Detroit	20	0.012	0.007 - 0.018	-	-		-	-	
Minnesota	20	0.007	0.004 - 0.011	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	12	0.005	0.003 - 0.008	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	11	0.005	0.003 - 0.010	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	163	0.009	0.008 - 0.011	71	0.008	0.006 - 0.010	92	0.010	0.008 - 0.013
New Mexico	93	0.009	0.007 - 0.011	42	0.008	0.006 - 0.011	52	0.010	0.008 - 0.013
New York	471	0.013	0.011 - 0.014	230	0.012	0.011 - 0.014	241	0.013	0.011 - 0.014
North Carolina	55	0.006	0.004 - 0.008	22	0.005	0.003 - 0.007	33	0.007	0.005 - 0.010
North Dakota	-	-		-	-		-	-	
Ohio	21	0.005	0.003 - 0.008	-	-		-	-	
Oklahoma	16	0.004	0.002 - 0.006	-	-		-	-	
Oregon	32	0.006	0.004 - 0.009	21	0.008	0.005 - 0.012	11	0.004	0.002 - 0.008
Pennsylvania	70	0.008	0.006 - 0.010	45	0.010	0.007 - 0.013	25	0.006	0.004 - 0.008
Rhode Island	14	0.009	0.005 - 0.015	-	-		-	-	
South Carolina	12	0.004	0.002 - 0.008	-	-		-	-	
Tennessee	11	0.003	0.002 - 0.006	-	-		-	-	
Texas	871	0.008	0.008 - 0.009	436	0.008	0.007 - 0.009	435	0.008	0.007 - 0.009
Utah	23	0.005	0.003 - 0.008	12	0.006	0.003 - 0.010	10	0.005	0.003 - 0.009
Vermont	-	-		-	-		-	-	
Virginia	28	0.004	0.002 - 0.005	14	0.004	0.002 - 0.006	14	0.004	0.002 - 0.006
Washington	41	0.005	0.003 - 0.006	21	0.005	0.003 - 0.007	20	0.005	0.003 - 0.007
WA - Seattle	30	0.006	0.004 - 0.009	13	0.005	0.003 - 0.009	17	0.007	0.004 - 0.012
West Virginia	-	-		-	-		-	-	
Wisconsin	23	0.006	0.004 - 0.009	13	0.007	0.003 - 0.011	10	0.005	0.003 - 0.010
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**2,605**	**0.005**	**0.005 - 0.005**	**2,217**	**0.008**	**0.008 - 0.008**	**388**	**0.001**	**0.001 - 0.002**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	60	0.003	0.002 - 0.004	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	554	0.004	0.003 - 0.004	484	0.006	0.006 - 0.007	69	0.001	0.001 - 0.001
CA - Greater California	265	0.003	0.003 - 0.004	232	0.005	0.005 - 0.006	33	0.001	0.001 - 0.001
CA - Greater Bay Area	83	0.004	0.003 - 0.005	-	-		-	-	
CA - Los Angeles	206	0.004	0.004 - 0.005	178	0.007	0.006 - 0.008	28	0.001	0.001 - 0.002
Colorado	65	0.006	0.004 - 0.007	55	0.009	0.007 - 0.012	10	0.002	0.001 - 0.003
Connecticut	44	0.008	0.006 - 0.010	-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	496	0.010	0.009 - 0.011	435	0.017	0.016 - 0.019	61	0.002	0.002 - 0.003
Georgia	29	0.003	0.002 - 0.004	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	85	0.004	0.003 - 0.005	69	0.006	0.005 - 0.008	16	0.002	0.001 - 0.002
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	20	0.008	0.005 - 0.013	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	20	0.003	0.002 - 0.005	-	-		-	-	
Michigan	21	0.004	0.003 - 0.007	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	112	0.006	0.005 - 0.008	97	0.011	0.009 - 0.013	16	0.002	0.001 - 0.003
New Mexico	40	0.004	0.003 - 0.005	-	-		-	-	
New York	324	0.009	0.008 - 0.010	256	0.014	0.012 - 0.016	68	0.004	0.003 - 0.005
North Carolina	21	0.002	0.001 - 0.003	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	12	0.002	0.001 - 0.004	12	0.004	0.002 - 0.008	-	-	
Pennsylvania	45	0.005	0.004 - 0.007	33	0.007	0.005 - 0.010	12	0.003	0.001 - 0.005
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	504	0.005	0.004 - 0.005	439	0.008	0.007 - 0.009	65	0.001	0.001 - 0.002
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	18	0.002	0.001 - 0.004	-	-		-	-	
Washington	15	0.002	0.001 - 0.003	-	-		-	-	
WA - Seattle	10	0.002	0.001 - 0.004	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	14	0.004	0.002 - 0.006	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**15,807**	**0.029**	**0.028 - 0.029**	**7,495**	**0.027**	**0.027 - 0.028**	**8,312**	**0.031**	**0.030 - 0.031**
Alabama	34	0.017	0.012 - 0.023	13	0.012	0.006 - 0.020	21	0.022	0.014 - 0.034
Alaska	-	-		-	-		-	-	
Arizona	503	0.024	0.022 - 0.026	220	0.021	0.018 - 0.023	283	0.027	0.024 - 0.030
Arkansas	54	0.025	0.019 - 0.032	27	0.024	0.016 - 0.035	27	0.026	0.017 - 0.038
California	3,109	0.020	0.020 - 0.021	1,325	0.017	0.016 - 0.018	1,784	0.024	0.023 - 0.025
CA - Greater California	1,736	0.021	0.020 - 0.022	738	0.017	0.016 - 0.019	997	0.024	0.023 - 0.026
CA - Greater Bay Area	468	0.025	0.022 - 0.027	193	0.020	0.017 - 0.023	275	0.029	0.026 - 0.033
CA - Los Angeles	899	0.018	0.017 - 0.020	392	0.016	0.014 - 0.018	508	0.021	0.019 - 0.022
Colorado	362	0.031	0.028 - 0.034	153	0.026	0.022 - 0.030	209	0.036	0.032 - 0.042
Connecticut	245	0.044	0.039 - 0.050	113	0.041	0.033 - 0.049	132	0.047	0.040 - 0.056
Delaware	20	0.023	0.014 - 0.036	-	-		-	-	
Florida	3,319	0.065	0.063 - 0.067	1,746	0.069	0.066 - 0.073	1,573	0.061	0.058 - 0.064
Georgia	198	0.021	0.018 - 0.024	96	0.019	0.015 - 0.023	103	0.022	0.018 - 0.027
Hawaii	73	0.051	0.040 - 0.065	35	0.049	0.034 - 0.067	37	0.055	0.039 - 0.075
Idaho	38	0.019	0.013 - 0.026	21	0.020	0.012 - 0.030	17	0.017	0.010 - 0.028
Illinois	505	0.023	0.021 - 0.025	244	0.022	0.019 - 0.025	261	0.025	0.022 - 0.028
Iowa	19	0.011	0.006 - 0.017	-	-		-	-	
Kentucky	20	0.013	0.008 - 0.020	-	-		-	-	
Louisiana	68	0.029	0.023 - 0.037	34	0.027	0.019 - 0.038	34	0.031	0.022 - 0.044
Maine	-	-		-	-		-	-	
Maryland	98	0.017	0.014 - 0.020	37	0.012	0.009 - 0.017	61	0.022	0.017 - 0.028
Michigan	129	0.026	0.022 - 0.031	64	0.026	0.020 - 0.033	65	0.027	0.021 - 0.034
MI - Detroit	63	0.037	0.028 - 0.047	29	0.034	0.023 - 0.049	34	0.040	0.028 - 0.056
Minnesota	64	0.022	0.017 - 0.028	31	0.021	0.014 - 0.029	33	0.024	0.016 - 0.033
Mississippi	17	0.019	0.011 - 0.030	-	-		-	-	
Missouri	60	0.024	0.018 - 0.031	30	0.023	0.016 - 0.033	30	0.025	0.017 - 0.036
Montana	10	0.027	0.013 - 0.049	-	-		-	-	
Nebraska	34	0.017	0.012 - 0.024	15	0.014	0.008 - 0.024	19	0.020	0.012 - 0.031
New Hampshire	16	0.035	0.020 - 0.056	-	-		-	-	
New Jersey	679	0.038	0.035 - 0.041	314	0.035	0.031 - 0.039	365	0.041	0.037 - 0.045
New Mexico	345	0.034	0.031 - 0.038	163	0.033	0.028 - 0.038	182	0.036	0.031 - 0.042
New York	1,933	0.052	0.049 - 0.054	888	0.048	0.045 - 0.051	1,045	0.055	0.052 - 0.058
North Carolina	188	0.020	0.018 - 0.023	82	0.017	0.013 - 0.021	106	0.024	0.020 - 0.029
North Dakota	-	-		-	-		-	-	
Ohio	93	0.022	0.018 - 0.027	45	0.021	0.015 - 0.028	48	0.023	0.017 - 0.031
Oklahoma	69	0.017	0.013 - 0.022	36	0.017	0.012 - 0.024	33	0.017	0.012 - 0.024
Oregon	116	0.022	0.019 - 0.027	45	0.017	0.012 - 0.023	71	0.029	0.022 - 0.036
Pennsylvania	262	0.029	0.026 - 0.033	127	0.028	0.023 - 0.033	135	0.031	0.026 - 0.037
Rhode Island	39	0.025	0.018 - 0.034	20	0.026	0.016 - 0.039	19	0.024	0.015 - 0.038
South Carolina	49	0.018	0.013 - 0.024	22	0.015	0.010 - 0.023	27	0.021	0.014 - 0.031
Tennessee	45	0.013	0.009 - 0.017	20	0.011	0.007 - 0.017	25	0.015	0.010 - 0.023
Texas	2,529	0.023	0.023 - 0.024	1,283	0.024	0.022 - 0.025	1,246	0.023	0.022 - 0.025
Utah	57	0.014	0.010 - 0.018	23	0.011	0.007 - 0.016	34	0.017	0.011 - 0.023
Vermont	-	-		-	-		-	-	
Virginia	119	0.016	0.013 - 0.019	56	0.014	0.011 - 0.019	63	0.017	0.013 - 0.022
Washington	171	0.019	0.016 - 0.022	73	0.016	0.012 - 0.020	98	0.023	0.018 - 0.028
WA - Seattle	116	0.024	0.020 - 0.029	47	0.019	0.014 - 0.025	69	0.030	0.023 - 0.038
West Virginia	-	-		-	-		-	-	
Wisconsin	84	0.022	0.017 - 0.027	31	0.016	0.011 - 0.022	53	0.029	0.021 - 0.037
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**6,533**	**0.012**	**0.012 - 0.012**	**2,818**	**0.010**	**0.010 - 0.011**	**3,715**	**0.014**	**0.013 - 0.014**
Alabama	20	0.010	0.006 - 0.015	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	226	0.011	0.009 - 0.012	95	0.009	0.007 - 0.011	131	0.012	0.010 - 0.015
Arkansas	20	0.009	0.006 - 0.014	-	-		-	-	
California	1,896	0.012	0.012 - 0.013	778	0.010	0.009 - 0.011	1,118	0.015	0.014 - 0.016
CA - Greater California	1,052	0.013	0.012 - 0.013	418	0.010	0.009 - 0.011	634	0.015	0.014 - 0.016
CA - Greater Bay Area	336	0.018	0.016 - 0.020	143	0.015	0.013 - 0.017	193	0.021	0.018 - 0.024
CA - Los Angeles	494	0.010	0.009 - 0.011	212	0.009	0.008 - 0.010	281	0.011	0.010 - 0.013
Colorado	161	0.014	0.012 - 0.016	55	0.009	0.007 - 0.012	106	0.018	0.015 - 0.022
Connecticut	92	0.016	0.013 - 0.020	40	0.014	0.010 - 0.019	52	0.019	0.014 - 0.024
Delaware	17	0.020	0.012 - 0.032	-	-		-	-	
Florida	911	0.018	0.017 - 0.019	464	0.018	0.017 - 0.020	447	0.017	0.016 - 0.019
Georgia	109	0.011	0.009 - 0.014	46	0.009	0.007 - 0.012	63	0.014	0.011 - 0.018
Hawaii	44	0.031	0.023 - 0.042	23	0.031	0.020 - 0.047	21	0.031	0.019 - 0.047
Idaho	34	0.017	0.012 - 0.023	10	0.009	0.005 - 0.017	24	0.024	0.016 - 0.036
Illinois	234	0.011	0.009 - 0.012	101	0.009	0.007 - 0.011	133	0.013	0.011 - 0.015
Iowa	16	0.009	0.005 - 0.014	-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	45	0.019	0.014 - 0.025	24	0.019	0.012 - 0.028	21	0.019	0.012 - 0.029
Maine	-	-		-	-		-	-	
Maryland	50	0.009	0.006 - 0.011	26	0.009	0.006 - 0.013	24	0.009	0.005 - 0.013
Michigan	59	0.012	0.009 - 0.016	27	0.011	0.007 - 0.016	32	0.013	0.009 - 0.019
MI - Detroit	35	0.020	0.014 - 0.028	15	0.017	0.010 - 0.028	20	0.023	0.014 - 0.036
Minnesota	53	0.018	0.014 - 0.024	23	0.015	0.010 - 0.023	30	0.022	0.015 - 0.031
Mississippi	11	0.012	0.006 - 0.022	-	-		-	-	
Missouri	31	0.013	0.009 - 0.018	16	0.012	0.007 - 0.020	15	0.013	0.007 - 0.021
Montana	11	0.030	0.015 - 0.053	-	-		-	-	
Nebraska	21	0.010	0.006 - 0.016	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	234	0.013	0.011 - 0.015	103	0.012	0.009 - 0.014	131	0.015	0.012 - 0.017
New Mexico	144	0.014	0.012 - 0.017	75	0.015	0.012 - 0.019	69	0.014	0.011 - 0.017
New York	430	0.011	0.010 - 0.013	205	0.011	0.010 - 0.013	225	0.012	0.010 - 0.013
North Carolina	94	0.010	0.008 - 0.012	42	0.009	0.006 - 0.012	52	0.012	0.009 - 0.015
North Dakota	-	-		-	-		-	-	
Ohio	35	0.008	0.006 - 0.012	19	0.009	0.005 - 0.014	16	0.008	0.004 - 0.013
Oklahoma	30	0.007	0.005 - 0.011	10	0.005	0.002 - 0.009	20	0.010	0.006 - 0.016
Oregon	78	0.015	0.012 - 0.019	21	0.008	0.005 - 0.012	57	0.023	0.017 - 0.030
Pennsylvania	102	0.011	0.009 - 0.014	44	0.010	0.007 - 0.013	58	0.013	0.010 - 0.017
Rhode Island	-	-		-	-		-	-	
South Carolina	25	0.009	0.006 - 0.014	10	0.007	0.003 - 0.013	15	0.012	0.007 - 0.020
Tennessee	34	0.010	0.007 - 0.014	10	0.005	0.003 - 0.010	24	0.015	0.009 - 0.022
Texas	909	0.008	0.008 - 0.009	389	0.007	0.006 - 0.008	520	0.010	0.009 - 0.011
Utah	84	0.020	0.016 - 0.025	26	0.012	0.008 - 0.018	58	0.029	0.022 - 0.037
Vermont	-	-		-	-		-	-	
Virginia	59	0.008	0.006 - 0.010	17	0.004	0.003 - 0.007	42	0.011	0.008 - 0.015
Washington	133	0.015	0.012 - 0.018	40	0.009	0.006 - 0.012	93	0.022	0.017 - 0.026
WA - Seattle	112	0.023	0.019 - 0.028	33	0.013	0.009 - 0.019	79	0.034	0.027 - 0.043
West Virginia	-	-		-	-		-	-	
Wisconsin	40	0.010	0.007 - 0.014	16	0.008	0.005 - 0.013	24	0.013	0.008 - 0.019
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**79,795**	**0.295**	**0.293 - 0.297**
Alabama	-	-		-	-		136	0.144	0.121 - 0.171
Alaska	-	-		-	-		58	0.241	0.183 - 0.311
Arizona	-	-		-	-		2,777	0.263	0.253 - 0.273
Arkansas	-	-		-	-		178	0.173	0.148 - 0.200
California	-	-		-	-		22,134	0.293	0.289 - 0.297
CA - Greater California	-	-		-	-		11,779	0.283	0.278 - 0.288
CA - Greater Bay Area	-	-		-	-		2,895	0.309	0.298 - 0.321
CA - Los Angeles	-	-		-	-		7,417	0.301	0.294 - 0.308
Colorado	-	-		-	-		1,765	0.308	0.293 - 0.322
Connecticut	-	-		-	-		1,095	0.392	0.369 - 0.416
Delaware	-	-		-	-		86	0.206	0.165 - 0.254
Florida	-	-		-	-		10,736	0.415	0.408 - 0.423
Georgia	-	-		-	-		1,032	0.226	0.212 - 0.240
Hawaii	-	-		-	-		254	0.370	0.326 - 0.419
Idaho	-	-		-	-		208	0.210	0.183 - 0.241
Illinois	-	-		-	-		2,820	0.266	0.256 - 0.276
Iowa	-	-		-	-		124	0.143	0.119 - 0.171
Kentucky	-	-		-	-		101	0.143	0.117 - 0.174
Louisiana	-	-		-	-		295	0.271	0.241 - 0.303
Maine	-	-		-	-		22	0.214	0.134 - 0.323
Maryland	-	-		-	-		676	0.241	0.224 - 0.260
Michigan	-	-		-	-		507	0.211	0.193 - 0.230
MI - Detroit	-	-		-	-		310	0.364	0.324 - 0.406
Minnesota	-	-		-	-		314	0.227	0.202 - 0.253
Mississippi	-	-		-	-		53	0.132	0.099 - 0.172
Missouri	-	-		-	-		214	0.179	0.156 - 0.205
Montana	-	-		-	-		59	0.325	0.248 - 0.419
Nebraska	-	-		-	-		177	0.184	0.158 - 0.213
New Hampshire	-	-		-	-		66	0.291	0.225 - 0.370
New Jersey	-	-		-	-		3,226	0.363	0.351 - 0.376
New Mexico	-	-		-	-		2,065	0.407	0.390 - 0.425
New York	-	-		-	-		7,549	0.397	0.388 - 0.406
North Carolina	-	-		-	-		740	0.167	0.155 - 0.180
North Dakota	-	-		-	-		14	0.113	0.062 - 0.190
Ohio	-	-		-	-		339	0.165	0.148 - 0.184
Oklahoma	-	-		-	-		357	0.187	0.168 - 0.207
Oregon	-	-		-	-		510	0.205	0.188 - 0.224
Pennsylvania	-	-		-	-		988	0.227	0.213 - 0.242
Rhode Island	-	-		-	-		195	0.250	0.216 - 0.288
South Carolina	-	-		-	-		241	0.191	0.168 - 0.217
Tennessee	-	-		-	-		240	0.147	0.129 - 0.167
Texas	-	-		-	-		14,782	0.276	0.271 - 0.280
Utah	-	-		-	-		482	0.239	0.218 - 0.261
Vermont	-	-		-	-		12	0.215	0.111 - 0.376
Virginia	-	-		-	-		800	0.217	0.202 - 0.233
Washington	-	-		-	-		929	0.215	0.202 - 0.230
WA - Seattle	-	-		-	-		667	0.290	0.268 - 0.313
West Virginia	-	-		-	-		14	0.108	0.059 - 0.181
Wisconsin	-	-		-	-		354	0.191	0.172 - 0.212
Wyoming	-	-		-	-		70	0.254	0.198 - 0.321

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**8,046**	**0.030**	**0.029 - 0.030**
Alabama	-	-		-	-		17	0.018	0.011 - 0.029
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		278	0.026	0.023 - 0.030
Arkansas	-	-		-	-		38	0.037	0.026 - 0.051
California	-	-		-	-		1,974	0.026	0.025 - 0.027
CA - Greater California	-	-		-	-		1,053	0.025	0.024 - 0.027
CA - Greater Bay Area	-	-		-	-		246	0.026	0.023 - 0.030
CA - Los Angeles	-	-		-	-		672	0.027	0.025 - 0.029
Colorado	-	-		-	-		149	0.026	0.022 - 0.030
Connecticut	-	-		-	-		100	0.036	0.029 - 0.043
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		885	0.034	0.032 - 0.037
Georgia	-	-		-	-		122	0.027	0.022 - 0.032
Hawaii	-	-		-	-		14	0.020	0.011 - 0.034
Idaho	-	-		-	-		30	0.030	0.020 - 0.043
Illinois	-	-		-	-		310	0.029	0.026 - 0.033
Iowa	-	-		-	-		25	0.028	0.018 - 0.042
Kentucky	-	-		-	-		13	0.018	0.010 - 0.031
Louisiana	-	-		-	-		31	0.028	0.019 - 0.040
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		80	0.029	0.023 - 0.036
Michigan	-	-		-	-		56	0.023	0.018 - 0.030
MI - Detroit	-	-		-	-		27	0.032	0.021 - 0.046
Minnesota	-	-		-	-		41	0.030	0.021 - 0.040
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		31	0.026	0.018 - 0.037
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		21	0.022	0.014 - 0.033
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		321	0.036	0.032 - 0.040
New Mexico	-	-		-	-		149	0.029	0.025 - 0.035
New York	-	-		-	-		675	0.036	0.033 - 0.038
North Carolina	-	-		-	-		125	0.028	0.024 - 0.034
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		16	0.008	0.004 - 0.013
Oklahoma	-	-		-	-		59	0.031	0.023 - 0.040
Oregon	-	-		-	-		52	0.021	0.016 - 0.027
Pennsylvania	-	-		-	-		118	0.027	0.022 - 0.032
Rhode Island	-	-		-	-		20	0.026	0.016 - 0.040
South Carolina	-	-		-	-		27	0.021	0.014 - 0.031
Tennessee	-	-		-	-		39	0.024	0.017 - 0.033
Texas	-	-		-	-		1,898	0.035	0.034 - 0.037
Utah	-	-		-	-		52	0.026	0.019 - 0.034
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		110	0.030	0.025 - 0.036
Washington	-	-		-	-		94	0.022	0.018 - 0.027
WA - Seattle	-	-		-	-		56	0.024	0.018 - 0.032
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		46	0.025	0.018 - 0.033
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**18,860**	**0.070**	**0.069 - 0.071**
Alabama	-	-		-	-		28	0.030	0.020 - 0.043
Alaska	-	-		-	-		11	0.046	0.023 - 0.082
Arizona	-	-		-	-		631	0.060	0.055 - 0.065
Arkansas	-	-		-	-		47	0.046	0.034 - 0.061
California	-	-		-	-		5,281	0.070	0.068 - 0.072
CA - Greater California	-	-		-	-		2,569	0.062	0.059 - 0.064
CA - Greater Bay Area	-	-		-	-		682	0.073	0.068 - 0.079
CA - Los Angeles	-	-		-	-		2,023	0.082	0.079 - 0.086
Colorado	-	-		-	-		348	0.061	0.054 - 0.067
Connecticut	-	-		-	-		244	0.087	0.077 - 0.099
Delaware	-	-		-	-		31	0.074	0.050 - 0.105
Florida	-	-		-	-		2,428	0.094	0.090 - 0.098
Georgia	-	-		-	-		189	0.041	0.036 - 0.048
Hawaii	-	-		-	-		39	0.057	0.040 - 0.078
Idaho	-	-		-	-		52	0.053	0.039 - 0.069
Illinois	-	-		-	-		802	0.076	0.070 - 0.081
Iowa	-	-		-	-		39	0.045	0.032 - 0.061
Kentucky	-	-		-	-		20	0.028	0.017 - 0.044
Louisiana	-	-		-	-		45	0.041	0.030 - 0.055
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		134	0.048	0.040 - 0.057
Michigan	-	-		-	-		147	0.061	0.052 - 0.072
MI - Detroit	-	-		-	-		86	0.101	0.081 - 0.125
Minnesota	-	-		-	-		90	0.065	0.052 - 0.080
Mississippi	-	-		-	-		12	0.030	0.015 - 0.052
Missouri	-	-		-	-		60	0.050	0.038 - 0.065
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		45	0.047	0.034 - 0.063
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		735	0.083	0.077 - 0.089
New Mexico	-	-		-	-		423	0.083	0.076 - 0.092
New York	-	-		-	-		1,819	0.096	0.091 - 0.100
North Carolina	-	-		-	-		185	0.042	0.036 - 0.048
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		83	0.041	0.032 - 0.050
Oklahoma	-	-		-	-		86	0.045	0.036 - 0.055
Oregon	-	-		-	-		136	0.055	0.046 - 0.065
Pennsylvania	-	-		-	-		283	0.065	0.058 - 0.073
Rhode Island	-	-		-	-		40	0.051	0.037 - 0.070
South Carolina	-	-		-	-		39	0.031	0.022 - 0.042
Tennessee	-	-		-	-		53	0.033	0.024 - 0.043
Texas	-	-		-	-		3,644	0.068	0.066 - 0.070
Utah	-	-		-	-		105	0.052	0.043 - 0.063
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		155	0.042	0.036 - 0.049
Washington	-	-		-	-		197	0.046	0.040 - 0.052
WA - Seattle	-	-		-	-		118	0.051	0.042 - 0.061
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		105	0.057	0.046 - 0.069
Wyoming	-	-		-	-		13	0.047	0.025 - 0.081

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**6,725**	**0.025**	**0.024 - 0.025**
Alabama	-	-		-	-		14	0.015	0.008 - 0.025
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		223	0.021	0.018 - 0.024
Arkansas	-	-		-	-		12	0.012	0.006 - 0.020
California	-	-		-	-		2,001	0.026	0.025 - 0.028
CA - Greater California	-	-		-	-		996	0.024	0.022 - 0.025
CA - Greater Bay Area	-	-		-	-		248	0.026	0.023 - 0.030
CA - Los Angeles	-	-		-	-		757	0.031	0.029 - 0.033
Colorado	-	-		-	-		134	0.023	0.020 - 0.028
Connecticut	-	-		-	-		58	0.021	0.016 - 0.027
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		881	0.034	0.032 - 0.036
Georgia	-	-		-	-		83	0.018	0.015 - 0.023
Hawaii	-	-		-	-		10	0.015	0.007 - 0.027
Idaho	-	-		-	-		19	0.019	0.012 - 0.030
Illinois	-	-		-	-		255	0.024	0.021 - 0.027
Iowa	-	-		-	-		21	0.024	0.015 - 0.037
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		14	0.013	0.007 - 0.022
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		62	0.022	0.017 - 0.028
Michigan	-	-		-	-		42	0.017	0.013 - 0.024
MI - Detroit	-	-		-	-		20	0.024	0.014 - 0.036
Minnesota	-	-		-	-		25	0.018	0.012 - 0.027
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		18	0.015	0.009 - 0.024
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		15	0.016	0.009 - 0.026
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		224	0.025	0.022 - 0.029
New Mexico	-	-		-	-		152	0.030	0.025 - 0.035
New York	-	-		-	-		554	0.029	0.027 - 0.032
North Carolina	-	-		-	-		65	0.015	0.011 - 0.019
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		33	0.016	0.011 - 0.023
Oklahoma	-	-		-	-		42	0.022	0.016 - 0.030
Oregon	-	-		-	-		40	0.016	0.011 - 0.022
Pennsylvania	-	-		-	-		77	0.018	0.014 - 0.022
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		24	0.019	0.012 - 0.028
Tennessee	-	-		-	-		21	0.013	0.008 - 0.020
Texas	-	-		-	-		1,331	0.025	0.023 - 0.026
Utah	-	-		-	-		41	0.020	0.015 - 0.027
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		79	0.021	0.017 - 0.027
Washington	-	-		-	-		77	0.018	0.014 - 0.022
WA - Seattle	-	-		-	-		47	0.020	0.015 - 0.027
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		32	0.017	0.012 - 0.024
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**58,774**	**0.213**	**0.211 - 0.215**	**-**	**-**	
Alabama	-	-		96	0.088	0.072 - 0.108	-	-	
Alaska	-	-		18	0.067	0.040 - 0.106	-	-	
Arizona	-	-		1,509	0.141	0.134 - 0.149	-	-	
Arkansas	-	-		149	0.131	0.111 - 0.154	-	-	
California	-	-		15,740	0.206	0.203 - 0.209	-	-	
CA - Greater California	-	-		8,077	0.191	0.187 - 0.195	-	-	
CA - Greater Bay Area	-	-		2,296	0.238	0.228 - 0.248	-	-	
CA - Los Angeles	-	-		5,370	0.219	0.213 - 0.225	-	-	
Colorado	-	-		1,059	0.178	0.167 - 0.189	-	-	
Connecticut	-	-		694	0.249	0.231 - 0.269	-	-	
Delaware	-	-		97	0.220	0.179 - 0.269	-	-	
Florida	-	-		9,435	0.375	0.367 - 0.382	-	-	
Georgia	-	-		575	0.114	0.104 - 0.123	-	-	
Hawaii	-	-		117	0.161	0.133 - 0.193	-	-	
Idaho	-	-		131	0.124	0.104 - 0.147	-	-	
Illinois	-	-		2,241	0.201	0.193 - 0.210	-	-	
Iowa	-	-		86	0.091	0.073 - 0.112	-	-	
Kentucky	-	-		65	0.077	0.060 - 0.099	-	-	
Louisiana	-	-		268	0.212	0.187 - 0.238	-	-	
Maine	-	-		15	0.144	0.081 - 0.238	-	-	
Maryland	-	-		423	0.139	0.126 - 0.153	-	-	
Michigan	-	-		409	0.165	0.149 - 0.182	-	-	
MI - Detroit	-	-		205	0.237	0.205 - 0.271	-	-	
Minnesota	-	-		168	0.112	0.096 - 0.131	-	-	
Mississippi	-	-		58	0.113	0.086 - 0.147	-	-	
Missouri	-	-		127	0.099	0.082 - 0.118	-	-	
Montana	-	-		33	0.175	0.121 - 0.245	-	-	
Nebraska	-	-		120	0.114	0.095 - 0.137	-	-	
New Hampshire	-	-		55	0.235	0.177 - 0.306	-	-	
New Jersey	-	-		2,901	0.325	0.313 - 0.337	-	-	
New Mexico	-	-		1,323	0.264	0.250 - 0.279	-	-	
New York	-	-		7,343	0.396	0.387 - 0.406	-	-	
North Carolina	-	-		517	0.107	0.098 - 0.117	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		304	0.141	0.126 - 0.158	-	-	
Oklahoma	-	-		178	0.085	0.073 - 0.098	-	-	
Oregon	-	-		327	0.122	0.109 - 0.136	-	-	
Pennsylvania	-	-		889	0.196	0.183 - 0.209	-	-	
Rhode Island	-	-		130	0.166	0.139 - 0.197	-	-	
South Carolina	-	-		192	0.132	0.114 - 0.153	-	-	
Tennessee	-	-		133	0.073	0.061 - 0.086	-	-	
Texas	-	-		9,200	0.169	0.166 - 0.173	-	-	
Utah	-	-		317	0.149	0.133 - 0.166	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		407	0.104	0.094 - 0.114	-	-	
Washington	-	-		566	0.122	0.112 - 0.133	-	-	
WA - Seattle	-	-		340	0.136	0.122 - 0.152	-	-	
West Virginia	-	-		20	0.134	0.082 - 0.207	-	-	
Wisconsin	-	-		266	0.133	0.118 - 0.150	-	-	
Wyoming	-	-		61	0.201	0.154 - 0.258	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**6,502**	**0.024**	**0.023 - 0.024**	**-**	**-**	
Alabama	-	-		16	0.015	0.008 - 0.024	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		227	0.021	0.019 - 0.024	-	-	
Arkansas	-	-		24	0.021	0.014 - 0.031	-	-	
California	-	-		2,181	0.029	0.027 - 0.030	-	-	
CA - Greater California	-	-		1,191	0.028	0.027 - 0.030	-	-	
CA - Greater Bay Area	-	-		288	0.030	0.026 - 0.033	-	-	
CA - Los Angeles	-	-		709	0.029	0.027 - 0.031	-	-	
Colorado	-	-		130	0.022	0.018 - 0.026	-	-	
Connecticut	-	-		54	0.019	0.015 - 0.025	-	-	
Delaware	-	-		15	0.034	0.019 - 0.056	-	-	
Florida	-	-		469	0.019	0.017 - 0.020	-	-	
Georgia	-	-		96	0.019	0.015 - 0.023	-	-	
Hawaii	-	-		11	0.015	0.008 - 0.027	-	-	
Idaho	-	-		28	0.027	0.018 - 0.038	-	-	
Illinois	-	-		307	0.028	0.025 - 0.031	-	-	
Iowa	-	-		20	0.021	0.013 - 0.033	-	-	
Kentucky	-	-		13	0.015	0.008 - 0.026	-	-	
Louisiana	-	-		21	0.016	0.010 - 0.025	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		45	0.015	0.011 - 0.020	-	-	
Michigan	-	-		49	0.020	0.015 - 0.026	-	-	
MI - Detroit	-	-		15	0.017	0.010 - 0.029	-	-	
Minnesota	-	-		33	0.022	0.015 - 0.031	-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		32	0.025	0.017 - 0.035	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		23	0.022	0.014 - 0.033	-	-	
New Hampshire	-	-		12	0.051	0.027 - 0.090	-	-	
New Jersey	-	-		201	0.023	0.020 - 0.026	-	-	
New Mexico	-	-		146	0.029	0.025 - 0.034	-	-	
New York	-	-		370	0.020	0.018 - 0.022	-	-	
North Carolina	-	-		79	0.016	0.013 - 0.020	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		30	0.014	0.009 - 0.020	-	-	
Oklahoma	-	-		43	0.020	0.015 - 0.028	-	-	
Oregon	-	-		52	0.019	0.015 - 0.026	-	-	
Pennsylvania	-	-		85	0.019	0.015 - 0.023	-	-	
Rhode Island	-	-		10	0.013	0.006 - 0.023	-	-	
South Carolina	-	-		28	0.019	0.013 - 0.028	-	-	
Tennessee	-	-		24	0.013	0.008 - 0.020	-	-	
Texas	-	-		1,307	0.024	0.023 - 0.025	-	-	
Utah	-	-		64	0.030	0.023 - 0.039	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		65	0.017	0.013 - 0.021	-	-	
Washington	-	-		118	0.025	0.021 - 0.031	-	-	
WA - Seattle	-	-		76	0.030	0.024 - 0.038	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		51	0.026	0.019 - 0.034	-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**11,359**	**0.021**	**0.020 - 0.021**	**8,547**	**0.031**	**0.030 - 0.032**	**2,811**	**0.010**	**0.010 - 0.011**
Alabama	15	0.007	0.004 - 0.012	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	376	0.018	0.016 - 0.020	283	0.026	0.023 - 0.030	93	0.009	0.007 - 0.011
Arkansas	21	0.010	0.006 - 0.015	-	-		-	-	
California	2,760	0.018	0.017 - 0.019	2,091	0.027	0.026 - 0.029	669	0.009	0.008 - 0.010
CA - Greater California	1,464	0.017	0.017 - 0.018	1,109	0.026	0.025 - 0.028	355	0.009	0.008 - 0.009
CA - Greater Bay Area	446	0.023	0.021 - 0.026	334	0.035	0.031 - 0.039	112	0.012	0.010 - 0.014
CA - Los Angeles	851	0.017	0.016 - 0.019	652	0.027	0.025 - 0.029	199	0.008	0.007 - 0.009
Colorado	228	0.019	0.017 - 0.022	178	0.030	0.026 - 0.035	50	0.009	0.006 - 0.011
Connecticut	176	0.032	0.027 - 0.037	137	0.049	0.041 - 0.058	39	0.014	0.010 - 0.019
Delaware	23	0.027	0.017 - 0.040	-	-		-	-	
Florida	2,112	0.041	0.040 - 0.043	1,588	0.063	0.060 - 0.066	524	0.020	0.019 - 0.022
Georgia	116	0.012	0.010 - 0.014	86	0.017	0.014 - 0.021	29	0.006	0.004 - 0.009
Hawaii	43	0.030	0.022 - 0.041	33	0.045	0.031 - 0.064	10	0.015	0.007 - 0.027
Idaho	26	0.013	0.008 - 0.019	-	-		-	-	
Illinois	389	0.018	0.016 - 0.020	280	0.025	0.022 - 0.028	109	0.010	0.008 - 0.012
Iowa	22	0.012	0.008 - 0.018	-	-		-	-	
Kentucky	16	0.010	0.006 - 0.017	-	-		-	-	
Louisiana	54	0.023	0.017 - 0.030	41	0.032	0.023 - 0.044	14	0.012	0.007 - 0.021
Maine	-	-		-	-		-	-	
Maryland	82	0.014	0.011 - 0.017	61	0.020	0.015 - 0.026	21	0.008	0.005 - 0.011
Michigan	94	0.019	0.016 - 0.024	78	0.031	0.025 - 0.039	16	0.007	0.004 - 0.011
MI - Detroit	58	0.034	0.025 - 0.043	46	0.053	0.039 - 0.071	12	0.014	0.007 - 0.025
Minnesota	57	0.020	0.015 - 0.026	40	0.027	0.019 - 0.036	17	0.012	0.007 - 0.020
Mississippi	-	-		-	-		-	-	
Missouri	30	0.012	0.008 - 0.017	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	30	0.015	0.010 - 0.021	-	-		-	-	
New Hampshire	10	0.022	0.010 - 0.040	-	-		-	-	
New Jersey	526	0.030	0.027 - 0.032	396	0.044	0.040 - 0.049	130	0.015	0.012 - 0.017
New Mexico	276	0.027	0.024 - 0.031	201	0.040	0.035 - 0.046	74	0.015	0.012 - 0.018
New York	1,200	0.032	0.030 - 0.034	862	0.047	0.043 - 0.050	338	0.018	0.016 - 0.020
North Carolina	107	0.012	0.009 - 0.014	78	0.016	0.013 - 0.020	29	0.007	0.004 - 0.009
North Dakota	-	-		-	-		-	-	
Ohio	67	0.016	0.012 - 0.020	54	0.025	0.019 - 0.033	13	0.006	0.003 - 0.011
Oklahoma	56	0.014	0.011 - 0.018	40	0.019	0.014 - 0.026	16	0.008	0.005 - 0.014
Oregon	82	0.016	0.013 - 0.020	61	0.023	0.017 - 0.029	21	0.008	0.005 - 0.013
Pennsylvania	182	0.020	0.018 - 0.024	136	0.030	0.025 - 0.035	46	0.011	0.008 - 0.014
Rhode Island	22	0.014	0.009 - 0.021	-	-		-	-	
South Carolina	27	0.010	0.007 - 0.014	-	-		-	-	
Tennessee	30	0.009	0.006 - 0.012	-	-		-	-	
Texas	1,735	0.016	0.015 - 0.017	1,336	0.025	0.023 - 0.026	399	0.007	0.007 - 0.008
Utah	50	0.012	0.009 - 0.016	40	0.019	0.013 - 0.026	10	0.005	0.002 - 0.009
Vermont	-	-		-	-		-	-	
Virginia	90	0.012	0.010 - 0.015	64	0.016	0.013 - 0.021	26	0.007	0.005 - 0.010
Washington	130	0.015	0.012 - 0.017	93	0.020	0.016 - 0.025	37	0.009	0.006 - 0.012
WA - Seattle	103	0.021	0.018 - 0.026	73	0.029	0.023 - 0.037	30	0.013	0.009 - 0.019
West Virginia	-	-		-	-		-	-	
Wisconsin	51	0.013	0.010 - 0.017	40	0.020	0.014 - 0.027	11	0.006	0.003 - 0.011
Wyoming	17	0.029	0.017 - 0.047	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**22,212**	**0.041**	**0.040 - 0.041**	**12,980**	**0.047**	**0.046 - 0.048**	**9,232**	**0.034**	**0.033 - 0.035**
Alabama	35	0.017	0.012 - 0.024	23	0.021	0.013 - 0.032	12	0.013	0.007 - 0.022
Alaska	-	-		-	-		-	-	
Arizona	942	0.044	0.042 - 0.047	497	0.047	0.043 - 0.051	445	0.042	0.038 - 0.046
Arkansas	52	0.024	0.018 - 0.031	34	0.030	0.021 - 0.042	18	0.017	0.010 - 0.028
California	6,147	0.040	0.039 - 0.041	3,603	0.047	0.046 - 0.049	2,545	0.034	0.032 - 0.035
CA - Greater California	3,420	0.041	0.039 - 0.042	2,014	0.048	0.045 - 0.050	1,407	0.034	0.032 - 0.036
CA - Greater Bay Area	788	0.041	0.039 - 0.044	459	0.048	0.043 - 0.052	329	0.035	0.031 - 0.039
CA - Los Angeles	1,937	0.039	0.038 - 0.041	1,127	0.046	0.043 - 0.049	810	0.033	0.031 - 0.035
Colorado	558	0.048	0.044 - 0.052	314	0.053	0.047 - 0.059	244	0.043	0.037 - 0.048
Connecticut	208	0.037	0.032 - 0.043	117	0.042	0.035 - 0.050	92	0.033	0.026 - 0.040
Delaware	24	0.028	0.018 - 0.042	11	0.025	0.012 - 0.045	13	0.031	0.017 - 0.053
Florida	2,269	0.044	0.043 - 0.046	1,371	0.054	0.052 - 0.057	898	0.035	0.033 - 0.037
Georgia	211	0.022	0.019 - 0.025	124	0.025	0.020 - 0.029	86	0.019	0.015 - 0.023
Hawaii	53	0.037	0.028 - 0.049	38	0.052	0.037 - 0.072	15	0.022	0.012 - 0.036
Idaho	68	0.033	0.026 - 0.042	39	0.037	0.026 - 0.051	29	0.029	0.020 - 0.042
Illinois	876	0.040	0.038 - 0.043	527	0.047	0.043 - 0.052	349	0.033	0.030 - 0.037
Iowa	41	0.023	0.016 - 0.031	19	0.020	0.012 - 0.031	22	0.025	0.016 - 0.038
Kentucky	30	0.019	0.013 - 0.028	-	-		-	-	
Louisiana	79	0.034	0.027 - 0.042	48	0.038	0.028 - 0.050	32	0.029	0.020 - 0.041
Maine	-	-		-	-		-	-	
Maryland	123	0.021	0.018 - 0.025	59	0.019	0.015 - 0.025	64	0.023	0.018 - 0.029
Michigan	189	0.039	0.033 - 0.045	120	0.048	0.040 - 0.058	69	0.029	0.022 - 0.036
MI - Detroit	105	0.061	0.050 - 0.074	55	0.064	0.048 - 0.083	50	0.058	0.043 - 0.077
Minnesota	95	0.033	0.027 - 0.040	47	0.031	0.023 - 0.042	48	0.035	0.026 - 0.046
Mississippi	16	0.018	0.010 - 0.028	-	-		-	-	
Missouri	75	0.030	0.024 - 0.038	45	0.035	0.026 - 0.047	30	0.025	0.017 - 0.036
Montana	15	0.040	0.022 - 0.066	-	-		-	-	
Nebraska	58	0.029	0.022 - 0.037	42	0.040	0.029 - 0.054	16	0.017	0.010 - 0.027
New Hampshire	10	0.022	0.010 - 0.040	-	-		-	-	
New Jersey	744	0.042	0.039 - 0.045	424	0.047	0.043 - 0.052	320	0.036	0.032 - 0.040
New Mexico	545	0.054	0.050 - 0.059	319	0.064	0.057 - 0.071	226	0.045	0.039 - 0.051
New York	1,589	0.042	0.040 - 0.044	967	0.052	0.049 - 0.056	622	0.033	0.030 - 0.035
North Carolina	195	0.021	0.018 - 0.024	116	0.024	0.020 - 0.029	79	0.018	0.014 - 0.022
North Dakota	-	-		-	-		-	-	
Ohio	101	0.024	0.020 - 0.029	62	0.029	0.022 - 0.037	39	0.019	0.014 - 0.026
Oklahoma	105	0.026	0.021 - 0.032	65	0.031	0.024 - 0.039	40	0.021	0.015 - 0.028
Oregon	144	0.028	0.024 - 0.033	87	0.033	0.026 - 0.040	57	0.023	0.017 - 0.030
Pennsylvania	295	0.033	0.030 - 0.037	181	0.040	0.034 - 0.046	114	0.026	0.022 - 0.031
Rhode Island	38	0.024	0.017 - 0.033	21	0.027	0.017 - 0.041	17	0.022	0.013 - 0.035
South Carolina	56	0.021	0.016 - 0.027	37	0.026	0.018 - 0.035	19	0.015	0.009 - 0.024
Tennessee	67	0.019	0.015 - 0.025	40	0.022	0.016 - 0.030	27	0.017	0.011 - 0.024
Texas	5,457	0.051	0.049 - 0.052	3,118	0.057	0.055 - 0.059	2,339	0.044	0.042 - 0.045
Utah	120	0.029	0.024 - 0.035	67	0.032	0.025 - 0.040	53	0.026	0.019 - 0.034
Vermont	-	-		-	-		-	-	
Virginia	176	0.023	0.020 - 0.027	109	0.028	0.023 - 0.033	67	0.018	0.014 - 0.023
Washington	233	0.026	0.023 - 0.030	132	0.029	0.024 - 0.034	101	0.023	0.019 - 0.028
WA - Seattle	142	0.030	0.025 - 0.035	80	0.032	0.025 - 0.040	63	0.027	0.021 - 0.035
West Virginia	-	-		-	-		-	-	
Wisconsin	120	0.031	0.026 - 0.037	77	0.039	0.030 - 0.048	43	0.023	0.017 - 0.031
Wyoming	26	0.044	0.029 - 0.065	16	0.053	0.030 - 0.086	10	0.035	0.017 - 0.065

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**5,814**	**0.011**	**0.010 - 0.011**	**3,116**	**0.011**	**0.011 - 0.012**	**2,698**	**0.010**	**0.010 - 0.010**
Alabama	15	0.007	0.004 - 0.012	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	195	0.009	0.008 - 0.011	105	0.010	0.008 - 0.012	90	0.009	0.007 - 0.010
Arkansas	17	0.008	0.005 - 0.013	-	-		-	-	
California	1,445	0.009	0.009 - 0.010	740	0.010	0.009 - 0.010	704	0.009	0.009 - 0.010
CA - Greater California	806	0.010	0.009 - 0.010	420	0.010	0.009 - 0.011	386	0.009	0.008 - 0.010
CA - Greater Bay Area	178	0.009	0.008 - 0.011	83	0.009	0.007 - 0.011	95	0.010	0.008 - 0.012
CA - Los Angeles	460	0.009	0.009 - 0.010	236	0.010	0.008 - 0.011	224	0.009	0.008 - 0.010
Colorado	135	0.012	0.010 - 0.014	76	0.013	0.010 - 0.016	59	0.010	0.008 - 0.013
Connecticut	62	0.011	0.009 - 0.014	38	0.014	0.010 - 0.019	24	0.008	0.005 - 0.013
Delaware	-	-		-	-		-	-	
Florida	694	0.014	0.013 - 0.015	380	0.015	0.014 - 0.017	314	0.012	0.011 - 0.014
Georgia	87	0.009	0.007 - 0.011	53	0.010	0.008 - 0.014	35	0.008	0.005 - 0.011
Hawaii	19	0.013	0.008 - 0.021	-	-		-	-	
Idaho	19	0.009	0.006 - 0.015	-	-		-	-	
Illinois	234	0.011	0.009 - 0.012	128	0.011	0.010 - 0.014	106	0.010	0.008 - 0.012
Iowa	13	0.007	0.004 - 0.012	-	-		-	-	
Kentucky	10	0.006	0.003 - 0.011	-	-		-	-	
Louisiana	25	0.011	0.007 - 0.016	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	74	0.013	0.010 - 0.016	35	0.012	0.008 - 0.016	39	0.014	0.010 - 0.019
Michigan	40	0.008	0.006 - 0.011	27	0.011	0.007 - 0.016	13	0.005	0.003 - 0.009
MI - Detroit	21	0.012	0.008 - 0.019	-	-		-	-	
Minnesota	28	0.010	0.006 - 0.014	13	0.009	0.005 - 0.015	15	0.011	0.006 - 0.018
Mississippi	-	-		-	-		-	-	
Missouri	31	0.013	0.009 - 0.018	13	0.010	0.005 - 0.017	18	0.015	0.009 - 0.024
Montana	-	-		-	-		-	-	
Nebraska	21	0.010	0.006 - 0.016	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	245	0.014	0.012 - 0.016	136	0.015	0.013 - 0.018	110	0.012	0.010 - 0.015
New Mexico	105	0.010	0.009 - 0.013	58	0.012	0.009 - 0.015	47	0.009	0.007 - 0.012
New York	483	0.013	0.012 - 0.014	269	0.015	0.013 - 0.016	214	0.011	0.010 - 0.013
North Carolina	95	0.010	0.008 - 0.013	57	0.012	0.009 - 0.015	38	0.009	0.006 - 0.012
North Dakota	-	-		-	-		-	-	
Ohio	32	0.008	0.005 - 0.011	15	0.007	0.004 - 0.011	17	0.008	0.005 - 0.013
Oklahoma	33	0.008	0.006 - 0.012	15	0.007	0.004 - 0.012	18	0.009	0.006 - 0.015
Oregon	48	0.009	0.007 - 0.012	27	0.010	0.007 - 0.015	21	0.008	0.005 - 0.013
Pennsylvania	90	0.010	0.008 - 0.012	53	0.012	0.009 - 0.015	37	0.009	0.006 - 0.012
Rhode Island	16	0.010	0.006 - 0.017	-	-		-	-	
South Carolina	22	0.008	0.005 - 0.012	12	0.008	0.004 - 0.014	10	0.008	0.004 - 0.015
Tennessee	34	0.010	0.007 - 0.014	21	0.011	0.007 - 0.018	13	0.008	0.004 - 0.014
Texas	1,151	0.011	0.010 - 0.011	598	0.011	0.010 - 0.012	553	0.010	0.009 - 0.011
Utah	36	0.009	0.006 - 0.012	22	0.010	0.006 - 0.015	14	0.007	0.004 - 0.012
Vermont	-	-		-	-		-	-	
Virginia	68	0.009	0.007 - 0.011	33	0.008	0.006 - 0.012	35	0.010	0.007 - 0.013
Washington	110	0.012	0.010 - 0.015	61	0.013	0.010 - 0.017	49	0.011	0.008 - 0.015
WA - Seattle	67	0.014	0.011 - 0.018	36	0.015	0.010 - 0.020	31	0.013	0.009 - 0.019
West Virginia	-	-		-	-		-	-	
Wisconsin	37	0.010	0.007 - 0.013	24	0.012	0.008 - 0.018	13	0.007	0.004 - 0.012
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**27,007**	**0.049**	**0.049 - 0.050**	**4,928**	**0.018**	**0.017 - 0.018**	**22,079**	**0.082**	**0.081 - 0.083**
Alabama	55	0.027	0.020 - 0.035	16	0.015	0.008 - 0.024	39	0.041	0.029 - 0.057
Alaska	13	0.026	0.014 - 0.044	-	-		-	-	
Arizona	1,057	0.050	0.047 - 0.053	182	0.017	0.015 - 0.020	875	0.083	0.077 - 0.088
Arkansas	70	0.032	0.025 - 0.041	-	-		-	-	
California	6,775	0.045	0.043 - 0.046	1,214	0.016	0.015 - 0.017	5,561	0.074	0.072 - 0.076
CA - Greater California	3,663	0.044	0.042 - 0.045	644	0.015	0.014 - 0.016	3,019	0.073	0.070 - 0.075
CA - Greater Bay Area	797	0.042	0.039 - 0.045	160	0.017	0.014 - 0.019	637	0.068	0.063 - 0.074
CA - Los Angeles	2,318	0.047	0.045 - 0.049	408	0.017	0.015 - 0.018	1,909	0.078	0.074 - 0.081
Colorado	652	0.056	0.052 - 0.060	129	0.022	0.018 - 0.026	523	0.091	0.083 - 0.099
Connecticut	433	0.078	0.071 - 0.085	83	0.030	0.024 - 0.037	350	0.125	0.113 - 0.139
Delaware	45	0.052	0.038 - 0.070	-	-		-	-	
Florida	3,486	0.068	0.066 - 0.071	665	0.026	0.024 - 0.028	2,821	0.109	0.105 - 0.113
Georgia	356	0.037	0.033 - 0.041	49	0.010	0.007 - 0.013	308	0.067	0.060 - 0.075
Hawaii	49	0.035	0.026 - 0.046	-	-		-	-	
Idaho	84	0.041	0.033 - 0.051	19	0.018	0.011 - 0.028	65	0.066	0.051 - 0.084
Illinois	1,092	0.050	0.047 - 0.053	198	0.018	0.015 - 0.020	894	0.084	0.079 - 0.090
Iowa	51	0.028	0.021 - 0.037	-	-		-	-	
Kentucky	30	0.019	0.013 - 0.028	-	-		-	-	
Louisiana	86	0.036	0.029 - 0.045	22	0.017	0.011 - 0.026	64	0.059	0.045 - 0.075
Maine	-	-		-	-		-	-	
Maryland	248	0.043	0.037 - 0.048	40	0.013	0.009 - 0.018	208	0.074	0.065 - 0.085
Michigan	151	0.031	0.026 - 0.036	24	0.010	0.006 - 0.014	127	0.053	0.044 - 0.063
MI - Detroit	84	0.049	0.039 - 0.061	11	0.013	0.006 - 0.023	73	0.086	0.067 - 0.108
Minnesota	125	0.043	0.036 - 0.052	23	0.015	0.010 - 0.023	102	0.074	0.060 - 0.089
Mississippi	17	0.019	0.011 - 0.030	-	-		-	-	
Missouri	74	0.030	0.023 - 0.037	15	0.012	0.007 - 0.019	59	0.049	0.038 - 0.064
Montana	11	0.029	0.015 - 0.053	-	-		-	-	
Nebraska	73	0.036	0.028 - 0.046	17	0.016	0.009 - 0.026	56	0.058	0.044 - 0.076
New Hampshire	35	0.076	0.053 - 0.106	-	-		-	-	
New Jersey	1,216	0.068	0.064 - 0.072	219	0.025	0.021 - 0.028	997	0.112	0.105 - 0.119
New Mexico	685	0.068	0.063 - 0.073	152	0.030	0.026 - 0.036	534	0.105	0.096 - 0.115
New York	2,771	0.074	0.071 - 0.077	458	0.025	0.023 - 0.027	2,313	0.122	0.117 - 0.127
North Carolina	321	0.035	0.031 - 0.039	61	0.013	0.010 - 0.016	260	0.059	0.052 - 0.066
North Dakota	-	-		-	-		-	-	
Ohio	125	0.030	0.025 - 0.035	25	0.012	0.008 - 0.017	100	0.049	0.040 - 0.059
Oklahoma	105	0.026	0.021 - 0.032	13	0.006	0.003 - 0.011	92	0.048	0.039 - 0.059
Oregon	231	0.045	0.039 - 0.051	54	0.020	0.015 - 0.026	177	0.071	0.061 - 0.082
Pennsylvania	449	0.051	0.046 - 0.055	73	0.016	0.013 - 0.020	376	0.086	0.078 - 0.096
Rhode Island	70	0.045	0.035 - 0.057	18	0.023	0.014 - 0.036	52	0.067	0.050 - 0.088
South Carolina	79	0.029	0.023 - 0.036	21	0.014	0.009 - 0.022	58	0.046	0.035 - 0.059
Tennessee	85	0.025	0.020 - 0.030	15	0.008	0.005 - 0.014	70	0.043	0.033 - 0.054
Texas	4,625	0.043	0.042 - 0.044	878	0.016	0.015 - 0.017	3,747	0.070	0.068 - 0.072
Utah	262	0.063	0.056 - 0.071	46	0.022	0.016 - 0.029	216	0.107	0.093 - 0.122
Vermont	-	-		-	-		-	-	
Virginia	376	0.049	0.045 - 0.055	56	0.014	0.011 - 0.019	320	0.087	0.078 - 0.097
Washington	358	0.040	0.036 - 0.044	68	0.015	0.011 - 0.019	290	0.067	0.060 - 0.075
WA - Seattle	226	0.047	0.041 - 0.054	43	0.017	0.012 - 0.023	183	0.080	0.068 - 0.092
West Virginia	-	-		-	-		-	-	
Wisconsin	147	0.038	0.032 - 0.045	24	0.012	0.008 - 0.018	123	0.066	0.055 - 0.079
Wyoming	14	0.024	0.013 - 0.041	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,659**	**0.009**	**0.008 - 0.009**	**2,562**	**0.009**	**0.009 - 0.010**	**2,097**	**0.008**	**0.007 - 0.008**
Alabama	15	0.007	0.004 - 0.012	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	169	0.008	0.007 - 0.009	89	0.008	0.007 - 0.010	80	0.008	0.006 - 0.009
Arkansas	13	0.006	0.003 - 0.010	-	-		-	-	
California	1,130	0.007	0.007 - 0.008	616	0.008	0.007 - 0.009	513	0.007	0.006 - 0.007
CA - Greater California	589	0.007	0.006 - 0.008	322	0.008	0.007 - 0.008	267	0.006	0.006 - 0.007
CA - Greater Bay Area	164	0.009	0.007 - 0.010	87	0.009	0.007 - 0.011	77	0.008	0.006 - 0.010
CA - Los Angeles	377	0.008	0.007 - 0.008	207	0.008	0.007 - 0.010	170	0.007	0.006 - 0.008
Colorado	86	0.007	0.006 - 0.009	50	0.008	0.006 - 0.011	36	0.006	0.004 - 0.009
Connecticut	76	0.014	0.011 - 0.017	43	0.015	0.011 - 0.021	33	0.012	0.008 - 0.017
Delaware	-	-		-	-		-	-	
Florida	649	0.013	0.012 - 0.014	355	0.014	0.013 - 0.016	294	0.011	0.010 - 0.013
Georgia	65	0.007	0.005 - 0.009	33	0.007	0.004 - 0.009	32	0.007	0.005 - 0.010
Hawaii	-	-		-	-		-	-	
Idaho	20	0.010	0.006 - 0.015	-	-		-	-	
Illinois	195	0.009	0.008 - 0.010	117	0.011	0.009 - 0.013	78	0.007	0.006 - 0.009
Iowa	18	0.010	0.006 - 0.016	-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	44	0.008	0.005 - 0.010	30	0.010	0.007 - 0.014	14	0.005	0.003 - 0.008
Michigan	28	0.006	0.004 - 0.008	17	0.007	0.004 - 0.011	11	0.005	0.002 - 0.008
MI - Detroit	14	0.008	0.004 - 0.014	-	-		-	-	
Minnesota	13	0.005	0.002 - 0.008	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	13	0.005	0.003 - 0.009	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	18	0.009	0.005 - 0.014	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	193	0.011	0.009 - 0.012	93	0.010	0.008 - 0.013	100	0.011	0.009 - 0.014
New Mexico	86	0.009	0.007 - 0.011	49	0.010	0.007 - 0.013	38	0.007	0.005 - 0.010
New York	495	0.013	0.012 - 0.014	272	0.015	0.013 - 0.017	223	0.012	0.010 - 0.013
North Carolina	41	0.004	0.003 - 0.006	25	0.005	0.003 - 0.008	16	0.004	0.002 - 0.006
North Dakota	-	-		-	-		-	-	
Ohio	19	0.005	0.003 - 0.007	-	-		-	-	
Oklahoma	23	0.006	0.004 - 0.009	10	0.005	0.002 - 0.009	13	0.007	0.004 - 0.012
Oregon	30	0.006	0.004 - 0.008	14	0.005	0.003 - 0.009	16	0.006	0.004 - 0.010
Pennsylvania	78	0.009	0.007 - 0.011	49	0.011	0.008 - 0.014	29	0.007	0.004 - 0.010
Rhode Island	-	-		-	-		-	-	
South Carolina	14	0.005	0.003 - 0.009	-	-		-	-	
Tennessee	31	0.009	0.006 - 0.013	16	0.009	0.005 - 0.014	15	0.009	0.005 - 0.015
Texas	854	0.008	0.007 - 0.008	469	0.009	0.008 - 0.009	385	0.007	0.006 - 0.008
Utah	42	0.010	0.007 - 0.014	25	0.012	0.008 - 0.017	17	0.008	0.005 - 0.013
Vermont	-	-		-	-		-	-	
Virginia	41	0.005	0.004 - 0.007	26	0.007	0.004 - 0.010	15	0.004	0.002 - 0.007
Washington	72	0.008	0.006 - 0.010	41	0.009	0.006 - 0.012	31	0.007	0.005 - 0.010
WA - Seattle	47	0.010	0.007 - 0.013	27	0.011	0.007 - 0.016	20	0.009	0.005 - 0.013
West Virginia	-	-		-	-		-	-	
Wisconsin	24	0.006	0.004 - 0.009	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**21,136**	**0.039**	**0.038 - 0.039**	**10,842**	**0.039**	**0.039 - 0.040**	**10,294**	**0.038**	**0.037 - 0.039**
Alabama	35	0.017	0.012 - 0.024	19	0.018	0.011 - 0.027	16	0.017	0.010 - 0.028
Alaska	20	0.039	0.024 - 0.061	-	-		-	-	
Arizona	605	0.028	0.026 - 0.031	293	0.027	0.024 - 0.031	312	0.030	0.026 - 0.033
Arkansas	32	0.015	0.010 - 0.021	18	0.016	0.009 - 0.025	14	0.014	0.007 - 0.023
California	5,621	0.037	0.036 - 0.038	2,842	0.037	0.036 - 0.039	2,779	0.037	0.035 - 0.038
CA - Greater California	2,960	0.035	0.034 - 0.037	1,505	0.036	0.034 - 0.037	1,456	0.035	0.033 - 0.037
CA - Greater Bay Area	784	0.041	0.038 - 0.044	407	0.042	0.038 - 0.046	376	0.040	0.036 - 0.045
CA - Los Angeles	1,875	0.038	0.036 - 0.040	928	0.038	0.035 - 0.040	946	0.038	0.036 - 0.041
Colorado	385	0.033	0.030 - 0.036	198	0.033	0.029 - 0.038	187	0.033	0.028 - 0.038
Connecticut	302	0.054	0.048 - 0.061	139	0.050	0.042 - 0.059	164	0.059	0.050 - 0.068
Delaware	28	0.033	0.022 - 0.047	13	0.030	0.016 - 0.050	15	0.036	0.020 - 0.059
Florida	3,350	0.066	0.063 - 0.068	1,685	0.067	0.064 - 0.070	1,665	0.064	0.061 - 0.068
Georgia	285	0.030	0.026 - 0.033	170	0.034	0.029 - 0.039	115	0.025	0.021 - 0.030
Hawaii	51	0.036	0.027 - 0.047	25	0.034	0.022 - 0.051	26	0.038	0.025 - 0.055
Idaho	51	0.025	0.019 - 0.033	30	0.028	0.019 - 0.041	21	0.021	0.013 - 0.032
Illinois	789	0.036	0.034 - 0.039	419	0.038	0.034 - 0.041	370	0.035	0.031 - 0.039
Iowa	31	0.017	0.012 - 0.024	17	0.018	0.011 - 0.029	14	0.016	0.009 - 0.027
Kentucky	29	0.019	0.013 - 0.027	17	0.020	0.012 - 0.032	12	0.017	0.009 - 0.030
Louisiana	87	0.037	0.030 - 0.046	48	0.037	0.028 - 0.050	39	0.036	0.026 - 0.049
Maine	-	-		-	-		-	-	
Maryland	149	0.026	0.022 - 0.030	79	0.026	0.021 - 0.032	70	0.025	0.019 - 0.032
Michigan	145	0.030	0.025 - 0.035	90	0.036	0.029 - 0.045	55	0.023	0.017 - 0.030
MI - Detroit	88	0.051	0.041 - 0.063	44	0.051	0.037 - 0.068	44	0.052	0.038 - 0.069
Minnesota	101	0.035	0.029 - 0.043	46	0.031	0.023 - 0.041	55	0.040	0.030 - 0.052
Mississippi	11	0.012	0.006 - 0.022	-	-		-	-	
Missouri	61	0.025	0.019 - 0.032	32	0.025	0.017 - 0.035	29	0.024	0.016 - 0.035
Montana	-	-		-	-		-	-	
Nebraska	62	0.031	0.024 - 0.040	30	0.029	0.019 - 0.041	32	0.033	0.023 - 0.047
New Hampshire	11	0.024	0.012 - 0.043	-	-		-	-	
New Jersey	898	0.050	0.047 - 0.054	482	0.054	0.049 - 0.059	416	0.047	0.042 - 0.052
New Mexico	418	0.042	0.038 - 0.046	208	0.042	0.036 - 0.048	210	0.041	0.036 - 0.047
New York	2,085	0.056	0.053 - 0.058	1,045	0.056	0.053 - 0.060	1,040	0.055	0.051 - 0.058
North Carolina	231	0.025	0.022 - 0.028	134	0.028	0.023 - 0.033	97	0.022	0.018 - 0.027
North Dakota	-	-		-	-		-	-	
Ohio	101	0.024	0.020 - 0.029	53	0.025	0.018 - 0.032	48	0.023	0.017 - 0.031
Oklahoma	91	0.023	0.018 - 0.028	41	0.020	0.014 - 0.026	50	0.026	0.019 - 0.034
Oregon	153	0.030	0.025 - 0.035	88	0.033	0.026 - 0.041	65	0.026	0.020 - 0.033
Pennsylvania	283	0.032	0.028 - 0.036	144	0.032	0.027 - 0.037	139	0.032	0.027 - 0.038
Rhode Island	46	0.029	0.022 - 0.039	22	0.028	0.018 - 0.043	24	0.031	0.020 - 0.046
South Carolina	62	0.023	0.018 - 0.029	34	0.023	0.016 - 0.033	28	0.022	0.015 - 0.032
Tennessee	63	0.018	0.014 - 0.023	28	0.015	0.010 - 0.022	35	0.021	0.015 - 0.030
Texas	3,721	0.034	0.033 - 0.036	1,908	0.035	0.034 - 0.037	1,813	0.034	0.032 - 0.035
Utah	143	0.034	0.029 - 0.041	85	0.040	0.032 - 0.049	58	0.029	0.022 - 0.037
Vermont	-	-		-	-		-	-	
Virginia	202	0.027	0.023 - 0.030	108	0.028	0.023 - 0.033	94	0.026	0.021 - 0.031
Washington	240	0.027	0.024 - 0.030	127	0.027	0.023 - 0.033	113	0.026	0.022 - 0.031
WA - Seattle	148	0.031	0.026 - 0.036	76	0.030	0.024 - 0.038	72	0.031	0.025 - 0.039
West Virginia	-	-		-	-		-	-	
Wisconsin	115	0.030	0.025 - 0.036	68	0.034	0.026 - 0.043	47	0.025	0.019 - 0.034
Wyoming	15	0.026	0.015 - 0.043	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**6,770**	**0.012**	**0.012 - 0.013**	**3,618**	**0.013**	**0.013 - 0.014**	**3,152**	**0.012**	**0.011 - 0.012**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	211	0.010	0.009 - 0.011	115	0.011	0.009 - 0.013	96	0.009	0.007 - 0.011
Arkansas	10	0.005	0.002 - 0.008	-	-		-	-	
California	1,652	0.011	0.010 - 0.011	914	0.012	0.011 - 0.013	739	0.010	0.009 - 0.011
CA - Greater California	917	0.011	0.010 - 0.012	504	0.012	0.011 - 0.013	413	0.010	0.009 - 0.011
CA - Greater Bay Area	200	0.011	0.009 - 0.012	113	0.012	0.010 - 0.014	88	0.009	0.008 - 0.012
CA - Los Angeles	539	0.011	0.010 - 0.012	299	0.012	0.011 - 0.014	240	0.010	0.009 - 0.011
Colorado	138	0.012	0.010 - 0.014	81	0.014	0.011 - 0.017	57	0.010	0.008 - 0.013
Connecticut	93	0.017	0.013 - 0.020	48	0.017	0.013 - 0.023	45	0.016	0.012 - 0.021
Delaware	-	-		-	-		-	-	
Florida	1,009	0.020	0.019 - 0.021	504	0.020	0.018 - 0.022	505	0.020	0.018 - 0.021
Georgia	81	0.008	0.007 - 0.010	46	0.009	0.007 - 0.012	35	0.008	0.005 - 0.011
Hawaii	18	0.013	0.008 - 0.020	-	-		-	-	
Idaho	11	0.005	0.003 - 0.010	-	-		-	-	
Illinois	247	0.011	0.010 - 0.013	134	0.012	0.010 - 0.014	113	0.011	0.009 - 0.013
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	24	0.010	0.007 - 0.015	14	0.011	0.006 - 0.019	10	0.009	0.004 - 0.017
Maine	-	-		-	-		-	-	
Maryland	37	0.006	0.004 - 0.009	20	0.007	0.004 - 0.010	17	0.006	0.004 - 0.010
Michigan	62	0.013	0.010 - 0.016	38	0.015	0.011 - 0.021	24	0.010	0.006 - 0.015
MI - Detroit	32	0.019	0.013 - 0.026	21	0.024	0.015 - 0.037	11	0.013	0.006 - 0.023
Minnesota	35	0.012	0.008 - 0.017	21	0.014	0.009 - 0.021	14	0.010	0.006 - 0.017
Mississippi	-	-		-	-		-	-	
Missouri	20	0.008	0.005 - 0.012	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	21	0.010	0.006 - 0.016	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	268	0.015	0.013 - 0.017	146	0.016	0.014 - 0.019	122	0.014	0.011 - 0.016
New Mexico	158	0.016	0.013 - 0.018	90	0.018	0.014 - 0.022	68	0.013	0.010 - 0.017
New York	820	0.022	0.020 - 0.023	410	0.022	0.020 - 0.024	410	0.022	0.020 - 0.024
North Carolina	68	0.007	0.006 - 0.009	31	0.006	0.004 - 0.009	37	0.008	0.006 - 0.012
North Dakota	-	-		-	-		-	-	
Ohio	25	0.006	0.004 - 0.009	12	0.006	0.003 - 0.010	13	0.006	0.003 - 0.011
Oklahoma	23	0.006	0.004 - 0.009	13	0.006	0.003 - 0.011	10	0.005	0.003 - 0.010
Oregon	38	0.007	0.005 - 0.010	20	0.007	0.005 - 0.012	18	0.007	0.004 - 0.011
Pennsylvania	119	0.013	0.011 - 0.016	53	0.012	0.009 - 0.015	66	0.015	0.012 - 0.019
Rhode Island	16	0.010	0.006 - 0.017	-	-		-	-	
South Carolina	18	0.007	0.004 - 0.010	-	-		-	-	
Tennessee	21	0.006	0.004 - 0.009	10	0.005	0.003 - 0.010	11	0.007	0.003 - 0.012
Texas	1,266	0.012	0.011 - 0.012	678	0.012	0.012 - 0.013	588	0.011	0.010 - 0.012
Utah	32	0.008	0.005 - 0.011	21	0.010	0.006 - 0.015	11	0.005	0.003 - 0.010
Vermont	-	-		-	-		-	-	
Virginia	59	0.008	0.006 - 0.010	32	0.008	0.006 - 0.012	27	0.007	0.005 - 0.011
Washington	79	0.009	0.007 - 0.011	43	0.009	0.007 - 0.013	36	0.008	0.006 - 0.012
WA - Seattle	37	0.008	0.005 - 0.011	17	0.007	0.004 - 0.011	20	0.009	0.005 - 0.013
West Virginia	-	-		-	-		-	-	
Wisconsin	29	0.008	0.005 - 0.011	19	0.010	0.006 - 0.015	10	0.005	0.003 - 0.010
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**14,605**	**0.027**	**0.026 - 0.027**	**8,137**	**0.029**	**0.029 - 0.030**	**6,468**	**0.024**	**0.023 - 0.025**
Alabama	37	0.018	0.013 - 0.025	24	0.022	0.014 - 0.033	13	0.014	0.007 - 0.024
Alaska	12	0.024	0.012 - 0.041	-	-		-	-	
Arizona	491	0.023	0.021 - 0.025	281	0.026	0.023 - 0.030	210	0.020	0.017 - 0.023
Arkansas	53	0.024	0.018 - 0.032	29	0.025	0.017 - 0.037	24	0.023	0.015 - 0.035
California	3,714	0.024	0.024 - 0.025	2,087	0.027	0.026 - 0.028	1,627	0.022	0.021 - 0.023
CA - Greater California	2,023	0.024	0.023 - 0.025	1,124	0.027	0.025 - 0.028	898	0.022	0.020 - 0.023
CA - Greater Bay Area	486	0.026	0.023 - 0.028	295	0.031	0.027 - 0.034	191	0.020	0.018 - 0.024
CA - Los Angeles	1,204	0.025	0.023 - 0.026	671	0.027	0.025 - 0.030	533	0.022	0.020 - 0.024
Colorado	286	0.024	0.022 - 0.027	156	0.026	0.022 - 0.031	130	0.023	0.019 - 0.027
Connecticut	155	0.028	0.024 - 0.032	77	0.028	0.022 - 0.035	77	0.028	0.022 - 0.035
Delaware	30	0.035	0.024 - 0.050	18	0.041	0.024 - 0.065	12	0.029	0.015 - 0.050
Florida	2,071	0.041	0.039 - 0.042	1,090	0.043	0.041 - 0.046	981	0.038	0.036 - 0.040
Georgia	237	0.025	0.022 - 0.028	136	0.027	0.023 - 0.032	100	0.022	0.018 - 0.027
Hawaii	31	0.022	0.015 - 0.031	-	-		-	-	
Idaho	52	0.025	0.019 - 0.033	28	0.027	0.018 - 0.038	24	0.024	0.016 - 0.036
Illinois	590	0.027	0.025 - 0.029	346	0.031	0.028 - 0.035	244	0.023	0.020 - 0.026
Iowa	38	0.021	0.015 - 0.029	22	0.023	0.015 - 0.035	16	0.018	0.011 - 0.030
Kentucky	23	0.015	0.010 - 0.022	13	0.015	0.008 - 0.026	11	0.015	0.007 - 0.027
Louisiana	54	0.023	0.017 - 0.030	34	0.026	0.018 - 0.037	20	0.018	0.011 - 0.028
Maine	-	-		-	-		-	-	
Maryland	131	0.022	0.019 - 0.027	70	0.023	0.018 - 0.029	61	0.022	0.017 - 0.028
Michigan	92	0.019	0.015 - 0.023	59	0.024	0.018 - 0.031	33	0.014	0.009 - 0.019
MI - Detroit	47	0.027	0.020 - 0.036	28	0.032	0.021 - 0.046	19	0.022	0.013 - 0.035
Minnesota	103	0.036	0.029 - 0.043	61	0.041	0.031 - 0.052	42	0.030	0.022 - 0.041
Mississippi	12	0.013	0.007 - 0.023	-	-		-	-	
Missouri	51	0.021	0.015 - 0.027	27	0.021	0.014 - 0.031	24	0.020	0.013 - 0.030
Montana	10	0.027	0.013 - 0.049	-	-		-	-	
Nebraska	53	0.026	0.020 - 0.034	37	0.035	0.025 - 0.049	16	0.017	0.010 - 0.027
New Hampshire	-	-		-	-		-	-	
New Jersey	547	0.031	0.028 - 0.033	309	0.035	0.031 - 0.039	238	0.027	0.023 - 0.030
New Mexico	301	0.030	0.027 - 0.033	166	0.033	0.028 - 0.039	135	0.027	0.022 - 0.031
New York	1,184	0.032	0.030 - 0.033	612	0.033	0.030 - 0.036	572	0.030	0.028 - 0.033
North Carolina	205	0.022	0.019 - 0.025	124	0.026	0.021 - 0.031	81	0.018	0.015 - 0.023
North Dakota	-	-		-	-		-	-	
Ohio	78	0.019	0.015 - 0.023	50	0.023	0.017 - 0.031	28	0.014	0.009 - 0.020
Oklahoma	92	0.023	0.018 - 0.028	52	0.025	0.018 - 0.032	40	0.021	0.015 - 0.028
Oregon	122	0.024	0.020 - 0.028	71	0.027	0.021 - 0.033	51	0.021	0.015 - 0.027
Pennsylvania	192	0.022	0.019 - 0.025	118	0.026	0.022 - 0.031	74	0.017	0.013 - 0.021
Rhode Island	35	0.022	0.016 - 0.031	22	0.028	0.018 - 0.043	13	0.017	0.009 - 0.029
South Carolina	59	0.022	0.017 - 0.028	34	0.023	0.016 - 0.033	25	0.020	0.013 - 0.029
Tennessee	82	0.024	0.019 - 0.029	45	0.025	0.018 - 0.033	37	0.023	0.016 - 0.031
Texas	2,806	0.026	0.025 - 0.027	1,594	0.029	0.028 - 0.031	1,212	0.023	0.021 - 0.024
Utah	96	0.023	0.019 - 0.028	52	0.024	0.018 - 0.032	44	0.022	0.016 - 0.029
Vermont	-	-		-	-		-	-	
Virginia	126	0.017	0.014 - 0.020	66	0.017	0.013 - 0.021	60	0.016	0.012 - 0.021
Washington	225	0.025	0.022 - 0.029	117	0.025	0.021 - 0.030	108	0.025	0.021 - 0.030
WA - Seattle	130	0.027	0.023 - 0.032	69	0.028	0.021 - 0.035	61	0.027	0.020 - 0.034
West Virginia	-	-		-	-		-	-	
Wisconsin	99	0.026	0.021 - 0.031	57	0.029	0.022 - 0.037	42	0.023	0.016 - 0.031
Wyoming	13	0.022	0.012 - 0.038	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Five Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2011-2015 by Registry, Hispanic, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**302**	**0.001**	**0.000 - 0.001**	**193**	**0.001**	**0.001 - 0.001**	**108**	**0.000**	**0.000 - 0.000**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	14	0.001	0.000 - 0.001	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	92	0.001	0.000 - 0.001	57	0.001	0.001 - 0.001	35	0.000	0.000 - 0.001
CA - Greater California	52	0.001	0.000 - 0.001	31	0.001	0.000 - 0.001	21	0.001	0.000 - 0.001
CA - Greater Bay Area	11	0.001	0.000 - 0.001	-	-		-	-	
CA - Los Angeles	30	0.001	0.000 - 0.001	20	0.001	0.000 - 0.001	10	0.000	0.000 - 0.001
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	33	0.001	0.000 - 0.001	19	0.001	0.000 - 0.001	14	0.001	0.000 - 0.001
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	10	0.000	0.000 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	15	0.001	0.000 - 0.001	-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	20	0.001	0.000 - 0.001	-	-		-	-	
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	55	0.001	0.000 - 0.001	37	0.001	0.000 - 0.001	18	0.000	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**8,002,729**	**2.655**	**2.653 - 2.657**	**3,922,683**	**2.643**	**2.640 - 2.646**	**4,080,046**	**2.666**	**2.664 - 2.669**
Alabama	129,726	2.672	2.657 - 2.686	66,094	2.809	2.788 - 2.831	63,632	2.542	2.522 - 2.562
Alaska	15,565	2.104	2.071 - 2.137	7,570	1.954	1.911 - 1.999	7,995	2.269	2.219 - 2.319
Arizona	154,210	2.249	2.238 - 2.261	73,676	2.162	2.146 - 2.178	80,534	2.336	2.320 - 2.352
Arkansas	78,610	2.636	2.618 - 2.655	40,628	2.773	2.746 - 2.800	37,982	2.504	2.479 - 2.529
California	896,410	2.289	2.284 - 2.294	431,826	2.219	2.213 - 2.226	464,584	2.357	2.351 - 2.364
CA - Greater California	498,178	2.300	2.294 - 2.307	241,212	2.235	2.226 - 2.244	256,966	2.365	2.356 - 2.375
CA - Greater Bay Area	184,317	2.500	2.489 - 2.512	90,037	2.454	2.438 - 2.470	94,279	2.546	2.530 - 2.563
CA - Los Angeles	214,831	2.119	2.110 - 2.128	101,077	2.023	2.011 - 2.036	113,754	2.212	2.200 - 2.225
Colorado	128,171	2.337	2.324 - 2.349	63,105	2.288	2.271 - 2.306	65,066	2.385	2.367 - 2.404
Connecticut	116,594	3.247	3.228 - 3.266	55,897	3.191	3.164 - 3.217	60,698	3.301	3.274 - 3.327
Delaware	30,074	3.171	3.135 - 3.207	15,414	3.357	3.305 - 3.411	14,660	2.996	2.948 - 3.045
Florida	593,073	2.898	2.891 - 2.906	301,233	3.011	3.000 - 3.022	291,840	2.791	2.780 - 2.801
Georgia	243,915	2.378	2.369 - 2.388	121,882	2.440	2.426 - 2.454	122,033	2.320	2.307 - 2.333
Hawaii	37,553	2.631	2.604 - 2.657	17,501	2.440	2.404 - 2.476	20,052	2.823	2.784 - 2.863
Idaho	41,930	2.519	2.495 - 2.543	21,148	2.536	2.502 - 2.570	20,782	2.502	2.468 - 2.536
Illinois	362,762	2.823	2.814 - 2.832	175,226	2.776	2.763 - 2.789	187,536	2.869	2.856 - 2.882
Iowa	91,040	2.914	2.895 - 2.933	44,725	2.879	2.852 - 2.906	46,315	2.948	2.921 - 2.975
Kentucky	128,332	2.897	2.882 - 2.913	62,450	2.862	2.840 - 2.885	65,883	2.932	2.909 - 2.954
Louisiana	122,189	2.612	2.597 - 2.626	63,718	2.783	2.762 - 2.805	58,471	2.447	2.427 - 2.467
Maine	45,264	3.406	3.375 - 3.437	21,705	3.335	3.291 - 3.379	23,559	3.474	3.430 - 3.519
Maryland	164,935	2.743	2.730 - 2.756	79,775	2.738	2.719 - 2.757	85,160	2.748	2.730 - 2.767
Michigan	290,249	2.924	2.914 - 2.935	144,522	2.960	2.945 - 2.975	145,727	2.889	2.875 - 2.904
MI - Detroit	119,219	3.082	3.064 - 3.099	59,501	3.175	3.149 - 3.200	59,717	2.995	2.971 - 3.019
Minnesota	160,519	2.916	2.902 - 2.931	79,765	2.912	2.892 - 2.933	80,754	2.920	2.900 - 2.941
Mississippi	77,220	2.587	2.568 - 2.605	39,891	2.755	2.728 - 2.783	37,329	2.428	2.403 - 2.452
Missouri	164,575	2.706	2.693 - 2.719	79,073	2.649	2.630 - 2.667	85,502	2.761	2.743 - 2.780
Montana	30,379	2.939	2.907 - 2.973	15,593	2.997	2.950 - 3.045	14,786	2.881	2.835 - 2.928
Nebraska	50,931	2.680	2.657 - 2.703	25,143	2.654	2.621 - 2.687	25,788	2.706	2.673 - 2.739
New Hampshire	45,000	3.377	3.346 - 3.408	22,184	3.363	3.319 - 3.408	22,816	3.390	3.347 - 3.435
New Jersey	278,585	3.106	3.094 - 3.118	135,593	3.099	3.082 - 3.115	142,992	3.113	3.097 - 3.129
New Mexico	48,212	2.314	2.293 - 2.334	23,214	2.250	2.221 - 2.279	24,997	2.376	2.347 - 2.406
New York	609,865	3.076	3.068 - 3.084	296,274	3.079	3.068 - 3.090	313,591	3.073	3.062 - 3.083
North Carolina	275,383	2.727	2.717 - 2.737	135,616	2.757	2.743 - 2.772	139,767	2.698	2.683 - 2.712
North Dakota	20,205	2.675	2.639 - 2.713	10,363	2.672	2.621 - 2.724	9,842	2.679	2.627 - 2.733
Ohio	327,927	2.823	2.814 - 2.833	157,799	2.774	2.761 - 2.788	170,128	2.871	2.857 - 2.884
Oklahoma	95,842	2.449	2.434 - 2.465	47,248	2.437	2.415 - 2.459	48,594	2.462	2.440 - 2.484
Oregon	111,835	2.760	2.744 - 2.777	53,859	2.684	2.661 - 2.707	57,976	2.836	2.813 - 2.859
Pennsylvania	413,031	3.230	3.220 - 3.239	199,534	3.187	3.174 - 3.202	213,497	3.270	3.256 - 3.284
Rhode Island	33,803	3.199	3.165 - 3.233	15,636	3.047	2.999 - 3.095	18,167	3.342	3.294 - 3.391
South Carolina	132,421	2.688	2.674 - 2.703	66,294	2.771	2.750 - 2.793	66,127	2.610	2.590 - 2.630
Tennessee	178,919	2.703	2.690 - 2.715	88,493	2.741	2.723 - 2.759	90,426	2.666	2.649 - 2.684
Texas	554,252	2.002	1.997 - 2.008	268,034	1.950	1.942 - 1.957	286,218	2.054	2.047 - 2.062
Utah	58,802	1.951	1.935 - 1.966	30,292	1.997	1.974 - 2.019	28,510	1.904	1.882 - 1.926
Vermont	20,426	3.274	3.229 - 3.319	9,813	3.184	3.122 - 3.248	10,613	3.361	3.298 - 3.426
Virginia	207,910	2.478	2.467 - 2.489	100,462	2.434	2.419 - 2.449	107,448	2.520	2.505 - 2.535
Washington	194,508	2.695	2.683 - 2.707	94,893	2.632	2.615 - 2.648	99,615	2.759	2.742 - 2.776
WA - Seattle	139,118	2.800	2.785 - 2.815	67,965	2.738	2.717 - 2.758	71,154	2.862	2.841 - 2.884
West Virginia	57,192	3.118	3.093 - 3.144	27,797	3.065	3.029 - 3.101	29,395	3.170	3.134 - 3.206
Wisconsin	169,764	2.944	2.930 - 2.958	83,993	2.929	2.910 - 2.949	85,771	2.959	2.939 - 2.978
Wyoming	14,620	2.497	2.457 - 2.538	7,732	2.586	2.528 - 2.644	6,887	2.405	2.348 - 2.462
NAACCR CDN Combined[1]	**359,669**	**2.606**	**2.597 - 2.614**	**179,722**	**2.605**	**2.593 - 2.617**	**179,947**	**2.606**	**2.594 - 2.618**
Alberta	92,329	2.195	2.181 - 2.209	46,164	2.162	2.142 - 2.182	46,165	2.229	2.208 - 2.249
British Columbia	126,605	2.679	2.664 - 2.694	63,260	2.697	2.676 - 2.718	63,345	2.661	2.640 - 2.682
Manitoba	32,790	2.509	2.482 - 2.537	15,525	2.388	2.351 - 2.426	17,265	2.629	2.590 - 2.668
New Brunswick	25,565	3.383	3.342 - 3.425	13,378	3.583	3.523 - 3.644	12,187	3.188	3.131 - 3.245
Newfoundland and Labrador	18,166	3.430	3.381 - 3.481	9,368	3.588	3.515 - 3.661	8,798	3.277	3.209 - 3.347
Northwest Territory	766	1.725	1.605 - 1.851	361	1.591	1.431 - 1.764	405	1.864	1.687 - 2.054
Nova Scotia	31,170	3.298	3.262 - 3.335	15,485	3.343	3.290 - 3.396	15,685	3.255	3.205 - 3.307
Prince Edward Island	4,514	3.047	2.959 - 3.138	2,337	3.236	3.106 - 3.370	2,177	2.867	2.748 - 2.990
Saskatchewan	27,764	2.436	2.407 - 2.465	13,844	2.409	2.369 - 2.449	13,920	2.463	2.422 - 2.504
NAACCR N.A. Combined[1]	**8,362,398**	**2.653**	**2.651 - 2.655**	**4,102,405**	**2.641**	**2.639 - 2.644**	**4,259,993**	**2.664**	**2.661 - 2.666**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**213,953**	**0.071**	**0.071 - 0.071**	**150,067**	**0.101**	**0.101 - 0.102**	**63,886**	**0.042**	**0.041 - 0.042**
Alabama	3,873	0.080	0.077 - 0.082	2,735	0.116	0.112 - 0.121	1,138	0.045	0.043 - 0.048
Alaska	464	0.063	0.057 - 0.069	347	0.090	0.080 - 0.100	117	0.033	0.027 - 0.040
Arizona	3,859	0.056	0.055 - 0.058	2,769	0.081	0.078 - 0.084	1,090	0.032	0.030 - 0.034
Arkansas	2,371	0.080	0.076 - 0.083	1,721	0.117	0.112 - 0.123	650	0.043	0.040 - 0.046
California	23,735	0.061	0.060 - 0.061	16,545	0.085	0.084 - 0.086	7,189	0.036	0.036 - 0.037
CA - Greater California	13,795	0.064	0.063 - 0.065	9,792	0.091	0.089 - 0.093	4,003	0.037	0.036 - 0.038
CA - Greater Bay Area	4,980	0.068	0.066 - 0.069	3,395	0.093	0.089 - 0.096	1,585	0.043	0.041 - 0.045
CA - Los Angeles	4,971	0.049	0.048 - 0.050	3,368	0.067	0.065 - 0.070	1,603	0.031	0.030 - 0.033
Colorado	3,508	0.064	0.062 - 0.066	2,468	0.089	0.086 - 0.093	1,040	0.038	0.036 - 0.041
Connecticut	2,866	0.080	0.077 - 0.083	1,952	0.111	0.107 - 0.116	914	0.050	0.047 - 0.053
Delaware	732	0.077	0.072 - 0.083	516	0.112	0.103 - 0.123	216	0.044	0.038 - 0.050
Florida	17,429	0.085	0.084 - 0.086	12,635	0.126	0.124 - 0.129	4,794	0.046	0.045 - 0.047
Georgia	6,688	0.065	0.064 - 0.067	4,724	0.095	0.092 - 0.097	1,963	0.037	0.036 - 0.039
Hawaii	1,156	0.081	0.076 - 0.086	791	0.110	0.103 - 0.118	365	0.051	0.046 - 0.057
Idaho	1,258	0.076	0.071 - 0.080	867	0.104	0.097 - 0.111	391	0.047	0.043 - 0.052
Illinois	9,806	0.076	0.075 - 0.078	6,833	0.108	0.106 - 0.111	2,973	0.045	0.044 - 0.047
Iowa	2,756	0.088	0.085 - 0.092	1,950	0.126	0.120 - 0.131	805	0.051	0.048 - 0.055
Kentucky	3,820	0.086	0.084 - 0.089	2,740	0.126	0.121 - 0.130	1,080	0.048	0.045 - 0.051
Louisiana	3,330	0.071	0.069 - 0.074	2,408	0.105	0.101 - 0.109	922	0.039	0.036 - 0.041
Maine	1,305	0.098	0.093 - 0.104	941	0.145	0.135 - 0.154	364	0.054	0.048 - 0.059
Maryland	4,046	0.067	0.065 - 0.069	2,804	0.096	0.093 - 0.100	1,242	0.040	0.038 - 0.042
Michigan	7,456	0.075	0.073 - 0.077	5,169	0.106	0.103 - 0.109	2,287	0.045	0.044 - 0.047
MI - Detroit	2,940	0.076	0.073 - 0.079	2,034	0.109	0.104 - 0.113	906	0.045	0.043 - 0.049
Minnesota	4,393	0.080	0.077 - 0.082	2,995	0.109	0.105 - 0.113	1,398	0.051	0.048 - 0.053
Mississippi	2,096	0.070	0.067 - 0.073	1,460	0.101	0.096 - 0.106	636	0.041	0.038 - 0.045
Missouri	4,704	0.077	0.075 - 0.080	3,360	0.113	0.109 - 0.116	1,344	0.043	0.041 - 0.046
Montana	828	0.080	0.075 - 0.086	574	0.110	0.101 - 0.120	255	0.050	0.044 - 0.056
Nebraska	1,402	0.074	0.070 - 0.078	974	0.103	0.096 - 0.109	428	0.045	0.041 - 0.049
New Hampshire	1,129	0.085	0.080 - 0.090	803	0.122	0.113 - 0.130	326	0.048	0.043 - 0.054
New Jersey	6,189	0.069	0.067 - 0.071	4,188	0.096	0.093 - 0.099	2,000	0.044	0.042 - 0.046
New Mexico	1,152	0.055	0.052 - 0.059	835	0.081	0.076 - 0.087	316	0.030	0.027 - 0.034
New York	13,873	0.070	0.069 - 0.071	9,297	0.097	0.095 - 0.099	4,576	0.045	0.044 - 0.046
North Carolina	7,529	0.075	0.073 - 0.076	5,285	0.107	0.105 - 0.110	2,244	0.043	0.042 - 0.045
North Dakota	547	0.072	0.066 - 0.079	387	0.100	0.090 - 0.110	160	0.044	0.037 - 0.051
Ohio	8,694	0.075	0.073 - 0.076	6,034	0.106	0.103 - 0.109	2,660	0.045	0.043 - 0.047
Oklahoma	3,051	0.078	0.075 - 0.081	2,162	0.112	0.107 - 0.116	889	0.045	0.042 - 0.048
Oregon	3,258	0.080	0.078 - 0.083	2,322	0.116	0.111 - 0.121	936	0.046	0.043 - 0.049
Pennsylvania	10,264	0.080	0.079 - 0.082	7,008	0.112	0.109 - 0.115	3,256	0.050	0.048 - 0.052
Rhode Island	755	0.071	0.066 - 0.077	522	0.102	0.093 - 0.111	233	0.043	0.038 - 0.049
South Carolina	3,583	0.073	0.070 - 0.075	2,540	0.106	0.102 - 0.110	1,043	0.041	0.039 - 0.044
Tennessee	5,112	0.077	0.075 - 0.079	3,660	0.113	0.110 - 0.117	1,452	0.043	0.041 - 0.045
Texas	15,479	0.056	0.055 - 0.057	11,068	0.081	0.079 - 0.082	4,411	0.032	0.031 - 0.033
Utah	1,257	0.042	0.039 - 0.044	880	0.058	0.054 - 0.062	377	0.025	0.023 - 0.028
Vermont	572	0.092	0.084 - 0.100	410	0.133	0.120 - 0.147	162	0.051	0.044 - 0.060
Virginia	5,506	0.066	0.064 - 0.067	3,915	0.095	0.092 - 0.098	1,591	0.037	0.036 - 0.039
Washington	5,488	0.076	0.074 - 0.078	3,842	0.107	0.103 - 0.110	1,646	0.046	0.043 - 0.048
WA - Seattle	3,896	0.078	0.076 - 0.081	2,713	0.109	0.105 - 0.113	1,183	0.048	0.045 - 0.050
West Virginia	1,609	0.088	0.083 - 0.092	1,151	0.127	0.120 - 0.134	458	0.049	0.045 - 0.054
Wisconsin	4,649	0.081	0.078 - 0.083	3,209	0.112	0.108 - 0.116	1,440	0.050	0.047 - 0.052
Wyoming	377	0.064	0.058 - 0.071	269	0.090	0.080 - 0.102	107	0.037	0.031 - 0.045
NAACCR CDN Combined[1]	**9,155**	**0.066**	**0.065 - 0.068**	**6,371**	**0.092**	**0.090 - 0.095**	**2,784**	**0.040**	**0.039 - 0.042**
Alberta	2,139	0.051	0.049 - 0.053	1,487	0.070	0.066 - 0.073	652	0.031	0.029 - 0.034
British Columbia	3,369	0.071	0.069 - 0.074	2,309	0.098	0.094 - 0.103	1,060	0.045	0.042 - 0.047
Manitoba	1,045	0.080	0.075 - 0.085	717	0.110	0.102 - 0.119	328	0.050	0.045 - 0.056
New Brunswick	575	0.076	0.070 - 0.083	396	0.106	0.096 - 0.117	179	0.047	0.040 - 0.054
Newfoundland and Labrador	459	0.087	0.079 - 0.095	333	0.128	0.114 - 0.142	126	0.047	0.039 - 0.056
Northwest Territory	19	0.043	0.026 - 0.067	-	-		-	-	
Nova Scotia	784	0.083	0.077 - 0.089	567	0.122	0.113 - 0.133	217	0.045	0.039 - 0.051
Prince Edward Island	149	0.101	0.085 - 0.118	102	0.141	0.115 - 0.171	47	0.062	0.045 - 0.082
Saskatchewan	616	0.054	0.050 - 0.058	445	0.077	0.070 - 0.085	171	0.030	0.026 - 0.035
NAACCR N.A. Combined[1]	**223,108**	**0.071**	**0.070 - 0.071**	**156,438**	**0.101**	**0.100 - 0.101**	**66,670**	**0.042**	**0.041 - 0.042**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-202 Prevalence – Oral Cavity and Pharynx

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**36,202**	**0.012**	**0.012 - 0.012**	**28,390**	**0.019**	**0.019 - 0.019**	**7,812**	**0.005**	**0.005 - 0.005**
Alabama	538	0.011	0.010 - 0.012	425	0.018	0.016 - 0.020	113	0.005	0.004 - 0.005
Alaska	99	0.013	0.011 - 0.016	71	0.018	0.014 - 0.023	28	0.008	0.005 - 0.011
Arizona	722	0.011	0.010 - 0.011	569	0.017	0.015 - 0.018	153	0.004	0.004 - 0.005
Arkansas	301	0.010	0.009 - 0.011	248	0.017	0.015 - 0.019	53	0.003	0.003 - 0.005
California	3,166	0.008	0.008 - 0.008	2,384	0.012	0.012 - 0.013	782	0.004	0.004 - 0.004
CA - Greater California	1,866	0.009	0.008 - 0.009	1,443	0.013	0.013 - 0.014	423	0.004	0.004 - 0.004
CA - Greater Bay Area	685	0.009	0.009 - 0.010	481	0.013	0.012 - 0.014	204	0.006	0.005 - 0.006
CA - Los Angeles	613	0.006	0.006 - 0.007	460	0.009	0.008 - 0.010	153	0.003	0.003 - 0.003
Colorado	533	0.010	0.009 - 0.011	447	0.016	0.015 - 0.018	86	0.003	0.003 - 0.004
Connecticut	595	0.017	0.015 - 0.018	459	0.026	0.024 - 0.029	136	0.007	0.006 - 0.009
Delaware	147	0.016	0.013 - 0.018	122	0.027	0.022 - 0.032	25	0.005	0.003 - 0.008
Florida	2,992	0.015	0.014 - 0.015	2,330	0.023	0.022 - 0.024	662	0.006	0.006 - 0.007
Georgia	952	0.009	0.009 - 0.010	749	0.015	0.014 - 0.016	202	0.004	0.003 - 0.004
Hawaii	107	0.008	0.006 - 0.009	88	0.012	0.010 - 0.015	19	0.003	0.002 - 0.004
Idaho	167	0.010	0.009 - 0.012	145	0.017	0.015 - 0.020	22	0.003	0.002 - 0.004
Illinois	1,751	0.014	0.013 - 0.014	1,400	0.022	0.021 - 0.023	351	0.005	0.005 - 0.006
Iowa	534	0.017	0.016 - 0.019	438	0.028	0.026 - 0.031	96	0.006	0.005 - 0.007
Kentucky	551	0.012	0.011 - 0.014	450	0.021	0.019 - 0.023	101	0.004	0.004 - 0.005
Louisiana	514	0.011	0.010 - 0.012	382	0.017	0.015 - 0.018	132	0.006	0.005 - 0.007
Maine	314	0.024	0.021 - 0.026	252	0.039	0.034 - 0.044	62	0.009	0.007 - 0.012
Maryland	737	0.012	0.011 - 0.013	568	0.019	0.018 - 0.021	169	0.005	0.005 - 0.006
Michigan	1,694	0.017	0.016 - 0.018	1,322	0.027	0.026 - 0.029	372	0.007	0.007 - 0.008
MI - Detroit	559	0.014	0.013 - 0.016	426	0.023	0.021 - 0.025	133	0.007	0.006 - 0.008
Minnesota	765	0.014	0.013 - 0.015	609	0.022	0.021 - 0.024	156	0.006	0.005 - 0.007
Mississippi	336	0.011	0.010 - 0.013	265	0.018	0.016 - 0.021	71	0.005	0.004 - 0.006
Missouri	779	0.013	0.012 - 0.014	628	0.021	0.019 - 0.023	151	0.005	0.004 - 0.006
Montana	155	0.015	0.013 - 0.018	125	0.024	0.020 - 0.029	29	0.006	0.004 - 0.008
Nebraska	232	0.012	0.011 - 0.014	174	0.018	0.016 - 0.021	58	0.006	0.005 - 0.008
New Hampshire	323	0.024	0.022 - 0.027	264	0.040	0.035 - 0.045	59	0.009	0.007 - 0.011
New Jersey	1,188	0.013	0.013 - 0.014	904	0.021	0.019 - 0.022	284	0.006	0.005 - 0.007
New Mexico	191	0.009	0.008 - 0.011	161	0.016	0.013 - 0.018	30	0.003	0.002 - 0.004
New York	2,657	0.013	0.013 - 0.014	1,967	0.020	0.020 - 0.021	690	0.007	0.006 - 0.007
North Carolina	1,104	0.011	0.010 - 0.012	870	0.018	0.017 - 0.019	234	0.005	0.004 - 0.005
North Dakota	90	0.012	0.010 - 0.015	64	0.017	0.013 - 0.021	26	0.007	0.005 - 0.010
Ohio	1,591	0.014	0.013 - 0.014	1,290	0.023	0.021 - 0.024	301	0.005	0.005 - 0.006
Oklahoma	422	0.011	0.010 - 0.012	331	0.017	0.015 - 0.019	91	0.005	0.004 - 0.006
Oregon	576	0.014	0.013 - 0.015	454	0.023	0.021 - 0.025	122	0.006	0.005 - 0.007
Pennsylvania	1,957	0.015	0.015 - 0.016	1,546	0.025	0.023 - 0.026	411	0.006	0.006 - 0.007
Rhode Island	181	0.017	0.015 - 0.020	138	0.027	0.023 - 0.032	43	0.008	0.006 - 0.011
South Carolina	600	0.012	0.011 - 0.013	471	0.020	0.018 - 0.022	129	0.005	0.004 - 0.006
Tennessee	816	0.012	0.011 - 0.013	659	0.020	0.019 - 0.022	157	0.005	0.004 - 0.005
Texas	2,391	0.009	0.008 - 0.009	1,909	0.014	0.013 - 0.015	482	0.003	0.003 - 0.004
Utah	183	0.006	0.005 - 0.007	160	0.011	0.009 - 0.012	23	0.002	0.001 - 0.002
Vermont	138	0.022	0.019 - 0.026	115	0.037	0.031 - 0.045	23	0.007	0.005 - 0.011
Virginia	880	0.010	0.010 - 0.011	682	0.017	0.015 - 0.018	198	0.005	0.004 - 0.005
Washington	972	0.013	0.013 - 0.014	758	0.021	0.020 - 0.023	214	0.006	0.005 - 0.007
WA - Seattle	640	0.013	0.012 - 0.014	493	0.020	0.018 - 0.022	147	0.006	0.005 - 0.007
West Virginia	300	0.016	0.015 - 0.018	250	0.028	0.024 - 0.031	50	0.005	0.004 - 0.007
Wisconsin	886	0.015	0.014 - 0.016	685	0.024	0.022 - 0.026	201	0.007	0.006 - 0.008
Wyoming	75	0.013	0.010 - 0.016	61	0.021	0.016 - 0.026	14	0.005	0.003 - 0.008
NAACCR CDN Combined[1]	**1,451**	**0.011**	**0.010 - 0.011**	**1,121**	**0.016**	**0.015 - 0.017**	**330**	**0.005**	**0.004 - 0.005**
Alberta	373	0.009	0.008 - 0.010	300	0.014	0.013 - 0.016	73	0.004	0.003 - 0.004
British Columbia	569	0.012	0.011 - 0.013	413	0.018	0.016 - 0.019	156	0.007	0.006 - 0.008
Manitoba	108	0.008	0.007 - 0.010	84	0.013	0.010 - 0.016	24	0.004	0.002 - 0.005
New Brunswick	77	0.010	0.008 - 0.013	64	0.017	0.013 - 0.022	13	0.003	0.002 - 0.006
Newfoundland and Labrador	58	0.011	0.008 - 0.014	46	0.018	0.013 - 0.023	12	0.004	0.002 - 0.008
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	159	0.017	0.014 - 0.020	131	0.028	0.024 - 0.034	28	0.006	0.004 - 0.008
Prince Edward Island	21	0.014	0.009 - 0.022	-	-		-	-	
Saskatchewan	82	0.007	0.006 - 0.009	66	0.011	0.009 - 0.015	16	0.003	0.002 - 0.005
NAACCR N.A. Combined[1]	**37,653**	**0.012**	**0.012 - 0.012**	**29,511**	**0.019**	**0.019 - 0.019**	**8,142**	**0.005**	**0.005 - 0.005**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**69,367**	**0.023**	**0.023 - 0.023**	**40,194**	**0.027**	**0.027 - 0.027**	**29,172**	**0.019**	**0.019 - 0.019**
Alabama	1,089	0.022	0.021 - 0.024	573	0.024	0.022 - 0.026	516	0.021	0.019 - 0.022
Alaska	137	0.019	0.016 - 0.022	86	0.022	0.018 - 0.027	51	0.014	0.011 - 0.019
Arizona	1,127	0.016	0.015 - 0.017	684	0.020	0.019 - 0.022	443	0.013	0.012 - 0.014
Arkansas	571	0.019	0.018 - 0.021	355	0.024	0.022 - 0.027	216	0.014	0.012 - 0.016
California	9,082	0.023	0.023 - 0.024	5,221	0.027	0.026 - 0.028	3,861	0.020	0.019 - 0.020
CA - Greater California	4,224	0.020	0.019 - 0.020	2,466	0.023	0.022 - 0.024	1,758	0.016	0.015 - 0.017
CA - Greater Bay Area	1,857	0.025	0.024 - 0.026	1,066	0.029	0.027 - 0.031	790	0.021	0.020 - 0.023
CA - Los Angeles	3,008	0.030	0.029 - 0.031	1,692	0.034	0.032 - 0.036	1,317	0.026	0.024 - 0.027
Colorado	867	0.016	0.015 - 0.017	512	0.019	0.017 - 0.020	355	0.013	0.012 - 0.014
Connecticut	1,228	0.034	0.032 - 0.036	712	0.041	0.038 - 0.044	517	0.028	0.026 - 0.031
Delaware	228	0.024	0.021 - 0.027	150	0.033	0.028 - 0.038	78	0.016	0.013 - 0.020
Florida	5,032	0.025	0.024 - 0.025	2,956	0.030	0.028 - 0.031	2,076	0.020	0.019 - 0.021
Georgia	2,008	0.020	0.019 - 0.020	1,098	0.022	0.021 - 0.023	910	0.017	0.016 - 0.018
Hawaii	503	0.035	0.032 - 0.038	283	0.039	0.035 - 0.044	220	0.031	0.027 - 0.035
Idaho	253	0.015	0.013 - 0.017	154	0.018	0.016 - 0.022	99	0.012	0.010 - 0.015
Illinois	3,251	0.025	0.024 - 0.026	1,881	0.030	0.028 - 0.031	1,370	0.021	0.020 - 0.022
Iowa	509	0.016	0.015 - 0.018	315	0.020	0.018 - 0.023	194	0.012	0.011 - 0.014
Kentucky	959	0.022	0.020 - 0.023	540	0.025	0.023 - 0.027	419	0.019	0.017 - 0.020
Louisiana	1,050	0.022	0.021 - 0.024	620	0.027	0.025 - 0.029	429	0.018	0.016 - 0.020
Maine	311	0.023	0.021 - 0.026	175	0.027	0.023 - 0.031	136	0.020	0.017 - 0.024
Maryland	1,506	0.025	0.024 - 0.026	829	0.028	0.027 - 0.030	677	0.022	0.020 - 0.024
Michigan	2,386	0.024	0.023 - 0.025	1,419	0.029	0.028 - 0.031	967	0.019	0.018 - 0.020
MI - Detroit	1,000	0.026	0.024 - 0.027	587	0.031	0.029 - 0.034	412	0.021	0.019 - 0.023
Minnesota	1,058	0.019	0.018 - 0.020	632	0.023	0.021 - 0.025	426	0.015	0.014 - 0.017
Mississippi	580	0.019	0.018 - 0.021	310	0.021	0.019 - 0.024	270	0.018	0.016 - 0.020
Missouri	1,066	0.018	0.016 - 0.019	641	0.021	0.020 - 0.023	425	0.014	0.012 - 0.015
Montana	154	0.015	0.013 - 0.017	89	0.017	0.014 - 0.021	64	0.013	0.010 - 0.016
Nebraska	319	0.017	0.015 - 0.019	216	0.023	0.020 - 0.026	103	0.011	0.009 - 0.013
New Hampshire	311	0.023	0.021 - 0.026	183	0.028	0.024 - 0.032	128	0.019	0.016 - 0.023
New Jersey	2,811	0.031	0.030 - 0.033	1,556	0.036	0.034 - 0.037	1,254	0.027	0.026 - 0.029
New Mexico	445	0.021	0.019 - 0.023	258	0.025	0.022 - 0.028	187	0.018	0.015 - 0.021
New York	7,411	0.037	0.037 - 0.038	4,275	0.044	0.043 - 0.046	3,136	0.031	0.030 - 0.032
North Carolina	2,305	0.023	0.022 - 0.024	1,262	0.026	0.024 - 0.027	1,043	0.020	0.019 - 0.021
North Dakota	128	0.017	0.014 - 0.020	77	0.020	0.016 - 0.025	51	0.014	0.010 - 0.018
Ohio	2,529	0.022	0.021 - 0.023	1,471	0.026	0.025 - 0.027	1,058	0.018	0.017 - 0.019
Oklahoma	617	0.016	0.015 - 0.017	355	0.018	0.016 - 0.020	262	0.013	0.012 - 0.015
Oregon	796	0.020	0.018 - 0.021	508	0.025	0.023 - 0.028	288	0.014	0.013 - 0.016
Pennsylvania	3,246	0.025	0.025 - 0.026	1,970	0.031	0.030 - 0.033	1,276	0.020	0.018 - 0.021
Rhode Island	334	0.032	0.028 - 0.035	190	0.037	0.032 - 0.043	144	0.026	0.022 - 0.031
South Carolina	1,169	0.024	0.022 - 0.025	663	0.028	0.026 - 0.030	506	0.020	0.018 - 0.022
Tennessee	1,344	0.020	0.019 - 0.021	754	0.023	0.022 - 0.025	590	0.017	0.016 - 0.019
Texas	5,235	0.019	0.018 - 0.019	2,932	0.021	0.021 - 0.022	2,303	0.017	0.016 - 0.017
Utah	326	0.011	0.010 - 0.012	187	0.012	0.011 - 0.014	139	0.009	0.008 - 0.011
Vermont	90	0.014	0.012 - 0.018	57	0.018	0.014 - 0.024	33	0.010	0.007 - 0.015
Virginia	1,756	0.021	0.020 - 0.022	1,048	0.025	0.024 - 0.027	708	0.017	0.015 - 0.018
Washington	1,418	0.020	0.019 - 0.021	888	0.025	0.023 - 0.026	530	0.015	0.013 - 0.016
WA - Seattle	1,036	0.021	0.020 - 0.022	654	0.026	0.024 - 0.028	382	0.015	0.014 - 0.017
West Virginia	396	0.022	0.020 - 0.024	225	0.025	0.022 - 0.028	171	0.018	0.016 - 0.021
Wisconsin	1,338	0.023	0.022 - 0.024	820	0.029	0.027 - 0.031	518	0.018	0.016 - 0.019
Wyoming	88	0.015	0.012 - 0.019	63	0.021	0.016 - 0.027	25	0.009	0.006 - 0.013
NAACCR CDN Combined[1]	**3,015**	**0.022**	**0.021 - 0.023**	**1,984**	**0.029**	**0.028 - 0.030**	**1,031**	**0.015**	**0.014 - 0.016**
Alberta	691	0.016	0.015 - 0.018	454	0.021	0.019 - 0.023	237	0.011	0.010 - 0.013
British Columbia	1,032	0.022	0.021 - 0.023	667	0.028	0.026 - 0.031	365	0.015	0.014 - 0.017
Manitoba	297	0.023	0.020 - 0.025	202	0.031	0.027 - 0.036	95	0.014	0.012 - 0.018
New Brunswick	230	0.030	0.027 - 0.035	160	0.043	0.036 - 0.050	70	0.018	0.014 - 0.023
Newfoundland and Labrador	262	0.049	0.044 - 0.056	170	0.065	0.056 - 0.076	92	0.034	0.028 - 0.042
Northwest Territory	12	0.027	0.014 - 0.047	-	-		-	-	
Nova Scotia	221	0.023	0.020 - 0.027	140	0.030	0.025 - 0.036	81	0.017	0.013 - 0.021
Prince Edward Island	31	0.021	0.014 - 0.030	-	-		-	-	
Saskatchewan	239	0.021	0.018 - 0.024	160	0.028	0.024 - 0.033	79	0.014	0.011 - 0.017
NAACCR N.A. Combined[1]	**72,382**	**0.023**	**0.023 - 0.023**	**42,178**	**0.027**	**0.027 - 0.027**	**30,203**	**0.019**	**0.019 - 0.019**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-204 Prevalence – Stomach

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**723,581**	**0.240**	**0.239 - 0.241**	**372,272**	**0.251**	**0.250 - 0.252**	**351,309**	**0.230**	**0.229 - 0.230**
Alabama	13,324	0.274	0.270 - 0.279	6,921	0.294	0.287 - 0.301	6,403	0.256	0.250 - 0.262
Alaska	1,568	0.212	0.202 - 0.223	836	0.216	0.201 - 0.231	732	0.208	0.193 - 0.223
Arizona	13,606	0.198	0.195 - 0.202	7,129	0.209	0.204 - 0.214	6,477	0.188	0.183 - 0.193
Arkansas	7,887	0.264	0.259 - 0.270	4,132	0.282	0.274 - 0.291	3,755	0.248	0.240 - 0.256
California	82,179	0.210	0.208 - 0.211	42,562	0.219	0.217 - 0.221	39,618	0.201	0.199 - 0.203
CA - Greater California	44,830	0.207	0.205 - 0.209	23,425	0.217	0.214 - 0.220	21,405	0.197	0.194 - 0.200
CA - Greater Bay Area	16,504	0.224	0.220 - 0.227	8,442	0.230	0.225 - 0.235	8,062	0.218	0.213 - 0.223
CA - Los Angeles	20,835	0.206	0.203 - 0.208	10,697	0.214	0.210 - 0.218	10,137	0.197	0.193 - 0.201
Colorado	10,061	0.183	0.180 - 0.187	5,247	0.190	0.185 - 0.195	4,814	0.176	0.172 - 0.182
Connecticut	9,664	0.269	0.264 - 0.275	4,902	0.280	0.272 - 0.288	4,762	0.259	0.252 - 0.266
Delaware	2,463	0.260	0.250 - 0.270	1,291	0.281	0.266 - 0.297	1,172	0.240	0.226 - 0.254
Florida	52,675	0.257	0.255 - 0.260	27,170	0.272	0.268 - 0.275	25,505	0.244	0.241 - 0.247
Georgia	22,509	0.219	0.217 - 0.222	11,614	0.232	0.228 - 0.237	10,894	0.207	0.203 - 0.211
Hawaii	4,304	0.301	0.293 - 0.311	2,358	0.329	0.316 - 0.342	1,946	0.274	0.262 - 0.286
Idaho	3,406	0.205	0.198 - 0.212	1,760	0.211	0.201 - 0.221	1,646	0.198	0.189 - 0.208
Illinois	35,281	0.275	0.272 - 0.277	18,188	0.288	0.284 - 0.292	17,093	0.261	0.258 - 0.265
Iowa	9,127	0.292	0.286 - 0.298	4,700	0.303	0.294 - 0.311	4,427	0.282	0.273 - 0.290
Kentucky	13,367	0.302	0.297 - 0.307	6,985	0.320	0.313 - 0.328	6,382	0.284	0.277 - 0.291
Louisiana	12,798	0.274	0.269 - 0.278	6,672	0.291	0.285 - 0.299	6,125	0.256	0.250 - 0.263
Maine	3,833	0.288	0.279 - 0.298	1,924	0.296	0.283 - 0.309	1,909	0.282	0.269 - 0.294
Maryland	13,406	0.223	0.219 - 0.227	6,589	0.226	0.221 - 0.232	6,817	0.220	0.215 - 0.225
Michigan	24,799	0.250	0.247 - 0.253	12,515	0.256	0.252 - 0.261	12,284	0.244	0.239 - 0.248
MI - Detroit	10,182	0.263	0.258 - 0.268	5,019	0.268	0.260 - 0.275	5,163	0.259	0.252 - 0.266
Minnesota	13,562	0.246	0.242 - 0.251	6,961	0.254	0.248 - 0.260	6,601	0.239	0.233 - 0.245
Mississippi	8,499	0.285	0.279 - 0.291	4,416	0.305	0.296 - 0.314	4,083	0.266	0.257 - 0.274
Missouri	16,040	0.264	0.260 - 0.268	8,298	0.278	0.272 - 0.284	7,742	0.250	0.244 - 0.256
Montana	2,763	0.267	0.257 - 0.277	1,502	0.289	0.274 - 0.304	1,260	0.246	0.232 - 0.259
Nebraska	5,203	0.274	0.266 - 0.281	2,694	0.284	0.274 - 0.295	2,509	0.263	0.253 - 0.274
New Hampshire	3,577	0.268	0.260 - 0.277	1,853	0.281	0.268 - 0.294	1,724	0.256	0.244 - 0.269
New Jersey	23,784	0.265	0.262 - 0.269	11,799	0.270	0.265 - 0.275	11,985	0.261	0.256 - 0.266
New Mexico	4,320	0.207	0.201 - 0.214	2,262	0.219	0.210 - 0.228	2,058	0.196	0.187 - 0.204
New York	51,331	0.259	0.257 - 0.261	25,494	0.265	0.262 - 0.268	25,837	0.253	0.250 - 0.256
North Carolina	23,397	0.232	0.229 - 0.235	11,904	0.242	0.238 - 0.246	11,493	0.222	0.218 - 0.226
North Dakota	2,142	0.284	0.272 - 0.296	1,156	0.298	0.281 - 0.316	986	0.268	0.252 - 0.286
Ohio	30,851	0.266	0.263 - 0.269	15,632	0.275	0.271 - 0.279	15,219	0.257	0.253 - 0.261
Oklahoma	9,457	0.242	0.237 - 0.247	4,815	0.248	0.241 - 0.255	4,642	0.235	0.228 - 0.242
Oregon	9,218	0.228	0.223 - 0.232	4,784	0.238	0.232 - 0.245	4,434	0.217	0.211 - 0.223
Pennsylvania	37,673	0.295	0.292 - 0.298	19,261	0.308	0.303 - 0.312	18,412	0.282	0.278 - 0.286
Rhode Island	2,640	0.250	0.240 - 0.260	1,250	0.244	0.230 - 0.257	1,390	0.256	0.242 - 0.270
South Carolina	11,875	0.241	0.237 - 0.245	6,053	0.253	0.247 - 0.259	5,822	0.230	0.224 - 0.236
Tennessee	16,584	0.251	0.247 - 0.254	8,467	0.262	0.257 - 0.268	8,117	0.239	0.234 - 0.245
Texas	53,431	0.193	0.191 - 0.195	28,788	0.209	0.207 - 0.212	24,643	0.177	0.175 - 0.179
Utah	4,166	0.138	0.134 - 0.142	2,176	0.143	0.137 - 0.150	1,990	0.133	0.127 - 0.139
Vermont	1,597	0.256	0.244 - 0.269	809	0.263	0.245 - 0.281	788	0.250	0.232 - 0.268
Virginia	18,086	0.216	0.212 - 0.219	9,178	0.222	0.218 - 0.227	8,908	0.209	0.205 - 0.213
Washington	15,625	0.217	0.213 - 0.220	8,141	0.226	0.221 - 0.231	7,484	0.207	0.203 - 0.212
WA - Seattle	10,913	0.220	0.216 - 0.224	5,717	0.230	0.224 - 0.236	5,196	0.209	0.203 - 0.215
West Virginia	5,975	0.326	0.318 - 0.334	3,080	0.340	0.328 - 0.352	2,895	0.312	0.301 - 0.324
Wisconsin	14,341	0.249	0.245 - 0.253	7,372	0.257	0.251 - 0.263	6,969	0.240	0.235 - 0.246
Wyoming	1,188	0.203	0.191 - 0.215	631	0.211	0.195 - 0.228	557	0.194	0.179 - 0.211
NAACCR CDN Combined[1]	**48,233**	**0.349**	**0.346 - 0.353**	**26,816**	**0.389**	**0.384 - 0.393**	**21,417**	**0.310**	**0.306 - 0.314**
Alberta	11,001	0.261	0.257 - 0.266	6,194	0.290	0.283 - 0.297	4,807	0.232	0.226 - 0.239
British Columbia	16,890	0.357	0.352 - 0.363	9,379	0.400	0.392 - 0.408	7,511	0.315	0.308 - 0.323
Manitoba	4,620	0.354	0.343 - 0.364	2,553	0.393	0.378 - 0.408	2,067	0.315	0.301 - 0.329
New Brunswick	3,208	0.425	0.410 - 0.439	1,818	0.487	0.465 - 0.510	1,390	0.364	0.345 - 0.383
Newfoundland and Labrador	3,194	0.603	0.582 - 0.624	1,811	0.694	0.662 - 0.726	1,383	0.515	0.488 - 0.543
Northwest Territory	153	0.344	0.292 - 0.404	77	0.339	0.268 - 0.424	76	0.350	0.276 - 0.438
Nova Scotia	4,406	0.466	0.453 - 0.480	2,366	0.511	0.490 - 0.532	2,040	0.423	0.405 - 0.442
Prince Edward Island	621	0.419	0.387 - 0.454	335	0.464	0.416 - 0.516	286	0.377	0.334 - 0.423
Saskatchewan	4,140	0.363	0.352 - 0.374	2,283	0.397	0.381 - 0.414	1,857	0.329	0.314 - 0.344
NAACCR N.A. Combined[1]	**771,814**	**0.245**	**0.244 - 0.245**	**399,088**	**0.257**	**0.256 - 0.258**	**372,726**	**0.233**	**0.232 - 0.234**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**60,117**	**0.020**	**0.020 - 0.020**	**42,285**	**0.028**	**0.028 - 0.029**	**17,832**	**0.012**	**0.011 - 0.012**
Alabama	618	0.013	0.012 - 0.014	432	0.018	0.017 - 0.020	186	0.007	0.006 - 0.009
Alaska	148	0.020	0.017 - 0.024	100	0.026	0.021 - 0.031	48	0.014	0.010 - 0.018
Arizona	1,261	0.018	0.017 - 0.019	862	0.025	0.024 - 0.027	399	0.012	0.010 - 0.013
Arkansas	490	0.016	0.015 - 0.018	345	0.024	0.021 - 0.026	145	0.010	0.008 - 0.011
California	9,281	0.024	0.023 - 0.024	6,586	0.034	0.033 - 0.035	2,695	0.014	0.013 - 0.014
CA - Greater California	4,684	0.022	0.021 - 0.022	3,345	0.031	0.030 - 0.032	1,338	0.012	0.012 - 0.013
CA - Greater Bay Area	2,333	0.032	0.030 - 0.033	1,687	0.046	0.044 - 0.048	645	0.017	0.016 - 0.019
CA - Los Angeles	2,268	0.022	0.021 - 0.023	1,556	0.031	0.030 - 0.033	712	0.014	0.013 - 0.015
Colorado	946	0.017	0.016 - 0.018	673	0.024	0.023 - 0.026	273	0.010	0.009 - 0.011
Connecticut	845	0.024	0.022 - 0.025	625	0.036	0.033 - 0.039	219	0.012	0.010 - 0.014
Delaware	227	0.024	0.021 - 0.027	161	0.035	0.030 - 0.041	66	0.013	0.010 - 0.017
Florida	4,274	0.021	0.020 - 0.022	2,964	0.030	0.029 - 0.031	1,310	0.013	0.012 - 0.013
Georgia	1,554	0.015	0.014 - 0.016	1,063	0.021	0.020 - 0.023	492	0.009	0.009 - 0.010
Hawaii	415	0.029	0.026 - 0.032	299	0.042	0.037 - 0.047	116	0.016	0.014 - 0.020
Idaho	223	0.013	0.012 - 0.015	159	0.019	0.016 - 0.022	64	0.008	0.006 - 0.010
Illinois	2,437	0.019	0.018 - 0.020	1,668	0.026	0.025 - 0.028	769	0.012	0.011 - 0.013
Iowa	459	0.015	0.013 - 0.016	307	0.020	0.018 - 0.022	151	0.010	0.008 - 0.011
Kentucky	771	0.017	0.016 - 0.019	518	0.024	0.022 - 0.026	253	0.011	0.010 - 0.013
Louisiana	894	0.019	0.018 - 0.020	681	0.030	0.028 - 0.032	213	0.009	0.008 - 0.010
Maine	174	0.013	0.011 - 0.015	125	0.019	0.016 - 0.023	49	0.007	0.005 - 0.010
Maryland	1,263	0.021	0.020 - 0.022	870	0.030	0.028 - 0.032	393	0.013	0.011 - 0.014
Michigan	1,906	0.019	0.018 - 0.020	1,307	0.027	0.025 - 0.028	599	0.012	0.011 - 0.013
MI - Detroit	830	0.021	0.020 - 0.023	582	0.031	0.029 - 0.034	249	0.012	0.011 - 0.014
Minnesota	970	0.018	0.017 - 0.019	662	0.024	0.022 - 0.026	308	0.011	0.010 - 0.012
Mississippi	515	0.017	0.016 - 0.019	363	0.025	0.023 - 0.028	152	0.010	0.008 - 0.012
Missouri	1,063	0.017	0.016 - 0.019	749	0.025	0.023 - 0.027	314	0.010	0.009 - 0.011
Montana	134	0.013	0.011 - 0.015	104	0.020	0.016 - 0.024	29	0.006	0.004 - 0.008
Nebraska	238	0.013	0.011 - 0.014	167	0.018	0.015 - 0.021	71	0.007	0.006 - 0.009
New Hampshire	227	0.017	0.015 - 0.019	177	0.027	0.023 - 0.031	50	0.007	0.006 - 0.010
New Jersey	1,799	0.020	0.019 - 0.021	1,285	0.029	0.028 - 0.031	514	0.011	0.010 - 0.012
New Mexico	459	0.022	0.020 - 0.024	336	0.033	0.029 - 0.036	123	0.012	0.010 - 0.014
New York	5,248	0.026	0.026 - 0.027	3,740	0.039	0.038 - 0.040	1,508	0.015	0.014 - 0.016
North Carolina	1,758	0.017	0.017 - 0.018	1,235	0.025	0.024 - 0.027	523	0.010	0.009 - 0.011
North Dakota	58	0.008	0.006 - 0.010	41	0.011	0.008 - 0.014	17	0.005	0.003 - 0.007
Ohio	1,770	0.015	0.015 - 0.016	1,215	0.021	0.020 - 0.023	555	0.009	0.009 - 0.010
Oklahoma	655	0.017	0.015 - 0.018	446	0.023	0.021 - 0.025	209	0.011	0.009 - 0.012
Oregon	906	0.022	0.021 - 0.024	654	0.033	0.030 - 0.035	252	0.012	0.011 - 0.014
Pennsylvania	2,879	0.023	0.022 - 0.023	2,115	0.034	0.032 - 0.035	764	0.012	0.011 - 0.013
Rhode Island	204	0.019	0.017 - 0.022	154	0.030	0.025 - 0.035	50	0.009	0.007 - 0.012
South Carolina	817	0.017	0.015 - 0.018	591	0.025	0.023 - 0.027	226	0.009	0.008 - 0.010
Tennessee	1,092	0.016	0.016 - 0.018	738	0.023	0.021 - 0.025	354	0.010	0.009 - 0.012
Texas	6,222	0.022	0.022 - 0.023	4,283	0.031	0.030 - 0.032	1,939	0.014	0.013 - 0.015
Utah	345	0.011	0.010 - 0.013	238	0.016	0.014 - 0.018	107	0.007	0.006 - 0.009
Vermont	101	0.016	0.013 - 0.020	78	0.025	0.020 - 0.032	23	0.007	0.005 - 0.011
Virginia	1,365	0.016	0.015 - 0.017	951	0.023	0.022 - 0.025	414	0.010	0.009 - 0.011
Washington	1,701	0.024	0.022 - 0.025	1,204	0.033	0.032 - 0.035	497	0.014	0.013 - 0.015
WA - Seattle	1,267	0.026	0.024 - 0.027	897	0.036	0.034 - 0.039	370	0.015	0.013 - 0.016
West Virginia	277	0.015	0.013 - 0.017	204	0.022	0.020 - 0.026	73	0.008	0.006 - 0.010
Wisconsin	1,045	0.018	0.017 - 0.019	747	0.026	0.024 - 0.028	298	0.010	0.009 - 0.012
Wyoming	84	0.014	0.011 - 0.018	62	0.021	0.016 - 0.027	22	0.008	0.005 - 0.011
NAACCR CDN Combined[1]	**2,083**	**0.015**	**0.014 - 0.016**	**1,468**	**0.021**	**0.020 - 0.022**	**615**	**0.009**	**0.008 - 0.010**
Alberta	660	0.016	0.015 - 0.017	474	0.022	0.020 - 0.024	186	0.009	0.008 - 0.010
British Columbia	886	0.019	0.018 - 0.020	633	0.027	0.025 - 0.029	253	0.011	0.009 - 0.012
Manitoba	154	0.012	0.010 - 0.014	102	0.016	0.013 - 0.019	52	0.008	0.006 - 0.010
New Brunswick	78	0.010	0.008 - 0.013	49	0.013	0.010 - 0.017	29	0.008	0.005 - 0.011
Newfoundland and Labrador	59	0.011	0.008 - 0.014	37	0.014	0.010 - 0.020	22	0.008	0.005 - 0.012
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	138	0.015	0.012 - 0.017	96	0.021	0.017 - 0.025	42	0.009	0.006 - 0.012
Prince Edward Island	25	0.017	0.011 - 0.025	-	-		-	-	
Saskatchewan	77	0.007	0.005 - 0.008	56	0.010	0.007 - 0.013	21	0.004	0.002 - 0.006
NAACCR N.A. Combined[1]	**62,200**	**0.020**	**0.020 - 0.020**	**43,753**	**0.028**	**0.028 - 0.028**	**18,447**	**0.012**	**0.011 - 0.012**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-206 Prevalence – Liver and Intrahepatic Bile Duct

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**60,597**	**0.020**	**0.020 - 0.020**	**30,954**	**0.021**	**0.021 - 0.021**	**29,643**	**0.019**	**0.019 - 0.020**
Alabama	971	0.020	0.019 - 0.021	484	0.021	0.019 - 0.022	487	0.019	0.018 - 0.021
Alaska	97	0.013	0.011 - 0.016	59	0.015	0.012 - 0.020	38	0.011	0.008 - 0.015
Arizona	1,197	0.017	0.016 - 0.018	640	0.019	0.017 - 0.020	557	0.016	0.015 - 0.018
Arkansas	461	0.015	0.014 - 0.017	236	0.016	0.014 - 0.018	225	0.015	0.013 - 0.017
California	6,245	0.016	0.016 - 0.016	3,122	0.016	0.015 - 0.017	3,123	0.016	0.015 - 0.016
CA - Greater California	3,336	0.015	0.015 - 0.016	1,683	0.016	0.015 - 0.016	1,653	0.015	0.014 - 0.016
CA - Greater Bay Area	1,390	0.019	0.018 - 0.020	713	0.019	0.018 - 0.021	677	0.018	0.017 - 0.020
CA - Los Angeles	1,518	0.015	0.014 - 0.016	724	0.015	0.013 - 0.016	794	0.015	0.014 - 0.017
Colorado	870	0.016	0.015 - 0.017	457	0.017	0.015 - 0.018	413	0.015	0.014 - 0.017
Connecticut	953	0.027	0.025 - 0.028	493	0.028	0.026 - 0.031	461	0.025	0.023 - 0.027
Delaware	243	0.026	0.023 - 0.029	128	0.028	0.023 - 0.033	115	0.024	0.019 - 0.028
Florida	5,160	0.025	0.025 - 0.026	2,661	0.027	0.026 - 0.028	2,499	0.024	0.023 - 0.025
Georgia	1,667	0.016	0.015 - 0.017	843	0.017	0.016 - 0.018	823	0.016	0.015 - 0.017
Hawaii	299	0.021	0.019 - 0.023	163	0.023	0.019 - 0.026	136	0.019	0.016 - 0.023
Idaho	283	0.017	0.015 - 0.019	144	0.017	0.015 - 0.020	139	0.017	0.014 - 0.020
Illinois	3,013	0.023	0.023 - 0.024	1,602	0.025	0.024 - 0.027	1,411	0.022	0.020 - 0.023
Iowa	686	0.022	0.020 - 0.024	344	0.022	0.020 - 0.025	342	0.022	0.020 - 0.024
Kentucky	848	0.019	0.018 - 0.020	426	0.020	0.018 - 0.021	422	0.019	0.017 - 0.021
Louisiana	827	0.018	0.017 - 0.019	405	0.018	0.016 - 0.020	422	0.018	0.016 - 0.019
Maine	307	0.023	0.021 - 0.026	162	0.025	0.021 - 0.029	145	0.021	0.018 - 0.025
Maryland	1,425	0.024	0.022 - 0.025	682	0.023	0.022 - 0.025	743	0.024	0.022 - 0.026
Michigan	2,435	0.025	0.024 - 0.026	1,195	0.024	0.023 - 0.026	1,240	0.025	0.023 - 0.026
MI - Detroit	889	0.023	0.021 - 0.025	429	0.023	0.021 - 0.025	460	0.023	0.021 - 0.025
Minnesota	1,161	0.021	0.020 - 0.022	623	0.023	0.021 - 0.025	538	0.019	0.018 - 0.021
Mississippi	580	0.019	0.018 - 0.021	293	0.020	0.018 - 0.023	287	0.019	0.017 - 0.021
Missouri	1,149	0.019	0.018 - 0.020	595	0.020	0.018 - 0.022	554	0.018	0.016 - 0.019
Montana	203	0.020	0.017 - 0.022	115	0.022	0.018 - 0.027	88	0.017	0.014 - 0.021
Nebraska	401	0.021	0.019 - 0.023	200	0.021	0.018 - 0.024	201	0.021	0.018 - 0.024
New Hampshire	302	0.023	0.020 - 0.025	156	0.024	0.020 - 0.028	146	0.022	0.018 - 0.026
New Jersey	2,160	0.024	0.023 - 0.025	1,096	0.025	0.024 - 0.027	1,064	0.023	0.022 - 0.025
New Mexico	309	0.015	0.013 - 0.017	156	0.015	0.013 - 0.018	153	0.015	0.012 - 0.017
New York	5,233	0.026	0.026 - 0.027	2,609	0.027	0.026 - 0.028	2,624	0.026	0.025 - 0.027
North Carolina	1,937	0.019	0.018 - 0.020	972	0.020	0.019 - 0.021	965	0.019	0.017 - 0.020
North Dakota	128	0.017	0.014 - 0.020	68	0.018	0.014 - 0.022	60	0.016	0.012 - 0.021
Ohio	2,275	0.020	0.019 - 0.020	1,119	0.020	0.019 - 0.021	1,156	0.020	0.018 - 0.021
Oklahoma	607	0.016	0.014 - 0.017	320	0.017	0.015 - 0.018	287	0.015	0.013 - 0.016
Oregon	800	0.020	0.018 - 0.021	417	0.021	0.019 - 0.023	383	0.019	0.017 - 0.021
Pennsylvania	3,301	0.026	0.025 - 0.027	1,718	0.027	0.026 - 0.029	1,583	0.024	0.023 - 0.025
Rhode Island	253	0.024	0.021 - 0.027	138	0.027	0.023 - 0.032	115	0.021	0.017 - 0.025
South Carolina	996	0.020	0.019 - 0.022	507	0.021	0.019 - 0.023	489	0.019	0.018 - 0.021
Tennessee	1,183	0.018	0.017 - 0.019	611	0.019	0.017 - 0.020	572	0.017	0.016 - 0.018
Texas	4,580	0.017	0.016 - 0.017	2,330	0.017	0.016 - 0.018	2,250	0.016	0.015 - 0.017
Utah	333	0.011	0.010 - 0.012	185	0.012	0.011 - 0.014	148	0.010	0.008 - 0.012
Vermont	141	0.023	0.019 - 0.027	82	0.027	0.021 - 0.033	59	0.019	0.014 - 0.024
Virginia	1,402	0.017	0.016 - 0.018	724	0.018	0.016 - 0.019	678	0.016	0.015 - 0.017
Washington	1,396	0.019	0.018 - 0.020	727	0.020	0.019 - 0.022	669	0.019	0.017 - 0.020
WA - Seattle	965	0.019	0.018 - 0.021	492	0.020	0.018 - 0.022	472	0.019	0.017 - 0.021
West Virginia	305	0.017	0.015 - 0.019	156	0.017	0.015 - 0.020	149	0.016	0.014 - 0.019
Wisconsin	1,383	0.024	0.023 - 0.025	740	0.026	0.024 - 0.028	643	0.022	0.020 - 0.024
Wyoming	92	0.016	0.013 - 0.019	51	0.017	0.013 - 0.023	41	0.014	0.010 - 0.019
NAACCR CDN Combined[1]	**2,044**	**0.015**	**0.014 - 0.015**	**1,043**	**0.015**	**0.014 - 0.016**	**1,001**	**0.014**	**0.014 - 0.015**
Alberta	543	0.013	0.012 - 0.014	284	0.013	0.012 - 0.015	259	0.013	0.011 - 0.014
British Columbia	759	0.016	0.015 - 0.017	367	0.016	0.014 - 0.017	392	0.016	0.015 - 0.018
Manitoba	213	0.016	0.014 - 0.019	106	0.016	0.013 - 0.020	107	0.016	0.013 - 0.020
New Brunswick	153	0.020	0.017 - 0.024	88	0.024	0.019 - 0.029	65	0.017	0.013 - 0.022
Newfoundland and Labrador	67	0.013	0.010 - 0.016	31	0.012	0.008 - 0.017	36	0.013	0.009 - 0.019
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	145	0.015	0.013 - 0.018	80	0.017	0.014 - 0.021	65	0.013	0.010 - 0.017
Prince Edward Island	22	0.015	0.009 - 0.022	12	0.017	0.009 - 0.029	10	0.013	0.006 - 0.024
Saskatchewan	140	0.012	0.010 - 0.014	73	0.013	0.010 - 0.016	67	0.012	0.009 - 0.015
NAACCR N.A. Combined[1]	**62,641**	**0.020**	**0.020 - 0.020**	**31,997**	**0.021**	**0.020 - 0.021**	**30,644**	**0.019**	**0.019 - 0.019**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**63,897**	**0.021**	**0.021 - 0.021**	**50,810**	**0.034**	**0.034 - 0.035**	**13,087**	**0.009**	**0.008 - 0.009**
Alabama	1,411	0.029	0.028 - 0.031	1,137	0.048	0.046 - 0.051	274	0.011	0.010 - 0.012
Alaska	108	0.015	0.012 - 0.018	96	0.025	0.020 - 0.030	12	0.003	0.002 - 0.006
Arizona	875	0.013	0.012 - 0.014	712	0.021	0.019 - 0.022	163	0.005	0.004 - 0.006
Arkansas	787	0.026	0.025 - 0.028	604	0.041	0.038 - 0.045	183	0.012	0.010 - 0.014
California	4,672	0.012	0.012 - 0.012	3,887	0.020	0.019 - 0.021	784	0.004	0.004 - 0.004
CA - Greater California	2,653	0.012	0.012 - 0.013	2,177	0.020	0.019 - 0.021	477	0.004	0.004 - 0.005
CA - Greater Bay Area	824	0.011	0.010 - 0.012	705	0.019	0.018 - 0.021	119	0.003	0.003 - 0.004
CA - Los Angeles	1,196	0.012	0.011 - 0.012	1,006	0.020	0.019 - 0.021	190	0.004	0.003 - 0.004
Colorado	708	0.013	0.012 - 0.014	570	0.021	0.019 - 0.022	138	0.005	0.004 - 0.006
Connecticut	871	0.024	0.023 - 0.026	698	0.040	0.037 - 0.043	173	0.009	0.008 - 0.011
Delaware	234	0.025	0.022 - 0.028	178	0.039	0.033 - 0.045	56	0.011	0.009 - 0.015
Florida	5,579	0.027	0.027 - 0.028	4,543	0.045	0.044 - 0.047	1,036	0.010	0.009 - 0.011
Georgia	2,099	0.020	0.020 - 0.021	1,712	0.034	0.033 - 0.036	387	0.007	0.007 - 0.008
Hawaii	213	0.015	0.013 - 0.017	187	0.026	0.022 - 0.030	26	0.004	0.002 - 0.005
Idaho	230	0.014	0.012 - 0.016	180	0.022	0.019 - 0.025	50	0.006	0.004 - 0.008
Illinois	3,113	0.024	0.023 - 0.025	2,450	0.039	0.037 - 0.040	663	0.010	0.009 - 0.011
Iowa	820	0.026	0.024 - 0.028	659	0.042	0.039 - 0.046	161	0.010	0.009 - 0.012
Kentucky	1,526	0.034	0.033 - 0.036	1,148	0.053	0.050 - 0.056	378	0.017	0.015 - 0.019
Louisiana	1,369	0.029	0.028 - 0.031	1,066	0.047	0.044 - 0.049	303	0.013	0.011 - 0.014
Maine	389	0.029	0.026 - 0.032	302	0.046	0.041 - 0.052	87	0.013	0.010 - 0.016
Maryland	1,177	0.020	0.018 - 0.021	922	0.032	0.030 - 0.034	255	0.008	0.007 - 0.009
Michigan	2,565	0.026	0.025 - 0.027	1,993	0.041	0.039 - 0.043	572	0.011	0.010 - 0.012
MI - Detroit	1,044	0.027	0.025 - 0.029	803	0.043	0.040 - 0.046	241	0.012	0.011 - 0.014
Minnesota	1,068	0.019	0.018 - 0.021	862	0.031	0.029 - 0.034	206	0.007	0.006 - 0.009
Mississippi	873	0.029	0.027 - 0.031	704	0.049	0.045 - 0.052	169	0.011	0.009 - 0.013
Missouri	1,661	0.027	0.026 - 0.029	1,288	0.043	0.041 - 0.046	373	0.012	0.011 - 0.013
Montana	194	0.019	0.016 - 0.022	149	0.029	0.024 - 0.034	44	0.009	0.006 - 0.012
Nebraska	380	0.020	0.018 - 0.022	292	0.031	0.027 - 0.035	88	0.009	0.007 - 0.011
New Hampshire	353	0.026	0.024 - 0.029	275	0.042	0.037 - 0.047	78	0.012	0.009 - 0.014
New Jersey	1,849	0.021	0.020 - 0.022	1,473	0.034	0.032 - 0.035	376	0.008	0.007 - 0.009
New Mexico	285	0.014	0.012 - 0.015	237	0.023	0.020 - 0.026	48	0.005	0.003 - 0.006
New York	4,490	0.023	0.022 - 0.023	3,548	0.037	0.036 - 0.038	942	0.009	0.009 - 0.010
North Carolina	2,535	0.025	0.024 - 0.026	1,970	0.040	0.038 - 0.042	565	0.011	0.010 - 0.012
North Dakota	161	0.021	0.018 - 0.025	133	0.034	0.029 - 0.041	28	0.008	0.005 - 0.011
Ohio	3,247	0.028	0.027 - 0.029	2,499	0.044	0.042 - 0.046	748	0.013	0.012 - 0.014
Oklahoma	886	0.023	0.021 - 0.024	669	0.035	0.032 - 0.037	217	0.011	0.010 - 0.013
Oregon	663	0.016	0.015 - 0.018	536	0.027	0.024 - 0.029	127	0.006	0.005 - 0.007
Pennsylvania	3,393	0.027	0.026 - 0.027	2,630	0.042	0.040 - 0.044	763	0.012	0.011 - 0.013
Rhode Island	299	0.028	0.025 - 0.032	227	0.044	0.039 - 0.050	72	0.013	0.010 - 0.017
South Carolina	1,403	0.028	0.027 - 0.030	1,153	0.048	0.045 - 0.051	250	0.010	0.009 - 0.011
Tennessee	1,776	0.027	0.026 - 0.028	1,365	0.042	0.040 - 0.045	411	0.012	0.011 - 0.013
Texas	4,378	0.016	0.015 - 0.016	3,562	0.026	0.025 - 0.027	816	0.006	0.005 - 0.006
Utah	229	0.008	0.007 - 0.009	187	0.012	0.011 - 0.014	42	0.003	0.002 - 0.004
Vermont	174	0.028	0.024 - 0.032	139	0.045	0.038 - 0.053	35	0.011	0.008 - 0.015
Virginia	1,609	0.019	0.018 - 0.020	1,299	0.031	0.030 - 0.033	310	0.007	0.006 - 0.008
Washington	1,129	0.016	0.015 - 0.017	915	0.025	0.024 - 0.027	214	0.006	0.005 - 0.007
WA - Seattle	753	0.015	0.014 - 0.016	619	0.025	0.023 - 0.027	134	0.005	0.005 - 0.006
West Virginia	673	0.037	0.034 - 0.040	490	0.054	0.049 - 0.059	183	0.020	0.017 - 0.023
Wisconsin	1,345	0.023	0.022 - 0.025	1,085	0.038	0.036 - 0.040	260	0.009	0.008 - 0.010
Wyoming	100	0.017	0.014 - 0.021	79	0.026	0.021 - 0.033	21	0.007	0.005 - 0.011
NAACCR CDN Combined[1]	**2,079**	**0.015**	**0.014 - 0.016**	**1,750**	**0.025**	**0.024 - 0.027**	**329**	**0.005**	**0.004 - 0.005**
Alberta	453	0.011	0.010 - 0.012	383	0.018	0.016 - 0.020	70	0.003	0.003 - 0.004
British Columbia	675	0.014	0.013 - 0.015	571	0.024	0.022 - 0.026	104	0.004	0.004 - 0.005
Manitoba	208	0.016	0.014 - 0.018	178	0.027	0.024 - 0.032	30	0.005	0.003 - 0.007
New Brunswick	156	0.021	0.018 - 0.024	136	0.036	0.031 - 0.043	20	0.005	0.003 - 0.008
Newfoundland and Labrador	156	0.029	0.025 - 0.034	136	0.052	0.044 - 0.062	20	0.007	0.005 - 0.012
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	237	0.025	0.022 - 0.028	184	0.040	0.034 - 0.046	53	0.011	0.008 - 0.014
Prince Edward Island	34	0.023	0.016 - 0.032	-	-		-	-	
Saskatchewan	154	0.014	0.011 - 0.016	125	0.022	0.018 - 0.026	29	0.005	0.003 - 0.007
NAACCR N.A. Combined[1]	**65,976**	**0.021**	**0.021 - 0.021**	**52,560**	**0.034**	**0.034 - 0.034**	**13,416**	**0.008**	**0.008 - 0.009**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-208 Prevalence – Larynx

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**449,851**	**0.149**	**0.149 - 0.150**	**207,462**	**0.140**	**0.139 - 0.140**	**242,389**	**0.158**	**0.158 - 0.159**
Alabama	7,543	0.155	0.152 - 0.159	3,887	0.165	0.160 - 0.170	3,656	0.146	0.141 - 0.151
Alaska	724	0.098	0.091 - 0.105	372	0.096	0.087 - 0.106	352	0.100	0.090 - 0.111
Arizona	8,337	0.122	0.119 - 0.124	3,652	0.107	0.104 - 0.111	4,685	0.136	0.132 - 0.140
Arkansas	5,570	0.187	0.182 - 0.192	2,822	0.193	0.186 - 0.200	2,748	0.181	0.174 - 0.188
California	37,342	0.095	0.094 - 0.096	16,289	0.084	0.082 - 0.085	21,054	0.107	0.105 - 0.108
CA - Greater California	21,654	0.100	0.099 - 0.101	9,268	0.086	0.084 - 0.088	12,387	0.114	0.112 - 0.116
CA - Greater Bay Area	7,626	0.103	0.101 - 0.106	3,417	0.093	0.090 - 0.096	4,208	0.114	0.110 - 0.117
CA - Los Angeles	8,095	0.080	0.078 - 0.082	3,620	0.072	0.070 - 0.075	4,475	0.087	0.085 - 0.090
Colorado	5,389	0.098	0.096 - 0.101	2,383	0.086	0.083 - 0.090	3,006	0.110	0.106 - 0.114
Connecticut	6,912	0.192	0.188 - 0.197	2,984	0.170	0.164 - 0.177	3,928	0.214	0.207 - 0.220
Delaware	1,821	0.192	0.183 - 0.201	839	0.183	0.171 - 0.196	982	0.201	0.188 - 0.214
Florida	39,132	0.191	0.189 - 0.193	18,234	0.182	0.180 - 0.185	20,898	0.200	0.197 - 0.203
Georgia	13,458	0.131	0.129 - 0.133	6,585	0.132	0.129 - 0.135	6,873	0.131	0.128 - 0.134
Hawaii	1,720	0.121	0.115 - 0.126	827	0.115	0.108 - 0.123	893	0.126	0.118 - 0.134
Idaho	1,832	0.110	0.105 - 0.115	832	0.100	0.093 - 0.107	1,000	0.120	0.113 - 0.128
Illinois	22,094	0.172	0.170 - 0.174	10,049	0.159	0.156 - 0.162	12,045	0.184	0.181 - 0.188
Iowa	4,870	0.156	0.152 - 0.160	2,314	0.149	0.143 - 0.155	2,556	0.163	0.156 - 0.169
Kentucky	9,552	0.216	0.211 - 0.220	4,557	0.209	0.203 - 0.215	4,995	0.222	0.216 - 0.228
Louisiana	6,763	0.145	0.141 - 0.148	3,395	0.148	0.143 - 0.153	3,368	0.141	0.136 - 0.146
Maine	2,914	0.219	0.211 - 0.227	1,295	0.199	0.188 - 0.210	1,619	0.239	0.227 - 0.251
Maryland	9,224	0.153	0.150 - 0.157	4,019	0.138	0.134 - 0.142	5,205	0.168	0.163 - 0.173
Michigan	18,637	0.188	0.185 - 0.190	8,565	0.175	0.172 - 0.179	10,072	0.200	0.196 - 0.204
MI - Detroit	7,121	0.184	0.180 - 0.188	3,148	0.168	0.162 - 0.174	3,973	0.199	0.193 - 0.206
Minnesota	8,386	0.152	0.149 - 0.156	3,725	0.136	0.132 - 0.140	4,661	0.169	0.164 - 0.173
Mississippi	4,997	0.167	0.163 - 0.172	2,601	0.180	0.173 - 0.187	2,396	0.156	0.150 - 0.162
Missouri	11,072	0.182	0.179 - 0.185	5,177	0.173	0.169 - 0.178	5,895	0.190	0.186 - 0.195
Montana	1,509	0.146	0.139 - 0.154	627	0.120	0.111 - 0.130	883	0.172	0.161 - 0.184
Nebraska	2,652	0.140	0.134 - 0.145	1,235	0.130	0.123 - 0.138	1,417	0.149	0.141 - 0.157
New Hampshire	2,661	0.200	0.192 - 0.207	1,129	0.171	0.161 - 0.181	1,532	0.228	0.216 - 0.239
New Jersey	14,637	0.163	0.161 - 0.166	6,077	0.139	0.135 - 0.142	8,561	0.186	0.182 - 0.190
New Mexico	1,856	0.089	0.085 - 0.093	858	0.083	0.078 - 0.089	999	0.095	0.089 - 0.101
New York	35,356	0.178	0.176 - 0.180	15,416	0.160	0.158 - 0.163	19,940	0.195	0.193 - 0.198
North Carolina	17,308	0.171	0.169 - 0.174	8,341	0.170	0.166 - 0.173	8,967	0.173	0.170 - 0.177
North Dakota	1,105	0.146	0.138 - 0.155	534	0.138	0.126 - 0.150	571	0.155	0.143 - 0.169
Ohio	20,231	0.174	0.172 - 0.177	9,514	0.167	0.164 - 0.171	10,717	0.181	0.177 - 0.184
Oklahoma	5,770	0.147	0.144 - 0.151	2,858	0.147	0.142 - 0.153	2,912	0.148	0.142 - 0.153
Oregon	5,724	0.141	0.138 - 0.145	2,555	0.127	0.122 - 0.132	3,169	0.155	0.150 - 0.160
Pennsylvania	24,194	0.189	0.187 - 0.192	10,889	0.174	0.171 - 0.177	13,305	0.204	0.200 - 0.207
Rhode Island	2,182	0.206	0.198 - 0.215	891	0.174	0.162 - 0.185	1,291	0.238	0.225 - 0.251
South Carolina	8,214	0.167	0.163 - 0.170	4,070	0.170	0.165 - 0.175	4,144	0.164	0.159 - 0.169
Tennessee	12,119	0.183	0.180 - 0.186	5,947	0.184	0.180 - 0.189	6,172	0.182	0.177 - 0.187
Texas	27,932	0.101	0.100 - 0.102	13,622	0.099	0.097 - 0.101	14,310	0.103	0.101 - 0.104
Utah	1,366	0.045	0.043 - 0.048	632	0.042	0.038 - 0.045	734	0.049	0.046 - 0.053
Vermont	1,247	0.200	0.189 - 0.211	536	0.174	0.160 - 0.189	711	0.225	0.209 - 0.242
Virginia	11,822	0.141	0.138 - 0.143	5,563	0.135	0.131 - 0.138	6,259	0.147	0.143 - 0.150
Washington	9,722	0.135	0.132 - 0.137	4,288	0.119	0.115 - 0.123	5,434	0.150	0.147 - 0.155
WA - Seattle	6,744	0.136	0.133 - 0.139	2,963	0.119	0.115 - 0.124	3,782	0.152	0.147 - 0.157
West Virginia	4,063	0.222	0.215 - 0.228	1,970	0.217	0.208 - 0.227	2,093	0.226	0.216 - 0.236
Wisconsin	9,290	0.161	0.158 - 0.164	4,230	0.148	0.143 - 0.152	5,060	0.175	0.170 - 0.179
Wyoming	600	0.102	0.094 - 0.111	279	0.093	0.083 - 0.105	321	0.112	0.100 - 0.125
NAACCR CDN Combined[1]	**19,559**	**0.142**	**0.140 - 0.144**	**8,690**	**0.126**	**0.123 - 0.129**	**10,869**	**0.157**	**0.154 - 0.160**
Alberta	4,482	0.107	0.103 - 0.110	1,916	0.090	0.086 - 0.094	2,566	0.124	0.119 - 0.129
British Columbia	6,671	0.141	0.138 - 0.145	2,937	0.125	0.121 - 0.130	3,734	0.157	0.152 - 0.162
Manitoba	1,982	0.152	0.145 - 0.159	838	0.129	0.120 - 0.138	1,144	0.174	0.164 - 0.185
New Brunswick	1,729	0.229	0.218 - 0.240	850	0.228	0.213 - 0.243	879	0.230	0.215 - 0.246
Newfoundland and Labrador	1,017	0.192	0.180 - 0.204	537	0.206	0.189 - 0.224	480	0.179	0.163 - 0.196
Northwest Territory	32	0.072	0.049 - 0.102	18	0.079	0.047 - 0.125	14	0.064	0.035 - 0.108
Nova Scotia	1,960	0.207	0.198 - 0.217	879	0.190	0.177 - 0.203	1,081	0.224	0.211 - 0.238
Prince Edward Island	236	0.159	0.140 - 0.181	97	0.134	0.109 - 0.164	139	0.183	0.154 - 0.216
Saskatchewan	1,450	0.127	0.121 - 0.134	618	0.108	0.099 - 0.116	832	0.147	0.137 - 0.158
NAACCR N.A. Combined[1]	**469,410**	**0.149**	**0.148 - 0.149**	**216,152**	**0.139**	**0.139 - 0.140**	**253,258**	**0.158**	**0.158 - 0.159**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**494,372**	**0.164**	**0.164 - 0.164**	**273,370**	**0.184**	**0.184 - 0.185**	**221,002**	**0.144**	**0.144 - 0.145**
Alabama	8,187	0.169	0.165 - 0.172	4,649	0.198	0.192 - 0.203	3,538	0.141	0.137 - 0.146
Alaska	674	0.091	0.084 - 0.098	346	0.089	0.080 - 0.099	328	0.093	0.083 - 0.104
Arizona	9,842	0.144	0.141 - 0.146	5,892	0.173	0.168 - 0.177	3,950	0.115	0.111 - 0.118
Arkansas	4,248	0.142	0.138 - 0.147	2,458	0.168	0.161 - 0.175	1,790	0.118	0.113 - 0.124
California	61,484	0.157	0.156 - 0.158	34,850	0.179	0.177 - 0.181	26,634	0.135	0.134 - 0.137
CA - Greater California	38,268	0.177	0.175 - 0.178	21,701	0.201	0.198 - 0.204	16,568	0.153	0.150 - 0.155
CA - Greater Bay Area	13,475	0.183	0.180 - 0.186	7,567	0.206	0.202 - 0.211	5,908	0.160	0.156 - 0.164
CA - Los Angeles	9,777	0.096	0.095 - 0.098	5,611	0.112	0.109 - 0.115	4,167	0.081	0.079 - 0.084
Colorado	9,055	0.165	0.162 - 0.169	4,958	0.180	0.175 - 0.185	4,097	0.150	0.146 - 0.155
Connecticut	6,994	0.195	0.190 - 0.199	3,780	0.216	0.209 - 0.223	3,213	0.175	0.169 - 0.181
Delaware	2,313	0.244	0.234 - 0.254	1,321	0.288	0.272 - 0.304	992	0.203	0.190 - 0.216
Florida	37,824	0.185	0.183 - 0.187	22,569	0.226	0.223 - 0.229	15,255	0.146	0.144 - 0.148
Georgia	18,070	0.176	0.174 - 0.179	10,138	0.203	0.199 - 0.207	7,932	0.151	0.147 - 0.154
Hawaii	2,466	0.173	0.166 - 0.180	1,484	0.207	0.197 - 0.218	981	0.138	0.130 - 0.147
Idaho	3,249	0.195	0.189 - 0.202	1,829	0.219	0.209 - 0.230	1,420	0.171	0.162 - 0.180
Illinois	19,120	0.149	0.147 - 0.151	10,094	0.160	0.157 - 0.163	9,026	0.138	0.135 - 0.141
Iowa	6,300	0.202	0.197 - 0.207	3,263	0.210	0.203 - 0.217	3,037	0.193	0.186 - 0.200
Kentucky	8,897	0.201	0.197 - 0.205	4,761	0.218	0.212 - 0.225	4,136	0.184	0.178 - 0.190
Louisiana	5,605	0.120	0.117 - 0.123	3,306	0.144	0.140 - 0.149	2,299	0.096	0.092 - 0.100
Maine	3,081	0.232	0.224 - 0.240	1,630	0.250	0.238 - 0.263	1,451	0.214	0.203 - 0.225
Maryland	10,666	0.177	0.174 - 0.181	6,002	0.206	0.201 - 0.211	4,664	0.151	0.146 - 0.155
Michigan	15,743	0.159	0.156 - 0.161	8,338	0.171	0.167 - 0.174	7,405	0.147	0.144 - 0.150
MI - Detroit	5,405	0.140	0.136 - 0.143	2,846	0.152	0.146 - 0.158	2,559	0.128	0.123 - 0.133
Minnesota	12,774	0.232	0.228 - 0.236	6,665	0.243	0.238 - 0.249	6,109	0.221	0.215 - 0.227
Mississippi	3,863	0.129	0.125 - 0.134	2,151	0.149	0.142 - 0.155	1,712	0.111	0.106 - 0.117
Missouri	9,168	0.151	0.148 - 0.154	5,180	0.174	0.169 - 0.178	3,988	0.129	0.125 - 0.133
Montana	2,070	0.200	0.192 - 0.209	1,120	0.215	0.203 - 0.228	950	0.185	0.174 - 0.197
Nebraska	3,066	0.161	0.156 - 0.167	1,563	0.165	0.157 - 0.173	1,503	0.158	0.150 - 0.166
New Hampshire	3,420	0.257	0.248 - 0.265	1,811	0.275	0.262 - 0.287	1,609	0.239	0.228 - 0.251
New Jersey	16,454	0.183	0.181 - 0.186	8,975	0.205	0.201 - 0.209	7,478	0.163	0.159 - 0.167
New Mexico	2,758	0.132	0.127 - 0.137	1,585	0.154	0.146 - 0.161	1,174	0.112	0.105 - 0.118
New York	29,539	0.149	0.147 - 0.151	15,985	0.166	0.164 - 0.169	13,554	0.133	0.131 - 0.135
North Carolina	18,845	0.187	0.184 - 0.189	10,446	0.212	0.208 - 0.217	8,399	0.162	0.159 - 0.166
North Dakota	1,277	0.169	0.160 - 0.179	638	0.164	0.152 - 0.178	639	0.174	0.161 - 0.188
Ohio	20,418	0.176	0.173 - 0.178	10,663	0.187	0.184 - 0.191	9,755	0.165	0.161 - 0.168
Oklahoma	5,379	0.137	0.134 - 0.141	3,089	0.159	0.154 - 0.165	2,290	0.116	0.111 - 0.121
Oregon	9,331	0.230	0.226 - 0.235	4,834	0.241	0.234 - 0.248	4,497	0.220	0.214 - 0.226
Pennsylvania	24,865	0.194	0.192 - 0.197	13,441	0.215	0.211 - 0.218	11,424	0.175	0.172 - 0.178
Rhode Island	2,093	0.198	0.190 - 0.207	1,098	0.214	0.201 - 0.227	995	0.183	0.172 - 0.195
South Carolina	9,137	0.185	0.182 - 0.189	5,094	0.213	0.207 - 0.219	4,043	0.160	0.155 - 0.165
Tennessee	11,066	0.167	0.164 - 0.170	6,045	0.187	0.183 - 0.192	5,021	0.148	0.144 - 0.152
Texas	23,822	0.086	0.085 - 0.087	13,613	0.099	0.097 - 0.101	10,209	0.073	0.072 - 0.075
Utah	6,469	0.215	0.209 - 0.220	3,668	0.242	0.234 - 0.250	2,801	0.187	0.180 - 0.194
Vermont	1,868	0.299	0.286 - 0.313	1,011	0.328	0.308 - 0.349	857	0.271	0.254 - 0.290
Virginia	12,772	0.152	0.150 - 0.155	7,072	0.171	0.167 - 0.175	5,700	0.134	0.130 - 0.137
Washington	14,986	0.208	0.204 - 0.211	7,818	0.217	0.212 - 0.222	7,168	0.199	0.194 - 0.203
WA - Seattle	11,437	0.230	0.226 - 0.234	5,999	0.242	0.236 - 0.248	5,438	0.219	0.213 - 0.225
West Virginia	3,334	0.182	0.176 - 0.188	1,807	0.199	0.190 - 0.209	1,527	0.165	0.157 - 0.173
Wisconsin	10,746	0.186	0.183 - 0.190	5,779	0.202	0.196 - 0.207	4,967	0.171	0.167 - 0.176
Wyoming	1,034	0.177	0.166 - 0.188	551	0.184	0.169 - 0.200	483	0.169	0.154 - 0.184
NAACCR CDN Combined[1]	**19,470**	**0.141**	**0.139 - 0.143**	**9,868**	**0.143**	**0.140 - 0.146**	**9,602**	**0.139**	**0.136 - 0.142**
Alberta	4,635	0.110	0.107 - 0.113	2,313	0.108	0.104 - 0.113	2,322	0.112	0.108 - 0.117
British Columbia	7,655	0.162	0.158 - 0.166	3,983	0.170	0.165 - 0.175	3,672	0.154	0.149 - 0.159
Manitoba	1,410	0.108	0.102 - 0.114	710	0.109	0.101 - 0.118	700	0.107	0.099 - 0.115
New Brunswick	1,307	0.173	0.164 - 0.183	641	0.172	0.159 - 0.186	666	0.174	0.161 - 0.188
Newfoundland and Labrador	724	0.137	0.127 - 0.147	370	0.142	0.128 - 0.157	354	0.132	0.118 - 0.146
Northwest Territory	25	0.056	0.036 - 0.083	11	0.048	0.024 - 0.087	14	0.064	0.035 - 0.108
Nova Scotia	2,229	0.236	0.226 - 0.246	1,123	0.242	0.228 - 0.257	1,106	0.230	0.216 - 0.243
Prince Edward Island	355	0.240	0.215 - 0.266	179	0.248	0.213 - 0.287	176	0.232	0.199 - 0.269
Saskatchewan	1,130	0.099	0.093 - 0.105	538	0.094	0.086 - 0.102	592	0.105	0.096 - 0.114
NAACCR N.A. Combined[1]	**513,842**	**0.163**	**0.163 - 0.163**	**283,238**	**0.182**	**0.182 - 0.183**	**230,604**	**0.144**	**0.144 - 0.145**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-210 Prevalence – Melanoma of the Skin

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**1,647,582**	**1.077**	**1.075 - 1.078**
Alabama	-	-		-	-		26,851	1.073	1.060 - 1.086
Alaska	-	-		-	-		3,304	0.937	0.906 - 0.970
Arizona	-	-		-	-		32,935	0.955	0.945 - 0.966
Arkansas	-	-		-	-		15,231	1.004	0.988 - 1.020
California	-	-		-	-		196,424	0.997	0.992 - 1.001
CA - Greater California	-	-		-	-		107,967	0.994	0.988 - 1.000
CA - Greater Bay Area	-	-		-	-		40,691	1.099	1.088 - 1.110
CA - Los Angeles	-	-		-	-		47,834	0.930	0.922 - 0.939
Colorado	-	-		-	-		27,748	1.017	1.005 - 1.029
Connecticut	-	-		-	-		24,742	1.345	1.329 - 1.362
Delaware	-	-		-	-		5,794	1.184	1.154 - 1.215
Florida	-	-		-	-		115,344	1.103	1.097 - 1.109
Georgia	-	-		-	-		50,478	0.959	0.951 - 0.968
Hawaii	-	-		-	-		8,725	1.228	1.203 - 1.255
Idaho	-	-		-	-		8,165	0.983	0.962 - 1.004
Illinois	-	-		-	-		75,116	1.149	1.141 - 1.157
Iowa	-	-		-	-		17,930	1.141	1.125 - 1.158
Kentucky	-	-		-	-		24,885	1.107	1.094 - 1.121
Louisiana	-	-		-	-		23,954	1.002	0.990 - 1.015
Maine	-	-		-	-		9,163	1.351	1.324 - 1.379
Maryland	-	-		-	-		35,537	1.147	1.135 - 1.159
Michigan	-	-		-	-		57,016	1.131	1.121 - 1.140
MI - Detroit	-	-		-	-		23,771	1.192	1.177 - 1.207
Minnesota	-	-		-	-		32,306	1.168	1.156 - 1.181
Mississippi	-	-		-	-		14,882	0.968	0.952 - 0.984
Missouri	-	-		-	-		35,147	1.135	1.123 - 1.147
Montana	-	-		-	-		6,012	1.171	1.142 - 1.201
Nebraska	-	-		-	-		10,222	1.072	1.052 - 1.093
New Hampshire	-	-		-	-		9,263	1.376	1.349 - 1.405
New Jersey	-	-		-	-		55,930	1.218	1.208 - 1.228
New Mexico	-	-		-	-		10,393	0.988	0.969 - 1.007
New York	-	-		-	-		120,986	1.185	1.179 - 1.192
North Carolina	-	-		-	-		58,016	1.120	1.111 - 1.129
North Dakota	-	-		-	-		3,899	1.061	1.028 - 1.095
Ohio	-	-		-	-		67,475	1.139	1.130 - 1.147
Oklahoma	-	-		-	-		19,520	0.989	0.975 - 1.003
Oregon	-	-		-	-		23,943	1.171	1.156 - 1.186
Pennsylvania	-	-		-	-		81,512	1.248	1.240 - 1.257
Rhode Island	-	-		-	-		7,090	1.304	1.274 - 1.335
South Carolina	-	-		-	-		27,850	1.099	1.086 - 1.112
Tennessee	-	-		-	-		36,298	1.070	1.059 - 1.081
Texas	-	-		-	-		116,779	0.838	0.833 - 0.843
Utah	-	-		-	-		10,708	0.715	0.702 - 0.729
Vermont	-	-		-	-		4,289	1.358	1.318 - 1.400
Virginia	-	-		-	-		46,369	1.088	1.078 - 1.098
Washington	-	-		-	-		41,660	1.154	1.143 - 1.165
WA - Seattle	-	-		-	-		29,803	1.199	1.185 - 1.213
West Virginia	-	-		-	-		10,701	1.154	1.132 - 1.176
Wisconsin	-	-		-	-		34,248	1.181	1.169 - 1.194
Wyoming	-	-		-	-		2,741	0.957	0.921 - 0.993
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**70,506**	**1.021**	**1.014 - 1.029**
Alberta	-	-		-	-		18,245	0.881	0.868 - 0.894
British Columbia	-	-		-	-		25,632	1.077	1.064 - 1.090
Manitoba	-	-		-	-		6,551	0.998	0.974 - 1.022
New Brunswick	-	-		-	-		4,487	1.174	1.140 - 1.209
Newfoundland and Labrador	-	-		-	-		3,087	1.150	1.110 - 1.191
Northwest Territory	-	-		-	-		175	0.805	0.690 - 0.934
Nova Scotia	-	-		-	-		5,878	1.220	1.189 - 1.252
Prince Edward Island	-	-		-	-		863	1.137	1.062 - 1.215
Saskatchewan	-	-		-	-		5,588	0.989	0.963 - 1.015
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**1,718,088**	**1.074**	**1.073 - 1.076**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**79,421**	**0.052**	**0.052 - 0.052**
Alabama	-	-		-	-		1,346	0.054	0.051 - 0.057
Alaska	-	-		-	-		179	0.051	0.044 - 0.059
Arizona	-	-		-	-		1,508	0.044	0.042 - 0.046
Arkansas	-	-		-	-		943	0.062	0.058 - 0.066
California	-	-		-	-		9,932	0.050	0.049 - 0.051
CA - Greater California	-	-		-	-		5,353	0.049	0.048 - 0.051
CA - Greater Bay Area	-	-		-	-		1,676	0.045	0.043 - 0.047
CA - Los Angeles	-	-		-	-		2,896	0.056	0.054 - 0.058
Colorado	-	-		-	-		1,162	0.043	0.040 - 0.045
Connecticut	-	-		-	-		874	0.048	0.044 - 0.051
Delaware	-	-		-	-		282	0.058	0.051 - 0.065
Florida	-	-		-	-		6,151	0.059	0.057 - 0.060
Georgia	-	-		-	-		2,562	0.049	0.047 - 0.051
Hawaii	-	-		-	-		378	0.053	0.048 - 0.059
Idaho	-	-		-	-		328	0.039	0.035 - 0.044
Illinois	-	-		-	-		3,701	0.057	0.055 - 0.058
Iowa	-	-		-	-		739	0.047	0.044 - 0.051
Kentucky	-	-		-	-		1,285	0.057	0.054 - 0.060
Louisiana	-	-		-	-		1,351	0.057	0.054 - 0.060
Maine	-	-		-	-		315	0.046	0.041 - 0.052
Maryland	-	-		-	-		1,411	0.046	0.043 - 0.048
Michigan	-	-		-	-		2,429	0.048	0.046 - 0.050
MI - Detroit	-	-		-	-		991	0.050	0.047 - 0.053
Minnesota	-	-		-	-		1,148	0.042	0.039 - 0.044
Mississippi	-	-		-	-		862	0.056	0.052 - 0.060
Missouri	-	-		-	-		1,653	0.053	0.051 - 0.056
Montana	-	-		-	-		230	0.045	0.039 - 0.051
Nebraska	-	-		-	-		446	0.047	0.043 - 0.051
New Hampshire	-	-		-	-		262	0.039	0.034 - 0.044
New Jersey	-	-		-	-		2,611	0.057	0.055 - 0.059
New Mexico	-	-		-	-		504	0.048	0.044 - 0.052
New York	-	-		-	-		5,861	0.057	0.056 - 0.059
North Carolina	-	-		-	-		2,505	0.048	0.046 - 0.050
North Dakota	-	-		-	-		124	0.034	0.028 - 0.040
Ohio	-	-		-	-		3,043	0.051	0.050 - 0.053
Oklahoma	-	-		-	-		1,159	0.059	0.055 - 0.062
Oregon	-	-		-	-		983	0.048	0.045 - 0.051
Pennsylvania	-	-		-	-		3,478	0.053	0.052 - 0.055
Rhode Island	-	-		-	-		287	0.053	0.047 - 0.059
South Carolina	-	-		-	-		1,274	0.050	0.048 - 0.053
Tennessee	-	-		-	-		1,893	0.056	0.053 - 0.058
Texas	-	-		-	-		8,027	0.058	0.056 - 0.059
Utah	-	-		-	-		444	0.030	0.027 - 0.033
Vermont	-	-		-	-		109	0.035	0.028 - 0.042
Virginia	-	-		-	-		1,844	0.043	0.041 - 0.045
Washington	-	-		-	-		1,771	0.049	0.047 - 0.051
WA - Seattle	-	-		-	-		1,268	0.051	0.048 - 0.054
West Virginia	-	-		-	-		598	0.064	0.059 - 0.070
Wisconsin	-	-		-	-		1,297	0.045	0.042 - 0.047
Wyoming	-	-		-	-		133	0.047	0.039 - 0.055
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**3,926**	**0.057**	**0.055 - 0.059**
Alberta	-	-		-	-		1,188	0.057	0.054 - 0.061
British Columbia	-	-		-	-		1,337	0.056	0.053 - 0.059
Manitoba	-	-		-	-		346	0.053	0.047 - 0.059
New Brunswick	-	-		-	-		193	0.050	0.044 - 0.058
Newfoundland and Labrador	-	-		-	-		227	0.085	0.074 - 0.096
Northwest Territory	-	-		-	-		14	0.064	0.035 - 0.108
Nova Scotia	-	-		-	-		296	0.061	0.055 - 0.069
Prince Edward Island	-	-		-	-		45	0.059	0.043 - 0.079
Saskatchewan	-	-		-	-		280	0.050	0.044 - 0.056
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**83,347**	**0.052**	**0.052 - 0.052**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-212 Prevalence – Cervix Uteri

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**339,460**	**0.222**	**0.221 - 0.223**
Alabama	-	-		-	-		4,084	0.163	0.158 - 0.168
Alaska	-	-		-	-		670	0.190	0.176 - 0.205
Arizona	-	-		-	-		6,383	0.185	0.181 - 0.190
Arkansas	-	-		-	-		2,875	0.190	0.183 - 0.197
California	-	-		-	-		38,458	0.195	0.193 - 0.197
CA - Greater California	-	-		-	-		20,544	0.189	0.187 - 0.192
CA - Greater Bay Area	-	-		-	-		7,811	0.211	0.206 - 0.216
CA - Los Angeles	-	-		-	-		10,099	0.196	0.193 - 0.200
Colorado	-	-		-	-		4,818	0.177	0.172 - 0.182
Connecticut	-	-		-	-		5,277	0.287	0.279 - 0.295
Delaware	-	-		-	-		1,300	0.266	0.251 - 0.281
Florida	-	-		-	-		21,802	0.208	0.206 - 0.211
Georgia	-	-		-	-		8,363	0.159	0.156 - 0.162
Hawaii	-	-		-	-		1,836	0.258	0.247 - 0.271
Idaho	-	-		-	-		1,650	0.199	0.189 - 0.208
Illinois	-	-		-	-		16,849	0.258	0.254 - 0.262
Iowa	-	-		-	-		4,440	0.283	0.274 - 0.291
Kentucky	-	-		-	-		5,197	0.231	0.225 - 0.238
Louisiana	-	-		-	-		3,475	0.145	0.141 - 0.150
Maine	-	-		-	-		2,383	0.351	0.337 - 0.366
Maryland	-	-		-	-		6,898	0.223	0.217 - 0.228
Michigan	-	-		-	-		13,619	0.270	0.266 - 0.275
MI - Detroit	-	-		-	-		5,459	0.274	0.267 - 0.281
Minnesota	-	-		-	-		7,467	0.270	0.264 - 0.276
Mississippi	-	-		-	-		2,504	0.163	0.157 - 0.169
Missouri	-	-		-	-		7,283	0.235	0.230 - 0.241
Montana	-	-		-	-		1,227	0.239	0.226 - 0.253
Nebraska	-	-		-	-		2,242	0.235	0.226 - 0.245
New Hampshire	-	-		-	-		2,189	0.325	0.312 - 0.339
New Jersey	-	-		-	-		12,998	0.283	0.278 - 0.288
New Mexico	-	-		-	-		2,206	0.210	0.201 - 0.219
New York	-	-		-	-		28,254	0.277	0.274 - 0.280
North Carolina	-	-		-	-		10,731	0.207	0.203 - 0.211
North Dakota	-	-		-	-		790	0.215	0.200 - 0.231
Ohio	-	-		-	-		16,064	0.271	0.267 - 0.275
Oklahoma	-	-		-	-		3,610	0.183	0.177 - 0.189
Oregon	-	-		-	-		5,165	0.253	0.246 - 0.260
Pennsylvania	-	-		-	-		20,512	0.314	0.310 - 0.318
Rhode Island	-	-		-	-		1,665	0.306	0.292 - 0.321
South Carolina	-	-		-	-		4,851	0.191	0.186 - 0.197
Tennessee	-	-		-	-		6,609	0.195	0.190 - 0.200
Texas	-	-		-	-		20,724	0.149	0.147 - 0.151
Utah	-	-		-	-		2,481	0.166	0.159 - 0.172
Vermont	-	-		-	-		1,100	0.348	0.328 - 0.370
Virginia	-	-		-	-		8,627	0.202	0.198 - 0.207
Washington	-	-		-	-		8,084	0.224	0.219 - 0.229
WA - Seattle	-	-		-	-		5,717	0.230	0.224 - 0.236
West Virginia	-	-		-	-		2,884	0.311	0.300 - 0.323
Wisconsin	-	-		-	-		8,274	0.285	0.279 - 0.292
Wyoming	-	-		-	-		543	0.190	0.174 - 0.206
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**15,690**	**0.227**	**0.224 - 0.231**
Alberta	-	-		-	-		3,982	0.192	0.186 - 0.198
British Columbia	-	-		-	-		5,510	0.231	0.225 - 0.238
Manitoba	-	-		-	-		1,830	0.279	0.266 - 0.292
New Brunswick	-	-		-	-		983	0.257	0.241 - 0.274
Newfoundland and Labrador	-	-		-	-		810	0.302	0.281 - 0.323
Northwest Territory	-	-		-	-		25	0.115	0.074 - 0.170
Nova Scotia	-	-		-	-		1,170	0.243	0.229 - 0.257
Prince Edward Island	-	-		-	-		165	0.217	0.185 - 0.253
Saskatchewan	-	-		-	-		1,215	0.215	0.203 - 0.227
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**355,150**	**0.222**	**0.221 - 0.223**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**97,762**	**0.064**	**0.063 - 0.064**
Alabama	-	-		-	-		1,560	0.062	0.059 - 0.065
Alaska	-	-		-	-		199	0.056	0.049 - 0.065
Arizona	-	-		-	-		2,034	0.059	0.056 - 0.062
Arkansas	-	-		-	-		845	0.056	0.052 - 0.060
California	-	-		-	-		12,337	0.063	0.061 - 0.064
CA - Greater California	-	-		-	-		6,480	0.060	0.058 - 0.061
CA - Greater Bay Area	-	-		-	-		2,508	0.068	0.065 - 0.070
CA - Los Angeles	-	-		-	-		3,350	0.065	0.063 - 0.067
Colorado	-	-		-	-		1,595	0.058	0.056 - 0.061
Connecticut	-	-		-	-		1,423	0.077	0.073 - 0.082
Delaware	-	-		-	-		294	0.060	0.053 - 0.067
Florida	-	-		-	-		7,017	0.067	0.066 - 0.069
Georgia	-	-		-	-		2,819	0.054	0.052 - 0.056
Hawaii	-	-		-	-		450	0.063	0.058 - 0.070
Idaho	-	-		-	-		460	0.055	0.050 - 0.061
Illinois	-	-		-	-		4,469	0.068	0.066 - 0.070
Iowa	-	-		-	-		1,016	0.065	0.061 - 0.069
Kentucky	-	-		-	-		1,300	0.058	0.055 - 0.061
Louisiana	-	-		-	-		1,165	0.049	0.046 - 0.052
Maine	-	-		-	-		482	0.071	0.065 - 0.078
Maryland	-	-		-	-		1,951	0.063	0.060 - 0.066
Michigan	-	-		-	-		3,505	0.069	0.067 - 0.072
MI - Detroit	-	-		-	-		1,437	0.072	0.068 - 0.076
Minnesota	-	-		-	-		1,857	0.067	0.064 - 0.070
Mississippi	-	-		-	-		796	0.052	0.048 - 0.055
Missouri	-	-		-	-		1,851	0.060	0.057 - 0.063
Montana	-	-		-	-		339	0.066	0.059 - 0.074
Nebraska	-	-		-	-		576	0.060	0.056 - 0.066
New Hampshire	-	-		-	-		507	0.075	0.069 - 0.082
New Jersey	-	-		-	-		3,502	0.076	0.074 - 0.079
New Mexico	-	-		-	-		657	0.062	0.058 - 0.067
New York	-	-		-	-		7,772	0.076	0.074 - 0.078
North Carolina	-	-		-	-		3,195	0.062	0.060 - 0.064
North Dakota	-	-		-	-		230	0.063	0.055 - 0.071
Ohio	-	-		-	-		4,051	0.068	0.066 - 0.070
Oklahoma	-	-		-	-		1,179	0.060	0.056 - 0.063
Oregon	-	-		-	-		1,324	0.065	0.061 - 0.068
Pennsylvania	-	-		-	-		4,963	0.076	0.074 - 0.078
Rhode Island	-	-		-	-		399	0.073	0.066 - 0.081
South Carolina	-	-		-	-		1,345	0.053	0.050 - 0.056
Tennessee	-	-		-	-		2,023	0.060	0.057 - 0.062
Texas	-	-		-	-		7,334	0.053	0.051 - 0.054
Utah	-	-		-	-		690	0.046	0.043 - 0.050
Vermont	-	-		-	-		245	0.078	0.068 - 0.088
Virginia	-	-		-	-		2,512	0.059	0.057 - 0.061
Washington	-	-		-	-		2,402	0.067	0.064 - 0.069
WA - Seattle	-	-		-	-		1,725	0.069	0.066 - 0.073
West Virginia	-	-		-	-		685	0.074	0.068 - 0.080
Wisconsin	-	-		-	-		2,218	0.077	0.073 - 0.080
Wyoming	-	-		-	-		189	0.066	0.057 - 0.076
NAACCR CDN Combined[1]	**-**	**-**		**-**	**-**		**4,055**	**0.059**	**0.057 - 0.061**
Alberta	-	-		-	-		959	0.046	0.043 - 0.049
British Columbia	-	-		-	-		1,598	0.067	0.064 - 0.070
Manitoba	-	-		-	-		426	0.065	0.059 - 0.071
New Brunswick	-	-		-	-		225	0.059	0.051 - 0.067
Newfoundland and Labrador	-	-		-	-		182	0.068	0.058 - 0.078
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	-	-		-	-		301	0.062	0.056 - 0.070
Prince Edward Island	-	-		-	-		35	0.046	0.032 - 0.064
Saskatchewan	-	-		-	-		328	0.058	0.052 - 0.065
NAACCR N.A. Combined[1]	**-**	**-**		**-**	**-**		**101,817**	**0.064**	**0.063 - 0.064**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races
III-214 Prevalence – Ovary

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**1,613,810**	**1.087**	**1.086 - 1.089**	**-**	**-**	
Alabama	-	-		28,565	1.214	1.200 - 1.228	-	-	
Alaska	-	-		2,826	0.730	0.703 - 0.757	-	-	
Arizona	-	-		27,781	0.815	0.806 - 0.825	-	-	
Arkansas	-	-		17,437	1.190	1.173 - 1.208	-	-	
California	-	-		174,228	0.895	0.891 - 0.900	-	-	
CA - Greater California	-	-		95,706	0.887	0.881 - 0.892	-	-	
CA - Greater Bay Area	-	-		37,141	1.012	1.002 - 1.023	-	-	
CA - Los Angeles	-	-		41,377	0.828	0.820 - 0.836	-	-	
Colorado	-	-		26,706	0.968	0.957 - 0.980	-	-	
Connecticut	-	-		22,650	1.293	1.276 - 1.310	-	-	
Delaware	-	-		6,859	1.494	1.459 - 1.530	-	-	
Florida	-	-		121,558	1.215	1.208 - 1.222	-	-	
Georgia	-	-		53,006	1.061	1.052 - 1.070	-	-	
Hawaii	-	-		6,322	0.881	0.860 - 0.903	-	-	
Idaho	-	-		8,930	1.071	1.049 - 1.093	-	-	
Illinois	-	-		71,870	1.139	1.130 - 1.147	-	-	
Iowa	-	-		17,101	1.101	1.084 - 1.117	-	-	
Kentucky	-	-		22,767	1.044	1.030 - 1.057	-	-	
Louisiana	-	-		28,642	1.251	1.237 - 1.266	-	-	
Maine	-	-		8,287	1.273	1.246 - 1.301	-	-	
Maryland	-	-		35,887	1.231	1.219 - 1.244	-	-	
Michigan	-	-		62,816	1.287	1.277 - 1.297	-	-	
MI - Detroit	-	-		27,723	1.479	1.462 - 1.497	-	-	
Minnesota	-	-		33,191	1.212	1.199 - 1.225	-	-	
Mississippi	-	-		17,946	1.240	1.222 - 1.258	-	-	
Missouri	-	-		30,675	1.027	1.016 - 1.039	-	-	
Montana	-	-		6,853	1.317	1.286 - 1.349	-	-	
Nebraska	-	-		10,265	1.083	1.063 - 1.105	-	-	
New Hampshire	-	-		9,026	1.368	1.340 - 1.397	-	-	
New Jersey	-	-		59,756	1.366	1.355 - 1.377	-	-	
New Mexico	-	-		9,652	0.936	0.917 - 0.954	-	-	
New York	-	-		126,293	1.313	1.305 - 1.320	-	-	
North Carolina	-	-		57,440	1.168	1.158 - 1.178	-	-	
North Dakota	-	-		4,466	1.151	1.118 - 1.186	-	-	
Ohio	-	-		64,221	1.129	1.120 - 1.138	-	-	
Oklahoma	-	-		18,997	0.980	0.966 - 0.994	-	-	
Oregon	-	-		21,328	1.063	1.049 - 1.077	-	-	
Pennsylvania	-	-		79,942	1.277	1.268 - 1.286	-	-	
Rhode Island	-	-		6,097	1.188	1.158 - 1.218	-	-	
South Carolina	-	-		28,803	1.204	1.190 - 1.218	-	-	
Tennessee	-	-		36,280	1.124	1.112 - 1.135	-	-	
Texas	-	-		102,128	0.743	0.738 - 0.747	-	-	
Utah	-	-		13,190	0.869	0.855 - 0.884	-	-	
Vermont	-	-		3,719	1.207	1.168 - 1.246	-	-	
Virginia	-	-		43,397	1.051	1.042 - 1.061	-	-	
Washington	-	-		38,156	1.058	1.048 - 1.069	-	-	
WA - Seattle	-	-		27,254	1.098	1.085 - 1.111	-	-	
West Virginia	-	-		10,479	1.155	1.133 - 1.178	-	-	
Wisconsin	-	-		33,884	1.182	1.169 - 1.194	-	-	
Wyoming	-	-		3,388	1.133	1.095 - 1.172	-	-	
NAACCR CDN Combined[1]	**-**	**-**		**70,067**	**1.016**	**1.008 - 1.023**	**-**	**-**	
Alberta	-	-		18,204	0.852	0.840 - 0.865	-	-	
British Columbia	-	-		24,655	1.051	1.038 - 1.064	-	-	
Manitoba	-	-		5,361	0.825	0.803 - 0.847	-	-	
New Brunswick	-	-		5,571	1.492	1.453 - 1.532	-	-	
Newfoundland and Labrador	-	-		3,745	1.434	1.389 - 1.481	-	-	
Northwest Territory	-	-		110	0.485	0.399 - 0.584	-	-	
Nova Scotia	-	-		5,884	1.270	1.238 - 1.303	-	-	
Prince Edward Island	-	-		1,010	1.399	1.314 - 1.488	-	-	
Saskatchewan	-	-		5,527	0.962	0.937 - 0.987	-	-	
NAACCR N.A. Combined[1]	**-**	**-**		**1,683,877**	**1.084**	**1.083 - 1.086**	**-**	**-**	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**71,951**	**0.048**	**0.048 - 0.049**	**-**	**-**	
Alabama	-	-		908	0.039	0.036 - 0.041	-	-	
Alaska	-	-		212	0.055	0.048 - 0.063	-	-	
Arizona	-	-		1,520	0.045	0.042 - 0.047	-	-	
Arkansas	-	-		577	0.039	0.036 - 0.043	-	-	
California	-	-		10,192	0.052	0.051 - 0.053	-	-	
CA - Greater California	-	-		5,632	0.052	0.051 - 0.054	-	-	
CA - Greater Bay Area	-	-		1,962	0.053	0.051 - 0.056	-	-	
CA - Los Angeles	-	-		2,599	0.052	0.050 - 0.054	-	-	
Colorado	-	-		1,430	0.052	0.049 - 0.055	-	-	
Connecticut	-	-		990	0.057	0.053 - 0.060	-	-	
Delaware	-	-		210	0.046	0.040 - 0.052	-	-	
Florida	-	-		3,859	0.039	0.037 - 0.040	-	-	
Georgia	-	-		1,781	0.036	0.034 - 0.037	-	-	
Hawaii	-	-		360	0.050	0.045 - 0.056	-	-	
Idaho	-	-		454	0.054	0.050 - 0.060	-	-	
Illinois	-	-		3,388	0.054	0.052 - 0.056	-	-	
Iowa	-	-		894	0.058	0.054 - 0.061	-	-	
Kentucky	-	-		1,040	0.048	0.045 - 0.051	-	-	
Louisiana	-	-		876	0.038	0.036 - 0.041	-	-	
Maine	-	-		363	0.056	0.050 - 0.062	-	-	
Maryland	-	-		1,180	0.040	0.038 - 0.043	-	-	
Michigan	-	-		2,474	0.051	0.049 - 0.053	-	-	
MI - Detroit	-	-		955	0.051	0.048 - 0.054	-	-	
Minnesota	-	-		1,700	0.062	0.059 - 0.065	-	-	
Mississippi	-	-		464	0.032	0.029 - 0.035	-	-	
Missouri	-	-		1,324	0.044	0.042 - 0.047	-	-	
Montana	-	-		294	0.057	0.050 - 0.063	-	-	
Nebraska	-	-		562	0.059	0.055 - 0.064	-	-	
New Hampshire	-	-		425	0.064	0.058 - 0.071	-	-	
New Jersey	-	-		2,307	0.053	0.051 - 0.055	-	-	
New Mexico	-	-		568	0.055	0.051 - 0.060	-	-	
New York	-	-		5,222	0.054	0.053 - 0.056	-	-	
North Carolina	-	-		2,106	0.043	0.041 - 0.045	-	-	
North Dakota	-	-		209	0.054	0.047 - 0.062	-	-	
Ohio	-	-		2,767	0.049	0.047 - 0.050	-	-	
Oklahoma	-	-		847	0.044	0.041 - 0.047	-	-	
Oregon	-	-		1,187	0.059	0.056 - 0.063	-	-	
Pennsylvania	-	-		3,555	0.057	0.055 - 0.059	-	-	
Rhode Island	-	-		307	0.060	0.053 - 0.067	-	-	
South Carolina	-	-		859	0.036	0.034 - 0.038	-	-	
Tennessee	-	-		1,385	0.043	0.041 - 0.045	-	-	
Texas	-	-		5,896	0.043	0.042 - 0.044	-	-	
Utah	-	-		920	0.061	0.057 - 0.065	-	-	
Vermont	-	-		179	0.058	0.050 - 0.067	-	-	
Virginia	-	-		1,646	0.040	0.038 - 0.042	-	-	
Washington	-	-		2,132	0.059	0.057 - 0.062	-	-	
WA - Seattle	-	-		1,560	0.063	0.060 - 0.066	-	-	
West Virginia	-	-		442	0.049	0.044 - 0.054	-	-	
Wisconsin	-	-		1,769	0.062	0.059 - 0.065	-	-	
Wyoming	-	-		172	0.057	0.049 - 0.067	-	-	
NAACCR CDN Combined[1]	**-**	**-**		**3,676**	**0.053**	**0.052 - 0.055**	**-**	**-**	
Alberta	-	-		1,189	0.056	0.053 - 0.059	-	-	
British Columbia	-	-		1,275	0.054	0.051 - 0.057	-	-	
Manitoba	-	-		343	0.053	0.047 - 0.059	-	-	
New Brunswick	-	-		183	0.049	0.042 - 0.057	-	-	
Newfoundland and Labrador	-	-		93	0.036	0.029 - 0.044	-	-	
Northwest Territory	-	-		20	0.088	0.054 - 0.136	-	-	
Nova Scotia	-	-		234	0.051	0.044 - 0.057	-	-	
Prince Edward Island	-	-		33	0.046	0.031 - 0.064	-	-	
Saskatchewan	-	-		306	0.053	0.047 - 0.060	-	-	
NAACCR N.A. Combined[1]	**-**	**-**		**75,627**	**0.049**	**0.048 - 0.049**	**-**	**-**	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-216 Prevalence – Testis

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**398,699**	**0.132**	**0.132 - 0.133**	**303,782**	**0.205**	**0.204 - 0.205**	**94,918**	**0.062**	**0.062 - 0.062**
Alabama	5,924	0.122	0.119 - 0.125	4,603	0.196	0.190 - 0.201	1,321	0.053	0.050 - 0.056
Alaska	783	0.106	0.099 - 0.114	603	0.156	0.144 - 0.169	180	0.051	0.044 - 0.059
Arizona	8,709	0.127	0.124 - 0.130	6,660	0.195	0.191 - 0.200	2,049	0.059	0.057 - 0.062
Arkansas	3,803	0.128	0.124 - 0.132	2,988	0.204	0.197 - 0.211	815	0.054	0.050 - 0.058
California	39,840	0.102	0.101 - 0.103	30,724	0.158	0.156 - 0.160	9,117	0.046	0.045 - 0.047
CA - Greater California	22,846	0.105	0.104 - 0.107	17,638	0.163	0.161 - 0.166	5,208	0.048	0.047 - 0.049
CA - Greater Bay Area	8,066	0.109	0.107 - 0.112	6,133	0.167	0.163 - 0.171	1,934	0.052	0.050 - 0.055
CA - Los Angeles	8,944	0.088	0.086 - 0.090	6,969	0.140	0.136 - 0.143	1,975	0.038	0.037 - 0.040
Colorado	6,002	0.109	0.107 - 0.112	4,598	0.167	0.162 - 0.172	1,404	0.051	0.049 - 0.054
Connecticut	6,972	0.194	0.190 - 0.199	5,199	0.297	0.289 - 0.305	1,773	0.096	0.092 - 0.101
Delaware	1,646	0.174	0.165 - 0.182	1,260	0.274	0.260 - 0.290	386	0.079	0.071 - 0.087
Florida	32,817	0.160	0.159 - 0.162	25,310	0.253	0.250 - 0.256	7,507	0.072	0.070 - 0.073
Georgia	9,962	0.097	0.095 - 0.099	7,690	0.154	0.151 - 0.157	2,272	0.043	0.041 - 0.045
Hawaii	1,400	0.098	0.093 - 0.103	1,070	0.149	0.140 - 0.158	330	0.046	0.042 - 0.052
Idaho	2,307	0.139	0.133 - 0.144	1,804	0.216	0.206 - 0.227	503	0.061	0.055 - 0.066
Illinois	18,330	0.143	0.141 - 0.145	13,784	0.218	0.215 - 0.222	4,546	0.070	0.068 - 0.072
Iowa	4,842	0.155	0.151 - 0.159	3,776	0.243	0.235 - 0.251	1,066	0.068	0.064 - 0.072
Kentucky	6,539	0.148	0.144 - 0.151	4,961	0.227	0.221 - 0.234	1,577	0.070	0.067 - 0.074
Louisiana	5,364	0.115	0.112 - 0.118	4,150	0.181	0.176 - 0.187	1,214	0.051	0.048 - 0.054
Maine	2,960	0.223	0.215 - 0.231	2,217	0.341	0.327 - 0.355	743	0.110	0.102 - 0.118
Maryland	7,787	0.130	0.127 - 0.132	5,840	0.200	0.195 - 0.206	1,947	0.063	0.060 - 0.066
Michigan	16,014	0.161	0.159 - 0.164	12,029	0.246	0.242 - 0.251	3,985	0.079	0.077 - 0.082
MI - Detroit	6,235	0.161	0.157 - 0.165	4,627	0.247	0.240 - 0.254	1,609	0.081	0.077 - 0.085
Minnesota	8,199	0.149	0.146 - 0.152	6,240	0.228	0.222 - 0.234	1,959	0.071	0.068 - 0.074
Mississippi	3,202	0.107	0.104 - 0.111	2,475	0.171	0.164 - 0.178	727	0.047	0.044 - 0.051
Missouri	8,160	0.134	0.131 - 0.137	6,274	0.210	0.205 - 0.215	1,886	0.061	0.058 - 0.064
Montana	1,694	0.164	0.156 - 0.172	1,291	0.248	0.235 - 0.262	403	0.079	0.071 - 0.087
Nebraska	2,563	0.135	0.130 - 0.140	1,962	0.207	0.198 - 0.216	601	0.063	0.058 - 0.068
New Hampshire	2,905	0.218	0.210 - 0.226	2,175	0.330	0.316 - 0.344	730	0.108	0.101 - 0.117
New Jersey	14,708	0.164	0.161 - 0.167	10,872	0.248	0.244 - 0.253	3,836	0.084	0.081 - 0.086
New Mexico	2,017	0.097	0.093 - 0.101	1,570	0.152	0.145 - 0.160	447	0.042	0.039 - 0.047
New York	32,584	0.164	0.163 - 0.166	24,216	0.252	0.249 - 0.255	8,368	0.082	0.080 - 0.084
North Carolina	13,029	0.129	0.127 - 0.131	9,863	0.201	0.197 - 0.205	3,166	0.061	0.059 - 0.063
North Dakota	1,042	0.138	0.130 - 0.147	818	0.211	0.197 - 0.226	224	0.061	0.053 - 0.070
Ohio	17,500	0.151	0.148 - 0.153	13,340	0.235	0.231 - 0.239	4,160	0.070	0.068 - 0.072
Oklahoma	4,649	0.119	0.115 - 0.122	3,576	0.184	0.178 - 0.191	1,073	0.054	0.051 - 0.058
Oregon	6,195	0.153	0.149 - 0.157	4,767	0.238	0.231 - 0.244	1,428	0.070	0.066 - 0.074
Pennsylvania	24,193	0.189	0.187 - 0.192	18,236	0.291	0.287 - 0.296	5,957	0.091	0.089 - 0.094
Rhode Island	2,180	0.206	0.198 - 0.215	1,594	0.311	0.296 - 0.326	586	0.108	0.099 - 0.117
South Carolina	6,061	0.123	0.120 - 0.126	4,642	0.194	0.189 - 0.200	1,419	0.056	0.053 - 0.059
Tennessee	8,305	0.125	0.123 - 0.128	6,379	0.198	0.193 - 0.202	1,926	0.057	0.054 - 0.059
Texas	21,563	0.078	0.077 - 0.079	16,761	0.122	0.120 - 0.124	4,802	0.034	0.033 - 0.035
Utah	2,147	0.071	0.068 - 0.074	1,748	0.115	0.110 - 0.121	398	0.027	0.024 - 0.029
Vermont	1,150	0.184	0.174 - 0.195	860	0.279	0.261 - 0.298	290	0.092	0.082 - 0.103
Virginia	9,521	0.113	0.111 - 0.116	7,205	0.175	0.171 - 0.179	2,316	0.054	0.052 - 0.057
Washington	9,565	0.133	0.130 - 0.135	7,343	0.204	0.199 - 0.208	2,222	0.062	0.059 - 0.064
WA - Seattle	6,681	0.134	0.131 - 0.138	5,154	0.208	0.202 - 0.213	1,526	0.061	0.058 - 0.065
West Virginia	3,261	0.178	0.172 - 0.184	2,444	0.269	0.259 - 0.280	817	0.088	0.082 - 0.094
Wisconsin	9,452	0.164	0.161 - 0.167	7,198	0.251	0.245 - 0.257	2,254	0.078	0.075 - 0.081
Wyoming	855	0.146	0.136 - 0.156	667	0.223	0.206 - 0.241	188	0.065	0.056 - 0.076
NAACCR CDN Combined[1]	**20,269**	**0.147**	**0.145 - 0.149**	**15,319**	**0.222**	**0.219 - 0.226**	**4,950**	**0.072**	**0.070 - 0.074**
Alberta	4,934	0.117	0.114 - 0.121	3,805	0.178	0.173 - 0.184	1,129	0.055	0.051 - 0.058
British Columbia	7,522	0.159	0.156 - 0.163	5,723	0.244	0.238 - 0.250	1,799	0.076	0.072 - 0.079
Manitoba	1,630	0.125	0.119 - 0.131	1,235	0.190	0.180 - 0.201	395	0.060	0.054 - 0.066
New Brunswick	1,511	0.200	0.190 - 0.210	1,136	0.304	0.287 - 0.322	375	0.098	0.088 - 0.109
Newfoundland and Labrador	917	0.173	0.162 - 0.185	661	0.253	0.234 - 0.273	256	0.095	0.084 - 0.108
Northwest Territory	24	0.054	0.035 - 0.080	-	-		-	-	
Nova Scotia	1,826	0.193	0.184 - 0.202	1,340	0.289	0.274 - 0.305	486	0.101	0.092 - 0.110
Prince Edward Island	247	0.167	0.147 - 0.189	184	0.255	0.219 - 0.294	63	0.083	0.064 - 0.106
Saskatchewan	1,658	0.145	0.139 - 0.153	1,219	0.212	0.200 - 0.224	439	0.078	0.071 - 0.085
NAACCR N.A. Combined[1]	**418,968**	**0.133**	**0.133 - 0.133**	**319,101**	**0.205**	**0.205 - 0.206**	**99,868**	**0.062**	**0.062 - 0.063**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**337,214**	**0.112**	**0.111 - 0.112**	**207,269**	**0.140**	**0.139 - 0.140**	**129,945**	**0.085**	**0.084 - 0.085**
Alabama	5,908	0.122	0.119 - 0.125	3,550	0.151	0.146 - 0.156	2,358	0.094	0.090 - 0.098
Alaska	719	0.097	0.090 - 0.105	443	0.114	0.104 - 0.126	276	0.078	0.069 - 0.088
Arizona	7,517	0.110	0.107 - 0.112	4,562	0.134	0.130 - 0.138	2,955	0.086	0.083 - 0.089
Arkansas	3,664	0.123	0.119 - 0.127	2,229	0.152	0.146 - 0.159	1,435	0.095	0.090 - 0.100
California	34,990	0.089	0.088 - 0.090	21,969	0.113	0.111 - 0.114	13,020	0.066	0.065 - 0.067
CA - Greater California	20,086	0.093	0.091 - 0.094	12,571	0.116	0.114 - 0.119	7,514	0.069	0.068 - 0.071
CA - Greater Bay Area	6,423	0.087	0.085 - 0.089	4,119	0.112	0.109 - 0.116	2,304	0.062	0.060 - 0.065
CA - Los Angeles	8,488	0.084	0.082 - 0.086	5,284	0.106	0.103 - 0.109	3,204	0.062	0.060 - 0.065
Colorado	4,677	0.085	0.083 - 0.088	2,899	0.105	0.101 - 0.109	1,778	0.065	0.062 - 0.068
Connecticut	4,419	0.123	0.119 - 0.127	2,803	0.160	0.154 - 0.166	1,616	0.088	0.084 - 0.092
Delaware	1,180	0.124	0.117 - 0.132	756	0.165	0.153 - 0.177	424	0.087	0.079 - 0.095
Florida	22,556	0.110	0.109 - 0.112	14,175	0.142	0.139 - 0.144	8,381	0.080	0.078 - 0.082
Georgia	9,805	0.096	0.094 - 0.098	5,923	0.119	0.116 - 0.122	3,882	0.074	0.071 - 0.076
Hawaii	1,427	0.100	0.095 - 0.105	915	0.128	0.119 - 0.136	512	0.072	0.066 - 0.079
Idaho	1,632	0.098	0.093 - 0.103	997	0.120	0.112 - 0.127	635	0.076	0.071 - 0.083
Illinois	15,815	0.123	0.121 - 0.125	9,675	0.153	0.150 - 0.156	6,140	0.094	0.092 - 0.096
Iowa	3,911	0.125	0.121 - 0.129	2,408	0.155	0.149 - 0.161	1,503	0.096	0.091 - 0.101
Kentucky	6,233	0.141	0.137 - 0.144	3,738	0.171	0.166 - 0.177	2,495	0.111	0.107 - 0.115
Louisiana	6,510	0.139	0.136 - 0.143	3,900	0.170	0.165 - 0.176	2,610	0.109	0.105 - 0.113
Maine	1,782	0.134	0.128 - 0.140	1,064	0.163	0.154 - 0.174	718	0.106	0.098 - 0.114
Maryland	6,374	0.106	0.103 - 0.109	3,832	0.131	0.127 - 0.136	2,542	0.082	0.079 - 0.085
Michigan	12,028	0.121	0.119 - 0.123	7,414	0.152	0.148 - 0.155	4,614	0.091	0.089 - 0.094
MI - Detroit	5,089	0.132	0.128 - 0.135	3,173	0.169	0.163 - 0.175	1,916	0.096	0.092 - 0.100
Minnesota	6,492	0.118	0.115 - 0.121	4,114	0.150	0.146 - 0.155	2,378	0.086	0.083 - 0.090
Mississippi	4,039	0.135	0.131 - 0.140	2,382	0.165	0.158 - 0.171	1,657	0.108	0.103 - 0.113
Missouri	7,692	0.126	0.124 - 0.129	4,652	0.156	0.151 - 0.160	3,040	0.098	0.095 - 0.102
Montana	1,124	0.109	0.103 - 0.115	703	0.135	0.125 - 0.145	421	0.082	0.074 - 0.090
Nebraska	2,198	0.116	0.111 - 0.121	1,364	0.144	0.136 - 0.152	834	0.088	0.082 - 0.094
New Hampshire	1,589	0.119	0.113 - 0.125	1,005	0.152	0.143 - 0.162	584	0.087	0.080 - 0.094
New Jersey	10,686	0.119	0.117 - 0.121	6,715	0.153	0.150 - 0.157	3,971	0.086	0.084 - 0.089
New Mexico	1,992	0.096	0.091 - 0.100	1,194	0.116	0.109 - 0.122	798	0.076	0.071 - 0.081
New York	24,049	0.121	0.120 - 0.123	15,162	0.158	0.155 - 0.160	8,887	0.087	0.085 - 0.089
North Carolina	11,722	0.116	0.114 - 0.118	7,137	0.145	0.142 - 0.149	4,585	0.088	0.086 - 0.091
North Dakota	791	0.105	0.098 - 0.112	485	0.125	0.114 - 0.137	306	0.083	0.074 - 0.093
Ohio	14,325	0.123	0.121 - 0.125	8,568	0.151	0.147 - 0.154	5,757	0.097	0.095 - 0.100
Oklahoma	4,604	0.118	0.114 - 0.121	2,712	0.140	0.135 - 0.145	1,892	0.096	0.092 - 0.100
Oregon	4,472	0.110	0.107 - 0.114	2,756	0.137	0.132 - 0.143	1,716	0.084	0.080 - 0.088
Pennsylvania	17,063	0.133	0.131 - 0.135	10,532	0.168	0.165 - 0.171	6,531	0.100	0.098 - 0.102
Rhode Island	1,380	0.131	0.124 - 0.138	833	0.162	0.151 - 0.174	547	0.101	0.092 - 0.109
South Carolina	5,490	0.111	0.109 - 0.114	3,336	0.139	0.135 - 0.144	2,154	0.085	0.081 - 0.089
Tennessee	8,161	0.123	0.121 - 0.126	4,929	0.153	0.148 - 0.157	3,232	0.095	0.092 - 0.099
Texas	28,947	0.105	0.103 - 0.106	17,292	0.126	0.124 - 0.128	11,655	0.084	0.082 - 0.085
Utah	1,991	0.066	0.063 - 0.069	1,203	0.079	0.075 - 0.084	789	0.053	0.049 - 0.056
Vermont	732	0.117	0.109 - 0.126	474	0.154	0.140 - 0.168	258	0.082	0.072 - 0.092
Virginia	8,510	0.101	0.099 - 0.104	5,266	0.128	0.124 - 0.131	3,244	0.076	0.073 - 0.079
Washington	7,446	0.103	0.101 - 0.106	4,674	0.130	0.126 - 0.133	2,772	0.077	0.074 - 0.080
WA - Seattle	5,294	0.107	0.104 - 0.109	3,343	0.135	0.130 - 0.139	1,951	0.079	0.075 - 0.082
West Virginia	2,692	0.147	0.141 - 0.152	1,590	0.175	0.167 - 0.184	1,102	0.119	0.112 - 0.126
Wisconsin	7,288	0.126	0.124 - 0.129	4,553	0.159	0.154 - 0.163	2,735	0.094	0.091 - 0.098
Wyoming	592	0.101	0.093 - 0.110	386	0.129	0.116 - 0.142	207	0.072	0.063 - 0.083
NAACCR CDN Combined[1]	**13,159**	**0.095**	**0.094 - 0.097**	**8,231**	**0.119**	**0.117 - 0.122**	**4,928**	**0.071**	**0.069 - 0.073**
Alberta	3,502	0.083	0.081 - 0.086	2,200	0.103	0.099 - 0.107	1,302	0.063	0.059 - 0.066
British Columbia	3,538	0.075	0.072 - 0.077	2,301	0.098	0.094 - 0.102	1,237	0.052	0.049 - 0.055
Manitoba	1,334	0.102	0.097 - 0.108	843	0.130	0.121 - 0.139	491	0.075	0.068 - 0.082
New Brunswick	1,227	0.162	0.153 - 0.172	750	0.201	0.187 - 0.216	477	0.125	0.114 - 0.136
Newfoundland and Labrador	832	0.157	0.147 - 0.168	504	0.193	0.177 - 0.211	328	0.122	0.109 - 0.136
Northwest Territory	36	0.081	0.057 - 0.112	21	0.093	0.057 - 0.142	15	0.069	0.039 - 0.114
Nova Scotia	1,480	0.157	0.149 - 0.165	867	0.187	0.175 - 0.200	613	0.127	0.117 - 0.138
Prince Edward Island	150	0.101	0.086 - 0.119	94	0.130	0.105 - 0.159	56	0.074	0.056 - 0.096
Saskatchewan	1,060	0.093	0.087 - 0.099	651	0.113	0.105 - 0.122	409	0.072	0.066 - 0.080
NAACCR N.A. Combined[1]	**350,373**	**0.111**	**0.111 - 0.112**	**215,500**	**0.139**	**0.138 - 0.139**	**134,873**	**0.084**	**0.084 - 0.085**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-218 Prevalence – Kidney and Renal Pelvis

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**72,379**	**0.024**	**0.024 - 0.024**	**39,013**	**0.026**	**0.026 - 0.027**	**33,366**	**0.022**	**0.022 - 0.022**
Alabama	1,026	0.021	0.020 - 0.022	534	0.023	0.021 - 0.025	492	0.020	0.018 - 0.021
Alaska	189	0.026	0.022 - 0.029	101	0.026	0.021 - 0.032	88	0.025	0.020 - 0.031
Arizona	1,541	0.022	0.021 - 0.024	825	0.024	0.023 - 0.026	716	0.021	0.019 - 0.022
Arkansas	720	0.024	0.022 - 0.026	392	0.027	0.024 - 0.030	328	0.022	0.019 - 0.024
California	8,066	0.021	0.020 - 0.021	4,386	0.023	0.022 - 0.023	3,681	0.019	0.018 - 0.019
CA - Greater California	4,541	0.021	0.020 - 0.022	2,445	0.023	0.022 - 0.024	2,096	0.019	0.018 - 0.020
CA - Greater Bay Area	1,643	0.022	0.021 - 0.023	899	0.024	0.023 - 0.026	744	0.020	0.019 - 0.022
CA - Los Angeles	1,883	0.019	0.018 - 0.019	1,041	0.021	0.020 - 0.022	843	0.016	0.015 - 0.018
Colorado	1,287	0.023	0.022 - 0.025	728	0.026	0.025 - 0.028	559	0.020	0.019 - 0.022
Connecticut	934	0.026	0.024 - 0.028	520	0.030	0.027 - 0.032	414	0.023	0.020 - 0.025
Delaware	228	0.024	0.021 - 0.027	114	0.025	0.020 - 0.030	114	0.023	0.019 - 0.028
Florida	4,847	0.024	0.023 - 0.024	2,609	0.026	0.025 - 0.027	2,238	0.021	0.021 - 0.022
Georgia	2,157	0.021	0.020 - 0.022	1,148	0.023	0.022 - 0.024	1,009	0.019	0.018 - 0.020
Hawaii	219	0.015	0.013 - 0.018	123	0.017	0.014 - 0.020	96	0.014	0.011 - 0.017
Idaho	415	0.025	0.023 - 0.027	236	0.028	0.025 - 0.032	179	0.022	0.019 - 0.025
Illinois	3,199	0.025	0.024 - 0.026	1,707	0.027	0.026 - 0.028	1,492	0.023	0.022 - 0.024
Iowa	796	0.025	0.024 - 0.027	419	0.027	0.024 - 0.030	377	0.024	0.022 - 0.027
Kentucky	1,213	0.027	0.026 - 0.029	643	0.029	0.027 - 0.032	569	0.025	0.023 - 0.028
Louisiana	972	0.021	0.019 - 0.022	506	0.022	0.020 - 0.024	466	0.019	0.018 - 0.021
Maine	388	0.029	0.026 - 0.032	213	0.033	0.028 - 0.037	175	0.026	0.022 - 0.030
Maryland	1,376	0.023	0.022 - 0.024	706	0.024	0.022 - 0.026	670	0.022	0.020 - 0.023
Michigan	2,555	0.026	0.025 - 0.027	1,351	0.028	0.026 - 0.029	1,204	0.024	0.023 - 0.025
MI - Detroit	909	0.024	0.022 - 0.025	477	0.025	0.023 - 0.028	432	0.022	0.020 - 0.024
Minnesota	1,520	0.028	0.026 - 0.029	819	0.030	0.028 - 0.032	701	0.025	0.024 - 0.027
Mississippi	567	0.019	0.017 - 0.021	300	0.021	0.018 - 0.023	267	0.017	0.015 - 0.020
Missouri	1,539	0.025	0.024 - 0.027	812	0.027	0.025 - 0.029	727	0.023	0.022 - 0.025
Montana	248	0.024	0.021 - 0.027	141	0.027	0.023 - 0.032	107	0.021	0.017 - 0.025
Nebraska	479	0.025	0.023 - 0.028	261	0.028	0.024 - 0.031	218	0.023	0.020 - 0.026
New Hampshire	399	0.030	0.027 - 0.033	217	0.033	0.029 - 0.038	182	0.027	0.023 - 0.031
New Jersey	2,515	0.028	0.027 - 0.029	1,367	0.031	0.030 - 0.033	1,148	0.025	0.024 - 0.026
New Mexico	385	0.018	0.017 - 0.020	201	0.019	0.017 - 0.022	185	0.018	0.015 - 0.020
New York	5,396	0.027	0.026 - 0.028	2,908	0.030	0.029 - 0.031	2,488	0.024	0.023 - 0.025
North Carolina	2,331	0.023	0.022 - 0.024	1,255	0.026	0.024 - 0.027	1,076	0.021	0.020 - 0.022
North Dakota	144	0.019	0.016 - 0.022	82	0.021	0.017 - 0.026	62	0.017	0.013 - 0.022
Ohio	2,892	0.025	0.024 - 0.026	1,578	0.028	0.026 - 0.029	1,314	0.022	0.021 - 0.023
Oklahoma	895	0.023	0.021 - 0.024	472	0.024	0.022 - 0.027	423	0.021	0.019 - 0.024
Oregon	996	0.025	0.023 - 0.026	520	0.026	0.024 - 0.028	476	0.023	0.021 - 0.025
Pennsylvania	3,528	0.028	0.027 - 0.029	1,939	0.031	0.030 - 0.032	1,589	0.024	0.023 - 0.026
Rhode Island	241	0.023	0.020 - 0.026	114	0.022	0.018 - 0.027	127	0.023	0.019 - 0.028
South Carolina	1,036	0.021	0.020 - 0.022	553	0.023	0.021 - 0.025	483	0.019	0.017 - 0.021
Tennessee	1,495	0.023	0.021 - 0.024	810	0.025	0.023 - 0.027	685	0.020	0.019 - 0.022
Texas	6,669	0.024	0.024 - 0.025	3,579	0.026	0.025 - 0.027	3,090	0.022	0.021 - 0.023
Utah	767	0.025	0.024 - 0.027	443	0.029	0.027 - 0.032	324	0.022	0.019 - 0.024
Vermont	170	0.027	0.023 - 0.032	93	0.030	0.024 - 0.037	77	0.024	0.019 - 0.030
Virginia	1,812	0.022	0.021 - 0.023	988	0.024	0.022 - 0.025	824	0.019	0.018 - 0.021
Washington	2,019	0.028	0.027 - 0.029	1,112	0.031	0.029 - 0.033	907	0.025	0.024 - 0.027
WA - Seattle	1,499	0.030	0.029 - 0.032	831	0.033	0.031 - 0.036	668	0.027	0.025 - 0.029
West Virginia	499	0.027	0.025 - 0.030	249	0.027	0.024 - 0.031	250	0.027	0.024 - 0.031
Wisconsin	1,568	0.027	0.026 - 0.029	867	0.030	0.028 - 0.032	701	0.024	0.022 - 0.026
Wyoming	141	0.024	0.020 - 0.028	72	0.024	0.019 - 0.030	69	0.024	0.019 - 0.030
NAACCR CDN Combined[1]	**2,832**	**0.021**	**0.020 - 0.021**	**1,608**	**0.023**	**0.022 - 0.024**	**1,224**	**0.018**	**0.017 - 0.019**
Alberta	897	0.021	0.020 - 0.023	499	0.023	0.021 - 0.026	398	0.019	0.017 - 0.021
British Columbia	961	0.020	0.019 - 0.022	560	0.024	0.022 - 0.026	401	0.017	0.015 - 0.019
Manitoba	259	0.020	0.017 - 0.022	141	0.022	0.018 - 0.026	118	0.018	0.015 - 0.022
New Brunswick	150	0.020	0.017 - 0.023	81	0.022	0.017 - 0.027	69	0.018	0.014 - 0.023
Newfoundland and Labrador	104	0.020	0.016 - 0.024	58	0.022	0.017 - 0.029	46	0.017	0.013 - 0.023
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	212	0.022	0.020 - 0.026	124	0.027	0.022 - 0.032	88	0.018	0.015 - 0.023
Prince Edward Island	29	0.020	0.013 - 0.028	-	-		-	-	
Saskatchewan	211	0.019	0.016 - 0.021	121	0.021	0.017 - 0.025	90	0.016	0.013 - 0.020
NAACCR N.A. Combined[1]	**75,211**	**0.024**	**0.024 - 0.024**	**40,621**	**0.026**	**0.026 - 0.026**	**34,590**	**0.022**	**0.021 - 0.022**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**372,757**	**0.124**	**0.123 - 0.124**	**86,396**	**0.058**	**0.058 - 0.059**	**286,361**	**0.187**	**0.186 - 0.188**
Alabama	3,991	0.082	0.080 - 0.085	988	0.042	0.039 - 0.045	3,003	0.120	0.116 - 0.124
Alaska	754	0.102	0.095 - 0.109	180	0.046	0.040 - 0.054	574	0.163	0.150 - 0.177
Arizona	8,949	0.131	0.128 - 0.133	1,952	0.057	0.055 - 0.060	6,997	0.203	0.198 - 0.208
Arkansas	2,731	0.092	0.088 - 0.095	676	0.046	0.043 - 0.050	2,055	0.135	0.130 - 0.141
California	41,739	0.107	0.106 - 0.108	9,442	0.049	0.048 - 0.050	32,297	0.164	0.162 - 0.166
CA - Greater California	22,894	0.106	0.104 - 0.107	5,206	0.048	0.047 - 0.050	17,689	0.163	0.160 - 0.165
CA - Greater Bay Area	7,383	0.100	0.098 - 0.102	1,769	0.048	0.046 - 0.051	5,614	0.152	0.148 - 0.156
CA - Los Angeles	11,463	0.113	0.111 - 0.115	2,467	0.049	0.047 - 0.051	8,996	0.175	0.171 - 0.179
Colorado	7,047	0.128	0.125 - 0.132	1,707	0.062	0.059 - 0.065	5,340	0.196	0.191 - 0.201
Connecticut	6,576	0.183	0.179 - 0.188	1,548	0.088	0.084 - 0.093	5,028	0.273	0.266 - 0.281
Delaware	1,227	0.129	0.122 - 0.137	259	0.056	0.050 - 0.064	968	0.198	0.186 - 0.211
Florida	22,007	0.108	0.106 - 0.109	5,231	0.052	0.051 - 0.054	16,776	0.160	0.158 - 0.163
Georgia	10,083	0.098	0.096 - 0.100	2,228	0.045	0.043 - 0.046	7,854	0.149	0.146 - 0.153
Hawaii	1,925	0.135	0.129 - 0.141	435	0.061	0.055 - 0.067	1,490	0.210	0.199 - 0.221
Idaho	2,326	0.140	0.134 - 0.146	488	0.059	0.053 - 0.064	1,838	0.221	0.211 - 0.232
Illinois	17,242	0.134	0.132 - 0.136	4,043	0.064	0.062 - 0.066	13,199	0.202	0.198 - 0.205
Iowa	3,733	0.119	0.116 - 0.123	932	0.060	0.056 - 0.064	2,801	0.178	0.172 - 0.185
Kentucky	5,866	0.132	0.129 - 0.136	1,411	0.065	0.061 - 0.068	4,455	0.198	0.192 - 0.204
Louisiana	5,078	0.109	0.106 - 0.112	1,158	0.051	0.048 - 0.054	3,920	0.164	0.159 - 0.169
Maine	1,926	0.145	0.139 - 0.152	481	0.074	0.067 - 0.081	1,445	0.213	0.202 - 0.224
Maryland	8,116	0.135	0.132 - 0.138	1,857	0.064	0.061 - 0.067	6,259	0.202	0.197 - 0.207
Michigan	11,814	0.119	0.117 - 0.121	2,789	0.057	0.055 - 0.059	9,025	0.179	0.175 - 0.183
MI - Detroit	5,533	0.143	0.139 - 0.147	1,259	0.067	0.064 - 0.071	4,274	0.214	0.208 - 0.221
Minnesota	6,182	0.112	0.110 - 0.115	1,467	0.054	0.051 - 0.056	4,715	0.171	0.166 - 0.175
Mississippi	2,712	0.091	0.087 - 0.094	610	0.042	0.039 - 0.046	2,102	0.137	0.131 - 0.143
Missouri	6,830	0.112	0.110 - 0.115	1,633	0.055	0.052 - 0.057	5,197	0.168	0.163 - 0.172
Montana	1,323	0.128	0.121 - 0.135	325	0.062	0.056 - 0.070	998	0.194	0.183 - 0.207
Nebraska	2,301	0.121	0.116 - 0.126	509	0.054	0.049 - 0.059	1,792	0.188	0.179 - 0.197
New Hampshire	2,025	0.152	0.145 - 0.159	497	0.075	0.069 - 0.082	1,528	0.227	0.216 - 0.239
New Jersey	15,916	0.177	0.175 - 0.180	3,763	0.086	0.083 - 0.089	12,153	0.265	0.260 - 0.269
New Mexico	2,778	0.133	0.128 - 0.138	600	0.058	0.054 - 0.063	2,179	0.207	0.198 - 0.216
New York	34,866	0.176	0.174 - 0.178	8,174	0.085	0.083 - 0.087	26,692	0.262	0.258 - 0.265
North Carolina	11,337	0.112	0.110 - 0.114	2,672	0.054	0.052 - 0.056	8,665	0.167	0.164 - 0.171
North Dakota	966	0.128	0.120 - 0.136	221	0.057	0.050 - 0.065	745	0.203	0.189 - 0.218
Ohio	14,728	0.127	0.125 - 0.129	3,206	0.056	0.054 - 0.058	11,522	0.194	0.191 - 0.198
Oklahoma	3,836	0.098	0.095 - 0.101	840	0.043	0.040 - 0.046	2,996	0.152	0.146 - 0.157
Oregon	4,680	0.116	0.112 - 0.119	1,114	0.056	0.052 - 0.059	3,566	0.174	0.169 - 0.180
Pennsylvania	24,355	0.190	0.188 - 0.193	5,692	0.091	0.089 - 0.093	18,663	0.286	0.282 - 0.290
Rhode Island	1,956	0.185	0.177 - 0.193	469	0.091	0.083 - 0.100	1,487	0.274	0.260 - 0.288
South Carolina	4,851	0.098	0.096 - 0.101	1,092	0.046	0.043 - 0.048	3,759	0.148	0.144 - 0.153
Tennessee	7,737	0.117	0.114 - 0.120	1,846	0.057	0.055 - 0.060	5,891	0.174	0.169 - 0.178
Texas	27,219	0.098	0.097 - 0.100	6,245	0.045	0.044 - 0.047	20,974	0.151	0.149 - 0.153
Utah	4,122	0.137	0.133 - 0.141	892	0.059	0.055 - 0.063	3,230	0.216	0.208 - 0.223
Vermont	816	0.131	0.122 - 0.140	199	0.065	0.056 - 0.074	617	0.195	0.180 - 0.211
Virginia	9,527	0.114	0.111 - 0.116	2,073	0.050	0.048 - 0.052	7,454	0.175	0.171 - 0.179
Washington	8,502	0.118	0.115 - 0.120	2,039	0.057	0.054 - 0.059	6,463	0.179	0.175 - 0.183
WA - Seattle	6,129	0.123	0.120 - 0.126	1,461	0.059	0.056 - 0.062	4,669	0.188	0.182 - 0.193
West Virginia	2,660	0.145	0.140 - 0.151	603	0.066	0.061 - 0.072	2,057	0.222	0.212 - 0.232
Wisconsin	6,687	0.116	0.113 - 0.119	1,631	0.057	0.054 - 0.060	5,056	0.174	0.170 - 0.179
Wyoming	714	0.122	0.113 - 0.131	179	0.060	0.051 - 0.069	535	0.187	0.171 - 0.203
NAACCR CDN Combined[1]	**12,726**	**0.092**	**0.091 - 0.094**	**3,133**	**0.045**	**0.044 - 0.047**	**9,593**	**0.139**	**0.136 - 0.142**
Alberta	4,130	0.098	0.095 - 0.101	986	0.046	0.043 - 0.049	3,144	0.152	0.147 - 0.157
British Columbia	3,403	0.072	0.070 - 0.074	863	0.037	0.034 - 0.039	2,540	0.107	0.103 - 0.111
Manitoba	1,196	0.092	0.086 - 0.097	291	0.045	0.040 - 0.050	905	0.138	0.129 - 0.147
New Brunswick	1,188	0.157	0.148 - 0.166	294	0.079	0.070 - 0.088	894	0.234	0.219 - 0.250
Newfoundland and Labrador	845	0.160	0.149 - 0.171	201	0.077	0.067 - 0.088	644	0.240	0.222 - 0.259
Northwest Territory	22	0.050	0.031 - 0.075	-	-		22	0.101	0.063 - 0.153
Nova Scotia	1,097	0.116	0.109 - 0.123	275	0.059	0.053 - 0.067	822	0.171	0.159 - 0.183
Prince Edward Island	88	0.059	0.048 - 0.073	23	0.032	0.020 - 0.048	65	0.086	0.066 - 0.109
Saskatchewan	757	0.066	0.062 - 0.071	200	0.035	0.030 - 0.040	557	0.099	0.091 - 0.107
NAACCR N.A. Combined[1]	**385,483**	**0.122**	**0.122 - 0.123**	**89,529**	**0.058**	**0.057 - 0.058**	**295,954**	**0.185**	**0.184 - 0.186**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-220 Prevalence – Thyroid

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**65,961**	**0.022**	**0.022 - 0.022**	**35,831**	**0.024**	**0.024 - 0.024**	**30,130**	**0.020**	**0.019 - 0.020**
Alabama	903	0.019	0.017 - 0.020	489	0.021	0.019 - 0.023	414	0.017	0.015 - 0.018
Alaska	120	0.016	0.013 - 0.019	65	0.017	0.013 - 0.021	55	0.016	0.012 - 0.020
Arizona	1,151	0.017	0.016 - 0.018	615	0.018	0.017 - 0.020	536	0.016	0.014 - 0.017
Arkansas	622	0.021	0.019 - 0.023	353	0.024	0.022 - 0.027	269	0.018	0.016 - 0.020
California	7,320	0.019	0.018 - 0.019	4,020	0.021	0.020 - 0.021	3,301	0.017	0.016 - 0.017
CA - Greater California	4,017	0.019	0.018 - 0.019	2,215	0.021	0.020 - 0.021	1,802	0.017	0.016 - 0.017
CA - Greater Bay Area	1,452	0.020	0.019 - 0.021	783	0.021	0.020 - 0.023	669	0.018	0.017 - 0.019
CA - Los Angeles	1,854	0.018	0.017 - 0.019	1,023	0.020	0.019 - 0.022	831	0.016	0.015 - 0.017
Colorado	1,132	0.021	0.019 - 0.022	655	0.024	0.022 - 0.026	477	0.017	0.016 - 0.019
Connecticut	1,046	0.029	0.027 - 0.031	559	0.032	0.029 - 0.035	487	0.026	0.024 - 0.029
Delaware	234	0.025	0.022 - 0.028	139	0.030	0.025 - 0.036	95	0.019	0.016 - 0.024
Florida	4,662	0.023	0.022 - 0.023	2,503	0.025	0.024 - 0.026	2,159	0.021	0.020 - 0.022
Georgia	2,020	0.020	0.019 - 0.021	1,054	0.021	0.020 - 0.022	965	0.018	0.017 - 0.020
Hawaii	201	0.014	0.012 - 0.016	103	0.014	0.012 - 0.017	98	0.014	0.011 - 0.017
Idaho	352	0.021	0.019 - 0.023	189	0.023	0.020 - 0.026	163	0.020	0.017 - 0.023
Illinois	3,028	0.024	0.023 - 0.024	1,637	0.026	0.025 - 0.027	1,391	0.021	0.020 - 0.022
Iowa	789	0.025	0.024 - 0.027	437	0.028	0.026 - 0.031	352	0.022	0.020 - 0.025
Kentucky	961	0.022	0.020 - 0.023	540	0.025	0.023 - 0.027	422	0.019	0.017 - 0.021
Louisiana	1,018	0.022	0.020 - 0.023	546	0.024	0.022 - 0.026	472	0.020	0.018 - 0.022
Maine	362	0.027	0.025 - 0.030	192	0.029	0.025 - 0.034	170	0.025	0.021 - 0.029
Maryland	1,363	0.023	0.021 - 0.024	736	0.025	0.023 - 0.027	627	0.020	0.019 - 0.022
Michigan	2,353	0.024	0.023 - 0.025	1,290	0.026	0.025 - 0.028	1,063	0.021	0.020 - 0.022
MI - Detroit	1,049	0.027	0.025 - 0.029	586	0.031	0.029 - 0.034	462	0.023	0.021 - 0.025
Minnesota	1,325	0.024	0.023 - 0.025	757	0.028	0.026 - 0.030	568	0.021	0.019 - 0.022
Mississippi	588	0.020	0.018 - 0.021	327	0.023	0.020 - 0.025	261	0.017	0.015 - 0.019
Missouri	1,331	0.022	0.021 - 0.023	710	0.024	0.022 - 0.026	621	0.020	0.019 - 0.022
Montana	232	0.022	0.020 - 0.026	130	0.025	0.021 - 0.030	102	0.020	0.016 - 0.024
Nebraska	466	0.025	0.022 - 0.027	254	0.027	0.024 - 0.030	212	0.022	0.019 - 0.025
New Hampshire	355	0.027	0.024 - 0.030	205	0.031	0.027 - 0.036	150	0.022	0.019 - 0.026
New Jersey	2,415	0.027	0.026 - 0.028	1,272	0.029	0.027 - 0.031	1,143	0.025	0.023 - 0.026
New Mexico	373	0.018	0.016 - 0.020	200	0.019	0.017 - 0.022	173	0.016	0.014 - 0.019
New York	5,439	0.027	0.027 - 0.028	2,921	0.030	0.029 - 0.031	2,518	0.025	0.024 - 0.026
North Carolina	2,063	0.020	0.020 - 0.021	1,112	0.023	0.021 - 0.024	951	0.018	0.017 - 0.020
North Dakota	176	0.023	0.020 - 0.027	115	0.030	0.024 - 0.036	61	0.017	0.013 - 0.021
Ohio	2,693	0.023	0.022 - 0.024	1,484	0.026	0.025 - 0.027	1,209	0.020	0.019 - 0.022
Oklahoma	758	0.019	0.018 - 0.021	409	0.021	0.019 - 0.023	349	0.018	0.016 - 0.020
Oregon	884	0.022	0.020 - 0.023	474	0.024	0.022 - 0.026	410	0.020	0.018 - 0.022
Pennsylvania	3,523	0.028	0.027 - 0.028	1,898	0.030	0.029 - 0.032	1,625	0.025	0.024 - 0.026
Rhode Island	303	0.029	0.026 - 0.032	157	0.031	0.026 - 0.036	146	0.027	0.023 - 0.032
South Carolina	982	0.020	0.019 - 0.021	539	0.023	0.021 - 0.025	443	0.017	0.016 - 0.019
Tennessee	1,373	0.021	0.020 - 0.022	707	0.022	0.020 - 0.024	666	0.020	0.018 - 0.021
Texas	4,963	0.018	0.017 - 0.018	2,716	0.020	0.019 - 0.021	2,247	0.016	0.015 - 0.017
Utah	613	0.020	0.019 - 0.022	333	0.022	0.020 - 0.024	280	0.019	0.017 - 0.021
Vermont	171	0.027	0.023 - 0.032	95	0.031	0.025 - 0.038	76	0.024	0.019 - 0.030
Virginia	1,668	0.020	0.019 - 0.021	856	0.021	0.019 - 0.022	812	0.019	0.018 - 0.020
Washington	1,605	0.022	0.021 - 0.023	927	0.026	0.024 - 0.027	678	0.019	0.017 - 0.020
WA - Seattle	1,165	0.023	0.022 - 0.025	672	0.027	0.025 - 0.029	493	0.020	0.018 - 0.022
West Virginia	401	0.022	0.020 - 0.024	227	0.025	0.022 - 0.029	174	0.019	0.016 - 0.022
Wisconsin	1,508	0.026	0.025 - 0.028	815	0.028	0.027 - 0.030	693	0.024	0.022 - 0.026
Wyoming	116	0.020	0.016 - 0.024	70	0.023	0.018 - 0.030	46	0.016	0.012 - 0.022
NAACCR CDN Combined[1]	**2,816**	**0.020**	**0.020 - 0.021**	**1,570**	**0.023**	**0.022 - 0.024**	**1,246**	**0.018**	**0.017 - 0.019**
Alberta	840	0.020	0.019 - 0.021	498	0.023	0.021 - 0.025	342	0.017	0.015 - 0.018
British Columbia	938	0.020	0.019 - 0.021	497	0.021	0.019 - 0.023	441	0.019	0.017 - 0.020
Manitoba	267	0.020	0.018 - 0.023	144	0.022	0.019 - 0.026	123	0.019	0.016 - 0.022
New Brunswick	157	0.021	0.018 - 0.024	89	0.024	0.019 - 0.029	68	0.018	0.014 - 0.023
Newfoundland and Labrador	107	0.020	0.017 - 0.024	60	0.023	0.018 - 0.030	47	0.018	0.013 - 0.023
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	216	0.023	0.020 - 0.026	119	0.026	0.021 - 0.031	97	0.020	0.016 - 0.025
Prince Edward Island	33	0.022	0.015 - 0.031	18	0.025	0.015 - 0.039	15	0.020	0.011 - 0.033
Saskatchewan	251	0.022	0.019 - 0.025	140	0.024	0.020 - 0.029	111	0.020	0.016 - 0.024
NAACCR N.A. Combined[1]	**68,777**	**0.022**	**0.022 - 0.022**	**37,401**	**0.024**	**0.024 - 0.024**	**31,376**	**0.020**	**0.019 - 0.020**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**376,039**	**0.125**	**0.124 - 0.125**	**198,909**	**0.134**	**0.133 - 0.135**	**177,130**	**0.116**	**0.115 - 0.116**
Alabama	5,055	0.104	0.101 - 0.107	2,666	0.113	0.109 - 0.118	2,389	0.095	0.092 - 0.099
Alaska	732	0.099	0.092 - 0.106	408	0.105	0.095 - 0.116	324	0.092	0.082 - 0.103
Arizona	6,602	0.096	0.094 - 0.099	3,420	0.100	0.097 - 0.104	3,182	0.092	0.089 - 0.096
Arkansas	3,467	0.116	0.112 - 0.120	1,808	0.123	0.118 - 0.129	1,659	0.109	0.104 - 0.115
California	42,935	0.110	0.109 - 0.111	23,123	0.119	0.117 - 0.120	19,812	0.101	0.099 - 0.102
CA - Greater California	23,145	0.107	0.106 - 0.108	12,459	0.115	0.113 - 0.117	10,686	0.098	0.097 - 0.100
CA - Greater Bay Area	9,445	0.128	0.126 - 0.131	5,223	0.142	0.139 - 0.146	4,222	0.114	0.111 - 0.118
CA - Los Angeles	10,355	0.102	0.100 - 0.104	5,449	0.109	0.106 - 0.112	4,907	0.095	0.093 - 0.098
Colorado	5,959	0.109	0.106 - 0.111	3,283	0.119	0.115 - 0.123	2,676	0.098	0.094 - 0.102
Connecticut	5,623	0.157	0.153 - 0.161	2,970	0.170	0.164 - 0.176	2,653	0.144	0.139 - 0.150
Delaware	1,365	0.144	0.136 - 0.152	710	0.155	0.143 - 0.166	655	0.134	0.124 - 0.145
Florida	31,467	0.154	0.152 - 0.155	16,373	0.164	0.161 - 0.166	15,094	0.144	0.142 - 0.147
Georgia	10,337	0.101	0.099 - 0.103	5,541	0.111	0.108 - 0.114	4,797	0.091	0.089 - 0.094
Hawaii	1,619	0.113	0.108 - 0.119	890	0.124	0.116 - 0.133	729	0.103	0.095 - 0.110
Idaho	1,909	0.115	0.110 - 0.120	1,013	0.121	0.114 - 0.129	896	0.108	0.101 - 0.115
Illinois	16,649	0.130	0.128 - 0.132	8,752	0.139	0.136 - 0.142	7,897	0.121	0.118 - 0.124
Iowa	4,692	0.150	0.146 - 0.155	2,524	0.163	0.156 - 0.169	2,168	0.138	0.132 - 0.144
Kentucky	5,853	0.132	0.129 - 0.136	3,072	0.141	0.136 - 0.146	2,781	0.124	0.119 - 0.128
Louisiana	5,464	0.117	0.114 - 0.120	2,833	0.124	0.119 - 0.128	2,631	0.110	0.106 - 0.114
Maine	2,154	0.162	0.155 - 0.169	1,100	0.169	0.159 - 0.179	1,054	0.155	0.146 - 0.165
Maryland	6,905	0.115	0.112 - 0.118	3,544	0.122	0.118 - 0.126	3,361	0.108	0.105 - 0.112
Michigan	13,774	0.139	0.136 - 0.141	7,188	0.147	0.144 - 0.151	6,586	0.131	0.127 - 0.134
MI - Detroit	5,513	0.143	0.139 - 0.146	2,868	0.153	0.147 - 0.159	2,645	0.133	0.128 - 0.138
Minnesota	8,126	0.148	0.144 - 0.151	4,452	0.163	0.158 - 0.167	3,674	0.133	0.129 - 0.137
Mississippi	3,159	0.106	0.102 - 0.110	1,617	0.112	0.106 - 0.117	1,542	0.100	0.095 - 0.105
Missouri	7,553	0.124	0.121 - 0.127	4,009	0.134	0.130 - 0.139	3,544	0.114	0.111 - 0.118
Montana	1,434	0.139	0.132 - 0.146	793	0.152	0.142 - 0.163	641	0.125	0.115 - 0.135
Nebraska	2,556	0.134	0.129 - 0.140	1,367	0.144	0.137 - 0.152	1,189	0.125	0.118 - 0.132
New Hampshire	2,148	0.161	0.154 - 0.168	1,148	0.174	0.164 - 0.184	1,000	0.149	0.140 - 0.158
New Jersey	13,499	0.151	0.148 - 0.153	7,024	0.160	0.157 - 0.164	6,475	0.141	0.138 - 0.144
New Mexico	2,112	0.101	0.097 - 0.106	1,092	0.106	0.100 - 0.112	1,020	0.097	0.091 - 0.103
New York	29,824	0.150	0.149 - 0.152	15,558	0.162	0.159 - 0.164	14,266	0.140	0.137 - 0.142
North Carolina	11,699	0.116	0.114 - 0.118	6,179	0.126	0.123 - 0.129	5,520	0.107	0.104 - 0.109
North Dakota	984	0.130	0.122 - 0.139	509	0.131	0.120 - 0.143	475	0.129	0.118 - 0.141
Ohio	15,218	0.131	0.129 - 0.133	8,059	0.142	0.139 - 0.145	7,159	0.121	0.118 - 0.124
Oklahoma	4,304	0.110	0.107 - 0.113	2,261	0.117	0.112 - 0.122	2,043	0.103	0.099 - 0.108
Oregon	5,175	0.128	0.124 - 0.131	2,793	0.139	0.134 - 0.144	2,382	0.117	0.112 - 0.121
Pennsylvania	20,010	0.156	0.154 - 0.159	10,407	0.166	0.163 - 0.169	9,603	0.147	0.144 - 0.150
Rhode Island	1,653	0.156	0.149 - 0.164	851	0.166	0.155 - 0.177	802	0.148	0.138 - 0.158
South Carolina	5,336	0.108	0.105 - 0.111	2,793	0.117	0.112 - 0.121	2,543	0.100	0.096 - 0.104
Tennessee	7,728	0.117	0.114 - 0.119	4,017	0.124	0.121 - 0.128	3,711	0.109	0.106 - 0.113
Texas	26,570	0.096	0.095 - 0.097	14,081	0.102	0.101 - 0.104	12,489	0.090	0.088 - 0.091
Utah	2,897	0.096	0.093 - 0.100	1,637	0.108	0.103 - 0.113	1,260	0.084	0.080 - 0.089
Vermont	1,060	0.170	0.160 - 0.180	567	0.184	0.169 - 0.200	493	0.156	0.143 - 0.171
Virginia	9,043	0.108	0.106 - 0.110	4,823	0.117	0.114 - 0.120	4,220	0.099	0.096 - 0.102
Washington	9,520	0.132	0.129 - 0.135	5,282	0.146	0.143 - 0.150	4,238	0.117	0.114 - 0.121
WA - Seattle	6,870	0.138	0.135 - 0.142	3,825	0.154	0.149 - 0.159	3,046	0.123	0.118 - 0.127
West Virginia	2,684	0.146	0.141 - 0.152	1,402	0.155	0.147 - 0.163	1,282	0.138	0.131 - 0.146
Wisconsin	8,541	0.148	0.145 - 0.151	4,611	0.161	0.156 - 0.166	3,930	0.136	0.131 - 0.140
Wyoming	645	0.110	0.102 - 0.119	359	0.120	0.108 - 0.133	286	0.100	0.089 - 0.112
NAACCR CDN Combined[1]	**17,351**	**0.126**	**0.124 - 0.128**	**9,317**	**0.135**	**0.132 - 0.138**	**8,034**	**0.116**	**0.114 - 0.119**
Alberta	4,365	0.104	0.101 - 0.107	2,381	0.112	0.107 - 0.116	1,984	0.096	0.092 - 0.100
British Columbia	6,178	0.131	0.127 - 0.134	3,335	0.142	0.137 - 0.147	2,843	0.119	0.115 - 0.124
Manitoba	1,638	0.125	0.119 - 0.132	868	0.134	0.125 - 0.143	770	0.117	0.109 - 0.126
New Brunswick	1,260	0.167	0.158 - 0.176	674	0.181	0.167 - 0.195	586	0.153	0.141 - 0.166
Newfoundland and Labrador	902	0.170	0.159 - 0.182	455	0.174	0.159 - 0.191	447	0.167	0.151 - 0.183
Northwest Territory	30	0.068	0.046 - 0.096	15	0.066	0.037 - 0.109	15	0.069	0.039 - 0.114
Nova Scotia	1,463	0.155	0.147 - 0.163	791	0.171	0.159 - 0.183	672	0.139	0.129 - 0.150
Prince Edward Island	192	0.130	0.112 - 0.149	107	0.148	0.121 - 0.179	85	0.112	0.089 - 0.138
Saskatchewan	1,323	0.116	0.110 - 0.122	691	0.120	0.111 - 0.130	632	0.112	0.103 - 0.121
NAACCR N.A. Combined[1]	**393,390**	**0.125**	**0.124 - 0.125**	**208,226**	**0.134**	**0.133 - 0.135**	**185,164**	**0.116**	**0.115 - 0.116**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-222 Prevalence – Non-Hodgkin Lymphoma

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**100,327**	**0.033**	**0.033 - 0.033**	**55,015**	**0.037**	**0.037 - 0.037**	**45,311**	**0.030**	**0.029 - 0.030**
Alabama	1,591	0.033	0.031 - 0.034	810	0.034	0.032 - 0.037	781	0.031	0.029 - 0.033
Alaska	154	0.021	0.018 - 0.024	88	0.023	0.018 - 0.028	66	0.019	0.014 - 0.024
Arizona	1,597	0.023	0.022 - 0.024	906	0.027	0.025 - 0.028	691	0.020	0.019 - 0.022
Arkansas	1,049	0.035	0.033 - 0.037	577	0.039	0.036 - 0.043	472	0.031	0.028 - 0.034
California	10,264	0.026	0.026 - 0.027	5,842	0.030	0.029 - 0.031	4,422	0.022	0.022 - 0.023
CA - Greater California	5,544	0.026	0.025 - 0.026	3,138	0.029	0.028 - 0.030	2,406	0.022	0.021 - 0.023
CA - Greater Bay Area	2,191	0.030	0.028 - 0.031	1,268	0.035	0.033 - 0.037	923	0.025	0.023 - 0.027
CA - Los Angeles	2,532	0.025	0.024 - 0.026	1,441	0.029	0.027 - 0.030	1,091	0.021	0.020 - 0.023
Colorado	1,567	0.029	0.027 - 0.030	939	0.034	0.032 - 0.036	628	0.023	0.021 - 0.025
Connecticut	1,491	0.042	0.039 - 0.044	832	0.047	0.044 - 0.051	660	0.036	0.033 - 0.039
Delaware	385	0.041	0.037 - 0.045	211	0.046	0.040 - 0.053	174	0.036	0.030 - 0.041
Florida	9,063	0.044	0.043 - 0.045	4,933	0.049	0.048 - 0.051	4,130	0.039	0.038 - 0.041
Georgia	3,614	0.035	0.034 - 0.036	1,895	0.038	0.036 - 0.040	1,718	0.033	0.031 - 0.034
Hawaii	379	0.027	0.024 - 0.029	208	0.029	0.025 - 0.033	171	0.024	0.021 - 0.028
Idaho	465	0.028	0.025 - 0.031	284	0.034	0.030 - 0.038	181	0.022	0.019 - 0.025
Illinois	4,283	0.033	0.032 - 0.034	2,262	0.036	0.034 - 0.037	2,021	0.031	0.030 - 0.032
Iowa	1,057	0.034	0.032 - 0.036	588	0.038	0.035 - 0.041	468	0.030	0.027 - 0.033
Kentucky	1,382	0.031	0.030 - 0.033	810	0.037	0.035 - 0.040	571	0.025	0.023 - 0.028
Louisiana	1,639	0.035	0.033 - 0.037	873	0.038	0.036 - 0.041	766	0.032	0.030 - 0.034
Maine	475	0.036	0.033 - 0.039	265	0.041	0.036 - 0.046	210	0.031	0.027 - 0.035
Maryland	2,111	0.035	0.034 - 0.037	1,068	0.037	0.034 - 0.039	1,043	0.034	0.032 - 0.036
Michigan	3,479	0.035	0.034 - 0.036	1,919	0.039	0.038 - 0.041	1,560	0.031	0.029 - 0.033
MI - Detroit	1,596	0.041	0.039 - 0.043	842	0.045	0.042 - 0.048	754	0.038	0.035 - 0.041
Minnesota	1,878	0.034	0.033 - 0.036	1,073	0.039	0.037 - 0.042	805	0.029	0.027 - 0.031
Mississippi	1,005	0.034	0.032 - 0.036	541	0.037	0.034 - 0.041	464	0.030	0.027 - 0.033
Missouri	1,925	0.032	0.030 - 0.033	1,074	0.036	0.034 - 0.038	851	0.027	0.026 - 0.029
Montana	346	0.033	0.030 - 0.037	218	0.042	0.036 - 0.048	128	0.025	0.021 - 0.030
Nebraska	588	0.031	0.028 - 0.034	336	0.035	0.032 - 0.039	252	0.026	0.023 - 0.030
New Hampshire	478	0.036	0.033 - 0.039	280	0.042	0.038 - 0.048	198	0.029	0.025 - 0.034
New Jersey	3,639	0.041	0.039 - 0.042	1,917	0.044	0.042 - 0.046	1,722	0.037	0.036 - 0.039
New Mexico	553	0.027	0.024 - 0.029	309	0.030	0.027 - 0.033	244	0.023	0.020 - 0.026
New York	8,918	0.045	0.044 - 0.046	4,770	0.050	0.048 - 0.051	4,148	0.041	0.039 - 0.042
North Carolina	3,852	0.038	0.037 - 0.039	2,067	0.042	0.040 - 0.044	1,785	0.034	0.033 - 0.036
North Dakota	216	0.029	0.025 - 0.033	122	0.031	0.026 - 0.038	94	0.026	0.021 - 0.031
Ohio	3,382	0.029	0.028 - 0.030	1,868	0.033	0.031 - 0.034	1,514	0.026	0.024 - 0.027
Oklahoma	1,048	0.027	0.025 - 0.028	554	0.029	0.026 - 0.031	494	0.025	0.023 - 0.027
Oregon	1,019	0.025	0.024 - 0.027	586	0.029	0.027 - 0.032	433	0.021	0.019 - 0.023
Pennsylvania	4,731	0.037	0.036 - 0.038	2,588	0.041	0.040 - 0.043	2,143	0.033	0.031 - 0.034
Rhode Island	366	0.035	0.031 - 0.038	203	0.040	0.034 - 0.045	163	0.030	0.026 - 0.035
South Carolina	1,901	0.039	0.037 - 0.040	997	0.042	0.039 - 0.044	904	0.036	0.033 - 0.038
Tennessee	2,076	0.031	0.030 - 0.033	1,141	0.035	0.033 - 0.037	935	0.028	0.026 - 0.029
Texas	8,009	0.029	0.028 - 0.030	4,309	0.031	0.030 - 0.032	3,700	0.027	0.026 - 0.027
Utah	656	0.022	0.020 - 0.024	391	0.026	0.023 - 0.028	266	0.018	0.016 - 0.020
Vermont	205	0.033	0.029 - 0.038	130	0.042	0.035 - 0.050	75	0.024	0.019 - 0.030
Virginia	2,377	0.028	0.027 - 0.029	1,282	0.031	0.029 - 0.033	1,095	0.026	0.024 - 0.027
Washington	2,164	0.030	0.029 - 0.031	1,258	0.035	0.033 - 0.037	906	0.025	0.023 - 0.027
WA - Seattle	1,598	0.032	0.031 - 0.034	932	0.038	0.035 - 0.040	666	0.027	0.025 - 0.029
West Virginia	623	0.034	0.031 - 0.037	355	0.039	0.035 - 0.043	268	0.029	0.026 - 0.033
Wisconsin	2,168	0.038	0.036 - 0.039	1,251	0.044	0.041 - 0.046	917	0.032	0.030 - 0.034
Wyoming	158	0.027	0.023 - 0.031	84	0.028	0.022 - 0.035	73	0.026	0.020 - 0.032
NAACCR CDN Combined[1]	**3,899**	**0.028**	**0.027 - 0.029**	**2,265**	**0.033**	**0.031 - 0.034**	**1,634**	**0.024**	**0.023 - 0.025**
Alberta	1,052	0.025	0.024 - 0.027	633	0.030	0.027 - 0.032	419	0.020	0.018 - 0.022
British Columbia	1,353	0.029	0.027 - 0.030	785	0.033	0.031 - 0.036	568	0.024	0.022 - 0.026
Manitoba	334	0.026	0.023 - 0.028	194	0.030	0.026 - 0.034	140	0.021	0.018 - 0.025
New Brunswick	286	0.038	0.034 - 0.042	162	0.043	0.037 - 0.051	124	0.032	0.027 - 0.039
Newfoundland and Labrador	178	0.034	0.029 - 0.039	102	0.039	0.032 - 0.047	76	0.028	0.022 - 0.035
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	302	0.032	0.028 - 0.036	168	0.036	0.031 - 0.042	134	0.028	0.023 - 0.033
Prince Edward Island	63	0.043	0.033 - 0.054	35	0.048	0.034 - 0.067	28	0.037	0.025 - 0.053
Saskatchewan	322	0.028	0.025 - 0.032	181	0.031	0.027 - 0.036	141	0.025	0.021 - 0.029
NAACCR N.A. Combined[1]	**104,226**	**0.033**	**0.033 - 0.033**	**57,280**	**0.037**	**0.037 - 0.037**	**46,945**	**0.029**	**0.029 - 0.030**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**222,771**	**0.074**	**0.074 - 0.074**	**128,703**	**0.087**	**0.086 - 0.087**	**94,068**	**0.061**	**0.061 - 0.062**
Alabama	2,896	0.060	0.057 - 0.062	1,640	0.070	0.066 - 0.073	1,256	0.050	0.047 - 0.053
Alaska	428	0.058	0.053 - 0.064	255	0.066	0.058 - 0.074	173	0.049	0.042 - 0.057
Arizona	3,561	0.052	0.050 - 0.054	2,006	0.059	0.056 - 0.061	1,555	0.045	0.043 - 0.047
Arkansas	1,976	0.066	0.063 - 0.069	1,155	0.079	0.074 - 0.084	821	0.054	0.050 - 0.058
California	24,414	0.062	0.062 - 0.063	14,296	0.073	0.072 - 0.075	10,118	0.051	0.050 - 0.052
CA - Greater California	13,539	0.063	0.061 - 0.064	7,875	0.073	0.071 - 0.075	5,665	0.052	0.051 - 0.054
CA - Greater Bay Area	4,865	0.066	0.064 - 0.068	2,929	0.080	0.077 - 0.083	1,935	0.052	0.050 - 0.055
CA - Los Angeles	6,014	0.059	0.058 - 0.061	3,494	0.070	0.068 - 0.072	2,520	0.049	0.047 - 0.051
Colorado	3,839	0.070	0.068 - 0.072	2,302	0.083	0.080 - 0.087	1,537	0.056	0.054 - 0.059
Connecticut	3,099	0.086	0.083 - 0.089	1,794	0.102	0.098 - 0.107	1,305	0.071	0.067 - 0.075
Delaware	742	0.078	0.073 - 0.084	444	0.097	0.088 - 0.106	298	0.061	0.054 - 0.068
Florida	20,854	0.102	0.101 - 0.103	11,760	0.118	0.115 - 0.120	9,094	0.087	0.085 - 0.089
Georgia	6,322	0.062	0.060 - 0.063	3,523	0.071	0.068 - 0.073	2,799	0.053	0.051 - 0.055
Hawaii	838	0.059	0.055 - 0.063	491	0.068	0.063 - 0.075	347	0.049	0.044 - 0.054
Idaho	1,474	0.089	0.084 - 0.093	861	0.103	0.096 - 0.110	613	0.074	0.068 - 0.080
Illinois	8,866	0.069	0.068 - 0.070	5,240	0.083	0.081 - 0.085	3,626	0.055	0.054 - 0.057
Iowa	2,937	0.094	0.091 - 0.097	1,721	0.111	0.106 - 0.116	1,216	0.077	0.073 - 0.082
Kentucky	3,517	0.079	0.077 - 0.082	2,036	0.093	0.089 - 0.097	1,481	0.066	0.063 - 0.069
Louisiana	3,083	0.066	0.064 - 0.068	1,728	0.076	0.072 - 0.079	1,354	0.057	0.054 - 0.060
Maine	1,369	0.103	0.098 - 0.109	775	0.119	0.111 - 0.128	594	0.088	0.081 - 0.095
Maryland	3,672	0.061	0.059 - 0.063	2,038	0.070	0.067 - 0.073	1,634	0.053	0.050 - 0.055
Michigan	7,652	0.077	0.075 - 0.079	4,393	0.090	0.087 - 0.093	3,259	0.065	0.062 - 0.067
MI - Detroit	3,354	0.087	0.084 - 0.090	1,930	0.103	0.098 - 0.108	1,424	0.071	0.068 - 0.075
Minnesota	5,097	0.093	0.090 - 0.095	3,116	0.114	0.110 - 0.118	1,981	0.072	0.069 - 0.075
Mississippi	1,715	0.057	0.055 - 0.060	1,003	0.069	0.065 - 0.074	712	0.046	0.043 - 0.050
Missouri	4,293	0.071	0.068 - 0.073	2,433	0.081	0.078 - 0.085	1,860	0.060	0.057 - 0.063
Montana	982	0.095	0.089 - 0.101	621	0.119	0.110 - 0.129	361	0.070	0.063 - 0.078
Nebraska	1,458	0.077	0.073 - 0.081	868	0.092	0.086 - 0.098	590	0.062	0.057 - 0.067
New Hampshire	1,210	0.091	0.086 - 0.096	750	0.114	0.106 - 0.122	460	0.068	0.062 - 0.075
New Jersey	7,929	0.088	0.086 - 0.090	4,588	0.105	0.102 - 0.108	3,341	0.073	0.070 - 0.075
New Mexico	1,601	0.077	0.073 - 0.081	884	0.086	0.080 - 0.092	717	0.068	0.063 - 0.073
New York	18,514	0.093	0.092 - 0.095	10,617	0.110	0.108 - 0.112	7,897	0.077	0.076 - 0.079
North Carolina	7,446	0.074	0.072 - 0.075	4,262	0.087	0.084 - 0.089	3,184	0.061	0.059 - 0.064
North Dakota	679	0.090	0.083 - 0.097	405	0.104	0.094 - 0.115	274	0.075	0.066 - 0.084
Ohio	7,059	0.061	0.059 - 0.062	4,110	0.072	0.070 - 0.075	2,949	0.050	0.048 - 0.052
Oklahoma	2,714	0.069	0.067 - 0.072	1,539	0.079	0.075 - 0.083	1,175	0.060	0.056 - 0.063
Oregon	2,620	0.065	0.062 - 0.067	1,528	0.076	0.072 - 0.080	1,092	0.053	0.050 - 0.057
Pennsylvania	10,933	0.085	0.084 - 0.087	6,369	0.102	0.099 - 0.104	4,564	0.070	0.068 - 0.072
Rhode Island	894	0.085	0.079 - 0.090	513	0.100	0.091 - 0.109	381	0.070	0.063 - 0.078
South Carolina	3,273	0.066	0.064 - 0.069	1,881	0.079	0.075 - 0.082	1,392	0.055	0.052 - 0.058
Tennessee	4,666	0.070	0.068 - 0.073	2,684	0.083	0.080 - 0.086	1,982	0.058	0.056 - 0.061
Texas	17,791	0.064	0.063 - 0.065	10,174	0.074	0.073 - 0.075	7,617	0.055	0.053 - 0.056
Utah	1,842	0.061	0.058 - 0.064	1,102	0.073	0.068 - 0.077	740	0.049	0.046 - 0.053
Vermont	506	0.081	0.074 - 0.088	297	0.096	0.086 - 0.108	209	0.066	0.058 - 0.076
Virginia	4,328	0.052	0.050 - 0.053	2,425	0.059	0.056 - 0.061	1,903	0.045	0.043 - 0.047
Washington	5,776	0.080	0.078 - 0.082	3,430	0.095	0.092 - 0.098	2,346	0.065	0.062 - 0.068
WA - Seattle	4,327	0.087	0.085 - 0.090	2,576	0.104	0.100 - 0.108	1,750	0.070	0.067 - 0.074
West Virginia	1,591	0.087	0.083 - 0.091	944	0.104	0.098 - 0.111	647	0.070	0.064 - 0.075
Wisconsin	5,885	0.102	0.099 - 0.105	3,438	0.120	0.116 - 0.124	2,447	0.084	0.081 - 0.088
Wyoming	432	0.074	0.067 - 0.081	265	0.088	0.078 - 0.100	167	0.058	0.050 - 0.068
NAACCR CDN Combined[1]	**11,588**	**0.084**	**0.082 - 0.085**	**6,968**	**0.101**	**0.099 - 0.103**	**4,620**	**0.067**	**0.065 - 0.069**
Alberta	3,505	0.083	0.081 - 0.086	2,124	0.099	0.095 - 0.104	1,381	0.067	0.063 - 0.070
British Columbia	3,793	0.080	0.078 - 0.083	2,287	0.098	0.094 - 0.102	1,506	0.063	0.060 - 0.067
Manitoba	1,147	0.088	0.083 - 0.093	683	0.105	0.097 - 0.113	464	0.071	0.064 - 0.077
New Brunswick	832	0.110	0.103 - 0.118	496	0.133	0.121 - 0.145	336	0.088	0.079 - 0.098
Newfoundland and Labrador	365	0.069	0.062 - 0.076	236	0.090	0.079 - 0.103	129	0.048	0.040 - 0.057
Northwest Territory	20	0.045	0.028 - 0.070	-	-		-	-	
Nova Scotia	744	0.079	0.073 - 0.085	428	0.092	0.084 - 0.102	316	0.066	0.059 - 0.073
Prince Edward Island	122	0.082	0.068 - 0.098	71	0.098	0.077 - 0.124	51	0.067	0.050 - 0.088
Saskatchewan	1,060	0.093	0.087 - 0.099	627	0.109	0.101 - 0.118	433	0.077	0.070 - 0.084
NAACCR N.A. Combined[1]	**234,359**	**0.074**	**0.074 - 0.075**	**135,671**	**0.087**	**0.087 - 0.088**	**98,688**	**0.062**	**0.061 - 0.062**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

All Races

III-224 Prevalence – Leukemias

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, All Races, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,896**	**0.002**	**0.002 - 0.002**	**3,249**	**0.002**	**0.002 - 0.002**	**1,647**	**0.001**	**0.001 - 0.001**
Alabama	43	0.001	0.001 - 0.001	28	0.001	0.001 - 0.002	15	0.001	0.000 - 0.001
Alaska	11	0.001	0.001 - 0.003	-	-		-	-	
Arizona	121	0.002	0.001 - 0.002	89	0.003	0.002 - 0.003	32	0.001	0.001 - 0.001
Arkansas	36	0.001	0.001 - 0.002	24	0.002	0.001 - 0.002	12	0.001	0.000 - 0.001
California	506	0.001	0.001 - 0.001	324	0.002	0.001 - 0.002	182	0.001	0.001 - 0.001
CA - Greater California	311	0.001	0.001 - 0.002	199	0.002	0.002 - 0.002	112	0.001	0.001 - 0.001
CA - Greater Bay Area	100	0.001	0.001 - 0.002	63	0.002	0.001 - 0.002	37	0.001	0.001 - 0.001
CA - Los Angeles	98	0.001	0.001 - 0.001	63	0.001	0.001 - 0.002	35	0.001	0.000 - 0.001
Colorado	70	0.001	0.001 - 0.002	51	0.002	0.001 - 0.002	19	0.001	0.000 - 0.001
Connecticut	63	0.002	0.001 - 0.002	43	0.002	0.002 - 0.003	20	0.001	0.001 - 0.002
Delaware	29	0.003	0.002 - 0.004	-	-		-	-	
Florida	399	0.002	0.002 - 0.002	258	0.003	0.002 - 0.003	141	0.001	0.001 - 0.002
Georgia	99	0.001	0.001 - 0.001	67	0.001	0.001 - 0.002	32	0.001	0.000 - 0.001
Hawaii	16	0.001	0.001 - 0.002	-	-		-	-	
Idaho	35	0.002	0.001 - 0.003	-	-		-	-	
Illinois	257	0.002	0.002 - 0.002	170	0.003	0.002 - 0.003	87	0.001	0.001 - 0.002
Iowa	45	0.001	0.001 - 0.002	29	0.002	0.001 - 0.003	16	0.001	0.001 - 0.002
Kentucky	54	0.001	0.001 - 0.002	30	0.001	0.001 - 0.002	24	0.001	0.001 - 0.002
Louisiana	119	0.003	0.002 - 0.003	78	0.003	0.003 - 0.004	41	0.002	0.001 - 0.002
Maine	39	0.003	0.002 - 0.004	26	0.004	0.003 - 0.006	13	0.002	0.001 - 0.003
Maryland	92	0.002	0.001 - 0.002	54	0.002	0.001 - 0.002	38	0.001	0.001 - 0.002
Michigan	197	0.002	0.002 - 0.002	124	0.003	0.002 - 0.003	73	0.001	0.001 - 0.002
MI - Detroit	68	0.002	0.001 - 0.002	45	0.002	0.002 - 0.003	23	0.001	0.001 - 0.002
Minnesota	126	0.002	0.002 - 0.003	85	0.003	0.002 - 0.004	41	0.001	0.001 - 0.002
Mississippi	40	0.001	0.001 - 0.002	26	0.002	0.001 - 0.003	14	0.001	0.000 - 0.002
Missouri	85	0.001	0.001 - 0.002	50	0.002	0.001 - 0.002	35	0.001	0.001 - 0.002
Montana	25	0.002	0.002 - 0.004	-	-		-	-	
Nebraska	28	0.001	0.001 - 0.002	-	-		-	-	
New Hampshire	32	0.002	0.002 - 0.003	20	0.003	0.002 - 0.005	12	0.002	0.001 - 0.003
New Jersey	202	0.002	0.002 - 0.003	129	0.003	0.002 - 0.003	73	0.002	0.001 - 0.002
New Mexico	26	0.001	0.001 - 0.002	-	-		-	-	
New York	369	0.002	0.002 - 0.002	242	0.003	0.002 - 0.003	127	0.001	0.001 - 0.001
North Carolina	134	0.001	0.001 - 0.002	92	0.002	0.002 - 0.002	42	0.001	0.001 - 0.001
North Dakota	10	0.001	0.001 - 0.002	-	-		-	-	
Ohio	206	0.002	0.002 - 0.002	146	0.003	0.002 - 0.003	60	0.001	0.001 - 0.001
Oklahoma	47	0.001	0.001 - 0.002	33	0.002	0.001 - 0.002	14	0.001	0.000 - 0.001
Oregon	59	0.001	0.001 - 0.002	41	0.002	0.001 - 0.003	18	0.001	0.001 - 0.001
Pennsylvania	287	0.002	0.002 - 0.003	188	0.003	0.003 - 0.003	99	0.002	0.001 - 0.002
Rhode Island	20	0.002	0.001 - 0.003	-	-		-	-	
South Carolina	77	0.002	0.001 - 0.002	52	0.002	0.002 - 0.003	25	0.001	0.001 - 0.001
Tennessee	69	0.001	0.001 - 0.001	43	0.001	0.001 - 0.002	26	0.001	0.001 - 0.001
Texas	349	0.001	0.001 - 0.001	218	0.002	0.001 - 0.002	131	0.001	0.001 - 0.001
Utah	30	0.001	0.001 - 0.001	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	111	0.001	0.001 - 0.002	84	0.002	0.002 - 0.003	27	0.001	0.000 - 0.001
Washington	143	0.002	0.002 - 0.002	101	0.003	0.002 - 0.003	42	0.001	0.001 - 0.002
WA - Seattle	110	0.002	0.002 - 0.003	78	0.003	0.002 - 0.004	32	0.001	0.001 - 0.002
West Virginia	33	0.002	0.001 - 0.003	-	-		-	-	
Wisconsin	132	0.002	0.002 - 0.003	99	0.003	0.003 - 0.004	33	0.001	0.001 - 0.002
Wyoming	17	0.003	0.002 - 0.005	-	-		-	-	
NAACCR CDN Combined[1]	**294**	**0.002**	**0.002 - 0.002**	**216**	**0.003**	**0.003 - 0.004**	**78**	**0.001**	**0.001 - 0.001**
Alberta	70	0.002	0.001 - 0.002	52	0.002	0.002 - 0.003	18	0.001	0.001 - 0.001
British Columbia	116	0.002	0.002 - 0.003	88	0.004	0.003 - 0.005	28	0.001	0.001 - 0.002
Manitoba	35	0.003	0.002 - 0.004	24	0.004	0.002 - 0.005	11	0.002	0.001 - 0.003
New Brunswick	21	0.003	0.002 - 0.004	-	-		-	-	
Newfoundland and Labrador	-	-		-	-		-	-	
Northwest Territory	-	-		-	-		-	-	
Nova Scotia	20	0.002	0.001 - 0.003	-	-		-	-	
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	20	0.002	0.001 - 0.003	-	-		-	-	
NAACCR N.A. Combined[1]	**5,190**	**0.002**	**0.002 - 0.002**	**3,465**	**0.002**	**0.002 - 0.002**	**1,725**	**0.001**	**0.001 - 0.001**

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**6,100,625**	**3.281**	**3.278 - 3.283**	**3,004,519**	**3.277**	**3.273 - 3.281**	**3,096,106**	**3.284**	**3.280 - 3.288**
Alabama	98,222	3.031	3.012 - 3.050	49,635	3.132	3.104 - 3.159	48,587	2.934	2.908 - 2.960
Alaska	11,886	2.484	2.439 - 2.529	6,045	2.382	2.322 - 2.443	5,841	2.598	2.532 - 2.666
Arizona	118,793	3.067	3.049 - 3.084	57,779	3.018	2.993 - 3.043	61,014	3.114	3.090 - 3.139
Arkansas	65,670	2.973	2.950 - 2.996	33,835	3.118	3.085 - 3.151	31,835	2.833	2.802 - 2.864
California	544,820	3.546	3.537 - 3.556	269,702	3.516	3.503 - 3.529	275,118	3.577	3.563 - 3.590
CA - Greater California	334,695	3.481	3.469 - 3.492	165,108	3.456	3.440 - 3.473	169,587	3.505	3.488 - 3.521
CA - Greater Bay Area	110,520	3.747	3.725 - 3.769	55,903	3.756	3.725 - 3.787	54,617	3.737	3.706 - 3.769
CA - Los Angeles	100,309	3.587	3.564 - 3.609	49,028	3.489	3.458 - 3.520	51,281	3.685	3.653 - 3.717
Colorado	103,682	2.707	2.690 - 2.723	50,446	2.629	2.606 - 2.652	53,236	2.785	2.761 - 2.809
Connecticut	96,064	3.885	3.861 - 3.910	46,151	3.832	3.797 - 3.867	49,913	3.936	3.902 - 3.971
Delaware	23,420	3.861	3.812 - 3.911	11,970	4.076	4.003 - 4.150	11,450	3.659	3.592 - 3.727
Florida	424,614	3.727	3.716 - 3.738	217,777	3.897	3.881 - 3.914	206,837	3.563	3.548 - 3.579
Georgia	169,796	3.044	3.030 - 3.059	85,147	3.103	3.082 - 3.124	84,649	2.987	2.967 - 3.008
Hawaii	11,617	3.748	3.680 - 3.817	6,328	3.766	3.674 - 3.860	5,289	3.727	3.627 - 3.829
Idaho	38,828	2.786	2.758 - 2.814	19,601	2.819	2.779 - 2.858	19,227	2.754	2.715 - 2.793
Illinois	276,876	3.443	3.430 - 3.456	133,833	3.387	3.369 - 3.406	143,043	3.497	3.478 - 3.515
Iowa	86,510	3.176	3.154 - 3.197	42,360	3.149	3.119 - 3.179	44,151	3.202	3.172 - 3.232
Kentucky	117,434	3.081	3.063 - 3.098	56,570	3.026	3.002 - 3.052	60,864	3.133	3.108 - 3.158
Louisiana	86,356	3.091	3.071 - 3.112	45,148	3.280	3.249 - 3.310	41,208	2.908	2.880 - 2.936
Maine	43,990	3.497	3.464 - 3.530	21,015	3.416	3.370 - 3.462	22,975	3.575	3.529 - 3.622
Maryland	110,571	3.488	3.468 - 3.509	53,857	3.469	3.440 - 3.498	56,714	3.506	3.478 - 3.535
Michigan	241,972	3.186	3.173 - 3.199	119,895	3.196	3.178 - 3.214	122,077	3.177	3.159 - 3.195
MI - Detroit	88,074	3.506	3.483 - 3.529	43,757	3.540	3.507 - 3.573	44,317	3.474	3.441 - 3.506
Minnesota	147,041	3.267	3.251 - 3.284	73,213	3.281	3.257 - 3.305	73,828	3.254	3.230 - 3.277
Mississippi	52,944	3.085	3.058 - 3.111	27,173	3.223	3.185 - 3.262	25,771	2.951	2.915 - 2.987
Missouri	144,414	2.936	2.921 - 2.952	69,467	2.871	2.850 - 2.893	74,947	2.999	2.978 - 3.021
Montana	28,164	3.098	3.062 - 3.135	14,506	3.169	3.117 - 3.221	13,658	3.027	2.976 - 3.078
Nebraska	46,216	3.017	2.990 - 3.045	22,726	2.997	2.958 - 3.036	23,490	3.037	2.998 - 3.076
New Hampshire	43,320	3.537	3.503 - 3.570	21,327	3.525	3.478 - 3.572	21,993	3.548	3.502 - 3.596
New Jersey	206,522	4.061	4.044 - 4.079	100,628	4.059	4.034 - 4.084	105,894	4.063	4.038 - 4.087
New Mexico	28,729	3.555	3.514 - 3.596	14,317	3.579	3.521 - 3.639	14,412	3.530	3.473 - 3.588
New York	432,253	3.848	3.836 - 3.859	210,390	3.829	3.813 - 3.845	221,863	3.866	3.850 - 3.882
North Carolina	211,536	3.245	3.231 - 3.259	103,937	3.262	3.243 - 3.282	107,599	3.229	3.210 - 3.248
North Dakota	19,183	2.942	2.901 - 2.984	9,889	2.967	2.909 - 3.026	9,294	2.916	2.857 - 2.976
Ohio	282,212	3.018	3.007 - 3.029	133,992	2.920	2.905 - 2.936	148,220	3.112	3.096 - 3.128
Oklahoma	76,452	2.818	2.799 - 2.839	37,853	2.837	2.808 - 2.865	38,599	2.801	2.773 - 2.829
Oregon	100,166	3.159	3.139 - 3.179	48,249	3.090	3.063 - 3.118	51,917	3.225	3.198 - 3.253
Pennsylvania	354,673	3.556	3.545 - 3.568	169,561	3.475	3.459 - 3.492	185,112	3.634	3.618 - 3.651
Rhode Island	29,675	3.772	3.729 - 3.815	13,568	3.578	3.518 - 3.639	16,107	3.953	3.892 - 4.014
South Carolina	98,364	3.089	3.070 - 3.109	48,850	3.137	3.110 - 3.165	49,514	3.043	3.016 - 3.070
Tennessee	152,564	3.063	3.048 - 3.079	75,702	3.112	3.089 - 3.134	76,862	3.017	2.996 - 3.039
Texas	356,977	2.960	2.950 - 2.970	177,848	2.977	2.963 - 2.991	179,129	2.943	2.930 - 2.957
Utah	52,997	2.192	2.174 - 2.211	27,692	2.285	2.258 - 2.312	25,305	2.099	2.073 - 2.125
Vermont	20,030	3.401	3.354 - 3.448	9,598	3.304	3.238 - 3.370	10,432	3.496	3.429 - 3.563
Virginia	155,185	2.899	2.885 - 2.913	74,628	2.821	2.801 - 2.841	80,557	2.975	2.955 - 2.996
Washington	166,414	3.217	3.202 - 3.233	81,816	3.175	3.153 - 3.196	84,598	3.260	3.238 - 3.282
WA - Seattle	117,702	3.367	3.348 - 3.387	58,268	3.338	3.311 - 3.365	59,435	3.397	3.370 - 3.424
West Virginia	55,041	3.212	3.186 - 3.239	26,645	3.160	3.122 - 3.198	28,396	3.263	3.225 - 3.301
Wisconsin	154,748	3.250	3.234 - 3.267	76,556	3.239	3.216 - 3.262	78,192	3.261	3.238 - 3.284
Wyoming	13,685	2.740	2.695 - 2.787	7,295	2.872	2.806 - 2.939	6,390	2.604	2.541 - 2.669

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**174,283**	**0.094**	**0.093 - 0.094**	**124,481**	**0.136**	**0.135 - 0.137**	**49,802**	**0.053**	**0.052 - 0.053**
Alabama	3,215	0.099	0.096 - 0.103	2,308	0.146	0.140 - 0.152	907	0.055	0.051 - 0.058
Alaska	352	0.074	0.066 - 0.082	274	0.108	0.096 - 0.122	78	0.035	0.027 - 0.043
Arizona	3,237	0.084	0.081 - 0.086	2,369	0.124	0.119 - 0.129	868	0.044	0.041 - 0.047
Arkansas	2,094	0.095	0.091 - 0.099	1,545	0.142	0.135 - 0.150	549	0.049	0.045 - 0.053
California	16,182	0.105	0.104 - 0.107	11,758	0.153	0.151 - 0.156	4,423	0.058	0.056 - 0.059
CA - Greater California	10,394	0.108	0.106 - 0.110	7,581	0.159	0.155 - 0.162	2,814	0.058	0.056 - 0.060
CA - Greater Bay Area	3,140	0.106	0.103 - 0.110	2,268	0.152	0.146 - 0.159	871	0.060	0.056 - 0.064
CA - Los Angeles	2,655	0.095	0.091 - 0.099	1,917	0.136	0.130 - 0.143	738	0.053	0.049 - 0.057
Colorado	2,985	0.078	0.075 - 0.081	2,113	0.110	0.105 - 0.115	872	0.046	0.043 - 0.049
Connecticut	2,464	0.100	0.096 - 0.104	1,698	0.141	0.134 - 0.148	766	0.060	0.056 - 0.065
Delaware	618	0.102	0.094 - 0.110	442	0.151	0.137 - 0.165	176	0.056	0.048 - 0.065
Florida	13,859	0.122	0.120 - 0.124	10,224	0.183	0.179 - 0.187	3,635	0.063	0.061 - 0.065
Georgia	5,274	0.095	0.092 - 0.097	3,838	0.140	0.135 - 0.144	1,436	0.051	0.048 - 0.053
Hawaii	457	0.148	0.134 - 0.162	362	0.216	0.194 - 0.239	95	0.067	0.054 - 0.082
Idaho	1,180	0.085	0.080 - 0.090	824	0.118	0.111 - 0.127	356	0.051	0.046 - 0.057
Illinois	7,825	0.097	0.095 - 0.099	5,539	0.140	0.137 - 0.144	2,286	0.056	0.054 - 0.058
Iowa	2,627	0.096	0.093 - 0.100	1,862	0.138	0.132 - 0.145	764	0.055	0.052 - 0.059
Kentucky	3,543	0.093	0.090 - 0.096	2,545	0.136	0.131 - 0.142	998	0.051	0.048 - 0.055
Louisiana	2,659	0.095	0.092 - 0.099	1,969	0.143	0.137 - 0.149	690	0.049	0.045 - 0.052
Maine	1,272	0.101	0.096 - 0.107	916	0.149	0.139 - 0.159	356	0.055	0.050 - 0.061
Maryland	3,062	0.097	0.093 - 0.100	2,174	0.140	0.134 - 0.146	888	0.055	0.051 - 0.059
Michigan	6,464	0.085	0.083 - 0.087	4,529	0.121	0.117 - 0.124	1,935	0.050	0.048 - 0.053
MI - Detroit	2,319	0.092	0.089 - 0.096	1,627	0.132	0.125 - 0.138	692	0.054	0.050 - 0.058
Minnesota	4,016	0.089	0.086 - 0.092	2,757	0.124	0.119 - 0.128	1,259	0.055	0.052 - 0.059
Mississippi	1,653	0.096	0.092 - 0.101	1,169	0.139	0.131 - 0.147	484	0.055	0.051 - 0.061
Missouri	4,262	0.087	0.084 - 0.089	3,066	0.127	0.122 - 0.131	1,196	0.048	0.045 - 0.051
Montana	773	0.085	0.079 - 0.091	542	0.118	0.109 - 0.129	231	0.051	0.045 - 0.058
Nebraska	1,282	0.084	0.079 - 0.088	889	0.117	0.110 - 0.125	393	0.051	0.046 - 0.056
New Hampshire	1,094	0.089	0.084 - 0.095	780	0.129	0.120 - 0.138	314	0.051	0.045 - 0.057
New Jersey	4,774	0.094	0.091 - 0.097	3,274	0.132	0.128 - 0.137	1,500	0.058	0.055 - 0.061
New Mexico	803	0.099	0.093 - 0.107	607	0.152	0.140 - 0.164	196	0.048	0.042 - 0.055
New York	10,051	0.089	0.088 - 0.091	6,932	0.126	0.123 - 0.129	3,119	0.054	0.052 - 0.056
North Carolina	6,187	0.095	0.093 - 0.097	4,391	0.138	0.134 - 0.142	1,796	0.054	0.051 - 0.056
North Dakota	515	0.079	0.072 - 0.086	364	0.109	0.098 - 0.121	151	0.047	0.040 - 0.056
Ohio	7,866	0.084	0.082 - 0.086	5,508	0.120	0.117 - 0.123	2,358	0.050	0.048 - 0.052
Oklahoma	2,581	0.095	0.092 - 0.099	1,836	0.138	0.131 - 0.144	745	0.054	0.050 - 0.058
Oregon	2,968	0.094	0.090 - 0.097	2,126	0.136	0.130 - 0.142	842	0.052	0.049 - 0.056
Pennsylvania	9,089	0.091	0.089 - 0.093	6,265	0.128	0.125 - 0.132	2,824	0.055	0.053 - 0.058
Rhode Island	682	0.087	0.080 - 0.093	472	0.124	0.113 - 0.136	210	0.052	0.045 - 0.059
South Carolina	2,923	0.092	0.089 - 0.095	2,100	0.135	0.129 - 0.141	823	0.051	0.047 - 0.054
Tennessee	4,603	0.092	0.090 - 0.095	3,339	0.137	0.133 - 0.142	1,264	0.050	0.047 - 0.052
Texas	11,617	0.096	0.095 - 0.098	8,608	0.144	0.141 - 0.147	3,009	0.049	0.048 - 0.051
Utah	1,148	0.047	0.045 - 0.050	812	0.067	0.062 - 0.072	336	0.028	0.025 - 0.031
Vermont	559	0.095	0.087 - 0.103	399	0.137	0.124 - 0.151	160	0.054	0.046 - 0.063
Virginia	4,467	0.083	0.081 - 0.086	3,234	0.122	0.118 - 0.127	1,233	0.046	0.043 - 0.048
Washington	4,783	0.092	0.090 - 0.095	3,373	0.131	0.126 - 0.135	1,410	0.054	0.052 - 0.057
WA - Seattle	3,353	0.096	0.093 - 0.099	2,353	0.135	0.129 - 0.140	999	0.057	0.054 - 0.061
West Virginia	1,565	0.091	0.087 - 0.096	1,121	0.133	0.125 - 0.141	444	0.051	0.046 - 0.056
Wisconsin	4,301	0.090	0.088 - 0.093	2,976	0.126	0.121 - 0.131	1,325	0.055	0.052 - 0.058
Wyoming	354	0.071	0.064 - 0.079	253	0.100	0.088 - 0.113	100	0.041	0.033 - 0.050

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**30,261**	**0.016**	**0.016 - 0.016**	**24,198**	**0.026**	**0.026 - 0.027**	**6,063**	**0.006**	**0.006 - 0.007**
Alabama	419	0.013	0.012 - 0.014	343	0.022	0.019 - 0.024	76	0.005	0.004 - 0.006
Alaska	75	0.016	0.012 - 0.020	58	0.023	0.017 - 0.030	17	0.008	0.004 - 0.012
Arizona	617	0.016	0.015 - 0.017	489	0.026	0.023 - 0.028	128	0.007	0.005 - 0.008
Arkansas	273	0.012	0.011 - 0.014	229	0.021	0.018 - 0.024	44	0.004	0.003 - 0.005
California	2,288	0.015	0.014 - 0.016	1,754	0.023	0.022 - 0.024	534	0.007	0.006 - 0.008
CA - Greater California	1,449	0.015	0.014 - 0.016	1,138	0.024	0.022 - 0.025	311	0.006	0.006 - 0.007
CA - Greater Bay Area	475	0.016	0.015 - 0.018	343	0.023	0.021 - 0.026	132	0.009	0.008 - 0.011
CA - Los Angeles	368	0.013	0.012 - 0.015	275	0.020	0.017 - 0.022	93	0.007	0.005 - 0.008
Colorado	467	0.012	0.011 - 0.013	396	0.021	0.019 - 0.023	71	0.004	0.003 - 0.005
Connecticut	527	0.021	0.020 - 0.023	417	0.035	0.031 - 0.038	109	0.009	0.007 - 0.010
Delaware	131	0.022	0.018 - 0.026	109	0.037	0.030 - 0.045	22	0.007	0.004 - 0.011
Florida	2,414	0.021	0.020 - 0.022	1,902	0.034	0.033 - 0.036	512	0.009	0.008 - 0.010
Georgia	734	0.013	0.012 - 0.014	597	0.022	0.020 - 0.024	137	0.005	0.004 - 0.006
Hawaii	45	0.014	0.010 - 0.019	-	-		-	-	
Idaho	155	0.011	0.009 - 0.013	134	0.019	0.016 - 0.023	21	0.003	0.002 - 0.005
Illinois	1,492	0.019	0.018 - 0.020	1,215	0.031	0.029 - 0.033	277	0.007	0.006 - 0.008
Iowa	521	0.019	0.018 - 0.021	427	0.032	0.029 - 0.035	94	0.007	0.006 - 0.008
Kentucky	521	0.014	0.013 - 0.015	433	0.023	0.021 - 0.025	88	0.005	0.004 - 0.006
Louisiana	394	0.014	0.013 - 0.016	309	0.022	0.020 - 0.025	85	0.006	0.005 - 0.007
Maine	308	0.024	0.022 - 0.027	248	0.040	0.035 - 0.046	60	0.009	0.007 - 0.012
Maryland	580	0.018	0.017 - 0.020	464	0.030	0.027 - 0.033	116	0.007	0.006 - 0.009
Michigan	1,513	0.020	0.019 - 0.021	1,199	0.032	0.030 - 0.034	314	0.008	0.007 - 0.009
MI - Detroit	455	0.018	0.016 - 0.020	353	0.029	0.026 - 0.032	102	0.008	0.006 - 0.010
Minnesota	709	0.016	0.015 - 0.017	572	0.026	0.024 - 0.028	137	0.006	0.005 - 0.007
Mississippi	232	0.014	0.012 - 0.015	182	0.022	0.019 - 0.025	50	0.006	0.004 - 0.008
Missouri	709	0.014	0.013 - 0.016	579	0.024	0.022 - 0.026	130	0.005	0.004 - 0.006
Montana	144	0.016	0.013 - 0.019	116	0.025	0.021 - 0.030	28	0.006	0.004 - 0.009
Nebraska	212	0.014	0.012 - 0.016	160	0.021	0.018 - 0.025	52	0.007	0.005 - 0.009
New Hampshire	317	0.026	0.023 - 0.029	258	0.043	0.038 - 0.048	59	0.010	0.007 - 0.012
New Jersey	983	0.019	0.018 - 0.021	766	0.031	0.029 - 0.033	217	0.008	0.007 - 0.010
New Mexico	128	0.016	0.013 - 0.019	109	0.027	0.022 - 0.033	19	0.005	0.003 - 0.007
New York	2,063	0.018	0.018 - 0.019	1,574	0.029	0.027 - 0.030	489	0.009	0.008 - 0.009
North Carolina	882	0.014	0.013 - 0.014	721	0.023	0.021 - 0.024	161	0.005	0.004 - 0.006
North Dakota	81	0.012	0.010 - 0.015	57	0.017	0.013 - 0.022	24	0.008	0.005 - 0.011
Ohio	1,472	0.016	0.015 - 0.017	1,217	0.027	0.025 - 0.028	255	0.005	0.005 - 0.006
Oklahoma	350	0.013	0.012 - 0.014	278	0.021	0.018 - 0.023	72	0.005	0.004 - 0.007
Oregon	528	0.017	0.015 - 0.018	421	0.027	0.024 - 0.030	107	0.007	0.005 - 0.008
Pennsylvania	1,760	0.018	0.017 - 0.018	1,418	0.029	0.028 - 0.031	342	0.007	0.006 - 0.007
Rhode Island	164	0.021	0.018 - 0.024	125	0.033	0.027 - 0.039	39	0.010	0.007 - 0.013
South Carolina	480	0.015	0.014 - 0.016	381	0.024	0.022 - 0.027	99	0.006	0.005 - 0.007
Tennessee	731	0.015	0.014 - 0.016	597	0.025	0.023 - 0.027	134	0.005	0.004 - 0.006
Texas	1,778	0.015	0.014 - 0.015	1,441	0.024	0.023 - 0.025	337	0.006	0.005 - 0.006
Utah	170	0.007	0.006 - 0.008	148	0.012	0.010 - 0.014	22	0.002	0.001 - 0.003
Vermont	135	0.023	0.019 - 0.027	114	0.039	0.032 - 0.047	21	0.007	0.004 - 0.011
Virginia	708	0.013	0.012 - 0.014	563	0.021	0.020 - 0.023	145	0.005	0.005 - 0.006
Washington	880	0.017	0.016 - 0.018	692	0.027	0.025 - 0.029	188	0.007	0.006 - 0.008
WA - Seattle	578	0.017	0.015 - 0.018	448	0.026	0.023 - 0.028	130	0.007	0.006 - 0.009
West Virginia	289	0.017	0.015 - 0.019	242	0.029	0.025 - 0.033	47	0.005	0.004 - 0.007
Wisconsin	815	0.017	0.016 - 0.018	649	0.027	0.025 - 0.030	166	0.007	0.006 - 0.008
Wyoming	68	0.014	0.011 - 0.017	56	0.022	0.017 - 0.029	12	0.005	0.003 - 0.009

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**40,788**	**0.022**	**0.022 - 0.022**	**24,881**	**0.027**	**0.027 - 0.027**	**15,907**	**0.017**	**0.017 - 0.017**
Alabama	666	0.021	0.019 - 0.022	359	0.023	0.020 - 0.025	307	0.019	0.017 - 0.021
Alaska	81	0.017	0.013 - 0.021	56	0.022	0.017 - 0.029	25	0.011	0.007 - 0.016
Arizona	656	0.017	0.016 - 0.018	426	0.022	0.020 - 0.024	230	0.012	0.010 - 0.013
Arkansas	427	0.019	0.018 - 0.021	275	0.025	0.022 - 0.029	152	0.014	0.011 - 0.016
California	3,566	0.023	0.022 - 0.024	2,242	0.029	0.028 - 0.030	1,324	0.017	0.016 - 0.018
CA - Greater California	2,055	0.021	0.020 - 0.022	1,277	0.027	0.025 - 0.028	778	0.016	0.015 - 0.017
CA - Greater Bay Area	689	0.023	0.022 - 0.025	438	0.029	0.027 - 0.032	250	0.017	0.015 - 0.019
CA - Los Angeles	825	0.030	0.028 - 0.032	527	0.038	0.034 - 0.041	298	0.021	0.019 - 0.024
Colorado	582	0.015	0.014 - 0.016	364	0.019	0.017 - 0.021	218	0.011	0.010 - 0.013
Connecticut	850	0.034	0.032 - 0.037	514	0.043	0.039 - 0.046	336	0.027	0.024 - 0.029
Delaware	158	0.026	0.022 - 0.030	106	0.036	0.030 - 0.044	52	0.017	0.012 - 0.022
Florida	2,697	0.024	0.023 - 0.025	1,681	0.030	0.029 - 0.032	1,016	0.018	0.016 - 0.019
Georgia	1,031	0.018	0.017 - 0.020	606	0.022	0.020 - 0.024	425	0.015	0.014 - 0.017
Hawaii	58	0.019	0.014 - 0.024	37	0.022	0.016 - 0.031	21	0.015	0.009 - 0.023
Idaho	222	0.016	0.014 - 0.018	140	0.020	0.017 - 0.024	82	0.012	0.009 - 0.015
Illinois	1,911	0.024	0.023 - 0.025	1,172	0.030	0.028 - 0.031	739	0.018	0.017 - 0.019
Iowa	460	0.017	0.015 - 0.018	287	0.021	0.019 - 0.024	173	0.013	0.011 - 0.015
Kentucky	820	0.022	0.020 - 0.023	469	0.025	0.023 - 0.027	351	0.018	0.016 - 0.020
Louisiana	576	0.021	0.019 - 0.022	355	0.026	0.023 - 0.029	221	0.016	0.014 - 0.018
Maine	299	0.024	0.021 - 0.027	169	0.027	0.023 - 0.032	130	0.020	0.017 - 0.024
Maryland	754	0.024	0.022 - 0.026	442	0.028	0.026 - 0.031	312	0.019	0.017 - 0.022
Michigan	1,775	0.023	0.022 - 0.024	1,114	0.030	0.028 - 0.031	661	0.017	0.016 - 0.019
MI - Detroit	646	0.026	0.024 - 0.028	404	0.033	0.030 - 0.036	243	0.019	0.017 - 0.022
Minnesota	877	0.019	0.018 - 0.021	534	0.024	0.022 - 0.026	343	0.015	0.014 - 0.017
Mississippi	296	0.017	0.015 - 0.019	159	0.019	0.016 - 0.022	137	0.016	0.013 - 0.019
Missouri	831	0.017	0.016 - 0.018	507	0.021	0.019 - 0.023	324	0.013	0.012 - 0.014
Montana	135	0.015	0.012 - 0.018	79	0.017	0.014 - 0.022	55	0.012	0.009 - 0.016
Nebraska	263	0.017	0.015 - 0.019	178	0.023	0.020 - 0.027	85	0.011	0.009 - 0.014
New Hampshire	285	0.023	0.021 - 0.026	168	0.028	0.024 - 0.032	117	0.019	0.016 - 0.023
New Jersey	1,550	0.030	0.029 - 0.032	907	0.037	0.034 - 0.039	643	0.025	0.023 - 0.027
New Mexico	181	0.022	0.019 - 0.026	103	0.026	0.021 - 0.031	78	0.019	0.015 - 0.024
New York	3,617	0.032	0.031 - 0.033	2,182	0.040	0.038 - 0.041	1,435	0.025	0.024 - 0.026
North Carolina	1,431	0.022	0.021 - 0.023	830	0.026	0.024 - 0.028	601	0.018	0.017 - 0.020
North Dakota	119	0.018	0.015 - 0.022	72	0.022	0.017 - 0.027	47	0.015	0.011 - 0.020
Ohio	1,963	0.021	0.020 - 0.022	1,190	0.026	0.024 - 0.027	773	0.016	0.015 - 0.017
Oklahoma	437	0.016	0.015 - 0.018	262	0.020	0.017 - 0.022	175	0.013	0.011 - 0.015
Oregon	632	0.020	0.018 - 0.022	416	0.027	0.024 - 0.029	216	0.013	0.012 - 0.015
Pennsylvania	2,538	0.025	0.024 - 0.026	1,590	0.033	0.031 - 0.034	948	0.019	0.017 - 0.020
Rhode Island	248	0.032	0.028 - 0.036	142	0.037	0.032 - 0.044	106	0.026	0.021 - 0.031
South Carolina	666	0.021	0.019 - 0.023	389	0.025	0.023 - 0.028	277	0.017	0.015 - 0.019
Tennessee	1,008	0.020	0.019 - 0.022	574	0.024	0.022 - 0.026	434	0.017	0.015 - 0.019
Texas	2,261	0.019	0.018 - 0.020	1,353	0.023	0.021 - 0.024	908	0.015	0.014 - 0.016
Utah	245	0.010	0.009 - 0.011	140	0.012	0.010 - 0.014	105	0.009	0.007 - 0.011
Vermont	87	0.015	0.012 - 0.018	56	0.019	0.015 - 0.025	31	0.010	0.007 - 0.015
Virginia	992	0.019	0.017 - 0.020	619	0.023	0.022 - 0.025	373	0.014	0.012 - 0.015
Washington	969	0.019	0.018 - 0.020	628	0.024	0.022 - 0.026	341	0.013	0.012 - 0.015
WA - Seattle	693	0.020	0.018 - 0.021	461	0.026	0.024 - 0.029	232	0.013	0.012 - 0.015
West Virginia	367	0.021	0.019 - 0.024	214	0.025	0.022 - 0.029	153	0.018	0.015 - 0.021
Wisconsin	1,126	0.024	0.022 - 0.025	718	0.030	0.028 - 0.033	408	0.017	0.015 - 0.019
Wyoming	76	0.015	0.012 - 0.019	56	0.022	0.017 - 0.029	20	0.008	0.005 - 0.013

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**534,648**	**0.288**	**0.287 - 0.288**	**276,917**	**0.302**	**0.301 - 0.303**	**257,731**	**0.273**	**0.272 - 0.274**
Alabama	9,841	0.304	0.298 - 0.310	5,270	0.333	0.324 - 0.342	4,571	0.276	0.268 - 0.284
Alaska	1,033	0.216	0.203 - 0.229	571	0.225	0.207 - 0.244	462	0.206	0.187 - 0.225
Arizona	10,243	0.264	0.259 - 0.270	5,339	0.279	0.271 - 0.286	4,904	0.250	0.243 - 0.257
Arkansas	6,568	0.297	0.290 - 0.305	3,500	0.323	0.312 - 0.333	3,068	0.273	0.263 - 0.283
California	46,358	0.302	0.299 - 0.305	24,059	0.314	0.310 - 0.318	22,299	0.290	0.286 - 0.294
CA - Greater California	28,747	0.299	0.296 - 0.302	14,988	0.314	0.309 - 0.319	13,759	0.284	0.280 - 0.289
CA - Greater Bay Area	8,834	0.299	0.293 - 0.306	4,502	0.302	0.294 - 0.311	4,332	0.296	0.288 - 0.305
CA - Los Angeles	8,783	0.314	0.307 - 0.321	4,572	0.325	0.316 - 0.335	4,211	0.303	0.294 - 0.312
Colorado	7,863	0.205	0.201 - 0.210	4,073	0.212	0.206 - 0.219	3,790	0.198	0.192 - 0.205
Connecticut	7,822	0.316	0.309 - 0.323	3,957	0.329	0.318 - 0.339	3,864	0.305	0.295 - 0.314
Delaware	1,879	0.310	0.296 - 0.324	995	0.339	0.318 - 0.361	884	0.282	0.264 - 0.302
Florida	36,169	0.317	0.314 - 0.321	18,833	0.337	0.332 - 0.342	17,336	0.299	0.294 - 0.303
Georgia	14,957	0.268	0.264 - 0.272	7,959	0.290	0.284 - 0.297	6,998	0.247	0.241 - 0.253
Hawaii	1,011	0.326	0.306 - 0.347	600	0.357	0.329 - 0.387	411	0.290	0.262 - 0.319
Idaho	3,150	0.226	0.218 - 0.234	1,629	0.234	0.223 - 0.246	1,521	0.218	0.207 - 0.229
Illinois	26,521	0.330	0.326 - 0.334	13,754	0.348	0.342 - 0.354	12,767	0.312	0.307 - 0.318
Iowa	8,761	0.322	0.315 - 0.328	4,485	0.333	0.324 - 0.343	4,277	0.310	0.301 - 0.320
Kentucky	12,271	0.322	0.316 - 0.328	6,416	0.343	0.335 - 0.352	5,856	0.301	0.294 - 0.309
Louisiana	8,492	0.304	0.298 - 0.311	4,582	0.333	0.323 - 0.343	3,910	0.276	0.267 - 0.285
Maine	3,736	0.297	0.288 - 0.307	1,875	0.305	0.291 - 0.319	1,861	0.290	0.277 - 0.303
Maryland	8,592	0.271	0.265 - 0.277	4,339	0.279	0.271 - 0.288	4,253	0.263	0.255 - 0.271
Michigan	20,268	0.267	0.263 - 0.271	10,298	0.274	0.269 - 0.280	9,970	0.259	0.254 - 0.265
MI - Detroit	7,196	0.286	0.280 - 0.293	3,624	0.293	0.284 - 0.303	3,571	0.280	0.271 - 0.289
Minnesota	12,327	0.274	0.269 - 0.279	6,353	0.285	0.278 - 0.292	5,974	0.263	0.257 - 0.270
Mississippi	5,436	0.317	0.308 - 0.325	2,915	0.346	0.333 - 0.359	2,521	0.289	0.278 - 0.300
Missouri	13,986	0.284	0.280 - 0.289	7,332	0.303	0.296 - 0.310	6,654	0.266	0.260 - 0.273
Montana	2,527	0.278	0.267 - 0.289	1,376	0.301	0.285 - 0.317	1,151	0.255	0.241 - 0.270
Nebraska	4,763	0.311	0.302 - 0.320	2,466	0.325	0.312 - 0.338	2,297	0.297	0.285 - 0.309
New Hampshire	3,439	0.281	0.271 - 0.290	1,782	0.295	0.281 - 0.309	1,657	0.267	0.255 - 0.281
New Jersey	17,190	0.338	0.333 - 0.343	8,576	0.346	0.339 - 0.353	8,614	0.331	0.324 - 0.338
New Mexico	2,260	0.280	0.268 - 0.291	1,181	0.295	0.279 - 0.313	1,079	0.264	0.249 - 0.280
New York	34,886	0.311	0.307 - 0.314	17,359	0.316	0.311 - 0.321	17,527	0.305	0.301 - 0.310
North Carolina	17,342	0.266	0.262 - 0.270	8,967	0.281	0.276 - 0.287	8,375	0.251	0.246 - 0.257
North Dakota	2,015	0.309	0.296 - 0.323	1,087	0.326	0.307 - 0.346	928	0.291	0.273 - 0.311
Ohio	26,517	0.284	0.280 - 0.287	13,528	0.295	0.290 - 0.300	12,989	0.273	0.268 - 0.277
Oklahoma	7,483	0.276	0.270 - 0.282	3,846	0.288	0.279 - 0.297	3,637	0.264	0.255 - 0.273
Oregon	8,188	0.258	0.253 - 0.264	4,239	0.272	0.263 - 0.280	3,949	0.245	0.238 - 0.253
Pennsylvania	32,624	0.327	0.324 - 0.331	16,774	0.344	0.339 - 0.349	15,850	0.311	0.306 - 0.316
Rhode Island	2,308	0.293	0.282 - 0.306	1,102	0.291	0.274 - 0.308	1,206	0.296	0.279 - 0.313
South Carolina	8,419	0.264	0.259 - 0.270	4,374	0.281	0.273 - 0.289	4,045	0.249	0.241 - 0.256
Tennessee	13,816	0.277	0.273 - 0.282	7,145	0.294	0.287 - 0.301	6,671	0.262	0.256 - 0.268
Texas	32,442	0.269	0.266 - 0.272	17,506	0.293	0.289 - 0.297	14,936	0.245	0.242 - 0.249
Utah	3,650	0.151	0.146 - 0.156	1,927	0.159	0.152 - 0.166	1,723	0.143	0.136 - 0.150
Vermont	1,563	0.265	0.252 - 0.279	789	0.272	0.253 - 0.291	774	0.259	0.241 - 0.278
Virginia	13,119	0.245	0.241 - 0.249	6,791	0.257	0.251 - 0.263	6,328	0.234	0.228 - 0.240
Washington	13,003	0.251	0.247 - 0.256	6,769	0.263	0.256 - 0.269	6,234	0.240	0.234 - 0.246
WA - Seattle	8,837	0.253	0.248 - 0.258	4,635	0.266	0.258 - 0.273	4,202	0.240	0.233 - 0.248
West Virginia	5,754	0.336	0.327 - 0.345	2,964	0.352	0.339 - 0.364	2,790	0.321	0.309 - 0.333
Wisconsin	12,967	0.272	0.268 - 0.277	6,665	0.282	0.275 - 0.289	6,302	0.263	0.256 - 0.269
Wyoming	1,088	0.218	0.205 - 0.231	570	0.225	0.207 - 0.244	518	0.211	0.193 - 0.230

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**34,882**	**0.019**	**0.019 - 0.019**	**24,700**	**0.027**	**0.027 - 0.027**	**10,182**	**0.011**	**0.011 - 0.011**
Alabama	455	0.014	0.013 - 0.015	318	0.020	0.018 - 0.022	137	0.008	0.007 - 0.010
Alaska	92	0.019	0.015 - 0.024	67	0.026	0.020 - 0.034	25	0.011	0.007 - 0.016
Arizona	717	0.019	0.017 - 0.020	498	0.026	0.024 - 0.028	219	0.011	0.010 - 0.013
Arkansas	379	0.017	0.015 - 0.019	262	0.024	0.021 - 0.027	117	0.010	0.009 - 0.012
California	3,482	0.023	0.022 - 0.023	2,517	0.033	0.032 - 0.034	965	0.013	0.012 - 0.013
CA - Greater California	2,134	0.022	0.021 - 0.023	1,533	0.032	0.031 - 0.034	601	0.012	0.011 - 0.013
CA - Greater Bay Area	758	0.026	0.024 - 0.028	563	0.038	0.035 - 0.041	195	0.013	0.012 - 0.015
CA - Los Angeles	591	0.021	0.019 - 0.023	420	0.030	0.027 - 0.033	172	0.012	0.011 - 0.014
Colorado	544	0.014	0.013 - 0.015	394	0.021	0.019 - 0.023	150	0.008	0.007 - 0.009
Connecticut	569	0.023	0.021 - 0.025	426	0.035	0.032 - 0.039	143	0.011	0.010 - 0.013
Delaware	156	0.026	0.022 - 0.030	109	0.037	0.030 - 0.045	47	0.015	0.011 - 0.020
Florida	2,652	0.023	0.022 - 0.024	1,870	0.033	0.032 - 0.035	782	0.013	0.013 - 0.014
Georgia	965	0.017	0.016 - 0.018	665	0.024	0.022 - 0.026	301	0.011	0.009 - 0.012
Hawaii	90	0.029	0.023 - 0.036	71	0.042	0.033 - 0.053	19	0.013	0.008 - 0.021
Idaho	191	0.014	0.012 - 0.016	140	0.020	0.017 - 0.024	51	0.007	0.005 - 0.010
Illinois	1,533	0.019	0.018 - 0.020	1,044	0.026	0.025 - 0.028	489	0.012	0.011 - 0.013
Iowa	393	0.014	0.013 - 0.016	263	0.020	0.017 - 0.022	130	0.009	0.008 - 0.011
Kentucky	677	0.018	0.016 - 0.019	456	0.024	0.022 - 0.027	221	0.011	0.010 - 0.013
Louisiana	535	0.019	0.018 - 0.021	408	0.030	0.027 - 0.033	127	0.009	0.007 - 0.011
Maine	156	0.012	0.011 - 0.015	111	0.018	0.015 - 0.022	45	0.007	0.005 - 0.009
Maryland	634	0.020	0.018 - 0.022	432	0.028	0.025 - 0.031	202	0.012	0.011 - 0.014
Michigan	1,306	0.017	0.016 - 0.018	895	0.024	0.022 - 0.025	411	0.011	0.010 - 0.012
MI - Detroit	504	0.020	0.018 - 0.022	363	0.029	0.026 - 0.033	142	0.011	0.009 - 0.013
Minnesota	708	0.016	0.015 - 0.017	465	0.021	0.019 - 0.023	243	0.011	0.009 - 0.012
Mississippi	346	0.020	0.018 - 0.022	244	0.029	0.025 - 0.033	102	0.012	0.010 - 0.014
Missouri	799	0.016	0.015 - 0.017	563	0.023	0.021 - 0.025	236	0.009	0.008 - 0.011
Montana	116	0.013	0.011 - 0.015	91	0.020	0.016 - 0.024	25	0.006	0.004 - 0.008
Nebraska	167	0.011	0.009 - 0.013	117	0.015	0.013 - 0.018	50	0.006	0.005 - 0.009
New Hampshire	205	0.017	0.015 - 0.019	160	0.026	0.023 - 0.031	45	0.007	0.005 - 0.010
New Jersey	1,104	0.022	0.020 - 0.023	803	0.032	0.030 - 0.035	301	0.012	0.010 - 0.013
New Mexico	156	0.019	0.016 - 0.023	115	0.029	0.024 - 0.034	41	0.010	0.007 - 0.014
New York	2,352	0.021	0.020 - 0.022	1,695	0.031	0.029 - 0.032	657	0.011	0.011 - 0.012
North Carolina	1,174	0.018	0.017 - 0.019	850	0.027	0.025 - 0.029	324	0.010	0.009 - 0.011
North Dakota	53	0.008	0.006 - 0.011	39	0.012	0.008 - 0.016	14	0.004	0.002 - 0.007
Ohio	1,323	0.014	0.013 - 0.015	896	0.020	0.018 - 0.021	427	0.009	0.008 - 0.010
Oklahoma	446	0.016	0.015 - 0.018	308	0.023	0.021 - 0.026	138	0.010	0.008 - 0.012
Oregon	700	0.022	0.020 - 0.024	510	0.033	0.030 - 0.036	190	0.012	0.010 - 0.014
Pennsylvania	1,987	0.020	0.019 - 0.021	1,455	0.030	0.028 - 0.031	532	0.010	0.010 - 0.011
Rhode Island	150	0.019	0.016 - 0.022	116	0.031	0.025 - 0.037	34	0.008	0.006 - 0.012
South Carolina	586	0.018	0.017 - 0.020	426	0.027	0.025 - 0.030	160	0.010	0.008 - 0.011
Tennessee	833	0.017	0.016 - 0.018	579	0.024	0.022 - 0.026	254	0.010	0.009 - 0.011
Texas	2,739	0.023	0.022 - 0.024	1,886	0.032	0.030 - 0.033	853	0.014	0.013 - 0.015
Utah	239	0.010	0.009 - 0.011	162	0.013	0.011 - 0.016	78	0.006	0.005 - 0.008
Vermont	93	0.016	0.013 - 0.019	72	0.025	0.019 - 0.031	21	0.007	0.004 - 0.011
Virginia	839	0.016	0.015 - 0.017	587	0.022	0.020 - 0.024	252	0.009	0.008 - 0.011
Washington	1,122	0.022	0.020 - 0.023	821	0.032	0.030 - 0.034	301	0.012	0.010 - 0.013
WA - Seattle	816	0.023	0.022 - 0.025	601	0.034	0.032 - 0.037	215	0.012	0.011 - 0.014
West Virginia	249	0.015	0.013 - 0.016	182	0.022	0.019 - 0.025	67	0.008	0.006 - 0.010
Wisconsin	798	0.017	0.016 - 0.018	558	0.024	0.022 - 0.026	240	0.010	0.009 - 0.011
Wyoming	71	0.014	0.011 - 0.018	55	0.022	0.016 - 0.028	17	0.007	0.004 - 0.011

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**44,526**	**0.024**	**0.024 - 0.024**	**23,615**	**0.026**	**0.025 - 0.026**	**20,911**	**0.022**	**0.022 - 0.022**
Alabama	704	0.022	0.020 - 0.023	374	0.024	0.021 - 0.026	330	0.020	0.018 - 0.022
Alaska	76	0.016	0.013 - 0.020	47	0.019	0.014 - 0.025	29	0.013	0.009 - 0.019
Arizona	881	0.023	0.021 - 0.024	492	0.026	0.023 - 0.028	389	0.020	0.018 - 0.022
Arkansas	367	0.017	0.015 - 0.018	192	0.018	0.015 - 0.020	175	0.016	0.013 - 0.018
California	3,626	0.024	0.023 - 0.024	1,945	0.025	0.024 - 0.027	1,681	0.022	0.021 - 0.023
CA - Greater California	2,179	0.023	0.022 - 0.024	1,169	0.024	0.023 - 0.026	1,010	0.021	0.020 - 0.022
CA - Greater Bay Area	773	0.026	0.024 - 0.028	420	0.028	0.026 - 0.031	352	0.024	0.022 - 0.027
CA - Los Angeles	671	0.024	0.022 - 0.026	353	0.025	0.023 - 0.028	319	0.023	0.020 - 0.026
Colorado	725	0.019	0.018 - 0.020	387	0.020	0.018 - 0.022	338	0.018	0.016 - 0.020
Connecticut	783	0.032	0.029 - 0.034	412	0.034	0.031 - 0.038	371	0.029	0.026 - 0.032
Delaware	176	0.029	0.025 - 0.034	98	0.033	0.027 - 0.041	78	0.025	0.020 - 0.031
Florida	3,482	0.031	0.030 - 0.032	1,885	0.034	0.032 - 0.035	1,597	0.028	0.026 - 0.029
Georgia	1,050	0.019	0.018 - 0.020	565	0.021	0.019 - 0.022	485	0.017	0.016 - 0.019
Hawaii	73	0.023	0.018 - 0.029	49	0.029	0.021 - 0.038	24	0.017	0.011 - 0.025
Idaho	268	0.019	0.017 - 0.022	138	0.020	0.017 - 0.023	130	0.019	0.016 - 0.022
Illinois	2,216	0.028	0.026 - 0.029	1,217	0.031	0.029 - 0.033	999	0.024	0.023 - 0.026
Iowa	665	0.024	0.023 - 0.026	335	0.025	0.022 - 0.028	330	0.024	0.021 - 0.027
Kentucky	756	0.020	0.018 - 0.021	382	0.020	0.018 - 0.023	374	0.019	0.017 - 0.021
Louisiana	585	0.021	0.019 - 0.023	291	0.021	0.019 - 0.024	294	0.021	0.018 - 0.023
Maine	298	0.024	0.021 - 0.027	159	0.026	0.022 - 0.030	139	0.022	0.018 - 0.026
Maryland	897	0.028	0.026 - 0.030	462	0.030	0.027 - 0.033	435	0.027	0.024 - 0.030
Michigan	1,960	0.026	0.025 - 0.027	989	0.026	0.025 - 0.028	971	0.025	0.024 - 0.027
MI - Detroit	631	0.025	0.023 - 0.027	323	0.026	0.023 - 0.029	308	0.024	0.022 - 0.027
Minnesota	1,048	0.023	0.022 - 0.025	569	0.025	0.023 - 0.028	479	0.021	0.019 - 0.023
Mississippi	388	0.023	0.020 - 0.025	211	0.025	0.022 - 0.029	177	0.020	0.017 - 0.023
Missouri	976	0.020	0.019 - 0.021	512	0.021	0.019 - 0.023	464	0.019	0.017 - 0.020
Montana	180	0.020	0.017 - 0.023	104	0.023	0.019 - 0.028	76	0.017	0.013 - 0.021
Nebraska	363	0.024	0.021 - 0.026	181	0.024	0.021 - 0.028	182	0.024	0.020 - 0.027
New Hampshire	290	0.024	0.021 - 0.027	146	0.024	0.020 - 0.028	144	0.023	0.020 - 0.027
New Jersey	1,618	0.032	0.030 - 0.033	858	0.035	0.032 - 0.037	760	0.029	0.027 - 0.031
New Mexico	173	0.021	0.018 - 0.025	95	0.024	0.019 - 0.029	78	0.019	0.015 - 0.024
New York	3,582	0.032	0.031 - 0.033	1,858	0.034	0.032 - 0.035	1,724	0.030	0.029 - 0.031
North Carolina	1,389	0.021	0.020 - 0.022	746	0.023	0.022 - 0.025	643	0.019	0.018 - 0.021
North Dakota	121	0.019	0.015 - 0.022	66	0.020	0.015 - 0.025	55	0.017	0.013 - 0.022
Ohio	1,967	0.021	0.020 - 0.022	997	0.022	0.020 - 0.023	970	0.020	0.019 - 0.022
Oklahoma	479	0.018	0.016 - 0.019	253	0.019	0.017 - 0.021	226	0.016	0.014 - 0.019
Oregon	695	0.022	0.020 - 0.024	363	0.023	0.021 - 0.026	332	0.021	0.018 - 0.023
Pennsylvania	2,856	0.029	0.028 - 0.030	1,509	0.031	0.029 - 0.033	1,347	0.026	0.025 - 0.028
Rhode Island	223	0.028	0.025 - 0.032	124	0.033	0.027 - 0.039	99	0.024	0.020 - 0.030
South Carolina	708	0.022	0.021 - 0.024	390	0.025	0.023 - 0.028	318	0.020	0.017 - 0.022
Tennessee	977	0.020	0.018 - 0.021	507	0.021	0.019 - 0.023	470	0.018	0.017 - 0.020
Texas	2,706	0.022	0.022 - 0.023	1,469	0.025	0.023 - 0.026	1,237	0.020	0.019 - 0.021
Utah	291	0.012	0.011 - 0.013	160	0.013	0.011 - 0.015	131	0.011	0.009 - 0.013
Vermont	136	0.023	0.019 - 0.027	79	0.027	0.022 - 0.034	57	0.019	0.014 - 0.025
Virginia	967	0.018	0.017 - 0.019	521	0.020	0.018 - 0.021	446	0.016	0.015 - 0.018
Washington	1,186	0.023	0.022 - 0.024	609	0.024	0.022 - 0.026	577	0.022	0.020 - 0.024
WA - Seattle	803	0.023	0.021 - 0.025	408	0.023	0.021 - 0.026	396	0.023	0.020 - 0.025
West Virginia	294	0.017	0.015 - 0.019	151	0.018	0.015 - 0.021	143	0.016	0.014 - 0.019
Wisconsin	1,242	0.026	0.025 - 0.028	674	0.029	0.026 - 0.031	568	0.024	0.022 - 0.026
Wyoming	85	0.017	0.014 - 0.021	45	0.018	0.013 - 0.024	40	0.016	0.012 - 0.022

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**49,654**	**0.027**	**0.026 - 0.027**	**39,266**	**0.043**	**0.042 - 0.043**	**10,388**	**0.011**	**0.011 - 0.011**
Alabama	1,051	0.032	0.030 - 0.034	839	0.053	0.049 - 0.057	212	0.013	0.011 - 0.015
Alaska	81	0.017	0.013 - 0.021	-	-		-	-	
Arizona	738	0.019	0.018 - 0.020	594	0.031	0.029 - 0.034	144	0.007	0.006 - 0.009
Arkansas	658	0.030	0.028 - 0.032	505	0.047	0.043 - 0.051	153	0.014	0.012 - 0.016
California	2,999	0.020	0.019 - 0.020	2,467	0.032	0.031 - 0.033	531	0.007	0.006 - 0.008
CA - Greater California	1,912	0.020	0.019 - 0.021	1,546	0.032	0.031 - 0.034	366	0.008	0.007 - 0.008
CA - Greater Bay Area	499	0.017	0.015 - 0.018	422	0.028	0.026 - 0.031	77	0.005	0.004 - 0.007
CA - Los Angeles	591	0.021	0.019 - 0.023	499	0.036	0.032 - 0.039	92	0.007	0.005 - 0.008
Colorado	566	0.015	0.014 - 0.016	451	0.024	0.021 - 0.026	115	0.006	0.005 - 0.007
Connecticut	704	0.028	0.026 - 0.031	560	0.047	0.043 - 0.051	144	0.011	0.010 - 0.013
Delaware	195	0.032	0.028 - 0.037	148	0.050	0.043 - 0.059	47	0.015	0.011 - 0.020
Florida	4,130	0.036	0.035 - 0.037	3,287	0.059	0.057 - 0.061	843	0.015	0.014 - 0.016
Georgia	1,480	0.027	0.025 - 0.028	1,199	0.044	0.041 - 0.046	281	0.010	0.009 - 0.011
Hawaii	89	0.029	0.023 - 0.035	78	0.046	0.036 - 0.058	12	0.008	0.004 - 0.015
Idaho	218	0.016	0.014 - 0.018	172	0.025	0.021 - 0.029	46	0.007	0.005 - 0.009
Illinois	2,391	0.030	0.029 - 0.031	1,900	0.048	0.046 - 0.050	491	0.012	0.011 - 0.013
Iowa	793	0.029	0.027 - 0.031	638	0.047	0.044 - 0.051	155	0.011	0.010 - 0.013
Kentucky	1,403	0.037	0.035 - 0.039	1,055	0.056	0.053 - 0.060	348	0.018	0.016 - 0.020
Louisiana	882	0.032	0.030 - 0.034	674	0.049	0.045 - 0.053	207	0.015	0.013 - 0.017
Maine	381	0.030	0.027 - 0.033	294	0.048	0.042 - 0.054	87	0.014	0.011 - 0.017
Maryland	781	0.025	0.023 - 0.026	615	0.040	0.037 - 0.043	166	0.010	0.009 - 0.012
Michigan	2,115	0.028	0.027 - 0.029	1,657	0.044	0.042 - 0.046	458	0.012	0.011 - 0.013
MI - Detroit	745	0.030	0.028 - 0.032	581	0.047	0.043 - 0.051	164	0.013	0.011 - 0.015
Minnesota	961	0.021	0.020 - 0.023	778	0.035	0.032 - 0.037	183	0.008	0.007 - 0.009
Mississippi	548	0.032	0.029 - 0.035	438	0.052	0.047 - 0.057	110	0.013	0.010 - 0.015
Missouri	1,457	0.030	0.028 - 0.031	1,135	0.047	0.044 - 0.050	322	0.013	0.012 - 0.014
Montana	180	0.020	0.017 - 0.023	138	0.030	0.025 - 0.036	41	0.009	0.007 - 0.012
Nebraska	348	0.023	0.020 - 0.025	268	0.035	0.031 - 0.040	80	0.010	0.008 - 0.013
New Hampshire	344	0.028	0.025 - 0.031	268	0.044	0.039 - 0.050	76	0.012	0.010 - 0.015
New Jersey	1,392	0.027	0.026 - 0.029	1,107	0.045	0.042 - 0.047	285	0.011	0.010 - 0.012
New Mexico	187	0.023	0.020 - 0.027	153	0.038	0.032 - 0.045	35	0.009	0.006 - 0.012
New York	3,240	0.029	0.028 - 0.030	2,563	0.047	0.045 - 0.048	677	0.012	0.011 - 0.013
North Carolina	1,866	0.029	0.027 - 0.030	1,443	0.045	0.043 - 0.048	423	0.013	0.012 - 0.014
North Dakota	148	0.023	0.019 - 0.027	122	0.037	0.030 - 0.044	26	0.008	0.005 - 0.012
Ohio	2,832	0.030	0.029 - 0.031	2,190	0.048	0.046 - 0.050	642	0.013	0.012 - 0.015
Oklahoma	733	0.027	0.025 - 0.029	552	0.041	0.038 - 0.045	181	0.013	0.011 - 0.015
Oregon	613	0.019	0.018 - 0.021	491	0.031	0.029 - 0.034	122	0.008	0.006 - 0.009
Pennsylvania	2,876	0.029	0.028 - 0.030	2,236	0.046	0.044 - 0.048	640	0.013	0.012 - 0.014
Rhode Island	263	0.033	0.030 - 0.038	197	0.052	0.045 - 0.060	66	0.016	0.013 - 0.021
South Carolina	1,002	0.031	0.030 - 0.033	825	0.053	0.049 - 0.057	177	0.011	0.009 - 0.013
Tennessee	1,529	0.031	0.029 - 0.032	1,175	0.048	0.046 - 0.051	354	0.014	0.012 - 0.015
Texas	2,924	0.024	0.023 - 0.025	2,350	0.039	0.038 - 0.041	574	0.009	0.009 - 0.010
Utah	207	0.009	0.007 - 0.010	169	0.014	0.012 - 0.016	38	0.003	0.002 - 0.004
Vermont	172	0.029	0.025 - 0.034	138	0.048	0.040 - 0.056	34	0.011	0.008 - 0.016
Virginia	1,196	0.022	0.021 - 0.024	962	0.036	0.034 - 0.039	234	0.009	0.008 - 0.010
Washington	1,005	0.019	0.018 - 0.021	815	0.032	0.029 - 0.034	190	0.007	0.006 - 0.008
WA - Seattle	657	0.019	0.017 - 0.020	544	0.031	0.029 - 0.034	113	0.006	0.005 - 0.008
West Virginia	657	0.038	0.035 - 0.041	479	0.057	0.052 - 0.062	178	0.020	0.018 - 0.024
Wisconsin	1,223	0.026	0.024 - 0.027	992	0.042	0.039 - 0.045	231	0.010	0.008 - 0.011
Wyoming	96	0.019	0.016 - 0.024	76	0.030	0.024 - 0.037	20	0.008	0.005 - 0.013

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**364,972**	**0.196**	**0.196 - 0.197**	**166,892**	**0.182**	**0.181 - 0.183**	**198,080**	**0.210**	**0.209 - 0.211**
Alabama	6,190	0.191	0.186 - 0.196	3,141	0.198	0.191 - 0.205	3,049	0.184	0.178 - 0.191
Alaska	549	0.115	0.105 - 0.125	288	0.113	0.101 - 0.127	261	0.116	0.102 - 0.131
Arizona	7,158	0.185	0.181 - 0.189	3,130	0.163	0.158 - 0.169	4,028	0.206	0.199 - 0.212
Arkansas	4,906	0.222	0.216 - 0.228	2,455	0.226	0.217 - 0.235	2,451	0.218	0.210 - 0.227
California	25,066	0.163	0.161 - 0.165	10,768	0.140	0.138 - 0.143	14,298	0.186	0.183 - 0.189
CA - Greater California	16,263	0.169	0.167 - 0.172	6,924	0.145	0.142 - 0.148	9,339	0.193	0.189 - 0.197
CA - Greater Bay Area	4,373	0.148	0.144 - 0.153	1,884	0.127	0.121 - 0.132	2,489	0.170	0.164 - 0.177
CA - Los Angeles	4,466	0.160	0.155 - 0.164	1,981	0.141	0.135 - 0.147	2,485	0.179	0.172 - 0.186
Colorado	4,558	0.119	0.116 - 0.122	2,003	0.104	0.100 - 0.109	2,555	0.134	0.129 - 0.139
Connecticut	6,000	0.243	0.237 - 0.249	2,570	0.213	0.205 - 0.222	3,430	0.270	0.261 - 0.280
Delaware	1,499	0.247	0.235 - 0.260	685	0.233	0.216 - 0.251	814	0.260	0.243 - 0.279
Florida	31,132	0.273	0.270 - 0.276	14,130	0.253	0.249 - 0.257	17,002	0.293	0.289 - 0.297
Georgia	10,224	0.183	0.180 - 0.187	4,962	0.181	0.176 - 0.186	5,262	0.186	0.181 - 0.191
Hawaii	435	0.140	0.128 - 0.154	202	0.120	0.104 - 0.138	234	0.165	0.144 - 0.187
Idaho	1,729	0.124	0.118 - 0.130	779	0.112	0.104 - 0.120	950	0.136	0.128 - 0.145
Illinois	17,671	0.220	0.217 - 0.223	8,025	0.203	0.199 - 0.208	9,646	0.236	0.231 - 0.241
Iowa	4,697	0.172	0.168 - 0.177	2,224	0.165	0.159 - 0.172	2,472	0.179	0.172 - 0.186
Kentucky	8,908	0.234	0.229 - 0.239	4,256	0.228	0.221 - 0.235	4,652	0.239	0.233 - 0.246
Louisiana	4,915	0.176	0.171 - 0.181	2,390	0.174	0.167 - 0.181	2,525	0.178	0.171 - 0.185
Maine	2,862	0.228	0.219 - 0.236	1,272	0.207	0.196 - 0.218	1,590	0.247	0.235 - 0.260
Maryland	6,619	0.209	0.204 - 0.214	2,896	0.187	0.180 - 0.193	3,723	0.230	0.223 - 0.238
Michigan	15,646	0.206	0.203 - 0.209	7,163	0.191	0.187 - 0.195	8,483	0.221	0.216 - 0.226
MI - Detroit	5,351	0.213	0.207 - 0.219	2,341	0.189	0.182 - 0.197	3,010	0.236	0.228 - 0.244
Minnesota	7,734	0.172	0.168 - 0.176	3,432	0.154	0.149 - 0.159	4,302	0.190	0.184 - 0.195
Mississippi	3,688	0.215	0.208 - 0.222	1,866	0.221	0.211 - 0.232	1,822	0.209	0.199 - 0.218
Missouri	9,785	0.199	0.195 - 0.203	4,578	0.189	0.184 - 0.195	5,207	0.208	0.203 - 0.214
Montana	1,396	0.154	0.146 - 0.162	577	0.126	0.116 - 0.137	819	0.182	0.169 - 0.194
Nebraska	2,474	0.162	0.155 - 0.168	1,156	0.152	0.144 - 0.161	1,318	0.170	0.161 - 0.180
New Hampshire	2,596	0.212	0.204 - 0.220	1,104	0.182	0.172 - 0.194	1,492	0.241	0.229 - 0.253
New Jersey	11,798	0.232	0.228 - 0.236	4,837	0.195	0.190 - 0.201	6,961	0.267	0.261 - 0.273
New Mexico	1,294	0.160	0.151 - 0.169	597	0.149	0.137 - 0.162	697	0.171	0.158 - 0.184
New York	27,020	0.241	0.238 - 0.243	11,549	0.210	0.206 - 0.214	15,471	0.270	0.265 - 0.274
North Carolina	13,778	0.211	0.208 - 0.215	6,566	0.206	0.201 - 0.211	7,212	0.216	0.211 - 0.221
North Dakota	1,039	0.159	0.150 - 0.169	501	0.150	0.137 - 0.164	538	0.169	0.155 - 0.184
Ohio	17,734	0.190	0.187 - 0.192	8,370	0.182	0.179 - 0.186	9,364	0.197	0.193 - 0.201
Oklahoma	4,805	0.177	0.172 - 0.182	2,393	0.179	0.172 - 0.187	2,412	0.175	0.168 - 0.182
Oregon	5,186	0.164	0.159 - 0.168	2,277	0.146	0.140 - 0.152	2,909	0.181	0.174 - 0.187
Pennsylvania	21,118	0.212	0.209 - 0.215	9,577	0.196	0.192 - 0.200	11,541	0.227	0.222 - 0.231
Rhode Island	1,991	0.253	0.242 - 0.264	806	0.213	0.198 - 0.228	1,185	0.291	0.274 - 0.308
South Carolina	6,476	0.203	0.198 - 0.208	3,143	0.202	0.195 - 0.209	3,333	0.205	0.198 - 0.212
Tennessee	10,704	0.215	0.211 - 0.219	5,240	0.215	0.210 - 0.221	5,464	0.214	0.209 - 0.220
Texas	20,442	0.170	0.167 - 0.172	9,903	0.166	0.163 - 0.169	10,539	0.173	0.170 - 0.177
Utah	1,228	0.051	0.048 - 0.054	577	0.048	0.044 - 0.052	651	0.054	0.050 - 0.058
Vermont	1,226	0.208	0.197 - 0.220	526	0.181	0.166 - 0.197	700	0.235	0.217 - 0.253
Virginia	9,284	0.173	0.170 - 0.177	4,267	0.161	0.156 - 0.166	5,017	0.185	0.180 - 0.191
Washington	8,412	0.163	0.159 - 0.166	3,693	0.143	0.139 - 0.148	4,719	0.182	0.177 - 0.187
WA - Seattle	5,713	0.163	0.159 - 0.168	2,514	0.144	0.138 - 0.150	3,200	0.183	0.177 - 0.189
West Virginia	3,958	0.231	0.224 - 0.238	1,909	0.226	0.216 - 0.237	2,049	0.235	0.225 - 0.246
Wisconsin	8,469	0.178	0.174 - 0.182	3,840	0.162	0.157 - 0.168	4,629	0.193	0.188 - 0.199
Wyoming	575	0.115	0.106 - 0.125	270	0.106	0.094 - 0.120	305	0.124	0.111 - 0.139

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**458,505**	**0.247**	**0.246 - 0.247**	**256,089**	**0.279**	**0.278 - 0.280**	**202,415**	**0.215**	**0.214 - 0.216**
Alabama	8,079	0.249	0.244 - 0.255	4,601	0.290	0.282 - 0.299	3,478	0.210	0.203 - 0.217
Alaska	630	0.132	0.122 - 0.142	328	0.129	0.116 - 0.144	302	0.134	0.120 - 0.150
Arizona	8,619	0.223	0.218 - 0.227	5,259	0.275	0.267 - 0.282	3,360	0.172	0.166 - 0.177
Arkansas	4,018	0.182	0.176 - 0.188	2,332	0.215	0.206 - 0.224	1,686	0.150	0.143 - 0.157
California	52,137	0.339	0.336 - 0.342	30,296	0.395	0.391 - 0.399	21,841	0.284	0.280 - 0.288
CA - Greater California	31,945	0.332	0.329 - 0.336	18,615	0.390	0.384 - 0.395	13,330	0.275	0.271 - 0.280
CA - Greater Bay Area	12,084	0.410	0.402 - 0.417	6,904	0.464	0.453 - 0.475	5,180	0.354	0.345 - 0.364
CA - Los Angeles	8,150	0.291	0.285 - 0.298	4,803	0.342	0.332 - 0.352	3,347	0.241	0.232 - 0.249
Colorado	8,747	0.228	0.224 - 0.233	4,853	0.253	0.246 - 0.260	3,894	0.204	0.197 - 0.210
Connecticut	6,480	0.262	0.256 - 0.269	3,516	0.292	0.282 - 0.302	2,964	0.234	0.225 - 0.242
Delaware	2,234	0.368	0.353 - 0.384	1,285	0.438	0.414 - 0.462	949	0.303	0.284 - 0.323
Florida	34,533	0.303	0.300 - 0.306	20,827	0.373	0.368 - 0.378	13,706	0.236	0.232 - 0.240
Georgia	17,338	0.311	0.306 - 0.316	9,825	0.358	0.351 - 0.365	7,514	0.265	0.259 - 0.271
Hawaii	2,068	0.667	0.639 - 0.696	1,290	0.767	0.726 - 0.811	778	0.548	0.510 - 0.588
Idaho	3,180	0.228	0.220 - 0.236	1,803	0.259	0.247 - 0.272	1,377	0.197	0.187 - 0.208
Illinois	17,522	0.218	0.215 - 0.221	9,359	0.237	0.232 - 0.242	8,163	0.200	0.195 - 0.204
Iowa	6,029	0.221	0.216 - 0.227	3,138	0.233	0.225 - 0.242	2,891	0.210	0.202 - 0.217
Kentucky	8,617	0.226	0.221 - 0.231	4,646	0.249	0.241 - 0.256	3,971	0.204	0.198 - 0.211
Louisiana	5,452	0.195	0.190 - 0.200	3,234	0.235	0.227 - 0.243	2,218	0.157	0.150 - 0.163
Maine	2,925	0.233	0.224 - 0.241	1,559	0.253	0.241 - 0.266	1,366	0.213	0.201 - 0.224
Maryland	10,216	0.322	0.316 - 0.329	5,777	0.372	0.363 - 0.382	4,439	0.274	0.266 - 0.283
Michigan	14,825	0.195	0.192 - 0.198	7,897	0.210	0.206 - 0.215	6,928	0.180	0.176 - 0.185
MI - Detroit	5,180	0.206	0.201 - 0.212	2,738	0.221	0.213 - 0.230	2,443	0.191	0.184 - 0.199
Minnesota	12,189	0.271	0.266 - 0.276	6,393	0.286	0.280 - 0.294	5,796	0.255	0.249 - 0.262
Mississippi	3,792	0.221	0.214 - 0.228	2,115	0.251	0.240 - 0.262	1,677	0.192	0.183 - 0.201
Missouri	8,902	0.181	0.177 - 0.185	5,048	0.209	0.203 - 0.214	3,854	0.154	0.149 - 0.159
Montana	1,941	0.213	0.204 - 0.223	1,051	0.230	0.216 - 0.244	889	0.197	0.184 - 0.210
Nebraska	2,753	0.180	0.173 - 0.187	1,427	0.188	0.179 - 0.198	1,326	0.171	0.162 - 0.181
New Hampshire	3,239	0.264	0.255 - 0.274	1,722	0.285	0.271 - 0.298	1,517	0.245	0.233 - 0.257
New Jersey	15,219	0.299	0.295 - 0.304	8,375	0.338	0.331 - 0.345	6,844	0.263	0.256 - 0.269
New Mexico	2,313	0.286	0.275 - 0.298	1,372	0.343	0.325 - 0.362	941	0.230	0.216 - 0.246
New York	27,796	0.247	0.245 - 0.250	15,166	0.276	0.272 - 0.280	12,630	0.220	0.216 - 0.224
North Carolina	18,418	0.283	0.278 - 0.287	10,247	0.322	0.315 - 0.328	8,171	0.245	0.240 - 0.251
North Dakota	1,258	0.193	0.182 - 0.204	630	0.189	0.175 - 0.204	628	0.197	0.182 - 0.213
Ohio	18,524	0.198	0.195 - 0.201	9,790	0.213	0.209 - 0.218	8,734	0.183	0.180 - 0.187
Oklahoma	4,746	0.175	0.170 - 0.180	2,766	0.207	0.200 - 0.215	1,980	0.144	0.137 - 0.150
Oregon	8,977	0.283	0.277 - 0.289	4,683	0.300	0.291 - 0.309	4,294	0.267	0.259 - 0.275
Pennsylvania	22,260	0.223	0.220 - 0.226	12,126	0.249	0.244 - 0.253	10,134	0.199	0.195 - 0.203
Rhode Island	1,968	0.250	0.239 - 0.261	1,031	0.272	0.256 - 0.289	937	0.230	0.215 - 0.245
South Carolina	8,793	0.276	0.270 - 0.282	4,923	0.316	0.307 - 0.325	3,870	0.238	0.230 - 0.245
Tennessee	10,856	0.218	0.214 - 0.222	5,957	0.245	0.239 - 0.251	4,899	0.192	0.187 - 0.198
Texas	21,614	0.179	0.177 - 0.182	12,592	0.211	0.207 - 0.214	9,022	0.148	0.145 - 0.151
Utah	6,267	0.259	0.253 - 0.266	3,582	0.296	0.286 - 0.305	2,684	0.223	0.214 - 0.231
Vermont	1,839	0.312	0.298 - 0.327	997	0.343	0.322 - 0.365	842	0.282	0.263 - 0.302
Virginia	12,548	0.234	0.230 - 0.239	6,983	0.264	0.258 - 0.270	5,565	0.206	0.200 - 0.211
Washington	14,257	0.276	0.271 - 0.280	7,495	0.291	0.284 - 0.297	6,762	0.261	0.254 - 0.267
WA - Seattle	11,020	0.315	0.309 - 0.321	5,833	0.334	0.326 - 0.343	5,187	0.296	0.288 - 0.305
West Virginia	3,301	0.193	0.186 - 0.199	1,786	0.212	0.202 - 0.222	1,515	0.174	0.165 - 0.183
Wisconsin	10,071	0.212	0.207 - 0.216	5,462	0.231	0.225 - 0.237	4,609	0.192	0.187 - 0.198
Wyoming	1,017	0.204	0.191 - 0.217	546	0.215	0.197 - 0.234	471	0.192	0.175 - 0.210

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**1,255,252**	**1.331**	**1.329 - 1.334**
Alabama	-	-		-	-		20,076	1.212	1.196 - 1.229
Alaska	-	-		-	-		2,412	1.073	1.031 - 1.117
Arizona	-	-		-	-		25,797	1.317	1.301 - 1.333
Arkansas	-	-		-	-		12,718	1.132	1.112 - 1.151
California	-	-		-	-		119,453	1.553	1.544 - 1.562
CA - Greater California	-	-		-	-		73,329	1.515	1.504 - 1.526
CA - Greater Bay Area	-	-		-	-		23,776	1.627	1.606 - 1.648
CA - Los Angeles	-	-		-	-		22,461	1.614	1.593 - 1.635
Colorado	-	-		-	-		23,050	1.206	1.190 - 1.222
Connecticut	-	-		-	-		20,538	1.620	1.597 - 1.642
Delaware	-	-		-	-		4,470	1.428	1.387 - 1.471
Florida	-	-		-	-		82,616	1.423	1.414 - 1.433
Georgia	-	-		-	-		34,256	1.209	1.196 - 1.222
Hawaii	-	-		-	-		2,118	1.493	1.430 - 1.558
Idaho	-	-		-	-		7,639	1.094	1.070 - 1.119
Illinois	-	-		-	-		57,686	1.410	1.399 - 1.422
Iowa	-	-		-	-		17,263	1.252	1.233 - 1.271
Kentucky	-	-		-	-		22,967	1.182	1.167 - 1.198
Louisiana	-	-		-	-		16,508	1.165	1.147 - 1.183
Maine	-	-		-	-		8,984	1.398	1.369 - 1.427
Maryland	-	-		-	-		23,180	1.433	1.415 - 1.452
Michigan	-	-		-	-		47,744	1.242	1.231 - 1.254
MI - Detroit	-	-		-	-		17,376	1.362	1.342 - 1.382
Minnesota	-	-		-	-		30,006	1.322	1.308 - 1.338
Mississippi	-	-		-	-		10,071	1.153	1.131 - 1.176
Missouri	-	-		-	-		30,821	1.233	1.220 - 1.247
Montana	-	-		-	-		5,605	1.242	1.210 - 1.275
Nebraska	-	-		-	-		9,480	1.226	1.201 - 1.251
New Hampshire	-	-		-	-		8,995	1.451	1.421 - 1.482
New Jersey	-	-		-	-		41,326	1.586	1.570 - 1.601
New Mexico	-	-		-	-		6,271	1.536	1.498 - 1.575
New York	-	-		-	-		86,141	1.501	1.491 - 1.511
North Carolina	-	-		-	-		44,362	1.331	1.319 - 1.344
North Dakota	-	-		-	-		3,708	1.163	1.126 - 1.202
Ohio	-	-		-	-		58,967	1.238	1.228 - 1.248
Oklahoma	-	-		-	-		15,667	1.137	1.119 - 1.155
Oregon	-	-		-	-		21,687	1.347	1.329 - 1.365
Pennsylvania	-	-		-	-		71,380	1.401	1.391 - 1.412
Rhode Island	-	-		-	-		6,389	1.568	1.530 - 1.607
South Carolina	-	-		-	-		20,472	1.258	1.241 - 1.276
Tennessee	-	-		-	-		30,477	1.196	1.183 - 1.210
Texas	-	-		-	-		75,122	1.234	1.226 - 1.243
Utah	-	-		-	-		9,601	0.796	0.781 - 0.813
Vermont	-	-		-	-		4,220	1.414	1.372 - 1.457
Virginia	-	-		-	-		34,667	1.280	1.267 - 1.294
Washington	-	-		-	-		35,873	1.382	1.368 - 1.397
WA - Seattle	-	-		-	-		25,041	1.431	1.413 - 1.449
West Virginia	-	-		-	-		10,296	1.183	1.160 - 1.206
Wisconsin	-	-		-	-		31,610	1.318	1.304 - 1.333
Wyoming	-	-		-	-		2,565	1.045	1.005 - 1.086

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**48,263**	**0.051**	**0.051 - 0.052**
Alabama	-	-		-	-		928	0.056	0.052 - 0.060
Alaska	-	-		-	-		112	0.050	0.041 - 0.060
Arizona	-	-		-	-		862	0.044	0.041 - 0.047
Arkansas	-	-		-	-		698	0.062	0.058 - 0.067
California	-	-		-	-		3,884	0.050	0.049 - 0.052
CA - Greater California	-	-		-	-		2,456	0.051	0.049 - 0.053
CA - Greater Bay Area	-	-		-	-		678	0.046	0.043 - 0.050
CA - Los Angeles	-	-		-	-		750	0.054	0.050 - 0.058
Colorado	-	-		-	-		788	0.041	0.038 - 0.044
Connecticut	-	-		-	-		576	0.045	0.042 - 0.049
Delaware	-	-		-	-		190	0.061	0.052 - 0.070
Florida	-	-		-	-		3,396	0.059	0.057 - 0.061
Georgia	-	-		-	-		1,516	0.054	0.051 - 0.056
Hawaii	-	-		-	-		79	0.056	0.044 - 0.069
Idaho	-	-		-	-		263	0.038	0.033 - 0.043
Illinois	-	-		-	-		2,223	0.054	0.052 - 0.057
Iowa	-	-		-	-		653	0.047	0.044 - 0.051
Kentucky	-	-		-	-		1,141	0.059	0.055 - 0.062
Louisiana	-	-		-	-		782	0.055	0.051 - 0.059
Maine	-	-		-	-		299	0.047	0.041 - 0.052
Maryland	-	-		-	-		726	0.045	0.042 - 0.048
Michigan	-	-		-	-		1,868	0.049	0.046 - 0.051
MI - Detroit	-	-		-	-		641	0.050	0.046 - 0.054
Minnesota	-	-		-	-		918	0.040	0.038 - 0.043
Mississippi	-	-		-	-		493	0.056	0.052 - 0.062
Missouri	-	-		-	-		1,360	0.054	0.052 - 0.057
Montana	-	-		-	-		198	0.044	0.038 - 0.050
Nebraska	-	-		-	-		370	0.048	0.043 - 0.053
New Hampshire	-	-		-	-		246	0.040	0.035 - 0.045
New Jersey	-	-		-	-		1,508	0.058	0.055 - 0.061
New Mexico	-	-		-	-		206	0.050	0.044 - 0.058
New York	-	-		-	-		2,863	0.050	0.048 - 0.052
North Carolina	-	-		-	-		1,630	0.049	0.047 - 0.051
North Dakota	-	-		-	-		101	0.032	0.026 - 0.039
Ohio	-	-		-	-		2,553	0.054	0.052 - 0.056
Oklahoma	-	-		-	-		803	0.058	0.054 - 0.062
Oregon	-	-		-	-		779	0.048	0.045 - 0.052
Pennsylvania	-	-		-	-		2,646	0.052	0.050 - 0.054
Rhode Island	-	-		-	-		217	0.053	0.046 - 0.061
South Carolina	-	-		-	-		834	0.051	0.048 - 0.055
Tennessee	-	-		-	-		1,449	0.057	0.054 - 0.060
Texas	-	-		-	-		3,563	0.059	0.057 - 0.061
Utah	-	-		-	-		334	0.028	0.025 - 0.031
Vermont	-	-		-	-		106	0.036	0.029 - 0.043
Virginia	-	-		-	-		1,112	0.041	0.039 - 0.044
Washington	-	-		-	-		1,288	0.050	0.047 - 0.052
WA - Seattle	-	-		-	-		940	0.054	0.050 - 0.057
West Virginia	-	-		-	-		565	0.065	0.060 - 0.071
Wisconsin	-	-		-	-		1,021	0.043	0.040 - 0.045
Wyoming	-	-		-	-		116	0.047	0.039 - 0.057

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**262,562**	**0.278**	**0.277 - 0.280**
Alabama	-	-		-	-		3,179	0.192	0.185 - 0.199
Alaska	-	-		-	-		528	0.235	0.215 - 0.256
Arizona	-	-		-	-		4,739	0.242	0.235 - 0.249
Arkansas	-	-		-	-		2,445	0.218	0.209 - 0.226
California	-	-		-	-		22,583	0.294	0.290 - 0.297
CA - Greater California	-	-		-	-		13,694	0.283	0.278 - 0.288
CA - Greater Bay Area	-	-		-	-		4,500	0.308	0.299 - 0.317
CA - Los Angeles	-	-		-	-		4,395	0.316	0.307 - 0.325
Colorado	-	-		-	-		4,012	0.210	0.203 - 0.216
Connecticut	-	-		-	-		4,428	0.349	0.339 - 0.360
Delaware	-	-		-	-		1,055	0.337	0.317 - 0.358
Florida	-	-		-	-		15,111	0.260	0.256 - 0.265
Georgia	-	-		-	-		5,886	0.208	0.202 - 0.213
Hawaii	-	-		-	-		374	0.264	0.238 - 0.292
Idaho	-	-		-	-		1,506	0.216	0.205 - 0.227
Illinois	-	-		-	-		13,151	0.321	0.316 - 0.327
Iowa	-	-		-	-		4,260	0.309	0.300 - 0.318
Kentucky	-	-		-	-		4,873	0.251	0.244 - 0.258
Louisiana	-	-		-	-		2,436	0.172	0.165 - 0.179
Maine	-	-		-	-		2,348	0.365	0.351 - 0.380
Maryland	-	-		-	-		4,765	0.295	0.286 - 0.303
Michigan	-	-		-	-		11,748	0.306	0.300 - 0.311
MI - Detroit	-	-		-	-		4,252	0.333	0.323 - 0.343
Minnesota	-	-		-	-		6,925	0.305	0.298 - 0.312
Mississippi	-	-		-	-		1,707	0.195	0.186 - 0.205
Missouri	-	-		-	-		6,530	0.261	0.255 - 0.268
Montana	-	-		-	-		1,130	0.250	0.236 - 0.265
Nebraska	-	-		-	-		2,093	0.271	0.259 - 0.282
New Hampshire	-	-		-	-		2,134	0.344	0.330 - 0.359
New Jersey	-	-		-	-		10,081	0.387	0.379 - 0.394
New Mexico	-	-		-	-		1,246	0.305	0.289 - 0.323
New York	-	-		-	-		20,328	0.354	0.349 - 0.359
North Carolina	-	-		-	-		8,413	0.252	0.247 - 0.258
North Dakota	-	-		-	-		749	0.235	0.218 - 0.252
Ohio	-	-		-	-		14,562	0.306	0.301 - 0.311
Oklahoma	-	-		-	-		2,863	0.208	0.200 - 0.216
Oregon	-	-		-	-		4,661	0.290	0.281 - 0.298
Pennsylvania	-	-		-	-		18,480	0.363	0.358 - 0.368
Rhode Island	-	-		-	-		1,514	0.372	0.353 - 0.391
South Carolina	-	-		-	-		3,602	0.221	0.214 - 0.229
Tennessee	-	-		-	-		5,740	0.225	0.220 - 0.231
Texas	-	-		-	-		12,411	0.204	0.200 - 0.208
Utah	-	-		-	-		2,189	0.182	0.174 - 0.189
Vermont	-	-		-	-		1,088	0.365	0.343 - 0.387
Virginia	-	-		-	-		6,764	0.250	0.244 - 0.256
Washington	-	-		-	-		6,971	0.269	0.262 - 0.275
WA - Seattle	-	-		-	-		4,872	0.278	0.271 - 0.286
West Virginia	-	-		-	-		2,778	0.319	0.307 - 0.331
Wisconsin	-	-		-	-		7,672	0.320	0.313 - 0.327
Wyoming	-	-		-	-		504	0.205	0.188 - 0.224

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**73,479**	**0.078**	**0.077 - 0.079**
Alabama	-	-		-	-		1,242	0.075	0.071 - 0.079
Alaska	-	-		-	-		155	0.069	0.059 - 0.081
Arizona	-	-		-	-		1,466	0.075	0.071 - 0.079
Arkansas	-	-		-	-		739	0.066	0.061 - 0.071
California	-	-		-	-		6,788	0.088	0.086 - 0.090
CA - Greater California	-	-		-	-		4,055	0.084	0.081 - 0.086
CA - Greater Bay Area	-	-		-	-		1,361	0.093	0.088 - 0.098
CA - Los Angeles	-	-		-	-		1,372	0.099	0.093 - 0.104
Colorado	-	-		-	-		1,304	0.068	0.065 - 0.072
Connecticut	-	-		-	-		1,200	0.095	0.089 - 0.100
Delaware	-	-		-	-		235	0.075	0.066 - 0.085
Florida	-	-		-	-		4,832	0.083	0.081 - 0.086
Georgia	-	-		-	-		2,012	0.071	0.068 - 0.074
Hawaii	-	-		-	-		117	0.083	0.068 - 0.099
Idaho	-	-		-	-		422	0.060	0.055 - 0.066
Illinois	-	-		-	-		3,402	0.083	0.080 - 0.086
Iowa	-	-		-	-		949	0.069	0.065 - 0.073
Kentucky	-	-		-	-		1,229	0.063	0.060 - 0.067
Louisiana	-	-		-	-		875	0.062	0.058 - 0.066
Maine	-	-		-	-		470	0.073	0.067 - 0.080
Maryland	-	-		-	-		1,337	0.083	0.078 - 0.087
Michigan	-	-		-	-		2,990	0.078	0.075 - 0.081
MI - Detroit	-	-		-	-		1,130	0.089	0.083 - 0.094
Minnesota	-	-		-	-		1,702	0.075	0.071 - 0.079
Mississippi	-	-		-	-		580	0.066	0.061 - 0.072
Missouri	-	-		-	-		1,652	0.066	0.063 - 0.069
Montana	-	-		-	-		317	0.070	0.063 - 0.078
Nebraska	-	-		-	-		538	0.070	0.064 - 0.076
New Hampshire	-	-		-	-		488	0.079	0.072 - 0.086
New Jersey	-	-		-	-		2,600	0.100	0.096 - 0.104
New Mexico	-	-		-	-		361	0.088	0.080 - 0.098
New York	-	-		-	-		5,468	0.095	0.093 - 0.098
North Carolina	-	-		-	-		2,563	0.077	0.074 - 0.080
North Dakota	-	-		-	-		216	0.068	0.059 - 0.077
Ohio	-	-		-	-		3,617	0.076	0.073 - 0.078
Oklahoma	-	-		-	-		946	0.069	0.064 - 0.073
Oregon	-	-		-	-		1,165	0.072	0.068 - 0.077
Pennsylvania	-	-		-	-		4,418	0.087	0.084 - 0.089
Rhode Island	-	-		-	-		355	0.087	0.078 - 0.097
South Carolina	-	-		-	-		1,027	0.063	0.059 - 0.067
Tennessee	-	-		-	-		1,741	0.068	0.065 - 0.072
Texas	-	-		-	-		4,308	0.071	0.069 - 0.073
Utah	-	-		-	-		602	0.050	0.046 - 0.054
Vermont	-	-		-	-		242	0.081	0.071 - 0.092
Virginia	-	-		-	-		1,899	0.070	0.067 - 0.073
Washington	-	-		-	-		2,023	0.078	0.075 - 0.081
WA - Seattle	-	-		-	-		1,423	0.081	0.077 - 0.086
West Virginia	-	-		-	-		672	0.077	0.071 - 0.083
Wisconsin	-	-		-	-		2,038	0.085	0.081 - 0.089
Wyoming	-	-		-	-		176	0.072	0.061 - 0.083

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**1,179,799**	**1.287**	**1.285 - 1.289**	**-**	**-**	
Alabama	-	-		19,055	1.202	1.185 - 1.219	-	-	
Alaska	-	-		2,378	0.937	0.900 - 0.975	-	-	
Arizona	-	-		21,828	1.140	1.125 - 1.155	-	-	
Arkansas	-	-		13,717	1.264	1.243 - 1.285	-	-	
California	-	-		106,045	1.383	1.374 - 1.391	-	-	
CA - Greater California	-	-		64,624	1.353	1.342 - 1.363	-	-	
CA - Greater Bay Area	-	-		22,758	1.529	1.509 - 1.549	-	-	
CA - Los Angeles	-	-		18,656	1.328	1.309 - 1.347	-	-	
Colorado	-	-		20,494	1.068	1.053 - 1.083	-	-	
Connecticut	-	-		18,217	1.512	1.491 - 1.535	-	-	
Delaware	-	-		4,931	1.679	1.633 - 1.727	-	-	
Florida	-	-		81,980	1.467	1.457 - 1.477	-	-	
Georgia	-	-		32,817	1.196	1.183 - 1.209	-	-	
Hawaii	-	-		1,901	1.131	1.081 - 1.183	-	-	
Idaho	-	-		8,238	1.185	1.159 - 1.211	-	-	
Illinois	-	-		52,263	1.323	1.311 - 1.334	-	-	
Iowa	-	-		16,143	1.200	1.182 - 1.219	-	-	
Kentucky	-	-		19,711	1.055	1.040 - 1.069	-	-	
Louisiana	-	-		18,507	1.344	1.325 - 1.364	-	-	
Maine	-	-		7,961	1.294	1.266 - 1.323	-	-	
Maryland	-	-		21,542	1.388	1.369 - 1.406	-	-	
Michigan	-	-		49,870	1.329	1.318 - 1.341	-	-	
MI - Detroit	-	-		18,769	1.518	1.497 - 1.540	-	-	
Minnesota	-	-		30,625	1.372	1.357 - 1.388	-	-	
Mississippi	-	-		10,786	1.279	1.255 - 1.304	-	-	
Missouri	-	-		26,115	1.079	1.066 - 1.093	-	-	
Montana	-	-		6,396	1.397	1.363 - 1.432	-	-	
Nebraska	-	-		9,286	1.225	1.200 - 1.250	-	-	
New Hampshire	-	-		8,681	1.435	1.405 - 1.465	-	-	
New Jersey	-	-		42,235	1.704	1.687 - 1.720	-	-	
New Mexico	-	-		6,103	1.526	1.488 - 1.565	-	-	
New York	-	-		83,747	1.524	1.514 - 1.534	-	-	
North Carolina	-	-		40,501	1.271	1.259 - 1.284	-	-	
North Dakota	-	-		4,291	1.288	1.249 - 1.327	-	-	
Ohio	-	-		51,389	1.120	1.110 - 1.130	-	-	
Oklahoma	-	-		14,850	1.113	1.095 - 1.131	-	-	
Oregon	-	-		19,117	1.224	1.207 - 1.242	-	-	
Pennsylvania	-	-		64,815	1.328	1.318 - 1.339	-	-	
Rhode Island	-	-		5,076	1.339	1.302 - 1.376	-	-	
South Carolina	-	-		18,897	1.214	1.196 - 1.231	-	-	
Tennessee	-	-		29,643	1.218	1.205 - 1.232	-	-	
Texas	-	-		67,465	1.129	1.121 - 1.138	-	-	
Utah	-	-		12,197	1.006	0.989 - 1.024	-	-	
Vermont	-	-		3,634	1.251	1.211 - 1.292	-	-	
Virginia	-	-		29,480	1.114	1.102 - 1.127	-	-	
Washington	-	-		33,058	1.283	1.269 - 1.297	-	-	
WA - Seattle	-	-		23,511	1.347	1.330 - 1.364	-	-	
West Virginia	-	-		9,886	1.172	1.149 - 1.196	-	-	
Wisconsin	-	-		30,701	1.299	1.285 - 1.314	-	-	
Wyoming	-	-		3,228	1.271	1.227 - 1.316	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**54,797**	**0.060**	**0.059 - 0.060**	**-**	**-**	
Alabama	-	-		782	0.049	0.046 - 0.053	-	-	
Alaska	-	-		157	0.062	0.053 - 0.072	-	-	
Arizona	-	-		964	0.050	0.047 - 0.054	-	-	
Arkansas	-	-		512	0.047	0.043 - 0.051	-	-	
California	-	-		5,301	0.069	0.067 - 0.071	-	-	
CA - Greater California	-	-		3,127	0.065	0.063 - 0.068	-	-	
CA - Greater Bay Area	-	-		1,156	0.078	0.073 - 0.082	-	-	
CA - Los Angeles	-	-		1,007	0.072	0.067 - 0.076	-	-	
Colorado	-	-		1,086	0.057	0.053 - 0.060	-	-	
Connecticut	-	-		831	0.069	0.064 - 0.074	-	-	
Delaware	-	-		174	0.059	0.051 - 0.069	-	-	
Florida	-	-		2,742	0.049	0.047 - 0.051	-	-	
Georgia	-	-		1,411	0.051	0.049 - 0.054	-	-	
Hawaii	-	-		152	0.090	0.076 - 0.106	-	-	
Idaho	-	-		398	0.057	0.052 - 0.063	-	-	
Illinois	-	-		2,613	0.066	0.064 - 0.069	-	-	
Iowa	-	-		815	0.061	0.056 - 0.065	-	-	
Kentucky	-	-		963	0.052	0.048 - 0.055	-	-	
Louisiana	-	-		742	0.054	0.050 - 0.058	-	-	
Maine	-	-		353	0.057	0.052 - 0.064	-	-	
Maryland	-	-		943	0.061	0.057 - 0.065	-	-	
Michigan	-	-		2,228	0.059	0.057 - 0.062	-	-	
MI - Detroit	-	-		817	0.066	0.062 - 0.071	-	-	
Minnesota	-	-		1,549	0.069	0.066 - 0.073	-	-	
Mississippi	-	-		377	0.045	0.040 - 0.049	-	-	
Missouri	-	-		1,220	0.050	0.048 - 0.053	-	-	
Montana	-	-		267	0.058	0.052 - 0.066	-	-	
Nebraska	-	-		507	0.067	0.061 - 0.073	-	-	
New Hampshire	-	-		400	0.066	0.060 - 0.073	-	-	
New Jersey	-	-		1,763	0.071	0.068 - 0.075	-	-	
New Mexico	-	-		239	0.060	0.053 - 0.068	-	-	
New York	-	-		4,113	0.075	0.073 - 0.077	-	-	
North Carolina	-	-		1,740	0.055	0.052 - 0.057	-	-	
North Dakota	-	-		192	0.058	0.050 - 0.066	-	-	
Ohio	-	-		2,572	0.056	0.054 - 0.058	-	-	
Oklahoma	-	-		634	0.048	0.044 - 0.051	-	-	
Oregon	-	-		1,024	0.066	0.062 - 0.070	-	-	
Pennsylvania	-	-		3,236	0.066	0.064 - 0.069	-	-	
Rhode Island	-	-		272	0.072	0.063 - 0.081	-	-	
South Carolina	-	-		737	0.047	0.044 - 0.051	-	-	
Tennessee	-	-		1,253	0.052	0.049 - 0.054	-	-	
Texas	-	-		3,219	0.054	0.052 - 0.056	-	-	
Utah	-	-		792	0.065	0.061 - 0.070	-	-	
Vermont	-	-		178	0.061	0.053 - 0.071	-	-	
Virginia	-	-		1,377	0.052	0.049 - 0.055	-	-	
Washington	-	-		1,753	0.068	0.065 - 0.071	-	-	
WA - Seattle	-	-		1,293	0.074	0.070 - 0.078	-	-	
West Virginia	-	-		440	0.052	0.047 - 0.057	-	-	
Wisconsin	-	-		1,626	0.069	0.065 - 0.072	-	-	
Wyoming	-	-		150	0.059	0.050 - 0.069	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**346,957**	**0.187**	**0.186 - 0.187**	**265,826**	**0.290**	**0.289 - 0.291**	**81,131**	**0.086**	**0.085 - 0.087**
Alabama	5,203	0.161	0.156 - 0.165	4,090	0.258	0.250 - 0.266	1,113	0.067	0.063 - 0.071
Alaska	686	0.143	0.133 - 0.154	533	0.210	0.193 - 0.229	153	0.068	0.058 - 0.080
Arizona	7,761	0.200	0.196 - 0.205	5,966	0.312	0.304 - 0.320	1,795	0.092	0.087 - 0.096
Arkansas	3,507	0.159	0.154 - 0.164	2,770	0.255	0.246 - 0.265	737	0.066	0.061 - 0.070
California	29,920	0.195	0.193 - 0.197	23,216	0.303	0.299 - 0.307	6,703	0.087	0.085 - 0.089
CA - Greater California	18,341	0.191	0.188 - 0.194	14,230	0.298	0.293 - 0.303	4,111	0.085	0.082 - 0.088
CA - Greater Bay Area	5,771	0.196	0.191 - 0.201	4,402	0.296	0.287 - 0.305	1,369	0.094	0.089 - 0.099
CA - Los Angeles	5,829	0.208	0.203 - 0.214	4,600	0.327	0.318 - 0.337	1,229	0.088	0.083 - 0.093
Colorado	5,219	0.136	0.133 - 0.140	4,005	0.209	0.202 - 0.215	1,214	0.064	0.060 - 0.067
Connecticut	6,372	0.258	0.251 - 0.264	4,766	0.396	0.385 - 0.407	1,607	0.127	0.121 - 0.133
Delaware	1,464	0.241	0.229 - 0.254	1,130	0.385	0.363 - 0.408	334	0.107	0.096 - 0.119
Florida	27,292	0.240	0.237 - 0.242	21,121	0.378	0.373 - 0.383	6,171	0.106	0.104 - 0.109
Georgia	8,450	0.151	0.148 - 0.155	6,623	0.241	0.236 - 0.247	1,827	0.064	0.062 - 0.067
Hawaii	563	0.182	0.167 - 0.197	466	0.278	0.253 - 0.304	97	0.068	0.055 - 0.083
Idaho	2,199	0.158	0.151 - 0.165	1,726	0.248	0.237 - 0.260	473	0.068	0.062 - 0.074
Illinois	16,041	0.199	0.196 - 0.203	12,147	0.307	0.302 - 0.313	3,894	0.095	0.092 - 0.098
Iowa	4,656	0.171	0.166 - 0.176	3,642	0.271	0.262 - 0.280	1,014	0.074	0.069 - 0.078
Kentucky	6,249	0.164	0.160 - 0.168	4,748	0.254	0.247 - 0.261	1,500	0.077	0.073 - 0.081
Louisiana	4,535	0.162	0.158 - 0.167	3,546	0.258	0.249 - 0.266	988	0.070	0.065 - 0.074
Maine	2,919	0.232	0.224 - 0.241	2,181	0.354	0.340 - 0.370	738	0.115	0.107 - 0.123
Maryland	6,306	0.199	0.194 - 0.204	4,823	0.311	0.302 - 0.320	1,483	0.092	0.087 - 0.096
Michigan	14,557	0.192	0.189 - 0.195	10,973	0.292	0.287 - 0.298	3,584	0.093	0.090 - 0.096
MI - Detroit	5,384	0.214	0.209 - 0.220	4,039	0.327	0.317 - 0.337	1,345	0.105	0.100 - 0.111
Minnesota	7,779	0.173	0.169 - 0.177	5,936	0.266	0.259 - 0.273	1,843	0.081	0.078 - 0.085
Mississippi	2,728	0.159	0.153 - 0.165	2,128	0.252	0.242 - 0.263	600	0.069	0.063 - 0.074
Missouri	7,583	0.154	0.151 - 0.158	5,879	0.243	0.237 - 0.249	1,704	0.068	0.065 - 0.072
Montana	1,613	0.177	0.169 - 0.186	1,229	0.269	0.254 - 0.284	384	0.085	0.077 - 0.094
Nebraska	2,451	0.160	0.154 - 0.166	1,880	0.248	0.237 - 0.259	571	0.074	0.068 - 0.080
New Hampshire	2,836	0.232	0.223 - 0.240	2,126	0.351	0.337 - 0.367	710	0.115	0.106 - 0.123
New Jersey	12,536	0.246	0.242 - 0.251	9,299	0.375	0.368 - 0.383	3,236	0.124	0.120 - 0.129
New Mexico	1,512	0.187	0.178 - 0.197	1,198	0.300	0.283 - 0.317	314	0.077	0.069 - 0.086
New York	27,918	0.249	0.246 - 0.251	20,873	0.380	0.375 - 0.385	7,045	0.123	0.120 - 0.126
North Carolina	11,490	0.176	0.173 - 0.180	8,777	0.275	0.270 - 0.281	2,713	0.081	0.078 - 0.085
North Dakota	1,020	0.156	0.147 - 0.166	804	0.241	0.225 - 0.259	216	0.068	0.059 - 0.077
Ohio	15,924	0.170	0.168 - 0.173	12,214	0.266	0.262 - 0.271	3,710	0.078	0.075 - 0.080
Oklahoma	4,069	0.150	0.145 - 0.155	3,154	0.236	0.228 - 0.245	915	0.066	0.062 - 0.071
Oregon	5,725	0.181	0.176 - 0.185	4,413	0.283	0.274 - 0.291	1,312	0.082	0.077 - 0.086
Pennsylvania	22,505	0.226	0.223 - 0.229	17,015	0.349	0.343 - 0.354	5,490	0.108	0.105 - 0.111
Rhode Island	2,031	0.258	0.247 - 0.270	1,501	0.396	0.376 - 0.416	530	0.130	0.119 - 0.142
South Carolina	5,371	0.169	0.164 - 0.173	4,182	0.269	0.261 - 0.277	1,189	0.073	0.069 - 0.077
Tennessee	7,773	0.156	0.153 - 0.160	5,998	0.247	0.240 - 0.253	1,775	0.070	0.066 - 0.073
Texas	17,195	0.143	0.140 - 0.145	13,446	0.225	0.221 - 0.229	3,749	0.062	0.060 - 0.064
Utah	2,035	0.084	0.081 - 0.088	1,661	0.137	0.131 - 0.144	374	0.031	0.028 - 0.034
Vermont	1,133	0.192	0.181 - 0.204	847	0.292	0.272 - 0.312	286	0.096	0.085 - 0.108
Virginia	8,098	0.151	0.148 - 0.155	6,170	0.233	0.227 - 0.239	1,928	0.071	0.068 - 0.074
Washington	8,670	0.168	0.164 - 0.171	6,669	0.259	0.253 - 0.265	2,001	0.077	0.074 - 0.081
WA - Seattle	6,015	0.172	0.168 - 0.176	4,646	0.266	0.259 - 0.274	1,369	0.078	0.074 - 0.083
West Virginia	3,203	0.187	0.181 - 0.194	2,405	0.285	0.274 - 0.297	798	0.092	0.085 - 0.098
Wisconsin	9,042	0.190	0.186 - 0.194	6,903	0.292	0.285 - 0.299	2,139	0.089	0.085 - 0.093
Wyoming	819	0.164	0.153 - 0.176	646	0.254	0.235 - 0.275	173	0.070	0.060 - 0.082

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**250,438**	**0.135**	**0.134 - 0.135**	**156,198**	**0.170**	**0.170 - 0.171**	**94,240**	**0.100**	**0.099 - 0.101**
Alabama	4,564	0.141	0.137 - 0.145	2,773	0.175	0.169 - 0.182	1,791	0.108	0.103 - 0.113
Alaska	524	0.109	0.100 - 0.119	337	0.133	0.119 - 0.148	187	0.083	0.072 - 0.096
Arizona	5,222	0.135	0.131 - 0.139	3,238	0.169	0.163 - 0.175	1,984	0.101	0.097 - 0.106
Arkansas	3,109	0.141	0.136 - 0.146	1,913	0.176	0.168 - 0.184	1,196	0.106	0.100 - 0.113
California	19,428	0.126	0.125 - 0.128	12,677	0.165	0.162 - 0.168	6,750	0.088	0.086 - 0.090
CA - Greater California	12,355	0.128	0.126 - 0.131	7,935	0.166	0.162 - 0.170	4,420	0.091	0.089 - 0.094
CA - Greater Bay Area	3,523	0.119	0.116 - 0.123	2,371	0.159	0.153 - 0.166	1,151	0.079	0.074 - 0.083
CA - Los Angeles	3,549	0.127	0.123 - 0.131	2,374	0.169	0.162 - 0.176	1,175	0.084	0.080 - 0.089
Colorado	3,504	0.091	0.088 - 0.095	2,221	0.116	0.111 - 0.121	1,283	0.067	0.063 - 0.071
Connecticut	3,549	0.144	0.139 - 0.148	2,281	0.189	0.182 - 0.197	1,268	0.100	0.095 - 0.106
Delaware	910	0.150	0.140 - 0.160	589	0.201	0.185 - 0.217	321	0.103	0.092 - 0.114
Florida	16,153	0.142	0.140 - 0.144	10,305	0.184	0.181 - 0.188	5,848	0.101	0.098 - 0.103
Georgia	6,676	0.120	0.117 - 0.123	4,128	0.150	0.146 - 0.155	2,548	0.090	0.086 - 0.093
Hawaii	395	0.127	0.115 - 0.141	274	0.163	0.144 - 0.183	121	0.085	0.071 - 0.102
Idaho	1,475	0.106	0.101 - 0.111	902	0.130	0.121 - 0.138	573	0.082	0.075 - 0.089
Illinois	11,816	0.147	0.144 - 0.150	7,288	0.184	0.180 - 0.189	4,528	0.111	0.107 - 0.114
Iowa	3,696	0.136	0.131 - 0.140	2,291	0.170	0.163 - 0.177	1,405	0.102	0.097 - 0.107
Kentucky	5,717	0.150	0.146 - 0.154	3,427	0.183	0.177 - 0.190	2,290	0.118	0.113 - 0.123
Louisiana	4,730	0.169	0.165 - 0.174	2,893	0.210	0.203 - 0.218	1,838	0.130	0.124 - 0.136
Maine	1,746	0.139	0.132 - 0.145	1,040	0.169	0.159 - 0.180	706	0.110	0.102 - 0.118
Maryland	4,157	0.131	0.127 - 0.135	2,589	0.167	0.160 - 0.173	1,568	0.097	0.092 - 0.102
Michigan	9,730	0.128	0.126 - 0.131	5,994	0.160	0.156 - 0.164	3,736	0.097	0.094 - 0.100
MI - Detroit	3,585	0.143	0.138 - 0.147	2,247	0.182	0.174 - 0.189	1,338	0.105	0.099 - 0.111
Minnesota	5,853	0.130	0.127 - 0.133	3,722	0.167	0.161 - 0.172	2,131	0.094	0.090 - 0.098
Mississippi	2,737	0.159	0.154 - 0.166	1,644	0.195	0.186 - 0.205	1,093	0.125	0.118 - 0.133
Missouri	6,671	0.136	0.132 - 0.139	4,067	0.168	0.163 - 0.173	2,604	0.104	0.100 - 0.108
Montana	991	0.109	0.102 - 0.116	628	0.137	0.127 - 0.148	362	0.080	0.072 - 0.089
Nebraska	1,952	0.127	0.122 - 0.133	1,197	0.158	0.149 - 0.167	755	0.098	0.091 - 0.105
New Hampshire	1,539	0.126	0.119 - 0.132	974	0.161	0.151 - 0.171	565	0.091	0.084 - 0.099
New Jersey	7,873	0.155	0.151 - 0.158	5,021	0.203	0.197 - 0.208	2,852	0.109	0.105 - 0.114
New Mexico	886	0.110	0.102 - 0.117	553	0.138	0.127 - 0.150	332	0.081	0.073 - 0.091
New York	17,452	0.155	0.153 - 0.158	11,142	0.203	0.199 - 0.207	6,310	0.110	0.107 - 0.113
North Carolina	8,758	0.134	0.132 - 0.137	5,466	0.172	0.167 - 0.176	3,292	0.099	0.095 - 0.102
North Dakota	727	0.112	0.104 - 0.120	447	0.134	0.122 - 0.147	280	0.088	0.078 - 0.099
Ohio	12,426	0.133	0.131 - 0.135	7,435	0.162	0.158 - 0.166	4,991	0.105	0.102 - 0.108
Oklahoma	3,516	0.130	0.125 - 0.134	2,083	0.156	0.149 - 0.163	1,433	0.104	0.099 - 0.110
Oregon	3,971	0.125	0.121 - 0.129	2,462	0.158	0.152 - 0.164	1,509	0.094	0.089 - 0.099
Pennsylvania	14,550	0.146	0.144 - 0.148	9,017	0.185	0.181 - 0.189	5,533	0.109	0.106 - 0.112
Rhode Island	1,225	0.156	0.147 - 0.165	744	0.196	0.182 - 0.211	481	0.118	0.108 - 0.129
South Carolina	4,091	0.128	0.125 - 0.132	2,538	0.163	0.157 - 0.169	1,553	0.095	0.091 - 0.100
Tennessee	6,884	0.138	0.135 - 0.142	4,237	0.174	0.169 - 0.179	2,647	0.104	0.100 - 0.108
Texas	16,721	0.139	0.137 - 0.141	10,338	0.173	0.170 - 0.176	6,383	0.105	0.102 - 0.107
Utah	1,739	0.072	0.069 - 0.075	1,057	0.087	0.082 - 0.093	682	0.057	0.052 - 0.061
Vermont	718	0.122	0.113 - 0.131	463	0.159	0.145 - 0.175	255	0.085	0.075 - 0.097
Virginia	6,134	0.115	0.112 - 0.117	3,871	0.146	0.142 - 0.151	2,263	0.084	0.080 - 0.087
Washington	6,243	0.121	0.118 - 0.124	3,943	0.153	0.148 - 0.158	2,300	0.089	0.085 - 0.092
WA - Seattle	4,361	0.125	0.121 - 0.129	2,774	0.159	0.153 - 0.165	1,587	0.091	0.086 - 0.095
West Virginia	2,603	0.152	0.146 - 0.158	1,530	0.181	0.172 - 0.191	1,073	0.123	0.116 - 0.131
Wisconsin	6,550	0.138	0.134 - 0.141	4,114	0.174	0.169 - 0.179	2,436	0.102	0.098 - 0.106
Wyoming	527	0.106	0.097 - 0.115	344	0.136	0.122 - 0.151	183	0.075	0.064 - 0.086

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**52,813**	**0.028**	**0.028 - 0.029**	**28,695**	**0.031**	**0.031 - 0.032**	**24,117**	**0.026**	**0.025 - 0.026**
Alabama	810	0.025	0.023 - 0.027	427	0.027	0.024 - 0.030	383	0.023	0.021 - 0.026
Alaska	141	0.029	0.025 - 0.035	77	0.030	0.024 - 0.038	64	0.028	0.022 - 0.036
Arizona	1,065	0.027	0.026 - 0.029	569	0.030	0.027 - 0.032	496	0.025	0.023 - 0.028
Arkansas	605	0.027	0.025 - 0.030	330	0.030	0.027 - 0.034	275	0.024	0.022 - 0.028
California	4,403	0.029	0.028 - 0.030	2,451	0.032	0.031 - 0.033	1,952	0.025	0.024 - 0.027
CA - Greater California	2,696	0.028	0.027 - 0.029	1,472	0.031	0.029 - 0.032	1,224	0.025	0.024 - 0.027
CA - Greater Bay Area	931	0.032	0.030 - 0.034	518	0.035	0.032 - 0.038	412	0.028	0.026 - 0.031
CA - Los Angeles	778	0.028	0.026 - 0.030	459	0.033	0.030 - 0.036	319	0.023	0.020 - 0.026
Colorado	995	0.026	0.024 - 0.028	571	0.030	0.027 - 0.032	424	0.022	0.020 - 0.024
Connecticut	727	0.029	0.027 - 0.032	411	0.034	0.031 - 0.038	316	0.025	0.022 - 0.028
Delaware	178	0.029	0.025 - 0.034	89	0.030	0.024 - 0.037	89	0.028	0.023 - 0.035
Florida	3,056	0.027	0.026 - 0.028	1,647	0.029	0.028 - 0.031	1,409	0.024	0.023 - 0.026
Georgia	1,502	0.027	0.026 - 0.028	818	0.030	0.028 - 0.032	684	0.024	0.022 - 0.026
Hawaii	65	0.021	0.016 - 0.027	44	0.026	0.019 - 0.035	21	0.015	0.009 - 0.023
Idaho	380	0.027	0.025 - 0.030	216	0.031	0.027 - 0.035	164	0.023	0.020 - 0.027
Illinois	2,347	0.029	0.028 - 0.030	1,268	0.032	0.030 - 0.034	1,079	0.026	0.025 - 0.028
Iowa	730	0.027	0.025 - 0.029	383	0.028	0.026 - 0.031	347	0.025	0.023 - 0.028
Kentucky	1,106	0.029	0.027 - 0.031	593	0.032	0.029 - 0.034	513	0.026	0.024 - 0.029
Louisiana	713	0.026	0.024 - 0.027	366	0.027	0.024 - 0.029	347	0.024	0.022 - 0.027
Maine	376	0.030	0.027 - 0.033	208	0.034	0.029 - 0.039	168	0.026	0.022 - 0.030
Maryland	898	0.028	0.027 - 0.030	475	0.031	0.028 - 0.033	423	0.026	0.024 - 0.029
Michigan	2,138	0.028	0.027 - 0.029	1,160	0.031	0.029 - 0.033	978	0.025	0.024 - 0.027
MI - Detroit	681	0.027	0.025 - 0.029	376	0.030	0.027 - 0.034	305	0.024	0.021 - 0.027
Minnesota	1,336	0.030	0.028 - 0.031	721	0.032	0.030 - 0.035	615	0.027	0.025 - 0.029
Mississippi	409	0.024	0.022 - 0.026	217	0.026	0.022 - 0.029	192	0.022	0.019 - 0.025
Missouri	1,356	0.028	0.026 - 0.029	721	0.030	0.028 - 0.032	635	0.025	0.023 - 0.027
Montana	228	0.025	0.022 - 0.029	132	0.029	0.024 - 0.034	96	0.021	0.017 - 0.026
Nebraska	408	0.027	0.024 - 0.029	221	0.029	0.025 - 0.033	187	0.024	0.021 - 0.028
New Hampshire	381	0.031	0.028 - 0.034	207	0.034	0.030 - 0.039	174	0.028	0.024 - 0.033
New Jersey	1,712	0.034	0.032 - 0.035	931	0.038	0.035 - 0.040	780	0.030	0.028 - 0.032
New Mexico	201	0.025	0.022 - 0.029	102	0.026	0.021 - 0.031	99	0.024	0.020 - 0.030
New York	3,678	0.033	0.032 - 0.034	1,960	0.036	0.034 - 0.037	1,718	0.030	0.029 - 0.031
North Carolina	1,756	0.027	0.026 - 0.028	942	0.030	0.028 - 0.032	814	0.024	0.023 - 0.026
North Dakota	137	0.021	0.018 - 0.025	79	0.024	0.019 - 0.030	58	0.018	0.014 - 0.024
Ohio	2,503	0.027	0.026 - 0.028	1,369	0.030	0.028 - 0.031	1,134	0.024	0.022 - 0.025
Oklahoma	687	0.025	0.023 - 0.027	365	0.027	0.025 - 0.030	322	0.023	0.021 - 0.026
Oregon	846	0.027	0.025 - 0.029	443	0.028	0.026 - 0.031	403	0.025	0.023 - 0.028
Pennsylvania	2,976	0.030	0.029 - 0.031	1,629	0.033	0.032 - 0.035	1,347	0.026	0.025 - 0.028
Rhode Island	203	0.026	0.022 - 0.030	100	0.026	0.021 - 0.032	103	0.025	0.021 - 0.031
South Carolina	796	0.025	0.023 - 0.027	429	0.028	0.025 - 0.030	367	0.023	0.020 - 0.025
Tennessee	1,271	0.026	0.024 - 0.027	689	0.028	0.026 - 0.031	582	0.023	0.021 - 0.025
Texas	3,886	0.032	0.031 - 0.033	2,152	0.036	0.035 - 0.038	1,734	0.028	0.027 - 0.030
Utah	681	0.028	0.026 - 0.030	397	0.033	0.030 - 0.036	284	0.024	0.021 - 0.026
Vermont	167	0.028	0.024 - 0.033	92	0.032	0.026 - 0.039	75	0.025	0.020 - 0.032
Virginia	1,375	0.026	0.024 - 0.027	742	0.028	0.026 - 0.030	633	0.023	0.022 - 0.025
Washington	1,602	0.031	0.029 - 0.033	884	0.034	0.032 - 0.037	718	0.028	0.026 - 0.030
WA - Seattle	1,194	0.034	0.032 - 0.036	663	0.038	0.035 - 0.041	531	0.030	0.028 - 0.033
West Virginia	480	0.028	0.026 - 0.031	239	0.028	0.025 - 0.032	241	0.028	0.024 - 0.031
Wisconsin	1,374	0.029	0.027 - 0.030	764	0.032	0.030 - 0.035	610	0.025	0.023 - 0.028
Wyoming	127	0.025	0.021 - 0.030	64	0.025	0.019 - 0.032	63	0.026	0.020 - 0.033

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**272,043**	**0.146**	**0.146 - 0.147**	**68,013**	**0.074**	**0.074 - 0.075**	**204,030**	**0.216**	**0.215 - 0.217**
Alabama	3,150	0.097	0.094 - 0.101	837	0.053	0.049 - 0.057	2,313	0.140	0.134 - 0.145
Alaska	533	0.111	0.102 - 0.121	131	0.052	0.043 - 0.061	402	0.179	0.162 - 0.197
Arizona	6,260	0.162	0.158 - 0.166	1,501	0.078	0.074 - 0.082	4,759	0.243	0.236 - 0.250
Arkansas	2,303	0.104	0.100 - 0.109	604	0.056	0.051 - 0.060	1,699	0.151	0.144 - 0.159
California	21,390	0.139	0.137 - 0.141	5,613	0.073	0.071 - 0.075	15,777	0.205	0.202 - 0.208
CA - Greater California	13,089	0.136	0.134 - 0.138	3,375	0.071	0.068 - 0.073	9,714	0.201	0.197 - 0.205
CA - Greater Bay Area	3,658	0.124	0.120 - 0.128	1,015	0.068	0.064 - 0.073	2,643	0.181	0.174 - 0.188
CA - Los Angeles	4,642	0.166	0.161 - 0.171	1,224	0.087	0.082 - 0.092	3,417	0.246	0.237 - 0.254
Colorado	5,506	0.144	0.140 - 0.148	1,405	0.073	0.069 - 0.077	4,101	0.215	0.208 - 0.221
Connecticut	5,144	0.208	0.202 - 0.214	1,281	0.106	0.101 - 0.112	3,863	0.305	0.295 - 0.314
Delaware	913	0.151	0.141 - 0.161	211	0.072	0.062 - 0.082	702	0.224	0.208 - 0.242
Florida	13,384	0.117	0.115 - 0.119	3,661	0.066	0.063 - 0.068	9,723	0.168	0.164 - 0.171
Georgia	7,181	0.129	0.126 - 0.132	1,772	0.065	0.062 - 0.068	5,409	0.191	0.186 - 0.196
Hawaii	445	0.144	0.131 - 0.158	139	0.083	0.069 - 0.098	307	0.216	0.193 - 0.242
Idaho	2,104	0.151	0.145 - 0.158	449	0.065	0.059 - 0.071	1,655	0.237	0.226 - 0.249
Illinois	13,048	0.162	0.159 - 0.165	3,274	0.083	0.080 - 0.086	9,774	0.239	0.234 - 0.244
Iowa	3,507	0.129	0.124 - 0.133	886	0.066	0.062 - 0.070	2,620	0.190	0.183 - 0.197
Kentucky	5,435	0.143	0.139 - 0.146	1,329	0.071	0.067 - 0.075	4,106	0.211	0.205 - 0.218
Louisiana	3,841	0.138	0.133 - 0.142	932	0.068	0.063 - 0.072	2,909	0.205	0.198 - 0.213
Maine	1,864	0.148	0.142 - 0.155	468	0.076	0.069 - 0.083	1,396	0.217	0.206 - 0.229
Maryland	5,402	0.170	0.166 - 0.175	1,361	0.088	0.083 - 0.092	4,041	0.250	0.242 - 0.258
Michigan	9,967	0.131	0.129 - 0.134	2,438	0.065	0.062 - 0.068	7,529	0.196	0.192 - 0.200
MI - Detroit	4,298	0.171	0.166 - 0.176	1,046	0.085	0.080 - 0.090	3,252	0.255	0.246 - 0.264
Minnesota	5,457	0.121	0.118 - 0.125	1,339	0.060	0.057 - 0.063	4,118	0.181	0.176 - 0.187
Mississippi	1,991	0.116	0.111 - 0.121	509	0.060	0.055 - 0.066	1,482	0.170	0.161 - 0.179
Missouri	6,009	0.122	0.119 - 0.125	1,485	0.061	0.058 - 0.065	4,524	0.181	0.176 - 0.186
Montana	1,207	0.133	0.125 - 0.140	298	0.065	0.058 - 0.073	909	0.201	0.189 - 0.215
Nebraska	2,043	0.133	0.128 - 0.139	465	0.061	0.056 - 0.067	1,578	0.204	0.194 - 0.214
New Hampshire	1,913	0.156	0.149 - 0.163	476	0.079	0.072 - 0.086	1,437	0.232	0.220 - 0.244
New Jersey	11,439	0.225	0.221 - 0.229	2,932	0.118	0.114 - 0.123	8,508	0.326	0.320 - 0.333
New Mexico	1,388	0.172	0.163 - 0.181	310	0.078	0.069 - 0.087	1,078	0.264	0.248 - 0.280
New York	23,777	0.212	0.209 - 0.214	6,206	0.113	0.110 - 0.116	17,571	0.306	0.302 - 0.311
North Carolina	8,713	0.134	0.131 - 0.137	2,216	0.070	0.067 - 0.073	6,497	0.195	0.190 - 0.200
North Dakota	903	0.139	0.130 - 0.148	209	0.063	0.054 - 0.072	694	0.218	0.202 - 0.235
Ohio	12,867	0.138	0.135 - 0.140	2,878	0.063	0.060 - 0.065	9,989	0.210	0.206 - 0.214
Oklahoma	3,017	0.111	0.107 - 0.115	688	0.052	0.048 - 0.056	2,329	0.169	0.162 - 0.176
Oregon	3,908	0.123	0.119 - 0.127	953	0.061	0.057 - 0.065	2,955	0.184	0.177 - 0.190
Pennsylvania	21,000	0.211	0.208 - 0.213	5,096	0.104	0.102 - 0.107	15,904	0.312	0.307 - 0.317
Rhode Island	1,649	0.210	0.200 - 0.220	401	0.106	0.096 - 0.117	1,248	0.306	0.290 - 0.324
South Carolina	3,725	0.117	0.113 - 0.121	888	0.057	0.053 - 0.061	2,837	0.174	0.168 - 0.181
Tennessee	6,784	0.136	0.133 - 0.139	1,670	0.069	0.065 - 0.072	5,114	0.201	0.195 - 0.206
Texas	15,860	0.132	0.129 - 0.134	4,139	0.069	0.067 - 0.071	11,721	0.193	0.189 - 0.196
Utah	3,562	0.147	0.143 - 0.152	797	0.066	0.061 - 0.070	2,765	0.229	0.221 - 0.238
Vermont	793	0.135	0.125 - 0.144	193	0.066	0.057 - 0.076	600	0.201	0.185 - 0.218
Virginia	6,716	0.125	0.122 - 0.128	1,598	0.060	0.057 - 0.063	5,118	0.189	0.184 - 0.194
Washington	6,714	0.130	0.127 - 0.133	1,730	0.067	0.064 - 0.070	4,984	0.192	0.187 - 0.197
WA - Seattle	4,722	0.135	0.131 - 0.139	1,217	0.070	0.066 - 0.074	3,505	0.200	0.194 - 0.207
West Virginia	2,567	0.150	0.144 - 0.156	578	0.069	0.063 - 0.074	1,989	0.229	0.219 - 0.239
Wisconsin	5,996	0.126	0.123 - 0.129	1,498	0.063	0.060 - 0.067	4,498	0.188	0.182 - 0.193
Wyoming	668	0.134	0.124 - 0.144	169	0.066	0.057 - 0.077	499	0.203	0.186 - 0.222

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**46,263**	**0.025**	**0.025 - 0.025**	**25,229**	**0.028**	**0.027 - 0.028**	**21,034**	**0.022**	**0.022 - 0.023**
Alabama	639	0.020	0.018 - 0.021	348	0.022	0.020 - 0.024	291	0.018	0.016 - 0.020
Alaska	92	0.019	0.015 - 0.024	51	0.020	0.015 - 0.026	41	0.018	0.013 - 0.025
Arizona	743	0.019	0.018 - 0.021	394	0.021	0.019 - 0.023	349	0.018	0.016 - 0.020
Arkansas	477	0.022	0.020 - 0.024	270	0.025	0.022 - 0.028	207	0.018	0.016 - 0.021
California	3,940	0.026	0.025 - 0.026	2,168	0.028	0.027 - 0.029	1,773	0.023	0.022 - 0.024
CA - Greater California	2,368	0.025	0.024 - 0.026	1,302	0.027	0.026 - 0.029	1,066	0.022	0.021 - 0.023
CA - Greater Bay Area	780	0.026	0.025 - 0.028	426	0.029	0.026 - 0.031	354	0.024	0.022 - 0.027
CA - Los Angeles	792	0.028	0.026 - 0.030	439	0.031	0.028 - 0.034	352	0.025	0.023 - 0.028
Colorado	867	0.023	0.021 - 0.024	496	0.026	0.024 - 0.028	371	0.019	0.017 - 0.021
Connecticut	784	0.032	0.030 - 0.034	415	0.034	0.031 - 0.038	370	0.029	0.026 - 0.032
Delaware	164	0.027	0.023 - 0.032	99	0.034	0.027 - 0.041	65	0.021	0.016 - 0.026
Florida	2,782	0.024	0.024 - 0.025	1,505	0.027	0.026 - 0.028	1,277	0.022	0.021 - 0.023
Georgia	1,217	0.022	0.021 - 0.023	639	0.023	0.022 - 0.025	578	0.020	0.019 - 0.022
Hawaii	79	0.026	0.020 - 0.032	42	0.025	0.018 - 0.034	37	0.026	0.018 - 0.036
Idaho	312	0.022	0.020 - 0.025	167	0.024	0.021 - 0.028	145	0.021	0.018 - 0.024
Illinois	2,111	0.026	0.025 - 0.027	1,126	0.029	0.027 - 0.030	985	0.024	0.023 - 0.026
Iowa	719	0.026	0.024 - 0.028	400	0.030	0.027 - 0.033	319	0.023	0.021 - 0.026
Kentucky	860	0.023	0.021 - 0.024	484	0.026	0.024 - 0.028	377	0.019	0.017 - 0.021
Louisiana	666	0.024	0.022 - 0.026	360	0.026	0.023 - 0.029	306	0.022	0.019 - 0.024
Maine	352	0.028	0.025 - 0.031	186	0.030	0.026 - 0.035	166	0.026	0.022 - 0.030
Maryland	828	0.026	0.024 - 0.028	445	0.029	0.026 - 0.031	383	0.024	0.021 - 0.026
Michigan	1,924	0.025	0.024 - 0.026	1,062	0.028	0.027 - 0.030	862	0.022	0.021 - 0.024
MI - Detroit	756	0.030	0.028 - 0.032	429	0.035	0.031 - 0.038	328	0.026	0.023 - 0.029
Minnesota	1,172	0.026	0.025 - 0.028	665	0.030	0.028 - 0.032	507	0.022	0.020 - 0.024
Mississippi	360	0.021	0.019 - 0.023	201	0.024	0.021 - 0.027	159	0.018	0.015 - 0.021
Missouri	1,127	0.023	0.022 - 0.024	597	0.025	0.023 - 0.027	530	0.021	0.019 - 0.023
Montana	219	0.024	0.021 - 0.027	124	0.027	0.022 - 0.032	95	0.021	0.017 - 0.026
Nebraska	394	0.026	0.023 - 0.028	220	0.029	0.025 - 0.033	174	0.022	0.019 - 0.026
New Hampshire	333	0.027	0.024 - 0.030	194	0.032	0.028 - 0.037	139	0.022	0.019 - 0.026
New Jersey	1,634	0.032	0.031 - 0.034	862	0.035	0.033 - 0.037	771	0.030	0.028 - 0.032
New Mexico	179	0.022	0.019 - 0.026	105	0.026	0.022 - 0.032	73	0.018	0.014 - 0.023
New York	3,566	0.032	0.031 - 0.033	1,912	0.035	0.033 - 0.036	1,654	0.029	0.027 - 0.030
North Carolina	1,425	0.022	0.021 - 0.023	780	0.024	0.023 - 0.026	645	0.019	0.018 - 0.021
North Dakota	172	0.026	0.023 - 0.031	113	0.034	0.028 - 0.041	59	0.019	0.014 - 0.024
Ohio	2,260	0.024	0.023 - 0.025	1,264	0.028	0.026 - 0.029	996	0.021	0.020 - 0.022
Oklahoma	570	0.021	0.019 - 0.023	311	0.023	0.021 - 0.026	259	0.019	0.017 - 0.021
Oregon	757	0.024	0.022 - 0.026	407	0.026	0.024 - 0.029	350	0.022	0.020 - 0.024
Pennsylvania	2,928	0.029	0.028 - 0.030	1,598	0.033	0.031 - 0.034	1,330	0.026	0.025 - 0.028
Rhode Island	258	0.033	0.029 - 0.037	130	0.034	0.029 - 0.041	128	0.031	0.026 - 0.037
South Carolina	679	0.021	0.020 - 0.023	379	0.024	0.022 - 0.027	300	0.018	0.016 - 0.021
Tennessee	1,066	0.021	0.020 - 0.023	548	0.023	0.021 - 0.024	518	0.020	0.019 - 0.022
Texas	2,681	0.022	0.021 - 0.023	1,458	0.024	0.023 - 0.026	1,223	0.020	0.019 - 0.021
Utah	518	0.021	0.020 - 0.023	280	0.023	0.020 - 0.026	238	0.020	0.017 - 0.022
Vermont	164	0.028	0.024 - 0.032	89	0.031	0.025 - 0.038	75	0.025	0.020 - 0.032
Virginia	1,147	0.021	0.020 - 0.023	589	0.022	0.021 - 0.024	558	0.021	0.019 - 0.022
Washington	1,279	0.025	0.023 - 0.026	748	0.029	0.027 - 0.031	531	0.020	0.019 - 0.022
WA - Seattle	913	0.026	0.024 - 0.028	529	0.030	0.028 - 0.033	384	0.022	0.020 - 0.024
West Virginia	382	0.022	0.020 - 0.025	216	0.026	0.022 - 0.029	166	0.019	0.016 - 0.022
Wisconsin	1,330	0.028	0.026 - 0.029	716	0.030	0.028 - 0.033	614	0.026	0.024 - 0.028
Wyoming	107	0.021	0.018 - 0.026	67	0.026	0.020 - 0.033	40	0.016	0.012 - 0.022

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**293,655**	**0.158**	**0.157 - 0.158**	**156,758**	**0.171**	**0.170 - 0.172**	**136,897**	**0.145**	**0.144 - 0.146**
Alabama	4,041	0.125	0.121 - 0.129	2,159	0.136	0.131 - 0.142	1,882	0.114	0.109 - 0.119
Alaska	578	0.121	0.111 - 0.131	328	0.129	0.116 - 0.144	250	0.111	0.098 - 0.126
Arizona	5,124	0.132	0.129 - 0.136	2,704	0.141	0.136 - 0.147	2,420	0.124	0.119 - 0.129
Arkansas	2,993	0.135	0.131 - 0.140	1,562	0.144	0.137 - 0.151	1,431	0.127	0.121 - 0.134
California	25,951	0.169	0.167 - 0.171	14,308	0.187	0.183 - 0.190	11,643	0.151	0.149 - 0.154
CA - Greater California	15,317	0.159	0.157 - 0.162	8,365	0.175	0.171 - 0.179	6,952	0.144	0.140 - 0.147
CA - Greater Bay Area	5,678	0.193	0.188 - 0.198	3,218	0.216	0.209 - 0.224	2,461	0.168	0.162 - 0.175
CA - Los Angeles	4,971	0.178	0.173 - 0.183	2,735	0.195	0.187 - 0.202	2,235	0.161	0.154 - 0.167
Colorado	4,886	0.128	0.124 - 0.131	2,694	0.140	0.135 - 0.146	2,192	0.115	0.110 - 0.120
Connecticut	4,657	0.188	0.183 - 0.194	2,464	0.205	0.197 - 0.213	2,193	0.173	0.166 - 0.180
Delaware	1,109	0.183	0.172 - 0.194	579	0.197	0.181 - 0.214	530	0.169	0.155 - 0.184
Florida	22,598	0.198	0.196 - 0.201	11,965	0.214	0.210 - 0.218	10,633	0.183	0.180 - 0.187
Georgia	7,492	0.134	0.131 - 0.137	4,046	0.147	0.143 - 0.152	3,446	0.122	0.118 - 0.126
Hawaii	521	0.168	0.154 - 0.183	318	0.189	0.169 - 0.211	203	0.143	0.124 - 0.164
Idaho	1,767	0.127	0.121 - 0.133	937	0.135	0.126 - 0.144	830	0.119	0.111 - 0.127
Illinois	13,218	0.164	0.162 - 0.167	6,998	0.177	0.173 - 0.181	6,220	0.152	0.148 - 0.156
Iowa	4,498	0.165	0.160 - 0.170	2,408	0.179	0.172 - 0.186	2,090	0.152	0.145 - 0.158
Kentucky	5,447	0.143	0.139 - 0.147	2,846	0.152	0.147 - 0.158	2,602	0.134	0.129 - 0.139
Louisiana	4,250	0.152	0.148 - 0.157	2,229	0.162	0.155 - 0.169	2,021	0.143	0.136 - 0.149
Maine	2,103	0.167	0.160 - 0.174	1,080	0.176	0.165 - 0.186	1,023	0.159	0.150 - 0.169
Maryland	4,944	0.156	0.152 - 0.160	2,603	0.168	0.161 - 0.174	2,341	0.145	0.139 - 0.151
Michigan	11,950	0.157	0.155 - 0.160	6,272	0.167	0.163 - 0.171	5,678	0.148	0.144 - 0.152
MI - Detroit	4,391	0.175	0.170 - 0.180	2,341	0.189	0.182 - 0.197	2,050	0.161	0.154 - 0.168
Minnesota	7,442	0.165	0.162 - 0.169	4,104	0.184	0.178 - 0.190	3,338	0.147	0.142 - 0.152
Mississippi	2,409	0.140	0.135 - 0.146	1,246	0.148	0.140 - 0.156	1,163	0.133	0.126 - 0.141
Missouri	6,766	0.138	0.134 - 0.141	3,620	0.150	0.145 - 0.155	3,146	0.126	0.122 - 0.130
Montana	1,355	0.149	0.141 - 0.157	752	0.164	0.153 - 0.177	603	0.134	0.123 - 0.145
Nebraska	2,335	0.152	0.146 - 0.159	1,255	0.166	0.156 - 0.175	1,080	0.140	0.131 - 0.148
New Hampshire	2,083	0.170	0.163 - 0.178	1,111	0.184	0.173 - 0.195	972	0.157	0.147 - 0.167
New Jersey	10,271	0.202	0.198 - 0.206	5,347	0.216	0.210 - 0.222	4,924	0.189	0.184 - 0.194
New Mexico	1,263	0.156	0.148 - 0.165	672	0.168	0.156 - 0.181	591	0.145	0.133 - 0.157
New York	22,095	0.197	0.194 - 0.199	11,622	0.212	0.208 - 0.215	10,473	0.182	0.179 - 0.186
North Carolina	9,302	0.143	0.140 - 0.146	4,993	0.157	0.152 - 0.161	4,309	0.129	0.125 - 0.133
North Dakota	942	0.144	0.135 - 0.154	490	0.147	0.134 - 0.161	452	0.142	0.129 - 0.156
Ohio	13,521	0.145	0.142 - 0.147	7,182	0.157	0.153 - 0.160	6,339	0.133	0.130 - 0.136
Oklahoma	3,535	0.130	0.126 - 0.135	1,874	0.140	0.134 - 0.147	1,661	0.121	0.115 - 0.126
Oregon	4,644	0.146	0.142 - 0.151	2,494	0.160	0.154 - 0.166	2,150	0.134	0.128 - 0.139
Pennsylvania	17,591	0.176	0.174 - 0.179	9,147	0.187	0.184 - 0.191	8,444	0.166	0.162 - 0.169
Rhode Island	1,490	0.189	0.180 - 0.199	770	0.203	0.189 - 0.218	720	0.177	0.164 - 0.190
South Carolina	4,306	0.135	0.131 - 0.139	2,250	0.145	0.139 - 0.151	2,056	0.126	0.121 - 0.132
Tennessee	6,774	0.136	0.133 - 0.139	3,524	0.145	0.140 - 0.150	3,250	0.128	0.123 - 0.132
Texas	17,420	0.144	0.142 - 0.147	9,425	0.158	0.155 - 0.161	7,995	0.131	0.129 - 0.134
Utah	2,582	0.107	0.103 - 0.111	1,457	0.120	0.114 - 0.127	1,125	0.093	0.088 - 0.099
Vermont	1,042	0.177	0.166 - 0.188	559	0.192	0.177 - 0.209	483	0.162	0.148 - 0.177
Virginia	7,075	0.132	0.129 - 0.135	3,819	0.144	0.140 - 0.149	3,256	0.120	0.116 - 0.124
Washington	8,172	0.158	0.155 - 0.161	4,562	0.177	0.172 - 0.182	3,610	0.139	0.135 - 0.144
WA - Seattle	5,836	0.167	0.163 - 0.171	3,247	0.186	0.180 - 0.192	2,589	0.148	0.142 - 0.154
West Virginia	2,608	0.152	0.146 - 0.158	1,361	0.161	0.153 - 0.170	1,247	0.143	0.135 - 0.151
Wisconsin	7,902	0.166	0.162 - 0.170	4,282	0.181	0.176 - 0.187	3,620	0.151	0.146 - 0.156
Wyoming	603	0.121	0.111 - 0.131	340	0.134	0.120 - 0.149	263	0.107	0.095 - 0.121

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**65,443**	**0.035**	**0.035 - 0.035**	**37,402**	**0.041**	**0.040 - 0.041**	**28,041**	**0.030**	**0.029 - 0.030**
Alabama	893	0.028	0.026 - 0.029	489	0.031	0.028 - 0.034	404	0.024	0.022 - 0.027
Alaska	123	0.026	0.021 - 0.031	71	0.028	0.022 - 0.035	52	0.023	0.017 - 0.030
Arizona	1,119	0.029	0.027 - 0.031	634	0.033	0.031 - 0.036	485	0.025	0.023 - 0.027
Arkansas	721	0.033	0.030 - 0.035	415	0.038	0.035 - 0.042	306	0.027	0.024 - 0.030
California	5,539	0.036	0.035 - 0.037	3,269	0.043	0.041 - 0.044	2,270	0.030	0.028 - 0.031
CA - Greater California	3,328	0.035	0.033 - 0.036	1,945	0.041	0.039 - 0.043	1,383	0.029	0.027 - 0.030
CA - Greater Bay Area	1,178	0.040	0.038 - 0.042	700	0.047	0.044 - 0.051	478	0.033	0.030 - 0.036
CA - Los Angeles	1,033	0.037	0.035 - 0.039	625	0.044	0.041 - 0.048	407	0.029	0.027 - 0.032
Colorado	1,212	0.032	0.030 - 0.033	730	0.038	0.035 - 0.041	482	0.025	0.023 - 0.028
Connecticut	1,081	0.044	0.041 - 0.046	618	0.051	0.047 - 0.055	464	0.037	0.033 - 0.040
Delaware	227	0.037	0.033 - 0.043	129	0.044	0.037 - 0.052	98	0.031	0.025 - 0.038
Florida	5,537	0.049	0.047 - 0.050	3,170	0.057	0.055 - 0.059	2,367	0.041	0.039 - 0.042
Georgia	1,761	0.032	0.030 - 0.033	1,020	0.037	0.035 - 0.040	742	0.026	0.024 - 0.028
Hawaii	106	0.034	0.028 - 0.042	68	0.041	0.032 - 0.052	38	0.027	0.019 - 0.037
Idaho	425	0.030	0.028 - 0.034	257	0.037	0.033 - 0.042	168	0.024	0.021 - 0.028
Illinois	2,726	0.034	0.033 - 0.035	1,506	0.038	0.036 - 0.040	1,220	0.030	0.028 - 0.032
Iowa	984	0.036	0.034 - 0.038	553	0.041	0.038 - 0.045	430	0.031	0.028 - 0.034
Kentucky	1,176	0.031	0.029 - 0.033	697	0.037	0.035 - 0.040	478	0.025	0.022 - 0.027
Louisiana	880	0.031	0.029 - 0.034	504	0.037	0.033 - 0.040	376	0.027	0.024 - 0.029
Maine	460	0.037	0.033 - 0.040	255	0.041	0.037 - 0.047	205	0.032	0.028 - 0.037
Maryland	1,043	0.033	0.031 - 0.035	573	0.037	0.034 - 0.040	470	0.029	0.026 - 0.032
Michigan	2,560	0.034	0.032 - 0.035	1,457	0.039	0.037 - 0.041	1,103	0.029	0.027 - 0.030
MI - Detroit	932	0.037	0.035 - 0.040	513	0.041	0.038 - 0.045	419	0.033	0.030 - 0.036
Minnesota	1,674	0.037	0.035 - 0.039	972	0.044	0.041 - 0.046	702	0.031	0.029 - 0.033
Mississippi	481	0.028	0.026 - 0.031	289	0.034	0.030 - 0.038	192	0.022	0.019 - 0.025
Missouri	1,489	0.030	0.029 - 0.032	854	0.035	0.033 - 0.038	635	0.025	0.023 - 0.027
Montana	323	0.036	0.032 - 0.040	201	0.044	0.038 - 0.050	122	0.027	0.023 - 0.032
Nebraska	502	0.033	0.030 - 0.036	291	0.038	0.034 - 0.043	211	0.027	0.024 - 0.031
New Hampshire	462	0.038	0.034 - 0.041	270	0.045	0.039 - 0.050	192	0.031	0.027 - 0.036
New Jersey	2,294	0.045	0.043 - 0.047	1,261	0.051	0.048 - 0.054	1,033	0.040	0.037 - 0.042
New Mexico	277	0.034	0.030 - 0.039	164	0.041	0.035 - 0.048	113	0.028	0.023 - 0.033
New York	5,198	0.046	0.045 - 0.048	2,945	0.054	0.052 - 0.056	2,253	0.039	0.038 - 0.041
North Carolina	2,323	0.036	0.034 - 0.037	1,308	0.041	0.039 - 0.043	1,015	0.030	0.029 - 0.032
North Dakota	209	0.032	0.028 - 0.037	118	0.035	0.029 - 0.042	91	0.029	0.023 - 0.035
Ohio	2,547	0.027	0.026 - 0.028	1,441	0.031	0.030 - 0.033	1,106	0.023	0.022 - 0.025
Oklahoma	761	0.028	0.026 - 0.030	408	0.031	0.028 - 0.034	353	0.026	0.023 - 0.028
Oregon	894	0.028	0.026 - 0.030	518	0.033	0.030 - 0.036	376	0.023	0.021 - 0.026
Pennsylvania	3,637	0.036	0.035 - 0.038	2,070	0.042	0.041 - 0.044	1,567	0.031	0.029 - 0.032
Rhode Island	301	0.038	0.034 - 0.043	173	0.046	0.039 - 0.053	128	0.031	0.026 - 0.037
South Carolina	1,046	0.033	0.031 - 0.035	591	0.038	0.035 - 0.041	455	0.028	0.025 - 0.031
Tennessee	1,499	0.030	0.029 - 0.032	855	0.035	0.033 - 0.038	644	0.025	0.023 - 0.027
Texas	4,421	0.037	0.036 - 0.038	2,448	0.041	0.039 - 0.043	1,973	0.032	0.031 - 0.034
Utah	584	0.024	0.022 - 0.026	346	0.029	0.026 - 0.032	238	0.020	0.017 - 0.022
Vermont	199	0.034	0.029 - 0.039	125	0.043	0.036 - 0.051	74	0.025	0.019 - 0.031
Virginia	1,420	0.027	0.025 - 0.028	808	0.031	0.028 - 0.033	612	0.023	0.021 - 0.024
Washington	1,751	0.034	0.032 - 0.035	1,041	0.040	0.038 - 0.043	710	0.027	0.025 - 0.029
WA - Seattle	1,286	0.037	0.035 - 0.039	772	0.044	0.041 - 0.047	514	0.029	0.027 - 0.032
West Virginia	572	0.033	0.031 - 0.036	328	0.039	0.035 - 0.043	244	0.028	0.025 - 0.032
Wisconsin	1,861	0.039	0.037 - 0.041	1,083	0.046	0.043 - 0.049	778	0.032	0.030 - 0.035
Wyoming	145	0.029	0.024 - 0.034	78	0.031	0.024 - 0.038	66	0.027	0.021 - 0.034

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**169,600**	**0.091**	**0.091 - 0.092**	**99,225**	**0.108**	**0.108 - 0.109**	**70,375**	**0.075**	**0.074 - 0.075**
Alabama	2,205	0.068	0.065 - 0.071	1,249	0.079	0.074 - 0.083	956	0.058	0.054 - 0.062
Alaska	323	0.067	0.060 - 0.075	190	0.075	0.065 - 0.086	133	0.059	0.050 - 0.070
Arizona	2,411	0.062	0.060 - 0.065	1,376	0.072	0.068 - 0.076	1,035	0.053	0.050 - 0.056
Arkansas	1,628	0.074	0.070 - 0.077	958	0.088	0.083 - 0.094	670	0.060	0.055 - 0.064
California	14,281	0.093	0.091 - 0.094	8,554	0.112	0.109 - 0.114	5,727	0.074	0.073 - 0.076
CA - Greater California	8,454	0.088	0.086 - 0.090	5,004	0.105	0.102 - 0.108	3,450	0.071	0.069 - 0.074
CA - Greater Bay Area	3,024	0.103	0.099 - 0.106	1,830	0.123	0.117 - 0.129	1,195	0.082	0.077 - 0.087
CA - Los Angeles	2,796	0.100	0.096 - 0.104	1,716	0.122	0.116 - 0.128	1,080	0.078	0.073 - 0.082
Colorado	3,088	0.081	0.078 - 0.084	1,853	0.097	0.092 - 0.101	1,235	0.065	0.061 - 0.068
Connecticut	2,565	0.104	0.100 - 0.108	1,490	0.124	0.118 - 0.130	1,074	0.085	0.080 - 0.090
Delaware	570	0.094	0.086 - 0.102	347	0.118	0.106 - 0.131	223	0.071	0.062 - 0.081
Florida	15,152	0.133	0.131 - 0.135	8,743	0.156	0.153 - 0.160	6,409	0.110	0.108 - 0.113
Georgia	4,482	0.080	0.078 - 0.083	2,553	0.093	0.089 - 0.097	1,929	0.068	0.065 - 0.071
Hawaii	306	0.099	0.088 - 0.111	191	0.114	0.098 - 0.131	115	0.081	0.067 - 0.098
Idaho	1,355	0.097	0.092 - 0.103	789	0.113	0.106 - 0.122	566	0.081	0.075 - 0.088
Illinois	6,598	0.082	0.080 - 0.084	3,938	0.100	0.097 - 0.103	2,660	0.065	0.063 - 0.068
Iowa	2,772	0.102	0.098 - 0.106	1,630	0.121	0.115 - 0.127	1,142	0.083	0.078 - 0.088
Kentucky	3,197	0.084	0.081 - 0.087	1,851	0.099	0.095 - 0.104	1,346	0.069	0.066 - 0.073
Louisiana	2,336	0.084	0.080 - 0.087	1,307	0.095	0.090 - 0.100	1,028	0.073	0.068 - 0.077
Maine	1,339	0.106	0.101 - 0.112	760	0.124	0.115 - 0.133	579	0.090	0.083 - 0.098
Maryland	2,487	0.078	0.075 - 0.082	1,428	0.092	0.087 - 0.097	1,059	0.065	0.062 - 0.070
Michigan	6,489	0.085	0.083 - 0.088	3,759	0.100	0.097 - 0.103	2,730	0.071	0.068 - 0.074
MI - Detroit	2,627	0.105	0.101 - 0.109	1,527	0.124	0.117 - 0.130	1,100	0.086	0.081 - 0.091
Minnesota	4,536	0.101	0.098 - 0.104	2,791	0.125	0.120 - 0.130	1,745	0.077	0.073 - 0.081
Mississippi	1,236	0.072	0.068 - 0.076	731	0.087	0.081 - 0.093	505	0.058	0.053 - 0.063
Missouri	3,756	0.076	0.074 - 0.079	2,164	0.089	0.086 - 0.093	1,592	0.064	0.061 - 0.067
Montana	931	0.102	0.096 - 0.109	595	0.130	0.120 - 0.141	335	0.074	0.067 - 0.083
Nebraska	1,272	0.083	0.079 - 0.088	754	0.099	0.092 - 0.107	518	0.067	0.061 - 0.073
New Hampshire	1,158	0.095	0.089 - 0.100	715	0.118	0.110 - 0.127	443	0.071	0.065 - 0.078
New Jersey	5,692	0.112	0.109 - 0.115	3,339	0.135	0.130 - 0.139	2,352	0.090	0.087 - 0.094
New Mexico	936	0.116	0.109 - 0.124	532	0.133	0.122 - 0.145	405	0.099	0.090 - 0.109
New York	14,119	0.126	0.124 - 0.128	8,255	0.150	0.147 - 0.154	5,864	0.102	0.100 - 0.105
North Carolina	5,823	0.089	0.087 - 0.092	3,350	0.105	0.102 - 0.109	2,473	0.074	0.071 - 0.077
North Dakota	645	0.099	0.091 - 0.107	384	0.115	0.104 - 0.127	261	0.082	0.072 - 0.092
Ohio	6,104	0.065	0.064 - 0.067	3,579	0.078	0.075 - 0.081	2,525	0.053	0.051 - 0.055
Oklahoma	2,078	0.077	0.073 - 0.080	1,191	0.089	0.084 - 0.094	887	0.064	0.060 - 0.069
Oregon	2,250	0.071	0.068 - 0.074	1,309	0.084	0.079 - 0.089	941	0.058	0.055 - 0.062
Pennsylvania	9,487	0.095	0.093 - 0.097	5,532	0.113	0.110 - 0.116	3,955	0.078	0.075 - 0.080
Rhode Island	784	0.100	0.093 - 0.107	444	0.117	0.106 - 0.129	340	0.083	0.075 - 0.093
South Carolina	2,515	0.079	0.076 - 0.082	1,464	0.094	0.089 - 0.099	1,051	0.065	0.061 - 0.069
Tennessee	3,981	0.080	0.077 - 0.082	2,316	0.095	0.091 - 0.099	1,665	0.065	0.062 - 0.069
Texas	11,164	0.093	0.091 - 0.094	6,482	0.109	0.106 - 0.111	4,682	0.077	0.075 - 0.079
Utah	1,632	0.067	0.064 - 0.071	985	0.081	0.076 - 0.086	647	0.054	0.050 - 0.058
Vermont	500	0.085	0.078 - 0.093	292	0.101	0.089 - 0.113	208	0.070	0.061 - 0.080
Virginia	3,246	0.061	0.059 - 0.063	1,839	0.070	0.066 - 0.073	1,407	0.052	0.049 - 0.055
Washington	4,905	0.095	0.092 - 0.098	2,935	0.114	0.110 - 0.118	1,970	0.076	0.073 - 0.079
WA - Seattle	3,717	0.106	0.103 - 0.110	2,230	0.128	0.123 - 0.133	1,487	0.085	0.081 - 0.089
West Virginia	1,534	0.090	0.085 - 0.094	908	0.108	0.101 - 0.115	626	0.072	0.066 - 0.078
Wisconsin	5,341	0.112	0.109 - 0.115	3,130	0.132	0.128 - 0.137	2,211	0.092	0.088 - 0.096
Wyoming	393	0.079	0.071 - 0.087	242	0.095	0.083 - 0.108	151	0.062	0.052 - 0.072

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic White, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,105**	**0.002**	**0.002 - 0.002**	**2,770**	**0.003**	**0.003 - 0.003**	**1,335**	**0.001**	**0.001 - 0.001**
Alabama	40	0.001	0.001 - 0.002	27	0.002	0.001 - 0.002	13	0.001	0.000 - 0.001
Alaska	-	-		-	-		-	-	
Arizona	95	0.002	0.002 - 0.003	69	0.004	0.003 - 0.005	26	0.001	0.001 - 0.002
Arkansas	32	0.001	0.001 - 0.002	21	0.002	0.001 - 0.003	11	0.001	0.000 - 0.002
California	353	0.002	0.002 - 0.003	232	0.003	0.003 - 0.003	121	0.002	0.001 - 0.002
CA - Greater California	230	0.002	0.002 - 0.003	150	0.003	0.003 - 0.004	79	0.002	0.001 - 0.002
CA - Greater Bay Area	75	0.003	0.002 - 0.003	49	0.003	0.002 - 0.004	26	0.002	0.001 - 0.003
CA - Los Angeles	49	0.002	0.001 - 0.002	33	0.002	0.002 - 0.003	16	0.001	0.001 - 0.002
Colorado	57	0.001	0.001 - 0.002	42	0.002	0.002 - 0.003	15	0.001	0.000 - 0.001
Connecticut	56	0.002	0.002 - 0.003	38	0.003	0.002 - 0.004	18	0.001	0.001 - 0.002
Delaware	26	0.004	0.003 - 0.006	-	-		-	-	
Florida	327	0.003	0.003 - 0.003	220	0.004	0.003 - 0.004	107	0.002	0.002 - 0.002
Georgia	84	0.002	0.001 - 0.002	61	0.002	0.002 - 0.003	23	0.001	0.001 - 0.001
Hawaii	-	-		-	-		-	-	
Idaho	32	0.002	0.002 - 0.003	-	-		-	-	
Illinois	220	0.003	0.002 - 0.003	150	0.004	0.003 - 0.004	70	0.002	0.001 - 0.002
Iowa	44	0.002	0.001 - 0.002	29	0.002	0.001 - 0.003	15	0.001	0.001 - 0.002
Kentucky	50	0.001	0.001 - 0.002	28	0.002	0.001 - 0.002	22	0.001	0.001 - 0.002
Louisiana	95	0.003	0.003 - 0.004	66	0.005	0.004 - 0.006	29	0.002	0.001 - 0.003
Maine	39	0.003	0.002 - 0.004	26	0.004	0.003 - 0.006	13	0.002	0.001 - 0.003
Maryland	78	0.002	0.002 - 0.003	49	0.003	0.002 - 0.004	29	0.002	0.001 - 0.003
Michigan	177	0.002	0.002 - 0.003	113	0.003	0.002 - 0.004	64	0.002	0.001 - 0.002
MI - Detroit	58	0.002	0.002 - 0.003	41	0.003	0.002 - 0.005	17	0.001	0.001 - 0.002
Minnesota	120	0.003	0.002 - 0.003	83	0.004	0.003 - 0.005	37	0.002	0.001 - 0.002
Mississippi	35	0.002	0.001 - 0.003	23	0.003	0.002 - 0.004	12	0.001	0.001 - 0.002
Missouri	77	0.002	0.001 - 0.002	48	0.002	0.001 - 0.003	29	0.001	0.001 - 0.002
Montana	25	0.003	0.002 - 0.004	-	-		-	-	
Nebraska	27	0.002	0.001 - 0.003	-	-		-	-	
New Hampshire	32	0.003	0.002 - 0.004	20	0.003	0.002 - 0.005	12	0.002	0.001 - 0.003
New Jersey	164	0.003	0.003 - 0.004	107	0.004	0.004 - 0.005	58	0.002	0.002 - 0.003
New Mexico	14	0.002	0.001 - 0.003	-	-		-	-	
New York	306	0.003	0.002 - 0.003	208	0.004	0.003 - 0.004	98	0.002	0.001 - 0.002
North Carolina	113	0.002	0.001 - 0.002	80	0.003	0.002 - 0.003	33	0.001	0.001 - 0.001
North Dakota	10	0.002	0.001 - 0.003	-	-		-	-	
Ohio	189	0.002	0.002 - 0.002	136	0.003	0.002 - 0.004	53	0.001	0.001 - 0.001
Oklahoma	36	0.001	0.001 - 0.002	24	0.002	0.001 - 0.003	12	0.001	0.000 - 0.002
Oregon	53	0.002	0.001 - 0.002	36	0.002	0.002 - 0.003	17	0.001	0.001 - 0.002
Pennsylvania	266	0.003	0.002 - 0.003	173	0.004	0.003 - 0.004	93	0.002	0.001 - 0.002
Rhode Island	19	0.002	0.001 - 0.004	-	-		-	-	
South Carolina	67	0.002	0.002 - 0.003	47	0.003	0.002 - 0.004	20	0.001	0.001 - 0.002
Tennessee	63	0.001	0.001 - 0.002	42	0.002	0.001 - 0.002	21	0.001	0.001 - 0.001
Texas	245	0.002	0.002 - 0.002	153	0.003	0.002 - 0.003	92	0.002	0.001 - 0.002
Utah	25	0.001	0.001 - 0.002	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	90	0.002	0.001 - 0.002	64	0.002	0.002 - 0.003	26	0.001	0.001 - 0.001
Washington	129	0.002	0.002 - 0.003	90	0.003	0.003 - 0.004	39	0.002	0.001 - 0.002
WA - Seattle	98	0.003	0.002 - 0.003	68	0.004	0.003 - 0.005	30	0.002	0.001 - 0.002
West Virginia	31	0.002	0.001 - 0.003	-	-		-	-	
Wisconsin	121	0.003	0.002 - 0.003	88	0.004	0.003 - 0.005	33	0.001	0.001 - 0.002
Wyoming	16	0.003	0.002 - 0.005	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**826,860**	**2.068**	**2.063 - 2.072**	**421,277**	**2.202**	**2.196 - 2.209**	**405,583**	**1.944**	**1.938 - 1.950**
Alabama	27,375	2.091	2.066 - 2.116	14,069	2.305	2.267 - 2.344	13,306	1.904	1.872 - 1.937
Alaska	416	1.312	1.189 - 1.445	235	1.320	1.157 - 1.500	181	1.303	1.120 - 1.507
Arizona	4,183	1.301	1.261 - 1.341	2,140	1.279	1.225 - 1.334	2,043	1.324	1.267 - 1.383
Arkansas	9,080	1.910	1.871 - 1.950	4,747	2.094	2.035 - 2.155	4,333	1.742	1.690 - 1.795
California	53,599	2.210	2.191 - 2.229	28,147	2.341	2.314 - 2.368	25,452	2.081	2.056 - 2.107
CA - Greater California	21,064	1.884	1.859 - 1.910	11,373	1.974	1.938 - 2.011	9,691	1.789	1.753 - 1.825
CA - Greater Bay Area	11,581	2.584	2.537 - 2.632	6,240	2.825	2.755 - 2.896	5,341	2.350	2.287 - 2.414
CA - Los Angeles	21,045	2.449	2.416 - 2.482	10,586	2.611	2.561 - 2.661	10,458	2.304	2.260 - 2.348
Colorado	4,138	1.659	1.609 - 1.711	2,335	1.762	1.691 - 1.835	1,803	1.543	1.473 - 1.616
Connecticut	8,184	2.155	2.108 - 2.202	4,113	2.266	2.197 - 2.336	4,071	2.053	1.990 - 2.117
Delaware	5,064	2.376	2.311 - 2.442	2,682	2.669	2.569 - 2.772	2,382	2.114	2.030 - 2.200
Florida	59,155	1.799	1.784 - 1.813	31,207	1.972	1.951 - 1.994	27,948	1.638	1.619 - 1.657
Georgia	61,015	1.873	1.858 - 1.888	30,959	2.032	2.010 - 2.055	30,056	1.733	1.714 - 1.753
Hawaii	475	1.291	1.178 - 1.412	321	1.455	1.300 - 1.623	154	1.046	0.887 - 1.225
Idaho	120	0.744	0.617 - 0.890	77	0.842	0.664 - 1.052	43	0.616	0.446 - 0.830
Illinois	44,628	2.371	2.349 - 2.393	21,914	2.476	2.443 - 2.509	22,714	2.277	2.248 - 2.307
Iowa	1,473	1.158	1.100 - 1.219	794	1.180	1.099 - 1.265	679	1.134	1.050 - 1.223
Kentucky	7,441	1.949	1.905 - 1.994	3,735	1.970	1.907 - 2.034	3,706	1.929	1.868 - 1.992
Louisiana	31,984	2.094	2.071 - 2.117	16,622	2.291	2.256 - 2.326	15,362	1.916	1.886 - 1.947
Maine	202	0.881	0.764 - 1.012	129	1.027	0.858 - 1.221	73	0.704	0.552 - 0.886
Maryland	41,082	2.244	2.222 - 2.265	20,093	2.351	2.319 - 2.384	20,989	2.149	2.120 - 2.179
Michigan	33,146	2.285	2.260 - 2.310	16,806	2.434	2.397 - 2.471	16,340	2.150	2.117 - 2.183
MI - Detroit	25,012	2.549	2.518 - 2.581	12,725	2.821	2.772 - 2.870	12,287	2.318	2.277 - 2.359
Minnesota	4,367	1.189	1.154 - 1.225	2,382	1.271	1.220 - 1.323	1,985	1.104	1.056 - 1.153
Mississippi	23,068	2.043	2.017 - 2.070	12,102	2.281	2.241 - 2.322	10,966	1.832	1.798 - 1.867
Missouri	15,227	2.039	2.007 - 2.071	7,313	2.053	2.007 - 2.101	7,914	2.025	1.981 - 2.071
Montana	66	0.777	0.600 - 0.989	50	1.011	0.749 - 1.334	16	0.453	0.259 - 0.735
Nebraska	1,659	1.634	1.556 - 1.714	907	1.746	1.634 - 1.864	752	1.516	1.410 - 1.629
New Hampshire	232	1.143	1.001 - 1.300	146	1.294	1.093 - 1.522	86	0.954	0.763 - 1.178
New Jersey	28,202	2.351	2.324 - 2.379	14,356	2.539	2.497 - 2.580	13,847	2.184	2.148 - 2.220
New Mexico	675	1.513	1.401 - 1.632	392	1.573	1.421 - 1.736	283	1.437	1.275 - 1.615
New York	75,291	2.510	2.492 - 2.528	38,719	2.774	2.747 - 2.802	36,572	2.280	2.257 - 2.304
North Carolina	50,703	2.274	2.254 - 2.294	25,665	2.459	2.429 - 2.489	25,038	2.111	2.085 - 2.138
North Dakota	94	0.409	0.331 - 0.501	58	0.431	0.327 - 0.557	36	0.378	0.265 - 0.523
Ohio	31,284	2.028	2.006 - 2.051	15,518	2.098	2.065 - 2.131	15,766	1.964	1.933 - 1.995
Oklahoma	5,736	1.743	1.698 - 1.789	2,987	1.815	1.751 - 1.882	2,749	1.670	1.609 - 1.734
Oregon	1,400	1.442	1.367 - 1.519	791	1.527	1.423 - 1.637	609	1.344	1.239 - 1.455
Pennsylvania	33,248	2.288	2.264 - 2.313	16,308	2.333	2.297 - 2.369	16,940	2.247	2.213 - 2.281
Rhode Island	1,138	1.637	1.543 - 1.735	548	1.587	1.457 - 1.726	590	1.687	1.553 - 1.828
South Carolina	29,676	2.174	2.150 - 2.199	15,175	2.372	2.335 - 2.410	14,501	2.000	1.967 - 2.032
Tennessee	21,989	1.916	1.891 - 1.941	10,776	1.983	1.946 - 2.021	11,213	1.855	1.821 - 1.890
Texas	58,766	1.750	1.736 - 1.764	29,024	1.786	1.766 - 1.807	29,742	1.717	1.697 - 1.736
Utah	405	0.989	0.895 - 1.090	261	1.127	0.995 - 1.273	143	0.809	0.682 - 0.952
Vermont	86	0.890	0.712 - 1.099	54	1.007	0.757 - 1.314	32	0.744	0.509 - 1.051
Virginia	36,471	2.187	2.164 - 2.209	18,818	2.353	2.319 - 2.387	17,653	2.034	2.004 - 2.064
Washington	5,220	1.562	1.520 - 1.605	2,985	1.673	1.614 - 1.735	2,235	1.435	1.376 - 1.496
WA - Seattle	4,870	1.674	1.628 - 1.722	2,774	1.801	1.734 - 1.869	2,095	1.532	1.467 - 1.599
West Virginia	1,493	2.057	1.954 - 2.164	847	2.173	2.029 - 2.325	646	1.921	1.776 - 2.075
Wisconsin	7,533	1.901	1.858 - 1.945	3,927	2.017	1.954 - 2.081	3,606	1.789	1.731 - 1.849
Wyoming	72	0.832	0.650 - 1.048	43	0.838	0.605 - 1.130	29	0.823	0.551 - 1.182

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**15,402**	**0.039**	**0.038 - 0.039**	**9,938**	**0.052**	**0.051 - 0.053**	**5,464**	**0.026**	**0.026 - 0.027**
Alabama	547	0.042	0.038 - 0.045	353	0.058	0.052 - 0.064	194	0.028	0.024 - 0.032
Alaska	-	-		-	-		-	-	
Arizona	72	0.022	0.018 - 0.028	50	0.030	0.022 - 0.039	22	0.014	0.009 - 0.022
Arkansas	198	0.042	0.036 - 0.048	125	0.055	0.046 - 0.066	73	0.029	0.023 - 0.037
California	1,070	0.044	0.042 - 0.047	723	0.060	0.056 - 0.065	348	0.028	0.026 - 0.032
CA - Greater California	454	0.041	0.037 - 0.045	314	0.054	0.049 - 0.061	140	0.026	0.022 - 0.031
CA - Greater Bay Area	227	0.051	0.044 - 0.058	151	0.068	0.058 - 0.080	76	0.033	0.026 - 0.042
CA - Los Angeles	391	0.045	0.041 - 0.050	259	0.064	0.056 - 0.072	132	0.029	0.024 - 0.034
Colorado	77	0.031	0.024 - 0.039	56	0.042	0.032 - 0.055	21	0.018	0.011 - 0.027
Connecticut	140	0.037	0.031 - 0.043	99	0.054	0.044 - 0.066	41	0.021	0.015 - 0.028
Delaware	77	0.036	0.029 - 0.045	50	0.050	0.037 - 0.066	27	0.024	0.016 - 0.035
Florida	1,004	0.031	0.029 - 0.032	649	0.041	0.038 - 0.044	355	0.021	0.019 - 0.023
Georgia	1,085	0.033	0.031 - 0.035	679	0.045	0.041 - 0.048	406	0.023	0.021 - 0.026
Hawaii	12	0.033	0.017 - 0.057	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	986	0.052	0.049 - 0.056	629	0.071	0.066 - 0.077	357	0.036	0.032 - 0.040
Iowa	40	0.031	0.022 - 0.043	29	0.043	0.029 - 0.062	11	0.018	0.009 - 0.033
Kentucky	165	0.043	0.037 - 0.050	118	0.062	0.051 - 0.074	47	0.024	0.018 - 0.033
Louisiana	557	0.036	0.034 - 0.040	358	0.049	0.044 - 0.055	200	0.025	0.022 - 0.029
Maine	-	-		-	-		-	-	
Maryland	678	0.037	0.034 - 0.040	443	0.052	0.047 - 0.057	235	0.024	0.021 - 0.027
Michigan	675	0.047	0.043 - 0.050	432	0.063	0.057 - 0.069	243	0.032	0.028 - 0.036
MI - Detroit	485	0.049	0.045 - 0.054	316	0.070	0.062 - 0.078	169	0.032	0.027 - 0.037
Minnesota	108	0.029	0.024 - 0.036	69	0.037	0.029 - 0.047	39	0.022	0.015 - 0.030
Mississippi	407	0.036	0.033 - 0.040	262	0.049	0.044 - 0.056	145	0.024	0.020 - 0.029
Missouri	316	0.042	0.038 - 0.047	211	0.059	0.052 - 0.068	105	0.027	0.022 - 0.033
Montana	-	-		-	-		-	-	
Nebraska	31	0.031	0.021 - 0.043	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	464	0.039	0.035 - 0.042	298	0.053	0.047 - 0.059	166	0.026	0.022 - 0.030
New Mexico	-	-		-	-		-	-	
New York	1,212	0.040	0.038 - 0.043	710	0.051	0.047 - 0.055	502	0.031	0.029 - 0.034
North Carolina	1,002	0.045	0.042 - 0.048	668	0.064	0.059 - 0.069	334	0.028	0.025 - 0.031
North Dakota	-	-		-	-		-	-	
Ohio	597	0.039	0.036 - 0.042	380	0.051	0.046 - 0.057	217	0.027	0.024 - 0.031
Oklahoma	113	0.034	0.028 - 0.041	82	0.050	0.040 - 0.062	31	0.019	0.013 - 0.027
Oregon	20	0.021	0.013 - 0.032	-	-		-	-	
Pennsylvania	662	0.046	0.042 - 0.049	410	0.059	0.053 - 0.065	252	0.033	0.029 - 0.038
Rhode Island	22	0.032	0.020 - 0.048	-	-		-	-	
South Carolina	572	0.042	0.039 - 0.045	375	0.059	0.053 - 0.065	197	0.027	0.024 - 0.031
Tennessee	393	0.034	0.031 - 0.038	236	0.043	0.038 - 0.049	157	0.026	0.022 - 0.030
Texas	1,101	0.033	0.031 - 0.035	681	0.042	0.039 - 0.045	420	0.024	0.022 - 0.027
Utah	14	0.034	0.019 - 0.057	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	649	0.039	0.036 - 0.042	454	0.057	0.052 - 0.062	195	0.022	0.019 - 0.026
Washington	108	0.032	0.027 - 0.039	85	0.048	0.038 - 0.059	23	0.015	0.009 - 0.022
WA - Seattle	102	0.035	0.029 - 0.042	76	0.049	0.039 - 0.062	26	0.019	0.012 - 0.028
West Virginia	33	0.045	0.031 - 0.064	21	0.054	0.033 - 0.082	12	0.036	0.018 - 0.062
Wisconsin	167	0.042	0.036 - 0.049	114	0.059	0.048 - 0.070	53	0.026	0.020 - 0.034
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**2,602**	**0.007**	**0.006 - 0.007**	**1,669**	**0.009**	**0.008 - 0.009**	**933**	**0.004**	**0.004 - 0.005**
Alabama	103	0.008	0.006 - 0.010	72	0.012	0.009 - 0.015	31	0.004	0.003 - 0.006
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	20	0.004	0.003 - 0.006	-	-		-	-	
California	134	0.006	0.005 - 0.007	73	0.006	0.005 - 0.008	61	0.005	0.004 - 0.006
CA - Greater California	55	0.005	0.004 - 0.006	31	0.005	0.004 - 0.008	24	0.004	0.003 - 0.007
CA - Greater Bay Area	38	0.008	0.006 - 0.012	20	0.009	0.006 - 0.014	18	0.008	0.005 - 0.012
CA - Los Angeles	42	0.005	0.003 - 0.007	22	0.005	0.003 - 0.008	20	0.004	0.003 - 0.007
Colorado	-	-		-	-		-	-	
Connecticut	29	0.008	0.005 - 0.011	16	0.009	0.005 - 0.014	13	0.007	0.003 - 0.011
Delaware	10	0.005	0.002 - 0.009	-	-		-	-	
Florida	182	0.006	0.005 - 0.006	113	0.007	0.006 - 0.009	69	0.004	0.003 - 0.005
Georgia	183	0.006	0.005 - 0.006	124	0.008	0.007 - 0.010	59	0.003	0.003 - 0.004
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	144	0.008	0.006 - 0.009	92	0.010	0.008 - 0.013	52	0.005	0.004 - 0.007
Iowa	-	-		-	-		-	-	
Kentucky	22	0.006	0.004 - 0.009	12	0.006	0.003 - 0.011	10	0.005	0.002 - 0.010
Louisiana	107	0.007	0.006 - 0.008	64	0.009	0.007 - 0.011	43	0.005	0.004 - 0.007
Maine	-	-		-	-		-	-	
Maryland	125	0.007	0.006 - 0.008	79	0.009	0.007 - 0.012	46	0.005	0.003 - 0.006
Michigan	121	0.008	0.007 - 0.010	75	0.011	0.009 - 0.014	46	0.006	0.004 - 0.008
MI - Detroit	83	0.008	0.007 - 0.011	55	0.012	0.009 - 0.016	28	0.005	0.004 - 0.008
Minnesota	25	0.007	0.004 - 0.010	15	0.008	0.004 - 0.013	10	0.006	0.003 - 0.010
Mississippi	97	0.009	0.007 - 0.010	77	0.015	0.011 - 0.018	20	0.003	0.002 - 0.005
Missouri	57	0.008	0.006 - 0.010	39	0.011	0.008 - 0.015	18	0.005	0.003 - 0.007
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	90	0.007	0.006 - 0.009	55	0.010	0.007 - 0.013	35	0.005	0.004 - 0.008
New Mexico	-	-		-	-		-	-	
New York	208	0.007	0.006 - 0.008	126	0.009	0.008 - 0.011	82	0.005	0.004 - 0.006
North Carolina	178	0.008	0.007 - 0.009	116	0.011	0.009 - 0.013	62	0.005	0.004 - 0.007
North Dakota	-	-		-	-		-	-	
Ohio	77	0.005	0.004 - 0.006	40	0.005	0.004 - 0.007	37	0.005	0.003 - 0.006
Oklahoma	17	0.005	0.003 - 0.008	-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	119	0.008	0.007 - 0.010	71	0.010	0.008 - 0.013	48	0.006	0.005 - 0.008
Rhode Island	-	-		-	-		-	-	
South Carolina	104	0.008	0.006 - 0.009	75	0.012	0.009 - 0.015	29	0.004	0.003 - 0.006
Tennessee	73	0.006	0.005 - 0.008	52	0.010	0.007 - 0.013	21	0.003	0.002 - 0.005
Texas	144	0.004	0.004 - 0.005	101	0.006	0.005 - 0.008	43	0.002	0.002 - 0.003
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	128	0.008	0.006 - 0.009	87	0.011	0.009 - 0.013	41	0.005	0.003 - 0.006
Washington	17	0.005	0.003 - 0.008	-	-		-	-	
WA - Seattle	14	0.005	0.003 - 0.008	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	39	0.010	0.007 - 0.013	16	0.008	0.005 - 0.013	23	0.011	0.007 - 0.017
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**10,793**	**0.027**	**0.026 - 0.028**	**5,556**	**0.029**	**0.028 - 0.030**	**5,237**	**0.025**	**0.024 - 0.026**
Alabama	355	0.027	0.024 - 0.030	173	0.028	0.024 - 0.033	182	0.026	0.022 - 0.030
Alaska	-	-		-	-		-	-	
Arizona	56	0.017	0.013 - 0.023	31	0.019	0.013 - 0.026	25	0.016	0.010 - 0.024
Arkansas	104	0.022	0.018 - 0.027	59	0.026	0.020 - 0.034	45	0.018	0.013 - 0.024
California	605	0.025	0.023 - 0.027	317	0.026	0.024 - 0.029	288	0.024	0.021 - 0.026
CA - Greater California	200	0.018	0.016 - 0.021	113	0.020	0.016 - 0.024	87	0.016	0.013 - 0.020
CA - Greater Bay Area	155	0.035	0.029 - 0.041	77	0.035	0.027 - 0.043	79	0.035	0.027 - 0.043
CA - Los Angeles	251	0.029	0.026 - 0.033	128	0.032	0.026 - 0.038	123	0.027	0.023 - 0.032
Colorado	56	0.022	0.017 - 0.029	34	0.026	0.018 - 0.036	22	0.019	0.012 - 0.029
Connecticut	150	0.039	0.033 - 0.046	72	0.040	0.031 - 0.050	78	0.039	0.031 - 0.049
Delaware	47	0.022	0.016 - 0.029	27	0.027	0.018 - 0.039	20	0.018	0.011 - 0.027
Florida	872	0.027	0.025 - 0.028	475	0.030	0.027 - 0.033	397	0.023	0.021 - 0.026
Georgia	756	0.023	0.022 - 0.025	367	0.024	0.022 - 0.027	389	0.022	0.020 - 0.025
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	575	0.031	0.028 - 0.033	282	0.032	0.028 - 0.036	293	0.029	0.026 - 0.033
Iowa	14	0.011	0.006 - 0.019	-	-		-	-	
Kentucky	102	0.027	0.022 - 0.032	50	0.026	0.020 - 0.035	52	0.027	0.020 - 0.035
Louisiana	419	0.027	0.025 - 0.030	233	0.032	0.028 - 0.036	186	0.023	0.020 - 0.027
Maine	-	-		-	-		-	-	
Maryland	484	0.026	0.024 - 0.029	234	0.027	0.024 - 0.031	250	0.026	0.023 - 0.029
Michigan	436	0.030	0.027 - 0.033	208	0.030	0.026 - 0.035	228	0.030	0.026 - 0.034
MI - Detroit	285	0.029	0.026 - 0.033	148	0.033	0.028 - 0.038	137	0.026	0.022 - 0.031
Minnesota	50	0.014	0.010 - 0.018	32	0.017	0.012 - 0.024	18	0.010	0.006 - 0.016
Mississippi	259	0.023	0.020 - 0.026	132	0.025	0.021 - 0.030	127	0.021	0.018 - 0.025
Missouri	171	0.023	0.020 - 0.027	101	0.028	0.023 - 0.034	70	0.018	0.014 - 0.023
Montana	-	-		-	-		-	-	
Nebraska	17	0.017	0.010 - 0.027	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	400	0.033	0.030 - 0.037	194	0.034	0.030 - 0.039	206	0.032	0.028 - 0.037
New Mexico	-	-		-	-		-	-	
New York	1,198	0.040	0.038 - 0.042	604	0.043	0.040 - 0.047	594	0.037	0.034 - 0.040
North Carolina	658	0.030	0.027 - 0.032	321	0.031	0.027 - 0.034	337	0.028	0.025 - 0.032
North Dakota	-	-		-	-		-	-	
Ohio	414	0.027	0.024 - 0.030	206	0.028	0.024 - 0.032	208	0.026	0.023 - 0.030
Oklahoma	70	0.021	0.017 - 0.027	33	0.020	0.014 - 0.028	37	0.022	0.016 - 0.031
Oregon	21	0.022	0.013 - 0.033	-	-		-	-	
Pennsylvania	389	0.027	0.024 - 0.030	205	0.029	0.025 - 0.034	184	0.024	0.021 - 0.028
Rhode Island	28	0.040	0.027 - 0.058	16	0.046	0.026 - 0.075	12	0.034	0.018 - 0.060
South Carolina	451	0.033	0.030 - 0.036	244	0.038	0.034 - 0.043	207	0.029	0.025 - 0.033
Tennessee	248	0.022	0.019 - 0.024	124	0.023	0.019 - 0.027	124	0.021	0.017 - 0.024
Texas	754	0.022	0.021 - 0.024	406	0.025	0.023 - 0.028	348	0.020	0.018 - 0.022
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	403	0.024	0.022 - 0.027	229	0.029	0.025 - 0.033	174	0.020	0.017 - 0.023
Washington	70	0.021	0.016 - 0.026	44	0.025	0.018 - 0.033	26	0.017	0.011 - 0.024
WA - Seattle	63	0.022	0.017 - 0.028	38	0.024	0.017 - 0.034	25	0.018	0.012 - 0.027
West Virginia	23	0.032	0.020 - 0.048	-	-		-	-	
Wisconsin	100	0.025	0.021 - 0.031	47	0.024	0.018 - 0.032	53	0.026	0.020 - 0.034
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**85,030**	**0.213**	**0.211 - 0.214**	**40,672**	**0.213**	**0.211 - 0.215**	**44,358**	**0.213**	**0.211 - 0.215**
Alabama	3,138	0.240	0.231 - 0.248	1,483	0.243	0.231 - 0.256	1,655	0.237	0.226 - 0.249
Alaska	35	0.110	0.077 - 0.154	18	0.101	0.060 - 0.160	17	0.122	0.071 - 0.196
Arizona	380	0.118	0.107 - 0.131	185	0.111	0.095 - 0.128	195	0.126	0.109 - 0.145
Arkansas	1,029	0.216	0.203 - 0.230	478	0.211	0.192 - 0.231	551	0.222	0.203 - 0.241
California	5,541	0.228	0.222 - 0.235	2,743	0.228	0.220 - 0.237	2,799	0.229	0.220 - 0.237
CA - Greater California	2,156	0.193	0.185 - 0.201	1,136	0.197	0.186 - 0.209	1,020	0.188	0.177 - 0.200
CA - Greater Bay Area	1,142	0.255	0.240 - 0.270	557	0.252	0.232 - 0.274	584	0.257	0.237 - 0.279
CA - Los Angeles	2,250	0.262	0.251 - 0.273	1,054	0.260	0.245 - 0.276	1,196	0.263	0.249 - 0.279
Colorado	397	0.159	0.144 - 0.176	208	0.157	0.136 - 0.180	189	0.162	0.140 - 0.187
Connecticut	803	0.211	0.197 - 0.227	395	0.218	0.197 - 0.240	408	0.206	0.186 - 0.227
Delaware	459	0.215	0.196 - 0.236	228	0.227	0.198 - 0.258	231	0.205	0.179 - 0.233
Florida	5,880	0.179	0.174 - 0.183	2,891	0.183	0.176 - 0.190	2,989	0.175	0.169 - 0.182
Georgia	6,387	0.196	0.191 - 0.201	3,034	0.199	0.192 - 0.206	3,353	0.193	0.187 - 0.200
Hawaii	36	0.098	0.068 - 0.135	26	0.118	0.077 - 0.172	10	0.068	0.033 - 0.125
Idaho	12	0.074	0.038 - 0.130	-	-		-	-	
Illinois	4,993	0.265	0.258 - 0.273	2,364	0.267	0.256 - 0.278	2,629	0.264	0.254 - 0.274
Iowa	141	0.111	0.093 - 0.131	83	0.123	0.098 - 0.152	58	0.097	0.074 - 0.125
Kentucky	801	0.210	0.196 - 0.225	398	0.210	0.190 - 0.232	403	0.210	0.190 - 0.231
Louisiana	3,917	0.256	0.248 - 0.265	1,879	0.259	0.247 - 0.271	2,037	0.254	0.243 - 0.265
Maine	16	0.070	0.040 - 0.113	-	-		-	-	
Maryland	3,674	0.201	0.194 - 0.207	1,676	0.196	0.187 - 0.206	1,998	0.205	0.196 - 0.214
Michigan	3,325	0.229	0.221 - 0.237	1,553	0.225	0.214 - 0.236	1,772	0.233	0.222 - 0.244
MI - Detroit	2,506	0.255	0.246 - 0.266	1,138	0.252	0.238 - 0.267	1,368	0.258	0.245 - 0.272
Minnesota	410	0.112	0.101 - 0.123	216	0.115	0.100 - 0.132	194	0.108	0.093 - 0.124
Mississippi	2,943	0.261	0.251 - 0.270	1,441	0.272	0.258 - 0.286	1,502	0.251	0.238 - 0.264
Missouri	1,621	0.217	0.207 - 0.228	747	0.210	0.195 - 0.225	874	0.224	0.209 - 0.239
Montana	-	-		-	-		-	-	
Nebraska	174	0.171	0.147 - 0.199	89	0.171	0.138 - 0.211	85	0.171	0.137 - 0.212
New Hampshire	28	0.138	0.092 - 0.199	18	0.160	0.095 - 0.252	10	0.111	0.053 - 0.204
New Jersey	2,767	0.231	0.222 - 0.239	1,238	0.219	0.207 - 0.232	1,529	0.241	0.229 - 0.253
New Mexico	60	0.136	0.104 - 0.174	31	0.124	0.084 - 0.176	29	0.150	0.101 - 0.215
New York	7,032	0.234	0.229 - 0.240	3,248	0.233	0.225 - 0.241	3,784	0.236	0.228 - 0.244
North Carolina	4,985	0.224	0.217 - 0.230	2,398	0.230	0.221 - 0.239	2,587	0.218	0.210 - 0.227
North Dakota	12	0.052	0.027 - 0.091	-	-		-	-	
Ohio	3,020	0.196	0.189 - 0.203	1,401	0.189	0.180 - 0.200	1,619	0.202	0.192 - 0.212
Oklahoma	585	0.178	0.164 - 0.193	271	0.165	0.146 - 0.186	314	0.191	0.170 - 0.213
Oregon	129	0.133	0.111 - 0.158	73	0.141	0.110 - 0.177	56	0.124	0.093 - 0.160
Pennsylvania	3,206	0.221	0.213 - 0.228	1,490	0.213	0.202 - 0.224	1,716	0.228	0.217 - 0.239
Rhode Island	88	0.127	0.102 - 0.156	29	0.084	0.056 - 0.121	59	0.169	0.128 - 0.218
South Carolina	3,051	0.224	0.216 - 0.232	1,484	0.232	0.220 - 0.244	1,567	0.216	0.206 - 0.227
Tennessee	2,377	0.207	0.199 - 0.216	1,112	0.205	0.193 - 0.217	1,265	0.209	0.198 - 0.221
Texas	6,655	0.198	0.193 - 0.203	3,315	0.204	0.197 - 0.211	3,340	0.193	0.186 - 0.199
Utah	28	0.069	0.046 - 0.100	17	0.075	0.044 - 0.120	11	0.062	0.031 - 0.111
Vermont	-	-		-	-		-	-	
Virginia	3,488	0.209	0.202 - 0.216	1,654	0.207	0.197 - 0.217	1,834	0.211	0.202 - 0.221
Washington	462	0.138	0.126 - 0.151	257	0.144	0.127 - 0.163	205	0.132	0.114 - 0.151
WA - Seattle	427	0.147	0.133 - 0.162	239	0.155	0.136 - 0.176	189	0.138	0.119 - 0.159
West Virginia	165	0.227	0.194 - 0.265	84	0.216	0.172 - 0.267	81	0.241	0.191 - 0.299
Wisconsin	759	0.192	0.178 - 0.206	379	0.195	0.176 - 0.215	380	0.189	0.170 - 0.209
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**8,114**	**0.020**	**0.020 - 0.021**	**5,674**	**0.030**	**0.029 - 0.030**	**2,440**	**0.012**	**0.011 - 0.012**
Alabama	139	0.011	0.009 - 0.013	97	0.016	0.013 - 0.019	42	0.006	0.004 - 0.008
Alaska	-	-		-	-		-	-	
Arizona	47	0.015	0.011 - 0.019	34	0.020	0.014 - 0.028	13	0.008	0.004 - 0.014
Arkansas	73	0.015	0.012 - 0.019	60	0.026	0.020 - 0.034	13	0.005	0.003 - 0.009
California	581	0.024	0.022 - 0.026	414	0.034	0.031 - 0.038	168	0.014	0.012 - 0.016
CA - Greater California	244	0.022	0.019 - 0.025	175	0.030	0.026 - 0.035	69	0.013	0.010 - 0.016
CA - Greater Bay Area	160	0.036	0.030 - 0.042	120	0.054	0.045 - 0.065	40	0.018	0.013 - 0.024
CA - Los Angeles	179	0.021	0.018 - 0.024	120	0.030	0.025 - 0.035	59	0.013	0.010 - 0.017
Colorado	77	0.031	0.024 - 0.039	51	0.038	0.029 - 0.051	26	0.022	0.015 - 0.033
Connecticut	84	0.022	0.018 - 0.027	61	0.034	0.026 - 0.043	23	0.012	0.007 - 0.017
Delaware	52	0.024	0.018 - 0.032	36	0.036	0.025 - 0.050	16	0.014	0.008 - 0.023
Florida	503	0.015	0.014 - 0.017	331	0.021	0.019 - 0.023	172	0.010	0.009 - 0.012
Georgia	403	0.012	0.011 - 0.014	281	0.018	0.016 - 0.021	122	0.007	0.006 - 0.008
Hawaii	10	0.027	0.013 - 0.050	10	0.045	0.022 - 0.083	-	-	
Idaho	-	-		-	-		-	-	
Illinois	362	0.019	0.017 - 0.021	256	0.029	0.025 - 0.033	106	0.011	0.009 - 0.013
Iowa	26	0.020	0.013 - 0.030	16	0.024	0.014 - 0.039	10	0.017	0.008 - 0.031
Kentucky	63	0.017	0.013 - 0.021	40	0.021	0.015 - 0.029	23	0.012	0.008 - 0.018
Louisiana	287	0.019	0.017 - 0.021	219	0.030	0.026 - 0.035	68	0.008	0.007 - 0.011
Maine	-	-		-	-		-	-	
Maryland	441	0.024	0.022 - 0.026	310	0.036	0.032 - 0.041	131	0.013	0.011 - 0.016
Michigan	415	0.029	0.026 - 0.031	278	0.040	0.036 - 0.045	137	0.018	0.015 - 0.021
MI - Detroit	266	0.027	0.024 - 0.031	176	0.039	0.033 - 0.045	90	0.017	0.014 - 0.021
Minnesota	115	0.031	0.026 - 0.038	86	0.046	0.037 - 0.057	29	0.016	0.011 - 0.023
Mississippi	142	0.013	0.011 - 0.015	98	0.018	0.015 - 0.023	44	0.007	0.005 - 0.010
Missouri	181	0.024	0.021 - 0.028	122	0.034	0.028 - 0.041	59	0.015	0.011 - 0.019
Montana	-	-		-	-		-	-	
Nebraska	26	0.026	0.017 - 0.038	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	225	0.019	0.016 - 0.021	149	0.026	0.022 - 0.031	76	0.012	0.009 - 0.015
New Mexico	-	-		-	-		-	-	
New York	794	0.026	0.025 - 0.028	546	0.039	0.036 - 0.043	248	0.015	0.014 - 0.018
North Carolina	402	0.018	0.016 - 0.020	259	0.025	0.022 - 0.028	143	0.012	0.010 - 0.014
North Dakota	-	-		-	-		-	-	
Ohio	333	0.022	0.019 - 0.024	238	0.032	0.028 - 0.037	95	0.012	0.010 - 0.014
Oklahoma	51	0.015	0.012 - 0.020	30	0.018	0.012 - 0.026	21	0.013	0.008 - 0.020
Oregon	20	0.021	0.013 - 0.032	-	-		-	-	
Pennsylvania	538	0.037	0.034 - 0.040	392	0.056	0.051 - 0.062	146	0.019	0.016 - 0.023
Rhode Island	10	0.014	0.007 - 0.026	-	-		-	-	
South Carolina	191	0.014	0.012 - 0.016	141	0.022	0.019 - 0.026	50	0.007	0.005 - 0.009
Tennessee	187	0.016	0.014 - 0.019	113	0.021	0.017 - 0.025	74	0.012	0.010 - 0.015
Texas	756	0.023	0.021 - 0.024	533	0.033	0.030 - 0.036	223	0.013	0.011 - 0.015
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	294	0.018	0.016 - 0.020	208	0.026	0.023 - 0.030	86	0.010	0.008 - 0.012
Washington	104	0.031	0.025 - 0.038	78	0.044	0.035 - 0.055	26	0.017	0.011 - 0.024
WA - Seattle	91	0.031	0.025 - 0.039	71	0.046	0.036 - 0.058	20	0.015	0.009 - 0.023
West Virginia	23	0.032	0.020 - 0.048	-	-		-	-	
Wisconsin	124	0.031	0.026 - 0.037	98	0.050	0.041 - 0.061	26	0.013	0.008 - 0.019
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**7,451**	**0.019**	**0.018 - 0.019**	**3,194**	**0.017**	**0.016 - 0.017**	**4,257**	**0.020**	**0.020 - 0.021**
Alabama	242	0.018	0.016 - 0.021	94	0.015	0.012 - 0.019	148	0.021	0.018 - 0.025
Alaska	-	-		-	-		-	-	
Arizona	45	0.014	0.010 - 0.019	22	0.013	0.008 - 0.020	23	0.015	0.009 - 0.022
Arkansas	75	0.016	0.012 - 0.020	38	0.017	0.012 - 0.023	37	0.015	0.010 - 0.021
California	448	0.018	0.017 - 0.020	196	0.016	0.014 - 0.019	253	0.021	0.018 - 0.023
CA - Greater California	178	0.016	0.014 - 0.018	80	0.014	0.011 - 0.017	98	0.018	0.015 - 0.022
CA - Greater Bay Area	105	0.024	0.019 - 0.028	47	0.021	0.016 - 0.028	59	0.026	0.020 - 0.033
CA - Los Angeles	164	0.019	0.016 - 0.022	68	0.017	0.013 - 0.021	96	0.021	0.017 - 0.026
Colorado	29	0.012	0.008 - 0.017	15	0.011	0.006 - 0.019	14	0.012	0.007 - 0.020
Connecticut	79	0.021	0.017 - 0.026	44	0.024	0.018 - 0.033	35	0.018	0.012 - 0.025
Delaware	50	0.023	0.017 - 0.031	23	0.023	0.015 - 0.034	27	0.024	0.016 - 0.035
Florida	600	0.018	0.017 - 0.020	255	0.016	0.014 - 0.018	345	0.020	0.018 - 0.022
Georgia	519	0.016	0.015 - 0.017	220	0.014	0.013 - 0.016	299	0.017	0.015 - 0.019
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	424	0.023	0.020 - 0.025	189	0.021	0.018 - 0.025	235	0.024	0.021 - 0.027
Iowa	-	-		-	-		-	-	
Kentucky	79	0.021	0.016 - 0.026	38	0.020	0.014 - 0.028	41	0.021	0.015 - 0.029
Louisiana	212	0.014	0.012 - 0.016	95	0.013	0.011 - 0.016	116	0.015	0.012 - 0.017
Maine	-	-		-	-		-	-	
Maryland	410	0.022	0.020 - 0.025	161	0.019	0.016 - 0.022	249	0.025	0.022 - 0.029
Michigan	361	0.025	0.022 - 0.028	157	0.023	0.019 - 0.027	204	0.027	0.023 - 0.031
MI - Detroit	213	0.022	0.019 - 0.025	88	0.020	0.016 - 0.024	124	0.023	0.020 - 0.028
Minnesota	48	0.013	0.010 - 0.017	23	0.012	0.008 - 0.018	25	0.014	0.009 - 0.021
Mississippi	186	0.016	0.014 - 0.019	77	0.015	0.011 - 0.018	109	0.018	0.015 - 0.022
Missouri	143	0.019	0.016 - 0.023	70	0.020	0.015 - 0.025	73	0.019	0.015 - 0.023
Montana	-	-		-	-		-	-	
Nebraska	21	0.021	0.013 - 0.032	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	220	0.018	0.016 - 0.021	86	0.015	0.012 - 0.019	135	0.021	0.018 - 0.025
New Mexico	-	-		-	-		-	-	
New York	720	0.024	0.022 - 0.026	296	0.021	0.019 - 0.024	424	0.026	0.024 - 0.029
North Carolina	432	0.019	0.018 - 0.021	171	0.016	0.014 - 0.019	261	0.022	0.019 - 0.025
North Dakota	-	-		-	-		-	-	
Ohio	240	0.016	0.014 - 0.018	83	0.011	0.009 - 0.014	157	0.020	0.017 - 0.023
Oklahoma	45	0.014	0.010 - 0.018	24	0.015	0.009 - 0.022	21	0.013	0.008 - 0.020
Oregon	12	0.012	0.006 - 0.022	-	-		-	-	
Pennsylvania	298	0.021	0.018 - 0.023	126	0.018	0.015 - 0.021	172	0.023	0.020 - 0.026
Rhode Island	-	-		-	-		-	-	
South Carolina	258	0.019	0.017 - 0.021	104	0.016	0.013 - 0.020	154	0.021	0.018 - 0.025
Tennessee	181	0.016	0.014 - 0.018	88	0.016	0.013 - 0.020	93	0.015	0.012 - 0.019
Texas	597	0.018	0.016 - 0.019	251	0.015	0.014 - 0.017	346	0.020	0.018 - 0.022
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	302	0.018	0.016 - 0.020	134	0.017	0.014 - 0.020	168	0.019	0.017 - 0.023
Washington	49	0.015	0.011 - 0.019	37	0.021	0.015 - 0.029	12	0.008	0.004 - 0.013
WA - Seattle	46	0.016	0.012 - 0.021	32	0.021	0.014 - 0.030	14	0.010	0.006 - 0.017
West Virginia	-	-		-	-		-	-	
Wisconsin	83	0.021	0.017 - 0.026	37	0.019	0.013 - 0.026	46	0.023	0.017 - 0.030
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**8,218**	**0.021**	**0.020 - 0.021**	**6,453**	**0.034**	**0.033 - 0.035**	**1,764**	**0.008**	**0.008 - 0.009**
Alabama	322	0.025	0.022 - 0.027	270	0.044	0.039 - 0.050	52	0.007	0.006 - 0.010
Alaska	-	-		-	-		-	-	
Arizona	24	0.007	0.005 - 0.011	-	-		-	-	
Arkansas	110	0.023	0.019 - 0.028	86	0.038	0.030 - 0.047	24	0.010	0.006 - 0.014
California	381	0.016	0.014 - 0.017	305	0.025	0.023 - 0.028	76	0.006	0.005 - 0.008
CA - Greater California	143	0.013	0.011 - 0.015	118	0.021	0.017 - 0.025	25	0.005	0.003 - 0.007
CA - Greater Bay Area	82	0.018	0.015 - 0.023	68	0.031	0.024 - 0.039	14	0.006	0.003 - 0.010
CA - Los Angeles	154	0.018	0.015 - 0.021	118	0.029	0.024 - 0.035	36	0.008	0.006 - 0.011
Colorado	34	0.014	0.009 - 0.019	23	0.017	0.011 - 0.026	11	0.009	0.005 - 0.017
Connecticut	76	0.020	0.016 - 0.025	62	0.034	0.026 - 0.044	14	0.007	0.004 - 0.012
Delaware	32	0.015	0.010 - 0.021	-	-		-	-	
Florida	490	0.015	0.014 - 0.016	419	0.026	0.024 - 0.029	71	0.004	0.003 - 0.005
Georgia	557	0.017	0.016 - 0.019	463	0.030	0.028 - 0.033	94	0.005	0.004 - 0.007
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	521	0.028	0.025 - 0.030	388	0.044	0.040 - 0.048	133	0.013	0.011 - 0.016
Iowa	16	0.013	0.007 - 0.020	-	-		-	-	
Kentucky	105	0.028	0.022 - 0.033	79	0.042	0.033 - 0.052	26	0.014	0.009 - 0.020
Louisiana	449	0.029	0.027 - 0.032	362	0.050	0.045 - 0.055	87	0.011	0.009 - 0.013
Maine	-	-		-	-		-	-	
Maryland	342	0.019	0.017 - 0.021	264	0.031	0.027 - 0.035	78	0.008	0.006 - 0.010
Michigan	372	0.026	0.023 - 0.028	278	0.040	0.036 - 0.045	94	0.012	0.010 - 0.015
MI - Detroit	269	0.027	0.024 - 0.031	199	0.044	0.038 - 0.051	71	0.013	0.010 - 0.017
Minnesota	55	0.015	0.011 - 0.019	-	-		-	-	
Mississippi	316	0.028	0.025 - 0.031	257	0.048	0.043 - 0.055	59	0.010	0.008 - 0.013
Missouri	178	0.024	0.020 - 0.028	134	0.038	0.032 - 0.045	44	0.011	0.008 - 0.015
Montana	-	-		-	-		-	-	
Nebraska	14	0.014	0.008 - 0.023	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	211	0.018	0.015 - 0.020	154	0.027	0.023 - 0.032	57	0.009	0.007 - 0.012
New Mexico	-	-		-	-		-	-	
New York	544	0.018	0.017 - 0.020	414	0.030	0.027 - 0.033	130	0.008	0.007 - 0.010
North Carolina	596	0.027	0.025 - 0.029	471	0.045	0.041 - 0.049	125	0.011	0.009 - 0.013
North Dakota	-	-		-	-		-	-	
Ohio	357	0.023	0.021 - 0.026	258	0.035	0.031 - 0.039	99	0.012	0.010 - 0.015
Oklahoma	62	0.019	0.014 - 0.024	47	0.029	0.021 - 0.038	15	0.009	0.005 - 0.015
Oregon	11	0.011	0.006 - 0.020	11	0.021	0.011 - 0.038	-	-	
Pennsylvania	360	0.025	0.022 - 0.027	266	0.038	0.034 - 0.043	94	0.012	0.010 - 0.015
Rhode Island	12	0.017	0.009 - 0.030	-	-		-	-	
South Carolina	381	0.028	0.025 - 0.031	311	0.049	0.043 - 0.054	70	0.010	0.008 - 0.012
Tennessee	226	0.020	0.017 - 0.022	173	0.032	0.027 - 0.037	53	0.009	0.007 - 0.011
Texas	557	0.017	0.015 - 0.018	434	0.027	0.024 - 0.029	123	0.007	0.006 - 0.008
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	356	0.021	0.019 - 0.024	290	0.036	0.032 - 0.041	66	0.008	0.006 - 0.010
Washington	40	0.012	0.009 - 0.016	-	-		-	-	
WA - Seattle	37	0.013	0.009 - 0.018	-	-		-	-	
West Virginia	13	0.018	0.010 - 0.031	-	-		-	-	
Wisconsin	78	0.020	0.016 - 0.025	59	0.030	0.023 - 0.039	19	0.009	0.006 - 0.015
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**45,162**	**0.113**	**0.112 - 0.114**	**21,743**	**0.114**	**0.112 - 0.115**	**23,419**	**0.112**	**0.111 - 0.114**
Alabama	1,249	0.095	0.090 - 0.101	699	0.115	0.106 - 0.123	550	0.079	0.072 - 0.086
Alaska	15	0.047	0.026 - 0.078	-	-		-	-	
Arizona	228	0.071	0.062 - 0.081	114	0.068	0.056 - 0.082	114	0.074	0.061 - 0.089
Arkansas	536	0.113	0.103 - 0.123	301	0.133	0.118 - 0.149	235	0.094	0.083 - 0.107
California	2,568	0.106	0.102 - 0.110	1,144	0.095	0.090 - 0.101	1,424	0.116	0.110 - 0.123
CA - Greater California	997	0.089	0.084 - 0.095	432	0.075	0.068 - 0.082	564	0.104	0.096 - 0.113
CA - Greater Bay Area	648	0.145	0.134 - 0.156	306	0.138	0.123 - 0.155	342	0.150	0.135 - 0.167
CA - Los Angeles	925	0.108	0.101 - 0.115	407	0.100	0.091 - 0.111	518	0.114	0.104 - 0.124
Colorado	185	0.074	0.064 - 0.086	103	0.078	0.063 - 0.094	82	0.070	0.056 - 0.087
Connecticut	462	0.122	0.111 - 0.133	210	0.116	0.101 - 0.133	251	0.127	0.112 - 0.143
Delaware	259	0.122	0.107 - 0.137	118	0.117	0.097 - 0.141	141	0.125	0.105 - 0.148
Florida	2,678	0.081	0.078 - 0.085	1,325	0.084	0.079 - 0.088	1,353	0.079	0.075 - 0.084
Georgia	2,793	0.086	0.083 - 0.089	1,421	0.093	0.089 - 0.098	1,371	0.079	0.075 - 0.083
Hawaii	12	0.033	0.017 - 0.057	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	3,016	0.160	0.155 - 0.166	1,314	0.148	0.141 - 0.157	1,702	0.171	0.163 - 0.179
Iowa	90	0.071	0.057 - 0.087	48	0.071	0.053 - 0.095	42	0.071	0.051 - 0.095
Kentucky	569	0.149	0.137 - 0.162	272	0.143	0.127 - 0.161	297	0.155	0.138 - 0.173
Louisiana	1,708	0.112	0.107 - 0.117	936	0.129	0.121 - 0.138	772	0.096	0.090 - 0.103
Maine	15	0.065	0.037 - 0.108	-	-		-	-	
Maryland	2,122	0.116	0.111 - 0.121	902	0.106	0.099 - 0.113	1,220	0.125	0.118 - 0.132
Michigan	2,349	0.162	0.155 - 0.169	1,103	0.160	0.150 - 0.169	1,246	0.164	0.155 - 0.173
MI - Detroit	1,558	0.159	0.151 - 0.167	717	0.159	0.147 - 0.171	841	0.159	0.148 - 0.170
Minnesota	257	0.070	0.062 - 0.079	112	0.060	0.049 - 0.072	145	0.081	0.068 - 0.095
Mississippi	1,266	0.112	0.106 - 0.118	715	0.135	0.125 - 0.145	551	0.092	0.085 - 0.100
Missouri	1,070	0.143	0.135 - 0.152	491	0.138	0.126 - 0.151	579	0.148	0.136 - 0.161
Montana	-	-		-	-		-	-	
Nebraska	91	0.090	0.072 - 0.110	42	0.081	0.058 - 0.109	49	0.099	0.073 - 0.131
New Hampshire	-	-		-	-		-	-	
New Jersey	1,335	0.111	0.105 - 0.117	545	0.096	0.089 - 0.105	789	0.125	0.116 - 0.134
New Mexico	37	0.084	0.059 - 0.115	20	0.081	0.050 - 0.125	17	0.086	0.050 - 0.138
New York	3,491	0.116	0.113 - 0.120	1,552	0.111	0.106 - 0.117	1,939	0.121	0.116 - 0.126
North Carolina	2,952	0.132	0.128 - 0.137	1,498	0.144	0.136 - 0.151	1,454	0.123	0.116 - 0.129
North Dakota	-	-		-	-		-	-	
Ohio	2,165	0.140	0.135 - 0.146	981	0.133	0.124 - 0.141	1,184	0.147	0.139 - 0.156
Oklahoma	344	0.105	0.094 - 0.116	178	0.108	0.093 - 0.125	166	0.101	0.086 - 0.117
Oregon	91	0.094	0.075 - 0.115	57	0.110	0.083 - 0.143	34	0.075	0.052 - 0.105
Pennsylvania	2,297	0.158	0.152 - 0.165	943	0.135	0.126 - 0.144	1,354	0.180	0.170 - 0.189
Rhode Island	76	0.109	0.086 - 0.137	32	0.093	0.063 - 0.131	44	0.126	0.091 - 0.169
South Carolina	1,579	0.116	0.110 - 0.122	854	0.133	0.125 - 0.143	725	0.100	0.093 - 0.108
Tennessee	1,249	0.109	0.103 - 0.115	626	0.115	0.106 - 0.125	623	0.103	0.095 - 0.111
Texas	3,162	0.094	0.091 - 0.098	1,581	0.097	0.093 - 0.102	1,581	0.091	0.087 - 0.096
Utah	16	0.038	0.022 - 0.063	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	1,951	0.117	0.112 - 0.122	1,026	0.128	0.121 - 0.136	925	0.107	0.100 - 0.114
Washington	261	0.078	0.069 - 0.088	128	0.072	0.060 - 0.085	133	0.085	0.072 - 0.101
WA - Seattle	240	0.083	0.072 - 0.094	118	0.077	0.063 - 0.092	122	0.089	0.074 - 0.106
West Virginia	77	0.106	0.084 - 0.133	45	0.115	0.084 - 0.154	32	0.095	0.065 - 0.134
Wisconsin	516	0.130	0.119 - 0.142	260	0.134	0.118 - 0.151	256	0.127	0.112 - 0.144
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**1,935**	**0.005**	**0.005 - 0.005**	**805**	**0.004**	**0.004 - 0.005**	**1,130**	**0.005**	**0.005 - 0.006**
Alabama	56	0.004	0.003 - 0.006	23	0.004	0.002 - 0.006	33	0.005	0.003 - 0.007
Alaska	-	-		-	-		-	-	
Arizona	17	0.005	0.003 - 0.008	-	-		-	-	
Arkansas	30	0.006	0.004 - 0.009	11	0.005	0.002 - 0.009	19	0.008	0.005 - 0.012
California	145	0.006	0.005 - 0.007	72	0.006	0.005 - 0.008	73	0.006	0.005 - 0.008
CA - Greater California	74	0.007	0.005 - 0.008	32	0.006	0.004 - 0.008	41	0.008	0.005 - 0.010
CA - Greater Bay Area	26	0.006	0.004 - 0.009	13	0.006	0.003 - 0.010	13	0.006	0.003 - 0.010
CA - Los Angeles	45	0.005	0.004 - 0.007	27	0.007	0.004 - 0.010	18	0.004	0.002 - 0.006
Colorado	-	-		-	-		-	-	
Connecticut	32	0.008	0.006 - 0.012	13	0.007	0.004 - 0.012	19	0.010	0.006 - 0.015
Delaware	19	0.009	0.005 - 0.014	-	-		-	-	
Florida	172	0.005	0.004 - 0.006	80	0.005	0.004 - 0.006	92	0.005	0.004 - 0.007
Georgia	145	0.004	0.004 - 0.005	58	0.004	0.003 - 0.005	87	0.005	0.004 - 0.006
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	79	0.004	0.003 - 0.005	26	0.003	0.002 - 0.004	53	0.005	0.004 - 0.007
Iowa	-	-		-	-		-	-	
Kentucky	23	0.006	0.004 - 0.009	-	-		-	-	
Louisiana	68	0.004	0.003 - 0.006	28	0.004	0.003 - 0.006	40	0.005	0.004 - 0.007
Maine	-	-		-	-		-	-	
Maryland	96	0.005	0.004 - 0.006	48	0.006	0.004 - 0.007	48	0.005	0.004 - 0.007
Michigan	64	0.004	0.003 - 0.006	23	0.003	0.002 - 0.005	41	0.005	0.004 - 0.007
MI - Detroit	42	0.004	0.003 - 0.006	13	0.003	0.002 - 0.005	29	0.005	0.004 - 0.008
Minnesota	14	0.004	0.002 - 0.006	-	-		-	-	
Mississippi	47	0.004	0.003 - 0.006	22	0.004	0.003 - 0.006	25	0.004	0.003 - 0.006
Missouri	17	0.002	0.001 - 0.004	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	75	0.006	0.005 - 0.008	26	0.005	0.003 - 0.007	49	0.008	0.006 - 0.010
New Mexico	-	-		-	-		-	-	
New York	176	0.006	0.005 - 0.007	67	0.005	0.004 - 0.006	109	0.007	0.006 - 0.008
North Carolina	102	0.005	0.004 - 0.006	44	0.004	0.003 - 0.006	58	0.005	0.004 - 0.006
North Dakota	-	-		-	-		-	-	
Ohio	64	0.004	0.003 - 0.005	26	0.004	0.002 - 0.005	38	0.005	0.003 - 0.006
Oklahoma	21	0.006	0.004 - 0.010	10	0.006	0.003 - 0.011	11	0.007	0.003 - 0.012
Oregon	-	-		-	-		-	-	
Pennsylvania	67	0.005	0.004 - 0.006	31	0.004	0.003 - 0.006	36	0.005	0.003 - 0.007
Rhode Island	-	-		-	-		-	-	
South Carolina	59	0.004	0.003 - 0.006	15	0.002	0.001 - 0.004	44	0.006	0.004 - 0.008
Tennessee	44	0.004	0.003 - 0.005	17	0.003	0.002 - 0.005	27	0.004	0.003 - 0.006
Texas	160	0.005	0.004 - 0.006	70	0.004	0.003 - 0.005	90	0.005	0.004 - 0.006
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	76	0.005	0.004 - 0.006	33	0.004	0.003 - 0.006	43	0.005	0.004 - 0.007
Washington	17	0.005	0.003 - 0.008	-	-		-	-	
WA - Seattle	13	0.004	0.002 - 0.008	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	18	0.005	0.003 - 0.007	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**174,983**	**0.839**	**0.835 - 0.843**
Alabama	-	-		-	-		6,148	0.880	0.858 - 0.902
Alaska	-	-		-	-		81	0.583	0.463 - 0.724
Arizona	-	-		-	-		864	0.560	0.523 - 0.599
Arkansas	-	-		-	-		1,820	0.732	0.698 - 0.766
California	-	-		-	-		11,596	0.948	0.931 - 0.966
CA - Greater California	-	-		-	-		4,380	0.809	0.785 - 0.833
CA - Greater Bay Area	-	-		-	-		2,413	1.062	1.020 - 1.105
CA - Los Angeles	-	-		-	-		4,807	1.059	1.029 - 1.089
Colorado	-	-		-	-		817	0.699	0.652 - 0.749
Connecticut	-	-		-	-		1,718	0.866	0.826 - 0.908
Delaware	-	-		-	-		1,019	0.904	0.850 - 0.962
Florida	-	-		-	-		11,566	0.678	0.666 - 0.690
Georgia	-	-		-	-		13,472	0.777	0.764 - 0.790
Hawaii	-	-		-	-		68	0.462	0.359 - 0.586
Idaho	-	-		-	-		11	0.158	0.079 - 0.282
Illinois	-	-		-	-		9,602	0.963	0.944 - 0.982
Iowa	-	-		-	-		243	0.406	0.356 - 0.460
Kentucky	-	-		-	-		1,547	0.805	0.766 - 0.846
Louisiana	-	-		-	-		6,731	0.840	0.820 - 0.860
Maine	-	-		-	-		26	0.251	0.164 - 0.368
Maryland	-	-		-	-		9,452	0.968	0.949 - 0.988
Michigan	-	-		-	-		6,662	0.876	0.855 - 0.898
MI - Detroit	-	-		-	-		5,223	0.985	0.959 - 1.012
Minnesota	-	-		-	-		734	0.408	0.379 - 0.439
Mississippi	-	-		-	-		4,610	0.770	0.748 - 0.793
Missouri	-	-		-	-		3,372	0.863	0.834 - 0.893
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		285	0.575	0.510 - 0.645
New Hampshire	-	-		-	-		39	0.432	0.308 - 0.591
New Jersey	-	-		-	-		5,901	0.931	0.907 - 0.955
New Mexico	-	-		-	-		122	0.621	0.516 - 0.742
New York	-	-		-	-		14,908	0.930	0.915 - 0.945
North Carolina	-	-		-	-		11,074	0.934	0.916 - 0.951
North Dakota	-	-		-	-		12	0.126	0.065 - 0.220
Ohio	-	-		-	-		6,706	0.835	0.815 - 0.856
Oklahoma	-	-		-	-		1,177	0.715	0.675 - 0.757
Oregon	-	-		-	-		257	0.567	0.500 - 0.641
Pennsylvania	-	-		-	-		6,792	0.901	0.880 - 0.923
Rhode Island	-	-		-	-		232	0.663	0.581 - 0.754
South Carolina	-	-		-	-		6,606	0.911	0.889 - 0.933
Tennessee	-	-		-	-		4,991	0.826	0.803 - 0.849
Texas	-	-		-	-		12,762	0.737	0.724 - 0.749
Utah	-	-		-	-		53	0.297	0.223 - 0.389
Vermont	-	-		-	-		12	0.279	0.144 - 0.488
Virginia	-	-		-	-		8,249	0.950	0.930 - 0.971
Washington	-	-		-	-		945	0.607	0.569 - 0.647
WA - Seattle	-	-		-	-		895	0.655	0.612 - 0.699
West Virginia	-	-		-	-		289	0.860	0.763 - 0.965
Wisconsin	-	-		-	-		1,400	0.695	0.659 - 0.732
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**10,801**	**0.052**	**0.051 - 0.053**
Alabama	-	-		-	-		347	0.050	0.045 - 0.055
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		50	0.032	0.024 - 0.043
Arkansas	-	-		-	-		141	0.057	0.048 - 0.067
California	-	-		-	-		516	0.042	0.039 - 0.046
CA - Greater California	-	-		-	-		217	0.040	0.035 - 0.046
CA - Greater Bay Area	-	-		-	-		90	0.040	0.032 - 0.049
CA - Los Angeles	-	-		-	-		211	0.046	0.040 - 0.053
Colorado	-	-		-	-		42	0.036	0.026 - 0.049
Connecticut	-	-		-	-		88	0.044	0.036 - 0.055
Delaware	-	-		-	-		70	0.062	0.048 - 0.078
Florida	-	-		-	-		998	0.058	0.055 - 0.062
Georgia	-	-		-	-		744	0.043	0.040 - 0.046
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		699	0.070	0.065 - 0.075
Iowa	-	-		-	-		21	0.035	0.022 - 0.053
Kentucky	-	-		-	-		88	0.046	0.037 - 0.056
Louisiana	-	-		-	-		490	0.061	0.056 - 0.067
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		435	0.045	0.040 - 0.049
Michigan	-	-		-	-		356	0.047	0.042 - 0.052
MI - Detroit	-	-		-	-		273	0.052	0.046 - 0.058
Minnesota	-	-		-	-		53	0.029	0.022 - 0.039
Mississippi	-	-		-	-		339	0.057	0.051 - 0.063
Missouri	-	-		-	-		199	0.051	0.044 - 0.059
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		22	0.044	0.028 - 0.067
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		377	0.059	0.054 - 0.066
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		1,117	0.070	0.066 - 0.074
North Carolina	-	-		-	-		566	0.048	0.044 - 0.052
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		341	0.042	0.038 - 0.047
Oklahoma	-	-		-	-		54	0.033	0.025 - 0.043
Oregon	-	-		-	-		17	0.038	0.022 - 0.060
Pennsylvania	-	-		-	-		441	0.059	0.053 - 0.064
Rhode Island	-	-		-	-		15	0.043	0.024 - 0.071
South Carolina	-	-		-	-		362	0.050	0.045 - 0.055
Tennessee	-	-		-	-		329	0.054	0.049 - 0.061
Texas	-	-		-	-		887	0.051	0.048 - 0.055
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		386	0.044	0.040 - 0.049
Washington	-	-		-	-		53	0.034	0.025 - 0.045
WA - Seattle	-	-		-	-		45	0.033	0.024 - 0.044
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		120	0.060	0.049 - 0.071
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**29,306**	**0.140**	**0.139 - 0.142**
Alabama	-	-		-	-		816	0.117	0.109 - 0.125
Alaska	-	-		-	-		11	0.079	0.040 - 0.142
Arizona	-	-		-	-		139	0.090	0.076 - 0.106
Arkansas	-	-		-	-		296	0.119	0.106 - 0.133
California	-	-		-	-		1,921	0.157	0.150 - 0.164
CA - Greater California	-	-		-	-		667	0.123	0.114 - 0.133
CA - Greater Bay Area	-	-		-	-		423	0.186	0.169 - 0.205
CA - Los Angeles	-	-		-	-		833	0.184	0.171 - 0.196
Colorado	-	-		-	-		97	0.083	0.067 - 0.101
Connecticut	-	-		-	-		341	0.172	0.154 - 0.191
Delaware	-	-		-	-		183	0.162	0.140 - 0.188
Florida	-	-		-	-		2,201	0.129	0.124 - 0.134
Georgia	-	-		-	-		2,011	0.116	0.111 - 0.121
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		1,709	0.171	0.163 - 0.180
Iowa	-	-		-	-		52	0.087	0.065 - 0.114
Kentucky	-	-		-	-		247	0.129	0.113 - 0.146
Louisiana	-	-		-	-		911	0.114	0.106 - 0.121
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		1,564	0.160	0.152 - 0.168
Michigan	-	-		-	-		1,271	0.167	0.158 - 0.177
MI - Detroit	-	-		-	-		940	0.177	0.166 - 0.189
Minnesota	-	-		-	-		126	0.070	0.058 - 0.083
Mississippi	-	-		-	-		751	0.125	0.117 - 0.135
Missouri	-	-		-	-		545	0.139	0.128 - 0.152
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		44	0.089	0.064 - 0.119
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		1,077	0.170	0.160 - 0.180
New Mexico	-	-		-	-		23	0.117	0.074 - 0.176
New York	-	-		-	-		3,363	0.210	0.203 - 0.217
North Carolina	-	-		-	-		1,796	0.151	0.145 - 0.159
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		1,099	0.137	0.129 - 0.145
Oklahoma	-	-		-	-		183	0.111	0.096 - 0.129
Oregon	-	-		-	-		44	0.097	0.071 - 0.130
Pennsylvania	-	-		-	-		1,216	0.161	0.152 - 0.171
Rhode Island	-	-		-	-		40	0.114	0.082 - 0.156
South Carolina	-	-		-	-		1,110	0.153	0.144 - 0.162
Tennessee	-	-		-	-		707	0.117	0.109 - 0.126
Texas	-	-		-	-		1,809	0.104	0.100 - 0.109
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		1,142	0.132	0.124 - 0.139
Washington	-	-		-	-		137	0.088	0.074 - 0.104
WA - Seattle	-	-		-	-		134	0.098	0.082 - 0.116
West Virginia	-	-		-	-		42	0.125	0.090 - 0.169
Wisconsin	-	-		-	-		243	0.121	0.106 - 0.137
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**7,662**	**0.037**	**0.036 - 0.038**
Alabama	-	-		-	-		265	0.038	0.033 - 0.043
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		47	0.030	0.022 - 0.041
Arkansas	-	-		-	-		71	0.029	0.022 - 0.036
California	-	-		-	-		485	0.040	0.036 - 0.043
CA - Greater California	-	-		-	-		188	0.035	0.030 - 0.040
CA - Greater Bay Area	-	-		-	-		114	0.050	0.041 - 0.060
CA - Los Angeles	-	-		-	-		185	0.041	0.035 - 0.047
Colorado	-	-		-	-		24	0.021	0.013 - 0.031
Connecticut	-	-		-	-		79	0.040	0.031 - 0.049
Delaware	-	-		-	-		36	0.032	0.022 - 0.044
Florida	-	-		-	-		602	0.035	0.033 - 0.038
Georgia	-	-		-	-		570	0.033	0.030 - 0.036
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		436	0.044	0.040 - 0.048
Iowa	-	-		-	-		13	0.022	0.012 - 0.037
Kentucky	-	-		-	-		50	0.026	0.019 - 0.034
Louisiana	-	-		-	-		246	0.031	0.027 - 0.035
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		396	0.041	0.037 - 0.045
Michigan	-	-		-	-		316	0.042	0.037 - 0.046
MI - Detroit	-	-		-	-		226	0.043	0.037 - 0.049
Minnesota	-	-		-	-		42	0.023	0.017 - 0.032
Mississippi	-	-		-	-		202	0.034	0.029 - 0.039
Missouri	-	-		-	-		130	0.033	0.028 - 0.040
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		283	0.045	0.040 - 0.050
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		750	0.047	0.043 - 0.050
North Carolina	-	-		-	-		435	0.037	0.033 - 0.040
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		287	0.036	0.032 - 0.040
Oklahoma	-	-		-	-		51	0.031	0.023 - 0.041
Oregon	-	-		-	-		14	0.031	0.017 - 0.052
Pennsylvania	-	-		-	-		286	0.038	0.034 - 0.043
Rhode Island	-	-		-	-		11	0.031	0.016 - 0.056
South Carolina	-	-		-	-		249	0.034	0.030 - 0.039
Tennessee	-	-		-	-		209	0.035	0.030 - 0.040
Texas	-	-		-	-		614	0.035	0.033 - 0.038
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		324	0.037	0.033 - 0.042
Washington	-	-		-	-		32	0.021	0.014 - 0.029
WA - Seattle	-	-		-	-		29	0.021	0.014 - 0.030
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		72	0.036	0.028 - 0.045
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**240,295**	**1.256**	**1.251 - 1.261**	**-**	**-**	
Alabama	-	-		8,220	1.347	1.318 - 1.376	-	-	
Alaska	-	-		137	0.770	0.646 - 0.910	-	-	
Arizona	-	-		1,125	0.672	0.634 - 0.713	-	-	
Arkansas	-	-		2,681	1.183	1.138 - 1.228	-	-	
California	-	-		16,027	1.333	1.312 - 1.354	-	-	
CA - Greater California	-	-		6,372	1.106	1.079 - 1.134	-	-	
CA - Greater Bay Area	-	-		3,504	1.587	1.535 - 1.640	-	-	
CA - Los Angeles	-	-		6,153	1.518	1.480 - 1.556	-	-	
Colorado	-	-		1,252	0.945	0.893 - 0.999	-	-	
Connecticut	-	-		2,275	1.253	1.202 - 1.306	-	-	
Delaware	-	-		1,639	1.631	1.553 - 1.712	-	-	
Florida	-	-		18,517	1.170	1.154 - 1.187	-	-	
Georgia	-	-		18,321	1.203	1.185 - 1.220	-	-	
Hawaii	-	-		187	0.846	0.729 - 0.977	-	-	
Idaho	-	-		40	0.437	0.312 - 0.595	-	-	
Illinois	-	-		12,199	1.378	1.354 - 1.403	-	-	
Iowa	-	-		394	0.585	0.528 - 0.645	-	-	
Kentucky	-	-		1,851	0.976	0.932 - 1.022	-	-	
Louisiana	-	-		9,385	1.293	1.267 - 1.320	-	-	
Maine	-	-		62	0.494	0.379 - 0.633	-	-	
Maryland	-	-		11,897	1.392	1.367 - 1.417	-	-	
Michigan	-	-		9,389	1.360	1.332 - 1.387	-	-	
MI - Detroit	-	-		7,477	1.658	1.620 - 1.696	-	-	
Minnesota	-	-		1,137	0.607	0.572 - 0.643	-	-	
Mississippi	-	-		6,945	1.309	1.279 - 1.340	-	-	
Missouri	-	-		3,729	1.047	1.014 - 1.081	-	-	
Montana	-	-		24	0.480	0.306 - 0.717	-	-	
Nebraska	-	-		494	0.951	0.869 - 1.039	-	-	
New Hampshire	-	-		82	0.727	0.578 - 0.902	-	-	
New Jersey	-	-		8,733	1.544	1.512 - 1.577	-	-	
New Mexico	-	-		219	0.876	0.764 - 1.000	-	-	
New York	-	-		23,796	1.705	1.683 - 1.727	-	-	
North Carolina	-	-		14,674	1.406	1.383 - 1.429	-	-	
North Dakota	-	-		29	0.216	0.144 - 0.310	-	-	
Ohio	-	-		8,637	1.168	1.143 - 1.193	-	-	
Oklahoma	-	-		1,692	1.028	0.980 - 1.078	-	-	
Oregon	-	-		423	0.817	0.741 - 0.898	-	-	
Pennsylvania	-	-		8,712	1.246	1.220 - 1.273	-	-	
Rhode Island	-	-		283	0.820	0.727 - 0.921	-	-	
South Carolina	-	-		8,938	1.397	1.368 - 1.426	-	-	
Tennessee	-	-		6,017	1.108	1.080 - 1.136	-	-	
Texas	-	-		14,844	0.914	0.899 - 0.928	-	-	
Utah	-	-		140	0.603	0.507 - 0.712	-	-	
Vermont	-	-		31	0.578	0.393 - 0.821	-	-	
Virginia	-	-		11,052	1.382	1.356 - 1.408	-	-	
Washington	-	-		1,560	0.875	0.832 - 0.919	-	-	
WA - Seattle	-	-		1,459	0.947	0.899 - 0.997	-	-	
West Virginia	-	-		466	1.196	1.090 - 1.309	-	-	
Wisconsin	-	-		2,023	1.039	0.994 - 1.085	-	-	
Wyoming	-	-		19	0.365	0.218 - 0.573	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**2,237**	**0.012**	**0.011 - 0.012**	**-**	**-**	
Alabama	-	-		80	0.013	0.010 - 0.016	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		14	0.008	0.005 - 0.014	-	-	
Arkansas	-	-		19	0.008	0.005 - 0.013	-	-	
California	-	-		169	0.014	0.012 - 0.016	-	-	
CA - Greater California	-	-		71	0.012	0.010 - 0.016	-	-	
CA - Greater Bay Area	-	-		34	0.015	0.011 - 0.022	-	-	
CA - Los Angeles	-	-		64	0.016	0.012 - 0.020	-	-	
Colorado	-	-		23	0.017	0.011 - 0.026	-	-	
Connecticut	-	-		24	0.013	0.008 - 0.020	-	-	
Delaware	-	-		12	0.012	0.006 - 0.021	-	-	
Florida	-	-		149	0.009	0.008 - 0.011	-	-	
Georgia	-	-		149	0.010	0.008 - 0.012	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		97	0.011	0.009 - 0.013	-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		24	0.013	0.008 - 0.019	-	-	
Louisiana	-	-		88	0.012	0.010 - 0.015	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		109	0.013	0.010 - 0.015	-	-	
Michigan	-	-		92	0.013	0.011 - 0.016	-	-	
MI - Detroit	-	-		76	0.017	0.013 - 0.021	-	-	
Minnesota	-	-		27	0.014	0.009 - 0.021	-	-	
Mississippi	-	-		57	0.011	0.008 - 0.014	-	-	
Missouri	-	-		31	0.009	0.006 - 0.012	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		70	0.012	0.010 - 0.016	-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		190	0.014	0.012 - 0.016	-	-	
North Carolina	-	-		164	0.016	0.013 - 0.018	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		73	0.010	0.008 - 0.012	-	-	
Oklahoma	-	-		19	0.012	0.007 - 0.018	-	-	
Oregon	-	-		10	0.019	0.009 - 0.036	-	-	
Pennsylvania	-	-		91	0.013	0.010 - 0.016	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		62	0.010	0.007 - 0.012	-	-	
Tennessee	-	-		64	0.012	0.009 - 0.015	-	-	
Texas	-	-		164	0.010	0.009 - 0.012	-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		91	0.011	0.009 - 0.014	-	-	
Washington	-	-		21	0.012	0.007 - 0.018	-	-	
WA - Seattle	-	-		16	0.010	0.006 - 0.017	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		21	0.011	0.007 - 0.016	-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**19,103**	**0.048**	**0.047 - 0.048**	**13,425**	**0.070**	**0.069 - 0.071**	**5,678**	**0.027**	**0.027 - 0.028**
Alabama	598	0.046	0.042 - 0.049	421	0.069	0.063 - 0.076	177	0.025	0.022 - 0.029
Alaska	14	0.044	0.024 - 0.074	-	-		-	-	
Arizona	101	0.031	0.026 - 0.038	67	0.040	0.031 - 0.051	34	0.022	0.015 - 0.031
Arkansas	180	0.038	0.033 - 0.044	131	0.058	0.048 - 0.069	49	0.020	0.015 - 0.026
California	1,488	0.061	0.058 - 0.065	1,116	0.093	0.087 - 0.098	372	0.030	0.027 - 0.034
CA - Greater California	539	0.048	0.044 - 0.052	405	0.070	0.064 - 0.078	133	0.025	0.021 - 0.029
CA - Greater Bay Area	337	0.075	0.067 - 0.084	254	0.115	0.101 - 0.130	83	0.037	0.029 - 0.045
CA - Los Angeles	611	0.071	0.066 - 0.077	456	0.112	0.102 - 0.123	155	0.034	0.029 - 0.040
Colorado	97	0.039	0.032 - 0.047	82	0.062	0.049 - 0.077	15	0.013	0.007 - 0.021
Connecticut	194	0.051	0.044 - 0.059	127	0.070	0.058 - 0.083	68	0.034	0.026 - 0.043
Delaware	131	0.061	0.051 - 0.073	93	0.093	0.075 - 0.113	38	0.034	0.024 - 0.046
Florida	1,172	0.036	0.034 - 0.038	861	0.054	0.051 - 0.058	311	0.018	0.016 - 0.020
Georgia	1,167	0.036	0.034 - 0.038	797	0.052	0.049 - 0.056	370	0.021	0.019 - 0.024
Hawaii	18	0.049	0.029 - 0.077	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	1,120	0.059	0.056 - 0.063	765	0.086	0.080 - 0.093	355	0.036	0.032 - 0.039
Iowa	28	0.022	0.015 - 0.032	-	-		-	-	
Kentucky	198	0.052	0.045 - 0.060	145	0.076	0.065 - 0.090	53	0.028	0.021 - 0.036
Louisiana	698	0.046	0.042 - 0.049	507	0.070	0.064 - 0.076	191	0.024	0.021 - 0.027
Maine	-	-		-	-		-	-	
Maryland	1,041	0.057	0.053 - 0.060	697	0.082	0.076 - 0.088	344	0.035	0.032 - 0.039
Michigan	854	0.059	0.055 - 0.063	592	0.086	0.079 - 0.093	262	0.034	0.030 - 0.039
MI - Detroit	631	0.064	0.059 - 0.070	430	0.095	0.086 - 0.105	201	0.038	0.033 - 0.044
Minnesota	107	0.029	0.024 - 0.035	83	0.044	0.035 - 0.055	24	0.013	0.009 - 0.020
Mississippi	433	0.038	0.035 - 0.042	318	0.060	0.054 - 0.067	115	0.019	0.016 - 0.023
Missouri	406	0.054	0.049 - 0.060	266	0.075	0.066 - 0.084	140	0.036	0.030 - 0.042
Montana	-	-		-	-		-	-	
Nebraska	35	0.034	0.024 - 0.048	23	0.044	0.028 - 0.066	12	0.024	0.013 - 0.042
New Hampshire	10	0.049	0.024 - 0.091	-	-		-	-	
New Jersey	665	0.055	0.051 - 0.060	460	0.081	0.074 - 0.089	205	0.032	0.028 - 0.037
New Mexico	24	0.053	0.034 - 0.079	-	-		-	-	
New York	1,626	0.054	0.052 - 0.057	1,116	0.080	0.075 - 0.085	510	0.032	0.029 - 0.035
North Carolina	1,179	0.053	0.050 - 0.056	819	0.078	0.073 - 0.084	360	0.030	0.027 - 0.034
North Dakota	-	-		-	-		-	-	
Ohio	857	0.056	0.052 - 0.059	589	0.080	0.073 - 0.086	268	0.033	0.030 - 0.038
Oklahoma	151	0.046	0.039 - 0.054	102	0.062	0.051 - 0.075	49	0.030	0.022 - 0.039
Oregon	35	0.036	0.025 - 0.050	-	-		-	-	
Pennsylvania	950	0.065	0.061 - 0.070	673	0.096	0.089 - 0.104	277	0.037	0.033 - 0.041
Rhode Island	30	0.043	0.029 - 0.062	-	-		-	-	
South Carolina	578	0.042	0.039 - 0.046	371	0.058	0.052 - 0.064	207	0.029	0.025 - 0.033
Tennessee	419	0.037	0.033 - 0.040	294	0.054	0.048 - 0.061	125	0.021	0.017 - 0.025
Texas	1,160	0.035	0.033 - 0.037	828	0.051	0.048 - 0.055	332	0.019	0.017 - 0.021
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	945	0.057	0.053 - 0.060	675	0.084	0.078 - 0.091	270	0.031	0.028 - 0.035
Washington	146	0.044	0.037 - 0.051	111	0.062	0.051 - 0.075	35	0.022	0.016 - 0.031
WA - Seattle	133	0.046	0.038 - 0.054	102	0.066	0.054 - 0.080	31	0.023	0.015 - 0.032
West Virginia	39	0.054	0.038 - 0.073	29	0.074	0.050 - 0.107	10	0.030	0.014 - 0.055
Wisconsin	183	0.046	0.040 - 0.053	130	0.067	0.056 - 0.079	53	0.026	0.020 - 0.034
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**38,967**	**0.097**	**0.096 - 0.098**	**22,820**	**0.119**	**0.118 - 0.121**	**16,147**	**0.077**	**0.076 - 0.079**
Alabama	1,241	0.095	0.090 - 0.100	711	0.117	0.108 - 0.125	530	0.076	0.070 - 0.083
Alaska	14	0.044	0.024 - 0.074	-	-		-	-	
Arizona	229	0.071	0.062 - 0.081	150	0.090	0.076 - 0.105	79	0.051	0.041 - 0.064
Arkansas	442	0.093	0.085 - 0.102	241	0.106	0.093 - 0.121	201	0.081	0.070 - 0.093
California	2,558	0.105	0.101 - 0.110	1,574	0.131	0.125 - 0.138	984	0.080	0.075 - 0.086
CA - Greater California	1,088	0.097	0.092 - 0.103	687	0.119	0.110 - 0.128	401	0.074	0.067 - 0.082
CA - Greater Bay Area	555	0.124	0.114 - 0.135	345	0.156	0.140 - 0.174	210	0.092	0.080 - 0.106
CA - Los Angeles	920	0.107	0.100 - 0.114	545	0.134	0.123 - 0.146	375	0.083	0.075 - 0.091
Colorado	195	0.078	0.068 - 0.090	130	0.098	0.082 - 0.116	65	0.056	0.043 - 0.071
Connecticut	370	0.097	0.088 - 0.108	231	0.127	0.112 - 0.145	138	0.070	0.059 - 0.082
Delaware	219	0.103	0.090 - 0.117	138	0.137	0.115 - 0.162	81	0.072	0.057 - 0.089
Florida	2,346	0.071	0.068 - 0.074	1,406	0.089	0.084 - 0.094	940	0.055	0.052 - 0.059
Georgia	2,678	0.082	0.079 - 0.085	1,525	0.100	0.095 - 0.105	1,153	0.066	0.063 - 0.070
Hawaii	22	0.059	0.037 - 0.090	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	2,121	0.113	0.108 - 0.118	1,241	0.140	0.132 - 0.148	880	0.088	0.082 - 0.094
Iowa	96	0.075	0.061 - 0.092	53	0.079	0.059 - 0.103	43	0.072	0.052 - 0.097
Kentucky	440	0.115	0.105 - 0.126	260	0.137	0.121 - 0.155	180	0.094	0.081 - 0.108
Louisiana	1,598	0.105	0.100 - 0.110	899	0.124	0.116 - 0.132	699	0.087	0.081 - 0.094
Maine	-	-		-	-		-	-	
Maryland	1,842	0.101	0.096 - 0.105	1,046	0.122	0.115 - 0.130	796	0.082	0.076 - 0.087
Michigan	1,640	0.113	0.108 - 0.119	1,005	0.146	0.137 - 0.155	635	0.084	0.077 - 0.090
MI - Detroit	1,221	0.124	0.118 - 0.132	755	0.167	0.156 - 0.180	466	0.088	0.080 - 0.096
Minnesota	233	0.063	0.056 - 0.072	150	0.080	0.068 - 0.094	83	0.046	0.037 - 0.057
Mississippi	1,245	0.110	0.104 - 0.117	704	0.133	0.123 - 0.143	541	0.090	0.083 - 0.098
Missouri	821	0.110	0.103 - 0.118	463	0.130	0.118 - 0.142	358	0.092	0.082 - 0.102
Montana	-	-		-	-		-	-	
Nebraska	105	0.103	0.085 - 0.125	70	0.135	0.105 - 0.170	35	0.071	0.049 - 0.098
New Hampshire	-	-		-	-		-	-	
New Jersey	1,246	0.104	0.098 - 0.110	759	0.134	0.125 - 0.144	487	0.077	0.070 - 0.084
New Mexico	35	0.078	0.054 - 0.108	25	0.099	0.064 - 0.147	10	0.051	0.024 - 0.094
New York	2,868	0.096	0.092 - 0.099	1,713	0.123	0.117 - 0.129	1,155	0.072	0.068 - 0.076
North Carolina	2,424	0.109	0.104 - 0.113	1,349	0.129	0.122 - 0.136	1,075	0.091	0.085 - 0.096
North Dakota	-	-		-	-		-	-	
Ohio	1,580	0.102	0.097 - 0.108	926	0.125	0.117 - 0.134	654	0.081	0.075 - 0.088
Oklahoma	283	0.086	0.076 - 0.097	167	0.101	0.087 - 0.118	116	0.070	0.058 - 0.085
Oregon	79	0.081	0.064 - 0.101	49	0.095	0.070 - 0.125	30	0.066	0.045 - 0.095
Pennsylvania	1,760	0.121	0.116 - 0.127	1,067	0.153	0.144 - 0.162	693	0.092	0.085 - 0.099
Rhode Island	51	0.073	0.055 - 0.096	33	0.096	0.066 - 0.134	18	0.051	0.030 - 0.081
South Carolina	1,269	0.093	0.088 - 0.098	720	0.113	0.104 - 0.121	549	0.076	0.070 - 0.082
Tennessee	1,104	0.096	0.091 - 0.102	582	0.107	0.099 - 0.116	522	0.086	0.079 - 0.094
Texas	3,117	0.093	0.090 - 0.096	1,779	0.109	0.104 - 0.115	1,338	0.077	0.073 - 0.081
Utah	19	0.046	0.028 - 0.073	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	1,871	0.112	0.107 - 0.117	1,090	0.136	0.128 - 0.145	781	0.090	0.084 - 0.097
Washington	290	0.087	0.077 - 0.097	201	0.113	0.098 - 0.129	89	0.057	0.046 - 0.070
WA - Seattle	276	0.095	0.084 - 0.107	190	0.124	0.107 - 0.142	86	0.063	0.050 - 0.078
West Virginia	71	0.098	0.076 - 0.123	50	0.128	0.095 - 0.169	21	0.062	0.039 - 0.095
Wisconsin	408	0.103	0.093 - 0.113	243	0.125	0.110 - 0.142	165	0.082	0.070 - 0.095
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**6,024**	**0.015**	**0.015 - 0.015**	**3,071**	**0.016**	**0.015 - 0.017**	**2,953**	**0.014**	**0.014 - 0.015**
Alabama	168	0.013	0.011 - 0.015	80	0.013	0.010 - 0.016	88	0.013	0.010 - 0.016
Alaska	-	-		-	-		-	-	
Arizona	35	0.011	0.008 - 0.015	21	0.013	0.008 - 0.019	14	0.009	0.005 - 0.015
Arkansas	77	0.016	0.013 - 0.020	42	0.019	0.013 - 0.025	35	0.014	0.010 - 0.020
California	369	0.015	0.014 - 0.017	201	0.017	0.014 - 0.019	168	0.014	0.012 - 0.016
CA - Greater California	162	0.014	0.012 - 0.017	85	0.015	0.012 - 0.018	77	0.014	0.011 - 0.018
CA - Greater Bay Area	82	0.018	0.014 - 0.023	48	0.022	0.016 - 0.029	34	0.015	0.010 - 0.021
CA - Los Angeles	126	0.015	0.012 - 0.017	69	0.017	0.013 - 0.022	57	0.012	0.009 - 0.016
Colorado	32	0.013	0.009 - 0.018	16	0.012	0.007 - 0.020	16	0.014	0.008 - 0.022
Connecticut	59	0.015	0.012 - 0.020	35	0.020	0.014 - 0.027	23	0.012	0.007 - 0.018
Delaware	30	0.014	0.009 - 0.020	16	0.016	0.009 - 0.026	14	0.012	0.007 - 0.021
Florida	486	0.015	0.013 - 0.016	244	0.015	0.014 - 0.017	242	0.014	0.012 - 0.016
Georgia	441	0.014	0.012 - 0.015	206	0.014	0.012 - 0.016	234	0.014	0.012 - 0.015
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	284	0.015	0.013 - 0.017	143	0.016	0.014 - 0.019	141	0.014	0.012 - 0.017
Iowa	26	0.020	0.013 - 0.030	12	0.018	0.009 - 0.031	14	0.023	0.013 - 0.039
Kentucky	64	0.017	0.013 - 0.021	31	0.016	0.011 - 0.023	33	0.017	0.012 - 0.024
Louisiana	200	0.013	0.011 - 0.015	106	0.015	0.012 - 0.018	94	0.012	0.010 - 0.014
Maine	-	-		-	-		-	-	
Maryland	274	0.015	0.013 - 0.017	132	0.015	0.013 - 0.018	142	0.015	0.012 - 0.017
Michigan	251	0.017	0.015 - 0.020	104	0.015	0.012 - 0.018	147	0.019	0.016 - 0.023
MI - Detroit	155	0.016	0.013 - 0.018	63	0.014	0.011 - 0.018	92	0.017	0.014 - 0.021
Minnesota	57	0.016	0.012 - 0.020	29	0.015	0.010 - 0.022	28	0.016	0.010 - 0.023
Mississippi	131	0.012	0.010 - 0.014	70	0.013	0.010 - 0.017	61	0.010	0.008 - 0.013
Missouri	117	0.016	0.013 - 0.019	57	0.016	0.012 - 0.021	60	0.015	0.012 - 0.020
Montana	-	-		-	-		-	-	
Nebraska	21	0.021	0.013 - 0.032	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	210	0.018	0.015 - 0.020	107	0.019	0.016 - 0.023	103	0.016	0.013 - 0.020
New Mexico	-	-		-	-		-	-	
New York	508	0.017	0.015 - 0.018	280	0.020	0.018 - 0.023	228	0.014	0.012 - 0.016
North Carolina	340	0.015	0.014 - 0.017	175	0.017	0.014 - 0.019	165	0.014	0.012 - 0.016
North Dakota	-	-		-	-		-	-	
Ohio	242	0.016	0.014 - 0.018	129	0.017	0.015 - 0.021	113	0.014	0.012 - 0.017
Oklahoma	43	0.013	0.009 - 0.018	17	0.010	0.006 - 0.017	26	0.016	0.010 - 0.023
Oregon	-	-		-	-		-	-	
Pennsylvania	262	0.018	0.016 - 0.020	146	0.021	0.018 - 0.025	116	0.015	0.013 - 0.018
Rhode Island	-	-		-	-		-	-	
South Carolina	188	0.014	0.012 - 0.016	94	0.015	0.012 - 0.018	94	0.013	0.010 - 0.016
Tennessee	149	0.013	0.011 - 0.015	82	0.015	0.012 - 0.019	67	0.011	0.009 - 0.014
Texas	572	0.017	0.016 - 0.018	274	0.017	0.015 - 0.019	298	0.017	0.015 - 0.019
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	222	0.013	0.012 - 0.015	128	0.016	0.013 - 0.019	94	0.011	0.009 - 0.013
Washington	50	0.015	0.011 - 0.020	27	0.015	0.010 - 0.022	23	0.015	0.009 - 0.022
WA - Seattle	44	0.015	0.011 - 0.020	24	0.016	0.010 - 0.023	20	0.015	0.009 - 0.023
West Virginia	-	-		-	-		-	-	
Wisconsin	68	0.017	0.013 - 0.022	33	0.017	0.012 - 0.024	35	0.017	0.012 - 0.024
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**27,455**	**0.069**	**0.068 - 0.069**	**4,699**	**0.025**	**0.024 - 0.025**	**22,756**	**0.109**	**0.108 - 0.111**
Alabama	684	0.052	0.048 - 0.056	120	0.020	0.016 - 0.024	564	0.081	0.074 - 0.088
Alaska	16	0.050	0.029 - 0.082	-	-		-	-	
Arizona	219	0.068	0.059 - 0.078	41	0.025	0.018 - 0.033	178	0.115	0.099 - 0.134
Arkansas	243	0.051	0.045 - 0.058	45	0.020	0.014 - 0.027	198	0.080	0.069 - 0.091
California	1,560	0.064	0.061 - 0.068	319	0.027	0.024 - 0.030	1,241	0.101	0.096 - 0.107
CA - Greater California	665	0.059	0.055 - 0.064	152	0.026	0.022 - 0.031	513	0.095	0.087 - 0.103
CA - Greater Bay Area	200	0.045	0.039 - 0.051	41	0.018	0.013 - 0.025	160	0.070	0.060 - 0.082
CA - Los Angeles	695	0.081	0.075 - 0.087	126	0.031	0.026 - 0.037	569	0.125	0.115 - 0.136
Colorado	158	0.063	0.054 - 0.074	27	0.020	0.013 - 0.030	131	0.112	0.094 - 0.133
Connecticut	339	0.089	0.080 - 0.099	59	0.032	0.025 - 0.042	280	0.141	0.125 - 0.159
Delaware	184	0.086	0.074 - 0.100	28	0.028	0.019 - 0.040	156	0.138	0.118 - 0.162
Florida	1,859	0.057	0.054 - 0.059	312	0.020	0.018 - 0.022	1,547	0.091	0.086 - 0.095
Georgia	1,892	0.058	0.056 - 0.061	289	0.019	0.017 - 0.021	1,604	0.092	0.088 - 0.097
Hawaii	24	0.065	0.042 - 0.097	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	1,284	0.068	0.065 - 0.072	218	0.025	0.021 - 0.028	1,066	0.107	0.101 - 0.113
Iowa	46	0.036	0.026 - 0.048	12	0.018	0.009 - 0.031	34	0.057	0.039 - 0.079
Kentucky	279	0.073	0.065 - 0.082	55	0.029	0.022 - 0.038	224	0.117	0.102 - 0.133
Louisiana	985	0.064	0.061 - 0.069	161	0.022	0.019 - 0.026	824	0.103	0.096 - 0.110
Maine	11	0.048	0.024 - 0.086	-	-		-	-	
Maryland	1,592	0.087	0.083 - 0.091	283	0.033	0.029 - 0.037	1,309	0.134	0.127 - 0.142
Michigan	1,044	0.072	0.068 - 0.076	183	0.027	0.023 - 0.031	861	0.113	0.106 - 0.121
MI - Detroit	824	0.084	0.078 - 0.090	140	0.031	0.026 - 0.037	684	0.129	0.120 - 0.139
Minnesota	177	0.048	0.041 - 0.056	34	0.018	0.013 - 0.025	143	0.080	0.067 - 0.094
Mississippi	643	0.057	0.053 - 0.062	80	0.015	0.012 - 0.019	563	0.094	0.086 - 0.102
Missouri	479	0.064	0.059 - 0.070	79	0.022	0.018 - 0.028	400	0.102	0.093 - 0.113
Montana	-	-		-	-		-	-	
Nebraska	54	0.053	0.040 - 0.069	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	997	0.083	0.078 - 0.088	177	0.031	0.027 - 0.036	821	0.129	0.121 - 0.139
New Mexico	27	0.061	0.040 - 0.088	-	-		-	-	
New York	2,650	0.088	0.085 - 0.092	437	0.031	0.028 - 0.034	2,213	0.138	0.132 - 0.144
North Carolina	1,664	0.075	0.071 - 0.078	282	0.027	0.024 - 0.030	1,382	0.117	0.110 - 0.123
North Dakota	-	-		-	-		-	-	
Ohio	1,161	0.075	0.071 - 0.080	178	0.024	0.021 - 0.028	983	0.122	0.115 - 0.130
Oklahoma	168	0.051	0.044 - 0.059	25	0.015	0.010 - 0.022	143	0.087	0.073 - 0.102
Oregon	51	0.053	0.039 - 0.069	11	0.021	0.011 - 0.038	40	0.088	0.063 - 0.120
Pennsylvania	1,630	0.112	0.107 - 0.118	266	0.038	0.034 - 0.043	1,364	0.181	0.171 - 0.191
Rhode Island	77	0.111	0.087 - 0.138	16	0.046	0.026 - 0.075	61	0.174	0.133 - 0.224
South Carolina	908	0.067	0.062 - 0.071	151	0.024	0.020 - 0.028	757	0.104	0.097 - 0.112
Tennessee	658	0.057	0.053 - 0.062	111	0.020	0.017 - 0.025	547	0.090	0.083 - 0.098
Texas	2,012	0.060	0.057 - 0.063	380	0.023	0.021 - 0.026	1,632	0.094	0.090 - 0.099
Utah	21	0.051	0.032 - 0.078	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	1,161	0.070	0.066 - 0.074	190	0.024	0.020 - 0.027	971	0.112	0.105 - 0.119
Washington	182	0.054	0.047 - 0.063	30	0.017	0.011 - 0.024	152	0.098	0.083 - 0.114
WA - Seattle	175	0.060	0.052 - 0.070	29	0.019	0.013 - 0.027	146	0.107	0.090 - 0.126
West Virginia	53	0.073	0.055 - 0.095	16	0.041	0.023 - 0.067	37	0.110	0.077 - 0.152
Wisconsin	237	0.060	0.052 - 0.068	43	0.022	0.016 - 0.030	194	0.096	0.083 - 0.111
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**8,348**	**0.021**	**0.020 - 0.021**	**4,371**	**0.023**	**0.022 - 0.024**	**3,977**	**0.019**	**0.018 - 0.020**
Alabama	220	0.017	0.015 - 0.019	113	0.019	0.015 - 0.022	107	0.015	0.013 - 0.019
Alaska	-	-		-	-		-	-	
Arizona	73	0.023	0.018 - 0.029	45	0.027	0.020 - 0.036	28	0.018	0.012 - 0.026
Arkansas	103	0.022	0.018 - 0.026	60	0.026	0.020 - 0.034	43	0.017	0.013 - 0.023
California	519	0.021	0.020 - 0.023	284	0.024	0.021 - 0.027	235	0.019	0.017 - 0.022
CA - Greater California	221	0.020	0.017 - 0.023	128	0.022	0.018 - 0.026	94	0.017	0.014 - 0.021
CA - Greater Bay Area	128	0.029	0.024 - 0.034	72	0.032	0.025 - 0.041	56	0.025	0.019 - 0.032
CA - Los Angeles	170	0.020	0.017 - 0.023	84	0.021	0.017 - 0.026	86	0.019	0.015 - 0.023
Colorado	55	0.022	0.017 - 0.029	37	0.028	0.020 - 0.038	18	0.015	0.009 - 0.024
Connecticut	87	0.023	0.018 - 0.028	45	0.025	0.018 - 0.033	42	0.021	0.015 - 0.029
Delaware	51	0.024	0.018 - 0.031	29	0.029	0.019 - 0.041	22	0.020	0.012 - 0.030
Florida	580	0.018	0.016 - 0.019	300	0.019	0.017 - 0.021	280	0.016	0.015 - 0.018
Georgia	626	0.019	0.018 - 0.021	325	0.021	0.019 - 0.024	301	0.017	0.015 - 0.019
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	417	0.022	0.020 - 0.024	227	0.026	0.022 - 0.029	190	0.019	0.016 - 0.022
Iowa	28	0.022	0.015 - 0.032	12	0.018	0.009 - 0.031	16	0.027	0.015 - 0.043
Kentucky	75	0.020	0.015 - 0.025	37	0.020	0.014 - 0.027	38	0.020	0.014 - 0.027
Louisiana	306	0.020	0.018 - 0.022	165	0.023	0.019 - 0.027	141	0.018	0.015 - 0.021
Maine	-	-		-	-		-	-	
Maryland	406	0.022	0.020 - 0.024	215	0.025	0.022 - 0.029	191	0.020	0.017 - 0.023
Michigan	305	0.021	0.019 - 0.024	159	0.023	0.020 - 0.027	146	0.019	0.016 - 0.023
MI - Detroit	234	0.024	0.021 - 0.027	129	0.029	0.024 - 0.034	105	0.020	0.016 - 0.024
Minnesota	61	0.017	0.013 - 0.021	38	0.020	0.014 - 0.028	23	0.013	0.008 - 0.019
Mississippi	219	0.019	0.017 - 0.022	121	0.023	0.019 - 0.027	98	0.016	0.013 - 0.020
Missouri	164	0.022	0.019 - 0.026	91	0.026	0.021 - 0.031	73	0.019	0.015 - 0.023
Montana	-	-		-	-		-	-	
Nebraska	25	0.025	0.016 - 0.036	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	289	0.024	0.021 - 0.027	147	0.026	0.022 - 0.031	142	0.022	0.019 - 0.026
New Mexico	11	0.024	0.012 - 0.043	-	-		-	-	
New York	781	0.026	0.024 - 0.028	393	0.028	0.025 - 0.031	388	0.024	0.022 - 0.027
North Carolina	490	0.022	0.020 - 0.024	238	0.023	0.020 - 0.026	252	0.021	0.019 - 0.024
North Dakota	-	-		-	-		-	-	
Ohio	316	0.020	0.018 - 0.023	156	0.021	0.018 - 0.025	160	0.020	0.017 - 0.023
Oklahoma	68	0.021	0.016 - 0.026	36	0.022	0.015 - 0.030	32	0.019	0.013 - 0.027
Oregon	20	0.021	0.013 - 0.032	-	-		-	-	
Pennsylvania	350	0.024	0.022 - 0.027	163	0.023	0.020 - 0.027	187	0.025	0.021 - 0.029
Rhode Island	20	0.029	0.018 - 0.044	-	-		-	-	
South Carolina	257	0.019	0.017 - 0.021	129	0.020	0.017 - 0.024	128	0.018	0.015 - 0.021
Tennessee	231	0.020	0.018 - 0.023	117	0.022	0.018 - 0.026	114	0.019	0.016 - 0.023
Texas	630	0.019	0.017 - 0.020	353	0.022	0.020 - 0.024	277	0.016	0.014 - 0.018
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	341	0.020	0.018 - 0.023	166	0.021	0.018 - 0.024	175	0.020	0.017 - 0.023
Washington	82	0.025	0.020 - 0.030	46	0.026	0.019 - 0.034	36	0.023	0.016 - 0.032
WA - Seattle	75	0.026	0.020 - 0.032	44	0.029	0.021 - 0.038	31	0.023	0.015 - 0.032
West Virginia	14	0.019	0.011 - 0.032	-	-		-	-	
Wisconsin	94	0.024	0.019 - 0.029	55	0.028	0.021 - 0.037	39	0.019	0.014 - 0.026
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**28,979**	**0.072**	**0.072 - 0.073**	**14,603**	**0.076**	**0.075 - 0.078**	**14,376**	**0.069**	**0.068 - 0.070**
Alabama	816	0.062	0.058 - 0.067	403	0.066	0.060 - 0.073	413	0.059	0.054 - 0.065
Alaska	15	0.047	0.026 - 0.078	-	-		-	-	
Arizona	144	0.045	0.038 - 0.053	79	0.047	0.037 - 0.059	65	0.042	0.033 - 0.054
Arkansas	310	0.065	0.058 - 0.073	158	0.070	0.059 - 0.081	152	0.061	0.052 - 0.072
California	2,005	0.083	0.079 - 0.086	1,085	0.090	0.085 - 0.096	920	0.075	0.070 - 0.080
CA - Greater California	757	0.068	0.063 - 0.073	431	0.075	0.068 - 0.082	326	0.060	0.054 - 0.067
CA - Greater Bay Area	495	0.110	0.101 - 0.121	264	0.120	0.106 - 0.135	231	0.102	0.089 - 0.116
CA - Los Angeles	752	0.088	0.081 - 0.094	390	0.096	0.087 - 0.106	363	0.080	0.072 - 0.089
Colorado	177	0.071	0.061 - 0.082	110	0.083	0.068 - 0.100	67	0.057	0.044 - 0.073
Connecticut	292	0.077	0.068 - 0.086	162	0.089	0.076 - 0.104	130	0.066	0.055 - 0.078
Delaware	181	0.085	0.073 - 0.098	89	0.089	0.071 - 0.109	92	0.082	0.066 - 0.100
Florida	2,308	0.070	0.067 - 0.073	1,161	0.073	0.069 - 0.078	1,147	0.067	0.063 - 0.071
Georgia	2,189	0.067	0.064 - 0.070	1,111	0.073	0.069 - 0.077	1,078	0.062	0.059 - 0.066
Hawaii	16	0.044	0.025 - 0.071	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	1,409	0.075	0.071 - 0.079	689	0.078	0.072 - 0.084	720	0.072	0.067 - 0.078
Iowa	61	0.048	0.037 - 0.062	36	0.053	0.037 - 0.074	25	0.042	0.027 - 0.062
Kentucky	264	0.069	0.061 - 0.078	144	0.076	0.064 - 0.090	120	0.062	0.052 - 0.075
Louisiana	1,011	0.066	0.062 - 0.070	491	0.068	0.062 - 0.074	520	0.065	0.059 - 0.071
Maine	-	-		-	-		-	-	
Maryland	1,384	0.076	0.072 - 0.080	654	0.077	0.071 - 0.083	730	0.075	0.069 - 0.080
Michigan	1,141	0.079	0.074 - 0.083	557	0.081	0.074 - 0.088	584	0.077	0.071 - 0.083
MI - Detroit	843	0.086	0.080 - 0.092	404	0.090	0.081 - 0.099	438	0.083	0.075 - 0.091
Minnesota	206	0.056	0.049 - 0.064	120	0.064	0.053 - 0.077	86	0.048	0.038 - 0.059
Mississippi	690	0.061	0.057 - 0.066	338	0.064	0.057 - 0.071	352	0.059	0.053 - 0.065
Missouri	540	0.072	0.066 - 0.079	262	0.074	0.065 - 0.083	278	0.071	0.063 - 0.080
Montana	-	-		-	-		-	-	
Nebraska	68	0.067	0.052 - 0.085	31	0.060	0.041 - 0.085	37	0.075	0.053 - 0.103
New Hampshire	-	-		-	-		-	-	
New Jersey	963	0.080	0.075 - 0.086	482	0.085	0.078 - 0.093	482	0.076	0.069 - 0.083
New Mexico	32	0.072	0.049 - 0.101	-	-		-	-	
New York	2,710	0.090	0.087 - 0.094	1,325	0.095	0.090 - 0.100	1,385	0.086	0.082 - 0.091
North Carolina	1,728	0.077	0.074 - 0.081	837	0.080	0.075 - 0.086	891	0.075	0.070 - 0.080
North Dakota	-	-		-	-		-	-	
Ohio	1,142	0.074	0.070 - 0.078	582	0.079	0.072 - 0.085	560	0.070	0.064 - 0.076
Oklahoma	200	0.061	0.053 - 0.070	102	0.062	0.051 - 0.075	98	0.060	0.048 - 0.073
Oregon	48	0.049	0.036 - 0.066	31	0.060	0.041 - 0.085	17	0.038	0.022 - 0.060
Pennsylvania	1,231	0.085	0.080 - 0.090	627	0.090	0.083 - 0.097	604	0.080	0.074 - 0.087
Rhode Island	34	0.049	0.034 - 0.068	18	0.052	0.031 - 0.082	16	0.046	0.026 - 0.074
South Carolina	826	0.061	0.056 - 0.065	430	0.067	0.061 - 0.074	396	0.055	0.049 - 0.060
Tennessee	739	0.064	0.060 - 0.069	378	0.070	0.063 - 0.077	361	0.060	0.054 - 0.066
Texas	2,264	0.067	0.065 - 0.070	1,142	0.070	0.066 - 0.074	1,122	0.065	0.061 - 0.069
Utah	24	0.059	0.038 - 0.087	13	0.056	0.030 - 0.096	11	0.062	0.031 - 0.111
Vermont	-	-		-	-		-	-	
Virginia	1,230	0.074	0.070 - 0.078	607	0.076	0.070 - 0.082	623	0.072	0.066 - 0.078
Washington	230	0.069	0.060 - 0.078	134	0.075	0.063 - 0.089	96	0.062	0.050 - 0.075
WA - Seattle	212	0.073	0.064 - 0.084	130	0.084	0.071 - 0.100	82	0.060	0.048 - 0.075
West Virginia	49	0.067	0.050 - 0.089	28	0.072	0.048 - 0.104	21	0.062	0.039 - 0.095
Wisconsin	265	0.067	0.059 - 0.075	125	0.064	0.053 - 0.076	140	0.069	0.058 - 0.082
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**20,993**	**0.052**	**0.052 - 0.053**	**10,167**	**0.053**	**0.052 - 0.054**	**10,826**	**0.052**	**0.051 - 0.053**
Alabama	646	0.049	0.046 - 0.053	292	0.048	0.043 - 0.054	354	0.051	0.046 - 0.056
Alaska	-	-		-	-		-	-	
Arizona	106	0.033	0.027 - 0.040	58	0.035	0.026 - 0.045	48	0.031	0.023 - 0.041
Arkansas	286	0.060	0.053 - 0.068	140	0.062	0.052 - 0.073	146	0.059	0.050 - 0.069
California	1,294	0.053	0.050 - 0.056	699	0.058	0.054 - 0.063	595	0.049	0.045 - 0.053
CA - Greater California	498	0.045	0.041 - 0.049	272	0.047	0.042 - 0.053	225	0.042	0.036 - 0.047
CA - Greater Bay Area	290	0.065	0.057 - 0.073	160	0.073	0.062 - 0.085	130	0.057	0.048 - 0.068
CA - Los Angeles	508	0.059	0.054 - 0.064	268	0.066	0.058 - 0.075	239	0.053	0.046 - 0.060
Colorado	108	0.043	0.036 - 0.052	69	0.052	0.041 - 0.066	39	0.033	0.024 - 0.046
Connecticut	241	0.064	0.056 - 0.072	123	0.068	0.056 - 0.081	119	0.060	0.050 - 0.072
Delaware	132	0.062	0.052 - 0.073	69	0.069	0.053 - 0.087	63	0.056	0.043 - 0.072
Florida	1,768	0.054	0.051 - 0.056	871	0.055	0.051 - 0.059	897	0.053	0.049 - 0.056
Georgia	1,680	0.052	0.049 - 0.054	778	0.051	0.048 - 0.055	902	0.052	0.049 - 0.056
Hawaii	11	0.029	0.014 - 0.052	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	1,018	0.054	0.051 - 0.058	463	0.052	0.048 - 0.057	555	0.056	0.051 - 0.060
Iowa	50	0.039	0.029 - 0.052	22	0.033	0.020 - 0.049	28	0.047	0.031 - 0.068
Kentucky	180	0.047	0.040 - 0.055	97	0.051	0.041 - 0.062	83	0.043	0.034 - 0.054
Louisiana	711	0.047	0.043 - 0.050	342	0.047	0.042 - 0.052	369	0.046	0.041 - 0.051
Maine	-	-		-	-		-	-	
Maryland	932	0.051	0.048 - 0.054	429	0.050	0.046 - 0.055	503	0.052	0.047 - 0.056
Michigan	743	0.051	0.048 - 0.055	361	0.052	0.047 - 0.058	382	0.050	0.045 - 0.056
MI - Detroit	583	0.059	0.055 - 0.064	281	0.062	0.055 - 0.070	302	0.057	0.051 - 0.064
Minnesota	92	0.025	0.020 - 0.031	41	0.022	0.016 - 0.030	51	0.028	0.021 - 0.037
Mississippi	507	0.045	0.041 - 0.049	240	0.045	0.040 - 0.051	267	0.045	0.039 - 0.050
Missouri	383	0.051	0.046 - 0.057	181	0.051	0.044 - 0.059	202	0.052	0.045 - 0.059
Montana	-	-		-	-		-	-	
Nebraska	46	0.045	0.033 - 0.060	24	0.046	0.030 - 0.069	22	0.044	0.028 - 0.067
New Hampshire	-	-		-	-		-	-	
New Jersey	692	0.058	0.053 - 0.062	324	0.057	0.051 - 0.064	369	0.058	0.052 - 0.064
New Mexico	14	0.031	0.017 - 0.053	-	-		-	-	
New York	2,121	0.071	0.068 - 0.074	993	0.071	0.067 - 0.076	1,128	0.070	0.066 - 0.075
North Carolina	1,355	0.061	0.058 - 0.064	675	0.065	0.060 - 0.070	680	0.057	0.053 - 0.062
North Dakota	-	-		-	-		-	-	
Ohio	736	0.048	0.044 - 0.051	373	0.050	0.045 - 0.056	363	0.045	0.041 - 0.050
Oklahoma	136	0.041	0.035 - 0.049	68	0.041	0.032 - 0.052	68	0.041	0.032 - 0.052
Oregon	32	0.033	0.023 - 0.047	22	0.042	0.027 - 0.064	10	0.022	0.011 - 0.041
Pennsylvania	806	0.055	0.052 - 0.059	366	0.052	0.047 - 0.058	440	0.058	0.053 - 0.064
Rhode Island	31	0.045	0.030 - 0.063	17	0.049	0.029 - 0.079	14	0.040	0.022 - 0.067
South Carolina	790	0.058	0.054 - 0.062	365	0.057	0.051 - 0.063	425	0.059	0.053 - 0.064
Tennessee	523	0.046	0.042 - 0.050	258	0.047	0.042 - 0.054	265	0.044	0.039 - 0.049
Texas	1,605	0.048	0.045 - 0.050	780	0.048	0.045 - 0.051	825	0.048	0.044 - 0.051
Utah	12	0.029	0.015 - 0.051	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	785	0.047	0.044 - 0.050	380	0.048	0.043 - 0.053	405	0.047	0.042 - 0.051
Washington	129	0.039	0.032 - 0.046	64	0.036	0.028 - 0.046	65	0.042	0.032 - 0.053
WA - Seattle	123	0.042	0.035 - 0.051	60	0.039	0.030 - 0.050	63	0.046	0.036 - 0.059
West Virginia	44	0.061	0.044 - 0.081	23	0.059	0.037 - 0.089	21	0.062	0.039 - 0.095
Wisconsin	221	0.056	0.049 - 0.064	121	0.062	0.052 - 0.074	100	0.050	0.040 - 0.060
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**17,202**	**0.043**	**0.042 - 0.044**	**9,287**	**0.049**	**0.048 - 0.050**	**7,915**	**0.038**	**0.037 - 0.039**
Alabama	478	0.037	0.033 - 0.040	263	0.043	0.038 - 0.049	215	0.031	0.027 - 0.035
Alaska	14	0.044	0.024 - 0.074	-	-		-	-	
Arizona	75	0.023	0.018 - 0.029	39	0.023	0.017 - 0.032	36	0.023	0.016 - 0.032
Arkansas	186	0.039	0.034 - 0.045	105	0.046	0.038 - 0.056	81	0.033	0.026 - 0.040
California	1,158	0.048	0.045 - 0.051	687	0.057	0.053 - 0.062	471	0.039	0.035 - 0.042
CA - Greater California	481	0.043	0.039 - 0.047	311	0.054	0.048 - 0.060	170	0.031	0.027 - 0.036
CA - Greater Bay Area	248	0.055	0.049 - 0.063	155	0.070	0.060 - 0.082	93	0.041	0.033 - 0.050
CA - Los Angeles	429	0.050	0.045 - 0.055	219	0.054	0.047 - 0.062	210	0.046	0.040 - 0.053
Colorado	97	0.039	0.032 - 0.047	54	0.041	0.031 - 0.053	43	0.037	0.027 - 0.050
Connecticut	138	0.036	0.031 - 0.043	75	0.041	0.032 - 0.052	63	0.032	0.024 - 0.041
Delaware	103	0.048	0.039 - 0.059	58	0.058	0.044 - 0.075	45	0.040	0.029 - 0.053
Florida	1,530	0.047	0.044 - 0.049	818	0.052	0.048 - 0.055	712	0.042	0.039 - 0.045
Georgia	1,282	0.039	0.037 - 0.042	649	0.043	0.039 - 0.046	633	0.036	0.034 - 0.039
Hawaii	14	0.038	0.021 - 0.064	-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	851	0.045	0.042 - 0.048	467	0.053	0.048 - 0.058	384	0.039	0.035 - 0.043
Iowa	39	0.031	0.022 - 0.042	20	0.030	0.018 - 0.046	19	0.032	0.019 - 0.050
Kentucky	169	0.044	0.038 - 0.051	91	0.048	0.039 - 0.059	78	0.040	0.032 - 0.050
Louisiana	623	0.041	0.038 - 0.044	344	0.047	0.043 - 0.053	279	0.035	0.031 - 0.039
Maine	-	-		-	-		-	-	
Maryland	770	0.042	0.039 - 0.045	384	0.045	0.041 - 0.050	386	0.040	0.036 - 0.044
Michigan	648	0.045	0.041 - 0.048	340	0.049	0.044 - 0.055	308	0.041	0.036 - 0.045
MI - Detroit	516	0.053	0.048 - 0.057	282	0.063	0.055 - 0.070	234	0.044	0.039 - 0.050
Minnesota	124	0.034	0.028 - 0.040	71	0.038	0.030 - 0.048	53	0.029	0.022 - 0.039
Mississippi	448	0.040	0.036 - 0.044	258	0.049	0.043 - 0.055	190	0.032	0.027 - 0.037
Missouri	361	0.048	0.043 - 0.054	182	0.051	0.044 - 0.059	179	0.046	0.039 - 0.053
Montana	-	-		-	-		-	-	
Nebraska	39	0.038	0.027 - 0.053	20	0.039	0.024 - 0.059	19	0.038	0.023 - 0.060
New Hampshire	-	-		-	-		-	-	
New Jersey	624	0.052	0.048 - 0.056	334	0.059	0.053 - 0.066	289	0.046	0.040 - 0.051
New Mexico	18	0.040	0.024 - 0.064	-	-		-	-	
New York	1,437	0.048	0.045 - 0.050	746	0.053	0.050 - 0.057	691	0.043	0.040 - 0.046
North Carolina	1,045	0.047	0.044 - 0.050	563	0.054	0.050 - 0.059	482	0.041	0.037 - 0.044
North Dakota	-	-		-	-		-	-	
Ohio	577	0.037	0.034 - 0.041	306	0.041	0.037 - 0.046	271	0.034	0.030 - 0.038
Oklahoma	130	0.040	0.033 - 0.047	65	0.040	0.030 - 0.050	65	0.039	0.030 - 0.050
Oregon	42	0.043	0.031 - 0.058	24	0.046	0.030 - 0.069	18	0.040	0.024 - 0.063
Pennsylvania	640	0.044	0.041 - 0.048	351	0.050	0.045 - 0.056	289	0.038	0.034 - 0.043
Rhode Island	29	0.042	0.028 - 0.060	17	0.049	0.029 - 0.079	12	0.034	0.018 - 0.060
South Carolina	556	0.041	0.037 - 0.044	294	0.046	0.041 - 0.052	262	0.036	0.032 - 0.041
Tennessee	464	0.040	0.037 - 0.044	239	0.044	0.039 - 0.050	225	0.037	0.033 - 0.042
Texas	1,465	0.044	0.041 - 0.046	815	0.050	0.047 - 0.054	650	0.038	0.035 - 0.041
Utah	14	0.034	0.019 - 0.057	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	596	0.036	0.033 - 0.039	317	0.040	0.035 - 0.044	279	0.032	0.028 - 0.036
Washington	126	0.038	0.031 - 0.045	76	0.043	0.034 - 0.053	50	0.032	0.024 - 0.042
WA - Seattle	120	0.041	0.034 - 0.049	71	0.046	0.036 - 0.058	49	0.036	0.027 - 0.047
West Virginia	39	0.054	0.038 - 0.073	25	0.064	0.042 - 0.095	14	0.042	0.023 - 0.070
Wisconsin	235	0.059	0.052 - 0.067	132	0.068	0.057 - 0.080	103	0.051	0.042 - 0.062
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Non-Hispanic Black, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**268**	**0.001**	**0.001 - 0.001**	**156**	**0.001**	**0.001 - 0.001**	**112**	**0.001**	**0.000 - 0.001**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	22	0.001	0.001 - 0.001	-	-		-	-	
CA - Greater California	11	0.001	0.000 - 0.002	-	-		-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	14	0.000	0.000 - 0.001	-	-		-	-	
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	16	0.001	0.000 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	23	0.002	0.001 - 0.002	11	0.002	0.001 - 0.003	12	0.001	0.001 - 0.003
Maine	-	-		-	-		-	-	
Maryland	10	0.001	0.000 - 0.001	-	-		-	-	
Michigan	15	0.001	0.001 - 0.002	-	-		-	-	
MI - Detroit	10	0.001	0.000 - 0.002	-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	12	0.001	0.001 - 0.002	-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	17	0.001	0.000 - 0.001	-	-		-	-	
North Carolina	15	0.001	0.000 - 0.001	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	11	0.001	0.000 - 0.001	-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	11	0.001	0.000 - 0.001	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	20	0.001	0.000 - 0.001	-	-		-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	16	0.001	0.001 - 0.002	-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, All Sites

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**650,180**	**1.190**	**1.187 - 1.193**	**294,223**	**1.066**	**1.062 - 1.070**	**355,956**	**1.317**	**1.313 - 1.321**
Alabama	1,203	0.593	0.560 - 0.627	578	0.532	0.490 - 0.578	625	0.663	0.612 - 0.717
Alaska	401	0.787	0.712 - 0.868	165	0.615	0.525 - 0.717	236	0.979	0.858 - 1.112
Arizona	21,914	1.031	1.018 - 1.045	9,271	0.868	0.850 - 0.885	12,643	1.197	1.176 - 1.218
Arkansas	1,528	0.704	0.670 - 0.741	682	0.599	0.555 - 0.646	846	0.821	0.766 - 0.878
California	172,288	1.133	1.128 - 1.138	76,943	1.006	0.999 - 1.013	95,345	1.262	1.254 - 1.270
CA - Greater California	89,891	1.071	1.064 - 1.078	40,101	0.947	0.938 - 0.956	49,790	1.197	1.187 - 1.208
CA - Greater Bay Area	23,811	1.252	1.236 - 1.268	11,104	1.150	1.128 - 1.171	12,707	1.358	1.335 - 1.382
CA - Los Angeles	58,618	1.193	1.184 - 1.203	25,808	1.053	1.041 - 1.066	32,810	1.332	1.318 - 1.347
Colorado	13,884	1.187	1.167 - 1.207	6,178	1.037	1.011 - 1.063	7,706	1.343	1.313 - 1.373
Connecticut	8,131	1.459	1.427 - 1.491	3,498	1.257	1.216 - 1.299	4,634	1.660	1.612 - 1.708
Delaware	925	1.078	1.010 - 1.150	447	1.015	0.923 - 1.113	478	1.145	1.044 - 1.252
Florida	91,032	1.784	1.772 - 1.796	43,290	1.719	1.703 - 1.735	47,742	1.847	1.831 - 1.864
Georgia	7,498	0.778	0.761 - 0.796	3,316	0.655	0.633 - 0.678	4,182	0.915	0.887 - 0.943
Hawaii	1,645	1.163	1.107 - 1.221	705	0.969	0.899 - 1.043	940	1.368	1.282 - 1.459
Idaho	1,658	0.811	0.772 - 0.851	726	0.688	0.639 - 0.740	932	0.942	0.882 - 1.004
Illinois	24,756	1.139	1.125 - 1.153	11,414	1.025	1.006 - 1.044	13,342	1.258	1.237 - 1.280
Iowa	1,177	0.650	0.613 - 0.688	505	0.535	0.489 - 0.584	672	0.776	0.718 - 0.837
Kentucky	805	0.520	0.485 - 0.557	416	0.496	0.449 - 0.546	389	0.548	0.495 - 0.606
Louisiana	2,441	1.036	0.995 - 1.078	1,245	0.982	0.929 - 1.038	1,195	1.098	1.036 - 1.162
Maine	158	0.763	0.649 - 0.892	71	0.682	0.533 - 0.861	87	0.845	0.677 - 1.042
Maryland	4,983	0.854	0.831 - 0.878	2,091	0.689	0.660 - 0.719	2,892	1.033	0.996 - 1.072
Michigan	4,817	0.986	0.958 - 1.014	2,308	0.930	0.893 - 0.969	2,509	1.043	1.003 - 1.085
MI - Detroit	2,427	1.413	1.357 - 1.470	1,056	1.221	1.148 - 1.297	1,371	1.608	1.524 - 1.695
Minnesota	2,662	0.925	0.890 - 0.961	1,127	0.754	0.711 - 0.800	1,535	1.109	1.054 - 1.166
Mississippi	544	0.595	0.546 - 0.648	297	0.581	0.517 - 0.651	247	0.614	0.539 - 0.695
Missouri	1,929	0.778	0.744 - 0.814	842	0.655	0.612 - 0.701	1,087	0.911	0.857 - 0.967
Montana	399	1.065	0.963 - 1.175	173	0.902	0.772 - 1.047	226	1.236	1.080 - 1.408
Nebraska	1,599	0.795	0.756 - 0.835	752	0.716	0.665 - 0.769	847	0.881	0.823 - 0.942
New Hampshire	513	1.114	1.020 - 1.215	242	1.036	0.909 - 1.175	271	1.195	1.057 - 1.346
New Jersey	26,508	1.488	1.470 - 1.506	12,264	1.373	1.348 - 1.397	14,243	1.603	1.577 - 1.630
New Mexico	15,412	1.529	1.505 - 1.554	7,021	1.403	1.370 - 1.436	8,391	1.655	1.619 - 1.690
New York	65,112	1.735	1.722 - 1.748	30,429	1.643	1.625 - 1.661	34,683	1.825	1.805 - 1.844
North Carolina	6,553	0.708	0.691 - 0.725	2,927	0.605	0.584 - 0.628	3,626	0.819	0.793 - 0.846
North Dakota	85	0.316	0.252 - 0.390	39	0.268	0.191 - 0.366	46	0.372	0.272 - 0.496
Ohio	3,158	0.751	0.725 - 0.777	1,550	0.718	0.683 - 0.755	1,608	0.785	0.747 - 0.824
Oklahoma	2,902	0.723	0.696 - 0.749	1,256	0.597	0.565 - 0.631	1,646	0.860	0.819 - 0.903
Oregon	4,312	0.836	0.811 - 0.861	1,903	0.712	0.680 - 0.744	2,409	0.969	0.930 - 1.008
Pennsylvania	9,368	1.055	1.033 - 1.076	4,379	0.966	0.938 - 0.995	4,989	1.147	1.115 - 1.179
Rhode Island	1,497	0.958	0.910 - 1.008	664	0.847	0.784 - 0.914	833	1.069	0.998 - 1.144
South Carolina	1,941	0.716	0.684 - 0.749	901	0.622	0.582 - 0.663	1,040	0.824	0.775 - 0.876
Tennessee	2,057	0.595	0.570 - 0.621	938	0.513	0.481 - 0.547	1,119	0.687	0.647 - 0.728
Texas	121,063	1.121	1.115 - 1.127	53,527	0.985	0.977 - 0.993	67,536	1.259	1.249 - 1.268
Utah	3,822	0.923	0.894 - 0.953	1,656	0.780	0.743 - 0.819	2,167	1.074	1.029 - 1.120
Vermont	80	0.706	0.560 - 0.879	37	0.642	0.452 - 0.886	43	0.772	0.559 - 1.040
Virginia	6,126	0.805	0.785 - 0.826	2,444	0.623	0.598 - 0.648	3,682	1.000	0.968 - 1.033
Washington	7,403	0.828	0.809 - 0.847	3,191	0.689	0.666 - 0.714	4,212	0.976	0.947 - 1.006
WA - Seattle	4,699	0.981	0.953 - 1.009	1,955	0.785	0.751 - 0.821	2,744	1.193	1.149 - 1.239
West Virginia	142	0.509	0.428 - 0.599	75	0.503	0.395 - 0.630	67	0.516	0.400 - 0.655
Wisconsin	3,166	0.823	0.795 - 0.852	1,465	0.735	0.698 - 0.774	1,701	0.918	0.875 - 0.962
Wyoming	583	1.010	0.929 - 1.095	276	0.910	0.806 - 1.024	308	1.120	0.998 - 1.252

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Oral Cavity and Pharynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**12,843**	**0.024**	**0.023 - 0.024**	**8,312**	**0.030**	**0.029 - 0.031**	**4,531**	**0.017**	**0.016 - 0.017**
Alabama	24	0.012	0.008 - 0.018	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	364	0.017	0.015 - 0.019	226	0.021	0.018 - 0.024	138	0.013	0.011 - 0.015
Arkansas	30	0.014	0.009 - 0.020	19	0.017	0.010 - 0.026	11	0.011	0.005 - 0.019
California	3,125	0.021	0.020 - 0.021	1,976	0.026	0.025 - 0.027	1,149	0.015	0.014 - 0.016
CA - Greater California	1,611	0.019	0.018 - 0.020	1,036	0.024	0.023 - 0.026	575	0.014	0.013 - 0.015
CA - Greater Bay Area	447	0.024	0.021 - 0.026	285	0.030	0.026 - 0.033	162	0.017	0.015 - 0.020
CA - Los Angeles	1,065	0.022	0.020 - 0.023	653	0.027	0.025 - 0.029	412	0.017	0.015 - 0.018
Colorado	312	0.027	0.024 - 0.030	207	0.035	0.030 - 0.040	105	0.018	0.015 - 0.022
Connecticut	165	0.030	0.025 - 0.035	97	0.035	0.028 - 0.042	69	0.025	0.019 - 0.031
Delaware	18	0.021	0.012 - 0.033	-	-		-	-	
Florida	2,135	0.042	0.040 - 0.044	1,465	0.058	0.055 - 0.061	670	0.026	0.024 - 0.028
Georgia	147	0.015	0.013 - 0.018	97	0.019	0.016 - 0.023	50	0.011	0.008 - 0.014
Hawaii	53	0.037	0.028 - 0.049	35	0.048	0.034 - 0.067	18	0.026	0.016 - 0.041
Idaho	33	0.016	0.011 - 0.023	13	0.012	0.007 - 0.021	20	0.020	0.012 - 0.031
Illinois	496	0.023	0.021 - 0.025	320	0.029	0.026 - 0.032	176	0.017	0.014 - 0.019
Iowa	24	0.013	0.008 - 0.020	-	-		-	-	
Kentucky	16	0.010	0.006 - 0.017	-	-		-	-	
Louisiana	66	0.028	0.022 - 0.035	52	0.041	0.030 - 0.053	14	0.013	0.007 - 0.022
Maine	-	-		-	-		-	-	
Maryland	102	0.017	0.014 - 0.021	66	0.022	0.017 - 0.028	36	0.013	0.009 - 0.018
Michigan	97	0.020	0.016 - 0.024	68	0.027	0.021 - 0.035	29	0.012	0.008 - 0.017
MI - Detroit	57	0.033	0.025 - 0.043	40	0.046	0.033 - 0.063	17	0.020	0.012 - 0.032
Minnesota	58	0.020	0.015 - 0.026	33	0.022	0.015 - 0.031	25	0.018	0.012 - 0.027
Mississippi	-	-		-	-		-	-	
Missouri	42	0.017	0.012 - 0.023	32	0.025	0.017 - 0.035	10	0.008	0.004 - 0.015
Montana	-	-		-	-		-	-	
Nebraska	38	0.019	0.013 - 0.026	25	0.024	0.015 - 0.035	13	0.014	0.007 - 0.023
New Hampshire	-	-		-	-		-	-	
New Jersey	503	0.028	0.026 - 0.031	304	0.034	0.030 - 0.038	199	0.022	0.019 - 0.026
New Mexico	290	0.029	0.026 - 0.032	189	0.038	0.033 - 0.044	101	0.020	0.016 - 0.024
New York	1,370	0.037	0.035 - 0.038	872	0.047	0.044 - 0.050	498	0.026	0.024 - 0.029
North Carolina	144	0.016	0.013 - 0.018	96	0.020	0.016 - 0.024	48	0.011	0.008 - 0.014
North Dakota	-	-		-	-		-	-	
Ohio	60	0.014	0.011 - 0.018	37	0.017	0.012 - 0.024	23	0.011	0.007 - 0.017
Oklahoma	67	0.017	0.013 - 0.021	42	0.020	0.014 - 0.027	25	0.013	0.008 - 0.019
Oregon	88	0.017	0.014 - 0.021	55	0.021	0.015 - 0.027	33	0.013	0.009 - 0.019
Pennsylvania	189	0.021	0.018 - 0.025	125	0.028	0.023 - 0.033	64	0.015	0.011 - 0.019
Rhode Island	31	0.020	0.013 - 0.028	21	0.027	0.017 - 0.041	10	0.013	0.006 - 0.024
South Carolina	36	0.013	0.009 - 0.018	-	-		-	-	
Tennessee	47	0.014	0.010 - 0.018	35	0.019	0.013 - 0.027	12	0.007	0.004 - 0.013
Texas	2,241	0.021	0.020 - 0.022	1,441	0.027	0.025 - 0.028	800	0.015	0.014 - 0.016
Utah	52	0.013	0.009 - 0.017	32	0.015	0.010 - 0.021	20	0.010	0.006 - 0.015
Vermont	-	-		-	-		-	-	
Virginia	119	0.016	0.013 - 0.019	66	0.017	0.013 - 0.021	53	0.014	0.011 - 0.019
Washington	157	0.018	0.015 - 0.021	105	0.023	0.019 - 0.027	52	0.012	0.009 - 0.016
WA - Seattle	110	0.023	0.019 - 0.028	74	0.030	0.023 - 0.037	36	0.016	0.011 - 0.022
West Virginia	-	-		-	-		-	-	
Wisconsin	52	0.014	0.010 - 0.018	38	0.019	0.013 - 0.026	14	0.008	0.004 - 0.013
Wyoming	12	0.021	0.011 - 0.036	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Esophagus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**2,026**	**0.004**	**0.004 - 0.004**	**1,580**	**0.006**	**0.005 - 0.006**	**446**	**0.002**	**0.002 - 0.002**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	72	0.003	0.003 - 0.004	55	0.005	0.004 - 0.007	17	0.002	0.001 - 0.003
Arkansas	-	-		-	-		-	-	
California	454	0.003	0.003 - 0.003	360	0.005	0.004 - 0.005	94	0.001	0.001 - 0.002
CA - Greater California	241	0.003	0.003 - 0.003	190	0.004	0.004 - 0.005	50	0.001	0.001 - 0.002
CA - Greater Bay Area	71	0.004	0.003 - 0.005	51	0.005	0.004 - 0.007	20	0.002	0.001 - 0.003
CA - Los Angeles	137	0.003	0.002 - 0.003	117	0.005	0.004 - 0.006	20	0.001	0.001 - 0.001
Colorado	42	0.004	0.003 - 0.005	-	-		-	-	
Connecticut	30	0.005	0.004 - 0.008	19	0.007	0.004 - 0.011	11	0.004	0.002 - 0.007
Delaware	-	-		-	-		-	-	
Florida	336	0.007	0.006 - 0.007	265	0.011	0.009 - 0.012	71	0.003	0.002 - 0.003
Georgia	20	0.002	0.001 - 0.003	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	61	0.003	0.002 - 0.004	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	10	0.002	0.001 - 0.003	-	-		-	-	
Michigan	25	0.005	0.003 - 0.008	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	59	0.003	0.003 - 0.004	44	0.005	0.004 - 0.007	14	0.002	0.001 - 0.003
New Mexico	54	0.005	0.004 - 0.007	-	-		-	-	
New York	215	0.006	0.005 - 0.007	149	0.008	0.007 - 0.009	66	0.003	0.003 - 0.004
North Carolina	21	0.002	0.001 - 0.003	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	13	0.003	0.002 - 0.005	13	0.006	0.003 - 0.010	-	-	
Oklahoma	11	0.003	0.001 - 0.005	-	-		-	-	
Oregon	21	0.004	0.003 - 0.006	-	-		-	-	
Pennsylvania	32	0.004	0.002 - 0.005	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	396	0.004	0.003 - 0.004	307	0.006	0.005 - 0.006	89	0.002	0.001 - 0.002
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	15	0.002	0.001 - 0.003	-	-		-	-	
Washington	26	0.003	0.002 - 0.004	-	-		-	-	
WA - Seattle	14	0.003	0.002 - 0.005	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	11	0.003	0.001 - 0.005	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Stomach

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**10,332**	**0.019**	**0.019 - 0.019**	**5,487**	**0.020**	**0.019 - 0.020**	**4,845**	**0.018**	**0.017 - 0.018**
Alabama	24	0.012	0.008 - 0.018	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	311	0.015	0.013 - 0.016	170	0.016	0.014 - 0.018	141	0.013	0.011 - 0.016
Arkansas	22	0.010	0.006 - 0.015	11	0.010	0.005 - 0.017	11	0.011	0.005 - 0.019
California	2,600	0.017	0.016 - 0.018	1,354	0.018	0.017 - 0.019	1,246	0.016	0.016 - 0.017
CA - Greater California	1,176	0.014	0.013 - 0.015	631	0.015	0.014 - 0.016	545	0.013	0.012 - 0.014
CA - Greater Bay Area	358	0.019	0.017 - 0.021	187	0.019	0.017 - 0.022	171	0.018	0.016 - 0.021
CA - Los Angeles	1,068	0.022	0.020 - 0.023	538	0.022	0.020 - 0.024	530	0.022	0.020 - 0.023
Colorado	171	0.015	0.013 - 0.017	88	0.015	0.012 - 0.018	83	0.014	0.012 - 0.018
Connecticut	160	0.029	0.024 - 0.034	84	0.030	0.024 - 0.037	76	0.027	0.022 - 0.034
Delaware	13	0.015	0.008 - 0.026	-	-		-	-	
Florida	1,272	0.025	0.024 - 0.026	703	0.028	0.026 - 0.030	569	0.022	0.020 - 0.024
Georgia	92	0.010	0.008 - 0.012	51	0.010	0.007 - 0.013	41	0.009	0.006 - 0.012
Hawaii	17	0.012	0.007 - 0.019	-	-		-	-	
Idaho	12	0.006	0.003 - 0.010	-	-		-	-	
Illinois	474	0.022	0.020 - 0.024	246	0.022	0.019 - 0.025	228	0.022	0.019 - 0.024
Iowa	18	0.010	0.006 - 0.016	-	-		-	-	
Kentucky	14	0.009	0.005 - 0.015	-	-		-	-	
Louisiana	34	0.015	0.010 - 0.020	22	0.017	0.011 - 0.026	13	0.012	0.006 - 0.020
Maine	-	-		-	-		-	-	
Maryland	100	0.017	0.014 - 0.021	52	0.017	0.013 - 0.022	48	0.017	0.013 - 0.023
Michigan	60	0.012	0.009 - 0.016	38	0.015	0.011 - 0.021	22	0.009	0.006 - 0.014
MI - Detroit	21	0.012	0.008 - 0.019	-	-		-	-	
Minnesota	44	0.015	0.011 - 0.021	23	0.015	0.010 - 0.023	21	0.015	0.009 - 0.023
Mississippi	14	0.015	0.008 - 0.026	-	-		-	-	
Missouri	24	0.010	0.006 - 0.014	14	0.011	0.006 - 0.018	10	0.008	0.004 - 0.015
Montana	-	-		-	-		-	-	
Nebraska	25	0.012	0.008 - 0.018	15	0.014	0.008 - 0.024	10	0.010	0.005 - 0.019
New Hampshire	-	-		-	-		-	-	
New Jersey	522	0.029	0.027 - 0.032	267	0.030	0.026 - 0.034	255	0.029	0.025 - 0.032
New Mexico	210	0.021	0.018 - 0.024	125	0.025	0.021 - 0.030	85	0.017	0.013 - 0.021
New York	1,321	0.035	0.033 - 0.037	689	0.037	0.034 - 0.040	632	0.033	0.031 - 0.036
North Carolina	114	0.012	0.010 - 0.015	63	0.013	0.010 - 0.017	51	0.012	0.009 - 0.015
North Dakota	-	-		-	-		-	-	
Ohio	44	0.010	0.008 - 0.014	21	0.010	0.006 - 0.015	23	0.011	0.007 - 0.017
Oklahoma	28	0.007	0.005 - 0.010	15	0.007	0.004 - 0.012	13	0.007	0.004 - 0.012
Oregon	70	0.014	0.011 - 0.017	43	0.016	0.012 - 0.022	27	0.011	0.007 - 0.016
Pennsylvania	150	0.017	0.014 - 0.020	80	0.018	0.014 - 0.022	70	0.016	0.013 - 0.020
Rhode Island	34	0.022	0.015 - 0.030	18	0.023	0.014 - 0.036	16	0.021	0.012 - 0.033
South Carolina	28	0.010	0.007 - 0.015	-	-		-	-	
Tennessee	45	0.013	0.009 - 0.017	27	0.015	0.010 - 0.021	18	0.011	0.007 - 0.017
Texas	1,885	0.017	0.017 - 0.018	979	0.018	0.017 - 0.019	906	0.017	0.016 - 0.018
Utah	47	0.011	0.008 - 0.015	25	0.012	0.007 - 0.017	23	0.011	0.007 - 0.017
Vermont	-	-		-	-		-	-	
Virginia	143	0.019	0.016 - 0.022	74	0.019	0.015 - 0.024	69	0.019	0.015 - 0.024
Washington	112	0.013	0.010 - 0.015	65	0.014	0.011 - 0.018	47	0.011	0.008 - 0.014
WA - Seattle	62	0.013	0.010 - 0.017	33	0.013	0.009 - 0.019	29	0.012	0.008 - 0.018
West Virginia	-	-		-	-		-	-	
Wisconsin	54	0.014	0.011 - 0.018	29	0.015	0.010 - 0.021	25	0.013	0.009 - 0.020
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Colon and Rectum

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**62,544**	**0.114**	**0.114 - 0.115**	**33,150**	**0.120**	**0.119 - 0.121**	**29,394**	**0.109**	**0.108 - 0.110**
Alabama	109	0.054	0.044 - 0.065	57	0.053	0.040 - 0.068	52	0.055	0.041 - 0.072
Alaska	43	0.084	0.061 - 0.114	21	0.078	0.048 - 0.120	22	0.091	0.057 - 0.138
Arizona	2,211	0.104	0.100 - 0.108	1,195	0.112	0.106 - 0.118	1,016	0.096	0.090 - 0.102
Arkansas	123	0.057	0.047 - 0.068	67	0.059	0.046 - 0.075	56	0.054	0.041 - 0.071
California	16,611	0.109	0.108 - 0.111	8,685	0.114	0.111 - 0.116	7,926	0.105	0.103 - 0.107
CA - Greater California	8,664	0.103	0.101 - 0.105	4,569	0.108	0.105 - 0.111	4,095	0.098	0.095 - 0.102
CA - Greater Bay Area	2,235	0.118	0.113 - 0.123	1,167	0.121	0.114 - 0.128	1,068	0.114	0.107 - 0.121
CA - Los Angeles	5,700	0.116	0.113 - 0.119	2,946	0.120	0.116 - 0.125	2,754	0.112	0.108 - 0.116
Colorado	1,413	0.121	0.115 - 0.127	773	0.130	0.121 - 0.139	640	0.112	0.103 - 0.120
Connecticut	731	0.131	0.122 - 0.141	376	0.135	0.122 - 0.150	355	0.127	0.114 - 0.141
Delaware	77	0.090	0.071 - 0.112	41	0.093	0.067 - 0.126	36	0.086	0.060 - 0.119
Florida	9,175	0.180	0.176 - 0.184	4,679	0.186	0.181 - 0.191	4,496	0.174	0.169 - 0.179
Georgia	554	0.058	0.053 - 0.063	285	0.056	0.050 - 0.063	269	0.059	0.052 - 0.066
Hawaii	174	0.123	0.105 - 0.143	83	0.114	0.091 - 0.141	91	0.133	0.107 - 0.163
Idaho	121	0.059	0.049 - 0.071	62	0.059	0.045 - 0.075	59	0.060	0.045 - 0.077
Illinois	2,193	0.101	0.097 - 0.105	1,180	0.106	0.100 - 0.112	1,013	0.096	0.090 - 0.102
Iowa	94	0.052	0.042 - 0.064	60	0.064	0.049 - 0.082	34	0.039	0.027 - 0.055
Kentucky	83	0.053	0.043 - 0.066	56	0.066	0.050 - 0.086	27	0.038	0.025 - 0.055
Louisiana	231	0.098	0.086 - 0.112	120	0.095	0.078 - 0.113	112	0.102	0.084 - 0.123
Maine	10	0.048	0.023 - 0.089	-	-		-	-	
Maryland	388	0.067	0.060 - 0.073	198	0.065	0.056 - 0.075	190	0.068	0.059 - 0.078
Michigan	436	0.089	0.081 - 0.098	258	0.104	0.092 - 0.117	178	0.074	0.064 - 0.086
MI - Detroit	204	0.119	0.103 - 0.136	110	0.127	0.105 - 0.154	93	0.110	0.089 - 0.134
Minnesota	226	0.079	0.069 - 0.089	101	0.068	0.055 - 0.082	125	0.090	0.075 - 0.108
Mississippi	44	0.048	0.035 - 0.065	25	0.049	0.032 - 0.072	19	0.047	0.028 - 0.074
Missouri	157	0.063	0.054 - 0.074	84	0.065	0.052 - 0.081	73	0.061	0.048 - 0.077
Montana	44	0.118	0.085 - 0.158	25	0.131	0.085 - 0.193	19	0.104	0.063 - 0.162
Nebraska	148	0.074	0.062 - 0.086	77	0.073	0.058 - 0.092	71	0.074	0.058 - 0.093
New Hampshire	45	0.098	0.071 - 0.131	22	0.094	0.059 - 0.143	23	0.101	0.064 - 0.152
New Jersey	2,436	0.137	0.131 - 0.142	1,234	0.138	0.131 - 0.146	1,202	0.135	0.128 - 0.143
New Mexico	1,614	0.160	0.152 - 0.168	848	0.170	0.158 - 0.181	766	0.151	0.140 - 0.162
New York	5,776	0.154	0.150 - 0.158	2,974	0.161	0.155 - 0.166	2,802	0.147	0.142 - 0.153
North Carolina	503	0.054	0.050 - 0.059	265	0.055	0.048 - 0.062	238	0.054	0.047 - 0.061
North Dakota	10	0.037	0.018 - 0.068	-	-		-	-	
Ohio	333	0.079	0.071 - 0.088	188	0.087	0.075 - 0.101	145	0.071	0.060 - 0.083
Oklahoma	276	0.069	0.061 - 0.077	145	0.069	0.058 - 0.081	131	0.068	0.057 - 0.081
Oregon	357	0.069	0.062 - 0.077	196	0.073	0.063 - 0.084	161	0.065	0.055 - 0.076
Pennsylvania	852	0.096	0.090 - 0.103	465	0.103	0.093 - 0.112	387	0.089	0.080 - 0.098
Rhode Island	125	0.080	0.067 - 0.095	68	0.087	0.067 - 0.110	57	0.073	0.055 - 0.095
South Carolina	188	0.069	0.060 - 0.080	88	0.061	0.049 - 0.075	100	0.079	0.064 - 0.096
Tennessee	162	0.047	0.040 - 0.055	89	0.049	0.039 - 0.060	73	0.045	0.035 - 0.056
Texas	12,653	0.117	0.115 - 0.119	7,086	0.130	0.127 - 0.133	5,567	0.104	0.101 - 0.107
Utah	351	0.085	0.076 - 0.094	178	0.084	0.072 - 0.097	173	0.086	0.074 - 0.100
Vermont	-	-		-	-		-	-	
Virginia	521	0.068	0.063 - 0.075	258	0.066	0.058 - 0.074	263	0.071	0.063 - 0.081
Washington	594	0.066	0.061 - 0.072	324	0.070	0.063 - 0.078	270	0.063	0.055 - 0.070
WA - Seattle	353	0.074	0.066 - 0.082	191	0.077	0.066 - 0.088	162	0.070	0.060 - 0.082
West Virginia	20	0.072	0.044 - 0.111	-	-		-	-	
Wisconsin	265	0.069	0.061 - 0.078	144	0.072	0.061 - 0.085	121	0.065	0.054 - 0.078
Wyoming	61	0.106	0.081 - 0.136	43	0.142	0.103 - 0.191	18	0.066	0.039 - 0.104

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Liver and Intrahepatic Bile Duct

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**9,902**	**0.018**	**0.018 - 0.018**	**6,839**	**0.025**	**0.024 - 0.025**	**3,063**	**0.011**	**0.011 - 0.012**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	377	0.018	0.016 - 0.020	256	0.024	0.021 - 0.027	121	0.011	0.010 - 0.014
Arkansas	28	0.013	0.009 - 0.019	16	0.014	0.008 - 0.023	12	0.012	0.006 - 0.020
California	2,711	0.018	0.017 - 0.019	1,872	0.024	0.023 - 0.026	839	0.011	0.010 - 0.012
CA - Greater California	1,448	0.017	0.016 - 0.018	1,038	0.025	0.023 - 0.026	410	0.010	0.009 - 0.011
CA - Greater Bay Area	419	0.022	0.020 - 0.024	285	0.029	0.026 - 0.033	134	0.014	0.012 - 0.017
CA - Los Angeles	841	0.017	0.016 - 0.018	550	0.022	0.021 - 0.024	291	0.012	0.011 - 0.013
Colorado	245	0.021	0.018 - 0.024	174	0.029	0.025 - 0.034	71	0.012	0.010 - 0.016
Connecticut	135	0.024	0.020 - 0.029	104	0.037	0.031 - 0.045	31	0.011	0.008 - 0.016
Delaware	11	0.013	0.006 - 0.023	-	-		-	-	
Florida	903	0.018	0.017 - 0.019	622	0.025	0.023 - 0.027	281	0.011	0.010 - 0.012
Georgia	81	0.008	0.007 - 0.010	51	0.010	0.007 - 0.013	30	0.007	0.004 - 0.009
Hawaii	22	0.016	0.010 - 0.024	11	0.015	0.008 - 0.027	11	0.016	0.008 - 0.029
Idaho	20	0.010	0.006 - 0.015	-	-		-	-	
Illinois	328	0.015	0.014 - 0.017	222	0.020	0.017 - 0.023	106	0.010	0.008 - 0.012
Iowa	20	0.011	0.007 - 0.017	-	-		-	-	
Kentucky	13	0.008	0.004 - 0.014	-	-		-	-	
Louisiana	28	0.012	0.008 - 0.017	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	60	0.010	0.008 - 0.013	37	0.012	0.009 - 0.017	23	0.008	0.005 - 0.012
Michigan	91	0.019	0.015 - 0.023	67	0.027	0.021 - 0.034	24	0.010	0.006 - 0.015
MI - Detroit	28	0.016	0.011 - 0.024	-	-		-	-	
Minnesota	43	0.015	0.011 - 0.020	-	-		-	-	
Mississippi	10	0.011	0.005 - 0.020	-	-		-	-	
Missouri	29	0.012	0.008 - 0.017	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	16	0.008	0.005 - 0.013	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	259	0.015	0.013 - 0.016	173	0.019	0.017 - 0.023	86	0.010	0.008 - 0.012
New Mexico	236	0.023	0.021 - 0.027	183	0.037	0.032 - 0.042	53	0.010	0.008 - 0.014
New York	1,067	0.028	0.027 - 0.030	730	0.039	0.037 - 0.042	337	0.018	0.016 - 0.020
North Carolina	100	0.011	0.009 - 0.013	70	0.014	0.011 - 0.018	30	0.007	0.005 - 0.010
North Dakota	-	-		-	-		-	-	
Ohio	44	0.010	0.008 - 0.014	33	0.015	0.011 - 0.021	11	0.005	0.003 - 0.010
Oklahoma	44	0.011	0.008 - 0.015	24	0.011	0.007 - 0.017	20	0.010	0.006 - 0.016
Oregon	75	0.015	0.011 - 0.018	53	0.020	0.015 - 0.026	22	0.009	0.006 - 0.013
Pennsylvania	164	0.018	0.016 - 0.022	125	0.028	0.023 - 0.033	39	0.009	0.006 - 0.012
Rhode Island	25	0.016	0.010 - 0.024	15	0.019	0.011 - 0.032	10	0.013	0.006 - 0.024
South Carolina	20	0.007	0.005 - 0.011	-	-		-	-	
Tennessee	33	0.010	0.007 - 0.013	18	0.010	0.006 - 0.016	15	0.009	0.005 - 0.015
Texas	2,319	0.021	0.021 - 0.022	1,588	0.029	0.028 - 0.031	731	0.014	0.013 - 0.015
Utah	71	0.017	0.013 - 0.022	51	0.024	0.018 - 0.031	20	0.010	0.006 - 0.015
Vermont	-	-		-	-		-	-	
Virginia	64	0.008	0.006 - 0.011	36	0.009	0.006 - 0.013	28	0.008	0.005 - 0.011
Washington	115	0.013	0.011 - 0.015	84	0.018	0.014 - 0.022	31	0.007	0.005 - 0.010
WA - Seattle	66	0.014	0.011 - 0.018	53	0.021	0.016 - 0.028	13	0.006	0.003 - 0.010
West Virginia	-	-		-	-		-	-	
Wisconsin	60	0.016	0.012 - 0.020	46	0.023	0.017 - 0.031	14	0.008	0.004 - 0.013
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Pancreas

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**5,632**	**0.010**	**0.010 - 0.011**	**2,654**	**0.010**	**0.009 - 0.010**	**2,978**	**0.011**	**0.011 - 0.011**
Alabama	12	0.006	0.003 - 0.010	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	207	0.010	0.008 - 0.011	92	0.009	0.007 - 0.011	115	0.011	0.009 - 0.013
Arkansas	-	-		-	-		-	-	
California	1,267	0.008	0.008 - 0.009	557	0.007	0.007 - 0.008	710	0.009	0.009 - 0.010
CA - Greater California	652	0.008	0.007 - 0.008	287	0.007	0.006 - 0.008	365	0.009	0.008 - 0.010
CA - Greater Bay Area	206	0.011	0.009 - 0.012	98	0.010	0.008 - 0.012	108	0.012	0.009 - 0.014
CA - Los Angeles	412	0.008	0.008 - 0.009	175	0.007	0.006 - 0.008	237	0.010	0.008 - 0.011
Colorado	97	0.008	0.007 - 0.010	43	0.007	0.005 - 0.010	54	0.009	0.007 - 0.012
Connecticut	65	0.012	0.009 - 0.015	22	0.008	0.005 - 0.012	43	0.015	0.011 - 0.021
Delaware	-	-		-	-		-	-	
Florida	939	0.018	0.017 - 0.020	452	0.018	0.016 - 0.020	487	0.019	0.017 - 0.021
Georgia	57	0.006	0.004 - 0.008	33	0.007	0.005 - 0.009	24	0.005	0.003 - 0.008
Hawaii	19	0.013	0.008 - 0.021	-	-		-	-	
Idaho	10	0.005	0.002 - 0.009	-	-		-	-	
Illinois	238	0.011	0.010 - 0.012	128	0.011	0.010 - 0.014	110	0.010	0.009 - 0.013
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	16	0.007	0.004 - 0.011	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	50	0.009	0.006 - 0.011	21	0.007	0.004 - 0.011	29	0.010	0.007 - 0.015
Michigan	58	0.012	0.009 - 0.015	26	0.010	0.007 - 0.015	32	0.013	0.009 - 0.019
MI - Detroit	26	0.015	0.010 - 0.022	10	0.012	0.006 - 0.021	16	0.019	0.011 - 0.030
Minnesota	26	0.009	0.006 - 0.013	15	0.010	0.006 - 0.017	11	0.008	0.004 - 0.014
Mississippi	-	-		-	-		-	-	
Missouri	15	0.006	0.003 - 0.010	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	12	0.006	0.003 - 0.010	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	205	0.012	0.010 - 0.013	89	0.010	0.008 - 0.012	117	0.013	0.011 - 0.016
New Mexico	108	0.011	0.009 - 0.013	48	0.010	0.007 - 0.013	60	0.012	0.009 - 0.015
New York	618	0.016	0.015 - 0.018	297	0.016	0.014 - 0.018	321	0.017	0.015 - 0.019
North Carolina	73	0.008	0.006 - 0.010	29	0.006	0.004 - 0.009	44	0.010	0.007 - 0.013
North Dakota	-	-		-	-		-	-	
Ohio	25	0.006	0.004 - 0.009	14	0.006	0.004 - 0.011	11	0.005	0.003 - 0.010
Oklahoma	20	0.005	0.003 - 0.008	10	0.005	0.002 - 0.009	10	0.005	0.003 - 0.010
Oregon	40	0.008	0.006 - 0.011	24	0.009	0.006 - 0.013	16	0.006	0.004 - 0.010
Pennsylvania	85	0.010	0.008 - 0.012	49	0.011	0.008 - 0.014	36	0.008	0.006 - 0.011
Rhode Island	15	0.010	0.005 - 0.016	-	-		-	-	
South Carolina	17	0.006	0.004 - 0.010	-	-		-	-	
Tennessee	19	0.005	0.003 - 0.009	-	-		-	-	
Texas	1,106	0.010	0.010 - 0.011	530	0.010	0.009 - 0.011	576	0.011	0.010 - 0.012
Utah	28	0.007	0.004 - 0.010	15	0.007	0.004 - 0.012	12	0.006	0.003 - 0.011
Vermont	-	-		-	-		-	-	
Virginia	47	0.006	0.005 - 0.008	21	0.005	0.003 - 0.008	26	0.007	0.005 - 0.010
Washington	50	0.006	0.004 - 0.007	26	0.006	0.004 - 0.008	24	0.006	0.004 - 0.008
WA - Seattle	33	0.007	0.005 - 0.010	13	0.005	0.003 - 0.009	19	0.008	0.005 - 0.013
West Virginia	-	-		-	-		-	-	
Wisconsin	31	0.008	0.005 - 0.011	17	0.009	0.005 - 0.014	14	0.008	0.004 - 0.013
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Larynx

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**4,276**	**0.008**	**0.008 - 0.008**	**3,635**	**0.013**	**0.013 - 0.014**	**641**	**0.002**	**0.002 - 0.003**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	82	0.004	0.003 - 0.005	71	0.007	0.005 - 0.008	11	0.001	0.001 - 0.002
Arkansas	-	-		-	-		-	-	
California	893	0.006	0.005 - 0.006	780	0.010	0.009 - 0.011	113	0.001	0.001 - 0.002
CA - Greater California	437	0.005	0.005 - 0.006	381	0.009	0.008 - 0.010	56	0.001	0.001 - 0.002
CA - Greater Bay Area	122	0.006	0.005 - 0.008	110	0.011	0.009 - 0.014	12	0.001	0.001 - 0.002
CA - Los Angeles	333	0.007	0.006 - 0.008	289	0.012	0.010 - 0.013	44	0.002	0.001 - 0.002
Colorado	90	0.008	0.006 - 0.009	78	0.013	0.010 - 0.016	12	0.002	0.001 - 0.004
Connecticut	68	0.012	0.009 - 0.015	56	0.020	0.015 - 0.026	12	0.004	0.002 - 0.008
Delaware	-	-		-	-		-	-	
Florida	856	0.017	0.016 - 0.018	745	0.030	0.027 - 0.032	111	0.004	0.004 - 0.005
Georgia	40	0.004	0.003 - 0.006	-	-		-	-	
Hawaii	11	0.008	0.004 - 0.014	11	0.015	0.008 - 0.027	-	-	
Idaho	-	-		-	-		-	-	
Illinois	136	0.006	0.005 - 0.007	110	0.010	0.008 - 0.012	26	0.002	0.002 - 0.004
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	29	0.012	0.008 - 0.018	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	28	0.005	0.003 - 0.007	-	-		-	-	
Michigan	34	0.007	0.005 - 0.010	-	-		-	-	
MI - Detroit	18	0.010	0.006 - 0.017	-	-		-	-	
Minnesota	13	0.005	0.002 - 0.008	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	10	0.005	0.002 - 0.009	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	177	0.010	0.009 - 0.012	151	0.017	0.014 - 0.020	26	0.003	0.002 - 0.004
New Mexico	80	0.008	0.006 - 0.010	-	-		-	-	
New York	542	0.014	0.013 - 0.016	428	0.023	0.021 - 0.025	114	0.006	0.005 - 0.007
North Carolina	35	0.004	0.003 - 0.005	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	21	0.005	0.003 - 0.008	-	-		-	-	
Oklahoma	12	0.003	0.002 - 0.005	-	-		-	-	
Oregon	19	0.004	0.002 - 0.006	-	-		-	-	
Pennsylvania	82	0.009	0.007 - 0.011	61	0.013	0.010 - 0.017	21	0.005	0.003 - 0.007
Rhode Island	14	0.009	0.005 - 0.015	-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	12	0.003	0.002 - 0.006	-	-		-	-	
Texas	835	0.008	0.007 - 0.008	724	0.013	0.012 - 0.014	111	0.002	0.002 - 0.002
Utah	14	0.003	0.002 - 0.006	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	27	0.004	0.002 - 0.005	-	-		-	-	
Washington	23	0.003	0.002 - 0.004	-	-		-	-	
WA - Seattle	14	0.003	0.002 - 0.005	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	23	0.006	0.004 - 0.009	-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Lung and Bronchus

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**21,234**	**0.039**	**0.038 - 0.039**	**9,880**	**0.036**	**0.035 - 0.037**	**11,355**	**0.042**	**0.041 - 0.043**
Alabama	43	0.021	0.015 - 0.029	15	0.014	0.008 - 0.023	28	0.030	0.020 - 0.043
Alaska	10	0.020	0.009 - 0.036	-	-		-	-	
Arizona	668	0.031	0.029 - 0.034	299	0.028	0.025 - 0.031	369	0.035	0.031 - 0.039
Arkansas	72	0.033	0.026 - 0.042	38	0.033	0.024 - 0.046	34	0.033	0.023 - 0.046
California	4,121	0.027	0.026 - 0.028	1,709	0.022	0.021 - 0.023	2,412	0.032	0.031 - 0.033
CA - Greater California	2,266	0.027	0.026 - 0.028	932	0.022	0.021 - 0.023	1,334	0.032	0.030 - 0.034
CA - Greater Bay Area	632	0.033	0.031 - 0.036	261	0.027	0.024 - 0.030	371	0.040	0.036 - 0.044
CA - Los Angeles	1,221	0.025	0.023 - 0.026	514	0.021	0.019 - 0.023	707	0.029	0.027 - 0.031
Colorado	468	0.040	0.036 - 0.044	197	0.033	0.029 - 0.038	271	0.047	0.042 - 0.053
Connecticut	320	0.057	0.051 - 0.064	142	0.051	0.043 - 0.060	178	0.064	0.055 - 0.074
Delaware	27	0.031	0.021 - 0.046	16	0.036	0.021 - 0.059	11	0.026	0.013 - 0.047
Florida	4,518	0.089	0.086 - 0.091	2,354	0.093	0.090 - 0.097	2,164	0.084	0.080 - 0.087
Georgia	247	0.026	0.023 - 0.029	113	0.022	0.018 - 0.027	133	0.029	0.024 - 0.035
Hawaii	86	0.061	0.049 - 0.075	41	0.057	0.041 - 0.077	44	0.065	0.047 - 0.087
Idaho	44	0.022	0.016 - 0.029	23	0.022	0.014 - 0.033	21	0.021	0.013 - 0.032
Illinois	711	0.033	0.030 - 0.035	342	0.031	0.028 - 0.034	369	0.035	0.031 - 0.039
Iowa	24	0.013	0.008 - 0.020	-	-		-	-	
Kentucky	30	0.020	0.013 - 0.028	12	0.015	0.008 - 0.026	18	0.025	0.015 - 0.040
Louisiana	77	0.033	0.026 - 0.041	38	0.030	0.021 - 0.042	38	0.035	0.025 - 0.048
Maine	11	0.053	0.027 - 0.095	-	-		-	-	
Maryland	139	0.024	0.020 - 0.028	53	0.017	0.013 - 0.023	86	0.031	0.025 - 0.038
Michigan	199	0.041	0.035 - 0.047	99	0.040	0.032 - 0.049	100	0.042	0.034 - 0.051
MI - Detroit	90	0.052	0.042 - 0.064	41	0.047	0.034 - 0.064	49	0.057	0.043 - 0.076
Minnesota	83	0.029	0.023 - 0.036	42	0.028	0.020 - 0.038	41	0.030	0.021 - 0.040
Mississippi	22	0.024	0.015 - 0.036	11	0.022	0.011 - 0.039	11	0.027	0.014 - 0.049
Missouri	84	0.034	0.027 - 0.042	39	0.030	0.022 - 0.042	45	0.038	0.028 - 0.050
Montana	14	0.037	0.020 - 0.063	-	-		-	-	
Nebraska	42	0.021	0.015 - 0.028	17	0.016	0.009 - 0.026	25	0.026	0.017 - 0.038
New Hampshire	20	0.043	0.027 - 0.067	10	0.043	0.021 - 0.079	10	0.044	0.021 - 0.081
New Jersey	899	0.050	0.047 - 0.054	397	0.044	0.040 - 0.049	502	0.057	0.052 - 0.062
New Mexico	454	0.045	0.041 - 0.049	205	0.041	0.036 - 0.047	249	0.049	0.043 - 0.056
New York	2,598	0.069	0.067 - 0.072	1,155	0.062	0.059 - 0.066	1,443	0.076	0.072 - 0.080
North Carolina	226	0.024	0.021 - 0.028	103	0.021	0.017 - 0.026	123	0.028	0.023 - 0.033
North Dakota	-	-		-	-		-	-	
Ohio	122	0.029	0.024 - 0.035	59	0.027	0.021 - 0.035	63	0.031	0.024 - 0.039
Oklahoma	87	0.022	0.017 - 0.027	48	0.023	0.017 - 0.030	39	0.020	0.014 - 0.028
Oregon	151	0.029	0.025 - 0.034	62	0.023	0.018 - 0.030	89	0.036	0.029 - 0.044
Pennsylvania	352	0.040	0.036 - 0.044	163	0.036	0.031 - 0.042	189	0.043	0.037 - 0.050
Rhode Island	61	0.039	0.030 - 0.050	34	0.043	0.030 - 0.061	27	0.035	0.023 - 0.050
South Carolina	68	0.025	0.019 - 0.032	32	0.022	0.015 - 0.031	36	0.029	0.020 - 0.040
Tennessee	62	0.018	0.014 - 0.023	26	0.014	0.009 - 0.021	36	0.022	0.015 - 0.031
Texas	3,460	0.032	0.031 - 0.033	1,704	0.031	0.030 - 0.033	1,756	0.033	0.031 - 0.034
Utah	74	0.018	0.014 - 0.023	30	0.014	0.010 - 0.020	44	0.022	0.016 - 0.029
Vermont	-	-		-	-		-	-	
Virginia	176	0.023	0.020 - 0.027	78	0.020	0.016 - 0.025	98	0.027	0.022 - 0.032
Washington	231	0.026	0.023 - 0.029	100	0.022	0.018 - 0.026	131	0.030	0.025 - 0.036
WA - Seattle	143	0.030	0.025 - 0.035	57	0.023	0.017 - 0.030	86	0.037	0.030 - 0.046
West Virginia	-	-		-	-		-	-	
Wisconsin	111	0.029	0.024 - 0.035	39	0.020	0.014 - 0.027	72	0.039	0.030 - 0.049
Wyoming	11	0.020	0.010 - 0.035	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Melanoma of the Skin

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**10,636**	**0.019**	**0.019 - 0.020**	**4,479**	**0.016**	**0.016 - 0.017**	**6,157**	**0.023**	**0.022 - 0.023**
Alabama	34	0.017	0.012 - 0.023	19	0.018	0.011 - 0.027	15	0.016	0.009 - 0.026
Alaska	-	-		-	-		-	-	
Arizona	336	0.016	0.014 - 0.018	137	0.013	0.011 - 0.015	199	0.019	0.016 - 0.022
Arkansas	25	0.012	0.007 - 0.017	-	-		-	-	
California	3,058	0.020	0.019 - 0.021	1,227	0.016	0.015 - 0.017	1,831	0.024	0.023 - 0.025
CA - Greater California	1,715	0.020	0.019 - 0.021	656	0.015	0.014 - 0.017	1,059	0.025	0.024 - 0.027
CA - Greater Bay Area	535	0.028	0.026 - 0.031	225	0.023	0.020 - 0.027	311	0.033	0.030 - 0.037
CA - Los Angeles	801	0.016	0.015 - 0.017	344	0.014	0.013 - 0.016	456	0.019	0.017 - 0.020
Colorado	268	0.023	0.020 - 0.026	90	0.015	0.012 - 0.019	178	0.031	0.027 - 0.036
Connecticut	135	0.024	0.020 - 0.029	60	0.022	0.017 - 0.028	75	0.027	0.021 - 0.034
Delaware	24	0.028	0.018 - 0.042	12	0.027	0.014 - 0.048	12	0.029	0.015 - 0.050
Florida	1,511	0.030	0.028 - 0.031	735	0.029	0.027 - 0.031	776	0.030	0.028 - 0.032
Georgia	171	0.018	0.015 - 0.021	73	0.014	0.011 - 0.018	97	0.021	0.017 - 0.026
Hawaii	68	0.048	0.038 - 0.061	34	0.047	0.033 - 0.066	34	0.049	0.034 - 0.069
Idaho	57	0.028	0.021 - 0.036	20	0.019	0.012 - 0.029	37	0.037	0.026 - 0.052
Illinois	376	0.017	0.016 - 0.019	152	0.014	0.012 - 0.016	224	0.021	0.018 - 0.024
Iowa	30	0.016	0.011 - 0.023	12	0.013	0.007 - 0.022	18	0.021	0.012 - 0.033
Kentucky	15	0.009	0.005 - 0.016	-	-		-	-	
Louisiana	61	0.026	0.020 - 0.033	30	0.023	0.016 - 0.033	32	0.029	0.020 - 0.041
Maine	-	-		-	-		-	-	
Maryland	95	0.016	0.013 - 0.020	49	0.016	0.012 - 0.021	46	0.016	0.012 - 0.022
Michigan	111	0.023	0.019 - 0.027	50	0.020	0.015 - 0.027	61	0.025	0.019 - 0.033
MI - Detroit	60	0.035	0.026 - 0.045	28	0.032	0.021 - 0.047	32	0.037	0.025 - 0.053
Minnesota	80	0.028	0.022 - 0.035	32	0.021	0.015 - 0.030	48	0.035	0.026 - 0.046
Mississippi	15	0.016	0.009 - 0.027	-	-		-	-	
Missouri	54	0.022	0.016 - 0.028	25	0.019	0.013 - 0.029	29	0.024	0.016 - 0.035
Montana	14	0.038	0.021 - 0.064	-	-		-	-	
Nebraska	31	0.015	0.010 - 0.022	-	-		-	-	
New Hampshire	12	0.026	0.013 - 0.046	-	-		-	-	
New Jersey	404	0.023	0.021 - 0.025	173	0.019	0.017 - 0.023	231	0.026	0.023 - 0.030
New Mexico	269	0.027	0.024 - 0.030	128	0.026	0.021 - 0.030	141	0.028	0.023 - 0.033
New York	698	0.019	0.017 - 0.020	320	0.017	0.015 - 0.019	378	0.020	0.018 - 0.022
North Carolina	139	0.015	0.013 - 0.018	63	0.013	0.010 - 0.017	76	0.017	0.014 - 0.021
North Dakota	-	-		-	-		-	-	
Ohio	70	0.017	0.013 - 0.021	30	0.014	0.009 - 0.020	40	0.020	0.014 - 0.027
Oklahoma	58	0.014	0.011 - 0.019	19	0.009	0.005 - 0.014	39	0.020	0.014 - 0.028
Oregon	124	0.024	0.020 - 0.029	37	0.014	0.010 - 0.019	87	0.035	0.028 - 0.043
Pennsylvania	155	0.017	0.015 - 0.020	68	0.015	0.012 - 0.019	87	0.020	0.016 - 0.025
Rhode Island	14	0.009	0.005 - 0.015	-	-		-	-	
South Carolina	54	0.020	0.015 - 0.026	21	0.014	0.009 - 0.022	33	0.026	0.018 - 0.037
Tennessee	52	0.015	0.011 - 0.020	16	0.009	0.005 - 0.014	36	0.022	0.015 - 0.031
Texas	1,514	0.014	0.013 - 0.015	635	0.012	0.011 - 0.013	879	0.016	0.015 - 0.018
Utah	118	0.028	0.024 - 0.034	37	0.017	0.012 - 0.024	81	0.040	0.032 - 0.050
Vermont	-	-		-	-		-	-	
Virginia	96	0.013	0.010 - 0.015	35	0.009	0.006 - 0.012	61	0.017	0.013 - 0.021
Washington	205	0.023	0.020 - 0.026	57	0.012	0.009 - 0.016	148	0.034	0.029 - 0.040
WA - Seattle	165	0.035	0.029 - 0.040	45	0.018	0.013 - 0.024	120	0.052	0.043 - 0.063
West Virginia	-	-		-	-		-	-	
Wisconsin	58	0.015	0.011 - 0.019	20	0.010	0.006 - 0.015	38	0.021	0.015 - 0.028
Wyoming	12	0.021	0.011 - 0.036	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Breast

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**131,965**	**0.488**	**0.486 - 0.491**
Alabama	-	-		-	-		200	0.212	0.184 - 0.244
Alaska	-	-		-	-		90	0.373	0.300 - 0.459
Arizona	-	-		-	-		4,591	0.435	0.422 - 0.447
Arkansas	-	-		-	-		300	0.291	0.259 - 0.326
California	-	-		-	-		36,514	0.483	0.478 - 0.488
CA - Greater California	-	-		-	-		19,239	0.463	0.456 - 0.469
CA - Greater Bay Area	-	-		-	-		4,935	0.527	0.513 - 0.542
CA - Los Angeles	-	-		-	-		12,272	0.498	0.490 - 0.507
Colorado	-	-		-	-		2,947	0.513	0.495 - 0.532
Connecticut	-	-		-	-		1,749	0.626	0.597 - 0.657
Delaware	-	-		-	-		167	0.400	0.342 - 0.465
Florida	-	-		-	-		17,869	0.691	0.681 - 0.702
Georgia	-	-		-	-		1,588	0.347	0.330 - 0.365
Hawaii	-	-		-	-		420	0.612	0.555 - 0.674
Idaho	-	-		-	-		305	0.308	0.275 - 0.345
Illinois	-	-		-	-		4,664	0.440	0.427 - 0.453
Iowa	-	-		-	-		212	0.245	0.213 - 0.280
Kentucky	-	-		-	-		137	0.194	0.163 - 0.229
Louisiana	-	-		-	-		470	0.432	0.394 - 0.473
Maine	-	-		-	-		32	0.311	0.213 - 0.439
Maryland	-	-		-	-		1,065	0.380	0.358 - 0.404
Michigan	-	-		-	-		869	0.361	0.338 - 0.386
MI - Detroit	-	-		-	-		491	0.576	0.526 - 0.629
Minnesota	-	-		-	-		498	0.360	0.329 - 0.393
Mississippi	-	-		-	-		86	0.214	0.171 - 0.264
Missouri	-	-		-	-		366	0.307	0.276 - 0.340
Montana	-	-		-	-		89	0.488	0.392 - 0.601
Nebraska	-	-		-	-		288	0.300	0.266 - 0.336
New Hampshire	-	-		-	-		102	0.450	0.367 - 0.546
New Jersey	-	-		-	-		5,167	0.582	0.566 - 0.598
New Mexico	-	-		-	-		3,380	0.666	0.644 - 0.689
New York	-	-		-	-		12,643	0.665	0.654 - 0.677
North Carolina	-	-		-	-		1,195	0.270	0.255 - 0.286
North Dakota	-	-		-	-		17	0.137	0.080 - 0.220
Ohio	-	-		-	-		570	0.278	0.256 - 0.302
Oklahoma	-	-		-	-		595	0.311	0.286 - 0.337
Oregon	-	-		-	-		832	0.335	0.312 - 0.358
Pennsylvania	-	-		-	-		1,653	0.380	0.362 - 0.399
Rhode Island	-	-		-	-		307	0.394	0.351 - 0.441
South Carolina	-	-		-	-		407	0.323	0.292 - 0.356
Tennessee	-	-		-	-		366	0.225	0.202 - 0.249
Texas	-	-		-	-		24,974	0.466	0.460 - 0.471
Utah	-	-		-	-		729	0.361	0.335 - 0.388
Vermont	-	-		-	-		16	0.287	0.164 - 0.466
Virginia	-	-		-	-		1,315	0.357	0.338 - 0.377
Washington	-	-		-	-		1,475	0.342	0.325 - 0.360
WA - Seattle	-	-		-	-		1,050	0.457	0.430 - 0.485
West Virginia	-	-		-	-		22	0.169	0.106 - 0.256
Wisconsin	-	-		-	-		570	0.308	0.283 - 0.334
Wyoming	-	-		-	-		112	0.406	0.334 - 0.489

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Cervix Uteri

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**14,753**	**0.055**	**0.054 - 0.055**
Alabama	-	-		-	-		37	0.039	0.028 - 0.054
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		495	0.047	0.043 - 0.051
Arkansas	-	-		-	-		66	0.064	0.050 - 0.081
California	-	-		-	-		3,863	0.051	0.050 - 0.053
CA - Greater California	-	-		-	-		1,976	0.048	0.045 - 0.050
CA - Greater Bay Area	-	-		-	-		466	0.050	0.045 - 0.055
CA - Los Angeles	-	-		-	-		1,416	0.057	0.055 - 0.061
Colorado	-	-		-	-		276	0.048	0.043 - 0.054
Connecticut	-	-		-	-		165	0.059	0.050 - 0.069
Delaware	-	-		-	-		18	0.043	0.026 - 0.068
Florida	-	-		-	-		1,574	0.061	0.058 - 0.064
Georgia	-	-		-	-		212	0.046	0.040 - 0.053
Hawaii	-	-		-	-		26	0.038	0.025 - 0.055
Idaho	-	-		-	-		47	0.048	0.035 - 0.063
Illinois	-	-		-	-		597	0.056	0.052 - 0.061
Iowa	-	-		-	-		40	0.047	0.033 - 0.064
Kentucky	-	-		-	-		24	0.033	0.021 - 0.050
Louisiana	-	-		-	-		51	0.047	0.035 - 0.062
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		138	0.049	0.041 - 0.058
Michigan	-	-		-	-		116	0.048	0.040 - 0.058
MI - Detroit	-	-		-	-		52	0.061	0.046 - 0.080
Minnesota	-	-		-	-		70	0.051	0.039 - 0.064
Mississippi	-	-		-	-		14	0.035	0.019 - 0.058
Missouri	-	-		-	-		47	0.039	0.029 - 0.052
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		38	0.040	0.028 - 0.054
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		562	0.063	0.058 - 0.069
New Mexico	-	-		-	-		247	0.049	0.043 - 0.055
New York	-	-		-	-		1,245	0.065	0.062 - 0.069
North Carolina	-	-		-	-		219	0.049	0.043 - 0.056
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		52	0.025	0.019 - 0.033
Oklahoma	-	-		-	-		105	0.055	0.045 - 0.066
Oregon	-	-		-	-		98	0.039	0.032 - 0.048
Pennsylvania	-	-		-	-		231	0.053	0.046 - 0.060
Rhode Island	-	-		-	-		36	0.046	0.032 - 0.064
South Carolina	-	-		-	-		53	0.042	0.031 - 0.055
Tennessee	-	-		-	-		73	0.045	0.035 - 0.056
Texas	-	-		-	-		3,319	0.062	0.060 - 0.064
Utah	-	-		-	-		91	0.045	0.036 - 0.056
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		198	0.054	0.047 - 0.062
Washington	-	-		-	-		191	0.044	0.038 - 0.051
WA - Seattle	-	-		-	-		106	0.046	0.038 - 0.056
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		81	0.044	0.035 - 0.054
Wyoming	-	-		-	-		11	0.039	0.020 - 0.071

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Corpus and Uterus, NOS

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**-**	**-**		**29,906**	**0.111**	**0.109 - 0.112**
Alabama	-	-		-	-		46	0.049	0.036 - 0.065
Alaska	-	-		-	-		16	0.066	0.038 - 0.108
Arizona	-	-		-	-		1,022	0.097	0.091 - 0.103
Arkansas	-	-		-	-		69	0.067	0.052 - 0.085
California	-	-		-	-		8,225	0.109	0.107 - 0.111
CA - Greater California	-	-		-	-		3,998	0.096	0.093 - 0.099
CA - Greater Bay Area	-	-		-	-		1,040	0.111	0.104 - 0.118
CA - Los Angeles	-	-		-	-		3,180	0.129	0.125 - 0.134
Colorado	-	-		-	-		561	0.098	0.090 - 0.106
Connecticut	-	-		-	-		372	0.133	0.120 - 0.148
Delaware	-	-		-	-		38	0.091	0.064 - 0.125
Florida	-	-		-	-		3,898	0.151	0.146 - 0.156
Georgia	-	-		-	-		289	0.063	0.056 - 0.071
Hawaii	-	-		-	-		60	0.087	0.067 - 0.112
Idaho	-	-		-	-		86	0.087	0.070 - 0.107
Illinois	-	-		-	-		1,259	0.119	0.112 - 0.125
Iowa	-	-		-	-		62	0.072	0.055 - 0.092
Kentucky	-	-		-	-		27	0.038	0.025 - 0.055
Louisiana	-	-		-	-		74	0.068	0.053 - 0.085
Maine	-	-		-	-		11	0.107	0.053 - 0.191
Maryland	-	-		-	-		221	0.079	0.069 - 0.090
Michigan	-	-		-	-		264	0.110	0.097 - 0.124
MI - Detroit	-	-		-	-		142	0.166	0.140 - 0.196
Minnesota	-	-		-	-		137	0.099	0.083 - 0.117
Mississippi	-	-		-	-		17	0.042	0.025 - 0.068
Missouri	-	-		-	-		95	0.080	0.064 - 0.097
Montana	-	-		-	-		14	0.077	0.042 - 0.129
Nebraska	-	-		-	-		71	0.074	0.058 - 0.093
New Hampshire	-	-		-	-		14	0.062	0.034 - 0.104
New Jersey	-	-		-	-		1,166	0.131	0.124 - 0.139
New Mexico	-	-		-	-		701	0.138	0.128 - 0.149
New York	-	-		-	-		2,984	0.157	0.151 - 0.163
North Carolina	-	-		-	-		273	0.062	0.055 - 0.069
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		139	0.068	0.057 - 0.080
Oklahoma	-	-		-	-		122	0.064	0.053 - 0.076
Oregon	-	-		-	-		201	0.081	0.070 - 0.093
Pennsylvania	-	-		-	-		445	0.102	0.093 - 0.112
Rhode Island	-	-		-	-		59	0.076	0.058 - 0.098
South Carolina	-	-		-	-		63	0.050	0.038 - 0.064
Tennessee	-	-		-	-		83	0.051	0.041 - 0.063
Texas	-	-		-	-		5,803	0.108	0.105 - 0.111
Utah	-	-		-	-		164	0.081	0.069 - 0.095
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		243	0.066	0.058 - 0.075
Washington	-	-		-	-		307	0.071	0.063 - 0.080
WA - Seattle	-	-		-	-		180	0.078	0.067 - 0.091
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		163	0.088	0.075 - 0.103
Wyoming	-	-		-	-		23	0.084	0.053 - 0.126

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Ovary

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	-	-		-	-		**10,480**	**0.039**	**0.038 - 0.040**
Alabama	-	-		-	-		21	0.022	0.014 - 0.034
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		371	0.035	0.032 - 0.039
Arkansas	-	-		-	-		22	0.021	0.013 - 0.032
California	-	-		-	-		3,075	0.041	0.039 - 0.042
CA - Greater California	-	-		-	-		1,525	0.037	0.035 - 0.039
CA - Greater Bay Area	-	-		-	-		389	0.042	0.038 - 0.046
CA - Los Angeles	-	-		-	-		1,161	0.047	0.044 - 0.050
Colorado	-	-		-	-		218	0.038	0.033 - 0.043
Connecticut	-	-		-	-		88	0.031	0.025 - 0.039
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		1,365	0.053	0.050 - 0.056
Georgia	-	-		-	-		123	0.027	0.022 - 0.032
Hawaii	-	-		-	-		15	0.022	0.012 - 0.036
Idaho	-	-		-	-		29	0.029	0.020 - 0.042
Illinois	-	-		-	-		403	0.038	0.034 - 0.042
Iowa	-	-		-	-		31	0.035	0.024 - 0.050
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		27	0.025	0.016 - 0.036
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		91	0.033	0.026 - 0.040
Michigan	-	-		-	-		77	0.032	0.025 - 0.040
MI - Detroit	-	-		-	-		33	0.039	0.027 - 0.055
Minnesota	-	-		-	-		39	0.028	0.020 - 0.039
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		28	0.023	0.016 - 0.034
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		24	0.025	0.016 - 0.037
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		348	0.039	0.035 - 0.044
New Mexico	-	-		-	-		227	0.045	0.039 - 0.051
New York	-	-		-	-		907	0.048	0.045 - 0.051
North Carolina	-	-		-	-		106	0.024	0.020 - 0.029
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		51	0.025	0.019 - 0.033
Oklahoma	-	-		-	-		59	0.031	0.023 - 0.040
Oregon	-	-		-	-		68	0.027	0.021 - 0.035
Pennsylvania	-	-		-	-		118	0.027	0.022 - 0.032
Rhode Island	-	-		-	-		12	0.015	0.008 - 0.027
South Carolina	-	-		-	-		38	0.030	0.021 - 0.041
Tennessee	-	-		-	-		34	0.021	0.014 - 0.029
Texas	-	-		-	-		2,057	0.038	0.037 - 0.040
Utah	-	-		-	-		62	0.031	0.024 - 0.040
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		120	0.033	0.027 - 0.039
Washington	-	-		-	-		118	0.027	0.023 - 0.033
WA - Seattle	-	-		-	-		80	0.035	0.027 - 0.043
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		52	0.028	0.021 - 0.037
Wyoming	-	-		-	-		10	0.036	0.017 - 0.067

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Prostate

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**110,502**	**0.400**	**0.398 - 0.403**	**-**	**-**	
Alabama	-	-		175	0.161	0.138 - 0.187	-	-	
Alaska	-	-		53	0.198	0.148 - 0.259	-	-	
Arizona	-	-		2,975	0.278	0.268 - 0.289	-	-	
Arkansas	-	-		236	0.207	0.182 - 0.236	-	-	
California	-	-		29,413	0.384	0.380 - 0.389	-	-	
CA - Greater California	-	-		14,953	0.353	0.347 - 0.359	-	-	
CA - Greater Bay Area	-	-		4,440	0.460	0.446 - 0.473	-	-	
CA - Los Angeles	-	-		10,024	0.409	0.401 - 0.417	-	-	
Colorado	-	-		2,128	0.357	0.342 - 0.373	-	-	
Connecticut	-	-		1,271	0.457	0.432 - 0.483	-	-	
Delaware	-	-		169	0.384	0.328 - 0.446	-	-	
Florida	-	-		18,009	0.715	0.705 - 0.726	-	-	
Georgia	-	-		1,087	0.215	0.202 - 0.228	-	-	
Hawaii	-	-		206	0.283	0.246 - 0.325	-	-	
Idaho	-	-		242	0.229	0.201 - 0.260	-	-	
Illinois	-	-		4,211	0.378	0.367 - 0.390	-	-	
Iowa	-	-		148	0.157	0.132 - 0.184	-	-	
Kentucky	-	-		110	0.131	0.107 - 0.158	-	-	
Louisiana	-	-		507	0.400	0.366 - 0.436	-	-	
Maine	-	-		20	0.192	0.117 - 0.297	-	-	
Maryland	-	-		791	0.261	0.243 - 0.280	-	-	
Michigan	-	-		811	0.327	0.305 - 0.350	-	-	
MI - Detroit	-	-		406	0.470	0.425 - 0.518	-	-	
Minnesota	-	-		329	0.220	0.197 - 0.245	-	-	
Mississippi	-	-		90	0.176	0.142 - 0.216	-	-	
Missouri	-	-		246	0.191	0.168 - 0.217	-	-	
Montana	-	-		63	0.327	0.251 - 0.419	-	-	
Nebraska	-	-		227	0.216	0.189 - 0.246	-	-	
New Hampshire	-	-		88	0.377	0.302 - 0.464	-	-	
New Jersey	-	-		5,307	0.594	0.578 - 0.610	-	-	
New Mexico	-	-		2,839	0.567	0.547 - 0.589	-	-	
New York	-	-		13,501	0.729	0.717 - 0.741	-	-	
North Carolina	-	-		875	0.181	0.169 - 0.193	-	-	
North Dakota	-	-		11	0.076	0.038 - 0.135	-	-	
Ohio	-	-		564	0.261	0.240 - 0.284	-	-	
Oklahoma	-	-		356	0.169	0.152 - 0.188	-	-	
Oregon	-	-		592	0.221	0.204 - 0.240	-	-	
Pennsylvania	-	-		1,650	0.364	0.347 - 0.382	-	-	
Rhode Island	-	-		259	0.331	0.291 - 0.373	-	-	
South Carolina	-	-		293	0.202	0.180 - 0.227	-	-	
Tennessee	-	-		245	0.134	0.118 - 0.152	-	-	
Texas	-	-		17,365	0.320	0.315 - 0.324	-	-	
Utah	-	-		589	0.278	0.256 - 0.301	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		823	0.210	0.196 - 0.224	-	-	
Washington	-	-		1,012	0.219	0.205 - 0.233	-	-	
WA - Seattle	-	-		608	0.244	0.225 - 0.264	-	-	
West Virginia	-	-		27	0.181	0.119 - 0.263	-	-	
Wisconsin	-	-		472	0.237	0.216 - 0.259	-	-	
Wyoming	-	-		108	0.356	0.292 - 0.430	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Testis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**-**	**-**		**11,760**	**0.043**	**0.042 - 0.043**	**-**	**-**	
Alabama	-	-		30	0.028	0.019 - 0.039	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		434	0.041	0.037 - 0.045	-	-	
Arkansas	-	-		34	0.030	0.021 - 0.042	-	-	
California	-	-		3,895	0.051	0.049 - 0.053	-	-	
CA - Greater California	-	-		2,071	0.049	0.047 - 0.051	-	-	
CA - Greater Bay Area	-	-		525	0.054	0.050 - 0.059	-	-	
CA - Los Angeles	-	-		1,311	0.053	0.051 - 0.056	-	-	
Colorado	-	-		249	0.042	0.037 - 0.047	-	-	
Connecticut	-	-		102	0.037	0.030 - 0.045	-	-	
Delaware	-	-		20	0.045	0.028 - 0.070	-	-	
Florida	-	-		845	0.034	0.031 - 0.036	-	-	
Georgia	-	-		184	0.036	0.031 - 0.042	-	-	
Hawaii	-	-		26	0.036	0.023 - 0.052	-	-	
Idaho	-	-		45	0.043	0.031 - 0.057	-	-	
Illinois	-	-		546	0.049	0.045 - 0.053	-	-	
Iowa	-	-		32	0.034	0.023 - 0.048	-	-	
Kentucky	-	-		25	0.030	0.019 - 0.044	-	-	
Louisiana	-	-		36	0.028	0.020 - 0.039	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		84	0.028	0.022 - 0.034	-	-	
Michigan	-	-		86	0.035	0.028 - 0.043	-	-	
MI - Detroit	-	-		35	0.041	0.028 - 0.056	-	-	
Minnesota	-	-		57	0.038	0.029 - 0.049	-	-	
Mississippi	-	-		21	0.041	0.025 - 0.063	-	-	
Missouri	-	-		51	0.040	0.030 - 0.052	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		44	0.042	0.030 - 0.056	-	-	
New Hampshire	-	-		17	0.073	0.042 - 0.116	-	-	
New Jersey	-	-		366	0.041	0.037 - 0.045	-	-	
New Mexico	-	-		265	0.053	0.047 - 0.060	-	-	
New York	-	-		707	0.038	0.035 - 0.041	-	-	
North Carolina	-	-		159	0.033	0.028 - 0.038	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		53	0.025	0.018 - 0.032	-	-	
Oklahoma	-	-		80	0.038	0.030 - 0.047	-	-	
Oregon	-	-		83	0.031	0.025 - 0.038	-	-	
Pennsylvania	-	-		147	0.032	0.027 - 0.038	-	-	
Rhode Island	-	-		17	0.022	0.013 - 0.035	-	-	
South Carolina	-	-		48	0.033	0.024 - 0.044	-	-	
Tennessee	-	-		53	0.029	0.022 - 0.038	-	-	
Texas	-	-		2,394	0.044	0.042 - 0.046	-	-	
Utah	-	-		102	0.048	0.039 - 0.058	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		120	0.031	0.025 - 0.037	-	-	
Washington	-	-		193	0.042	0.036 - 0.048	-	-	
WA - Seattle	-	-		125	0.050	0.042 - 0.060	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		80	0.040	0.032 - 0.050	-	-	
Wyoming	-	-		14	0.046	0.025 - 0.077	-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Urinary Bladder

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**17,999**	**0.033**	**0.032 - 0.033**	**13,534**	**0.049**	**0.048 - 0.050**	**4,465**	**0.017**	**0.016 - 0.017**
Alabama	25	0.012	0.008 - 0.018	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	568	0.027	0.025 - 0.029	429	0.040	0.036 - 0.044	139	0.013	0.011 - 0.016
Arkansas	31	0.014	0.010 - 0.020	-	-		-	-	
California	4,402	0.029	0.028 - 0.030	3,332	0.044	0.042 - 0.045	1,070	0.014	0.013 - 0.015
CA - Greater California	2,310	0.028	0.026 - 0.029	1,755	0.041	0.040 - 0.043	555	0.013	0.012 - 0.015
CA - Greater Bay Area	710	0.037	0.035 - 0.040	531	0.055	0.050 - 0.060	179	0.019	0.016 - 0.022
CA - Los Angeles	1,378	0.028	0.027 - 0.030	1,046	0.043	0.040 - 0.045	331	0.013	0.012 - 0.015
Colorado	357	0.031	0.027 - 0.034	277	0.046	0.041 - 0.052	80	0.014	0.011 - 0.017
Connecticut	273	0.049	0.043 - 0.055	206	0.074	0.064 - 0.085	68	0.024	0.019 - 0.031
Delaware	31	0.036	0.025 - 0.051	-	-		-	-	
Florida	3,444	0.067	0.065 - 0.070	2,625	0.104	0.100 - 0.108	819	0.032	0.030 - 0.034
Georgia	171	0.018	0.015 - 0.021	131	0.026	0.022 - 0.031	40	0.009	0.006 - 0.012
Hawaii	66	0.047	0.036 - 0.059	46	0.063	0.046 - 0.084	20	0.029	0.018 - 0.045
Idaho	42	0.021	0.015 - 0.028	32	0.030	0.021 - 0.043	10	0.010	0.005 - 0.019
Illinois	601	0.028	0.025 - 0.030	429	0.039	0.035 - 0.042	172	0.016	0.014 - 0.019
Iowa	31	0.017	0.012 - 0.024	-	-		-	-	
Kentucky	23	0.015	0.009 - 0.022	-	-		-	-	
Louisiana	84	0.036	0.028 - 0.044	60	0.048	0.036 - 0.061	24	0.022	0.014 - 0.032
Maine	-	-		-	-		-	-	
Maryland	129	0.022	0.018 - 0.026	93	0.031	0.025 - 0.038	36	0.013	0.009 - 0.018
Michigan	165	0.034	0.029 - 0.039	130	0.052	0.044 - 0.062	35	0.015	0.010 - 0.020
MI - Detroit	86	0.050	0.040 - 0.062	68	0.078	0.061 - 0.099	18	0.021	0.013 - 0.033
Minnesota	83	0.029	0.023 - 0.036	60	0.040	0.031 - 0.052	23	0.017	0.011 - 0.025
Mississippi	16	0.018	0.010 - 0.028	-	-		-	-	
Missouri	57	0.023	0.017 - 0.030	41	0.032	0.023 - 0.043	16	0.013	0.008 - 0.022
Montana	13	0.036	0.019 - 0.061	-	-		-	-	
Nebraska	45	0.022	0.016 - 0.030	-	-		-	-	
New Hampshire	17	0.037	0.022 - 0.059	-	-		-	-	
New Jersey	852	0.048	0.045 - 0.051	621	0.069	0.064 - 0.075	231	0.026	0.023 - 0.030
New Mexico	422	0.042	0.038 - 0.046	310	0.062	0.055 - 0.069	113	0.022	0.018 - 0.027
New York	1,896	0.051	0.048 - 0.053	1,349	0.073	0.069 - 0.077	547	0.029	0.026 - 0.031
North Carolina	158	0.017	0.015 - 0.020	115	0.024	0.020 - 0.029	43	0.010	0.007 - 0.013
North Dakota	-	-		-	-		-	-	
Ohio	111	0.026	0.022 - 0.032	88	0.041	0.033 - 0.050	23	0.011	0.007 - 0.017
Oklahoma	79	0.020	0.016 - 0.025	57	0.027	0.021 - 0.035	22	0.011	0.007 - 0.017
Oregon	126	0.024	0.020 - 0.029	97	0.036	0.029 - 0.044	29	0.012	0.008 - 0.017
Pennsylvania	281	0.032	0.028 - 0.036	206	0.045	0.039 - 0.052	75	0.017	0.014 - 0.022
Rhode Island	34	0.022	0.015 - 0.030	21	0.027	0.017 - 0.041	13	0.017	0.009 - 0.029
South Carolina	42	0.015	0.011 - 0.021	-	-		-	-	
Tennessee	45	0.013	0.009 - 0.017	-	-		-	-	
Texas	2,751	0.025	0.025 - 0.026	2,131	0.039	0.038 - 0.041	620	0.012	0.011 - 0.013
Utah	72	0.017	0.014 - 0.022	58	0.027	0.021 - 0.035	14	0.007	0.004 - 0.012
Vermont	-	-		-	-		-	-	
Virginia	135	0.018	0.015 - 0.021	100	0.025	0.021 - 0.031	35	0.010	0.007 - 0.013
Washington	197	0.022	0.019 - 0.025	148	0.032	0.027 - 0.038	49	0.011	0.008 - 0.015
WA - Seattle	152	0.032	0.027 - 0.037	113	0.045	0.037 - 0.054	39	0.017	0.012 - 0.023
West Virginia	-	-		-	-		-	-	
Wisconsin	77	0.020	0.016 - 0.025	62	0.031	0.024 - 0.040	15	0.008	0.005 - 0.013
Wyoming	22	0.038	0.024 - 0.058	12	0.040	0.020 - 0.069	10	0.036	0.017 - 0.067

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Kidney and Renal Pelvis

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**35,112**	**0.064**	**0.064 - 0.065**	**20,344**	**0.074**	**0.073 - 0.075**	**14,768**	**0.055**	**0.054 - 0.056**
Alabama	49	0.024	0.018 - 0.032	32	0.029	0.020 - 0.042	17	0.018	0.011 - 0.029
Alaska	24	0.047	0.030 - 0.070	14	0.052	0.029 - 0.088	10	0.041	0.020 - 0.076
Arizona	1,554	0.073	0.070 - 0.077	854	0.080	0.075 - 0.085	700	0.066	0.061 - 0.071
Arkansas	72	0.033	0.026 - 0.042	48	0.042	0.031 - 0.056	24	0.023	0.015 - 0.035
California	9,596	0.063	0.062 - 0.064	5,550	0.073	0.071 - 0.074	4,046	0.054	0.052 - 0.055
CA - Greater California	5,258	0.063	0.061 - 0.064	3,076	0.073	0.070 - 0.075	2,182	0.052	0.050 - 0.055
CA - Greater Bay Area	1,258	0.066	0.063 - 0.070	712	0.074	0.068 - 0.079	546	0.058	0.054 - 0.063
CA - Los Angeles	3,084	0.063	0.061 - 0.065	1,762	0.072	0.069 - 0.075	1,322	0.054	0.051 - 0.057
Colorado	875	0.075	0.070 - 0.080	487	0.082	0.075 - 0.089	388	0.068	0.061 - 0.075
Connecticut	344	0.062	0.055 - 0.069	193	0.069	0.060 - 0.080	151	0.054	0.046 - 0.063
Delaware	38	0.044	0.031 - 0.061	21	0.048	0.030 - 0.073	17	0.041	0.024 - 0.065
Florida	3,648	0.071	0.069 - 0.074	2,210	0.088	0.084 - 0.091	1,438	0.056	0.053 - 0.059
Georgia	308	0.032	0.029 - 0.036	182	0.036	0.031 - 0.042	127	0.028	0.023 - 0.033
Hawaii	81	0.057	0.045 - 0.071	60	0.082	0.063 - 0.106	21	0.031	0.019 - 0.047
Idaho	106	0.052	0.042 - 0.063	60	0.057	0.043 - 0.073	46	0.046	0.034 - 0.062
Illinois	1,416	0.065	0.062 - 0.069	841	0.076	0.071 - 0.081	575	0.054	0.050 - 0.059
Iowa	55	0.031	0.023 - 0.040	26	0.028	0.018 - 0.040	29	0.034	0.023 - 0.049
Kentucky	40	0.026	0.018 - 0.035	28	0.034	0.022 - 0.048	12	0.016	0.008 - 0.029
Louisiana	134	0.057	0.048 - 0.067	77	0.061	0.048 - 0.076	57	0.053	0.040 - 0.068
Maine	11	0.053	0.027 - 0.095	-	-		-	-	
Maryland	187	0.032	0.028 - 0.037	91	0.030	0.024 - 0.037	96	0.034	0.028 - 0.042
Michigan	306	0.063	0.056 - 0.070	186	0.075	0.065 - 0.087	120	0.050	0.041 - 0.060
MI - Detroit	158	0.092	0.078 - 0.108	86	0.099	0.079 - 0.123	72	0.085	0.066 - 0.107
Minnesota	149	0.052	0.044 - 0.061	74	0.050	0.039 - 0.062	75	0.054	0.043 - 0.068
Mississippi	34	0.037	0.026 - 0.052	20	0.039	0.024 - 0.060	14	0.035	0.019 - 0.058
Missouri	115	0.046	0.038 - 0.056	67	0.052	0.040 - 0.066	48	0.040	0.030 - 0.053
Montana	21	0.056	0.035 - 0.086	-	-		-	-	
Nebraska	94	0.047	0.038 - 0.057	69	0.066	0.051 - 0.083	25	0.026	0.017 - 0.038
New Hampshire	20	0.043	0.027 - 0.067	-	-		-	-	
New Jersey	1,138	0.064	0.060 - 0.068	663	0.074	0.069 - 0.080	475	0.053	0.049 - 0.059
New Mexico	841	0.083	0.078 - 0.089	489	0.098	0.089 - 0.107	352	0.069	0.062 - 0.077
New York	2,601	0.069	0.067 - 0.072	1,544	0.083	0.079 - 0.088	1,057	0.056	0.052 - 0.059
North Carolina	329	0.036	0.032 - 0.040	201	0.042	0.036 - 0.048	128	0.029	0.024 - 0.034
North Dakota	-	-		-	-		-	-	
Ohio	163	0.039	0.033 - 0.045	100	0.046	0.038 - 0.056	63	0.031	0.024 - 0.039
Oklahoma	166	0.041	0.035 - 0.048	107	0.051	0.042 - 0.061	59	0.031	0.023 - 0.040
Oregon	239	0.046	0.041 - 0.053	142	0.053	0.045 - 0.063	97	0.039	0.032 - 0.048
Pennsylvania	456	0.051	0.047 - 0.056	273	0.060	0.053 - 0.068	183	0.042	0.036 - 0.049
Rhode Island	63	0.040	0.031 - 0.052	33	0.042	0.029 - 0.059	30	0.039	0.026 - 0.055
South Carolina	87	0.032	0.026 - 0.040	54	0.037	0.028 - 0.049	33	0.026	0.018 - 0.037
Tennessee	107	0.031	0.025 - 0.037	67	0.037	0.028 - 0.047	40	0.025	0.018 - 0.033
Texas	8,602	0.080	0.078 - 0.081	4,846	0.089	0.087 - 0.092	3,756	0.070	0.068 - 0.072
Utah	182	0.044	0.038 - 0.051	102	0.048	0.039 - 0.058	80	0.040	0.032 - 0.049
Vermont	-	-		-	-		-	-	
Virginia	256	0.034	0.030 - 0.038	149	0.038	0.032 - 0.045	107	0.029	0.024 - 0.035
Washington	369	0.041	0.037 - 0.046	205	0.044	0.038 - 0.051	164	0.038	0.032 - 0.044
WA - Seattle	229	0.048	0.042 - 0.055	134	0.054	0.045 - 0.064	96	0.042	0.034 - 0.051
West Virginia	-	-		-	-		-	-	
Wisconsin	171	0.044	0.038 - 0.052	107	0.054	0.044 - 0.065	64	0.035	0.027 - 0.044
Wyoming	46	0.079	0.058 - 0.106	27	0.089	0.059 - 0.130	19	0.068	0.041 - 0.107

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Brain and Other Nervous System

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**9,615**	**0.018**	**0.017 - 0.018**	**5,153**	**0.019**	**0.018 - 0.019**	**4,462**	**0.017**	**0.016 - 0.017**
Alabama	28	0.014	0.009 - 0.020	14	0.013	0.007 - 0.022	14	0.015	0.008 - 0.025
Alaska	-	-		-	-		-	-	
Arizona	352	0.017	0.015 - 0.018	188	0.018	0.015 - 0.020	164	0.016	0.013 - 0.018
Arkansas	25	0.012	0.007 - 0.017	13	0.011	0.006 - 0.020	12	0.012	0.006 - 0.020
California	2,378	0.016	0.015 - 0.016	1,241	0.016	0.015 - 0.017	1,137	0.015	0.014 - 0.016
CA - Greater California	1,302	0.016	0.015 - 0.016	679	0.016	0.015 - 0.017	623	0.015	0.014 - 0.016
CA - Greater Bay Area	306	0.016	0.014 - 0.018	147	0.015	0.013 - 0.018	159	0.017	0.014 - 0.020
CA - Los Angeles	767	0.016	0.015 - 0.017	415	0.017	0.015 - 0.019	352	0.014	0.013 - 0.016
Colorado	216	0.018	0.016 - 0.021	116	0.019	0.016 - 0.023	100	0.017	0.014 - 0.021
Connecticut	104	0.019	0.015 - 0.023	53	0.019	0.014 - 0.025	50	0.018	0.013 - 0.024
Delaware	15	0.017	0.010 - 0.029	-	-		-	-	
Florida	1,162	0.023	0.021 - 0.024	633	0.025	0.023 - 0.027	529	0.020	0.019 - 0.022
Georgia	144	0.015	0.013 - 0.018	89	0.018	0.014 - 0.022	55	0.012	0.009 - 0.016
Hawaii	28	0.020	0.013 - 0.029	14	0.019	0.011 - 0.032	14	0.020	0.011 - 0.034
Idaho	26	0.013	0.008 - 0.019	-	-		-	-	
Illinois	414	0.019	0.017 - 0.021	220	0.020	0.017 - 0.023	194	0.018	0.016 - 0.021
Iowa	20	0.011	0.007 - 0.017	-	-		-	-	
Kentucky	22	0.014	0.009 - 0.021	-	-		-	-	
Louisiana	41	0.017	0.012 - 0.024	26	0.020	0.013 - 0.030	15	0.014	0.008 - 0.023
Maine	-	-		-	-		-	-	
Maryland	105	0.018	0.015 - 0.022	51	0.017	0.013 - 0.022	54	0.019	0.014 - 0.025
Michigan	75	0.015	0.012 - 0.019	47	0.019	0.014 - 0.025	28	0.012	0.008 - 0.017
MI - Detroit	32	0.018	0.013 - 0.026	19	0.022	0.013 - 0.034	13	0.015	0.008 - 0.025
Minnesota	49	0.017	0.013 - 0.023	28	0.019	0.012 - 0.027	21	0.015	0.009 - 0.023
Mississippi	16	0.018	0.010 - 0.028	-	-		-	-	
Missouri	43	0.017	0.013 - 0.023	21	0.016	0.010 - 0.025	22	0.018	0.012 - 0.028
Montana	-	-		-	-		-	-	
Nebraska	32	0.016	0.011 - 0.022	-	-		-	-	
New Hampshire	12	0.026	0.013 - 0.046	-	-		-	-	
New Jersey	387	0.022	0.020 - 0.024	210	0.024	0.020 - 0.027	177	0.020	0.017 - 0.023
New Mexico	151	0.015	0.013 - 0.018	81	0.016	0.013 - 0.020	71	0.014	0.011 - 0.018
New York	799	0.021	0.020 - 0.023	449	0.024	0.022 - 0.027	350	0.018	0.017 - 0.020
North Carolina	144	0.016	0.013 - 0.018	85	0.018	0.014 - 0.022	59	0.013	0.010 - 0.017
North Dakota	-	-		-	-		-	-	
Ohio	48	0.011	0.008 - 0.015	21	0.010	0.006 - 0.015	27	0.013	0.009 - 0.019
Oklahoma	64	0.016	0.012 - 0.020	35	0.017	0.012 - 0.023	29	0.015	0.010 - 0.022
Oregon	77	0.015	0.012 - 0.019	38	0.014	0.010 - 0.020	39	0.016	0.011 - 0.021
Pennsylvania	147	0.017	0.014 - 0.019	83	0.018	0.015 - 0.023	64	0.015	0.011 - 0.019
Rhode Island	23	0.015	0.009 - 0.022	10	0.013	0.006 - 0.023	13	0.017	0.009 - 0.029
South Carolina	35	0.013	0.009 - 0.018	18	0.012	0.007 - 0.020	17	0.013	0.008 - 0.022
Tennessee	52	0.015	0.011 - 0.020	31	0.017	0.012 - 0.024	21	0.013	0.008 - 0.020
Texas	1,927	0.018	0.017 - 0.019	1,008	0.019	0.017 - 0.020	919	0.017	0.016 - 0.018
Utah	69	0.017	0.013 - 0.021	37	0.017	0.012 - 0.024	32	0.016	0.011 - 0.022
Vermont	-	-		-	-		-	-	
Virginia	113	0.015	0.012 - 0.018	61	0.016	0.012 - 0.020	52	0.014	0.011 - 0.019
Washington	174	0.019	0.017 - 0.023	94	0.020	0.016 - 0.025	80	0.019	0.015 - 0.023
WA - Seattle	107	0.022	0.018 - 0.027	55	0.022	0.017 - 0.029	52	0.023	0.017 - 0.030
West Virginia	-	-		-	-		-	-	
Wisconsin	70	0.018	0.014 - 0.023	39	0.020	0.014 - 0.027	31	0.017	0.011 - 0.024
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Thyroid

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**45,199**	**0.083**	**0.082 - 0.084**	**7,979**	**0.029**	**0.028 - 0.030**	**37,221**	**0.138**	**0.136 - 0.139**
Alabama	81	0.040	0.032 - 0.050	17	0.016	0.009 - 0.025	64	0.068	0.052 - 0.087
Alaska	33	0.065	0.045 - 0.091	-	-		-	-	
Arizona	1,852	0.087	0.083 - 0.091	303	0.028	0.025 - 0.032	1,549	0.147	0.139 - 0.154
Arkansas	109	0.050	0.041 - 0.061	14	0.012	0.007 - 0.021	95	0.092	0.075 - 0.113
California	11,262	0.074	0.073 - 0.075	1,949	0.025	0.024 - 0.027	9,313	0.123	0.121 - 0.126
CA - Greater California	6,016	0.072	0.070 - 0.074	1,040	0.025	0.023 - 0.026	4,975	0.120	0.116 - 0.123
CA - Greater Bay Area	1,348	0.071	0.067 - 0.075	262	0.027	0.024 - 0.031	1,085	0.116	0.109 - 0.123
CA - Los Angeles	3,901	0.079	0.077 - 0.082	644	0.026	0.024 - 0.028	3,257	0.132	0.128 - 0.137
Colorado	1,059	0.091	0.085 - 0.096	215	0.036	0.031 - 0.041	844	0.147	0.137 - 0.157
Connecticut	717	0.129	0.119 - 0.138	133	0.048	0.040 - 0.056	585	0.209	0.193 - 0.227
Delaware	70	0.082	0.064 - 0.103	-	-		-	-	
Florida	5,878	0.115	0.112 - 0.118	1,097	0.044	0.041 - 0.046	4,781	0.185	0.180 - 0.190
Georgia	569	0.059	0.054 - 0.064	81	0.016	0.013 - 0.020	487	0.107	0.097 - 0.117
Hawaii	81	0.057	0.045 - 0.071	13	0.018	0.010 - 0.031	68	0.099	0.077 - 0.125
Idaho	144	0.070	0.059 - 0.083	26	0.025	0.016 - 0.036	118	0.119	0.099 - 0.143
Illinois	1,820	0.084	0.080 - 0.088	315	0.028	0.025 - 0.032	1,505	0.142	0.135 - 0.149
Iowa	95	0.052	0.042 - 0.064	13	0.014	0.007 - 0.024	82	0.094	0.075 - 0.117
Kentucky	58	0.037	0.028 - 0.048	11	0.013	0.007 - 0.023	47	0.066	0.049 - 0.088
Louisiana	138	0.058	0.049 - 0.069	37	0.029	0.020 - 0.040	101	0.093	0.075 - 0.113
Maine	-	-		-	-		-	-	
Maryland	426	0.073	0.066 - 0.080	75	0.025	0.019 - 0.031	351	0.125	0.113 - 0.139
Michigan	271	0.055	0.049 - 0.062	48	0.019	0.014 - 0.026	223	0.093	0.081 - 0.106
MI - Detroit	153	0.089	0.075 - 0.104	18	0.021	0.012 - 0.033	135	0.158	0.133 - 0.187
Minnesota	210	0.073	0.063 - 0.084	40	0.027	0.019 - 0.036	170	0.123	0.105 - 0.143
Mississippi	34	0.037	0.026 - 0.052	10	0.020	0.009 - 0.036	24	0.060	0.038 - 0.089
Missouri	143	0.058	0.049 - 0.068	24	0.019	0.012 - 0.028	119	0.100	0.083 - 0.119
Montana	27	0.072	0.048 - 0.105	-	-		-	-	
Nebraska	124	0.062	0.051 - 0.073	24	0.023	0.015 - 0.034	100	0.104	0.085 - 0.127
New Hampshire	46	0.100	0.073 - 0.133	-	-		-	-	
New Jersey	2,053	0.115	0.110 - 0.120	353	0.040	0.036 - 0.044	1,700	0.191	0.182 - 0.201
New Mexico	1,157	0.115	0.108 - 0.122	239	0.048	0.042 - 0.054	918	0.181	0.170 - 0.193
New York	4,558	0.121	0.118 - 0.125	727	0.039	0.036 - 0.042	3,831	0.202	0.195 - 0.208
North Carolina	542	0.059	0.054 - 0.064	106	0.022	0.018 - 0.027	436	0.098	0.089 - 0.108
North Dakota	-	-		-	-		-	-	
Ohio	201	0.048	0.041 - 0.055	40	0.019	0.013 - 0.025	161	0.079	0.067 - 0.092
Oklahoma	170	0.042	0.036 - 0.049	27	0.013	0.008 - 0.019	143	0.075	0.063 - 0.088
Oregon	352	0.068	0.061 - 0.076	70	0.026	0.020 - 0.033	282	0.113	0.101 - 0.127
Pennsylvania	747	0.084	0.078 - 0.090	129	0.028	0.024 - 0.034	618	0.142	0.131 - 0.154
Rhode Island	133	0.085	0.071 - 0.101	32	0.041	0.028 - 0.058	101	0.130	0.106 - 0.158
South Carolina	117	0.043	0.036 - 0.052	30	0.021	0.014 - 0.030	87	0.069	0.055 - 0.085
Tennessee	131	0.038	0.032 - 0.045	24	0.013	0.008 - 0.020	107	0.066	0.054 - 0.079
Texas	7,903	0.073	0.072 - 0.075	1,429	0.026	0.025 - 0.028	6,474	0.121	0.118 - 0.124
Utah	405	0.098	0.089 - 0.108	63	0.030	0.023 - 0.038	343	0.170	0.152 - 0.189
Vermont	-	-		-	-		-	-	
Virginia	632	0.083	0.077 - 0.090	91	0.023	0.019 - 0.028	541	0.147	0.135 - 0.160
Washington	567	0.063	0.058 - 0.069	95	0.021	0.017 - 0.025	472	0.109	0.100 - 0.120
WA - Seattle	371	0.077	0.070 - 0.086	61	0.024	0.019 - 0.031	310	0.135	0.120 - 0.151
West Virginia	-	-		-	-		-	-	
Wisconsin	228	0.059	0.052 - 0.067	37	0.019	0.013 - 0.026	191	0.103	0.089 - 0.119
Wyoming	29	0.050	0.034 - 0.072	-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**8,455**	**0.015**	**0.015 - 0.016**	**4,655**	**0.017**	**0.016 - 0.017**	**3,800**	**0.014**	**0.014 - 0.015**
Alabama	23	0.011	0.007 - 0.017	12	0.011	0.006 - 0.019	11	0.012	0.006 - 0.021
Alaska	-	-		-	-		-	-	
Arizona	287	0.014	0.012 - 0.015	152	0.014	0.012 - 0.017	135	0.013	0.011 - 0.015
Arkansas	22	0.010	0.006 - 0.015	11	0.010	0.005 - 0.017	11	0.011	0.005 - 0.019
California	2,130	0.014	0.013 - 0.015	1,174	0.015	0.014 - 0.016	956	0.013	0.012 - 0.013
CA - Greater California	1,107	0.013	0.012 - 0.014	603	0.014	0.013 - 0.015	504	0.012	0.011 - 0.013
CA - Greater Bay Area	311	0.016	0.015 - 0.018	166	0.017	0.015 - 0.020	144	0.015	0.013 - 0.018
CA - Los Angeles	714	0.015	0.013 - 0.016	407	0.017	0.015 - 0.018	307	0.012	0.011 - 0.014
Colorado	167	0.014	0.012 - 0.017	98	0.016	0.013 - 0.020	69	0.012	0.009 - 0.015
Connecticut	139	0.025	0.021 - 0.029	80	0.029	0.023 - 0.036	59	0.021	0.016 - 0.027
Delaware	17	0.020	0.012 - 0.032	-	-		-	-	
Florida	1,112	0.022	0.021 - 0.023	625	0.025	0.023 - 0.027	487	0.019	0.017 - 0.021
Georgia	130	0.014	0.011 - 0.016	67	0.013	0.010 - 0.017	63	0.014	0.011 - 0.018
Hawaii	19	0.013	0.008 - 0.021	-	-		-	-	
Idaho	30	0.015	0.010 - 0.021	16	0.015	0.009 - 0.025	14	0.014	0.008 - 0.024
Illinois	356	0.016	0.015 - 0.018	206	0.019	0.016 - 0.021	150	0.014	0.012 - 0.017
Iowa	26	0.014	0.009 - 0.021	15	0.016	0.009 - 0.026	11	0.013	0.006 - 0.023
Kentucky	15	0.010	0.005 - 0.016	-	-		-	-	
Louisiana	19	0.008	0.005 - 0.013	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	68	0.012	0.009 - 0.015	46	0.015	0.011 - 0.020	22	0.008	0.005 - 0.012
Michigan	59	0.012	0.009 - 0.016	34	0.014	0.009 - 0.019	25	0.010	0.007 - 0.015
MI - Detroit	28	0.016	0.011 - 0.024	12	0.014	0.007 - 0.024	16	0.019	0.011 - 0.030
Minnesota	40	0.014	0.010 - 0.019	26	0.017	0.011 - 0.026	14	0.010	0.006 - 0.017
Mississippi	-	-		-	-		-	-	
Missouri	20	0.008	0.005 - 0.012	10	0.008	0.004 - 0.014	10	0.008	0.004 - 0.015
Montana	-	-		-	-		-	-	
Nebraska	32	0.016	0.011 - 0.022	20	0.019	0.012 - 0.029	12	0.012	0.006 - 0.022
New Hampshire	12	0.026	0.013 - 0.046	-	-		-	-	
New Jersey	358	0.020	0.018 - 0.022	181	0.020	0.017 - 0.023	177	0.020	0.017 - 0.023
New Mexico	159	0.016	0.013 - 0.018	73	0.015	0.011 - 0.018	86	0.017	0.013 - 0.021
New York	853	0.023	0.021 - 0.024	471	0.025	0.023 - 0.028	382	0.020	0.018 - 0.022
North Carolina	85	0.009	0.007 - 0.011	54	0.011	0.008 - 0.015	31	0.007	0.005 - 0.010
North Dakota	-	-		-	-		-	-	
Ohio	42	0.010	0.007 - 0.013	23	0.011	0.007 - 0.016	19	0.009	0.006 - 0.014
Oklahoma	45	0.011	0.008 - 0.015	21	0.010	0.006 - 0.015	24	0.013	0.008 - 0.019
Oregon	56	0.011	0.008 - 0.014	26	0.010	0.006 - 0.014	30	0.012	0.008 - 0.017
Pennsylvania	155	0.017	0.015 - 0.020	84	0.019	0.015 - 0.023	71	0.016	0.013 - 0.021
Rhode Island	21	0.013	0.008 - 0.021	-	-		-	-	
South Carolina	34	0.013	0.009 - 0.018	22	0.015	0.010 - 0.023	12	0.010	0.005 - 0.017
Tennessee	51	0.015	0.011 - 0.019	26	0.014	0.009 - 0.021	25	0.015	0.010 - 0.023
Texas	1,514	0.014	0.013 - 0.015	832	0.015	0.014 - 0.016	682	0.013	0.012 - 0.014
Utah	73	0.018	0.014 - 0.022	38	0.018	0.013 - 0.025	35	0.017	0.012 - 0.024
Vermont	-	-		-	-		-	-	
Virginia	90	0.012	0.010 - 0.015	48	0.012	0.009 - 0.016	42	0.011	0.008 - 0.015
Washington	124	0.014	0.012 - 0.017	66	0.014	0.011 - 0.018	58	0.013	0.010 - 0.017
WA - Seattle	82	0.017	0.014 - 0.021	44	0.018	0.013 - 0.024	38	0.017	0.012 - 0.023
West Virginia	-	-		-	-		-	-	
Wisconsin	43	0.011	0.008 - 0.015	23	0.012	0.007 - 0.017	20	0.011	0.007 - 0.017
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Non-Hodgkin Lymphoma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**34,158**	**0.063**	**0.062 - 0.063**	**17,471**	**0.063**	**0.062 - 0.064**	**16,687**	**0.062**	**0.061 - 0.063**
Alabama	56	0.028	0.021 - 0.036	32	0.029	0.020 - 0.042	24	0.025	0.016 - 0.038
Alaska	30	0.059	0.040 - 0.084	19	0.071	0.043 - 0.111	11	0.046	0.023 - 0.082
Arizona	986	0.046	0.044 - 0.049	470	0.044	0.040 - 0.048	516	0.049	0.045 - 0.053
Arkansas	62	0.029	0.022 - 0.037	32	0.028	0.019 - 0.040	30	0.029	0.020 - 0.042
California	9,101	0.060	0.059 - 0.061	4,632	0.061	0.059 - 0.062	4,469	0.059	0.057 - 0.061
CA - Greater California	4,684	0.056	0.054 - 0.057	2,389	0.056	0.054 - 0.059	2,295	0.055	0.053 - 0.058
CA - Greater Bay Area	1,330	0.070	0.066 - 0.074	712	0.074	0.068 - 0.079	618	0.066	0.061 - 0.071
CA - Los Angeles	3,090	0.063	0.061 - 0.065	1,534	0.063	0.060 - 0.066	1,557	0.063	0.060 - 0.066
Colorado	657	0.056	0.052 - 0.061	345	0.058	0.052 - 0.064	312	0.054	0.048 - 0.061
Connecticut	466	0.084	0.076 - 0.092	229	0.082	0.072 - 0.094	237	0.085	0.074 - 0.096
Delaware	42	0.049	0.035 - 0.066	23	0.052	0.033 - 0.078	19	0.046	0.027 - 0.071
Florida	5,142	0.101	0.098 - 0.104	2,560	0.102	0.098 - 0.106	2,582	0.100	0.096 - 0.104
Georgia	443	0.046	0.042 - 0.050	260	0.051	0.045 - 0.058	183	0.040	0.034 - 0.046
Hawaii	74	0.052	0.041 - 0.066	37	0.051	0.036 - 0.070	37	0.054	0.038 - 0.074
Idaho	87	0.043	0.034 - 0.052	46	0.044	0.032 - 0.058	41	0.041	0.030 - 0.056
Illinois	1,310	0.060	0.057 - 0.064	699	0.063	0.058 - 0.068	611	0.058	0.053 - 0.062
Iowa	59	0.033	0.025 - 0.042	33	0.035	0.024 - 0.049	26	0.030	0.020 - 0.044
Kentucky	47	0.031	0.023 - 0.041	27	0.033	0.022 - 0.047	20	0.028	0.017 - 0.044
Louisiana	144	0.061	0.052 - 0.072	84	0.066	0.053 - 0.082	60	0.056	0.042 - 0.071
Maine	10	0.048	0.023 - 0.089	-	-		-	-	
Maryland	246	0.042	0.037 - 0.048	122	0.040	0.033 - 0.048	124	0.044	0.037 - 0.053
Michigan	238	0.049	0.043 - 0.055	133	0.054	0.045 - 0.064	105	0.044	0.036 - 0.053
MI - Detroit	141	0.082	0.069 - 0.097	66	0.076	0.059 - 0.097	75	0.088	0.069 - 0.110
Minnesota	146	0.051	0.043 - 0.060	69	0.046	0.036 - 0.058	77	0.056	0.044 - 0.070
Mississippi	25	0.027	0.018 - 0.040	-	-		-	-	
Missouri	112	0.045	0.037 - 0.054	60	0.047	0.036 - 0.060	52	0.044	0.033 - 0.057
Montana	22	0.059	0.037 - 0.089	10	0.052	0.025 - 0.096	12	0.066	0.034 - 0.115
Nebraska	90	0.045	0.036 - 0.055	47	0.045	0.033 - 0.059	43	0.045	0.032 - 0.060
New Hampshire	19	0.041	0.025 - 0.064	-	-		-	-	
New Jersey	1,463	0.082	0.078 - 0.086	776	0.087	0.081 - 0.093	688	0.077	0.072 - 0.083
New Mexico	679	0.067	0.062 - 0.073	334	0.067	0.060 - 0.074	345	0.068	0.061 - 0.076
New York	3,448	0.092	0.089 - 0.095	1,734	0.094	0.089 - 0.098	1,714	0.090	0.086 - 0.095
North Carolina	369	0.040	0.036 - 0.044	198	0.041	0.035 - 0.047	171	0.039	0.033 - 0.045
North Dakota	-	-		-	-		-	-	
Ohio	176	0.042	0.036 - 0.049	97	0.045	0.036 - 0.055	79	0.039	0.031 - 0.048
Oklahoma	140	0.035	0.029 - 0.041	65	0.031	0.024 - 0.039	75	0.039	0.031 - 0.049
Oregon	242	0.047	0.041 - 0.053	146	0.055	0.046 - 0.064	96	0.039	0.031 - 0.047
Pennsylvania	501	0.056	0.052 - 0.062	265	0.058	0.052 - 0.066	236	0.054	0.048 - 0.062
Rhode Island	74	0.047	0.037 - 0.059	32	0.041	0.028 - 0.058	42	0.054	0.039 - 0.073
South Carolina	94	0.035	0.028 - 0.042	53	0.037	0.027 - 0.048	41	0.033	0.023 - 0.044
Tennessee	107	0.031	0.025 - 0.037	51	0.028	0.021 - 0.037	56	0.034	0.026 - 0.045
Texas	6,049	0.056	0.055 - 0.057	3,065	0.056	0.054 - 0.058	2,984	0.056	0.054 - 0.058
Utah	218	0.053	0.046 - 0.060	127	0.060	0.050 - 0.071	91	0.045	0.036 - 0.055
Vermont	-	-		-	-		-	-	
Virginia	352	0.046	0.042 - 0.051	192	0.049	0.042 - 0.056	160	0.043	0.037 - 0.051
Washington	400	0.045	0.040 - 0.049	201	0.043	0.038 - 0.050	199	0.046	0.040 - 0.053
WA - Seattle	250	0.052	0.046 - 0.059	119	0.048	0.040 - 0.057	131	0.057	0.047 - 0.067
West Virginia	10	0.036	0.017 - 0.066	-	-		-	-	
Wisconsin	182	0.047	0.041 - 0.055	106	0.053	0.044 - 0.064	76	0.041	0.032 - 0.051
Wyoming	28	0.048	0.032 - 0.070	12	0.040	0.020 - 0.069	16	0.058	0.033 - 0.095

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Myeloma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**9,348**	**0.017**	**0.017 - 0.017**	**4,982**	**0.018**	**0.018 - 0.019**	**4,366**	**0.016**	**0.016 - 0.017**
Alabama	16	0.008	0.005 - 0.013	-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	268	0.013	0.011 - 0.014	150	0.014	0.012 - 0.016	118	0.011	0.009 - 0.013
Arkansas	18	0.008	0.005 - 0.013	-	-		-	-	
California	2,262	0.015	0.014 - 0.015	1,237	0.016	0.015 - 0.017	1,025	0.014	0.013 - 0.014
CA - Greater California	1,239	0.015	0.014 - 0.016	658	0.016	0.014 - 0.017	582	0.014	0.013 - 0.015
CA - Greater Bay Area	293	0.015	0.014 - 0.017	175	0.018	0.016 - 0.021	118	0.013	0.010 - 0.015
CA - Los Angeles	733	0.015	0.014 - 0.016	407	0.017	0.015 - 0.018	326	0.013	0.012 - 0.015
Colorado	202	0.017	0.015 - 0.020	120	0.020	0.017 - 0.024	82	0.014	0.011 - 0.018
Connecticut	119	0.021	0.018 - 0.026	61	0.022	0.017 - 0.028	59	0.021	0.016 - 0.027
Delaware	12	0.014	0.007 - 0.024	-	-		-	-	
Florida	1,345	0.026	0.025 - 0.028	677	0.027	0.025 - 0.029	668	0.026	0.024 - 0.028
Georgia	108	0.011	0.009 - 0.014	62	0.012	0.009 - 0.016	47	0.010	0.008 - 0.014
Hawaii	18	0.013	0.008 - 0.020	-	-		-	-	
Idaho	19	0.009	0.006 - 0.015	-	-		-	-	
Illinois	356	0.016	0.015 - 0.018	197	0.018	0.015 - 0.020	159	0.015	0.013 - 0.018
Iowa	10	0.006	0.003 - 0.010	-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	32	0.014	0.009 - 0.019	18	0.014	0.008 - 0.022	14	0.013	0.007 - 0.022
Maine	-	-		-	-		-	-	
Maryland	60	0.010	0.008 - 0.013	30	0.010	0.007 - 0.014	30	0.011	0.007 - 0.015
Michigan	87	0.018	0.014 - 0.022	53	0.021	0.016 - 0.028	34	0.014	0.010 - 0.020
MI - Detroit	45	0.026	0.019 - 0.035	28	0.032	0.022 - 0.047	17	0.020	0.012 - 0.032
Minnesota	40	0.014	0.010 - 0.019	23	0.015	0.010 - 0.023	17	0.012	0.007 - 0.020
Mississippi	11	0.012	0.006 - 0.022	-	-		-	-	
Missouri	26	0.010	0.007 - 0.015	-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	29	0.014	0.010 - 0.021	16	0.015	0.009 - 0.025	13	0.014	0.007 - 0.023
New Hampshire	-	-		-	-		-	-	
New Jersey	385	0.022	0.020 - 0.024	205	0.023	0.020 - 0.026	181	0.020	0.017 - 0.024
New Mexico	213	0.021	0.018 - 0.024	115	0.023	0.019 - 0.028	98	0.019	0.016 - 0.024
New York	1,178	0.031	0.030 - 0.033	588	0.032	0.029 - 0.034	590	0.031	0.029 - 0.034
North Carolina	96	0.010	0.008 - 0.013	50	0.010	0.008 - 0.014	46	0.010	0.008 - 0.014
North Dakota	-	-		-	-		-	-	
Ohio	34	0.008	0.006 - 0.011	20	0.009	0.006 - 0.014	14	0.007	0.004 - 0.011
Oklahoma	40	0.010	0.007 - 0.014	22	0.010	0.007 - 0.016	18	0.009	0.006 - 0.015
Oregon	55	0.011	0.008 - 0.014	29	0.011	0.007 - 0.016	26	0.010	0.007 - 0.015
Pennsylvania	166	0.019	0.016 - 0.022	78	0.017	0.014 - 0.021	88	0.020	0.016 - 0.025
Rhode Island	22	0.014	0.009 - 0.021	-	-		-	-	
South Carolina	25	0.009	0.006 - 0.014	14	0.010	0.005 - 0.016	11	0.009	0.004 - 0.016
Tennessee	27	0.008	0.005 - 0.011	15	0.008	0.005 - 0.014	12	0.007	0.004 - 0.013
Texas	1,760	0.016	0.016 - 0.017	944	0.017	0.016 - 0.019	816	0.015	0.014 - 0.016
Utah	45	0.011	0.008 - 0.015	30	0.014	0.010 - 0.020	15	0.007	0.004 - 0.012
Vermont	-	-		-	-		-	-	
Virginia	79	0.010	0.008 - 0.013	42	0.011	0.008 - 0.014	37	0.010	0.007 - 0.014
Washington	105	0.012	0.010 - 0.014	56	0.012	0.009 - 0.016	49	0.011	0.008 - 0.015
WA - Seattle	48	0.010	0.007 - 0.013	22	0.009	0.005 - 0.013	26	0.011	0.007 - 0.017
West Virginia	-	-		-	-		-	-	
Wisconsin	42	0.011	0.008 - 0.015	25	0.013	0.008 - 0.019	17	0.009	0.005 - 0.015
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Leukemias

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**23,755**	**0.043**	**0.043 - 0.044**	**13,242**	**0.048**	**0.047 - 0.049**	**10,513**	**0.039**	**0.038 - 0.040**
Alabama	68	0.034	0.026 - 0.042	43	0.040	0.029 - 0.053	25	0.027	0.017 - 0.039
Alaska	15	0.029	0.016 - 0.049	-	-		-	-	
Arizona	824	0.039	0.036 - 0.042	459	0.043	0.039 - 0.047	365	0.035	0.031 - 0.038
Arkansas	79	0.036	0.029 - 0.045	47	0.041	0.030 - 0.055	32	0.031	0.021 - 0.044
California	6,224	0.041	0.040 - 0.042	3,470	0.045	0.044 - 0.047	2,753	0.036	0.035 - 0.038
CA - Greater California	3,359	0.040	0.039 - 0.041	1,849	0.044	0.042 - 0.046	1,510	0.036	0.034 - 0.038
CA - Greater Bay Area	812	0.043	0.040 - 0.046	489	0.051	0.046 - 0.055	323	0.034	0.031 - 0.038
CA - Los Angeles	2,057	0.042	0.040 - 0.044	1,137	0.046	0.044 - 0.049	921	0.037	0.035 - 0.040
Colorado	486	0.042	0.038 - 0.045	278	0.047	0.041 - 0.052	208	0.036	0.031 - 0.042
Connecticut	266	0.048	0.042 - 0.054	144	0.052	0.044 - 0.061	121	0.043	0.036 - 0.052
Delaware	49	0.057	0.042 - 0.075	27	0.061	0.040 - 0.089	22	0.053	0.033 - 0.080
Florida	3,134	0.061	0.059 - 0.064	1,673	0.066	0.063 - 0.070	1,461	0.057	0.054 - 0.059
Georgia	379	0.039	0.035 - 0.043	222	0.044	0.038 - 0.050	156	0.034	0.029 - 0.040
Hawaii	39	0.027	0.019 - 0.037	29	0.039	0.026 - 0.056	10	0.015	0.007 - 0.027
Idaho	87	0.043	0.034 - 0.052	52	0.049	0.037 - 0.065	35	0.035	0.025 - 0.049
Illinois	975	0.045	0.042 - 0.048	573	0.051	0.047 - 0.056	402	0.038	0.034 - 0.042
Iowa	59	0.033	0.025 - 0.042	32	0.034	0.023 - 0.048	27	0.031	0.021 - 0.045
Kentucky	46	0.030	0.022 - 0.039	32	0.038	0.026 - 0.054	14	0.019	0.010 - 0.033
Louisiana	89	0.038	0.030 - 0.047	55	0.043	0.033 - 0.056	34	0.031	0.022 - 0.044
Maine	-	-		-	-		-	-	
Maryland	204	0.035	0.030 - 0.040	114	0.038	0.031 - 0.045	90	0.032	0.026 - 0.040
Michigan	164	0.034	0.029 - 0.039	97	0.039	0.032 - 0.048	67	0.028	0.022 - 0.035
MI - Detroit	78	0.045	0.036 - 0.056	43	0.049	0.036 - 0.066	35	0.041	0.029 - 0.057
Minnesota	159	0.055	0.047 - 0.065	92	0.062	0.050 - 0.076	67	0.048	0.038 - 0.061
Mississippi	17	0.019	0.011 - 0.030	-	-		-	-	
Missouri	87	0.035	0.028 - 0.043	42	0.033	0.024 - 0.044	45	0.038	0.028 - 0.050
Montana	15	0.040	0.022 - 0.066	-	-		-	-	
Nebraska	77	0.038	0.030 - 0.048	50	0.048	0.035 - 0.063	27	0.028	0.019 - 0.041
New Hampshire	17	0.037	0.022 - 0.059	-	-		-	-	
New Jersey	856	0.048	0.045 - 0.051	488	0.055	0.050 - 0.060	368	0.041	0.037 - 0.046
New Mexico	471	0.047	0.043 - 0.051	252	0.050	0.044 - 0.057	219	0.043	0.038 - 0.049
New York	1,915	0.051	0.049 - 0.053	1,015	0.055	0.051 - 0.058	900	0.047	0.044 - 0.051
North Carolina	357	0.039	0.035 - 0.043	219	0.045	0.039 - 0.052	138	0.031	0.026 - 0.037
North Dakota	-	-		-	-		-	-	
Ohio	119	0.028	0.023 - 0.034	78	0.036	0.029 - 0.045	41	0.020	0.014 - 0.027
Oklahoma	138	0.034	0.029 - 0.041	82	0.039	0.031 - 0.048	56	0.029	0.022 - 0.038
Oregon	200	0.039	0.034 - 0.045	119	0.045	0.037 - 0.053	81	0.033	0.026 - 0.040
Pennsylvania	322	0.036	0.032 - 0.040	190	0.042	0.036 - 0.048	132	0.030	0.025 - 0.036
Rhode Island	54	0.035	0.026 - 0.045	35	0.045	0.031 - 0.062	19	0.024	0.015 - 0.038
South Carolina	99	0.037	0.030 - 0.044	66	0.046	0.035 - 0.058	33	0.026	0.018 - 0.037
Tennessee	122	0.035	0.029 - 0.042	71	0.039	0.030 - 0.049	51	0.031	0.023 - 0.041
Texas	4,623	0.043	0.042 - 0.044	2,561	0.047	0.045 - 0.049	2,062	0.038	0.037 - 0.040
Utah	149	0.036	0.030 - 0.042	82	0.039	0.031 - 0.048	67	0.033	0.026 - 0.042
Vermont	-	-		-	-		-	-	
Virginia	212	0.028	0.024 - 0.032	114	0.029	0.024 - 0.035	98	0.027	0.022 - 0.032
Washington	357	0.040	0.036 - 0.044	188	0.041	0.035 - 0.047	169	0.039	0.033 - 0.046
WA - Seattle	199	0.041	0.036 - 0.048	102	0.041	0.033 - 0.050	96	0.042	0.034 - 0.051
West Virginia	-	-		-	-		-	-	
Wisconsin	166	0.043	0.037 - 0.050	97	0.049	0.039 - 0.059	69	0.037	0.029 - 0.047
Wyoming	22	0.038	0.024 - 0.058	11	0.036	0.018 - 0.065	11	0.040	0.020 - 0.072

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

[2] Abbreviations: C.I. – Confidence Interval

- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.

Ten Year Limited-Duration Prevalence on January 1, 2016
for Cancers Diagnosed 2006-2015 by Registry, Hispanic, Mesothelioma

	MALES AND FEMALES			MALES			FEMALES		
Registry	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]	*Count*	*Prev %*	*95% C.I.*[2]
NAACCR U.S. Combined[1]	**402**	**0.001**	**0.001 - 0.001**	**245**	**0.001**	**0.001 - 0.001**	**157**	**0.001**	**0.000 - 0.001**
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	18	0.001	0.001 - 0.001	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	109	0.001	0.001 - 0.001	62	0.001	0.001 - 0.001	47	0.001	0.000 - 0.001
CA - Greater California	60	0.001	0.001 - 0.001	33	0.001	0.001 - 0.001	27	0.001	0.000 - 0.001
CA - Greater Bay Area	15	0.001	0.000 - 0.001	-	-		-	-	
CA - Los Angeles	34	0.001	0.000 - 0.001	21	0.001	0.001 - 0.001	13	0.001	0.000 - 0.001
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	52	0.001	0.001 - 0.001	27	0.001	0.001 - 0.002	25	0.001	0.001 - 0.001
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	17	0.001	0.000 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	21	0.001	0.001 - 0.002	-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	30	0.001	0.001 - 0.001	13	0.001	0.000 - 0.001	17	0.001	0.001 - 0.001
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	72	0.001	0.001 - 0.001	49	0.001	0.001 - 0.001	23	0.000	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

[1] National population coverage by CiNA Prevalence is about 92% for the United States and 38% for Canada. Prevalence counts reflect the registries included in this volume and the NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.
[2] Abbreviations: C.I. – Confidence Interval
- Counts are suppressed when fewer than 10 cases were reported for the specific cancer.